```
From 5750890807299311914
X-Google-Thread: d7f5508063,53f769cfa6d47f52,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.104.33 with SMTP id gb1mr2089697wib.1.1347851399655;
        Sun, 16 Sep 2012 20:09:59 -0700 (PDT)
MIME-Version: 1.0
Path: ed8ni104598396wib.0!nntp.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!85.12.40.131.MISMATCH!xlned.com!feeder3.xlned.com!
border5.a.newsrouter.astraweb.com!news.astraweb.com!
border6.newsrouter.astraweb.com!newspeer1.nac.net!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!news.bbs-scene.org!weretis.net!
feeder4.news.weretis.net!hirsch.in-berlin.de!news.mind.de!news.musoftware.de!
wum.musoftware.de!feeds.phibee-telecom.net!newsfeed.sovam.com!mtu.ru!gin-ad1-
unet1.teleglobe.net!goblin1!goblin.stu.neva.ru!news.glorb.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Sep 2012 18:03:03 -0500
From: 1001WordsPhoto <1001WordsPhoto.a996f78@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICF-SW7600GR Repairs
Date: Fri, 14 Sep 2012 21:53:10 +0000
Message-ID: <1001WordsPhoto.a996f78@radiobanter.com>
Organization: RadioBanter.com
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
jAs1uQebnQ3LxGD32Iz3mIXOipGeS42cfmThCg5dOOqRbaAwOy3av7rm31qA1W+irU8PD0/RxAwokQu!
QfqJNBmjhH7pUrBlb4Ey+2Qdhk+D/5EQ1gVs8G6JCH83X2OFOAc7BPsQR1YCyGQiMdsE1b4dt5qT!
3evcEOkAnb+5BMU=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 4
X-Original-Bytes: 1871
Bytes: 2321
```

I have the Sony SW7600 shortwave receiver and an external antenna that I would like to connect. However, when I connect the antenna to the jack, the radio cuts out and very little sound is played. I can have a station on the internal and telescoping antenna, and when I plug in the external antenna, I lose the station. I have double checked the external antenna connector, and the wiring is good. The antenna is a random length dipole. Even local stations drop out. I opened the case, and tried to test the antenna jack. I am using a stereo male jack. When I connect the external antenna and use a continuity tester, the ground and second contacts have continuity to the circuit board, but the tip does not. Should the tip have continuity, and to what? I have the online repair manual, with circuit diagram and board diagram, but I am a novice at electronics. Thanks for the help in advance.

Matthew
KC2KEI

--
1001WordsPhoto

```
From 8291867415172517011
X-Google-Thread: d7f5508063,e634fa998336c5b8,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.220.12 with SMTP id hw12mr3227578qab.8.1347673375839;
        Fri, 14 Sep 2012 18:42:55 -0700 (PDT)
Received: by 10.236.74.38 with SMTP id w26mr898240yhd.18.1347673375770; Fri,
 14 Sep 2012 18:42:55 -0700 (PDT)
Path: da15ni55818832qab.0!nntp.google.com!v8no3589637qap.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Fri, 14 Sep 2012 18:42:55 -0700 (PDT)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.104.107.91;
 posting-account=TlFsYgoAAACd2ieifRkKdodTFGKtr59n
NNTP-Posting-Host: 68.104.107.91
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <8bc9bca3-f3ab-412f-81af-cb3f560195d1@googlegroups.com>
Subject: FA: eBay - Radio's and Mobile Compuer
From: RadioTech55 <djraz55@gmail.com>
Injection-Date: Sat, 15 Sep 2012 01:42:55 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

eBay: http://bit.ly/RY0p2o

```
From 1761704331309954387
X-Google-Thread: 108122,98ee067d260783e2,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,98ee067d260783e2,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,98ee067d260783e2,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gida3e752f117,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.82.166 with SMTP id j6mr253028wiy.1.1347688803664;
```

```
        Fri, 14 Sep 2012 23:00:03 -0700 (PDT)
MIME-Version: 1.0
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1346479201@panix.com>
Followup-To: poster
Date: 15 Sep 2012 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Oct 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1347688801@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1347688803 19386 166.84.1.2 (15 Sep 2012 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 15 Sep 2012 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Path: ed8ni73084677wib.0!nntp.google.com!goblin2!goblin.stu.neva.ru!
porbandar.httrack.net!news.httrack.net!feed.ac-versailles.fr!feeder1-2.proxad.net!
proxad.net!feeder1-1.proxad.net!198.186.190.251.MISMATCH!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html
```

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

```
the rec.radio.amateur.moderated Moderation Team had decided to consider       |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup.  After a successful trial         |
period (90 days, through early July 2009), we decided to adopt this           |
change permanently.                                                           |
```

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -2340397279557321721
X-Google-Thread: d7f5508063,e634fa998336c5b8
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.75.8 with SMTP id y8mr141023wiv.4.1348195908696;
        Thu, 20 Sep 2012 19:51:48 -0700 (PDT)
Path: q11ni4245667wiw.1!nntp.google.com!volia.net!news2.volia.net!feed-
A.news.volia.net!border1.nntp.ams2.giganews.com!border3.nntp.ams.giganews.com!
feed.xsnews.nl!border-1.ams.xsnews.nl!xlned.com!feeder3.xlned.com!
feeder2.cambriumusenet.nl!feed.tweaknews.nl!216.40.29.245.MISMATCH!novia!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nrc-
news.nrc.ca!goblin1!goblin.stu.neva.ru!news.albasani.net!.POSTED!not-for-mail
From: "R. Scott" <w7psk@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: eBay - Radio's and Mobile Compuer
Date: Sat, 15 Sep 2012 07:37:40 -0700
Organization: albasani.net
Lines: 8
Message-ID: <505492B4.1060001@yahoo.com>
References: <8bc9bca3-f3ab-412f-81af-cb3f560195d1@googlegroups.com>
Mime-Version: 1.0
X-Trace: news.albasani.net PF07ELp/
Yy6fMqw+aDJZjmlt3zpq5P9qOzLxdTjwNLFhW0B+3cxMLypliMMd3Jpn/jMTNOBV2sErrCam+GA0/
```

```
iTBbVKYf9xJxa63fvhqE03KcMHS2TdGeEaxEyfvjl4E
NNTP-Posting-Date: Sat, 15 Sep 2012 14:37:40 +0000 (UTC)
Injection-Info: news.albasani.net; logging-data="m0YuaC02YPbQd/
dyLK9sc72rlg+gcoHPksf3KLmCERWTABazG7eGxHT1DH3gxu2RuDhSZ81NVeZUbNfrGg/GkQnWm9pm+lU/
N+6I7W36WnU/yVwDMT0JZWLehWj9lJtr"; mail-complaints-to="abuse@albasani.net"
User-Agent: Mozilla/5.0 (Windows NT 6.0; rv:14.0) Gecko/20120713 Thunderbird/14.0
To: RadioTech55 <djraz55@gmail.com>
In-Reply-To: <8bc9bca3-f3ab-412f-81af-cb3f560195d1@googlegroups.com>
Cancel-Lock: sha1:tiaN1DmLsWhI0lhfKfnHTYxvvMo=
Bytes: 1671
X-Original-Bytes: 1455
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 9/14/2012 6:42 PM, RadioTech55 wrote:
>
> eBay: http://bit.ly/RY0p2o
>

Worst attempt at getting you to infect your computer Ever.

Stupid Spammer


From -1123003556958852330
X-Google-Thread: d7f5508063,e634fa998336c5b8
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.27.14 with SMTP id g14mr4525549qac.1.1347735452977;
        Sat, 15 Sep 2012 11:57:32 -0700 (PDT)
Received: by 10.229.107.14 with SMTP id z14mr384645qco.11.1347735452888; Sat,
 15 Sep 2012 11:57:32 -0700 (PDT)
Path: da15ni67587947qab.0!nntp.google.com!v8no3845222qap.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Sat, 15 Sep 2012 11:57:32 -0700 (PDT)
In-Reply-To: <8bc9bca3-f3ab-412f-81af-cb3f560195d1@googlegroups.com>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.104.107.91;
 posting-account=TlFsYgoAAACd2ieifRkKdodTFGKtr59n
NNTP-Posting-Host: 68.104.107.91
References: <8bc9bca3-f3ab-412f-81af-cb3f560195d1@googlegroups.com>
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <acf217d9-4d76-4fe8-b062-c9fb739dc2ba@googlegroups.com>
Subject: Re: FA: eBay - Radio's and Mobile Compuer
From: RadioTech55 <djraz55@gmail.com>
Injection-Date: Sat, 15 Sep 2012 18:57:32 +0000
Content-Type: text/plain; charset=ISO-8859-1

On Friday, September 14, 2012 6:42:55 PM UTC-7, RadioTech55 wrote:
> eBay: http://bit.ly/RY0p2o
```

What ever that means i guess you never heard of bitly then.. did it infect your computer??? NO!!!! so shut the F up and stop posting crap comments about peoples adds you don't even under stand and get a life Mr. R. Scott

```
From 1606778673353771056
X-Google-Thread: 108122,4428bddc9257d96e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.107.167 with SMTP id hd7mr875467wib.0.1348063110245;
        Wed, 19 Sep 2012 06:58:30 -0700 (PDT)
Path: q11ni134576355wiw.1!nntp.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!
newshosting.com!news.glorb.com!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2012 08:58:29 -0500
From: Larry Dighera <LDighera@att.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: WTB: Remote Antenna Selector Relay Box
Date: Wed, 19 Sep 2012 06:58:51 -0700
Message-ID: <mmjj58tu3ls8e75uq9rckb53psf9j30s4o@4ax.com>
User-Agent: ForteAgent/7.00.32.1200
MIME-Version: 1.0
Lines: 25
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
EB8SbKFetTxPh5GFeMUYSDesjzNmVmDwzYwH7buceZ5r3xSojFFdz8d70wgGYYhOq0H+lX5NxS8obew!
C+ALfluXLW9+nJeLIQa6z7Q3LPYhB+U/zZAe45zb2xdkncEEf1SOuBQmwurEn4IlDQ4eqxo=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1766
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

WTB: Remote Antenna Selector Relay Box
WANTED:
I'm looking for a high quality, high power (1.5KW+), 12 VDC or 24 VDC, remote antenna relay selector box for use with an Alpha DAS.

Indoor or outdoor is okay, but latter preferred.

Because of its superior specifications the DX Engineering RR8B-HP is the unit of choice.

However, these may also be suitable:

    Comtec RACS-8 (preferred)
    ToptTen Sixway
    Array Solutions RATpak

PayPal payment preferred.
Shipment to Zip Code 93111.
Please quote full price, including shipping, item condition, and
provide photographs via e-mail: Larry (at) KJ6YVT (dot) COM

PS: I'm also looking for a RS-232 or USB computer controlled antenna
rotor.

Web Site: http://KJ6YVT.com

```
From 6096701954776019620
X-Google-Thread: 108122,c17ad59732ce7398,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.81.202 with SMTP id c10mr711978pay.40.1348063254468;
        Wed, 19 Sep 2012 07:00:54 -0700 (PDT)
Path: a8ni96529499pbd.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2012 09:00:53 -0500
From: Larry Dighera <LDighera@att.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: WTB: Antenna Rotor, Computer Controlled
Date: Wed, 19 Sep 2012 07:01:17 -0700
Message-ID: <ptjj58dbjal43jte0qmnetlj3ajfc55ela@4ax.com>
User-Agent: ForteAgent/7.00.32.1200
MIME-Version: 1.0
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-aYzfu/fSpC8vdMwTNPhunGqSKlUOJ/uT0z9iYL8ddMlzSo0qHNLoAE4timuJSS2J2VM/
6PquegfA028!
SNcEuJNAS0Xw8Uba3K9KCkRcD5X6Z30126E7M39g7AjJmotFo+Txcu5Aybt0GrBt+dmv9xg=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1570
X-Original-Bytes: 1509
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

WTB: Antenna Rotor, Computer Controlled
WANTED: Computer Controlled, Light-Duty (<10 Sq. Ft.; <20 lbs.),
Antenna Rotor and RS-232 or USB Controller.

Green Heron Engineering RT-21D (Deluxe)
EA4TX Antenna Rotator System ARS-USB_Azimuth
Idiom Press Rotor-EZ

PayPal payment preferred. Shipment to Zip Code 93111.
Please quote full price, including shipping, item condition, and
provide photographs via e-mail: Larry (at) KJ6YVT (dot) COM

Web Site: http://KJ6YVT.com

From -6842974532564283194
X-Google-Thread: d7f5508063,e33919889da9aabd
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.189.75 with SMTP id dd11mr1123258qab.6.1348135708854;
Thu, 20 Sep 2012 03:08:28 -0700 (PDT)
Received: by 10.236.109.233 with SMTP id s69mr103412yhg.11.1348135708750; Thu,
20 Sep 2012 03:08:28 -0700 (PDT)
Path: t12ni2384qak.0!nntp.google.com!i6no96193qas.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Thu, 20 Sep 2012 03:08:28 -0700 (PDT)
In-Reply-To: <328X1.45b8766@radiobanter.com>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=74.195.25.6;
posting-account=hFLphwoAAACuRojtmkj0KWdpSQYBREyg
NNTP-Posting-Host: 74.195.25.6
References: <328X1.45b8766@radiobanter.com>
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <b067477e-36d0-4fa5-8f7c-af5d42b41562@googlegroups.com>
Subject: Re: Kenwood Tm-v7 Display 'line'
From: edensconsultingservices@gmail.com
Injection-Date: Thu, 20 Sep 2012 10:08:28 +0000
Content-Type: text/plain; charset=ISO-8859-1

as i understand it, the adhesive between the ribbon cable and the lcd itself and the cable and the pcb is contaminated and needs to be removed and replaced with a conductive adhesive as used in the ribbon cable repair in ipod touches

I will be trying this method soon, lining back up the cable i think will be the bigest task aside from removing the cable without damage.

From 2617399987310238093
X-Google-Thread: 108122,9bfb8f4e1c1d80d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.213.68 with SMTP id nq4mr771256pbc.6.1348185551052;

```
        Thu, 20 Sep 2012 16:59:11 -0700 (PDT)
Path: t10ni1425489pbh.0!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news.astraweb.com!border6.newsrouter.astraweb.com!not-for-mail
Subject: FA: 4+ ARRL Ham Radio Books: 2012 Handbook, 9th Edition Operating Manual,
Emergency Book, Packet Book, etc.
Date: Thu, 20 Sep 2012 19:59:09 -0400
From: Ken <ken@kjsdfoiuwdf.com>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <200920121959091948%ken@kjsdfoiuwdf.com>
MIME-Version: 1.0
User-Agent: Thoth/1.9.0 (Mac OS X)
Lines: 2
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 8c483d5a.news.astraweb.com
X-Trace: DXC=<WEEfH6eicfN4DY]]om;IiL?
0kYOcDh@jUFLS=GhFE4m0WDN7dFMi;hlQ^8Z[229RfUog9CaXXBcmg5Y?
D5jSf5lPdNL`OM2Z<c[`iD;O2KUba
Bytes: 846
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320986597467



From -7532832778403607917
X-Google-Thread: 108122,e33919889da9aabd
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.75.8 with SMTP id y8mr24326wiv.4.1348277085133;
        Fri, 21 Sep 2012 18:24:45 -0700 (PDT)
Path: ed8ni14629484wib.0!nntp.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!ecngs!feeder2.ecngs.de!78.46.240.70.MISMATCH!weretis.net!
feeder4.news.weretis.net!cs.uu.nl!news0.firedrake.org!news.xcski.com!ncf.ca!not-
for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood Tm-v7 Display 'line'
Date: Fri, 21 Sep 2012 21:24:16 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 26
Sender: et472@belmoncnas62-1088748128.dial.bell.ca
Message-ID: <Pine.LNX.4.64.1209212122110.15466@darkstar.example.net>
References: <328X1.45b8766@radiobanter.com> <b067477e-36d0-4fa5-8f7c-
af5d42b41562@googlegroups.com>
NNTP-Posting-Host: belmoncnas62-1088748128.dial.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1348277084 22807 64.228.250.96 (22 Sep 2012 01:24:44 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 22 Sep 2012 01:24:44 GMT
In-Reply-To: <b067477e-36d0-4fa5-8f7c-af5d42b41562@googlegroups.com>
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
```

On Thu, 20 Sep 2012, edensconsultingservices@gmail.com wrote:

> as i understand it, the adhesive between the ribbon cable and the lcd
> itself and the cable and the pcb is contaminated and needs to be removed
> and replaced with a conductive adhesive as used in the ribbon cable
> repair in ipod touches
>
>
> I will be trying this method soon, lining back up the cable i think will
> be the bigest task aside from removing the cable without damage.
>

And the post you replied to is from May 21, 2009.

WHoever posted is long gone by now. Don't reply to old messages, even if
google buggishly allows it. They need to fix that.

If you want to discuss an issue, start a new thread, rather than resurrect
an old one. Nobody knows what you are talking about (you didn't even
quote the message you are replying to), and the only reason I know what's
going on is because people replying to old posts via google is now an
ongoing problem.

   Michael VE2BVW

From 5005211397919605533
X-Google-Thread: 108122,f401327f0cefbecf,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.75.8 with SMTP id y8mr136428wiv.4.1348293904812;
        Fri, 21 Sep 2012 23:05:04 -0700 (PDT)
MIME-Version: 1.0
Path: ed8ni16786680wib.0!nntp.google.com!goblin2!goblin.stu.neva.ru!
feeder2.cambriumusenet.nl!feed.tweaknews.nl!209.197.12.242.MISMATCH!
nx01.iad01.newshosting.com!newshosting.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1346997900@panix.com>
Followup-To: poster
Date: 22 Sep 2012 02:05:04 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world

Expires: 10 Oct 2012 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1348293901@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1348293904 7459 166.84.1.2 (22 Sep 2012 06:05:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 22 Sep 2012 06:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 2913887223423086542
X-Google-Thread: 108122,e798217f97d3cb2c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.81.202 with SMTP id c10mr1513325pay.40.1348294201646;
        Fri, 21 Sep 2012 23:10:01 -0700 (PDT)
MIME-Version: 1.0
Path: t10ni8394351pbh.0!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1346998200@panix.com>
Followup-To: poster
Date: 22 Sep 2012 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Oct 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1348294200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1348294201 11342 166.84.1.2 (22 Sep 2012 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 22 Sep 2012 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Bytes: 2703

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been

recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -4604773132768005479
X-Google-Thread: 108122,34998a90cd5f8ff2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.106.102 with SMTP id gt6mr1867566wib.0.1348488528112;
        Mon, 24 Sep 2012 05:08:48 -0700 (PDT)
Path: ed8ni41707773wib.0!nntp.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!198.186.194.247.MISMATCH!news-out.readnews.com!
transit3.readnews.com!news.linkpendium.com!news.linkpendium.com!panix!
rri.panix.com!robomod!not-for-mail
From: rec-radio-info-request@panix.com (SolderSmoke via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: SolderSmoke Podcast for Monday 24 September 2012
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Mon, 24 Sep 2012 08:08:47 EDT
Organization: SolderSmoke
Lines: 12
```

```
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <20cf303dd5b26b900604ca6fb117@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1348488527 28603 166.84.1.6 (24 Sep 2012 12:08:47 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 24 Sep 2012 12:08:47 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:sender:precedence:message-id:date:subject:from:to
         :content-type;
        bh=rBrLDR9cM+arDE3vlJEGXNuK2lCoRm3+HIiAd0X6XLo=;
        b=IZQDj8/DZfxVQjv3IyCmoIjiEQYXwbdhHf4YyhvlufDZD63mf0FR44UvXD2kAiutqo
         4ycvwOa0oagx1tzoHT4GSgY/Lc2YJHP9crK0RMSHw40J7rJuCvYwX1o1tG7mHTE0+CBf
         ebTsx/3XDQLEQHcloQGDDGL5a7AVM8azBQ25wkwH2h+AIbB8x0Ms5eGFiOOn2GVuVSwz
         Cnv+C6wReiVgpV+GHQjmunf5KbHFkXh0q3ENm8ifwdKtoqD21k8MeaNhKldmvRUGhjOg
         fqUOEPE4T93u4WoNeLQX0CENVoXCogCth6SCOsDvCq/ismihq4jPY7BYxm/ezbO/NZyj
         HYDg==
X-StripMime: Non-text section removed by stripmime
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

SolderSmoke Podcasts

//
SolderSmoke146`

Posted: 23 Sep 2012 02:47 AM PDT

SolderSmoke issue 146
This posting includes a media file:
http://www.soldersmoke.com/soldersmoke146.mp3

```
From 5213789531560807716
X-Google-Thread: d7f5508063,cd4a2c9250ee9921
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.31.20 with SMTP id w20mr9767134qac.2.1348919093737;
        Sat, 29 Sep 2012 04:44:53 -0700 (PDT)
```

```
Received: by 10.52.23.145 with SMTP id m17mr2332276vdf.0.1348919093676; Sat,
 29 Sep 2012 04:44:53 -0700 (PDT)
Path: e10ni119047168qan.0!nntp.google.com!l8no16641651qao.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Sat, 29 Sep 2012 04:44:53 -0700 (PDT)
In-Reply-To: <johnp.736f198@radiobanter.com>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=109.80.64.145;
 posting-account=B4ozYAoAAACKBPaVhDa24IDZmo0Dn2b-
NNTP-Posting-Host: 109.80.64.145
References: <johnp.736f198@radiobanter.com>
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <ab423044-67d9-466a-8438-06455012fd4a@googlegroups.com>
Subject: Re: Manual for Motorola CD 100 - wanted
From: fenquick@gmail.com
Injection-Date: Sat, 29 Sep 2012 11:44:53 +0000
Content-Type: text/plain; charset=ISO-8859-1

Dne sobota, 27. listopadu 2010 16:46:07 UTC+1 johnp napsal(a):
> Does anyone have a copy of the above manual that i couild borrow.
>
> I have two of these and want to see if I can make use of them.
>
> Thanks,
>
> John
>
>
>
>
> --
> johnp

Hello, I have the same machine without mike. Seems working, but I need mike pinout
to use it.
Found anything till now?
Tomas



From 7955155565407064970
X-Google-Thread: 108122,95fc0f2893e164e1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.222.225 with SMTP id qp1mr3626145pbc.8.1348999732588;
        Sun, 30 Sep 2012 03:08:52 -0700 (PDT)
MIME-Version: 1.0
Received: by 10.68.219.198 with SMTP id pq6mr3390342pbc.0.1348999732575; Sun,
 30 Sep 2012 03:08:52 -0700 (PDT)
Path: t10ni23589284pbh.0!nntp.google.com!kq19no5365282pbb.0!postnews.google.com!
wm7g2000pbc.googlegroups.com!not-for-mail
```

Newsgroups: rec.radio.amateur.equipment
Date: Sun, 30 Sep 2012 03:08:52 -0700 (PDT)
Complaints-To: groups-abuse@google.com
Injection-Info: wm7g2000pbc.googlegroups.com; posting-host=117.199.241.142; posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
NNTP-Posting-Host: 117.199.241.142
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:10.0.2) Gecko/20100101 Firefox/10.0.2,gzip(gfe)
Message-ID: <8e8b49ec-37ec-4e33-959a-c90cd4af5d2d@wm7g2000pbc.googlegroups.com>
Subject: HOT VIDEOS FOR YOUTH AND ALL ADULT PEOPLE 2012 SEXY PHOTOS
From: HGHFGDS <fhfgfgg@gmail.com>
Injection-Date: Sun, 30 Sep 2012 10:08:52 +0000
Content-Type: text/plain; charset=ISO-8859-1

VERY VERY VERY HOT HOT HOT ONLY HOT
http://acresesandmodels.blogspot.in/2011/06/real-kiss-hot-videos.html

HOT HOT LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/hot-for-youth.html
SUPER HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-101.html
YOUTH HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-lip-kiss-12.html
ONLY HOT HOT
http://hotvideosfreesee.blogspot.in/2010/06/supr-hot-never-seen.html
SUPER HOT NEVER SEEN
http://hotvideosfreesee.blogspot.in/2010/06/supe-r-hot-kiss-op.html
HEROINE LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/kajal-best-lip-kiss.html

for mopre hot videos
http://allvideosforyouth.blogspot.in/2010/08/super-hot-lip-kiss.html

jobs
http://alljobsaywhere.blogspot.in/

mobile

mobile games free download
http://mobileallinforation.blogspot.in

interview question
java interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/java-interview-questions-and-answers.html
oracle interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/oracle-interview-questions-and-answers.html
hardware interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/hardware-interview-questions-and-answers.html

networking interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/networking-interview-questions-and.html
dotnet interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/dotnet-interview-questions-and-answers.html
c interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/c-interview-questions-and-answers.html
datawarehousing interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/datawarehousing-interview-questions-and.html
sap interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/sap-interview-questions-and-answers.html

all jobs
java jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/java-jobs.html
oracle jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/oracle-jobs.html
sap jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/sap-jobs.html
hardware jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/hardware-jobs.html
networking jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/networking-jobs.html
datawarehousing jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/datawarehousing-jobs.html
GOOGLE ADSENSE
http://alljobsandinterviwquestions.blogspot.com/2012/08/google-adsense.html

---

```
From 2369565969344908569
X-Google-Thread: a4a23d5f63,306386444ccba5bd,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.78.209 with SMTP id m17mr9830087qak.3.1349071203819;
        Sun, 30 Sep 2012 23:00:03 -0700 (PDT)
MIME-Version: 1.0
Path: e10ni144502092qan.0!nntp.google.com!newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
```

Supersedes: <radio/ham-radio/moderated/crossposting-1-1347688801@panix.com>
Followup-To: poster
Date: 1 Oct 2012 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 19 Oct 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1349071201@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1349071203 24753 166.84.1.2 (1 Oct 2012 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 1 Oct 2012 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -6224500384782453191
X-Google-Thread: 108122,a25cbd07ce195d10,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.94.98 with SMTP id db2mr3331685wib.2.1349240584696;
        Tue, 02 Oct 2012 22:03:04 -0700 (PDT)
MIME-Version: 1.0
Path: q10ni64946269wif.0!nntp.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!198.186.194.247.MISMATCH!news-out.readnews.com!
transit3.readnews.com!nx02.iad01.newshosting.com!newshosting.com!
216.196.98.146.MISMATCH!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 03 Oct 2012 00:03:03 -0500
From: mindtab <mindtab.ab17ed8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Heathkit PS-4 Power Supply Fuse
Date: Wed, 3 Oct 2012 03:47:47 +0000
Message-ID: <mindtab.ab17ed8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-yXoTsc1Ojs1U3eKnOfQXJfNEqZr0G/
xRO2Uj2kkho8nYkgDSWD0Y0biM6pfA38mKqztlKOIAljWCSIe!PNSsAUfg17vczFQcrdjGtEcmzX50B/
DXyWT2CErLFZ/ka7lR8d4jR4iV2+h1r4I0z4RMu0tj6PpN!sKs3kw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1119
X-Original-Lines: 3
X-Original-Bytes: 1036
```

Can anyone let me know what kind of fuse I should buy for a Heathkit PS4
Power Supply?

Thank you.

--
mindtab

```
From 5017839082335942463
X-Google-Thread: 108122,a25cbd07ce195d10
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.133 with SMTP id p5mr791103paz.12.1349297324584;
        Wed, 03 Oct 2012 13:48:44 -0700 (PDT)
MIME-Version: 1.0
Path: t10ni23609663pbh.0!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe15.iad.POSTED!not-for-mail
From: "Barry" <none@nospam.org>
Newsgroups: rec.radio.amateur.equipment
References: <mindtab.ab17ed8@radiobanter.com>
In-Reply-To: <mindtab.ab17ed8@radiobanter.com>
Subject: Re: Heathkit PS-4 Power Supply Fuse
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18463
X-RFC2646: Format=Flowed; Original
Message-ID: <Lw1bs.877$nQ6.480@newsfe15.iad>
NNTP-Posting-Host: fieondflbdmhnkcooeofhejokkcgenep
X-Complaints-To: abuse@charter.net
X-Trace:
fglkamdooimnbnagkjhcdgpahofkhhhagfkldfhndhopejhihpclbgcmoanhbhnhhkffilcmecclhenjce
kpjhfbolkefngggajolgofabpimdee
NNTP-Posting-Date: Wed, 03 Oct 2012 20:48:43 UTC
Date: Wed, 3 Oct 2012 16:48:39 -0400
X-Received-Bytes: 1191
```

"mindtab" <mindtab.ab17ed8@radiobanter.com> wrote in message
news:mindtab.ab17ed8@radiobanter.com...

> Can anyone let me know what kind of fuse I should buy for a Heathkit
> PS4
> Power Supply?
>
> Thank you.

> mindtab

Use a one and one half ampere fuse rated for 125 volts AC.

    WA4VZQ

```
From -1810708813765152491
X-Google-Thread: d7f5508063,c9130ebc4391495d,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.220.12 with SMTP id hw12mr6401072qab.8.1349392527566;
        Thu, 04 Oct 2012 16:15:27 -0700 (PDT)
MIME-Version: 1.0
Received: by 10.236.74.161 with SMTP id x21mt3219260yhd.13.1349392527502; Thu,
 04 Oct 2012 16:15:27 -0700 (PDT)
Path: e10ni165558057qan.0!nntp.google.com!l8no25657723qao.0!postnews.google.com!
a11g2000yqb.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Thu, 4 Oct 2012 16:15:27 -0700 (PDT)
Complaints-To: groups-abuse@google.com
Injection-Info: a11g2000yqb.googlegroups.com; posting-host=174.20.153.5; posting-
account=KmDxMAoAAAAWhZ5qFpyclCEHWWCMRjW-
NNTP-Posting-Host: 174.20.153.5
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:15.0) Gecko/20100101 Firefox/
15.0.1,gzip(gfe)
Message-ID: <c8acf201-4a35-4cb9-bc6a-4967b25bbc94@a11g2000yqb.googlegroups.com>
Subject: FA: many lots of electronic components; switches, precision
 potentiometers, etc.
From: ibm laptop <ibmlaptop2007@gmail.com>
Injection-Date: Thu, 04 Oct 2012 23:15:27 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

Several precision Spectrol potentiometers, Micro Switch toggle
switches, Philips EGC relays, HH Smith spacers, AMP/Tyco AMPMODU
contacts, etc. See the lots here; http://www.ebay.com/sch/bobsx/m.html
Thank you for your time.

```
From -2616173979557363143
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.220.12 with SMTP id hw12mr10419966qab.8.1349589904649;
        Sat, 06 Oct 2012 23:05:04 -0700 (PDT)
MIME-Version: 1.0
Path: e10ni231559189qan.0!nntp.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
```

```
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1348293901@panix.com>
Followup-To: poster
Date: 7 Oct 2012 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Oct 2012 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1349589901@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1349589904 7787 166.84.1.2 (7 Oct 2012 06:05:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Oct 2012 06:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been
recently revived by an active moderation team.  We are currently seeking
suitable information, FAQ, and bulletin articles from the entire
rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our
newsgroup.

We are seeking a replacement maintainer for the following information
bulletin formerly posted to rec.radio.amateur.* (and currently archived
at http://www.faqs.org/faqs/radio/personal-intro/ ):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                 |
 rec.radio.amateur.space                                                     |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -4342322083690074146
X-Google-Thread: d7f5508063,6121dd1c841d041,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.85.130 with SMTP id h2mr118399paz.8.1349954229198;
        Thu, 11 Oct 2012 04:17:09 -0700 (PDT)
MIME-Version: 1.0
Path: jt13ni2543pbb.1!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.astraweb.com!
border2.newsrouter.astraweb.com!newspeer1.nac.net!newsfeed.xs4all.nl!
newsfeed5.news.xs4all.nl!xs4all!xlned.com!feeder7.xlned.com!multikabel.net!
newsfeed10.multikabel.net!feed.xsnews.nl!border-2.ams.xsnews.nl!
feeder.xennanews.com!newscene.com!novia!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!news.glorb.com!news-
out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1348294200@panix.com>
Followup-To: poster
Date: 7 Oct 2012 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Oct 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1349590200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1349590201 22160 166.84.1.2 (7 Oct 2012 06:10:01 GMT)
```

X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Oct 2012 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
X-Received-Bytes: 3054

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -6069237188946348550
X-Google-Thread: d7f5508063,bc6f5d723e897f72,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit

```
Received: by 10.66.77.227 with SMTP id v3mr3616325paw.11.1349607780914;
        Sun, 07 Oct 2012 04:03:00 -0700 (PDT)
MIME-Version: 1.0
Path: t10ni23620632pbh.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 Oct 2012 06:02:59 -0500
From: OCradioman <OCradioman.ab71939@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood Tm-221a Keyup problem
Date: Sun, 7 Oct 2012 06:22:26 +0000
Message-ID: <OCradioman.ab71939@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-nBt9s5W0HKYSMPOjRhY9hd7VJmhb/
6r4BMQGoHbeXKfiIGE50sbr6ne6FKKc62bMPMOMf9v9CXmx5zt!
hkv2nxJ2+mDFZV2vVsvcP8rQwofPrsK2vzRPZ7ugRqbEEVpcf1hGyBDlBwe+BSQwtazv5z6lXsAg!
bSxr5vqSig==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1259
X-Original-Lines: 5
X-Original-Bytes: 1176
```

Hello,

I've finally got my 221A back in my car and I've run into a problem.
When i Keyup the radio shuts off.I've wired the radio directly to the
battery with fuses on both + -. It's been sitting for about 2 years.

Thanks

--
OCradioman

```
From 8107754829842327451
X-Google-Thread: 108122,1f7740f3137ebde9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.66.90.36 with SMTP id bt4mr3612582pab.5.1349647635742;
```

Sun, 07 Oct 2012 15:07:15 -0700 (PDT)
MIME-Version: 1.0
Path: t10ni23621818pbh.0!nntp.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!news-out.octanews.net!indigo.octanews.net!news.glorb.com!news.alt.net!news.dizum.com!sewer-output!mail2news-x5!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: "Eric Holder Black Panthers" <black-scum@attackwatch.com>
Newsgroups:
alt.radio.digital,rec.radio.amateur.equipment,alt.radio.international,alt.fr.radio,alt.ham-radio
Subject: "Racial profiling" A liberal term meaning, "to cry racism and deflect responsibility for criminal behavior."
Message-ID: <219e051f3635a10375eb0f14e8171d84@msgid.frell.theremailer.net>
Date: Mon, 08 Oct 2012 00:04:34 +0200
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Bytes: 907
Lines: 45

It's the catalytic phrase prior to deployment of the defeated
liberal weapon of last resort.

"You're a racist!"

!#9�
�
�

```
From 7018545012148226585
X-Google-Thread: d7f5508063,1f7740f3137ebde9
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.91.231 with SMTP id ch7mr3176818wib.1.1350352496698;
        Mon, 15 Oct 2012 18:54:56 -0700 (PDT)
Path: q10ni65138158wif.0!nntp.google.com!feeder2.cambriumusenet.nl!
feed.tweaknews.nl!194.109.133.84.MISMATCH!newsfeed.xs4all.nl!
newsfeed5.news.xs4all.nl!xs4all!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!border3.nntp.ams.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!news.panservice.it!
feeder.erje.net!weretis.net!feeder4.news.weretis.net!eternal-september.org!
feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: marc <nomail@be.com>
Newsgroups:
alt.radio.digital,rec.radio.amateur.equipment,alt.radio.international,alt.fr.radio
,alt.ham-radio
Subject: Re: "Racial profiling"  A liberal term meaning, "to cry racism and
deflect responsibility for criminal behavior."
Date: Mon, 08 Oct 2012 12:48:32 +0200
Organization: A noiseless patient Spider
Lines: 16
Message-ID: <k4ub20$hg5$1@dont-email.me>
References: <219e051f3635a10375eb0f14e8171d84@msgid.frell.theremailer.net>
Mime-Version: 1.0
Injection-Date: Mon, 8 Oct 2012 10:48:32 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="245712af6f7b8d25092c47f69325f3b4";
     logging-data="17925"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/ZddHb4ny2iv50rBzl05/D"
User-Agent: KNode/4.8.5
Cancel-Lock: sha1:SISomNSfgZ8FlUG5JYLpYaDThDs=
Content-Type: text/plain; charset="ISO-8859-1"
Content-Transfer-Encoding: 7Bit
```

Eric Holder Black Panthers wrote:

> "You're a racist!"

You have your pension fund, you have your brand, and you kill the
opposition. Which is kinda "racism"?

--
--
What's on Shortwave guide: choose an hour, go!
http://shortwave.tk
700+ Radio Stations on SW http://swstations.tk
300+ languages on SW http://radiolanguages.tk

```
From -6429498837328720619
X-Google-Thread: d7f5508063,bc6f5d723e897f72
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.216.202.93 with SMTP id c71mr804992weo.3.1350352571408;
        Mon, 15 Oct 2012 18:56:11 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni134324890wiw.1!nntp.google.com!feeder1.cambriumusenet.nl!
feeder3.cambriumusenet.nl!82.197.223.108.MISMATCH!feeder2.cambriumusenet.nl!
feed.tweaknews.nl!85.12.40.130.MISMATCH!xlned.com!feeder1.xlned.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!news.panservice.it!
aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood Tm-221a Keyup problem
Date: Mon, 08 Oct 2012 20:59:35 -0400
Organization: Aioe.org NNTP Server
Lines: 44
Message-ID: <fmmck-88F432.20593408102012@5ad64b5e.bb.sky.com>
References: <OCradioman.ab71939@radiobanter.com>
NNTP-Posting-Host: 4lV2ncZws9SmailhSv7xGg.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Bytes: 3030
```

In article <OCradioman.ab71939@radiobanter.com>,
 OCradioman <OCradioman.ab71939@radiobanter.com> wrote:

> I've finally got my 221A back in my car and I've run into a problem.
> When i Keyup the radio shuts off.I've wired the radio directly to the
> battery with fuses on both + -. It's been sitting for about 2 years.

OC-

I've had that problem with Icom IC-706 and IC-7000 radios. The problem is that they are not able to operate with less than some critical voltage.

To start, you need to have the car's engine running to be sure battery voltage is 13.8 Volts. I assume you have a good connection to the battery and sufficiently heavy cables connecting the radio. If it is the same setup as you had before, it should still work.

That leaves the fuse connectors and the radio connector as possible sources of resistance. You can try using pliers to tighten the fuse clips by bending them slightly. If the radio power connector has been reconnected numerous times, its sockets may have become spread. You may be able to use a jeweler's screwdriver or a small blade on a pocket knife, to bend the socket sides inward. In either case, be careful not to overdo the bending.

In my installation, the problem first arose when I went to using Anderson Powerpole connectors with a Rig-Runner multiple outlet box to feed an additional rig. Each Powerpole connection introduced slightly more voltage drop, compared to wiring the radio directly to the battery.

In order to keep the Powerpole connectors in line, I purchased an MFJ-4416 "Super Battery Booster". It is a DC-to-DC switching power supply that takes a variable input voltage as low as 9 Volts, and produces a constant 13.8 VDC output at 25 Amps peak. (When it is turned off, the battery voltage is fed through to the output.)

If low voltage is your problem, using the MFJ-4416 would probably solve it. It also would solve a problem you may not be aware of. Output power of solid state transmitters is extremely sensitive to battery voltage. With a constant 13.8 volts, you always have full power.

Fred
K4DII

```
From -8731515410321481919
X-Google-Thread: 108122,bc6f5d723e897f72
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.73.134 with SMTP id l6mr268404wiv.1.1350018179224;
        Thu, 11 Oct 2012 22:02:59 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni134282235wiw.1!nntp.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!194.134.4.91.MISMATCH!news2.euro.net!209.197.12.242.MISMATCH!
nx01.iad01.newshosting.com!newshosting.com!216.196.98.146.MISMATCH!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 12 Oct 2012 00:02:58 -0500
```

From: OCradioman <OCradioman.abd5c58@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood Tm-221a Keyup problem
Date: Thu, 11 Oct 2012 23:19:30 +0000
Message-ID: <OCradioman.abd5c58@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <OCradioman.ab71939@radiobanter.com>
<fmmck-88F432.20593408102012@5ad64b5e.bb.sky.com>
Lines: 68
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
BgVTqPOljWgE0xlIaY2ZeujiezDOOQghIrA5QCs7eMlbjQ3Z1B94g66PMUrArdqhcMMaxmMleZFYXlM!
nDIpZ5TaWmCwQ/RMCT3X4c+tB21pUYmITbQ57Z0wb7D/rYAFZJcxvc5t8qBix54zgBtnMxgPg9Qo!
ggty2Qs3oA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Bytes: 3546
X-Original-Lines: 55
X-Original-Bytes: 3463

Fred-

Thanks a lot! The problem did turn out to be the fuse contacts. I made them a little tighter and problem solved!

Thanks

Fred McKenzie;797194 Wrote:
> In article OCradioman.ab71939@radiobanter.com,
> OCradioman OCradioman.ab71939@radiobanter.com wrote:
> -
> I've finally got my 221A back in my car and I've run into a problem.
> When i Keyup the radio shuts off.I've wired the radio directly to the
> battery with fuses on both + -. It's been sitting for about 2 years. -
>
> OC-
>
> I've had that problem with Icom IC-706 and IC-7000 radios. The problem
>
> is that they are not able to operate with less than some critical
> voltage.
>

> To start, you need to have the car's engine running to be sure battery
> voltage is 13.8 Volts. I assume you have a good connection to the
> battery and sufficiently heavy cables connecting the radio. If it is
> the same setup as you had before, it should still work.
>
> That leaves the fuse connectors and the radio connector as possible
> sources of resistance. You can try using pliers to tighten the fuse
> clips by bending them slightly. If the radio power connector has been
> reconnected numerous times, its sockets may have become spread. You may
>
> be able to use a jeweler's screwdriver or a small blade on a pocket
> knife, to bend the socket sides inward. In either case, be careful not
>
> to overdo the bending.
>
> In my installation, the problem first arose when I went to using
> Anderson Powerpole connectors with a Rig-Runner multiple outlet box to
> feed an additional rig. Each Powerpole connection introduced slightly
> more voltage drop, compared to wiring the radio directly to the
> battery.
>
> In order to keep the Powerpole connectors in line, I purchased an
> MFJ-4416 "Super Battery Booster". It is a DC-to-DC switching power
> supply that takes a variable input voltage as low as 9 Volts, and
> produces a constant 13.8 VDC output at 25 Amps peak. (When it is turned
>
> off, the battery voltage is fed through to the output.)
>
> If low
> voltage is your problem, using the MFJ-4416 would probably solve
> it. It also would solve a problem you may not be aware of. Output
> power of solid state transmitters is extremely sensitive to battery
> voltage. With a constant 13.8 volts, you always have full power.
>
> Fred
> K4DII

--
OCradioman

From -4907283758771677777
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidd7f5508063,gidc5261ab81d,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.6 with SMTP id l6mr1212570paz.11.1350049605446;
        Fri, 12 Oct 2012 06:46:45 -0700 (PDT)
Path: jt13ni5210pbb.1!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!news-out.readnews.com!transit3.readnews.com!panix!rri.panix.com!
robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, Movember 2012 - Subscribe for FREE
Followup-To: poster
Date: Fri, 12 Oct 2012 09:46:45 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 33
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <24BCD334A9C447788E52B31AE0362241@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
<857A208B784A4B8B9EDA07B63453C09A@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1350049605 10740 166.84.1.6 (12 Oct 2012 13:46:45 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 12 Oct 2012 13:46:45 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From; bh=Bp+GDkFYjB/
7Ch7JZEFshWHcAs8GfaGRute7g61zY64=;
```

```
b=Z5JA2DZ5116kWad2vULozWeQYAqhsdpajZsShFuVKiR7CP5Hp4R2qqZLFbfLofHe4LqyDJ5RZEkMDV4/
JWGj5C8s38dCHi5zf21+i2fe1Wm4Y6Y+dTt5/n+FKRb1+SDp;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.255.45.85 authed with k9ya+k9ya.org}
X-Received-Bytes: 3797
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

November 2012 (Volume 9, Issue 11) articles include:

QRPometer By Philip Cala-Lazar, K9PL

A Direct Conversion Receiver By Paul Ross, W3FIS

My Introduction to Ham Radio By Fred Muehlen, N5WLA, SK

Conan Wyatt Burtram Barger, W3CVE - Part V By Scott B. Laughlin, N7NET

Ham Lingo By Dick Sylvan, W9CBT

Remember When By Louie Carlson, WA8CID

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From -6344330684353045789
X-Google-Thread: d7f5508063,bc6f5d723e897f72
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.73.134 with SMTP id l6mr3128324wiv.1.1350352667166;
        Mon, 15 Oct 2012 18:57:47 -0700 (PDT)
MIME-Version: 1.0
Path: q10ni65138216wif.0!nntp.google.com!feeder1.cambriumusenet.nl!
```

```
feed.tweaknews.nl!85.12.40.131.MISMATCH!xlned.com!feeder3.xlned.com!
news.astraweb.com!border6.a.newsrouter.astraweb.com!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!news.panservice.it!
aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood Tm-221a Keyup problem
Date: Fri, 12 Oct 2012 20:41:16 -0400
Organization: Aioe.org NNTP Server
Lines: 16
Message-ID: <fmmck-81435C.20411612102012@5ad64b5e.bb.sky.com>
References: <OCradioman.ab71939@radiobanter.com>
<fmmck-88F432.20593408102012@5ad64b5e.bb.sky.com>
<OCradioman.abd5c58@radiobanter.com>
NNTP-Posting-Host: j/bIBODh40ATirZusHrfGA.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Bytes: 1482

In article <OCradioman.abd5c58@radiobanter.com>,
 OCradioman <OCradioman.abd5c58@radiobanter.com> wrote:

> Thanks a lot! The problem did turn out to be the fuse contacts. I made
> them a little tighter and problem solved!

OC-

I'm glad to hear the problem is solved.

After I posted, it occurred to me that you might also have a blown fuse
in the minus battery lead.  The radio might still have power through the
antenna ground connection, but circuit resistance would be higher.

Fred
K4DII



From 5452162752844677033
X-Google-Thread: 108122,1baa06fabcd248c7,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.83.35 with SMTP id n3mr1765188pay.23.1350120472743;
        Sat, 13 Oct 2012 02:27:52 -0700 (PDT)
MIME-Version: 1.0
Received: by 10.68.240.103 with SMTP id vz7mr1725268pbc.10.1350120472727; Sat,
 13 Oct 2012 02:27:52 -0700 (PDT)
Path: s9ni3442pbb.0!nntp.google.com!kt20no30549457pbb.1!postnews.google.com!
i7g2000pbf.googlegroups.com!not-for-mail
```

Newsgroups: rec.radio.amateur.equipment
Date: Sat, 13 Oct 2012 02:27:52 -0700 (PDT)
Complaints-To: groups-abuse@google.com
Injection-Info: i7g2000pbf.googlegroups.com; posting-host=117.199.246.225; posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
NNTP-Posting-Host: 117.199.246.225
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:10.0.2) Gecko/20100101 Firefox/10.0.2,gzip(gfe)
Message-ID: <ef14ec6a-d191-4a4f-a504-ec5058ee24e8@i7g2000pbf.googlegroups.com>
Subject: HOT VIDEOS 2 HOT PEOPLE AND ACTRESSES NEVER SEEN PHOTOS
From: HGHFGDS <fhfgfgg@gmail.com>
Injection-Date: Sat, 13 Oct 2012 09:27:52 +0000
Content-Type: text/plain; charset=ISO-8859-1

VERY VERY VERY HOT HOT HOT ONLY HOT
http://acresesandmodels.blogspot.in/2011/06/real-kiss-hot-videos.html

HOT HOT LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/hot-for-youth.html
SUPER HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-101.html
YOUTH HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-lip-kiss-12.html
ONLY HOT HOT
http://hotvideosfreesee.blogspot.in/2010/06/supr-hot-never-seen.html
SUPER HOT NEVER SEEN
http://hotvideosfreesee.blogspot.in/2010/06/supe-r-hot-kiss-op.html
HEROINE LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/kajal-best-lip-kiss.html

for mopre hot videos
http://allvideosforyouth.blogspot.in/2010/08/super-hot-lip-kiss.html

jobs
http://alljobsaywhere.blogspot.in/

mobile

mobile games free download
http://mobileallinforation.blogspot.in

interview question
java interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/java-interview-questions-and-answers.html
oracle interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/oracle-interview-questions-and-answers.html
hardware interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/hardware-interview-questions-and-answers.html

networking interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/networking-interview-questions-and.html
dotnet interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/dotnet-interview-questions-and-answers.html
c interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/c-interview-questions-and-answers.html
datawarehousing interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/datawarehousing-interview-questions-and.html
sap interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/sap-interview-questions-and-answers.html

all jobs
java jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/java-jobs.html
oracle jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/oracle-jobs.html
sap jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/sap-jobs.html
hardware jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/hardware-jobs.html
networking jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/networking-jobs.html
datawarehousing jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/datawarehousing-jobs.html
GOOGLE ADSENSE
http://alljobsandinterviwquestions.blogspot.com/2012/08/google-adsense.html

---

```
From 5878823828845826488
X-Google-Thread: fcc6e,40fc788d7e06631d,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,40fc788d7e06631d,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,40fc788d7e06631d,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,40fc788d7e06631d,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gida3e752f117,gid8f86f75953,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.75.164 with SMTP id d4mr2594282paw.10.1350280804945;
        Sun, 14 Oct 2012 23:00:04 -0700 (PDT)
MIME-Version: 1.0
Path: jt13ni11608pbb.1!nntp.google.com!news.glorb.com!news-out.readnews.com!
```

```
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1349071201@panix.com>
Followup-To: poster
Date: 15 Oct 2012 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 02 Nov 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1350280801@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1350280803 1038 166.84.1.2 (15 Oct 2012 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 15 Oct 2012 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader
opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/
d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider       |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup.  After a successful trial         |
period (90 days, through early July 2009), we decided to adopt this           |
change permanently.                                                           |

Approved rec.radio.amateur.* newsgroups are those that are currently
listed in the latest version of the "List of Big Eight Newsgroups" which
is crossposted monthly to news.announce.newgroups, news.groups, and
news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those
```

that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 4564927483192280331
X-Google-Thread: 114aac,afe6f0f42969ccaf,start
X-Google-NewGroupId: yes
X-Google-Thread: fa029,afe6f0f42969ccaf,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,afe6f0f42969ccaf,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid9e586c3d78,gid6b6ae7923,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.133 with SMTP id p5mr5956464paz.12.1350583314568;
        Thu, 18 Oct 2012 11:01:54 -0700 (PDT)
Path: s9ni21382pbb.0!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news4
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups: rec.radio.shortwave,rec.radio.scanner,rec.radio.amateur.equipment
Subject: GRE/Radio Shack Scanner Maker Belly up?
Date: Thu, 18 Oct 2012 11:00:57 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 12
Message-ID: <k5pg530roc@news4.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: pe3269399f565c81f1b718f67e1f348a3e81a9b201d6b1380.newsdawg.com
Mime-Version: 1.0
User-Agent: ForteAgent/7.00.32.1200
X-Legal: Copyright 2012. All Rights Reserved
X-Received-Bytes: 1349
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

According to the rumor mill at radioreference.com GRE, the maker of Radio Shack scanners, has stopped making scanners. There is nothing official from GRE but they have fired most GRE US personnel and a ham radio seller has posted an article stating that GRE has stopped making scanners.

If it is true then Uniden will have a monopoly on the scanner market and prices will certainly rise.

```
--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|
```

```
From -1304623124434569072
X-Google-Thread: 108122,afe6f0f42969ccaf
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.77.131 with SMTP id s3mr6056107paw.24.1350584301680;
        Thu, 18 Oct 2012 11:18:21 -0700 (PDT)
Path: s9ni21433pbb.0!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!newsfeed.hal-mli.net!
feeder3.hal-mli.net!newsfeed.hal-mli.net!feeder1.hal-mli.net!yojimbo.hack!
news.tokachu.com!.POSTED!not-for-mail
From: Salvatore <sal@yojimbo.hack.invalid>
Newsgroups: rec.radio.shortwave,rec.radio.scanner,rec.radio.amateur.equipment
Subject: Re: GRE/Radio Shack Scanner Maker Belly up?
Date: Thu, 18 Oct 2012 18:18:18 +0000 (UTC)
Organization: Yojimbo NNTP server
Lines: 19
Message-ID: <k5ph5a$2n4v$1@yojimbo.hack>
References: <k5pg530roc@news4.newsguy.com>
Mime-Version: 1.0
X-Trace: yojimbo.hack "kq(Iga%czn"
X-Complaints-To: usenet(at)tokachu(dot)com
User-Agent: slrn/0.9.9p1 (FreeBSD)
X-Watermark: "Q(<g$Wn^Dpk3{KUhYw*BmgvYJ-M0O=i)p7k+G+caqr<m_iL)gQUN}|lmHDWy"
X-Reader-User: hidden; display="24EEr1QzLVIfRpxx65/wVSkg68k"
X-Received-Bytes: 1587
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

On 2012-10-18, Keith <kilowattradio@use-reply-to.invalid> wrote:

> According to the rumor mill at radioreference.com GRE, the maker of Radio Shack scanners, has stopped making scanners. There is nothing official from GRE but they have fired most GRE US personnel and a ham radio seller has posted an article stating that GRE has stopped making scanners.
>
> If it is true then Uniden will have a monopoly on the scanner market and prices will certainly rise.

The corporate site is still up, and I still see several GRE scanners
selling here:

http://www.universal-radio.com/catalog/scanners.html

Will Radio Shack confirm?

--
Blah blah bleh...
GCS/CM d(-)@>-- s+:- !a C++$ UBL++++$ L+$ W+++$ w M++ Y++ b++

```
From 3371241924534177O5
X-Google-Thread: 108122,41dadc99fb5fc339,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.73.173 with SMTP id m13mr35393wiv.4.1350622983770;
        Thu, 18 Oct 2012 22:03:03 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni134370228wiw.1!nntp.google.com!proxad.net!feeder1-2.proxad.net!
news.glorb.com!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Oct 2012 00:03:03 -0500
From: marc freilich <marc.freilich.ac696d8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Hygain 3750 Complete Set Needed
Date: Thu, 18 Oct 2012 23:56:51 +0000
Message-ID: <marc.freilich.ac696d8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-FTrBFHciy0r/jCnJ9M6ekpMRC/7AgTl7P0mbu5CwemdXsik+keOTmFmbSxwR/
qxfXCJUfto70wToZSi!hIvL5m0WAqSEWivogZhpS/
jMSYf0Sqgr7w9MQNpTyhA3WsfHsD6y0rVwd2m48Dlj5dZIMtf4fu6W!pZAJC8fzTTBPtA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 2
X-Original-Bytes: 1085
```

I WOULD LIKE TO PAY TOP DOLLAR FOR A COMPLETE HYGAIN 3750 HF UNIT
PLEASE EMAIL ME AT FREILICHMST@AOL.COM, THANKS MARC

--
marc freilich

From 8989146609413630206
X-Google-Thread: 108122,ca50802ad2b04e8,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,ca50802ad2b04e8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gide721ae2bf6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.88.231 with SMTP id bj7mr2674164pab.45.1350885905112;
        Sun, 21 Oct 2012 23:05:05 -0700 (PDT)
MIME-Version: 1.0
Path: s9ni30257pbb.0!nntp.google.com!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1349589901@panix.com>
Followup-To: poster
Date: 22 Oct 2012 02:05:04 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Nov 2012 01:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1350885900@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1350885904 22184 166.84.1.2 (22 Oct 2012 06:05:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 22 Oct 2012 06:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since       |
it was written, including:                                                     |

 rec.radio.amateur.antenna                                                     |
 rec.radio.amateur.boatanchors                                                 |
 rec.radio.amateur.dx                                                          |
 rec.radio.amateur.equipment                                                   |
 rec.radio.amateur.homebrew                                                    |
 rec.radio.amateur.moderated                                                   |
 rec.radio.amateur.space                                                       |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -7515278301839574479
X-Google-Thread: 108122,8ee483fc122d0e42,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,8ee483fc122d0e42,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid733d321764,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.72.42 with SMTP id a10mr2158606pav.34.1350886202467;
        Sun, 21 Oct 2012 23:10:02 -0700 (PDT)
MIME-Version: 1.0
Path: s9ni28529pbb.0!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
```

```
transit3.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1349590200@panix.com>
Followup-To: poster
Date: 22 Oct 2012 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Nov 2012 01:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1350886201@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1350886202 13254 166.84.1.2 (22 Oct 2012 06:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 22 Oct 2012 06:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Bytes: 2703
X-Received-Bytes: 2811

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for

any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 5597444012308241557
X-Google-Thread: d7f5508063,98082ee2e8df869f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.180.141 with SMTP id bu13mr1921969qab.2.1350911956119;
        Mon, 22 Oct 2012 06:19:16 -0700 (PDT)
Received: by 10.52.20.51 with SMTP id k19mr1223675vde.4.1350911956055; Mon, 22
 Oct 2012 06:19:16 -0700 (PDT)
Path: r17ni43198318qap.0!nntp.google.com!x14no4298716qar.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Mon, 22 Oct 2012 06:19:15 -0700 (PDT)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=188.190.124.71;
 posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
NNTP-Posting-Host: 188.190.124.71
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <bf5fdd99-e7e4-41f8-9440-6b5be0f926e1@googlegroups.com>
Subject: sexual witchcraft
From: Iran <tamarmadgecay@gmail.com>
Injection-Date: Mon, 22 Oct 2012 13:19:16 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

sexual witchcraft http://www.google.com/search?hl=en&q=sexual+witchcraft+site:fhhfihbay605.blogspot.com&btnI=I%27m+Feeling+Lucky

```
From 1722314604702978465
X-Google-Thread: d7f5508063,35fe672894fdd5fe,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.138.142 with SMTP id a14mr17474284qau.4.1351613496660;
        Tue, 30 Oct 2012 09:11:36 -0700 (PDT)
Received: by 10.52.97.101 with SMTP id dz5mr6204407vdb.2.1351613496596; Tue,
 30 Oct 2012 09:11:36 -0700 (PDT)
```

```
Path: gf5ni6293802qab.0!nntp.google.com!e17no14142038qar.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Tue, 30 Oct 2012 09:11:36 -0700 (PDT)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=188.190.125.66;
 posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
NNTP-Posting-Host: 188.190.125.66
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <e35e5a06-e76c-4467-962f-22097919e1c8@googlegroups.com>
Subject: big beautiful busty mature amateur
From: Iran <tamarmadgecay@gmail.com>
Injection-Date: Tue, 30 Oct 2012 16:11:36 +0000
Content-Type: text/plain; charset=ISO-8859-1


big beautiful busty mature amateur http://www.google.com/search?
hl=en&q=big+beautiful+busty+mature+amateur+site:bdsm-
nu.blogspot.com&btnI=I%27m+Feeling+Lucky



From -129924842580828030
X-Google-Thread: 108122,2471c5cf8a0fdf67,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.181.12.101 with SMTP id ep5mr802322wid.1.1351616580291;
        Tue, 30 Oct 2012 10:03:00 -0700 (PDT)
MIME-Version: 1.0
Path: q13ni107789wii.0!nntp.google.com!feeder3.cambriumusenet.nl!
feeder1.cambriumusenet.nl!feed.tweaknews.nl!209.197.12.246.MISMATCH!
nx02.iad01.newshosting.com!newshosting.com!216.196.98.142.MISMATCH!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 Oct 2012 12:02:59 -0500
From: Blackhawks1 <Blackhawks1.ad5c018@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom R71 Repair
Date: Tue, 30 Oct 2012 15:23:20 +0000
Message-ID: <Blackhawks1.ad5c018@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-8OzI+o+npDnhkgNusBDiXm/
ydTBdYIArJOryV4KfdWjIlI6H62a9m5fAVlMFbqVy0ZMr41u++XnDevq!
Z938Tssfs6ZmeC0LzYmlvGFxqDRaOXOH1JcMXfdK5y3kbA1Lf5wQvurpOc5iiJcWYYMxATyihH6Q!
JnogxochZSo=
X-Complaints-To: abuse@newsgroupbanter.com
```

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 2108
X-Original-Lines: 1
X-Original-Bytes: 2025
```

Hello.I'm new here and thought I'd throw this out there to see if anyone else has encountered this problem with the R71 radio.I recently took one of my R71s out of storage and the signal meter pegs to the right even when no antenn is hooked up.If I turn the preamp off it settles do about the middle of the scale.Someone told me it had to do with the voltage inverter going bad.This circuit is on the matrix board inside a metal can labled PS2.From what I understand a transistor gois bad inside this and has to be replaced.I opened the metal housing up and removed the small pcb inside.Supposedly the replacement transistor is a 2SD400.I went to the local electronics store(not-rip-me-off Shack) and they sold me a NTE382 transistor.Is this a proper replacement for it?I'm going to replace the electrolytic caps.in the circuit which may have caused the problem in the first placd.I'm going to recap the rest of the radio too once I get this straightened out.When I recap the radio,will this nessitate a realignment?Does anyone have a suggestion on where to send it for alignment?Thanks

--

Blackhawks1

```
From -3333272816690874723
X-Google-Thread: d7f5508063,621731f2cba65db8,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.189.16 with SMTP id dc16mr17008217qab.0.1351690429901;
        Wed, 31 Oct 2012 06:33:49 -0700 (PDT)
Received: by 10.52.91.109 with SMTP id cd13mr6659642vdb.15.1351690429834; Wed,
 31 Oct 2012 06:33:49 -0700 (PDT)
Path: gf5ni7629245qab.0!nntp.google.com!c7no735720qap.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Wed, 31 Oct 2012 06:33:49 -0700 (PDT)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=188.190.124.69;
 posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
NNTP-Posting-Host: 188.190.124.69
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <d8cf2023-0560-46ce-9ed2-0a8ed6172c07@googlegroups.com>
```

```
Subject: salt n pepa shakers
From: Iran <tamarmadgecay@gmail.com>
Injection-Date: Wed, 31 Oct 2012 13:33:49 +0000
Content-Type: text/plain; charset=ISO-8859-1


salt n pepa shakers http://www.google.com/search?
hl=en&q=salt+n+pepa+shakers+site:blowjob-
date.blogspot.com&btnI=I%27m+Feeling+Lucky



From 1047272239807560694
X-Google-Thread: a3e752f117,5e20cd5695524907,start
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.216.135.75 with SMTP id t53mr485822wei.0.1352366068013;
        Thu, 08 Nov 2012 01:14:28 -0800 (PST)
MIME-Version: 1.0
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1350280801@panix.com>
Followup-To: poster
Date: 1 Nov 2012 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 19 Nov 2012 01:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1351749600@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1351749602 726 166.84.1.2 (1 Nov 2012 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 1 Nov 2012 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Path: q13ni188641wii.0!nntp.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!85.12.40.130.MISMATCH!xlned.com!feeder1.xlned.com!
newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!xs4all!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!border2.nntp.dca.giganews.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
news.mccarragher.com!news.grnet.gr!goblin1!goblin.stu.neva.ru!feeds.phibee-
telecom.net!ecngs!feeder2.ecngs.de!proxad.net!feeder1-1.proxad.net!
198.186.194.247.MISMATCH!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From 5315187112606452314
X-Google-Thread: 108122,50a4dc1f1027824,start
X-Google-NewGroupId: yes

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.130 with SMTP id p2mr6523828paz.22.1351749871244;
        Wed, 31 Oct 2012 23:04:31 -0700 (PDT)
MIME-Version: 1.0
Received: by 10.68.248.102 with SMTP id yl6mr3807427pbc.12.1351749871227; Wed,
 31 Oct 2012 23:04:31 -0700 (PDT)
Path: 6ni51771pbd.1!nntp.google.com!kt20no27573702pbb.1!postnews.google.com!
i7g2000pbf.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Wed, 31 Oct 2012 23:04:31 -0700 (PDT)
Complaints-To: groups-abuse@google.com
Injection-Info: i7g2000pbf.googlegroups.com; posting-host=117.199.254.93; posting-
account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
NNTP-Posting-Host: 117.199.254.93
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:16.0) Gecko/20100101 Firefox/
16.0,gzip(gfe)
Message-ID: <b263d773-5519-4ac1-b23c-08d5f6050552@i7g2000pbf.googlegroups.com>
Subject: SUPER HOT VIDEOS N BULK SEXY PHOTOS
From: HGHFGDS <fhfgfgg@gmail.com>
Injection-Date: Thu, 01 Nov 2012 06:04:31 +0000
Content-Type: text/plain; charset=ISO-8859-1

      A TO Z INFORMATION SEE IN THIS SITE

http://atwoztopic.blogspot.in/

             ALL HOT PHOTOS SUPER SEXY PHOTOS

http://alltoux.blogspot.in/2010/09/hot-lip-kiss-135.html

               ALL  JOBS   SITES FREE SEE

http://jobstwo.blogspot.in/

HOT VIDEOS

http://hotvideotoou.blogspot.in/2011/01/kiss-videos.html

hot lip kiss
http://hotvidos.blogspot.in/2010/07/hot-lip-kiss.html
hot kisses
http://hotvidos.blogspot.in/2010/07/hot-kisses.html
hollywood hot videos
http://hotvidos.blogspot.in/2010/07/hollywood-hot-videos.html
real hot videos
http://hotvidos.blogspot.in/2010/07/real-hot-videos.html
tamil hot videos
http://hotvidos.blogspot.in/2010/07/tamil-hot-videos.html


From -7291331579424604456
```

```
X-Google-Thread: 108122,18f836c55c6e4050,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,18f836c55c6e4050,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.197.201 with SMTP id iw9mr1845969pbc.6.1351766586208;
        Thu, 01 Nov 2012 03:43:06 -0700 (PDT)
Path: s9ni73974pbb.0!nntp.google.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-out.readnews.com!transit4.readnews.com!panix!rri.panix.com!robomod!not-
for-mail
From: rec-radio-info-request@panix.com (SolderSmoke via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: SolderSmoke Podcast for Thursday  1 November 2012
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Thu, 1 Nov 2012 06:43:05 EDT
Organization: SolderSmoke
Lines: 12
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <e89a8f235545ac49cf04cd6c3f07@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1351766585 18375 166.84.1.6 (1 Nov 2012 10:43:05 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 1 Nov 2012 10:43:05 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:sender:precedence:message-id:date:subject:from:to
         :content-type;
        bh=v2SdqGv8oHuiKbVQbK6QeWs8T5x8KjXmgnCim+JT5Dk=;
        b=fYzVuVAajDjgDMm5R7WtaqEk8Q48b5Rg2KoWComfp7g5D+wB/bUb4aVnsmTLJviIFI
         DcvJsyGi4WfPXHoOPmQhxY59byRHEz4PZLqO/Qmzu+zFct5LnTA33T7L2D+lonENj0lJ
         SzVovH61YI7Mpp4EhEw54AmWKim3dhfTCeizJ38u9HHDePQUHNYXLDqeQcKus+8/uP/R
         pBtuNvfiRS42gV8fDEQo+JzFeQOjXf5cjSIK7dzbfkxoTEss4uZX/FkIHF7lNTsb8ruf
         X7XqxbRmgZSmAzWJF4CMaCU4LSyH5cFHYQmYx7x6F6QJACTWoeSc87qZQemf/OfgTm8F
         vgMw==
X-StripMime: Non-text section removed by stripmime
Bytes: 2661
```

```
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

SolderSmoke Podcasts

//
SolderSmoke147`

Posted: 30 Oct 2012 02:47 AM PDT

SolderSmoke issue 147
This posting includes a media file:
http://www.soldersmoke.com/soldersmoke147.mp3

```
From 2289806547126582309
X-Google-Thread: 108122,8e4f689f6437a1f1
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.80.8 with SMTP id n8mr1735063pax.17.1351950641319;
        Sat, 03 Nov 2012 06:50:41 -0700 (PDT)
Received: by 10.68.225.234 with SMTP id rn10mr1253112pbc.3.1351950641271; Sat,
 03 Nov 2012 06:50:41 -0700 (PDT)
Path: s9ni74817pbb.0!nntp.google.com!kr7no30412639pbb.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Sat, 3 Nov 2012 06:50:41 -0700 (PDT)
In-Reply-To: <Cbudnd1iSIcT4JjUnZ2dnUVZ8rednZ2d@bt.com>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=96.30.224.187;
 posting-account=L-KMhAoAAAAk3lfjj99fF6Lem97maC1I
NNTP-Posting-Host: 96.30.224.187
References: <Cbudnd1iSIcT4JjUnZ2dnUVZ8rednZ2d@bt.com>
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <b94f21d9-18ca-4a15-a9e8-d282b2c0394b@googlegroups.com>
Subject: Re: Yaesu-BPF-1.
From: konaboy99@gmail.com
Injection-Date: Sat, 03 Nov 2012 13:50:41 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

On Monday, October 27, 2008 1:33:14 AM UTC-7, Ken chattenton wrote:
> HI all from Ken, G4KIR,I am looking for the band-pass filter for the sub Rx on a "YAESU-FT1000". If you have one for sale then please let me know (location no problem). All the very best to you all, Ken, G4KIR k.chattenton@btopenworld.com

Hi Ken
Quincy Rush here from Benson Az. Have a Sony CRF-150 that I am trying to disassemble. The string for the SW dial has broken. Wondering if you might shed some light on how to remove the case.

As a youth I spent 3 years in RAF South Ruislip and RAF Lakenheath. Jolly good time that was.

Cheers
Q

```
From 8149404813833661359
X-Google-Thread: 108122,8e4f689f6437a1f1
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.84.202 with SMTP id b10mr2236009paz.43.1351996614709;
        Sat, 03 Nov 2012 19:36:54 -0700 (PDT)
Path: s9ni78911pbb.0!nntp.google.com!news.glorb.com!usenet.stanford.edu!usenet-
its.stanford.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu-BPF-1.
Date: Sat, 3 Nov 2012 22:39:15 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 29
Sender: et472@65.92.61.137
Message-ID: <alpine.LNX.2.02.1211032235490.20668@darkstar.example.org>
References: <Cbudnd1iSIcT4JjUnZ2dnUVZ8rednZ2d@bt.com> <b94f21d9-18ca-4a15-a9e8-
d282b2c0394b@googlegroups.com>
NNTP-Posting-Host: 65.92.61.137
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1351996613 19690 65.92.61.137 (4 Nov 2012 02:36:53 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 4 Nov 2012 02:36:53 GMT
In-Reply-To: <b94f21d9-18ca-4a15-a9e8-d282b2c0394b@googlegroups.com>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
```

On Sat, 3 Nov 2012, konaboy99@gmail.com wrote:

> On Monday, October 27, 2008 1:33:14 AM UTC-7, Ken chattenton wrote:
>> HI all from Ken, G4KIR,I am looking for the band-pass filter for the sub Rx on a "YAESU-FT1000". If you have one for sale then please let me know (location no problem). All the very best to you all, Ken, G4KIR k.chattenton@btopenworld.com
>
> Hi Ken Quincy Rush here from Benson Az. Have a Sony CRF-150 that I am
> trying to disassemble. The string for the SW dial has broken.
> Wondering if you might shed some light on how to remove the case.
>

Come on, pay attention. The post you replied to is from 2008, almost exactly four years ago.

The chances of him still reading the newsgroup is close to nil. Most have migrated elsewhere, but even at the best of times any given newsgroup had only a relative few staying over the long term. And the post was a hit and run, he thought this was a buy and sell newsgroup (it's actually for the discussion of amateur radio equipment) and if he stuck around, it was only long enough to see if anyone replied.

If you really need to ask a question, don't go digging for some ancient message via google, start a thread and ask the question.

Google has a bug that allows replies to messages older than 30 days. In the past they'd had such a limit, it disappeared for a short time when they "upgraded" the interface (thinking in terms of their own groups rather than usenet) and then when they "upgraded" the interface a few months hack, they forget to put a time limit on replies.

Michael VE2BVW

From -5211271067410256848
X-Google-Thread: 108122,8e4f689f6437a1f1
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.75.196 with SMTP id e4mr2318509paw.15.1352033530597;
        Sun, 04 Nov 2012 04:52:10 -0800 (PST)
Path: 6ni61554pbd.1!nntp.google.com!news.glorb.com!feeder.erje.net!eu.feeder.erje.net!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <knock_yourself_out@example.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu-BPF-1.
Date: 4 Nov 2012 12:52:09 GMT
Lines: 16
Message-ID: <slrnk9cp7p.1s11.knock_yourself_out@vps.jonz.net>
References: <Cbudnd1iSIcT4JjUnZ2dnUVZ8rednZ2d@bt.com>
 <b94f21d9-18ca-4a15-a9e8-d282b2c0394b@googlegroups.com>
 <alpine.LNX.2.02.1211032235490.20668@darkstar.example.org>
Mime-Version: 1.0
X-Trace: individual.net JtGT4pttmTx5Dr3oh2ytOAgi1b4U0z1zRdbzC33MxUbGZlTflkZ6Dt/3KYCBUOkU2v
Cancel-Lock: sha1:v8J6zKspgzh3HiXn5jjo7oMvq8o=
User-Agent: slrn/0.9.9p1 (FreeBSD)
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

On Sat, 3 Nov 2012 22:39:15 -0400, Michael Black wrote:
> On Sat, 3 Nov 2012, konaboy99@gmail.com wrote:
>> On Monday, October 27, 2008 1:33:14 AM UTC-7, Ken chattenton wrote:
>>> HI all from Ken, G4KIR,I am looking for the band-pass filter for the
>>>sub Rx on a "YAESU-FT1000".
>>
>> Hi Ken Quincy Rush here from Benson Az. Have a Sony CRF-150 that I am
>> trying to disassemble. The string for the SW dial has broken.
>> Wondering if you might shed some light on how to remove the case.
>>
> Come on, pay attention. The post you replied to is from 2008, almost
> exactly four years ago.

heh... What do expect from a tosser fumbling around in google groups?

```
--
    * Killfiling google & XXXXbanter.com: jonz.net/ng.htm
```

```
From 8639899858003469453
X-Google-Thread: 108122,ace61cb34aa4d0ad,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.78.161 with SMTP id c1mr1490001pax.16.1352271901433;
        Tue, 06 Nov 2012 23:05:01 -0800 (PST)
MIME-Version: 1.0
Path: s9ni84858pbb.0!nntp.google.com!newsfeed2.dallas1.level3.net!news.level3.com!
panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1350885900@panix.com>
Followup-To: poster
Date: 7 Nov 2012 02:05:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Nov 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1352271900@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1352271901 20323 166.84.1.2 (7 Nov 2012 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Nov 2012 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information

bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article      |
is that it does not mention newer amateur radio newsgroups created since     |
it was written, including:                                                   |

 rec.radio.amateur.antenna                                                   |
 rec.radio.amateur.boatanchors                                               |
 rec.radio.amateur.dx                                                        |
 rec.radio.amateur.equipment                                                 |
 rec.radio.amateur.homebrew                                                  |
 rec.radio.amateur.moderated                                                 |
 rec.radio.amateur.space                                                     |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -5286595641548421740
X-Google-Thread: 108122,51648e435d60a53a,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,51648e435d60a53a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.39 with SMTP id m7mr1434245paz.4.1352272201928;
        Tue, 06 Nov 2012 23:10:01 -0800 (PST)
MIME-Version: 1.0
Path: s9ni84474pbb.0!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!news-
out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
```

rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1350886201@panix.com>
Followup-To: poster
Date: 7 Nov 2012 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Nov 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1352272200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1352272201 25741 166.84.1.2 (7 Nov 2012 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Nov 2012 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
X-Received-Bytes: 2776

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -4348933260572025130
X-Google-Thread: 108122,2471c5cf8a0fdf67
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.135.2 with SMTP id po2mr2453135pbb.0.1352336748746;
        Wed, 07 Nov 2012 17:05:48 -0800 (PST)
MIME-Version: 1.0
Path: 6ni68428pbd.1!nntp.google.com!news.glorb.com!aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom R71 Repair
Date: Wed, 07 Nov 2012 20:05:45 -0500
Organization: Aioe.org NNTP Server
Lines: 36
Message-ID: <fmmck-D59D28.20054507112012@5ad64b5e.bb.sky.com>
References: <Blackhawks1.ad5c018@radiobanter.com>
NNTP-Posting-Host: a37oNdDWkP3XsyBJJIMh1A.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
```

In article <Blackhawks1.ad5c018@radiobanter.com>,
 Blackhawks1 <Blackhawks1.ad5c018@radiobanter.com> wrote:

> Hello.I'm new here and thought I'd throw this out there to see if anyone
> else has encountered this problem with the R71 radio.I recently took one
> of my R71s out of storage and the signal meter pegs to the right even
> when no antenn is hooked up.If I turn the preamp off it settles do about
> the middle of the scale.Someone told me it had to do with the voltage
> inverter going bad.This circuit is on the matrix board inside a metal
> can labled PS2.From what I understand a transistor gois bad inside this
> and has to be replaced.I opened the metal housing up and removed the
> small pcb inside.Supposedly the replacement transistor is a 2SD400.I
> went to the local electronics store(not-rip-me-off Shack) and they sold
> me a NTE382 transistor.Is this a proper replacement for it?I'm going to
> replace the electrolytic caps.in the circuit which may have caused the
> problem in the first placd.I'm going to recap the rest of the radio too
> once I get this straightened out.When I recap the radio,will this
> nessitate a realignment?Does anyone have a suggestion on where to send
> it for alignment?Thanks

Blackhawks1-

I'm not familiar with that particular radio. I know that other similar receiver S-Meters will go upscale if the RF Gain Control is turned down. You might check to see if turning that control fully clockwise will correct the S-Meter problem.

Before replacing the transistor, I'd check the existing one with an Ohm meter. Many digital multimeters have a diode scale. The meter will measure conduction of a diode in one direction but not the other. A transistor acts like two diodes connected together at the Base. You would check the Base-Collector junction and the Base-Emitter junction to see if either is shorted or open in both directions.

Fred
K4DII

```
From -9208732202367307869
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidd7f5508063,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.80.8 with SMTP id n8mr250497pax.17.1352855770787;
        Tue, 13 Nov 2012 17:16:10 -0800 (PST)
Path: s9ni10142pbb.0!nntp.google.com!news.glorb.com!news-out.readnews.com!
transit4.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, December 2012 - Subscribe for FREE
Followup-To: poster
Date: Tue, 13 Nov 2012 20:16:10 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 37
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <D7DAC465F21C4B9A8750B1C7F69E8EC0@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
```

```
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
<857A208B784A4B8B9EDA07B63453C09A@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1352855770 14541 166.84.1.6 (14 Nov 2012 01:16:10 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 14 Nov 2012 01:16:10 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From; bh=Dmacgrnu2qokle5/m/
w16S4Yde1V4l0f0wIjvo3B6LM=;
     b=uoyyOBuF88TxFIz8tc4R00K41OEg6AZHDot+y5IUzVqlg8lk8x6exsD0TELtC25ZJLKSB44SKE/
mgpbuBlTszve0CJZMeRcJvIXJNmaViXaCMYd2akH5w2/e707Fdf0+;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 69.209.32.211 authed with k9ya+k9ya.org}
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

December 2012 (Volume 9, Issue 12) articles include:

Holiday Cover Art By Jeff Murray, K1NSS

Mouse Code By Philip Cala-Lazar, K9PL

Ted and Jack, A Tale of Two Elmers By Jeff Murray, K1NSS

Usenet Newsgroup - rec.radio.info By Paul W. Schleck, K3FU

Conan Wyatt Burtram Barger, W3CVE - Part VI By Scott B. Laughlin, N7NET

The Red Light Caper By Joe Medsker, K8LKC

Ham Quips By Dick Sylvan, W9CBT

The Last Word By Bob Cashdollar, NR8U

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From 4276495813423141113
X-Google-Thread: d7f5508063,c712020eb31ab082,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.19.194 with SMTP id h2mr1366439wie.0.1353487225541;
        Wed, 21 Nov 2012 00:40:25 -0800 (PST)
Path: q13ni3814wii.0!nntp.google.com!feeder2.cambriumusenet.nl!
feeder1.cambriumusenet.nl!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.81.MISMATCH!newsfeed.xs4all.nl!newsfeed2.news.xs4all.nl!xs4all!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!
backlog1.nntp.dca.giganews.com!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news.glorb.com!news.litech.org!
news2.arglkargh.de!feeder.erje.net!eu.feeder.erje.net!eternal-september.org!
feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: Justin <justin@nobecauseihatespam.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Handheld for new Technician Class License holder
Date: Wed, 14 Nov 2012 00:54:16 -0500
Organization: A noiseless patient Spider
Lines: 15
Message-ID: <k7vbmb$k5s$1@dont-email.me>
Mime-Version: 1.0
Injection-Date: Wed, 14 Nov 2012 05:54:19 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="619bd57ce86e5d09a0626bee34ed2a34";
     logging-data="20668"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/Ea23/I/rwbO+0qddPYqAUd3tyapQNww4="
User-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:10.0) Gecko/20120206
Thunderbird/10.0
Cancel-Lock: sha1:Qb9dz7NE5tDaqDRv8ritOERJytE=
X-Original-Bytes: 1932
```

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Hi folks.  I just past the first basic HAM radio test.  I was looking at
getting a hand held radio that I can keep in my car or in my backpack
for use in am emergency, like the 2003 Northeast Blackout.
The problem is, there must be a billion choices out there!
I'm not rich, and I'm not on food stamps either.  I'm willing to spend a
pretty decent amount for a product that's worth it.
I'm in the US.

I used the 2003 Blackout as an example, because I was lucky enough to be
in NYC when that happened.  I was stranded with somebody who had a hand
held radio, he used a repeater and was able to have his friend (with
power) on the other end call people and say they were OK.  I thought
that was pretty awesome.
I used to have a pair of Maxon GMRS-210's but I sold them on eBay many
moons ago.



From -813102249593599160
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.204.132.81 with SMTP id a17mr3343112bkt.4.1340266600029;
        Thu, 21 Jun 2012 01:16:40 -0700 (PDT)
Path: e27ni72938bkw.0!nntp.google.com!news2.google.com!postnews.google.com!
m10g2000vbn.googlegroups.com!not-for-mail
From: Analogue Lettuce <punkbiscuit@googlemail.com>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Thu, 21 Jun 2012 01:16:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 25
Message-ID: <dcaea94b-4e6f-49aa-9d6c-46f5a43f13a8@m10g2000vbn.googlegroups.com>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
 <jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
 <jrpcaq$i0$1@dont-email.me> <jrpg13$eb6$2@speranza.aioe.org>
 <jrqnh2$e8v$1@dont-email.me> <4fe23413$0$1431$c3e8da3$91613603@news.astraweb.com>
 <p4f5u7hg6bf7k5ce15g7s8ohpgm8t5pk1t@4ax.com>
NNTP-Posting-Host: 86.183.24.214
Mime-Version: 1.0
X-Trace: posting.google.com 1340266599 1689 127.0.0.1 (21 Jun 2012 08:16:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Jun 2012 08:16:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m10g2000vbn.googlegroups.com; posting-host=86.183.24.214; posting-
account=u_bUrwoAAABSYEdetpT_S4ygrCqqwvzC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1;
 Trident/4.0; GTB7.3; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
 3.0.30729; Media Center PC 6.0; MDDS; .NET4.0C; .NET4.0E),gzip(gfe)
```

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable

On Jun 21, 7:18=A0am, luci...@eternal-flames.gov wrote:
> On Wed, 20 Jun 2012 21:35:53 +0100, Laurie <lau...@home.invalid>
> wrote:
>
> >Where in the current interface requirement does it say anything about a
> >permanently attached antenna?
>
> >http://stakeholders.ofcom.org.uk/binaries/spectrum/spectrum-policy-ar...
>
> http://tinyurl.com/66pyfxa

Which is the document that I have continually referered to on here
many time, but no one listens ;-)

Specifically -

Converted radio equipment

If modifications are made to the equipment, such as adding an antenna
connector, the overall maximum ERP or other technical parameters must
not exceed the permitted levels set out in the Interface Requirement.

---

Problem solved.


From 9076057240300015528
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Received: by 10.68.223.40 with SMTP id qr8mr25587360pbc.0.1340266853410;
        Thu, 21 Jun 2012 01:20:53 -0700 (PDT)
Path: l9ni2535pbj.0!nntp.google.com!news1.google.com!postnews.google.com!
l5g2000vbo.googlegroups.com!not-for-mail
From: Analogue Lettuce <punkbiscuit@googlemail.com>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Thu, 21 Jun 2012 01:19:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 57
Message-ID: <ce8b4da9-b266-4cf0-9cf8-05f8fceeb00f@l5g2000vbo.googlegroups.com>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
 <jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
 <jrpcaq$i0$1@dont-email.me> <ZmJ+t8J3yD4PFw3j@g3ohx.demon.co.uk>
```

```
NNTP-Posting-Host: 86.183.24.214
Mime-Version: 1.0
X-Trace: posting.google.com 1340266853 4473 127.0.0.1 (21 Jun 2012 08:20:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Jun 2012 08:20:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l5g2000vbo.googlegroups.com; posting-host=86.183.24.214; posting-
account=u_bUrwoAAABSYEdetpT_S4ygrCqqwvzC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1;
 Trident/4.0; GTB7.3; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
 3.0.30729; Media Center PC 6.0; MDDS; .NET4.0C; .NET4.0E),gzip(gfe)
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable

On Jun 19, 9:47=A0am, Ian Jackson
<ianREMOVETHISjack...@g3ohx.demon.co.uk> wrote:
> In message <jrpcaq$i...@dont-email.me>, David Woolley
> <da...@ex.djwhome.demon.invalid> writes>Ian Jackson wrote:
>
> >> Probably the easiest way of getting radios for use in Tibet is to
> >>source them locally, and get them shipped to a convenient collection
> >>point. =A0China and Hong Kong are certainly not short of manufacturers!
>
> >Even for an American in the UK, that would be the best approach, as
> >radios not specifically approved for PMR 446 are not covered by the
> >class licence.
>
> I note that the OP's intended radio (Motorola Spirit UHF) is 1 channel.
> 2W. The Chinese public service radios are only 0.5W (and with a tiddly
> antenna), so even if these are readily available, they might not be
> quite suitable.
>
> >For China, it will be part a question of protecting their own industry
> >and partly a national security issue.
>
> Importing two-way radios into China would probably not be threatening
> their own industry. They probably originated there in the first place!
>
> > Given its history, national security is likely to be a particularly
> >important issue in Tibet.
>
> It says inhttp://tel_archives.ofca.gov.hk/en/ad-comm/tsac/ns-paper/nsp200=
2p3.pdf
>
> "In December 2001, the Ministry of Information Industry of China
> announced that short-range portable radio transceivers, or
> "walkie-talkies",
> operating in the band 409.7500 =96 409.9875 MHz with transmitter power no=
t
> exceeding 0.5W were exempted from licensing."
>
> Presumably these are legal to use throughout all of China - but you
```

> never know. In certain countries, being legal does not guarantee you
> won't have problems. Only a couple of weeks ago, a German radio amateur,
> operating absolutely 100% legally when on holiday in Greece, was
> arrested and hauled before the courts. I believe he is back home, but
> may need to return for a full trial.
> <http://www.southgatearc.org/news/june2012/german_radio_ham_arrested_in_g
> reece.htm>
> and links.
> --
> Ian

If he was in the rightr then he was in the right.

Holiday insurance should cover that and I'd be seeking legal redress
from the Greeks if there are any avenues to pursue.

As I've always preached - take no s***t from anyone especially
when you have right on your side.

```
From 3525049711152873529
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.205.122.65 with SMTP id gf1mr3357309bkc.2.1340268451903;
        Thu, 21 Jun 2012 01:47:31 -0700 (PDT)
Path: e27ni73015bkw.0!nntp.google.com!news1.google.com!goblin2!goblin.stu.neva.ru!
cyclone03.ams2.highwinds-media.com!news.highwinds-media.com!voer-me.highwinds-
media.com!npeersf03.am4!fx27.am4.POSTED!not-for-mail
Message-ID: <mLyhWyGb+t4PFwTs@g3ohx.demon.co.uk>
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: List of comm frequencies in People's Republic of China?
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
 <jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
 <jrpcaq$i0$1@dont-email.me> <jrpg13$eb6$2@speranza.aioe.org>
 <jrqnh2$e8v$1@dont-email.me>
 <4fe23413$0$1431$c3e8da3$91613603@news.astraweb.com>
 <p4f5u7hg6bf7k5ce15g7s8ohpgm8t5pk1t@4ax.com>
 <dcaea94b-4e6f-49aa-9d6c-46f5a43f13a8@m10g2000vbn.googlegroups.com>
Lines: 32
MIME-Version: 1.0
User-Agent: Turnpike/6.07-S (<XFaqWaP7KPT0aPCjuBEoeAFY4V>)
NNTP-Posting-Host: 80.176.138.122
X-Complaints-To: abuse@demon.net
X-Trace: fx27.am4 1340268450 80.176.138.122 (Thu, 21 Jun 2012 08:47:30 UTC)
NNTP-Posting-Date: Thu, 21 Jun 2012 08:47:30 UTC
Date: Thu, 21 Jun 2012 09:47:23 +0100
X-Received-Bytes: 2320
Content-Type: text/plain;charset=iso-8859-1;format=flowed
Content-Transfer-Encoding: 8bit
```

In message
<dcaea94b-4e6f-49aa-9d6c-46f5a43f13a8@m10g2000vbn.googlegroups.com>,
Analogue Lettuce <punkbiscuit@googlemail.com> writes
>On Jun 21, 7:18�am, luci...@eternal-flames.gov wrote:
>> On Wed, 20 Jun 2012 21:35:53 +0100, Laurie <lau...@home.invalid>
>> wrote:
>>
>> >Where in the current interface requirement does it say anything about a
>> >permanently attached antenna?
>>
>> >http://stakeholders.ofcom.org.uk/binaries/spectrum/spectrum-policy-ar...
>>
>> http://tinyurl.com/66pyfxa
>
>Which is the document that I have continually referered to on here
>many time, but no one listens ;-)
>
>Specifically -
>
>Converted radio equipment
>
>If modifications are made to the equipment, such as adding an antenna
>connector, the overall maximum ERP or other technical parameters must
>not exceed the permitted levels set out in the Interface Requirement.
>
>Problem solved.

I've only glanced through it, but I get the distinct impression that
there is a tacit acceptance that the original 'only built-in aerial'
rule is being broken.
--
Ian

```
From 2850282325346140770
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.234.38 with SMTP id ub6mr25932116pbc.2.1340276344211;
        Thu, 21 Jun 2012 03:59:04 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni2933pbj.0!nntp.google.com!news1.google.com!npeer01.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx01.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
```

Subject: Re: List of comm frequencies in People's Republic of China?
Date: Thu, 21 Jun 2012 10:59:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 17
Message-ID: <slrnju5vcc.qdo.gsm@cable.mendelson.com>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
 <jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
 <jrpcaq$i0$1@dont-email.me> <ZmJ+t8J3yD4PFw3j@g3ohx.demon.co.uk>
 <ce8b4da9-b266-4cf0-9cf8-05f8fceeb00f@l5g2000vbo.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 85.65.228.114.dynamic.barak-online.net
X-Trace: max.inside.misty.com 1340276343 29605 85.65.228.114 (21 Jun 2012 10:59:03 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 21 Jun 2012 10:59:03 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
X-Received-Bytes: 1515

Analogue Lettuce wrote:

>
> As I've always preached - take no s***t from anyone especially
> when you have right on your side.
>

It's good advice for him to remember when he is serving his 5 month jail sentence for refusing to turn over his log files, because he refused to give them a laptop which had nothing to do with his radio operation.

Geoff.

--
Geoffrey S. Mendelson, N3OWJ/4X1GM/KBUH7245/KBUW5379

From 6917048378207163073
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.68.234.38 with SMTP id ub6mr377225pbc.2.1340300844015;
        Thu, 21 Jun 2012 10:47:24 -0700 (PDT)
Path: l9ni3978pbj.0!nntp.google.com!news1.google.com!postnews.google.com!2g2000pbv.googlegroups.com!not-for-mail
From: Yeti <yeti@ayrshore.com>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: List of comm frequencies in People's Republic of China?

```
Date: Thu, 21 Jun 2012 10:47:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <9240b1c1-e249-457b-a79e-791c79d39c46@2g2000pbv.googlegroups.com>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
 <jri9sg$of9$1@dont-email.me> <jriag2$s2d$1@dont-email.me>
NNTP-Posting-Host: 141.105.197.52
Mime-Version: 1.0
X-Trace: posting.google.com 1340300843 32223 127.0.0.1 (21 Jun 2012 17:47:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Jun 2012 17:47:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 2g2000pbv.googlegroups.com; posting-host=141.105.197.52; posting-
account=bUS08goAAAAJ7m10wYbR6JZLykLY1z-l
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:13.0) Gecko/20100101 Firefox/
13.0.1,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable

On Jun 16, 4:58=A0pm, "Jim / m" <james.stewart...@ntlworld.com> wrote:
> > The PRC restricts the import of radio transmitting equipment, other tha=
n
> > the temporary import of mobile phones. =A0You need to ask this question=
 of
> > your Chinese embassy. =A0You would need an import licence and my guess =
is
> > that you will not get one.
>
> yes they are a bunch of scumbags.......I tried to send a faulty twin sim
> mobile phone back to chinky land but the post office said I
> couldn't......hate everything about China.......we should boycott their
> junk.......

You made the mistake of saying it was a mobile phone. You should have
put "toy".


From -8432986614763866006
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.141.4 with SMTP id k4mr9314bku.6.1340323223407;
        Thu, 21 Jun 2012 17:00:23 -0700 (PDT)
MIME-Version: 1.0
Path: e27ni75359bkw.0!nntp.google.com!news2.google.com!goblin1!goblin2!
goblin.stu.neva.ru!cyclone03.ams2.highwinds-media.com!news.highwinds-media.com!
voer-me.highwinds-media.com!npeersf03.am4!fx27.am4.POSTED!not-for-mail
From: "Jim Stewart ..." <jim.gm4dhj@ntlworld.com>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
```

```
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
<jri9sg$of9$1@dont-email.me> <jriag2$s2d$1@dont-email.me> <9240b1c1-e249-457b-
a79e-791c79d39c46@2g2000pbv.googlegroups.com>
Subject: Re: List of comm frequencies in People's Republic of China?
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
Message-ID: <qAOEr.200148$MP5.189484@fx27.am4>
NNTP-Posting-Host: 82.10.1.223
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: fx27.am4 1340323222 82.10.1.223 (Fri, 22 Jun 2012 00:00:22 UTC)
NNTP-Posting-Date: Fri, 22 Jun 2012 00:00:22 UTC
Organization: virginmedia.com
Date: Fri, 22 Jun 2012 01:00:25 +0100
X-Received-Bytes: 1932


"Yeti" <yeti@ayrshore.com> wrote in message
news:9240b1c1-e249-457b-a79e-791c79d39c46@2g2000pbv.googlegroups.com...
On Jun 16, 4:58 pm, "Jim / m" <james.stewart...@ntlworld.com> wrote:
> > The PRC restricts the import of radio transmitting equipment, other than
> > the temporary import of mobile phones. You need to ask this question of
> > your Chinese embassy. You would need an import licence and my guess is
> > that you will not get one.
>
> yes they are a bunch of scumbags.......I tried to send a faulty twin sim
> mobile phone back to chinky land but the post office said I
> couldn't......hate everything about China.......we should boycott their
> junk.......

>You made the mistake of saying it was a mobile phone. You should have
>put "toy".

Or a Chinese Junk .......




From 4251744438566784666
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.68.220.230 with SMTP id pz6mr871801pbc.3.1340859816767;
        Wed, 27 Jun 2012 22:03:36 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni28318pbj.0!nntp.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
feed.news.qwest.net!mpls-nntp-06.inet.qwest.net!216.196.98.147.MISMATCH!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!
```

border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 28 Jun 2012 00:03:35 -0500
From: AC0TX <AC0TX.a319d58@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Thu, 28 Jun 2012 03:53:10 +0000
Message-ID: <AC0TX.a319d58@radiobanter.com>
Organization: RadioBanter.com
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
<jroa1a$rmg$1@dont-email.me>
Lines: 38
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-cPC2yZg4CLbYpa1T6BB/1onG92/991n1ZSBtDcVthv+dO+YndiVHrauClry7M4aQpG/
NLq2uqX40pya!S9eWWDHoSNxZRdfIKOJ6S2BTSJPY0AJh+UX2RtKvNXd/
FSo2yrhh10X696M6ZoB9VQq6ruz2GWml!Px4=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 29
X-Original-Bytes: 1833

Why don't you query the various Chinese manufacturers that make HTs?

Tell them if it is possible to purchase these HTs in China and use them
in China

Yes maybe you cannot import anything but buying them may be something
too

]Steve Terry;792202 Wrote:
> Mike Cook wrote:-
> Going to trek in Tibet. Would like to take 2-way radios (Motorola
> Spirit UHF).
>
> Is there a published list of available & unavailable frequencies in
> PRC?
> Thanks.
> -
> AFAIK their version of 446PMR is 409MHz SRPR, 20 public channels
> within 409.750-409.9875 (12.5kHz, 500mW)
>
> Same as in HK
> http://tinyurl.com/7qoet3n

>
> Steve Terry
> --
> Get a free GiffGaff PAYG Sim and �5 bonus after activation at:
> http://giffgaff.com/orders/affiliate/gfourwwk

--
AC0TX

```
From 8543572177153878287
X-Google-Thread: 108122,fab7faa7a586a918,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.238.65 with SMTP id vi1mr782604pbc.7.1340946215787;
        Thu, 28 Jun 2012 22:03:35 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni32085pbj.0!nntp.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!npeer.de.kpn-
eurorings.net!npeer-ng0.de.kpn-eurorings.net!news.glorb.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 29 Jun 2012 00:03:32 -0500
From: kyle boyce <kyle.boyce.a32eed8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: kenwood help please
Date: Thu, 28 Jun 2012 23:21:24 +0000
Message-ID: <kyle.boyce.a32eed8@radiobanter.com>
Organization: RadioBanter.com
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
CDELVzArl9tElNS+EzKII26FY75nzatGXJQbn8aSElcG1jmaCefB0pdRenWm+zUaqTzPGfIkQuKKyPn!
ltijFffkiaV2+KhNYcavv98U0ET05bxyPtakaZEqFCTUnjUOj2gf5GBcYNshkXnMdzAUc/nlMgRY!
qvhmd7uiSA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1036
```

i am looking for a kenwood kpt-50 or if i cant find one a kenwood kpt-20
please help thank u kyle

--
kyle boyce

```
From 7032774854920988984
X-Google-Thread: fcc6e,3149997ec72f0797,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,3149997ec72f0797,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,3149997ec72f0797,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,3149997ec72f0797,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gida3e752f117,gid8f86f75953,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.223.73 with SMTP id qs9mr1106715pbc.7.1341122404887;
        Sat, 30 Jun 2012 23:00:04 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni4964pbj.0!nntp.google.com!news2.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1338530401@panix.com>
Followup-To: poster
Date: 1 Jul 2012 02:00:04 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Aug 2012 02:00:02 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1341122402@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1341122404 5369 166.84.1.2 (1 Jul 2012 06:00:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 1 Jul 2012 06:00:04 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
X-Received-Bytes: 3708

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
```

```
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader
opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/
d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider       |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup.  After a successful trial         |
period (90 days, through early July 2009), we decided to adopt this           |
change permanently.                                                           |

Approved rec.radio.amateur.* newsgroups are those that are currently
listed in the latest version of the "List of Big Eight Newsgroups" which
is crossposted monthly to news.announce.newgroups, news.groups, and
news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those
that have been created consistent with the suggestions in "So You Want
to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either
"radio.amateur" or "ham-radio" in their names, including
uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved
newsgroups up-to-date.  In case we have overlooked any, and a submission
is rejected in error as a result, the rejected submitter can E-mail us
at our administrative contact address (in the signature at the bottom of
this article, and the default Reply-To for the rejection message)
requesting that it be added, and that the article be approved.  We may
still choose to reject articles crossposted to any alt.* newsgroup with
an inappropriate name, including obscene language, embedded
name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.


From 6422552911820765905
X-Google-Thread: d7f5508063,c4cc2e14e8f559b0
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.220.230 with SMTP id pz6mr3706306pbc.3.1341340162647;
        Tue, 03 Jul 2012 11:29:22 -0700 (PDT)
Path: l9ni10735pbj.0!nntp.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 03 Jul 2012 13:29:22 -0500
Date: Tue, 03 Jul 2012 13:29:21 -0500
From: Reynard <foxhunt4u2@yahoo.com>
Organization: Tally Ho
User-Agent: Mozilla/5.0 (Windows NT 5.1; rv:13.0) Gecko/20120614 Thunderbird/
13.0.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 9870 KHz - All India Radio
References: <vir.99f46d9@radiobanter.com>
In-Reply-To: <vir.99f46d9@radiobanter.com>
Message-ID: <L_ydnUL6Gsefp27SnZ2dnUVZ_vadnZ2d@earthlink.com>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.3.155.3
X-Trace: sv3-ziNx+e8lcdln1UHQXI//
wINkG83FRHiQd9z1pvrUAsM2WZLZrNcM2ZIS6192PPUxiM95WchFlkg8yzl!
bdFWAShNxSMqZHEE3Wwb85/JPYfW7K96T169AqmDCiAFWZ8EM2oPCpowa9HyDn+m6KPSYyPp6Y16!
4AswCZiU6Y3HhVUlYAL+iSbqzFA=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1913
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

If you can not get streaming audio from the web
http://allindiaradio.gov.in/

I would suggest that you install a good outdoor antenna to try to improve reception or purchase an amplified antenna.. I think that that radio has an external antenna jack.

Check out a store like Universal Radio on the internet.

On 3/8/2012 6:48 PM, vir wrote:
> I am very new to this hobby. I would really like to listen to 9870 KHz
> All India Radio. I have a Kaito WRX-911 which I bought from Amazon and
> it doesn't really receive the signal. I was only able to hear the
> station for 5 second once and it was very very weak. I live in Los
> Angeles, CA.
>
> Can you please suggest a radio which will work best for my purpose.
>

> Thanks,
> vir
>
>
>
>

```
From -3083175582724811175
X-Google-Thread: fcc6e,8cd079830b2db18d,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,8cd079830b2db18d,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,8cd079830b2db18d,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,8cd079830b2db18d,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gida3e752f117,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.220.230 with SMTP id pz6mr15482294pbc.3.1341641105629;
        Fri, 06 Jul 2012 23:05:05 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni11068pbj.0!nntp.google.com!news1.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1339049101@panix.com>
Followup-To: poster
Date: 7 Jul 2012 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Aug 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1341641100@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1341641104 5496 166.84.1.2 (7 Jul 2012 06:05:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Jul 2012 06:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -8172425188307273 24
X-Google-Thread: 108122,a60ca43515e70682,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,a60ca43515e70682,start
X-Google-NewGroupId: yes

X-Google-Attributes: gidd7f5508063,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.227.67 with SMTP id ry3mr15487069pbc.8.1341641403134;
        Fri, 06 Jul 2012 23:10:03 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni11086pbj.0!nntp.google.com!news2.google.com!news1.google.com!
news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1339049400@panix.com>
Followup-To: poster
Date: 7 Jul 2012 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Aug 2012 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1341641401@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1341641402 25731 166.84.1.2 (7 Jul 2012 06:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Jul 2012 06:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 1512133458481550240
X-Google-Thread: d7f5508063,a1fc483623a69e3c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.98.234 with SMTP id el10mr274457wib.3.1343104196359;
        Mon, 23 Jul 2012 21:29:56 -0700 (PDT)
Path: q11ni53038413wiw.1!nntp.google.com!volia.net!news2.volia.net!feed-
A.news.volia.net!newspeer1.nac.net!newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!
xs4all!border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!
nntp.giganews.com!news.nobody.at!weretis.net!feeder4.news.weretis.net!
feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!198.186.194.247.MISMATCH!
news-out.readnews.com!transit3.readnews.com!panix!rri.panix.com!robomod!not-for-
mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, August 2012 - Subscribe for FREE
Followup-To: poster
Date: Tue, 17 Jul 2012 15:29:00 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 35
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
NNTP-Posting-Host: panix6.panix.com
```

```
Mime-Version: 1.0
X-Trace: reader1.panix.com 1342553340 14628 166.84.1.6 (17 Jul 2012 19:29:00 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 17 Jul 2012 19:29:00 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to            rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From;
bh=MHoqFrrchJgYSPIctFT0ZTlXePcGXQVKkFYfb1KTtZM=;
     b=6lu5alfFaDaMxeiz7fS2MtnHrlq7hWUGoECjgTNsJHzQYZBpw5P5zShaIZ+/
C7LFGQLc6+whDN46j0ZxEFn6l0gzXkSCfMfnUdAlxdUJfMSAvp4teh/c1yhSkr7+vPaD;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 69.211.127.12 authed with k9ya+k9ya.org}
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

August 2012 (Volume 9, Issue 8) articles include:

Emtech ZM-2 By Philip Cala-Lazar, K9PL

Dear Hiram By Bob Cashdollar, NR8U

Q & A With John Amodeo, NN6JA By Bob Cashdollar, NR8U

Conan Wyatt Burtram Barger, W3CVE - Part II By Scott B. Laughlin, N7NET

K9YA Field Day 2012 By Mike Dinelli, N9BOR

My Most Memorable Contact By Bill Ross, K6MGO

Ham Quips By Dick Sylvan, W9CBT

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From 1308615267407887570
X-Google-Thread: d7f5508063,732c53a216ab8944,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.138.146 with SMTP id a18mr174876qau.6.1343262957879;
        Wed, 25 Jul 2012 17:35:57 -0700 (PDT)
Received: by 10.66.76.162 with SMTP id l2mr979776paw.42.1343262957809;
        Wed, 25 Jul 2012 17:35:57 -0700 (PDT)
Path: a15ni101900513qag.0!nntp.google.com!q21no4419885qas.0!news-out.google.com!
p10ni59951267pbh.1!nntp.google.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!ctu-
peer!ctu-gate!news.nctu.edu.tw!usenet.stanford.edu!postnews.google.com!
n16g2000vbn.googlegroups.com!not-for-mail
From: ibm laptop <ibmlaptop2007@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: C&K/Microswitch switch lots, electronics parts, Soviet
 memorabilia, etc.
Date: Wed, 18 Jul 2012 16:20:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 10
Message-ID: <f90227dc-81e5-407b-b80d-ac455841afeb@n16g2000vbn.googlegroups.com>
NNTP-Posting-Host: 174.20.156.85
Mime-Version: 1.0
X-Trace: posting.google.com 1342653725 17940 127.0.0.1 (18 Jul 2012 23:22:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 18 Jul 2012 23:22:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n16g2000vbn.googlegroups.com; posting-host=174.20.156.85; posting-
account=KmDxMAoAAAAWhZ5qFpyclCEHWWCMRjW-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:13.0) Gecko/20100101 Firefox/
13.0.1,gzip(gfe)
Bytes: 1474
Content-Type: text/plain; charset=ISO-8859-1
```

I've relisted several items; Several listings going on at the moment -
Bussmann 3AG
silver-plated fuse clips, sealed MicroSwitch brand toggle switches, 8

```
pc.
lots of C&K / Dialight / etc. electronics switches,  and some old
unrelated Soviet Union / CCCP memorabilia... see them all here;

http://www.ebay.com/sch/bobsx/m.html

Thanks for your time.


From -1398356319211775676
X-Google-Thread: 108122,4e70e04ef456ffcf,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.85.37 with SMTP id e5mr428979paz.31.1343405945080;
        Fri, 27 Jul 2012 09:19:05 -0700 (PDT)
Path: c10ni43249pbw.0!nntp.google.com!news2.google.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: john@wexfordpress.com
Newsgroups: rec.radio.amateur.equipment
Subject: Manual for Standard Radio Model 5608DA
Date: Fri, 27 Jul 2012 09:19:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <f3308d9d-5400-41ce-a88e-bc4cf4ddde63@googlegroups.com>
NNTP-Posting-Host: 68.50.233.152
Mime-Version: 1.0
X-Trace: posting.google.com 1343405944 32537 127.0.0.1 (27 Jul 2012 16:19:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 27 Jul 2012 16:19:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.50.233.152;
 posting-account=re5CtwkAAADxHTtDlg3bPJjnFnBzyb_7
User-Agent: G2/1.0
Content-Type: text/plain; charset=ISO-8859-1

Need such a manual, or a pdf or a photocopy. Will pay reasonable amount to cover
your costs.

John Culleton
NO3Z
john@wexfordpress.com


From 3705792739720562172
X-Google-Thread: 108122,1b0d6798b008e44a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.223.73 with SMTP id qs9mr1483302pbc.7.1343491162498;
        Sat, 28 Jul 2012 08:59:22 -0700 (PDT)
Path: c10ni45307pbw.0!nntp.google.com!news1.google.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
```

```
From: John NO3Z <john@wexfordpress.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need Standard Radio C5608DA manual or copy thereof.
Date: Sat, 28 Jul 2012 08:57:51 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <bf8db5db-49fe-4c10-8c65-9a0aa70c3685@googlegroups.com>
NNTP-Posting-Host: 68.50.233.152
Mime-Version: 1.0
X-Trace: posting.google.com 1343491162 13407 127.0.0.1 (28 Jul 2012 15:59:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Jul 2012 15:59:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.50.233.152;
 posting-account=re5CtwkAAADxHTtDlg3bPJjnFnBzyb_7
User-Agent: G2/1.0
Content-Type: text/plain; charset=ISO-8859-1

The subject says it all. Reasonable reimbursement will be paid.

John Culleton NO3Z
john@wexfordpress.com


From -2016245933806694999
X-Google-Thread: d7f5508063,13d03e8839293eb7,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.216.235.217 with SMTP id u67mr617197weq.9.1344280235222;
        Mon, 06 Aug 2012 12:10:35 -0700 (PDT)
Received: by 10.224.138.146 with SMTP id a18mr5873195qau.6.1344262757885;
        Mon, 06 Aug 2012 07:19:17 -0700 (PDT)
Received: by 10.66.90.102 with SMTP id bv6mr1078797pab.34.1344262757675;
        Mon, 06 Aug 2012 07:19:17 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni75735357wiw.1!nntp.google.com!volia.net!news2.volia.net!feed-
C.news.volia.net!u3no7564891qai.0!news-out.google.com!c6ni60393021qas.0!
nntp.google.com!r1no7152016qas.0!news-out.google.com!g9ni23510391pbo.0!
nntp.google.com!border1.nntp.dca.giganews.com!novia!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!85.12.40.130.MISMATCH!xlned.com!feeder1.xlned.com!
newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!xs4all!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!news.panservice.it!
aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TM-742 on 70 MHz
Date: Sun, 29 Jul 2012 23:27:00 -0400
Organization: Aioe.org NNTP Server
Lines: 11
Message-ID: <fmmck-FD0AD1.23265929072012@5ad64b5e.bb.sky.com>
NNTP-Posting-Host: rF5yUBCVGQjkflNXCKKIKw.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
```

```
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Bytes: 1437

I am interested in the 70 MHz band that is currently authorized in some
European countries.  I understand the frequency is no longer used by the
U.S. television system, so it could be authorized here in the future as
well.

According to an article on how to modify the Kenwood TM-742, the 50 MHz
module can tune to about 90 MHz.  Is anyone actually using one on the 70
MHz band?  Is it necessary to realign the module, or does it work as-is?

Fred
K4DII



From -969005619188229080
X-Google-Thread: d7f5508063,13d03e8839293eb7
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.77.230 with SMTP id v6mr1505548paw.20.1344324837234;
        Tue, 07 Aug 2012 00:33:57 -0700 (PDT)
Path: p10ni3193261pbh.1!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!ctu-peer!news.nctu.edu.tw!goblin1!goblin2!goblin.stu.neva.ru!
xlned.com!feeder3.xlned.com!feeder2.cambriumusenet.nl!feed.tweaknews.nl!
209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!newshosting.com!news-
out.readnews.com!transit3.readnews.com!postserver1.readnews.com!not-for-mail
From: lawrence@gandi.cluon.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TM-742 on 70 MHz
References: <fmmck-FD0AD1.23265929072012@5ad64b5e.bb.sky.com>
Date: Mon, 30 Jul 2012 15:54:15 +0200
Message-ID: <87boixjqwo.fsf@gandi.cluon.com>
User-Agent: Gnus/5.13 (Gnus v5.13) Emacs/23.1 (gnu/linux)
Cancel-Lock: sha1:zceCOZJYp2itwPCCZ0KWctyXItQ=
MIME-Version: 1.0
Lines: 18
NNTP-Posting-Host: 110853a6.nascacom.com
X-Trace: DXC=AmF@2LAnBP:YMT]RB5U3;2W`f@h307X6:a^32Dd;7V`?Y5]R3@:4Oo?4]em4>RJ@?
313\3=\jmnF1keHo>lg>>;?nl47Z0We@m8<hFn4]IG[71^Pfm?FcGHd0
X-Complaints-To: abuse@nascacom.com
Bytes: 1655
Content-Type: text/plain; charset=us-ascii

Fred McKenzie <fmmck@aol.com> writes:

> I am interested in the 70 MHz band that is currently authorized in some
> European countries.  I understand the frequency is no longer used by the
> U.S. television system, so it could be authorized here in the future as
> well.
>

Not quite true.  There is a full-power DTV station in Illinois (WHBF -
FCC Facility ID #13950) and a Class-A digital (also in Illinois) WOCK-CD
(Fac ID #35092).

There are also a handful of LP stations around the country on VHF
Channel 4 - some in analog (who will be facing the 2015 LP shutdown) and
some as LP digital.

--NK1G




From -2701673124809245097
X-Google-Thread: d7f5508063,1b0d6798b008e44a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.236.170.1 with SMTP id o1mr12675979yhl.42.1343909957531;
        Thu, 02 Aug 2012 05:19:17 -0700 (PDT)
Path: a15ni8163394qag.0!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!feed.news.qwest.net!
mpls-nntp-03.inet.qwest.net!195.208.113.1.MISMATCH!goblin3!goblin.stu.neva.ru!
b.newsfeed.yosemite.net!i.newsfeed.yosemite.net!newsfeed.yosemite.net!
news.glorb.com!news-out.readnews.com!transit3.readnews.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: John NO3Z <john@wexfordpress.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Standard Radio C5608DA manual or copy thereof.
Date: Tue, 31 Jul 2012 13:58:07 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <3c97f50d-4f22-4fc9-beec-44ca348b4708@googlegroups.com>
References: <bf8db5db-49fe-4c10-8c65-9a0aa70c3685@googlegroups.com>
NNTP-Posting-Host: 68.50.233.152
Mime-Version: 1.0
X-Trace: posting.google.com 1343770586 20632 127.0.0.1 (31 Jul 2012 21:36:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 31 Jul 2012 21:36:26 +0000 (UTC)
In-Reply-To: <bf8db5db-49fe-4c10-8c65-9a0aa70c3685@googlegroups.com>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.50.233.152;
 posting-account=re5CtwkAAADxHTtDlg3bPJjnFnBzyb_7
User-Agent: G2/1.0
Bytes: 1585
Content-Type: text/plain; charset=ISO-8859-1

On Saturday, July 28, 2012 11:57:51 AM UTC-4, John NO3Z wrote:
> The subject says it all. Reasonable reimbursement will be paid.
>
```

>
>
> John Culleton NO3Z
>
> john@wexfordpress.com

Never mind. Found it under the seat of the truck.

John, NO3Z

```
From -2299542803588323341
X-Google-Thread: d7f5508063,ddc6679b90ec2cb3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.42.205.199 with SMTP id fr7mr5606420icb.6.1344322841629;
        Tue, 07 Aug 2012 00:00:41 -0700 (PDT)
MIME-Version: 1.0
Path: p10ni724pbh.1!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!ctu-
peer!ctu-gate!news.nctu.edu.tw!usenet.stanford.edu!panix!panix2.panix.com!not-for-
mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1341122402@panix.com>
Followup-To: poster
Date: 1 Aug 2012 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Sep 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1343800801@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1343800804 7489 166.84.1.2 (1 Aug 2012 06:00:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 1 Aug 2012 06:00:04 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Bytes: 3840
X-Received-Bytes: 3888
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From 3843070497785353541
X-Google-Thread: d7f5508063,13d03e8839293eb7
X-Google-Attributes: gidd7f5508063,public,usenet

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.103.197 with SMTP id fy5mr1189799wib.1.1344263833723;
        Mon, 06 Aug 2012 07:37:13 -0700 (PDT)
Received: by 10.66.77.39 with SMTP id p7mr1125709paw.0.1344263476158;
        Mon, 06 Aug 2012 07:31:16 -0700 (PDT)
Path: q11ni72582450wiw.1!nntp.google.com!volia.net!news2.volia.net!feed-
A.news.volia.net!h9no3090717pbv.0!news-out.google.com!g9ni19738535pbo.0!
nntp.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!backlog1.nntp.ams.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
news.panservice.it!de-l.enfer-du-nord.net!feeder2.enfer-du-nord.net!cs.uu.nl!
news0.firedrake.org!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TM-742 on 70 MHz
Date: Thu, 2 Aug 2012 11:38:18 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 31
Sender: et472@72.0.192.99
Message-ID: <Pine.LNX.4.64.1208021135030.4408@darkstar.example.net>
References: <fmmck-FD0AD1.23265929072012@5ad64b5e.bb.sky.com>
NNTP-Posting-Host: 72.0.192.99
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1343921907 15684 72.0.192.99 (2 Aug 2012 15:38:27 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 2 Aug 2012 15:38:27 GMT
In-Reply-To: <fmmck-FD0AD1.23265929072012@5ad64b5e.bb.sky.com>
Bytes: 2450
X-Original-Bytes: 2286
X-Received-Bytes: 2509
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
```

On Sun, 29 Jul 2012, Fred McKenzie wrote:

> I am interested in the 70 MHz band that is currently authorized in some European countries. I understand the frequency is no longer used by the U.S. television system, so it could be authorized here in the future as well.
>

One doesn't mean the other. One reason the 11metre band disappeared to CB was because it wasn't an international allocation. Same with 220Mhz, even 144MHz, only some of it's an international allocation.

Yes, some work has been done to internationalize things, but that tends to be to give some specific change, like in the low frequency allocations. That gives a whole different propagation situation.

So just because there's a 70MHz allocation somewhere doesn't mean it will come to North America. And for that matter, just because a frequency range may become available doens't mean it will go to amateur radio.

Note that history shows we've lost more vhf/uhf allocations over time than
HF allocations, indeed, we've gained some in HF.

Michael VE2BVW

> According to an article on how to modify the Kenwood TM-742, the 50 MHz
> module can tune to about 90 MHz. Is anyone actually using one on the 70
> MHz band? Is it necessary to realign the module, or does it work as-is?
>
> Fred
> K4DII
>

```
From 3883449826830435646
X-Google-Thread: d7f5508063,13d03e8839293eb7
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.216.237.155 with SMTP id y27mr700899weq.11.1344323712353;
        Tue, 07 Aug 2012 00:15:12 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni5990112wiw.1!nntp.google.com!volia.net!news2.volia.net!feed-
A.news.volia.net!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
border2.nntp.ams2.giganews.com!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!ctu-
peer!news.nctu.edu.tw!goblin2!goblin.stu.neva.ru!aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TM-742 on 70 MHz
Date: Thu, 02 Aug 2012 12:48:14 -0400
Organization: Aioe.org NNTP Server
Lines: 42
Message-ID: <fmmck-F90332.12481302082012@5ad64b5e.bb.sky.com>
References: <fmmck-FD0AD1.23265929072012@5ad64b5e.bb.sky.com>
<Pine.LNX.4.64.1208021135030.4408@darkstar.example.net>
NNTP-Posting-Host: vznK/gFP1XI5NBdvyH6aSA.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Bytes: 2788
```

In article <Pine.LNX.4.64.1208021135030.4408@darkstar.example.net>,
Michael Black <et472@ncf.ca> wrote:

> On Sun, 29 Jul 2012, Fred McKenzie wrote:
>
> > I am interested in the 70 MHz band that is currently authorized in some
> > European countries. I understand the frequency is no longer used by the

> > U.S. television system, so it could be authorized here in the future as
> > well.
> >
> One doesn't mean the other. One reason the 11metre band disappeared to CB
> was because it wasn't an international allocation. Same with 220Mhz, even
> 144MHz, only some of it's an international allocation.
>
> Yes, some work has been done to internationalize things, but that tends to
> be to give some specific change, like in the low frequency allocations.
> That gives a whole different propagation situation.
>
> So just because there's a 70MHz allocation somewhere doesn't mean it will
> come to North America. And for that matter, just because a frequency
> range may become available doens't mean it will go to amateur radio.
>
> Note that history shows we've lost more vhf/uhf allocations over time than
> HF allocations, indeed, we've gained some in HF.

Michael-

I don't know all the legalities, but NK1G's comments are probably the main reason it will not happen any time soon. I was not aware that there were still Television stations using the frequency.

In the meantime, I would like to listen to see if I can hear the Europeans during band openings. I could construct a converter, but it would be easier if the TM-742's 50 MHz module worked there. I guess I'll have to try it to find out.

It just occurred to me that not all 70 MHz activity would be on FM, as is the case on the 50 MHz band. Perhaps a converter isn't such a bad idea!

Fred
K4DII

From 745778969626144371
X-Google-Thread: d7f5508063,13d03e8839293eb7
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.106.199 with SMTP id gw7mr170940wib.0.1344571912099;
        Thu, 09 Aug 2012 21:11:52 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni53785328wiw.1!nntp.google.com!volia.net!news2.volia.net!feed-A.news.volia.net!border1.nntp.ams2.giganews.com!border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!feed.xsnews.nl!border-2.ams.xsnews.nl!news.panservice.it!feeder.erje.net!news2.arglkargh.de!news.glorb.com!border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 03 Aug 2012 12:03:22 -0500

From: M0AFJ <M0AFJ.a61bc18@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TM-742 on 70 MHz
Date: Fri, 3 Aug 2012 13:07:55 +0000
Message-ID: <M0AFJ.a61bc18@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <fmmck-FD0AD1.23265929072012@5ad64b5e.bb.sky.com>
<Pine.LNX.4.64.1208021135030.4408@darkstar.example.net> <fmmck-
F90332.12481302082012@5ad64b5e.bb.sky.com>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-nXMGuGWH1YZvuxrMXqFLNxSbhu/
L5V1jhcJdOpTf2DjsARAQ1E8jx5ME1IYi0fMcr62muwx0I/dt8n5!
FSkGk4mIVozdzZosjIa1OYwT6iMgtSY79ruUlWujKnQBws1FNIypov5W8eIgAjqNW2H4P90qtC4f!eeE=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 8
X-Original-Bytes: 1556
Bytes: 1850

Hi Fred

There are increasing numbers of countries in Europe and the Middle east
getting allocations on 4M, its worth looking at www.70Mhz.org for some
up to date info.
However you are unlikely to hear trans Atlantic traffic on FM, you would
be a lot better off building a converter. There have been a few cross
band QSO's between the US and EU using 50 / 70MHz. You have probably
missed the season now though. Have a look for CT1FFU on you tube..

Good Luck

Tim M0AFJ

--
M0AFJ

From -2524653598034678397
X-Google-Thread: d7f5508063,13d03e8839293eb7
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit

```
Received: by 10.180.105.2 with SMTP id gi2mr173425wib.4.1344572479538;
        Thu, 09 Aug 2012 21:21:19 -0700 (PDT)
MIME-Version: 1.0
Path: n2ni53952429win.0!nntp.google.com!feed-C.news.volia.net!volia.net!
news2.volia.net!feed-A.news.volia.net!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-
eurorings.net!border2.nntp.ams2.giganews.com!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!94.232.116.12.MISMATCH!feed.xsnews.nl!border-2.ams.xsnews.nl!
news.panservice.it!feeder.erje.net!news.mixmin.net!aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TM-742 on 70 MHz
Date: Fri, 03 Aug 2012 22:28:22 -0400
Organization: Aioe.org NNTP Server
Lines: 20
Message-ID: <fmmck-EEA56D.22282103082012@5ad64b5e.bb.sky.com>
References: <fmmck-FD0AD1.23265929072012@5ad64b5e.bb.sky.com>
<Pine.LNX.4.64.1208021135030.4408@darkstar.example.net> <fmmck-
F90332.12481302082012@5ad64b5e.bb.sky.com> <M0AFJ.a61bc18@radiobanter.com>
NNTP-Posting-Host: FBegLvsp8nKpYmipfaa68w.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Bytes: 1861

In article <M0AFJ.a61bc18@radiobanter.com>,
 M0AFJ <M0AFJ.a61bc18@radiobanter.com> wrote:

> Hi Fred
>
> There are increasing numbers of countries in Europe and the Middle east
> getting allocations on 4M, its worth looking at www.70Mhz.org for some
> up to date info.
> However you are unlikely to hear trans Atlantic traffic on FM, you would
> be a lot better off building a converter. There have been a few cross
> band QSO's between the US and EU using 50 / 70MHz. You have probably
> missed the season now though. Have a look for CT1FFU on you tube..

Tim-

Thanks for the 70 MHz website.  The article about modifying a TenTec
transverter looks interesting.

Fred
K4DII


From 8993908706794865205
X-Google-Thread: d7f5508063,9e11d2cc3776fd18,start
X-Google-Attributes: gidd7f5508063,public,usenet
```

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.24.135 with SMTP id u7mr1194400wif.3.1344850546715;
        Mon, 13 Aug 2012 02:35:46 -0700 (PDT)
MIME-Version: 1.0
Path: n2ni107334594win.0!nntp.google.com!volia.net!news2.volia.net!feed-
A.news.volia.net!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!news-
feed.eu.lambdanet.net!texta.sil.at!news.glorb.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1341641100@panix.com>
Followup-To: poster
Date: 7 Aug 2012 02:05:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Sep 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1344319500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1344319501 10178 166.84.1.2 (7 Aug 2012 06:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Aug 2012 06:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT

Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this
article updated and automatically posted again at a regular interval.
This would include establishing contact with the original maintainer for
any necessary permissions. We would prefer to seek a new, dedicated
maintainer at this time, rather than start auto-posting the original
article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From 250557000329156063
X-Google-Thread: a4a23d5f63,4cc9a2b20428e4ed,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.75.8 with SMTP id y8mr1190054wiv.4.1344850163348;
        Mon, 13 Aug 2012 02:29:23 -0700 (PDT)
MIME-Version: 1.0
Path: n2ni107269548win.0!nntp.google.com!volia.net!news2.volia.net!feed-A.news.volia.net!newspeer1.nac.net!newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!feeder1.cambriumusenet.nl!feed.tweaknews.nl!80.86.168.138.MISMATCH!news-feed.eu.lambdanet.net!texta.sil.at!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!bloom-beacon.mit.edu!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1341641401@panix.com>
Followup-To: poster
Date: 7 Aug 2012 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39

Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Sep 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1344319800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1344319801 16091 166.84.1.2 (7 Aug 2012 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Aug 2012 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 45783015580807
X-Google-Thread: 108122,e62c2c5bf91a201,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.82.195 with SMTP id k3mr1958118pay.23.1344401242162;
        Tue, 07 Aug 2012 21:47:22 -0700 (PDT)
Path: c10ni94751pbw.0!nntp.google.com!news2.google.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: RadioTech55 <djraz55@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: MFJ-336T TRI-MAGNET MOUNT 3/8" 24T ANTENNA BASE
Date: Tue, 7 Aug 2012 21:47:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <ebb3ecaa-b5f3-4c52-9b90-f44b3ffa0af6@googlegroups.com>
NNTP-Posting-Host: 68.104.107.225
Mime-Version: 1.0
X-Trace: posting.google.com 1344401238 12935 127.0.0.1 (8 Aug 2012 04:47:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Aug 2012 04:47:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.104.107.225;
 posting-account=TlFsYgoAAACd2ieifRkKdodTFGKtr59n
User-Agent: G2/1.0
Content-Type: text/plain; charset=ISO-8859-1

FA: MFJ-336T TRI-MAGNET MOUNT 3/8" 24T ANTENNA BASE

In like new condition

http://www.ebay.com/itm/230835761797


From 8831334170921556876
X-Google-Thread: 108122,c5d10e3fc4820091,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.82.195 with SMTP id k3mr1960987pay.23.1344401603573;
        Tue, 07 Aug 2012 21:53:23 -0700 (PDT)
Path: g9ni7726702pbo.0!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: RadioTech55 <djraz55@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Uniden Bearcat BCD-396T APCO P-25 Digital Handheld Scanner & ARC PRO
Date: Tue, 7 Aug 2012 21:51:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <53687f78-4e21-445a-b7b2-cb1a4440b94b@googlegroups.com>
NNTP-Posting-Host: 68.104.107.225
```

```
Mime-Version: 1.0
X-Trace: posting.google.com 1344401603 16949 127.0.0.1 (8 Aug 2012 04:53:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Aug 2012 04:53:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.104.107.225;
 posting-account=TlFsYgoAAACd2ieifRkKdodTFGKtr59n
User-Agent: G2/1.0
X-Received-Bytes: 1095
Content-Type: text/plain; charset=ISO-8859-1

For sale Uniden Bearcat BCD-396T APCO P-25 Digital Handheld Scanner & ARC PRO

Scanner is in excellent condition

http://www.ebay.com/itm/230835459600



From 9058700522113705768
X-Google-Thread: d7f5508063,51ec478b2ed02461,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.186.143 with SMTP id cs15mr12602251qab.3.1344999236340;
        Tue, 14 Aug 2012 19:53:56 -0700 (PDT)
Path: c6ni111651440qas.0!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news-
in-01.newsfeed.easynews.com!easynews.com!easynews!novia!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nrc-news.nrc.ca!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
postnews.google.com!glegroupsg2000goo.googlegroups.com!not-for-mail
From: RadioTech55 <djraz55@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Uniden Bearcat BCD-396T APCO P-25 Digital Handheld Scanner & ARC PRO
Date: Thu, 9 Aug 2012 20:51:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <6fd83064-ebd2-4def-9a72-bc9df13de7a7@googlegroups.com>
NNTP-Posting-Host: 68.104.107.225
Mime-Version: 1.0
X-Trace: posting.google.com 1344570695 14552 127.0.0.1 (10 Aug 2012 03:51:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Aug 2012 03:51:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.104.107.225;
 posting-account=TlFsYgoAAACd2ieifRkKdodTFGKtr59n
User-Agent: G2/1.0
Bytes: 1171
X-Received-Bytes: 1248
Content-Type: text/plain; charset=ISO-8859-1

FA: Uniden Bearcat BCD-396T APCO P-25 Digital Handheld Scanner & ARC PRO
```

http://www.ebay.com/itm/230836630791

```
From 5542504007708665O1
X-Google-Thread: a4a23d5f63,5dfd3e71bccf5885,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.24.135 with SMTP id u7mr625561wif.3.1345237654280;
        Fri, 17 Aug 2012 14:07:34 -0700 (PDT)
MIME-Version: 1.0
Path: n2ni181726861win.0!nntp.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!94.232.116.13.MISMATCH!border-3.ams.xsnews.nl!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
feed.xsnews.nl!border-1.ams.xsnews.nl!plix.pl!newsfeed2.plix.pl!wsisiz.edu.pl!
newsfeed2.atman.pl!newsfeed.atman.pl!goblin2!goblin.stu.neva.ru!ecngs!
feeder2.ecngs.de!news.linkpendium.com!news.linkpendium.com!panix!panix2.panix.com!
not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1343800801@panix.com>
Followup-To: poster
Date: 15 Aug 2012 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 17 Sep 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1345010401@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1345010403 12083 166.84.1.2 (15 Aug 2012 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 15 Aug 2012 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Bytes: 3773

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html
```

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

```
the rec.radio.amateur.moderated Moderation Team had decided to consider       |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup.  After a successful trial         |
period (90 days, through early July 2009), we decided to adopt this           |
change permanently.                                                           |
```

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -1191305210860281921
X-Google-Thread: c5261ab81d,a1fc483623a69e3c
X-Google-Attributes: gidc5261ab81d,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Received: by 10.180.106.199 with SMTP id gw7mr628117wib.0.1345237808091;
        Fri, 17 Aug 2012 14:10:08 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni181672677wiw.1!nntp.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!94.232.116.13.MISMATCH!border-3.ams.xsnews.nl!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
feed.xsnews.nl!border-1.ams.xsnews.nl!plix.pl!newsfeed2.plix.pl!wsisiz.edu.pl!
```

```
newsfeed2.atman.pl!newsfeed.atman.pl!goblin2!goblin.stu.neva.ru!
newsfeeder.ewetel.de!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
bloom-beacon.mit.edu!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, September 2012 - Subscribe for FREE
Followup-To: poster
Date: Wed, 15 Aug 2012 14:44:11 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 34
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <5E3332EFA6314702B305FE7805E4A0E0@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1345056251 5516 166.84.1.6 (15 Aug 2012 18:44:11 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 15 Aug 2012 18:44:11 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From; bh=b0CWz0cKCDzV3SXwYc4vWCzSHsC8/
YBIGBJkHgFcAR8=;
     b=55jtIdAj8LwRyMPNcYlA830JGTT2/3YfCitczuZZZ/ejSH8ZwtaEzp+/
3EVKetoudgOJYyJfDwNlsqVRR25fBGz8Dq21v2QsWSbl3wl/V0sHrJl4BMH91FLr/KRup+Ic;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 69.211.108.84 authed with k9ya+k9ya.org}
Bytes: 3858
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

September 2012 (Volume 9, Issue 9) articles include:

Two Amazing Amateurs By Philip Cala-Lazar, K9PL

Regulators for your Power Supply By Paul W. Ross, W3FIS

Ham Quips By Dick Sylvan, W9CBT

Handie Talkies By Paul Signorelli, W�RW

Conan Wyatt Burtram Barger, W3CVE - Part III By Scott B. Laughlin, N7NET

The Last Word By Bob Cashdollar, NR8U

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From 7401531232381609098
X-Google-Thread: 108122,dfe246098379de5d
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.74.102 with SMTP id s6mr1012684pav.21.1345252177534;
        Fri, 17 Aug 2012 18:09:37 -0700 (PDT)
Path: s8ni6698pbk.0!nntp.google.com!news2.google.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: jruths@jmrdesign.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heathkit Active Audio Filter FS
Date: Fri, 17 Aug 2012 18:02:23 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <a0819bba-988d-454d-a055-d95e84eb3810@googlegroups.com>
References: <lmarti49-ya02358000201298084926000l@news.idt.net>
NNTP-Posting-Host: 174.60.128.181
```

```
Mime-Version: 1.0
X-Trace: posting.google.com 1345252177 22298 127.0.0.1 (18 Aug 2012 01:09:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Aug 2012 01:09:37 +0000 (UTC)
In-Reply-To: <lmarti49-ya023580002012980849260001@news.idt.net>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=174.60.128.181;
 posting-account=gqucTQoAAAC8usALGMu9mw5H11KzK-bF
User-Agent: G2/1.0
Content-Type: text/plain; charset=ISO-8859-1

On Sunday, December 20, 1998 3:00:00 AM UTC-5, Leonard Martin wrote:
> Model HD1418 Active Audio Filter -- dates from 1988.
>
> Assembled solid-state unit in mint condition. Attractive design. Has
> bandwidth settings for CW, SSB, and RTTY. The CW filter includes a tunable
> notch/peak filter with variable BW. The unit also has high and lowcut
> capabilities to get rid of "rumble" and "hiss". It has its own audio
> amplifier.
>
> Very dark brown metal with red and white lettering--no plastic! Coordinates
> with the Heathkit rigs of the era. In perfect cosmetic condition. I packed
> it carefully away in a cool closet, along with several other high-quality
> items, when I changed my main interest from ham radio to computers shortly
> after I assembled it. You get the manual with it.
>
> Asking $100
>
>
> 73
> Leonard Martin
> WD5DNQ
>
> --
> Everything that rises must converge.
>                       Flannery O'Connor

I realize this post is 14 years old.  Did you ever sell the HD-1418?


From -6269207659201302270
X-Google-Thread: d7f5508063,dfe246098379de5d
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.73.228 with SMTP id o4mr1456561pav.32.1345347103347;
        Sat, 18 Aug 2012 20:31:43 -0700 (PDT)
Path: p10ni98095471pbh.1!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!news2.euro.net!feeds.phibee-telecom.net!de-l.enfer-du-nord.net!
feeder1.enfer-du-nord.net!cs.uu.nl!news0.firedrake.org!news.xcski.com!ncf.ca!not-
for-mail
From: Michael Black <et472@ncf.ca>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heathkit Active Audio Filter FS
Date: Sat, 18 Aug 2012 23:30:25 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 25
Sender: et472@72.0.192.106
Message-ID: <Pine.LNX.4.64.1208182326550.12326@darkstar.example.net>
References: <lmarti49-ya023580002012980849260001@news.idt.net>
 <a0819bba-988d-454d-a055-d95e84eb3810@googlegroups.com>
NNTP-Posting-Host: 72.0.192.106
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1345347064 15983 72.0.192.106 (19 Aug 2012 03:31:04 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 19 Aug 2012 03:31:04 GMT
In-Reply-To: <a0819bba-988d-454d-a055-d95e84eb3810@googlegroups.com>
X-Received-Bytes: 1998
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

On Fri, 17 Aug 2012, jruths@jmrdesign.net wrote:

> On Sunday, December 20, 1998 3:00:00 AM UTC-5, Leonard Martin wrote:

> I realize this post is 14 years old. Did you ever sell the HD-1418?
>

So why would you expect someone to still be here after fourteen years?

Since people have always believed this was a buy and sell newsgroup, it isn't, there's massive turnover since most posts are hit and run. But even among regulars, there can't be many of us from back then who still check this newsgroup. And those are likely to be the ones who actually participate(d) in discussion here, not the advertisers.

And why does it matter? Even if the guy is still reading the newsgroup, why would you care whether he sold it or not? If he didn't, it was likely tossed long ago.

All you idots replying to old messages, why don't you just find the original poster and email them if you really so badly have to ask about an old message?

   Michael VE2BVW

From 8756863381184017722
X-Google-Thread: 108122,8a089468bee0fa98,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.89.196 with SMTP id bq4mr1889135pab.26.1345416037048;
        Sun, 19 Aug 2012 15:40:37 -0700 (PDT)
Path: p10ni105960446pbh.1!nntp.google.com!npeer02.iad.highwinds-media.com!

```
news.highwinds-media.com!feed-me.highwinds-media.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: RadioTech55 <djraz55@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: WHELEN WS295HFS5 SIREN / PA CONTROL SWITCH BOX
Date: Sun, 19 Aug 2012 15:38:36 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <67a5ce98-a596-4095-9f3b-42bee7e81248@googlegroups.com>
NNTP-Posting-Host: 68.96.251.95
Mime-Version: 1.0
X-Trace: posting.google.com 1345416036 28368 127.0.0.1 (19 Aug 2012 22:40:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Aug 2012 22:40:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.96.251.95;
posting-account=TlFsYgoAAACd2ieifRkKdodTFGKtr59n
User-Agent: G2/1.0
X-Received-Bytes: 987
Content-Type: text/plain; charset=ISO-8859-1

WHELEN WS295HFS5 SIREN / PA CONTROL SWITCH BOX

http://bit.ly/nsfgyW



From -171293250231849015
X-Google-Thread: 108122,8421d913f86479ad,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.82.195 with SMTP id k3mr2165357pay.23.1345519226602;
        Mon, 20 Aug 2012 20:20:26 -0700 (PDT)
Path: p10ni109373486pbh.1!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: RadioTech55 <djraz55@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: eBay - Radio Equipment for Auction - Monday August 20, 2012
Date: Mon, 20 Aug 2012 20:20:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <7a848a11-c69e-4e32-b685-b600930bc936@googlegroups.com>
NNTP-Posting-Host: 68.96.251.95
Mime-Version: 1.0
X-Trace: posting.google.com 1345519226 18462 127.0.0.1 (21 Aug 2012 03:20:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Aug 2012 03:20:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.96.251.95;
posting-account=TlFsYgoAAACd2ieifRkKdodTFGKtr59n
User-Agent: G2/1.0
X-Received-Bytes: 991
```

```
Content-Type: text/plain; charset=ISO-8859-1
```

http://www.ebay.com/sch/repochi/m.html?_ipg=50&_sop=12&_rdc=1

```
From 9102231490593092031
X-Google-Thread: 108122,8421d913f86479ad
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.232.200 with SMTP id tq8mr2891964pbc.7.1345590193619;
        Tue, 21 Aug 2012 16:03:13 -0700 (PDT)
MIME-Version: 1.0
Path: p10ni124247356pbh.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 21 Aug 2012 18:03:13 -0500
From: Channel Jumper <Channel.Jumper.a79cb79@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: eBay - Radio Equipment for Auction - Monday August 20, 2012
Date: Tue, 21 Aug 2012 21:48:18 +0000
Message-ID: <Channel.Jumper.a79cb79@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <7a848a11-c69e-4e32-b685-b600930bc936@googlegroups.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-hyL83xooRI36qa/l6UluaKaYult8dbrQcBLDc1zcCVWMXWo/
M2lypym4lZ9K4owFranE4tAc8m1N9Ks!kiD+YPn+eFSpY46tUAa+CrE79ZK95vXMmTX4j3hcMp/
cqaYugpEE16WRu2UtDZfWCX67K53otMr+!hC4IWiErVm0ykrw=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1501
X-Original-Lines: 9
X-Original-Bytes: 1418
```

RadioTech55;795171 Wrote:
> http://www.ebay.com/sch/repochi/m.html?_ipg=50&_sop=12&_rdc=1

JUNK

It is ok if you work Public Service and have a use for it.

But it is no good for anything else.....

AND - if it requires propetiary software to operate and program - it
will cost you more in the long run to buy it then to buy new....

--
Channel Jumper

```
From -6689694154864761161
X-Google-Thread: e721ae2bf6,8aca835be7f97c6e,start
X-Google-Attributes: gide721ae2bf6,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.106.199 with SMTP id gw7mr1241608wib.0.1345988000526;
        Sun, 26 Aug 2012 06:33:20 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni325714965wiw.1!nntp.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-
ng0.de.kpn-eurorings.net!news.snarked.org!newsfeed.news.ucla.edu!ihnp4.UCSD.Edu!
nntp.ucr.edu!usenet.stanford.edu!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1344319500@panix.com>
Followup-To: poster
Date: 22 Aug 2012 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Sep 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1345615500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1345615503 26054 166.84.1.2 (22 Aug 2012 06:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 22 Aug 2012 06:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 4276816909024317353
X-Google-Thread: d7f5508063,9a2cb33b495af689,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.75.8 with SMTP id y8mr1238693wiv.4.1345988647454;
        Sun, 26 Aug 2012 06:44:07 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni325842495wiw.1!nntp.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-
ng0.de.kpn-eurorings.net!news.snarked.org!newsfeed.news.ucla.edu!ihnp4.UCSD.Edu!
```

nntp.ucr.edu!usenet.stanford.edu!news.glorb.com!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1344319800@panix.com>
Followup-To: poster
Date: 22 Aug 2012 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Sep 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1345615800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1345615801 18795 166.84.1.2 (22 Aug 2012 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 22 Aug 2012 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original

article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 6936217655744023815
X-Google-Thread: 108122,733222b57ba70683,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.90.102 with SMTP id bv6mr461881pab.34.1345770762354;
        Thu, 23 Aug 2012 18:12:42 -0700 (PDT)
Path: t10ni33608764pbh.0!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: RadioTech55 <djraz55@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: eBay - Radio Equipment for Auction - Thursday August 23, 2012
Date: Thu, 23 Aug 2012 18:12:41 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <43fbe677-cfb1-4c82-9a7b-10fb92fa0d2d@googlegroups.com>
NNTP-Posting-Host: 68.96.251.95
Mime-Version: 1.0
X-Trace: posting.google.com 1345770762 1199 127.0.0.1 (24 Aug 2012 01:12:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Aug 2012 01:12:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.96.251.95;
posting-account=TlFsYgoAAACd2ieifRkKdodTFGKtr59n
User-Agent: G2/1.0
X-Received-Bytes: 997
Content-Type: text/plain; charset=ISO-8859-1
```

Ebay- http://www.ebay.com/sch/repochi/m.html?_ipg=50&_sop=12&_rdc=1

```
From -6703811188797587614
X-Google-Thread: 108122,733222b57ba70683
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.84.41 with SMTP id v9mr999748pay.43.1345829924044;
        Fri, 24 Aug 2012 10:38:44 -0700 (PDT)
Path: t10ni49218378pbh.0!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news-
```

```
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-11.dc1.easynews.com.POSTED!not-for-mail
Message-ID: <5037BC10.2000201@comcast.net>
From: Marv <volzmtv@comcast.net>
User-Agent: Mozilla/5.0 (Windows NT 6.0; rv:14.0) Gecko/20120713 Thunderbird/14.0
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: eBay - Radio Equipment for Auction - Thursday August 23,
 2012
References: <43fbe677-cfb1-4c82-9a7b-10fb92fa0d2d@googlegroups.com>
In-Reply-To: <43fbe677-cfb1-4c82-9a7b-10fb92fa0d2d@googlegroups.com>
Lines: 5
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 24 Aug 2012 12:38:24 -0500
X-Received-Bytes: 1139
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 8/23/2012 8:12 PM, RadioTech55 wrote:
> Ebay- http://www.ebay.com/sch/repochi/m.html?_ipg=50&_sop=12&_rdc=1
I didn't see any Ham radio equipment. Junk to me.

W5MTV



From 953908997710468990
X-Google-Thread: 108122,1e31011308aa91cd,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.89.196 with SMTP id bq4mr1115935pab.26.1345836306604;
        Fri, 24 Aug 2012 12:25:06 -0700 (PDT)
Path: a5ni9177pbv.0!nntp.google.com!news1.google.com!postnews.google.com!
u15g2000yql.googlegroups.com!not-for-mail
From: John NO3Z <john@wexfordpress.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need SB220 manual or copy.
Date: Fri, 24 Aug 2012 12:25:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <c0301d50-48df-408c-b02e-96a12a8c0d07@u15g2000yql.googlegroups.com>
NNTP-Posting-Host: 68.50.233.152
Mime-Version: 1.0
X-Trace: posting.google.com 1345836306 8685 127.0.0.1 (24 Aug 2012 19:25:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Aug 2012 19:25:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u15g2000yql.googlegroups.com; posting-host=68.50.233.152; posting-
account=re5CtwkAAADxHTtDlg3bPJjnFnBzyb_7
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/5.0 (X11; Linux i686; rv:2.0pre) Gecko/20110410
 Firefox/4.0pre SeaMonkey/2.1b3,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

The subject says it all. john at wexfordpress.com.
73
John Culleton, no3z



From -4255956547627096973
X-Google-Thread: 108122,1e31011308aa91cd
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.66.85.136 with SMTP id h8mr1491581paz.46.1345915843177;
        Sat, 25 Aug 2012 10:30:43 -0700 (PDT)
Path: a5ni12076pbv.0!nntp.google.com!news2.google.com!postnews.google.com!
l14g2000yqo.googlegroups.com!not-for-mail
From: John NO3Z <john@wexfordpress.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need SB220 manual or copy.
Date: Sat, 25 Aug 2012 10:28:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <60904a0c-72b1-4186-a8d5-ea4f77e931af@l14g2000yqo.googlegroups.com>
References: <c0301d50-48df-408c-b02e-96a12a8c0d07@u15g2000yql.googlegroups.com>
NNTP-Posting-Host: 68.50.233.152
Mime-Version: 1.0
X-Trace: posting.google.com 1345915843 11195 127.0.0.1 (25 Aug 2012 17:30:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 25 Aug 2012 17:30:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l14g2000yqo.googlegroups.com; posting-host=68.50.233.152; posting-
account=re5CtwkAAADxHTtDlg3bPJjnFnBzyb_7
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; Linux i686; rv:2.0pre) Gecko/20110410
 Firefox/4.0pre SeaMonkey/2.1b3,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable

On Aug 24, 3:25=A0pm, John NO3Z <j...@wexfordpress.com> wrote:
> The subject says it all. john at wexfordpress.com.
> 73
> John Culleton, no3z

Never mind, I found a free download site.

JRC



From -3032758356010914891
X-Google-Thread: d7f5508063,1e31011308aa91cd
X-Google-Attributes: gidd7f5508063,public,usenet
```

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Received: by 10.204.15.209 with SMTP id l17mr1152793bka.6.1345998309139;
        Sun, 26 Aug 2012 09:25:09 -0700 (PDT)
Received: by 10.180.106.199 with SMTP id gw7mr1304895wib.0.1345998308702;
        Sun, 26 Aug 2012 09:25:08 -0700 (PDT)
Path: m12ni137736bkm.0!nntp.google.com!news1.google.com!yt1no51422493wib.1!news-
out.google.com!q11ni327696803wiw.1!nntp.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!194.109.133.84.MISMATCH!newsfeed.xs4all.nl!
newsfeed5.news.xs4all.nl!xs4all!newsgate.cistron.nl!newsgate.news.xs4all.nl!
news.nosignal.org!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need SB220 manual or copy.
Date: Sun, 26 Aug 2012 12:24:16 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 25
Sender: et472@216-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.1208261223240.22404@darkstar.example.net>
References: <c0301d50-48df-408c-b02e-96a12a8c0d07@u15g2000yql.googlegroups.com>
 <60904a0c-72b1-4186-a8d5-ea4f77e931af@l14g2000yqo.googlegroups.com>
NNTP-Posting-Host: 216-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1345998307 4 64.235.215.216 (26 Aug 2012 16:25:07 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 26 Aug 2012 16:25:07 GMT
In-Reply-To: <60904a0c-72b1-4186-a8d5-ea4f77e931af@l14g2000yqo.googlegroups.com>
Content-Type: TEXT/PLAIN; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: QUOTED-PRINTABLE

On Sat, 25 Aug 2012, John NO3Z wrote:

> On Aug 24, 3:25=A0pm, John NO3Z <j...@wexfordpress.com> wrote:
>> The subject says it all. john at wexfordpress.com.
>> 73
>> John Culleton, no3z
>
> Never mind, I found a free download site.
>
> JRC
>
That's odd, there was that guy who bought the rights to the old manuals=20
from Heathkit and then clamped down on free copies.  He will sell you the=
=20
manual, though.

    Michael VE2BVW


From -835449801440142746
X-Google-Thread: d7f5508063,9f220b225906dcfd,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.10.88 with SMTP id o24mr1522360bko.0.1346087086859;
        Mon, 27 Aug 2012 10:04:46 -0700 (PDT)
Received: by 10.224.181.75 with SMTP id bx11mr6715155qab.7.1346086999536;
        Mon, 27 Aug 2012 10:03:19 -0700 (PDT)
MIME-Version: 1.0
Path: m12ni141859bkm.0!nntp.google.com!news2.google.com!postnews.google.com!
r1no24458326qas.0!news-out.google.com!da15ni33353182qab.0!nntp.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-
mli.net!feeder1.hal-mli.net!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Aug 2012 12:03:18 -0500
From: Glen Pickard <Glen.Pickard.a816018@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Glen Pickard
Date: Mon, 27 Aug 2012 16:57:41 +0000
Message-ID: <Glen.Pickard.a816018@radiobanter.com>
Organization: RadioBanter.com
Lines: 7
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
vNzBhW7eUeo16wUPaqbCHmmJpV+DGRwxDF2jCemKpzyKjUTKVp9SvURdyrPDt6xlS7ecyYK6DPus7op!
PuPWIiviS325iMXYdzW7wJiC9zk/8FuckavqMIfpFzxqxNWucr1B1CTIJ5RibQZVv1IWMau8Nz+A!u1L/
Lt5l6Ilz
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1010
```

I am looking for a kenwood at-200 antenna tuner to buy for my ts-820s.

--
Glen Pickard

```
From -7767656272199291470
X-Google-Thread: d7f5508063,685d91c1b6c9268b,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.42.68 with SMTP id r4mr4723980qae.4.1347166086097;
        Sat, 08 Sep 2012 21:48:06 -0700 (PDT)
MIME-Version: 1.0
Path: da15ni24490381qab.0!nntp.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!ctu-peer!ctu-gate!news.nctu.edu.tw!usenet.stanford.edu!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1345010401@panix.com>
Followup-To: poster
Date: 1 Sep 2012 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 19 Sep 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1346479201@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1346479203 23990 166.84.1.2 (1 Sep 2012 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 1 Sep 2012 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Bytes: 3851

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -6021390629051132864
X-Google-Thread: 108122,22060ea3dfbc825f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.72.73 with SMTP id b9mr4292836pav.9.1346857887983;
        Wed, 05 Sep 2012 08:11:27 -0700 (PDT)
MIME-Version: 1.0
Path: a8ni53641503pbd.1!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.metrocastcablevision.com!
news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Sep 2012 10:11:27 -0500
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: WAVETEK MODELS 112/115/116 TECHNICAL MANUAL
Date: Wed, 5 Sep 2012 11:11:28 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <EK2dnfl7cuQC9trNnZ2dnUVZ_rednZ2d@metrocastcablevision.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.9.1.207
X-Trace: sv3-
```

```
aJveEz8pxbCtvQGjsAuJc08xrSi+MXP0bLfHJWbqXr6mXXd0thqRJ9CQVdoycN8fZJV5xBbf6S+U6lz!
S78GF0Z3dJqqfeUm8WgkQ8DxvyYOVf+PGTZWZtNtwC5c6oACZPBjnxSRETNJePltLxPMRrbOGA8F!
a44IDXhcDAhL7WTZnyqEkqs4yv4MonJZ1cWx+wEsmT4=
X-Complaints-To: abuse@metrocast.com
X-DMCA-Complaints-To: abuse@metrocast.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1640
X-Original-Bytes: 1579
X-Received-Bytes: 1720
```

FOR SALE

WAVETEK MODELS 112/115/116 VCG TECHNICAL MANUAL
Quantity: 1
Condition: Excellent
Remarks: Covers/pages loose and punched for 3-ring binder.
Price: $25.00 includes postage and handling to lower 48.
Terms and conditions: Pay by US Postal Money Order. Sale is final - no returns. Sale to USA only.
Contact: dc2light at md dot metrocast dot net .
Regards - BOB - W5BTC

```
From -3173277366764964637
X-Google-Thread: 108122,cd585ab65950c402,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.77.39 with SMTP id p7mr844913paw.0.1346994188623;
        Thu, 06 Sep 2012 22:03:08 -0700 (PDT)
MIME-Version: 1.0
Path: t10ni5407211pbh.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 07 Sep 2012 00:03:08 -0500
From: K7HI <K7HI.a8f37d8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: General Resistance Dial-an-Ohm Decade Boxes
Date: Fri, 7 Sep 2012 03:45:42 +0000
Message-ID: <K7HI.a8f37d8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 36
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-ibeolKbxnQUabhmFxHtWKLNkUZIvy+Wu7gNJrzsO90ZfKDngF/
8TXK3sqyEnRq31c+LcO5Qy3CQDZYc!23GQpcjHWGR9ndjFH6/
```

ahVDPZtvqcsvrn7r2NYzeY9OwrNLgo5qJ0knWfvVgdb+aWa015opLu2mg!kg==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Bytes: 2207
X-Original-Lines: 1
X-Original-Bytes: 2124

Resistance DECADE BOXES - Lab Quality
Units overlap to cover 000.00 Ohms to 999.99 KOhms
Dial-An-Ohm DA 52-3X (0-999.99 Ohms) PLUS
Dial-An-Ohm DA 55-3 (0-999.99 KOhms)
BCD Thumbwheel Switch Select
High accuracy & resolution

Direct-readout in Ohms and KOhms make this a very desirable laboratory source for precision work.

$175. for BOTH UNITS - INCLUDING Priority Shipping w/Delivery Confirmation
INSTANT PAYPAL REQUIRED

Thanks for looking!

Howard, K7HI
http://www.qrz.com/db/k7hi

```
+-------------------------------------------------------------------+
|Filename: phpZEOSpwPM.jpg                                          |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=877|
|Filename: phpQk90XIPM.jpg                                          |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=876|
|Filename: phpc3j491PM.jpg                                          |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=878|
|Filename: phpY47t7GPM.jpg                                          |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=879|
+-------------------------------------------------------------------+
```

--
K7HI

From 3627089838413629425
X-Google-Thread: d7f5508063,96bd43163ab8e6fb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes

```
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.216.239.205 with SMTP id c55mr181489wer.12.1347644494201;
        Fri, 14 Sep 2012 10:41:34 -0700 (PDT)
MIME-Version: 1.0
Path: q11ni64828411wiw.1!nntp.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!85.12.40.138.MISMATCH!xlned.com!feeder5.xlned.com!
feed.xsnews.nl!border-2.ams.xsnews.nl!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!border3.nntp.ams.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!news.panservice.it!newsfeed.hal-
mli.net!feeder3.hal-mli.net!newsfeed.hal-mli.net!feeder1.hal-mli.net!
news.linkpendium.com!news.linkpendium.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1345615500@panix.com>
Followup-To: poster
Date: 7 Sep 2012 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Sep 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1346997900@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1346997904 9393 166.84.1.2 (7 Sep 2012 06:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Sep 2012 06:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Bytes: 3875
```

```
Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

 radio/personal-intro

```
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -1386909927114581197
X-Google-Thread: a4a23d5f63,b34fd0e985c261e4,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.58.145.65 with SMTP id ss1mr494407veb.39.1347644647084;
        Fri, 14 Sep 2012 10:44:07 -0700 (PDT)
MIME-Version: 1.0
Path: ed8ni64870249wib.0!nntp.google.com!feeder2.cambriumusenet.nl!
feeder1.cambriumusenet.nl!feed.tweaknews.nl!94.232.116.11.MISMATCH!feed.xsnews.nl!
border-1.ams.xsnews.nl!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!news.panservice.it!de-l.enfer-du-
nord.net!feeder1.enfer-du-nord.net!news.glorb.com!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1345615800@panix.com>
```

Followup-To: poster
Date: 7 Sep 2012 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Sep 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1346998200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1346998201 8355 166.84.1.2 (7 Sep 2012 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Sep 2012 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Bytes: 2890

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 4548134324810709604
X-Google-Thread: 733d321764,a1fc483623a69e3c
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.181.11.234 with SMTP id el10mr154727wid.2.1347671368800;
        Fri, 14 Sep 2012 18:09:28 -0700 (PDT)
Path: ed8ni69998908wib.0!nntp.google.com!feeder2.cambriumusenet.nl!
feed.tweaknews.nl!216.196.110.146.MISMATCH!border3.nntp.ams.giganews.com!
feed.xsnews.nl!border-1.ams.xsnews.nl!xlned.com!feeder3.xlned.com!
news.astraweb.com!border5.a.newsrouter.astraweb.com!border2.nntp.ams.giganews.com!
nntp.giganews.com!news.panservice.it!news.stack.nl!news.litech.org!news.glorb.com!
news-out.readnews.com!transit3.readnews.com!panix!rri.panix.com!robomod!not-for-
mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, October 2012 - Subscribe for FREE
Followup-To: poster
Date: Wed, 12 Sep 2012 14:40:48 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 33
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <857A208B784A4B8B9EDA07B63453C09A@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1347475248 8562 166.84.1.6 (12 Sep 2012 18:40:48 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 12 Sep 2012 18:40:48 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to            rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
```

```
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From; bh=OemDNjAHzguT5TXmhWD8YSuQO/
C11iqGxiTqoeOsfSI=;
     b=MsypIa/TD7TWEZfszofYwIMnRPF3PHs5oz3K9jh+aV88Xx1Jgst/
S6JFjGHPclFT7MQyMVEC17b6x7pbNLmFb9Q6CKb8Z5Q0lX9xiJfII6KEGFA83/JNy1oYMQ1gSNJN;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 69.211.108.222 authed with k9ya+k9ya.org}
Bytes: 3988
X-Original-Bytes: 3964
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

October 2012 (Volume 9, Issue 10) articles include:

Two Amazing Amateurs - Part II By Philip Cala-Lazar, K9PL

QRP to the Field Without the Fun By John Swartz, WA9AQN

Ham Lingo By Dick Sylvan, W9CBT

An Old Friend By John Swartz, WA9AQN

Conan Wyatt Burtram Barger, W3CVE - Part IV By Scott B. Laughlin, N7NET

The Last Word By Bob Cashdollar, NR8U

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From -7097919424890002552
X-Google-Thread: d7f5508063,878b6c948f55da69,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.75.234 with SMTP id f10mr2750024paw.8.1356344414017;
        Mon, 24 Dec 2012 02:20:14 -0800 (PST)
MIME-Version: 1.0
Received: by 10.50.135.33 with SMTP id pp1mr5601424igb.14.1356344413978; Mon,
 24 Dec 2012 02:20:13 -0800 (PST)
Path: 6ni51708pbd.1!nntp.google.com!f6no15242962pbd.1!postnews.google.com!
gg5g2000pbc.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Mon, 24 Dec 2012 02:20:13 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: gg5g2000pbc.googlegroups.com; posting-host=117.199.251.41;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
NNTP-Posting-Host: 117.199.251.41
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:17.0) Gecko/20100101 Firefox/
17.0,gzip(gfe)
Message-ID: <270bcf8b-02c3-4374-b14f-84bb810e3119@gg5g2000pbc.googlegroups.com>
Subject: HOT SEXY VIDEOS PRESENT MASLA PHOTOS FOR ADULTS
From: HGHFGDS <fhfgfgg@gmail.com>
Injection-Date: Mon, 24 Dec 2012 10:20:14 +0000
Content-Type: text/plain; charset=ISO-8859-1

     VERY VERY VERY HOT HOT HOT ONLY HOT
http://acresesandmodels.blogspot.in/2011/06/real-kiss-hot-videos.html

  HOT HOT LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/hot-for-youth.html
SUPER HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-101.html
YOUTH HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-lip-kiss-12.html
ONLY HOT HOT
http://hotvideosfreesee.blogspot.in/2010/06/supr-hot-never-seen.html
SUPER HOT NEVER SEEN
http://hotvideosfreesee.blogspot.in/2010/06/supe-r-hot-kiss-op.html
HEROINE LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/kajal-best-lip-kiss.html

for mopre hot videos
http://allvideosforyouth.blogspot.in/2010/08/super-hot-lip-kiss.html

     jobs
http://alljobsaywhere.blogspot.in/

              mobile
```

mobile games free download
http://mobileallinforation.blogspot.in

interview question
java interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/java-interview-questions-and-answers.html
oracle interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/oracle-interview-questions-and-answers.html
hardware interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/hardware-interview-questions-and-answers.html
networking interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/networking-interview-questions-and.html
dotnet interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/dotnet-interview-questions-and-answers.html
c interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/c-interview-questions-and-answers.html
datawarehousing interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/datawarehousing-interview-questions-and.html
sap interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/sap-interview-questions-and-answers.html

all jobs
java jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/java-jobs.html
oracle jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/oracle-jobs.html
sap jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/sap-jobs.html
hardware jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/hardware-jobs.html
networking jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/networking-jobs.html
datawarehousing jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/datawarehousing-jobs.html
GOOGLE ADSENSE
http://alljobsandinterviwquestions.blogspot.com/2012/08/google-adsense.html

From 6076052744658503142

```
X-Google-Thread: 108122,677b5a888b7557d3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.72.232 with SMTP id g8mr5484963pav.23.1356952663092;
        Mon, 31 Dec 2012 03:17:43 -0800 (PST)
Path: 6ni73973pbd.1!nntp.google.com!news.glorb.com!news-out.readnews.com!
transit3.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: rec-radio-info-request@panix.com (SolderSmoke via rec.radio.info Admin)
Newsgroups: 
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: SolderSmoke Podcast for Monday 31 December 2012
Followup-To: 
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Mon, 31 Dec 2012 06:17:42 EST
Organization: SolderSmoke
Lines: 12
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <f46d0447f168f0d40504d224284f@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1356952662 27250 166.84.1.6 (31 Dec 2012 11:17:42 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 31 Dec 2012 11:17:42 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this 
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:sender:precedence:message-id:date:subject:from:to
         :content-type;
        bh=UG595tRJNRHAe+a2mlkSqlmKdsgMcFSGbu3Z4SXMsx8=;
        b=IfUP1nKGXt4dS2Ch1EnRsv+oySCw5ylo5ccQ6MzpHiyGclkfIeA3QJ9BaBLmP1KCGQ
         7d5dwR5mGxaKZX8kCg1aZ1FKvj9Aqe6uJW17u2/rNd/77EMHxnpwoUISC4HmktODs3E1
         uX98ePhG1ValcpH/NniIBQYa2yb6oldttBSlHqJ/ArF/eIM3l65z0wsHRxjB7fIi739v
         7UNVVUskftrr5+1XWt8H2kieVSErc/LDOPYY02KormLSA6XGj+HPCWdikLavoQgxdvUf
         W90RzDzQsqM5GyWw1Q+Uo8DcI7YuiwTNHSLvULQmlaJBE337psSEUXM66wQgmUpJLJia
         S0lg==
X-StripMime: Non-text section removed by stripmime
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

SolderSmoke Podcasts

///

SolderSmoke148`

Posted: 30 Dec 2012 01:47 AM PST

SolderSmoke issue 148
This posting includes a media file:
http://www.soldersmoke.com/soldersmoke148.mp3

```
From -7162797060154977574
X-Google-Thread: e721ae2bf6,bfd154f58c86fc67,start
X-Google-Attributes: gide721ae2bf6,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.198.196 with SMTP id ep4mr28045969qab.3.1357371034909;
        Fri, 04 Jan 2013 23:30:34 -0800 (PST)
MIME-Version: 1.0
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1355554802@panix.com>
Followup-To: poster
Date: 1 Jan 2013 02:00:03 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 19 Jan 2013 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1357023601@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1357023603 5734 166.84.1.2 (1 Jan 2013 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 1 Jan 2013 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Path: k2ni5383qap.0!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
news.mccarragher.com!news.grnet.gr!de-l.enfer-du-nord.net!feeder2.enfer-du-
nord.net!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
Bytes: 3966
X-Received-Bytes: 4014

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
```

Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From -6828566124814192910
X-Google-Thread: d7f5508063,f4910b536fe5cfd3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes

X-Google-Language: ENGLISH,BIG5
X-Received: by 10.66.74.135 with SMTP id t7mr7391450pav.29.1357371052614;
        Fri, 04 Jan 2013 23:30:52 -0800 (PST)
From: Gary Sokolisch <SokolischSpeaks@moonbat.com>
Subject: Gary Sokolich - 3815
Newsgroups: rec.radio.amateur.equipment
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Message-ID: <1pyeu33s9m60m.i1sgtnqviklu$.dlg@40tude.net>
Lines: 51
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Tue, 01 Jan 2013 10:43:24 UTC
Organization: TeraNews.com
Date: Tue, 1 Jan 2013 05:43:39 -0500
X-Received-Bytes: 2096
Path: s9ni83763pbb.0!nntp.google.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news.mccarragher.com!news.grnet.gr!de-l.enfer-du-nord.net!feeder1.enfer-du-
nord.net!usenet-fr.net!feeder1-2.proxad.net!proxad.net!feeder2-2.proxad.net!
nx02.iad01.newshosting.com!newshosting.com!69.16.185.21.MISMATCH!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post01.iad.highwinds-media.com!newsfe04.iad.POSTED!not-for-mail
Bytes: 2473
Content-Type: text/plain; charset="big5"
Content-Transfer-Encoding: 8bit

3815

W Gary Sokolich
801 Kings Road
Newport Beach, CA 92663-5715
(949) 650-5379
Local PD
949-644-3681

Residence:
1029 S Point View St
Los Angeles CA 90035
(310) 650-5379

and
5309 Victoria Ave., Los Angeles, CA, 90043

http://web.archive.org/web/20080821231423/http://www.tbpe.state.tx.us/da/da022808.htm

TEXAS BOARD OF PROFESSIONAL ENGINEERS
February 28, 2008 Board Meeting Disciplinary Actions

W. Gary Sokolich , Newport Beach, California �V File B-29812 - It was alleged that. Sokolich unlawfully offered or attempted to practice engineering in Texas (...) Sokolich chose to end the proceedings by signing a Consent Order that was accepted by the Board to cease and desist from representing himself as an ��Engineer�� in Texas, from any and all representations that he can offer or perform engineering services and from the actual practice of engineering in Texas (...) Sokolich was also assessed a $1,360.00 administrative penalty.

----

http://articles.latimes.com/1988-04-14/local/me-1922_1_ucla-researcher

A former UCLA employee has agreed to provide copies of his research to the school to settle a lawsuit the university filed against him in 1985, lawyers in the case said.

(...)

The University of California Board of Regents filed a $620,000 lawsuit against Sokolich, accusing him of taking research on the hearing capabilities of animals in June, 1982. Sokolich was dismissed by UCLA (...).

(...)

```
From 6814160496391148061
X-Google-Thread: 108122,f4910b536fe5cfd3
X-Google-NewGroupId: yes
X-Google-Thread: f85b8,386de0f9203bda33,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid79249653c7,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
X-Received: by 10.66.78.70 with SMTP id z6mr6870242paw.5.1357056106811;
        Tue, 01 Jan 2013 08:01:46 -0800 (PST)
MIME-Version: 1.0
Received: by 10.50.220.231 with SMTP id pz7mr13937734igc.8.1357056106631; Tue,
 01 Jan 2013 08:01:46 -0800 (PST)
Path: s9ni70930pbb.0!nntp.google.com!kr7no12687688pbb.0!postnews.google.com!
p7g2000pbz.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment,alt.social-security-disability
Date: Tue, 1 Jan 2013 08:01:46 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: p7g2000pbz.googlegroups.com; posting-host=108.62.186.102; posting-
account=9kKq-QoAAAAFz51mfN4bNv7Ce3_DDFqZ
NNTP-Posting-Host: 108.62.186.102
References: <1pyeu33s9m60m.i1sgtnqviklu$.dlg@40tude.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:17.0) Gecko/20100101 Firefox/
17.0,gzip(gfe)
Message-ID: <6d8ee8f5-9ee0-458f-9743-228cb4b84065@p7g2000pbz.googlegroups.com>
Subject: Psychopath Jack Wesolowski takes another spam dump on the UseNet
```

 (was: Gary Sokolich - 3815)
From: Mamma Wesolowski <Mamma_Wesolowski@hotmail.com>
Injection-Date: Tue, 01 Jan 2013 16:01:46 +0000
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable

On Jan 1, 2:43=A0am, p[sychopath Jack Wesolowski trolling and spamming
the UseNet as Gary Sokolisch <SokolischSpe...@moonbat.com> wrote:
> 3815
>
> W Gary Sokolich
> 801 Kings Road
> Newport Beach, CA 92663-5715
> (949) 650-5379
> Local PD
> 949-644-3681
>
> Residence:
> 1029 S Point View St
> Los Angeles CA 90035
> (310) 650-5379
>
> and
> 5309 Victoria Ave., Los Angeles, CA, 90043
>
> http://web.archive.org/web/20080821231423/http://www.tbpe.state.tx.us...
>
> TEXAS BOARD OF PROFESSIONAL ENGINEERS
> February 28, 2008 Board Meeting Disciplinary Actions
>
> =A0W. Gary Sokolich , Newport Beach, California =96 File B-29812 - It was
> alleged that. Sokolich unlawfully offered or attempted to practice
> engineering in Texas (...) =A0Sokolich chose to end the proceedings by
> signing a Consent Order that was accepted by the Board to cease and desis=
t
> from representing himself as an =93Engineer=94 in Texas, from any and all
> representations that he can offer or perform engineering services and fro=
m
> the actual practice of engineering in Texas (...) =A0Sokolich was also
> assessed a $1,360.00 administrative penalty.
>
> ---------------
>
> http://articles.latimes.com/1988-04-14/local/me-1922_1_ucla-researcher
>
> A former UCLA employee has agreed to provide copies of his research to
> the school to settle a lawsuit the university filed against him in 1985,
> lawyers in the case said.
>
> (...)
>
> The University of California Board of Regents filed a $620,000 lawsuit
> against Sokolich, accusing him of taking research on the hearing

> capabilities of animals in June, 1982. Sokolich was dismissed by UCLA
> (...).
>
> (...)

That's my boy Jack Wesolowski, a 68-year old, mentally-ill , retired SSD worker, foul-mouthed bigot, racist, liar, spammer and troll who has been spamming the UseNet as Gary Sokolisch since January of 2011.

A recent ode to psychopath Jack Wesolowski, from rec.sport.boxing
http://groups.google.com/group/rec.sport.boxing/msg/336baad3954b6f51?...
http://tinyurl.com/7ldhq3b

"Way Back Jack, his mother licks my crack,
Then she sucks my dick until it's yellah.
An' his mother-fuckin' fathah doesn't so much as bother
To use some spittle when he's bung-holin' little
Boys, before they're rollin' in the shower, their 'nads all a'
swollen,
While our perverted faggot Jack laps up all their bloody turds.
He's a real low-life fellah, whose perversion escapes mere words

And one from alt.native, May 4, 2002.
http://groups.google.com/group/alt.native/msg/0f12476019613f13?dmode=3D...
http://tinyurl.com/6ugweze

Brother Jack is a racist bigot
His mouth is a toxic old spigot
He spews out his hate
He never can wait
To find some more dolts who will dig it!

We know a white jerk named Jack
Who really wants to be black
He calls himself "brother"
Wears clothes from his mother(*)
The truth is he's just a hack

We see his rantings as racist bile
His words typically ugly and vile
The master of hate
Thank God he won't mate
Let us leave him alone for awhile

(*)
Jack Wesolowski, circa 2000
http://tinyurl.com/3dtnmpz

Meet Psychopath Jack Wesolowski, the crass, foul-mouthed, bigot,
racist, liar, spammer and troll.

Jack Wesolowski the spammer
http://tinyurl.com/3o7su5k

Jack Wesolowski the troll.
http://tinyurl.com/6ynlegl
http://tinyurl.com/5vljxag
http://tinyurl.com/3nukkeo

Jack Wesolowsk the liar.
http://tinyurl.com/6hr3lmq
http://tinyurl.com/44x4ceg

Jack Wesolowski the bigot.
http://tinyurl.com/3n5z48d
http://tinyurl.com/3h2sc48

Jack Wesolowski the racist.
http://tinyurl.com/3m3vhjb
http://tinyurl.com/3qoolnh
http://tinyurl.com/3j8gnfm
http://tinyurl.com/3c97kg7

Jack Wesolowski, aka
Bob Cain (resurrected)
joe momma
farting boar
diane roselles
dr jackal
Repeal Obama
Mothzer Roselles
Xavier
Amber Travsky
Vladimir Tschenko Badenovsky
Off the moonbat
A liberal's worst nightmare
Swatting Moonbatz
Ruth Chilton
That Sleazy Cunt Piglosi
Obama Nation is Abomination
ObamaNation=3DAbomination
Let it Rock
Nobama
Repeal Obama
Mother Roselles
Swatting Moonbatz
Amber Travsky
Gary Sokolisch
Weary Bruiser 1 reti...@home.net
Vladimir Badenovsky
Mike Gibson's Ghost

Gary Sokolosch
Gary Sakolich
THE REAL GARY
GARY IN ANIMAL RESEARCH
GARY THE "ENGINEER"
Calhoun
Bobby Fuller
Calhoon
Jack (windswept@home.)
JackW (windswept@home)
Windswept@home. (jack)
BroJack
Bro Jack
brojac...@my-deja.com
waybackjack
way back jack
jackweso
JackWesolowski
jackw...@email.msn.com (brojac...@my-deja.com)
Jack Wesolowski (wesolow...@freewwweb.com)
BroJ...@windswept.net (BroJack)
Windswept@Home (Jack W)
jackw...@email.msn.com (brojac...@my-deja.com)
Jack from waaaayyyyyBack

John F Wesolowski
3045 Old Washington Rd
Westminster, MD 21157
(410) 876-6914
http://tinyurl.com/6cv8t2e

```
From -349003538988875466
X-Google-Thread: fcc6e,667550887ff1fda3,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,667550887ff1fda3,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,667550887ff1fda3,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,667550887ff1fda3,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gida3e752f117,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.88.200 with SMTP id bi8mr1879704pab.13.1357542304922;
        Sun, 06 Jan 2013 23:05:04 -0800 (PST)
MIME-Version: 1.0
Path: 6ni90238pbd.1!nntp.google.com!newsfeed2.dallas1.level3.net!news.level3.com!
panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
```

```
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1356159900@panix.com>
Followup-To: poster
Date: 7 Jan 2013 02:05:02 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Jan 2013 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1357542300@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1357542304 2701 166.84.1.2 (7 Jan 2013 07:05:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Jan 2013 07:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been
recently revived by an active moderation team.  We are currently seeking
suitable information, FAQ, and bulletin articles from the entire
rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our
newsgroup.

We are seeking a replacement maintainer for the following information
bulletin formerly posted to rec.radio.amateur.* (and currently archived
at http://www.faqs.org/faqs/radio/personal-intro/ ):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                     |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 4944691773701967302
X-Google-Thread: a4a23d5f63,6ae6e7aeebaf6fd4,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.89.74 with SMTP id bm10mr9813774pab.19.1357876522053;
        Thu, 10 Jan 2013 19:55:22 -0800 (PST)
MIME-Version: 1.0
Path: s9ni101042pbb.0!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nrc-
news.nrc.ca!newsfeed.news.ucla.edu!usenet.stanford.edu!panix!panix2.panix.com!not-
for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1356160200@panix.com>
Followup-To: poster
Date: 7 Jan 2013 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Jan 2013 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1357542600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1357542601 29384 166.84.1.2 (7 Jan 2013 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Jan 2013 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
```

Bytes: 2819
X-Received-Bytes: 2867

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 955498107428038531
X-Google-Thread: d7f5508063,a1fc483623a69e3c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
X-Received: by 10.66.81.229 with SMTP id d5mr1662803pay.34.1358655835969;
        Sat, 19 Jan 2013 20:23:55 -0800 (PST)
MIME-Version: 1.0
Path: s9ni7514pbb.0!nntp.google.com!npeer02.iad.highwinds-media.com!

```
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!
backlog2.nntp.ams.giganews.com!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!news.teledata-fn.de!noris.net!
news.internetdienste.de!feeder.erje.net!us.feeder.erje.net!news.glorb.com!news-
out.readnews.com!transit3.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, February 2013 - Subscribe for FREE
Followup-To: poster
Date: Sun, 13 Jan 2013 19:23:24 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 35
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <0EB9D778FBE348138BB3922706638E8C@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
<857A208B784A4B8B9EDA07B63453C09A@GRIMES>
<7681E36DA69449718D8C5AC72DE9FFF8@GRIMES>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1358123004 20316 166.84.1.6 (14 Jan 2013 00:23:24 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 14 Jan 2013 00:23:24 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
	 h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From;
bh=+4HGMh3aejH3h+RSNxM7WzjBSxSE6k52wecjrklnYtM=;
	 b=F+qkkKN7hl9TzkKa8TPFiLQTosRO8uIqIXTqPf/8JWoxIzPnDq33/
```

```
aqlsP6IPXteqwOagSW7I5GLIxh5qTbp0NAT+CJ+mTOhTgadSOKce/Ra1lB7ZRjuO1KaNiY48617;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 99.43.151.253 authed with k9ya+k9ya.org}
Bytes: 4162
X-Original-Bytes: 4058
X-Received-Bytes: 4281
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

February 2013 (Volume 10, Issue 2) articles include:

HI-PER-MITE: Audio Filter Kit by NM�S & 4SQRP By Philip Cala-Lazar, K9PL

A Work in Progress - Part II By Paul W. Ross, W3FIS

Ms. Lilian Ruocco, W2PMA, Bronx, N.Y. By Bob Ballantine, W8SU

Conan Wyatt Burtram Barger, W3CVE - Part VIII By Scott B. Laughlin, N7NET

Confessions of a Closet Key Collector By Steve Silverman, KB3SII

Ham Parodies By Dick Sylvan, W9CBT

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From 5218250695011498204
X-Google-Thread: a4a23d5f63,d538867e6c6741c9,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.72.199 with SMTP id n7mr55049220qaj.5.1358233203648;
        Mon, 14 Jan 2013 23:00:03 -0800 (PST)
MIME-Version: 1.0
Path: k2ni68qap.0!nntp.google.com!newsfeed2.dallas1.level3.net!news.level3.com!
```

panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1357023601@panix.com>
Followup-To: poster
Date: 15 Jan 2013 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 02 Feb 2013 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1358233201@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1358233203 18412 166.84.1.2 (15 Jan 2013 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 15 Jan 2013 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those

that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 3383612824164997102
X-Google-Thread: d7f5508063,315d34fb58d4e0e4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
X-Received: by 10.181.13.205 with SMTP id fa13mr87455wid.3.1358460956476;
        Thu, 17 Jan 2013 14:15:56 -0800 (PST)
MIME-Version: 1.0
From: Dave U. Random <anonymous@anonymitaet-im-inter.net>
Comments: This message did not originate from the Sender address above.
     It was remailed automatically by anonymizing remailer software.
     Please report problems or inappropriate use to the
     remailer administrator at <abuse@anonymitaet-im-inter.net>.
Cc: mail2news@m2n.mixmin.net
Subject: The Untold Story of Gun Confiscation After Katrina
Message-ID: <f645b57ee698c0ab9fd0368826c69571@anonymitaet-im-inter.net>
Date: Thu, 17 Jan 2013 23:15:53 +0100 (CET)
Newsgroups: uk.rec.models.radio-control.air, rec.radio.amateur.equipment,
     umiami.general
Path: i11ni3869wiw.0!nntp.google.com!goblin2!goblin.stu.neva.ru!weretis.net!
feeder4.news.weretis.net!news.mixmin.net!mail2news.mixmin.net!not-for-mail
Lines: 74
Injection-Info: mail2news.mixmin.net; mail-complaints-to=abuse@mixmin.net
```

http://www.youtube.com/watch?v=-taU9d26wT4

Uploaded on Mar 7, 2007

The video you will see on this web site is horrifying. The crimes committed against law-abiding gun owners are beyond comprehension. The arrogance of anti-gun politicians and government officials and their hate of freedom will churn your stomach.

The law is the law, the Constitution is the Constitution. If ONE local mayor or police chief can decide what the Second Amendment means, it opens the door to tyranny�where ANY mayor or police chief can say what the Second Amendment means.

You've seen this brand of abuse of freedom in the history books�in the pages about days of gun confiscations leading to the terror of Stalin, Mao and Hitler. But you'd never in a million years think it could happen in America.

Well, it can and it did. And it will happen again unless we take action today.

New Orleans Mayor Ray Nagin, Police Superintendent P. Eddie Compass unleashed a wave of confiscations with these chilling words:

"No one will be able to be armed. We will take all weapons. Only law enforcement will be allowed to have guns."

Thousands of firearms were then confiscated from law-abiding gun owners. The police gave no paperwork or receipts for those guns. They just stormed in and seized them.

With your help we're going to make the first time in New Orleans the LAST time in America. Thank you!

Now, one year later, these crimes against gun owners have snowballed into a far greater threat to our freedoms.

Even though NRA secured a court order demanding their immediate and unconditional return, almost every single confiscated firearm remains locked in government trailers.

With the stroke of a pen, Mayor Nagin and Police Superintendent Compass are getting away with "murder"�a savaging of the second, fourth and fourteenth amendments of our Constitution. And they have put America on notice that they're going to keep seizing lawfully owned guns under any pretense.

New Orleans gun owners are showing up at these trailers, with serial numbers of their firearms, expecting Mayor Nagin and his band of anti-gunners to respect the Federal courts.

They are met by stony-eyed bureaucrats who say serial numbers aren't enough�and that gun owners now need PROOF OF PURCHASE of these firearms.

How many of those gun owners do you think had original receipts for those firearms? And even if they did, how many do you think could find those receipts in the wreckage of a hurricane?

Many of these firearms were passed down from father to son, generation to generation. Some are precious heirlooms. Some are collector's pieces won in our wars. And they were all lawfully owned and they must be returned to their owners.

With your help we're going to make the first time in New Orleans the LAST time in America. Thank you!

����������������������������
��

```
From 983092784523803339
X-Google-Thread: d7f5508063,315d34fb58d4e0e4
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,UTF8
X-Received: by 10.180.74.141 with SMTP id t13mr974069wiv.5.1359079498871;
        Thu, 24 Jan 2013 18:04:58 -0800 (PST)
Path: o9ni18183wio.1!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
news.bawue.net!storethat.news.telefonica.de!telefonica.de!weretis.net!
feeder4.news.weretis.net!eternal-september.org!feeder.eternal-september.org!
mx04.eternal-september.org!.POSTED!not-for-mail
From: RipeCrisbies <GnomeLess@lympledger.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The Untold Story of Gun Confiscation After Katrina
Date: Fri, 18 Jan 2013 14:13:42 +0000 (UTC)
Organization: A noiseless patient Spider
Lines: 18
Message-ID: <kdblam$5tr$1@dont-email.me>
References: <f645b57ee698c0ab9fd0368826c69571@anonymitaet-im-inter.net>
Mime-Version: 1.0
Injection-Date: Fri, 18 Jan 2013 14:13:42 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="d2b4d946d594ac6c693e77280b9ee347";
     logging-data="6075"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18S9DUMh0JF9PoZkD8B/zpf"
User-Agent: Pan/0.136 (I'm far too busy being delicious; GIT 926a150
     git://git.gnome.org/pan2)
Cancel-Lock: sha1:ba4bIxXMVc7rFA9t5WAU5Fi5//w=
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
```

On Thu, 17 Jan 2013 23:15:53 +0100, Dave U. Random wrote:

> You've seen this brand of abuse of freedom in the history booksin the
> pages about days of gun confiscations leading to the terror of Stalin,
> Mao and Hitler. But you'd never in a million years think it could happen

> in America.

Drama queens with guns - just what amateur radio needs!

--
M0WYM
www.radiowymsey.org

Sales @ radiowymsey
http://stores.ebay.co.uk/Sales-At-Radio-Wymsey/

```
From 5252396901794977635
X-Google-Thread: d7f5508063,315d34fb58d4e0e4
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,UTF8
X-Received: by 10.180.91.114 with SMTP id cd18mr1010802wib.2.1359079631070;
        Thu, 24 Jan 2013 18:07:11 -0800 (PST)
Path: i11ni18211wiw.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
news.bawue.net!storethat.news.telefonica.de!telefonica.de!weretis.net!
feeder1.news.weretis.net!news.albasani.net!eternal-september.org!feeder.eternal-
september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: atec77 <"atec77 "@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The Untold Story of Gun Confiscation After Katrina
Date: Sat, 19 Jan 2013 07:00:19 +1000
Organization: A noiseless patient Spider
Lines: 27
Message-ID: <kdcd57$c0a$2@dont-email.me>
References: <f645b57ee698c0ab9fd0368826c69571@anonymitaet-im-inter.net>
<kdblam$5tr$1@dont-email.me>
Mime-Version: 1.0
Injection-Date: Fri, 18 Jan 2013 21:00:24 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="15ee53f4bf832673ee9169e7b37b5def";
     logging-data="12298"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX183kWvcSvbDU8WUII3Tlp9a"
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:17.0) Gecko/20130107
Thunderbird/17.0.2
In-Reply-To: <kdblam$5tr$1@dont-email.me>
Cancel-Lock: sha1:Ut+tuvwrVgDsKKx+vmUSHq4z4/c=
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 8bit
```

On 19/01/2013 12:13 AM, RipeCrisbies wrote:

> On Thu, 17 Jan 2013 23:15:53 +0100, Dave U. Random wrote:
>

```
>> You've seen this brand of abuse of freedom in the history booksin the
>> pages about days of gun confiscations leading to the terror of Stalin,
>> Mao and Hitler. But you'd never in a million years think it could happen
>> in America.
>
> Drama queens with guns - just what amateur radio needs!
>
>
>
>
As opposed to unwashed grumpy old men with long pockets and short arms

--









X-No-Archive: Yes




From -221683299807473375
X-Google-Thread: d7f5508063,45f003b64b9f47a2,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.192.199 with SMTP id dr7mr6892586qab.4.1358595687742;
        Sat, 19 Jan 2013 03:41:27 -0800 (PST)
X-Received: by 10.49.1.43 with SMTP id 11mr2670503qej.29.1358595687676; Sat,
 19 Jan 2013 03:41:27 -0800 (PST)
Path: k2ni1290qap.0!nntp.google.com!p13no3248084qai.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Sat, 19 Jan 2013 03:41:27 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=188.190.127.67;
 posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
NNTP-Posting-Host: 188.190.127.67
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <49ced36e-20b3-464a-b46c-e6a58b930fdc@googlegroups.com>
Subject: Lesbian groupsex
From: Iran <tamarmadgecay@gmail.com>
Injection-Date: Sat, 19 Jan 2013 11:41:27 +0000
Content-Type: text/plain; charset=ISO-8859-1

Lesbian groupsex  http://efqbqladnaj370.blogspot.com/2013/01/lesbian-groupsex.html
```

```
From -5341319286784521931
X-Google-Thread: d7f5508063,315d34fb58d4e0e4
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,UTF8
X-Received: by 10.66.84.164 with SMTP id a4mr780192paz.26.1359079690385;
        Thu, 24 Jan 2013 18:08:10 -0800 (PST)
MIME-Version: 1.0
Path: 6ni16108pbd.1!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!news-peer1!btnet!zen.net.uk!hamilton.zen.co.uk!xlned.com!
feeder3.xlned.com!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
news.bawue.net!storethat.news.telefonica.de!telefonica.de!news-2.dfn.de!
news.dfn.de!feeder.erje.net!eu.feeder.erje.net!eternal-september.org!
feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: Bert <bert@iphouse.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The Untold Story of Gun Confiscation After Katrina
Date: Sat, 19 Jan 2013 17:07:49 +0000 (UTC)
Organization: Not that you'd notice
Lines: 17
Message-ID: <XnsA14DAE424A9DAVeebleFetzer@88.198.244.100>
References: <f645b57ee698c0ab9fd0368826c69571@anonymitaet-im-inter.net>
<kdblam$5tr$1@dont-email.me>
Injection-Date: Sat, 19 Jan 2013 17:07:49 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="c5b23911ebb893836f2fa1fce0058cb6";
     logging-data="18704"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18OhQWso1RirNy7A0OL0ydt"
User-Agent: Xnews/2006.08.24
Cancel-Lock: sha1:uISyJs2B8+EPtySZBuzHlIlYgRU=
Bytes: 1789
```

In news:kdblam$5tr$1@dont-email.me RipeCrisbies
<GnomeLess@lympledger.co.uk> wrote:

> On Thu, 17 Jan 2013 23:15:53 +0100, Dave U. Random wrote:
>
>> You've seen this brand of abuse of freedom in the history booksin
>> the pages about days of gun confiscations leading to the terror of
>> Stalin, Mao and Hitler. But you'd never in a million years think it
>> could happen in America.
>
> Drama queens with guns - just what amateur radio needs!

People who can't resist replying to the most obvious of trolling
attempts - just what rec.radio.amateur.* needs.

--
Bert Hyman   W0RSB   St. Paul, MN bert@iphouse.com

From 1354179559473554513

```
X-Google-Thread: d7f5508063,67f9f3301022469c,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.178.204 with SMTP id bn12mr8911897qab.1.1358699467444;
        Sun, 20 Jan 2013 08:31:07 -0800 (PST)
X-Received: by 10.49.1.70 with SMTP id 6mr3312291qek.27.1358699467385; Sun, 20
 Jan 2013 08:31:07 -0800 (PST)
Path: k2ni1557qap.0!nntp.google.com!p13no5576469qai.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Sun, 20 Jan 2013 08:31:07 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=188.190.124.72;
 posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
NNTP-Posting-Host: 188.190.124.72
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <34b68035-67a4-4021-8c51-3eb6140cc58e@googlegroups.com>
Subject: Two sluts suck one big dick
From: Iran <tamarmadgecay@gmail.com>
Injection-Date: Sun, 20 Jan 2013 16:31:07 +0000
Content-Type: text/plain; charset=ISO-8859-1

 Two sluts suck one big dick   http://t.co/p5eG45W4



From -3502418693971051666
X-Google-Thread: d7f5508063,ab9a2ffd98939a4e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.19.66 with SMTP id c2mr1058092wie.6.1359518342037;
        Tue, 29 Jan 2013 19:59:02 -0800 (PST)
MIME-Version: 1.0
Path: i11ni28358wiw.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.108.MISMATCH!feeder2.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.130.MISMATCH!xlned.com!feeder1.xlned.com!border2.nntp.ams.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
weretis.net!feeder1.news.weretis.net!feeder.visyn.net!visyn.net!feeds.phibee-
telecom.net!de-l.enfer-du-nord.net!feeder2.enfer-du-nord.net!news.glorb.com!news-
out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1357542300@panix.com>
Followup-To: poster
Date: 22 Jan 2013 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
```

Distribution: world
Expires: 09 Feb 2013 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1358838300@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1358838303 17636 166.84.1.2 (22 Jan 2013 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 22 Jan 2013 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Bytes: 3934

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original

article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -6109665996009452917
X-Google-Thread: a4a23d5f63,583598db81be58b8,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.100.74 with SMTP id ew10mr1061270wib.7.1359518350500;
        Tue, 29 Jan 2013 19:59:10 -0800 (PST)
MIME-Version: 1.0
Path: i11ni28358wiw.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.81.MISMATCH!newsfeed.xs4all.nl!newsfeed2.news.xs4all.nl!xs4all!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
weretis.net!feeder1.news.weretis.net!news.albasani.net!newsfeed.x-privat.org!news-
xxxfer.readnews.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1357542600@panix.com>
Followup-To: poster
Date: 22 Jan 2013 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Feb 2013 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1358838600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1358838601 14121 166.84.1.2 (22 Jan 2013 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 22 Jan 2013 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
```

```
Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
```

Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -1196854846204331796
X-Google-Thread: d7f5508063,84c50e293b57a495,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.192.199 with SMTP id dr7mr12611898qab.4.1358868188497;
        Tue, 22 Jan 2013 07:23:08 -0800 (PST)
X-Received: by 10.49.75.195 with SMTP id e3mr4711286qew.24.1358868188437; Tue,
 22 Jan 2013 07:23:08 -0800 (PST)
Path: k2ni1457qap.0!nntp.google.com!p13no4129788qai.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Tue, 22 Jan 2013 07:23:08 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=188.190.126.66;
```

```
 posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
NNTP-Posting-Host: 188.190.126.66
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <71131fbd-2328-4041-a422-443c8a3c4d1f@googlegroups.com>
Subject: Tight babe fucked hardcore on the floor
From: Iran <tamarmadgecay@gmail.com>
Injection-Date: Tue, 22 Jan 2013 15:23:08 +0000
Content-Type: text/plain; charset=ISO-8859-1

 Tight babe fucked hardcore on the floor   http://t.co/73dnj4gC


From 8802191482722240654
X-Google-Thread: 108122,f372ac7638d050d5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.84.38 with SMTP id v6mr987543pay.32.1359133364117;
        Fri, 25 Jan 2013 09:02:44 -0800 (PST)
MIME-Version: 1.0
Path: 6ni17212pbd.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 25 Jan 2013 11:02:43 -0600
From: n2ehgham <n2ehgham.b487298@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Fs Icom Pro 756 Pro3  $1250 & Icom Ic 7000 $750
Date: Fri, 25 Jan 2013 14:28:05 +0000
Message-ID: <n2ehgham.b487298@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 26
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-tN1kv6w44NjvZLLq12r71mtZmG9hQWO5NCPVlCaExuZdYBPQTFbO0BnixmGYq/
NOxcKCUNhAvjBj8Cr!f1pPjkT5w9HwP4ercyFhHOfYc6L8CBm73Q+WwVYOmD44JgK7qdYw/
DnktAo4mGZekB3s/GeDPiFT!Ojb+CAM=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1756
X-Original-Lines: 12
X-Original-Bytes: 1673



IC-7000 , never mobile,never around smoke. No issues either cosmetic or
operational.Comes with:
MB-62 seperation kit ,cables and brackets. LDG IT-100 matching auto
tuner.
```

7" color monitor,for large display and desk mount,all manuals,cables and
small parts as shipped by Icompower cable,Hand mic, and all factory boxs
and packing.
Asking: $750

Icom 756PRO3 in excellent physical and operating condition...Serial
32041XX. Includes manual, HM-36 microphone, power cord with power pole
connectors and original box. The owner of this rig took very good care
of it and I'm sure you'll be very happy if you get it. This rig comes
from a non smoking home
ASKING: $1250

(937) 488-0090
n2ehg@yahoo.com
MYLES.

--
n2ehgham

```
From 9277064448814440321
X-Google-Thread: 8f86f75953,7d26b4c7b4001ac5,start
X-Google-Attributes: gid8f86f75953,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.19.132 with SMTP id f4mr744678wie.2.1359856951261;
        Sat, 02 Feb 2013 18:02:31 -0800 (PST)
MIME-Version: 1.0
Path: bp2ni13206wib.1!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.87.MISMATCH!newsfeed.xs4all.nl!newsfeed1.news.xs4all.nl!xs4all!
newspeer1.nac.net!newspump.sol.net!newsfeed.hal-mli.net!feeder1.hal-mli.net!
news.nobody.at!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1358233201@panix.com>
Followup-To: poster
Date: 1 Feb 2013 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 19 Feb 2013 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1359702000@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
```

(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1359702002 23515 166.84.1.2 (1 Feb 2013 07:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 1 Feb 2013 07:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.

```
From 5688421439473126123
X-Google-Thread: 108122,a4c06c6660f72d96,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.72.232 with SMTP id g8mr1855635pav.23.1359798269264;
        Sat, 02 Feb 2013 01:44:29 -0800 (PST)
MIME-Version: 1.0
X-Received: by 10.50.108.137 with SMTP id hk9mr141328igb.15.1359798269029;
 Sat, 02 Feb 2013 01:44:29 -0800 (PST)
Path: 6ni29466pbd.1!nntp.google.com!f6no14638791pbd.1!postnews.google.com!
p1g2000pbc.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Sat, 2 Feb 2013 01:44:28 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: p1g2000pbc.googlegroups.com; posting-host=117.199.249.237;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
NNTP-Posting-Host: 117.199.249.237
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:18.0) Gecko/20100101 Firefox/
18.0,gzip(gfe)
Message-ID: <17721a9f-25ab-4487-a233-8acd2a878aeb@p1g2000pbc.googlegroups.com>
Subject: SEXY VIDEOS YOU MUST SEE MASALA HOT PHOTOS'
From: HGHFGDS <fhfgfgg@gmail.com>
Injection-Date: Sat, 02 Feb 2013 09:44:29 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

TOLLYWOOD HOT
http://tbiphotos.blogspot.in/2013/01/tollywood-hot.html
TAMIL HOT
http://tbiphotos.blogspot.in/2013/01/tamil-hot.html
MALLU HOT
http://tbiphotos.blogspot.in/2013/01/mallu-hot.html
BOLLYWOOD HOT
http://tbiphotos.blogspot.in/2013/01/bollywood-hot.html
INDIAN HOT
http://tbiphotos.blogspot.in/2013/01/indian-hot.html
MALLU KISS
http://tbiphotos.blogspot.in/2013/01/mallu-kiss.html
TOLLYWOOD KISS
http://tbiphotos.blogspot.in/2013/01/tollywood-kiss.html
TAMIL LIP KISS
http://tbiphotos.blogspot.in/2013/01/tamil-lip-kiss.html
BOOLYWOOD LIP KISS
http://tbiphotos.blogspot.in/2013/01/boolywood-lip-kiss.html
INDIAN LIP KISS
http://tbiphotos.blogspot.in/2013/01/indian-lip-kiss.html

INDIAN REAL LIP KISS
http://tbiphotos.blogspot.in/2013/01/indian-real-lip-kiss.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.in/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.in/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.in/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.in2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.in/2009/02/dotnet-questions-3.html

---

```
From -9084523251120849369
X-Google-Thread: a4a23d5f63,e13ed1d77afe8b1f,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.80.34 with SMTP id o2mr799073pax.9.1360469402110;
        Sat, 09 Feb 2013 20:10:02 -0800 (PST)
MIME-Version: 1.0
Path: mj10ni888pbb.1!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!nrc-
news.nrc.ca!newsfeed.news.ucla.edu!usenet.stanford.edu!panix!panix2.panix.com!not-
for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1358838300@panix.com>
Followup-To: poster
Date: 7 Feb 2013 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Feb 2013 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1360220700@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1360220704 11324 166.84.1.2 (7 Feb 2013 07:05:04 GMT)
```

X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Feb 2013 07:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Bytes: 3785
X-Received-Bytes: 3893

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -6592655634753044378
X-Google-Thread: a4a23d5f63,d982d4d686ec87d6,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.98.103 with SMTP id eh7mr2407895wib.3.1360549207676;
        Sun, 10 Feb 2013 18:20:07 -0800 (PST)
MIME-Version: 1.0
Path: g1ni3827wig.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.108.MISMATCH!feeder2.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.86.MISMATCH!newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!xs4all!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
newsreader4.netcologne.de!news.netcologne.de!news.glorb.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1358838600@panix.com>
Followup-To: poster
Date: 7 Feb 2013 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Feb 2013 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1360221001@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1360221002 25530 166.84.1.2 (7 Feb 2013 07:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Feb 2013 07:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -6485455832953197869
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.98.102 with SMTP id eh6mr1721383wib.7.1360770303001;
        Wed, 13 Feb 2013 07:45:03 -0800 (PST)
Path: g1ni8820wig.0!nntp.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!newsfeed.arcor.de!news.internetdienste.de!feeder.erje.net!
us.feeder.erje.net!news.glorb.com!news-out.readnews.com!transit3.readnews.com!
panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, March 2013 - Subscribe for FREE
Followup-To: poster
Date: Wed, 13 Feb 2013 10:45:02 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 31
```

```
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <4581FDC026C84A8E8FD399B49A82268C@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
<857A208B784A4B8B9EDA07B63453C09A@GRIMES>
<7681E36DA69449718D8C5AC72DE9FFF8@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1360770302 6368 166.84.1.6 (13 Feb 2013 15:45:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 13 Feb 2013 15:45:02 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From;
bh=+KEr3o4uP0E+GXUBIyorWdQ9DhIV95k2+tK7N/bObgM=;

b=5wseLfUWNsXGXhAvnyhJSx6Dreybw4nsahQoMiy85TiO4+nAMw7rcJC8VNfKAFWrFiQRVWRzVtluPc9r
68SdwQhEJq3ZKRo20IA+dvFrB63ClkMobDxftNLk/KVUJsBe;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 108.74.222.34 authed with k9ya+k9ya.org}
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

March 2013 (Volume 10, Issue 3) articles include:

IGY - Part I By Philip Cala-Lazar, K9PL

A Work in Progress - Part III By Paul W. Ross, W3FIS

Conan Wyatt Burtram Barger, W3CVE - Part IX By Scott B. Laughlin, N7NET

Noise Level Normally Runs S7 Here, OM By John Kirk, VK4TJ

Ham Lingo By Dick Sylvan, W9CBT

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From 7939057168883475161
X-Google-Thread: 108122,7c22afdba35eea89,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,7c22afdba35eea89,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,7c22afdba35eea89,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gida3e752f117,gid8f86f75953,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.106.73 with SMTP id gs9mr575927wib.2.1360911605310;
        Thu, 14 Feb 2013 23:00:05 -0800 (PST)
MIME-Version: 1.0
Path: bp2ni38106wib.1!nntp.google.com!goblin1!goblin3!goblin.stu.neva.ru!
news.ripco.com!news.glorb.com!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1359702000@panix.com>
Followup-To: poster
Date: 15 Feb 2013 02:00:03 -0500
Organization: rec.radio.amateur.moderated Moderation Team
```

Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 05 Mar 2013 02:00:02 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1360911602@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1360911604 17331 166.84.1.2 (15 Feb 2013 07:00:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 15 Feb 2013 07:00:04 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 7155345789191074609
X-Google-Thread: 108122,4a89cb6583565dbc,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,4a89cb6583565dbc,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
X-Received: by 10.180.106.161 with SMTP id gv1mr1784578wib.4.1361079211561;
        Sat, 16 Feb 2013 21:33:31 -0800 (PST)
Path: g1ni15796wig.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.139.MISMATCH!xlned.com!feeder7.xlned.com!newsfeed.xs4all.nl!
newsfeed3.news.xs4all.nl!xs4all!news.alt.net!news-out.readnews.com!
transit3.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: rec-radio-info-request@panix.com (AmateurLogic.TV via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: AmateurLogic.TV for Sunday 17 February 2013
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Sun, 17 Feb 2013 00:33:30 EST
Organization: AmateurLogic.TV
Lines: 814
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <90e6ba3fcddfb8ad9b04d5e4d792@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1361079210 5100 166.84.1.6 (17 Feb 2013 05:33:30 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 17 Feb 2013 05:33:30 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
```

```
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:x-received:sender:precedence:message-id:date:subject
         :from:to:content-type;
        bh=suuiGpNCh0pp/YTzbJ6mRpFvqjhvupCX6k+9V66WUDE=;
        b=C01ofRIqhtS86cdQu/XZnRmWKVVbSJwLBdCdTCvMDU/NWjUfgfuVF2Gm3eJ+KA+D+r
         UdgZwHl4A3dq0c/opm1fwasWhO0zHbf0vlqcCWGDQmixdBg5a+6bPMS6IX3B33fyB4Kx
         IiGoE9amaRi8pttr1sU5dqcwdPLSdVaKInPL8iNmoJbpMk5Rqaty1846rDyK6AZoavyj
         JvqSLaf9b43W+DvMWt3auTrwOHx9CPBAXeFI6JMTVvdev/9zFja8HQbaFweEA5YMAXd1
         Y2upx5+Dv9SOP2fTZrXUxQiikbh/LUhWuBb6e38upw9Wzu8XOF5zrDSC/V1gR/eXAIl/
         m+/g==
X-StripMime: Non-text section removed by stripmime
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

AmateurLogic.TV

///
AmateurLogic.TV Episode 50

Posted: 14 Feb 2013 02:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic50_hi.wmv

Peter builds the NS-40 40-Meter QRP Transmitter Kit. George and Tommy visit friends and find new toys at the 2013 Capital City Hamfest. Emile talks about Ham Radio Deluxe and Automating routine tasks. We run into someone you may remember and much more.

1:09:00 of the usual suspects.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic50_hi.wmv

///
AmateurLogic.TV Episode 49

Posted: 14 Jan 2013 02:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic49_hi.wmv

George builds a highly efficient 7-40 volt Raspberry Pi power regulator. Tommy constructs a Tape Measure Yagi antenna. Peter’s UG-802 Android Dongle. Emile’s Baofeng UV-5RC. Icom’s new IC-7100, ID-51A radios, and more.

1:02:50 of AmateurLogic entertainment.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic49_hi.wmv

///
AmateurLogic.TV Episode 48

Posted: 15 Dec 2012 02:00 AM PST

http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic48_hi.wmv

George shows us how to setup an HF Radio Station. Tommy builds a Foxhunt beacon with the Arduino. Peter has a Raspberry Pi present for you. Emile talks about hi tech cheap stuff.

We give away the Complete HF Station featuring great gear from Icom, MFJ, Wireman & Heil Sound.

Santa Tracking, The end of the world and more…

59:51 of holiday entertainment.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic48_hi.wmv

///
AmateurLogic.TV Episode 47

Posted: 15 Nov 2012 02:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic47_hi.wmv

George visits the MFJ Metal Show for some heavy metal fun. Tommy introduces us to the Arduino microcontroller. Peter

builds a 1/4 wave garage mounted vertical. Emile talks about calibrating his HF rig with WWV. And of course the usual

fun and entertainment.

This is the last show before we give away the Complete HF Radio Station featuring an Icom IC-7200 and all the necessary

accessories. Get your entry in now.

01:03:15 of AmateurLogic entertainment.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic47_hi.wmv

///
AmateurLogic.TV Episode 36

Posted: 06 Feb 2012 02:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic36_hi.wmv

We visit the Capital City Hamfest in Jackson, MS and talk with Tom Samacicio KB4HQA of HQARadio.com, Don Wilbanks AE5DW of Amateur Radio Newsline, and Ward Silver N0AX of the ARRL. Peter drops in on the Melborne Mini Maker Faire for some fun.

1:02:29 of Hamfest FunÖ
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic36_hi.wmv

///
AmateurLogic.TV Episode 32

Posted: 10 Aug 2011 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic32_hi.wmv

Titans In Space. We visit the Olde Town Middle School near space balloon launch and track it from the shack using several analog and digital modes. Peter finds use for his chinese tablet as a teleprompter. And your viewer email and comments.

Itís 1:03:31 of AmateurLogic excitement.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic32_hi.wmv

///
AmateurLogic.TV Episode 31

Posted: 29 Jun 2011 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic31_hi.wmv

Field Day In The Wilderness. Welcome to the first AmateurLogic.TV Field Day Extravaganza. Weíve shown you what Field Day is before by visiting the Jackson Amateur Radio Clubís events. This year we decided to go it alone. The crew (along with a few friends) set off for the woods to get completely off the grid. Jim also wanted to do some astronomy photography and this location offered lower light pollution.

Join us as we setup, operate, and campout to learn what worked and what didnít. Youíre bound to enjoy this AmateurLogic take on Field Day.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic31_hi.wmv

///
AmateurLogic.TV Episode 30

Posted: 22 Feb 2011 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic30_hi.wmv

We visit the 2011 Capital City Hamfest in Jackson, MS. We talked with old and new friends and got a look at the new Omega-Tec low profile antennas. Plus your viewer email and facebook post.

31.57 of Hamfest fun.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic30_hi.wmv

//
AmateurLogic.TV Episode 29

Posted: 26 Jan 2011 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic29_hi.wmv

In this long awaited episode we show you how to add an IF Output to the Kenwood TS-2000 for use with a SDR. Peter demonstrates his Puxing 777 Handi Talkie. And Tommy shows us some Online Receivers. Plus your viewer email and facebook post.

45:58 of Ham Radio fun.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic29_hi.wmv

//
AmateurLogic.TV Episode 28

Posted: 19 May 2010 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic28_hi.wmv

In this episode Tommy demonstrates the great EchoLink for iPhone application. Peter shows us his shortwave QSL collection. Our guest Charlie, KY5U teaches us about Streaming Video and CamRadio.Net. And George talks about I.F. (Intermediate Frequency) in radio receivers and how it can relate to Software Defined Radio use. Plus plenty of viewer email and Facebook comments.

Its 56:30 of very informative amateur radio content.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic28_hi.wmv

//
AmateurLogic.TV Episode 27

Posted: 22 Feb 2010 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic27_hi.wmv

Sit back and enjoy the Hamfest as we visit with new and old friends.
Its a review the 2010 Capital City Hamfest in Jackson, MS and the CCARC Wyong Field Day (an Australian hamfest). Both of these are large events that continue to grow each year.
There were huge amplifiers, new gear, old gear and lots of fun for all. We

also learn about the CamRadio Network, a new Dick Tracy device and much more. And if thats not enough, Jim is back in this episode.

Itís 56:00 of Amateur Radio entertainment you doník want to miss.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic27_hi.wmv

///
AmateurLogic.TV Episode 26

Posted: 02 Feb 2010 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic26_hi.wmv

Kenwood TS-2000 as an SDR - In this first episode of the year, George shows us how to use the Kenwood TS-2000 as a Software Defined Radio with Winrad. Peter experiments with the WSPR Weak Signal mode. And Tommy teaches us how to easily create Time Lapse Videos. Plus plenty of viewer email. Its 44:04 of AmateurLogic fun.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic26_hi.wmv

///
AmateurLogic.TV Episode 25

Posted: 13 Dec 2009 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic25_hi.wmv

Peterís Excellent Space Adventure ñ Peter accepts a challenge from the UK, builds a packet station, and contacts the ISS. Tommy explores EchoMac, EchoLink for the Macintosh. George shows a better way to install PL-259 connectors and then tests the cable for faults and length with the MFJ-259B Antenna Analyzer. And as always, your viewer email and holiday greetings.
58:16
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic25_hi.wmv

///
AmateurLogic.TV Episode 24

Posted: 01 Jul 2009 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic24_hi.wmv

Spend the day with Jackson Amateur Radio Club and see how they approached Field Day 2009 in the heat of Summer. Meanwhile itís Winter for Peter in Australia with a very interesting demonstration of early Mechanical Television. Plus viewer email and lots of fun. 52:13
This posting includes a media file:

http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic24_hi.wmv

///
AmateurLogic.TV Episode 23

Posted: 11 Feb 2009 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic23_hi.wmv

Back from a long summer vacation, George and Tommy visit the Capitol City Hamfest and run into an old friend. Peter shows us how to create a warm spot. Plus plenty of Amateur Radio news and Viewer email.

48:54 of AmateurLogic goodness.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic23_hi.wmv

///
AmateurLogic.TV Episode 22

Posted: 04 Oct 2008 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic22_hi.wmv

Episode 22 features part two of a tour of the Australian Armyís Signals Museum. Vintage communications equipment from WW1 - the Vietnam era. Plus the answer to the question posed in part one concerning to use of the odd cw device with two keys. 17 minutes of old radios and war stories.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic22_hi.wmv

///
AmateurLogic.TV Episode 21

Posted: 29 Jun 2008 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic21_hi.wmv

Episode 21 features part one of a tour of the very interesting Australian Armyís Signals Museum. Tommy gives us a quick look at editing video. George introduces the MFJ-259B Antenna Analyzer and some of itís capabilities. And Peter attends the Wireless Institute of Australiaís annual general meeting in Broken Hill where he also visits the ìSchool of the Airî, the ìFlying Doctorsî and more. Itís 1 hour and 10 minutes of Ham Radio entertainment.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic21_hi.wmv

///
AmateurLogic.TV Episode 20

Posted: 30 Apr 2008 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic20_hi.wmv

George, Tommy, and Peter are back with the long awaited episode 20. Tour the Hy-Gain Factory and see how antennas and rotors are built. Peter tells us all about those mysterious ëNumbers Stationsí on short wave. Plus an update on what your hosts have been up to lately, viewer email and timely topics.
Itís 41:42 of Ham Radio Fun.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic20_hi.wmv

///
AmateurLogic.TV Episode 19

Posted: 10 Feb 2008 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic19_hi.wmv

George and Tommy attend one of the best hamfests in the South. The 2008 Capital City Hamfest in Jackson, MS. Join us as we visit with familiar faces, explore boat anchors, buy gear and more. Plus weíve got coverage of the Introduction to Ham Radio, Antenna Theory and QRP Kit Building forums.

Itís 44:49 of Hamfest fun.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic19_hi.wmv

///
AmateurLogic.TV Episode 18

Posted: 16 Dec 2007 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic18_hi.wmv

Ameritron builds the most popular RF linear amplifiers on the market today. Come with us behind the scenes to see whatís inside them and how they are built. Itís the Ameritron Amplifier factory tour, where you will learn all about these tube type and solid state amplifiers.

We hope you enjoy this 28:30 of Ham radio fun for your Christmas holiday viewing.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic18_hi.wmv

///

AmateurLogic.TV Episode 17

Posted: 20 Nov 2007 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic17_hi.wmv

Ever wonder how your electronic equipment is built.

Join us this month for a factory tour of MFJ Enterprises with Richard Stubbs. Very interestingÖ You donít want to miss it!

Peter unvails his Amateur Television station and demonstrates ATV in Melbourne.

And Tommy shows us a new web site that makes finding repeaters a breeze. Google maps display the locations for easy viewing.

Itís 57:43 of Ham radio fun just in time for Thanksgiving.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic17_hi.wmv

///
AmateurLogic.TV Episode 16

Posted: 12 Oct 2007 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic16_hi.wmv

Itís another fun packed episode.

George has a very interesting interview with Martin F. Jue, President and founder of MFJ Enterprises.

Peter demonstrates his WokTenna from the mountain tops downunder.

Tommy talks about the automatic tuning Yaesu ATAS-120 mobile antenna.

Jim has another Network Tools segment featuring the powerful Netstat.

And George demonstrates the Softrock Software Defined Radio using the M0KGK SDR decoder software.

Itís 55:20 of AmateurLogic you donít want to miss.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic16_hi.wmv

///
AmateurLogic.TV Episode 15

Posted: 03 Sep 2007 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic15_hi.wmv

In this episode, its back to the bench to build the Softrock Software Defined Radio. Some research is in order as many of the parts are surface mount components. Watch how George did it and some of the pitfalls involved.

Jim introduces us to the International Beacon Project. Learn how you can take advantage of this very useful tool for DXers.

Tommy demonstrates and explains all about the amazing Ham Radio Deluxe. Itís the leading amateur radio software that we use regularly. Youíll see it does a lot more than just control your ham rig.

And Peter is back with a mountain top review of the Degen DE-1103 shortwave receiver. Although itís quite interesting to operate, youíll agree itís a real value for the money.

Itís 44:30 of amateur radio related entertainment we know youíll enjoy.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic15_hi.wmv

///
AmateurLogic.TV Episode 14

Posted: 21 Jul 2007 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic14_hi.wmv

Itís the Field Day Special! Join us as we visit with the Jackson Amateur Radio Club and learn all about Field Day.

Plus weíve got two unique AmateurLogic spins on Field DayÖ

Jimís poolside station set up is educational and entertaining.

Georgeís station uses a unique power generator many own, but donít think of.

Peter visits the WIA (Wireless Institute of Australia) to discuss the new Foundation class license thatís adding significant numbers to the hobby downunder.

Itís 59:31 of prime AmateurLogic laughs, information and entertainment you donít want to miss.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic14_hi.wmv

//
AmateurLogic.TV Episode 13

Posted: 07 Jun 2007 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic13_hi.wmv

At last, the long awaited Episode 13!

New gear, old junk, and interesting charactersÖ Tommy and Jim visit the worlds largest amateur radio gathering and bring us back some great footage from the 2007 Dayton Hamvention.

In this episode we also introduce Peter from downunder, with hamfest coverage from the Moorabbin and District Radio Club Hamfest in Melbourne, Australia.

And our friend Foxx from the BSOD show stops by with a money saving tip on building your own Homebrew Crimpers.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic13_hi.wmv

//
AmateurLogic.TV Episode 12

Posted: 12 Jan 2007 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/

amlogic12_hi.wmv

Jim discusses two Network Tools that everyone already has. George digs into the junk box and comes up with a 9-volt battery clip tip. Tommy talks about using the Burn and Dodge tools to get better detail out of your photos.
This months spotlight is on the Basic Stamp Microcontroller. We tell you what it is, and show you how to use it with a simple project. Plus your viewer mail and other interesting bits. Its 55 minutes of Geek entertainment thats sure to get the electrons flowing!
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic12_hi.wmv

///
AmateurLogic.TV Episode 11

Posted: 09 Dec 2006 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic11_hi.wmv

Tommy brings us some Cold Weather Photo Tips. Jim shows us a unique method for salvaging electronic components from PC boards. And George demonstrates the electric Dixie Cups and String. A quick and dirty intercom you can build from household items. Plus we cover some viewer mail in this episode.
The show runs about 42 minutes.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic11_hi.wmv

///
AmateurLogic.TV Episode 10

Posted: 31 Oct 2006 09:00 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic10_hi.wmv

The Active Cantenna is Back! But this time we added a Direct TV Satellite Dish to see what wifi improvements if any it makes. Tommy brings us some cool night time photography tricks (or treats). Jim finishes the Pudding Cup Capacitor in this episode. And George found a neat Free PDF creation tool you just may want. The show runs about 43 minutes.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic10_hi.wmv

///
AmateurLogic.TV Episode 9

Posted: 06 Oct 2006 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic09_hi.wmv

The guys are back with more tech and entertainment for the all purpose

geek. Jim talks about the OSI and Packet Sniffing with Ethereal. George teaches us how to solder like a pro. And Tommys Camera Raw Files demonstrates some neat tricks you can do. The show runs about 48 minutes. This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic09_hi.wmv

///
AmateurLogic.TV Episode 8

Posted: 01 Sep 2006 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic08_hi.wmv

It's been a great summer and now we're back to kick off season 2. In this episode Tommy brings us another great photo tip. This one's about using your camera's RAW mode.

Jim shows us part one of his recent capacitor building adventure.

And George demonstrates the weird ways that some devices receive their electrical power.

The show runs about 54 minutes.

This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic08_hi.wmv

///
AmateurLogic.TV Episode 7

Posted: 04 May 2006 10:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic07_hi.wmv

It's been a busy couple of months for us all. But as promised, here's episode 7.

George introduces us to a voice over IP technology for amateur radio named EchoLink.

Jim's back with another Network Tools segment on NMAP.

Plus we've got a little footage from the annual National Association of Broadcasters convention in Las Vegas.

This show is the season wrap-up episode as well. We're taking off for the summer and hope to see you all again this fallÖ

The show runs about 36 minutes.

This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic07_hi.wmv

//
AmateurLogic.TV Episode 6

Posted: 31 Mar 2006 08:11 PM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic06_hi.wmv

We're back with the first episode from our new set.

This month Jim runs a few benchmarks to determine if the Apple MacIntel is ready for prime time.

IPTV show producers get ready... George hacks the Radio Shack Lavalier Microphone (#33-3013) to add phantom power and better performance.

Exposure is one of the most misunderstood areas of photograph. Tommy's back with another Photo Tip that you won't want to miss.

Plus we answer your viewer mail and tech questions.

The show runs about 34 minutes.

This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic06_hi.wmv

//
AmateurLogic.TV Episode 5

Posted: 28 Feb 2006 12:02 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic05_hi.wmv

If you've ever wondered what a Hamfest is, then this episode is for you. We visit Jackson Amateur Radio Club's 2006 Capital City Hamfest'.

We've got an ARRL net being called, highlights from the Skywarn Forum, ARRL Katrina Review, an amateur radio Satellite Demonstration and lots more.

Plus Tommy's back with another PhotoTip' and Jim introduces a new segment on Network Tools'.

For those interested in learning more, there are also full length versions of the forums available on the downloads page as well.

To learn more about Amateur Radio please visit www.arrl.org

We hope you enjoy AmateurLogic.TV Episode 5. We'll be back again next month with a regular show.

The show runs about 39 minutes.

This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic05_hi.wmv

///
AmateurLogic.TV Episode 4

Posted: 23 Jan 2006 04:40 PM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic04_hi.wmv

We're back with the Active Cantenna to finally do some range testing. Thanks to Amateur Radio and a couple of video cameras, we put you right in the action. Ride Shotgun with Jim as we test WiFi's advertised 300' range. We were pleasantly surprised....

There are more great web sites under review in Website Roundup'.

Tommy performs a little Digital Photography Magic by producing a 10 Mega Pixel image from a 6 Mega Pixel camera!

PLUS, there's a surprise visit from some other popular IPTV Show hosts.

The show runs about 39 minutes.

This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic04_hi.wmv

///
AmateurLogic.TV Episode 3

Posted: 20 Dec 2005 11:57 AM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic03_hi_.wmv

No interviews this time... We build a high performance Active Cantenna' from parts that you should be able to find locally. The big advantage is that you can have a very long cable to the cantenna without any signal loss, which is not possible on other designs.

The construction is shown in enough detail that one could follow along and build their own.

Jim is back with another Website Roundup' segment.

And Tommy introduces Photo Tips'. This episode's topic is White Balance.

The show runs about 46 minutes.

This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic03_hi_.wmv

///
AmateurLogic.TV Episode 2

Posted: 17 Nov 2005 07:56 PM PST
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic02_hi.wmv

We visit Inner City Broadcasting's Radio Studios in Jackson and speak with Roger Lamb, Director of Technical Operations.

Plus we introduce two new segments to the show:

Jim hosts Website Roundup', where we discuss interesting sites.

From The Bench' with George hacks a Firewire cable to determine the correct wiring diagram for DV.

The entire show runs 57 minutes and change.

This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic02_hi.wmv

///
AmateurLogic.TV Episode 1

Posted: 12 Oct 2005 01:54 PM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/AMLogic01_DV_Hi.wmv

We visit a commercial WiFi Site and look inside to see what makes it work.

Plus, there's a short segment on Emergency Power.

This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/AMLogic01_DV_Hi.wmv

```
From -5381612092221343333
X-Google-Thread: d7f5508063,6484c4f6c23ba9ac,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.89.133 with SMTP id bo5mr2387808wib.6.1361849666752;
        Mon, 25 Feb 2013 19:34:26 -0800 (PST)
Path: bp2ni59452wib.1!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.83.MISMATCH!newsfeed.xs4all.nl!newsfeed4.news.xs4all.nl!xs4all!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
news.teledata-fn.de!weretis.net!feeder4.news.weretis.net!news.linkpendium.com!
news.linkpendium.com!panix!rri.panix.com!robomod!not-for-mail
From: rec-radio-info-request@panix.com (SolderSmoke via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: SolderSmoke Podcast for Monday 18 February 2013
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Mon, 18 Feb 2013 06:05:27 EST
Organization: SolderSmoke
Lines: 12
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <e89a8f839f1d44ae4104d5fdb38d@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1361185528 26300 166.84.1.6 (18 Feb 2013 11:05:28 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 18 Feb 2013 11:05:28 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:x-received:sender:precedence:message-id:date:subject
         :from:to:content-type;
        bh=YouF5lSHyzMZLVwKqXRCcKU0OmZevDcLGXyEFW6i77A=;
        b=RN37V44lr/z96MLHjf3jXoC9BHdaVFbe2cYrV/Ieq9MIX3bUgMLnY+wt5+e1Ad8TaJ
         yUjBKIU8c/a6KZi77yXS9gdkSt/KPGKOcex2gyEX0isOn4i21TwN4FUQ7azn58rI4wS6
         RrEC7qc39PAyue9q2pIMa/HXHh8wYnTORDC0tCRUAGmCeOZAtXOeK6tOzhYxS3HDm+1F
         7SE/u1BOaFMHSl3DyJZM4uSwSyHlbWaX2yH97/fO7XKVdthsNBx27XXykXPLWB3lSamW
         1I6SWM5WvAtdvf0iNiiojMGtIMz+vB/QM7VoPx48Ls8gZw14xl3EXfl+nOLda6mMMa+x
         iT7A==
X-StripMime: Non-text section removed by stripmime
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

SolderSmoke Podcasts

```
///////////////////////////////////////////
SolderSmoke149`
```

Posted: 17 Feb 2013 01:45 PM PST

SolderSmoke issue 149
This posting includes a media file:
http://www.soldersmoke.com/soldersmoke149.mp3

```
From 767467720698010276
X-Google-Thread: d7f5508063,cf6ee74e1899f818,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.106.161 with SMTP id gv1mr2392487wib.4.1361848902559;
        Mon, 25 Feb 2013 19:21:42 -0800 (PST)
MIME-Version: 1.0
Path: bp2ni59434wib.1!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.81.MISMATCH!newsfeed.xs4all.nl!newsfeed2.news.xs4all.nl!xs4all!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
news.teledata-fn.de!weretis.net!feeder4.news.weretis.net!rt.uk.eu.org!
aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Heathkit HA-201 Amplifier
Date: Mon, 18 Feb 2013 13:53:54 -0500
Organization: Aioe.org NNTP Server
Lines: 28
Message-ID: <fmmck-AD70E6.13535318022013@5ad64b5e.bb.sky.com>
NNTP-Posting-Host: ZCV6gpNJZPyy3uZx70O68Q.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
```

Does anyone have recent experience with the old HA-201 walkie talkie amplifiers? They use electronic transmit/receive switching. They are rated for 8 Watts out for 1 Watt in, and 10 Watts out for 1 1/2 Watts in, using a 13.6 Volt power supply. Maximum drive is 3 Watts. The amplifier uses a single 2N5590 transistor.

Back in the 70s, I built an HA-201 and worked on at least one other. I can not remember much about them, except it was impossible to stabilize them per Heath's instructions and technical notes. I found a "fix", but don't recall from where.

At a recent Hamfest, I obtained a couple more of these amplifiers. They both tuned up per instructions, but at a slightly low output power and with the instability as noted on an AM radio. Adding the stability "fix", the power output was still the same.

Since both units seem to perform the same, I wonder if the design is just not able to put out rated power from rated input? I used a Kenwood Handheld as a source with 20 feet of RG-58 to knock the power down to 3 Watts. For 3 Watts input, they both put out 11 Watts. Using a different Handheld with 2 Watts output, they put out about 8 Watts.

If anyone is interested in the stability "fix", it involves using a tantalum electrolytic capacitor (low ESR) in parallel with the 100 UF, and a 330 Ohm 1 Watt resistor in parallel with the RF Choke.

Fred
K4DII

```
From 2558386049197806604
X-Google-Thread: d7f5508063,cf6ee74e1899f818
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.69.3.161 with SMTP id bx1mr1758198pbd.1.1361848947293;
        Mon, 25 Feb 2013 19:22:27 -0800 (PST)
MIME-Version: 1.0
Path: jm3ni20754pbb.0!nntp.google.com!border1.nntp.dca.giganews.com!
border1.nntp.ams.giganews.com!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!news.teledata-fn.de!weretis.net!
feeder4.news.weretis.net!rt.uk.eu.org!aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heathkit HA-201 Amplifier
Date: Mon, 18 Feb 2013 18:09:15 -0500
Organization: Aioe.org NNTP Server
Lines: 28
Message-ID: <fmmck-2585E7.18091518022013@5ad64b5e.bb.sky.com>
References: <fmmck-AD70E6.13535318022013@5ad64b5e.bb.sky.com>
NNTP-Posting-Host: 9JOabTF6lsiHBBGpmf05Yg.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Bytes: 2213
```

In article <fmmck-AD70E6.13535318022013@5ad64b5e.bb.sky.com>,

Fred McKenzie <fmmck@aol.com> wrote:

> If anyone is interested in the stability "fix", it involves using a
> tantalum electrolytic capacitor (low ESR) in parallel with the 100 UF,
> and a 330 Ohm 1 Watt resistor in parallel with the RF Choke.

That was Saturday. Today the "fix" is not working! The only difference in my setup was the power supply.

I wanted to see if tuning an amplifier with less drive, might result in more power when drive was increased. I tried 2 Watts, and then 0.3 Watts drive. In all cases, the instability shows up as garbage on the nearby AM radio. The garbage comes and goes as tuning is adjusted. When tuned with 0.3 Watts, output was the same when changing to the 2 Watt source. I think the amplifier is acting as an oscillator being excited by the drive.

One difference between this "fix" and the one from the 70s, was before the 100 UF capacitor had been replaced by three 22UF tantalum capacitors in parallel. The current version only has one 22 UF tantalum capacitor in parallel with the 100 UF. This may explain the motor-boating sound of the interference.

My amplifiers oscillate but my oscillators don't!

Fred
K4DII

```
From -2024997122061675948
X-Google-Thread: 108122,42b09139926c3ce1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.68.138.165 with SMTP id qr5mr253320pbb.8.1361537757725;
        Fri, 22 Feb 2013 04:55:57 -0800 (PST)
X-Received: by 10.49.15.100 with SMTP id w4mr87825qec.26.1361537757201; Fri,
 22 Feb 2013 04:55:57 -0800 (PST)
Path: ov8ni13617pbb.1!nntp.google.com!jn4no10480541pbb.1!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Fri, 22 Feb 2013 04:55:57 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=188.190.124.68;
 posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
NNTP-Posting-Host: 188.190.124.68
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <a7b5daa8-5bdb-449d-8955-f5daba6bd98a@googlegroups.com>
Subject: Sexy webcam girl playing with dildo
From: Iran <tamarmadgecay@gmail.com>
Injection-Date: Fri, 22 Feb 2013 12:55:57 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

Sexy webcam girl playing with dildo   http://t.co/iAHFZo8l

```
From -8003162683525232575
X-Google-Thread: d7f5508063,cf6ee74e1899f818
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.76.235 with SMTP id n11mr170455wiw.0.1362104393194;
        Thu, 28 Feb 2013 18:19:53 -0800 (PST)
MIME-Version: 1.0
Path: g1ni39049wig.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.131.MISMATCH!xlned.com!feeder3.xlned.com!newsfeed.xs4all.nl!
newsfeed3.news.xs4all.nl!xs4all!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!news.meeh.mikalv.net!
aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heathkit HA-201 Amplifier
Date: Fri, 22 Feb 2013 20:29:43 -0500
Organization: Aioe.org NNTP Server
Lines: 45
Message-ID: <fmmck-3B169A.20294222022013@5ad64b5e.bb.sky.com>
References: <fmmck-AD70E6.13535318022013@5ad64b5e.bb.sky.com>
<fmmck-2585E7.18091518022013@5ad64b5e.bb.sky.com>
NNTP-Posting-Host: iDOoljnVAgQiEcTt1BwfYg.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
```

In article <fmmck-2585E7.18091518022013@5ad64b5e.bb.sky.com>,
 Fred McKenzie <fmmck@aol.com> wrote:

> > If anyone is interested in the stability "fix", it involves using a
> > tantalum electrolytic capacitor (low ESR) in parallel with the 100 UF,
> > and a 330 Ohm 1 Watt resistor in parallel with the RF Choke.

I found the source of my "fix". It was in a QST "Hints and Kinks" article by Ron Baxley, N4GB, probably from the early 80s.

I've tried everything I can think of. It appears that a resistor in parallel with the RF Choke makes NO difference, except the resistor gets hot! A resistor across the input, suggested by Heath bulletin HA-201-2, also makes no difference except for a slight reduction in power. These two resistors may make a difference for a different transistor. The two I'm working on use a 2N5590, while some kits came with a CTC B12-12.

I removed the C9 100 uF capacitor, and replaced it with a couple more Tantalum capacitors to agree with the QST article. As far as I can tell, this makes an improvement but not a cure.

The closest thing to a cure seems to be a revised procedure for tuning the compression capacitors. Initial settings for capacitors involves snugging them down and backing each off a specific fraction of a turn. Tuning then involves adjusting C1 through C5 in sequence, for maximum output. From the initial settings, peaking C1 involves opening the capacitor another half turn or so, and gives rise to the oscillation.

My revision was to NOT adjust C1 until after C2 through C5 have been adjusted. Going through the sequence a second time starting with C1, I found that all were close to their peak, and the oscillation was not present.

Listening on a nearby AM radio, the "garbage" previously noted is not there. But wait! I let the HA-201 cool down, and now there is a "rip" sound in the AM radio when the handheld is keyed. After a few seconds, there is no longer a "rip" when the handheld is keyed, after something has heated up. The only thing I can think of that would cool off and heat up so quickly, are the 1N4149 diodes used for electronic switching.

Heath discontinued the HA-201 and brought out the HA-201A in the late 70s. It was a major revision that uses PIN diodes for switching.

Fred
K4DII

```
From 8230715563266800885
X-Google-Thread: d7f5508063,cf6ee74e1899f818
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.95.97 with SMTP id dj1mr5161717wib.4.1362645071801;
        Thu, 07 Mar 2013 00:31:11 -0800 (PST)
MIME-Version: 1.0
Path: bp2ni77508wib.1!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.138.MISMATCH!xlned.com!feeder5.xlned.com!news.astraweb.com!
border2.a.newsrouter.astraweb.com!newsfeed10.multikabel.net!multikabel.net!
newsfeed20.multikabel.net!news.mi.ras.ru!goblin3!gin-ad1-unet1.teleglobe.net!
goblin2!goblin.stu.neva.ru!feeder.erje.net!us.feeder.erje.net!feed.news.qwest.net!
mpls-nntp-01.inet.qwest.net!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.16.MISMATCH!npeer02.iad.highwinds-media.com!news.highwinds-media.com!
feed-me.highwinds-media.com!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 28 Feb 2013 23:02:40 -0600
From: Channel Jumper <Channel.Jumper.b75ee58@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heathkit HA-201 Amplifier
Date: Fri, 1 Mar 2013 04:21:03 +0000
Message-ID: <Channel.Jumper.b75ee58@radiobanter.com>
Organization: RadioBanter.com
```

References: <fmmck-AD70E6.13535318022013@5ad64b5e.bb.sky.com>
<fmmck-2585E7.18091518022013@5ad64b5e.bb.sky.com>
<fmmck-3B169A.20294222022013@5ad64b5e.bb.sky.com>
Lines: 30
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-RqCRMZVyQ2PPNNutQI3hPtGbRxO+wS3fRyEHaBIzQ2CoxxZaxzvZ93svMVbNQmGKyWTRqG96cFJqc8Y!E3EZ2hHs0awIGXWsNzHmAX3ct3/SQ9ekm6fgGa5IqmSWtB6EEDQrh5gGMgccvwUoYwnqRd8p/+HK!pB7h7Szq9gpQWBg=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 19
X-Original-Bytes: 1985
X-Received-Bytes: 2148

The best thing you can do with that amplifier is throw it away.

Why waste your time and money on junk.

BUY yourself a transceiver and forget about walkie talkies...

Walkie talkies has a couple of purposes.

If you are at a hamfest, you can use it to communicate between club members

If you are working a civic event, you can use it to communicate

If you get a flat tire, you can stick it under another tire to keep your vehicle from rolling away.

Walkie talkies are the last radio you should buy, not the first...

People confuse amateur radio with cell phones..

They want something where it is small and doesn't cost much and they can squawk on the one or two local repeaters with no investment of time, money or knowledge..   You don't need to know anything about antenna's, feed lines or sWR, all you have to do is squawk....

--
Channel Jumper

From 7451989539730850010
X-Google-Thread: 108122,7719cfc71a79f5,start

X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.90.39 with SMTP id bt7mr2040827pab.37.1362145655510;
        Fri, 01 Mar 2013 05:47:35 -0800 (PST)
MIME-Version: 1.0
Path: ov8ni26738pbb.1!nntp.google.com!news.glorb.com!news-out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1360911602@panix.com>
Followup-To: poster
Date: 1 Mar 2013 08:47:34 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 05 Jun 2013 09:47:34 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1362145654@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1362145655 15575 166.84.1.2 (1 Mar 2013 13:47:35 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 1 Mar 2013 13:47:35 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted quarterly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.

```
From -1329415980710754341
X-Google-Thread: d7f5508063,563f54105616a65a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.189.78 with SMTP id dd14mr24964784qab.0.1362595436032;
        Wed, 06 Mar 2013 10:43:56 -0800 (PST)
X-Received: by 10.49.120.105 with SMTP id lb9mr1609289qeb.17.1362595435959;
 Wed, 06 Mar 2013 10:43:55 -0800 (PST)
Path: p7ni59qai.0!nntp.google.com!dd2no7584521qab.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Wed, 6 Mar 2013 10:43:55 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=188.190.124.68;
 posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
NNTP-Posting-Host: 188.190.124.68
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <0b9fda62-99b2-48a8-99b4-decaad89598a@googlegroups.com>
Subject: Amateur Pussy fuck POV
From: Iran <tamarmadgecay@gmail.com>
Injection-Date: Wed, 06 Mar 2013 18:43:55 +0000
```

```
Content-Type: text/plain; charset=ISO-8859-1
```

Amateur Pussy fuck POV   http://t.co/U0Vql000

```
From 6425309784226102649
X-Google-Thread: 108122,e154701eade5aac8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.121.76 with SMTP id li12mr92290pab.38.1362635050806;
        Wed, 06 Mar 2013 21:44:10 -0800 (PST)
Path: jm3ni36759pbb.0!nntp.google.com!news.glorb.com!eternal-september.org!
feeder.eternal-september.org!mx05.eternal-september.org!.POSTED!not-for-mail
From: "AI8O" <AI8O@yemiola.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Speakers for pick-up truck
Date: Mon, 4 Mar 2013 16:16:16 -0500
Organization: A noiseless patient Spider
Lines: 1
Message-ID: <kh99ci$j6s$1@dont-email.me>
Mime-Version: 1.0
Injection-Date: Thu, 7 Mar 2013 05:42:43 +0000 (UTC)
Injection-Info: mx05.eternal-september.org; posting-
host="72e33bbd5bf4ba458798050f98126514";
     logging-data="19676"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/M2U4fcjQQ3ljtTR8LnHcJ"
X-MimeOLE: Produced By Microsoft MimeOLE V14.0.8089.726
X-Newsreader: Microsoft Windows Live Mail 14.0.8089.726
Importance: Normal
Cancel-Lock: sha1:zuWNCTZaFtOu0GmTqZrVss7D3iQ=
X-Priority: 3
X-MSMail-Priority: Normal
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

I recently bought a used Mazda B2500 pick-up truck.

The factory sound system had a quadraphonic sound system option.
Apparently the truck only had a stereo sound system installed, no speakers
were ever installed in the two speaker ports on the rear wall of the cab.

The two speaker ports near the floor on the rear wall of the cab will hold
5"x8" or 6"x9" oval speakers.

I am going to install a Dual Band, Dual Receive 2m/440 transceiver (Icom
tm-v71A or Anytone AT5888UV).

I would like to put speakers in the empty speaker ports, and dedicate the
one speaker to left audio channel, and one to the right audio channel.

I have looked for speakers that will fit these speaker ports; but all I find
are "high performance" audiophile music speakers that have audio responses
like "50Hz to 44000Hz".
This is way overkill for my application.

What I need are speakers that are tailored to Voice frequencies; say 300Hz
to 5000Hz, that will fit into the speaker ports.

A strong roll-off below 300HZ will help suppress hum from CTCSS.

Does anyone have an idea where I can purchase speakers with these specs?

I am looking for Recommendations of specific makes, models and vendor URLs.

Dan
AI8O at YEMIOLA dot NET

From -2338670534767199840
X-Google-Thread: d7f5508063,3af92c227b192b90,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.205.35.14 with SMTP id su14mr672435bkb.3.1363061092957;
        Mon, 11 Mar 2013 21:04:52 -0700 (PDT)
MIME-Version: 1.0
Path: g1ni60755wig.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!82.197.223.108.MISMATCH!
feeder2.cambriumusenet.nl!feed.tweaknews.nl!216.40.29.245.MISMATCH!novia!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!
backlog2.nntp.ams.giganews.com!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!weretis.net!
feeder1.news.weretis.net!newsfeed.CARNet.hr!goblin2!goblin.stu.neva.ru!
feeder.erje.net!us.feeder.erje.net!news.linkpendium.com!news.linkpendium.com!
panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1360220700@panix.com>
Followup-To: poster
Date: 7 Mar 2013 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 11 Jun 2013 03:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1362639901@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)

NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1362639904 20317 166.84.1.2 (7 Mar 2013 07:05:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Mar 2013 07:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Bytes: 3994
X-Original-Bytes: 3890

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted quarterly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -15720626072785824
X-Google-Thread: a4a23d5f63,b2cbb313b42f0a9c,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.19.132 with SMTP id f4mr3038308wie.2.1363060642357;
        Mon, 11 Mar 2013 20:57:22 -0700 (PDT)
MIME-Version: 1.0
Path: g1ni60705wig.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.138.MISMATCH!xlned.com!feeder5.xlned.com!npeer.de.kpn-eurorings.net!
npeer-ng0.de.kpn-eurorings.net!border2.nntp.ams2.giganews.com!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
weretis.net!feeder1.news.weretis.net!feeder4.news.weretis.net!
usenet.blueworldhosting.com!news.glorb.com!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1360221001@panix.com>
Followup-To: poster
Date: 7 Mar 2013 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 11 Jun 2013 03:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1362640200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1362640201 24292 166.84.1.2 (7 Mar 2013 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Mar 2013 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Bytes: 2913

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted quarterly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -7013430627626358826
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.162.163 with SMTP id yb3mr201438pab.21.1362658609089;
        Thu, 07 Mar 2013 04:16:49 -0800 (PST)
Path: jm3ni37273pbb.0!nntp.google.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
nx02.iad01.newshosting.com!newshosting.com!news-out.readnews.com!
transit3.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: rec-radio-info-request@panix.com (SolderSmoke via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: SolderSmoke Podcast for Thursday 7 March 2013
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Thu, 7 Mar 2013 07:16:48 EST
Organization: SolderSmoke
Lines: 12

```
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <f46d04462bacd3b8c604d754ad96@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader2.panix.com 1362658608 14519 166.84.1.6 (7 Mar 2013 12:16:48 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Mar 2013 12:16:48 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:x-received:sender:precedence:message-id:date:subject
         :from:to:content-type;
        bh=vvFb8VuLhotsO3wndHZWDEEF4vQJSqD+HnCG2Se1Qw0=;
        b=eUKaXsH0SfvIJH3+pL7LbeNOzEZ3201+0T0S6Dkhaxo7B+ED8KzvG/ruW5zrDEGNfF
         0U9uSk/23mK7Lei0AAIY1/QiWtowu3JoX4Q8oBMfQg7ebAbNhcDYYBzMsKvXy84Tl6Cc
         byY9CsIDXcU3gWaa9TfqzH2TJZLF3KZJrlBTLt7XcGVyGgHeUVdyxYzxkvhiRdz2kNu+
         9mlXdFTFrgY45RcmWi1QT1abwX6pUfFLB4LwyNqYBZu35dqUxK9kpvTk1g6SrT1xkPk+
         pdaqMe70OjE6HQci2OevAi4rqI2l8wDyhBfOYa6G1Zn2AyplBMeWdFN/AXnGG/H6HFgf
         S3Yw==
X-StripMime: Non-text section removed by stripmime
Bytes: 2706
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

SolderSmoke Podcasts

///
SolderSmoke150`

Posted: 06 Mar 2013 12:06 PM PST

SolderSmoke issue 150
This posting includes a media file:
http://www.soldersmoke.com/soldersmoke150.mp3

```
From -4865390552966186147
X-Google-Thread: d7f5508063,547e5330f9789537,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
X-Received: by 10.180.89.133 with SMTP id bo5mr1198956wib.6.1363388433236;
```

        Fri, 15 Mar 2013 16:00:33 -0700 (PDT)
MIME-Version: 1.0
Path: bp2ni94456wib.1!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.83.MISMATCH!newsfeed.xs4all.nl!newsfeed4.news.xs4all.nl!xs4all!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
multikabel.net!newsfeed20.multikabel.net!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Mar 2013 18:03:05 -0500
From: K7HI <K7HI.b82c8f8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: DTV Converter Box Plus VHF/UHF Amplified Antenna
Date: Sun, 10 Mar 2013 23:04:53 +0000
Message-ID: <K7HI.b82c8f8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 34
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-rsXB9/1bUYET1GSigiOMd8P2QjywOCOYbR1XRCND1sEhVWhY/
SoLQ+0DXLjqjdyD95u50kl4R5baTgr!
3iew76SF5h6S6ZMJ9Teoi7KIdik896nkge+wOL3bVIKJwbX+NBCS98ldN3ITPMoRfYbjnhLk++g/!8A==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 17
X-Original-Bytes: 2117

� Coby DTV-102 ATSC Converter Box Receives FREE Digital Television
signals and Downconverts them for use with Standard Definition TVs.
On-screen Electronic Program Guide. Remote Control and pdf Manual.

� Radio Shack (RS150-1607) VHF/UHF Amplified Antenna. Works well as
Indoor DTV Antenna. Frequency Range: 50-900 MHz.
Gain: 10 dB Minimum for 50-470 MHz; 8 dB Minimum for 470-900 MHz.
9-Section Telescoping Dipole Antenna.
Also good for Scanners and FM Stereo. Power: Two AA Batteries. Battery
Life: 50 Hours.
3.5mm to "F" Adapter Included.

BOTH ITEMS - Excellent Condition
$65. for BOTH Items Including Shipping
INSTANT PAYPAL REQUIRED

Thanks for looking!
Howard, K7HI
http://www.qrz.com/db/k7hi
k7hi.mm (AT) gmail.com

```
+-------------------------------------------------------------------+
|Filename: D102_2.jpg                                               |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=904|
|Filename: IMG_0218.jpg                                             |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=905|
+-------------------------------------------------------------------+
```

--
K7HI

```
From -7055425865462810580
X-Google-Thread: d7f5508063,547e5330f9789537
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
X-Received: by 10.180.24.132 with SMTP id u4mr1288828wif.6.1363395344765;
        Fri, 15 Mar 2013 17:55:44 -0700 (PDT)
MIME-Version: 1.0
Path: bp2ni94610wib.1!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.108.MISMATCH!feeder2.cambriumusenet.nl!feed.tweaknews.nl!
94.232.116.12.MISMATCH!feed.xsnews.nl!border-2.ams.xsnews.nl!multikabel.net!
newsfeed20.multikabel.net!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 11 Mar 2013 00:03:30 -0500
From: Channel Jumper <Channel.Jumper.b831d58@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: For Sale: DTV Converter Box Plus VHF/UHF Amplified Antenna
Date: Mon, 11 Mar 2013 02:34:07 +0000
Message-ID: <Channel.Jumper.b831d58@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <K7HI.b82c8f8@radiobanter.com>
Lines: 44
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
x3UlpkARgk5hA7tm8/4C551Mviabv6V2W4d3n4E4J7yYVV2HTF2uxkbwPJPFHHWfveyhPh7d3dyZEuM!
RzSkf+xoy59y1aPhJdDwGDMpdSsWAa1yXL+i6jVi+fVJu4PnyN4PDnwCc5lxJ8Dn/7rJjCW6fVFU!
btmgdn8YyoJaK6Y=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 2546
X-Original-Lines: 24
```

K7HI;802579 Wrote:
> � Coby DTV-102 ATSC Converter Box Receives FREE Digital Television
> signals and Downconverts them for use with Standard Definition TVs.
> On-screen Electronic Program Guide. Remote Control and pdf Manual.
>
> � Radio Shack (RS150-1607) VHF/UHF Amplified Antenna. Works well as
> Indoor DTV Antenna. Frequency Range: 50-900 MHz.
> Gain: 10 dB Minimum for 50-470 MHz; 8 dB Minimum for 470-900 MHz.
> 9-Section Telescoping Dipole Antenna.
> Also good for Scanners and FM Stereo. Power: Two AA Batteries. Battery
> Life: 50 Hours.
> 3.5mm to "F" Adapter Included.
>
>
> BOTH ITEMS - Excellent Condition
> $65. for BOTH Items Including Shipping
> INSTANT PAYPAL REQUIRED
>
> Thanks for looking!
> Howard, K7HI
> http://www.qrz.com/db/k7hi
> k7hi.mm (AT) gmail.com

Considering the government was giving away coupons and most people got the boxes for free, and indoor antenna's don't always work, you would be better off giving them to GoodWill and letting them make a couple of bucks off them.

The problem with DTV converter boxes is - you can't browse other channels or look at the program guide for other channels while watching another channel.

Channel Master CM 7000 and Zenith DTV boxes were the best performing -
the rest were pretty much garbage when it came to performance.
I tried them all....

+---+
+---+

--
Channel Jumper

From 6370356932135052423
X-Google-Thread: d7f5508063,547e5330f9789537
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.68.129.38 with SMTP id nt6mr1607706pbb.8.1363368109738;

Fri, 15 Mar 2013 10:21:49 -0700 (PDT)
Path: q9ni18395pba.1!nntp.google.com!border1.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!novia!news-peer1!btnet!zen.net.uk!hamilton.zen.co.uk!xlned.com!feeder5.xlned.com!newsfeed.xs4all.nl!newsfeed4.news.xs4all.nl!xs4all!border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!multikabel.net!newsfeed20.multikabel.net!news.mi.ras.ru!goblin1!goblin2!goblin3!goblin.stu.neva.ru!nntp-feed.chiark.greenend.org.uk!ewrotcd!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: For Sale: DTV Converter Box Plus VHF/UHF Amplified Antenna
Date: Mon, 11 Mar 2013 16:49:05 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 23
Sender: et472@bas11-montrealak-1177756035.dsl.bell.ca
Message-ID: <alpine.LNX.2.02.1303111644420.5188@darkstar.example.org>
References: <K7HI.b82c8f8@radiobanter.com>
NNTP-Posting-Host: bas11-montrealak-1177756035.dsl.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1363034954 18763 70.51.33.131 (11 Mar 2013 20:49:14 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 11 Mar 2013 20:49:14 GMT
In-Reply-To: <K7HI.b82c8f8@radiobanter.com>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Bytes: 2375
Content-Type: TEXT/PLAIN; format=flowed; charset=US-ASCII

On Sun, 10 Mar 2013, K7HI wrote:

This isn't a forsale newsgroup, never was. It's intended for the discussion of amateur radio equipment.

You've failed in two aspects, thinking it's acceptable to post an ad here, and then thinking it's okay to post non-ham equipment here.

I can't believe how many clueless people there are out there, who think it's perfectly acceptable to post ads here, yet don't even do anything to actually provide content to the newsgroup, so there are readers who would see the ads. Not that posting on topic would justify your ads, but there are endless places to advertise that are far better venues than this newsgroup. The simplest would be your local classified ads in your local newspaper, or since you're cheap, the local Craigslist. This is local type junk, it's not like that TMC GPR-90 I got last August at a garage sale for $20 because the sellers wanted to get rid of it and there was a limited pool of locals who'd be interesteed. It doesn't deserve a world wide audience.

Michael

```
From -2632239938607704972
X-Google-Thread: d7f5508063,f67206f184e364e4
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.175.65 with SMTP id w1mr9907539qaz.7.1363043960232;
        Mon, 11 Mar 2013 16:19:20 -0700 (PDT)
X-Received: by 10.50.150.180 with SMTP id uj20mr1450373igb.7.1363043960096;
 Mon, 11 Mar 2013 16:19:20 -0700 (PDT)
Path: o5ni743qas.0!nntp.google.com!dd2no817318qab.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Mon, 11 Mar 2013 16:19:19 -0700 (PDT)
In-Reply-To: <hesca.69311$jP2.10633208@twister.neo.rr.com>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=69.9.48.196;
posting-account=qpYW-goAAADxZHnTL_mopLuBPy0_9Z4I
NNTP-Posting-Host: 69.9.48.196
References: <hesca.69311$jP2.10633208@twister.neo.rr.com>
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <3f6e141c-514e-4700-9d53-17eb3c9bede5@googlegroups.com>
Subject: Re: Need Service Manual for Radio Shack Power Meter MTA-20
From: rogeralarkin@gmail.com
Injection-Date: Mon, 11 Mar 2013 23:19:20 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

On Friday, March 14, 2003 3:49:05 PM UTC-6, NZ8J wrote:

> Need a service manual for a Radio Shack MTA-20 Digital SWR/Power Meter
> Radio Shack doesn't carry them any longer..
> Thanks
> Tim
> NZ8J

Tim,
I'm now looking for the same, but could really use, perhaps mostly, the info. on calibration as I may have fixed the remote sensor/coupler, but now need to know details on calibration, esp. probable adj. cap (pot?)location, etc. I'll also try your email from qrz or somewhere for contact if possible. Thanks

---

```
From -1006352272781393615
X-Google-Thread: 108122,f67206f184e364e4
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.89.133 with SMTP id bo5mr2982353wib.6.1363054444934;
        Mon, 11 Mar 2013 19:14:04 -0700 (PDT)
Path: bp2ni86828wib.1!nntp.google.com!proxad.net!feeder1-2.proxad.net!usenet-
fr.net!de-l.enfer-du-nord.net!feeder2.enfer-du-nord.net!cs.uu.nl!
news0.firedrake.org!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Service Manual for Radio Shack Power Meter MTA-20
Date: Mon, 11 Mar 2013 22:13:58 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 27
Sender: et472@bas11-montrealak-1177756035.dsl.bell.ca
Message-ID: <alpine.LNX.2.02.1303112211060.5650@darkstar.example.org>
References: <hesca.69311$jP2.10633208@twister.neo.rr.com>
<3f6e141c-514e-4700-9d53-17eb3c9bede5@googlegroups.com>
NNTP-Posting-Host: bas11-montrealak-1177756035.dsl.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1363054443 7538 70.51.33.131 (12 Mar 2013 02:14:03 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 12 Mar 2013 02:14:03 GMT
In-Reply-To: <3f6e141c-514e-4700-9d53-17eb3c9bede5@googlegroups.com>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

On Mon, 11 Mar 2013, rogeralarkin@gmail.com wrote:

> On Friday, March 14, 2003 3:49:05 PM UTC-6, NZ8J wrote:
>> Need a service manual for a Radio Shack MTA-20 Digital SWR/Power Meter
>> Radio Shack doesn't carry them any longer..
>> Thanks
>> Tim
>> NZ8J
>
> Tim,
> I'm now looking for the same, but could really use, perhaps mostly, the info. on
calibration as I may have fixed the remote sensor/coupler, but now need to know
details on calibration, esp. probable adj. cap (pot?)location, etc. I'll also
> try your email from qrz or somewhere for contact if possible. Thanks
>
You replied to a message from 2003, the date even shows up in your
quoting, which is 10 years ago, almost to the day.

Do you really think Tim is still reading this newsgroup?  He may not even
have the thing anymore, a lot can happen in a decade.

If you want something, then just start a thread.  Don't use google's bug
to reply to threads older than 30 days, you're just dredging up the past
and confusing people who haven't yet figured out that idiots are replying
to old messages.  Google is merely an archive of usenet, they are making a
mess of usenet but don't think the rest of us like it.

   Michael




From 2303260434293663468
X-Google-Thread: 108122,f67206f184e364e4
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.68.132.73 with SMTP id os9mr1796760pbb.4.1363280541885;
        Thu, 14 Mar 2013 10:02:21 -0700 (PDT)
MIME-Version: 1.0
Path: q9ni16676pba.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Mar 2013 12:02:20 -0500
From: Channel Jumper <Channel.Jumper.b87ba98@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Service Manual for Radio Shack Power Meter MTA-20
Date: Thu, 14 Mar 2013 14:47:47 +0000
Message-ID: <Channel.Jumper.b87ba98@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <hesca.69311$jP2.10633208@twister.neo.rr.com>
<3f6e141c-514e-4700-9d53-17eb3c9bede5@googlegroups.com>
<alpine.LNX.2.02.1303112211060.5650@darkstar.example.org>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-QlQf89ajSPKpy4J5ug3dmlUqgCZAXCcoN/oIHFX6ZY8vmxYXFbSg1GX8WRio/
pBCcG+4JJ7MR6V2yoJ!qpjPXYQJ+ETDRtSYIc2lPNLfpvahVxYe+I9l7Icn/WroPPPTaDOUCeMdy4/
T3gpenZBcUgdT4TJz!lbhYJUEkn+yqLHs=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1905
X-Original-Lines: 10
X-Original-Bytes: 1822
```

Michael please,
Usually I am the one to come off sounding like a jerk..
The magic of the internet is that you can do a search and can find the most likely results.

I believe that the story is that the new poster is asking for similar advice.

IN the service repair buisness, we often times find that we cannot find a manual.
About the best you can do is connect it to a dummy load and calibrate it or connect it to a antenna analyzer and calibrate it.

The biggest problem with the Radio crap - oops I mean shack stuff was that it was not very high quality. It appeased the cheap ham and cbr which made it affordable but not very reliable.

```
--
Channel Jumper


From 1040029465717361988
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gidda6537b9fb,gidd7f5508063,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.98.102 with SMTP id eh6mr7416493wib.7.1363302955612;
        Thu, 14 Mar 2013 16:15:55 -0700 (PDT)
Path: g1ni66235wig.0!nntp.google.com!goblin2!goblin.stu.neva.ru!
cyclone01.ams2.highwinds-media.com!voer-me.highwinds-media.com!
npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!news-out.readnews.com!transit4.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, April 2013 - Subscribe for FREE
Followup-To: poster
Date: Thu, 14 Mar 2013 19:15:55 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 33
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <DAFC59D7EEC54C439C0D5AE8CF5E40C4@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
<857A208B784A4B8B9EDA07B63453C09A@GRIMES>
<7681E36DA69449718D8C5AC72DE9FFF8@GRIMES>
<4581FDC026C84A8E8FD399B49A82268C@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader2.panix.com 1363302955 28125 166.84.1.6 (14 Mar 2013 23:15:55 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 14 Mar 2013 23:15:55 +0000 (UTC)
```

```
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From; bh=VhgmRzSBQUs5u2KcAP+
+cEVgo4k1dZ4tyF5P5rDu3ro=;
     b=PwNabLzSv0xgWJaWoQ/xK3XDAWruPgdNNOM/
JPWglSRpd6wHHUktd44RLTTpnaWlRUQQUuo61pRUH21CqOxLjCK1n6hjb5gSJxOGOZ2nMpnElb+i4eTSDP
vwm7CZKMEH;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 108.74.222.34 authed with k9ya+k9ya.org}
X-Received-Bytes: 4056
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

April 2013 (Volume 10, Issue 4) articles include:

IGY - Part II By Philip Cala-Lazar, K9PL

The Chinese Invasion Continues By Paul W. Ross, W3FIS

The Art and Skill of Radio-Telegraphy - Fifth Revised Edition

Conan Wyatt Burtram Barger, W3CVE - Part X By Scott B. Laughlin, N7NET

Bob Henry, W0ARA By Bob Ballantine, W8SU

Ham Quips By Dick Sylvan, W9CBT

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From 5802996437262517533
X-Google-Thread: 108122,a78264fedfdff9e8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.19.132 with SMTP id f4mr99772wie.2.1363322585149;
        Thu, 14 Mar 2013 21:43:05 -0700 (PDT)
Path: bp2ni92973wib.1!nntp.google.com!proxad.net!feeder1-2.proxad.net!
news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!rri.panix.com!
robomod!not-for-mail
From: rec-radio-info-request@panix.com (AmateurLogic.TV via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: AmateurLogic.TV for Friday 15 March 2013
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Fri, 15 Mar 2013 00:43:04 EDT
Organization: AmateurLogic.TV
Lines: 18
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <bcaec5182c94cfca5304d7ef45d1@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader2.panix.com 1363322584 19835 166.84.1.6 (15 Mar 2013 04:43:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 15 Mar 2013 04:43:04 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:x-received:sender:precedence:message-id:date:subject
         :from:to:content-type;
        bh=FEazFcP5IAZtdm0oOS/YbmCSJ8+6/FFQLcjk0z1xjUY=;
```

        b=HtAKWkQ5SUDa5acv7ZIC00TqWz3csXAqlefU1lvuTyPA75Ua63JdwYsR7eGESQsa9A
         BorkGAd/Ja4Q0mxJtT6HN19pHp15QASoCVtgLy5Rt48XWsvdDESFLzWEAr6cReJoRw/q
         pTXOu8nNOoxGnOyCVb9Co/yak7P49NY7IrqLfhcmUU+1np+FAxKWtCk4lAEvwFb/sxOc
         XOJc46mMTvZMrz+TXutEUAyW+1J/f9+9oK9cGo+8p+kI/AMfCOMuS9XnOz2cTw9wxVce
         5nnyF2WRS3921iFPFC+zJqB1bx3YMrqAQk5O992Z4Lh8yZ3D5j9NvadrgzxTOka3HPpp
         OiCg==
X-StripMime: Non-text section removed by stripmime
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes

AmateurLogic.TV

///
AmateurLogic.TV Episode 51

Posted: 14 Mar 2013 03:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic51_hi.wmv

Tommy simplifies D-Star Callsign Routing. Peter visits the Wyong Field Day (Hamfest). Emile has some cheap analog and digital SSTV solutions. And

George builds the Arduinolator (Arduino Square Wave Oscillator) and shows just how easy and fun it can be to experiment with microcontrollers.

1:00:54 of ALTV fun!
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic51_hi.wmv

From -5170901858496926389
X-Google-Thread: 108122,537f8194ea4dad46,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.13.3 with SMTP id d3mr225986pac.40.1363669347384;
        Mon, 18 Mar 2013 22:02:27 -0700 (PDT)
MIME-Version: 1.0
Path: q9ni24494pba.1!nntp.google.com!news.glorb.com!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 19 Mar 2013 00:02:26 -0500
From: Tesla <Tesla.b8da958@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Suggestions For Simple 2 Meter Rigs?
Date: Tue, 19 Mar 2013 01:08:27 +0000
Message-ID: <Tesla.b8da958@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:

Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-6OjYuQpEhSZ5DennEgmh6KL1oGtz50HTlpYkO24q0D6JaQ0jHo5pENlbV9Az39x3tJt9mI6uiu9sl4
j!o2HvYv0wrCGnKkZhBi01Dj0X5/RzLYOY3SWBQRMHGMDN/IWLl00I2mZvGPchUgDe9jUkD4wbwax0!
11g=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1206

I'm looking for a new simple to program & operate 2 meter only ht & mobile rig. I'm tired of rigs with fancy bells & whistles, difficult menus, etc. I do not want to carry an operator's manual with me all the time. Anything out there where an engineering degree is not required?

--
Tesla

From -783384561862257027
X-Google-Thread: 108122,537f8194ea4dad46
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.190.2 with SMTP id gm2mr534113pac.25.1363712543419;
        Tue, 19 Mar 2013 10:02:23 -0700 (PDT)
MIME-Version: 1.0
Path: q9ni24698pba.1!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 19 Mar 2013 12:02:22 -0500
From: Channel Jumper <Channel.Jumper.b8e5218@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions For Simple 2 Meter Rigs?
Date: Tue, 19 Mar 2013 12:34:40 +0000
Message-ID: <Channel.Jumper.b8e5218@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <Tesla.b8da958@radiobanter.com>
Lines: 102
X-Usenet-Provider: http://www.giganews.com

```
X-Trace: sv3-
A6OHuDbzI2lOUZS4Z63aYxSPGLqbmcoDBB1P51jAJYmLIlXRDJcse92DzV0qjO9S59ey7l/rURR11JN!
EoDCcNs8KL6Y7VYKrFzERb/lLi/x7ZCUF8yD+X/hCFCdwWR8AQsuMi9oYnEjcX7YpNLj8LgWcktm!
F28eOdul9+IMhXc=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 5547
X-Original-Lines: 54
X-Original-Bytes: 5463
X-Received-Bytes: 5627
```

Tesla;802845 Wrote:

> I'm looking for a new simple to program & operate 2 meter only ht &
> mobile rig. I'm tired of rigs with fancy bells & whistles, difficult
> menus, etc. I do not want to carry an operator's manual with me all the
> time. Anything out there where an engineering degree is not required?

Welcome to the forum.
Alinco / ADI - were both WYSWYG type transceivers.
They had a button to access the VFO which allowed you to tune to a specific frequency. You then picked out a PL - if any, and the split, which is + above 147.000 and - below 147.000
You then pressed the VFO button again, selected a channel and hit enter and it was saved.

That is about as easy as they come.

At the same time, the next generation of transceivers, the Kenwood 2 meter transceivers wern't much harder to program.

The purpose of the menu's is to allow each button to do more then one thing.
As in the case of my Yaesu FT 8900R, it does 4 bands simultaniously.
On the left side it does two meters, 70 cm and also 6 meters, on the right side it does 2 meters, seventy cm and also 10 meters.
The center button - I painted white, because it accesses the menu and looks like all the others.
One button accesses the VFO, while another selects bands, while another selects options such as allowing it to clone or to program from a computer, while another allows it to download.
Things like Packet, wires etc - might not interest you today, but might be something you might get into down the road, and would want one of those more complicated radios... Just something for you to think about..

Different radios does different things, and if you might work Ecomm - you want to have a dual band transceiver.

At the same time, walkie talkies have come a long way since my Radio

Shack HTX 202 - which is almost impossible to program, unless you have done it before, or have a manual with you and can decypher it's contents while you program the radio.

The new walkie talkies - forget it.
About the best you can do is laminate a card and attach it to the radio, with programming instructions.
Other then Ecomm work, a walkie talkie is practically worthless from the standpoint of trying to work simplex, which is how most Ecomm work should be expected to be performed.

Alinco DR 135 TMK III
Alinco DR 635 T
Icom 2300H

Yaesu FT 1900 / FT 2900R are going to be two of the easiest mobiles to program.

I don't know of any walkie talkies of your specifications...

You might want to look for an Elmer, someone to guide you and show you how to properly operate those transceivers and show you how to program them.

I would suggest that you buy a Yaesu FT 8800 or 8900 and a programming cable and a G4HFQ software and move up - due to the fact that the 8800 and 8900 does a lot more things for a little more money.
The programming software allows you to store thousands of programs in your computer, which you write, specifically and can store in your transceiver, which you can access while you are driving down the road.

Say you lived in Western Pennsylvania.
You could write one program for Pittsburgh
Another program for Erie
Another program for central PA
Another program for northern PA
Another program for central Ohio
Another program for Maryland / WV
Another program for eastern PA...

Then, while you were driving down the road, you could access one of these other programs, and the radio will switch and the frequencies will stay the same, but the PLs will change and you can choose between a number or a 5 letter trundication - PITT - Pittsburgh, KITT - Kittanning, Derry - Derry, Indna - Indiana etc..   Or can be frequency - Pitt would be 146.790, Kitt would be 145.410, Derry - would be 145.150

The names allows you to get used to hearing the tones and the CW identifier, which learns you the channel, then when you switch to frequency, you will recognize it by the sound of the repeater.
If you get somewhere in between, you can press the center button and change the PL. If you want to save it, you can save it, if you want to go back to scan, it will revert back to the origionally programmed PL.

If you want to know what station a frequency is, you can press the
button and it will show the name, and you can save it or go back to scan
and it will go back to the frequency.   That is the nice thing about the
Yaesu - you don't have to know a lot once you learn the basic menu.

--
Channel Jumper

```
From -8642747400171568870
X-Google-Thread: d7f5508063,537f8194ea4dad46
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.96.225 with SMTP id dv1mr164115wib.6.1364344009206;
        Tue, 26 Mar 2013 17:26:49 -0700 (PDT)
Path: p18ni19750wiv.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.108.MISMATCH!feeder2.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.139.MISMATCH!xlned.com!feeder7.xlned.com!newsfeed.xs4all.nl!
newsfeed4.news.xs4all.nl!xs4all!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!border2.nntp.dca.giganews.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
newsgate.cuhk.edu.hk!goblin3!goblin.stu.neva.ru!nntp-feed.chiark.greenend.org.uk!
ewrotcd!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions For Simple 2 Meter Rigs?
Date: Tue, 19 Mar 2013 14:24:16 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 35
Sender: et472@bas1-montreal19-1177820846.dsl.bell.ca
Message-ID: <alpine.LNX.2.02.1303191417590.21484@darkstar.example.org>
References: <Tesla.b8da958@radiobanter.com>
NNTP-Posting-Host: bas1-montreal19-1177820846.dsl.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1363717446 6831 70.52.30.174 (19 Mar 2013 18:24:06 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 19 Mar 2013 18:24:06 GMT
In-Reply-To: <Tesla.b8da958@radiobanter.com>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
```

On Tue, 19 Mar 2013, Tesla wrote:

>
> I'm looking for a new simple to program & operate 2 meter only ht &
> mobile rig. I'm tired of rigs with fancy bells & whistles, difficult
> menus, etc. I do not want to carry an operator's manual with me all the
> time. Anything out there where an engineering degree is not required?

>

Get a Motorola HT-220, like someone suggested the last time this came up.

Squelch and VOlume controls (the on/off is on one of them) and if it's a multichannel unit, then a switch to change channels. No bells and whistles, if you need different frequencies, you open it up, get new crystals and plug them in. Technology this over forty years old, it can't be beat in terms of simplicity.

Of course, expensive to add new frequencies, and it won't cover all the locally used channels.

Endless ham specific 2meter FM walkie talkies followed, their quality varying, some apparently awful in the receiver department. But they were just as simple, though often had place for more frequencies (but needed 2 crystals per channel). Some even ran off standard AA batteries.

Towards the end of the seventies, synthesiders did become standard, but no scanning and no bells and whistles. Little BCD switches to change the frequency, no LED or LCD readout.

After that, bells and whistles became the norm, people living with bad receivers to they could have wideband reception, endless features added to be able to top the competition, rather than because the buyers were demanding it.

   Michael VE2BVW

```
From -3879878505730834598
X-Google-Thread: 108122,537f8194ea4dad46
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.67.1.131 with SMTP id bg3mr549369pad.29.1363721981256;
        Tue, 19 Mar 2013 12:39:41 -0700 (PDT)
MIME-Version: 1.0
Path: jm3ni57672pbb.0!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!STARBAND.NET-a2kHrUvQQWlmc!not-for-mail
From: you <you@shadows.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions For Simple 2 Meter Rigs?
Organization: shadows.orgs
References: <Tesla.b8da958@radiobanter.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Date: Tue, 19 Mar 2013 11:39:38 -0800
Message-ID: <you-641B97.11393719032013@news.starband.net>
X-Complaints-To: abuse@usenetserver.com
Lines: 9
X-Trace: d22565148be8431e5901f19238
X-Received-Bytes: 1021
```

In article <Tesla.b8da958@radiobanter.com>,
 Tesla <Tesla.b8da958@radiobanter.com> wrote:

> I'm looking for a new simple to program & operate 2 meter only ht &
> mobile rig. I'm tired of rigs with fancy bells & whistles, difficult
> menus, etc. I do not want to carry an operator's manual with me all the
> time. Anything out there where an engineering degree is not required?

Find an Old Icom 2AT Handheld   Very easy to operate..... Just Say'en...

```
From 8174000278675077325
X-Google-Thread: 108122,c712020eb31ab082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.84.7 with SMTP id u7mr1309800pay.26.1352911462952;
        Wed, 14 Nov 2012 08:44:22 -0800 (PST)
MIME-Version: 1.0
Path: s9ni11342pbb.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 14 Nov 2012 10:44:21 -0600
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <k7vbmb$k5s$1@dont-email.me>
Subject: Re: Handheld for new Technician Class License holder
Date: Wed, 14 Nov 2012 11:44:19 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
X-RFC2646: Format=Flowed; Response
Message-ID: <V-WdnVvHfJ34Vz7NnZ2dnUVZ_tOdnZ2d@earthlink.com>
Lines: 39
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.5
X-Trace: 
sv3-7OG76a3208LTHaxKIk4GIS2RiWNMkD4nc8KNC7FsX8Hf1w0p+LgfrkvW+6ib+k20TbDOcOEgxeTsJy
3!SFZjmROr+DjwJNKcIh8Ee77g+eZXD9q7ng7A4KDSt7mvv1JljLMT+le/W0i/MCkfRb7Ot5jRV119!
3n2gurW+eLFwYjfe1To=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint 
properly
X-Postfilter: 1.3.40
Bytes: 2671
X-Original-Bytes: 2610
```

"Justin" <justin@nobecauseihatespam.edu> wrote in message
news:k7vbmb$k5s$1@dont-email.me...

> Hi folks. I just past the first basic HAM radio test. I was looking at

> getting a hand held radio that I can keep in my car or in my backpack for
> use in am emergency, like the 2003 Northeast Blackout.
> The problem is, there must be a billion choices out there!
> I'm not rich, and I'm not on food stamps either. I'm willing to spend a
> pretty decent amount for a product that's worth it.
> I'm in the US.
>
>

I think I would look at a Wouxun KG-UVD1P. This is a dual band Ht and can be bought for around $ 110 to $ 125 depending on where and what extras you get. Be sure to get the programming cable with it. While you can program them without the cable, it is worth the extra couple of bucks. Softwear for it is free.

I have one and several others in the club have them. Be sure to get one from a dealer in the US and not order from China off ebay. There is nothing wrong with this, except if you do get a bad one, it is just easier to deal with locally.

Here is an ebay number for one to look at.
261125157834

I know nothing about this dealer,but it seems he is in China where the radios are made.

There are a couple of others with a number of 2 or 3 in it that seem to be the same radio in a differant case.

There is another company that makes one about like it for around $ 50 called Baofeng. I do not know anything about that brand.

```
From -4412135357344330276
X-Google-Thread: d7f5508063,c712020eb31ab082
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.100.70 with SMTP id ew6mr3761335wib.2.1353487290978;
        Wed, 21 Nov 2012 00:41:30 -0800 (PST)
Path: ha8ni3827wib.1!nntp.google.com!feeder2.cambriumusenet.nl!
feeder1.cambriumusenet.nl!feed.tweaknews.nl!193.141.40.65.MISMATCH!npeer.de.kpn-
eurorings.net!npeer-ng0.de.kpn-eurorings.net!border2.nntp.ams2.giganews.com!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!
backlog2.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news.glorb.com!eternal-
september.org!feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-
for-mail
From: Justin <justin@nobecauseihatespam.edu>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Handheld for new Technician Class License holder
Date: Wed, 14 Nov 2012 23:08:36 -0500
Organization: A noiseless patient Spider
Lines: 47
Message-ID: <k81ps6$9qm$4@dont-email.me>
References: <k7vbmb$k5s$1@dont-email.me> <V-WdnVvHfJ34Vz7NnZ2dnUVZ_tOdnZ2d@earthlink.com>
Mime-Version: 1.0
Injection-Date: Thu, 15 Nov 2012 04:08:39 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="619bd57ce86e5d09a0626bee34ed2a34";
     logging-data="10070"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX185n4c5NfAq3dd4bcQf0ye3Rc3gBXwz/RQ="
User-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:10.0) Gecko/20120206 Thunderbird/10.0
In-Reply-To: <V-WdnVvHfJ34Vz7NnZ2dnUVZ_tOdnZ2d@earthlink.com>
Cancel-Lock: sha1:HYojYsshw+Fo0nuCsOn+H0AJs3w=
Bytes: 3135
X-Original-Bytes: 3031
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

On 11/14/2012 11:44 AM, Ralph Mowery wrote:

> "Justin"<justin@nobecauseihatespam.edu> wrote in message
> news:k7vbmb$k5s$1@dont-email.me...
>> Hi folks. I just past the first basic HAM radio test. I was looking at
>> getting a hand held radio that I can keep in my car or in my backpack for
>> use in am emergency, like the 2003 Northeast Blackout.
>> The problem is, there must be a billion choices out there!
>> I'm not rich, and I'm not on food stamps either. I'm willing to spend a
>> pretty decent amount for a product that's worth it.
>> I'm in the US.
>>
>>
>
> I think I would look at a Wouxun KG-UVD1P. This is a dual band Ht and can
> be bought for around $ 110 to $ 125 depending on where and what extras you
> get. Be sure to get the programming cable with it. While you can program
> them without the cable, it is worth the extra couple of bucks. Softwear for
> it is free.
>
> I have one and several others in the club have them. Be sure to get one
> from a dealer in the US and not order from China off ebay. There is nothing
> wrong with this, except if you do get a bad one, it is just easier to deal
> with locally.
>
> Here is an ebay number for one to look at.
> 261125157834
>
> I know nothing about this dealer,but it seems he is in China where the
> radios are made.
>

> There are a couple of others with a number of 2 or 3 in it that seem to be
> the same radio in a differant case.
>
> There is another company that makes one about like it for around $ 50 called
> Baofeng. I do not know anything about that brand.
>
>
>
>

Ordering from China... I know stuff comes from there anyway, but the
last time I had a problem the Chinaman ignored me and there was nothing
I could do.
I'd rather order from a US distributor.

What about Kenwood?

```
From 968754842429989547
X-Google-Thread: d7f5508063,c712020eb31ab082
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.14.216.7 with SMTP id f7mr4178609eep.4.1353230710825;
        Sun, 18 Nov 2012 01:25:10 -0800 (PST)
MIME-Version: 1.0
Path: ha8ni330729wib.1!nntp.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!85.12.40.130.MISMATCH!xlned.com!feeder1.xlned.com!
newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!xs4all!news.stack.nl!news.litech.org!
news.glorb.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 14 Nov 2012 23:00:14 -0600
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <k7vbmb$k5s$1@dont-email.me> <V-
WdnVvHfJ34Vz7NnZ2dnUVZ_tOdnZ2d@earthlink.com> <k81ps6$9qm$4@dont-email.me>
Subject: Re: Handheld for new Technician Class License holder
Date: Thu, 15 Nov 2012 00:00:14 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
X-RFC2646: Format=Flowed; Response
Message-ID: <OPGdncEzPd9D6znNnZ2dnUVZ_qednZ2d@earthlink.com>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.5
X-Trace:
sv3-99fwlhkkIhlTHTs5fAySQClzV7+V14dX6B646WMTd8xKFwhpN0umfnHDdbqLWIgKgH8KqeLa54QTVe
K!NPqv8D5WRIPQTmoOzJmWaOzJs1nApur4WFvDGzOviwi875MkDt+7wZiip1uTQryXUUgvAaUzmTxx!
```

```
Z9jjjpclwzT3eWC2ZlY=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1950
X-Received-Bytes: 2091
```

"Justin" <justin@nobecauseihatespam.edu> wrote in message
news:k81ps6$9qm$4@dont-email.me...

> Ordering from China... I know stuff comes from there anyway, but the last time I had a problem the Chinaman ignored me and there was nothing I could do.
> I'd rather order from a US distributor.
>
> What about Kenwood?

Kenwood is fine. Here is a place in the US that has the ones I was talking about.

http://www.wouxun.us/category.php?category_id=46

I am thinking the programming cable for the Kenwood and this one are the same. I wouldn't doubt if many of the HTs are made in China.

I am waiting on one of the dealers over here to start inporting some of the dual band mobile rigs that I am seeing on ebay that are in China now.

```
From -6995532308981661200
X-Google-Thread: a4a23d5f63,6d0e583e2f9a9acd,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.224.186.20 with SMTP id cq20mr366297qab.8.1352962803714;
        Wed, 14 Nov 2012 23:00:03 -0800 (PST)
MIME-Version: 1.0
Path: gf5ni60396171qab.0!nntp.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1351749600@panix.com>
Followup-To: poster
```

Date: 15 Nov 2012 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Dec 2012 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1352962800@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1352962802 18766 166.84.1.2 (15 Nov 2012 07:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 15 Nov 2012 07:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 463902966566806278
X-Google-Thread: 108122,c712020eb31ab082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.197.201 with SMTP id iw9mr362175pbc.6.1352998969496;
        Thu, 15 Nov 2012 09:02:49 -0800 (PST)
MIME-Version: 1.0
Path: 6ni83334pbd.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 15 Nov 2012 11:02:48 -0600
From: Channel Jumper <Channel.Jumper.aead818@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Handheld for new Technician Class License holder
Date: Thu, 15 Nov 2012 14:31:23 +0000
Message-ID: <Channel.Jumper.aead818@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <k7vbmb$k5s$1@dont-email.me> <V-
WdnVvHfJ34Vz7NnZ2dnUVZ_tOdnZ2d@earthlink.com> <k81ps6$9qm$4@dont-email.me>
<OPGdncEzPd9D6znNnZ2dnUVZ_qednZ2d@earthlink.com>
Lines: 39
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-zBT46kLfJTWr8X35YHgJlii41+sTPasLQaBoC05/I9ePYHcASu3owogjZ+60Fpw1bx/
fLIR/N7ZjF9M!
ngBPFOBMzaAxNgH8yTh4hJJjv1KVZEUh5dVbt9dBuv9oV2Ut3XtSbWEFG9d4JnDUDvT8KQQKHoAp!
9QzCRKrDKxbizXk=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 2528
X-Original-Lines: 22
X-Original-Bytes: 2445
```

A handheld transceiver should be the last thing you should buy, not the first.

A handheld transceiver is only good for a couple of things..

If you get a flat tire - you can stick it under the tire and use it to keep the car from rolling away.

If you need to kill a small animal for food, you can throw it at it.

The first thing you need to realize is that in order to be a effective communicator, you need to operate frequently - not just when there is an emergency.

It is not like talking on the telephone.
There is a certain lingo you need to learn and certain things you need to learn to do.

If you wait until there is an emergency - most times you will find that when you need it, you will usually find that the batteries are dead and the repeaters you thought that you would be able to hit - might not even work.

Buy yourself a mobile transceiver and mount it in your automobile and buy the best mobile antenna you can afford..
My choice is the Larsen NMO 2/70

Buy yourself a power supply and a good piece of coax - LMR 400 or Belden 9913 and a good antenna - Diamond X 510 would be my choice and use it often.

Technician class license is not a stopping point, but a starting point.
Keep studying and get yourself a General or better class license.

--
Channel Jumper

```
From -78410311991089702
X-Google-Thread: d7f5508063,c712020eb31ab082
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.74.74 with SMTP id r10mr3470594wiv.3.1353448806622;
        Tue, 20 Nov 2012 14:00:06 -0800 (PST)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Handheld for new Technician Class License holder
References: <k7vbmb$k5s$1@dont-email.me>
```

From: Patty Winter <patty1@wintertime.com>
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Date: 15 Nov 2012 18:01:08 GMT
Lines: 31
Message-ID: <50a52de4$0$26848$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 15 Nov 2012 18:01:08 GMT
NNTP-Posting-Host: 548c3ccf.news.sonic.net
X-Trace:
DXC=^oiJdb;B9^0<BklA^7Wf8=m4K\QM1CV^01OYf0H`?;X1<D<PkKGadA?:oF=1i9HD64AS\V_KiQGb69
4C8j8>n138
X-Complaints-To: abuse@sonic.net
Path: ha8ni403wib.1!nntp.google.com!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.86.MISMATCH!newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!xs4all!
newspeer1.nac.net!border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
news.mccarragher.com!news.grnet.gr!goblin1!goblin3!goblin.stu.neva.ru!gin-ad1-
unet1.teleglobe.net!novia!posts.news.sonic.net!nnrp1.nntp.sonic.net!not-for-mail

In article <k7vbmb$k5s$1@dont-email.me>,
Justin <justin@nobecauseihatespam.edu> wrote:
>Hi folks. I just past the first basic HAM radio test. I was looking at
>getting a hand held radio that I can keep in my car or in my backpack
>for use in am emergency, like the 2003 Northeast Blackout.
>The problem is, there must be a billion choices out there!
>I'm not rich, and I'm not on food stamps either. I'm willing to spend a
>pretty decent amount for a product that's worth it.

How about attending some of the meetings of the club that gave you your
ham (not "HAM," btw) test and talking to members about their HTs?

Check the website of that club, your local ARRL section, or the
main ARRL website (http://www.arrl.org/hamfests-and-conventions-calendar)
for upcoming hamfests where a variety of units might be for sale and
you can find out more about your options.

Unfortunately, the Ham Radio Outlet website doesn't have product
reviews, but I found this site that does:

http://www.eham.net/reviews/products/49

I hope you plan to use it more than just for a once-a-decade emergency!
If you get on the air frequently, you'll know what repeaters are available
in your area, whom you can talk to simplex if the repeaters go down, etc.

Good luck!

Patty N6BIS

From 7941679297964214600

```
X-Google-Thread: d7f5508063,c712020eb31ab082
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.14.213.135 with SMTP id a7mr15344540eep.2.1353487431791;
        Wed, 21 Nov 2012 00:43:51 -0800 (PST)
MIME-Version: 1.0
Path: q13ni3909wii.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
border2.nntp.ams2.giganews.com!border1.nntp.ams2.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!
backlog1.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!news.glorb.com!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.lmi.net!news.lmi.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 15 Nov 2012 13:08:03 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Handheld for new Technician Class License holder
References: <k7vbmb$k5s$1@dont-email.me>
<50a52de4$0$26848$742ec2ed@news.sonic.net>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Thu, 15 Nov 2012 11:03:14 -0800
Message-ID: <isqfn9-suj.ln1@radagast.org>
Lines: 41
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.191.159.165
X-Trace: sv3-
Ac6SRslmYN255WrR5WD+qCm6RNYJM85Lm+RmVEm1yUN4rGbDZnD9XWPeW0737hOTvo0/2WglQviuvId!
1suR/19lbSc08FrTOeEfKnxJLWbqydudabnvnAvnpw78MDUYzXWbr7oLm7WPjw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 3420
Bytes: 3503
```

Justin <justin@nobecauseihatespam.edu> wrote:
>Hi folks. I just past the first basic HAM radio test. I was looking at
>getting a hand held radio that I can keep in my car or in my backpack
>for use in am emergency, like the 2003 Northeast Blackout.
>The problem is, there must be a billion choices out there!
>I'm not rich, and I'm not on food stamps either. I'm willing to spend a
>pretty decent amount for a product that's worth it.

I'd suggest that you make contact with your city/county ARES organization, as they are likely to be the people most familiar with "ham radio during local emergencies" issues.

They could probably provide you with some advice as to which HTs have and have not worked out well for their members - reliable, easy to use, easy to program, and having the features and bands needed for communication in your area.

They can also probably help you with additional learning, about how to communicate effectively during an emergency. There's a lot more to it than "grab the radio, tune to a channel, hit PTT, and yell for help".

In my area (about 45 minutes south of SF), we teach a couple of classes fairly regularly. One is an "OK, I passed the test and got my license... *now* what do I do?" class for new hams - it's intended to give first-level experience with HT programming, proper protocol and etiquette when using simplex and repeater communications, that sort of thing... how to get on the air effectively.

The next is a "fundamentals of emergency communications" training. It's an initial training for people interested in organized emergency communication support (ARES/RACES, Red Cross, etc.) and is useful for anyone concerned about how to use ham radio (or similar, such as GMRS and neighborhood FRS for CERT) in an emergency or disaster.

Your community (ARES or ham-club) may have something similar.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

```
From 8535623924923043733
X-Google-Thread: 108122,e3f9b32b57a89fa7
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.78.40 with SMTP id y8mr2269272paw.9.1353255718698;
        Sun, 18 Nov 2012 08:21:58 -0800 (PST)
Received: by 10.50.169.103 with SMTP id ad7mr1491085igc.2.1353255718607; Sun,
 18 Nov 2012 08:21:58 -0800 (PST)
Path: s9ni20179pbb.0!nntp.google.com!kt20no14674399pbb.1!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Sun, 18 Nov 2012 08:21:58 -0800 (PST)
In-Reply-To: <slrnbgau25.imv.bball@green.home.org>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=72.19.61.194;
posting-account=vxt6hAoAAABP7BWNbQI8QZlCD7enPZhB
NNTP-Posting-Host: 72.19.61.194
References: <slrnbgau25.imv.bball@green.home.org>
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <d0881112-a2f7-4802-b224-88b4910d96e6@googlegroups.com>
Subject: Re: Amateur Radio now officially DEAD at Radio Shack
From: wa7kqs@gmail.com
```

```
Injection-Date: Sun, 18 Nov 2012 16:21:58 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

yup

```
From 3224242286503579492
X-Google-Thread: 108122,28a2386de246e2dc,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.84.7 with SMTP id u7mr3013203pay.26.1353316552057;
        Mon, 19 Nov 2012 01:15:52 -0800 (PST)
Received: by 10.50.5.174 with SMTP id t14mr2085157igt.11.1353316551817; Mon,
 19 Nov 2012 01:15:51 -0800 (PST)
Path: 6ni93652pbd.1!nntp.google.com!kr7no1778788pbb.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Mon, 19 Nov 2012 01:15:51 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=113.178.36.236;
 posting-account=7x6AcwoAAAANV7u8W0BE7ye1MHET79y6
NNTP-Posting-Host: 113.178.36.236
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <97fe39b1-c4cd-481e-8673-271e2abe5484@googlegroups.com>
Subject: Regenerative Radio using AC-linked differential pair JFET's
From: bitterlemon40@yahoo.ie
Injection-Date: Mon, 19 Nov 2012 09:15:52 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

I have done a hub-page about JFET regenerative receivers:
http://litetec.hubpages.com/hub/JFET-Regenerative-Radio-Receiver
I have also posted a good amount of information on "The radio board" about
regenerative receivers recently.
I hope that is useful information for someone.

```
From -5150418531034387621
X-Google-Thread: 108122,e3f9b32b57a89fa7
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.83.161 with SMTP id r1mr158729pay.28.1353364102473;
        Mon, 19 Nov 2012 14:28:22 -0800 (PST)
Path: 6ni95789pbd.1!nntp.google.com!news.glorb.com!news.kjsl.com!ncf.ca!not-for-
mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio now officially DEAD at Radio Shack
Date: Mon, 19 Nov 2012 17:31:10 -0500
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 26
```

```
Sender: et472@bas1-montreal43-2925254917.dsl.bell.ca
Message-ID: <alpine.LNX.2.02.1211191728290.18576@darkstar.example.org>
References: <slrnbgau25.imv.bball@green.home.org> <d0881112-a2f7-4802-
b224-88b4910d96e6@googlegroups.com>
NNTP-Posting-Host: bas1-montreal43-2925254917.dsl.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1353364099 27649 174.91.217.5 (19 Nov 2012 22:28:19 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 19 Nov 2012 22:28:19 GMT
In-Reply-To: <d0881112-a2f7-4802-b224-88b4910d96e6@googlegroups.com>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
```

On Sun, 18 Nov 2012, wa7kqs@gmail.com wrote:

> yup
>

Come on, pay attention.

You replied to a thread that started in 2003, then someone with a long retention time replied in 2006 and now you reply 6 years later.

Yet all you can say is an idiotic "yup"?

You can't even quote the message you are replying to so there is some context?

Once again, just because google has a bug that allows replies to messages older than 30 days is not a reason to reply. Except that idiots keep doing it, the rest of us would have no idea what you are talking about. But since it's an ongoing problem, every time I see a reply to a message I don't remember, it's clearly from google, and likely years old.

If you don't ahve anything significant to say, don't post. If you have something significan to say, then say it by posting a new message in a new thread.

Michael VE2BVW

```
From 784390547670274823
X-Google-Thread: 108122,ce96ca58810c568f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.75.230 with SMTP id f6mr3287437paw.25.1353364258271;
        Mon, 19 Nov 2012 14:30:58 -0800 (PST)
Path: 6ni95789pbd.1!nntp.google.com!news.glorb.com!news.kjsl.com!ncf.ca!not-for-
mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Activity
```

Date: Mon, 19 Nov 2012 17:33:46 -0500
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 13
Sender: et472@bas1-montreal43-2925254917.dsl.bell.ca
Message-ID: <alpine.LNX.2.02.1211191732280.18576@darkstar.example.org>
References: <59fec182-e6ee-46b8-826f-fc1531bf4817@gj7g2000pbc.googlegroups.com>
<7bfec5f0-5c80-4399-8a39-591241e1ad76@googlegroups.com>
NNTP-Posting-Host: bas1-montreal43-2925254917.dsl.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1353364255 27848 174.91.217.5 (19 Nov 2012 22:30:55 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 19 Nov 2012 22:30:55 GMT
In-Reply-To: <7bfec5f0-5c80-4399-8a39-591241e1ad76@googlegroups.com>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

On Mon, 19 Nov 2012, David Quest wrote:

> Thank you for the info.....
>

At lesat here the message you replied to is only eight months old.

If you really felt a need to reply, you should have done that months ago, when the thread you started was actually active. It's people like you who have made the newsgroup dead, people who can't be bothered to stick around.

Michael VE2BVW

From 3347152525222621106
X-Google-Thread: 108122,c81ff35e5a946d5d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.138.14 with SMTP id qm14mr3420252pbb.5.1353381744317;
Mon, 19 Nov 2012 19:22:24 -0800 (PST)
MIME-Version: 1.0
Path: s9ni638pbb.0!nntp.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!border3.nntp.dca.giganews.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.metrocastcablevision.com!
news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 19 Nov 2012 21:22:23 -0600
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-HM9 SPEAKER-MICROPHONE
Date: Mon, 19 Nov 2012 22:22:27 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <TuydnYiMGfbyajfNnZ2dnUVZ_t6dnZ2d@metrocastcablevision.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.9.1.207
X-Trace: sv3-gVE8Q54QRKPP6pFDkS7EWRkKaqyQGEYgrE+
+WWrBZYF7fo5bRf20iZMy15vNixfvfDvb3S2GLCF4Sn5!
WQs1sNbWt1v9QMq17u6+Exw6xpViM66gunG4Q7shFE8VoYntSP0fjTP0bFyd9rLjokJnjDWKEYci!
bPuOWhfPS77QJW1SDw2PuYsdxwC58PmvG0TBcG6VvOU=
X-Complaints-To: abuse@metrocast.com
X-DMCA-Complaints-To: abuse@metrocast.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1496
X-Original-Bytes: 1435
X-Received-Bytes: 1576
```

Ladies and gentlemen:

Selling one ICOM IC-HM9 Speaker-Microphone in excellent condition - lightly used indoors. Photo on request. Yours for 20 bucks - shipping additional if required. No returrns, sales to US addressees only.

Regards - BOB - W5BTC

```
From -6324588081531962237
X-Google-Thread: 108122,dc5aea9ad8cd39e0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.138 with SMTP id p10mr4393368paz.14.1353540389399;
        Wed, 21 Nov 2012 15:26:29 -0800 (PST)
Path: s9ni4400pbb.0!nntp.google.com!news.glorb.com!feeder.erje.net!
eu.feeder.erje.net!eternal-september.org!feeder.eternal-september.org!
mx04.eternal-september.org!.POSTED!not-for-mail
From: rickman <gnuarm@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: All Digital Receiver (or nearly all digital)
Date: Wed, 21 Nov 2012 18:26:13 -0500
Organization: A noiseless patient Spider
Lines: 15
Message-ID: <k8jnv4$rds$1@dont-email.me>
Mime-Version: 1.0
Injection-Date: Wed, 21 Nov 2012 23:26:28 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="31df9405adb27b160000dbcb83b3bc8e";
     logging-data="28092"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/DPxB6HQf3UeJO81YfegcN"
```

```
User-Agent: Mozilla/5.0 (Windows NT 6.0; rv:12.0) Gecko/20120428 Thunderbird/
12.0.1
Cancel-Lock: sha1:qMFhxbKBs0fOvL/awSNfpqs5wSk=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

Do digital receivers get discussed here much? I am working on a receiver for the WWVB signal at 60 kHz and am looking at a very low power all digital design in an FPGA. Of course some aspects are still analog such as the antenna. I have been reading about loop antennas for low frequency work. I don't plan on having an analog amplifier unless it is needed. I may be able to sample the RF signal directly and use processing to boost the signal out of the noise.

Has anyone done anything like this? Right now I am looking at how to synchronize the sample rate with the carrier so that I can accumulate the signal in a coherent manner.

Any pointers on where I could find more info?

Rick

```
From -7985906116519830340
X-Google-Thread: 108122,af82e4bfe60f2bbe,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.80.8 with SMTP id n8mr4801630pax.17.1353560576790;
        Wed, 21 Nov 2012 21:02:56 -0800 (PST)
MIME-Version: 1.0
Path: s9ni3265pbb.0!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 21 Nov 2012 23:02:55 -0600
From: K7HI <K7HI.af369d8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Heil HC-4 & HC-5 elements in MINT D-104 Shell
Date: Thu, 22 Nov 2012 02:39:45 +0000
Message-ID: <K7HI.af369d8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 38
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
clEknBy6FGScLin3WYWYUm5cGDyY140zNAmU9wwHu9cdTKqX3zp9BuEJf2B2ycJR0sJ2b+W49Tjathk!
rqGHzuCXHMQfOnYNHPILNgyULl7f9GijVGZfR1CqHRIUbLDRHpM8fy7oSeZwoZJI2RtbOZnMYj8F!BA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Bytes: 2477
X-Original-Lines: 1
X-Original-Bytes: 2394
X-Received-Bytes: 2557

UNUSUAL MINT D-104 MIC SHELL with TWO SWITCH-SELECTABLE HEIL HC-4 AND HC-5 MIC ELEMENTS. It is in Original Astatic box and comes with mating Astatic STAND ADAPTER (stand is NOT included) plus several feet of shielded audio cable. Stripped cable with NO mic connector. There is a mini toggle switch (at lower left area of mic head) that selects EITHER Heil HC-4 or HC-5 element.

These elements sold for $45. each (and up) before Bob Heil stopped selling them. If you own a Heil mic and even if you don't, you know that these things are as rare as hens teeth. You just can't find them any more. These are not the cheap knockoffs advertised on eBay. They are two genuine OEM Heil elements. What you see here is what you get - and it looks (and sounds) very good!!

$169. Including Shipping w/Delivery Confirmation
INSTANT PAYPAL REQUIRED

Original Astatic Crystal or Ceramic element is NOT included.
This D-104 Shell contains ONLY switch-selectable Heil Elements HC-4 AND HC-5, as noted.

Thanks,
Howard, K7HI
http://www.qrz.com/db/k7hi

```
+-------------------------------------------------------------------+
|Filename: IMG_2068.JPG                                            |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=890|
|Filename: IMG_2069.JPG                                            |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=889|
+--------------------------------------------------------------------+
```

--
K7HI

From 4657644802286853424
X-Google-Thread: 108122,dc5aea9ad8cd39e0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.73.1 with SMTP id h1mr1641438pav.0.1353567310340;
        Wed, 21 Nov 2012 22:55:10 -0800 (PST)
Path: s9ni4391pbb.0!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Thu, 22 Nov 2012 00:55:09 -0600
From: "coffelt2" <coffelt2@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <k8jnv4$rds$1@dont-email.me>
In-Reply-To: <k8jnv4$rds$1@dont-email.me>
Subject: Re: All Digital Receiver (or nearly all digital)
Date: Wed, 21 Nov 2012 22:55:06 -0800
MIME-Version: 1.0
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18463
Message-ID: <WLKdnYwUP4vQUTDNnZ2dnUVZ5oidnZ2d@giganews.com>
Lines: 37
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-g3lCe4LZ/H/
i4Lz5uB+UJWkx773xttXMCtAwoDEsZxjwW3MxUWRCyrIxYmmiFD9YAJ7zG95/v4Z/feo!
79nOSgsydQzfinHilJTBV8rDX0iRnSWW8Ykk/UuuN9OjgF1joKVgTtpXHiTypW+u7esvG8ynYQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 2900
X-Original-Bytes: 2839
X-Received-Bytes: 2980
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
```

"rickman" <gnuarm@gmail.com> wrote in message
news:k8jnv4$rds$1@dont-email.me...

> Do digital receivers get discussed here much? I am working on a receiver
> for the WWVB signal at 60 kHz and am looking at a very low power all
> digital design in an FPGA. Of course some aspects are still analog such
> as the antenna. I have been reading about loop antennas for low frequency
> work. I don't plan on having an analog amplifier unless it is needed. I
> may be able to sample the RF signal directly and use processing to boost
> the signal out of the noise.
>
> Has anyone done anything like this? Right now I am looking at how to

> synchronize the sample rate with the carrier so that I can accumulate the
> signal in a coherent manner.
>
> Any pointers on where I could find more info?
>
> Rick

Hi, Rick,

Sorry, I can't help much, I am an analog guy, myself, and pretty much of a rookie at that. BUT, I do have a couple of inexpensive "weather stations" that I believe get their clock synch signals from WWVB. I've never looked for or seen schematics for their innards', but have to guess they have some sort of receiver on an IC.

You've probably chased down this road already, but just in case you haven't, what do you think?

They certainly don't have much of an antenna system that befits a 60 khz (kcs, actually), and only seem to be able to synch here in the dead of night when most of us are sleeping, and most of the noisiest devices are either off or at least on standby.

Old Chief Lynn, W7LTQ since 1948

```
From -8104042465830284937
X-Google-Thread: fcc6e,3fa5e27169195a59,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,3fa5e27169195a59,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,3fa5e27169195a59,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,3fa5e27169195a59,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gida3e752f117,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.72.106 with SMTP id c10mr1058189pav.2.1353567903981;
        Wed, 21 Nov 2012 23:05:03 -0800 (PST)
MIME-Version: 1.0
Path: 6ni3802pbd.1!nntp.google.com!npeer02.iad.highwinds-media.com!news.highwinds-
media.com!feed-me.highwinds-media.com!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1352271900@panix.com>
Followup-To: poster
```

Date: 22 Nov 2012 02:05:03 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Dec 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1353567900@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1353567903 1862 166.84.1.2 (22 Nov 2012 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 22 Nov 2012 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Bytes: 3551
X-Received-Bytes: 3599

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -5538483658917209505
X-Google-Thread: a4a23d5f63,61971bf2fb315913,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.80.199 with SMTP id t7mr4018738pax.40.1354019161494;
        Tue, 27 Nov 2012 04:26:01 -0800 (PST)
MIME-Version: 1.0
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1352272200@panix.com>
Followup-To: poster
Date: 22 Nov 2012 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Dec 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1353568200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1353568201 14536 166.84.1.2 (22 Nov 2012 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 22 Nov 2012 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Path: 6ni13460pbd.1!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news.mccarragher.com!news.grnet.gr!de-l.enfer-du-nord.net!feeder1.enfer-du-
nord.net!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
```

Bytes: 2814
X-Received-Bytes: 2922

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -7757598726591930933
X-Google-Thread: 108122,dc5aea9ad8cd39e0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.135.2 with SMTP id po2mr432473pbb.0.1353603118040;
        Thu, 22 Nov 2012 08:51:58 -0800 (PST)
Path: s9ni5177pbb.0!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!

us.feeder.erje.net!feeder.erje.net!eu.feeder.erje.net!eternal-september.org!
feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: rickman <gnuarm@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: All Digital Receiver (or nearly all digital)
Date: Thu, 22 Nov 2012 11:51:53 -0500
Organization: A noiseless patient Spider
Lines: 65
Message-ID: <k8ll7d$m66$1@dont-email.me>
References: <k8jnv4$rds$1@dont-email.me>
<WLKdnYwUP4vQUTDNnZ2dnUVZ5oidnZ2d@giganews.com>
Mime-Version: 1.0
Injection-Date: Thu, 22 Nov 2012 16:51:57 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="60c9a2d2fbd2200dad4c80833128b2f3";
logging-data="22726"; mail-complaints-to="abuse@eternal-september.org";
posting-account="U2FsdGVkX1/gWqidTp+lBpWUxWuGXcmr"
User-Agent: Mozilla/5.0 (Windows NT 6.0; rv:12.0) Gecko/20120428 Thunderbird/12.0.1
In-Reply-To: <WLKdnYwUP4vQUTDNnZ2dnUVZ5oidnZ2d@giganews.com>
Cancel-Lock: sha1:WipcIc85tW89ti/ImfNjxCfkPGg=
X-Received-Bytes: 4127
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 11/22/2012 1:55 AM, coffelt2 wrote:
>
> "rickman" <gnuarm@gmail.com> wrote in message
> news:k8jnv4$rds$1@dont-email.me...
>> Do digital receivers get discussed here much? I am working on a
>> receiver for the WWVB signal at 60 kHz and am looking at a very low
>> power all digital design in an FPGA. Of course some aspects are still
>> analog such as the antenna. I have been reading about loop antennas
>> for low frequency work. I don't plan on having an analog amplifier
>> unless it is needed. I may be able to sample the RF signal directly
>> and use processing to boost the signal out of the noise.
>>
>> Has anyone done anything like this? Right now I am looking at how to
>> synchronize the sample rate with the carrier so that I can accumulate
>> the signal in a coherent manner.
>>
>> Any pointers on where I could find more info?
>>
>> Rick
>
> Hi, Rick,
>
> Sorry, I can't help much, I am an analog guy, myself, and
> pretty much of a rookie at that. BUT, I do have a couple of
> inexpensive "weather stations" that I believe get their clock
> synch signals from WWVB. I've never looked for or seen
> schematics for their innards', but have to guess they have
> some sort of receiver on an IC.

> You've probably chased down this road already, but
> just in case you haven't, what do you think?
> They certainly don't have much of an antenna system
> that befits a 60 khz (kcs, actually), and only seem to be
> able to synch here in the dead of night when most of us
> are sleeping, and most of the noisiest devices are either
> off or at least on standby.
>
> Old Chief Lynn, W7LTQ since 1948

Hi Chief,

Yes, there is at least one company that makes these chips. They are a conventional superhet receiver designed to work with a tuned ferrite antenna. The one I have seen even has several outputs to allow selection of tuning capacitors so the chip can receive a number of different signals other than just the WWVB timecode.

This is a nice device, but I am attempting to show the low power potential of an FPGA and the power of digital signal processing in this application. I am hoping to show that I can pull the signal out of the noise better than a conventional receiver while using less power.

My understanding of the signal processing is actually my strong suit for this project. I have been reading up on antenna design for LF signals and I think a tuned loop antenna will give me a stronger signal than the tuned ferrite coil. The ferrite coil has to be used with a front end amplifier which I hope to omit. We'll see!

I have a simulation of the ADC working well and will be adding the DCO to synchronize the sample rate to the carrier. I should have an eval board next week (gratis of Lattice Semi, they're great folks!) and will be working on the antenna.

The antenna design is my weak area and I will be learning a lot there.

Rick

```
From -6077994905004204263
X-Google-Thread: 108122,dc5aea9ad8cd39e0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.78.161 with SMTP id c1mr371071pax.16.1353617417959;
        Thu, 22 Nov 2012 12:50:17 -0800 (PST)
Path: s9ni6074pbb.0!nntp.google.com!news.glorb.com!usenet.stanford.edu!usenet-
its.stanford.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: All Digital Receiver (or nearly all digital)
Date: Thu, 22 Nov 2012 15:53:10 -0500
Organization: National Capital Freenet, Ottawa, Ontario, Canada
```

Lines: 39
Sender: et472@bas1-montreal43-2925254917.dsl.bell.ca
Message-ID: <alpine.LNX.2.02.1211221545330.23927@darkstar.example.org>
References: <k8jnv4$rds$1@dont-email.me>
<WLKdnYwUP4vQUTDNnZ2dnUVZ5oidnZ2d@giganews.com>
NNTP-Posting-Host: bas1-montreal43-2925254917.dsl.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1353617415 3580 174.91.217.5 (22 Nov 2012 20:50:15 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 22 Nov 2012 20:50:15 GMT
In-Reply-To: <WLKdnYwUP4vQUTDNnZ2dnUVZ5oidnZ2d@giganews.com>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

On Wed, 21 Nov 2012, coffelt2 wrote:

> They certainly don't have much of an antenna system
> that befits a 60 khz (kcs, actually), and only seem to be
> able to synch here in the dead of night when most of us
> are sleeping, and most of the noisiest devices are either
> off or at least on standby.
>

That's a misdirection. Most of those "atomic clocks" will only try to sync up early in the morning, it's not like they are trying all day long. Once a day is good enough, the time can't go astray in one day, and it makes sense if they are doing it only once a day to do it in those early hours when a lot less junk is out there.

Most can be told to resync by the press of a button, I find it varies whether they can get a signal during the daytime or not, though it's not something I try much since virtually every night they do sync up.

My Casio Waveceptor watch is different. Not only will it work with stations other than WWVB (well if you're in England or Europe, or Japan), but it checks for an update at midnight local time. If it gets the signal, it stops checking for the day, if it doesn't then it keeps checking every hour till I don't know when. I've had it two years and every so often it misses a sync, but except for early on when I didn't orient it properly, I think the only times it hasn't sync'd up was when I still had it on my wrist until way too late, or I did't put it back in the right place. If it misses at midnight, it generally gets it by 3am at the latest.

And it has a much smaller antenna than the wall clocks. The wall clocks must have larger antennas (I've looked inside one) but they require proper orientation to get the WWVB signal here.

it is interesting that any WWVB receiver in the ham or hobby magazines over the years have used a large loop.

Michael VE2BVW

```
From -1198955985974231248
X-Google-Thread: 108122,dc5aea9ad8cd39e0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.84.202 with SMTP id b10mr362845paz.43.1353617654476;
        Thu, 22 Nov 2012 12:54:14 -0800 (PST)
Path: s9ni6074pbb.0!nntp.google.com!news.glorb.com!news.kjsl.com!ncf.ca!not-for-
mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: All Digital Receiver (or nearly all digital)
Date: Thu, 22 Nov 2012 15:57:07 -0500
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 81
Sender: et472@bas1-montreal43-2925254917.dsl.bell.ca
Message-ID: <alpine.LNX.2.02.1211221553270.23927@darkstar.example.org>
References: <k8jnv4$rds$1@dont-email.me>
<WLKdnYwUP4vQUTDNnZ2dnUVZ5oidnZ2d@giganews.com> <k8ll7d$m66$1@dont-email.me>
NNTP-Posting-Host: bas1-montreal43-2925254917.dsl.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1353617651 3768 174.91.217.5 (22 Nov 2012 20:54:11 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 22 Nov 2012 20:54:11 GMT
In-Reply-To: <k8ll7d$m66$1@dont-email.me>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

On Thu, 22 Nov 2012, rickman wrote:

> On 11/22/2012 1:55 AM, coffelt2 wrote:
>>
>> "rickman" <gnuarm@gmail.com> wrote in message
>> news:k8jnv4$rds$1@dont-email.me...
>>> Do digital receivers get discussed here much? I am working on a
>>> receiver for the WWVB signal at 60 kHz and am looking at a very low
>>> power all digital design in an FPGA. Of course some aspects are still
>>> analog such as the antenna. I have been reading about loop antennas
>>> for low frequency work. I don't plan on having an analog amplifier
>>> unless it is needed. I may be able to sample the RF signal directly
>>> and use processing to boost the signal out of the noise.
>>>
>>> Has anyone done anything like this? Right now I am looking at how to
>>> synchronize the sample rate with the carrier so that I can accumulate
>>> the signal in a coherent manner.
>>>
>>> Any pointers on where I could find more info?
>>>
>>> Rick
>>
>> Hi, Rick,
```

>>
>> Sorry, I can't help much, I am an analog guy, myself, and
>> pretty much of a rookie at that. BUT, I do have a couple of
>> inexpensive "weather stations" that I believe get their clock
>> synch signals from WWVB. I've never looked for or seen
>> schematics for their innards', but have to guess they have
>> some sort of receiver on an IC.
>> You've probably chased down this road already, but
>> just in case you haven't, what do you think?
>> They certainly don't have much of an antenna system
>> that befits a 60 khz (kcs, actually), and only seem to be
>> able to synch here in the dead of night when most of us
>> are sleeping, and most of the noisiest devices are either
>> off or at least on standby.
>>
>> Old Chief Lynn, W7LTQ since 1948
>
> Hi Chief,
>
> Yes, there is at least one company that makes these chips. They are a
> conventional superhet receiver designed to work with a tuned ferrite antenna.
> The one I have seen even has several outputs to allow selection of tuning
> capacitors so the chip can receive a number of different signals other than
> just the WWVB timecode.
>

Are you sure they are superhets? When those clocks have come up before,
people have talked about 60KHz crystals as filters, and down there you
wouldn't need to shift to another frequency for selectivity, while you
really would want to keep out junk before there is much amplification.

Every construction article about WWVB receivers I've seen over the decades
starts with a large loop and then amplifies the signal at 60KHz. The
design needs is different from a general VLF receiver since you only need
the one frequency. Amplifying at that frequency isn't difficult, keeping
junk out would be.

Michael VE2BVW

> This is a nice device, but I am attempting to show the low power potential of
> an FPGA and the power of digital signal processing in this application. I am
> hoping to show that I can pull the signal out of the noise better than a
> conventional receiver while using less power.
>
> My understanding of the signal processing is actually my strong suit for this
> project. I have been reading up on antenna design for LF signals and I think
> a tuned loop antenna will give me a stronger signal than the tuned ferrite
> coil. The ferrite coil has to be used with a front end amplifier which I
> hope to omit. We'll see!
>
> I have a simulation of the ADC working well and will be adding the DCO to
> synchronize the sample rate to the carrier. I should have an eval board next
> week (gratis of Lattice Semi, they're great folks!) and will be working on
> the antenna.

>
> The antenna design is my weak area and I will be learning a lot there.
>
> Rick
>

```
From 6109934557583510159
X-Google-Thread: 108122,dc5aea9ad8cd39e0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.138 with SMTP id p10mr653771paz.14.1353657071402;
        Thu, 22 Nov 2012 23:51:11 -0800 (PST)
Path: s9ni5925pbb.0!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Fri, 23 Nov 2012 01:51:10 -0600
From: "coffelt2" <coffelt2@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <k8jnv4$rds$1@dont-email.me>
<WLKdnYwUP4vQUTDNnZ2dnUVZ5oidnZ2d@giganews.com>
<alpine.LNX.2.02.1211221545330.23927@darkstar.example.org>
In-Reply-To: <alpine.LNX.2.02.1211221545330.23927@darkstar.example.org>
Subject: Re: All Digital Receiver (or nearly all digital)
Date: Thu, 22 Nov 2012 23:51:07 -0800
MIME-Version: 1.0
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18463
Message-ID: <j6idnfL8XoZztzLNnZ2dnUVZ5hadnZ2d@giganews.com>
Lines: 53
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
QXOXZDGY8tIT+4pJgVM8zOWhxESAOZ+WCntX0pJWhzknd+uzpq2rYTJOkxCDh3KYPVcbmPz28R0yimp!
e+nZKt6vDxa6VouXNAY13rJ4ezHk/oBQzO7wRPEBJMl9ZhE4ezN8upw1sxQgSQLzX3r8/N9b5g==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 4037
X-Original-Bytes: 3976
X-Received-Bytes: 4117
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
```

"Michael Black" <et472@ncf.ca> wrote in message
news:alpine.LNX.2.02.1211221545330.23927@darkstar.example.org...
> On Wed, 21 Nov 2012, coffelt2 wrote:
>
>
>>   They certainly don't have much of an antenna system
>> that befits a 60 khz (kcs, actually), and only seem to be
>> able to synch here in the dead of night when most of us
>> are sleeping, and most of the noisiest devices are either
>> off or at least on standby.
>>
> That's a misdirection. Most of those "atomic clocks" will only try to
> sync up early in the morning, it's not like they are trying all day long.
> Once a day is good enough, the time can't go astray in one day, and it
> makes sense if they are doing it only once a day to do it in those early
> hours when a lot less junk is out there.
>
> Most can be told to resync by the press of a button, I find it varies
> whether they can get a signal during the daytime or not, though it's not
> something I try much since virtually every night they do sync up.
>
> My Casio Waveceptor watch is different. Not only will it work with
> stations other than WWVB (well if you're in England or Europe, or Japan),
> but it checks for an update at midnight local time. If it gets the
> signal, it stops checking for the day, if it doesn't then it keeps
> checking every hour till I don't know when. I've had it two years and
> every so often it misses a sync, but except for early on when I didn't
> orient it properly, I think the only times it hasn't sync'd up was when I
> still had it on my wrist until way too late, or I did't put it back in the
> right place. If it misses at midnight, it generally gets it by 3am at the
> latest.
>
> And it has a much smaller antenna than the wall clocks. The wall clocks
> must have larger antennas (I've looked inside one) but they require proper
> orientation to get the WWVB signal here.
>
> it is interesting that any WWVB receiver in the ham or hobby magazines
> over the years have used a large loop.
>
>   Michael VE2BVW
>

Very interesting, Michael. I hadn't thought of my WX machines checking at a predetermined schedule. That helps explain (to thickheaded me) why they won't sync when I go thorough the messy set-up algorithm after changing batteries, but have usually sync'd by the time the cock crows.

I notice Rick has slid over to the slightly more appropriate rec.radio.homebrew slot with his interesting quest.

How many years have I been reading your contributions here, Michael?

Old Chief Lynn, W7LTQ since 1948

From 7426653325281098587
X-Google-Thread: 108122,dc5aea9ad8cd39e0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.85.133 with SMTP id h5mr1418496paz.23.1353713275308;
        Fri, 23 Nov 2012 15:27:55 -0800 (PST)
Path: 6ni7800pbd.1!nntp.google.com!news.glorb.com!us.feeder.erje.net!
feeder.erje.net!eu.feeder.erje.net!eternal-september.org!feeder.eternal-
september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: rickman <gnuarm@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: All Digital Receiver (or nearly all digital)
Date: Fri, 23 Nov 2012 18:27:43 -0500
Organization: A noiseless patient Spider
Lines: 34
Message-ID: <k8p0pq$91h$1@dont-email.me>
References: <k8jnv4$rds$1@dont-email.me>
<WLKdnYwUP4vQUTDNnZ2dnUVZ5oidnZ2d@giganews.com> <k8ll7d$m66$1@dont-email.me>
<alpine.LNX.2.02.1211221553270.23927@darkstar.example.org>
Mime-Version: 1.0
Injection-Date: Fri, 23 Nov 2012 23:27:54 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="d1cf2c7c7eb0d8f0b20915a3759bcbc3";
     logging-data="9265"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+L23oRAkvsTGJQeCm5OAXj"
User-Agent: Mozilla/5.0 (Windows NT 6.0; rv:12.0) Gecko/20120428 Thunderbird/
12.0.1
In-Reply-To: <alpine.LNX.2.02.1211221553270.23927@darkstar.example.org>
Cancel-Lock: sha1:fAhUvNjTk8htw8O+XHur7x001fk=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 11/22/2012 3:57 PM, Michael Black wrote:
> On Thu, 22 Nov 2012, rickman wrote:
>
>> Hi Chief,
>>
>> Yes, there is at least one company that makes these chips. They are a
>> conventional superhet receiver designed to work with a tuned ferrite
>> antenna. The one I have seen even has several outputs to allow
>> selection of tuning capacitors so the chip can receive a number of
>> different signals other than just the WWVB timecode.
>>
> Are you sure they are superhets? When those clocks have come up before,
> people have talked about 60KHz crystals as filters, and down there you
> wouldn't need to shift to another frequency for selectivity, while you
> really would want to keep out junk before there is much amplification.

No, I'm not sure they are superhets, I don't recall the block diagram at the moment. I suppose you are right that they just need to filter out the junk (done mostly by the antenna) and get a signal that is above the noise to measure the amplitude.

> Every construction article about WWVB receivers I've seen over the
> decades starts with a large loop and then amplifies the signal at 60KHz.
> The design needs is different from a general VLF receiver since you only
> need the one frequency. Amplifying at that frequency isn't difficult,
> keeping junk out would be.
>
> Michael VE2BVW

I could use an amplifier, but I'm trying to minimize the power consumption and I think I can do it without the amp through averaging.

Rick

```
From -5509440603321113l7
X-Google-Thread: 108122,598129180b2f5c81,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.6 with SMTP id l6mr1773037paz.11.1353741395296;
        Fri, 23 Nov 2012 23:16:35 -0800 (PST)
MIME-Version: 1.0
Received: by 10.50.169.7 with SMTP id aa7mr1453008igc.2.1353741395256; Fri, 23
 Nov 2012 23:16:35 -0800 (PST)
Path: 6ni6210pbd.1!nntp.google.com!kt20no3513629pbb.1!postnews.google.com!
vy11g2000pbb.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Fri, 23 Nov 2012 23:16:35 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: vy11g2000pbb.googlegroups.com; posting-host=117.216.178.225;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
NNTP-Posting-Host: 117.216.178.225
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:10.0.2) Gecko/20100101 Firefox/
10.0.2,gzip(gfe)
Message-ID: <e1ba8c08-e4d8-41b5-acfe-87ea63cdacad@vy11g2000pbb.googlegroups.com>
Subject: HOT SEX BED ROOM VIDEOS AND 200 BEST ACTRESSES PHOTOS s.
From: HGHFGDS <fhfgfgg@gmail.com>
Injection-Date: Sat, 24 Nov 2012 07:16:35 +0000
Content-Type: text/plain; charset=ISO-8859-1
```

VERY VERY VERY HOT HOT HOT ONLY HOT
http://acresesandmodels.blogspot.in/2011/06/real-kiss-hot-videos.html

HOT HOT LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/hot-for-youth.html
SUPER HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-101.html

YOUTH HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-lip-kiss-12.html
ONLY HOT HOT
http://hotvideosfreesee.blogspot.in/2010/06/supr-hot-never-seen.html
SUPER HOT NEVER SEEN
http://hotvideosfreesee.blogspot.in/2010/06/supe-r-hot-kiss-op.html
HEROINE LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/kajal-best-lip-kiss.html

for mopre hot videos
http://allvideosforyouth.blogspot.in/2010/08/super-hot-lip-kiss.html

jobs
http://alljobsaywhere.blogspot.in/

mobile

mobile games free download
http://mobileallinforation.blogspot.in

interview question
java interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/java-interview-questions-and-answers.html
oracle interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/oracle-interview-questions-and-answers.html
hardware interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/hardware-interview-questions-and-answers.html
networking interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/networking-interview-questions-and.html
dotnet interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/dotnet-interview-questions-and-answers.html
c interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/c-interview-questions-and-answers.html
datawarehousing interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/datawarehousing-interview-questions-and.html
sap interview questions and answers
http://alljobsandinterviwquestions.blogspot.com/2012/08/sap-interview-questions-and-answers.html

all jobs
java jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/java-jobs.html
oracle jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/oracle-jobs.html
sap jobs

http://alljobsandinterviwquestions.blogspot.com/2012/08/sap-jobs.html
hardware jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/hardware-jobs.html
networking jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/networking-jobs.html
datawarehousing jobs
http://alljobsandinterviwquestions.blogspot.com/2012/08/datawarehousing-jobs.html
GOOGLE ADSENSE
http://alljobsandinterviwquestions.blogspot.com/2012/08/google-adsense.html

---

```
From -6117073504341591651
X-Google-Thread: 108122,20bd3879869100cb,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.75.230 with SMTP id f6mr2129335paw.25.1353790690215;
        Sat, 24 Nov 2012 12:58:10 -0800 (PST)
Path: 6ni7862pbd.1!nntp.google.com!npeer02.iad.highwinds-media.com!news.highwinds-
media.com!feed-me.highwinds-media.com!border3.nntp.dca.giganews.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Nov 2012 14:58:09 -0600
Date: Sat, 24 Nov 2012 20:58:09 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows NT 5.0; rv:12.0) Gecko/20120428 Thunderbird/
12.0.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Working on HP5255A freq converter?
Message-ID: <Q5KdnVeFxvp8qSzNnZ2dnUVZ_qCdnZ2d@bright.net>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-8wmzW87YqTiiXM6k1ZLLzUDUqBvVgA7mLF+uv8iCH3nZ8tnf4WuVQCayE+6nyWgAWh+/
Bx/aLeC0sx8!LNalkJq6gjfO5kyDUg74U0IszUFPzZ0nWPpIhFV7X/
tAb66FoMfCdAiKlJjiAYwGYBhLVb6nHmcZ!5YJT7YDavw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1882
X-Original-Bytes: 1821
X-Received-Bytes: 1962
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

I have an old HP 5245L freq counter with plug in 5255A converter module
that I bought long ago and never got around to testing. The converter

module is not working, but the freq counter itself is working with the main input, but works a bit using the aux in port, so it sounds like it could be a bad input attenuator, mixer or maybe the 200 MHz oscillator stuff is not working. I have a copy of the manual and it talks about working on the cards with extender card while the unit is installed in the counter. Problem is, there's a metal "casting" all around that the converter slides into. How does one remove the top cover of the module and insert extender cards with the case compartment in the way?

Sure would be nice to have freq counting capability up to 12 GHz!

N0EDV

```
From -3852776374193495791
X-Google-Thread: 108122,c712020eb31ab082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.213.103 with SMTP id nr7mr141569pbc.7.1354251765593;
        Thu, 29 Nov 2012 21:02:45 -0800 (PST)
MIME-Version: 1.0
Path: 6ni19080pbd.1!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 29 Nov 2012 23:02:45 -0600
From: Channel Jumper <Channel.Jumper.afdf5d8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Handheld for new Technician Class License holder
Date: Thu, 29 Nov 2012 23:34:03 +0000
Message-ID: <Channel.Jumper.afdf5d8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <k7vbmb$k5s$1@dont-email.me>
<50a52de4$0$26848$742ec2ed@news.sonic.net> <isqfn9-suj.ln1@radagast.org>
Lines: 101
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
h7gsbFiTXD8SvUxeR+P4HDS+qBqw6FduJR11VIdW5vb4wgH+POJpOtABWFTvHpgB5O2H+Pu94evhxt/!
6umuOZnGyH7uW1rIOivIIM2rFf9QlRvgekDBVyFkRHJNqYJt5bHJ8ZiLxM5JoepmRKSQ7eHEVjoB!
dJAK4NGfE8BYp8E=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 5375
X-Original-Lines: 56
X-Original-Bytes: 5291
```

X-Received-Bytes: 5455

To introduce myself - I have been involved in communications since 1970 and I have been a volunteer examiner for 1.5 years.

At the very basic level - we have been giving one test session per a month for the last 18 months.

Most every test session with the exception of Ham In A Day classes - the only participants are the people that I enticed to come along and take the exam.

I even went so far as to have the first VE test session in my county in 25 years!

Two people showed up and one person passed the exam...

I thought about what I could do to make ham radio more user friendly.
I came to the conclusion that I could round up as many ham radio magazines as I could find.
I contacted the local vendors of ham radio equipment - HRO and AES and I got them to send me a case of catalog's.
I then circled the best transceivers, antenna's, coax, power supplies, SWR meters etc and I handed them out.
I also gave the surplus catalogs away to the other VE's so they could give them out at future events.

The Key to Amateur Radio is to have a Elmer!
You say - what is a Elmer?
A Elmer is a experienced HAM - a person who operates every day and is willing to open their shack to anyone that wishes to use their equipment to get on the air.
A ELMER is a person that is willing to LEND you equipment - short term, so you can get on the air and make some contacts!

Note I said short term!
Some people - once they get something that works - even just a little, will stop - because they dont want to spend their own money!
Those people are not HAMS!

As a example - the one person who passed the test at my VE test session, had a transceiver that was given to him when he worked for the Forrest Fire Service in Colorado.
He felt that since he had a mobile radio and antenna - he didn't need anything else, because it was programmable into the 2 meters / 70 CM bands.

Only when he took the test - it was 65* outside, and when he got his license it was only 55*.
Now it is only 35* and operating outside is out of the question...

So he got one of his forest fire friends to send him a power supply,

FREE - all he had to do is pay the $18.00 shipping..
He actually complained because he had to pay $18.00 for a 20 amp power supply..
At that point, I washed my hands of the guy - because he won't ever make it in my world...

Yes you can make a couple of contacts with a cheap - $50.00 walkie talkie, but NO - it is not a reliable form of communications...

The only exception to the rule is a old Radio Shack HTX 202 that I bought at my ELMERS SK auction.. It was broke, no manual, the battery was dead.
No one wanted it when it did not work!
I bought a battery pack and I made a mobile power cord and I was given a mobile handheld MFJ magmount antenna to use.
For 6 watts - it does remarkably well in certain conditions.

I have been able to hit repeaters 40 miles away - that are in a good place, as long as I am in a good place.. No one is going to drive 12 miles to the top of my mountain to operate on 2 meters...
So yes it can work - as long as you are in a good situation..

The problem is - I live in the mountains and If I drive down the road 1/4 of 1 mile, the signals all drops out and I have spotty coverage while mobile.

The other problem is - most people I know that are old hams - do not know how to program their own radios.
The exception is the ones with the Alinco's and ADI's because they were so simplistic - all you had to do was program it from the VFO and add the PL and Split and there you have it.

Try to do the same thing with my Kenwood TS 590S on 10 or 6 meters and you will see the difference immediately..
Those same people - who usually doesn't even know how to operate simplex - unless someone programmed it in for them, are perplexed when you ask them to show you how to program your transceiver and they usually make excuses why they are too busy to do it.

Some transceivers like my Yaesu FT 8900R - its so difficult, you are better off just using the programming cable and a aftermarket program...

Maybe this will explain a little of why I am so against handhelds for primary communications..

--
Channel Jumper

```
From 6389614020467797728
X-Google-Thread: 108122,93acdcd32739922e,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,93acdcd32739922e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gide721ae2bf6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.72.67 with SMTP id b3mr675518pav.28.1354345202967;
        Fri, 30 Nov 2012 23:00:02 -0800 (PST)
MIME-Version: 1.0
Path: 6ni21165pbd.1!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news.glorb.com!news-out.readnews.com!transit3.readnews.com!
panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1352962800@panix.com>
Followup-To: poster
Date: 1 Dec 2012 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 19 Dec 2012 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1354345200@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1354345202 3537 166.84.1.2 (1 Dec 2012 07:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 1 Dec 2012 07:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Bytes: 3879

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html
```

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

```
the rec.radio.amateur.moderated Moderation Team had decided to consider       |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup.  After a successful trial         |
period (90 days, through early July 2009), we decided to adopt this           |
change permanently.                                                           |
```

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 2926752963129228882
X-Google-Thread: 108122,6a1bbf3549c4b071,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.88.200 with SMTP id bi8mr2699952pab.27.1354668911408;
        Tue, 04 Dec 2012 16:55:11 -0800 (PST)
Path: s9ni28051pbb.0!nntp.google.com!news.glorb.com!news.astraweb.com!
border6.newsrouter.astraweb.com!not-for-mail
Subject: FA: PSR-120 GRE Scanner...Police, Fire, Ham, Aviation, Weather and much
more
Date: Tue, 04 Dec 2012 19:55:10 -0400
From: Ken <ken@kjsdfoiuwdf.com>
Newsgroups: rec.radio.amateur.equipment,rec.aviation.marketplace
Message-ID: <041220121955104722%ken@kjsdfoiuwdf.com>
MIME-Version: 1.0
User-Agent: Thoth/1.9.0 (Mac OS X)
```

```
Lines: 2
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: e693b877.news.astraweb.com
X-Trace: DXC=1S8\k]Yi14a5ljRKX^a8BhL?0kYOcDh@j>:6IOJ]K9UbcTbO5NF?
kNn;n^U31oXNSj:f70A;1c9fdO2T`4:=25C`<G2KibhM6oj<R<oKb0IMGf
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=321035817025


From -5349746856927325638
X-Google-Thread: fcc6e,2bce3cc0a58cf090,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,2bce3cc0a58cf090,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,2bce3cc0a58cf090,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gide721ae2bf6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.77.34 with SMTP id p2mr840173paw.30.1354863904939;
        Thu, 06 Dec 2012 23:05:04 -0800 (PST)
MIME-Version: 1.0
Path: s9ni32044pbb.0!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1353567900@panix.com>
Followup-To: poster
Date: 7 Dec 2012 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Dec 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1354863900@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1354863904 9454 166.84.1.2 (7 Dec 2012 07:05:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Dec 2012 07:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Received-Bytes: 3542

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
```

Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -3867029644084863537

```
X-Google-Thread: 108122,da277bc9ca8336a7,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.72.232 with SMTP id g8mr282284pav.23.1354864202323;
        Thu, 06 Dec 2012 23:10:02 -0800 (PST)
MIME-Version: 1.0
Path: s9ni32097pbb.0!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1353568200@panix.com>
Followup-To: poster
Date: 7 Dec 2012 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 25 Dec 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1354864200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1354864201 24318 166.84.1.2 (7 Dec 2012 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Dec 2012 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Bytes: 2678

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet

Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -1213756937118463516
X-Google-Thread: 108122,bdd6d6dde087efa2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.80.199 with SMTP id t7mr1139076pax.40.1354916923818;
        Fri, 07 Dec 2012 13:48:43 -0800 (PST)
Path: s9ni33161pbb.0!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!news.glorb.com!eternal-september.org!feeder.eternal-
september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: Justin <no@becauseireallyhatespam.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: CB radio for emergencies?
Date: Fri, 07 Dec 2012 16:48:11 -0500
Organization: She Looked 18 Productions LLC.
Lines: 18
Message-ID: <k9to7r$de2$1@dont-email.me>
Mime-Version: 1.0
Injection-Date: Fri, 7 Dec 2012 21:48:43 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="899b16217de36ed1479448d5db35e801";
     logging-data="13762"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+b1O/AR25GVvZKKCY/lU6+uaYnDuT5Xg8="
User-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:10.0) Gecko/20120206
Thunderbird/10.0
Cancel-Lock: sha1:HvvuZjt4ktbIF7yP706E4jsNcu4=
X-Received-Bytes: 2186
Bytes: 2282
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

I was thinking of getting a pair of handheld CBs for emergencies. I'm in the US just FYI since each country has a billion different standards. I saw a story about Hurricane Sandy, where a family member went out to help somebody down the road. Wouldn't it be nice if he brought a radio so he could communicate with the people he left at home? Since I my area was amazingly lucky and had literally zero damage even though the storm passed right over us. Things could have been very different. It got me thinking that if I were in that situation.

I was thinking of a set of UHF, GMRS, or even business band radios. I knew I would be breaking the law using them, but during an emergency I don't think anybody would come after me. I would not use them every day. I'm thinking CB might be a good idea too, since there are probably more people on it and they could listen in and possibly help. A good thing if emergency services are stretched if operating at all.

Eventually I plan on getting a HAM license, and being part of the local Amateur Radio Emergency Service (ARES).

What is your input? Any specific models or brands of radio I should get that fits the bill?

```
From -4165193576230175260
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.75.234 with SMTP id f10mr902435paw.8.1354918062989;
        Fri, 07 Dec 2012 14:07:42 -0800 (PST)
MIME-Version: 1.0
Path: 6ni32873pbd.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 07 Dec 2012 16:07:42 -0600
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <k9to7r$de2$1@dont-email.me>
Subject: Re: CB radio for emergencies?
Date: Fri, 7 Dec 2012 17:07:40 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
X-RFC2646: Format=Flowed; Response
Message-ID: <SIqdnUJYU4sz9V_NnZ2dnUVZ_qqdnZ2d@earthlink.com>
Lines: 30
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.5
X-Trace: sv3-DuKgknNbcuPmO+b9TI8nEyc/po80o/
hz0D5GmpHrPhx4XdwL9Ufju6N0LQpmFWsje2zHcZISebInim4!6spqLg9IumfP3PC/
fVCXUqsv0XN+8iYdWYOS2bDpU12kPvWr1GWL8VZk68AjKHRcIjtxiXbmZbyR!mBgOWSP5s3JT77AdlE4=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
```

Bytes: 2837
X-Original-Bytes: 2776

"Justin" <no@becauseireallyhatespam.edu> wrote in message
news:k9to7r$de2$1@dont-email.me...
>I was thinking of getting a pair of handheld CBs for emergencies. I'm in
>the US just FYI since each country has a billion different standards.
> I saw a story about Hurricane Sandy, where a family member went out to
> help somebody down the road. Wouldn't it be nice if he brought a radio so
> he could communicate with the people he left at home? Since I my area was
> amazingly lucky and had literally zero damage even though the storm passed
> right over us. Things could have been very different. It got me thinking
> that if I were in that situation.
> I was thinking of a set of UHF, GMRS, or even business band radios. I
> knew I would be breaking the law using them, but during an emergency I
> don't think anybody would come after me. I would not use them every day.
> I'm thinking CB might be a good idea too, since there are probably more
> people on it and they could listen in and possibly help. A good thing if
> emergency services are stretched if operating at all.
> Eventually I plan on getting a HAM license, and being part of the local
> Amateur Radio Emergency Service (ARES).
> What is your input? Any specific models or brands of radio I should get
> that fits the bill?

As you are planning on getting a ham license, you may want to look at this
brand. Go to Amazon.com and search for Baofeng. They are small handy
talkies that have an output of about 4 watts. They can be programmed for
the ham bands and other frequencies. Be sure to get the programming cable
and softwear for them. A pair should be less than $ 100.

From -6593660794491486217
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.85.168 with SMTP id i8mr1160369paz.21.1354922435114;
        Fri, 07 Dec 2012 15:20:35 -0800 (PST)
Path: s9ni33237pbb.0!nntp.google.com!news.glorb.com!eternal-september.org!
feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: Justin <no@becauseireallyhatespam.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
Date: Fri, 07 Dec 2012 18:20:04 -0500
Organization: She Looked 18 Productions LLC.
Lines: 34
Message-ID: <k9ttk2$gmv$1@dont-email.me>
References: <k9to7r$de2$1@dont-email.me>
<SIqdnUJYU4sz9V_NnZ2dnUVZ_qqdnZ2d@earthlink.com>

```
Mime-Version: 1.0
Injection-Date: Fri, 7 Dec 2012 23:20:34 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="619bd57ce86e5d09a0626bee34ed2a34";
     logging-data="17119"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19OJgebyROWjNhy5p+AxWcKa+AmKCa+Gbk="
User-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:10.0) Gecko/20120206
Thunderbird/10.0
In-Reply-To: <SIqdnUJYU4sz9V_NnZ2dnUVZ_qqdnZ2d@earthlink.com>
Cancel-Lock: sha1:SJfyUwrtqzKT55/3dMtCgLz/ni4=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 12/7/2012 5:07 PM, Ralph Mowery wrote:
> "Justin"<no@becauseireallyhatespam.edu>  wrote in message
> news:k9to7r$de2$1@dont-email.me...
>> I was thinking of getting a pair of handheld CBs for emergencies.  I'm in
>> the US just FYI since each country has a billion different standards.
>> I saw a story about Hurricane Sandy, where a family member went out to
>> help somebody down the road.  Wouldn't it be nice if he brought a radio so
>> he could communicate with the people he left at home?  Since I my area was
>> amazingly lucky and had literally zero damage even though the storm passed
>> right over us.  Things could have been very different.  It got me thinking
>> that if I were in that situation.
>> I was thinking of a set of UHF, GMRS, or even business band radios.  I
>> knew I would be breaking the law using them, but during an emergency I
>> don't think anybody would come after me.  I would not use them every day.
>> I'm thinking CB might be a good idea too, since there are probably more
>> people on it and they could listen in and possibly help.  A good thing if
>> emergency services are stretched if operating at all.
>> Eventually I plan on getting a HAM license, and being part of the local
>> Amateur Radio Emergency Service (ARES).
>> What is your input?  Any specific models or brands of radio I should get
>> that fits the bill?
>
> As you are planning on getting a ham license, you may want to look at this
> brand.  Go to Amazon.com and search for Baofeng.  They are small handy
> talkies that have an output of about 4 watts.  They can be programmed for
> the ham bands and other frequencies.  Be sure to get the programming cable
> and softwear for them.  A pair should be less than $ 100.
>
>
>

Yes I'm planning on getting a HAM license, however I'm studying for the
CPA first.
What about brands like Kenwood?  Aren't they know for decent quality?


From -904050652877930378
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.6 with SMTP id l6mr1115884paz.11.1354924183028;
        Fri, 07 Dec 2012 15:49:43 -0800 (PST)
MIME-Version: 1.0
Path: 6ni32995pbd.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 07 Dec 2012 17:49:42 -0600
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <k9to7r$de2$1@dont-email.me>
<SIqdnUJYU4sz9V_NnZ2dnUVZ_qqdnZ2d@earthlink.com> <k9ttk2$gmv$1@dont-email.me>
Subject: Re: CB radio for emergencies?
Date: Fri, 7 Dec 2012 18:49:41 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
X-RFC2646: Format=Flowed; Response
Message-ID: <EYOdnQveL58LHV_NnZ2dnUVZ_sGdnZ2d@earthlink.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.5
X-Trace: sv3-5jV9FkGbT4orRFKNd9tj8lLUqhy0JlMm7Zt41eb/
yyjfR1WT1UdiHoxAj5X35nPGzZZe5+HjmDvSbI0!
gfX8Y7NTqLKQtCF6NrnhLJcTvFfS82UMraH458nOhI/qriHjelU8PY5YlpbLedHRWs6rycCss0mI!
4fVX2flDg4H4QR5AIAI=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1945
X-Original-Bytes: 1884
```

"Justin" <no@becauseireallyhatespam.edu> wrote in message
news:k9ttk2$gmv$1@dont-email.me...

> On 12/7/2012 5:07 PM, Ralph Mowery wrote:
> Yes I'm planning on getting a HAM license, however I'm studying for the
> CPA first.
> What about brands like Kenwood? Aren't they know for decent quality?

They are fine brands. Just as Icom and Yeasu are. I was thinking of the price. You get about the same in any of them. I have a Wouxun HT that I bought several years ago. Many in the ham club have them and they work fine. That is about a $ 120 each radio.
There are many places to get the Wouxun. Here is one :
http://www.wouxun.us/item.php?item_id=216&category_id=46

I bought mine from a local dealer.

```
From -2866077697466076007
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.73.134 with SMTP id l6mr1054660pav.0.1354926273195;
        Fri, 07 Dec 2012 16:24:33 -0800 (PST)
MIME-Version: 1.0
Path: s9ni33310pbb.0!nntp.google.com!news.glorb.com!feeder.erje.net!
us.feeder.erje.net!news2.arglkargh.de!news.mixmin.net!aioe.org!.POSTED!not-for-
mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
Date: Fri, 07 Dec 2012 19:24:30 -0500
Organization: Aioe.org NNTP Server
Lines: 39
Message-ID: <fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com>
References: <k9to7r$de2$1@dont-email.me>
NNTP-Posting-Host: Tf0Jpb42yhaGxCr/heTDsw.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
```

In article <k9to7r$de2$1@dont-email.me>,
Justin <no@becauseireallyhatespam.edu> wrote:

> I was thinking of getting a pair of handheld CBs for emergencies. I'm
> in the US just FYI since each country has a billion different standards.
> I saw a story about Hurricane Sandy, where a family member went out to
> help somebody down the road. Wouldn't it be nice if he brought a radio
> so he could communicate with the people he left at home?

Justin-

If you do get the pair of handheld CB radios, they should be a relatively inexpensive "learning experience". They may be of some use, but you will learn they do not work over a very long distance. Their range is mostly limited by interference from the many other users of the Citizens Band, even if the radio at home is connected to an outdoor antenna.

Using GMRS radios may not have as much interference, but are limited to line-of-sight distances. If there is a nearby GMRS repeater with a high antenna, your range would be determined by the line-of-sight between each radio and the repeater, which could be several miles. If there are no repeaters in your area, you would need to install one of your own, perhaps on top of a tall building in your community.

The same is true with Ham Radio. Using a Two Meter repeater, your hand held radios might have a range of several miles. There are Ham Clubs that sponsor repeaters in most population centers, and many are involved in ARES and RACES emergency services. I suggest you look for Ham Clubs in your area. Some offer free Ham Radio License Classes to get you started. Take a look at the ARRL website, <http://www.arrl.org>.

Just remember, in a true emergency, power failure may keep all of your radio systems from working unless they have backup power. In many situations, the Cellular Telephone System may be the only working system in the early hours.

Fred
K4DII

```
From 2080152955175994540
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.90.67 with SMTP id bu3mr2802921pab.45.1355072564745;
        Sun, 09 Dec 2012 09:02:44 -0800 (PST)
MIME-Version: 1.0
Path: s9ni36317pbb.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 09 Dec 2012 11:02:43 -0600
From: Channel Jumper <Channel.Jumper.b0a7c19@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
Date: Sun, 9 Dec 2012 16:24:33 +0000
Message-ID: <Channel.Jumper.b0a7c19@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <k9to7r$de2$1@dont-email.me>
Lines: 124
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-CkDaIiOh2CRSbjG1PAvJjDBE+A31Nz2vGRFYu+kJXKNZO6YeRCi+4moQlS/
6mXwGvY1Ke9yIrXJT/qj!0HVpscIEcJGOQbi97qiTd3UxGnBvOF5QJZHMqSz/
xLV9vj8Y7ZCMD9BUBn1WleFtsEfot8SvoxFR!JoCeZxKC2z35i4k=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 6315
X-Original-Lines: 71
X-Original-Bytes: 6231
```

'Justin[_3_ Wrote:
> ;799381']I was thinking of getting a pair of handheld CBs for
> emergencies.
>
> Amateur Radio is not CB RADIO = I think you have the two confused.
> I'm
>
> in the US just FYI since each country has a billion different
> standards.
> I saw a story about Hurricane Sandy, where a family member went out to
> help somebody down the road. Wouldn't it be nice if he brought a radio
>
> so he could communicate with the people he left at home? Since I my
> area was amazingly lucky and had literally zero damage even though the
> storm passed right over us. Things could have been very different. It
>
> got me thinking that if I were in that situation.
>
> In order for radio to work, you have to have two transceivers on the
> same frequency and someone to operate them properly..
> CB RADIO has no rules - hence it has no intelligence.
> Because it is not a licensed entienty - you cannot rely on channel 9 to
> be available when your emergency arises..
>
> I was thinking of a set of UHF, GMRS, or even business band radios.
>
> GMRS requires a LICENSE! PERIOD! THe license costs around $85 for 10
> years. It only works - LINE OF SIGHT..
> Until you understand communications - you will realize that a 1 or 2
> WATT WALKIE TALKIE WILL ONLY TALK AS FAR AS YOU CAN SEE - WHICH ISN'T
> MUCH HELP IN A EMERGENCY.. If you were up on a high mountain - you could
> see pretty far, as so if you were atop a mast of a ship in the middle of
> Lake Erie...
>
> I knew I would be breaking the law using them, but during an emergency
> I
> don't think anybody would come after me.
> Yes they would come after you - first because AMATEUR RADIO requires a
> license and proper training, and unless you have the proper training -
> you wouldn't be of any use to anyone......
>
> I would not use them every day.
>
> Again - another misconception - to be an effective communicator - you
> have to do it all the time.. The problem with CB radio is that there is
> no one to talk to.
> With GMRS - you would have to use someone else's repeater, which
> repeater owners do not like people rag chewing on their frequencies,
> when they rent out their repeaters to their customers - it takes money
> out of their pockets.
>
> With AMATEUR RADIO - if you use their repeaters, no one will talk to a
> unlicensed person - you would get them into as much trouble as you would

> be getting yourself into..
>
> I'm thinking CB might be a good idea too, since there are probably
> more people on it and they could listen in and possibly help. A good
> thing if emergency services are stretched if operating at all.
>
> CB cannot work in a emergency, because you will always have morons that
> are jamming the frequencies, and people who are acting stupid and no one
> that really wants to help you. It requires two people with common sense
> and a clear frequency..
>
> Because CB radio is global - you cannot find a clear frequency anymore,
> because there is one million idiots all screaming and yelling at the
> same time when the band is open and no one except truck drivers and
> idiots when it is not!   The world has moved on and the CB radio has
> been left behind...
>
> Eventually I plan on getting a HAM license, and being part of the local
>
> Amateur Radio Emergency Service (ARES).
> What is your input? Any specific models or brands of radio I should get
>
> that fits the bill?

ARES - Amateur Radio Emergency Services - requires you to join ARES, to
participate in at least 75% of their nets and activities..
Their nets takes place on 80 meters - 3.800 - 3.999 MHz - which requires
you to have a General Class or higher license.

Both the Technician and the General requires you to pass a 35 question,
multiple guess test.
Each time you upgrade - you will be requires to learn more.

The problem is - then you need a transceiver that can do 80 meters, a 80
meter antenna, feed line, a power supply, a tuner - since most antenna's
are not resonant on 80 meters except for a 80 meters dipole - very large
antenna, or a Barker & Williamson BWD 90 which is about the same size as
a G5RV - fits in a space about 100 feet long and needs to be 60 or more
feet in the air.

That is out of reach of most city dwellers and people who lives within a
covenant - housing development plan.

Although amateur radio now has more licensed operators then any other
time.
Historically - it is loosing its core members at a proportional rate,
and the old members would need to mentor the new members to make them
contributing members of society.

The problem is - most of the newer members comes from the CB radio and
we can't teach them nothing because their mouths are open and their
minds are shut.

CB radio mentality is if you cannot make contact - use more power.

They don't understand how antenna's radiate the power applied and they
don't understand how communications works.
ALL THEY WANT TO DO IS TALK!

I would suggest that you find a real amateur radio club and join it.

Get some advice from some real hams - if you can find them.

Do as much internet research as possible - learn as much as you can
learn.

--
Channel Jumper

From 6310480255004575555
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.105.105 with SMTP id gl9mr2153713wib.4.1355196843054;
        Mon, 10 Dec 2012 19:34:03 -0800 (PST)
Path: i11ni105146wiw.0!nntp.google.com!goblin3!goblin.stu.neva.ru!de-l.enfer-du-nord.net!feeder2.enfer-du-nord.net!eternal-september.org!feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: Justin <no@becauseihatespam.info>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
Date: Mon, 10 Dec 2012 22:33:58 -0500
Organization: She Looked 18 Productions LLC.
Lines: 60
Message-ID: <ka69ja$o02$1@dont-email.me>
References: <k9to7r$de2$1@dont-email.me>
<fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com>
Mime-Version: 1.0
Injection-Date: Tue, 11 Dec 2012 03:34:02 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="619bd57ce86e5d09a0626bee34ed2a34";
     logging-data="24578"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/qrtUjqyNJwBAIW5la2JkuIsnmGfnvEoE="
User-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:10.0) Gecko/20120206 Thunderbird/10.0
In-Reply-To: <fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com>
Cancel-Lock: sha1:zsD6L+c6jmeN7NgLtg+vl1FX4ns=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 12/7/2012 7:24 PM, Fred McKenzie wrote:

> In article<k9to7r$de2$1@dont-email.me>,
> Justin<no@becauseireallyhatespam.edu> wrote:
>
>> I was thinking of getting a pair of handheld CBs for emergencies. I'm
>> in the US just FYI since each country has a billion different standards.
>> I saw a story about Hurricane Sandy, where a family member went out to
>> help somebody down the road. Wouldn't it be nice if he brought a radio
>> so he could communicate with the people he left at home?
>
> Justin-
>
> If you do get the pair of handheld CB radios, they should be a
> relatively inexpensive "learning experience". They may be of some use,
> but you will learn they do not work over a very long distance. Their
> range is mostly limited by interference from the many other users of the
> Citizens Band, even if the radio at home is connected to an outdoor
> antenna.

The CB radios would be for short range, maybe half a mile, or around the
neighborhood. When Sandy hit the cell phones were out for days. Even
though my area was relatively unscathed, the towers were still down.
Just having the ability to talk to a family member back at the house
would be nice.

>
> Using GMRS radios may not have as much interference, but are limited to
> line-of-sight distances. If there is a nearby GMRS repeater with a high
> antenna, your range would be determined by the line-of-sight between
> each radio and the repeater, which could be several miles. If there are
> no repeaters in your area, you would need to install one of your own,
> perhaps on top of a tall building in your community.

I don't know of any GMRS repeaters in the area, but that's a good idea,
I'll check it out.
Is there a website with all of them mapped out?

>
> The same is true with Ham Radio. Using a Two Meter repeater, your hand
> held radios might have a range of several miles. There are Ham Clubs
> that sponsor repeaters in most population centers, and many are involved
> in ARES and RACES emergency services. I suggest you look for Ham Clubs
> in your area. Some offer free Ham Radio License Classes to get you
> started. Take a look at the ARRL website,<http://www.arrl.org>.
>
> Just remember, in a true emergency, power failure may keep all of your
> radio systems from working unless they have backup power. In many
> situations, the Cellular Telephone System may be the only working system
> in the early hours.

That's true, the cell phones worked for a while but not for long.

>

> Fred
> K4DII

What about those TriSquare radios? I know TriSquare is toast, but was
the technology any good?

```
From -8350437569207454319
X-Google-Thread: d7f5508063,bdd6d6dde087efa2
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.74.129 with SMTP id t1mr295832pav.26.1355245363985;
        Tue, 11 Dec 2012 09:02:43 -0800 (PST)
MIME-Version: 1.0
Path: s9ni39790pbb.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Dec 2012 11:02:42 -0600
From: Channel Jumper <Channel.Jumper.b0d1f18@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
Date: Tue, 11 Dec 2012 14:22:45 +0000
Message-ID: <Channel.Jumper.b0d1f18@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <k9to7r$de2$1@dont-email.me>
<fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com> <ka69ja$o02$1@dont-email.me>
Lines: 96
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
nxyn76s7v3klRM45fuTg+xA7AVQMC0RcU0jg4BxrfU87VjUbP7LQzW9KSxZ2KFeewBBL8FISNTUclkI!
RGjbCT/2Dfp4El3wk3vr9RdElg5PG2Li9+qtVgnM1oFGT2DDn4dGm2+MCeckuIdarFfno9QvFFHT!
kj24G6ggRABWCSA=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 4919
X-Original-Lines: 63
X-Original-Bytes: 4836
```

'Justin[_4_ Wrote:
> ;799490']On 12/7/2012 7:24 PM, Fred McKenzie wrote:-
>
> Justin-
>
> If you do get the pair of handheld CB radios, they should be a

> relatively inexpensive "learning experience". They may be of some
> use,
> but you will learn they do not work over a very long distance. Their
> range is mostly limited by interference from the many other users of
> the
> Citizens Band, even if the radio at home is connected to an outdoor
> antenna.-
>
> -
>
> Using GMRS radios may not have as much interference, but are limited
> to
> line-of-sight distances. If there is a nearby GMRS repeater with a
> high
> antenna, your range would be determined by the line-of-sight between
> each radio and the repeater, which could be several miles. If there
> are
> no repeaters in your area, you would need to install one of your own,
> perhaps on top of a tall building in your community.-
>
> I don't know of any GMRS repeaters in the area, but that's a good idea,
>
> I'll check it out.
> Is there a website with all of them mapped out?
> -
>
> The same is true with Ham Radio. Using a Two Meter repeater, your
> hand
> held radios might have a range of several miles. There are Ham Clubs
> that sponsor repeaters in most population centers, and many are
> involved
> in ARES and RACES emergency services. I suggest you look for Ham
> Clubs
> in your area. Some offer free Ham Radio License Classes to get you
> started. Take a look at the ARRL website,http://www.arrl.org.
>
> Just remember, in a true emergency, power failure may keep all of your
> radio systems from working unless they have backup power. In many
> situations, the Cellular Telephone System may be the only working
> system
> in the early hours.-
>
> That's true, the cell phones worked for a while but not for long.
> -
>
> Fred
> K4DII-
>
> GMRS requires a license and permission to use another persons repeater.
> The repeaters are not open, because the people who built the repeaters
> owns them and leases them to others - who wishes to have wireless
> communications, but does not have the experteise and property and
> finances to build their own repeater system.

>
> GMRS repeater frequencies are usually not published...
>
> At the same time, building your own repeater just in case is a very
> expensive proposition..
> Repeaters are built in the most opportune places - places such as on top
> of mountains, very tall buildings or atop very large towers.
>
> It involves both the construction costs to purchase the land, the tower,
> the equipment and the frequency - since you have to apply to a repeater
> council for permission for a frequency and the repeater council charges
> a fee - if there is an available frequency available and a fee to belong
> to the repeater council.   It also involves land tax or a lease,
> insurance on the tower and equipment and calamity...
>
> A tower owner with a tower more then 300' tall also has to include the
> costs of lighting the tower.
> Most tower owners can anticipate having at least one lightning strike
> every 4 years which is very expensive to repair.
> With a Cellular tower - the cost averages about $12,000.00 in repair
> costs alone.....
>
> Unless you are willing to pay a monthly fee for permission to use
> someone's tower, a license fee of $85.00 every 10 years and the cost of
> good transceivers and antenna's - you ought to forget about GMRS....
>
> Amateur radio - most towers / repeaters are free to use..
> Less then 5% of all repeaters are closed repeaters...
> THe license is free - once you pay for the exam.
> AND - there is more people to talk to, once you establish yourself in
> the buddy club.

--
Channel Jumper

```
From 8226007872253564097
X-Google-Thread: d7f5508063,bdd6d6dde087efa2
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.197.201 with SMTP id iw9mr521579pbc.6.1355385652832;
        Thu, 13 Dec 2012 00:00:52 -0800 (PST)
Path: 6ni42345pbd.1!nntp.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!news.snarked.org!feeder.erje.net!eu.feeder.erje.net!eternal-september.org!feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: Justin <no@becauseihatespam.info>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
```

Date: Tue, 11 Dec 2012 12:13:26 -0500
Organization: She Looked 18 Productions LLC.
Lines: 99
Message-ID: <ka7pjp$kfr$3@dont-email.me>
References: <k9to7r$de2$1@dont-email.me>
<fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com> <ka69ja$o02$1@dont-email.me>
<Channel.Jumper.b0d1f18@radiobanter.com>
Mime-Version: 1.0
Injection-Date: Tue, 11 Dec 2012 17:13:29 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="040582a61061e3050ed9c20a326618b3";
logging-data="20987"; mail-complaints-to="abuse@eternal-september.org";
posting-account="U2FsdGVkX1/mejX3inBm3zEFLGDJIXkDto1z0oK8qg0="
User-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:10.0) Gecko/20120206 Thunderbird/10.0
In-Reply-To: <Channel.Jumper.b0d1f18@radiobanter.com>
Cancel-Lock: sha1:Ilt85d/lrHJC1yeVdzhyNEp/yD0=
Bytes: 5274
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 12/11/2012 9:22 AM, Channel Jumper wrote:
>
> 'Justin[_4_ Wrote:
>> ;799490']On 12/7/2012 7:24 PM, Fred McKenzie wrote:-
>>
>> Justin-
>>
>> If you do get the pair of handheld CB radios, they should be a
>> relatively inexpensive "learning experience". They may be of some
>> use,
>> but you will learn they do not work over a very long distance. Their
>> range is mostly limited by interference from the many other users of
>> the
>> Citizens Band, even if the radio at home is connected to an outdoor
>> antenna.-
>>
>> -
>>
>> Using GMRS radios may not have as much interference, but are limited
>> to
>> line-of-sight distances. If there is a nearby GMRS repeater with a
>> high
>> antenna, your range would be determined by the line-of-sight between
>> each radio and the repeater, which could be several miles. If there
>> are
>> no repeaters in your area, you would need to install one of your own,
>> perhaps on top of a tall building in your community.-
>>
>> I don't know of any GMRS repeaters in the area, but that's a good idea,
>>
>> I'll check it out.
>> Is there a website with all of them mapped out?

>> -
>>
>> The same is true with Ham Radio. Using a Two Meter repeater, your
>> hand
>> held radios might have a range of several miles. There are Ham Clubs
>> that sponsor repeaters in most population centers, and many are
>> involved
>> in ARES and RACES emergency services. I suggest you look for Ham
>> Clubs
>> in your area. Some offer free Ham Radio License Classes to get you
>> started. Take a look at the ARRL website,http://www.arrl.org.
>>
>> Just remember, in a true emergency, power failure may keep all of your
>> radio systems from working unless they have backup power. In many
>> situations, the Cellular Telephone System may be the only working
>> system
>> in the early hours.-
>>
>> That's true, the cell phones worked for a while but not for long.
>> -
>>
>> Fred
>> K4DII-
>>
>> GMRS requires a license and permission to use another persons repeater.
>> The repeaters are not open, because the people who built the repeaters
>> owns them and leases them to others - who wishes to have wireless
>> communications, but does not have the experteise and property and
>> finances to build their own repeater system.
>>
>> GMRS repeater frequencies are usually not published...
>>
>> At the same time, building your own repeater just in case is a very
>> expensive proposition..
>> Repeaters are built in the most opportune places - places such as on top
>> of mountains, very tall buildings or atop very large towers.
>>
>> It involves both the construction costs to purchase the land, the tower,
>> the equipment and the frequency - since you have to apply to a repeater
>> council for permission for a frequency and the repeater council charges
>> a fee - if there is an available frequency available and a fee to belong
>> to the repeater council.   It also involves land tax or a lease,
>> insurance on the tower and equipment and calamity...
>>
>> A tower owner with a tower more then 300' tall also has to include the
>> costs of lighting the tower.
>> Most tower owners can anticipate having at least one lightning strike
>> every 4 years which is very expensive to repair.
>> With a Cellular tower - the cost averages about $12,000.00 in repair
>> costs alone.....
>>
>> Unless you are willing to pay a monthly fee for permission to use
>> someone's tower, a license fee of $85.00 every 10 years and the cost of

```
>> good transceivers and antenna's - you ought to forget about GMRS....
>>
>> Amateur radio - most towers / repeaters are free to use..
>> Less then 5% of all repeaters are closed repeaters...
>> THe license is free - once you pay for the exam.
>> AND - there is more people to talk to, once you establish yourself in
>> the buddy club.
>
>
>
>

Just as well, there aren't any repeaters around here.  Closest one is 40
miles.


From 4873654628270573471
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.89.39 with SMTP id bl7mr4033676pab.33.1355258216758;
        Tue, 11 Dec 2012 12:36:56 -0800 (PST)
MIME-Version: 1.0
Path: s9ni39307pbb.0!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!STARBAND.NET-a2kHrUvQQWlmc!not-for-mail
From: Bruce Gordon <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Mail-Copies-To: poster
Subject: Re: CB radio for emergencies?
Organization: Bruce's Trading Post
References: <k9to7r$de2$1@dont-email.me>
<fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com> <ka69ja$o02$1@dont-email.me>
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Date: Tue, 11 Dec 2012 11:36:52 -0900
Message-ID: <fast-1B3CD6.11364911122012@news.starband.net>
X-Complaints-To: abuse@usenetserver.com
Lines: 19
X-Trace: c6e5f50c7993031e5901f30273
X-Received-Bytes: 1557

In article <ka69ja$o02$1@dont-email.me>,
 Justin <no@becauseihatespam.info> wrote:

> What about those TriSquare radios?  I know TriSquare is toast, but was
> the technology any good?

The technology used in the TriSquare is the same as found in the
iDen/ISM Nextel Cellphones when used in direcTalk Mode... They used the
same Motorola chipset. These Phones are available on eBay for DIRT CHEAP
($10US or less each) They are Part15 Devices and ARE SECURE Comms with
about the same range as FRS Radios. They are 902-928 Mhz Spread Spectrum
```

```
Radios... and if you are a Tech Class or Higher Ham, you can boost
Output Power up to 10 Watts, and patch in any External Antennas you like.
A full writeup can be found at:
http://www.survivalmonkey.com/threads/an-interesting-secure-comms-device-
for-your-cn-aoo.33828/

--
Bruce in Alaska   add path before the @ for email


From 2734816585709432828
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.86.39 with SMTP id m7mr4109221paz.4.1355264802955;
        Tue, 11 Dec 2012 14:26:42 -0800 (PST)
Path: 6ni39848pbd.1!nntp.google.com!news.glorb.com!us.feeder.erje.net!
feeder.erje.net!eu.feeder.erje.net!eternal-september.org!feeder.eternal-
september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: Justin <no@becauseihatespam.info>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
Date: Tue, 11 Dec 2012 17:26:38 -0500
Organization: She Looked 18 Productions LLC.
Lines: 22
Message-ID: <ka8bv2$cua$3@dont-email.me>
References: <k9to7r$de2$1@dont-email.me>
<fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com> <ka69ja$o02$1@dont-email.me>
<fast-1B3CD6.11364911122012@news.starband.net>
Mime-Version: 1.0
Injection-Date: Tue, 11 Dec 2012 22:26:42 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-
host="040582a61061e3050ed9c20a326618b3";
     logging-data="13258"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19c6NQmk0Mod2c5js5LXih44ngpsHfIiSM="
User-Agent: Mozilla/5.0 (Windows NT 6.1; Win64; x64; rv:10.0) Gecko/20120206
Thunderbird/10.0
In-Reply-To: <fast-1B3CD6.11364911122012@news.starband.net>
Cancel-Lock: sha1:ZLwc5uIyiLRLr+UIaAyeTRY02c8=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 12/11/2012 3:36 PM, Bruce Gordon wrote:
> In article<ka69ja$o02$1@dont-email.me>,
>   Justin<no@becauseihatespam.info>  wrote:
>
>> What about those TriSquare radios?  I know TriSquare is toast, but was
>> the technology any good?
>
> The technology used in the TriSquare is the same as found in the
> iDen/ISM Nextel Cellphones when used in direcTalk Mode... They used the
> same Motorola chipset. These Phones are available on eBay for DIRT CHEAP
```

> ($10US or less each) They are Part15 Devices and ARE SECURE Comms with
> about the same range as FRS Radios. They are 902-928 Mhz Spread Spectrum
> Radios... and if you are a Tech Class or Higher Ham, you can boost
> Output Power up to 10 Watts, and patch in any External Antennas you like.
> A full writeup can be found at:
> http://www.survivalmonkey.com/threads/an-interesting-secure-comms-device-
> for-your-cn-aoo.33828/
>

That sounds pretty damn awesome!

Is Trisquare going out of business?

```
From -6511049542384486736
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.66.79.105 with SMTP id i9mr646086pax.34.1355341761315;
        Wed, 12 Dec 2012 11:49:21 -0800 (PST)
MIME-Version: 1.0
Path: s9ni40355pbb.0!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!newsfeed.hal-mli.net!
feeder3.hal-mli.net!newsfeed.hal-mli.net!feeder1.hal-mli.net!news.linkpendium.com!
news.linkpendium.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, January 2013 - Subscribe for FREE
Followup-To: poster
Date: Wed, 12 Dec 2012 14:49:20 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 36
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <7681E36DA69449718D8C5AC72DE9FFF8@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
```

```
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
<857A208B784A4B8B9EDA07B63453C09A@GRIMES>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1355341760 3324 166.84.1.6 (12 Dec 2012 19:49:20 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 12 Dec 2012 19:49:20 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From; bh=HrEWMTxndkBpD/
w4cJ39Xekn+g7Ca4nivtXlaoh3+0o=;
     b=j7s2bl+o/GXjYAsvm0G7lIRTRbo+4qpYOanmfLJm9PAest9s9al/
6jBt82LWaNAM7xMADAwL+EIA6WRpevCzEJPqVENQIpAkNMDtymAUi6QMfB2f3duwjt0TWWpGFMMO;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 69.211.127.102 authed with k9ya+k9ya.org}
X-Received-Bytes: 3803
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

The January 2013 issue will begin our 10th year.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

January 2013 (Volume 10, Issue 1) articles include:

WFRAC Revisited By Philip Cala-Lazar, K9PL

A Work in Progress - Part I By Paul W. Ross, W3FIS

High Speed Morse By Paul Signorelli, W�RW

Conan Wyatt Burtram Barger, W3CVE - Part VII By Scott B. Laughlin,
N7NET

Contesting? Who Me? Are You Kidding? By John Swartz, WA9AQN

Ham Lingo By Dick Sylvan, W9CBT

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From -4259662064494186842
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.90.67 with SMTP id bu3mr2225073pab.45.1355547762804;
        Fri, 14 Dec 2012 21:02:42 -0800 (PST)
MIME-Version: 1.0
Path: 6ni45592pbd.1!nntp.google.com!news.glorb.com!border3.nntp.dca.giganews.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Dec 2012 23:02:42 -0600
From: Channel Jumper <Channel.Jumper.b11bc58@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
Date: Fri, 14 Dec 2012 23:53:32 +0000
Message-ID: <Channel.Jumper.b11bc58@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <k9to7r$de2$1@dont-email.me>
<fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com> <ka69ja$o02$1@dont-email.me>
<fast-1B3CD6.11364911122012@news.starband.net> <ka8bv2$cua$3@dont-email.me>
Lines: 57
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-B2o0FtDbIhCq/TOgHbUh+BTo7EsmQIXC8JM3AFzjQiL8JoZleCDltomBcsnaZ3uDzO/
eR7yU9Ap0vXY!
Zv3Ja90pQu6bTHGZsRgqVgXgrTmaNGh1hvkBAFZCL7njUHMbu3TzBUZTedo73TDM8WED7aqNQxpe!
0Y2CZg7MSkHcIPQ=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.40
X-Original-Lines: 35
X-Original-Bytes: 3247

'Justin[_4_ Wrote:
> ;799509']On 12/11/2012 3:36 PM, Bruce Gordon wrote:-
> In articleka69ja$o02$1@dont-email.me,
> Justinno@becauseihatespam.info wrote:
> -
> What about those TriSquare radios? I know TriSquare is toast, but was
> the technology any good?-
>
> The technology used in the TriSquare is the same as found in the
> iDen/ISM Nextel Cellphones when used in direcTalk Mode... They used
> the
> same Motorola chipset. These Phones are available on eBay for DIRT
> CHEAP
> ($10US or less each) They are Part15 Devices and ARE SECURE Comms with
> about the same range as FRS Radios. They are 902-928 Mhz Spread
> Spectrum
> Radios... and if you are a Tech Class or Higher Ham, you can boost
> Output Power up to 10 Watts, and patch in any External Antennas you
> like.
> A full writeup can be found at:
> http://tinyurl.com/cbdaxd8
> for-your-cn-aoo.33828/
> -
>
> That sounds pretty damn awesome!
>
> Is Trisquare going out of business?

I would contact the ARRL before I would make a investment like that..
There is a pretty good chance that what you are talking about is not
legal.
I don't know if those phones are Part 97 approved and I am not sure if
spread spectrum or digital phone is legal - because of the way it might
be scrambled being a phone and all.
Second problem is that in order for any type of communications to work -
you need to have two radios on the same frequency and I highly doubt
that in a emergency you are going to find people operating on 900 mHz..

As a matter of fact, unless you are in a big metropolitan area - you
probably won't even hear anyone operating on 220 MHz anymore..

Most Technician's are relegated to two meters phone - due to the fact
that most walkie talkies are two meters and the cheapest mobile radios
are two meters only..

Even just getting someone to buy a dual band transceiver or better
equipment is like pulling teeth...

Like I tell all perspective hams - get a license and join a real ham
radio club and LEARN... Find a Elmer - don't think that you can do it
on your own..

--
Channel Jumper

```
From 102427179679152046
X-Google-Thread: fcc6e,cdb6072909f952a8,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,cdb6072909f952a8,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,cdb6072909f952a8,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,cdb6072909f952a8,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gida3e752f117,gid8f86f75953,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.84.100 with SMTP id x4mr2279518pay.43.1355554804513;
        Fri, 14 Dec 2012 23:00:04 -0800 (PST)
MIME-Version: 1.0
Path: s9ni46023pbb.0!nntp.google.com!news.glorb.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1354345200@panix.com>
Followup-To: poster
Date: 15 Dec 2012 02:00:03 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 02 Jan 2013 02:00:02 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1355554802@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1355554804 10273 166.84.1.2 (15 Dec 2012 07:00:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 15 Dec 2012 07:00:04 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted twice monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader
opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently
listed in the latest version of the "List of Big Eight Newsgroups" which
is crossposted monthly to news.announce.newgroups, news.groups, and
news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those
that have been created consistent with the suggestions in "So You Want
to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either
"radio.amateur" or "ham-radio" in their names, including
uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved
newsgroups up-to-date. In case we have overlooked any, and a submission
is rejected in error as a result, the rejected submitter can E-mail us
at our administrative contact address (in the signature at the bottom of
this article, and the default Reply-To for the rejection message)
requesting that it be added, and that the article be approved. We may
still choose to reject articles crossposted to any alt.* newsgroup with
an inappropriate name, including obscene language, embedded
name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.

From 1252322269080358499
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.66.82.137 with SMTP id i9mr1524161pay.41.1355603296919;
        Sat, 15 Dec 2012 12:28:16 -0800 (PST)
MIME-Version: 1.0
Path: s9ni47036pbb.0!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!post02.iad.highwinds-media.com!STARBAND.NET-a2kHrUvQQWlmc!
not-for-mail
From: you <you@shadows.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
Organization: shadows.orgs
References: <k9to7r$de2$1@dont-email.me>
<fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com> <ka69ja$o02$1@dont-email.me>
<fast-1B3CD6.11364911122012@news.starband.net> <ka8bv2$cua$3@dont-email.me>
<Channel.Jumper.b11bc58@radiobanter.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Date: Sat, 15 Dec 2012 11:28:12 -0900
Message-ID: <you-492C85.11280315122012@news.starband.net>
X-Complaints-To: abuse@usenetserver.com
Lines: 85
X-Trace: 930c150ccdb2431e5901f21267
X-Received-Bytes: 4818
Bytes: 4927

In article <Channel.Jumper.b11bc58@radiobanter.com>,
 Channel Jumper <Channel.Jumper.b11bc58@radiobanter.com> wrote:

> 'Justin[_4_ Wrote:
> > ;799509']On 12/11/2012 3:36 PM, Bruce Gordon wrote:-
> > In articleka69ja$o02$1@dont-email.me,
> > Justinno@becauseihatespam.info  wrote:
> > -
> > What about those TriSquare radios?  I know TriSquare is toast, but was
> > the technology any good?-
> >
> > The technology used in the TriSquare is the same as found in the
> > iDen/ISM Nextel Cellphones when used in direcTalk Mode... They used
> > the
> > same Motorola chipset. These Phones are available on eBay for DIRT
> > CHEAP
> > ($10US or less each) They are Part15 Devices and ARE SECURE Comms with
> > about the same range as FRS Radios. They are 902-928 Mhz Spread
> > Spectrum
> > Radios... and if you are a Tech Class or Higher Ham, you can boost
> > Output Power up to 10 Watts, and patch in any External Antennas you
> > like.
> > A full writeup can be found at:
> > http://tinyurl.com/cbdaxd8
> > for-your-cn-aoo.33828/
> > -
> >
```

> > That sounds pretty damn awesome!
> >
> > Is Trisquare going out of business?
>
> I would contact the ARRL before I would make a investment like that..
> There is a pretty good chance that what you are talking about is not
> legal.
> I don't know if those phones are Part 97 approved and I am not sure if
> spread spectrum or digital phone is legal - because of the way it might
> be scrambled being a phone and all.
> Second problem is that in order for any type of communications to work -
> you need to have two radios on the same frequency and I highly doubt
> that in a emergency you are going to find people operating on 900 mHz..
>
> As a matter of fact, unless you are in a big metropolitan area - you
> probably won't even hear anyone operating on 220 MHz anymore..
>
> Most Technician's are relegated to two meters phone - due to the fact
> that most walkie talkies are two meters and the cheapest mobile radios
> are two meters only..
>
> Even just getting someone to buy a dual band transceiver or better
> equipment is like pulling teeth...
>
> Like I tell all perspective hams - get a license and join a real ham
> radio club and LEARN... Find a Elmer - don't think that you can do it
> on your own..

Your an Idiot.... There is NO Part 97 Approval required for
Transmitters, only for Amplifiers that are built "For Sale"...
I mean, REALLY... Duh.....

These units are Part 15 Devices when used in the 902-928 Mhz ISM Band,
which is co-Located with the 902-928 Ham Band, which is a Secondary Use
Ham band.... So any use of the device, by a HAM of Tech Class or Higher,
may ADD External Antennas and Amplifiers, as long as they do NOT exceed
the Power Limit of 10 Watts, which was added to Part 97 this last spring,
in a Report and Order from the FCC, which changed the Allowed Power
Output for Spread Spectrum Frequency Hopping Systems in the 902-928 Mhz
Ham Band to 10 Watts.... Duh....

Your Scrambling Theory, is also BOGUS, in that it is NOT Scrambling but
Digital Modulation, which by it's nature is unrecoverable without
knowing the Spreading Code, and Spectrum Chunk, USED..... DUH...

You just don't get it, do you.... These type Units are for SECURE Comms
within a Group... Not for communicating with unknown Users.... They
allow the Group, to communicate within their Group, knowing that their
Comms ARE SECURE from Scanners, and DF'ing non-Group outsiders. They
ALSO allow individuals in any Group, to move to Private SECURE Unit to
Unit Mode, that allows only those two Units to have a SECURE Comms
interchange, that can't be heard by any other of the Groups Users, by
using the Programmable Ten Digit Unit Number of the other Unit for the

Spreading Code, instead of using one of the 1-15 preProgrammed Spreading
Codes, which are used in Squad Comms Mode.....

Must be nice to comment on Technology that you have NO CLUE, about...
Kind of like a Talking Head on the Boobtube.... Are you Blond?

```
From 5699285253285555721
X-Google-Thread: 108122,bdd6d6dde087efa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.78.36 with SMTP id y4mr1757621wiw.1.1355622529016;
        Sat, 15 Dec 2012 17:48:49 -0800 (PST)
MIME-Version: 1.0
Path: i11ni183778wiw.0!nntp.google.com!proxad.net!feeder1-2.proxad.net!usenet-
fr.net!de-l.enfer-du-nord.net!feeder1.enfer-du-nord.net!rt.uk.eu.org!
aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio for emergencies?
Date: Sat, 15 Dec 2012 20:48:47 -0500
Organization: Aioe.org NNTP Server
Lines: 31
Message-ID: <fmmck-5C45DC.20484615122012@5ad64b5e.bb.sky.com>
References: <k9to7r$de2$1@dont-email.me>
<fmmck-0B0B86.19243007122012@5ad64b5e.bb.sky.com> <ka69ja$o02$1@dont-email.me>
NNTP-Posting-Host: a7f3nPCan15AhdxSE/jDhA.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
```

In article <ka69ja$o02$1@dont-email.me>,
 Justin <no@becauseihatespam.info> wrote:

```
> > If you do get the pair of handheld CB radios, they should be a
> > relatively inexpensive "learning experience".  They may be of some use,
> > but you will learn they do not work over a very long distance.  Their
> > range is mostly limited by interference from the many other users of the
> > Citizens Band, even if the radio at home is connected to an outdoor
> > antenna.
>
> The CB radios would be for short range, maybe half a mile, or around the
> neighborhood.  When Sandy hit the cell phones were out for days.  Even
> though my area was relatively unscathed, the towers were still down.
> Just having the ability to talk to a family member back at the house
> would be nice.
```

Justin-

CB walkie-talkies might be capable of that if no one else was there. Considering that you can sometimes hear other people hundreds of miles away, half a mile might be optimistic!

Go ahead and get a pair. You probably have time before the next storm, to see how well they would work for you.

For local information about GMRS repeaters, look for a store that repairs the radios. They can probably fill you in on repeater availability, and will also sell you the radios.

Fred
K4DII

```
From -6100240417829992449
X-Google-Thread: 108122,4a41e50ddb872e95,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.180.87.165 with SMTP id az5mr2253990wib.1.1355706963555;
        Sun, 16 Dec 2012 17:16:03 -0800 (PST)
Path: i11ni196135wiw.0!nntp.google.com!goblin2!goblin.stu.neva.ru!feeder.erje.net!
eu.feeder.erje.net!eternal-september.org!feeder.eternal-september.org!
mx04.eternal-september.org!.POSTED!not-for-mail
From: clare@snyder.on.ca
Newsgroups: rec.radio.amateur.equipment
Subject: science fair radio kit 28-222 help needed.
Date: Sun, 16 Dec 2012 20:16:03 -0500
Organization: A noiseless patient Spider
Lines: 11
Message-ID: <7issc81s3cosnpkn14lu83rber5psvma4a@4ax.com>
Reply-To: clare@snyder.on.ca
Mime-Version: 1.0
Injection-Info: mx04.eternal-september.org; posting-
host="41643fb3762cf41b81339342eea645d9";
     logging-data="16029"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/bl/TV6ugcjkN4+F1DB+Fz"
X-Newsreader: Forte Agent 1.91/32.564
Cancel-Lock: sha1:CaJIkxyb7O3fSB0nqRpzgrYafIY=
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

I have an old Radio Shack? Science Fair Radio kit model 28-222 - without instructions..

I need to know where to connect the entenna coil wires, the speaker/headphone jack, and the battery. I have found points with W, R, and G that look like the place to connect the red, green, and white coil wires, but cannot figure out where the black goes. The speaker connections and battery connections are a complete mystery

Anyone have the instructions floating around or one you could send pictures of? It's been sitting here uncompleted for a LONG time.

```
From -7567032730928777043
X-Google-Thread: 108122,4a41e50ddb872e95
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.181.13.205 with SMTP id fa13mr167799wid.3.1355792816021;
        Mon, 17 Dec 2012 17:06:56 -0800 (PST)
MIME-Version: 1.0
Path: i11ni209353wiw.0!nntp.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!192.71.180.34.MISMATCH!newsfeed1.swip.net!aioe.org!.POSTED!not-
for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: science fair radio kit 28-222 help needed.
Date: Mon, 17 Dec 2012 20:06:53 -0500
Organization: Aioe.org NNTP Server
Lines: 33
Message-ID: <fmmck-B86A48.20065217122012@5ad64b5e.bb.sky.com>
References: <7issc81s3cosnpkn14lu83rber5psvma4a@4ax.com>
NNTP-Posting-Host: XolkuCBBfXRIaR3SRLXTlw.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
```

In article <7issc81s3cosnpkn14lu83rber5psvma4a@4ax.com>,
 clare@snyder.on.ca wrote:

> I have an old Radio Shack? Science Fair Radio kit model 28-222 -
> without instructions..
>
> I need to know where to connect the entenna coil wires, the
> speaker/headphone jack, and the battery. I have found points with W,
> R, and G that look like the place to connect the red, green, and white
> coil wires, but cannot figure out where the black goes. The speaker
> connections and battery connections are a complete mystery
>
> Anyone have the instructions floating around or one you could send
> pictures of? It's been sitting here uncompleted for a LONG time.

Clare-

I found a discussion about your radio kit at
<http://www.antiqueradios.com/forums/viewtopic.php?f=4&t=188702nk>. It
includes links for data that has apparently been removed due to
copyright problems.

If you can make contact with participants in that discussion, they may

```
be able to answer your questions.

Another discussion at
<http://www.antiqueradios.com/forums/viewtopic.php?f=4&t=196521>
 suggested that the Radio Shack version was very similar to a Graymark
536 AM Radio kit.  Perhaps someone in that discussion can answer your
questions.

Fred
K4DII



From 3228164324643717636
X-Google-Thread: d7f5508063,d858cc7b4c7e0745,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.205.65 with SMTP id fp1mr6986875qab.4.1356124937432;
        Fri, 21 Dec 2012 13:22:17 -0800 (PST)
Received: by 10.49.24.13 with SMTP id q13mr2202922qef.33.1356124937329; Fri,
 21 Dec 2012 13:22:17 -0800 (PST)
Path: k2ni1825qap.0!nntp.google.com!ee4no1620573qab.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Fri, 21 Dec 2012 13:22:17 -0800 (PST)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=188.190.126.71;
 posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
NNTP-Posting-Host: 188.190.126.71
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <281d07dc-6fdb-4077-8d5c-73f97051ad1f@googlegroups.com>
Subject: unequal sex drives: sounds like a recipe for trouble in relationship.
 how can you come to compromise with your spouse when each of have differing
 preferences it comes sex?    http://fusanen.m-13.us/circle.php
From: Iran <tamarmadgecay@gmail.com>
Injection-Date: Fri, 21 Dec 2012 21:22:17 +0000
Content-Type: text/plain; charset=ISO-8859-1

unequal sex drives: sounds like a recipe for trouble in relationship. how can you
come to compromise with your spouse when each of have differing preferences it
comes sex?    http://fusanen.m-13.us/circle.php http://pinterest.com/pin/
372672937884564937/



From 66905330581391299
X-Google-Thread: 241b302a50,b09ffcd5f8138fbc,start
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.94.8 with SMTP id cy8mr9961082wib.1.1356840851958;
        Sat, 29 Dec 2012 20:14:11 -0800 (PST)
MIME-Version: 1.0
```

Path: l12ni269427wiv.1!nntp.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!85.12.40.130.MISMATCH!xlned.com!feeder1.xlned.com!
newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!xs4all!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!border3.nntp.ams.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!weretis.net!
feeder1.news.weretis.net!newsfeed.CARNet.hr!news.glorb.com!usenet.stanford.edu!
panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1354863900@panix.com>
Followup-To: poster
Date: 22 Dec 2012 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jan 2013 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1356159900@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1356159903 22516 166.84.1.2 (22 Dec 2012 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 22 Dec 2012 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 7739939351363373570
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.90.67 with SMTP id bu3mr2873677pab.45.1356160202001;
        Fri, 21 Dec 2012 23:10:02 -0800 (PST)
MIME-Version: 1.0
Path: 6ni57477pbd.1!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1354864200@panix.com>
Followup-To: poster
Date: 22 Dec 2012 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jan 2013 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1356160200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
```

```
X-Trace: reader1.panix.com 1356160201 5050 166.84.1.2 (22 Dec 2012 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 22 Dec 2012 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Bytes: 2680
X-Received-Bytes: 2728

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted twice monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -3570573118006844728
X-Google-Thread: d7f5508063,537f8194ea4dad46
X-Google-Attributes: gidd7f5508063,public,usenet
```

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.14.215.69 with SMTP id d45mr19858684eep.6.1364344070438;
        Tue, 26 Mar 2013 17:27:50 -0700 (PDT)
Path: p18ni19758wiv.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.139.MISMATCH!xlned.com!feeder7.xlned.com!newsfeed.xs4all.nl!
newsfeed4.news.xs4all.nl!xs4all!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!border2.nntp.dca.giganews.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
newsgate.cuhk.edu.hk!news.glorb.com!feeder.erje.net!eu.feeder.erje.net!
137.226.231.214.MISMATCH!newsfeed.fsmpi.rwth-aachen.de!reality.xs3.de!nntp-
feed.chiark.greenend.org.uk!ewrotcd!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions For Simple 2 Meter Rigs?
Date: Tue, 19 Mar 2013 16:23:35 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 17
Sender: et472@bas1-montreal19-1177820846.dsl.bell.ca
Message-ID: <alpine.LNX.2.02.1303191622560.21695@darkstar.example.org>
References: <Tesla.b8da958@radiobanter.com>
<you-641B97.11393719032013@news.starband.net>
NNTP-Posting-Host: bas1-montreal19-1177820846.dsl.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1363724605 13766 70.52.30.174 (19 Mar 2013 20:23:25 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 19 Mar 2013 20:23:25 GMT
In-Reply-To: <you-641B97.11393719032013@news.starband.net>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

On Tue, 19 Mar 2013, you wrote:

> In article <Tesla.b8da958@radiobanter.com>,
> Tesla <Tesla.b8da958@radiobanter.com> wrote:
>
>> I'm looking for a new simple to program & operate 2 meter only ht &
>> mobile rig. I'm tired of rigs with fancy bells & whistles, difficult
>> menus, etc. I do not want to carry an operator's manual with me all the
>> time. Anything out there where an engineering degree is not required?
>
> Find an Old Icom 2AT Handheld   Very easy to operate..... Just Say'en...
>
That's a specific.  Late enough to have a synthesizer, but early enough to
come before all the bells and whistles were added.

    Michael  VE2BVW



From -3078355353120622879
X-Google-Thread: d7f5508063,537f8194ea4dad46
X-Google-Attributes: gidd7f5508063,public,usenet
```

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.106.73 with SMTP id gs9mr1241626wib.2.1364344141672;
        Tue, 26 Mar 2013 17:29:01 -0700 (PDT)
Path: p18ni19756wiv.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.138.MISMATCH!xlned.com!feeder5.xlned.com!newsfeed.xs4all.nl!
newsfeed1.news.xs4all.nl!xs4all!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!border2.nntp.dca.giganews.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
newsgate.cuhk.edu.hk!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews!
core-easynews-01!easynews.com!en-nntp-16.dc1.easynews.com.POSTED!not-for-mail
From: Bob <rmiller47@satx.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions For Simple 2 Meter Rigs?
Message-ID: <jo2ik8lm0nljpo55st16vq4obou5qmj2vk@4ax.com>
References: <Tesla.b8da958@radiobanter.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Lines: 20
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 19 Mar 2013 20:14:31 -0500
X-Received-Bytes: 1598
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

There are no simple handhelds. Even the least expensive ones are hard
to program. The solution I've found is to get a handheld, and get
programming software to go with it. The software is much easier to
work with than the controls and menus on the rig. I have a Yaesu VX-8,
a very complex little handheld, but I also have the RT Systems
software to go with it, and it makes the rig quite easy to set up and
use.

bob
k5qwg


On Tue, 19 Mar 2013 01:08:27 +0000, Tesla
<Tesla.b8da958@radiobanter.com> wrote:

>
>I'm looking for a new simple to program & operate 2 meter only ht &
>mobile rig. I'm tired of rigs with fancy bells & whistles, difficult
>menus, etc. I do not want to carry an operator's manual with me all the
>time. Anything out there where an engineering degree is not required?


From -1363775872504445259
X-Google-Thread: d7f5508063,537f8194ea4dad46
X-Google-Attributes: gidd7f5508063,public,usenet
```

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.182.229 with SMTP id eh5mr1243392wic.1.1364344176119;
        Tue, 26 Mar 2013 17:29:36 -0700 (PDT)
MIME-Version: 1.0
Path: p18ni19762wiv.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.87.MISMATCH!newsfeed.xs4all.nl!newsfeed1.news.xs4all.nl!xs4all!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!
border2.nntp.dca.giganews.com!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsgate.cuhk.edu.hk!
news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!.POSTED!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions For Simple 2 Meter Rigs?
Date: Wed, 20 Mar 2013 08:19:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 16
Message-ID: <slrnkkirus.s3q.gsm@cable.mendelson.com>
References: <Tesla.b8da958@radiobanter.com>
 <you-641B97.11393719032013@news.starband.net>
 <alpine.LNX.2.02.1303191622560.21695@darkstar.example.org>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 82.166.112.54.fix.netvision.net.il
X-Trace: news.inside.misty.com 1363767544 14703 82.166.112.54 (20 Mar 2013
08:19:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Wed, 20 Mar 2013 08:19:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)

Michael Black wrote:
> That's a specific.  Late enough to have a synthesizer, but early enough to
> come before all the bells and whistles were added.

Missing a tone board. While you can live without a tone squelch, it is
difficult not to get a long without a transmit tone board in some places.

I'd go for one of the many Motorola HT600's, MT1000's and similar rigs
no longer legal for commerical or professional use in the US.

Geoff.



--
Geoffrey S. Mendelson,  N3OWJ/4X1GM/KBUH7245/KBUW5379
It's Spring here in Jerusalem!!!


From 3030860796691034430
X-Google-Thread: d7f5508063,537f8194ea4dad46
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.52.30.202 with SMTP id u10mr7119869vdh.4.1364344117661;
        Tue, 26 Mar 2013 17:28:37 -0700 (PDT)
Path: k8ni27002qas.0!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsgate.cuhk.edu.hk!news.glorb.com!usenet.stanford.edu!
news.kjsl.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions For Simple 2 Meter Rigs?
Date: Wed, 20 Mar 2013 10:01:52 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 18
Sender: et472@65.92.61.70
Message-ID: <alpine.LNX.2.02.1303200959540.2348@darkstar.example.org>
References: <Tesla.b8da958@radiobanter.com>
<you-641B97.11393719032013@news.starband.net>
<alpine.LNX.2.02.1303191622560.21695@darkstar.example.org>
<slrnkkirus.s3q.gsm@cable.mendelson.com>
NNTP-Posting-Host: 65.92.61.70
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1363788113 14748 65.92.61.70 (20 Mar 2013 14:01:53 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 20 Mar 2013 14:01:53 GMT
In-Reply-To: <slrnkkirus.s3q.gsm@cable.mendelson.com>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Bytes: 1878
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

On Wed, 20 Mar 2013, Geoffrey S. Mendelson wrote:

> Michael Black wrote:
>> That's a specific.  Late enough to have a synthesizer, but early enough to
>> come before all the bells and whistles were added.
>
> Missing a tone board. While you can live without a tone squelch, it is
> difficult not to get a long without a transmit tone board in some places.
>
You mean like a PL tone?  There were plenty of articles around the time of
the rig that dealt with adding that to small units, and it's probably
relatively large compared to today's walkie talkies.

I think touch tone was more common in North America for repeater access
(and other things). People were adding those to the fronts of walkie
talkies back then too.

     Michael  VE2BVW


From -6007445634273931652
X-Google-Thread: d7f5508063,537f8194ea4dad46
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

X-Received: by 10.180.106.73 with SMTP id gs9mr1316322wib.2.1364353954428;
        Tue, 26 Mar 2013 20:12:34 -0700 (PDT)
MIME-Version: 1.0
Path: p18ni20050wiv.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
border2.nntp.ams2.giganews.com!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!border2.nntp.dca.giganews.com!nrc-news.nrc.ca!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!.POSTED!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions For Simple 2 Meter Rigs?
Date: Thu, 21 Mar 2013 19:19:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 44
Message-ID: <slrnkkmn93.tpa.gsm@cable.mendelson.com>
References: <Tesla.b8da958@radiobanter.com>
 <you-641B97.11393719032013@news.starband.net>
 <alpine.LNX.2.02.1303191622560.21695@darkstar.example.org>
 <slrnkkirus.s3q.gsm@cable.mendelson.com>
 <alpine.LNX.2.02.1303200959540.2348@darkstar.example.org>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 82.166.112.54.fix.netvision.net.il
X-Trace: news.inside.misty.com 1363893543 13811 82.166.112.54 (21 Mar 2013
19:19:03 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 21 Mar 2013 19:19:03 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Bytes: 3074

Michael Black wrote:
> You mean like a PL tone? There were plenty of articles around the time of
> the rig that dealt with adding that to small units, and it's probably
> relatively large compared to today's walkie talkies.

Yes, a PL board. You can still get the same Comspec encoders (or modern
versions of them) that were put into the IC-2AT's. They cost more than the
radio is worth and changing the frequency is difficult, You may have to figure
out how to cut a hole in the case for a set of DIP switches.

>
> I think touch tone was more common in North America for repeater access
> (and other things). People were adding those to the fronts of walkie
> talkies back then too.

Touch Tone was not used to access repeaters, it was used
to make "autopatch" calls over landlines. The ICOM IC-2AT in fact was
the short lived IC-2A model, with a factory installed (or user replaced
front panel). It was significantly more money than the original, but it was
a hot item because you could make free phone calls with it.

US regulations permitted all license classes the use of the autopatch, and most clubs charged minimal membership dues which included the calls.

It's a moot point these days, since the mid 1990's almost all hams have abandoned autopatchs for cell phones, and the phone lines removed from most repeaters.

Going back to the original question, if UHF is your band of choice, BAOFENG and other Chinese vendors sell 16 channel 5 watt HT's which have only volume, channel select knobs and PTT. They are much smaller, much lighter, much cheaper than old Motorola or other LMR HT's.

Amazon.com sells them for $27 with shipping in the US.

In order to use them, you need a BAFOENG/Wuxoun/Kenwood programing cable, a Windows XP computer, and the free but quirky software.

Geoff.

```
--
Geoffrey S. Mendelson,  N3OWJ/4X1GM/KBUH7245/KBUW5379
It's Spring here in Jerusalem!!!
```

```
From -5078018267613731083
X-Google-Thread: d7f5508063,537f8194ea4dad46
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.106.73 with SMTP id gs9mr1316011wib.2.1364353916390;
        Tue, 26 Mar 2013 20:11:56 -0700 (PDT)
MIME-Version: 1.0
Path: ex12ni5683wid.1!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.86.MISMATCH!newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!xs4all!
newspeer1.nac.net!border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nrc-
news.nrc.ca!border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.earthlink.com!
news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 21 Mar 2013 15:27:41 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <Tesla.b8da958@radiobanter.com>
<you-641B97.11393719032013@news.starband.net>
<alpine.LNX.2.02.1303191622560.21695@darkstar.example.org>
<slrnkkirus.s3q.gsm@cable.mendelson.com>
<alpine.LNX.2.02.1303200959540.2348@darkstar.example.org>
<slrnkkmn93.tpa.gsm@cable.mendelson.com>
Subject: Re: Suggestions For Simple 2 Meter Rigs?
Date: Thu, 21 Mar 2013 16:27:42 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
```

X-RFC2646: Format=Flowed; Original
Message-ID: <dpudnc-ROr-g8NbMnZ2dnUVZ_h2dnZ2d@earthlink.com>
Lines: 42
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.5
X-Trace: sv3-
d4M3i0MmanXhSsvhK0sDeOHTz6RJz4FO4rsh3UBCniPjzOs6GC0bi8KJF0PAYXsw5a88P8xTRlzGSIT!
G3lopUkMCBs2SNf8RX73jWLXekiHo2wXSVScu8ORApl7lfU9eikfom/Y54GC8mcIQJZvQ7Mq4ocM!
FmdDW+sY5ZL2+dRDuYg=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 3529

"Geoffrey S. Mendelson" <gsm@mendelson.com> wrote in message news:slrnkkmn93.tpa.gsm@cable.mendelson.com...
> Going back to the original question, if UHF is your band of choice,
> BAOFENG and other Chinese vendors sell 16 channel 5 watt HT's which have
> only volume, channel select knobs and PTT. They are much smaller, much
> lighter, much cheaper than old Motorola or other LMR HT's.
>
> Amazon.com sells them for $27 with shipping in the US.
>
> In order to use them, you need a BAFOENG/Wuxoun/Kenwood programing cable,
> a Windows XP computer, and the free but quirky software.
>

Having been a ham for around 40 years, I was just getting started about the time the repeaters were and have been keeping one up for about 35 years.

If someone does want a simple HT, I am in agreement with you. Just get one that has thesoftwear to program it with. I have a Woxun (or however you spell it) and it is a real pain to program. However with the softwear and a computer, it is easy. Best thing for me, I bought it at a local hamfest and local dealer. He had one that had about 90% of the repeaters in the area in it. He just cloned his HT to the one I bought. I took it home and used the computer to add what I wanted and that was the last thing I did. Now I just turn it on, set the volume and turn it to the 'chanel' I want to talk on. I do mash the scan button and get it to scan sometimes on several preset frequencies. The BOAFOENG may be a way to go too. I just have not looked at that one.

I guess the newer mobiles are that way too if they have a computer program. I am waiting on the new Anytone dual bander to come to a local dealer. The one I have in the car is about 10 years old and I am wanting to put it in the house and the new one in the car. I progrrammed the one in the car and could not tell you how to use it now except to get it to scan the memory and stop on what I want it to. It will do a lot, but I don't do much with it.

One thing I do not mind $ 10 or $ 15 for a programming cable, but it is a rip off paying more than that for one. Sort of like the Icom cable they

```
sell for around $ 100..





From 1755915451602639078
X-Google-Thread: d7f5508063,f531751505247c2f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.172.134 with SMTP id l6mr2474021qaz.7.1364051152924;
        Sat, 23 Mar 2013 08:05:52 -0700 (PDT)
X-Received: by 10.49.116.165 with SMTP id jx5mr363274qeb.22.1364051152900;
 Sat, 23 Mar 2013 08:05:52 -0700 (PDT)
Path: k8ni11100qas.0!nntp.google.com!ca1no3396434qab.0!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Date: Sat, 23 Mar 2013 08:05:52 -0700 (PDT)
In-Reply-To: <STEVE.94Aug10210938@susie.vigra.com>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=68.221.23.246;
 posting-account=zGzNpQoAAADPPC1La9kMlaPwVkB79rCW
NNTP-Posting-Host: 68.221.23.246
References: <STEVE.94Aug10210938@susie.vigra.com>
User-Agent: G2/1.0
MIME-Version: 1.0
Message-ID: <349faeb0-b676-4466-acd9-20d181361062@googlegroups.com>
Subject: Re: 800 MHz receive module in Kenwood TM-733A
From: wilsonhines@gmail.com
Cc: steve@vigra.com
Injection-Date: Sat, 23 Mar 2013 15:05:52 +0000
Content-Type: text/plain; charset=ISO-8859-1

Thanks for putting this information on the net, even though it is 19 years old!  I
am wanting to buy a TM-710A and I'm trying to figure out how much the output power
is so I won't over blow my amp!

On Thursday, August 11, 1994 9:01:23 PM UTC-4, Steve Haehnichen wrote:
> Page 25 of the Kenwood TM-733A/E service manual has an interesting
> diagram labeled:
>
> 800 MHz Front-End: KCB28 (Tx-Rx Unit B/4 IC202) Except K, P Type.
> (What is type K, or P?)
>
> It's an internal schematic of IC202.  The external connections are:
>   RF
>   E (10 of these, all grounded)
>   IF (MCF on schematic)
>   LO (HET on schematic)
>   Vcc (80R on schematic)
>
> From the 430 MHz module schematics, it looks like the RF line is
> connected to the antenna via three capacitors (in series) and two
> inductors (to ground).  That small section is outlined with a dotted
> box and marked "*B", leading me to suspect it's not installed on all
> radios.  Wouldn't be hard to add..
>
> The MCF (IF) pin 7 is mixed into the UHF signal just before the BPF.
> Pin 13 (L0, HET) goes into some kind of rectifier module I don't
> understand.  Pin 14, interestingly named Vcc and "80R" goes to Q203, a
> power switching transistor, which is controlled by IC206, a "Shift
> Register".
>
> This Shift Register has outputs for:
> 14R (144 MHz?)
> 80R (800?)
> 43R (430?)
> 36R (360?, goes to IC203, "36RF", which seems to do 440 as well)
> FAN (yep, Fan power transistor)
> MID
> NI (both go to Mid/Low switching)
>
> Sooo.. I guess the questions that come to mind are:
> 1) Do US radios have this 800 MHz module installed?
> 2) How does one ask the microprocessor to enable that output of the
>    shift register?
>
> Happy Hacking!
>
> -Steve "I'd never listen" Haehnichen
>
> Steve Haehnichen                  Vigra, Inc.  San Diego, CA
> steve@vigra.com                   (619) 597-7080 x116   Fax: (619) 597-7094



From 2916294079955673400
X-Google-Thread: d7f5508063,f531751505247c2f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.95.3 with SMTP id dg3mr1316279wib.4.1364353915622;
        Tue, 26 Mar 2013 20:11:55 -0700 (PDT)
MIME-Version: 1.0
Path: ex12ni5683wid.1!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.131.MISMATCH!xlned.com!feeder3.xlned.com!
border5.a.newsrouter.astraweb.com!news.astraweb.com!
border6.newsrouter.astraweb.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nrc-news.nrc.ca!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 24 Mar 2013 12:02:22 -0500
From: Channel Jumper <Channel.Jumper.b94e998@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 800 MHz receive module in Kenwood TM-733A
```

Date: Sun, 24 Mar 2013 15:51:48 +0000
Message-ID: <Channel.Jumper.b94e998@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <STEVE.94Aug10210938@susie.vigra.com> <349faeb0-b676-4466-acd9-20d181361062@googlegroups.com>
Lines: 74
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-3y9R1RqmdcSO4qnMK1N67HnxAnb+ngW+YgN6hsvILD4JIjbDJOp3b8dbhBjH+henEp51QA+z4f35WRN!YlLOWqs4pOBHcJJCdFb5IOoQXh/m4f1OmMdYgYLHHaIf5WGFNsFq6QWiNlgQErEk4POnYcUw4sXR!tuiui9FrXnZ2au8=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 3596
Bytes: 3917

wilsonhines@gmail.com;803022 Wrote:
> Thanks for putting this information on the net, even though it is 19
> years old! I am wanting to buy a TM-710A and I'm trying to figure out
> how much the output power is so I won't over blow my amp!
>
> On Thursday, August 11, 1994 9:01:23 PM UTC-4, Steve Haehnichen wrote:-
> Page 25 of the Kenwood TM-733A/E service manual has an interesting
> diagram labeled:
>
> 800 MHz Front-End: KCB28 (Tx-Rx Unit B/4 IC202) Except K, P Type.
> (What is type K, or P?)
>
> It's an internal schematic of IC202. The external connections a
> RF
> E (10 of these, all grounded)
> IF (MCF on schematic)
> L0 (HET on schematic)
> Vcc (80R on schematic)
>
> From the 430 MHz module schematics, it looks like the RF line is
> connected to the antenna via three capacitors (in series) and two
> inductors (to ground). That small section is outlined with a dotted
> box and marked "*B", leading me to suspect it's not installed on all
> radios. Wouldn't be hard to add..
>
> The MCF (IF) pin 7 is mixed into the UHF signal just before the BPF.
> Pin 13 (L0, HET) goes into some kind of rectifier module I don't
> understand. Pin 14, interestingly named Vcc and "80R" goes to Q203, a
> power switching transistor, which is controlled by IC206, a "Shift

> Register".
>
> This Shift Register has outputs for:
> 14R (144 MHz?)
> 80R (800?)
> 43R (430?)
> 36R (360?, goes to IC203, "36RF", which seems to do 440 as well)
> FAN (yep, Fan power transistor)
> MID
> NI (both go to Mid/Low switching)
>
> Sooo.. I guess the questions that come to mind a
> 1) Do US radios have this 800 MHz module installed?
> 2) How does one ask the microprocessor to enable that output of the
> shift register?
>
> Happy Hacking!
>
> -Steve "I'd never listen" Haehnichen
>
> Steve Haehnichen   Vigra, Inc. San Diego, CA
> steve@vigra.com   (619) 597-7080 x116   Fax: (619)
> 597-7094-

What kind of amp are you talking about?

I'm not aware of any band plan that includes 800 MHz transmit for the
amateur radio service!
There is a segment in the 900 mhz - but that is a horse of a different
color.

If this is a USA comment, it would be illegal to use it on another radio
service while using it for the amateur radio service.

The bottom line is - if you wanted to receive with it, you could do the
same thing with most any cheap Uniden Bearcat type scanner.

Is this the modification you are talking about?
http://www.radiomods.co.nz/kenwood/kenwoodtm733.html

--
Channel Jumper

From -922760329707959868
X-Google-Thread: 108122,63e85e012b5c90a4,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
X-Received: by 10.66.180.13 with SMTP id dk13mr2769856pac.13.1364444728683;

```
        Wed, 27 Mar 2013 21:25:28 -0700 (PDT)
Path: q9ni25920pba.1!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!usenet.blueworldhosting.com!
news.glorb.com!news-out.readnews.com!transit4.readnews.com!panix!rri.panix.com!
robomod!not-for-mail
From: rec-radio-info-request@panix.com (AmateurLogic.TV via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: AmateurLogic.TV for Thursday 28 March 2013
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Thu, 28 Mar 2013 00:25:28 EDT
Organization: AmateurLogic.TV
Lines: 18
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <f46d04447119d43e3a04d8f48a95@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader2.panix.com 1364444728 2352 166.84.1.6 (28 Mar 2013 04:25:28 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 28 Mar 2013 04:25:28 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to            rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:x-received:sender:precedence:message-id:date:subject
         :from:to:content-type;
        bh=pRGGUad+2/qUrs6O/2Z/8ZyHyN0xtXcw3Nh7QRLyC8A=;
        b=mstGySVo98ScOHiD+Fm6Mjui92RMPRzcD1Ju0jNUl6sNVarOVCLTD3U7Yi9nBQf1El
         8o8YM9d5I8NmkvcJNSlsKALAu/p173D2LASPkZ9pG7sL9ibQrtKLlW0ilbnipFf0DENK
         DDJ4Qjyka5wfKE8BqYbsZIXb/+sBdpLo9wLJug6rvKpUzfNzd/AP4PowAnnpQThm1vtv
         7CvEND8kpN3VeXjQai/rz5soLc+MPpDoMrpp8G6KxMvY3VFp7PJuLuzkDyEj9HvSyscA
         AuZDnTtar+8PhWgfPCo9RjNAmHiS8etgQjH+1squ/mVX3EWirfRna4XjCiPh61HQppbd
         Y8cQ==
X-StripMime: Non-text section removed by stripmime
X-Received-Bytes: 3112
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

AmateurLogic.TV

///
AmateurLogic.TV Episode 52

Posted: 27 Mar 2013 03:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic52_hi.wmv

George visited GigaParts in Huntsville Alabama for Ham Radio Day on March 16th. We take a look at the store and visit with

some of the manufacturers reps to find out what’s new. It was a great event at a great ‘Candy Store’.

38:45 of extra ALTV fun!
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic52_hi.wmv

```
From -2333915250146814176
X-Google-Thread: d7f5508063,32868c33d4e8dc7d,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.181.13.179 with SMTP id ez19mr3501957wid.5.1364940622541;
        Tue, 02 Apr 2013 15:10:22 -0700 (PDT)
MIME-Version: 1.0
Path: p18ni33755wiv.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.86.MISMATCH!newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!xs4all!
newspeer1.nac.net!border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!
news.bbs-scene.org!goblin3!gin-ad1-unet1.teleglobe.net!goblin2!goblin.stu.neva.ru!
feeder.erje.net!us.feeder.erje.net!news.glorb.com!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 30 Mar 2013 12:02:25 -0500
From: Ted Breaux <Ted.Breaux.b9cd298@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Rbc-5
Date: Sat, 30 Mar 2013 13:19:51 +0000
Message-ID: <Ted.Breaux.b9cd298@radiobanter.com>
Organization: RadioBanter.com
Lines: 7
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-vBxMbsP6ctbZUbK2ecWF1Wh2WNp5RtFs1KQqFszrnMnI/+VIMisHsx/
aWYW2bT63lUKZOfEKF3yPeSQ!cqddf0AnSIsrU1Sb7YPN10VSdhb3RZHP/
xkK2aM7wEOWqlxCNAo3/5SlrXujn9bTqDaQETo2x5ga!iUkxcKbLDw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 980
```

Where can I get info on restoration tips for the RBC-5?

--
Ted Breaux

```
From -3203806123364561355
X-Google-Thread: a4a23d5f63,fe597dffb4fb1f47,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.207.2 with SMTP id fw2mr3517033qab.6.1365343120092;
        Sun, 07 Apr 2013 06:58:40 -0700 (PDT)
Path: ef9ni13661qab.0!nntp.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newspeer1.nac.net!newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!
xs4all!xlned.com!feeder3.xlned.com!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-
eurorings.net!news.n-ix.net!news.hufnagl.info!fu-berlin.de!feeder.erje.net!
us.feeder.erje.net!news.linkpendium.com!news.linkpendium.com!panix!rri.panix.com!
robomod!not-for-mail
From: rec-radio-info-request@panix.com (SolderSmoke via rec.radio.info Admin)
Newsgroups: 
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: SolderSmoke Podcast for Monday  1 April 2013
Followup-To: 
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Mon, 1 Apr 2013 06:43:20 EDT
Organization: SolderSmoke
Lines: 12
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <f46d0447952ba4981b04d94a497e@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1364813000 20829 166.84.1.6 (1 Apr 2013 10:43:20 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 1 Apr 2013 10:43:20 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this 
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:x-received:sender:precedence:message-id:date:subject
         :from:to:content-type;
        bh=NWX/iNkpg6qX6DUkWgVx+5hV8g/Hg6EZ1m/gXc72xXI=;
        b=AE3dgpo1pClJ9RpGYFqSMi2Ho1zABRChBvkYYNtA1CqVMVKNtwpFiuxdW+FdzHC0jY
         T78cM5KcxMXO7by1dV2ggYW2Jx1M2xzJUSEbs7tQFekpCGXn6hP/Vd+5sww3vNtIZ/tH
         oJt+TbzOmP4XmIYGrnzIfXi//HJ6XiFs9km1lfZuWHHSWudKNGowAfAoCUWY/4j3IW+r
         lTa+UeDtI6Bogf0MI+aJrg44sBC+d0L3TOPIhda+XWUxVOmz0GVk3T8XoOfBTcTSUlsD
         jkMBPq0zo3tesGs5cNIkF6N2zo0KdiUIACHC9MNDD9EG+GbnQxAxaBpl4Z35TJ9lF0ax
         J2mA==
X-StripMime: Non-text section removed by stripmime
Bytes: 3045
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

SolderSmoke Podcasts

///
SolderSmoke151`

Posted: 01 Apr 2013 01:52 AM PDT

SolderSmoke issue 151
This posting includes a media file:
http://www.soldersmoke.com/soldersmoke151.mp3

```
From -4104133268353455637
X-Google-Thread: d7f5508063,b506be4e9ec8c16c,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.12.161 with SMTP id z1mr702992pab.11.1365051736969;
        Wed, 03 Apr 2013 22:02:16 -0700 (PDT)
MIME-Version: 1.0
Path: q9ni26294pba.1!nntp.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 04 Apr 2013 00:02:16 -0500
From: LoneHamm <LoneHamm.ba2c158@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TH-28A problem
Date: Thu, 4 Apr 2013 02:21:37 +0000
Message-ID: <LoneHamm.ba2c158@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 24
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-N28wtHchPrqfe8TYbmio+XgJh38kQHeRdb7/
```

mk0YDxRX4mJ4f1xq1rm5wK9MoFl2qkIJ5JI872TcDo+!apN/
Dp6mV0+DlOGIfkykFdSf7QzCta8KD5DmLvBcG+B7Ufwa47FyWOvWakpZbEOX5hwtUR/mGArD!YCXBz8U=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Bytes: 1596
X-Original-Lines: 16
X-Original-Bytes: 1513
X-Received-Bytes: 1676

I have a Kenwood TH-28A and have an extended antenna on the unit. I have been inside and outside to reach a repeater and have not had any luck. I have even hooked it up to my 2 meter outside antenna.

The settings that I have on it are: - T S APO
Then when I press the LOW button I then see the following: M.

I then press LOW again then it switches to L

Pressing Low for a third time shows: EL

The repeater is set to take in negative.

It is approximately 30+ miles away.

I am at a loss as to what the problem is.

Would someone know what the solution is?

--
LoneHamm

From 3088999923647837162
X-Google-Thread: d7f5508063,b506be4e9ec8c16c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.246.164 with SMTP id xx4mr29930pac.45.1365089526816;
Thu, 04 Apr 2013 08:32:06 -0700 (PDT)
MIME-Version: 1.0
Path: jv11ni610pbb.0!nntp.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news.alt.net!news-out.readnews.com!transit3.readnews.com!novia!posts.news.sonic.net!nnrp1.nntp.sonic.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TH-28A problem

```
References: <LoneHamm.ba2c158@radiobanter.com>
From: Patty Winter <patty1@wintertime.com>
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Date: 04 Apr 2013 15:31:18 GMT
Lines: 14
Message-ID: <515d9cc6$0$52819$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 04 Apr 2013 15:31:18 GMT
NNTP-Posting-Host: 8bc2ca69.news.sonic.net
X-Trace:
DXC=EjLbRkH0meYaI3=dSMd[ZVm4K\QM1CV^P1OYf0H`?;XQ2Kb6Q0HMZRV:oF=1i9HD6Tf@gnXX>i9b\f
lYMZ?Ce1M]
X-Complaints-To: abuse@sonic.net
X-Received-Bytes: 1120


In article <LoneHamm.ba2c158@radiobanter.com>,
LoneHamm  <LoneHamm.ba2c158@radiobanter.com> wrote:
>
>I have a Kenwood TH-28A and have an extended antenna on the unit.  I
>have been inside and outside to reach a repeater and have not had any
>luck.  I have even hooked it up to my 2 meter outside antenna.

Does the repeater require an access tone? If so, do you have your
radio set to the proper one?


Patty




From 7388034238384893219
X-Google-Thread: 108122,f736d142937a4423,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.191.130 with SMTP id gy2mr1916243pac.19.1365181348696;
        Fri, 05 Apr 2013 10:02:28 -0700 (PDT)
MIME-Version: 1.0
Path: q9ni26518pba.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Apr 2013 12:02:27 -0500
From: jarm7197 <jarm7197.ba4bb98@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: wanted to buy 157 & KG-600-C testers
Date: Fri, 5 Apr 2013 14:03:47 +0000
Message-ID: <jarm7197.ba4bb98@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 11
```

```
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
w8rhnvATyIHN0mq+oZgspuZ9sTaW4e3TMqCOxGyp4KuHysDArtre1eMFtNmTc7gRanITvcYBj3bY0iV!/
piPZvhJ9n1OHALjWyPoA8ZXx2PPOgdfWNssaM+HBZIoqcI+1z7LPpyZZy4qFXEs8HXxp0EXceK+!
+EKbc2U=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1330
X-Original-Lines: 1
X-Original-Bytes: 1247


Want to buy accurate instrument model 157 vacuum tube tester and Knight
KG-600-C vacuum tube tester both in good working order.I live in new
Hampshire,eastern standard time.Please contact me at
lonesome77202@gmail.com or phone 603-772-9845 phone is also answering
service please leave message.Many Thanks




--
jarm7197


From -8816463387166980039
X-Google-Thread: d7f5508063,b506be4e9ec8c16c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.189.209 with SMTP id gk17mr2902637wic.7.1365462163123;
        Mon, 08 Apr 2013 16:02:43 -0700 (PDT)
MIME-Version: 1.0
Path: ex12ni31236wid.1!nntp.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!eu.feeder.erje.net!newsfeed.freenet.ag!news2.euro.net!
209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!newshosting.com!
216.196.98.146.MISMATCH!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 Apr 2013 18:02:42 -0500
From: LoneHamm <LoneHamm.ba90478@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TH-28A problem
Date: Mon, 8 Apr 2013 22:59:48 +0000
Message-ID: <LoneHamm.ba90478@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <LoneHamm.ba2c158@radiobanter.com>
```

```
<515d9cc6$0$52819$742ec2ed@news.sonic.net>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-DS5ej+VUmNhtaPZvH1QdRJWElLyGyUTADHRIrmB8NenboH4BM5aA/KKErB7QiLd6tC/
m6F0Pt8QXPJd!
YRF0AptBz+aEwFLT+y9nl3hIRF+YQ7GBfW2y1zK4suPfvMwzK6UERspJHPd3AjfFmGjk+NldOP2B!
IPB5Hm0=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1739
X-Original-Lines: 1
X-Original-Bytes: 1656


Patty Winter;803414 Wrote:
> In article LoneHamm.ba2c158@radiobanter.com,
> LoneHamm  LoneHamm.ba2c158@radiobanter.com wrote:-
>
> I have a Kenwood TH-28A and have an extended antenna on the unit.  I
> have been inside and outside to reach a repeater and have not had any
> luck.  I have even hooked it up to my 2 meter outside antenna.-
>
> Does the repeater require an access tone? If so, do you have your
> radio set to the proper one?
>
>
> Patty

The T is illuminated for the Tone.  Yes, a tone is required.  But it
still does not hit the repeater.
I can hear others on the repeater, and try to reply but it does not
work.




--
LoneHamm


From -2162567159963605998
X-Google-Thread: d7f5508063,b506be4e9ec8c16c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.20.105 with SMTP id m9mr3643978wie.5.1366082126667;
        Mon, 15 Apr 2013 20:15:26 -0700 (PDT)
MIME-Version: 1.0
Path: p18ni69727wiv.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.81.MISMATCH!newsfeed.xs4all.nl!newsfeed2.news.xs4all.nl!xs4all!
```

```
xlned.com!feeder1.xlned.com!border2.nntp.ams.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
news.teledata-fn.de!Quza.UK.peer!nntp.gblx.net!takemy.news.telefonica.de!
telefonica.de!newsfeed.freenet.ag!news2.euro.net!209.197.12.246.MISMATCH!
nx02.iad01.newshosting.com!newshosting.com!news-out.readnews.com!
transit3.readnews.com!novia!posts.news.sonic.net!nnrp1.nntp.sonic.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TH-28A problem
References: <LoneHamm.ba2c158@radiobanter.com>
<515d9cc6$0$52819$742ec2ed@news.sonic.net> <LoneHamm.ba90478@radiobanter.com>
From: Patty Winter <patty1@wintertime.com>
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Date: 08 Apr 2013 23:52:30 GMT
Lines: 24
Message-ID: <5163583e$0$52824$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 08 Apr 2013 23:52:30 GMT
NNTP-Posting-Host: 95d0a5f6.news.sonic.net
X-Trace:
DXC=Fh:O_HRkGF[]8K2m3D70NXm4K\QM1CV^P1OYf0H`?;XQFlRHQBO5R0U:oF=1i9HD6TgQFQDdAaXnP[
7Fb6F?[nI[
X-Complaints-To: abuse@sonic.net


In article <LoneHamm.ba90478@radiobanter.com>,
LoneHamm  <LoneHamm.ba90478@radiobanter.com> wrote:

[snip]


>Patty Winter;803414 Wrote:
>>
>> Does the repeater require an access tone? If so, do you have your
>> radio set to the proper one?
>
>The T is illuminated for the Tone.  Yes, a tone is required.  But it
>still does not hit the repeater.

And you're sure it's the correct tone?

Is there another ham in your area you could ask for help? Preferably
someone who uses that repeater? They might know of any quirk that's
preventing you from accessing it.


Patty




From 2235844627242882493
X-Google-Thread: d7f5508063,f4f7d68191afe259,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.106.161 with SMTP id gv1mr1345394wib.4.1365634936292;
        Wed, 10 Apr 2013 16:02:16 -0700 (PDT)
MIME-Version: 1.0
Path: ex12ni35170wid.1!nntp.google.com!goblin2!goblin.stu.neva.ru!feeder.erje.net!
eu.feeder.erje.net!newspeer1.nac.net!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 10 Apr 2013 18:02:15 -0500
From: davids1251 <davids1251.baba4ee@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: UK PRC-2000 military radio
Date: Wed, 10 Apr 2013 18:29:54 +0100
Message-ID: <davids1251.baba4ee@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-Srpgtj1hHaYPoT4Wi+5ELzV/c1+Xe/
WeQ6t0bwNfod9i3b2tpgsr8U5fO2G5uWF9MffD+ymctA6DqJl!
2pOBRKcvt+rHAsUYjAhsIFKiR3VozvtdxRZo4OfaD0hXHMtnVzLajO+VGHoJCFC3iou07JUSAkAV!
VMjkFQ3X
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1145
```

I want to purchase a functioning and complete PRC-2000 radio with batteries and in really good condition. It must be ready to go, turn it on and talk... my email address is bigfoot@sisterlakescable.com

--
davids1251

```
From 4301336035310771087
X-Google-Thread: d7f5508063,a193b16411f7c0b2,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,UTF8
X-Received: by 10.224.58.77 with SMTP id f13mr11057974qah.7.1366380708556;
        Fri, 19 Apr 2013 07:11:48 -0700 (PDT)
Path: ef9ni4630qab.0!nntp.google.com!border1.nntp.dca.giganews.com!
```

```
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!nrc-
news.nrc.ca!News.Dal.Ca!news.litech.org!news.etla.org!feeder.erje.net!
us.feeder.erje.net!news.linkpendium.com!news.linkpendium.com!panix!rri.panix.com!
robomod!not-for-mail
From: rec-radio-info-request@panix.com (AmateurLogic.TV via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: AmateurLogic.TV for Friday 12 April 2013
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Fri, 12 Apr 2013 00:17:40 EDT
Organization: AmateurLogic.TV
Lines: 18
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <20cf3011e125bbc38404da222eb5@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1365740260 20960 166.84.1.6 (12 Apr 2013 04:17:40 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 12 Apr 2013 04:17:40 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:x-received:sender:precedence:message-id:date:subject
         :from:to:content-type;
        bh=NWH9Ztctc0CNP4HlzggujPsJcOI0DBe0GCD1ZewDrgw=;
        b=NvOfTh92ArCE2ZPf05eI9lqeSMbvBphsKJO8heMbqZH0f1ufBcR2M8uQ7kTRempL0G
         gBmW/5PRrxrvr5kTsfH/ZbDd5ZOAGNDoIR07eOedCTZQzKI9i/wq5Ug7cPwcDY6QiuXh
         0wmS104G9CE81Z1qw3fhPsqOXnodE+isbjd9r4wzjTtTszUCOqdoKUWvT5Bpn4+5DsTv
         fWw00lgKfAO1r8J1v4/ROI9oTyLy9whKWXmGOwwUBHhakm3kQKIdmCrqiEQ+MoD9NgMg
         OR6fhO0yFzWDuK8bW3spn/5qy3yc6DGZzQ/6jI8nqlIedLjDTcpdPMvCJQCzdtVP31S4
         GrIQ==
X-StripMime: Non-text section removed by stripmime
Bytes: 3451
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

AmateurLogic.TV

//
AmateurLogic.TV Episode 53

Posted: 11 Apr 2013 03:00 AM PDT

http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic53_hi.wmv

George answers the question ‘Can you work PSK31 on the Raspberry Pi’.
We bring you a behind the scenes view of ‘The Making of AmateurLogic.TV’.
Peter visits the Canberra Deep Space Communication Complex and gets a special tour just for our viewers.
Plus we announce our exciting Field Day Giveaway Contest with great gear from Icom, GigaParts, MFJ and Heil Sound. More details at amateurlogic.tv/contest.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic53_hi.wmv

---

```
From -9096032112388016896
X-Google-Thread: d7f5508063,b506be4e9ec8c16c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.160.65 with SMTP id m1mr12211994qax.2.1365991981714;
        Sun, 14 Apr 2013 19:13:01 -0700 (PDT)
MIME-Version: 1.0
Path: ef9ni39989qab.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 14 Apr 2013 21:13:01 -0500
From: LoneHamm <LoneHamm.bb117a8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TH-28A problem
Date: Mon, 15 Apr 2013 02:53:10 +0100
Message-ID: <LoneHamm.bb117a8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <LoneHamm.ba2c158@radiobanter.com>
<515d9cc6$0$52819$742ec2ed@news.sonic.net> <LoneHamm.ba90478@radiobanter.com>
<5163583e$0$52824$742ec2ed@news.sonic.net>
Lines: 35
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-0KRRwrLhESwyGAvjv01HAeNe1j3b9C9lOeSBXw4SF7D0SO9NQjP6kHAJygLfvL11mj+VU6JoKRGytP
E!dgum3KzJ4WZVerStepGfRYPIhQ2hiQMb1EYuUhIEfppcxMq7loIqVM6a0M3XWrujIQYKPiZXYFoz!
7DIKvQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 2010
X-Original-Lines: 26
```

```
X-Original-Bytes: 1927


Patty Winter;803557 Wrote:
> In article LoneHamm.ba90478@radiobanter.com,
> LoneHamm  LoneHamm.ba90478@radiobanter.com wrote:
>
> [snip]
>
> -
> Patty Winter;803414 Wrote: -
>
> Does the repeater require an access tone? If so, do you have your
> radio set to the proper one?-
>
> The T is illuminated for the Tone.  Yes, a tone is required.  But it
> still does not hit the repeater.-
>
> And you're sure it's the correct tone?
>
> Is there another ham in your area you could ask for help? Preferably
> someone who uses that repeater? They might know of any quirk that's
> preventing you from accessing it.
>
>
> Patty

I did have another ham check out the unit.  It was found that the
transmit frequency was off, so it got corrected.  Now, I can transmit
and receive.

Thanks for the tip.




--
LoneHamm



From 6839217729859238506
X-Google-Thread: d7f5508063,b506be4e9ec8c16c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.139.162 with SMTP id qz2mr216260pab.39.1366114380658;
        Tue, 16 Apr 2013 05:13:00 -0700 (PDT)
MIME-Version: 1.0
Path: oi7ni760pbb.0!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
```

NNTP-Posting-Date: Tue, 16 Apr 2013 07:12:59 -0500
From: Channel Jumper <Channel.Jumper.bb2f5c8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TH-28A problem
Date: Tue, 16 Apr 2013 12:49:57 +0100
Message-ID: <Channel.Jumper.bb2f5c8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <LoneHamm.ba2c158@radiobanter.com>
<515d9cc6$0$52819$742ec2ed@news.sonic.net> <LoneHamm.ba90478@radiobanter.com>
<5163583e$0$52824$742ec2ed@news.sonic.net> <LoneHamm.bb117a8@radiobanter.com>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-cFyfy5jg1TQOg39PU21iOsUrgUJkqib81VD03OZ2ijIkCHV+WYkpceeaGqJdg/
y6mlciuXv2PnKCR7c!
TWa5yfjE0zuEn7H8NYhumVOiXDiu7xhIUglv2jBTTH0RRd6yA1OgIVzAOLelK+xdQ1GIIm3KcBYh!
MyV5qwCC6l6Zaw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1654
X-Original-Lines: 9
X-Original-Bytes: 1571
X-Received-Bytes: 1734

LoneHamm;803799 Wrote:
> I did have another ham check out the unit. It was found that the
> transmit frequency was off, so it got corrected. Now, I can transmit
> and receive.
>
> Thanks for the tip.

The bottom line is that the repeater is too far away.

Basic physic's 101 - all signals reduce at the square of the distance away.

You wasted your money when you bought a walkie talkie...

--
Channel Jumper

From -3281898389251456846
X-Google-Thread: d7f5508063,b506be4e9ec8c16c

```
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.10.6 with SMTP id n6mr7340223qan.4.1366381205121;
        Fri, 19 Apr 2013 07:20:05 -0700 (PDT)
Path: ef9ni4664qab.0!nntp.google.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!nrc-
news.nrc.ca!News.Dal.Ca!news.litech.org!news0.firedrake.org!news.xcski.com!ncf.ca!
not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TH-28A problem
Date: Tue, 16 Apr 2013 14:22:07 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 23
Sender: et472@bas1-montreal43-2925385370.dsl.bell.ca
Message-ID: <alpine.LNX.2.02.1304161421170.23406@darkstar.example.org>
References: <LoneHamm.ba2c158@radiobanter.com>
<515d9cc6$0$52819$742ec2ed@news.sonic.net> <LoneHamm.ba90478@radiobanter.com>
<5163583e$0$52824$742ec2ed@news.sonic.net> <LoneHamm.bb117a8@radiobanter.com>
<Channel.Jumper.bb2f5c8@radiobanter.com>
NNTP-Posting-Host: bas1-montreal43-2925385370.dsl.bell.ca
Mime-Version: 1.0
X-Trace: theodyn.ncf.ca 1366136479 20082 174.93.214.154 (16 Apr 2013 18:21:19 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 16 Apr 2013 18:21:19 GMT
In-Reply-To: <Channel.Jumper.bb2f5c8@radiobanter.com>
User-Agent: Alpine 2.02 (LNX 1266 2009-07-14)
Bytes: 1874
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

On Tue, 16 Apr 2013, Channel Jumper wrote:

>
> LoneHamm;803799 Wrote:
>> I did have another ham check out the unit.  It was found that the
>> transmit frequency was off, so it got corrected.  Now, I can transmit
>> and receive.
>>
>> Thanks for the tip.
>
> The bottom line is that the repeater is too far away.
>
> Basic physic's 101 - all signals reduce at the square of the distance
> away.
>
> You wasted your money when you bought a walkie talkie...
>
He said another ham looked at it, and the rig was off frequency, and now
it works fine.

That sure doesn't sound like an issue of distance, or walkie talkie.
```

Michael VE2BVW

```
From -4023176637517443998
X-Google-Thread: d7f5508063,b506be4e9ec8c16c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.10.6 with SMTP id n6mr16916333qan.4.1366657981037;
        Mon, 22 Apr 2013 12:13:01 -0700 (PDT)
MIME-Version: 1.0
Path: ef9ni10203qab.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Apr 2013 14:13:00 -0500
From: LoneHamm <LoneHamm.bbb4138@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TH-28A problem
Date: Mon, 22 Apr 2013 19:33:22 +0100
Message-ID: <LoneHamm.bbb4138@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <LoneHamm.ba2c158@radiobanter.com>
<515d9cc6$0$52819$742ec2ed@news.sonic.net> <LoneHamm.ba90478@radiobanter.com>
<5163583e$0$52824$742ec2ed@news.sonic.net> <LoneHamm.bb117a8@radiobanter.com>
<Channel.Jumper.bb2f5c8@radiobanter.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
Z8L5PnsprChK4eSs6E9LLZHR7BsUSkzLlfRgBuxiqe9yTYBpoacBmY9fPczpE6SQf0gzQqxIeGt9sKX!
OTDH2qPjcEi2+BF35RosrDjeLzDy6eWe555sXs3Z52MRfTNL9XqGBm780G2pR66Kcw8BCUCKB6BI!
fgTpow==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1756
X-Original-Lines: 9
X-Original-Bytes: 1673
```

Channel Jumper;803870 Wrote:
> The bottom line is that the repeater is too far away.
>
> Basic physic's 101 - all signals reduce at the square of the distance
> away.
>
> You wasted your money when you bought a walkie talkie...

I for one do not use the Kenwood as a Walkie-Talkie. Evidently you are

NOT a Licensed Ham, which I am.

Additionally, you would know if you were a ham that many repeaters have offsets which require a frequency difference between input and transmit exit.

--
LoneHamm

```
From -5551295962241688290
X-Google-Thread: d7f5508063,b506be4e9ec8c16c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.215.194 with SMTP id hf2mr26867067qab.0.1366891977692;
        Thu, 25 Apr 2013 05:12:57 -0700 (PDT)
MIME-Version: 1.0
Path: ef9ni19368qab.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 25 Apr 2013 07:12:57 -0500
From: Channel Jumper <Channel.Jumper.bbed348@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TH-28A problem
Date: Thu, 25 Apr 2013 12:29:51 +0100
Message-ID: <Channel.Jumper.bbed348@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <LoneHamm.ba2c158@radiobanter.com>
<515d9cc6$0$52819$742ec2ed@news.sonic.net> <LoneHamm.ba90478@radiobanter.com>
<5163583e$0$52824$742ec2ed@news.sonic.net> <LoneHamm.bb117a8@radiobanter.com>
<Channel.Jumper.bb2f5c8@radiobanter.com> <LoneHamm.bbb4138@radiobanter.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-MKGqw9RfBySengh8ZMjFr1/
EWFPUsEbIBdu1EHt7NEICT1hfkLY4oRbib61fLEMFIzkBbgu4RWU59e1!
QBJng6cmFAT6FTAQODDBElS4YkIAhcIvv2hsy4rAmiL8k48HlxoPx4upS+ogsxdNea4NGsjDplb9!
DlQQewek4IJuEA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1772
X-Original-Lines: 7
X-Original-Bytes: 1689
```

LoneHamm;804070 Wrote:
> I for one do not use the Kenwood as a Walkie-Talkie. Evidently you are
> NOT a Licensed Ham, which I am.
>
> Additionally, you would know if you were a ham that many repeaters have
> offsets which require a frequency difference between input and transmit
> exit.

Eye Rodger - 10-4

Anytime you want - I will meet you up on the Amateur Extra Portion of
the bands and we can talk about it on 20 or 40 meters...

--
Channel Jumper

```
From -8745542793143758574
X-Google-Thread: d7f5508063,76479f839b1057a8,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.58.77 with SMTP id f13mr34419095qah.7.1367082784205;
        Sat, 27 Apr 2013 10:13:04 -0700 (PDT)
MIME-Version: 1.0
Path: ef9ni27127qab.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 27 Apr 2013 12:13:03 -0500
From: kc6wir <kc6wir.bc1bc98@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Elecraft K3/100  & ICOM IC-756PRO III.
Date: Sat, 27 Apr 2013 17:26:44 +0100
Message-ID: <kc6wir.bc1bc98@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 32
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-nTRtL/
ivpnklsrfvOQkoKm3FCWcuznl9UBYRJ9PcqEocfzCH25eyKorDiee0RMqnx1TGTl1uwM50V5N!
GD9q2A5rKlSKgVy748a/Rzzx6nULgLABXNY248+JEaxk4D9k65vtyaI5kKQprqPyMVOTBMYQZtkY!Bz8=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 2075
```

X-Original-Lines: 21
X-Original-Bytes: 1992

For Sale: Loaded Elecraft K3 and P3 panadapter with many options
including the second receiver and antenna tuner. It was a kit but
expertly assembled
and it works and looks great.
Below is the complete list of options:
K3/100 - 100w Transceiver ......KBPF3 - gen coverage bandpass filter
KDVR3 - digital voice recorder......KFL3A-500 - 500hz cw filter
KFL3A-6K - 6khz AM filter..........KFL3B-FM - 13 khz FM filter
KRX3- second receiver.......KTCXO3-1 - TCXO 0.5PPM
KXV3A - K3 rx ant,IF out, Xvtr interface.....MH2 - Hand Mic
P3- Panadapter
Asking : $1850 shipped (worldwide)

Contact : kc6wir@yahoo.com

Mint ICOM IC-756PRO III in PERFECT FULL working condition and MINT
cosmetics. If has been kept with cover (included) and comes with
original box, cables, fuses, etc as new. I have used this radio for a
while, and it puts out FULL output and absolutely everything work as it
should. I can provide pictures and we can talk on 40 meters.
Asking : $1300 shipped (worldwide)
Mr. Ray
Contact : kc6wir@yahoo.com
(408) 419-9615
73
kc6wir

--
kc6wir

From 5741387343541355591
X-Google-Thread: d7f5508063,76479f839b1057a8
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.36.66 with SMTP id s2mr3268238qad.6.1367151179551;
        Sun, 28 Apr 2013 05:12:59 -0700 (PDT)
MIME-Version: 1.0
Path: ef9ni29914qab.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 28 Apr 2013 07:12:59 -0500
From: Channel Jumper <Channel.Jumper.bc2c7c9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Elecraft K3/100 & ICOM IC-756PRO III.

Date: Sun, 28 Apr 2013 12:27:01 +0100
Message-ID: <Channel.Jumper.bc2c7c9@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <kc6wir.bc1bc98@radiobanter.com>
Lines: 35
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-7fNQBGtCbeMe/
r+vusM2BxShn2c6D+V2/0VXgPUveF9rKiPeiRPTtSAlpa6dGtwuGA4oVt4VSiE7pvy!
RZZ4DpfSsJk9f7QvaiEPAdrhExIKrOg1ufqIzakYuOdlf8d7/CaxMyEeZfITN7RXlkzLBKunLxA0!
Hr+4tfCGQpGPLw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Bytes: 2284
X-Original-Lines: 23
X-Original-Bytes: 2201

kc6wir;804225 Wrote:
> For Sale: Loaded Elecraft K3 and P3 panadapter with many options
> including the second receiver and antenna tuner. It was a kit but
> expertly assembled
> and it works and looks great.
> Below is the complete list of options:
> K3/100 - 100w Transceiver ......KBPF3 - gen coverage bandpass filter
> KDVR3 - digital voice recorder......KFL3A-500 - 500hz cw filter
> KFL3A-6K - 6khz AM filter..........KFL3B-FM - 13 khz FM filter
> KRX3- second receiver.......KTCXO3-1 - TCXO 0.5PPM
> KXV3A - K3 rx ant,IF out, Xvtr interface.....MH2 - Hand Mic
> P3- Panadapter
> Asking : $1850 shipped (worldwide)
>
> Contact : kc6wir@yahoo.com
>
> Mint ICOM IC-756PRO III in PERFECT FULL working condition and MINT
> cosmetics. If has been kept with cover (included) and comes with
> original box, cables, fuses, etc as new. I have used this radio for a
> while, and it puts out FULL output and absolutely everything work as it
> should. I can provide pictures and we can talk on 40 meters.
> Asking : $1300 shipped (worldwide)
> Mr. Ray
> Contact : kc6wir@yahoo.com
> (408) 419-9615
> 73
> kc6wir

What is the serial number of the K3?

--
Channel Jumper

```
From 6386595587043269340
X-Google-Thread: 108122,8bff639f90bb0e3e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.252.170 with SMTP id zt10mr7195782pac.45.1367792222643;
        Sun, 05 May 2013 15:17:02 -0700 (PDT)
MIME-Version: 1.0
Path: ln4ni1425pbb.0!nntp.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!news.linkpendium.com!news.linkpendium.com!panix!rram.panix.com!
robomod!not-for-mail
From: Paul W. Schleck <pschleck@oasis.novia.net>"
Newsgroups: rec.radio.amateur.moderated,rec.radio.amateur.equipment
Subject: 30 Years Ago: Dayton Hamvention 1983
Date: Sun, 5 May 2013 18:17:01 EDT
Organization: Novia Internetworking, http://www.novia.net/
Lines: 59
Approved: RRAM Approval Key <rram-approval-key@panix.com>
Message-ID: <51864bc6$0$81790$540ea2cf@novia.net>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1367792221 12612 166.84.1.6 (5 May 2013 22:17:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 5 May 2013 22:17:01 +0000 (UTC)
X-RRAM-Policy: http://www.panix.com/~rram/usenet/rram/index.html
X-RRAM-Info-1: Send submissions to             rec-radio-amateur-
moderated@panix.com
X-RRAM-Info-2: Send technical complaints to    rec-radio-amateur-moderated-
request@panix.com
X-RRAM-Info-3: Send complaints about policy to rec-radio-amateur-moderated-
request@panix.com
X-RRAM-Info-4: GnuPG 1.4.5 Public Key at http://www.panix.com/~rram/gpg.html
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
User-Agent: nn/6.7.3
X-Auth: PGPMoose V2.0 PGP rec.radio.amateur.moderated
 iJwEAQECAAYFAlGG2l0ACgkQSO8RITXCfvsm5wQAmV8uYss7cpnecpyB4T29Khrp
 rGAwuj6ln5TgTa2Q8xBkmyJzrgeflfVC6pZ0ldMiM2Q/akDgZhXryN3xCgIjGisj
 kI9ujYue40VGAh9F+0A+FHeCQRBcaaht/D+NSNdD39vLsu3qdphS1+foQxzaVAUQ
 ++olXdOkf9lXpAFUbjM=
 =3bR8
```

X-Received-Bytes: 4359

-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

This is from a web-site that is replaying Usenet, including net.ham-radio, from 30 years ago (currently early 1983). The site is:

  http://www.olduse.net

If you prefer to use your own newsreader, the site also supports an NNTP connection at:

  nntp.olduse.net:119

>From: karn <utzoo!decvax!harpo!eagle!karn>
>Subject: Dayton 1983
>Newsgroups: net.ham-radio
>Date: Sun May 1 22:04:25 1983

Did anybody else go out there and brave the floods?

Just returned from an exhausting weekend. The outside flea markets were only open on Saturday and Sunday, while the commerical exhibits (inside) were open all three days. It also rained two out of the three days; guess which ones? Parking was a disaster; because of the rain, the usually spacious unpaved fields behind the arena were closed, and people were parking anywhere and everywhere. Tow trucks were out in force, and I'm sure the local auto pound made plenty of money.

A lot of new amateur transceivers are coming out with provisions for computer control. The cheaper rigs provide only for frequency control, while the more expensive ones allow you to get to more of the knobs from the interface. Yaesu has the TS-980 and the FT-757GX with their "CAT" (Computer Assisted Tuning), while a number of Icom transceivers have had accessory connectors allowing external frequency control for some time. Seems to me that shared club HF "remote base" stations should become quite common.

Multiband VHF/UHF rigs (some supporting full duplex cross banding, e.g., for satellites) are starting to appear; both Yaesu (FT-726R) and Kenwood (TS-780) have them. The Yaesu looks especially nice because you can choose the three bands segments you want as plug-ins. More and more 70cm multimode rigs are also appearing, but most seem to restrict you to only a 10 mhz segment of the band (440-450 mhz, or, more commonly, 430-440 mhz). 1.2 Ghz stuff is just now starting to appear; Icom has a 1.2 Ghz mobile FM transceiver, and more 1.2 Ghz transverters and transmitting converters are coming out, many especially designed for the 1269 mhz Phase 3B Mode L uplink. Technology moves on!

Phil

-----BEGIN PGP SIGNATURE-----
Version: GnuPG v2.0.19 (FreeBSD)

iEYEARECAAYFAlGGSEUACgkQ6Pj0az779o66gACdG11eVLTXXYpbyn9kPNIeJe7V
plUAoLk1tQtN4IEdz5r5tNqSGW1l7OTP
=D9fu
-----END PGP SIGNATURE-----

```
From -70135760861890059
X-Google-Thread: d7f5508063,4d67e545d7494665,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.182.6 with SMTP id ea6mr21237631wic.4.1368116296340;
        Thu, 09 May 2013 09:18:16 -0700 (PDT)
MIME-Version: 1.0
Path: hg5ni91503wib.1!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.108.MISMATCH!feeder2.cambriumusenet.nl!feed.tweaknews.nl!
94.232.116.11.MISMATCH!feed.xsnews.nl!border-1.ams.xsnews.nl!newsfeed.fsmpi.rwth-
aachen.de!news-1.dfn.de!news.dfn.de!eu.feeder.erje.net!feeder.erje.net!
us.feeder.erje.net!news.glorb.com!border3.nntp.dca.giganews.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-
mail
NNTP-Posting-Date: Mon, 06 May 2013 13:56:12 -0500
Reply-To: "David  Thompson" <thompson@mindspring.com>
From: "David  Thompson" <thompson@mindspring.com>
Newsgroups: rec.radio.amateur.equipment
Subject: AL-82 amp on 12
Date: Mon, 6 May 2013 14:56:15 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3664
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3664
X-RFC2646: Format=Flowed; Original
Message-ID: <p4adnRqEIpFRYRrMnZ2dnUVZ_qudnZ2d@earthlink.com>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 12.77.94.129
X-Trace:
sv3-1Zy6P7X1FA6D8oBBbprH8atFeTMaPA2zsul+Lc75kNowydBnZaNZluN7uLv0C0D3qEeOnMbkYeUaFh
P!z2p/zaspqaB0c5kUpTwyDtKvDjJnr3b5p40AONGABNZFLNb/rUNERsoMim80AkGtTpOSuOeFUW/N!
FKLfDDNOMXQwVOQTGKzlYiPxcJ3mTgxkVw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1310
```

I have an AL-82 amp serial number AL-82-1176 Feb 1991 that has the 10 meter mod and the current 15/15 meter position on the band switch. How do I know

it will work on 12? works everyewhere else.
Tnx Dave K4JRB

From -7231686380568030480
X-Google-Thread: d7f5508063,4d67e545d7494665
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.13.233 with SMTP id k9mr25085512wic.1.1368113354212;
        Thu, 09 May 2013 08:29:14 -0700 (PDT)
Path: p18ni91296wiv.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.130.MISMATCH!xlned.com!feeder1.xlned.com!border2.nntp.ams.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
newsfeed.fsmpi.rwth-aachen.de!news-1.dfn.de!news-2.dfn.de!news.dfn.de!news.uni-
stuttgart.de!news.unit0.net!news.glorb.com!news-out.readnews.com!
transit4.readnews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!isp-post01.iad!news.highwinds-media.com!news.suddenlink.net!
not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <p4adnRqEIpFRYRrMnZ2dnUVZ_qudnZ2d@earthlink.com>
In-Reply-To: <p4adnRqEIpFRYRrMnZ2dnUVZ_qudnZ2d@earthlink.com>
Subject: Re: AL-82 amp on 12
Date: Mon, 6 May 2013 16:04:41 -0500
MIME-Version: 1.0
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18463
Lines: 10
Message-ID: <51881afe$0$12779$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 74.197.70.69
X-Complaints-To: abuse@suddenlink.net
Bytes: 1569
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit

Try tuning it up into a dummy load on 24.930 MHz using the 15 meter position.

"David Thompson" <thompson@mindspring.com> wrote in message
news:p4adnRqEIpFRYRrMnZ2dnUVZ_qudnZ2d@earthlink.com...
>I have an AL-82 amp serial number AL-82-1176 Feb 1991 that has the 10 meter
> mod and the current 15/15 meter position on the band switch. How do I know
> it will work on 12? works everyewhere else.
> Tnx Dave K4JRB
>
>

>

From 2037702415561164597
X-Google-Thread: d7f5508063,4d67e545d7494665
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.191.10 with SMTP id gu10mr1423811pac.7.1367988507624;
        Tue, 07 May 2013 21:48:27 -0700 (PDT)
MIME-Version: 1.0
Path: ln4ni1617pbb.0!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.earthlink.com!
news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 07 May 2013 23:48:26 -0500
Reply-To: "David Thompson" <thompson@mindspring.com>
From: "David Thompson" <thompson@mindspring.com>
Newsgroups: rec.radio.amateur.equipment
References: <p4adnRqEIpFRYRrMnZ2dnUVZ_qudnZ2d@earthlink.com>
<51881afe$0$12779$bbae4d71@news.suddenlink.net>
Subject: Re: AL-82 amp on 12
Date: Wed, 8 May 2013 00:48:20 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3664
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3664
X-RFC2646: Format=Flowed; Response
Message-ID: <GLmdndwar8qGRBTMnZ2dnUVZ_tydnZ2d@earthlink.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 12.77.94.87
X-Trace: sv3-
dv8QoqK3p5c4bbXPGCdS15UBBHmZQ6YXgqWwVtAoh1h+JgiXzALNMZnsXDRUdpRJtvuoTVjDYfk6mjv!
NKV+9Eu1gRiuQ4mrijx2Zo/9U3ToBJiWnZB5UFpXgtrYsIPqZEpqiCXTZJfoGDlv1M7XSmKKsiYv!
Wd8FTUfghhPGpyczTjVbOPpM8lL4F+Wd
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1970
X-Original-Bytes: 1909
X-Received-Bytes: 2050

That is what I plan to do although Rob at Ameritron says if the WARC mod was
done and the correct Rf choke is installed then there should be no problem.
Dave K4JRB
"Glenn" <aa5pk@hotmail.com> wrote in message
news:51881afe$0$12779$bbae4d71@news.suddenlink.net...
> Try tuning it up into a dummy load on 24.930 MHz using the 15 meter
> position.
>

> "David Thompson" <thompson@mindspring.com> wrote in message
> news:p4adnRqEIpFRYRrMnZ2dnUVZ_qudnZ2d@earthlink.com...
>>I have an AL-82 amp serial number AL-82-1176 Feb 1991 that has the 10
>>meter mod and the current 15/15 meter position on the band switch. How do
>>I know it will work on 12? works everyewhere else.
>> Tnx Dave K4JRB

```
From 5153843588437008577
X-Google-Thread: d7f5508063,a1fc483623a69e3c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.59.205 with SMTP id m13mr16851646qah.7.1368375260394;
        Sun, 12 May 2013 09:14:20 -0700 (PDT)
Path: y6ni36051qax.0!nntp.google.com!newsfeed2.dallas1.level3.net!news.level3.com!
panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: RE: K9YA Telegraph, March 2013 - Subscribe for FREE
Followup-To: poster
Date: Sun, 12 May 2013 12:14:20 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 35
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <8615C7963EB74F3F87BA92F9B6A74BB1@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
<857A208B784A4B8B9EDA07B63453C09A@GRIMES>
<7681E36DA69449718D8C5AC72DE9FFF8@GRIMES>
<4581FDC026C84A8E8FD399B49A82268C@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1368375260 23811 166.84.1.6 (12 May 2013 16:14:20 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 12 May 2013 16:14:20 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
```

```
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From; bh=/nKvqI/ioQ/
Ij2lZmDWs1ZFxYNJr6TwpAU1DDKMDoVM=;
     b=nV4kXc7spj0TZLyqq9A0B9CuGxqfpGNEX5svxeXOT0KY2wlesbJGY/98aKIRj/
lynJY1ipYUcIoW+pprVq3zSTchNFLdspJUSk4FE5GydPCZutSBbcpHf2MQhmH5mA3p;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 99.106.5.73 authed with k9ya+k9ya.org}
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

June 2013 (Volume 10, Issue 6) articles include:

AADE DF4DA By Philip Cala-Lazar, K9PL

Digital Voice For the Rest of Us By Paul W. Ross, W3FIS

Amateur Radio in the Movies By Bob Cashdollar, WR8U

Conan Wyatt Burtram Barger, W3CVE - Finale By Scott B. Laughlin, N7NET

Medishare International By Dr. Robert "Smitty" Smithwick, W6CS (SK)

Byron Price & the Wartime Amateur Ban By Philip Cala-Lazar

Ham History By Dick Sylvan, W9CBT

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From -651496649989955292
X-Google-Language: ENGLISH,UTF8
X-Received: by 10.180.12.200 with SMTP id a8mr2867658wic.1.1368419769259;
        Sun, 12 May 2013 21:36:09 -0700 (PDT)
Path: hg5ni106392wib.1!nntp.google.com!goblin2!goblin.stu.neva.ru!feeder.erje.net!
us.feeder.erje.net!nntp.club.cc.cmu.edu!micro-heart-of-gold.mit.edu!bloom-
beacon.mit.edu!panix!rri.panix.com!robomod!not-for-mail
From: rec-radio-info-request@panix.com (AmateurLogic.TV via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: AmateurLogic.TV for Monday 13 May 2013
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Mon, 13 May 2013 00:36:08 EDT
Organization: AmateurLogic.TV
Lines: 15
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <001a11c2fe34be0ce304dc920dcb@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1368419768 18067 166.84.1.6 (13 May 2013 04:36:08 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 13 May 2013 04:36:08 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:x-received:sender:precedence:message-id:date:subject
         :from:to:content-type;
        bh=7YeO1XpBLcAy5nccl0AdtHNC/c7Z/1iQOOECsGF1kiw=;
        b=QxgcFSx63QYOf+Auh0k/mO7hW3lwiqQ/F1Vq3sSgjjR8TJSngofBt5YHom1YtrKMaN
         Z3nzRu6O3aRFtys/vwodTSfATJsocouTSCPsLJBHfE7H4Vqu3qtWGbgJqHGgxWyUgCDp
         ZAdfndPLjuVHsvoXvuasBWgLlU0ZcfIWMAbVtOa/i7J0MTPH4T0RpsS8tNUhZc2wkJ4F
         iYC/Q0aioP+k5ldc5A+l2EZjJHEHsoj/OC757a6VreYCiAKV821VpwQEeyAZOaw6sQ0S
         QJeVAKv0nW70GssZw7si7c25aoNsJ13MS9+3HVh12MrjS2YXuY1MpmkoMlWW12EbQ+E5
         7aeA==
X-StripMime: Non-text section removed by stripmime
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

AmateurLogic.TV

//
AmateurLogic.TV Episode 54

Posted: 12 May 2013 03:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic54_hi.wmv

We explore three different Remote Control options to control a station from anywhere in the world. George and Tommy prepare for Dayton Hamvention. And some really funny stuff…
1:10:00 of interesting and entertaining ALTV.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic54_hi.wmv

```
From -8232514465938218183
X-Google-Thread: 108122,82b10890b54a7a33,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.224.165.130 with SMTP id i2mr24545766qay.2.1368663181916;
        Wed, 15 May 2013 17:13:01 -0700 (PDT)
MIME-Version: 1.0
Path: y6ni47434qax.0!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 May 2013 19:13:01 -0500
From: Tom Dean <Tom.Dean.bd9da08@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT2600M problem
Date: Thu, 16 May 2013 00:53:37 +0100
Message-ID: <Tom.Dean.bd9da08@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
y4ALl9A6yb82P+l18ye9LaUfBIrj9u6OOT187HsLK8wA8eE9cQouTMKDTWxVTlJy4hZ9cKusjbLPGL8!
Fq6foEHrFb0bQJ65ScqazoNY0sa+UA7Bwao5LXiXChLlNsbcb5Au4M4KK93sS/JqPHspobbEWLch!
D6K4Og==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1488
```

```
X-Original-Lines: 5
X-Original-Bytes: 1405
```

I have a Yaesu FT200M which I have installed in my truck for the purpose of transmitting an APRS signal on 144.390. Each time I set the radio on this frequency, turn the radio off and then back on, the frequency changes to 144.385. Turn it off and on again and it tunes to 144.380, etc., etc.

Anyone have any idea how to turn this "feature" off so the radio stays on 144.390 when I turn it on and then off? I've read through the manual but don't see anything.

Thanks.

--
Tom Dean

```
From -1317497992281183208
X-Google-Thread: d7f5508063,82b10890b54a7a33
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.21.226 with SMTP id y2mr2941490wie.5.1369279523364;
        Wed, 22 May 2013 20:25:23 -0700 (PDT)
Path: fw11ni1141wic.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
border2.nntp.ams2.giganews.com!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!news.panservice.it!goblin3!
goblin.stu.neva.ru!odin.sdf-eu.org!.POSTED!ma.sdf.org!scrow
From: Steve Crow <otaku!scrow+nntp@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT2600M problem
Date: Fri, 17 May 2013 13:39:28 -0400
Organization: SDF Public Access UNIX System, Est. 1987
Lines: 26
Message-ID: <alpine.LRH.2.03.1305171336420.31274@SDF.ORG>
References: <Tom.Dean.bd9da08@radiobanter.com>
Reply-To: Steve Crow <otaku!scrow+nntp@sdf.lonestar.org>
NNTP-Posting-Host: ma.sdf.org
Mime-Version: 1.0
X-Trace: odin.sdf-eu.org 1368812404 26809 192.94.73.31 (17 May 2013 17:40:04 GMT)
X-Complaints-To: usenet@odin.sdf-eu.org
NNTP-Posting-Date: Fri, 17 May 2013 17:40:04 +0000 (UTC)
User-Agent: Alpine 2.03 (LRH 1266 2009-07-14)
X-X-Sender: scrow@ma.sdf.org
In-Reply-To: <Tom.Dean.bd9da08@radiobanter.com>
Bytes: 2132
```

```
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
```

On Thu, 16 May 2013, Tom Dean wrote:

> I have a Yaesu FT200M which I have installed in my truck for the purpose
> of transmitting an APRS signal on 144.390. Each time I set the radio on
> this frequency, turn the radio off and then back on, the frequency
> changes to 144.385. Turn it off and on again and it tunes to 144.380,
> etc., etc.
>
> Anyone have any idea how to turn this "feature" off so the radio stays
> on 144.390 when I turn it on and then off? I've read through the manual
> but don't see anything.

Tom, I suspect that there might be a cabling issue that is causing the radio to erroneously register a push of the "down" button on the microphone (if that model is so equipped). I ran into a similar issue with an FT-2800M a few years ago; that model in particular was also susceptible to erratic behavior from RF coming in through the microphone line.

I guess the best place to start would be to disconnect your APRS interface and see if the problem persists. If it goes away with the interface disconnected, it could be a cabling issue.

Steve
KG4PEQ

```
From -6405842260598919985
X-Google-Thread: d7f5508063,82b10890b54a7a33
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.76.115 with SMTP id j19mr4600215wiw.2.1369279526780;
        Wed, 22 May 2013 20:25:26 -0700 (PDT)
MIME-Version: 1.0
Path: fw11ni1141wic.0!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
border2.nntp.ams2.giganews.com!border1.nntp.ams2.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
news.panservice.it!aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT2600M problem
Date: Fri, 17 May 2013 14:27:29 -0400
Organization: Aioe.org NNTP Server
Lines: 23
Message-ID: <fmmck-D8DA25.14272917052013@5ad64b5e.bb.sky.com>
References: <Tom.Dean.bd9da08@radiobanter.com>
NNTP-Posting-Host: 6eGgsyY+NwIY3qAaDGlgfA.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
```

```
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Bytes: 1716

In article <Tom.Dean.bd9da08@radiobanter.com>,
 Tom Dean <Tom.Dean.bd9da08@radiobanter.com> wrote:

> I have a Yaesu FT200M which I have installed in my truck for the purpose
> of transmitting an APRS signal on 144.390.  Each time I set the radio on
> this frequency, turn the radio off and then back on, the frequency
> changes to 144.385.  Turn it off and on again and it tunes to 144.380,
> etc., etc.

Tom-

I suggest you use a memory channel preset to 144.390.  If memory
channels are tunable, look for a setting to turn that feature off.

It is possible your frequency adjust knob is set right at the point
where it changes frequency.  This could be purely random, or could be
due to a defective rotary encoder.

Another possibility might be that the radio has a CMOS battery that is
getting weak.

Fred
K4DII


From -7938399559882347030
X-Google-Thread: 108122,a3a7e479dc83d421,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.119.67 with SMTP id ks3mr8094528pab.20.1368951182076;
        Sun, 19 May 2013 01:13:02 -0700 (PDT)
MIME-Version: 1.0
Path: bp1ni7075pbd.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 May 2013 03:13:01 -0500
From: raycoustier <raycoustier.bde3f09@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Elecraft K3/100 y ICOM IC-756PRO 3 kc6wir@yahoo.com
Date: Sun, 19 May 2013 08:19:12 +0100
Message-ID: <raycoustier.bde3f09@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
```

Lines: 31
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-NRuYs6PxG8mDgXYeYdom/KmuVPO/
VYqiHOboktvvbru7b2kynoxocLsb8LzxrHwmaa7XBUcb1vjijP6!
77nR5h30EN1s+Nb4dA0quYspXen9u8dXfwNUoBIhCnl0aVp3fkIROW3ZJAjUPc/vKP4VO1xiyOyT!
HFhdcMCS8A==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 2062
X-Original-Lines: 21
X-Original-Bytes: 1979

For Sale: Loaded Elecraft K3 and P3 panadapter with many options
including the second receiver and antenna tuner. It was a kit but
expertly assembled
and it works and looks great.
Below is the complete list of options:
K3/100 - 100w Transceiver ......KBPF3 - gen coverage bandpass filter
KDVR3 - digital voice recorder......KFL3A-500 - 500hz cw filter
KFL3A-6K - 6khz AM filter..........KFL3B-FM - 13 khz FM filter
KRX3- second receiver.......KTCXO3-1 - TCXO 0.5PPM
KXV3A - K3 rx ant,IF out, Xvtr interface.....MH2 - Hand Mic
P3- Panadapter
Asking : $1850 shipped (worldwide)
Contact : kc6wir@yahoo.com

Icom IC-756 Pro III in as new condition from a non smoking environment.
I purchased the radio new. The radio is pristine, no scratches,dings or
marks and it works as it should. NO ISSUES !
Comes with PS-125 power supply microphone, power cord, manual and
factory box and packing materials S/N 3203519.
Price $1300.00
Mr. Ray
Contact : kc6wir@yahoo.com
(408) 419-9615
73
kc6wir

--
raycoustier

From -7558382331331037147
X-Google-Thread: d7f5508063,8a595aae40a2ad78,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes

```
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.161.201 with SMTP id xu9mr1044514pab.3.1369279527020;
        Wed, 22 May 2013 20:25:27 -0700 (PDT)
Path: bp1ni13727pbd.1!nntp.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!news.panservice.it!
feeder.erje.net!us.feeder.erje.net!newsfeed.hal-mli.net!feeder3.hal-mli.net!
newsfeed.hal-mli.net!feeder1.hal-mli.net!news.linkpendium.com!
news.linkpendium.com!panix!rri.panix.com!robomod!not-for-mail
From: rec-radio-info-request@panix.com (SolderSmoke via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: SolderSmoke Podcast for Sunday 19 May 2013
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Sun, 19 May 2013 06:07:18 EDT
Organization: SolderSmoke
Lines: 12
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <089e015389264d91ca04dd0f61ed@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1368958039 15561 166.84.1.6 (19 May 2013 10:07:19 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 19 May 2013 10:07:19 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:x-received:sender:precedence:message-id:date:subject
         :from:to:content-type;
        bh=F5SnIkRbcP9grWd+UsZFaWhUfGbmzTCn1Sa+ee7hg10=;
        b=cjw45Tk0lv3sIi5wGWCL1K4qPNF+V/60N8vwnlVKoETquSlTGrnl+XhtV9L1xIDbeB
         pcgJCw1NJ4usEkpvyNlpC+H1ROP00HCrP7MJwVQrPPiJphnE99fFHHJo0Gt/JYvhYrED
         PBvR+U/SSTFVslz4zWeJVHrlAOv4TTrhy7bCBtJUhb3wav+46QIURyRw1TYzQsNPFnH0
         +4aBtcO2KN6I59Jvb3yrpUpFwQzQwhZXXu6etFEJnaRrH9lOrDNbFS4Wos8UrfOyo06j
         tcranr/ztsXbxjlVJKuvzvK2PM9iEMQmBzl6IvHG2ktaWhBbJrDZZjOBrdX/wVkmD6OA
         ld1A==
X-StripMime: Non-text section removed by stripmime
Bytes: 2938
X-Received-Bytes: 3076
```

```
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

SolderSmoke Podcasts

//
SolderSmoke152`

Posted: 18 May 2013 07:30 AM PDT

SolderSmoke issue 152
This posting includes a media file:
http://www.soldersmoke.com/soldersmoke152.mp3

```
From 6957998734721850510
X-Google-Thread: 108122,40a6ac7fe87e09ae,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.13.3 with SMTP id d3mr1147692pac.40.1369019582763;
        Sun, 19 May 2013 20:13:02 -0700 (PDT)
MIME-Version: 1.0
Path: bp1ni8484pbd.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 May 2013 22:13:02 -0500
From: Yorklynyankee <Yorklynyankee.bdf4a39@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-450s
Date: Mon, 20 May 2013 03:41:59 +0100
Message-ID: <Yorklynyankee.bdf4a39@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-jgzQroJE5VcJbRF52xGHnUl6b30TNzNjW5iW+e+4OS8mBFk11RA3JRtWzqfgeaqD/
61dnAye78/YYMb!NcMeC/7uxQUvwF7vyfRAZ28baC0ULmUNQF5CH/
ZMxS2EZE1zNuBwFvrEYOEw66cdhh4om4GTj8Tf!eaipE8saGPJf
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1466
X-Original-Lines: 1
X-Original-Bytes: 1383
```

What could be causing low output on USB/LSB on all bands? The microphone

is good and works great on my another TS-450, the watt meter is a Bird
wattmeter and indicates full power on my another TS-450 under identical
conditions, using a constant tone (whistle) to drive the microphone,
using a 50 ohm dummy load, the carrier knob and microphone gain are full
up. The same radio puts out full 100+ watts on all bands when using CW
or FSK.

--
Yorklynyankee

From 8398466166446114966
X-Google-Thread: d7f5508063,40a6ac7fe87e09ae
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.76.76 with SMTP id i12mr4255910wiw.6.1369708342189;
Mon, 27 May 2013 19:32:22 -0700 (PDT)
Path: fw11ni10888wic.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.83.MISMATCH!newsfeed.xs4all.nl!newsfeed4.news.xs4all.nl!xs4all!
usenetcore.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
newsreader4.netcologne.de!news.netcologne.de!newsfeed.fsmpi.rwth-aachen.de!
eternal-september.org!feeder.eternal-september.org!mx05.eternal-
september.org!.POSTED!not-for-mail
From: atec77 <"atec77 "@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450s
Date: Mon, 20 May 2013 15:36:19 +1000
Organization: A noiseless patient Spider
Lines: 27
Message-ID: <kncch6$18v$1@dont-email.me>
References: <Yorklynyankee.bdf4a39@radiobanter.com>
Mime-Version: 1.0
Injection-Date: Mon, 20 May 2013 05:32:22 +0000 (UTC)
Injection-Info: mx05.eternal-september.org; posting-
host="356b37032253a966357ed70a009b942f";
logging-data="1311"; mail-complaints-to="abuse@eternal-september.org";
posting-account="U2FsdGVkX18nn0BIhhgl16KB+MVy436c"
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:17.0) Gecko/20130509
Thunderbird/17.0.6
In-Reply-To: <Yorklynyankee.bdf4a39@radiobanter.com>
Cancel-Lock: sha1:E4j3aTPaUtpz1PvOJqR/8DCljeM=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 20/05/2013 12:41 PM, Yorklynyankee wrote:
> What could be causing low output on USB/LSB on all bands? The microphone
> is good and works great on my another TS-450, the watt meter is a Bird
> wattmeter and indicates full power on my another TS-450 under identical

> conditions, using a constant tone (whistle) to drive the microphone,
> using a 50 ohm dummy load, the carrier knob and microphone gain are full
> up. The same radio puts out full 100+ watts on all bands when using CW
> or FSK.
>
>
>
>

Is carrier normal , is it is then you have a mic circuit /gain problem
or alc problem ?

--

X-No-Archive: Yes

```
From -1174459186958223623
X-Google-Thread: d7f5508063,40a6ac7fe87e09ae
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.14.40 with SMTP id m8mr4249354wic.7.1369708342372;
        Mon, 27 May 2013 19:32:22 -0700 (PDT)
MIME-Version: 1.0
Path: fw11ni10888wic.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.87.MISMATCH!newsfeed.xs4all.nl!newsfeed1.news.xs4all.nl!xs4all!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
newsreader4.netcologne.de!news.netcologne.de!feeder.erje.net!eu.feeder.erje.net!
news.mixmin.net!aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450s
Date: Mon, 20 May 2013 12:33:33 -0400
Organization: Aioe.org NNTP Server
Lines: 21
Message-ID: <fmmck-D5B366.12333320052013@5ad64b5e.bb.sky.com>
References: <Yorklynyankee.bdf4a39@radiobanter.com> <kncch6$18v$1@dont-email.me>
NNTP-Posting-Host: IRp0nWFe7utJp1ag9wXAjQ.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
```

```
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
```

In article <kncch6$18v$1@dont-email.me>, atec77 <"atec77 "@hotmail.com>
wrote:

> Is carrier normal , is it is then you have a mic circuit /gain problem
> or alc problem ?

Yorklynyankee, you did not mention how low was the power. If it was in the neighborhood of 80 watts, I would not worry about it unless there were reports of distorted audio.

It sounds like the carrier is normal, judging by the CW/FSK power.

I suggest you download the TS-450/690 service manual, and look for adjustments that involve ALC and/or balanced modulator.

One place that should have the manual is: <http://www.mods.dk>. You must register in order to download, and there are limits on how often unless you donate.

Fred
K4DII

```
From -4682211983496327055
X-Google-Thread: d7f5508063,40a6ac7fe87e09ae
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.68.198.5 with SMTP id iy5mr8972810pbc.3.1369087983569;
        Mon, 20 May 2013 15:13:03 -0700 (PDT)
MIME-Version: 1.0
Path: bp1ni9883pbd.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 May 2013 17:13:03 -0500
From: Channel Jumper <Channel.Jumper.be05568@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450s
Date: Mon, 20 May 2013 22:18:15 +0100
Message-ID: <Channel.Jumper.be05568@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <Yorklynyankee.bdf4a39@radiobanter.com>
Lines: 51
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
Ym2xlkdnwPq7h9AlGkA9TcaTU8dHQzGNEjU+EbXKp1MAkIjUnGFoWAEVEpo7JpnlahjjeQqp1dcnqVa!
z4FuCRyC6KDk/VKzklX8HbDVMedfsQJU3c6XkaQz2STP8SEjVbCTFeyfMDwEYuXzW0wrlsRjcalZ!
```

YVL5ZD73pQVzoA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Bytes: 2918
X-Original-Lines: 1
X-Original-Bytes: 2835

Yorklynyankee;805127 Wrote:

> What could be causing low output on USB/LSB on all bands? The microphone is good and works great on my another TS-450, the watt meter is a Bird wattmeter and indicates full power on my another TS-450 under identical conditions, using a constant tone (whistle) to drive the microphone, using a 50 ohm dummy load, the carrier knob and microphone gain are full up. The same radio puts out full 100+ watts on all bands when using CW or FSK.

Its probably tired from being used too much on 11 meters.....

Maybe it is folding back because of a high SWR - you don't run CW and FSK in the same part of the band as phone. Are you checking it into a true 50 ohm dummy load or the antenna?

Did you check your antenna since last winter - maybe it stretched from ice / wind blowing etc.
Maybe your coax has issues.

No way to know because my crystal ball is broke.

There is always a certain segment of the population that doesn't understand SSB and always wants 100% performance out of everything and will strive to squeeze every last watt out of something, regardless of if it worked ok or not before they started messing with it.

In CB talk that is called Peak n Tune.

You won't ever notice any difference in perceived signals strength between 80 watts and 100 watts on most phone conversations.. I wouldn't worry about it.

Are you fully modulating the signal when you are measuring it with your Bird meter? CQ CQ CQ K K K P P P D D D You will only see full signal strength when it is fully modulated...
CW and FSK is 100% duty cycle - fully modulated all the time.

Running the transmitter at full power for any length of time will damage it on FSK.
Its not designed to be used that way with more then about 30 or 40 watts.

Does it have an auto tuner?

Is it turned on or off?

--
Channel Jumper

```
From 9211442131398762991
X-Google-Thread: d7f5508063,40a6ac7fe87e09ae
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.210.161 with SMTP id mv1mr5656240wic.1.1369708342457;
        Mon, 27 May 2013 19:32:22 -0700 (PDT)
MIME-Version: 1.0
Path: fw11ni10888wic.0!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.103.MISMATCH!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
194.109.133.83.MISMATCH!newsfeed.xs4all.nl!newsfeed4.news.xs4all.nl!xs4all!
border4.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
newsreader4.netcologne.de!news.netcologne.de!nx02.iad01.newshosting.com!
newshosting.com!69.16.185.16.MISMATCH!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!STARBAND.NET-a2kHrUvQQWlmc!not-for-mail
From: you <you@shadows.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450s
Organization: shadows.orgs
References: <Yorklynyankee.bdf4a39@radiobanter.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Date: Tue, 21 May 2013 11:56:34 -0800
Message-ID: <you-A83BAD.11562921052013@news.starband.net>
X-Complaints-To: abuse@usenetserver.com
Lines: 24
X-Trace: eaa88519bd0dc31e5901f01852
X-Received-Bytes: 1885
```

In article <Yorklynyankee.bdf4a39@radiobanter.com>,
Yorklynyankee <Yorklynyankee.bdf4a39@radiobanter.com> wrote:

> What could be causing low output on USB/LSB on all bands? The microphone
> is good and works great on my another TS-450, the watt meter is a Bird
> wattmeter and indicates full power on my another TS-450 under identical
> conditions, using a constant tone (whistle) to drive the microphone,
> using a 50 ohm dummy load, the carrier knob and microphone gain are full
> up. The same radio puts out full 100+ watts on all bands when using CW
> or FSK.

Channel Jumper is an Idiot, and obviously has never operated a TS-450....

More than likely what you are seeing is the ALC foldback, lowering the Gain, in the TX Gain Stage, that drives the Final Amp Circuit. Having both TS450's and TS 690's here, this is very common, to have the Radio do this when it comes from the Factory, or a Factory Trained Tech, after a Service Call.... the Factory sets the ALC High, so that the radio will ALWAYS meet, the published IMD Spec. You can, by readjusting the ALC Feedback Circuit, setup the TX to output TX PEP Power and a reasonable Average Power as shown on a non-PEP Wattmeter, without compromising the IMD level of the resultant Transmissions, in any significant way.

Just Say'en.... YMMV.....

```
From -1504277553515340186
X-Google-Thread: 108122,40a6ac7fe87e09ae
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.68.228.229 with SMTP id sl5mr2707487pbc.0.1369523584709;
        Sat, 25 May 2013 16:13:04 -0700 (PDT)
MIME-Version: 1.0
Path: bp1ni18909pbd.1!nntp.google.com!news.glorb.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 May 2013 18:13:03 -0500
From: Yorklynyankee <Yorklynyankee.be6faf8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450s
Date: Sat, 25 May 2013 23:25:54 +0100
Message-ID: <Yorklynyankee.be6faf8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <Yorklynyankee.bdf4a39@radiobanter.com>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-7FAt+t3djN3I7JF2BXwKb5XeYrk/
gptrvTjjulqEqWbBrBP4JQ6dLcWb0XNaUlR4L005LuT6z/UVSaU!S82yUPRqEmWrV4zVxM4VT1M2F/
WXWxl0zxmN5rpIM/7tAmNHQHTOm7+sMyyrRyV/PFDaSm3+BAvA!+tAcKck+Ecqc
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 2085
```

Thank all of you for your suggestions. Just for the record, I don't operate CB radio, I am a retired Research & Development electrical engineer from HP, and I have a masters degree in Electrical Engineering.... now to answer some of the questions. As I mentioned in my first posting the radio is connected to a 50 dummy load. By low output power I mean 5~10 watts, I have tried two different microphones. I have another Kenwood TS-450 so I have a working radio to compare their outputs. When I whistle into the radio using USB/LSB on any bands at any frequency, the radio will only put out 5~10 watts. Whereas under identical conditions the working radio will put out 100 watts. There is absolutely NO DOUBT that this radio's USB/LSB is not working. The same radio puts out 100+ watts on CW and FSK. I suspect something in the balanced modulator, but I am looking for someone who has encountered a problem like this before. This radio is known for having some common problems, like C104, so I was hoping that there was another frequently failed component that causes this problem.

--
Yorklynyankee

```
From -9012480523355970399
X-Google-Thread: d7f5508063,2dc96700caabc69e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.185.115 with SMTP id fb19mr199751wic.0.1370298476318;
        Mon, 03 Jun 2013 15:27:56 -0700 (PDT)
MIME-Version: 1.0
Path: hv6ni129wib.1!nntp.google.com!feeder1.cambriumusenet.nl!feed.tweaknews.nl!
209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!newshosting.com!
216.196.98.144.MISMATCH!border3.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!ottix-news.ottix.net!
news.litech.org!news.glorb.com!news.linkpendium.com!news.linkpendium.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1362145654@panix.com>
Followup-To: poster
Date: 1 Jun 2013 02:00:01 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 05 Sep 2013 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1370066400@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
```

```
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1370066402 29291 166.84.1.2 (1 Jun 2013 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 1 Jun 2013 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Bytes: 3908

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted quarterly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader
opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/
d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider        |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup.  After a successful trial          |
period (90 days, through early July 2009), we decided to adopt this            |
change permanently.                                                            |

Approved rec.radio.amateur.* newsgroups are those that are currently
listed in the latest version of the "List of Big Eight Newsgroups" which
is crossposted monthly to news.announce.newgroups, news.groups, and
news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those
that have been created consistent with the suggestions in "So You Want
to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either
"radio.amateur" or "ham-radio" in their names, including
uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved
newsgroups up-to-date.  In case we have overlooked any, and a submission
is rejected in error as a result, the rejected submitter can E-mail us
at our administrative contact address (in the signature at the bottom of
this article, and the default Reply-To for the rejection message)
requesting that it be added, and that the article be approved.  We may
still choose to reject articles crossposted to any alt.* newsgroup with
an inappropriate name, including obscene language, embedded
```

name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.

From -196465799881923018
X-Google-Thread: 108122,40a6ac7fe87e09ae
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.189.195 with SMTP id gk3mr3204620pac.16.1370110364154;
        Sat, 01 Jun 2013 11:12:44 -0700 (PDT)
MIME-Version: 1.0
Path: bp1ni31004pbd.1!nntp.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 01 Jun 2013 13:12:43 -0500
From: Channel Jumper <Channel.Jumper.befef28@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450s
Date: Sat, 1 Jun 2013 18:36:55 +0100
Message-ID: <Channel.Jumper.befef28@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
References: <Yorklynyankee.bdf4a39@radiobanter.com> <you-
A83BAD.11562921052013@news.starband.net>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-b8gWW1ORWKiyRgogV3BU5j2pfphdANghUp1nLPUWrDuL/
yHQ4KGVdrs2ZNm66gmLGaAL+QBnPo2LnAm!
WDYEKYamevj3czRIS40PUB2lLZ9pG67CTZJtklNNYo5KbHODCXle1EMagABwUPoDRlLNRV0+X8gf!
7yXJlh1yH2/iig==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 1520
X-Original-Lines: 13
X-Original-Bytes: 1437

you;805175 Wrote:
> In article Yorklynyankee.bdf4a39@radiobanter.com,
> Yorklynyankee Yorklynyankee.bdf4a39@radiobanter.com wrote:
> [color=blue][i]
>
>
> Channel Jumper is an Idiot, and obviously has never operated a
> TS-450....

>
>
> Just Say'en.... YMMV.....

Yep =- that is right, I don't play around with junk!

Throw er in the gutter and go buy anutter...

--
Channel Jumper

```
From 1850614690655418225
X-Google-Thread: 108122,7d167eb0b92c201b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.11.232 with SMTP id t8mr550335wib.3.1370585101885;
        Thu, 06 Jun 2013 23:05:01 -0700 (PDT)
MIME-Version: 1.0
Path: hv6ni5853wib.1!nntp.google.com!goblin2!goblin.stu.neva.ru!feeder.erje.net!
us.feeder.erje.net!news.snarked.org!news.linkpendium.com!news.linkpendium.com!
panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1362639901@panix.com>
Followup-To: poster
Date: 7 Jun 2013 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 11 Sep 2013 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1370585100@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1370585101 20733 166.84.1.2 (7 Jun 2013 06:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Jun 2013 06:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted quarterly
URL: http://www.faqs.org/faqs/radio/personal-intro/
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 3092891736568670596
X-Google-Thread: d7f5508063,1c4e7a7ca2be0606,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit

```
X-Received: by 10.180.36.211 with SMTP id s19mr71710wij.1.1370919218947;
        Mon, 10 Jun 2013 19:53:38 -0700 (PDT)
MIME-Version: 1.0
Path: hv6ni13510wib.1!nntp.google.com!feeder1.cambriumusenet.nl!
82.197.223.108.MISMATCH!feeder2.cambriumusenet.nl!feed.tweaknews.nl!
85.12.40.131.MISMATCH!xlned.com!feeder3.xlned.com!newsfeed10.multikabel.net!
multikabel.net!newsfeed20.multikabel.net!border3.nntp.ams.giganews.com!
border1.nntp.ams.giganews.com!border4.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!weretis.net!
feeder4.news.weretis.net!news.linkpendium.com!news.linkpendium.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1362640200@panix.com>
Followup-To: poster
Date: 7 Jun 2013 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 11 Sep 2013 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1370585400@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1370585401 11202 166.84.1.2 (7 Jun 2013 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Jun 2013 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring, radio, swap,
buy, sell, trade, recruit, recruitment
Bytes: 2844

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted quarterly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide

Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From -5232315630609924121
X-Google-Thread: 108122,5c69d420a27bd06e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.180.207.44 with SMTP id lt12mr833939wic.5.1370808876722;
        Sun, 09 Jun 2013 13:14:36 -0700 (PDT)
Path: hv6ni10934wib.1!nntp.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!isp-post01.iad!news.highwinds-media.com!news.suddenlink.net!
not-for-mail
Date: Sun, 09 Jun 2013 16:13:01 -0400
From: KB8QEU <kb8qeu@suddenlink.net>
User-Agent: Mozilla/5.0 (Windows NT 5.1; rv:20.0) Gecko/20100101 Firefox/20.0
SeaMonkey/2.17.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Beckley, West Virginia HamFest 2013!
Lines: 18
Message-ID: <51b4e22c$0$12762$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 173.80.36.128
X-Complaints-To: abuse@suddenlink.net
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

There is a HamFest in Beckley, West Virginia on the 15th of this month.

All are welcome!

Talk in is on the 145.370-(100.0) and 444.425+(100.0) repeaters.

VE testing starts at 9:30am Eastern Time Zone.

Doors open at 8:00am ETZ.

When you come, tell those at the information table that you saw it here
about the HamFest.

7 3

Ed --- KB8QEU
http://www.qsl.net/kb8qeu/
http://www.qsl.net/wv8bd/

```
From 7193750652830532171
X-Google-Thread: 108122,63e9507985b31e9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
X-Received: by 10.180.185.132 with SMTP id fc4mr926010wic.7.1370956360808;
        Tue, 11 Jun 2013 06:12:40 -0700 (PDT)
MIME-Version: 1.0
Path: i7ni10410wiv.0!nntp.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.16.MISMATCH!npeer02.iad.highwinds-media.com!news.highwinds-media.com!
feed-me.highwinds-media.com!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Jun 2013 08:12:40 -0500
From: ag6sh <ag6sh.bfcd7d8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale Elecraft k3 & P3 AND Icom IC-7600
Date: Tue, 11 Jun 2013 13:48:26 +0100
Message-ID: <ag6sh.bfcd7d8@radiobanter.com>
Organization: RadioBanter.com
User-Agent:
X-Newsreader:
X-Originating-IP:
Lines: 35
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
rJgsIPuLX21WqkhFTFYQjsWlvuOVsqVG6Kyv54hawy5ZjLtKVkGyHIg+mJQ0UzxLJ77sNcFC+gHS0cl!/
uE/VdddmbEpDXsnD+dona90WX+937fdWYac0iIKjAGhJuqhWIt9d40vbTGRJBsPUoaUmX1C0OV1!9Q==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Bytes: 2092
X-Original-Lines: 23
X-Original-Bytes: 2009
X-Received-Bytes: 2172
```

For Sale K3, P3 combination with almost all options. Non-smoker.
Included are the following options in the K3:
KPA3 100 watt Power Amplifier Upgrade ....KRX3 Second Receiver
KAT3 Antenna Tuner
KXVA3 Receive Antenna, IF Out and Xverter Interface
KTCX03-1 TCXO 0.5 PPM High Stability Oscillator
KDVR3 Digital Voice Decoder ....KBPF3 General Coverage RX Bandpass
K144XV Internal 2M 10 watt Xcvr............P3 Panadapter with P3SVGA
card.
Filters Included:
2 � 13.5Khz, 1 � 6Khz*, 2 � 2.8Khz, 1 � 2.7Khz*, 2 � 1.8Khz , 2 � 1Khz ,
2 � 400 hz
Condition of the radio is excellent.
Price: $2200

Icom IC-7600
Radio runs and looks like new
Practically new from an estate� purchased new 14 months ago and uses
less than 15 hours. Physically 9+, electrically a 10. Front panel is
like new. Fully checked out and all features function perfectly. with
all original boxes and manuals, mic and power cord. .. everything that
came with the new unit.
Price includes shipping and insurance.
Price : $2200

Contact: mark.elecraft @ yahoo . com
Mr Mark
73

--
ag6sh

```
From 1801218472863502184
X-Google-Thread: 107ada,94a82d1c4f56fafa,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,94a82d1c4f56fafa,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,94a82d1c4f56fafa,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,94a82d1c4f56fafa,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid241b302a50,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
X-Received: by 10.180.11.239 with SMTP id t15mr5444254wib.3.1371097442059;
        Wed, 12 Jun 2013 21:24:02 -0700 (PDT)
Path: hv6ni17669wib.1!nntp.google.com!proxad.net!feeder1-2.proxad.net!
```

```
feeder.erje.net!us.feeder.erje.net!news.glorb.com!news-out.readnews.com!
transit4.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: rec-radio-info-request@panix.com (AmateurLogic.TV via rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.
radio.info
Subject: AmateurLogic.TV for Thursday 13 June 2013
Followup-To:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Thu, 13 Jun 2013 00:24:01 EDT
Organization: AmateurLogic.TV
Lines: 25
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <001a11c1dadcb3847604df017f1c@google.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1371097441 16298 166.84.1.6 (13 Jun 2013 04:24:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 13 Jun 2013 04:24:01 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
        d=google.com; s=20120113;
        h=mime-version:sender:precedence:message-id:date:subject:from:to
         :content-type;
        bh=mHU3pisZAMqs8SWq7vWRq640WGCl3+bMNzGGRrdG2B8=;
        b=kaLlq0h4FcdEeOM+yH2U0lc87lvjs1fC9v4IOdkbcFRFWYAyFn0cbnl4QzFGOMYzyI
         w7Mkqs0JsgFnviHQlw9O7gXuZ7avVhvmTiz1tTaO+ySrN/Y1Og2UryI4WRWvvfs0f9hB
         75at83xRQRkfnneD3zaLNLQk2mBJ+yR19W0r5e6yOrxQfz8D2ZFjS9R282wHOSoOfmrg
         dUOTDRjiawkAGFAxKiUfDTAL0gt8TNvGzCXgzjK/059Hi3q2ZbIcvH8kTCIlUsjrR2MB
         jl+X6wbRNVuxUnq6BVZTGFdua+KpBBriTh6Vqijha02HwFfoW1HAYhuv03lFr2QNhMll
         HTRQ==
X-StripMime: Non-text section removed by stripmime
Content-Type: text/plain; charset=UTF-8; format=flowed; delsp=yes
```

AmateurLogic.TV

///
AmateurLogic.TV Episode 55

Posted: 12 Jun 2013 03:00 AM PDT
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic55_hi.wmv

Join Tommy and George as they relive their Excellent Adventure to Dayton Hamvention 2013. See what goodies we

brought home, George’s award, visit with Midnight Science, Joe Eisenberg K0NEB, Bob Heil K9EID, Ray Novak N9JA, and

more.

We also announce the very lucky winner of the Field Day Giveaway contest who’s receiving the Icom IC-7200 plus a

custom shop paint job and accessories from GigaParts, MFJ, and Heil Sound.

1:12:02 of Hamvention fun.
This posting includes a media file:
http://www.podtrac.com/pts/redirect.wmv/www.amateurlogic.tv/transmitter/video/amlogic55_hi.wmv

```
From 4366509228349133862
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-Received: by 10.66.191.132 with SMTP id gy4mr789558pac.19.1371315020136;
        Sat, 15 Jun 2013 09:50:20 -0700 (PDT)
Path: b2ni18268pby.1!nntp.google.com!news.glorb.com!news.linkpendium.com!
news.linkpendium.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, July 2013 - Subscribe for FREE
Followup-To: poster
Date: Sat, 15 Jun 2013 12:50:19 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 35
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <C6FE83E58B344A4FAE1363B28273C0D5@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
<CDC17AE626F04571B0966A3A90DF9748@GRIMES>
<45A7D9381100431BB88EF5FC9C0A8A56@GRIMES>
<857A208B784A4B8B9EDA07B63453C09A@GRIMES>
```

```
<7681E36DA69449718D8C5AC72DE9FFF8@GRIMES>
<4581FDC026C84A8E8FD399B49A82268C@GRIMES>
<8615C7963EB74F3F87BA92F9B6A74BB1@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1371315019 11665 166.84.1.6 (15 Jun 2013 16:50:19 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 15 Jun 2013 16:50:19 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From;
bh=o0MlklHKcYDJXCykXLHlm9BmK5zagqRt7b+Muk6WBM0=;

b=L2ZVYvOaRREurGeezCAqt4Vcwbk3aNlFhLr5ReRsHuHuWgVTTtUqed23DX9El9QigRdckwB0gwmm6SxL
IKxbaexX3o0DQKJOGkoi5mkGEWCBINpA2hAFR4JBM8fcMyJ3;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 99.36.20.178 authed with k9ya+k9ya.org}
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

July 2013 (Volume 10, Issue 7) articles include:

The Way We Were By Philip Cala-Lazar, K9PL

Dear Hiram By Bob Cashdollar, NR8U

Cyclone 40 Kit

USS Lexington By Scott B. Laughlin, N7NET

"My Wife is Good for Something" By Duke Wahl, Jr., WA9WJB

"Night Flight" MIC By Philip Cala-Lazar

Ham Lingo By Dick Sylvan, W9CBT

Subscribe now so you won't miss the next issue.

http://www.k9ya.org

```
From -5117157745178251168
X-Google-Thread: 108122,ec91c4739994caf5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.227.166 with SMTP id sb6mr10416920pbc.4.1332048243464;
        Sat, 17 Mar 2012 22:24:03 -0700 (PDT)
MIME-Version: 1.0
Path: h9ni43064pbe.0!nntp.google.com!news1.google.com!news.glorb.com!
feeder.erje.net!weretis.net!feeder4.news.weretis.net!cs.uu.nl!news0.firedrake.org!
not-for-mail
From: Mike Andrews <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Two R-390A and other HF RXs for sale, not very expensive at all
Date: Sun, 18 Mar 2012 00:23:30 -0500
Organization: Firedrake Synthesis
Lines: 20
Message-ID: <i38g39-v062.ln1@mikea.ath.cx>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: parhelion.firedrake.org 1332048242 7594 70.164.65.62 (18 Mar 2012
05:24:02 GMT)
X-Complaints-To: usenet@parhelion.firedrake.org
NNTP-Posting-Date: Sun, 18 Mar 2012 05:24:02 +0000 (UTC)
X-User-Agent: tin (SOAP 3; IBM 650)
X-Not-Approved: yes@its-approved.com
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/8.2-RELEASE (i386))
```

Greetings.

I'm getting rid of non-functional or partly-functional "project" stuff, including two R-390A receivers, a RACAL 6217E, a DEBEG 2000, and an ITT-MACKAY 3020.

Prices and image URLs are below. Packing and shipping from 73069 (Norman, Oklahoma, USA) is additional.

DEBEG 2000 $100 <http://hamstuff.ath.cx/?q=node/51>
ITT-MACKAY 3020 $100 <http://hamstuff.ath.cx/?q=node/52>
R-390A EAC S/N 194 $200 <http://hamstuff.ath.cx/?q=node/53>
R-390A AMELCO S/N 686 $200 <http://hamstuff.ath.cx/?q=node/54>
RACAL 6217E $100 <http://hamstuff.ath.cx/?q=node/55>

More photos available on request.

--
We stand on the shoulders of giants and kick their ears whenever we
eeel like it. -- Larry Wale

From 4435342041100664274
X-Google-Thread: 108122,98db8ef70abc286c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.212.201 with SMTP id nm9mr1953709pbc.1.1332082117313;
Sun, 18 Mar 2012 07:48:37 -0700 (PDT)
Path: h9ni45861pbe.0!nntp.google.com!news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!weretis.net!feeder4.news.weretis.net!newsfeed.datemas.de!news.datemas.de!not-for-mail
From: Warren <warrens@ns.DOT.sympatico.DOT.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: 1kW - 6 meter / 2 meter amplifier modules for sale
Date: Sun, 18 Mar 2012 11:47:30 -0300
Organization: Datemas.de http://www.news.datemas.de
Lines: 28
Message-ID: <jk4shi$3ro$2@news.datemas.de>
Reply-To: warrens@ns.DOT.sympatico.DOT.ca
Mime-Version: 1.0
X-Trace: news.datemas.de
rQqP75dw5sLtH96jveFJ9m7eD3DnUXi2g3lGrUyLxAX3HYSLdFomii6MfL4ikQmoQNFDGPGKWTMvtoQV8nox8DDdMcwblwfd6QQ67v9YerxSIbb2zbHqEdD7bIaHUQyxr+T2myQ/iAJD/xx4avLZ6QvkkF74Q+f2q3YBAMS/l/Y=
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Sun, 18 Mar 2012 14:47:15 +0000 (UTC)
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.8) Gecko/20100205 SeaMonkey/2.0.3
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

I have several 1kW Larcan television transmitter modules available.
These are "low-split" modules and do not require modification for
6-meters. They will also cover the 70MHz / 4-meter band with no changes.

A full write up and pictures are available at
http://www.gemoto.com/LarcanPA.htm
(Note: This is NOT my web page and is supplied for information purposes
only)

With some work, these amplifiers will produce well over 1kW on 2 meters.

RF input and DC input connectors are included. Other parts such as DC power supply 50V @ 50A, RF coaxial relays, cooling fans, etc are needed to get operational. Some assembly required.

Packaged weight is about 20kg / 44 pounds. The amplifier module itself weighs about 14kg / 31 pounds.

Price is $370 plus packing and shipping from Nova Scotia, Canada. Total cost approx $455 - $485 throughout the USA. Proceeds of the sale go towards my local club. PayPal preferred.

Further information, pictures, etc available on my web page.
http://members.rennlist.org/warren/6meteramp.html

Also posted on QRZ.com
http://forums.qrz.com/showthread.php?338523-1kW-6M-2M-amplifier-modules

---

```
From 9175147952144859986
X-Google-Thread: 108122,edbf38bde2aec797,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.74.201 with SMTP id w9mr12030312pbv.0.1332104856082;
        Sun, 18 Mar 2012 14:07:36 -0700 (PDT)
Path: kz5ni1277pbc.0!nntp.google.com!news1.google.com!goblin1!goblin2!
goblin.stu.neva.ru!feeder.erje.net!newsfeed.straub-nv.de!newsfeed.x-privat.org!
feeder.news.tin.it!spool.news.tin.it!not-for-mail
Reply-To: "Antonio I0JX" <vernucci@tiscali.it>
From: "Antonio I0JX" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Your experience with function generators
Date: Sun, 18 Mar 2012 22:06:24 +0100
MIME-Version: 1.0
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 15.4.3538.513
X-MimeOLE: Produced By Microsoft MimeOLE V15.4.3538.513
Lines: 12
Message-ID: <4f664e51$0$1387$4fafbaef@reader2.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.3.31.243
X-Trace: 1332104785 reader2.news.tin.it 1387 79.3.31.243:11204
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
```

reply-type=original
Content-Transfer-Encoding: 7bit

The frequency stability of my HP3312A function generator is poor, very annoying for many practical use. I am trying to determine whether that behavior is fairly normal for function generators, or my particular unit has got a problem.

What is your experience on function generators frequency stability?

Thanks & 73

Tony I0JX
Rome, Italy

From -4399494154119328879
X-Google-Thread: 108122,edbf38bde2aec797
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.129.169 with SMTP id nx9mr15966333pbb.2.1332205014254;
Mon, 19 Mar 2012 17:56:54 -0700 (PDT)
Path: kz5ni9639pbc.0!nntp.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 19 Mar 2012 19:56:53 -0500
Subject: Re: Your experience with function generators
Date: Mon, 19 Mar 2012 17:56:53 -0700
From: artie <artie.m@gNOSPAMmail.com>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <190320121756538164%artie.m@gNOSPAMmail.com>
References: <4f664e51$0$1387$4fafbaef@reader2.news.tin.it>
MIME-Version: 1.0
Mail-Copies-To: nobody
User-Agent: Thoth/1.9.0 (Mac OS X)
Lines: 33
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-m0gCE8zWwJkIrKUoO+XX/AFBz+dIVaXCSXmTibhEnwQR+0+0/
N6M8s3+pA9rXuKnd5uOKqn8wNOnjQX!y1RQjgh9tSd64kslcCaFktCmEcM7vpQ24/
EubZxLr9HFKt0Lwb5/BS2Kvf1UHuGlzBZTP0BT
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2315
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit

In article <4f664e51$0$1387$4fafbaef@reader2.news.tin.it>, Antonio I0JX

<vernucci@tin.it> wrote:

> The frequency stability of my HP3312A function generator is poor, very
> annoying for many practical use. I am trying to determine whether that
> behavior is fairly normal for function generators, or my particular unit has
> got a problem.
>
> What is your experience on function generators frequency stability?
>
> Thanks & 73
>
> Tony I0JX
> Rome, Italy
>

Any of the VCO-based function generators, such as the 3312A, are going to be wobbly in terms of not only stability but ability to generate a specific frequency or range of frequencies.

You need to move to a synthesized source to get better results. One candidate would be the HP 3314A, which is a synthesized generator, and covers up to 20 MHz.

I have one of these; it's very flexible, and stable. It doesn't have the ability to lock to an external standard, but it is crystal controlled.

With a synthesized device, you have digital control over frequency, sweep parameters, and with something like the 3314A, you also have digital control over amplitude and offset.

eBay offers some inexpensive function generator boards as well.

```
From -7132470758288590630
X-Google-Thread: 108122,3d871b46db8ad801,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.202.168 with SMTP id kj8mr13930675pbc.1.1332819464891;
        Mon, 26 Mar 2012 20:37:44 -0700 (PDT)
Path: z9ni6041pbe.0!nntp.google.com!news1.google.com!postnews.google.com!
vy8g2000pbc.googlegroups.com!not-for-mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 2012 BEST HOT PICS
Date: Mon, 26 Mar 2012 20:37:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 130
Message-ID: <bf7b2a03-dd52-4674-9b6a-76f3675b3b67@vy8g2000pbc.googlegroups.com>
NNTP-Posting-Host: 117.199.249.194
Mime-Version: 1.0
X-Trace: posting.google.com 1332819464 11559 127.0.0.1 (27 Mar 2012 03:37:44 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Mar 2012 03:37:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: vy8g2000pbc.googlegroups.com; posting-host=117.199.249.194;
posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:8.0.1) Gecko/20100101 Firefox/
8.0.1,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1


TOP DATING TIPS TO ENCOURAGE WOMEN FOR DATING
           http://datingsitesdatingtips.blogspot.in/

          FOR ONLY HOT GUYS SEE THIS
              PRIYAMANI HOT PHOTOS
http://hotactress-kalyani.blogspot.in/2011/09/priyamani-hot.html
        ANUSHKA HOT ROMANTIC PHOTOS
http://hotactress-kalyani.blogspot.in/2011/08/anushka-hot.html
         KAJAL AGARWAL LATEST HOT WITHOUT TOP
http://hotactress-kalyani.blogspot.in/2011/08/kajal-agarwal-hot-photos.html
    AMISHA PATEL LATEST HOT STILLS
http://hotactress-kalyani.blogspot.in/2011/08/amisha-patel-hot.html
         KATRINA KAIF HOT SPICY STILLS
http://hotactress-kalyani.blogspot.in/2011/08/katrina-kaif-hot.html
          NEERU BAJWA LATEST SPICY STILLS
http://hotactress-kalyani.blogspot.in/2011/12/neeru-bajwa-hot.html
              PRIYANKA TIWARI HOT PHOTOS
http://hotactress-kalyani.blogspot.in/2011/12/priyanka-tiwari-hot.html
            SAMANTHA LATEST HOT STILLS
http://hotactress-kalyani.blogspot.in/2011/09/samantha-hot.html
      DEEKSHASETH LATEST ROMANTIC STILLS
http://hotactress-kalyani.blogspot.in/2011/09/deeksha-seth-hot.html
   PAYAL GHOSH HOT PHOTOS
http://hotactress-kalyani.blogspot.in/2011/11/payal-ghosh-hot.html
          SIDDI MAMRE HOT ROMANTIC STILLS
http://hotactress-kalyani.blogspot.in/2012/02/siddhi-mamre-hot.html
       SHEENA SHAHABADI LATEST HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2012/02/sheena-shahabadi-hot.html
               LATEST HOT KATRINA KAIF PHOTOS
http://hotactress-kalyani.blogspot.in/2011/08/katrina-kaif-hot.html
  ANUSHKA LATEST HOT PHOTOS
http://hotactress-kalyani.blogspot.in/2011/08/anushka-hot.html
  KAJAL AGARWAL HOT SAREE STILLS
http://hotactress-kalyani.blogspot.in/2011/11/kajal-agarwal-hot-in-saree.html
             RAGINI DWIVEDI HOT PHOTOS
http://hotactress-kalyani.blogspot.in/2011/12/ragini-dwivedi.html
          PARVATHI MELTON LATEST HOT PHOTOS
http://hotactress-kalyani.blogspot.in/2011/11/parvathi-melton-hot.html
             SARAH JANE DIAS HOT PHOTOS
http://hotactress-kalyani.blogspot.in/2011/11/sarah-jane-dias-hot.html
    TAMANNA LATEST  HOT PHOTOS
http://hotactress-kalyani.blogspot.in/2011/08/tamanna-hot.html
```

PARUL HOT PHOTO STILLS
http://hotactress-kalyani.blogspot.in/2011/12/parul-hot.html
ADITI AGARWAL NEW ROMANTIC STILLS
http://hotactress-kalyani.blogspot.in/2011/12/aditi-agarwal-hot.html
POONAM KAUR HOT ROMANTIC STILLS
http://hotactress-kalyani.blogspot.in/2011/11/poonam-kaur-hot.html
AMISHA PATEL LATEST HOT BIKINI STILLS
http://hotactress-kalyani.blogspot.in/2011/08/amisha-patel-hot.html

{ ALL LATEST MOVIE STILLS}
KAJAL BUSINESSMAN MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2012/01/kajal-agarwal-in-business-man.html
SONAM KAPOOR LATEST HOT STILLS
http://actressgallery-kalyani.blogspot.in/2012/01/sonam-kapoor-maxim-photoshoot-stills.html
RITU KAUR LATEST PHOTO STILLS
http://actressgallery-kalyani.blogspot.in/2012/01/ritu-kaur-stills.html
SWAPNA SUNDARI MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2012/01/swapna-sundari-movie-stills.html
SEVAKUDU MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2012/01/sevakudu-movie-stills.html.
SRIKANTH DEVARA MOVIE GALLERY
http://actressgallery-kalyani.blogspot.in/2011/12/devaraya-movie-stills.html
KULLUMANALI MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/12/kullu-manali-movie-stills.html
BUSINESSMAN MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/12/businessman-movie-stills.html
HOT ACTRESS BIKINI STILLS IN 2012 CALENDAR
http://actressgallery-kalyani.blogspot.in/2011/12/2012-actress-calendar-wallpapers.html
KSHETHRAM MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/12/kshethram-movie-stills.html
SAMANTHA SOUTHSCOPE HOT PHOTOS
http://actressgallery-kalyani.blogspot.in/2011/12/samantha-at-south-scope-magazine.html
BODYGAURD LATEST MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/12/bodyguard-telugu-movie-stills_14.html
DEEPIKA PADUKONE SPICY WALLPAPERS
http://actressgallery-kalyani.blogspot.in/2011/12/deepika-padukone.html
KATRINA KAIF LATEST HOT WALLPAPERS
http://actressgallery-kalyani.blogspot.in/2011/12/katrina-kaif-wallpapers.html
NIPPU MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/nippu-movie-stills.html
LOVE FAILURE MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/12/love-failure-movie-stills.html
VIKRAM VEEDINTHE MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/12/veedinthe-movie-stills.html
4FRIENDS MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/12/4-friends-movie-stills.html
NANDEESWARUDU MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/12/nandeeswarudu-movie-stills.html

HARI PRIYA HOT PHOTO STILLS
http://actressgallery-kalyani.blogspot.in/2011/12/haripariya-actress.html
SHRUTI HASSAN HOT IN 3 MOVIE
http://actressgallery-kalyani.blogspot.in/2011/11/shruti-hassan-in-3-movie.html
PANJA MOVIE LATEST STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/panja-movie-stills.html
URIMI LATEST MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/urimi-movie-stills.html
ROUDRAM MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/roudram-movie-stills.html
SIMHAPUTHRUDU MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/simhaputhrudu-movie-stills.html
SOLO MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/solo-movie-stills.html
BEZAWADA MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/bezawada-movie-stills.html
RAJANNA MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/rajanna-movie-stills.html\
POOLARANGADU MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/poolarangadu-movie-stills.html
PRIYUDU HOT ROMANTIC STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/priyudu-movie-stills.html
ADHINAYAKUDU LATEST MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/11/adhinayakudu-movie-stills.html
HOT KATRINA KAIF PHOTOS
http://actressgallery-kalyani.blogspot.in/2011/09/katrina-kaif.html
AISHWARYA RAI HOT HQ PHOTO STILLS
http://actressgallery-kalyani.blogspot.in/2011/09/aishwarya-rai.html
ASIN HOT PHOTO GALLERY
http://actressgallery-kalyani.blogspot.in/2011/09/asin.html
HANSIKA MATOWNI LATEST HOT STILLS
http://actressgallery-kalyani.blogspot.in/2011/09/hansika-motwani.html
KAJAL AGARWAL HOT PHOTOS
http://actressgallery-kalyani.blogspot.in/2011/09/kajal-agarwal.html
SNEHA HOT GOA MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2011/09/goa-movie-stills.html

From 1617031906298987929
X-Google-Thread: fcc6e,9e4e0546575f0f9f,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,9e4e0546575f0f9f,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,9e4e0546575f0f9f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,9e4e0546575f0f9f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,9e4e0546575f0f9f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,9e4e0546575f0f9f,start

```
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gide721ae2bf6,gid8f86f75953,gida4a23d5f6
3,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.232.169 with SMTP id tp9mr3472585pbc.6.1333260004406;
        Sat, 31 Mar 2012 23:00:04 -0700 (PDT)
MIME-Version: 1.0
Path: r9ni5351pbh.0!nntp.google.com!news2.google.com!news.glorb.com!news-
out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1330585201@panix.com>
Followup-To: poster
Date: 1 Apr 2012 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 04 May 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1333260001@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1333260002 12393 166.84.1.2 (1 Apr 2012 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 1 Apr 2012 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader
opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/
d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider       |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup.  After a successful trial         |
```

period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 7014383682299781816
X-Google-Thread: fcc6e,aa2a7ff698f82216,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,aa2a7ff698f82216,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,aa2a7ff698f82216,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,aa2a7ff698f82216,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,aa2a7ff698f82216,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gide721ae2bf6,gida4a23d5f63,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.129.169 with SMTP id nx9mr656055pbb.2.1333778703459;
        Fri, 06 Apr 2012 23:05:03 -0700 (PDT)
MIME-Version: 1.0
Path: r9ni27911pbh.0!nntp.google.com!news2.google.com!volia.net!news2.volia.net!
feed-A.news.volia.net!newspeer1.de.telia.net!newspeer4.de.telia.net!de.telia.net!
nx01.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!
```

transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1331103900@panix.com>
Followup-To: poster
Date: 7 Apr 2012 02:05:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 May 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1333778700@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1333778701 19793 166.84.1.2 (7 Apr 2012 06:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Apr 2012 06:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |

```
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 5151637082134371622
X-Google-Thread: 107ada,42f52321b204e1a0,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,42f52321b204e1a0,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,42f52321b204e1a0,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,42f52321b204e1a0,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.125.233 with SMTP id mt9mr659875pbb.5.1333779002450;
        Fri, 06 Apr 2012 23:10:02 -0700 (PDT)
MIME-Version: 1.0
Path: r9ni27924pbh.0!nntp.google.com!news2.google.com!goblin2!goblin3!
goblin.stu.neva.ru!news.ripco.com!news.glorb.com!news-out.readnews.com!news-
xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1331104201@panix.com>
Followup-To: poster
Date: 7 Apr 2012 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 May 2012 02:10:00 -0000
```

Message-ID: <radio/swap/recruitment-1-1333779000@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1333779001 7859 166.84.1.2 (7 Apr 2012 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Apr 2012 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -8429301617926420940
X-Google-Thread: 108122,9037e2733f600c59,start

X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.205.119.5 with SMTP id fs5mr895000bkc.7.1334024200758;
        Mon, 09 Apr 2012 19:16:40 -0700 (PDT)
Path: h15ni106009bkw.0!nntp.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe08.iad.POSTED!00000000!not-for-mail
From: Native Terran <finnigann2580@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HF radios
Message-ID: <hh57o7lp5iblkqu9emdfilep4l26ufgmlq@4ax.com>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Lines: 23
NNTP-Posting-Host: gompgjnoihknneiidjhlgdoachggfbif
X-Complaints-To: abuse@charter.net
X-Trace:
chhpdeimhjhhahnflgdegddckechphcooodboikkbkahceamgompgjnoihknneiipjohmbfgfdedmbepdd
gnchafieofofmbdgkebeegoniphppbekdmmkoloeeocmalfdlbpmaelemcakjp
NNTP-Posting-Date: Tue, 10 Apr 2012 02:16:39 UTC
Date: Mon, 09 Apr 2012 22:16:42 -0400
X-Received-Bytes: 1333
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

I'm getting a substantial refund check this year. I need advice regarding some new hard ware.

I'm looking at the FT-950 from Yaesu or Kenwood TS-590 and Icom IC-7200.

I have a FT897 currently and have some familiarity with their way of doing things. I'm not totally
in love with all of their design choices however.

But other than that, I'm open minded.

Suggestions?

--
We live in a society exquisitely dependent
 on science and technology,
in which hardly anyone knows anything about
 science and technology.
Carl Sagan

```
From -1405995193125862500
X-Google-Thread: 108122,9037e2733f600c59
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.156.18 with SMTP id u18mr1140734bkw.3.1334068118305;
        Tue, 10 Apr 2012 07:28:38 -0700 (PDT)
Path: h15ni107883bkw.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news.astraweb.com!border6.newsrouter.astraweb.com!not-for-mail
From: dondmyers@comcast.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF radios
Date: Tue, 10 Apr 2012 07:28:34 -0700
Message-ID: <1ig8o79aen4ee545e4m9mgdgq6rjike36e@4ax.com>
References: <hh57o7lp5iblkqu9emdfilep4l26ufgmlq@4ax.com>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Lines: 27
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 639e96f2.news.astraweb.com
X-Trace: DXC=C5i5d@5OWAOTE2gdJ]P=SGL?
0kYOcDh@Je\cbX3\`@YME3=kG9hhb7B[`2jY88cePJ^T0PI5jk]<KmRj=n=U1h7K]6@o;^d::8F1LlEoQi
^Q<B
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

On Mon, 09 Apr 2012 22:16:42 -0400, Native Terran
<finnigann2580@gmail.com> wrote:

>
>I'm getting a substantial refund check this year. I need advice regarding some
new hard ware.
>
>I'm looking at the FT-950 from Yaesu or Kenwood TS-590 and Icom IC-7200.
>
>
>
>I have a FT897 currently and have some familiarity with their way of doing
things. I'm not totally
>in love with all of their design choices however.
>
>
>But other than that, I'm open minded.
>
>
>Suggestions?
>
All three have been reviewed in QST. I suggest you read and review the
articles and technical measurements from these units. Much could also
depend on your intended usage. Portable vs. mobile vs. home station;
ssb vs. cw; what is your total budget; etc. Good luck on your
research. For a similar total monetary outlay, there might be more
capable rig availaable.
```

73 de Don W7WST

```
From -7661904894281226464
X-Google-Thread: 108122,9037e2733f600c59
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.129.169 with SMTP id nx9mr29269pbb.2.1334169318797;
        Wed, 11 Apr 2012 11:35:18 -0700 (PDT)
Path: r9ni44905pbh.0!nntp.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.16.MISMATCH!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe16.iad.POSTED!00000000!not-for-mail
From: Native Terran <finnigann2580@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF radios
Message-ID: <e8jbo7pd4g56jipklkofrek13nsiouv47k@4ax.com>
References: <hh57o7lp5iblkqu9emdfilep4l26ufgmlq@4ax.com>
<1ig8o79aen4ee545e4m9mgdgq6rjike36e@4ax.com>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Lines: 51
NNTP-Posting-Host: gompgjnoihknneiidjhlgdoachggfbif
X-Complaints-To: abuse@charter.net
X-Trace:
kmpklpbamjoakdjplgdegddckechphcomllnebjhjaliepiigompgjnoihknneiiieeopnjnipecngfbko
hiieoccgcgakimdgkebeegoniphppbmccocjpocnkmadihfdlbpmaelemcakjp
NNTP-Posting-Date: Wed, 11 Apr 2012 18:35:18 UTC
Date: Wed, 11 Apr 2012 14:35:31 -0400
X-Received-Bytes: 2739
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

On Tue, 10 Apr 2012 07:28:34 -0700, dondmyers@comcast.net wrote:

>On Mon, 09 Apr 2012 22:16:42 -0400, Native Terran
><finnigann2580@gmail.com> wrote:
>
>>
>>I'm getting a substantial refund check this year. I need advice regarding some
new hard ware.
>>
>>I'm looking at the FT-950 from Yaesu or Kenwood TS-590 and Icom IC-7200.
>>
>>
>>
>>I have a FT897 currently and have some familiarity with their way of doing
things. I'm not totally
>>in love with all of their design choices however.
>>
```

>>
>>But other than that, I'm open minded.
>>
>>
>>Suggestions?
>>
>All three have been reviewed in QST. I suggest you read and review the
>articles and technical measurements from these units. Much could also
>depend on your intended usage. Portable vs. mobile vs. home station;
>ssb vs. cw; what is your total budget; etc. Good luck on your
>research. For a similar total monetary outlay, there might be more
>capable rig availaable.
>
>73 de Don W7WST

Yes, but I was looking for personal recommendations. I _have_ read the reviews. But these are written by experienced operators and are hardly ever critical.

But let me add that the radio is for base operations. I have a capable radio (FT 897) for mobile use. I like it allot. However I'm open to other opinions..

Perhaps someone has used two from my list and can offer a comparison of those two radios. I'm not an experienced user but this isn't my first day either. Say top of the newbee level or the bottom of the intermediate level. Plenty of things to learn.

Not an unlimited budget, around $2000. I'm 60 and I am thinking about a radio that will last me the rest of my days.

Jim KC8UGV

--
We live in a society exquisitely dependent
 on science and technology,
in which hardly anyone knows anything about
 science and technology.
Carl Sagan

```
From 737154745321088246
X-Google-Thread: 108122,9037e2733f600c59
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.205.119.5 with SMTP id fs5mr99055bkc.7.1334207027267;
        Wed, 11 Apr 2012 22:03:47 -0700 (PDT)
MIME-Version: 1.0
Path: h15ni113923bkw.0!nntp.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!npeer.de.kpn-
```

eurorings.net!npeer-ng0.de.kpn-eurorings.net!news.glorb.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 12 Apr 2012 00:03:40 -0500
From: Channel Jumper <Channel.Jumper.9cc19d9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF radios
Date: Thu, 12 Apr 2012 02:54:38 +0000
Message-ID: <Channel.Jumper.9cc19d9@radiobanter.com>
Organization: RadioBanter.com
References: <hh57o7lp5iblkqu9emdfilep4l26ufgmlq@4ax.com>
<1ig8o79aen4ee545e4m9mgdgq6rjike36e@4ax.com>
<e8jbo7pd4g56jipklkofrek13nsiouv47k@4ax.com>
Lines: 95
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
Fg3FE75q+RoThnK3EtHhJAaN67gA3HdGoJDm9AoFiaBQAgTs10ylNiuKPO23VnRz4zuy3nJR7hfLfj/!
BJOEMDUtswimWqVGXUqcNK4OgEaDBsuK81urhYfZpETG6LGK92DaO4uP4Ky1L4Z9SinDXwst45B7!6gy/
fxOKwWBIcSg=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 67
X-Original-Bytes: 4332

Native Terran;789413 Wrote:
> On Tue, 10 Apr 2012 07:28:34 -0700, dondmyers@comcast.net wrote:
> -
> On Mon, 09 Apr 2012 22:16:42 -0400, Native Terran
> finnigann2580@gmail.com wrote:
> -
>
> I'm getting a substantial refund check this year. I need advice
> regarding some new hard ware.
>
> I'm looking at the FT-950 from Yaesu or Kenwood TS-590 and Icom
> IC-7200.
>
>
>
> I have a FT897 currently and have some familiarity with their way of
> doing things. I'm not totally
> in love with all of their design choices however.
>
>
> But other than that, I'm open minded.
>
>
> Suggestions?

>   -
> All three have been reviewed in QST. I suggest you read and review the
> articles and technical measurements from these units. Much could also
> depend on your intended usage. Portable vs. mobile vs. home station;
> ssb vs. cw; what is your total budget; etc. Good luck on your
> research. For a similar total monetary outlay, there might be more
> capable rig availaable.
>
> 73 de Don W7WST-
>
> Yes, but I was looking for personal recommendations. I _have_ read the
> reviews. But these are
> written by experienced operators and are hardly ever critical.
>
> But let me add that the radio is for base operations. I have a capable
> radio (FT 897) for mobile
> use. I like it allot. However I'm open to other opinions..
>
> Perhaps someone has used two from my list and can offer a comparison of
> those two radios. I'm not an
> experienced user but this isn't my first day either. Say top of the
> newbee level or the bottom of
> the intermediate level. Plenty of things to learn.
>
> Not an unlimited budget, around $2000. I'm 60 and I am thinking about a
> radio that will last me the
> rest of my days.
>
> Jim KC8UGV
>
> --
> We live in a society exquisitely dependent
> on science and technology,
> in which hardly anyone knows anything about
> science and technology.
> Carl Sagan

What can't you understand?

Call Bob at Ham Radio Outlet in Delaware.
Unless you have $3300 + for a Ten Tec - the only other transceiver you
can afford that does it all well is the Kenwood TS 590S....

Most hams wouldn't waste their money on two relatively new rigs at the
same time unless they had a unlimited budget or had a problem with the
one or the other.   And I am not aware of any supplier that would just
take the one back - USED and replace it with another new transceiver of
a different manufacturer.

Your best bet is to drive to a ham radio store and look at them before
you buy them.
My experience came from buying a transceiver sight unseen - by
reputation and a recommendation only.

If the TS 590S has only been released here in the USA for one year,
there is not going to be a lot written about it other then a glowing
report written by the ARRL Labs that was posted in QST Magazine last
year....

No one can hold your hand and no one can tell you what to buy.
Regardless of what they tell you - if you look hard enough, with a
electron microscope - you will eventually find something wrong with all
of them.
The Kenwood is just too new to have problems yet.
There isn't even any updates available for the one I bought last
September.

--
Channel Jumper

```
From 5399700361378936382
X-Google-Thread: 108122,9037e2733f600c59
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.202.168 with SMTP id kj8mr1425778pbc.1.1334238316663;
        Thu, 12 Apr 2012 06:45:16 -0700 (PDT)
Path: r9ni47911pbh.0!nntp.google.com!news2.google.com!news1.google.com!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post01.iad.highwinds-media.com!newsfe18.iad.POSTED!00000000!not-for-mail
From: Native Terran <finnigann2580@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF radios
Message-ID: <camdo75j85ppi11253ajsu69gu3f3m4s0v@4ax.com>
References: <hh57o7lp5iblkqu9emdfilep4l26ufgmlq@4ax.com>
<1ig8o79aen4ee545e4m9mgdgq6rjike36e@4ax.com>
<e8jbo7pd4g56jipklkofrek13nsiouv47k@4ax.com>
<Channel.Jumper.9cc19d9@radiobanter.com>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Lines: 99
NNTP-Posting-Host: gompgjnoihknneiidjhlgdoachggfbif
X-Complaints-To: abuse@charter.net
X-Trace:
lepbgonljekgmbaalgdegddckechphcogclochkdgffblfmmgompgjnoihknneiipjohmbfgfdedmbepmh
ponohbjgcgblpfdgkebeegoniphppbhldeenekidophfckfdlbpmaelemcakjp
NNTP-Posting-Date: Thu, 12 Apr 2012 13:45:16 UTC
Date: Thu, 12 Apr 2012 09:45:16 -0400
X-Received-Bytes: 3999
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

On Thu, 12 Apr 2012 02:54:38 +0000, Channel Jumper

<Channel.Jumper.9cc19d9@radiobanter.com> wrote:

>
>Native Terran;789413 Wrote:
>> On Tue, 10 Apr 2012 07:28:34 -0700, dondmyers@comcast.net wrote:
>> -
>> On Mon, 09 Apr 2012 22:16:42 -0400, Native Terran
>> finnigann2580@gmail.com wrote:
>> -
>>
>>
>> I'm looking at the FT-950 from Yaesu or Kenwood TS-590 and Icom
>> IC-7200.
>>
>>
>>
>>
>> But other than that, I'm open minded.
>>
>> But let me add that the radio is for base operations. I have a capable
>> radio (FT 897) for mobile use. I like it allot. However I'm open to other
opinions..
>>
>> Perhaps someone has used two from my list and can offer a comparison of
>> those two radios. I'm not an
>> experienced user but this isn't my first day either. Say top of the
>> newbee level or the bottom of
>> the intermediate level. Plenty of things to learn.
>>
>> Not an unlimited budget, around $2000. I'm 60 and I am thinking about a
>> radio that will last me the
>> rest of my days.
>>
>> Jim KC8UGV
>>

>What can't you understand?
>
>Call Bob at Ham Radio Outlet in Delaware.
>Unless you have $3300 + for a Ten Tec - the only other transceiver you
>can afford that does it all well is the Kenwood TS 590S....

Dealers may be bias towards a more profitable model. Not all of 'em perhaps.

>
>Most hams wouldn't waste their money on two relatively new rigs at the
>same time unless they had a unlimited budget or had a problem with the
>one or the other.

I was unaware of the short time the Kenwood (590) had been in the market. However
soliciting

opinions on various models of radios isn't a waste of time. Maybe I should have listed the Kenwood 2000 as an option.

>And I am not aware of any supplier that would just
>take the one back - USED and replace it with another new transceiver of
>a different manufacturer.

Prolly pretty uncommon. That's why I didn't think of it.

>
>Your best bet is to drive to a ham radio store and look at them before
>you buy them.
>My experience came from buying a transceiver sight unseen - by
>reputation and a recommendation only.
>

An expensive school...

>
>No one can hold your hand and no one can tell you what to buy.

I was only asking for opinions. My hand-holding days are far behind me. I'm prepared to live by whatever choice I make. But if I can avoid an obvious land mine, why not.

>Regardless of what they tell you - if you look hard enough, with a
>electron microscope - you will eventually find something wrong with all
>of them.

I'm not looking for the perfect radio (for me) I don't know enough about ham radio to do that sort of checking - to find every defect.

So, after reading your message (several times) I can't find your ideas on my request for info. Did I miss them/it?

--
We live in a society exquisitely dependent
 on science and technology,
in which hardly anyone knows anything about
 science and technology.
Carl Sagan

```
From -1772492770262640043
X-Google-Thread: 108122,9037e2733f600c59
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.202.168 with SMTP id kj8mr437941pbc.1.1334271829488;
        Thu, 12 Apr 2012 16:03:49 -0700 (PDT)
MIME-Version: 1.0
Path: r9ni49366pbh.0!nntp.google.com!news2.google.com!goblin3!gin-ad1-
unet1.teleglobe.net!goblin1!goblin.stu.neva.ru!news.glorb.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 12 Apr 2012 18:03:45 -0500
From: Channel Jumper <Channel.Jumper.9cd16f8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF radios
Date: Thu, 12 Apr 2012 17:36:45 +0000
Message-ID: <Channel.Jumper.9cd16f8@radiobanter.com>
Organization: RadioBanter.com
References: <hh57o7lp5iblkqu9emdfilep4l26ufgmlq@4ax.com>
<1ig8o79aen4ee545e4m9mgdgq6rjike36e@4ax.com>
<e8jbo7pd4g56jipklkofrek13nsiouv47k@4ax.com>
<Channel.Jumper.9cc19d9@radiobanter.com>
<camdo75j85ppi11253ajsu69gu3f3m4s0v@4ax.com>
Lines: 68
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-N61LQxGwKVBlwuNgR//JoEEih2GJ4Z07cZa0D/
tg6PSn4WZpN4dsARt9Mi6fsInlgfANkatZeLoQe4h!
llug2CTYxnO4U47NubD3maktHCPoA0pTwtY5h6G0wiBPG8g7ptXUvvq4228cNI3RMoX36EZzU8Lp!
QNHwo4yCtRxsv7c=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 31
X-Original-Bytes: 4295
```

The reason I recommended BOB @ Ham Radio Outlet is because I have dealt with BOB personally and he has never screwed me.
I'm not completely sure about his bio - but I believe that he has been a ham 40 - 50 years, the same as many of my friends who recommended the TS 590 to me.

On the other hand - you asked about the Kenwood TS 2000 - and I do have experience with the TS 2000.
The TS 2000 is a very old design - I have QST magazines here from 1999 that has that model advertised, it is a very old design.
I would put it in the same class as the ICOM 746 Pro - a lot to go wrong in a little box. http://www.eham.net/reviews/detail/1249

Nobody is going to buy one if they hear that it sucks and is not a very good transceiver.
Most people that does buy one does not have anything else of comparative value to compare it to.
Like making chicken soup out of chicken poop.
Kenwood does a very good job of hiding the fact that the TS 2000 is a compromise between a good HF transceiver and a fairly good VHF / UHF transceiver.
Only, when you combine the two - you have to give up something to get something.
Like buying a 1985 Z/28 - IROC Z/28 Camaro and finding out that the factory stock tires are no good in the rain and the car doesn't go anywhere in the snow. On dry / hot pavement - it is a good performer - period...

Another factor in the 2000 that I do not like is the fact that when it breaks you are not only out a HF radio, but also your primary VHF and UHF radio....

Its much easier to purchase the 590 and a inexpensive mobile such as the Yaesu 8800 or 8900 and have multiband coverage and the opportunity to cross repeat in a emergency then to have a single band VHF transceiver which might be cheaper - but doesn't do anything else such as APRS or UHF or cross repeat.....

If money is an issue, you could purchase the Kenwood TS 480 SAT and still have the autotuner feature and the capability of working mobile. Although the 590 also makes a pretty good mobile itself...

Like the robot on Lost in Space , I will tell you - warning, warning, danger, danger -- do not buy the ICOM Will Robinson...
Let them make a bunch of them and then let someone else see if they are any good before you plunk down your hard earned cabbage on one...

The FT 950 is another outdated transceiver with it's own set of issues.
The one my friend had, which I used a couple of times was a piece of junk.
When he died, it was arcing inside of the microphone - with no amplifier connected and sitting side by side - comparing it against the Icom 746 pro with 100 watts on the same antenna 10 miles apart.
The guys with the Icoms were checking into the nets on 160 meters and the guy with the Yaesu wasn't being heard....
And the guys with the Icom's were down in the valley and the guy with the Yaesu was on top of a large hill - where he could talk 2 meters for 70 miles the way you would talk with your walkie talkie to the local repeaters...

Like I said before, I had several opportunities to buy it, even for $700.00 and did not and it was only 9 months old when they sold it.

--
Channel Jumper

```
From 221624329497879969
X-Google-Thread: 108122,9037e2733f600c59
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.202.37 with SMTP id kf5mr3893123pbc.7.1334376148890;
        Fri, 13 Apr 2012 21:02:28 -0700 (PDT)
Path: r9ni53925pbh.0!nntp.google.com!news2.google.com!news4.google.com!
feeder2.cambriumusenet.nl!feed.tweaknews.nl!195.62.100.242.MISMATCH!
newsfeed.kamp.net!newsfeed.kamp.net!eternal-september.org!feeder.eternal-
september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: Jason <jason_warren@ieee.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF radios
Date: Sat, 14 Apr 2012 00:02:12 -0400
Organization: A noiseless patient Spider
Lines: 63
Message-ID: <MPG.29f2c0d0d52a0e789896a0@news.eternal-september.org>
References: <hh57o7lp5iblkqu9emdfilep4l26ufgmlq@4ax.com>
<1ig8o79aen4ee545e4m9mgdgq6rjike36e@4ax.com>
<e8jbo7pd4g56jipklkofrek13nsiouv47k@4ax.com>
<Channel.Jumper.9cc19d9@radiobanter.com>
<camdo75j85ppi11253ajsu69gu3f3m4s0v@4ax.com>
<Channel.Jumper.9cd16f8@radiobanter.com>
Mime-Version: 1.0
Injection-Info: mx04.eternal-september.org; posting-host="tqMGjeBDEAlNn/AW0NlTyw";
     logging-data="5411"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/EWty/YzDVWefJojN5EjefK5nhf7fZMnc="
User-Agent: MicroPlanet-Gravity/3.0.4
Cancel-Lock: sha1:13VFp1lA8KjCJtMr6Nsd3llTxWQ=
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

On Thu, 12 Apr 2012 17:36:45 +0000 "Channel Jumper"
<Channel.Jumper.9cd16f8@radiobanter.com> wrote in article
<Channel.Jumper.9cd16f8@radiobanter.com>

>
> The reason I recommended BOB @ Ham Radio Outlet is because I have dealt
> with BOB personally and he has never screwed me.
> I'm not completely sure about his bio - but I believe that he has been a
> ham 40 - 50 years, the same as many of my friends who recommended the TS
> 590 to me.
>
> On the other hand - you asked about the Kenwood TS 2000 - and I do have
> experience with the TS 2000.
> The TS 2000 is a very old design - I have QST magazines here from 1999
> that has that model advertised, it is a very old design.
> I would put it in the same class as the ICOM 746 Pro - a lot to go wrong

> in a little box.   http://www.eham.net/reviews/detail/1249
>
> Nobody is going to buy one if they hear that it sucks and is not a very
> good transceiver.
> Most people that does buy one does not have anything else of comparative
> value to compare it to.
> Like making chicken soup out of chicken poop.
> Kenwood does a very good job of hiding the fact that the TS 2000 is a
> compromise between a good HF transceiver and a fairly good VHF / UHF
> transceiver.
> Only, when you combine the two - you have to give up something to get
> something.
> Like buying a 1985 Z/28 - IROC Z/28 Camaro and finding out that the
> factory stock tires are no good in the rain and the car doesn't go
> anywhere in the snow. On dry / hot pavement - it is a good performer -
> period...
>
> Another factor in the 2000 that I do not like is the fact that when it
> breaks you are not only out a HF radio, but also your primary VHF and
> UHF radio....
>
> Its much easier to purchase the 590 and a inexpensive mobile such as the
> Yaesu 8800 or 8900 and have multiband coverage and the opportunity to
> cross repeat in a emergency then to have a single band VHF transceiver
> which might be cheaper - but doesn't do anything else such as APRS or
> UHF or cross repeat.....
>
> If money is an issue, you could purchase the Kenwood TS 480 SAT and
> still have the autotuner feature and the capability of working mobile.
> Although the 590 also makes a pretty good mobile itself...
>
> Like the robot on Lost in Space , I will tell you - warning, warning,
> danger, danger -- do not buy the ICOM Will Robinson...
> Let them make a bunch of them and then let someone else see if they are
> any good before you plunk down your hard earned cabbage on one...
>
> The FT 950 is another outdated transceiver with it's own set of issues.
> The one my friend had, which I used a couple of times was a piece of

...then there's the ad in the QST I received today for a new Kenwood
transceiver to be announced @ Dayton next month. I had several Kenwood
xceivers - a 520 then an 820 and an 870 - and was happy with all of them.
But Kenwood seems to have skipped the dance recently - twice at least!
It'll be interesting to see what they roll out. Being potentially a newer
design than the competition... who knows?

Jason
WA2LJW

From 9166424571522674454
X-Google-Thread: 108122,9037e2733f600c59
X-Google-NewGroupId: yes

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.125.233 with SMTP id mt9mr7286019pbb.5.1334506415672;
        Sun, 15 Apr 2012 09:13:35 -0700 (PDT)
Path: r9ni59583pbh.0!nntp.google.com!news1.google.com!news2.google.com!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!
en-nntp-13.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <W8CCW@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF radios
Message-ID: <k0slo79806nssu744bbsoers6ku218f2ia@4ax.com>
References: <hh57o7lp5iblkqu9emdfilep4l26ufgmlq@4ax.com>
<1ig8o79aen4ee545e4m9mgdgq6rjike36e@4ax.com>
<e8jbo7pd4g56jipklkofrek13nsiouv47k@4ax.com>
<Channel.Jumper.9cc19d9@radiobanter.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Lines: 118
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 15 Apr 2012 12:13:53 -0400
X-Received-Bytes: 5359
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

You can get into a TenTec for that much money. Since you have time to check it out, there are some good deals out there but be very careful in the used market. Most of us feel there is no ethical way to sell a lightning struck transceiver, regardless of brand.

Having said that Ham Radio Outlet has a very good reputation here in the Piedmont area of North Carolina.

TenTec takes a personal interest in every customer. They (and everyone else) can be checked out pretty well on YouTube.

I have had my TenTec Jupiter since the were first available and I am willing to upgrade when something better comes along. That just has not happened.

I am 72 this month and I hope that I am young enough to need another radio in the future.

However, if Yaesu does not come up with the Free Mod to make my FT-857 comply with the 60 meter changes, I am looking at my last Yaesu product. Since this is to be a long term radio, consider issues such as that!

On Thu, 12 Apr 2012 02:54:38 +0000, Channel Jumper

<Channel.Jumper.9cc19d9@radiobanter.com> wrote:

>
>Native Terran;789413 Wrote:
>> On Tue, 10 Apr 2012 07:28:34 -0700, dondmyers@comcast.net wrote:
>> -
>> On Mon, 09 Apr 2012 22:16:42 -0400, Native Terran
>> finnigann2580@gmail.com wrote:
>> -
>>
>> I'm getting a substantial refund check this year. I need advice
>> regarding some new hard ware.
>>
>> I'm looking at the FT-950 from Yaesu or Kenwood TS-590 and Icom
>> IC-7200.
>>
>>
>>
>> I have a FT897 currently and have some familiarity with their way of
>> doing things. I'm not totally
>> in love with all of their design choices however.
>>
>>
>> But other than that, I'm open minded.
>>
>>
>> Suggestions?
>>   -
>> All three have been reviewed in QST. I suggest you read and review the
>> articles and technical measurements from these units. Much could also
>> depend on your intended usage. Portable vs. mobile vs. home station;
>> ssb vs. cw; what is your total budget; etc. Good luck on your
>> research. For a similar total monetary outlay, there might be more
>> capable rig availaable.
>>
>> 73 de Don W7WST-
>>
>> Yes, but I was looking for personal recommendations. I _have_ read the
>> reviews. But these are
>> written by experienced operators and are hardly ever critical.
>>
>> But let me add that the radio is for base operations. I have a capable
>> radio (FT 897) for mobile
>> use. I like it allot. However I'm open to other opinions..
>>
>> Perhaps someone has used two from my list and can offer a comparison of
>> those two radios. I'm not an
>> experienced user but this isn't my first day either. Say top of the
>> newbee level or the bottom of
>> the intermediate level. Plenty of things to learn.
>>
>> Not an unlimited budget, around $2000. I'm 60 and I am thinking about a
>> radio that will last me the

```
>> rest of my days.
>>
>> Jim  KC8UGV
>>
>> --
>> We live in a society exquisitely dependent
>> on science and technology,
>> in which hardly anyone knows anything about
>> science and technology.
>> Carl Sagan
>What can't you understand?
>
>Call Bob at Ham Radio Outlet in Delaware.
>Unless you have $3300 + for a Ten Tec - the only other transceiver you
>can afford that does it all well is the Kenwood TS 590S....
>
>Most hams wouldn't waste their money on two relatively new rigs at the
>same time unless they had a unlimited budget or had a problem with the
>one or the other.   And I am not aware of any supplier that would just
>take the one back - USED and replace it with another new transceiver of
>a different manufacturer.
>
>Your best bet is to drive to a ham radio store and look at them before
>you buy them.
>My experience came from buying a transceiver sight unseen - by
>reputation and a recommendation only.
>
>If the TS 590S has only been released here in the USA for one year,
>there is not going to be a lot written about it other then a glowing
>report written by the ARRL Labs that was posted in QST Magazine last
>year....
>
>No one can hold your hand and no one can tell you what to buy.
>Regardless of what they tell you - if you look hard enough, with a
>electron microscope - you will eventually find something wrong with all
>of them.
>The Kenwood is just too new to have problems yet.
>There isn't even any updates available for the one I bought last
>September.
John Ferrell W8CCW


From 1815613504198142306
X-Google-Thread: 108122,9037e2733f600c59
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.125.233 with SMTP id mt9mr7446732pbb.5.1334513740597;
        Sun, 15 Apr 2012 11:15:40 -0700 (PDT)
MIME-Version: 1.0
Path: r9ni59913pbh.0!nntp.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.octanews.net!
```

```
indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF radios
From: Bert <bert@iphouse.com>
References: <hh57o7lp5iblkqu9emdfilep4l26ufgmlq@4ax.com>
<1ig8o79aen4ee545e4m9mgdgq6rjike36e@4ax.com>
<e8jbo7pd4g56jipklkofrek13nsiouv47k@4ax.com>
<Channel.Jumper.9cc19d9@radiobanter.com>
Organization: Not that you'd notice
Message-ID: <XnsA03686E627114VeebleFetzer@216.250.188.140>
User-Agent: Xnews/2006.08.24
Date: 15 Apr 2012 18:15:40 GMT
Lines: 14
NNTP-Posting-Date: 15 Apr 2012 13:15:40 CDT
NNTP-Posting-Host: 8333bf17.newsreader.iphouse.net
X-Trace: DXC=lOoh0N18^G0?
jel4nC`9B7UU[C:R=]Mb:eHS>e[L>8303kDQli:j;>;c230oU7d711X7@2h;nGb4=5LBoc]O@a_3
X-Complaints-To: abuse@iphouse.net

In news:Channel.Jumper.9cc19d9@radiobanter.com Channel Jumper
<Channel.Jumper.9cc19d9@radiobanter.com> wrote:

> And I am not aware of any supplier that would just
> take the one back - USED and replace it with another new transceiver of
> a different manufacturer.

On the other hand, Ten-Tec has a 30-day return policy for new gear (they
only sell direct).

http://www.tentec.com/pages/Return-Policies.html

--
Bert Hyman    W0RSB     St. Paul, MN  bert@iphouse.com


From 7229609924662108130
X-Google-Thread: 108122,8369d7f2b522873f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.233.170 with SMTP id tx10mr11380179pbc.0.1334660634148;
        Tue, 17 Apr 2012 04:03:54 -0700 (PDT)
MIME-Version: 1.0
Path: r9ni66307pbh.0!nntp.google.com!news2.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-
mli.net!feeder1.hal-mli.net!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 17 Apr 2012 06:03:52 -0500
From: K7HI <K7HI.9d305b9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: F/S: Select-A-Tenna AM Broadcast Loop Antenna
```

Date: Tue, 17 Apr 2012 05:54:14 +0000
Message-ID: <K7HI.9d305b9@radiobanter.com>
Organization: RadioBanter.com
Lines: 40
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-5oKXg4B4FWExyG+d561mEaU6VBOVVo1RL+
+vpOiJ75IXwNLkNuFhMbQOcMeoWe4CmX4VCX4booN2kb3!
CBKm7BBWRc5sJyFZIGV2NdsOemwJWMPJnUxEGWCMfRQ4oALDzZPGX2MPQeB+sSqPTqrxihx4Fb4A!qg==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 2104

Select-A-Tenna is a LARGE Passive Loop and can produce 30DB signal gain
when used with an AM radio receiver.
Requires NO Wires or Batteries. It works simply by placing it next to
your radio and tuning the Variable Capacitor
to the same station frequency as your radio!

MINT CONDITION

Here's a Picture
http://dl.dropbox.com/u/38264135/select%20a%20Tenna.gif

Here's a Video:
http://www.youtube.com/watch?v=HAXPfnuCwTg

This model has a 3.5mm Mini Jack allowing connection DIRECTLY to a Radio
with NO Internal AM Antenna.
So, for example, it would make a GREAT FT-817 (or similar rig) accessory
to enable Late Night AM DXing
or AM Listening in addition to your QRP Activities.

$49. INCLUDING Priority Shipping to CONUS address w/Delivery Confirmation
INSTANT PAYPAL REQUIRED

Thanks for looking!
Howard, K7HI
http://www.qrz.com/db/k7hi
http://www.eham.net/classifieds/detail/361324

```
+-------------------------------------------------------------------+
|Filename: loop1.jpg                                                |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=859|
+-------------------------------------------------------------------+
```

--
K7HI

```
From 3297012348202985910
X-Google-Thread: 108122,58fd31daf08b156a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.131.75 with SMTP id w11mr496716bks.0.1334790243386;
        Wed, 18 Apr 2012 16:04:03 -0700 (PDT)
MIME-Version: 1.0
Path: h15ni139311bkw.0!nntp.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-
mli.net!feeder1.hal-mli.net!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 18 Apr 2012 18:03:55 -0500
From: K7HI <K7HI.9d4fff8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ramsey STC-1 Stereo Transmitter Companion
Date: Wed, 18 Apr 2012 21:20:39 +0000
Message-ID: <K7HI.9d4fff8@radiobanter.com>
Organization: RadioBanter.com
Lines: 37
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
x2MevQNoGD5lsDI3PFL4vvkYaRKn3tCsBbXGebUne7UyzLJbX+NM6bGjmRFthk6yzeeeCMENsRam1IO!
TthgriqdlV36ppSQZ6KMPMja7V69VsvyNS5GMUoDh8njJRxh8j4ISDUjtjc2Djp9g7ZK3vlvk3Am!LQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 2393
```

PROFESSIONALLY WIRED AND TESTED

Now you can give your home Part 15 Stereo Transmitter the features found in a professional radio station! Control and prevent overmodulation and &#8220;sweeten&#8221; the mix with Bass, Presence, and Brilliance. This allows you to compensate for a lack of bass, treble or midrange. Custom tailor your sound to your own taste. Perfect companion for the Ramsey FM10A and the FM25 or any other FM (or AM) radio transmitter.

Requires 12VDC. Uses line levels from CD players, tape decks, mixers etc. Bass, Presence, and Brilliance controls. Dynamic Range Limiter to prevent overmodulation and 15kHz 8th order Butterworth Low Pass Filters to prevent high frequency interference with the FM Stereo carrier.

Ramsey List Price for factory assembled STC-1 is $120.

Excellent Condition
w/pdf Manual, requires 12VDC Regulated Power Supply
$69. Including Shipping to CONUS w/Delivery Confirmation
INSTANT PAYPAL REQUIRED

Thanks for looking!
http://www.qrz.com/db/k7hi
http://www.eham.net/classifieds/detail/361324

```
+-------------------------------------------------------------------+
|Filename: phpZ6JikyPM.jpg                                          |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=860|
|Filename: phpac5tPgPM.jpg                                          |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=861|
+-------------------------------------------------------------------+
```

--
K7HI

```
From 8962509548358705919
X-Google-Thread: 108122,8369d7f2b522873f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.153.209 with SMTP id l17mr489983bkw.4.1334919831925;
        Fri, 20 Apr 2012 04:03:51 -0700 (PDT)
MIME-Version: 1.0
Path: h15ni144997bkw.0!nntp.google.com!news2.google.com!goblin3!
goblin.stu.neva.ru!news.bbs-scene.org!weretis.net!feeder4.news.weretis.net!
feeds.phibee-telecom.net!newsfeed.sovam.com!newsfeed.x-privat.org!itgate.net!
tornado.fastwebnet.it!news1.as3257.net!feeder.erje.net!newsfeed.hal-mli.net!
feeder3.hal-mli.net!newsfeed.hal-mli.net!feeder1.hal-mli.net!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 20 Apr 2012 06:03:49 -0500
From: K7HI <K7HI.9d6fa38@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: F/S: Select-A-Tenna AM Broadcast Loop Antenna
Date: Fri, 20 Apr 2012 10:49:08 +0000
Message-ID: <K7HI.9d6fa38@radiobanter.com>
Organization: RadioBanter.com
References: <K7HI.9d305b9@radiobanter.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
```

X-Trace: sv3-Rd1TxtqDFYhVY0gYGiYgXpQimKUGOP0CVU/qdqnjhtV/
FmI+Q44Q3+eUoV1pgq27c1L7Hyv4KMHjy9K!DQcfNYJBiyob6KG6DFrqIIgi5yv77ZsoExOPonm/
sk66sSsNCA5B8amhPY8EbEcSlI9e8KsVb5lB!3w==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 6
X-Original-Bytes: 1242

SOLD - SOLD - SOLD

Thanks,
Howard, K7HI
http://www.qrz.com/db/k7hi
http://www.eham.net/classifieds/detail/361324

+---+
+---+

--
K7HI

From 5537270217004920187
X-Google-Thread: 108122,3a9996c944e5baad,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.236.170 with SMTP id uv10mr14844891pbc.4.1335209971634;
        Mon, 23 Apr 2012 12:39:31 -0700 (PDT)
Path: r9ni90309pbh.0!nntp.google.com!news2.google.com!postnews.google.com!
f37g2000yqc.googlegroups.com!not-for-mail
From: ibm laptop <ibmlaptop2007@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: C&K/Microswitch switch lots, electronics parts, vintage radios, etc.
Date: Mon, 23 Apr 2012 12:37:53 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <f03dba6a-5659-42d4-8be4-edd00d281666@f37g2000yqc.googlegroups.com>
NNTP-Posting-Host: 174.20.154.240
Mime-Version: 1.0
X-Trace: posting.google.com 1335209971 4302 127.0.0.1 (23 Apr 2012 19:39:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Apr 2012 19:39:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f37g2000yqc.googlegroups.com; posting-host=174.20.154.240;
posting-account=KmDxMAoAAAAWhZ5qFpyclCEHWWCMRjW-

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:11.0) Gecko/20100101 Firefox/
11.0,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

Several listings going on at the moment - HH Smith spacers, Bussmann
silver-plated fuse clips, sealed MicroSwitch toggle switches, 5 pc.
lots of C&K / Dialight / etc. electronics switches, 1960 Westinghouse
transistor radio, and so on... see them all here;

http://www.ebay.com/sch/bobsx/m.html

Thanks for your time.



From 3548089749207955413
X-Google-Thread: 108122,a19e70e4bac07daf,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.205.131.16 with SMTP id ho16mr608125bkc.3.1335420043852;
        Wed, 25 Apr 2012 23:00:43 -0700 (PDT)
Path: h15ni166744bkw.0!nntp.google.com!news1.google.com!postnews.google.com!
is10g2000pbc.googlegroups.com!not-for-mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SUPER HOT VIDEOS AND ALL ACTRESSES KISSING PHOTOS
Date: Wed, 25 Apr 2012 23:00:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 50
Message-ID: <a5699d48-2aeb-4092-836a-681a6da8440a@is10g2000pbc.googlegroups.com>
NNTP-Posting-Host: 117.213.134.76
Mime-Version: 1.0
X-Trace: posting.google.com 1335420043 27729 127.0.0.1 (26 Apr 2012 06:00:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 26 Apr 2012 06:00:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: is10g2000pbc.googlegroups.com; posting-host=117.213.134.76;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:8.0.1) Gecko/20100101 Firefox/
8.0.1,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1






     VERY VERY VERY HOT HOT HOT ONLY HOT
http://acresesandmodels.blogspot.in/2011/06/real-kiss-hot-videos.html
```

HOT HOT LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/hot-for-youth.html
SUPER HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-101.html
YOUTH HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-lip-kiss-12.html
ONLY HOT HOT
http://hotvideosfreesee.blogspot.in/2010/06/supr-hot-never-seen.html
SUPER HOT NEVER SEEN
http://hotvideosfreesee.blogspot.in/2010/06/supe-r-hot-kiss-op.html
HEROINE LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/kajal-best-lip-kiss.html

for mopre hot videos
http://allvideosforyouth.blogspot.in/2010/08/super-hot-lip-kiss.html

jobs
http://alljobsaywhere.blogspot.in/

mobile

mobile games free download
http://mobileallinforation.blogspot.in/2010/08/mobile-games-free-download.html

mobile ringtones free download
http://mobileallinforation.blogspot.in/2010/08/mobile-ringtones-free-download.html

```
From 4741053066930408976
X-Google-Thread: fcc6e,ad27de51c42ab7b0,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,ad27de51c42ab7b0,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ad27de51c42ab7b0,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,ad27de51c42ab7b0,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,ad27de51c42ab7b0,start
```

```
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,ad27de51c42ab7b0,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gida3e752f117,gide721ae2bf6,gida4a23d5f6
3,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.201.168 with SMTP id kb8mr3473942pbc.3.1335852004360;
        Mon, 30 Apr 2012 23:00:04 -0700 (PDT)
MIME-Version: 1.0
Path: r9ni118572pbh.0!nntp.google.com!news2.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
nx02.iad01.newshosting.com!newshosting.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1333260001@panix.com>
Followup-To: poster
Date: 1 May 2012 02:00:01 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Jun 2012 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1335852000@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1335852002 9531 166.84.1.2 (1 May 2012 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 1 May 2012 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
X-Received-Bytes: 3691

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html
```

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/

d7d337db35f23326

```
the rec.radio.amateur.moderated Moderation Team had decided to consider       |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup.  After a successful trial         |
period (90 days, through early July 2009), we decided to adopt this           |
change permanently.                                                           |
```

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 4736585597481139195
X-Google-Thread: 108122,30c4269605143cb8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.239.134 with SMTP id vs6mr4845500pbc.4.1336198743355;
        Fri, 04 May 2012 23:19:03 -0700 (PDT)
Path: pr3ni5799pbb.0!nntp.google.com!news2.google.com!postnews.google.com!
s9g2000pbq.googlegroups.com!not-for-mail
From: samye roy <ssammyy87@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Water Damage & Fire Damage Sterling Heights Michigan
Date: Fri, 4 May 2012 23:17:27 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
```

```
Message-ID: <e8a66b9d-5590-47c6-b2b5-340e4775f9c0@s9g2000pbq.googlegroups.com>
NNTP-Posting-Host: 203.223.95.178
Mime-Version: 1.0
X-Trace: posting.google.com 1336198743 5457 127.0.0.1 (5 May 2012 06:19:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 May 2012 06:19:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s9g2000pbq.googlegroups.com; posting-host=203.223.95.178; posting-
account=JuM-gAoAAABYPlRziLhgfcbi9Zexgr3f
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.28)
 Gecko/20120306 Firefox/3.6.28,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

Serving those who need it most! Anytime Restoration is a family
operated company built on strong principles that makes recovering from
a disaster the least intrusive as possible. We specialize in Water
Damage & Fire Damage Sterling Heights Michigan.
http://www.anytimerestorationservices.com



From 1028401275415459698
X-Google-Thread: 108122,af29ef6fc56bd71b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.239.134 with SMTP id vs6mr8845144pbc.4.1336370704620;
        Sun, 06 May 2012 23:05:04 -0700 (PDT)
MIME-Version: 1.0
Path: pr3ni13352pbb.0!nntp.google.com!news1.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx01.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1333778700@panix.com>
Followup-To: poster
Date: 7 May 2012 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jun 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1336370700@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1336370704 22510 166.84.1.2 (7 May 2012 06:05:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 May 2012 06:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
```

Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Received-Bytes: 3546

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 6754325134299024867
X-Google-Thread: 107ada,de2f0bf0ee50fd41,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,de2f0bf0ee50fd41,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,de2f0bf0ee50fd41,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,de2f0bf0ee50fd41,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.231.2 with SMTP id tc2mr10283332pbc.8.1336371001631;
        Sun, 06 May 2012 23:10:01 -0700 (PDT)
MIME-Version: 1.0
Path: pr3ni13355pbb.0!nntp.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!novia!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1333779000@panix.com>
Followup-To: poster
Date: 7 May 2012 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jun 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1336371000@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1336371001 12712 166.84.1.2 (7 May 2012 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 May 2012 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been

recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 613278161331144568
X-Google-Thread: 108122,82b7058d8775374f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.219.66 with SMTP id pm2mr3475394pbc.8.1336902045793;
        Sun, 13 May 2012 02:40:45 -0700 (PDT)
Path: pr3ni20626pbb.0!nntp.google.com!news2.google.com!postnews.google.com!
ob2g2000pbb.googlegroups.com!not-for-mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT SEXY VIDEOS AND ROMANTIC BEAUTIFUL PHOTOS
Date: Sun, 13 May 2012 02:34:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 50
Message-ID: <ad4aa767-56fe-44d8-aa55-ad314f04050c@ob2g2000pbb.googlegroups.com>
NNTP-Posting-Host: 117.199.245.143
Mime-Version: 1.0
X-Trace: posting.google.com 1336902045 25684 127.0.0.1 (13 May 2012 09:40:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 May 2012 09:40:45 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: ob2g2000pbb.googlegroups.com; posting-host=117.199.245.143;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:8.0.1) Gecko/20100101 Firefox/
8.0.1,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1





     VERY VERY VERY HOT HOT HOT ONLY HOT
http://acresesandmodels.blogspot.in/2011/06/real-kiss-hot-videos.html







  HOT HOT LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/hot-for-youth.html
SUPER HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-101.html
YOUTH HOT PHOTOS
http://hotvideosfreesee.blogspot.in/2010/06/hot-lip-kiss-12.html
ONLY HOT HOT
http://hotvideosfreesee.blogspot.in/2010/06/supr-hot-never-seen.html
SUPER HOT NEVER SEEN
http://hotvideosfreesee.blogspot.in/2010/06/supe-r-hot-kiss-op.html
HEROINE LIP KISS
http://hotvideosfreesee.blogspot.in/2010/06/kajal-best-lip-kiss.html


for mopre hot videos
http://allvideosforyouth.blogspot.in/2010/08/super-hot-lip-kiss.html


     jobs
http://alljobsaywhere.blogspot.in/





              mobile

mobile games free download
http://mobileallinforation.blogspot.in/2010/08/mobile-games-free-download.html

mobile ringtones free download
http://mobileallinforation.blogspot.in/2010/08/mobile-ringtones-free-download.html
```

```
From 8424702669037282532
X-Google-Thread: fcc6e,73346c2b0727dd7c,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,73346c2b0727dd7c,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,73346c2b0727dd7c,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,73346c2b0727dd7c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,73346c2b0727dd7c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,73346c2b0727dd7c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,73346c2b0727dd7c,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gide721ae2bf6,gid8f86f7595
3,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.201.132 with SMTP id ka4mr2192943pbc.8.1338530405285;
        Thu, 31 May 2012 23:00:05 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni6413pbj.0!nntp.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news.glorb.com!news-
out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1335852000@panix.com>
Followup-To: poster
Date: 1 Jun 2012 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 04 Jul 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1338530401@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1338530403 9000 166.84.1.2 (1 Jun 2012 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 1 Jun 2012 06:00:03 +0000 (UTC)
```

Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -2207907288737902513
X-Google-Thread: 108122,45967898d8b2f48f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.157.134 with SMTP id b6mr97089bkx.5.1339040018152;
        Wed, 06 Jun 2012 20:33:38 -0700 (PDT)
Path: e27ni22282bkw.0!nntp.google.com!news1.google.com!news.glorb.com!news.alt.net
From: justme <jbleaux@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: I WILL BUY YOUR BROKEN/TRASHED ICOM H.F. RADIO
Date: Wed, 06 Jun 2012 22:33:20 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 16
Message-ID: <u580t79evk54n6f0ekmbntnlqf4btqtt0a@4ax.com>
Mime-Version: 1.0
X-Newsreader: Forte Agent 6.00/32.1186 trialware
X-Antivirus: avast! (VPS 120606-2, 06/06/2012), Outbound message
X-Antivirus-Status: Clean
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

I WILL BUY YOUR BROKEN/TRASHED ICOM H.F. RADIO



Hi,

I want to get back on the air by seeing if I can fix a trashed or
non-working Icom h.f. radio.

Has to be cheap.

Thank you.

W5BRY

EMAIL:
jbleaux@gmail.com



From -7969654630089433302
X-Google-Thread: fcc6e,720af804959b5e9f,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,720af804959b5e9f,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,720af804959b5e9f,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gida3e752f117,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.149.210 with SMTP id u18mr165113bkv.1.1339049104215;
        Wed, 06 Jun 2012 23:05:04 -0700 (PDT)
```

MIME-Version: 1.0
Path: e27ni22666bkw.0!nntp.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1336370700@panix.com>
Followup-To: poster
Date: 7 Jun 2012 02:05:02 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Jul 2012 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1339049101@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1339049103 12482 166.84.1.2 (7 Jun 2012 06:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Jun 2012 06:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |
 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 4861021138483334892
X-Google-Thread: 107ada,c77029016adc7448,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c77029016adc7448,start
X-Google-NewGroupId: yes
X-Google-Attributes: gida3e752f117,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.149.210 with SMTP id u18mr169821bkv.1.1339049402419;
        Wed, 06 Jun 2012 23:10:02 -0700 (PDT)
MIME-Version: 1.0
Path: e27ni22678bkw.0!nntp.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!news.glorb.com!news-
out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1336371000@panix.com>
Followup-To: poster
Date: 7 Jun 2012 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Jul 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1339049400@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
```

NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1339049401 29766 166.84.1.2 (7 Jun 2012 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Jun 2012 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 5302394111724925740
X-Google-Thread: 108122,edbf38bde2aec797
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.238.65 with SMTP id vi1mr4600101pbc.7.1339310042643;
        Sat, 09 Jun 2012 23:34:02 -0700 (PDT)
Path: l9ni36419pbj.0!nntp.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed.news.ucla.edu!
usenet.stanford.edu!usenet-its.stanford.edu!news.xcski.com!
news.neurotica.com!.POSTED!not-for-mail
From: Dave McGuire <mcguire@neurotica.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Your experience with function generators
Date: Sun, 10 Jun 2012 02:32:20 -0400
Organization: neurotica.com
Lines: 40
Message-ID: <jr1f1k$ilo$1@mail.neurotica.com>
References: <4f664e51$0$1387$4fafbaef@reader2.news.tin.it>
<190320121756538164%artie.m@gNOSPAMmail.com>
NNTP-Posting-Host: gw.neurotica.com
Mime-Version: 1.0
X-Trace: mail.neurotica.com 1339309940 19128 50.73.179.1 (10 Jun 2012 06:32:20
GMT)
X-Complaints-To: usenet@mail.neurotica.com
NNTP-Posting-Date: Sun, 10 Jun 2012 06:32:20 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:12.0) Gecko/20120430 Thunderbird/
12.0.1
In-Reply-To: <190320121756538164%artie.m@gNOSPAMmail.com>
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit

On 03/19/2012 08:56 PM, artie wrote:
>> The frequency stability of my HP3312A function generator is poor, very
>> annoying for many practical use. I am trying to determine whether that
>> behavior is fairly normal for function generators, or my particular unit has
>> got a problem.
>>
>> What is your experience on function generators frequency stability?
>
> Any of the VCO-based function generators, such as the 3312A, are going
> to be wobbly in terms of not only stability but ability to generate a
> specific frequency or range of frequencies.
>
> You need to move to a synthesized source to get better results.  One
> candidate would be the HP 3314A, which is a synthesized generator, and
> covers up to 20 MHz.
>
> I have one of these; it's very flexible, and stable.  It doesn't have
> the ability to lock to an external standard, but it is crystal
> controlled.
>
> With a synthesized device, you have digital control over frequency,
> sweep parameters, and with something like the 3314A, you also have
> digital control over amplitude and offset.
>
> eBay offers some inexpensive function generator boards as well.
```

I concur. I use an HP 3325A. It's pretty solid, a synthesized unit, and it can be used with an external reference. They're old enough to be cheap on the used market, yet new enough to be as featureful as we expect these days.

That said, the OP's 3312A shouldn't be THAT bad. Is it possible the main oscillator's performance is being spoiled by aging components, like dried-out electrolytic capacitors and such?

-Dave

--
Dave McGuire, AK4HZ
New Kensington, PA

From 242789620084058956
X-Google-Thread: c5261ab81d,a1fc483623a69e3c
X-Google-Attributes: gidc5261ab81d,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.154.133 with SMTP id o5mr467697bkw.0.1339702488808;
        Thu, 14 Jun 2012 12:34:48 -0700 (PDT)
Path: e27ni48426bkw.0!nntp.google.com!news1.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups: rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, July 2012 - Subscribe for FREE
Followup-To: poster
Date: Tue, 12 Jun 2012 11:28:00 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 31
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <CDC17AE626F04571B0966A3A90DF9748@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
<7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
<0CEE048F103C4F5080403FCC167F02D6@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1339514880 3765 166.84.1.6 (12 Jun 2012 15:28:00 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 12 Jun 2012 15:28:00 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history, nostalgia, radio

```
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to            rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From;
bh=4l2kCje+m3D6w0KveqehY0YX6l1bfuhAVDoEfEh10FQ=;
     b=Ey41piapmw/
aYvdwG6e+BIn44qFetJvR8urVsEPYVjddZfkVAtLAl54IL1uZTAi8mQGbRzCaD78pyfy+7EGx1w/
jrQvKyn70sfvN4Ky2BrfDgccDGUdXMurBvcofGzQw;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 69.211.126.235 authed with k9ya+k9ya.org}
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

July 2012 (Volume 9, Issue 7) articles include:

Night Flight By Philip Cala-Lazar, K9PL

Field Preparation Generator Edition By Harold Mandel, W4HBM

Conan Wyatt Burtram Barger, W3CVE By Scott B. Laughlin, N7NET

The Venerable "Go Box" - Part II By Paul W. Ross, W3FIS

Amateur Radio at the Movies By Bob Cashdollar, NR8U

Ham Lingo By Dick Sylvan, W9CBT

Subscribe now so you won't miss the July issue.

```
From 3831966765549103080
X-Google-Thread: 108122,10356f650f20dd1a,start
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.196.232 with SMTP id ip8mr9909711pbc.6.1339859223057;
        Sat, 16 Jun 2012 08:07:03 -0700 (PDT)
Path: l9ni57683pbj.0!nntp.google.com!news1.google.com!goblin2!goblin1!
goblin.stu.neva.ru!eternal-september.org!feeder.eternal-september.org!
mx04.eternal-september.org!.POSTED!not-for-mail
From: Mike Cook <mcham@NOTyahoo.com>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: List of comm frequencies in People's Republic of China?
Date: Sat, 16 Jun 2012 08:07:02 -0700
Organization: A noiseless patient Spider
Lines: 7
Message-ID: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
Mime-Version: 1.0
Injection-Info: mx04.eternal-september.org; posting-host="xLTMjFxtnAzkIR5KxmEstg";
     logging-data="9719"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19av1m3WBmTRktK/NZ1/D2Z"
User-Agent: Hogwasher/4.3
Cancel-Lock: sha1:5v2XQ3bJgkSCOKEqWT9oKHKm6Yg=
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

Going to trek in Tibet. Would like to take 2-way radios (Motorola Spirit
UHF).

Is there a published list of available & unavailable frequencies in PRC?

Thanks.

```
From -5272386891553108750
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.205.122.65 with SMTP id gf1mr1234953bkc.2.1339861261579;
        Sat, 16 Jun 2012 08:41:01 -0700 (PDT)
```

Path: e27ni55312bkw.0!nntp.google.com!news1.google.com!feed-C.news.volia.net!
volia.net!news2.volia.net!feed-A.news.volia.net!news.musoftware.de!
wum.musoftware.de!news.mixmin.net!eternal-september.org!feeder.eternal-
september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: "Jim / m" <james.stewart497@ntlworld.com>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Sat, 16 Jun 2012 16:40:50 +0100
Organization: A noiseless patient Spider
Lines: 2
Message-ID: <jri9eb$lsa$1@dont-email.me>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
Mime-Version: 1.0
Injection-Date: Sat, 16 Jun 2012 15:41:00 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="PsgTeGidb+1HcoS7NiutrA";
logging-data="22410"; mail-complaints-to="abuse@eternal-september.org";
posting-account="U2FsdGVkX1/V/GS/JcVuvXG09UYsk7e8"
X-MimeOLE: Produced By Microsoft MimeOLE V14.0.8089.726
In-Reply-To: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
X-Newsreader: Microsoft Windows Live Mail 14.0.8089.726
Importance: Normal
Cancel-Lock: sha1:j93zrAZjLlgH8ZuE8RE6wcrpR6E=
X-Priority: 3
X-MSMail-Priority: Normal
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=original
Content-Transfer-Encoding: 7bit

"Mike Cook" <mcham@NOTyahoo.com> wrote in message
news:0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org...
> Going to trek in Tibet. Would like to take 2-way radios (Motorola Spirit
> UHF).
>
> Is there a published list of available & unavailable frequencies in PRC?
>
> Thanks.
>

ask Fuk Tu Wan ....

From 1716640848617595617
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a
X-Google-NewGroupId: yes

```
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.149.210 with SMTP id u18mr1237057bkv.1.1339861472726;
        Sat, 16 Jun 2012 08:44:32 -0700 (PDT)
Path: e27ni55312bkw.0!nntp.google.com!news1.google.com!news.glorb.com!
feeder.erje.net!eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: Mike Cook <mcham@NOTyahoo.com>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Sat, 16 Jun 2012 08:44:31 -0700
Organization: A noiseless patient Spider
Lines: 2
Message-ID: <0001HW.CC01F7EF00EDFAB3B01029BF@news.eternal-september.org>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
Mime-Version: 1.0
Injection-Info: mx04.eternal-september.org; posting-host="xLTMjFxtnAzkIR5KxmEstg";
     logging-data="23571"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/KGl0pynsLu9k/EtEcGJDk"
User-Agent: Hogwasher/4.3
Cancel-Lock: sha1:3Bqy7Mcj5RIJRUna322arAyCuho=
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Or a better forum to ask?



From -7374557545191759
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.191.225 with SMTP id hb1mr9997801pbc.5.1339861713002;
        Sat, 16 Jun 2012 08:48:33 -0700 (PDT)
Path: l9ni57790pbj.0!nntp.google.com!news2.google.com!news1.google.com!
news.glorb.com!feeder.erje.net!eternal-september.org!feeder.eternal-september.org!
mx04.eternal-september.org!.POSTED!not-for-mail
From: David Woolley <david@ex.djwhome.demon.invalid>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Sat, 16 Jun 2012 16:48:30 +0100
Organization: No affiliation
Lines: 13
Message-ID: <jri9sg$of9$1@dont-email.me>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
Mime-Version: 1.0
```

```
Injection-Date: Sat, 16 Jun 2012 15:48:32 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="zuXbRKyBbSi5S80aaBxqCg";
     logging-data="25065"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/dDb4c2C1iGykvIE5m9t8rt3iIqE5hbGg="
User-Agent: Thunderbird 2.0.0.24 (X11/20100228)
In-Reply-To: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
Cancel-Lock: sha1:QnnE2xWgg4MDEkOLQtbjc/mjnSA=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

Mike Cook wrote:

> Going to trek in Tibet. Would like to take 2-way radios (Motorola Spirit
> UHF).
>
> Is there a published list of available & unavailable frequencies in PRC?

The PRC restricts the import of radio transmitting equipment, other than the temporary import of mobile phones. You need to ask this question of your Chinese embassy. You would need an import licence and my guess is that you will not get one.

I don't know if there are any (transmitting) licence exempt allocations, or whether they are available to non-citizens.

```
From 2997057611319846234
X-Google-Thread: f64c6,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes:
gid82c01338ff,gidd7f5508063,gida3e752f117,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.190.104 with SMTP id gp8mr10052859pbc.4.1339862340093;
        Sat, 16 Jun 2012 08:59:00 -0700 (PDT)
Path: l9ni57814pbj.0!nntp.google.com!news1.google.com!news.glorb.com!
feeder.erje.net!eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: "Jim / m" <james.stewart497@ntlworld.com>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Sat, 16 Jun 2012 16:58:43 +0100
Organization: A noiseless patient Spider
Lines: 1
Message-ID: <jriag2$s2d$1@dont-email.me>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
<jri9sg$of9$1@dont-email.me>
```

```
Mime-Version: 1.0
Injection-Date: Sat, 16 Jun 2012 15:58:59 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="6WmxHyKJLbyNpFWVVOTiPw";
     logging-data="28749"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+pegbNdTeK6qfIW0O5Qv/2"
X-MimeOLE: Produced By Microsoft MimeOLE V14.0.8089.726
In-Reply-To: <jri9sg$of9$1@dont-email.me>
X-Newsreader: Microsoft Windows Live Mail 14.0.8089.726
Importance: Normal
Cancel-Lock: sha1:O2n+XQy/vOahuR9aVEuQCtu4i7k=
X-Priority: 3
X-MSMail-Priority: Normal
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
```

> The PRC restricts the import of radio transmitting equipment, other than
> the temporary import of mobile phones. You need to ask this question of
> your Chinese embassy. You would need an import licence and my guess is
> that you will not get one.
>

yes they are a bunch of scumbags.......I tried to send a faulty twin sim mobile phone back to chinky land but the post office said I couldn't......hate everything about China.......we should boycott their junk.......

```
From -1425170422140417483
X-Google-Thread: 108122,9c198ac65a9853df,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.191.225 with SMTP id hb1mr12965151pbc.5.1339955339846;
        Sun, 17 Jun 2012 10:48:59 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni61855pbj.0!nntp.google.com!news2.google.com!news1.google.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.metrocastcablevision.com!
news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Jun 2012 12:48:58 -0500
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: ICOM BP-8 BATTERY PACKS FOR REBUILD
Date: Sun, 17 Jun 2012 13:48:58 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
```

```
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <pI-dnScyLIsXhUPSnZ2dnUVZ_v6dnZ2d@metrocastcablevision.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.9.1.207
X-Trace: sv3-2H92yJNlwS1mOh0qWDhQFjnDdoN8zoECzLqLvLH/
K8k4H88Oagi2keVbk0TMFyK2AVAaJ4fC65YB1LM!Oqqx/cuI62rPXcWPhExh86IWTZcl/
D8qeF0QlJFGtk1r4cvVtXI12xGVMLsFbQgojqKuWivMUjC0!ecFrnPNdueqoS/
1SsihETAIL8AmrWoh9e7XSXCoEQ+E=
X-Complaints-To: abuse@metrocast.com
X-DMCA-Complaints-To: abuse@metrocast.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1454
```

FOR SALE

Four ICOM BP-8 battery packs in like-new physical condition but dead electrically available for you to rebuild. $20.00 for the lot includes shipping to the lower 48 states. USA respondents only. Regards - BOB - W5BTC

Reply to: w5btc at arrl dot net

```
From 3977227591994421141
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.152.217 with SMTP id h25mr1992791bkw.3.1340045336119;
        Mon, 18 Jun 2012 11:48:56 -0700 (PDT)
Path: e27ni63366bkw.0!nntp.google.com!news2.google.com!goblin1!goblin.stu.neva.ru!
eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: Mike Cook <mcham@NOTyahoo.com>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Mon, 18 Jun 2012 11:48:55 -0700
Organization: A noiseless patient Spider
Lines: 5
Message-ID: <0001HW.CC04C627019650A5B01029BF@news.eternal-september.org>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
Mime-Version: 1.0
Injection-Info: mx04.eternal-september.org; posting-host="xLTMjFxtnAzkIR5KxmEstg";
```

```
     logging-data="7149"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX182XQnJOX/Ismc6KAP0zX6R"
User-Agent: Hogwasher/4.3
Cancel-Lock: sha1:px0Tb/oIe0UAzQNrviDm1AX24nA=
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

FYI, PRC officials flat turned down a request to import these 4 radios for short-term use. No explanation given.

Thanks.

```
From 8239011859127736253
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.219.170 with SMTP id pp10mr16197794pbc.1.1340045636221;
        Mon, 18 Jun 2012 11:53:56 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni65825pbj.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news-out.octanews.net!indigo.octanews.net!
news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: List of comm frequencies in People's Republic of China?
From: Bert Hyman <bert@iphouse.com>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
<0001HW.CC04C627019650A5B01029BF@news.eternal-september.org>
Organization: Not that you'd notice
Message-ID: <XnsA076C03FB958FVeebleFetzer@216.250.188.140>
User-Agent: Xnews/2006.08.24
Date: 18 Jun 2012 18:53:55 GMT
Lines: 10
NNTP-Posting-Date: 18 Jun 2012 13:53:55 CDT
NNTP-Posting-Host: aa449fcb.newsreader.iphouse.net
X-Trace:
DXC=h43Nh538HLj]_3IfkVB[VnUU[C:R=]MbjeHS>e[L>83`3kDQli:j;>kc230oU7d71aX7@2h;nGb4mQRN;V]gCC2l
X-Complaints-To: abuse@iphouse.net
```

In news:0001HW.CC04C627019650A5B01029BF@news.eternal-september.org Mike Cook <mcham@NOTyahoo.com> wrote:

> FYI, PRC officials flat turned down a request to import these 4 radios
> for short-term use. No explanation given.

Officials of totalitarian police states don't have to give explanations.

```
--
Bert Hyman    W0RSB     St. Paul, MN  bert@iphouse.com


From 2383560175492378680
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.68.219.170 with SMTP id pp10mr16747101pbc.1.1340058475494;
        Mon, 18 Jun 2012 15:27:55 -0700 (PDT)
MIME-Version: 1.0
Path: l9ni66396pbj.0!nntp.google.com!news2.google.com!volia.net!news2.volia.net!
feed-A.news.volia.net!news.musoftware.de!wum.musoftware.de!newsfeed.straub-nv.de!
eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: "Steve Terry" <gfourwwk@tesco.net>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Mon, 18 Jun 2012 23:27:54 +0100
Organization: A noiseless patient Spider
Lines: 21
Message-ID: <jroa1a$rmg$1@dont-email.me>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
Injection-Date: Mon, 18 Jun 2012 22:27:54 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="67Klb0Bb7CXSakyBPO3lfw";
     logging-data="28368"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/ltu5gv9YGKAycdmeK9T/357XaZzJ63XE="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
X-RFC2646: Format=Flowed; Original
X-Antivirus-Status: Clean
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-Antivirus: avast! (VPS 120618-2, 18/06/2012), Outbound message
Cancel-Lock: sha1:Q2otviAFWCfIT0r5LmR4lWyXAS4=
X-Priority: 3
X-MSMail-Priority: Normal

Mike Cook wrote:
> Going to trek in Tibet. Would like to take 2-way radios (Motorola
> Spirit UHF).
>
> Is there a published list of available & unavailable frequencies in
> PRC?
> Thanks.
>
AFAIK their version of 446PMR is 409MHz SRPR, 20 public channels
within 409.750-409.9875 (12.5kHz, 500mW)

Same as in HK
http://tel_archives.ofca.gov.hk/en/ad-comm/tsac/ns-paper/nsp2002p3.pdf
```

```
Steve Terry
--
Get a free GiffGaff PAYG Sim and �5 bonus after activation at:
http://giffgaff.com/orders/affiliate/gfourwwk





From -7131937293132601906
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.132.81 with SMTP id a17mr2196129bkt.4.1340090647239;
        Tue, 19 Jun 2012 00:24:07 -0700 (PDT)
Path: e27ni65342bkw.0!nntp.google.com!news2.google.com!goblin1!goblin2!
goblin.stu.neva.ru!cyclone03.ams2.highwinds-media.com!news.highwinds-media.com!
voer-me.highwinds-media.com!npeersf03.am4!fx12.am4.POSTED!not-for-mail
Message-ID: <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: Re: List of comm frequencies in People's Republic of China?
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
 <jroa1a$rmg$1@dont-email.me>
Lines: 21
MIME-Version: 1.0
User-Agent: Turnpike/6.07-S (<HUeqWefvKPTlfPCj7BFoeAAJms>)
NNTP-Posting-Host: 80.176.138.122
X-Complaints-To: abuse@demon.net
X-Trace: fx12.am4 1340090646 80.176.138.122 (Tue, 19 Jun 2012 07:24:06 UTC)
NNTP-Posting-Date: Tue, 19 Jun 2012 07:24:06 UTC
Date: Tue, 19 Jun 2012 08:23:58 +0100
X-Received-Bytes: 1661
Content-Type: text/plain;charset=us-ascii;format=flowed

In message <jroa1a$rmg$1@dont-email.me>, Steve Terry
<gfourwwk@tesco.net> writes
>Mike Cook wrote:
>> Going to trek in Tibet. Would like to take 2-way radios (Motorola
>> Spirit UHF).
>>
>> Is there a published list of available & unavailable frequencies in
>> PRC?
>> Thanks.
>>
>AFAIK their version of 446PMR is 409MHz SRPR, 20 public channels
>within 409.750-409.9875 (12.5kHz, 500mW)
>
>Same as in HK
```

```
>http://tel_archives.ofca.gov.hk/en/ad-comm/tsac/ns-paper/nsp2002p3.pdf
>
Probably the easiest way of getting radios for use in Tibet is to source
them locally, and get them shipped to a convenient collection point.
China and Hong Kong are certainly not short of manufacturers!
--
Ian



From -1535328585995338479
X-Google-Thread: f64c6,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes:
gid82c01338ff,gidd7f5508063,gida3e752f117,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.219.170 with SMTP id pp10mr18244478pbc.1.1340093653991;
        Tue, 19 Jun 2012 01:14:13 -0700 (PDT)
Path: l9ni67930pbj.0!nntp.google.com!news1.google.com!news.glorb.com!gegeweb.org!
de-l.enfer-du-nord.net!feeder1.enfer-du-nord.net!news.cgarbs.de!news.szaf.org!
eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: David Woolley <david@ex.djwhome.demon.invalid>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Tue, 19 Jun 2012 09:13:04 +0100
Organization: No affiliation
Lines: 14
Message-ID: <jrpcaq$i0$1@dont-email.me>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
<jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
Mime-Version: 1.0
Injection-Date: Tue, 19 Jun 2012 08:13:14 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="zuXbRKyBbSi5S80aaBxqCg";
     logging-data="576"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+vYuTwJV5u27FceOJC+vGpSl0PydXdO88="
User-Agent: Thunderbird 2.0.0.24 (X11/20100228)
In-Reply-To: <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
Cancel-Lock: sha1:D9OCuTmcbXzkv6IOC/lzeUkC0Ms=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Ian Jackson wrote:

>>
> Probably the easiest way of getting radios for use in Tibet is to source
> them locally, and get them shipped to a convenient collection point.
> China and Hong Kong are certainly not short of manufacturers!
```

Even for an American in the UK, that would be the best approach, as
radios not specifically approved for PMR 446 are not covered by the
class licence.

For China, it will be part a question of protecting their own industry
and partly a national security issue. Given its history, national
security is likely to be a particularly important issue in Tibet.

```
From -6764478919825343188
X-Google-Thread: f64c6,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes:
gid82c01338ff,gidd7f5508063,gida3e752f117,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Received: by 10.68.190.104 with SMTP id gp8mr18318455pbc.4.1340095679328;
        Tue, 19 Jun 2012 01:47:59 -0700 (PDT)
Path: l9ni68022pbj.0!nntp.google.com!news2.google.com!npeer03.iad.highwinds-
media.com!feed-me.highwinds-media.com!cyclone03.ams2.highwinds-media.com!
news.highwinds-media.com!voer-me.highwinds-media.com!npeersf03.am4!
fx03.am4.POSTED!not-for-mail
Message-ID: <ZmJ+t8J3yD4PFw3j@g3ohx.demon.co.uk>
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups:
uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shor
twave
Subject: Re: List of comm frequencies in People's Republic of China?
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
 <jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
 <jrpcaq$i0$1@dont-email.me>
Lines: 47
MIME-Version: 1.0
User-Agent: Turnpike/6.07-S (<XFcqWafbKPT1YPCj2BEoeAFAgm>)
NNTP-Posting-Host: 80.176.138.122
X-Complaints-To: abuse@demon.net
X-Trace: fx03.am4 1340095678 80.176.138.122 (Tue, 19 Jun 2012 08:47:58 UTC)
NNTP-Posting-Date: Tue, 19 Jun 2012 08:47:58 UTC
Date: Tue, 19 Jun 2012 09:47:51 +0100
X-Received-Bytes: 3122
Content-Type: text/plain;charset=utf-8;format=flowed
Content-Transfer-Encoding: 8bit
```

In message <jrpcaq$i0$1@dont-email.me>, David Woolley
<david@ex.djwhome.demon.invalid> writes
>Ian Jackson wrote:
>
>>>
>> Probably the easiest way of getting radios for use in Tibet is to

>>source them locally, and get them shipped to a convenient collection
>>point. China and Hong Kong are certainly not short of manufacturers!
>
>Even for an American in the UK, that would be the best approach, as
>radios not specifically approved for PMR 446 are not covered by the
>class licence.
>
I note that the OP's intended radio (Motorola Spirit UHF) is 1 channel.
2W. The Chinese public service radios are only 0.5W (and with a tiddly
antenna), so even if these are readily available, they might not be
quite suitable.

>For China, it will be part a question of protecting their own industry
>and partly a national security issue.

Importing two-way radios into China would probably not be threatening
their own industry. They probably originated there in the first place!

> Given its history, national security is likely to be a particularly
>important issue in Tibet.

It says in
http://tel_archives.ofca.gov.hk/en/ad-comm/tsac/ns-paper/nsp2002p3.pdf

"In December 2001, the Ministry of Information Industry of China
announced that short-range portable radio transceivers, or
"walkie-talkies",
operating in the band 409.7500 – 409.9875 MHz with transmitter power not
exceeding 0.5W were exempted from licensing."

Presumably these are legal to use throughout all of China - but you
never know. In certain countries, being legal does not guarantee you
won't have problems. Only a couple of weeks ago, a German radio amateur,
operating absolutely 100% legally when on holiday in Greece, was
arrested and hauled before the courts. I believe he is back home, but
may need to return for a full trial.
<http://www.southgatearc.org/news/june2012/german_radio_ham_arrested_in_g
reece.htm>
and links.
--
Ian

From -1147274804907471810
X-Google-Thread: f64c6,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes:
gid82c01338ff,gidd7f5508063,gida3e752f117,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

```
Received: by 10.68.220.230 with SMTP id pz6mr20150641pbc.3.1340137826907;
        Tue, 19 Jun 2012 13:30:26 -0700 (PDT)
Path: l9ni69873pbj.0!nntp.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: David Woolley <david@ex.djwhome.demon.invalid>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: List of comm frequencies in People's Republic of China?
Date: Tue, 19 Jun 2012 21:30:24 +0100
Organization: No affiliation
Lines: 18
Message-ID: <jrqnh2$e8v$1@dont-email.me>
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
<jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
<jrpcaq$i0$1@dont-email.me> <jrpg13$eb6$2@speranza.aioe.org>
Mime-Version: 1.0
Injection-Date: Tue, 19 Jun 2012 20:30:26 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="zuXbRKyBbSi5S80aaBxqCg";
     logging-data="14623"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX193xsI9mCBaouS8mZ+ckXkRbWcNU9M4Dqs="
User-Agent: Thunderbird 2.0.0.24 (X11/20100228)
In-Reply-To: <jrpg13$eb6$2@speranza.aioe.org>
Cancel-Lock: sha1:BaXPfmZNJJVOoIFPE1CwYRB5ilI=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Jeff wrote:
>>
>> Even for an American in the UK, that would be the best approach, as
>> radios not specifically approved for PMR 446 are not covered by the
>> class licence.
>
> That is not the case, type approval went out of the window some years
> ago now. The radio but just meet the relevant Interface Requirement.
> Specific approval is not required.

Unless Ofcom has failed to update their information, it also has to have
things like a permanently attached antenna, absolute power limits, etc.,
basically to make it non-trivial to modify outside of the specification.
  As pointed out elsewhere, the proposed equipment doesn't comply with
those conditions, so wouldn't have been legal for PMR 446 use.

I used approved loosely, to mean designed to meet the conditions of the
licence exemption.


From -4361949698170288586
X-Google-Thread: 108122,787d7f09d9d45894,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.219.170 with SMTP id pp10mr21574023pbc.1.1340172677297;
        Tue, 19 Jun 2012 23:11:17 -0700 (PDT)
```

Path: l9ni71384pbj.0!nntp.google.com!news1.google.com!postnews.google.com!y3g2000pbc.googlegroups.com!not-for-mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT ACTRESS RARE STILLS
Date: Tue, 19 Jun 2012 23:11:16 -0700 (PDT)
Organization: http://groups.google.com
Lines: 55
Message-ID: <f69083bb-b74f-4468-9c63-91db6294fce9@y3g2000pbc.googlegroups.com>
NNTP-Posting-Host: 117.199.243.143
Mime-Version: 1.0
X-Trace: posting.google.com 1340172677 32096 127.0.0.1 (20 Jun 2012 06:11:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Jun 2012 06:11:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y3g2000pbc.googlegroups.com; posting-host=117.199.243.143;
posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:12.0) Gecko/20100101 Firefox/12.0,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

ALL INTERVIEW QUESTIONS& STUDY MATERIAL
http://newdotnetinterviewquestions.blogspot.in/

TOP DATING TIPS TO ENCOURAGE WOMEN FOR DATING
http://datingsitesdatingtips.blogspot.in/

FOR LATEST MOVIE UPDATED LINKS

KAJAL AGARWAL LATEST STILLS
http://actressgallery-kalyani.blogspot.in/2012/06/kajal-agarwal-latest-stills.html
SANA KHAN LATEST HOT PHOTO GALLERY
http://actressgallery-kalyani.blogspot.in/2012/06/sana-khan-latest-stills.html
COOL BOYS HOT GIRLS MOVIE STILLS
http://actressgallery-kalyani.blogspot.com/2012/06/cool-boys-hot-girls-movie-stills.html
MITAAYI MOVIE LATEST GALLERY
http://actressgallery-kalyani.blogspot.in/2012/06/mitaayi-movie-stills.html
NAGARJUNA DAMARUKAM MOVIE STILLS
http://actressgallery-kalyani.blogspot.in/2012/05/damarukam-movie-stills.html
ALLU ARJUN JULAYI MOVIE LATEST STILLS
http://actressgallery-kalyani.blogspot.in/2012/05/julayi-movie-stills.html

FOR HOT ACTRESS PHOTO GALLERY
PRANEETHA HOT SPICY IMAGES
http://actressimages-9.blogspot.in/2012/06/praneetha-latest-stills.html
SHRUTHI HASSAN HALF SAREE STILLS
http://actressimages-9.blogspot.in/2012/05/shruti-hassan-half-saree-stills.html
TAMANNA HOT NAVEL PHOTOS
http://actressimages-9.blogspot.in/2012/05/tamanna-navel-photos.html
TRISHA LATEST HOT STILLS

http://actressgallery9.blogspot.in/2012/05/trisha.html
MONIKA LATEST HOT HD STLLS
http://actressgallery9.blogspot.in/2012/05/monika-stills.html

FOR ONLY HOT GUYS SEE THIS
REEMA SINGH HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2012/06/reema-singh-hot.html
SADA LATEST HOT NAVEL STILLS
http://hotactress-kalyani.blogspot.in/2012/06/sada-hot-stills.html
RACHANA MOURYA HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2012/06/rachana-maurya-hot-pics.html
NATHALIA KAUR HOT LATEST STILLS
http://hotactress-kalyani.blogspot.in/2012/05/nathalia-kaur-hot.html
LAKSHMI RAI HOT SPICY STILLS
http://hotactress-kalyani.blogspot.in/2012/04/lakshmi-rai-hot.html
VIDISHA LATEST HOT PHOTO STILLS
http://hotactress-kalyani.blogspot.com/2012/05/vidisha-hot.html
MADHAVI LATHA HOT NAVEL SHOW
http://hotactress-kalyani.blogspot.com/2012/05/madhavi-latha-hot.html
TAMIL ACTRESS MEGHNA HOT
http://hotactress-kalyani.blogspot.com/2012/04/meghna-hot.html
LAKSHMI RAI HOT IMAGES
http://hotactress-kalyani.blogspot.com/2012/04/lakshmi-rai-hot.html
KIRAN RATHOD LATEST HOT PHOTOSHOOT
http://hotactress-kalyani.blogspot.in/2012/04/kiran-rathod-hot.html

```
From 5468871057679569651
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.228.227 with SMTP id sl3mr9092596pbc.5.1340224532007;
        Wed, 20 Jun 2012 13:35:32 -0700 (PDT)
Path: l9ni140pbj.0!nntp.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!newsfeed1.swip.net!news.astraweb.com!
border6.a.newsrouter.astraweb.com!not-for-mail
Date: Wed, 20 Jun 2012 21:35:53 +0100
From: Laurie <laurie@home.invalid>
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:13.0) Gecko/20120614
Thunderbird/13.0.1
MIME-Version: 1.0
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: List of comm frequencies in People's Republic of China?
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
<jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
<jrpcaq$i0$1@dont-email.me> <jrpg13$eb6$2@speranza.aioe.org> <jrqnh2$e8v$1@dont-
email.me>
In-Reply-To: <jrqnh2$e8v$1@dont-email.me>
Lines: 11
Message-ID: <4fe23413$0$1431$c3e8da3$91613603@news.astraweb.com>
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 067d71fd.news.astraweb.com
```

```
X-Trace: DXC=K_V:BE7`D?hj05>>><PFIcL?0kYOcDh@jPN@6U9k?
0Pe=`CGFDfdLbdY]<M=11\leh4ldCVORRFVd\gW`1cMaPbj0FXoY1JK[E`S]]e\U1J\Ml
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 19/06/12 9:30 PM, David Woolley wrote:
>
> Unless Ofcom has failed to update their information, it also has to have
> things like a permanently attached antenna,

Where in the current interface requirement does it say anything about a
permanently attached antenna?

http://stakeholders.ofcom.org.uk/binaries/spectrum/spectrum-policy-area/spectrum-
management/research-guidelines-tech-info/interface-requirements/IR2009.pdf

Laurie



From 1664222507907440480
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.152.217 with SMTP id h25mr3149425bkw.3.1340225758648;
        Wed, 20 Jun 2012 13:55:58 -0700 (PDT)
Path: e27ni71183bkw.0!nntp.google.com!news2.google.com!npeer03.iad.highwinds-
media.com!feed-me.highwinds-media.com!cyclone03.ams2.highwinds-media.com!
news.highwinds-media.com!voer-me.highwinds-media.com!npeersf03.am4!
fx31.am4.POSTED!not-for-mail
Message-ID: <DnhotSNVjj4PFwVR@g3ohx.demon.co.uk>
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: List of comm frequencies in People's Republic of China?
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
 <jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
 <jrpcaq$i0$1@dont-email.me> <jrpg13$eb6$2@speranza.aioe.org>
 <jrqnh2$e8v$1@dont-email.me>
 <4fe23413$0$1431$c3e8da3$91613603@news.astraweb.com>
Lines: 25
MIME-Version: 1.0
User-Agent: Turnpike/6.07-S (<XtZqW6JbKPDU4PCjkRMoeAlW7$>)
NNTP-Posting-Host: 80.176.138.122
X-Complaints-To: abuse@demon.net
X-Trace: fx31.am4 1340225757 80.176.138.122 (Wed, 20 Jun 2012 20:55:57 UTC)
NNTP-Posting-Date: Wed, 20 Jun 2012 20:55:57 UTC
Date: Wed, 20 Jun 2012 21:55:49 +0100
X-Received-Bytes: 2138
Content-Type: text/plain;charset=us-ascii;format=flowed

In message <4fe23413$0$1431$c3e8da3$91613603@news.astraweb.com>, Laurie
<laurie@home.invalid> writes
>On 19/06/12 9:30 PM, David Woolley wrote:
```

>>
>> Unless Ofcom has failed to update their information, it also has to have
>> things like a permanently attached antenna,
>
>Where in the current interface requirement does it say anything about a
>permanently attached antenna?
>
>http://stakeholders.ofcom.org.uk/binaries/spectrum/spectrum-policy-area/
>spectrum-management/research-guidelines-tech-info/interface-requirements
>/IR2009.pdf
>
That seems to be a fairly brief summary. More detail is in the older RA
document:
http://www.ofcom.org.uk/static/archive/ra/publication/ra_info/ra357.htm

"5. RADIO EQUIPMENT
PMR 446 radio equipment must be handportable, have an integral antenna,
have a maximum ERP of 500 mW and be compliant with ETS 300 296."

I doubt if they have changed the technical specs.
--
Ian

From 1835834215855484522
X-Google-Thread: 108122,10356f650f20dd1a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.157.134 with SMTP id b6mr3180996bkx.5.1340232223091;
        Wed, 20 Jun 2012 15:43:43 -0700 (PDT)
Path: e27ni71457bkw.0!nntp.google.com!news2.google.com!goblin1!goblin.stu.neva.ru!
news.astraweb.com!border6.a.newsrouter.astraweb.com!not-for-mail
Date: Wed, 20 Jun 2012 23:43:46 +0100
From: Laurie <laurie@home.invalid>
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:13.0) Gecko/20120614
Thunderbird/13.0.1
MIME-Version: 1.0
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: List of comm frequencies in People's Republic of China?
References: <0001HW.CC01EF2600EBEB63B04179BF@news.eternal-september.org>
<jroa1a$rmg$1@dont-email.me> <W03dJbEOkC4PFwmH@g3ohx.demon.co.uk>
<jrpcaq$i0$1@dont-email.me> <jrpg13$eb6$2@speranza.aioe.org> <jrqnh2$e8v$1@dont-
email.me> <4fe23413$0$1431$c3e8da3$91613603@news.astraweb.com>
<DnhotSNVjj4PFwVR@g3ohx.demon.co.uk>
In-Reply-To: <DnhotSNVjj4PFwVR@g3ohx.demon.co.uk>
Lines: 31
Message-ID: <4fe2521e$0$856$c3e8da3$40cdd511@news.astraweb.com>
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: bab795eb.news.astraweb.com
X-Trace: DXC=O;`knbX:4bhdoV@f]470JnL?0kYOcDh@jD8WNQAg0O7dlVG3oW\kEleRHcaN@;@dGcNK?
WB0B66[c8_00S=RNG7l3n2UJJQniGk\Olf:;0R7]m
Content-Type: text/plain; charset=ISO-8859-1; format=flowed

```
Content-Transfer-Encoding: 7bit

On 20/06/12 9:55 PM, Ian Jackson wrote:
> In message <4fe23413$0$1431$c3e8da3$91613603@news.astraweb.com>, Laurie
> <laurie@home.invalid> writes
>> On 19/06/12 9:30 PM, David Woolley wrote:
>>>
>>> Unless Ofcom has failed to update their information, it also has to have
>>> things like a permanently attached antenna,
>>
>> Where in the current interface requirement does it say anything about
>> a permanently attached antenna?
>>
>> http://stakeholders.ofcom.org.uk/binaries/spectrum/spectrum-policy-area/
>> spectrum-management/research-guidelines-tech-info/interface-requirements
>> /IR2009.pdf
>>
> That seems to be a fairly brief summary. More detail is in the older RA
> document:
> http://www.ofcom.org.uk/static/archive/ra/publication/ra_info/ra357.htm
>
> "5. RADIO EQUIPMENT
> PMR 446 radio equipment must be handportable, have an integral antenna,
> have a maximum ERP of 500 mW and be compliant with ETS 300 296."
>
> I doubt if they have changed the technical specs.

But change the specs. is exactly what they have done.
ra357 is only there as an archive and is no longer the applicable
document. The current interface document is IR2009.

Laurie




From 4666871941524357444
X-Google-Thread: 108122,60bb4599da779b3c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Received: by 10.68.189.72 with SMTP id gg8mr13591076pbc.4.1328006128004;
        Tue, 31 Jan 2012 02:35:28 -0800 (PST)
Path: lh20ni244478pbb.0!nntp.google.com!news1.google.com!postnews.google.com!
k6g2000vbz.googlegroups.com!not-for-mail
From: tbwork tbwork <tbwork008@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Updated List 2012 Solutions Manuals, Instructor Manuals & Test Banks
 Collection. Largest Collection Over The Net !!!
Date: Tue, 31 Jan 2012 02:35:25 -0800 (PST)
Organization: http://groups.google.com
Lines: 4571
Message-ID: <1e8b9edf-7bef-4afe-8f39-f75efe58366d@k6g2000vbz.googlegroups.com>
NNTP-Posting-Host: 79.134.145.206
```

Mime-Version: 1.0
X-Trace: posting.google.com 1328006127 19834 127.0.0.1 (31 Jan 2012 10:35:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 31 Jan 2012 10:35:27 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k6g2000vbz.googlegroups.com; posting-host=79.134.145.206; posting-account=po3qZAoAAABAoQrzdbrWgDYQi32q5YVf
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:9.0.1) Gecko/20100101 Firefox/9.0.1,gzip(gfe)
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable

Hello,
We would like to inform you that we have updated our list with the following new titles.
You can contact us directly at tbwork.ads(at)gmail.com .

=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D

2011 Federal Taxation, 5th Edition 2011, Pratt.Kulsrud, Instructor Manual & Solutions Manual

2011 Federal Taxation, 5th Edition 2011, Pratt.Kulsrud, Test Bank

21st Century Astronomy, 3rd Edition, Blumenthal.Hester.Kay.Smith.Voss, Instructor Manual

21st Century Astronomy, 3rd Edition, Blumenthal.Hester.Kay.Smith.Voss, Test Bank

A Concise Introduction to Logic, 11th Edition 2012, Hurley, Test Bank

A Framework for Human Resource Management, 6th Edition, Gary Dessler, Instructor Manual

A Framework for Human Resource Management, 6th Edition, Gary Dessler, Test Bank

A History of Modern Psychology, 10th Edition 2012, Schultz.Schultz, Instructor Manual

A History of Modern Psychology, 10th Edition 2012, Schultz.Schultz, Test Bank

A History of Modern Psychology, 9th Edition, Schultz.Schultz, Test Bank

A History of Narrative Film, 4th Edition, Cook, Test Bank

A History of Western Music, 8th Edition, Burkholder.Grout.Palisca,

Instructor Manual

A History of Western Music, 8th Edition, Burkholder.Grout.Palisca, Test Bank

A Second Course in Statistics; Regression Analysis, 7th Edition 2012, Mendenhall.Sincich, Solutions Manual

Abnormal Psychology, 11th Edition, Kring.Neale.Johnson, Instructor Manual

Abnormal Psychology, 11th Edition, Kring.Neale.Johnson, Test Bank

Abnormal Psychology, 4th Edition, Seligman.Walker.Rosenhan, Test Bank

Abnormal Psychology; An Integrative Approach, 6th Edition 2012, Barlow.Durand, Instructor Manual

Abnormal Psychology; An Integrative Approach, 6th Edition 2012, Barlow.Durand, Test Bank

Abnormal Psychology; Perspectives with MyPsychKit_Fourth Edition, 4th Edition, Dozois.Firestone, Instructor Manual

Abnormal Psychology; Perspectives with MyPsychKit_Fourth Edition, 4th Edition, Dozois.Firestone, Test Bank

Access to Health, 12th Edition 2012, Donatelle, Solutions Manual

Access to Health, 12th Edition 2012, Donatelle, Test Bank

Accounting Information Systems, 12th Edition 2012, Romney.Steinbart, Instructor Manual & Solutions Manual

Accounting Information Systems, 12th Edition 2012, Romney.Steinbart, Test Bank

Accounting Information Systems, 7th Edition, James Hall, Solutions Manual

Accounting Principles, 10th Edition, Weygandt.Kimmel.Kieso, Instructor Manual & Solutions Manual

Accounting Principles, 10th Edition, Weygandt.Kimmel.Kieso, Test Bank

Accounting Using Excelr for Success, 2nd Edition 2012, Reeve.Warren.Duchac, Solutions Manual

Accounting, 24th Edition 2012, Warren.Reeve.Duchac, Instructor Manual & Solutions Manual

Accounting, 24th Edition 2012, Warren.Reeve.Duchac, Test Bank

Accounting, 9th Edition 2012, Horngren.Harrison.Oliver, Instructor Manual & Solutions Manual

Accounting, 9th Edition 2012, Horngren.Harrison.Oliver, Test Bank

Adober Dreamweaverr CS5; Complete, 1st Edition 2011, Shelly.Wells, Instructor Manual & Solutions Manual

Adober Dreamweaverr CS5; Complete, 1st Edition 2011, Shelly.Wells, Test Bank

Adober Dreamweaverr CS5; Comprehensive, 1st Edition 2011, Shelly.Wells, Instructor Manual & Solutions Manual

Adober Dreamweaverr CS5; Comprehensive, 1st Edition 2011, Shelly.Wells, Test Bank

Adober Dreamweaverr CS5; Introductory, 1st Edition 2011, Shelly.Wells, Instructor Manual & Solutions Manual

Adober Dreamweaverr CS5; Introductory, 1st Edition 2011, Shelly.Wells, Test Bank

Adober Photoshopr CS5 Revealed, 1st Edition 2011, Elizabeth Eisner Reding, Instructor Manual & Solutions Manual

Adober Photoshopr CS5 Revealed, 1st Edition 2011, Elizabeth Eisner Reding, Test Bank

Advanced Accounting, 11th Edition 2012, Fischer.Taylor.Cheng, Solutions Manual

Advanced Accounting, 11th Edition 2012, Fischer.Taylor.Cheng, Test Bank

Advanced Financial Accounting, 9th Edition 2011, Baker.Christensen.Cottrell, Instructor Manual & Solutions Manual

Advanced Financial Accounting, 9th Edition 2011, Baker.Christensen.Cottrell, Test Bank

Advanced Visual Basic 2010, 5th Edition 2012, Irvine.Gaddis, Solutions Manual

Advertising & IMC; Principles and Practice, 9th Edition 2012, Moriarty.Mitchell.Wells, Instructor Manual

Advertising and Integrated Brand Promotion, 6th Edition 2012, O'Guinn.Allen.Semenik, Instructor Manual

Advertising and Integrated Brand Promotion, 6th Edition 2012, O'Guinn.Allen.Semenik, Test Bank

Advertising and Promotion; An Integrated Marketing Communications Perspective, 9th Edition 2012, Belch.Belch, Instructor Manual

Advertising and Promotion; An Integrated Marketing Communications Perspective, 9th Edition 2012, Belch.Belch, Test Bank

Agricultural Economics, 3rd Edition, Drummond.Goodwin, Instructor Manual

Agricultural Economics, 3rd Edition, Drummond.Goodwin, Test Bank

Algebra and Trigonometry, 4th Edition 2012, Beecher.Penna.Bittinger, Solutions Manual

Algebra and Trigonometry, 4th Edition 2012, Beecher.Penna.Bittinger, Test Bank

Algebra and Trigonometry, 9th Edition 2012, Michael Sullivan, Solutions Manual

Algebra and Trigonometry, 9th Edition 2012, Michael Sullivan, Test Bank

Algebra for College Students, 5th Edition, Mark Dugopolski, Solutions Manual

Algebra for College Students, 5th Edition, Mark Dugopolski, Test Bank

Algebra for College Students, 7th Edition 2012, Lial.Hornsby.McGinnis, Instructor Manual & Solutions Manual

Algebra for College Students, 7th Edition 2012, Lial.Hornsby.McGinnis, Test Bank

Algebra; A Combined Approach, 4th Edition 2012, Elayn Martin-Gay, Instructor Manual & Solutions Manual

Algebra; A Combined Approach, 4th Edition 2012, Elayn Martin-Gay, Test Bank

Algebra; Form and Function, 1st Edition, McCallum.Connally.Hughes-Hallett.Cheifetz.Davidian.Lock.Lovelock.Schmierer.Shure.Swenson.Marks

America's Courts and the Criminal Justice System, 10th Edition 2011, Neubauer.Fradella, Instructor Manual

America's Courts and the Criminal Justice System, 10th Edition 2011, Neubauer.Fradella, Test Bank

America; A Narrative History, 8th Edition, Tindall.Shi, Instructor Manual

America; A Narrative History, 8th Edition, Tindall.Shi, Test Bank

America; A Narrative History_Brief, 8th Edition, Tindall.Shi, Instructor Manual

America; A Narrative History_Brief, 8th Edition, Tindall.Shi, Test Bank

American Constitutional Law; Sources of Power and Restraint_Volume I, 5th Edition 2012, Stephens.Scheb, Instructor Manual

American Criminal Courts, 1st Edition 2012, Roberson.DiMarino, Instructor Manual

American Criminal Courts, 1st Edition 2012, Roberson.DiMarino, Test Bank

American Foreign Policy; The Dynamics of Choice in the 21st Century, 4th Edition, Jentleson, Test Bank

American Government and Politics Today 2011-2012 Edition, 15th Edition 2012, Schmidt.Shelley.Barbara.Bardes.Ford, Test Bank

American Government and Politics Today; Essentials 2011 - 2012 Edition, 16th Edition 2012, Bardes.Shelley.Schmidt, Instructor Manual

American Government and Politics Today_Texas Edition_2009-2010, 14th Edition, Schmidt.Shelley.Bardes.Maxwell.Crain.Santos, Test Bank

American Government and Politics Today_Texas Edition_2011-2012, 15th Edition 2012, Schmidt.Shelley.Bardes.Ford.Maxwell.Crain.Santos, Test Bank

American Government; Power and Purpose, 11th Edition, Ginsberg.Lowi.Shepsle.Ansolabehere, Instructor Manual

American Government; Power and Purpose, 11th Edition, Ginsberg.Lowi.Shepsle.Ansolabehere, Test Bank

American Government; Power and Purpose_Brief, 11th Edition, Ginsberg.Lowi.Shepsle.Ansolabehere, Instructor Manual

American Government; Power and Purpose_Brief, 11th Edition, Ginsberg.Lowi.Shepsle.Ansolabehere, Test Bank

American Politics Today, 1st Edition, Bianco.Canon, Instructor Manual

American Politics Today, 1st Edition, Bianco.Canon, Test Bank

American Politics Today, 2nd Edition, Bianco.Canon, Instructor Manual

American Politics Today, 2nd Edition, Bianco.Canon, Test Bank

American Public Policy; An Introduction, 10th Edition 2012, Cochran.Mayer.Cayer.McKenzie.Peck, Instructor Manual

American Public Policy; An Introduction, 10th Edition 2012, Cochran.Mayer.Cayer.McKenzie.Peck, Test Bank

An Introduction to Mathematical Statistics and Its Applications, 5th Edition 2012, Larsen.Marx, Solutions Manual

An Invitation to Health; Choosing to Change_Brief Edition, 7th Edition 2012, Dianne Hales, Instructor Manual

An Invitation to Health; Choosing to Change_Brief Edition, 7th Edition 2012, Dianne Hales, Test Bank

Analysis for Financial Management, 9th Edition, Higgins, Solutions Manual

Analyzing Politics, 2nd Edition, Shepsle, Solutions Manual

Anatomy & Physiology for Health Professions; An Interactive Journey, 2nd Edition, Colbert.Ankney.Lee, Instructor Manual

Anatomy & Physiology for Health Professions; An Interactive Journey, 2nd Edition, Colbert.Ankney.Lee, Test Bank

Anatomy & Physiology; The Unity of Form and Function, 6th Edition 2012, Saladin, Test Bank

Applied Basic Mathematics, 2nd Edition 2012, Clark.Brechner, Instructor Manual & Solutions Manual

Applied Basic Mathematics, 2nd Edition 2012, Clark.Brechner, Test Bank

Applied Business Ethics; A Skills-Based Approach, 1st Edition 2012, Dean Bredeson, Instructor Manual

Applied Calculus For Business_Economics_and the Social and Life Sciences_Expanded, 10th Edition, Hoffmann.Bradley, Solutions Manual

Applied Calculus For Business_Economics_and the Social and Life Sciences_Expanded, 10th Edition, Hoffmann.Bradley, Test Bank

Applied Statistics for Public and Nonprofit Administration, 8th Edition 2012, Meier.Brudney.Bohte, Instructor Manual

Applying Career Development Theory to Counseling, 5th Edition, Sharf, Instructor Manual

Applying Career Development Theory to Counseling, 5th Edition, Sharf, Test Bank

ARCHAEOLOGY; Theories_Methods and Practice, 5th Edition, Renfrew.Bahn, Instructor Manual

ARCHAEOLOGY; Theories_Methods and Practice, 5th Edition, Renfrew.Bahn, Test Bank

Art and Science of Leadership, 6th Edition 2012, Afsaneh Nahavandi, Instructor Manual

Art and Science of Leadership, 6th Edition 2012, Afsaneh Nahavandi, Test Bank

Art History_Combined Volume, 4th Edition 2011, Stokstad.Cothren, Instructor Manual

Art History_Combined Volume, 4th Edition 2011, Stokstad.Cothren, Test Bank

Art History_Volume 1, 4th Edition 2011, Stokstad.Cothren, Instructor Manual

Art History_Volume 1, 4th Edition 2011, Stokstad.Cothren, Test Bank

Articulate Voice; An Introduction to Voice and Diction, 4th Edition, Wells, Instructor Manual

Articulate Voice; An Introduction to Voice and Diction, 4th Edition, Wells, Test Bank

Astronomy; Journey to Cosmic Frontier, 6th Edition 2011, Fix, Test Bank

Auditing and Assurance Services, 14th Edition 2012, Arens.Elder.Beasley, Instructor Manual & Solutions Manual

Back to the Lake; A Reader for Writers, 1st Edition, Thomas Cooley, Instructor Manual

Basic Engineering Circuit Analysis, 10th Edition, Irwin.Nelms, Solutions Manual

Basic Finance; An Introduction to Financial Institutions_Investments and Management, 10th Edition 2012, Mayo, Instructor Manual

Basic Finance; An Introduction to Financial Institutions_Investments and Management, 10th Edition 2012, Mayo, Test Bank

Basic Marketing Research with Excel, 3rd Edition 2012, Burns.Bush, Instructor Manual

Basic Marketing Research with Excel, 3rd Edition 2012, Burns.Bush, Test Bank

Basic Psychopharmacology for Counselors and Psychotherapists, 2nd Edition 2012, Sinacola.Peters-Strickland, Instructor Manual

Basic Psychopharmacology for Counselors and Psychotherapists, 2nd Edition 2012, Sinacola.Peters-Strickland, Test Bank

Basics of Research Methods for Criminal Justice and Criminology, 3rd Edition 2012, Maxfield.Babbie, Instructor Manual

Basics of Research Methods for Criminal Justice and Criminology, 3rd Edition 2012, Maxfield.Babbie, Test Bank

Basics of Web Design; HTML5 & CSS3, 1st Edition 2012, Terry Felke-Morris, Solutions Manual

Basics of Web Design; HTML5 & CSS3, 1st Edition 2012, Terry Felke-Morris, Test Bank

BCOM, 3rd Edition 2012, Lehman.DuFrene, Instructor Manual & Solutions Manual

BCOM, 3rd Edition 2012, Lehman.DuFrene, Test Bank

Becoming a Critical Thinker, 7th Edition 2012, Vincent Ryan Ruggiero, Instructor Manual

Beginning Algebra, 11th Edition 2012, Lial.Hornsby.McGinnis, Instructor Manual & Solutions Manual

Beginning Algebra, 11th Edition 2012, Lial.Hornsby.McGinnis, Test Bank

Beginning and Intermediate Algebra, 5th Edition 2012, Lial.Hornsby.McGinnis, Instructor Manual

Beginning and Intermediate Algebra, 5th Edition 2012, Lial.Hornsby.McGinnis, Test Bank

Behavior in Organizations, 10th Edition, Jerald Greenberg, Instructor Manual

Behavior in Organizations, 10th Edition, Jerald Greenberg, Test Bank

Behavior Management; A Practical Approach for Educators, 10th Edition 2012, Shea.Bauer, Instructor Manual

Behavior Management; A Practical Approach for Educators, 10th Edition 2012, Shea.Bauer, Test Bank

Behavior Management; Positive Applications for Teachers, 6th Edition 2012, Zirpoli, Instructor Manual

Behavior Management; Positive Applications for Teachers, 6th Edition 2012, Zirpoli, Test Bank

Better Business, 2nd Edition 2012, Solomon.Poatsy.Martin, Instructor

Manual

Better Business, 2nd Edition 2012, Solomon.Poatsy.Martin, Test Bank

Biology of Humans; Concepts_Applications_and Issues, 4th Edition 2012, Goodenough.McGuire, Instructor Manual

Biology of Humans; Concepts_Applications_and Issues, 4th Edition 2012, Goodenough.McGuire, Test Bank

Biology; A Guide to the Natural World with MasteringBiologyr, 5th Edition 2011, David Krogh, Test Bank

Biology; Concepts and Investigations, 2nd Edition 2012, Mari=E2=80=B0lle Hoefnagels, Instructor Manual

Biology; Concepts and Investigations, 2nd Edition 2012, Mari=E2=80=B0lle Hoefnagels, Test Bank

Biology; Life on Earth with Physiology with MasteringBiologyr, 9th Edition 2011, Audesirk.Audesirk.Byers, Test Bank

Brief History of Costume, 1st Edition 2012, Daniel Delis Hill, Instructor Manual

Brief Principles of Macroeconomics, 6th Edition 2012, Gregory Mankiw, Instructor Manual

Brief Principles of Macroeconomics, 6th Edition 2012, Gregory Mankiw, Test Bank

Brock Biology of Microorganisms, 13th Edition 2012, Madigan.Martinko.Stahl.Clark, Test Bank

Business & Professional Communication; Plans_Processes_and Performance, 5th Edition 2012, DiSanza.Legge, Instructor Manual

Business & Professional Communication; Plans_Processes_and Performance, 5th Edition 2012, DiSanza.Legge, Test Bank

Business Communication Essentials, 5th Edition 2012, Bovee.Thill, Instructor Manual

Business Communication Essentials, 5th Edition 2012, Bovee.Thill, Test Bank

Business Communication; Polishing Your Professional Presence , 1st Edition 2012, Shwom.Snyder, Instructor Manual & Solutions Manual

Business Communication; Polishing Your Professional Presence , 1st Edition 2012, Shwom.Snyder, Test Bank

Business Driven Information Systems, 3rd Edition 2012, Paige Baltzan,

Instructor Manual

Business Driven Information Systems, 3rd Edition 2012, Paige Baltzan, Test Bank

Business Essentials_Fifth Canadian Edition, 5th Edition, Ebert.Griffin.Starke, Instructor Manual

Business Essentials_Fifth Canadian Edition, 5th Edition, Ebert.Griffin.Starke, Test Bank

Business Essentials_Sixth Canadian Edition, 6th 2012, Ebert.Griffin.Starke.Dracopoulos, Instructor Manual

Business Essentials_Sixth Canadian Edition, 6th 2012, Ebert.Griffin.Starke.Dracopoulos, Test Bank

Business Ethics; Case Studies and Selected Readings, 7th Edition 2012, Jennings, Instructor Manual

Business Ethics; Case Studies and Selected Readings, 7th Edition 2012, Jennings, Test Bank

Business Law Today; Comprehensive, 9th Edition 2012, Miller.Jentz, Instructor Manual & Solutions Manual

Business Law Today; Comprehensive, 9th Edition 2012, Miller.Jentz, Test Bank

Business Law; Text and Cases; Legal_Ethical_Global_and Corporate Environment, 12th Edition 2012, Clarkson.Miller.Cross, Instructor Manual & Solutions Manual

Business Law; Text and Cases; Legal_Ethical_Global_and Corporate Environment, 12th Edition 2012, Clarkson.Miller.Cross, Test Bank

Business Math Using Excelr, 2nd Edition 2012, Burton.Shelton, Test Bank

Business Mathematics, 9th Edition 2012, Cleaves.Hobbs.Noble, Instructor Manual

Business, 11th Edition 2012, Pride.Hughes.Kapoor, Instructor Manual

Business, 11th Edition 2012, Pride.Hughes.Kapoor, Test Bank

Business; A Changing World, 8th Edition 2011, Ferrell.Hirt.Ferrell, Instructor Manual

Business; A Changing World, 8th Edition 2011, Ferrell.Hirt.Ferrell, Test Bank

Business; Its Legal_Ethical_and Global Environment, 9th Edition 2012, Jennings, Instructor Manual

Business; Its Legal_Ethical_and Global Environment, 9th Edition 2012, Jennings, Test Bank

Business_Seventh Canadian Edition, 7th Edition 2012, Griffin.Ebert.Starke.Lang, Instructor Manual

Business_Seventh Canadian Edition, 7th Edition 2012, Griffin.Ebert.Starke.Lang, Test Bank

BUSN 4, 4th Edition 2012, Kelly.McGowen, Instructor Manual & Solutions Manual

BUSN 4, 4th Edition 2012, Kelly.McGowen, Test Bank

C# Programming; From Problem Analysis to Program Design, 3rd Edition 2011, Barbara Doyle, Test Bank

C++ How to Program, 8th Edition 2012, Deitel.Deitel, Instructor Manual & Solutions Manual

C++ How to Program, 8th Edition 2012, Deitel.Deitel, Test Bank

C++; Classes and Data Structures, 1st Edition, Jeffrey Childs, Solutions Manual

C++; Classes and Data Structures, 1st Edition, Jeffrey Childs, Test Bank

Calculus and Its Applications, 10th Edition 2012, Bittinger.Ellenbogen.Surgent, Solutions Manual

Calculus and Its Applications, 10th Edition 2012, Bittinger.Ellenbogen.Surgent, Test Bank

Calculus for Business_Economics_Life Sciences and Social Sciences, 12th Edition 2011, Barnett.Ziegler.Byleen, Solutions Manual

Campbell Essential Biology with Physiology with MasteringBiologyr, 3rd Edition, Simon.Reece.Dickey, Test Bank

Career Counseling; A Holistic Approach, 7th Edition, Zunker, Instructor Manual

Career Counseling; A Holistic Approach, 7th Edition, Zunker, Test Bank

Career Counseling; A Holistic Approach, 8th Edition 2012, Zunker, Instructor Manual

Career Counseling; A Holistic Approach, 8th Edition 2012, Zunker, Test Bank

Career Information_Career Counseling_and Career Development, 10th Edition 2012, Duane Brown, Instructor Manual

Career Information_Career Counseling_and Career Development, 10th Edition 2012, Duane Brown, Test Bank

Caring for School-Age Children, 6th Edition 2012, Click.Parker, Instructor Manual

Cases in Financial Management, 1st Edition, Stretcher.Michael, Instructor Manual

Casino Gaming Technology, 1st Edition 2012, Bokunewicz.Kneisel.McNichols, Instructor Manual

CB3, 3rd Edition 2012, Babin.Harris, Instructor Manual

CB3, 3rd Edition 2012, Babin.Harris, Test Bank

CDN ED Accounting Principles Volume 1, 1st Edition 2011, Warren.Reeve.Duchac.Elworthy.Kristjanson, Instructor Manual & Solutions Manual

CDN ED Accounting Principles Volume 1, 1st Edition 2011, Warren.Reeve.Duchac.Elworthy.Kristjanson, Test Bank

CDN ED Dosage Calculations, 2nd Edition 2012, Pickar.RN.BSN.MEd.Swart.Graham.Swedish.RN.BScN.MDE, Instructor Manual

CDN ED Dosage Calculations, 2nd Edition 2012, Pickar.RN.BSN.MEd.Swart.Graham.Swedish.RN.BScN.MDE, Test Bank

CDN ED MGMT, 1st Edition 2012, Champion.Hall.Williams, Instructor Manual

CDN ED MGMT, 1st Edition 2012, Champion.Hall.Williams, Test Bank

CDN ED Nutrition; Concepts and Controversies, 2nd Edition 2012, Sizer.Whitney.Piche, Instructor Manual

CDN ED Nutrition; Concepts and Controversies, 2nd Edition 2012, Sizer.Whitney.Piche, Test Bank

CDN ED ORGB, 1st Edition 2012, Armstrong.Condie.Nelson.Quick, Instructor Manual

CDN ED ORGB, 1st Edition 2012, Armstrong.Condie.Nelson.Quick, Test Bank

CDN ED Principles of Macroeconomics, 5th Edition 2011, Mankiw.Kneebone.McKenzie, Instructor Manual

CDN ED Principles of Macroeconomics, 5th Edition 2011, Mankiw.Kneebone.McKenzie, Test Bank

CDN ED Principles of Microeconomics, 5th Edition 2011, Mankiw.Kneebone.McKenzie.Rowe, Instructor Manual

CDN ED Principles of Microeconomics, 5th Edition 2011, Mankiw.Kneebone.McKenzie.Rowe, Test Bank

CDN ED SOC+, 1st Edition 2012, Brym.Lie, Instructor Manual

CDN ED SOC+, 1st Edition 2012, Brym.Lie, Test Bank

CDN ED Sociology in Our Times; The Essentials, 5th Edition 2012, Murray.Linden.Kendall, Test Bank

Cengage Advantage Books; Analyzing Politics, 5th Edition 2012, Ellen Grigsby, Instructor Manual

Cengage Advantage Books; Analyzing Politics, 5th Edition 2012, Ellen Grigsby, Test Bank

Cengage Advantage Books; Culture Counts; A Concise Introduction to Cultural Anthropology, 2nd Edition 2012, Nanda.Warms, Instructor Manual

Cengage Advantage Books; Culture Counts; A Concise Introduction to Cultural Anthropology, 2nd Edition 2012, Nanda.Warms, Test Bank

Cengage Advantage Books; Essentials of Business Law, 4th Edition 2012, Beatty.Samuelson, Instructor Manual

Cengage Advantage Books; Essentials of Business Law, 4th Edition 2012, Beatty.Samuelson, Test Bank

Cengage Advantage Books; Essentials of Public Speaking, 4th Edition, Cheryl Hamilton, Instructor Manual

Cengage Advantage Books; Essentials of Public Speaking, 4th Edition, Cheryl Hamilton, Test Bank

Cengage Advantage Books; Introduction to Sociology, 10th Edition 2011, Tischler, Instructor Manual

Cengage Advantage Books; Introduction to Sociology, 10th Edition 2011, Tischler, Test Bank

Cengage Advantage Books; Modern Principles of Business Law, 1st Edition 2012, Roger LeRoy Miller, Instructor Manual & Solutions Manual

Cengage Advantage Books; Modern Principles of Business Law, 1st Edition 2012, Roger LeRoy Miller, Test Bank

Cengage Advantage Books; The Enduring Vision_Volume I, 7th Edition

2012, Boyer.Clark.Halttunen.Kett.Salisbury.Sitkoff.Woloch, Instructor Manual

Cengage Advantage Books; The Enduring Vision_Volume I, 7th Edition 2012, Boyer.Clark.Halttunen.Kett.Salisbury.Sitkoff.Woloch, Test Bank

Cengage Advantage Books; The Enduring Vision_Volume II, 7th Edition 2012, Boyer.Clark.Halttunen.Kett.Salisbury.Sitkoff.Woloch, Instructor Manual

Cengage Advantage Books; The Enduring Vision_Volume II, 7th Edition 2012, Boyer.Clark.Halttunen.Kett.Salisbury.Sitkoff.Woloch, Test Bank

Cengage Advantage Books; Understanding Arguments; An Introduction to Informal Logic, 8th Edition, Sinnott-Armstrong.Fogelin, Instructor Manual

CFIN 2010, 1st Edition, Besley.Brigham, Instructor Manual

CFIN2, 2nd Edition 2012, Besley.Brigham, Solutions Manual

Chemistry for Environmental Engineering and Science, 5th Edition, Sawyer, Solutions Manual

Chemistry with MasteringChemistryr, 6th Edition 2012, McMurry.Fay, Instructor Manual

Chemistry with MasteringChemistryr, 6th Edition 2012, McMurry.Fay, Test Bank

Chemistry, 3rd Edition, Gilbert.Kirss.Foster.Davies, Instructor Manual & Solutions Manual

Chemistry, 3rd Edition, Gilbert.Kirss.Foster.Davies, Test Bank

Chemistry; An Introduction to General_Organic_and Biological Chemistry with MasteringChemistryr, 11th Edition 2012, Timberlake, Test Bank

Chemistry; An Introduction to General_Organic_and Biological Chemistry, 11th Edition 2012, Timberlake, Test Bank

Chemistry; The Central Science with MasteringChemistryr, 12th Edition 2012, Brown.LeMay.Bursten.Murphy.Woodward, Instructor Manual

Chemistry; The Central Science with MasteringChemistryr, 12th Edition 2012, Brown.LeMay.Bursten.Murphy.Woodward, Test Bank

Chemistry; The Science in Context, 2nd Edition, Gilbert.Kirss.Foster.Davies, Instructor Manual & Solutions Manual

Chemistry; The Science in Context, 2nd Edition, Gilbert.Kirss.Foster.Davies, Test Bank

Children and Their Development_Second Canadian Edition, 2nd Edition 2012, Kail.Barnfield, Instructor Manual

Children and Their Development_Second Canadian Edition, 2nd Edition 2012, Kail.Barnfield, Test Bank

Children's Thinking, 5th Edition 2012, Bjorklund, Instructor Manual

Children's Thinking, 5th Edition 2012, Bjorklund, Test Bank

Choosing Health, 1st Edition 2012, Lynch.Elmore.Morgan, Solutions Manual

Choosing Health, 1st Edition 2012, Lynch.Elmore.Morgan, Test Bank

Civil Litigation; Process and Procedures, 2nd Edition 2012, Goldman.Hughes, Instructor Manual

Civil Litigation; Process and Procedures, 2nd Edition 2012, Goldman.Hughes, Test Bank

CJ 2011, 1st Edition 2012, Fagin, Instructor Manual

Clearly Visual Basic; Programming with Microsoftr Visual Basic 2010, 2nd Edition 2012, Diane Zak, Instructor Manual & Solutions Manual

Clearly Visual Basic; Programming with Microsoftr Visual Basic 2010, 2nd Edition 2012, Diane Zak, Test Bank

CMPTR, 1st Edition 2012, Pinard.Romer, Instructor Manual & Solutions Manual

CMPTR, 1st Edition 2012, Pinard.Romer, Test Bank

Cognition; Exploring the Science of the Mind, 4th Edition, Daniel Reisberg, Test Bank

Cognitive Neuroscience, 3rd Edition, Gazzaniga.Ivry.Mangun, Test Bank

Cognitive Psychology In and Out of the Laboratory, 4th Edition, Shelly.Sebok, Test Bank

Cognitive Psychology, 5th Edition, Sternberg, Test Bank

Cognitive Psychology, 6th Edition 2012, Sternberg, Solutions Manual

Cognitive Psychology, 6th Edition 2012, Sternberg, Test Bank

Cognitive Psychology; Connecting Mind_Research and Everyday Experience, 2nd Edition, Bruce Goldstein, Test Bank

College Accounting, 13th Edition 2012, Price.Haddock.Farina, Instructor Manual & Solutions Manual

College Accounting, 13th Edition 2012, Price.Haddock.Farina, Test Bank

College Accounting; A Contemporary Approach, 2nd Edition 2012, Haddock.Price.Farina, Instructor Manual & Solutions Manual

College Accounting; A Contemporary Approach, 2nd Edition 2012, Haddock.Price.Farina, Test Bank

College Algebra, 4th Edition 2012, Beecher.Penna.Bittinger, Solutions Manual

College Algebra, 4th Edition 2012, Beecher.Penna.Bittinger, Test Bank

College Algebra, 9th Edition 2012, Michael Sullivan, Solutions Manual

College Algebra, 9th Edition 2012, Michael Sullivan, Test Bank

College Physics, 9th Edition 2012, Serway.Vuille, Test Bank

COMM 2, 2nd Edition 2012, Verderber.Verderber.Sellnow, Instructor Manual

COMM, 1st Edition, Verderber.Verderber.Sellnow, Instructor Manual

COMM, 1st Edition, Verderber.Verderber.Sellnow, Test Bank

Commercial Real Estate Analysis and Investments, 2nd Edition, Geltner.Miller.Clayton.Eichholtz, Test Bank

Communicating in Groups and Teams; Sharing Leadership, 5th Edition, Lumsden.Lumsden.Wiethoff, Instructor Manual

Communicating in Groups and Teams; Sharing Leadership, 5th Edition, Lumsden.Lumsden.Wiethoff, Test Bank

Community - Public Health Nursing; Promoting the Health of Populations, 4th Edition, Nies.McEwen, Test Bank, Elsevier Evolve

Comparative International Accounting, 11th Edition, Nobes.Parker, Instructor Manual

Comprehensive School Counseling Programs; K-12 Delivery Systems in Action, 2nd Edition 2012, Dollarhide.Saginak, Instructor Manual

Comprehensive School Counseling Programs; K-12 Delivery Systems in Action, 2nd Edition 2012, Dollarhide.Saginak, Test Bank

Computer Accounting with QuickBooksr 2011, 13th Edition 2012, Donna Kay, Instructor Manual & Solutions Manual

Computer Accounting with QuickBooksr 2011, 13th Edition 2012, Donna Kay, Test Bank

Computer Science; An Overview, 11th Edition 2012, Brookshear, Solutions Manual

Computer Science; An Overview, 11th Edition 2012, Brookshear, Test Bank

Computer Systems Design and Architecture, 2nd Edition, Heuring.Jordan, Solutions Manual

Computers Are Your Future Complete, 12th Edition 2012, Cathy LaBerta, Instructor Manual

Computers Are Your Future Complete, 12th Edition 2012, Cathy LaBerta, Test Bank

Computers Are Your Future_Introductory, 12th Edition 2012, Cathy LaBerta, Test Bank

Concepts in Federal Taxation 2012, 19th Edition 2012, Murphy.Higgins, Instructor Manual & Solutions Manual

Concepts in Federal Taxation 2012, 19th Edition 2012, Murphy.Higgins, Test Bank

Concepts in Strategic Management and Business Policy; Toward Global Sustainability, 13th Edition 2012, Wheelen.Hunger, Instructor Manual

Concepts in Strategic Management and Business Policy; Toward Global Sustainability, 13th Edition 2012, Wheelen.Hunger, Test Bank

Concepts of Biology, 1st Edition, Mader, Test Bank

Concepts of Biology, 2nd Edition 2011, Mader, Instructor Manual & Solutions Manual

Concepts of Biology, 2nd Edition 2011, Mader, Test Bank

Concise Guide to Technical Communication, 3rd Edition, Gurak.Lannon, Instructor Manual

Concise History of Western Music, 3rd Edition, Barbara Russano Hanning, Instructor Manual

Concise History of Western Music, 3rd Edition, Barbara Russano Hanning, Test Bank

Concise History of Western Music, 4th Edition, Barbara Russano Hanning, Instructor Manual

Concise History of Western Music, 4th Edition, Barbara Russano Hanning, Test Bank

Conducting Research in Psychology; Measuring the Weight of Smoke, 3rd Edition, Pelham.Blanton, Test Bank

Construction Contracts, 3rd Edition 2011, Jimmie Hinze, Solutions Manual

Construction Methods and Management, 8th Edition, Nunnally, Instructor Manual

Contemporary Business and Online Commerce Law, 7th Edition 2012, Cheeseman, Instructor Manual

Contemporary Business, 14th Edition, Boone.Kurtz, Instructor Manual

Contemporary Business, 14th Edition, Boone.Kurtz, Test Bank

Contemporary Engineering Economics, 5th Edition 2011, Park, Solutions Manual

Contemporary Engineering Economics, 5th Edition 2011, Park, Test Bank

Contemporary Financial Management, 12th Edition 2012, Moyer.McGuigan.Rao.Kretlow, Instructor Manual

Contemporary Financial Management, 12th Edition 2012, Moyer.McGuigan.Rao.Kretlow, Test Bank

Contemporary Human Resource Management; Text and Cases, 3rd Edition, Redman.Wilkinson, Instructor Manual

Contemporary Logistics, 10th Edition, Murphy.Wood, Instructor Manual

Contemporary Management, 7th Edition, Jones.George, Instructor Manual

Contemporary Management, 7th Edition, Jones.George, Test Bank

Contemporary Marketing, 15th Edition 2012, Boone.Kurtz, Instructor Manual

Contemporary Marketing, 15th Edition 2012, Boone.Kurtz, Test Bank

Contemporary Mathematics for Business and Consumers, 6th Edition 2012, Robert Brechner, Test Bank

Contemporary Medical-Surgical Nursing, 2nd Edition 2012, Daniels.Nicoll, Instructor Manual

Contemporary Medical-Surgical Nursing, 2nd Edition 2012, Daniels.Nicoll, Test Bank

Contemporary Project Management, 2nd Edition 2012, Timothy Kloppenborg, Instructor Manual

Contemporary Project Management, 2nd Edition 2012, Timothy Kloppenborg, Test Bank

Core Concepts in Pharmacology, 3rd Edition 2011, Holland.Adams, Test Bank

Cornerstones of Financial Accounting, 2nd Edition 2012, Rich.Jones.Mowen.Hansen, Solutions Manual

Cornerstones of Financial Accounting, 2nd Edition 2012, Rich.Jones.Mowen.Hansen, Test Bank

Cornerstones of Financial and Managerial Accounting, 2nd Edition 2012, Rich.Jones.Heitger.Mowen.Hansen, Solutions Manual

Cornerstones of Managerial Accounting, 4th Edition 2012, Mowen.Hansen.Heitger, Solutions Manual

Cornerstones of Managerial Accounting, 4th Edition 2012, Mowen.Hansen.Heitger, Test Bank

Corporate Finance_Canadian, 6th Edition 2011, Ross.Westerfield.Jaffe.Roberts, Test Bank

Corporate Financial Accounting, 11th Edition 2012, Warren.Reeve.Duchac, Solutions Manual

Correctional Administration; Integrating Theory and Practice, 2nd Edition 2012, Seiter, Instructor Manual

Correctional Administration; Integrating Theory and Practice, 2nd Edition 2012, Seiter, Test Bank

Cost Accounting, 14th Edition 2012, Horngren.Datar.Rajan, Instructor Manual & Solutions Manual

Cost Accounting, 14th Edition 2012, Horngren.Datar.Rajan, Test Bank

Counseling Children, 8th Edition 2011, Henderson.Thompson, Test Bank

Counseling Strategies and Interventions, 8th Edition 2012, Cormier.Hackney, Instructor Manual

Counseling Strategies and Interventions, 8th Edition 2012, Cormier.Hackney, Test Bank

Counseling Today; Foundations of Professional Identity, 1st Edition 2012, Granello.Young, Instructor Manual

Counseling Today; Foundations of Professional Identity, 1st Edition 2012, Granello.Young, Test Bank

Crafting A Compiler, 1st Edition, Fischer.Cytron.LeBlanc, Solutions

Manual

Crime Scene Investigation and Reconstruction, 3rd Edition 2012, Ogle, Instructor Manual

Crime Scene Investigation and Reconstruction, 3rd Edition 2012, Ogle, Test Bank

Crime Victims; An Introduction to Victimology, 7th Edition, Andrew Karmen, Instructor Manual

Criminal Investigation; Basic Perspectives, 12th Edition 2012, Lushbaugh.Weston, Instructor Manual

Criminal Investigation; Basic Perspectives, 12th Edition 2012, Lushbaugh.Weston, Test Bank

Criminal Justice Organizations; Administration and Management, 5th Edition 2012, Stojkovic.Kalinich.Klofas, Instructor Manual

Criminal Justice Organizations; Administration and Management, 5th Edition 2012, Stojkovic.Kalinich.Klofas, Test Bank

Criminal Justice; A Brief Introduction, 9th Edition 2012, Schmalleger, Instructor Manual

Criminal Justice; A Brief Introduction, 9th Edition 2012, Schmalleger, Test Bank

Criminology Today; An Integrative Introduction, 6th Edition 2012, Schmalleger, Instructor Manual

Criminology Today; An Integrative Introduction, 6th Edition 2012, Schmalleger, Test Bank

Criminology; A Sociological Understanding, 5th Edition 2012, Barkan, Instructor Manual

Criminology; A Sociological Understanding, 5th Edition 2012, Barkan, Test Bank

Critical Care Nursing; Diagnosis and Management, 6th Edition, Urden.Stacy.Lough, Test Bank, Elsevier Evolve

Critical Thinking_Thoughtful Writing, 5th Edition 2012, Chaffee.McMahon.Stout, Instructor Manual

Culture and Psychology, 4th Edition, Matsumoto.Juang, Instructor Manual

Culture and Psychology, 4th Edition, Matsumoto.Juang, Test Bank

Customer Service; Skills for Success , 5th Edition 2012, Lucas,

Instructor Manual

Customer Service; Skills for Success , 5th Edition 2012, Lucas, Test Bank

CyberLaw; Text and Cases, 3rd Edition 2012, Ferrera.Reder.Lichtenstein.Bird.Darrow.Aresty.Klosek, Solutions Manual

Data Analysis and Decision Making, 4th Edition, Albright.Winston.Zappe, Test Bank

Data and Computer Communications, 9th Edition 2011, William Stallings, Instructor Manual & Solutions Manual

Data and Computer Communications, 9th Edition 2011, William Stallings, Test Bank

Data Structures Using Java, 1st Edition, Malik, Instructor Manual & Solutions Manual

Data Structures Using Java, 1st Edition, Malik, Test Bank

Database Concepts, 5th Edition 2011, Kroenke.Auer, Instructor Manual

Database Concepts, 5th Edition 2011, Kroenke.Auer, Test Bank

Derivatives, 1st Edition 2011, Sundaram.Das, Instructor Manual & Solutions Manual

Derivatives, 1st Edition 2011, Sundaram.Das, Test Bank

Designing the User Interface; Strategies for Effective Human-Computer Interaction, 5th Edition, Shneiderman.Plaisant.Cohen.Jacobs, Solutions Manual

Designing with Geosynthetics, 5th Edition, Robert M Koerner, Solutions Manual

Development Across the Life Span, 6th Edition, Feldman, Instructor Manual

Development Across the Life Span, 6th Edition, Feldman, Test Bank

Developmental Mathematics, 8th Edition 2012, Bittinger.Beecher, Solutions Manual

Developmental Mathematics, 8th Edition 2012, Bittinger.Beecher, Test Bank

Developmental Psychology; Childhood and Adolescence, 8th Edition, Shaffer.Kipp, Instructor Manual

Developmental Psychology; Childhood and Adolescence, 8th Edition, Shaffer.Kipp, Test Bank

Deviant Behavior, 10th Edition, Alex Thio, Instructor Manual

Deviant Behavior, 10th Edition, Alex Thio, Test Bank

Digital Planet; Tomorrow's Technology and You_Complete, 10th Edition 2012, Beekman.Beekman, Test Bank

Digital Planet; Tomorrow's Technology and You_Introductory, 10th Edition 2012, Beekman.Beekman, Test Bank

Discover Biology, 4th Edition, Cain.Yoon.Singh-Cundy, Test Bank

Discover Biology_Core, 4th Edition, Cain.Yoon.Singh-Cundy, Test Bank

Discovering Biology in the Lab; An Introductory Laboratory Manual, 1st Edition, Scully, Instructor Manual

Discovering Computers and Microsoftr Office 2010; A Fundamental Combined Approach, 1st Edition 2012, Shelly.Vermaat, Test Bank

Discovering the American Past; A Look at the Evidence_Volume II; Since 1865, 7th Edition 2012, Wheeler.Becker.Glover, Instructor Manual

Discrete Mathematics and Its Applications, 7th Edition 2012, Kenneth Rosen, Instructor Manual

Discrete Mathematics with Applications, 4th Edition 2011, Epp, Instructor Manual

Discrete Mathematics with Applications, 4th Edition 2011, Epp, Test Bank

Diversity Amid Globalization; World Regions_Environment_Development, 5th Edition 2012, Rowntree.Lewis.Price.Wyckoff, Instructor Manual

Diversity Amid Globalization; World Regions_Environment_Development, 5th Edition 2012, Rowntree.Lewis.Price.Wyckoff, Test Bank

Diversity Consciousness; Opening our Minds to People_Cultures and Opportunities, 3rd Edition, Bucher, Instructor Manual

Diversity Consciousness; Opening our Minds to People_Cultures and Opportunities, 3rd Edition, Bucher, Test Bank

Diversity in Families, 9th Edition 2011, Zinn.Eitzen.Wells, Instructor Manual

Diversity in Families, 9th Edition 2011, Zinn.Eitzen.Wells, Test Bank

Div_Grad_Curl_and All That, 4th Edition, Schey, Solutions Manual

Doing Ethics; Moral Reasoning and Contemporary Issues, 2nd Edition, Lewis Vaughn, Test Bank

Drugs_Society and Criminal Justice, 3rd Edition 2012, Levinthal, Test Bank

E-Business and E-Commerce Management; Strategy_Implementation and Practice, 4th Edition, Dave Chaffey, Instructor Manual

E-Commerce 2011, 7th Edition 2011, Laudon.Traver, Instructor Manual

E-Commerce 2011, 7th Edition 2011, Laudon.Traver, Instructor Manual, Test Bank

Early Childhood Education Today, 12th Edition 2012, Morrison, Instructor Manual

Early Childhood Education Today, 12th Edition 2012, Morrison, Test Bank

Earth Science and the Environment, 4th Edition, Thompson.Turk, Instructor Manual

Earth Science and the Environment, 4th Edition, Thompson.Turk, Test Bank

EARTH, 1st Edition 2011, Thompson.Turk, Instructor Manual

EARTH, 1st Edition 2011, Thompson.Turk, Test Bank

Earth; An Introduction to Physical Geology_Second Canadian Edition, 2nd Edition, Tarbuck.Lutgens.Tsujita.Hicock, Instructor Manual

Earth; An Introduction to Physical Geology_Second Canadian Edition, 2nd Edition, Tarbuck.Lutgens.Tsujita.Hicock, Test Bank

Earth; An Introduction to Physical Geology_Third Canadian Edition with MyGeosciencePlace, 3rd Edition 2012, Tarbuck.Lutgens.Tsujita.Hicock, Instructor Manual

Earth; An Introduction to Physical Geology_Third Canadian Edition with MyGeosciencePlace, 3rd Edition 2012, Tarbuck.Lutgens.Tsujita.Hicock, Test Bank

Earth; Portrait of a Planet, 3rd Edition, Stephen Marshak, Instructor Manual

Earth; Portrait of a Planet, 3rd Edition, Stephen Marshak, Test Bank

Economic Development, 11th Edition 2012, Todaro, Instructor Manual

Economics and MyEconLab with Pearson eText Instant Access and MyEconLab Valuepack Access Card Component, 10th Edition 2012, Michael

Parkin, Instructor Manual & Solutions Manual

Economics and MyEconLab with Pearson eText Instant Access and MyEconLab Valuepack Access Card Component, 10th Edition 2012, Michael Parkin, Test Bank

Economics for Managers, Edition, 12th Edition, McGuigan.Moyer.Harris, Instructor Manual

Economics for Managers, Edition, 12th Edition, McGuigan.Moyer.Harris, Test Bank

Economics for Today, 7th Edition 2011, Tucker, Instructor Manual

Economics for Today, 7th Edition 2011, Tucker, Test Bank

Economics of Development, 6th Edition, Perkins.Radelet.Lindauer, Instructor Manual

Economics of Development, 6th Edition, Perkins.Radelet.Lindauer, Test Bank

Economics of Social Issues, 19th Edition, Sharp.Register.Grimes, Instructor Manual

Economics of Social Issues, 19th Edition, Sharp.Register.Grimes, Test Bank

Economics of the Public Sector, 3rd Edition, Stiglitz, Instructor Manual

Economics Plus MyEconLab and CourseCompass student access kit, 7th Edition, Parkin.Powell.Matthews, Instructor Manual

Economics Plus MyEconLab and CourseCompass student access kit, 7th Edition, Parkin.Powell.Matthews, Test Bank

Economics Today and MyEconLab with Pearson eText Access Card Package, 16th Edition 2012, Roger LeRoy Miller, Instructor Manual

Economics Today and MyEconLab with Pearson eText Access Card Package, 16th Edition 2012, Roger LeRoy Miller, Test Bank

Economics Today; The Macro View plus MyEconLab with Pearson Etext Student Access Code Card Package, 16th Edition 2012, Roger LeRoy Miller, Instructor Manual

Economics Today; The Macro View plus MyEconLab with Pearson Etext Student Access Code Card Package, 16th Edition 2012, Roger LeRoy Miller, Test Bank

Economics Today; The Micro View plus MyEconLab with Pearson Etext Student Access Code Card Package, 16th Edition 2012, Roger LeRoy

Miller, Instructor Manual

Economics Today; The Micro View plus MyEconLab with Pearson Etext Student Access Code Card Package, 16th Edition 2012, Roger LeRoy Miller, Test Bank

Economics U$A, 7th Edition, Behravesh.Mansfield, Instructor Manual

Economics U$A, 7th Edition, Behravesh.Mansfield, Test Bank

Economics, 10th Edition 2011, Slavin, Instructor Manual

Economics, 10th Edition 2011, Slavin, Test Bank

Economics, 4th Edition, Stiglitz.Walsh, Instructor Manual

Economics, 4th Edition, Stiglitz.Walsh, Test Bank

Economics; A Contemporary Introduction, 9th Edition 2012, McEachern, Test Bank

Economics; The Basics, 1st Edition, Michael Mandel, Instructor Manual

Economics; The Basics, 1st Edition, Michael Mandel, Test Bank

Economics_Thirteenth Canadian Edition, 13th Edition, Ragan.Lipsey, Instructor Manual

Economics_Thirteenth Canadian Edition, 13th Edition, Ragan.Lipsey, Test Bank

Educating Exceptional Children, 13th Edition 2012, Kirk.Gallagher.Coleman.Anastasiow, Instructor Manual

Educating Exceptional Children, 13th Edition 2012, Kirk.Gallagher.Coleman.Anastasiow, Test Bank

Effective Assessment of Students; Determining Responsiveness to Instruction, 1st Edition 2012, Shireen Pavri, Instructor Manual

Effective Assessment of Students; Determining Responsiveness to Instruction, 1st Edition 2012, Shireen Pavri, Test Bank

Effective Management, 5th Edition 2012, Chuck Williams, Instructor Manual

Effective Management, 5th Edition 2012, Chuck Williams, Test Bank

Effective Small Business Management, 10th Edition 2012, Scarborough, Instructor Manual

Effective Small Business Management, 10th Edition 2012, Scarborough, Test Bank

Electronic Health Records; Understanding and Using Computerized Medical Records, 2nd Edition 2012, Richard Gartee, Instructor Manual

Electronic Health Records; Understanding and Using Computerized Medical Records, 2nd Edition 2012, Richard Gartee, Test Bank

Elementary & Intermediate Algebra, 3rd Edition 2012, George Woodbury, Instructor Manual & Solutions Manual

Elementary & Intermediate Algebra, 3rd Edition 2012, George Woodbury, Test Bank

Elementary and Intermediate Algebra; Graphs and Models, 4th Edition 2012, Bittinger.Ellenbogen.Johnson, Solutions Manual

Elementary and Intermediate Algebra; Graphs and Models, 4th Edition 2012, Bittinger.Ellenbogen.Johnson, Test Bank

Elementary Statistics Technology Update, 11th Edition 2012, Triola, Solutions Manual

Elementary Statistics Technology Update, 11th Edition 2012, Triola, Test Bank

Elementary Statistics, 8th Edition 2012, Weiss, Solutions Manual

Elementary Statistics, 8th Edition 2012, Weiss, Test Bank

Elementary Statistics; Picturing the World, 5th Edition 2012, Larson.Farber, Solutions Manual

Elementary Statistics; Picturing the World, 5th Edition 2012, Larson.Farber, Test Bank

Elementary Surveying; An Introduction to Geomatics, 13th Edition 2012, Ghilani.Wolf, Solutions Manual

Employment Law, 5th Ediiton 2011, Moran, Instructor Manual

Employment Law, 5th Ediiton 2011, Moran, Test Bank

Energy_Environment_and Climate, 1st Edition, Richard Wolfson, Solutions Manual

Engineering Economy, 7th Edition 2012, Blank.Tarquin, Solutions Manual

Engineering Fundamentals of the Internal Combustion Engine, 2nd Edition, Pulkrabek, Solutions Manual

Environmental Science , 12th Edition, Enger.Smith, Instructor Manual

Environmental Science , 12th Edition, Enger.Smith, Test Bank

Essential Elements of Public Speaking, 3rd Edition, DeVito, Instructor Manual

Essential Elements of Public Speaking, 3rd Edition, DeVito, Test Bank

Essential Elements of Public Speaking, 4th Edition 2012, DeVito, Instructor Manual

Essential Literary Terms; A Brief Norton Guide with Exercises, 1st Edition, Sharon Hamilton, Solutions Manual

Essentials of American Government; Roots and Reform_2011 Edition, 10th Edition, O'Connor.Sabato.Yanus, Instructor Manual

Essentials of American Government; Roots and Reform_2011 Edition, 10th Edition, O'Connor.Sabato.Yanus, Test Bank

Essentials of Biology, 3rd Edition 2012, Mader.Windelspecht, Instructor Manual

Essentials of Biology, 3rd Edition 2012, Mader.Windelspecht, Test Bank

Essentials of Business Communication, 8th Edition 2010, Mary Ellen Guffey, Instructor Manual & Solutions Manual

Essentials of Business Communication, 8th Edition 2010, Mary Ellen Guffey, Test Bank

Essentials of College Algebra with Modeling and Visualization, 4th Edition 2012, Rockswold, Instructor Manual & Solutions Manual

Essentials of College Algebra with Modeling and Visualization, 4th Edition 2012, Rockswold, Test Bank

Essentials of Comparative Politics, 3rd Edition, O'Neil, Test Bank

Essentials of Corporate Financial Management, 1st Edition, Glen Arnold, Instructor Manual

Essentials of Corporate Financial Management, 1st Edition, Glen Arnold, Test Bank

Essentials of Corrections, 4th Edition, Mays.Winfree, Instructor Manual

Essentials of Corrections, 4th Edition, Mays.Winfree, Test Bank

Essentials of Econometrics, 4th Edition, Gujarati.Porter, Solutions Manual

Essentials of Economics, 6th Edition 2012, Gregory Mankiw, Test Bank

Essentials of Geology, 3rd Edition, Stephen Marshak, Instructor Manual

Essentials of Geology, 3rd Edition, Stephen Marshak, Test Bank

Essentials of Human Anatomy and Physiology with Essentials of Interactive Physiology CD-ROM, 10th Edition 2012, Marieb, Test Bank

Essentials of International Relations, 4th Edition, Mingst, Test Bank

Essentials of International Relations, 5th Edition, Mingst, Instructor Manual

Essentials of International Relations, 5th Edition, Mingst, Test Bank

Essentials of Management, 9th Edition 2012, DuBrin, Instructor Manual

Essentials of Management, 9th Edition 2012, DuBrin, Test Bank

Essentials of Marketing Management, 1st Edition 2011, Marshall.Johnston, Test Bank

Essentials of Marketing, 7th Edition 2012, Lamb.Hair.McDaniel, Instructor Manual

Essentials of Marketing, 7th Edition 2012, Lamb.Hair.McDaniel, Test Bank

Essentials of Nursing Research, 6th Edition, Polit.Beck, Test Bank, Lippincott

Essentials of Organizational Behavior, 11th Edition 2012, Robbins.Judge, Instructor Manual

Essentials of Organizational Behavior, 11th Edition 2012, Robbins.Judge, Test Bank

Essentials of Physical Anthropology, 1st Edition, Clark Spencer Larsen, Test Bank

Essentials of Research Methods for Criminal Justice, 3rd Edition 2012, Hagan, Test Bank

Essentials of Sociology, 2nd Edition, Giddens.Duneier.Appelbaum.Carr, Instructor Manual

Essentials of Sociology, 2nd Edition, Giddens.Duneier.Appelbaum.Carr, Test Bank

Essentials of Sociology, 3rd Edition, Giddens.Duneier.Appelbaum.Carr, Instructor Manual

Essentials of Sociology, 3rd Edition, Giddens.Duneier.Appelbaum.Carr, Test Bank

Essentials of Sociology; A Down-to-Earth Approach, 9th Edition, Henslin, Instructor Manual

Essentials of Sociology; A Down-to-Earth Approach, 9th Edition, Henslin, Test Bank

Essentials of Statistics for Business and Economics, 6th Edition 2012, Anderson.Sweeney.Williams, Solutions Manual

Essentials of Statistics for Business and Economics, 6th Edition 2012, Anderson.Sweeney.Williams, Test Bank

Essentials of Understanding Psychology, 9th Edition 2011, Feldman, Instructor Manual

Essentials of Understanding Psychology, 9th Edition 2011, Feldman, Test Bank

Ethical Decision Making for Business, 8th Edition 2011, Fraedrich.Ferrell.Ferrell, Instructor Manual

Ethical Decision Making for Business, 8th Edition 2011, Fraedrich.Ferrell.Ferrell, Test Bank

Ethical Issues in Business; A Philosophical Approach, 8th Edition, Donaldson.Werhane, Instructor Manual

Ethical Issues in Business; A Philosophical Approach, 8th Edition, Donaldson.Werhane, Test Bank

Evergreen; A Guide to Writing with Readings, 9th Edition 2011, Susan Fawcett, Instructor Manual

Evergreen; A Guide to Writing with Readings, 9th Edition 2011, Susan Fawcett, Test Bank

Excel Applications for Accounting Principles, 4th Edition 2012, Smith, Instructor Manual

Excel Quick, 4th Edition 2012, Smith, Instructor Manual

Exceptional Learners; An Introduction to Special Education, 12th Edition 2012, Hallahan.Kauffman.Pullen, Instructor Manual

Exceptional Learners; An Introduction to Special Education, 12th Edition 2012, Hallahan.Kauffman.Pullen, Test Bank

Experiencing MIS, 3rd Edition 2012, Kroenke, Instructor Manual

Experiencing MIS, 3rd Edition 2012, Kroenke, Test Bank

Experiential Approach to Organization Development, 8th Edition 2011, Brown, Instructor Manual

Experiential Approach to Organization Development, 8th Edition 2011, Brown, Test Bank

Experimental Methodology, 10th Edition, Christensen, Instructor Manual

Experimental Methodology, 10th Edition, Christensen, Test Bank

Explorations; An Introduction to Astronomy, 6th Edition, Arny.Schneider, Instructor Manual

Explorations; An Introduction to Astronomy, 6th Edition, Arny.Schneider, Test Bank

Exploring Lifespan Development, 2nd Edition, Berk, Instructor Manual

Exploring Lifespan Development, 2nd Edition, Berk, Test Bank

Exploring Microsoft Office Excel 2010 Comprehensive, 1st Edition 2011, Grauer.Poatsy.Mulbery.Hogan, Instructor Manual & Solutions Manual

Exploring Microsoft Office Excel 2010 Comprehensive, 1st Edition 2011, Grauer.Poatsy.Mulbery.Hogan, Test Bank

Exploring the Hospitality Industry, 2nd Edition 2012, Walker, Instructor Manual

Federal Tax Research, 9th Edition 2012, Raabe.Whittenburg.Sanders.Sawyers.Gill, Instructor Manual & Solutions Manual

Federal Tax Research, 9th Edition 2012, Raabe.Whittenburg.Sanders.Sawyers.Gill, Test Bank

Financial & Managerial Accounting, 11th Edition 2012, Warren.Reeve.Duchac, Instructor Manual & Solutions Manual

Financial & Managerial Accounting, 11th Edition 2012, Warren.Reeve.Duchac, Test Bank

Financial & Managerial Accounting, 3rd Edition 2012, Horngren.Harrison.Oliver, Instructor Manual & Solutions Manual

Financial & Managerial Accounting, 3rd Edition 2012, Horngren.Harrison.Oliver, Test Bank

Financial Accounting, 11th Edition 2012, Needles.Powers, Instructor Manual & Solutions Manual

Financial Accounting, 12th Edition 2012, Warren.Reeve.Duchac, Instructor Manual & Solutions Manual

Financial Accounting, 15th Edition 2012, Williams.Haka.Bettner.Carcello, Instructor Manual & Solutions Manual

Financial Accounting, 15th Edition 2012, Williams.Haka.Bettner.Carcello, Test Bank

Financial Accounting, 4th Canadian Edition 2011, Libby, Test Bank

Financial Accounting; A Business Process Approach, 3rd Edition 2011, Reimers, Instructor Manual & Solutions Manual

Financial Accounting; A Business Process Approach, 3rd Edition 2011, Reimers, Test Bank

Financial Accounting; Tools for Business Decision Making, 6th Edition, Kimmel.Weygandt.Kieso, Instructor Manual & Solutions Manual

Financial Accounting; Tools for Business Decision Making, 6th Edition, Kimmel.Weygandt.Kieso, Test Bank

Financial and Managerial Accounting Using Excelr for Success, 1st Edition 2012, Reeve.Warren.Duchac, Instructor Manual & Solutions Manual

Financial and Managerial Accounting Using Excelr for Success, 1st Edition 2012, Reeve.Warren.Duchac, Test Bank

Financial and Managerial Accounting, 16th Edition 2012, Williams.Haka.Bettner.Carcello, Instructor Manual & Solutions Manual

Financial and Managerial Accounting, 16th Edition 2012, Williams.Haka.Bettner.Carcello, Test Bank

Financial and Managerial Accounting; Information for Decisions, 4th Edition 2011, Wild.Shaw.Chiappetta, Instructor Manual & Solutions Manual

Financial and Managerial Accounting; Information for Decisions, 4th Edition 2011, Wild.Shaw.Chiappetta, Test Bank

Financial Institutions Management; A Risk Management Approach, 7th Edition 2011, Saunders.Cornett, Instructor Manual

Financial Institutions Management; A Risk Management Approach, 7th Edition 2011, Saunders.Cornett, Test Bank

Financial Management for Public_Health_and Not-for-Profit Organizations, 3rd Edition, Finkler, Solutions Manual

Financial Management for Public_Health_and Not-for-Profit Organizations, 3rd Edition, Finkler, Test Bank

Financial Management, 1st Edition, Ray Brooks, Instructor Manual

Financial Management, 1st Edition, Ray Brooks, Test Bank

Financial Management; A Practical Approach, 6th Edition 2011, Lasher, Instructor Manual & Solutions Manual

Financial Management; A Practical Approach, 6th Edition 2011, Lasher, Test Bank

Financial Management; Core Concepts, 1st Edition 2010, Brooks.Brooks, Instructor Manual

Financial Management; Core Concepts, 1st Edition 2010, Brooks.Brooks, Test Bank

Financial Management; Principles and Applications, 11th Edition 2011, Titman.Martin.Keown, Instructor Manual

Financial Management; Principles and Applications, 11th Edition 2011, Titman.Martin.Keown, Test Bank

Financial Markets and Institutions, 7th Edition 2012, Mishkin.Eakins, Instructor Manual

Financial Markets and Institutions, 7th Edition 2012, Mishkin.Eakins, Test Bank

Financial Markets and Institutions_Abridged Edition, 9th Edition, Jeff Madura, Instructor Manual

Financial Markets and Institutions_Abridged Edition, 9th Edition, Jeff Madura, Test Bank

Fluency with Information Technology; Skills_Concepts_and Capabilities, 4th Edition 2011, Lawrence Snyder, Instructor Manual & Solutions Manual

Fluency with Information Technology; Skills_Concepts_and Capabilities, 4th Edition 2011, Lawrence Snyder, Test Bank

Focus on Personal Finance; An Active Approach to Help You Develop Successful Financial Skills, 3rd Edition, Kapoor.Dlabay.Hughes, Instructor Manual

Focus on Personal Finance; An Active Approach to Help You Develop Successful Financial Skills, 3rd Edition, Kapoor.Dlabay.Hughes, Test Bank

Foods; Experimental Perspectives, 7th Edition 2012, McWilliams.Emeritus, Instructor Manual

Foodservice Management; Principles and Practices, 12th Edition 2012, June Payne-Palacio, Instructor Manual

Forensic Accounting and Fraud Examination, 2nd Edition 2012, Hopwood.YOUNG.Leiner, Instructor Manual

Forensic Accounting, 1st Edition, Hopwood.Leiner.Young, Instructor Manual

Foundations of Addiction Counseling, 2nd Edition 2012, Capuzzi.Stauffer, Instructor Manual

Foundations of Addiction Counseling, 2nd Edition 2012, Capuzzi.Stauffer, Test Bank

Foundations of Earth Science, 6th Edition 2011, Lutgens.Tarbuck.Tasa, Instructor Manual

Foundations of Earth Science, 6th Edition 2011, Lutgens.Tarbuck.Tasa, Test Bank

Foundations of Financial Management, 14th Edition, Block.Hirt.Danielsen, Instructor Manual & Solutions Manual

Foundations of Financial Management, 14th Edition, Block.Hirt.Danielsen, Test Bank

Foundations of Financial Management_Cdn, 8th Canadian Edition, Block.Hirt.Short, Test Bank

Foundations of Materials Science and Engineering, 5th Edition, Smith.Hashemi, Solutions Manual

Framework for Human Resource Management, 6th Edition 2011, Gary Dessler, Instructor Manual

Framework for Human Resource Management, 6th Edition 2011, Gary Dessler, Test Bank

Framework for Marketing Management, 5th Edition 2012, Kotler.Keller, Instructor Manual

Framework for Marketing Management, 5th Edition 2012, Kotler.Keller, Test Bank

Fraud Examination, 4th Edition, Albrecht.Albrecht.Albrecht.Zimbelman, Solutions Manual

Fraud Examination, 4th Edition, Albrecht.Albrecht.Albrecht.Zimbelman, Test Bank

Fundamentals of Aerodynamics, 5th Edition, Anderson, Solutions Manual

Fundamentals of Anatomy & Physiology with MasteringA&PT, 9th Edition 2012, Martini.Nath.Bartholomew, Test Bank

Fundamentals of Business Data Communications, 10th Edition, FitzGerald.Dennis, Instructor Manual

Fundamentals of Business Data Communications, 10th Edition, FitzGerald.Dennis, Test Bank

Fundamentals of Corporate Finance plus MyFinanceLab with Pearson eText Student Access Code Card Package, 2nd Edition 2012, Berk.DeMarzo.Harford, Instructor Manual & Solutions Manual

Fundamentals of Corporate Finance plus MyFinanceLab with Pearson eText Student Access Code Card Package, 2nd Edition 2012, Berk.DeMarzo.Harford, Test Bank

Fundamentals of Corporate Finance, 2nd Edition 2012, Berk.DeMarzo.Harford, Instructor Manual & Solutions Manual

Fundamentals of Corporate Finance, 2nd Edition 2012, Berk.DeMarzo.Harford, Test Bank

Fundamentals of Corporate Finance_Seventh Cdn Edition, 7th Canadian Edition, Ross.Westerfield.Jordan.Roberts, Test Bank

Fundamentals of Database Systems, 6th Edition 2011, Elmasri.Navathe, Solutions Manual

Fundamentals of Differential Equations and Boundary Value Problems, 6th Edition 2012, Nagle.Staff.Snider, Solutions Manual

Fundamentals of Differential Equations, 8th Edition 2012, Nagle.Saff.Snider, Solutions Manual

Fundamentals of Economics, 5th Edition 2012, Boyes.Melvin, Instructor Manual

Fundamentals of Financial Accounting, 2nd Edition, Phillips.Libby.Libby, Instructor Manual & Solutions Manual

Fundamentals of Financial Accounting, 2nd Edition, Phillips.Libby.Libby, Test Bank

Fundamentals of Financial Management_Concise Edition, 7th Edition 2012, Brigham.Houston, Instructor Manual & Solutions Manual

Fundamentals of Financial Management_Concise Edition, 7th Edition 2012, Brigham.Houston, Test Bank

Fundamentals of Human Physiology, 4th Edition 2012, Lauralee Sherwood, Instructor Manual

Fundamentals of Human Physiology, 4th Edition 2012, Lauralee Sherwood, Test Bank

Fundamentals of Human Resource Management, 2nd Edition 2012, Gary Dessler, Instructor Manual

Fundamentals of Human Resource Management, 2nd Edition 2012, Gary Dessler, Test Bank

Fundamentals of Information Systems, 6th Edition 2012, Stair.Reynolds, Instructor Manual & Solutions Manual

Fundamentals of Information Systems, 6th Edition 2012, Stair.Reynolds, Test Bank

Fundamentals of Investment Management, 10th Edition 2012, Hirt.Block, Solutions Manual

Fundamentals of Investment Management, 10th Edition 2012, Hirt.Block, Test Bank

Fundamentals of Investment Management, 9th Edition, Hirt.Block, Instructor Manual & Solutions Manual

Fundamentals of Investment Management, 9th Edition, Hirt.Block, Test Bank

Fundamentals of Investments; Valuation and Management, 6th Edition 2012, Jordan.Miller.Dolvin, Instructor Manual & Solutions Manual

Fundamentals of Investments; Valuation and Management, 6th Edition 2012, Jordan.Miller.Dolvin, Test Bank

Fundamentals of Management, 6th Edition 2012, Griffin, Instructor Manual

Fundamentals of Management, 6th Edition 2012, Griffin, Test Bank

Fundamentals of Phonetics; A Practical Guide for Students, 3rd Edition 2012, Small, Instructor Manual

Fundamentals of Phonetics; A Practical Guide for Students, 3rd Edition 2012, Small, Test Bank

Fundamentals of Physics Extended, 9th Edition, Halliday.Resnick.Walker, Solutions Manual

Fundamentals of Physics Extended, 9th Edition, Halliday.Resnick.Walker, Test Bank

Fundamentals of Python; First Programs, 1st Edition 2012, Lambert, Solutions Manual

Fundamentals of Signals and Systems, 1st Edition, Roberts, Solutions Manual

Games of Strategy, 3rd Edition, Dixit.Skeath.Reiley, Instructor Manual & Solutions Manual

Garde Manger; Cold Kitchen Fundamentals, 1st Edition 2012, Leonard.Carlos.Powers, Instructor Manual

Gardner's Art through the Ages; The Western Perspective, 13th Edition, Kleiner, Instructor Manual

Gardner's Art through the Ages; The Western Perspective, 13th Edition, Kleiner, Test Bank

Gateways to Democracy; Introduction to American Government, 1st Edition 2012, Geer.Schiller.Segal, Instructor Manual

Genetics; From Genes to Genomes, 4th Edition 2011, Hartwell.Hood.Goldberg.Reynolds.Silver, Test Bank

Give Me Liberty; An American History, 2nd Edition, Eric Foner, Instructor Manual

Give Me Liberty; An American History, 2nd Edition, Eric Foner, Test Bank

Give Me Liberty; An American History, 3rd Edition, Eric Foner, Test Bank

Global Business Today, 7th Edition 2011, Hill, Instructor Manual

Global Business Today, 7th Edition 2011, Hill, Test Bank

Global Economics, 13th Edition 2011, Robert Carbaugh, Instructor Manual

Global Economics, 13th Edition 2011, Robert Carbaugh, Test Bank

Globalization and Diversity; Geography of a Changing World, 3rd Edition, Rowntree.Lewis.Price.Wyckoff, Instructor Manual

Globalization and Diversity; Geography of a Changing World, 3rd Edition, Rowntree.Lewis.Price.Wyckoff, Test Bank

GO! with Microsoft Access 2010_Comprehensive, 1st Edition 2011, Gaskin.Graviett, Instructor Manual & Solutions Manual

GO! with Microsoft Access 2010_Comprehensive, 1st Edition 2011, Gaskin.Graviett, Test Bank

GO! with Microsoft Word 2010 Introductory, 1st Edition 2011, Gaskin.Ferrett.Martin, Instructor Manual & Solutions Manual

GO! with Microsoft Word 2010 Introductory, 1st Edition 2011, Gaskin.Ferrett.Martin, Test Bank

GO! with Microsoft Word 2010, Comprehensive, 1st Edition 2011, Gaskin.Ferrett.Martin, Instructor Manual & Solutions Manual

GO! with Microsoft Word 2010, Comprehensive, 1st Edition 2011, Gaskin.Ferrett.Martin, Test Bank

Governing California in the Twenty-First Century, 3rd Edition, Anagnoson.Bonetto.Buck.DeLeon.Emrey.Kelleher.Koch, Test Bank

Government by the People_2011 Brief Edition, 9th Edition 2011, Magleby.Light.Nemacheck, Instructor Manual

Government by the People_2011 Brief Edition, 9th Edition 2011, Magleby.Light.Nemacheck, Test Bank

Governmental and Nonprofit Accountin; Theory and Practice,_Update, 9th Edition 2011, Freeman.Shoulders.Allison.Patton.Smith, Instructor Manual & Solutions Manual

Governmental and Nonprofit Accountin; Theory and Practice,_Update, 9th Edition 2011, Freeman.Shoulders.Allison.Patton.Smith, Test Bank

Groups; A Counseling Specialty, 6th Edition 2012, Gladding, Instructor Manual

Groups; A Counseling Specialty, 6th Edition 2012, Gladding, Test Bank

Groups; Process and Practice, 8th Edition, Corey.Corey.Corey, Instructor Manual

Groups; Process and Practice, 8th Edition, Corey.Corey.Corey, Test Bank

Growing Up with Literature, 6th Edition 2012, Walter Sawyer, Instructor Manual

Guide to Computer Forensics and Investigations, 3rd Edition, Nelson.Phillips.Enfinger.Steuart, Instructor Manual & Solutions Manual

Guide to Computer Forensics and Investigations, 3rd Edition, Nelson.Phillips.Enfinger.Steuart, Test Bank

Guide to Networking Essentials, 6th Edition 2011, Greg Tomsho, Instructor Manual & Solutions Manual

Guide to Networking Essentials, 6th Edition 2011, Greg Tomsho, Test Bank

Guide to Parallel Operating Systems with Windowsr 7 and Linux, 2nd Edition 2012, Carswell.Jiang.Freese, Instructor Manual & Solutions Manual

Guiding Children's Social Development and Learning, 7th Edition 2012, Kostelnik.Gregory.Soderman.Whiren, Instructor Manual

Guiding Children's Social Development and Learning, 7th Edition 2012, Kostelnik.Gregory.Soderman.Whiren, Test Bank

Hands-On Database, 1st Edition 2012, Steve Conger, Instructor Manual

Hands-On Database, 1st Edition 2012, Steve Conger, Test Bank

HDEV, 2nd Edition 2012, Rathus, Instructor Manual

HDEV, 2nd Edition 2012, Rathus, Test Bank

Heat and Mass Transfer; Fundamentals and Applications, 4th Edition 2011, Cengel.Ghajar, Solutions Manual

Historical Geology, 6th Edition, Wicander.Monroe, Instructor Manual

Historical Geology, 6th Edition, Wicander.Monroe, Test Bank

Hole's Essentials of Human Anatomy & Physiology, 10th Edition, Shier.Butler.Lewis, Instructor Manual

Hole's Essentials of Human Anatomy & Physiology, 10th Edition, Shier.Butler.Lewis, Test Bank

How Humans Evolved, 5th Edition, Boyd.Silk, Test Bank

HR, 1st Edition 2012, DeNisi.Griffin, Instructor Manual

HR, 1st Edition 2012, DeNisi.Griffin, Test Bank

HTML_XHTML_and CSS; Comprehensive, 6th Edition 2011, Shelly.Woods.Dorin, Instructor Manual & Solutions Manual

HTML_XHTML_and CSS; Comprehensive, 6th Edition 2011, Shelly.Woods.Dorin, Test Bank

Human Anatomy with MasteringA&Pr, 7th Edition 2012, Martini.Timmons.Tallitsch, Test Bank

Human Anatomy, 3rd Edition 2011, Saladin, Instructor Manual

Human Anatomy, 3rd Edition 2011, Saladin, Test Bank

Human Anatomy, 3rd Edition, McKinley.O'Loughlin, Instructor Manual

Human Anatomy, 3rd Edition, McKinley.O'Loughlin, Test Bank

Human Anatomy_Media Update, 6th Edition 2012, Marieb.Wilhelm.Mallatt, Instructor Manual

Human Anatomy_Media Update, 6th Edition 2012, Marieb.Wilhelm.Mallatt, Test Bank

Human Biology, 12th Edition 2012, Mader.Windelspecht, Instructor Manual

Human Biology, 12th Edition 2012, Mader.Windelspecht, Test Bank

Human Physiology, 12th Edition 2011, Stuart Ira Fox, Instructor Manual

Human Physiology, 12th Edition 2011, Stuart Ira Fox, Test Bank

Human Relations; Interpersonal Job-Oriented Skills, 11th Edition 2012, DuBrin, Instructor Manual

Human Relations; Interpersonal Job-Oriented Skills, 11th Edition 2012, DuBrin, Test Bank

Human Resource Management, 10th Edition 2011, Byars.Rue, Instructor Manual

Human Resource Management, 10th Edition 2011, Byars.Rue, Test Bank

Human Resource Management, 12th Edition 2012, Wayne Mondy, Instructor Manual

Human Resource Management, 12th Edition 2012, Wayne Mondy, Test Bank

Human Resource Management, 13th Edition 2011, Mathis.Jackson, Instructor Manual & Solutions Manual

Human Resource Management, 13th Edition 2011, Mathis.Jackson, Test Bank

Human Resource Management; Managerial Tool for Competitive Advantage, 5th Edition, Lawrence Kleiman, Instructor Manual

Human Resource Management; Managerial Tool for Competitive Advantage, 5th Edition, Lawrence Kleiman, Test Bank

Human Resource Management; Strategy and Practice, 7th Edition 2011, Nankervis.Compton.Baird.Coffey, Instructor Manual

Human Resource Management; Strategy and Practice, 7th Edition 2011, Nankervis.Compton.Baird.Coffey, Test Bank

Humanity; An Introduction to Cultural Anthropology, 9th Edition 2012, Peoples.Bailey, Instructor Manual

Humanity; An Introduction to Cultural Anthropology, 9th Edition 2012, Peoples.Bailey, Test Bank

Hydrologic Analysis and Design, 3rd Edition, McCuen, Solutions Manual

Illustrated Course Guide; Microsoft Access 2010 Advanced, 1st Edition 2012, Lisa Friedrichsen, Instructor Manual & Solutions Manual

Illustrated Course Guide; Microsoft Powerpointr 2010 Advanced, 1st Edition 2012, David Beskeen, Instructor Manual & Solutions Manual

Illustrated Course Guide; Microsoftr Excel 2010 Advanced, 1st Edition 2012, Lynn Wermers, Instructor Manual & Solutions Manual

Illustrated Course Guide; Microsoftr Word 2010 Advanced, 1st Edition 2012, Carol Cram, Instructor Manual & Solutions Manual

Industrial - Organizational Psychology, 6th Edition, Aamodt, Instructor Manual

Industrial - Organizational Psychology, 6th Edition, Aamodt, Test Bank

Infants and Children; Prenatal Through Middle Childhood, 7th Edition 2012, Berk, Instructor Manual

Infants and Children; Prenatal Through Middle Childhood, 7th Edition 2012, Berk, Instructor Manual

Infants and Children; Prenatal Through Middle Childhood, 7th Edition 2012, Berk, Test Bank

Infants and Children; Prenatal Through Middle Childhood, 7th Edition 2012, Berk, Test Bank

Infants_Children_and Adolescents, 7th Edition 2012, Berk, Instructor Manual

Infants_Children_and Adolescents, 7th Edition 2012, Berk, Test Bank

Information Systems Today, 5th Edition 2012, Valacich.Schneider, Instructor Manual

Information Systems Today, 5th Edition 2012, Valacich.Schneider, Test Bank

Inquiry Into Life, 13th Edition 2011, Mader, Instructor Manual

Inquiry Into Life, 13th Edition 2011, Mader, Test Bank

Integrated Advertising_Promotion and Marketing Communications, 5th Edition 2012, Clow.Baack, Instructor Manual

Integrated Advertising_Promotion and Marketing Communications, 5th Edition 2012, Clow.Baack, Test Bank

Integrated Principles of Zoology, 14th Edition, Hickman.Roberts.Keen.Larson.Anson.Eisenhour, Test Bank

Integrated Science, 5th Edition 2011, Tillery.Enger.Ross, Instructor Manual

Integrated Science, 5th Edition 2011, Tillery.Enger.Ross, Test Bank

Interactive Computer Graphics; A Top-Down Approach with Shader-Based OpenGL, 6th Edition 2012, Angel.Shreiner, Solutions Manual

Intercultural Communication in the Global Workplace, 5th Edition, Varner.Beamer, Instructor Manual

Intercultural Communication in the Global Workplace, 5th Edition, Varner.Beamer, Test Bank

Intercultural Communication; A Reader, 13th Edition 2012, Samovar.Porter.McDaniel, Instructor Manual

Intercultural Communication; A Reader, 13th Edition 2012, Samovar.Porter.McDaniel, Test Bank

Intermediate Accounting, 14th Edition, Kieso.Weygandt.Warfield, Instructor Manual & Solutions Manual

Intermediate Accounting, 14th Edition, Kieso.Weygandt.Warfield, Test Bank

Intermediate Accounting, 18th Edition 2012, Stice.Stice, Instructor Manual & Solutions Manual

Intermediate Accounting, 18th Edition 2012, Stice.Stice, Test Bank

Intermediate Accounting; IFRS Edition_Volume 1, 1st Edition, Kieso.Weygandt.Warfield, Instructor Manual & Solutions Manual

Intermediate Accounting; IFRS Edition_Volume 1, 1st Edition, Kieso.Weygandt.Warfield, Test Bank

Intermediate Accounting_Canadian, 5th Edition 2011, Beechy.Conrod.Farrell, Test Bank

Intermediate Algebra, 11th Edition 2012, Lial.Hornsby.McGinnis, Instructor Manual & Solutions Manual

Intermediate Algebra, 11th Edition 2012, Lial.Hornsby.McGinnis, Test Bank

Intermediate Algebra, 4th Edition 2012, Elayn Martin-Gay, Instructor Manual & Solutions Manual

Intermediate Algebra, 4th Edition 2012, Elayn Martin-Gay, Test Bank

Intermediate Microeconomics, 8th Edition, Varian, Instructor Manual

Intermediate Microeconomics, 8th Edition, Varian, Test Bank

International Accounting, 3rd Edition 2012, Doupnik.Perera, Instructor Manual

International Accounting, 3rd Edition 2012, Doupnik.Perera, Test Bank

International Accounting, 7th Edition 2011, Choi.Meek, Solutions Manual

International Business Law and Its Environment, 8th Edition 2012, Schaffer.Agusti.Dhooge.Earle, Instructor Manual

International Business Law and Its Environment, 8th Edition 2012, Schaffer.Agusti.Dhooge.Earle, Test Bank

International Business, 6th Edition 2012, Wild.Wild, Instructor Manual

International Business, 6th Edition 2012, Wild.Wild, Test Bank

International Business; The New Realities, 2nd Edition 2012, Cavusgil.Knight.Riesenberger, Instructor Manual

International Business; The New Realities, 2nd Edition 2012, Cavusgil.Knight.Riesenberger, Test Bank

International Cooking; A Culinary Journey, 2nd Edition 2012, Heyman, Instructor Manual

International Corporate Finance, 1st Edition 2011, Ashok Robin, Instructor Manual & Solutions Manual

International Corporate Finance, 1st Edition 2011, Ashok Robin, Test Bank

International Economics plus MyEconLab with Pearson Etext Student Access Code Card Package, 9th Edition 2012, Krugman.Obstfeld.Melitz, Test Bank

International Economics, 7th Edition, Appleyard.Field.Cobb, Instructor Manual

International Economics, 7th Edition, Appleyard.Field.Cobb, Test Bank

International Financial Management, 6th Edition 2012, Eun.Resnick, Instructor Manual & Solutions Manual

International Financial Management, 6th Edition 2012, Eun.Resnick, Test Bank

International Management; Culture_Strategy_and Behavior, 8th Edition

2012, Luthans.Doh, Instructor Manual

International Management; Culture_Strategy_and Behavior, 8th Edition 2012, Luthans.Doh, Test Bank

International Management; Managing in a Diverse and Dynamic Global Environment, 2nd Edition, Phatak.Bhagat.Kashlak, Instructor Manual

International Management; Managing in a Diverse and Dynamic Global Environment, 2nd Edition, Phatak.Bhagat.Kashlak, Test Bank

International Marketing, 15th Edition, Cateora.Gilly.Graham, Instructor Manual

International Marketing, 15th Edition, Cateora.Gilly.Graham, Test Bank

Interpersonal Communication; Relating to Others, 6th Edition 2011, Beebe.Beebe.Redmond, Instructor Manual

Interpersonal Communication; Relating to Others, 6th Edition 2011, Beebe.Beebe.Redmond, Test Bank

Intimate Relationships, 1st Edition, Bradbury.Karney, Instructor Manual

Intimate Relationships, 1st Edition, Bradbury.Karney, Test Bank

Intro Stats Technology Update, 3rd Edition 2012, Veaux.Velleman.Bock, Solutions Manual

Intro Stats Technology Update, 3rd Edition 2012, Veaux.Velleman.Bock, Test Bank

Introduction to Agricultural Economics, 5th Edition, Penson.Capps.Capps.Rosson.Woodward, Instructor Manual

Introduction to Agricultural Economics, 5th Edition, Penson.Capps.Capps.Rosson.Woodward, Test Bank

Introduction to Animal Science; Global_Biological_Social and Industry Perspectives, 4th Edition, Stephen Damron, Instructor Manual

Introduction to Animal Science; Global_Biological_Social and Industry Perspectives, 4th Edition, Stephen Damron, Test Bank

Introduction to Applied Geophysics; Exploring the Shallow Subsurface, 1st Edition, Burger.Sheehan.Jones, Solutions Manual

Introduction to Counseling; Voices from the Field, 7th Edition 2011, Kottler.Shepard, Instructor Manual

Introduction to Counseling; Voices from the Field, 7th Edition 2011, Kottler.Shepard, Test Bank

Introduction to Econometrics, 3rd Edition, Stock.Watson, Solutions Manual

Introduction to Econometrics, 3rd Edition, Stock.Watson, Test Bank

Introduction to Economic Growth, 2nd Edition, Jones, Solutions Manual

Introduction to Electronic Commerce, 3rd Edition 2011, Turban.King.Lang, Instructor Manual

Introduction to Electronic Commerce, 3rd Edition 2011, Turban.King.Lang, Test Bank

Introduction To Excel, 4th Edition, Kuncicky.Larsen, Solutions Manual

Introduction to Forensic Anthropology, 4th Edition 2011, Byers, Instructor Manual

Introduction to Forensic Anthropology, 4th Edition 2011, Byers, Test Bank

Introduction to Genetic Principles, 1st Edition, Hyde, Test Bank

Introduction to Geography, 13th Edition 2011, Getis.Getis.Bjelland.Fellmann, Instructor Manual

Introduction to Geography, 13th Edition 2011, Getis.Getis.Bjelland.Fellmann, Test Bank

Introduction to Languages and the Theory of Computation, 4th Edition 2011, John Martin, Solutions Manual

Introduction to Managerial Accounting_Canadian, 3rd Edition 2011, Brewer.Ray.Noreen.Kalagnanam.Vaidyanathan, Test Bank

Introduction to MATLABr for Engineers, 3rd Edition, William Palm III, Solutions Manual

Introduction to Mechatronics and Measurement Systems, 4th Edition 2012, Alciatore.Histand, Solutions Manual

Introduction to Ocean Sciences, 2nd Edition, Segar, Instructor Manual

Introduction to Ocean Sciences, 2nd Edition, Segar, Test Bank

Introduction to Programming Using Visual Basic 2010, 8th Edition 2011, Schneider, Test Bank

Introduction to Programming with Visual Basic 6 0 Update Edition, 4th Edition, Schneider, Solutions Manual

Introduction to Programming with Visual Basic 6 0 Update Edition, 4th

Edition, Schneider, Test Bank

Introduction to Schenkerian Analysis Form and Content in Tonal Music, 1st Edition, Forte.Gilbert, Instructor Manual

Introduction to Sociology, 7th Edition, Giddens.Duneier.Appelbaum.Carr, Instructor Manual

Introduction to Sociology, 7th Edition, Giddens.Duneier.Appelbaum.Carr, Test Bank

Introduction to Special Education; Making A Difference 7th Edition, Smith.Tyler, Instructor Manual

Introduction to Special Education; Making A Difference 7th Edition, Smith.Tyler, Test Bank

Introduction to Theories of Personality, 8th Edition 2011, Olson.Hergenhahn, Instructor Manual

Introduction to Theories of Personality, 8th Edition 2011, Olson.Hergenhahn, Test Bank

Introductory Algebra, 4th Edition 2012, Elayn Martin-Gay, Instructor Manual & Solutions Manual

Introductory Algebra, 4th Edition 2012, Elayn Martin-Gay, Test Bank

Introductory Chemistry Essentials with MasteringChemistryr, 4th Edition 2012, Tro, Instructor Manual

Introductory Chemistry Essentials with MasteringChemistryr, 4th Edition 2012, Tro, Test Bank

Introductory Chemistry with MasteringChemistryr, 4th Edition 2012, Tro, Instructor Manual

Introductory Chemistry with MasteringChemistryr, 4th Edition 2012, Tro, Test Bank

Introductory Statistics, 9th Edition 2012, Weiss, Solutions Manual

Introductory Statistics, 9th Edition 2012, Weiss, Solutions Manual

Introductory Statistics, 9th Edition 2012, Weiss, Test Bank

Introductory Statistics, 9th Edition 2012, Weiss, Test Bank

Inventing America, 2nd Edition, Maier.Smith.Keyssar.Kevles, Instructor Manual

Inventing America, 2nd Edition, Maier.Smith.Keyssar.Kevles, Test Bank

Investments, 9th Edition 2011, Bodie.Kane.Marcus, Instructor Manual & Solutions Manual

Investments, 9th Edition 2011, Bodie.Kane.Marcus, Test Bank

IPC, 1st Edition 2012, West.Turner, Instructor Manual

Janson's History of Art; The Western Tradition, 8th Edition 2011, Davies.Denny.Hofrichter.Jacobs.Roberts.Simon, Instructor Manual

Janson's History of Art; The Western Tradition, 8th Edition 2011, Davies.Denny.Hofrichter.Jacobs.Roberts.Simon, Test Bank

Java How to Program (early objects), 9th Edition, Deitel.Deitel, Solutions Manual

Java How to Program (early objects), 9th Edition, Deitel.Deitel, Test Bank

Java Programming, 6th Edition 2012, Joyce Farrell, Instructor Manual & Solutions Manual

Java Programming, 6th Edition 2012, Joyce Farrell, Test Bank

Java Programming; Comprehensive Concepts and Techniques, 3rd Edition, Shelly.Cashman.Starks.Mick, Instructor Manual & Solutions Manual

Java Programming; Comprehensive Concepts and Techniques, 3rd Edition, Shelly.Cashman.Starks.Mick, Test Bank

Java Programming; From the Ground Up, 1st Edition, Bravaco.Simonson, Solutions Manual

Java Software Solutions; Foundations of Program Design, 7th Edition 2012, Lewis.Loftus, Solutions Manual

Java Software Structures; Designing and Using Data Structures, 3rd Edition, Lewis.Chase, Test Bank

Jazz, 1st Edition, DeVeaux.Giddins, Instructor Manual

Jazz, 1st Edition, DeVeaux.Giddins, Test Bank

Jazz; Essential Listening, 1st Edition, DeVeaux.Giddins, Instructor Manual

Jazz; Essential Listening, 1st Edition, DeVeaux.Giddins, Test Bank

Just Business; Arguments in Business Ethics, 1st Edition 2012, Martin Sandbu, Instructor Manual

Just Business; Arguments in Business Ethics, 1st Edition 2012, Martin Sandbu, Test Bank

Juvenile Justice Today, 1st Edition 2012, Vito.Kunselman, Instructor Manual

Keys to Business Communication, 1st Edition 2012, Carol Carter, Instructor Manual

Keys to Business Communication, 1st Edition 2012, Carol Carter, Test Bank

Kozier & Erb's Fundamentals of Nursing, 9th Edition 2012, Berman.Snyder, Instructor Manual

Kozier & Erb's Fundamentals of Nursing, 9th Edition 2012, Berman.Snyder, Test Bank

Labor Economics, 1st Edition, Derek Laing, Test Bank

Labor Relations and Collective Bargaining, 9th Edition, Carrell.Heavrin, Instructor Manual

Labor Relations and Collective Bargaining, 9th Edition, Carrell.Heavrin, Test Bank

Laboratory Manual for Introductory Geology, 1st Edition, Ludman.Marshak, Instructor Manual & Solutions Manual

Laboratory Manual in Physical Geology, 9th Edition 2012, Busch, Instructor Manual

LabVIEW for Everyone; Graphical Programming Made Easy and Fun, 3rd Edition, Travis.Kring, Solutions Manual

Language Development From Theory to Practice, 2nd Edition 2012, Turnbull.Justice, Instructor Manual

Language Development From Theory to Practice, 2nd Edition 2012, Turnbull.Justice, Test Bank

Launching New Ventures; An Entrepreneurial Approach, 6th Edition 2012, Allen, Test Bank

Law & Economics, 1st Edition, Harrison.Theuuwes, Solutions Manual

Law and Economics, 6th Edition 2012, Cooter.Ulen, Instructor Manual

Law and Ethics in the Business Environment, 7th Edition 2012, Halbert.Ingulli, Instructor Manual

Law and Ethics in the Business Environment, 7th Edition 2012, Halbert.Ingulli, Test Bank

Law for Business, 10th Edition, Barnes.Dworkin.Richards, Instructor

Manual

Law for Business, 10th Edition, Barnes.Dworkin.Richards, Test Bank

Law for Business, 11th Edition 2012, Barnes.Dworkin.Richards, Instructor Manual

Law for Business, 11th Edition 2012, Barnes.Dworkin.Richards, Test Bank

Learning & Memory, 1st Edition, Howard Eichenbaum, Test Bank

Learning and Behavior; Active Learning Edition, 6th Edition, Paul Chance, Test Bank

Learning Microsoft Office 2010_Advanced Student Edition, 1st Edition 2011, Emergent Learning LLC.Weixel.Wempen.Skintik, Instructor Manual & Solutions Manual

Level Three Leadership; Getting Below the Surface, 5th Edition 2012, Clawson, Instructor Manual

Level Three Leadership; Getting Below the Surface, 5th Edition 2012, Clawson, Test Bank

Life in the Universe, 3rd Edition 2012, Bennett.Shostak, Test Bank

LIFE, 1st Edition 2011, Postlethwait.Hopson, Instructor Manual

LIFE, 1st Edition 2011, Postlethwait.Hopson, Test Bank

Life-Span Human Development, 7th Edition 2012, Sigelman.Rider, Test Bank

Lifelong Motor Development, 6th Edition 2012, Gabbard, Instructor Manual

Lifelong Motor Development, 6th Edition 2012, Gabbard, Test Bank

Lifespan Development, 6th Edition 2012, Boyd.Bee, Instructor Manual

Lifespan Development, 6th Edition 2012, Boyd.Bee, Test Bank

Linear Algebra and Its Applications, 4th Edition 2012, Lay, Instructor Manual & Solutions Manual

Linear Algebra with Applications, 8th Edition, Steve Leon, Solutions Manual

Linux+ Guide to Linux Certification, 2nd Edition, Eckert.Schitka, Instructor Manual & Solutions Manual

Linux+ Guide to Linux Certification, 2nd Edition, Eckert.Schitka, Test

Bank

Linux+ Guide to Linux Certification, 3rd Edition 2012, Jason Eckert, Instructor Manual & Solutions Manual

Linux+ Guide to Linux Certification, 3rd Edition 2012, Jason Eckert, Test Bank

Literacy; Helping Students Construct Meaning, 8th Edition 2012, Cooper.Kiger.Robinson, Instructor Manual

Literacy; Helping Students Construct Meaning, 8th Edition 2012, Cooper.Kiger.Robinson, Test Bank

Living Democracy_Brief National Edition, 3rd Edition 2011, Shea.Smith.Green, Instructor Manual

Living Democracy_Brief National Edition, 3rd Edition 2011, Shea.Smith.Green, Test Bank

Looking at Movies; An Introduction to Film, 3rd Edition, Barsam.Monahan, Test Bank

M; Advertising, 1st Edition 2012, Arens.Schaefer.Weigold, Instructor Manual

M; Advertising, 1st Edition 2012, Arens.Schaefer.Weigold, Test Bank

M; Business Communication, 2nd Edition 2012, Flatley.Rentz.Lentz, Instructor Manual

M; Business Communication, 2nd Edition 2012, Flatley.Rentz.Lentz, Test Bank

M; Finance; Applications and Theory, 1st Edition 2012, Cornett.Adair.Nofsinger, Instructor Manual & Solutions Manual

M; Finance; Applications and Theory, 1st Edition 2012, Cornett.Adair.Nofsinger, Test Bank

M; Organizational Behavior, 1st Edition 2012, McShane.Glinow, Instructor Manual

M; Organizational Behavior, 1st Edition 2012, McShane.Glinow, Test Bank

Macroeconomics for Today, 7th Edition 2011, Tucker, Instructor Manual

Macroeconomics for Today, 7th Edition 2011, Tucker, Test Bank

Macroeconomics plus MyEconLab with Pearson Etext Student Access Code Card Package, 12th Edition 2012, Gordon, Test Bank

Macroeconomics, 10th Edition 2011, Slavin, Instructor Manual

Macroeconomics, 10th Edition 2011, Slavin, Test Bank

Macroeconomics, 11th Edition 2011, Dornbusch.Fischer.Startz, Instructor Manual & Solutions Manual

Macroeconomics, 11th Edition 2011, Dornbusch.Fischer.Startz, Test Bank

Macroeconomics, 19th Edition, McConnell.Brue.Flynn, Instructor Manual & Solutions Manual

Macroeconomics, 19th Edition, McConnell.Brue.Flynn, Test Bank

Macroeconomics, 1st Edition, Jones, Instructor Manual

Macroeconomics, 1st Edition, Jones, Test Bank

Macroeconomics, 2nd Edition, Jones, Test Bank

Macroeconomics, 9th Edition 2012, McEachern, Instructor Manual

Macroeconomics, 9th Edition 2012, McEachern, Test Bank

Macroeconomics, 9th Edition, Richard T Froyen, Instructor Manual

Macroeconomics, 9th Edition, Richard T Froyen, Test Bank

Macroeconomics; Economic Crisis Update, 1st Edition, Jones, Instructor Manual

Macroeconomics; Economic Crisis Update, 1st Edition, Jones, Test Bank

Macroeconomics; Economic Growth_Fluctuations_and Policy, 6th Edition, Hall.Papell, Instructor Manual

Macroeconomics; Economic Growth_Fluctuations_and Policy, 6th Edition, Hall.Papell, Test Bank

Macroeconomics; Policy and Practice plus MyEconLab with Pearson Etext Student Access Code Card Package, 1st Edition 2012, Mishkin, Instructor Manual

Macroeconomics; Policy and Practice plus MyEconLab with Pearson Etext Student Access Code Card Package, 1st Edition 2012, Mishkin, Test Bank

Macroeconomics; Principles_Applications and Tools plus MyEconLab with Pearson Etext Student Access Code Card Package, 7th Edition 2012, O'Sullivan.Sheffrin.Perez, Instructor Manual

Macroeconomics; Principles_Applications and Tools plus MyEconLab with Pearson Etext Student Access Code Card Package, 7th Edition 2012, O'Sullivan.Sheffrin.Perez, Test Bank

Making America; A History of the United States, 6th Edition 2012, Berkin.Miller.Cherny.Gormly, Test Bank

Management Accounting; Information for Decision-Making and Strategy Execution, 6th Edition 2012, Atkinson.Kaplan.Matsumura.Young, Instructor Manual & Solutions Manual

Management Accounting; Information for Decision-Making and Strategy Execution, 6th Edition 2012, Atkinson.Kaplan.Matsumura.Young, Test Bank

Management Information Systems, 10th Edition, O'Brien.Marakas, Instructor Manual

Management Information Systems, 10th Edition, O'Brien.Marakas, Test Bank

Management Information Systems, 12th Edition 2012, Laudon.Laudon, Instructor Manual & Solutions Manual

Management Information Systems, 12th Edition 2012, Laudon.Laudon, Test Bank

Management of Occupational Health and Safety, 5th Edition 2011, Kelloway.Francis, Instructor Manual

Management of Occupational Health and Safety, 5th Edition 2011, Kelloway.Francis, Test Bank

Management Skills for Everyday Life, 3rd Edition 2012, Paula Caproni, Instructor Manual

Management Skills for Everyday Life, 3rd Edition 2012, Paula Caproni, Test Bank

Management, 10th Edition 2012, Daft, Instructor Manual

Management, 10th Edition 2012, Daft, Test Bank

Management, 11th Edition 2012, Robbins.Coulter, Instructor Manual

Management, 11th Edition 2012, Robbins.Coulter, Test Bank

Management, 1st Edition 2012, Gomez-Mejia-Balkin, Instructor Manual

Management, 1st Edition 2012, Gomez-Mejia-Balkin, Test Bank

Management, 3rd Edition 2012, Hitt.Black.Porter, Instructor Manual

Management, 3rd Edition 2012, Hitt.Black.Porter, Test Bank

Management; A Focus on Leaders, 1st Edition 2012, Annie McKee,

Instructor Manual

Management; A Focus on Leaders, 1st Edition 2012, Annie McKee, Test Bank

Management; A Practical Introduction, 5th Edition, Kinicki.Williams, Instructor Manual

Management; A Practical Introduction, 5th Edition, Kinicki.Williams, Test Bank

Management; The New Workplace, 7th Edition 2011, Daft.Marcic, Instructor Manual

Management; The New Workplace, 7th Edition 2011, Daft.Marcic, Test Bank

Managerial Accounting, 14th Edition 2012, Garrison.Noreen.Brewer, Instructor Manual & Solutions Manual

Managerial Accounting, 14th Edition 2012, Garrison.Noreen.Brewer, Test Bank

Managerial Economics, 7th Edition, Allen.Weigelt.Doherty, Instructor Manual

Managerial Economics, 7th Edition, Allen.Weigelt.Doherty, Test Bank

Managerial Economics; Applications_Strategy and Tactics, 12th Edition 2011, McGuigan.Moyer.Harris, Instructor Manual

Managerial Economics; Applications_Strategy and Tactics, 12th Edition 2011, McGuigan.Moyer.Harris, Test Bank

Managing Business Ethics, 5th Edition, Trevino.Nelson, Instructor Manual

Managing Business Ethics, 5th Edition, Trevino.Nelson, Test Bank

Managing Human Resources, 7th Edition 2012, Gomez-Mejia.Balkin.Cardy, Instructor Manual

Managing Human Resources, 7th Edition 2012, Gomez-Mejia.Balkin.Cardy, Test Bank

Managing Human Resources; Productivity_Quality of Work Life, Profits, 8th Edition, Cascio, Test Bank

Managing Information Technology Projects, 6th Edition, Kathy Schwalbe, Test Bank

Managing Information Technology, 7th Edition 2012, Brown.DeHayes.Hoffer.Martin.Perkins, Instructor Manual

Managing Information Technology, 7th Edition 2012, Brown.DeHayes.Hoffer.Martin.Perkins, Test Bank

Managing Small Business; An Entrepreneurial Emphasis, 15th Edition, Moore.Petty.Palich.Justin, Instructor Manual

Managing Small Business; An Entrepreneurial Emphasis, 15th Edition, Moore.Petty.Palich.Justin, Test Bank

Marketing 2012, 16th Edition 2012, Pride.Ferrell, Instructor Manual

Marketing 2012, 16th Edition 2012, Pride.Ferrell, Test Bank

Marketing Management, 14th Edition 2012, Kotler.Keller, Instructor Manual

Marketing Management, 14th Edition 2012, Kotler.Keller, Test Bank

Marketing Research; An Aid to Decision Making, 3rd Edition, Shao.Zhou, Instructor Manual

Marketing Research; An Aid to Decision Making, 3rd Edition, Shao.Zhou, Test Bank

Marketing; An Introduction_Fourth Canadian Edition, 4th Edition 2012, Armstrong.Kotler.Trifts.Buchwitz, Instructor Manual

Marketing; An Introduction_Fourth Canadian Edition, 4th Edition 2012, Armstrong.Kotler.Trifts.Buchwitz, Test Bank

Marketing; An Introduction_Third Canadian Edition, 3rd Edition, Armstrong.Kotler.Cunningham.Buchwitz, Instructor Manual

Marketing; An Introduction_Third Canadian Edition, 3rd Edition, Armstrong.Kotler.Cunningham.Buchwitz, Test Bank

Marketing; Defined_Explained_Applied, 2nd Edition 2012, Michael Levens, Instructor Manual

Marketing; Defined_Explained_Applied, 2nd Edition 2012, Michael Levens, Test Bank

Marketing; Marketing in the 21st Century, 11th Edition, Evans.Berman, Instructor Manual

Marketing; Marketing in the 21st Century, 11th Edition, Evans.Berman, Test Bank

Marketing; Real People_Real Choices, 7th Edition 2012, Solomon.Marshall.Stuart, Instructor Manual

Marketing; Real People_Real Choices, 7th Edition 2012, Solomon.Marshall.Stuart, Test Bank

Marketing; The Core, 4th Edition 2011, Kerin.Hartley.Rudelius.Steffes, Instructor Manual

Marketing; The Core, 4th Edition 2011, Kerin.Hartley.Rudelius.Steffes, Test Bank

Marriages_Families_and Relationships Making Choices in a Diverse Society, 11th Edition 2012, Lamanna.Riedmann, Instructor Manual

Marriages_Families_and Relationships Making Choices in a Diverse Society, 11th Edition 2012, Lamanna.Riedmann, Test Bank

Maternal & Child Nursing Care, 3rd Edition, London.Ladewig.Ball.Bindler.Cowen, Test Bank

Mathematical Ideas, 12th Edition 2012, Miller.Heeren.Hornsby, Test Bank

Mathematical Modeling with Maple, 1st Edition 2012, Fox, Instructor Manual

Mathematical Reasoning for Elementary School Teachers, 6th Edition 2012, Long.DeTemple.Millman, Instructor Manual & Solutions Manual

Mathematical Reasoning for Elementary School Teachers, 6th Edition 2012, Long.DeTemple.Millman, Test Bank

Mathematics for Economists, 1st Edition, Simon and Lawrence Blume, Solutions Manual

Mathematics for Elementary Teachers; An Activity Approach, 8th Edition, Bennett.Burton.Nelson, Instructor Manual

Mathematics for Elementary Teachers; An Activity Approach, 8th Edition, Bennett.Burton.Nelson, Test Bank

Mathematics in Action; Algebraic_Graphical_and Trigonometric Problem Solving, 4th Edition 2012, Consortium for Foundation Mathematics, Instructor Manual

Mathematics in Action; Algebraic_Graphical_and Trigonometric Problem Solving, 4th Edition 2012, Consortium for Foundation Mathematics, Test Bank

Mathematics in Action; An Introduction to Algebraic_Graphical_and Numerical Problem Solving, 4th Edition 2012, Consortium for Foundation Mathematics, Instructor Manual

Mathematics in Action; An Introduction to Algebraic_Graphical_and Numerical Problem Solving, 4th Edition 2012, Consortium for Foundation Mathematics, Test Bank

Mathematics in Action; Prealgebra Problem Solving, 3rd Edition 2012, Consortium for Foundation Mathematics, Instructor Manual

Mathematics in Action; Prealgebra Problem Solving, 3rd Edition 2012, Consortium for Foundation Mathematics, Test Bank

Media Politics; A Citizen's Guide, 1st Edition, Iyengar.McGrady, Test Bank

Medical Language, 2nd Edition 2011, Turley, Instructor Manual

Medical Language, 2nd Edition 2011, Turley, Test Bank

Medical Surgical Nursing Care, 3rd Edition, Burke.LeMone.Mohn-Brown.Eby, Test Bank

Medical Terminology; A Word Building Approach, 7th Edition 2012, Jane Rice, Instructor Manual

Medical Terminology; A Word Building Approach, 7th Edition 2012, Jane Rice, Test Bank

Medical Terminology; Language for Health Care, 3rd Edition, Thierer.Nelson.Ward.Young, Instructor Manual

Medical Terminology; Language for Health Care, 3rd Edition, Thierer.Nelson.Ward.Young, Test Bank

Medical-Surgical Nursing; Concepts and Practice, 1st Edition, 1st Edition, Susan deWit, Test Bank, Elsevier Evolve

Medical-Surgical Nursing; Patient-Centered Collaborative Care, 6th Edition, Ignatavicius.Workman, Test Bank, Elsevier Evolve

Meteorology; Understanding the Atmosphere, 2nd Edition, Ackerman.Knox, Test Bank

MGMT4, 4th Edition 2012, Chuck Williams, Instructor Manual

MGMT4, 4th Edition 2012, Chuck Williams, Test Bank

Microbiology with Diseases by Body System with MasteringMicrobiologyr, 3rd Edition 2012, Bauman, Test Bank

Microbiology; A Systems Approach, 3rd Edition 2012, Marjorie Kelly Cowan, Instructor Manual

Microbiology; A Systems Approach, 3rd Edition 2012, Marjorie Kelly Cowan, Test Bank

Microbiology; An Evolving Science, 1st Edition, Slonczewski.Foster, Instructor Manual

Microbiology; An Evolving Science, 1st Edition, Slonczewski.Foster, Test Bank

Microbiology; An Evolving Science, 2nd Edition, Slonczewski.Foster, Instructor Manual

Microbiology; An Evolving Science, 2nd Edition, Slonczewski.Foster, Test Bank

Microeconomic Analysis, 3rd Edition, Varian, Solutions Manual

Microeconomics and Behavior, 8th Edition, Frank, Instructor Manual

Microeconomics and Behavior, 8th Edition, Frank, Test Bank

Microeconomics for Managers, 1st Edition, David Kreps, Instructor Manual

Microeconomics plus MyEconLab with Pearson Etext Student Access Code Card Package, 6th Edition 2012, Perloff, Instructor Manual

Microeconomics plus MyEconLab with Pearson Etext Student Access Code Card Package, 6th Edition 2012, Perloff, Test Bank

Microeconomics plus MyEconLab with Pearson Etext Student Access Code Card, 10th Edition 2012, Michael Parkin, Instructor Manual & Solutions Manual

Microeconomics plus MyEconLab with Pearson Etext Student Access Code Card, 10th Edition 2012, Michael Parkin, Test Bank

Microeconomics, 19th Edition, McConnell.Brue.Flynn, Instructor Manual & Solutions Manual

Microeconomics, 19th Edition, McConnell.Brue.Flynn, Test Bank

Microeconomics, 4th Edition, Besanko.Braeutigam, Instructor Manual & Solutions Manual

Microeconomics, 4th Edition, Besanko.Braeutigam, Test Bank

Microeconomics, 9th Edition 2012, McEachern, Instructor Manual

Microeconomics, 9th Edition 2012, McEachern, Test Bank

Microeconomics; Principles_Applications and Tools plus MyEconLab with Pearson Etext Student Access Code Card Package, 7th Edition 2012, O'Sullivan.Sheffrin.Perez

Microeconomics; Theory & Applications with Calculus, 2nd Edition, Perloff, Instructor Manual

Microeconomics; Theory & Applications with Calculus, 2nd Edition, Perloff, Test Bank

Microeconomics; Theory and Applications, 11th Edition, Edwin Mansfield and Gary Yohe, Instructor Manual

Microeconomics; Theory and Applications, 11th Edition, Edwin Mansfield and Gary Yohe, Test Bank

Microsoft Office 2007; Advanced Concepts and Techniques, 1st Edition, Shelly.Cashman.Vermaat, Test Bank

Microsoft Office 2007; Brief Concepts and Techniques, 1st Edition, Shelly.Cashman.Vermaat, Instructor Manual & Solutions Manual

Microsoft Office 2007; Brief Concepts and Techniques, 1st Edition, Shelly.Cashman.Vermaat, Test Bank

Microsoftr Access 2010 Illustrated Complete, 1st Edition 2011, Lisa Friedrichsen, Instructor Manual & Solutions Manual

Microsoftr Excel 2010 Intermediate; Illustrated Course Guide, 1st Edition 2011, Lynn Wermers, Instructor Manual & Solutions Manual

Microsoftr Office 2007; Advanced Concepts and Techniques, 1st Edition, Shelly.Cashman.Vermaat, Test Bank

Microsoftr Office 2010 for Medical Professionals Illustrated, 1st Edition 2012, Beskeen.Duffy.Friedrichsen.Reding, Instructor Manual & Solutions Manual

Microsoftr Office 2010; Advanced, 1st Edition 2012, Cable.Morrison, Solutions Manual

Microsoftr Office 2010; Illustrated Projects, 1st Edition 2012, Carol Cram, Instructor Manual & Solutions Manual

Microsoftr PowerPointr 2010; Comprehensive, 1st Edition 2012, Shelly.Sebok, Instructor Manual & Solutions Manual

Microsoftr PowerPointr 2010; Comprehensive, 1st Edition 2012, Shelly.Sebok, Test Bank

Microsoftr Publisher 2010 Comprehensive, 1st Edition 2012, Shelly.Starks, Instructor Manual & Solutions Manual

Microsoftr Visual C# 2010; An Introduction to Object-Oriented Programming, 4th Edition 2011, Joyce Farrell, Instructor Manual & Solutions Manual

Microsoftr Visual C# 2010; An Introduction to Object-Oriented Programming, 4th Edition 2011, Joyce Farrell, Test Bank

Microsoftr Word 2010; Comprehensive, 1st Edition 2012, Shelly.Vermaat, Instructor Manual & Solutions Manual

Microsoftr Word 2010; Comprehensive, 1st Edition 2012, Shelly.Vermaat, Test Bank

MIS Essentials, 2nd Edition 2012, David Kroenke, Instructor Manual

MIS Essentials, 2nd Edition 2012, David Kroenke, Test Bank

MIS2, 2nd Edition 2012, Hossein Bidgoli, Instructor Manual

MIS2, 2nd Edition 2012, Hossein Bidgoli, Test Bank

MKTG, 5th Edition 2012, Lamb.Hair.McDaniel, Instructor Manual

MKTG, 5th Edition 2012, Lamb.Hair.McDaniel, Test Bank

MM, 2nd Edition 2012, Dawn Iacobucci, Instructor Manual

MM, 2nd Edition 2012, Dawn Iacobucci, Test Bank

Modeling and Simulation of Dynamic Systems, 1st Edition 1997, Woods.Lawrence, Solutions Manual

Modern Business Statistics with Microsoftr Excelr, 4th Edition 2012, Anderson.Sweeney.Williams, Solutions Manual

Modern Business Statistics with Microsoftr Excelr, 4th Edition 2012, Anderson.Sweeney.Williams, Test Bank

Modern Database Management, 10th Edition, Hoffer.Ramesh.Topi, Test Bank

Modern Human Relations at Work, 11th Edition 2012, Hegar, Instructor Manual

Modern Human Relations at Work, 11th Edition 2012, Hegar, Test Bank

Modern Labor Economics; Theory and Public Policy, 11th Edition 2012, Ehrenberg.Smith, Instructor Manual

Modern Labor Economics; Theory and Public Policy, 11th Edition 2012, Ehrenberg.Smith, Test Bank

Modern Management; Concepts and Skills, 12th Edition 2012, Certo.Certo, Instructor Manual

Modern Management; Concepts and Skills, 12th Edition 2012, Certo.Certo, Test Bank

Modern Processor Design; Fundamentals of Superscalar Processors, 1st Edition, Shen.Lipasti, Solutions Manual

Molecular Biology, 5th Edition 2012, Weaver, Solutions Manual

Molecular Biology, 5th Edition 2012, Weaver, Test Bank

Money and Capital Markets; Financial Institutions and Instruments in a Global Marketplace, 10th Edition, Rose.Marquis, Instructor Manual

Money and Capital Markets; Financial Institutions and Instruments in a Global Marketplace, 10th Edition, Rose.Marquis, Test Bank

Money_Banking_and the Financial System plus MyEconLab with Pearson Etext Student Access Code Card Package, 1st Edition 2012, Hubbard.O'Brien, Instructor Manual

Money_Banking_and the Financial System plus MyEconLab with Pearson Etext Student Access Code Card Package, 1st Edition 2012, Hubbard.O'Brien, Test Bank

Multicultural Counseling and Psychotherapy; A Lifespan Approach, 5th Edition 2012, Baruth.Manning, Instructor Manual

Multicultural Counseling and Psychotherapy; A Lifespan Approach, 5th Edition 2012, Baruth.Manning, Test Bank

Natural Disasters, 8th Edition 2012, Abbott, Instructor Manual

Natural Disasters, 8th Edition 2012, Abbott, Test Bank

Natural Hazards; Earth's Processes as Hazards_Disasters and Catastrophes, 2nd Edition, Keller.Blodgett, Instructor Manual

Natural Hazards; Earth's Processes as Hazards_Disasters and Catastrophes, 2nd Edition, Keller.Blodgett, Test Bank

Natural Hazards; Earth's Processes as Hazards_Disasters and Catastrophes, 3rd Edition 2012, Keller.DeVecchio, Instructor Manual

Natural Hazards; Earth's Processes as Hazards_Disasters and Catastrophes, 3rd Edition 2012, Keller.DeVecchio, Test Bank

New Perspectives on Adobe Flash Professional CS5_Comprehensive, 1st Edition 2011, Lopez.Romer, Instructor Manual & Solutions Manual

New Perspectives on Adobe Flash Professional CS5_Comprehensive, 1st Edition 2011, Lopez.Romer, Test Bank

New Perspectives on Computer Concepts 2012; Comprehensive, 14th Edition 2012, Parsons.Oja, Instructor Manual & Solutions Manual

New Perspectives on Computer Concepts 2012; Comprehensive, 14th Edition 2012, Parsons.Oja, Test Bank

New Perspectives on HTML and CSS Brief, 6th Edition 2012, Carey, Instructor Manual & Solutions Manual

New Perspectives on HTML and CSS Brief, 6th Edition 2012, Carey, Test Bank

New Perspectives on HTML and CSS Comprehensive, 6th Edition 2012, Carey, Instructor Manual & Solutions Manual

New Perspectives on Microsoft Windows 2000 MS-DOS Command Line_Comprehensive_Windows XP Enhanced, 2nd Edition, Phillips.Skagerberg, Instructor Manual & Solutions Manual

New Perspectives on Microsoft Windows 2000 MS-DOS Command Line_Comprehensive_Windows XP Enhanced, 2nd Edition, Phillips.Skagerberg, Test Bank

New Perspectives on Microsoftr Excelr 2010; Comprehensive, 1st Edition 2011, Parsons.Oja.Ageloff.Carey, Instructor Manual & Solutions Manual

New Perspectives on Microsoftr Excelr 2010; Comprehensive, 1st Edition 2011, Parsons.Oja.Ageloff.Carey, Test Bank

New Perspectives on Microsoftr Office 2010_First Course, 1st Edition 2011, Shaffer.Carey.Parsons.Oja.Finnegan, Instructor Manual & Solutions Manual

New Perspectives on Microsoftr Office 2010_First Course, 1st Edition 2011, Shaffer.Carey.Parsons.Oja.Finnegan, Test Bank

New Perspectives on Microsoftr Office Access_2007_Introductory_Premium Video Edition, 1st Edition 2011, Adamski.Finnegan, Instructor Manual & Solutions Manual

New Perspectives on Microsoftr Office Access_2007_Introductory_Premium Video Edition, 1st Edition 2011, Adamski.Finnegan, Test Bank

New Perspectives on Microsoftr Office Excel_2007_Introductory_Premium Video Edition, 1st Edition 2011, Adamski.Finnegan, Instructor Manual & Solutions Manual

New Perspectives on Microsoftr Office Excel_2007_Introductory_Premium Video Edition, 1st Edition 2011, Adamski.Finnegan, Test Bank

New Perspectives on Microsoftr Windows 7 for Power Users, 1st Edition 2012, Phillips, Instructor Manual & Solutions Manual

New Perspectives on Microsoftr Windows 7 for Power Users, 1st Edition 2012, Phillips, Test Bank

New Perspectives on Microsoftr Windows 7_Introductory, 1st Edition 2011, Parsons.Oja.Ruffolo, Instructor Manual & Solutions Manual

New Perspectives on Microsoftr Windows 7_Introductory, 1st Edition 2011, Parsons.Oja.Ruffolo, Test Bank

New Perspectives on Photoshop CS5; Introductory, 1st Edition 2012, Jane Hosie-Bounar, Instructor Manual & Solutions Manual

New Perspectives on Photoshop CS5; Introductory, 1st Edition 2012, Jane Hosie-Bounar, Test Bank

New Venture Creation; Entrepreneurship for the 21st Century, 8th Edition, Timmons.Spinelli, Instructor Manual

New Venture Creation; Entrepreneurship for the 21st Century, 8th Edition, Timmons.Spinelli, Test Bank

Nursing Basics for Clinical Practice, 1st Edition, Berman.Snyder.McKinney, Test Bank

Nursing Today; Transition and Trends, 6th Edition, Zerwekh.Claborn, Test Bank, Elsevier Evolve

Nutrition Now, 5th Edition, Brown, Instructor Manual

Nutrition Now, 5th Edition, Brown, Test Bank

Nutrition; An Applied Approach, 3rd Edition 2012, Thompson.Manore, Instructor Manual

Nutrition; An Applied Approach, 3rd Edition 2012, Thompson.Manore, Test Bank

Object-Oriented & Classical Software Engineering, 8th Edition 2011, Schach, Solutions Manual

Oceanography; An Invitation to Marine Science, 7th Edition 2010, Garrison, Instructor Manual

Oceanography; An Invitation to Marine Science, 7th Edition 2010, Garrison, Test Bank

OM, 3rd Edition 2012, Collier.Evans, Instructor Manual

OM, 3rd Edition 2012, Collier.Evans, Test Bank

Operating Systems; Internals and Design Principles, 7th Edition 2012, William Stallings, Instructor Manual & Solutions Manual

Operating Systems; Internals and Design Principles, 7th Edition 2012, William Stallings, Test Bank

Operations Management, 11th Edition 2012, Stevenson, Instructor Manual & Solutions Manual

Operations Management, 11th Edition 2012, Stevenson, Test Bank

Operations Management, 13th Edition 2011, Jacobs.Chase, Instructor Manual & Solutions Manual

Operations Management, 13th Edition 2011, Jacobs.Chase, Test Bank

Operations Management, 4th Canadian Edition 2011, Stevenson, Test Bank

Operations Management; Contemporary Concepts and Cases, 5th Edition 2011, Schroeder.Goldstein.Rungtusanatham, Instructor Manual

Operations Management; Contemporary Concepts and Cases, 5th Edition 2011, Schroeder.Goldstein.Rungtusanatham, Test Bank

Operations Management; Creating Value Along the Supply Chain, 7th Edition, Russell.Taylor, Instructor Manual & Solutions Manual

Operations Management; Creating Value Along the Supply Chain, 7th Edition, Russell.Taylor, Test Bank

Options_Futures_and Other Derivatives, 8th Edition 2012, Hull, Instructor Manual

Options_Futures_and Other Derivatives, 8th Edition 2012, Hull, Test Bank

Oracle 11G; SQL, 2nd Edition 2010, Joan Casteel, Test Bank

Organic Chemistry, 3rd Edition 2011, Janice Gorzynski Smith, Test Bank

Organic Chemistry, 3rd Edition, Jones, Solutions Manual

Organic Chemistry, 4th Edition, Jones.Fleming, Instructor Manual

Organic Chemistry, 8th Edition 2012, McMurry, Test Bank

Organic Chemistry; A Short Course, 13th Edition 2012, Hart.Hadad.Craine.Hart, Instructor Manual

Organic Chemistry; A Short Course, 13th Edition 2012, Hart.Hadad.Craine.Hart, Test Bank

Organizational Behavior and Management in Law Enforcement, 3rd Edition 2012, More.Vito.Walsh, Instructor Manual

Organizational Behavior and Management in Law Enforcement, 3rd Edition 2012, More.Vito.Walsh, Test Bank

Organizational Behavior, 10th Edition 2012, Griffin.Moorhead, Instructor Manual

Organizational Behavior, 10th Edition 2012, Griffin.Moorhead, Test

Bank

Organizational Behavior; An Evidence-Based Approach, 12th Edition 2011, Fred Luthans, Instructor Manual

Organizational Behavior; An Evidence-Based Approach, 12th Edition 2011, Fred Luthans, Test Bank

Organizational Behavior; Core Concepts, 1st Edition, Kinicki.Kreitner, Instructor Manual

Organizational Behavior; Core Concepts, 1st Edition, Kinicki.Kreitner, Test Bank

Organizational Behavior; Core Concepts, 6th Edition, Robert Vecchio, Instructor Manual

Organizational Behavior; Core Concepts, 6th Edition, Robert Vecchio, Test Bank

Organizational Behavior; Tools for Success, 1st Edition 2012, Phillips.Gully, Instructor Manual

Organizational Behavior; Tools for Success, 1st Edition 2012, Phillips.Gully, Test Bank

Organizations; Behavior_Structure_Processes, 14th Edition 2012, Gibson.Ivancevich.Donnelly.Konopaske, Instructor Manual

Organizations; Behavior_Structure_Processes, 14th Edition 2012, Gibson.Ivancevich.Donnelly.Konopaske, Test Bank

Our Origins; Discovering Physical Anthropology, 1st Edition, Clark Spencer Larsen, Instructor Manual

Our Origins; Discovering Physical Anthropology, 1st Edition, Clark Spencer Larsen, Test Bank

Our Origins; Discovering Physical Anthropology, 2nd Edition, Clark Spencer Larsen, Instructor Manual

Our Origins; Discovering Physical Anthropology, 2nd Edition, Clark Spencer Larsen, Test Bank

Passage to Abstract Mathematics, 1st Edition 2012, Watkins.Meyer, Solutions Manual

Passage to Abstract Mathematics, 1st Edition 2012, Watkins.Meyer, Test Bank

Payroll Accounting 2011, 21st Edition, Bieg.Toland, Instructor Manual & Solutions Manual

Payroll Accounting 2011, 21st Edition, Bieg.Toland, Test Bank

Pediatric Nursing; Caring for Children and Their Families, 3rd Edition 2012, Potts.Barbara.Mandleco, Instructor Manual

Pediatric Nursing; Caring for Children and Their Families, 3rd Edition 2012, Potts.Barbara.Mandleco, Test Bank

Personal Finance, 10th Edition 2012, Kapoor.Dlabay.Hughes, Instructor Manual

Personal Finance, 10th Edition 2012, Kapoor.Dlabay.Hughes, Test Bank

Personal Financial Literacy, 2nd Edition 2012, Joan Ryan, Instructor Manual & Solutions Manual

Personal Financial Literacy, 2nd Edition 2012, Joan Ryan, Test Bank

Personal Nutrition, 7th Edition, Boyle.Roth, Instructor Manual & Solutions Manual

Personal Nutrition, 7th Edition, Boyle.Roth, Test Bank

Pharmacology and the Nursing Process, 6th Edition, Lilley.Collins.Harrington.Snyder, Test Bank, Elsevier Evolve

Pharmacology for Nursing Care, 7th Edition, Lehne, Test Bank, Elsevier Evolve

Pharmacology; A Nursing Process Approach, 6th Edition, Kee.Hayes.McCuistion, Test Bank, Elsevier Evolve

Pharmacology; An Introduction, 6th Edition 2012, Hitner.Nagle, Instructor Manual

Pharmacology; An Introduction, 6th Edition 2012, Hitner.Nagle, Test Bank

Physical Anthropology and Archaeology_Third Canadian Edition, 3rd Edition, Ember.Ember.Peregrine.Hoppa, Instructor Manual

Physical Anthropology and Archaeology_Third Canadian Edition, 3rd Edition, Ember.Ember.Peregrine.Hoppa, Test Bank

Physics for Engineers and Scientists, 3rd Edition, Ohanian.Markert, Solutions Manual

Physics for Engineers and Scientists, 3rd Edition, Ohanian.Markert, Test Bank

Playing Politics, 1st Edition, Grant, Instructor Manual

Police Administration; Structures_Processes_and Behavior, 8th Edition

2012, Swanson.Territo.Taylor, Instructor Manual

Police Administration; Structures_Processes_and Behavior, 8th Edition 2012, Swanson.Territo.Taylor, Test Bank

Policing America; Challenges & Best Practices, 7th Edition 2012, Peak, Instructor Manual

Policing America; Challenges & Best Practices, 7th Edition 2012, Peak, Test Bank

Policing in America; A Balance of Forces, 4th Edition, Travis.Langworthy, Instructor Manual

Policing in America; A Balance of Forces, 4th Edition, Travis.Langworthy, Test Bank

Politics in a Changing World, 5th Edition, Ethridge.Handelman, Instructor Manual

Politics in a Changing World, 5th Edition, Ethridge.Handelman, Test Bank

Practical Guide to Fedora and Red Hat Enterprise Linux, 5th Edition, Sobell, Solutions Manual

Practical Investment Management, 4th Edition, Strong, Instructor Manual

Practical Investment Management, 4th Edition, Strong, Test Bank

Practical Management Science, 4th Edition 2012, Winston.Christian.Albright, Instructor Manual & Solutions Manual

Practical Management Science, 4th Edition 2012, Winston.Christian.Albright, Test Bank

Practical Management Science_Revised, 3rd Edition, Winston.Albright, Solutions Manual

Practicing Texas Politics, 14th Edition 2012, Brown.Langenegger.Garc=C2=A1a.Lewis.Biles, Test Bank

Prealgebra and Introductory Algebra, 3rd Edition 2012, Bittinger.Ellenbogen.Beecher.Johnson, Solutions Manual

Prealgebra and Introductory Algebra, 3rd Edition 2012, Bittinger.Ellenbogen.Beecher.Johnson, Test Bank

Prealgebra, 6th Edition 2012, Bittinger.Ellenbogen.Johnson, Instructor Manual & Solutions Manual

Prealgebra, 6th Edition 2012, Bittinger.Ellenbogen.Johnson, Test Bank

Prentice Hall's Federal Taxation 2012 Comprehensive, 25th Edition 2012, Pope.Anderson.Kramer, Instructor Manual & Solutions Manual

Prentice Hall's Federal Taxation 2012 Comprehensive, 25th Edition 2012, Pope.Anderson.Kramer, Test Bank

Prentice Hall's Federal Taxation 2012 Corporations_Partnerships_Estates & Trusts, 25th Edition 2012, Anderson.Pope.Kramer, Instructor Manual & Solutions Manual

Prentice Hall's Federal Taxation 2012 Corporations_Partnerships_Estates & Trusts, 25th Edition 2012, Anderson.Pope.Kramer, Test Bank

Prentice Hall's Federal Taxation 2012 Individuals, 25th Edition 2012, Anderson.Pope.Kramer, Instructor Manual & Solutions Manual

Prentice Hall's Federal Taxation 2012 Individuals, 25th Edition 2012, Anderson.Pope.Kramer, Test Bank

Principles and Applications of Electrical Engineering, 5th Edition, Giorgio Rizzoni, Solutions Manual

Principles and Practices of Commercial Construction, 8th Edition, Andres.Smith, Instructor Manual

Principles of Anatomy and Physiology, 13th Edition, Tortora.Derrickson, Test Bank

Principles of Animal Behavior, 2nd Edition, Lee Alan Dugatkin, Instructor Manual

Principles of Auditing & Other Assurance Services, 18th Edition 2012, Whittington.Pany, Solutions Manual

Principles of Auditing & Other Assurance Services, 18th Edition 2012, Whittington.Pany, Test Bank

Principles of Business, 8th Edition 2012, Dlabay.Burrow.Kleindl, Instructor Manual & Solutions Manual

Principles of Business, 8th Edition 2012, Dlabay.Burrow.Kleindl, Test Bank

Principles of Criminal Law, 5th Edition 2012, Wallace.Roberson, Instructor Manual

Principles of Criminal Law, 5th Edition 2012, Wallace.Roberson, Test Bank

Principles of Economics plus MyEconLab with Pearson Etext Student Access Code Card Package, 10th Edition 2012, Case.Fair.Oster,

Instructor Manual

Principles of Economics plus MyEconLab with Pearson Etext Student Access Code Card Package, 10th Edition 2012, Case.Fair.Oster, Test Bank

Principles of Economics, 6th Edition 2012, Gregory Mankiw, Instructor Manual

Principles of Economics, 6th Edition 2012, Gregory Mankiw, Test Bank

Principles of Environmental Science Companion Site, 6th Edition 2011, Cunningham.Cunningham, Instructor Manual & Solutions Manual

Principles of Environmental Science Companion Site, 6th Edition 2011, Cunningham.Cunningham, Test Bank

Principles of Fraud Examination, 3rd Edition, Wells, Instructor Manual & Solutions Manual

Principles of Fraud Examination, 3rd Edition, Wells, Test Bank

Principles of Information Security, 4th Edition 2012, Whitman.CISM.CISSP.Mattord.MBA.CISM.CISSP, Instructor Manual & Solutions Manual

Principles of Information Security, 4th Edition 2012, Whitman.CISM.CISSP.Mattord.MBA.CISM.CISSP, Instructor Manual & Solutions Manual

Principles of Information Security, 4th Edition 2012, Whitman.CISM.CISSP.Mattord.MBA.CISM.CISSP, Test Bank

Principles of Information Security, 4th Edition 2012, Whitman.CISM.CISSP.Mattord.MBA.CISM.CISSP, Test Bank

Principles of Information Systems, 10th Edition 2012, Stair.Reynolds, Instructor Manual & Solutions Manual

Principles of Information Systems, 10th Edition 2012, Stair.Reynolds, Test Bank

Principles of Leadership_International Edition, 6th Edition, DuBrin, Instructor Manual

Principles of Leadership_International Edition, 6th Edition, DuBrin, Test Bank

Principles of Macroeconomics plus MyEconLab with Pearson Etext Student Access Code Card Package, 10th Edition 2012, Case.Fair.Oster, Instructor Manual

Principles of Macroeconomics plus MyEconLab with Pearson Etext Student

Access Code Card Package, 10th Edition 2012, Case.Fair.Oster, Test Bank

Principles of Macroeconomics, 6th Edition 2012, Gregory Mankiw, Instructor Manual

Principles of Macroeconomics, 6th Edition 2012, Gregory Mankiw, Test Bank

Principles of Management, 11th Edition, Robert Kreitner, Instructor Manual

Principles of Management, 11th Edition, Robert Kreitner, Test Bank

Principles of Management, 1st Edition, Hill.McShane, Test Bank

Principles of Managerial Finance plus MyFinanceLab with Pearson eText Student Access Code Card Package, 13th 2012, Gitman, Instructor Manual & Solutions Manual

Principles of Managerial Finance plus MyFinanceLab with Pearson eText Student Access Code Card Package, 13th 2012, Gitman, Test Bank

Principles of Managerial Finance, 13th 2012, Gitman, Instructor Manual & Solutions Manual

Principles of Managerial Finance, 13th 2012, Gitman, Test Bank

Principles of Managerial Finance, Brief plus MyFinanceLab with Pearson eText Student Access Code Card Package, 6th Edition 2012, Gitman.Zutter, Instructor Manual

Principles of Managerial Finance, Brief plus MyFinanceLab with Pearson eText Student Access Code Card Package, 6th Edition 2012, Gitman.Zutter, Test Bank

Principles of Managerial Finance_Brief, 6th Edition 2012, Gitman.Zutter, Instructor Manual

Principles of Managerial Finance_Brief, 6th Edition 2012, Gitman.Zutter, Test Bank

Principles of Marketing, 14th Edition 2012, Kotler.Armstrong, Instructor Manual

Principles of Marketing, 14th Edition 2012, Kotler.Armstrong, Test Bank

Principles of Microeconomics plus MyEconLab with Pearson Etext Student Access Code Card Package, 10th Edition 2012, Case.Fair.Oster, Instructor Manual

Principles of Microeconomics plus MyEconLab with Pearson Etext Student

Access Code Card Package, 10th Edition 2012, Case.Fair.Oster, Test Bank

Principles of Microeconomics, 6th Edition 2012, Gregory Mankiw, Instructor Manual

Principles of Microeconomics, 6th Edition 2012, Gregory Mankiw, Test Bank

Principles of Modern Chemistry, 7th Edition 2012, Oxtoby.Gillis.Campion, Test Bank

Principles of Modern Manufacturing_SI Version, 4th Edition, Groover, Solutions Manual

Principles of Program Design; Problem-Solving with JavaScript, 1st Edition 2012, Paul Addison, Instructor Manual & Solutions Manual

Principles of Program Design; Problem-Solving with JavaScript, 1st Edition 2012, Paul Addison, Test Bank

Principles of Statistics for Engineers and Scientists, 1st Edition, William Navidi, Solutions Manual

Principles of Taxation for Business and Investment Planning, 15th Edition 2012, Jones.Rhoades-Catanach, Instructor Manual

Principles of Taxation for Business and Investment Planning, 15th Edition 2012, Jones.Rhoades-Catanach, Test Bank

Principles of Web Design; The Web Technologies Series, 5th Edition 2012, Joel Sklar, Solutions Manual

Probability and Statistics for Engineers and Scientists, 9th Edition 2012, Walpole.Myers.Myers.Ye.Ye, Solutions Manual

Probability and Statistics, 4th Edition 2012, DeGroot.Schervish, Solutions Manual

Probation and Parole; Theory and Practice, 11th Edition 2012, Howard Abadinsky, Test Bank

Problem Solving and Programming Concepts, 9th Edition 2012, Sprankle.Hubbard, Solutions Manual

Problem Solving and Programming Concepts, 9th Edition 2012, Sprankle.Hubbard, Test Bank

Problem Solving Cases in Microsoftr Access and Excelr, 9th Edition 2012, Monk.Brady.Gerard.Cook, Solutions Manual

Problem Solving with C++, 8th Edition 2012, Walter Savitch, Instructor Manual & Solutions Manual

Problem Solving with C++, 8th Edition 2012, Walter Savitch, Test Bank

Professional Ethics in Criminal Justice; Being Ethical When No One is Looking, 3rd Edition 2012, Albanese, Test Bank

Professional Nursing; Concepts and Challenges, 6th Edition, Chitty.Black, Test Bank, Elsevier Evolve

Professionalism; Skills for Workplace Success, 2nd Edition, Anderson.Bolt, Instructor Manual

Professionalism; Skills for Workplace Success, 2nd Edition, Anderson.Bolt, Test Bank

Program Development and Design Using C++, 3rd Edition, Bronson, Instructor Manual & Solutions Manual

Program Development and Design Using C++, 3rd Edition, Bronson, Test Bank

Programmable Logic Controllers, 4th Edition, Frank Petruzella, Instructor Manual & Solutions Manual

Programmable Logic Controllers, 4th Edition, Frank Petruzella, Test Bank

Programming Languages; Design and Implementation, 4th Edition, Pratt.Zelkowitz, Instructor Manual

Programming Languages; Design and Implementation, 4th Edition, Pratt.Zelkowitz, Test Bank

Programming Languages; Principles and Practices, 3rd Edition 2012, Louden.Lambert, Solutions Manual

Programming with Microsoftr Visual Basicr 2010, 5th Edition 2012, Diane Zak, Instructor Manual & Solutions Manual

Programming with Microsoftr Visual Basicr 2010, 5th Edition 2012, Diane Zak, Test Bank

Project Management in Practice, 4th Edition, Mantel, Instructor Manual

Project Management in Practice, 4th Edition, Mantel, Test Bank

Psychological Science, 3rd Edition, Gazzaniga.Heatherton.Halpern, Instructor Manual

Psychological Science, 3rd Edition, Gazzaniga.Heatherton.Halpern, Test Bank

Psychological Science_Canadian, 2nd Edition, Gazzaniga.Heatherton.McIntyre.Heine, Test Bank

Psychological Science_Canadian, 3rd Edition, Gazzaniga.Heatherton.Halpern.Heine, Instructor Manual

Psychological Science_Canadian, 3rd Edition, Gazzaniga.Heatherton.Halpern.Heine, Test Bank

Psychology Applied to Modern Life; Adjustment in the 21st Century, 10th Edition 2012, Weiten.Dunn.Hammer, Test Bank

Psychology Applied to Teaching, 13th Edition 2012, Snowman.McCown, Instructor Manual

Psychology Applied to Teaching, 13th Edition 2012, Snowman.McCown, Test Bank

Psychology of Language, 5th Edition, Carroll, Instructor Manual

Psychology of Language, 5th Edition, Carroll, Test Bank

Psychology of Learning and Behavior, 5th Edition, Schwartz.Wasserman.Robbins, Test Bank

Psychology, 3rd Edition 2012, Ciccarelli.White, Instructor Manual

Psychology, 3rd Edition 2012, Ciccarelli.White, Instructor Manual

Psychology, 3rd Edition 2012, Ciccarelli.White, Test Bank

Psychology, 3rd Edition 2012, Ciccarelli.White, Test Bank

Psychology, 8th Edition, Gleitman.Gross.Reisberg, Instructor Manual

Psychology, 8th Edition, Gleitman.Gross.Reisberg, Test Bank

Psychology, 9th Edition 2012, Bernstein.Penner.Clarke-Stewart.Roy, Instructor Manual

Psychology, 9th Edition 2012, Bernstein.Penner.Clarke-Stewart.Roy, Test Bank

Psychology; From Inquiry to Understanding, 2nd Edition 2011, Lilienfeld.Lynn.Namy.Woolf, Instructor Manual

Psychology; From Inquiry to Understanding, 2nd Edition 2011, Lilienfeld.Lynn.Namy.Woolf, Test Bank

Psychology; The Science of Mind and Behavior, 5th Edition 2011, Passer.Smith, Instructor Manual

Psychology; The Science of Mind and Behavior, 5th Edition 2011, Passer.Smith, Test Bank

Psychology_Third Canadian Edition, 3rd Edition, Wade.Tavris.Saucier.Elias, Instructor Manual

Psychology_Third Canadian Edition, 3rd Edition, Wade.Tavris.Saucier.Elias, Test Bank

Public Finance, 9th Edition, Rosen.Gayer, Instructor Manual

Public Finance, 9th Edition, Rosen.Gayer, Test Bank

Public Health Nursing; Population-Centered Health Care in the Community, 7th Edition, Stanhope.Lancaster, Test Bank, Elsevier Evolve

Public Policy of Crime and Criminal Justice, 2nd Edition 2012, Marion.Oliver, Instructor Manual

Public Policy of Crime and Criminal Justice, 2nd Edition 2012, Marion.Oliver, Test Bank

Public Speaking; The Evolving Art, 2nd Edition 2012, Coopman.Lull, Instructor Manual

Purchasing and Supply Chain Management, 5th Edition 2012, Monczka.Handfield.Giunipero.Patterson, Instructor Manual

Purchasing and Supply Chain Management, 5th Edition 2012, Monczka.Handfield.Giunipero.Patterson, Test Bank

Quality, 5th Edition, Summers, Instructor Manual

Quantitative Analysis for Management, 11th Edition 2012, Render.Stair.Hanna, Solutions Manual

Quantitative Analysis for Management, 11th Edition 2012, Render.Stair.Hanna, Test Bank

Quick Access, 6th Edition, Troyka.Hesse, Instructor Manual

Quick Access, 6th Edition, Troyka.Hesse, Test Bank

QuickBooks 2011; A Complete Course, 12th Edition 2012, Janet Horne, Instructor Manual & Solutions Manual

QuickBooks 2011; A Complete Course, 12th Edition 2012, Janet Horne, Test Bank

Race and Ethnicity in the United States, 6th Edition 2011, Schaefer, Instructor Manual

Race and Ethnicity in the United States, 6th Edition 2011, Schaefer, Test Bank

Racial and Ethnic Relations, 9th Edition 2011, Feagin.Feagin, Instructor Manual

Racial and Ethnic Relations, 9th Edition 2011, Feagin.Feagin, Test Bank

Readings for Sociology, 6th Edition, Garth Massey, Test Bank

Readings for Writers, 13th Edition, McCuen-Metherell.Winkler, Instructor Manual

Real Estate Law, 8th Edition 2012, Aalberts, Instructor Manual

Real Estate Law, 8th Edition 2012, Aalberts, Test Bank

Recruitment and Selection in Canada, 4th Edition, Catano.Wiesner.Hackett.Methot.Fitzgerald, Instructor Manual

Reinforced Concrete; A Fundamental Approach, 6th Edition, Edward G Nawy, Solutions Manual

Research Design in Counseling, 3rd Edition, Heppner.Wampold.Kivlighan, Test Bank

Research Methods for the Behavioral Sciences, 4th Edition 2012, Gravetter.Forzano, Instructor Manual

Research Methods for the Behavioral Sciences, 4th Edition 2012, Gravetter.Forzano, Test Bank

Research Methods; Are You Equipped, 1st Edition 2012, Bonds-Raacke.Raacke, Instructor Manual

Research Methods; Are You Equipped, 1st Edition 2012, Bonds-Raacke.Raacke, Test Bank

Residential Landscape Architecture, 5th Edition, Booth.Hiss, Instructor Manual

Roach's Introductory Clinical Pharmacology, 9th Edition, Ford MN.RN.Roach.RN, Test Bank, Lippincott

Rock and Roll; Its History and Stylistic Development, 6th Edition, Stuessy.Lipscomb, Instructor Manual

Sciences; An Integrated Approach, 6th Edition, Trefil.Hazen, Test Bank

SELL, 2nd Edition 2012, Ingram.LaForge.Avila.Schwepker.Williams, Instructor Manual

SELL, 2nd Edition 2012, Ingram.LaForge.Avila.Schwepker.Williams, Test Bank

Selling Today, 12th Edition 2012, Manning.Ahearne.Reece, Instructor Manual

Selling Today, 12th Edition 2012, Manning.Ahearne.Reece, Test Bank

Serial Murderers and their Victims, 5th Edition, Hickey, Instructor Manual

Serial Murderers and their Victims, 5th Edition, Hickey, Test Bank

Services Marketing; Concepts_Strategies_& Cases, 4th Edition 2011, Hoffman.Bateson, Instructor Manual

Services Marketing; Concepts_Strategies_& Cases, 4th Edition 2011, Hoffman.Bateson, Test Bank

SharePoint for Students, 1st Edition 2012, Cole.Fox.Kroenke, Instructor Manual

SimQuick with Excel and Software CD Package, 2nd Edition, David Hartvigsen, Instructor Manual & Solutions Manual

Simulation Modeling and Analysis, 4th Edition, Averill Law, Solutions Manual

Simulation with Arena, 5th Edition, Kelton.Sadowski.Swets, Solutions Manual

Small Business Management; Entrepreneurship and Beyond, 5th Edition 2012, Hatten, Instructor Manual

Small Business Management; Entrepreneurship and Beyond, 5th Edition 2012, Hatten, Test Bank

Smith and Roberson's Business Law, 15th Edition 2012, Mann.Roberts, Instructor Manual

Smith and Roberson's Business Law, 15th Edition 2012, Mann.Roberts, Test Bank

SOC, 2nd Edition 2012, Benokraitis, Instructor Manual & Solutions Manual

SOC, 2nd Edition 2012, Benokraitis, Test Bank

Social Problems,1st Edition, Joel Best, Instructor Manual

Social Problems,1st Edition, Joel Best, Test Bank

Social Psychology, 2nd Edition, Gilovich.Keltner.Nisbett, Instructor Manual

Social Psychology, 2nd Edition, Gilovich.Keltner.Nisbett, Test Bank

Society; The Basics, 11th Edition, Macionis, Instructor Manual

Society; The Basics, 11th Edition, Macionis, Test Bank

Sociology; A Brief Introduction, 9th Edition 2011, Schaefer, Instructor Manual

Sociology; A Brief Introduction, 9th Edition 2011, Schaefer, Test Bank

South-Western Federal Taxation 2012; Comprehensive, 35th Edition 2012, Hoffman.Maloney.Raabe.Young, Instructor Manual & Solutions Manual

South-Western Federal Taxation 2012; Comprehensive, 35th Edition 2012, Hoffman.Maloney.Raabe.Young, Test Bank

South-Western Federal Taxation 2012; Corporations_Partnerships_Estates and Trusts, 35th Edition 2012, Hoffman.Raabe.Smith.Maloney, Instructor Manual & Solutions Manual

South-Western Federal Taxation 2012; Corporations_Partnerships_Estates and Trusts, 35th Edition 2012, Hoffman.Raabe.Smith.Maloney, Test Bank

South-Western Federal Taxation 2012; Individual Income Taxes, 35th Edition 2012, Hoffman.Smith, Instructor Manual & Solutions Manual

South-Western Federal Taxation 2012; Individual Income Taxes, 35th Edition 2012, Hoffman.Smith, Test Bank

South-Western Federal Taxation 2012; Taxation of Business Entities, 15th Edition 2012, Smith.Raabe.Maloney, Instructor Manual & Solutions Manual

South-Western Federal Taxation 2012; Taxation of Business Entities, 15th Edition 2012, Smith.Raabe.Maloney, Test Bank

Staffing Organizations, 7th Edition 2012, Heneman.Judge.Kammeyer-Mueller, Instructor Manual

Staffing Organizations, 7th Edition 2012, Heneman.Judge.Kammeyer-Mueller, Test Bank

Starting Out with C++; From Control Structures through Objects, 7th Edition 2012, Tony Gaddis, Instructor Manual & Solutions Manual

Starting Out with C++; From Control Structures through Objects, 7th Edition 2012, Tony Gaddis, Test Bank

Starting Out with Java; Early Objects, 4th Edition, Tony Gaddis, Solutions Manual

Starting Out with Java; Early Objects, 4th Edition, Tony Gaddis, Test Bank

Starting Out with Java; From Control Structures through Data Structures, 2nd Edition 2012, Gaddis.Muganda, Solutions Manual

Starting Out with Java; From Control Structures through Data Structures, 2nd Edition 2012, Gaddis.Muganda, Test Bank

Starting Out with Programming Logic and Design, 2nd Edition, Tony Gaddis, Instructor Manual & Solutions Manual

Starting Out with Programming Logic and Design, 2nd Edition, Tony Gaddis, Test Bank

Starting Out with Python, 2nd Edition 2012, Tony Gaddis, Solutions Manual

Starting Out with Python, 2nd Edition 2012, Tony Gaddis, Test Bank

Starting out with Visual C# 2010, 2nd Edition 2012, Tony Gaddis, Solutions Manual

Starting out with Visual C# 2010, 2nd Edition 2012, Tony Gaddis, Test Bank

Statistical Techniques in Business and Economics, 15th Edition 2012, Lind.Marchal.Wathen, Instructor Manual & Solutions Manual

Statistical Techniques in Business and Economics, 15th Edition 2012, Lind.Marchal.Wathen, Test Bank

Statistics and Data Analysis; From Elementary to Intermediate , 1st Edition, Tamhane.Dunlop, Solutions Manual

Statistics for Management and Economics, 9th Edition 2012, Gerald Keller, Instructor Manual & Solutions Manual

Statistics for Management and Economics, 9th Edition 2012, Gerald Keller, Test Bank

Statistics for The Behavioral and Social Sciences; A Brief Course, 5th Edition, Aron.Aron, Instructor Manual

Statistics for The Behavioral and Social Sciences; A Brief Course, 5th Edition, Aron.Aron, Test Bank

Statistics, 4th Edition, Freedman.Pisani.Purves, Instructor Manual

Stats; Data and Models, 3rd Edition 2012, Veaux.Velleman.Bock, Solutions Manual

Stats; Data and Models, 3rd Edition 2012, Veaux.Velleman.Bock, Test Bank

Strategic Compensation in Canada, 4th Edition, Long, Instructor Manual

Strategic Compensation in Canada, 4th Edition, Long, Test Bank

Strategic Entrepreneurship, 4th Edition, Wickham, Instructor Manual

Strategic International Management_International Edition, 5th Edition 2011, Parboteeah.Cullen, Instructor Manual

Strategic International Management_International Edition, 5th Edition 2011, Parboteeah.Cullen, Test Bank

Strategic Management and Business Policy; Toward Global Sustainability, 13th Edition 2012, Wheelen.Hunger, Instructor Manual & Solutions Manual

Strategic Management and Business Policy; Toward Global Sustainability, 13th Edition 2012, Wheelen.Hunger, Test Bank

Strategic Management and Competitive Advantage, 4th Edition 2012, Barney.Hesterly, Instructor Manual

Strategic Management and Competitive Advantage, 4th Edition 2012, Barney.Hesterly, Test Bank

Strategic Management Essentials_International Edition, 2nd Edition, Hill.Jones, Instructor Manual

Strategic Management Essentials_International Edition, 2nd Edition, Hill.Jones, Test Bank

Strategic Management; Text and Cases, 5th Edition, Dess.Lumpkin.Eisner, Instructor Manual

Strategic Management; Text and Cases, 5th Edition, Dess.Lumpkin.Eisner, Test Bank

Strategic Marketing, 1st Edition 2012, Mooradian.Matzler, Instructor Manual

Strategic Marketing, 1st Edition 2012, Mooradian.Matzler, Test Bank

Strategic Staffing, 2nd Edition 2012, Phillips.Gully, Instructor Manual

Strategic Staffing, 2nd Edition 2012, Phillips.Gully, Test Bank

Strategy; An Introduction to Game Theory, 2nd Edition, Joel Watson, Instructor Manual

Structural Analysis, 8th Edition 2012, Hibbeler, Solutions Manual

Successful Project Management, 5th Edition 2012, Gido.Clements,

Instructor Manual

Successful Project Management, 5th Edition 2012, Gido.Clements, Test Bank

Successful Service Operations Management, 2nd Edition, Metters.King-Metters.Pullman.Walton, Instructor Manual

Successful Service Operations Management, 2nd Edition, Metters.King-Metters.Pullman.Walton, Test Bank

Supervision and Leadership in a Changing World, 1st Edition 2012, Gary Dessler, Instructor Manual

Supervision and Leadership in a Changing World, 1st Edition 2012, Gary Dessler, Test Bank

Supervision; Concepts and Skill-Building, 7th Edition, Certo, Instructor Manual

Supervision; Concepts and Skill-Building, 7th Edition, Certo, Test Bank

Survey of Economics; Principles_Applications and Tools plus MyEconLab with Pearson Etext Student Access Code Card Package, 5th Edition 2012, O'Sullivan.Sheffrin.Perez, Instructor Manual

Survey of Economics; Principles_Applications and Tools plus MyEconLab with Pearson Etext Student Access Code Card Package, 5th Edition 2012, O'Sullivan.Sheffrin.Perez, Test Bank

Sustainable Marketing, 1st Edition 2012, Martin.Schouten, Instructor Manual

Sustainable Marketing, 1st Edition 2012, Martin.Schouten, Test Bank

Systems Analysis and Design, 4th Edition, Dennis.Wixom, Instructor Manual

Systems Analysis and Design, 4th Edition, Dennis.Wixom, Test Bank

Systems Analysis and Design, 9th Edition 2012, Shelly.Rosenblatt, Instructor Manual & Solutions Manual

Systems Analysis and Design, 9th Edition 2012, Shelly.Rosenblatt, Test Bank

Taxation of Business Entities 2012, 3rd Edition 2012, Spilker.Ayers.Robinson.Worsham.Outslay.Barrick.Weaver, Instructor Manual & Solutions Manual

Taxation of Business Entities 2012, 3rd Edition 2012, Spilker.Ayers.Robinson.Worsham.Outslay.Barrick.Weaver, Test Bank

Taxation of Individuals 2012, 3rd Edition 2012, Spilker.Ayers.Robinson.Worsham.Outslay.Barrick.Weaver, Instructor Manual & Solutions Manual

Taxation of Individuals 2012, 3rd Edition 2012, Spilker.Ayers.Robinson.Worsham.Outslay.Barrick.Weaver, Test Bank

Taxation of Individuals and Business Entities 2012, 3rd Edition 2012, Spilker.Ayers.Robinson.Worsham.Outslay.Barrick.Weaver, Instructor Manual & Solutions Manual

Taxation of Individuals and Business Entities 2012, 3rd Edition 2012, Spilker.Ayers.Robinson.Worsham.Outslay.Barrick.Weaver, Test Bank

Teaching Students with Special Needs in Inclusive Settings, 6th Edition 2012, Smith.Polloway.Patton.Dowdy, Instructor Manual

Teaching Students with Special Needs in Inclusive Settings, 6th Edition 2012, Smith.Polloway.Patton.Dowdy, Test Bank

Technology in Action Complete, 8th Edition 2012, Evans.Martin, Instructor Manual & Solutions Manual

Technology in Action Complete, 8th Edition 2012, Evans.Martin, Test Bank

Technology In Action_Introductory, 8th Edition 2012, Evans.Martin.Poatsy, Instructor Manual & Solutions Manual

Technology In Action_Introductory, 8th Edition 2012, Evans.Martin.Poatsy, Test Bank

Technology Strategy for Managers and Entrepreneurs, 1st Edition, Shane, Instructor Manual

Technology Strategy for Managers and Entrepreneurs, 1st Edition, Shane, Test Bank

The American Journey_Brief Editio_Combined Volume, 6th Edition 2011, Goldfield.Abbott.Anderson.Argersinger.Argersinger.Barney.Weir, Instructor Manual

The American Journey_Brief Editio_Combined Volume, 6th Edition 2011, Goldfield.Abbott.Anderson.Argersinger.Argersinger.Barney.Weir, Test Bank

The American Nation; A History of the United States_Combined Volume, 13th Edition, Carnes.Garraty, Instructor Manual

The American Nation; A History of the United States_Combined Volume, 13th Edition, Carnes.Garraty, Test Bank

The American Nation; A History of the United States_Combined Volume, 14th Edition 2012, Carnes.Garraty, Instructor Manual

The American Nation; A History of the United States_Combined Volume, 14th Edition 2012, Carnes.Garraty, Test Bank

The American People; Creating a Nation and a Society_Concise Edition_Volume 2, 7th Edition, Nash.Jeffrey.Howe.Frederick.Davis.Winkler.Mires.Pestana, Instructor Manual

The American People; Creating a Nation and a Society_Concise Edition_Volume 2, 7th Edition, Nash.Jeffrey.Howe.Frederick.Davis.Winkler.Mires.Pestana, Test Bank

The American System of Criminal Justice, 12th Edition, Cole.Smith, Instructor Manual

The American System of Criminal Justice, 12th Edition, Cole.Smith, Test Bank

The Art of Leadership, 3rd Edition, Manning.Curtis, Instructor Manual

The Art of Leadership, 3rd Edition, Manning.Curtis, Test Bank

The Art of Leadership, 4th Edition 2012, Manning.Curtis, Instructor Manual

The Art of Leadership, 4th Edition 2012, Manning.Curtis, Test Bank

The Brief American Pageant; A History of the Republic, 8th Edition 2012, Kennedy.Cohen.Piehl, Test Bank

The Challenge of Effective Speaking, 15th Edition 2012, Verderber.Verderber.Sellnow, Instructor Manual

The Changing Earth; Exploring Geology and Evolution, 5th Edition, Monroe.Wicander, Instructor Manual

The Changing Earth; Exploring Geology and Evolution, 5th Edition, Monroe.Wicander, Test Bank

The Enjoyment of Music, 10th Edition, Forney.Machlis, Test Bank

The Enjoyment of Music, 11th Edition, Forney.Machlis, Instructor Manual

The Enjoyment of Music, 11th Edition, Forney.Machlis, Test Bank

The Essential World History, 6th Edition 2011, Duiker.Spielvogel, Instructor Manual

The Essential World History, 6th Edition 2011, Duiker.Spielvogel, Test

Bank

The Exceptional Child; Inclusion in Early Childhood Education, 7th Edition 2012, Allen.Cowdery, Instructor Manual

The Exceptional Child; Inclusion in Early Childhood Education, 7th Edition 2012, Allen.Cowdery, Test Bank

The Humanities; Culture_Continuity and Change_Volume 1, 2nd Edition 2012, Henry M Sayre, Instructor Manual

The Humanities; Culture_Continuity and Change_Volume 1, 2nd Edition 2012, Henry M Sayre, Test Bank

The Humanities; Culture_Continuity and Change_Volume 2, 2nd Edition 2012, Henry M Sayre, Instructor Manual

The Humanities; Culture_Continuity and Change_Volume 2, 2nd Edition 2012, Henry M Sayre, Test Bank

The Legal Environment of Business, 11th Edition 2012, Meiners.Ringleb.Edwards, Instructor Manual

The Legal Environment of Business, 11th Edition 2012, Meiners.Ringleb.Edwards, Test Bank

The Legal Environment of Business; Text and Cases; Ethical_Regulatory_Global_and Corporate Issues, 8th Edition 2012, Cross.Miller, Instructor Manual & Solutions Manual

The Legal Environment of Business; Text and Cases; Ethical_Regulatory_Global_and Corporate Issues, 8th Edition 2012, Cross.Miller, Test Bank

The Management of Technology and Innovation; A Strategic Approach, 2nd Edition 2011, White.Bruton, Instructor Manual

The Management of Technology and Innovation; A Strategic Approach, 2nd Edition 2011, White.Bruton, Test Bank

The Media of Mass Communication, 10th Edition 2011, John Vivian, Instructor Manual

The Media of Mass Communication, 10th Edition 2011, John Vivian, Test Bank

The Music Kit, 4th Edition, Tom Manoff, Instructor Manual

The Musicians Guide to Theory and Analysis, 1st Edition, Clendinning.Marvin, Instructor Manual

The Musicians Guide to Theory and Analysis, 1st Edition, Clendinning.Marvin, Test Bank

The Musician's Guide to Aural Skills, 1st Edition, Phillips.Clendinning.Marvin, Instructor Manual

The Norton Anthology of African American Literature, 2nd Edition, Gates.McKay.Madison, Instructor Manual

The Personality Puzzle, 5th Edition, Funder, Instructor Manual

The Personality Puzzle, 5th Edition, Funder, Test Bank

The Physics of Everyday Phenomena; A Conceptual Introduction to Physics, 7th Edition 2012, Griffith.Brosing, Instructor Manual

The Physics of Everyday Phenomena; A Conceptual Introduction to Physics, 7th Edition 2012, Griffith.Brosing, Test Bank

The Politics of Power, 6th Edition, Katznelson.Kesselman.Draper, Test Bank

The Promise and Performance of American Democracy, 10th Edition 2012, Bond.Smith, Instructor Manual

The Real World; An Introduction to Sociology, 2nd Edition, Ferris.Stein, Instructor Manual

The Real World; An Introduction to Sociology, 2nd Edition, Ferris.Stein, Test Bank

The Science and Engineering of Materials, 6th Edition 2011, Askeland.Fulay.Wright, Solutions Manual

The Theory of Interest, 3rd Edition, Kellison, Solutions Manual

The Web Collection Revealed Premium Edition; Adobe Dreamweaver CS5_Flash CS5 and Photoshop CS5, 1st Edition 2011, Bishop.Shuman.Reding, Instructor Manual & Solutions Manual

The Web Collection Revealed Premium Edition; Adobe Dreamweaver CS5_Flash CS5 and Photoshop CS5, 1st Edition 2011, Bishop.Shuman.Reding, Test Bank

The Web Warrior Guide to Web Design Technologies, 1st Edition, Gosselin.Sklar.Slaybaugh.Guthrie.Soe.Lopez, Instructor Manual & Solutions Manual

The Web Warrior Guide to Web Design Technologies, 1st Edition, Gosselin.Sklar.Slaybaugh.Guthrie.Soe.Lopez, Test Bank

The World; A History_Volume 2, 2nd Edition, Felipe Fernandez-Armesto, Instructor Manual

The World; A History_Volume 2, 2nd Edition, Felipe Fernandez-Armesto,

Test Bank

Theory and Practice of Group Counseling, 7th Edition, Gerald Corey, Instructor Manual

Theory and Practice of Group Counseling, 7th Edition, Gerald Corey, Test Bank

Theory and Practice of Group Counseling, 8th Edition 2012, Gerald Corey, Instructor Manual

Theory and Practice of Group Counseling, 8th Edition 2012, Gerald Corey, Test Bank

THINK Sociology, 2nd Edition 2011, Carl, Instructor Manual

THINK Sociology, 2nd Edition 2011, Carl, Test Bank

Total Fitness and Wellness, 5th Edition, Powers.Dodd, Instructor Manual

Total Fitness and Wellness, 5th Edition, Powers.Dodd, Test Bank

Training in Interpersonal Skills; TIPS for Managing People at Work, 6th Edition 2012, Robbins.Hunsaker, Instructor Manual

Training in Interpersonal Skills; TIPS for Managing People at Work, 6th Edition 2012, Robbins.Hunsaker, Test Bank

Transportation; A Supply Chain Perspective, 7th Edition 2011, Coyle.Novack.Gibson.Bardi, Instructor Manual

Transportation; A Supply Chain Perspective, 7th Edition 2011, Coyle.Novack.Gibson.Bardi, Test Bank

Traversing Philosophical Boundaries, 4th Edition 2012, Hallman, Instructor Manual

Understanding American Government, 13th Edition 2012, Welch.Gruhl.Rigdon.Thomas, Instructor Manual

Understanding American Government, 13th Edition 2012, Welch.Gruhl.Rigdon.Thomas, Test Bank

Understanding and Managing Organizational Behavior, 6th Edition 2012, George.Jones, Instructor Manual

Understanding and Managing Organizational Behavior, 6th Edition 2012, George.Jones, Test Bank

Understanding Behaviors for Effective Leadership, 2nd Edition, Howell.Costley, Instructor Manual

Understanding Behaviors for Effective Leadership, 2nd Edition, Howell.Costley, Test Bank

Understanding Business, 9th Edition, Nickels.McHugh.McHugh, Instructor Manual

Understanding Business, 9th Edition, Nickels.McHugh.McHugh, Test Bank

Understanding Psychology, 10th Edition, Feldman, Instructor Manual

Understanding Psychology, 10th Edition, Feldman, Test Bank

Understanding Psychology, 9th Edition, Morris.Maisto, Instructor Manual

Understanding Psychology, 9th Edition, Morris.Maisto, Test Bank

Understanding Public Policy, 13th Edition 2011, Dye, Instructor Manual

Understanding Public Policy, 13th Edition 2011, Dye, Test Bank

Understanding Symbolic Logic, 5th Edition, Virginia Klenk, Instructor Manual

Understanding Symbolic Logic, 5th Edition, Virginia Klenk, Test Bank

University Calculus_Early Transcendentals, 2nd Edition 2012, Hass.Weir.Thomas, Solutions Manual

University Calculus_Early Transcendentals, 2nd Edition 2012, Hass.Weir.Thomas, Test Bank

University Physics with Modern Physics with MasteringPhysicsr, 13th Edition 2012, Young.Freedman, Solutions Manual

University Physics with Modern Physics with MasteringPhysicsr, 13th Edition 2012, Young.Freedman, Test Bank

Urban Economics, 7th Edition, Arthur O'Sullivan, Instructor Manual

Using Excel & Access for Accounting 2010, 3rd Edition 2012, Glenn Owen, Instructor Manual

Using MIS, 4th Edition 2012, Kroenke, Instructor Manual

Using MIS, 4th Edition 2012, Kroenke, Test Bank

Using Peachtree Complete 2011 for Accounting, 5th Edition 2012, Glenn Owen, Instructor Manual

Using QuickBooks Premier 2010 for Windows, 1st Edition 2011, Purbhoo.Heaney, Solutions Manual

Using Simply Accounting by Sage Premium 2010, 1st Edition 2011, Mary Purbhoo, Instructor Manual & Solutions Manual

Using Simply Accounting by Sage Premium 2010, 1st Edition 2011, Mary Purbhoo, Test Bank

Valuation, 2nd Edition 2011, Titman.Martin, Solutions Manual

Vander's Human Physiology; The Mechanisms of Body Function, 12th Edition, Widmaier.Raff.Strang, Instructor Manual & Solutions Manual

Vander's Human Physiology; The Mechanisms of Body Function, 12th Edition, Widmaier.Raff.Strang, Test Bank

Viscous Fluid Flow, 3rd Edition, White, Solutions Manual

Visions of America; A History of the United States_Combined Volume, 1st Edition, Keene.Cornell.O'Donnell, Instructor Manual

Visions of America; A History of the United States_Combined Volume, 1st Edition, Keene.Cornell.O'Donnell, Test Bank

Visual Anatomy & Physiology with MasteringA&P, 1st Edition 2011, Martini.Ober.Nath, Test Bank

Visual Communication; Images with Messages, 4th Edition, Lester, Test Bank

Visualizing Technology_Complete, 1st Edition 2012, Debra Geoghan, Instructor Manual & Solutions Manual

Visualizing Technology_Complete, 1st Edition 2012, Debra Geoghan, Test Bank

Visualizing Technology_Introductory, 1st Edition 2012, Debra Geoghan, Instructor Manual & Solutions Manual

Visualizing Technology_Introductory, 1st Edition 2012, Debra Geoghan, Test Bank

Water and Wastewater Technology, 7th Edition 2012, Hammer.Hammer, Solutions Manual

Water and Wastewater Technology, 7th Edition 2012, Hammer.Hammer, Test Bank

We the People; An Introduction to American Politics, 7th Edition, Ginsberg.Lowi.Weir, Instructor Manual

We the People; An Introduction to American Politics, 7th Edition, Ginsberg.Lowi.Weir, Test Bank

We the People; An Introduction to American Politics, 8th Edition, Ginsberg.Lowi.Weir, Instructor Manual

We the People; An Introduction to American Politics, 8th Edition, Ginsberg.Lowi.Weir, Test Bank

We the People; An Introduction to American Politics_Essentials Edition, 8th Edition, Ginsberg.Lowi.Weir, Instructor Manual

We the People; An Introduction to American Politics_Essentials Edition, 8th Edition, Ginsberg.Lowi.Weir, Test Bank

We the People; An Introduction to American Politics_Texas Edition, 8th Edition, Ginsberg.Lowi.Weir, Instructor Manual

We the People; An Introduction to American Politics_Texas Edition, 8th Edition, Ginsberg.Lowi.Weir, Test Bank

Web Design; Introductory, 4th Edition 2012, Shelly.Campbell, Instructor Manual & Solutions Manual

Web Design; Introductory, 4th Edition 2012, Shelly.Campbell, Test Bank

Western Civilizations, 16th Edition, Coffin.Stacey, Instructor Manual

Western Civilizations, 16th Edition, Coffin.Stacey, Test Bank

Western Civilizations, 7th Edition, Coffin.Stacey.Cole.Symes, Instructor Manual

Western Civilizations, 7th Edition, Coffin.Stacey.Cole.Symes, Test Bank

Western Civilizations_Brief, 2nd Edition, Coffin.Stacey, Instructor Manual

Western Civilizations_Brief, 2nd Edition, Coffin.Stacey, Test Bank

What's That Sound; An Introduction to Rock and Its History, 2nd Edition, John Covach, Test Bank

Women and Justice; It's a Crime, 5th Edition 2012, Roslyn Muraskin, Instructor Manual

Women and Justice; It's a Crime, 5th Edition 2012, Roslyn Muraskin, Test Bank

World Politics; Interests_Interactions_Institutions, 1st Edition, Frieden.Lake.Schultz, Instructor Manual

World Politics; Interests_Interactions_Institutions, 1st Edition, Frieden.Lake.Schultz, Test Bank

Worlds Together_Worlds Apart, 2nd Edition,

Tignor.Adelman.Aron.Brown.Elman.Kotkin.Liu.Marchand.Pittman.Prakash.Shaw.Ts=
in,
Instructor Manual

Worlds Together_Worlds Apart, 2nd Edition,
Tignor.Adelman.Aron.Brown.Elman.Kotkin.Liu.Marchand.Pittman.Prakash.Shaw.Ts=
in,
Test Bank

Worlds Together_Worlds Apart, 3rd Edition, Tignor.Adelman.Aron.Brown,
Instructor Manual

Worlds Together_Worlds Apart, 3rd Edition, Tignor.Adelman.Aron.Brown,
Test Bank

You May Ask Yourself; An Introduction to Thinking Like a Sociologist,
1st Edition, Dalton Conley, Instructor Manual

You May Ask Yourself; An Introduction to Thinking Like a Sociologist,
1st Edition, Dalton Conley, Test Bank

You May Ask Yourself; An Introduction to Thinking Like a Sociologist,
2nd Edition, Dalton Conley, Test Bank

=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D

Contact Us At :
tbwork.ads(at)gmail.com .

```
From -8330490190975139607
X-Google-Thread: fcc6e,2b43f2dcee09cfa9,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,2b43f2dcee09cfa9,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,2b43f2dcee09cfa9,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,2b43f2dcee09cfa9,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,2b43f2dcee09cfa9,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,2b43f2dcee09cfa9,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,2b43f2dcee09cfa9,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,2b43f2dcee09cfa9,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.74.201 with SMTP id w9mr15969148pbv.0.1328079605595;
        Tue, 31 Jan 2012 23:00:05 -0800 (PST)
```

MIME-Version: 1.0
Path: lh20ni247595pbb.0!nntp.google.com!news1.google.com!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1325401201@panix.com>
Followup-To: poster
Date: 1 Feb 2012 02:00:03 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 05 Mar 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1328079601@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1328079603 23963 166.84.1.2 (1 Feb 2012 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 1 Feb 2012 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 3588314618696052887
X-Google-Thread: 108122,76631da96f12b8c6
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.74.201 with SMTP id w9mr6955621pbv.0.1328557947585;
        Mon, 06 Feb 2012 11:52:27 -0800 (PST)
Path: lh20ni267883pbb.0!nntp.google.com!news1.google.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: georgezeed@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Gel Cell Charging??
Date: Mon, 6 Feb 2012 11:35:36 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <23026032.2307.1328556936241.JavaMail.geo-discussion-forums@yqtt30>
References: <334FCC8C.2BE9@bmi.net>
Reply-To: rec.radio.amateur.equipment@googlegroups.com
NNTP-Posting-Host: 97.93.232.37
Mime-Version: 1.0
X-Trace: posting.google.com 1328557945 14890 127.0.0.1 (6 Feb 2012 19:52:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Feb 2012 19:52:25 +0000 (UTC)
In-Reply-To: <334FCC8C.2BE9@bmi.net>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=97.93.232.37;
posting-account=Xt4EkwoAAADgTlWxoKuFWz68_Cbb6yGw
User-Agent: G2/1.0
```

```
X-Google-Web-Client: true
Content-Type: text/plain; charset=ISO-8859-1
```

Check out our blog http://www.impactbattery.com/blog/2012/02/finding-batteries-for-your-electric-wheelchair-scooter-made-easy/

```
From 7353436297239190676
X-Google-Thread: fcc6e,398349477274dd6a,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,398349477274dd6a,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,398349477274dd6a,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,398349477274dd6a,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,398349477274dd6a,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,398349477274dd6a,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,398349477274dd6a,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.135.231 with SMTP id pv7mr13151137pbb.8.1328598302065;
        Mon, 06 Feb 2012 23:05:02 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni269595pbb.0!nntp.google.com!news2.google.com!news.glorb.com!news-
out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1325919900@panix.com>
Followup-To: poster
Date: 7 Feb 2012 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 11 Mar 2012 03:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1328598300@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1328598301 1576 166.84.1.2 (7 Feb 2012 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Feb 2012 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 3114590280511930223
X-Google-Thread: 107ada,ae85eb44f73c78b7,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ae85eb44f73c78b7,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,ae85eb44f73c78b7,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,ae85eb44f73c78b7,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.238.198 with SMTP id vm6mr13181698pbc.3.1328598601991;
        Mon, 06 Feb 2012 23:10:01 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni269608pbb.0!nntp.google.com!news2.google.com!news.glorb.com!news-
out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1325920200@panix.com>
Followup-To: poster
Date: 7 Feb 2012 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 11 Mar 2012 03:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1328598600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1328598601 2405 166.84.1.2 (7 Feb 2012 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Feb 2012 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -283682015824689476
X-Google-Thread: 108122,253cf8e4d0aebaa2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.68.238.198 with SMTP id vm6mr6569780pbc.3.1329001495219;
        Sat, 11 Feb 2012 15:04:55 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni13910pbc.0!nntp.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-
mli.net!feeder1.hal-mli.net!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Feb 2012 17:04:53 -0600
From: K7HI <K7HI.97cab78@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: MFJ-9410 - MINT - 10 Meter SSB Transceiver
Date: Sat, 11 Feb 2012 18:01:25 +0000
Message-ID: <K7HI.97cab78@radiobanter.com>
Organization: RadioBanter.com
Lines: 38
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-lN0jod9BxAUEisXlIPl5SMWSf5FCNyC/cCBpo+b/
cKG15UMtxe+WAU+s01ChFtr9LABd1oLLgEQhPBM!
8eh+OBcInOytEviEt7vS0mvBS8ZVEg5kQvJrd7pvalfeSwZ5yZ0PMNJbB+8+SBzGck0X3CCGI/c/!kQ==
```

X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 24
X-Original-Bytes: 1944

This is a nice 10 Meter rig for someone who wants a dedicated 10 meter SSB
Transceiver.

See my QRZ Ad:

http://tinyurl.com/6mfrezm

� 6Db Syllabic speech processing.
� 20W. PEP.
� Low Noise preamp.
� 2.3 KHz SSB crystal filter.
� Reduction Drive Analog VFO.
� 3.5" speaker & �" Headphone Jack.
� Solid-state FET to key External Linear.

Optional CW Board & MFJ Dynamic Mic are INCLUDED!

$210. (Plus $15. for Insured Priority Shipping).
INSTANT PAYPAL REQUIRED.

Thanks,
Howard, K7HI
http://www.qrz.com/db/k7hi
http://www.eham.net/classifieds/detail/361324

```
+-------------------------------------------------------------------+
|Filename: MFJ-9410.jpg                                             |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=855|
|Filename: MFJ-9410X.jpg                                            |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=856|
+-------------------------------------------------------------------+
```

--
K7HI

From 6979024110356959016
X-Google-Thread: 108122,253cf8e4d0aebaa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.222.71 with SMTP id qk7mr7320152pbc.1.1329044643786;
        Sun, 12 Feb 2012 03:04:03 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni15829pbc.0!nntp.google.com!news1.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-
mli.net!feeder1.hal-mli.net!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Feb 2012 05:04:01 -0600
From: K7HI <K7HI.97d5438@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: For Sale: MFJ-9410 - MINT - 10 Meter SSB Transceiver
Date: Sun, 12 Feb 2012 05:35:31 +0000
Message-ID: <K7HI.97d5438@radiobanter.com>
Organization: RadioBanter.com
References: <K7HI.97cab78@radiobanter.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-ADXi/
VBqcAo7YvKfhFREtJ1vWuY2jq5fXc5tmdYRDqvJnbAUDcimU3P7OlKGMddtxbfHGmiCHqSc6WG!
5gQuCVtOAnYhgFWlKYi4D5y4WFBCUfbmGGCA1ClfkGT3pRnnczuQ/LxCn99qmFAd/8gBO5KPYe00!vA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 9
X-Original-Bytes: 1305
```

FREE Shipping - FREE Shipping

Price REDUCED to $210. Including USPS Priority Shipping.

FREE Shipping - FREE Shipping

Thanks,
Howard, K7HI
http://www.qrz.com/db/k7hi

+---+
+---+

--
K7HI

From 877559856035787046O

```
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidd7f5508063,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.68.73.229 with SMTP id o5mr7755121pbv.7.1329065529063;
        Sun, 12 Feb 2012 08:52:09 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni16759pbc.0!nntp.google.com!news1.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!rri.panix.com!robomod!not-for-
mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, March 2012 - Subscribe for FREE
Followup-To: poster
Date: Sun, 12 Feb 2012 11:52:08 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <656BE743B8A241F896AEEA16CCB5ED5B@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1329065528 16285 166.84.1.6 (12 Feb 2012 16:52:08 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 12 Feb 2012 16:52:08 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From;
```

bh=tWaMDnwoq2mbc1CzMDYZdUEwBgxd+zEZmfe6ZKrZvmE=;

b=M5bOxqnwvU4dWwfAIhafc7EUjBeXEBSJ+DKEoFDx07+YBzIEJcfRIX3moeiCjPKeADZqpLtC41E/
IFkARLo5cAPIgO+cSwoK2DDtfgeKZ22km8Zvi0Ysq7SiVpf75vl4;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.38.98 authed with k9ya+k9ya.org}

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To view sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

March 2012 (Volume 9, Issue 3) articles include:

Flight of the Southern Cross By Philip Cala-Lazar, K9PL

Conversational CW By Jeff Goodspeed, KA9S

Satellite Communications - Part I By Paul W. Ross, W3FIS

Book Review By Terry Fletcher, WA�ITP

Serendipity II By Wayne Green, W2NSD

Ham Quips By Dick Sylvan, W9CBT

```
From -7454499288233954936
X-Google-Thread: 108122,5264f76eb9f9a106
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.222.71 with SMTP id qk7mr8691715pbc.1.1329107139393;
        Sun, 12 Feb 2012 20:25:39 -0800 (PST)
Path: wr5ni18632pbc.0!nntp.google.com!news1.google.com!postnews.google.com!
tj4g2000pbc.googlegroups.com!not-for-mail
From: Karl in Spokane <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IFR 1200 rear ring case holder
```

```
Date: Sun, 12 Feb 2012 20:25:38 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <abc41657-3c7d-460d-8233-4bbc539743ad@tj4g2000pbc.googlegroups.com>
References: <88065b10-fb9c-4701-a113-555b54b0fcb1@f11g2000yql.googlegroups.com>
NNTP-Posting-Host: 206.63.236.206
Mime-Version: 1.0
X-Trace: posting.google.com 1329107139 11340 127.0.0.1 (13 Feb 2012 04:25:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 13 Feb 2012 04:25:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: tj4g2000pbc.googlegroups.com; posting-host=206.63.236.206;
posting-account=bQbFuAkAAAB_7SMvb-dBBqPIRhE7jh5C
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: ARLUEHNKC
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
 Trident/4.0; .NET CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

Found it.


From -7907871083364089986
X-Google-Thread: 108122,c4bafe7644ed8623,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.74.201 with SMTP id w9mr11050191pbv.0.1329175842186;
        Mon, 13 Feb 2012 15:30:42 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni21833pbc.0!nntp.google.com!news2.google.com!news.glorb.com!eternal-
september.org!feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-
for-mail
From: "ps56k" <pschuman_no5pam_m3@interserv.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wouxun KG-UV3D  2m/440 HT
Date: Mon, 13 Feb 2012 17:30:39 -0600
Organization: me
Lines: 15
Message-ID: <jhc6f1$5l5$1@dont-email.me>
Injection-Date: Mon, 13 Feb 2012 23:30:41 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="fugGk9jX4eTlN8wTJmpxIQ";
     logging-data="5797"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1//ektOH5gFqhRTCgr3ttlH"
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:OboYN2ijKj0BNLNJfRprtm8DONA=
X-Priority: 3
X-MSMail-Priority: Normal
```

hi -
A friend told me AES had these at the Orlando hamfest... $100
Wondering if anyone has tried one ?

Wouxun KG-UV3D
http://search.cartserver.com/search/search.cgi?
bool=AND&cartid=a-6994&category=newprices&maxhits=1200&keywords=WOUstuff&go.x=32&go.y=13&go=GO

there is a 2m/440 and a 2m/220 version -

--
/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/
No Good Deed -
         Goes Unpunished

```
From -4433340249409025127
X-Google-Thread: 108122,c4bafe7644ed8623
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.238.198 with SMTP id vm6mr11068416pbc.3.1329177057356;
        Mon, 13 Feb 2012 15:50:57 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni21891pbc.0!nntp.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: "ps56k" <pschuman_no5pam_m3@interserv.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV3D  2m/440 HT
Date: Mon, 13 Feb 2012 17:50:55 -0600
Organization: me
Lines: 18
Message-ID: <jhc7l0$b10$1@dont-email.me>
References: <jhc6f1$5l5$1@dont-email.me>
Injection-Date: Mon, 13 Feb 2012 23:50:56 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="fugGk9jX4eTlN8wTJmpxIQ";
     logging-data="11296"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18NThVS3uUugcwccwdqzmlx"
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:9eSna9lSNjpYU7yeBTgZoilp4FI=
X-Priority: 3
X-MSMail-Priority: Normal
```

"ps56k" <pschuman_no5pam_m3@interserv.com> wrote in message
news:jhc6f1$5l5$1@dont-email.me...
> hi -

> A friend told me AES had these at the Orlando hamfest... $100
> Wondering if anyone has tried one ?
>
> Wouxun KG-UV3D
> http://search.cartserver.com/search/search.cgi?
bool=AND&cartid=a-6994&category=newprices&maxhits=1200&keywords=WOUstuff&go.x=32&go.y=13&go=GO
>
> there is a 2m/440 and a 2m/220 version -
>
> --

some random Google turned up this blog -
http://www.eham.net/reviews/detail/9380?page=2

```
From -4167029003126011866
X-Google-Thread: 108122,c4bafe7644ed8623
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.241.37 with SMTP id wf5mr11386257pbc.4.1329188862622;
        Mon, 13 Feb 2012 19:07:42 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni22416pbc.0!nntp.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Feb 2012 21:07:41 -0600
Reply-To: "Ralph Mowery" <rmowery28146@earthlink.net>
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <jhc6f1$5l5$1@dont-email.me>
Subject: Re: Wouxun KG-UV3D  2m/440 HT
Date: Mon, 13 Feb 2012 22:07:43 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3664
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3664
X-RFC2646: Format=Flowed; Response
Message-ID: <V7OdnRVWh7dgUqTSnZ2dnUVZ_gednZ2d@earthlink.com>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.49
X-Trace: sv3-xQ7ry086Kgk33AAt/
oLrbA8pB6CxmVtZBRkUoo0RKAJEFuZh3ffh74y9p9CDAN8VWPOWdYjvOqKK7/+!
VOhgAwLAfYCEN71FqelTsYvvAsATPPjEQMX9bSbZnWEOH40cC+h7KAWFY+Yy4LaL4j62LzB0sd1h!
QBQnnYacH1pAPtRlsIyPpZVl0jL+wRoQc2XyU+E=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
```

```
X-Original-Bytes: 2126


"ps56k" <pschuman_no5pam_m3@interserv.com> wrote in message
news:jhc6f1$5l5$1@dont-email.me...
> hi -
> A friend told me AES had these at the Orlando hamfest... $100
> Wondering if anyone has tried one ?
>
> Wouxun KG-UV3D
> http://search.cartserver.com/search/search.cgi?
bool=AND&cartid=a-6994&category=newprices&maxhits=1200&keywords=WOUstuff&go.x=32&g
o.y=13&go=GO
>
> there is a 2m/440 and a 2m/220 version -
>

I have one and several others in the local club have them.  They work very
well , especially for around $ 100 to $ 120.

You do need the programming cable with them.  They can be programmed without
it, but it is so much easier to use the computer.  If you get the cable,
make sure you push itf something like it is not communicating.   If you  do
, check the com port and make sure it is really pluged in all the way.

There is a free program from them that will program it, but a beter one for
free is called KG-UV Commander.





From -5453029831739291128
X-Google-Thread: 108122,2296a747953ac41b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.226.10 with SMTP id ro10mr13463891pbc.6.1329250323021;
        Tue, 14 Feb 2012 12:12:03 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni25223pbc.0!nntp.google.com!news1.google.com!goblin1!goblin2!
goblin.stu.neva.ru!newsfeeder.ewetel.de!border3.nntp.ams.giganews.com!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.telenor.com!news.telenor.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Feb 2012 14:12:02 -0600
From: "Sindre Torp" <sindtorp@online.no>
Newsgroups: rec.radio.amateur.equipment
Subject: The NEW R.L. Drake Virtual Museum
Date: Tue, 14 Feb 2012 21:11:50 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
```

Message-ID: <N-ydnTLI9vuPXafSnZ2dnUVZ876dnZ2d@telenor.com>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-s4Zy6k1VI3XShltVrC/aoqHhwhwMZfZQPC8vF+ON65qJ0kzAPF7Ko3Gh4Q7/
cLUgsaglHmoA7uAnZFh!UIq5fVm34btAYHAT8c5jWmf1nq3V2ncCZGDbO0tXwcNDdDH/
XcRJuj0zUmJTCSTH1laQljEGiOm0!GShB9n+v3kzhBw==
X-Complaints-To: news-abuse@telenor.net
X-DMCA-Complaints-To: news-abuse@telenor.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1997

Fellow Drake Enthusiasts,
The NEW R.L. Drake Virtual Museum is here http://www.drakemuseum.com . It's being launched page by page. You may follow my work at the new webiste.

The R.L. Drake Virtual Museum is under construction so there's not much there yet, but "stay tuned" ! Please observe that links in the menu is activated when the pages are ready to be presented.

The former R.L. Drake Virtual Museum http://www.dproducts.be/drake_museum/ has been closed.

Thanks to all the 450.000 vistors!

The main reason for closing it, is that my friend who I had the website together with, passed away last Christmas.

I have decided to build up a NEW Drake Virtual Museum from scratch. It will contain a lot of new pictures and info in addition to what were found in the former museum.

Welcome to The (NEW) R.L. Drake Virtual Museum www.drakemuseum.com

Sindre, LA6OP   sindtorp@online.no

From 8099287246397471607
X-Google-Thread: 108122,c34ee5862c05dbd2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.213.68 with SMTP id nq4mr13524073pbc.2.1329251831549;
        Tue, 14 Feb 2012 12:37:11 -0800 (PST)
Path: wr5ni25293pbc.0!nntp.google.com!news1.google.com!postnews.google.com!
f14g2000yqe.googlegroups.com!not-for-mail
From: r-burgan@charter.net

```
Newsgroups: rec.radio.amateur.equipment
Subject: Repeater Receivers
Date: Tue, 14 Feb 2012 12:35:52 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <dcd43b10-f178-4092-8378-7c25a3ad4474@f14g2000yqe.googlegroups.com>
NNTP-Posting-Host: 71.13.214.44
Mime-Version: 1.0
X-Trace: posting.google.com 1329251831 31834 127.0.0.1 (14 Feb 2012 20:37:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Feb 2012 20:37:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000yqe.googlegroups.com; posting-host=71.13.214.44; posting-
account=TFO7pQoAAAB3Dz1oSTpz8F2bkWqABNbI
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.3)
 Gecko/20090824 Firefox/3.5.3 (.NET CLR 3.5.30729),gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

Looking for input on repeater receivers, what works, what doesn't,
what is  available. Currently am using a Hamtronic R302 (second
replacement), need something more reliable, with external squelch
control, and volume control (for external speaker monitor)/ with
monitor amp.


From 7114102729629640821
X-Google-Thread: 108122,c34ee5862c05dbd2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.73.229 with SMTP id o5mr13596645pbv.7.1329254044443;
        Tue, 14 Feb 2012 13:14:04 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni25388pbc.0!nntp.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Repeater Receivers
Date: Tue, 14 Feb 2012 21:14:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 31
Message-ID: <slrnjjljht.su6.gsm@cable.mendelson.com>
References: <dcd43b10-f178-4092-8378-7c25a3ad4474@f14g2000yqe.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 85.65.228.114.dynamic.barak-online.net
X-Trace: max.inside.misty.com 1329254044 14183 85.65.228.114 (14 Feb 2012 21:14:04
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 14 Feb 2012 21:14:04 +0000 (UTC)
```

```
User-Agent: slrn/pre1.0.0-11 (Linux)
```

r-burgan@charter.net wrote:

> Looking for input on repeater receivers, what works, what doesn't,
> what is available. Currently am using a Hamtronic R302 (second
> replacement), need something more reliable, with external squelch
> control, and volume control (for external speaker monitor)/ with
> monitor amp.

Many people use Motorola receivers.

Some use the older repeaters such as the MCS-2000 or MSF-5000, and many use the Maxtrac and similar radios.

There are many two channel VHF 25kHz radios floating around, most too good for the dumpster but not good enough to use. Once they become illegal for commerical operation (Jan 2013), they will end up in the dumpster.

The Maxtracs and MSF-5000's need to be programmed, but that's not too difficult to find someone to do it for you if you can not do it yourself.

Many of them have discriminator output which is pre squelch, pre shaping and filtering and pre volume control. On the front panel is a speaker and volume control, but you can fit an external speaker if needed.

Repeater builder.com has plenty of articles on them.

Geoff.
--
Geoffrey S. Mendelson, N3OWJ/4X1GM
My high blood pressure medicine reduces my midichlorian count. :-(

```
From -3423727708343602189
X-Google-Thread: 108122,c4bafe7644ed8623
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.74.201 with SMTP id w9mr13768748pbv.0.1329258907501;
        Tue, 14 Feb 2012 14:35:07 -0800 (PST)
Path: wr5ni25618pbc.0!nntp.google.com!news1.google.com!goblin1!goblin.stu.neva.ru!
eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: Alan WA4SCA <WA4SCA@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV3D  2m/440 HT
Date: Tue, 14 Feb 2012 16:35:04 -0600
Organization: AMSAT-NA
Lines: 14
Message-ID: <l1olj7tn2i6oimqstkh2eqncm5qebjlqa9@4ax.com>
References: <jhc6f1$5l5$1@dont-email.me>
```

```
Reply-To: ALANBIDDLE70@YAHOO.COM
Mime-Version: 1.0
Injection-Info: mx04.eternal-september.org; posting-host="mYnsUO6xX/FCYOXNo9/yXQ";
     logging-data="30967"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/pG1xHlV5Gnpyv96sQv+DZB5ITzu1Ppzk="
X-Newsreader: Forte Agent 6.00/32.1186
Cancel-Lock: sha1:NJPveAbjs4tUEnEV33+qqa2K3Kg=
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

They are very popular, especially based on price. However, they normally do NOT meet specs, though they are sold with the claim that they do. Often the 2nd harmonic of 2 meters is 10 db or more above spec. QST found this in a test of one of the many versions.

An organization I know was planning on having some custom units made up. After several weeks of going back and forth with the manufacturer and not being able to get a straight answer, they gave up. At least one picture from their spectrum analyzer was clearly doctored.

--
Alan
WA4SCA

```
From -2979162275896599665
X-Google-Thread: 108122,c4bafe7644ed8623
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.241.37 with SMTP id wf5mr167336pbc.4.1329288551102;
        Tue, 14 Feb 2012 22:49:11 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni26939pbc.0!nntp.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV3D  2m/440 HT
Date: Wed, 15 Feb 2012 06:49:10 +0000 (UTC)
Organization: MGT Consulting
Lines: 37
Message-ID: <slrnjjml2u.50p.gsm@cable.mendelson.com>
References: <jhc6f1$5l5$1@dont-email.me>
 <l1olj7tn2i6oimqstkh2eqncm5qebjlqa9@4ax.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 85.65.228.114.dynamic.barak-online.net
X-Trace: max.inside.misty.com 1329288550 16395 85.65.228.114 (15 Feb 2012 06:49:10
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Wed, 15 Feb 2012 06:49:10 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
```

Alan WA4SCA wrote:
> They are very popular, especially based on price. However, they
> normally do NOT meet specs, though they are sold with the claim that
> they do. Often the 2nd harmonic of 2 meters is 10 db or more above
> spec. QST found this in a test of one of the many versions.

That wasn't the Woxoun, that was the Baofeng which is a very different
radio made by a very different company.

Even then it was taken out of context.

The Baofeng UV-3R is wide band radio (76-512 mHz) with firmware and
filtering to limit it to reception on the FM broadcast band and reception
and transmission from 136-174 and 400-470 mHz. You can stretch the bands
with software, but the results are not always worth it.

The original radio was shipped as a two band radio with VHF and UHF antennas.

Without an antenna there is a spur at 2x the 2m band, 300mHz. With a 2m
resonant antenna such as the one supplied with the radio or the UHF one,
there is no resonance at 300mHz, and the spur is suppressed.

The problem was noticable if you used a wide band antenna, such as a discone.

The later production units had additional filtering added to prevent this.
That model is no longer made having been replaced with the UV-3R Mark II
and the UV-3R+ (plus) both of which have the filtering.

In either case, buying a Woxoun or a Baofeng, you don't have to worry.

Geoff.

--
Geoffrey S. Mendelson, N3OWJ/4X1GM
My high blood pressure medicine reduces my midichlorian count. :-(

From 227078020825808611
X-Google-Thread: 108122,8a37055db1c7e51f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.241.37 with SMTP id wf5mr1001087pbc.4.1329315403879;
        Wed, 15 Feb 2012 06:16:43 -0800 (PST)
Path: wr5ni28167pbc.0!nntp.google.com!news1.google.com!postnews.google.com!
rz3g2000pbc.googlegroups.com!not-for-mail
From: anbu ariraj <anbuariraj@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hai dear this is special for uuuuuuuu pls open it
Date: Wed, 15 Feb 2012 06:14:58 -0800 (PST)

```
Organization: http://groups.google.com
Lines: 1
Message-ID: <3a8e1f88-40ae-47b4-bf10-4f0943ebcf1c@rz3g2000pbc.googlegroups.com>
NNTP-Posting-Host: 122.174.85.199
Mime-Version: 1.0
X-Trace: posting.google.com 1329315403 31429 127.0.0.1 (15 Feb 2012 14:16:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Feb 2012 14:16:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: rz3g2000pbc.googlegroups.com; posting-host=122.174.85.199;
posting-account=XZriPQoAAAB86jCzvrWez3HdNsUkbFG1
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: ASELCHRU
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1) AppleWebKit/535.7 (KHTML, like
 Gecko) Chrome/16.0.912.77 Safari/535.7,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

http://123maza.com/46/plant958/



From 5686359639385421014
X-Google-Thread: 108122,253cf8e4d0aebaa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.241.37 with SMTP id wf5mr2072853pbc.4.1329347060487;
        Wed, 15 Feb 2012 15:04:20 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni29573pbc.0!nntp.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-
mli.net!feeder1.hal-mli.net!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Feb 2012 17:04:18 -0600
From: K7HI <K7HI.981f178@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: For Sale: MFJ-9410 - MINT - 10 Meter SSB Transceiver
Date: Wed, 15 Feb 2012 19:24:07 +0000
Message-ID: <K7HI.981f178@radiobanter.com>
Organization: RadioBanter.com
References: <K7HI.97cab78@radiobanter.com> <K7HI.97d5438@radiobanter.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-Nvg02FJYgoIXBlkgxH+Ckbg4klQQ5USOcI63rUOoNZz5YaUAYFlhts2W/
vhOTYJxWJNiumn2ElDoXY6!JsvHS7YpLJoMCb9SGUEpAh/
c8f6FTtGADlK53zm9gWua2pOjbASnfqIRuraW9oFzDB6kYDjRj+iw!EA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
```

X-Original-Lines: 1
X-Original-Bytes: 1328

FREE Shipping - FREE Shipping

Price REDUCED to $195. Including USPS Priority Shipping.

FREE Shipping - FREE Shipping

Thanks,
Howard, K7HI
http://www.qrz.com/db/k7hi

+--+
+--+

--
K7HI

From -2124478952262007388
X-Google-Thread: 108122,35e1cb9fc0c00ff7,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.231.202 with SMTP id ti10mr5613602pbc.5.1329455041661;
        Thu, 16 Feb 2012 21:04:01 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni34436pbc.0!nntp.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!goblin1!goblin2!goblin.stu.neva.ru!feeder.erje.net!news2.arglkargh.de!news.glorb.com!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Feb 2012 23:03:58 -0600
From: Glenn in Vancouver <Glenn.in.Vancouver.9839758@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-830S station for sale
Date: Fri, 17 Feb 2012 00:44:49 +0000
Message-ID: <Glenn.in.Vancouver.9839758@radiobanter.com>
Organization: RadioBanter.com
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-Ynr9XwEGybrrmCa8wpkCuz3yEOjKf1UNLb1LCoiAPuZ2LntkYJKIi2UPSpgQP569we9RPhLm/KaBlAw!sROxDwdVxubGpg7VjDinufAkqGizocGGyWAd86NyE+bTk+j3bxKQT9BAZ1jcLNw4CmNOnw7jMZ49!HLh22SAY5tr2k08+HEGC
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 4
X-Original-Bytes: 1222


Complete TS-830s station with SP-230 speaker, PC-1 Phone patch, and
MC-50 mic.
Radio works extremely well and I would say it's an 8/10 in cosmetics
with no issues and have new 6146B's installed.
$550 plus shipping.
604-561-6496





--
Glenn in Vancouver



From 5684582853685602724
X-Google-Thread: 108122,c4bafe7644ed8623
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.136.40 with SMTP id px8mr7840099pbb.1.1329520984811;
        Fri, 17 Feb 2012 15:23:04 -0800 (PST)
Path: wr5ni37408pbc.0!nntp.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: Alan WA4SCA <WA4SCA@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV3D  2m/440 HT
Date: Fri, 17 Feb 2012 17:23:03 -0600
Organization: AMSAT-NA
Lines: 7
Message-ID: <o9otj7tab8f03mkqsom47plaqtfshg5k4t@4ax.com>
References: <jhc6f1$5l5$1@dont-email.me>
<l1olj7tn2i6oimqstkh2eqncm5qebjlqa9@4ax.com>
<slrnjjml2u.50p.gsm@cable.mendelson.com>
Reply-To: ALANBIDDLE70@YAHOO.COM
Mime-Version: 1.0
Injection-Info: mx04.eternal-september.org; posting-host="mYnsUO6xX/FCYOXNo9/yXQ";
     logging-data="1303"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+qj99JD97M/Vwlf12V+E9/kwFP7fHty/M="
X-Newsreader: Forte Agent 6.00/32.1186
Cancel-Lock: sha1:Ij5viigpQMcVpvyL72/LmDdP2jI=
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Actually, you need to worry in both cases IF you want to be legal.
Your choice.
```

--
Alan
WA4SCA

```
From 7579394796542074144
X-Google-Thread: 108122,c4bafe7644ed8623
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.238.198 with SMTP id vm6mr7891425pbc.3.1329523288424;
        Fri, 17 Feb 2012 16:01:28 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni37519pbc.0!nntp.google.com!news2.google.com!eweka.nl!
lightspeed.eweka.nl!194.134.4.91.MISMATCH!news2.euro.net!news.mixmin.net!eternal-
september.org!feeder.eternal-september.org!mx04.eternal-september.org!.POSTED!not-
for-mail
From: "ps56k" <pschuman_no5pam_m3@interserv.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV3D  2m/440 HT
Date: Fri, 17 Feb 2012 18:01:26 -0600
Organization: me
Lines: 21
Message-ID: <jhmpon$dgt$1@dont-email.me>
References: <jhc6f1$5l5$1@dont-email.me>
<l1olj7tn2i6oimqstkh2eqncm5qebjlqa9@4ax.com>
Injection-Date: Sat, 18 Feb 2012 00:01:27 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="vNn32TN+GhRF4JGjMBMe2w";
     logging-data="13853"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19oRovMaM8c1D1TjJq89M0c"
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:muUYdcW8gVRz053jtx6Usz2SdwI=
X-Priority: 3
X-MSMail-Priority: Normal
```

"Alan WA4SCA" <WA4SCA@YAHOO.COM> wrote in message
news:l1olj7tn2i6oimqstkh2eqncm5qebjlqa9@4ax.com...

> They are very popular, especially based on price. However, they
> normally do NOT meet specs, though they are sold with the claim that
> they do. Often the 2nd harmonic of 2 meters is 10 db or more above
> spec. QST found this in a test of one of the many versions.
>
> An organization I know was planning on having some custom units made
> up. After several weeks of going back and forth with the manufacturer
> and not being able to get a straight answer, they gave up. At least
> one picture from their spectrum analyzer was clearly doctored.
>
>

```
>
the other freq issue that caught my eye was the PL tones -
since most repeaters around our urban area are all PL encoded,
the xmit tones have to be dead on - in both winter cold & summer hot
weather -




From 3607207685099448936
X-Google-Thread: 108122,a5a0fdc159bdfd73,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.221.4 with SMTP id qa4mr4287025pbc.7.1329560393677;
        Sat, 18 Feb 2012 02:19:53 -0800 (PST)
Path: wr5ni39159pbc.0!nntp.google.com!news2.google.com!postnews.google.com!
qs5g2000pbc.googlegroups.com!not-for-mail
From: biju peter <bijupeter10@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: LEARN the fun way!
Date: Sat, 18 Feb 2012 02:19:53 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <ef4ad85f-465a-4dc6-a91e-58374199ce72@qs5g2000pbc.googlegroups.com>
NNTP-Posting-Host: 14.96.237.186
Mime-Version: 1.0
X-Trace: posting.google.com 1329560393 4593 127.0.0.1 (18 Feb 2012 10:19:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Feb 2012 10:19:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: qs5g2000pbc.googlegroups.com; posting-host=14.96.237.186; posting-
account=zIA7AQoAAABgQR1YPgutC5PsHcvIM1h1
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALENKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:9.0) Gecko/20100101 Firefox/
9.0,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

"we learn a little by listening,
         more by seeing,
             most and the best by experiencing.
http://123maza.com/46/coral846/



From -4651035868152588197
X-Google-Thread: 108122,522087233728b17f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.226.10 with SMTP id ro10mr11407056pbc.6.1329647798297;
        Sun, 19 Feb 2012 02:36:38 -0800 (PST)
```

```
Path: wr5ni43229pbc.0!nntp.google.com!news1.google.com!postnews.google.com!
pq6g2000pbc.googlegroups.com!not-for-mail
From: jincy biju <jincybijupeter2007@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Welcome to Yaesu.com
Date: Sun, 19 Feb 2012 02:36:37 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <56f5f60c-d7d1-4905-b298-384539a119d1@pq6g2000pbc.googlegroups.com>
NNTP-Posting-Host: 14.99.180.190
Mime-Version: 1.0
X-Trace: posting.google.com 1329647798 18247 127.0.0.1 (19 Feb 2012 10:36:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Feb 2012 10:36:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: pq6g2000pbc.googlegroups.com; posting-host=14.99.180.190; posting-
account=aGfMDAoAAABqGb7tYzsDhsa6tBfJFslT
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALENKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:9.0) Gecko/20100101 Firefox/
9.0,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1


www.yaesu.com/
From stationary multi-feature communications equipment to portable
devices, ... The VX-8R Series of High Technology Handhelds lead the
Amateur Radio ..
http://123maza.com/46/coral846/



From -2362188690794017473
X-Google-Thread: 108122,c4bafe7644ed8623
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.231.202 with SMTP id ti10mr17772242pbc.5.1329824105387;
        Tue, 21 Feb 2012 03:35:05 -0800 (PST)
Path: wr5ni51099pbc.0!nntp.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 21 Feb 2012 05:35:05 -0600
Date: Tue, 21 Feb 2012 11:35:02 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows NT 5.0; rv:9.0) Gecko/20111222 Thunderbird/9.0.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV3D  2m/440 HT
References: <jhc6f1$5l5$1@dont-email.me>
<l1olj7tn2i6oimqstkh2eqncm5qebjlqa9@4ax.com> <jhmpon$dgt$1@dont-email.me>
<Channel.Jumper.98888f8@radiobanter.com>
In-Reply-To: <Channel.Jumper.98888f8@radiobanter.com>
```

```
Message-ID: <qoCdnTDlFY_0HN7SnZ2dnUVZ_oCdnZ2d@bright.net>
Lines: 35
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-47ouZoI/kwK4eBDgKd6dZsNBzeWu/
gWs4mezY5U16UCbE3rUDivbybhH57B3rgnv+ndsS8C3JgVzLo/!JBUHy7+xfNU2u/
ApiXAfcjCxrw+fesUc5bOpwgaS4c0OtyWr1Bce2fMwjQP2yRz5Wn5zIO39GTEi!70aHrF7Jxg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2727
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 2-20-2012 20:54, Channel Jumper wrote:

> Anyways the one club member that is more involved then the rest in
> radio, actually works as a sub contractor for the state - bought one on
> a whim.
> He figured that for $100.00 he couldn't go wrong.
>
> So Steve bought it and took it home and started to play with it.
> He put it on the service monitor and he got out the Part 97 / sub part
> 15 specifications for a hand held amateur radio and also the book which
> came with the radio and the specifications listed.
>
> His radio, on the same service monitor he uses to test state owned
> equipment, meets or beats the published report and specifications, along
> with the specifications listed by the FCC for a device of this type.



>
> Each and every time this cycle repeats itself, one of two things is
> going to happen.  Either the ham radio community will come to accept
> that this is the way it is going to be and just accept that if they want
> to buy a new radio, they are going to have to lower their standards and
> buy this piece of crap, or they will have to be willing to pony up more
> money to buy a Icom or a Kenwood or a Yaesu.
>


OK, I'm a bit confused.  At the top, you say it meets or beats FCC
technical standards then and at the bottom, you say hams would be
lowering their standards buying this "piece of crap".  So why is it
junk?  Because it wears down a battery in use?  So would a mobile or
base radio running on a car battery...




From 2928673844816350508
```

```
X-Google-Thread: 108122,c4bafe7644ed8623
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.231.202 with SMTP id ti10mr17949321pbc.5.1329828548086;
        Tue, 21 Feb 2012 04:49:08 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni51285pbc.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-
for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV3D  2m/440 HT
Date: Tue, 21 Feb 2012 12:49:07 +0000 (UTC)
Organization: MGT Consulting
Lines: 33
Message-ID: <slrnjk74jr.ao2.gsm@cable.mendelson.com>
References: <jhc6f1$5l5$1@dont-email.me>
 <l1olj7tn2i6oimqstkh2eqncm5qebjlqa9@4ax.com> <jhmpon$dgt$1@dont-email.me>
 <Channel.Jumper.98888f8@radiobanter.com>
 <qoCdnTDlFY_0HN7SnZ2dnUVZ_oCdnZ2d@bright.net>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 85.65.228.114.dynamic.barak-online.net
X-Trace: max.inside.misty.com 1329828547 4818 85.65.228.114 (21 Feb 2012 12:49:07
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 21 Feb 2012 12:49:07 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
```

Scott wrote:

> OK, I'm a bit confused. At the top, you say it meets or beats FCC
> technical standards then and at the bottom, you say hams would be
> lowering their standards buying this "piece of crap". So why is it
> junk? Because it wears down a battery in use? So would a mobile or
> base radio running on a car battery...

I think he was complaining because the early radios (before Part 90 certification) were not quite compliant on 2m in terms of spurious radiation. In practice they were ok if you used a resonant antenna.

Once they were "cleaned up" for part 90 certification, they were fine.

This is pretty common with Chinese radios, the CW QRP rig sold by both MFJ and Ten-Tec were the same way. The original radios sold from China as a kit and later from Canada via eBay also lacked proper filtering.

The radios were three band, the Ten-Tec version is two band, the MFJ version is single band. Both have improved filtering and are legal in the US.

Note that several of the Japanese companies are using factories in China, so the difference between a name brand an unknown brand may be very little.

Bottom line, if you bought them from eBay vendors a year ago, you may have
problems, if you buy them today it should be ok.

Geoff.
--
Geoffrey S. Mendelson, N3OWJ/4X1GM
My high blood pressure medicine reduces my midichlorian count. :-(

From -7809223801115934 29
X-Google-Thread: 108122,c7b390dba2d6fd48,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.226.170 with SMTP id rt10mr1662934pbc.3.1329864752643;
Tue, 21 Feb 2012 14:52:32 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni52942pbc.0!nntp.google.com!news1.google.com!goblin1!goblin2!goblin.stu.neva.ru!aioe.org!.POSTED!not-for-mail
From: KC8QJP <kc8qjp@nomail.invalid>
Newsgroups: rec.radio.amateur.equipment
Subject: FA KENRICH LINEAR AMP
Date: Tue, 21 Feb 2012 22:52:27 +0000 (UTC)
Organization: crisco kathy
Lines: 7
Message-ID: <ji177a$66s$1@speranza.aioe.org>
NNTP-Posting-Host: uCGPWJs/QmDAsKNtVwf0aQ.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: Xnews/5.04.25
X-Notice: Filtered by postfilter v. 0.8.2

KENRICH EAGLE VIII IT HAS 2-20LF6's DRIVING 5- 20LF6's, WILL DEAD KEY
AROUND 325 AND SWING TO 800 PLUS WATTS PEP BY MY DOZY METER BY HOW MUCH
YOU DRIVE IT.

http://www.ebay.com/itm/KENRICH-LINEAR-AMP-/270918720190?pt=LH_DefaultDomain_0&hash=item3f14039abe

From 755528239676265194
X-Google-Thread: 108122,c7b390dba2d6fd48
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.226.170 with SMTP id rt10mr2418307pbc.3.1329883980316;
Tue, 21 Feb 2012 20:13:00 -0800 (PST)
Path: wr5ni53821pbc.0!nntp.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad!not-for-mail
From: Kickin' Ass and Takin' Names <PopUlist349@hotmail.com>

Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA KENRICH LINEAR AMP
Date: Tue, 21 Feb 2012 23:12:46 -0500
Organization: Newshosting.com - Highest quality at a great price! www.newshosting.com
X-Complaints-To: abuse(at)newshosting.com
Message-ID: <vhp8k7lfre0ef5fg18ipva0ipncp75cc7j@4ax.com>
References: <ji177a$66s$1@speranza.aioe.org>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Lines: 55
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

On Tue, 21 Feb 2012 22:52:27 +0000 (UTC), KC8QJP <kc8qjp@nomail.invalid> wrote:

>KENRICH EAGLE VIII IT HAS 2-20LF6's DRIVING 5- 20LF6's, WILL DEAD KEY
>AROUND 325 AND SWING TO 800 PLUS WATTS PEP BY MY DOZY METER BY HOW MUCH
>YOU DRIVE IT.
>
>http://www.ebay.com/itm/KENRICH-LINEAR-AMP-/270918720190?
>pt=LH_DefaultDomain_0&hash=item3f14039abe

That amp is a PIECE OF CB SHIT.

It's junk.

It was junk when it was "designed," it was junk when it was on the air, and it's junk now.

Tell you what, you send $100 to my PayPal account and I'll take it off your hands. When it arrives at my place, I'll put a couple of 12-gauge blasts through it to keep that POS off the air.

In fact, it's probably illegal for you to be offering it for sale.

I note there's no bandswitch on it, meaning, it operates on only one band -- 11 Meters -- where linears are illegal.

Here's a forum where someone has posted close-up photos of this piece of shit -- look at the construction -- look at the PC boards -- JUNK -- and it looks as though it was soldered by a troop of monkeys.
http://www.worldwidedx.com/general-cb-services-discussion/25842-eagle-525-base-linear-not-golden-browning-2.html

Look closely at this photo -- note the variable capacitors -- the variable capacitors used to tune the output stage are clse-spaced RECEIVING VARIABLES -- and these are supposed to be running several hundred watts??
http://www.worldwidedx.com/general-cb-services-discussion/25842-eagle-525-base-

linear-not-golden-browning.html

Oh, wait a minute -- now I see -- KC8QJP, Kathleen R. Lee:

http://acc.ohio.gov/LinkClick.aspx?fileticket=pV3XvMK6MOo%3D&tabid=86
Kathleen R. Lee,
CPA
4701.16(A)(5)-Convicted of aiding & assisting in filing of false
tax returns.
CPA certificate revoked. 2001 April 24

```
From -7652218325558161903
X-Google-Thread: 108122,c7b390dba2d6fd48
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.221.4 with SMTP id qa4mr17866151pbc.7.1329934213693;
        Wed, 22 Feb 2012 10:10:13 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni56087pbc.0!nntp.google.com!news2.google.com!goblin3!goblin2!
goblin.stu.neva.ru!aioe.org!.POSTED!not-for-mail
From: KC8QJP <kc8qjp@nomail.invalid>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA KENRICH LINEAR AMP
Date: Wed, 22 Feb 2012 18:10:08 +0000 (UTC)
Organization: crisco kathy
Lines: 20
Message-ID: <ji3b20$fb7$1@speranza.aioe.org>
References: <ji177a$66s$1@speranza.aioe.org>
<vhp8k7lfre0ef5fg18ipva0ipncp75cc7j@4ax.com>
NNTP-Posting-Host: uCGPWJs/QmDAsKNtVwf0aQ.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: Xnews/5.04.25
X-Notice: Filtered by postfilter v. 0.8.2
```

Lickin' Ass and Takin'Sperm <PopUlist349@hotmail.com> wrote in
news:vhp8k7lfre0ef5fg18ipva0ipncp75cc7j@4ax.com:

> On Tue, 21 Feb 2012 22:52:27 +0000 (UTC), KC8QJP
> <kc8qjp@nomail.invalid> wrote:
>
>>KENRICH EAGLE VIII IT HAS 2-20LF6's DRIVING 5- 20LF6's, WILL DEAD KEY
>>AROUND 325 AND SWING TO 800 PLUS WATTS PEP BY MY DOZY METER BY HOW
>>MUCH YOU DRIVE IT.

```
>>
>>http://www.ebay.com/itm/KENRICH-LINEAR-AMP-/270918720190?
>>pt=LH_DefaultDomain_0&hash=item3f14039abe
>
>
> That amp is a PIECE OF CB SHIT.
>
>
STFU you stupid asshole, it's much better than that shotdown MFJ piece of
shit you run, no fuck off you mud duck, when I want your opinion I'll slap
it out of you. Lickin'Ass and Takin' Sperm. <------- LOL


From -5706226753618217
X-Google-Thread: 108122,c7b390dba2d6fd48
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.241.37 with SMTP id wf5mr22673255pbc.4.1329934460526;
        Wed, 22 Feb 2012 10:14:20 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni56084pbc.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news.litech.org!.POSTED!not-for-mail
From: Mike Andrews <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA KENRICH LINEAR AMP
Date: Wed, 22 Feb 2012 12:14:03 -0600
Organization: Litech Systems Design
Lines: 30
Sender: mikea@mikea.ath.cx
Message-ID: <bsnf19-tkt2.ln1@mikea.ath.cx>
References: <ji177a$66s$1@speranza.aioe.org>
<vhp8k7lfre0ef5fg18ipva0ipncp75cc7j@4ax.com> <ji3b20$fb7$1@speranza.aioe.org>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1329934460 19559 70.164.65.62 (22 Feb 2012 18:14:20 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Wed, 22 Feb 2012 18:14:20 +0000 (UTC)
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/8.2-RELEASE (i386))
X-User-Agent: tin (SOAP 3; IBM 650)
X-Not-Approved: yes@its-approved.com

KC8QJP <kc8qjp@nomail.invalid> wrote in <ji3b20$fb7$1@speranza.aioe.org>:

> Lickin' Ass and Takin'Sperm <PopUlist349@hotmail.com> wrote in
> news:vhp8k7lfre0ef5fg18ipva0ipncp75cc7j@4ax.com:
>
>> On Tue, 21 Feb 2012 22:52:27 +0000 (UTC), KC8QJP
>> <kc8qjp@nomail.invalid> wrote:
>>
>>>KENRICH EAGLE VIII IT HAS 2-20LF6's DRIVING 5- 20LF6's, WILL DEAD KEY
>>>AROUND 325 AND SWING TO 800 PLUS WATTS PEP BY MY DOZY  METER  BY HOW
>>>MUCH YOU DRIVE IT.
>>>
```

```
>>>http://www.ebay.com/itm/KENRICH-LINEAR-AMP-/270918720190?
>>>pt=LH_DefaultDomain_0&hash=item3f14039abe
>>
>>
>> That amp is a PIECE OF CB SHIT.
>>
>>
> STFU you stupid asshole, it's much better than that shotdown MFJ piece of
> shit you run, no fuck off you mud duck, when I want your opinion I'll slap
> it out of you. Lickin'Ass and Takin' Sperm. <------- LOL

Welcome to my killfile. Enjoy.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin
Visit <http://hydrazine.ath.cx/>


From 519877353696288929
X-Google-Thread: 108122,c7b390dba2d6fd48
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.136.40 with SMTP id px8mr22724022pbb.1.1329935353417;
        Wed, 22 Feb 2012 10:29:13 -0800 (PST)
MIME-Version: 1.0
Path: wr5ni56128pbc.0!nntp.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!news.mixmin.net!aioe.org!.POSTED!not-for-mail
From: KC8QJP <kc8qjp@nomail.invalid>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA KENRICH LINEAR AMP
Date: Wed, 22 Feb 2012 18:29:09 +0000 (UTC)
Organization: crisco kathy
Lines: 35
Message-ID: <ji3c5l$i4v$1@speranza.aioe.org>
References: <ji177a$66s$1@speranza.aioe.org>
<vhp8k7lfre0ef5fg18ipva0ipncp75cc7j@4ax.com> <ji3b20$fb7$1@speranza.aioe.org>
<bsnf19-tkt2.ln1@mikea.ath.cx>
NNTP-Posting-Host: uCGPWJs/QmDAsKNtVwf0aQ.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: Xnews/5.04.25
X-Notice: Filtered by postfilter v. 0.8.2

Mike Andrews <mikea@mikea.ath.cx> wrote in
news:bsnf19-tkt2.ln1@mikea.ath.cx:

> KC8QJP <kc8qjp@nomail.invalid> wrote in
> <ji3b20$fb7$1@speranza.aioe.org>:
>
>> Lickin' Ass and Takin'Sperm <PopUlist349@hotmail.com> wrote in
>> news:vhp8k7lfre0ef5fg18ipva0ipncp75cc7j@4ax.com:
```

```
>>
>>> On Tue, 21 Feb 2012 22:52:27 +0000 (UTC), KC8QJP
>>> <kc8qjp@nomail.invalid> wrote:
>>>
>>>>KENRICH EAGLE VIII IT HAS 2-20LF6's DRIVING 5- 20LF6's, WILL DEAD
>>>>KEY AROUND 325 AND SWING TO 800 PLUS WATTS PEP BY MY DOZY  METER  BY
>>>>HOW MUCH YOU DRIVE IT.
>>>>
>>>>http://www.ebay.com/itm/KENRICH-LINEAR-AMP-/270918720190?
>>>>pt=LH_DefaultDomain_0&hash=item3f14039abe
>>>
>>>
>>> That amp is a PIECE OF CB SHIT.
>>>
>>>
>> STFU you stupid asshole, it's much better than that shotdown MFJ
>> piece of shit you run, no fuck off you mud duck, when I want your
>> opinion I'll slap it out of you. Lickin'Ass and Takin' Sperm.
>> <------- LOL
>
> Welcome to my killfile. Enjoy.
>
>
>
Public plonkings are for pussies.

HTH


From -8201929522557763035
X-Google-Thread: 108122,353b486c3b744f7f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.221.4 with SMTP id qa4mr2427227pbc.7.1330029729190;
        Thu, 23 Feb 2012 12:42:09 -0800 (PST)
Path: h9ni1172pbe.0!nntp.google.com!news1.google.com!news.glorb.com!
feeder.erje.net!news.mixmin.net!news.newsland.it!feeder.news.tin.it!
spool.news.tin.it!not-for-mail
Reply-To: "Antonio I0JX" <vernucci@tiscali.it>
From: "Antonio I0JX" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Gonset G-77 transmitter
Date: Thu, 23 Feb 2012 21:42:13 +0100
MIME-Version: 1.0
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 15.4.3538.513
X-MimeOLE: Produced By Microsoft MimeOLE V15.4.3538.513
Lines: 6
Message-ID: <4f46a4a0$0$1392$4fafbaef@reader1.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
```

```
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.50.38.63
X-Trace: 1330029728 reader1.news.tin.it 1392 79.50.38.63:8033
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

Any one willing to sell me a Gonset G-77 transmitter?
(preferably without power supply)

73 Tony I0JX / K0JX
vernucci@tiscali.it

```
From -8356794526971394072
X-Google-Thread: 108122,6e2bccb3cbeed2b1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.221.4 with SMTP id qa4mr2861109pbc.7.1330102148100;
        Fri, 24 Feb 2012 08:49:08 -0800 (PST)
Path: h9ni4353pbe.0!nntp.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-12.dc1.easynews.com.POSTED!not-for-mail
From: "D@LS" <helmsman@wowway.com/>
Newsgroups: rec.radio.amateur.equipment
Subject: R-6000 for sale - R6000_master_2_99.pdf (0/1)
Organization: wowway.com
Reply-To: helmsman@wowway.com/
Message-ID: <tcffk758glaiugd6ncslao03jmci92utd1@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Lines: 55
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 24 Feb 2012 11:49:02 -0500
X-Received-Bytes: 2503
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

R6000 Multiband Vertical
The R6000 is a 6 through 20 meter, no ground radial antenna. It includes many of the features of the
R8, R7 and R5 antennas. R6000 means excellent performance, easy installation and use, slim
silhouette and high reliability. There are no traps used on 6, 10 and 15 meters for maximum
efficiency and power handling. The R6000 employs quarter wavelength stubs on 10

and 15 meters to replace standard trap coils. The result is lower loss and wider bandwidth. The R6000 covers all bands 6 through 15 meters at a VSWR under 2:1. On 20 meters you can select the top 300 KHz or bottom 300 KHz of the band. The R6000 weighs only 12-1/2 pounds (5.6 kg). It is lightweight and easy to mount for portable or permanent installations. Machined aluminum clamps and UV stable insulators guarantee years of reliable service. The R6000 comes with the standard Cushcraft warranty of one year from purchase - plus the industry's leading technical support team stands behind each Cushcraft antenna. The R6000 makes an excellent diversity antenna to complement even the most complete stations, or pack up the R6000 for a trip to the DX location of your dreams.

Model
R6000
2:1 bandwidth, KHz 10m
>1700
2:1 bandwidth, KHz 12m
>100
2:1 bandwidth, KHz 15m
>450
2:1 bandwidth, KHz 17m
>100
2:1 bandwidth, KHz 20
>300
2:1 bandwidth, KHz 6m
>1300
Frequency, meters
6,10,12,15,17,20
Gain, dBi
3
Height, ft(m)
19(5.8)
Horizontal rad, deg
360
Mast size range, in.(cm)
1.5-1.75(3.8-4.4)
Power, Watts output
1500
Radiation angle, deg.
16
VSWR minimum
1.2:1 typical
Weight, lb(kg)
12.5(5.6)
Wind Surface Area ft(m) sq
1.5(.14)

up 1 year
Works good

$200.00 + Freight

```
From 3132374317551742724
X-Google-Thread: 108122,6e2bccb3cbeed2b1
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.231.165 with SMTP id th5mr1925510pbc.1.1330146233717;
        Fri, 24 Feb 2012 21:03:53 -0800 (PST)
MIME-Version: 1.0
Path: h9ni6298pbe.0!nntp.google.com!news2.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-
mli.net!feeder1.hal-mli.net!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Feb 2012 23:03:52 -0600
From: Channel Jumper <Channel.Jumper.98e2359@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: R-6000 for sale - R6000_master_2_99.pdf (0/1)
Date: Sat, 25 Feb 2012 01:00:55 +0000
Message-ID: <Channel.Jumper.98e2359@radiobanter.com>
Organization: RadioBanter.com
References: <tcffk758glaiugd6ncslao03jmci92utd1@4ax.com>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
b3KjjvNCsaWmA2NLOz5ZJunknInBCQ028tMgFJRmyokD58t0IhO3yYCTRwj0fKJiJkUTflfoOHzUaBk!
BW0s6SRv9bKxTRkFAXm5ATznmsXhzOm4QJd033XAL6zvOEfk/+ybJxNsOfg6JX004MLIeHEHQcr4!
MlV8bYG95Ob4H1E=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1124
```

For $200 you can buy a used multiband beam antenna that does the same thing.

--
Channel Jumper

```
From 6239925366835969600
X-Google-Thread: 108122,6a01a652272924bd,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.129.200 with SMTP id p8mr605240bks.2.1330216994970;
        Sat, 25 Feb 2012 16:43:14 -0800 (PST)
Path: t13ni70232bkb.0!nntp.google.com!news1.google.com!postnews.google.com!
em9g2000vbb.googlegroups.com!not-for-mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: BEST HOT VIDEOS ND PHOTOS FOR SEXY BOYS
Date: Sat, 25 Feb 2012 16:43:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 30
Message-ID: <35e90541-115d-4b07-a03d-1bd442a0b8ad@em9g2000vbb.googlegroups.com>
NNTP-Posting-Host: 117.199.244.178
Mime-Version: 1.0
X-Trace: posting.google.com 1330216994 1227 127.0.0.1 (26 Feb 2012 00:43:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 26 Feb 2012 00:43:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: em9g2000vbb.googlegroups.com; posting-host=117.199.244.178;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:8.0.1) Gecko/20100101 Firefox/
8.0.1,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1


      A TO Z INFORMATION SEE IN THIS SITE

http://atwoztopic.blogspot.in/



             ALL HOT PHOTOS SUPER SEXY PHOTOS

http://alltoux.blogspot.in/2010/09/hot-lip-kiss-135.html

               ALL  JOBS   SITES FREE SEE

http://jobstwo.blogspot.in/




HOT VIDEOS

http://hotvideotoou.blogspot.in/2011/01/kiss-videos.html
```

```
hot lip kiss
http://hotvidos.blogspot.in/2010/07/hot-lip-kiss.html
hot kisses
http://hotvidos.blogspot.in/2010/07/hot-kisses.html
hollywood hot videos
http://hotvidos.blogspot.in/2010/07/hollywood-hot-videos.html
real hot videos
http://hotvidos.blogspot.in/2010/07/real-hot-videos.html


From -6873228128817892714
X-Google-Thread: 108122,6e2bccb3cbeed2b1
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.131.75 with SMTP id w11mr764457bks.0.1330282952497;
        Sun, 26 Feb 2012 11:02:32 -0800 (PST)
Path: t13ni73108bkb.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!
easynews.com!en-nntp-14.dc1.easynews.com.POSTED!not-for-mail
From: "D@LS" <helmsman@wowway.com/>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: R-6000 for sale - R6000_master_2_99.pdf (0/1)
Organization: wowway.com
Reply-To: helmsman@wowway.com/
Message-ID: <tc0lk7hh1f3vtiboqc2if7rtovhkjol6mn@4ax.com>
References: <tcffk758glaiugd6ncslao03jmci92utd1@4ax.com>
<Channel.Jumper.98e2359@radiobanter.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Lines: 8
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 26 Feb 2012 14:02:30 -0500
X-Received-Bytes: 1079
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

On Sat, 25 Feb 2012 01:00:55 +0000, Channel Jumper
<Channel.Jumper.98e2359@radiobanter.com> wrote:

>
>For $200 you can buy a used multiband beam antenna that does the same
>thing.

Not everyone has the room for beams.



From 1459967596248666
X-Google-Thread: 108122,6e2bccb3cbeed2b1
```

```
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.218.166 with SMTP id ph6mr6138373pbc.5.1330285510411;
        Sun, 26 Feb 2012 11:45:10 -0800 (PST)
MIME-Version: 1.0
Path: h9ni12416pbe.0!nntp.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 26 Feb 2012 13:45:10 -0600
Reply-To: "Ralph Mowery" <rmowery28146@earthlink.net>
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <tcffk758glaiugd6ncslao03jmci92utd1@4ax.com>
<Channel.Jumper.98e2359@radiobanter.com>
<tc0lk7hh1f3vtiboqc2if7rtovhkjol6mn@4ax.com>
Subject: Re: R-6000 for sale - R6000_master_2_99.pdf (0/1)
Date: Sun, 26 Feb 2012 14:45:14 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3664
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3664
X-RFC2646: Format=Flowed; Original
Message-ID: <mqadnYI0EepbFtfSnZ2dnUVZ_qWdnZ2d@earthlink.com>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.49
X-Trace: sv3-
muU2Nh26fMR6mF8Gtybl2nbEBx1CD4BRLXLxuOkPhYEHGBDADESwrUfnvXRNGKnW5i4PEQFgZimLLbc!
k62OcEgT2mhyC02qrQeaVKO6VoZ4+rnh/n0HuMATxNc0zJTvbSxs4i5e+B92RBaztQtjAKNzJ7R3!
TP193fTrv9LpvNCuuP2ul2SK9Aj7/+o6m5J4qJs=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1826
```

"D@LS" <helmsman@wowway.com/> wrote in message
news:tc0lk7hh1f3vtiboqc2if7rtovhkjol6mn@4ax.com...

> On Sat, 25 Feb 2012 01:00:55 +0000, Channel Jumper
> <Channel.Jumper.98e2359@radiobanter.com> wrote:
>
>>
>>For $200 you can buy a used multiband beam antenna that does the same
>>thing.
>
> Not everyone has the room for beams.
>

Plus you need a tower and rotator for another pile of money.

Sometimes you have to put up what you can such as a ham I talked to the other day that was on a lot that was about 40 feet by 100 feet.

```
From -2567861792391205202
X-Google-Thread: 108122,992a745c8eb34d46,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.154.143 with SMTP id o15mr1821613bkw.4.1330511408344;
        Wed, 29 Feb 2012 02:30:08 -0800 (PST)
Path: t13ni83063bkb.0!nntp.google.com!news1.google.com!goblin1!goblin.stu.neva.ru!
eternal-september.org!feeder.eternal-september.org!mx04.eternal-
september.org!.POSTED!not-for-mail
From: atec77 <"atec77 "@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Bad Sol
Date: Wed, 29 Feb 2012 20:30:05 +1000
Organization: A noiseless patient Spider
Lines: 13
Message-ID: <jikunf$lde$1@dont-email.me>
Mime-Version: 1.0
Injection-Date: Wed, 29 Feb 2012 10:30:07 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="boEWUuaP+eHgRsXSv318Bg";
     logging-data="21934"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/GpNffEHDPfMcrHxxTe3/1"
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:10.0.2) Gecko/20120216
Thunderbird/10.0.2
Cancel-Lock: sha1:buYhufZV6gSGv3GTr5X5S44nJLE=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

http://www.swpc.noaa.gov/weekly.html
--

X-No-Archive: Yes

```
From 6798466439411837564
X-Google-Thread: 11480d,efeb620093afb0b1,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,efeb620093afb0b1,start
X-Google-NewGroupId: yes
```

```
X-Google-Thread: fc2a5,efeb620093afb0b1,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid7221ecd0f7,gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.156.210 with SMTP id y18mr291060bkw.7.1330585204735;
        Wed, 29 Feb 2012 23:00:04 -0800 (PST)
MIME-Version: 1.0
Path: t13ni86253bkb.0!nntp.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1328079601@panix.com>
Followup-To: poster
Date: 1 Mar 2012 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Apr 2012 03:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1330585201@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1330585203 28637 166.84.1.2 (1 Mar 2012 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 1 Mar 2012 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader
opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated

```
amateur-radio-related discussion newsgroup.  After a successful trial        |
period (90 days, through early July 2009), we decided to adopt this          |
change permanently.                                                          |
```

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -2663208248421463041
X-Google-Thread: 108122,253cf8e4d0aebaa2
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.224.230 with SMTP id rf6mr13479238pbc.4.1330974897902;
        Mon, 05 Mar 2012 11:14:57 -0800 (PST)
MIME-Version: 1.0
Path: h9ni43054pbe.0!nntp.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!newsfeed.straub-nv.de!zen.net.uk!dedekind.zen.co.uk!
aioe.org!.POSTED!not-for-mail
From: KC8QJP <kc8qjp@nomail.invalid>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: For Sale: MFJ-9410 - MINT - 10 Meter SSB Transceiver
Date: Mon, 5 Mar 2012 19:14:52 +0000 (UTC)
Organization: crisco kathy
Lines: 21
Message-ID: <jj33bc$nod$1@speranza.aioe.org>
References: <K7HI.97cab78@radiobanter.com> <K7HI.97d5438@radiobanter.com>
<K7HI.981f178@radiobanter.com>
```

```
NNTP-Posting-Host: uCGPWJs/QmDAsKNtVwf0aQ.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: Xnews/5.04.25
X-Notice: Filtered by postfilter v. 0.8.2

K7HI <K7HI.981f178@radiobanter.com> wrote in news:K7HI.981f178
@radiobanter.com:

>
> FREE Shipping - FREE Shipping
>
> Price REDUCED to $195. Including USPS Priority Shipping.
>
> FREE Shipping - FREE Shipping
>
> Thanks,
> Howard, K7HI
> http://www.qrz.com/db/k7hi
>
>
> +--------------------------------------------------------------------+
> +--------------------------------------------------------------------+
>
>
>
Does it work on 11 meters?


From -7567755111149383126
X-Google-Thread: 11480d,3112125e96ef0e2b,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,3112125e96ef0e2b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid7221ecd0f7,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.150.90 with SMTP id x26mr75994bkv.6.1331103902047;
        Tue, 06 Mar 2012 23:05:02 -0800 (PST)
MIME-Version: 1.0
Path: t13ni108985bkb.0!nntp.google.com!news2.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx01.iad01.newshosting.com!newshosting.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1328598300@panix.com>
Followup-To: poster
Date: 7 Mar 2012 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
```

Distribution: world
Expires: 09 Apr 2012 03:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1331103900@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1331103901 19404 166.84.1.2 (7 Mar 2012 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Mar 2012 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Received-Bytes: 3537

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original

article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -8926786358199569742
X-Google-Thread: 107ada,5a7d147f473b99a7,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,5a7d147f473b99a7,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,5a7d147f473b99a7,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.74.201 with SMTP id w9mr1442838pbv.0.1331104202283;
        Tue, 06 Mar 2012 23:10:02 -0800 (PST)
MIME-Version: 1.0
Path: h9ni48773pbe.0!nntp.google.com!news2.google.com!news.glorb.com!news-
out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1328598600@panix.com>
Followup-To: poster
Date: 7 Mar 2012 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Apr 2012 03:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1331104201@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1331104201 24957 166.84.1.2 (7 Mar 2012 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Mar 2012 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
```

URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 7491708805335365377
X-Google-Thread: 108122,7a411bd42a94e478,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.74.201 with SMTP id w9mr2787558pbv.0.1331142699481;
        Wed, 07 Mar 2012 09:51:39 -0800 (PST)
Path: h9ni50475pbe.0!nntp.google.com!news1.google.com!news2.google.com!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post01.iad!post02.iad!not-for-mail
From: Jim <nospam@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu Expert Needed:  Mars Modification for Yaesu FT-857D -  US version
w/just 2 jumpers
Date: Wed, 07 Mar 2012 11:51:38 -0600
Organization: Newshosting.com - Highest quality at a great price!
```

www.newshosting.com
X-Complaints-To: abuse(at)newshosting.com
Message-ID: <b77fl79aojvvrtv89uqvcot17ukb68nea6@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Lines: 57
X-Received-Bytes: 2416
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

I went to the various MOD sites and almost all of the sites say that you should remove from the row of 9 SMD jumpers on the main boad:

1001
1002

Leave jumper 1006 in place

Place jumpers on:

1007
1008
1009

leave blank:
1001
1002
1003
1004
1005

OK here is the strange part.

My FT-857D has no jumper 1006, only jumpers 1001 and 1002.

In my searches across the web for information, one fellow said that he removed jumpers 1001 and 1002, and the radio locked up, and he had to send it back to Yaesu for expensive repairs. He said they told him that the later radios were changed so they could not be modded, which sounds like baloney to me, how would MARS operators use them?

My reason for wanting the mod is that the 60 M frequencies are pre-programmed in the USA versions, and as you probably know the frequencies have changed. I wrote to Yaesu to ask them if they would be coming out with a way to update the 60 meter changes, and they said no plans to make this available. So much for Yaesu support. This really got my goat as several of my old timer buddies will be working on the new QRG's and I have no way to use the Yaesu rig to make contact.

OK, after a long winded explain, here is the question. Has anyone out there done a successful MARS mod on the FT-857D with just the two jumpers, and if so, can you steer me in the right direction, as I don't want to end up having to face an expensive repair. I have searched probably over 100 sites, most go back to the same sites, and yet to have found any instructions for the version of the radio here.

Thanks for any help on making the changes. I tried to just go to those frequences and when you hit the MIC key you get TRANSMIT ERROR on the display.... Bummer....

73,

Jim

From -1563052619986373156
X-Google-Thread: 108122,7a411bd42a94e478
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.135.231 with SMTP id pv7mr3905279pbb.8.1331175447544;
        Wed, 07 Mar 2012 18:57:27 -0800 (PST)
Path: h9ni534pbe.0!nntp.google.com!news1.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad!not-for-mail
From: Kickin' Ass and Takin' Names <PopUlist349@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu Expert Needed: Mars Modification for Yaesu FT-857D - US version w/just 2 jumpers
Date: Wed, 07 Mar 2012 21:57:25 -0500
Organization: Newshosting.com - Highest quality at a great price! www.newshosting.com
X-Complaints-To: abuse(at)newshosting.com
Message-ID: <lv7gl79pn6lb45pc887i3rvul7g5fdtqtm@6ax.com>
References: <b77fl79aojvvrtv89uqvcot17ukb68nea6@4ax.com>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Lines: 62
X-Received-Bytes: 2698
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

On Wed, 07 Mar 2012 11:51:38 -0600, Jim <nospam@nospam.com> wrote:

>I went to the various MOD sites and almost all of the sites say
>that you should remove from the row of 9 SMD jumpers on the main boad:
>
>1001
>1002
>
>Leave jumper 1006 in place
>

>Place jumpers on:
>
>1007
>1008
>1009
>
>leave blank:
>1001
>1002
>1003
>1004
>1005
>
>
>OK here is the strange part.
>
>My FT-857D has no jumper 1006, only jumpers 1001 and 1002.
>
>In my searches across the web for information, one fellow said that he
>removed jumpers 1001 and 1002, and the radio locked up, and he had to
>send it back to Yaesu for expensive repairs. He said they told him
>that the later radios were changed so they could not be modded, which
>sounds like baloney to me, how would MARS operators use them?
>
>My reason for wanting the mod is that the 60 M frequencies are
>pre-programmed in the USA versions, and as you probably know the
>frequencies have changed. I wrote to Yaesu to ask them if they would
>be coming out with a way to update the 60 meter changes, and they said
>no plans to make this available. So much for Yaesu support. This
>really got my goat as several of my old timer buddies will be working
>on the new QRG's and I have no way to use the Yaesu rig to make
>contact.
>
>OK, after a long winded explain, here is the question. Has anyone out
>there done a successful MARS mod on the FT-857D with just the two
>jumpers, and if so, can you steer me in the right direction, as I
>don't want to end up having to face an expensive repair. I have
>searched probably over 100 sites, most go back to the same sites, and
>yet to have found any instructions for the version of the radio here.
>
>Thanks for any help on making the changes. I tried to just go to
>those frequences and when you hit the MIC key you get TRANSMIT ERROR
>on the display.... Bummer....
>
>73,
>
>Jim
>

Call Yaesu. Have your serial number handy.

```
From 308231672894382865
X-Google-Thread: 108122,c4cc2e14e8f559b0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.134.225 with SMTP id pn1mr1305244pbb.7.1331269430049;
        Thu, 08 Mar 2012 21:03:50 -0800 (PST)
MIME-Version: 1.0
Path: h9ni4990pbe.0!nntp.google.com!news1.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-
mli.net!feeder1.hal-mli.net!npeer02.iad.highwinds-media.com!news.highwinds-
media.com!feed-me.highwinds-media.com!border3.nntp.dca.giganews.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 08 Mar 2012 23:03:48 -0600
From: vir <vir.99f46d9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 9870 KHz - All India Radio
Date: Fri, 9 Mar 2012 00:48:20 +0000
Message-ID: <vir.99f46d9@radiobanter.com>
Organization: RadioBanter.com
Lines: 16
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-GZ7vPWXUOCzvaRHt/aAjvk1fu84CsgLcU5z35SzRuDnGPYM/
7LLyvTVvIuj8dYCRfOEjvbO/z5bqCie!
tqAIeL9YssZUjhysnzODimyTWY0FQELeF6krnMfOPyOHIQhKHvCxSEjS8yzn9/pyJwzWBa/05VgK
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 6
X-Original-Bytes: 1278
X-Received-Bytes: 1441
```

I am very new to this hobby. I would really like to listen to 9870 KHz
All India Radio. I have a Kaito WRX-911 which I bought from Amazon and
it doesn't really receive the signal. I was only able to hear the
station for 5 second once and it was very very weak. I live in Los
Angeles, CA.

Can you please suggest a radio which will work best for my purpose.

Thanks,
vir

```
--
vir


From -1966806197314134773
X-Google-Thread: 108122,ce96ca58810c568f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.227.166 with SMTP id sb6mr3014778pbc.4.1331313003412;
        Fri, 09 Mar 2012 09:10:03 -0800 (PST)
MIME-Version: 1.0
Path: h9ni6914pbe.0!nntp.google.com!news2.google.com!goblin1!goblin2!
goblin.stu.neva.ru!news.internetdienste.de!weretis.net!feeder4.news.weretis.net!
cs.uu.nl!news0.firedrake.org!not-for-mail
From: Mike Andrews <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Activity
Date: Fri, 9 Mar 2012 11:08:28 -0600
Organization: Firedrake Synthesis
Lines: 133
Message-ID: <c1qp29-i4q2.ln1@mikea.ath.cx>
References: <59fec182-e6ee-46b8-826f-fc1531bf4817@gj7g2000pbc.googlegroups.com>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: parhelion.firedrake.org 1331313002 4366 70.164.65.62 (9 Mar 2012 17:10:02
GMT)
X-Complaints-To: usenet@parhelion.firedrake.org
NNTP-Posting-Date: Fri, 9 Mar 2012 17:10:02 +0000 (UTC)
X-User-Agent: tin (SOAP 3; IBM 650)
X-Not-Approved: yes@its-approved.com
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/8.2-RELEASE (i386))

David Quest <wa7kqs@gmail.com> wrote in <59fec182-e6ee-46b8-826f-
fc1531bf4817@gj7g2000pbc.googlegroups.com>:

> Is this group still active?

From time to time.

The last 30 days, including today so far:

: Subject: For Sale: MFJ-9410 - MINT - 10 Meter SSB Transceiver
: Date: Sat, 11 Feb 2012 18:01:25 +0000

: Subject: Re: For Sale: MFJ-9410 - MINT - 10 Meter SSB Transceiver
: Date: Sun, 12 Feb 2012 05:35:31 +0000

: Subject: K9YA Telegraph, March 2012 - Subscribe for FREE
: Date: Sun, 12 Feb 2012 11:52:08 EST

: Subject: Re: IFR 1200 rear ring case holder
: Date: Sun, 12 Feb 2012 20:25:38 -0800 (PST)
: Subject: Wouxun KG-UV3D  2m/440 HT
: Date: Mon, 13 Feb 2012 17:30:39 -0600

: Subject: Re: Wouxun KG-UV3D  2m/440 HT
: Date: Mon, 13 Feb 2012 17:50:55 -0600

: Subject: Re: Wouxun KG-UV3D  2m/440 HT
: Date: Mon, 13 Feb 2012 22:07:43 -0500

: Subject: The NEW R.L. Drake Virtual Museum
: Date: Tue, 14 Feb 2012 21:11:50 +0100

: Subject: Repeater Receivers
: Date: Tue, 14 Feb 2012 12:35:52 -0800 (PST)

: Subject: Re: Repeater Receivers
: Date: Tue, 14 Feb 2012 21:14:04 +0000 (UTC)

: Subject: Re: Wouxun KG-UV3D  2m/440 HT
: Date: Tue, 14 Feb 2012 16:35:04 -0600

: Subject: Re: Wouxun KG-UV3D  2m/440 HT
: Date: Wed, 15 Feb 2012 06:49:10 +0000 (UTC)

: Subject: Re: For Sale: MFJ-9410 - MINT - 10 Meter SSB Transceiver
: Date: Wed, 15 Feb 2012 19:24:07 +0000

: Subject: Kenwood TS-830S station for sale
: Date: Fri, 17 Feb 2012 00:44:49 +0000

: Subject: Re: Wouxun KG-UV3D  2m/440 HT
: Date: Fri, 17 Feb 2012 17:23:03 -0600

: Subject: Re: Wouxun KG-UV3D  2m/440 HT
: Date: Fri, 17 Feb 2012 18:01:26 -0600

: Subject: Re: Wouxun KG-UV3D  2m/440 HT
: Date: Mon, 20 Feb 2012 20:54:20 +0000

: Subject: Re: Wouxun KG-UV3D  2m/440 HT
: Date: Tue, 21 Feb 2012 11:35:02 +0000

: Subject: Re: Wouxun KG-UV3D  2m/440 HT
: Date: Tue, 21 Feb 2012 12:49:07 +0000 (UTC)

: Subject: FA KENRICH LINEAR AMP
: Date: Tue, 21 Feb 2012 22:52:27 +0000 (UTC)

: Subject: Re: FA KENRICH LINEAR AMP
: Date: Tue, 21 Feb 2012 23:12:46 -0500

: Subject: Re: FA KENRICH LINEAR AMP
: Date: Wed, 22 Feb 2012 18:10:08 +0000 (UTC)
```

: Subject: Re: FA KENRICH LINEAR AMP
: Date: Wed, 22 Feb 2012 12:14:03 -0600

: Subject: Re: FA KENRICH LINEAR AMP
: Date: Wed, 22 Feb 2012 18:29:09 +0000 (UTC)

: Subject: WTB Gonset G-77 transmitter
: Date: Thu, 23 Feb 2012 21:42:13 +0100

: Subject: R-6000 for sale - R6000_master_2_99.pdf (0/1)
: Date: Fri, 24 Feb 2012 11:49:02 -0500

: Subject: Re: R-6000 for sale - R6000_master_2_99.pdf (0/1)
: Date: Sat, 25 Feb 2012 01:00:55 +0000

: Subject: Re: R-6000 for sale - R6000_master_2_99.pdf (0/1)
: Date: Sun, 26 Feb 2012 14:02:30 -0500

: Subject: Re: R-6000 for sale - R6000_master_2_99.pdf (0/1)
: Date: Sun, 26 Feb 2012 14:45:14 -0500

: Subject: Bad Sol
: Date: Wed, 29 Feb 2012 20:30:05 +1000

: Subject: Crossposting Permitted to rec.radio.amateur.moderated
: Date: 1 Mar 2012 02:00:02 -0500

: Subject: Re: For Sale: MFJ-9410 - MINT - 10 Meter SSB Transceiver
: Date: Mon, 5 Mar 2012 19:14:52 +0000 (UTC)

: Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
: Date: 7 Mar 2012 02:05:01 -0500

: Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
: Date: 7 Mar 2012 02:10:01 -0500

: Subject: Yaesu Expert Needed: Mars Modification for Yaesu FT-857D - US version w/just 2 jumpers
: Date: Wed, 07 Mar 2012 11:51:38 -0600

: Subject: Re: Yaesu Expert Needed: Mars Modification for Yaesu FT-857D - US version w/just 2 jumpers
: Date: Wed, 07 Mar 2012 21:57:25 -0500

: Subject: 9870 KHz - All India Radio
: Date: Fri, 9 Mar 2012 00:48:20 +0000

: Subject: Activity
: Date: Fri, 9 Mar 2012 07:30:50 -0800 (PST)

: Subject: Activity
: Date: Fri, 9 Mar 2012 07:32:34 -0800 (PST)

```
: Subject: Activity
: Date: Fri, 9 Mar 2012 07:31:53 -0800 (PST)


--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin


From 2067980909973689460
X-Google-Thread: 108122,ce96ca58810c568f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.201.129 with SMTP id ka1mr3080760pbc.6.1331315358268;
        Fri, 09 Mar 2012 09:49:18 -0800 (PST)
Path: h9ni7025pbe.0!nntp.google.com!news2.google.com!news1.google.com!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!
en-nntp-14.dc1.easynews.com.POSTED!not-for-mail
From: Marv <volzmtv@comcast.net>
User-Agent: Mozilla/5.0 (Windows NT 6.0; rv:10.0.2) Gecko/20120216 Thunderbird/
10.0.2
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Activity
References: <59fec182-e6ee-46b8-826f-fc1531bf4817@gj7g2000pbc.googlegroups.com>
In-Reply-To: <59fec182-e6ee-46b8-826f-fc1531bf4817@gj7g2000pbc.googlegroups.com>
Lines: 6
Message-ID: <xor6r.120652$2a.97272@en-nntp-14.dc1.easynews.com>
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 09 Mar 2012 11:48:32 -0600
X-Received-Bytes: 1070
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 3/9/2012 9:30 AM, David Quest wrote:
> Is this group still active?

How many answers do you need?

W5MTV


From 3366491214066665469
X-Google-Thread: 108122,ce96ca58810c568f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.235.4 with SMTP id ui4mr3204902pbc.3.1331317501203;
        Fri, 09 Mar 2012 10:25:01 -0800 (PST)
Path: h9ni7121pbe.0!nntp.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!news2.arglkargh.de!news.albasani.net!newsfeed.datemas.de!
news.datemas.de!not-for-mail
From: Internetado <internetado@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Activity
Date: Fri, 09 Mar 2012 12:58:43 -0300
Organization: rede-luso.dtdns.net
Lines: 13
Message-ID: <jjcuq4.4j0.1@alt118.dtdns.net>
References: <8ee65f16-1d21-4642-91bc-eb752830147f@th5g2000pbc.googlegroups.com>
Mime-Version: 1.0
X-Trace: news.datemas.de
CQkQlfpHIua7c5DdAP9zYz8kBkbYTy7rz5CKhy72Kco9iEODvID5twjQHB8dAoFDRmODhwHEbVIoEnHYm0
6bCzSXE+lZC3PB1N1cqeTxaYsM/K2TzkF9fbPyfqXnBhgH9lwcuywlBkyDduPoLDm/O9oCuBJWjUhJ
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Fri, 9 Mar 2012 18:25:00 +0000 (UTC)
X-Newsreader: MesNews/1.08.03.00-gb
Content-Type: text/plain; charset="iso-8859-1"; format=flowed
Content-Transfer-Encoding: 8bit

David Quest explained :
> Is this group still active?

Yes, hello.

--
Eduardo
Sorocaba,SP - Brasil
news://rede-luso.dtdns.net
Rede-Luso: Artes - Cultura - Lusofonia
...




From -2019153506034234678
X-Google-Thread: 108122,ce96ca58810c568f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.135.231 with SMTP id pv7mr3835140pbb.8.1331334243092;
        Fri, 09 Mar 2012 15:04:03 -0800 (PST)
MIME-Version: 1.0
Path: h9ni7870pbe.0!nntp.google.com!news1.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!npeer.de.kpn-
eurorings.net!npeer-ng0.de.kpn-eurorings.net!news.mixmin.net!newsfeed.hal-mli.net!
feeder3.hal-mli.net!newsfeed.hal-mli.net!feeder1.hal-mli.net!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
```

```
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 09 Mar 2012 17:04:00 -0600
From: vir <vir.9a043f8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Activity
Date: Fri, 9 Mar 2012 22:26:13 +0000
Message-ID: <vir.9a043f8@radiobanter.com>
Organization: RadioBanter.com
References: <59fec182-e6ee-46b8-826f-fc1531bf4817@gj7g2000pbc.googlegroups.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
cnsXFYCFoi2Ak3jR+TWRVptfos47d0e5hKMU4UgyIRuuT4Pdy541vnH3iOhG7kPKJPuwQW2WC9meq1k!
PT4VxR4s0RN3d01iL316GKwaeAwa/M1VwSFpFJ6h5AXSUAGrWFpWNnA19cPA4fbH/AGnnt9tU2ym
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 4
X-Original-Bytes: 1132


David Quest;788323 Wrote:
> Is this group still active?


Number of views keep increasing...so it seems like there are very few
people active on this forum.




--
vir


From 565800939315780596
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidd7f5508063,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.74.201 with SMTP id w9mr2268988pbv.0.1331594325692;
        Mon, 12 Mar 2012 16:18:45 -0700 (PDT)
Path: h9ni19203pbe.0!nntp.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!rri.panix.com!robomod!not-for-
mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
```

```
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, April 2012 - Subscribe for FREE
Followup-To: poster
Date: Mon, 12 Mar 2012 19:18:45 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 34
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <7262BD4B8C784F9D9F2591AC20A22F2F@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
<9C4484C04C4B47D2877AFF3914012112@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1331594325 29229 166.84.1.6 (12 Mar 2012 23:18:45 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 12 Mar 2012 23:18:45 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From;
bh=UuJbG2RDRh7jU0dSToNbp+UNjvXai3Z5lmvR1wG2Whs=;
     b=mhOGu0iqozsAnCs+7Lvd1BWGyfQdMzZfrrO3ED/X2/BxenQyNjCgG5/4tjSC/
OxkXX0P2qranpiPWYXWPXwKmxLpZ8PqDq7kJV8JEAirPVqKKl30caVSY6DciVqsN/RU;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 69.211.108.8 authed with k9ya+k9ya.org}
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

April 2012 (Volume 9, Issue 4) articles include:

The Flight of the Southern Cross - Part II By Philip Cala-Lazar

Genesis By Garey Burrell, K4OAH

K9YA DXpedition Announcement

A Bicycle Mobile Adventure - Finale By Scott B. Laughlin, N7NET

Satellite Communications - Part II By Paul W. Ross, W3FIS

Ham Lingo By Dick Sylvan, W9CBT

Subscribe now so you won't miss the April issue.

```
From 8354792995522738005
X-Google-Thread: 1109af,15a558bd8703eae9,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,15a558bd8703eae9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid733d321764,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news2
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Linux Installations on CD &/or DVD's
Date: Sun, 14 Aug 2011 08:40:59 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 14
Message-ID: <j28qaj01hpt@news2.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: pa03124708f82786966eb6f324be581599ad4b3a2e128503a.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 6.00/32.1186
```

```
X-Legal: Copyright 2011. All Rights Reserved
Xref: g2news2.google.com rec.radio.swap:3448 rec.radio.amateur.equipment:2867
```

If you need some BSD/Linux Install CD's or DVD's I sell them for low cost and ship them 1st class mail within 24 hours by USPS 1st Class mail.

<http://home.comcast.net/~kilowattradio/linux_dvd_sale/>

I also sell them via eBay.com as Kilowattradio65:

<http://shop.ebay.com/kilowattradio65/m.html>

```
--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|
```

```
From 7247050758245795222
X-Google-Thread: 108122,628c363c0449de98,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.30.34 with SMTP id p2mr1667951pbh.4.1320716034576;
        Mon, 07 Nov 2011 17:33:54 -0800 (PST)
Path: h5ni10683pba.0!nntp.google.com!news2.google.com!postnews.google.com!
w20g2000prc.googlegroups.com!not-for-mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT SEXY VIDEOS CHECK IT FOR KISS PHOTOS
Date: Mon, 7 Nov 2011 17:32:19 -0800 (PST)
Organization: http://groups.google.com
Lines: 47
Message-ID: <fc962bb1-8690-4c0f-938d-6d632d2f65ec@w20g2000prc.googlegroups.com>
NNTP-Posting-Host: 117.199.240.217
Mime-Version: 1.0
X-Trace: posting.google.com 1320716034 12337 127.0.0.1 (8 Nov 2011 01:33:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 8 Nov 2011 01:33:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w20g2000prc.googlegroups.com; posting-host=117.199.240.217;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.23)
 Gecko/20110920 Firefox/3.6.23,gzip(gfe)
Xref: news2.google.com rec.radio.amateur.equipment:1090
Content-Type: text/plain; charset=ISO-8859-1
```

HOT VIDEOS

kiss videos
http://videosonblog.blogspot.com/2010/11/kiss-videos.html
bed room videos
http://videosonblog.blogspot.com/2010/11/bed-room-videos.html
masala videos
http://videosonblog.blogspot.com/2010/11/masala-videos.html
romantic videos
http://videosonblog.blogspot.com/2010/11/romantic-videos.html

HOT PHOTOS

PHOTOS
http://photostwo2u.blogspot.com/2010/09/photos.html
HOT HOT PHOTOS
http://photostwo2u.blogspot.com/2010/09/photos-2.html
SEXY PHOTOS
http://photostwo2u.blogspot.com/2010/09/photos-3.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

From 7117740532367441928
X-Google-Thread: 108122,38bab4ee04ec6cfe,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,38bab4ee04ec6cfe,start

X-Google-NewGroupId: yes
X-Google-Thread: 107ada,38bab4ee04ec6cfe,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,38bab4ee04ec6cfe,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,38bab4ee04ec6cfe,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1302156301@panix.com>
Followup-To: poster
Date: 7 May 2011 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jun 2011 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1304748300@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1304748304 23394 166.84.1.2 (7 May 2011 06:05:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 May 2011 06:05:04 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:23031 rec.radio.amateur.dx:1024
rec.radio.amateur.equipment:2810 rec.radio.amateur.homebrew:4710
rec.radio.amateur.misc:6427 rec.radio.amateur.policy:33292 rec.radio.info:2402

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information

bulletin formerly posted to rec.radio.amateur.* (and currently archived
at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 1293200160426437076
X-Google-Thread: 108122,5baa35ace4fe35ae,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.35.131 with SMTP id h3mr4858638pbj.1.1320927722924;
        Thu, 10 Nov 2011 04:22:02 -0800 (PST)
MIME-Version: 1.0
Path: h5ni22296pba.0!nntp.google.com!news1.google.com!news.glorb.com!
feeder.erje.net!feeder2.ecngs.de!ecngs!feeder.ecngs.de!Xl.tags.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!
nntp.telenor.com!news.telenor.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 10 Nov 2011 06:22:02 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Alinco DR-150e
```

```
From: Jan Wilford Pettersen <wilford@wilford.no>
Message-ID: <Xns9F9987F8DAB19wilfordwilfordno@216.196.109.146>
User-Agent: Xnews/2009.05.01
X-Face: `H+om@R]@YPo?P3]j(i{J,S*p6,t,xcr:Y|#&-*P5#`K|sE3md"||@urpE:CNsNV1{N0+*a
MG')\-1EG~>#PyieT*2.=@{pG[|SOh#;8E,(>C3f-^T,F<DZFi2q7=/14?0<s5',@Hc6K/%7+(+x'W
vk[-CDA>@[\m=QsEM=-bpYws3I~5Gztkmd}1F?fXb{2fY!+(
Date: Thu, 10 Nov 2011 06:22:02 -0600
Lines: 6
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
iiMhykMaCrirpxY5JiwxjOFRr4FN02N4zZtthZP0Z1lUKKUFOABXMMu+4r4e5MkMWSiSKmC337iNt/0!
txN4lVWaaai/9uxki1T8TswIB+dZ//22CWTTQxpxYmz2JCX3+zIdmC7UKWGon1i6w1Q7cQQVvDgA!
9LpqrgTVJOc7aVvXE7BQ
X-Complaints-To: news-abuse@telenor.net
X-DMCA-Complaints-To: news-abuse@telenor.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1286
Xref: news1.google.com rec.radio.amateur.equipment:1750

Anyone know how to put Alinco DR-150 into FM narrow mode?

--
Jan Wilford Pettersen http://wilford.net - http://wilford.no
wilford@wilford.no
Tlf: (+47) 35 54 80 26



From -6524487866460843143
X-Google-Thread: 1109af,15a558bd8703eae9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,15a558bd8703eae9
X-Google-NewGroupId: yes
X-Google-Attributes: gid733d321764,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!eternal-
september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: atec77 <atec77@hotmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS: Linux Installations on CD &/or DVD's
Date: Tue, 16 Aug 2011 09:18:14 +1000
Organization: A noiseless patient Spider
Lines: 19
Message-ID: <j2c9fs$4gj$2@dont-email.me>
References: <j28qaj01hpt@news2.newsguy.com>
<4q7i47lr9vnl7kk8k77f9djm1ni1ki4ski@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Mon, 15 Aug 2011 23:18:20 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="boEWUuaP+eHgRsXSv318Bg";
```

```
     logging-data="4627"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX189tn6CC+XvtKOdRrUHFQEA"
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:5.0) Gecko/20110624
Thunderbird/5.0
In-Reply-To: <4q7i47lr9vnl7kk8k77f9djm1ni1ki4ski@4ax.com>
Cancel-Lock: sha1:6Fcn4kQWyEILHpjAzOczCtPzOAs=
Xref: g2news1.google.com rec.radio.swap:3029 rec.radio.amateur.equipment:2655

On 15/08/2011 11:30 PM, Evan Platt wrote:
> On Sun, 14 Aug 2011 08:40:59 -0700, Keith
> <kilowattradio@use-reply-to.invalid>  wrote:
>
>> If you need some BSD/Linux Install CD's or DVD's I sell them for low cost
>> and ship them 1st class mail within 24 hours by USPS 1st Class mail.
>>
>> <http://home.comcast.net/~kilowattradio/linux_dvd_sale/>
>>
>> I also sell them via eBay.com as Kilowattradio65:
>>
>> <http://shop.ebay.com/kilowattradio65/m.html>
>
> What radio frequencies can I pick up on these Ubuntu CD's?
Spam Band ?

--
X-No-Archive: Yes



From -9865267130729l8377
X-Google-Thread: 108122,5baa35ace4fe35ae
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.30.34 with SMTP id p2mr6411986pbh.4.1320943001846;
        Thu, 10 Nov 2011 08:36:41 -0800 (PST)
MIME-Version: 1.0
Path: h5ni23535pba.0!nntp.google.com!news2.google.com!npeer01.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nntp.club.cc.cmu.edu!feeder.erje.net!news.albasani.net!news2.arglkargh.de!
news.dizum.com!sewer-output!mail2news
From: Nomen Nescio <nobody@dizum.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Alinco DR-150e
References: <Xns9F9987F8DAB19wilfordwilfordno@216.196.109.146>
Message-ID: <c177ecd6cfb76b45e96c46f0586cda7a@dizum.com>
Date: Thu, 10 Nov 2011 17:35:57 +0100 (CET)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: news2.google.com rec.radio.amateur.equipment:1092

Jan Wilford Pettersen <wilford@wilford.no> wrote:
```

> Anyone know how to put Alinco DR-150 into FM narrow mode?

I guess holding it between the elevator doors hasn't helped?

```
From 7891950282109879836
X-Google-Thread: 107ada,6a75317855036be7,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,6a75317855036be7,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,6a75317855036be7,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,6a75317855036be7,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!novia!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1302156600@panix.com>
Followup-To: poster
Date: 7 May 2011 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jun 2011 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1304748600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1304748601 11800 166.84.1.2 (7 May 2011 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 May 2011 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:6428
rec.radio.amateur.equipment:2811 rec.radio.swap:3400 rec.radio.info:2403
```

```
Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 4712707002707710630
X-Google-Thread: 108122,46d043efca72443b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.59.229 with SMTP id c5mr9113068pbr.6.1321007196491;
        Fri, 11 Nov 2011 02:26:36 -0800 (PST)
Path: h5ni28715pba.0!nntp.google.com!news1.google.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: RadioTech55 <djraz55@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kantronics KPC-9612 Packet Communicator dual port TNC - 1200 and
 9600 baud
Date: Fri, 11 Nov 2011 00:34:10 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <21647484.1047.1321000450776.JavaMail.geo-discussion-forums@prgt40>
Reply-To: rec.radio.amateur.equipment@googlegroups.com
NNTP-Posting-Host: 70.180.184.73
```

```
Mime-Version: 1.0
X-Trace: posting.google.com 1321007196 6734 127.0.0.1 (11 Nov 2011 10:26:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 11 Nov 2011 10:26:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=70.180.184.73;
 posting-account=TlFsYgoAAACd2ieifRkKdodTFGKtr59n
User-Agent: G2/1.0
X-Google-Web-Client: true
Xref: news1.google.com rec.radio.amateur.equipment:1752
Content-Type: text/plain; charset=ISO-8859-1
```

I have for sale KPC-9612 Packet Communicator dual port TNC - 1200 and 9600 baud
has firmware v8.2 asking $150.00.. Thanks for looking

```
From -7132630547813713576
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, September 2011 - Subscribe for FREE
Followup-To: poster
Date: Wed, 17 Aug 2011 12:08:34 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1313597315 21210 166.84.1.6 (17 Aug 2011 16:08:35 GMT)
X-Complaints-To: abuse@panix.com
```

NNTP-Posting-Date: Wed, 17 Aug 2011 16:08:35 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history, nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to   rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to   rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp auth 68.251.34.115 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:2591 rec.radio.amateur.boatanchors:4589 rec.radio.amateur.equipment:2656 rec.radio.swap:3030 alt.ham-radio.morse:65

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

September 2011 articles include:

Barry Goldwater, K7UGA By Philip Cala-Lazar, K9PL

A Bicycle Mobile Adventure - V By Scott B. Laughlin, N7NET

K9YA Field Day By Steve, N9WAT

Radio Room Clocks By Denis O'Brien, N2JJF

Ham Lingo By Dick Sylvan, W9CBT

Churchill Today By Dieter Klaschka, DL2BQD

```
From 5870388508839736141
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.28.135 with SMTP id b7mr4482155pbh.8.1321112496230;
        Sat, 12 Nov 2011 07:41:36 -0800 (PST)
Path: h5ni37358pba.0!nntp.google.com!news1.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, December 2011 - Subscribe for FREE
Followup-To: poster
Date: Sat, 12 Nov 2011 10:40:23 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 34
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1321112424 16975 166.84.1.6 (12 Nov 2011 15:40:24 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 12 Nov 2011 15:40:24 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
```

```
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From;
bh=YO2HCkdFmPnSCZco8EFsHqYmFaykGit/LEAQsOGmI5Y=;
     b=BvibtFJBpEHMitoZpf3d5UXLwoCq/
3Jd912tIhM3oNsLHU2yelChvNirrU3AtK5r3LvEAL0a+Hl+Rh1gAFlX9rXqWM3N0BwD2tTwgYuXKUejJmD
HH7n3NZuj26/kcAlp;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.35.207 authed with k9ya+k9ya.org}
Xref: news1.google.com rec.radio.info:2468 rec.radio.amateur.boatanchors:3109
rec.radio.amateur.equipment:1753 rec.radio.swap:2099 alt.ham-radio.morse:57
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

December 2011 articles include:

SS-40 Receiver By Philip Cala-Lazar, K9PL

A Bicycle Mobile Adventure - VIII By Scott B. Laughlin, N7NET

The Highest Honor for a Ham - III By Cliff Cheng, Ph.D., AC6C

...and the Winner is... (K9YA Telegraph Photo Contest Winner Announced)

Ham History By Dick Sylvan, W9CBT

Mailbag By Fred Riley

Special Holiday Cover By Jeff Murray, K1NSS

From 8554787200922417146

```
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
newsfeed3.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph,June 2011 - Subscribe for FREE
Followup-To: poster
Date: Mon, 16 May 2011 12:45:34 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 34
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <A937A601909D473989DBCE0F0833D7C9@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="US-ASCII"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1305564334 16628 166.84.1.6 (16 May 2011 16:45:34 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 16 May 2011 16:45:34 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.48.116 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:2352 rec.radio.amateur.boatanchors:4496
```

rec.radio.amateur.equipment:2600 rec.radio.swap:2988 alt.ham-radio.morse:61

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

June 2011 articles include:

RADIOMAN By Philip Cala-Lazar, K9PL

A Bicycle Mobile Adventure - III By Scott B. Laughlin, N7NET

Field Day By Hal Mandel, W4HBM

Serendipity By Wayne Green, W2NSD

Ham Lingo By Dick Sylvan, W9CBT

K9YA Telegraph Photo Contest Announcement

The Rod Newkirk Collection

```
From 6800292214154117897
X-Google-Thread: 108122,54434d7cc92feb24,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.35.131 with SMTP id h3mr24962141pbj.1.1321335946699;
        Mon, 14 Nov 2011 21:45:46 -0800 (PST)
Path: h5ni55872pba.0!nntp.google.com!news2.google.com!postnews.google.com!
p7g2000pre.googlegroups.com!not-for-mail
From: Economics <access.ten@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Economics: Work From Home Online Business Opportunities
Date: Mon, 14 Nov 2011 21:43:49 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
```

```
Message-ID: <a005bfa4-5192-4115-b09a-b32f043a8c30@p7g2000pre.googlegroups.com>
NNTP-Posting-Host: 58.186.230.193
Mime-Version: 1.0
X-Trace: posting.google.com 1321335946 19030 127.0.0.1 (15 Nov 2011 05:45:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Nov 2011 05:45:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p7g2000pre.googlegroups.com; posting-host=58.186.230.193; posting-
account=B_VPYAoAAACv-r3Ca2F6Jf9GI2WQGPKD
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:8.0) Gecko/20100101 Firefox/
8.0,gzip(gfe)
Xref: news2.google.com rec.radio.amateur.equipment:1095
Content-Type: text/plain; charset=ISO-8859-1

Work From Home Online Business Opportunities
http://economics-4u.blogspot.com/2011/11/make-money-using-your-computer-with.html

What a U.S. Default Might Mean for Small Businesses
http://economics-4u.blogspot.com/2011/05/politico-economic-problems_11.html

Successful Tips On Finding The Best Paying Online Jobs
http://economics-4u.blogspot.com/2011/08/great-bust-ahead.html


China's Economic Threat
http://economics-4u.blogspot.com/2011/11/china-economic-threat.html


One Way to Get a Product into Big Chains
http://economics-4u.blogspot.com/2011/08/at-crossroads-author-fj-colberg-book.html


Writing for the Web - Best Practices
http://economics-4u.blogspot.com/2011/05/politico-economic-problems.html


From 2081149176662092186
X-Google-Thread: 108122,4bb3f2efec193423,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m4g2000pri.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT HOT HOT VIDEOS AND COLLEGE GIRLS SEXY PHOTOS
Date: Fri, 19 Aug 2011 23:40:51 -0700 (PDT)
Organization: http://groups.google.com
Lines: 36
Message-ID: <87f9deed-f16d-42ef-b2e8-f77a4f8e8baf@m4g2000pri.googlegroups.com>
```

```
NNTP-Posting-Host: 117.213.130.142
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1313822452 3368 127.0.0.1 (20 Aug 2011 06:40:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Aug 2011 06:40:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m4g2000pri.googlegroups.com; posting-host=117.213.130.142;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.20)
 Gecko/20110803 Firefox/3.6.20,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2657
```

A TO Z INFORMATION SEE IN THIS SITE

http://atwoztopic.blogspot.com/

ALL HOT PHOTOS SUPER SEXY PHOTOS

http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

ALL JOBS SITES FREE SEE

http://jobstwo.blogspot.com/

HOT VIDEOS

http://hotvideotoou.blogspot.com/2011/01/kiss-videos.html

hot lip kiss
http://hotvidos.blogspot.com/2010/07/hot-lip-kiss.html
hot kisses
http://hotvidos.blogspot.com/2010/07/hot-kisses.html
hollywood hot videos
http://hotvidos.blogspot.com/2010/07/hollywood-hot-videos.html
real hot videos
http://hotvidos.blogspot.com/2010/07/real-hot-videos.html
tamil hot videos
http://hotvidos.blogspot.com/2010/07/tamil-hot-videos.html

```
From 1006960013461212858
X-Google-Thread: 108122,f5427ceab874b334,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.0.73 with SMTP id 9mr5540727bka.4.1322285558240;
        Fri, 25 Nov 2011 21:32:38 -0800 (PST)
Path: dq5ni52341bkb.0!nntp.google.com!news2.google.com!news1.google.com!
news.glorb.com!news.alt.net
From: justme <jbleaux@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: NEED ICOM STUFF
Date: Fri, 25 Nov 2011 23:32:18 -0600
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 11
Message-ID: <keu0d71k5k6n4v2jrl99i0djiqp20r6i3r@4ax.com>
Mime-Version: 1.0
X-Newsreader: Forte Agent 5.00/32.1171
Xref: news2.google.com rec.radio.amateur.equipment:1096
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Hi,

I would like to buy anything related to Icom 745/751 radios, parts,
too, even the radio itself
working or not.

Thank you.


jbleaux@gmail.com




From 1916142789863059772
X-Google-Thread: fa029,7a7976c0eaebf3e5,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,7a7976c0eaebf3e5,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,7a7976c0eaebf3e5,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid6b6ae7923,gid733d321764,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news6
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups: rec.radio.scanner,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: Bill Cheek Ultimate Scanner 3
Date: Wed, 18 May 2011 10:25:15 -0700
```

```
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 9
Message-ID: <ir0vdt015u1@news6.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: p843f945fe80a68f545e67d2d3e5237e1e783ecb2fb729d14.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2011. All Rights Reserved
Xref: g2news2.google.com rec.radio.scanner:2071 rec.radio.swap:3425
rec.radio.amateur.equipment:2815

Starts at 0.99!

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=280679284059>

--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|



From 3157379946322534945
X-Google-Thread: 108122,d8ef42ba2c236c0a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.39.100 with SMTP id o4mr25486411pbk.0.1322481638104;
        Mon, 28 Nov 2011 04:00:38 -0800 (PST)
Path: lh20ni29850pbb.0!nntp.google.com!news1.google.com!goblin2!
goblin.stu.neva.ru!feeder.erje.net!eternal-september.org!feeder.eternal-
september.org!.POSTED!not-for-mail
From: atec77 <atec77@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Nz gets the gallon
Date: Mon, 28 Nov 2011 22:00:35 +1000
Organization: A noiseless patient Spider
Lines: 14
Message-ID: <javt54$r93$2@dont-email.me>
Mime-Version: 1.0
Injection-Date: Mon, 28 Nov 2011 12:00:37 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="boEWUuaP+eHgRsXSv318Bg";
     logging-data="27939"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+HNF91TgYLtJvhveVYEGAf"
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:8.0) Gecko/20111105
Thunderbird/8.0
Cancel-Lock: sha1:5QFSedRfJMDzzJ39YrEyyEYtmUA=
Xref: news1.google.com rec.radio.amateur.equipment:1756
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

--
http://www.rsm.govt.nz/cms/licensees/types-of-licence/general-user-licences/amateur-radio-operators

```
X-No-Archive: Yes
```

```
From -7693079924156750819
X-Google-Thread: fcc6e,36dfc1b22cc9389c,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,36dfc1b22cc9389c,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,36dfc1b22cc9389c,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,36dfc1b22cc9389c,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,36dfc1b22cc9389c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,36dfc1b22cc9389c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,36dfc1b22cc9389c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,36dfc1b22cc9389c,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!news.glorb.com!news-
out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1312178401@panix.com>
Followup-To: poster
Date: 1 Sep 2011 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
```

Expires: 04 Oct 2011 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1314856800@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1314856802 27887 166.84.1.2 (1 Sep 2011 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 1 Sep 2011 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:22476 rec.radio.amateur.dx:1086
rec.radio.amateur.equipment:2658 rec.radio.amateur.homebrew:4625
rec.radio.amateur.misc:6539 rec.radio.amateur.policy:32336
rec.radio.amateur.space:543 rec.radio.info:2628

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 8604677427910720014
X-Google-Thread: 108122,f89c6f9ddd413298,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,f89c6f9ddd413298,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,f89c6f9ddd413298,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gida3e752f117,gid8f86f75953,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.205.127.148 with SMTP id ha20mr989327bkc.6.1322722806069;
        Wed, 30 Nov 2011 23:00:06 -0800 (PST)
MIME-Version: 1.0
Path: y3ni16257bkw.0!nntp.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1320127201@panix.com>
Followup-To: poster
Date: 1 Dec 2011 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Jan 2012 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1322722801@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1322722803 14156 166.84.1.2 (1 Dec 2011 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 1 Dec 2011 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: news1.google.com rec.radio.amateur.antenna:16573 rec.radio.amateur.dx:975
```

rec.radio.amateur.equipment:1757 rec.radio.amateur.homebrew:3256
rec.radio.amateur.misc:5170 rec.radio.amateur.policy:15775
rec.radio.amateur.space:448 rec.radio.info:2512

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.

From 5945231697754236029
X-Google-Thread: 108122,1e91654f8d4fd6fd,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-nntp-02.dc1.easynews.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Gear to be offered at Sacramento mett Sun. 5/23
From: Eugene Rippen <soundval@muchstuff.com>
Organization: Your Company
Message-ID: <Xns9EE96D016198Ber7373@69.16.186.52>
User-Agent: Xnews/5.04.25
Lines: 29
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Wed, 18 May 2011 17:42:57 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:2816

North Hills Ham Swap Meet will be at Natomas High School, Sacramento,
Sunday, May 22, 2011 at 7:30 AM.
For further info: http://www.k6is.org/hamfest11.pdf

I will be bringing, presuming no rain, a lot of PARTS and some SPEAKERS,
and the following GEAR at the APPROXIMATE PRICES. I will not discuss
these
before the Swap Meet:

Heathkit Apache TX-1 $95
Heathkit Mohawk RX-1 $195
Heathkit HW-101 $140
Heathkit HW-32A (20 M) with calibrator. No S deflection. VG $95.
Heathkit HW-22A (40 M) with calibrator. VG $95.
Heathkit HW-32A (20 M) VG. $70.
Heathkit HW-22 (40 M) VG. $75.
Heathkit HW-32 (20 M) Receives. No transmit. $20.
National NC-155 $140.
National NC-270 $160
Hallicrafters SX-23 VG & complete $500
Clegg Intercepter with the HF converter VG $355.
Clegg Zeus with the PS/Modulator untested. VG looking. $195
Hewlett-Packard 200-CD audio oscillator. $30.
Hallicrafters R-47 speaker. $30

See you there

Gene Rippen, WB6SZS

```
From -6163026326246652898
X-Google-Thread: 108122,6d78608fd906877a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.16.106 with SMTP id f10mr12350815pbd.8.1322891634242;
        Fri, 02 Dec 2011 21:53:54 -0800 (PST)
Path: lh20ni63268pbb.0!nntp.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!isp-post01.iad!news.highwinds-media.com!
news.cv.net!not-for-mail
Date: Sat, 03 Dec 2011 00:52:40 -0500
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: F.A.  To all the Lafayette fans
Lines: 12
Message-ID: <4ed9b91d$0$1978$607ed4bc@cv.net>
NNTP-Posting-Host: 68.197.219.204
X-Complaints-To: abuse@cv.net
Xref: news2.google.com rec.radio.amateur.equipment:1099
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

I'm posting this for a buddy of mine who can't get newsgroups on his system..

This is an OLD mint portable battery pack, model number HB-506. This is for the HB-525 / 625 radios of the late 1960s.

http://www.ebay.com/itm/130609760136

go to ebay and copy and paste the item number if the link does not work

130609760136

```
From -9058722105392512123
X-Google-Thread: 108122,10f90ea80e9528b1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b9g2000prd.googlegroups.com!not-for-
mail
From: Scott Smith <scott93727@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Shortwave Radio Reciever Software Pro Internet Ver. 1.6
```

```
Date: Mon, 5 Sep 2011 02:16:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <3f12beeb-7b21-4eef-88bf-412baa015cf8@b9g2000prd.googlegroups.com>
NNTP-Posting-Host: 69.232.174.81
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1315214523 2339 127.0.0.1 (5 Sep 2011 09:22:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Sep 2011 09:22:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b9g2000prd.googlegroups.com; posting-host=69.232.174.81; posting-
account=9lZ1kAoAAABaSRztl4GhOgTzCwI1FSHv
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: ARLEUHNKC
X-HTTP-UserAgent: Mozilla/5.0 (compatible; MSIE 9.0; AOL 9.6; AOLBuild
 4340.5002; Windows NT 6.1; Trident/5.0),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2659

Shortwave Radio Reciever Software Pro Internet Ver. 1.6
High Performance Internet Radio/Shortwave Monitor
9 Separate Bands Each with Separate URL Databases
AM FM LW MW SW1 SW2 SW3 VHF UHF SHF Bands
LSB USB AM CW Modulation
Band Scanning Up/Down Functions
Programmable Band Options
Unlimited Internet Shortwave Stations
9 Band Fully Programmable Station URLS
Load Save and Edit for Each Band Separately
Low Paypal Price, Special $40 Offer
Unlimited FREE Upgrades Download Link
http://www.binaural.info/shortwavepro/shortwave.htm


From 5579443711664092835
X-Google-Thread: fcc6e,9e4ff75e3c8154a0,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,9e4ff75e3c8154a0,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,9e4ff75e3c8154a0,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,9e4ff75e3c8154a0,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid241b302a50,gide721ae2bf6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.14.100 with SMTP id o4mr1008454pbc.6.1323241502223;
        Tue, 06 Dec 2011 23:05:02 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni78553pbb.0!nntp.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.readnews.com!news-
```

xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1320649501@panix.com>
Followup-To: poster
Date: 7 Dec 2011 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jan 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1323241500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1323241501 1879 166.84.1.2 (7 Dec 2011 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Dec 2011 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: news2.google.com rec.radio.amateur.antenna:10216 rec.radio.amateur.dx:729
rec.radio.amateur.equipment:1100 rec.radio.amateur.homebrew:1969
rec.radio.amateur.misc:2568 rec.radio.amateur.policy:10266 rec.radio.info:2013

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

```
 rec.radio.amateur.antenna                                               |
 rec.radio.amateur.boatanchors                                           |
 rec.radio.amateur.dx                                                    |
 rec.radio.amateur.equipment                                             |
 rec.radio.amateur.homebrew                                              |
 rec.radio.amateur.moderated                                             |
 rec.radio.amateur.space                                                 |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -8162752663906200308
X-Google-Thread: 108122,d851b29a8d694058,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k27g2000pri.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TOP 17 HOT BOLLYWOOD VIDEOS
Date: Sat, 21 May 2011 00:59:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 38
Message-ID: <6cfe21e9-0e2c-47f2-9bc5-67733eae4177@k27g2000pri.googlegroups.com>
NNTP-Posting-Host: 117.202.171.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1305964775 14764 127.0.0.1 (21 May 2011 07:59:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 May 2011 07:59:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k27g2000pri.googlegroups.com; posting-host=117.202.171.68;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.17)
 Gecko/20110420 Firefox/3.6.17,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2603
```

for hot videos
http://verysexyhotvideos.blogspot.com/

hot lip kiss videos
http://allvideosforyouth.blogspot.com/2010/08/hot-lip-kiss-videos.html

super hot lip kiss
http://allvideosforyouth.blogspot.com/2010/08/super-hot-lip-kiss.html

jobs
http://alljobsaywhere.blogspot.com/

games

GAME 1
http://freeonlingamesplay.blogspot.com/2010/08/game-1.html
GAME 2
http://freeonlingamesplay.blogspot.com/2010/08/game-2.html

mobile

mobile games free download
http://mobileallinforation.blogspot.com/2010/08/mobile-games-free-download.html

mobile ringtones free download
http://mobileallinforation.blogspot.com/2010/08/mobile-ringtones-free-download.html

---

```
From -5270231049174575324
X-Google-Thread: 108122,c917febfea72f4b1,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,c917febfea72f4b1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.213.35.76 with SMTP id o12mr543400ebd.6.1323241802023;
        Tue, 06 Dec 2011 23:10:02 -0800 (PST)
MIME-Version: 1.0
Path: ty4ni13382bkb.0!nntp.google.com!news2.google.com!
```

border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1320649800@panix.com>
Followup-To: poster
Date: 7 Dec 2011 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jan 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1323241800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1323241801 22072 166.84.1.2 (7 Dec 2011 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Dec 2011 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: news2.google.com rec.radio.amateur.misc:2569
rec.radio.amateur.equipment:1101 rec.radio.swap:1073 rec.radio.info:2014

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for

any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 6680465350825959269
X-Google-Thread: fcc6e,2d7c49dac779bb10,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,2d7c49dac779bb10,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,2d7c49dac779bb10,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,2d7c49dac779bb10,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gida3e752f117,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.22.33 with SMTP id a1mr4549935pbf.15.1315375504161;
        Tue, 06 Sep 2011 23:05:04 -0700 (PDT)
MIME-Version: 1.0
Path: m9ni302pbd.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news.linkpendium.com!news.linkpendium.com!panix!panix2.panix.com!
not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1312697100@panix.com>
Followup-To: poster
Date: 7 Sep 2011 02:05:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Oct 2011 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1315375500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1315375501 22733 166.84.1.2 (7 Sep 2011 06:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Sep 2011 06:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
```

Xref: news1.google.com rec.radio.amateur.antenna:16041 rec.radio.amateur.dx:889
rec.radio.amateur.equipment:1705 rec.radio.amateur.homebrew:3106
rec.radio.amateur.misc:4864 rec.radio.amateur.policy:14349 rec.radio.info:2258

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 3968152799218363405
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.10.72 with SMTP id o8mr514330bko.1.1323701868799;
        Mon, 12 Dec 2011 06:57:48 -0800 (PST)
Path: jh9ni3520bkb.0!nntp.google.com!news1.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx02.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!
transit3.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph,January 2012 - Subscribe for FREE
Followup-To: poster
Date: Mon, 12 Dec 2011 09:57:48 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 30
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <9C4484C04C4B47D2877AFF3914012112@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
<8862CECB283748A1A881CA81DEA72C44@GRIMES>
<BD11D21DCB9744DBB0D4619F3B200710@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1323701868 12582 166.84.1.6 (12 Dec 2011 14:57:48 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 12 Dec 2011 14:57:48 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
```

X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From; bh=aEHsEi1chj+qei/
NMmWiNkM8AF5e9CbQ2kzj4oxiP3k=;

b=JmGskbKtBCekO+Z0xfGehInIdiiRNYDIDgSqOnN6fxcI4NgukrZQoCB9ctQqxAVUs1uW1FARO7HAvm2/
re4wiHYh0Khh4z1gtUK43cLdPTsihq86D0QqhhEN21P3HWu7;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.38.137 authed with k9ya+k9ya.org}
Content-Type: text/plain;
charset="us-ascii"
Content-Transfer-Encoding: 7bit

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All
About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio
publication read by Hams in more than 100 countries. The K9YA Telegraph
contains the stories and features most wanted by our readers, because
it is written by them. An e-Zine, it is delivered monthly as a
full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for
gear, ravished for a review, needing nostalgia, or just plain famished
for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the
K9YA Telegraph Web site.

http://www.k9ya.org

January 2012 (Volume 9, Issue 1) articles include:

Defending Our Bands By Philip Cala-Lazar, K9PL

A Bicycle Mobile Adventure - IX By Scott B. Laughlin, N7NET

Letter on Non-Profits By John Swartz, WA6AQN

Ham Quips By Dick Sylvan, W9CBT

Using the Cloud By Paul W. Ross, W3FIS

From 5191396015975973407
X-Google-Thread: 108122,f6b9526d1df33855,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-09.dc1.easynews.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Cable Multi-Elmac M-1070/AF-68/PMR-8
From: Eugene Rippen <soundval@muchstuff.com>
Organization: Your Company
Message-ID: <Xns9EF16C4D8ECA8er7373@69.16.186.52>
User-Agent: Xnews/5.04.25
Lines: 8
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 26 May 2011 17:38:56 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2604

Want to buy: Cable for Multi-Elmac M-1070/AF-68/PMR-8
This is a 3 headed cable.  11 pin "octal", 10 pin Jones plug, and 15 pin
Jones plug.
I'll buy separate ones and join them, if that's the best I can find.
The separate ones would be either, 11 and 10, or the 11 and 15.

Gene Rippen, WB6SZS
Auburn, CA



From -1245500605846202899
X-Google-Thread: 108122,d7a06fe7c08cf765
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.212.232 with SMTP id nn8mr4793170pbc.1.1323950469976;
        Thu, 15 Dec 2011 04:01:09 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni25145pbb.0!nntp.google.com!news2.google.com!goblin3!
goblin.stu.neva.ru!exi-in1.telstra.net!news.telstra.net!61.9.128.156.MISMATCH!
viwinnwcl01.internal.bigpond.com!viwinnwfe02.internal.bigpond.com.POSTED!7564ea0f!
not-for-mail
From: "Steve Kelly" <stephen.kelly2@bigpond.com>
Newsgroups: rec.radio.amateur.equipment
References: <j6anmm$49j$1@dont-email.me>
Subject: Re: SDR recommendations?
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6157
X-RFC2646: Format=Flowed; Response
Message-ID: <7klGq.354$v14.241@viwinnwfe02.internal.bigpond.com>
Date: Thu, 15 Dec 2011 22:01:08 +1000
NNTP-Posting-Host: 124.187.37.241
```

```
X-Complaints-To: abuse@bigpond.net.au
X-Trace: viwinnwfe02.internal.bigpond.com 1323950467 124.187.37.241 (Thu, 15 Dec
2011 23:01:07 EST)
NNTP-Posting-Date: Thu, 15 Dec 2011 23:01:07 EST
Organization: BigPond

Hi Ted,
Try googling Funcube dongle.This has got to be the best thing sinced the
invasion of jap radios.Covers approx 64Mhz to over 2Ghz and there is an up
converter to cover the HF bands. Costs under $200 excluding the converter.
It just plugs into a USB port of a computer.Has also got it's own soundcard.
If you get one i'm sure you won't be dissapointed.
Regards -
Steve VK4ADA\ZL3JR

"Ted Ham" <rexxhat3405@adl.com> wrote in message
news:j6anmm$49j$1@dont-email.me...
> After the prior post mentioning SDR radios, and me seeing how they work
> withe the web radios, I am now intrigued by the concept.  There are
> several
> DIY and assembled brands used, with SoftRock being among the best price.
> However, SoftRock does not appear to be available at this time and several
> other brands may be "retired" as well.
>
> What would be recommended?  I don't want to spend a fortune, but still
> want
> decent quality, preferably covering the HF bands.  SSB, AM, FM.  I see a
> brand called Elektor SDR offering assembled kits under $150 US.  However,
> some people have problems with setup and a weak receiver.  Now they have a
> preamp for another $75 or so.
>
> Appreciate any thoughts on the subject.
>
> Thanks,
> Ted Ham
>




From -552557646464075125
X-Google-Thread: 107ada,d8b89a7a6534afa8,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,d8b89a7a6534afa8,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,d8b89a7a6534afa8,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.21.67 with SMTP id t3mr4534965pbe.26.1315375804135;
        Tue, 06 Sep 2011 23:10:04 -0700 (PDT)
MIME-Version: 1.0
```

```
Path: m9ni334pbd.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1312697400@panix.com>
Followup-To: poster
Date: 7 Sep 2011 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Oct 2011 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1315375800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1315375801 3779 166.84.1.2 (7 Sep 2011 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Sep 2011 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: news1.google.com rec.radio.amateur.misc:4865
rec.radio.amateur.equipment:1706 rec.radio.swap:2048 rec.radio.info:2259

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval.

This would include establishing contact with the original maintainer for
any necessary permissions. We would prefer to seek a new, dedicated
maintainer at this time, rather than start auto-posting the original
article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 1233318428010085998
X-Google-Thread: 108122,f8de76786d042839,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.213.99 with SMTP id nr3mr6618072pbc.2.1324136903998;
        Sat, 17 Dec 2011 07:48:23 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni33363pbb.0!nntp.google.com!news1.google.com!goblin1!
goblin.stu.neva.ru!news.osn.de!diablo2.news.osn.de!ecngs!feeder.ecngs.de!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.telenor.com!news.telenor.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Dec 2011 09:48:23 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Icom IC-9100 - Unknown Device
From: Jan Wilford Pettersen <wilford@wilford.no>
Message-ID: <Xns9FBEAAF3C53C0wilfordwilfordno@216.196.109.146>
User-Agent: Xnews/2009.05.01
X-Face: `H+om@R]@YPo?P3]j(i{J,S*p6,t,xcr:Y|#&-*P5#`K|sE3md"||@urpE:CNsNV1{N0+*a
MG')\-1EG~>#PyieT*2.=@{pG[|SOh#;8E,(>C3f-^T,F<DZFi2q7=/14?0<s5',@Hc6K/%7+(+x'W
vk[-CDA>@[\m=QsEM=-bpYws3I~5Gztkmd}1F?fXb{2fY!+(
Date: Sat, 17 Dec 2011 09:48:23 -0600
Lines: 21
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-Q9lIRWRUAVC4AKaFwkzQ3K8nFW1Iivd25HCkYIG8DMhNhb/eYG/
VTWs25MEzZeaoepH0mDEEPsLH3V1!RcaWH7Ti0VsxCExhkDEaFQ/
JHeqKv+ALIM6ookGU5daGr9AWU4BeZmbrLtn6ZbN26fBxqX7Ry6a3!NTE65ZTxcrBAxJ/9kQ==
X-Complaints-To: news-abuse@telenor.net
X-DMCA-Complaints-To: news-abuse@telenor.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1862
```

Using a new Icom IC-9100, I'm getting "unknown device" when I
connect the USB cable to my computer. I'm running 64 bit version of
windows 7 ultimate.

Before I connected my radio to the computer, i installed the USB
drivers downloaded from ICOM, and rebooted, then connected IC-9100
using the USB cable and turned the IC-9100 on.

I have even tried updated driver from
http://www.silabs.com/products/mcu/Pages/USBtoUARTBridgeVCPDrivers.aspx

I'm still getting Unknown Device in windows device manager. I tried
to reboot and reconnect, but nothing works.

Anyone have a solution to this problem?

--
Jan Wilford Pettersen http://wilford.net - http://wilford.no
wilford@wilford.no
Tlf: (+47) 35 54 80 26

From -6830739066648945243
X-Google-Thread: 108122,72c1e1f3211f6a06,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r33g2000prh.googlegroups.com!not-for-mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: south actress hot photos and videos
Date: Sun, 29 May 2011 23:19:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <50135271-c748-4439-b0af-45263124d483@r33g2000prh.googlegroups.com>
NNTP-Posting-Host: 117.199.248.93
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1306736375 18913 127.0.0.1 (30 May 2011 06:19:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 May 2011 06:19:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r33g2000prh.googlegroups.com; posting-host=117.199.248.93;
posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.17)
Gecko/20110420 Firefox/3.6.17,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2605

FOR GOOD STUDY MATERIAL
http://studymaterialforu.blogspot.com

KATRINA KAIF IN BEAUTIFUL RED DRESS
http://southactresstou.blogspot.com/2011/05/katrina-kaif_22.html
GOOD LOOKING DEEPIKA PADUKONE
http://southactresstou.blogspot.com/2011/05/deepika-padukone_22.html
AISHWARYA RAI UNBELIVABLE PHOTO
http://southactresstou.blogspot.com/2011/05/aishwarya-rai.html
ANUSKHA IN A BEAUTIFUL SAREE
http://southactresstou.blogspot.com/2011/05/anushka-shetty.html
SEXY TAPSEE IN VEERA
http://southactresstou.blogspot.com/2011/05/tapsee.html
KAJAL IN BEAUTIFUL BLACK SAREE
http://southactresstou.blogspot.com/2011/05/kajal-agarwal.html
SNEHA SPICY PHOTOS
http://southactresstou.blogspot.com/2011/05/sneha.html
NAMITHA HOT PHOTS
http://southactresstou.blogspot.com/2011/05/namitha.html

```
From 1818667619692966181
X-Google-Thread: 108122,4bb5bc0686f8ef51,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.190.71 with SMTP id go7mr4623598pbc.8.1324464518869;
        Wed, 21 Dec 2011 02:48:38 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni47586pbb.0!nntp.google.com!news1.google.com!news2.google.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.posted.localnet!news.posted.localnet.POSTED!not-
for-mail
NNTP-Posting-Date: Wed, 21 Dec 2011 04:48:37 -0600
From: ki4rwp@gmail.NoSpam.com (KI4RWP)
Newsgroups:
alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.
misc
Subject: BMI Nitelogger tape recorder controller operating voltage (?)
Date: Wed, 21 Dec 2011 10:48:10 GMT
Message-ID: <4ef1b718.1404093@news.localnet.com>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.251.104.51
X-Trace: sv3-
mNWFzOQASLZuhzlVfZg6T55QOLBmrtaH4Sc0IFx0ZJZWzaxU0hAQo3kehuDb0iDAvTBb7oVktQYMtyU!
mr5YWjYYxxMKWRJLMqEx6IxF81BqmXeSfioWEBTPmXpUg0wUEczwFINeguBw0bz1hP8fRB2FGQhi!
iHATMBs=
X-Complaints-To: abuse@localnet.com
X-DMCA-Complaints-To: abuse@localnet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

```
X-Postfilter: 1.3.40
X-Original-Bytes: 1373
```

Perhaps someone could help.

I have an old (1990's) BMI Nitelogger (II?) and need to know the voltage used by this device. I have a Condor 9 volt 9 watt supply that I think may have been originally included with it, but am unsure and don't want to burn it up testing.

Have several different possible "wall warts", thus my problem.

Thanks.

```
From 3729043746922987840
X-Google-Thread: 108122,e55e635ce68ec2fe,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a31g2000vbt.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT PEOPLE HOT AND SEXY VIDEOS FOR U SEE AND ENJOY
Date: Tue, 6 Sep 2011 23:23:57 -0700 (PDT)
Organization: http://groups.google.com
Lines: 35
Message-ID: <572cdb23-b6a1-4a3b-9e35-11ea0da024bb@a31g2000vbt.googlegroups.com>
NNTP-Posting-Host: 117.199.246.117
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1315377495 1291 127.0.0.1 (7 Sep 2011 06:38:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Sep 2011 06:38:15 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a31g2000vbt.googlegroups.com; posting-host=117.199.246.117;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.18)
 Gecko/20110614 Firefox/3.6.18,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2876
```

A TO Z INFORMATION SEE IN THIS SITE

http://atwoztopic.blogspot.com/

ALL HOT PHOTOS SUPER SEXY PHOTOS

http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

ALL JOBS SITES FREE SEE

http://jobstwo.blogspot.com/

HOT VIDEOS

http://hotvideotoou.blogspot.com/2011/01/kiss-videos.html

hot lip kiss
http://hotvidos.blogspot.com/2010/07/hot-lip-kiss.html
hot kisses
http://hotvidos.blogspot.com/2010/07/hot-kisses.html
hollywood hot videos
http://hotvidos.blogspot.com/2010/07/hollywood-hot-videos.html
real hot videos
http://hotvidos.blogspot.com/2010/07/real-hot-videos.html
tamil hot videos
http://hotvidos.blogspot.com/2010/07/tamil-hot-videos.html

```
From -7946758994891295184
X-Google-Thread: 108778,4bb5bc0686f8ef51
X-Google-NewGroupId: yes
X-Google-Thread: 108122,4bb5bc0686f8ef51
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,4bb5bc0686f8ef51
X-Google-NewGroupId: yes
X-Google-Attributes:
gidba2c5efe52,gidd7f5508063,gida3e752f117,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.213.99 with SMTP id nr3mr9204090pbc.2.1324594503384;
        Thu, 22 Dec 2011 14:55:03 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni53193pbb.0!nntp.google.com!news2.google.com!goblin2!
goblin.stu.neva.ru!newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!
news.tele.dk!news.tele.dk!small.news.tele.dk!uio.no!newsfeed1.swip.net!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post01.iad.highwinds-media.com!newsfe16.iad.POSTED!4174c9e7!not-for-mail
Newsgroups:
alt.radio.amateur,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.
misc
From: Steve Kostecke <steve@kostecke.net>
Subject: Re: BMI Nitelogger tape recorder controller operating voltage (?)
User-Agent: slrn/pre1.0.0-18 (Linux)
```

```
Followup-To: rec.radio.amateur.misc
Reply-To: steve@kostecke.net
Lines: 24
X-Face: h#B6a)_Q)4E"[lF?H}bIR4pK<#QL=b[;2<*t,erMjd^H-uas/DZ[<]S'1MNNXKWH!nt0r
\yQ5L)Ra0vL$ehnttOr&gBRLDOL1!:m`d;U!gBb]zi\"9b2F_Si<'}SLOkcR,g/fN*HAZ?'`(AV`8
_ai`oYt}Z86M:<?w::5`vxGA^1kg*\$.x,=#
X-Editor: Vi IMproved - http://www.vim.org/
References: <4ef1b718.1404093@news.localnet.com>
X-Nntp-Posting-Host: localhost
Message-ID: <slrnjf7c2b.6pa.steve@stasis.kostecke.net>
X-Complaints-To: abuse@thundernews.com
NNTP-Posting-Date: Thu, 22 Dec 2011 22:55:02 UTC
Organization: Thundernews
Date: 22 Dec 2011 22:33:47 GMT
```

On 2011-12-21, KI4RWP <ki4rwp@gmail.NoSpam.com> wrote:

> I have an old (1990's) BMI Nitelogger (II?) and need to know the voltage
> used by this device. I have a Condor 9 volt 9 watt supply that I think may
> have been originally included with it, but am unsure and don't want to burn
> it up testing.
>
> Have several different possible "wall warts", thus my problem.

The July 2003 Monitoring Times mentions that the Nitelogger II is (was) available from:

In Compliance Corp
3260 N Hayden Road #106
Scottsdale, AZ 85251
incompliancecorp@aol.com
800-239-0441

There was an article about the Nitelogger II in the Aug 1996 Monitoring Times (see http://monitoringtime.com/html/mt96index.html for reprint info)

--
Steve Kostecke steve@kostecke.net / K0STK

```
From 1209669267919307437
X-Google-Thread: fc8b1,ead4143fdbec2dad,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ead4143fdbec2dad,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,ead4143fdbec2dad,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidda6537b9fb,gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!newspump.sol.net!news.mv.net!schorl.mv.net!arthures
```

From: Art Sowers <arthures@mv.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: WTB: Collins F455J-? Mechanical Filters
Date: Tue, 31 May 2011 10:12:06 -0400
Organization: MV Communications, Inc.
Lines: 11
Message-ID: <alpine.BSF.2.00.1105311008450.21370@schorl.mv.net>
NNTP-Posting-Host: schorl.mv.net
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; format=flowed; charset=US-ASCII
X-Trace: pyrite.mv.net 1306851128 35128 199.125.85.153 (31 May 2011 14:12:08 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Tue, 31 May 2011 14:12:08 +0000 (UTC)
X-X-Sender: arthures@schorl.mv.net
User-Agent: Alpine 2.00 (BSF 1167 2008-08-23)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:4505
rec.radio.amateur.equipment:2606 rec.radio.amateur.homebrew:4458

I'm interested in getting several of these filters (for the 75A4):

500 Hz, anything between up to but not including 3.1 kHz.

Need sources, prices.

Make reply post or send private email to the source of this post
(=arthures@mv.com)

Thanks.

From -1584904405939790479
X-Google-Thread: 108122,b2997957ebaebcc9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.191.41 with SMTP id gv9mr16199975pbc.5.1324875689555;
        Sun, 25 Dec 2011 21:01:29 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni65160pbb.0!nntp.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news4
From: The Planetary Bill of Rights Project <PBR@nospam.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-857d
Date: 26 Dec 2011 05:01:08 GMT
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 12
Message-ID: <jd8v2k01ui2@news4.newsguy.com>

NNTP-Posting-Host: p2467f1648e550ea9caa376ec9e535522569f4ded74295866.newsdawg.com
User-Agent: Xnews/5.04.25
X-Antivirus: avast! (VPS 111225-1, 12/25/2011), Outbound message
X-Antivirus-Status: Clean

If someone is in Colorado, where can they buy a Yaesu FT-857D for the lowest price new, mail order, with NO TAX?

--
Peace, freedom and prosperity are within easy reach.

From the headquarters of
The Planetary Bill of Rights Project
http://www.planetarybillofrights.org/
http://tinyurl.com/45wbn6v

From -24508327046313110
X-Google-Thread: 108122,1806f22adfa776db,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.66.3 with SMTP id b3mr411945pbt.3.1315480019840;
        Thu, 08 Sep 2011 04:06:59 -0700 (PDT)
Path: m9ni1784pbd.0!nntp.google.com!news1.google.com!postnews.google.com!
a14g2000prl.googlegroups.com!not-for-mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SOUTH INDIAN HOT ACTRESS
Date: Thu, 8 Sep 2011 03:51:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 61
Message-ID: <a5b25014-bddd-46a3-b7cd-2310f22b28e3@a14g2000prl.googlegroups.com>
NNTP-Posting-Host: 117.199.240.145
Mime-Version: 1.0
X-Trace: posting.google.com 1315480019 23716 127.0.0.1 (8 Sep 2011 11:06:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Sep 2011 11:06:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a14g2000prl.googlegroups.com; posting-host=117.199.240.145;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.21)
Gecko/20110830 Firefox/3.6.21,gzip(gfe)
Xref: news1.google.com rec.radio.amateur.equipment:1708
Content-Type: text/plain; charset=ISO-8859-1

FOR GOOD JOBS SITES TO YOU
http://goodjobssites.blogspot.com/

FOR HOT PHOTO&VIDEOS
SAMANTHA HOT EXCLUSIVE PHOTOS
http://southactresstou.blogspot.com/2011/09/south-actress-samantha.html
FOR EXCLUSIVE HOT ASIN PICS
http://southactresstou.blogspot.com/2011/09/asin.html
KATRINA KAIF RARE PHOTOS
http://southactresstou.blogspot.com/2011/07/katrina-kaif-wallpapers.html
HOT SOUTH ACTRESS IN DIFFERENT DRESSES
http://southactresstou.blogspot.com/2011/08/south-actress.html
DOOKUDU LATEST MOVIE STILLS
http://southactresstou.blogspot.com/2011/08/dookudu-movie-stills.html
KAJAL LATEST ROMANTIC STILLS
http://southactresstou.blogspot.com/2011/07/kajal-agarwal-in-naperu-shiva.html
TAMANNA HOT PHOTOS & VIDEOS
http://southactresstou.blogspot.com/2011/07/tamanna-wallpapers.html

FOR ONLY HOT GUYS SEE THIS
KAJAL AGARWAL LATEST HOT WITHOUT TOP
http://hotactress-kalyani.blogspot.com/2011/08/kajal-agarwal-hot-photos.html
HOT KATRINAKAIF WALLPAPERS
http://hotactress-kalyani.blogspot.com/2011/08/katrina-kaif-hot.html
SAMANTHA HOT WALLPAPERS
http://hotactress-kalyani.blogspot.com/2011/09/samantha-hot.html
TAMANNA HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/08/tamanna-hot.html
HOT MALLU ACTRESS BHAMA
http://hotactress-kalyani.blogspot.com/2011/09/bhama-hot.html
TOLLYWOOD HOT ACTRESSES
http://hotactress-kalyani.blogspot.com/2011/08/hot-actrsess.html
SONAKSHI SINHA HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/09/sonakshi-sinha-hot.html
PRIYANKA CHOPRA LATEST HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/08/priyanka-chopra-hot.html

LATEST   AMISHA PATEL HOT PICS
http://hotactress-kalyani.blogspot.com/2011/08/amisha-patel-hot.html
TAPSEE DIFFERENT STILLS
http://hotactress-kalyani.blogspot.com/2011/08/tapsee-hot.html
PRIYAMANI HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/08/priyamani-hot.html

FOR FAST UPDATES IN TELUGU FILM INDUSTRY
TAMIL ACTRESS HOT PHOTO SHOOT
http://allyouwants.blogspot.com/2011/08/tamil-actress.html
SOUTH INDIAN HOT ACTRESS PICS
http://allyouwants.blogspot.com/2011/08/hot-actress.html
DEEPIKA PADUKONE IN DUM MARO DUM MOVIE
http://allyouwants.blogspot.com/2011/08/deepika-in-dum-maro-dum.html
PRIYAMANI SPICY PHOTOS IN COW GIRL
http://allyouwants.blogspot.com/2011/02/priyamani-spicy-photo-shoot-cow-girl.html

PRIYAMANI SPICY PHOTOS IN COW GIRL
http://allyouwants.blogspot.com/2011/02/priyamani-spicy-photo-shoot-cow-girl.html
KAJAL HOT PHOTOS IN SAREE
http://allyouwants.blogspot.com/2011/06/kajal-very-spice-pics.html

---

```
From 190745371261388364
X-Google-Thread: 108122,b2997957ebaebcc9
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.74.201 with SMTP id w9mr17461949pbv.0.1324914375277;
        Mon, 26 Dec 2011 07:46:15 -0800 (PST)
Path: lh20ni66798pbb.0!nntp.google.com!news1.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!not-for-
mail
From: Kickin' Ass and Takin' Names <PopUlist349@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-857d
Date: Mon, 26 Dec 2011 10:46:11 -0500
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
X-Complaints-To: abuse(at)newshosting.com
Message-ID: <3h5hf799ff1bgkotftr0liqn9t576f5e00@4ax.com>
References: <jd8v2k01ui2@news4.newsguy.com>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Lines: 17
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

On 26 Dec 2011 05:01:08 GMT, The Planetary Bill of Rights Project
<PBR@nospam.net> wrote:

>If someone is in Colorado, where can they buy a Yaesu FT-857D for the lowest
>price new, mail order, with NO TAX?

Have you checked out Amateur Electronic Supply (AES) or Ham Radio
Outlet (HRO)? Don't know CO sales tax laws but some states do not tax
on-line sales if the sale originates out-of-state.
http://www.aesham.com/
http://www.hamradio.com/

Also, join the Yahoo FT-857 group. Someone there may have one for
sale, though it will be used.
http://groups.yahoo.com/group/FT-857/

```
From -8818180469412499891
```

X-Google-Thread: fc8b1,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Attributes: gidda6537b9fb,gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: WTB: Collins F455J-? Mechanical Filters
Date: 31 May 2011 11:18:04 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 25
Message-ID: <is30rc$28t$1@panix2.panix.com>
References: <alpine.BSF.2.00.1105311008450.21370@schorl.mv.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1306855084 3233 166.84.1.2 (31 May 2011 15:18:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 31 May 2011 15:18:04 +0000 (UTC)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:4506 rec.radio.amateur.equipment:2607 rec.radio.amateur.homebrew:4459

Art Sowers <arthures@mv.com> wrote:

> I'm interested in getting several of these filters (for the 75A4):
>
> 500 Hz, anything between up to but not including 3.1 kHz.
>
> Need sources, prices.

Rockwell-Collins still makes the size J filters. From the 2005 catalogue:

NSN	Type	Bandwidth
526-9089-000	F455J-31	2.8
526-9091-000	F455J-60	5.5
526-9154-000	F455J-05	0.38
526-9155-000	F455J-15	1.2
526-9156-000	F455J-21	2

You can also make adaptors out of perfboard to fit the PC board mount filters onto a socket, if you find them at a hamfest.

Otherwise try collinsfilters@rockwellcollins.com.
--scott

```
--
"C'est un Nagra. C'est suisse, et tres, tres precis."


From -5625010341631506222
X-Google-Thread: 108122,b9cae3576d413531,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.190.2 with SMTP id gm2mr17994266pbc.4.1324934175491;
        Mon, 26 Dec 2011 13:16:15 -0800 (PST)
Path: lh20ni67645pbb.0!nntp.google.com!news2.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-14.dc1.easynews.com.POSTED!not-for-mail
From: "D@LS" <helmsman@wowway.com/>
Newsgroups: rec.radio.amateur.equipment
Subject: Hy-Gain Rotor control and rotor
Organization: wowway.com
Reply-To: helmsman@wowway.com/
Message-ID: <eaohf75t219remr3ptpfna3b94ctdq170h@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Lines: 12
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Mon, 26 Dec 2011 16:16:10 -0500
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

The Controller has power, the fuse is good,the light's work. It,s stuck at 80
Degree's from true
North.

But

The rotor will not turn!

Is there anything else it could be other than the Rotor or the 8 wire cable.

This unit is less than 1 year old.

Thanks for your time.


From -6366635167651276162
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
```

```
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.66.161 with SMTP id g1mr468798pbt.10.1315944594595;
        Tue, 13 Sep 2011 13:09:54 -0700 (PDT)
Path: m9ni5588pbd.0!nntp.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, October 2011 - Subscribe for FREE
Followup-To: poster
Date: Tue, 13 Sep 2011 16:09:54 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <8862CECB283748A1A881CA81DEA72C44@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1315944594 26196 166.84.1.6 (13 Sep 2011 20:09:54 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 13 Sep 2011 20:09:54 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From;
bh=l25C+rn90kynAjEuxUZtg1vl6MCKxIPJMVqclbrFslQ=;
     b=QHb77TfV1Dxa53px9vmr/5En0QkY1/Zb13GVsi1kwMxyrv90l/
T1JbqvagiojsBQ5zt1hTv9GwP4BPBl9Mn/7pB2e7DYk0tCJvQ1+D8RO1DxRDs947X2XN8dihvZ0OMe;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.35.207 authed with k9ya+k9ya.org}
```

Xref: news1.google.com rec.radio.info:2275 rec.radio.amateur.boatanchors:3050
rec.radio.amateur.equipment:1709 rec.radio.swap:2051 alt.ham-radio.morse:55
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

October 2011 articles include:

Deluxe Tenna Dipper By Philip Cala-Lazar, K9PL

A Bicycle Mobile Adventure - VI By Scott B. Laughlin, N7NET

The Highest Honor for a Ham - I By Cliff Cheng, Ph.D., AC6C

Radio Row By Rod Newkirk, VA3ZBB/W9BRD

Ham History By Dick Sylvan, W9CBT

So You Want to be a Non-Profit By Paul Ross, W3FIS

From -4446524418091070890
X-Google-Thread: 108122,5f50691a0c5c714f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.189.194 with SMTP id gk2mr18698089pbc.3.1324964369814;
        Mon, 26 Dec 2011 21:39:29 -0800 (PST)
Path: lh20ni68926pbb.0!nntp.google.com!news1.google.com!goblin2!
goblin.stu.neva.ru!feeder.erje.net!news.albasani.net!.POSTED!not-for-mail
From: "R. Scott" <w7psk@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: My Fun Card getting annoying
Date: Mon, 26 Dec 2011 21:39:29 -0800

Organization: albasani.net
Lines: 17
Message-ID: <jdblmh$s0b$1@news.albasani.net>
Mime-Version: 1.0
X-Trace: news.albasani.net
Kz6CNOJqZEaXrIzWJ7Yh6qPr0zpEbG7k49xt5OQxUW5zpI1Ny3e4JpcWp6ZBZSjw42mlLbRAemmEcV13uo
7NgOvDPy/HUOCkVvLco6JtHRozcOlFDxf0cfhxR7umA/nI
NNTP-Posting-Date: Tue, 27 Dec 2011 05:39:29 +0000 (UTC)
Injection-Info: news.albasani.net; logging-data="k6r+mFvzLPkRjyf5C4iBkJsj1VE/
gmOv3VsW4SUdKbPNCOQIS8/gkxYspdhukPS2GlSnAtIjbSXYdKXhKSvcVFvQ/
FHIwcUQ3Skpi935huS3KwQm/yknKWHhBLRbiBLM"; mail-complaints-to="abuse@albasani.net"
User-Agent: Mozilla/5.0 (Windows NT 6.0; rv:8.0) Gecko/20111105 Thunderbird/8.0
Cancel-Lock: sha1:p9eNmGVTOy0acRmpSZUOxeU2K5I=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Spamming me 20 - 30 times a day with a holiday card. Dunno what the link
is. Not going to click it. But the Remove Postal address is the
same as a ton of other spam I get including Credit report and Cigars
of all things.

ripe@alfatelecom.cz
michal@krajcirovic.cz
spamcopabuse@webhosting.net

These are the addys Ive found that host them. But nothing seems to be
happening.

ripe@alfatelecom.cz
michal@krajcirovic.cz
spamcopabuse@webhosting.net

Not sure whom to go to next.

From 1185725361997557250
X-Google-Thread: fc8b1,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Attributes:
gidda6537b9fb,gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!newsswitch.lcs.mit.edu!nntp.TheWorld.com!
news.mv.net!schorl.mv.net!arthures
From: Art Sowers <arthures@mv.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: Re: WTB: Collins F455J-? Mechanical Filters

```
Date: Tue, 31 May 2011 12:48:41 -0400
Organization: MV Communications, Inc.
Lines: 36
Message-ID: <alpine.BSF.2.00.1105311247170.38094@schorl.mv.net>
References: <alpine.BSF.2.00.1105311008450.21370@schorl.mv.net>
<is30rc$28t$1@panix2.panix.com>
NNTP-Posting-Host: schorl.mv.net
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: pyrite.mv.net 1306860523 37696 199.125.85.153 (31 May 2011 16:48:43 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Tue, 31 May 2011 16:48:43 +0000 (UTC)
X-X-Sender: arthures@schorl.mv.net
In-Reply-To: <is30rc$28t$1@panix2.panix.com>
User-Agent: Alpine 2.00 (BSF 1167 2008-08-23)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:4507
rec.radio.amateur.equipment:2608 rec.radio.amateur.homebrew:4460


On Tue, 31 May 2011, Scott Dorsey wrote:

> Art Sowers  <arthures@mv.com> wrote:
>>
>> I'm interested in getting several of these filters (for the 75A4):
>>
>> 500 Hz, anything between up to but not including 3.1 kHz.
>>
>> Need sources, prices.
>
> Rockwell-Collins still makes the size J filters.  From the 2005 catalogue:

How interesting!!!

>
> NSN             Type           Bandwidth
> 526-9089-000    F455J-31       2.8
> 526-9091-000    F455J-60       5.5
> 526-9154-000    F455J-05       0.38
> 526-9155-000    F455J-15       1.2
> 526-9156-000    F455J-21       2
>
> You can also make adaptors out of perfboard to fit the PC board mount
> filters onto a socket, if you find them at a hamfest.
>
> Otherwise try collinsfilters@rockwellcollins.com.

Thanks a lot!!!!

Art

> --scott
> --
> "C'est un Nagra. C'est suisse, et tres, tres precis."
```

```
>


From 8433663051243728022
X-Google-Thread: 108122,5f50691a0c5c714f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.122.199 with SMTP id lu7mr3405519pbb.1.1325001181437;
        Tue, 27 Dec 2011 07:53:01 -0800 (PST)
Path: lh20ni70494pbb.0!nntp.google.com!news1.google.com!news.glorb.com!
feeder.erje.net!news-1.dfn.de!news.dfn.de!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <knock_yourself_out@example.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: My Fun Card getting annoying
Date: 27 Dec 2011 15:53:00 GMT
Lines: 6
Message-ID: <slrnjfjqdg.2oq7.knock_yourself_out@shell.config.com>
References: <jdblmh$s0b$1@news.albasani.net>
Mime-Version: 1.0
X-Trace: individual.net HW/LysdVQbmi9Z2v3TFGmAbwplRBg9NH5wzXfvMRKo/oZIA1JX
Cancel-Lock: sha1:ZE6ZOeXiRfvrxtHTu6/06MeRLDk=
User-Agent: slrn/0.9.9p1 (FreeBSD)
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

On Mon, 26 Dec 2011 21:39:29 -0800, R. Scott wrote:
>
> Not sure whom to go to next.

Well, rec.radio.amateur.equipment would *not* have
been _my_ first selection!


From -7209123286245039856
X-Google-Thread: 1109af,3c17473528aa1339,start
X-Google-NewGroupId: yes
X-Google-Thread: 106d41,3c17473528aa1339,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,3c17473528aa1339,start
X-Google-NewGroupId: yes
X-Google-Thread: fcc6e,3c17473528aa1339,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid733d321764,gid2d7fc12493,gidd7f5508063,gid4baf9708d4,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.13.102 with SMTP id g6mr1476983pbc.1.1316389649225;
        Sun, 18 Sep 2011 16:47:29 -0700 (PDT)
Path: lh7ni77pbb.0!nntp.google.com!news1.google.com!npeer01.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!spln!
extra.newsguy.com!newsp.newsguy.com!news4
From: Keith <kilowattradio@use-reply-to.invalid>
```

```
Newsgroups:
rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: FA: 50 Feet of 50 OHM RG-58 Antenna Coax Cable w/ PL-259
Date: Sun, 18 Sep 2011 16:46:54 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 9
Message-ID: <j55vtf01p0i@news4.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: p894f5e8d4be4fd55f60bc994367f3c364a619c1f6272e077.newsdawg.com
Mime-Version: 1.0
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2011. All Rights Reserved
Xref: news1.google.com rec.radio.swap:2054 rec.radio.cb:7350
rec.radio.amateur.equipment:1710 rec.radio.amateur.antenna:16199
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

<http://www.ebay.com/itm/280740676909>

Priced to sell!

--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|



From -6495118065385891332
X-Google-Thread: 108122,5f50691a0c5c714f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.191.41 with SMTP id gv9mr19965200pbc.5.1325004221295;
        Tue, 27 Dec 2011 08:43:41 -0800 (PST)
Path: lh20ni70623pbb.0!nntp.google.com!news1.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nntp.club.cc.cmu.edu!feeder.erje.net!news.albasani.net!.POSTED!not-for-mail
From: "R. Scott" <w7psk@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: My Fun Card getting annoying
Date: Tue, 27 Dec 2011 08:43:40 -0800
Organization: albasani.net
Lines: 10
Message-ID: <jdcsjs$dgl$1@news.albasani.net>
References: <jdblmh$s0b$1@news.albasani.net>
<slrnjfjqdg.2oq7.knock_yourself_out@shell.config.com>
Mime-Version: 1.0
X-Trace: news.albasani.net wLre8wZTJshBBOZ5cERHYmTO81UuQ5sqbFSpFgTj3WDWjm7PFs6/
mw6O3PVuL/PJtLJ8yj+RU2KYQeOS6Bx3Pu3cEeyRbCq8NR8x4VCjUSasS8P+zKguXtoA4Q4A39Ra
NNTP-Posting-Date: Tue, 27 Dec 2011 16:43:40 +0000 (UTC)
Injection-Info: news.albasani.net; logging-
data="nT7vhMnodPfmJ9TO3S7DQ2h3N4JyaHHRUEeWa4/
```

```
TGX7pvbPb+dea1BRBjGT5eQcuHlGY4BrmFAidDDxjWZ5yJYl4GCqdtOq4LeqTuR7FDOwxrDaf+YKZyRxkT
0eWyJG8"; mail-complaints-to="abuse@albasani.net"
User-Agent: Mozilla/5.0 (Windows NT 6.0; rv:8.0) Gecko/20111105 Thunderbird/8.0
In-Reply-To: <slrnjfjqdg.2oq7.knock_yourself_out@shell.config.com>
Cancel-Lock: sha1:qGKccvCFLkMY2NhoeWb9rQhh0lw=
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 12/27/2011 7:53 AM, Allodoxaphobia wrote:
> On Mon, 26 Dec 2011 21:39:29 -0800, R. Scott wrote:
>>
>> Not sure whom to go to next.
>
> Well, rec.radio.amateur.equipment would *not* have
> been _my_ first selection!

Mine Either, but its next to News Admin Net abuse email in my reader and
I fat fingered it.



From -8510849487447457278
X-Google-Thread: fc8b1,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Attributes:
gidda6537b9fb,gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!transit3.readnews.com!
news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: Re: WTB: Collins F455J-? Mechanical Filters
Date: 31 May 2011 18:20:46 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 17
Message-ID: <is3pju$5st$1@panix2.panix.com>
References: <alpine.BSF.2.00.1105311008450.21370@schorl.mv.net>
<is30rc$28t$1@panix2.panix.com> <is3lhm$bql$2@dk3uz.ampr.org>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1306880446 14540 166.84.1.2 (31 May 2011 22:20:46 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 31 May 2011 22:20:46 +0000 (UTC)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4865
rec.radio.amateur.equipment:2824 rec.radio.amateur.homebrew:4760

Edmund H. Ramm <dk3uz@arrl.net> wrote:
>In <is30rc$28t$1@panix2.panix.com> kludge@panix.com (Scott Dorsey) writes:
>
```

>> Rockwell-Collins still makes the size J filters. From the 2005 catalogue:
>> [...]
>
>   Dave Curry Longwave Product's mechanical filters (exact replacements
>for Collins ones) reportedly have less insertion loss and better skirts.
>See Electric Radio magazine for more info.

Does 'better' mean tighter or less ringing?

There are sure times when I wish I had a less nasty-sounding filter for
AM on the R-390.
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

```
From 3373464004547395784
X-Google-Thread: d7f5508063,b9cae3576d413531
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.190.71 with SMTP id go7mr20567748pbc.8.1325024049817;
        Tue, 27 Dec 2011 14:14:09 -0800 (PST)
Path: lh20ni71476pbb.0!nntp.google.com!news2.google.com!goblin3!goblin1!goblin2!
goblin.stu.neva.ru!feeder.erje.net!eternal-september.org!feeder.eternal-
september.org!mx04.eternal-september.org!.POSTED!not-for-mail
From: Alan WA4SCA <WA4SCA@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Hy-Gain Rotor control and rotor
Date: Tue, 27 Dec 2011 16:14:07 -0600
Organization: AMSAT-NA
Lines: 12
Message-ID: <j9gkf7983mban2r3b6pj8k6k23bit74aui@4ax.com>
References: <eaohf75t219remr3ptpfna3b94ctdq170h@4ax.com>
Reply-To: ALANBIDDLE70@YAHOO.COM
Mime-Version: 1.0
Injection-Info: mx04.eternal-september.org; posting-host="mYnsUO6xX/FCYOXNo9/yXQ";
     logging-data="32473"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18ty+g7hindtdypdmYH8zSxt4vI+Zl24Vg="
X-Newsreader: Forte Agent 6.00/32.1186
Cancel-Lock: sha1:Ugk7OXFff5mQF5T/71GIsOhQonw=
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

It might help to know the model in question.

Some things to check are the continuity of the wires to the motor
windings, and whether there is a purely mechanical jam. Finally,
most/many rotors have a phase shift capacitor between windings. If
they fail open, everything will look fine, but the rotor will not
develop enough torque to turn the antenna.

```
--
Alan
WA4SCA


From -2064546393985392471
X-Google-Thread: 4baf9708d4,5e3aede531b626ab,start
X-Google-Attributes: gid4baf9708d4,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!npeer01.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!spln!
extra.newsguy.com!newsp.newsguy.com!news4
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups:
rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: FA: 50 Feet of 50 OHM RG-8X Antenna Coax Cable w/ PL-259
Date: Sun, 18 Sep 2011 16:50:19 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 9
Message-ID: <j5603s01p6e@news4.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: p531b8f73a72310aa8d523d868e7cc218ebb8c901eacb80ac.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2011. All Rights Reserved
Xref: g2news1.google.com rec.radio.swap:3044 rec.radio.cb:12257
rec.radio.amateur.equipment:2666 rec.radio.amateur.antenna:22701

<http://www.ebay.com/itm/270819605176>

Priced to sell!

--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|


From -6566890022351045187
X-Google-Thread: 108122,120d828754a3a5c1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.213.99 with SMTP id nr3mr27152773pbc.2.1325248037659;
        Fri, 30 Dec 2011 04:27:17 -0800 (PST)
Path: lh20ni81032pbb.0!nntp.google.com!news2.google.com!news.glorb.com!
newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-mli.net!feeder1.hal-mli.net!
nntp.club.cc.cmu.edu!ra.nrl.navy.mil!.POSTED!not-for-mail
From: "J.B. Wood" <john.wood@nrl.navy.mil>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Hermes DUC/DDC Transceiver
Date: Fri, 30 Dec 2011 07:27:15 -0500
Organization: Naval Research Laboratory, Washington, DC
Lines: 8
Message-ID: <jdkan4$ckh$1@ra.nrl.navy.mil>
NNTP-Posting-Host: greals.itd.nrl.navy.mil
Mime-Version: 1.0
X-Trace: ra.nrl.navy.mil 1325248036 12945 132.250.96.74 (30 Dec 2011 12:27:16 GMT)
X-Complaints-To: news@ra.nrl.navy.mil
NNTP-Posting-Date: Fri, 30 Dec 2011 12:27:16 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; Linux i686; rv:8.0) Gecko/20111115 Thunderbird/8.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Hello, everyone.  Just wanted to know whether anyone is contemplating
the purchase of the subject item when it becomes available in 2012 and
your reasons for wanting it in the shack.  More info at
http://openhpsdr.org/wiki/index.php?title=Hermes

Sincerely, and 73s from N4GGO,
--
J. B. Wood                e-mail: arl_123234@hotmail.com


From -6067731918835145940
X-Google-Thread: fcc6e,7ac82effa778818c,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,7ac82effa778818c,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,7ac82effa778818c,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,7ac82effa778818c,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,7ac82effa778818c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,7ac82effa778818c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,7ac82effa778818c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,7ac82effa778818c,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
```

Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1304229601@panix.com>
Followup-To: poster
Date: 1 Jun 2011 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 04 Jul 2011 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1306908001@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1306908004 7683 166.84.1.2 (1 Jun 2011 06:00:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 1 Jun 2011 06:00:04 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:21588 rec.radio.amateur.dx:997 rec.radio.amateur.equipment:2611 rec.radio.amateur.homebrew:4465 rec.radio.amateur.misc:6257 rec.radio.amateur.policy:30508 rec.radio.amateur.space:505 rec.radio.info:2389

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -3927733490648564510
X-Google-Thread: d7f5508063,6c3900dbdb30f765,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Received: by 10.68.212.98 with SMTP id nj2mr2358227pbc.8.1325282260532;
        Fri, 30 Dec 2011 13:57:40 -0800 (PST)
Path: lh20ni82530pbb.0!nntp.google.com!news1.google.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: ko57 <kowen@mobiletel.com>
Newsgroups: rec.radio.amateur.equipment
Subject: grundig or eton model (grundig) 750 satellit
Date: Fri, 30 Dec 2011 13:50:53 -0800 (PST)
Organization: http://groups.google.com
Lines: 18
Message-ID: <2902417.125.1325281853719.JavaMail.geo-discussion-forums@yqai28>
Reply-To: rec.radio.amateur.equipment@googlegroups.com
NNTP-Posting-Host: 107.30.115.59
Mime-Version: 1.0
X-Trace: posting.google.com 1325282260 7851 127.0.0.1 (30 Dec 2011 21:57:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 30 Dec 2011 21:57:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=107.30.115.59;
 posting-account=-t1RRgkAAAAXOvzZeDpJ4-LFu2YMU4rK
User-Agent: G2/1.0
X-Google-Web-Client: true
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
```

Can someone explain the differences between these two? =A0=A0

```
Was the Grundig version made when Eton aquired Grundig, just still badged G=
rundig?=A0

I've read a couple of informative reviews on the Eton, I think it mentioned=
 maybe the way stations locked in or something about separation?=A0 Seems t=
o be a fine radio.=20

On Ebay and maybe JR's it seems the Grundig is about $100.00 more. =A0The E=
ton sells for around $260. =A0Is the build quality that different? =A0I hav=
e read that the size of the Eton can be attributed to the Vintage look, tha=
t it didn't really need to be the size that it is. =A0Is the Grundig model =
heavier or comparable build quality?=A0

Any answers to this are welcome and appreciated, thank you.=A0

Best regards=A0


From -5683895914671366650
X-Google-Thread: 1109af,4c31d5cd11cd743a,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,4c31d5cd11cd743a,start
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,4c31d5cd11cd743a,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid733d321764,gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.20.225 with SMTP id q1mr278361pbe.22.1316577436120;
        Tue, 20 Sep 2011 20:57:16 -0700 (PDT)
Path: lh7ni1560pbb.0!nntp.google.com!news1.google.com!news2.google.com!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!spln!extra.newsguy.com!newsp.newsguy.com!news3
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave
Subject: FA: MFJ-1278 TNC/RTTY Multimode Controller
Date: Tue, 20 Sep 2011 20:56:14 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 18
Message-ID: <j5bn9202k9p@news3.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: p3a87f5254e85b27689be7c436c43c79c4cfef20495a8318c.newsdawg.com
Mime-Version: 1.0
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2011. All Rights Reserved
Xref: news1.google.com rec.radio.swap:2056 rec.radio.amateur.equipment:1712
rec.radio.shortwave:75703
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=270821900482>

300/1200 BPS TNC for Ham Radio HF/VHF
```

```
Gray Wefax Receive
RTTY operations
ASCII
AMTOR
CW (Morse Code Send and Receive)
NAVTEX
SSTV

Original Manual and Fast Start Manual included.

--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|


From -5549311721075828291
X-Google-Thread: 108122,1cf26930df2f73a3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.205.136.10 with SMTP id ii10mr1600320bkc.7.1325328763585;
        Sat, 31 Dec 2011 02:52:43 -0800 (PST)
Path: cj8ni7218bkb.0!nntp.google.com!news2.google.com!postnews.google.com!
24g2000yqi.googlegroups.com!not-for-mail
From: kwame oleur <mikbaah@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: twi version of chris brown's i should have kissed you
Date: Sat, 31 Dec 2011 02:52:43 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <58fbf3da-1310-433f-a3e0-82ace779e557@24g2000yqi.googlegroups.com>
NNTP-Posting-Host: 197.251.184.180
Mime-Version: 1.0
X-Trace: posting.google.com 1325328763 27806 127.0.0.1 (31 Dec 2011 10:52:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 31 Dec 2011 10:52:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 24g2000yqi.googlegroups.com; posting-host=197.251.184.180;
posting-account=z6mumQoAAAB7VLFN-1ehi-qQCWDQ9WL0
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:8.0.1) Gecko/20100101 Firefox/
8.0.1,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

http://youtu.be/EukneiFKym0


From -7969169690063531496
X-Google-Thread: 108122,ead4143fdbec2dad
```

X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!usenet.stanford.edu!usenet.osg.ufl.edu!news.lightlink.com!news.mv.net!schorl.mv.net!arthures
From: Art Sowers <arthures@mv.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: WTB: Collins F455J-? Mechanical Filters
Date: Wed, 1 Jun 2011 08:40:44 -0400
Organization: MV Communications, Inc.
Lines: 54
Message-ID: <alpine.BSF.2.00.1106010821380.31531@schorl.mv.net>
References: <alpine.BSF.2.00.1105311008450.21370@schorl.mv.net>
<is30rc$28t$1@panix2.panix.com> <is3lhm$bql$2@dk3uz.ampr.org>
<is3pju$5st$1@panix2.panix.com>
NNTP-Posting-Host: schorl.mv.net
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: pyrite.mv.net 1306932045 66098 199.125.85.153 (1 Jun 2011 12:40:45 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 1 Jun 2011 12:40:45 +0000 (UTC)
X-X-Sender: arthures@schorl.mv.net
In-Reply-To: <is3pju$5st$1@panix2.panix.com>
User-Agent: Alpine 2.00 (BSF 1167 2008-08-23)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:4510
rec.radio.amateur.equipment:2612 rec.radio.amateur.homebrew:4467

On Tue, 31 May 2011, Scott Dorsey wrote:

> Edmund H. Ramm <dk3uz@arrl.net> wrote:
>> In <is30rc$28t$1@panix2.panix.com> kludge@panix.com (Scott Dorsey) writes:
>>
>>> Rockwell-Collins still makes the size J filters. From the 2005 catalogue:
>>> [...]
>>
>>   Dave Curry Longwave Product's mechanical filters (exact replacements
>> for Collins ones) reportedly have less insertion loss and better skirts.
>> See Electric Radio magazine for more info.
>
> Does 'better' mean tighter or less ringing?
>
> There are sure times when I wish I had a less nasty-sounding filter for
> AM on the R-390.
> --scott

I'll have to put on my "to do" list that I need to search the web for
sources of these filters (as well as ER magazine). And, see if Collins has
a website of their own (I should have done that, too, but I have variable

lazyness...and I'm not in a big hurry on this project).

I did send to that Collins email address a request for further information and have not, as yet, received an answer (I notice email responses to email queries can be all over the spectrum from minutes later to days later to no answer at all).

For a nice-sounding CW filter, I have used an audio frequency equalizer (picked up mine from a thrift store for $5, its a Realistic [Radio Shack] jobber). I max boost 500 Hz sliding pot on both channels, and max depress the pots on all other frequencies, and feed speaker output into input of one channel, output of that channel into input of the other channel, and run output of other channel into input of an amplifier driving either a speaker or earphones. Bandwidth "sounds" (not measured) like maybe about 300-400 Hz. The next frequencies above and below 500 Hz are 250 Hz and 1 kHz. I might get narrower if I boost at 250, etc, but tone is too low for my ears. I thought I wasn't getting any detectable ringing at all on this setup. The calibrations are max/min 12 db, so that should put unwanted frequencies down 24+ db per channel, or 48 db for both, no?

Scott, for AM on the R-390: are you sure its the filter? Not distortion in the audio string? Have you tried any other post detection path (eg. a separate receiver, even an old AM radio where you feet the 455 kc output from the R-390 to the input of the IF on the AM radio and see what audio quality you can get? I'm not familiar with the R390 (does it have mechanical filters?).

> --
> "C'est un Nagra. C'est suisse, et tres, tres precis."
>

```
From -9124944919295895369
X-Google-Thread: 108122,532bb725482474cf,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.129.212 with SMTP id p20mr1683925bks.6.1325401205453;
        Sat, 31 Dec 2011 23:00:05 -0800 (PST)
MIME-Version: 1.0
Path: cj8ni14190bkb.0!nntp.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!nx02.iad01.newshosting.com!
newshosting.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1322722801@panix.com>
```

Followup-To: poster
Date: 1 Jan 2012 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Feb 2012 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1325401201@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1325401203 3412 166.84.1.2 (1 Jan 2012 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 1 Jan 2012 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.2 2011/11/02 04:08:53
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team had decided to consider |
amending its charter, and permit limited simultaneous crossposting to
rec.radio.amateur.moderated and one other unmoderated
amateur-radio-related discussion newsgroup. After a successful trial |
period (90 days, through early July 2009), we decided to adopt this |
change permanently. |

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -1376081928386442089
X-Google-Thread: 108122,a982692cf19a7e9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!glegroupsg2000goo.googlegroups.com!
not-for-mail
From: RadioTech55 <astrotach@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: WHELEN WS295HFS5 SIREN / PA CONTROL SWITCH BOX
Date: Thu, 22 Sep 2011 12:26:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <31277720.1207.1316719595295.JavaMail.geo-discussion-forums@prng5>
Reply-To: rec.radio.amateur.equipment@googlegroups.com
NNTP-Posting-Host: 70.180.184.73
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1316719595 20774 127.0.0.1 (22 Sep 2011 19:26:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Sep 2011 19:26:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=70.180.184.73;
 posting-account=ovRYigoAAABxKvMi2bkjg7qLp9O1ea6Z
User-Agent: G2/1.0
X-Google-Web-Client: true
Xref: g2news2.google.com rec.radio.amateur.equipment:2882
```

For Sale: WHELEN WS295HFS5 SIREN / PA CONTROL SWITCH BOX
Price: $200.00 OBO
Guaranteed Not DOA
Pictures and details At: http://bit.ly/nsfgyW

```
From 7673800247063738396
X-Google-Thread: 108122,53fbd0af41921da7,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.196.130 with SMTP id im2mr11357115pbc.3.1325467209160;
        Sun, 01 Jan 2012 17:20:09 -0800 (PST)
Path: lh20ni98394pbb.0!nntp.google.com!news2.google.com!goblin2!
goblin.stu.neva.ru!feeder.erje.net!newsfeed.datemas.de!news.datemas.de!not-for-
mail
From: Warren <warrens@ns.DOT.sympatico.DOT.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: 6-meter 1kW amplifier modules
Date: Sun, 01 Jan 2012 21:19:01 -0400
Organization: Datemas.de http://www.news.datemas.de
Lines: 25
Message-ID: <jdr0lj$b25$2@news.datemas.de>
Reply-To: warrens@ns.DOT.sympatico.DOT.ca
Mime-Version: 1.0
X-Trace: news.datemas.de
eZAq6B+BC3Zu6v8hQMoSPJhkRYc7M1UKTBe3KTkHQxLkw4mmeoCxKYF8C+T+93StOQA9JO+TW+PUQarzGm
+Ya047mtXP9HMYTdowvqfu72Y2ICSpZOAVgQCehBQCgpG9LNDgk8KMn74ZZ1M9AFO1mQcx7Oj0bhA8YFzz
POokAtE=
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Mon, 2 Jan 2012 01:18:43 +0000 (UTC)
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.8) Gecko/
20100205 SeaMonkey/2.0.3
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

I have several 1kW television transmitter modules that will work fine on 6 meters.

A full write up and pictures are available here.
http://www.gemoto.com/LarcanPA.htm

These are the "low-split" modules that do not require any further modification.

With some work, these amplifiers will produce well over 1kW on 2 meters.
  Check this writeup by Brian Justin, WA1ZMS
http://members.rennlist.org/warren/larcan_2m.pdf

RF input and DC input connectors are included but other parts are needed to get operational. DC power supply 50V @ 50A, RF coaxial relays, cooling fans, etc. Some assembly required. :)

Price as per the web page above, $370 plus packing and shipping from Nova Scotia, Canada. Total cost approx $455 - $470. Proceeds of the sale go towards my ham club.

Contact info on my original ad on QRZ.
http://forums.qrz.com/showthread.php?324147-6M-solid-state-1kW-amplifiers

From 2443835572832417891
X-Google-Thread: fc8b1,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Attributes: gidda6537b9fb,gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: WTB: Collins F455J-? Mechanical Filters
Date: 1 Jun 2011 11:06:56 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 35
Message-ID: <is5kig$1l2$1@panix2.panix.com>
References: <alpine.BSF.2.00.1105311008450.21370@schorl.mv.net> <is3lhm$bql$2@dk3uz.ampr.org> <is3pju$5st$1@panix2.panix.com> <alpine.BSF.2.00.1106010821380.31531@schorl.mv.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1306940816 2287 166.84.1.2 (1 Jun 2011 15:06:56 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 1 Jun 2011 15:06:56 +0000 (UTC)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:4511 rec.radio.amateur.equipment:2613 rec.radio.amateur.homebrew:4468

Art Sowers <arthures@mv.com> wrote:
>For a nice-sounding CW filter, I have used an audio frequency equalizer
>(picked up mine from a thrift store for $5, its a Realistic [Radio Shack]
>jobber). I max boost 500 Hz sliding pot on both channels, and max depress
>the pots on all other frequencies, and feed speaker output into input of
>one channel, output of that channel into input of the other channel, and
>run output of other channel into input of an amplifier driving either a
>speaker or earphones. Bandwidth "sounds" (not measured) like maybe about
>300-400 Hz. The next frequencies above and below 500 Hz are 250 Hz and
>1 kHz. I might get narrower if I boost at 250, etc, but tone is too low
>for my ears. I thought I wasn't getting any detectable ringing at all
>on this setup. The calibrations are max/min 12 db, so that should put
>unwanted frequencies down 24+ db per channel, or 48 db for both, no?

You might try setting the filters on the two ears a little bit different, so that higher tones are to the right and lower tones are to the left. I find this helps pick out signals from a pileup.

The filters on those cheap EQs are probably fairly wide; you can measure the Q with a meter and a signal generator if you want to really know.

>Scott, for AM on the R-390: are you sure its the filter? Not distortion in
>the audio string? Have you tried any other post detection path (eg. a
>separate receiver, even an old AM radio where you feet the 455 kc output
>from the R-390 to the input of the IF on the AM radio and see what audio
>quality you can get? I'm not familiar with the R390 (does it have
>mechanical filters?).

There is lots of distortion in the audio string, although the line output is definitely much cleaner than the speaker level output. However, there is just outrageous amounts of ringing on the 8KC filter. If I go to the 16 KC filter it's much cleaner but of course there's a wider bandwidth too.
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From -6651138768813777573
X-Google-Thread: d7f5508063,833f721a3d26394e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.129.212 with SMTP id p20mr1986135bks.6.1325613591257;
        Tue, 03 Jan 2012 09:59:51 -0800 (PST)
Path: cj8ni35957bkb.0!nntp.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!news-out.readnews.com!transit3.readnews.com!nx02.iad01.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!isp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
Date: Tue, 03 Jan 2012 12:57:01 -0500
From: Jeff W2NBC <w2nbc@optonline.net>
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:8.0) Gecko/20111105 Thunderbird/8.0
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Buy and Sell Tube Gear!
Lines: 14
Message-ID: <4f03416d$0$13525$607ed4bc@cv.net>
Organization: Optimum Online
X-Complaints-To: abuse@cv.net
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Hi All,

Dedicated to Vintage Amateur Radio, Broadcast, and Shortwave radios:

The Boatanchor Classifieds-

http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi

Boatanchor Auction!

http://www.dealamerica.com/deal/cgi-bin/boatanchor.cgi

Thank you for your support- Post some Ads!

```
From 2794607105072007250
X-Google-Thread: 108122,dee1cd4a5cb1f849,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!glegroupsg2000goo.googlegroups.com!
not-for-mail
From: RadioTech55 <astrotach@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: WHELEN TA836AMP HALOGEN TRAFFIC ADVISOR W/ STROBES
Date: Thu, 22 Sep 2011 12:27:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <21885210.1114.1316719665079.JavaMail.geo-discussion-forums@prhv38>
Reply-To: rec.radio.amateur.equipment@googlegroups.com
NNTP-Posting-Host: 70.180.184.73
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1316719722 21867 127.0.0.1 (22 Sep 2011 19:28:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Sep 2011 19:28:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=70.180.184.73;
 posting-account=ovRYigoAAABxKvMi2bkjg7qLp9O1ea6Z
User-Agent: G2/1.0
X-Google-Web-Client: true
Xref: g2news2.google.com rec.radio.amateur.equipment:2883
```

http://www.ebay.com/itm/180726695743?
ssPageName=STRK:MESELX:IT&_trksid=p3984.m1558.l2649#ht_1127wt_1398

```
From -6552128880026142997
X-Google-Thread: fcc6e,2e10cf00f1acb7d8,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,2e10cf00f1acb7d8,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,2e10cf00f1acb7d8,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gide721ae2bf6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.75.170 with SMTP id d10mr6115305pbw.6.1325919904535;
        Fri, 06 Jan 2012 23:05:04 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni151318pbb.0!nntp.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
```

From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1323241500@panix.com>
Followup-To: poster
Date: 7 Jan 2012 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Feb 2012 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1325919900@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1325919901 22264 166.84.1.2 (7 Jan 2012 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Jan 2012 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |

 rec.radio.amateur.equipment |
 rec.radio.amateur.homebrew |
 rec.radio.amateur.moderated |
 rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -4144094103027438913
X-Google-Thread: fc8b1,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,ead4143fdbec2dad
X-Google-NewGroupId: yes
X-Google-Attributes:
gidda6537b9fb,gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!17g2000prr.googlegroups.com!not-for-
mail
From: K7ITM <k7itm@msn.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: Re: WTB: Collins F455J-? Mechanical Filters
Date: Wed, 1 Jun 2011 10:44:07 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <1239e5d8-3443-40b4-8e68-701937295902@17g2000prr.googlegroups.com>
References: <alpine.BSF.2.00.1105311008450.21370@schorl.mv.net>
NNTP-Posting-Host: 50.46.189.195
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1306950248 22125 127.0.0.1 (1 Jun 2011 17:44:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 1 Jun 2011 17:44:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 17g2000prr.googlegroups.com; posting-host=50.46.189.195; posting-
```

```
account=uiivuwkAAADKlh9jd4TJzpBGWedvsUqf
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:2.0.1) Gecko/20100101 Firefox/
4.0.1,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:4512
rec.radio.amateur.equipment:2614 rec.radio.amateur.homebrew:4469
```

On May 31, 7:12=A0am, Art Sowers <arthu...@mv.com> wrote:

> I'm interested in getting several of these filters (for the 75A4):
>
> 500 Hz, anything between up to but not including 3.1 kHz.
>
> Need sources, prices.
>
> Make reply post or send private email to the source of this post
> (=3Darthu...@mv.com)
>
> Thanks.

FWIW, I have an F 455 J 31 in front of me that I'd be happy to part with for any reasonable payment. As far as I know, it's in good condition, removed from (if I'm not mistaken) a Collins 490T HF avionics transceiver. I'd be happy to check it on an HP8753ES network analyzer to insure it's OK, if I find info on pin connections and in/out matching to the analyzer's 50+j0 ohms. I gather this is the one you _don't_ need, but perhaps someone else does. (Looks like probably pins 1&2, and 6&7, are the in/out...9 pin miniature tube base.)

Cheers,
Tom

```
From -5946463964446313123
X-Google-Thread: 107ada,5da17b880d5ef781,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,5da17b880d5ef781,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,5da17b880d5ef781,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,5da17b880d5ef781,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.156.205 with SMTP id y13mr514593bkw.3.1325920201624;
        Fri, 06 Jan 2012 23:10:01 -0800 (PST)
MIME-Version: 1.0
Path: cj8ni65743bkb.0!nntp.google.com!news2.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx02.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
```

From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1323241800@panix.com>
Followup-To: poster
Date: 7 Jan 2012 02:10:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Feb 2012 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1325920200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1325920201 8856 166.84.1.2 (7 Jan 2012 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Jan 2012 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -553801015159002469
X-Google-Thread: 108122,a982692cf19a7e9
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.38.134 with SMTP id g6mr13724078pbk.6.1316886034019;
        Sat, 24 Sep 2011 10:40:34 -0700 (PDT)
Path: lh7ni4068pbb.0!nntp.google.com!news1.google.com!postnews.google.com!
glegroupsg2000goo.googlegroups.com!not-for-mail
From: RadioTech55 <astrotach@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: WHELEN WS295HFS5 SIREN / PA CONTROL SWITCH BOX
Date: Sat, 24 Sep 2011 10:38:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <20446774.1480.1316885936054.JavaMail.geo-discussion-forums@prib32>
References: <31277720.1207.1316719595295.JavaMail.geo-discussion-forums@prng5>
Reply-To: rec.radio.amateur.equipment@googlegroups.com
NNTP-Posting-Host: 70.180.184.73
Mime-Version: 1.0
X-Trace: posting.google.com 1316886033 32184 127.0.0.1 (24 Sep 2011 17:40:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Sep 2011 17:40:33 +0000 (UTC)
In-Reply-To: <31277720.1207.1316719595295.JavaMail.geo-discussion-forums@prng5>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=70.180.184.73;
 posting-account=ovRYigoAAABxKvMi2bkjg7qLp9O1ea6Z
User-Agent: G2/1.0
X-Google-Web-Client: true
Xref: news1.google.com rec.radio.amateur.equipment:1715
Content-Type: text/plain; charset=ISO-8859-1
```

Works Great Sounds good

```
From 8333614927157036271
X-Google-Thread: 108122,5264f76eb9f9a106,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Received: by 10.68.190.2 with SMTP id gm2mr9140592pbc.4.1326053722283;
        Sun, 08 Jan 2012 12:15:22 -0800 (PST)
Path: lh20ni157374pbb.0!nntp.google.com!news2.google.com!postnews.google.com!
```

```
f11g2000yql.googlegroups.com!not-for-mail
From: Karl in Spokane <ak2orepeater@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IFR 1200 rear ring case holder
Date: Sun, 8 Jan 2012 12:15:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <88065b10-fb9c-4701-a113-555b54b0fcb1@f11g2000yql.googlegroups.com>
NNTP-Posting-Host: 206.63.236.206
Mime-Version: 1.0
X-Trace: posting.google.com 1326053722 13302 127.0.0.1 (8 Jan 2012 20:15:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 8 Jan 2012 20:15:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f11g2000yql.googlegroups.com; posting-host=206.63.236.206;
posting-account=L5AuDwoAAAB5WGkivoXGV30d019ffZiw
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:9.0.1) Gecko/20100101 Firefox/
9.0.1,gzip(gfe)
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable

I=92m looking for the rear =93ring=94 holder that keeps the case on the IFR
1200.  Please get a hold of me if you do. If the email does not work
please visit my web site for contact (thanks in advance).
Karl in Spokane
http://www.srgclub.org


From -3163695787758926100
X-Google-Thread: 108122,20589c06a7c8e7fc,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s16g2000prf.googlegroups.com!not-for-
mail
From: K0HB <kzerohb@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FTdx-5000 software
Date: Thu, 2 Jun 2011 13:17:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 26
Message-ID: <98f37e73-b50d-4ef3-8713-669015c4e92a@s16g2000prf.googlegroups.com>
NNTP-Posting-Host: 184.97.183.103
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1307045823 24878 127.0.0.1 (2 Jun 2011 20:17:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Jun 2011 20:17:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s16g2000prf.googlegroups.com; posting-host=184.97.183.103;
```

```
posting-account=vO2PsgoAAABbeEAr-BV0vSyL1LraSHLu
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HNKRUAELSC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/534.24
 (KHTML, like Gecko) Chrome/11.0.696.71 Safari/534.24,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2615

Just purchased a new Yaesu FTdx-5000D HF rig.  Compared to my previous
rig (IC775DSP) this monster has a very rich set of menu items.

Does anyone know of an application to groom this radio (manipulate
menu settings, fill memory slots, etc).  Reply direct, as I don't get
on USENET much.


73, de Hans, K0HB
--
"Just a boy and his radio"
--
Proud Member of:
A1 Operators - http://www.arrl.org/a-1-op
MWA - http://www.W0AA.org
TCDXA - http://www.tcdxa.org
CADXA - http://www.cadxa.org
LVDXA - http://www.lvdxa.org
CWOps - http://www.cwops.org
SOC - http://www.qsl.net/soc
TCFMC - http://tcfmc.org
--
Sea stories here ---> http://k0hb.wordpress.com/
Request QSL at ---> http://www.clublog.org/logsearch/K0HB
All valid QSL requests honored with old fashioned paper QSL!
LoTW participant


From -7372032048598661339
X-Google-Thread: 1109af,66e2cf3439c34b4,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,66e2cf3439c34b4,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid733d321764,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.190.99 with SMTP id gp3mr13644090pbc.1.1326199882246;
        Tue, 10 Jan 2012 04:51:22 -0800 (PST)
Path: lh20ni163606pbb.0!nntp.google.com!news1.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!spln!
extra.newsguy.com!newsp.newsguy.com!news4
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: Yaesu FT-250R 136-174 MHz 5 watt Handheld 2 Meter Ham Radio
Date: Tue, 10 Jan 2012 04:51:05 -0800
Organization: NewsGuy - Unlimited Usenet $19.95
```

```
Lines: 9
Message-ID: <jehc7s01c2i@news4.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: pfabf3fa1f891ba616350bdd3ec217cab98cea591bccbda02.newsdawg.com
Mime-Version: 1.0
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2012. All Rights Reserved
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=270889941472>

Lightly used radio. 144-148 MHz Transmit may be expanded with simple
modification.
--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|



From -3540928133722041468
X-Google-Thread: 108122,dee1cd4a5cb1f849
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!glegroupsg2000goo.googlegroups.com!
not-for-mail
From: RadioTech55 <astrotach@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: WHELEN TA836AMP HALOGEN TRAFFIC ADVISOR W/ STROBES
Date: Sat, 24 Sep 2011 10:38:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <5465514.1609.1316885906907.JavaMail.geo-discussion-forums@prfp13>
References: <21885210.1114.1316719665079.JavaMail.geo-discussion-forums@prhv38>
Reply-To: rec.radio.amateur.equipment@googlegroups.com
NNTP-Posting-Host: 70.180.184.73
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1316886845 8270 127.0.0.1 (24 Sep 2011 17:54:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Sep 2011 17:54:05 +0000 (UTC)
In-Reply-To: <21885210.1114.1316719665079.JavaMail.geo-discussion-forums@prhv38>
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=70.180.184.73;
 posting-account=ovRYigoAAABxKvMi2bkjg7qLp9O1ea6Z
User-Agent: G2/1.0
X-Google-Web-Client: true
Xref: g2news2.google.com rec.radio.amateur.equipment:2885

get while it lasts
```

```
From -3898073405788248O9
X-Google-Thread: 108122,738f551f8ed3226a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.117.197 with SMTP id kg5mr12290215pbb.5.1326236205192;
        Tue, 10 Jan 2012 14:56:45 -0800 (PST)
Path: lh20ni165167pbb.0!nntp.google.com!news1.google.com!news2.google.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Jan 2012 16:56:44 -0600
Date: Tue, 10 Jan 2012 22:56:44 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows NT 5.0; rv:7.0.1) Gecko/20110929 Thunderbird/
7.0.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale:  Kenwood TM-742A
Message-ID: <GuSdnUEGAPaxX5HSnZ2dnUVZ_tadnZ2d@bright.net>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-p2f9SkxlS96lBSfogl0BPidiKo3TdktXOp9qECOyjdJdWV3EUYEC/D6tg1WPPwBZ/
SdSRwZsoj0iLsN!1kSSjoHaIrNxiquM3DNJUzqP/3iCPRWEZOQII/elezB3/
b7CzrJ2LsIiS50737COFN+To3gaelPd!u6QwdJ3mkA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1682
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

Tri-band mobile with 2 bands installed: 2M and 70 cm. Module can be added to open slot for 10M, 6M, 1.25M or 23cm (I have seen quite a few of these band modules on eBay). FM only! Everything works on this radio. 2M PA module is newly replaced and about 15 minutes of use on it! 70cm PA is original, but has very limited use on it. Comes with DTMF mic, power cord and mobile mounting bracket. I can send manual, service manual and schematics on CD if desired. Pic available on request. Please email me direct at acepilot at bloomer dot net. Asking $350 plus $25 for shipping/insurance to USA. Excess shipping will be returned.

Scott
N0EDV

```
From 5155304933797233664
X-Google-Thread: 108122,2145f109c36db088,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!34g2000pru.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT SEXY VIDEOS PRESENT MASLA PHOTOS FOR ADULTS
Date: Sat, 4 Jun 2011 22:01:17 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <13c79cd9-b5bd-4be7-a70d-65d5b157ecd8@34g2000pru.googlegroups.com>
NNTP-Posting-Host: 117.199.244.133
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1307250078 32628 127.0.0.1 (5 Jun 2011 05:01:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Jun 2011 05:01:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000pru.googlegroups.com; posting-host=117.199.244.133;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.17)
 Gecko/20110420 Firefox/3.6.17,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2830

  HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html







      ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
```

http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html

hardware interview questions 4

http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html

SQL Server Interview Questions

http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html

dotnet questions 3

http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

---

```
From 3651683409038445411
X-Google-Thread: 108122,45571bc26a147b1b,start
X-Google-NewGroupId: yes
X-Google-Thread: f7796,45571bc26a147b1b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.129.212 with SMTP id p20mr336916bks.6.1326398008290;
        Thu, 12 Jan 2012 11:53:28 -0800 (PST)
Path: cj8ni89677bkb.0!nntp.google.com!news2.google.com!news1.google.com!
news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!rri.panix.com!
robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph,February 2012 - Subscribe for FREE
Followup-To: poster
Date: Thu, 12 Jan 2012 14:53:28 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <54905B2D3B7140C3AB8A9D97A590D735@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1326398008 22464 166.84.1.6 (12 Jan 2012 19:53:28 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 12 Jan 2012 19:53:28 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
```

```
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:To:From; bh=NNu7UNH0Bp7iIAn3ajjDZ1DmMWvpTHr8GEiY8N0nZhQ=;
     b=efMRa3WDA0XwGcYXUUnnDPYYdlEO9Ik9lfh95V4+YCua2OGTxlqRBUde/0pSHC/
bKdy8CHYoxokjk3weRv9vj2U6ireeBJUa+z5aXmKEyDb3DflYggD0duXNkmLuuB41;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.38.98 authed with k9ya+k9ya.org}
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

February 2012 (Volume 9, Issue 2) articles include:

AADE L/C Meter IIB By Philip Cala-Lazar, K9PL

A Bicycle Mobile Adventure - X By Scott B. Laughlin, N7NET

Repeat After Me By Paul W. Ross, W3FIS

The Clandestine Experience By Jim Henson, W4UFP

K9YA Field Day Recipe

Ham Quips By Dick Sylvan, W9CBT

```
From 8688212534991809188
X-Google-Thread: 108122,5de6f30e88cd4cd8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.50.133 with SMTP id c5mr15272146pbo.2.1316911390651;
        Sat, 24 Sep 2011 17:43:10 -0700 (PDT)
Path: lh7ni4289pbb.0!nntp.google.com!news1.google.com!postnews.google.com!
```

```
glegroupsg2000goo.googlegroups.com!not-for-mail
From: RadioTech55 <astrotach@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: MOTOROLA NTN1177C 6 BAY CHARGER MT2000 JEDI MTS XTS
Date: Sat, 24 Sep 2011 16:45:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <3169486.1505.1316907910997.JavaMail.geo-discussion-forums@preb19>
Reply-To: rec.radio.amateur.equipment@googlegroups.com
NNTP-Posting-Host: 70.180.184.73
Mime-Version: 1.0
X-Trace: posting.google.com 1316911390 8748 127.0.0.1 (25 Sep 2011 00:43:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Sep 2011 00:43:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: glegroupsg2000goo.googlegroups.com; posting-host=70.180.184.73;
 posting-account=ovRYigoAAABxKvMi2bkjg7qLp9O1ea6Z
User-Agent: G2/1.0
X-Google-Web-Client: true
Xref: news1.google.com rec.radio.amateur.equipment:1717
Content-Type: text/plain; charset=ISO-8859-1

For Auction:http://www.ebay.com/itm/230677466586?
ssPageName=STRK:MESELX:IT&_trksid=p3984.m1558.l2649#ht_1229wt_1398

Thanks for looking


From -2052370302692514935
X-Google-Thread: 108122,86d609398962cbc3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.129.78 with SMTP id n14mr527595bks.5.1326631028980;
        Sun, 15 Jan 2012 04:37:08 -0800 (PST)
Path: cj8ni99702bkb.0!nntp.google.com!news1.google.com!postnews.google.com!
l17g2000yqb.googlegroups.com!not-for-mail
From: amamoz <luc.verschooris@free.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: WW2 military radio equipment
Date: Sun, 15 Jan 2012 04:37:08 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <b3649cf8-55ed-44bc-9c8b-f5671cf6c23b@l17g2000yqb.googlegroups.com>
NNTP-Posting-Host: 109.8.91.94
Mime-Version: 1.0
X-Trace: posting.google.com 1326631028 15611 127.0.0.1 (15 Jan 2012 12:37:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 15 Jan 2012 12:37:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l17g2000yqb.googlegroups.com; posting-host=109.8.91.94; posting-
account=hMLD6QoAAAC6MUA2v2zFrzpSXqlB_B-S
User-Agent: G2/1.0
```

```
X-Google-Web-Client: true
X-Google-Header-Order: ARLUEHNKC
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
 Trident/4.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; Hotbar 10.2.217.0;
 OfficeLiveConnector.1.3; OfficeLivePatch.0.0; .NET CLR 3.0.4506.2152; .NET
 CLR 3.5.30729),gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1

Hello,

I'm looking for any military radio equipment used during WW2.

Thanks
Luc



From 6712013632376246508
X-Google-Thread: fcc6e,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Thread: f64c6,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Thread: ffcae,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid241b302a50,gid82c01338ff,gidf67993a6ef,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Jun 2011 02:10:36 -0500
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,u
k.radio.amateur,uk.tech.broadcast
Subject: Re: Why do WiFi basestations use two antennas?
From: moronsbegone <NoThanx@never.org>
References: <ck37fb$76u$1@uns-a.ucl.ac.uk>
<5okam0d8i2qh7emsfa6dbdg7oqca17m4cu@4ax.com>
Organization: Private
Message-ID: <Xns9EFB162A13C22notnowneverorg@127.0.0.1>
Followup-To: rec.radio.amateur.antenna
User-Agent: Xnews/5.04.25
Date: Sun, 05 Jun 2011 02:10:36 -0500
Lines: 14
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
yFdXGrIBvBQ7hAX2q0umwOKOmBV0kHNK0a7ioyeW1z2ifXIqsrjP9j7pDyjWuJfptQXzLeUjX4rtqVk!
xj7iTTxmmVw1UeXA1XDjgnJ6nqSIJTyiZTkozjgvqIiZn81p3tqOEuA3cNFkYJX/hAewxw==
X-Complaints-To: abuse@giganews.com
```

```
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1633
Xref: g2news1.google.com rec.radio.amateur.antenna:21664
rec.radio.amateur.equipment:2617 rec.radio.amateur.homebrew:4481
uk.radio.amateur:145374 uk.tech.broadcast:27289

Paul Burridge <pb@notthisbit.osiris1.co.uk> wrote in
news:5okam0d8i2qh7emsfa6dbdg7oqca17m4cu@4ax.com:

> On Thu, 7 Oct 2004 12:00:52 +0100, "Daniel Kelly \(AKA
> Jack\)" <d.kellyNOSPAM@NOSPAM.ucl.ac.uk> wrote:
>
>>A little more info about my system:
>>The system is part of a wearable camera with recorder.  The
>>camera, transmitter, microphone and a battery are all worn
>>in a hat.
>
> A hat?? What kind of a weirdo are you?

Could be a decoy or cop,mountain biker or sports related.



From -4576556754832740454
X-Google-Thread: 108122,86d609398962cbc3
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.197.37 with SMTP id ir5mr188552pbc.5.1326657716979;
        Sun, 15 Jan 2012 12:01:56 -0800 (PST)
Path: lh20ni185984pbb.0!nntp.google.com!news1.google.com!news.glorb.com!
feeder.erje.net!newsfeed.CARNet.hr!.POSTED!not-for-mail
From: =?UTF-8?B?Qm9yaXMgVHXEkWFu?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WW2 military radio equipment
Date: Sun, 15 Jan 2012 21:01:49 +0100
Organization: CARNet, Croatia
Lines: 17
Message-ID: <jevbbk$2v5$1@news2.carnet.hr>
References: <b3649cf8-55ed-44bc-9c8b-f5671cf6c23b@l17g2000yqb.googlegroups.com>
NNTP-Posting-Host: 31.147.82.186
Mime-Version: 1.0
X-Trace: news2.carnet.hr 1326657716 3045 31.147.82.186 (15 Jan 2012 20:01:56 GMT)
X-Complaints-To: abuse@CARNet.hr
NNTP-Posting-Date: Sun, 15 Jan 2012 20:01:56 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.19) Gecko/20110420
SeaMonkey/2.0.14
In-Reply-To: <b3649cf8-55ed-44bc-9c8b-f5671cf6c23b@l17g2000yqb.googlegroups.com>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
```

amamoz wrote:
> Hello,
>
> I'm looking for any military radio equipment used during WW2.
>
> Thanks
> Luc

What do you need?

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A1IW - Boris

```
From -3664922966017668871
X-Google-Thread: 108122,78b27e48f413bca6,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.38.38 with SMTP id d6mr10574750pbk.4.1316959437970;
        Sun, 25 Sep 2011 07:03:57 -0700 (PDT)
Path: lh7ni4649pbb.0!nntp.google.com!news1.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
post01.iad.highwinds-media.com!newsfe11.iad.POSTED!00000000!not-for-mail
From: " Tuuk" <abra@cadabra.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Tower advice please?/
Lines: 20
MIME-Version: 1.0
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18463
Message-ID: <gxGfq.37215$oz6.20474@newsfe11.iad>
NNTP-Posting-Host: 173.238.192.41
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe11.iad 1316959436 173.238.192.41 (Sun, 25 Sep 2011 14:03:56 UTC)
NNTP-Posting-Date: Sun, 25 Sep 2011 14:03:56 UTC
Date: Sun, 25 Sep 2011 10:03:59 -0400
Xref: news1.google.com rec.radio.amateur.equipment:1718
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

Hi,

I have a big self supporting tower in the yard, it is grounded by grounding rods and of course itself. I am attaching two satelite dishes to the tower. The most practical way is using 2x4 wood, this will work great just screwing them to the wood and it will squeeze itself to the brackets and support nicely. I am wondering about the connection to the tower because there will not be grounded to the tower. There wont be any connection (metal to metal) form the satelite dish and the tower, that leads me to believe that the only grounding would be the shielded cable which gets grounded to the nice new 50" plazma.

My question is should i ground that? Should the satelite dish itself be grounded to the tower? Is there any reason for this? Safety wise or interference wise? It would be very simple to do, but not sure if I should or want to. Please give me advice as to either ground the dish to tower or not to. Does anyone think there will be issues? Should I or shouldn't I?

Thanks for any advice.

```
From 6007758146295193873
X-Google-Thread: 108122,86d609398962cbc3
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Received: by 10.68.211.195 with SMTP id ne3mr6096063pbc.2.1326664096792;
        Sun, 15 Jan 2012 13:48:16 -0800 (PST)
Path: lh20ni186259pbb.0!nntp.google.com!news2.google.com!postnews.google.com!
k8g2000yqk.googlegroups.com!not-for-mail
From: amamoz <luc.verschooris@free.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WW2 military radio equipment
Date: Sun, 15 Jan 2012 13:48:16 -0800 (PST)
Organization: http://groups.google.com
Lines: 50
Message-ID: <d48e601b-525b-4291-b0cd-1db77c4277ca@k8g2000yqk.googlegroups.com>
References: <b3649cf8-55ed-44bc-9c8b-f5671cf6c23b@l17g2000yqb.googlegroups.com>
 <jevbbk$2v5$1@news2.carnet.hr>
NNTP-Posting-Host: 109.8.91.94
Mime-Version: 1.0
X-Trace: posting.google.com 1326664096 28808 127.0.0.1 (15 Jan 2012 21:48:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 15 Jan 2012 21:48:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k8g2000yqk.googlegroups.com; posting-host=109.8.91.94; posting-
account=hMLD6QoAAAC6MUA2v2zFrzpSXqlB_B-S
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: ARLUEHNKC
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
 Trident/4.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; Hotbar 10.2.217.0;
 OfficeLiveConnector.1.3; OfficeLivePatch.0.0; .NET CLR 3.0.4506.2152; .NET
 CLR 3.5.30729),gzip(gfe)
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable

On Jan 15, 9:01=C2=A0pm, Boris Tu=C4=91an <boris.tu...@ka.t-com.hr> wrote:
> amamoz wrote:
> > Hello,
>
> > I'm looking for any military radio equipment used during WW2.
>
> > Thanks
> > Luc
>
> What do you need?
>
> --
> Keep 'em Rolling!http://www.mvpa.org/
> MVPA: 29718
>
> http://s186.photobucket.com/albums/x51/btudan/
>
> 73 de 9A1IW - Boris

Passionate to obtain:
-    RT-66/GRC=E2=80=A6 67=E2=80=A6 68 =E2=80=A6
-    AN/VRC-8
-    AN/GRC-9-CY
-    RT-70/GRC
-    WS-19
-    R-107
-    BC-611
-    Tube Tester I-177
-    Telephone EE-8-B
-    BC-1000
-    Telephone repeater TP-14
-    Remote control equipment RC-261
-    Carrier Hybrid CF-7
-    Oscilloscope BC-1060-A
-    Frequency meter sets SCR-211

For later:
-    Voltohmmeter TS-294/U & TS-294B/U
-    Power meter TS-125/AP
-    Radio transmitter BC-684
-    Radio Receiver BC-683-A
-    AF Amplifier AM-65/GRC

For much later:
-    Radio set
o    AN/TRC-1
o    AN/TRC-3
o    AN/TRC-4
o    AN/TRC-7
```

- Amplifier equipment AN/TRA-1

```
From 4041610751048669274
X-Google-Thread: fcc6e,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Thread: f64c6,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Thread: ffcae,c4c196187f8bc09c
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid241b302a50,gid82c01338ff,gidf67993a6ef,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Jun 2011 02:19:52 -0500
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,u
k.radio.amateur,uk.tech.broadcast
Subject: Re: Why do WiFi basestations use two antennas?
From: moronsbegone <NoThanx@never.org>
References: <ck37fb$76u$1@uns-a.ucl.ac.uk>
<5okam0d8i2qh7emsfa6dbdg7oqca17m4cu@4ax.com>
<416554bb$0$94919$5a6aecb4@news.aaisp.net.uk> <ck3kji$l2a$1@uns-a.ucl.ac.uk>
<41655d88$0$94921$5a6aecb4@news.aaisp.net.uk> <h6GdnQAMR_jTE_vcRVn-rQ@comcast.com>
<epsfm0lgccv6r3uvpg9opsu8mqoe9pb8re@4ax.com>
<4l1gm09pebulm1ncn516qr89affq4qdhvr@4ax.com> <ck9pu6$47o$1@titan.btinternet.com>
Organization: Private
Message-ID: <Xns9EFB17BC549E4notnowneverorg@127.0.0.1>
Followup-To: rec.radio.amateur.antenna
User-Agent: Xnews/5.04.25
Date: Sun, 05 Jun 2011 02:19:52 -0500
Lines: 29
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-Rzag5P3csLgW6GEGmGc5rsRZS3dwd2Nu/
lg2Jd3ZLzFf7SfDlk1xIUguh8ra5FHvWLy35IW8g96O+6e!
Ck1WaQYkoFXG7iiCSreLssOZbgTngMEaOiv3WPovTeX/CGzLkf3V341RSB2qunQEI8b56w==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2436
Xref: g2news1.google.com rec.radio.amateur.antenna:21665
rec.radio.amateur.equipment:2618 rec.radio.amateur.homebrew:4482
uk.radio.amateur:145375 uk.tech.broadcast:27290
```

```
"Reg Edwards" <g4fgq.regp@ZZZbtinternet.com> wrote in
news:ck9pu6$47o$1@titan.btinternet.com:

>> >Hams at UK rallies typically tend to smell rather badly,
>> >too. And look like child molesters. Is this a world-wide
>> >phenomenon or a purely British one?
>>
>> Must be purely British as no other country seems to have
>> the paranoia we seem to have about child molesters.
>>
> ==================================
>
> All physical contact and association between people of all
> ages is fundamentally sexual in nature.  It's for the
> propagation of our species. Otherwise there is no genetical
> reason for contact.  It's all built into our genes.
>
>
>

CONFUSED; The reason for desire to contact is hiding in our
jeans ,,,the ones we are wearing,,,,isn't it?


Paranoya America,,,,,,,,,,,,,,,,,pethetic..................

My wife sued me for sexual harrasment,,,,,,,,,,,,,,,,I kissed
her on the cheek.  Old Fat Homely thats me.
Woopie is sort of like shooting pool with a rope.


From -6979709181112247731
X-Google-Thread: 108122,86d609398962cbc3
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Received: by 10.68.189.202 with SMTP id gk10mr6362807pbc.4.1326675402227;
        Sun, 15 Jan 2012 16:56:42 -0800 (PST)
Path: lh20ni186762pbb.0!nntp.google.com!news1.google.com!news2.google.com!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post01.iad!news.suddenlink.net!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <b3649cf8-55ed-44bc-9c8b-f5671cf6c23b@l17g2000yqb.googlegroups.com>
<jevbbk$2v5$1@news2.carnet.hr> <d48e601b-525b-4291-
b0cd-1db77c4277ca@k8g2000yqk.googlegroups.com>
In-Reply-To: <d48e601b-525b-4291-b0cd-1db77c4277ca@k8g2000yqk.googlegroups.com>
Subject: Re: WW2 military radio equipment
Date: Sun, 15 Jan 2012 18:56:21 -0600
MIME-Version: 1.0
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18463
Lines: 14
Message-ID: <4f1375c9$0$16533$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 74.194.86.151
X-Complaints-To: abuse@suddenlink.net
Content-Type: text/plain;
     format=flowed;
     charset="UTF-8";
     reply-type=original
Content-Transfer-Encoding: 8bit


"amamoz" <luc.verschooris@free.fr> wrote in message news:d48e601b-525b-4291-
b0cd-1db77c4277ca@k8g2000yqk.googlegroups.com...
On Jan 15, 9:01 pm, Boris Tuđan <boris.tu...@ka.t-com.hr> wrote:
> amamoz wrote:
> > Hello,
>
> > I'm looking for any military radio equipment used during WW2.
>
> > Thanks
> > Luc

Check this site.  They have a changing variety of military radio equipment:
http://www.armyradio.com




From -1523668311804964793
X-Google-Thread: d7f5508063,509b161067f87726,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!db5g2000vbb.googlegroups.com!not-for-
mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FOR GOOD JOBS & ENTERTAINMENT SITES TO YOU
Date: Wed, 28 Sep 2011 03:06:14 -0700 (PDT)
Organization: http://groups.google.com
Lines: 55
Message-ID: <a368900f-ecd0-4c48-9f42-05ae87c061d9@db5g2000vbb.googlegroups.com>
NNTP-Posting-Host: 117.199.240.52
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1317204374 25241 127.0.0.1 (28 Sep 2011 10:06:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 28 Sep 2011 10:06:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: db5g2000vbb.googlegroups.com; posting-host=117.199.240.52;
posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
```

```
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.22)
 Gecko/20110902 Firefox/3.6.22,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2888

                  FOR GOOD JOBS SITES TO YOU
                http://goodjobssites.blogspot.com/



               FOR FAST UPDATES IN TELUGU FILM INDUSTRY
                OOSARAVELLI MOVIE STILLS
http://allyouwants.blogspot.com/2011/09/oosarvelli-stills.html
                   TAMIL ACTRESS HOT  PHOTO SHOOT
http://allyouwants.blogspot.com/2011/08/tamil-actress.html
             SOUTH INDIAN HOT ACTRESS PICS
http://allyouwants.blogspot.com/2011/08/hot-actress.html
DEEPIKA PADUKONE IN DUM MARO DUM MOVIE
http://allyouwants.blogspot.com/2011/08/deepika-in-dum-maro-dum.html
                   PRIYAMANI SPICY PHOTOS IN COW GIRL
http://allyouwants.blogspot.com/2011/02/priyamani-spicy-photo-shoot-cow-girl.html
                   KAJAL HOT PHOTOS IN SAREE
http://allyouwants.blogspot.com/2011/06/kajal-very-spice-pics.html

              FOR ONLY HOT GUYS SEE THIS
             KAJAL AGARWAL LATEST HOT WITHOUT TOP
http://hotactress-kalyani.blogspot.com/2011/08/kajal-agarwal-hot-photos.html
          TAMANNA HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/08/tamanna-hot.html
           PRANITHA LATEST HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/09/pranitha-hot.html
            HOT KATRINAKAIF WALLPAPERS
http://hotactress-kalyani.blogspot.com/2011/08/katrina-kaif-hot.html
           SAMANTHA HOT WALLPAPERS
http://hotactress-kalyani.blogspot.com/2011/09/samantha-hot.html
             HOT MALLU ACTRESS BHAMA
http://hotactress-kalyani.blogspot.com/2011/09/bhama-hot.html
             TOLLYWOOD HOT ACTRESSES
http://hotactress-kalyani.blogspot.com/2011/08/hot-actrsess.html
            SONAKSHI SINHA HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/09/sonakshi-sinha-hot.html
          PRIYANKA CHOPRA LATEST HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/08/priyanka-chopra-hot.html

                  LATEST    AMISHA PATEL HOT PICS
http://hotactress-kalyani.blogspot.com/2011/08/amisha-patel-hot.html
               TAPSEE DIFFERENT STILLS
http://hotactress-kalyani.blogspot.com/2011/08/tapsee-hot.html
             PRIYAMANI HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/08/priyamani-hot.html
```

KATRINA KAIF HOT IMAGES
http://hotactress-katrina.blogspot.com/2011/08/katrina-kaif-hot.html
TOP 15 HOT BOLLYWOOD KISSES
http://hotactress-katrina.blogspot.com/2011/08/bollywood-kisses.html
KAJAL AGARWAL HOT PICS
http://hotactress-katrina.blogspot.com/2011/09/kajal-agarwal.html

---

```
From -8689938364598837985
X-Google-Thread: 108122,8b37a23dbfafe0f9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.75.170 with SMTP id d10mr8741492pbw.6.1326754120251;
        Mon, 16 Jan 2012 14:48:40 -0800 (PST)
Path: lh20ni190117pbb.0!nntp.google.com!news2.google.com!postnews.google.com!
f1g2000yqi.googlegroups.com!not-for-mail
From: Mind Bender <mind2000bender@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Drake or Theta 7000E comms terminal
Date: Mon, 16 Jan 2012 14:23:33 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <03e8b6bf-eaa6-449d-8b1b-88fde375d987@f1g2000yqi.googlegroups.com>
NNTP-Posting-Host: 174.93.182.206
Mime-Version: 1.0
X-Trace: posting.google.com 1326754120 9145 127.0.0.1 (16 Jan 2012 22:48:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 16 Jan 2012 22:48:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f1g2000yqi.googlegroups.com; posting-host=174.93.182.206; posting-
account=f6IfAAoAAACu_3-lkJpWcqf0Hsp7LPJV
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:9.0.1) Gecko/20100101 Firefox/
9.0.1,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1
```

Hello everyone,
I'm looking for one of these 7000E communication terminals from either
Drake or Theta.
Drop me a message if you have one available.
Thanks
MB

```
From 1874890075841037185
X-Google-Thread: 108122,f6a16409f5579058,start
X-Google-NewGroupId: yes
```

X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.wow.com!news.wow.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Jun 2011 08:13:53 -0500
From: "D@LS" <helmsman@wowway.com/>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood ts-450sat
Date: Mon, 06 Jun 2011 09:13:52 -0400
Organization: wowway.com
Reply-To: helmsman@wowway.com/
Message-ID: <c2kpu651v7cofb064483195bbkbspt4s4g@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.14.120.52
X-Trace: sv3-DU4x5fFm/x4ng+GCn39CRMAAz8FdqtaxrW6oXzzKPeoyZgKntS2GwJVop6fz7+Ak/
7dy80m0ezbWNaa!zKNgphZ0/1J2GlqMWyFskadvohvzVGPIfB9EIsRyGuCNGeo4H2vHvHMTp/
lvPXJWBV5iy47juvla!7DMJ8c48c3ZRjJE=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1260
Xref: g2news2.google.com rec.radio.amateur.equipment:2833

Transmits fine, all of a sudden all I receive is static, even on local commercial
AM stations?

Squelch is Full open = Coax is hooked up

Antenna is A3S/A743 Cushcraft Beam = 10-15-20-40 meters.

I aught to hear something other than static.

Any ideas - TIA

From -8722670912284823812
X-Google-Thread: 108122,679ec6805972e4f3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.189.202 with SMTP id gk10mr8790753pbc.4.1326755167252;
Mon, 16 Jan 2012 15:06:07 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni190171pbb.0!nntp.google.com!news1.google.com!

newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-mli.net!feeder1.hal-mli.net!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 16 Jan 2012 17:06:05 -0600
From: Sprocketart <Sprocketart.95a6479@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Anyone seen one of these GIANT vacuum tubes?
Date: Mon, 16 Jan 2012 22:24:38 +0000
Message-ID: <Sprocketart.95a6479@radiobanter.com>
Organization: RadioBanter.com
Lines: 19
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-GIyZKINRzNUSMHmR4X2pxSw3LfqWZMZVDvzeQ256mGBb3KTVk9MXWRuP+TQEEeWmkobdX3+24gc7U3W!
OMZDpUpP/Nd14j4697wspAQNMa9WXXBMRA25Z6GaKC5NSdVNAFKJNj60C14UtcUPPugENX08UPzY!
cvJZ8F58Vj8=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1840

The attachments are of a vintage vacuum tube in its original shipping container. There is no date on the container. I left it this way in its original condition to protect the tube and history as well. The tube says "Federal Tel and Radio F 212E Made in USA". I have no way of testing this but knowing the source I am sure its good. This guy was very meticulous and I practically have original receipts with almost everything. I bought a big lot and will be selling a large amount of vintage tubes on EBAY. I can find info and values on almost all of them except for this one. I want to sell this one as well. If anyone can help me please it would be most appreciated. With what I have learned lately this tube is probably rare. This is my job now and thus my only source of income so please help. OK THE PICS ARE TOO BIG. Feel free to email me with inquiries.

--
Sprocketart

From 1930755121047668711
X-Google-Thread: fcc6e,183c79f29a35678c,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,183c79f29a35678c,start
X-Google-NewGroupId: yes

```
X-Google-Thread: 108122,183c79f29a35678c,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,183c79f29a35678c,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,183c79f29a35678c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,183c79f29a35678c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,183c79f29a35678c,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gid8f86f75953,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.11.199 with SMTP id s7mr50554430pbb.5.1317448806566;
        Fri, 30 Sep 2011 23:00:06 -0700 (PDT)
MIME-Version: 1.0
Path: lh7ni8832pbb.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!
not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1314856800@panix.com>
Followup-To: poster
Date: 1 Oct 2011 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Nov 2011 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1317448801@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1317448802 16808 166.84.1.2 (1 Oct 2011 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 1 Oct 2011 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: news1.google.com rec.radio.amateur.antenna:16311 rec.radio.amateur.dx:917
rec.radio.amateur.equipment:1720 rec.radio.amateur.homebrew:3140
rec.radio.amateur.misc:4972 rec.radio.amateur.policy:14923
rec.radio.amateur.space:423 rec.radio.info:2335

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
```

URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From -5459377412517874153
X-Google-Thread: 114aac,791d6a1d4a422dfc,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,791d6a1d4a422dfc,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid9e586c3d78,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

```
Received: by 10.68.191.202 with SMTP id ha10mr344703pbc.2.1326922912028;
        Wed, 18 Jan 2012 13:41:52 -0800 (PST)
Path: lh20ni197396pbb.0!nntp.google.com!news1.google.com!news.glorb.com!
news.astraweb.com!border5.newsrouter.astraweb.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news7
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: Yaesu FT-250R 2 meter HT Starting at $0.99
Date: Wed, 18 Jan 2012 13:41:28 -0800
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 8
Message-ID: <jf7ead01gc0@news7.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: pc39728715199ccc071cd0733239b96d1de5f2266782fbfe8.newsdawg.com
Mime-Version: 1.0
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2012. All Rights Reserved
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=270896343553>

Like new!
--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|



From -2173965181983494918
X-Google-Thread: 108122,f6a16409f5579058
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood ts-450sat
Date: Mon, 6 Jun 2011 14:49:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 18
Message-ID: <slrniupq1l.lrh.gsm@cable.mendelson.com>
References: <c2kpu651v7cofb064483195bbkbspt4s4g@4ax.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 85.65.228.114.dynamic.barak-online.net
X-Trace: max.inside.misty.com 1307371743 17540 85.65.228.114 (6 Jun 2011 14:49:03
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Mon, 6 Jun 2011 14:49:03 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
```

Xref: g2news1.google.com rec.radio.amateur.equipment:2620

D@LS wrote:
> Transmits fine, all of a sudden all I receive is static, even on local commercial AM stations?
>
> Squelch is Full open = Coax is hooked up
>
> Antenna is A3S/A743 Cushcraft Beam = 10-15-20-40 meters.
>
> I aught to hear something other than static.

Disconnect the antenna. Does the static stay the same or get lower?

Meanwhile check the RF gain control, and filter switch.

Geoff.

--
Geoffrey S. Mendelson N3OWJ/4X1GM
Making your enemy reliant on software you support is the best revenge.

From -6616031971584300066
X-Google-Thread: 114aac,903791fca96cb0e9,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,903791fca96cb0e9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid9e586c3d78,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.196.130 with SMTP id im2mr347974pbc.3.1326922911861;
        Wed, 18 Jan 2012 13:41:51 -0800 (PST)
Path: lh20ni197399pbb.0!nntp.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!newsp.newsguy.com!news7
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: Yaesu FT-250R @ meter HT Starting at $0.99
Date: Wed, 18 Jan 2012 13:40:49 -0800
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 8
Message-ID: <jf7e9501gbr@news7.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: p28badc0e712850539bfc3d35580defc8df7bdd2637a05f30.newsdawg.com
Mime-Version: 1.0
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2012. All Rights Reserved
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=270896343553>

Like new!

```
--
Best Regards, Keith
|---------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|---------------------------------------|


From -646457057655188542
X-Google-Thread: 108122,775f091cfc9183ad,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.38.134 with SMTP id g6mr54924793pbk.6.1317517347425;
        Sat, 01 Oct 2011 18:02:27 -0700 (PDT)
Path: lh7ni9426pbb.0!nntp.google.com!news1.google.com!postnews.google.com!
z12g2000yqz.googlegroups.com!not-for-mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT VIDEOS FOR YOUTH AND WORLD SEXIEST GIRLS HOT PHOTOS
Date: Sat, 1 Oct 2011 18:00:41 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <e8d0eee8-3d3e-4baf-a613-19fe888322fe@z12g2000yqz.googlegroups.com>
NNTP-Posting-Host: 117.199.243.143
Mime-Version: 1.0
X-Trace: posting.google.com 1317517347 20148 127.0.0.1 (2 Oct 2011 01:02:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Oct 2011 01:02:27 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z12g2000yqz.googlegroups.com; posting-host=117.199.243.143;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.23)
 Gecko/20110920 Firefox/3.6.23,gzip(gfe)
Xref: news1.google.com rec.radio.amateur.equipment:1721
Content-Type: text/plain; charset=ISO-8859-1





      A TO Z INFORMATION SEE IN THIS SITE

http://atwoztopic.blogspot.com/



             ALL HOT PHOTOS SUPER SEXY PHOTOS

http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

               ALL  JOBS   SITES FREE SEE
```

http://jobstwo.blogspot.com/

HOT VIDEOS

http://hotvideotoou.blogspot.com/2011/01/kiss-videos.html

hot lip kiss
http://hotvidos.blogspot.com/2010/07/hot-lip-kiss.html
hot kisses
http://hotvidos.blogspot.com/2010/07/hot-kisses.html
hollywood hot videos
http://hotvidos.blogspot.com/2010/07/hollywood-hot-videos.html
real hot videos
http://hotvidos.blogspot.com/2010/07/real-hot-videos.html
tamil hot videos
http://hotvidos.blogspot.com/2010/07/tamil-hot-videos.html

From 3990830493778059388
X-Google-Thread: 108122,820d5dfef7f34450,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.199.73 with SMTP id ji9mr2936312pbc.5.1326992769692;
        Thu, 19 Jan 2012 09:06:09 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni200480pbb.0!nntp.google.com!news1.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!npeer.de.kpn-
eurorings.net!npeer-ng0.de.kpn-eurorings.net!news.glorb.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 19 Jan 2012 11:06:07 -0600
From: ik0grs <ik0grs.95e0498@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: I need help.......
Date: Thu, 19 Jan 2012 12:25:05 +0000
Message-ID: <ik0grs.95e0498@radiobanter.com>
Organization: RadioBanter.com
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
kJfFnVQZ40jzkgsh0A4jJ1XuxG64RGrLSWsO8KyIygjnX5snxf5kG2DWYeQNAaLJrj5tPnm5NfnM2Vx!
etMGDXp+MNX1MFkSb2Sx977IncxsW3qKR8puxopfZAyNMqQj+pI2GZLzJrR1dC9dxgMHDGUZ2HHr!4KA8
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40

X-Original-Lines: 5
X-Original-Bytes: 1086

HAPPY NEW YEAR TO ALL!!!!!!!!!
I' m searching one HEATHKIT SA-5010 U-MATIC KEYER because my old key is
dead.
Can someone help me?
Thank you and my best '73
Mauri "riz"

--
ik0grs

From 3580197171996415759
X-Google-Thread: 108122,f6a16409f5579058
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Jun 2011 13:38:05 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood ts-450sat
References: <c2kpu651v7cofb064483195bbkbspt4s4g@4ax.com>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Mon, 6 Jun 2011 11:37:55 -0700
Message-ID: <3djvb8-mfb.ln1@radagast.org>
Lines: 33
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-DorLXsyFzWvf/B9C9eXm7SmQ3nFv4qElxe4Xqftkj0GJc149wpNsv0iGA/SiH7bHMlV/
GNQmTpSoSfi!xhI9voKwVM2+cNuJNITQmRnSf3N51G7H/s2Hxpd6fh7AGSi7Y6VMOgU9ajEJAA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2378
Xref: g2news1.google.com rec.radio.amateur.equipment:2621

In article <c2kpu651v7cofb064483195bbkbspt4s4g@4ax.com>,
D@LS <helmsman@wowway.com/> wrote:

>Transmits fine, all of a sudden all I receive is static, even on local
>commercial AM stations?

```
>
>Squelch is Full open = Coax is hooked up
>
>Antenna is A3S/A743 Cushcraft Beam = 10-15-20-40 meters.
>
>I aught to hear something other than static.

Could perhaps be any of a number of things, from a blown receiver
front-end (lightning or electrostatic damage?), a loose
connection, defective or loose IF filter, or any of a number of
mis-adjustments in the control setting.

The first thing I'd try, with that radio, is a microprocessor reset of
the "Reset everything but the memory channels" variety.  Turn the
radio power off, hold down A/B, turn the power on, wait a few seconds,
release A/B.  This should reset the radio to its default operating
modes... if you'd accidentally switched some weird setting into some
oddball mode, this should reset it.

If you're still stuck in a "Can transmit but cannot receive" mode,
it'd then probably be time for some signal-tracing inside the radio.



--
Dave Platt <dplatt@radagast.org>                                    AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From -9102258534246488515
X-Google-Thread: 108122,5fdc508d42b8a8c9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.199.73 with SMTP id ji9mr2521247pbc.5.1327208785506;
        Sat, 21 Jan 2012 21:06:25 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni209900pbb.0!nntp.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!ra.nrl.navy.mil!
nntp.club.cc.cmu.edu!newsfeed.hal-mli.net!feeder3.hal-mli.net!newsfeed.hal-
mli.net!feeder1.hal-mli.net!border3.nntp.dca.giganews.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Jan 2012 23:06:24 -0600
From: louienlila <louienlila.9615059@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Searching direly for UNICOM SW antenna amp
Date: Sun, 22 Jan 2012 00:26:07 +0000
Message-ID: <louienlila.9615059@radiobanter.com>
Organization: RadioBanter.com
Lines: 16
X-Usenet-Provider: http://www.giganews.com
```

```
X-Trace: sv3-
j74aO91HaDHhL7gMvFCul1p3mtqHzPiaRn4jf+c0LNTaj7XAjIw46fRq8jpm5xO8JyCo8yYsOEzDAcI!
L3oGsqXYdofmIP+V/ytoE4r4E5TFexHQB4TzHyubQCyU/tIYnZphhWRZMrXyTMPNK2szvx/iUXUK!
bknpna2NLA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 5
X-Original-Bytes: 1400
```

I ran across the YOUTUBE entry which shows the effects of connecting the
above on signal amplification and have been searching to get one for
some time. I use a Grundig Satellit 800 connected to a 60" long wire
with a WR LWA-130 adapter between the wire and the receiver.

The performance of the UNICOM Shortwave Antenna Amplifier really
impresses me and I would like to get one. Does anyone know where I can
find one.

louienlila

--
louienlila

```
From 6502338995683979555
X-Google-Thread: 108122,d7a06fe7c08cf765,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.27.230 with SMTP id w6mr29747057pbg.3.1317593622921;
        Sun, 02 Oct 2011 15:13:42 -0700 (PDT)
Path: lh7ni10100pbb.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!feeder.erje.net!eternal-september.org!feeder.eternal-
september.org!.POSTED!not-for-mail
From: "Ted Ham" <rexxhat3405@adl.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SDR recommendations?
Date: Sun, 2 Oct 2011 18:13:41 -0400
Organization: A noiseless patient Spider
Lines: 17
Message-ID: <j6anmm$49j$1@dont-email.me>
Mime-Version: 1.0
Injection-Date: Sun, 2 Oct 2011 22:13:42 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="EQInNVqlsOSQWdIy0glbUg";
     logging-data="4403"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18sflJ7fp3ACyX0zXQ0ykAf"
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.6109
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:MuGJubpfqYrO28skYrSbNpTvTS4=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: news1.google.com rec.radio.amateur.equipment:1722
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

After the prior post mentioning SDR radios, and me seeing how they work withe the web radios, I am now intrigued by the concept. There are several DIY and assembled brands used, with SoftRock being among the best price. However, SoftRock does not appear to be available at this time and several other brands may be "retired" as well.

What would be recommended? I don't want to spend a fortune, but still want decent quality, preferably covering the HF bands. SSB, AM, FM. I see a brand called Elektor SDR offering assembled kits under $150 US. However, some people have problems with setup and a weak receiver. Now they have a preamp for another $75 or so.

Appreciate any thoughts on the subject.

Thanks,
Ted Ham

```
From 2161678886623293329
X-Google-Thread: 108122,5f1629e83b5ccf0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.189.72 with SMTP id gg8mr2921790pbc.4.1327227042755;
        Sun, 22 Jan 2012 02:10:42 -0800 (PST)
Path: lh20ni210707pbb.0!nntp.google.com!news1.google.com!postnews.google.com!
4g2000pbz.googlegroups.com!not-for-mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SEXY VIDEOS YOU MUST SEE MASALA HOT PHOTOS
Date: Sun, 22 Jan 2012 02:10:42 -0800 (PST)
Organization: http://groups.google.com
Lines: 50
Message-ID: <a28cc75b-c021-4597-b54d-6512510a9344@4g2000pbz.googlegroups.com>
NNTP-Posting-Host: 117.199.241.184
Mime-Version: 1.0
X-Trace: posting.google.com 1327227042 5314 127.0.0.1 (22 Jan 2012 10:10:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 22 Jan 2012 10:10:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: 4g2000pbz.googlegroups.com; posting-host=117.199.241.184; posting-
account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.25)
 Gecko/20111212 Firefox/3.6.25,gzip(gfe)
Content-Type: text/plain; charset=ISO-8859-1
```

VERY VERY VERY HOT HOT HOT ONLY HOT
http://acresesandmodels.blogspot.com/2011/06/real-kiss-hot-videos.html

HOT HOT LIP KISS
http://hotvideosfreesee.blogspot.com/2010/06/hot-for-youth.html
SUPER HOT PHOTOS
http://hotvideosfreesee.blogspot.com/2010/06/hot-101.html
YOUTH HOT PHOTOS
http://hotvideosfreesee.blogspot.com/2010/06/hot-lip-kiss-12.html
ONLY HOT HOT
http://hotvideosfreesee.blogspot.com/2010/06/supr-hot-never-seen.html
SUPER HOT NEVER SEEN
http://hotvideosfreesee.blogspot.com/2010/06/supe-r-hot-kiss-op.html
HEROINE LIP KISS
http://hotvideosfreesee.blogspot.com/2010/06/kajal-best-lip-kiss.html

for mopre hot videos
http://allvideosforyouth.blogspot.com/2010/08/super-hot-lip-kiss.html

jobs
http://alljobsaywhere.blogspot.com/

mobile

mobile games free download
http://mobileallinforation.blogspot.com/2010/08/mobile-games-free-download.html

mobile ringtones free download

http://mobileallinforation.blogspot.com/2010/08/mobile-ringtones-free-download.html

```
From 1394697035068758631
X-Google-Thread: fcc6e,ceecc20e9ee930e4,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,ceecc20e9ee930e4,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ceecc20e9ee930e4,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,ceecc20e9ee930e4,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,ceecc20e9ee930e4,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,ceecc20e9ee930e4,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,ceecc20e9ee930e4,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1304748300@panix.com>
Followup-To: poster
Date: 7 Jun 2011 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Jul 2011 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1307426700@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1307426703 29632 166.84.1.2 (7 Jun 2011 06:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Jun 2011 06:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:23458 rec.radio.amateur.dx:1046
```

rec.radio.amateur.equipment:2836 rec.radio.amateur.homebrew:4782
rec.radio.amateur.misc:6525 rec.radio.amateur.policy:33636 rec.radio.info:2484

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -7804865467322056831
X-Google-Thread: 108122,7105518201a685d3
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.75.170 with SMTP id d10mr3055715pbw.6.1327443957980;
        Tue, 24 Jan 2012 14:25:57 -0800 (PST)
Path: lh20ni220143pbb.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!
easynews.com!en-nntp-12.dc1.easynews.com.POSTED!not-for-mail
From: Marv <volzmtv@comcast.net>
User-Agent: Mozilla/5.0 (Windows NT 6.0; rv:9.0) Gecko/20111222 Thunderbird/9.0.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450-SAT to Ameritron ARB-704 to Ameritron AL811 Amplifier.
References: <adjfg61nrlv73vptk44tot4h53fpaerafe@4ax.com>
In-Reply-To: <adjfg61nrlv73vptk44tot4h53fpaerafe@4ax.com>
Lines: 10
Message-ID: <TdGTq.8955$5f3.1241@en-nntp-12.dc1.easynews.com>
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 24 Jan 2012 16:25:46 -0600
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

On 12/14/2010 2:14 PM, D&L wrote:
> Looked at the instructions and were wrong. Does anyone have this trio
> hooked up and if so what is the correct hookup.
>
> Thank You

Might see if Ameritron has a 'wire kit' for your combo. I got their's
for my 704 to Icom & AL-80B

W5MTV
```

```
From -819349817295133468
X-Google-Thread: 108122,514af5cb6a214f80,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.27.230 with SMTP id w6mr7941075pbg.3.1317961635490;
        Thu, 06 Oct 2011 21:27:15 -0700 (PDT)
Path: lh7ni13274pbb.0!nntp.google.com!news1.google.com!postnews.google.com!
i33g2000yqm.googlegroups.com!not-for-mail
From: stepyhaking vytrer <stepyhaking.vytrer@gmail.com>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Welcome to http://marketingw.blogspot.com
Date: Thu, 6 Oct 2011 20:44:57 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <f0846004-668b-48dc-a075-8e394a8f8444@i33g2000yqm.googlegroups.com>
NNTP-Posting-Host: 183.80.45.108
Mime-Version: 1.0
X-Trace: posting.google.com 1317961635 32289 127.0.0.1 (7 Oct 2011 04:27:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Oct 2011 04:27:15 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i33g2000yqm.googlegroups.com; posting-host=183.80.45.108; posting-
account=IsDXPAoAAAB8D3wv82WYn5bbBwLI1ae6
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:7.0.1) Gecko/20100101 Firefox/
7.0.1,gzip(gfe)
Xref: news1.google.com rec.radio.amateur.equipment:1723
Content-Type: text/plain; charset=ISO-8859-1
```

Marketing Management is a business discipline which is focused on the
practical application of marketing techniques and the

management of a firm's marketing resources and activities.

The Importance of Marketing!
http://marketingw.blogspot.com/2011/03/importance-of-marketing.html

Marketing management
http://marketingw.blogspot.com/2011/03/marketing-management.html

Marketing online
http://marketingw.blogspot.com/2011/03/marketing-online.html

THE TEN RULES OF RADICAL MARKETING
http://marketingw.blogspot.com/2011/04/ten-rules-of-radical-marketing...

KEY CUSTOMER MARKETS
http://marketingw.blogspot.com/2011/04/key-customer-markets.html

---

```
From 9083974510826572607
X-Google-Thread: 108122,7105518201a685d3
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.135.231 with SMTP id pv7mr8472904pbb.8.1327446995733;
        Tue, 24 Jan 2012 15:16:35 -0800 (PST)
Path: lh20ni220271pbb.0!nntp.google.com!news1.google.com!news2.google.com!
news.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!
easynews.com!en-nntp-13.dc1.easynews.com.POSTED!not-for-mail
From: "D@LS" <helmsman@wowway.com/>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450-SAT to Ameritron ARB-704 to Ameritron AL811 Amplifier.
Organization: wowway.com
Reply-To: helmsman@wowway.com/
Message-ID: <7reuh7p7d2o5hdbnlstds61fvoser25p3s@4ax.com>
References: <adjfg61nrlv73vptk44tot4h53fpaerafe@4ax.com> <TdGTq.8955$5f3.1241@en-
nntp-12.dc1.easynews.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Lines: 15
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 24 Jan 2012 18:16:32 -0500
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

On Tue, 24 Jan 2012 16:25:46 -0600, Marv <volzmtv@comcast.net> wrote:

>On 12/14/2010 2:14 PM, D&L wrote:
>> Looked at the instructions and were wrong. Does anyone have this trio
>> hooked up and if so what is the correct hookup.
>>
>> Thank You
>
>Might see if Ameritron has a 'wire kit' for your combo. I got their's
>for my 704 to Icom & AL-80B
>
>W5MTV

I did, THE RADIO IS NOW IN FOR REPAIR,THE SECOND TIME!




From 2089314594943746362
X-Google-Thread: 108122,820d5dfef7f34450
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.238.198 with SMTP id vm6mr192984pbc.3.1327511167026;
        Wed, 25 Jan 2012 09:06:07 -0800 (PST)
MIME-Version: 1.0
Path: lh20ni223044pbb.0!nntp.google.com!news2.google.com!goblin3!gin-ad1-
unet1.teleglobe.net!goblin1!goblin.stu.neva.ru!news.glorb.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 25 Jan 2012 11:06:03 -0600
From: Channel Jumper <Channel.Jumper.965ed98@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: I need  help.......
Date: Wed, 25 Jan 2012 15:42:51 +0000
Message-ID: <Channel.Jumper.965ed98@radiobanter.com>
```

Organization: RadioBanter.com
References: <ik0grs.95e0498@radiobanter.com>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
xIdFXVES2cnx2U1CxVDyWZFNBbiaWIu04GIG3PR4DG9tVw4IemjMt2Wj0eG7hxui3UP3JyG+h8bh2IO!
XscgtP1XAzDM2nqQ/iiVzpT8MgvBbix8J0AEup0fOmWYVrbNxdivPitRsaTI5S8jFV9jsGMlkFMF!
aBQT1xWbc8z7HSY=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 11
X-Original-Bytes: 1574

ik0grs;786876 Wrote:
> HAPPY NEW YEAR TO ALL!!!!!!!!!
> I' m searching one HEATHKIT SA-5010 U-MATIC KEYER because my old key is
> dead.
> Can someone help me?
> Thank you and my best '73
> Mauri "riz"

forums.qrz.com/showthread.php?...HEATHKIT-SA-5010-uMATIC-KEYER

My suggestion would be to purchase a new one - there has been a lot of technological advances since that design was last made some 35 years ago.

Maybe you can do a internet search - I heard that Heathkit was getting back into the ham radio business. Maybe you can find a reproduction.

--
Channel Jumper

From -5842913926010276440
X-Google-Thread: 107ada,80a4836c8565555,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,80a4836c8565555,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,80a4836c8565555,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,80a4836c8565555,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1304748600@panix.com>
Followup-To: poster
Date: 7 Jun 2011 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Jul 2011 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1307427000@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1307427001 22290 166.84.1.2 (7 Jun 2011 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Jun 2011 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:6271
rec.radio.amateur.equipment:2623 rec.radio.swap:3009 rec.radio.info:2407

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval.

This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 3521600527658135879
X-Google-Thread: fcc6e,ef85fba4a986309f,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,ef85fba4a986309f,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ef85fba4a986309f,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,ef85fba4a986309f,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,ef85fba4a986309f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,ef85fba4a986309f,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.50.133 with SMTP id c5mr8219755pbo.2.1317967504672;
        Thu, 06 Oct 2011 23:05:04 -0700 (PDT)
MIME-Version: 1.0
Path: lh7ni13320pbb.0!nntp.google.com!news1.google.com!news2.google.com!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!nx01.iad01.newshosting.com!newshosting.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1315375500@panix.com>
Followup-To: poster
Date: 7 Oct 2011 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Nov 2011 01:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1317967500@panix.com>
```

Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1317967501 19169 166.84.1.2 (7 Oct 2011 06:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Oct 2011 06:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: news1.google.com rec.radio.amateur.antenna:16336 rec.radio.amateur.dx:924
rec.radio.amateur.equipment:1724 rec.radio.amateur.homebrew:3155
rec.radio.amateur.misc:4993 rec.radio.amateur.policy:14998 rec.radio.info:2357

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -2298582595629544955
X-Google-Thread: 107ada,6a71af7b637ef8c4,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,6a71af7b637ef8c4,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,6a71af7b637ef8c4,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,6a71af7b637ef8c4,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.8.229 with SMTP id u5mr8240286pba.0.1317967803603;
        Thu, 06 Oct 2011 23:10:03 -0700 (PDT)
MIME-Version: 1.0
Path: lh7ni13323pbb.0!nntp.google.com!news1.google.com!news2.google.com!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!nx02.iad01.newshosting.com!newshosting.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1315375800@panix.com>
Followup-To: poster
Date: 7 Oct 2011 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Nov 2011 01:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1317967800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1317967801 20740 166.84.1.2 (7 Oct 2011 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Oct 2011 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: news1.google.com rec.radio.amateur.misc:4994
rec.radio.amateur.equipment:1725 rec.radio.swap:2083 rec.radio.info:2358
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 4980907020312292458
X-Google-Thread: 108122,f6a16409f5579058
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.wow.com!news.wow.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 07 Jun 2011 12:32:42 -0500
From: "D@LS" <helmsman@wowway.com/>
Newsgroups: rec.radio.amateur.equipment

```
Subject: Re: Kenwood ts-450sat
Date: Tue, 07 Jun 2011 13:32:40 -0400
Organization: wowway.com
Reply-To: helmsman@wowway.com/
Message-ID: <c3osu6tqrudp5qokuj8sg66ettcqa7a2jj@4ax.com>
References: <c2kpu651v7cofb064483195bbkbspt4s4g@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.14.120.52
X-Trace: sv3-eHl+lbsBYKNJVA08mbMFTYhcwj6rzbtBvycWBUvFZeg+NF5gV1oVMbbD82pWOcdADxL/
Xqkzdz9XWsc!87KNMOj8hHbhIo2X3e2NyfK74QQNTt7FwTp04N7zDtIZG/
rBV8N+UX5JbV4XbjtSK+ZMUlFTAQAX!AFBKAFtqPwQrEig=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1486
Xref: g2news1.google.com rec.radio.amateur.equipment:2624

On Mon, 06 Jun 2011 09:13:52 -0400, "D@LS" <helmsman@wowway.com/> wrote:

>Transmits fine, all of a sudden all I receive is static, even on local commercial
AM stations?
>
>Squelch is Full open = Coax is hooked up
>
>Antenna is A3S/A743 Cushcraft Beam = 10-15-20-40 meters.
>
>I aught to hear something other than static.
>
>Any ideas - TIA
>

Unplugged the Ameritron AMP = Now the radio works but I can't use the amp.



From 8862524470067119094
X-Google-Thread: 108122,3817d0125d994b7b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.38.38 with SMTP id d6mr15169442pbk.4.1318078503308;
        Sat, 08 Oct 2011 05:55:03 -0700 (PDT)
Path: lh7ni14299pbb.0!nntp.google.com!news1.google.com!postnews.google.com!
s5g2000pra.googlegroups.com!not-for-mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FOR ONLY HOT GUYS SEE THIS
```

```
Date: Sat, 8 Oct 2011 05:55:01 -0700 (PDT)
Organization: http://groups.google.com
Lines: 63
Message-ID: <5c6464d7-d9d1-4a81-b111-2b4b896be971@s5g2000pra.googlegroups.com>
NNTP-Posting-Host: 117.213.131.45
Mime-Version: 1.0
X-Trace: posting.google.com 1318078502 18680 127.0.0.1 (8 Oct 2011 12:55:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Oct 2011 12:55:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s5g2000pra.googlegroups.com; posting-host=117.213.131.45; posting-
account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.23)
 Gecko/20110920 Firefox/3.6.23,gzip(gfe)
Xref: news1.google.com rec.radio.amateur.equipment:1726
Content-Type: text/plain; charset=ISO-8859-1


                  FOR GOOD JOBS SITES TO YOU
                http://goodjobssites.blogspot.com/

                    7TH SENSE MOVIE STILLS
http://actressgallery-kalyani.blogspot.com/2011/10/7th-sense-movie-stills.html
                   MOGUDU MOVIE STILLS
http://actressgallery-kalyani.blogspot.com/2011/09/mogudu-movie-stills.html
              HANSIKA MATOWNI LATEST HOT STILLS
http://actressgallery-kalyani.blogspot.com/2011/09/hansika-motwani.html
                KAJAL AGARWAL HOT PHOTOS
http://actressgallery-kalyani.blogspot.com/2011/09/kajal-agarwal.html
               TAMANNA SIRUTHAI HOT MOVIE STILLS
http://actressgallery-kalyani.blogspot.com/2011/09/siruthai-movie-stills.html
             SNEHA HOT GOA MOVIE STILLS
http://actressgallery-kalyani.blogspot.com/2011/09/goa-movie-stills.html
              HOT KATRINA KAIF PHOTOS
http://actressgallery-kalyani.blogspot.com/2011/09/katrina-kaif.html
           AISHWARYA RAI HOT HQ PHOTO STILLS
http://actressgallery-kalyani.blogspot.com/2011/09/aishwarya-rai.html
           ASIN HOT PHOTO GALLERY
http://actressgallery-kalyani.blogspot.com/2011/09/asin.html



              FOR ONLY HOT GUYS SEE THIS
                  PRIYAMANI HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/09/priyamani-hot.html
             KAJAL AGARWAL LATEST HOT WITHOUT TOP
http://hotactress-kalyani.blogspot.com/2011/08/kajal-agarwal-hot-photos.html
          TAMANNA HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/08/tamanna-hot.html
           PRANITHA LATEST HOT PHOTOS
```

http://hotactress-kalyani.blogspot.com/2011/09/pranitha-hot.html
HOT KATRINAKAIF WALLPAPERS
http://hotactress-kalyani.blogspot.com/2011/08/katrina-kaif-hot.html
SAMANTHA HOT WALLPAPERS
http://hotactress-kalyani.blogspot.com/2011/09/samantha-hot.html
HOT MALLU ACTRESS BHAMA
http://hotactress-kalyani.blogspot.com/2011/09/bhama-hot.html
TOLLYWOOD HOT ACTRESSES
http://hotactress-kalyani.blogspot.com/2011/08/hot-actrsess.html
SONAKSHI SINHA HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/09/sonakshi-sinha-hot.html
PRIYANKA CHOPRA LATEST HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/08/priyanka-chopra-hot.html

LATEST   AMISHA PATEL HOT PICS
http://hotactress-kalyani.blogspot.com/2011/08/amisha-patel-hot.html
TAPSEE DIFFERENT STILLS
http://hotactress-kalyani.blogspot.com/2011/08/tapsee-hot.html
PRIYAMANI HOT PHOTOS
http://hotactress-kalyani.blogspot.com/2011/09/priyamani-hot.html

KATRINA KAIF HOT IMAGES
http://hotactress-katrina.blogspot.com/2011/08/katrina-kaif-hot.html
TOP 15 HOT BOLLYWOOD KISSES
http://hotactress-katrina.blogspot.com/2011/08/bollywood-kisses.html
KAJAL AGARWAL HOT PICS
http://hotactress-katrina.blogspot.com/2011/09/kajal-agarwal.html

---

From -5929602649698683271
X-Google-Thread: 108122,f6a16409f5579058
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 07 Jun 2011 13:39:20 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood ts-450sat
References: <c2kpu651v7cofb064483195bbkbspt4s4g@4ax.com>
<c3osu6tqrudp5qokuj8sg66ettcqa7a2jj@4ax.com>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Tue, 7 Jun 2011 11:39:12 -0700
Message-ID: <gr72c8-9je.ln1@radagast.org>
Lines: 50
X-Usenet-Provider: http://www.giganews.com

NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-v6yzz5PAkOgRkSfTM5ffbszZHLU10R4A8FPCUUTo0Ymcg1u04Vx963jDZxL/l/6aFi+bCKrltE+52YP!jy3EGjurSdwZ4i6FHR2blkckISxDs59D6j0vzA2hcWyYM7zO6jrwvGDL/Snyiw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 3126
Xref: g2news1.google.com rec.radio.amateur.equipment:2625

In article <c3osu6tqrudp5qokuj8sg66ettcqa7a2jj@4ax.com>,
D@LS <helmsman@wowway.com/> wrote:

>>Transmits fine, all of a sudden all I receive is static, even on local
>commercial AM stations?
>>
>>Squelch is Full open = Coax is hooked up
>>
>>Antenna is A3S/A743 Cushcraft Beam = 10-15-20-40 meters.
>>
>>I aught to hear something other than static.
>>
>>Any ideas - TIA
>>
>
>Unplugged the Ameritron AMP = Now the radio works but I can't use the amp.

You didn't mention the amp in your original posting. Hard to diagnose things accurately, at a distance, when one doesn't have a full picture of the setup in question.

Sounds as if the amp's transmit-switchover relays are bad, or are being improperly keyed by the radio. The amp's supposed to leave the antenna connected directly to the transceiver, except when you key up the transceiver.

You'll want to check the relay's signal continuity (and be VERY VERY CAREFUL about how you do this... an amp of this sort has lethal amounts of power present inside it when turned on, and for quite some time after it's turned off!), and also the PTT-keying connection from the transceiver to the amp.

I have a vague recollection that some radios, and some amps, can interact badly, especially if misconfigured (e.g. if the transceiver isn't told it's controlling an external amp or has the wrong transmit delay time setting). If the transceiver starts transmitting before telling the amp to switch over, or with an inadequate amount of delay, the amp's relay may open or close while transmitter power is flowing through it. This can cause the contacts to arc, burn, and possibly even stick.

It's possible you need a replacement relay in the amp, *and* a setting

```
adjustment on the TS-450 to tell it to increase its TX delay.

--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From -5770124211892605468
X-Google-Thread: d7f5508063,959c070665c788a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j31g2000vbl.googlegroups.com!not-for-
mail
From: walt <wbelsito@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: looking for realistic 33-1085 mike manual
Date: Sun, 9 Oct 2011 08:05:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <c879831c-21ee-44ca-a2a6-a23b01373c5c@j31g2000vbl.googlegroups.com>
NNTP-Posting-Host: 99.33.199.141
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1318172747 30250 127.0.0.1 (9 Oct 2011 15:05:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Oct 2011 15:05:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j31g2000vbl.googlegroups.com; posting-host=99.33.199.141; posting-
account=CnAsNAkAAAA3FlvVIVgil95Wiq2sXKRp
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.0; rv:7.0.1) Gecko/20100101 Firefox/
7.0.1,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2682

subject says it all

contact me at   wbelsito at aol dot com

WALT


From -6476739897379401695
X-Google-Thread: 108122,f6a16409f5579058
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
```

```
media.com!STARBAND.NET-a2kHrUvQQWlmc!not-for-mail
From: you <you@shadows.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood ts-450sat
Organization: shadows.orgs
References: <c2kpu651v7cofb064483195bbkbspt4s4g@4ax.com>
<c3osu6tqrudp5qokuj8sg66ettcqa7a2jj@4ax.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Date: Tue, 07 Jun 2011 11:02:45 -0800
Message-ID: <you-B8B386.11024507062011@news.starband.net>
X-Complaints-To: abuse@usenetserver.com
Lines: 20
X-Trace: 3c46d4dee765231e5aba706326
Xref: g2news2.google.com rec.radio.amateur.equipment:2840

In article <c3osu6tqrudp5qokuj8sg66ettcqa7a2jj@4ax.com>,
 "D@LS" <helmsman@wowway.com/> wrote:

> On Mon, 06 Jun 2011 09:13:52 -0400, "D@LS" <helmsman@wowway.com/> wrote:
>
> >Transmits fine, all of a sudden all I receive is static, even on local
> >commercial AM stations?
> >
> >Squelch is Full open = Coax is hooked up
> >
> >Antenna is A3S/A743 Cushcraft Beam = 10-15-20-40 meters.
> >
> >I aught to hear something other than static.
> >
> >Any ideas - TIA
> >
>
> Unplugged the Ameritron AMP = Now the radio works but I can't use the amp.

Dirty Bypass Relay contacts in the Rx Path inside the Amp....


From 5314227989279572903
X-Google-Thread: 108122,b4cf30e723b2a5f1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l39g2000pro.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT HOT HOT VIDEOS AND COLLEGE GIRLS SEXY PHOTOS
Date: Sun, 9 Oct 2011 17:54:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 62
Message-ID: <2eec76c0-9971-459e-96b5-d8ef48dc8ab8@l39g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.241.124
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1318209782 29581 127.0.0.1 (10 Oct 2011 01:23:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Oct 2011 01:23:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l39g2000pro.googlegroups.com; posting-host=117.199.241.124;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.23)
 Gecko/20110920 Firefox/3.6.23,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2897
```

ALL HOT PHOTOS SUPER SeXY PHOTOS
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

```
From 10492021441161932
X-Google-Thread: d7f5508063,f6a16409f5579058
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.wow.com!news.wow.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 21 Jun 2011 11:25:33 -0500
From: "D@LS" <helmsman@wowway.com/>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood ts-450sat
Date: Tue, 21 Jun 2011 12:25:31 -0400
Organization: wowway.com
Reply-To: helmsman@wowway.com/
Message-ID: <kdh107hlefkh6cp4m8fdu51dgu4nkk4fc9@4ax.com>
References: <c2kpu651v7cofb064483195bbkbspt4s4g@4ax.com> <3djvb8-
mfb.ln1@radagast.org>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 35
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.14.120.52
X-Trace: sv3-DuNHrpy1XTTuD91+NB5Uv9yqDuWy+OE1wakMu4FLpgdXpWDDgkyJnv6ij7Bj/uIgk/
```

```
jkweWWU6tPnHb!
V9Tn9vomjioooGdwAWqh6BokrFInGcD7VgGnPkzInxy+hWV9TPSGyqCr2JorD6MrBArtFBg0YgjN!
utXeedMA5Bpgs6M=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2338
Xref: g2news1.google.com rec.radio.amateur.equipment:2628

On Mon, 6 Jun 2011 11:37:55 -0700, dplatt@radagast.org (Dave Platt) wrote:

>In article <c2kpu651v7cofb064483195bbkbspt4s4g@4ax.com>,
>D@LS <helmsman@wowway.com/> wrote:
>
>>Transmits fine, all of a sudden all I receive is static, even on local
>>commercial AM stations?
>>
>>Squelch is Full open = Coax is hooked up
>>
>>Antenna is A3S/A743 Cushcraft Beam = 10-15-20-40 meters.
>>
>>I aught to hear something other than static.
>
>Could perhaps be any of a number of things, from a blown receiver
>front-end (lightning or electrostatic damage?), a loose
>connection, defective or loose IF filter, or any of a number of
>mis-adjustments in the control setting.
>
(>The first thing I'd try, with that radio, is a microprocessor reset of
(the "Reset everything but the memory channels" variety.  Turn the
>radio power off, hold down A/B, turn the power on, wait a few seconds,
>release A/B.  This should reset the radio to its default operating
>modes... if you'd accidentally switched some weird setting into some
(>oddball mode, this should reset it.

The above was it! THANKS





>
>If you're still stuck in a "Can transmit but cannot receive" mode,
>it'd then probably be time for some signal-tracing inside the radio.




From 4786454883070664207
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
```

```
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.11.199 with SMTP id s7mr710647pbb.5.1318425737770;
        Wed, 12 Oct 2011 06:22:17 -0700 (PDT)
Path: d5ni2540pbc.0!nntp.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!news-out.readnews.com!transit3.readnews.com!panix!rri.panix.com!
robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, November 2011 - Subscribe for FREE
Followup-To: poster
Date: Wed, 12 Oct 2011 09:22:17 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 34
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <5A29282278E54FACB88C0AA210352C4A@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<A937A601909D473989DBCE0F0833D7C9@GRIMES>
<475D4916876147CB8577EEA2EE3C6F5D@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
X-Trace: reader1.panix.com 1318425737 25101 166.84.1.6 (12 Oct 2011 13:22:17 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 12 Oct 2011 13:22:17 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
DKIM-Signature: v=1; a=rsa-sha256; q=dns/txt; c=relaxed/relaxed; d=k9ya.org;
s=default;
     h=Content-Transfer-Encoding:Content-Type:MIME-Version:Message-
ID:Date:Subject:In-Reply-To:References:To:From; bh=J/
auMfw8k70EDlkDwU2y9vbh7OunRvqZOWciU+QAWY4=;
```

```
b=cj9A36XTSaDsKJRruhhUyfhY1amz6kiAu+T4WGvQi9wLvvIpfZmeXBvf43B15aNy855I8t7qVZbTP4A4
eo5ujBQ+FUGALUaxInRPFsHcpf3T7VSnH/sM11C+E6mo7zGO;
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.35.207 authed with k9ya+k9ya.org}
Xref: news1.google.com rec.radio.info:2371 rec.radio.amateur.boatanchors:3074
rec.radio.amateur.equipment:1728 rec.radio.swap:2086 alt.ham-radio.morse:56
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

November 2011 articles include:

Ham Spirit By Philip Cala-Lazar, K9PL

A Bicycle Mobile Adventure - VII By Scott B. Laughlin, N7NET

The Highest Honor for a Ham - II By Cliff Cheng, Ph.D., AC6C

The Rare Norcross Vibroplex By Fred Maas, KT5X

More Transceivers By Paul W. Ross, W3FIS

Spanish Eyes By Rod Newkirk, VA3ZBB/W9BRD

Ham History By Dick Sylvan, W9CBT

```
From -6127121238485361179
X-Google-Thread: d7f5508063,a974e1f10eb5f3d7,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
```

border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Jun 2011 23:36:40 -0500
Date: Tue, 28 Jun 2011 04:36:40 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.17) Gecko/
20110414 Thunderbird/3.1.10
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: 2304 transverter for sale
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <sLKdnRm5UrPFx5TTnZ2dnUVZ_tCdnZ2d@bright.net>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-p96pW+J9/Vk6X0KKW2Q4vbVZhhCR/
Yy+zO37fz1SQgwUi00eXFYVmh6Gkb7KzpxiZSijwEWNNbyrqyh!
7soRJa+Zm2mohRXvgWy4HaCzmjSsG79cxO0bCTtddlcuZ/vChff7fo+2lNNenrK0pHkWQ/C4bVsT!
a7dYb3ugOg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2168
Xref: g2news2.google.com rec.radio.amateur.equipment:2844

I just built and tested a DEMI 2304-144 transverter and it is now for sale. Set up for 9.3W in at 144 MHz and gives 1.00W at 2304. The receive sensitivity is good, with my 2304 MHz signal at -85 dBm giving S8 to S9 on my FT-857 IF radio. Unit is built with common IF in/out, split TX/RX at 2304 and requires a 10 MHz source for the synthesized L.O. Switch is installed for dual frequency operation, but is not wired. By wiring this switch, you can select between 2304 and one other frequency - 2320 or 2424 MHz (NOTE: 2320 is NOT an authorized TX frequency in the USA, but 2424 is). No T/R relay included, but unit is built to work with standard 24V SMA relays. Photos of transverter on the ham radio page at my website below. Unit has been tested at 2304 MHz only.

Price: $495.00. Save yourself 5 bucks and 18 weeks of your life (DEMI's quoted lead time for factory built units). $15 shipping to CONUS, $25 shipping to Alaska or Hawaii. No International shipping, sorry (too much money and too much friggin' paperwork!

acepilot at bloomer dot net

N0EDV
http://corbenflyer.tripod.com/

From -7535663178146077178
X-Google-Thread: 108122,704e9d34f4859f5e,start

```
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.156.195 with SMTP id y3mr1895674bkw.4.1318795220112;
        Sun, 16 Oct 2011 13:00:20 -0700 (PDT)
Path: l23ni7237bkv.0!nntp.google.com!news2.google.com!news.glorb.com!news.alt.net
From: justme <jbleaux@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FLAT, FLEXIBLE CABLE NEEDED.
Date: Sun, 16 Oct 2011 15:00:01 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 13
Message-ID: <qrdm975kkuifoc9cmcquglas5hudgv3f56@4ax.com>
Mime-Version: 1.0
X-Newsreader: Forte Agent 5.00/32.1171
Xref: news2.google.com rec.radio.amateur.equipment:1070
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Hi, folks.

I have several Icom 745 radios.  I need flat, flexible cable to make
up for them.  The maximum conductors are 11 but I can slit more to
make 11.  The spacing is .060 x .060.  I have worked with a lot of
cables as I am an nnnjineer but never this type of Mylar? cable other
than plugging it in or out.

Any suggestions other than asking Icom would be appreciated.

Thank you.

jbleaux@gmail.com


From -4551352004685449486
X-Google-Thread: fcc6e,3e9a82fc830b3b37,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,3e9a82fc830b3b37,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,3e9a82fc830b3b37,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,3e9a82fc830b3b37,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,3e9a82fc830b3b37,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,3e9a82fc830b3b37,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,3e9a82fc830b3b37,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,3e9a82fc830b3b37,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
```

6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1306908001@panix.com>
Followup-To: poster
Date: 1 Jul 2011 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Aug 2011 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1309500001@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1309500003 22813 166.84.1.2 (1 Jul 2011 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 1 Jul 2011 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:23743 rec.radio.amateur.dx:1069 rec.radio.amateur.equipment:2845 rec.radio.amateur.homebrew:4806 rec.radio.amateur.misc:6585 rec.radio.amateur.policy:33908 rec.radio.amateur.space:541 rec.radio.info:2540

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 6080147602888367194
X-Google-Thread: 108122,6f48994b0d484e04,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.31.73 with SMTP id y9mr16083231pbh.0.1319219419874;
        Fri, 21 Oct 2011 10:50:19 -0700 (PDT)
Path: d5ni40352pbc.0!nntp.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!isp-post01.iad!news.highwinds-media.com!
news.cv.net!not-for-mail
Date: Fri, 21 Oct 2011 13:55:41 -0400
From: a@b.c
Newsgroups: rec.radio.amateur.equipment
Subject: FA KLH Model 6 speakers
Message-Id: <20111021135541.9287d0d9.a@b.c>
X-Newsreader: Sylpheed 2.6.0 (GTK+ 2.20.1; i686-pc-linux-gnu)
Mime-Version: 1.0
Lines: 1
Organization: Optimum Online
X-Complaints-To: abuse@cv.net
Xref: news1.google.com rec.radio.amateur.equipment:1731
```

```
Content-Type: text/plain; charset=US-ASCII
Content-Transfer-Encoding: 7bit
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=260877674454

```
From 4164336981254738671
X-Google-Thread: d7f5508063,94946e8f7edb6db7,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!o4g2000vbv.googlegroups.com!not-for-
mail
From: urelian <urelian@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Teaching "Wisdom Is Always Profound In Its Simplicity"  1-10-83
Date: Wed, 6 Jul 2011 08:35:57 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <47e4903a-f9f3-4bf3-ac99-3ac17b2ffdf0@o4g2000vbv.googlegroups.com>
NNTP-Posting-Host: 76.120.218.46
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1309966557 28083 127.0.0.1 (6 Jul 2011 15:35:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Jul 2011 15:35:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o4g2000vbv.googlegroups.com; posting-host=76.120.218.46; posting-
account=Pcu0KQoAAAA_zZ2gu8JL5jpBEtaWjRPz
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:2.0.1) Gecko/20100101 Firefox/
4.0.1,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2632
```

TEACHING DELIVERED THROUGH FRANCES M. KLUG
ON JANUARY 10,1983

"Wisdom is always profound in its simplicity. When God speaks to man, it is always in a concise manner, His Clarity, and there can never be any doubt to its meaning. God's Words and Direction never show favoritism to one man but are always meant to benefit all of mankind."

Saint Joseph's Hill Of Hope
Brea, California 92822 U.S.A.
www.TheMiracleOfStJoseph.org
All Revelations are delivered spontaneously
and continuously as witnessed by all those

present at the time.
=A9 Copyright 1996 FMK. All rights reserved.
This is used with the permission of the copyright holder.

```
From -8307057801043024395
X-Google-Thread: 108122,ec0f9d50e9e1bef6
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Received: by 10.68.14.169 with SMTP id q9mr6993759pbc.2.1319231943892;
        Fri, 21 Oct 2011 14:19:03 -0700 (PDT)
Path: d5ni40883pbc.0!nntp.google.com!news1.google.com!postnews.google.com!
fk25g2000vbb.googlegroups.com!not-for-mail
From: kb9rqz <mark@kb9rqz.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.misc
Subject: get kelp
Date: Fri, 21 Oct 2011 14:13:08 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <add8435c-7d77-4988-ad60-ce24e70dc21a@fk25g2000vbb.googlegroups.com>
References: <W8MIQWSC40837.3154050926@reece.net.au>
NNTP-Posting-Host: 66.82.9.61
Mime-Version: 1.0
X-Trace: posting.google.com 1319231943 31360 127.0.0.1 (21 Oct 2011 21:19:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 21 Oct 2011 21:19:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: fk25g2000vbb.googlegroups.com; posting-host=66.82.9.61; posting-
account=3ePh8QoAAABpiNDYEy2_bPCVy_4Crs1n
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: ARLUCHNF
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
 Trident/4.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.4506.2152;
 .NET CLR 3.5.30729),gzip(gfe)
Xref: news1.google.com rec.radio.amateur.equipment:1732 rec.radio.cb:7488
rec.radio.amateur.misc:5037
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
```

On Oct 20, 7:34=A0pm, brrobin...@utilitpoint.com wrote:
> Three little

can the spam

```
From -6744194937093932217
X-Google-Thread: a4a23d5f63,40baccece47ce695,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.readnews.com!
```

transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1307426700@panix.com>
Followup-To: poster
Date: 7 Jul 2011 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Aug 2011 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1310018700@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1310018702 28525 166.84.1.2 (7 Jul 2011 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Jul 2011 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:22010 rec.radio.amateur.dx:1030
rec.radio.amateur.equipment:2633 rec.radio.amateur.homebrew:4525
rec.radio.amateur.misc:6347 rec.radio.amateur.policy:30948 rec.radio.info:2483

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |
 rec.radio.amateur.antenna                                                |
 rec.radio.amateur.boatanchors                                            |
 rec.radio.amateur.dx                                                     |
 rec.radio.amateur.equipment                                              |
 rec.radio.amateur.homebrew                                               |
 rec.radio.amateur.moderated                                              |
 rec.radio.amateur.space                                                  |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 2143964556546357434
X-Google-Thread: 108122,8fc8cdcc93851ca0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.27.132 with SMTP id t4mr11684009pbg.3.1319608272741;
        Tue, 25 Oct 2011 22:51:12 -0700 (PDT)
Path: p6ni2816pbn.0!nntp.google.com!news1.google.com!goblin2!goblin1!
goblin.stu.neva.ru!eternal-september.org!feeder.eternal-september.org!.POSTED!not-
for-mail
From: "Johnno" <vk2kc@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Comet CAA-500 thread incompatibility
Date: Wed, 26 Oct 2011 16:50:37 +1100
Organization: A noiseless patient Spider
Lines: 77
Message-ID: <j8874e$njm$1@dont-email.me>
Mime-Version: 1.0
Injection-Date: Wed, 26 Oct 2011 05:51:11 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="+4bqN6CWt0WYr8h+mFE2OA";
     logging-data="24182"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+mKL2VjCQqvRxg3auRgngvG3neMsTnVsk="
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18463
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
Cancel-Lock: sha1:Qsjl+xpQMBtYmyQOi5DobQcGroE=
X-Priority: 3
X-MSMail-Priority: Normal
```

Xref: news1.google.com rec.radio.amateur.equipment:1733
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit

I bought a CAA-500 from a reseller in the USA and have found a problem with the lower frequency input connector, its supposed to be an SO-239.

More on the incompatible thread issue.

I have been in contact with Comet in Japan and they had admitted that the connector will NOT fit the US standard PL-259 connector. They HAVE used the 16mm x 1 mm pitch thread, they call it an International Thread! All PL-259's have a 5/8" x 26 threads per inch pitch.

Here is a copy of the email sent to me regarding the incompatibility of the threads on the lower frequency connector.

Hello Mr. John,
Thank you very much for purchasing our CAA-500.
The CAA-500 first lot does not have international standard connector.
From the second lot, which will be released on NOVEMBER 2011, we change the CAA-500 connector so that PL-259 connector will screw onto the CAA-500 M-J connector completely.
Would you please so kind as to send your CAA-500 back to us?
I will send you the new one with international standard connector, then.
We deeply apologize for the inconvenience we have caused you.
We hope that you will continue to choose COMET products.
Sincerely,
Mika Yagishita
COMET Co.,Ltd.
TEL : 81-(0)48-839-3131
FAX : 81-(0)48-839-3136
m_yagishita@comet-ant.co.jp
http://www.comet-ant.co.jp/english/index.html

So ALL CAA-500's sold in America WILL have the WRONG thread on the low frequency connector.
Contact your supplier, and I hope you get a better response that I received from the supplier I bought mine from in the USA.
DO not force your PL-259 on the connector, it will damage the thread and render your warranty null and void.

I have relented and spent $70 Aust to send the CAA-500 back to Comet in Japan, along with a sample of a PL-259 so they can check it on the replacement unit before they ship it back to me.

Here is the second email I received from them:

Hello Mr. John,
Thank you for your reply.

Our exchange policy is;
the customer covers the freight fee to COMET, then COMET will offer the new
one and cover the freight fee to the customer.
Technically, this is not our mistake because we don't think it's wrong
connector.
We usually do not make connector international standard, because we don't
feel the need to do that and our distributors purchase our product with this
understanding.
From second lot, we decided to make CAA-500 connector international, not
because the connector is wrong, but because lots of oversea customers
request international standard connector.
We usually exchange the CAA-500 because we think it's true that our product
does not satisfy the customer anyway, even not by our mistake.

Please send your CAA-500 to;
Comet Co Ltd
4-18-2, Tsuji, Minami-Ku,
Saitama-shi, Saitama-pref,
332-0026, JAPAN
TEL : 81-(0)48-839-3131
Thank you for your understanding.
Sincerely,
Mika Yagishita

An expensive lesson.
73

--
73
John VK2KC

From 7598677804579845325
X-Google-Thread: a4a23d5f63,cfd36eff5268fa8f,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!novia!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1307427000@panix.com>
Followup-To: poster
Date: 7 Jul 2011 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world

Expires: 09 Aug 2011 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1310019000@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1310019001 11128 166.84.1.2 (7 Jul 2011 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Jul 2011 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:6348 rec.radio.amateur.equipment:2634 rec.radio.swap:3014 rec.radio.info:2484

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -327093837835543149
X-Google-Thread: 108122,8fc8cdcc93851ca0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.46.193 with SMTP id x1mr44978275pbm.7.1319656077906;
Wed, 26 Oct 2011 12:07:57 -0700 (PDT)
Path: p6ni4872pbn.0!nntp.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-nntp-15.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <jferrell13@triad.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Comet CAA-500 thread incompatibility
Message-ID: <7hmga750og21shdm6de3b6c3hnq1hf3t2c@4ax.com>
References: <j8874e$njm$1@dont-email.me>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Lines: 78
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Wed, 26 Oct 2011 15:07:51 -0400
Xref: news2.google.com rec.radio.amateur.equipment:1075
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

I think I woulld have at least tried to fabricate an adapter.

On Wed, 26 Oct 2011 16:50:37 +1100, "Johnno" <vk2kc@yahoo.com.au> wrote:

>I bought a CAA-500 from a reseller in the USA and have found a problem with
>the lower frequency input connector, its supposed to be an SO-239.
>
>More on the incompatible thread issue.
>
>I have been in contact with Comet in Japan and they had admitted that the
>connector will NOT fit the US standard PL-259 connector. They HAVE used the
>16mm x 1 mm pitch thread, they call it an International Thread! All PL-259's
>have a 5/8" x 26 threads per inch pitch.
>
>Here is a copy of the email sent to me regarding the incompatibility of the
>threads on the lower frequency connector.
>
>Hello Mr. John,
>Thank you very much for purchasing our CAA-500.
>The CAA-500 first lot does not have international standard connector.
>From the second lot, which will be released on NOVEMBER 2011, we change the
>CAA-500 connector so that PL-259 connector will screw onto the CAA-500 M-J
>connector completely.

>Would you please so kind as to send your CAA-500 back to us?
>I will send you the new one with international standard connector, then.
>We deeply apologize for the inconvenience we have caused you.
>We hope that you will continue to choose COMET products.
>Sincerely,
>Mika Yagishita
>COMET Co.,Ltd.
>TEL : 81-(0)48-839-3131
>FAX : 81-(0)48-839-3136
>m_yagishita@comet-ant.co.jp
>http://www.comet-ant.co.jp/english/index.html
>
>So ALL CAA-500's sold in America WILL have the WRONG thread on the low
>frequency connector.
>Contact your supplier, and I hope you get a better response that I received
>from the supplier I bought mine from in the USA.
>DO not force your PL-259 on the connector, it will damage the thread and
>render your warranty null and void.
>
>I have relented and spent $70 Aust to send the CAA-500 back to Comet in
>Japan, along with a sample of a PL-259 so they can check it on the
>replacement unit before they ship it back to me.
>
>Here is the second email I received from them:
>
>Hello Mr. John,
>Thank you for your reply.
>Our exchange policy is;
>the customer covers the freight fee to COMET, then COMET will offer the new
>one and cover the freight fee to the customer.
>Technically, this is not our mistake because we don't think it's wrong
>connector.
>We usually do not make connector international standard, because we don't
>feel the need to do that and our distributors purchase our product with this
>understanding.
>From second lot, we decided to make CAA-500 connector international, not
>because the connector is wrong, but because lots of oversea customers
>request international standard connector.
>We usually exchange the CAA-500 because we think it's true that our product
>does not satisfy the customer anyway, even not by our mistake.
>
>Please send your CAA-500 to;
>Comet Co Ltd
>4-18-2, Tsuji, Minami-Ku,
>Saitama-shi, Saitama-pref,
>332-0026, JAPAN
>TEL : 81-(0)48-839-3131
>Thank you for your understanding.
>Sincerely,
>Mika Yagishita
>
>An expensive lesson.
>73

John Ferrell W8CCW

```
From -4065565858577420869
X-Google-Thread: 108122,386c6a75bd5a38a5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j14g2000prn.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT HOT VIDEOS PHOTOS SXY PEOPLE
Date: Fri, 15 Jul 2011 09:28:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 59
Message-ID: <4e49fe99-de04-4671-a4ad-e1cb108db975@j14g2000prn.googlegroups.com>
NNTP-Posting-Host: 117.199.248.64
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1310748232 7659 127.0.0.1 (15 Jul 2011 16:43:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Jul 2011 16:43:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j14g2000prn.googlegroups.com; posting-host=117.199.248.64;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.18)
 Gecko/20110614 Firefox/3.6.18,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2636
```

ALL HOT PHOTOS SUPER SeXY PHOTOS
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

```
From -5355041762193220908
X-Google-Thread: 108122,8fc8cdcc93851ca0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.27.132 with SMTP id t4mr16983338pbg.3.1319669478349;
        Wed, 26 Oct 2011 15:51:18 -0700 (PDT)
Path: p6ni1047pbn.0!nntp.google.com!news2.google.com!news1.google.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.bright.net!news.bright.net.POSTED!not-for-mail
```

```
NNTP-Posting-Date: Wed, 26 Oct 2011 17:51:17 -0500
Date: Wed, 26 Oct 2011 22:51:17 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.23) Gecko/
20110920 Thunderbird/3.1.15
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Comet CAA-500 thread incompatibility
References: <j8874e$njm$1@dont-email.me>
<7hmga750og21shdm6de3b6c3hnq1hf3t2c@4ax.com>
In-Reply-To: <7hmga750og21shdm6de3b6c3hnq1hf3t2c@4ax.com>
Message-ID: <utWdnavD_e14EzXTnZ2dnUVZ_tOdnZ2d@bright.net>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-
VE6zt0go7ASKWXhWsgpHG2x7oEXHmOPMBFCxOxStAv0E9BRFQnQFktem7UpUc68qvftg5k6GjdJeLGk!
B8Am7GWoVZDk6iDnwvHDmO6I+UgD0YZsY2BhNd31Dwihpp53O1qafAaYgzTWwGI7boIduBLhW6jQ!
hXU+GHpgsA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1379
Xref: news2.google.com rec.radio.amateur.equipment:1076
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

I probably would have just opened up the box and put in an SO-239 jack.


On 10-26-2011 19:07, John Ferrell wrote:
> I think I woulld have at least tried to fabricate an adapter.
>



From 6128449453553664245
X-Google-Thread: 10b9c8,3fe855657761168e,start
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,3fe855657761168e,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,3fe855657761168e,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,3fe855657761168e,start
X-Google-NewGroupId: yes
X-Google-Thread: f7796,3fe855657761168e,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
```

```
newshosting.com!novia!news-out.readnews.com!transit3.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, August 2011 - Subscribe for FREE
Followup-To: poster
Date: Fri, 15 Jul 2011 17:17:58 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <3E19DB2B19D1486495C32344A295C83A@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1310764678 28223 166.84.1.6 (15 Jul 2011 21:17:58 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 15 Jul 2011 21:17:58 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.43.252 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:2508 rec.radio.amateur.boatanchors:4560
rec.radio.amateur.equipment:2637 rec.radio.swap:3019 alt.ham-radio.morse:62
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the

K9YA Telegraph Web site.

http://www.k9ya.org

August 2011 articles will include:

A Century of Progress By Philip Cala-Lazar, K9PL

Enter the K9YA Telegraph Photo Contest

That First DX By Charlie Cotterman, KA8OQF

Ham Lingo By Dick Sylvan, W9CBT

Letters

That Defining Moment By Lynn M. (Sam) Elbe, KY8R

```
From 3718202202328875669
X-Google-Thread: d7f5508063,8fc8cdcc93851ca0
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.15.134 with SMTP id x6mr662614pbc.0.1319751759880;
        Thu, 27 Oct 2011 14:42:39 -0700 (PDT)
Path: p6ni5893pbn.0!nntp.google.com!news1.google.com!goblin1!goblin.stu.neva.ru!
eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "Johnno" <vk2kc@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Comet CAA-500 thread incompatibility
Date: Fri, 28 Oct 2011 08:41:02 +1100
Organization: A noiseless patient Spider
Lines: 25
Message-ID: <j8cj6h$g8k$1@dont-email.me>
References: <j8874e$njm$1@dont-email.me>
<7hmga750og21shdm6de3b6c3hnq1hf3t2c@4ax.com>
<utWdnavD_e14EzXTnZ2dnUVZ_tOdnZ2d@bright.net>
Mime-Version: 1.0
Injection-Date: Thu, 27 Oct 2011 21:41:37 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="+4bqN6CWt0WYr8h+mFE2OA";
     logging-data="16660"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18v8+/R2XZZuLZQyV0GJJLF3acvZhga8fI="
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18463
In-Reply-To: <utWdnavD_e14EzXTnZ2dnUVZ_tOdnZ2d@bright.net>
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
Cancel-Lock: sha1:plt2c4SVc5nR0vwu42i/yUaQVRw=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: news1.google.com rec.radio.amateur.equipment:1736
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit

Well I thought of that too, was going to use a Type N as a replacement, but
decided against that line of action.

Make an adaptor? I am a fitter and machinist, and so had the appropriate
thread turning gear including a lathe, but an adaptor would be a very clumsy
way around the problem and thinking about it and figured that it may
interfere with the calibration, and once I opened the box, warranty is non
existent.

I also figured that if I sat on the information, many of you would not be
aware that there is a problem with the thread sizes.

73
Johnno


"Scott" <acepilotREMOVE@bloomer.net> wrote in message
news:utWdnavD_e14EzXTnZ2dnUVZ_tOdnZ2d@bright.net...
>I probably would have just opened up the box and put in an SO-239 jack.
>
>
> On 10-26-2011 19:07, John Ferrell wrote:
>> I think I woulld have at least tried to fabricate an adapter.
>>




From -6650831815772586418
X-Google-Thread: 108122,7f680afef000d8fc,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 15 Jul 2011 17:38:52 -0500
Date: Fri, 15 Jul 2011 22:39:36 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.18) Gecko/
20110616 Thunderbird/3.1.11
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: DEMI 2304 transverter for sale
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <gf-dnWI5fs3hXL3TnZ2dnUVZ_jKdnZ2d@bright.net>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
```

```
X-Trace: sv3-iBjAgw8rtL5YBhLRlUltjDOhSDEpOQtXuVu7MV4d9J3FT/
0OeDXwY8Eiz2ka1js8aatlAMNyu4h6kEZ!m/
NXxbDcicfsuCh6x+FZ71NhSqo4aAbWo9MrMYYvf8Aaiewx3fLy3mAG1oMZGx+ZLoyrSAlwXGAH!
E7bDP0pybg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1436
Xref: g2news2.google.com rec.radio.amateur.equipment:2852
```

Need to move this to finance a new project. Set up for 10W in at 144
MHz. Output 1W at 2304 MHz. Works perfectly. My 2304 weak signal
source at -85 dBm gives S9 on my I.F. radio. $495 and free shipping to
USA only, no International. You can see it along with more details at
http://corbenflyer.tripod.com/ on my ham radio page there and it has my
email contact info.

Scott
N0EDV

```
From -8810509376947747841
X-Google-Thread: d7f5508063,8fc8cdcc93851ca0
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.35.68 with SMTP id f4mr10244087pbj.5.1320007090924;
        Sun, 30 Oct 2011 13:38:10 -0700 (PDT)
Path: p6ni37586pbn.0!nntp.google.com!news1.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-16.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <jferrell13@triad.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Comet CAA-500 thread incompatibility
Message-ID: <cicra7thd5ftekpmb7o5ntm568ksbno0du@4ax.com>
References: <j8874e$njm$1@dont-email.me>
<7hmga750og21shdm6de3b6c3hnq1hf3t2c@4ax.com>
<utWdnavD_e14EzXTnZ2dnUVZ_tOdnZ2d@bright.net> <j8cj6h$g8k$1@dont-email.me>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Lines: 44
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 30 Oct 2011 16:36:46 -0400
Xref: news1.google.com rec.radio.amateur.equipment:1737
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

Thank you for being considerate and passing the the info along.

I confess to taking the easy way out most of the time so I
automatically think of some kind of hack to manage a workaround.

I have used a a short length of copper tubing and a slightly longer
piece of 1/8" wire or brass tube to adapt worn out PL259's to quick
service. Slit the tube a little and squeeze it for fit. Sometimes use
a stainless hose clamp. Not a "fix" but a workaround for the moment.

Once upon a time a trustworthy manufacturer put out a bunch of PL259
male connectors with out of spec threads. In my case, the antenna
connectors sufferred the most.

Your way is of course, the best way for the future use.

On Fri, 28 Oct 2011 08:41:02 +1100, "Johnno" <vk2kc@yahoo.com.au>
wrote:

>Well I thought of that too, was going to use a Type N as a replacement, but
>decided against that line of action.
>
>Make an adaptor? I am a fitter and machinist, and so had the appropriate
>thread turning gear including a lathe, but an adaptor would be a very clumsy
>way around the problem and thinking about it and figured that it may
>interfere with the calibration, and once I opened the box, warranty is non
>existent.
>
>I also figured that if I sat on the information, many of you would not be
>aware that there is a problem with the thread sizes.
>
>73
>Johnno
>
>
>"Scott" <acepilotREMOVE@bloomer.net> wrote in message
>news:utWdnavD_e14EzXTnZ2dnUVZ_tOdnZ2d@bright.net...
>>I probably would have just opened up the box and put in an SO-239 jack.
>>
>>
>> On 10-26-2011 19:07, John Ferrell wrote:
>>> I think I woulld have at least tried to fabricate an adapter.
>>>
John Ferrell W8CCW

From 3150933276749825513
X-Google-Thread: d7f5508063,4921846413a43d42,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!216.196.98.146.MISMATCH!border3.nntp.dca.giganews.com!

```
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.posted.visi!news.posted.visi.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 21 Jul 2011 20:17:30 -0500
From: "Stan Shankman" <stantheman@visi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: CCA FM5000G FM Radio Transmitter Manual . . .
Date: Thu, 21 Jul 2011 18:17:30 -0700
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 14.0.8117.416
X-MIMEOLE: Produced By Microsoft MimeOLE V14.0.8117.416
Message-ID: <ALOdnQfjH4U3UrXTnZ2dnUVZ_oOdnZ2d@posted.visi>
Lines: 7
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.110.219.226
X-Trace: sv3-Ov3X8Ta2vUo6K4xeaumceHjR1j+JiQ/jMlmbStHc3R0z0Qq2a/
5FCMScfxHttRVSynmYp8b6QHiE7UV!
GyXAho7aBA6moYNKPOn3uG5VNqs00p8DkLq7TshlIkSfDKd4etTL5Gur0B6rBkV2NyIIn7E7EZU8!
EzgGrNHi8P7CDOeV
X-Complaints-To: abuse@visi.com
X-DMCA-Complaints-To: abuse@visi.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1450
Xref: g2news2.google.com rec.radio.amateur.equipment:2853

I got this transmitter at an auction, and want to see if I can re-build it
for ham radio use.
Does anyone have a manual?
Or, can anyone tell me anything about it? Tubes it uses? etc.?
Thanks all,
Stan




From 6244283310384534574
X-Google-Thread: 108122,8fc8cdcc93851ca0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.19.161 with SMTP id g1mr10372390pbe.7.1320011141726;
        Sun, 30 Oct 2011 14:45:41 -0700 (PDT)
Path: p6ni38115pbn.0!nntp.google.com!news1.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
```

eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "Johnno" <vk2kc@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Comet CAA-500 thread incompatibility
Date: Mon, 31 Oct 2011 08:45:34 +1100
Organization: A noiseless patient Spider
Lines: 26
Message-ID: <j8kgi4$n0r$1@dont-email.me>
References: <j8874e$njm$1@dont-email.me>
<7hmga750og21shdm6de3b6c3hnq1hf3t2c@4ax.com>
<utWdnavD_e14EzXTnZ2dnUVZ_tOdnZ2d@bright.net> <j8cj6h$g8k$1@dont-email.me>
<cicra7thd5ftekpmb7o5ntm568ksbno0du@4ax.com>
Mime-Version: 1.0
Injection-Date: Sun, 30 Oct 2011 21:45:41 +0000 (UTC)
Injection-Info: mx04.eternal-september.org; posting-host="+4bqN6CWt0WYr8h+mFE2OA";
logging-data="23579"; mail-complaints-to="abuse@eternal-september.org";
posting-account="U2FsdGVkX18HpQVK+UmA8AyAw79epSBH2YU8yPRChWU="
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18463
In-Reply-To: <cicra7thd5ftekpmb7o5ntm568ksbno0du@4ax.com>
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
Cancel-Lock: sha1:j5eZVqfYyCF8yxB6I9MsCRWGshk=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: news1.google.com rec.radio.amateur.equipment:1738
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=original
Content-Transfer-Encoding: 7bit

Thanks for your encouraging reply John, I have since found out that the Japanese call the PL-259 an "M" connector, and the metric version which I believe is used universally in Japan is called the "M-J" connector. Presumably the "J" for Japan.
73
Johnno.

"John Ferrell" <jferrell13@triad.rr.com> wrote in message
news:cicra7thd5ftekpmb7o5ntm568ksbno0du@4ax.com...
> Thank you for being considerate and passing the the info along.
>
> I confess to taking the easy way out most of the time so I
> automatically think of some kind of hack to manage a workaround.
>
> I have used a a short length of copper tubing and a slightly longer
> piece of 1/8" wire or brass tube to adapt worn out PL259's to quick
> service. Slit the tube a little and squeeze it for fit. Sometimes use
> a stainless hose clamp. Not a "fix" but a workaround for the moment.
>
> Once upon a time a trustworthy manufacturer put out a bunch of PL259
> male connectors with out of spec threads. In my case, the antenna
> connectors sufferred the most.
>

> Your way is of course, the best way for the future use.
>

```
From 8089976173581985615
X-Google-Thread: d7f5508063,f145337a95bab596,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.visi!news.posted.visi.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 21 Jul 2011 20:18:57 -0500
From: "Stan Shankman" <stantheman@visi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Manual for Texscan Spectrum Analyzer - VSM-5B . . .
Date: Thu, 21 Jul 2011 18:18:57 -0700
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 14.0.8117.416
X-MIMEOLE: Produced By Microsoft MimeOLE V14.0.8117.416
Message-ID: <YqSdnfAKO-ycTbXTnZ2dnUVZ_t6dnZ2d@posted.visi>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.110.219.226
X-Trace: sv3-VD0lVIqbIU2Hp+gSC/IbvxqHRoZ/rxL+EAHIwvQj3czKn/
U3kJTIuR0SoMg3+lYMGyTwVfbbjHmCGhI!FLJ3o2lpD0+qyUbg+rPZb5j1Fz0lv/
zs3Q9VTVNYVpu4sxeYcPMlvObBB7nWwP1vjAJzlmjsjqn/!JwbajMP1bSUNTCT0
X-Complaints-To: abuse@visi.com
X-DMCA-Complaints-To: abuse@visi.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1465
Xref: g2news2.google.com rec.radio.amateur.equipment:2854
```

I have this old spectrum analyzer that used to work, but now one of the transistors is getting hot and it will not sweep.
I am looking for a service manual.
Texscan Model: VSM-5B
Anyone?
Thanks,
- Stan
K7SJB

```
From -5341643297383417037
X-Google-Thread: d7f5508063,8fc8cdcc93851ca0
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.68.30.202 with SMTP id u10mr10552273pbh.1.1320013758429;
        Sun, 30 Oct 2011 15:29:18 -0700 (PDT)
MIME-Version: 1.0
Path: p6ni38459pbn.0!nntp.google.com!news2.google.com!news1.google.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 30 Oct 2011 17:27:46 -0500
Reply-To: "Ralph Mowery" <rmowery28146@earthlink.net>
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <j8874e$njm$1@dont-email.me>
<7hmga750og21shdm6de3b6c3hnq1hf3t2c@4ax.com>
<utWdnavD_e14EzXTnZ2dnUVZ_tOdnZ2d@bright.net> <j8cj6h$g8k$1@dont-email.me>
<cicra7thd5ftekpmb7o5ntm568ksbno0du@4ax.com>
Subject: Re: Comet CAA-500 thread incompatibility
Date: Sun, 30 Oct 2011 18:27:35 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <ReednVdww-v_UjDTnZ2dnUVZ_rCdnZ2d@earthlink.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.49
X-Trace: sv3-FFMWjMCzFtgUmlGwL/
WvJ8Eah3fytMeocjhYA2eS30TSWaUemwrYxWyjx3270cK+6nF6eC6zoW0Iw/h!3hojZMk/
tz4AOeGIMbjBWG/re4C/hNNudVljAjs4n4hGiVofAOiQf+wl5GNbftT7IvmEImVVHpxz!
tFSjTqC+o0/+aJ5wp3nS1lpGoJ//85DOMtY/kHA=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2336
Xref: news2.google.com rec.radio.amateur.equipment:1080


"John Ferrell" <jferrell13@triad.rr.com> wrote in message
news:cicra7thd5ftekpmb7o5ntm568ksbno0du@4ax.com...
> Thank you for being considerate and passing the the info along.
>
> I confess to taking the easy way out most of the time so I
> automatically think of some kind of hack to manage a workaround.
>
```

> I have used a a short length of copper tubing and a slightly longer piece of 1/8" wire or brass tube to adapt worn out PL259's to quick service. Slit the tube a little and squeeze it for fit. Sometimes use a stainless hose clamp. Not a "fix" but a workaround for the moment.
>
> Once upon a time a trustworthy manufacturer put out a bunch of PL259 male connectors with out of spec threads. In my case, the antenna connectors sufferred the most.
>

I think about 10 or so years ago MFJ put out a lot of equipment, especially their tuners that had the wrong for America threads on the SO-239s.

One would think that the companies would have corrected that by now.

```
From -3086981122184004305
X-Google-Thread: 108122,1f5d4a1cc012f1d0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h18g2000yqk.googlegroups.com!not-for-
mail
From: Robert Needleman <needlro1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake SW-8 Communications Receiver - Mint
Date: Sun, 24 Jul 2011 16:52:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <c3315caf-cb97-4a04-801b-9ee8da11cd30@h18g2000yqk.googlegroups.com>
NNTP-Posting-Host: 67.85.196.103
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1311551526 12436 127.0.0.1 (24 Jul 2011 23:52:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Jul 2011 23:52:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h18g2000yqk.googlegroups.com; posting-host=67.85.196.103; posting-
account=8hrkQQoAAADCAU9eSbjACJCdQmAy5rmN
User-Agent: G2/1.0
X-HTTP-Via: HTTP/1.1 (Velocity/3.3.14.1 [uScMs f p eN:t cCMp s ])
X-Google-Web-Client: true
X-Google-Header-Order: ARLEUCVH
X-HTTP-UserAgent: Mozilla/5.0 (compatible; MSIE 9.0; AOL 9.6; AOLBuild
 4340.5004; Windows NT 6.1; WOW64; Trident/5.0),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2856
```

Drake SW-8 Communications Receiver for sale. One of the last series made (SN. 12 million+). Purchased new and used very lightly. Covers LW, HF/SW, FM Broadcast, VHF aeronautical bands(AM, FM, LSB, USB). Has dual sideband AM Sync detection for improved SWL'ing. Front panel

freq. keypad entry, 70 memories, scan, 3 selectable bandwidths,
selectable AGC time (fast/slow), RF attenuator, two clocks/timer,
volume/tone controls, lighted front panel. Front-firing speaker,
headphone jack, ext. speaker. PL-259 ant. jack and wire inputs for all
types ext. antennas. Operates on AC or batteries for full portable
operation (built-in 41" extendable whip antenna). Includes AC power
adapter, front bail, factory manual, factory double shipping cartons.
Looks and works like new - asking $595, obo. Tnx/73 - Bob, K3AC

From 8381587048762555200
X-Google-Thread: 108122,a295e19141f79b04,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,a295e19141f79b04,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,a295e19141f79b04,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,a295e19141f79b04,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,a295e19141f79b04,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,a295e19141f79b04,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.140.144 with SMTP id i16mr1084872bku.0.1320127204346;
        Mon, 31 Oct 2011 23:00:04 -0700 (PDT)
MIME-Version: 1.0
Path: l23ni40159bkv.0!nntp.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1317448801@panix.com>
Followup-To: poster
Date: 1 Nov 2011 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 04 Dec 2011 01:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1320127201@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1320127203 8352 166.84.1.2 (1 Nov 2011 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 1 Nov 2011 06:00:03 +0000 (UTC)

Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: news2.google.com rec.radio.amateur.antenna:10055 rec.radio.amateur.dx:699 rec.radio.amateur.equipment:1081 rec.radio.amateur.homebrew:1898 rec.radio.amateur.misc:2449 rec.radio.amateur.policy:9697 rec.radio.amateur.space:312 rec.radio.info:1908

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.

```
From -1030269745821913 67
X-Google-Thread: 108122,ef2140ae6fcc01c0,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,ef2140ae6fcc01c0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gida3e752f117,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 26 Jul 2011 21:54:13 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
From: Jim Haynes <jhaynes@alumni.uark.edu>
Subject: Hollywood looking for a Telefax machine
Organization: University of Arkansas Alumni
Reply-To: jhaynes@alumni.uark.edu
Followup-To: rec.radio.amateur.misc
User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <VeOdnQrelvFI4LLTnZ2dnUVZ_gudnZ2d@earthlink.com>
Date: Tue, 26 Jul 2011 21:54:13 -0500
Lines: 31
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.13.168.77
X-Trace: sv3-
xfgap0YjYvm3HBIGcnDgS93zwzwBTkmnYFToQdBtWsw4bqY7QESY0AsE2NM+8fwtDRYNTHkYot51g18!
EOZSf8WsIDoVNaQoNAA9T/mRfzUWAnAJOeIWdQzyvtW/LY6Vwu1qujZF1Mfo95ymuVZqSpZRfX6N!
G8ps2L2vUZPy1ng8Ks11ikMy60TqCw6S
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1889
Xref: g2news2.google.com rec.radio.amateur.equipment:2857
rec.radio.amateur.misc:6658
```

I remember there were once some hams using old Western Union Desk-Fax
machines.

Here's a message received by one of my friends.

Hello,
My name is Montgomery Pollack, I own a motion picture prop house in Los Angeles, CA. I am on the hunt for a 1970’s working Telefax machine for a film we are working on right now. Do you have such an item or do you know where I can locate such an item.

Any information would be helpful.
Thank you so much for your time.
Monty

Montgomery Pollack
Vice President
The Hand Prop Room LP.
5700 Venice Blvd.
Los Angeles, CA. 90019 [maps.yahoo.com]
monty@hpr.com
www.hpr.com [www.hpr.com]

tel:
fax:
323-931-1534 [www.plaxo.com]
323-931-2145

He attached a picture of the common Desk-Fax machine.

```
From -5360470216799546008
X-Google-Thread: 108122,ba1f0c3079bccc88,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.42.246.3 with SMTP id lw3mr13569961icb.0.1320367733342;
        Thu, 03 Nov 2011 17:48:53 -0700 (PDT)
Path: p6ni68292pbn.0!nntp.google.com!news2.google.com!postnews.google.com!
p1g2000yqh.googlegroups.com!not-for-mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: BEST 10 HOT SEXY VIDEOS AND MASALA KISS PHOTOS
Date: Thu, 3 Nov 2011 17:48:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 35
Message-ID: <5b86a606-8c5f-423c-9d68-dac93497f863@p1g2000yqh.googlegroups.com>
NNTP-Posting-Host: 117.199.244.81
Mime-Version: 1.0
X-Trace: posting.google.com 1320367733 12652 127.0.0.1 (4 Nov 2011 00:48:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 4 Nov 2011 00:48:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p1g2000yqh.googlegroups.com; posting-host=117.199.244.81; posting-
account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.23)
 Gecko/20110920 Firefox/3.6.23,gzip(gfe)
Xref: news2.google.com rec.radio.amateur.equipment:1082
```

```
Content-Type: text/plain; charset=ISO-8859-1



      A TO Z INFORMATION SEE IN THIS SITE

http://atwoztopic.blogspot.com/


             ALL HOT PHOTOS SUPER SEXY PHOTOS

http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

               ALL  JOBS   SITES FREE SEE

http://jobstwo.blogspot.com/



HOT VIDEOS

http://hotvideotoou.blogspot.com/2011/01/kiss-videos.html




hot lip kiss
http://hotvidos.blogspot.com/2010/07/hot-lip-kiss.html
hot kisses
http://hotvidos.blogspot.com/2010/07/hot-kisses.html
hollywood hot videos
http://hotvidos.blogspot.com/2010/07/hollywood-hot-videos.html
real hot videos
http://hotvidos.blogspot.com/2010/07/real-hot-videos.html
tamil hot videos
http://hotvidos.blogspot.com/2010/07/tamil-hot-videos.html





From 1703077965636607017
X-Google-Thread: d7f5508063,44733661a94e836a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m5g2000prh.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SUPER HOT VIDEOS AND ALL ACTRESSES KISSING PHOTOS
Date: Wed, 27 Jul 2011 01:27:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 59
Message-ID: <eaccd6af-a43f-48bb-8c57-d1885b3c7f5c@m5g2000prh.googlegroups.com>
```

```
NNTP-Posting-Host: 117.199.252.60
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1311755232 7417 127.0.0.1 (27 Jul 2011 08:27:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Jul 2011 08:27:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m5g2000prh.googlegroups.com; posting-host=117.199.252.60; posting-
account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.18)
 Gecko/20110614 Firefox/3.6.18,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2858
```

ALL HOT PHOTOS SUPER SeXY PHOTOS
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

```
From -7045333246196395823
X-Google-Thread: 108122,9e5a75181fab2e91,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.42.246.3 with SMTP id lw3mr14168540icb.0.1320375632957;
        Thu, 03 Nov 2011 20:00:32 -0700 (PDT)
Path: p6ni68647pbn.0!nntp.google.com!news2.google.com!postnews.google.com!
f13g2000vbv.googlegroups.com!not-for-mail
From: Dudley Henriques <dudleyhenriques@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Volume control dirt and dust question
Date: Thu, 3 Nov 2011 19:54:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <6f783e7f-9799-4cc1-9905-334e0ca14a0f@f13g2000vbv.googlegroups.com>
NNTP-Posting-Host: 184.77.159.51
Mime-Version: 1.0
X-Trace: posting.google.com 1320375632 26932 127.0.0.1 (4 Nov 2011 03:00:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 4 Nov 2011 03:00:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f13g2000vbv.googlegroups.com; posting-host=184.77.159.51; posting-
account=rTvTpwoAAACP8DCf2tZiGPF1fbm_CtFh
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
```

X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.7; rv:7.0.1)
 Gecko/20100101 Firefox/7.0.1,gzip(gfe)
Xref: news2.google.com rec.radio.amateur.equipment:1083
Content-Type: text/plain; charset=ISO-8859-1

Hi;
I'm a newbie with a question please;

On small personal am/fm walkman type radios, most volume controls are
a wheel imbedded into the top or side that I take it is attacked to
plates inside the radio.
My question concerns this wheel.
No matter how much I spend on these radios after a while they all
become static loaded as volume is changed with the wheel.
I take it this is dirt and dust collecting between the plates. I've
tried blowing air along the sides of the wheels to clear the plates. I
haven't tried any sprays as yet.
Is this a well known issue with these volume wheels and if so is there
anything at all that will work to clean these wheels?
Blowing on them is iffy as they are very tight on the radio and not
much room on the sides for the air to get inside and do the job.
Can someone in the know advise on this problem please, and thank you
very much for your time in answering what to many here must be a very
basic question :-))
Dudley Henriques

From 1281143154833834884
X-Google-Thread: d7f5508063,f145337a95bab596
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Wed, 27 Jul 2011 15:22:38 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.18) Gecko/
20110616 Thunderbird/3.1.11
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Manual for Texscan Spectrum Analyzer - VSM-5B . . .
References: <YqSdnfAKO-ycTbXTnZ2dnUVZ_t6dnZ2d@posted.visi>
In-Reply-To: <YqSdnfAKO-ycTbXTnZ2dnUVZ_t6dnZ2d@posted.visi>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <4e308fad$0$12451$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2859

On 7/21/2011 6:18 PM, Stan Shankman wrote:

> I have this old spectrum analyzer that used to work, but now one of the
> transistors is getting hot and it will not sweep.
> I am looking for a service manual.
> Texscan Model: VSM-5B
> Anyone?
> Thanks,
> - Stan
> K7SJB

Determine the requirements and start plugging in assorted generic transistors. You'll get lucky quick. What does it do? Switch? Small signal amp? FET RF Amp?

```
From -5519129751234682704
X-Google-Thread: 108122,9e5a75181fab2e91
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.42.246.3 with SMTP id lw3mr15968953icb.0.1320402795929;
        Fri, 04 Nov 2011 03:33:15 -0700 (PDT)
Path: p6ni69861pbn.0!nntp.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 04 Nov 2011 05:33:15 -0500
Date: Fri, 04 Nov 2011 10:33:14 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.23) Gecko/
20110920 Thunderbird/3.1.15
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Volume control dirt and dust question
References: <6f783e7f-9799-4cc1-9905-334e0ca14a0f@f13g2000vbv.googlegroups.com>
In-Reply-To: <6f783e7f-9799-4cc1-9905-334e0ca14a0f@f13g2000vbv.googlegroups.com>
Message-ID: <aZGdnShQptr2Ii7TnZ2dnUVZ_qednZ2d@bright.net>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-
KTlfJP7m39FRFVqvyfvcIkbQ92dg4uBurmjPEvsnVYDATUKp3VDNzkY2PaFFYgqr0cJJimJJgCL+06s!
K8UIXyXBv6yZrnk9faNui3du90AUtxOA4xFqEjjwd1IfctONyKxfEJ1sMJ+Dr4CmAfYdTxdcTxTY!
DOaX9fh1aA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1927
Xref: news2.google.com rec.radio.amateur.equipment:1084
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

On 11-4-2011 02:54, Dudley Henriques wrote:

> No matter how much I spend on these radios after a while they all
> become static loaded as volume is changed with the wheel.
> I take it this is dirt and dust collecting between the plates.
> Dudley Henriques

Yes, most likely dirt, although it may also be worn out. TV tuner cleaning spray can be tried. It comes in a spray can and usually has a plastic "straw" that attaches to the spray head so you can direct it into any small opening in the potentiometer (the volume control). Spray a bit in there and rotate the volume knob several times over the full range of the control.

http://www.radioshack.com/product/index.jsp?productId=2103700

From 1060062956280486827
X-Google-Thread: d7f5508063,4921846413a43d42
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Wed, 27 Jul 2011 15:23:14 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.18) Gecko/20110616 Thunderbird/3.1.11
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: CCA FM5000G FM Radio Transmitter Manual . . .
References: <ALOdnQfjH4U3UrXTnZ2dnUVZ_oOdnZ2d@posted.visi>
In-Reply-To: <ALOdnQfjH4U3UrXTnZ2dnUVZ_oOdnZ2d@posted.visi>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <4e308fd1$0$12451$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2860

On 7/21/2011 6:17 PM, Stan Shankman wrote:
> I got this transmitter at an auction, and want to see if I can re-build
> it for ham radio use.
> Does anyone have a manual?
> Or, can anyone tell me anything about it? Tubes it uses? etc.?
> Thanks all,
> Stan

3 tubes, all triodes?

From 8516912620127778893
X-Google-Thread: d7f5508063,9e5a75181fab2e91

```
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Received: by 10.204.140.198 with SMTP id j6mr1752071bku.8.1320415534984;
        Fri, 04 Nov 2011 07:05:34 -0700 (PDT)
Path: l23ni58117bkv.0!nntp.google.com!news1.google.com!postnews.google.com!
t8g2000yql.googlegroups.com!not-for-mail
From: Dudley Henriques <dudleyhenriques@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Volume control dirt and dust question
Date: Fri, 4 Nov 2011 07:05:23 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <37a0daf2-c396-47e1-9a34-7aacddc73346@t8g2000yql.googlegroups.com>
References: <6f783e7f-9799-4cc1-9905-334e0ca14a0f@f13g2000vbv.googlegroups.com>
 <aZGdnShQptr2Ii7TnZ2dnUVZ_qednZ2d@bright.net>
NNTP-Posting-Host: 184.77.159.51
Mime-Version: 1.0
X-Trace: posting.google.com 1320415526 14628 127.0.0.1 (4 Nov 2011 14:05:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 4 Nov 2011 14:05:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t8g2000yql.googlegroups.com; posting-host=184.77.159.51; posting-
account=rTvTpwoAAACP8DCf2tZiGPF1fbm_CtFh
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.7; rv:7.0.1)
 Gecko/20100101 Firefox/7.0.1,gzip(gfe)
Xref: news1.google.com rec.radio.amateur.equipment:1744
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable

On Nov 4, 6:33=A0am, Scott <acepilotREM...@bloomer.net> wrote:
> On 11-4-2011 02:54, Dudley Henriques wrote:
>
> > No matter how much I spend on these radios after a while they all
> > become static loaded as volume is changed with the wheel.
> > I take it this is dirt and dust collecting between the plates.
> > Dudley Henriques
>
> Yes, most likely dirt, although it may also be worn out. =A0TV tuner
> cleaning spray can be tried. =A0It comes in a spray can and usually has a
> plastic "straw" that attaches to the spray head so you can direct it
> into any small opening in the potentiometer (the volume control). =A0Spra=
y
> a bit in there and rotate the volume knob several times over the full
> range of the control.
>
> http://www.radioshack.com/product/index.jsp?productId=3D2103700

Thanks much. I'll get some of this today and give it a try.
DH
```

```
From -2843344239728683441
X-Google-Thread: d7f5508063,62698bb6012380e6,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!h21g2000pre.googlegroups.com!not-for-
mail
From: Scott Smith <scott93727@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FDC FD-880 Dual Band 136-174/400-480Mhz FM Radio
Date: Thu, 28 Jul 2011 05:41:07 -0700 (PDT)
Organization: http://groups.google.com
Lines: 72
Message-ID: <114385d2-c096-44b6-9ecc-2fc00caf2369@h21g2000pre.googlegroups.com>
NNTP-Posting-Host: 67.125.106.80
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1311857219 1108 127.0.0.1 (28 Jul 2011 12:46:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Jul 2011 12:46:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h21g2000pre.googlegroups.com; posting-host=67.125.106.80; posting-
account=9lZ1kAoAAABaSRztl4GhOgTzCwI1FSHv
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: ARLEUHNKC
X-HTTP-UserAgent: Mozilla/5.0 (compatible; MSIE 9.0; AOL 9.6; AOLBuild
 4340.5002; Windows NT 6.1; Trident/5.0),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2861
```

FDC FD-880 Dual Band 136-174/400-480Mhz FM Radio
http://www.409shop.com/409shop_product.php?id=3D106081
Special features

Dual band,dual Freq.,dual display and dual standby
Working Mode:U-V,U-U,V-V can be set freely.
Band can be set freely on the same channel:VHF TX-UHF RX or UHF TX-VHF RX.

PTT ID function;DTMF function
Offset Freq and Freq.shift direction can be set.
Keypad lock (Auto/Manual);Busy channel lockout

Water-proof;Wired clone function
Built-in FM radio;Led flashlight
3 displaying modes selectable(CH,FREQ,CH Name)

VOX function;Stopwatch function
Priority Scan;Multiple Scan modes;Adding channel scan

Emergency Alarm function;Wired clone function

Reverse freq.function
Multipe Step frequency(5/6.25/10/12.5/25/50/100KHz)
Charging directly from the power supply.You can also charge your radio by connecting the supplied ac adapter directly to your radio.

Technical specifications

Model NO. FD-880(Dual-band)

General Frequency Band	VHF UHF
Frequency Range	136-174MHz 400-480MHz
Channel Capacity	128
Operating Voltage	7.2V DC =B115%
Antenna Impedance	50O
Channel Spacing	12.5kHz/25kHz
Working Temperature	-30 ? - +60 ?
Frequency Stability	=B12.5 ppm
Size (Without Antenna)	104(W)mmx62(L)mmx36mm(D)
Weight(With Battery)	about 250g
Battery	1500 mAh(Li-ion)
Transmitter RF Pwr Output	5W/4W
Modulation Type	F3E
Modulation Distortion	< 5%(300-3000Hz)
Max Freq Deviation	< 5kHz(1000Hz When 100%)
FM Noise	<=3D-45dB

Receiver

Sensitivity	(12Db SINAD) 0.16=B5V
Selectivity	55dB
Adjacent Channel Selecivity	>=3D70dB
Noise Respond	>=3D60dB
Communication Range	3-5km(Downtown),6-20km(In the Open Area)
FM Noise	30dB/40dB
Modulation Type	8K/16KF3E
Audio Power Output	500mW When Distortion Less Than 10%
Audio Distortion	< 5%
Operating Bandwidth	=B13.5kHz/3.75kHz
Standby Current	< 12mA

Each Set PACKAGE CONTAIN

1 x FDC FD-880 (VHF136-174 / UHF 400-480Mhz Dual Band)
1 x 7.4v 1600mAh Li-ion Battery
1 x Dual band Antenna.
1 x Belt Clip.
1 x ENG Manual

```
From -3704795086996123006
X-Google-Thread: 108122,ada30c8225fc2873,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.43.117.133 with SMTP id fm5mr25310570icc.7.1320461962804;
        Fri, 04 Nov 2011 19:59:22 -0700 (PDT)
Path: p6ni72482pbn.0!nntp.google.com!news1.google.com!postnews.google.com!
u12g2000vbx.googlegroups.com!not-for-mail
From: Tom Horne <hornetd@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: How many list members does it take to change a light bulb?
Date: Fri, 4 Nov 2011 19:43:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 81
Message-ID: <2d868c16-2c03-49bf-bd45-5b4e3afafe2c@u12g2000vbx.googlegroups.com>
NNTP-Posting-Host: 71.178.254.91
Mime-Version: 1.0
X-Trace: posting.google.com 1320461962 6088 127.0.0.1 (5 Nov 2011 02:59:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 Nov 2011 02:59:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u12g2000vbx.googlegroups.com; posting-host=71.178.254.91; posting-
account=_jgH7AoAAAD_Z6aufUBhsAww61NnW0dP
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 5.1; rv:7.0.1) Gecko/20100101 Firefox/
7.0.1,gzip(gfe)
Xref: news1.google.com rec.radio.amateur.equipment:1745
Content-Type: text/plain; charset=ISO-8859-1

 How many list members does it take to change a light bulb?
>
> One to change the light bulb and a second to post that the light
> bulb has been changed (the first does not have regular email access).
>
> Fourteen to share similar experiences of changing light bulbs
> and how the light bulb could have been changed differently.
>
> Seven to caution about the dangers of changing light bulbs.
>
> Seven more to point out spelling or grammar errors in the posts
> about changing light bulbs.
>
> Five to flame the spell checkers.
>
> Three to correct spelling/grammar flames.
>
> Six to argue over whether it's "lightbulb" or "light bulb"
> ... another six to condemn those six as stupid.
```

>
> Fifteen to claim experience in the lighting industry and give
> correct spelling.
>
> One to post the old joke about "Hams don't change light bulbs,
> they redesign the ciruit to use LED's".
>
> Two to post that "LED's" is incorrect grammar, and that the
> plural form of LED is LEDs.
>
> Three to post that the "LED's" / LEDs postings are Off Topic
> as the current discussion is about light bulbs.
>
> Nineteen to post that this group is not about light bulbs or LEDs
> and to please take this discussion to a lightbulb (or light bulb
> or LED) forum / mailing list / chatroom / whatever.
>
> Eleven to defend the posting to the group saying that we all use
> light bulbs and therefore the posts are relevant to this group.
>
> Two to say "I'm having to change lightbulbs tomorrow at work
> therefore it is relevant to ME".
>
> Thirty-six to debate which method of changing light bulbs is
> superior, where to buy the best light bulbs, what brand of light
> bulbs work best for this technique and what brands are faulty.
>
> Seven to post URLs where one can see examples of different light
> bulbs.
>
> Four to post that the URLs were posted incorrectly and then post
> the corrected URL (bracketed inside < and > characters so that
> word wrap does not break the URLs).
>
> Three to post about links they found from the URLs that are
> relevant to this group which makes light bulbs relevant to
> this group.
>
> Thirteen to link all postings to date, quote them in their entirety
> including all headers, trailers and signatures, and add "Me too".
>
> Another four that again quote the above "all postings"and add "Me three".
>
> Five to post to the group that they are quiting the list because
> they cannot handle the light bulb controversy.
>
> Four to ask "didn't we go through this already a short time ago?"
>
> Thirteen to say "Google is your friend", or "Do a Google search on
> light bulbs before posting questions about light bulbs"
>
> Three to tell a funny story about their spouse/cat/dog/parrot/whatever
> and a light bulb.

>
> Neil WA6KLA posts and says "I have 20 file cabinets of light bulb
> manuals here, let me pull the correct one out for you and give you
> the Motorola part number."
>
> AND
>
> One group lurker to respond to the original post 6 months from
> now and start it all over again.

From 6192336606495048015
X-Google-Thread: a4a23d5f63,6676acf0c085a8e7,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1309500001@panix.com>
Followup-To: poster
Date: 1 Aug 2011 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Sep 2011 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1312178401@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1312178404 17369 166.84.1.2 (1 Aug 2011 06:00:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 1 Aug 2011 06:00:04 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:22172 rec.radio.amateur.dx:1053 rec.radio.amateur.equipment:2648 rec.radio.amateur.homebrew:4571 rec.radio.amateur.misc:6424 rec.radio.amateur.policy:31529 rec.radio.amateur.space:531 rec.radio.info:2549

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -2354574528863432468
X-Google-Thread: 108122,8b7a6b87a294ddc7,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.42.131.137 with SMTP id z9mr38127685ics.1.1320623979827;
        Sun, 06 Nov 2011 15:59:39 -0800 (PST)
Path: h5ni6540pba.0!nntp.google.com!news1.google.com!postnews.google.com!
r7g2000vbg.googlegroups.com!not-for-mail
```

```
From: walt <wbelsito@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: mikes , headfone , wall power packs , etc for sale
Date: Sun, 6 Nov 2011 15:58:23 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <2c1a5b65-01db-41db-94b5-2f1f1db4cb4b@r7g2000vbg.googlegroups.com>
NNTP-Posting-Host: 99.60.19.118
Mime-Version: 1.0
X-Trace: posting.google.com 1320623979 7524 127.0.0.1 (6 Nov 2011 23:59:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 6 Nov 2011 23:59:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r7g2000vbg.googlegroups.com; posting-host=99.60.19.118; posting-
account=CnAsNAkAAAA3FlvVIVgil95Wiq2sXKRp
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.0; rv:7.0.1) Gecko/20100101 Firefox/
7.0.1,gzip(gfe)
Xref: news1.google.com rec.radio.amateur.equipment:1746
Content-Type: text/plain; charset=ISO-8859-1

got a bunch of stuff for sale

go to www dot waltbelsito dot 4t dot com

WALT
```

```
From 8233428632428870950
X-Google-Thread: a4a23d5f63,b37ef3dad2df5d6e,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1310018700@panix.com>
Followup-To: poster
Date: 7 Aug 2011 02:05:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Sep 2011 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1312697100@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
```

X-Trace: reader1.panix.com 1312697102 23802 166.84.1.2 (7 Aug 2011 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Aug 2011 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:22248 rec.radio.amateur.dx:1061
rec.radio.amateur.equipment:2649 rec.radio.amateur.homebrew:4584
rec.radio.amateur.misc:6448 rec.radio.amateur.policy:31586 rec.radio.info:2565

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -8728655432523349441
X-Google-Thread: fcc6e,ad5014f9abc607ad,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ad5014f9abc607ad,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,ad5014f9abc607ad,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,ad5014f9abc607ad,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gida3e752f117,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.43.117.133 with SMTP id fm5mr39930608icc.7.1320649502621;
        Sun, 06 Nov 2011 23:05:02 -0800 (PST)
MIME-Version: 1.0
Path: h5ni7681pba.0!nntp.google.com!news2.google.com!goblin2!goblin.stu.neva.ru!
newsfeed1.swip.net!news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!
panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1317967500@panix.com>
Followup-To: poster
Date: 7 Nov 2011 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Dec 2011 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1320649501@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1320649501 21393 166.84.1.2 (7 Nov 2011 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Nov 2011 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: news2.google.com rec.radio.amateur.antenna:10065 rec.radio.amateur.dx:704
rec.radio.amateur.equipment:1088 rec.radio.amateur.homebrew:1920
rec.radio.amateur.misc:2477 rec.radio.amateur.policy:9834 rec.radio.info:1930

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
```

```
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been
recently revived by an active moderation team.  We are currently seeking
suitable information, FAQ, and bulletin articles from the entire
rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our
newsgroup.

We are seeking a replacement maintainer for the following information
bulletin formerly posted to rec.radio.amateur.* (and currently archived
at http://www.faqs.org/faqs/radio/personal-intro/ ):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |

We are willing to provide any technical support necessary to get this
article updated and automatically posted again at a regular interval.
This would include establishing contact with the original maintainer for
any necessary permissions.  We would prefer to seek a new, dedicated
maintainer at this time, rather than start auto-posting the original
article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.



From -74502086642171508
```

X-Google-Thread: a4a23d5f63,d9edb39c10c86c6d,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1310019000@panix.com>
Followup-To: poster
Date: 7 Aug 2011 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Sep 2011 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1312697400@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1312697401 28973 166.84.1.2 (7 Aug 2011 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Aug 2011 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:6449
rec.radio.amateur.equipment:2650 rec.radio.swap:3024 rec.radio.info:2566

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -6042854694168884072
X-Google-Thread: 108122,c8a8f4db5acb0f95,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,c8a8f4db5acb0f95,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Received: by 10.204.0.73 with SMTP id 9mr1152235bka.4.1320649802241;
        Sun, 06 Nov 2011 23:10:02 -0800 (PST)
MIME-Version: 1.0
Path: l23ni1539bkv.0!nntp.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border4.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1317967800@panix.com>
Followup-To: poster
Date: 7 Nov 2011 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Dec 2011 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1320649800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1320649801 4933 166.84.1.2 (7 Nov 2011 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Nov 2011 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
```

Xref: news2.google.com rec.radio.amateur.misc:2478
rec.radio.amateur.equipment:1089 rec.radio.swap:1059 rec.radio.info:1931

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 5760688004699221147
X-Google-Thread: 108122,cc8065dff41eeff3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l11g2000prh.googlegroups.com!not-for-mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment

Subject: SOUTH INDIAN HOT ACTRESS
Date: Fri, 12 Aug 2011 17:03:31 -0700 (PDT)
Organization: http://groups.google.com
Lines: 33
Message-ID: <f610b734-6c71-4ad1-994d-2f777d4af661@l11g2000prh.googlegroups.com>
NNTP-Posting-Host: 117.199.243.96
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1313195303 30682 127.0.0.1 (13 Aug 2011 00:28:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 Aug 2011 00:28:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l11g2000prh.googlegroups.com; posting-host=117.199.243.96;
posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-Google-Web-Client: true
X-Google-Header-Order: HUALESNKRC
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.19)
 Gecko/20110707 Firefox/3.6.19,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2651

HOT SOUTH ACTRESS IN DIFFERENT DRESSES
http://southactresstou.blogspot.com/2011/08/south-actress.html
NAYANTHARA HOT PHOTOS
http://southactresstou.blogspot.com/2011/08/nayanthara.html
LATEST HOT TAPSEE KISSING STILLS
http://southactresstou.blogspot.com/2011/06/tapsee.html
KAJAL AGARWAL ROMANTIC STILLS
http://southactresstou.blogspot.com/2011/05/kajal-agarwal.html
TAMANNA BEAUTIFUL PHOTOS
http://southactresstou.blogspot.com/2011/05/tamanna.html
ANUSHKA SHETTY HOT SAREE STILLS
http://southactresstou.blogspot.com/2011/06/anushka-shetty.html
SNEHA RARE PHOTOS
http://southactresstou.blogspot.com/2011/05/sneha.html
NAMITHA HOT NAVEL SHOW
http://southactresstou.blogspot.com/2011/05/namitha.html
ILIYANA HOT WALLPAPERS
http://southactresstou.blogspot.com/2011/05/iliyana.html
PRIYAMANI LATEST SPICY PHOTOS
http://southactresstou.blogspot.com/2011/05/priyamani.html

FOR FAST UPDATES IN TELUGU FILM INDUSTRY
TAMIL ACTRESS HOT SEXY PHOTO SHOOT
http://allyouwants.blogspot.com/2011/08/tamil-actress.html
SOUTH INDIAN HOT ACTRESS PICS
http://allyouwants.blogspot.com/2011/08/hot-actress.html
DEEPIKA PADUKONE IN DUM MARO DUM MOVIE
http://allyouwants.blogspot.com/2011/08/deepika-in-dum-maro-dum.html
PRIYAMANI SPICY PHOTOS IN COW GIRL
http://allyouwants.blogspot.com/2011/02/priyamani-spicy-photo-shoot-cow-girl.html
KAJAL HOT PHOTOS IN SAREE
http://allyouwants.blogspot.com/2011/06/kajal-very-spice-pics.html

```
From -5483638486463977329
X-Google-Thread: d7f5508063,8716f9cb9c852e3a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!spln!extra.newsguy.com!newsp.newsguy.com!news2
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Bencher BY-1 Black Base CW Paddle
Date: 13 Aug 2011 05:39:53 GMT
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 3
Message-ID: <j252n901ois@news2.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: pa1af5df51289e9ed62980af94575a28fd5102c603bc5a903.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
User-Agent: Pan/0.133 (House of Butterflies)
Xref: g2news1.google.com rec.radio.amateur.equipment:2652

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=280723634566>

Like New & Hardly Used. Comes with cable & 1/4 inch adaptor.


From 8008465595206979298
X-Google-Thread: d7f5508063,6e0665db885ea4d5,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news1
From: Keith <kilowattradio@gmail.com>
Newsgroups:
rec.radio.scanner,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: USB Serial Port Adaptor DB-9 for Radios, Modems GPS on Windows 98/XP
Date: Wed, 23 Mar 2011 03:28:12 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 18
Message-ID: <imchvv02niv@news1.newsguy.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: pa48f3f187e1762c25b592a4c683de21f2be9de4f365dc85f.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

X-Newsreader: Forte Agent 6.00/32.1186
User-Agent: Forte Agent 6.00/32.1186
X-Legal: Copyright 2011 All Rights Reserved
Xref: g2news2.google.com rec.radio.scanner:2025 rec.radio.shortwave:87600 rec.radio.swap:3355 rec.radio.amateur.equipment:2757

I have a number of these Brand New USB Serial cables with DB-9 connections. It will come with the correct Driver for Windows 98/Me/2K and XP use. The cost is $6 that will include shipping by USPS 1st class mail. Additional cables are $3 each. So if you order two cables the cost will be $9. Payment by PayPal.com is accepted or you can pay by US mail.

Here is a stock photo of the cable I'm offering:
http://home.comcast.net/~kilowattradio/usb_serial_cable.jpg

--

Best Regards, Keith
http://home.comcast.net/~kilowattradio/

From 3483517624430594071
X-Google-Thread: d7f5508063,6e0665db885ea4d5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!post02.iad!news.dslextreme.com!not-for-mail
Date: Wed, 23 Mar 2011 04:15:07 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.2.15) Gecko/20110303 Thunderbird/3.1.9
MIME-Version: 1.0
Newsgroups: rec.radio.scanner,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS: USB Serial Port Adaptor DB-9 for Radios, Modems GPS on Windows 98/XP
References: <imchvv02niv@news1.newsguy.com>
In-Reply-To: <imchvv02niv@news1.newsguy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <4d89e3fe$0$2290$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.scanner:2026 rec.radio.shortwave:87607 rec.radio.swap:3356 rec.radio.amateur.equipment:2758

On 03/23/2011 03:28 AM, Keith wrote:
> I have a number of these Brand New USB Serial cables with DB-9
> connections. It will come with the correct Driver for Windows 98/Me/2K and
> XP use. The cost is $6 that will include shipping by USPS 1st class mail.
> Additional cables are $3 each. So if you order two cables the cost will be
> $9. Payment by PayPal.com is accepted or you can pay by US mail.
>
>
> Here is a stock photo of the cable I'm offering:
>   http://home.comcast.net/~kilowattradio/usb_serial_cable.jpg
>
>
>
>

What chipset is inside the dongle?

```
From -9074127956029268867
X-Google-Thread: fa029,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Thread: 108122,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Attributes:
gid6b6ae7923,gid9e586c3d78,gid733d321764,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin1!goblin.stu.neva.ru!eternal-
september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups:
rec.radio.scanner,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS: USB Serial Port Adaptor DB-9 for Radios, Modems GPS on
 Windows 98/XP
Date: Wed, 23 Mar 2011 12:30:19 +0000 (UTC)
Organization: A noiseless patient Spider
Lines: 24
Message-ID: <pan.2011.03.23.12.30.15@kilowattradio_gmail.com>
References: <imchvv02niv@news1.newsguy.com>
     <4d89e3fe$0$2290$bd467cd0@news.dslextreme.com>
Reply-To: kilowattradio@gmail.com
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Injection-Date: Wed, 23 Mar 2011 12:30:19 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="aw87NlLmJBv+wZIY3nPDMw";
     logging-data="17705"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19N2w5v77Injw53JNVQrXVxzXmncv/i+Uk="
User-Agent: Pan/0.133 (House of Butterflies)
```

```
Cancel-Lock: sha1:qonOuqrKRjlMF7+2AMx6P/EGJGA=
Xref: g2news2.google.com rec.radio.scanner:2027 rec.radio.shortwave:87612
rec.radio.swap:3357 rec.radio.amateur.equipment:2759

On Wed, 23 Mar 2011 04:15:07 -0700, dave wrote:

> On 03/23/2011 03:28 AM, Keith wrote:
>> I have a number of these Brand New USB Serial cables with DB-9
>> connections. It will come with the correct Driver for Windows 98/Me/2K
>> and XP use. The cost is $6 that will include shipping by USPS 1st class
>> mail. Additional cables are $3 each. So if you order two cables the
>> cost will be $9. Payment by PayPal.com is accepted or you can pay by US
>> mail.
>>
>>
>> Here is a stock photo of the cable I'm offering:
>>   http://home.comcast.net/~kilowattradio/usb_serial_cable.jpg
>>
>>
>>
>>
>>
> What chipset is inside the dongle?

It is supposed to be PL-2303, but it doesn't work with the PL-2303
Prolific Download Drivers, but works with provided driver that is labeled
PL-2303 in Windows 98/XP.




From 4531962870884959426
X-Google-Thread: 114aac,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Thread: 108122,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Attributes:
gid9e586c3d78,gid733d321764,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Wed, 23 Mar 2011 04:54:45 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.2.15) Gecko/20110303
Thunderbird/3.1.9
MIME-Version: 1.0
Newsgroups:
rec.radio.scanner,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS: USB Serial Port Adaptor DB-9 for Radios, Modems GPS on Windows
 98/XP
References: <imchvv02niv@news1.newsguy.com>
```

```
<4d89e3fe$0$2290$bd467cd0@news.dslextreme.com>
<pan.2011.03.23.12.30.15@kilowattradio_gmail.com>
In-Reply-To: <pan.2011.03.23.12.30.15@kilowattradio_gmail.com>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <4d89ed49$0$2331$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.scanner:2028 rec.radio.shortwave:87616
rec.radio.swap:3358 rec.radio.amateur.equipment:2760

On 03/23/2011 05:30 AM, Keith wrote:
> On Wed, 23 Mar 2011 04:15:07 -0700, dave wrote:

>> What chipset is inside the dongle?
>
> It is supposed to be PL-2303, but it doesn't work with the PL-2303
> Prolific Download Drivers, but works with provided driver that is labeled
> PL-2303 in Windows 98/XP.
>

I am a recovering Windows victim. I have "hit or miss" results with that
dongle on Linux. I am using an ancient Belden Palm Pilot Dock Adapter
USB-to-serial, but the LEDs on it make radio noise. Not enough to
disrupt comms, but it's there and it bugs me.


From 1816306034868112O7
X-Google-Thread: fa029,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Thread: 108122,6e0665db885ea4d5
X-Google-NewGroupId: yes
X-Google-Attributes:
gid6b6ae7923,gid9e586c3d78,gid733d321764,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news5
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups:
rec.radio.scanner,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS: USB Serial Port Adaptor DB-9 for Radios, Modems GPS on Windows
98/XP
Date: Wed, 23 Mar 2011 07:55:16 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 28
Message-ID: <imd1kv0skh@news5.newsguy.com>
References: <imchvv02niv@news1.newsguy.com>
```

```
<4d89e3fe$0$2290$bd467cd0@news.dslextreme.com>
<pan.2011.03.23.12.30.15@kilowattradio_gmail.com>
<4d89ed49$0$2331$bd467cd0@news.dslextreme.com>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: pac7264045a7b6c2098646a436325cc2aa6cfdb533d84cc2b.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2011. All Rights Reserved
Xref: g2news2.google.com rec.radio.scanner:2029 rec.radio.shortwave:87641
rec.radio.swap:3359 rec.radio.amateur.equipment:2761

On Wed, 23 Mar 2011 04:54:45 -0700, dave <dave@dave.dave> wrote in
[ rec.radio.shortwave ]:

> On 03/23/2011 05:30 AM, Keith wrote:
> > On Wed, 23 Mar 2011 04:15:07 -0700, dave wrote:
>
> >> What chipset is inside the dongle?
> >
> > It is supposed to be PL-2303, but it doesn't work with the PL-2303
> > Prolific Download Drivers, but works with provided driver that is labeled
> > PL-2303 in Windows 98/XP.
> >
>
> I am a recovering Windows victim. I have "hit or miss" results with that
> dongle on Linux. I am using an ancient Belden Palm Pilot Dock Adapter
> USB-to-serial, but the LEDs on it make radio noise. Not enough to
> disrupt comms, but it's there and it bugs me.


This cable is supported in BSD, Windows, MAC & Linux
<http://www.mouser.com/ProductDetail/FTDI/UC232R-10/?
qs=sGAEpiMZZMt4a%252bVKO2jOrWxTeLDmuSkNavjlpUU3LQY%3d>
Drivers are here:
<http://www.ftdichip.com/Drivers/VCP.htm>
--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|



From 8104944722724081351
X-Google-Thread: 108122,94880939a228a477,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k10g2000prh.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
```

Subject: HOT LATEST UPDATED VIDEOS AND SEXY ACTRESES PHOTOS
Date: Fri, 25 Mar 2011 22:59:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 61
Message-ID: <61dc05ba-16df-42ad-b7ee-71eaa79edf97@k10g2000prh.googlegroups.com>
NNTP-Posting-Host: 117.199.254.247
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1301119167 22126 127.0.0.1 (26 Mar 2011 05:59:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 26 Mar 2011 05:59:27 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k10g2000prh.googlegroups.com; posting-host=117.199.254.247;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2762

ALL HOT PHOTOS SUPER SeXY PHOTOS
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss

http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

for more hot videos

http://videosonblog.blogspot.com/2010/11/masala-videos.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

---

```
From -6911797610430272358
X-Google-Thread: 108122,31be41189246c22,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!q12g2000prb.googlegroups.com!not-for-mail
From: claudeh <hclaudioblanco@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual to Mechanics, Mechanical Engineering and
 Aerospace Engineering Books
Date: Sat, 26 Mar 2011 15:41:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 817
Message-ID: <3bd3d28c-da9d-401d-bc52-4708c61f772a@q12g2000prb.googlegroups.com>
NNTP-Posting-Host: 201.240.179.125
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301179265 26144 127.0.0.1 (26 Mar 2011 22:41:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 26 Mar 2011 22:41:05 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: q12g2000prb.googlegroups.com; posting-host=201.240.179.125;
posting-account=mFFJOAoAAABaIQEBRX5f95y3rtsFRjms
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2549
```

List of Solutions Manuals and Test Banks

contact me to : mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR : CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DADDS77XH

I do not review the forums, just send me an email.

- Mechanics, Mechanical Engineering & Aerospace Engineering:

Solution Manual Classical Mechanics (Douglas Gregory)
Solution Manual Advanced Dynamics (Donald T. Greenwood)
Solution Manual Principles of Dynamics (2nd Ed., Donald T. Greenwood)
Solution Manual Advanced Engineering Dynamics (2nd Ed., Jerry Ginsberg)
Solution Manual Classical Dynamics (Jorge V. Jos=E9)
Solution Manual Impact Mechanics (W.J. Stronge)
Solution Manual Statistical Mechanics (2nd Ed., R.K. Pathria)
Solution Manual Engineering Mechanics of Solids (2nd Ed., Egor P. Popov)
Solution Manual Introduction to Continuum Mechanics (4th Ed., W. Michael Lai, David Rubin & Erhard Krempl)
Solution Manual Analytical Mechanics (7th Ed., Grant R. Fowles, George Cassiday)
Solution Manual Introduction to Mechanical Engineering (Rizza)
Solution Manual Engineering Fundamentals and Problem Solving (4th Ed., Eide, Jenison, Mashaw & Northup)
Solution Manual Engineering Fundamentals and Problem Solving (5th Ed., Eide, Jenison, Northup & Mickelson)
Solution Manual Mechanical Engineering Principles (Bird & Ross)
Solution Manual Dynamics of Mechanical Systems (C.T.F. Ross)
Solution Manual Mechanics of Solids (C.T.F. Ross)
Solution Manual Introduction to Engineering Analysis (1st Ed., Hagen)
Solution Manual Introduction to Engineering Analysis (2nd Ed., Hagen)
Solution Manual Introduction to Engineering Analysis (3rd Ed., Hagen)
Solution Manual Engineering Design (Rudolph J. Eggert)
Solution Manual Creative Design of Products and Systems (Saeed Niku)
Solution Manual Fundamentals of Engineering Design (2nd Ed., Barry Hyman)
Solution Manual Engineering Design (4th Ed., George Dieter & Linda Schmidt)
Solution Manual Engineering Design and Graphics with Autodesk Inventor 2009 (James Bethune)
Solution Manual Engineering Design : A Project-Based Introduction (2nd Ed., Clive Dym & Patrick Little)
Solution Manual Engineering Design : A Project-Based Introduction (3rd Ed., Clive Dym & Patrick Little)
Solution Manual Tools and Tactics of Design (Dominick, Demel,

Lawbaugh, Freuler, Kinzel & Fromm)
Solution Manual Engineering Analysis in Applied Mechanics (John Brewer)
Solution Manual Engineering Fluid Mechanics (William Graebel)
Solution Manual Advanced Fluid Mechanics (William Graebel)
Solution manual Essential Computational Fluid Dynamics (Oleg Zikanov)
Solution Manual Computational Fluid Dynamics : A Practical Approach (Jiyuan Tu, Guan Heng Yeoh & Chaoqun Liu)
Solution Manual Mechanics of Fluids (8th Ed., Massey)
Solution Manual Fluid Mechanics (5th Ed., Frank White)
Solution Manual Fluid Mechanics (6th Ed., Frank White)
Solution Manual Fluid Mechanics (7th Ed., Frank White)
Solution Manual Viscous Fluid Flow (3rd Ed., Frank White)
Solution Manual Thermodynamics and Heat Power (6th Ed., Kurt C. Rolle)
Solution Manual Modern Engineering Thermodynamics (Robert Balmer)
Solution Manual Introduction to the Thermodynamics of Materials (4th Ed. David Gaskell)
Solution Manual Engineering Thermodynamics : Work and Heat Transfer (4th Ed., G.F.C. Rogers & Yon Mayhew)
Solution Manual Introduction to Thermodynamics and Heat Transfer (2nd Ed., Yunus Cengel)
Solution Manual Fundamentals of Thermal-Fluid Sciences (1st Ed., Yunus Cengel)
Solution Manual Fundamentals of Thermal-Fluid Sciences (2nd Ed., Yunus Cengel)
Solution Manual Fundamentals of Thermal-Fluid Sciences (3rd Ed., Yunus Cengel & Robert Turner)
Solution Manual Thermodynamics : An Engineering Approach (5th Ed., Yunus Cengel)
Solution Manual Thermodynamics : An Engineering Approach (6th Ed., Yunus Cengel & Michael Boles)
Solution Manual Thermodynamics : An Engineering Approach (7th Ed., Yunus Cengel & Michael Boles)
Solution Manual Essentials of Fluid Mechanics : Fundamentals and Applications (1st Ed., Yunus Cengel, John Cimbala)
Solution Manual Fluid Mechanics (1st Ed., Yunus Cengel & John Cimbala)
Solution Manual Fluid Mechanics (2nd Ed., Yunus Cengel & John Cimbala)
Solution Manual Heat Tranfer (2nd Ed., Yunus Cengel)
Solution Manual Heat and Mass Transfer : A Practical Approach (3rd Ed., Yunus Cengel)
Solution Manual Heat and Mass Transfer : Fundamentals and Applications (4th Ed., Yunus Cengel & Afshin Ghajar)
Solution Manual Introduction to Fluid Mechanics (6th Ed., Robert Fox, Alan McDonald & Philip Pritchard)
Solution Manual Introduction to Fluid Mechanics (7th Ed., Robert Fox, Philip Pritchard & Alan McDonald)
Solution Manual Fox and McDonald's Introduction to Fluid Mechanics (8th Ed., Philip Pritchard)
Solution Manual Fluid Mechanics (5th Ed., Douglas)
Solution Manual Fluid Mechanics (3rd Ed., Kundu & Cohen)
Solution Manual Fluid Mechanics (4th Ed., Kundu & Cohen)

Solution Manual Elementary Fluid Mechanics (7th Ed., Street, Watters & Vennard)
Solution Manual Fluid Mechanics with Engineering Applications (10th Ed., Finnemore & Franzini)
Solution Manual Fundamentals of Fluid Mechanics (4th Ed., Bruce Munson, Donald Young, Theodore Okiishi)
Solution Manual Fundamentals of Fluid Mechanics (5th Ed., Bruce Munson, Donald Young, Theodore Okiishi)
Solution Manual Fundamentals of Fluid Mechanics (6th Ed., Bruce Munson, Donald Young, Theodore Okiishi, Wade Huebsch)
Solution Manual Fundamentals of Fluid Mechanics - SI Units (6th Ed., Bruce Munson, Donald Young, Theodore Okiishi, Wade Huebsch)
Solution Manual A Brief Introduction to Fluid Mechanics (3rd Ed., Donald Young, Bruce Munson, Theodore Okiishi)
Solution Manual A Brief Introduction to Fluid Mechanics (4th Ed., Donald Young, Bruce Munson, Theodore Okiishi, Wade Huebsch)
Solution Manual A Brief Introduction to Fluid Mechanics (5th Ed., Donald Young, Bruce Munson, Theodore Okiishi, Wade Huebsch)
Solution Manual Engineering Fluid Mechanics (7th Ed., Clayton Crowe, Donald Elger, John Roberson)
Solution Manual Engineering Fluid Mechanics (8th Ed., Clayton Crowe, Donald Elger, John Roberson)
Solution Manual Engineering Fluid Mechanics (9th Ed., Clayton Crowe, Donald Elger, John Roberson, Barbara Williams)
Solution Manual Fluid Mechanics (Potter & Foss)
Solution Manual Mechanics of Fluids (3rd Ed., Potter)
Solution Manual Fluid Power with Applications (7th Ed., Esposito)
Solution Manual Mechanics of Fluids (4th Ed., Shames)
Solution Manual Applied Fluid Mechanics (6th Ed., Mott)
Solution Manual Applied Fluid Mechanics - SI Units (6th Ed., Mott)
Solution Manual Hydraulic Control Systems (Noah Manring)
Solution Manual Fluid Mechanics and Thermodynamics of Turbomachinery (5th Ed., S.L. Dixon)
Solution Manual Fluid Mechanics and Thermodynamics of Turbomachinery (6th Ed., S.L. Dixon & Cesare Hall)
Solution Manual The Design of High-Efficiency Turbomachinery and Gas Turbines (2nd Ed., David Gordon Wilson & Theododios Korakianitis)
Solution Manual Fundamentals of Turbomachinery (William Peng)
Solution Manual Principles of Turbomachinery in Air-Breathing Engines (Baskharone)
Solution Manual Fundamentals of Jet Propulsion with Applications (Ronald D. Flack)
Solution Manual Extended Irreversible Thermodynamics (3rd Ed., D. Jou, J. Casas-Vazquez & G. Lebon)
Solution Manual Thermodynamics : An Integrated Learning System (Schmidt, Ezekoye, Howell & Baker)
Solution Manual Design of Fluid Thermal Systems (2nd Ed., William Janna)
Solution Manual Design and Simulation of Thermal Systems (N.V. Suryanarayana & Oner Arici)
Solution Manual Introduction to Thermal and Fluids Engineering (Kaminski & Jensen)
Solution Manual Heating, Ventilating and Air Conditioning Analysis and

Design (6th Ed., McQuiston)
Solution Manual Electricity, Electronics, and Control Systems for HVAC (4th Ed., Thomas Kissell)
Solution Manual Heat and Mass Transfer (Anthony Mills)
Solution Manual Heat Transfer (2nd Ed., A.F. Mills)
Solution Manual Basic Heat and Mass Transfer (2nd Ed., A.F. Mills)
Solution Manual Convective Heat and Mass Transfer (4th Ed., Kays & Crawford)
Solution Manual Advanced Engineering Thermodynamics (3rd Ed., Bejan)
Solution Manual Convection Heat Transfer (3rd Ed., Bejan)
Solution Manual Design with Constructal Theory (Adrian Bejan & Sylvie Lorente)
Solution Manual Shape and Structure, from Engineering to Nature (Adrian Bejan)
Solution Manual Thermodynamics : Concepts and Applications (Stephen Turns)
Solution Manual Heat Transfer (10th Ed., Jack Holman)
Solution Manual Principles of Heat Transfer (Kaviany)
Solution Manual Heat Convection (Latif M. Jiji)
Solution Manual Fundamentals of Momentum, Heat and Mass Transfer (5th Ed., Welty)
Solution Manual Analytical Methods for Heat Transfer and Fluid Flow Problems (Bernhard Weigand)
Solution Manual Two-Phase Flow : Theory and Applications (Clement Kleinstreuer)
Solution Manual Convective Heat Transfer (kakac)
Solution Manual An Introduction to Fluid Dynamics : Principles of Analysis and Design (Stanley Middleman)
Solution Manual An Introduction to Mass and Heat Transfer : Principles of Analysis and Design (Stanley Middleman)
Solution Manual Fundamentals of Thermodynamics (5th Ed., Richard Sonntag, Claus Borgnakke & Gordon Van Wylen)
Solution Manual Fundamentals of Thermodynamics (6th Ed., Richard Sonntag, Claus Borgnakke & Gordon Van Wylen)
Solution Manual Fundamentals of Thermodynamics (7th Ed., Claus Borgnakke & Richard Sonntag)
Solution Manual Introduction to Engineering Thermodynamics (1st Ed., Richard Sonntag & Claus Borgnakke)
Solution Manual Introduction to Engineering Thermodynamics (2nd Ed., Richard Sonntag & Claus Borgnakke)
Solution Manual Fundamentals of Engineering Thermodynamics (5th Ed., Michael Moran, Howard Shapiro)
Solution Manual Fundamentals of Engineering Thermodynamics (6th Ed., Michael Moran, Howard Shapiro)
Solution Manual Fundamentals of Engineering Thermodynamics - SI Units (6th Ed., Michael Moran, Howard Shapiro)
Solution Manual Fundamentals of Engineering Thermodynamics (7th Ed., Michael Moran, Howard Shapiro, Daisie Boettner, Margaret Bailey)
Solution Manual Fundamentals of Heat and Mass Transfer (5th Ed., Incropera, DeWitt)
Solution Manual Fundamentals of Heat and Mass Transfer (6th Ed., Incropera, DeWitt)
Solution Manual Introduction to Heat Transfer (4th Ed., Incropera,

DeWitt)
Solution Manual Introduction to Heat Transfer (5th Ed., Incropera, DeWitt)
Solution Manual Radiation Detection and Measurement (3rd Ed., Glenn Knoll)
Solution Manual Radiation Detection and Measurement (4th Ed., Glenn Knoll)
Solution Manual Radiative Heat Transfer (2nd Ed., Michael Modest)
Solution Manual Computational Heat Transfer (2nd Ed., Jaluria)
Solution Manual Principles of Combustion (2nd Ed., Kenneth Kuan-yun Kuo)
Solution Manual An Introduction to Combustion : Concepts and Applications (3rd Ed., Stephen R. Turns)
Solution Manual Combustion (2nd Ed., Irvin Glassman)
Solution Manual Combustion (3rd Ed., Irvin Glassman)
Solution Manual Incompressible Flow (3rd Ed., Panton)
Solution Manual Modern Compressible Flow : With Historical Perspective (3rd Ed., John Anderson)
Solution Manual Non-Newtonian Flow : Fundamentals and Engineering Applications (R.P. Chhabra & J F Richardson)
Solution Manual Computational Techniques for Fluid Dynamics (Srinivas, K., Fletcher, C.A.J.)
Solution Manual Introduction to Computational Fluid Dynamics (A.W. Date)
Solution Manual Robot Modeling and Control (Spong, Hutchinson & Vidyasagar)
Solution Manual Introduction to Robotics: Analysis, Control, Applications (Saeed B. Niku)
Solution Manual Theory of Applied Robotics : Kinematics, Dynamics and Control (Reza N. Jazar)
Solution Manual Control of Robot Manipulators in Joint Space (R. Kelly, V. Santib=E1=F1ez, A. Lor=EDa)
Solution Manual Modelling and Control of Robot Manipulators (2nd Ed., Lorenzo Sciavicco, Bruno Siciliano)
Solution Manual Robotics : Modelling, Planning and Control (Bruno Siciliano, Lorenzo Sciavicco, Luigi Villani & Giuseppe Oriolo)
Solution Manual Fundamentals of Robotic Mechanical Systems : Theory, Methods, and Algorithms (3rd Ed., Jorge Angeles)
Solution Manual Kinematic Chains and Machine Components Design (Dan B. Marghitu)
Solution Manual Kinematics, Dynamics, and Design of Machinery (2nd Ed., Waldron & Kinzel)
Solution Manual Kinematics and Dynamics of Machinery (3rd Ed., Charles E. Wilson & J. Peter Sadler)
Solution Manual Kinematics and Dynamics of Machinery - SI Units (3rd Ed., Charles E. Wilson & J. Peter Sadler)
Solution Manual Machines and Mechanisms : Applied Kinematic Analysis (3rd Ed., David H. Myszka)
Solution Manual Machines and Mechanisms : Applied Kinematic Analysis (4th Ed., David H. Myszka)
Solution Manual Mechanism Design : Analysis and Synthesis (4th Ed., Erdman, Sandor & Kota)
Solution Manual Mechanical Design : A Components Approach (2nd Ed.,

Peter Childs)
Solution Manual Mechanical Design of Machine Elements and Machines : A Failure Prevention Perspective (1st Ed., Collins)
Solution Manual Mechanical Design of Machine Elements and Machines : A Failure Prevention Perspective (2nd Ed., Collins, Busby & Staab)
Solution Manual Fundamentals of Machine Component Design (3rd Ed., Juvinall)
Solution Manual Fundamentals of Machine Component Design (4th Ed., Juvinall)
Solution Manual Design of Machine Elements (8th Ed., Spotts)
Solution Manual Machine Elements in Mechanical Design (4th Ed., Mott)
Solution Manual Machine Elements in Mechanical Design - SI Units (4th Ed., Mott)
Solution Manual Mechanical Design : An Integrated Approach (1st Ed., Ansel Ugural)
Solution Manual Design of Machinery (3rd Ed., Norton)
Solution Manual Design of Machinery (4th Ed., Norton)
Solution Manual Machine Design : An Integrated Approach (3rd Ed., Norton)
Solution Manual Machine Design : An Integrated Approach (4th Ed., Norton)
Solution Manual Mechanical Engineering Design (6th Ed., Shigley)
Solution Manual Mechanical Engineering Design (7th Ed., Shigley, Mischke & Budynas)
Solution Manual Shigley's Mechanical Engineering Design (8th Ed., Budynas & Nisbett)
Solution Manual Shigley's Mechanical Engineering Design (9th Ed., Budynas & Nisbett)
Solution Manual Fundamentals of Machine Elements (1st Ed., Hamrock)
Solution Manual Fundamentals of Machine Elements (2nd Ed., Hamrock)
Solution Manual Mechanics of Materials : A Modern Integration of Mechanics and Materials in Structural Design (Christopher Jenkins & Sanjeev Khanna)
Solution Manual Mechanics of Materials (3th Ed., Beer)
Solution Manual Mechanics of Materials (5th Ed., Gere & Timoshenko)
Solution Manual Mechanics of Materials (6th Ed., Gere & Timoshenko)
Solution Manual Mechanics of Materials (7th Ed., Gere & Goodno)
Solution Manual Mechanics of Materials (Ansel Ugural)
Solution Manual Mechanics of Materials : An Integrated Learning System (1st Ed., Timothy Philpot)
Solution Manual Mechanics of Materials : An Integrated Learning System (2nd Ed., Timothy Philpot)
Solution Manual Mechanics of Materials (2nd Ed., Roy R. Craig)
Solution Manual Simplified Mechanics and Strength of Materials (6th Ed., James Ambrose)
Solution Manual Engineering Applications of Dynamics (Dean Karnopp & Donald Margolis)
Solution Manual Engineering Mechanics : Statics (Arthur Boresi, Richard Schmidt)
Solution Manual Engineering Mechanics : Dynamics (Arthur Boresi, Richard Schmidt)
Solution Manual Engineering Mechanics : Statics (5th Ed., J. L. Meriam, L. G. Kraige)

Solution Manual Engineering Mechanics : Statics - SI Version (5th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Statics (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Statics - SI Version (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics (5th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics - SI Version (5th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics - SI Version (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Vector Mechanics for Engineers : Statics (7th Ed., Ferdinand Beer)
Solution Manual Vector Mechanics for Engineers : Statics (8th Ed., Ferdinand Beer)
Solution Manual Vector Mechanics for Engineers : Dynamics (7th Ed., Ferdinand Beer)
Solution Manual Vector Mechanics for Engineers : Dynamics (8th Ed., Ferdinand Beer)
Solution Manual Statics : Analysis and Design of Systems in Equilibrium (Sheppard & Tongue)
Solution Manual Statics : Analysis and Design of Systems in Equilibrium - Update Edition (Sheppard & Tongue)
Solution Manual Dynamics : Analysis and Design of Systems in Motion (Sheppard & Tongue)
Solution Manual Dynamics : Analysis and Design of Systems in Motion (2nd Ed., Sheppard & Tongue)
Solution Manual Statics and Mechanics of Materials : An Integrated Approach (2nd Ed., Riley, Sturges & Morris)
Solution Manual Mechanics of Materials (6th Ed., Riley, Sturges & Morris)
Solution Manual Basic Engineering Plasticity : An Introduction with Engineering and Manufacturing Applications (David Rees)
Solution Manual Theory of Plasticity (3rd Ed. Jagabanduhu Chakrabarty)
Solution Manual Deformation and Fracture Mechanics of Engineering Materials (4th Ed., Richard Hertzberg)
Solution Manual Deformable Bodies and Their Material Behavior (Haslach & Armstrong)
Solution Manual Intermediate Mechanics of Materials (1st Ed., Barber)
Solution Manual Elasticity (2nd Ed., J.R. Barber)
Solution Manual Elasticity : Theory, Applications, and Numerics (1st Ed., Martin Sadd)
Solution Manual Elasticity : Theory, Applications, and Numerics (2nd Ed., Martin Sadd)
Solution Manual Elasticity in Engineering Mechanics (2nd Ed., Boresi)
Solution Manual Advanced Mechanics of Materials (6th Ed., Boresi)
Solution Manual Advanced Mechanics of Materials (2nd Ed., Cook & Young)
Solution Manual Metal Fatigue in Engineering (2nd Ed., Stephens, Fatemi & Fuchs)

Solution Manual Applied Mechanics for Engineering Technology (8th Ed., Keith M. Walker)
Solution Manual Applied Statics and Strength of Materials (5th Ed. Limbrunner & Spiegel)
Solution Manual Statics and Strength of Materials (Robert Mott)
Solution Manual Applied Strength of Materials (4th Ed., Mott)
Solution Manual Applied Strength of Materials (5th Ed., Mott)
Solution Manual Intermediate Dynamics for Engineers (Marcelo R.M & Crespo da Silva)
Solution Manual Engineering Mechanics : Statics (Michael Plesha, Gary Gray & Francesco Costanzo)
Solution Manual Engineering Mechanics : Dynamics (Michael Plesha, Gary Gray & Francesco Costanzo)
Solution Manual Engineering Mechanics : Statics (4th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Statics (5th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Statics - SI Units (5th Ed., Anthony Bedford, Wallace Fowler & Yusof Ahmad)
Solution Manual Engineering Mechanics : Dynamics (4th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Dynamics (5th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Dynamics - SI Units (5th Ed., Anthony Bedford, Wallace Fowler & Yusof Ahmad)
Solution Manual Elastic And Inelastic Stress Analysis (Irving Shames)
Solution Manual Thermal Stresses (2nd Ed., Noda, Hetnarski & Tanigawa)
Solution Manual Strength of Materials - A New Unified Theory for the 21st Century (Surya Patnaik & Dale Hopkins)
Solution Manual Statics and Strengths of Materials (6th Ed., Morrow & Kokernak)
Solution Manual Statics and Strengths of Materials (7th Ed., Morrow & Kokernak)
Solution Manual Engineering Mechanics : Statics (11th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Statics (12th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Statics - SI Units (12th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Dynamics (11th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Dynamics (12th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Dynamics - SI Units (12th Ed., Hibbeler)
Solution Manual Mechanics of Materials (4th Ed., Hibbeler)
Solution Manual Mechanics of Materials (6th Ed., Hibbeler)
Solution Manual Mechanics of Materials (7th Ed., Hibbeler)
Solution Manual Mechanics of Materials - SI Units (7th Ed., Hibbeler)
Solution Manual Mechanics of Materials (8th Ed., Hibbeler)
Solution Manual Statics and Mechanics of Materials (Beer, Johnston, DeWolf & Mazurek)
Solution Manual Statics and Mechanics of Materials (Bedford, Liechti & Fowler)
Solution Manual Statics and Mechanics of Materials (2nd Ed., Hibbeler)
Solution Manual Statics and Mechanics of Materials - SI Units (2nd Ed., Hibbeler)

Solution Manual Statics and Mechanics of Materials (3rd Ed., Hibbeler)
Solution Manual Energy Principles and Variational Methods in Applied Mechanics (2nd Ed., Reddy)
Solution Manual The Physics of Vibrations and Waves (6th Ed., Pain)
Solution Manual Engineering Vibrations (3rd Ed., Inman)
Solution Manual Mechanical Vibrations - SI Units (4th Ed., Singiresu S. Rao)
Solution Manual Mechanical Vibrations (5th Ed., Singiresu S. Rao)
Solution Manual Theory of Vibration : An Introduction (2nd Ed., A.A. Shabana)
Solution Manual Vibration of Discrete and Continuous Systems (2nd Ed., Ahmed Shabana)
Solution Manual Introduction to Finite Element Vibration Analysis (Maurice Petyt)
Solution Manual Vibrations and Stability : Advanced Theory, Analysis, and Tools (2nd Ed., Jon J. Thomsen)
Solution Manual Dynamics and Vibration : An Introduction (Magd Abdel Wahab)
Solution Manual Mechanical Vibration (William J. Palm, III)
Solution Manual Random Vibrations : Analysis of Structural and Mechanical Systems (Loren Lutes & Shahram Sarkani)
Solution Manual Mechanical and Structural Vibrations : Theory and Applications (by Jerry H. Ginsberg)
Solution Manual Fundamentals of Structural Integrity : Damage Tolerant Design and Nondestructive Evaluation (Alten F. Grandt)
Solution Manual A First Course in the Finite Element Method (4th Ed., Daryl L. Logan)
Solution Manual Finite Element Analysis Theory and Application with ANSYS (3rd Ed., Moaveni)
Solution Manual An Introduction to the Finite Element Method (3rd Ed., J. N. Reddy)
Solution Manual Fundamentals of Finite Element Analysis (1st Ed., David V. Hutton)
Solution Manual The Finite Element Method in Engineering (4th Ed., Rao)
Solution Manual The Finite Element Method in Engineering (5th Ed., Rao)
Solution Manual The Finite Element Method and Applications in Engineering Using ANSYS (Madenci & Guven)
Solution Manual Introduction to Finite Element Analysis and Design (Nam-Ho Kim, Bhavani V. Sankar)
Solution Manual Introduction to the Finite Element Method : Theory, Programming and Applications (Erik G. Thompson)
Solution Manual The Finite Element Method : Its Basis and Fundamentals (6th Ed., Zienkiewicz, R. L. Taylor & J.Z. Zhu)
Solution Manual Fundamental Finite Element Analysis and Applications : with Mathematica and Matlab Computations (Asghar Bhatti)
Solution Manual Advanced Topics in Finite Element Analysis of Structures : With Mathematica and MATLAB Computations (Asghar Bhatti)
Solution Manual Modeling and Analysis of Dynamic Systems (3rd Ed., Close)
Solution Manual Modeling and Simulation of Dynamic Systems (Robert Woods, Jr. & Kent Lawrence)

Solution Manual System Dynamics (1st Ed., William J Palm III)
Solution Manual System Dynamics (2nd Ed., William J Palm III)
Solution Manual System Dynamics and Response (S. Graham Kelly)
Solution Manual System Dynamics for Engineering Students : Concepts and Applications (Nicolae Lobontiu)
Solution Manual Dynamic Modeling and Control of Engineering Systems (2nd Ed., J. Lowen Shearer, Bohdan Kulakowski, John Gardner)
Solution Manual System Dynamics : Modeling and Simulation of Mechatronic Systems (4th Ed., Karnopp, Margolis & Rosenberg)
Solution Manual Concepts and Applications of Finite Element Analysis (4th Ed., Cook, Malkus, Plesha & Witt)
Solution Manual Finite Element Modeling for Stress Analysis (Robert Cook)
Solution Manual Fracture Mechanics : Fundamentals and Applications (2nd Ed., T.L. Anderson)
Solution Manual Mechanical Behavior of Materials (3rd Ed., Dowling)
Solution Manual Mechanical Behavior of Materials (W.F. Hosford)
Solution Manual Mechanical Behavior of Materials (Keith Bowman)
Solution Manual Theory and Design for Mechanical Measurements (4th Ed., Figliola & Beasley)
Solution Manual Theory and Design for Mechanical Measurements (5th Ed., Figliola & Beasley)
Solution Manual Mechanical Measurements (6th Ed., Beckwith, Marangoni & Lienhard)
Solution Manual Measurement and Data Analysis for Engineering and Science (Patrick Dunn)
Solution Manual Design and Analysis of Lean Production Systems (Askin & Goldberg)
Solution Manual Computer-Aided Manufacturing (3rd Ed., Tien-Chien Chang, Richard A. Wysk, Hsu-Pin Wang)
Solution Manual Work Systems : The Methods, Measurement & Management of Work (Mikell P. Groover)
Solution Manual Automation, Production Systems, and Computer-Integrated Manufacturing (2nd Ed., Groover)
Solution Manual Automation, Production Systems, and Computer-Integrated Manufacturing (3rd Ed., Groover)
Solution Manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (3rd Ed., Mikell Groover)
Solution Manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (4th Ed., Mikell Groover)
Solution Manual Materials and Processes in Manufacturing (9th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution Manual DeGarmo's Materials and Processes in Manufacturing (10th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution Manual Principles of Metal Manufacturing Processes (Beddoes & Bibby)
Solution Manual Design for Manufacturing : A Structured Approach (Corrado Poli)
Solution Manual Fundamentals of Manufacturing (2nd Ed., Philip D. Rufe)
Solution Manual Engineering Materials Science (Milton Ohring)
Solution Manual Engineering Materials : Properties and Selection (8th Ed., Budinski)

Solution Manual Engineering Materials : Properties and Selection (9th Ed., Budinski)
Solution Manual Materials Science for Engineering Students (Traugott Fischer)
Solution Manual Essentials of Modern Materials Science and Engineering (James Newell)
Solution Manual Science and Design of Engineering Materials (2nd Ed., Schaffer, Saxena, et al)
Solution Manual Structure and Properties of Engineering Materiales (5th Ed., Daniel Henkel & Alan Pense)
Solution Manual Materials Selection in Mechanical Design (3rd Ed., Michael Ashby)
Solution Manual Materials Selection in Mechanical Design (4th Ed., Michael Ashby)
Solution Manual Materials : Engineering, Science, Processing and Design (1st Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution Manual Materials : Engineering, Science, Processing and Design (2nd Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution Manual Engineering Materials Vol. 1 : An Introduction to Properties, Applications and Design (3rd Ed., Michael Ashby & David Jones)
Solution Manual Engineering Materials Vol. 2 : An Introduction to Microstructures, Processing and Design (3rd Ed., Michael Ashby & David Jones)
Solution Manual Materials Science and Engineering : An Introduction (6th Ed., William Callister)
Solution Manual Materials Science and Engineering : An Introduction (7th Ed., William Callister)
Solution Manual Materials Science and Engineering : An Introduction (8th Ed., William Callister)
Solution Manual Fundamentals of Materials Science and Engineering : Integrated Approach (2nd Ed., William Callister)
Solution Manual Fundamentals of Materials Science and Engineering : Integrated Approach (3rd Ed., William Callister)
Solution Manual Foundations of Materials Science and Engineering (3rd Ed, Smith)
Solution Manual Foundations of Materials Science and Engineering (4th Ed, Smith & Hashemi)
Solution Manual Foundations of Materials Science and Engineering (5th Ed, Smith & Hashemi)
Solution Manual Introduction to Materials Science for Engineers (6th Ed., Shackelford)
Solution Manual Introduction to Materials Science for Engineers (7th Ed., Shackelford)
Solution Manual Introduction to Materials Science for Engineers - International Edition (7th Ed., Shackelford)
Solution Manual Manufacturing Facilities Design and Material Handling (3rd Ed., Meyers & Stephens)
Solution Manual Manufacturing Facilities Design and Material Handling (4th Ed., Stephens & Meyers)
Solution Manual Manufacturing Processes for Engineering Materials (5th Ed. Kalpakjian & Smith)
Solution Manual Manufacturing Processes for Engineering Materials - SI

Units (5th Ed. Kalpakjian, Smith & Chih-Wah Kok)
Solution Manual Manufacturing, Engineering & Technology (5th Ed. Kalpakjian & Smith)
Solution Manual Manufacturing, Engineering & Technology (6th Ed. Kalpakjian & Smith)
Solution Manual Manufacturing, Engineering & Technology - SI Units (6th Ed. Kalpakjian & Smith)
Solution Manual Principles of Corrosion Engineering and Corrosion Control (Zaki Ahmad)
Solution Manual Steels : Microstructure and Properties (3rd Ed. Bhadeshia & Honeycombe)
Solution Manual Analysis and Performance of Fiber Composites (3rd Ed., Bhagwan Agarwal, Lawrence Broutman & K. Chandrashekhara)
Solution Manual Nanoengineering of Structural, Functional and Smart Materials (Mark Schulz, Ajit Kelkar, Mannur Sundaresan)
Solution Manual Applied Manufacturing Process Planning : With Emphasis on Metal Forming and Machining (Nelson, Schneider)
Solution Manual Mastering CAD/CAM (1st Ed., Ibrahim Zeid)
Solution Manual Principles of CAD/CAM/CAE (Kunwoo Lee)
Solution Manual Computer Numerical Control : Operation and Programming (3rd Ed., Stenerson & Curran)
Solution Manual Introduction to Computer Numerical Control (4th Ed., Valentino & Goldenberg)
Solution Manual Linear State-Space Control Systems (Robert L. Williams, II & Douglas A. Lawrence)
Solution Manual Gas Turbine Theory (6th Ed., H.I.H. Saravanamuttoo, G.F.C. Rogers, H. Cohen & Paul Straznicky)
Solution Manual Rocket Propulsion Elements (7th Ed., George P. Sutton & Oscar Biblarz)
Solution Manual Rocket Propulsion Elements (8th Ed., George P. Sutton & Oscar Biblarz)
Solution Manual Orbital Mechanics for Engineering Students (1st Ed., Howard Curtis)
Solution Manual Orbital Mechanics for Engineering Students (2nd Ed., Howard Curtis)
Solution Manual Atmospheric and Space Flight Dynamics : Modeling and Simulation with MATLAB and Simulink (Ashish Tewari)
Solution Manual Flight Dynamics Principles (2nd Ed., by Cook)
Solution Manual Mechanics of Flight (1st Ed., Warren F. Phillips)
Solution Manual Mechanics of Flight (2nd Ed., Warren F. Phillips)
Solution Manual Modern Flight Dynamics (David K. Schmidt)
Solution Manual Fundamentals of Airplane Flight Mechanics (David G. Hull)
Solution Manual Dynamics of Flight : Stability and Control (3rd Ed., Bernard Etkin & Lloyd Duff Reid)
Solution Manual Aircraft Rescue and Firefighting (5th Ed., IFSTA)
Solution Manual Aircraft Propulsion (Saeed Farokhi)
Solution Manual Aircraft Performance (Maido Saarlas)
Solution Manual Design of Aircraft (Thomas C. Corke)
Solution Manual Flight Performance of Fixed and Rotary Wing Aircraft (Antonio Filippone)
Solution Manual Fundamentals Of Aircraft Structural Analysis (Howard Curtis)

Solution Manual Aircraft Control and Simulation (2nd Ed., Brian Stevens & Frank Lewis)
Solution Manual Aircraft Structures for Engineering Students (3rd Ed., T.H.G. Megson)
Solution Manual Aircraft Structures for Engineering Students (4th Ed., T.H.G. Megson)
Solution Manual Introduction to Aircraft Structural Analysis (T.H.G. Megson)
Solution Manual Mechanics of Aircraft Structures (2nd Ed, C. T. Sun)
Solution Manual Principles of Helicopter Aerodynamics (1st Ed., Leishman)
Solution Manual Fundamentals of Aerodynamics (2nd Ed., Anderson)
Solution Manual Fundamentals of Aerodynamics (3th Ed., Anderson)
Solution Manual Fundamentals of Aerodynamics (4th Ed., Anderson)
Solution Manual Fundamentals of Aerodynamics (5th Ed., Anderson)
Solution Manual Aerodynamics for Engineers (5th Ed., John Bertin & Russell Cummings)
Solution Manual Introduction to Flight (5th Ed., Anderson)
Solution Manual Introduction to Flight (6th Ed., Anderson)
Solution Manual Mechatronics : Principles and Applications (Godfrey Onwubolu)
Solution Manual Mechatronics (Sabri Cetinkunt)
Solution Manual Introduction to Mechatronic Design (J. Edward Carryer, Matthew Ohline & Thomas Kenny)
Solution Manual Introduction to Mechatronics and Measurement Systems (2nd Ed., David Alciatore & Michael Histand)
Solution Manual Introduction to Mechatronics and Measurement Systems (3rd Ed., David Alciatore & Michael Histand)
Solution Manual Introduction to Mechatronics and Measurement Systems (4th Ed., David Alciatore & Michael Histand)
Solution Manual Introduction to Engineering Experimentation (2nd Ed., Wheeler & Ganji)
Solution Manual Introduction to Engineering Experimentation (3rd Ed., Wheeler & Ganji)
Solution Manual Gas Dynamics (3rd Ed., John & Keith)
Solution Manual Fundamentals of Gas Dynamics (2nd Ed, Robert D. Zucker)
Solution Manual Theory of Ground Vehicles (3rd Ed., J. Y. Wong)
Solution Manual Theory of Ground Vehicles (4th Ed., J. Y. Wong)
Solution Manual Vehicle Dynamics : Theory and Application (Reza Jazar)
Solution Manual Internal Combustion Engines : Applied Thermosciences (2nd Ed., Ferguson & Kirkpatrick)
Solution Manual Advanced Engine Performance Diagnosis (4th Ed., James Halderman)
Solution Manual Automotive Engines (8th Ed., Crouse)
Solution Manual Automotive Heating & Air Conditioning (5th Ed., Tom Birch)
Solution Manual Diagnosis and Troubleshooting of Automotive Electrical, Electronic, and Computer Systems (5th Ed., James Halderman)
Solution Manual Automotive Brake Systems Package (4th Ed., Rehkopf)
Solution Manual Automotive Brake Systems (4th Ed., Halderman)
Solution Manual Automotive Engine Performance (2nd Ed., Halderman)

Solution Manual Automotive Engines : Theory and Servicing (6th Ed., James Halderman)
Solution Manual Automotive Fuel and Emissions Control Systems (2nd Ed., James Halderman & James Linder)
Solution Manual Automotive Science and Mathematics (Allan Bonnick)
Solution Manual Automotive Mathematics (Jason Rouvel)
Solution Manual Automotive Service Management (Andrew Rezin)
Solution Manual Automotive Technology : Principles, Diagnosis, and Service (3rd Ed., Halderman)
Solution Manual Automotive Steering, Suspension, and Alignment (4th Ed., Halderman)
Solution Manual Automatic Transmissions & Transaxles (4th Ed., Tom Birch & Chuck Rockwood)
Solution Manual Hybrid and Alternative Fuel Vehicles (Halderman & Martin)
Solution Manual Manual Drivetrains and Axles (5th Ed., Birch & Rockwood)
Solution Manual Blueprint Reading for the Machine Trades (6th Ed., Schultz & Smith)
Solution Manual Modern Welding Technology (6th Ed., Cary & Helzer)
Solution Manual Tissue Engineering (Bernhard O. Palsson & Sangeeta N. Bhatia)
Solution Manual Tissue Engineering (Clemens van Blitterswijk, et al.)
Solution Manual Tissue Mechanics (Cowin, Doty)
Solution Manual Technology and Society (3rd Ed., Hjorth, Eichler, Khan & Morello)
Solution Manual BTEC First Engineering Curriculum Support Pack (Mike Tooley)
Solution Manual BTEC First Engineering (Mike Tooley)
Solution Manual Exploring Engineering : An Introduction to Engineering and Design (1st Ed., Philip Kosky, George Wise, Robert Balmer & William Keat)
Solution Manual Exploring Engineering : An Introduction to Engineering and Design (2nd Ed., Philip Kosky, Robert Balmer, William Keat & George Wise)
Solution Manual Engineering Science (5th Ed., W. Bolton)
Solution Manual Principles of Energy Conversion (2nd Ed., Archie W. Culp)
Solution Manual Fundamentals of Renewable Energy Processes (1st Ed., Aldo da Rosa)
Solution Manual Fundamentals of Renewable Energy Processes (2nd Ed., Aldo da Rosa)
Solution Manual Alternative Energy Systems (B. K. Hodge)
Solution Manual Solar Energy Engineering : Processes and Systems (Soteris Kalogirou)
Solution Manual Solar Engineering of Thermal Processes (2nd Ed., John Duffie & William Beckman)
Solution Manual Solar Engineering of Thermal Processes (3rd Ed., John Duffie & William Beckman)
Solution Manual Energy Technology and Directions for the Future (Fanchi)
Solution Manual Power Generation Technologies (Paul Breeze)
Solution Manual Concepts in Engineering (Holtzapple & Reece)

Solution Manual Concepts in Engineering (2nd Ed., Holtzapple & Reece)
Solution Manual Foundations of Engineering (2nd Ed, Holtzapple & Dan
Reece)
Solution Manual Industrial Mechanics and Maintenance (3rd Ed., Larry
Chastain)
Solution Manual Mechanical and Electrical Equipment for Buildings
(10th Ed., Stein, Reynolds, Grondzik, Kwok)
Solution Manual Mechanical and Electrical Equipment for Buildings
(11th Ed., Grondzik, Kwok, Stein & Reynolds)
Solution Manual Mechanical & Electrical Systems in Buildings (4th Ed.,
Richard Janis & William Tao)
Solution Manual Engineering Drawing And Design (7th Ed., Jensen,
Helsel & Short)
Solution Manual Autodesk Inventor (James M. Leake)
Solution Manual Engineering Design Graphics : Sketching, Modeling, and
Visualization (1st Ed., James Leake & Jacob Borgerson)
Solution Manual Orthopaedic Biomechanics : Mechanics and Design in
Musculoskeletal Systems (Donald Bartel, Dwight Davy & Tony Keaveny)
Solution Manual Science for Engineering (3rd Ed., John Bird)

```
---------------------------------------------------------------------------=
------------------------
```

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

```
---------------------------------------------------------------------------=
------------------------
```

```
From -3855134750904592398
X-Google-Thread: 108122,6ee085a81f9a2ed5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!k3g2000prl.googlegroups.com!not-for-
mail
From: claudeh <hclaudioblanco@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test Banks to Electrical, Electronics and
 Computer Engineering Books - part1
Date: Sat, 26 Mar 2011 15:41:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 986
Message-ID: <6e4f3cb4-9a5d-4e7d-8350-81fc4abcd75c@k3g2000prl.googlegroups.com>
NNTP-Posting-Host: 201.240.179.125
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301179296 26341 127.0.0.1 (26 Mar 2011 22:41:36 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Sat, 26 Mar 2011 22:41:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k3g2000prl.googlegroups.com; posting-host=201.240.179.125;
posting-account=mFFJOAoAAABaIQEBRX5f95y3rtsFRjms
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
Gecko/20110319 Firefox/3.6.16 (.NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2764

List of Solutions Manuals and Test Banks

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DADDS77XH

I do not review the forums, just send me an email.

- Electrical, Electronics & Computer Engineering :

Solution Manual Antenna Theory and Design (2nd Ed., Stutzman & Thiele)
Solution Manual Antennas for All Applications (3rd Ed., John Kraus & Ronald Marhefka)
Solution Manual Principles of Neurocomputing for Science and Engineering (Fredric M. Ham & Ivica Kostanic)
Solution Manual Introduction to Algorithms (2nd Ed., Cormen, et al.)
Solution Manual Algorithms (Dasgupta, et al.)
Solution Manual Applied Operating Systems Concepts (Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts (6th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts (7th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts (8th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating Systems Concepts with Java (6th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts with Java (7th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts with Java (8th Ed., Silberschatz, Galvin & Gagne)
Solution Manual C++ Program Design (3rd Ed., Cohoon & Davidson)
Solution Manual Java : Program Design 5.0 (Cohoon & Davidson)
Solution Manual Programming in C++ : Lessons and Applications (Timothy B. D'Orazio)
Solution Manual Applied C : An Introduction and More (Alice Fischer)
Solution Manual Programming Languages : Principles and Paradigms (1st Ed., Allen Tucker & Robert Noonan)
Solution Manual Programming Languages : Principles and Paradigms (2nd Ed., Allen Tucker & Robert Noonan)
Solution Manual Introduction to Parallel Computing (2nd Ed., Grama, Karypis, Kumar & Gupta)
Solution Manual Parallel Programming in C with MPI and Open MP (Michael J Quinn)
Solution Manual Data Communications and Network Security (Houston H. Carr & Charles Snyder)
Solution Manual Data Communications and Networks (David Miller)

Solution Manual Management Information Systems (3rd Ed., Post & Anderson)
Solution Manual Management Information Systems (4th Ed., Post & Anderson)
Solution Manual Database Management Systems (3rd Ed. Post)
Solution Manual Management Information Systems (9th Ed., James A. O'Brien, George Marakas)
Solution Manual Introduction to Systems Analysis and Design (Whitten & Bentley)
Solution Manual Systems Analysis & Design : An Active Approach (2nd Ed., Marakas)
Solution Manual An Introduction to Object-Oriented Programming with Java (4th Ed., C. Thomas Wu - Otani)
Solution Manual An Introduction to Object-Oriented Programming with Java (5th Ed., C. Thomas Wu - Otani)
Solution Manual A Comprehensive Introduction to Object-Oriented Programming With Java (C. Thomas Wu)
Solution Manual Data Structures and the Java Collections Framework (1st Ed., William Collins)
Solution Manual Data Structures and the Java Collections Framework (2nd Ed., William Collins)
Solution Manual Data Structures and the Standard Template Library (William Collins)
Solution Manual Database System Concepts (4th Ed., Silberschatz)
Solution Manual Database System Concepts (5th Ed., Silberschatz)
Solution Manual Database System Concepts (6th Ed., Silberschatz, Korth & Sudarshan)
Solution Manual Database Management Systems (3rd Ed., Ramakrishnan & Gehrke)
Solution Manual Fundamentals of Network Security (Eric Maiwald)
Solution Manual Computing Concepts (1st Ed., Haag, et al.)
Solution Manual Computing Concepts (2nd Ed., Haag et al.)
Solution Manual Microsoft Office 2003 (Haag et al.)
Solution Manual Advanced Programming Using Visual Basic .NET (2nd Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Advanced Programming Using Visual Basic 2005 (3rd Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming with Java (Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming in C#.Net (1st Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming in Visual C# 2005 (2nd Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Learning Programming Using Visual Basic.Net (Bill Burrows & Joe Lanford)
Solution Manual Programming in Visual Basic.NET : Visual Basic.NET 2005 (6th Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming in Visual Basic .Net : 2003 Update Edition (5th Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Survey of Operating Systems (2nd Ed., Jane Holcombe & Charles Holcombe)
Solution Manual Principles of Voice and Data Communications (Regis J. Bates & Marcus Bates)

Solution Manual Mike Meyers' Network+ Guide To Managing and Troubleshooting Networks (Michael Meyers)
Solution Manual Introduction to Windows Server 2003 (Eric Ecklund)
Solution Manual Programming The Web : An Introduction (Barrie Sosinsky & Valda Hilley)
Solution Manual Programming The Web Using XML (Ellen Pearlman & Eileen Mullin)
Solution Manual Internet Marketing : Building Advantage in a Networked Economy (2nd Ed., Rafi Mohammed et al.)
Solution Manual Internet Technologies at Work (Fred T. Hofstetter)
Solution Manual Internet Literacy (4th Ed., Fred T. Hofstetter)
Solution Manual Software Engineering : A Practitioner's Approach (5th Ed., Roger Pressman)
Solution Manual Software Engineering : A Practitioner's Approach (6th Ed., Roger Pressman)
Solution Manual Software Engineering : A Practitioner's Approach (7th Ed., Roger Pressman)
Solution Manual Web Engineering : A Practioner's Approach (1st Ed., Roger S. Pressman & David Lowe)
Solution Manual Object-Oriented Software Engineering (Stephen Schach)
Solution Manual Object-Oriented and Classical Software Engineering (5th Ed., Steve Schach)
Solution Manual Object-Oriented and Classical Software Engineering (6th Ed., Steve Schach)
Solution Manual Object-Oriented and Classical Software Engineering (7th Ed., Steve Schach)
Solution Manual Object-Oriented and Classical Software Engineering (8th Ed., Steve Schach)
Solution Manual Introduction to Object-Oriented Analysis and Design (Steve Schach)
Solution Manual Communication Networks (2nd Ed., Alberto Leon-Garcia & Indra Widjaja)
Solution Manual Fundamentals of Digital Logic with Verilog Design (1st Ed., Stephen Brown & Zvonko Vranesic)
Solution Manual Fundamentals of Digital Logic with Verilog Design (2nd Ed., Stephen Brown & Zvonko Vranesic)
Solution Manual Continuous and Discrete Control Systems (John Dorsey)
Solution Manual Engineering Circuit Analysis (6th Ed., William Hayt, Jack Kemmerly & Steven Durbin)
Solution Manual Engineering Circuit Analysis (7th Ed., William Hayt, Jack Kemmerly & Steven Durbin)
Solution Manual Engineering Electromagnetics (7th Ed., William Hayt & John Buck)
Solution Manual Principles of Electronic Materials and Devices (2nd Ed., Safa O. Kasap)
Solution Manual Principles of Electronic Materials and Devices (3rd Ed., Safa O. Kasap)
Solution Manual Programming in Haskell (Graham Hutton)
Solution Manual Probability and Random Processes With Applications to Signal Processing and Communications (Miller & Childers)
Solution Manual Logic in Computer Science : Modelling and Reasoning about Systems (2nd Ed., Michael Huth & Mark Ryan)
Solution Manual Introduction to Distributed Algorithms (2nd., Gerard

Tel)
Solution Manual Information Theory, Inference and Learning Algorithms (David J. C. MacKay)
Solution Manual Digital Systems Engineering (William Dally & John Poulton)
Solution Manual Concepts in Programming Languages (by John Mitchell)
Solution Manual Simulation Modeling and Analysis (3rd Ed., Averill Law & David Kealton)
Solution Manual Simulation Modeling and Analysis with Expertfit Software (4th Ed., Averill Law)
Solution Manual System Modeling and Analysis : Foundations of System Performance Evaluation (Hisashi Kobayashi & Brian Mark)
Solution Manual Wireless Communications (Andrea Goldsmith)
Solution Manual Testing of Digital Systems (N. K. Jha & S. Gupta)
Solution Manual Space-Time Coding (Hamid Jafarkhani)
Solution Manual Space-Time Block Coding for Wireless Communications (Erik Larsson & Petre Stoica)
Solution Manual Smart Electronic Materials : Fundamentals and Applications (Jasprit Singh)
Solution Manual Radio-Frequency Electronics : Circuits and Applications (Jon Hagen)
Solution Manual Photonic Devices (Jia-ming Liu)
Solution Manual Networking Wireless Sensors (Bhaskar Krishnamachari)
Solution Manual Mobile Wireless Communications (Mischa Schwartz)
Solution Manual Introduction to Color Imaging Science (Hsien-Che Lee)
Solution Manual Fundamentals of Wireless Communication (David Tse & Pramod Viswanath)
Solution Manual Fundamentals of Modern VLSI Devices (Yuan Taur & Tak H. Ning)
Solution Manual Electronic and Optoelectronic Properties of Semiconductor Structures (Jasprit Singh)
Solution Manual An Introduction to Statistical Signal Processing (Robert M. Gray)
Solution Manual An Introduction to Radio Frequency Engineering (Christopher Coleman)
Solution Manual Algebraic Codes for Data Transmission (Richard Blahut)
Solution Manual Fundamentals of Solid State Electronics (C.T. Sah)
Solution Manual Fundamentals of Solid State Engineering (2nd Ed., Manijeh Razeghi)
Solution Manual Robot Modeling and Control (Spong, Hutchinson & Vidyasagar)
Solution Manual Theory of Applied Robotics : Kinematics, Dynamics and Control (Reza N. Jazar)
Solution Manual Control of Robot Manipulators in Joint Space (R. Kelly, V. Santib=E1=F1ez, A. Lor=EDa)
Solution Manual Modelling and Control of Robot Manipulators (2nd Ed., Lorenzo Sciavicco, Bruno Siciliano)
Solution Manual Robotics : Modelling, Planning and Control (Bruno Siciliano, Lorenzo Sciavicco, Luigi Villani & Giuseppe Oriolo)
Solution Manual Fundamentals of Semiconductor Fabrication (Gary S. May, Simon M. Sze)
Solution Manual Semiconductor Devices : Physics and Technology (2nd Ed, Simon M. Sze)

Solution Manual Physics of Semiconductor Devices (3rd Ed., Simon M. Sze, Kwok K. Ng)
Solution Manual Electric Machinery (6th Ed., Fitzgerald)
Solution Manual Electric Machinery Fundamentals (4th Ed., Chapman)
Solution Manual Electric Machinery and Power System Fundamentals (Chapman)
Solution Manual Local Area Networks (2nd Ed., Keiser)
Solution Manual Signals and Systems : Analysis of Signals Through Linear Systems (1st Ed., M.J. Roberts)
Solution Manual Fundamentals of Signals and Systems (M.J. Roberts)
Solution Manual Introduction to Signals and Systems (Lindner)
Solution Manual Semiconductor Physics and Devices (3rd Ed., Donald Neamen)
Solution Manual An Introduction to Semiconductor Devices (Donald Neamen)
Solution Manual Microelectronic Circuit Analysis and Design (3rd Ed., Donald Neamen)
Solution Manual Electronic Circuit Analysis and Design (2nd Ed., Donald Neamen)
Solution Manual Design for Electrical and Computer Engineers (1st Ed., Ralph Ford & Chris Coulston)
Solution Manual Fundamentals of Modeling and Analyzing Engineering Systems (Cha, Rosenberg, Dym)
Solution Manual Linear Systems (Panos J. Antsaklis & Anthony N. Michel)
Solution Manual A Linear Systems Primer (Panos J. Antsaklis & Anthony N. Michel)
Solution Manual Principles of Linear Systems (Philip E. Sarachik)
Solution Manual Linear Systems Control : Deterministic and Stochastic Methods (Elbert Hendricks, Ole Jannerup & Paul Haase S=F8rensen)
Solution Manual Power Systems Harmonics : Fundamentals, Analysis and Filter Design (George J. Wakileh)
Solution Manual Principles of Adaptive Filters and Self-learning Systems (Anthony Zaknich)
Solution Manual Algebraic Methods for Nonlinear Control Systems (2nd Ed., Conte, Moog & Perdon)
Solution Manual Discrete-Time Control Systems (2nd Ed., K. Ogata)
Solution Manual Modern Control Engineering - Problems B (3rd Ed., K. Ogata)
Solution Manual Modern Control Engineering (4th Ed., K. Ogata)
Solution Manual Modern Control Engineering (5th Ed., K. Ogata)
Solution Manual Modern Control Engineering - International Version (5th Ed., K. Ogata)
Solution Manual LabVIEW 8 Student Edition (Bishop)
Solution Manual LabVIEW 2009 Student Edition (Bishop)
Solution Manual Learning with LabVIEW 2009 (Bishop)
Solution Manual Introduction to Feedback Control (Li Qiu & Kemin Zhou)
Solution Manual Modeling and Simulation of Dynamic Systems (Robert Woods, Jr. & Kent Lawrence)
Solution Manual Feedback Control of Dynamic Systems (4th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Feedback Control of Dynamic Systems (5th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)

Solution Manual Feedback Control of Dynamic Systems (6th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Feedback Control of Dynamic Systems - International Version (6th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Predictive Control with Constraints (Jan Maciejowski)
Solution Manual Computer Numerical Control : Operation and Programming (3rd Ed., Stenerson & Curran)
Solution Manual Engineering Problem Solving with C (3rd Ed., Etter)
Solution Manual Engineering Problem Solving with C++ (2nd Ed., Etter)
Solution Manual Process Control Instrumentation Technology (8th Ed., Johnson)
Solution Manual Electrical Power and Controls (2nd Ed., Skvarenina & DeWitt)
Solution Manual Electronics and Computer Math (8th Ed., Deem & Zannini)
Solution Manual Circuits, Signals, and Systems for Bioengineers : A MATLAB-Based Introduction (John Semmlow)
Solution Manual VLSI Test Principles and Architectures : Design for Testability (Laung-Terng Wang, Cheng-Wen Wu & Xiaoqing Wen)
Solution Manual Mechatronics : Principles and Applications (Godfrey Onwubolu)
Solution Manual Mechatronics (Sabri Cetinkunt)
Solution Manual Introduction to Mechatronic Design (J. Edward Carryer, Matthew Ohline & Thomas Kenny)
Solution Manual Introduction to Mechatronics and Measurement Systems (2nd Ed., David Alciatore & Michael Histand)
Solution Manual Introduction to Mechatronics and Measurement Systems (3rd Ed., David Alciatore & Michael Histand)
Solution Manual Introduction to Mechatronics and Measurement Systems (4th Ed., David Alciatore & Michael Histand)
Solution Manual Machine Vision : Theory, Algorithms, Practicalities (3rd Ed., E. R. Davies)
Solution Manual Essential Java for Scientists and Engineers (Brian D. Hahn & Katherine M. Malan)
Solution Manual Guide to Microsoft Excel 2002 for Scientists and Engineers (3rd Ed., Bernard V. Liengme)
Solution Manual 10-Key Touch Key : Developing Speed and Accuracy (Burton)
Solution Manual Introduction to C++ Programming, Brief Version (Y. Daniel Liang)
Solution Manual Introduction to C++ Programming, Comprehensive (Y. Daniel Liang)
Solution Manual C++ for Business Programmers (2nd Ed., John C. Molluzzo)
Solution Manual Introduction to Java Programming - Brief Version (7th Ed., Liang)
Solution Manual Introduction to Java Programming - Brief Version (8th Ed., Liang)
Solution Manual Introduction to Java Programming - Brief Version - International Edition (8th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version (6th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive

Version (7th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version (8th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version - International Edition (8th Ed., Liang)
Solution Manual Introduction to Java Programming : Fundamentals First (6th Ed., Y. Daniel Liang)
Solution Manual Objects First With Java : A Practical Introduction Using BlueJ (3rd Ed., Barnes & Kolling)
Solution Manual Simply Java Programming : An Application-Driven=99 Tutorial Approach (Deitel)
Solution Manual Java : An Introduction to Computing (Joel Adams, Larry R. Nyhoff & Jeffrey Nyhoff)
Solution Manual Advanced Java=99 2 Platform How to Program (Deitel & Santry)
Solution Manual SQL for SQL Server (Bijoy Bordoloi & Douglas B. Bock)
Solution Manual SQL Clearly Explained (3rd Ed., Jan Harrington)
Solution Manual An Introduction to Programming Using Visual Basic 2005 (6th Ed., Schneider)
Solution Manual An Introduction to Programming Using Visual Basic 2008 (7th Ed., Schneider)
Solution Manual An Introduction to Programming Using Visual Basic 2010 (8th Ed., Schneider)
Solution Manual Simply Visual Basic .NET (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual Simply Visual Basic 2005 (2nd Ed., Harvey & Paul Deitel)
Solution Manual Simply Visual Basic 2008 (3rd Ed., Harvey & Paul Deitel)
Solution Manual Visual Basic 2005 How to Program (3rd Ed., Deitel)
Solution Manual Visual Basic 2008 How to Program (4th Ed., Deitel)
Solution Manual Visual Basic 2010 How to Program (5th Ed., Deitel)
Solution Manual An Introduction to Programming with Visual Basic 6.0 (4th Ed., Schneider)
Solution Manual Visual Basic.Net Programming (2nd Ed., Jeffrey Tsay)
Solution Manual Simply Visual Basic .NET (Harvey & Paul Deitel & Nieto)
Solution Manual Mechatronics (Sabri Cetinkunt)
Solution Manual PC Systems, Installation and Maintenance (2nd Ed., R.P. Beales)
Solution Manual Introduction to Linear Programming (Leonid N. Vaserstein)
Solution Manual Electric Circuits Fundamentals (8th Ed., Thomas Floyd)
Solution Manual Introductory Circuit Analysis (11th Ed., Robert L. Boylestad)
Solution Manual Introductory Circuit Analysis (12th Ed., Robert L. Boylestad)
Solution Manual Principles of Electric Circuits : Conventional Current Version (8th Ed., Thomas Floyd)
Solution Manual Principles of Electric Circuits : Conventional Current Version (9th Ed., Thomas Floyd)
Solution Manual Principles of Electric Circuits : Electron Flow Version (8th Ed., Thomas L. Floyd)

Solution Manual Principles of Electric Circuits : Electron Flow Version (9th Ed., Thomas L. Floyd)
Solution Manual Contemporary Electric Circuits : Insights and Analysis (2nd ed., Strangeway, Petersen, Gassert & Lokken)
Solution Manual Introductory Electronic Devices and Circuits : Electron Flow Version (7th Ed., Paynter)
Solution Manual Introductory Electronic Devices and Circuits : Conventional Flow Version (7th Ed., Paynter)
Solution Manual Electronics Technology Fundamentals : Conventional Flow (2nd Ed., Robert T. Paynter & Toby Boydell)
Solution Manual Electronics Technology Fundamentals : Conventional Flow (3rd Ed., Robert T. Paynter & Toby Boydell)
Solution Manual Electronics Technology Fundamentals : Electron Flow (2nd Ed., Robert T. Paynter, Toby Boydell)
Solution Manual Electronics Technology Fundamentals : Electron Flow (3rd Ed., Robert T. Paynter, Toby Boydell)
Solution Manual Introductory DC/AC Circuits (6th Ed., Nigel P. Cook)
Solution Manual Introductory DC/AC Electronics (6th Ed., Nigel P. Cook)
Solution Manual Electronic Devices : Conventional Current Version (7th Ed., Floyd)
Solution Manual Electronic Devices : Conventional Current Version (8th Ed., Floyd)
Solution Manual Electronic Devices : Electron Flow Version (7th, Floyd)
Solution Manual Electronic Devices : Electron Flow Version (8th, Floyd)
Solution Manual Electronics Fundamentals : Circuits, Devices and Applications (7th Ed., Thomas L. Floyd)
Solution Manual Electronics Fundamentals : Circuits, Devices and Applications (8th Ed., Floyd & Buchla)
Solution Manual Electronic Devices and Circuit Theory (9th Ed., Boylestad, Nashelsky)
Solution Manual Electronic Devices and Circuit Theory (10th Ed., Boylestad, Nashelsky)
Solution Manual The Science of Electronics : DC/AC (David M. Buchla, Thomas L. Floyd)
Solution Manual The Science of Electronics : Digital (Floyd & Buchla)
Solution Manual The Science of Electronics: Analog Devices (Floyd & Buchla)
Solution Manual Digital Electronics : A Practical Approach (7th Ed., Kleitz)
Solution Manual Digital Electronics : A Practical Approach (8th Ed., Kleitz)
Solution Manual Digital Systems : Principles and Applications (10th Ed., Tocci, Widmer & Moss)
Solution Manual Digital Electronics with VHDL - Quartus II Version (Kleitz)
Solution Manual Digital Fundamentals (9th Ed., Floyd)
Solution Manual Digital Fundamentals (10th Ed., Floyd)
Solution Manual Digital Fundamentals with PLD Programming (Thomas L. Floyd)
Solution Manual The 8051 Microcontroller (4th Ed., MacKenzie & Chung-

Wei Phan)
Solution Manual The 8051 Microcontroller and Embedded Systems (2nd Ed., Muhammad Ali Mazidi, Janice Mazidi & Rolin McKinlay)
Solution Manual INTEL Microprocessors 8086/8088, 80186/80188, 80286, 80386, 80486, Pentium, Prentium ProProcessor, Pentium II, III, 4, (7th Ed., Barry B. Brey)
Solution Manual Microcontroller Technology : The 68HC11 (5th Ed., Peter Spasov)
Solution Manual PIC Microcontroller (Muhammad Ali Mazidi, Rolin McKinlay & Danny Causey)
Solution Manual HCS12 Microcontrollers and Embedded Systems : Using Assembly and C with CodeWarrior (Muhammad Ali Mazidi, Danny Causey & Janice Mazidi)
Solution Manual The x86 PC : Assembly Language, Design, and Interfacing (5th Ed., Muhammad Ali Mazidi, Janice Mazidi & Danny Causey)
Solution Manual The AVR Microcontroller and Embedded Systems : Using Assembly and C (Muhammad Ali Mazidi, Sarmad Naimi & and Sepehr Naimi)
Solution Manual Industrial Electronics (James A. Rehg, Glenn J. Sartori)
Solution Manual Programmable Controllers Using the Allen-Bradley SlC-500 Family (2nd Ed., Dave Geller)
Solution Manual Programmable Logic Controllers (James A. Rehg, Glenn J. Sartori)
Solution Manual Fundamentals of Programmable Logic Controllers, Sensors, and Communications (3rd Ed., Jon Stenerson)
Solution Manual An Introduction to Programming with Visual Basic 6.0, Update Edition (4th Ed., Schneider)
Solution Manual C++ Programming Today (1st Ed., Barbara Johnston)
Solution Manual C++ Programming Today (2nd Ed., Barbara Johnston)
Solution Manual Introduction to Data Communications and Networking (Wayne Tomasi)
Solution Manual Introduction to Telecommunications (2nd Ed., Martha Rosengrant)
Solution Manual Network Security Essentials : Applications and Standards (3rd Ed., William Stallings)
Solution Manual Network Security Essentials : Applications and Standards (4th Ed., William Stallings)
Solution Manual Information Security: Principles and Practices (Mark Merkow, James Breithaupt)
Solution Manual Principles and Practice of Information Security (Linda Volonino, Stephen R. Robinson)
Solution Manual Principles of Electronic Communication Systems (3rd Ed., Louis E. Frenzel)
Solution Manual Modern Electronic Communication (8th Ed., Jeff Beasley, Gary M. Miller)
Solution Manual Modern Electronic Communication (9th Ed., Jeff Beasley, Gary M. Miller)
Solution Manual Electronic Communications for Technicians (2nd ed., Tom Wheeler)
Solution Manual Concepts In Systems and Signals (2nd Ed., John D. Sherrick)
Solution Manual Understanding Fiber Optics (5th Ed., Jeff Hecht)

Solution Manual Understanding UNIX/LINUX Programming : A Guide to Theory and Practice (Bruce Molay)
Solution Manual Applying PIC18 Microcontrollers : Architecture, Programming, and Interfacing using C and Assembly (Barry Brey)
Solution Manual Electrical Power and Controls (2nd Ed., Timothy L. Skvarenina, William E. DeWitt)
Solution Manual Process Control Instrumentation Technology (8th Ed., Curtis Johnson)
Solution Manual Electrical Machines, Drives and Power Systems (6th Ed., Theodore Wildi)
Solution Manual Introduction to Vacuum Technology (David M. Hata)
Solution Manual Electronic Project Design and Fabrication (6th Ed., Ronald A. Reis)
Solution Manual Technology and Society (3rd Ed., Linda Hjorth, Barbara A. Eichler, Ahmed S. Khan, John Morello)
Solution Manual Solid State Electronic Devices (6th Ed., Ben Streetman, Sanjay Banerjee)
Solution Manual Approaching Quantum Computing (Dan C. Marinescu & Gabriela M. Marinescu)
Solution Manual Foundations of MEMS (Chang Liu)
Solution Manual Basic Electromagnetics with Applications (Nannapaneni Narayana Rao)
Solution Manual Elements of Engineering Electromagnetics (6th Ed., Nannapaneni Narayana Rao)
Solution Manual Fundamentals of Electromagnetics for Electrical and Computer Engineering (Nannapaneni Narayana Rao)
Solution Manual Digital Design (4th Ed., M. Morris Mano & Michael D. Ciletti)
Solution Manual Digital Design : Principles and Practices Package (4th Ed., John F. Wakerly)
Solution Manual VHDL: A Starter's Guide (2nd Ed., Sudhakar Yalamanchili)
Solution Manual Computer Organization and Architecture : Designing for Performance (7th Ed., William Stallings)
Solution Manual Computer Organization and Architecture : Designing for Performance (8th Ed., William Stallings)
Solution Manual Parallel Programming : Techniques and Applications Using Networked Workstations and Parallel Computers (2nd Ed., Barry Wilkinson & Michael Allen)
Solution Manual Fundamentals of Parallel Processing (Harry F. Jordan & Gita Alaghband)
Solution Manual Digital and Analog Communication Systems (7th Ed., Leon W. Couch)
Solution Manual Digital Communications (4th Ed., John Proakis)
Solution Manual Digital Communications (5th Ed., John Proakis)
Solution Manual Principles of Digital Communication and Coding (Andrew J. Viterbi, Jim K. Omura)
Solution Manual Modern Wireless Communications (Simon Haykin, Michael Moher)
Solution Manual Communication Systems Engineering (2nd Ed., John G. Proakis & Masoud Salehi)
Solution Manual ISDN and Broadband ISDN with Frame Relay and ATM (4th Ed., William Stallings)

Solution Manual Data and Computer Communications (8th Ed., William Stallings)
Solution Manual Cryptography and Network Security (4th Ed., William Stallings)
Solution Manual Cryptography and Network Security : Principles and Practice (5th Ed., William Stallings)
Solution Manual Computer Networking with Internet Protocols (William Stallings)
Solution Manual Local and Metropolitan Area Networks (6th Ed., William Stallings)
Solution Manual Probabilistic Systems and Random Signals (Abraham Haddad)
Solution Manual Error Control Coding (2nd Ed., Shu Lin & Daniel J. Costello)
Solution Manual Wireless Communications & Networks (2nd ed., William Stallings)
Solution Manual Wireless Communications and Networking (Jon W. Mark, Weihua Zhuang)
Solution Manual Detection and Estimation Theory (Thomas Schonhoff & Arthur Giordano)
Solution Manual Signals, Systems, and Transforms (3rd Ed., Charles Phillips, John Parr & Eve Riskin)
Solution Manual Signals, Systems, and Transforms (4th Ed., Charles Phillips, John Parr & Eve Riskin)
Solution Manual Signals, Systems, and Transforms - International Version (4th Ed., Charles Phillips, John Parr & Eve Riskin)
Solution Manual Fundamentals of Signals and Systems Using the Web and Matlab (3rd Ed., Edward Kamen & Bonnie Heck)
Solution Manual Adaptive Filter Theory (4th Ed., Simon Haykin)
Solution Manual Neural Networks and Learning Machines (3rd Ed., Simon Haykin)
Solution Manual Spectral Analysis of Signals (Petre Stoica & Randolph L. Moses)
Solution Manual Fluency with Information Technology : Skills, Concepts, and Capabilities (2nd Ed., Snyder)
Solution Manual Fluency with Information Technology : Skills, Concepts, and Capabilities (3rd Ed., Snyder)
Solution Manual Fluency with Information Technology, Brief Edition (Lawrence Snyder)
Solution Manual Excel 2003 Volume II: Advanced Concepts in Excel (5th Ed., Karen Jolly)
Solution Manual Focus on Excel 2003 (Julie Hayward Spooner)
Solution Manual Comprehensive Excel 2002 for Office XP (4th Ed., Karen Jolly)
Solution Manual Ethics for the Information Age (2nd Ed., Michael Quinn)
Solution Manual Ethics for the Information Age (3rd Ed., Michael Quinn)
Solution Manual Computer Science : An Overview (8th Ed., J. Glenn Brookshear)
Solution Manual Computer Science : An Overview (9th Ed., J. Glenn Brookshear)
Solution Manual Computer Science : An Overview (10th Ed., J. Glenn

Brookshear)
Solution Manual Excel 2003 Volume 1 : Core Concepts in Excel (5th Ed., Karen J. Jolly)
Solution Manual Concise Prelude to Programming : Concepts and Design (2nd Ed., Stewart Venit)
Solution Manual Concise Prelude to Programming (3rd Ed., Stewart Venit & Elizabeth Drake)
Solution Manual Extended Prelude to Programming : Concepts and Design (2nd Ed., Stewart Venit)
Solution Manual Extended Prelude to Programming (3rd Ed., Stewart Venit & Elizabeth Drake)
Solution Manual Logic and Design of Computer Programs (Jim Messinger)
Solution Manual Absolute C++ (2nd Ed., Walter Savitch)
Solution Manual Absolute C++ (3rd Ed., Walter Savitch)
Solution Manual Absolute C++ (4th Ed., Walter Savitch)
Solution Manual Problem Solving with C++ : The Object of Programming (5th Ed., Walter Savitch)
Solution Manual Problem Solving with C++ (6th Ed., Walter Savitch)
Solution Manual Problem Solving with C++ (7th Ed., Walter Savitch)
Solution Manual Problem Solving, Abstraction, and Design using C++ (4th Ed., Frank Friedman & Elliot Koffman)
Solution Manual Problem Solving, Abstraction & Design Using C++ (5th Ed., Frank Friedman & Elliot Koffman)
Solution Manual Starting Out with C++ : From Control Structures through Objects (5th Ed., Tony Gaddis)
Solution Manual Starting Out with C++ : From Control Structures through Objects (6th Ed., Tony Gaddis)
Solution Manual Starting Out with C++ : From Control Structures through Objects - Brief Version (6th Ed., Tony Gaddis)
Solution Manual Starting out with C++ Brief Version Updated (4th Ed., Gaddis & Krupnow)
Solution Manual Starting out with C++ Brief Version (5th Ed., Gaddis & Krupnow)
Solution Manual Starting Out with C++ : Brief Version Update, Visual C++ .NET (4th Ed., Gaddis & Krupnow)
Solution Manual Starting Out with C++ : Early Objects (5th Ed., Gaddis, Walters & Muganda)
Solution Manual Starting Out with C++ : Early Objects (6th Ed., Gaddis, Walters & Muganda)
Solution Manual Starting Out with C++ : Early Objects (7th Ed., Gaddis, Walters & Muganda)
Solution Manual C++ By Dissection (Ira Pohl)
Solution Manual Essential C++ for Engineers and Scientists (2nd Ed., Jeri Hanly)
Solution Manual C++ Coach : Essentials for Introductory Programming (Jeff Salvage)
Solution Manual C++ Primer (4th Ed., Stanley Lippman, Jos=E9e Lajoie & Barbara Moo)
Solution Manual Engineering Computation with MATLAB (1st Ed., David Smith)
Solution Manual Engineering Computation with MATLAB (2nd Ed., David Smith)
Solution Manual Absolute Java (1st Ed., Walter Savitch)

Solution Manual Absolute Java (2nd Ed., Walter Savitch)
Solution Manual Absolute Java (3rd Ed., Walter Savitch)
Solution Manual Absolute Java (4th Ed., Walter Savitch)
Solution Manual The Art and Science of Java (Eric Roberts)
Solution Manual Building Java Programs : A Back to Basics Approach (Stuart Reges & Martin Stepp)
Solution Manual Introduction to Programming in Java : An Interdisciplinary Approach (Robert Sedgewick & Kevin Wayne)
Solution Manual Java Foundations: Introduction to Program Design and Data Structures (John Lewis, Peter DePasquale & Joe Chase)
Solution Manual Starting Out with Java : Early Objects (3rd Ed., Gaddis)
Solution Manual Starting Out with Java : From Control Structures through Objects (3rd Ed., Gaddis)
Solution Manual Starting Out with Java : From Control Structures through Objects (4th Ed., Gaddis)
Solution Manual Java Software Solutions (Java 5.0 version) : Foundations of Program Design (4th Ed., Lewis & Loftus)
Solution Manual Java Software Solutions : Foundations of Program Design (5th Ed., Lewis & Loftus)
Solution Manual Java Software Solutions : Foundations of Program Design (6th Ed., Lewis & Loftus)
Solution Manual Starting Out with Java : From Control Structures through Data Structures (Gaddis & Muganda)
Solution Manual Object of Java, The: Introduction to Programming Using Software Engineering Principles (2nd Ed, David Riley)
Solution Manual Object-Oriented Programming in Java : A Graphical Approach, Preliminary Edition (Kathryn E. Sanders & Andy van Dam)
Solution Manual Starting Out with Java 5 : Control Structures to Objects (Tony Gaddis)
Solution Manual Starting Out with Java 5 : Early Objects (Tony Gaddis)
Solution Manual Introduction to Programming Using Java : An Object-Oriented Approach (2nd Ed., David Arnow, Scott Dexter & Gerald Weiss)
Solution Manual Computing with Java (2nd Ed., Art Gittleman)
Solution Manual Problem Solving with Java, Update (2nd Ed., Elliot B. Koffman & Ursula Wolz)
Solution Manual Starting Out with Alice : A Visual Introduction to Programming (Tony Gaddis)
Solution Manual Problem Solving and Program Design in C (4th Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Problem Solving and Program Design in C (5th Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Problem Solving and Program Design in C (6th Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Starting Out with Visual Basic 2005 (3rd Ed., Tony Gaddis & Kip Irvine)
Solution Manual Starting Out with Visual Basic 6 (Tony Gaddis, Kip Irvine & Bruce Denton)
Solution Manual Starting Out with Visual Basic.Net (2nd Ed., Tony Gaddis, Kip Irvine & Bruce Denton)
Solution Manual Computer Programming Fundamentals with Applications in Visual Basic=AE 6.0 (Mitchell Kerman & Ronald Brown)
Solution Manual Advanced VB.NET Alternate with VB.Net CD's (3rd Ed.,

Kip Irvine & Tony Gaddis)
Solution Manual Advanced Visual Basic 2005 (4th Ed., Kip Irvine & Tony Gaddis)
Solution Manual C# Software Solutions : Foundations of Program Design (John Lewis)
Solution Manual Problem Solving, Abstraction and Design Using C++, Visual C++.NET Edition (Frank Friedman & Elliot Koffman)
Solution Manual Ada 95 : Problem Solving and Program Design (3rd Ed., Michael Feldman & Elliot Koffman)
Solution Manual Programming and Problem Solving with Delphi (Mitchell Kerman)
Solution Manual C Program Design for Engineers (2nd Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Data Abstraction & Problem Solving with C++ (5th ed., Frank Carrano)
Solution Manual Data Structures and Algorithm Analysis in C++ (2nd Ed., Mark Allen Weiss)
Solution Manual Data Structures and Algorithm Analysis in C++ (3rd Ed., Mark Allen Weiss)
Solution Manual Data Abstraction and Problem Solving with C++ : Walls and Mirrors (4th Ed., Frank Carrano)
Solution Manual Data Structures and Problem Solving Using C++ (2nd Ed., Mark Allen Weiss)
Solution Manual Data Structures and Algorithm Analysis in Java (2nd Ed., Mark Allen Weiss)
Solution Manual Data Structures in Java : From Abstract Data Types to the Java Collections Framework (Simon Gray)
Solution Manual Data Abstraction and Problem Solving with Java (2nd Ed., Frank Carrano & Janet Prichard)
Solution Manual Data Structures and Other Objects Using Java (3rd Ed., Michael Main)
Solution Manual Data Structures and Problem Solving Using Java (3rd Ed., Mark Allen Weiss)
Solution Manual Data Structures and Problem Solving Using Java (4th Ed., Mark Allen Weiss)
Solution Manual Java Software Structures : Designing and Using Data Structures (2nd Ed., John Lewis, Joseph Chase)
Solution Manual The Object of Data Abstraction and Structures (using Java) (David Riley)
Solution Manual Classic Data Structures in Java (Timothy Budd)
Solution Manual Data Structures in Java (Thomas A. Standish)
Solution Manual Data Structures, Algorithms and Software Principles in C (Thomas A. Standish)
Solution Manual Introduction to the Design and Analysis of Algorithms (1st Ed., Anany Levitin)
Solution Manual Introduction to the Design and Analysis of Algorithms (2nd Ed., Anany Levitin)
Solution Manual Algorithm Design (Jon Kleinberg & =C9va Tardos)
Solution Manual Data Structures and Algorithm Analysis in C (2nd Ed., Mark Allen Weiss)
Solution Manual Computer Algorithms : Introduction to Design and Analysis (3rd Ed., Sara Baase & Allen Van Gelder)
Solution Manual Artificial Intelligence : Structures and Strategies

for Complex Problem Solving (6th Ed., George Luger)
Solution Manual Artificial Intelligence : A Modern Approach (2nd Ed., Stuart Russell & Peter Norvig)
Solution Manual The Complete A+ Guide to PC Repair (3rd Ed., Cheryl Schmidt)
Solution Manual The Complete A+ Guide to PC Repair (4th Ed., Cheryl Schmidt)
Solution Manual Complete Computer Repair Textbook (4th Ed., Cheryl Schmidt)
Solution Manual Computer Systems Organization and Architecture (John D. Carpinelli)
Solution Manual CMOS VLSI Design: A Circuits and Systems Perspective (3rd Ed., Neil Weste & David Harris)
Solution Manual Interactive Computer Graphics : A Top-Down Approach Using OpenGL (4th Ed., Edward Angel)
Solution Manual Interactive Computer Graphics : A Top-Down Approach Using OpenGL (5th Ed., Edward Angel)
Solution Manual File Structures : An Object-Oriented Approach with C++ (3rd Ed., Michael J. Folk, Bill Zoellick & Greg Riccardi)
Solution Manual Oracle 10g Programming : A Primer (Rajshekhar Sunderraman)
Solution Manual Databases, Types and the Relational Model (3rd Ed., C. J. Date & Hugh Darwen)
Solution Manual Fundamentals of Database Systems (5th Ed., Ramez Elmasri & Shamkant Navathe)
Solution Manual Database Systems : An Application-Oriented Approach, Introductory Version (2nd Ed., Michael Kifer, Arthur Bernstein & Philip M. Lewis)
Solution Manual Database Systems : An Application Oriented Approach, Complete Version (2nd Ed., Michael Kifer, Arthur Bernstein & Philip M. Lewis)
Solution Manual DataBase Systems : A Practical Approach to Design, Implementation and Management (4th Ed., Thomas M. Connolly & Carolyn E. Begg)
Solution Manual DataBase Systems : A Practical Approach to Design, Implementation and Management (5th Ed., Thomas M. Connolly & Carolyn E. Begg)
Solution Manual Database Systems : The Complete Book (2nd Ed., Hector Garcia-Molina, Jeffrey D. Ullman, Jennifer Widom)
Solution Manual A First Course in Database Systems (3rd Ed., Jeffrey D. Ullman, Jennifer Widom)
Solution Manual Fundamentals of Database Systems/Oracle 9i Programming (4th Ed., Ramez Elmasri, Shamkant B. Navathe & Rajshekhar Sunderraman)
Solution Manual An Introduction to Database Systems (8th Ed., C.J. Date)
Solution Manual Oracle 9i Programming : A Primer (Rajshekhar Sunderraman)
Solution Manual Elements of Information Theory (1st Ed., Thomas M. Cover & Joy A. Thomas)
Solution Manual Principles of Database Systems with Internet and Java Applications (Greg Riccardi)
Solution Manual Introduction to Data Mining (Pang-Ning Tan, Michael Steinbach & Vipin Kumar)

Solution Manual Data Mining: A Tutorial Based Primer (Richard Roiger & Michael Geatz)
Solution Manual Learning SQL : A Step-by-Step Guide Using Access (Sikha Bagui, Richard Earp)
Solution Manual Learning SQL : A Step-By-Step Guide Using Oracle (Richard Earp, Sikha Bagui)
Solution Manual Access 2007 Guidebook (6th Ed., Maggie Trigg & Phyllis Dobson)
Solution Manual Access 2003 Guidebook for Office XP (5th Ed., Maggie Trigg & Phyllis Dobson)
Solution Manual Implementing Databases in Oracle 9i (John Day & Craig Van Slyke)
Solution Manual Web 101: Making the Net Work for You (2nd Ed., Wendy Lehnert)
Solution Manual Web 101 (3rd Ed., Wendy G. Lehnert & Richard L. Kopec)
Solution Manual Web Developer Foundations : Using XHTML (2nd Ed., Terry Felke-Morris)
Solution Manual Web Development & Design Foundations With XHTML (3rd Ed., Terry Felke-Morris)
Solution Manual Web Development and Design Foundations with XHTML (4th Ed., Terry Felke-Morris)
Solution Manual Internet Effectively : A Beginner's Guide to the World Wide Web (Tyrone Adams & Sharon Scollard)
Solution Manual Light on the Web : Essentials to Making the 'Net Work for You (Wendy G. Lehnert)
Solution Manual Programming the World Wide Web (3rd Ed., Robert W. Sebesta)
Solution Manual Programming the World Wide Web (4th Ed., Robert W. Sebesta)
Solution Manual Programming the World Wide Web (5th Ed., Robert W. Sebesta)
Solution Manual Programming the World Wide Web (6th Ed., Robert W. Sebesta)
Solution Manual XML: Language Mechanics and Applications (Dwight Peltzer)
Solution Manual Practical Perl with CGI Applications (Elizabeth Chang)
Solution Manual Developing Web Applications with Active Server Pages (Thom Luce)
Solution Manual Structure and Interpretation of Signals and Systems (Edward A. Lee & Pravin Varaiya)
Solution Manual Languages and Machines : An Introduction to the Theory of Computer Science (2nd Ed., Thomas Sudkamp)
Solution Manual Languages and Machines : An Introduction to the Theory of Computer Science (3rd Ed., Thomas Sudkamp)
Solution Manual How to Break Software Security (James A. Whittaker & Herbert H. Thompson)
Solution Manual Software Quality Assurance : From Theory to Implementation (Daniel Galin)
Solution Manual Object Oriented Software Development Using Java (2nd Ed., Xiaoping Jia)
Solution Manual Introduction to the Team Software Process (Watts S. Humphrey)
Solution Manual Software Project Management : A Real-World Guide to

Success (Joel Henry)
Solution Manual Software Engineering (7th Ed., Ian Sommerville)
Solution Manual Software Engineering (8th Ed., Ian Sommerville)
Solution Manual Software Engineering (9th Ed., Ian Sommerville)
Solution Manual Software Engineering (3rd Ed., Shari Lawrence Pfleeger & Joanne Atlee)
Solution Manual Software Engineering : Theory and Practice (4th Ed., Shari Lawrence Pfleeger & Joanne Atlee)
Solution Manual Object-Oriented Programming featuring Graphical Applications in Java (Michael Laszlo)
Solution Manual Project-Based Software Engineering : An Object-Oriented Approach (Evelyn Stiller & Cathie LeBlanc)
Solution Manual Engineering of Software, The: A Technical Guide for the Individual (Dick Hamlet & Joe Maybee)
Solution Manual Concepts of Programming Languages (7th Ed., Robert W. Sebesta)
Solution Manual Concepts of Programming Languages (8th Ed., Robert W. Sebesta)
Solution Manual Concepts of Programming Languages (9th Ed., Robert W. Sebesta)
Solution Manual Advanced Java : Internet Applications (2nd Ed., Art Gittleman)
Solution Manual Objects to Components with Java 2 Platform (Art Gittleman)
Solution Manual C for Java Programmers (Tomasz Muldner)
Solution Manual Pointers on C (Kenneth Reek)
Solution Manual C++ Programming with Design Patterns Revealed (Tomasz Muldner)
Solution Manual The C++ Programming Language (3rd Ed., Bjarne Stroustrup)
Solution Manual Operating Systems : A Systematic View (6th Ed., William S. Davis & T.M. Rajkumar)
Solution Manual Unix: The Textbook (2nd Ed., Syed Mansoor Sarwar, Robert Koretsky & Syed Aqeel Sarwar)
Solution Manual Operating Systems (3rd Ed., Gary Nutt)
Solution Manual LINUX & UNIX Programming Tools : A Primer for Software Developers (Syed Mansoor Sarwar & Khaled H. Al-Saqabi)
Solution Manual Addison-Wesley's Interactive Linux Tutorial and Reference (Edutrends, Inc.)
Solution Manual Linux : The Textbook (Syed Mansoor Sarwar, Robert Koretsky & Syed Aqeel Sarwar)
Solution Manual Kernel Projects for Linux (Gary Nutt)
Solution Manual OSP : An Environment for Operating System Projects (Michael Kifer & Scott A. Smolka)
Solution Manual Distributed Computing : Principles and Applications (M.L. Liu)
Solution Manual Distributed Operating Systems and Algorithm Analysis (Randy Chow & Theodore Johnson)
Solution Manual Mastering Networks : An Internet Lab Manual (Jorg Liebeherr & Magda El Zarki)
Solution Manual Computer Networking Complete Package (3rd Ed., James Kurose & Keith Ross)
Solution Manual Computer Networking : A Top-Down Approach Featuring

the Internet (3rd Ed., James Kurose & Keith Ross)
Solution Manual Computer Networking : A Top-Down Approach (4th Ed., James Kurose & Keith Ross)
Solution Manual Computer Networking : A Top-Down Approach (5th Ed., James Kurose & Keith Ross)
Solution Manual Producing Great Sound for Film and Video (3rd Ed., Jay Rose)
Solution Manual Network Management : Principles and Practice (Mani Subramanian)
Solution Manual Computer Security : Art and Science (Matt Bishop)
Solution Manual Introduction to Computer Security (Matt Bishop)
Solution Manual Creating Powerful Brands (4th Ed., Leslie de Chernatony, Malcolm McDonald, Elaine Wallace)
Solution Manual How to Break Software Security (James A. Whittaker & Herbert H. Thompson)
Solution Manual Parallel Programming in C with MPI and Open MP (Michael Quinn)
Solution Manual Modern Recording Techniques (6th Ed., Miles Huber & Runstein)
Solution Manual Creating Powerful Radio : Getting, Keeping and Growing Audiences News, Talk, Information & Personality Broadcast, HD, Satellite & Internet (Valerie Geller)
Solution Manual Electronic Media Law and Regulation (5th Ed., Kenneth Creech)
Solution Manual Electronic Media Management, Revised (5th Ed., Pringle & Starr)
Solution Manual Convergent Journalism an Introduction: Writing and Producing Across Media (Quinn & Filak)
Solution Manual Flash Journalism : How to Create Multimedia News Packages (Mindy McAdams)

____=
____

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

____=
____

From -1975189852135162136
X-Google-Thread: 108122,20eb21e93cbffecb,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!j13g2000pro.googlegroups.com!not-for-mail
From: claudeh <hclaudioblanco@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test Banks to Electrical, Electronics and

Computer Engineering Books - part2

```
Date: Sat, 26 Mar 2011 15:42:19 -0700 (PDT)
Organization: http://groups.google.com
Lines: 833
Message-ID: <6bb18f01-dfaa-457f-b8fa-90eed9cafa3f@j13g2000pro.googlegroups.com>
NNTP-Posting-Host: 201.240.179.125
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301179345 26644 127.0.0.1 (26 Mar 2011 22:42:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 26 Mar 2011 22:42:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j13g2000pro.googlegroups.com; posting-host=201.240.179.125;
posting-account=mFFJOAoAAABaIQEBRX5f95y3rtsFRjms
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2765
```

List of Solutions Manuals and Test Banks

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DADDS77XH

I do not review the forums, just send me an email.

- Electrical, Electronics & Computer Engineering :

Solution Manual Design for Electrical and Computer Engineers (J. Eric Salt & Robert Rothery)
Solution Manual Electrical Engineering : Principles and Applications (3rd Ed., Hambley)
Solution Manual Electrical Engineering : Principles and Applications (4th Ed., Hambley)
Solution Manual Electrical Engineering : Principles and Applications (5th Ed., Hambley)
Solution Manual Electronics (2nd Ed., Hambley)
Solution Manual Electronics and Communications for Scientists and Engineers (Martin Plonus)
Solution Manual Cryptography & Network Security (Behrouz A Forouzan)
Solution Manual Data Communications and Networking (3rd Ed., Behrouz A. Forouzan)
Solution Manual Data Communications and Networking (4th Ed., Behrouz A. Forouzan)
Solution Manual TCP/IP Protocol Suite (2nd Ed., Behrouz Forouzan)
Solution Manual TCP/IP Protocol Suite (3rd Ed., Behrouz Forouzan)
Solution Manual TCP/IP Protocol Suite (4th Ed., Behrouz Forouzan)
Solution Manual Local Area Networks (Behrouz A Forouzan)
Solution Manual Analog Integrated Circuits for Communication : Principles, Simulation and Design (2nd Ed., Donald Pederson & Kartikeya Mayaram)
Solution Manual Satellite Communications (2nd Ed, Pratt, Bostian, Allnutt)

Solution Manual Business Data Communications (Behrouz A Forouzan)
Solution Manual Logic and Computer Design Fundamentals (4th Ed., Mano & Kime)
Solution Manual Linear Robust Control (Michael Green, David J. N. Limebeer)
Solution Manual Adaptive Control (2nd Ed., Karl Johan Astrom, Bjorn Wittenmark)
Solution Manual Digital Control Engineering : Analysis and Design (M. Sami Fadali & Antonio Visioli)
Solution Manual Computer-Controlled Systems : Theory and Design (3rd Ed., Karl Johan Astrom & Bjorn Wittenmark)
Solution Manual Electric Circuits (7th Ed., Nilsson & Riedel)
Solution Manual Electric Circuits (8th Ed., Nilsson & Riedel)
Solution Manual Electric Circuits (9th Ed., Nilsson & Riedel)
Solution Manual Introductory Circuits for Electrical and Computer Engineering (James Nilsson, Susan Riedel)
Solution Manual Electromagnetic Noise and Quantum Optical Measurements (Hermann A. Haus)
Solution Manual Optical Fiber Communications (4th Ed., Gerd Keiser)
Solution Manual Electromagnetics (Branislav M. Notaros)
Solution Manual Electromagnetics for Engineers (Fawwaz T. Ulaby)
Solution Manual Fundamentals of Applied Electromagnetics (5th Ed., Fawwaz T. Ulaby)
Solution Manual Fundamentals of Applied Electromagnetics (6th Ed., Ulaby, Michielssen & Ravaioli)
Solution Manual Applied Electromagnetics : Early Transmission Lines Approach (Stuart Wentworth)
Solution Manual Fundamentals of Electromagnetics with Engineering Applications (Stuart Wentworth)
Solution Manual Electromagnetics for Engineers : With Applications to Digital Systems and Electromagnetic Interference (Clayton Paul)
Solution Manual MEMS & Microsystems : Design and Manufacture (1st Ed., Tai-Ran Hsu)
Solution Manual MEMS & Microsystems : Design, Manufacture, and Nanoscale Engineering (2nd Ed., Tai-Ran Hsu)
Solution Manual Probability and Statistics for Engineering and the Sciences (7th Ed., Jay L. DeVore)
Solution Manual Probability and Stochastic Processes : A Friendly Introduction for Electrical and Computer Engineers (2nd Ed., Roy Yates & David Goodman)
Solution Manual Process Systems Analysis and Control (3rd Ed. Donald Coughanowr, Steven LeBlanc)
Solution Manual Fuel Cell Engines (Matthew M. Mench)
Solution Manual Fuel Cell Fundamentals (1st Ed., Ryan O'Hayre, et. al)
Solution Manual Fuel Cell Fundamentals (2nd Ed., Ryan O'Hayre, Whitney Colella, Suk-Won Cha, Fritz Prinz)
Solution Manual Control Systems Engineering (4th Ed., Norman Nise)
Solution Manual Control Systems Engineering (5th Ed., Norman Nise)
Solution Manual Control Systems Engineering (6th Ed., Norman Nise)
Solution Manual Automatic Control Systems (8th Ed., Benjamin C. Kuo, Farid Golnaraghi)
Solution Manual Automatic Control Systems (9th Ed., Farid Golnaraghi, Benjamin C. Kuo)

Solution Manual Basic Electricity for Industry : Circuits and Machines - Canadian Edition (Doug Edgar)
Solution Manual Basic Engineering Circuit Analysis (8th Ed., Irwin & Nelms)
Solution Manual Basic Engineering Circuit Analysis (9th Ed., Irwin & Nelms)
Solution Manual Basic Engineering Circuit Analysis (10th Ed., Irwin & Nelms)
Solution Manual A Brief Introduction to Circuit Analysis (J. David Irwin)
Solution Manual Semiconductor Devices : Basic Principles (Jasprit Singh)
Solution Manual Semiconductor Device Fundamentals (Robert F. Pierret)
Solution Manual Advanced Semiconductor Fundamentals (2nd Ed., Robert F. Pierret)
Solution Manual Device Electronics for Integrated Circuits (3rd Ed., Richard S. Muller, Theodore I. Kamins)
Solution Manual Fundamentals of Semiconductor Devices (Anderson)
Solution Manual Scientific Computing (2nd Ed., Michael T. Heath)
Solution Manual Scientific Computing with Case Studies (Dianne P. O'Leary)
Solution Manual Pattern Recognition and Machine Learning (Christopher M. Bishop)
Solution Manual Modern Semiconductor Devices for Integrated Circuits (Chenming C. Hu)
Solution Manual Analysis and Design of Analog Integrated Circuits (4th Ed., Paul Gray, et al.)
Solution Manual Analysis and Design of Analog Integrated Circuits (5th Ed., Paul Gray)
Solution Manual Analysis and Design of Digital Integrated Circuits (3rd Ed., Hodges)
Solution Manual Introduction to Electric Circuits (6th Ed., Dorf & Svoboda)
Solution Manual Introduction to Electric Circuits (7th Ed., Dorf & Svoboda)
Solution Manual Introduction to Electric Circuits (8th Ed., Dorf & Svoboda)
Solution Manual Modulation, Detection and Coding (Tommy =D6berg)
Solution Manual Principles of Communications: Systems, Modulation, and Noise (5th Ed., R.E. Ziemer & W.H. Tranter)
Solution Manual Principles of Communications (6th Ed., R.E. Ziemer & W.H. Tranter)
Solution Manual The Analysis and Design of Linear Circuits (4th Ed, Thomas & Rosa)
Solution Manual The Analysis and Design of Linear Circuits : Laplace Early (4th Ed, Thomas & Rosa)
Solution Manual The Analysis and Design of Linear Circuits (5th Ed, Thomas)
Solution Manual The Analysis and Design of Linear Circuits (6th Ed, Thomas, Rosa & Toussaint)
Solution Manual Dynamic Modeling and Control of Engineering Systems (2nd Ed., J. Lowen Shearer, Bohdan Kulakowski, John Gardner)
Solution Manual Modern Control Systems (11th Ed., Dorf & Bishop)

Solution Manual Modern Control Systems (12th Ed., Dorf & Bishop)
Solution Manual System Dynamics (1st Ed., William Palm III)
Solution Manual System Dynamics (2nd Ed., William Palm III)
Solution Manual System Dynamics and Response (S. Graham Kelly)
Solution Manual System Dynamics for Engineering Students : Concepts and Applications (Nicolae Lobontiu)
Solution Manual Optimal Control (2nd Ed., Frank Lewis & Vassilis Syrmos)
Solution Manual Optimal Control Theory : An Introduction (Donald E. Kirk)
Solution Manual Power Electronics (1st Ed., Daniel W. Hart)
Solution Manual Power Electronic Circuits (Issa Batarseh)
Solution Manual Power Electronics : Circuits, Devices and Applications (3rd Ed., Muhammad H. Rashid)
Solution Manual Power Electronics : Converters, Applications, and Design (3rd Ed., Ned Mohan, Tore Undeland & William Robbins)
Solution Manual Intuitive Probability and Random Processes using MATLAB (Steven Kay)
Solution Manual Signals and Systems using MATLAB (Luis Chaparro)
Solution Manual Analog Signals and Systems (Erhan Kudeki & David C. Munson, Jr.)
Solution Manual Continuous and Discrete Time Signals and Systems (Mrinal Mandal, Amir Asif)
Solution Manual Digital Signal and Image Processing (Tamal Bose)
Solution Manual Digital Image Processing (2nd Ed., Rafael Gonzalez, Richard Woods)
Solution Manual A Wavelet Tour of Signal Processing : The Sparse Way (3rd Ed., Stephane Mallat)
Solution Manual Discrete-Time Signal Processing (2nd Ed., Alan Oppenheim, Ronald Schafer, John Buck)
Solution Manual Discrete-Time Signal Processing (3rd Ed., Alan Oppenheim & Ronald Schafer)
Solution Manual Signal Processing First (James H. McClellan, Ronald W. Schafer, Mark A. Yoder)
Solution Manual Statistical Digital Signal Processing and Modeling (Monson Hayes)
Solution Manual Digital Signal Processing (Thomas J. Cavicchi)
Solution Manual Digital Signal Processing System Design : LabVIEW-Based Hybrid Programming (2nd Ed., Kehtarnavaz)
Solution Manual Digital Signal Processing (2nd Ed., Mitra)
Solution Manual Digital Signal Processing (3rd Ed., Mitra)
Solution Manual Digital Signal Processing (4th Ed., Mitra)
Solution Manual Digital Signal Processing (4th Ed., John G. Proakis, Dimitris K Manolakis)
Solution Manual Digital Signal Processing (Charles Schuler & Mahesh Chugani)
Solution Manual Digital Signal Processing : Fundamentals and Applications (Li Tan)
Solution Manual Digital Signal Processing : An Experimental Approach (Shlomo Engelberg)
Solution Manual Digital Signal Processing : System Analysis and Design (Paulo S. R. Diniz)
Solution Manual Digital Signal Processing : A Modern Introduction

(Ashok Ambardar)
Solution Manual Engineering Optimization : Theory and Practice (4th Ed., Singiresu S. Rao)
Solution Manual Applied Optimization with MATLAB Programming (1st Ed., P. Venkataraman)
Solution Manual Applied Optimization with MATLAB Programming (2nd Ed., P. Venkataraman)
Solution Manual Introduction to Applied Optimization (2nd Ed., Urmila Diwekar)
Solution Manual Logic Synthesis and Verification Algorithms (Gary Hachtel & Fabio Somenzi)
Solution Manual Adaptive Filtering : Algorithms and Practical Implementation (3rd Ed., Paulo S. R. Diniz)
Solution Manual Introduction to Scientific Computation and Programming (Daniel T. kaplan)
Solution Manual Principles of Signal Detection and Parameter Estimation (Bernard C. Levy)
Solution Manual Electric Machines Analysis and Design Applying MatLab (Cathey)
Solution Manual Fundamentals of Electrical Engineering (Giorgio Rizzoni)
Solution Manual Principles and Applications of Electrical Engineering (4th Ed, Rizzoni)
Solution Manual Principles and Applications of Electrical Engineering (5th Ed, Rizzoni)
Solution Manual Fundamentals of Electric Circuits (2nd Ed., Alexander & Sadiku)
Solution Manual Fundamentals of Electric Circuits (3rd Ed., Alexander & Sadiku)
Solution Manual Fundamentals of Electric Circuits (4th Ed., Alexander & Sadiku)
Solution Manual MSP430 Microcontroller Basics (John Davies)
Solution Manual Programming Massively Parallel Processors : A Hands-on Approach (David Kirk & Wen-mei Hwu)
Solution Manual Embedded Systems and Software Validation (Abhik Roychoudhury)
Solution Manual Embedded Systems Design with Platform FPGAs : Principles and Practices (Ronald Sass, Andrew Schmidt)
Solution Manual Embedded DSP Processor Design : Application Specific Instruction Set Processors (Dake Liu)
Solution Manual Embedded Microcontrollers and Processor Design (Charles Greg Osborn)
Solution Manual Embedded System Design : A Unified Hardware/Software Introduction (Vahid & Givargis)
Solution Manual Embedded Microcomputer Systems : Real Time Interfacing (2nd Ed., Jonathan W. Valvano)
Solution Manual Introduction to Programming with C++ (2nd Ed., Y. Daniel Liang)
Solution Manual Matlab : A Practical Introduction to Programming and Problem Solving (Stormy Attaway)
Solution Manual Principles of Computer System Design : An Introduction (Jerome Saltzer & M. Frans Kaashoek)
Solution Manual The Illustrated Network : How TCP/IP Works in a Modern

Network (Walter Goralski)
Solution Manual Electronic Design Automation : Synthesis, Verification, and Test (Laung-Terng Wang, Yao-Wen Chang & Kwang-Ting Cheng)
Solution Manual Digital Design (Frank Vahid)
Solution Manual Digital Design with RTL Design, Verilog and VHDL (2nd Ed., Frank Vahid)
Solution Manual Digital Logic Design Principles (Balabanian & Carlson)
Solution Manual Fundamentals of Logic Design (5th Ed., Charles H. Roth)
Solution Manual Real-Time Systems and Software (Alan Shaw)
Solution Manual Introduction to VLSI Circuits and Systems (John P. Uyemura)
Solution Manual Chip Design for Submicron VLSI : CMOS Layout & Simulation (John Uyemura)
Solution Manual Classical Electrodynamics (2nd Ed., John David Jackson)
Solution Manual Objects, Abstraction, Data Structures and Design : Using C++ (Elliot B. Koffman & Paul A. T. Wolfgang)
Solution Manual Objects, Abstraction, Data Structures and Design Using Java Version 5.0 (Elliot B. Koffman & Paul A. T. Wolfgang)
Solution Manual Computer Architecture and Organization : An Integrated Approach (Murdocca & Heuring)
Solution Manual Wiley Pathways Networking Basics (1st Ed., Ciccarelli, Faulkner, FitzGerald, Dennis & Miller)
Solution Manual Software Engineering : Principles and Practice (3rd Ed., Hans van Vliet)
Solution Manual Software Design : From Programming to Architecture (Eric Braude)
Solution Manual Software Engineering : An Object-Oriented Perspective (Eric Braude)
Solution Manual Software Engineering : Modern Approaches (2nd Ed., Eric Braude & Michael Bernstein)
Solution Manual Neural and Adaptive Systems : Fundamentals through Simulations (Jos=E9 Principe, Neil Euliano & W. Curt Lefebvre)
Solution Manual Fundamentals of Electronic Circuit Design (David J. Comer & Donald T. Comer)
Solution Manual Microelectronic Circuit Design (2nd Ed., Jaeger & Blalock)
Solution Manual Microelectronic Circuit Design (3rd Ed., Jaeger & Blalock)
Solution Manual Microelectronic Circuit Design (4th Ed., Jaeger & Blalock)
Solution Manual Introduction to Microelectronic Fabrication : Volume 5 of Modular Series on Solid State Devices (2nd Ed., Richard Jaeger)
Solution Manual Microelectronic Circuits (5th Ed., Adel S. Sedra, K. C. Smith)
Solution Manual VHDL for Engineers (Kenneth Short)
Solution Manual Fundamentals of Digital Logic with VHDL Design (1st Ed., Brown & Vranesic)
Solution Manual Fundamentals of Digital Logic with VHDL Design (2nd Ed., Brown & Vranesic)
Solution Manual Fundamentals of Digital Logic with VHDL Design (3rd

Ed., Brown & Vranesic)
Solution Manual CMOS Analog Circuit Design (2nd Ed., Phillip E. Allen, Douglas R. Holberg)
Solution Manual Design of Analog CMOS Integrated Circuits (Behzad Razavi)
Solution Manual Design of Integrated Circuits for Optical Communications (Behzad Razavi)
Solution Manual Fundamentals of Microelectronics, Preliminary Edition (Behzad Razavi)
Solution Manual Fundamentals of Microelectronics (1st Ed., Behzad Razavi)
Solution Manual Design with Operational Amplifiers and Analog Integrated Circuits (3rd Ed., Sergio Franco)
Solution Manual Your UNIX : The Ultimate Guide (1st Ed., Sumitabha Das)
Solution Manual Your UNIX : The Ultimate Guide (2nd Ed., Sumitabha Das)
Solution Manual Microwave Engineering (Annapurna Das)
Solution Manual Microwave Engineering (3rd Ed., David M. Pozar)
Solution Manual Microwave and RF Design of Wireless Systems (David M. Pozar)
Solution Manual Introduction to Wireless Systems (P. M. Shankar)
Solution Manual Microwave Transistor Amplifiers : Analysis and Design (2nd Ed., Guillermo Gonzalez)
Solution Manual Control Systems (Madan Gopal)
Solution Manual A First Lab in Circuits and Electronics (Yannis Tsividis)
Solution Manual Power System Analysis : Analysis and Design (John Grainger)
Solution Manual Power Systems Analysis (2nd Ed., Hadi Saadat)
Solution Manual Power Systems Analysis and Design (4th Ed., J.Duncan Glover and Mulukutla S. Sarma)
Solution Manual An Introduction to Digital and Analog Communications (2nd Ed., Simon Haykin & Michael Moher)
Solution Manual Communication Systems (4th Ed., Simon Haykin)
Solution Manual Communication Systems (5th Ed., Simon Haykin)
Solution Manual Communication Systems (4th Ed., A. Bruce Carlson, Paul B. Crilly, Janet Rutledge)
Solution Manual Communication Systems (5th Ed., A. Bruce Carlson, Paul B. Crilly)
Solution Manual Signals and Systems (2nd Ed., Simon Haykin & Barry Van Veen)
Solution Manual Introduction to Computing Systems : From bits & gates to C & beyond (1st Ed., Patt and Patel)
Solution Manual Introduction to Computing Systems : From bits & gates to C & beyond (2nd Ed., Patt and Patel)
Solution Manual Elements of the Theory of Computation (2nd Ed., Lewis & Papadimitriou)
Solution Manual Introduction to Languages and the Theory of Computation (3rd Ed., John Martin)
Solution Manual Introduction to Languages and the Theory of Computation (4th Ed., John Martin)
Solution Manual Mechanical & Electrical Systems in Buildings (4th Ed.,

Richard Janis & William Tao)
Solution Manual Silicon VLSI Technology : Fundamentals, Practice, and Modeling (Plummer, Deal & Griffin)
Solution Manual Dynamic Electromagnetics (Paul Diament)
Solution Manual Engineering Electromagnetics (2nd Ed., Nathan Ida)
Solution Manual Engineering Electromagnetics (Kenneth Demarest)
Solution Manual Field and Wave Electromagnetics (1st Ed., David Cheng)
Solution Manual Fundamentals of Engineering Electromagnetics (David Cheng)
Solution Manual Information Modeling and Relational Databases (2nd Ed., Terry Halpin & Tony Morgan)
Solution Manual Probability, Statistics, and Random Processes For Electrical Engineering (3rd Ed., Alberto Leon-Garcia)
Solution Manual Detection and Estimation Theory (Thomas Schonhoff & Arthur Giordano)
Solution Manual The Intel Microprocessors (8th Ed., Barry B. Brey)
Solution Manual Wireless Networking (Kumar, Manjunath & Kuri)
Solution Manual Wireless Communications : Principles and Practice (2nd Ed., Theodore S. Rappaport)
Solution Manual Digital Electronics and Design with VHDL (Volnei A. Pedroni)
Solution Manual System-on-Chip Test Architectures : Nanometer Design for Testability (Wang, Stroud & Touba)
Solution Manual Digital Design (Verilog) : An Embedded Systems Approach Using Verilog (Peter Ashenden)
Solution Manual Digital Design (VHDL) : An Embedded Systems Approach Using VHDL (Peter Ashenden)
Solution Manual Computer Organization and Design : The Hardware/Software Interface (3rd Ed., Patterson & Hennessy)
Solution Manual Computer Organization and Design : The Hardware/Software Interface (4th Ed., Patterson & Hennessy)
Solution Manual Fundamentals of Computer Organization and Design (Sivarama P. Dandamudi)
Solution Manual Wireless Communications & Networking (Vijay Garg)
Solution Manual Network Flows : Theory, Algorithms, and Applications (Ravindra K. Ahuja, Thomas L. Magnanti, James B. Orlin)
Solution Manual Network Analysis, Architecture, and Design (3rd Ed., James McCabe)
Solution Manual Computer Networks : A Systems Approach (4th Ed., Peterson & Davie)
Solution Manual Computer Networks ISE : A Systems Approach (4th Ed., Peterson & Davie)
Solution Manual Digital Design and Computer Architecture (David Harris & Sarah Harris)
Solution Manual Fault-Tolerant Systems (Israel Koren & C. Krishna)
Solution Manual Computer Architecture : Pipelined and Parallel Processor Design (Michael J. Flynn)
Solution Manual Computer Architecture : A Quantitative Approach (4th Ed., Hennessy & Patterson)
Solution Manual High-Performance Embedded Computing : Architectures, Applications, and Methodologies (Wayne Wolf)
Solution Manual Pattern Recognition (3rd Ed., Theodoridis & Koutroumbas)

Solution Manual Pattern Recognition (4th Ed., Theodoridis & Koutroumbas)
Solution Manual Data Mining : Concepts and Techniques (2nd Ed., Han & Kamber)
Solution Manual Commonsense Reasoning (Erik Mueller)
Solution Manual Introduction to Data Compression (3rd Ed., Khalid Sayood)
Solution Manual Programming Language Pragmatics (2nd Ed., Michael Scott)
Solution Manual Programming Language Pragmatics (3rd Ed., Michael Scott)
Solution Manual Computer Graphics for Java Programmers (2nd Ed., Leen Ammeraal & Kang Zhang)
Solution Manual Database Modeling and Design : Logical Design (4th Ed., Teorey, Lightstone & Nadeau)
Solution Manual Computers As Components : Principles of Embedded Computing System Design (1st Ed., Wayne Wolf)
Solution Manual Computers As Components : Principles of Embedded Computing System Design (2nd Ed., Wayne Wolf)
Solution Manual Virtual Machines : Versatile Platforms for Systems and Processes (Jim Smith & Ravi Nair)
Solution Manual Comprehensive Functional Verification : The Complete Industry Cycle (Wile, Goss & Roesner)
Solution Manual User Interface Design and Evaluation (Stone, Jarrett, Woodroffe & Minocha)
Solution Manual Network Algorithmics : An Interdisciplinary Approach to Designing Fast Networked Devices (George Varghese)
Solution Manual Data Modeling Essentials (3rd Ed., Simsion & Witt)
Solution Manual A Student Guide to Object-Oriented Development (Carol Britton & Jill Doake)
Solution Manual Routing, Flow, and Capacity Design in Communication and Computer Networks (Pioro & Medhi)
Solution Manual Knowledge Representation and Reasoning (Brachman & Levesque)
Solution Manual Communication Networking : An Analytical Approach (Anurag Kumar, D. Manjunath & Joy Kuri)
Solution Manual Principles and Practices of Interconnection Networks (Dally & Towles)
Solution Manual Game Physics (David Eberly)
Solution Manual Engineering a Compiler (Keith Cooper & Linda Torczon)
Solution Manual Constraint Processing (Rina Dechter)
Solution Manual Design Methods for Reactive Systems : Yourdon, Statemate, and the UML (R. J. Wieringa)
Solution Manual Temporal Data & the Relational Model (C.J. Date, Darwen & Lorentzos)
Solution Manual Java Made Simple (2nd Ed., P. K. McBride)
Solution Manual The Firmware Handbook (Jack Ganssle)
Solution Manual Optical Networks : A Practical Perspective (2nd Ed., Ramaswami & Sivarajan)
Solution Manual Optical Networks : A Practical Perspective (3rd Ed., Ramaswami, Sivarajan & Sasaki)
Solution Manual Usability Engineering : Scenario-Based Development of Human-Computer Interaction (Rosson & Carroll)

Solution Manual The Designer's Guide to VHDL (2nd Ed., Peter Ashenden)
Solution Manual Transactional Information Systems : Theory, Algorithms, and the Practice of Concurrency Control and Recovery (Weikum & Vossen)
Solution Manual Parallel Computer Architecture : A Hardware/Software Approach (Culler, Singh & Gupta)
Solution Manual Advanced Compiler Design and Implementation (Steven Muchnick)
Solution Manual Parallel Programming with MPI (Peter Pacheco)
Solution Manual Distributed Algorithms (Nancy Lynch)
Solution Manual Electrical and Electronic : Principles and Technology (3rd Ed., John Bird)
Solution Manual Electrical and Electronic : Principles and Technology (4th Ed., John Bird)
Solution Manual Electrical Circuit Theory and Technology (3rd Ed., John Bird)
Solution Manual Electrical Circuit Theory and Technology (4th Ed., John Bird)
Solution Manual Electronic Circuits : Fundamentals & Applications (3rd Ed., Mike Tooley)
Solution Manual A Practical Guide to SysML : The Systems Modeling Language (Friedenthal, Moore & Steiner)
Solution Manual Multidimensional Signal, Image, and Video Processing and Coding (John Woods)
Solution Manual Bioelectrical Signal Processing in Cardiac and Neurological Applications (Leif S=F6rnmo & Pablo Laguna)
Solution Manual Foundations of Analog and Digital Electronic Circuits (Anant Agarwal & Jeffrey Lang)
Solution Manual Introduction to Linear Circuit Analysis and Modelling : From DC to RF (Luis Moura & Izzat Darwazeh)
Solution Manual Embedded Systems Architecture : A Comprehensive Guide for Engineers and Programmers (Tammy Noergaard)
Solution Manual Bioimpedance and Bioelectricity Basics (2nd Ed., Grimnes & Martinsen)
Solution Manual Simulation with Arena (5th Ed., Kelton, Sadowski & Swets)
Solution Manual Simulation Modeling and Analysis with ARENA (Tayfur Altiok & Benjamin Melamed)
Solution Manual The Visual Story : Creating the Visual Structure of Film, TV and Digital Media (2nd Ed., Bruce Block)
Solution Manual The Shut Up and Shoot Documentary Guide : A Down & Dirty DV Production (Anthony Artis)
Solution Manual Portable Video : ENG & EFP (5th Ed., Medoff & Fink)
Solution Manual Voice and Vision : A Creative Approach to Narrative Film and DV Production (Mick Hurbis-Cherrier)
Solution Manual Writing for Multimedia and the Web : A Practical Guide to Content Development for Interactive Media (3rd Ed., Timothy Garrand)
Solution Manual Developing and Maintaining a Design-Tech Portfolio : A Guide for Theatre, Film & TV (Rafael Jaen)
Solution Manual Producing for TV and Video : A Real-World Approach (Cathrine Kellison)
Solution Manual Producing for TV and New Media : A Real-World Approach

for Producers (2nd Ed., Cathrine Kellison)
Solution Manual Placing Shadows : Lighting Techniques for Video Production (3rd Ed., Gloman & Tom LeTourneau)
Solution Manual Film Directing Fundamentals : See Your Film Before Shooting (3rd Ed., Nicholas Proferes)
Solution Manual Introduction to Media Production : The Path to Digital Media Production (3rd Ed., Musburger & Kindem)
Solution Manual Introduction to Media Production : The Path to Digital Media Production (4th Ed., Kindem & Musburger)
Solution Manual Directing the Documentary (5th Ed., Michael Rabiger)
Solution Manual Video Production Handbook (4th Ed., Gerald Millerson & Jim Owens)
Solution Manual Making Media : Foundations of Sound and Image Production (Jan Roberts-Breslin)
Solution Manual Prepare to Board! Creating Story and Characters for Animation Features and Shorts (Nancy Beiman)
Solution Manual Light and Lens : Photography in the Digital Age (Robert Hirsch)
Solution Manual The Radio Station : Broadcast, Satellite & Internet (7th Ed., Michael Keith)
Solution Manual Developing Story Ideas (2nd Ed., Michael Rabiger)
Solution Manual Radio Production Worktext : Studio and Equipment (5th Ed., Reese, Gross & Gross)
Solution Manual Broadcast News Writing, Reporting, and Producing (4th Ed., Ted White)
Solution Manual Problem Solving and Programming Concepts (7th Ed., Sprankle)
Solution Manual Problem Solving and Programming Concepts (8th Ed., Sprankle & Hubbard)
Solution Manual A Balanced Introduction to Computer Science (2nd Ed., David Reed)
Solution Manual Introduction to Computing and Programming with Java : A Multimedia Approach (Guzdial & Ericson)
Solution Manual Starting Out with Programming Logic and Design (Tony Gaddis)
Solution Manual Starting Out with Programming Logic and Design (2nd Ed., Tony Gaddis)
Solution Manual Tools For Structured and Object-Oriented Design (7th Ed., Bohl & Rynn)
Solution Manual Programming with Alice and Java (Lewis & DePasquale)
Solution Manual e-Business and e-Commerce How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual XML How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto, Ted Lin, Praveen Sadhu)
Solution Manual Python How to Program (Harvey M. Deitel, Paul J. Deitel, Jonathan P. Liperi Ben Wiedermann)
Solution Manual Perl How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto, D. C. McPhie)
Solution Manual C How to Program (4th Ed., Harvey & Paul Deitel)
Solution Manual C How to Program (5th Ed., Harvey & Paul Deitel)
Solution Manual C++ How to Program (6th Ed., Harvey & Paul Deitel)
Solution Manual Visual Basic.NET How to Program (2nd Ed., Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)

Solution Manual Visual C++ 2008 How to Program (2nd Ed., Harvey & Paul Deitel)
Solution Manual Internet & World Wide Web : How to Program (4th Ed., Harvey & Paul Deitel)
Solution Manual Web Technologies : A Computer Science Perspective (Jeffrey C. Jackson)
Solution Manual Mastering the Internet, XHTML and JavaScript (2nd Ed., Ibrahim Zeid)
Solution Manual Weaving a Website : Programming in HTML, Java Script, Perl and Java (Susan Anderson-Freed)
Solution Manual Simply C++ : An Application-Driven Tutorial Approach (Harvey & Paul Deitel)
Solution Manual Visual C# 2005 How to Program (2nd Ed., Harvey & Paul Deitel)
Solution Manual Visual C# 2008 How to Program (3rd Ed., Harvey & Paul Deitel)
Solution Manual Visual C# 2010 How to Program (4th Ed., Harvey & Paul Deitel)
Solution Manual Simply C# : An Application-Driven Tutorial Approach (Harvey & Paul Deitel, Hoey & Yaeger)
Solution Manual Java : An Introduction to Problem Solving and Programming (4th Ed., Walter Savitch)
Solution Manual Java : An Introduction to Problem Solving and Programming (5th Ed., Savitch & Carrano)
Solution Manual Introduction to Computing and Programming with Java : A Multimedia Approach (Guzdial & Ericson)
Solution Manual Java How to Program (7th Ed., Harvey & Paul Deitel)
Solution Manual Java For Students (5th Ed., Bell & Parr)
Solution Manual Java, Java, Java, Object-Oriented Problem Solving (3rd Ed., Morelli & Walde)
Solution Manual Java : An Eventful Approach (Bruce, Danyluk & Murtagh)
Solution Manual Introduction to Java Programming with JBuilder (3rd Ed., Y. Daniel Liang)
Solution Manual Starting Out with Visual Basic 2008 (4th Ed., Gaddis & Irvine)
Solution Manual Starting Out with Visual Basic 2010 (5th Ed., Gaddis & Irvine)
Solution Manual Starting Out with Python (Tony Gaddis)
Solution Manual Object-Oriented Programming in Python (Goldwasser & Letscher)
Solution Manual Introduction to MathCAD 11 (Ronald W. Larsen)
Solution Manual Introduction to MathCAD 13 (2nd Ed., Ronald W. Larsen)
Solution Manual MatLAB Programming (David Kuncicky)
Solution Manual Introduction to Maple 8 (David Schwartz)
Solution Manual Introduction to FORTRAN 90 (2nd Ed., Larry R. Nyhoff & Sanford Leestma)
Solution Manual Fortran 95/2003 Scientists and Engineers (3rd Ed., Stephen J. Chapman)
Solution Manual Introduction to Java (Stephen J. Chapman)
Solution Manual Java Software Solutions for AP Computer Science A (2nd Ed., Lewis, Loftus & Cocking)
Solution Manual Business Data Networks and Telecommunications (6th Ed., Raymond R. Panko)

Solution Manual Business Data Networks and Telecommunications (7th Ed., Raymond R. Panko)
Solution Manual Business Data Communications (Allen Dooley)
Solution Manual Object-Oriented Programming in C++ (4th Ed., Robert Lafore)
Solution Manual C++ : Classes and Data Structures (Jeffrey Childs)
Solution Manual Data Structures Outside-In with Java (Sesh Venugopal)
Solution Manual Data Structures and Abstractions with Java (2nd Ed., Frank M. Carrano)
Solution Manual Data Structures and Algorithms in Java (Peter Drake)
Solution Manual Practical Introduction to Data Structures and Algorithm Analysis : C++ Edition (2nd Ed., Clifford A. Shaffer)
Solution Manual Computer Vision : A Modern Approach (David Forsyth & Jean Ponce)
Solution Manual Computer Graphics Using Java 2D and 3D (Hong Zhang & Y. Daniel Liang)
Solution Manual Computer Graphics Using OpenGL (3rd Ed., Francis Hill Jr. & Stephen Kelley)
Solution Manual Computer Graphics with OpenGL (3rd Ed., Donald Hearn & M. Pauline Baker)
Solution Manual User-Centered Web Site Development : A Human-Computer Interaction Approach (McCracken & Wolfe)
Solution Manual Fundamentals of Game Design (Ernest Adams & Andrew Rollings)
Solution Manual Introduction to The Game Industry (Moore & Sward)
Solution Manual Fundamentals of Math and Physics for Game Programmers (Wendy Stahler)
Solution Manual Usability Engineering : Process, Products & Examples (Laura Leventhal & Julie Barnes)
Solution Manual Web Usability : A User-Centered Design Approach (Jonathan Lazar)
Solution Manual Structured Computer Organization (5th Ed., Andrew S. Tanenbaum)
Solution Manual Assembly Language for Intel-Based Computers (5th Ed., Kip Irvine)
Solution Manual Assembly Language for x86 Processors (6th Ed., Kip R. Irvine)
Solution Manual Fundamentals of Multimedia (Ze-Nian Li & Mark Drew)
Solution Manual Digital Media Primer (Yue-Ling Wong)
Solution Manual Essentials for Design Macromedia Director MX 2004 Comprehensive (Tara Gray)
Solution Manual Modern Systems Analysis and Design (4th Ed., Jeffrey Hoffer, Joey George, & Joseph Valacich)
Solution Manual Modern Systems Analysis and Design (5th Ed., Jeffrey Hoffer, Joey George, & Joseph Valacich)
Solution Manual Modern Database Management (8th Ed., Hoffer, Prescott & Topi)
Solution Manual Modern Database Management (9th Ed., Hoffer, Prescott & Topi)
Solution Manual Database Systems Using Oracle (2nd Ed., Nilesh Shah)
Solution Manual An Advanced Course in Database Systems : Beyond Relational Databases (Dietrich & Urban)
Solution Manual Data and Text Mining : A Business Applications

Approach (Thomas Miller)
Solution Manual Network Management : Concepts and Practice, A Hands-On Approach (J. Richard Burke)
Solution Manual Computer and Communication Networks (Nader F. Mir)
Solution Manual High Performance TCP/IP Networking (Mahbub Hassan & Raj Jain)
Solution Manual Computer Security : Principles and Practice (William Stallings & Lawrie Brown)
Solution Manual Computer Forensics : Principles and Practices (Volonino, Anzaldua & Godwin)
Solution Manual Disaster Recovery : Principles and Practices (April Wells, Charlyne Walker & Timothy Walker)
Solution Manual Firewalls and VPNs : Principles and Practices (Richard Tibbs & Edward Oakes)
Solution Manual Network Defense and Countermeasures : Principles and Practices (Chuck Easttom)
Solution Manual Corporate Computer and Network Security (1st Ed., Raymond Panko)
Solution Manual Corporate Computer and Network Security (2nd Ed., Raymond Panko)
Solution Manual IP Telephony Using CallManager Express Lab Portfolio (Cheryl Schmidt & Ernie Friend)
Solution Manual High-Speed Networks and Internets : Performance and Quality of Service (2nd Ed., William Stallings)
Solution Manual Object-Oriented Modeling and Design with UML (2nd Ed., Michael Blaha & James Rumbaugh)
Solution Manual Operating Systems : Internals and Design Principles (5th Ed., William Stallings)
Solution Manual Operating Systems : Internals and Design Principles (6th Ed., William Stallings)
Solution Manual Distributed Systems : Principles and Paradigms (2nd Ed., Tanenbaum & Van Steen)
Solution Manual Modern Operating Systems (3rd Ed., Andrew Tanenbaum)
Solution Manual Computer Networks (4th Ed., Andrew S. Tanenbaum)
Solution Manual Computer Networks (5th Ed., Andrew S. Tanenbaum, David J. Wetherall)
Solution Manual Operating Systems Design and Implementation (3rd Ed., Andrew Tanenbaum & Albert Woodhull)
Solution Manual UNIX Unbounded : A Beginning Approach (5th Ed., Amir Afzal)
Solution Manual Introduction to Operating Systems and Networks (Ruth Watson)
Solution Manual Operating Systems (3rd Ed., Harvey Deitel, Paul Deitel & David Choffnes)
Solution Manual Operating Systems Principles (Lubomir Bic & Alan Shaw)
Solution Manual A Practical Guide to Linux : Commands, Editors, and Shell Programming (Mark Sobell)
Solution Manual A Practical Guide to Red Hat Linux : Fedora Core and Red Hat Enterprise Linux (2nd Ed., Mark Sobell)
Solution Manual A Practical Guide to Red Hat Linux : Fedora Core and Red Hat Enterprise Linux (3rd Ed., Mark Sobell)
Solution Manual A Practical Guide to Fedora and Red Hat Enterprise Linux: College Edition (Mark Sobell)

Solution Manual A Practical Guide to Ubuntu Linux (Mark Sobell)
Solution Manual Automata, Computability and Complexity : Theory and Applications (Elaine Rich)
Solution Manual Modern Digital Electronics (R.P. Jain)
Solution Manual Linear Systems and Signals (B.P. Lathi)
Solution Manual Modern Digital and Analog Communications Systems (3rd Ed., B. P. Lathi)
Solution Manual Introduction to Digital Systems (Milo D. Ercegovac, Lang & Moreno)
Solution Manual Embedded Systems : Architechture, Programming and Design (Raj Kamal)
Solution Manual Modern Power System Analysis (D. P. Kothari & I. J. Nagrath)
Solution Manual Basic Electrical Engineering (2nd Ed., D.P. Kothari, I.J. Nagrath)
Solution Manual Electric Machines (3rd Ed., D.P. Kothari, I.J. Nagrath)
Solution Manual Circuits and Networks (A. Sudhakar & S. Palli Shyammohan)
Solution Manual Electrical and Electronic Technology (9th Ed., Edward Hughes, John Hiley, Keith Brown & Ian McKenzie-Smith)
Solution Manual Electrical and Electronic Technology (10th Ed., Edward Hughes, John Hiley, Keith Brown & Ian McKenzie-Smith)
Solution Manual Electric Motors and Drives : Fundamentals, Types and Applications (3rd Ed., Austin Hughes)
Solution Manual Modern Processor Design : Fundamentals of Superscalar Processors (John P. Shen)
Solution Manual Computer Networks : Principles, Technologies and Protocols for Network Design (N. Olifer & V. Olifer)
Solution Manual Computer Networking : Internet Protocols in Action (Jeanna Matthews)
Solution Manual Computer Organization (5th Ed., Hamacher et al.)
Solution Manual CMOS Digital Integrated Circuits : Analysis and Design (3rd Ed., Sung-Mo Kang & Yusuf Leblebici)
Solution Manual Introduction to Logic Design (1st Ed., Alan B Marcovitz)
Solution Manual Introduction to Logic Design (2nd Ed., Alan B Marcovitz)
Solution Manual Introduction to Logic Design (3rd Ed., Alan B Marcovitz)
Solution Manual Introduction to Logic and Computer Design (Alan B Marcovitz)
Solution Manual Digital Principles and Design (Donald D. Givone)
Solution Manual Programmable Logic Controllers (3rd Ed., Frank Petruzella)
Solution Manual Programmable Logic Controllers (4th Ed., Frank Petruzella)

---

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

---=

```
From 695285421339691118
X-Google-Thread: 108122,47b9e48267e00bf3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!g3g2000prg.googlegroups.com!not-for-
mail
From: claudeh <hclaudioblanco@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test banks to Math, Statistics and
 Probability Books - part1
Date: Sat, 26 Mar 2011 15:43:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 611
Message-ID: <c93baf74-823d-4a25-be7c-3c2c1a0a01cc@g3g2000prg.googlegroups.com>
NNTP-Posting-Host: 201.240.179.125
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301179411 27298 127.0.0.1 (26 Mar 2011 22:43:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 26 Mar 2011 22:43:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g3g2000prg.googlegroups.com; posting-host=201.240.179.125;
posting-account=mFFJOAoAAABaIQEBRX5f95y3rtsFRjms
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2766
```

List of Solutions Manuals and Test Banks

----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA,
PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI
LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DADDS77XH

I do not review the forums, just send me an email.

- Math, Statistics & Probability :

Solution manual Advanced Engineering Mathematics (8th Ed., Erwin Kreyszig)
Solution manual Advanced Engineering Mathematics (9th Ed., Erwin Kreyszig)
Solution manual Advanced Engineering Mathematics (10th Ed., Erwin Kreyszig)
Solution manual Advanced Engineering Mathematics (2nd Ed, Michael

Greenberg)
Solution manual Advanced Engineering Mathematics (6th Ed., Peter O'Neil)
Solution manual Advanced Modern Engineering Mathematics (3rd Ed., Glyn James)
Solution manual Modern Engineering Mathematics (4th Ed., Glyn James)
Solution manual Differential Equations and Dynamical Systems (3rd Ed., Lawrence Perko)
Solution manual Introductory Differential Equations with Boundary Value Problems (3rd Ed., Martha Abell & James Braselton)
Solution manual A Modern Introduction to Differential Equations (2nd Ed., Henry J. Ricardo)
Solution manual Elementary Differential Equations (7th Ed., Boyce)
Solution manual Elementary Differential Equations (8th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations (9th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations and Boundary Value Problems (7th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations and Boundary Value Problems (8th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations and Boundary Value Problems (9th Ed., Boyce & Diprima)
Solution manual Differential Equations : An Introduction to Modern Methods and Applications (James Brannan & William Boyce)
Solution manual Differential Equations with Boundary Value Problems : An Introduction to Modern Methods and Applications (James Brannan & William Boyce)
Solution manual Advanced Calculus : A Transition to Analysis (Thomas Dence & Joseph Dence)
Solution manual Calculus : Early Transcendentals Combined (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Early Transcendentals Combined (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Multivariable (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Multivariable (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Early Transcendentals Single Variable (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Early Transcendentals Single Variable (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Combined (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Combined (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Single Variable (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Single Variable (9th Ed., Anton, Bivens & Davis)
Solution manual Introduction to the Finite Element Method : Theory, Programming and Applications (Erik G. Thompson)
Solution manual A Physicist's Guide to Mathematica (2nd Ed., Patrick

Tam)
Solution manual Mathematics for Engineers : A Modern Interactive Approach (3rd., Anthony Croft & Robert Davison)
Solution manual Measurement and Data Analysis for Engineering and Science (Patrick F Dunn)
Solution manual Elementary Linear Algebra (4th Ed., Stephen Andrilli & David Hecker)
Solution manual Elementary Linear Algebra Edition Abridged (9th Ed., Anton & Rorres)
Solution manual Elementary Linear Algebra (9th Ed., Anton)
Solution manual Elementary Linear Algebra with Applications (9th Ed., Anton & Rorres)
Solution manual Boundary Value Problems and Partial Differential Equations (6th Ed., David Powers)
Solution manual Introductory Statistics : Using Technology (5th Ed., Prem S. Mann)
Solution manual Introductory Statistics (6th Ed., Prem S. Mann)
Solution manual Introductory Statistics (7th Ed., Prem S. Mann)
Solution manual Basic Real Analysis (Houshang H. Sohrab)
Solution manual Modern Algebra : An Introduction (6th Ed., John Durbin)
Solution manual The Art and Craft of Problem Solving (2nd Ed., Paul Zeitz)
Solution manual Numerical Linear Algebra (Gr=E9goire Allaire, Sidi Mahmoud Kaber, K. Trabelsi)
Solution manual Introductory Statistics for the Behavioral Sciences (6th Ed., Welkowitz, Cohen & Ewen)
Solution manual Statistics : Principles and Methods (5th Ed., Richard Johnson)
Solution manual Statistics : Principles and Methods (6th Ed., Richard Johnson)
Solution manual Statistical Bioinformatics : with R (Sunil K. Mathur)
Solution manual Parameter Estimation and Inverse Problems (Richard Aster, Brian Borchers & Clifford Thurber)
Solution manual Codes : An Introduction to Information Communication and Cryptography (Norman L. Biggs)
Solution manual Geometry and Its Applications (2nd Ed., Walter A. Meyer)
Solution manual Elementary Differential Geometry (2nd Ed., A.N. Pressley)
Solution manual Fractal Geometry : Mathematical Foundations and Applications (2nd Ed., Kenneth Falconer)
Solution manual Analytical and Computational Methods of Advanced Engineering Mathematics (Grant B. Gustafson & Calvin H. Wilcox)
Solution manual How to Read and Do Proofs : An Introduction to Mathematical Thought Processes (4th Ed., Daniel Solow)
Solution manual How to Read and Do Proofs : An Introduction to Mathematical Thought Processes (5th Ed., Daniel Solow)
Solution manual A Probability Path (Sidney Resnick)
Solution manual Intuitive Probability and Random Processes using MATLAB (Steven Kay)
Solution manual Modeling Random Processes for Engineers and Managers (James Solberg)

Solution manual Probability and Random Processes with Applications to Signal Processing (3rd Ed., Henry Stark & John W. Woods)
Solution manual Probability, Statistics, and Random Processes For Electrical Engineering (3rd Ed., Alberto Leon-Garcia)
Solution manual Probability Concepts in Engineering : Emphasis on Applications to Civil and Environmental Engineering (2nd Ed., Ang & Tang)
Solution manual Applied Statistics for Engineers and Physical Scientists (3rd Ed., Johannes Ledolter & Robert Hogg)
Solution manual Applied Statistics and Probability for Engineers (3rd Ed., Montgomery & Runger)
Solution manual Applied Statistics and Probability for Engineers (4th Ed., Montgomery & Runger)
Solution manual Applied Statistics and Probability for Engineers (5th Ed., Montgomery & Runger)
Solution manual Engineering Statistics (3rd Ed., Montgomery, Runger & Hubele)
Solution manual Engineering Statistics (4th Ed., Montgomery, Runger & Hubele)
Solution manual Engineering Statistics (5th Ed., Montgomery, Runger & Hubele)
Solution manual Introduction to Statistical Quality Control (5th Ed., Montgomery)
Solution manual Introduction to Statistical Quality Control (6th Ed., Montgomery)
Solution manual Calculus : One Variables (10th Ed., Salas, Hille, Etgen)
Solution manual Calculus : One and Several Variables (8th Ed., Salas, Hille, Etgen)
Solution manual Calculus : One and Several Variables (10th Ed., Salas, Hille, Etgen)
Solution manual Squaring the Circle : Geometry in Art and Architecture (Paul Calter)
Solution manual Technical Mathematics (5th Ed., Paul Calter & Michael Calter)
Solution manual Technical Mathematics with Calculus (5th Ed., Paul Calter & Michael Calter)
Solution manual Technical Mathematics with Calculus, Canadian Edition (Paul Calter & Michael Calter)
Solution manual Techniques of Problem Solving (Luis Fern=E1ndez, Haedeh Gooransarab)
Solution manual Probability and Statistics in Engineering (4th Ed., Hines, Montgomery, Goldsman & Borror)
Solution manual A First Course in Design and Analysis of Experiments (Gary W. Oehlert)
Solution manual Design and Analysis of Experiments (6th Ed., Douglas Montgomery)
Solution manual Design and Analysis of Experiments (7th Ed., Douglas Montgomery)
Solution manual Introduction to Engineering Experimentation (2nd Ed., Wheeler & Ganji)
Solution manual Introduction to Engineering Experimentation (3rd Ed., Wheeler & Ganji)

Solution manual Introduction to the Design & Analysis of Experiments (Canavos & Koutrouvelis)
Solution manual Modern Methods For Quality Control and Improvement (2nd Ed., Wadsworth, Stephens, Godfrey)
Solution manual Essential Statistics for Economics, Business and Management (Teresa Bradley)
Solution manual Statistics and Econometrics : Methods and Applications (Ashenfelter, Levine & Zimmerman)
Solution manual Applied Combinatorics (5th Ed., Alan Tucker)
Solution manual Vector Calculus (Miroslav Lovric)
Solution manual Applied Multivariate Techniques (Subhash Sharma)
Solution manual Mathematical Modeling (3rd Ed., Mark Meerschaert)
Solution manual Discrete Mathematics : Mathematical Reasoning and Proof with Puzzles, Patterns, and Games (Douglas Ensley, J. Winston Crawley)
Solution manual Probability, Random Variables and Random Signal Principles (4th Ed., Peyton Z., Jr. Peebles)
Solution manual Introduction to C++, Excel MATLAB & Basic Engineering Numerical Methods V1.1 (Harvey Stenger & Charles Smith)
Solution manual Numerical Methods for Engineers and Scientists : An Introduction with Applications Using MATLAB (1st Ed., Amos Gilat & Vish Subramaniam)
Solution manual Numerical Methods for Engineers and Scientists : An Introduction with Applications Using MATLAB (2nd Ed., Amos Gilat & Vish Subramaniam)
Solution manual MATLAB : An Introduction with Applications (2nd Ed., Amos Gilat)
Solution manual MATLAB : An Introduction with Applications (3rd Ed., Amos Gilat)
Solution manual MATLAB : An Introduction with Applications (4th Ed., Amos Gilat)
Solution manual Matlab : A Practical Introduction to Programming and Problem Solving (Stormy Attaway)
Solution manual Data, Statistics, and Decision Models with Excel (Harnett & Horrell)
Solution manual Understanding Analysis (Stephen Abbott)
Solution manual Time Series Analysis With Applications in R (2nd Ed., Jonathan D. Cryer & Kung-Sik Chan)
Solution manual Time Series Analysis and Its Applications : With R Examples (2nd Ed., Robert Shumway & David Stoffer)
Solution manual Doing Statistics for Business with Excel : Data, Inference, and Decision Making (2nd Ed. Pelosi & Sandifer)
Solution manual Engineering with Excel (3rd Ed., Ronald W. Larsen)
Solution manual Spreadsheet Tools for Engineers Using Excel 2007 (Byron Gottfried)
Solution manual Spreadsheet Tools for Engineers using Excel (2nd Ed. Byron Gottfried)
Solution manual Spreadsheet Tools for Engineers using Excel (3rd Ed. Byron Gottfried)
Solution manual Introduction to Matlab 7 (Etter, Kuncicky & Moore)
Solution manual Introduction to Matlab 6 for Engineers (1st Ed., William Palm III)
Solution manual Introduction to Matlab 7 for Engineers (2nd Ed.,

William Palm III)
Solution manual Introduction to Matlab for Engineers (3rd Ed., William Palm III)
Solution manual A Concise Introduction to MATLAB (William J Palm III)
Solution manual Numerical Methods for Engineers (4th Ed. Steven Chapra, Raymond Canale)
Solution manual Numerical Methods for Engineers (5th Ed. Steven Chapra, Raymond Canale)
Solution manual Numerical Methods for Engineers (6th Ed. Steven Chapra, Raymond Canale)
Solution manual Applied Numerical Methods with MATLAB for Engineers and Scientists (1st Ed., Steven Chapra)
Solution manual Applied Numerical Methods with MATLAB for Engineers and Scientists (2nd Ed., Steven Chapra)
Solution manual Applied Numerical Methods with MATLAB for Engineers and Scientists (3rd Ed., Steven Chapra)
Solution manual MATLAB for Engineers (1st Ed., Holly Moore)
Solution manual MATLAB for Engineers (2nd Ed., Holly Moore)
Solution manual Statistics for Engineers and Scientists (1st Ed., William Navidi)
Solution manual Statistics for Engineers and Scientists (2nd Ed., William Navidi)
Solution manual Statistics for Engineers and Scientists (3rd Ed., William Navidi)
Solution manual Principles of Statistics for Engineers and Scientists (William Navidi)
Solution manual Probability (Jim Pitman)
Solution manual Basic Probability Theory (Robert B. Ash)
Solution manual An Introduction to Stochastic Modeling (3rd Ed., Samuel Karlin)
Solution manual Stochastic Calculus for Finance (Steven E. Shreve)
Solution manual Markov Processes for Stochastic Modeling (Oliver Ibe)
Solution manual Mathematical Statistics with Applications (K.M. Ramachandran & Chris Tsokos)
Solution manual Probability : A Graduate Course (Allan Gut)
Solution manual Linear Algebra Done Right (2nd Ed., Sheldon Axler)
Solution manual Precalculus : A Prelude to Calculus (Sheldon Axler)
Solution manual Statistics for Business (Derek Waller)
Solution manual An Introduction to the Mathematics of Financial Derivatives (2nd Ed., Salih Neftci)
Solution manual Elementary Number Theory with Applications (2nd Ed., Thomas Koshy)
Solution manual Introduction to Probability Models (9th Ed., Sheldon Ross)
Solution manual Introduction to Probability Models (10th Ed., Sheldon Ross)
Solution manual Introductory Statistics (2nd Ed., Sheldon Ross)
Solution manual Introductory Statistics (3rd Ed., Sheldon Ross)
Solution manual Introduction to Probability and Statistics for Engineers and Scientists (4th Ed., Sheldon Ross)
Solution manual Basic Mathematics through Applications (4th Ed. by Akst, Bragg)
Solution manual Developmental Mathematics (6th Ed., Bittinger &

Beecher)
Solution manual Developmental Mathematics (7th Ed., Bittinger & Beecher)
Solution manual Developmental Mathematics : Basic Mathematics and Algebra (1st Ed., Lial, Hornsby, McGinnis, Salzman & Hestwood)
Solution manual Developmental Mathematics : Basic Mathematics and Algebra (2nd Ed., Lial, Hornsby, McGinnis, Salzman & Hestwood)
Solution manual Essential Mathematics (2nd Ed., Margaret Lial & Stanley Salzman)
Solution manual Essential Mathematics (3rd Ed., Margaret Lial & Stanley Salzman)
Solution manual Prealgebra & Introductory Algebra (2nd Ed. by Elayn El Martin-Gay)
Solution manual Prealgebra (5th Ed., Bittinger, Ellenbogen & Johnson)
Solution manual Prealgebra (5th Ed., Elayn El Martin-Gay)
Solution manual Prealgebra : An Integrated Approach (Lial & Hestwood)
Solution manual Integrated Arithmetic and Basic Algebra (4th Ed., Jordan & Palow)
Solution manual Introductory Algebra through Applications (1st Ed., Akst & Bragg)
Solution manual Introductory Algebra through Applications (2nd Ed., Akst & Bragg)
Solution manual Beginning Algebra (10th Ed., Lial, Hornsby & McGinnis)
Solution manual Elementary Algebra Early Graphing for College Students (3rd Ed., Allen R. Angel)
Solution manual Intermediate Algebra with Applications & Visualization (3rd Ed., Rockswold & Krieger)
Solution manual Intermediate Algebra (10th Ed., Lial, Hornsby & McGinnis)
Solution manual Beginning and Intermediate Algebra (4th Ed., Lial, Hornsby & McGinnis)
Solution manual Elementary and Intermediate Algebra : Graphs & Models (3rd Ed., Bittinger, Ellenbogen & Johnson)
Solution manual Algebra for College Students (4th Ed., Mark Dugopolski)
Solution manual Algebra for College Students (5th Ed., Mark Dugopolski)
Solution manual Algebra For College Students (6th Ed., Robert F Blitzer)
Solution manual Algebra for College Students (3rd Ed., Allen R. Angel)
Solution manual Algebra for College Students (6th Ed., Lial, Hornsby & McGinnis)
Solution manual Statistics, Data Analysis, and Decision Modeling (3rd Ed., James Evans)
Solution manual Statistics, Data Analysis, and Decision Modeling (4th Ed., James Evans)
Solution manual College Geometry : A Discovery Approach (2nd Ed., David Kay)
Solution manual College Geometry : Using The Geometer's Sketchpad - Preliminary Edition (Barbara Reynolds & William Fenton)
Solution manual College Geometry : A Problem Solving Approach with Applications (2nd Ed., Musser, Trimpe & Maurer)
Solution manual A Survey of Mathematics with Applications (8th Ed.,

Angel, Abbott & Runde)
Solution manual A Survey of Mathematics with Applications: Expanded Edition (8th Ed., Angel, Abbott & Runde)
Solution manual Mathematical Ideas (11th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas: Expanded Edition (11th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Thinking : Problem-Solving and Proofs (2nd Ed., John P. D'Angelo & Douglas B. West)
Solution manual Thinking Mathematically (4th Ed., Robert F. Blitzer)
Solution manual Introduction to Mathematical Thinking: Algebra and Number Systems (Will J. Gilbert & Scott A. Vanstone)
Solution manual Mathematical Reasoning : Writing and Proof (1st Ed., Ted A. Sundstrom)
Solution manual Mathematical Reasoning : Writing and Proof (2nd Ed., Ted A. Sundstrom)
Solution manual Mathematical Reasoning for Elementary Teachers (4th Ed., Calvin T. Long & Duane W. DeTemple)
Solution manual Mathematical Reasoning for Elementary Teachers (5th Ed., Long, DeTemple & Millman)
Solution manual Mathematics for Elementary School Teachers (4th Ed., O'Daffer, Charles, Cooney, Dossey & Schielack)
Solution manual Mathematics for Elementary Teachers (2nd Ed., Sybilla Beckmann)
Solution manual Finite Mathematics and Calculus with Applications (7th Ed., Lial, Greenwell & Ritchey)
Solution manual Finite Mathematics and Calculus with Applications (8th Ed., Lial, Greenwell & Ritchey)
Solution manual Additional Calculus Topics (11th Ed., Barnett, Ziegler & Byleen)
Solution manual College Mathematics for Business, Economics, Life Sciences & Social Sciences (11th Ed., Barnett, Ziegler & Byleen)
Solution manual Introductory Mathematical Analysis for Business, Economics and the Life and Social Sciences (12th Ed., Haeussler, Paul & Wood)
Solution manual Finite Mathematics for Business, Economics, Life Sciences and Social Sciences (11th Ed., Barnett, Ziegler, Byleen)
Solution manual Finite Mathematics (9th Ed., Lial, Greenwell & Ritchey)
Solution manual Calculus and Its Applications (9th Ed., Bittinger & Ellenbogen)
Solution manual Calculus for Business, Economics, Life Sciences & Social Sciences (11th Ed., Barnett, Ziegler & Byleen)
Solution manual Calculus with Applications (9th Ed., Lial, Greenwell & Ritchey)
Solution manual Calculus with Applications : Brief Version (9th Ed., Lial, Greenwell & Ritchey)
Solution manual Concepts of Calculus with Applications (Martha Goshaw)
Solution manual University Calculus : Elements with Early Transcendentals (Hass, Weir & Thomas, Jr.)
Solution manual Thomas' Calculus, Early Transcendentals: Media Upgrade (11th Ed., Thomas Jr., Weir, Hass & Giordano)
Solution manual Thomas' Calculus: Media Upgrade (11th Ed., Thomas Jr.,

Weir, Hass & Giordano)
Solution manual University Calculus : Alternate Edition (Hass, Weir & Thomas, Jr.)
Solution manual Differential Equations Computing and Modeling (4th Ed., Edwards & Penney)
Solution manual Differential Equations and Boundary Value Problems : Computing and Modeling (4th Ed., Edwards & Penney)
Solution manual Elementary Differential Equations with Boundary Value Problems (6th Ed., Edwards & Penney)
Solution manual Elementary Differential Equations (6th Ed., Edwards & Penney)
Solution manual Fundamentals of Differential Equations (7th Ed., Nagle, Saff & Snider)
Solution manual Fundamentals of Differential Equations with Boundary Value Problems (5th Ed., Nagle, Saff & Snider)
Solution manual Differential Equations and Linear Algebra (3rd Ed., Goode & Annin)
Solution manual Discrete Mathematical Structures (6th Ed., Kolman, Busby & Ross)
Solution manual College Algebra Enhanced with Graphing Utilities (5th Ed., Sullivan & Sullivan III)
Solution manual College Algebra (10th Ed., Lial, Hornsby & Schneider)
Solution manual College Algebra : Graphs and Models (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual College Algebra Essentials (8th Ed., Michael Sullivan)
Solution manual College Algebra (3rd Ed., Judith A. Beecher, Judith A. Penna & Marvin L. Bittinger)
Solution manual College Algebra (8th Ed., Michael Sullivan)
Solution manual Algebra and Trigonometry for College Readiness (Margaret L. Lial & John Hornsby)
Solution manual Algebra and Trigonometry Enhanced with Graphing Utilities (5th Ed., Sullivan & Sullivan III)
Solution manual Algebra and Trigonometry : Graphs & Models (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Trigonometry : A Unit Circle Approach (8th Ed., Michael Sullivan)
Solution manual Precalculus (3rd Ed., Lial, Hornsby & Schneider)
Solution manual Precalculus (4th Ed., Lial, Hornsby & Schneider)
Solution manual Precalculus : Enhanced with Graphing Utilities (5th Ed., Sullivan & Sullivan III)
Solution manual Precalculus : Functions and Graphs (3rd Ed. Mark Dugopolski)
Solution manual Precalculus : Graphs & Models and Graphing (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Discrete and Combinatorial Mathematics (5th ed., Ralph P. Grimaldi)
Solution manual Discrete Mathematics (Sherwood Washburn, Thomas Marlowe & Charles T. Ryan)
Solution manual Discrete Mathematics (5th ed., John Dossey, Albert Otto, Lawrence Spence & Charles Vanden Eynden)
Solution manual Mathematics for New Technologies (Don Hutchison & Mark Yannotta)
Solution manual Fundamental Finite Element Analysis and Applications:

with Mathematica and Matlab Computations (Asghar Bhatti)
Solution manual Advanced Topics in Finite Element Analysis of Structures: With Mathematica and MATLAB Computations (Asghar Bhatti)
Solution manual The Finite Element Method in Engineering (4th Ed., by Rao)
Solution manual An Introduction to the Finite Element Method (3rd Ed., J. N. Reddy)
Solution manual Fundamentals of Finite Element Analysis (1st Ed., David V. Hutton)
Solution manual Simulation Modeling and Analysis (3rd Ed., Averill Law & David Kelton)
Solution manual Simulation Modeling and Analysis (4th Ed., Averill Law)
Solution manual The Finite Element Method : Its Basis and Fundamentals (6th Ed., Zienkiewicz, R. L. Taylor & J.Z. Zhu)
Solution manual Algebra : Form and Function (William McCallum, Eric Connally & Deborah Hughes-Hallett)
Solution manual Algebra : Form and Function, Preliminary Edition (William McCallum, Eric Connally & Deborah Hughes-Hallett)
Solution manual Applied Calculus (2nd Ed., Deborah Hughes-Hallett, et al.)
Solution manual Applied Calculus (3rd Ed., Deborah Hughes-Hallett, et al.)
Solution manual Applied Calculus (4th Ed., Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Multivariable (3rd Ed., William G. McCallum, Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Multivariable (4th Ed., William G. McCallum, Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Multivariable (5th Ed., William G. McCallum, Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Single Variable (3rd Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single Variable (4th Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single Variable (5th Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single and Multivariable (3rd Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single and Multivariable (4th Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single and Multivariable (5th Ed., Deborah Hughes-Hallett)
Solution manual Functions Modeling Change : A Preparation for Calculus - Texas Edition (2nd Ed., Eric Connally, Deborah Hughes-Hallett & Andrew M. Gleason)
Solution manual Functions Modeling Change : A Preparation for Calculus (2nd Ed., Eric Connally, Deborah Hughes-Hallett, et al.)
Solution manual Functions Modeling Change : A Preparation for Calculus (3rd Ed., Eric Connally)
Solution manual Differential Equations (A. King, J. Billingham, S. Otto)
Solution manual Regression Methods in Biostatistics : Linear,

Logistic, Survival, and Repeated Measures Models (Eric Vittinghoff, David Glidden, Stephen Shiboski, Charles McCulloch)
Solution manual A Modern Introduction to Probability and Statistics : Understanding Why and How (F.M. Dekking, C. Kraaikamp, H.P. Lopuha=E4, L.E. Meester)
Solution manual Statistical Methods for the Analysis of Repeated Measurements (Charles S. Davis)
Solution manual Bayesian Core : A Practical Approach to Computational Bayesian Statistics (Jean-Michel Marin, Christian Robert)
Solution manual The Bayesian Choice : From Decision-Theoretic Foundations to Computational Implementation (2nd Ed., Christian Robert)
Solution manual Essentials of Stochastic Processes (Rick Durrett)
Solution manual Methods of Multivariate Statistics (Muni Srivastava)
Solution manual Regression Analysis : Theory, Methods, and Applications (Ashish Sen & Muni Srivastava)
Solution manual Applied Probability and Statistics (Mario Lefebvre)
Solution manual Basic Probability Theory with Applications (Mario Lefebvre)
Solution manual Foundations of Hyperbolic Manifolds (2nd Ed., John Ratcliffe)
Solution manual Fourier and Laplace Transforms (R. J. Beerends , H. G. ter Morsche)
Solution manual Infinite-Dimensional Dynamical Systems (James C. Robinson)
Solution manual Mathematical Methods for Physics and Engineering, (3rd Ed., Riley, Hobson & Bence)
Solution manual Numerical Methods in Engineering with MATLAB (Jaan Kiusalaas)
Solution manual Numerical Methods in Engineering with Python (Jaan Kiusalaas)
Solution manual An Introduction to Numerical Analysis (Endre Suli and David Mayers)
Solution manual Fundamentals of Engineering Numerical Analysis (Parviz Moin)
Solution manual Statistical Design (George Casella)
Solution manual Statistical Inference (2nd Ed., George Casella, Roger L. Berger)
Solution manual Monte Carlo Statistical Methods (2nd Ed., Christian P. Robert, George Casella)
Solution manual Introducing Monte Carlo Methods with R (Christian Robert & George Casella)
Solution manual Introduction to Mathematical Structures and Proofs (Larry J. Gerstein)
Solution manual Analyzing Categorical Data (Jeffrey S. Simonoff)
Solution manual Fundamentals of Complex Analysis with Applications to Engineering, Science, and Mathematics (3rd Ed., E. Saff & Arthur Snider)
Solution manual Probability & Statistics for Engineers & Scientists (8th Ed., Walpole, Myers, Ye)
Solution manual Probability & Statistics for Engineers & Scientists (9th Ed., Walpole, Myers, Ye)
Solution manual Statistics for Engineering and the Sciences (5th Ed.,

Mendenhall & Sincich)

--=
----

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

--=

```
From -9107058276388495599
X-Google-Thread: 108122,ba1c5ac78b0674e4,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d26g2000prn.googlegroups.com!not-for-
mail
From: varsha <varsha9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IT`S  TOO HOT GURU
Date: Sat, 26 Mar 2011 22:27:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <e6e0b4e7-631b-492b-b291-3860905fcbb4@d26g2000prn.googlegroups.com>
NNTP-Posting-Host: 117.199.241.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1301203622 23707 127.0.0.1 (27 Mar 2011 05:27:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Mar 2011 05:27:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d26g2000prn.googlegroups.com; posting-host=117.199.241.208;
posting-account=EqrRzAoAAAD3CJxGkAkSGvh74KkxB4YR
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2767
```

hot katrina kaif wallpapers
http://cinyworld96.blogspot.com/2011/03/katrina-kaif.html
deepika padukone new stills
http://cinyworld96.blogspot.com/2011/03/deepika-padukone.html
beautiful aishwariya rai
http://cinyworld96.blogspot.com/2011/03/aishwariya-rai.html
diya mirza sexy photos
http://cinyworld96.blogspot.com/2011/03/diya-mirza.html
stunning beauty sneha
http://cinyworld96.blogspot.com/2011/03/sneha.html

unbelivable iliyana photos
http://cinyworld96.blogspot.com/2011/03/iliyana.html
priyamani beautiful stills
http://cinyworld96.blogspot.com/2011/03/priyamani.html
pranitha in half saree
http://cinyworld96.blogspot.com/2011/03/pranitha.html
richa saree stills
http://cinyworld96.blogspot.com/2011/03/richa-gangopadyay.html

---

From 5594390693855033037
X-Google-Thread: 108122,16b29f43a2d8e2af,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
news-2.dfn.de!news.dfn.de!news-zh.switch.ch!switch.ch!newsfeed01.chello.at!
newsfeed01.sul.t-online.de!t-online.de!news.mixmin.net!feeder.news-service.com!
216.196.110.144.MISMATCH!border3.nntp.ams.giganews.com!Xl.tags.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 27 Mar 2011 18:08:40 -0500
From: Jackie <Jackie.7d579f8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: scanner/transciever?
Date: Sun, 27 Mar 2011 17:25:32 +0000
Message-ID: <Jackie.7d579f8@radiobanter.com>
Organization: RadioBanter.com
Lines: 15
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-1zt8NVkAW+vh1ubnzcaenlNn0NKrc/
rX4BIlBK1e+h8Hu+A8okr2g9VXZOO3SVCOwhX3syHizCAG7wG!75ssVK7gPw+a2+NscBUz/
orPdnPQP6aWgE4uS44AdHABeNQ9m1tCTp+wKfM4kkLkIpKDGlEW560w!e2iJ
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 7
X-Original-Bytes: 1215
Xref: g2news1.google.com rec.radio.amateur.equipment:2554

heya, sorry this is probably a real noob question but ive been looking all over and i cant find the info.

i was wondering if you can get a (portable) device which works as both a radio scanner and also a transciever?

many thanks

EDIT: sorry forgot to say uhf and vhf is what im looking for

--
Jackie

From -2074569505925266912
X-Google-Thread: 108122,beddfa4f168f7e9f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!news.bbs-scene.org!weretis.net!feeder4.news.weretis.net!newsfeed.utanet.at!newsfeed01.chello.at!newsfeed01.sul.t-online.de!t-online.de!newsfeed.kpn.net!pfeed09.wxs.nl!xlned.com!feeder5.xlned.com!feed.xsnews.nl!border-1.ams.xsnews.nl!216.196.110.144.MISMATCH!border3.nntp.ams.giganews.com!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 29 Mar 2011 00:07:36 -0500
From: Charles Evans <Charles.Evans.7d71fd9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FRB-757 relay box
Date: Mon, 28 Mar 2011 23:18:54 +0000
Message-ID: <Charles.Evans.7d71fd9@radiobanter.com>
Organization: RadioBanter.com
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-jIJ44RApiZ5to1aow+P7M8Ly7N2kFCI+OzTIbaa4t+GAhjhv59ZC/vS6Nolp0eUHGP1Ffj7q6rrTgpn!puxqF+SmIksI8Itr44uzGR0B+81F0nNKEhPUk2PnmRp5tKm/B7kGID7lJ3lQcgz3A1zaBr5UhIiQ!bVM4Zaqwlfzaaw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1072
Xref: g2news1.google.com rec.radio.amateur.equipment:2555

I have a FT840 and a FL2001b need a relay box to interface the two, any
one have one or know of another way to do this?

--
Charles Evans

From 8966586459899503889
X-Google-Thread: 108122,16b29f43a2d8e2af

X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!i4g2000pro.googlegroups.com!not-for-mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: scanner/transciever?
Date: Tue, 29 Mar 2011 01:34:51 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <f0c63477-0397-4d1a-9f9d-c5ee51221802@i4g2000pro.googlegroups.com>
References: <Jackie.7d579f8@radiobanter.com>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301387691 4719 127.0.0.1 (29 Mar 2011 08:34:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Mar 2011 08:34:51 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i4g2000pro.googlegroups.com; posting-host=203.94.56.252; posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-Via: 1.1 atomos.longlandclan.yi.org (squid/3.1.8)
X-HTTP-UserAgent: Mozilla/5.0 (X11; Linux x86_64; rv:2.0) Gecko/20110325 Firefox/4.0,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2770

Hi Jackie,
On Mar 28, 3:25=A0am, Jackie <Jackie.7d57...@radiobanter.com> wrote:
> heya, sorry this is probably a real noob question but ive been looking
> all over and i cant find the info.
>
> i was wondering if you can get a (portable) device which works as both a
> radio scanner and also a transciever?
> uhf and vhf is what im looking for

"General coverage receiver" is the magical keywords you're looking
for. Yes, they do exist. The Kenwood TH-F7E is one that comes to
mind, able to do 100kHz (with suitable antenna plugged in) right up to
1300MHz receiving AM and FM. It was able to do SSB and CW up to about
450MHz, and WFM down to about 40MHz. I think Icom have a handheld
with similar capabilities. The Yaesu VX-7R can do likewise, but only
AM, FM and NFM, not SSB or CW.

These can all transmit on 2m/70cm, and the VX-7R can transmit/receive
6m as well. VX-8R I believe does AM transmit in addition too.

From -2111498011983144196
X-Google-Thread: 108122,7986232a2fb0210f,start
X-Google-NewGroupId: yes

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!18g2000prd.googlegroups.com!not-for-
mail
From: suma <satyamsivam9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: JARA COOL HO JAA GURU
Date: Tue, 29 Mar 2011 09:24:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 28
Message-ID: <524dc470-3701-4e7c-88ad-78cd695eb355@18g2000prd.googlegroups.com>
NNTP-Posting-Host: 117.199.249.202
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1301416074 23630 127.0.0.1 (29 Mar 2011 16:27:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Mar 2011 16:27:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 18g2000prd.googlegroups.com; posting-host=117.199.249.202;
posting-account=xYWSigoAAADp0Q2VAMlANM4syM5q3uRr
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2557

                how to encourage women hot sex
  http://onlyforhealth-muni.blogspot.com/2011/03/medicine-for-women.html
               food list for pregnant womens
http://onlyforhealth-muni.blogspot.com/2011/03/pregnants-food-list.html
           hormone imbalance for men and women
http://onlyforhealth-muni.blogspot.com/2011/03/hormone-imbalance.html
           sex medicine for men
http://onlyforhealth-muni.blogspot.com/2011/03/sildenafil-citrate.html
           cure diseases only with water
http://onlyforhealth-muni.blogspot.com/2011/03/water-theraphy.html
             antibiotics and there uses
http://onlyforhealth-muni.blogspot.com/2010/12/antibiotics-introduction.html


   hot katrina kaif wallpapers
http://cinyworld96.blogspot.com/2011/03/katrina-kaif.html
              deepika padukone new stills
http://cinyworld96.blogspot.com/2011/03/deepika-padukone.html
                beautiful aishwariya rai
http://cinyworld96.blogspot.com/2011/03/aishwariya-rai.html
                 diya mirza sexy photos
http://cinyworld96.blogspot.com/2011/03/diya-mirza.html
               stunning beauty sneha
http://cinyworld96.blogspot.com/2011/03/sneha.html
                unbelivable iliyana photos
http://cinyworld96.blogspot.com/2011/03/iliyana.html
              priyamani beautiful stills
http://cinyworld96.blogspot.com/2011/03/priyamani.html
```

```
From -495631448005472158
X-Google-Thread: 108122,3f151fdd7638cfab,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!k10g2000prh.googlegroups.com!not-for-
mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test banks to Math, Statistics and
 Probability Books - part2
Date: Tue, 29 Mar 2011 11:07:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 864
Message-ID: <73b4d78c-92ef-409c-9465-96b04ead5d7e@k10g2000prh.googlegroups.com>
NNTP-Posting-Host: 190.40.115.31
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301422060 24401 127.0.0.1 (29 Mar 2011 18:07:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Mar 2011 18:07:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k10g2000prh.googlegroups.com; posting-host=190.40.115.31; posting-
account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2558
```

List of Solutions Manuals and Test Banks

----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DADDS77XH

I do not review the forums, just send me an email.

- Math, Statistics & Probability :

Solution manual A Second Course in Statistics : Regression Analysis (6th Ed., Mendenhall & Sincich)
Solution manual A Second Course in Statistics : Regression Analysis (7th Ed., Mendenhall & Sincich)
Solution manual Miller & Freund's Probability and Statistics for Engineers (7th Ed., Johnson, Miller, Freund)
Solution manual Miller & Freund's Probability and Statistics for Engineers (8th Ed., Johnson, Miller, Freund)
Solution manual Numerical Methods Using Matlab (4th Ed., Mathews & Fink)
Solution manual Applied Numerical Analysis Using MATLAB (2nd Ed., Laurene v. Fausett)
Solution manual Applied Numerical Analysis (7th Ed., Curtis F. Gerald,

Patrick O. Wheatley)
Solution manual Friendly Introduction to Numerical Analysis (Bradie)
Solution manual Elementary Linear Algebra (2nd Ed., Spence, Insel & Friedberg)
Solution manual Elementary Linear Algebra with Applications (9th Ed., Kolman & Hill)
Solution manual Introductory Linear Algebra : An Applied First Course (8th Ed., Kolman & Hill)
Solution manual Linear Algebra with Applications (6th Ed., S. Leon)
Solution manual Linear Algebra with Applications (7th Ed., S. Leon)
Solution manual Linear Algebra for Engineers and Scientists Using Matlab (Hardy)
Solution manual Linear Algebra with Applications (3rd Ed., Bretscher)
Solution manual Linear Algebra with Applications (4th Ed., Bretscher)
Solution manual Modern Matrix Algebra (Hill & Kolman)
Solution manual Matrix Methods : Applied Linear Algebra (3rd Ed., Richard Bronson & Gabriel B. Costa)
Solution manual A Transition to Abstract Mathematics : Learning Mathematical Thinking and Writing (2nd Ed., Randall Maddox)
Solution manual Partial Differential Equations and Boundary Value Problems with Fourier Series (2nd ed., Asmar)
Solution manual Applied Partial Differential Equations (4th Ed., Haberman)
Solution manual Technical Calculus (5th Ed., Dale Ewen, Joan S. Gary & James E. Trefzger)
Solution manual Technical Mathematics (2th Ed., Dale Ewen, Joan S. Gary & James E. Trefzger)
Solution manual Technical Mathematics with Calculus (2th Ed., Dale Ewen, Joan S. Gary & James E. Trefzger)
Solution manual Introductory Mathematics (4th Ed., Cook)
Solution manual Mathematics for the Technical Trades (Cook)
Solution manual College Mathematics (7th Ed., Cleaves & Hobbs)
Solution manual Fundamentals of Statistics (2nd Ed., Michael III Sullivan)
Solution manual Fundamentals of Statistics (3rd Ed., Michael III Sullivan)
Solution manual Statistics : Informed Decisions Using Data (2nd Ed., Michael III Sullivan)
Solution manual Modern Elementary Statistics (12th Ed., John E. Freund, Benjamin M. Perles)
Solution manual Statistics : The Art and Science of Learning From Data (Agresti & Franklin)
Solution manual Statistics : The Art and Science of Learning From Data (2nd Ed., Agresti & Franklin)
Solution manual Elementary Statistics : Picturing the World (3rd Ed., Larson & Farber)
Solution manual Elementary Statistics : Picturing the World (4th Ed., Larson & Farber)
Solution manual Elementary Statistics : Picturing the World (5th Ed., Larson & Farber)
Solution manual A First Course in Statistics (9th Ed., McClave & Sincich)
Solution manual A First Course in Statistics (10th Ed., McClave &

Sincich)
Solution manual Statistics (10th Ed., McClave & Terry Sincich)
Solution manual Statistics (11th Ed., McClave & Terry Sincich & William Mendenhall)
Solution manual Interactive Statistics (3rd Ed., Martha Aliaga & Brenda Gunderson)
Solution manual Statistics for the Life Sciences (3rd Ed., Samuels & Witmer)
Solution manual Statistics for the Life Sciences (4th Ed., Samuels, Witmer & Schaffner)
Solution manual Applied Statistics and the SAS Programming Language (5th Ed., Cody & Smith)
Solution manual Biostatistics for the Health Sciences (R. Clifford Blair & Richard Taylor)
Solution manual Biostatistics : How It Works (Steve Selvin)
Solution manual Business Statistics : First Course (4th Ed., Levine, Krehbiel & Berenson)
Solution manual Business Statistics : First Course (5th Ed., Levine, Krehbiel & Berenson)
Solution manual Course in Business Statistics (4th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Business Statistics : A Decision Making Approach (6th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Business Statistics : A Decision-Making Approach (7th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Business Statistics : A Decision-Making Approach (8th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Statistics for Business & Economics (10th Ed., McClave, Benson & Sincich)
Solution manual Statistics for Managers Using Excel (5th Ed., Levine)
Solution manual Statistics for Managers Using Microsoft Excel (4th Ed., Levine, Stephan, Krehbiel & Berenson)
Solution manual Statistics for Business and Economics (5th Ed., Newbold, Carlson & Thorne)
Solution manual Statistics for Business and Economics (6th Ed., Newbold, Carlson & Thorne)
Solution manual Statistics for Business and Economics (7th Ed., Newbold, Carlson & Thorne)
Solution manual Basic Business Statistics : Concepts and Applications (10th Ed., Berenson, Krehbiel & Levine)
Solution manual Basic Business Statistics (11th Ed., Berenson, Levine & Krehbiel)
Solution manual John E. Freund's Mathematical Statistics with Applications (7th Ed., Miller)
Solution manual Probability and Statistical Inference (7th Ed., Hogg & Tanis)
Solution manual Probability and Statistical Inference (8th Ed., Hogg & Tanis)
Solution manual Introduction to Mathematical Statistics (6th Ed., Hogg, Craig & McKean)
Solution manual Introduction to Mathematical Statistics and Its Applications (4th Ed., Larsen & Marx)
Solution manual Introduction to Mathematical Statistics and Its

Applications (5th Ed., Larsen & Marx)
Solution manual A Brief Course in Mathematical Statistics (Hogg & Tanis)
Solution manual Fundamentals of Probability, with Stochastic Processes (3rd Ed., Saeed Ghahramani)
Solution manual A First Course in Probability (7th Ed., Sheldon Ross)
Solution manual A First Course in Probability (8th Ed., Sheldon Ross)
Solution manual Applied Multivariate Statistical Analysis (6th Ed., Johnson & Wichern)
Solution manual Multivariate Data Analysis (6th Ed., Hair, Black, Babin, Anderson & Tatham)
Solution manual Multivariate Data Analysis (7th Ed., Hair, Black, Babin, Anderson)
Solution manual Essential MATLAB for Engineers and Scientists (3rd Ed., Brian Hahn & Dan Valentine)
Solution manual Essential MATLAB for Engineers and Scientists (4th Ed., Brian Hahn & Dan Valentine)
Solution manual Introduction to Applied Statistical Signal Analysis : Guide to Biomedical and Electrical Engineering Applications (3rd Ed. Richard Shiavi)
Solution manual Construction Mathematics (Surinder Virdi & Roy Baker)
Solution manual Numerical Methods in Biomedical Engineering (Stanley Dunn, Alkis Constantinides & Prabhas Moghe)
Solution manual Probability and Statistics with Integrated Software Routines (Ronald Deep)
Solution manual Finite Element Analysis with Error Estimators : An Introduction to the FEM and Adaptive Error Analysis for Engineering Students (J. Akin)
Solution manual Basic Engineering Mathematics (4th Ed., John Bird)
Solution manual Engineering Mathematics (4th Ed., John Bird)
Solution manual Engineering Mathematics (5th Ed., John Bird)
Solution manual Higher Engineering Mathematics (5th Ed., John Bird)
Solution manual Construction Mathematics (Virdi & Baker)
Solution manual Mathematics for Electrical Engineering and Computing (Mary Attenborough)
Solution manual Probability and Random Processes : With Applications to Signal Processing and Communications (Miller & Childers)
Solution manual Introductory Statistics for Engineering Experimentation (Peter Nelson, Karen Copeland & Marie Coffin)
Solution manual Understanding Engineering Mathematics (Bill Cox)
Solution manual Statistics And Probability For Engineering Applications With Microsoft Excel (Decoursey)
Solution manual Business Math Using Calculators : With 10-Key Computer Assisted Instruction (Burton)
Solution manual Mathematics for Economics and Business (5th Ed., Ian Jacques)
Solution manual Business Math, Brief (7th Ed., Cleaves & Hobbs)
Solution manual Math for Merchandising: A Step-by-Step Approach (3rd Ed., Moore)
Solution manual Mathematics for Business (7th Ed., Salzman , Miller & Clendenen)
Solution manual Mathematics for Business (8th Ed., Salzman , Miller & Clendenen)

Solution manual Basic College Mathematics with Early Integers (K. Elayn Martin-Gay)
Solution manual Developmental Mathematics (K. Elayn Martin-Gay)
Solution manual An Introduction to Analysis (3rd Ed., William Wade)
Solution manual An Introduction to Analysis (4th Ed., William Wade)
Solution manual A Friendly Introduction to Analysis (2nd Ed., Witold A.J. Kosmala)
Solution manual Advanced Calculus (Gerald Folland)
Solution manual Analysis : With an Introduction to Proof (4th Ed., Steven R. Lay)
Solution manual Essentials of Basic College Mathematics (John Jr Tobey, Jr., Jeffrey Slater)
Solution manual Basic College Mathematics (5th Ed., John Tobey & Jeffrey Slater)
Solution manual Prealgebra (3rd Ed., Jamie Blair, John Tobey & Jeffrey Slater)
Solution manual Elementary Algebra Early Graphing for College Students (3rd Ed., Allen Angel)
Solution manual Elementary Algebra (Michael Sullivan III, Katherine R. Struve & Janet Mazzarella)
Solution manual Elementary Algebra for College Students (7th Ed., Allen R. Angel)
Solution manual Experiencing Introductory and Intermediate Algebra Through Functions and Graphs (3rd Ed., JoAnne Thomasson & Robert Pesut)
Solution manual Introductory Algebra (3rd Ed., K. Elayn Martin-Gay)
Solution manual Beginning Algebra (6th Ed., John Jr Tobey & Jeffrey Slater)
Solution manual Beginning Algebra : Early Graphing (Jamie Blair, John Tobey & Jeffrey Slater)
Solution manual Beginning and Intermediate Algebra (2nd Ed., Jamie Blair, John Tobey & Jeffrey Slater)
Solution manual Introductory Algebra (4th Ed., Robert Blitzer)
Solution manual Introductory and Intermediate Algebra (2nd Ed., Robert Blitzer)
Solution manual Intermediate Algebra for College Students (7th Ed., Allen Angel)
Solution manual Intermediate Algebra (Michael Sullivan III & Katherine Struve)
Solution manual Intermediate Algebra (3rd Ed., K. Elayn Martin-Gay)
Solution manual Essentials of Intermediate Algebra for College Students (Robert Blitzer)
Solution manual Intermediate Algebra (4th Ed., Robert Blitzer)
Solution manual Intermediate Algebra for College Students (5th Ed., Robert Blitzer)
Solution manual Algebra A Combined Approach (3rd Ed., K. Elayn Martin-Gay)
Solution manual Elementary & Intermediate Algebra (Michael Sullivan III, Katherine R. Struve & Janet Mazzarella)
Solution manual Essentials of Introductory and Intermediate Algebra for College Students (Robert F. Blitzer)
Solution manual Algebra for College Students (3rd Ed., Allen R. Angel)
Solution manual Algebra for College Students (5th Ed., Robert F

Blitzer)
Solution manual College Algebra (8th Ed., Michael Sullivan)
Solution manual College Algebra Essentials (8th Ed., Michael Sullivan)
Solution manual College Algebra (4th Ed., Robert Blitzer)
Solution manual College Algebra Essentials (2nd Ed., Robert F. Blitzer)
Solution manual College Algebra : An Early Functions Approach (Robert F. Blitzer)
Solution manual College Algebra : Concepts Through Functions (1st Ed., Michael Sullivan III & Michael Sullivan)
Solution manual College Algebra : Concepts Through Functions (2nd Ed., Michael Sullivan III & Michael Sullivan)
Solution manual College Algebra Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Essentials of College Algebra : Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Algebra and Trigonometry (8th Ed., Michael Sullivan)
Solution manual Algebra and Trigonometry (3rd Ed., Robert F. Blitzer)
Solution manual Algebra and Trigonometry: An Early Functions Approach (Robert Blitzer)
Solution manual Algebra & Trigonometry (7th Ed., Michael Sullivan)
Solution manual Algebra and Trigonometry Enhanced With Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Trigonometry (7th Ed., Michael Sullivan)
Solution manual Trigonometry (8th Ed., Michael Sullivan)
Solution manual Trigonometry Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus (8th Ed., Michael Sullivan)
Solution manual Precalculus (3rd Ed., Robert Blitzer)
Solution manual Precalculus (4th Ed., Robert Blitzer)
Solution manual Precalculus (1st Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual Precalculus : A Right Triangle Approach (2nd Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual Precalculus Essentials (2nd Ed., Robert Blitzer)
Solution manual Precalculus Essentials (3rd Ed., Robert Blitzer)
Solution manual Precalculus : Concepts Through Functions, A Unit Circle Approach to Trigonometry (1st Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus : Concepts Through Functions, A Unit Circle Approach to Trigonometry (2nd Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus : Concepts Through Functions, A Right Triangle Approach to Trigonometry (1st Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus : Concepts Through Functions, A Right Triangle Approach to Trigonometry (2nd Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus Enhanced with Graphing Utilities (5th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus Essentials : Enhanced with Graphing

Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Excursions in Modern Mathematics (5th Ed., Peter Tannenbaum)
Solution manual Excursions In Modern Mathematics with Mini-Excursions (6th Ed., Peter Tannenbaum)
Solution manual Quantitive Reasoning & the Environment (Greg Langkamp & Joseph Hull)
Solution manual Fundamentals of Mathematics (10th Ed., William M Setek & Michael A Gallo)
Solution manual Learning Math in Elementary and Middle School & IMAP Package (4th Ed., Cathcart, Pothier, Vance & Bezuk)
Solution manual Understanding the Math You Teach: Content and Methods for Prekindergarten Through Grade 4 (Anita C. Burris)
Solution manual Algebra Connections (Ira J. Papick & UMO University of Missouri)
Solution manual Calculus Connections (Asma Harcharras, Dorina Mitrea)
Solution manual Data Analysis and Probability Connections: Mathematics for Middle School Teachers (Debra A. Perkowski & Michael Perkowski)
Solution manual Geometry Connections (John K. Beem)
Solution manual Elementary Math Modeling Updated (2nd Ed., Mary Ellen Davis & C. Henry Edwards)
Solution manual Additional Calculus Topics (11th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual Finite Math and Its Application (9th Ed., Larry J Goldstein, David I Schneider & Martha J. Siegel)
Solution manual Finite Mathematics and Its Application (10th Ed., Larry J Goldstein, David I Schneider & Martha J. Siegel)
Solution manual Introductory Mathematical Analysis for Business, Economics and the Life and social Sciences (11th Ed., Haeussler, Paul & R.J. Wood)
Solution manual Introductory Mathematical Analysis for Business, Economics and the Life and Social Sciences (12th Ed., Haeussler, Paul & R.J. Wood)
Solution manual Additional Calculus Topics (9th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual College Mathematics for Business, Economics, Life Sciences and Social Sciences (10th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual Brief Calculus and Its Applications (11th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Brief Calculus and Its Applications (12th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Calculus and its Applications (10th Ed., Larry Goldstein, David Schneider, David Lay)
Solution manual Calculus and its Applications (11th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Calculus and its Applications (12th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Calculus for Business, Economics, Life Sciences and Social Sciences (10th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual Calculus, Early Transcendentals (6th Ed., C. Henry Edwards & David Penney)

Solution manual Calculus, Early Transcendentals (7th Ed., C. Henry Edwards & David Penney)
Solution manual Calculus (9th Ed., Dale Varberg, Edwin Purcell & Steve Rigdon)
Solution manual Calculus Early Transcendentals (Dale Varberg, Edwin Purcell & Steve Rigdon)
Solution manual Calculus (3rd Ed., Monty Strauss, Gerald Bradley & Karl Smith)
Solution manual Calculus (6th Ed., Henry Edwards & David E. Penney)
Solution manual Single Variable Calculus (3rd Ed., Monty Strauss, Gerald Bradley & Karl Smith)
Solution manual Vector Calculus (3rd Ed., Susan Colley)
Solution manual Applied Linear Algebra (Peter Olver & Cheri Shakiban)
Solution manual Differential Equations and Linear Algebra (2nd Ed., Jerry Farlow, James E. Hall, Jean Marie McDill & Beverly West)
Solution manual Differential Equations and Linear Algebra (2nd Ed., C. Henry Edwards & David Penney)
Solution manual Differential Equations and Linear Algebra (3rd Ed., C. Henry Edwards & David Penney)
Solution manual Differential Equations (2nd Ed., John Polking, Al Boggess & David Arnold)
Solution manual Differential Equations with Boundary Value Problems (2nd ed., John Polking, Al Boggess & David Arnold)
Solution manual Discrete Mathematics with Graph Theory (3rd Ed., Edgar Goodaire & Michael Parmenter)
Solution manual Essential Discrete Mathematics (Todd Feil & Joan Krone)
Solution manual Statistical Methods for the Social Sciences (4th Ed., Agresti & Finlay)
Solution manual A Brief Course in Mathematical Statistics (Tanis & Hogg)
Solution manual Business Mathematics, 10th Ed. (Miller, Salzman & Clendenen)
Solution manual Elementary Statistics (6th Ed., Weiss)
Solution manual Elementary Statistics (7th Ed., Weiss)
Solution manual Elementary Statistics (8th Ed., Weiss)
Solution manual Elementary Statistics Using the Graphing Calculator: For the TI-83/84 Plus (Mario Triola)
Solution manual Elementary Statistics Using the TI-83/84 Plus Calculator (2nd Ed., Mario Triola)
Solution manual Elementary Statistics Using the TI-83/84 Plus Calculator (3rd Ed., Mario Triola)
Solution manual Elementary Statistics Update (9th Ed., Mario Triola)
Solution manual Elementary Statistics (10th Ed., Mario Triola)
Solution manual Elementary Statistics (11th Ed., Mario Triola)
Solution manual Elementary Statistics - Technology Update (11th Ed., Mario Triola)
Solution manual Essentials of Statistics (2nd Ed., Mario Triola)
Solution manual Essentials of Statistics (3rd Ed., Mario Triola)
Solution manual Essentials of Statistics (4th Ed., Mario Triola)
Solution manual Introductory Statistics (7th Ed., Neil Weiss)
Solution manual Introductory Statistics (8th Ed., Neil Weiss)
Solution manual Introductory Statistics (9th Ed., Neil Weiss)

Solution manual Intro Stats (2nd Ed., De Veaux, Velleman & Bock)
Solution manual Intro Stats (3rd Ed., De Veaux, Velleman & Bock)
Solution manual Stats: Data and Models, (De Veaux, Velleman & Bock)
Solution manual Stats: Data and Models, (2nd Ed., De Veaux, Velleman & Bock)
Solution manual Elementary Statistics Using Excel (2nd Ed., Mario Triola)
Solution manual Elementary Statistics Using Excel (3rd Ed., Mario Triola)
Solution manual Elementary Statistics Using Excel (4th Ed., Mario Triola)
Solution manual Stats : Modeling the World (2nd Ed., Bock, Velleman & De Veaux)
Solution manual Stats : Modeling the World (3rd Ed., Bock, Velleman & De Veaux)
Solution manual Statistical Reasoning for Everyday Life (2nd Ed., Bennett, Briggs & Triola)
Solution manual Statistical Reasoning for Everyday Life (3rd Ed., Bennett, Briggs & Triola)
Solution manual Business Statistics (Triola & Franklin)
Solution manual Business Statistics (1st Ed., Sharpe, De Veaux & Velleman)
Solution manual Business Statistics (2nd Ed., Sharpe, De Veaux & Velleman)
Solution manual Business Statistics : A First Course (Sharpe, De Veaux & Velleman)
Solution manual Biostatistics for the Biological and Health Sciences with Statdisk (Marc Triola & Mario Triola)
Solution manual Biostatistics : A Guide to Design, Analysis and Discovery (2nd Ed., Ronald Forthofer, Eun Lee, Mike Hernandez)
Solution manual A Course in Probability (Neil A. Weiss)
Solution manual Probability and Statistics (3rd Ed., DeGroot & Schervish)
Solution manual Probability and Statistics (4th Ed., DeGroot & Schervish)
Solution manual Statistics for Science and Engineering (John Kinney)
Solution manual Mathematical Proofs : A Transition to Advanced Mathematics (1st Ed., Chartrand, Polimeni & Zhang)
Solution manual Mathematical Proofs : A Transition to Advanced Mathematics (2nd Ed., Chartrand, Polimeni & Zhang)
Solution manual Elementary Number Theory (5th Ed., Kenneth H. Rosen)
Solution manual History of Mathematics : Brief Version (Victor J. Katz)
Solution manual Geometry : An Investigative Approach (2nd Ed., Phares G. O'Daffer & Stanley Clemens)
Solution manual A First Course in Abstract Algebra (7th Ed., John Fraleigh)
Solution manual Complex Variables with Applications (3rd Ed., David Wunsch)
Solution manual Numerical Analysis with CD-ROM (Timothy Sauer)
Solution manual Numerical Analysis and Scientific Computation (Jeffery Leader)
Solution manual Linear Algebra and Differential Equations (Gary

Peterson & James Sochacki)
Solution manual Elementary Differential Equations (2nd Ed., Werner Kohler & Lee Johnson)
Solution manual Elementary Differential Equations with Boundary Value Problems (2nd Ed., Werner Kohler & Lee Johnson)
Solution manual Fundamentals of Differential Equations (6th Ed., Kent B. Nagle, Late, Edward B. Saff & Arthur David Snider)
Solution manual Fundamentals of Differential Equations and Boundary Value Problems (4th Ed., Kent B. Nagle, Late, Edward B. Saff & Arthur David Snider)
Solution manual Linear Algebra and Its Applications with CD-ROM, Update (3rd Ed., David C. Lay)
Solution manual Introduction to Linear Algebra (5th ed., Lee W. Johnson, R. Dean Riess & Jimmy T. Arnold)
Solution manual Calculus for the Life Sciences (Marvin L. Bittinger, Neal Brand & John Quintanilla)
Solution manual Calculus with Applications for the Life Sciences (Raymond N. Greenwell, Nathan P. Ritchey & Margaret L. Lial)
Solution manual Calculus : An Integrated Approach to Functions and Their Rates of Change, Preliminary Edition (Robin J. Gottlieb)
Solution manual Calculus (9th Ed., George B. Thomas, Jr. & Ross L. Finney)
Solution manual Thomas' Calculus, Alternate Edition (9th Ed., George B. Thomas, Jr. & Ross L. Finney)
Solution manual Calculus : A Complete Course (2nd Ed., Ross L. Finney, Franklin D. Demana, Bert K. Waits & Daniel Kennedy)
Solution manual Calculus (Elgin H. Johnston & Jerry Mathews)
Solution manual Thomas' Calculus, Updated (10th Ed., George B. Thomas, Jr., Ross L. Finney, Maurice D. Weir & Frank R. Giordano)
Solution manual Thomas' Calculus (11th Ed., George B. Thomas, Jr., Maurice D. Weir, Joel D. Hass & Frank R. Giordano)
Solution manual Thomas' Calculus Early Transcendentals (11th Ed., George B. Thomas, Jr., Maurice D. Weir, Joel D. Hass & Frank R. Giordano)
Solution manual University Calculus (Joel D. Hass, Maurice D. Weir & George B. Thomas, Jr.)
Solution manual University Calculus : Alternate Edition (Joel D. Hass, Maurice D. Weir & George B. Thomas, Jr.)
Solution manual Thomas' Calculus, Media Upgrade (11th Ed., George B. Thomas, Jr., Maurice D. Weir & Frank R. Giordano)
Solution manual Thomas' Calculus, Early Transcendentals, Media Upgrade (11th Ed., George B. Thomas, Jr., Maurice D. Weir, Joel D. Hass & Frank R. Giordano)
Solution manual Calculus with Applications (8th Ed., Margaret L. Lial, Raymond N. Greenwell & Nathan P. Ritchey)
Solution manual Calculus with Applications, Brief Version (8th Ed., Margaret L. Lial, Raymond N. Greenwell & Nathan P. Ritchey)
Solution manual Finite Mathematics with Applications (9th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Finite Mathematics with Applications (10th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Finite Mathematics (8th Ed., Margaret L. Lial, Raymond N. Greenwell & Nathan P. Ritchey)

Solution manual Mathematics with Applications (9th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Mathematics with Applications (10th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Mathematical Ideas (10th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas (11th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas Expanded Edition (10th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas Expanded Edition (11th Ed., Miller, Heeren & Hornsby)
Solution manual Using and Understanding Mathematics: A Quantitative Reasoning Approach (3rd Ed., Bennett & Briggs)
Solution manual Using and Understanding Mathematics: A Quantitative Reasoning Approach (4th Ed., Bennett & Briggs)
Solution manual A Problem Solving Approach to Mathematics (9th Ed., Billstein, Libeskind & Lott)
Solution manual A Survey of Mathematics with Applications (7th Ed., Angel, Abbott & Runde)
Solution manual A Survey of Mathematics with Applications: Expanded Edition (7th Ed., Angel, Abbott & Runde)
Solution manual Mathematics All Around (3rd Ed., Tom Pirnot)
Solution manual Mathematics for Elementary School Teachers (3rd Ed., Phares O'Daffer, Randall Charles, Thomas Cooney, John Dossey & Jane Schielack)
Solution manual Mathematics for Elementary School Teachers (4th Ed., Phares O'Daffer, Randall Charles, Thomas Cooney, John Dossey & Jane Schielack)
Solution manual Mathematics for Elementary Teachers with Activities (Sybilla Beckmann)
Solution manual Mathematics for Elementary Teachers plus Activities Manual (2nd Ed., Sybilla Beckmann)
Solution manual A Problem Solving Approach to Mathematics for Elementary School Teachers (8th Ed., Billstein, Libeskind & Lott)
Solution manual A Problem Solving Approach to Mathematics for Elementary School Teachers (9th Ed., Billstein, Libeskind & Lott)
Solution manual A Problem Solving Approach to Mathematics for Elementary School Teachers (10th Ed., Billstein, Libeskind & Lott)
Solution manual Essentials of Using and Understanding Mathematics : A Quantitative Reasoning Approach (Jeffrey Bennett & William Briggs)
Solution manual Technical Calculus with Analytic Geometry (4th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics (8th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics (9th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics with Calculus (8th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics with Calculus (9th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics with Calculus Metric Version (8th Ed., Allyn Washington)

Solution manual Introduction to Technical Mathematics (5th Ed., Washington, Triola & Reda)
Solution manual A Graphical Approach to Precalculus (4th Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Precalculus with Limits (3rd Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Precalculus with Limits : A Unit Circle Approach (4th Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Precalculus with Limits : A Unit Circle Approach (5th Ed., Hornsby, Lial & Rockswold)
Solution manual Precalculus : Functions and Graphs (5th Ed., Demana, Waits, Foley & Kennedy)
Solution manual Precalculus : Graphical, Numerical, Algebraic (7th Ed., Demana, Waits, Foley & Kennedy)
Solution manual Precalculus : Graphs and Models Graphing Calculator Manual Package (3rd Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Precalculus : Graphs and Models Graphing Calculator Manual Package (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Functioning in the Real World : A Precalculus Experience (2nd Ed., Gordon, F. Gordon, Tucker & Siegel)
Solution manual Precalculus with Modeling and Visualization (3rd Ed., Gary K. Rockswold)
Solution manual Precalculus with Modeling and Visualization (4th Ed., Gary K. Rockswold)
Solution manual Precalculus (2nd Ed., Beecher, Penna & Bittinger)
Solution manual Precalculus (3rd Ed., Beecher, Penna & Bittinger)
Solution manual Precalculus (3rd Ed., Mark Dugopolski)
Solution manual Precalculus (4th Ed., Mark Dugopolski)
Solution manual Precalculus : Functions and Graphs (2nd Ed., Mark Dugopolski)
Solution manual Precalculus : Functions and Graphs (3rd Ed., Mark Dugopolski)
Solution manual Fundamentals of Precalculus (Mark Dugopolski)
Solution manual Trigonometry (1st Ed., Mark Dugopolski)
Solution manual Trigonometry (2nd Ed., Mark Dugopolski)
Solution manual Trigonometry (3rd Ed., Mark Dugopolski)
Solution manual Trigonometry (8th Ed., Lial, Hornsby & Schneider)
Solution manual Trigonometry (9th Ed., Lial, Hornsby & Schneider)
Solution manual Trigonometry : A Circular Function Approach (Marie Aratari)
Solution manual A Graphical Approach to Algebra and Trigonometry (4th Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Algebra and Trigonometry (5th Ed., Hornsby, Lial & Rockswold)
Solution manual Algebra and Trigonometry : Graphs and Models Graphing Calculator Manual Package (3rd Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Algebra and Trigonometry (2nd Ed., Beecher, Penna & Bittinger)
Solution manual Algebra and Trigonometry (3rd Ed., Beecher, Penna & Bittinger)
Solution manual College Algebra and Trigonometry (1st Ed., J. S. Ratti & Marcus S. McWaters)

Solution manual College Algebra and Trigonometry (2nd Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual College Algebra and Trigonometry (3rd Ed., Mark Dugopolski)
Solution manual College Algebra and Trigonometry (4th Ed., Mark Dugopolski)
Solution manual College Algebra and Trigonometry : A Unit Circle Approach (5th Ed., Mark Dugopolski)
Solution manual Algebra and Trigonometry with Modeling and Visualization (3rd Ed., Gary Rockswold)
Solution manual Algebra and Trigonometry with Modeling and Visualization (4th Ed., Gary Rockswold)
Solution manual College Algebra and Trigonometry (3rd Ed., Lial, Hornsby & Schneider)
Solution manual College Algebra and Trigonometry (4th Ed., Lial, Hornsby & Schneider)
Solution manual A Graphical Approach to College Algebra (4th Ed., John Hornsby, Margaret Lial & Gary Rockswold)
Solution manual A Graphical Approach to College Algebra (5th Ed., John Hornsby, Margaret Lial & Gary Rockswold)
Solution manual College Algebra : Graphs and Models Graphing Calculator Manual Package (3rd Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual College Algebra (J. S. Ratti & Marcus S. McWaters)
Solution manual College Algebra with Modeling and Visualization (3rd Ed., Gary Rockswold)
Solution manual College Algebra with Modeling and Visualization (4th Ed., Gary Rockswold)
Solution manual Essentials of College Algebra with Modeling and Visualization (3rd Ed., Gary Rockswold)
Solution manual Essentials of College Algebra (Lial, Hornsby & Schneider)
Solution manual Essentials of College Algebra, Alternate Edition (Lial, Hornsby & Schneider)
Solution manual Essentials of College Algebra (10th Ed., Lial, Hornsby & Schneider)
Solution manual College Algebra (3rd Ed., Mark Dugopolski)
Solution manual College Algebra (4th Ed., Mark Dugopolski)
Solution manual College Algebra (5th Ed., Mark Dugopolski)
Solution manual College Algebra in Context with Applications for the Managerial, Life, and Social Sciences (1st Ed., Ronald Harshbarger & Lisa Yocco)
Solution manual College Algebra in Context with Applications for the Managerial, Life, and Social Sciences (2nd Ed., Ronald Harshbarger & Lisa Yocco)
Solution manual College Algebra (2nd Ed., Judith Beecher, Judith Penna & Marvin Bittinger)
Solution manual College Algebra (9th Ed., Margaret Lial, John Hornsby & David Schneider)
Solution manual Essentials of Geometry for College Students (2nd Ed., Margaret Lial, Barbara Brown, Arnold Steffenson & L. Murphy Johnson)
Solution manual Algebra for College Students (5th Ed., Margaret Lial, John Hornsby & Terry McGinnis)

Solution manual Introductory and Intermediate Algebra (2nd Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory and Intermediate Algebra (3rd Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory and Intermediate Algebra (4th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Beginning and Intermediate Algebra (3rd Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Beginning and Intermediate Algebra (4th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Elementary and Intermediate Algebra (1st Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Elementary and Intermediate Algebra (2nd Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Introductory and Intermediate Algebra : A Combined Approach (2nd Ed., Marvin Bittinger & Judith Beecher)
Solution manual Introductory and Intermediate Algebra (3rd Ed., Marvin Bittinger & Judith Beecher)
Solution manual Introductory and Intermediate Algebra through Applications (2nd Ed., Geoffrey Akst & Sadie Bragg)
Solution manual Elementary and Intermediate Algebra (1st Ed., George Woodbury)
Solution manual Elementary and Intermediate Algebra (2nd Ed., George Woodbury)
Solution manual Elementary and Intermediate Algebra (2nd Ed., Mark Dugopolski)
Solution manual Elementary and Intermediate Algebra (3rd Ed., Mark Dugopolski)
Solution manual Elementary and Intermediate Algebra : Concepts and Applications (4th Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Beginning and Intermediate Algebra with Applications and Visualization (Gary Rockswold & Terry Krieger)
Solution manual Elementary and Intermediate Algebra : Graphs & Models (2nd Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Foundations of Mathematics (Marvin Bittinger & Judith Penna)
Solution manual Intermediate Algebra (9th Ed., Marvin Bittinger)
Solution manual Intermediate Algebra (10th Ed., Marvin Bittinger)
Solution manual Intermediate Algebra : Graphs & Models (2nd Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Intermediate Algebra : Graphs & Models (3rd Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Intermediate Algebra (8th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Intermediate Algebra (9th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Intermediate Algebra with Applications and Visualization (2nd Ed., Gary Rockswold & Terry Krieger)
Solution manual Intermediate Algebra (Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Intermediate Algebra (2nd Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)

Solution manual Intermediate Algebra: Concepts and Applications (7th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Beginning Algebra (10th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Prealgebra and Introductory Algebra (Marvin Bittinger & David Ellenbogen)
Solution manual Prealgebra and Introductory Algebra (2nd Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Elementary Algebra (2nd Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Introductory Algebra (9th Ed., Marvin Bittinger)
Solution manual Introductory Algebra (10th Ed., Marvin Bittinger)
Solution manual Prealgebra and Introductory Algebra (2nd Ed., Margaret Lial, John Hornsby, Terry McGinnis & Diana Hestwood)
Solution manual Prealgebra and Introductory Algebra (3rd Ed., Margaret Lial, Diana Hestwood, John Hornsby & Terry McGinnis)
Solution manual Elementary Algebra with Early Systems of Equations (Tom Carson & Ellyn Gillespie)
Solution manual Elementary Algebra : Concepts and Applications (6th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Elementary Algebra : Concepts and Applications (7th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Introductory Algebra (Richelle Blair)
Solution manual Introductory Algebra (8th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory Algebra (9th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Beginning Algebra with Applications and Visualization (Gary Rockswold & Terry Krieger)
Solution manual Integrated Arithmetic and Basic Algebra (3rd Ed., Bill Jordan & William Palow)
Solution manual Introductory Algebra through Applications (Geoffrey Akst & Sadie Bragg)
Solution manual Prealgebra (3rd Ed., Margaret Lial & Diana Hestwood)
Solution manual Prealgebra (4th Ed., Margaret Lial & Diana Hestwood)
Solution manual Prealgebra (4th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Prealgebra (5th Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Prealgebra (2nd Ed., Tom Carson)
Solution manual Basic Mathematics (9th Ed., Marvin Bittinger)
Solution manual Basic Mathematics (10th Ed., Marvin Bittinger)
Solution manual Basic Mathematics Preliminary Edition (Robert Prior)
Solution manual Basic Mathematics with Early Integers (Marvin Bittinger & Judith Penna)
Solution manual Basic College Mathematics (7th Ed., Margaret Lial, Stanley Salzman & Diana Hestwood)
Solution manual Basic College Mathematics (8th Ed., Margaret Lial, Stanley Salzman & Diana Hestwood)
Solution manual Basic Mathematics through Applications (3rd Ed., Geoffrey Akst & Sadie Bragg)
Solution manual Fundamental Mathematics through Applications (3rd Ed., Geoffrey Akst & Sadie Bragg)

Solution manual Wave Motion (J. Billingham & A. C. King)
Solution manual Solving ODEs with MATLAB (L. F. Shampine, I. Gladwell & S. Thompson)
Solution manual Numerical Solution of Partial Differential Equations: An Introduction (2nd Ed., K. W. Morton & D. F. Mayers)
Solution manual Measure Theory and Filtering : Introduction and Applications (Lakhdar Aggoun & Robert J. Elliott)
Solution manual Mathematical Models in Biology : An Introduction (Elizabeth S. Allman & John A. Rhodes)
Solution manual Insurance Risk and Ruin (David C. M. Dickson)
Solution manual Data Analysis and Graphics Using R : An Example-based Approach (2nd Ed., John Maindonald & John Braun)
Solution manual Applied Optimization with MATLAB Programming (1st Ed., P. Venkataraman)
Solution manual Applied Optimization with MATLAB Programming (2nd Ed., P. Venkataraman)
Solution manual Convex Optimization (Stephen Boyd & Lieven Vandenberghe)
Solution manual Concrete Abstract Algebra : From Numbers to Gr=F6bner Bases (Niels Lauritzen)
Solution manual A Concrete Approach to Abstract Algebra : From the Integers to the Insolvability of the Quintic (Jeffrey Bergen)
Solution manual Calculus : Concepts and Methods (Ken Binmore & Joan Davies)
Solution manual An Introduction to Partial Differential Equations (Yehuda Pinchover & Jacob Rubinstein)
Solution manual An Introduction to Ordinary Differential Equations (James C. Robinson)
Solution manual An Introduction to Mathematical Physiology and Biology (2nd Ed., J. Mazumdar)
Solution manual An Introduction to Financial Option Valuation : Mathematics, Stochastics and Computation (Desmond Higham)
Solution manual An Interactive Introduction to Mathematical Analysis (Jonathan Lewin)
Solution manual An Introduction to Mathematical Finance: Options and Other Topics (1st Ed., Sheldon M. Ross)

---=
----

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

---=

From -3030171884838919991
X-Google-Thread: 108122,b0dff44ca00afe42,start
X-Google-NewGroupId: yes

X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!k3g2000prl.googlegroups.com!not-for-mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test banks to Physics & Astronomy Books
Date: Tue, 29 Mar 2011 11:11:03 -0700 (PDT)
Organization: http://groups.google.com
Lines: 325
Message-ID: <3ff9fadc-70c7-4678-8801-01b6a664ce5a@k3g2000prl.googlegroups.com>
NNTP-Posting-Host: 190.40.115.31
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301422264 27036 127.0.0.1 (29 Mar 2011 18:11:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Mar 2011 18:11:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k3g2000prl.googlegroups.com; posting-host=190.40.115.31; posting-account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
Gecko/20110319 Firefox/3.6.16 (.NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2773

List of Solutions Manuals and Test Banks
----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DADDS77XH

I do not review the forums, just send me an email.

- Physics & Astronomy :

Solution manual Introduction to Solid State Physics (8th Ed., Charles Kittel)
Solution manual Quantum Physics (3rd Ed., Stephen Gasiorowicz)
Solution manual Fundamentals of Nuclear Reactor Physics (Elmer Lewis)
Solution manual Nuclear Energy : An Introduction to the Concepts, Systems, and Applications of Nuclear Processes (6th Ed., Raymond L. Murray)
Solution manual Fundamentals of Electromagnetics with Engineering Applications (Stuart M. Wentworth)
Solution manual Physics (7th Ed. by Paul E. Tippens)
Solution manual Physics (6th Ed., Cutnell & Johnson)
Solution manual Physics (7th Ed., Cutnell & Johnson)
Solution manual Physics (8th Ed., Cutnell & Johnson)
Solution manual Essentials of Physics (Cutnell & Johnson)
Solution manual Understanding Physics (1st Ed., Cummings, Laws, Redish & Cooney)
Solution manual Introductory Physics : Building Understanding (Jerold

Touger)
Solution manual Physics Matters : An Introduction to Conceptual Physics (James Trefil & Robert Hazen)
Solution manual How Things Work : The Physics of Everyday Life (3rd Ed., Louis Bloomfield)
Solution manual An Introduction to Modern Astrophysics (2nd Ed., Bradley W. Carroll & Dale A. Ostlie)
Solution manual Foundations of Astrophysics (Barbara Ryden & Bradley Peterson)
Solution manual Physics (5th Ed., Halliday, Resnick, Krane)
Solution manual Fundamentals of Physics (6th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual Fundamentals of Physics (7th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual Fundamentals of Physics (8th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual Fundamentals of Physics (9th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual The Physics of Everyday Phenomena : A Conceptual Introduction to Physics (3rd Ed., Thomas Griffith)
Solution manual The Physics of Everyday Phenomena : A Conceptual Introduction to Physics (4th Ed., Thomas Griffith)
Solution manual The Physics of Everyday Phenomena : A Conceptual Introduction to Physics (5th Ed., Thomas Griffith)
Solution manual Physics of Everyday Phenomena : A Conceptual Introduction to Physics (6th Ed., W. Thomas Griffith & Juliet W. Brosing)
Solution manual Integrated Science (2nd Ed., Tillery et al.)
Solution manual Integrated Science (3rd Ed., Tillery et al.)
Solution manual Integrated Science (4th Ed., Tillery et al.)
Solution manual Physical Science (5th Ed., Tillery)
Solution manual Physical Science (6th Ed., Tillery)
Solution manual Physical Science (7th Ed., Tillery)
Solution manual Physical Science (8th Ed., Tillery)
Solution manual The Physical Universe (11th Ed., Konrad Krauskopf & Arthur Beiser)
Solution manual The Physical Universe (12th Ed., Konrad Krauskopf & Arthur Beiser)
Solution manual Physics of the Life Sciences (Jay Newman)
Solution manual Physics in Biology and Medicine (3rd Ed., Paul Davidovits)
Solution manual Optics (1st Ed., Ajoy Ghatak)
Solution manual Optics (4th Ed., Eugene Hecht)
Solution manual Nonlinear Optics (3rd Ed., Robert Boyd)
Solution manual Introduction to Optics (3rd Ed., Frank L Pedrotti, Leno M Pedrotti & Leno S Pedrotti)
Solution manual Principles of Physical Optics (Charles Bennett)
Solution manual Optics : Principles and Applications (Kailash Sharma)
Solution manual Continuum Electromechanics (James R. Melcher)
Solution manual Electromagnetic Noise and Quantum Optical Measurements (Hermann A. Haus)
Solution manual Matter and Interactions I : Modern Mechanics (2nd Ed., Ruth W. Chabay & Bruce A. Sherwood)

Solution manual Matter and Interactions : Volume 1 : Modern Mechanics (3rd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Matter and Interactions II : Electric and Magnetic Interactions (2nd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Matter and Interactions : Volume 2 : Electric and Magnetic Interactions (3rd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Thermal Stresses (2nd Ed., Noda, Hetnarski & Tanigawa)
Solution manual Introduction to Statistical Physics (Kerson Huang)
Solution manual Extended Irreversible Thermodynamics (3rd Ed., D. Jou, J. Casas-Vazquez & G. Lebon)
Solution manual An Introduction to Thermodynamics and Statistical Mechanics (2nd Ed, Keith Stowe)
Solution manual Equilibrium and Non-Equilibrium Statistical Thermodynamics (Michel Le Bellac, Fabrice Mortessagne & G. George Batrouni)
Solution manual Elements of Statistical Mechanics: With an Introduction to Quantum Field Theory and Numerical Simulation (Ivo Sachs & Siddhartha Sen)
Solution manual Quantum Transport (2nd Ed., Supriyo Datta)
Solution manual Ocean Waves and Oscillating Systems (Johannes Falnes)
Solution manual Statistical Mechanics (2nd Ed., R.K. Pathria)
Solution manual Quantum Mechanics (Gennaro Auletta, Mauro Fortunato & Giorgio Parisi)
Solution manual Applied Quantum Mechanics (1st Ed., A. F. J. Levi)
Solution manual Applied Quantum Mechanics (2nd Ed., A. F. J. Levi)
Solution manual Fundamentals of Quantum Mechanics (C.L. Tang)
Solution manual Astronomy : A Physical Perspective (2nd Ed., Marc L. Kutner)
Solution manual Classical Mechanics (Douglas Gregory)
Solution manual Electromagnetic Field Theory Fundamentals (2nd Ed., Singh Guru & Hiziroglu)
Solution manual Special Relativity : From Einstein to Strings (P.M. Schwarz & J.H. Schwarz)
Solution manual Gravity : An Introduction to Einstein's General Relativity (James Hartle)
Solution manual A Short Course in General Relativity (3rd Ed., James Foster & J. David Nightingale)
Solution manual Statistical Thermodynamics (Normand Laurendeau)
Solution manual Statistical Thermodynamics and Microscale Thermophysics (Van P. Carey)
Solution manual Thermal Physics (Ralph Baierlein)
Solution manual Topics in Atomic Physics (Charles E. Burkhardt, Jacob J. Leventhal)
Solution manual Foundations of Quantum Physics (Charles E. Burkhardt, Jacob J. Leventhal)
Solution manual Applied Physics (8th Ed., Dale Ewen, Ronald Nelson, Neill Schurter & Erik Gundersen)
Solution manual Applied Physics (9th Ed., Dale Ewen, Neill Schurter & Erik Gundersen)
Solution manual Analytical Mechanics (7th Ed., Grant R. Fowles, George Cassiday)
Solution manual Orbital Mechanics for Engineering Students (1st Ed., Howard Curtis)

Solution manual Orbital Mechanics for Engineering Students (2nd Ed., Howard Curtis)
Solution manual Diagnostic Ultrasound Imaging : Inside Out (Thomas Szabo)
Solution manual Astronomy : A Beginner's Guide to the Universe (5th Ed., Eric Chaisson & Steve McMillan)
Solution manual The Cosmic Perspective (5th Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Cosmic Perspective Media Update (4th Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Essential Cosmic Perspective Media Update (4th Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Essential Cosmic Perspective Media Update (3rd Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Essential Cosmic Perspective (3rd Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual Astronomy Today (5th Ed., Eric Chaisson & Steve McMillan)
Solution manual Astronomy Today (6th Ed., Eric Chaisson & Steve McMillan)
Solution manual Conceptual Physical Science (3rd Ed., Paul G. Hewitt, John A. Suchocki & Leslie Hewitt)
Solution manual Conceptual Physical Science (4th Ed., Paul G. Hewitt, John A. Suchocki & Leslie Hewitt)
Solution manual Conceptual Integrated Science (Paul G. Hewitt, Suzanne Lyons, John A. Suchocki & Jennifer Yeh)
Solution manual Physics : Concepts & Connections (4th Ed., Art Hobson)
Solution manual Physics : Concepts & Connections (5th Ed., Art Hobson)
Solution manual Conceptual Physics (10th Ed., Paul Hewitt)
Solution manual Conceptual Physics (11th Ed., Paul Hewitt)
Solution manual Conceptual Physics Fundamentals (Paul G. Hewitt)
Solution manual College Physics (6th Ed., Jerry Wilson, Anthony Buffa & Bo Lou)
Solution manual College Physics (7th Ed., Jerry Wilson, Anthony Buffa & Bo Lou)
Solution manual College Physics (8th Ed., Young & Geller)
Solution manual Modern Physics (2nd Ed., Randy Harris)
Solution manual Modern Physics for Scientists and Engineers (John Morrison)
Solution manual Solid State Physics : Essential Concepts (David Snoke)
Solution manual Physics with Mastering Physics (3rd Ed., James Walker)
Solution manual Physics with Mastering Physics (4th Ed., James Walker)
Solution manual Active Learning Guide (Alan Van Heuvelen & Eugenia Etkina)
Solution manual E&M TIPERs : Electricity & Magnetism Tasks (C. J. Hieggelke, D. P. Maloney, T. L. O'Kuma & Steve Kanim)
Solution manual Physics : Principles with Applications (6th Ed., Douglas C. Giancoli)
Solution manual Physlet=AE Physics : Interactive Illustrations, Explorations and Problems for Introductory Physics (Wolfgang Christian & Mario Belloni)

Solution manual University Physics with Modern Physics with Mastering Physics (11th Ed., Hugh Young & Roger Freedman)
Solution manual University Physics with Modern Physics with Mastering Physics (12th Ed., Hugh Young & Roger Freedman)
Solution manual Physics for Scientists and Engineers (3rd Ed., Douglas C. Giancoli)
Solution manual Physics for Scientists and Engineers with Modern Physics (3rd Ed., Douglas Giancoli)
Solution manual Physics for Scientists and Engineers with Modern Physics (4th Ed., Douglas Giancoli)
Solution manual Physlet=AE Quantum Physics : An Interactive Introduction (Mario Belloni, Wolfgang Christian & Anne Cox)
Solution manual Introduction to Electrodynamics (3rd Ed., David J. Griffiths)
Solution manual Introduction to Quantum Mechanics (2nd Ed., David Griffiths)
Solution manual Quantum Mechanics : An Accessible Introduction (Robert Scherrer)
Solution manual Modern Quantum Mechanics (J. J. Sakurai)
Solution manual The Physics of Sound (3rd Ed., Richard Berg & David Stork)
Solution manual Electromagnetism : Principles and Applications (1st Ed., Paul Lorrain, Dale R. Corson)
Solution manual Classical Electromagnetism (Jerrold Franklin)
Solution manual Classical Electrodynamics (2nd Ed., John David Jackson)
Solution manual Nanoengineering of Structural, Functional and Smart Materials (Mark Schulz, Ajit Kelkar, Mannur Sundaresan)
Solution manual Introduction to Color Imaging Science (Hsien-Che Lee)
Solution manual An Introduction to Astrobiology (Iain Gilmour & Mark Sephton)
Solution manual An Introduction to Galaxies and Cosmology (Mark HJones & Robert Lambourne)
Solution manual An Introduction to the Solar System (Neil McBride & Iain Gilmour)
Solution manual Quantum Physics (Michel Le Bellac)
Solution manual Laser Fundamentals (2nd Ed., William T. Silfvast)
Solution manual Laser Electronics (3rd Ed., Joseph T. Verdeyen)
Solution manual Introductory Quantum Optics (Christopher Gerry & Peter Knight)
Solution manual Introduction to Plasma Physics: With Space and Laboratory Applications (D. A. Gurnett & A. Bhattacharjee)
Solution manual A Short Introduction to Quantum Information and Quantum Computation (Michel Le Bellac)
Solution manual A Quantum Approach to Condensed Matter Physics (Philip L. Taylor & Olle Heinonen)
Solution manual A First Course in String Theory (Barton Zwiebach)
Solution manual A First Course in Computational Physics and Object-Oriented Programming with C++ (David Yevick)
Solution manual A Course in Modern Mathematical Physics : Groups, Hilbert Space and Differential Geometry (Peter Szekeres)
Solution manual Ultrasonic Nondestructive Evaluation Systems: Models and Measurements (Lester W. Schmerr & Sung-Jin Song)

Solution manual Explorations : Stars Galaxies and Planets (1st Ed. Updated, Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (2nd Ed., Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (3rd Ed. Updated, Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (4th Ed. Updated, Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (5th Ed. Updated, Thomas Arny)
Solution manual Astronomy : Journey to the Cosmic Frontier (3rd Ed., John D. Fix)
Solution manual Astronomy : Journey to the Cosmic Frontier (4th Ed., John D. Fix)
Solution manual Astronomy : Journey to the Cosmic Frontier (5th Ed., John D. Fix)
Solution manual Pathways to Astronomy with Starry Night Pro (Steven Schneider & Thomas T Arny)
Solution manual From Molecules to Networks (2nd Ed., John Byrne & James Roberts)
Solution manual Biotechnology (David Clark & Nanette Pazdernik)
Solution manual Light and Video Microscopy (Randy Wayne)

```
---------------------------------------------------------------------------=
------------------------
```

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

```
---------------------------------------------------------------------------=
------------------------
```

```
From 322705497853820228
X-Google-Thread: 108122,3719971c05b1fd4f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!j9g2000prj.googlegroups.com!not-for-
mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test banks to Civil Engineering and
 Architecture Books
Date: Tue, 29 Mar 2011 11:11:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 337
Message-ID: <57bbe16d-64b4-4272-95fe-e0861629fa28@j9g2000prj.googlegroups.com>
NNTP-Posting-Host: 190.40.115.31
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
```

Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301422291 26808 127.0.0.1 (29 Mar 2011 18:11:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Mar 2011 18:11:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j9g2000prj.googlegroups.com; posting-host=190.40.115.31; posting-account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16) Gecko/20110319 Firefox/3.6.16 (.NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2560

List of Solutions Manuals and Test Banks

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DADDS77XH

I do not review the forums, just send me an email.

- Civil Engineering and Architecture :

Solution manual Mechanical and Structural Vibrations : Theory and Applications (by Jerry H. Ginsberg)
Solution manual Fundamentals of Structural Analysis (1st Ed., Leet & Uang)
Solution manual Fundamentals of Structural Analysis (2nd Ed., Leet & Uang)
Solution manual Fundamentals of Structural Analysis (3rd Ed., Leet, Uang & Gilbert)
Solution manual Fundamentals of Structural Analysis (4th Ed., Leet, Uang & Gilbert)
Solution manual A Structures Primer (Harry F. Kaufman)
Solution manual Steel Design (4th Ed., William T. Segui)
Solution manual Structural and Stress Analysis (2nd Ed., Megson)
Solution manual Structural Steel Design ASD Method (4th Ed., Jack McCormac)
Solution manual Structural Steel Design (4th Ed., Jack McCormac)
Solution manual Structural Steel Design : A Practice Oriented Approach (Abi Aghayere & Jason Vigil)
Solution manual Unified Design of Steel Structures (Louis Geschwindner)
Solution manual Steel Structures : Behavior and LRFD (1st Ed., Ramulu Vinnakota)
Solution manual The Engineering of Foundations (1st Ed., Rodrigo Salgado)
Solution manual Mechanics of Materials : A Modern Integration of Mechanics and Materials in Structural Design (Christopher Jenkins & Sanjeev Khanna)
Solution manual Analysis and Design of Shallow and Deep Foundations (Lymon Reese, William Isenhower & Shin-Tower Wang)
Solution manual Elementary Structures for Architects and Builders (5th Ed., Ronald Shaeffer)

Solution manual Statics and Strength of Materials for Architecture and Building Construction (3rd Ed., Onouye & Kane)
Solution manual Statics and Strength of Materials for Architecture and Building Construction (4th Ed., Onouye & Kane)
Solution manual Finite Element Techniques in Structural Mechanics (C. T. F. Ross)
Solution manual Fundamental Finite Element Analysis and Applications: with Mathematica and Matlab Computations (Asghar Bhatti)
Solution manual Advanced Topics in Finite Element Analysis of Structures : With Mathematica and MATLAB Computations (Asghar Bhatti)
Solution manual Adjustment Computations : Spatial Data Analysis (4th Ed., Charles Ghilani & Paul Wolf)
Solution manual Adjustment Computations : Spatial Data Analysis (5th Ed., Charles Ghilani)
Solution manual Surveying (5th Ed., Jack McCormac)
Solution manual Surveying with Construction Applications (6th Ed., Barry Kavanagh)
Solution manual Surveying with Construction Applications (7th Ed., Barry Kavanagh)
Solution manual Surveying : Principles and Applications (8th Ed., Barry Kavanagh)
Solution manual Surveying Fundamentals and Practices (5th Ed., Jerry Nathanson, Michael Lanzafama & Philip Kissam)
Solution manual Surveying Fundamentals and Practices (6th Ed., Jerry Nathanson, Michael Lanzafama & Philip Kissam)
Solution manual Structural Analysis (5th Ed., Hibbeler)
Solution manual Structural Analysis (7th Ed., Hibbeler)
Solution manual Structural Analysis - SI Units (7th Ed., Hibbeler)
Solution manual Dynamics of Structures (3rd Ed., Chopra)
Solution manual Designing with Geosynthetics (5th Ed., Robert M. Koerner)
Solution manual Principles of Geotechnical Engineering (6th Ed., Braja M. Das)
Solution manual An Introduction to Geotechnical Engineering (2nd Ed., Robert D. Holtz, William D. Kovacs, Thomas C. Sheahan)
Solution manual Geotechnical Engineering: Principles and Practices (2nd Ed., Donald P. Coduto, Man-chu Ronald Yeung & William A. Kitch)
Solution manual Geotechnical Engineering: Principles and Practices - International Version (2nd Ed., Donald P. Coduto, Man-chu Ronald Yeung & William A. Kitch)
Solution manual Fundamentals of Structural Stability (George Simitses & Dewey Hodges)
Solution manual Fundamentals of Structural Mechanics (2nd Ed., keith D. Hjelmstad)
Solution Manual Structural Dynamics : Theory and Applications (Tedesco, McDougal & Ross)
Solution manual Fundamentals of Structural Dynamics (2nd Ed., Roy Craig & Andrew Kurdila)
Solution manual Concrete (2nd Ed., Sidney Mindess, J. Francis Young, David Darwin)
Solution manual Design of Concrete Structures (13th Ed., Nilson, Darwin & Dolan)
Solution manual Design of Concrete Structures (14th Ed., Nilson,

Darwin & Dolan)
Solution manual Structures (6th Ed., Daniel Lewis Schodek & Martin Bechthold)
Solution manual Concrete Structures (Mehdi Setareh & Robert Darvas)
Solution manual Reinforced Concrete Design : A Practical Approach (Brzev & Pao)
Solution manual Reinforced Concrete : A Fundamental Approach (6th Ed., Edward Nawy)
Solution manual Reinforced Concrete Design (6th Ed., Chu-Kia Wang, Charles Salmon)
Solution manual Reinforced Concrete Design (7th Ed., Chu-Kia Wang, Charles Salmon & Jos=E9 Pincheira)
Solution manual Reinforced Concrete Design (6th Ed., George Limbrunner & Abi Aghayere)
Solution manual Reinforced Concrete Design (7th Ed., George Limbrunner & Abi Aghayere)
Solution manual Reinforced Concrete : Mechanics and Design (4th Ed., James MacGregor & James Wight)
Solution manual Reinforced Concrete : Mechanics and Design (5th Ed., James Wight & James MacGregor)
Solution manual Reinforced Concrete : Mechanics and Design - International Version (5th Ed., James Wight & James MacGregor)
Solution manual Structural Concrete : Theory and Design (3rd Ed., M. Nadim Hassoun & Akthem Al-Manaseer)
Solution manual Structural Concrete : Theory and Design (4th Ed., M. Nadim Hassoun & Akthem Al-Manaseer)
Solution manual Design of Reinforced Concrete (6th Ed., Jack McCormac & James Nelson)
Solution manual Design of Reinforced Concrete (7th Ed., ACI 318-05 Code Edition, by Jack McCormac)
Solution manual Design of Reinforced Concrete (8th Ed., Jack McCormac & Russell Brown)
Solution manual Structural Analysis : Using Classical and Matrix Methods (3rd Ed., James Nelson, Jr., Jack McCormac)
Solution manual Structural Analysis : Using Classical and Matrix Methods (4th Ed., Jack McCormac)
Solution manual Pavement Design and Materials (A. T. Papagiannakis, E. A. Masad)
Solution manual Traffic Engineering (4th Ed., Roger P. Roess, Elena S. Prassas, William R. McShane)
Solution manual Principles of Highway Engineering and Traffic Analysis (3rd Ed., Fred Mannering, Walter Kilareski & Scott Washburn)
Solution manual Principles of Highway Engineering and Traffic Analysis (4th Ed., Fred Mannering, Walter Kilareski & Scott Washburn)
Solution manual Highway Engineering (7th Ed., Paul Wright & Karen Dixon)
Solution manual Soil Mechanics : Concepts and Applications (2nd Ed., William Powrie)
Solution manual Unsaturated Soil Mechanics (Ning Lu & William Likos)
Solution manual Soil Mechanics and Foundations (2nd Ed., Muni Budhu)
Solution manual Soil Mechanics and Foundations (3rd Ed., Muni Budhu)
Solution manual Soils and Foundations - SI Units (6th Ed., Liu & Evett)

Solution manual Soils and Foundations (7th Ed., Liu & Evett)
Solution manual Fundamentals of Soil Mechanics for Sedimentary and Residual Soils (Laurence Wesley)
Solution manual Essentials of Soil Mechanics and Foundations : Basic Geotechnics (7th Ed., David McCarthy)
Solution manual Foundations and Earth Retaining Structures (Muniram Budhu)
Solution manual Design Analysis in Rock Mechanics (William G. Pariseau)
Solution manual Probability Concepts in Engineering : Emphasis on Applications to Civil and Environmental Engineering (2nd Ed., Ang & Tang)
Solution manual Hydraulic Control Systems (Noah Manring)
Solution manual Open Channel Hydraulics (A. Osman Akan)
Solution manual Open Channel Hydraulics (1st Ed., Terry Sturm)
Solution manual Open Channel Hydraulics (2nd Ed., Terry Sturm)
Solution manual Open-Channel Flow (2nd Ed., M. Hanif Chaudhry)
Solution manual Frozen Ground Engineering (2nd Ed., Orlando Andersland & Branko Ladanyi)
Solution manual Hydraulics in Civil and Environmental Engineering (4th Ed. Andrew Chadwick)
Solution manual Fundamentals of Hydraulic Engineering Systems (4th Ed., Robert Houghtalen, A. Osman Akan, Ned H. C. Hwang)
Solution manual Transportation Engineering : An Introduction (3rd Ed., C. Jotin Khisty, B. Kent Lall)
Solution manual Introduction to Transportation Engineering (2nd Ed., Banks)
Solution manual Urban Transportation Planning (2nd Ed., Meyer & Miller)
Solution manual Transportation Engineering and Planning (3rd Ed., Papacostas & Prevedouros)
Solution manual Structural Wood Design : A Practice-Oriented Approach (Abi Aghayere & Jason Vigil)
Solution manual Simplified Design of Wood Structures (6th Ed., James Ambrose & Patrick Tripeny)
Solution manual Simplified Design of Steel Structures (8th Ed., James Ambrose & Patrick Tripeny)
Solution manual Materials and Components of Interior Architecture (7th Ed., J. Rosemary Riggs)
Solution manual Olin's Construction : Principles, Materials, and Methods (8th Ed., H. Leslie Simmons)
Solution manual Basic Construction Materials (8th Ed., Theodore Marotta, John C. Coffey, Cynthia LaFleur-Brown & Christine LaPlante)
Solution manual Fundamentals of Residential Construction (2nd Ed., Edward Allen & Rob Thallon)
Solution manual Fundamentals of Building Construction : Materials and Methods (4th Ed., Edward Allen & Joseph Iano)
Solution manual Fundamentals of Building Construction : Materials and Methods (5th Ed., Edward Allen & Joseph Iano)
Solution manual Composites for Construction : Structural Design with FRP Materials (Lawrence Bank)
Solution manual Building Construction : Principles, Materials, and Systems (Madan Mehta, Diane Armpriest & Walter Scarborough)

Solution manual Construction Contracts (2nd Ed., Jimmie Hinze)
Solution manual Construction Contracts (3rd Ed., Jimmie Hinze)
Solution manual Sustainable Construction and Design (Regina Leffers)
Solution manual Global Engineering and Construction (J. K. Yates)
Solution manual Construction Mathematics (Virdi & Baker)
Solution manual Materials for Civil and Construction Engineers (3rd Ed., Michael S. Mamlouk & John P. Zaniewski)
Solution manual Construction Management (3rd Ed., Daniel Halpin)
Solution manual Construction Management (4th Ed., Daniel Halpin & Bolivar Senior)
Solution manual Financial Management and Accounting Fundamentals for Construction (Daniel Halpin & Bolivar Senior)
Solution manual Construction Management Fundamentals (1st Ed., Schexnayder & Mayo)
Solution manual Construction Management Fundamentals (2nd Ed., Knutson, Schexnayder, Fiori & Mayo)
Solution manual Construction Planning, Equipment, and Methods (6th Ed., Peurifoy & Schexnayder)
Solution manual Construction Planning, Equipment, and Methods (7th Ed., Peurifoy, Schexnayder & Shapira)
Solution manual Construction Planning, Equipment, and Methods (8th Ed., Peurifoy, Schexnayder, Shapira & Schmitt)
Solution manual Construction Methods and Management (7th Ed., Stephens Nunnally)
Solution manual Construction Methods and Management (8th Ed., Stephens Nunnally)
Solution manual Construction Project Administration (8th Ed., Edward Fisk, Wayne Reynolds)
Solution manual Construction Project Administration (9th Ed., Edward Fisk, Wayne Reynolds)
Solution manual Construction Project Management (3rd Ed., Gould & Joyce)
Solution manual The Management of Construction : A Project Lifecycle Approach (F. Lawrence Bennett)
Solution manual Construction Accounting and Financial Management (1st Ed., Steven Peterson)
Solution manual Construction Accounting and Financial Management (2nd Ed., Steven Peterson)
Solution manual Principles and Practices of Commercial Construction (8th Ed., Cameron K. Andres & R.C. Smith)
Solution manual Construction Cost Analysis and Estimating (Phillip Ostwald)
Solution manual Cost Analysis and Estimating for Engineering and Management (Phillip Ostwald & Timothy McLaren)
Solution manual Construction Estimating Using Excel (Stephen J. Peterson)
Solution manual Heating and Cooling of Buildings : Design for Efficiency (2nd Ed., Jan Kreider, Peter Curtiss & Ari Rabl)
Solution manual Heating, Cooling, Lighting : Sustainable Design Methods for Architects (3rd Ed., Norbert Lechner)
Solution manual Mechanical and Electrical Systems in Architecture, Engineering and Construction (5th Ed., Frank R. Dagostino & Joseph B. Wujek)

Solution manual Mechanical and Electrical Equipment for Buildings (10th Ed., Stein, Reynolds, Grondzik, Kwok)
Solution manual Mechanical and Electrical Equipment for Buildings (11th Ed., Grondzik, Kwok, Stein & Reynolds)
Solution manual Mechanical & Electrical Systems in Buildings (4th Ed., Richard Janis & William Tao)
Solution manual Introduction to Naval Architecture : Formerly Muckle's Naval Architecture for Marine Engineers (4th Ed., E.C. Tupper)
Solution manual Architectural Drawing and Light Construction (8th Ed., Philip A. Grau, III & Edward J. Muller)
Solution manual NEW Autodesk Civil 3D : Procedures & Applications (Harry O. Ward)
Solution manual Structural Health Monitoring with Piezoelectric Wafer Active Sensors (Victor Giurgiutiu)
Solution manual Architecture Design Notebook (2nd Ed., Peter Fawcett)
Solution manual Civil Drafting Technology (7th Ed., David A. Madsen, Terence M. Shumaker & David P. Madsen)
Solution manual Introduction to Homeland Security (2nd Ed., Bullock & George Haddow)

```
---------------------------------------------------------------------------=
------------------------
```

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

```
---------------------------------------------------------------------------=
------------------------
```

```
From 5034085994054964527
X-Google-Thread: 108122,7c4e916285011d3c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k10g2000prh.googlegroups.com!not-for-
mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test banks to Environmental Engineering,
 Earth and Environmental Sciences Books
Date: Tue, 29 Mar 2011 11:12:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 316
Message-ID: <37afb3a5-49df-4b64-ba3b-0b58dc7129b0@k10g2000prh.googlegroups.com>
NNTP-Posting-Host: 190.40.115.31
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1301422323 27631 127.0.0.1 (29 Mar 2011 18:12:03 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Tue, 29 Mar 2011 18:12:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k10g2000prh.googlegroups.com; posting-host=190.40.115.31; posting-
account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2775
```

List of Solutions Manuals and Test Banks

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=ADDS77XH

I do not review the forums, just send me an email.

- Environmental Engineering, Earth and Environmental Sciences :

Solution manual Principles of Environmental Engineering and Science (1st Ed., Mackenzie Davis & Susan Masten)
Solution manual Principles of Environmental Engineering and Science (2nd Ed., Mackenzie Davis & Susan Masten)
Solution manual Introduction to Environmental Engineering (Richard Mines & Laura Lackey)
Solution manual Introduction to Environmental Engineering (4th Ed., MacKenzie Davis & David Cornwell)
Solution manual Introduction to Environmental Engineering and Science (2nd Ed., Gilbert Masters)
Solution manual Introduction to Environmental Engineering and Science (3rd Ed., Gilbert Masters & Wendell Ela)
Solution manual Solar Energy Engineering (Soteris Kalogirou)
Solution manual Solar Engineering of Thermal Processes (2nd Ed., John Duffie & William Beckman)
Solution manual Solar Engineering of Thermal Processes (3rd Ed., John Duffie & William Beckman)
Solution manual Energy Technology and Directions for the Future (Fanchi)
Solution manual Environmental Engineering : Fundamentals, Sustainability, Design (James Mihelcic, Julie Zimmerman)
Solution manual Environmental Engineering Science (Nazaroff & Alvarez - Cohen)
Solution manual Environmental Engineering (4th Ed., Ruth Weiner & Robin Matthews)
Solution manual Environmental Pollution and Control (4th Ed., Peirce, Vesilind & Weiner)
Solution manual Introduction to Engineering and the Environment (1st Ed., Edward Rubin)
Solution manual Basic Environmental Technology : Water Supply, Waste Management & Pollution Control (5th Ed., Jerry Nathanson)
Solution manual Water and Wastewater Technology - SI Units (5th Ed., Mark J. Hammer, Sr. & Mark Hammer, Jr.)

Solution manual Water and Wastewater Technology (6th Ed., Mark J. Hammer, Sr. & Mark Hammer, Jr.)
Solution manual Water and Wastewater Technology (7th Ed., Mark J. Hammer, Sr. & Mark Hammer, Jr.)
Solution manual Water and Wastewater Engineering (Mackenzie L. Davis)
Solution manual Water and Wastewater Engineering : Water Supply and Wastewater Removal (3rd Ed., Nazih K. Shammas & Lawrence K. Wang)
Solution manual Water Supply and Pollution Control (8th Ed., Viessman Jr., Hammer, Perez & Chadik)
Solution manual Water Supply and Pollution Control - International Version (8th Ed., Viessman Jr., Hammer, Perez & Chadik)
Solution manual Water Treatment : Principles and Design (2nd Ed., by MWH)
Solution manual Water Resources Engineering (Ralph A. Wurbs & Wesley P. James)
Solution manual Water Resources Engineering 2005 Edition (Larry W. Mays)
Solution manual Water Resources Engineering (2nd Ed., Larry W. Mays)
Solution manual Water Resources Engineering (2nd Ed., Chin)
Solution manual Water Chemistry (Benjamin)
Solution manual Aquatic Pollution : An Introductory Text (3rd Ed., Edward A. Laws)
Solution manual Plant Pathology (5th Ed., George Agrios)
Solution manual Radiation Detection and Measurement (3rd Ed., Glenn Knoll)
Solution manual Radiation Detection and Measurement (4th Ed., Glenn Knoll)
Solution manual Principles of Sequence Stratigraphy (Octavian Catuneanu)
Solution manual The Earth's Ionosphere : Plasma Physics & Electrodynamics (2nd Ed., Michael Kelley)
Solution manual Atmosphere, Ocean and Climate Dynamics : An Introductory Text (Marshall & Plumb)
Solution manual Atmospheric Science : An Introductory Survey (2nd Ed., John Wallace, Peter Hobbs)
Solution manual Environmental Issues : An Introduction to Sustainability (3rd Ed., McConnell & Abel)
Solution manual Environmental Science : Toward A Sustainable Future (10th Ed., Wright & Nebel)
Solution manual Hazard City : Assignments in Applied Geology (3rd Ed., King, Carpenter & Wilson)
Solution manual Introduction to Environmental Geology (4th ERd., Edward Keller)
Solution manual The Science of Grapevines : Anatomy and Physiology (Markus Keller)
Solution manual Geoenvironmental Engineering : Site Remediation, Waste Containment, and Emerging Waste Management Technologies (Hari Sharma & Krishna Reddy)
Solution manual Natural Hazards : Earth's Processes as Hazards, Disasters and Catastrophes (2nd Ed., Keller & Blodgett)
Solution manual Essentials of Oceanography (9th Ed., Trujillo & Thurman)
Solution manual Exercises for Weather and Climate (6th Ed., Greg

Carbone)
Solution manual Fundamentals of Ground Water (Franklin Schwartz & Hubao Zhang)
Solution manual Practical Problems in Groundwater Hydrology (Scott Bair & Terry Lahm)
Solution manual Groundwater Hydrology (3rd Ed., David Keith Todd & Larry Mays)
Solution manual Groundwater Science (Charles Fitts)
Solution manual Frozen Ground Engineering (2nd Ed., Orlando Andersland & Branko Ladanyi)
Solution manual Stormwater Management for Land Development : Methods and Calculations for Quantity Control (Thomas A. Seybert)
Solution manual Urban Hydrology, Hydraulics, and Stormwater Quality : Engineering Applications and Computer Modeling (A. Osman Akan & Houghtalen)
Solution manual Hydraulics in Civil and Environmental Engineering (4th Ed. Andrew Chadwick)
Solution manual Fundamentals of Hydraulic Engineering Systems (4th Ed., Robert Houghtalen, A. Osman Akan, Ned H. C. Hwang)
Solution manual Agriculture's Ethical Horizon (Robert Zimdahl)
Solution manual Environmental Contaminants : Assessment and Control (Daniel Vallero)
Solution manual A Problem-Solving Approach to Aquatic Chemistry (James Jensen)
Solution manual Hazardous Waste Management (2nd Ed., Michael LaGrega, Phillip Buckingham & Jeffrey Evans)
Solution manual Environmental Biotechnology : Principles and Applications (1st Ed., Bruce Rittmann & Perry McCarty)
Solution manual Chemistry for Environmental Engineering and Science (5th Ed., Clair Sawyer, Perry McCarty & Gene Parkin)
Solution manual Geology for Engineers and Environmental Scientists (3rd Ed., Alan Kehew)
Solution manual Ocean Waves and Oscillating Systems (Johannes Falnes)
Solution manual Radiation Detection and Measurement (3rd Ed., Glenn Knoll)
Solution manual Probability Concepts in Engineering : Emphasis on Applications to Civil and Environmental Engineering (2nd Ed., Ang & Tang)
Solution manual Hydrology : Water Quantity and Quality Control (2nd Ed., Wanielista, Kersten & Eaglin)
Solution manual Hydrology and Floodplain Analysis (4th Ed., Philip Bedient, Wayne Huber & Baxter Vieux)
Solution manual Hydrology : An Introduction (Brutsaert)
Solution manual Applied Atmospheric Dynamics (Amanda H. Lynch & John J. Cassano)
Solution manual Mid-Latitude Atmospheric Dynamics : A First Course (Jonathan E. Martin)
Solution manual Adjustment Computations : Spatial Data Analysis (4th Ed., Charles Ghilani & Paul Wolf)
Solution manual Adjustment Computations : Spatial Data Analysis (5th Ed., Charles Ghilani)
Solution manual Ecology (4th Ed., Manuel C. Molles)
Solution manual Industrial Ecology and Sustainable Engineering (T. E.

Graedel & Braden R. Allenby)
Solution manual Principles of Environmental Science : Inquiry and Applications (4th Ed., Cunningham)
Solution manual Principles of Environmental Science : Inquiry and Applications (5th Ed., Cunningham)
Solution manual Environmental Science : A Global Concern (9th Ed., Cunningham)
Solution manual Environmental Science : A Global Concern (10th Ed., Cunningham)
Solution manual Essential Environmental Science (1st Ed., Edward Keller & Daniel Botkin)
Solution manual Environmental Science : Earth as a Living Planet (6th Ed., Daniel Botkin & Edward Keller)
Solution manual Environmental Science : Earth as a Living Planet (7th Ed., Daniel Botkin & Edward Keller)
Solution manual Environmental Science : Earth as a Living Planet, Canadian Edition (Daniel Botkin & Edward Keller & Isobel Heathcote)
Solution manual Introduction to Marine Biogeochemistry (2nd Ed., Susan Libes)
Solution manual Farm Management (5th Ed., Ronald Kay, William Edwards & Patricia Duffy)
Solution manual Farm Management (6th Ed., Ronald Kay, William Edwards & Patricia Duffy)
Solution manual Environmental Geology (6th Ed., Carla Montgomery)
Solution manual Environmental Geology (7th Ed., Carla Montgomery)
Solution manual Environmental Geology (8th Ed., Carla Montgomery)
Solution manual Natural Disasters (4th Ed., Patrick Abbott)
Solution manual Natural Disasters (5th Ed., Patrick Abbott)
Solution manual Natural Disasters (6th Ed., Patrick Abbott)
Solution manual Geography Information Systems (2nd Ed., Kang-tsung Chang)
Solution manual Meteorology (2nd Ed., Danielson et al.)
Solution manual Fundamentals of Oceanography (4th Ed., Duxbury, Sverdrup)
Solution manual Fundamentals of Oceanography (5th Ed., Duxbury, Sverdrup)
Solution manual Introduction to Geography (8th Ed., Getis et al.)
Solution manual Introduction to Geography (9th Ed., Getis et al.)
Solution manual Introduction to Geography (10th Ed., Getis et al.)
Solution manual Introduction to Geography (11th Ed., Getis et al.)
Solution manual Physical Geology : The Earth Revealed (4th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology : The Earth Revealed (6th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology : Earth Revealed (7th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (9th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (10th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (11th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (12th Ed., Plummer, McGeary & Carlson)

Solution manual Exploring the World Ocean (W. Sean Chamberlin & Tommy Dickey)
Solution manual Mastering ArcGIS (3rd Ed., Maribeth Price)
Solution manual Mastering ArcGIS (4th Ed., Maribeth Price)
Solution manual An Introduction to the World's Oceans (7th Ed., Sverdrup et al.)
Solution manual An Introduction to the Worlds Oceans (8th Ed., Sverdrup et al.)
Solution manual An Introduction to the Worlds Oceans (9th Ed., Sverdrup & Armbrust)
Solution manual An Introduction to the Worlds Oceans (10th Ed., Sverdrup & Armbrust)
Solution manual Laboratory Studies in Earth History (8th Ed., Brice et al.)
Solution manual Laboratory Studies in Earth History (9th Ed., Brice et al.)
Solution manual Exploring Geology (1st Ed., Reynolds et al.)
Solution manual Manual of Mineral Science (23rd Ed., Cornelis Klein & Barbara Dutrow)
Solution manual Isotopes : Principles and Applications (3rd Ed., Gunter Faure & Teresa Mensing)
Solution manual Earth Science : Understanding Environmental Systems (Edgar Spencer)
Solution manual Fundamentals of Weed Science (3rd Ed., Robert Zimdahl)
Solution manual Field and Laboratory Exercises in Animal Behavior (Tillberg, Breed & Hinners)
Solution manual Soils : An Introduction (6th Ed., Michael Singer & Donald Munns)
Solution manual Soils, Land, and Life (Stan Buol)
Solution manual Soils in Our Environment (10th Ed., Raymond Miller & Duane Gardiner)
Solution manual Soils in Our Environment (11th Ed., Raymond Miller & Duane Gardiner)
Solution manual Soil Microbiology, Ecology and Biochemistry (3rd Ed., Eldor Paul)
Solution manual Soil in the Environment : Crucible of Terrestrial Life (Daniel Hillel)
Solution manual Design Analysis in Rock Mechanics (William G. Pariseau)
Solution manual Forest Management and Planning (Bettinger, Boston, Siry & Grebner)
Solution manual Agricultural Systems : Agroecology and Rural Innovation for Development (Sieglinde Snapp & Barry Pound)
Solution manual Plant Systematics (Michael Simpson)
Solution manual The Nature and Properties of Soils (14th Ed., Nyle Brady & Raymond Weil)
Solution manual Elements of the Nature and Properties of Soils (2nd Ed., Nyle Brady & Ray Weil)
Solution manual Materials and the Environment : Eco-informed Material Choice (Michael Ashby)

```
-----------------


contact me to :      mattosbw1@gmail.com
mattosbw1(at)gmail.com



----------------------------------------------------------------------------------
-----------------


From -5688733605565826668
X-Google-Thread: 108122,8ca9f330880aa079,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!b13g2000prf.googlegroups.com!not-for-
mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test banks to Industrial Engineering,
 Business, Accounting, Economics and Finance Books
Date: Tue, 29 Mar 2011 11:13:05 -0700 (PDT)
Organization: http://groups.google.com
Lines: 961
Message-ID: <4c521668-8e3e-464f-8485-61c382a7061e@b13g2000prf.googlegroups.com>
NNTP-Posting-Host: 190.40.115.31
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301422387 28171 127.0.0.1 (29 Mar 2011 18:13:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Mar 2011 18:13:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b13g2000prf.googlegroups.com; posting-host=190.40.115.31; posting-
account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2776

List of Solutions Manuals and Test Banks
----------------------------------------




contact me to :           mattosbw1@gmail.com
mattosbw1(at)gmail.com
```

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR : CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DADDS77XH

I do not review the forums, just send me an email.

- Industrial Engineering, Business, Accounting, Economics and Finance :

Solution manual Basics of Engineering Economy (1st Ed., Leland T Blank & Anthony Tarquin)

Solution manual Engineering Economy (5th Ed., Leland T Blank & Anthony Tarquin)
Solution manual Engineering Economy (6th Ed., Leland T Blank & Anthony Tarquin)
Solution manual Contemporary Engineering Economics (4th Ed., Chan Park)
Solution manual Contemporary Engineering Economics (5th Ed., Chan Park)
Solution manual Fundamentals of Engineering Economics (2nd Ed., Chan Park)
Solution manual Fundamentals of Engineering Economics : International Version (2nd Ed., Chan Park)
Solution manual Engineering Economy (13th Ed, Sullivan, Wicks & Luxhoj)
Solution manual Engineering Economy (14th Ed, Sullivan, Wicks & Koelling)
Solution manual Engineering Economics : International Version (14th Ed., Sullivan, Wicks & Koelling)
Solution manual Engineering Economy (15th Ed, Sullivan, Wicks & Koelling)
Solution manual Recursive Methods in Economic Dynamics (C. Irigoyen)
Solution manual Engineering Design (Rudolph J. Eggert)
Solution manual Engineering Design : A Project-Based Introduction (2nd Ed., Clive L. Dym & Patrick Little)
Solution manual Engineering Design : A Project-Based Introduction (3rd Ed., Clive L. Dym & Patrick Little)
Solution manual Tools and Tactics of Design (Dominick, Demel, Lawbaugh, Freuler, Kinzel & Fromm)
Solution manual Introduction to Statistical Quality Control (5th Ed., Douglas C. Montgomery)
Solution manual Introduction to Statistical Quality Control (6th Ed., Douglas C. Montgomery)
Solution manual Managing, Controlling, and Improving Quality (Douglas Montgomery, Cheryl Jennings, Michele Pfund)
Solution manual An Introduction to Investment Banks, Hedge Funds, and Private Equity : The New Paradigm (David Stowell)
Solution manual Financial Statement Analysis (10th Ed., K. R. Subramanyam & John J. Wild)
Solution manual Financial and Economic Analysis for Engineering and Technology Management (2nd Ed., Henry E. Riggs)
Solution manual Introduction to Operations Research (7th Ed., Hillier and Lieberman)
Solution manual Introduction to Operations Research (8th Ed., Hillier and Lieberman)
Solution manual Introduction to Operations Research (9th Ed., Hillier and Lieberman)
Solution manual Methods, Standards, and Work Design (11th Ed., Niebel & Freivalds)
Solution manual Niebel's Methods, Standards and Work Design (12th Ed., Freivalds & Niebel)
Solution manual Simulation Modeling and Analysis (3rd Ed., Averill Law & David Kealton)
Solution manual Simulation Modeling and Analysis with Expertfit

Software (4th Ed., Averill Law)
Solution manual Quality Control (8th Ed., Dale Besterfield)
Solution manual Introduction to Optimum Design (2nd Ed., Jasbir Arora)
Solution manual Numerical Optimization (2nd Ed., Jorge Nocedal & Stephen Wright)
Solution manual Optimization : Foundations and Applications (Ronald E. Miller)
Solution manual Applied Optimization with MATLAB Programming (1st Ed., P. Venkataraman)
Solution manual Applied Optimization with MATLAB Programming (2nd Ed., P. Venkataraman)
Solution manual Introduction to Applied Optimization (2nd Ed., Urmila Diwekar)
Solution manual Exploring Engineering : An Introduction to Engineering and Design (1st Ed., Philip Kosky, George Wise, Robert Balmer & William Keat)
Solution manual Exploring Engineering : An Introduction to Engineering and Design (2nd Ed., Philip Kosky, Robert Balmer, William Keat & George Wise)
Solution manual Quantitative Methods For Management (William E. Pinney, Donald B. McWilliams, Joe Ormsby, Mark Atchison)
Solution manual Modern Methods For Quality Control and Improvement (2nd Ed., Wadsworth, Stephens, Godfrey)
Solution manual Managing Engineering and Technology (4th, Morse & Babcock)
Solution manual Managing Engineering and Technology (5th, Morse & Babcock)
Solution manual Quality Planning and Analysis : From Product Development through Use (4th Ed., Gryna)
Solution manual Juran's Quality Planning and Analysis for Enterprise Quality (5th Ed., Gryna, Chua & DeFeo)
Solution manual Quality (4th Ed., Summers)
Solution manual Quality (5th Ed., Summers)
Solution manual Quality Management (2nd Ed., Summers)
Solution manual Quality Management (5th Ed., Goetsch & Davis)
Solution manual Quality Management for Organizational Excellence : Introduction to Total Quality (6th Ed., David Goetsch & Stanley Davis)
Solution manual Applied Econometric Time Series (2nd Ed., Walter Enders)
Solution manual Applied Econometric Time Series (3rd Ed., Walter Enders)
Solution manual Essentials of Econometrics (4th Ed. Damodar N. Gujarati, Dawn C. Porter)
Solution manual Basic Econometrics (5th Ed. Damodar N. Gujarati, Dawn C. Porter)
Solution manual Statistics and Econometrics : Methods and Applications (Ashenfelter, Levine & Zimmerman)
Solution manual Econometric Analysis (5th Ed., William H. Greene)
Solution manual Econometric Analysis (6th Ed., William H. Greene)
Solution manual Management : A Practical Introduction (4th Ed., Angelo Kinicki & Brian Williams)
Solution manual Forest Management and Planning (Pete Bettinger, Kevin Boston, Jacek Siry & Donald Grebner)

Solution manual Foundations of Multinational Financial Management (5th Ed., Shapiro)
Solution manual Foundations of Multinational Financial Management (6th Ed., Shapiro & Sarin)
Solution manual Multinational Financial Management (8th Ed., Shapiro)
Solution manual Multinational Financial Management (9th Ed., Shapiro)
Solution manual Doing Statistics for Business with Excel : Data, Inference, and Decision Making (2nd Ed. Pelosi & Sandifer)
Solution manual Data, Statistics, and Decision Models with Excel (Harnett & Horrell)
Solution manual Modern Portfolio Theory and Investment Analysis (7th Ed., Elton, Gruber, Brown & Goetzmann)
Solution manual Modern Portfolio Theory and Investment Analysis (8th Ed., Elton, Gruber, Brown & Goetzmann)
Solution manual Accounting : What the Numbers Mean (6th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Accounting : What the Numbers Mean (7th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Accounting : What the Numbers Mean (8th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Accounting : What the Numbers Mean (9th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Global Accounting and Control : A Managerial Emphasis (Gray, Salter, Radebaugh)
Solution manual International Accounting and Multinational Enterprises (6th Ed., Radebaugh, Gray, Black)
Solution manual Quality : A Corporate Force, Managing for Excellence (C. Harold Aikens)
Solution manual Quality Inspired Management : The Key to Sustainability (C. Harold Aikens)
Solution manual Value Driven Product Planning and Systems Engineering (H. E. Cook & L. A. Wissmann)
Solution manual Work Systems : The Methods, Measurement & Management of Work (Mikell Groover)
Solution manual Design and Analysis of Lean Production Systems (Askin & Goldberg)
Solution manual Occupational Safety and Health for Technologists, Engineers, and Managers (5th Ed., Goetsch)
Solution manual Occupational Safety and Health for Technologists, Engineers, and Managers (6th Ed., Goetsch)
Solution manual Manufacturing Facilities Design and Material Handling (3rd Ed., Meyers & Stephens)
Solution Manual Manufacturing Facilities Design and Material Handling (4th Ed., Stephens & Meyers)
Solution Manual Fundamentals of Forensic Science (Max Houck & Jay Siegel)
Solution Manual Project Management for Business and Engineering : Principles and Practice (2nd Ed., John Nicholas)
Solution Manual Project Management for Business and Engineering : Principles and Practice (3rd Ed., John Nicholas)
Solution Manual CIMA Official Learning System Integrated Management (4th Ed., Ann Norton)
Solution Manual CIMA Official Learning System Enterprise Management

(6th Ed., Ann Norton & Jenny Hughes)
Solution Manual CIMA Official Learning System Financial Operations (6th Ed., Jo Watkins)
Solution Manual CIMA Official Learning System Financial Management (6th Ed., Luisa Robertson)
Solution Manual CIMA Official Learning System Enterprise Strategy (6th Ed., Neil Botten)
Solution Manual CIMA Official Learning System Fundamentals of Business Maths (4th Ed., Graham Eaton)
Solution Manual CIMA Official Learning System Financial Analysis (4th Ed., Catherine Gowthorpe)
Solution Manual CIMA Official Learning System Fundamentals of Financial Accounting (2nd Ed., Henry Lunt)
Solution Manual CIMA Official Learning System Fundamentals of Financial Accounting (6th Ed., Henry Lunt)
Solution Manual CIMA Official Learning System Performance Management (6th Ed., Jo Avis)
Solution Manual CIMA Official Learning System Fundamentals of Management Accounting (2nd Ed., Janet Walker)
Solution Manual CIMA Official Learning System Management Accounting Financial Strategy (4th Ed., John Ogilvie)
Solution Manual CIMA Official Learning System Financial Strategy (6th Ed., John Ogilvie)
Solution Manual CIMA Official Learning System Organisational Management and Information Systems (4th Ed., Bob Perry)
Solution Manual CIMA Learning System Enterprise Operations (Bob Perry)
Solution Manual CIMA Learning System Management Accounting - Performance Evaluation (4th Ed., Robert Scarlett)
Solution Manual CIMA Official Learning System - Performance Operations (6th Ed., Robert Scarlett)
Solution Manual CIMA Official Learning System Fundamentals of Business Economics (2nd Ed., Steve Adams & Paul Periton)
Solution Manual Operations Management in Context (2nd Ed., Rowbotham, Azhashemi & Galloway)
Solution Manual Accounting for Business Studies (Aneirin Sion Owen)
Solution Manual ISO 9001 : 2000 Quality Registration Step-by-Step (3rd Ed., Fred Dobb)
Solution Manual Systems for Planning and Control in Manufacturing (D. K. Harrison & D. J. Petty)
Solution Manual Facilities Planning (3rd Ed., Tompkins, White, Bozer & Tanchoco)
Solution Manual Facilities Planning (4th Ed., Tompkins, White, Bozer & Tanchoco)
Solution Manual Facilities Planning and Design (Alberto Garcia-Diaz & J. MacGregor Smith)
Solution Manual Planning and Control of Manufacturing Operations (John Kenworthy)
Solution Manual Professionalism: Real Skills for Workplace Success (Anderson & Bolt)
Solution Manual Customer Service : Career Success Through Customer Loyalty (4th Ed., Timm)
Solution Manual Customer Service : A Practical Approach (3rd Ed., Harris)

Solution Manual Customer Service : A Practical Approach (4th Ed., Harris)
Solution Manual Serving Internal and External Customers (Anne Swartzlander)
Solution Manual The Theory of Interest (3rd Ed., Stephen G. Kellison)
Solution Manual Customer Relationship Management : The Bottom Line to Optimizing Your ROI (Anton & Petouhoff)
Solution Manual Engineering Economy and the Decision-Making Process (Joseph C. Hartman)
Solution Manual Engineering Management : Challenges in the New Millennium (C. M. Chang)
Solution manual Construction Cost Analysis and Estimating (Phillip Ostwald)
Solution Manual Cost Analysis and Estimating for Engineering and Management (Phillip F. Ostwald & Timothy S. McLaren)
Solution Manual Supply Chain Management (3rd Ed., Sunil Chopra & Peter Meindl)
Solution Manual Supply Chain Management (4th Ed., Sunil Chopra & Peter Meindl)
Solution Manual Supply Chain Management : From Vision to Implementation (Stanley E. Fawcett, Lisa M. Ellram, Jeffrey A. Ogden)
Solution Manual Industrial Safety and Health Management (5th Ed., C. Ray Asfahl)
Solution Manual Industrial Safety and Health Management (6th Ed., C. Ray Asfahl & David W. Rieske)
Solution Manual Computer Numerical Control : Operation and Programming (3rd Ed., Jon S. Stenerson & Kelly Curran)
Solution Manual Introduction to Management Science (8th Ed., Bernard W. Taylor)
Solution Manual Introduction to Management Science (9th Ed., Bernard W. Taylor)
Solution Manual Introduction to Management Science (10th Ed., Bernard W. Taylor)
Solution Manual Operations Research : An Introduction (8th Ed., Taha)
Solution Manual Decision Support Systems and Intelligent Systems (7th Ed., Turban, Aronson, Ting-Peng Liang)
Solution Manual Decision Support and Business Intelligence Systems (8th Ed., Turban, Aronson, Ting-Peng Liang & Sharda)
Solution Manual Introduction to Information Systems : Canadian Edition (Rainer, Turban, Splettstoesser-Hogeterp, Sanchez-Rodriguez)
Solution Manual Introduction to Information Systems : Supporting and Transforming Business (1st Ed., Rainer, Turban, Potter)
Solution Manual Introduction to Information Systems : Supporting and Transforming Business (2nd Ed., Rainer, Turban)
Solution Manual Information Technology for Management : Transforming Organizations in the Digital Economy (5th Ed., Turban, Leidner, McLean, Wetherbe)
Solution Manual Information Technology for Management : Transforming Organizations in the Digital Economy (6th Ed., Turban, Leidner, McLean, Wetherbe)
Solution Manual Information Technology for Management : Improving Performance in the Digital Economy (7th Ed., Turban & Volonino)
Solution Manual Operations Management (7th Ed., Krajewski, Ritzman)

Solution Manual Operations Management : Process and Value Chains (8th Ed., Krajewski, Ritzman & Malhotra)
Solution Manual Operations Management : Process and Supply Chains (9th Ed., Krajewski, Ritzman & Malhotra)
Solution Manual Operations Management : Process and Supply Chains - Global Edition (9th Ed., Krajewski, Ritzman & Malhotra)
Solution Manual Operations Management (8th Ed., Jay Heizer & Render)
Solution Manual Operations Management (9th Ed., Jay Heizer & Render)
Solution Manual Operations Management (10th Ed., Jay Heizer & Render)
Solution Manual Introduction to Operations and Supply Chain Management with Advanced Decision Support Tools (1st Ed., Cecil Bozarth)
Solution Manual Introduction to Operations and Supply Chain Management (2nd Ed., Cecil Bozarth, Robert B. Handfield)
Solution Manual Managing Business Process Flows : Principles of Operations Management (2nd Ed., Anupind, Chopra, Deshmukh, et al)
Solution Manual Principles Of Operations Management (6th Ed., Heizer & Render)
Solution Manual Principles Of Operations Management (7th Ed., Heizer & Render)
Solution Manual Principles Of Operations Management (8th Ed., Heizer & Render)
Solution Manual Foundations of Operations Management (Ritzman & Krajewski)
Solution Manual Foundations of Operations Management - Canadian Edition (2nd Ed., Ritzman, Krajewski, Malhotra & Klassen)
Solution Manual Basic Marketing : A Marketing Strategy Planning Approach (16th Ed., Perreault, Cannon & McCarthy)
Solution Manual Basic Marketing : A Marketing Strategy Planning Approach (17th Ed., Perreault, Cannon & McCarthy)
Solution Manual Foundations of Financial Management (11th Ed., Block & Hirt)
Solution Manual Foundations of Financial Management (12th Ed., Block & Hirt)
Solution Manual Foundations of Financial Management (13th Ed., Block, Hirt & Danielsen)
Solution Manual Decision Modeling with Microsoft=AE Excel (6th Ed., Moore & Weatherford)
Solution Manual Managing Quality : Integrating The Supply Chain (3rd Ed., S. Thomas Foster)
Solution Manual Six Sigma : Basic Tools and Techniques (Donna C.S. Summers)
Solution Manual A First Course in Quality Engineering (KS Krishnamoorthi)
Solution Manual Statistical Quality Design and Control (2nd Ed., DeVor, Chang & Sutherland)
Solution Manual Economics : A Tool for Critically Understanding Society (7th Ed., Riddell, Shackelford, Stamos & Schneider)
Solution Manual Economics : A Tool for Critically Understanding Society (8th Ed., Riddell, Shackelford, Stamos & Schneider)
Solution Manual Introduction to Economic Reasoning (6th Ed., William D. Rohlf, Jr.)
Solution Manual Introduction to Economic Reasoning (7th Ed., William D. Rohlf, Jr.)

Solution Manual Economics (9th Ed., Michael Parkin)
Solution Manual Essential Foundations of Economics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Essential Foundations of Economics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual Understanding Modern Economics (Roger LeRoy Miller)
Solution Manual The Economics of Macro Issues (3rd Ed., Roger LeRoy Miller & Daniel K. Benjamin)
Solution Manual Foundations of Economics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Economics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual International Economics (8th Ed., Dominick Salvatore)
Solution Manual International Economics (9th Ed., Dominick Salvatore)
Solution Manual International Economics (10th Ed., Dominick Salvatore)
Solution Manual Introduction to International Economics (1st Ed., Dominick Salvatore)
Solution Manual Introduction to International Economics (2nd Ed., Dominick Salvatore)
Solution Manual Economics Today (13th Ed., Roger LeRoy Miller)
Solution Manual Economics Today (14th Ed., Roger LeRoy Miller)
Solution Manual Economics Today (15th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View - Canadian Edition (4th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View (13th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View (14th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View (15th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View - Canadian Edition (4th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View (13th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View (14th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View (15th Ed., Roger LeRoy Miller)
Solution Manual Economics (Michael A. Leeds, Peter von Allmen & Richard C. Schiming)
Solution Manual Economics : Private Markets and Public Choice (7th Ed., Ekelund, Jr., Ressler & Tollison)
Solution Manual Principles of Economics, 7th Ed. (Roy J. Ruffin & Paul R. Gregory)
Solution Manual The Economics of Public Issues (14th Ed., Miller, Benjamin & North)
Solution Manual The Economics of Public Issues (15th Ed., Miller, Benjamin & North)
Solution Manual Macroeconomics (7th Ed., Michael Parkin)
Solution Manual Macroeconomics (8th Ed., Michael Parkin)
Solution Manual Macroeconomics (9th Ed., Michael Parkin)
Solution Manual Foundations of Microeconomics (3rd Ed., Robin Bade & Michael Parkin)

Solution Manual Foundations of Microeconomics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Macroeconomics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Macroeconomics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual Microeconomic Theory (Andreu Mas-Colell, Michael D. Whinston, Jerry R. Green)
Solution Manual Microeconomics MyEconLab Homework Edition (Leeds, von Allmen & Schiming)
Solution Manual Macroeconomics MyEconLab Homework Edition (Leeds, von Allmen & Schiming)
Solution Manual Microeconomics (7th Ed., Michael Parkin)
Solution Manual Microeconomics (8th Ed., Michael Parkin)
Solution Manual Microeconomics (9th Ed., Michael Parkin)
Solution Manual Microeconomics (6th Ed., Robert Pindyck & Daniel Rubinfeld)
Solution Manual Microeconomics (7th Ed., Robert Pindyck & Daniel Rubinfeld)
Solution Manual Macroeconomics (2nd Ed., Stephen D. Williamson)
Solution Manual Macroeconomics (3rd Ed., Stephen D. Williamson)
Solution Manual Macroeconomics (4th Ed., Stephen D. Williamson)
Solution Manual Macroeconomics - Canadian Edition (3rd Ed., Stephen D. Williamson)
Solution Manual Macroeconomics Update Edition (5th Ed., Andrew B. Abel, Ben S. Bernanke)
Solution Manual Macroeconomics (6th Ed., Andrew B. Abel, Ben S. Bernanke & Dean Croushore)
Solution Manual Macroeconomics (10th Ed., Robert J. Gordon)
Solution Manual Macroeconomics (11th Ed., Robert J. Gordon)
Solution Manual Macroeconomics - Canadian Edition (3rd Ed., Olivier Blanchard & David R. Johnson)
Solution Manual Macroeconomics (4th Ed., Olivier Blanchard)
Solution Manual Macroeconomics - Canadian Edition (4th Ed., Olivier Blanchard & David R. Johnson)
Solution Manual Macroeconomics (5th Ed., Olivier Blanchard)
Solution Manual Systems Engineering and Analysis (5th Ed., Benjamin Blanchard & Wolter Fabrycky)
Solution Manual Economic Growth (1st Ed., David N. Weil)
Solution Manual Economic Growth (2nd Ed., David N. Weil)
Solution Manual Money, the Financial System, and the Economy (5th Ed., R. Glenn Hubbard)
Solution Manual Money, the Financial System, and the Economy (6th Ed., R. Glenn Hubbard)
Solution Manual Money, Banking and Financial Markets (2nd Ed., Stephen G. Cecchetti)
Solution Manual Money, Banking and Financial Markets (3rd Ed., Stephen G. Cecchetti & Kermit L. Schoenholtz)
Solution Manual The Economics of Money, Banking and Financial Markets (8th Ed., Frederic S. Mishkin)
Solution Manual The Economics of Money, Banking and Financial Markets (9th Ed., Frederic S. Mishkin)
Solution Manual Principles of Money, Banking, and Financial Markets

(11th Ed., Ritter, Silber & Udell)
Solution Manual Principles of Money, Banking, and Financial Markets (12th Ed., Ritter, Silber & Udell)
Solution Manual Fundamentals of Corporate Finance (Parrino & Kidwell)
Solution Manual Financial Institutions, Markets, and Money (9th Ed., Kidwell, Blackwell, Whidbee & Peterson)
Solution Manual Financial Institutions, Markets, and Money (10th Ed., Kidwell, Blackwell, Whidbee & Peterson)
Solution Manual International Economics (3rd Ed., James Gerber)
Solution Manual International Economics (4th Ed., James Gerber)
Solution Manual International Economics (5th Ed., James Gerber)
Solution Manual International Economics (7th Ed., Steven Husted & Michael Melvin)
Solution Manual International Economics (8th Ed., Steven Husted & Michael Melvin)
Solution Manual International Economics (3rd Ed., W. Charles Sawyer & Richard L. Sprinkle)
Solution Manual World Trade and Payments : An Introduction (9th Ed., Caves, Frankel & Jones)
Solution Manual World Trade and Payments : An Introduction (10th Ed., Caves, Frankel & Jones)
Solution Manual International Economics : Theory and Policy (7th Ed., Krugman & Obstfeld)
Solution Manual International Economics : Theory and Policy (8th Ed., Krugman & Obstfeld)
Solution Manual International Money and Finance (7th Ed., Michael Melvin)
Solution Manual Economic Development (9th Ed., Todaro & Smith)
Solution Manual Microeconomics (4th Ed., Jeffrey M. Perloff)
Solution Manual Microeconomics (Don E. Waldman)
Solution Manual Microeconomics : Theory and Applications with Calculus (Jeffrey M. Perloff)
Solution Manual Microeconomic : Theory and Applications (9th Ed., Browning & Zupan)
Solution Manual Microeconomic : Theory and Applications (10th Ed., Browning & Zupan)
Solution Manual Environmental Economics and Policy (5th Ed., Tom Tietenberg)
Solution Manual Environmental and Natural Resource Economics (7th Ed., Tom Tietenberg)
Solution Manual Health Economics (3rd Ed., Charles E. Phelps)
Solution Manual Industrial Organization : Theory and Practice (3rd Ed., Waldman & Jensen)
Solution Manual Modern Industrial Organization (4th Ed., Carlton & Perloff)
Solution Manual Modern Labor Economics : Theory and Public Policy (9th Ed., Ehrenberg & Smith)
Solution Manual Law and Economics (4th Ed., Cooter & Ulen)
Solution Manual Law and Economics (5th Ed., Cooter & Ulen)
Solution Manual Market Regulation (Roger Sherman)
Solution Manual Public Finance and the American Economy (2nd Ed., Neil Bruce)
Solution Manual The Economics of Sports (2nd Ed., Leeds & von Allmen)

Solution Manual The Economics of Sports (3rd Ed., Leeds & von Allmen)
Solution Manual Introduction to Econometrics, Brief Edition (James H. Stock & Mark W. Watson)
Solution Manual Introduction to Econometrics (2nd ed., James H. Stock & Mark W. Watson)
Solution Manual Econometrics : A Modern Introduction (Michael P. Murray)
Solution Manual Using Econometrics : A Practical Guide (5th Ed., A.H. Studenmund)
Solution Manual Mathematical Methods for Economics (2nd Ed., Michael Klein)
Solution Manual Personal Finance with Financial Planning Software (3rd Ed., Jeff Madura)
Solution Manual Finance : Investments, Institutions, and Management - Update (2nd Ed., Stanley G. Eakins)
Solution Manual Introduction to Finance (Lawrence J. Gitman & Jeff Madura)
Solution Manual Principles of Managerial Finance Brief (4th Ed., Lawrence J. Gitman)
Solution Manual Principles of Managerial Finance (11th Ed., Lawrence J. Gitman)
Solution Manual Corporate Finance (Jonathan Berk & Peter DeMarzo)
Solution Manual Corporate Finance (7th Ed., Stephen A. Ross, Randolph W. Westerfield, Jeffrey Jaffe)
Solution Manual Principles of Corporate Finance (7th Ed., Richard A. Brealey, Stewart C. Myers)
Solution Manual Risk Takers : Uses and Abuses of Financial Derivatives (John Marthinsen)
Solution Manual Theory of Asset Pricing (George Pennacchi)
Solution Manual Multinational Business Finance (10th Ed., Eiteman, Stonehill & Moffett)
Solution Manual Multinational Business Finance (11th Ed., Eiteman, Stonehill & Moffett)
Solution Manual Fundamentals of Multinational Finance (1st Ed., Moffett, Stonehill & Eiteman)
Solution Manual Fundamentals of Multinational Finance (2nd Ed., Moffett, Stonehill & Eiteman)
Solution Manual Fundamentals of Multinational Finance (3rd Ed., Moffett, Stonehill & Eiteman)
Solution Manual Cases in International Finance (2nd Ed., Dufey & Giddy)
Solution Manual Fundamentals of Investing (9th Ed., Gitman & Joehnk)
Solution Manual Fundamentals of Investing (10th Ed., Gitman & Joehnk)
Solution Manual OTIS : Online Trading (Wharton Learning Lab)
Solution Manual Derivatives Markets (2nd Ed., Robert L. McDonald)
Solution Manual Principles of Risk Management and Insurance (9th Ed., George E. Rejda)
Solution Manual Principles of Risk Management and Insurance (10th Ed., George E. Rejda)
Solution Manual Financial Markets and Institutions (5th Ed., Frederic S. Mishkin & Stanley G. Eakins)
Solution Manual Financial Markets and Institutions (6th Ed., Frederic S. Mishkin & Stanley G. Eakins)

Solution Manual Statistical Analysis of Financial Data in S-PLUS (Rene A. Carmona)
Solution Manual Statistics and Finance : An Introduction (David Ruppert)
Solution Manual Mathematical Statistics for Economics and Business (Ron C. Mittelhammer)
Solution Manual Job Hazard Analysis (James E. Roughton & Nathan Crutchfield)
Solution Manual Managerial Issues of Enterprise Resource Planning Systems (David L. Olson)
Solution Manual Business Driven Technology (1st Ed., Haag et al.)
Solution Manual Business Driven Technology (2nd Ed., Haag et al.)
Solution Manual Operations Management : An Integrated Approach (2nd Ed., R. Dan Reid & Nada Sanders)
Solution Manual Operations Management : An Integrated Approach (3rd Ed., R. Dan Reid & Nada Sanders)
Solution Manual Operations Management (4th Ed., R. Dan Reid & Nada Sanders)
Solution Manual Commercial Banking : The Management of Risk (3rd Ed., Gup & Kolari)
Solution Manual Essential Statistics for Economics, Business and Management (Teresa Bradley)
Solution Manual Calculus for Business, Economics, and the Social and Life Sciences (8th Ed., Hoffmann & Bradley)
Solution Manual Calculus for Business, Economics, and the Social and Life Sciences (9th Ed., Hoffmann & Bradley)
Solution Manual Calculus for Business, Economics, and the Social and Life Sciences, Brief Edition (10th Ed., Hoffmann & Bradley)
Solution Manual Applied Calculus for Business, Economics, and the Social and Life Sciences, Expanded Edition (10th Ed., Hoffmann & Bradley)
Solution Manual Accounting for Governmental and Nonprofit Entities (12th Ed., Wilson & Kattelus)
Solution Manual Accounting for Governmental and Nonprofit Entities (13th Ed., Wilson & Kattelus)
Solution Manual Accounting for Governmental and Nonprofit Entities (14th Ed., Wilson, Kattelus & Reck)
Solution Manual Accounting for Governmental and Nonprofit Entities (15th Ed., Wilson, Reck & Kattelus)
Solution Manual Accounting Theory : Text and Readings (7th Ed., Schroeder, Clark & Cathey)
Solution Manual Financial Accounting Theory and Analysis : Text Reading and Cases (8th Ed., Schroeder, Clark & Cathey)
Solution Manual Financial Accounting Theory and Analysis : Text and Cases (9th Ed., Schroeder, Clark & Cathey)
Solution Manual Financial Accounting in an Economic Context (6th Ed., Jamie Pratt)
Solution Manual Financial Accounting in an Economic Context (7th Ed., Jamie Pratt)
Solution Manual Principles of Engineering Economic Analysis (5th Ed., White, Case, Pratt)
Solution Manual Financial Accounting (Michael Jones)
Solution Manual Financial Accounting : A Valuation Emphasis (Hughes,

Ayres, Hoskin)
Solution Manual Financial Accounting : A Decision-Making Approach (2nd Ed., King, Lembke & Smith)
Solution Manual Financial Accounting (4th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Financial Accounting, with Annual Report (5th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Financial Accounting (6th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Financial Accounting (7th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Financial Accounting : IFRS Edition (1st Ed., Weygandt, Kimmel & Kieso)
Solution Manual Acive Learning Edition for Financial Accounting : Tools for Business Decision Making (3rd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Financial Accounting : Tools for Business Decision Making, with Annual Report (3rd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Financial Accounting : Tools for Business Decision Making (4th Ed., Kimmel, Weygandt & Kieso)
Solution Manual Financial Accounting : Tools for Business Decision Making (5th Ed., Kimmel, Weygandt & Kieso)
Solution Manual Managerial Decision Modeling with Spreadsheets : Canadian Edition (1st Ed., Render, Stair, Balakrishnan & Smith)
Solution Manual Managerial Decision Modeling with Spreadsheets (1st Ed., Render, Stair, Balakrishnan)
Solution Manual Managerial Decision Modeling with Spreadsheets (2nd Ed., Balakrishnan, Render & Stair)
Solution Manual Introduction to Managerial Accounting (2nd Ed., Brewer, Garrison. Noreen)
Solution Manual Introduction to Managerial Accounting (3rd Ed., Brewer, Garrison. Noreen)
Solution Manual Introduction to Managerial Accounting (4th Ed., Brewer, Garrison. Noreen)
Solution Manual Introduction to Managerial Accounting (5th Ed., Brewer, Garrison. Noreen)
Solution Manual Managerial Accounting (Balakrishnan, Sivaramakrishnan & Sprinkle)
Solution Manual Managerial Accounting : Tools for Business Decision Making, Active Learning Edition (2nd Ed., Weygandt, Kieso & Kimmel)
Solution Manual Managerial Accounting : Tools for Business Decision Making (3rd Ed., Weygandt, Kieso & Kimmel)
Solution Manual Managerial Accounting : Tools for Business Decision Making (4th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Managerial Accounting : Tools for Business Decision Making (5th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Managerial Accounting : Creating Value in a Dynamic Business Environment (6th Ed., Ronald Hilton)
Solution Manual Managerial Accounting : Creating Value in a Dynamic Business Environment (7th Ed., Ronald Hilton)
Solution Manual Managerial Accounting : Creating Value in a Dynamic Business Environment (8th Ed., Ronald Hilton)
Solution Manual Managerial Accounting (2nd Ed., James Jiambalvo)
Solution Manual Managerial Accounting (3rd Ed., James Jiambalvo)

Solution Manual Managerial Accounting (4th Ed., James Jiambalvo)
Solution Manual Accounting : Tools for Business Decision Making (2nd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Accounting : Tools for Business Decision Making (3rd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Intermediate Accounting (4th Ed., Spiceland, Sepe & Tomassini)
Solution Manual Intermediate Accounting (5th Ed., Spiceland, Sepe, Nelson & Tomassini)
Solution Manual Intermediate Accounting (6th Ed., Spiceland, Sepe & Nelson)
Solution Manual Intermediate Accounting : Principles and Analysis (2nd Ed., Warfield, Weygandt & Kieso)
Solution Manual Intermediate Accounting (11th Ed., Kieso, Weygandt, Warfield)
Solution Manual Intermediate Accounting (12th Ed., Kieso, Weygandt, Warfield)
Solution Manual Fundamentals of Intermediate Accounting (Kieso, Weygandt, Warfield)
Solution Manual Accounting Principles (6th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Accounting Principles (7th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Accounting Principles (8th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Accounting Principles (9th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Advanced Accounting (Bline, Fischer & Skekel)
Solution Manual Advanced Accounting (2nd Ed., Jeter & Chaney)
Solution Manual Advanced Accounting (3rd Ed., Jeter & Chaney)
Solution Manual Advanced Accounting (4th Ed., Jeter & Chaney)
Solution Manual Advanced Financial Accounting (7th Ed., Richard Baker, Valdean Lembke, Thomas King, Cynthia Jeffrey)
Solution Manual Advanced Financial Accounting (8th Ed., Richard Baker, Valdean Lembke, Thomas King, Cynthia Jeffrey)
Solution Manual Project Management : A Managerial Approach (6th Ed., Meredith & Mantel)
Solution Manual Project Management : A Managerial Approach (7th Ed., Meredith & Mantel)
Solution Manual Operations Management for MBAs (3rd Ed., Meredith & Shafer)
Solution Manual Operations Management for MBAs (4th Ed., Meredith & Shafer)
Solution Manual Project Management in Practice (3rd Ed., Mantel, Meredith, Shafer & Sutton)
Solution Manual Wiley Pathways Project Management (1st Ed., Portny, Mantel, Jr., Meredith, Shafer, Sutton & Kramer)
Solution Manual Core Concepts : Project Management in Practice (2nd Ed., Mantel, Meredith, Shafer & Sutton)
Solution Manual Advanced Project Management : Best Practices on Implementation (2nd Ed., Harold Kerzner)
Solution Manual Project Management Case Studies (3rd Ed., Harold Kerzner)

Solution Manual Project Management : A Systems Approach to Planning, Scheduling, and Controlling (9th Ed., Harold Kerzner)
Solution Manual Project Management : A Systems Approach to Planning, Scheduling, and Controlling (10th Ed., Harold Kerzner)
Solution Manual Information Technology Project Management : Providing Measurable Organizational Value (2nd Ed., Jack Marchewka)
Solution Manual Information Technology Project Management (3rd Ed., Jack Marchewka)
Solution Manual Core Concepts of Government and Not-for-Profit Accounting (Granof & Wardlow)
Solution Manual Government and Not-for-Profit Accounting : Concepts and Practices (3rd Ed., Granof)
Solution Manual Government and Not-for-Profit Accounting : Concepts and Practices (4th Ed., Granof)
Solution Manual Government and Not-for-Profit Accounting : Concepts and Practices (5th Ed., Granof)
Solution Manual Business Communication Essentials, First Canadian Edition (Bovee, Thill, Schatzman & Scribner)
Solution Manual Business Communication Essentials, Second Canadian Edition (Bovee, Thill & Scribner)
Solution Manual Business Communication Essentials (2nd Ed., Bovee & Thill & Schatzman)
Solution Manual Business Communication Essentials (3rd Ed., Bovee & Thill)
Solution Manual Business Communication Essentials (4th Ed., Bovee & Thill)
Solution Manual Business Data Communications (5th Ed., William Stallings)
Solution Manual Business Data Communications (6th Ed., William Stallings)
Solution Manual Business Data Communications and Networking (8th Ed., FitzGerald & Dennis)
Solution Manual Business Data Communications and Networking (9th Ed., FitzGerald & Dennis)
Solution Manual Business Data Communications and Networking (10th Ed., FitzGerald & Dennis)
Solution Manual Operations Management (1st Ed., Andrew Greasley)
Solution Manual Operations Management (2nd Ed., Andrew Greasley)
Solution Manual Operations Management : Quality and Competitiveness in a Global Environment (5th Ed., Russell & Taylor)
Solution Manual Operations Management : Creating Value Along the Supply Chain (6th Ed., Russell & Taylor)
Solution Manual Auditing Cases (3rd Ed., Beasley, Buckless, Glover & Prawitt)
Solution Manual Auditing Cases: An Interactive Learning Approach (4th Ed., Beasley, Buckless, Glover & Prawitt)
Solution Manual Auditing and Other Assurance Services, Canadian Tenth Edition (10th Ed., Arens, Elder, Beasley & Splettstoesser-Hogeterp)
Solution Manual Auditing and Assurance Services : An Intergrated Approach (11th Ed., Arens, Elder & Beasley)
Solution Manual Auditing and Assurance Services : An Intergrated Approach (12th Ed., Arens, Elder & Beasley)
Solution Manual Auditing and Assurance Services : An Intergrated

Approach (13th Ed., Arens, Elder & Beasley)
Solution Manual Modern Auditing : Assurance Services and the Integrity of Financial Reporting (8th Ed., Boynton & Johnson)
Solution Manual Investments : Analysis and Management (9th Ed., Charles Jones)
Solution Manual Investments : Analysis and Management (10th Ed., Charles Jones)
Solution Manual Investments : Analysis and Management (11th Ed., Charles Jones)
Solution Manual The Art of Modeling with Spreadsheets : Management Science, Spreadsheet Engineering, and Modeling Craft (Powell & Baker)
Solution Manual Management Science : The Art of Modeling with Spreadsheets (2nd Ed., Powell & Baker)
Solution Manual Management Science : The Art of Modeling with Spreadsheets, Excel 2007 Update (Powell & Baker)
Solution Manual Wiley Pathways Introduction to Database Management (Gillenson, Ponniah et al.)
Solution Manual Advanced Theory and Practice in Sport Marketing (Eric Schwarz & Jason Hunter)
Solution Manual Sport and the Media : Managing the nexus (Matthew Nicholson)
Solution Manual Sport Facility Operations Management : A Global Perspective (Eric Schwarz, Stacey Hall & Simon Shibli)
Solution Manual Sport Management : Principles and Application (Russell Hoye, Aaron Smith, et al.)
Solution Manual International Business : The Challenge of Global Competition (10th Ed., Ball, McCulloch, Geringer, Minor & McNett)
Solution Manual International Business : The Challenge of Global Competition (11th Ed., Ball, McCulloch, Geringer, Minor & McNett)
Solution Manual International Business : The Challenge of Global Competition (12th Ed., Ball, McCulloch, Geringer, Minor & McNett)
Solution Manual Statistics for Business (Derek Waller)
Solution Manual Mergers, Acquisitions, and Other Restructuring Activities (4th Ed., Donald DePamphilis)
Solution Manual Mergers, Acquisitions, and Other Restructuring Activities (5th Ed., Donald DePamphilis)
Solution Manual Contemporary Tourism : An international approach (Chris Cooper & Michael Hall)
Solution Manual Nation branding : Concepts, Issues, Practice (Keith Dinnie)
Solution Manual International Business : A Global Perspective (Katsioloudes & S. Hadjidakis)
Solution Manual Managing Cultural Differences : Global Leadership Strategies for the 21st Century (7th Ed., Moran, Harris & Moran)
Solution Manual Marketing Plans : How to prepare them, how to use them (6th Ed., Malcolm McDonald)
Solution Manual Human Resource Management for the Hospitality and Tourism Industries (Dennis Nickson)
Solution Manual Exploring Employee Relations : An International Approach (2nd Ed., Mike Leat)
Solution Manual Introduction to Financial Technology (Roy Freedman)
Solution Manual Managing Innovation : New Technology, New Products, and New Services in a Global Economy (2nd Ed., John Ettlie)

Solution Manual Enterprise : Entrepreneurship and Innovation : Concepts, Contexts and Commercialization (Lowe & Marriott)
Solution Manual Strategic Management : Global Cultural Perspectives for Profit and Non-Profit Organizations (Marios Katsioloudes)
Solution Manual e-Business and e-Commerce How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual Introduction to e-Business : Management and Strategy (Colin Combe)
Solution Manual Managing People and Organizations in Changing Contexts (Graeme Martin)
Solution Manual Sustainable Tourism (David Weaver)
Solution Manual Knowledge Management in Theory and Practice (Kimiz Dalkir)
Solution Manual Fixed Income Markets and Their Derivatives (3rd Ed., Suresh Sundaresan)
Solution Manual Introduction to Human Resource Management (2nd Ed., John Stredwick)
Solution Manual Organisations and the Business Environment (2nd Ed., David Campbell & Tom Craig)
Solution Manual Strategic Operations Management (2nd Ed., Brown, Lamming, Bessant & Jones)
Solution Manual Worldwide Destinations : The Geography of Travel and Tourism (4th Ed., Boniface & Cooper)
Solution Manual Worldwide Destinations : The Geography of Travel and Tourism (5th Ed., Boniface & Cooper)
Solution Manual Worldwide Destinations Casebook : The Geography of Travel and Tourism (2nd Ed., Boniface & Cooper)
Solution Manual Marketing in Travel and Tourism (4th Ed., Middleton, Fyall, Morgan & Ranchhod)
Solution Manual Strategic Marketing Planning (1st Ed., C. Gilligan & R. Wilson)
Solution Manual Strategic Marketing Planning (2nd Ed., C. Gilligan & R. Wilson)
Solution Manual Strategic Marketing Management : Planning, Implementation and Control (3rd Ed., Wilson & Gilligan)
Solution Manual Marketing Communications Management : Concepts and Theories, Cases and Practices (Paul Copley)
Solution Manual Auction Theory (2nd Ed., Vijay Krishna)
Solution Manual Principles of Financial Engineering (1st Ed., Salih Neftci)
Solution Manual Principles of Financial Engineering (2nd Ed., Salih Neftci)
Solution Manual A Behavioral Approach to Asset Pricing (2nd Ed., Hersh Shefrin)
Solution Manual Managing Finance : A Socially Responsible Approach (D. Crowther)
Solution Manual Customer Relationship Management (2nd Ed., Francis Buttle)
Solution Manual Introduction to Knowledge Management : KM in Business (Groff & Jones)
Solution Manual Principles of Retailing (J. Fernie, S. Fernie & Moore)
Solution Manual Business Strategy (2nd Ed., Campbell, Stonehouse & Houston)

Solution Manual Market-Led Strategic Change (3rd Ed., Nigel Piercy)
Solution Manual Market-Led Strategic Change (4th Ed., Nigel Piercy)
Solution Manual International Hospitality Management : Concepts and cases (Alan Clarke & Wei Chen)
Solution Manual Electronic Commerce : Principles and Practice (Hossein Bidgoli)
Solution Manual Financial Management for Hospitality Decision Makers (Chris Guilding)
Solution Manual Accounting Essentials for Hospitality Managers (2nd Ed., Chris Guilding)
Solution Manual Global Business Leadership (E.S. Wibbeke)
Solution Manual Strategic Marketing : Planning and Control (2nd Ed., Drummond, Ensor & Ashford)
Solution Manual Project Finance in Theory and Practice : Designing, Structuring, and Financing Private and Public Projects (Stefano Gatti)
Solution Manual Hotel Convention Sales, Services and Operations (Pat Golden-Romero)
Solution Manual Contemporary Financial Intermediation (2nd Ed., Greenbaum & Thakor)
Solution Manual Intermediate Financial Theory (2nd Ed., Danthine & Donaldson)
Solution Manual Essential Law for Marketers (Ardi Kolah)
Solution Manual Introduction to Health and Safety at Work (4th Ed., Phil Hughes & Ed Ferrett)
Solution manual An Introduction to the Mathematics of Financial Derivatives (2nd Ed., Salih Neftci)
Solution manual Introduction to Emergency Management (3rd Ed., Haddow, Bullock & Coppola)
Solution manual Food and Beverage Management (4th Ed., Davis, Lockwood, Pantelidis & Alcott)
Solution manual Maritime Security : An Introduction (Michael McNicholas)
Solution manual Contemporary Logistics (8th Ed., Paul R. Murphy, Donald Wood)
Solution manual Contemporary Logistics (9th Ed., Paul R. Murphy, Donald Wood)

---=
----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

---=

```
From 5847487610408615784
X-Google-Thread: 108122,9debd5debf33d110,start
X-Google-NewGroupId: yes
```

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j11g2000prn.googlegroups.com!not-for-mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test banks to Materials Engineering Books
Date: Tue, 29 Mar 2011 11:13:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 183
Message-ID: <b8a13fc0-c6a6-4b37-b686-845809c04ee2@j11g2000prn.googlegroups.com>
NNTP-Posting-Host: 190.40.115.31
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1301422410 28489 127.0.0.1 (29 Mar 2011 18:13:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Mar 2011 18:13:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j11g2000prn.googlegroups.com; posting-host=190.40.115.31; posting-account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2777
```

List of Solutions Manuals and Test Banks
----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=ADDS77XH

I do not review the forums, just send me an email.

- Materials Engineering :

Solution manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (3rd Ed., Mikell Groover)
Solution manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (4th Ed., Mikell Groover)
Solution manual Fundamentals of Manufacturing (2nd Ed., Philip D. Rufe)
Solution manual Principles of Metal Manufacturing Processes (Beddoes & Bibby)
Solution manual Materials Science for Engineering Students (Traugott Fischer)
Solution manual Essentials of Modern Materials Science and Engineering (James Newell)
Solution manual Materials Science and Engineering : An Introduction (6th Ed., William Callister)
Solution manual Materials Science and Engineering : An Introduction (7th Ed., William Callister)
Solution manual Materials Science and Engineering : An Introduction (8th Ed., William Callister)
Solution manual Fundamentals of Materials Science and Engineering :

Integrated Approach (2nd Ed., William Callister)
Solution manual Fundamentals of Materials Science and Engineering : Integrated Approach (3rd Ed., William Callister)
Solution manual Science and Design of Engineering Materials (2nd Ed., Schaffer, Saxena, et al)
Solution manual Manual of Mineral Science (23rd Ed., Cornelis Klein & Barbara Dutrow)
Solution manual Materials and Processes in Manufacturing (9th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution manual DeGarmo's Materials and Processes in Manufacturing (10th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution manual Foundations of Materials Science and Engineering (3rd Ed, Smith)
Solution manual Foundations of Materials Science and Engineering (4th Ed, Smith & Hashemi)
Solution manual Foundations of Materials Science and Engineering (5th Ed, Smith & Hashemi)
Solution manual Engineering Materials Science (Milton Ohring)
Solution manual Metal Fatigue in Engineering (2nd Ed., Stephens, Fatemi & Fuchs)
Solution manual Mechanical Behavior of Materials (3rd Ed. Dowling)
Solution manual Mechanical Behavior of Materials (W.F. Hosford)
Solution manual Mechanical Behavior of Materials (Keith Bowman)
Solution manual Deformation and Fracture Mechanics of Engineering Materials (4th Ed., Richard Hertzberg)
Solution manual From Polymers to Plastics (A.K. van der Vegt)
Solution manual Nanoengineering of Structural, Functional and Smart Materials (Mark Schulz, Ajit Kelkar, Mannur Sundaresan)
Solution manual Principles Of Polymer Systems (5th Ed., by Ferdinand Rodriguez, Claude Cohen, Christopher Ober, Lynden Archer)
Solution manual Introduction to the Thermodynamics of Materials (4th Ed. David Gaskell)
Solution manual Structure and Properties of Engineering Materiales (5th Ed., Daniel Henkel & Alan Pense)
Solution manual Plastics : Materials and Processing (3rd Ed., Strong)
Solution manual Engineering Materials : Properties and Selection (8th Ed., Budinski)
Solution manual Engineering Materials : Properties and Selection (9th Ed., Budinski)
Solution manual Introduction to Materials Science for Engineers (6th Ed., Shackelford)
Solution manual Introduction to Materials Science for Engineers (7th Ed., Shackelford)
Solution manual Introduction to Materials Science for Engineers - International Edition (7th Ed., Shackelford)
Solution manual Creative Design of Products and Systems (Saeed Niku)
Solution manual Materials : Engineering, Science, Processing and Design (1st Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution manual Materials : Engineering, Science, Processing and Design (2nd Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution manual Engineering Materials Vol. 1 : An Introduction to Properties, Applications and Design (3rd Ed., Michael Ashby & David Jones)

Solution manual Engineering Materials Vol. 2 : An Introduction to Microstructures, Processing and Design (3rd Ed., Michael Ashby & David Jones)
Solution manual Materials and the Environment : Eco-informed Material Choice (Michael Ashby)
Solution manual Principles of Corrosion Engineering and Corrosion Control (Zaki Ahmad)
Solution manual Analysis and Performance of Fiber Composites (3rd Ed., Bhagwan Agarwal, Lawrence Broutman & K. Chandrashekhara)
Solution manual Basic Engineering Plasticity : An Introduction with Engineering and Manufacturing Applications (David Rees)
Solution manual Steels : Microstructure and Properties (3rd Ed. Bhadeshia & Honeycombe)
Solution manual Theory of Plasticity (3rd Ed. Jagabanduhu Chakrabarty)
Solution manual Plastics : Microstructure and Engineering Applications (3rd Ed., Nigel Mills)
Solution manual Laser Processing of Engineering Materials : Principles, Procedure and Industrial Application (John Ion)
Solution manual Sintering : Densification, Grain Growth and Microstructure (Suk-Joong Kang)
Solution manual Biomaterials : An Introduction (3rd Ed., Joon Park & R.S. Lakes)
Solution manual Biomaterials : The Intersection of Biology and Materials Science (Temenoff & Mikos)
Solution manual Biomaterials Science : An Introduction to Materials in Medicine (2nd Ed., Ratner, Hoffman, Schoen & Lemons)
Solution manual Tissue Engineering (Bernhard O. Palsson & Sangeeta N. Bhatia)
Solution manual Tissue Engineering (Clemens van Blitterswijk, et al.)
Solution manual Introduction to Materials Management (6th Ed., Arnold, Chapman & Clive)
Solution manual Fundamentals of Solid State Engineering (2nd Ed., Manijeh Razeghi)
Solution manual Smart Electronic Materials : Fundamentals and Applications (Jasprit Singh)
Solution manual Composite Materials : Science and Engineering (2nd Ed., Krishan K. Chawla)
Solution manual Laminar Composites (George Staab)
Solution manual Physical Metallurgy and Advanced Materials (7th Ed., R.E. Smallman & A.H.W. Ngan)

---

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

```
From 7495377851672771570
X-Google-Thread: 108122,3eff3566da978b3d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a21g2000prj.googlegroups.com!not-for-
mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4075 Solutions manual and Test banks to Chemistry and Chemical
 Engineering Books
Date: Tue, 29 Mar 2011 11:12:31 -0700 (PDT)
Organization: http://groups.google.com
Lines: 327
Message-ID: <e026b8d7-cd22-446e-a193-7ba6c1c06322@a21g2000prj.googlegroups.com>
NNTP-Posting-Host: 190.40.115.31
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1301422438 28373 127.0.0.1 (29 Mar 2011 18:13:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Mar 2011 18:13:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a21g2000prj.googlegroups.com; posting-host=190.40.115.31; posting-
account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2564
```

List of Solutions Manuals and Test Banks
----

contact me to : mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR : CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=ADDS77XH

I do not review the forums, just send me an email.

- Chemistry and Chemical Engineering :

Solution manual An Introduction to Mass and Heat Transfer : Principles of Analysis and Design (Stanley Middleman)
Solution manual Principles and Modern Applications of Mass Transfer Operations (Jaime Benitez)
Solution manual Diffusion : Mass Transfer in Fluid Systems (2nd Ed., Cussler)
Solution manual Separation Process Principles (1st Ed, Seader & Henley)
Solution manual Separation Process Principles (2nd Ed, Seader & Henley)
Solution manual Separation Process Principles (3rd Ed, Seader, Henley & Roper)
Solution manual Analysis, Synthesis and Design of Chemical Processes (3rd Ed., Turton, Bailie, Whiting & Shaeiwitz)

Solution manual Principles of Chemical Separations with Environmental Applications (Richard D. Noble)
Solution manual Product and Process Design Principles : Synthesis, Analysis, and Evaluation (2nd Ed., Seider, Seader & Lewin)
Solution manual Product and Process Design Principles : Synthesis, Analysis, and Design (3rd Ed., Seider, Seader, Lewin & Widagdo)
Solution manual Principles and Practices of Automatic Process Control (3rd Ed., Smith & Corripio)
Solution manual Process Systems Analysis and Control (3rd Ed. Donald Coughanowr, Steven LeBlanc)
Solution manual Process Dynamics and Control (2nd Ed., Seborg, Edgard & Mellichamp)
Solution manual Process Dynamics and Control (3rd Ed., Seborg, Edgard, Mellichamp & Doyle)
Solution manual Process Control : A First Course with MATLAB (P.C. Chau)
Solution manual Plant Design and Economics for Chemical Engineers (5th Ed., Peters & Timmerhaus)
Solution manual Basic Principles and Calculations in Chemical Engineering (7th Ed., Himmelblau)
Solution manual Unit Operations of Chemical Engineering (6th Ed., McCabe & Smith)
Solution manual Unit Operations of Chemical Engineering (7th Ed., McCabe & Smith)
Solution manual Transport Phenomena in Biological Systems (1st Ed., George Truskey, Fan Yuan & David Katz)
Solution manual Transport Phenomena in Biological Systems (2nd Ed., George Truskey, Fan Yuan & David Katz)
Solution manual Transport Phenomena : A Unified Aprroach (Robert S. Brodkey & Harry C. Hershey)
Solution manual Modeling in Transport Phenomena : A Conceptual Approach (2nd Ed., Ismail Tosun)
Solution manual Transport Phenomena (2nd Ed., Bird & Stewart)
Solution manual Solutions to Class 1&2 - Transport Phenomena (Bird)
Solution manual Chemical Engineering Design : Principles, Practice and Economics of Plant and Process Design (Gavin Towler & Ray Sinnott)
Solution manual Chemical Engineering Design (Coulson & Richardson's Chemical Engineering - Volume 6) - (4th Ed., Sinnott)
Solution manual Chemical Engineering Design - SI Edition (5th Ed., Sinnott & Towler)
Solution manual Fundamentals of Nuclear Reactor Physics (Elmer Lewis)
Solution manual Nuclear Energy : An Introduction to the Concepts, Systems, and Applications of Nuclear Processes (6th Ed., Raymond L. Murray)
Solution manual Chemical Engineering Design and Analysis : An Introduction (Duncan & Reimer)
Solution manual Chemical Reactor Analysis and Design (3rd Ed., Gilbert Froment, Kenneth Bischoff, Juray De Wilde)
Solution manual Introduction to Chemical Reactor Analysis (R.E. Hayes)
Solution manual Kinetics of Catalytic Reactions (Albert Vannice)
Solution manual An Introduction to Chemical Engineering Kinetics and Reactor Design (Charles G. Hill)
Solution manual Chemical Reactions and Chemical Reactors (George W.

Roberts)
Solution manual Chemical Reaction Engineering (3rd Ed., Levenspiel)
Solution manual Fundamentals of Chemical Reaction Engineering (1st Ed., Davis)
Solution manual Conceptual Design of Distillation Systems (1st Ed., Doherty & Malone)
Solution manual Fluid Mechanics for Chemical Engineers (3rd Ed., Noel de Nevers)
Solution manual Introduction to Chemical Processes : Principles, Analysis, Synthesis (1st Ed., Regina M. Murphy)
Solution manual Optimization of Chemical Processes (2nd Ed., Edgar & Himmelblau)
Solution manual Two-Phase Flow : Theory and Applications (Clement Kleinstreuer)
Solution manual Chemical and Engineering Thermodynamics (3rd Ed., Stanley I. Sandler)
Solution manual Chemical, Biochemical, and Engineering Thermodynamics (4th Ed., Stanley I. Sandler)
Solution manual An Introduction to Applied Statistical Thermodynamics (Stanley I. Sandler)
Solution manual Introduction to Chemical Engineering Thermodynamics (6th Ed., Smith & Van Ness)
Solution manual Introduction to Chemical Engineering Thermodynamics (7th Ed., Smith & Van Ness)
Solution manual Engineering and Chemical Thermodynamics (Koretsky)
Solution manual Introduction to Chemical Principles (9th Ed., Stephen Stoker)
Solution manual Basic Chemistry (2nd Ed., K. Timberlake & W. Timberlake)
Solution manual Phase Equilibria, Phase Diagrams and Phase Transformations : Their Thermodynamic Basis (2nd Ed., Mats Hillert)
Solution manual Principles of Chemical Kinetics (2nd Ed., James House)
Solution manual Elementary Principles of Chemical Processes (3rd Ed., Felder & Rousseau)
Solution manual Elements of Chemical Reaction Engineering (3rd Ed., Fogler)
Solution manual Essentials of Chemical Reaction Engineering (H. Scott Fogler)
Solution manual Principles Of Polymer Systems (5th Ed., by Ferdinand Rodriguez, Claude Cohen, Christopher Ober, Lynden Archer)
Solution manual Group Theory with Applications in Chemical Physics (Patrick Jacobs)
Solution manual Food Analysis (3rd Ed., Suzanne Nielsen)
Solution manual Introduction to Physical Chemistry (3rd Ed., Ladd)
Solution manual General Chemistry: Principles and Modern Applications (10th Ed., Ralph H. Petrucci, F. Geoffrey Herring, Jeffry D. Madura, Carey Bissonnette)
Solution manual Virtual ChemLab : General Chemistry Student Lab Manual / Workbook, v2.5, 3rd Ed. (Brian Woodfield & Matthew Asplund)
Solution manual Introductory Chemistry (2nd Ed., Nivaldo J. Tro)
Solution manual Introductory Chemistry (3rd Ed., Nivaldo J. Tro)
Solution manual Conceptual Integrated Science (Hewitt, Lyons, Suchocki & Yeh)

Solution manual Introductory Chemistry: Concepts and Connections (4th Ed., Charles Corwin)
Solution manual Prentice Hall Lab Manual Introductory Chemistry (4th Ed., Charles Corwin)
Solution manual Modern Organic Synthesis : An Introduction (George S. Zweifel, Michael H. Nantz)
Solution manual General, Organic and Biological Chemistry : Structures of Life (2nd Ed., Karen Timberlake)
Solution manual Chemistry : An Introduction to General, Organic, and Biological Chemistry (9th Ed., Karen Timberlake)
Solution manual Chemistry : An Introduction to General, Organic, and Biological Chemistry (10th Ed., Karen Timberlake)
Solution manual Conceptual Chemistry (3rd Ed., John A. Suchocki)
Solution manual Explorations in Conceptual Chemistry : A Student Activity Manual (Jeffrey Paradis)
Solution manual Criminalistics : An Introduction to Forensic Science (9th Ed., Richard Saferstein)
Solution manual Physical Chemistry (Thomas Engel & Philip Reid)
Solution manual Physical Chemistry for the Life Sciences (Engel, Drobny & Reid)
Solution manual Quantum Chemistry and Spectroscopy with Spartan Student Physical Chemistry Software (Thomas Engel & Philip Reid)
Solution manual Themodynamics, Statistical Thermodynamics, and Kinetics (Thomas Engel & Philip Reid)
Solution manual Physical Chemistry (7th. Ed., Peter Atkins & Julio de Paula)
Solution manual Physical Chemistry (2nd Ed., Robert Mortimer)
Solution manual Physical Chemistry (3rd Ed., Robert Mortimer)
Solution manual Chemistry (4th Ed., Olmsted & Williams)
Solution manual Chemistry : Structure and Dynamics (3rd Ed., Spencer, Bodner & Rickard)
Solution manual Chemistry : Structure and Dynamics (4th Ed., Spencer, Bodner & Rickard)
Solution manual Chemistry : Structure and Dynamics (5th Ed., Spencer, Bodner & Rickard)
Solution manual Chemistry (3rd Ed., Catherine E. Housecroft & Edwin Constable)
Solution manual Chemistry (4th Ed., Catherine E. Housecroft & Edwin Constable)
Solution manual General Chemistry : The Essential Concepts (4th Ed., Raymond Chang)
Solution manual Principles of General Chemistry (2nd Ed., Martin Silberberg)
Solution manual Chemistry : The Molecular Nature of Matter and Change (3rd Ed., Martin Silberberg)
Solution manual Chemistry : The Molecular Nature of Matter and Change (5th Ed., Martin Silberberg)
Solution manual General, Organic and Biochemistry (3rd ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual General, Organic and Biochemistry (4th ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual General, Organic and Biochemistry (5th ed., Katherine Denniston, Joseph Topping & Robert Caret)

Solution manual General, Organic and Biochemistry (6th ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual Introduction to General, Organic and Biochemistry in the Laboratory: Laboratory Manual (8th Ed., Hein, Peisen, Ritchey, Pattison & Arena)
Solution manual Introduction to General, Organic and Biochemistry in the Laboratory: Laboratory Manual (9th Ed., Hein, Pattison, Arena & Best)
Solution manual Introduction to General, Organic and Biochemistry (8th Ed., Hein, Best, Pattison & Arena)
Solution manual Introduction to General, Organic and Biochemistry (9th Ed., Hein, Pattison, Arena & Best)
Solution manual General, Organic and Biological Chemistry : An Integrated Approach, Laboratory Experiments (Macaulay, Bauer & Bloomfield)
Solution manual General, Organic, and Biological Chemistry : An Integrated Approach (1st Ed., Kenneth W. Raymond)
Solution manual General, Organic, and Biological Chemistry : An Integrated Approach (2nd Ed., Kenneth W. Raymond)
Solution manual General, Organic, and Biological Chemistry : An Integrated Approach (3rd Ed., Kenneth W. Raymond)
Solution manual General, Organic, and Biological Chemistry : A Guided Inquiry (Michael Garoutte)
Solution manual Biophysical Chemistry (James P. Allen)
Solution manual Fundamentals of Chemistry (3rd Ed., David Goldberg)
Solution manual Fundamentals of Chemistry (4th Ed., David Goldberg)
Solution manual Fundamentals of Chemistry (5th Ed., David Goldberg)
Solution manual Chemistry : A Guided Inquiry (4th Ed., Richard Moog & John Farrell)
Solution manual Chemistry : Matter and Its Changes (4th Ed., Brady & Senese)
Solution manual Chemistry : The Study of Matter and Its Changes (5th Ed., Brady & Senese)
Solution manual Chemistry : The Study of Matter and Its Changes (6th Ed., Jespersen, Brady, Hyslop)
Solution manual Chemistry : An Everyday Approach to Chemical Investigation (Sally Solomon, Susan Rutkowsky & Charles Boritz)
Solution manual Inorganic Chemistry (James House)
Solution manual Descriptive Inorganic Chemistry (2nd Ed., James House & Kathleen House)
Solution manual Organic Chemistry (8th Ed., T. W. Graham Solomons & Craig B. Fryhle)
Solution manual Organic Chemistry (9th Ed., T. W. Graham Solomons & Craig B. Fryhle)
Solution manual Organic Chemistry (10th Ed., T. W. Graham Solomons & Craig B. Fryhle)
Solution manual Advanced Organic Chemistry Part A : Structure and Mechanisms (5th Ed., Francis Carey & Richard Sundberg)
Solution manual Advanced Organic Chemistry Part B : Reaction and Synthesis (5th Ed., Francis Carey & Richard Sundberg)
Solution manual Modern Analytical Chemistry (Harvey)
Solution manual General Chemistry Lab Manual (Petra A. M. van Koppen)
Solution manual Organic Structure Determination Using 2-D NMR

Spectroscopy : A Problem-Based Approach (Jeffrey Simpson)
Solution manual Practical Interfacing in the Laboratory : Using a PC for Instrumentation, Data Analysis and Control (Stephen E. Derenzo)
Solution manual Bioprocess Engineering Principles (Pauline M. Doran)
Solution manual Isotopes : Principles and Applications (3rd Ed., Gunter Faure & Teresa Mensing)
Solution manual Fundamentals of Forensic Science (Max Houck & Jay Siegel)
Solution manual Chemistry Case Studies for Allied Health (Colleen Kelley & Wendy Weeks)
Solution manual The Extraordinary Chemistry of Ordinary Things (4th Ed., Carl Snyder)
Solution manual The Art and Science of Chemical Analysis (Christie Enke)
Solution manual Spectrometric Identification of Organic Compounds (7th Ed., Robert Silverstein, Francis Webster, David Kiemle)
Solution manual Bioinstrumentation (John G. Webster)
Solution manual Medical Instrumentation Application and Design (4th Ed., John G. Webster)
Solution manual Microscale General Chemistry Laboratory : with Selected Macroscale Experiments (2nd Ed., Zvi Szafran, Ronald Pike, Judith Foster)
Solution manual Microscale Organic Laboratory : with Multistep and Multiscale Syntheses (4th Ed., Dana Mayo, Ronald Pike, Peter Trumper)
Solution manual Laboratory Manual for Principles of General Chemistry (8th Ed., Jo Allan Beran)
Solution manual Laboratory Manual for Principles of General Chemistry (9th Ed., Jo Allan Beran)

---

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

From -2502121007968323120
X-Google-Thread: 108122,cb704cafdf5bb2ef,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 29 Mar 2011 21:28:01 -0500
Reply-To: "radioguy" <radioguy88@earthlink.net>
From: "radioguy" <radioguy88@earthlink.net>

```
Newsgroups: rec.radio.amateur.equipment
Subject: FA: TERK indoor/outdoor amplified antenna +11 dB gain
Date: Tue, 29 Mar 2011 20:17:39 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <gsCdnRjnwKqsCA_QnZ2dnUVZ_h2dnZ2d@earthlink.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.230.0.187
X-Trace: sv3-
HPwHgeHVOqORF2sSveMzUgkcoitM9Mzj5IwyDcSteKCsLOwsxzQuRFGij0XDJFahgwTYs6xqHWDGXPz!
yJyZ0w60E7bMfMD29tLQcq6lwjaCc+9MirYEztixtSZDWchYKrZ3DcX5bdLPmcZny3GAZ9JnZekm!
fDAUr/PmO2haC2NmwVAVpeeK+mOF0Vclkw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1576
Xref: g2news2.google.com rec.radio.amateur.equipment:2779
```

Come see this Terk FM-50 Amplified Antenna that gives your FM radio
reception an 11 dB gain, can be mounted just about anywhere indoors or out,
comes with complete instructions and much more for an opening bid that is
33% off or buy it now for 26% off. Hit the link below to see all the
features and the auction will end this coming Saturday, April 2nd at 7:00 PM
central. Thanks for looking!

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=110666866349&ssPageName=STRK:MESELX:IT

```
From 5263257558732127506
X-Google-Thread: 108122,7986232a2fb0210f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!18g2000prd.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: JARA COOL HO JAA GURU
Date: Wed, 30 Mar 2011 07:32:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <a56f851d-6f4c-4e5c-b2dc-c3402038569f@18g2000prd.googlegroups.com>
NNTP-Posting-Host: 117.199.242.231
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1301495576 17475 127.0.0.1 (30 Mar 2011 14:32:56 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 30 Mar 2011 14:32:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 18g2000prd.googlegroups.com; posting-host=117.199.242.231;
posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2780


                 hot katrina kaif wallpapers
http://cinyworld96.blogspot.com/2011/03/katrina-kaif.html
              deepika padukone new stills
http://cinyworld96.blogspot.com/2011/03/deepika-padukone.html
                beautiful aishwariya rai
http://cinyworld96.blogspot.com/2011/03/aishwariya-rai.html
                 diya mirza sexy photos
http://cinyworld96.blogspot.com/2011/03/diya-mirza.html
               stunning beauty sneha
http://cinyworld96.blogspot.com/2011/03/sneha.html
                unbelivable iliyana photos
http://cinyworld96.blogspot.com/2011/03/iliyana.html
              priyamani beautiful stills
http://cinyworld96.blogspot.com/2011/03/priyamani.html
               pranitha in half saree
http://cinyworld96.blogspot.com/2011/03/pranitha.html
              richa saree stills
http://cinyworld96.blogspot.com/2011/03/richa-gangopadyay.html


From -6819076752390397376
X-Google-Thread: 108122,3ff390c96aff8013,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i4g2000pro.googlegroups.com!not-for-
mail
From: agarwal <rsoni215@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hollywood celebrities
Date: Wed, 30 Mar 2011 23:23:08 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <32afeed2-85cd-46ba-b1a2-fb70e5fad881@i4g2000pro.googlegroups.com>
NNTP-Posting-Host: 115.109.153.39
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1301552769 6893 127.0.0.1 (31 Mar 2011 06:26:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 31 Mar 2011 06:26:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i4g2000pro.googlegroups.com; posting-host=115.109.153.39; posting-
```

```
account=GNbiiQoAAABsO-Kq8gxpPhW-cvnXMxJW
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.3)
 Gecko/20100401 Firefox/3.6.3,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2781

www.4ursingle.com



From -175558700715221724
X-Google-Thread: fcc6e,9344788875c75ae1,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,9344788875c75ae1,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,9344788875c75ae1,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,9344788875c75ae1,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,9344788875c75ae1,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,9344788875c75ae1,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,9344788875c75ae1,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,9344788875c75ae1,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1298962801@panix.com>
Followup-To: poster
Date: 1 Apr 2011 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 04 May 2011 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1301637601@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1301637604 18526 166.84.1.2 (1 Apr 2011 06:00:04 GMT)
```

X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 1 Apr 2011 06:00:04 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:22735 rec.radio.amateur.dx:986 rec.radio.amateur.equipment:2782 rec.radio.amateur.homebrew:4598 rec.radio.amateur.misc:6309 rec.radio.amateur.policy:33059 rec.radio.amateur.space:500 rec.radio.info:2305

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 8722400641057150672
X-Google-Thread: 11480d,9344788875c75ae1
X-Google-NewGroupId: yes
X-Google-Thread: 108122,9344788875c75ae1
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,9344788875c75ae1
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,9344788875c75ae1
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,9344788875c75ae1
X-Google-NewGroupId: yes
X-Google-Attributes:
gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf6,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!w6g2000vbo.googlegroups.com!not-for-
mail
From: kb9rqz <mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.ra
dio.amateur.misc,rec.radio.amateur.policy
Subject: get kelp
Date: Fri, 1 Apr 2011 13:26:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Distribution: world
Message-ID: <f28de0bc-5278-4a3b-9c3d-9f95187c7878@w6g2000vbo.googlegroups.com>
References: <radio/ham-radio/moderated/crossposting-1-1301637601@panix.com>
NNTP-Posting-Host: 66.82.162.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1301689586 31835 127.0.0.1 (1 Apr 2011 20:26:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 1 Apr 2011 20:26:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w6g2000vbo.googlegroups.com; posting-host=66.82.162.18; posting-
account=3ePh8QoAAABpiNDYEy2_bPCVy_4Crs1n
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
 Trident/4.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.4506.2152;
 .NET CLR 3.5.30729),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.dx:987 rec.radio.amateur.equipment:2783
rec.radio.amateur.homebrew:4599 rec.radio.amateur.misc:6320
rec.radio.amateur.policy:33071
```

```
On Apr 1, 2:00=A0am, r...@panix.com (rec.radio.amateur.moderated Admin)
wrote:
> Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)




From 4598890839283608736
X-Google-Thread: 108122,2770938dd4557053,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j13g2000pro.googlegroups.com!not-for-
mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: south actress hot photos and videos
Date: Sat, 2 Apr 2011 17:32:08 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <2ac0d8da-54a8-4648-a0b2-0f2a52cfbeb2@j13g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.240.30
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1301790728 2002 127.0.0.1 (3 Apr 2011 00:32:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Apr 2011 00:32:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j13g2000pro.googlegroups.com; posting-host=117.199.240.30;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2784

    hot lipkiss
http://hotactressstoyou.blogspot.com/2011/04/lipkiss-2.html
               lipkiss in without dress
http://hotactressstoyou.blogspot.com/2011/04/lipkiss.html
                seepika padukone sexy back look
http://hotactressstoyou.blogspot.com/2011/04/deepika-padukone.html
                   sexy katrina kaif
http://hotactressstoyou.blogspot.com/2011/04/katrina-kaif.html
            beauty keerthi chawla
http://hotactressstoyou.blogspot.com/2011/04/keerthi-chawla.html
               saloni sexy photos
http://hotactressstoyou.blogspot.com/2011/04/saloni.html
             deeksha seth in a hot saree
http://hotactressstoyou.blogspot.com/2011/04/deeksha-seth.html
             asin hot wallpapers
http://hotactressstoyou.blogspot.com/2011/04/asin.html
            ramba in a red dress
http://hotactressstoyou.blogspot.com/2011/04/ramba.html
```

```
              sexy ilieana is in scert
http://hotactressstoyou.blogspot.com/2011/04/ileana.html



From -7489516208045346441
X-Google-Thread: 108122,98fc92f110a963d3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x8g2000prh.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SEXY GIRLS HOT VIDEOS AND MASTH KISS PHOTOS
Date: Tue, 5 Apr 2011 23:04:29 -0700 (PDT)
Organization: http://groups.google.com
Lines: 61
Message-ID: <68ab0a33-1dd2-4a50-9060-6849fb268c8b@x8g2000prh.googlegroups.com>
NNTP-Posting-Host: 117.199.243.73
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1302069869 8543 127.0.0.1 (6 Apr 2011 06:04:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Apr 2011 06:04:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x8g2000prh.googlegroups.com; posting-host=117.199.243.73; posting-
account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2571


ALL HOT PHOTOS SUPER SeXY PHOTOS
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html




         hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

                     HOT VIDEOS
```

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

for more hot videos

http://videosonblog.blogspot.com/2010/11/masala-videos.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

```
From 5283088770368592656
X-Google-Thread: 11480d,c16c04c5b70919f9,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c16c04c5b70919f9,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,c16c04c5b70919f9,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,c16c04c5b70919f9,start
X-Google-NewGroupId: yes
```

X-Google-Thread: 10bf43,c16c04c5b70919f9,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1299481501@panix.com>
Followup-To: poster
Date: 7 Apr 2011 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 May 2011 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1302156301@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1302156303 7308 166.84.1.2 (7 Apr 2011 06:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Apr 2011 06:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:22811 rec.radio.amateur.dx:996
rec.radio.amateur.equipment:2786 rec.radio.amateur.homebrew:4611
rec.radio.amateur.misc:6341 rec.radio.amateur.policy:33130 rec.radio.info:2321

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

 radio/personal-intro

Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -4756522951372093119
X-Google-Thread: 107ada,bacd0d7194227b4b,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,bacd0d7194227b4b,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,bacd0d7194227b4b,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,bacd0d7194227b4b,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
news2.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info

Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1299481800@panix.com>
Followup-To: poster
Date: 7 Apr 2011 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 May 2011 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1302156600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1302156601 6568 166.84.1.2 (7 Apr 2011 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Apr 2011 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:6342 rec.radio.amateur.equipment:2787 rec.radio.swap:3378 rec.radio.info:2322

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -1079078899991479415
X-Google-Thread: 108122,af9c3d131d0d9fd4,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k30g2000yqb.googlegroups.com!not-for-
mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT SEXY PHOTOS&VIDEOS
Date: Sat, 9 Apr 2011 09:33:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <5b6efbf2-3312-46d8-a4c6-ca655abdd13b@k30g2000yqb.googlegroups.com>
NNTP-Posting-Host: 117.199.244.206
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1302366813 12379 127.0.0.1 (9 Apr 2011 16:33:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Apr 2011 16:33:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k30g2000yqb.googlegroups.com; posting-host=117.199.244.206;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2788

V                           hot lipkiss
http://hotactressstoyou.blogspot.com/2011/04/lipkiss-2.html
               lipkiss in without dress
http://hotactressstoyou.blogspot.com/2011/04/lipkiss.html
                seepika padukone sexy back look
http://hotactressstoyou.blogspot.com/2011/04/deepika-padukone.html
                   sexy katrina kaif
http://hotactressstoyou.blogspot.com/2011/04/katrina-kaif.html
            beauty keerthi chawla
http://hotactressstoyou.blogspot.com/2011/04/keerthi-chawla.html
               saloni sexy photos
http://hotactressstoyou.blogspot.com/2011/04/saloni.html
             deeksha seth in a hot saree
http://hotactressstoyou.blogspot.com/2011/04/deeksha-seth.html
             asin hot wallpapers
http://hotactressstoyou.blogspot.com/2011/04/asin.html
```

```
            ramba in a red dress
http://hotactressstoyou.blogspot.com/2011/04/ramba.html
              sexy ilieana is in scert
http://hotactressstoyou.blogspot.com/2011/04/ileana.html



From 7681701809438644637
X-Google-Thread: 108122,1180fe8ca59daf5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!post02.iad!news.aliant.net!not-for-mail
Date: Sun, 10 Apr 2011 11:32:24 -0230
From: Keith <salmo@nf.sympatico.ca>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.15) Gecko/
20110303 Lightning/1.0b2 Thunderbird/3.1.9
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood VFO-520
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <4da1b871$0$3995$9a566e8b@news.aliant.net>
NNTP-Posting-Host: 142.162.125.113
X-Complaints-To: abuse@aliant.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2575

http://cgi.ebay.ca/ws/eBayISAPI.dll?
ViewItem&item=150589849711&ssPageName=STRK:MESELX:IT



From -1400482154801794233
X-Google-Thread: 108122,af3c2ab855050ef7,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m13g2000yqb.googlegroups.com!not-for-
mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: south actress hot photos and videos
Date: Mon, 11 Apr 2011 01:54:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <92132268-b3f7-49ce-970e-1c96a04ae217@m13g2000yqb.googlegroups.com>
NNTP-Posting-Host: 117.199.253.152
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1302512066 5556 127.0.0.1 (11 Apr 2011 08:54:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Apr 2011 08:54:26 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: m13g2000yqb.googlegroups.com; posting-host=117.199.253.152;
posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2790

                           hot lipkiss
http://hotactressstoyou.blogspot.com/2011/04/lipkiss-2.html
               lipkiss in without dress
http://hotactressstoyou.blogspot.com/2011/04/lipkiss.html
                seepika padukone sexy back look
http://hotactressstoyou.blogspot.com/2011/04/deepika-padukone.html
                   sexy katrina kaif
http://hotactressstoyou.blogspot.com/2011/04/katrina-kaif.html
            beauty keerthi chawla
http://hotactressstoyou.blogspot.com/2011/04/keerthi-chawla.html
               saloni sexy photos
http://hotactressstoyou.blogspot.com/2011/04/saloni.html
             deeksha seth in a hot saree
http://hotactressstoyou.blogspot.com/2011/04/deeksha-seth.html
             asin hot wallpapers
http://hotactressstoyou.blogspot.com/2011/04/asin.html
            ramba in a red dress
http://hotactressstoyou.blogspot.com/2011/04/ramba.html
              sexy ilieana is in scert
http://hotactressstoyou.blogspot.com/2011/04/ileana.html




From 3658480076858671300
X-Google-Thread: 108122,a8c882426afaf40b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f15g2000pro.googlegroups.com!not-for-
mail
From: galyler vanhop <galyler.vanhop@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: What is the Difference between 1PL, 2PL, 3PL, 4PL and 5PL logistics ?
Date: Tue, 12 Apr 2011 23:05:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 18
Message-ID: <9eec36c3-ac0e-46ad-9352-21eef60cc29d@f15g2000pro.googlegroups.com>
NNTP-Posting-Host: 1.53.112.23
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1302674746 4838 127.0.0.1 (13 Apr 2011 06:05:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Apr 2011 06:05:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: f15g2000pro.googlegroups.com; posting-host=1.53.112.23; posting-
account=840b9goAAABEM9lh0IrN_1s-6v39NOgH
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:2.0) Gecko/20100101 Firefox/
4.0,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2791

Dear all.

If you want to search the info of Logistics and Supply chain, you can
find them here:

http://i-logs.blogspot.com

Why Is Logistics Important?
http://i-logs.blogspot.com/2010/12/why-is-logistics-important.html

What is a supply chain?
http://i-logs.blogspot.com/2010/12/what-is-supply-chain.html

What is the Difference between 1PL, 2PL, 3PL, 4PL and 5PL logistics ?
http://i-logs.blogspot.com/2010/12/what-is-difference-between-1pl-2pl-3pl.html

Marketing Logistics
http://i-logs.blogspot.com/2011/01/marketing-logistics.html


From -4113839140184081684
X-Google-Thread: 108122,3caa55916981bd92,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j12g2000prg.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT PEOPLE HOT AND SEXY VIDEOS FOR U SEE AND ENJOY
Date: Thu, 14 Apr 2011 22:52:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 61
Message-ID: <59e88795-dd6e-4f89-9297-060d8cc0226a@j12g2000prg.googlegroups.com>
NNTP-Posting-Host: 117.199.249.152
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1302846751 24078 127.0.0.1 (15 Apr 2011 05:52:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Apr 2011 05:52:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j12g2000prg.googlegroups.com; posting-host=117.199.249.152;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
```

Xref: g2news1.google.com rec.radio.amateur.equipment:2579

ALL HOT PHOTOS SUPER SeXY PHOTOS
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

for more hot videos

http://videosonblog.blogspot.com/2010/11/masala-videos.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-

questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

---

From -1551178903916896008
X-Google-Thread: 108122,9e83a642dc85c8d9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l14g2000pre.googlegroups.com!not-for-mail
From: Peter Witt <wittpete@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Welcome to http://marketingw.blogspot.com
Date: Sat, 16 Apr 2011 05:27:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 24
Message-ID: <742d32d1-1f7b-43df-ad41-b9abb52b4fa6@l14g2000pre.googlegroups.com>
NNTP-Posting-Host: 58.186.201.33
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1302956860 480 127.0.0.1 (16 Apr 2011 12:27:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 16 Apr 2011 12:27:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l14g2000pre.googlegroups.com; posting-host=58.186.201.33; posting-account=K2FxKQoAAAD0Avy6MF2mbRb--0gf_gzu
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows NT 6.1; rv:2.0) Gecko/20100101 Firefox/4.0,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2580

Welcome to http://marketingw.blogspot.com

Marketing Management is a business discipline which is focused on the practical application of marketing techniques and the

management of a firm's marketing resources and activities.

The Importance of Marketing!
http://marketingw.blogspot.com/2011/03/importance-of-marketing.html

Marketing management

```
http://marketingw.blogspot.com/2011/03/marketing-management.html

Marketing online
http://marketingw.blogspot.com/2011/03/marketing-online.html



THE TEN RULES OF RADICAL MARKETING
http://marketingw.blogspot.com/2011/04/ten-rules-of-radical-marketing.html

KEY CUSTOMER MARKETS
http://marketingw.blogspot.com/2011/04/key-customer-markets.html



From 5019559504072931339
X-Google-Thread: 108122,9de1a3277fcc470e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k3g2000prl.googlegroups.com!not-for-
mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ADULT SEX PHOTOS
Date: Mon, 18 Apr 2011 04:41:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <76ee2029-17ac-490d-86a4-965d149bdd6a@k3g2000prl.googlegroups.com>
NNTP-Posting-Host: 117.199.249.197
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1303126871 10656 127.0.0.1 (18 Apr 2011 11:41:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Apr 2011 11:41:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k3g2000prl.googlegroups.com; posting-host=117.199.249.197;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2581

                           hot lipkiss
http://hotactressstoyou.blogspot.com/2011/04/lipkiss-2.html
               lipkiss in without dress
http://hotactressstoyou.blogspot.com/2011/04/lipkiss.html
                seepika padukone sexy back look
http://hotactressstoyou.blogspot.com/2011/04/deepika-padukone.html
                   sexy katrina kaif
http://hotactressstoyou.blogspot.com/2011/04/katrina-kaif.html
            beauty keerthi chawla
http://hotactressstoyou.blogspot.com/2011/04/keerthi-chawla.html
```

saloni sexy photos
http://hotactressstoyou.blogspot.com/2011/04/saloni.html
deeksha seth in a hot saree
http://hotactressstoyou.blogspot.com/2011/04/deeksha-seth.html
asin hot wallpapers
http://hotactressstoyou.blogspot.com/2011/04/asin.html
ramba in a red dress
http://hotactressstoyou.blogspot.com/2011/04/ramba.html
sexy ilieana is in scert
http://hotactressstoyou.blogspot.com/2011/04/ileana.html

```
From -8027211076153736387
X-Google-Thread: 108122,2cb0fd377ca48a57,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f15g2000pro.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT VIDEOS FOR YOUTH AND WORLD SEXIEST GIRLS HOT PHOTOS
Date: Mon, 18 Apr 2011 22:37:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <d22626a9-b66f-431f-b519-2048a843e959@f15g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.247.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1303191443 18299 127.0.0.1 (19 Apr 2011 05:37:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Apr 2011 05:37:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f15g2000pro.googlegroups.com; posting-host=117.199.247.248;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2582
```

A TO Z INFORMATION SEE IN THIS SITE

http://atwoztopic.blogspot.com/

ALL HOT PHOTOS SUPER SeXY PHOTOS

http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

ALL JOBS SITES FREE SEE

```
http://jobstwo.blogspot.com/



HOT VIDEOS

http://hotvideotoou.blogspot.com/2011/01/kiss-videos.html



hot lip kiss
http://hotvidos.blogspot.com/2010/07/hot-lip-kiss.html
hot kisses
http://hotvidos.blogspot.com/2010/07/hot-kisses.html
hollywood hot videos
http://hotvidos.blogspot.com/2010/07/hollywood-hot-videos.html
real hot videos
http://hotvidos.blogspot.com/2010/07/real-hot-videos.html
tamil hot videos
http://hotvidos.blogspot.com/2010/07/tamil-hot-videos.html


From 314137975256463506
X-Google-Thread: 108122,d036080c6f8a4773,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o15g2000prn.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WORLD BEST HOT PICS
Date: Tue, 19 Apr 2011 15:31:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 18
Message-ID: <6224f21d-0ca6-4932-a0c7-708a8009a18d@o15g2000prn.googlegroups.com>
NNTP-Posting-Host: 117.199.241.156
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1303252298 4192 127.0.0.1 (19 Apr 2011 22:31:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Apr 2011 22:31:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o15g2000prn.googlegroups.com; posting-host=117.199.241.156;
posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.16)
 Gecko/20110319 Firefox/3.6.16,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2583

 hot lipkiss
http://hotvideosee.blogspot.com/2011/04/lipkiss.html
```

lipkiss in without dress
http://hotvideosee.blogspot.com/2011/04/lipkiss-2.html
sexy katrina kaif
http://hotvideosee.blogspot.com/2011/04/katrina-kaif.html
deepika padukone sexy back look
http://hotvideosee.blogspot.com/2011/04/deepika-padukone.html
asin hot wallpapers
http://hotvideosee.blogspot.com/2011/04/asin.html
namitha with a sexy look
http://hotvideosee.blogspot.com/2011/04/namitha.html
sneha hot wallpapers
http://hotvideosee.blogspot.com/2011/04/sneha.html
parugu sheela in a half saree
http://hotvideosee.blogspot.com/2011/04/sheela.html
trisha hot navel show in a half saree
http://hotvideosee.blogspot.com/2011/04/trisha.html

From -4590734788778082264
X-Google-Thread: 10b9c8,5688b379bdfbdaa1,start
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,5688b379bdfbdaa1,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,5688b379bdfbdaa1,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,5688b379bdfbdaa1,start
X-Google-NewGroupId: yes
X-Google-Thread: f7796,5688b379bdfbdaa1,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, May 2011 - Subscribe for FREE
Followup-To: poster
Date: Thu, 21 Apr 2011 11:27:37 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <B4EDBA1768CF4FD7BF8214C4A62F011E@GRIMES>
References: <707C0739A87B457F87361AFCB546B3A7@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1303399657 26419 166.84.1.6 (21 Apr 2011 15:27:37 GMT)

```
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 21 Apr 2011 15:27:37 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.47.198 authed with telegraph+k9ya.org}
Xref: g2news1.google.com rec.radio.info:2280 rec.radio.amateur.boatanchors:4481
rec.radio.amateur.equipment:2584 rec.radio.swap:2966 alt.ham-radio.morse:60
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

May 2011 articles include:

Voice to Viet Nam By Philip Cala-Lazar, K9PL

A Bicycle Mobile Adventure II By Scott B. Laughlin, N7NET

The W5IG Air Key By Lee Cheever, W5IG

That Defining Moment By Larry Faehling, KL7IBV

Ham Lingo By Dick Sylvan, W9CBT

USS Yorktown Back on the Air!

```
From 4834347748635649315
X-Google-Thread: 108122,9e2132c21c2ac8be,start
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,9e2132c21c2ac8be,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,9e2132c21c2ac8be,start
X-Google-NewGroupId: yes
X-Google-Thread: 106d41,9e2132c21c2ac8be,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid9e586c3d78,gid733d321764,gid2d7fc12493,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news4
From: frank.spama@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,rec.radio.cb
Subject: FS: Yaesu FT-817ND QRP Freeband/CB/Ham Radio
Date: Sat, 23 Apr 2011 10:55:27 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 19
Message-ID: <iov3qg021jo@news4.newsguy.com>
NNTP-Posting-Host: pbd7a36ab1ebeeb0040943549f0b6f299b2d05612317cc1ff.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 6.00/32.1186
Xref: g2news1.google.com rec.radio.amateur.equipment:2585
rec.radio.shortwave:84374 rec.radio.swap:2968 rec.radio.cb:11600
```

This is in used fair condition, but transmits 5.1 watts into a dummy load on all bands, radio has been modified for 1.8-174 MHz transmitting. Battery does not hold a charge. Comes with microphone & leather case. Radio has no filters installed. Asking $300 +$25 shipping via 2 day USPS mail. Paypal.com payment accepted if you pay additional $10 or USPS money Order accepted. Pictures available upon request.

I also have a 2-5 watt in 75 watt amplifier home made kit for additional $78, if interested. No additional shipping fee if bought with radio.
http://site.hfprojectsyahoo.com/hf_packer-amp

--
Pneuma is:
http://www.youtube.com/watch?v=OXmLtbetuF0
http://en.wikipedia.org/wiki/Pneuma

```
From -3918964949347890524
X-Google-Thread: 108122,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 106d41,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid9e586c3d78,gid733d321764,gid2d7fc12493,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Sat, 23 Apr 2011 15:00:10 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.15) Gecko/
20110303 Thunderbird/3.1.9
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,rec.radio.cb
Subject: Re: FS: Yaesu FT-817ND QRP Freeband/CB/Ham Radio
References: <iov3qg021jo@news4.newsguy.com>
In-Reply-To: <iov3qg021jo@news4.newsguy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <4db34bdc$0$12454$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2800
rec.radio.shortwave:91128 rec.radio.swap:3390 rec.radio.cb:12892

On 4/23/2011 10:55 AM, frank.spama@gmail.com wrote:
> This is in used fair condition, but transmits 5.1 watts into a dummy load
> on all bands, radio has been modified for 1.8-174 MHz transmitting.
> Battery does not hold a charge. Comes with microphone&  leather case.
> Radio has no filters installed. Asking $300 +$25 shipping via 2 day USPS
> mail. Paypal.com payment accepted if you pay additional $10 or USPS money
> Order accepted. Pictures available upon request.
>
> I also have a 2-5 watt in 75 watt amplifier home made kit for additional
> $78, if interested. No additional shipping fee if bought with radio.
> http://site.hfprojectsyahoo.com/hf_packer-amp
>
Is this stuff legal? That's a lot of money for something in so-so condition.



From 4668286737983339266
X-Google-Thread: 108122,9e2132c21c2ac8be
X-Google-NewGroupId: yes
```

```
X-Google-Thread: 114aac,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 106d41,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid9e586c3d78,gid733d321764,gid2d7fc12493,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!feeder.news-
service.com!85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-
september.org!.POSTED!not-for-mail
From: John Smith <win.court@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,rec.radio.cb
Subject: Re: FS: Yaesu FT-817ND QRP Freeband/CB/Ham Radio
Date: Sat, 23 Apr 2011 15:37:59 -0700
Organization: A noiseless patient Spider
Lines: 25
Message-ID: <iovkcc$9rr$15@dont-email.me>
References: <iov3qg021jo@news4.newsguy.com>
<4db34bdc$0$12454$bd467cd0@news.dslextreme.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Sat, 23 Apr 2011 22:38:04 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="bi+00MmPT4mZIH2Hf6SZ9A";
     logging-data="10107"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+GKsgr4D884q5mQOScW38DjgWCLW1A800="
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.15) Gecko/
20110303 Thunderbird/3.1.9
In-Reply-To: <4db34bdc$0$12454$bd467cd0@news.dslextreme.com>
Cancel-Lock: sha1:XrqLbqY0bCwwNNWuoG7etj6kxAg=
Xref: g2news1.google.com rec.radio.amateur.equipment:2587
rec.radio.shortwave:84436 rec.radio.swap:2970 rec.radio.cb:11602

On 4/23/2011 3:00 PM, dave wrote:
> On 4/23/2011 10:55 AM, frank.spama@gmail.com wrote:
>> This is in used fair condition, but transmits 5.1 watts into a dummy load
>> on all bands, radio has been modified for 1.8-174 MHz transmitting.
>> Battery does not hold a charge. Comes with microphone& leather case.
>> Radio has no filters installed. Asking $300 +$25 shipping via 2 day USPS
>> mail. Paypal.com payment accepted if you pay additional $10 or USPS money
>> Order accepted. Pictures available upon request.
>>
>> I also have a 2-5 watt in 75 watt amplifier home made kit for additional
>> $78, if interested. No additional shipping fee if bought with radio.
>> http://site.hfprojectsyahoo.com/hf_packer-amp
>>
> Is this stuff legal? That's a lot of money for something in so-so
> condition.
>
```

Just off hand, I'd say it was just as legit as obamas' birth certificate
qualifying him for the public servant position of president!

If that works for obama, should work here!

Regards,
JS

From 5803853871768158856
X-Google-Thread: 108122,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!feeder.erje.net!eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "www.stationx.com.au" <admin@stationx.com.au>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,rec.radio.cb
Subject: Re: FS: Yaesu FT-817ND QRP Freeband/CB/Ham Radio
Date: Sun, 24 Apr 2011 14:17:02 +1000
Organization: A noiseless patient Spider
Lines: 5
Message-ID: <ip0888$t5v$1@dont-email.me>
References: <iov3qg021jo@news4.newsguy.com>
<4db34bdc$0$12454$bd467cd0@news.dslextreme.com> <iovkcc$9rr$15@dont-email.me>
Injection-Date: Sun, 24 Apr 2011 04:17:13 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="oZAJLdC8R5EE26F28weZdw";
logging-data="29887"; mail-complaints-to="abuse@eternal-september.org";
posting-account="U2FsdGVkX1+hALMRmYa0JTqtE+zxvMP8Uhgjz/M4ckI="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:F2usSknr8k44UT18Tl8RcEjHO18=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2802
rec.radio.shortwave:91177 rec.radio.swap:3392 rec.radio.cb:12894

He he

I would have just said - if you have to ask? Then it's not for you!

From -4562784542856099306
X-Google-Thread: 108122,9e2132c21c2ac8be

```
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 106d41,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid9e586c3d78,gid733d321764,gid2d7fc12493,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 24 Apr 2011 07:06:51 -0500
Date: Sun, 24 Apr 2011 12:06:51 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.15) Gecko/
20110303 Thunderbird/3.1.9
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,rec.radio.cb
Subject: Re: FS: Yaesu FT-817ND QRP Freeband/CB/Ham Radio
References: <iov3qg021jo@news4.newsguy.com>
<4db34bdc$0$12454$bd467cd0@news.dslextreme.com>
In-Reply-To: <4db34bdc$0$12454$bd467cd0@news.dslextreme.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <05KdnT7EZJTGjynQnZ2dnUVZ_sCdnZ2d@bright.net>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-
hHSpGDKPyVMKt167Hb2v2KfeePv+v6+JZf5XbCGpuMXhRXFxPPuRVlyMzbw4lAQ5Ekx5nbp61u4WrMf!
1cMTR5SoJqGaT2/LBtv/8c2pJ6GXOiBn7q6DzzawXd0vttlMwXfYCbcMbOrvcjVsIm6W6WO2CPnA!
yXyVUatKgQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2211
Xref: g2news1.google.com rec.radio.amateur.equipment:2589
rec.radio.shortwave:84487 rec.radio.swap:2973 rec.radio.cb:11604

On 4-23-2011 22:00, dave wrote:
> On 4/23/2011 10:55 AM, frank.spama@gmail.com wrote:
>> This is in used fair condition, but transmits 5.1 watts into a dummy load
>> on all bands, radio has been modified for 1.8-174 MHz transmitting.
>> Battery does not hold a charge. Comes with microphone& leather case.
>> Radio has no filters installed. Asking $300 +$25 shipping via 2 day USPS
>> mail. Paypal.com payment accepted if you pay additional $10 or USPS money
>> Order accepted. Pictures available upon request.
>>
>> I also have a 2-5 watt in 75 watt amplifier home made kit for additional
>> $78, if interested. No additional shipping fee if bought with radio.
>> http://site.hfprojectsyahoo.com/hf_packer-amp
>>
> Is this stuff legal? That's a lot of money for something in so-so
> condition.
>

What wouldn't be legal about this (unless it's "hot"), at least in the
ham radio world?  Freeband, well that's a different story ;)
```

```
From 7064612650771862942
X-Google-Thread: 108122,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid9e586c3d78,gid733d321764,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!eternal-
september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: John Smith <win.court@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,rec.radio.cb
Subject: Re: FS: Yaesu FT-817ND QRP Freeband/CB/Ham Radio
Date: Sun, 24 Apr 2011 08:52:32 -0700
Organization: A noiseless patient Spider
Lines: 16
Message-ID: <ip1h06$gv0$12@dont-email.me>
References: <iov3qg021jo@news4.newsguy.com>
<4db34bdc$0$12454$bd467cd0@news.dslextreme.com>
<05KdnT7EZJTGjynQnZ2dnUVZ_sCdnZ2d@bright.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Sun, 24 Apr 2011 15:52:39 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="bi+00MmPT4mZIH2Hf6SZ9A";
     logging-data="17376"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19n8r8ceDubCTrdPCN7fOGPNxDdCJIyTAY="
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.15) Gecko/
20110303 Thunderbird/3.1.9
In-Reply-To: <05KdnT7EZJTGjynQnZ2dnUVZ_sCdnZ2d@bright.net>
Cancel-Lock: sha1:M5eqiExBaImBhNDkm0WzrUDB/AM=
Xref: g2news2.google.com rec.radio.amateur.equipment:2804
rec.radio.shortwave:91206 rec.radio.swap:3395 rec.radio.cb:12896

On 4/24/2011 5:06 AM, Scott wrote:

> ...
```

> What wouldn't be legal about this (unless it's "hot"), at least in the
> ham radio world? Freeband, well that's a different story ;)
>
>

I would have said that this way, "Yes! They are publically owned
airways. However, don't get caught enjoying your freedom! They will
imprison you for that, this is America, yanno'?"

Perhaps, expressing a bit of over-emphasis on the freedom thing ...

Regards,
JS

From -6891427568263147876
X-Google-Thread: 108122,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 106d41,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid733d321764,gid2d7fc12493,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border3.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.bright.net!
news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 24 Apr 2011 13:19:34 -0500
Date: Sun, 24 Apr 2011 18:19:34 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.15) Gecko/
20110303 Thunderbird/3.1.9
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,rec.radio.cb
Subject: Re: FS: Yaesu FT-817ND QRP Freeband/CB/Ham Radio
References: <iov3qg021jo@news4.newsguy.com>
<4db34bdc$0$12454$bd467cd0@news.dslextreme.com>
<05KdnT7EZJTGjynQnZ2dnUVZ_sCdnZ2d@bright.net> <ip1h06$gv0$12@dont-email.me>
In-Reply-To: <ip1h06$gv0$12@dont-email.me>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <cbSdnTwmJIAr9CnQnZ2dnUVZ_vCdnZ2d@bright.net>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-VbBReoIMnsGtX7hYzIXNK+ca/
qNJ+7pnbUcZ5e2MFQdILyRjYSse4WebPpY7xgOUQYEEusq575X76QN!4A1ro7c2OeQTPm16z+dm/
mmUDdn3GIPMB2q+tGDX6dt8HQYq/M3/meU2+zx85jr7j6WRzvBnKkln!BSMG5fDhZQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1949
Xref: g2news1.google.com rec.radio.amateur.equipment:2591
rec.radio.shortwave:84516 rec.radio.swap:2975 rec.radio.cb:11606

On 4-24-2011 15:52, John Smith wrote:
> On 4/24/2011 5:06 AM, Scott wrote:
>
>> ...
>> What wouldn't be legal about this (unless it's "hot"), at least in the
>> ham radio world? Freeband, well that's a different story ;)
>>
>>
>
> I would have said that this way, "Yes! They are publically owned
> airways. However, don't get caught enjoying your freedom! They will
> imprison you for that, this is America, yanno'?"
>
> Perhaps, expressing a bit of over-emphasis on the freedom thing ...
>
> Regards,
> JS

Well, I'll be sure to keep my "freedom celebrations" to a dull roar to
avoid attracting attention.  ;)



From 3032876315499077408
X-Google-Thread: 108122,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Thread: 106d41,9e2132c21c2ac8be
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid9e586c3d78,gid733d321764,gid2d7fc12493,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: John Smith <win.court@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,rec.radio.cb
Subject: Re: FS: Yaesu FT-817ND QRP Freeband/CB/Ham Radio
Date: Sun, 24 Apr 2011 15:33:46 -0700
Organization: A noiseless patient Spider
Lines: 13
Message-ID: <ip28gg$98a$9@dont-email.me>
```

```
References: <iov3qg021jo@news4.newsguy.com>
<4db34bdc$0$12454$bd467cd0@news.dslextreme.com>
<05KdnT7EZJTGjynQnZ2dnUVZ_sCdnZ2d@bright.net> <ip1h06$gv0$12@dont-email.me>
<cbSdnTwmJIAr9CnQnZ2dnUVZ_vCdnZ2d@bright.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Sun, 24 Apr 2011 22:33:53 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="bi+00MmPT4mZIH2Hf6SZ9A";
     logging-data="9482"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19cSq7RZdLzFEXQD0il8ZlFAKm5rpGz7XA="
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.15) Gecko/
20110303 Thunderbird/3.1.9
In-Reply-To: <cbSdnTwmJIAr9CnQnZ2dnUVZ_vCdnZ2d@bright.net>
Cancel-Lock: sha1:T+Rlx5BskMPn0EA7k9X0Tcs99tQ=
Xref: g2news1.google.com rec.radio.amateur.equipment:2592
rec.radio.shortwave:84537 rec.radio.swap:2976 rec.radio.cb:11608
```

On 4/24/2011 11:19 AM, Scott wrote:

> ...
> Well, I'll be sure to keep my "freedom celebrations" to a dull roar to
> avoid attracting attention. ;)
>

Yes, probably just a whisper on the freebander freqs!

LOL

Regards,
JS

```
From -4119974338847238351
X-Google-Thread: fcc6e,296bad26c2a1240e,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,296bad26c2a1240e,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,296bad26c2a1240e,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,296bad26c2a1240e,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,296bad26c2a1240e,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,296bad26c2a1240e,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,296bad26c2a1240e,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,296bad26c2a1240e,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1301637601@panix.com>
Followup-To: poster
Date: 1 May 2011 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Jun 2011 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1304229601@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1304229604 27444 166.84.1.2 (1 May 2011 06:00:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 1 May 2011 06:00:04 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:22964 rec.radio.amateur.dx:1019 rec.radio.amateur.equipment:2809 rec.radio.amateur.homebrew:4708 rec.radio.amateur.misc:6410 rec.radio.amateur.policy:33249 rec.radio.amateur.space:514 rec.radio.info:2382

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 7204440244939828865
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe21.iad.POSTED!f95b82c5!not-for-mail
From: philo <philo@privacy.not>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.2.13) Gecko/20101208
Thunderbird/3.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net> <ij8p65$6b5$1@news.eternal-september.org>
<9hX5p.32776$nZ2.22378@newsfe03.iad> <ijcfjr$voc$1@news.eternal-september.org>
In-Reply-To: <ijcfjr$voc$1@news.eternal-september.org>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 68
Message-ID: <8Gk6p.7178$7P3.6033@newsfe21.iad>
```

X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Tue, 15 Feb 2011 01:29:40 UTC
Organization: TeraNews.com
Date: Mon, 14 Feb 2011 19:29:39 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2490
rec.radio.amateur.homebrew:4132

On 02/14/2011 05:58 PM, Percival P. Cassidy wrote:
> On 02/13/11 03:36 pm, philo wrote:
>
>>>>> I'm looking for charger/maintainer -- either an off-the-shelf unit
>>>>> or a
>>>>> schematic so I can build my own -- suitable for a flooded deep-cycle
>>>>> battery, either a pair of 6V "golf cart" batteries in series or a
>>>>> Group
>>>>> 31.
>
> <snip>
>
>> You do not need anything too fancy...
>> to "float" the batteries all you need to do is keep them at approx 2.25
>> volts / cell...so it's possible that your 13.8 v charger will do the
>> job...
>>
>> You can test it by checking the total voltage after a 24 hour period...
>>
>> ideally, a 12v battery should float at about 13.5 volts.
>>
>> If the float voltage is a little higher or lower it won't be too
>> critical...but make sure it's well below the 14.2 v gassing point.
>>
>> I've been in the lead-acid battery business for 36 years...
>> so have quite a bit of long term empirical data
>
> The West Mountain Radio people told me that their "Super PwrGate"'s
> 13.5V float setting voltage (not adjustable) might be too high for a
> flooded deep-cycle battery. Their user manual refers users to
>
> www.windsun.com/batteries/battery_FAQ.htm
>
> which recommends per-cell float voltages flooded deep-cycle batteries
> that translate to 13.02V to 13.20V for a 6-cell battery.
>
> "Perce"

That link did not work...but really, the exact float voltage is not that
critical...the free gassing point of a lead acid battery is 2.37 volts
/cell or 14.2 v for a 6 cell battery...

to float the battery you must stay reasonably below the gassing point or
there will be considerable water consumption...hydrogen and oxygen

production and heating.

OTOH: the nominal open circuit voltage of a fully charged lead acid battery is 2.12 volts / cell or 12.7v for a 6 cell battery....

so anywhere from 13.1 - 13.8 volts would work for "floating".

Back in the old days when I started in the industry,
the settings on the chargers could drift a bit...so we'd try to keep everything in the middle of the accepted range or about 13.5 volts

If the battery is going to be on float for an extended period of time...
though the water consumption is minimal...it still needs to be checked periodically and topped off as needed (never fill a battery up into the "neck" area...the water level should be a bit below it)

Finally...a few times a year the battery should be equalize charged to avoid the possibility of sulfation. Usually 6 hours will suffice.
The battery should be brought up to 14.2 volts and allowed to rise to approx 15 volts depending on the type of charger

```
From -6434879799727142738
X-Google-Thread: 241b302a50,afa7d9dbce3e1082
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Mon, 14 Feb 2011 23:08:10 -0500
Organization: A noiseless patient Spider
Lines: 76
Message-ID: <ijcu7c$7jg$1@news.eternal-september.org>
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net> <ij8p65$6b5$1@news.eternal-september.org>
<9hX5p.32776$nZ2.22378@newsfe03.iad> <ijcfjr$voc$1@news.eternal-september.org>
<8Gk6p.7178$7P3.6033@newsfe21.iad>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Tue, 15 Feb 2011 04:08:12 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="ismYE5oby9ATf5GkPvYE2A";
     logging-data="7792"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+DxUGqRkC+7X+iTq4LCHiw"
User-Agent: Mozilla/5.0 (OS/2; U; Warp 4.5; en-US; rv:1.9.2.13) Gecko/20101209
Thunderbird/3.1.7 ThunderBrowse/3.3.4
In-Reply-To: <8Gk6p.7178$7P3.6033@newsfe21.iad>
```

```
Cancel-Lock: sha1:I2rVnrk/lOpH3v2IYthNjeXsEks=
Xref: g2news1.google.com rec.radio.amateur.equipment:2491
rec.radio.amateur.homebrew:4134

On 02/14/11 08:29 pm, philo wrote:

>>>>>> I'm looking for charger/maintainer -- either an off-the-shelf unit
>>>>>> or a
>>>>>> schematic so I can build my own -- suitable for a flooded deep-cycle
>>>>>> battery, either a pair of 6V "golf cart" batteries in series or a
>>>>>> Group
>>>>>> 31.
>>
>> <snip>
>>
>>> You do not need anything too fancy...
>>> to "float" the batteries all you need to do is keep them at approx 2.25
>>> volts / cell...so it's possible that your 13.8 v charger will do the
>>> job...
>>>
>>> You can test it by checking the total voltage after a 24 hour period...
>>>
>>> ideally, a 12v battery should float at about 13.5 volts.
>>>
>>> If the float voltage is a little higher or lower it won't be too
>>> critical...but make sure it's well below the 14.2 v gassing point.
>>>
>>> I've been in the lead-acid battery business for 36 years...
>>> so have quite a bit of long term empirical data
>>
>> The West Mountain Radio people told me that their "Super PwrGate"'s
>> 13.5V float setting voltage (not adjustable) might be too high for a
>> flooded deep-cycle battery. Their user manual refers users to
>>
>> www.windsun.com/batteries/battery_FAQ.htm
>>
>> which recommends per-cell float voltages flooded deep-cycle batteries
>> that translate to 13.02V to 13.20V for a 6-cell battery.

> That link did not work...but really, the exact float voltage is not that
> critical...the free gassing point of a lead acid battery is 2.37 volts
> /cell or 14.2 v for a 6 cell battery...

The link worked for me just now -- at least when I added the http://
ahead of it.

> to float the battery you must stay reasonably below the gassing point or
> there will be considerable water consumption...hydrogen and oxygen
> production and heating.
>
>
> OTOH: the nominal open circuit voltage of a fully charged lead acid
> battery is 2.12 volts / cell or 12.7v for a 6 cell battery....
```

>
> so anywhere from 13.1 - 13.8 volts would work for "floating".
>
> Back in the old days when I started in the industry,
> the settings on the chargers could drift a bit...so we'd try to keep
> everything in the middle of the accepted range or about 13.5 volts
>
>
> If the battery is going to be on float for an extended period of time...
> though the water consumption is minimal...it still needs to be checked
> periodically and topped off as needed (never fill a battery up into the
> "neck" area...the water level should be a bit below it)
>
> Finally...a few times a year the battery should be equalize charged to
> avoid the possibility of sulfation. Usually 6 hours will suffice.
> The battery should be brought up to 14.2 volts and allowed to rise to
> approx 15 volts depending on the type of charger

The "Super PwrGate" claims to take care of all phases except equalizing
-- but only for Gel-Cell and AGM batteries. "No Spam" says that the
Iota/IQ system even does regular (weekly!) equalization charges.

I was hoping to find or build something cheaper that could serve as a
controller to make use of one of the power supplies I own already as the
power source.

"Perce"

From -1441019085086874214
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe10.iad.POSTED!f95b82c5!not-for-mail
From: philo <philo@privacy.not>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.2.13) Gecko/20101208
Thunderbird/3.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net> <ij8p65$6b5$1@news.eternal-september.org>
<9hX5p.32776$nZ2.22378@newsfe03.iad> <ijcfjr$voc$1@news.eternal-september.org>
<8Gk6p.7178$7P3.6033@newsfe21.iad> <ijcu7c$7jg$1@news.eternal-september.org>
In-Reply-To: <ijcu7c$7jg$1@news.eternal-september.org>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 57

Message-ID: <5UB6p.22320$y_7.9063@newsfe10.iad>
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Tue, 15 Feb 2011 21:05:05 UTC
Organization: TeraNews.com
Date: Tue, 15 Feb 2011 15:05:03 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:2706
rec.radio.amateur.homebrew:4432

On 02/14/2011 10:08 PM, Percival P. Cassidy wrote:
> On 02/14/11 08:29 pm, philo wrote:
>
>>>>>>> I'm looking for charger/maintainer -- either an off-the-shelf unit
>>>>>>> or a
>>>>>>> schematic so I can build my own -- suitable for a flooded deep-cycle
>>>>>>> battery, either a pair of 6V "golf cart" batteries in series or a
>>>>>>> Group
>>>>>>> 31.
>>>
<snip>

> The link worked for me just now -- at least when I added the http://
> ahead of it.
>
>> to float the battery you must stay reasonably below the gassing point or
>> there will be considerable water consumption...hydrogen and oxygen
>> production and heating.
>>
>>
>> OTOH: the nominal open circuit voltage of a fully charged lead acid
>> battery is 2.12 volts / cell or 12.7v for a 6 cell battery....
>>
>> so anywhere from 13.1 - 13.8 volts would work for "floating".
>>
>> Back in the old days when I started in the industry,
>> the settings on the chargers could drift a bit...so we'd try to keep
>> everything in the middle of the accepted range or about 13.5 volts
>>
>>
>> If the battery is going to be on float for an extended period of time...
>> though the water consumption is minimal...it still needs to be checked
>> periodically and topped off as needed (never fill a battery up into the
>> "neck" area...the water level should be a bit below it)
>>
>> Finally...a few times a year the battery should be equalize charged to
>> avoid the possibility of sulfation. Usually 6 hours will suffice.
>> The battery should be brought up to 14.2 volts and allowed to rise to
>> approx 15 volts depending on the type of charger
>
> The "Super PwrGate" claims to take care of all phases except equalizing
> -- but only for Gel-Cell and AGM batteries. "No Spam" says that the
> Iota/IQ system even does regular (weekly!) equalization charges.
>
> I was hoping to find or build something cheaper that could serve as a

> controller to make use of one of the power supplies I own already as the
> power source.
>
> "Perce"

I'd give one of your power supplies a try and see if it gives you an
acceptable float voltage...

If not, then one of the commercial ones would probably be a lot easier
than trying to build one yourself

From 8578793078098677714
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o7g2000prn.googlegroups.com!not-for-mail
From: raypsi <rborowiak@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Wed, 16 Feb 2011 07:15:45 -0800 (PST)
Organization: http://groups.google.com
Lines: 23
Message-ID: <27844292-48a7-4085-8ed7-2b962f549a98@o7g2000prn.googlegroups.com>
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net>
 <ij8p65$6b5$1@news.eternal-september.org> <9hX5p.32776$nZ2.22378@newsfe03.iad>
 <ijcfjr$voc$1@news.eternal-september.org> <8Gk6p.7178$7P3.6033@newsfe21.iad>
 <ijcu7c$7jg$1@news.eternal-september.org> <5UB6p.22320$y_7.9063@newsfe10.iad>
NNTP-Posting-Host: 99.65.160.151
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1297869609 16914 127.0.0.1 (16 Feb 2011 15:20:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 16 Feb 2011 15:20:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o7g2000prn.googlegroups.com; posting-host=99.65.160.151; posting-account=fLVwTAoAAAAuuduBMbjTK6IYA_V3PAap
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1;
 Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
 3.0.30729; MAAU; .NET4.0C; InfoPath.3; MAAU),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2707
rec.radio.amateur.homebrew:4435

> If not, then one of the commercial ones would probably be a lot easier

> than trying to build one yourself-

Hey ole timer:

First and formost this is a homebrew group.
To suggest to not build and to buy a commercial of the shelf reay to
use product, is like those sex ads that get posted here, they both
have nothing to do with homebrew.

Lastly I built a flooded lead acid charger. I only bought one part the
IC UC3906, I already had a solderless breadboard, the resistors and
capacitors in my junk drawer
The hardest part was figuring the resistor values and how to make
those values, and that was easy.
The heatsink fan came from an old CPU fan heatsink, and I mounted the
pass transistor to that heatsink fan.
I think that the UC3906 was the best think since sliced bread

73 ole timer
de n8zu

```
From -276370877317755342
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe09.iad.POSTED!af80dcec!not-for-mail
From: Audio1 <Audio1@where.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.8) Gecko/
20100227 Thunderbird/3.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net> <ij8p65$6b5$1@news.eternal-september.org>
<9hX5p.32776$nZ2.22378@newsfe03.iad> <ijcfjr$voc$1@news.eternal-september.org>
<8Gk6p.7178$7P3.6033@newsfe21.iad> <ijcu7c$7jg$1@news.eternal-september.org>
<5UB6p.22320$y_7.9063@newsfe10.iad>
<27844292-48a7-4085-8ed7-2b962f549a98@o7g2000prn.googlegroups.com>
In-Reply-To: <27844292-48a7-4085-8ed7-2b962f549a98@o7g2000prn.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <50T6p.62862$Gq3.22299@newsfe09.iad>
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Wed, 16 Feb 2011 16:34:09 UTC
Organization: TeraNews.com
```

Date: Wed, 16 Feb 2011 11:34:08 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2494
rec.radio.amateur.homebrew:4139

On 2/16/2011 10:15 AM, raypsi wrote:
>
>> If not, then one of the commercial ones would probably be a lot easier
>> than trying to build one yourself-
>
> Hey ole timer:
>
>
> First and formost this is a homebrew group.

So stop cross-posting to rec.radio.amateur.equipment

That's EQUIPMENT. Commercially built as well as home brew.

I ignore hams when it comes to battery equipment and pay attention to
people who trust their lives to their batteries,
http://www.morganscloud.com/2011/02/10/eleven-steps-to-better-battery-life/

From -3700414118954903388
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!193.201.147.79.MISMATCH!hitnews.eu!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Wed, 16 Feb 2011 13:00:02 -0500
Organization: A noiseless patient Spider
Lines: 25
Message-ID: <ijh3bt$3nn$1@news.eternal-september.org>
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net> <ij8p65$6b5$1@news.eternal-september.org>
<9hX5p.32776$nZ2.22378@newsfe03.iad> <ijcfjr$voc$1@news.eternal-september.org>
<8Gk6p.7178$7P3.6033@newsfe21.iad> <ijcu7c$7jg$1@news.eternal-september.org>
<5UB6p.22320$y_7.9063@newsfe10.iad>
<27844292-48a7-4085-8ed7-2b962f549a98@o7g2000prn.googlegroups.com>
<50T6p.62862$Gq3.22299@newsfe09.iad>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Wed, 16 Feb 2011 18:00:29 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="ismYE5oby9ATf5GkPvYE2A";
     logging-data="3831"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18Jn1tJv9YDdSRpZ1/D6Jac"
User-Agent: Mozilla/5.0 (OS/2; U; Warp 4.5; en-US; rv:1.9.2.13) Gecko/20101209

```
Thunderbird/3.1.7 ThunderBrowse/3.3.4
In-Reply-To: <50T6p.62862$Gq3.22299@newsfe09.iad>
Cancel-Lock: sha1:3GIUpy7snkFARoqVS7DuGI1lo9k=
Xref: g2news2.google.com rec.radio.amateur.equipment:2709
rec.radio.amateur.homebrew:4437

On 02/16/11 11:34 am, Audio1 wrote:

>>> If not, then one of the commercial ones would probably be a lot easier
>>> than trying to build one yourself-
>>
>> Hey ole timer:
>>
>>
>> First and formost this is a homebrew group.
>
> So stop cross-posting to rec.radio.amateur.equipment
>
> That's EQUIPMENT. Commercially built as well as home brew.

I guess it's my (the OP) fault: I cross-posted my original question --
asking about off-the-shelf or homebrew solutions -- to both
r.r.a.equipment and r.r.a.homebrew, and all the responses have gone to both.

> I ignore hams when it comes to battery equipment and pay attention to
> people who trust their lives to their batteries,
> http://www.morganscloud.com/2011/02/10/eleven-steps-to-better-battery-life/

I'll check that out.

"Perce"


From 2350160347555899861
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!192.87.166.28.MISMATCH!tudelft.nl!txtfeed1.tudelft.nl!de-
l.enfer-du-nord.net!feeder1.enfer-du-nord.net!eternal-september.org!
feeder.eternal-september.org!.POSTED!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Wed, 16 Feb 2011 15:20:09 -0500
Organization: A noiseless patient Spider
Lines: 28
Message-ID: <ijhbhr$rv4$1@news.eternal-september.org>
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net> <ij8p65$6b5$1@news.eternal-september.org>
```

```
<9hX5p.32776$nZ2.22378@newsfe03.iad> <ijcfjr$voc$1@news.eternal-september.org>
<8Gk6p.7178$7P3.6033@newsfe21.iad> <ijcu7c$7jg$1@news.eternal-september.org>
<5UB6p.22320$y_7.9063@newsfe10.iad>
<27844292-48a7-4085-8ed7-2b962f549a98@o7g2000prn.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Wed, 16 Feb 2011 20:20:11 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="ismYE5oby9ATf5GkPvYE2A";
     logging-data="28644"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19kcMUoQYkOJgtNNQEguBA1"
User-Agent: Mozilla/5.0 (OS/2; U; Warp 4.5; en-US; rv:1.9.2.13) Gecko/20101209
Thunderbird/3.1.7 ThunderBrowse/3.3.4
In-Reply-To: <27844292-48a7-4085-8ed7-2b962f549a98@o7g2000prn.googlegroups.com>
Cancel-Lock: sha1:3in0t3oO7mR6vIwTwpJtqYGNS+I=
Xref: g2news1.google.com rec.radio.amateur.equipment:2496
rec.radio.amateur.homebrew:4141
```

On 02/16/11 10:15 am, raypsi wrote:

<snip>

> ... I built a flooded lead acid charger. I only bought one part the
> IC UC3906, I already had a solderless breadboard, the resistors and
> capacitors in my junk drawer
> The hardest part was figuring the resistor values and how to make
> those values, and that was easy.
> The heatsink fan came from an old CPU fan heatsink, and I mounted the
> pass transistor to that heatsink fan.
> I think that the UC3906 was the best think since sliced bread

I've seen schematics and board layouts for SLA chargers based on the UC3906. VK3EM's uses SMT components, while N5BIA's uses discrete components -- but both are only for charging currents of 2A or so.

For what current did you build yours? If high-current, what pass transistor(s) did you use?

N5BIA offers a kit, and I was wondering whether this could be beefed up to handle 25A by adding 12ga wire to all the charging-current traces and substituting higher-current pass transistor(s). I'd have to recalculate the resistor values to suit a flooded battery, of course. And what about using a P-channel MOSFET device, such as the STP80PF55 that the "Micro M+" uses?

"Perce"

```
From 153198661090975322
X-Google-Thread: 241b302a50,afa7d9dbce3e1082
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Feb 2011 15:57:21 -0600
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
References: <ij75sl$uq1$1@news.eternal-september.org>
<5UB6p.22320$y_7.9063@newsfe10.iad>
<27844292-48a7-4085-8ed7-2b962f549a98@o7g2000prn.googlegroups.com>
<ijhbhr$rv4$1@news.eternal-september.org>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Wed, 16 Feb 2011 13:56:19 -0800
Message-ID: <3ptt28-nph.ln1@radagast.org>
Lines: 66
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-O3z2TjA5AYfaFV+VpvAEog3Flw/
pX4qcWGwduVsWfmY1jG6m+g+5NdNa5/1Y8G1UzBerEN4ieeagEWY!amAbMIwiFifxqBP0LDh+IPOm/
rv8h6xMrYN2x4HpMi7Rxt/qTeAbvrGNiEVbwg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 4741
Xref: g2news2.google.com rec.radio.amateur.equipment:2711
rec.radio.amateur.homebrew:4441

In article <ijhbhr$rv4$1@news.eternal-september.org>,
Percival P. Cassidy <Nobody@NotMyISP.com> wrote:

>N5BIA offers a kit, and I was wondering whether this could be beefed up
>to handle 25A by adding 12ga wire to all the charging-current traces and
>substituting higher-current pass transistor(s).

... and huge heatsinks.

>   I'd have to recalculate
>the resistor values to suit a flooded battery, of course. And what about
>using a P-channel MOSFET device, such as the STP80PF55 that the "Micro
>M+" uses?

The thing about a low-Rds-on MOSFET, or a low-Vce-sat PNP, is that it really only gains you a benefit under one circumstance: when it's "hard on", acting as much as possible like a short-circuit. This will happen only during the "bulk" fast-charge stage... and only if the charge controller "sees" that the raw (unregulated) power supply circuit isn't capable of pushing more amps into the battery than the design allows.

If the charge control circuit finds it necessary to reduce _either_ the charge amperage, or the voltage being delivered to the battery, in order to charge the battery safely, then the pass transistor will be "partially off". There will be a significant voltage across it (roughly speaking, Vsupply - Vbattery) and lots of amperage, and so it will be dissipating a lot of energy as heat.

At that point, the actual Rds-on of a MOSFET, or the Vce-sat of a PNP, will matter not at all. You'll have to dissipate (Vsupply-Vbat)*Icharge watts of heat in the transistor.

Now, if you happen to have been careful (or lucky) enough in the design of your "raw" power supply, things will look good. By "careful or lucky", I mean that you've put together a raw supply which just happens to run out of "oomph" at exactly the right moment... the effort of delivering 25A into the battery just happens to cause the supply to sag down to the right voltage (equal to a voltage in the range you want to be charging at). Under those conditions, the whole system will be running "flat out", the pass transistor will be turned on as hard as it can be, and heat dissipation in the transistor will be minimized by using a low-voltage-drop transistor of some sort.

However, this approach has pitfalls... it will be finicky to get right (component selection will be difficult) and it will probably be very sensitive to variations in the AC power-line voltage. In real life, you'd find that much of the time, either you aren't getting the full 25A of charge current (line voltage too low), or the voltage and/or current are potentially too high and the charger is having to back off turn down the pass transistor (at which point there's no longer an advantage to a low-voltage-drop transistor).

If you want to deliver a high charging current, with good control and low losses, under a fairly wide range of conditions, I think you'd probably want to use a different approach... use a buck-mode switching regulator rather than a linear pass-transistor system. With that approach, the pass element would almost always be fully-on or fully-off, and thus there'd be a real benefit to a low-resistance MOSFET or a low-saturation power bipolar part.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 4952345813697704194
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!feeder.news-

service.com!85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Wed, 16 Feb 2011 21:29:25 -0500
Organization: A noiseless patient Spider
Lines: 83
Message-ID: <iji166$sd8$1@news.eternal-september.org>
References: <ij75sl$uq1$1@news.eternal-september.org>
<5UB6p.22320$y_7.9063@newsfe10.iad>
<27844292-48a7-4085-8ed7-2b962f549a98@o7g2000prn.googlegroups.com>
<ijhbhr$rv4$1@news.eternal-september.org> <3ptt28-nph.ln1@radagast.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Thu, 17 Feb 2011 02:29:26 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="ismYE5oby9ATf5GkPvYE2A";
     logging-data="29096"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/u1NUDwfYqLgfFvGASq9rC"
User-Agent: Mozilla/5.0 (OS/2; U; Warp 4.5; en-US; rv:1.9.2.13) Gecko/20101209
Thunderbird/3.1.7 ThunderBrowse/3.3.4
In-Reply-To: <3ptt28-nph.ln1@radagast.org>
Cancel-Lock: sha1:z/+g6WpL8R5izZwC3VsMTVDXC8w=
Xref: g2news1.google.com rec.radio.amateur.equipment:2498
rec.radio.amateur.homebrew:4145

On 02/16/11 04:56 pm, Dave Platt wrote:

>> N5BIA offers a kit, and I was wondering whether this could be beefed up
>> to handle 25A by adding 12ga wire to all the charging-current traces and
>> substituting higher-current pass transistor(s).
>
> ... and huge heatsinks.

Of course. His kit includes only the PC board and the PCB-mounted
components anyway, so I would have to provide my own enclosure and heat
sink (well, maybe it does include a clip-on heat sink; I don't recall).

>>   I'd have to recalculate
>> the resistor values to suit a flooded battery, of course. And what about
>> using a P-channel MOSFET device, such as the STP80PF55 that the "Micro
>> M+" uses?
>
> The thing about a low-Rds-on MOSFET, or a low-Vce-sat PNP, is that it
> really only gains you a benefit under one circumstance: when it's
> "hard on", acting as much as possible like a short-circuit. This will
> happen only during the "bulk" fast-charge stage... and only if the
> charge controller "sees" that the raw (unregulated) power supply
> circuit isn't capable of pushing more amps into the battery than the
> design allows.
>
> If the charge control circuit finds it necessary to reduce _either_

> the charge amperage, or the voltage being delivered to the battery, in order to charge the battery safely, then the pass transistor will be "partially off". There will be a significant voltage across it (roughly speaking, Vsupply - Vbattery) and lots of amperage, and so it will be dissipating a lot of energy as heat.
>
> At that point, the actual Rds-on of a MOSFET, or the Vce-sat of a PNP, will matter not at all. You'll have to dissipate (Vsupply-Vbat)*Icharge watts of heat in the transistor.

My idea of using a MOSFET was to avoid the voltage drop of a junction transistor so that it could be fed from a regular P/S that has been cranked up only a little -- as with the "Super PwrGate," which has a voltage drop of no more than 0.5V; any idea what West Mountain Radio uses to accomplish that? So Vsupply - Vbattery would be low, and also the power dissipation.

> Now, if you happen to have been careful (or lucky) enough in the design of your "raw" power supply, things will look good. By "careful or lucky", I mean that you've put together a raw supply which just happens to run out of "oomph" at exactly the right moment... the effort of delivering 25A into the battery just happens to cause the supply to sag down to the right voltage (equal to a voltage in the range you want to be charging at). Under those conditions, the whole system will be running "flat out", the pass transistor will be turned on as hard as it can be, and heat dissipation in the transistor will be minimized by using a low-voltage-drop transistor of some sort.
>
> However, this approach has pitfalls... it will be finicky to get right (component selection will be difficult) and it will probably be very sensitive to variations in the AC power-line voltage. In real life, you'd find that much of the time, either you aren't getting the full 25A of charge current (line voltage too low), or the voltage and/or current are potentially too high and the charger is having to back off turn down the pass transistor (at which point there's no longer an advantage to a low-voltage-drop transistor).
>
> If you want to deliver a high charging current, with good control and low losses, under a fairly wide range of conditions, I think you'd probably want to use a different approach... use a buck-mode switching regulator rather than a linear pass-transistor system. With that approach, the pass element would almost always be fully-on or fully-off, and thus there'd be a real benefit to a low-resistance MOSFET or a low-saturation power bipolar part.

I'm trying to avoid switching-type circuitry, since I already have RFI-quiet regulated power supplies that are capable of supplying the desired maximum voltage and current. It's just a matter of reducing the voltage at the appropriate stages of the charging/maintenance process.

I was looking at the Super PwrGate until WMR's tech guy pointed out that the absorption voltage is too low and the float voltage possibly too high for flooded batteries. If I knew that it used a UC3906 and did not use SMT components I might be willing to try modifying one, but I don't have that information.

"Perce"

```
From 2435775106731267215
X-Google-Thread: 108122,e6124cc581308d55,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!
nntp.club.cc.cmu.edu!feeder.erje.net!border3.nntp.ams.giganews.com!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Feb 2011 23:07:53 -0600
From: RangerDaleXp <RangerDaleXp.7a263d8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: May Need A New Radio...
Date: Thu, 17 Feb 2011 01:02:59 +0000
Message-ID: <RangerDaleXp.7a263d8@radiobanter.com>
Organization: RadioBanter.com
Lines: 29
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
s0EvBQ1hXVdl1wMljxY3poSFWbZ4M20l4YqxNa+HmSmnD3lBqcqHfFl8AIfqzjK3tCo47Gq6o5XJh4Q!
dfi+7f7x3gKKIS0F+FChUYl+KaKtsSO+ZNvUkX5WWBXisRaCJKc3S1s4QsLQpx61l4fxDgMKvA2J!
is4dw6rB64XS
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 11
X-Original-Bytes: 2101
Xref: g2news2.google.com rec.radio.amateur.equipment:2713
```

I am not sure if this is the best thread for the question but here we go.

Recently I just revamped my scanner listening area and antenna system and I also set things up to now include my shortwave listening. I have an Icom IC-R71a that I bought to replace some none functional radios I had in the past but really only put around 50hrs on it before putting it in storage around 1990. I recently pulled it out of storage and found out it no longer works well. It now has very low audio and barely can hear any broadcast with it. It tunes to stations but almost no volume.

After lots of research and Q&A, It looks like this like new looking radio will cost more to fix then it is worth and I can not even find a service guy to even look at it to find out if it is worth fixing.

Does anyone have any idea who in California and better yet the Los
Angles area around Palmdale that could look at it?

I also am considering a new replacement and since I have been out of
listening or using SW equipment for a while, I was wondering what is
good now days for a replacement radio under $1000 dollars.

Looking for some good input and thanks......

--
RangerDaleXp

```
From -8447829012433592127
X-Google-Thread: 241b302a50,afa7d9dbce3e1082
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!r12g2000vbd.googlegroups.com!not-for-
mail
From: raypsi <rborowiak@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Thu, 17 Feb 2011 13:36:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 70
Message-ID: <22b69628-7b2e-4eb8-a308-0153a2e788c5@r12g2000vbd.googlegroups.com>
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net>
 <ij8p65$6b5$1@news.eternal-september.org> <9hX5p.32776$nZ2.22378@newsfe03.iad>
 <ijcfjr$voc$1@news.eternal-september.org> <8Gk6p.7178$7P3.6033@newsfe21.iad>
 <ijcu7c$7jg$1@news.eternal-september.org> <5UB6p.22320$y_7.9063@newsfe10.iad>
 <27844292-48a7-4085-8ed7-2b962f549a98@o7g2000prn.googlegroups.com>
<ijhbhr$rv4$1@news.eternal-september.org>
NNTP-Posting-Host: 99.65.160.151
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1297978574 31645 127.0.0.1 (17 Feb 2011 21:36:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 17 Feb 2011 21:36:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r12g2000vbd.googlegroups.com; posting-host=99.65.160.151; posting-
account=fLVwTAoAAAAuuduBMbjTK6IYA_V3PAap
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.1.16)
 Gecko/20101123 SeaMonkey/2.0.11,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2714
```

rec.radio.amateur.homebrew:4443

On Feb 16, 3:20=A0pm, "Percival P. Cassidy" <Nob...@NotMyISP.com> wrote:

> On 02/16/11 10:15 am, raypsi wrote:
>
> <snip>
>
> > ... I built a flooded lead acid charger. I only bought one part the IC UC3906, I already had a solderless breadboard, the resistors and capacitors in my junk drawer
> > The hardest part was figuring the resistor values and how to make those values, and that was easy.
> > The heatsink fan came from an old CPU fan heatsink, and I mounted the pass transistor to that heatsink fan.
> > I think that the UC3906 was the best think since sliced bread
>
> I've seen schematics and board layouts for SLA chargers based on the UC3906. VK3EM's uses SMT components, while N5BIA's uses discrete components -- but both are only for charging currents of 2A or so.
>
> For what current did you build yours? If high-current, what pass transistor(s) did you use?
>
> N5BIA offers a kit, and I was wondering whether this could be beefed up to handle 25A by adding 12ga wire to all the charging-current traces and substituting higher-current pass transistor(s). I'd have to recalculate the resistor values to suit a flooded battery, of course. And what about using a P-channel MOSFET device, such as the STP80PF55 that the "Micro M+" uses?
>
> "Perce"

There is no design on the internet for charging a flooded lead acid battery at the levels I use. There is a reason for this it's called lithium ion cells.

I used to make a living selling NTE parts. NTE always bought the cream of the JAN type transistors, so they could sub tonnes of transistors with one number. When the regulator went south on my car alternator I used a NTE180 to drive the field winding with a zener regulator I mounted the heat sink right to the positive side of the battery; when that car died the day the big tsunami hit back on boxer day 2005 I took the NTE180 out.

I use an NTE180 30 amp PNP transistor and 1 foot of 14 gauge wire to set up the main charge current, I use a 23amp PS from the filtered unregulated side to the input of the 14 gauge wire to collector of the PNP. the UC3906 looks at the voltage across the 14ga. wire and directly drives the PNP. I snake the wires for the emitter and base of the PNP thru the heatsink fins. I used the TI data sheet for the UC3906 to calculate the settings for the different charge cycles.

The 14 ga wire and the pass transistor are the only off the solderless
board parts
I wound the 14 ga wire in a pancake style coil so it fits right over
the heat sink

I had to use single turn trim pots and series resistors to set the
different charge cycles from the equations provided by the data sheet
on the UC3906

I did alot of research on my power supply, the others that used a
UC3906 on the internet could not be used to recalculate the resistor
values for the UC3906 for a large flooded lead acid battery. There
were to many mistakes as I found out.
Using the TI data sheet, is the best way to go, it looks like rocket
science but it's easy.\\

73 OM
de n8zu

From -2866466967206522180
X-Google-Thread: 108122,bcc2c58b4707b7b2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Feb 2011 19:29:11 -0600
Reply-To: "radioguy" <radioguy88@earthlink.net>
From: "radioguy" <radioguy88@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: TERK FM radio amplified antenna boost reception
Date: Thu, 17 Feb 2011 19:19:04 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <-ZmdnSiHHKD6VsDQnZ2dnUVZ_jGdnZ2d@earthlink.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.230.0.27
X-Trace: sv3-ZIPRWXSo6ZYJGxWQA35WfKlckv0R6Ht20EifexLR+td33tWqTOZQVpS/
xyrLhpx7EcGCU2lwUIbdH+k!LGs2xqHnuK2dJ7+iPjgKZ/
xYo0O0TWr63qrGco2mlsr8Xrd9CLTSqeuM8unT+r+2sM9HApe/oZAM!
oOhc9ROB7W63ojMWqUutUwvzhXoYohmv
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1621
Xref: g2news1.google.com rec.radio.amateur.equipment:2501

Come see this Terk FM-50 Amplified Antenna by Audiovox that enhances your FM radio reception by an 11 dB gain, can be mounted just about anywhere indoors or out, can be painted to match your audio components and comes with complete setup instructions all for an opening bid that is 33% off or buy it now for 26% off. Hit the link below to learn more. The auction will end this coming Sunday, February 20 at 4:57 PM central. Thanks for looking!

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=110649015493&ssPageName=STRK:MESELX:IT

From 6766356880465050766
X-Google-Thread: 108122,24695e33f24f486c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!
nntp.club.cc.cmu.edu!feeder.erje.net!border3.nntp.ams.giganews.com!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 18 Feb 2011 23:07:51 -0600
From: amy01 <amy01.7a506d8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: the popular medical comedy series-scrubs
Date: Sat, 19 Feb 2011 01:27:32 +0000
Message-ID: <amy01.7a506d8@radiobanter.com>
Organization: RadioBanter.com
Lines: 27
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-42jYuSolrmQGcVRuooXYV8lL+GmjqDltiN0/
YDZjAnwYVRRQA8eprxaAaqCblBHMV7LOZ4HtRTWmh0a!
ZnMa6zUFmQGCerHtBFgF1C2DKnVEzO1KLJes+q3WRjmSBlQsLjFzNMCqvxky0n+1ES8WnYbBLuKY!LZE=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 2372
Xref: g2news1.google.com rec.radio.amateur.equipment:2502

"Scrubs"'Scrubs DVD' (http://tinyurl.com/4hm7was), the popular medical comedy series, which was a staple on the NBC television network since 2001, but chose not to renew the show and drawing the ire of devoted fans. Fortunately, the series was immediately picked up by ABC for its eighth season.long-term sitcom was created by Bill Lawrence'Your baby can read DVD' (http://tinyurl.com/65mp5qv) ("Spin City", "Clone High" and "Cougar Town") and the medical comedy series that takes place in Sacred Heart Hospital and focuses on the life of Dr. John JD Dorian (Zach Braff, "Garden State", "The Last Kiss"). JD is an imaginative 'The tribe DVD' (http://tinyurl.com/4mjup6e)mind, so often you see things through his perspective and what he says about himself internally. He works on his girlfriend-and-off again, Dr. Elliot Reed (Sarah Chalke "Clone High," "Roseanne" and "Nothing Too Good For A Cowboy"), which is the same'zumba fitness DVD' (http://tinyurl.com/5tyfy4y) sense of humor as him, his best friend, Dr. Christopher Turk (Donald Faison, "Boondocks," "Robot Chicken") and Turk's wife is a nurse, Carla Espinosa (Judy Reyes, "Third Watch," "The Passion"). And in the workplace, JD has put up with'Prison break DVD' (http://tinyurl.com/48xurkv) Dr. Perry Cox ("Any Given Sunday," "Stealing Harvard", "office rats"), which seems unusual as he and guardian (Neil Flynn, "Middle", " Indiana Jones and the Kingdom of the Crystal Skull ").

--
amy01

```
From -4844894120746373499
X-Google-Thread: 108122,8e696bd69ad409,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z3g2000prz.googlegroups.com!not-for-
mail
From: Karl in Spokane <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Tower Rohn 45 wanted
Date: Sat, 19 Feb 2011 17:10:25 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <440a9b9f-103a-446f-a944-c19625cce7e9@z3g2000prz.googlegroups.com>
NNTP-Posting-Host: 206.63.236.206
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1298164225 16596 127.0.0.1 (20 Feb 2011 01:10:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 20 Feb 2011 01:10:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z3g2000prz.googlegroups.com; posting-host=206.63.236.206; posting-
account=bQbFuAkAAAB_7SMvb-dBBqPIRhE7jh5C
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.3)
 Gecko/20100401 Firefox/3.6.3,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2503
```

My sig should have my contact info

Karl in Spokane, AK2O

```
From 2903531127968302958
X-Google-Thread: 108122,e6124cc581308d55
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
94.75.214.39.MISMATCH!aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: May Need A New Radio...
Date: Sat, 19 Feb 2011 21:34:05 -0500
Organization: Aioe.org NNTP Server
Lines: 31
Message-ID: <fmmck-849F11.21340519022011@5ad64b5e.bb.sky.com>
References: <RangerDaleXp.7a263d8@radiobanter.com>
NNTP-Posting-Host: EjYPLXOvVUaBECTzuVRNxA.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news1.google.com rec.radio.amateur.equipment:2504
```

In article <RangerDaleXp.7a263d8@radiobanter.com>,
RangerDaleXp <RangerDaleXp.7a263d8@radiobanter.com> wrote:

> I have
> an Icom IC-R71a that I bought to replace some none functional radios I
> had in the past but really only put around 50hrs on it before putting it
> in storage around 1990. I recently pulled it out of storage and found
> out it no longer works well. It now has very low audio and barely can
> hear any broadcast with it. It tunes to stations but almost no volume.

Dale-

I suspect your IC-R71a is well worth the cost of repair. The problem could be something very simple, like a dirty contact in an external speaker or headset jack. Try plugging in a speaker or headset into it a few times, and see if that clears up the problem.

Check out Eham for reviews of various repair centers, <http://www.eham.net/reviews/products/26>.

One with a good reputation for Icom is Scott Malcom in Toledo, Washington. His website is <http://www.angelfire.com/biz2/mts>.

I don't know of a specific repair center near Los Angeles. There are Ham Radio Outlet stores in Anaheim, Burbank, San Diego, Sunnyvale and Oakland. <http://www.hamradio.com/> I don't think they do repairs, but

perhaps they would refer you to a reliable repair center if you called
the closest one.

Fred
K4DII

```
From -3243998055l506238
X-Google-Thread: 108122,a0a83e860cca4a10,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z27g2000prz.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TOP SEXY VIDEOS ALL TYPE OF HOT PHOTOS
Date: Sun, 20 Feb 2011 21:27:51 -0800 (PST)
Organization: http://groups.google.com
Lines: 61
Message-ID: <036c80bd-82f2-49f2-b394-ae9728309fe5@z27g2000prz.googlegroups.com>
NNTP-Posting-Host: 117.199.242.41
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1298266072 24160 127.0.0.1 (21 Feb 2011 05:27:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 21 Feb 2011 05:27:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z27g2000prz.googlegroups.com; posting-host=117.199.242.41;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2505
```

ALL HOT PHOTOS SUPER SeXY PHOTOS
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

for more hot videos

http://videosonblog.blogspot.com/2010/11/masala-videos.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

```
From 870707752160323067
X-Google-Thread: 108122,ddc1ed678feb9fa9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t19g2000prd.googlegroups.com!not-for-
```

```
mail
From: darling <sunanda9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: pretty girls  hot videos&photos
Date: Tue, 22 Feb 2011 02:36:29 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <cea09ed4-f24c-48db-af3e-27a4a30947e4@t19g2000prd.googlegroups.com>
NNTP-Posting-Host: 117.199.248.145
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1298370989 21941 127.0.0.1 (22 Feb 2011 10:36:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Feb 2011 10:36:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t19g2000prd.googlegroups.com; posting-host=117.199.248.145;
posting-account=eA4wLwoAAAAckpMIDmfK8bt53LPo9PCn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2720

                      SEXY DIYA MIRZA
   http://karomasti9.blogspot.com/2010/12/diya-mirza.html
                        HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html


         ONLY HOT VIDEOS FOR YOUTH
----------------------------------------------------------------
                      HOT VIDEOS
         http://sexy-rainsongs.blogspot.com/
                          FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/funny-video.html
                    TELUGU FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/telugu-funny-videos.html


From -3478074588365211122
X-Google-Thread: 108122,ddc1ed678feb9fa9
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u23g2000pro.googlegroups.com!not-for-
mail
From: varsha <varsha9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: pretty girls  hot videos&photos
Date: Tue, 22 Feb 2011 09:25:23 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <496da88e-6ed7-46dd-801b-daca2a35a921@u23g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.243.151
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1298395523 1994 127.0.0.1 (22 Feb 2011 17:25:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Feb 2011 17:25:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u23g2000pro.googlegroups.com; posting-host=117.199.243.151;
posting-account=EqrRzAoAAAD3CJxGkAkSGvh74KkxB4YR
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2721

                      SEXY DIYA MIRZA
   http://karomasti9.blogspot.com/2010/12/diya-mirza.html
                        HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html


         ONLY HOT VIDEOS FOR YOUTH
----------------------------------------------------------------
                      HOT VIDEOS
         http://sexy-rainsongs.blogspot.com/
                          FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/funny-video.html
                    TELUGU FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/telugu-funny-videos.html


From -1015561915472477255
X-Google-Thread: 108122,e6124cc581308d55
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!
nntp.club.cc.cmu.edu!news.unit0.net!border1.nntp.ams2.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 22 Feb 2011 17:07:56 -0600
```

From: RangerDaleXp <RangerDaleXp.7a9f879@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: May Need A New Radio...
Date: Tue, 22 Feb 2011 21:19:30 +0000
Message-ID: <RangerDaleXp.7a9f879@radiobanter.com>
Organization: RadioBanter.com
References: <RangerDaleXp.7a263d8@radiobanter.com>
<fmmck-849F11.21340519022011@5ad64b5e.bb.sky.com>
Lines: 53
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-RRjTWSMOMHOenYnq/0ndKbKD/DeZD4sB/bPEvhFnpj/jqBEzfNSyC86FXtUgngfk/
E4l0MqgR/3Daic!gojUDDhbTubJ1zlKVGFa1He+jNFE6P66jo1o6mBHd8riPqiUoXgh1tTwGqKeG/
C514S0fPwIoAHq!wVMAaEzel+4w
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 33
X-Original-Bytes: 3370
Xref: g2news1.google.com rec.radio.amateur.equipment:2508

Fred McKenzie;733487 Wrote:
> In article RangerDaleXp.7a263d8@radiobanter.com,
> RangerDaleXp RangerDaleXp.7a263d8@radiobanter.com wrote:
> -
> I have
> an Icom IC-R71a that I bought to replace some none functional radios I
> had in the past but really only put around 50hrs on it before putting
> it
> in storage around 1990. I recently pulled it out of storage and found
> out it no longer works well. It now has very low audio and barely can
> hear any broadcast with it. It tunes to stations but almost no
> volume.-
>
> Dale-
>
> I suspect your IC-R71a is well worth the cost of repair. The problem
> could be something very simple, like a dirty contact in an external
> speaker or headset jack. Try plugging in a speaker or headset into it a
>
> few times, and see if that clears up the problem.
>
> Check out Eham for reviews of various repair centers,
> http://www.eham.net/reviews/products/26.
>
> One with a good reputation for Icom is Scott Malcom in Toledo,
> Washington. His website is http://www.angelfire.com/biz2/mts.
>
> I don't know of a specific repair center near Los Angeles. There are
> Ham Radio Outlet stores in Anaheim, Burbank, San Diego, Sunnyvale and
> Oakland. http://www.hamradio.com/ I don't think they do repairs, but

> perhaps they would refer you to a reliable repair center if you called
> the closest one.
>
> Fred
> K4DIIHam radio outlet who sold me the radio back in the 80s was of no help. I
do thank you for getting back to me but according to the responses from
radio reference is that the radio would need to go through a complete
re-cap due to the age of the radio as well as a new ram battery
replacement. By the time all the money was invested in it, it would cost
$200 to $300 hundred which is about what the radio is worth. I am still
weighing my options but for $600 to $700 i would be able to buy a better
radio that still is supported, I have not been able to find a guy that
would even look at the R71 and this is discouraging....

I will look at some of your recommendation as well but at this time $100
to maybe $200 is all I can justify for this radio that has in the past
been criticized for poor audio to begin with....

--
RangerDaleXp

```
From 6177702994390177959
X-Google-Thread: 108122,e6124cc581308d55
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!feeder.news-
service.com!94.75.214.39.MISMATCH!aioe.org!.POSTED!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: May Need A New Radio...
Date: Wed, 23 Feb 2011 20:37:05 -0500
Organization: Aioe.org NNTP Server
Lines: 34
Message-ID: <fmmck-DDAE51.20370523022011@5ad64b5e.bb.sky.com>
References: <RangerDaleXp.7a263d8@radiobanter.com>
<fmmck-849F11.21340519022011@5ad64b5e.bb.sky.com>
<RangerDaleXp.7a9f879@radiobanter.com>
NNTP-Posting-Host: xEHzS3ibo+htGW4gpWeHJQ.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news1.google.com rec.radio.amateur.equipment:2509
```

In article <RangerDaleXp.7a9f879@radiobanter.com>,
 RangerDaleXp <RangerDaleXp.7a9f879@radiobanter.com> wrote:

> according to the responses from
> radio reference is that the radio would need to go through a complete
> re-cap due to the age of the radio as well as a new ram battery
> replacement.

Dale-

Re-capping applies to antique radios. Since about the 1960s, capacitors have been made using dielectrics that hold up much better over time. That doesn't mean a capacitor isn't bad, but you would NOT want to replace them all. Such a cure could be worse than the disease!

According to RigPix.com, the Icom IC-R71a was manufactured in the 1984 timeframe. Radios of that vintage may have developed dirty contacts in their controls and switches, and the RAM battery is quite old. If yours has the original battery, it is probably time to replace it, but total repair cost should not be as high as you are thinking. At least not with a reputable service center.

The problem you describe does not sound serious to me. I think you would be able to sell the radio on eBay for a fair price, even on a "parts or repair" basis.

I would look at a new Icom or Kenwood receiver as a replacement, but I'm not up-to-date on shortwave receivers. Perhaps someone in the rec.radio.shortwave newsgroup would be better able to recommend a replacement. However that group seems to be overrun with nonsense and spam, so I can understand why you might come here instead!

Fred
K4DII

From 3749720467249824563
X-Google-Thread: 108122,e6124cc581308d55
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-xfer.nntp.sonic.net!rahul.net!wasp.rahul.net!rahul.net!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: May Need A New Radio...
Date: Thu, 24 Feb 2011 05:14:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 35
Message-ID: <slrnimbq8e.pum.gsm@cable.mendelson.com>
References: <RangerDaleXp.7a263d8@radiobanter.com>
 <fmmck-849F11.21340519022011@5ad64b5e.bb.sky.com>
 <RangerDaleXp.7a9f879@radiobanter.com>
 <fmmck-DDAE51.20370523022011@5ad64b5e.bb.sky.com>
Reply-To: gsm@mendelson.com

```
NNTP-Posting-Host: 85.65.228.114.dynamic.barak-online.net
X-Trace: max.inside.misty.com 1298524444 20019 85.65.228.114 (24 Feb 2011 05:14:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 24 Feb 2011 05:14:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:2510
```

Fred McKenzie wrote:

> Re-capping applies to antique radios. Since about the 1960s, capacitors
> have been made using dielectrics that hold up much better over time.
> That doesn't mean a capacitor isn't bad, but you would NOT want to
> replace them all. Such a cure could be worse than the disease!

There is a hidden "gotcha" in the ICOM R-70, R-71 and R-71a, and several tranceivers of the era.

Instead of a ROM chip holding the operating software, it was placed in battery backed-up RAM. The idea being that it would be easy to upgrade the radio at almost no cost.

It turned out to be a bad idea and left many of those radios "brain dead" when the battery died and the programing was lost.

Someone used to sell a replacement ROM chip board that would go in instead of the RAM chip board. I have no idea if they still do.

So not only would the radio need a new battery, it would need to have the RAM reloaded if the battery has already died, or replacement with a ROM chip.

If the battery is still good, there is a way of replacing it without losing the contents of the RAM.

In defense of ICOM for something that seems insane by modern standards, the battery lasted for almost 25 years. It may be planned obsolesence, but they were awfully patient. :-)

Geoff.

--
Geoffrey S. Mendelson N3OWJ/4X1GM
Those who cannot remember the past are condemned to misquote it.

```
From -5577476569601358964
X-Google-Thread: 108122,18ee935bcc8e90ba,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a8g2000pri.googlegroups.com!not-for-mail
From: SRAVANTHI LOVE <sravanthi.sravya24@gmail.com>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: xXXX  HOT PHOTOS&VIDEOS
Date: Thu, 24 Feb 2011 00:46:00 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <3489c963-90bb-421c-98c1-d9fe459d27f1@a8g2000pri.googlegroups.com>
NNTP-Posting-Host: 117.199.251.74
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1298537161 13618 127.0.0.1 (24 Feb 2011 08:46:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 24 Feb 2011 08:46:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a8g2000pri.googlegroups.com; posting-host=117.199.251.74; posting-
account=xlJdHgoAAABgcJTnuAE4KX8N828Cze-V
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2725

                      SEXY DIYA MIRZA
   http://karomasti9.blogspot.com/2010/12/diya-mirza.html
                        HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html


         ONLY HOT VIDEOS FOR YOUTH
----------------------------------------------------------------
                      HOT VIDEOS
         http://sexy-rainsongs.blogspot.com/
                          FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/funny-video.html
                    TELUGU FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/telugu-funny-videos.html


From 9005261366857636069
X-Google-Thread: 108122,e6124cc581308d55
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 24 Feb 2011 08:48:19 -0600
Date: Thu, 24 Feb 2011 09:48:26 -0500
From: Drifter <drifter@pgh.net>
```

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13) Gecko/20101207 Thunderbird/3.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: May Need A New Radio...
References: <RangerDaleXp.7a263d8@radiobanter.com>
<fmmck-849F11.21340519022011@5ad64b5e.bb.sky.com>
<RangerDaleXp.7a9f879@radiobanter.com> <fmmck-DDAE51.20370523022011@5ad64b5e.bb.sky.com>
<slrnimbq8e.pum.gsm@cable.mendelson.com>
In-Reply-To: <slrnimbq8e.pum.gsm@cable.mendelson.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <nYSdnYtwT9wu8vvQnZ2dnUVZ_jOdnZ2d@earthlink.com>
Lines: 40
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 108.1.71.85
X-Trace: sv3-gFJSw2qhldCNtUVai3MFa4sp9WXtmn5MLgUJXJNm8rRP4SEMvFS8KN9HywZ4aSqvz4nYEMOcZPJ9rR4!N6VllGZN/7g/h1yDUgeXu70CDFz6/CtkWRcQZdPRtbDt9Z+S1qNloPdw6LNgX8MOmgY21E9BYygC!zVNKy4O1GFO1dn3Hv4cL79EERS4C
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 3040
Xref: g2news2.google.com rec.radio.amateur.equipment:2726

On 2/24/2011 12:14 AM, Geoffrey S. Mendelson wrote:
> Fred McKenzie wrote:
>> Re-capping applies to antique radios. Since about the 1960s, capacitors
>> have been made using dielectrics that hold up much better over time.
>> That doesn't mean a capacitor isn't bad, but you would NOT want to
>> replace them all. Such a cure could be worse than the disease!
>
> There is a hidden "gotcha" in the ICOM R-70, R-71 and R-71a, and several
> tranceivers of the era.
>
> Instead of a ROM chip holding the operating software, it was placed in battery
> backed-up RAM. The idea being that it would be easy to upgrade the radio
> at almost no cost.
>
> It turned out to be a bad idea and left many of those radios "brain dead"
> when the battery died and the programing was lost.
>
> Someone used to sell a replacement ROM chip board that would go in instead
> of the RAM chip board. I have no idea if they still do.
>
> So not only would the radio need a new battery, it would need to have the
> RAM reloaded if the battery has already died, or replacement with a ROM
> chip.
>
> If the battery is still good, there is a way of replacing it without

> losing the contents of the RAM.
>
> In defense of ICOM for something that seems insane by modern standards,
> the battery lasted for almost 25 years. It may be planned obsolesence,
> but they were awfully patient. :-)
>
> Geoff.
>

Great call there Geoff. I believe there is a group for this receiver on
Yahoo. Or maybe an Icom group, where he could get this fixed/ up to
date. It was an above average radio in it's day, and I hate to see
a receiver die. Lots of Ham and techs who fix radios just for fun.

Drifter...

From -3203947202851676015
X-Google-Thread: 108122,83061ef738f3b1a3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news3
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups:
rec.radio.swap,rec.radio.scanner,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: FS: USB Serial DB-9 RS-232 Cable for Windows 98/Me/2K/XP
Date: Fri, 25 Feb 2011 06:05:23 -0800
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 16
Message-ID: <ik8cvj01euc@news3.newsguy.com>
Reply-To: kilowattradio+rrs@gmail.com
NNTP-Posting-Host: p620c51e9e3e87e88ed11cbe244e22aa44e3e008d6d72e7d8.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2011. All Rights Reserved
Xref: g2news1.google.com rec.radio.swap:2911 rec.radio.scanner:1793
rec.radio.shortwave:77968 rec.radio.amateur.equipment:2513

New USB 2.0 PL-2303 DB-9 Serial Cable for Windows 98, Me, 2K or XP only.
This cable will /NOT/ work with Windows Vista or 7 OS.
Windows 98/Me/2K/XP driver installation program on CD-ROM Included.

$4.00 + $2.00 1st Class USPS mail Shipping.
Payment by Paypal or US Mail accepted.

Additional USB cables are $3 each.

E-Mail: kilowattradio+rrs@gmail.com

```
--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|


From 423607683068091186
X-Google-Thread: 1109af,83061ef738f3b1a3
X-Google-NewGroupId: yes
X-Google-Thread: fa029,83061ef738f3b1a3
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,83061ef738f3b1a3
X-Google-NewGroupId: yes
X-Google-Thread: 108122,83061ef738f3b1a3
X-Google-NewGroupId: yes
X-Google-Attributes:
gid733d321764,gid6b6ae7923,gid9e586c3d78,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news3
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups:
rec.radio.swap,rec.radio.scanner,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: FS: USB Serial DB-9 RS-232 Cable for Windows 98/Me/2K/XP
Date: Fri, 25 Feb 2011 06:26:42 -0800
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 28
Message-ID: <ik8e7k01flq@news3.newsguy.com>
References: <ik8cvj01euc@news3.newsguy.com>
Reply-To: kilowattradio+rrs@gmail.com
NNTP-Posting-Host: p9a4c66f460408a5f1596b7a22223300a5d1a2646c62c9c8b.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 6.00/32.1186
X-Legal: Copyright 2011. All Rights Reserved
Xref: g2news2.google.com rec.radio.swap:3333 rec.radio.scanner:2009
rec.radio.shortwave:84673 rec.radio.amateur.equipment:2728

On Fri, 25 Feb 2011 06:05:23 -0800, Keith
<kilowattradio@use-reply-to.invalid> wrote in
[ rec.radio.scanner ]:

> New USB 2.0 PL-2303 DB-9 Serial Cable for Windows 98, Me, 2K or XP only.
> This cable will /NOT/ work with Windows Vista or 7 OS.
> Windows 98/Me/2K/XP driver installation program on CD-ROM Included.
>
> $4.00 + $2.00 1st Class USPS mail Shipping.
> Payment by Paypal or US Mail accepted.
>
```

```
> Additional USB cables are $3 each.
>
> E-Mail: kilowattradio+rrs@gmail.com
>
> --
> Best Regards, Keith

Picture of cable here:
http://home.comcast.net/~kilowattradio/usb_serial_cable.jpg




--
Best Regards, Keith
|-----------------------------------------|
| http://home.comcast.net/~kilowattradio/ |
|-----------------------------------------|



From 4818285651881128685
X-Google-Thread: 108122,4480a9abd697552d,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,4480a9abd697552d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k15g2000prk.googlegroups.com!not-for-
mail
From: timberland boot <jialiushoe15@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: high quality Adidas Stam Smith shoes
Date: Fri, 25 Feb 2011 18:11:19 -0800 (PST)
Organization: http://groups.google.com
Lines: 87
Message-ID: <1b1d108b-8e29-4453-8c9e-41e0e0c75617@k15g2000prk.googlegroups.com>
NNTP-Posting-Host: 65.49.14.72
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1298686279 541 127.0.0.1 (26 Feb 2011 02:11:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 26 Feb 2011 02:11:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k15g2000prk.googlegroups.com; posting-host=65.49.14.72; posting-
account=8MPcCwoAAACKw7KX0zJ2dv3mofIkMJpy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
GTB6.6),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2729 rec.food.equipment:4853

We provide many brands of shoes.such as Nike shoes, Adidas shoes,
Puma
shoes. All of our products are in high quality with competitive
price,safe and fast delivery.You can mix sizes and colors when place
```

order.

(http://www.jialiuonline.com/)
high quality Nike shoes
high quality Nike shoes wholesale
high quality Nike Blazer shoes
high quality Nike Court Force shoes
high quality Nike Dunk SB shoes

(http://www.jialiuonline.com/)
high quality Nike Air Max shoes
high quality Nike Air Max 87 shoes
high quality Nike Air Max 90 shoes
high quality Nike Air Max 07 shoes
high quality Nike Air Max 8018 shoes
high quality Nike Zoom Air 0908 shoes
high quality Nike KAKE shoes
high quality Nike Air Max 360 shoes
high quality Nike Air Max 2009 shoes

(http://www.jialiuonline.com/)

high quality Nike Air Force1 shoes
high quality Nike Air Force1 Premium 07 shoes
high quality Nike Air Force1 25 Low shoes
high quality Nike Air Force 1 low players shoes
high quality Nike Air Force 1 08 shoes
high quality Nike Air Force 1 09 shoes
high quality Nike Wmns shoes
high quality Nike Wmns Tennis Classic shoes
high quality Nike Wmns Blazer Low classic shoes
high quality Nike WMNS Air Force 1 shoes
high quality Nike WMNS Air Force 1 High QK shoes
high quality Nike Wmns Air Force 1 Sprm 6 shoes
high quality Nike CORTEZ shoes
high quality Nike CORTEZ Basic Leather shoes
high quality Nike CORTEZ Premium Rainbow shoes
high quality Nike Free 2008 shoes

(http://www.jialiuonline.com/)
high quality Adidas shoes
high quality Adidas shoes wholesale
high quality Adidas 06 Adicolor shoes
high quality Adidas Stam Smith shoes
high quality Adidas 3266 shoes
high quality Adidas 1841 shoes
high quality Adidas Superstar shoes

(http://www.jialiuonline.com/)
high quality Puma shoes
high quality Puma shoes wholesale
high quality Puma Yokaichi shoes
high quality Puma Yokaichi running shoes

high quality Puma R0110puma shoes
high quality Puma speed cat shoes

high quality Birkenstock shoes
high quality Birkenstock shoes wholesale
high quality Birkenstock DAVOS shoes

(http://www.jialiuonline.com/)
Nike shoes
Nike Blazer shoes
Nike Court Force shoes
Nike Dunk SB shoes
Nike Air Max shoes
Nike Air Max 87 shoes
Nike Air Max 90 shoes
Nike Air Max 360 shoes
Nike Air Max 2009 shoes
Nike Air Max 8018 shoes
Nike Air Max 0908 shoes
Nike Air Max 07 shoes

Birkenstock shoes
Birkenstock DAVOS shoes

From 4088075561090506462
X-Google-Thread: 108122,e6124cc581308d55
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-nntp-12.dc1.easynews.com.POSTED!not-for-mail
From: Bob <rmiller47@satx.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: May Need A New Radio...
Message-ID: <ndejm6hm57a1iltmkbl6h3gqh6hteeelqo@4ax.com>
References: <RangerDaleXp.7a263d8@radiobanter.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 42
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we

```
will be unable to process your complaint properly.
Date: Sat, 26 Feb 2011 20:52:47 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:2730

On Thu, 17 Feb 2011 01:02:59 +0000, RangerDaleXp
<RangerDaleXp.7a263d8@radiobanter.com> wrote:

>
>I am not sure if this is the best thread for the question but here we
>go.
>
>Recently I just revamped my scanner listening area and antenna system
>and I also set things up to now include my shortwave listening. I have
>an Icom IC-R71a that I bought to replace some none functional radios I
>had in the past but really only put around 50hrs on it before putting it
>in storage around 1990. I recently pulled it out of storage and found
>out it no longer works well. It now has very low audio and barely can
>hear any broadcast with it. It tunes to stations but almost no volume.
>
>After lots of research and Q&A, It looks like this like new looking
>radio will cost more to fix then it is worth and I can not even find a
>service guy to even look at it to find out if it is worth fixing.
>
>Does anyone have any idea who in California and better yet the Los
>Angles area around Palmdale that could look at it?
>
>I also am considering a new replacement and since I have been out of
>listening or using SW equipment for a while, I was wondering what is
>good now days for a replacement radio under $1000 dollars.
>
>Looking for some good input and thanks......

It's been a few years, but in the past Icom has kept at their web site
tech sheets that describe problems and solutions for much of their
older equipment.

Try:
http://www.icomamerica.com/en/support/kb/Default.aspx

I see a number of references to various audio problems for the R71.

 If it's just a low audio thing you have, it's possibly an easy fix
for you or a decent technician.

Bob
k5qwg


From 4406584475325079763
X-Google-Thread: 1077d8,7df91ae37aa7833,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,7df91ae37aa7833,start
X-Google-NewGroupId: yes
```

```
X-Google-Attributes: gid16c4b10b5d,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o7g2000prn.googlegroups.com!not-for-
mail
From: cntrade08 <chenxiangmei89@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: puma shoes made in china (http://www.cntrade88.com )
Date: Sat, 26 Feb 2011 22:56:07 -0800 (PST)
Organization: http://groups.google.com
Lines: 23
Message-ID: <7676a13f-b98d-4a61-b290-0bcfaffdbc27@o7g2000prn.googlegroups.com>
NNTP-Posting-Host: 120.29.157.163
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1298789768 9669 127.0.0.1 (27 Feb 2011 06:56:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Feb 2011 06:56:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o7g2000prn.googlegroups.com; posting-host=120.29.157.163; posting-
account=M3IQHgoAAAAF_xk50V4B_lNM_WdzApuX
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
 CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10853
rec.radio.amateur.equipment:2517

puma shoes made in china (http://www.cntrade88.com )
bape shoes made in china (http://www.cntrade88.com )
Gucci shoes made in china (http://www.cntrade88.com )
Lacoste shoes made in china (http://www.cntrade88.com )
LV shoes made in china (http://www.cntrade88.com )
Timberland shoes made in china (http://www.cntrade88.com )
Evisu shoes made in china (http://www.cntrade88.com )
D&G shoes made in china (http://www.cntrade88.com )
nike running made in china (http://www.cntrade88.com )
prada shoes made in china (http://www.cntrade88.com )
DSQ shoes made in china (http://www.cntrade88.com )
nike football shoes made in china (http://www.cntrade88.com )
nike DUNK shoes made in china (http://www.cntrade88.com )
Rift shoes made in china (http://www.cntrade88.com )
NBA basketball shoes made in china (http://www.cntrade88.com )
adidas running made in china (http://www.cntrade88.com )
adidas NBA shoes made in china (http://www.cntrade88.com )
adidas 35th anniversary shoes made in china (http://
www.cntrade88.com )
adicolor shoes made in china (http://www.cntrade88.com )
adidas football shoes made in china (http://www.cntrade88.com )
GGG hoody made in china (http://www.cntrade88.com )
GGG T-shirt made in china (http://www.cntrade88.com )


From 1743891798294293048
X-Google-Thread: 108122,826e3e96825dccf6,start
```

```
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a11g2000pri.googlegroups.com!not-for-
mail
From: Sheila maria <sheilasmaria@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HD Family Club -- download HD DVD Movies with rapidshare, megaupload,
 torrent link ... 100% free
Date: Mon, 28 Feb 2011 02:23:32 -0800 (PST)
Organization: http://groups.google.com
Lines: 37
Message-ID: <011629f0-6143-4f9c-90ac-2be94484590e@a11g2000pri.googlegroups.com>
NNTP-Posting-Host: 118.68.33.213
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1298888682 26332 127.0.0.1 (28 Feb 2011 10:24:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 Feb 2011 10:24:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a11g2000pri.googlegroups.com; posting-host=118.68.33.213; posting-
account=qoOmOgoAAABO5EQ4V9m97FSL70UIp0Yn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2518
```

HD Family Club -- download HD DVD Movies with rapidshare, megaupload,
torrent link ... 100% free
....

Welcome to HD Family Club
HD movies, 3D movies, HD Trailer, Rapidshare, Megaupload, Mediafire,
Torrent links...

The Social Network - A chronicle of the founding of Facebook! HD
Download, rapidshare link, torrent link
http://hd-family.blogspot.com/2011/02/social-network-chronicle-of-founding-of.html

The Kings Speech 2010 - Oscar winners! HD Download, rapidshare link,
torrent link
http://hd-family.blogspot.com/2011/02/kings-speech-2010-oscar-winners.html

Shaolin 2011 720p HDTV x264-NGB HD Download, rapidshare link, torrent
link
http://hd-family.blogspot.com/2011/02/shaolin-2011-720p-hdtv-x264-ngb.html

Top Best HD camcorders

http://hd-family.blogspot.com/2011/02/best-hd-camcorders.html

Planet Earth (TV Series 2006) Complete - HD Download, rapidshare link,
torrent link
http://hd-family.blogspot.com/2010/12/planet-earth-tv-series-2006-complete-hd.html

Faster 2010! The Hot Movie of 2010!!! HD Download, rapidshare link,
torrent link
http://hd-family.blogspot.com/2010/12/faster-2010-hot-movie-of-2010.html

From 6163353007495960348
X-Google-Thread: 108122,e6124cc581308d55
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!newsfeed.freenet.ag!news2.euro.net!multikabel.net!newsfeed20.multikabel.net!border3.nntp.ams.giganews.com!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 28 Feb 2011 23:07:57 -0600
From: RangerDaleXp <RangerDaleXp.7b235da@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: May Need A New Radio...
Date: Tue, 1 Mar 2011 00:24:49 +0000
Message-ID: <RangerDaleXp.7b235da@radiobanter.com>
Organization: RadioBanter.com
References: <RangerDaleXp.7a263d8@radiobanter.com>
<ndejm6hm57a1iltmkbl6h3gqh6hteeelqo@4ax.com>
Lines: 66
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-BXsiM/ldssNfSDDgvfzTNoCvharksK3Ztb2+BQ2uXz/mYM6obrouZyJIpXRV58ypkEf2GU/2enR9Vxh!Sp8bO67xcNvuvzvFP7nn19+MnFcR8jy9gQl85EbWjy8QVvgy1iPMSuFQB++9dZ+DyW67HVRr+LAd!mz9NpUn4n43P
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 48
X-Original-Bytes: 3623
Xref: g2news2.google.com rec.radio.amateur.equipment:2733

'Bob[_24_ Wrote:
> ;734362']On Thu, 17 Feb 2011 01:02:59 +0000, RangerDaleXp
> RangerDaleXp.7a263d8@radiobanter.com wrote:
> -

>
> I am not sure if this is the best thread for the question but here we
> go.
>
> Recently I just revamped my scanner listening area and antenna system
> and I also set things up to now include my shortwave listening. I have
> an Icom IC-R71a that I bought to replace some none functional radios I
> had in the past but really only put around 50hrs on it before putting
> it
> in storage around 1990. I recently pulled it out of storage and found
> out it no longer works well. It now has very low audio and barely can
> hear any broadcast with it. It tunes to stations but almost no volume.
>
> After lots of research and Q&A, It looks like this like new looking
> radio will cost more to fix then it is worth and I can not even find a
> service guy to even look at it to find out if it is worth fixing.
>
> Does anyone have any idea who in California and better yet the Los
> Angles area around Palmdale that could look at it?
>
> I also am considering a new replacement and since I have been out of
> listening or using SW equipment for a while, I was wondering what is
> good now days for a replacement radio under $1000 dollars.
>
> Looking for some good input and thanks......-
>
> It's been a few years, but in the past Icom has kept at their web site
> tech sheets that describe problems and solutions for much of their
> older equipment.
>
> Try:
> http://www.icomamerica.com/en/support/kb/Default.aspx
>
> I see a number of references to various audio problems for the R71.
>
> If it's just a low audio thing you have, it's possibly an easy fix
> for you or a decent technician.
>
> Bob
> k5qwg

Thanks, I have seen all the information on the Icom site and I have also contacted Kiwa as well on this issue. Kiwa thinks it could be bad caps but money is tight at this time do to me being out of work for two years.

The other day I attempted to change the ram battery and made a big mistake due to the fact I did not put my glasses on. I ended up hooking up the negative wire to the wrong solder point next to the one I was supposed to hook up to and damaged the ram board. I really felt like a real bone head and kick myself in the but for not double checking things.

I have a new board coming from one of the aftermarket companies to at least get the radio back to where it was before the bonehead move. If all is good I will then try to work on the original problem....

--
RangerDaleXp

```
From -3242168570969567547
X-Google-Thread: fcc6e,65b23bfa307f2599,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,65b23bfa307f2599,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,65b23bfa307f2599,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,65b23bfa307f2599,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,65b23bfa307f2599,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida4a23d5f63,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1296543600@panix.com>
Followup-To: poster
Date: 1 Mar 2011 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Apr 2011 03:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1298962801@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1298962803 7151 166.84.1.2 (1 Mar 2011 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 1 Mar 2011 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
```

Xref: g2news1.google.com rec.radio.amateur.antenna:20648 rec.radio.amateur.dx:900
rec.radio.amateur.equipment:2520 rec.radio.amateur.homebrew:4213
rec.radio.amateur.misc:5942 rec.radio.amateur.policy:29682
rec.radio.amateur.space:454 rec.radio.info:2144

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -6133597174636591831
X-Google-Thread: 108122,fd784723503170f1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v11g2000prb.googlegroups.com!not-for-
mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SEXY HOT GIRLS
Date: Wed, 2 Mar 2011 07:02:01 -0800 (PST)
Organization: http://groups.google.com
Lines: 21
Message-ID: <4ffc4940-7343-4a07-a992-d34a80cf1006@v11g2000prb.googlegroups.com>
NNTP-Posting-Host: 117.199.252.164
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1299078122 1760 127.0.0.1 (2 Mar 2011 15:02:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Mar 2011 15:02:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v11g2000prb.googlegroups.com; posting-host=117.199.252.164;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2521

                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html
                    BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
                    TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha

         ONLY HOT VIDEOS FOR YOUTH
----------------------------------------------------------------
                      HOT VIDEOS
         http://sexy-rainsongs.blogspot.com/
                          FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/funny-video.html
                    TELUGU FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/telugu-funny-videos.html
```

```
From 8080303492280207733
X-Google-Thread: 108122,2e97da5b368bf958,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: Keith <kilowattradio@gmail.com>
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: Yaesu FT-817 857 & 897 Radio Programming & Control Cable Kit
Followup-To: rec.radio.swap
Date: Wed, 02 Mar 2011 16:27:07 -0800
Organization: A noiseless patient Spider
Lines: 16
Message-ID: <0203201116270748555%kilowattradio@gmail.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Injection-Info: mx03.eternal-september.org; posting-host="aF9Np26qcO6O53BlFwsriw";
     logging-data="15052"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18Jy8i5KWoJVABQ55ZwFHlv2q/ZSIdAmlk="
User-Agent: Thoth/1.8.5 (OS X)
Cancel-Lock: sha1:X5sVxc2SCwc3upUpn6RoWE2e37w=
Mail-Copies-To: nobody
Xref: g2news1.google.com rec.radio.shortwave:78369 rec.radio.swap:2919
rec.radio.amateur.equipment:2522

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=280638498471>

Yaesu CT-62 Radio Control & Programming Cable:�$29.95 Retail Value
Yaesu CT-39A Packet Radio/Audio out Cable:    � � � $ �9.95 Retail value
FTBasicMMO Programming software for FT-817/857/897 Radios:
$15.00 Retail Value
FTDI USB Serial Cable with Windows Computer Drivers:  �$24.95 Retail
Value
Ham Radio Deluxe Radio Control Software:� � � � �Donation ware for
Licensed Hams or SWL's

--

 --
Best Regards, Keith
http://home.comcast.net/~kilowattradio/


From -6029370265321047131
X-Google-Thread: 108122,d4a73552d4985cb0,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,d4a73552d4985cb0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
```

Path: g2news1.google.com!postnews.google.com!z3g2000prz.googlegroups.com!not-for-mail
From: timberland boot <jialiushoe14@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: cheap wholesale Tissot watch
Date: Fri, 4 Mar 2011 22:25:58 -0800 (PST)
Organization: http://groups.google.com
Lines: 293
Message-ID: <235da974-34ee-4255-a483-3f96c454f3eb@z3g2000prz.googlegroups.com>
NNTP-Posting-Host: 65.49.14.82
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1299306358 9790 127.0.0.1 (5 Mar 2011 06:25:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 Mar 2011 06:25:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z3g2000prz.googlegroups.com; posting-host=65.49.14.82; posting-account=8pO5bAoAAACAl6BZc7WAZufrnstaF0pN
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; GTB6.6),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2523 rec.food.equipment:4503

=E2=94=88=E2=94=81=E2=95=90=E2=98=86 GOOD NEWS!!! Cheap price wholesale Wat=
ches: Rado Watch, D&G
Watch, Burberry Watch, Cartier Watch, Prada Watch....at website
www.jialiuonline.com =3D=3D=3D (paypal payment)

High quality wholesale watches

http://www.jialiuonline.com/WATCHES/

cheap wholesale Watches:

cheap wholesale Rolex watch

http://www.jialiuonline.com/productinfo-Rolex%20man_22-37078.html

cheap wholesale Rado watch

http://www.jialiuonline.com/productinfo-Rado_152-11502.html

cheap wholesale Bape watch

http://www.jialiuonline.com/productinfo-Bapex-04-34804.html cheap wholesale Baume & Mercier watch

http://www.jialiuonline.com/productinfo-Baume&Mercier-02-34815.html

cheap wholesale Breit Ling watch

http://www.jialiuonline.com/WATCHES-Breitling%20Serie%20Flying-61/

cheap wholesale Burberry watch

http://www.jialiuonline.com/WATCHES-Burberry-63/

cheap wholesale Cartier watch

http://www.jialiuonline.com/WATCHES-Cartier-36/

cheap wholesale Chopard watch

http://www.jialiuonline.com/WATCHES-Chopard-48/

cheap wholesale D&G watch

http://www.jialiuonline.com/productinfo-D&G-55-35374.html

cheap wholesale Jacob&Co watch

http://www.jialiuonline.com/WATCHES-Jacob&Co-78/

cheap wholesale Prada watch

http://www.jialiuonline.com/WATCHES-Prada-85/

cheap wholesale Tissot watch

http://www.jialiuonline.com/productinfo-Tissot-10-36254.html

cheap wholesale U-BOAT watch

http://www.jialiuonline.com/productinfo-U-Boat-132-36396.html

cheap wholesale Zenith watch

http://www.jialiuonline.com/productinfo-Zenith-16-34455.html

cheap wholesale A.Lange&Sohne watch

http://www.jialiuonline.com/WATCHES-A.Lange&Sohne-41/

cheap wholesale AUDEMARS PIGUET watch

http://www.jialiuonline.com/WATCHES-Audemars%20Piguet-31/

cheap wholesale Bvlgari watch

http://www.jialiuonline.com/productinfo-Bvlgari-168-35283.html

cheap wholesale BRM watch

http://www.jialiuonline.com/productinfo-Brm-03-35090.html

cheap wholesale Chanel watch

http://www.jialiuonline.com/WATCHES-Chanel-26/

cheap wholesale CONCORD watch

http://www.jialiuonline.com/productinfo-Concord-13-35297.html

cheap wholesale CORUM watch

http://www.jialiuonline.com/WATCHES-Corum-51/

cheap wholesale DEWITT watch

http://www.jialiuonline.com/WATCHES-Dewitt-67/

cheap wholesale Franck Muller watch

http://www.jialiuonline.com/WATCHES-Franck%20Muller-45/

cheap wholesale Ferrari watch

http://www.jialiuonline.com/productinfo-Ferrari-79-35477.html

cheap wholesale GLASHUTTE watch

http://www.jialiuonline.com/WATCHES-Glashutte%20Original-46/

cheap wholesale GRAHAM watch

http://www.jialiuonline.com/WATCHES-Graham-73/

cheap wholesale GUCCI watch

http://www.jialiuonline.com/WATCHES-Gucci-37/

cheap wholesale GUESS watch

http://www.jialiuonline.com/WATCHES-Guess-74/

cheap wholesale HAMILION watch

http://www.jialiuonline.com/WATCHES-Hamilton-75/

cheap wholesale HERMES watch

http://www.jialiuonline.com/WATCHES-Hermes-76/

cheap wholesale HUBLOT watch

http://www.jialiuonline.com/WATCHES-Hublot-77/

cheap wholesale IWC watch

http://www.jialiuonline.com/WATCHES-IWC-35/

JAEGER LE COULTRE watch

http://www.jialiuonline.com/WATCHES-Jaeger%20Lecoultre-32/

cheap wholesale LONGINES watch

http://www.jialiuonline.com/WATCHES-Longines-38/

cheap wholesale LV watch

http://www.jialiuonline.com/WATCHES-LV-80/

cheap wholesale MONTBLANC watch

http://www.jialiuonline.com/WATCHES-Montblanc-82/

cheap wholesale MOVADO watch

http://www.jialiuonline.com/WATCHES-Movado-54/

cheap wholesale OMEGA watch

http://www.jialiuonline.com/WATCHES-Omega-24/

cheap wholesale Oris watch

http://www.jialiuonline.com/WATCHES-Oris-83/

cheap wholesale Paket Philippe watch

http://www.jialiuonline.com/WATCHES-Paket%20Philippe-30/

cheap wholesale Panerai watch

http://www.jialiuonline.com/WATCHES-Panerai-52/

cheap wholesale Parmigiani Fleurier watch

http://www.jialiuonline.com/productinfo-Parmigiani%20Fleurier-05-34160.html

cheap wholesale Piaget watch

http://www.jialiuonline.com/WATCHES-Piaget-49/

cheap wholesale rolex LADY Women watch

http://www.jialiuonline.com/WATCHES-Rolex%20lady-23/

cheap wholesale Rolex watch

http://www.jialiuonline.com/WATCHES-Rolex%20man-22/

cheap wholesale Tag Heuer watch

cheap wholesale TUDOR watch

http://www.jialiuonline.com/productinfo-Turor-04-36259.html

cheap wholesale ARMANI watch

http://www.jialiuonline.com/WATCHES-Armani-57/

Details at Website:
http://www.jialiuonline.com

```
From -6325208821490941383
X-Google-Thread: 108122,af5f4c8d4ddf7b9c,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,af5f4c8d4ddf7b9c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!22g2000prx.googlegroups.com!not-for-
mail
From: timberland boot <jialiushoe14@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Cheap Wholesale Prada real leather Purse
Date: Fri, 4 Mar 2011 22:26:51 -0800 (PST)
Organization: http://groups.google.com
Lines: 48
Message-ID: <6962c9d8-1e50-4bf5-8035-db0caee83f29@22g2000prx.googlegroups.com>
NNTP-Posting-Host: 65.49.14.82
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1299306411 29263 127.0.0.1 (5 Mar 2011 06:26:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 Mar 2011 06:26:51 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000prx.googlegroups.com; posting-host=65.49.14.82; posting-
account=8pO5bAoAAACAl6BZc7WAZufrnstaF0pN
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
GTB6.6),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2524 rec.food.equipment:4504

AAA real leather Handbags http://www.jialiuonline.com/
Cheap Wholesale Balenciaga real leather Handbags
Cheap Wholesale Balenciaga real leather Purse
Cheap Wholesale Bally real leather Purse  <free shipping paypal
payment> http://www.jialiuonline.com/
Cheap Wholesale BOSS real leather Purse
Cheap Wholesale Burberry real leather Handbags
Cheap Wholesale Chanel real leather Handbags <free shipping paypal
payment> http://www.jialiuonline.com/
Cheap Wholesale Chanel real leather Purse
Cheap Wholesale Chloe real leather Handbags
Cheap Wholesale Chloe real leather Purse <free shipping paypal
payment> http://www.jialiuonline.com/
Cheap Wholesale Coach real leather Handbags
Cheap Wholesale Coach real leather Purse
Cheap Wholesale D&G real leather Handbags
Cheap Wholesale D&G real leather Purse
Cheap Wholesale Dior real leather Handbags <free shipping paypal
payment> http://www.jialiuonline.com/
Cheap Wholesale Dunhill real leather Purse
Cheap Wholesale Fendi real leather Handbags <free shipping paypal
payment> http://www.jialiuonline.com/
```

```
Cheap Wholesale Gucci real leather Handbags
Cheap Wholesale Gucci real leather Purse
Cheap Wholesale Hermes real leather Handbags
Cheap Wholesale Hermes real leather Purse <free shipping paypal
payment> http://www.jialiuonline.com/
Cheap Wholesale Jimmy Choo real leather Handbags
Cheap Wholesale Jimmy Choo real leather Purse
Cheap Wholesale Juicy real leather Handbags
Cheap Wholesale Kooba real leather Handbags
Cheap Wholesale Lancel real leather Handbags
Cheap Wholesale Loewe real leather Handbags
Cheap Wholesale LV real leather Handbags <free shipping paypal
payment> http://www.jialiuonline.com/
Cheap Wholesale LV real leather Purse
Cheap Wholesale Marc Jacobs real leather Handbags
Cheap Wholesale Miumiu real leather Handbags
Cheap Wholesale burberry real leather Handbags
Cheap Wholesale Prada real leather Handbags <free shipping paypal
payment> http://www.jialiuonline.com/
Cheap Wholesale Prada real leather Purse
Cheap Wholesale Thomaswlde real leather Handbags
Cheap Wholesale Valentnv real leather Handbags
Cheap Wholesale Versace real leather Handbags <free shipping paypal
payment>
website: http://www.jialiuonline.com/



From 885238482872364093
X-Google-Thread: 108122,acf1747b94cf159f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s18g2000prg.googlegroups.com!not-for-
mail
From: Leonie ican <leoniesert@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Visit IPA-APP (http://ipa-app.blogspot.com/), Free download Full
 Games, Apps for iPhone, iPod, iPad ...
Date: Sun, 6 Mar 2011 02:13:44 -0800 (PST)
Organization: http://groups.google.com
Lines: 34
Message-ID: <692fc583-d70b-4c65-8416-79bc3230a0ed@s18g2000prg.googlegroups.com>
NNTP-Posting-Host: 118.68.35.173
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1299406425 23365 127.0.0.1 (6 Mar 2011 10:13:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 6 Mar 2011 10:13:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s18g2000prg.googlegroups.com; posting-host=118.68.35.173; posting-
account=HV2L0goAAAAeGujuCiiHl_ILuI6ZHEPH
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2739
```

Visit IPA-APP (http://ipa-app.blogspot.com/), Free download Full
Games, Apps for iPhone, iPod, iPad ...

Tiny Wings - Hot games for iPhone - Download full version here
http://ipa-app.blogspot.com/2011/03/tiny-wings-hot-games-for-iphone.html

James Camerons Avatar (iPhone and iPod touch) Download full version
here
http://ipa-app.blogspot.com/2011/02/james-camerons-avatar-iphone-and-ipod.html

Bejeweled 2 Full (iPhone, iPod touch, and iPad), Download full version
here
http://ipa-app.blogspot.com/2011/03/bejeweled-2-iphone-ipod-touch-and-ipad.html

Camera+ (iPhone, iPod touch, iPad), Download full version here
http://ipa-app.blogspot.com/2011/03/camera-iphone-ipod-touch-ipad.html

Fruit Ninja (iPhone, iPod Touch, iPad), Download full version here
http://ipa-app.blogspot.com/2011/03/fruit-ninja-iphone-ipod-touch-ipad.html

Infinity Blade for iPhone 3GS, iPhone 4, iPod Touch - Download full
version here
http://ipa-app.blogspot.com/2011/03/infinity-blade-for-iphone-3gs-iphone-4.html

More and more:
http://ipa-app.blogspot.com/

```
From 3493608400575110669
X-Google-Thread: fcc6e,5251370f87e8c0c2,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,5251370f87e8c0c2,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,5251370f87e8c0c2,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,5251370f87e8c0c2,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,49ef18182f46ac55
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,49ef18182f46ac55
X-Google-NewGroupId: yes
```

```
X-Google-Thread: 10b9c8,5251370f87e8c0c2,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border4.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1297062301@panix.com>
Followup-To: poster
Date: 7 Mar 2011 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Apr 2011 03:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1299481501@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1299481503 8388 166.84.1.2 (7 Mar 2011 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Mar 2011 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:22464 rec.radio.amateur.dx:951
rec.radio.amateur.equipment:2740 rec.radio.amateur.homebrew:4532
rec.radio.amateur.misc:6224 rec.radio.amateur.policy:32802 rec.radio.info:2243
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

 radio/personal-intro

Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article      |
is that it does not mention newer amateur radio newsgroups created since     |
it was written, including:                                                   |

 rec.radio.amateur.antenna                                                   |
 rec.radio.amateur.boatanchors                                               |
 rec.radio.amateur.dx                                                        |
 rec.radio.amateur.equipment                                                 |
 rec.radio.amateur.homebrew                                                  |
 rec.radio.amateur.moderated                                                 |
 rec.radio.amateur.space                                                     |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From 557987809396855702
X-Google-Thread: 107ada,e913b1198a390a49,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,e913b1198a390a49,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,e913b1198a390a49,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,e913b1198a390a49,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info

Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1297062601@panix.com>
Followup-To: poster
Date: 7 Mar 2011 02:10:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Apr 2011 03:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1299481800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1299481801 7421 166.84.1.2 (7 Mar 2011 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Mar 2011 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:6225 rec.radio.amateur.equipment:2741 rec.radio.swap:3341 rec.radio.info:2244

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 1076704294158955238
X-Google-Thread: 108122,e6124cc581308d55
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!193.201.147.78.MISMATCH!feeder.news-service.com!news.mixmin.net!
aioe.org!.POSTED!not-for-mail
From: "extra class" <namvet@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: May Need A New Radio...
Date: Wed, 9 Mar 2011 12:10:12 -0800
Organization: Aioe.org NNTP Server
Lines: 3
Message-ID: <il8mr4$h73$1@speranza.aioe.org>
References: <RangerDaleXp.7a263d8@radiobanter.com>
<fmmck-849F11.21340519022011@5ad64b5e.bb.sky.com>
<RangerDaleXp.7a9f879@radiobanter.com> <fmmck-
DDAE51.20370523022011@5ad64b5e.bb.sky.com>
<slrnimbq8e.pum.gsm@cable.mendelson.com>
NNTP-Posting-Host: xJGC3lyUJeGxc5Ik1d8a1A.user.speranza.aioe.org
Mime-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
X-Antivirus-Status: Clean
X-Notice: Filtered by postfilter v. 0.8.2
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-Antivirus: avast! (VPS 110309-0, 03/09/2011), Outbound message
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:2528
```

The ICOM R-70 is not a transceiver nor does it have the factory reset memory
board.

```
From -3591662562941030516
X-Google-Thread: 108122,e6124cc581308d55
```

```
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-
out.octanews.net!indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: May Need A New Radio...
From: Bert Hyman <bert@iphouse.com>
References: <RangerDaleXp.7a263d8@radiobanter.com>
<fmmck-849F11.21340519022011@5ad64b5e.bb.sky.com>
<RangerDaleXp.7a9f879@radiobanter.com> <fmmck-
DDAE51.20370523022011@5ad64b5e.bb.sky.com>
<slrnimbq8e.pum.gsm@cable.mendelson.com>
Organization: Not that you'd notice
Message-ID: <Xns9EA3EB3D07727VeebleFetzer@216.250.188.141>
User-Agent: Xnews/2006.08.24
Date: 09 Mar 2011 23:07:29 GMT
Lines: 10
NNTP-Posting-Date: 09 Mar 2011 17:07:29 CST
NNTP-Posting-Host: b867c3a4.newsreader.iphouse.net
X-Trace: DXC=NoV3NbPV@EHoE9^k6fFa6NVn\Tj8`^BbKeHS>e[L>83@c4<?e5`J6?
Jc230oU7d71AX7@2h;nGb4MeaT9Za2b^QC
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2529

In news:slrnimbq8e.pum.gsm@cable.mendelson.com "Geoffrey S. Mendelson"
<gsm@mendelson.com> wrote:

> Someone used to sell a replacement ROM chip board that would go in
> instead of the RAM chip board. I have no idea if they still do.

http://www.piexx.com/index.php?main_page=product_info&products_id=26

--
Bert Hyman    W0RSB     St. Paul, MN  bert@iphouse.com


From -1911266287750539420
X-Google-Thread: 1077d8,fe02e0c10f9986a6,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,fe02e0c10f9986a6,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid16c4b10b5d,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!postnews.google.com!a11g2000pro.googlegroups.com!not-for-
mail
From: fashion t shirts seller <yongyingwen@yahoo.com.cn>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: If the government is serious about penalizing sex offences, why not
 change the
Date: Wed, 9 Mar 2011 22:48:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
```

```
Message-ID: <af471875-264c-48bc-9ef4-7b4c1c82c665@a11g2000pro.googlegroups.com>
NNTP-Posting-Host: 210.61.111.105
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1299739736 788 127.0.0.1 (10 Mar 2011 06:48:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Mar 2011 06:48:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a11g2000pro.googlegroups.com; posting-host=210.61.111.105;
posting-account=e_7dGwoAAADlQxyWUnVHdkkQOshi7Tci
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
 Trident/4.0; CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10884
rec.radio.amateur.equipment:2530

<p>If the government is serious about penalizing sex offences, why not
change the laws so high-risk, sex offenders with no chance of
rehabilitation have longer jail terms than drug dealers.The current
maximum term for sexually molesting children is 10 years. Pot dealers
can get life imprisonment.I can sympathize that there is a lot of
terminology many people haven=92t come across, and it=92s fair for the
Conservatives to ask for definitions in the bill. No one complains
about legislation being too clear.For those of you thinking, =93Wait,
isn=92t gender <a href=3D"http://www.heelshoes08.com/">christian louboutin
shoes ebay</a> protected under the Canadian Charter of Rights and
Freedoms=94 No. No, it is not.</p> <p>This code is an <a href=3D"http://
www.heelshoes08.com/">christian louboutin zappos</a> the trees and the
interactive graphic XML representation. This allows the open platform
independence of standard user program. This example is based on
dhtmlxTree changsha, allows it to many other programming movements,
such as increased and delete nodes, and create other controls.
Repenning think visual programming language use, drag mechanisms as a
programming method, making it almost impossible to create syntax
errors, focused on the semantics, =93Rosson also advocate the technology
can be used for other. </p>


From -6858801604999123113
X-Google-Thread: d7f5508063,ed75a75995f3df26,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-11.dc1.easynews.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 26 working mics, & 15 non-working mics
From: Eugene Rippen <soundval@muchstuff.com>
Organization: Your Company
Message-ID: <Xns9EA46ED2AE830er7373@69.16.186.8>
User-Agent: Xnews/5.04.25
```

Lines: 58
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Thu, 10 Mar 2011 18:53:43 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:2745

FS: 26 mics working, plus 15 nonworking.

PayPal or your personal check. PayPal takes credit cards.
Shipping to USA only.

Here are pics of the working mics:
Use 18 lbs for shipping weight of these working mics..
http://www.muchstuff.com/3-9-11mics/p1000773.jpg
http://www.muchstuff.com/3-9-11mics/p1000775.jpg
http://www.muchstuff.com/3-9-11mics/p1000776.jpg
In the first picture are:
1 st row, from left:
J-465/U Mic and Ear phone
Electro Voice 205 "Differential Microphone" (This one I don't know if it works)
Monarch 1M-25 Dynamic.
Realistic 200 ohm dynamic
No description mic.
AIWA DM-61 10,000 ohm dynamic
2nd row
Calrad lapel mic.
Sony F-10S
(no name) Crystal CM-58
Astatic 525 (not good looking)
No description mic
AIWA DM-61 10,000 ohms dynamic.
Realistic
3rd row:
Shure CA-88 (Has "BL" on the front)
Shure EM-2-A (Ugly)
Shure CR-81 Controlled Reluctance
Shure 202
Concertone CDM-10 10,000 ohm dynamic
No description mic.

2nd picture:
Shure 505C Controlled reluctance. Hih impedance.
Astatic 333 (Rough looking)
Shure CA-82 "Stromberg Carlson"
No description mic.
"Olson (Rough looking)

3rd picture:
(2) AKAI (from tape recorder)

Here are pics of the nonworking mics:
Use 10 lbs for shipping weight of these nonworking mics.
http://www.muchstuff.com/3-9-11mics/p1000777.jpg

Use the shipping weight of both together of 27 lbs.

The price is $125 (or OBO, maybe)
The 15 nonworking parts mics are free, except for the additional shipping.

Eugene Rippen, WB6SZS
Auburn, CA

From 2753438733830370482
X-Google-Thread: 108122,d72ade9bdec52b71,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!w7g2000pre.googlegroups.com!not-for-mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: UN SEEN HOT VIDEOS AND SEXY PHOTOS
Date: Thu, 10 Mar 2011 22:47:57 -0800 (PST)
Organization: http://groups.google.com
Lines: 61
Message-ID: <e8bc457c-1d10-4d46-9f99-44e29448c182@w7g2000pre.googlegroups.com>
NNTP-Posting-Host: 117.199.241.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1299826077 16874 127.0.0.1 (11 Mar 2011 06:47:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 11 Mar 2011 06:47:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w7g2000pre.googlegroups.com; posting-host=117.199.241.208; posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.15) Gecko/20110303 Firefox/3.6.15,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2746

ALL HOT PHOTOS SUPER SeXY PHOTOS
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115

http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

for more hot videos

http://videosonblog.blogspot.com/2010/11/masala-videos.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

```
From -7563358399823752764
X-Google-Thread: 108122,1bb3f29fe825a46,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o30g2000pra.googlegroups.com!not-for-
mail
From: darling <sunanda9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: VIDEOS FOR HOT GUYS
Date: Fri, 11 Mar 2011 08:02:58 -0800 (PST)
Organization: http://groups.google.com
Lines: 16
Message-ID: <a0771ffc-bd70-4b0e-936c-c41d80e624f9@o30g2000pra.googlegroups.com>
NNTP-Posting-Host: 117.199.240.114
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1299859378 32031 127.0.0.1 (11 Mar 2011 16:02:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 11 Mar 2011 16:02:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o30g2000pra.googlegroups.com; posting-host=117.199.240.114;
posting-account=eA4wLwoAAAAckpMIDmfK8bt53LPo9PCn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.15)
 Gecko/20110303 Firefox/3.6.15,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2533

                       hot sexy videos
          http://sexy-rainsongs.blogspot.com/
                    hot keerthi chawla
http://sexy-rainsongs.blogspot.com/2011/03/keerthi-chawla.html
                       katrina kaif hot
http://sexy-rainsongs.blogspot.com/2011/03/katrina-kaif.html
                     sexy charmi
http://sexy-rainsongs.blogspot.com/2011/03/charmi.html
               hot deepika padukone
http://sexy-rainsongs.blogspot.com/2011/03/deepika-padukone.html
                   asin sexy videos
http://sexy-rainsongs.blogspot.com/2011/03/asin.html
               beautiful tamil actress
http://sexy-rainsongs.blogspot.com/2011/03/tamil-actress.html
              FOR FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/funny-video.html


From 6488207101909095166
X-Google-Thread: 108122,1e86be0deea5ca92,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
```

```
news-2.dfn.de!news.dfn.de!news-zh.switch.ch!switch.ch!newsfeed01.chello.at!
newsfeed01.sul.t-online.de!t-online.de!newsfeed.kpn.net!pfeed09.wxs.nl!
news2.euro.net!feeder.news-service.com!216.196.110.142.MISMATCH!
border3.nntp.ams.giganews.com!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 11 Mar 2011 23:07:43 -0600
From: K7HI <K7HI.7c0b658@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: VECTRONICS VERSION of MFJ-714 3-SECTION BandPass Filter
Date: Sat, 12 Mar 2011 00:26:17 +0000
Message-ID: <K7HI.7c0b658@radiobanter.com>
Organization: RadioBanter.com
Lines: 25
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-bWv9qfS0IlZpojOftel0SE0I8WmZLEN8ZbcqXbQd/
P3fICU9Kkt0FxcxrEGpxifQowYYLFAJiymA7NU!
jIi9TR6u42jDtytoBNPSpuqe1slANe842RXbMCypU+3CYiwVygFdeDYWFFnOqGxyeZ4yBOC5S9Yu!YQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 14
X-Original-Bytes: 1665
Xref: g2news1.google.com rec.radio.amateur.equipment:2534
```

VEC-814 - 2 METER INTERMOD FILTER

Surface-Mount construction and special HIGH-Q
Porcelain Chip Capacitors for good Performance.
RF-tight case and On/Off-Bypass Switch.
* Up to 50dB REJECTION
* Defaults to Straight-Thru (when off)
* Requires ONLY 50mW - RF AUTO SENSING
* 12VDC ("Mobile" Model)
* SO-239 IN & OUT
* 50 Watts MAX

$40. INCLUDING Priority Shipping with Deliv. Confirm.
INSTANT PAYPAL REQUIRED

```
+-------------------------------------------------------------------+
|Filename: MFJ-714.jpg                                              |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=812|
+-------------------------------------------------------------------+
```

--
K7HI

From -5886769456156771283
X-Google-Thread: 108122,e6124cc581308d55
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!osmium.mv.net!arthures
From: Art Sowers <arthures@mv.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ***Re: May Need A New Radio...
Date: Sat, 12 Mar 2011 08:37:11 -0500
Organization: MV Communications, Inc.
Lines: 67
Message-ID: <Pine.BSF.4.61.1103120824560.50208@osmium.mv.net>
References: <RangerDaleXp.7a263d8@radiobanter.com>
NNTP-Posting-Host: osmium.mv.net
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: pyrite.mv.net 1299937033 2618 199.125.85.152 (12 Mar 2011 13:37:13 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 12 Mar 2011 13:37:13 +0000 (UTC)
X-X-Sender: arthures@osmium.mv.net
In-Reply-To: <RangerDaleXp.7a263d8@radiobanter.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:2749

On Thu, 17 Feb 2011, RangerDaleXp wrote:

>
I am not sure if this is the best thread for the question but here we go.
>
> Recently I just revamped my scanner listening area and antenna system and I also set things up to now include my shortwave listening. I have an Icom IC-R71a that I bought to replace some none functional radios I had in the past but really only put around 50hrs on it before putting it in storage around 1990. I recently pulled it out of storage and found out it no longer works well. It now has very low audio and barely can hear any broadcast with it. It tunes to stations but almost no volume.
>
> After lots of research and Q&A, It looks like this like new looking radio will cost more to fix then it is worth and I can not even find a service guy to even look at it to find out if it is worth fixing.
>
> Does anyone have any idea who in California and better yet the Los Angles area around Palmdale that could look at it?
>
> I also am considering a new replacement and since I have been out of listening or using SW equipment for a while, I was wondering what is good now days for a replacement radio under $1000 dollars.

>
> Looking for some good input and thanks......

I'm not familiar with the receiver you are talking about but many of the recent models of radio-ham gear today have on-board computers for frequency and other control. That includes backup data/clock batteries which hold more programmable information than most people are aware of. I learned the hard way that this can get screwed up even if you do nothing. I've had two pieces of gear that have changed certain behavior since a prior time of use. Before you consider drastic action, look for a "reset" button or a "reset hole" (big enough to push in a paper clip bent to allow one end of the paper clip wire to be pushed into that hole. It might be in back or under the rig. Even some laptop computers have this. Check your manual or download a fresh copy if available off a website. Most of the manuals I have for my gear have --way at the end--a page on "setting to factory default" which is what you want.

Sometimes the "reset to factory default" involves a very specific "turn on" instruction (instead of a paper clip insert to push a switch). For example, it may say to hold down a certain button then push the "power-on button" to do a reset.

I had a 2 meter FM transceiver that did not do certain things and I ended up selling it to a friend after explaining the problem, and then he told me some weeks later about the "reset" trick, and he got everything to work just fine.

Also, I have a Grundig G5 SWL receiver (all digital) and it has the reset hole on the front panel. So far I've had to do a reset about three times. And, interestingly, the problem is like yours; when I turn on the receiver, the audio volume is very low. After I do the reset, it behaves normally. Of course, this might blow all of your memory data, too, but I don't use them.

One rig I have even has levels of reset that you can opt for.

Good luck.

--
RangerDaleXp
>

```
From 5954352487836020923
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
```

```
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
news2.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!rri.panix.com!
robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, April 2011 - Subscribe for FREE
Followup-To: poster
Date: Mon, 14 Mar 2011 15:46:17 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <6D8FA93C70F447668CFDA10A072BBD8E@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<BBA5A791CCC04CDD842EA480DEF3230A@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1300131977 2839 166.84.1.6 (14 Mar 2011 19:46:17 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 14 Mar 2011 19:46:17 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.48.230 authed with telegraph+k9ya.org}
Xref: g2news1.google.com rec.radio.info:2181 rec.radio.amateur.boatanchors:4418
rec.radio.amateur.equipment:2536 rec.radio.swap:2929 alt.ham-radio.morse:52
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

April 2011 articles include:

Who Did You Meet Today By Philip Cala-Lazar, K9PL

Wouxun KG-UV3D By Paul W. Ross, W3FIS

A Bicycle Mobile Adventure By Scott B. Laughlin, N7NET

Update: Earhart's Hams By Philip Cala-Lazar, K9PL

Ham Lingo By Dick Sylvan, W9CBT

K9YA Telegraph Photo Contest Announcement

```
From 9073394791744199597
X-Google-Thread: 108122,5975364e4680e3e
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n2g2000prj.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <yinweinisb@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Christian Louboutin Boots http://www.heelshoes08.com/
Date: Tue, 15 Mar 2011 01:38:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 108
Message-ID: <caf9b4f9-d11c-466c-b61b-fd5079b85cb2@n2g2000prj.googlegroups.com>
NNTP-Posting-Host: 121.88.255.5
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1300178366 1734 127.0.0.1 (15 Mar 2011 08:39:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Mar 2011 08:39:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n2g2000prj.googlegroups.com; posting-host=121.88.255.5; posting-
account=8Mqs3woAAAC_-Hmzjp8Oln8nddLvh5TB
User-Agent: G2/1.0
```

X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2752 rec.food.equipment:4920

Christian Louboutin Boots http://www.heelshoes08.com/
Christian Louboutin Pumps
Christian Louboutin Sandals
Christian Louboutin Shoes
Jimmy Choo Shoes
Manolo Blahnik Shoes
Yves Saint Laurent Shoes
Christian Louboutin Rolando Satin pumps Taupe http://www.heelshoes08.com/
Discount Free shipping shop online

Christian Louboutin Slingback Bow Pump black
Discount Free shipping shop online

Christian Louboutin Rolando platform pumps Purple
Discount Free shipping shop online

Christian Louboutin Ron Ron - Multi
Discount Free shipping shop online
http://www.heelshoes08.com/
Christian Louboutin Rolando Satin pumps Taupe

Christian Louboutin Suede Fringe Pump Black
http://www.heelshoes08.com/
Christian Louboutin Rolando Hidden-Platform Pump Silver
Discount Free shipping shop online

Christian Louboutin Suede Fringe Pump Magenta
Discount Free shipping shop online
http://www.heelshoes08.com/
christian louboutin Suede pumps
http://www.heelshoes08.com/
christian louboutin Suede peep-toe court

Christian Louboutin Slingback Bow Pump white

Christian Louboutin Ron Ron - Fuchsia
Discount Free shipping shop online

Christian Louboutin Suede Platform Peep-Toe Pump

Christian Louboutin - Declic leather pump

Christian Louboutin Almeria - Dark Brown

Christian Louboutin Almeria - Light Blue
Discount Free shipping shop online

Christian Louboutin Almeria - Red

Christian Louboutin Alta Spritney - Cobalt Blue

Christian Louboutin Altadama Double-Platform Pump
Discount Free shipping shop online

Christian Louboutin Altadama Peep-Toe Pumps

Christian Louboutin Altadama Peep-Toe Pumps

Christian Louboutin Altadama Peep-Toe1
Discount Free shipping shop online

Christian Louboutin Alti Pumps Blue

Christian Louboutin Ambro Lace Pump

Christian Louboutin Ambro Lace Pumps Black

Christian Louboutin Anemone stiletto pumps Black

Christian Louboutin Anemone stiletto pumps pink
Discount Free shipping shop online

Christian Louboutin arielle-studded-pumps

Christian Louboutin atent Spike Pump red

Christian Louboutin Alta Spritney - Cobalt Blue

Christian Louboutin Altadama Double-Platform Pump
Discount Free shipping shop online

Christian Louboutin Altadama Peep-Toe Pumps

Christian Louboutin Altadama Peep-Toe Pumps
Discount Free shipping shop online

Christian Louboutin Altadama Peep-Toe1
Christian Louboutin Alti Pumps Blue
http://www.heelshoes08.com/
Christian Louboutin Ambro Lace Pump
Christian Louboutin Ambro Lace Pumps Black
Christian Louboutin Anemone stiletto pumps Black
Christian Louboutin Anemone stiletto pumps pink
Christian Louboutin arielle-studded-pumps
Christian Louboutin atent Spike Pump red
Discount Free shipping shop online

http://www.heelshoes08.com/

From 691416720281889567
X-Google-Thread: 108122,60b21971f22c512a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
news-2.dfn.de!news.dfn.de!news-zh.switch.ch!switch.ch!newsfeed01.chello.at!
newsfeed01.sul.t-online.de!t-online.de!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!feeder2.ecngs.de!ecngs!feeder.ecngs.de!Xl.tags.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 15 Mar 2011 06:07:45 -0500
From: Robbert J. Van Herksen <Robbert.J.Van.Herksen.7c4ff38@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: TONO Theta 777
Date: Tue, 15 Mar 2011 09:29:03 +0000
Message-ID: <Robbert.J.Van.Herksen.7c4ff38@radiobanter.com>
Organization: RadioBanter.com
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
Uon8Y2YhRYF5xiESkfuJ15ubEPvPBvrHg0l0TIZOVNgylcxM6fr+jn5KRmMSdJhj28rAKijGFaLvODQ!
tPqvvbgJRXzVWSl/1uPKRpP3NaG7SXPdFCBdZVml3oPFkrWdqqx5fmHVfUg8mJFHrNVtSdCPSa5f!
+gVtWLF/7kQ5MAi4ckV0/bnH
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 11
X-Original-Bytes: 1161
Xref: g2news2.google.com rec.radio.amateur.equipment:2753

Hi there,

I'm looking for a TONO Theta 777 communication terminal.

Looks like this:
http://tinyurl.com/yc6mtbz

Anyone?

Cheers!
De Robbert / PA3BKL

--
Robbert J. Van Herksen

```
From 3201964455586357938
X-Google-Thread: 108122,18ab24b7a1cedb85,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
citadel.nobulus.com!newsfeed.ision.net!newsfeed2.easynews.net!ision!
kanaga.switch.ch!switch.ch!newsfeed2.funet.fi!newsfeed3.funet.fi!
newsfeeds.funet.fi!feeder2.news.elisa.fi!feeder.erje.net!feeder2.ecngs.de!ecngs!
feeder.ecngs.de!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Mar 2011 12:07:43 -0500
From: catstevens <catstevens.7c6a518@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola MTX838 Model B3
Date: Wed, 16 Mar 2011 11:35:02 +0000
Message-ID: <catstevens.7c6a518@radiobanter.com>
Organization: RadioBanter.com
Lines: 21
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
E3CpVRcMrSzxAsT7Y7boSLIAzrcSBpi2tTJstGwiyzkdJdxVzC4ud9VvI2V9HHrxuWanwFdXTJzEQYr!
5oo/SrtPiyvYepJk7rBoyEnNL8t/73Na8FnmSaBL4u3q8cvQPp/vLPlnCDzkMWvIjCcd23eVsH56!
rmJALa6+Lw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 9
X-Original-Bytes: 1455
Xref: g2news1.google.com rec.radio.amateur.equipment:2541
```

Hello,

I was wondering if anyone could help me dig up a bit of information on a Motorola MTX838 Model B3 portable radio. Despite having the operations manual for this radio I can't seem to decipher the technology of the radio.

Is this a 800mhz or 900mhz type radio? I see that on the front of the manual it does state "Privacy Plus" and within the pages makes mention of trunking technology, is it safe to say that this radio is capable of trunking?

Any insight would be appreciated on this.

Thanks.

--
catstevens

From -7797080067103682703
X-Google-Thread: 9e586c3d78,c738d0190cfc3af9
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!news2.euro.net!newsgate.cistron.nl!newsgate.news.xs4all.nl!194.109.133.85.MISMATCH!newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!xs4all!post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
From: Rob <nomail@example.com>
Subject: Re: Climbing a 1,700 ft Antenna Tower
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
 <4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
User-Agent: slrn/pre0.9.9-111 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrniethcq.tqe.nomail@xs8.xs4all.nl>
Date: 25 Nov 2010 20:22:50 GMT
Lines: 20
NNTP-Posting-Host: 194.109.21.8
X-Trace: 1290716570 news.xs4all.nl 81481 [::ffff:194.109.21.8]:53497
X-Complaints-To: abuse@xs4all.nl
Xref: g2news1.google.com rec.radio.amateur.antenna:19547 rec.radio.amateur.equipment:2331 rec.radio.scanner:1587 rec.radio.shortwave:69846

dave <dave@dave.dave> wrote:
> Keith wrote:
>>
>> <http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
>> mp53/player_config.php?token=07b_1284580365%26embed=1>
>>
>> Shortened URL:
>> <http://bit.ly/b9VMU0>
>>
>
> This guy carries 30 pounds of tools up the ladder with him? Most

> climbers I know take the end of a line with them, then attach a pulley
> where they'll be working, then they send the end of the rope back down.
> Then the ground crew can send up tools, parts, whatever, and you don't
> have to worry about not forgetting anything but the rope and the pulley.

The climbers you know probably climb 100 ft towers?

With this tower that would require 3,400 ft of rope, which probably
weighs more than the tools and will be very difficult to handle.

```
From -7490866768460769059
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes: gid4baf9708d4,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 25 Nov 2010 14:41:54 -0600
From: "Brenda Ann" <newsgroups@fullspectrumradio.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<slrniethcq.tqe.nomail@xs8.xs4all.nl>
In-Reply-To: <slrniethcq.tqe.nomail@xs8.xs4all.nl>
Subject: Re: Climbing a 1,700 ft Antenna Tower
Date: Fri, 26 Nov 2010 05:41:53 +0900
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 15.4.3502.922
X-MimeOLE: Produced By Microsoft MimeOLE V15.4.3502.922
Message-ID: <BrWdnR8ibIePV3PRnZ2dnVY3goqdnZ2d@giganews.com>
Lines: 34
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-m77Zwpq/Hly6EUjJClap6SuLdcsB0eZw3trjasMTX/
uy4zcx4sUA8YhSvRfJZ21xL1fS97NgEKn95Vq!TFZ/nG2FGaoVJYOXFuFoy9QNmtFvjKFkyfD/
o0TvUJ5JQZdQ8Qf0uSNXOJWlKl0Ro0QJsydwTeqs
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2736
Xref: g2news1.google.com rec.radio.amateur.antenna:19548
rec.radio.amateur.equipment:2332 rec.radio.scanner:1588 rec.radio.shortwave:69847

"Rob" wrote in message news:slrniethcq.tqe.nomail@xs8.xs4all.nl...

dave <dave@dave.dave> wrote:
> Keith wrote:
>>
>> <http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
>> mp53/player_config.php?token=07b_1284580365%26embed=1>
>>
>> Shortened URL:
>> <http://bit.ly/b9VMU0>
>>
>
> This guy carries 30 pounds of tools up the ladder with him? Most
> climbers I know take the end of a line with them, then attach a pulley
> where they'll be working, then they send the end of the rope back down.
> Then the ground crew can send up tools, parts, whatever, and you don't
> have to worry about not forgetting anything but the rope and the pulley.

The climbers you know probably climb 100 ft towers?

With this tower that would require 3,400 ft of rope, which probably
weighs more than the tools and will be very difficult to handle.

Not to mention the extreme likelihood of the rope getting blown around
and/or snagged on any of dozens of appendages (microwave antennas, FM and
comms antennas, tower lighting, etc) that are on such tall structures.

From 3388489116540171547
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Thu, 25 Nov 2010 12:54:24 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
References: <2511201008535481O7%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<slrniethcq.tqe.nomail@xs8.xs4all.nl>
In-Reply-To: <slrniethcq.tqe.nomail@xs8.xs4all.nl>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <4ceeccea$0$5514$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21327
rec.radio.amateur.equipment:2547 rec.radio.scanner:1804 rec.radio.shortwave:76551

Rob wrote:
> dave<dave@dave.dave>  wrote:
>> Keith wrote:
>>>
>>> <http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
>>> mp53/player_config.php?token=07b_1284580365%26embed=1>
>>>
>>> Shortened URL:
>>> <http://bit.ly/b9VMU0>
>>>
>>
>> This guy carries 30 pounds of tools up the ladder with him? Most
>> climbers I know take the end of a line with them, then attach a pulley
>> where they'll be working, then they send the end of the rope back down.
>> Then the ground crew can send up tools, parts, whatever, and you don't
>> have to worry about not forgetting anything but the rope and the pulley.
>
> The climbers you know probably climb 100 ft towers?
>
> With this tower that would require 3,400 ft of rope, which probably
> weighs more than the tools and will be very difficult to handle.

You take a messenger rope (3/32") up with you. Once through the pulley
and back down that rope is used to lift a more substantial rope, all
done by the winch on the service truck. This is a safety feature. People
cramp up sometimes.
```

From -5754687934167234360
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes: gid4baf9708d4,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Thu, 25 Nov 2010 12:58:09 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<slrniethcq.tqe.nomail@xs8.xs4all.nl>
<BrWdnR8ibIePV3PRnZ2dnVY3goqdnZ2d@giganews.com>
In-Reply-To: <BrWdnR8ibIePV3PRnZ2dnVY3goqdnZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 41
Message-ID: <4ceecdcc$0$5514$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.antenna:19551
rec.radio.amateur.equipment:2334 rec.radio.scanner:1590 rec.radio.shortwave:69850

Brenda Ann wrote:
>
>
> "Rob" wrote in message news:slrniethcq.tqe.nomail@xs8.xs4all.nl...
>
> dave <dave@dave.dave> wrote:
>> Keith wrote:
>>>
>>> <http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
>>> mp53/player_config.php?token=07b_1284580365%26embed=1>
>>>
>>> Shortened URL:
>>> <http://bit.ly/b9VMU0>
>>>
>>
>> This guy carries 30 pounds of tools up the ladder with him? Most
>> climbers I know take the end of a line with them, then attach a pulley
>> where they'll be working, then they send the end of the rope back down.
>> Then the ground crew can send up tools, parts, whatever, and you don't

>> have to worry about not forgetting anything but the rope and the pulley.
>
> The climbers you know probably climb 100 ft towers?
>
> With this tower that would require 3,400 ft of rope, which probably
> weighs more than the tools and will be very difficult to handle.
>
>
> --
>
> --
>
>
> Not to mention the extreme likelihood of the rope getting blown around
> and/or snagged on any of dozens of appendages (microwave antennas, FM
> and comms antennas, tower lighting, etc) that are on such tall structures.
>
>

You usually have a ground crew person feeding the line and watching such
things. California has stricter laws than OSHA. I think you have to clip
on when climbing here.

```
From -2868377486591795321
X-Google-Thread: 9e586c3d78,c738d0190cfc3af9
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 25 Nov 2010 18:57:14 -0600
From: Jeff Liebermann <jeffl@cruzio.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
Date: Thu, 25 Nov 2010 16:57:14 -0800
Message-ID: <611ue6p1utu1i8s44lcklfk95pa5h29amc@4ax.com>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<slrniethcq.tqe.nomail@xs8.xs4all.nl>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
X-Trace: sv3-Kgu+ZND/aHO/
vZQ7AxpK0+P42oh0LkDYmLbOPlt2/15Nh77dWKEmQOWMR1n1GLpgwr9rC2AzB504VUn!
i4dqaTGS8Lzvn+pcBYSozoxQf00IuiZCMudHEWNdVGEHKl0+i+e/vXiApMu3B+QlXEjSQbiqNJBb!
xp3xMA==
X-Complaints-To: www.supernews.com/docs/abuse.html
```

```
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2072
Xref: g2news1.google.com rec.radio.amateur.antenna:19553
rec.radio.amateur.equipment:2335 rec.radio.scanner:1591 rec.radio.shortwave:69856
```

On 25 Nov 2010 20:22:50 GMT, Rob <nomail@example.com> wrote:

>With this tower that would require 3,400 ft of rope, which probably
>weighs more than the tools and will be very difficult to handle.

9mm static line weighs 57 gm/meter. A 1000 meter loop would weight 57kg or 126 lbs. No thanks. Also, the line has quite a bit of wind resistance and will probably cause the 30 lb tool bag to sway quite a bit in the wind. However, since he rode the elevator almost to the top, he might be able to handle a 50 meter single static line to the top of the elevator.

Nice video. I wonder what they were repairing on top of the tower? Replacing the tower light?

```
-- 
Jeff Liebermann     jeffl@cruzio.com
150 Felker St #D    http://www.LearnByDestroying.com
Santa Cruz CA 95060 http://802.11junk.com
Skype: JeffLiebermann     AE6KS    831-336-2558
```

```
From -4085734393336094413
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!193.201.147.78.MISMATCH!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "D. Peter Maus" <dpetermaus@att.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
Date: Thu, 25 Nov 2010 21:21:13 -0600
```

```
Organization: A noiseless patient Spider
Lines: 13
Message-ID: <icn939$mdr$2@news.eternal-september.org>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Fri, 26 Nov 2010 03:21:13 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="ZPUAE2tAk1fUeWnFVKrjMA";
     logging-data="22971"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19dA3OOxwgdp/nW1OznPhGjevWu+tcKZOo="
User-Agent: Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10.6; en-US; rv:1.9.1.1)
Gecko/20090715 Thunderbird/3.0b3
In-Reply-To: <251120100853548107%kilowattradio@use-reply-to.invalid>
Cancel-Lock: sha1:bfg64yo4asdTeDjKTya9FHl7xkE=
Xref: g2news2.google.com rec.radio.amateur.antenna:21332
rec.radio.amateur.equipment:2550 rec.radio.scanner:1807 rec.radio.shortwave:76561

On 11/25/10 10:53 , Keith wrote:
>
> <http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
> mp53/player_config.php?token=07b_1284580365%26embed=1>
>
> Shortened URL:
> <http://bit.ly/b9VMU0>
>



  Didn't we see this about 3 months ago?




From 4766844053229802877
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!newsfeed.straub-
nv.de!eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "Wayne" <mygarbagecan@verizon.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
Date: Thu, 25 Nov 2010 19:28:40 -0800
```

```
Organization: A noiseless patient Spider
Lines: 20
Message-ID: <icn9ha$m2n$1@news.eternal-september.org>
References: <2511201008535481O7%kilowattradio@use-reply-to.invalid>
Injection-Date: Fri, 26 Nov 2010 03:28:42 +0000 (UTC)
Injection-Info: mx01.eternal-september.org; posting-host="OYCxAooh0FM+xIwDIDw2vg";
     logging-data="22615"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/ZH9KbpJimUS6NTeaLRu17Z/WY5tCr/Dk="
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:f9EqczJzM3uRIi0h3Sivelu0c7E=
X-Priority: 3
X-MSMail-Priority: Normal
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
Xref: g2news1.google.com rec.radio.amateur.antenna:19555
rec.radio.amateur.equipment:2337 rec.radio.scanner:1593 rec.radio.shortwave:69860


"Keith" <kilowattradio@use-reply-to.invalid> wrote in message
news:2511201008535481O7%kilowattradio@use-reply-to.invalid...
>
> <http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
> mp53/player_config.php?token=07b_1284580365%26embed=1>
>
> Shortened URL:
> <http://bit.ly/b9VMU0>
>
> -- -
> Best Regards,
>
> Keith
> http://home.comcast.net/~kilowattradio/
-
Cool.  I have three friends who got sick watching the video :)
Wayne




From -4605150299251582431
X-Google-Thread: 9e586c3d78,c738d0190cfc3af9
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-09.dc1.easynews.com.POSTED!not-for-mail
From: bpuharic <wf3h@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
Message-ID: <86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
```

```
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 26 Nov 2010 01:33:58 -0500
Xref: g2news1.google.com rec.radio.amateur.antenna:19556
rec.radio.amateur.equipment:2338 rec.radio.scanner:1594 rec.radio.shortwave:69862

On Thu, 25 Nov 2010 10:48:56 -0800, dave <dave@dave.dave> wrote:

>Keith wrote:
>>
>> <http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
>> mp53/player_config.php?token=07b_1284580365%26embed=1>
>>
>> Shortened URL:
>> <http://bit.ly/b9VMU0>
>>
>
>This guy carries 30 pounds of tools up the ladder with him? Most
>climbers I know take the end of a line with them, then attach a pulley
>where they'll be working, then they send the end of the rope back down.
>Then the ground crew can send up tools, parts, whatever, and you don't
>have to worry about not forgetting anything but the rope and the pulley.
>
>Maybe he works alone...

how much does 1700' of line weigh?


From 7597403427896433609
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Fri, 26 Nov 2010 05:59:40 -0800
```

From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027 SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
Subject: Re: Milking a 1,700 ft Antenna Tower
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
In-Reply-To: <86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 70
Message-ID: <4cefbd36$0$5502$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21336
rec.radio.amateur.equipment:2553 rec.radio.scanner:1810 rec.radio.shortwave:76572

bpuharic wrote:
> On Thu, 25 Nov 2010 10:48:56 -0800, dave<dave@dave.dave> wrote:

>> This guy carries 30 pounds of tools up the ladder with him? Most
>> climbers I know take the end of a line with them, then attach a pulley
>> where they'll be working, then they send the end of the rope back down.
>> Then the ground crew can send up tools, parts, whatever, and you don't
>> have to worry about not forgetting anything but the rope and the pulley.
>>
>> Maybe he works alone...
>
> how much does 1700' of line weigh?

Press Release

Tower Association Responds to Erroneous and Dangerous Video

The following statement is being issued by the National Association of Tower Erectors (NATE) regarding a dangerous video post erroneously characterizing �free climbing� on towers as lawful and common.
NATE would like to publicly denounce the message of the recently posted video depicting two men climbing a broadcast tower. NATE asserts that the posting of the content was misguided and its messages should not be given credence by any viewer.
The �Stairway to Heaven� video, reportedly launched by TheOnLineEngineer.org, suggests that free climbing is an accepted method of ascending and descending broadcast and telecommunication towers. The video incorrectly asserts that free climbing is accepted by OSHA and that �most tower workers climb this way.� The video also depicts as standard procedure other dangerous and prohibited conduct not condoned by NATE or OSHA. There are many inaccuracies in this video.
NATE�s efforts to establish a culture of safety in the wireless and

broadcast tower industry encourages everyone involved with tower work to adhere to recognized safe practices. The video in question is an example of a climber who is either unaware of recognized safety practices or is unwilling to take the time to protect his life and the life of his co-worker in the video. By extension it encourages others to employ unsafe climbing techniques not endorsed by either OSHA or NATE. Contractors who refuse to operate safely should never be hired. This video is one more example of why the efforts of NATE, our membership and industry partners are imperative.

NATE, the industry�s leader in tower safety, continues to pursue working relationships with carriers, broadcasters and other tower owner/operators to ensure that only qualified contractors set foot on tower sites. The Association has worked with OSHA to develop safety best practices and educational programs to ensure every tower worker goes home safely every day. Companies which allow free climbing and other violations of recognized safety practices are placing lives in danger and jeopardizing tower work services.

NATE is looking forward to OSHA�s statement clarifying this matter for the industry.

Work Quality in Question

Employers who allow such practices will likely cut corners on other aspects of their work. NATE asks, �If a company or employee will cut corners with the lives of its workers, on what other aspects of work will they be willing to cut corners?� Owners and operators who hire this type of contractor are opening themselves up to legal and regulatory actions and are additionally running the risk of system malfunctions, adding unnecessary costs on top of endangering lives.

NATE Requests Contact From Tower Owners and Operators

NATE is requesting contact from carriers, broadcasters and other entities who own, operate or control wireless and broadcast towers as well as the industry groups who represent them. NATE is doggedly pursuing working relationships with these organizations to ensure that a culture of safety exists throughout the industry and that only qualified contractors set foot on tower sites. If your organization fits this description, please contact Patrick Howey at 888-882-5865 or patrick@natehome.com.

http://www.natehome.com

From 711951824961022289
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!i41g2000vbn.googlegroups.com!not-for-mail
From: K1TTT <k1ttt@arrl.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
Date: Fri, 26 Nov 2010 06:21:12 -0800 (PST)
Organization: http://groups.google.com
Lines: 16
Message-ID: <5b1884d8-794c-4c35-8d51-8491150d656c@i41g2000vbn.googlegroups.com>

```
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<icn939$mdr$2@news.eternal-september.org>
NNTP-Posting-Host: 70.109.254.107
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1290781272 16611 127.0.0.1 (26 Nov 2010 14:21:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 Nov 2010 14:21:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i41g2000vbn.googlegroups.com; posting-host=70.109.254.107;
posting-account=jXfBXgoAAAD_9NfTXRjboGLDSrphKKgG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12 ( .NET CLR 3.5.30729),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:19559
rec.radio.amateur.equipment:2340 rec.radio.scanner:1596 rec.radio.shortwave:69873

On Nov 26, 3:21=A0am, "D. Peter Maus" <dpeterm...@att.net> wrote:
> On 11/25/10 10:53 , Keith wrote:
>
>
>
> > <http://www.liveleak.com/mp53/player.swf?config=3Dhttp://www.liveleak.c=
om/
> > mp53/player_config.php?token=3D07b_1284580365%26embed=3D1>
>
> > Shortened URL:
> > <http://bit.ly/b9VMU0>
>
> =A0 Didn't we see this about 3 months ago?

yeah, and you'll probably see it brought up every few months for quite
a while now when someone new finds it for the first time.


From 4275316004153935629
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!goblin3!goblin1!goblin.stu.neva.ru!
eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "Wayne" <mygarbagecan@verizon.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
```

shortwave
Subject: Re: Milking a 1,700 ft Antenna Tower
Date: Fri, 26 Nov 2010 09:15:41 -0800
Organization: A noiseless patient Spider
Lines: 76
Message-ID: <icopvp$pfd$1@news.eternal-september.org>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
<4cefbd36$0$5502$bd467cd0@news.dslextreme.com>
Injection-Date: Fri, 26 Nov 2010 17:15:38 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="OYCxAooh0FM+xIwDIDw2vg";
     logging-data="26093"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18t38USOLvxil+CYsGeK9rF0IS8kfZ4Sgg="
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:IqlWoGJRXlRkluDV32RAjKBsJ68=
X-Priority: 3
X-MSMail-Priority: Normal
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
Xref: g2news2.google.com rec.radio.amateur.antenna:21338
rec.radio.amateur.equipment:2555 rec.radio.scanner:1812 rec.radio.shortwave:76578

"dave" <dave@dave.dave> wrote in message
news:4cefbd36$0$5502$bd467cd0@news.dslextreme.com...
> bpuharic wrote:
>> On Thu, 25 Nov 2010 10:48:56 -0800, dave<dave@dave.dave> wrote:
>
>>> This guy carries 30 pounds of tools up the ladder with him? Most
>>> climbers I know take the end of a line with them, then attach a pulley
>>> where they'll be working, then they send the end of the rope back down.
>>> Then the ground crew can send up tools, parts, whatever, and you don't
>>> have to worry about not forgetting anything but the rope and the pulley.
>>>
>>> Maybe he works alone...
>>
>> how much does 1700' of line weigh?
>
> Press Release
>
> Tower Association Responds to Erroneous and Dangerous Video
>
> The following statement is being issued by the National Association of
> Tower Erectors (NATE) regarding a dangerous video post erroneously
> characterizing �free climbing� on towers as lawful and common.
> NATE would like to publicly denounce the message of the recently posted
> video depicting two men climbing a broadcast tower. NATE asserts that the
> posting of the content was misguided and its messages should not be given
> credence by any viewer.
> The �Stairway to Heaven� video, reportedly launched by
> TheOnLineEngineer.org, suggests that free climbing is an accepted method
> of ascending and descending broadcast and telecommunication towers. The

> video incorrectly asserts that free climbing is accepted by OSHA and that
> �most tower workers climb this way.� The video also depicts as standard
> procedure other dangerous and prohibited conduct not condoned by NATE or
> OSHA. There are many inaccuracies in this video.
> NATE�s efforts to establish a culture of safety in the wireless and
> broadcast tower industry encourages everyone involved with tower work to
> adhere to recognized safe practices. The video in question is an example
> of a climber who is either unaware of recognized safety practices or is
> unwilling to take the time to protect his life and the life of his
> co-worker in the video. By extension it encourages others to employ unsafe
> climbing techniques not endorsed by either OSHA or NATE. Contractors who
> refuse to operate safely should never be hired. This video is one more
> example of why the efforts of NATE, our membership and industry partners
> are imperative.
> NATE, the industry�s leader in tower safety, continues to pursue working
> relationships with carriers, broadcasters and other tower owner/operators
> to ensure that only qualified contractors set foot on tower sites. The
> Association has worked with OSHA to develop safety best practices and
> educational programs to ensure every tower worker goes home safely every
> day. Companies which allow free climbing and other violations of
> recognized safety practices are placing lives in danger and jeopardizing
> tower work services.
> NATE is looking forward to OSHA�s statement clarifying this matter for the
> industry.
> Work Quality in Question
> Employers who allow such practices will likely cut corners on other
> aspects of their work. NATE asks, �If a company or employee will cut
> corners with the lives of its workers, on what other aspects of work will
> they be willing to cut corners?� Owners and operators who hire this type
> of contractor are opening themselves up to legal and regulatory actions
> and are additionally running the risk of system malfunctions, adding
> unnecessary costs on top of endangering lives.
> NATE Requests Contact From Tower Owners and Operators
> NATE is requesting contact from carriers, broadcasters and other entities
> who own, operate or control wireless and broadcast towers as well as the
> industry groups who represent them. NATE is doggedly pursuing working
> relationships with these organizations to ensure that a culture of safety
> exists throughout the industry and that only qualified contractors set
> foot on tower sites. If your organization fits this description, please
> contact Patrick Howey at 888-882-5865 or patrick@natehome.com.
>
> http://www.natehome.com

-

Heh heh....so that's why the faces were blurred in the video :)

From -8207767576821660903
X-Google-Thread: 9e586c3d78,c738d0190cfc3af9
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news2.google.com!goblin1!goblin.stu.neva.ru!newsfeed.CARNet.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
Subject: Re: Milking a 1,700 ft Antenna Tower
Date: Fri, 26 Nov 2010 20:05:21 +0100
Organization: CARNet, Croatia
Lines: 13
Message-ID: <icp0dh$471$1@news2.carnet.hr>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
<4cefbd36$0$5502$bd467cd0@news.dslextreme.com> <icopvp$pfd$1@news.eternal-september.org>
NNTP-Posting-Host: 82.132.53.224
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news2.carnet.hr 1290798321 4321 82.132.53.224 (26 Nov 2010 19:05:21 GMT)
X-Complaints-To: abuse@CARNet.hr
NNTP-Posting-Date: Fri, 26 Nov 2010 19:05:21 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317 SeaMonkey/2.0.4
In-Reply-To: <icopvp$pfd$1@news.eternal-september.org>
Xref: g2news1.google.com rec.radio.amateur.antenna:19561
rec.radio.amateur.equipment:2342 rec.radio.scanner:1598 rec.radio.shortwave:69880

Wayne wrote:
> Heh heh....so that's why the faces were blurred in the video :)

You quoted complete post just for your one line of silly text? Learn to quote first, then report to news groups.

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris

From -5437378091211518443
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes: gid4baf9708d4,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.snarked.org!pool-71-118-51-202.lsanca.dsl-w.verizon.net!not-for-mail

```
From: "D. Stussy" <spam+newsgroups@bde-arc.ampr.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
Date: Fri, 26 Nov 2010 12:20:17 -0800
Lines: 22
Message-ID: <icp4pt$c4g$1@snarked.org>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
Injection-Date: Fri, 26 Nov 2010 20:20:13 +0000 (UTC)
Injection-Info: snarked.org; posting-host="pool-71-118-51-202.lsanca.dsl-
w.verizon.net:71.118.51.202";
     logging-data="12432"; mail-complaints-to="newsmaster+complaints@snarked.org"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.antenna:19562
rec.radio.amateur.equipment:2343 rec.radio.scanner:1599 rec.radio.shortwave:69884

"dave" <dave@dave.dave> wrote in message
news:4ceeaf83$0$5527$bd467cd0@news.dslextreme.com...
> Keith wrote:
> >
<http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
> > mp53/player_config.php?token=07b_1284580365%26embed=1>
> >
> > Shortened URL:
> > <http://bit.ly/b9VMU0>
>
> This guy carries 30 pounds of tools up the ladder with him? Most
> climbers I know take the end of a line with them, then attach a pulley
> where they'll be working, then they send the end of the rope back down.
> Then the ground crew can send up tools, parts, whatever, and you don't
> have to worry about not forgetting anything but the rope and the pulley.
>
> Maybe he works alone...

Maybe the weight of his rope for that size of tower is more than 30
pounds....




From 5889407271726113883
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9
X-Google-NewGroupId: yes
```

```
X-Google-Thread: 114aac,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-02!easynews.com!en-
nntp-07.dc1.easynews.com.POSTED!not-for-mail
From: bpuharic <wf3h@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
Message-ID: <92e0f6hgpllinv6phbac0niv1km81l66v8@4ax.com>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 26 Nov 2010 17:53:35 -0500
Xref: g2news2.google.com rec.radio.amateur.antenna:21341
rec.radio.amateur.equipment:2558 rec.radio.scanner:1815 rec.radio.shortwave:76596

On Thu, 25 Nov 2010 08:53:54 -0800, Keith
<kilowattradio@use-reply-to.invalid> wrote:

>
><http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
>mp53/player_config.php?token=07b_1284580365%26embed=1>
>
>Shortened URL:
><http://bit.ly/b9VMU0>


these guys are nucking futs.  when i climb i'm ALWAYS attached. too
many uncertainties in positioning, grabbing, etc.  all it itakes is 1
mistake



From 321686334999734926
X-Google-Thread: 9e586c3d78,c738d0190cfc3af9
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-07.dc1.easynews.com.POSTED!not-for-mail
From: bpuharic <wf3h@comcast.net>
```

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
Subject: Re: Milking a 1,700 ft Antenna Tower
Message-ID: <mme0f61sa4utp1nrm5eop7apt4ci9gucti@4ax.com>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
<4cefbd36$0$5502$bd467cd0@news.dslextreme.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Fri, 26 Nov 2010 17:56:31 -0500
Xref: g2news1.google.com rec.radio.amateur.antenna:19564
rec.radio.amateur.equipment:2345 rec.radio.scanner:1601 rec.radio.shortwave:69895

On Fri, 26 Nov 2010 05:59:40 -0800, dave <dave@dave.dave> wrote:

>
>
>Tower Association Responds to Erroneous and Dangerous Video
>

glad you posted this. when i climb i'm ALWAYS, ALWAYS attached to the
tower....althought the highest i've climbed is 155', it really doesnt
matter at this point. once you fall more than 15' or so, the results
are pretty much the same

From -5071692625786415836
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!37g2000prx.googlegroups.com!not-for-mail
From: RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

```
Subject: Re: Milking a 1,700 ft Antenna Tower
Date: Fri, 26 Nov 2010 19:24:46 -0800 (PST)
Organization: http://groups.google.com
Lines: 12
Message-ID: <3af47c3e-209e-4569-a2a4-61d3ff36b709@37g2000prx.googlegroups.com>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
 <4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
 <4cefbd36$0$5502$bd467cd0@news.dslextreme.com>
<mme0f61sa4utp1nrm5eop7apt4ci9gucti@4ax.com>
NNTP-Posting-Host: 71.133.167.29
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1290828286 525 127.0.0.1 (27 Nov 2010 03:24:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 Nov 2010 03:24:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 37g2000prx.googlegroups.com; posting-host=71.133.167.29; posting-
account=sXdt0QkAAADnWX7qexSpwEu6RhprtPN6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12 ( .NET CLR 3.5.30729),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.antenna:21343
rec.radio.amateur.equipment:2560 rec.radio.scanner:1817 rec.radio.shortwave:76604

On Nov 26, 2:56=A0pm, bpuharic <w...@comcast.net> wrote:
> On Fri, 26 Nov 2010 05:59:40 -0800, dave <d...@dave.dave> wrote:
>
> >Tower Association Responds to Erroneous and Dangerous Video
>
> glad you posted this. when i climb i'm ALWAYS, ALWAYS attached to the
> tower....althought the highest i've climbed is 155', it really doesnt
> matter at this point. once you fall more than 15' or so, the results
> are pretty much the same

Yeah Messy !
 .



From -3774293429236630058
X-Google-Thread: 9e586c3d78,c738d0190cfc3af9
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!f20g2000prn.googlegroups.com!not-for-
mail
From: RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
Date: Fri, 26 Nov 2010 19:27:30 -0800 (PST)
```

```
Organization: http://groups.google.com
Lines: 19
Message-ID: <d886e430-a683-4d7a-83bd-81475b02d597@f20g2000prn.googlegroups.com>
References: <2511201008535481O7%kilowattradio@use-reply-to.invalid>
<92e0f6hgpllinv6phbac0niv1km81l66v8@4ax.com>
NNTP-Posting-Host: 71.133.167.29
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1290828450 2109 127.0.0.1 (27 Nov 2010 03:27:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 Nov 2010 03:27:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f20g2000prn.googlegroups.com; posting-host=71.133.167.29; posting-
account=sXdt0QkAAADnWX7qexSpwEu6RhprtPN6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12 ( .NET CLR 3.5.30729),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:19566
rec.radio.amateur.equipment:2347 rec.radio.scanner:1603 rec.radio.shortwave:69903

On Nov 26, 2:53=A0pm, bpuharic <w...@comcast.net> wrote:
> On Thu, 25 Nov 2010 08:53:54 -0800, Keith
>
> <kilowattra...@use-reply-to.invalid> wrote:
>
> ><http://www.liveleak.com/mp53/player.swf?config=3Dhttp://www.liveleak.co=
m/
> >mp53/player_config.php?token=3D07b_1284580365%26embed=3D1>
>
> >Shortened URL:
> ><http://bit.ly/b9VMU0>
>
> these guys are nucking futs. =A0when i climb i'm ALWAYS attached. too
> many uncertainties in positioning, grabbing, etc. =A0all it itakes is 1
> mistake

There are more things to 'consider' with a
Live {Powered} Tower then simply Falling . . .
 .



From 7519087739154886225
X-Google-Thread: 9e586c3d78,c738d0190cfc3af9
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "Wayne" <mygarbagecan@verizon.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
```

```
shortwave
Subject: Re: Milking a 1,700 ft Antenna Tower
Date: Sat, 27 Nov 2010 08:11:36 -0800
Organization: A noiseless patient Spider
Lines: 14
Message-ID: <icrajq$i79$1@news.eternal-september.org>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
<4cefbd36$0$5502$bd467cd0@news.dslextreme.com> <icopvp$pfd$1@news.eternal-
september.org> <icp0dh$471$1@news2.carnet.hr>
Injection-Date: Sat, 27 Nov 2010 16:11:38 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="OYCxAooh0FM+xIwDIDw2vg";
     logging-data="18665"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/ud/YYf81of9lC6W+EFI7V7mJ9Bz+KMIk="
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:OriYGLbR3RU82qX593xvPn+cOC4=
X-Priority: 3
X-MSMail-Priority: Normal
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
Xref: g2news1.google.com rec.radio.amateur.antenna:19568
rec.radio.amateur.equipment:2348 rec.radio.scanner:1605 rec.radio.shortwave:69925


"Boris Tu�an" <boris.tudan@ka.t-com.hr> wrote in message
news:icp0dh$471$1@news2.carnet.hr...
> Wayne wrote:
>> Heh heh....so that's why the faces were blurred in the video :)
>
> You quoted complete post just for your one line of silly text? Learn to
> quote first, then report to news groups.
>
> 73 de 9A6KTB - Boris
-
Get some manners, then get back to us.




From 7436840127507803317
X-Google-Thread: 108122,cd4a2c9250ee9921,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!gin-ad1-
unet1.teleglobe.net!news.panservice.it!feeder.erje.net!feeder2.ecngs.de!ecngs!
feeder.ecngs.de!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 27 Nov 2010 11:08:26 -0600
From: johnp <johnp.736f198@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Manual for Motorola CD 100 - wanted
Date: Sat, 27 Nov 2010 15:46:07 +0000
Message-ID: <johnp.736f198@radiobanter.com>
Organization: RadioBanter.com
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-PZmY6u5crnpOLbW6ai1D9iWRY7pRdWB8IFZ085piw6/
wOTyrR3GiH41bV4fXwN4VmvSTr/Zf8kE/HYx!1Taka/
bC1GjFiZHJf+eGtBLFoaTXoWOb0071Ni9Sms7PeKf7Nn647Uig+ItIcQzLbXPaaWJmmqxk!UMM=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 7
X-Original-Bytes: 1077
Xref: g2news2.google.com rec.radio.amateur.equipment:2563
```

Does anyone have a copy of the above manual that i couild borrow.

I have two of these and want to see if I can make use of them.

Thanks,

John

--
johnp

```
From -2538107840758806337
X-Google-Thread: 9e586c3d78,c738d0190cfc3af9
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!tudelft.nl!
txtfeed1.tudelft.nl!newsfeed.CARNet.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Milking a 1,700 ft Antenna Tower
Date: Sat, 27 Nov 2010 21:06:25 +0100
Organization: CARNet, Croatia
Lines: 13
Message-ID: <icroc1$j9e$1@news2.carnet.hr>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
```

<4cefbd36$0$5502$bd467cd0@news.dslextreme.com> <icopvp$pfd$1@news.eternal-
september.org> <icp0dh$471$1@news2.carnet.hr> <icrajq$i79$1@news.eternal-
september.org>
NNTP-Posting-Host: 82.132.52.154
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news2.carnet.hr 1290888385 19758 82.132.52.154 (27 Nov 2010 20:06:25 GMT)
X-Complaints-To: abuse@CARNet.hr
NNTP-Posting-Date: Sat, 27 Nov 2010 20:06:25 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
In-Reply-To: <icrajq$i79$1@news.eternal-september.org>
Xref: g2news1.google.com rec.radio.amateur.antenna:19572
rec.radio.amateur.equipment:2350 rec.radio.scanner:1606 rec.radio.shortwave:69934

Wayne wrote:
> Get some manners, then get back to us.

Learn to quote and read netiquette when you get some time. You don't
want to be retarded for the rest of your life.

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris

From 163440196634533642
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!feeder2.cambriumusenet.nl!
feed.tweaknews.nl!195.14.215.52.MISMATCH!news.netcologne.de!newsfeed-
hp3.netcologne.de!newsfeed101.telia.com!starscream.dk.telia.net!eternal-
september.org!feeder.eternal-september.org!.POSTED.74.100.23.238!not-for-mail
From: "Wayne" <mygarbagecan@verizon.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Milking a 1,700 ft Antenna Tower
Date: Sat, 27 Nov 2010 13:44:55 -0800

```
Organization: A noiseless patient Spider
Lines: 16
Message-ID: <icru55$eon$1@news.eternal-september.org>
References: <2511201008535481O7%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
<4cefbd36$0$5502$bd467cd0@news.dslextreme.com> <icopvp$pfd$1@news.eternal-
september.org> <icp0dh$471$1@news2.carnet.hr> <icrajq$i79$1@news.eternal-
september.org> <icroc1$j9e$1@news2.carnet.hr>
Injection-Date: Sat, 27 Nov 2010 21:45:10 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="74.100.23.238";
	logging-data="15127"; mail-complaints-to="abuse@eternal-september.org"
X-Priority: 3
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MSMail-Priority: Normal
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
Xref: g2news1.google.com rec.radio.amateur.antenna:19573
rec.radio.amateur.equipment:2351 rec.radio.scanner:1608 rec.radio.shortwave:69941


"Boris Tu�an" <boris.tudan@ka.t-com.hr> wrote in message
news:icroc1$j9e$1@news2.carnet.hr...
> Wayne wrote:
>> Get some manners, then get back to us.
>
> Learn to quote and read netiquette when you get some time. You don't want
> to be retarded for the rest of your life.
>
> 73 de 9A6KTB - Boris
-
While you are waiting for me to do your homework assignments, how about
boning up on simple etiquette and trying to avoid PWD.
(posting while drunk)




From 6325397991842763965
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!post01.iad!
news.dslextreme.com!not-for-mail
```

```
Date: Sat, 27 Nov 2010 17:28:08 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Board Cop Alert Board Cop Alert
References: <25112010085354810 7%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
<4cefbd36$0$5502$bd467cd0@news.dslextreme.com> <icopvp$pfd$1@news.eternal-
september.org> <icp0dh$471$1@news2.carnet.hr> <icrajq$i79$1@news.eternal-
september.org> <icroc1$j9e$1@news2.carnet.hr> <icru55$eon$1@news.eternal-
september.org>
In-Reply-To: <icru55$eon$1@news.eternal-september.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 17
Message-ID: <4cf1b00f$0$5534$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21355
rec.radio.amateur.equipment:2566 rec.radio.scanner:1824 rec.radio.shortwave:76660

Wayne wrote:
> "Boris Tu�an"<boris.tudan@ka.t-com.hr>  wrote in message
> news:icroc1$j9e$1@news2.carnet.hr...
>> Wayne wrote:
>>> Get some manners, then get back to us.
>>
>> Learn to quote and read netiquette when you get some time. You don't want
>> to be retarded for the rest of your life.
>>
>> 73 de 9A6KTB - Boris
> -
> While you are waiting for me to do your homework assignments, how about
> boning up on simple etiquette and trying to avoid PWD.
> (posting while drunk)
>
>




From -7394750797488000059
X-Google-Thread: 108122,4c56571e91924604,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h17g2000pre.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: HOT VIDEOS LOVELY PHOTOS
Date: Sat, 27 Nov 2010 22:38:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 55
Message-ID: <d9d4758c-8316-4003-8608-c80ae0f4dc66@h17g2000pre.googlegroups.com>
NNTP-Posting-Host: 117.199.246.14
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1290926294 2896 127.0.0.1 (28 Nov 2010 06:38:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 28 Nov 2010 06:38:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h17g2000pre.googlegroups.com; posting-host=117.199.246.14;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2353

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

for more hot videos

http://videosonblog.blogspot.com/2010/11/masala-videos.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

hot photos
http://photostou.blogspot.com/2010/09/bollywood-actress-photos-4.html

```
From 2918593221409990674
X-Google-Thread: 9e586c3d78,c738d0190cfc3af9
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!tudelft.nl!
txtfeed1.tudelft.nl!newsfeed.CARNet.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Milking a 1,700 ft Antenna Tower
Date: Sun, 28 Nov 2010 16:14:00 +0100
Organization: CARNet, Croatia
Lines: 16
Message-ID: <ictrjo$ia3$1@news2.carnet.hr>
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
<4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
<86lue6l8css23l4kc1efpnksmhg5dtr9c2@4ax.com>
<4cefbd36$0$5502$bd467cd0@news.dslextreme.com> <icopvp$pfd$1@news.eternal-
september.org> <icp0dh$471$1@news2.carnet.hr> <icrajq$i79$1@news.eternal-
september.org> <icroc1$j9e$1@news2.carnet.hr> <icru55$eon$1@news.eternal-
september.org>
NNTP-Posting-Host: 82.132.52.154
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
```

X-Trace: news2.carnet.hr 1290957240 18755 82.132.52.154 (28 Nov 2010 15:14:00 GMT)
X-Complaints-To: abuse@CARNet.hr
NNTP-Posting-Date: Sun, 28 Nov 2010 15:14:00 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
In-Reply-To: <icru55$eon$1@news.eternal-september.org>
Xref: g2news1.google.com rec.radio.amateur.antenna:19581
rec.radio.amateur.equipment:2354 rec.radio.scanner:1610 rec.radio.shortwave:69985

Wayne wrote:
> While you are waiting for me to do your homework assignments, how about
> boning up on simple etiquette and trying to avoid PWD.
> (posting while drunk)

I won't loose too much time with you, Arabs will do the punishing.

Take care.

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris

From 2299742150039415188
X-Google-Thread: d7f5508063,95d77777298d4405,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p7g2000prb.googlegroups.com!not-for-mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: KARO HOT MASTI
Date: Sun, 28 Nov 2010 20:20:42 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <a2d81f24-152a-433f-bb46-cab710e52add@p7g2000prb.googlegroups.com>
NNTP-Posting-Host: 117.199.248.104
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1291004443 17073 127.0.0.1 (29 Nov 2010 04:20:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 29 Nov 2010 04:20:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p7g2000prb.googlegroups.com; posting-host=117.199.248.104;
posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
Gecko/20101026 Firefox/3.6.12,gzip(gfe)

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2355

 FOR HOT MASTI
          http://karomasti9.blogspot.com/
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
             HANSIKHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/search/label/HANSIKA
             HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
              BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
              NIKISHA HOT BOOBS
http://karomasti9.blogspot.com/search/label/nikisha
           PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
              ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
           SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
             CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra


From -2415056650932804347
X-Google-Thread: 108122,111238e178382af,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin2!goblin.stu.neva.ru!feeder.erje.net!feeder2.ecngs.de!ecngs!feeder.ecngs.de!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 29 Nov 2010 11:08:20 -0600
From: gainor67 <gainor67.7399498@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yeasu FT 101EE
Date: Mon, 29 Nov 2010 15:22:56 +0000
Message-ID: <gainor67.7399498@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-YuPXP1YqR4E6RL5Q/K7y6QfSRZyn2p4/dQSeGCccY4iJ+h1H/I62rAKYone3U4541jd/
mmFM7/+6R76!P5baUYnLqOCtWGBi6eSq7El7GpEquoBiG/V41cGWbbZaMZvgxK4yINh5/
UnfS2fsXmDBDwxQAEIp!71ONQoQ=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 3
X-Original-Bytes: 1056
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:2570


For sale yeasu FT101EE with 601 counter,extra tubes,manuals
and primo desk microphone.  $550.00 + shipping or $500.00
local pick-up.





--
gainor67


From 6988600245997117366
X-Google-Thread: 108122,111238e178382af
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Mon, 29 Nov 2010 12:35:46 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yeasu FT 101EE
References: <gainor67.7399498@radiobanter.com>
In-Reply-To: <gainor67.7399498@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <4cf40e88$0$5517$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2571

gainor67 wrote:
> For sale yeasu FT101EE with 601 counter,extra tubes,manuals
> and primo desk microphone.  $550.00 + shipping or $500.00
> local pick-up.
>
>
You still living in the same house?


From 7791145713106832322
X-Google-Thread: 108122,111238e178382af
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 29 Nov 2010 16:41:50 -0600
Date: Mon, 29 Nov 2010 22:41:48 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.12) Gecko/
20101027 Thunderbird/3.1.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yeasu FT 101EE
References: <gainor67.7399498@radiobanter.com>
In-Reply-To: <gainor67.7399498@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-
frfLLQ4fM9Le+oSrrO+HTxwRlrWsWJ9Ri91gMAVeRNxngRUpkMmxsHY+gdraw601sIglvlHsRgBsQ47!
SImb34XBf7SVapsTJzpCnmTTcdoay1MLmYcFQ0mlMaLnQqDXElBz1K4tg0u/CgR4zQ6vBExNZSFI!
fP4JUA/ykg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1653
Xref: g2news1.google.com rec.radio.amateur.equipment:2358

On 11-29-2010 15:22, gainor67 wrote:
> For sale yeasu FT101EE with 601 counter,extra tubes,manuals
> and primo desk microphone.  $550.00 + shipping or $500.00
> local pick-up.
>
>
>
>

Wow, has the price of tubes gone way up?  You can buy a new solid state
ricebox with all bands up to 440 (sadly minus 222) for just a bit
more...I better dust off my old Kenwood 520S.  I tried to sell it for
$300 a couple years ago (at a hamfest where people could even see it!)
and not even a bite....or even a lowball offer :(


From 5586401620714030594
X-Google-Thread: 108122,4e9ca72da9827740,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d8g2000yqf.googlegroups.com!not-for-
mail
```

```
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TOP 20 HOT PHOTOS&VIDEOS
Date: Mon, 29 Nov 2010 17:46:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 22
Message-ID: <1559ed8f-1b2c-43dd-952b-2330e4bc5fad@d8g2000yqf.googlegroups.com>
NNTP-Posting-Host: 117.199.243.209
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1291081574 2274 127.0.0.1 (30 Nov 2010 01:46:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 Nov 2010 01:46:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d8g2000yqf.googlegroups.com; posting-host=117.199.243.209;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2573

                 SNEHA IN A BATH ROOM
http://unbelivablephotos.blogspot.com/2010/10/sneha.html
                 RIYASEN HOT PHOTO
http://unbelivablephotos.blogspot.com/2010/10/riyasen.html
              ARCHANA UNBELIVABLE PHOTO
http://unbelivablephotos.blogspot.com/2010/10/archana.html
                   SHRIYA IN A SEXY FEEL
http://unbelivablephotos.blogspot.com/2010/10/shriya.html
            ASTHASINGAL IN A BATHROOM
http://babes-devi.blogspot.com/2010/08/asthasingal-in-bath.html
        SNEHA HOT SEX PHOTOS
http://babes-devi.blogspot.com/2010/08/sneha-hot-sexy-photos.html
      ARTHICHABRIA BEAUTIFUL PHOTOS
http://babes-devi.blogspot.com/2010/08/aarthi-chabria-hot-photos.html
      ANUSHKA UNBELIVABLE PHOTOS
http://babes-devi.blogspot.com/2010/06/anuskha-sex-images.html
       THRISHA HOT WET PHOTOS
http://babes-devi.blogspot.com/2010/06/thrisha-hot-wet-photos.html
       NAMITHA EXTORDINARY PHOTOS
http://babes-devi.blogspot.com/2010/06/nayagarala-namitha.html
       SHRIYA SARAN SEXY PHOTOS
http://babes-devi.blogspot.com/2010/08/shriya-saran-hot-photos.html


From -6040656360591204843
X-Google-Thread: 108122,111238e178382af
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe03.iad.POSTED!00000000!not-for-mail
```

From: "Barry" <none@nospam.org>
Newsgroups: rec.radio.amateur.equipment
Followup-To: rec.radio.amateur.equipment
References: <gainor67.7399498@radiobanter.com>
<LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net>
In-Reply-To: <LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net>
Subject: Re: Yeasu FT 101EE
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Message-ID: <zs_Io.20900$2u4.20510@newsfe03.iad>
NNTP-Posting-Host: jnibogphckphemgkaajpdmbfnhieifmf
X-Complaints-To: abuse@charter.net
X-Trace:
ejcgghfdebcllckhlmjcnboegglpohhcifkijgdpafkpdinijnibogphckphemgkjaochjlpkkofelhcll
depfoehhobaffdbifljpcmhoacopppdpfofmbepaibjlnjbgdoooicbbgjoani
NNTP-Posting-Date: Tue, 30 Nov 2010 03:46:39 UTC
Date: Mon, 29 Nov 2010 22:46:40 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:2574

"Scott" <acepilotREMOVE@bloomer.net> wrote in message
news:LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net...

> On 11-29-2010 15:22, gainor67 wrote:
>> For sale yeasu FT101EE with 601 counter,extra tubes,manuals
>> and primo desk microphone. $550.00 + shipping or $500.00
>> local pick-up.
>>
>>
>>
>>
>
> Wow, has the price of tubes gone way up? You can buy a new solid state ricebox with all bands up to 440 (sadly minus 222) for just a bit more...I better dust off my old Kenwood 520S. I tried to sell it for $300 a couple years ago (at a hamfest where people could even see it!) and not even a bite....or even a lowball offer :(

It only has three tubes... a 12BY7 and two 6JS6C's.

For some reason the Yaesu FT-101 rigs got a large cult following with the "freeband" illegal CB crowd - probably because they had an 11 meter position on the bandswitch (receive only) and it only took a trivial effort to get it to transmit there. They also had AM. In fact, I believe there were more of these rigs sold to CB'ers than to hams.

I can remember one fellow who brought his Yaesu into the shop where I worked during graduate school. He put in new tubes but did not know how to neutralize the finals. I told him that the only way I would work on it was if I restored the radio to its original condition. He agreed, saying that even _he_ could modify it back the way it was. I learned that one nearby CB'er even had a Collins S-line transmitter and receiver on 11 meters!

73, Barry WA4VZQ

```
From 5204946718672151424
X-Google-Thread: 108122,111238e178382af
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe11.iad.POSTED!00000000!not-for-mail
From: "Barry" <none@nospam.org>
Newsgroups: rec.radio.amateur.equipment
Followup-To: rec.radio.amateur.equipment
References: <gainor67.7399498@radiobanter.com>
<LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net>
In-Reply-To: <LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net>
Subject: Re: Yeasu FT 101EE
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Message-ID: <ct_Io.359$Ny7.66@newsfe11.iad>
NNTP-Posting-Host: jnibogphckphemgkaajpdmbfnhieifmf
X-Complaints-To: abuse@charter.net
X-Trace:
dbdekibldngfpmaelmjcnboegglpohhcnkfmekdgkmadeaiijnibogphckphemgkjaochjlpkkofelhcll
depfoehhobaffdbifljpcmhoacopppblihopncbhcegmnpfengolcelnpbekad
NNTP-Posting-Date: Tue, 30 Nov 2010 03:47:20 UTC
Date: Mon, 29 Nov 2010 22:46:40 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:2575
```

"Scott" <acepilotREMOVE@bloomer.net> wrote in message
news:LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net...

```
> On 11-29-2010 15:22, gainor67 wrote:
>> For sale yeasu FT101EE with 601 counter,extra tubes,manuals
>> and primo desk microphone.  $550.00 + shipping or $500.00
>> local pick-up.
>>
>>
>>
>>
>
> Wow, has the price of tubes gone way up?  You can buy a new solid state
> ricebox with all bands up to 440 (sadly minus 222) for just a bit
> more...I better dust off my old Kenwood 520S.  I tried to sell it for
```

> $300 a couple years ago (at a hamfest where people could even see it!)
> and not even a bite....or even a lowball offer :(

It only has three tubes... a 12BY7 and two 6JS6C's.

For some reason the Yaesu FT-101 rigs got a large cult following with the "freeband" illegal CB crowd - probably because they had an 11 meter position on the bandswitch (receive only) and it only took a trivial effort to get it to transmit there. They also had AM. In fact, I believe there were more of these rigs sold to CB'ers than to hams.

I can remember one fellow who brought his Yaesu into the shop where I worked during graduate school. He put in new tubes but did not know how to neutralize the finals. I told him that the only way I would work on it was if I restored the radio to its original condition. He agreed, saying that even _he_ could modify it back the way it was. I learned that one nearby CB'er even had a Collins S-line transmitter and receiver on 11 meters!

73, Barry WA4VZQ

```
From 6539822962636873738
X-Google-Thread: 108122,111238e178382af
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder2.cambriumusenet.nl!
feeder1.cambriumusenet.nl!feed.tweaknews.nl!213.75.85.109.MISMATCH!
newsfeed.kpn.net!pfeed09.wxs.nl!eternal-september.org!feeder.eternal-
september.org!.POSTED!not-for-mail
From: "Nordic Breeds" <wa4vzq@live.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yeasu FT 101EE
Date: Mon, 29 Nov 2010 22:55:20 -0500
Organization: A noiseless patient Spider
Lines: 38
Message-ID: <id1sj8$vnk$1@news.eternal-september.org>
References: <gainor67.7399498@radiobanter.com>
<LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net>
Injection-Date: Tue, 30 Nov 2010 03:55:21 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="ShEd0pK7SRqHFw2826XTBQ";
     logging-data="32500"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/LRJildHr5kObLP2YcRzZKWxndaC99JJM="
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
In-Reply-To: <LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net>
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
Cancel-Lock: sha1:Ia4MNniXSOD+ssDu8wkL3qDN/ds=
X-Priority: 3
X-MSMail-Priority: Normal
```

Xref: g2news1.google.com rec.radio.amateur.equipment:2362

"Scott" <acepilotREMOVE@bloomer.net> wrote in message
news:LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net...
> On 11-29-2010 15:22, gainor67 wrote:
>> For sale yeasu FT101EE with 601 counter,extra tubes,manuals
>> and primo desk microphone. $550.00 + shipping or $500.00
>> local pick-up.
>>
>>
>>
>>
>
> Wow, has the price of tubes gone way up? You can buy a new solid state
> ricebox with all bands up to 440 (sadly minus 222) for just a bit
> more...I better dust off my old Kenwood 520S. I tried to sell it for
> $300 a couple years ago (at a hamfest where people could even see it!)
> and not even a bite....or even a lowball offer :(

It only has three tubes... a 12BY7 and two 6JS6C's.

For some reason the Yaesu FT-101 rigs got a large cult following with the "freeband" illegal CB crowd - probably because they had an 11 meter position on the bandswitch (receive only) and it only took a trivial effort to get it to transmit there. They also had AM. In fact, I believe there were more of these rigs sold to CB'ers than to hams.

I can remember one fellow who brought his Yaesu into the shop where I worked during graduate school. He put in new tubes but did not know how to neutralize the finals. I told him that the only way I would work on it was if I restored the radio to its original condition. He agreed, saying that even _he_ could modify it back the way it was. I learned that one nearby CB'er even had a Collins S-line transmitter and receiver on 11 meters!

73, Barry WA4VZQ

From -2999742694095421 39
X-Google-Thread: 108122,111238e178382af
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "Nordic Breeds" <wa4vzq@live.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yeasu FT 101EE (apology for multiple posting)

```
Date: Mon, 29 Nov 2010 22:59:30 -0500
Organization: A noiseless patient Spider
Lines: 6
Message-ID: <id1sr3$1p7$1@news.eternal-september.org>
References: <gainor67.7399498@radiobanter.com>
<LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net> <id1sj8$vnk$1@news.eternal-
september.org>
Injection-Date: Tue, 30 Nov 2010 03:59:31 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="ShEd0pK7SRqHFw2826XTBQ";
     logging-data="1831"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19X0G10kgPvvjJnNjjhU0Dc2DL78xIJHNE="
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
In-Reply-To: <id1sj8$vnk$1@news.eternal-september.org>
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
Cancel-Lock: sha1:DnD8pjs/69giaend7I78YucQ7vs=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2577

Got an 0x800C006F error when I tried to post through Charter.  As soon as
I posted the message through Eternal-September, Charter sent my original
message - twice.  My apologies...
        73, Barry  WA4VZQ




From -2936039488461454092
X-Google-Thread: d7f5508063,111238e178382af
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 Nov 2010 05:38:20 -0600
Date: Tue, 30 Nov 2010 11:38:20 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.12) Gecko/
20101027 Thunderbird/3.1.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yeasu FT 101EE
References: <gainor67.7399498@radiobanter.com>
<LdGdnTGAvquzsWnRnZ2dnUVZ_oKdnZ2d@bright.net> <zs_Io.20900$2u4.20510@newsfe03.iad>
In-Reply-To: <zs_Io.20900$2u4.20510@newsfe03.iad>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <b92dnQLTPpyxf2nRnZ2dnUVZ_hqdnZ2d@bright.net>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
```

```
X-Trace: sv3-sJ4I8VXTxCRdsHCLWDLwh/
3cE60IwhIg1WFUHqv+sDErT2vhDFxBdw75uX2hfe5CSwHI4TLwTk6kDqs!m89M8+PPXyQ2/
BiImrxW4JAWpr5cQBrxT0yL4FGE45tKZSXarM8hrYCASjq+oEISWY5aS3VX5Gc4!4fLX0cNBSg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1872
Xref: g2news2.google.com rec.radio.amateur.equipment:2578

On 11-30-2010 03:46, Barry wrote:


>
> For some reason the Yaesu FT-101 rigs got a large cult following with the
> "freeband" illegal CB crowd - probably because they had an 11 meter
> position on the bandswitch (receive only) and it only took a trivial
> effort to get it to transmit there.  They also had AM.  In fact, I
> believe there were more of these rigs sold to CB'ers than to hams.

>
>      73, Barry  WA4VZQ
>
>
A-ha!  I have a plain FT-101 that was given to me years ago.  I'll have
to check and see if it has the same 11M selection.  Maybe I'm sitting on
enough cash to buy another transverter or two for the microwave bands :)




From 7543577850578227693
X-Google-Thread: 108122,bb01dda052860ff7,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,bb01dda052860ff7,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,bb01dda052860ff7,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,bb01dda052860ff7,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,bb01dda052860ff7,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,bb01dda052860ff7,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf6,gid8f86f75953,gida4a23d5f6
3,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
```

io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1288591200@panix.com>
Followup-To: poster
Date: 1 Dec 2010 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Jan 2011 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1291186801@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1291186802 10812 166.84.1.2 (1 Dec 2010 07:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 1 Dec 2010 07:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:21379 rec.radio.amateur.dx:848 rec.radio.amateur.equipment:2579 rec.radio.amateur.homebrew:4261 rec.radio.amateur.misc:5859 rec.radio.amateur.policy:31993 rec.radio.amateur.space:435 rec.radio.info:2002

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those

that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -6675801336875790060
X-Google-Thread: 108122,84bc3eb74a0de910,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a28g2000prb.googlegroups.com!not-for-
mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ONLY FOR YOUTH
Date: Wed, 1 Dec 2010 05:38:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 21
Message-ID: <0037614a-f10a-43b6-aafe-32ff51535d01@a28g2000prb.googlegroups.com>
NNTP-Posting-Host: 117.199.242.60
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1291210703 8908 127.0.0.1 (1 Dec 2010 13:38:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 1 Dec 2010 13:38:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a28g2000prb.googlegroups.com; posting-host=117.199.242.60;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2366
```

ANJELINA JOLIE

http://sunanda-fastupdates.blogspot.com/2010/11/anjelinajolie.html
SEXY COLLEGE GIRLS
http://sunanda-fastupdates.blogspot.com/2010/11/college-girls.html
AISHWARIYA RAI
http://sunanda-fastupdates.blogspot.com/2010/11/aish.html
TAIL ACTRESS
http://sunanda-fastupdates.blogspot.com/2010/11/tamil-actress.html
NAMITHA
http://sunanda-fastupdates.blogspot.com/2010/11/namitha.html
PRANEETHA
http://sunanda-fastupdates.blogspot.com/2010/11/praneetha.html
ANUSKHA SETTY
http://sunanda-fastupdates.blogspot.com/2010/11/anuskha-setty.html
AMISHA PATEL
http://sunanda-fastupdates.blogspot.com/2010/11/amisha-patel.html
ADAH SHARMA
http://sunanda-fastupdates.blogspot.com/2010/11/adah-sharma.html
KATRINA KAIF
http://sunanda-fastupdates.blogspot.com/2010/11/katrina-kaif.html

---

From -3726716874283107684
X-Google-Thread: 108122,e106d7e49e7f5793,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "VK2KC Gmail" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wouxun KG-UV920R
Date: Thu, 2 Dec 2010 10:53:20 +1100
Organization: A noiseless patient Spider
Lines: 9
Message-ID: <id6n63$ksj$1@news.eternal-september.org>
Injection-Date: Wed, 1 Dec 2010 23:53:39 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="cE/BeCIneqLcZb1s1NsRjA";
     logging-data="21395"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18vD+MSPaOh87JFa98oLEam1lmKraJqVdk="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:Gw5kSo6EMoymuEwlxtHIEbjOlNo=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:2367

I was wondering if anyone has heard of a delivery date for the Wouxun
KG-UV920R mobile transmitter.
The specs look impressive and by the look of the digital readout, appears to
have a broadband receiver built in!
Cheers

```
John
VK2KC




From 6748083341360084130
X-Google-Thread: 108122,e106d7e49e7f5793
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!de-l.enfer-du-nord.net!
feeder1.enfer-du-nord.net!feeder2.enfer-du-nord.net!newsfeed.eweka.nl!eweka.nl!
feeder3.eweka.nl!69.16.177.246.MISMATCH!cyclone03.ams2.highwinds-media.com!
news.highwinds-media.com!npeersf01.ams.highwinds-media.com!newsfe10.ams2.POSTED!
00000000!not-for-mail
Message-ID: <J5eDpmHinM+MFwYb@birchnet.demon.co.uk>
From: Bill <Bill@birchnet.demon.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV920R
References: <id6n63$ksj$1@news.eternal-september.org>
Lines: 15
MIME-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
User-Agent: Turnpike/6.07-M (<sYQN$yDE8fNshlJQdasAlRqSTF>)
NNTP-Posting-Host: 81.103.51.159
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe10.ams2 1291373143 81.103.51.159 (Fri, 03 Dec 2010 10:45:43 UTC)
NNTP-Posting-Date: Fri, 03 Dec 2010 10:45:43 UTC
Organization: virginmedia.com
Date: Fri, 3 Dec 2010 10:43:46 +0000
Xref: g2news2.google.com rec.radio.amateur.equipment:2582

In message <id6n63$ksj$1@news.eternal-september.org>, VK2KC Gmail
<vk2kcjohn@gmail.com> writes
>I was wondering if anyone has heard of a delivery date for the Wouxun
>KG-UV920R mobile transmitter.
>The specs look impressive and by the look of the digital readout, appears to
>have a broadband receiver built in!
>Cheers
>John
>VK2KC
>
>
Looks interesting but what the heck is a "Humanized Speaker Setting" ?

--
Bill


From 5365108678185732758
X-Google-Thread: 108122,e106d7e49e7f5793
X-Google-NewGroupId: yes
```

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <knock_yourself_out@example.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV920R
Date: 3 Dec 2010 14:40:55 GMT
Lines: 10
Message-ID: <slrnifi0bn.14qm.knock_yourself_out@shell.config.com>
References: <id6n63$ksj$1@news.eternal-september.org>
 <J5eDpmHinM+MFwYb@birchnet.demon.co.uk>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net aqqNgXkpczea4dKyGF1iFQc/g5ASRAeqitUusPgzTbqRWOphh1
Cancel-Lock: sha1:+vT9gHvieSuhWD2MmiEjRQlG9eo=
User-Agent: slrn/0.9.9p1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:2583

On Fri, 3 Dec 2010 10:43:46 +0000, Bill wrote:
><vk2kcjohn@gmail.com> writes
>>I was wondering if anyone has heard of a delivery date for the Wouxun
>>KG-UV920R mobile transmitter.
>>The specs look impressive and by the look of the digital readout,
>>appears to have a broadband receiver built in!
>>
> Looks interesting but what the heck is a "Humanized Speaker Setting" ?

Marketing Speak.


From 8835574411711001562
X-Google-Thread: 108122,e106d7e49e7f5793
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!193.201.147.78.MISMATCH!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "VK2KC Gmail" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG-UV920R
Date: Sat, 4 Dec 2010 09:03:34 +1100
Organization: A noiseless patient Spider
Lines: 24
Message-ID: <idbpfs$tdd$1@news.eternal-september.org>
References: <id6n63$ksj$1@news.eternal-september.org>
<J5eDpmHinM+MFwYb@birchnet.demon.co.uk>
Injection-Date: Fri, 3 Dec 2010 22:03:41 +0000 (UTC)
Injection-Info: mx01.eternal-september.org; posting-host="cE/BeCIneqLcZb1s1NsRjA";
     logging-data="30125"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+xAmLcXCMVFHjVRs587jmn5iTS5JR6muU="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:QrsREdEntMAwdoUG2SO/oQj1elk=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2584


"Bill" <Bill@birchnet.demon.co.uk> wrote in message
news:J5eDpmHinM+MFwYb@birchnet.demon.co.uk...
> In message <id6n63$ksj$1@news.eternal-september.org>, VK2KC Gmail
> <vk2kcjohn@gmail.com> writes
>>I was wondering if anyone has heard of a delivery date for the Wouxun
>>KG-UV920R mobile transmitter.
>>The specs look impressive and by the look of the digital readout, appears
>>to
>>have a broadband receiver built in!
>>Cheers
>>John
>>VK2KC
>>
>>
> Looks interesting but what the heck is a "Humanized Speaker Setting" ?
>
> --
> Bill

Synthesised speech capability?
John




From -9164129717222817632
X-Google-Thread: 108122,e4fda5b04bd1d9d3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o11g2000prf.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: LOVE SEX NEVER SEEN VIDEOS
Date: Fri, 3 Dec 2010 22:19:07 -0800 (PST)
Organization: http://groups.google.com
Lines: 55
Message-ID: <83ea751f-24d3-43f4-9878-73f206ee542d@o11g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.247.220
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1291443547 18507 127.0.0.1 (4 Dec 2010 06:19:07 GMT)
```

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Dec 2010 06:19:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o11g2000prf.googlegroups.com; posting-host=117.199.247.220;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2371

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

for more hot videos

http://videosonblog.blogspot.com/2010/11/masala-videos.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html

hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

hot photos
http://photostou.blogspot.com/2010/09/bollywood-actress-photos-4.html

```
From 8890272271295572488
X-Google-Thread: 108122,b16578ee02fa91dd,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
citadel.nobulus.com!newsfeed.ision.net!newsfeed2.easynews.net!ision!
kanaga.switch.ch!switch.ch!newsfeed2.funet.fi!newsfeeds.funet.fi!
feeder1.news.elisa.fi!feeder.news-service.com!eweka.nl!hq-usenetpeers.eweka.nl!
ecngs!feeder.ecngs.de!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Dec 2010 05:08:18 -0600
From: benjm1995 <benjm1995.73fd7b8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Im New here, help with recording
Date: Sat, 4 Dec 2010 09:58:01 +0000
Message-ID: <benjm1995.73fd7b8@radiobanter.com>
Organization: RadioBanter.com
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-2kU4SCqr7IjAU0m4HlUrg1FEK4h+0jCGHgm0S6hC9siUiKgqds895lLi6ggOlkTGz5lYiHTWuT0+30
T!mvpn23HN7VLlX39yTqtHecSDZ7wbvGom3vd2JiGumhvvTmwJJ0JyOAqWrOjut3si8Q01+5cQdP48!
LVcm+bsU
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1592
Xref: g2news1.google.com rec.radio.amateur.equipment:2372
```

I was looking in going into amature radio broadcasting, I plan to order
my mic, mixer and all other cables. I was just wondering how to go about

recording my show? The laptop soundcard is not the greatest and I would
like to know if there is any cheap hardware �100 or lower to record for
a while into mp3 format?

Oh and sorry one more thing, im not sure on the mic I have ordered, I
dont want to link it because I dont know what rules I am breaking, but
what would be the best mic for me? I just want a mic for recording me
and it would be a bonus if it diddnt pick up noises other than my voice

My budget is �150 for that

Thanks in advance
Ben

--
benjm1995

```
From -8622346154244892095
X-Google-Thread: 108122,b16578ee02fa91dd
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Sat, 04 Dec 2010 04:49:00 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Im New here, help with recording
References: <benjm1995.73fd7b8@radiobanter.com>
In-Reply-To: <benjm1995.73fd7b8@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 22
Message-ID: <4cfa389d$0$5519$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2587
```

benjm1995 wrote:
> I was looking in going into amature radio broadcasting, I plan to order
> my mic, mixer and all other cables. I was just wondering how to go about
> recording my show? The laptop soundcard is not the greatest and I would
> like to know if there is any cheap hardware �100 or lower to record for
> a while into mp3 format?

```
>
> Oh and sorry one more thing, im not sure on the mic I have ordered, I
> dont want to link it because I dont know what rules I am breaking, but
> what would be the best mic for me? I just want a mic for recording me
> and it would be a bonus if it diddnt pick up noises other than my voice
>
> My budget is �150 for that
>
>
> Thanks in advance
> Ben

I wish they'd had this kind of stuff when I was just getting started...

http://www.frequencycast.co.uk/podcastudio.html



From 9027843236370753841
X-Google-Thread: 108122,b16578ee02fa91dd
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!eternal-
september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: david <none@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Im New here, help with recording
Date: Sat, 4 Dec 2010 18:32:30 +0000 (UTC)
Organization: A noiseless patient Spider
Lines: 7
Message-ID: <ide1fu$odo$1@news.eternal-september.org>
References: <benjm1995.73fd7b8@radiobanter.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Injection-Date: Sat, 4 Dec 2010 18:32:30 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="j6YNSx4ZzkGtILp30gi9hg";
     logging-data="25016"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18hArMplxyAnA16gMPSKLeh"
Cancel-Lock: sha1:izuamljZpJKRAQuDRtwmjajuz9k=
Xref: g2news1.google.com rec.radio.amateur.equipment:2374

On Sat, 04 Dec 2010 09:58:01 +0000, benjm1995 rearranged some electrons to
say:

> I was looking in going into amature radio broadcasting,


Broadcasting in the amateur bands is prohibited.


From -2025069018770900098
```

X-Google-Thread: 108122,b16578ee02fa91dd
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Dec 2010 15:12:14 -0600
Date: Sat, 04 Dec 2010 21:12:13 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.12) Gecko/20101027 Thunderbird/3.1.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Im New here, help with recording
References: <benjm1995.73fd7b8@radiobanter.com> <ide1fu$odo$1@news.eternal-september.org>
In-Reply-To: <ide1fu$odo$1@news.eternal-september.org>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 8bit
Message-ID: <jMWdnQG3-dkzM2fRnZ2dnUVZ_hydnZ2d@bright.net>
Lines: 57
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-z2I2ZMq81QQDKEiRcabuM3g1iDrzlRVjpOsRG+3hvHGY3k/CjWvRjB1vmE5KtPXcdWQEDHefi7PTdTs!ZyjMvuA6pMK4xTLz/tr1LzJWKJduLVSYOXbJwwGcKJwOFDHuo53ETEcDneG+RCw8YrLmUvc/wwum!JRG1uX7gHQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 3375
Xref: g2news1.google.com rec.radio.amateur.equipment:2375

On 12-4-2010 18:32, david wrote:
> On Sat, 04 Dec 2010 09:58:01 +0000, benjm1995 rearranged some electrons to
> say:
>
>> I was looking in going into amature radio broadcasting,
>
>
> Broadcasting in the amateur bands is prohibited.

But "amateur radio news bulletins" are legal in the USA.

§97.111 Authorized transmissions.-

(b) In addition to one-way transmissions specifically authorized
elsewhere in this Part, an amateur station may transmit the following
types of one-way communications:

(6) Transmissions necessary to disseminate information bulletins;

And here is what they say about broadcasting in general...

§97.113 Prohibited transmissions. -

(a) No amateur station shall transmit:

(2) Communications for hire or for material compensation, direct or indirect, paid or promised, except as otherwise provided in these rules;

(3) Communications in which the station licensee or control operator has a pecuniary interest, including communications on behalf of an employer, with the following exceptions:

(4) Music using a phone emission except as specifically provided elsewhere in this section; communications intended to facilitate a criminal act; messages encoded for the purpose of obscuring their meaning, except as otherwise provided herein; obscene or indecent words or language; or false or deceptive messages, signals or identification;

(5) Communications, on a regular basis, which could reasonably be furnished alternatively through other radio services.

(b) An amateur station shall not engage in any form of broadcasting, nor may an amateur station transmit one-way communications except as specifically provided in these rules; nor shall an amateur station engage in any activity related to program production or news gathering for broadcasting purposes, except that communications directly related to the immediate safety of human life or the protection of property may be provided by amateur stations to broadcasters for dissemination to the public where no other means of communication is reasonably available before or at the time of the event.

From -86922666311703748
X-Google-Thread: 108122,b16578ee02fa91dd
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad!post02.iad!news.dslextreme.com!not-for-mail
Date: Sun, 05 Dec 2010 09:34:01 -0800
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment

Subject: Re: Im New here, help with recording
References: <benjm1995.73fd7b8@radiobanter.com> <ide1fu$odo$1@news.eternal-september.org> <jMWdnQG3-dkzM2fRnZ2dnUVZ_hydnZ2d@bright.net>
In-Reply-To: <jMWdnQG3-dkzM2fRnZ2dnUVZ_hydnZ2d@bright.net>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 65
Message-ID: <4cfbcd13$0$5545$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2376

Scott wrote:
> On 12-4-2010 18:32, david wrote:
>> On Sat, 04 Dec 2010 09:58:01 +0000, benjm1995 rearranged some
>> electrons to
>> say:
>>
>>> I was looking in going into amature radio broadcasting,
>>
>>
>> Broadcasting in the amateur bands is prohibited.
>
> But "amateur radio news bulletins" are legal in the USA.
>
> §97.111 Authorized transmissions.-
>
> (b) In addition to one-way transmissions specifically authorized
> elsewhere in this Part, an amateur station may transmit the following
> types of one-way communications:
>
>   (6) Transmissions necessary to disseminate information bulletins;
>
> And here is what they say about broadcasting in general...
>
>
>
> §97.113 Prohibited transmissions. -
>
> (a) No amateur station shall transmit:
>
>
>
>   (2) Communications for hire or for material compensation, direct or
> indirect, paid or promised, except as otherwise provided in these rules;
>
>
>   (3) Communications in which the station licensee or control operator
> has a pecuniary interest, including communications on behalf of an
> employer, with the following exceptions:
>
>
>   (4) Music using a phone emission except as specifically provided

> elsewhere in this section; communications intended to facilitate a
> criminal act; messages encoded for the purpose of obscuring their
> meaning, except as otherwise provided herein; obscene or indecent words
> or language; or false or deceptive messages, signals or identification;
>
>
>   (5) Communications, on a regular basis, which could reasonably be
> furnished alternatively through other radio services.
>
> (b) An amateur station shall not engage in any form of broadcasting, nor
> may an amateur station transmit one-way communications except as
> specifically provided in these rules; nor shall an amateur station
> engage in any activity related to program production or news gathering
> for broadcasting purposes, except that communications directly related
> to the immediate safety of human life or the protection of property may
> be provided by amateur stations to broadcasters for dissemination to the
> public where no other means of communication is reasonably available
> before or at the time of the event.

There are some hams who wished to be radio announcers in real life, and
there are radio announcers who only use digital modes.

I can get the ham radio news on podcast, seems silly to transmit it on 5
  repeaters at a time once a week.

From 1005544275016436l4
X-Google-Thread: 108122,b16578ee02fa91dd
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: david <none@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Im New here, help with recording
Date: Mon, 6 Dec 2010 11:49:35 +0000 (UTC)
Organization: A noiseless patient Spider
Lines: 64
Message-ID: <idiike$im6$1@news.eternal-september.org>
References: <benjm1995.73fd7b8@radiobanter.com>
     <ide1fu$odo$1@news.eternal-september.org>
     <jMWdnQG3-dkzM2fRnZ2dnUVZ_hydnZ2d@bright.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Injection-Date: Mon, 6 Dec 2010 11:49:35 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="j6YNSx4ZzkGtILp30gi9hg";
     logging-data="19142"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18bcoL6F8Tdj0y/0Pibvb8p"
Cancel-Lock: sha1:Ah0tscZoA5gr0ans+2XyoPbb8/Q=
Xref: g2news1.google.com rec.radio.amateur.equipment:2377

On Sat, 04 Dec 2010 21:12:13 +0000, Scott rearranged some electrons to
say:

> On 12-4-2010 18:32, david wrote:
>> On Sat, 04 Dec 2010 09:58:01 +0000, benjm1995 rearranged some electrons
>> to say:
>>
>>> I was looking in going into amature radio broadcasting,
>>
>>
>> Broadcasting in the amateur bands is prohibited.
>
> But "amateur radio news bulletins" are legal in the USA.
>
> §97.111 Authorized transmissions.-
>
> (b) In addition to one-way transmissions specifically authorized
> elsewhere in this Part, an amateur station may transmit the following
> types of one-way communications:
>
>   (6) Transmissions necessary to disseminate information bulletins;
>
> And here is what they say about broadcasting in general...
>
>
>
> §97.113 Prohibited transmissions. -
>
> (a) No amateur station shall transmit:
>
>
>
>   (2) Communications for hire or for material compensation, direct or
> indirect, paid or promised, except as otherwise provided in these rules;
>
>
>   (3) Communications in which the station licensee or control
> operator has a pecuniary interest, including communications on behalf of
> an employer, with the following exceptions:
>
>
>   (4) Music using a phone emission except as specifically provided
> elsewhere in this section; communications intended to facilitate a
> criminal act; messages encoded for the purpose of obscuring their
> meaning, except as otherwise provided herein; obscene or indecent words
> or language; or false or deceptive messages, signals or identification;
>
>
>   (5) Communications, on a regular basis, which could reasonably be
> furnished alternatively through other radio services.
>
> (b) An amateur station shall not engage in any form of broadcasting, nor

```
> may an amateur station transmit one-way communications except as
> specifically provided in these rules; nor shall an amateur station
> engage in any activity related to program production or news gathering
> for broadcasting purposes, except that communications directly related
> to the immediate safety of human life or the protection of property may
> be provided by amateur stations to broadcasters for dissemination to the
> public where no other means of communication is reasonably available
> before or at the time of the event.

I didn't assume that he was in the US, in fact, since he used a UK pound
figure, I assumed he wasn't.  In any case, he should read up on his
country's amateur rules in regards to broadcasting.


From 6371284875268305782
X-Google-Thread: 108122,b16578ee02fa91dd
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-xfer.nntp.sonic.net!
news.kjsl.com!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Im New here, help with recording
Date: Mon, 6 Dec 2010 14:32:08 -0500
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 30
Sender: et472@210-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.1012042227270.13668@darkstar.example.net>
References: <benjm1995.73fd7b8@radiobanter.com> <ide1fu$odo$1@news.eternal-
september.org>
 <jMWdnQG3-dkzM2fRnZ2dnUVZ_hydnZ2d@bright.net>
NNTP-Posting-Host: 210-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; CHARSET=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1291664004 25678 64.235.215.210 (6 Dec 2010 19:33:24 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 6 Dec 2010 19:33:24 GMT
In-Reply-To: <jMWdnQG3-dkzM2fRnZ2dnUVZ_hydnZ2d@bright.net>
Content-ID: <Pine.LNX.4.64.1012061429051.15527@darkstar.example.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:2378

On Sat, 4 Dec 2010, Scott wrote:

> On 12-4-2010 18:32, david wrote:
>> On Sat, 04 Dec 2010 09:58:01 +0000, benjm1995 rearranged some electrons to
>> say:
>>
>>> I was looking in going into amature radio broadcasting,
>>
>>
>> Broadcasting in the amateur bands is prohibited.
>
```

> But "amateur radio news bulletins" are legal in the USA.
>

But that's not what the original poster is asking about.

He's talking about "radio broadcasting" but "amateur" as in
a hobby not being paid.

He's not talking about "amateur radio", he likely doesn't even know about
it. He wants to play radio DJ, and he's either going to bootleg or
stay within the miniscule power levels allowed for "unlicensed" use.

Since he's not talking professional, he stumbled on this newsgroup because
he saw the "radio" angle. Indeed, he may have latched on the notion of
"amateur radio" to describe what he wants to do by finding this newsgroup.
Unaware that amateur radio is a hobby of two way communication dating back
to nearly the origins of radio, he thinks he's in the right place.

Michael VE2BVW

```
From 4325221615574774047
X-Google-Thread: fcc6e,8b1deba82be58f92,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,8b1deba82be58f92,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,8b1deba82be58f92,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,8b1deba82be58f92,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,8b1deba82be58f92,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,8b1deba82be58f92,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,8b1deba82be58f92,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1289113501@panix.com>
Followup-To: poster
Date: 7 Dec 2010 02:05:03 -0500
Organization: rec.radio.info Moderation Team
```

```
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jan 2011 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1291705500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1291705503 27612 166.84.1.2 (7 Dec 2010 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Dec 2010 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:21447 rec.radio.amateur.dx:858
rec.radio.amateur.equipment:2593 rec.radio.amateur.homebrew:4276
rec.radio.amateur.misc:5881 rec.radio.amateur.policy:32053 rec.radio.info:2021

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been
recently revived by an active moderation team.  We are currently seeking
suitable information, FAQ, and bulletin articles from the entire
rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our
newsgroup.

We are seeking a replacement maintainer for the following information
bulletin formerly posted to rec.radio.amateur.* (and currently archived
at http://www.faqs.org/faqs/radio/personal-intro/ ):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article      |
is that it does not mention newer amateur radio newsgroups created since     |
it was written, including:                                                   |

 rec.radio.amateur.antenna                                                   |
 rec.radio.amateur.boatanchors                                               |
 rec.radio.amateur.dx                                                        |
 rec.radio.amateur.equipment                                                 |
 rec.radio.amateur.homebrew                                                  |
 rec.radio.amateur.moderated                                                 |
 rec.radio.amateur.space                                                     |

We are willing to provide any technical support necessary to get this
```

article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 3471630481446355400
X-Google-Thread: 107ada,f9b45606b95781c8,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,f9b45606b95781c8,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,f9b45606b95781c8,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,f9b45606b95781c8,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!novia!news-
out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1289113800@panix.com>
Followup-To: poster
Date: 7 Dec 2010 02:10:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jan 2011 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1291705800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1291705801 12736 166.84.1.2 (7 Dec 2010 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Dec 2010 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:5882
```

rec.radio.amateur.equipment:2594 rec.radio.swap:3210 rec.radio.info:2022

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -6340369610560935302
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:

```
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!news-out.readnews.com!
transit3.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, January 2011 - Subscribe for FREE
Followup-To: poster
Date: Thu, 9 Dec 2010 15:41:35 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 30
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <BBA5A791CCC04CDD842EA480DEF3230A@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1291927295 23022 166.84.1.6 (9 Dec 2010 20:41:35 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 9 Dec 2010 20:41:35 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.36.110 authed with telegraph+k9ya.org}
Xref: g2news1.google.com rec.radio.info:1950 rec.radio.amateur.boatanchors:4221
rec.radio.amateur.equipment:2382 rec.radio.swap:2791 alt.ham-radio.morse:47
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

January 2011 articles include:

Premax Vertical Antenna By Philip Cala-Lazar, K9PL

Wired Love By Ella Cheever Thayer

Electromagnetic Pulses By Paul W. Ross, W3FIS

That Defining Moment By Charlie Cotterman, KA8OQF

Ham Lingo By Dick Sylvan, W9CBT

```
From 7834439721219201910
X-Google-Thread: 108122,63d44a8c8abd1bf5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
news.nobody.at!newsfeed.straub-nv.de!news-2.dfn.de!news.dfn.de!news-zh.switch.ch!
switch.ch!newsfeed01.chello.at!newsfeed01.sul.t-online.de!t-online.de!
feeder.erje.net!border3.nntp.ams.giganews.com!Xl.tags.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Dec 2010 05:09:05 -0600
From: MapleDuck <MapleDuck.747c0ba@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: What am I looking for?
Date: Fri, 10 Dec 2010 07:24:23 +0000
Message-ID: <MapleDuck.747c0ba@radiobanter.com>
Organization: RadioBanter.com
Lines: 20
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-w6CnOMTwjh0nr8LvY5TUWBgk/W/Onc9P8aql3ZL/
M1HZjyiqiaBXdRm4lu+7c3WV7eTli0Ya0JkBSAQ!noxR4z84tV/0cAuhtuOV9Ep50Yq03TWs/
6T1nCrX5dLfrCo7IIbyGrqNN8Uzr2g55wj7VrJmgOQI!ZJEbNgjb
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 9
X-Original-Bytes: 1454
```

Xref: g2news1.google.com rec.radio.amateur.equipment:2383

I am big on the net. I would like to share tech. with locals in my area. broadcasting seems to be a very simple way of relaying information across said county. Ill need to patch in an AUX audio feed for programing. do not want to register with the FCC. CB is what I need from what I know. What is a simple & recommended:

120v Or 220v base unit
120v Or 220v Amp (not afraid to push some power)
Antenna

If there is another medium I should consider broadcasting over, please let me know.

Thanks, The Duck!

--
MapleDuck

From 8510072158497573423
X-Google-Thread: 108122,63d44a8c8abd1bf5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Fri, 10 Dec 2010 05:20:25 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.16) Gecko/20101123
SeaMonkey/2.0.11
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What am I looking for?
References: <MapleDuck.747c0ba@radiobanter.com>
In-Reply-To: <MapleDuck.747c0ba@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <4d0228f4$0$5545$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2598

MapleDuck wrote:
> I am big on the net. I would like to share tech. with locals in my area.
> broadcasting seems to be a very simple way of relaying information

> across said county. Ill need to patch in an AUX audio feed for
> programing. do not want to register with the FCC. CB is what I need from
> what I know. What is a simple& recommended:
>
> 120v Or 220v base unit
> 120v Or 220v Amp (not afraid to push some power)
> Antenna
>
> If there is another medium I should consider broadcasting over, please
> let me know.
>
> Thanks, The Duck!
>

http://icecast.org/faq.php

Kwak!

From 1581249209243576283
X-Google-Thread: 108122,63d44a8c8abd1bf5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!195.71.90.67.MISMATCH!news.unit0.net!eternal-september.org!
feeder.eternal-september.org!.POSTED!not-for-mail
From: david <none@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What am I looking for?
Date: Fri, 10 Dec 2010 18:15:36 +0000 (UTC)
Organization: A noiseless patient Spider
Lines: 21
Message-ID: <idtqo8$c1v$1@news.eternal-september.org>
References: <MapleDuck.747c0ba@radiobanter.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Injection-Date: Fri, 10 Dec 2010 18:15:36 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="j6YNSx4ZzkGtILp30gi9hg";
     logging-data="12351"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/4GZ6rDadPbMSWNTJullyv"
Cancel-Lock: sha1:+5CAMEyatO9LUcRERjYmNfGsGFo=
Xref: g2news1.google.com rec.radio.amateur.equipment:2385

On Fri, 10 Dec 2010 07:24:23 +0000, MapleDuck rearranged some electrons to
say:

> I am big on the net. I would like to share tech. with locals in my area.
> broadcasting seems to be a very simple way of relaying information
> across said county. Ill need to patch in an AUX audio feed for
> programing. do not want to register with the FCC. CB is what I need from
> what I know. What is a simple & recommended:
>

```
> 120v Or 220v base unit
> 120v Or 220v Amp ( not afraid to push some power ) Antenna
>
> If there is another medium I should consider broadcasting over, please
> let me know.
>
> Thanks, The Duck!

If you contact this number:  202-418-1160, and let them know what you
want to do,  I'm sure someone will be glad to help you.




From -7984743511785458216
X-Google-Thread: 108122,d33d9c7fed6cf136,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,d33d9c7fed6cf136,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!37g2000prx.googlegroups.com!not-for-
mail
From: world-trade <jiazhao99@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: free shipping PAYPAL payment
WATCH(ROLEX,OMEGA,CHANEL,LV,CARTIER,IWC,GUCCI,RADO
 AND SO ON) http://www.24hour-buy.com/
Date: Fri, 10 Dec 2010 18:35:26 -0800 (PST)
Organization: http://groups.google.com
Lines: 116
Message-ID: <a2b45875-8998-4d98-928d-38c0b5dff5a3@37g2000prx.googlegroups.com>
NNTP-Posting-Host: 65.49.14.56
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1292034926 13427 127.0.0.1 (11 Dec 2010 02:35:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Dec 2010 02:35:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 37g2000prx.googlegroups.com; posting-host=65.49.14.56; posting-
account=7riClwoAAACIXAPJXbrA0-FmjGMjdxcU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2600 rec.food.equipment:4695

Ebel Watch wholesale  <free shipping paypal payment>
(http://www.24hour-buy.com/)
Bape Watch wholesale  <free shipping paypal payment>
 (http://www.24hour-buy.com/)
Bell&Ross Watch wholesale  <free shipping paypal payment>
(http://www.24hour-buy.com/)
Breit Ling Watch wholesale  <free shipping paypal payment>
```

(http://www.24hour-buy.com/)
Burberry Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cartier Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Chopard Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
D&G Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Givenchy Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Jacob&Co Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Kappa Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Prada Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Tissot Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Titoni Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
U-BOAT Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Zenith Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
A.Lange&Sohne Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Audemars Piguet Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Baume&Mercier Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Blancpain Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Breguet Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
BRM Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Bvlgari Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Chanel Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Concord Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Corum Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Dewitt Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Ferrari Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Franck Muller Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Girard Perregaux Watch   <free shipping paypal payment>
(http://www.24hour-buy.com/)

Glashutte Watch   <free shipping paypal payment>
(http://www.24hour-buy.com/)
Graham Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
GUCCI Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
GUESS Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Hamilton Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Hermes Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Hublot Watch wholesale <free shipping paypal payment>
http://www.24hour-buy.com/)
IWC Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Jaeger Le Coultre Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Longines Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
LV Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Montblanc Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Movado Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Omega Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Oris Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Paket Philippe Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Panerai Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Parmigiani Fleurier Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Piaget Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Porsche Design Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Rolex Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Romain Jerome Titanic-Dna Watch wholesale <free shipping paypal
payment>(http://www.24hour-buy.com/)
Tag Heuer Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Tudor Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Vach.Constantine Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
Armani Watch wholesale <free shipping paypal payment>
(http://www.24hour-buy.com/)
RADO Watch wholesale <free shipping paypal payment>

(http://www.24hour-buy.com/)

```
From -3383523462093397097
X-Google-Thread: 108122,63d44a8c8abd1bf5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-
eurorings.net!feeder.news-service.com!216.196.110.146.MISMATCH!
border3.nntp.ams.giganews.com!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Dec 2010 23:08:26 -0600
From: MapleDuck <MapleDuck.748bdd9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What am I looking for?
Date: Fri, 10 Dec 2010 23:20:32 +0000
Message-ID: <MapleDuck.748bdd9@radiobanter.com>
Organization: RadioBanter.com
References: <MapleDuck.747c0ba@radiobanter.com> <idtqo8$c1v$1@news.eternal-
september.org>
Lines: 35
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-4LuPxCnM9D4E/
nNgst4dbCOB0sfxh4499NcCdS59hz0e6zd9M2+YNrqYPBz7lV3RqR9ASBkf2ZcirCm!
rxm7Ib4fXqiARpXNkw1CTyzIZ2UjyEI/e6Dhr0mGNyB5NaDCyhoJ0zcYto+r6mE9bZw1fxZbnE5x!
AxmYfXiD
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 23
X-Original-Bytes: 2056
Xref: g2news2.google.com rec.radio.amateur.equipment:2601
```

```
david;725423 Wrote:
> On Fri, 10 Dec 2010 07:24:23 +0000, MapleDuck rearranged some electrons
> to
> say:
> -
> I am big on the net. I would like to share tech. with locals in my
> area.
> broadcasting seems to be a very simple way of relaying information
> across said county.  Ill need to patch in an AUX audio feed for
> programing. do not want to register with the FCC. CB is what I need
> from
> what I know. What is a simple & recommended:
```

>
> 120v Or 220v base unit
> 120v Or 220v Amp (not afraid to push some power) Antenna
>
> If there is another medium I should consider broadcasting over, please
> let me know.
>
>
>
> Thanks, The Duck!-
>
> If you contact this number: 202-418-1160, and let them know what you
> want to do, I'm sure someone will be glad to help you.

I See, Since I can find anyone who is not an asshole to answer a few
simple questions, I will do the research my self. thanks every one for
no help @ all. Have fun loosing ground to cell towers and the internet.

--
MapleDuck

From 6613045691587849220
X-Google-Thread: 1077d8,e03d25bcd50e763c,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,e03d25bcd50e763c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid16c4b10b5d,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e16g2000pri.googlegroups.com!not-for-mail
From: shoestrade <haoxinfenshou98@yahoo.com.cn>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: Shox XT,Shox Vivacity.   (http://www.cntrade09.com)
Date: Sat, 11 Dec 2010 04:46:46 -0800 (PST)
Organization: http://groups.google.com
Lines: 28
Message-ID: <6929e591-97c2-498a-bbb9-3bc8b974f09a@e16g2000pri.googlegroups.com>
NNTP-Posting-Host: 71.160.247.34
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1292071607 13940 127.0.0.1 (11 Dec 2010 12:46:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Dec 2010 12:46:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e16g2000pri.googlegroups.com; posting-host=71.160.247.34; posting-account=NaqkvQoAAABxjp2Ua18U0tMRFxALbNih
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727),gzip(gfe)

Xref: g2news2.google.com rec.pets.dogs.health:11149
rec.radio.amateur.equipment:2602

For more information,please contact karen,
MSN:cntrade088@hotmail.com
Minimum order is one,factory price also! Paypal payment free
shipping,ship time will take 4-7 working days.

Shox TW,Shox Saya+,Shox Arraw+,Shox Pursuit+,Shox Turbo V+5,Shox
NZ,Shox Turbo+IV 4,Shox Spotlight,Shox Saikano+,Shox Fleet,Shox Turn
&
Go,Shox Junga II 2,Shox Q'Vida,Shox Junga,Shox TL 4,Shox Monster,Shox
TL 3,Shox Turb OH+SL,Shox TL 2,Shox CL,Shox TL,Shox Cognescenti,Shox
Explodine,Shox R4,Nike Shox Basketball,Shox Disobey,Shox Turbo.

Shox Go,Shox 2:40,Shox Respond,Shox Warrior,Shox Ride 2,Shox Glamour
SW & SW II,Shox Andalucia,Shox Rhythmic,Shox Aprisa,Shox Energia,Shox
Ride & Plus,Shox Allegria Glow,Shox FSM,Shox Dendara,Shox 45,Shox
2:45,Shox Legend Trainer,Shox VC,Shox Rollin,Shox BB4,Shox Bella
IL,Shox Basketball,Shox Turbo OZ,Shox Electric,Shox TR,Shox D,Shox
Propulsion,Shox XT,Shox Vivacity. (http://
www.cntrade09.com)

Zoom Moire+,Nike Trainer Huarache,Nike Free Trainer 5.0, 7.0,Nike Air
Tech Challenge - Andre Agassi,Nike Presto & Chanjo,Training & Running
Shoes,Barry Sanders Zoom Turf,Basketball
Shoes. www.cntrade09.com

From 6791583270704720897
X-Google-Thread: 108122,63d44a8c8abd1bf5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: david <none@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What am I looking for?
Date: Sat, 11 Dec 2010 16:03:15 +0000 (UTC)
Organization: A noiseless patient Spider
Lines: 35
Message-ID: <ie07c3$rje$2@news.eternal-september.org>
References: <MapleDuck.747c0ba@radiobanter.com>
     <idtqo8$c1v$1@news.eternal-september.org>
     <MapleDuck.748bdd9@radiobanter.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8

```
Content-Transfer-Encoding: 8bit
Injection-Date: Sat, 11 Dec 2010 16:03:15 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="j6YNSx4ZzkGtILp30gi9hg";
     logging-data="28270"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18tMyy3y56wzGpgo6Mx8uL7"
Cancel-Lock: sha1:FF6iXIJuc72+p0pR2KVJUwAHA54=
Xref: g2news2.google.com rec.radio.amateur.equipment:2603

On Fri, 10 Dec 2010 23:20:32 +0000, MapleDuck rearranged some electrons to
say:

> david;725423 Wrote:
>> On Fri, 10 Dec 2010 07:24:23 +0000, MapleDuck rearranged some electrons
>> to
>> say:
>> -
>> I am big on the net. I would like to share tech. with locals in my
>> area.
>> broadcasting seems to be a very simple way of relaying information
>> across said county.  Ill need to patch in an AUX audio feed for
>> programing. do not want to register with the FCC. CB is what I need
>> from
>> what I know. What is a simple & recommended:
>>
>> 120v Or 220v base unit
>> 120v Or 220v Amp ( not afraid to push some power ) Antenna
>>
>> If there is another medium I should consider broadcasting over, please
>> let me know.
>>
>>
>>
>> Thanks, The Duck!-
>>
>> If you contact this number:  202-418-1160, and let them know what you
>> want to do,  I'm sure someone will be glad to help you.
>
> I See, Since I can find anyone who is not an asshole to answer a few
> simple questions, I will do the research my self.  thanks every one for
> no help @ all. Have fun loosing ground to cell towers and the internet.

If you're planning on performing illegal activity why would you expect
law-abiding people to help you?


From 6068287287898382212
X-Google-Thread: 108122,63d44a8c8abd1bf5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!193.201.147.84.MISMATCH!xlned.com!feeder1.xlned.com!
news.netcologne.de!newsfeed-fusi2.netcologne.de!news.mixmin.net!news.albasani.net!
```

not-for-mail
From: Roupert <albertjones@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What am I looking for?
Date: Sat, 11 Dec 2010 21:29:55 +0000 (UTC)
Organization: albasani.net
Lines: 23
Message-ID: <ie0qgj$dhf$1@news.albasani.net>
References: <MapleDuck.747c0ba@radiobanter.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
X-Trace: news.albasani.net PJYFLPhCb2gNxw1U2AL3DbQPJy6QPdxjU0vpn1xhuXfSFB/
CW3vUVdOo/WHBs+VHwxy3jTDHH3FmQJT3GGYuJg==
NNTP-Posting-Date: Sat, 11 Dec 2010 21:29:55 +0000 (UTC)
Cancel-Lock: sha1:AO20L/bX+I4DewsAVP2oxPdOaqU=
Injection-Info: news.albasani.net; logging-data="9m5cp+td4l8qZo8MO/
IdjZe39chUaJdmzw8olhLiEPfYK2BVZ9Q0l9aZYIqLru6mnu9+hwmfZOI49FhKT6qhuUtAs2cAdCEUvH3d
qQVRLmTcL5aFTWhOYCJDY+a3NHWc"; mail-complaints-to="abuse@albasani.net"
Xref: g2news2.google.com rec.radio.amateur.equipment:2604

On Fri, 10 Dec 2010 07:24:23 +0000, MapleDuck wrote:

> I am big on the net. I would like to share tech. with locals in my area.
> broadcasting seems to be a very simple way of relaying information
> across said county. Ill need to patch in an AUX audio feed for
> programing. do not want to register with the FCC. CB is what I need from
> what I know. What is a simple & recommended:
>
> 120v Or 220v base unit
> 120v Or 220v Amp (not afraid to push some power) Antenna
>
> If there is another medium I should consider broadcasting over, please
> let me know.
>
> Thanks, The Duck!

For about $25/hour, you can get onto shortwave and be heard all over the
world. Try WWCR at 100000 watts. They may be only $12/hour. Cult of
subgenius uses them. just don't say -fuck- all the time. http://
www.wwcr.com/buying-airtime.html

Or you can spend $$$$ for 100watts and have the FCC grab it a week later
when they raid your house ;)

From -5451578526093297286
X-Google-Thread: 108122,65ffae062cf59ba0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
news-1.dfn.de!news.dfn.de!news-zh.switch.ch!switch.ch!newsfeed01.chello.at!

newsfeed01.sul.t-online.de!t-online.de!feeder.erje.net!feeder2.ecngs.de!ecngs!
feeder.ecngs.de!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Dec 2010 17:08:43 -0600
From: Elmer Sharpe <Elmer.Sharpe.74c5df8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Vintage radio batteries available
Date: Mon, 13 Dec 2010 22:18:23 +0000
Message-ID: <Elmer.Sharpe.74c5df8@radiobanter.com>
Organization: RadioBanter.com
References: <Plotus.7496698@radiobanter.com>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-7WCDy+09mt7TS7QyPNC3gpMebal43kjYrijT1J27idhNZCZH1LbIZMJ0KytBx77L35hZ7GstbHRiIR
t!atgTyvJVIg9cLtgZexDp/OEjrkITTBYXA2jQF+SjDzsuMrOLR0NJbNdwlc7rzNWIjcWxlUM8gTCa!
sA36PqhdIsVw
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 2
X-Original-Bytes: 2090
Xref: g2news2.google.com rec.radio.amateur.equipment:2605

Plotus;725484 Wrote:
> I have the opportunity of getting an old radio that is of the battery
> operated type. My belief is that the battery used was a 90V/1.5V
> battery. Now in searches I'v found companies out of the UK. that have
> transformer/power sources that work in this range, additionally 'battery
> wraps' ie. paper prints to camoflage, oh.. say a Radio Shack battery, to
> look like a vintage battery, (actually a neat idea) , but, I'v still to
> locate any source of these type batteries of 'new' construction. I'm not
> as concerned about authenticity as just being able to power my radio.
> Ultimatly it will be an indoor radio rather than portable anyway, set up
> on my display shelving/table lined up and functioning with the rest of
> my collection. Any leads on the battery source or a method otherwise,
> would be apreciated.

My Chinese military receiver uses that same voltage. 90VDC & 1.5VDC The
D cells for the 1.5Fil and I used a stack of 10 rechargable NMHyDr 9V
batteries from Habor Frieght in series making 90VDC and its rechargable.
regards, Elmer

--
Elmer Sharpe

```
From -7435983789140199787
X-Google-Thread: 108122,65ffae062cf59ba0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
weretis.net!feeder4.news.weretis.net!eternal-september.org!feeder.eternal-
september.org!.POSTED!not-for-mail
From: highlandham <highlandham_nospam@rfburns.eu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Vintage radio batteries available
Date: Tue, 14 Dec 2010 12:19:02 +0000
Organization: A noiseless patient Spider
Lines: 24
Message-ID: <ie7nbo$anb$1@news.eternal-september.org>
References: <Plotus.7496698@radiobanter.com>
<Elmer.Sharpe.74c5df8@radiobanter.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Tue, 14 Dec 2010 12:19:04 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="fASjAmw2Pwny4kwthE4uSg";
     logging-data="10987"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/YjfucFK41ShmjyutZ4Dn5PI/0gXzQEZg="
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
Thunderbird/3.0.10
In-Reply-To: <Elmer.Sharpe.74c5df8@radiobanter.com>
Cancel-Lock: sha1:n0DNe8VJv7Na96ZXFwtf/5cm/M4=
Xref: g2news1.google.com rec.radio.amateur.equipment:2393
```

On 13/12/10 22:18, Elmer Sharpe wrote:

> Plotus;725484 Wrote:
>> I have the opportunity of getting an old radio that is of the battery
>> operated type. My belief is that the battery used was a 90V/1.5V
>> battery. Now in searches I'v found companies out of the UK. that have
>> transformer/power sources that work in this range, additionally 'battery
>> wraps' ie. paper prints to camoflage, oh.. say a Radio Shack battery, to
>> look like a vintage battery, (actually a neat idea) , but, I'v still to
>> locate any source of these type batteries of 'new' construction. I'm not
>> as concerned about authenticity as just being able to power my radio.
>> Ultimatly it will be an indoor radio rather than portable anyway, set up
>> on my display shelving/table lined up and functioning with the rest of
>> my collection. Any leads on the battery source or a method otherwise,
>> would be apreciated.
> My Chinese military receiver uses that same voltage. 90VDC& 1.5VDC The
> D cells for the 1.5Fil and I used a stack of 10 rechargable NMHyDr 9V
> batteries from Habor Frieght in series making 90VDC and its rechargable.
> regards, Elmer

===============================

If these 9v NiMH batteries are of the E-block type (also known as type
6LR61) their capacity is likely not in excess of 200mAh ,how long can
you run that radio on 1 charge ?

Frank   GM0CSZ / KN6WH

```
From 1997383979399793852
X-Google-Thread: 108122,7105518201a685d3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.wow.com!news.wow.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Dec 2010 14:14:25 -0600
From: D&L <helmsman@wowway.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-450-SAT to Ameritron ARB-704 to Ameritron AL811 Amplifier.
Date: Tue, 14 Dec 2010 15:14:22 -0500
Organization: wowway.com
Reply-To: helmsman@wowway.com
Message-ID: <adjfg61nrlv73vptk44tot4h53fpaerafe@4ax.com>
X-Newsreader: Forte Agent 1.8/32.548
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.14.22.25
X-Trace: sv3-UiHMsLMUc86AedWBQNmMGvPlBbUDz9X4v5lMUI3E/
xLzRCj821lr8U9qlWEnVfoVpkYBwDSH4Ph9Kji!aZkoCcKGeNZN8XGm0Udx0y4qH1p/AYluV0UqR4mG/
7/73fqwV+D5pDXd4VUegDjjHF7hoItXxzTg!o1/PN16YrWyoVw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1164
Xref: g2news2.google.com rec.radio.amateur.equipment:2608
```

Looked at the instructions and were wrong. Does anyone have this trio
hooked up and if so what is the correct hookup.

Thank You

```
From 6212702366326305299
X-Google-Thread: d7f5508063,b3c8cca931d79ac0,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e16g2000pri.googlegroups.com!not-for-
mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: KARO HOT MASTI PHOTOS&VIDEOS
Date: Tue, 14 Dec 2010 17:36:49 -0800 (PST)
```

```
Organization: http://groups.google.com
Lines: 35
Message-ID: <ae39ef3c-5987-4706-becd-2609e508ec6a@e16g2000pri.googlegroups.com>
NNTP-Posting-Host: 117.199.243.149
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1292377009 23619 127.0.0.1 (15 Dec 2010 01:36:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Dec 2010 01:36:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e16g2000pri.googlegroups.com; posting-host=117.199.243.149;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2609

                           priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html
                    BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
                    TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
                FOR HOT MASTI
          http://karomasti9.blogspot.com/
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
             HANSIKHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/search/label/HANSIKA
             HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
              BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
              NIKISHA HOT BOOBS
http://karomasti9.blogspot.com/search/label/nikisha
           PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
              ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
           SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
             CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra

http://karomasti9.blogspot.com/search/label/bipasa
http://karomasti9.blogspot.com/search/label/thrisha
http://karomasti9.blogspot.com/search/label/srisha
http://karomasti9.blogspot.com/search/label/poonam
```

```
From -439750167452655642
X-Google-Thread: d7f5508063,19a30158db49be55,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r40g2000prh.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT VIDEOS LETEST SEXY MOVIS
Date: Tue, 14 Dec 2010 23:37:41 -0800 (PST)
Organization: http://groups.google.com
Lines: 26
Message-ID: <290a0aba-bad3-40a3-a4bb-862bba81ddd3@r40g2000prh.googlegroups.com>
NNTP-Posting-Host: 117.199.247.166
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1292398662 19826 127.0.0.1 (15 Dec 2010 07:37:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Dec 2010 07:37:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r40g2000prh.googlegroups.com; posting-host=117.199.247.166;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2610
```

for hot videos
KISSING VIDEOS
http://videostou.blogspot.com/2010/11/kissing-videos.html
LIP KISS VIDEOS
http://videostou.blogspot.com/2010/11/lip-kiss-videos.html
ROMANCE VIDEOS
http://videostou.blogspot.com/2010/11/romance-videos.html
KATRINA KAIF HOT VIDEOS
http://videostou.blogspot.com/2010/11/katrina-kaif-hot-videos.html
REAL LIP KISS VIDEOS
http://videostou.blogspot.com/2010/11/real-lip-kiss-videos.html

HOT KISSING AND SEXY PHOTOS

http://tipsimages.blogspot.com/

ONLY ADULTS 18+ PEOPLS

http://a1apg.blogspot.com/

```
From -5359612072686000931
X-Google-Thread: d7f5508063,b16578ee02fa91dd
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!c13g2000prc.googlegroups.com!not-for-
mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Im New here, help with recording
Date: Thu, 16 Dec 2010 01:22:08 -0800 (PST)
Organization: http://groups.google.com
Lines: 37
Message-ID: <5e81cab8-4b7a-483c-9c85-c21965bfaa41@c13g2000prc.googlegroups.com>
References: <benjm1995.73fd7b8@radiobanter.com>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1292491328 24232 127.0.0.1 (16 Dec 2010 09:22:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Dec 2010 09:22:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c13g2000prc.googlegroups.com; posting-host=203.94.56.252; posting-
account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux x86_64; en-US; rv:1.9.2.8)
 Gecko/20100804 Gentoo Firefox/3.6.8,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2611
```

On Dec 4, 7:58=A0pm, benjm1995 <benjm1995.73fd...@radiobanter.com>
wrote:

> I was looking in going into amature radio broadcasting, I plan to order
> my mic, mixer and all other cables. I was just wondering how to go about
> recording my show? The laptop soundcard is not the greatest and I would
> like to know if there is any cheap hardware =A3100 or lower to record for
> a while into mp3 format?

Is this for online publication or for radio broadcast? As others have suggested, you'll want to check what's permitted in your locality. It's also worth pointing out that this newsgroup (yes, this is Usenet, that comes as a surprise to some) is generally related to discussions on radio experimentation. That said, microphones feature here too.

One thing I've found to be a real nuisance, particularly on some Toshiba laptops, is internal noise pickup. The onboard sound interface is notorious for picking up all kinds of interference from 50Hz humm from mains, through to PCI bus activity. A combination of USB audio, and earthing the laptop chassis seems to work however.

When broadcasting via RF, it's also important to watch for RF feedback into the transmitter's input. I've had this happen to me a couple of times. A low-pass filter is needed to reject the high-frequency signal being induced into the audio signal lines. Often, this is done using ferrite suppression sleeves over the audio leads.

It also is wise to ensure there is separation between the transmitter, and any receivers =97 I had a very interesting "ringing" effect by accidence once when I had my FT-290RII, sitting on top of a FT-897D tuned to the same frequency. The FT-897D was monitoring my uplink whilst I was broadcasting the WIA news service on the FT-290R II (I'm backup transmitter for the service on VK4RBN; 147.000MHz in Brisbane).

Despite the netbook being connected via an audio transformer straight into the microphone port on the FT-290, I could hear this ringing noise on the transmission. Turned the volume down on the FT-897D, and the ringing went away.

From -8909167265079240570
X-Google-Thread: 108122,62ee4211e4dcd050,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news-xfer.nntp.sonic.net!news.astraweb.com!border1.newsrouter.astraweb.com!not-for-mail
Subject: FS: ICOM ID-880H, D-Star, 2m/440, VHF/UHF Transceiver, Many Extras
Date: Sat, 18 Dec 2010 20:56:28 -0500
From: Ken <ken@kjsdfoiuwdf.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Message-ID: <181220102056281295%ken@kjsdfoiuwdf.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.5 (OS X)
Lines: 2
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 2b1bd0c4.news.astraweb.com
X-Trace: DXC=<dT16m2]`07YUQJRTa54B1L?
0kYOcDh@:Ub[a[2aC]3=0WDN7dFMi;8[`2jY88ceP:8<e2H2NR@]1mVClM9]LI_5VESPc`6YQh2N@;Pda5
a7?=
Xref: g2news2.google.com alt.ham-radio.marketplace:847
rec.radio.amateur.equipment:2612

http://www.eham.net/classifieds/detail/333108

From -4684139022443254069
X-Google-Thread: 108228,62ee4211e4dcd050
X-Google-NewGroupId: yes
X-Google-Thread: 108122,62ee4211e4dcd050

```
X-Google-NewGroupId: yes
X-Google-Attributes: gid4a39179302,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!eternal-
september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: david <none@nospam.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: Re: FS: ICOM ID-880H, D-Star, 2m/440, VHF/UHF Transceiver, Many
 Extras
Date: Sun, 19 Dec 2010 13:42:09 +0000 (UTC)
Organization: A noiseless patient Spider
Lines: 6
Message-ID: <iel23h$u2j$1@news.eternal-september.org>
References: <18122010205628l295%ken@kjsdfoiuwdf.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Injection-Date: Sun, 19 Dec 2010 13:42:09 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="j6YNSx4ZzkGtILp30gi9hg";
     logging-data="30803"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19C3tOywj1Yoc5l3JNUQvYc"
Cancel-Lock: sha1:+crYm9Ibdf6bYWLg8xSVllHU9J8=
Xref: g2news2.google.com alt.ham-radio.marketplace:848
rec.radio.amateur.equipment:2613

On Sat, 18 Dec 2010 20:56:28 -0500, Ken rearranged some electrons to say:

> http://www.eham.net/classifieds/detail/333108

Just curious as to why you're selling it.  I have the 880 and like it a
lot.


From -2891350873972639647
X-Google-Thread: 108228,62ee4211e4dcd050
X-Google-NewGroupId: yes
X-Google-Thread: 108122,62ee4211e4dcd050
X-Google-NewGroupId: yes
X-Google-Attributes: gid4a39179302,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-
xfer.nntp.sonic.net!news.astraweb.com!border2.newsrouter.astraweb.com!not-for-mail
Subject: Re: FS: ICOM ID-880H, D-Star, 2m/440, VHF/UHF Transceiver, Many Extras
Date: Sun, 19 Dec 2010 08:56:34 -0500
From: Ken <ken@kjsdfoiuwdf.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Message-ID: <19122010085634359З%ken@kjsdfoiuwdf.com>
References: <18122010205628l295%ken@kjsdfoiuwdf.com> <iel23h$u2j$1@news.eternal-
september.org>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.5 (OS X)
```

```
Lines: 18
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: e26d33cd.news.astraweb.com
X-Trace: DXC=Y\FWJn=75]J6;?e@]GfeBGL?
0kYOcDh@J_FAFF\Vf;UI=F@>lZn:30IUC2Bmn4SXhIUog9CaXXBcMg5Y?D5jSf5LO^]IY]
[8SLCUPjE\^OChAH
Xref: g2news2.google.com alt.ham-radio.marketplace:849
rec.radio.amateur.equipment:2614


No mystery. Actually, I love the 880H too. But, I already have two
other 2m/440 radios which I use all the time. I bought the 880 (and
accessories) to learn about and basically immerse myself in what D-Star
was all about. And, it's very cool indeed, but at the moment, I'd like
to sell that part of my ham radio life and use the funds to immerse
myself in another part of ham radio life. The wonder of ham radio,
always other avenues to explore.

In article <iel23h$u2j$1@news.eternal-september.org>, david
<none@nospam.com> wrote:

> On Sat, 18 Dec 2010 20:56:28 -0500, Ken rearranged some electrons to say:
>
> > http://www.eham.net/classifieds/detail/333108
>
> Just curious as to why you're selling it.  I have the 880 and like it a
> lot.


From 5609929244941900078
X-Google-Thread: 108122,73403d006539739f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c39g2000yqi.googlegroups.com!not-for-
mail
From: Carbon <steven.goldstein.ga@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Grundig YB400PE
Date: Sun, 19 Dec 2010 16:13:52 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <c035ed42-4ea0-401a-9e83-b405ebe53929@c39g2000yqi.googlegroups.com>
NNTP-Posting-Host: 66.32.238.46
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1292804032 31272 127.0.0.1 (20 Dec 2010 00:13:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Dec 2010 00:13:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c39g2000yqi.googlegroups.com; posting-host=66.32.238.46; posting-
account=e1wvjAkAAABLChg7XA0tJGVwi5OZPeo3
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2615

I have a Grundig YB400PE which has been working well for several
years.
Within the last week, the steps for MW tuning have changed from 10/1
(North America) to 9/1.
I don't remember changing anything to have made this happen.
I have tried to revert to standard settings for North America by using
the reset switch, but this has not changed the step setting.
Does anyone have a suggestion on how to get back the North American
step setting for the MW band?

Thanks



From 4113811782179174974
X-Google-Thread: 108122,73403d006539739f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Sun, 19 Dec 2010 16:59:35 -0800
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.24 (Windows/20100228)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Grundig YB400PE
References: <c035ed42-4ea0-401a-9e83-b405ebe53929@c39g2000yqi.googlegroups.com>
In-Reply-To: <c035ed42-4ea0-401a-9e83-b405ebe53929@c39g2000yqi.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <4d0eaa87$0$5496$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2616

Carbon wrote:
> I have a Grundig YB400PE which has been working well for several
> years.
> Within the last week, the steps for MW tuning have changed from 10/1
> (North America) to 9/1.
> I don't remember changing anything to have made this happen.
> I have tried to revert to standard settings for North America by using
> the reset switch, but this has not changed the step setting.
> Does anyone have a suggestion on how to get back the North American
> step setting for the MW band?
>
> Thanks
```

Look for a switch in the battery compartment.

```
From -3875671658745106962
X-Google-Thread: d7f5508063,62ee4211e4dcd050
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!feeder.news-
service.com!85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-
september.org!.POSTED!not-for-mail
From: david <none@nospam.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: Re: FS: ICOM ID-880H, D-Star, 2m/440, VHF/UHF Transceiver, Many
 Extras
Date: Mon, 20 Dec 2010 09:46:36 +0000 (UTC)
Organization: A noiseless patient Spider
Lines: 17
Message-ID: <ien8ls$i91$1@news.eternal-september.org>
References: <181220102056281295%ken@kjsdfoiuwdf.com>
     <iel23h$u2j$1@news.eternal-september.org>
     <191220100856343593%ken@kjsdfoiuwdf.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Injection-Date: Mon, 20 Dec 2010 09:46:36 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="j6YNSx4ZzkGtILp30gi9hg";
     logging-data="18721"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19xayNR2rvHR0IIlcfKCc1J"
Cancel-Lock: sha1:pZAk4Oa6Y/esHLcypLAN25Ti4BE=
Xref: g2news2.google.com alt.ham-radio.marketplace:850
rec.radio.amateur.equipment:2617
```

On Sun, 19 Dec 2010 08:56:34 -0500, Ken rearranged some electrons to say:

> No mystery. Actually, I love the 880H too. But, I already have two other
> 2m/440 radios which I use all the time. I bought the 880 (and
> accessories) to learn about and basically immerse myself in what D-Star
> was all about. And, it's very cool indeed, but at the moment, I'd like
> to sell that part of my ham radio life and use the funds to immerse
> myself in another part of ham radio life. The wonder of ham radio,
> always other avenues to explore.

I wasn't trying to be nosy. Good luck to you sir!

73,

d.

```
From 9195502256767939369
X-Google-Thread: 108122,73403d006539739f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Dec 2010 06:32:36 -0600
Date: Mon, 20 Dec 2010 07:32:34 -0500
From: Steven Goldstein <sgoldstn@ix.netcom.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13) Gecko/
20101207 Lightning/1.0b2 Thunderbird/3.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Grundig YB400PE
References: <c035ed42-4ea0-401a-9e83-b405ebe53929@c39g2000yqi.googlegroups.com>
<4d0eaa87$0$5496$bd467cd0@news.dslextreme.com>
In-Reply-To: <4d0eaa87$0$5496$bd467cd0@news.dslextreme.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 101220-0, 12/20/2010), Outbound message
X-Antivirus-Status: Clean
Message-ID: <MuadnbSujqp50ZLQnZ2dnUVZ_ridnZ2d@earthlink.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 66.32.238.46
X-Trace: sv3-NbDL/uK4iMC/
mukRFnVyEHlueWVDZ21lDCBP8MRX29NM79GWmtETI7RMX2d571IacPVHRcoXqU5zVAS!
JO76mrP8C3yX5W9JZ8X4RXHD30kpUnFe0/bWGhnckoL8MxhLB3UHLzqGStv9Fm/SEPQzrdLcmqOB!
rKpux1uM0x21UiGkK9Km3ewI+5xJyeWw
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2065
Xref: g2news1.google.com rec.radio.amateur.equipment:2404

On 12/19/2010 7:59 PM, dave wrote:
> Carbon wrote:
>> I have a Grundig YB400PE which has been working well for several
>> years.
>> Within the last week, the steps for MW tuning have changed from 10/1
>> (North America) to 9/1.
>> I don't remember changing anything to have made this happen.
>> I have tried to revert to standard settings for North America by using
>> the reset switch, but this has not changed the step setting.
>> Does anyone have a suggestion on how to get back the North American
>> step setting for the MW band?
>>
>> Thanks
>
> Look for a switch in the battery compartment.
```

Thanks for the suggestion, but there was no switch to be found even
after opening the case.

From -8253672191967069808
X-Google-Thread: 108122,73403d006539739f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Mon, 20 Dec 2010 06:32:41 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.16) Gecko/20101123
SeaMonkey/2.0.11
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Grundig YB400PE
References: <c035ed42-4ea0-401a-9e83-b405ebe53929@c39g2000yqi.googlegroups.com>
<4d0eaa87$0$5496$bd467cd0@news.dslextreme.com>
<MuadnbSujqp50ZLQnZ2dnUVZ_ridnZ2d@earthlink.com>
In-Reply-To: <MuadnbSujqp50ZLQnZ2dnUVZ_ridnZ2d@earthlink.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 22
Message-ID: <4d0f68db$0$25485$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2405

Steven Goldstein wrote:
> On 12/19/2010 7:59 PM, dave wrote:
>> Carbon wrote:
>>> I have a Grundig YB400PE which has been working well for several
>>> years.
>>> Within the last week, the steps for MW tuning have changed from 10/1
>>> (North America) to 9/1.
>>> I don't remember changing anything to have made this happen.
>>> I have tried to revert to standard settings for North America by using
>>> the reset switch, but this has not changed the step setting.
>>> Does anyone have a suggestion on how to get back the North American
>>> step setting for the MW band?
>>>
>>> Thanks
>>
>> Look for a switch in the battery compartment.
> Thanks for the suggestion, but there was no switch to be found even
> after opening the case.

There is a Power ON + sequence. Here's the manual for download:

http://www.dxer.ca/file-area/doc_details/9-the-grundig-yb400-users-manual

```
From 6779684184640011204
X-Google-Thread: 108122,73403d006539739f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "VK2KC Gmail" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Grundig YB400PE
Date: Tue, 21 Dec 2010 09:06:16 +1100
Organization: A noiseless patient Spider
Lines: 52
Message-ID: <ieok13$qk8$1@news.eternal-september.org>
References: <c035ed42-4ea0-401a-9e83-b405ebe53929@c39g2000yqi.googlegroups.com>
<4d0eaa87$0$5496$bd467cd0@news.dslextreme.com>
<MuadnbSujqp50ZLQnZ2dnUVZ_ridnZ2d@earthlink.com>
Injection-Date: Mon, 20 Dec 2010 22:06:27 +0000 (UTC)
Injection-Info: mx01.eternal-september.org; posting-host="kRCB2f0iLt1z8o7a/XI39Q";
     logging-data="27272"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+WTzGnxj8geTD3efBF5quiJQK7fxI5Jjg="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:ZF2yUzaucsS/ufVnPMkhsLkmCGk=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2620


"Steven Goldstein" <sgoldstn@ix.netcom.com> wrote in message
news:MuadnbSujqp50ZLQnZ2dnUVZ_ridnZ2d@earthlink.com...
> On 12/19/2010 7:59 PM, dave wrote:
>> Carbon wrote:
>>> I have a Grundig YB400PE which has been working well for several
>>> years.
>>> Within the last week, the steps for MW tuning have changed from 10/1
>>> (North America) to 9/1.
>>> I don't remember changing anything to have made this happen.
>>> I have tried to revert to standard settings for North America by using
>>> the reset switch, but this has not changed the step setting.
>>> Does anyone have a suggestion on how to get back the North American
>>> step setting for the MW band?
>>>
>>> Thanks
>>
>> Look for a switch in the battery compartment.
> Thanks for the suggestion, but there was no switch to be found even after
> opening the case.
>
```

IMPORTANT!

SET-UP FOR NORTH AMERICAN USE

North America's AM stations are exactly 10 kilohertz apart. At the factory, the radio is set up for the 9 kilohertz spacing of stations in Europe. To change this to the 190KHZ spacing:

1. With the radio OFF, press and release the AM button once.

2. Immediately press and release the STEP button. "10 KHz" now appears in the right side of the display and will disappear in a few seconds.

This change will be permanently in the radio's memory as long as batteries are not taken out for a period of ten minutes or more.

When travelling outside of the Americas, use the same procedure as above to set the spacing back to 9 kilohertz.

John

From 3396306671777585610
X-Google-Thread: d7f5508063,d18955bceea66538,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!newsfeed3.funet.fi!newsfeed2.funet.fi!newsfeeds.funet.fi!feeder1.news.elisa.fi!feeder.news-service.com!de-l.enfer-du-nord.net!feeder1.enfer-du-nord.net!border1.nntp.ams2.giganews.com!border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Dec 2010 17:08:23 -0600
From: KB0SFP <KB0SFP.7559878@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wntd Cubic,Codan,Hull,Transworld,SEA SGC,Military,Marine,HF/SSB etc.
Date: Mon, 20 Dec 2010 22:16:37 +0000
Message-ID: <KB0SFP.7559878@radiobanter.com>
Organization: RadioBanter.com
Lines: 74
X-Usenet-Provider: http://www.giganews.com

X-Trace: sv3-
ErHsldZ87FtpqcrSgWM7rCGZjz3kkwxRcvFnljpmBkQ1pdKjLK1yDgkCD8IF30e3MGEqcq+7kKTuUT/!
tLWq7pHS9HWMCwl7i1AWgx2c7mwvlhOeONo51xurqJdSTHtdQwvOrKxaLQbxn9g4P/reTn1l+nad!grxd
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 63
X-Original-Bytes: 3137
Xref: g2news2.google.com rec.radio.amateur.equipment:2621

MY WANT LIST(Dec. 19/2010)

MANUALS NEEDED FOR THE FOLLOWING:
Codan, 8332 HS/SSB hand held transceiver.

Cubic, Astro-R 150R, HF/SSB transceiver, 5 band, black rack mount
commercial
version of the 150?
Cubic, Astro-B 150B, HF/SSB transceiver, 6 band channelized version of
the
above.
Cubic, Astro-C 150C, HF/SSB transceiver, like 150R except not rack
mounted
Cubic, Astro-D 150D, HF/SSB transceiver, also known as the "Ambasador"
or
"Diplomat", 1.6-30mc.

HULL, 922 & other Hull models HF/SSB transceivers.

SEA 223, HF/SSB marine transceiver.
SEA 106, HF/SSB marine transceiver.

SGC, SG-705, HF/SSB transceiver.
SGC, SG-711, HF/SSB transceiver.
SGC, SG-712, HF/SSB transceiver.
SGC, SG-712EX11, HF/SSB transceiver.
SGC, Q Match antenna tuner.

Texas Instruments TI3000n HF/SSB transceiver.
Vector VR-50, HF/SSB portable transceiver, schematic, service manual.

PARTS, ACCESSORIES, OR COMPLETE RADIOS NEEDED:
SGC SG-705, SG-711, SG-712, SG-715, SG-1700, SG-2020. HF/SSB
transceivers.
Texas Instruments TI3000n HF/SSB transceiver.
Transworld TW100(all versions) accessories, complete & parts radios.
SEA 222, SEA 322, SEA 330, or similar.

OTHER ITEMS OF INTEREST INCLUDE:
Portable HF/SSB transceivers, Military, Codan, SGC, Spilsbury, Kachina,

Southcom, Stoner, Paracom etc.
Especially interested in finding Hand held HF/SSB transceivers such as:

10H/WP
2-30mc 2ch 15w hand-held ssb transceiver.
Marketed by International Telecom Systems, Foster City Ca.
Possibly made by CR Electronics(CR-10H/WP).
Has anybody ever seen one?

Mini-Mitter II 40mtr SSB hand held transceiver(possible other bands).
Made by American States Electronics ca1972.

N888 Northern Radio Company
Hand-Held 10w 2-9mcSSB. ca1978.

RT/PMC-12S, 1.6-30mc synthesized 20w SSB manpack transceiver.
Stoner Communications Rancho Cucanonga Ca.(now SGC)

Please respond direct:
spike dot dennis at yahoo dot com

Check out my QRZ page for items of possible interest.

Dennis Starks
Military-Radio-Guy
KB0SFP
Monitor(all USB):
3996, 5403.5, 7296, 14342.5, 18157.5

--
KB0SFP

From 998749730306262305
X-Google-Thread: 108122,73403d006539739f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!j25g2000yqa.googlegroups.com!not-for-mail
From: Carbon <steven.goldstein.ga@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Grundig YB400PE
Date: Mon, 20 Dec 2010 16:50:18 -0800 (PST)
Organization: http://groups.google.com
Lines: 57
Message-ID: <e8094c2e-477b-4720-a02e-e2767fc51247@j25g2000yqa.googlegroups.com>
References: <c035ed42-4ea0-401a-9e83-b405ebe53929@c39g2000yqi.googlegroups.com>
<4d0eaa87$0$5496$bd467cd0@news.dslextreme.com>
<MuadnbSujqp50ZLQnZ2dnUVZ_ridnZ2d@earthlink.com>

```
 <ieok13$qk8$1@news.eternal-september.org>
NNTP-Posting-Host: 66.32.238.46
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1292892618 11756 127.0.0.1 (21 Dec 2010 00:50:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Dec 2010 00:50:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j25g2000yqa.googlegroups.com; posting-host=66.32.238.46; posting-
account=e1wvjAkAAABLChg7XA0tJGVwi5OZPeo3
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2622

On Dec 20, 5:06=A0pm, "VK2KC Gmail" <vk2kcj...@gmail.com> wrote:
> "Steven Goldstein" <sgold...@ix.netcom.com> wrote in message
>
> news:MuadnbSujqp50ZLQnZ2dnUVZ_ridnZ2d@earthlink.com...
>
> > On 12/19/2010 7:59 PM, dave wrote:
> >> Carbon wrote:
> >>> I have a Grundig YB400PE which has been working well for several
> >>> years.
> >>> Within the last week, the steps for MW tuning have changed from 10/1
> >>> (North America) to 9/1.
> >>> I don't remember changing anything to have made this happen.
> >>> I have tried to revert to standard settings for North America by usin=
g
> >>> the reset switch, but this has not changed the step setting.
> >>> Does anyone have a suggestion on how to get back the North American
> >>> step setting for the MW band?
>
> >>> Thanks
>
> >> Look for a switch in the battery compartment.
> > Thanks for the suggestion, but there was no switch to be found even aft=
er
> > opening the case.
>
> IMPORTANT!
>
> SET-UP FOR NORTH AMERICAN USE
>
> North America's AM stations are exactly 10 kilohertz apart. At
>
> the factory, the radio is set up for the 9 kilohertz spacing of
>
> stations in Europe. To change this to the 190KHZ spacing:
>
> 1. With the radio OFF, press and release the AM button
>
```

```
> once.
>
> 2. Immediately press and release the STEP button. "10
>
> KHz" now appears in the right side of the display and will
>
> disappear in a few seconds.
>
> This change will be permanently in the radio's memory as long as
>
> batteries are not taken out for a period of ten minutes or more.
>
> When travelling outside of the Americas, use the same procedure
>
> as above to set the spacing back to 9 kilohertz.
>
> John

Thanks for the help.  Sequence worked as stated and the step size for
MW is 10 again.


From 7529380580931411524
X-Google-Thread: 108122,ab9a0a422269ab90,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,ab9a0a422269ab90,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j32g2000prh.googlegroups.com!not-for-
mail
From: world-trade <jia.zhao12@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: free shipping paypal wholesale all shoes (ugg boots timberland
 boots,munich shoes,nike,adidas,lv.gucci,chanel,prada,polo,d&g,dior,and so on
 ) http://www.24hour-buy.com/
Date: Mon, 20 Dec 2010 23:09:58 -0800 (PST)
Organization: http://groups.google.com
Lines: 70
Message-ID: <91fa996a-4440-4c38-ab13-a25a55bba8c3@j32g2000prh.googlegroups.com>
NNTP-Posting-Host: 65.49.2.172
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1292915398 19898 127.0.0.1 (21 Dec 2010 07:09:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Dec 2010 07:09:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j32g2000prh.googlegroups.com; posting-host=65.49.2.172; posting-
account=3Y2QegoAAADZclERye2OYnYjsmB53az3
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
GTB6.6),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2623 rec.food.equipment:4703
```

Cheap Wholesale UGG boot <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale Timberland Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale Gucci Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale GUCCI Boots
Cheap Wholesale Lacoste Shoes
Cheap Wholesale LV Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale LV Boots
Cheap Wholesale Prada Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale Timberland Shoes
Cheap Wholesale D&G Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale D&G Boots
Cheap Wholesale Puma Shoes
Cheap Wholesale Puma AAA <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale UGG Boots Shoes
Cheap Wholesale Bikkem Bergs Shoes (free shipping)
Cheap Wholesale Mauri Shoes Man
Cheap Wholesale Versace Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale Versace Boots
Cheap Wholesale Paul Smith Shoes (free shipping)
Cheap Wholesale BOSS Shoes
Cheap Wholesale Burberry Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale Dsquared shoes
Cheap Wholesale Dior Shoes (free shipping)
Cheap Wholesale Dior Boots
Cheap Wholesale ED Hardy Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale ED Hardy Boots
Cheap Wholesale ED Hardy Shoes Man <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale Fendi Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale Fendi Boots
Cheap Wholesale AFF Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale Evisu Shoes (free shipping)
Cheap Wholesale 4US Shoes
Cheap Wholesale Sebago Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)
Cheap Wholesale Supra Shoes
Cheap Wholesale Hight Converse Shoes <free shipping paypal payment>
(http://www.24hour-buy.com/)

```
Cheap Wholesale Coach Boots
Cheap Wholesale Coach Shoes
Women Christian Louboutin           <free shipping paypal payment>
(http://www.24hour-buy.com/  )
Cheap Wholesale Chanel Shoes
Cheap Wholesale Chanel Boots        (free shipping)
Cheap Wholesale Bape Shoes
Cheap Wholesale Adidas Shoes        <free shipping paypal payment>
(http://www.24hour-buy.com/  )
Cheap Wholesale Adicolor            (free shipping)
Cheap Wholesale Adidas 35TH         <free shipping paypal payment>
(http://www.24hour-buy.com/  )
Cheap Wholesale Adidas NBA
Cheap Wholesale Adidas Running      <free shipping paypal payment>
(http://www.24hour-buy.com/  )
Cheap Wholesale Adidas Y3
Cheap Wholesale Soccer Shoes        <free shipping paypal payment>
(http://www.24hour-buy.com/  )


From 547976571997777221
X-Google-Thread: 108122,f249a8ece498c224,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
35g2000prb.googlegroups.com!not-for-mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: XXX  HOT PHOTOS&VIDEOS
Date: Tue, 21 Dec 2010 06:12:26 -0800 (PST)
Organization: http://groups.google.com
Lines: 36
Message-ID: <6a0ba9a4-2abb-4cb3-a484-c26433b724de@35g2000prb.googlegroups.com>
NNTP-Posting-Host: 117.199.251.166
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1292940746 32418 127.0.0.1 (21 Dec 2010 14:12:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Dec 2010 14:12:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000prb.googlegroups.com; posting-host=117.199.251.166;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2410

                           priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
```

```
http://karomasti9.blogspot.com/2010/12/anuska.html
                    BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
                    TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
             HANSIKHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/search/label/HANSIKA
             HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
              BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
              NIKISHA HOT BOOBS
http://karomasti9.blogspot.com/search/label/nikisha
           PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
              ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
           SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
             CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra
              HOT BIPASA BASU PHOTOS
http://karomasti9.blogspot.com/search/label/bipasa
              TRISHA IN A SEXY FEEL
http://karomasti9.blogspot.com/search/label/thrisha
           SRISHA HOT BOOBS SHOW
http://karomasti9.blogspot.com/search/label/srisha
           BEAUTIFUL POONAM PHOTOS
http://karomasti9.blogspot.com/search/label/poonam


From -8375486597228524336
X-Google-Thread: 108122,afb8afc24d4962af,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
news-2.dfn.de!news.dfn.de!news.stw-bonn.de!news.uni-stuttgart.de!news.belwue.de!
news-zh.switch.ch!kanaga.switch.ch!switch.ch!newsfeed2.funet.fi!
newsfeeds.funet.fi!feeder1.news.elisa.fi!feeder.news-service.com!ecngs!
feeder.ecngs.de!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Dec 2010 23:08:22 -0600
From: Grandpooba <Grandpooba.75b32d8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Manual programming of the Wouxun kg-uvd1p, Handy Talkies (HT's)
Date: Sat, 25 Dec 2010 00:26:04 +0000
Message-ID: <Grandpooba.75b32d8@radiobanter.com>
Organization: RadioBanter.com
Lines: 89
```

X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
kcxHRCpgvbipJTCvpm8Y5tXifv8VfJ5VamDtS7HGuGeTqaOC76dDCiWHHBqk7mHYSkT29b6dtDBiDtJ!
RDUJrFRyrKvLR8RyKIav8hK5vQ9j0ASnS67N8/HLs7bDIkYUG9AcUYgPYEK0z7vgE5BhPrfm2uf5!
PEJQCChwMQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 31
X-Original-Bytes: 5461
Xref: g2news2.google.com rec.radio.amateur.equipment:2625

Manual programming of the Wouxun Handy Talkies (HT's) can be confusing. This is a simplified procedure to manually program the HT. This is for the models in the kg-uv(XXX) family,

Overview;
To program the Wouxun HT you must understand that you must program the numerical information (the Channel - Frequency - Freq. Offset & direction - tones) in the Menu 21 "Frequency" mode and then save it, you then change the mode of menu 21 to "name" mode and then enter the (Repeater's Name) and save it.
Notes: when you are programming the HT in menu modes you have approximately a 4 second time window to make a change, if change is not made in that time window, the HT times out and you will have to re-do the entry, usually by pushing the red "menu" button twice takes you back to where you timed out. You may also use the Frequency knob nearest to the antenna, in place of the arrow up/down to change the parameters once in the programming mode.
Procedure;
First thing is to have the programming data avaiable. I would suggest make a programming sheet that has the following programming data.
1. Frequency in 6 digits (XXX.XXX)
2. PL / CTCSS Tone frequencies (if used)
3. Repeater frequency offset and direction (if used).
4. Name of the programmed frequency in 6 characters or less (repeater name etc.)
5. Assignment of the the Wouxun memory position number for the display.
Power on the HT and press the green "TDR" button. Press the red "Menu" button and then the 1 (menu 1), then the red "Menu" button again, using the arrow up/down until �STEP" "5.00" is indicated on display, then press red "menu" button to save it.

Menu 21 (frequency mode) Press the red "Menu" button and then the 2 and 1 (menu 21), then the red "Menu" button, press the arrow up/down until "FREQ" is indicated on display, then press red "menu" button to save it and then the "Exit" button (you should have a upper display with a frequency number on it (XXX.XXX). Using the HT's key pad input the desired "repeaters" frequency using all six digits (XXX.XXX) and verify on the display.

Menu 16 (PL Tone mode) Press the red "Menu" button and then the 1 and 6 (menu 16), then the red "Menu" button, using the arrow up or down buttons until "the desired tone freq" is indicated on display, then press red "menu" button to save it.
If you are using CTSS, tone encoded squelch, repeat the tone mode above, using menu 15 in place of menu 16.

Menu 24 (Frequency offset DIRECTION) Press the red "Menu" button and then the 2 and 4 (menu 24), then the red "Menu" button, using the HTs key pad to enter the repeaters frequency offset direction "SHF-D"(+ / - / off), then press red "menu" button to save. The display should now display the offset direction.

Menu 23 (Frequency offset) Press the red "Menu" button and then the 2 and 3 (menu 23), then the red "Menu" button, using the key pad enter the repeaters frequency offset, then press red "menu" button. The display should now display the offset frequency (XX.XXX).

Menu 27 (Saving (MEM-CH)) This saves your entered data, Press the red "Menu" button and then the 2 and 7 (menu 27), press the red "menu" button, then using the UP/Down arrow buttons select the memory number you would like to save the data in, and once selected push the red "menu" button to save. NOTE: If the numbered memory location is used the "CH-"XX is displayed and if you push the red "menu" button you will over write that channel. If there is only the memory number displayed (NOT the "CH-"), that memory location is unused and available for storage.

Menu 21 (NAME mode) Press the red "Menu" button and then the 2 and 1 (menu 21), then the red "Menu" button, press the arrow up or down until "NAME" is indicated on display, then press red "menu" button. After 5 seconds, the display should now display a six digit name (CH-XXX).

Menu 26 (Channel Name) Press the red "Menu" button and then the 2 and 6 (menu 26), then the red "Menu" button, for this function you use the channel/frequency KNOB, nearest the HTs antenna. When the knob is rotated clockwise (CW) the digits advance (A-Z and 0-9) and then repeat, then you rotate the knob counter clockwise (CCW) the "space" advances. If you over advance, it will wrap around. Once you have the name spelled out, you must quickly save it (4 second time out) or you will loose it.

The above is for repeater setup, for simplex operation the menu 24, 16 & 15 ="OFF", Menu 23 = "00.000".

Grandpooba

--
Grandpooba

```
From 1574857088120984678
X-Google-Thread: 108228,74442cf3b2df67a,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,74442cf3b2df67a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid4a39179302,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-xfer.nntp.sonic.net!
news.astraweb.com!border1.newsrouter.astraweb.com!not-for-mail
Subject: FS: Kenwood RC-D710 Control Panel (APRS Replacement head for TM-V71)
Date: Sat, 25 Dec 2010 10:26:36 -0500
From: Ken <ken@kjsdfoiuwdf.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Message-ID: <2512201010263689863%ken@kjsdfoiuwdf.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.5 (OS X)
Lines: 22
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: f768250e.news.astraweb.com
X-Trace: DXC=^X?k5lBjPG2hZ4>`7BGPo4L?
0kYOcDh@:f@c[>UZJT^7K2QE_oLHA[3]3aCIUM\hN8:D__CBWYgb7c]d`X3]^oh5?
mSh0>:1G\;K:d]f[7;@J<
Xref: g2news2.google.com alt.ham-radio.marketplace:852
rec.radio.amateur.equipment:2626
```

KENWOOD RC-D710 Control Panel. This is the special APRS-aware head replacement for Kenwood's TM-V71 VHF/UHF Dual-band Transceiver. I bought this new replacement head brand new in late August 2010 at the Boxboro Ham Fest in Massachusetts from HRO. The unit is just like brand new, perfect condition, used in the shack only, never mobile...the box (original box) includes everything: the replacement front panel itself, mounting brackets, hardware, cables, manual, still unfilled-out warranty, CDROM, etc. I'm also including the Kenwood TM-D710A/E Nifty! Mini-Manual ($19.95), an absolutely superb reference (with this you'll never refer to Kenwood's own docs!) If you want to learn about APRS and have a TM-V71, you're all set. You can see what's going on in the APRS world right on the front panel itself. A very cool product. Will sell the whole package including everything listed here for $295...and I'll pay insured Priority Mail shipping to the USA (lower 48 only.)
$295 for control panel, nifty manual and free shipping

Here's the link to my eHam ad...

http://www.eham.net/classifieds/detail/333681

```
From -2869401866424974363
X-Google-Thread: 108122,74442cf3b2df67a
```

```
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!usenet-
fr.net!de-l.enfer-du-nord.net!feeder2.enfer-du-nord.net!eternal-september.org!
feeder.eternal-september.org!.POSTED!not-for-mail
From: Alan WA4SCA <WA4SCA@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Kenwood RC-D710 Control Panel (APRS Replacement head for TM-V71)
Date: Sat, 25 Dec 2010 14:20:24 -0600
Organization: AMSAT-NA
Lines: 10
Message-ID: <8bkch6te55sdo6p3g3t29ipms7op581g72@4ax.com>
References: <251220101026368986%ken@kjsdfoiuwdf.com>
Reply-To: ALANBIDDLE70@YAHOO.COM
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Injection-Info: mx02.eternal-september.org; posting-host="K1i/zVGkXyW85CnQ0pVSxQ";
	logging-data="21252"; mail-complaints-to="abuse@eternal-september.org";
	posting-account="U2FsdGVkX18YI68eZlOPbqMjlCKJf9EVGUJjT0sUmPI="
X-Newsreader: Forte Agent 6.00/32.1186
Cancel-Lock: sha1:uKRS7pw/aQvbTf+MiI7Ub5Re6ws=
Xref: g2news2.google.com rec.radio.amateur.equipment:2627

Or, you can go to HRO and get one brand new for $150:

 http://hamradio.com/detail.cfm?pid=H0-009227

No connection, just an FYI ported from the APRS reflector.


--
Alan
WA4SCA


From -7136764097940453107
X-Google-Thread: 108122,74442cf3b2df67a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.astraweb.com!
border1.newsrouter.astraweb.com!not-for-mail
Subject: Re: FS: Kenwood RC-D710 Control Panel (APRS Replacement head for TM-V71)
Date: Sun, 26 Dec 2010 07:37:39 -0500
From: Ken <ken@kjsdfoiuwdf.com>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <261220100737395217%ken@kjsdfoiuwdf.com>
References: <251220101026368986%ken@kjsdfoiuwdf.com>
<8bkch6te55sdo6p3g3t29ipms7op581g72@4ax.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
```

```
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.5 (OS X)
Lines: 16
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: c49edb16.news.astraweb.com
X-Trace: DXC=W4ofmWJl3RTW]I=Ra]NaiPL?0kYOcDh@Z]S6_k?
OKXK_1QR4S6CiX5YJA>58nC`28QUog9CaXXBc]g5Y?D5jSf5\O^]IY][8SLSD`3^?[7`B2]
Xref: g2news2.google.com rec.radio.amateur.equipment:2628


Yeah, that was a helluva sale. My item is no longer available.

In article <8bkch6te55sdo6p3g3t29ipms7op581g72@4ax.com>, Alan WA4SCA
<WA4SCA@YAHOO.COM> wrote:

> Or, you can go to HRO and get one brand new for $150:
>
>  http://hamradio.com/detail.cfm?pid=H0-009227
>
> No connection, just an FYI ported from the APRS reflector.
>
>
> --
> Alan
> WA4SCA



From 674550424319196128
X-Google-Thread: 108122,e52a9f1439445f1f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
news.nobody.at!news.mb-net.net!open-news-network.org!weretis.net!
feeder4.news.weretis.net!texta.sil.at!newsfeed.utanet.at!newsfeed01.chello.at!
newsfeed.arcor.de!feeder.news-service.com!ecngs!feeder.ecngs.de!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Dec 2010 17:08:16 -0600
From: Und3rthri11 <Und3rthri11.75ed2f8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: F/S Motorola MSR 2000 -CHEAP- Need info
Date: Mon, 27 Dec 2010 22:48:06 +0000
Message-ID: <Und3rthri11.75ed2f8@radiobanter.com>
Organization: RadioBanter.com
Lines: 26
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-V8oxU4aeVOBQX8gx5IzUH6xwCE+G1NAUvfo2XjUqu8f5vC3yhjU/
ANEWOiY9bTkz+l2MHsOYErcSyUI!0Cb3P7GE9X/
+D+j0QTC1XukhYa2ykzKFvSf31pfzXRbk6ZoFWHBXdxa6rtJRt1lrJGsm5xMBV9cR!UEgsfu/AvZE=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 13
X-Original-Bytes: 1668
Xref: g2news2.google.com rec.radio.amateur.equipment:2629

I have recently come across a Motorola MSR 2000 Repeater in an old warehouse that I purchased. I have no intentions on using this unit, nor do I know anything about it. It seems to be complete and was attached to a ton of other "radio" equipment when I found it. Almost 100% positive that it works.

The power supply reads 250w, but not exactly sure what it means as far as how it works or where it can be used.

If you have any information you can provide me, it would be very helpful.

Not sure what this thing is worth. Offer me something reasonable and you can be the happy new owner.

Thanks, Kyle

[image: http://i54.tinypic.com/15qstfk.jpg]

[image: http://i56.tinypic.com/2iw1wut.jpg]

--
Und3rthri11

From -1779739742735867129
X-Google-Thread: 108122,58f73f9ea4221714,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e16g2000pri.googlegroups.com!not-for-mail
From: Sheila maria <sheilasmaria@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HD Family Club -- download HD DVD Movies with rapidshare, megaupload, torrent link ... 100% free
Date: Mon, 27 Dec 2010 19:39:11 -0800 (PST)
Organization: http://groups.google.com
Lines: 63
Message-ID: <6e72145e-df29-4c9e-a927-6743244f28ae@e16g2000pri.googlegroups.com>
NNTP-Posting-Host: 118.68.224.9
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1293507552 4086 127.0.0.1 (28 Dec 2010 03:39:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Dec 2010 03:39:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e16g2000pri.googlegroups.com; posting-host=118.68.224.9; posting-
account=qoOmOgoAAABO5EQ4V9m97FSL70UIp0Yn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2630
```

HD Family Club -- download HD DVD Movies with rapidshare, megaupload, torrent link ... 100% free

....

Planet Earth (TV Series 2006) Complete - HD Download, rapidshare link, torrent link
http://hd-family.blogspot.com/2010/12/planet-earth-tv-series-2006-complete-hd.html

Faster 2010! The Hot Movie of 2010!!! HD Download, rapidshare link, torrent link
http://hd-family.blogspot.com/2010/12/faster-2010-hot-movie-of-2010.html

Michel Vaillant (2003) HD Download, rapidshare link, torrent link
http://hd-family.blogspot.com/2010/09/michel-vaillant-2003.html

The Expendables (2010), hot movie!!! HD Download, rapidshare link, torrent link
Sylvester Stallone, Jason Statham, Jet Li, Dolph Lundgren....

http://hd-family.blogspot.com/2010/09/expendables-2010.html

Redline (2007) RAPIDSHARE LINK; torrent, megaupload, ... Download now!
http://hd-family.blogspot.com/2010/09/redline-2007.html

The top ten of Western cowboy series ......
http://hd-family.blogspot.com/2010/09/fistful-of-dollars-1964.html

----
Michel Vaillant (2003) RAPIDSHARE LINK Download now!
http://hd-family.blogspot.com/2010/09/michel-vaillant-2003.html

Downloadd Transformers 2009 NOW with RAPIDSHARE LINK:
http://hd-family.blogspot.com/2009/08/transformers-2-revenge-of-fallen-2009.html

21.twenty.one.2008.m-HD.x264 - RAPIDSHARE LINK
http://hd-family.blogspot.com/2009/08/21twentyone2008m-hdx264-rapidshare.html

Transformers 2 Revenge of The Fallen (hot of 2009)
http://hd-family.blogspot.com/2009/06/transformers-revenge-of-fallen.html

More and more here:
Home page: http://hd-family.blogspot.com/

```
From -3497290243043872480
X-Google-Thread: 108122,16c1e3b555cef302,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y19g2000prb.googlegroups.com!not-for-
mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: EXTORADINARY HOT PHOTOS
Date: Mon, 27 Dec 2010 20:54:21 -0800 (PST)
Organization: http://groups.google.com
Lines: 40
Message-ID: <b5afcded-d490-4079-8828-3371f29ebb21@y19g2000prb.googlegroups.com>
NNTP-Posting-Host: 117.199.244.109
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1293512062 12084 127.0.0.1 (28 Dec 2010 04:54:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Dec 2010 04:54:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y19g2000prb.googlegroups.com; posting-host=117.199.244.109;
posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2631
```

SEXY DIYA MIRZA

```
   http://karomasti9.blogspot.com/2010/12/diya-mirza.html
                        HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html
                    BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
                    TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
             HANSIKHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/search/label/HANSIKA
             HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
              BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
              NIKISHA HOT BOOBS
http://karomasti9.blogspot.com/search/label/nikisha
           PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
              ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
           SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
             CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra
              HOT BIPASA BASU PHOTOS
http://karomasti9.blogspot.com/search/label/bipasa
              TRISHA IN A SEXY FEEL
http://karomasti9.blogspot.com/search/label/thrisha
           SRISHA HOT BOOBS SHOW
http://karomasti9.blogspot.com/search/label/srisha
           BEAUTIFUL POONAM PHOTOS
http://karomasti9.blogspot.com/search/label/poonam


From 1512340948135761833
X-Google-Thread: 108122,f91b9edae9372857,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000prb.googlegroups.com!not-for-
mail
From: SAMARA <jaidatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: REAL HOT SEX PHOTOS&VIDEOS
Date: Wed, 29 Dec 2010 22:51:35 -0800 (PST)
Organization: http://groups.google.com
```

```
Lines: 40
Message-ID: <10355044-aefe-472f-93b3-acd633f4bc8c@35g2000prb.googlegroups.com>
NNTP-Posting-Host: 117.199.251.194
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1293691895 12619 127.0.0.1 (30 Dec 2010 06:51:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Dec 2010 06:51:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000prb.googlegroups.com; posting-host=117.199.251.194;
posting-account=H2cE2goAAADmgZWSN8Y7bNgjlp4HPAaf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2633

                        SEXY DIYA MIRZA
   http://karomasti9.blogspot.com/2010/12/diya-mirza.html
                        HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html
                    BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
                    TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
             HANSIKHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/search/label/HANSIKA
             HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
              BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
              NIKISHA HOT BOOBS
http://karomasti9.blogspot.com/search/label/nikisha
           PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
              ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
           SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
             CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra
              HOT BIPASA BASU PHOTOS
http://karomasti9.blogspot.com/search/label/bipasa
              TRISHA IN A SEXY FEEL
http://karomasti9.blogspot.com/search/label/thrisha
           SRISHA HOT BOOBS SHOW
```

```
http://karomasti9.blogspot.com/search/label/srisha
           BEAUTIFUL POONAM PHOTOS
http://karomasti9.blogspot.com/search/label/poonam



From 1864295730353397642
X-Google-Thread: 1077d8,bc5ccdfb149ca6aa,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,bc5ccdfb149ca6aa,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid16c4b10b5d,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l8g2000yqh.googlegroups.com!not-for-
mail
From: cntrade08 <chenxiangmei89@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: paypal payment wholesale all brand shoes( http://www.cntrade09.com/)
(NIKE,ADIDAS,LV,GUCCI,CHANEL,PRADA,POL...
Date: Thu, 30 Dec 2010 05:37:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 16
Message-ID: <df4cad53-8b70-45df-83b0-ed3fa7ac677a@l8g2000yqh.googlegroups.com>
NNTP-Posting-Host: 85.105.210.101
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1293716242 16729 127.0.0.1 (30 Dec 2010 13:37:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Dec 2010 13:37:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l8g2000yqh.googlegroups.com; posting-host=85.105.210.101; posting-
account=M3IQHgoAAAAF_xk50V4B_lNM_WdzApuX
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
 CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.pets.dogs.health:11183
rec.radio.amateur.equipment:2634

paypal payment wholesale all brand shoes(
http://www.cntrade09.com/) (NIKE,ADIDAS,LV,GUCCI,CHANEL,PRADA,POL...
BOOTS,D&G,DIOR )and so on.
paypal payment wholesale all brand clothing(
http://www.cntrade09.com .com/)(T-
SHIRT,JEANS,JERSEY,HOODIES,JACKETS,...
)and so on .
( http://www.cntrade09.com .com/)
paypal payment all brand
watch(ROLEX,OMEGA,CHANEL,LV,CARTIER,IWC,GUCCI,RADO )and so on.
paypal payment all brand
handbag(LV,GUCCI,CHANEL,PRADA,POLO,COACH,FENDI,CHLOE,BUBERRY,JUICY)
and so on.
paypal payment brand CAP,SHAWL,BELT,WALLET,UNDER WEAR)and so on.

More detail land,address:  ( http://www.cntrade09.com/)
```

```
From 1177007232142734106
X-Google-Thread: 108122,d2e252304c5ea03f,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,d2e252304c5ea03f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,d2e252304c5ea03f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,d2e252304c5ea03f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,d2e252304c5ea03f,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gida3e752f117,gide721ae2bf6,gid8f86f75953,gida4a23d5f63,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1291186801@panix.com>
Followup-To: poster
Date: 1 Jan 2011 02:00:01 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Feb 2011 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1293865200@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1293865202 23161 166.84.1.2 (1 Jan 2011 07:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 1 Jan 2011 07:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:21895 rec.radio.amateur.dx:881
rec.radio.amateur.equipment:2635 rec.radio.amateur.homebrew:4339
rec.radio.amateur.misc:5969 rec.radio.amateur.policy:32418
rec.radio.amateur.space:452 rec.radio.info:2074

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html
```

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 182994068925487149
X-Google-Thread: 108122,e52a9f1439445f1f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!h17g2000pre.googlegroups.com!not-for-mail
From: Richard Miller <ki6uov@gmail.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: F/S Motorola MSR 2000 -CHEAP- Need info
Date: Sat, 1 Jan 2011 09:39:20 -0800 (PST)
Organization: http://groups.google.com
Lines: 31
Message-ID: <cad2bf10-18fb-4047-aa10-35b11837987b@h17g2000pre.googlegroups.com>
References: <Und3rthri11.75ed2f8@radiobanter.com>
NNTP-Posting-Host: 64.55.111.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1293903560 32637 127.0.0.1 (1 Jan 2011 17:39:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 1 Jan 2011 17:39:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h17g2000pre.googlegroups.com; posting-host=64.55.111.22; posting-account=HYTYWAoAAADn12SYMzYScs440msHxmTt
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.0;
 Trident/4.0; Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; SLCC1;
 .NET CLR 2.0.50727; Media Center PC 5.0; InfoPath.1; .NET CLR 3.5.30729;
AskTbFWV5/5.9.1.14019),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2636

On Dec 27 2010, 2:48=A0pm, Und3rthri11
<Und3rthri11.75ed...@radiobanter.com> wrote:
> I have recently come across a Motorola MSR 2000 Repeater in an old
> warehouse that I purchased. I have no intentions on using this unit, nor
> do I know anything about it. It seems to be complete and was attached to
> a ton of other "radio" equipment when I found it. Almost 100% positive
> that it works.
>
> The power supply reads 250w, but not exactly sure what it means as far
> as how it works or where it can be used.
>
> If you have any information you can provide me, it would be very
> helpful.
>
> Not sure what this thing is worth. Offer me something reasonable and you
> can be the happy new owner.
>
> Thanks, Kyle
>
> [image:http://i54.tinypic.com/15qstfk.jpg]
>
> [image:http://i56.tinypic.com/2iw1wut.jpg]
>
> --
> Und3rthri11

Do you know the frequency?
Shipping from where?

Richard, ki6uov
Colfax,ca

```
From 4606078254707116359
X-Google-Thread: 108122,63d44a8c8abd1bf5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "Ron Hinds" <no_one@dont_spam_me.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What am I looking for?
Date: Sat, 1 Jan 2011 14:48:26 -0800
Organization: A noiseless patient Spider
Lines: 27
Message-ID: <ifoavv$gac$1@news.eternal-september.org>
References: <MapleDuck.747c0ba@radiobanter.com>
Injection-Date: Sat, 1 Jan 2011 22:48:32 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="Nv11OZiYE53n6VKjz/p/XQ";
     logging-data="16716"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX181dD4vaPr09jjRh/w5/wUabenOC2zX4Ao="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:iPiW6S4XDV8bRYjiAKMDqRGyHtY=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2637
```

"MapleDuck" <MapleDuck.747c0ba@radiobanter.com> wrote in message
news:MapleDuck.747c0ba@radiobanter.com...

>
> I am big on the net. I would like to share tech. with locals in my area.
> broadcasting seems to be a very simple way of relaying information
> across said county. Ill need to patch in an AUX audio feed for
> programing. do not want to register with the FCC. CB is what I need from
> what I know. What is a simple & recommended:
>
> 120v Or 220v base unit
> 120v Or 220v Amp (not afraid to push some power)
> Antenna
>
> If there is another medium I should consider broadcasting over, please
> let me know.
>
> Thanks, The Duck!
>
>
>
>

```
> --
> MapleDuck

A hefty fine and a possible jail sentence!




From 7425826004902316495
X-Google-Thread: 108122,d783ad455d7053f5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c17g2000prm.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MESMARISING VIDEOS&HOT PHOTOS
Date: Mon, 3 Jan 2011 06:52:15 -0800 (PST)
Organization: http://groups.google.com
Lines: 40
Message-ID: <bbe1e0a8-139b-43b9-b9cf-b00ac9552ff4@c17g2000prm.googlegroups.com>
NNTP-Posting-Host: 117.199.243.88
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1294066420 26169 127.0.0.1 (3 Jan 2011 14:53:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 3 Jan 2011 14:53:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c17g2000prm.googlegroups.com; posting-host=117.199.243.88;
posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2638

                        SEXY DIYA MIRZA
   http://karomasti9.blogspot.com/2010/12/diya-mirza.html
                        HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html
                    BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
                    TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
             HANSIKHA HOT SEXY PHOTOS
```

```
http://karomasti9.blogspot.com/search/label/HANSIKA
             HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
              BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
              NIKISHA HOT BOOBS
http://karomasti9.blogspot.com/search/label/nikisha
           PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
              ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
           SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
             CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra
              HOT BIPASA BASU PHOTOS
http://karomasti9.blogspot.com/search/label/bipasa
              TRISHA IN A SEXY FEEL
http://karomasti9.blogspot.com/search/label/thrisha
           SRISHA HOT BOOBS SHOW
http://karomasti9.blogspot.com/search/label/srisha
           BEAUTIFUL POONAM PHOTOS
http://karomasti9.blogspot.com/search/label/poonam


From -5152060275676969785
X-Google-Thread: 108122,d18955bceea66538
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
news-1.dfn.de!news.dfn.de!news.uni-stuttgart.de!news.belwue.de!newsfeed.ision.net!
newsfeed2.easynews.net!ision!kanaga.switch.ch!switch.ch!newsfeed.esat.net!
colt.net!feeder.news-service.com!216.196.110.146.MISMATCH!
border3.nntp.ams.giganews.com!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 04 Jan 2011 17:08:17 -0600
From: K6KBE <K6KBE.7695ef8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wntd Cubic,Codan,Hull,Transworld,SEA SGC,Military,Marine,HF/SSB etc.
Date: Tue, 4 Jan 2011 18:35:03 +0000
Message-ID: <K6KBE.7695ef8@radiobanter.com>
Organization: RadioBanter.com
References:  <KB0SFP.7559878@radiobanter.com>
Lines: 84
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-3hzVzEA7x77cSHw1euh7SzunR+ljf50v5qlu0kDZRaKr4GS0yIg4xoo9GXHBsLhhEYVfT1fcR1DS0P
A!I63VPOKW4YtRqN0najotMBr9ZzdyglFnStWRvEzveihOBZ+Nr/G6S5h4nEK8hupmp82vl7ZVY9lQ!
4yM=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 69
X-Original-Bytes: 3548
Xref: g2news2.google.com rec.radio.amateur.equipment:2639


KB0SFP;726328 Wrote:
> MY WANT LIST(Dec. 19/2010)
>
> MANUALS NEEDED FOR THE FOLLOWING:
> Codan, 8332 HS/SSB hand held transceiver.
>
> Cubic, Astro-R 150R, HF/SSB transceiver, 5 band, black rack mount
> commercial
> version of the 150?
> Cubic, Astro-B 150B, HF/SSB transceiver, 6 band channelized version of
> the
> above.
> Cubic, Astro-C 150C, HF/SSB transceiver, like 150R except not rack
> mounted
> Cubic, Astro-D 150D, HF/SSB transceiver, also known as the "Ambasador"
> or
> "Diplomat", 1.6-30mc.
>
> HULL, 922 & other Hull models HF/SSB transceivers.
>
> SEA 223, HF/SSB marine transceiver.
> SEA 106, HF/SSB marine transceiver.
>
> SGC, SG-705, HF/SSB transceiver.
> SGC, SG-711, HF/SSB transceiver.
> SGC, SG-712, HF/SSB transceiver.
> SGC, SG-712EX11, HF/SSB transceiver.
> SGC, Q Match antenna tuner.
>
> Texas Instruments TI3000n HF/SSB transceiver.
> Vector VR-50, HF/SSB portable transceiver, schematic, service manual.
>
> PARTS, ACCESSORIES, OR COMPLETE RADIOS NEEDED:
> SGC SG-705, SG-711, SG-712, SG-715, SG-1700, SG-2020. HF/SSB
> transceivers.
> Texas Instruments TI3000n HF/SSB transceiver.
> Transworld TW100(all versions) accessories, complete & parts radios.
> SEA 222, SEA 322, SEA 330, or similar.
>
> OTHER ITEMS OF INTEREST INCLUDE:
> Portable HF/SSB transceivers, Military, Codan, SGC, Spilsbury, Kachina,
> Southcom, Stoner, Paracom etc.
> Especially interested in finding Hand held HF/SSB transceivers such as:
>
> 10H/WP
```

> 2-30mc 2ch 15w hand-held ssb transceiver.
> Marketed by International Telecom Systems, Foster City Ca.
> Possibly made by CR Electronics(CR-10H/WP).
> Has anybody ever seen one?
>
> Mini-Mitter II 40mtr SSB hand held transceiver(possible other bands).
> Made by American States Electronics ca1972.
>
> N888 Northern Radio Company
> Hand-Held 10w 2-9mcSSB. ca1978.
>
> RT/PMC-12S, 1.6-30mc synthesized 20w SSB manpack transceiver.
> Stoner Communications Rancho Cucanonga Ca.(now SGC)
>
> Please respond direct:
> spike dot dennis at yahoo dot com
>
> Check out my QRZ page for items of possible interest.
>
> Dennis Starks
> Military-Radio-Guy
> KB0SFP
> Monitor(all USB):
> 3996, 5403.5, 7296, 14342.5, 18157.5

Hello Dennis,

I would offer a input on one of your wants. The Stoner 80-10 never made
it into production, however, KLM bought a private label of it called the
Force 5.   I have the manual for the Force 5 and some Cubic manuals of
the 150 which was the parent design for both.

Mel

--
K6KBE

From 5221051380790750213
X-Google-Thread: 108122,1349811ffe988272,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u25g2000pra.googlegroups.com!not-for-mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TAMIL ACTRESS HOT PHOTOS&VIDEOS
Date: Tue, 4 Jan 2011 22:26:36 -0800 (PST)
Organization: http://groups.google.com

```
Lines: 42
Message-ID: <075ab61d-da2a-4745-a1ac-dff56318bb17@u25g2000pra.googlegroups.com>
NNTP-Posting-Host: 117.199.250.225
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1294208796 981 127.0.0.1 (5 Jan 2011 06:26:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jan 2011 06:26:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u25g2000pra.googlegroups.com; posting-host=117.199.250.225;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2426

           UNSEEN HOT SEXY PHOTOS
 http://karomasti9.blogspot.com/2011/01/never.html
                        SEXY DIYA MIRZA
   http://karomasti9.blogspot.com/2010/12/diya-mirza.html
                        HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html
                    BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
                    TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
             HANSIKHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/search/label/HANSIKA
             HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
              BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
              NIKISHA HOT BOOBS
http://karomasti9.blogspot.com/search/label/nikisha
           PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
              ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
           SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
             CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra
              HOT BIPASA BASU PHOTOS
http://karomasti9.blogspot.com/search/label/bipasa
              TRISHA IN A SEXY FEEL
```

```
http://karomasti9.blogspot.com/search/label/thrisha
           SRISHA HOT BOOBS SHOW
http://karomasti9.blogspot.com/search/label/srisha
           BEAUTIFUL POONAM PHOTOS
http://karomasti9.blogspot.com/search/label/poonam


From -7301037420132348545
X-Google-Thread: fcc6e,e60f151dc6887ef1,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,e60f151dc6887ef1,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,e60f151dc6887ef1,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,e60f151dc6887ef1,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,e60f151dc6887ef1,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,e60f151dc6887ef1,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,e60f151dc6887ef1,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1291705500@panix.com>
Followup-To: poster
Date: 7 Jan 2011 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Feb 2011 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1294383901@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1294383903 25274 166.84.1.2 (7 Jan 2011 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Jan 2011 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:21946 rec.radio.amateur.dx:897
rec.radio.amateur.equipment:2641 rec.radio.amateur.homebrew:4371
rec.radio.amateur.misc:5983 rec.radio.amateur.policy:32456 rec.radio.info:2086
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -4573974173460279414
X-Google-Thread: 108122,7e228c9bcfdeb4ca,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,7e228c9bcfdeb4ca,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,7e228c9bcfdeb4ca,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1291705800@panix.com>
Followup-To: poster
Date: 7 Jan 2011 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Feb 2011 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1294384200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1294384201 22523 166.84.1.2 (7 Jan 2011 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Jan 2011 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:5984
rec.radio.amateur.equipment:2642 rec.radio.swap:3253 rec.radio.info:2087

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -3559940739528444456
X-Google-Thread: 108122,85baf9ddf76c9db9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j19g2000prh.googlegroups.com!not-for-mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 2011 HOT UPDATES
Date: Fri, 7 Jan 2011 08:12:40 -0800 (PST)
Organization: http://groups.google.com
Lines: 46
Message-ID: <3a58a180-114f-47aa-b1c0-6218915b252a@j19g2000prh.googlegroups.com>
NNTP-Posting-Host: 117.199.248.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1294416760 12190 127.0.0.1 (7 Jan 2011 16:12:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Jan 2011 16:12:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j19g2000prh.googlegroups.com; posting-host=117.199.248.22; posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13) Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2643

latest hot sruthi hassan stills
http://karomasti9.blogspot.com/2011/01/shurthihassan-new-stills.html
UNSEEN HOT SEXY PHOTOS
http://karomasti9.blogspot.com/2011/01/never.html
SAMANTHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/2011/01/samantha.html
SEXY DIYA MIRZA
http://karomasti9.blogspot.com/2010/12/diya-mirza.html
HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html
BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
HANSIKHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/search/label/HANSIKA
HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
NIKISHA HOT BOOBS
http://karomasti9.blogspot.com/search/label/nikisha
PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra
HOT BIPASA BASU PHOTOS
http://karomasti9.blogspot.com/search/label/bipasa
TRISHA IN A SEXY FEEL
http://karomasti9.blogspot.com/search/label/thrisha
SRISHA HOT BOOBS SHOW
http://karomasti9.blogspot.com/search/label/srisha
BEAUTIFUL POONAM PHOTOS
http://karomasti9.blogspot.com/search/label/poonam

From -8506082568960539419
X-Google-Thread: 108122,4734f4a987d3db7e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII

Path: g2news2.google.com!postnews.google.com!fj8g2000vbb.googlegroups.com!not-for-mail
From: Arthur Decker <marcdemoura@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4050 Solutions manual to Mechanics, Mechanical Engineering and Aerospace Engineering Books
Date: Fri, 7 Jan 2011 08:44:30 -0800 (PST)
Organization: http://groups.google.com
Lines: 789
Message-ID: <44f00953-43d1-4e30-b767-54a31ab0eb07@fj8g2000vbb.googlegroups.com>
NNTP-Posting-Host: 190.40.57.30
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1294418671 28855 127.0.0.1 (7 Jan 2011 16:44:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Jan 2011 16:44:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: fj8g2000vbb.googlegroups.com; posting-host=190.40.57.30; posting-account=MkidQgkAAACu2HVV76DkFeaeglL9cZe4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.13) Gecko/20101203 Firefox/3.6.13 (.NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2644

List of Solutions Manuals and Test Banks
----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3D1P9GUXB1

I do not review the forums, just send me an email.

- Mechanics, Mechanical Engineering & Aerospace Engineering:

Solution Manual Classical Mechanics (Douglas Gregory)
Solution Manual Advanced Dynamics (Donald T. Greenwood)
Solution Manual Principles of Dynamics (2nd Ed., Donald T. Greenwood)
Solution Manual Advanced Engineering Dynamics (2nd Ed., Jerry Ginsberg)
Solution Manual Classical Dynamics (Jorge V. Jos=E9)
Solution Manual Impact Mechanics (W.J. Stronge)
Solution Manual Statistical Mechanics (2nd Ed., R.K. Pathria)
Solution Manual Introduction to Continuum Mechanics (4th Ed., W. Michael Lai, David Rubin & Erhard Krempl)
Solution Manual Analytical Mechanics (7th Ed., Grant R. Fowles, George Cassiday)
Solution Manual Introduction to Mechanical Engineering (Rizza)
Solution Manual Engineering Fundamentals and Problem Solving (4th Ed., Eide, Jenison, Mashaw & Northup)
Solution Manual Engineering Fundamentals and Problem Solving (5th Ed., Eide, Jenison, Northup & Mickelson)
Solution Manual Mechanical Engineering Principles (Bird & Ross)
Solution Manual Dynamics of Mechanical Systems (C.T.F. Ross)
Solution Manual Mechanics of Solids (C.T.F. Ross)
Solution Manual Introduction to Engineering Analysis (1st Ed., Hagen)
Solution Manual Introduction to Engineering Analysis (2nd Ed., Hagen)
Solution Manual Introduction to Engineering Analysis (3rd Ed., Hagen)
Solution Manual Engineering Design (Rudolph J. Eggert)

Solution Manual Creative Design of Products and Systems (Saeed Niku)
Solution Manual Fundamentals of Engineering Design (2nd Ed., Barry Hyman)
Solution Manual Engineering Design (4th Ed., George Dieter & Linda Schmidt)
Solution Manual Engineering Design and Graphics with Autodesk Inventor 2009 (James Bethune)
Solution Manual Engineering Design : A Project-Based Introduction (2nd Ed., Clive Dym & Patrick Little)
Solution Manual Engineering Design : A Project-Based Introduction (3rd Ed., Clive Dym & Patrick Little)
Solution Manual Tools and Tactics of Design (Dominick, Demel, Lawbaugh, Freuler, Kinzel & Fromm)
Solution Manual Engineering Analysis in Applied Mechanics (John Brewer)
Solution Manual Engineering Fluid Mechanics (William Graebel)
Solution Manual Advanced Fluid Mechanics (William Graebel)
Solution manual Essential Computational Fluid Dynamics (Oleg Zikanov)
Solution Manual Computational Fluid Dynamics : A Practical Approach (Jiyuan Tu, Guan Heng Yeoh & Chaoqun Liu)
Solution Manual Mechanics of Fluids (8th Ed., Massey)
Solution Manual Fluid Mechanics (5th Ed., Frank White)
Solution Manual Fluid Mechanics (6th Ed., Frank White)
Solution Manual Fluid Mechanics (7th Ed., Frank White)
Solution Manual Viscous Fluid Flow (3rd Ed., Frank White)
Solution Manual Thermodynamics and Heat Power (6th Ed., Kurt C. Rolle)
Solution Manual Introduction to the Thermodynamics of Materials (4th Ed. David Gaskell)
Solution Manual Engineering Thermodynamics : Work and Heat Transfer (4th Ed., G.F.C. Rogers & Yon Mayhew)
Solution Manual Introduction to Thermodynamics and Heat Transfer (2nd Ed., Yunus Cengel)
Solution Manual Fundamentals of Thermal-Fluid Sciences (1st Ed., Yunus Cengel)
Solution Manual Fundamentals of Thermal-Fluid Sciences (2nd Ed., Yunus Cengel)
Solution Manual Fundamentals of Thermal-Fluid Sciences (3rd Ed., Yunus Cengel & Robert Turner)
Solution Manual Thermodynamics : An Engineering Approach (5th Ed., Yunus Cengel)
Solution Manual Thermodynamics : An Engineering Approach (6th Ed., Yunus Cengel & Michael Boles)
Solution Manual Thermodynamics : An Engineering Approach (7th Ed., Yunus Cengel & Michael Boles)
Solution Manual Essentials of Fluid Mechanics : Fundamentals and Applications (1st Ed., Yunus Cengel, John Cimbala)
Solution Manual Fluid Mechanics (1st Ed., Yunus Cengel & John Cimbala)
Solution Manual Fluid Mechanics (2nd Ed., Yunus Cengel & John Cimbala)
Solution Manual Heat Tranfer (2nd Ed., Yunus Cengel)
Solution Manual Heat and Mass Transfer : A Practical Approach (3rd Ed., Yunus Cengel)

Solution Manual Heat and Mass Transfer : Fundamentals and Applications (4th Ed., Yunus Cengel & Afshin Ghajar)
Solution Manual Introduction to Fluid Mechanics (6th Ed., Robert Fox, Alan McDonald & Philip Pritchard)
Solution Manual Introduction to Fluid Mechanics (7th Ed., Robert Fox, Philip Pritchard & Alan McDonald)
Solution Manual Fluid Mechanics (5th Ed., Douglas)
Solution Manual Fluid Mechanics (3rd Ed., Kundu & Cohen)
Solution Manual Fluid Mechanics (4th Ed., Kundu & Cohen)
Solution Manual Elementary Fluid Mechanics (7th Ed., Street, Watters & Vennard)
Solution Manual Fluid Mechanics with Engineering Applications (10th Ed., Finnemore & Franzini)
Solution Manual Fundamentals of Fluid Mechanics (4th Ed., Bruce Munson, Donald Young, Theodore Okiishi)
Solution Manual Fundamentals of Fluid Mechanics (5th Ed., Bruce Munson, Donald Young, Theodore Okiishi)
Solution Manual Fundamentals of Fluid Mechanics (6th Ed., Bruce Munson, Donald Young, Theodore Okiishi, Wade Huebsch)
Solution Manual Fundamentals of Fluid Mechanics - SI Units (6th Ed., Bruce Munson, Donald Young, Theodore Okiishi, Wade Huebsch)
Solution Manual A Brief Introduction to Fluid Mechanics (3rd Ed., Donald Young, Bruce Munson, Theodore Okiishi)
Solution Manual A Brief Introduction to Fluid Mechanics (4th Ed., Donald Young, Bruce Munson, Theodore Okiishi, Wade Huebsch)
Solution Manual Engineering Fluid Mechanics (7th Ed., Clayton Crowe, Donald Elger, John Roberson)
Solution Manual Engineering Fluid Mechanics (8th Ed., Clayton Crowe, Donald Elger, John Roberson)
Solution Manual Engineering Fluid Mechanics (9th Ed., Clayton Crowe, Donald Elger, John Roberson, Barbara Williams)
Solution Manual Fluid Mechanics (Potter & Foss)
Solution Manual Mechanics of Fluids (3rd Ed., Potter)
Solution Manual Fluid Power with Applications (7th Ed., Esposito)
Solution Manual Mechanics of Fluids (4th Ed., Shames)
Solution Manual Applied Fluid Mechanics (6th Ed., Mott)
Solution Manual Applied Fluid Mechanics - SI Units (6th Ed., Mott)
Solution Manual Hydraulic Control Systems (Noah Manring)
Solution Manual Fluid Mechanics and Thermodynamics of Turbomachinery (5th Ed., S.L. Dixon)
Solution Manual Fluid Mechanics and Thermodynamics of Turbomachinery (6th Ed., S.L. Dixon & Cesare Hall)
Solution Manual The Design of High-Efficiency Turbomachinery and Gas Turbines (2nd Ed., David Gordon Wilson & Theododios Korakianitis)
Solution Manual Fundamentals of Turbomachinery (William Peng)
Solution Manual Principles of Turbomachinery in Air-Breathing Engines (Baskharone)
Solution Manual Fundamentals of Jet Propulsion with Applications (Ronald D. Flack)
Solution Manual Extended Irreversible Thermodynamics (3rd Ed., D. Jou, J. Casas-Vazquez & G. Lebon)
Solution Manual Thermodynamics : An Integrated Learning System (Schmidt, Ezekoye, Howell & Baker)

Solution Manual Design of Fluid Thermal Systems (2nd Ed., William Janna)
Solution Manual Design and Simulation of Thermal Systems (N.V. Suryanarayana & Oner Arici)
Solution Manual Introduction to Thermal and Fluids Engineering (Kaminski & Jensen)
Solution Manual Heating, Ventilating and Air Conditioning Analysis and Design (6th Ed., McQuiston)
Solution Manual Electricity, Electronics, and Control Systems for HVAC (4th Ed., Thomas Kissell)
Solution Manual Heat and Mass Transfer (Anthony Mills)
Solution Manual Convective Heat and Mass Transfer (4th Ed., Kays & Crawford)
Solution Manual Advanced Engineering Thermodynamics (3rd Ed., Bejan)
Solution Manual Convection Heat Transfer (3rd Ed., Bejan)
Solution Manual Design with Constructal Theory (Adrian Bejan & Sylvie Lorente)
Solution Manual Shape and Structure, from Engineering to Nature (Adrian Bejan)
Solution Manual Thermodynamics : Concepts and Applications (Stephen Turns)
Solution Manual Heat Transfer (10th Ed., Jack Holman)
Solution Manual Principles of Heat Transfer (Kaviany)
Solution Manual Heat Convection (Latif M. Jiji)
Solution Manual Fundamentals of Momentum, Heat and Mass Transfer (5th Ed., Welty)
Solution Manual Analytical Methods for Heat Transfer and Fluid Flow Problems (Bernhard Weigand)
Solution Manual Two-Phase Flow : Theory and Applications (Clement Kleinstreuer)
Solution Manual Convective Heat Transfer (kakac)
Solution Manual An Introduction to Fluid Dynamics : Principles of Analysis and Design (Stanley Middleman)
Solution Manual An Introduction to Mass and Heat Transfer : Principles of Analysis and Design (Stanley Middleman)
Solution Manual Fundamentals of Thermodynamics (5th Ed., Richard Sonntag, Claus Borgnakke & Gordon Van Wylen)
Solution Manual Fundamentals of Thermodynamics (6th Ed., Richard Sonntag, Claus Borgnakke & Gordon Van Wylen)
Solution Manual Fundamentals of Thermodynamics (7th Ed., Claus Borgnakke & Richard Sonntag)
Solution Manual Introduction to Engineering Thermodynamics (1st Ed., Richard Sonntag & Claus Borgnakke)
Solution Manual Introduction to Engineering Thermodynamics (2nd Ed., Richard Sonntag & Claus Borgnakke)
Solution Manual Fundamentals of Engineering Thermodynamics (5th Ed., Michael Moran, Howard Shapiro)
Solution Manual Fundamentals of Engineering Thermodynamics (6th Ed., Michael Moran, Howard Shapiro)
Solution Manual Fundamentals of Engineering Thermodynamics - SI Units (6th Ed., Michael Moran, Howard Shapiro)
Solution Manual Fundamentals of Engineering Thermodynamics (7th Ed., Michael Moran, Howard Shapiro, Daisie Boettner, Margaret Bailey)

Solution Manual Fundamentals of Heat and Mass Transfer (5th Ed., Incropera, DeWitt)
Solution Manual Fundamentals of Heat and Mass Transfer (6th Ed., Incropera, DeWitt)
Solution Manual Introduction to Heat Transfer (4th Ed., Incropera, DeWitt)
Solution Manual Introduction to Heat Transfer (5th Ed., Incropera, DeWitt)
Solution Manual Radiation Detection and Measurement (3rd Ed., Glenn Knoll)
Solution Manual Radiation Detection and Measurement (4th Ed., Glenn Knoll)
Solution Manual Radiative Heat Transfer (2nd Ed., Michael Modest)
Solution Manual Computational Heat Transfer (2nd Ed., Jaluria)
Solution Manual Principles of Combustion (2nd Ed., Kenneth Kuan-yun Kuo)
Solution Manual Combustion (2nd Ed., Irvin Glassman)
Solution Manual Combustion (3rd Ed., Irvin Glassman)
Solution Manual Incompressible Flow (3rd Ed., Panton)
Solution Manual Modern Compressible Flow : With Historical Perspective (3rd Ed., John Anderson)
Solution Manual Non-Newtonian Flow : Fundamentals and Engineering Applications (R.P. Chhabra & J F Richardson)
Solution Manual Computational Techniques for Fluid Dynamics (Srinivas, K., Fletcher, C.A.J.)
Solution Manual Introduction to Computational Fluid Dynamics (A.W. Date)
Solution Manual Robot Modeling and Control (Spong, Hutchinson & Vidyasagar)
Solution Manual Introduction to Robotics: Analysis, Control, Applications (Saeed B. Niku)
Solution Manual Theory of Applied Robotics : Kinematics, Dynamics and Control (Reza N. Jazar)
Solution Manual Control of Robot Manipulators in Joint Space (R. Kelly, V. Santib=E1=F1ez, A. Lor=EDa)
Solution Manual Modelling and Control of Robot Manipulators (2nd Ed., Lorenzo Sciavicco, Bruno Siciliano)
Solution Manual Robotics : Modelling, Planning and Control (Bruno Siciliano, Lorenzo Sciavicco, Luigi Villani & Giuseppe Oriolo)
Solution Manual Fundamentals of Robotic Mechanical Systems : Theory, Methods, and Algorithms (3rd Ed., Jorge Angeles)
Solution Manual Kinematic Chains and Machine Components Design (Dan B. Marghitu)
Solution Manual Kinematics, Dynamics, and Design of Machinery (2nd Ed., Waldron & Kinzel)
Solution Manual Kinematics and Dynamics of Machinery (3rd Ed., Charles E. Wilson & J. Peter Sadler)
Solution Manual Kinematics and Dynamics of Machinery - SI Units (3rd Ed., Charles E. Wilson & J. Peter Sadler)
Solution Manual Machines and Mechanisms : Applied Kinematic Analysis (3rd Ed., Myszka)
Solution Manual Mechanism Design : Analysis and Synthesis (4th Ed., Erdman, Sandor & Kota)

Solution Manual Mechanical Design : A Components Approach (2nd Ed., Peter Childs)
Solution Manual Mechanical Design of Machine Elements and Machines : A Failure Prevention Perspective (1st Ed., Collins)
Solution Manual Mechanical Design of Machine Elements and Machines : A Failure Prevention Perspective (2nd Ed., Collins, Busby & Staab)
Solution Manual Fundamentals of Machine Component Design (3rd Ed., Juvinall)
Solution Manual Fundamentals of Machine Component Design (4th Ed., Juvinall)
Solution Manual Design of Machine Elements (8th Ed., Spotts)
Solution Manual Machine Elements in Mechanical Design (4th Ed., Mott)
Solution Manual Machine Elements in Mechanical Design - SI Units (4th Ed., Mott)
Solution Manual Mechanical Design : An Integrated Approach (1st Ed., Ansel Ugural)
Solution Manual Design of Machinery (3rd Ed., Norton)
Solution Manual Design of Machinery (4th Ed., Norton)
Solution Manual Machine Design : An Integrated Approach (3rd Ed., Norton)
Solution Manual Machine Design : An Integrated Approach (4th Ed., Norton)
Solution Manual Mechanical Engineering Design (6th Ed., Shigley)
Solution Manual Mechanical Engineering Design (7th Ed., Shigley, Mischke & Budynas)
Solution Manual Shigley's Mechanical Engineering Design (8th Ed., Budynas & Nisbett)
Solution Manual Shigley's Mechanical Engineering Design (9th Ed., Budynas & Nisbett)
Solution Manual Fundamentals of Machine Elements (1st Ed., Hamrock)
Solution Manual Fundamentals of Machine Elements (2nd Ed., Hamrock)
Solution Manual Mechanics of Materials : A Modern Integration of Mechanics and Materials in Structural Design (Christopher Jenkins & Sanjeev Khanna)
Solution Manual Mechanics of Materials (3th Ed., Beer)
Solution Manual Mechanics of Materials (5th Ed., Gere & Timoshenko)
Solution Manual Mechanics of Materials (6th Ed., Gere & Timoshenko)
Solution Manual Mechanics of Materials (7th Ed., Gere & Goodno)
Solution Manual Mechanics of Materials (Ansel Ugural)
Solution Manual Mechanics of Materials : An Integrated Learning System (1st Ed., Timothy Philpot)
Solution Manual Mechanics of Materials : An Integrated Learning System (2nd Ed., Timothy Philpot)
Solution Manual Mechanics of Materials (2nd Ed., Roy R. Craig)
Solution Manual Simplified Mechanics and Strength of Materials (6th Ed., James Ambrose)
Solution Manual Engineering Applications of Dynamics (Dean Karnopp & Donald Margolis)
Solution Manual Engineering Mechanics : Statics (Arthur Boresi, Richard Schmidt)
Solution Manual Engineering Mechanics : Dynamics (Arthur Boresi, Richard Schmidt)
Solution Manual Engineering Mechanics : Statics (5th Ed., J. L.

Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Statics - SI Version (5th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Statics (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Statics - SI Version (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics (5th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics - SI Version (5th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics - SI Version (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Vector Mechanics for Engineers : Statics (7th Ed., Ferdinand Beer)
Solution Manual Vector Mechanics for Engineers : Statics (8th Ed., Ferdinand Beer)
Solution Manual Vector Mechanics for Engineers : Dynamics (7th Ed., Ferdinand Beer)
Solution Manual Vector Mechanics for Engineers : Dynamics (8th Ed., Ferdinand Beer)
Solution Manual Statics : Analysis and Design of Systems in Equilibrium (Sheppard & Tongue)
Solution Manual Statics : Analysis and Design of Systems in Equilibrium - Update Edition (Sheppard & Tongue)
Solution Manual Dynamics : Analysis and Design of Systems in Motion (Sheppard & Tongue)
Solution Manual Dynamics : Analysis and Design of Systems in Motion (2nd Ed., Sheppard & Tongue)
Solution Manual Statics and Mechanics of Materials : An Integrated Approach (2nd Ed., Riley, Sturges & Morris)
Solution Manual Mechanics of Materials (6th Ed., Riley, Sturges & Morris)
Solution Manual Basic Engineering Plasticity : An Introduction with Engineering and Manufacturing Applications (David Rees)
Solution Manual Theory of Plasticity (3rd Ed. Jagabanduhu Chakrabarty)
Solution Manual Deformation and Fracture Mechanics of Engineering Materials (4th Ed., Richard Hertzberg)
Solution Manual Deformable Bodies and Their Material Behavior (Haslach & Armstrong)
Solution Manual Intermediate Mechanics of Materials (1st Ed., Barber)
Solution Manual Elasticity (2nd Ed., J.R. Barber)
Solution Manual Elasticity : Theory, Applications, and Numerics (1st Ed., Martin Sadd)
Solution Manual Elasticity : Theory, Applications, and Numerics (2nd Ed., Martin Sadd)
Solution Manual Elasticity in Engineering Mechanics (2nd Ed., Boresi)
Solution Manual Advanced Mechanics of Materials (6th Ed., Boresi)
Solution Manual Advanced Mechanics of Materials (2nd Ed., Cook & Young)
Solution Manual Metal Fatigue in Engineering (2nd Ed., Stephens,

Fatemi & Fuchs)
Solution Manual Applied Mechanics for Engineering Technology (8th Ed., Keith M. Walker)
Solution Manual Applied Statics and Strength of Materials (5th Ed. Limbrunner & Spiegel)
Solution Manual Statics and Strength of Materials (Robert Mott)
Solution Manual Applied Strength of Materials (4th Ed., Mott)
Solution Manual Applied Strength of Materials (5th Ed., Mott)
Solution Manual Intermediate Dynamics for Engineers (Marcelo R.M & Crespo da Silva)
Solution Manual Engineering Mechanics : Statics (Michael Plesha, Gary Gray & Francesco Costanzo)
Solution Manual Engineering Mechanics : Dynamics (Michael Plesha, Gary Gray & Francesco Costanzo)
Solution Manual Engineering Mechanics : Statics (4th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Statics (5th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Statics - SI Units (5th Ed., Anthony Bedford, Wallace Fowler & Yusof Ahmad)
Solution Manual Engineering Mechanics : Dynamics (4th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Dynamics (5th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Dynamics - SI Units (5th Ed., Anthony Bedford, Wallace Fowler & Yusof Ahmad)
Solution Manual Elastic And Inelastic Stress Analysis (Irving Shames)
Solution Manual Thermal Stresses (2nd Ed., Noda, Hetnarski & Tanigawa)
Solution Manual Strength of Materials - A New Unified Theory for the 21st Century (Surya Patnaik & Dale Hopkins)
Solution Manual Statics and Strengths of Materials (6th Ed., Morrow & Kokernak)
Solution Manual Engineering Mechanics : Statics (11th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Statics (12th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Statics - SI Units (12th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Dynamics (11th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Dynamics (12th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Dynamics - SI Units (12th Ed., Hibbeler)
Solution Manual Mechanics of Materials (4th Ed., Hibbeler)
Solution Manual Mechanics of Materials (6th Ed., Hibbeler)
Solution Manual Mechanics of Materials (7th Ed., Hibbeler)
Solution Manual Mechanics of Materials - SI Units (7th Ed., Hibbeler)
Solution Manual Mechanics of Materials (8th Ed., Hibbeler)
Solution Manual Statics and Mechanics of Materials (Beer, Johnston, DeWolf & Mazurek)
Solution Manual Statics and Mechanics of Materials (Bedford, Liechti & Fowler)
Solution Manual Statics and Mechanics of Materials (2nd Ed., Hibbeler)
Solution Manual Statics and Mechanics of Materials - SI Units (2nd Ed., Hibbeler)
Solution Manual Statics and Mechanics of Materials (3rd Ed., Hibbeler)

Solution Manual Energy Principles and Variational Methods in Applied Mechanics (2nd Ed., Reddy)
Solution Manual The Physics of Vibrations and Waves (6th Ed., Pain)
Solution Manual Engineering Vibrations (3rd Ed., Inman)
Solution Manual Mechanical Vibrations - SI Units (4th Ed., Singiresu S. Rao)
Solution Manual Mechanical Vibrations (5th Ed., Singiresu S. Rao)
Solution Manual Theory of Vibration : An Introduction (2nd Ed., A.A. Shabana)
Solution Manual Vibration of Discrete and Continuous Systems (2nd Ed., Ahmed Shabana)
Solution Manual Introduction to Finite Element Vibration Analysis (Maurice Petyt)
Solution Manual Vibrations and Stability : Advanced Theory, Analysis, and Tools (2nd Ed., Jon J. Thomsen)
Solution Manual Dynamics and Vibration : An Introduction (Magd Abdel Wahab)
Solution Manual Mechanical Vibration (William J. Palm, III)
Solution Manual Random Vibrations : Analysis of Structural and Mechanical Systems (Loren Lutes & Shahram Sarkani)
Solution Manual Mechanical and Structural Vibrations : Theory and Applications (by Jerry H. Ginsberg)
Solution Manual Fundamentals of Structural Integrity : Damage Tolerant Design and Nondestructive Evaluation (Alten F. Grandt)
Solution Manual A First Course in the Finite Element Method (4th Ed., Daryl L. Logan)
Solution Manual Finite Element Analysis Theory and Application with ANSYS (3rd Ed., Moaveni)
Solution Manual An Introduction to the Finite Element Method (3rd Ed., J. N. Reddy)
Solution Manual Fundamentals of Finite Element Analysis (1st Ed., David V. Hutton)
Solution Manual The Finite Element Method in Engineering (4th Ed., Rao)
Solution Manual The Finite Element Method and Applications in Engineering Using ANSYS (Madenci & Guven)
Solution Manual Introduction to Finite Element Analysis and Design (Nam-Ho Kim, Bhavani V. Sankar)
Solution Manual Introduction to the Finite Element Method : Theory, Programming and Applications (Erik G. Thompson)
Solution Manual The Finite Element Method : Its Basis and Fundamentals (6th Ed., Zienkiewicz, R. L. Taylor & J.Z. Zhu)
Solution Manual Fundamental Finite Element Analysis and Applications : with Mathematica and Matlab Computations (Asghar Bhatti)
Solution Manual Advanced Topics in Finite Element Analysis of Structures : With Mathematica and MATLAB Computations (Asghar Bhatti)
Solution Manual Modeling and Analysis of Dynamic Systems (3rd Ed., Close)
Solution Manual Modeling and Simulation of Dynamic Systems (Robert Woods, Jr. & Kent Lawrence)
Solution Manual System Dynamics (1st Ed., William J Palm III)
Solution Manual System Dynamics (2nd Ed., William J Palm III)
Solution Manual System Dynamics and Response (S. Graham Kelly)

Solution Manual System Dynamics for Engineering Students : Concepts and Applications (Nicolae Lobontiu)
Solution Manual Dynamic Modeling and Control of Engineering Systems (2nd Ed., J. Lowen Shearer, Bohdan Kulakowski, John Gardner)
Solution Manual System Dynamics : Modeling and Simulation of Mechatronic Systems (4th Ed., Karnopp, Margolis & Rosenberg)
Solution Manual Concepts and Applications of Finite Element Analysis (4th Ed., Cook, Malkus, Plesha & Witt)
Solution Manual Finite Element Modeling for Stress Analysis (Robert Cook)
Solution Manual Fracture Mechanics : Fundamentals and Applications (2nd Ed., T.L. Anderson)
Solution Manual Mechanical Behavior of Materials (3rd Ed., Dowling)
Solution Manual Mechanical Behavior of Materials (W.F. Hosford)
Solution Manual Mechanical Behavior of Materials (Keith Bowman)
Solution Manual Theory and Design for Mechanical Measurements (4th Ed., Figliola & Beasley)
Solution Manual Theory and Design for Mechanical Measurements (5th Ed., Figliola & Beasley)
Solution Manual Mechanical Measurements (6th Ed., Beckwith, Marangoni & Lienhard)
Solution Manual Measurement and Data Analysis for Engineering and Science (Patrick Dunn)
Solution Manual Design and Analysis of Lean Production Systems (Askin & Goldberg)
Solution Manual Work Systems : The Methods, Measurement & Management of Work (Mikell P. Groover)
Solution Manual Automation, Production Systems, and Computer-Integrated Manufacturing (2nd Ed., Groover)
Solution Manual Automation, Production Systems, and Computer-Integrated Manufacturing (3rd Ed., Groover)
Solution Manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (3rd Ed., Mikell Groover)
Solution Manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (4th Ed., Mikell Groover)
Solution Manual Materials and Processes in Manufacturing (9th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution Manual DeGarmo's Materials and Processes in Manufacturing (10th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution Manual Principles of Metal Manufacturing Processes (Beddoes & Bibby)
Solution Manual Design for Manufacturing : A Structured Approach (Corrado Poli)
Solution Manual Fundamentals of Manufacturing (2nd Ed., Philip D. Rufe)
Solution Manual Engineering Materials Science (Milton Ohring)
Solution Manual Engineering Materials : Properties and Selection (8th Ed., Budinski)
Solution Manual Engineering Materials : Properties and Selection (9th Ed., Budinski)
Solution Manual Materials Science for Engineering Students (Traugott Fischer)
Solution Manual Essentials of Modern Materials Science and Engineering

(James Newell)
Solution Manual Science and Design of Engineering Materials (2nd Ed., Schaffer, Saxena, et al)
Solution Manual Structure and Properties of Engineering Materiales (5th Ed., Daniel Henkel & Alan Pense)
Solution Manual Materials Selection in Mechanical Design (3rd Ed., Michael Ashby)
Solution Manual Materials Selection in Mechanical Design (4th Ed., Michael Ashby)
Solution Manual Materials : Engineering, Science, Processing and Design (1st Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution Manual Materials : Engineering, Science, Processing and Design (2nd Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution Manual Engineering Materials Vol. 1 : An Introduction to Properties, Applications and Design (3rd Ed., Michael Ashby & David Jones)
Solution Manual Engineering Materials Vol. 2 : An Introduction to Microstructures, Processing and Design (3rd Ed., Michael Ashby & David Jones)
Solution Manual Materials Science and Engineering : An Introduction (6th Ed., William Callister)
Solution Manual Materials Science and Engineering : An Introduction (7th Ed., William Callister)
Solution Manual Materials Science and Engineering : An Introduction (8th Ed., William Callister)
Solution Manual Fundamentals of Materials Science and Engineering : Integrated Approach (2nd Ed., William Callister)
Solution Manual Fundamentals of Materials Science and Engineering : Integrated Approach (3rd Ed., William Callister)
Solution Manual Foundations of Materials Science and Engineering (3rd Ed, Smith)
Solution Manual Foundations of Materials Science and Engineering (4th Ed, Smith & Hashemi)
Solution Manual Foundations of Materials Science and Engineering (5th Ed, Smith & Hashemi)
Solution Manual Introduction to Materials Science for Engineers (6th Ed., Shackelford)
Solution Manual Introduction to Materials Science for Engineers (7th Ed., Shackelford)
Solution Manual Introduction to Materials Science for Engineers - International Edition (7th Ed., Shackelford)
Solution Manual Manufacturing Facilities Design and Material Handling (3rd Ed., Meyers & Stephens)
Solution Manual Manufacturing Facilities Design and Material Handling (4th Ed., Stephens & Meyers)
Solution Manual Manufacturing Processes for Engineering Materials (5th Ed. Kalpakjian & Smith)
Solution Manual Manufacturing Processes for Engineering Materials - SI Units (5th Ed. Kalpakjian, Smith & Chih-Wah Kok)
Solution Manual Manufacturing, Engineering & Technology (5th Ed. Kalpakjian & Smith)
Solution Manual Manufacturing, Engineering & Technology (6th Ed. Kalpakjian & Smith)

Solution Manual Manufacturing, Engineering & Technology - SI Units (6th Ed. Kalpakjian & Smith)
Solution Manual Principles of Corrosion Engineering and Corrosion Control (Zaki Ahmad)
Solution Manual Steels : Microstructure and Properties (3rd Ed. Bhadeshia & Honeycombe)
Solution Manual Analysis and Performance of Fiber Composites (3rd Ed., Bhagwan Agarwal, Lawrence Broutman & K. Chandrashekhara)
Solution Manual Nanoengineering of Structural, Functional and Smart Materials (Mark Schulz, Ajit Kelkar, Mannur Sundaresan)
Solution Manual Applied Manufacturing Process Planning : With Emphasis on Metal Forming and Machining (Nelson, Schneider)
Solution Manual Mastering CAD/CAM (1st Ed., Ibrahim Zeid)
Solution Manual Principles of CAD/CAM/CAE (Kunwoo Lee)
Solution Manual Computer Numerical Control : Operation and Programming (3rd Ed., Stenerson & Curran)
Solution Manual Introduction to Computer Numerical Control (4th Ed., Valentino & Goldenberg)
Solution Manual Linear State-Space Control Systems (Robert L. Williams, II & Douglas A. Lawrence)
Solution Manual Gas Turbine Theory (6th Ed., H.I.H. Saravanamuttoo, G.F.C. Rogers, H. Cohen & Paul Straznicky)
Solution Manual Rocket Propulsion Elements (7th Ed., George P. Sutton & Oscar Biblarz)
Solution Manual Rocket Propulsion Elements (8th Ed., George P. Sutton & Oscar Biblarz)
Solution Manual Orbital Mechanics for Engineering Students (1st Ed., Howard Curtis)
Solution Manual Orbital Mechanics for Engineering Students (2nd Ed., Howard Curtis)
Solution Manual Atmospheric and Space Flight Dynamics : Modeling and Simulation with MATLAB and Simulink (Ashish Tewari)
Solution Manual Flight Dynamics Principles (2nd Ed., by Cook)
Solution Manual Mechanics of Flight (1st Ed., Warren F. Phillips)
Solution Manual Mechanics of Flight (2nd Ed., Warren F. Phillips)
Solution Manual Fundamentals of Airplane Flight Mechanics (David G. Hull)
Solution Manual Dynamics of Flight : Stability and Control (3rd Ed., Bernard Etkin & Lloyd Duff Reid)
Solution Manual Aircraft Rescue and Firefighting (5th Ed., IFSTA)
Solution Manual Aircraft Propulsion (Saeed Farokhi)
Solution Manual Aircraft Performance (Maido Saarlas)
Solution Manual Flight Performance of Fixed and Rotary Wing Aircraft (Antonio Filippone)
Solution Manual Fundamentals Of Aircraft Structural Analysis (Howard Curtis)
Solution Manual Aircraft Control and Simulation (2nd Ed., Brian Stevens & Frank Lewis)
Solution Manual Aircraft Structures for Engineering Students (3rd Ed., T.H.G. Megson)
Solution Manual Aircraft Structures for Engineering Students (4th Ed., T.H.G. Megson)
Solution Manual Introduction to Aircraft Structural Analysis (T.H.G.

Megson)
Solution Manual Mechanics of Aircraft Structures (2nd Ed, C. T. Sun)
Solution Manual Principles of Helicopter Aerodynamics (1st Ed., Leishman)
Solution Manual Fundamentals of Aerodynamics (2nd Ed., Anderson)
Solution Manual Fundamentals of Aerodynamics (3th Ed., Anderson)
Solution Manual Fundamentals of Aerodynamics (4th Ed., Anderson)
Solution Manual Fundamentals of Aerodynamics (5th Ed., Anderson)
Solution Manual Aerodynamics for Engineers (5th Ed., John Bertin & Russell Cummings)
Solution Manual Introduction to Flight (5th Ed., Anderson)
Solution Manual Introduction to Flight (6th Ed., Anderson)
Solution Manual Mechatronics : Principles and Applications (Godfrey Onwubolu)
Solution Manual Mechatronics (Sabri Cetinkunt)
Solution Manual Introduction to Mechatronics and Measurement Systems (2nd Ed., David Alciatore & Michael Histand)
Solution Manual Introduction to Mechatronics and Measurement Systems (3rd Ed., David Alciatore & Michael Histand)
Solution Manual Introduction to Engineering Experimentation (2nd Ed., Wheeler & Ganji)
Solution Manual Introduction to Engineering Experimentation (3rd Ed., Wheeler & Ganji)
Solution Manual Gas Dynamics (3rd Ed., John & Keith)
Solution Manual Fundamentals of Gas Dynamics (2nd Ed, Robert D. Zucker)
Solution Manual Theory of Ground Vehicles (3rd Ed., J. Y. Wong)
Solution Manual Theory of Ground Vehicles (4th Ed., J. Y. Wong)
Solution Manual Vehicle Dynamics : Theory and Application (Reza Jazar)
Solution Manual Internal Combustion Engines : Applied Thermosciences (2nd Ed., Ferguson & Kirkpatrick)
Solution Manual Advanced Engine Performance Diagnosis (4th Ed., James Halderman)
Solution Manual Automotive Engines (8th Ed., Crouse)
Solution Manual Automotive Heating & Air Conditioning (5th Ed., Tom Birch)
Solution Manual Diagnosis and Troubleshooting of Automotive Electrical, Electronic, and Computer Systems (5th Ed., James Halderman)
Solution Manual Automotive Brake Systems Package (4th Ed., Rehkopf)
Solution Manual Automotive Brake Systems (4th Ed., Halderman)
Solution Manual Automotive Engine Performance (2nd Ed., Halderman)
Solution Manual Automotive Engines : Theory and Servicing (6th Ed., James Halderman)
Solution Manual Automotive Fuel and Emissions Control Systems (2nd Ed., James Halderman & James Linder)
Solution Manual Automotive Science and Mathematics (Allan Bonnick)
Solution Manual Automotive Mathematics (Jason Rouvel)
Solution Manual Automotive Service Management (Andrew Rezin)
Solution Manual Automotive Technology : Principles, Diagnosis, and Service (3rd Ed., Halderman)
Solution Manual Automotive Steering, Suspension, and Alignment (4th Ed., Halderman)

Solution Manual Automatic Transmissions & Transaxles (4th Ed., Tom Birch & Chuck Rockwood)
Solution Manual Hybrid and Alternative Fuel Vehicles (Halderman & Martin)
Solution Manual Manual Drivetrains and Axles (5th Ed., Birch & Rockwood)
Solution Manual Blueprint Reading for the Machine Trades (6th Ed., Schultz & Smith)
Solution Manual Modern Welding Technology (6th Ed., Cary & Helzer)
Solution Manual Tissue Engineering (Bernhard O. Palsson & Sangeeta N. Bhatia)
Solution Manual Tissue Engineering (Clemens van Blitterswijk, et al.)
Solution Manual Tissue Mechanics (Cowin, Doty)
Solution Manual Technology and Society (3rd Ed., Hjorth, Eichler, Khan & Morello)
Solution Manual BTEC First Engineering Curriculum Support Pack (Mike Tooley)
Solution Manual BTEC First Engineering (Mike Tooley)
Solution Manual Exploring Engineering : An Introduction to Engineering and Design (1st Ed., Philip Kosky, George Wise, Robert Balmer & William Keat)
Solution Manual Exploring Engineering : An Introduction to Engineering and Design (2nd Ed., Philip Kosky, Robert Balmer, William Keat & George Wise)
Solution Manual Engineering Science (5th Ed., W. Bolton)
Solution Manual Principles of Energy Conversion (2nd Ed., Archie W. Culp)
Solution Manual Fundamentals of Renewable Energy Processes (1st Ed., Aldo da Rosa)
Solution Manual Fundamentals of Renewable Energy Processes (2nd Ed., Aldo da Rosa)
Solution Manual Alternative Energy Systems (B. K. Hodge)
Solution Manual Solar Energy Engineering : Processes and Systems (Soteris Kalogirou)
Solution Manual Solar Engineering of Thermal Processes (2nd Ed., John Duffie & William Beckman)
Solution Manual Solar Engineering of Thermal Processes (3rd Ed., John Duffie & William Beckman)
Solution Manual Energy Technology and Directions for the Future (Fanchi)
Solution Manual Power Generation Technologies (Paul Breeze)
Solution Manual Concepts in Engineering (Holtzapple & Reece)
Solution Manual Concepts in Engineering (2nd Ed., Holtzapple & Reece)
Solution Manual Foundations of Engineering (2nd Ed, Holtzapple & Dan Reece)
Solution Manual Industrial Mechanics and Maintenance (3rd Ed., Larry Chastain)
Solution Manual Mechanical and Electrical Equipment for Buildings (10th Ed., Stein, Reynolds, Grondzik, Kwok)
Solution Manual Mechanical and Electrical Equipment for Buildings (11th Ed., Grondzik, Kwok, Stein & Reynolds)
Solution Manual Mechanical & Electrical Systems in Buildings (4th Ed., Richard Janis & William Tao)

Solution Manual Engineering Drawing And Design (7th Ed., Jensen, Helsel & Short)
Solution Manual Autodesk Inventor (James M. Leake)
Solution Manual Engineering Design Graphics : Sketching, Modeling, and Visualization (1st Ed., James Leake & Jacob Borgerson)
Solution Manual Orthopaedic Biomechanics : Mechanics and Design in Musculoskeletal Systems (Donald Bartel, Dwight Davy & Tony Keaveny)
Solution Manual Science for Engineering (3rd Ed., John Bird)

```
---------------------------------------------------------------------------=
------------------------
```

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

```
---------------------------------------------------------------------------=
------------------------
```

```
From -9133964707818971143
X-Google-Thread: 108122,383d7a1f0dc9b663,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!f2g2000vby.googlegroups.com!not-for-
mail
From: Arthur Decker <marcdemoura@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4050 Solutions manual and Test Banks to Electrical, Electronics and
 Computer Engineering Books
Date: Fri, 7 Jan 2011 08:45:25 -0800 (PST)
Organization: http://groups.google.com
Lines: 1724
Message-ID: <c082f0c5-df42-4803-8a65-c7eb5b0e765e@f2g2000vby.googlegroups.com>
NNTP-Posting-Host: 190.40.57.30
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1294418726 29457 127.0.0.1 (7 Jan 2011 16:45:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Jan 2011 16:45:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f2g2000vby.googlegroups.com; posting-host=190.40.57.30; posting-
account=MkidQgkAAACu2HVV76DkFeaeglL9cZe4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2645
```

List of Solutions Manuals and Test Banks

```
----------------------------------------
```

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3D1P9GUXB1

I do not review the forums, just send me an email.

- Electrical, Electronics & Computer Engineering :

Solution Manual Design for Electrical and Computer Engineers (J. Eric Salt & Robert Rothery)
Solution Manual Electrical Engineering : Principles and Applications (3rd Ed., Hambley)
Solution Manual Electrical Engineering : Principles and Applications (4th Ed., Hambley)
Solution Manual Electrical Engineering : Principles and Applications (5th Ed., Hambley)
Solution Manual Electronics (2nd Ed., Hambley)
Solution Manual Electronics and Communications for Scientists and Engineers (Martin Plonus)
Solution Manual Cryptography & Network Security (Behrouz A Forouzan)
Solution Manual Data Communications and Networking (3rd Ed., Behrouz A. Forouzan)
Solution Manual Data Communications and Networking (4th Ed., Behrouz A. Forouzan)
Solution Manual TCP/IP Protocol Suite (2nd Ed., Behrouz Forouzan)
Solution Manual TCP/IP Protocol Suite (3rd Ed., Behrouz Forouzan)
Solution Manual TCP/IP Protocol Suite (4th Ed., Behrouz Forouzan)
Solution Manual Local Area Networks (Behrouz A Forouzan)
Solution Manual Analog Integrated Circuits for Communication : Principles, Simulation and Design (2nd Ed., Donald Pederson & Kartikeya Mayaram)
Solution Manual Satellite Communications (2nd Ed, Pratt, Bostian, Allnutt)
Solution Manual Business Data Communications (Behrouz A Forouzan)
Solution Manual Logic and Computer Design Fundamentals (4th Ed., Mano & Kime)
Solution Manual Linear Robust Control (Michael Green, David J. N. Limebeer)
Solution Manual Adaptive Control (2nd Ed., Karl Johan Astrom, Bjorn Wittenmark)
Solution Manual Digital Control Engineering : Analysis and Design (M. Sami Fadali & Antonio Visioli)
Solution Manual Computer-Controlled Systems : Theory and Design (3rd Ed., Karl Johan Astrom & Bjorn Wittenmark)
Solution Manual Electric Circuits (7th Ed., Nilsson & Riedel)
Solution Manual Electric Circuits (8th Ed., Nilsson & Riedel)
Solution Manual Electric Circuits (9th Ed., Nilsson & Riedel)
Solution Manual Introductory Circuits for Electrical and Computer Engineering (James Nilsson, Susan Riedel)
Solution Manual Electromagnetic Noise and Quantum Optical Measurements (Hermann A. Haus)
Solution Manual Electromagnetics (Branislav M. Notaros)
Solution Manual Electromagnetics for Engineers (Fawwaz T. Ulaby)
Solution Manual Fundamentals of Applied Electromagnetics (5th Ed., Fawwaz T. Ulaby)
Solution Manual Fundamentals of Applied Electromagnetics (6th Ed., Ulaby, Michielssen & Ravaioli)
Solution Manual Applied Electromagnetics : Early Transmission Lines

Approach (Stuart Wentworth)
Solution Manual Fundamentals of Electromagnetics with Engineering Applications (Stuart Wentworth)
Solution Manual Electromagnetics for Engineers : With Applications to Digital Systems and Electromagnetic Interference (Clayton Paul)
Solution Manual MEMS & Microsystems : Design and Manufacture (1st Ed., Tai-Ran Hsu)
Solution Manual MEMS & Microsystems : Design, Manufacture, and Nanoscale Engineering (2nd Ed., Tai-Ran Hsu)
Solution Manual Probability and Statistics for Engineering and the Sciences (7th Ed., Jay L. DeVore)
Solution Manual Probability and Stochastic Processes : A Friendly Introduction for Electrical and Computer Engineers (2nd Ed., Roy Yates & David Goodman)
Solution Manual Process Systems Analysis and Control (3rd Ed. Donald Coughanowr, Steven LeBlanc)
Solution Manual Fuel Cell Engines (Matthew M. Mench)
Solution Manual Fuel Cell Fundamentals (1st Ed., Ryan O'Hayre, et. al)
Solution Manual Fuel Cell Fundamentals (2nd Ed., Ryan O'Hayre, Whitney Colella, Suk-Won Cha, Fritz Prinz)
Solution Manual Control Systems Engineering (4th Ed., Norman Nise)
Solution Manual Control Systems Engineering (5th Ed., Norman Nise)
Solution Manual Control Systems Engineering (6th Ed., Norman Nise)
Solution Manual Automatic Control Systems (8th Ed., Benjamin C. Kuo, Farid Golnaraghi)
Solution Manual Automatic Control Systems (9th Ed., Farid Golnaraghi, Benjamin C. Kuo)
Solution Manual Basic Electricity for Industry : Circuits and Machines - Canadian Edition (Doug Edgar)
Solution Manual Basic Engineering Circuit Analysis (8th Ed., Irwin & Nelms)
Solution Manual Basic Engineering Circuit Analysis (9th Ed., Irwin & Nelms)
Solution Manual Basic Engineering Circuit Analysis (10th Ed., Irwin & Nelms)
Solution Manual A Brief Introduction to Circuit Analysis (J. David Irwin)
Solution Manual Semiconductor Devices : Basic Principles (Jasprit Singh)
Solution Manual Semiconductor Device Fundamentals (Robert F. Pierret)
Solution Manual Device Electronics for Integrated Circuits (3rd Ed., Richard S. Muller, Theodore I. Kamins)
Solution Manual Fundamentals of Semiconductor Devices (Anderson)
Solution Manual Scientific Computing (2nd Ed., Michael T. Heath)
Solution Manual Scientific Computing with Case Studies (Dianne P. O'Leary)
Solution Manual Pattern Recognition and Machine Learning (Christopher M. Bishop)
Solution Manual Modern Semiconductor Devices for Integrated Circuits (Chenming C. Hu)
Solution Manual Analysis and Design of Analog Integrated Circuits (4th Ed., Paul Gray, et al.)
Solution Manual Analysis and Design of Analog Integrated Circuits (5th

Ed., Paul Gray)
Solution Manual Analysis and Design of Digital Integrated Circuits (3rd Ed., Hodges)
Solution Manual Introduction to Electric Circuits (6th Ed., Dorf & Svoboda)
Solution Manual Introduction to Electric Circuits (7th Ed., Dorf & Svoboda)
Solution Manual Introduction to Electric Circuits (8th Ed., Dorf & Svoboda)
Solution Manual Modulation, Detection and Coding (Tommy =D6berg)
Solution Manual Principles of Communications: Systems, Modulation, and Noise (5th Ed., R.E. Ziemer & W.H. Tranter)
Solution Manual Principles of Communications (6th Ed., R.E. Ziemer & W.H. Tranter)
Solution Manual The Analysis and Design of Linear Circuits (4th Ed, Thomas & Rosa)
Solution Manual The Analysis and Design of Linear Circuits : Laplace Early (4th Ed, Thomas & Rosa)
Solution Manual The Analysis and Design of Linear Circuits (5th Ed, Thomas)
Solution Manual The Analysis and Design of Linear Circuits (6th Ed, Thomas, Rosa & Toussaint)
Solution Manual Dynamic Modeling and Control of Engineering Systems (2nd Ed., J. Lowen Shearer, Bohdan Kulakowski, John Gardner)
Solution Manual Modern Control Systems (11th Ed., Dorf & Bishop)
Solution Manual Modern Control Systems (12th Ed., Dorf & Bishop)
Solution Manual System Dynamics (1st Ed., William Palm III)
Solution Manual System Dynamics (2nd Ed., William Palm III)
Solution Manual System Dynamics and Response (S. Graham Kelly)
Solution Manual System Dynamics for Engineering Students : Concepts and Applications (Nicolae Lobontiu)
Solution Manual Optimal Control (2nd Ed., Frank Lewis & Vassilis Syrmos)
Solution Manual Optimal Control Theory : An Introduction (Donald E. Kirk)
Solution Manual Power Electronic Circuits (Issa Batarseh)
Solution Manual Power Electronics : Circuits, Devices and Applications (3rd Ed., Muhammad H. Rashid)
Solution Manual Power Electronics : Converters, Applications, and Design (3rd Ed., Ned Mohan, Tore Undeland & William Robbins)
Solution Manual Intuitive Probability and Random Processes using MATLAB (Steven Kay)
Solution Manual Signals and Systems using MATLAB (Luis Chaparro)
Solution Manual Analog Signals and Systems (Erhan Kudeki & David C. Munson, Jr.)
Solution Manual Continuous and Discrete Time Signals and Systems (Mrinal Mandal, Amir Asif)
Solution Manual Digital Signal and Image Processing (Tamal Bose)
Solution Manual Digital Image Processing (2nd Ed., Rafael Gonzalez, Richard Woods)
Solution Manual A Wavelet Tour of Signal Processing : The Sparse Way (3rd Ed., Stephane Mallat)
Solution Manual Discrete-Time Signal Processing (2nd Ed., Alan

Oppenheim, Ronald Schafer, John Buck)
Solution Manual Discrete-Time Signal Processing (3rd Ed., Alan Oppenheim & Ronald Schafer)
Solution Manual Signal Processing First (James H. McClellan, Ronald W. Schafer, Mark A. Yoder)
Solution Manual Statistical Digital Signal Processing and Modeling (Monson Hayes)
Solution Manual Digital Signal Processing (Thomas J. Cavicchi)
Solution Manual Digital Signal Processing System Design : LabVIEW-Based Hybrid Programming (2nd Ed., Kehtarnavaz)
Solution Manual Digital Signal Processing (2nd Ed., Mitra)
Solution Manual Digital Signal Processing (3rd Ed., Mitra)
Solution Manual Digital Signal Processing (4th Ed., Mitra)
Solution Manual Digital Signal Processing (4th Ed., John G. Proakis, Dimitris K Manolakis)
Solution Manual Digital Signal Processing (Charles Schuler & Mahesh Chugani)
Solution Manual Digital Signal Processing : Fundamentals and Applications (Li Tan)
Solution Manual Digital Signal Processing : An Experimental Approach (Shlomo Engelberg)
Solution Manual Digital Signal Processing : System Analysis and Design (Paulo S. R. Diniz)
Solution Manual Digital Signal Processing : A Modern Introduction (Ashok Ambardar)
Solution Manual Engineering Optimization : Theory and Practice (4th Ed., Singiresu S. Rao)
Solution Manual Applied Optimization with MATLAB Programming (1st Ed., P. Venkataraman)
Solution Manual Applied Optimization with MATLAB Programming (2nd Ed., P. Venkataraman)
Solution Manual Introduction to Applied Optimization (2nd Ed., Urmila Diwekar)
Solution Manual Logic Synthesis and Verification Algorithms (Gary Hachtel & Fabio Somenzi)
Solution Manual Adaptive Filtering : Algorithms and Practical Implementation (3rd Ed., Paulo S. R. Diniz)
Solution Manual Introduction to Scientific Computation and Programming (Daniel T. kaplan)
Solution Manual Principles of Signal Detection and Parameter Estimation (Bernard C. Levy)
Solution Manual Electric Machines Analysis and Design Applying MatLab (Cathey)
Solution Manual Fundamentals of Electrical Engineering (Giorgio Rizzoni)
Solution Manual Principles and Applications of Electrical Engineering (4th Ed, Rizzoni)
Solution Manual Principles and Applications of Electrical Engineering (5th Ed, Rizzoni)
Solution Manual Fundamentals of Electric Circuits (2nd Ed., Alexander & Sadiku)
Solution Manual Fundamentals of Electric Circuits (3rd Ed., Alexander & Sadiku)

Solution Manual Fundamentals of Electric Circuits (4th Ed., Alexander & Sadiku)
Solution Manual MSP430 Microcontroller Basics (John Davies)
Solution Manual Programming Massively Parallel Processors : A Hands-on Approach (David Kirk & Wen-mei Hwu)
Solution Manual Embedded Systems and Software Validation (Abhik Roychoudhury)
Solution Manual Embedded Systems Design with Platform FPGAs : Principles and Practices (Ronald Sass, Andrew Schmidt)
Solution Manual Embedded DSP Processor Design : Application Specific Instruction Set Processors (Dake Liu)
Solution Manual Embedded Microcontrollers and Processor Design (Charles Greg Osborn)
Solution Manual Embedded System Design : A Unified Hardware/Software Introduction (Vahid & Givargis)
Solution Manual Embedded Microcomputer Systems : Real Time Interfacing (2nd Ed., Jonathan W. Valvano)
Solution Manual Matlab : A Practical Introduction to Programming and Problem Solving (Stormy Attaway)
Solution Manual Principles of Computer System Design : An Introduction (Jerome Saltzer & M. Frans Kaashoek)
Solution Manual The Illustrated Network : How TCP/IP Works in a Modern Network (Walter Goralski)
Solution Manual Electronic Design Automation : Synthesis, Verification, and Test (Laung-Terng Wang, Yao-Wen Chang & Kwang-Ting Cheng)
Solution Manual Digital Design (Frank Vahid)
Solution Manual Digital Design with RTL Design, Verilog and VHDL (2nd Ed., Frank Vahid)
Solution Manual Digital Logic Design Principles (Balabanian & Carlson)
Solution Manual Fundamentals of Logic Design (5th Ed., Charles H. Roth)
Solution Manual Real-Time Systems and Software (Alan Shaw)
Solution Manual Introduction to VLSI Circuits and Systems (John P. Uyemura)
Solution Manual Chip Design for Submicron VLSI : CMOS Layout & Simulation (John Uyemura)
Solution Manual Classical Electrodynamics (2nd Ed., John David Jackson)
Solution Manual Objects, Abstraction, Data Structures and Design : Using C++ (Elliot B. Koffman & Paul A. T. Wolfgang)
Solution Manual Objects, Abstraction, Data Structures and Design Using Java Version 5.0 (Elliot B. Koffman & Paul A. T. Wolfgang)
Solution Manual Computer Architecture and Organization : An Integrated Approach (Murdocca & Heuring)
Solution Manual Wiley Pathways Networking Basics (1st Ed., Ciccarelli, Faulkner, FitzGerald, Dennis & Miller)
Solution Manual Software Engineering : Principles and Practice (3rd Ed., Hans van Vliet)
Solution Manual Software Design : From Programming to Architecture (Eric Braude)
Solution Manual Software Engineering : An Object-Oriented Perspective (Eric Braude)

Solution Manual Software Engineering : Modern Approaches (2nd Ed., Eric Braude & Michael Bernstein)
Solution Manual Neural and Adaptive Systems : Fundamentals through Simulations (Jos=E9 Principe, Neil Euliano & W. Curt Lefebvre)
Solution Manual Fundamentals of Electronic Circuit Design (David J. Comer & Donald T. Comer)
Solution Manual Microelectronic Circuit Design (2nd Ed., Jaeger & Blalock)
Solution Manual Microelectronic Circuit Design (3rd Ed., Jaeger & Blalock)
Solution Manual Microelectronic Circuit Design (4th Ed., Jaeger & Blalock)
Solution Manual Introduction to Microelectronic Fabrication : Volume 5 of Modular Series on Solid State Devices (2nd Ed., Richard Jaeger)
Solution Manual Microelectronic Circuits (5th Ed., Adel S. Sedra, K. C. Smith)
Solution Manual VHDL for Engineers (Kenneth Short)
Solution Manual Fundamentals of Digital Logic with VHDL Design (1st Ed., Brown & Vranesic)
Solution Manual Fundamentals of Digital Logic with VHDL Design (2nd Ed., Brown & Vranesic)
Solution Manual Fundamentals of Digital Logic with VHDL Design (3rd Ed., Brown & Vranesic)
Solution Manual CMOS Analog Circuit Design (2nd Ed., Phillip E. Allen, Douglas R. Holberg)
Solution Manual Design of Analog CMOS Integrated Circuits (Behzad Razavi)
Solution Manual Design of Integrated Circuits for Optical Communications (Behzad Razavi)
Solution Manual Fundamentals of Microelectronics, Preliminary Edition (Behzad Razavi)
Solution Manual Fundamentals of Microelectronics (1st Ed., Behzad Razavi)
Solution Manual Design with Operational Amplifiers and Analog Integrated Circuits (3rd Ed., Sergio Franco)
Solution Manual Your UNIX : The Ultimate Guide (1st Ed., Sumitabha Das)
Solution Manual Your UNIX : The Ultimate Guide (2nd Ed., Sumitabha Das)
Solution Manual Microwave Engineering (Annapurna Das)
Solution Manual Microwave Engineering (3rd Ed., David M. Pozar)
Solution Manual Microwave and RF Design of Wireless Systems (David M. Pozar)
Solution Manual Introduction to Wireless Systems (P. M. Shankar)
Solution Manual Microwave Transistor Amplifiers : Analysis and Design (2nd Ed., Guillermo Gonzalez)
Solution Manual Control Systems (Madan Gopal)
Solution Manual A First Lab in Circuits and Electronics (Yannis Tsividis)
Solution Manual Power System Analysis : Analysis and Design (John Grainger)
Solution Manual Power Systems Analysis (2nd Ed., Hadi Saadat)
Solution Manual Power Systems Analysis and Design (4th Ed., J.Duncan

Glover and Mulukutla S. Sarma)
Solution Manual An Introduction to Digital and Analog Communications (2nd Ed., Simon Haykin & Michael Moher)
Solution Manual Communication Systems (4th Ed., Simon Haykin)
Solution Manual Communication Systems (5th Ed., Simon Haykin)
Solution Manual Communication Systems (4th Ed., A. Bruce Carlson, Paul B. Crilly, Janet Rutledge)
Solution Manual Communication Systems (5th Ed., A. Bruce Carlson, Paul B. Crilly)
Solution Manual Signals and Systems (2nd Ed., Simon Haykin & Barry Van Veen)
Solution Manual Introduction to Computing Systems : From bits & gates to C & beyond (1st Ed., Patt and Patel)
Solution Manual Introduction to Computing Systems : From bits & gates to C & beyond (2nd Ed., Patt and Patel)
Solution Manual Elements of the Theory of Computation (2nd Ed., Lewis & Papadimitriou)
Solution Manual Introduction to Languages and the Theory of Computation (3rd Ed., John Martin)
Solution Manual Introduction to Languages and the Theory of Computation (4th Ed., John Martin)
Solution Manual Mechanical & Electrical Systems in Buildings (4th Ed., Richard Janis & William Tao)
Solution Manual Silicon VLSI Technology : Fundamentals, Practice, and Modeling (Plummer, Deal & Griffin)
Solution Manual Dynamic Electromagnetics (Paul Diament)
Solution Manual Engineering Electromagnetics (2nd Ed., Nathan Ida)
Solution Manual Engineering Electromagnetics (Kenneth Demarest)
Solution Manual Field and Wave Electromagnetics (1st Ed., David Cheng)
Solution Manual Fundamentals of Engineering Electromagnetics (David Cheng)
Solution Manual Information Modeling and Relational Databases (2nd Ed., Terry Halpin & Tony Morgan)
Solution Manual Probability, Statistics, and Random Processes For Electrical Engineering (3rd Ed., Alberto Leon-Garcia)
Solution Manual Detection and Estimation Theory (Thomas Schonhoff & Arthur Giordano)
Solution Manual The Intel Microprocessors (8th Ed., Barry B. Brey)
Solution Manual Wireless Networking (Kumar, Manjunath & Kuri)
Solution Manual Wireless Communications : Principles and Practice (2nd Ed., Theodore S. Rappaport)
Solution Manual Digital Electronics and Design with VHDL (Volnei A. Pedroni)
Solution Manual System-on-Chip Test Architectures : Nanometer Design for Testability (Wang, Stroud & Touba)
Solution Manual Digital Design (Verilog) : An Embedded Systems Approach Using Verilog (Peter Ashenden)
Solution Manual Digital Design (VHDL) : An Embedded Systems Approach Using VHDL (Peter Ashenden)
Solution Manual Computer Organization and Design : The Hardware/Software Interface (3rd Ed., Patterson & Hennessy)
Solution Manual Computer Organization and Design : The Hardware/Software Interface (4th Ed., Patterson & Hennessy)

Solution Manual Fundamentals of Computer Organization and Design (Sivarama P. Dandamudi)
Solution Manual Wireless Communications & Networking (Vijay Garg)
Solution Manual Network Flows : Theory, Algorithms, and Applications (Ravindra K. Ahuja, Thomas L. Magnanti, James B. Orlin)
Solution Manual Network Analysis, Architecture, and Design (3rd Ed., James McCabe)
Solution Manual Computer Networks : A Systems Approach (4th Ed., Peterson & Davie)
Solution Manual Computer Networks ISE : A Systems Approach (4th Ed., Peterson & Davie)
Solution Manual Digital Design and Computer Architecture (David Harris & Sarah Harris)
Solution Manual Fault-Tolerant Systems (Israel Koren & C. Krishna)
Solution Manual Computer Architecture : Pipelined and Parallel Processor Design (Michael J. Flynn)
Solution Manual Computer Architecture : A Quantitative Approach (4th Ed., Hennessy & Patterson)
Solution Manual High-Performance Embedded Computing : Architectures, Applications, and Methodologies (Wayne Wolf)
Solution Manual Pattern Recognition (3rd Ed., Theodoridis & Koutroumbas)
Solution Manual Pattern Recognition (4th Ed., Theodoridis & Koutroumbas)
Solution Manual Data Mining : Concepts and Techniques (2nd Ed., Han & Kamber)
Solution Manual Commonsense Reasoning (Erik Mueller)
Solution Manual Introduction to Data Compression (3rd Ed., Khalid Sayood)
Solution Manual Programming Language Pragmatics (2nd Ed., Michael Scott)
Solution Manual Programming Language Pragmatics (3rd Ed., Michael Scott)
Solution Manual Computer Graphics for Java Programmers (2nd Ed., Leen Ammeraal & Kang Zhang)
Solution Manual Database Modeling and Design : Logical Design (4th Ed., Teorey, Lightstone & Nadeau)
Solution Manual Computers As Components : Principles of Embedded Computing System Design (1st Ed., Wayne Wolf)
Solution Manual Computers As Components : Principles of Embedded Computing System Design (2nd Ed., Wayne Wolf)
Solution Manual Virtual Machines : Versatile Platforms for Systems and Processes (Jim Smith & Ravi Nair)
Solution Manual Comprehensive Functional Verification : The Complete Industry Cycle (Wile, Goss & Roesner)
Solution Manual User Interface Design and Evaluation (Stone, Jarrett, Woodroffe & Minocha)
Solution Manual Network Algorithmics : An Interdisciplinary Approach to Designing Fast Networked Devices (George Varghese)
Solution Manual Data Modeling Essentials (3rd Ed., Simsion & Witt)
Solution Manual A Student Guide to Object-Oriented Development (Carol Britton & Jill Doake)
Solution Manual Routing, Flow, and Capacity Design in Communication

and Computer Networks (Pioro & Medhi)
Solution Manual Knowledge Representation and Reasoning (Brachman & Levesque)
Solution Manual Communication Networking : An Analytical Approach (Anurag Kumar, D. Manjunath & Joy Kuri)
Solution Manual Principles and Practices of Interconnection Networks (Dally & Towles)
Solution Manual Game Physics (David Eberly)
Solution Manual Engineering a Compiler (Keith Cooper & Linda Torczon)
Solution Manual Constraint Processing (Rina Dechter)
Solution Manual Design Methods for Reactive Systems : Yourdon, Statemate, and the UML (R. J. Wieringa)
Solution Manual Temporal Data & the Relational Model (C.J. Date, Darwen & Lorentzos)
Solution Manual Java Made Simple (2nd Ed., P. K. McBride)
Solution Manual The Firmware Handbook (Jack Ganssle)
Solution Manual Optical Networks : A Practical Perspective (2nd Ed., Ramaswami & Sivarajan)
Solution Manual Optical Networks : A Practical Perspective (3rd Ed., Ramaswami, Sivarajan & Sasaki)
Solution Manual Usability Engineering : Scenario-Based Development of Human-Computer Interaction (Rosson & Carroll)
Solution Manual The Designer's Guide to VHDL (2nd Ed., Peter Ashenden)
Solution Manual Transactional Information Systems : Theory, Algorithms, and the Practice of Concurrency Control and Recovery (Weikum & Vossen)
Solution Manual Parallel Computer Architecture : A Hardware/Software Approach (Culler, Singh & Gupta)
Solution Manual Advanced Compiler Design and Implementation (Steven Muchnick)
Solution Manual Parallel Programming with MPI (Peter Pacheco)
Solution Manual Distributed Algorithms (Nancy Lynch)
Solution Manual Electrical and Electronic : Principles and Technology (3rd Ed., John Bird)
Solution Manual Electrical and Electronic : Principles and Technology (4th Ed., John Bird)
Solution Manual Electrical Circuit Theory and Technology (3rd Ed., John Bird)
Solution Manual Electrical Circuit Theory and Technology (4th Ed., John Bird)
Solution Manual Electronic Circuits : Fundamentals & Applications (3rd Ed., Mike Tooley)
Solution Manual A Practical Guide to SysML : The Systems Modeling Language (Friedenthal, Moore & Steiner)
Solution Manual Multidimensional Signal, Image, and Video Processing and Coding (John Woods)
Solution Manual Bioelectrical Signal Processing in Cardiac and Neurological Applications (Leif S=F6rnmo & Pablo Laguna)
Solution Manual Foundations of Analog and Digital Electronic Circuits (Anant Agarwal & Jeffrey Lang)
Solution Manual Introduction to Linear Circuit Analysis and Modelling : From DC to RF (Luis Moura & Izzat Darwazeh)
Solution Manual Embedded Systems Architecture : A Comprehensive Guide

for Engineers and Programmers (Tammy Noergaard)
Solution Manual Bioimpedance and Bioelectricity Basics (2nd Ed., Grimnes & Martinsen)
Solution Manual Simulation with Arena (5th Ed., Kelton, Sadowski & Swets)
Solution Manual Simulation Modeling and Analysis with ARENA (Tayfur Altiok & Benjamin Melamed)
Solution Manual The Visual Story : Creating the Visual Structure of Film, TV and Digital Media (2nd Ed., Bruce Block)
Solution Manual The Shut Up and Shoot Documentary Guide : A Down & Dirty DV Production (Anthony Artis)
Solution Manual Portable Video : ENG & EFP (5th Ed., Medoff & Fink)
Solution Manual Voice and Vision : A Creative Approach to Narrative Film and DV Production (Mick Hurbis-Cherrier)
Solution Manual Writing for Multimedia and the Web : A Practical Guide to Content Development for Interactive Media (3rd Ed., Timothy Garrand)
Solution Manual Developing and Maintaining a Design-Tech Portfolio : A Guide for Theatre, Film & TV (Rafael Jaen)
Solution Manual Producing for TV and Video : A Real-World Approach (Cathrine Kellison)
Solution Manual Producing for TV and New Media : A Real-World Approach for Producers (2nd Ed., Cathrine Kellison)
Solution Manual Placing Shadows : Lighting Techniques for Video Production (3rd Ed., Gloman & Tom LeTourneau)
Solution Manual Film Directing Fundamentals : See Your Film Before Shooting (3rd Ed., Nicholas Proferes)
Solution Manual Introduction to Media Production : The Path to Digital Media Production (3rd Ed., Musburger & Kindem)
Solution Manual Introduction to Media Production : The Path to Digital Media Production (4th Ed., Kindem & Musburger)
Solution Manual Directing the Documentary (5th Ed., Michael Rabiger)
Solution Manual Video Production Handbook (4th Ed., Gerald Millerson & Jim Owens)
Solution Manual Making Media : Foundations of Sound and Image Production (Jan Roberts-Breslin)
Solution Manual Prepare to Board! Creating Story and Characters for Animation Features and Shorts (Nancy Beiman)
Solution Manual Light and Lens : Photography in the Digital Age (Robert Hirsch)
Solution Manual The Radio Station : Broadcast, Satellite & Internet (7th Ed., Michael Keith)
Solution Manual Developing Story Ideas (2nd Ed., Michael Rabiger)
Solution Manual Radio Production Worktext : Studio and Equipment (5th Ed., Reese, Gross & Gross)
Solution Manual Broadcast News Writing, Reporting, and Producing (4th Ed., Ted White)
Solution Manual Problem Solving and Programming Concepts (7th Ed., Sprankle)
Solution Manual Problem Solving and Programming Concepts (8th Ed., Sprankle & Hubbard)
Solution Manual A Balanced Introduction to Computer Science (2nd Ed., David Reed)

Solution Manual Introduction to Computing and Programming with Java : A Multimedia Approach (Guzdial & Ericson)
Solution Manual Starting Out with Programming Logic and Design (Tony Gaddis)
Solution Manual Starting Out with Programming Logic and Design (2nd Ed., Tony Gaddis)
Solution Manual Tools For Structured and Object-Oriented Design (7th Ed., Bohl & Rynn)
Solution Manual Programming with Alice and Java (Lewis & DePasquale)
Solution Manual e-Business and e-Commerce How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual XML How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto, Ted Lin, Praveen Sadhu)
Solution Manual Python How to Program (Harvey M. Deitel, Paul J. Deitel, Jonathan P. Liperi Ben Wiedermann)
Solution Manual Perl How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto, D. C. McPhie)
Solution Manual C How to Program (4th Ed., Harvey & Paul Deitel)
Solution Manual C How to Program (5th Ed., Harvey & Paul Deitel)
Solution Manual C++ How to Program (6th Ed., Harvey & Paul Deitel)
Solution Manual Visual Basic.NET How to Program (2nd Ed., Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual Visual C++ 2008 How to Program (2nd Ed., Harvey & Paul Deitel)
Solution Manual Internet & World Wide Web : How to Program (4th Ed., Harvey & Paul Deitel)
Solution Manual Web Technologies : A Computer Science Perspective (Jeffrey C. Jackson)
Solution Manual Mastering the Internet, XHTML and JavaScript (2nd Ed., Ibrahim Zeid)
Solution Manual Weaving a Website : Programming in HTML, Java Script, Perl and Java (Susan Anderson-Freed)
Solution Manual Simply C++ : An Application-Driven Tutorial Approach (Harvey & Paul Deitel)
Solution Manual Visual C# 2005 How to Program (2nd Ed., Harvey & Paul Deitel)
Solution Manual Visual C# 2008 How to Program (3rd Ed., Harvey & Paul Deitel)
Solution Manual Simply C# : An Application-Driven Tutorial Approach (Harvey & Paul Deitel, Hoey & Yaeger)
Solution Manual Java : An Introduction to Problem Solving and Programming (4th Ed., Walter Savitch)
Solution Manual Java : An Introduction to Problem Solving and Programming (5th Ed., Savitch & Carrano)
Solution Manual Introduction to Computing and Programming with Java : A Multimedia Approach (Guzdial & Ericson)
Solution Manual Java How to Program (7th Ed., Harvey & Paul Deitel)
Solution Manual Java For Students (5th Ed., Bell & Parr)
Solution Manual Java, Java, Java, Object-Oriented Problem Solving (3rd Ed., Morelli & Walde)
Solution Manual Java : An Eventful Approach (Bruce, Danyluk & Murtagh)
Solution Manual Introduction to Java Programming with JBuilder (3rd Ed., Y. Daniel Liang)

Solution Manual Starting Out with Visual Basic 2008 (4th Ed., Gaddis & Irvine)
Solution Manual Starting Out with Visual Basic 2010 (5th Ed., Gaddis & Irvine)
Solution Manual Starting Out with Python (Tony Gaddis)
Solution Manual Object-Oriented Programming in Python (Goldwasser & Letscher)
Solution Manual Introduction to MathCAD 11 (Ronald W. Larsen)
Solution Manual Introduction to MathCAD 13 (2nd Ed., Ronald W. Larsen)
Solution Manual MatLAB Programming (David Kuncicky)
Solution Manual Introduction to Maple 8 (David Schwartz)
Solution Manual Introduction to FORTRAN 90 (2nd Ed., Larry R. Nyhoff & Sanford Leestma)
Solution Manual Fortran 95/2003 Scientists and Engineers (3rd Ed., Stephen J. Chapman)
Solution Manual Introduction to Java (Stephen J. Chapman)
Solution Manual Java Software Solutions for AP Computer Science A (2nd Ed., Lewis, Loftus & Cocking)
Solution Manual Business Data Networks and Telecommunications (6th Ed., Raymond R. Panko)
Solution Manual Business Data Networks and Telecommunications (7th Ed., Raymond R. Panko)
Solution Manual Business Data Communications (Allen Dooley)
Solution Manual Object-Oriented Programming in C++ (4th Ed., Robert Lafore)
Solution Manual C++ : Classes and Data Structures (Jeffrey Childs)
Solution Manual Data Structures Outside-In with Java (Sesh Venugopal)
Solution Manual Data Structures and Abstractions with Java (2nd Ed., Frank M. Carrano)
Solution Manual Data Structures and Algorithms in Java (Peter Drake)
Solution Manual Practical Introduction to Data Structures and Algorithm Analysis : C++ Edition (2nd Ed., Clifford A. Shaffer)
Solution Manual Computer Vision : A Modern Approach (David Forsyth & Jean Ponce)
Solution Manual Computer Graphics Using Java 2D and 3D (Hong Zhang & Y. Daniel Liang)
Solution Manual Computer Graphics Using OpenGL (3rd Ed., Francis Hill Jr. & Stephen Kelley)
Solution Manual Computer Graphics with OpenGL (3rd Ed., Donald Hearn & M. Pauline Baker)
Solution Manual User-Centered Web Site Development : A Human-Computer Interaction Approach (McCracken & Wolfe)
Solution Manual Fundamentals of Game Design (Ernest Adams & Andrew Rollings)
Solution Manual Introduction to The Game Industry (Moore & Sward)
Solution Manual Fundamentals of Math and Physics for Game Programmers (Wendy Stahler)
Solution Manual Usability Engineering : Process, Products & Examples (Laura Leventhal & Julie Barnes)
Solution Manual Web Usability : A User-Centered Design Approach (Jonathan Lazar)
Solution Manual Structured Computer Organization (5th Ed., Andrew S. Tanenbaum)

Solution Manual Assembly Language for Intel-Based Computers (5th Ed., Kip Irvine)
Solution Manual Assembly Language for x86 Processors (6th Ed., Kip R. Irvine)
Solution Manual Fundamentals of Multimedia (Ze-Nian Li & Mark Drew)
Solution Manual Digital Media Primer (Yue-Ling Wong)
Solution Manual Essentials for Design Macromedia Director MX 2004 Comprehensive (Tara Gray)
Solution Manual Modern Systems Analysis and Design (4th Ed., Jeffrey Hoffer, Joey George, & Joseph Valacich)
Solution Manual Modern Systems Analysis and Design (5th Ed., Jeffrey Hoffer, Joey George, & Joseph Valacich)
Solution Manual Modern Database Management (8th Ed., Hoffer, Prescott & Topi)
Solution Manual Modern Database Management (9th Ed., Hoffer, Prescott & Topi)
Solution Manual Database Systems Using Oracle (2nd Ed., Nilesh Shah)
Solution Manual An Advanced Course in Database Systems : Beyond Relational Databases (Dietrich & Urban)
Solution Manual Data and Text Mining : A Business Applications Approach (Thomas Miller)
Solution Manual Network Management : Concepts and Practice, A Hands-On Approach (J. Richard Burke)
Solution Manual Computer and Communication Networks (Nader F. Mir)
Solution Manual High Performance TCP/IP Networking (Mahbub Hassan & Raj Jain)
Solution Manual Computer Security : Principles and Practice (William Stallings & Lawrie Brown)
Solution Manual Computer Forensics : Principles and Practices (Volonino, Anzaldua & Godwin)
Solution Manual Disaster Recovery : Principles and Practices (April Wells, Charlyne Walker & Timothy Walker)
Solution Manual Firewalls and VPNs : Principles and Practices (Richard Tibbs & Edward Oakes)
Solution Manual Network Defense and Countermeasures : Principles and Practices (Chuck Easttom)
Solution Manual Corporate Computer and Network Security (1st Ed., Raymond Panko)
Solution Manual Corporate Computer and Network Security (2nd Ed., Raymond Panko)
Solution Manual IP Telephony Using CallManager Express Lab Portfolio (Cheryl Schmidt & Ernie Friend)
Solution Manual High-Speed Networks and Internets : Performance and Quality of Service (2nd Ed., William Stallings)
Solution Manual Object-Oriented Modeling and Design with UML (2nd Ed., Michael Blaha & James Rumbaugh)
Solution Manual Operating Systems : Internals and Design Principles (5th Ed., William Stallings)
Solution Manual Operating Systems : Internals and Design Principles (6th Ed., William Stallings)
Solution Manual Distributed Systems : Principles and Paradigms (2nd Ed., Tanenbaum & Van Steen)
Solution Manual Modern Operating Systems (3rd Ed., Andrew Tanenbaum)

Solution Manual Operating Systems Design and Implementation (3rd Ed., Andrew Tanenbaum & Albert Woodhull)
Solution Manual UNIX Unbounded : A Beginning Approach (5th Ed., Amir Afzal)
Solution Manual Introduction to Operating Systems and Networks (Ruth Watson)
Solution Manual Operating Systems (3rd Ed., Harvey Deitel, Paul Deitel & David Choffnes)
Solution Manual Operating Systems Principles (Lubomir Bic & Alan Shaw)
Solution Manual A Practical Guide to Linux : Commands, Editors, and Shell Programming (Mark Sobell)
Solution Manual A Practical Guide to Red Hat Linux : Fedora Core and Red Hat Enterprise Linux (2nd Ed., Mark Sobell)
Solution Manual A Practical Guide to Red Hat Linux : Fedora Core and Red Hat Enterprise Linux (3rd Ed., Mark Sobell)
Solution Manual A Practical Guide to Fedora and Red Hat Enterprise Linux: College Edition (Mark Sobell)
Solution Manual A Practical Guide to Ubuntu Linux (Mark Sobell)
Solution Manual Automata, Computability and Complexity : Theory and Applications (Elaine Rich)
Solution Manual Modern Digital Electronics (R.P. Jain)
Solution Manual Linear Systems and Signals (B.P. Lathi)
Solution Manual Modern Digital and Analog Communications Systems (3rd Ed., B. P. Lathi)
Solution Manual Introduction to Digital Systems (Milo D. Ercegovac, Lang & Moreno)
Solution Manual Embedded Systems : Architechture, Programming and Design (Raj Kamal)
Solution Manual Modern Power System Analysis (D. P. Kothari & I. J. Nagrath)
Solution Manual Basic Electrical Engineering (2nd Ed., D.P. Kothari, I.J. Nagrath)
Solution Manual Electric Machines (3rd Ed., D.P. Kothari, I.J. Nagrath)
Solution Manual Circuits and Networks (A. Sudhakar & S. Palli Shyammohan)
Solution Manual Electrical and Electronic Technology (9th Ed., Edward Hughes, John Hiley, Keith Brown & Ian McKenzie-Smith)
Solution Manual Electrical and Electronic Technology (10th Ed., Edward Hughes, John Hiley, Keith Brown & Ian McKenzie-Smith)
Solution Manual Electric Motors and Drives : Fundamentals, Types and Applications (3rd Ed., Austin Hughes)
Solution Manual Modern Processor Design : Fundamentals of Superscalar Processors (John P. Shen)
Solution Manual Computer Networks : Principles, Technologies and Protocols for Network Design (N. Olifer & V. Olifer)
Solution Manual Computer Networking : Internet Protocols in Action (Jeanna Matthews)
Solution Manual Computer Organization (5th Ed., Hamacher et al.)
Solution Manual CMOS Digital Integrated Circuits : Analysis and Design (3rd Ed., Sung-Mo Kang & Yusuf Leblebici)
Solution Manual Introduction to Logic Design (1st Ed., Alan B Marcovitz)

Solution Manual Introduction to Logic Design (2nd Ed., Alan B Marcovitz)
Solution Manual Introduction to Logic Design (3rd Ed., Alan B Marcovitz)
Solution Manual Introduction to Logic and Computer Design (Alan B Marcovitz)
Solution Manual Digital Principles and Design (Donald D. Givone)
Solution Manual Programmable Logic Controllers (3rd Ed., Frank Petruzella)
Solution Manual Antenna Theory and Design (2nd Ed., Stutzman & Thiele)
Solution Manual Antennas for All Applications (3rd Ed., John Kraus & Ronald Marhefka)
Solution Manual Principles of Neurocomputing for Science and Engineering (Fredric M. Ham & Ivica Kostanic)
Solution Manual Introduction to Algorithms (2nd Ed., Cormen, et al.)
Solution Manual Algorithms (Dasgupta, et al.)
Solution Manual Applied Operating Systems Concepts (Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts (6th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts (7th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts (8th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating Systems Concepts with Java (6th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts with Java (7th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts with Java (8th Ed., Silberschatz, Galvin & Gagne)
Solution Manual C++ Program Design (3rd Ed., Cohoon & Davidson)
Solution Manual Java : Program Design 5.0 (Cohoon & Davidson)
Solution Manual Programming in C++ : Lessons and Applications (Timothy B. D'Orazio)
Solution Manual Applied C : An Introduction and More (Alice Fischer)
Solution Manual Programming Languages : Principles and Paradigms (1st Ed., Allen Tucker & Robert Noonan)
Solution Manual Programming Languages : Principles and Paradigms (2nd Ed., Allen Tucker & Robert Noonan)
Solution Manual Introduction to Parallel Computing (2nd Ed., Grama, Karypis, Kumar & Gupta)
Solution Manual Parallel Programming in C with MPI and Open MP (Michael J Quinn)
Solution Manual Data Communications and Network Security (Houston H. Carr & Charles Snyder)
Solution Manual Data Communications and Networks (David Miller)
Solution Manual Management Information Systems (3rd Ed., Post & Anderson)
Solution Manual Management Information Systems (4th Ed., Post & Anderson)
Solution Manual Database Management Systems (3rd Ed. Post)
Solution Manual Management Information Systems (9th Ed., James A. O'Brien, George Marakas)

Solution Manual Introduction to Systems Analysis and Design (Whitten & Bentley)
Solution Manual Systems Analysis & Design : An Active Approach (2nd Ed., Marakas)
Solution Manual An Introduction to Object-Oriented Programming with Java (4th Ed., C. Thomas Wu - Otani)
Solution Manual An Introduction to Object-Oriented Programming with Java (5th Ed., C. Thomas Wu - Otani)
Solution Manual A Comprehensive Introduction to Object-Oriented Programming With Java (C. Thomas Wu)
Solution Manual Data Structures and the Java Collections Framework (1st Ed., William Collins)
Solution Manual Data Structures and the Java Collections Framework (2nd Ed., William Collins)
Solution Manual Data Structures and the Standard Template Library (William Collins)
Solution Manual Database System Concepts (4th Ed., Silberschatz)
Solution Manual Database System Concepts (5th Ed., Silberschatz)
Solution Manual Database System Concepts (6th Ed., Silberschatz, Korth & Sudarshan)
Solution Manual Database Management Systems (3rd Ed., Ramakrishnan & Gehrke)
Solution Manual Fundamentals of Network Security (Eric Maiwald)
Solution Manual Computing Concepts (1st Ed., Haag, et al.)
Solution Manual Computing Concepts (2nd Ed., Haag et al.)
Solution Manual Microsoft Office 2003 (Haag et al.)
Solution Manual Advanced Programming Using Visual Basic .NET (2nd Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Advanced Programming Using Visual Basic 2005 (3rd Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming with Java (Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming in C#.Net (1st Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming in Visual C# 2005 (2nd Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Learning Programming Using Visual Basic.Net (Bill Burrows & Joe Lanford)
Solution Manual Programming in Visual Basic.NET : Visual Basic.NET 2005 (6th Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming in Visual Basic .Net : 2003 Update Edition (5th Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Survey of Operating Systems (2nd Ed., Jane Holcombe & Charles Holcombe)
Solution Manual Principles of Voice and Data Communications (Regis J. Bates & Marcus Bates)
Solution Manual Mike Meyers' Network+ Guide To Managing and Troubleshooting Networks (Michael Meyers)
Solution Manual Introduction to Windows Server 2003 (Eric Ecklund)
Solution Manual Programming The Web : An Introduction (Barrie Sosinsky & Valda Hilley)
Solution Manual Programming The Web Using XML (Ellen Pearlman & Eileen Mullin)

Solution Manual Internet Marketing : Building Advantage in a Networked Economy (2nd Ed., Rafi Mohammed et al.)
Solution Manual Internet Technologies at Work (Fred T. Hofstetter)
Solution Manual Internet Literacy (4th Ed., Fred T. Hofstetter)
Solution Manual Software Engineering : A Practitioner's Approach (5th Ed., Roger Pressman)
Solution Manual Software Engineering : A Practitioner's Approach (6th Ed., Roger Pressman)
Solution Manual Software Engineering : A Practitioner's Approach (7th Ed., Roger Pressman)
Solution Manual Web Engineering : A Practioner's Approach (1st Ed., Roger S. Pressman & David Lowe)
Solution Manual Object-Oriented Software Engineering (Stephen Schach)
Solution Manual Object-Oriented and Classical Software Engineering (5th Ed., Steve Schach)
Solution Manual Object-Oriented and Classical Software Engineering (6th Ed., Steve Schach)
Solution Manual Object-Oriented and Classical Software Engineering (7th Ed., Steve Schach)
Solution Manual Object-Oriented and Classical Software Engineering (8th Ed., Steve Schach)
Solution Manual Introduction to Object-Oriented Analysis and Design (Steve Schach)
Solution Manual Communication Networks (2nd Ed., Alberto Leon-Garcia & Indra Widjaja)
Solution Manual Fundamentals of Digital Logic with Verilog Design (1st Ed., Stephen Brown & Zvonko Vranesic)
Solution Manual Fundamentals of Digital Logic with Verilog Design (2nd Ed., Stephen Brown & Zvonko Vranesic)
Solution Manual Continuous and Discrete Control Systems (John Dorsey)
Solution Manual Engineering Circuit Analysis (6th Ed., William Hayt, Jack Kemmerly & Steven Durbin)
Solution Manual Engineering Circuit Analysis (7th Ed., William Hayt, Jack Kemmerly & Steven Durbin)
Solution Manual Engineering Electromagnetics (7th Ed., William Hayt & John Buck)
Solution Manual Principles of Electronic Materials and Devices (2nd Ed., Safa O. Kasap)
Solution Manual Principles of Electronic Materials and Devices (3rd Ed., Safa O. Kasap)
Solution Manual Programming in Haskell (Graham Hutton)
Solution Manual Probability and Random Processes With Applications to Signal Processing and Communications (Miller & Childers)
Solution Manual Logic in Computer Science : Modelling and Reasoning about Systems (2nd Ed., Michael Huth & Mark Ryan)
Solution Manual Introduction to Distributed Algorithms (2nd., Gerard Tel)
Solution Manual Information Theory, Inference and Learning Algorithms (David J. C. MacKay)
Solution Manual Digital Systems Engineering (William Dally & John Poulton)
Solution Manual Concepts in Programming Languages (by John Mitchell)
Solution Manual Simulation Modeling and Analysis (3rd Ed., Averill Law

& David Kealton)
Solution Manual Simulation Modeling and Analysis with Expertfit Software (4th Ed., Averill Law)
Solution Manual System Modeling and Analysis : Foundations of System Performance Evaluation (Hisashi Kobayashi & Brian Mark)
Solution Manual Wireless Communications (Andrea Goldsmith)
Solution Manual Testing of Digital Systems (N. K. Jha & S. Gupta)
Solution Manual Space-Time Coding (Hamid Jafarkhani)
Solution Manual Space-Time Block Coding for Wireless Communications (Erik Larsson & Petre Stoica)
Solution Manual Smart Electronic Materials : Fundamentals and Applications (Jasprit Singh)
Solution Manual Radio-Frequency Electronics : Circuits and Applications (Jon Hagen)
Solution Manual Photonic Devices (Jia-ming Liu)
Solution Manual Networking Wireless Sensors (Bhaskar Krishnamachari)
Solution Manual Mobile Wireless Communications (Mischa Schwartz)
Solution Manual Introduction to Color Imaging Science (Hsien-Che Lee)
Solution Manual Fundamentals of Wireless Communication (David Tse & Pramod Viswanath)
Solution Manual Fundamentals of Modern VLSI Devices (Yuan Taur & Tak H. Ning)
Solution Manual Electronic and Optoelectronic Properties of Semiconductor Structures (Jasprit Singh)
Solution Manual An Introduction to Statistical Signal Processing (Robert M. Gray)
Solution Manual An Introduction to Radio Frequency Engineering (Christopher Coleman)
Solution Manual Algebraic Codes for Data Transmission (Richard Blahut)
Solution Manual Fundamentals of Solid State Electronics (C.T. Sah)
Solution Manual Fundamentals of Solid State Engineering (2nd Ed., Manijeh Razeghi)
Solution Manual Robot Modeling and Control (Spong, Hutchinson & Vidyasagar)
Solution Manual Theory of Applied Robotics : Kinematics, Dynamics and Control (Reza N. Jazar)
Solution Manual Control of Robot Manipulators in Joint Space (R. Kelly, V. Santib=E1=F1ez, A. Lor=EDa)
Solution Manual Modelling and Control of Robot Manipulators (2nd Ed., Lorenzo Sciavicco, Bruno Siciliano)
Solution Manual Robotics : Modelling, Planning and Control (Bruno Siciliano, Lorenzo Sciavicco, Luigi Villani & Giuseppe Oriolo)
Solution Manual Fundamentals of Semiconductor Fabrication (Gary S. May, Simon M. Sze)
Solution Manual Semiconductor Devices : Physics and Technology (2nd Ed, Simon M. Sze)
Solution Manual Physics of Semiconductor Devices (3rd Ed., Simon M. Sze, Kwok K. Ng)
Solution Manual Electric Machinery (6th Ed., Fitzgerald)
Solution Manual Electric Machinery Fundamentals (4th Ed., Chapman)
Solution Manual Electric Machinery and Power System Fundamentals (Chapman)
Solution Manual Local Area Networks (2nd Ed., Keiser)

Solution Manual Signals and Systems : Analysis of Signals Through Linear Systems (1st Ed., M.J. Roberts)
Solution Manual Fundamentals of Signals and Systems (M.J. Roberts)
Solution Manual Introduction to Signals and Systems (Lindner)
Solution Manual Semiconductor Physics and Devices (3rd Ed., Donald Neamen)
Solution Manual An Introduction to Semiconductor Devices (Donald Neamen)
Solution Manual Microelectronic Circuit Analysis and Design (3rd Ed., Donald Neamen)
Solution Manual Electronic Circuit Analysis and Design (2nd Ed., Donald Neamen)
Solution Manual Design for Electrical and Computer Engineers (1st Ed., Ralph Ford & Chris Coulston)
Solution Manual Fundamentals of Modeling and Analyzing Engineering Systems (Cha, Rosenberg, Dym)
Solution Manual Linear Systems (Panos J. Antsaklis & Anthony N. Michel)
Solution Manual A Linear Systems Primer (Panos J. Antsaklis & Anthony N. Michel)
Solution Manual Principles of Linear Systems (Philip E. Sarachik)
Solution Manual Linear Systems Control : Deterministic and Stochastic Methods (Elbert Hendricks, Ole Jannerup & Paul Haase S=F8rensen)
Solution Manual Power Systems Harmonics : Fundamentals, Analysis and Filter Design (George J. Wakileh)
Solution Manual Principles of Adaptive Filters and Self-learning Systems (Anthony Zaknich)
Solution Manual Algebraic Methods for Nonlinear Control Systems (2nd Ed., Conte, Moog & Perdon)
Solution Manual Discrete-Time Control Systems (2nd Ed., K. Ogata)
Solution Manual Modern Control Engineering - Problems B (3rd Ed., K. Ogata)
Solution Manual Modern Control Engineering (4th Ed., K. Ogata)
Solution Manual Modern Control Engineering (5th Ed., K. Ogata)
Solution Manual Modern Control Engineering - International Version (5th Ed., K. Ogata)
Solution Manual LabVIEW 8 Student Edition (Bishop)
Solution Manual LabVIEW 2009 Student Edition (Bishop)
Solution Manual Learning with LabVIEW 2009 (Bishop)
Solution Manual Introduction to Feedback Control (Li Qiu & Kemin Zhou)
Solution Manual Modeling and Simulation of Dynamic Systems (Robert Woods, Jr. & Kent Lawrence)
Solution Manual Feedback Control of Dynamic Systems (4th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Feedback Control of Dynamic Systems (5th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Feedback Control of Dynamic Systems (6th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Feedback Control of Dynamic Systems - International Version (6th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Predictive Control with Constraints (Jan Maciejowski)
Solution Manual Computer Numerical Control : Operation and Programming (3rd Ed., Stenerson & Curran)

Solution Manual Engineering Problem Solving with C (3rd Ed., Etter)
Solution Manual Engineering Problem Solving with C++ (2nd Ed., Etter)
Solution Manual Process Control Instrumentation Technology (8th Ed., Johnson)
Solution Manual Electrical Power and Controls (2nd Ed., Skvarenina & DeWitt)
Solution Manual Electronics and Computer Math (8th Ed., Deem & Zannini)
Solution Manual Circuits, Signals, and Systems for Bioengineers : A MATLAB-Based Introduction (John Semmlow)
Solution Manual VLSI Test Principles and Architectures : Design for Testability (Laung-Terng Wang, Cheng-Wen Wu & Xiaoqing Wen)
Solution Manual Mechatronics : Principles and Applications (Godfrey Onwubolu)
Solution Manual Machine Vision : Theory, Algorithms, Practicalities (3rd Ed., E. R. Davies)
Solution Manual Essential Java for Scientists and Engineers (Brian D. Hahn & Katherine M. Malan)
Solution Manual Guide to Microsoft Excel 2002 for Scientists and Engineers (3rd Ed., Bernard V. Liengme)
Solution Manual 10-Key Touch Key : Developing Speed and Accuracy (Burton)
Solution Manual Introduction to C++ Programming, Brief Version (Y. Daniel Liang)
Solution Manual Introduction to C++ Programming, Comprehensive (Y. Daniel Liang)
Solution Manual C++ for Business Programmers (2nd Ed., John C. Molluzzo)
Solution Manual Introduction to Java Programming - Brief Version (7th Ed., Liang)
Solution Manual Introduction to Java Programming - Brief Version (8th Ed., Liang)
Solution Manual Introduction to Java Programming - Brief Version - International Edition (8th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version (6th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version (7th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version (8th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version - International Edition (8th Ed., Liang)
Solution Manual Introduction to Java Programming : Fundamentals First (6th Ed., Y. Daniel Liang)
Solution Manual Objects First With Java : A Practical Introduction Using BlueJ (3rd Ed., Barnes & Kolling)
Solution Manual Simply Java Programming : An Application-Driven=99 Tutorial Approach (Deitel)
Solution Manual Java : An Introduction to Computing (Joel Adams, Larry R. Nyhoff & Jeffrey Nyhoff)
Solution Manual Advanced Java=99 2 Platform How to Program (Deitel & Santry)
Solution Manual SQL for SQL Server (Bijoy Bordoloi & Douglas B. Bock)

Solution Manual SQL Clearly Explained (3rd Ed., Jan Harrington)
Solution Manual An Introduction to Programming Using Visual Basic 2005 (6th Ed., Schneider)
Solution Manual An Introduction to Programming Using Visual Basic 2008 (7th Ed., Schneider)
Solution Manual An Introduction to Programming Using Visual Basic 2010 (8th Ed., Schneider)
Solution Manual Simply Visual Basic .NET (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual Simply Visual Basic 2005 (2nd Ed., Harvey & Paul Deitel & Associates)
Solution Manual Simply Visual Basic 2008 (3rd Ed., Harvey & Paul Deitel & Associates)
Solution Manual Visual Basic 2005 How to Program (3rd Ed., Deitel & Associates)
Solution Manual Visual Basic 2008 How to Program (4th Ed., Deitel & Associates)
Solution Manual An Introduction to Programming with Visual Basic 6.0 (4th Ed., Schneider)
Solution Manual Visual Basic.Net Programming (2nd Ed., Jeffrey Tsay)
Solution Manual Simply Visual Basic .NET (Harvey & Paul Deitel & Nieto)
Solution Manual Mechatronics (Sabri Cetinkunt)
Solution Manual PC Systems, Installation and Maintenance (2nd Ed., R.P. Beales)
Solution Manual Introduction to Linear Programming (Leonid N. Vaserstein)
Solution Manual Electric Circuits Fundamentals (8th Ed., Thomas Floyd)
Solution Manual Introductory Circuit Analysis (11th Ed., Robert L. Boylestad)
Solution Manual Introductory Circuit Analysis (12th Ed., Robert L. Boylestad)
Solution Manual Principles of Electric Circuits : Conventional Current Version (8th Ed., Thomas Floyd)
Solution Manual Principles of Electric Circuits : Conventional Current Version (9th Ed., Thomas Floyd)
Solution Manual Principles of Electric Circuits : Electron Flow Version (8th Ed., Thomas L. Floyd)
Solution Manual Principles of Electric Circuits : Electron Flow Version (9th Ed., Thomas L. Floyd)
Solution Manual Contemporary Electric Circuits : Insights and Analysis (2nd ed., Strangeway, Petersen, Gassert & Lokken)
Solution Manual Introductory Electronic Devices and Circuits : Electron Flow Version (7th Ed., Paynter)
Solution Manual Introductory Electronic Devices and Circuits : Conventional Flow Version (7th Ed., Paynter)
Solution Manual Electronics Technology Fundamentals : Conventional Flow (2nd Ed., Robert T. Paynter & Toby Boydell)
Solution Manual Electronics Technology Fundamentals : Conventional Flow (3rd Ed., Robert T. Paynter & Toby Boydell)
Solution Manual Electronics Technology Fundamentals : Electron Flow (2nd Ed., Robert T. Paynter, Toby Boydell)
Solution Manual Electronics Technology Fundamentals : Electron Flow

(3rd Ed., Robert T. Paynter, Toby Boydell)
Solution Manual Introductory DC/AC Circuits (6th Ed., Nigel P. Cook)
Solution Manual Introductory DC/AC Electronics (6th Ed., Nigel P. Cook)
Solution Manual Electronic Devices : Conventional Current Version (7th Ed., Floyd)
Solution Manual Electronic Devices : Conventional Current Version (8th Ed., Floyd)
Solution Manual Electronic Devices : Electron Flow Version (7th, Floyd)
Solution Manual Electronic Devices : Electron Flow Version (8th, Floyd)
Solution Manual Electronics Fundamentals : Circuits, Devices and Applications (7th Ed., Thomas L. Floyd)
Solution Manual Electronics Fundamentals : Circuits, Devices and Applications (8th Ed., Floyd & Buchla)
Solution Manual Electronic Devices and Circuit Theory (9th Ed., Boylestad, Nashelsky)
Solution Manual Electronic Devices and Circuit Theory (10th Ed., Boylestad, Nashelsky)
Solution Manual The Science of Electronics : DC/AC (David M. Buchla, Thomas L. Floyd)
Solution Manual The Science of Electronics : Digital (Floyd & Buchla)
Solution Manual The Science of Electronics: Analog Devices (Floyd & Buchla)
Solution Manual Digital Electronics : A Practical Approach (7th Ed., Kleitz)
Solution Manual Digital Electronics : A Practical Approach (8th Ed., Kleitz)
Solution Manual Digital Systems : Principles and Applications (10th Ed., Tocci, Widmer & Moss)
Solution Manual Digital Electronics with VHDL - Quartus II Version (Kleitz)
Solution Manual Digital Fundamentals (9th Ed., Floyd)
Solution Manual Digital Fundamentals (10th Ed., Floyd)
Solution Manual Digital Fundamentals with PLD Programming (Thomas L. Floyd)
Solution Manual The 8051 Microcontroller (4th Ed., MacKenzie & Chung-Wei Phan)
Solution Manual The 8051 Microcontroller and Embedded Systems (2nd Ed., Muhammad Ali Mazidi, Janice Mazidi & Rolin McKinlay)
Solution Manual INTEL Microprocessors 8086/8088, 80186/80188, 80286, 80386, 80486, Pentium, Prentium ProProcessor, Pentium II, III, 4, (7th Ed., Barry B. Brey)
Solution Manual Microcontroller Technology : The 68HC11 (5th Ed., Peter Spasov)
Solution Manual PIC Microcontroller (Muhammad Ali Mazidi, Rolin McKinlay & Danny Causey)
Solution Manual HCS12 Microcontrollers and Embedded Systems : Using Assembly and C with CodeWarrior (Muhammad Ali Mazidi, Danny Causey & Janice Mazidi)
Solution Manual The x86 PC : Assembly Language, Design, and Interfacing (5th Ed., Muhammad Ali Mazidi, Janice Mazidi & Danny

Causey)
Solution Manual The AVR Microcontroller and Embedded Systems : Using Assembly and C (Muhammad Ali Mazidi, Sarmad Naimi & and Sepehr Naimi)
Solution Manual Industrial Electronics (James A. Rehg, Glenn J. Sartori)
Solution Manual Programmable Controllers Using the Allen-Bradley SlC-500 Family (2nd Ed., Dave Geller)
Solution Manual Programmable Logic Controllers (James A. Rehg, Glenn J. Sartori)
Solution Manual Fundamentals of Programmable Logic Controllers, Sensors, and Communications (3rd Ed., Jon Stenerson)
Solution Manual An Introduction to Programming with Visual Basic 6.0, Update Edition (4th Ed., Schneider)
Solution Manual C++ Programming Today (1st Ed., Barbara Johnston)
Solution Manual C++ Programming Today (2nd Ed., Barbara Johnston)
Solution Manual Introduction to Data Communications and Networking (Wayne Tomasi)
Solution Manual Introduction to Telecommunications (2nd Ed., Martha Rosengrant)
Solution Manual Network Security Essentials : Applications and Standards (3rd Ed., William Stallings)
Solution Manual Network Security Essentials : Applications and Standards (4th Ed., William Stallings)
Solution Manual Information Security: Principles and Practices (Mark Merkow, James Breithaupt)
Solution Manual Principles and Practice of Information Security (Linda Volonino, Stephen R. Robinson)
Solution Manual Principles of Electronic Communication Systems (3rd Ed., Louis E. Frenzel)
Solution Manual Modern Electronic Communication (8th Ed., Jeff Beasley, Gary M. Miller)
Solution Manual Modern Electronic Communication (9th Ed., Jeff Beasley, Gary M. Miller)
Solution Manual Electronic Communications for Technicians (2nd ed., Tom Wheeler)
Solution Manual Concepts In Systems and Signals (2nd Ed., John D. Sherrick)
Solution Manual Understanding Fiber Optics (5th Ed., Jeff Hecht)
Solution Manual Understanding UNIX/LINUX Programming : A Guide to Theory and Practice (Bruce Molay)
Solution Manual Applying PIC18 Microcontrollers : Architecture, Programming, and Interfacing using C and Assembly (Barry Brey)
Solution Manual Electrical Power and Controls (2nd Ed., Timothy L. Skvarenina, William E. DeWitt)
Solution Manual Process Control Instrumentation Technology (8th Ed., Curtis Johnson)
Solution Manual Electrical Machines, Drives and Power Systems (6th Ed., Theodore Wildi)
Solution Manual Introduction to Vacuum Technology (David M. Hata)
Solution Manual Electronic Project Design and Fabrication (6th Ed., Ronald A. Reis)
Solution Manual Technology and Society (3rd Ed., Linda Hjorth, Barbara A. Eichler, Ahmed S. Khan, John Morello)

Solution Manual Solid State Electronic Devices (6th Ed., Ben Streetman, Sanjay Banerjee)
Solution Manual Approaching Quantum Computing (Dan C. Marinescu & Gabriela M. Marinescu)
Solution Manual Foundations of MEMS (Chang Liu)
Solution Manual Basic Electromagnetics with Applications (Nannapaneni Narayana Rao)
Solution Manual Elements of Engineering Electromagnetics (6th Ed., Nannapaneni Narayana Rao)
Solution Manual Fundamentals of Electromagnetics for Electrical and Computer Engineering (Nannapaneni Narayana Rao)
Solution Manual Digital Design (4th Ed., M. Morris Mano & Michael D. Ciletti)
Solution Manual Digital Design : Principles and Practices Package (4th Ed., John F. Wakerly)
Solution Manual VHDL: A Starter's Guide (2nd Ed., Sudhakar Yalamanchili)
Solution Manual Computer Organization and Architecture : Designing for Performance (7th Ed., William Stallings)
Solution Manual Computer Organization and Architecture : Designing for Performance (8th Ed., William Stallings)
Solution Manual Parallel Programming : Techniques and Applications Using Networked Workstations and Parallel Computers (2nd Ed., Barry Wilkinson & Michael Allen)
Solution Manual Fundamentals of Parallel Processing (Harry F. Jordan & Gita Alaghband)
Solution Manual Digital and Analog Communication Systems (7th Ed., Leon W. Couch)
Solution Manual Digital Communications (4th Ed., John Proakis)
Solution Manual Digital Communications (5th Ed., John Proakis)
Solution Manual Principles of Digital Communication and Coding (Andrew J. Viterbi, Jim K. Omura)
Solution Manual Modern Wireless Communications (Simon Haykin, Michael Moher)
Solution Manual Communication Systems Engineering (2nd Ed., John G. Proakis & Masoud Salehi)
Solution Manual ISDN and Broadband ISDN with Frame Relay and ATM (4th Ed., William Stallings)
Solution Manual Data and Computer Communications (8th Ed., William Stallings)
Solution Manual Cryptography and Network Security (4th Ed., William Stallings)
Solution Manual Cryptography and Network Security : Principles and Practice (5th Ed., William Stallings)
Solution Manual Computer Networking with Internet Protocols (William Stallings)
Solution Manual Local and Metropolitan Area Networks (6th Ed., William Stallings)
Solution Manual Probabilistic Systems and Random Signals (Abraham Haddad)
Solution Manual Error Control Coding (2nd Ed., Shu Lin & Daniel J. Costello)
Solution Manual Wireless Communications & Networks (2nd ed., William

Stallings)
Solution Manual Wireless Communications and Networking (Jon W. Mark, Weihua Zhuang)
Solution Manual Detection and Estimation Theory (Thomas Schonhoff & Arthur Giordano)
Solution Manual Signals, Systems, and Transforms (3rd Ed., Charles Phillips, John Parr & Eve Riskin)
Solution Manual Signals, Systems, and Transforms (4th Ed., Charles Phillips, John Parr & Eve Riskin)
Solution Manual Signals, Systems, and Transforms - International Version (4th Ed., Charles Phillips, John Parr & Eve Riskin)
Solution Manual Fundamentals of Signals and Systems Using the Web and Matlab (3rd Ed., Edward Kamen & Bonnie Heck)
Solution Manual Adaptive Filter Theory (4th Ed., Simon Haykin)
Solution Manual Neural Networks and Learning Machines (3rd Ed., Simon Haykin)
Solution Manual Spectral Analysis of Signals (Petre Stoica & Randolph L. Moses)
Solution Manual Fluency with Information Technology : Skills, Concepts, and Capabilities (2nd Ed., Snyder)
Solution Manual Fluency with Information Technology : Skills, Concepts, and Capabilities (3rd Ed., Snyder)
Solution Manual Fluency with Information Technology, Brief Edition (Lawrence Snyder)
Solution Manual Excel 2003 Volume II: Advanced Concepts in Excel (5th Ed., Karen Jolly)
Solution Manual Focus on Excel 2003 (Julie Hayward Spooner)
Solution Manual Comprehensive Excel 2002 for Office XP (4th Ed., Karen Jolly)
Solution Manual Ethics for the Information Age (2nd Ed., Michael Quinn)
Solution Manual Ethics for the Information Age (3rd Ed., Michael Quinn)
Solution Manual Computer Science : An Overview (8th Ed., J. Glenn Brookshear)
Solution Manual Computer Science : An Overview (9th Ed., J. Glenn Brookshear)
Solution Manual Computer Science : An Overview (10th Ed., J. Glenn Brookshear)
Solution Manual Excel 2003 Volume 1 : Core Concepts in Excel (5th Ed., Karen J. Jolly)
Solution Manual Concise Prelude to Programming : Concepts and Design (2nd Ed., Stewart Venit)
Solution Manual Concise Prelude to Programming (3rd Ed., Stewart Venit & Elizabeth Drake)
Solution Manual Extended Prelude to Programming : Concepts and Design (2nd Ed., Stewart Venit)
Solution Manual Extended Prelude to Programming (3rd Ed., Stewart Venit & Elizabeth Drake)
Solution Manual Logic and Design of Computer Programs (Jim Messinger)
Solution Manual Absolute C++ (2nd Ed., Walter Savitch)
Solution Manual Absolute C++ (3rd Ed., Walter Savitch)
Solution Manual Absolute C++ (4th Ed., Walter Savitch)

Solution Manual Problem Solving with C++ : The Object of Programming (5th Ed., Walter Savitch)
Solution Manual Problem Solving with C++ (6th Ed., Walter Savitch)
Solution Manual Problem Solving with C++ (7th Ed., Walter Savitch)
Solution Manual Problem Solving, Abstraction, and Design using C++ (4th Ed., Frank Friedman & Elliot Koffman)
Solution Manual Problem Solving, Abstraction & Design Using C++ (5th Ed., Frank Friedman & Elliot Koffman)
Solution Manual Starting Out with C++ : From Control Structures through Objects (5th Ed., Tony Gaddis)
Solution Manual Starting Out with C++ : From Control Structures through Objects (6th Ed., Tony Gaddis)
Solution Manual Starting Out with C++ : From Control Structures through Objects - Brief Version (6th Ed., Tony Gaddis)
Solution Manual Starting out with C++ Brief Version Updated (4th Ed., Gaddis & Krupnow)
Solution Manual Starting out with C++ Brief Version (5th Ed., Gaddis & Krupnow)
Solution Manual Starting Out with C++ : Brief Version Update, Visual C++ .NET (4th Ed., Gaddis & Krupnow)
Solution Manual Starting Out with C++ : Early Objects (5th Ed., Gaddis, Walters & Muganda)
Solution Manual Starting Out with C++ : Early Objects (6th Ed., Gaddis, Walters & Muganda)
Solution Manual Starting Out with C++ : Early Objects (7th Ed., Gaddis, Walters & Muganda)
Solution Manual C++ By Dissection (Ira Pohl)
Solution Manual Essential C++ for Engineers and Scientists (2nd Ed., Jeri Hanly)
Solution Manual C++ Coach : Essentials for Introductory Programming (Jeff Salvage)
Solution Manual C++ Primer (4th Ed., Stanley Lippman, Jos=E9e Lajoie & Barbara Moo)
Solution Manual Engineering Computation with MATLAB (1st Ed., David Smith)
Solution Manual Engineering Computation with MATLAB (2nd Ed., David Smith)
Solution Manual Absolute Java (1st Ed., Walter Savitch)
Solution Manual Absolute Java (2nd Ed., Walter Savitch)
Solution Manual Absolute Java (3rd Ed., Walter Savitch)
Solution Manual Absolute Java (4th Ed., Walter Savitch)
Solution Manual The Art and Science of Java (Eric Roberts)
Solution Manual Building Java Programs : A Back to Basics Approach (Stuart Reges & Martin Stepp)
Solution Manual Introduction to Programming in Java : An Interdisciplinary Approach (Robert Sedgewick & Kevin Wayne)
Solution Manual Java Foundations: Introduction to Program Design and Data Structures (John Lewis, Peter DePasquale & Joe Chase)
Solution Manual Starting Out with Java : Early Objects (3rd Ed., Gaddis)
Solution Manual Starting Out with Java : From Control Structures through Objects (3rd Ed., Gaddis)
Solution Manual Starting Out with Java : From Control Structures

through Objects (4th Ed., Gaddis)
Solution Manual Java Software Solutions (Java 5.0 version) : Foundations of Program Design (4th Ed., Lewis & Loftus)
Solution Manual Java Software Solutions : Foundations of Program Design (5th Ed., Lewis & Loftus)
Solution Manual Java Software Solutions : Foundations of Program Design (6th Ed., Lewis & Loftus)
Solution Manual Starting Out with Java : From Control Structures through Data Structures (Gaddis & Muganda)
Solution Manual Object of Java, The: Introduction to Programming Using Software Engineering Principles (2nd Ed, David Riley)
Solution Manual Object-Oriented Programming in Java : A Graphical Approach, Preliminary Edition (Kathryn E. Sanders & Andy van Dam)
Solution Manual Starting Out with Java 5 : Control Structures to Objects (Tony Gaddis)
Solution Manual Starting Out with Java 5 : Early Objects (Tony Gaddis)
Solution Manual Introduction to Programming Using Java : An Object-Oriented Approach (2nd Ed., David Arnow, Scott Dexter & Gerald Weiss)
Solution Manual Computing with Java (2nd Ed., Art Gittleman)
Solution Manual Problem Solving with Java, Update (2nd Ed., Elliot B. Koffman & Ursula Wolz)
Solution Manual Starting Out with Alice : A Visual Introduction to Programming (Tony Gaddis)
Solution Manual Problem Solving and Program Design in C (4th Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Problem Solving and Program Design in C (5th Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Problem Solving and Program Design in C (6th Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Starting Out with Visual Basic 2005 (3rd Ed., Tony Gaddis & Kip Irvine)
Solution Manual Starting Out with Visual Basic 6 (Tony Gaddis, Kip Irvine & Bruce Denton)
Solution Manual Starting Out with Visual Basic.Net (2nd Ed., Tony Gaddis, Kip Irvine & Bruce Denton)
Solution Manual Computer Programming Fundamentals with Applications in Visual Basic=AE 6.0 (Mitchell Kerman & Ronald Brown)
Solution Manual Advanced VB.NET Alternate with VB.Net CD's (3rd Ed., Kip Irvine & Tony Gaddis)
Solution Manual Advanced Visual Basic 2005 (4th Ed., Kip Irvine & Tony Gaddis)
Solution Manual C# Software Solutions : Foundations of Program Design (John Lewis)
Solution Manual Problem Solving, Abstraction and Design Using C++, Visual C++.NET Edition (Frank Friedman & Elliot Koffman)
Solution Manual Ada 95 : Problem Solving and Program Design (3rd Ed., Michael Feldman & Elliot Koffman)
Solution Manual Programming and Problem Solving with Delphi (Mitchell Kerman)
Solution Manual C Program Design for Engineers (2nd Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Data Abstraction & Problem Solving with C++ (5th ed., Frank Carrano)

Solution Manual Data Structures and Algorithm Analysis in C++ (2nd Ed., Mark Allen Weiss)
Solution Manual Data Structures and Algorithm Analysis in C++ (3rd Ed., Mark Allen Weiss)
Solution Manual Data Abstraction and Problem Solving with C++ : Walls and Mirrors (4th Ed., Frank Carrano)
Solution Manual Data Structures and Problem Solving Using C++ (2nd Ed., Mark Allen Weiss)
Solution Manual Data Structures and Algorithm Analysis in Java (2nd Ed., Mark Allen Weiss)
Solution Manual Data Structures in Java : From Abstract Data Types to the Java Collections Framework (Simon Gray)
Solution Manual Data Abstraction and Problem Solving with Java (2nd Ed., Frank Carrano & Janet Prichard)
Solution Manual Data Structures and Other Objects Using Java (3rd Ed., Michael Main)
Solution Manual Data Structures and Problem Solving Using Java (3rd Ed., Mark Allen Weiss)
Solution Manual Data Structures and Problem Solving Using Java (4th Ed., Mark Allen Weiss)
Solution Manual Java Software Structures : Designing and Using Data Structures (2nd Ed., John Lewis, Joseph Chase)
Solution Manual The Object of Data Abstraction and Structures (using Java) (David Riley)
Solution Manual Classic Data Structures in Java (Timothy Budd)
Solution Manual Data Structures in Java (Thomas A. Standish)
Solution Manual Data Structures, Algorithms and Software Principles in C (Thomas A. Standish)
Solution Manual Introduction to the Design and Analysis of Algorithms (1st Ed., Anany Levitin)
Solution Manual Introduction to the Design and Analysis of Algorithms (2nd Ed., Anany Levitin)
Solution Manual Algorithm Design (Jon Kleinberg & =C9va Tardos)
Solution Manual Data Structures and Algorithm Analysis in C (2nd Ed., Mark Allen Weiss)
Solution Manual Computer Algorithms : Introduction to Design and Analysis (3rd Ed., Sara Baase & Allen Van Gelder)
Solution Manual Artificial Intelligence : Structures and Strategies for Complex Problem Solving (6th Ed., George Luger)
Solution Manual Artificial Intelligence : A Modern Approach (2nd Ed., Stuart Russell & Peter Norvig)
Solution Manual The Complete A+ Guide to PC Repair (3rd Ed., Cheryl Schmidt)
Solution Manual The Complete A+ Guide to PC Repair (4th Ed., Cheryl Schmidt)
Solution Manual Complete Computer Repair Textbook (4th Ed., Cheryl Schmidt)
Solution Manual Computer Systems Organization and Architecture (John D. Carpinelli)
Solution Manual CMOS VLSI Design: A Circuits and Systems Perspective (3rd Ed., Neil Weste & David Harris)
Solution Manual Interactive Computer Graphics : A Top-Down Approach Using OpenGL (4th Ed., Edward Angel)

Solution Manual Interactive Computer Graphics : A Top-Down Approach Using OpenGL (5th Ed., Edward Angel)
Solution Manual File Structures : An Object-Oriented Approach with C++ (3rd Ed., Michael J. Folk, Bill Zoellick & Greg Riccardi)
Solution Manual Oracle 10g Programming : A Primer (Rajshekhar Sunderraman)
Solution Manual Databases, Types and the Relational Model (3rd Ed., C. J. Date & Hugh Darwen)
Solution Manual Fundamentals of Database Systems (5th Ed., Ramez Elmasri & Shamkant Navathe)
Solution Manual Database Systems : An Application-Oriented Approach, Introductory Version (2nd Ed., Michael Kifer, Arthur Bernstein & Philip M. Lewis)
Solution Manual Database Systems : An Application Oriented Approach, Complete Version (2nd Ed., Michael Kifer, Arthur Bernstein & Philip M. Lewis)
Solution Manual DataBase Systems : A Practical Approach to Design, Implementation and Management (4th Ed., Thomas M. Connolly & Carolyn E. Begg)
Solution Manual DataBase Systems : A Practical Approach to Design, Implementation and Management (5th Ed., Thomas M. Connolly & Carolyn E. Begg)
Solution Manual Database Systems : The Complete Book (2nd Ed., Hector Garcia-Molina, Jeffrey D. Ullman, Jennifer Widom)
Solution Manual A First Course in Database Systems (3rd Ed., Jeffrey D. Ullman, Jennifer Widom)
Solution Manual Fundamentals of Database Systems/Oracle 9i Programming (4th Ed., Ramez Elmasri, Shamkant B. Navathe & Rajshekhar Sunderraman)
Solution Manual An Introduction to Database Systems (8th Ed., C.J. Date)
Solution Manual Oracle 9i Programming : A Primer (Rajshekhar Sunderraman)
Solution Manual Elements of Information Theory (1st Ed., Thomas M. Cover & Joy A. Thomas)
Solution Manual Principles of Database Systems with Internet and Java Applications (Greg Riccardi)
Solution Manual Introduction to Data Mining (Pang-Ning Tan, Michael Steinbach & Vipin Kumar)
Solution Manual Data Mining: A Tutorial Based Primer (Richard Roiger & Michael Geatz)
Solution Manual Learning SQL : A Step-by-Step Guide Using Access (Sikha Bagui, Richard Earp)
Solution Manual Learning SQL : A Step-By-Step Guide Using Oracle (Richard Earp, Sikha Bagui)
Solution Manual Access 2007 Guidebook (6th Ed., Maggie Trigg & Phyllis Dobson)
Solution Manual Access 2003 Guidebook for Office XP (5th Ed., Maggie Trigg & Phyllis Dobson)
Solution Manual Implementing Databases in Oracle 9i (John Day & Craig Van Slyke)
Solution Manual Web 101: Making the Net Work for You (2nd Ed., Wendy Lehnert)
Solution Manual Web 101 (3rd Ed., Wendy G. Lehnert & Richard L. Kopec)

Solution Manual Web Developer Foundations : Using XHTML (2nd Ed., Terry Felke-Morris)
Solution Manual Web Development & Design Foundations With XHTML (3rd Ed., Terry Felke-Morris)
Solution Manual Web Development and Design Foundations with XHTML (4th Ed., Terry Felke-Morris)
Solution Manual Internet Effectively : A Beginner's Guide to the World Wide Web (Tyrone Adams & Sharon Scollard)
Solution Manual Light on the Web : Essentials to Making the 'Net Work for You (Wendy G. Lehnert)
Solution Manual Programming the World Wide Web (3rd Ed., Robert W. Sebesta)
Solution Manual Programming the World Wide Web (4th Ed., Robert W. Sebesta)
Solution Manual Programming the World Wide Web (5th Ed., Robert W. Sebesta)
Solution Manual Programming the World Wide Web (6th Ed., Robert W. Sebesta)
Solution Manual XML: Language Mechanics and Applications (Dwight Peltzer)
Solution Manual Practical Perl with CGI Applications (Elizabeth Chang)
Solution Manual Developing Web Applications with Active Server Pages (Thom Luce)
Solution Manual Structure and Interpretation of Signals and Systems (Edward A. Lee & Pravin Varaiya)
Solution Manual Languages and Machines : An Introduction to the Theory of Computer Science (2nd Ed., Thomas Sudkamp)
Solution Manual Languages and Machines : An Introduction to the Theory of Computer Science (3rd Ed., Thomas Sudkamp)
Solution Manual How to Break Software Security (James A. Whittaker & Herbert H. Thompson)
Solution Manual Software Quality Assurance : From Theory to Implementation (Daniel Galin)
Solution Manual Object Oriented Software Development Using Java (2nd Ed., Xiaoping Jia)
Solution Manual Introduction to the Team Software Process (Watts S. Humphrey)
Solution Manual Software Project Management : A Real-World Guide to Success (Joel Henry)
Solution Manual Software Engineering (7th Ed., Ian Sommerville)
Solution Manual Software Engineering (8th Ed., Ian Sommerville)
Solution Manual Software Engineering (9th Ed., Ian Sommerville)
Solution Manual Software Engineering (3rd Ed., Shari Lawrence Pfleeger & Joanne Atlee)
Solution Manual Software Engineering : Theory and Practice (4th Ed., Shari Lawrence Pfleeger & Joanne Atlee)
Solution Manual Object-Oriented Programming featuring Graphical Applications in Java (Michael Laszlo)
Solution Manual Project-Based Software Engineering : An Object-Oriented Approach (Evelyn Stiller & Cathie LeBlanc)
Solution Manual Engineering of Software, The: A Technical Guide for the Individual (Dick Hamlet & Joe Maybee)
Solution Manual Concepts of Programming Languages (7th Ed., Robert W.

Sebesta)
Solution Manual Concepts of Programming Languages (8th Ed., Robert W. Sebesta)
Solution Manual Concepts of Programming Languages (9th Ed., Robert W. Sebesta)
Solution Manual Advanced Java : Internet Applications (2nd Ed., Art Gittleman)
Solution Manual Objects to Components with Java 2 Platform (Art Gittleman)
Solution Manual C for Java Programmers (Tomasz Muldner)
Solution Manual Pointers on C (Kenneth Reek)
Solution Manual C++ Programming with Design Patterns Revealed (Tomasz Muldner)
Solution Manual The C++ Programming Language (3rd Ed., Bjarne Stroustrup)
Solution Manual Operating Systems : A Systematic View (6th Ed., William S. Davis & T.M. Rajkumar)
Solution Manual Unix: The Textbook (2nd Ed., Syed Mansoor Sarwar, Robert Koretsky & Syed Aqeel Sarwar)
Solution Manual Operating Systems (3rd Ed., Gary Nutt)
Solution Manual LINUX & UNIX Programming Tools : A Primer for Software Developers (Syed Mansoor Sarwar & Khaled H. Al-Saqabi)
Solution Manual Addison-Wesley's Interactive Linux Tutorial and Reference (Edutrends, Inc.)
Solution Manual Linux : The Textbook (Syed Mansoor Sarwar, Robert Koretsky & Syed Aqeel Sarwar)
Solution Manual Kernel Projects for Linux (Gary Nutt)
Solution Manual OSP : An Environment for Operating System Projects (Michael Kifer & Scott A. Smolka)
Solution Manual Distributed Computing : Principles and Applications (M.L. Liu)
Solution Manual Distributed Operating Systems and Algorithm Analysis (Randy Chow & Theodore Johnson)
Solution Manual Mastering Networks : An Internet Lab Manual (Jorg Liebeherr & Magda El Zarki)
Solution Manual Computer Networking Complete Package (3rd Ed., James Kurose & Keith Ross)
Solution Manual Computer Networking : A Top-Down Approach Featuring the Internet (3rd Ed., James Kurose & Keith Ross)
Solution Manual Computer Networking : A Top-Down Approach (4th Ed., James Kurose & Keith Ross)
Solution Manual Computer Networking : A Top-Down Approach (5th Ed., James Kurose & Keith Ross)
Solution Manual Producing Great Sound for Film and Video (3rd Ed., Jay Rose)
Solution Manual Network Management : Principles and Practice (Mani Subramanian)
Solution Manual Computer Security : Art and Science (Matt Bishop)
Solution Manual Introduction to Computer Security (Matt Bishop)
Solution Manual Creating Powerful Brands (4th Ed., Leslie de Chernatony, Malcolm McDonald, Elaine Wallace)
Solution Manual How to Break Software Security (James A. Whittaker & Herbert H. Thompson)

Solution Manual Parallel Programming in C with MPI and Open MP
(Michael Quinn)
Solution Manual Modern Recording Techniques (6th Ed., Miles Huber &
Runstein)
Solution Manual Creating Powerful Radio : Getting, Keeping and Growing
Audiences News, Talk, Information & Personality Broadcast, HD,
Satellite & Internet (Valerie Geller)
Solution Manual Electronic Media Law and Regulation (5th Ed., Kenneth
Creech)
Solution Manual Electronic Media Management, Revised (5th Ed., Pringle
& Starr)
Solution Manual Convergent Journalism an Introduction: Writing and
Producing Across Media (Quinn & Filak)
Solution Manual Flash Journalism : How to Create Multimedia News
Packages (Mindy McAdams)

```
----------------------------------------------------------------------------=
------------------------
```

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

```
----------------------------------------------------------------------------=
------------------------
```

```
From 2540774136140259530
X-Google-Thread: 108122,7c10f46d0bf642f4,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!k11g2000vbf.googlegroups.com!not-for-
mail
From: Arthur Decker <marcdemoura@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4050 Solutions manual and Test banks to Math, Statistics and
 Probability Books
Date: Fri, 7 Jan 2011 08:46:05 -0800 (PST)
Organization: http://groups.google.com
Lines: 1374
Message-ID: <37a5ac27-f5ff-4a7f-bd85-468e02560f9e@k11g2000vbf.googlegroups.com>
NNTP-Posting-Host: 190.40.57.30
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1294418767 19533 127.0.0.1 (7 Jan 2011 16:46:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Jan 2011 16:46:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k11g2000vbf.googlegroups.com; posting-host=190.40.57.30; posting-
account=MkidQgkAAACu2HVV76DkFeaeglL9cZe4
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2646
```

List of Solutions Manuals and Test Banks

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3D1P9GUXB1

I do not review the forums, just send me an email.

- Math, Statistics & Probability :

Solution manual Advanced Engineering Mathematics (8th Ed., Erwin Kreyszig)
Solution manual Advanced Engineering Mathematics (9th Ed., Erwin Kreyszig)
Solution manual Advanced Engineering Mathematics (10th Ed., Erwin Kreyszig)
Solution manual Advanced Engineering Mathematics (2nd Ed, Michael Greenberg)
Solution manual Advanced Engineering Mathematics (6th Ed., Peter O'Neil)
Solution manual Advanced Modern Engineering Mathematics (3rd Ed., Glyn James)
Solution manual Modern Engineering Mathematics (4th Ed., Glyn James)
Solution manual Differential Equations and Dynamical Systems (3rd Ed., Lawrence Perko)
Solution manual Introductory Differential Equations with Boundary Value Problems (3rd Ed., Martha Abell & James Braselton)
Solution manual A Modern Introduction to Differential Equations (2nd Ed., Henry J. Ricardo)
Solution manual Elementary Differential Equations (7th Ed., Boyce)
Solution manual Elementary Differential Equations (8th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations (9th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations and Boundary Value Problems (7th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations and Boundary Value Problems (8th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations and Boundary Value Problems (9th Ed., Boyce & Diprima)
Solution manual Differential Equations : An Introduction to Modern Methods and Applications (James Brannan & William Boyce)
Solution manual Differential Equations with Boundary Value Problems : An Introduction to Modern Methods and Applications (James Brannan & William Boyce)
Solution manual Advanced Calculus : A Transition to Analysis (Thomas Dence & Joseph Dence)
Solution manual Calculus : Early Transcendentals Combined (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Early Transcendentals Combined (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Multivariable (8th Ed., Anton, Bivens &

Davis)
Solution manual Calculus : Multivariable (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Early Transcendentals Single Variable (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Early Transcendentals Single Variable (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Combined (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Combined (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Single Variable (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Single Variable (9th Ed., Anton, Bivens & Davis)
Solution manual Introduction to the Finite Element Method : Theory, Programming and Applications (Erik G. Thompson)
Solution manual A Physicist's Guide to Mathematica (2nd Ed., Patrick Tam)
Solution manual Mathematics for Engineers : A Modern Interactive Approach (3rd., Anthony Croft & Robert Davison)
Solution manual Measurement and Data Analysis for Engineering and Science (Patrick F Dunn)
Solution manual Elementary Linear Algebra (4th Ed., Stephen Andrilli & David Hecker)
Solution manual Elementary Linear Algebra Edition Abridged (9th Ed., Anton & Rorres)
Solution manual Elementary Linear Algebra (9th Ed., Anton)
Solution manual Elementary Linear Algebra with Applications (9th Ed., Anton & Rorres)
Solution manual Boundary Value Problems and Partial Differential Equations (6th Ed., David Powers)
Solution manual Introductory Statistics : Using Technology (5th Ed., Prem S. Mann)
Solution manual Introductory Statistics (6th Ed., Prem S. Mann)
Solution manual Introductory Statistics (7th Ed., Prem S. Mann)
Solution manual Basic Real Analysis (Houshang H. Sohrab)
Solution manual Modern Algebra : An Introduction (6th Ed., John Durbin)
Solution manual The Art and Craft of Problem Solving (2nd Ed., Paul Zeitz)
Solution manual Numerical Linear Algebra (Gr=E9goire Allaire, Sidi Mahmoud Kaber, K. Trabelsi)
Solution manual Introductory Statistics for the Behavioral Sciences (6th Ed., Welkowitz, Cohen & Ewen)
Solution manual Statistics : Principles and Methods (5th Ed., Richard Johnson)
Solution manual Statistics : Principles and Methods (6th Ed., Richard Johnson)
Solution manual Statistical Bioinformatics : with R (Sunil K. Mathur)
Solution manual Parameter Estimation and Inverse Problems (Richard Aster, Brian Borchers & Clifford Thurber)
Solution manual Codes : An Introduction to Information Communication

and Cryptography (Norman L. Biggs)
Solution manual Geometry and Its Applications (2nd Ed., Walter A. Meyer)
Solution manual Elementary Differential Geometry (2nd Ed., A.N. Pressley)
Solution manual Fractal Geometry : Mathematical Foundations and Applications (2nd Ed., Kenneth Falconer)
Solution manual Analytical and Computational Methods of Advanced Engineering Mathematics (Grant B. Gustafson & Calvin H. Wilcox)
Solution manual How to Read and Do Proofs : An Introduction to Mathematical Thought Processes (4th Ed., Daniel Solow)
Solution manual How to Read and Do Proofs : An Introduction to Mathematical Thought Processes (5th Ed., Daniel Solow)
Solution manual Intuitive Probability and Random Processes using MATLAB (Steven Kay)
Solution manual Modeling Random Processes for Engineers and Managers (James Solberg)
Solution manual Probability, Statistics, and Random Processes For Electrical Engineering (3rd Ed., Alberto Leon-Garcia)
Solution manual Probability Concepts in Engineering : Emphasis on Applications to Civil and Environmental Engineering (2nd Ed., Ang & Tang)
Solution manual Applied Statistics for Engineers and Physical Scientists (3rd Ed., Johannes Ledolter & Robert Hogg)
Solution manual Applied Statistics and Probability for Engineers (3rd Ed., Montgomery & Runger)
Solution manual Applied Statistics and Probability for Engineers (4th Ed., Montgomery & Runger)
Solution manual Applied Statistics and Probability for Engineers (5th Ed., Montgomery & Runger)
Solution manual Engineering Statistics (3rd Ed., Montgomery, Runger & Hubele)
Solution manual Engineering Statistics (4th Ed., Montgomery, Runger & Hubele)
Solution manual Introduction to Statistical Quality Control (5th Ed., Montgomery)
Solution manual Introduction to Statistical Quality Control (6th Ed., Montgomery)
Solution manual Calculus : One Variables (10th Ed., Salas, Hille, Etgen)
Solution manual Calculus : One and Several Variables (8th Ed., Salas, Hille, Etgen)
Solution manual Calculus : One and Several Variables (10th Ed., Salas, Hille, Etgen)
Solution manual Squaring the Circle : Geometry in Art and Architecture (Paul Calter)
Solution manual Technical Mathematics (5th Ed., Paul Calter & Michael Calter)
Solution manual Technical Mathematics with Calculus (5th Ed., Paul Calter & Michael Calter)
Solution manual Technical Mathematics with Calculus, Canadian Edition (Paul Calter & Michael Calter)
Solution manual Techniques of Problem Solving (Luis Fern=E1ndez, Haedeh

Gooransarab)
Solution manual Probability and Statistics in Engineering (4th Ed., Hines, Montgomery, Goldsman & Borror)
Solution manual A First Course in Design and Analysis of Experiments (Gary W. Oehlert)
Solution manual Design and Analysis of Experiments (6th Ed., Douglas Montgomery)
Solution manual Design and Analysis of Experiments (7th Ed., Douglas Montgomery)
Solution manual Introduction to Engineering Experimentation (2nd Ed., Wheeler & Ganji)
Solution manual Introduction to Engineering Experimentation (3rd Ed., Wheeler & Ganji)
Solution manual Introduction to the Design & Analysis of Experiments (Canavos & Koutrouvelis)
Solution manual Modern Methods For Quality Control and Improvement (2nd Ed., Wadsworth, Stephens, Godfrey)
Solution manual Essential Statistics for Economics, Business and Management (Teresa Bradley)
Solution manual Statistics and Econometrics : Methods and Applications (Ashenfelter, Levine & Zimmerman)
Solution manual Applied Combinatorics (5th Ed., Alan Tucker)
Solution manual Vector Calculus (Miroslav Lovric)
Solution manual Applied Multivariate Techniques (Subhash Sharma)
Solution manual Mathematical Modeling (3rd Ed., Mark Meerschaert)
Solution manual Discrete Mathematics : Mathematical Reasoning and Proof with Puzzles, Patterns, and Games (Douglas Ensley, J. Winston Crawley)
Solution manual Probability, Random Variables and Random Signal Principles (4th Ed., Peyton Z., Jr. Peebles)
Solution manual Introduction to C++, Excel MATLAB & Basic Engineering Numerical Methods V1.1 (Harvey Stenger & Charles Smith)
Solution manual Numerical Methods for Engineers and Scientists : An Introduction with Applications Using MATLAB (1st Ed., Amos Gilat & Vish Subramaniam)
Solution manual Numerical Methods for Engineers and Scientists : An Introduction with Applications Using MATLAB (2nd Ed., Amos Gilat & Vish Subramaniam)
Solution manual MATLAB : An Introduction with Applications (2nd Ed., Amos Gilat)
Solution manual MATLAB : An Introduction with Applications (3rd Ed., Amos Gilat)
Solution manual MATLAB : An Introduction with Applications (4th Ed., Amos Gilat)
Solution manual Matlab : A Practical Introduction to Programming and Problem Solving (Stormy Attaway)
Solution manual Data, Statistics, and Decision Models with Excel (Harnett & Horrell)
Solution manual Understanding Analysis (Stephen Abbott)
Solution manual Time Series Analysis With Applications in R (2nd Ed., Jonathan D. Cryer & Kung-Sik Chan)
Solution manual Time Series Analysis and Its Applications : With R Examples (2nd Ed., Robert Shumway & David Stoffer)

Solution manual Doing Statistics for Business with Excel : Data, Inference, and Decision Making (2nd Ed. Pelosi & Sandifer)
Solution manual Engineering with Excel (3rd Ed., Ronald W. Larsen)
Solution manual Spreadsheet Tools for Engineers Using Excel 2007 (Byron Gottfried)
Solution manual Spreadsheet Tools for Engineers using Excel (2nd Ed. Byron Gottfried)
Solution manual Spreadsheet Tools for Engineers using Excel (3rd Ed. Byron Gottfried)
Solution manual Introduction to Matlab 7 (Etter, Kuncicky & Moore)
Solution manual Introduction to Matlab 6 for Engineers (1st Ed., William Palm III)
Solution manual Introduction to Matlab 7 for Engineers (2nd Ed., William Palm III)
Solution manual Introduction to Matlab for Engineers (3rd Ed., William Palm III)
Solution manual A Concise Introduction to MATLAB (William J Palm III)
Solution manual Numerical Methods for Engineers (4th Ed. Steven Chapra, Raymond Canale)
Solution manual Numerical Methods for Engineers (5th Ed. Steven Chapra, Raymond Canale)
Solution manual Numerical Methods for Engineers (6th Ed. Steven Chapra, Raymond Canale)
Solution manual Applied Numerical Methods with MATLAB for Engineers and Scientists (1st Ed., Steven Chapra)
Solution manual Applied Numerical Methods with MATLAB for Engineers and Scientists (2nd Ed., Steven Chapra)
Solution manual MATLAB for Engineers (1st Ed., Holly Moore)
Solution manual MATLAB for Engineers (2nd Ed., Holly Moore)
Solution manual Statistics for Engineers and Scientists (1st Ed., William Navidi)
Solution manual Statistics for Engineers and Scientists (2nd Ed., William Navidi)
Solution manual Statistics for Engineers and Scientists (3rd Ed., William Navidi)
Solution manual Principles of Statistics for Engineers and Scientists (William Navidi)
Solution manual Probability (Jim Pitman)
Solution manual Basic Probability Theory (Robert B. Ash)
Solution manual An Introduction to Stochastic Modeling (3rd Ed., Samuel Karlin)
Solution manual Stochastic Calculus for Finance (Steven E. Shreve)
Solution manual Markov Processes for Stochastic Modeling (Oliver Ibe)
Solution manual Mathematical Statistics with Applications (K.M. Ramachandran & Chris Tsokos)
Solution manual Probability : A Graduate Course (Allan Gut)
Solution manual Linear Algebra Done Right (2nd Ed., Sheldon Axler)
Solution manual Precalculus : A Prelude to Calculus (Sheldon Axler)
Solution manual Statistics for Business (Derek Waller)
Solution manual An Introduction to the Mathematics of Financial Derivatives (2nd Ed., Salih Neftci)
Solution manual Elementary Number Theory with Applications (2nd Ed., Thomas Koshy)

Solution manual Introduction to Probability Models (9th Ed., Sheldon Ross)
Solution manual Introduction to Probability Models (10th Ed., Sheldon Ross)
Solution manual Introductory Statistics (2nd Ed., Sheldon Ross)
Solution manual Introductory Statistics (3rd Ed., Sheldon Ross)
Solution manual Introduction to Probability and Statistics for Engineers and Scientists (4th Ed., Sheldon Ross)
Solution manual Basic Mathematics through Applications (4th Ed. by Akst, Bragg)
Solution manual Developmental Mathematics (6th Ed., Bittinger & Beecher)
Solution manual Developmental Mathematics (7th Ed., Bittinger & Beecher)
Solution manual Developmental Mathematics : Basic Mathematics and Algebra (1st Ed., Lial, Hornsby, McGinnis, Salzman & Hestwood)
Solution manual Developmental Mathematics : Basic Mathematics and Algebra (2nd Ed., Lial, Hornsby, McGinnis, Salzman & Hestwood)
Solution manual Essential Mathematics (2nd Ed., Margaret Lial & Stanley Salzman)
Solution manual Essential Mathematics (3rd Ed., Margaret Lial & Stanley Salzman)
Solution manual Prealgebra & Introductory Algebra (2nd Ed. by Elayn El Martin-Gay)
Solution manual Prealgebra (5th Ed., Bittinger, Ellenbogen & Johnson)
Solution manual Prealgebra (5th Ed., Elayn El Martin-Gay)
Solution manual Prealgebra : An Integrated Approach (Lial & Hestwood)
Solution manual Integrated Arithmetic and Basic Algebra (4th Ed., Jordan & Palow)
Solution manual Introductory Algebra through Applications (1st Ed., Akst & Bragg)
Solution manual Introductory Algebra through Applications (2nd Ed., Akst & Bragg)
Solution manual Beginning Algebra (10th Ed., Lial, Hornsby & McGinnis)
Solution manual Elementary Algebra Early Graphing for College Students (3rd Ed., Allen R. Angel)
Solution manual Intermediate Algebra with Applications & Visualization (3rd Ed., Rockswold & Krieger)
Solution manual Intermediate Algebra (10th Ed., Lial, Hornsby & McGinnis)
Solution manual Beginning and Intermediate Algebra (4th Ed., Lial, Hornsby & McGinnis)
Solution manual Elementary and Intermediate Algebra : Graphs & Models (3rd Ed., Bittinger, Ellenbogen & Johnson)
Solution manual Algebra for College Students (4th Ed., Mark Dugopolski)
Solution manual Algebra for College Students (5th Ed., Mark Dugopolski)
Solution manual Algebra For College Students (6th Ed., Robert F Blitzer)
Solution manual Algebra for College Students (3rd Ed., Allen R. Angel)
Solution manual Algebra for College Students (6th Ed., Lial, Hornsby & McGinnis)

Solution manual Statistics, Data Analysis, and Decision Modeling (3rd Ed., James Evans)
Solution manual Statistics, Data Analysis, and Decision Modeling (4th Ed., James Evans)
Solution manual College Geometry : A Discovery Approach (2nd Ed., David Kay)
Solution manual College Geometry : Using The Geometer's Sketchpad - Preliminary Edition (Barbara Reynolds & William Fenton)
Solution manual College Geometry : A Problem Solving Approach with Applications (2nd Ed., Musser, Trimpe & Maurer)
Solution manual A Survey of Mathematics with Applications (8th Ed., Angel, Abbott & Runde)
Solution manual A Survey of Mathematics with Applications: Expanded Edition (8th Ed., Angel, Abbott & Runde)
Solution manual Mathematical Ideas (11th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas: Expanded Edition (11th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Thinking : Problem-Solving and Proofs (2nd Ed., John P. D'Angelo & Douglas B. West)
Solution manual Thinking Mathematically (4th Ed., Robert F. Blitzer)
Solution manual Introduction to Mathematical Thinking: Algebra and Number Systems (Will J. Gilbert & Scott A. Vanstone)
Solution manual Mathematical Reasoning : Writing and Proof (1st Ed., Ted A. Sundstrom)
Solution manual Mathematical Reasoning : Writing and Proof (2nd Ed., Ted A. Sundstrom)
Solution manual Mathematical Reasoning for Elementary Teachers (4th Ed., Calvin T. Long & Duane W. DeTemple)
Solution manual Mathematical Reasoning for Elementary Teachers (5th Ed., Long, DeTemple & Millman)
Solution manual Mathematics for Elementary School Teachers (4th Ed., O'Daffer, Charles, Cooney, Dossey & Schielack)
Solution manual Mathematics for Elementary Teachers (2nd Ed., Sybilla Beckmann)
Solution manual Finite Mathematics and Calculus with Applications (7th Ed., Lial, Greenwell & Ritchey)
Solution manual Finite Mathematics and Calculus with Applications (8th Ed., Lial, Greenwell & Ritchey)
Solution manual Additional Calculus Topics (11th Ed., Barnett, Ziegler & Byleen)
Solution manual College Mathematics for Business, Economics, Life Sciences & Social Sciences (11th Ed., Barnett, Ziegler & Byleen)
Solution manual Introductory Mathematical Analysis for Business, Economics and the Life and Social Sciences (12th Ed., Haeussler, Paul & Wood)
Solution manual Finite Mathematics for Business, Economics, Life Sciences and Social Sciences (11th Ed., Barnett, Ziegler, Byleen)
Solution manual Finite Mathematics (9th Ed., Lial, Greenwell & Ritchey)
Solution manual Calculus and Its Applications (9th Ed., Bittinger & Ellenbogen)
Solution manual Calculus for Business, Economics, Life Sciences &

Social Sciences (11th Ed., Barnett, Ziegler & Byleen)
Solution manual Calculus with Applications (9th Ed., Lial, Greenwell & Ritchey)
Solution manual Calculus with Applications : Brief Version (9th Ed., Lial, Greenwell & Ritchey)
Solution manual Concepts of Calculus with Applications (Martha Goshaw)
Solution manual University Calculus : Elements with Early Transcendentals (Hass, Weir & Thomas, Jr.)
Solution manual Thomas' Calculus, Early Transcendentals: Media Upgrade (11th Ed., Thomas Jr., Weir, Hass & Giordano)
Solution manual Thomas' Calculus: Media Upgrade (11th Ed., Thomas Jr., Weir, Hass & Giordano)
Solution manual University Calculus : Alternate Edition (Hass, Weir & Thomas, Jr.)
Solution manual Differential Equations Computing and Modeling (4th Ed., Edwards & Penney)
Solution manual Differential Equations and Boundary Value Problems : Computing and Modeling (4th Ed., Edwards & Penney)
Solution manual Elementary Differential Equations with Boundary Value Problems (6th Ed., Edwards & Penney)
Solution manual Elementary Differential Equations (6th Ed., Edwards & Penney)
Solution manual Fundamentals of Differential Equations (7th Ed., Nagle, Saff & Snider)
Solution manual Fundamentals of Differential Equations with Boundary Value Problems (5th Ed., Nagle, Saff & Snider)
Solution manual Differential Equations and Linear Algebra (3rd Ed., Goode & Annin)
Solution manual Discrete Mathematical Structures (6th Ed., Kolman, Busby & Ross)
Solution manual College Algebra Enhanced with Graphing Utilities (5th Ed., Sullivan & Sullivan III)
Solution manual College Algebra (10th Ed., Lial, Hornsby & Schneider)
Solution manual College Algebra : Graphs and Models (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual College Algebra Essentials (8th Ed., Michael Sullivan)
Solution manual College Algebra (3rd Ed., Judith A. Beecher, Judith A. Penna & Marvin L. Bittinger)
Solution manual College Algebra (8th Ed., Michael Sullivan)
Solution manual Algebra and Trigonometry for College Readiness (Margaret L. Lial & John Hornsby)
Solution manual Algebra and Trigonometry Enhanced with Graphing Utilities (5th Ed., Sullivan & Sullivan III)
Solution manual Algebra and Trigonometry : Graphs & Models (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Trigonometry : A Unit Circle Approach (8th Ed., Michael Sullivan)
Solution manual Precalculus (3rd Ed., Lial, Hornsby & Schneider)
Solution manual Precalculus (4th Ed., Lial, Hornsby & Schneider)
Solution manual Precalculus : Enhanced with Graphing Utilities (5th Ed., Sullivan & Sullivan III)
Solution manual Precalculus : Functions and Graphs (3rd Ed. Mark Dugopolski)

Solution manual Precalculus : Graphs & Models and Graphing (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Discrete and Combinatorial Mathematics (5th ed., Ralph P. Grimaldi)
Solution manual Discrete Mathematics (Sherwood Washburn, Thomas Marlowe & Charles T. Ryan)
Solution manual Discrete Mathematics (5th ed., John Dossey, Albert Otto, Lawrence Spence & Charles Vanden Eynden)
Solution manual Mathematics for New Technologies (Don Hutchison & Mark Yannotta)
Solution manual Fundamental Finite Element Analysis and Applications: with Mathematica and Matlab Computations (Asghar Bhatti)
Solution manual Advanced Topics in Finite Element Analysis of Structures: With Mathematica and MATLAB Computations (Asghar Bhatti)
Solution manual The Finite Element Method in Engineering (4th Ed., by Rao)
Solution manual An Introduction to the Finite Element Method (3rd Ed., J. N. Reddy)
Solution manual Fundamentals of Finite Element Analysis (1st Ed., David V. Hutton)
Solution manual Simulation Modeling and Analysis (3rd Ed., Averill Law & David Kelton)
Solution manual Simulation Modeling and Analysis (4th Ed., Averill Law)
Solution manual The Finite Element Method : Its Basis and Fundamentals (6th Ed., Zienkiewicz, R. L. Taylor & J.Z. Zhu)
Solution manual Algebra : Form and Function (William McCallum, Eric Connally & Deborah Hughes-Hallett)
Solution manual Algebra : Form and Function, Preliminary Edition (William McCallum, Eric Connally & Deborah Hughes-Hallett)
Solution manual Applied Calculus (2nd Ed., Deborah Hughes-Hallett, et al.)
Solution manual Applied Calculus (3rd Ed., Deborah Hughes-Hallett, et al.)
Solution manual Applied Calculus (4th Ed., Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Multivariable (3rd Ed., William G. McCallum, Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Multivariable (4th Ed., William G. McCallum, Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Multivariable (5th Ed., William G. McCallum, Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Single Variable (3rd Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single Variable (4th Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single Variable (5th Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single and Multivariable (3rd Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single and Multivariable (4th Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single and Multivariable (5th Ed., Deborah

Hughes-Hallett)
Solution manual Functions Modeling Change : A Preparation for Calculus - Texas Edition (2nd Ed., Eric Connally, Deborah Hughes-Hallett & Andrew M. Gleason)
Solution manual Functions Modeling Change : A Preparation for Calculus (2nd Ed., Eric Connally, Deborah Hughes-Hallett, et al.)
Solution manual Functions Modeling Change : A Preparation for Calculus (3rd Ed., Eric Connally)
Solution manual Differential Equations (A. King, J. Billingham, S. Otto)
Solution manual Regression Methods in Biostatistics : Linear, Logistic, Survival, and Repeated Measures Models (Eric Vittinghoff, David Glidden, Stephen Shiboski, Charles McCulloch)
Solution manual A Modern Introduction to Probability and Statistics : Understanding Why and How (F.M. Dekking, C. Kraaikamp, H.P. Lopuha=E4, L.E. Meester)
Solution manual Statistical Methods for the Analysis of Repeated Measurements (Charles S. Davis)
Solution manual Bayesian Core : A Practical Approach to Computational Bayesian Statistics (Jean-Michel Marin, Christian Robert)
Solution manual The Bayesian Choice : From Decision-Theoretic Foundations to Computational Implementation (2nd Ed., Christian Robert)
Solution manual Essentials of Stochastic Processes (Rick Durrett)
Solution manual Methods of Multivariate Statistics (Muni Srivastava)
Solution manual Regression Analysis : Theory, Methods, and Applications (Ashish Sen & Muni Srivastava)
Solution manual Applied Probability and Statistics (Mario Lefebvre)
Solution manual Basic Probability Theory with Applications (Mario Lefebvre)
Solution manual Foundations of Hyperbolic Manifolds (2nd Ed., John Ratcliffe)
Solution manual Fourier and Laplace Transforms (R. J. Beerends , H. G. ter Morsche)
Solution manual Infinite-Dimensional Dynamical Systems (James C. Robinson)
Solution manual Mathematical Methods for Physics and Engineering, (3rd Ed., Riley, Hobson & Bence)
Solution manual Numerical Methods in Engineering with MATLAB (Jaan Kiusalaas)
Solution manual Numerical Methods in Engineering with Python (Jaan Kiusalaas)
Solution manual An Introduction to Numerical Analysis (Endre Suli and David Mayers)
Solution manual Fundamentals of Engineering Numerical Analysis (Parviz Moin)
Solution manual Statistical Design (George Casella)
Solution manual Statistical Inference (2nd Ed., George Casella, Roger L. Berger)
Solution manual Monte Carlo Statistical Methods (2nd Ed., Christian P. Robert, George Casella)
Solution manual Introducing Monte Carlo Methods with R (Christian Robert & George Casella)

Solution manual Introduction to Mathematical Structures and Proofs (Larry J. Gerstein)
Solution manual Analyzing Categorical Data (Jeffrey S. Simonoff)
Solution manual Fundamentals of Complex Analysis with Applications to Engineering, Science, and Mathematics (3rd Ed., E. Saff & Arthur Snider)
Solution manual Probability & Statistics for Engineers & Scientists (8th Ed., Walpole, Myers, Ye)
Solution manual Statistics for Engineering and the Sciences (5th Ed., Mendenhall & Sincich)
Solution manual A Second Course in Statistics : Regression Analysis (6th Ed., Mendenhall & Sincich)
Solution manual Miller & Freund's Probability and Statistics for Engineers (7th Ed., Johnson, Miller, Freund)
Solution manual Miller & Freund's Probability and Statistics for Engineers (8th Ed., Johnson, Miller, Freund)
Solution manual Numerical Methods Using Matlab (4th Ed., Mathews & Fink)
Solution manual Applied Numerical Analysis Using MATLAB (2nd Ed., Laurene v. Fausett)
Solution manual Applied Numerical Analysis (7th Ed., Curtis F. Gerald, Patrick O. Wheatley)
Solution manual Friendly Introduction to Numerical Analysis (Bradie)
Solution manual Elementary Linear Algebra (2nd Ed., Spence, Insel & Friedberg)
Solution manual Elementary Linear Algebra with Applications (9th Ed., Kolman & Hill)
Solution manual Introductory Linear Algebra : An Applied First Course (8th Ed., Kolman & Hill)
Solution manual Linear Algebra with Applications (6th Ed., S. Leon)
Solution manual Linear Algebra with Applications (7th Ed., S. Leon)
Solution manual Linear Algebra for Engineers and Scientists Using Matlab (Hardy)
Solution manual Linear Algebra with Applications (3rd Ed., Bretscher)
Solution manual Linear Algebra with Applications (4th Ed., Bretscher)
Solution manual Modern Matrix Algebra (Hill & Kolman)
Solution manual Matrix Methods : Applied Linear Algebra (3rd Ed., Richard Bronson & Gabriel B. Costa)
Solution manual A Transition to Abstract Mathematics : Learning Mathematical Thinking and Writing (2nd Ed., Randall Maddox)
Solution manual Partial Differential Equations and Boundary Value Problems with Fourier Series (2nd ed., Asmar)
Solution manual Applied Partial Differential Equations (4th Ed., Haberman)
Solution manual Technical Calculus (5th Ed., Dale Ewen, Joan S. Gary & James E. Trefzger)
Solution manual Technical Mathematics (2th Ed., Dale Ewen, Joan S. Gary & James E. Trefzger)
Solution manual Technical Mathematics with Calculus (2th Ed., Dale Ewen, Joan S. Gary & James E. Trefzger)
Solution manual Introductory Mathematics (4th Ed., Cook)
Solution manual Mathematics for the Technical Trades (Cook)
Solution manual College Mathematics (7th Ed., Cleaves & Hobbs)

Solution manual Fundamentals of Statistics (2nd Ed., Michael III Sullivan)
Solution manual Fundamentals of Statistics (3rd Ed., Michael III Sullivan)
Solution manual Statistics : Informed Decisions Using Data (2nd Ed., Michael III Sullivan)
Solution manual Modern Elementary Statistics (12th Ed., John E. Freund, Benjamin M. Perles)
Solution manual Statistics : The Art and Science of Learning From Data (Agresti & Franklin)
Solution manual Statistics : The Art and Science of Learning From Data (2nd Ed., Agresti & Franklin)
Solution manual Elementary Statistics : Picturing the World (3rd Ed., Larson & Farber)
Solution manual Elementary Statistics : Picturing the World (4th Ed., Larson & Farber)
Solution manual A First Course in Statistics (9th Ed., McClave & Sincich)
Solution manual A First Course in Statistics (10th Ed., McClave & Sincich)
Solution manual Statistics (10th Ed., McClave & Terry Sincich)
Solution manual Statistics (11th Ed., McClave & Terry Sincich & William Mendenhall)
Solution manual Interactive Statistics (3rd Ed., Martha Aliaga & Brenda Gunderson)
Solution manual Statistics for the Life Sciences (3rd Ed., Samuels & Witmer)
Solution manual Applied Statistics and the SAS Programming Language (5th Ed., Cody & Smith)
Solution manual Biostatistics for the Health Sciences (R. Clifford Blair & Richard Taylor)
Solution manual Biostatistics : How It Works (Steve Selvin)
Solution manual Business Statistics : First Course (4th Ed., Levine, Krehbiel & Berenson)
Solution manual Business Statistics : First Course (5th Ed., Levine, Krehbiel & Berenson)
Solution manual Course in Business Statistics (4th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Business Statistics : A Decision Making Approach (6th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Business Statistics : A Decision-Making Approach (7th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Business Statistics : A Decision-Making Approach (8th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Statistics for Business & Economics (10th Ed., McClave, Benson & Sincich)
Solution manual Statistics for Managers Using Excel (5th Ed., Levine)
Solution manual Statistics for Managers Using Microsoft Excel (4th Ed., Levine, Stephan, Krehbiel & Berenson)
Solution manual Statistics for Business and Economics (5th Ed., Newbold, Carlson & Thorne)
Solution manual Statistics for Business and Economics (6th Ed., Newbold, Carlson & Thorne)

Solution manual Statistics for Business and Economics (7th Ed., Newbold, Carlson & Thorne)
Solution manual Basic Business Statistics : Concepts and Applications (10th Ed., Berenson, Krehbiel & Levine)
Solution manual Basic Business Statistics (11th Ed., Berenson, Levine & Krehbiel)
Solution manual John E. Freund's Mathematical Statistics with Applications (7th Ed., Miller)
Solution manual Probability and Statistical Inference (7th Ed., Hogg & Tanis)
Solution manual Probability and Statistical Inference (8th Ed., Hogg & Tanis)
Solution manual Introduction to Mathematical Statistics (6th Ed., Hogg, Craig & McKean)
Solution manual Introduction to Mathematical Statistics and Its Applications (4th Ed., Larsen & Marx)
Solution manual A Brief Course in Mathematical Statistics (Hogg & Tanis)
Solution manual Fundamentals of Probability, with Stochastic Processes (3rd Ed., Saeed Ghahramani)
Solution manual A First Course in Probability (7th Ed., Sheldon Ross)
Solution manual A First Course in Probability (8th Ed., Sheldon Ross)
Solution manual Applied Multivariate Statistical Analysis (6th Ed., Johnson & Wichern)
Solution manual Multivariate Data Analysis (6th Ed., Hair, Black, Babin, Anderson & Tatham)
Solution manual Multivariate Data Analysis (7th Ed., Hair, Black, Babin, Anderson)
Solution manual Essential MATLAB for Engineers and Scientists (3rd Ed., Brian Hahn & Dan Valentine)
Solution manual Essential MATLAB for Engineers and Scientists (4th Ed., Brian Hahn & Dan Valentine)
Solution manual Introduction to Applied Statistical Signal Analysis : Guide to Biomedical and Electrical Engineering Applications (3rd Ed. Richard Shiavi)
Solution manual Construction Mathematics (Surinder Virdi & Roy Baker)
Solution manual Numerical Methods in Biomedical Engineering (Stanley Dunn, Alkis Constantinides & Prabhas Moghe)
Solution manual Probability and Statistics with Integrated Software Routines (Ronald Deep)
Solution manual Finite Element Analysis with Error Estimators : An Introduction to the FEM and Adaptive Error Analysis for Engineering Students (J. Akin)
Solution manual Basic Engineering Mathematics (4th Ed., John Bird)
Solution manual Engineering Mathematics (4th Ed., John Bird)
Solution manual Engineering Mathematics (5th Ed., John Bird)
Solution manual Higher Engineering Mathematics (5th Ed., John Bird)
Solution manual Construction Mathematics (Virdi & Baker)
Solution manual Mathematics for Electrical Engineering and Computing (Mary Attenborough)
Solution manual Probability and Random Processes : With Applications to Signal Processing and Communications (Miller & Childers)
Solution manual Introductory Statistics for Engineering

Experimentation (Peter Nelson, Karen Copeland & Marie Coffin)
Solution manual Understanding Engineering Mathematics (Bill Cox)
Solution manual Statistics And Probability For Engineering Applications With Microsoft Excel (Decoursey)
Solution manual Business Math Using Calculators : With 10-Key Computer Assisted Instruction (Burton)
Solution manual Mathematics for Economics and Business (5th Ed., Ian Jacques)
Solution manual Business Math, Brief (7th Ed., Cleaves & Hobbs)
Solution manual Math for Merchandising: A Step-by-Step Approach (3rd Ed., Moore)
Solution manual Mathematics for Business (7th Ed., Salzman , Miller & Clendenen)
Solution manual Mathematics for Business (8th Ed., Salzman , Miller & Clendenen)
Solution manual Basic College Mathematics with Early Integers (K. Elayn Martin-Gay)
Solution manual Developmental Mathematics (K. Elayn Martin-Gay)
Solution manual An Introduction to Analysis (3rd Ed., William Wade)
Solution manual An Introduction to Analysis (4th Ed., William Wade)
Solution manual A Friendly Introduction to Analysis (2nd Ed., Witold A.J. Kosmala)
Solution manual Advanced Calculus (Gerald Folland)
Solution manual Analysis : With an Introduction to Proof (4th Ed., Steven R. Lay)
Solution manual Essentials of Basic College Mathematics (John Jr Tobey, Jr., Jeffrey Slater)
Solution manual Basic College Mathematics (5th Ed., John Tobey & Jeffrey Slater)
Solution manual Prealgebra (3rd Ed., Jamie Blair, John Tobey & Jeffrey Slater)
Solution manual Elementary Algebra Early Graphing for College Students (3rd Ed., Allen Angel)
Solution manual Elementary Algebra (Michael Sullivan III, Katherine R. Struve & Janet Mazzarella)
Solution manual Elementary Algebra for College Students (7th Ed., Allen R. Angel)
Solution manual Experiencing Introductory and Intermediate Algebra Through Functions and Graphs (3rd Ed., JoAnne Thomasson & Robert Pesut)
Solution manual Introductory Algebra (3rd Ed., K. Elayn Martin-Gay)
Solution manual Beginning Algebra (6th Ed., John Jr Tobey & Jeffrey Slater)
Solution manual Beginning Algebra : Early Graphing (Jamie Blair, John Tobey & Jeffrey Slater)
Solution manual Beginning and Intermediate Algebra (2nd Ed., Jamie Blair, John Tobey & Jeffrey Slater)
Solution manual Introductory Algebra (4th Ed., Robert Blitzer)
Solution manual Introductory and Intermediate Algebra (2nd Ed., Robert Blitzer)
Solution manual Intermediate Algebra for College Students (7th Ed., Allen Angel)
Solution manual Intermediate Algebra (Michael Sullivan III & Katherine

Struve)
Solution manual Intermediate Algebra (3rd Ed., K. Elayn Martin-Gay)
Solution manual Essentials of Intermediate Algebra for College Students (Robert Blitzer)
Solution manual Intermediate Algebra (4th Ed., Robert Blitzer)
Solution manual Intermediate Algebra for College Students (5th Ed., Robert Blitzer)
Solution manual Algebra A Combined Approach (3rd Ed., K. Elayn Martin-Gay)
Solution manual Elementary & Intermediate Algebra (Michael Sullivan III, Katherine R. Struve & Janet Mazzarella)
Solution manual Essentials of Introductory and Intermediate Algebra for College Students (Robert F. Blitzer)
Solution manual Algebra for College Students (3rd Ed., Allen R. Angel)
Solution manual Algebra for College Students (5th Ed., Robert F Blitzer)
Solution manual College Algebra (8th Ed., Michael Sullivan)
Solution manual College Algebra Essentials (8th Ed., Michael Sullivan)
Solution manual College Algebra (4th Ed., Robert Blitzer)
Solution manual College Algebra Essentials (2nd Ed., Robert F. Blitzer)
Solution manual College Algebra : An Early Functions Approach (Robert F. Blitzer)
Solution manual College Algebra : Concepts Through Functions (1st Ed., Michael Sullivan III & Michael Sullivan)
Solution manual College Algebra : Concepts Through Functions (2nd Ed., Michael Sullivan III & Michael Sullivan)
Solution manual College Algebra Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Essentials of College Algebra : Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Algebra and Trigonometry (8th Ed., Michael Sullivan)
Solution manual Algebra and Trigonometry (3rd Ed., Robert F. Blitzer)
Solution manual Algebra and Trigonometry: An Early Functions Approach (Robert Blitzer)
Solution manual Algebra & Trigonometry (7th Ed., Michael Sullivan)
Solution manual Algebra and Trigonometry Enhanced With Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Trigonometry (7th Ed., Michael Sullivan)
Solution manual Trigonometry (8th Ed., Michael Sullivan)
Solution manual Trigonometry Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus (8th Ed., Michael Sullivan)
Solution manual Precalculus (3rd Ed., Robert Blitzer)
Solution manual Precalculus (4th Ed., Robert Blitzer)
Solution manual Precalculus (1st Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual Precalculus : A Right Triangle Approach (2nd Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual Precalculus Essentials (2nd Ed., Robert Blitzer)
Solution manual Precalculus Essentials (3rd Ed., Robert Blitzer)
Solution manual Precalculus : Concepts Through Functions, A Unit Circle Approach to Trigonometry (1st Ed., Michael Sullivan III &

Michael Sullivan)
Solution manual Precalculus : Concepts Through Functions, A Unit Circle Approach to Trigonometry (2nd Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus : Concepts Through Functions, A Right Triangle Approach to Trigonometry (1st Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus : Concepts Through Functions, A Right Triangle Approach to Trigonometry (2nd Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus Enhanced with Graphing Utilities (5th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus Essentials : Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Excursions in Modern Mathematics (5th Ed., Peter Tannenbaum)
Solution manual Excursions In Modern Mathematics with Mini-Excursions (6th Ed., Peter Tannenbaum)
Solution manual Quantitive Reasoning & the Environment (Greg Langkamp & Joseph Hull)
Solution manual Fundamentals of Mathematics (10th Ed., William M Setek & Michael A Gallo)
Solution manual Learning Math in Elementary and Middle School & IMAP Package (4th Ed., Cathcart, Pothier, Vance & Bezuk)
Solution manual Understanding the Math You Teach: Content and Methods for Prekindergarten Through Grade 4 (Anita C. Burris)
Solution manual Algebra Connections (Ira J. Papick & UMO University of Missouri)
Solution manual Calculus Connections (Asma Harcharras, Dorina Mitrea)
Solution manual Data Analysis and Probability Connections: Mathematics for Middle School Teachers (Debra A. Perkowski & Michael Perkowski)
Solution manual Geometry Connections (John K. Beem)
Solution manual Elementary Math Modeling Updated (2nd Ed., Mary Ellen Davis & C. Henry Edwards)
Solution manual Additional Calculus Topics (11th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual Finite Math and Its Application (9th Ed., Larry J Goldstein, David I Schneider & Martha J. Siegel)
Solution manual Finite Mathematics and Its Application (10th Ed., Larry J Goldstein, David I Schneider & Martha J. Siegel)
Solution manual Introductory Mathematical Analysis for Business, Economics and the Life and social Sciences (11th Ed., Haeussler, Paul & R.J. Wood)
Solution manual Introductory Mathematical Analysis for Business, Economics and the Life and Social Sciences (12th Ed., Haeussler, Paul & R.J. Wood)
Solution manual Additional Calculus Topics (9th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual College Mathematics for Business, Economics, Life Sciences and Social Sciences (10th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)

Solution manual Brief Calculus and Its Applications (11th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Brief Calculus and Its Applications (12th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Calculus and its Applications (10th Ed., Larry Goldstein, David Schneider, David Lay)
Solution manual Calculus and its Applications (11th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Calculus and its Applications (12th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Calculus for Business, Economics, Life Sciences and Social Sciences (10th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual Calculus, Early Transcendentals (6th Ed., C. Henry Edwards & David Penney)
Solution manual Calculus, Early Transcendentals (7th Ed., C. Henry Edwards & David Penney)
Solution manual Calculus (9th Ed., Dale Varberg, Edwin Purcell & Steve Rigdon)
Solution manual Calculus Early Transcendentals (Dale Varberg, Edwin Purcell & Steve Rigdon)
Solution manual Calculus (3rd Ed., Monty Strauss, Gerald Bradley & Karl Smith)
Solution manual Calculus (6th Ed., Henry Edwards & David E. Penney)
Solution manual Single Variable Calculus (3rd Ed., Monty Strauss, Gerald Bradley & Karl Smith)
Solution manual Vector Calculus (3rd Ed., Susan Colley)
Solution manual Applied Linear Algebra (Peter Olver & Cheri Shakiban)
Solution manual Differential Equations and Linear Algebra (2nd Ed., Jerry Farlow, James E. Hall, Jean Marie McDill & Beverly West)
Solution manual Differential Equations and Linear Algebra (2nd Ed., C. Henry Edwards & David Penney)
Solution manual Differential Equations and Linear Algebra (3rd Ed., C. Henry Edwards & David Penney)
Solution manual Differential Equations (2nd Ed., John Polking, Al Boggess & David Arnold)
Solution manual Differential Equations with Boundary Value Problems (2nd ed., John Polking, Al Boggess & David Arnold)
Solution manual Discrete Mathematics with Graph Theory (3rd Ed., Edgar Goodaire & Michael Parmenter)
Solution manual Essential Discrete Mathematics (Todd Feil & Joan Krone)
Solution manual Statistical Methods for the Social Sciences (4th Ed., Agresti & Finlay)
Solution manual A Brief Course in Mathematical Statistics (Tanis & Hogg)
Solution manual Business Mathematics, 10th Ed. (Miller, Salzman & Clendenen)
Solution manual Elementary Statistics (6th Ed., Weiss)
Solution manual Elementary Statistics (7th Ed., Weiss)
Solution manual Elementary Statistics Using the Graphing Calculator: For the TI-83/84 Plus (Mario Triola)
Solution manual Elementary Statistics Using the TI-83/84 Plus

Calculator (2nd Ed., Mario Triola)
Solution manual Elementary Statistics Using the TI-83/84 Plus Calculator (3rd Ed., Mario Triola)
Solution manual Elementary Statistics Update (9th Ed., Mario Triola)
Solution manual Elementary Statistics (10th Ed., Mario Triola)
Solution manual Elementary Statistics (11th Ed., Mario Triola)
Solution manual Essentials of Statistics (2nd Ed., Mario Triola)
Solution manual Essentials of Statistics (3rd Ed., Mario Triola)
Solution manual Essentials of Statistics (4th Ed., Mario Triola)
Solution manual Introductory Statistics (7th Ed., Neil Weiss)
Solution manual Introductory Statistics (8th Ed., Neil Weiss)
Solution manual Intro Stats (2nd Ed., De Veaux, Velleman & Bock)
Solution manual Intro Stats (3rd Ed., De Veaux, Velleman & Bock)
Solution manual Stats: Data and Models, (De Veaux, Velleman & Bock)
Solution manual Stats: Data and Models, (2nd Ed., De Veaux, Velleman & Bock)
Solution manual Elementary Statistics Using Excel (2nd Ed., Mario Triola)
Solution manual Elementary Statistics Using Excel (3rd Ed., Mario Triola)
Solution manual Elementary Statistics Using Excel (4th Ed., Mario Triola)
Solution manual Stats : Modeling the World (2nd Ed., Bock, Velleman & De Veaux)
Solution manual Stats : Modeling the World (3rd Ed., Bock, Velleman & De Veaux)
Solution manual Statistical Reasoning for Everyday Life (2nd Ed., Bennett, Briggs & Triola)
Solution manual Statistical Reasoning for Everyday Life (3rd Ed., Bennett, Briggs & Triola)
Solution manual Business Statistics (Triola & Franklin)
Solution manual Business Statistics (Sharpe, De Veaux & Velleman)
Solution manual Business Statistics : A First Course (Sharpe, De Veaux & Velleman)
Solution manual Biostatistics for the Biological and Health Sciences with Statdisk (Marc Triola & Mario Triola)
Solution manual Biostatistics : A Guide to Design, Analysis and Discovery (2nd Ed., Ronald Forthofer, Eun Lee, Mike Hernandez)
Solution manual A Course in Probability (Neil A. Weiss)
Solution manual Probability and Statistics (3rd Ed., DeGroot & Schervish)
Solution manual Statistics for Science and Engineering (John Kinney)
Solution manual Mathematical Proofs : A Transition to Advanced Mathematics (1st Ed., Chartrand, Polimeni & Zhang)
Solution manual Mathematical Proofs : A Transition to Advanced Mathematics (2nd Ed., Chartrand, Polimeni & Zhang)
Solution manual Elementary Number Theory (5th Ed., Kenneth H. Rosen)
Solution manual History of Mathematics : Brief Version (Victor J. Katz)
Solution manual Geometry : An Investigative Approach (2nd Ed., Phares G. O'Daffer & Stanley Clemens)
Solution manual A First Course in Abstract Algebra (7th Ed., John Fraleigh)

Solution manual Complex Variables with Applications (3rd Ed., David Wunsch)
Solution manual Numerical Analysis with CD-ROM (Timothy Sauer)
Solution manual Numerical Analysis and Scientific Computation (Jeffery Leader)
Solution manual Linear Algebra and Differential Equations (Gary Peterson & James Sochacki)
Solution manual Elementary Differential Equations (2nd Ed., Werner Kohler & Lee Johnson)
Solution manual Elementary Differential Equations with Boundary Value Problems (2nd Ed., Werner Kohler & Lee Johnson)
Solution manual Fundamentals of Differential Equations (6th Ed., Kent B. Nagle, Late, Edward B. Saff & Arthur David Snider)
Solution manual Fundamentals of Differential Equations and Boundary Value Problems (4th Ed., Kent B. Nagle, Late, Edward B. Saff & Arthur David Snider)
Solution manual Linear Algebra and Its Applications with CD-ROM, Update (3rd Ed., David C. Lay)
Solution manual Introduction to Linear Algebra (5th ed., Lee W. Johnson, R. Dean Riess & Jimmy T. Arnold)
Solution manual Calculus for the Life Sciences (Marvin L. Bittinger, Neal Brand & John Quintanilla)
Solution manual Calculus with Applications for the Life Sciences (Raymond N. Greenwell, Nathan P. Ritchey & Margaret L. Lial)
Solution manual Calculus : An Integrated Approach to Functions and Their Rates of Change, Preliminary Edition (Robin J. Gottlieb)
Solution manual Calculus (9th Ed., George B. Thomas, Jr. & Ross L. Finney)
Solution manual Thomas' Calculus, Alternate Edition (9th Ed., George B. Thomas, Jr. & Ross L. Finney)
Solution manual Calculus : A Complete Course (2nd Ed., Ross L. Finney, Franklin D. Demana, Bert K. Waits & Daniel Kennedy)
Solution manual Calculus (Elgin H. Johnston & Jerry Mathews)
Solution manual Thomas' Calculus, Updated (10th Ed., George B. Thomas, Jr., Ross L. Finney, Maurice D. Weir & Frank R. Giordano)
Solution manual Thomas' Calculus (11th Ed., George B. Thomas, Jr., Maurice D. Weir, Joel D. Hass & Frank R. Giordano)
Solution manual Thomas' Calculus Early Transcendentals (11th Ed., George B. Thomas, Jr., Maurice D. Weir, Joel D. Hass & Frank R. Giordano)
Solution manual University Calculus (Joel D. Hass, Maurice D. Weir & George B. Thomas, Jr.)
Solution manual University Calculus : Alternate Edition (Joel D. Hass, Maurice D. Weir & George B. Thomas, Jr.)
Solution manual Thomas' Calculus, Media Upgrade (11th Ed., George B. Thomas, Jr., Maurice D. Weir & Frank R. Giordano)
Solution manual Thomas' Calculus, Early Transcendentals, Media Upgrade (11th Ed., George B. Thomas, Jr., Maurice D. Weir, Joel D. Hass & Frank R. Giordano)
Solution manual Calculus with Applications (8th Ed., Margaret L. Lial, Raymond N. Greenwell & Nathan P. Ritchey)
Solution manual Calculus with Applications, Brief Version (8th Ed., Margaret L. Lial, Raymond N. Greenwell & Nathan P. Ritchey)

Solution manual Finite Mathematics with Applications (9th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Finite Mathematics with Applications (10th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Finite Mathematics (8th Ed., Margaret L. Lial, Raymond N. Greenwell & Nathan P. Ritchey)
Solution manual Mathematics with Applications (9th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Mathematics with Applications (10th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Mathematical Ideas (10th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas (11th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas Expanded Edition (10th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas Expanded Edition (11th Ed., Miller, Heeren & Hornsby)
Solution manual Using and Understanding Mathematics: A Quantitative Reasoning Approach (3rd Ed., Bennett & Briggs)
Solution manual Using and Understanding Mathematics: A Quantitative Reasoning Approach (4th Ed., Bennett & Briggs)
Solution manual A Problem Solving Approach to Mathematics (9th Ed., Billstein, Libeskind & Lott)
Solution manual A Survey of Mathematics with Applications (7th Ed., Angel, Abbott & Runde)
Solution manual A Survey of Mathematics with Applications: Expanded Edition (7th Ed., Angel, Abbott & Runde)
Solution manual Mathematics All Around (3rd Ed., Tom Pirnot)
Solution manual Mathematics for Elementary School Teachers (3rd Ed., Phares O'Daffer, Randall Charles, Thomas Cooney, John Dossey & Jane Schielack)
Solution manual Mathematics for Elementary School Teachers (4th Ed., Phares O'Daffer, Randall Charles, Thomas Cooney, John Dossey & Jane Schielack)
Solution manual Mathematics for Elementary Teachers with Activities (Sybilla Beckmann)
Solution manual Mathematics for Elementary Teachers plus Activities Manual (2nd Ed., Sybilla Beckmann)
Solution manual A Problem Solving Approach to Mathematics for Elementary School Teachers (8th Ed., Billstein, Libeskind & Lott)
Solution manual A Problem Solving Approach to Mathematics for Elementary School Teachers (9th Ed., Billstein, Libeskind & Lott)
Solution manual A Problem Solving Approach to Mathematics for Elementary School Teachers (10th Ed., Billstein, Libeskind & Lott)
Solution manual Essentials of Using and Understanding Mathematics : A Quantitative Reasoning Approach (Jeffrey Bennett & William Briggs)
Solution manual Technical Calculus with Analytic Geometry (4th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics (8th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics (9th Ed., Allyn Washington)

Solution manual Basic Technical Mathematics with Calculus (8th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics with Calculus (9th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics with Calculus Metric Version (8th Ed., Allyn Washington)
Solution manual Introduction to Technical Mathematics (5th Ed., Washington, Triola & Reda)
Solution manual A Graphical Approach to Precalculus (4th Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Precalculus with Limits (3rd Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Precalculus with Limits : A Unit Circle Approach (4th Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Precalculus with Limits : A Unit Circle Approach (5th Ed., Hornsby, Lial & Rockswold)
Solution manual Precalculus : Functions and Graphs (5th Ed., Demana, Waits, Foley & Kennedy)
Solution manual Precalculus : Graphical, Numerical, Algebraic (7th Ed., Demana, Waits, Foley & Kennedy)
Solution manual Precalculus : Graphs and Models Graphing Calculator Manual Package (3rd Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Precalculus : Graphs and Models Graphing Calculator Manual Package (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Functioning in the Real World : A Precalculus Experience (2nd Ed., Gordon, F. Gordon, Tucker & Siegel)
Solution manual Precalculus with Modeling and Visualization (3rd Ed., Gary K. Rockswold)
Solution manual Precalculus with Modeling and Visualization (4th Ed., Gary K. Rockswold)
Solution manual Precalculus (2nd Ed., Beecher, Penna & Bittinger)
Solution manual Precalculus (3rd Ed., Beecher, Penna & Bittinger)
Solution manual Precalculus (3rd Ed., Mark Dugopolski)
Solution manual Precalculus (4th Ed., Mark Dugopolski)
Solution manual Precalculus : Functions and Graphs (2nd Ed., Mark Dugopolski)
Solution manual Precalculus : Functions and Graphs (3rd Ed., Mark Dugopolski)
Solution manual Fundamentals of Precalculus (Mark Dugopolski)
Solution manual Trigonometry (1st Ed., Mark Dugopolski)
Solution manual Trigonometry (2nd Ed., Mark Dugopolski)
Solution manual Trigonometry (3rd Ed., Mark Dugopolski)
Solution manual Trigonometry (8th Ed., Lial, Hornsby & Schneider)
Solution manual Trigonometry (9th Ed., Lial, Hornsby & Schneider)
Solution manual Trigonometry : A Circular Function Approach (Marie Aratari)
Solution manual A Graphical Approach to Algebra and Trigonometry (4th Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Algebra and Trigonometry (5th Ed., Hornsby, Lial & Rockswold)
Solution manual Algebra and Trigonometry : Graphs and Models Graphing Calculator Manual Package (3rd Ed., Bittinger, Beecher, Ellenbogen & Penna)

Solution manual Algebra and Trigonometry (2nd Ed., Beecher, Penna & Bittinger)
Solution manual Algebra and Trigonometry (3rd Ed., Beecher, Penna & Bittinger)
Solution manual College Algebra and Trigonometry (1st Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual College Algebra and Trigonometry (2nd Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual College Algebra and Trigonometry (3rd Ed., Mark Dugopolski)
Solution manual College Algebra and Trigonometry (4th Ed., Mark Dugopolski)
Solution manual College Algebra and Trigonometry : A Unit Circle Approach (5th Ed., Mark Dugopolski)
Solution manual Algebra and Trigonometry with Modeling and Visualization (3rd Ed., Gary Rockswold)
Solution manual Algebra and Trigonometry with Modeling and Visualization (4th Ed., Gary Rockswold)
Solution manual College Algebra and Trigonometry (3rd Ed., Lial, Hornsby & Schneider)
Solution manual College Algebra and Trigonometry (4th Ed., Lial, Hornsby & Schneider)
Solution manual A Graphical Approach to College Algebra (4th Ed., John Hornsby, Margaret Lial & Gary Rockswold)
Solution manual A Graphical Approach to College Algebra (5th Ed., John Hornsby, Margaret Lial & Gary Rockswold)
Solution manual College Algebra : Graphs and Models Graphing Calculator Manual Package (3rd Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual College Algebra (J. S. Ratti & Marcus S. McWaters)
Solution manual College Algebra with Modeling and Visualization (3rd Ed., Gary Rockswold)
Solution manual College Algebra with Modeling and Visualization (4th Ed., Gary Rockswold)
Solution manual Essentials of College Algebra with Modeling and Visualization (3rd Ed., Gary Rockswold)
Solution manual Essentials of College Algebra (Lial, Hornsby & Schneider)
Solution manual Essentials of College Algebra, Alternate Edition (Lial, Hornsby & Schneider)
Solution manual Essentials of College Algebra (10th Ed., Lial, Hornsby & Schneider)
Solution manual College Algebra (3rd Ed., Mark Dugopolski)
Solution manual College Algebra (4th Ed., Mark Dugopolski)
Solution manual College Algebra (5th Ed., Mark Dugopolski)
Solution manual College Algebra in Context with Applications for the Managerial, Life, and Social Sciences (1st Ed., Ronald Harshbarger & Lisa Yocco)
Solution manual College Algebra in Context with Applications for the Managerial, Life, and Social Sciences (2nd Ed., Ronald Harshbarger & Lisa Yocco)
Solution manual College Algebra (2nd Ed., Judith Beecher, Judith Penna & Marvin Bittinger)

Solution manual College Algebra (9th Ed., Margaret Lial, John Hornsby & David Schneider)
Solution manual Essentials of Geometry for College Students (2nd Ed., Margaret Lial, Barbara Brown, Arnold Steffenson & L. Murphy Johnson)
Solution manual Algebra for College Students (5th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory and Intermediate Algebra (2nd Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory and Intermediate Algebra (3rd Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory and Intermediate Algebra (4th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Beginning and Intermediate Algebra (3rd Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Beginning and Intermediate Algebra (4th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Elementary and Intermediate Algebra (1st Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Elementary and Intermediate Algebra (2nd Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Introductory and Intermediate Algebra : A Combined Approach (2nd Ed., Marvin Bittinger & Judith Beecher)
Solution manual Introductory and Intermediate Algebra (3rd Ed., Marvin Bittinger & Judith Beecher)
Solution manual Introductory and Intermediate Algebra through Applications (2nd Ed., Geoffrey Akst & Sadie Bragg)
Solution manual Elementary and Intermediate Algebra (1st Ed., George Woodbury)
Solution manual Elementary and Intermediate Algebra (2nd Ed., George Woodbury)
Solution manual Elementary and Intermediate Algebra (2nd Ed., Mark Dugopolski)
Solution manual Elementary and Intermediate Algebra (3rd Ed., Mark Dugopolski)
Solution manual Elementary and Intermediate Algebra : Concepts and Applications (4th Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Beginning and Intermediate Algebra with Applications and Visualization (Gary Rockswold & Terry Krieger)
Solution manual Elementary and Intermediate Algebra : Graphs & Models (2nd Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Foundations of Mathematics (Marvin Bittinger & Judith Penna)
Solution manual Intermediate Algebra (9th Ed., Marvin Bittinger)
Solution manual Intermediate Algebra (10th Ed., Marvin Bittinger)
Solution manual Intermediate Algebra : Graphs & Models (2nd Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Intermediate Algebra : Graphs & Models (3rd Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Intermediate Algebra (8th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Intermediate Algebra (9th Ed., Margaret Lial, John Hornsby & Terry McGinnis)

Solution manual Intermediate Algebra with Applications and Visualization (2nd Ed., Gary Rockswold & Terry Krieger)
Solution manual Intermediate Algebra (Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Intermediate Algebra (2nd Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Intermediate Algebra: Concepts and Applications (7th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Beginning Algebra (10th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Prealgebra and Introductory Algebra (Marvin Bittinger & David Ellenbogen)
Solution manual Prealgebra and Introductory Algebra (2nd Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Elementary Algebra (2nd Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Introductory Algebra (9th Ed., Marvin Bittinger)
Solution manual Introductory Algebra (10th Ed., Marvin Bittinger)
Solution manual Prealgebra and Introductory Algebra (2nd Ed., Margaret Lial, John Hornsby, Terry McGinnis & Diana Hestwood)
Solution manual Prealgebra and Introductory Algebra (3rd Ed., Margaret Lial, Diana Hestwood, John Hornsby & Terry McGinnis)
Solution manual Elementary Algebra with Early Systems of Equations (Tom Carson & Ellyn Gillespie)
Solution manual Elementary Algebra : Concepts and Applications (6th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Elementary Algebra : Concepts and Applications (7th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Introductory Algebra (Richelle Blair)
Solution manual Introductory Algebra (8th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory Algebra (9th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Beginning Algebra with Applications and Visualization (Gary Rockswold & Terry Krieger)
Solution manual Integrated Arithmetic and Basic Algebra (3rd Ed., Bill Jordan & William Palow)
Solution manual Introductory Algebra through Applications (Geoffrey Akst & Sadie Bragg)
Solution manual Prealgebra (3rd Ed., Margaret Lial & Diana Hestwood)
Solution manual Prealgebra (4th Ed., Margaret Lial & Diana Hestwood)
Solution manual Prealgebra (4th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Prealgebra (5th Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Prealgebra (2nd Ed., Tom Carson)
Solution manual Basic Mathematics (9th Ed., Marvin Bittinger)
Solution manual Basic Mathematics (10th Ed., Marvin Bittinger)
Solution manual Basic Mathematics Preliminary Edition (Robert Prior)
Solution manual Basic Mathematics with Early Integers (Marvin Bittinger & Judith Penna)
Solution manual Basic College Mathematics (7th Ed., Margaret Lial, Stanley Salzman & Diana Hestwood)

Solution manual Basic College Mathematics (8th Ed., Margaret Lial, Stanley Salzman & Diana Hestwood)
Solution manual Basic Mathematics through Applications (3rd Ed., Geoffrey Akst & Sadie Bragg)
Solution manual Fundamental Mathematics through Applications (3rd Ed., Geoffrey Akst & Sadie Bragg)
Solution manual Wave Motion (J. Billingham & A. C. King)
Solution manual Solving ODEs with MATLAB (L. F. Shampine, I. Gladwell & S. Thompson)
Solution manual Numerical Solution of Partial Differential Equations: An Introduction (2nd Ed., K. W. Morton & D. F. Mayers)
Solution manual Measure Theory and Filtering : Introduction and Applications (Lakhdar Aggoun & Robert J. Elliott)
Solution manual Mathematical Models in Biology : An Introduction (Elizabeth S. Allman & John A. Rhodes)
Solution manual Insurance Risk and Ruin (David C. M. Dickson)
Solution manual Data Analysis and Graphics Using R : An Example-based Approach (2nd Ed., John Maindonald & John Braun)
Solution manual Applied Optimization with MATLAB Programming (1st Ed., P. Venkataraman)
Solution manual Applied Optimization with MATLAB Programming (2nd Ed., P. Venkataraman)
Solution manual Convex Optimization (Stephen Boyd & Lieven Vandenberghe)
Solution manual Concrete Abstract Algebra : From Numbers to Gr=F6bner Bases (Niels Lauritzen)
Solution manual A Concrete Approach to Abstract Algebra : From the Integers to the Insolvability of the Quintic (Jeffrey Bergen)
Solution manual Calculus : Concepts and Methods (Ken Binmore & Joan Davies)
Solution manual An Introduction to Partial Differential Equations (Yehuda Pinchover & Jacob Rubinstein)
Solution manual An Introduction to Ordinary Differential Equations (James C. Robinson)
Solution manual An Introduction to Mathematical Physiology and Biology (2nd Ed., J. Mazumdar)
Solution manual An Introduction to Financial Option Valuation : Mathematics, Stochastics and Computation (Desmond Higham)
Solution manual An Interactive Introduction to Mathematical Analysis (Jonathan Lewin)
Solution manual An Introduction to Mathematical Finance: Options and Other Topics (1st Ed., Sheldon M. Ross)

____=
____

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

____=

```
------------------------


From 5848000768460907816
X-Google-Thread: d7f5508063,3659d289f6204d80,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!v12g2000vbx.googlegroups.com!not-for-
mail
From: Arthur Decker <marcdemoura@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4050 Solutions manual and Test banks to Physics & Astronomy Books
Date: Fri, 7 Jan 2011 08:46:42 -0800 (PST)
Organization: http://groups.google.com
Lines: 324
Message-ID: <5cb1e70c-e501-4bdd-9dc8-a578022b9f15@v12g2000vbx.googlegroups.com>
NNTP-Posting-Host: 190.40.57.30
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1294418802 30067 127.0.0.1 (7 Jan 2011 16:46:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Jan 2011 16:46:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v12g2000vbx.googlegroups.com; posting-host=190.40.57.30; posting-
account=MkidQgkAAACu2HVV76DkFeaeglL9cZe4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2647

List of Solutions Manuals and Test Banks
----------------------------------------




contact me to :         mattosbw1@gmail.com
mattosbw1(at)gmail.com






NOTE :  "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA,
PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI
LANKA, MALDIVES, BHUTAN & COLOMBIA".
```

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3D1P9GUXB1

I do not review the forums, just send me an email.

- Physics & Astronomy :

Solution manual Introduction to Solid State Physics (8th Ed., Charles Kittel)
Solution manual Quantum Physics (3rd Ed., Stephen Gasiorowicz)
Solution manual Fundamentals of Nuclear Reactor Physics (Elmer Lewis)
Solution manual Nuclear Energy : An Introduction to the Concepts, Systems, and Applications of Nuclear Processes (6th Ed., Raymond L. Murray)
Solution manual Fundamentals of Electromagnetics with Engineering Applications (Stuart M. Wentworth)
Solution manual Physics (7th Ed. by Paul E. Tippens)
Solution manual Physics (6th Ed., Cutnell & Johnson)
Solution manual Physics (7th Ed., Cutnell & Johnson)

Solution manual Physics (8th Ed., Cutnell & Johnson)
Solution manual Essentials of Physics (Cutnell & Johnson)
Solution manual Understanding Physics (1st Ed., Cummings, Laws, Redish & Cooney)
Solution manual Introductory Physics : Building Understanding (Jerold Touger)
Solution manual Physics Matters : An Introduction to Conceptual Physics (James Trefil & Robert Hazen)
Solution manual How Things Work : The Physics of Everyday Life (3rd Ed., Louis Bloomfield)
Solution manual An Introduction to Modern Astrophysics (2nd Ed., Bradley W. Carroll & Dale A. Ostlie)
Solution manual Foundations of Astrophysics (Barbara Ryden & Bradley Peterson)
Solution manual Physics (5th Ed., Halliday, Resnick, Krane)
Solution manual Fundamentals of Physics (6th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual Fundamentals of Physics (7th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual Fundamentals of Physics (8th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual Fundamentals of Physics (9th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual The Physics of Everyday Phenomena : A Conceptual Introduction to Physics (3rd Ed., Thomas Griffith)
Solution manual The Physics of Everyday Phenomena : A Conceptual Introduction to Physics (4th Ed., Thomas Griffith)
Solution manual The Physics of Everyday Phenomena : A Conceptual Introduction to Physics (5th Ed., Thomas Griffith)
Solution manual Physics of Everyday Phenomena : A Conceptual Introduction to Physics (6th Ed., W. Thomas Griffith & Juliet W. Brosing)
Solution manual Integrated Science (2nd Ed., Tillery et al.)
Solution manual Integrated Science (3rd Ed., Tillery et al.)
Solution manual Integrated Science (4th Ed., Tillery et al.)
Solution manual Physical Science (5th Ed., Tillery)
Solution manual Physical Science (6th Ed., Tillery)
Solution manual Physical Science (7th Ed., Tillery)
Solution manual Physical Science (8th Ed., Tillery)
Solution manual The Physical Universe (11th Ed., Konrad Krauskopf & Arthur Beiser)
Solution manual The Physical Universe (12th Ed., Konrad Krauskopf & Arthur Beiser)
Solution manual Physics of the Life Sciences (Jay Newman)
Solution manual Physics in Biology and Medicine (3rd Ed., Paul Davidovits)
Solution manual Optics (1st Ed., Ajoy Ghatak)
Solution manual Optics (4th Ed., Eugene Hecht)
Solution manual Nonlinear Optics (3rd Ed., Robert Boyd)
Solution manual Introduction to Optics (3rd Ed., Frank L Pedrotti, Leno M Pedrotti & Leno S Pedrotti)
Solution manual Principles of Physical Optics (Charles Bennett)
Solution manual Optics : Principles and Applications (Kailash Sharma)

Solution manual Continuum Electromechanics (James R. Melcher)
Solution manual Electromagnetic Noise and Quantum Optical Measurements (Hermann A. Haus)
Solution manual Matter and Interactions I : Modern Mechanics (2nd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Matter and Interactions : Volume 1 : Modern Mechanics (3rd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Matter and Interactions II : Electric and Magnetic Interactions (2nd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Matter and Interactions : Volume 2 : Electric and Magnetic Interactions (3rd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Thermal Stresses (2nd Ed., Noda, Hetnarski & Tanigawa)
Solution manual Introduction to Statistical Physics (Kerson Huang)
Solution manual Extended Irreversible Thermodynamics (3rd Ed., D. Jou, J. Casas-Vazquez & G. Lebon)
Solution manual An Introduction to Thermodynamics and Statistical Mechanics (2nd Ed, Keith Stowe)
Solution manual Equilibrium and Non-Equilibrium Statistical Thermodynamics (Michel Le Bellac, Fabrice Mortessagne & G. George Batrouni)
Solution manual Elements of Statistical Mechanics: With an Introduction to Quantum Field Theory and Numerical Simulation (Ivo Sachs & Siddhartha Sen)
Solution manual Quantum Transport (2nd Ed., Supriyo Datta)
Solution manual Ocean Waves and Oscillating Systems (Johannes Falnes)
Solution manual Statistical Mechanics (2nd Ed., R.K. Pathria)
Solution manual Quantum Mechanics (Gennaro Auletta, Mauro Fortunato & Giorgio Parisi)
Solution manual Applied Quantum Mechanics (1st Ed., A. F. J. Levi)
Solution manual Applied Quantum Mechanics (2nd Ed., A. F. J. Levi)
Solution manual Fundamentals of Quantum Mechanics (C.L. Tang)
Solution manual Astronomy : A Physical Perspective (2nd Ed., Marc L. Kutner)
Solution manual Classical Mechanics (Douglas Gregory)
Solution manual Electromagnetic Field Theory Fundamentals (2nd Ed., Singh Guru & Hiziroglu)
Solution manual Special Relativity : From Einstein to Strings (P.M. Schwarz & J.H. Schwarz)
Solution manual Gravity : An Introduction to Einstein's General Relativity (James Hartle)
Solution manual A Short Course in General Relativity (3rd Ed., James Foster & J. David Nightingale)
Solution manual Statistical Thermodynamics (Normand Laurendeau)
Solution manual Statistical Thermodynamics and Microscale Thermophysics (Van P. Carey)
Solution manual Thermal Physics (Ralph Baierlein)
Solution manual Topics in Atomic Physics (Charles E. Burkhardt, Jacob J. Leventhal)
Solution manual Foundations of Quantum Physics (Charles E. Burkhardt, Jacob J. Leventhal)
Solution manual Applied Physics (8th Ed., Dale Ewen, Ronald Nelson, Neill Schurter & Erik Gundersen)
Solution manual Applied Physics (9th Ed., Dale Ewen, Neill Schurter &

Erik Gundersen)
Solution manual Analytical Mechanics (7th Ed., Grant R. Fowles, George Cassiday)
Solution manual Orbital Mechanics for Engineering Students (1st Ed., Howard Curtis)
Solution manual Orbital Mechanics for Engineering Students (2nd Ed., Howard Curtis)
Solution manual Diagnostic Ultrasound Imaging : Inside Out (Thomas Szabo)
Solution manual Astronomy : A Beginner's Guide to the Universe (5th Ed., Eric Chaisson & Steve McMillan)
Solution manual The Cosmic Perspective (5th Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Cosmic Perspective Media Update (4th Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Essential Cosmic Perspective Media Update (4th Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Essential Cosmic Perspective Media Update (3rd Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Essential Cosmic Perspective (3rd Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual Astronomy Today (5th Ed., Eric Chaisson & Steve McMillan)
Solution manual Astronomy Today (6th Ed., Eric Chaisson & Steve McMillan)
Solution manual Conceptual Physical Science (3rd Ed., Paul G. Hewitt, John A. Suchocki & Leslie Hewitt)
Solution manual Conceptual Physical Science (4th Ed., Paul G. Hewitt, John A. Suchocki & Leslie Hewitt)
Solution manual Conceptual Integrated Science (Paul G. Hewitt, Suzanne Lyons, John A. Suchocki & Jennifer Yeh)
Solution manual Physics : Concepts & Connections (4th Ed., Art Hobson)
Solution manual Physics : Concepts & Connections (5th Ed., Art Hobson)
Solution manual Conceptual Physics (10th Ed., Paul Hewitt)
Solution manual Conceptual Physics (11th Ed., Paul Hewitt)
Solution manual Conceptual Physics Fundamentals (Paul G. Hewitt)
Solution manual College Physics (6th Ed., Jerry Wilson, Anthony Buffa & Bo Lou)
Solution manual College Physics (7th Ed., Jerry Wilson, Anthony Buffa & Bo Lou)
Solution manual College Physics (8th Ed., Young & Geller)
Solution manual Modern Physics (2nd Ed., Randy Harris)
Solution manual Modern Physics for Scientists and Engineers (John Morrison)
Solution manual Solid State Physics : Essential Concepts (David Snoke)
Solution manual Physics with Mastering Physics (3rd Ed., James Walker)
Solution manual Physics with Mastering Physics (4th Ed., James Walker)
Solution manual Active Learning Guide (Alan Van Heuvelen & Eugenia Etkina)
Solution manual E&M TIPERs : Electricity & Magnetism Tasks (C. J. Hieggelke, D. P. Maloney, T. L. O'Kuma & Steve Kanim)

Solution manual Physics : Principles with Applications (6th Ed., Douglas C. Giancoli)
Solution manual Physlet=AE Physics : Interactive Illustrations, Explorations and Problems for Introductory Physics (Wolfgang Christian & Mario Belloni)
Solution manual University Physics with Modern Physics with Mastering Physics (11th Ed., Hugh Young & Roger Freedman)
Solution manual University Physics with Modern Physics with Mastering Physics (12th Ed., Hugh Young & Roger Freedman)
Solution manual Physics for Scientists and Engineers (3rd Ed., Douglas C. Giancoli)
Solution manual Physics for Scientists and Engineers with Modern Physics (3rd Ed., Douglas Giancoli)
Solution manual Physics for Scientists and Engineers with Modern Physics (4th Ed., Douglas Giancoli)
Solution manual Physlet=AE Quantum Physics : An Interactive Introduction (Mario Belloni, Wolfgang Christian & Anne Cox)
Solution manual Introduction to Electrodynamics (3rd Ed., David J. Griffiths)
Solution manual Introduction to Quantum Mechanics (2nd Ed., David Griffiths)
Solution manual Quantum Mechanics : An Accessible Introduction (Robert Scherrer)
Solution manual Modern Quantum Mechanics (J. J. Sakurai)
Solution manual The Physics of Sound (3rd Ed., Richard Berg & David Stork)
Solution manual Electromagnetism : Principles and Applications (1st Ed., Paul Lorrain, Dale R. Corson)
Solution manual Classical Electromagnetism (Jerrold Franklin)
Solution manual Classical Electrodynamics (2nd Ed., John David Jackson)
Solution manual Nanoengineering of Structural, Functional and Smart Materials (Mark Schulz, Ajit Kelkar, Mannur Sundaresan)
Solution manual Introduction to Color Imaging Science (Hsien-Che Lee)
Solution manual An Introduction to Astrobiology (Iain Gilmour & Mark Sephton)
Solution manual An Introduction to Galaxies and Cosmology (Mark HJones & Robert Lambourne)
Solution manual An Introduction to the Solar System (Neil McBride & Iain Gilmour)
Solution manual Quantum Physics (Michel Le Bellac)
Solution manual Laser Fundamentals (2nd Ed., William T. Silfvast)
Solution manual Laser Electronics (3rd Ed., Joseph T. Verdeyen)
Solution manual Introductory Quantum Optics (Christopher Gerry & Peter Knight)
Solution manual Introduction to Plasma Physics: With Space and Laboratory Applications (D. A. Gurnett & A. Bhattacharjee)
Solution manual A Short Introduction to Quantum Information and Quantum Computation (Michel Le Bellac)
Solution manual A Quantum Approach to Condensed Matter Physics (Philip L. Taylor & Olle Heinonen)
Solution manual A First Course in String Theory (Barton Zwiebach)
Solution manual A First Course in Computational Physics and Object-

Oriented Programming with C++ (David Yevick)
Solution manual A Course in Modern Mathematical Physics : Groups, Hilbert Space and Differential Geometry (Peter Szekeres)
Solution manual Ultrasonic Nondestructive Evaluation Systems: Models and Measurements (Lester W. Schmerr & Sung-Jin Song)
Solution manual Explorations : Stars Galaxies and Planets (1st Ed. Updated, Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (2nd Ed., Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (3rd Ed. Updated, Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (4th Ed. Updated, Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (5th Ed. Updated, Thomas Arny)
Solution manual Astronomy : Journey to the Cosmic Frontier (3rd Ed., John D. Fix)
Solution manual Astronomy : Journey to the Cosmic Frontier (4th Ed., John D. Fix)
Solution manual Astronomy : Journey to the Cosmic Frontier (5th Ed., John D. Fix)
Solution manual Pathways to Astronomy with Starry Night Pro (Steven Schneider & Thomas T Arny)
Solution manual From Molecules to Networks (2nd Ed., John Byrne & James Roberts)
Solution manual Biotechnology (David Clark & Nanette Pazdernik)
Solution manual Light and Video Microscopy (Randy Wayne)

---=
----

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

---=

```
From -8172627605538304087
X-Google-Thread: 108122,634052d86b36e680,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!w29g2000vba.googlegroups.com!not-for-
mail
From: Arthur Decker <marcdemoura@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4050 Solutions manual and Test banks to Civil Engineering and
 Architecture Books
Date: Fri, 7 Jan 2011 08:47:22 -0800 (PST)
Organization: http://groups.google.com
```

```
Lines: 323
Message-ID: <9aa73cbb-41b2-46e5-a89a-6bee8a9d4e3e@w29g2000vba.googlegroups.com>
NNTP-Posting-Host: 190.40.57.30
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1294418843 30394 127.0.0.1 (7 Jan 2011 16:47:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Jan 2011 16:47:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w29g2000vba.googlegroups.com; posting-host=190.40.57.30; posting-
account=MkidQgkAAACu2HVV76DkFeaeglL9cZe4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2434
```

List of Solutions Manuals and Test Banks

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3D1P9GUXB1

I do not review the forums, just send me an email.

- Civil Engineering and Architecture :

Solution manual Mechanical and Structural Vibrations : Theory and Applications (by Jerry H. Ginsberg)
Solution manual Fundamentals of Structural Analysis (1st Ed., Leet & Uang)
Solution manual Fundamentals of Structural Analysis (2nd Ed., Leet & Uang)
Solution manual Fundamentals of Structural Analysis (3rd Ed., Leet, Uang & Gilbert)
Solution manual Fundamentals of Structural Analysis (4th Ed., Leet, Uang & Gilbert)
Solution manual A Structures Primer (Harry F. Kaufman)
Solution manual Steel Design (4th Ed., William T. Segui)
Solution manual Structural and Stress Analysis (2nd Ed., Megson)
Solution manual Structural Steel Design ASD Method (4th Ed., Jack McCormac)
Solution manual Structural Steel Design (4th Ed., Jack McCormac)
Solution manual Structural Steel Design : A Practice Oriented Approach (Abi Aghayere & Jason Vigil)
Solution manual Unified Design of Steel Structures (Louis Geschwindner)
Solution manual Steel Structures : Behavior and LRFD (1st Ed., Ramulu Vinnakota)
Solution manual The Engineering of Foundations (1st Ed., Rodrigo Salgado)
Solution manual Mechanics of Materials : A Modern Integration of Mechanics and Materials in Structural Design (Christopher Jenkins & Sanjeev Khanna)
Solution manual Analysis and Design of Shallow and Deep Foundations

(Lymon Reese, William Isenhower & Shin-Tower Wang)
Solution manual Elementary Structures for Architects and Builders (5th Ed., Ronald Shaeffer)
Solution manual Statics and Strength of Materials for Architecture and Building Construction (3rd Ed., Onouye & Kane)
Solution manual Finite Element Techniques in Structural Mechanics (C. T. F. Ross)
Solution manual Fundamental Finite Element Analysis and Applications: with Mathematica and Matlab Computations (Asghar Bhatti)
Solution manual Advanced Topics in Finite Element Analysis of Structures : With Mathematica and MATLAB Computations (Asghar Bhatti)
Solution manual Adjustment Computations : Spatial Data Analysis (4th Ed., Charles Ghilani & Paul Wolf)
Solution manual Adjustment Computations : Spatial Data Analysis (5th Ed., Charles Ghilani)
Solution manual Surveying (5th Ed., Jack McCormac)
Solution manual Surveying with Construction Applications (6th Ed., Barry Kavanagh)
Solution manual Surveying with Construction Applications (7th Ed., Barry Kavanagh)
Solution manual Surveying : Principles and Applications (8th Ed., Barry Kavanagh)
Solution manual Surveying Fundamentals and Practices (5th Ed., Jerry Nathanson, Michael Lanzafama & Philip Kissam)
Solution manual Surveying Fundamentals and Practices (6th Ed., Jerry Nathanson, Michael Lanzafama & Philip Kissam)
Solution manual Structural Analysis (5th Ed., Hibbeler)
Solution manual Structural Analysis (7th Ed., Hibbeler)
Solution manual Structural Analysis - SI Units (7th Ed., Hibbeler)
Solution manual Dynamics of Structures (3rd Ed., Chopra)
Solution manual Principles of Geotechnical Engineering (6th Ed., Braja M. Das)
Solution manual An Introduction to Geotechnical Engineering (2nd Ed., Robert D. Holtz, William D. Kovacs, Thomas C. Sheahan)
Solution manual Geotechnical Engineering: Principles and Practices (2nd Ed., Donald P. Coduto, Man-chu Ronald Yeung & William A. Kitch)
Solution manual Geotechnical Engineering: Principles and Practices - International Version (2nd Ed., Donald P. Coduto, Man-chu Ronald Yeung & William A. Kitch)
Solution manual Fundamentals of Structural Stability (George Simitses & Dewey Hodges)
Solution manual Fundamentals of Structural Mechanics (2nd Ed., keith D. Hjelmstad)
Solution manual Fundamentals of Structural Dynamics (2nd Ed., Roy Craig & Andrew Kurdila)
Solution manual Design of Concrete Structures (13th Ed., Nilson, Darwin & Dolan)
Solution manual Design of Concrete Structures (14th Ed., Nilson, Darwin & Dolan)
Solution manual Structures (6th Ed., Daniel Lewis Schodek & Martin Bechthold)
Solution manual Concrete Structures (Mehdi Setareh & Robert Darvas)
Solution manual Reinforced Concrete Design : A Practical Approach

(Brzev & Pao)
Solution manual Reinforced Concrete : A Fundamental Approach (6th Ed., Edward Nawy)
Solution manual Reinforced Concrete Design (6th Ed., Chu-Kia Wang, Charles Salmon)
Solution manual Reinforced Concrete Design (7th Ed., Chu-Kia Wang, Charles Salmon & Jos=E9 Pincheira)
Solution manual Reinforced Concrete Design (6th Ed., George Limbrunner & Abi Aghayere)
Solution manual Reinforced Concrete Design (7th Ed., George Limbrunner & Abi Aghayere)
Solution manual Reinforced Concrete : Mechanics and Design (4th Ed., James MacGregor & James Wight)
Solution manual Reinforced Concrete : Mechanics and Design (5th Ed., James Wight & James MacGregor)
Solution manual Reinforced Concrete : Mechanics and Design - International Version (5th Ed., James Wight & James MacGregor)
Solution manual Structural Concrete : Theory and Design (3rd Ed., M. Nadim Hassoun & Akthem Al-Manaseer)
Solution manual Structural Concrete : Theory and Design (4th Ed., M. Nadim Hassoun & Akthem Al-Manaseer)
Solution manual Design of Reinforced Concrete (6th Ed., Jack McCormac & James Nelson)
Solution manual Design of Reinforced Concrete (7th Ed., ACI 318-05 Code Edition, by Jack McCormac)
Solution manual Design of Reinforced Concrete (8th Ed., Jack McCormac & Russell Brown)
Solution manual Structural Analysis : Using Classical and Matrix Methods (3rd Ed., James Nelson, Jr., Jack McCormac)
Solution manual Structural Analysis : Using Classical and Matrix Methods (4th Ed., Jack McCormac)
Solution manual Pavement Design and Materials (A. T. Papagiannakis, E. A. Masad)
Solution manual Traffic Engineering (4th Ed., Roger P. Roess, Elena S. Prassas, William R. McShane)
Solution manual Principles of Highway Engineering and Traffic Analysis (3rd Ed., Fred Mannering, Walter Kilareski & Scott Washburn)
Solution manual Principles of Highway Engineering and Traffic Analysis (4th Ed., Fred Mannering, Walter Kilareski & Scott Washburn)
Solution manual Highway Engineering (7th Ed., Paul Wright & Karen Dixon)
Solution manual Soil Mechanics : Concepts and Applications (2nd Ed., William Powrie)
Solution manual Unsaturated Soil Mechanics (Ning Lu & William Likos)
Solution manual Soil Mechanics and Foundations (2nd Ed., Muniram Budhu)
Solution manual Soils and Foundations - SI Units (6th Ed., Liu & Evett)
Solution manual Soils and Foundations (7th Ed., Liu & Evett)
Solution manual Fundamentals of Soil Mechanics for Sedimentary and Residual Soils (Laurence Wesley)
Solution manual Essentials of Soil Mechanics and Foundations : Basic Geotechnics (7th Ed., David McCarthy)

Solution manual Foundations and Earth Retaining Structures (Muniram Budhu)
Solution manual Design Analysis in Rock Mechanics (William G. Pariseau)
Solution manual Probability Concepts in Engineering : Emphasis on Applications to Civil and Environmental Engineering (2nd Ed., Ang & Tang)
Solution manual Hydraulic Control Systems (Noah Manring)
Solution manual Open Channel Hydraulics (A. Osman Akan)
Solution manual Open Channel Hydraulics (1st Ed., Terry Sturm)
Solution manual Open Channel Hydraulics (2nd Ed., Terry Sturm)
Solution manual Open-Channel Flow (2nd Ed., M. Hanif Chaudhry)
Solution manual Frozen Ground Engineering (2nd Ed., Orlando Andersland & Branko Ladanyi)
Solution manual Hydraulics in Civil and Environmental Engineering (4th Ed. Andrew Chadwick)
Solution manual Fundamentals of Hydraulic Engineering Systems (4th Ed., Robert Houghtalen, A. Osman Akan, Ned H. C. Hwang)
Solution manual Transportation Engineering : An Introduction (3rd Ed., C. Jotin Khisty, B. Kent Lall)
Solution manual Introduction to Transportation Engineering (2nd Ed., Banks)
Solution manual Urban Transportation Planning (2nd Ed., Meyer & Miller)
Solution manual Transportation Engineering and Planning (3rd Ed., Papacostas & Prevedouros)
Solution manual Structural Wood Design : A Practice-Oriented Approach (Abi Aghayere & Jason Vigil)
Solution manual Simplified Design of Wood Structures (6th Ed., James Ambrose & Patrick Tripeny)
Solution manual Simplified Design of Steel Structures (8th Ed., James Ambrose & Patrick Tripeny)
Solution manual Materials and Components of Interior Architecture (7th Ed., J. Rosemary Riggs)
Solution manual Olin's Construction : Principles, Materials, and Methods (8th Ed., H. Leslie Simmons)
Solution manual Basic Construction Materials (8th Ed., Theodore Marotta, John C. Coffey, Cynthia LaFleur-Brown & Christine LaPlante)
Solution manual Fundamentals of Residential Construction (2nd Ed., Edward Allen & Rob Thallon)
Solution manual Fundamentals of Building Construction : Materials and Methods (4th Ed., Edward Allen & Joseph Iano)
Solution manual Fundamentals of Building Construction : Materials and Methods (5th Ed., Edward Allen & Joseph Iano)
Solution manual Composites for Construction : Structural Design with FRP Materials (Lawrence Bank)
Solution manual Building Construction : Principles, Materials, and Systems (Madan Mehta, Diane Armpriest & Walter Scarborough)
Solution manual Construction Contracts (2nd Ed., Jimmie Hinze)
Solution manual Construction Contracts (3rd Ed., Jimmie Hinze)
Solution manual Sustainable Construction and Design (Regina Leffers)
Solution manual Global Engineering and Construction (J. K. Yates)
Solution manual Construction Mathematics (Virdi & Baker)

Solution manual Materials for Civil and Construction Engineers (3rd Ed., Michael S. Mamlouk & John P. Zaniewski)
Solution manual Construction Management (3rd Ed., Daniel Halpin)
Solution manual Financial Management and Accounting Fundamentals for Construction (Daniel Halpin & Bolivar Senior)
Solution manual Construction Management Fundamentals (1st Ed., Schexnayder & Mayo)
Solution manual Construction Management Fundamentals (2nd Ed., Knutson, Schexnayder, Fiori & Mayo)
Solution manual Construction Planning, Equipment, and Methods (6th Ed., Peurifoy & Schexnayder)
Solution manual Construction Planning, Equipment, and Methods (7th Ed., Peurifoy, Schexnayder & Shapira)
Solution manual Construction Planning, Equipment, and Methods (8th Ed., Peurifoy, Schexnayder, Shapira & Schmitt)
Solution manual Construction Methods and Management (7th Ed., Stephens Nunnally)
Solution manual Construction Methods and Management (8th Ed., Stephens Nunnally)
Solution manual Construction Project Administration (8th Ed., Edward Fisk, Wayne Reynolds)
Solution manual Construction Project Administration (9th Ed., Edward Fisk, Wayne Reynolds)
Solution manual Construction Project Management (3rd Ed., Gould & Joyce)
Solution manual The Management of Construction : A Project Lifecycle Approach (F. Lawrence Bennett)
Solution manual Construction Accounting and Financial Management (1st Ed., Steven Peterson)
Solution manual Construction Accounting and Financial Management (2nd Ed., Steven Peterson)
Solution manual Principles and Practices of Commercial Construction (8th Ed., Cameron K. Andres & R.C. Smith)
Solution manual Cost Analysis and Estimating for Engineering and Management (Phillip Ostwald & Timothy McLaren)
Solution manual Construction Estimating Using Excel (Stephen J. Peterson)
Solution manual Heating and Cooling of Buildings : Design for Efficiency (2nd Ed., Jan Kreider, Peter Curtiss & Ari Rabl)
Solution manual Heating, Cooling, Lighting : Sustainable Design Methods for Architects (3rd Ed., Norbert Lechner)
Solution manual Mechanical and Electrical Systems in Architecture, Engineering and Construction (5th Ed., Frank R. Dagostino & Joseph B. Wujek)
Solution manual Mechanical and Electrical Equipment for Buildings (10th Ed., Stein, Reynolds, Grondzik, Kwok)
Solution manual Mechanical and Electrical Equipment for Buildings (11th Ed., Grondzik, Kwok, Stein & Reynolds)
Solution manual Mechanical & Electrical Systems in Buildings (4th Ed., Richard Janis & William Tao)
Solution manual Introduction to Naval Architecture : Formerly Muckle's Naval Architecture for Marine Engineers (4th Ed., E.C. Tupper)
Solution manual Architectural Drawing and Light Construction (8th Ed.,

Philip A. Grau, III & Edward J. Muller)
Solution manual NEW Autodesk Civil 3D : Procedures & Applications
(Harry O. Ward)
Solution manual Structural Health Monitoring with Piezoelectric Wafer
Active Sensors (Victor Giurgiutiu)
Solution manual Architecture Design Notebook (2nd Ed., Peter Fawcett)
Solution manual Civil Drafting Technology (7th Ed., David A. Madsen,
Terence M. Shumaker & David P. Madsen)
Solution manual Introduction to Homeland Security (2nd Ed., Bullock &
George Haddow)

---=
----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

---=

```
From -3832211664673048838
X-Google-Thread: 108122,a7cf667b53c7d29,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l24g2000vby.googlegroups.com!not-for-
mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4050 Solutions manual and Test banks to Environmental Engineering,
 Earth and Environmental Sciences Books
Date: Fri, 7 Jan 2011 23:10:32 -0800 (PST)
Organization: http://groups.google.com
Lines: 310
Message-ID: <7e2a82cb-d2e3-4327-8c88-b96820d9d858@l24g2000vby.googlegroups.com>
NNTP-Posting-Host: 190.40.59.115
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1294470632 5004 127.0.0.1 (8 Jan 2011 07:10:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Jan 2011 07:10:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l24g2000vby.googlegroups.com; posting-host=190.40.59.115; posting-
account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2435
```

List of Solutions Manuals and Test Banks

---

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=1P9GUXB1

I do not review the forums, just send me an email.

- Environmental Engineering, Earth and Environmental Sciences :

Solution manual Principles of Environmental Engineering and Science (1st Ed., Mackenzie Davis & Susan Masten)
Solution manual Principles of Environmental Engineering and Science (2nd Ed., Mackenzie Davis & Susan Masten)
Solution manual Introduction to Environmental Engineering (Richard Mines & Laura Lackey)
Solution manual Introduction to Environmental Engineering (4th Ed., MacKenzie Davis & David Cornwell)
Solution manual Introduction to Environmental Engineering and Science (2nd Ed., Gilbert Masters)
Solution manual Introduction to Environmental Engineering and Science (3rd Ed., Gilbert Masters & Wendell Ela)
Solution manual Solar Energy Engineering (Soteris Kalogirou)
Solution manual Solar Engineering of Thermal Processes (2nd Ed., John Duffie & William Beckman)
Solution manual Solar Engineering of Thermal Processes (3rd Ed., John Duffie & William Beckman)
Solution manual Energy Technology and Directions for the Future (Fanchi)
Solution manual Environmental Engineering : Fundamentals, Sustainability, Design (James Mihelcic, Julie Zimmerman)
Solution manual Environmental Engineering Science (Nazaroff & Alvarez - Cohen)
Solution manual Environmental Engineering (4th Ed., Ruth Weiner & Robin Matthews)
Solution manual Environmental Pollution and Control (4th Ed., Peirce, Vesilind & Weiner)
Solution manual Introduction to Engineering and the Environment (1st Ed., Edward Rubin)
Solution manual Basic Environmental Technology : Water Supply, Waste Management & Pollution Control (5th Ed., Jerry Nathanson)
Solution manual Water and Wastewater Technology - SI Units (5th Ed., Mark J. Hammer, Sr. & Mark Hammer, Jr.)
Solution manual Water and Wastewater Technology (6th Ed., Mark J. Hammer, Sr. & Mark Hammer, Jr.)
Solution manual Water and Wastewater Engineering (Mackenzie L. Davis)
Solution manual Water Supply and Pollution Control (8th Ed., Viessman Jr., Hammer, Perez & Chadik)
Solution manual Water Supply and Pollution Control - International Version (8th Ed., Viessman Jr., Hammer, Perez & Chadik)
Solution manual Water Treatment : Principles and Design (2nd Ed., by MWH)
Solution manual Water Resources Engineering (Ralph A. Wurbs & Wesley P. James)

Solution manual Water Resources Engineering 2005 Edition (Larry W. Mays)
Solution manual Water Resources Engineering (2nd Ed., Larry W. Mays)
Solution manual Water Resources Engineering (2nd Ed., Chin)
Solution manual Water Chemistry (Benjamin)
Solution manual Aquatic Pollution : An Introductory Text (3rd Ed., Edward A. Laws)
Solution manual Plant Pathology (5th Ed., George Agrios)
Solution manual Radiation Detection and Measurement (3rd Ed., Glenn Knoll)
Solution manual Radiation Detection and Measurement (4th Ed., Glenn Knoll)
Solution manual Principles of Sequence Stratigraphy (Octavian Catuneanu)
Solution manual The Earth's Ionosphere : Plasma Physics & Electrodynamics (2nd Ed., Michael Kelley)
Solution manual Atmosphere, Ocean and Climate Dynamics : An Introductory Text (Marshall & Plumb)
Solution manual Atmospheric Science : An Introductory Survey (2nd Ed., John Wallace, Peter Hobbs)
Solution manual Environmental Issues : An Introduction to Sustainability (3rd Ed., McConnell & Abel)
Solution manual Environmental Science : Toward A Sustainable Future (10th Ed., Wright & Nebel)
Solution manual Hazard City : Assignments in Applied Geology (3rd Ed., King, Carpenter & Wilson)
Solution manual Introduction to Environmental Geology (4th ERd., Edward Keller)
Solution manual The Science of Grapevines : Anatomy and Physiology (Markus Keller)
Solution manual Geoenvironmental Engineering : Site Remediation, Waste Containment, and Emerging Waste Management Technologies (Hari Sharma & Krishna Reddy)
Solution manual Natural Hazards : Earth's Processes as Hazards, Disasters and Catastrophes (2nd Ed., Keller & Blodgett)
Solution manual Essentials of Oceanography (9th Ed., Trujillo & Thurman)
Solution manual Exercises for Weather and Climate (6th Ed., Greg Carbone)
Solution manual Fundamentals of Ground Water (Franklin Schwartz & Hubao Zhang)
Solution manual Practical Problems in Groundwater Hydrology (Scott Bair & Terry Lahm)
Solution manual Groundwater Hydrology (3rd Ed., David Keith Todd & Larry Mays)
Solution manual Groundwater Science (Charles Fitts)
Solution manual Frozen Ground Engineering (2nd Ed., Orlando Andersland & Branko Ladanyi)
Solution manual Stormwater Management for Land Development : Methods and Calculations for Quantity Control (Thomas A. Seybert)
Solution manual Urban Hydrology, Hydraulics, and Stormwater Quality : Engineering Applications and Computer Modeling (A. Osman Akan & Houghtalen)

Solution manual Hydraulics in Civil and Environmental Engineering (4th Ed. Andrew Chadwick)
Solution manual Fundamentals of Hydraulic Engineering Systems (4th Ed., Robert Houghtalen, A. Osman Akan, Ned H. C. Hwang)
Solution manual Agriculture's Ethical Horizon (Robert Zimdahl)
Solution manual Environmental Contaminants : Assessment and Control (Daniel Vallero)
Solution manual A Problem-Solving Approach to Aquatic Chemistry (James Jensen)
Solution manual Hazardous Waste Management (2nd Ed., Michael LaGrega, Phillip Buckingham & Jeffrey Evans)
Solution manual Environmental Biotechnology : Principles and Applications (1st Ed., Bruce Rittmann & Perry McCarty)
Solution manual Chemistry for Environmental Engineering and Science (5th Ed., Clair Sawyer, Perry McCarty & Gene Parkin)
Solution manual Geology for Engineers and Environmental Scientists (3rd Ed., Alan Kehew)
Solution manual Ocean Waves and Oscillating Systems (Johannes Falnes)
Solution manual Radiation Detection and Measurement (3rd Ed., Glenn Knoll)
Solution manual Probability Concepts in Engineering : Emphasis on Applications to Civil and Environmental Engineering (2nd Ed., Ang & Tang)
Solution manual Hydrology : Water Quantity and Quality Control (2nd Ed., Wanielista, Kersten & Eaglin)
Solution manual Hydrology and Floodplain Analysis (4th Ed., Philip Bedient, Wayne Huber & Baxter Vieux)
Solution manual Hydrology : An Introduction (Brutsaert)
Solution manual Applied Atmospheric Dynamics (Amanda H. Lynch & John J. Cassano)
Solution manual Mid-Latitude Atmospheric Dynamics : A First Course (Jonathan E. Martin)
Solution manual Adjustment Computations : Spatial Data Analysis (4th Ed., Charles Ghilani & Paul Wolf)
Solution manual Adjustment Computations : Spatial Data Analysis (5th Ed., Charles Ghilani)
Solution manual Ecology (4th Ed., Manuel C. Molles)
Solution manual Industrial Ecology and Sustainable Engineering (T. E. Graedel & Braden R. Allenby)
Solution manual Principles of Environmental Science : Inquiry and Applications (4th Ed., Cunningham)
Solution manual Principles of Environmental Science : Inquiry and Applications (5th Ed., Cunningham)
Solution manual Environmental Science : A Global Concern (9th Ed., Cunningham)
Solution manual Environmental Science : A Global Concern (10th Ed., Cunningham)
Solution manual Essential Environmental Science (1st Ed., Edward Keller & Daniel Botkin)
Solution manual Environmental Science : Earth as a Living Planet (6th Ed., Daniel Botkin & Edward Keller)
Solution manual Environmental Science : Earth as a Living Planet (7th Ed., Daniel Botkin & Edward Keller)

Solution manual Environmental Science : Earth as a Living Planet, Canadian Edition (Daniel Botkin & Edward Keller & Isobel Heathcote)
Solution manual Introduction to Marine Biogeochemistry (2nd Ed., Susan Libes)
Solution manual Farm Management (5th Ed., Ronald Kay, William Edwards & Patricia Duffy)
Solution manual Farm Management (6th Ed., Ronald Kay, William Edwards & Patricia Duffy)
Solution manual Environmental Geology (6th Ed., Carla Montgomery)
Solution manual Environmental Geology (7th Ed., Carla Montgomery)
Solution manual Environmental Geology (8th Ed., Carla Montgomery)
Solution manual Natural Disasters (4th Ed., Patrick Abbott)
Solution manual Natural Disasters (5th Ed., Patrick Abbott)
Solution manual Natural Disasters (6th Ed., Patrick Abbott)
Solution manual Geography Information Systems (2nd Ed., Kang-tsung Chang)
Solution manual Meteorology (2nd Ed., Danielson et al.)
Solution manual Fundamentals of Oceanography (4th Ed., Duxbury, Sverdrup)
Solution manual Fundamentals of Oceanography (5th Ed., Duxbury, Sverdrup)
Solution manual Introduction to Geography (8th Ed., Getis et al.)
Solution manual Introduction to Geography (9th Ed., Getis et al.)
Solution manual Introduction to Geography (10th Ed., Getis et al.)
Solution manual Introduction to Geography (11th Ed., Getis et al.)
Solution manual Physical Geology : The Earth Revealed (4th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology : The Earth Revealed (6th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology : Earth Revealed (7th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (9th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (10th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (11th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (12th Ed., Plummer, McGeary & Carlson)
Solution manual Exploring the World Ocean (W. Sean Chamberlin & Tommy Dickey)
Solution manual Mastering ArcGIS (3rd Ed., Maribeth Price)
Solution manual Mastering ArcGIS (4th Ed., Maribeth Price)
Solution manual An Introduction to the World's Oceans (7th Ed., Sverdrup et al.)
Solution manual An Introduction to the Worlds Oceans (8th Ed., Sverdrup et al.)
Solution manual An Introduction to the Worlds Oceans (9th Ed., Sverdrup & Armbrust)
Solution manual An Introduction to the Worlds Oceans (10th Ed., Sverdrup & Armbrust)
Solution manual Laboratory Studies in Earth History (8th Ed., Brice et al.)
Solution manual Laboratory Studies in Earth History (9th Ed., Brice et

al.)
Solution manual Exploring Geology (1st Ed., Reynolds et al.)
Solution manual Manual of Mineral Science (23rd Ed., Cornelis Klein & Barbara Dutrow)
Solution manual Isotopes : Principles and Applications (3rd Ed., Gunter Faure & Teresa Mensing)
Solution manual Earth Science : Understanding Environmental Systems (Edgar Spencer)
Solution manual Fundamentals of Weed Science (3rd Ed., Robert Zimdahl)
Solution manual Field and Laboratory Exercises in Animal Behavior (Tillberg, Breed & Hinners)
Solution manual Soils : An Introduction (6th Ed., Michael Singer & Donald Munns)
Solution manual Soils, Land, and Life (Stan Buol)
Solution manual Soils in Our Environment (10th Ed., Raymond Miller & Duane Gardiner)
Solution manual Soils in Our Environment (11th Ed., Raymond Miller & Duane Gardiner)
Solution manual Soil Microbiology, Ecology and Biochemistry (3rd Ed., Eldor Paul)
Solution manual Soil in the Environment : Crucible of Terrestrial Life (Daniel Hillel)
Solution manual Design Analysis in Rock Mechanics (William G. Pariseau)
Solution manual Forest Management and Planning (Bettinger, Boston, Siry & Grebner)
Solution manual Agricultural Systems : Agroecology and Rural Innovation for Development (Sieglinde Snapp & Barry Pound)
Solution manual Plant Systematics (Michael Simpson)
Solution manual The Nature and Properties of Soils (14th Ed., Nyle Brady & Raymond Weil)
Solution manual Elements of the Nature and Properties of Soils (2nd Ed., Nyle Brady & Ray Weil)
Solution manual Materials and the Environment : Eco-informed Material Choice (Michael Ashby)

----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

From 8007037458025607802
X-Google-Thread: 108122,7db0d738bcfee368,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!fj8g2000vbb.googlegroups.com!not-for-
mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4050 Solutions manual and Test banks to Chemistry and Chemical
 Engineering Books
Date: Fri, 7 Jan 2011 23:13:26 -0800 (PST)
Organization: http://groups.google.com
Lines: 321
Message-ID: <9806ffb0-62c9-4f8b-bba0-4c345f4c81d6@fj8g2000vbb.googlegroups.com>
NNTP-Posting-Host: 190.40.59.115
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1294470806 31145 127.0.0.1 (8 Jan 2011 07:13:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Jan 2011 07:13:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: fj8g2000vbb.googlegroups.com; posting-host=190.40.59.115; posting-
account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2650
```

List of Solutions Manuals and Test Banks

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=1P9GUXB1

I do not review the forums, just send me an email.

- Chemistry and Chemical Engineering :

Solution manual An Introduction to Mass and Heat Transfer : Principles of Analysis and Design (Stanley Middleman)
Solution manual Principles and Modern Applications of Mass Transfer Operations (Jaime Benitez)
Solution manual Diffusion : Mass Transfer in Fluid Systems (2nd Ed., Cussler)
Solution manual Separation Process Principles (1st Ed, Seader & Henley)
Solution manual Separation Process Principles (2nd Ed, Seader & Henley)
Solution manual Separation Process Principles (3rd Ed, Seader, Henley & Roper)
Solution manual Analysis, Synthesis and Design of Chemical Processes (3rd Ed., Turton, Bailie, Whiting & Shaeiwitz)
Solution manual Principles of Chemical Separations with Environmental Applications (Richard D. Noble)
Solution manual Product and Process Design Principles : Synthesis, Analysis, and Evaluation (2nd Ed., Seider, Seader & Lewin)
Solution manual Product and Process Design Principles : Synthesis,

Analysis, and Design (3rd Ed., Seider, Seader, Lewin & Widagdo)
Solution manual Principles and Practices of Automatic Process Control (3rd Ed., Smith & Corripio)
Solution manual Process Systems Analysis and Control (3rd Ed. Donald Coughanowr, Steven LeBlanc)
Solution manual Process Dynamics and Control (2nd Ed., Seborg, Edgard & Mellichamp)
Solution manual Process Dynamics and Control (3rd Ed., Seborg, Edgard, Mellichamp & Doyle)
Solution manual Process Control : A First Course with MATLAB (P.C. Chau)
Solution manual Plant Design and Economics for Chemical Engineers (5th Ed., Peters & Timmerhaus)
Solution manual Basic Principles and Calculations in Chemical Engineering (7th Ed., Himmelblau)
Solution manual Unit Operations of Chemical Engineering (6th Ed., McCabe & Smith)
Solution manual Unit Operations of Chemical Engineering (7th Ed., McCabe & Smith)
Solution manual Transport Phenomena in Biological Systems (1st Ed., George Truskey, Fan Yuan & David Katz)
Solution manual Transport Phenomena in Biological Systems (2nd Ed., George Truskey, Fan Yuan & David Katz)
Solution manual Transport Phenomena : A Unified Aprroach (Robert S. Brodkey & Harry C. Hershey)
Solution manual Modeling in Transport Phenomena : A Conceptual Approach (2nd Ed., Ismail Tosun)
Solution manual Transport Phenomena (2nd Ed., Bird & Stewart)
Solution manual Solutions to Class 1&2 - Transport Phenomena (Bird)
Solution manual Chemical Engineering Design : Principles, Practice and Economics of Plant and Process Design (Gavin Towler & Ray Sinnott)
Solution manual Chemical Engineering Design (Coulson & Richardson's Chemical Engineering - Volume 6) - (4th Ed., Sinnott)
Solution manual Chemical Engineering Design - SI Edition (5th Ed., Sinnott & Towler)
Solution manual Fundamentals of Nuclear Reactor Physics (Elmer Lewis)
Solution manual Nuclear Energy : An Introduction to the Concepts, Systems, and Applications of Nuclear Processes (6th Ed., Raymond L. Murray)
Solution manual Chemical Engineering Design and Analysis : An Introduction (Duncan & Reimer)
Solution manual Chemical Reactor Analysis and Design (3rd Ed., Gilbert Froment, Kenneth Bischoff, Juray De Wilde)
Solution manual Introduction to Chemical Reactor Analysis (R.E. Hayes)
Solution manual Kinetics of Catalytic Reactions (Albert Vannice)
Solution manual An Introduction to Chemical Engineering Kinetics and Reactor Design (Charles G. Hill)
Solution manual Chemical Reactions and Chemical Reactors (George W. Roberts)
Solution manual Chemical Reaction Engineering (3rd Ed., Levenspiel)
Solution manual Fundamentals of Chemical Reaction Engineering (1st Ed., Davis)
Solution manual Conceptual Design of Distillation Systems (1st Ed.,

Doherty & Malone)
Solution manual Fluid Mechanics for Chemical Engineers (3rd Ed., Noel de Nevers)
Solution manual Introduction to Chemical Processes : Principles, Analysis, Synthesis (1st Ed., Regina M. Murphy)
Solution manual Optimization of Chemical Processes (2nd Ed., Edgar & Himmelblau)
Solution manual Two-Phase Flow : Theory and Applications (Clement Kleinstreuer)
Solution manual Chemical and Engineering Thermodynamics (3rd Ed., Stanley I. Sandler)
Solution manual Chemical, Biochemical, and Engineering Thermodynamics (4th Ed., Stanley I. Sandler)
Solution manual Introduction to Chemical Engineering Thermodynamics (6th Ed., Smith & Van Ness)
Solution manual Introduction to Chemical Engineering Thermodynamics (7th Ed., Smith & Van Ness)
Solution manual Engineering and Chemical Thermodynamics (Koretsky)
Solution manual Introduction to Chemical Principles (9th Ed., Stephen Stoker)
Solution manual Basic Chemistry (2nd Ed., K. Timberlake & W. Timberlake)
Solution manual Phase Equilibria, Phase Diagrams and Phase Transformations : Their Thermodynamic Basis (2nd Ed., Mats Hillert)
Solution manual Principles of Chemical Kinetics (2nd Ed., James House)
Solution manual Elementary Principles of Chemical Processes (3rd Ed., Felder & Rousseau)
Solution manual Elements of Chemical Reaction Engineering (3rd Ed., Fogler)
Solution manual Essentials of Chemical Reaction Engineering (H. Scott Fogler)
Solution manual Principles Of Polymer Systems (5th Ed., by Ferdinand Rodriguez, Claude Cohen, Christopher Ober, Lynden Archer)
Solution manual Group Theory with Applications in Chemical Physics (Patrick Jacobs)
Solution manual Food Analysis (3rd Ed., Suzanne Nielsen)
Solution manual Introduction to Physical Chemistry (3rd Ed., Ladd)
Solution manual General Chemistry: Principles and Modern Applications (10th Ed., Ralph H. Petrucci, F. Geoffrey Herring, Jeffry D. Madura, Carey Bissonnette)
Solution manual Virtual ChemLab : General Chemistry Student Lab Manual / Workbook, v2.5, 3rd Ed. (Brian Woodfield & Matthew Asplund)
Solution manual Introductory Chemistry (2nd Ed., Nivaldo J. Tro)
Solution manual Introductory Chemistry (3rd Ed., Nivaldo J. Tro)
Solution manual Conceptual Integrated Science (Hewitt, Lyons, Suchocki & Yeh)
Solution manual Introductory Chemistry: Concepts and Connections (4th Ed., Charles Corwin)
Solution manual Prentice Hall Lab Manual Introductory Chemistry (4th Ed., Charles Corwin)
Solution manual Modern Organic Synthesis : An Introduction (George S. Zweifel, Michael H. Nantz)
Solution manual General, Organic and Biological Chemistry : Structures

of Life (2nd Ed., Karen Timberlake)
Solution manual Chemistry : An Introduction to General, Organic, and Biological Chemistry (9th Ed., Karen Timberlake)
Solution manual Chemistry : An Introduction to General, Organic, and Biological Chemistry (10th Ed., Karen Timberlake)
Solution manual Conceptual Chemistry (3rd Ed., John A. Suchocki)
Solution manual Explorations in Conceptual Chemistry : A Student Activity Manual (Jeffrey Paradis)
Solution manual Criminalistics : An Introduction to Forensic Science (9th Ed., Richard Saferstein)
Solution manual Physical Chemistry (Thomas Engel & Philip Reid)
Solution manual Physical Chemistry for the Life Sciences (Engel, Drobny & Reid)
Solution manual Quantum Chemistry and Spectroscopy with Spartan Student Physical Chemistry Software (Thomas Engel & Philip Reid)
Solution manual Themodynamics, Statistical Thermodynamics, and Kinetics (Thomas Engel & Philip Reid)
Solution manual Physical Chemistry (7th. Ed., Peter Atkins & Julio de Paula)
Solution manual Physical Chemistry (2nd Ed., Robert Mortimer)
Solution manual Physical Chemistry (3rd Ed., Robert Mortimer)
Solution manual Chemistry (4th Ed., Olmsted & Williams)
Solution manual Chemistry : Structure and Dynamics (3rd Ed., Spencer, Bodner & Rickard)
Solution manual Chemistry : Structure and Dynamics (4th Ed., Spencer, Bodner & Rickard)
Solution manual Chemistry : Structure and Dynamics (5th Ed., Spencer, Bodner & Rickard)
Solution manual Chemistry (3rd Ed., Catherine E. Housecroft & Edwin Constable)
Solution manual Chemistry (4th Ed., Catherine E. Housecroft & Edwin Constable)
Solution manual General Chemistry : The Essential Concepts (4th Ed., Raymond Chang)
Solution manual Principles of General Chemistry (2nd Ed., Martin Silberberg)
Solution manual Chemistry : The Molecular Nature of Matter and Change (3rd Ed., Martin Silberberg)
Solution manual Chemistry : The Molecular Nature of Matter and Change (5th Ed., Martin Silberberg)
Solution manual General, Organic and Biochemistry (3rd ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual General, Organic and Biochemistry (4th ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual General, Organic and Biochemistry (5th ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual General, Organic and Biochemistry (6th ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual Introduction to General, Organic and Biochemistry in the Laboratory: Laboratory Manual (8th Ed., Hein, Peisen, Ritchey, Pattison & Arena)
Solution manual Introduction to General, Organic and Biochemistry in the Laboratory: Laboratory Manual (9th Ed., Hein, Pattison, Arena &

Best)
Solution manual Introduction to General, Organic and Biochemistry (8th Ed., Hein, Best, Pattison & Arena)
Solution manual Introduction to General, Organic and Biochemistry (9th Ed., Hein, Pattison, Arena & Best)
Solution manual General, Organic and Biological Chemistry : An Integrated Approach, Laboratory Experiments (Macaulay, Bauer & Bloomfield)
Solution manual General, Organic, and Biological Chemistry : An Integrated Approach (1st Ed., Kenneth W. Raymond)
Solution manual General, Organic, and Biological Chemistry : An Integrated Approach (2nd Ed., Kenneth W. Raymond)
Solution manual General, Organic, and Biological Chemistry : An Integrated Approach (3rd Ed., Kenneth W. Raymond)
Solution manual General, Organic, and Biological Chemistry : A Guided Inquiry (Michael Garoutte)
Solution manual Biophysical Chemistry (James P. Allen)
Solution manual Fundamentals of Chemistry (3rd Ed., David Goldberg)
Solution manual Fundamentals of Chemistry (4th Ed., David Goldberg)
Solution manual Fundamentals of Chemistry (5th Ed., David Goldberg)
Solution manual Chemistry : A Guided Inquiry (4th Ed., Richard Moog & John Farrell)
Solution manual Chemistry : Matter and Its Changes (4th Ed., Brady & Senese)
Solution manual Chemistry : The Study of Matter and Its Changes (5th Ed., Brady & Senese)
Solution manual Chemistry : The Study of Matter and Its Changes (6th Ed., Jespersen, Brady, Hyslop)
Solution manual Chemistry : An Everyday Approach to Chemical Investigation (Sally Solomon, Susan Rutkowsky & Charles Boritz)
Solution manual Organic Chemistry (8th Ed., T. W. Graham Solomons & Craig B. Fryhle)
Solution manual Organic Chemistry (9th Ed., T. W. Graham Solomons & Craig B. Fryhle)
Solution manual Organic Chemistry (10th Ed., T. W. Graham Solomons & Craig B. Fryhle)
Solution manual Advanced Organic Chemistry Part A : Structure and Mechanisms (5th Ed., Francis Carey & Richard Sundberg)
Solution manual Advanced Organic Chemistry Part B : Reaction and Synthesis (5th Ed., Francis Carey & Richard Sundberg)
Solution manual Modern Analytical Chemistry (Harvey)
Solution manual General Chemistry Lab Manual (Petra A. M. van Koppen)
Solution manual Organic Structure Determination Using 2-D NMR Spectroscopy : A Problem-Based Approach (Jeffrey Simpson)
Solution manual Practical Interfacing in the Laboratory : Using a PC for Instrumentation, Data Analysis and Control (Stephen E. Derenzo)
Solution manual Bioprocess Engineering Principles (Pauline M. Doran)
Solution manual Isotopes : Principles and Applications (3rd Ed., Gunter Faure & Teresa Mensing)
Solution manual Fundamentals of Forensic Science (Max Houck & Jay Siegel)
Solution manual Chemistry Case Studies for Allied Health (Colleen Kelley & Wendy Weeks)

Solution manual The Extraordinary Chemistry of Ordinary Things (4th Ed., Carl Snyder)
Solution manual The Art and Science of Chemical Analysis (Christie Enke)
Solution manual Spectrometric Identification of Organic Compounds (7th Ed., Robert Silverstein, Francis Webster, David Kiemle)
Solution manual Bioinstrumentation (John G. Webster)
Solution manual Medical Instrumentation Application and Design (4th Ed., John G. Webster)
Solution manual Microscale General Chemistry Laboratory : with Selected Macroscale Experiments (2nd Ed., Zvi Szafran, Ronald Pike, Judith Foster)
Solution manual Microscale Organic Laboratory : with Multistep and Multiscale Syntheses (4th Ed., Dana Mayo, Ronald Pike, Peter Trumper)
Solution manual Laboratory Manual for Principles of General Chemistry (8th Ed., Jo Allan Beran)
Solution manual Laboratory Manual for Principles of General Chemistry (9th Ed., Jo Allan Beran)

---

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

```
From 5306102298423301205
X-Google-Thread: 108122,a8b575a0da677f29,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!fm22g2000vbb.googlegroups.com!not-
for-mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4050 Solutions manual and Test banks to Industrial Engineering,
 Business, Accounting, Economics and Finance Books
Date: Fri, 7 Jan 2011 23:14:12 -0800 (PST)
Organization: http://groups.google.com
Lines: 944
Message-ID: <1c18660c-aa5c-4973-af8c-939be8963254@fm22g2000vbb.googlegroups.com>
NNTP-Posting-Host: 190.40.59.115
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1294470852 31576 127.0.0.1 (8 Jan 2011 07:14:12 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Sat, 8 Jan 2011 07:14:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: fm22g2000vbb.googlegroups.com; posting-host=190.40.59.115;
posting-account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 (.NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2651

List of Solutions Manuals and Test Banks

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3D1P9GUXB1

I do not review the forums, just send me an email.

- Industrial Engineering, Business, Accounting, Economics and Finance :

Solution manual Basics of Engineering Economy (1st Ed., Leland T Blank & Anthony Tarquin)
Solution manual Engineering Economy (5th Ed., Leland T Blank & Anthony Tarquin)
Solution manual Engineering Economy (6th Ed., Leland T Blank & Anthony Tarquin)
Solution manual Contemporary Engineering Economics (4th Ed., Chan Park)
Solution manual Contemporary Engineering Economics (5th Ed., Chan Park)
Solution manual Fundamentals of Engineering Economics (2nd Ed., Chan Park)
Solution manual Fundamentals of Engineering Economics : International Version (2nd Ed., Chan Park)
Solution manual Engineering Economy (13th Ed, Sullivan, Wicks & Luxhoj)
Solution manual Engineering Economy (14th Ed, Sullivan, Wicks & Koelling)
Solution manual Engineering Economics : International Version (14th Ed., Sullivan, Wicks & Koelling)
Solution manual Recursive Methods in Economic Dynamics (C. Irigoyen)
Solution manual Engineering Design (Rudolph J. Eggert)
Solution manual Engineering Design : A Project-Based Introduction (2nd Ed., Clive L. Dym & Patrick Little)
Solution manual Engineering Design : A Project-Based Introduction (3rd Ed., Clive L. Dym & Patrick Little)
Solution manual Tools and Tactics of Design (Dominick, Demel, Lawbaugh, Freuler, Kinzel & Fromm)
Solution manual Introduction to Statistical Quality Control (5th Ed., Douglas C. Montgomery)
Solution manual Introduction to Statistical Quality Control (6th Ed., Douglas C. Montgomery)
Solution manual Managing, Controlling, and Improving Quality (Douglas Montgomery, Cheryl Jennings, Michele Pfund)

Solution manual An Introduction to Investment Banks, Hedge Funds, and Private Equity : The New Paradigm (David Stowell)
Solution manual Financial and Economic Analysis for Engineering and Technology Management (2nd Ed., Henry E. Riggs)
Solution manual Introduction to Operations Research (7th Ed., Hillier and Lieberman)
Solution manual Introduction to Operations Research (8th Ed., Hillier and Lieberman)
Solution manual Introduction to Operations Research (9th Ed., Hillier and Lieberman)
Solution manual Methods, Standards, and Work Design (11th Ed., Niebel & Freivalds)
Solution manual Niebel's Methods, Standards and Work Design (12th Ed., Freivalds & Niebel)
Solution manual Simulation Modeling and Analysis (3rd Ed., Averill Law & David Kealton)
Solution manual Simulation Modeling and Analysis with Expertfit Software (4th Ed., Averill Law)
Solution manual Quality Control (8th Ed., Dale Besterfield)
Solution manual Introduction to Optimum Design (2nd Ed., Jasbir Arora)
Solution manual Numerical Optimization (2nd Ed., Jorge Nocedal & Stephen Wright)
Solution manual Optimization : Foundations and Applications (Ronald E. Miller)
Solution manual Applied Optimization with MATLAB Programming (1st Ed., P. Venkataraman)
Solution manual Applied Optimization with MATLAB Programming (2nd Ed., P. Venkataraman)
Solution manual Introduction to Applied Optimization (2nd Ed., Urmila Diwekar)
Solution manual Exploring Engineering : An Introduction to Engineering and Design (1st Ed., Philip Kosky, George Wise, Robert Balmer & William Keat)
Solution manual Exploring Engineering : An Introduction to Engineering and Design (2nd Ed., Philip Kosky, Robert Balmer, William Keat & George Wise)
Solution manual Quantitative Methods For Management (William E. Pinney, Donald B. McWilliams, Joe Ormsby, Mark Atchison)
Solution manual Modern Methods For Quality Control and Improvement (2nd Ed., Wadsworth, Stephens, Godfrey)
Solution manual Managing Engineering and Technology (4th, Morse & Babcock)
Solution manual Managing Engineering and Technology (5th, Morse & Babcock)
Solution manual Quality Planning and Analysis : From Product Development through Use (4th Ed., Gryna)
Solution manual Juran's Quality Planning and Analysis for Enterprise Quality (5th Ed., Gryna, Chua & DeFeo)
Solution manual Quality (4th Ed., Summers)
Solution manual Quality (5th Ed., Summers)
Solution manual Quality Management (2nd Ed., Summers)
Solution manual Quality Management (5th Ed., Goetsch & Davis)
Solution manual Quality Management for Organizational Excellence :

Introduction to Total Quality (6th Ed., David Goetsch & Stanley Davis)
Solution manual Applied Econometric Time Series (2nd Ed., Walter Enders)
Solution manual Applied Econometric Time Series (3rd Ed., Walter Enders)
Solution manual Statistics and Econometrics : Methods and Applications (Ashenfelter, Levine & Zimmerman)
Solution manual Econometric Analysis (5th Ed., William H. Greene)
Solution manual Econometric Analysis (6th Ed., William H. Greene)
Solution manual Management : A Practical Introduction (4th Ed., Angelo Kinicki & Brian Williams)
Solution manual Forest Management and Planning (Pete Bettinger, Kevin Boston, Jacek Siry & Donald Grebner)
Solution manual Foundations of Multinational Financial Management (5th Ed., Shapiro)
Solution manual Foundations of Multinational Financial Management (6th Ed., Shapiro & Sarin)
Solution manual Multinational Financial Management (8th Ed., Shapiro)
Solution manual Multinational Financial Management (9th Ed., Shapiro)
Solution manual Doing Statistics for Business with Excel : Data, Inference, and Decision Making (2nd Ed. Pelosi & Sandifer)
Solution manual Data, Statistics, and Decision Models with Excel (Harnett & Horrell)
Solution manual Modern Portfolio Theory and Investment Analysis (7th Ed., Elton, Gruber, Brown & Goetzmann)
Solution manual Modern Portfolio Theory and Investment Analysis (8th Ed., Elton, Gruber, Brown & Goetzmann)
Solution manual Accounting : What the Numbers Mean (6th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Accounting : What the Numbers Mean (7th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Accounting : What the Numbers Mean (8th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Accounting : What the Numbers Mean (9th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Global Accounting and Control : A Managerial Emphasis (Gray, Salter, Radebaugh)
Solution manual International Accounting and Multinational Enterprises (6th Ed., Radebaugh, Gray, Black)
Solution manual Quality : A Corporate Force, Managing for Excellence (C. Harold Aikens)
Solution manual Quality Inspired Management : The Key to Sustainability (C. Harold Aikens)
Solution manual Value Driven Product Planning and Systems Engineering (H. E. Cook & L. A. Wissmann)
Solution manual Work Systems : The Methods, Measurement & Management of Work (Mikell Groover)
Solution manual Design and Analysis of Lean Production Systems (Askin & Goldberg)
Solution manual Occupational Safety and Health for Technologists, Engineers, and Managers (5th Ed., Goetsch)
Solution manual Occupational Safety and Health for Technologists, Engineers, and Managers (6th Ed., Goetsch)

Solution manual Manufacturing Facilities Design and Material Handling (3rd Ed., Meyers & Stephens)
Solution Manual Manufacturing Facilities Design and Material Handling (4th Ed., Stephens & Meyers)
Solution Manual Fundamentals of Forensic Science (Max Houck & Jay Siegel)
Solution Manual Project Management for Business and Engineering : Principles and Practice (2nd Ed., John Nicholas)
Solution Manual Project Management for Business and Engineering : Principles and Practice (3rd Ed., John Nicholas)
Solution Manual CIMA Official Learning System Integrated Management (4th Ed., Ann Norton)
Solution Manual CIMA Official Learning System Enterprise Management (6th Ed., Ann Norton & Jenny Hughes)
Solution Manual CIMA Official Learning System Financial Operations (6th Ed., Jo Watkins)
Solution Manual CIMA Official Learning System Financial Management (6th Ed., Luisa Robertson)
Solution Manual CIMA Official Learning System Enterprise Strategy (6th Ed., Neil Botten)
Solution Manual CIMA Official Learning System Fundamentals of Business Maths (4th Ed., Graham Eaton)
Solution Manual CIMA Official Learning System Financial Analysis (4th Ed., Catherine Gowthorpe)
Solution Manual CIMA Official Learning System Fundamentals of Financial Accounting (2nd Ed., Henry Lunt)
Solution Manual CIMA Official Learning System Fundamentals of Financial Accounting (6th Ed., Henry Lunt)
Solution Manual CIMA Official Learning System Performance Management (6th Ed., Jo Avis)
Solution Manual CIMA Official Learning System Fundamentals of Management Accounting (2nd Ed., Janet Walker)
Solution Manual CIMA Official Learning System Management Accounting Financial Strategy (4th Ed., John Ogilvie)
Solution Manual CIMA Official Learning System Financial Strategy (6th Ed., John Ogilvie)
Solution Manual CIMA Official Learning System Organisational Management and Information Systems (4th Ed., Bob Perry)
Solution Manual CIMA Learning System Enterprise Operations (Bob Perry)
Solution Manual CIMA Learning System Management Accounting - Performance Evaluation (4th Ed., Robert Scarlett)
Solution Manual CIMA Official Learning System - Performance Operations (6th Ed., Robert Scarlett)
Solution Manual CIMA Official Learning System Fundamentals of Business Economics (2nd Ed., Steve Adams & Paul Periton)
Solution Manual Operations Management in Context (2nd Ed., Rowbotham, Azhashemi & Galloway)
Solution Manual Accounting for Business Studies (Aneirin Sion Owen)
Solution Manual ISO 9001 : 2000 Quality Registration Step-by-Step (3rd Ed., Fred Dobb)
Solution Manual Systems for Planning and Control in Manufacturing (D. K. Harrison & D. J. Petty)
Solution Manual Facilities Planning (3rd Ed., Tompkins, White, Bozer &

Tanchoco)
Solution Manual Facilities Planning (4th Ed., Tompkins, White, Bozer & Tanchoco)
Solution Manual Facilities Planning and Design (Alberto Garcia-Diaz & J. MacGregor Smith)
Solution Manual Planning and Control of Manufacturing Operations (John Kenworthy)
Solution Manual Professionalism: Real Skills for Workplace Success (Anderson & Bolt)
Solution Manual Customer Service : Career Success Through Customer Loyalty (4th Ed., Timm)
Solution Manual Customer Service : A Practical Approach (3rd Ed., Harris)
Solution Manual Customer Service : A Practical Approach (4th Ed., Harris)
Solution Manual Serving Internal and External Customers (Anne Swartzlander)
Solution Manual The Theory of Interest (3rd Ed., Stephen G. Kellison)
Solution Manual Customer Relationship Management : The Bottom Line to Optimizing Your ROI (Anton & Petouhoff)
Solution Manual Engineering Economy and the Decision-Making Process (Joseph C. Hartman)
Solution Manual Engineering Management : Challenges in the New Millennium (C. M. Chang)
Solution Manual Cost Analysis and Estimating for Engineering and Management (Phillip F. Ostwald & Timothy S. McLaren)
Solution Manual Supply Chain Management (3rd Ed., Sunil Chopra & Peter Meindl)
Solution Manual Supply Chain Management (4th Ed., Sunil Chopra & Peter Meindl)
Solution Manual Supply Chain Management : From Vision to Implementation (Stanley E. Fawcett, Lisa M. Ellram, Jeffrey A. Ogden)
Solution Manual Industrial Safety and Health Management (5th Ed., C. Ray Asfahl)
Solution Manual Computer Numerical Control : Operation and Programming (3rd Ed., Jon S. Stenerson & Kelly Curran)
Solution Manual Introduction to Management Science (8th Ed., Bernard W. Taylor)
Solution Manual Introduction to Management Science (9th Ed., Bernard W. Taylor)
Solution Manual Introduction to Management Science (10th Ed., Bernard W. Taylor)
Solution Manual Operations Research : An Introduction (8th Ed., Taha)
Solution Manual Decision Support Systems and Intelligent Systems (7th Ed., Turban, Aronson, Ting-Peng Liang)
Solution Manual Decision Support and Business Intelligence Systems (8th Ed., Turban, Aronson, Ting-Peng Liang & Sharda)
Solution Manual Introduction to Information Systems : Canadian Edition (Rainer, Turban, Splettstoesser-Hogeterp, Sanchez-Rodriguez)
Solution Manual Introduction to Information Systems : Supporting and Transforming Business (1st Ed., Rainer, Turban, Potter)
Solution Manual Introduction to Information Systems : Supporting and Transforming Business (2nd Ed., Rainer, Turban)

Solution Manual Information Technology for Management : Transforming Organizations in the Digital Economy (5th Ed., Turban, Leidner, McLean, Wetherbe)
Solution Manual Information Technology for Management : Transforming Organizations in the Digital Economy (6th Ed., Turban, Leidner, McLean, Wetherbe)
Solution Manual Information Technology for Management : Improving Performance in the Digital Economy (7th Ed., Turban & Volonino)
Solution Manual Operations Management (7th Ed., Krajewski, Ritzman)
Solution Manual Operations Management : Process and Value Chains (8th Ed., Krajewski, Ritzman & Malhotra)
Solution Manual Operations Management : Process and Supply Chains (9th Ed., Krajewski, Ritzman & Malhotra)
Solution Manual Operations Management : Process and Supply Chains - Global Edition (9th Ed., Krajewski, Ritzman & Malhotra)
Solution Manual Operations Management (8th Ed., Jay Heizer & Render)
Solution Manual Operations Management (9th Ed., Jay Heizer & Render)
Solution Manual Operations Management (10th Ed., Jay Heizer & Render)
Solution Manual Introduction to Operations and Supply Chain Management with Advanced Decision Support Tools (1st Ed., Cecil Bozarth)
Solution Manual Introduction to Operations and Supply Chain Management (2nd Ed., Cecil Bozarth, Robert B. Handfield)
Solution Manual Managing Business Process Flows : Principles of Operations Management (2nd Ed., Anupind, Chopra, Deshmukh, et al)
Solution Manual Principles Of Operations Management (6th Ed., Heizer & Render)
Solution Manual Principles Of Operations Management (7th Ed., Heizer & Render)
Solution Manual Principles Of Operations Management (8th Ed., Heizer & Render)
Solution Manual Foundations of Operations Management (Ritzman & Krajewski)
Solution Manual Foundations of Operations Management - Canadian Edition (2nd Ed., Ritzman, Krajewski, Malhotra & Klassen)
Solution Manual Basic Marketing : A Marketing Strategy Planning Approach (16th Ed., Perreault, Cannon & McCarthy)
Solution Manual Basic Marketing : A Marketing Strategy Planning Approach (17th Ed., Perreault, Cannon & McCarthy)
Solution Manual Foundations of Financial Management (11th Ed., Block & Hirt)
Solution Manual Foundations of Financial Management (12th Ed., Block & Hirt)
Solution Manual Foundations of Financial Management (13th Ed., Block, Hirt & Danielsen)
Solution Manual Decision Modeling with Microsoft=AE Excel (6th Ed., Moore & Weatherford)
Solution Manual Managing Quality : Integrating The Supply Chain (3rd Ed., S. Thomas Foster)
Solution Manual Six Sigma : Basic Tools and Techniques (Donna C.S. Summers)
Solution Manual A First Course in Quality Engineering (KS Krishnamoorthi)
Solution Manual Statistical Quality Design and Control (2nd Ed.,

DeVor, Chang & Sutherland)
Solution Manual Economics : A Tool for Critically Understanding Society (7th Ed., Riddell, Shackelford, Stamos & Schneider)
Solution Manual Economics : A Tool for Critically Understanding Society (8th Ed., Riddell, Shackelford, Stamos & Schneider)
Solution Manual Introduction to Economic Reasoning (6th Ed., William D. Rohlf, Jr.)
Solution Manual Introduction to Economic Reasoning (7th Ed., William D. Rohlf, Jr.)
Solution Manual Economics (9th Ed., Michael Parkin)
Solution Manual Essential Foundations of Economics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Essential Foundations of Economics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual Understanding Modern Economics (Roger LeRoy Miller)
Solution Manual The Economics of Macro Issues (3rd Ed., Roger LeRoy Miller & Daniel K. Benjamin)
Solution Manual Foundations of Economics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Economics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual International Economics (8th Ed., Dominick Salvatore)
Solution Manual International Economics (9th Ed., Dominick Salvatore)
Solution Manual International Economics (10th Ed., Dominick Salvatore)
Solution Manual Introduction to International Economics (1st Ed., Dominick Salvatore)
Solution Manual Introduction to International Economics (2nd Ed., Dominick Salvatore)
Solution Manual Economics Today (13th Ed., Roger LeRoy Miller)
Solution Manual Economics Today (14th Ed., Roger LeRoy Miller)
Solution Manual Economics Today (15th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View - Canadian Edition (4th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View (13th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View (14th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View (15th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View - Canadian Edition (4th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View (13th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View (14th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View (15th Ed., Roger LeRoy Miller)
Solution Manual Economics (Michael A. Leeds, Peter von Allmen & Richard C. Schiming)
Solution Manual Economics : Private Markets and Public Choice (7th Ed., Ekelund, Jr., Ressler & Tollison)
Solution Manual Principles of Economics, 7th Ed. (Roy J. Ruffin & Paul R. Gregory)

Solution Manual The Economics of Public Issues (14th Ed., Miller, Benjamin & North)
Solution Manual The Economics of Public Issues (15th Ed., Miller, Benjamin & North)
Solution Manual Macroeconomics (7th Ed., Michael Parkin)
Solution Manual Macroeconomics (8th Ed., Michael Parkin)
Solution Manual Macroeconomics (9th Ed., Michael Parkin)
Solution Manual Foundations of Microeconomics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Microeconomics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Macroeconomics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Macroeconomics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual Microeconomic Theory (Andreu Mas-Colell, Michael D. Whinston, Jerry R. Green)
Solution Manual Microeconomics MyEconLab Homework Edition (Leeds, von Allmen & Schiming)
Solution Manual Macroeconomics MyEconLab Homework Edition (Leeds, von Allmen & Schiming)
Solution Manual Microeconomics (7th Ed., Michael Parkin)
Solution Manual Microeconomics (8th Ed., Michael Parkin)
Solution Manual Microeconomics (9th Ed., Michael Parkin)
Solution Manual Microeconomics (6th Ed., Robert Pindyck & Daniel Rubinfeld)
Solution Manual Microeconomics (7th Ed., Robert Pindyck & Daniel Rubinfeld)
Solution Manual Macroeconomics (2nd Ed., Stephen D. Williamson)
Solution Manual Macroeconomics (3rd Ed., Stephen D. Williamson)
Solution Manual Macroeconomics Update Edition (5th Ed., Andrew B. Abel, Ben S. Bernanke)
Solution Manual Macroeconomics (6th Ed., Andrew B. Abel, Ben S. Bernanke & Dean Croushore)
Solution Manual Macroeconomics (10th Ed., Robert J. Gordon)
Solution Manual Macroeconomics (11th Ed., Robert J. Gordon)
Solution Manual Macroeconomics - Canadian Edition (3rd Ed., Olivier Blanchard & David R. Johnson)
Solution Manual Macroeconomics (4th Ed., Olivier Blanchard)
Solution Manual Macroeconomics - Canadian Edition (4th Ed., Olivier Blanchard & David R. Johnson)
Solution Manual Macroeconomics (5th Ed., Olivier Blanchard)
Solution Manual Systems Engineering and Analysis (5th Ed., Benjamin Blanchard & Wolter Fabrycky)
Solution Manual Economic Growth (1st Ed., David N. Weil)
Solution Manual Economic Growth (2nd Ed., David N. Weil)
Solution Manual Money, the Financial System, and the Economy (5th Ed., R. Glenn Hubbard)
Solution Manual Money, the Financial System, and the Economy (6th Ed., R. Glenn Hubbard)
Solution Manual Money, Banking and Financial Markets (2nd Ed., Stephen G. Cecchetti)
Solution Manual The Economics of Money, Banking and Financial Markets

(8th Ed., Frederic S. Mishkin)
Solution Manual The Economics of Money, Banking and Financial Markets (9th Ed., Frederic S. Mishkin)
Solution Manual Principles of Money, Banking, and Financial Markets (11th Ed., Ritter, Silber & Udell)
Solution Manual Principles of Money, Banking, and Financial Markets (12th Ed., Ritter, Silber & Udell)
Solution Manual Fundamentals of Corporate Finance (Parrino & Kidwell)
Solution Manual Financial Institutions, Markets, and Money (9th Ed., Kidwell, Blackwell, Whidbee & Peterson)
Solution Manual Financial Institutions, Markets, and Money (10th Ed., Kidwell, Blackwell, Whidbee & Peterson)
Solution Manual International Economics (3rd Ed., James Gerber)
Solution Manual International Economics (4th Ed., James Gerber)
Solution Manual International Economics (5th Ed., James Gerber)
Solution Manual International Economics (7th Ed., Steven Husted & Michael Melvin)
Solution Manual International Economics (8th Ed., Steven Husted & Michael Melvin)
Solution Manual International Economics (3rd Ed., W. Charles Sawyer & Richard L. Sprinkle)
Solution Manual World Trade and Payments : An Introduction (9th Ed., Caves, Frankel & Jones)
Solution Manual World Trade and Payments : An Introduction (10th Ed., Caves, Frankel & Jones)
Solution Manual International Economics : Theory and Policy (7th Ed., Krugman & Obstfeld)
Solution Manual International Economics : Theory and Policy (8th Ed., Krugman & Obstfeld)
Solution Manual International Money and Finance (7th Ed., Michael Melvin)
Solution Manual Economic Development (9th Ed., Todaro & Smith)
Solution Manual Microeconomics (4th Ed., Jeffrey M. Perloff)
Solution Manual Microeconomics (Don E. Waldman)
Solution Manual Microeconomics : Theory and Applications with Calculus (Jeffrey M. Perloff)
Solution Manual Microeconomic : Theory and Applications (9th Ed., Browning & Zupan)
Solution Manual Microeconomic : Theory and Applications (10th Ed., Browning & Zupan)
Solution Manual Environmental Economics and Policy (5th Ed., Tom Tietenberg)
Solution Manual Environmental and Natural Resource Economics (7th Ed., Tom Tietenberg)
Solution Manual Health Economics (3rd Ed., Charles E. Phelps)
Solution Manual Industrial Organization : Theory and Practice (3rd Ed., Waldman & Jensen)
Solution Manual Modern Industrial Organization (4th Ed., Carlton & Perloff)
Solution Manual Modern Labor Economics : Theory and Public Policy (9th Ed., Ehrenberg & Smith)
Solution Manual Law and Economics (4th Ed., Cooter & Ulen)
Solution Manual Law and Economics (5th Ed., Cooter & Ulen)

Solution Manual Market Regulation (Roger Sherman)
Solution Manual Public Finance and the American Economy (2nd Ed., Neil Bruce)
Solution Manual The Economics of Sports (2nd Ed., Leeds & von Allmen)
Solution Manual The Economics of Sports (3rd Ed., Leeds & von Allmen)
Solution Manual Introduction to Econometrics, Brief Edition (James H. Stock & Mark W. Watson)
Solution Manual Introduction to Econometrics (2nd ed., James H. Stock & Mark W. Watson)
Solution Manual Econometrics : A Modern Introduction (Michael P. Murray)
Solution Manual Using Econometrics : A Practical Guide (5th Ed., A.H. Studenmund)
Solution Manual Mathematical Methods for Economics (2nd Ed., Michael Klein)
Solution Manual Personal Finance with Financial Planning Software (3rd Ed., Jeff Madura)
Solution Manual Finance : Investments, Institutions, and Management - Update (2nd Ed., Stanley G. Eakins)
Solution Manual Introduction to Finance (Lawrence J. Gitman & Jeff Madura)
Solution Manual Principles of Managerial Finance Brief (4th Ed., Lawrence J. Gitman)
Solution Manual Principles of Managerial Finance (11th Ed., Lawrence J. Gitman)
Solution Manual Corporate Finance (Jonathan Berk & Peter DeMarzo)
Solution Manual Corporate Finance (7th Ed., Stephen A. Ross, Randolph W. Westerfield, Jeffrey Jaffe)
Solution Manual Principles of Corporate Finance (7th Ed., Richard A. Brealey, Stewart C. Myers)
Solution Manual Risk Takers : Uses and Abuses of Financial Derivatives (John Marthinsen)
Solution Manual Theory of Asset Pricing (George Pennacchi)
Solution Manual Multinational Business Finance (10th Ed., Eiteman, Stonehill & Moffett)
Solution Manual Multinational Business Finance (11th Ed., Eiteman, Stonehill & Moffett)
Solution Manual Fundamentals of Multinational Finance (1st Ed., Moffett, Stonehill & Eiteman)
Solution Manual Fundamentals of Multinational Finance (2nd Ed., Moffett, Stonehill & Eiteman)
Solution Manual Fundamentals of Multinational Finance (3rd Ed., Moffett, Stonehill & Eiteman)
Solution Manual Cases in International Finance (2nd Ed., Dufey & Giddy)
Solution Manual Fundamentals of Investing (9th Ed., Gitman & Joehnk)
Solution Manual Fundamentals of Investing (10th Ed., Gitman & Joehnk)
Solution Manual OTIS : Online Trading (Wharton Learning Lab)
Solution Manual Derivatives Markets (2nd Ed., Robert L. McDonald)
Solution Manual Principles of Risk Management and Insurance (9th Ed., George E. Rejda)
Solution Manual Principles of Risk Management and Insurance (10th Ed., George E. Rejda)

Solution Manual Financial Markets and Institutions (5th Ed., Frederic S. Mishkin & Stanley G. Eakins)
Solution Manual Financial Markets and Institutions (6th Ed., Frederic S. Mishkin & Stanley G. Eakins)
Solution Manual Statistical Analysis of Financial Data in S-PLUS (Rene A. Carmona)
Solution Manual Statistics and Finance : An Introduction (David Ruppert)
Solution Manual Mathematical Statistics for Economics and Business (Ron C. Mittelhammer)
Solution Manual Job Hazard Analysis (James E. Roughton & Nathan Crutchfield)
Solution Manual Managerial Issues of Enterprise Resource Planning Systems (David L. Olson)
Solution Manual Business Driven Technology (1st Ed., Haag et al.)
Solution Manual Business Driven Technology (2nd Ed., Haag et al.)
Solution Manual Operations Management : An Integrated Approach (2nd Ed., R. Dan Reid & Nada Sanders)
Solution Manual Operations Management : An Integrated Approach (3rd Ed., R. Dan Reid & Nada Sanders)
Solution Manual Operations Management (4th Ed., R. Dan Reid & Nada Sanders)
Solution Manual Commercial Banking : The Management of Risk (3rd Ed., Gup & Kolari)
Solution Manual Essential Statistics for Economics, Business and Management (Teresa Bradley)
Solution Manual Calculus for Business, Economics, and the Social and Life Sciences (8th Ed., Hoffmann & Bradley)
Solution Manual Calculus for Business, Economics, and the Social and Life Sciences (9th Ed., Hoffmann & Bradley)
Solution Manual Calculus for Business, Economics, and the Social and Life Sciences, Brief Edition (10th Ed., Hoffmann & Bradley)
Solution Manual Applied Calculus for Business, Economics, and the Social and Life Sciences, Expanded Edition (10th Ed., Hoffmann & Bradley)
Solution Manual Accounting for Governmental and Nonprofit Entities (12th Ed., Wilson & Kattelus)
Solution Manual Accounting for Governmental and Nonprofit Entities (13th Ed., Wilson & Kattelus)
Solution Manual Accounting for Governmental and Nonprofit Entities (14th Ed., Wilson, Kattelus & Reck)
Solution Manual Accounting for Governmental and Nonprofit Entities (15th Ed., Wilson, Reck & Kattelus)
Solution Manual Accounting Theory : Text and Readings (7th Ed., Schroeder, Clark & Cathey)
Solution Manual Financial Accounting Theory and Analysis : Text Reading and Cases (8th Ed., Schroeder, Clark & Cathey)
Solution Manual Financial Accounting Theory and Analysis : Text and Cases (9th Ed., Schroeder, Clark & Cathey)
Solution Manual Financial Accounting in an Economic Context (6th Ed., Jamie Pratt)
Solution Manual Financial Accounting in an Economic Context (7th Ed., Jamie Pratt)

Solution Manual Principles of Engineering Economic Analysis (5th Ed., White, Case, Pratt)
Solution Manual Financial Accounting (Michael Jones)
Solution Manual Financial Accounting : A Valuation Emphasis (Hughes, Ayres, Hoskin)
Solution Manual Financial Accounting : A Decision-Making Approach (2nd Ed., King, Lembke & Smith)
Solution Manual Financial Accounting (4th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Financial Accounting, with Annual Report (5th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Financial Accounting (6th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Financial Accounting (7th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Financial Accounting : IFRS Edition (1st Ed., Weygandt, Kimmel & Kieso)
Solution Manual Acive Learning Edition for Financial Accounting : Tools for Business Decision Making (3rd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Financial Accounting : Tools for Business Decision Making, with Annual Report (3rd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Financial Accounting : Tools for Business Decision Making (4th Ed., Kimmel, Weygandt & Kieso)
Solution Manual Financial Accounting : Tools for Business Decision Making (5th Ed., Kimmel, Weygandt & Kieso)
Solution Manual Managerial Decision Modeling with Spreadsheets : Canadian Edition (1st Ed., Render, Stair, Balakrishnan & Smith)
Solution Manual Managerial Decision Modeling with Spreadsheets (1st Ed., Render, Stair, Balakrishnan)
Solution Manual Managerial Decision Modeling with Spreadsheets (2nd Ed., Balakrishnan, Render & Stair)
Solution Manual Introduction to Managerial Accounting (2nd Ed., Brewer, Garrison. Noreen)
Solution Manual Introduction to Managerial Accounting (3rd Ed., Brewer, Garrison. Noreen)
Solution Manual Introduction to Managerial Accounting (4th Ed., Brewer, Garrison. Noreen)
Solution Manual Introduction to Managerial Accounting (5th Ed., Brewer, Garrison. Noreen)
Solution Manual Managerial Accounting (Balakrishnan, Sivaramakrishnan & Sprinkle)
Solution Manual Managerial Accounting : Tools for Business Decision Making, Active Learning Edition (2nd Ed., Weygandt, Kieso & Kimmel)
Solution Manual Managerial Accounting : Tools for Business Decision Making (3rd Ed., Weygandt, Kieso & Kimmel)
Solution Manual Managerial Accounting : Tools for Business Decision Making (4th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Managerial Accounting : Tools for Business Decision Making (5th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Managerial Accounting : Creating Value in a Dynamic Business Environment (6th Ed., Ronald Hilton)
Solution Manual Managerial Accounting : Creating Value in a Dynamic Business Environment (7th Ed., Ronald Hilton)

Solution Manual Managerial Accounting : Creating Value in a Dynamic Business Environment (8th Ed., Ronald Hilton)
Solution Manual Managerial Accounting (2nd Ed., James Jiambalvo)
Solution Manual Managerial Accounting (3rd Ed., James Jiambalvo)
Solution Manual Managerial Accounting (4th Ed., James Jiambalvo)
Solution Manual Accounting : Tools for Business Decision Making (2nd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Accounting : Tools for Business Decision Making (3rd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Intermediate Accounting (4th Ed., Spiceland, Sepe & Tomassini)
Solution Manual Intermediate Accounting (5th Ed., Spiceland, Sepe, Nelson & Tomassini)
Solution Manual Intermediate Accounting (6th Ed., Spiceland, Sepe & Nelson)
Solution Manual Intermediate Accounting : Principles and Analysis (2nd Ed., Warfield, Weygandt & Kieso)
Solution Manual Intermediate Accounting (11th Ed., Kieso, Weygandt, Warfield)
Solution Manual Intermediate Accounting (12th Ed., Kieso, Weygandt, Warfield)
Solution Manual Fundamentals of Intermediate Accounting (Kieso, Weygandt, Warfield)
Solution Manual Accounting Principles (6th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Accounting Principles (7th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Accounting Principles (8th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Accounting Principles (9th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Advanced Accounting (Bline, Fischer & Skekel)
Solution Manual Advanced Accounting (2nd Ed., Jeter & Chaney)
Solution Manual Advanced Accounting (3rd Ed., Jeter & Chaney)
Solution Manual Advanced Accounting (4th Ed., Jeter & Chaney)
Solution Manual Advanced Financial Accounting (7th Ed., Richard Baker, Valdean Lembke, Thomas King, Cynthia Jeffrey)
Solution Manual Advanced Financial Accounting (8th Ed., Richard Baker, Valdean Lembke, Thomas King, Cynthia Jeffrey)
Solution Manual Project Management : A Managerial Approach (6th Ed., Meredith & Mantel)
Solution Manual Project Management : A Managerial Approach (7th Ed., Meredith & Mantel)
Solution Manual Operations Management for MBAs (3rd Ed., Meredith & Shafer)
Solution Manual Operations Management for MBAs (4th Ed., Meredith & Shafer)
Solution Manual Project Management in Practice (3rd Ed., Mantel, Meredith, Shafer & Sutton)
Solution Manual Wiley Pathways Project Management (1st Ed., Portny, Mantel, Jr., Meredith, Shafer, Sutton & Kramer)
Solution Manual Core Concepts : Project Management in Practice (2nd Ed., Mantel, Meredith, Shafer & Sutton)

Solution Manual Advanced Project Management : Best Practices on Implementation (2nd Ed., Harold Kerzner)
Solution Manual Project Management Case Studies (3rd Ed., Harold Kerzner)
Solution Manual Project Management : A Systems Approach to Planning, Scheduling, and Controlling (9th Ed., Harold Kerzner)
Solution Manual Project Management : A Systems Approach to Planning, Scheduling, and Controlling (10th Ed., Harold Kerzner)
Solution Manual Information Technology Project Management : Providing Measurable Organizational Value (2nd Ed., Jack Marchewka)
Solution Manual Information Technology Project Management (3rd Ed., Jack Marchewka)
Solution Manual Core Concepts of Government and Not-for-Profit Accounting (Granof & Wardlow)
Solution Manual Government and Not-for-Profit Accounting : Concepts and Practices (3rd Ed., Granof)
Solution Manual Government and Not-for-Profit Accounting : Concepts and Practices (4th Ed., Granof)
Solution Manual Government and Not-for-Profit Accounting : Concepts and Practices (5th Ed., Granof)
Solution Manual Business Communication Essentials, First Canadian Edition (Bovee, Thill, Schatzman & Scribner)
Solution Manual Business Communication Essentials, Second Canadian Edition (Bovee, Thill & Scribner)
Solution Manual Business Communication Essentials (2nd Ed., Bovee & Thill & Schatzman)
Solution Manual Business Communication Essentials (3rd Ed., Bovee & Thill)
Solution Manual Business Communication Essentials (4th Ed., Bovee & Thill)
Solution Manual Business Data Communications (5th Ed., William Stallings)
Solution Manual Business Data Communications (6th Ed., William Stallings)
Solution Manual Business Data Communications and Networking (8th Ed., FitzGerald & Dennis)
Solution Manual Business Data Communications and Networking (9th Ed., FitzGerald & Dennis)
Solution Manual Business Data Communications and Networking (10th Ed., FitzGerald & Dennis)
Solution Manual Operations Management (1st Ed., Andrew Greasley)
Solution Manual Operations Management (2nd Ed., Andrew Greasley)
Solution Manual Operations Management : Quality and Competitiveness in a Global Environment (5th Ed., Russell & Taylor)
Solution Manual Operations Management : Creating Value Along the Supply Chain (6th Ed., Russell & Taylor)
Solution Manual Auditing Cases (3rd Ed., Beasley, Buckless, Glover & Prawitt)
Solution Manual Auditing Cases: An Interactive Learning Approach (4th Ed., Beasley, Buckless, Glover & Prawitt)
Solution Manual Auditing and Other Assurance Services, Canadian Tenth Edition (10th Ed., Arens, Elder, Beasley & Splettstoesser-Hogeterp)
Solution Manual Auditing and Assurance Services : An Intergrated

Approach (11th Ed., Arens, Elder & Beasley)
Solution Manual Auditing and Assurance Services : An Intergrated Approach (12th Ed., Arens, Elder & Beasley)
Solution Manual Auditing and Assurance Services : An Intergrated Approach (13th Ed., Arens, Elder & Beasley)
Solution Manual Modern Auditing : Assurance Services and the Integrity of Financial Reporting (8th Ed., Boynton & Johnson)
Solution Manual Investments : Analysis and Management (9th Ed., Charles Jones)
Solution Manual Investments : Analysis and Management (10th Ed., Charles Jones)
Solution Manual Investments : Analysis and Management (11th Ed., Charles Jones)
Solution Manual The Art of Modeling with Spreadsheets : Management Science, Spreadsheet Engineering, and Modeling Craft (Powell & Baker)
Solution Manual Management Science : The Art of Modeling with Spreadsheets (2nd Ed., Powell & Baker)
Solution Manual Management Science : The Art of Modeling with Spreadsheets, Excel 2007 Update (Powell & Baker)
Solution Manual Wiley Pathways Introduction to Database Management (Gillenson, Ponniah et al.)
Solution Manual Advanced Theory and Practice in Sport Marketing (Eric Schwarz & Jason Hunter)
Solution Manual Sport and the Media : Managing the nexus (Matthew Nicholson)
Solution Manual Sport Facility Operations Management : A Global Perspective (Eric Schwarz, Stacey Hall & Simon Shibli)
Solution Manual Sport Management : Principles and Application (Russell Hoye, Aaron Smith, et al.)
Solution Manual International Business : The Challenge of Global Competition (10th Ed., Ball, McCulloch, Geringer, Minor & McNett)
Solution Manual International Business : The Challenge of Global Competition (11th Ed., Ball, McCulloch, Geringer, Minor & McNett)
Solution Manual International Business : The Challenge of Global Competition (12th Ed., Ball, McCulloch, Geringer, Minor & McNett)
Solution Manual Statistics for Business (Derek Waller)
Solution Manual Mergers, Acquisitions, and Other Restructuring Activities (4th Ed., Donald DePamphilis)
Solution Manual Mergers, Acquisitions, and Other Restructuring Activities (5th Ed., Donald DePamphilis)
Solution Manual Contemporary Tourism : An international approach (Chris Cooper & Michael Hall)
Solution Manual Nation branding : Concepts, Issues, Practice (Keith Dinnie)
Solution Manual International Business : A Global Perspective (Katsioloudes & S. Hadjidakis)
Solution Manual Managing Cultural Differences : Global Leadership Strategies for the 21st Century (7th Ed., Moran, Harris & Moran)
Solution Manual Marketing Plans : How to prepare them, how to use them (6th Ed., Malcolm McDonald)
Solution Manual Human Resource Management for the Hospitality and Tourism Industries (Dennis Nickson)
Solution Manual Exploring Employee Relations : An International

Approach (2nd Ed., Mike Leat)
Solution Manual Introduction to Financial Technology (Roy Freedman)
Solution Manual Managing Innovation : New Technology, New Products, and New Services in a Global Economy (2nd Ed., John Ettlie)
Solution Manual Enterprise : Entrepreneurship and Innovation : Concepts, Contexts and Commercialization (Lowe & Marriott)
Solution Manual Strategic Management : Global Cultural Perspectives for Profit and Non-Profit Organizations (Marios Katsioloudes)
Solution Manual e-Business and e-Commerce How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual Introduction to e-Business : Management and Strategy (Colin Combe)
Solution Manual Managing People and Organizations in Changing Contexts (Graeme Martin)
Solution Manual Sustainable Tourism (David Weaver)
Solution Manual Knowledge Management in Theory and Practice (Kimiz Dalkir)
Solution Manual Fixed Income Markets and Their Derivatives (3rd Ed., Suresh Sundaresan)
Solution Manual Introduction to Human Resource Management (2nd Ed., John Stredwick)
Solution Manual Organisations and the Business Environment (2nd Ed., David Campbell & Tom Craig)
Solution Manual Strategic Operations Management (2nd Ed., Brown, Lamming, Bessant & Jones)
Solution Manual Worldwide Destinations : The Geography of Travel and Tourism (4th Ed., Boniface & Cooper)
Solution Manual Worldwide Destinations : The Geography of Travel and Tourism (5th Ed., Boniface & Cooper)
Solution Manual Worldwide Destinations Casebook : The Geography of Travel and Tourism (2nd Ed., Boniface & Cooper)
Solution Manual Marketing in Travel and Tourism (4th Ed., Middleton, Fyall, Morgan & Ranchhod)
Solution Manual Strategic Marketing Planning (1st Ed., C. Gilligan & R. Wilson)
Solution Manual Strategic Marketing Planning (2nd Ed., C. Gilligan & R. Wilson)
Solution Manual Strategic Marketing Management : Planning, Implementation and Control (3rd Ed., Wilson & Gilligan)
Solution Manual Marketing Communications Management : Concepts and Theories, Cases and Practices (Paul Copley)
Solution Manual Auction Theory (2nd Ed., Vijay Krishna)
Solution Manual Principles of Financial Engineering (1st Ed., Salih Neftci)
Solution Manual Principles of Financial Engineering (2nd Ed., Salih Neftci)
Solution Manual A Behavioral Approach to Asset Pricing (2nd Ed., Hersh Shefrin)
Solution Manual Managing Finance : A Socially Responsible Approach (D. Crowther)
Solution Manual Customer Relationship Management (2nd Ed., Francis Buttle)
Solution Manual Introduction to Knowledge Management : KM in Business

(Groff & Jones)
Solution Manual Principles of Retailing (J. Fernie, S. Fernie & Moore)
Solution Manual Business Strategy (2nd Ed., Campbell, Stonehouse & Houston)
Solution Manual Market-Led Strategic Change (3rd Ed., Nigel Piercy)
Solution Manual Market-Led Strategic Change (4th Ed., Nigel Piercy)
Solution Manual International Hospitality Management : Concepts and cases (Alan Clarke & Wei Chen)
Solution Manual Electronic Commerce : Principles and Practice (Hossein Bidgoli)
Solution Manual Financial Management for Hospitality Decision Makers (Chris Guilding)
Solution Manual Accounting Essentials for Hospitality Managers (2nd Ed., Chris Guilding)
Solution Manual Global Business Leadership (E.S. Wibbeke)
Solution Manual Strategic Marketing : Planning and Control (2nd Ed., Drummond, Ensor & Ashford)
Solution Manual Project Finance in Theory and Practice : Designing, Structuring, and Financing Private and Public Projects (Stefano Gatti)
Solution Manual Hotel Convention Sales, Services and Operations (Pat Golden-Romero)
Solution Manual Contemporary Financial Intermediation (2nd Ed., Greenbaum & Thakor)
Solution Manual Intermediate Financial Theory (2nd Ed., Danthine & Donaldson)
Solution Manual Essential Law for Marketers (Ardi Kolah)
Solution Manual Introduction to Health and Safety at Work (4th Ed., Phil Hughes & Ed Ferrett)
Solution manual An Introduction to the Mathematics of Financial Derivatives (2nd Ed., Salih Neftci)
Solution manual Introduction to Emergency Management (3rd Ed., Haddow, Bullock & Coppola)
Solution manual Food and Beverage Management (4th Ed., Davis, Lockwood, Pantelidis & Alcott)
Solution manual Maritime Security : An Introduction (Michael McNicholas)
Solution manual Contemporary Logistics (8th Ed., Paul R. Murphy, Donald Wood)
Solution manual Contemporary Logistics (9th Ed., Paul R. Murphy, Donald Wood)

---=------------------------

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

---=------------------------

```
From -8264564157879408639
X-Google-Thread: 108122,9868c88da045b2b6,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j25g2000vbs.googlegroups.com!not-for-
mail
From: BERGH <mattosbw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4050 Solutions manual and Test banks to Materials Engineering Books
Date: Fri, 7 Jan 2011 23:14:53 -0800 (PST)
Organization: http://groups.google.com
Lines: 182
Message-ID: <df91b67c-8dd2-42bb-9fe6-5b18741d5976@j25g2000vbs.googlegroups.com>
NNTP-Posting-Host: 190.40.59.115
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1294470893 31906 127.0.0.1 (8 Jan 2011 07:14:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Jan 2011 07:14:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j25g2000vbs.googlegroups.com; posting-host=190.40.59.115; posting-
account=Tr_lEAoAAAADSBji3TkK41k7g4TuE_dn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2652
```

List of Solutions Manuals and Test Banks
----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, RUSSIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES, BHUTAN & COLOMBIA".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=1P9GUXB1

I do not review the forums, just send me an email.

- Materials Engineering :

Solution manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (3rd Ed., Mikell Groover)
Solution manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (4th Ed., Mikell Groover)
Solution manual Fundamentals of Manufacturing (2nd Ed., Philip D. Rufe)
Solution manual Principles of Metal Manufacturing Processes (Beddoes & Bibby)
Solution manual Materials Science for Engineering Students (Traugott Fischer)
Solution manual Essentials of Modern Materials Science and Engineering (James Newell)
Solution manual Materials Science and Engineering : An Introduction (6th Ed., William Callister)
Solution manual Materials Science and Engineering : An Introduction (7th Ed., William Callister)

Solution manual Materials Science and Engineering : An Introduction (8th Ed., William Callister)
Solution manual Fundamentals of Materials Science and Engineering : Integrated Approach (2nd Ed., William Callister)
Solution manual Fundamentals of Materials Science and Engineering : Integrated Approach (3rd Ed., William Callister)
Solution manual Science and Design of Engineering Materials (2nd Ed., Schaffer, Saxena, et al)
Solution manual Manual of Mineral Science (23rd Ed., Cornelis Klein & Barbara Dutrow)
Solution manual Materials and Processes in Manufacturing (9th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution manual DeGarmo's Materials and Processes in Manufacturing (10th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution manual Foundations of Materials Science and Engineering (3rd Ed, Smith)
Solution manual Foundations of Materials Science and Engineering (4th Ed, Smith & Hashemi)
Solution manual Foundations of Materials Science and Engineering (5th Ed, Smith & Hashemi)
Solution manual Engineering Materials Science (Milton Ohring)
Solution manual Metal Fatigue in Engineering (2nd Ed., Stephens, Fatemi & Fuchs)
Solution manual Mechanical Behavior of Materials (3rd Ed. Dowling)
Solution manual Mechanical Behavior of Materials (W.F. Hosford)
Solution manual Mechanical Behavior of Materials (Keith Bowman)
Solution manual Deformation and Fracture Mechanics of Engineering Materials (4th Ed., Richard Hertzberg)
Solution manual From Polymers to Plastics (A.K. van der Vegt)
Solution manual Nanoengineering of Structural, Functional and Smart Materials (Mark Schulz, Ajit Kelkar, Mannur Sundaresan)
Solution manual Principles Of Polymer Systems (5th Ed., by Ferdinand Rodriguez, Claude Cohen, Christopher Ober, Lynden Archer)
Solution manual Introduction to the Thermodynamics of Materials (4th Ed. David Gaskell)
Solution manual Structure and Properties of Engineering Materiales (5th Ed., Daniel Henkel & Alan Pense)
Solution manual Plastics : Materials and Processing (3rd Ed., Strong)
Solution manual Engineering Materials : Properties and Selection (8th Ed., Budinski)
Solution manual Engineering Materials : Properties and Selection (9th Ed., Budinski)
Solution manual Introduction to Materials Science for Engineers (6th Ed., Shackelford)
Solution manual Introduction to Materials Science for Engineers (7th Ed., Shackelford)
Solution manual Introduction to Materials Science for Engineers - International Edition (7th Ed., Shackelford)
Solution manual Creative Design of Products and Systems (Saeed Niku)
Solution manual Materials : Engineering, Science, Processing and Design (1st Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution manual Materials : Engineering, Science, Processing and Design (2nd Ed., Michael Ashby, Hugh Shercliff & David Cebon)

Solution manual Engineering Materials Vol. 1 : An Introduction to Properties, Applications and Design (3rd Ed., Michael Ashby & David Jones)
Solution manual Engineering Materials Vol. 2 : An Introduction to Microstructures, Processing and Design (3rd Ed., Michael Ashby & David Jones)
Solution manual Materials and the Environment : Eco-informed Material Choice (Michael Ashby)
Solution manual Principles of Corrosion Engineering and Corrosion Control (Zaki Ahmad)
Solution manual Analysis and Performance of Fiber Composites (3rd Ed., Bhagwan Agarwal, Lawrence Broutman & K. Chandrashekhara)
Solution manual Basic Engineering Plasticity : An Introduction with Engineering and Manufacturing Applications (David Rees)
Solution manual Steels : Microstructure and Properties (3rd Ed. Bhadeshia & Honeycombe)
Solution manual Theory of Plasticity (3rd Ed. Jagabanduhu Chakrabarty)
Solution manual Plastics : Microstructure and Engineering Applications (3rd Ed., Nigel Mills)
Solution manual Laser Processing of Engineering Materials : Principles, Procedure and Industrial Application (John Ion)
Solution manual Sintering : Densification, Grain Growth and Microstructure (Suk-Joong Kang)
Solution manual Biomaterials : An Introduction (3rd Ed., Joon Park & R.S. Lakes)
Solution manual Biomaterials : The Intersection of Biology and Materials Science (Temenoff & Mikos)
Solution manual Biomaterials Science : An Introduction to Materials in Medicine (2nd Ed., Ratner, Hoffman, Schoen & Lemons)
Solution manual Tissue Engineering (Bernhard O. Palsson & Sangeeta N. Bhatia)
Solution manual Tissue Engineering (Clemens van Blitterswijk, et al.)
Solution manual Introduction to Materials Management (6th Ed., Arnold, Chapman & Clive)
Solution manual Fundamentals of Solid State Engineering (2nd Ed., Manijeh Razeghi)
Solution manual Smart Electronic Materials : Fundamentals and Applications (Jasprit Singh)
Solution manual Composite Materials : Science and Engineering (2nd Ed., Krishan K. Chawla)
Solution manual Laminar Composites (George Staab)
Solution manual Physical Metallurgy and Advanced Materials (7th Ed., R.E. Smallman & A.H.W. Ngan)

----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

From -2967083950384777812
X-Google-Thread: d7f5508063,ffe62d336dad844c,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news.panservice.it!feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: Pierfrancesco Caci <ik5pvx@penny.tippete.net>
Newsgroups: rec.radio.amateur.equipment
Subject: kenwood ts450 and yamaha cm500
Reply-To: Pierfrancesco Caci <pf@tippete.net>
Date: Sat, 08 Jan 2011 15:32:24 +0100
Message-ID: <874o9j8o07.fsf@penny.tippete.net>
User-Agent: Gnus/5.13 (Gnus v5.13) Emacs/23.1 (gnu/linux)
Cancel-Lock: sha1:+C3eGdux67mYY7jp+c534TIxowc=
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Lines: 16
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 195.22.207.169
X-Trace: 1294497144 reader1.news.tin.it 10574 195.22.207.169:14925
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news2.google.com rec.radio.amateur.equipment:2653

Anyone using this combination? The headphone works fine, but I have some difficulties using the microphone. I've used an 8 kOhm resistor for the bias, and as soon as a noise or my voice triggers VOX, it won't release it. Since accessing vox/antivox pots in the ts450 is a pain (who the hell thought of putting them on the underside of the radio, seriously?), I'd like to know if someone is happily using the microphone before I dismount half the shack to be able to get at the pots.

Thanks

ik5pvx

--
Pierfrancesco Caci

From 6806246420460843000
X-Google-Thread: 108122,65822749699e27d9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!

nntp.club.cc.cmu.edu!feeder.erje.net!border3.nntp.ams.giganews.com!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 08 Jan 2011 17:08:05 -0600
From: HamTek <HamTek.76ea4f8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ifr 1000 A
Date: Sat, 8 Jan 2011 17:13:15 +0000
Message-ID: <HamTek.76ea4f8@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-5Z29zcYbf0PDEulWaTX+9LrYj6uQwdomJ1ZNNiSDhHmcNAVnYSB1Wl7C4H4JE4xkzgKLxcmYEA9Qjw
V!JXOQbRFrFH1u/QrmdDmgjHut2M0Q7YL+mHtmwLD1vAWLkBgowvML/manzfY+YU+NPsc+0jXBrisl!
o76R
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1113
Xref: g2news2.google.com rec.radio.amateur.equipment:2654

I have a very early IFR 1000 A. I am looking for service information and schematics for an IFR 1000 A that has a serial number 208. It is very different from units above serial 500 or so. Thanks in advance...

--
HamTek

From -6932267909480490741
X-Google-Thread: 108122,271857fe070621d6,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!isp-post01.iad!news.cv.net!not-for-mail
From: rudyk2evy@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Collins 75A-4
Date: Mon, 10 Jan 2011 07:48:08 -0500
Message-ID: <5pvli6t62pvh3ldkor0koafb7nbcp6rknm@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
Organization: Optimum Online
NNTP-Posting-Host: 69.124.115.97
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2441
```

Collins 75A-4 Well Kept. Please see E-Bay offering for details.
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=260719195475&ssPageName=STRK:MESELX:IT

```
From -1143419540297044574
X-Google-Thread: 108122,65822749699e27d9
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!eternal-september.org!feeder.eternal-september.org!.POSTED!not-
for-mail
From: "VK2KC Gmail" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ifr 1000 A
Date: Tue, 11 Jan 2011 08:32:45 +1100
Organization: A noiseless patient Spider
Lines: 17
Message-ID: <igftuc$e3o$1@news.eternal-september.org>
References: <HamTek.76ea4f8@radiobanter.com>
Injection-Date: Mon, 10 Jan 2011 21:33:00 +0000 (UTC)
Injection-Info: mx01.eternal-september.org; posting-host="vnUOw4THVJCUaJXgivzJCQ";
     logging-data="14456"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/tzg9xpIWbPfA7PoTMx9JzwelgWfyzVHY="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:tRz/ipu+au9DWPgyDsfugGtRGII=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2656
```

"HamTek" <HamTek.76ea4f8@radiobanter.com> wrote in message
news:HamTek.76ea4f8@radiobanter.com...

>
> I have a very early IFR 1000 A. I am looking for service information and
> schematics for an IFR 1000 A that has a serial number 208. It is very
> different from units above serial 500 or so. Thanks in advance...

> HamTek

Took me 30 seconds on Google.

http://www.repeater-builder.com/aeroflex/aeroflex-index.html

John

```
From -3889078440218801730
X-Google-Thread: 108122,65822749699e27d9
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
news2.glorb.com!feeder.erje.net!eternal-september.org!feeder.eternal-
september.org!.POSTED!not-for-mail
From: "VK2KC Gmail" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ifr 1000 A
Date: Tue, 11 Jan 2011 08:34:14 +1100
Organization: A noiseless patient Spider
Lines: 12
Message-ID: <igfu16$ebp$1@news.eternal-september.org>
References: <HamTek.76ea4f8@radiobanter.com>
Injection-Date: Mon, 10 Jan 2011 21:34:30 +0000 (UTC)
Injection-Info: mx01.eternal-september.org; posting-host="vnUOw4THVJCUaJXgivzJCQ";
     logging-data="14713"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/ImC9VAZHKIp7RvqfPNpGit3A3rWO4GTw="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:igGMpH4/Duj0ROG8VwIWftWkAWg=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2657
```

"HamTek" <HamTek.76ea4f8@radiobanter.com> wrote in message
news:HamTek.76ea4f8@radiobanter.com...

> I have a very early IFR 1000 A. I am looking for service information and
> schematics for an IFR 1000 A that has a serial number 208. It is very
> different from units above serial 500 or so. Thanks in advance...
>> HamTek

http://www.repeater-builder.com/aeroflex/ifr1000/ifr-fm-am-1000a-service-manual.pdf

```
From -6327698873273468409
```

```
X-Google-Thread: 108122,65822749699e27d9
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!feeder.erje.net!
eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "VK2KC Gmail" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ifr 1000 A
Date: Tue, 11 Jan 2011 08:39:14 +1100
Organization: A noiseless patient Spider
Lines: 12
Message-ID: <igfuah$fh9$1@news.eternal-september.org>
References: <HamTek.76ea4f8@radiobanter.com>
Injection-Date: Mon, 10 Jan 2011 21:39:30 +0000 (UTC)
Injection-Info: mx01.eternal-september.org; posting-host="vnUOw4THVJCUaJXgivzJCQ";
     logging-data="15913"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+z/mromgi7QTVadYwpmJ+DymF4ZqichTo="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:1HORf8E8xwog99TS3A3R8Qb6FbQ=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2658
```

"HamTek" <HamTek.76ea4f8@radiobanter.com> wrote in message
news:HamTek.76ea4f8@radiobanter.com...

> I have a very early IFR 1000 A. I am looking for service information and
> schematics for an IFR 1000 A that has a serial number 208. It is very
> different from units above serial 500 or so. Thanks in advance...
> HamTek

DK Mods have a copy too.

```
From 3655180563411464668
X-Google-Thread: 108122,9724259784f1ca0b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v12g2000vbx.googlegroups.com!not-for-
mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: `****HOT SEXY PHOTOS&VIDEOS****
Date: Wed, 12 Jan 2011 05:53:32 -0800 (PST)
Organization: http://groups.google.com
Lines: 50
```

```
Message-ID: <8e6685ab-f03a-4d51-b892-a7b4b5e506b1@v12g2000vbx.googlegroups.com>
NNTP-Posting-Host: 117.199.250.185
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1294840413 3164 127.0.0.1 (12 Jan 2011 13:53:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jan 2011 13:53:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v12g2000vbx.googlegroups.com; posting-host=117.199.250.185;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2659

                 SAMEERAREDDY HOT BOOBS
http://karomasti9.blogspot.com/2011/01/sameerareddy.html
               HOT SEXY ACTRESS
  http://karomasti9.blogspot.com/2011/01/hot.html
               latest hot sruthi hassan stills
 http://karomasti9.blogspot.com/2011/01/shurthihassan-new-stills.html
            UNSEEN HOT SEXY PHOTOS
 http://karomasti9.blogspot.com/2011/01/never.html
             SAMANTHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/2011/01/samantha.html
                        SEXY DIYA MIRZA
   http://karomasti9.blogspot.com/2010/12/diya-mirza.html
                        HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html
                    BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
                    TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
             HANSIKHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/search/label/HANSIKA
             HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
              BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
              NIKISHA HOT BOOBS
http://karomasti9.blogspot.com/search/label/nikisha
           PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
              ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
```

```
           SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
             CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra
              HOT BIPASA BASU PHOTOS
http://karomasti9.blogspot.com/search/label/bipasa
              TRISHA IN A SEXY FEEL
http://karomasti9.blogspot.com/search/label/thrisha
           SRISHA HOT BOOBS SHOW
http://karomasti9.blogspot.com/search/label/srisha
           BEAUTIFUL POONAM PHOTOS
http://karomasti9.blogspot.com/search/label/poonam


From -8876509652438290300
X-Google-Thread: 10b9c8,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, February 2011 - Subscribe for FREE
Followup-To: poster
Date: Wed, 12 Jan 2011 11:48:09 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <2296471CF8C84E5AAD79B5E6C9802404@GRIMES>
References: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
<BBA5A791CCC04CDD842EA480DEF3230A@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1294850889 10006 166.84.1.6 (12 Jan 2011 16:48:09 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 12 Jan 2011 16:48:09 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
```

nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to   rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to   rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp auth 68.251.40.70 authed with telegraph+k9ya.org}
Xref: g2news2.google.com rec.radio.info:2101 rec.radio.amateur.boatanchors:4644 rec.radio.amateur.equipment:2660 rec.radio.swap:3265 alt.ham-radio.morse:52

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

February 2011 articles include:

Manila to Pendleton, OR-Nonstop By Philip Cala-Lazar, K9PL

The Elmer Letters - Part III By Cliff Cheng, Ph.D., AC6C

The Boy Electrician By Paul W. Ross, W3FIS

Barrow Amateur Radio Club By Bill Wilson, KJ4EX, President, BARC, 2010

Gone to Dayton by Bob Cashdollar, NR8U

Ham History By Dick Sylvan, W9CBT

From -4069278508989911600
X-Google-Thread: d7f5508063,74917b2471faf737,start

```
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!193.201.147.68.MISMATCH!feeder.news-service.com!
kanaga.switch.ch!switch.ch!news.tele.dk!news.tele.dk!small.news.tele.dk!
feed118.news.tele.dk!not-for-mail
From: "Per" <mesked@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: President jfk mk. 1 radio
Date: Thu, 13 Jan 2011 17:49:36 +0100
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Lines: 5
Message-ID: <4d2f2d4b$0$56769$edfadb0f@dtext02.news.tele.dk>
Organization: TDC Totalloesninger
NNTP-Posting-Host: 87.48.168.154
X-Trace: 1294937419 dtext02.news.tele.dk 56769 87.48.168.154:51987
X-Complaints-To: abuse@post.tele.dk
Xref: g2news2.google.com rec.radio.amateur.equipment:2661

http://www.youtube.com/watch?v=9I1kLVwShms

Awesome and rare

/PER


From -100013360633271263
X-Google-Thread: 108122,65822749699e27d9
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!
nntp.club.cc.cmu.edu!feeder.erje.net!xlned.com!feeder1.xlned.com!eweka.nl!hq-
usenetpeers.eweka.nl!border3.nntp.ams.giganews.com!Xl.tags.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Jan 2011 23:08:15 -0600
From: HamTek <HamTek.776e258@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ifr 1000 A
Date: Sat, 15 Jan 2011 01:23:52 +0000
Message-ID: <HamTek.776e258@radiobanter.com>
```

```
Organization: RadioBanter.com
References: <HamTek.76ea4f8@radiobanter.com> <igfuah$fh9$1@news.eternal-
september.org>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-MV1YZ18tNESgBfKPG6EiQPPxaOcQlVvGWZGdJ//
vlbcbYLsLTVPGPDUFjsudN+B3RDarPBadXJXHary!
Mz4sAltMWoB8HJ6R4o1dMEQG8V9NMS1fsnIPogXpFoKr1E0z4gHnOScXY8UN5COjDfcFIjCBFi34!n9Us
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 14
X-Original-Bytes: 1535
Xref: g2news2.google.com rec.radio.amateur.equipment:2662


VK2KC Gmail;728765 Wrote:
> "HamTek" HamTek.76ea4f8@radiobanter.com wrote in message
> news:HamTek.76ea4f8@radiobanter.com...-
>
> I have a very early IFR 1000 A. I am looking for service information
> and
> schematics for an IFR 1000 A that has a serial number 208. It is very
> different from units above serial 500 or so. Thanks in advance...
> HamTek-
>
> DK Mods have a copy too.

I have the repeater builders copy as well as the DK Mods copy. They are
both the same and too late a serial number.
Thanks...

Hamtek





--
HamTek
```

```
From 468101109906560785
X-Google-Thread: 108122,cb3239cc72aff302,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z26g2000prf.googlegroups.com!not-for-
mail
From: SAMARA <jaidatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 2011 HOT UPDATES
```

```
Date: Mon, 17 Jan 2011 00:55:00 -0800 (PST)
Organization: http://groups.google.com
Lines: 52
Message-ID: <9548748f-ea15-4fef-90a4-5d8bedc91466@z26g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.255.16
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1295254501 19041 127.0.0.1 (17 Jan 2011 08:55:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jan 2011 08:55:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z26g2000prf.googlegroups.com; posting-host=117.199.255.16;
posting-account=H2cE2goAAADmgZWSN8Y7bNgjlp4HPAaf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2449

            KATRINA KAIF HOT VIDEOS&PHOTOS
http://karomasti9.blogspot.com/2011/01/katrina-kaif.html
                 SAMEERAREDDY HOT BOOBS
http://karomasti9.blogspot.com/2011/01/sameerareddy.html
               HOT SEXY ACTRESS
  http://karomasti9.blogspot.com/2011/01/hot.html
               latest hot sruthi hassan stills
 http://karomasti9.blogspot.com/2011/01/shurthihassan-new-stills.html
            UNSEEN HOT SEXY PHOTOS
 http://karomasti9.blogspot.com/2011/01/never.html
             SAMANTHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/2011/01/samantha.html
                        SEXY DIYA MIRZA
   http://karomasti9.blogspot.com/2010/12/diya-mirza.html
                        HOT AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aish.html
                     priyamani hot&sexy photos
http://karomasti9.blogspot.com/2010/12/priyamani.html
                      KATRINA SEXY PHOTOS
http://karomasti9.blogspot.com/2010/12/katrina.html
                 ANUSHKA HOT PHOTOS
http://karomasti9.blogspot.com/2010/12/anuska.html
                    BEAUTIFUL AISHWARIYA RAI
http://karomasti9.blogspot.com/2010/12/aiesh.html
                    TRISHA HOT PHOTOS
http://karomasti9.blogspot.com/2010/11/trisha-hot.html
              AMISHAPATEL HOT VIDEOS
http://karomasti9.blogspot.com/search/label/amisha
             HANSIKHA HOT SEXY PHOTOS
http://karomasti9.blogspot.com/search/label/HANSIKA
             HOT SEXY COLLEGE GIRLS
http://karomasti9.blogspot.com/search/label/hot
              BEAUTIFUL LARADATTA
http://karomasti9.blogspot.com/search/label/laradatta
              NIKISHA HOT BOOBS
```

http://karomasti9.blogspot.com/search/label/nikisha
PRIYANKA SPICY LATEST PICS
http://karomasti9.blogspot.com/search/label/priyanka
ONLY FOR YOUTH
http://karomasti9.blogspot.com/search/label/spicy
SRILEKHA UNSEENED PHOTOS
http://karomasti9.blogspot.com/search/label/Srilekha
CHOPRA UNBELIVABLE PHOTOS
http://karomasti9.blogspot.com/search/label/chopra
HOT BIPASA BASU PHOTOS
http://karomasti9.blogspot.com/search/label/bipasa
TRISHA IN A SEXY FEEL
http://karomasti9.blogspot.com/search/label/thrisha
SRISHA HOT BOOBS SHOW
http://karomasti9.blogspot.com/search/label/srisha
BEAUTIFUL POONAM PHOTOS
http://karomasti9.blogspot.com/search/label/poonam

```
From -1190535588459703714
X-Google-Thread: 108122,2ecfeb6ed84fbb31,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!micro-heart-of-
gold.mit.edu!nntp.club.cc.cmu.edu!feeder.erje.net!feeder2.ecngs.de!ecngs!
feeder.ecngs.de!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 17 Jan 2011 17:08:16 -0600
From: Zangetsu57 <Zangetsu57.77a8279@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Brand new digital DC-4 GHz step attenuator
Date: Mon, 17 Jan 2011 18:38:40 +0000
Message-ID: <Zangetsu57.77a8279@radiobanter.com>
Organization: RadioBanter.com
Lines: 37
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-0ohXlnC3Plp4luygDrD9efCFVeZgf5E/
X7J9o6u6tq1fv95mLuP20o1US9ZBex+bGxzH21B4ifqqXgY!
QVr8HONdu3hTRmBreMSdB+HcgiTmpLxjiKu+ePDRx0UQ5ByO10WVljEhi+AADnJOeEmsb62gaFUR!
QVcCYoCcRg==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 22
X-Original-Bytes: 2009
Xref: g2news1.google.com rec.radio.amateur.equipment:2450
```

Hello everyone,

I have a Mini-circuits RF digital step attenuator with the following specs for sale. It has NEVER been used (not even mated once)!

Model: ZX76-15RS-PP+
Frequency range: DC - 4 GHz
Control: Parallel 5-bit control in 0.5 dB increments (0.1 dB accuracy typical)
Range: 15.5 dB
Interface: SMA
The control cable and CD comes with it (ZX76-WP+). Find it on page 10 of the below PDF.

Here is a link to the datasheet:
http://www.minicircuits.com/pdfs/ZX76-15R5-PP+.pdf

Currently retails for $73.95 for the attenuator and $22.95 for the cable ($96.90 total).

Asking $60 shipped for everything since it is brand new. According to my invoice it cost $108 shipped to me, so my loss is your gain!

Willing to take reasonable offers, but no low-balling please.

[image:
http://images.craigslist.org/3me3o83lc5Y65T05Z0aao829d5c5df9681992.jpg]
[image:
http://images.craigslist.org/3k63o53lb5Y35Z45S3aao1e3fea2ca566150b.jpg]
[image:
http://images.craigslist.org/3nb3mc3o35Q45X45R0aaod955682d3c191058.jpg]

--
Zangetsu57

From -5244069173502822198
X-Google-Thread: 108122,a3227ee20e58ce2a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!
nntp.club.cc.cmu.edu!feeder.erje.net!feeder2.ecngs.de!ecngs!feeder.ecngs.de!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Jan 2011 17:08:04 -0600
From: sam giadone <sam.giadone.77d2579@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment

Subject: Wanted
Date: Wed, 19 Jan 2011 19:11:53 +0000
Message-ID: <sam.giadone.77d2579@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
I2aQE6P3bGrJN+RAViiIfF4L+7WN4o7dwJBiYbIaEa8wRB2og74Z0NPeBUYX9iOBbZaPc3F7ZKXZDTD!
jMYum91nZR7nCKdf6yUEnVzJF8+wgUF3CvEfV1oud7ZhA4jFketv/P98C06uLTPcStWH3Mu80HXs!
UgTjstDIrKk=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1112
Xref: g2news2.google.com rec.radio.amateur.equipment:2665

LOOKING FOR YEASU FRT 7700 ANT TUNER IF U HAVE ONE FOR SALE PLEASE
CONTACT ME n1tizhamradio@hotmail.com also looking for radio tech
to go thru frg 7700 recently purchased

--
sam giadone

From 3959420346964362225
X-Google-Thread: 108122,96eae34e0cdae087,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!
nntp.club.cc.cmu.edu!feeder.erje.net!border3.nntp.ams.giganews.com!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 21 Jan 2011 11:08:06 -0600
From: chasquipampa <chasquipampa.77f7418@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: codar radio rq 10 q multiplier plus manual
Date: Fri, 21 Jan 2011 12:07:48 +0000
Message-ID: <chasquipampa.77f7418@radiobanter.com>
Organization: RadioBanter.com
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-toxHFNOlu8NuzqBDLARtldX7PdK6XAx1SkQbdW7bG4v06d///4WH9JuVHHtU/
OK+t6F0tIEEPLTlv33!yEUW99OtPpEy6K+wR/

hIA4I0ilVCElsuTSF4LkzT01fZhYrG0Q9oCDMsNIjBkC7OpWoWghyWcW9M!B+9EsSYYNiOU
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 5
X-Original-Bytes: 1130
Xref: g2news2.google.com rec.radio.amateur.equipment:2666

Dear coleagues :

Can anyone sell me a codar radio RQ-10 " Q " - Multiplier, manual and installation instructions, all in good working order ?

chasquipampa

--
chasquipampa

From 7744264516609644470
X-Google-Thread: 108122,96eae34e0cdae087
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "Nordic Breeds WA4VZQ" <ABSOLUTELYwa4vzqNO@SPAMlive.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: codar radio rq 10 q multiplier plus manual
Date: Fri, 21 Jan 2011 14:04:15 -0500
Organization: A noiseless patient Spider
Lines: 22
Message-ID: <ihclbh$okq$1@news.eternal-september.org>
References: <chasquipampa.77f7418@radiobanter.com>
Injection-Date: Fri, 21 Jan 2011 19:04:17 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="ShEd0pK7SRqHFw2826XTBQ";
     logging-data="25242"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18ePN7ykkfMq1voHNWDYkhEnS31hqfiAOg="
In-Reply-To: <chasquipampa.77f7418@radiobanter.com>
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
Cancel-Lock: sha1:JVpq3JeHi7k4y156Glu0qWeyWco=
X-Priority: 3
X-MSMail-Priority: Normal
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Xref: g2news2.google.com rec.radio.amateur.equipment:2667

"chasquipampa" <chasquipampa.77f7418@radiobanter.com> wrote in message
news:chasquipampa.77f7418@radiobanter.com...

>
> Dear coleagues :
>
> Can anyone sell me a codar radio RQ-10 " Q " - Multiplier, manual and
> installation instructions, all in good working order ?
>
> chasquipampa

No. but you can download the manual from the Boat Anchor Manual Archive at http://bama.edebris.com/manuals/ for free. Installation instructions are terse and they assume some previous experience in working on radios. An older ARRL Handbook or RSGB manual will explain how a Q-multiplier works and where they should be attached in the receiver. If you have other questions, it is best to ask them on the Usenet rec.radio.amateur.boatanchors newsgroup.

73, Dr. Barry L. Ornitz   WA4VZQ

```
From 1040304521684929103
X-Google-Thread: 108228,ed919b765f57e864,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ed919b765f57e864,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid4a39179302,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.astraweb.com!
border2.newsrouter.astraweb.com!not-for-mail
Subject: FS: Flex-1500, Heil Mic, Elecraft Antenna Tuner..Complete SDR System
Date: Fri, 21 Jan 2011 15:47:31 -0500
From: Ken <ken@kjsdfoiuwdf.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Message-ID: <2101201115473136770%ken@kjsdfoiuwdf.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.5 (OS X)
Lines: 2
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 4a2605fe.news.astraweb.com
X-Trace: DXC=KJ:\>6>5K;`N4DY]]om;IiL?
0kYOcDh@jVG3Hgd3e3FgE3=kG9hhb7b<9I<3[9X`:h8<e2H2NR@]amVClM9]LI_eVESPc`6YQhbi<=4a=3
G87i
Xref: g2news2.google.com alt.ham-radio.marketplace:857
rec.radio.amateur.equipment:2668
```

http://www.eham.net/classifieds/detail/335764

```
From 2603480335489028122
X-Google-Thread: 108122,96eae34e0cdae087
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 21 Jan 2011 15:26:29 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: codar radio rq 10 q multiplier plus manual
References: <chasquipampa.77f7418@radiobanter.com> <ihclbh$okq$1@news.eternal-
september.org>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Fri, 21 Jan 2011 13:26:21 -0800
Message-ID: <t8ap08-6ls.ln1@radagast.org>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-
JZKjmhrOJunJDPvqvae+CQgi7RjhTtmQCT7PRpxvCyHcfvFzbxLg5ccprVj73xATrBWnmwsPxfbm6vw!/
3+FZrhU9udV6LSVCP99XWOcr9EQEEnkDOrwRcPPo0j/ld8KRl9Xani6JcYzqg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1994
Xref: g2news2.google.com rec.radio.amateur.equipment:2669
```

>> Dear coleagues :
>>
>> Can anyone sell me a codar radio RQ-10 " Q " - Multiplier, manual and
>> installation instructions, all in good working order ?
>>
>> chasquipampa
>
>
>No. but you can download the manual from the Boat Anchor Manual Archive
>at http://bama.edebris.com/manuals/ for free. Installation instructions
>are terse and they assume some previous experience in working on radios.
>An older ARRL Handbook or RSGB manual will explain how a Q-multiplier
>works and where they should be attached in the receiver.

http://jlandrigan.com/files/101%20Ham%20Projects/Q-Multiplier.pdf
has a very nice discussion of how they work, with a couple of
schematics and a writeup by William Orr.

--

Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -8300651533561058826
X-Google-Thread: 108228,ed919b765f57e864
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ed919b765f57e864
X-Google-NewGroupId: yes
X-Google-Attributes: gid4a39179302,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe14.iad.POSTED!00000000!not-for-mail
From: "Barry" <none@nospam.org>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
References: <210120111547313677%ken@kjsdfoiuwdf.com>
In-Reply-To: <210120111547313677%ken@kjsdfoiuwdf.com>
Subject: Re: Flex-1500, Heil Mic, Elecraft Antenna Tuner..Complete SDR System
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
X-RFC2646: Format=Flowed; Original
Message-ID: <prq_o.53402$xa1.28678@newsfe14.iad>
NNTP-Posting-Host: jnibogphckphemgkaajpdmbfnhieifmf
X-Complaints-To: abuse@charter.net
X-Trace:
dohedhpnjnemncfklmjcnboegglpohhcalkeiapmhgdcpiakjnibogphckphemgkjaochjlpkkofelhconaohcegcbahmfgpekamcbadeppojeiehfjkiibdfehefmalnbcepidhphobliof
NNTP-Posting-Date: Sat, 22 Jan 2011 01:31:01 UTC
Date: Fri, 21 Jan 2011 20:30:54 -0500
Xref: g2news1.google.com alt.ham-radio.marketplace:802
rec.radio.amateur.equipment:2456

"Ken" <ken@kjsdfoiuwdf.com> wrote in message
news:210120111547313677%ken@kjsdfoiuwdf.com...
>
> http://www.eham.net/classifieds/detail/335764

Ken,

A word to the wise... The alt.ham-radio newsgroups essentially have no
traffic. The correct place to list radio items for sale is the
rec.radio.swap Usenet group.

From 9059734284908458387

```
X-Google-Thread: d7f5508063,ed919b765f57e864
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.astraweb.com!
border2.newsrouter.astraweb.com!not-for-mail
Subject: Re: Flex-1500, Heil Mic, Elecraft Antenna Tuner..Complete SDR System
Date: Fri, 21 Jan 2011 22:57:11 -0500
From: Ken <ken@kjsdfoiuwdf.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Message-ID: <2101201122571104377%ken@kjsdfoiuwdf.com>
References: <2101201115473136777%ken@kjsdfoiuwdf.com>
<prq_o.53402$xa1.28678@newsfe14.iad>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.5 (OS X)
Lines: 17
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: b0197629.news.astraweb.com
X-Trace: DXC=2QmCOZ`GPK1l=bkA3Hk5C1L?0kYOcDh@:=o72eRRB6>:iG8i?
S9JJ<5<9I<3[9X`:88<e2H2NR@]1mVClM9]LI_5VESPc`6YQh2<fN<7lA;@H7
Xref: g2news1.google.com alt.ham-radio.marketplace:803
rec.radio.amateur.equipment:2457

Tnx!

In article <prq_o.53402$xa1.28678@newsfe14.iad>, Barry
<none@nospam.org> wrote:

> "Ken" <ken@kjsdfoiuwdf.com> wrote in message
> news:2101201115473136777%ken@kjsdfoiuwdf.com...
> >
> > http://www.eham.net/classifieds/detail/335764
>
> Ken,
>
> A word to the wise...  The alt.ham-radio newsgroups essentially have no
> traffic.  The correct place to list radio items for sale is the
> rec.radio.swap Usenet group.
>
>


From 4518749429274940418
X-Google-Thread: d7f5508063,96eae34e0cdae087
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!195.96.0.7.MISMATCH!newsfeed.utanet.at!texta.sil.at!
newsfeed01.chello.at!newscore.univie.ac.at!newsfeed.xs4all.nl!
newsfeed5.news.xs4all.nl!xs4all!feeder.news-service.com!216.196.110.142.MISMATCH!
```

border3.nntp.ams.giganews.com!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jan 2011 17:08:33 -0600
From: chasquipampa <chasquipampa.78119f8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: codar radio rq 10 q multiplier plus manual
Date: Sat, 22 Jan 2011 17:50:25 +0000
Message-ID: <chasquipampa.78119f8@radiobanter.com>
Organization: RadioBanter.com
References: <chasquipampa.77f7418@radiobanter.com> <ihclbh$okq$1@news.eternal-september.org> <t8ap08-6ls.ln1@radagast.org>
Lines: 38
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-XJqH8I7GDqgcjanCBcNhPotII2dnl4jaGAbNR1G9Tocu1RFI3l6Pbw3blXPGvwkmKnNCkj/HH4hLYYK!7LEikkyW1FxTI0CrZgRpIYkjerRbEvLd7RCIAr+8kPZk/Mfrw8S7Bkk8J8IcBBsQoEiEJx/Y08DO!BRNzZQpLK5AS
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 25
X-Original-Bytes: 2353
Xref: g2news1.google.com rec.radio.amateur.equipment:2458

Dave Platt;730011 Wrote:
> Dear coleagues :--
>
> Can anyone sell me a codar radio RQ-10 " Q " - Multiplier, manual and
> installation instructions, all in good working order ?
>
> chasquipampa-
>
>
> No. but you can download the manual from the Boat Anchor Manual Archive
>
> at http://bama.edebris.com/manuals/ for free. Installation instructions
>
> are terse and they assume some previous experience in working on radios.
>
> An older ARRL Handbook or RSGB manual will explain how a Q-multiplier
> works and where they should be attached in the receiver. -
>
> http://jlandrigan.com/files/101%20Ham%20Projects/Q-Multiplier.pdf
> has a very nice discussion of how they work, with a couple of
> schematics and a writeup by William Orr.
>
> --
> Dave Platt dplatt@radagast.org   AE6EO
> Friends of Jade Warrior home page:

> http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
> boycott any company which has the gall to send me such ads!

Thank you, Dave Platt for your kind reply. I will download the manual
and instalation instructions. I do not know from where I can buy the
Q-Multiplier itself. John Michael Clarke, CP1 CI.

--
chasquipampa

```
From -6084770758993245444
X-Google-Thread: 108122,6fb89b401bdfd2b6,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-12.dc1.easynews.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: FS:  Speakers in cases
From: Eugene Rippen <soundval@muchstuff.com>
Organization: Your Company
Message-ID: <Xns9E75A2FBFC846er7373@69.16.186.8>
User-Agent: Xnews/5.04.25
Lines: 81
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 23 Jan 2011 00:01:20 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:2673
```

To get the shipping that I will charge, I need the zip.   I use FedEx or
USPS.
I will sell to out of the USA, but I only ship to USA. (Foreign buyers
need
US agents)
I accept PayPal, Checks on USA banks and U.S.Postal Money Orders. (I
wait
for 4 Bank Days for check clearances.)
Inquiries and poffers usually will get my responses, but they don't get
the items held
from sale to other buyers.

All these speakers work.

National   Speaker 8" Case: 10.5" x 10" x 7".   Lighter grey. Fair
to

Good looking. Will use 9 Lbs. SW. My # ST-1011. $60.00
http://www.muchstuff.com/speakers7-6-10/p1000432.jpg
http://www.muchstuff.com/speakers7-6-10/p1000433.jpg
http://www.muchstuff.com/speakers7-6-10/p1000434.jpg

National Speaker 6" Looks very good. Slight paint rub on right side.
Will use 8 Lbs. as SW. My # ST-1016. $65.00
http://www.muchstuff.com/speakers7-6-10/p1000448.jpg
http://www.muchstuff.com/speakers7-6-10/p1000449.jpg
http://www.muchstuff.com/speakers7-6-10/p1000450.jpg

RME 10" Jensen speaker. Looks good. Will use 15 Lbs. as SW. My # ST-1017. $70.00
http://www.muchstuff.com/speakers7-6-10/p1000457.jpg
http://www.muchstuff.com/speakers7-6-10/p1000458.jpg
http://www.muchstuff.com/speakers7-6-10/p1000459.jpg

"National Radio Inc."? Speaker is 8". Looks fair to good. Note the remnants of call letters at bottom of front. Will use 9 Lbs. as SW. My #
ST-1018. $55.00.
http://www.muchstuff.com/speakers7-6-10/p1000454.jpg
http://www.muchstuff.com/speakers7-6-10/p1000455.jpg
http://www.muchstuff.com/speakers7-6-10/p1000456.jpg

RME 10" Jensen speaker. Case: 12.5" x 12" x 7". Looks good. Will use
15 Lbs. as SW. My # ST1026. $70.00
http://www.muchstuff.com/speakers7-6-10/p1000481.jpg
http://www.muchstuff.com/speakers7-6-10/p1000482.jpg
http://www.muchstuff.com/speakers7-6-10/p1000483.jpg

It may be a Hammarlund PSC-10. 10" Utah speaker. Case: 12.5� x 12.5" x
7". Has
rheostat and knife switch (at no extra charge). Will use 15 Lbs as SW.
My # ST-1027. $70.00.
http://www.muchstuff.com/speakers7-6-10/p1000484.jpg
http://www.muchstuff.com/speakers7-6-10/p1000485.jpg
http://www.muchstuff.com/speakers7-6-10/p1000486.jpg

National 6" speaker. Case: 10" x 10.25" x 7". Looks good. Darker color
than some others this size. Will use 8 Lbs. as SW. My # ST-1029.
$55.00
http://www.muchstuff.com/speakers7-6-10/p1000490.JPG
http://www.muchstuff.com/speakers7-6-10/p1000491.JPG
http://www.muchstuff.com/speakers7-6-10/p1000492.jpg

Unknown 10" Jensen speaker. Case: 10.5" x 10" x 7". Looks good. Will
use 14 Lbs. as SW. My # ST-1030. $60.00

```
http://www.muchstuff.com/speakers7-6-10/p1000493.jpg
http://www.muchstuff.com/speakers7-6-10/p1000494.jpg
http://www.muchstuff.com/speakers7-6-10/p1000495.jpg

Realistic  SP-150.  Looks very good.  Will use 5 Lbs. as SW.  My # G1040.
$40.00.
http://www.muchstuff.com/speakers7-6-10/p1000524.jpg
http://www.muchstuff.com/speakers7-6-10/p1000525.jpg
http://www.muchstuff.com/speakers7-6-10/p1000526.jpg

Eugene Rippe,,  WB6SZS


From -5921346797189591672
X-Google-Thread: 108122,6eca913ddfcb8fe0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!
94.75.214.39.MISMATCH!aioe.org!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: problem-transmit audio icom 756 non pro
Date: Thu, 27 Jan 2011 12:32:03 -0500
Organization: Aioe.org NNTP Server
Lines: 29
Message-ID: <fmmck-E148D8.12320327012011@5ad64b5e.bb.sky.com>
References: <k8vf-mark.786b458@radiobanter.com>
NNTP-Posting-Host: bSCy8BNU0vMbrk9IpJU3QQ.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news2.google.com rec.radio.amateur.equipment:2675

In article <k8vf-mark.786b458@radiobanter.com>,
 k8vf-mark <k8vf-mark.786b458@radiobanter.com> wrote:

> my ic756 has an anomoly impressed on the transmit audio in SSB and AM.
>
> Sounds similar to a pl tone, but much louder. Has about a 100 hz cycle
> rate(guess).
>
> It is louder when you turn up mic audio and compressor.
>
> It shows up on the transmit scope, too.
>
> Has anyone heard this and do you have any ideas on where to look?
>
> It is not power supply related, btw.
```

Mark-

1. Microphone picking up sound of a fan.
2. Microphone magnetically coupling to power transformer or fan.
3. Bad shield connection on microphone cable.
4. CW Key plugged-in and keyed.
5. Monitor feature activated, providing audio feedback.
6. PL tone activated.

Try using the microphone as a "probe" to locate source of the tone.

Fred
K4DII

```
From -1584895066187247999
X-Google-Thread: 108122,6eca913ddfcb8fe0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.131.2
Path: g2news2.google.com!news3.google.com!feeder2.cambriumusenet.nl!
feed.tweaknews.nl!212.27.60.9.MISMATCH!proxad.net!feeder2-2.proxad.net!
nntpfeed.proxad.net!news.dougwise.org!aioe.org!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: problem-transmit audio icom 756 non pro
Date: Thu, 27 Jan 2011 23:05:26 -0500
Organization: Aioe.org NNTP Server
Lines: 17
Message-ID: <fmmck-800831.23052627012011@5ad64b5e.bb.sky.com>
References: <k8vf-mark.786b458@radiobanter.com> <fmmck-
E148D8.12320327012011@5ad64b5e.bb.sky.com>
NNTP-Posting-Host: fYvWIIPpZfC62o2ptbQ6Cg.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news2.google.com rec.radio.amateur.equipment:2676
```

In article <fmmck-E148D8.12320327012011@5ad64b5e.bb.sky.com>,
 Fred McKenzie <fmmck@aol.com> wrote:

> 1. Microphone picking up sound of a fan.
> 2. Microphone magnetically coupling to power transformer or fan.
> 3. Bad shield connection on microphone cable.
> 4. CW Key plugged-in and keyed.
> 5. Monitor feature activated, providing audio feedback.
> 6. PL tone activated.

7. Decoupling/filter capacitor in V+ line to audio amplifier is bad,

allowing audio to couple back to earlier stage that shares the same V+ source. Oscillation is sometimes in the form of "motorboating", a low frequency relaxation oscillation.

Fred
K4DII

```
From 6630889799914227542
X-Google-Thread: 108122,bf7106784f9ef82e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin2!goblin.stu.neva.ru!aioe.org!feeder.news-service.com!ecngs!
feeder.ecngs.de!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 29 Jan 2011 23:08:04 -0600
From: Channel Jumper <Channel.Jumper.78aa8da@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HT Batteries
Date: Sun, 30 Jan 2011 00:22:40 +0000
Message-ID: <Channel.Jumper.78aa8da@radiobanter.com>
Organization: RadioBanter.com
References:  <Bob.S..7860b98@radiobanter.com>
Lines: 31
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
Ld4f6+UtiEso2AIBzSvdzMwfovFFzxGJd9V9zvRiv5gccM1gN1Bfz2UbF9kuQOnbLIDR1thYXFjhk5q!
vFGDws+sCWmLzX9zKPN/RW15PNeysmJpH+a0rUmmMxWsxhPf94yVz+0MGPqvStGV889QomDHBdDd!
f1tCHH30NfICKnY=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 11
X-Original-Bytes: 2101
Xref: g2news2.google.com rec.radio.amateur.equipment:2677
```

Bob S.;730670 Wrote:

> I'm studying for my tech license and I'm thinking of buying an HT to
> carry with me on hunting trips. I'll want to use the best/longest
> lasting batteries that I can. What are your opinions of the various
> batteries available?

In my opinion - that is kind of over kill.
You can buy a decent bubble pack GMRS Motorola radio for under $120 a set.

You must remember that reception for UHF is line of sight and unless you

have a clear view of the repeater and permission to use it - your handi talkie is not going to transmit or receive any further then a $40 Motorola walkie talkie in the woods.
The trees absorb the signals and the signals will not go up one hill and down the next - nor will it shine up over one mountain and down the next.

The limitations are the size of the battery, the size of the antenna - since all signals reduce at the square of the distance away from the transmitter.

Most of those radios do not come with a 16 inch antenna which is what it would need for the bare minimum amount of transmit and receive power on those frequencies.

--
Channel Jumper

```
From -3442200427657648511
X-Google-Thread: 108122,bf7106784f9ef82e
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.suddenlink.net!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <Bob.S..7860b98@radiobanter.com>
In-Reply-To: <Bob.S..7860b98@radiobanter.com>
Subject: Re: HT Batteries
Date: Sun, 30 Jan 2011 10:26:18 -0600
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Lines: 18
Message-ID: <4d45913d$0$9290$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 74.197.3.141
X-Complaints-To: abuse@suddenlink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2678
```

Eneloop rechargeable NiMHs are hard to beat: http://us.sanyo.com/Battery-Products

Also NiZn cells: http://www.powergenix.com/?q=products

73
Glenn AA5PK

"Bob S." <Bob.S..7860b98@radiobanter.com> wrote in message
news:Bob.S..7860b98@radiobanter.com...
>
> I'm studying for my tech license and I'm thinking of buying an HT to
> carry with me on hunting trips. I'll want to use the best/longest
> lasting batteries that I can. What are your opinions of the various
> batteries available?
>
>
>
>
> --
> Bob S.

```
From 2599450286254867580
X-Google-Thread: 108122,bf7106784f9ef82e
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!teal.octanews.net!news-out.octanews.net!indigo.octanews.net!
news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HT Batteries
From: Bert Hyman <bert@iphouse.com>
References: <Bob.S..7860b98@radiobanter.com>
Organization: Not that you'd notice
Message-ID: <Xns9E7D6B88BDDF4VeebleFetzer@216.250.188.141>
User-Agent: Xnews/2006.08.24
Date: 30 Jan 2011 16:34:15 GMT
Lines: 15
NNTP-Posting-Date: 30 Jan 2011 10:34:15 CST
NNTP-Posting-Host: b1cb0ce4.newsreader.iphouse.net
X-Trace:
DXC=VnGmV]G5T4eEaLkWIQbI_bVn\Tj8`^BbkeHS>e[L>83`=Dd[EbUbj]gc230oU7d71aX7@2h;nGb4mL
NCR]iBOInc
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2679
```

In news:Bob.S..7860b98@radiobanter.com Bob S.
<Bob.S..7860b98@radiobanter.com> wrote:

> I'm studying for my tech license and I'm thinking of buying an HT to
> carry with me on hunting trips. I'll want to use the best/longest
> lasting batteries that I can. What are your opinions of the various
> batteries available?

If you're in the field away from commercial power, you'll either need carry a stock of alkaline batteries (and make sure you have a battery pack for your HT that can take them), or have some other way to charge whatever sort of rechargeable cells you choose.

--
Bert Hyman   W0RSB   St. Paul, MN bert@iphouse.com

From 8265511698083825972
X-Google-Thread: c5261ab81d,332573a2e574c33,start
X-Google-Attributes: gidc5261ab81d,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!news-out.readnews.com!transit3.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, March 2011 - Subscribe for FREE
Followup-To: poster
Date: Mon, 31 Jan 2011 12:03:23 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 34
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <BDD67E2704924375B4694A0078CEA14C@GRIMES>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1296493403 20861 166.84.1.6 (31 Jan 2011 17:03:23 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 31 Jan 2011 17:03:23 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history, nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to   rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to   rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp auth 68.251.42.108 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:2067 rec.radio.amateur.boatanchors:4354 rec.radio.amateur.equipment:2466 rec.radio.swap:2879 alt.ham-radio.morse:51

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

March 2011 articles include:

QSX: I Am Listening for You By Philip Cala-Lazar, K9PL

Four State QRP Group By Terry Fletcher, WA�ITP

Eyes and Ears on Top Band By Chuck Guenther, NI�C

USS Yorktown

The French Radio Amateur Who Made My Day By David J. Ring, Jr., N1EA

Ham Lingo By Dick Sylvan, W9CBT

K9YA Telegraph Photo Contest Announcement

```
From 8266907235631224341
X-Google-Thread: fcc6e,b08a0c9f5cdae93d,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,b08a0c9f5cdae93d,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,b08a0c9f5cdae93d,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,b08a0c9f5cdae93d,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,b08a0c9f5cdae93d,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,b08a0c9f5cdae93d,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,b08a0c9f5cdae93d,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,b08a0c9f5cdae93d,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
```

6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1293865200@panix.com>
Followup-To: poster
Date: 1 Feb 2011 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 06 Mar 2011 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1296543600@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1296543602 3739 166.84.1.2 (1 Feb 2011 07:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 1 Feb 2011 07:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:22124 rec.radio.amateur.dx:921 rec.radio.amateur.equipment:2681 rec.radio.amateur.homebrew:4392 rec.radio.amateur.misc:6072 rec.radio.amateur.policy:32642 rec.radio.amateur.space:472 rec.radio.info:2147

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From -5090218326804872497
X-Google-Thread: a4a23d5f63,49ef18182f46ac55,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1294383901@panix.com>
Followup-To: poster
Date: 7 Feb 2011 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 12 Mar 2011 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1297062301@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)

NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1297062303 22556 166.84.1.2 (7 Feb 2011 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Feb 2011 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:22215 rec.radio.amateur.dx:927 rec.radio.amateur.equipment:2685 rec.radio.amateur.homebrew:4396 rec.radio.amateur.misc:6099 rec.radio.amateur.policy:32662 rec.radio.info:2167

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From 7357834002759458621
X-Google-Thread: a4a23d5f63,cbdfb34ffa5808fb,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1294384200@panix.com>
Followup-To: poster
Date: 7 Feb 2011 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 12 Mar 2011 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1297062601@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1297062601 14831 166.84.1.2 (7 Feb 2011 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Feb 2011 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:6100
rec.radio.amateur.equipment:2686 rec.radio.swap:3314 rec.radio.info:2168

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our

newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From -4403085099879840234
X-Google-Thread: 108122,cd2853dcdaa57c3d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!isp-post01.iad!news.cv.net!not-for-mail
From: rudyk2evy@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS: ALPHA Hi Power Sx hf Linear amp
Date: Mon, 07 Feb 2011 13:58:56 -0500
Message-ID: <j3g0l618e722plhj3bg7u19m18rkaa018e@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
Organization: Optimum Online
NNTP-Posting-Host: 69.124.115.97
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2475

Please checkout e-bay offering ..

```
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=260733730393&ssPageName=STRK:MESELX:IT


From 8353998599037079594
X-Google-Thread: d7f5508063,f921de9d93accee1,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r19g2000prm.googlegroups.com!not-for-
mail
From: Llgpt@aol.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom PS-125 Power Supply
Date: Fri, 11 Feb 2011 08:43:24 -0800 (PST)
Organization: http://groups.google.com
Lines: 9
Message-ID: <55000698-d69c-4549-bf5d-cd81548fe8f8@r19g2000prm.googlegroups.com>
NNTP-Posting-Host: 67.61.72.172
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1297442604 12263 127.0.0.1 (11 Feb 2011 16:43:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 11 Feb 2011 16:43:24 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r19g2000prm.googlegroups.com; posting-host=67.61.72.172; posting-
account=Y5xeXgkAAAAFogIKz9SlnPJuxwdftn7Z
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13 SearchToolbar/1.2,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2476

This originally came with an Ic-746 that was modified for receive
only. It is surplus to my needs.

No issues, comes with the IEC power cord.

$125.00 shipped and insured US only.

Contact me leslocklear at cableone.net  The other e-mail address is a
spam trap.



From 9085313901304241513
X-Google-Thread: 108122,41aaa89388cc4b99,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n16g2000prc.googlegroups.com!not-for-
mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ROMANTIC SHOW
```

~~~
Date: Sat, 12 Feb 2011 09:39:17 -0800 (PST)
Organization: http://groups.google.com
Lines: 21
Message-ID: <27c3ab6a-031e-4bd1-a934-3cd9e6ad1532@n16g2000prc.googlegroups.com>
NNTP-Posting-Host: 117.199.243.155
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1297532357 29438 127.0.0.1 (12 Feb 2011 17:39:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Feb 2011 17:39:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n16g2000prc.googlegroups.com; posting-host=117.199.243.155;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2691

       ```ONLY HOT VIDEOS FOR YOUTH````

                        HOT VIDEOS
         http://sexy-rainsongs.blogspot.com/
                          FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/funny-video.html
                    TELUGU FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/telugu-funny-videos.html

        DEEPIKA PADUKONE HOT VIDEOS
http://karomasti9.blogspot.com/2011/01/deepika-padukone.html
                        HOT ARCHANA STILLS
http://karomasti9.blogspot.com/2011/01/archana.html
          DEEKSHA SETH HOT WALLPAPERS
http://karomasti9.blogspot.com/2011/01/deeksha-seth.html
       KATRINA KAIF HOT VIDEOS&PHOTOS
http://karomasti9.blogspot.com/2011/01/katrina-kaif.html
                 SAMEERAREDDY HOT BOOBS
http://karomasti9.blogspot.com/2011/01/sameerareddy.html




From 8136481274925798966
X-Google-Thread: 108122,afa7d9dbce3e1082,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
~~~

```
Subject: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Sat, 12 Feb 2011 18:42:13 -0500
Organization: A noiseless patient Spider
Lines: 17
Message-ID: <ij75sl$uq1$1@news.eternal-september.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Sat, 12 Feb 2011 23:42:14 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="ismYE5oby9ATf5GkPvYE2A";
     logging-data="31553"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/XrCyY534OdNSKQr+Wa+7x"
User-Agent: Mozilla/5.0 (OS/2; U; Warp 4.5; en-US; rv:1.9.2.13) Gecko/20101209
Thunderbird/3.1.7 ThunderBrowse/3.3.4
Cancel-Lock: sha1:wl1SdkvG7ijVyosNL0p7xE/fHkg=
Xref: g2news2.google.com rec.radio.amateur.equipment:2692
rec.radio.amateur.homebrew:4418
```

I'm looking for charger/maintainer -- either an off-the-shelf unit or a schematic so I can build my own -- suitable for a flooded deep-cycle battery, either a pair of 6V "golf cart" batteries in series or a Group 31.

I don't want an RFI generator: I already have one.

I already have a few 13.8V 25A power supplies, one of which I would be quite willing to "crank up" to a higher voltage to compensate for the voltage drop in the control circuitry.

Something like the West Mountain Radio "Super PwrGate" (PG40S) would work, although the automatic switch-over feature is not essential. That device is intended for Gel-Cell and AGM batteries and not recommended for flooded batteries -- absorption-charge voltage too low and float-charge voltage too high, their tech support people tell me.

"Perce"

```
From 5270460981403075306
X-Google-Thread: 108122,9d35392610caafc9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o18g2000prh.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT ROMANTIC SEXY VIDEOS TO U TH
Date: Sat, 12 Feb 2011 21:16:36 -0800 (PST)
Organization: http://groups.google.com
Lines: 61
Message-ID: <f39a93a8-fc7d-47be-a2fe-feefbe75f981@o18g2000prh.googlegroups.com>
NNTP-Posting-Host: 117.199.245.242
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1297574196 24570 127.0.0.1 (13 Feb 2011 05:16:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Feb 2011 05:16:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o18g2000prh.googlegroups.com; posting-host=117.199.245.242;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2479
```

ALL HOT PHOTOS SUPER SeXY PHOTOS
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-135.html

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

for more hot videos

http://videosonblog.blogspot.com/2010/11/masala-videos.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

```
From 4561344177239762810
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
news.albasani.net!not-for-mail
From: No Spam <nospam@nospam.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Sun, 13 Feb 2011 08:14:08 +0000 (UTC)
Organization: albasani.net
Lines: 28
Message-ID: <ij83sg$3ls$1@news.albasani.net>
References: <ij75sl$uq1$1@news.eternal-september.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
X-Trace: news.albasani.net 6tLwJwrRyhMKD8OMg/xwzwaI5RMOCYwILrZ7gQc/
NDnIi844feCp3xZjXsPoKVBzptIrODsHSqvMMHQ8MeHFzg==
NNTP-Posting-Date: Sun, 13 Feb 2011 08:14:08 +0000 (UTC)
Cancel-Lock: sha1:u23KGrdvxvV2EAgvz/H7wPkyTPg=
Injection-Info: news.albasani.net; logging-data="17j6maCpJmyRedw7mtSvTMLo/
4csPbKZcj0uDAIV+LJ09+M3kreAdL4BECY4wtweqH9R6LoxPSE4PUzRw9zUBnwjJyRWBlyptkiEbCpdNVl
1zdqwauNBqwPyUlR+oRpN"; mail-complaints-to="abuse@albasani.net"
Xref: g2news1.google.com rec.radio.amateur.equipment:2480
rec.radio.amateur.homebrew:4122
```

On Sat, 12 Feb 2011 18:42:13 -0500, Percival P. Cassidy wrote:

> I'm looking for charger/maintainer -- either an off-the-shelf unit or a
> schematic so I can build my own -- suitable for a flooded deep-cycle
> battery, either a pair of 6V "golf cart" batteries in series or a Group
> 31.
>
> I don't want an RFI generator: I already have one.
>
> I already have a few 13.8V 25A power supplies, one of which I would be
> quite willing to "crank up" to a higher voltage to compensate for the
> voltage drop in the control circuitry.
>
> Something like the West Mountain Radio "Super PwrGate" (PG40S) would
> work, although the automatic switch-over feature is not essential. That
> device is intended for Gel-Cell and AGM batteries and not recommended
> for flooded batteries -- absorption-charge voltage too low and
> float-charge voltage too high, their tech support people tell me.
>
> "Perce"

I am quite happy with my IOTA DLS-45 with the IQ Smart Controller

http://www.iotaengineering.com/iq.htm

Once a week it equalizes my batteries using 14v pulses. The batteries are
on their 14th year and can still run my shack for 5 days. (down from a
week when I initially purchased the batteries and charger)

From 8117685317118177235
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Sun, 13 Feb 2011 09:17:40 -0500
Organization: A noiseless patient Spider
Lines: 36
Message-ID: <ij8p65$6b5$1@news.eternal-september.org>
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit

```
Injection-Date: Sun, 13 Feb 2011 14:17:41 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="ismYE5oby9ATf5GkPvYE2A";
     logging-data="6501"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18JpAWScgRPNmIr0UVaVJmv"
User-Agent: Mozilla/5.0 (OS/2; U; Warp 4.5; en-US; rv:1.9.2.13) Gecko/20101209
Thunderbird/3.1.7 ThunderBrowse/3.3.4
In-Reply-To: <ij83sg$3ls$1@news.albasani.net>
Cancel-Lock: sha1:HJ8kDph4uEHnQwwhwhJ3plldg1E=
Xref: g2news1.google.com rec.radio.amateur.equipment:2481
rec.radio.amateur.homebrew:4123

On 02/13/11 03:14 am, No Spam wrote:

>> I'm looking for charger/maintainer -- either an off-the-shelf unit or a
>> schematic so I can build my own -- suitable for a flooded deep-cycle
>> battery, either a pair of 6V "golf cart" batteries in series or a Group
>> 31.
>>
>> I don't want an RFI generator: I already have one.
>>
>> I already have a few 13.8V 25A power supplies, one of which I would be
>> quite willing to "crank up" to a higher voltage to compensate for the
>> voltage drop in the control circuitry.
>>
>> Something like the West Mountain Radio "Super PwrGate" (PG40S) would
>> work, although the automatic switch-over feature is not essential. That
>> device is intended for Gel-Cell and AGM batteries and not recommended
>> for flooded batteries -- absorption-charge voltage too low and
>> float-charge voltage too high, their tech support people tell me.

> I am quite happy with my IOTA DLS-45 with the IQ Smart Controller
>
> http://www.iotaengineering.com/iq.htm
>
> Once a week it equalizes my batteries using 14v pulses. The batteries are
> on their 14th year and can still run my shack for 5 days. (down from a
> week when I initially purchased the batteries and charger)

I wish I'd known about that IQ unit before I bought an Astron RS-35A
just a month or two back.

I was hoping I could find something not too expensive to take power from
that P/S or from one of my RF-quiet "switchers" to look after the
batteries. Texas Instruments has battery-charging ICs, but I haven't
seen a practical circuit that uses one.

"Perce"


From 5822777982756119138
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
```

X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!y4g2000prh.googlegroups.com!not-for-mail
From: raypsi <rborowiak@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Sun, 13 Feb 2011 12:35:38 -0800 (PST)
Organization: http://groups.google.com
Lines: 57
Message-ID: <4a6227e6-aa45-4792-810c-ee8d653ab346@y4g2000prh.googlegroups.com>
References: <ij75sl$uq1$1@news.eternal-september.org>
NNTP-Posting-Host: 99.65.160.151
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1297629339 4593 127.0.0.1 (13 Feb 2011 20:35:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Feb 2011 20:35:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y4g2000prh.googlegroups.com; posting-host=99.65.160.151; posting-account=fLVwTAoAAAAuuduBMbjTK6IYA_V3PAap
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.1.16)
 Gecko/20101123 SeaMonkey/2.0.11,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2696 rec.radio.amateur.homebrew:4421

Hey OT:

I used to charge a deep cycle flooded marine battery with the TI
UC3906
data sheet here: http://focus.ti.com/lit/ds/symlink/uc3906.pdf
all you need is a few precision pots and the low resistance resistor
you need to set the max charge current.
I had a 115AH deep cycle flooded marine battery that with a straight
no frills charge took 4 days to charge fully, tested by hydrometer
With 1 foot of 14 gauge wire for the max charge resistor and precision
10 turn pots to set the other settings, and a 30 amp PNP pass
transistor on a fan cooled heat sink I was able to charge that battery
in 8 hours full charge, then it goes to a maintain charge, not a
trickle charge.

Basically I was charging at 23 amps after the UC3906 checked that no
cells were bad, then once it gets to a predetermined voltage it scales
back the charge, all the levels for this are set by multiple precision
pots and you can take it thru 4 levels of charge. I had the max
setting for 15.5 volts when the battery was fully charged to roll back
to maintain charge.

You will need a unregulated 18 volt supply, because the PNP drops 4
volts in VSAT. and once it gets the battery up there in voltage, the

PNP doesn't need to be full on in VSAT

After using auto chargers and straight charges I found the UC3906 the best choice over all.

There is a switch mode TI chip also but you don't want that one

Mouser stocks these last time I bought them it was like $4 each.

On Feb 12, 6:42=A0pm, "Percival P. Cassidy" <Nob...@NotMyISP.com> wrote:
> I'm looking for charger/maintainer -- either an off-the-shelf unit or a
> schematic so I can build my own -- suitable for a flooded deep-cycle
> battery, either a pair of 6V "golf cart" batteries in series or a Group 3=
1.
>
> I don't want an RFI generator: I already have one.
>
> I already have a few 13.8V 25A power supplies, one of which I would be
> quite willing to "crank up" to a higher voltage to compensate for the
> voltage drop in the control circuitry.
>
> Something like the West Mountain Radio "Super PwrGate" (PG40S) would
> work, although the automatic switch-over feature is not essential. That
> device is intended for Gel-Cell and AGM batteries and not recommended
> for flooded batteries -- absorption-charge voltage too low and
> float-charge voltage too high, their tech support people tell me.
>
> "Perce"

From 2215654209740318201
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe03.iad.POSTED!f95b82c5!not-for-mail
From: philo <philo@privacy.not>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.2.13) Gecko/20101208 Thunderbird/3.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
References: <ij75sl$uq1$1@news.eternal-september.org> <ij83sg$3ls$1@news.albasani.net> <ij8p65$6b5$1@news.eternal-september.org>

In-Reply-To: <ij8p65$6b5$1@news.eternal-september.org>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 53
Message-ID: <9hX5p.32776$nZ2.22378@newsfe03.iad>
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Sun, 13 Feb 2011 20:36:21 UTC
Organization: TeraNews.com
Date: Sun, 13 Feb 2011 14:36:18 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2483
rec.radio.amateur.homebrew:4125

On 02/13/2011 08:17 AM, Percival P. Cassidy wrote:
> On 02/13/11 03:14 am, No Spam wrote:
>
>>> I'm looking for charger/maintainer -- either an off-the-shelf unit or a
>>> schematic so I can build my own -- suitable for a flooded deep-cycle
>>> battery, either a pair of 6V "golf cart" batteries in series or a Group
>>> 31.
>>>
>>> I don't want an RFI generator: I already have one.
>>>
>>> I already have a few 13.8V 25A power supplies, one of which I would be
>>> quite willing to "crank up" to a higher voltage to compensate for the
>>> voltage drop in the control circuitry.
>>>
>>> Something like the West Mountain Radio "Super PwrGate" (PG40S) would
>>> work, although the automatic switch-over feature is not essential. That
>>> device is intended for Gel-Cell and AGM batteries and not recommended
>>> for flooded batteries -- absorption-charge voltage too low and
>>> float-charge voltage too high, their tech support people tell me.
>
>> I am quite happy with my IOTA DLS-45 with the IQ Smart Controller
>>
>> http://www.iotaengineering.com/iq.htm
>>
>> Once a week it equalizes my batteries using 14v pulses. The batteries are
>> on their 14th year and can still run my shack for 5 days. (down from a
>> week when I initially purchased the batteries and charger)
>
> I wish I'd known about that IQ unit before I bought an Astron RS-35A
> just a month or two back.
>
> I was hoping I could find something not too expensive to take power from
> that P/S or from one of my RF-quiet "switchers" to look after the
> batteries. Texas Instruments has battery-charging ICs, but I haven't
> seen a practical circuit that uses one.
>
> "Perce"

You do not need anything too fancy...

to "float" the batteries all you need to do is keep them at approx 2.25 volts / cell...so it's possible that your 13.8 v charger will do the job...

You can test it by checking the total voltage after a 24 hour period...

ideally, a 12v battery should float at about 13.5 volts.

If the float voltage is a little higher or lower it won't be too critical...but make sure it's well below the 14.2 v gassing point.

I've been in the lead-acid battery business for 36 years...
so have quite a bit of long term empirical data

```
From -2552344105692084984
X-Google-Thread: 241b302a50,afa7d9dbce3e1082
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!y12g2000prf.googlegroups.com!not-for-
mail
From: raypsi <rborowiak@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Sun, 13 Feb 2011 13:05:54 -0800 (PST)
Organization: http://groups.google.com
Lines: 82
Message-ID: <7275066c-656f-4c07-b7e4-66ef135909ba@y12g2000prf.googlegroups.com>
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net>
 <ij8p65$6b5$1@news.eternal-september.org> <9hX5p.32776$nZ2.22378@newsfe03.iad>
NNTP-Posting-Host: 99.65.160.151
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1297631154 21913 127.0.0.1 (13 Feb 2011 21:05:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Feb 2011 21:05:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y12g2000prf.googlegroups.com; posting-host=99.65.160.151; posting-
account=fLVwTAoAAAAuuduBMbjTK6IYA_V3PAap
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.1.16)
 Gecko/20101123 SeaMonkey/2.0.11,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2484
rec.radio.amateur.homebrew:4126
```

Hey OM:

All well and good but taking the battery up to 15.5volts is ok as long as you keep adding water and have a well vented area to charge them in. I tried a tested and true way of not going over 14.2 volts took to long to get the full charge you can check it with a hydrometer and see that best you can get is 80% of full charge going with 14.2 volts.

With a 18volt unregulated supply and the VSAT of 4 volts the max
charge current voltage can only be 14.00 volts period
you have to take it up to 15.5 volts to get the full charge period.
been there done that.

73 OM
de n8zu

On Feb 13, 3:36=A0pm, philo <ph...@privacy.not> wrote:
> On 02/13/2011 08:17 AM, Percival P. Cassidy wrote:
>
>
>
> > On 02/13/11 03:14 am, No Spam wrote:
>
> >>> I'm looking for charger/maintainer -- either an off-the-shelf unit or=
 a
> >>> schematic so I can build my own -- suitable for a flooded deep-cycle
> >>> battery, either a pair of 6V "golf cart" batteries in series or a Gro=
up
> >>> 31.
>
> >>> I don't want an RFI generator: I already have one.
>
> >>> I already have a few 13.8V 25A power supplies, one of which I would b=
e
> >>> quite willing to "crank up" to a higher voltage to compensate for the
> >>> voltage drop in the control circuitry.
>
> >>> Something like the West Mountain Radio "Super PwrGate" (PG40S) would
> >>> work, although the automatic switch-over feature is not essential. Th=
at
> >>> device is intended for Gel-Cell and AGM batteries and not recommended
> >>> for flooded batteries -- absorption-charge voltage too low and
> >>> float-charge voltage too high, their tech support people tell me.
>
> >> I am quite happy with my IOTA DLS-45 with the IQ Smart Controller
>
> >>http://www.iotaengineering.com/iq.htm
>
> >> Once a week it equalizes my batteries using 14v pulses. The batteries =
are
> >> on their 14th year and can still run my shack for 5 days. (down from a
> >> week when I initially purchased the batteries and charger)
>
> > I wish I'd known about that IQ unit before I bought an Astron RS-35A
> > just a month or two back.
>
> > I was hoping I could find something not too expensive to take power fro=

```
m
> > that P/S or from one of my RF-quiet "switchers" to look after the
> > batteries. Texas Instruments has battery-charging ICs, but I haven't
> > seen a practical circuit that uses one.
>
> > "Perce"
>
> You do not need anything too fancy...
> to "float" the batteries all you need to do is keep them at approx =A02.2=
5
> volts / cell...so it's possible that your 13.8 v charger will do the job.=
..
>
> You can test it by checking the total voltage after a 24 hour period...
>
> ideally, a 12v battery should float at about 13.5 volts.
>
> If the float voltage is a little higher or lower it won't be too
> critical...but make sure it's well below the 14.2 v gassing point.
>
> I've been in the lead-acid battery business for 36 years...
> so have quite a bit of long term empirical data
```

```
From -6107641974444309226
X-Google-Thread: d7f5508063,e56415fc488b5086,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x4g2000prf.googlegroups.com!not-for-
mail
From: varsha <varsha9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT ACTRESS
Date: Mon, 14 Feb 2011 09:03:31 -0800 (PST)
Organization: http://groups.google.com
Lines: 21
Message-ID: <13a983a2-ae3b-4041-9b35-9276010d4316@x4g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.245.48
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1297703011 14151 127.0.0.1 (14 Feb 2011 17:03:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 14 Feb 2011 17:03:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x4g2000prf.googlegroups.com; posting-host=117.199.245.48; posting-
account=EqrRzAoAAAD3CJxGkAkSGvh74KkxB4YR
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.13)
 Gecko/20101203 Firefox/3.6.13,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2699
```

```ONLY HOT VIDEOS FOR YOUTH````

HOT VIDEOS
http://sexy-rainsongs.blogspot.com/
FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/funny-video.html
TELUGU FUNNY VIDEOS
http://sexy-rainsongs.blogspot.com/p/telugu-funny-videos.html

DEEPIKA PADUKONE HOT VIDEOS
http://karomasti9.blogspot.com/2011/01/deepika-padukone.html
HOT ARCHANA STILLS
http://karomasti9.blogspot.com/2011/01/archana.html
DEEKSHA SETH HOT WALLPAPERS
http://karomasti9.blogspot.com/2011/01/deeksha-seth.html
KATRINA KAIF HOT VIDEOS&PHOTOS
http://karomasti9.blogspot.com/2011/01/katrina-kaif.html
SAMEERAREDDY HOT BOOBS
http://karomasti9.blogspot.com/2011/01/sameerareddy.html

From 3636874497760502156
X-Google-Thread: 241b302a50,afa7d9dbce3e1082
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!de-l.enfer-du-nord.net!feeder2.enfer-du-nord.net!eternal-september.org!feeder.eternal-september.org!.POSTED!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Mon, 14 Feb 2011 15:39:13 -0500
Organization: A noiseless patient Spider
Lines: 69
Message-ID: <ijc3ti$std$1@news.eternal-september.org>
References: <ij75sl$uq1$1@news.eternal-september.org> <4a6227e6-aa45-4792-810c-ee8d653ab346@y4g2000prh.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Mon, 14 Feb 2011 20:39:14 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="ismYE5oby9ATf5GkPvYE2A";
     logging-data="29613"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/G2/h1Fpe2bjvMbRaM6lF0"
User-Agent: Mozilla/5.0 (OS/2; U; Warp 4.5; en-US; rv:1.9.2.13) Gecko/20101209 Thunderbird/3.1.7 ThunderBrowse/3.3.4
In-Reply-To: <4a6227e6-aa45-4792-810c-ee8d653ab346@y4g2000prh.googlegroups.com>
Cancel-Lock: sha1:pQDxJQKQ5LCBE7YWts44N8fpPDE=
Xref: g2news1.google.com rec.radio.amateur.equipment:2486 rec.radio.amateur.homebrew:4128

West Mountain Radio claims that their "Super PwrGate" has a voltage drop of only 0.3V to 0.4V, so they can charge a Gel-Cell battery from a 13.8V P/S or can handle an AGM battery simply by raising the P/S voltage to 14.1V. Any idea what they use for a pass transistor?

The "Micro M+" solar battery charger described in some recent editions of the ARRL Handbook uses the STP80PF55 P-Channel MOSFET (80 Amp, R[DSon] = 0.016 Ohm) as the control device. Could this be used in conjunction with the UC3906 without too much difficulty?

"Perce"

On 02/13/11 03:35 pm, raypsi wrote:

> I used to charge a deep cycle flooded marine battery with the TI
> UC3906
> data sheet here: http://focus.ti.com/lit/ds/symlink/uc3906.pdf
> all you need is a few precision pots and the low resistance resistor
> you need to set the max charge current.
> I had a 115AH deep cycle flooded marine battery that with a straight
> no frills charge took 4 days to charge fully, tested by hydrometer
> With 1 foot of 14 gauge wire for the max charge resistor and precision
> 10 turn pots to set the other settings, and a 30 amp PNP pass
> transistor on a fan cooled heat sink I was able to charge that battery
> in 8 hours full charge, then it goes to a maintain charge, not a
> trickle charge.
>
> Basically I was charging at 23 amps after the UC3906 checked that no
> cells were bad, then once it gets to a predetermined voltage it scales
> back the charge, all the levels for this are set by multiple precision
> pots and you can take it thru 4 levels of charge. I had the max
> setting for 15.5 volts when the battery was fully charged to roll back
> to maintain charge.
>
> You will need a unregulated 18 volt supply, because the PNP drops 4
> volts in VSAT. and once it gets the battery up there in voltage, the
> PNP doesn't need to be full on in VSAT
>
> After using auto chargers and straight charges I found the UC3906 the
> best choice over all.
>
> There is a switch mode TI chip also but you don't want that one
>
>
> Mouser stocks these last time I bought them it was like $4 each.
>
>
>
>
> On Feb 12, 6:42 pm, "Percival P. Cassidy"<Nob...@NotMyISP.com> wrote:
>> I'm looking for charger/maintainer -- either an off-the-shelf unit or a
>> schematic so I can build my own -- suitable for a flooded deep-cycle

>> battery, either a pair of 6V "golf cart" batteries in series or a Group 31.
>>
>> I don't want an RFI generator: I already have one.
>>
>> I already have a few 13.8V 25A power supplies, one of which I would be
>> quite willing to "crank up" to a higher voltage to compensate for the
>> voltage drop in the control circuitry.
>>
>> Something like the West Mountain Radio "Super PwrGate" (PG40S) would
>> work, although the automatic switch-over feature is not essential. That
>> device is intended for Gel-Cell and AGM batteries and not recommended
>> for flooded batteries -- absorption-charge voltage too low and
>> float-charge voltage too high, their tech support people tell me.
>>
>> "Perce"
>

From -1183969953189194470
X-Google-Thread: 108122,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,afa7d9dbce3e1082
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid241b302a50,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe13.iad.POSTED!f95b82c5!not-for-mail
From: philo <philo@privacy.not>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.2.13) Gecko/20101208
Thunderbird/3.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net> <ij8p65$6b5$1@news.eternal-september.org>
<9hX5p.32776$nZ2.22378@newsfe03.iad> <7275066c-656f-4c07-
b7e4-66ef135909ba@y12g2000prf.googlegroups.com>
In-Reply-To: <7275066c-656f-4c07-b7e4-66ef135909ba@y12g2000prf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <alh6p.18513$w57.17442@newsfe13.iad>
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Mon, 14 Feb 2011 21:42:30 UTC
Organization: TeraNews.com
Date: Mon, 14 Feb 2011 15:42:29 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2487
rec.radio.amateur.homebrew:4129

On 02/13/2011 03:05 PM, raypsi wrote:
> Hey OM:

>
> All well and good but taking the battery up to 15.5volts is ok as long
> as you keep adding water and have a well vented area to charge them
> in. I tried a tested and true way of not going over 14.2 volts took to
> long to get the full charge you can check it with a hydrometer and see
> that best you can get is 80% of full charge going with 14.2 volts.

That's the entire point of float charging a battery...
you do not have to add water and you do not have excess hydrogen
production...in "normal" charging...the battery voltage would rise to
approx 15volts during the last 20 minutes or so of charge

The OP specifically said he wanted to float charge
>

<snip>

From 8396660182159810072
X-Google-Thread: 241b302a50,afa7d9dbce3e1082
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Mon, 14 Feb 2011 18:58:49 -0500
Organization: A noiseless patient Spider
Lines: 33
Message-ID: <ijcfjr$voc$1@news.eternal-september.org>
References: <ij75sl$uq1$1@news.eternal-september.org>
<ij83sg$3ls$1@news.albasani.net> <ij8p65$6b5$1@news.eternal-september.org>
<9hX5p.32776$nZ2.22378@newsfe03.iad>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Mon, 14 Feb 2011 23:58:51 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="ismYE5oby9ATf5GkPvYE2A";
     logging-data="32524"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/vfq489JOF+RISJn+mLZa1"
User-Agent: Mozilla/5.0 (OS/2; U; Warp 4.5; en-US; rv:1.9.2.13) Gecko/20101209
Thunderbird/3.1.7 ThunderBrowse/3.3.4
In-Reply-To: <9hX5p.32776$nZ2.22378@newsfe03.iad>
Cancel-Lock: sha1:hnuhTWM/EXQoyZgPIYznamm2E4o=
Xref: g2news2.google.com rec.radio.amateur.equipment:2702
rec.radio.amateur.homebrew:4427

On 02/13/11 03:36 pm, philo wrote:

>>>> I'm looking for charger/maintainer -- either an off-the-shelf unit or a
>>>> schematic so I can build my own -- suitable for a flooded deep-cycle
>>>> battery, either a pair of 6V "golf cart" batteries in series or a Group
>>>> 31.

<snip>

> You do not need anything too fancy...
> to "float" the batteries all you need to do is keep them at approx 2.25
> volts / cell...so it's possible that your 13.8 v charger will do the job...
>
> You can test it by checking the total voltage after a 24 hour period...
>
> ideally, a 12v battery should float at about 13.5 volts.
>
> If the float voltage is a little higher or lower it won't be too
> critical...but make sure it's well below the 14.2 v gassing point.
>
> I've been in the lead-acid battery business for 36 years...
> so have quite a bit of long term empirical data

The West Mountain Radio people told me that their "Super PwrGate"'s
13.5V float setting voltage (not adjustable) might be too high for a
flooded deep-cycle battery. Their user manual refers users to

www.windsun.com/batteries/battery_FAQ.htm

which recommends per-cell float voltages flooded deep-cycle batteries
that translate to 13.02V to 13.20V for a 6-cell battery.

"Perce"

From -7099302581344624406
X-Google-Thread: 241b302a50,afa7d9dbce3e1082
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Battery charger/maintainer for flooded deep-cycle batteries?
Date: Mon, 14 Feb 2011 19:06:20 -0500
Organization: A noiseless patient Spider
Lines: 83
Message-ID: <ijcg1u$1h6$1@news.eternal-september.org>
References: <ij75sl$uq1$1@news.eternal-september.org> <4a6227e6-aa45-4792-810c-
ee8d653ab346@y4g2000prh.googlegroups.com> <ijc3ti$std$1@news.eternal-
september.org>
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Tue, 15 Feb 2011 00:06:22 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="ismYE5oby9ATf5GkPvYE2A";
     logging-data="1574"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+WC9hUh3SUnT8mKM+/y0PW"
User-Agent: Mozilla/5.0 (OS/2; U; Warp 4.5; en-US; rv:1.9.2.13) Gecko/20101209
Thunderbird/3.1.7 ThunderBrowse/3.3.4
In-Reply-To: <ijc3ti$std$1@news.eternal-september.org>
Cancel-Lock: sha1:ooJYP8KGFHeJkyj8x/XiU1RkbnY=
Xref: g2news2.google.com rec.radio.amateur.equipment:2703
rec.radio.amateur.homebrew:4428
```

Oops! I was writing from memory and got it wrong: West Mountain Radio specify cranking the P/S up to 14.1V for Gel-Cells and to 14.5V for AGM batteries -- to allow absorption-charge voltages of 13.8V and 14.2V, respectively.

And the voltage drop is 0.25V to 0.5V, depending on current.

"Perce"

On 02/14/11 03:39 pm, I wrote:

> West Mountain Radio claims that their "Super PwrGate" has a voltage drop of only 0.3V to 0.4V, so they can charge a Gel-Cell battery from a 13.8V P/S or can handle an AGM battery simply by raising the P/S voltage to 14.1V. Any idea what they use for a pass transistor?
>
> The "Micro M+" solar battery charger described in some recent editions of the ARRL Handbook uses the STP80PF55 P-Channel MOSFET (80 Amp, R[DSon] = 0.016 Ohm) as the control device. Could this be used in conjunction with the UC3906 without too much difficulty?
>
> "Perce"
>
> On 02/13/11 03:35 pm, raypsi wrote:
>
>> I used to charge a deep cycle flooded marine battery with the TI
>> UC3906
>> data sheet here: http://focus.ti.com/lit/ds/symlink/uc3906.pdf
>> all you need is a few precision pots and the low resistance resistor
>> you need to set the max charge current.
>> I had a 115AH deep cycle flooded marine battery that with a straight
>> no frills charge took 4 days to charge fully, tested by hydrometer
>> With 1 foot of 14 gauge wire for the max charge resistor and precision
>> 10 turn pots to set the other settings, and a 30 amp PNP pass
>> transistor on a fan cooled heat sink I was able to charge that battery
>> in 8 hours full charge, then it goes to a maintain charge, not a
>> trickle charge.
>>
>> Basically I was charging at 23 amps after the UC3906 checked that no

```
>> cells were bad, then once it gets to a predetermined voltage it scales
>> back the charge, all the levels for this are set by multiple precision
>> pots and you can take it thru 4 levels of charge. I had the max
>> setting for 15.5 volts when the battery was fully charged to roll back
>> to maintain charge.
>>
>> You will need a unregulated 18 volt supply, because the PNP drops 4
>> volts in VSAT. and once it gets the battery up there in voltage, the
>> PNP doesn't need to be full on in VSAT
>>
>> After using auto chargers and straight charges I found the UC3906 the
>> best choice over all.
>>
>> There is a switch mode TI chip also but you don't want that one
>>
>>
>> Mouser stocks these last time I bought them it was like $4 each.
>>
>>
>>
>>
>> On Feb 12, 6:42 pm, "Percival P. Cassidy"<Nob...@NotMyISP.com> wrote:
>>> I'm looking for charger/maintainer -- either an off-the-shelf unit or a
>>> schematic so I can build my own -- suitable for a flooded deep-cycle
>>> battery, either a pair of 6V "golf cart" batteries in series or a
>>> Group 31.
>>>
>>> I don't want an RFI generator: I already have one.
>>>
>>> I already have a few 13.8V 25A power supplies, one of which I would be
>>> quite willing to "crank up" to a higher voltage to compensate for the
>>> voltage drop in the control circuitry.
>>>
>>> Something like the West Mountain Radio "Super PwrGate" (PG40S) would
>>> work, although the automatic switch-over feature is not essential. That
>>> device is intended for Gel-Cell and AGM batteries and not recommended
>>> for flooded batteries -- absorption-charge voltage too low and
>>> float-charge voltage too high, their tech support people tell me.
>>>
>>> "Perce"
>>
>
```

```
From 8763422558056690393
X-Google-Thread: 108122,81ee2cd6b2ee8685
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!nx01.iad01.newshosting.com!newshosting.com!
```

```
69.16.185.51.MISMATCH!isp-post01.iad!news.cv.net!not-for-mail
From: "Steve Trook" <strook@optonline.net>
Newsgroups: rec.radio.amateur.equipment
References: <Frank.Husnik.6ff8489@radiobanter.com>
In-Reply-To: <Frank.Husnik.6ff8489@radiobanter.com>
Subject: Re: Motorola RSS
Date: Thu, 21 Oct 2010 22:55:59 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
X-Antivirus: avast! (VPS 101021-1, 10/21/2010), Outbound message
X-Antivirus-Status: Clean
Lines: 20
Message-ID: <4cc0fd49$0$20161$607ed4bc@cv.net>
Organization: Optimum Online
NNTP-Posting-Host: 24.184.172.124
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2495

e-mail me    strook@optonline.net


"Frank Husnik" <Frank.Husnik.6ff8489@radiobanter.com> wrote in message
news:Frank.Husnik.6ff8489@radiobanter.com...
>
> I have two problems. One, I need to blank a logic board on a MaxTrac. I
> have the standard RSS, but not the LAB version. I looked on my MOL
> account, and they have discontinued all RSS for the MaxTracs. Second, I
> tried to load up my SM50 RSS, and when I try to read the radio, it says
> model definition file not found. If my files are corrupt, does anyone
> have this program where they could send me the missing files? Any help
> is greatly appreciated.
>
>
>
>
> --
> Frank Husnik



From -2742212423245908265
X-Google-Thread: d7f5508063,b742501a558f2314,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!30g2000yqm.googlegroups.com!not-for-
mail
From: cntrade08 <chenlily86@hotmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: Marc Jacobs Handbags ((http://www.cntrade09.com ) ) - (paypal payment)
Date: Sun, 24 Oct 2010 06:20:48 -0700 (PDT)
Organization: http://groups.google.com
Lines: 41
Message-ID: <04152652-fac1-46a4-a185-aafc54b3d55b@30g2000yqm.googlegroups.com>
NNTP-Posting-Host: 58.22.148.237
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1287926448 15501 127.0.0.1 (24 Oct 2010 13:20:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Oct 2010 13:20:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 30g2000yqm.googlegroups.com; posting-host=58.22.148.237; posting-
account=imOCVQoAAAAUWEHHGsMxGBADi-TbzLHG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
 CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10507
rec.radio.amateur.equipment:2282

Burberry Handbags
Balenciaga Handbags ((http://www.cntrade09.com ) ) - (paypal
payment)
Balenciaga Purse
Bally Purse
BOSS Purse ((http://www.cntrade09.com ) ) - (paypal payment)
Chanel Handbags
Chanel Purse
Chloe Handbags ((http://www.cntrade09.com ) ) - (paypal payment)
Chloe Purse
Coach Handbags ((http://www.cntrade09.com ) ) - (paypal payment)
Coach Purse
D&G Purse ((http://www.cntrade09.com ) ) - (paypal payment)
Dior Handbags
Dunhill Purse
Gucci Handbags ((http://www.cntrade09.com ) ) - (paypal payment)
Gucci Purse
Hermes Purse
JIMMY CHOO Handbags ((http://www.cntrade09.com ) ) - (paypal
payment)
JIMMY CHOO Purse
LV Handbags ((http://www.cntrade09.com ) ) - (paypal payment)
LV Purse
FENDI Handbags
Hermes Handbags ((http://www.cntrade09.com ) ) - (paypal payment)
JUICY Handbags
KOOBA Handbags ((http://www.cntrade09.com ) ) - (paypal payment)
LOEWE Handbags
Marc Jacobs Handbags ((http://www.cntrade09.com ) ) - (paypal
```

payment)
MIUMIU Handbags
MULBERRY Handbags
THOMASWYLDE Handbags ((http://www.cntrade09.com)) - (paypal
payment)
PRADA Handbags ((http://www.cntrade09.com)) - (paypal payment)
PRADA Purse
Valentnv Handbags ((http://www.cntrade09.com)) - (paypal
payment)
D&G Handbags
VERSACE Handbags
Lancel Handbags ((http://www.cntrade09.com)) - (paypal payment)

```
From 536769489266107029
X-Google-Thread: d7f5508063,4f35202de3084b34,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin.stu.neva.ru!feeder.news-service.com!ecngs!feeder.ecngs.de!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 24 Oct 2010 17:10:19 -0500
From: W4MWK <W4MWK.70a64e8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Heil HM-10 Dual
Date: Sun, 24 Oct 2010 20:11:58 +0000
Message-ID: <W4MWK.70a64e8@radiobanter.com>
Organization: RadioBanter.com
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-it6XrqJHQ2V9IInuQTB2zuJEIceAyoF44hQSklkR5BdcbaMxMdBec7qUzwEO4/
cP2pvDhr3ID1Lpt3y!cCnOXnt1rLZgCW+l+fKrZWhVWHETVoodH9hB+4+6Vcyp6Xq/aUNY4ljB5aXr/
NKOlWRR+Wr7oCLm!xps=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 6
X-Original-Bytes: 1005
Xref: g2news1.google.com rec.radio.amateur.equipment:2283
```

Hi,
I'm looking for a Heil HM-10 Dual Element Mic,
Regards,
Mike W4MWK

w4mwk@aol.com

```
--
W4MWK


From 3130774097993109394
X-Google-Thread: 733d321764,8d1aade4da019fdf,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!npeer01.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
news2.glorb.com!usenet.stanford.edu!newsfeed.berkeley.edu!ucberkeley!
newsgate.cuhk.edu.hk!news.netfront.net!not-for-mail
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.s
wap
Subject: FA: MINT, unused KENWOOD TS-2000
Date: Sun, 24 Oct 2010 21:32:01 -0400
Organization: Netfront http://www.netfront.net/
Lines: 43
Message-ID: <ia2mne$1j0n$1@adenine.netfront.net>
NNTP-Posting-Host: 68.82.225.237
Mime-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0072_01CB73C2.E5148CD0"
X-Trace: adenine.netfront.net 1287970350 52247 68.82.225.237 (25 Oct 2010 01:32:30
GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Mon, 25 Oct 2010 01:32:30 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
Xref: g2news1.google.com rec.radio.amateur.equipment:2284
rec.radio.amateur.misc:5499 rec.radio.shortwave:67881 rec.radio.swap:2710

This is a multi-part message in MIME format.

------=_NextPart_000_0072_01CB73C2.E5148CD0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

To see, click on link below.=20
Thanks!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D290492074434&ssPageN=
ame=3DSTRK:MESELX:IT
```

```
------=_NextPart_000_0072_01CB73C2.E5148CD0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META content=3D"text/html; charset=3Diso-8859-1" =
http-equiv=3DContent-Type>
<META name=3DGENERATOR content=3D"MSHTML 8.00.6001.18939">
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2 face=3DArial>To see, click on link below. =
</FONT></DIV>
<DIV><FONT size=3D2 face=3DArial>Thanks!</FONT></DIV>
<DIV><FONT size=3D2 face=3DArial></FONT>&nbsp;</DIV>
<DIV><FONT size=3D2 face=3DArial><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;item=3D29049207=
4434&amp;ssPageName=3DSTRK:MESELX:IT">http://cgi.ebay.com/ws/eBayISAPI.dl=
l?ViewItem&amp;item=3D290492074434&amp;ssPageName=3DSTRK:MESELX:IT</A></F=
ONT></DIV>
<DIV><FONT size=3D2 face=3DArial></FONT>&nbsp;</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_0072_01CB73C2.E5148CD0--


--- news://freenews.netfront.net/ - complaints: news@netfront.net ---


From -22586665554941524
X-Google-Thread: d7f5508063,342f84d95c6145cd,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j25g2000yqa.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT PHOTOS 2010
Date: Mon, 25 Oct 2010 02:55:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <cbae5868-1b48-4b94-9e15-7abf0fbcc22a@j25g2000yqa.googlegroups.com>
NNTP-Posting-Host: 117.199.240.11
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1288000540 3590 127.0.0.1 (25 Oct 2010 09:55:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 25 Oct 2010 09:55:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: j25g2000yqa.googlegroups.com; posting-host=117.199.240.11;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.11)
 Gecko/20101012 Firefox/3.6.11,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2285

    hot photos
http://photostou.blogspot.com/2010/09/bollywood-actress-photos-4.html



From -4690052795802180340
X-Google-Thread: 733d321764,8d1aade4da019fdf
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!post02.iad!
news.dslextreme.com!not-for-mail
Date: Mon, 25 Oct 2010 04:58:38 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.14) Gecko/20100930
SeaMonkey/2.0.9
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.s
wap
Subject: Re: FA: MINT, unused KENWOOD TS-2000
References: <ia2mne$1j0n$1@adenine.netfront.net>
In-Reply-To: <ia2mne$1j0n$1@adenine.netfront.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <4cc570c1$0$1399$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2286
rec.radio.amateur.misc:5500 rec.radio.shortwave:67908 rec.radio.swap:2711

Dave Edwards wrote:
> To see, click on link below.
> Thanks!
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=290492074434&ssPageName=STRK:MESELX:IT
> <http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=290492074434&ssPageName=STRK:MESELX:IT>

Why no photo of rear panel and serial number?



From 939977304144158254
X-Google-Thread: d7f5508063,c6cf7dc97aec51c4,start
X-Google-Attributes: gidd7f5508063,public,usenet
```

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
news.weisnix.org!newsfeed.ision.net!newsfeed2.easynews.net!ision!news.belwue.de!
news-zh.switch.ch!switch.ch!newsfeed01.chello.at!newsfeed01.sul.t-online.de!t-
online.de!news.mixmin.net!eweka.nl!hq-usenetpeers.eweka.nl!
border3.nntp.ams.giganews.com!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 26 Oct 2010 17:10:09 -0500
From: Funker <Funker.70d07e8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: PA-cover for Icom IC-726
Date: Tue, 26 Oct 2010 17:14:16 +0000
Message-ID: <Funker.70d07e8@radiobanter.com>
Organization: RadioBanter.com
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
v3tQuRQm0Ur21X03f81MUT9M+tqCTrBGvAuGn+6nsC4hcuB1kJI0h4KHHOrDLNddw15unigPMdfNxjZ!
T+pFewO8ykRfhJN8Z1WoJccny4yD4OtGFXQhsV/KeEuWhA3d6pv+MzIjohsJi55duwaSTGCoQiz0!8ezE
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 7
X-Original-Bytes: 1375
Xref: g2news1.google.com rec.radio.amateur.equipment:2287
```

Hi folks,
I looking for the PA-cover of the IC-726.   In the service manual the part ist shown on page 4-2, " PA unit and accessories" .   Label number 2, order number 8510005462 . Is anyone out there who stripped an old radio and save this tin. Several parts were missing after a long lasting repair proceeding. This is the last part I need for completing this radio.

radiolink(at)gmx.de   replace (at) against @
73
Wolfgang
DF6ZC

--
Funker

```
From 7006704252126374412
X-Google-Thread: 1077d8,4b00575426b8e96e,start
```

```
X-Google-NewGroupId: yes
X-Google-Thread: 108122,4b00575426b8e96e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid16c4b10b5d,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u17g2000yqi.googlegroups.com!not-for-
mail
From: xaingmei chen <chenxaing88@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: Dunk SB Man low,Dunk SB Women low,Dunk SB Man Mid,Dunke SB Man High
(http://www.cntrade09.com)
Date: Sat, 30 Oct 2010 02:26:05 -0700 (PDT)
Organization: http://groups.google.com
Lines: 39
Message-ID: <714f6914-4921-4686-8d18-62e86e660322@u17g2000yqi.googlegroups.com>
NNTP-Posting-Host: 112.111.172.118
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1288430765 11262 127.0.0.1 (30 Oct 2010 09:26:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 30 Oct 2010 09:26:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u17g2000yqi.googlegroups.com; posting-host=112.111.172.118;
posting-account=gQ_TEQoAAAAn7iMXIHtRJ1Bt_YC6yK30
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
 CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.pets.dogs.health:10993
rec.radio.amateur.equipment:2502
```

For more information,please contact karen,
MSN: cntrade088@hotmail.com

Minimum order is one,factory price also!Paypal payment free
shipping,ship time will take 4-7 working days.

wholesale Air max shoes: (http://
www.cntrade09.com)
max 87,max 90,max 95,max 97,max 2003,max 2004,max 2005,max 2006,max
180,max 360,TN1,TN2,
TN3,TN6,tn8,max ltdnike,Nike Air Max 92 Man,Nike Air Max 2006,Nike
Air
Max MAX TAILWIND,
Nike Air Max CLSSIC BW,Nike Air Max Skyline,Air Max 09,Air Max 87,Air
Max 89,Air Max 90,Air Max 91,Air Max 93,Air Max 95,Air Max 180,Air
Max
97,Air Max LTD,Air Max LTD2,Air Max STAB,Air Max TN1,Air Max TN8,Air
Max TN10,Air Structure Triax 91,Air max Tailwind 92,Air Huarache
Burst
93,Air Max 2010.

Nike Shox shoes: (http://
www.cntrade09.com)
shox,shox shoes,shox nz,shox oz,shox vc,shox MONSTER,shox TUROB,shox
R2,shox R3,shox R4,shox R5,shox tl,shox TL1,shox TL2,shox TL3,shox
TL4,shox TL5,Shox OZ,Shox R3+R4,Shox R4 2era,Shox RZ,Shox NZ,Shox R2
net,Shox R3,Shox R4,Shox R4 3era,Shox Rift,Shox R5,Shox Reverie,Shox
Torch,Shox TZ,Shox TZ 2era.

Dunk: (http://
www.cntrade09.com)
Dunk SB Man low,Dunk SB Women low,Dunk SB Man Mid,Dunke SB Man High

Nike RLFT: Nike RLFT Man,Nike RLFT Women,Nike RLFT Women and men

```
From -4373535857030172226
X-Google-Thread: 108122,44c8c911c4041100,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k22g2000yqh.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT photos SEE N ENJOY
Date: Sat, 30 Oct 2010 06:29:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <df74b7ef-65f3-4fb1-b56e-e48f275d891d@k22g2000yqh.googlegroups.com>
NNTP-Posting-Host: 117.199.247.61
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1288445366 8656 127.0.0.1 (30 Oct 2010 13:29:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 30 Oct 2010 13:29:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k22g2000yqh.googlegroups.com; posting-host=117.199.247.61;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2503
```

kissing photos
http://photostoyouth.blogspot.com/2010/10/kissing-photos.html
LIP KISS PHOTOS
http://photostoyouth.blogspot.com/2010/10/lip-kiss-photos.html
SEXY PHOTOS
http://photostoyouth.blogspot.com/2010/10/sexy-photos.html
ROMANTIC PHOTOS

http://photostoyouth.blogspot.com/2010/10/romantic-photos.html
MASALA PHOTOS
http://photostoyouth.blogspot.com/2010/10/masala-photos.html
MASALA BOOBS
http://photostoyouth.blogspot.com/2010/10/masala-boobs.html
MASALA KISS
http://photostoyouth.blogspot.com/2010/10/masala-kiss.html

```
From 5426773101420643840
X-Google-Thread: 108122,335ad542cd9efef1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin.stu.neva.ru!feeder.news-service.com!feeder.erje.net!
border3.nntp.ams.giganews.com!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 30 Oct 2010 17:10:07 -0500
From: Robert Keeler <Robert.Keeler.7124de8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: parts or repair needed 4 Motorola MVA
Date: Sat, 30 Oct 2010 17:10:21 +0000
Message-ID: <Robert.Keeler.7124de8@radiobanter.com>
Organization: RadioBanter.com
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
JmzsbF0kr6UZa31mqj8LNFWBXGv4KIFirxrcqNak2Z6T8VNpCADIeCvpI4X7losWe4yRlL5eJRhFVEC!
lfcc3WL/bMcMScRJU9O6jdbOtgGfne76+xseeQu1nKjSBZ+TODk41e4iz/Sdhnx9MTCrtRVBss1P!
fI4wzjF5A6HHIA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 7
X-Original-Bytes: 1376
Xref: g2news2.google.com rec.radio.amateur.equipment:2504
```

My MVA (Convert-A-Com) smoked the other day and now charging circut does not
work. Replaced some electrolitic capacitors and it worked for a day or so then
did the same thing. now the voltage reg. next to the capacitors blew up as well.
need someone who knows his stuff to find the heart of the problem (or find a new
circut board.) Help!

This MVA is the enhanced version for the 99 chan. MT1000

--
Robert Keeler

```
From -2725024486135577558
X-Google-Thread: a4a23d5f63,ae4e45ce9a7ead4c,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1285912800@panix.com>
Followup-To: poster
Date: 1 Nov 2010 02:00:01 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 04 Dec 2010 01:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1288591200@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1288591202 12597 166.84.1.2 (1 Nov 2010 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 1 Nov 2010 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:19149 rec.radio.amateur.dx:762
rec.radio.amateur.equipment:2291 rec.radio.amateur.homebrew:3898
rec.radio.amateur.misc:5516 rec.radio.amateur.policy:28850
rec.radio.amateur.space:398 rec.radio.info:1843

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html
```

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -7234699795097387608
X-Google-Thread: 108122,335ad542cd9efef1
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin.stu.neva.ru!border1.nntp.ams2.giganews.com!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 02 Nov 2010 18:10:07 -0500
```

From: Robert Keeler <Robert.Keeler.7165078@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: parts or repair needed 4 Motorola MVA
Date: Tue, 2 Nov 2010 21:21:26 +0000
Message-ID: <Robert.Keeler.7165078@radiobanter.com>
Organization: RadioBanter.com
References: <Robert.Keeler.7124de8@radiobanter.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-PPIHFUclWTQYusILpiEA6+W4CZu5r/
j5zamGl3is5mg6JGrmQFVaoi0qErDFCraOUC+LyKLu4FKFVNl!NLcfQ/
SRpYfM0AxNH5cbjn+JfHI3kYfQkbsNMRwXpbmgMe9/wpgvgifmw9hbve8+331LCkXCHMqM!
v3FDoK8DfOFKZw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 9
X-Original-Bytes: 1604
Xref: g2news1.google.com rec.radio.amateur.equipment:2292

Robert Keeler;721868 Wrote:
> My MVA (Convert-A-Com) smoked the other day and now charging circut does
> not
> work. Replaced some electrolitic capacitors and it worked for a day or
> so then
> did the same thing. now the voltage reg. next to the capacitors blew up
> as well.
> need someone who knows his stuff to find the heart of the problem (or
> find a new
> circut board.) Help!
>
> This MVA is the enhanced version for the 99 chan. MT1000

Hey I really need some HELP here!

--
Robert Keeler

From -1248938918507410285
X-Google-Thread: d7f5508063,a29c9e20fcba84bc,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s4g2000yql.googlegroups.com!not-for-mail
From: tejaswini <teju9030@gmail.com>

```
Newsgroups: rec.radio.amateur.equipment
Subject: NEW HOT PHOTOS
Date: Tue, 2 Nov 2010 23:59:23 -0700 (PDT)
Organization: http://groups.google.com
Lines: 30
Message-ID: <242dd117-16a8-492c-bf39-7f4b2999bc9f@s4g2000yql.googlegroups.com>
NNTP-Posting-Host: 117.199.249.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1288767563 25075 127.0.0.1 (3 Nov 2010 06:59:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Nov 2010 06:59:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s4g2000yql.googlegroups.com; posting-host=117.199.249.227;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2507

               FOR SAVE WATER AND CHILD PROTECTION
                      http://savewaterinworld.blogspot.com/

                    SEXY COLLEGE GIRLS
http://babes-devi.blogspot.com/2010/11/sexy-college-girls.html
                           PRANEEHA HOT PICS
http://babes-devi.blogspot.com/2010/11/praneetha-latest-pics.html
              AISHWARIYA LATEST HOT PICS
http://babes-devi.blogspot.com/2010/10/aish-latest-pics.html
                SOUTHACTRESS IN A SEXY TOWELS
http://babes-devi.blogspot.com/2010/10/south-actress-in-sexy-towels.html
                UDAYATHRA IN A BATH ROOM
http://babes-devi.blogspot.com/2010/10/udayatara-in-bath.html
                ACTRESS IN A HOT RED DRESS
http://babes-devi.blogspot.com/2010/10/actress-in-sexy-red-dress.html
                 ASIN CUTE HOT PHOTOS
http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html
                SEXY CHARMI IN A BATH
http://babes-devi.blogspot.com/2010/06/charmi-in-bath.html
                FOR HOT PHOTOS&VIDEOS
http://babes-devi.blogspot.com/2010_06_01_archive.html
                 HOT SEXY BOOBS  SHOW
http://babes-devi.blogspot.com/2010/09/sexy-boobs.html
                 ASIN CUTE HOT PHOTOS
http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html
        MALLIKA SHARAWAT UNBELIVABLE PHOTOS
http://babes-devi.blogspot.com/2010/08/sexy-mallika.html
             ANKHITA SPICY PHOTOS
http://babes-devi.blogspot.com/2010/08/sexy-ankhitha.html



From 2810632694907922744
```

```
X-Google-Thread: 108122,aac4a551eedf27d9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!newsswitch.lcs.mit.edu!xmission!weretis.net!
feeder3.news.weretis.net!news.qymp.de!news.musoftware.de!wum.musoftware.de!
news.mind.de!news.cs.uni-magdeburg.de!news.uni-stuttgart.de!news.belwue.de!news-
zh.switch.ch!switch.ch!newsfeed01.chello.at!newsfeed01.sul.t-online.de!t-
online.de!goblin2!goblin.stu.neva.ru!feeder2.ecngs.de!ecngs!feeder.ecngs.de!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 03 Nov 2010 06:10:12 -0500
From: john abraham <john.abraham.716f938@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hi
Date: Wed, 3 Nov 2010 05:47:43 +0000
Message-ID: <john.abraham.716f938@radiobanter.com>
Organization: RadioBanter.com
Lines: 7
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-ashwCNBDCLQk6k09wDCWN/R/
dnw8TafxLcuaChatHSXITEAXhHleEUd9wtGJozirTp6327ASrcJ2aW9!
4pTcJB6IsxVOw4HTewcaIw2zGBSAWHLObgUX19hOkOP8o1auu0wSZ45k6vlKWL2bmhYsFVDaucoS!
Xo6h7OeRjFJt
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 945
Xref: g2news1.google.com rec.radio.amateur.equipment:2294


thanks a lot....





--
john abraham


From 4564970152777195199
X-Google-Thread: 108122,8d780fb4ed586936,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x42g2000yqx.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: HOT SEX SELECTED VIDEOS
Date: Wed, 3 Nov 2010 07:02:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 52
Message-ID: <80d8c86c-0619-4e27-a000-b794408a46fe@x42g2000yqx.googlegroups.com>
NNTP-Posting-Host: 117.199.250.205
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1288792964 28450 127.0.0.1 (3 Nov 2010 14:02:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Nov 2010 14:02:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x42g2000yqx.googlegroups.com; posting-host=117.199.250.205;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2509
```

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

hot photos
http://photostou.blogspot.com/2010/09/bollywood-actress-photos-4.html

```
From 255263789163092502
X-Google-Thread: 108122,252ed46083e54203,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!feeder.erje.net!
news.mixmin.net!news.newsland.it!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
Subject: AVO transistor tester manual
Date: Wed, 3 Nov 2010 21:22:44 +0100
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="Windows-1252";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
Lines: 7
Message-ID: <4cd1c487$0$27972$4fafbaef@reader5.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 82.55.0.218
X-Trace: 1288815751 reader5.news.tin.it 27972 82.55.0.218:3483
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news2.google.com rec.radio.amateur.equipment:2510
```

Would any one be so kind to send me a scan of the AVO Transistor Tester Mark II manual?

Thanks and regards.

Tony, Rome Italy

From -7360234724758359709
X-Google-Thread: 108122,7bd3a7efc0ff2329,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Nov 2010 06:18:04 -0500
Date: Fri, 05 Nov 2010 11:18:04 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.12) Gecko/
20101027 Thunderbird/3.1.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Coax Jumpers
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <WrKdna9gJ5lxek7RnZ2dnUVZ_rcAAAAA@bright.net>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-
YqI0H2ErSOjMVFltkdMZqFqRoxkZds58rooTb2hopOV8DHaYJ5+8ZwD2uLSKTZbSYngMrI2oVMLvGZ3!F/
tcYuM1XFKKF0B2lWS7RmrPLL/LhlZmmmI++jmuf4QlPwUgq6eff2YN5MOx4S47fZNraF57wbGr!
o61D6U7EBw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1341
Xref: g2news1.google.com rec.radio.amateur.equipment:2297

Looking for about 20 Teflon type coax jumpers (RG-142 size coax or similar). Need N-Female chassis mount on one end. Remaining end can be any connector as I cut them off and solder direct to circuit board. Jumpers need to be about 16" long or so. Emailed Hangar 18 surplus with no reply.

Scott
N0EDV

```
From 8585828276714165131
X-Google-Thread: d7f5508063,7bd3a7efc0ff2329
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Fri, 05 Nov 2010 04:49:38 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Coax Jumpers
References: <WrKdna9gJ5lxek7RnZ2dnUVZ_rcAAAAA@bright.net>
In-Reply-To: <WrKdna9gJ5lxek7RnZ2dnUVZ_rcAAAAA@bright.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <4cd3ef1c$0$5484$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2512

Scott wrote:
> Looking for about 20 Teflon type coax jumpers (RG-142 size coax or
> similar). Need N-Female chassis mount on one end. Remaining end can be
> any connector as I cut them off and solder direct to circuit board.
> Jumpers need to be about 16" long or so. Emailed Hangar 18 surplus with
> no reply.
>
> Scott
> N0EDV

There are places in The Valley that do this sort of thing.


From -3353374632294045279
X-Google-Thread: 108122,15d6b5073425a2cc,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Nov 2010 07:02:30 -0500
Reply-To: "radioguy" <radioguy88@earthlink.net>
From: "radioguy" <radioguy88@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: TERK FM-50 Indoor/Outdoor amplified antenna
Date: Fri, 5 Nov 2010 05:54:02 -0600
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <I6udnRSdHtjKb07RnZ2dnUVZ_uWdnZ2d@earthlink.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.230.0.161
X-Trace: sv3-qa6nJwSKnaBW0EMCsYxtercWC3hBbWqMK8df3y/86NHvOegyU/
Yl1C6W6T82EuURtv+PLIbyZrKpPT7!
dzGqJ8rdyNB2TPYfW6fT2lZ2thwcmD1mBupojDAmdsojfYVt7NFWQb0IkMA3QHNTrSxEvjPfCXJz!
J6iK2onlgA0ZzhpeeJUd5jruwGEktRWHzA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1598
Xref: g2news1.google.com rec.radio.amateur.equipment:2299

Come see this Terk FM-50 dual drive amplified antenna made by Audiovox that
vastly improves your FM radio reception by an 11 dB gain, can be mounted
just about anywhere indoors or out plus comes with complete setup
instructions and has an opening bid that is 33% off or buy it now for 26%
off. The item is at the link below and the auction will end this coming
Sunday, November 7th at 5:49 PM central. Thanks for looking!

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=110605886685&ssPageName=STRK:MESELX:IT

From 4030032272597002281
X-Google-Thread: 108122,7bd3a7efc0ff2329
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Nov 2010 16:32:22 -0500
Date: Fri, 05 Nov 2010 21:32:22 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.12) Gecko/
20101027 Thunderbird/3.1.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Coax Jumpers
References: <WrKdna9gJ5lxek7RnZ2dnUVZ_rcAAAAA@bright.net>
<4cd3ef1c$0$5484$bd467cd0@news.dslextreme.com>
In-Reply-To: <4cd3ef1c$0$5484$bd467cd0@news.dslextreme.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ntWdnR6ucPx76knRnZ2dnUVZ_gydnZ2d@bright.net>

Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-
GPnWNjJ6XPgLIixQajeVyvr6CCgYgoNgEY3pAAtkUFYbPN917LB3UvpekviQlIPbsoAFKM3KHiOscWU!
QMNVhXMikoLu6eYe6F75wJ0WeJtTblItuIMa2iuOVmyDvzXM0ezoKFIMKkGXfMKL293NzWV0/ptG!
KZc7OPmPPA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1806
Xref: g2news2.google.com rec.radio.amateur.equipment:2514

On 11-5-2010 12:49, dave wrote:
> Scott wrote:
>> Looking for about 20 Teflon type coax jumpers (RG-142 size coax or
>> similar). Need N-Female chassis mount on one end. Remaining end can be
>> any connector as I cut them off and solder direct to circuit board.
>> Jumpers need to be about 16" long or so. Emailed Hangar 18 surplus with
>> no reply.
>>
>> Scott
>> N0EDV
>
> There are places in The Valley that do this sort of thing.

Which valley? I live in Cook's Valley, but I'd be the only one doing
that sort of thing here and I'm not doing it so it must be a different
valley. ;)

From -464582891929999092
X-Google-Thread: 108122,7bd3a7efc0ff2329
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Fri, 05 Nov 2010 15:14:13 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Coax Jumpers
References: <WrKdna9gJ5lxek7RnZ2dnUVZ_rcAAAAA@bright.net>
<4cd3ef1c$0$5484$bd467cd0@news.dslextreme.com>
<ntWdnR6ucPx76knRnZ2dnUVZ_gydnZ2d@bright.net>
In-Reply-To: <ntWdnR6ucPx76knRnZ2dnUVZ_gydnZ2d@bright.net>

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <4cd4817f$0$5510$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2301

Scott wrote:
> On 11-5-2010 12:49, dave wrote:
>> Scott wrote:
>>> Looking for about 20 Teflon type coax jumpers (RG-142 size coax or
>>> similar). Need N-Female chassis mount on one end. Remaining end can be
>>> any connector as I cut them off and solder direct to circuit board.
>>> Jumpers need to be about 16" long or so. Emailed Hangar 18 surplus with
>>> no reply.
>>>
>>> Scott
>>> N0EDV
>>
>> There are places in The Valley that do this sort of thing.
>
> Which valley? I live in Cook's Valley, but I'd be the only one doing
> that sort of thing here and I'm not doing it so it must be a different
> valley. ;)
>
>
http://www.google.com/search?
hl=en&source=hp&q=n+bulkhead+pigtail&aq=f&aqi=&aql=&oq=&gs_rfai=Ce6Juv4DUTPmHM6W4i
wP7n8XjDwAAAKoEBU_QbrPc



From -5372452273600376268
X-Google-Thread: d7f5508063,72de8bff83fd5dcf,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe10.iad.POSTED!00000000!not-for-mail
From: "Barry" <none@nospam.org>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Followup-To: rec.radio.amateur.antenna
Subject: Glen Martin Engineering = Rooftop Towers
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
X-RFC2646: Format=Flowed; Original
Message-ID: <L_3Bo.6711$xb.4221@newsfe10.iad>
NNTP-Posting-Host: jnibogphckphemgkaajpdmbfnhieifmf
```

X-Complaints-To: abuse@charter.net
X-Trace:
cfhfcfpbaidndihbhajekhgjjdgmjengbkpbhlciecbdlnpejnibogphckphemgkjaochjlpkkofelhcib
ncpdamnmfiokpdbifljpcmhoacopppdaognaiimcmnhdcnchpfalgfbjoakmml
NNTP-Posting-Date: Sat, 06 Nov 2010 03:31:55 UTC
Date: Fri, 5 Nov 2010 23:31:58 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:21051
rec.radio.amateur.equipment:2516

The addition of a new metal roof to my home has prompted my interest in a small rooftop tower. I am considering the Glen Martin Engineering 4.5- and 8-foot aluminum towers. However, in doing some research on the company, I have read many reviews (particularly on eHam.net) where people brought up shoddy workmanship such as misdrilled holes, double-punched slots, burrs, incorrect documentation, missing parts, etc. Many complaints were about shipping too. However there also were several people well-satisfied with their products.

Because of this, I decided to check with the Better Business Bureau of Boonville, MO, where the company is located. They have a B+ rating, and the judging criteria of the BBB tends to give the company an overly positive rating in my opinion. Interestingly, SalaryList.com gives the fall 2006 salaries of design engineers at Glen Martin to be $41K and that of a project manager to be $32K. The average salary for the county at that time was $26.4K. I consider these to be rather low. I have not seen any ads by the company in QST recently either, and the League has stringent standards for any company advertising in a League publication.

None of this gives me a "warm fuzzy feeling" about the company and its products, but I am willing to keep an open mind. I would therefore appreciate any readers of these newsgroups posting their experiences with the company and its products.

My application, by the way, is to support a 43-foot vertical and small Yagi's for 6- and 2-meter SSB.

--
73, Dr. Barry L. Ornitz WA4VZQ
wa4vzq@live.com

From -7757621425509110794
X-Google-Thread: 108122,4980535351e57520,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o11g2000prf.googlegroups.com!not-for-mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: XXX HOT PHOTOS&VIDEOS

```
Date: Sat, 6 Nov 2010 03:33:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 28
Message-ID: <8d9f2543-4448-4e22-9d92-219b3714f754@o11g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.244.223
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1289039638 25171 127.0.0.1 (6 Nov 2010 10:33:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 Nov 2010 10:33:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o11g2000prf.googlegroups.com; posting-host=117.199.244.223;
posting-account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2303

     FOR SAVE WATER AND CHILD PROTECTION
                 http://savewaterinworld.blogspot.com



                          HOT COUPLE ROMANCE
http://babes-devi.blogspot.com/2010/11/couples-in-romance.html
                           PRANEEHA HOT PICS
http://babes-devi.blogspot.com/2010/11/praneetha-latest-pics.html
              AISHWARIYA LATEST HOT PICS
http://babes-devi.blogspot.com/2010/10/aish-latest-pics.html
                SOUTHACTRESS IN A SEXY TOWELS
http://babes-devi.blogspot.com/2010/10/south-actress-in-sexy-towels.html
                UDAYATHRA IN A BATH ROOM
http://babes-devi.blogspot.com/2010/10/udayatara-in-bath.html
                ACTRESS IN A HOT RED DRESS
http://babes-devi.blogspot.com/2010/10/actress-in-sexy-red-dress.html
                 ASIN CUTE HOT PHOTOS
http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html
                SEXY CHARMI IN A BATH
http://babes-devi.blogspot.com/2010/06/charmi-in-bath.html
                FOR HOT PHOTOS&VIDEOS
http://babes-devi.blogspot.com/2010_06_01_archive.html
                 HOT SEXY BOOBS  SHOW
http://babes-devi.blogspot.com/2010/09/sexy-boobs.html
                 ASIN CUTE HOT PHOTOS
http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html
             ANKHITA SPICY PHOTOS
http://babes-devi.blogspot.com/2010/08/sexy-ankhitha.html


From 8672666321147460209
X-Google-Thread: d7f5508063,7bd3a7efc0ff2329
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <knock_yourself_out@example.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Coax Jumpers
Date: 6 Nov 2010 12:47:48 GMT
Lines: 23
Message-ID: <slrnidajjk.1jjs.knock_yourself_out@shell.config.com>
References: <WrKdna9gJ5lxek7RnZ2dnUVZ_rcAAAAA@bright.net>
 <4cd3ef1c$0$5484$bd467cd0@news.dslextreme.com>
 <ntWdnR6ucPx76knRnZ2dnUVZ_gydnZ2d@bright.net>
Reply-To: If you must, <Reply_to@my.sig.adr>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net EQDpH8QprYD4vejdhVg/igoLg2DOY+xs1xPKzO033oBTSqTFZz
Cancel-Lock: sha1:6GG0kSsU2/Ub61HFB3mkPi1k+PY=
User-Agent: slrn/0.9.9p1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:2518

On Fri, 05 Nov 2010 21:32:22 +0000, Scott wrote:
> On 11-5-2010 12:49, dave wrote:
>> Scott wrote:
>>> Looking for about 20 Teflon type coax jumpers (RG-142 size coax or
>>> similar). Need N-Female chassis mount on one end. Remaining end can be
>>> any connector as I cut them off and solder direct to circuit board.
>>> Jumpers need to be about 16" long or so. Emailed Hangar 18 surplus with
>>> no reply.
>>
>> There are places in The Valley that do this sort of thing.
>
> Which valley?  I live in Cook's Valley, but I'd be the only one doing
> that sort of thing here and I'm not doing it so it must be a different
> valley. ;)

Why, VP2E/ , of course.    http://tinyurl.com/2vcwvtc

73
Jonesy
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    * Killfiling google & XXXXbanter.com: jonz.net/ng.htm


From 789064797634035150
X-Google-Thread: a4a23d5f63,3cd6f9021a931733,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
```

From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1286431501@panix.com>
Followup-To: poster
Date: 7 Nov 2010 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Dec 2010 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1289113501@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1289113504 9826 166.84.1.2 (7 Nov 2010 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Nov 2010 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:21073 rec.radio.amateur.dx:817
rec.radio.amateur.equipment:2519 rec.radio.amateur.homebrew:4207
rec.radio.amateur.misc:5794 rec.radio.amateur.policy:31932 rec.radio.info:1941

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

```
 rec.radio.amateur.antenna                                                |
 rec.radio.amateur.boatanchors                                            |
 rec.radio.amateur.dx                                                     |
 rec.radio.amateur.equipment                                              |
 rec.radio.amateur.homebrew                                               |
 rec.radio.amateur.moderated                                              |
 rec.radio.amateur.space                                                  |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -8834865758135826251
X-Google-Thread: 107ada,90a5e7daeaae05ed,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,90a5e7daeaae05ed,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,90a5e7daeaae05ed,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,90a5e7daeaae05ed,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1286431801@panix.com>
Followup-To: poster
Date: 7 Nov 2010 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Dec 2010 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1289113800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
```

NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1289113801 722 166.84.1.2 (7 Nov 2010 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Nov 2010 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:5795 rec.radio.amateur.equipment:2520 rec.radio.swap:3161 rec.radio.info:1942

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 7049606412324390408
X-Google-Thread: d7f5508063,a540f667dc264d95,start

```
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!newsswitch.lcs.mit.edu!newsfeed.berkeley.edu!
ucberkeley!news.tele.dk!feed118.news.tele.dk!news.tele.dk!small.news.tele.dk!
colt.net!feeder.news-service.com!ecngs!feeder.ecngs.de!Xl.tags.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 Nov 2010 05:10:03 -0600
From: MrRas <MrRas.71c3f38@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Power Supply?
Date: Sun, 7 Nov 2010 08:06:33 +0000
Message-ID: <MrRas.71c3f38@radiobanter.com>
Organization: RadioBanter.com
Lines: 28
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-lgvgIy0jRvMLbYvlC9YQ+XtH/321n513nV7/
fjXdQAlQ2HvwPC6PJ9BeGvtLaLnetw1R6I4wgN0RZHJ!cOy/
Hg76fxURHzs2bARrkNpTF4slVmO8Gs95X3ukwR5QSRvq9qDZee1kaSeZjcADEkAOfrXrx+Pc!ojg=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 9
X-Original-Bytes: 1980
Xref: g2news1.google.com rec.radio.amateur.equipment:2307
```

Hi all,

I've decided to do something that I've wanted to do for a long time, and that is to get my ham license. I've got the book and I'm reading up. I'm signed up for a test in December. I'm pretty excited. But I've been looking around just "window shopping" for components to build a radio in the coming months. I have a probably really basic question. How do you power the radio itself? I have a scanner, and I know that it came with a wallplug, but when I'm looking around at radios I don't see any mention of this.

example; I look at a radio and it says "power; supplied DC power adapter 13.8v" or something to that effect.

How do I run this thing indoors? I don't want to run this in my car. I know it can be done, but how? I'm just not sure of the name of the thing that lets me go from wall plug --> radio. Once I get that, I'll be good. I've searched sites like radioshack for things like "power adapter" "radio power supply" to no avail. I live in a place with out many shops so my main shopping will be done online unfortunately.

Thanks for any help.

```
--
MrRas


From -6137883733285781722
X-Google-Thread: d7f5508063,a540f667dc264d95
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Sun, 07 Nov 2010 05:30:58 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power Supply?
References: <MrRas.71c3f38@radiobanter.com>
In-Reply-To: <MrRas.71c3f38@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 31
Message-ID: <4cd69bcb$0$5516$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2522

MrRas wrote:
> Hi all,
>
> I've decided to do something that I've wanted to do for a long time, and
> that is to get my ham license. I've got the book and I'm reading up. I'm
> signed up for a test in December. I'm pretty excited. But I've been
> looking around just "window shopping" for components to build a radio in
> the coming months. I have a probably really basic question. How do you
> power the radio itself? I have a scanner, and I know that it came with a
> wallplug, but when I'm looking around at radios I don't see any mention
> of this.
>
> example; I look at a radio and it says "power; supplied DC power adapter
> 13.8v" or something to that effect.
>
> How do I run this thing indoors? I don't want to run this in my car. I
> know it can be done, but how? I'm just not sure of the name of the thing
> that lets me go from wall plug -->  radio. Once I get that, I'll be good.
> I've searched sites like radioshack for things like "power adapter"
> "radio power supply" to no avail. I live in a place with out many shops
```

> so my main shopping will be done online unfortunately.
>
> Thanks for any help.
>
You'll probably want a "switch mode" supply, as they are way lighter and
more efficient. Get one built for amateur radio, as they don't make HF
noise.

http://www.repeater-builder.com/astron/astron-index.html

From -4732930949577912673
X-Google-Thread: fcc6e,3cd6f9021a931733
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,3cd6f9021a931733
X-Google-NewGroupId: yes
X-Google-Thread: 108122,3cd6f9021a931733
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,3cd6f9021a931733
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gide721ae2bf6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe22.iad.POSTED!a2db6bf5!not-for-mail
From: "kb9rqz" <mmpunce69@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.policy
Followup-To: rec.radio.amateur.equipment
References: <radio/ham-radio/recruitment-1-1289113501@panix.com>
Subject: Re: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Lines: 68
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Original
Message-ID: <CUyBo.16671$NM2.9571@newsfe22.iad>
X-Complaints-To: abuse@WWWSpace.NET
NNTP-Posting-Date: Sun, 07 Nov 2010 14:41:38 UTC
Date: Sun, 7 Nov 2010 09:41:11 -0500
Xref: g2news2.google.com rec.radio.amateur.antenna:21077 rec.radio.amateur.dx:819
rec.radio.amateur.equipment:2523 rec.radio.amateur.policy:31933

"rec.radio.info Admin" <rram@panix.com> wrote in message
news:radio/ham-radio/recruitment-1-1289113501@panix.com...
> Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
> Archive-name: radio/ham-radio/recruitment

> Revision: 1.2 2009/11/25 14:41:01
> Posting-Frequency: posted monthly
> URL: http://www.faqs.org/faqs/radio/personal-intro/
>
> Changes followed by "|".
>
> The rec.radio.info newsgroup, first established in 1993, has been
> recently revived by an active moderation team. We are currently seeking
> suitable information, FAQ, and bulletin articles from the entire
> rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our
> newsgroup.
>
> We are seeking a replacement maintainer for the following information
> bulletin formerly posted to rec.radio.amateur.* (and currently archived
> at http://www.faqs.org/faqs/radio/personal-intro/):
>
> radio/personal-intro
> Subject: Guide to the rec.radio Newsgroups
> Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
> Last Posted: 9 Nov 2001 06:18:17 GMT
> Posting-Frequency: 15th of each month
>
> One significant omission, requiring immediate updates, for this article
> |
> is that it does not mention newer amateur radio newsgroups created since
> |
> it was written, including:
> |
>
> rec.radio.amateur.antenna
> |
> rec.radio.amateur.boatanchors
> |
> rec.radio.amateur.dx
> |
> rec.radio.amateur.equipment
> |
> rec.radio.amateur.homebrew
> |
> rec.radio.amateur.moderated
> |
> rec.radio.amateur.space
> |
>
> We are willing to provide any technical support necessary to get this
> article updated and automatically posted again at a regular interval.
> This would include establishing contact with the original maintainer for
> any necessary permissions. We would prefer to seek a new, dedicated
> maintainer at this time, rather than start auto-posting the original
> article ourselves.
>
> For more information about our newsgroup, see:
>

```
> http://www.panix.com/~rram/usenet/rri/index.html
>
> Please direct any comments, questions, or criticisms to
> rec-radio-info-request@panix.com.
>
>
>
He wonder why i simple.




From -1665968342949878O5
X-Google-Thread: d7f5508063,a540f667dc264d95
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-01.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <jferrell13@triad.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power Supply?
Message-ID: <fkgdd6hrf1hfggil4b7rgockrie3h8083d@4ax.com>
References: <MrRas.71c3f38@radiobanter.com>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 41
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 07 Nov 2010 10:20:00 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2310

On Sun, 7 Nov 2010 08:06:33 +0000, MrRas
<MrRas.71c3f38@radiobanter.com> wrote:

>
>Hi all,
>
>I've decided to do something that I've wanted to do for a long time, and
>that is to get my ham license. I've got the book and I'm reading up. I'm
>signed up for a test in December. I'm pretty excited. But I've been
>looking around just "window shopping" for components to build a radio in
>the coming months. I have a probably really basic question. How do you
>power the radio itself? I have a scanner, and I know that it came with a
>wallplug, but when I'm looking around at radios I don't see any mention
>of this.
>
>example; I look at a radio and it says "power; supplied DC power adapter
```

>13.8v" or something to that effect.
>
>How do I run this thing indoors? I don't want to run this in my car. I
>know it can be done, but how? I'm just not sure of the name of the thing
>that lets me go from wall plug --> radio. Once I get that, I'll be good.
>I've searched sites like radioshack for things like "power adapter"
>"radio power supply" to no avail. I live in a place with out many shops
>so my main shopping will be done online unfortunately.
>
>Thanks for any help.

Start with these folks.

http://www.mfjenterprises.com/

There are a few Hams that bad mouth MFJ (Mighty Fine Junk) but I have
been dealing with them for a long time and have never regreted a
purchase.

Acquire a recent copy of the ARRL Handbook (last five - ten years) and
use it as a reference.

Good luck with the test and I hope to meet you on the air!

John Ferrell W8CCW

From 5781703690774731077
X-Google-Thread: 108122,a540f667dc264d95
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 Nov 2010 09:55:07 -0600
Date: Sun, 07 Nov 2010 15:55:05 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.2.12) Gecko/
20101027 Thunderbird/3.1.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power Supply?
References: <MrRas.71c3f38@radiobanter.com>
In-Reply-To: <MrRas.71c3f38@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <c_edncJ8UYVGVkvRnZ2dnUVZ_tudnZ2d@bright.net>
Lines: 42
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-QQaOLEmiujXpHAyKDCNp8TdPRvbw8ssphDzTAbPj5gqkSBd8m2/
C1sj+mYSOfhfiyu9XzhK8pLbryJ0!

YaTqtLRTWIpNs4PQJEwSbpe3b1wbNAeBpTCZfj8vcWHZhmNE11CGyjRoQ4Y9+OO5UI50S0iVLxTj!
TES9TI2P6g==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 3136
Xref: g2news1.google.com rec.radio.amateur.equipment:2311

On 11-7-2010 08:06, MrRas wrote:
> Hi all,
>
> I've decided to do something that I've wanted to do for a long time, and
> that is to get my ham license. I've got the book and I'm reading up. I'm
> signed up for a test in December. I'm pretty excited. But I've been
> looking around just "window shopping" for components to build a radio in
> the coming months. I have a probably really basic question. How do you
> power the radio itself? I have a scanner, and I know that it came with a
> wallplug, but when I'm looking around at radios I don't see any mention
> of this.
>
> example; I look at a radio and it says "power; supplied DC power adapter
> 13.8v" or something to that effect.
>
> How do I run this thing indoors? I don't want to run this in my car. I
> know it can be done, but how? I'm just not sure of the name of the thing
> that lets me go from wall plug --> radio. Once I get that, I'll be good.
> I've searched sites like radioshack for things like "power adapter"
> "radio power supply" to no avail. I live in a place with out many shops
> so my main shopping will be done online unfortunately.
>
> Thanks for any help.
>
>
>
>

What you are looking for is simply called a "Power Supply". I converts the AC from the wall to DC...most commonly to 13VDC (often just called a 12 Volt Power Supply). You will need one appropriate to the radio you will be using as far as current capability. If you are going to be powering a modern solid state HF radio that puts out up to about 100 Watts, you should get a supply that can put out about 20 or 25 Amps. Is is always OK to get one that can put out more current such as 37 Amps or 50 Amps, etc. than you need at present. It is nice to go "oversize" right off the bat if cost is not a concern. As you add equipment (more radios, amplifiers, etc.) you will require a power supply that can supply all of the currents for each piece of equipment hooked up to the power supply added together.

Scott
N0EDV

```
From 4418244973794555321
X-Google-Thread: d7f5508063,a540f667dc264d95
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 Nov 2010 10:00:48 -0600
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <MrRas.71c3f38@radiobanter.com>
Subject: Re: Power Supply?
Date: Sun, 7 Nov 2010 11:00:37 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <XaidnYQni9utUEvRnZ2dnUVZ_oydnZ2d@earthlink.com>
Lines: 60
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.116
X-Trace: sv3-3ffA+EACWXIbYtaUpLtTobDbfAX9rfmnqsAbYUZUE++qgSw5FfDbdGl/
EpmmvvzI46aX22usmh9SAot!N38FwvtY+VP0Su2YIrhmgfu2wfdyd5El4PZDwvVkbyFnDyerIof/
khujozRwBZgv2fggJEnv//2R!GxSsYt6NLWvrq/mykiBYrM1hrECTn5bCPcA5058m
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 3998
Xref: g2news2.google.com rec.radio.amateur.equipment:2526
```

"MrRas" <MrRas.71c3f38@radiobanter.com> wrote in message
news:MrRas.71c3f38@radiobanter.com...

> Hi all,
>
> I've decided to do something that I've wanted to do for a long time, and that is to get my ham license. I've got the book and I'm reading up. I'm signed up for a test in December. I'm pretty excited. But I've been looking around just "window shopping" for components to build a radio in the coming months. I have a probably really basic question. How do you power the radio itself? I have a scanner, and I know that it came with a wallplug, but when I'm looking around at radios I don't see any mention of this.
>
> example; I look at a radio and it says "power; supplied DC power adapter 13.8v" or something to that effect.
>
> How do I run this thing indoors? I don't want to run this in my car. I know it can be done, but how? I'm just not sure of the name of the thing

> that lets me go from wall plug --> radio. Once I get that, I'll be good.
> I've searched sites like radioshack for things like "power adapter"
> "radio power supply" to no avail. I live in a place with out many shops
> so my main shopping will be done online unfortunately.
>
> Thanks for any help.

Most transceivers now do not have built in power supplies. They are designed to operate on what most people just say 12 volts. This is just a nominal value. They are really made to operate best around 13.8 volts. That is the nominal value a car electrical system has when the motor is running.

It depends on how much power the transceiver you want to get as to the power supply you will need. The Astron brand is good. I have a 50 amp supply I have used for 15 years without any problems. It is the analog type and not the switching kind. The basic design goes way back over 30 years. Very simple and almost fool proof.   For most people I think a 35 amp supply is the best for the money. It will power most of the so called 100 watt output transceivers. That 35 amps is the most it can supply. You can always use devices that pull less current. Just like a 120 volt socket in your house. It does not mater what you plug into the 120 volt socket, the device will only take wht current it needs if it is rated for 120 volts. You only get into trouble if you have several devices that take more current.   With my 50 amp supply I have several transceivers hooked up to it that draw a lot of current on transmitt. As long as I only transmitt with one at a time, it will handle the currrent just fine.

Here is a link to the Astron site.

http://www.astroncorp.com/showpage.asp?p=2

I like the RS-A series. The RS-35A is what I would recommend to most new hams.

I guess that you know you can go to www.qrz.com and take some practice tests. When you get to the 90% mark you should be ready for the real test.

From 4365380177570740761
X-Google-Thread: 108122,a540f667dc264d95
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Sun, 07 Nov 2010 11:54:11 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027

```
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power Supply?
References: <MrRas.71c3f38@radiobanter.com>
<XaidnYQni9utUEvRnZ2dnUVZ_oydnZ2d@earthlink.com>
In-Reply-To: <XaidnYQni9utUEvRnZ2dnUVZ_oydnZ2d@earthlink.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <4cd6f59c$0$5548$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2527
```

Ralph Mowery wrote:

>
> I guess that you know you can go to www.qrz.com and take some practice
> tests. When you get to the 90% mark you should be ready for the real test.
>
>
>

I used these an Gordon West's Extra book to go from no license to
Amateur Extra in 5 weeks. Of course when I took my Extra test at Grumman
their were 12 year old Asian middle-schoolers getting theirs.

I didn't look for a VE until I was at 100% on 3 consecutive tries on the
practice exams. The FCC tests are easier than the practice exams.

```
From 6149165896334130144
X-Google-Thread: 108122,a540f667dc264d95
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!post01.iad!
news.dslextreme.com!not-for-mail
Date: Sun, 07 Nov 2010 12:39:10 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power Supply?
References: <MrRas.71c3f38@radiobanter.com>
<XaidnYQni9utUEvRnZ2dnUVZ_oydnZ2d@earthlink.com>
<4cd6f59c$0$5548$bd467cd0@news.dslextreme.com>
In-Reply-To: <4cd6f59c$0$5548$bd467cd0@news.dslextreme.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

```
Lines: 19
Message-ID: <4cd70027$0$5536$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2314

dave wrote:
> Ralph Mowery wrote:
>
>>
>> I guess that you know you can go to www.qrz.com and take some practice
>> tests. When you get to the 90% mark you should be ready for the real
>> test.
>>
>>
>>
>
> I used these an Gordon West's Extra book to go from no license to
> Amateur Extra in 5 weeks. Of course when I took my Extra test at Grumman
> their were 12 year old Asian middle-schoolers getting theirs.
>
> I didn't look for a VE until I was at 100% on 3 consecutive tries on the
> practice exams. The FCC tests are easier than the practice exams.

there?



From 9195290141066774853
X-Google-Thread: 108122,a540f667dc264d95
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 Nov 2010 13:55:39 -0600
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <MrRas.71c3f38@radiobanter.com>
<XaidnYQni9utUEvRnZ2dnUVZ_oydnZ2d@earthlink.com>
<4cd6f59c$0$5548$bd467cd0@news.dslextreme.com>
Subject: Re: Power Supply?
Date: Sun, 7 Nov 2010 14:55:28 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <9-edncaeAZ-mmUrRnZ2dnUVZ_jmdnZ2d@earthlink.com>
Lines: 29
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.148.196.116
X-Trace: sv3-PBC/7lk/YYvtxfMtLxJKYlLsbxECvmTikDd/rkONfe3iG+jCc1k4tJ/
```

oOS7i2EYbPImVg0z9jdjusdJ!
zE4lTT7Azb+hC2T+xJQWfNaVLbSqDc41S+B76KT3UTlaQovKrUuwujT8j3Xnx5iw0SwIdA0nYGdt!
2km4YMzEhJfPxX2UlUFh13+h3nGwDzlyUpywF8j3
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2725
Xref: g2news1.google.com rec.radio.amateur.equipment:2315

"dave" <dave@dave.dave> wrote in message
news:4cd6f59c$0$5548$bd467cd0@news.dslextreme.com...

> I used these an Gordon West's Extra book to go from no license to Amateur Extra in 5 weeks. Of course when I took my Extra test at Grumman their were 12 year old Asian middle-schoolers getting theirs.
>
> I didn't look for a VE until I was at 100% on 3 consecutive tries on the practice exams. The FCC tests are easier than the practice exams.

I used the Gorden West tapes to learn the code. That was many years ago. They seem good to me. I did not use anything to learn the written tests. I have been in electronics for many years so the technical questions were easy, just had to learn the rules.

I don't see how you can say the FCC test are any easier than the practice exams. The question and answers are suspose to be the same.   While I have been a ham for over 35 years, I hear how hard the tests are suspose to be. I do go to the QRZ practice tests about once a year just to see how well I can do without the pressure. Usually get over 90% in a very short time. Now the tests are just how well one can memorize the Q&As.

I always tell the new people to just memorize the Q&As and do not try to learn anything. Then if they are really serious about learning instead of talking, get a Handbook and study that. I almost think it should be required to own a Handbook before you take the test or get a license. Atleast have access to one if there are several hams in one family.

From -8574260562261564182
X-Google-Thread: e721ae2bf6,3cd6f9021a931733
X-Google-Attributes: gide721ae2bf6,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n32g2000pre.googlegroups.com!not-for-mail
From: kb9rqz <mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: get kelp

```
Date: Sun, 7 Nov 2010 11:57:52 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <7ec01ad6-0598-464f-8e1d-40c123f4f8bc@n32g2000pre.googlegroups.com>
References: <radio/ham-radio/recruitment-1-1289113501@panix.com>
<CUyBo.16671$NM2.9571@newsfe22.iad>
NNTP-Posting-Host: 66.82.9.62
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1289159873 29242 127.0.0.1 (7 Nov 2010 19:57:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 7 Nov 2010 19:57:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n32g2000pre.googlegroups.com; posting-host=66.82.9.62; posting-
account=3ePh8QoAAABpiNDYEy2_bPCVy_4Crs1n
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
 Trident/4.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.4506.2152;
 .NET CLR 3.5.30729),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.antenna:21082 rec.radio.amateur.dx:820
rec.radio.amateur.equipment:2530 rec.radio.amateur.policy:31938

> "rec.radio.info Admin" <r...@panix.com> wrote in message
>
> news:radio/ham-radio/recruitment-1-1289113501@panix.com...
>
>
>
> > Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
> > Archive-name: radio/ham-radio/recruitment

stop trolling rrap


From 5011761498292058696
X-Google-Thread: d7f5508063,40e3b5b6268264c2,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n32g2000prc.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT SEX USEFUL VIDEOS
Date: Tue, 9 Nov 2010 03:39:32 -0800 (PST)
Organization: http://groups.google.com
Lines: 52
Message-ID: <f05b2b84-3e4b-40b1-8da6-019b5873e340@n32g2000prc.googlegroups.com>
NNTP-Posting-Host: 117.199.240.39
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1289302772 30377 127.0.0.1 (9 Nov 2010 11:39:32 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Tue, 9 Nov 2010 11:39:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n32g2000prc.googlegroups.com; posting-host=117.199.240.39;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2531

hot lip kiss

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDEOS

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions

http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

hot photos
http://photostou.blogspot.com/2010/09/bollywood-actress-photos-4.html

From -1539157223899765554
X-Google-Thread: 108122,e6a2a1e72feb48d8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!z17g2000prz.googlegroups.com!not-for-mail
From: jayanajaanu <jayanajaanu@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: need a sexy wife for a date
Date: Wed, 10 Nov 2010 01:57:07 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <eff0d305-d83b-4983-af30-0d01857214ae@z17g2000prz.googlegroups.com>
NNTP-Posting-Host: 124.43.52.143
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1289383027 19897 127.0.0.1 (10 Nov 2010 09:57:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 Nov 2010 09:57:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z17g2000prz.googlegroups.com; posting-host=124.43.52.143; posting-account=0-HyYgkAAAAmx0SSWVjQrttc8pfShUZW
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2532

need a sexy wife for a date
http://urlder.com/VK224

From -719183298547538467
X-Google-Thread: 108122,7ca365bb32cfdac9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: GERMAN,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x7g2000prj.googlegroups.com!not-for-mail
From: jacks tevens <jacksseven@gmail.com>
Newsgroups: rec.radio.amateur.equipment

```
Subject: cheap uggs
Date: Thu, 11 Nov 2010 02:48:43 -0800 (PST)
Organization: http://groups.google.com
Lines: 480
Message-ID: <d1f3974f-a5fb-47bf-91ce-bd9ad95cab41@x7g2000prj.googlegroups.com>
NNTP-Posting-Host: 204.74.217.98
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1289472523 23599 127.0.0.1 (11 Nov 2010 10:48:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 Nov 2010 10:48:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x7g2000prj.googlegroups.com; posting-host=204.74.217.98; posting-
account=I-O5egoAAACN-zFT_1wQl9Aksme_kiVi
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; zh-CN; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12 GTB7.1 GTBA,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2533

 http://www.37vv.com
 http://www.stone-sun.com
 http://www.qh68.com
 http://www.asxggx.com
 http://www.wwms7788.com
 http://www.jaxw802.com
 http://www.zzlnt.com
 http://www.dadi-group.com
 http://www.2bestsneaker.com
 http://www.wo369.com
 http://www.ssss365.com
 http://www.s-may.com
 http://www.107yy.com
http://www.99gouwu.com/
http://www.oumuan.com/
http://www.chinaocindustry.com/
http://www.anbaotech.com/
http://www.eastjx.com
http://www.cqhanchi.com/
http://www.yazhifeng.com/
http://www.xt12z.com/
http://www.xswszz.cn/
http://www.hyjczs.com/
http://www.jdhyw.net/
http://www.0519zijin.com/
http://www.gcsafety.com/
http://www.wjnby.com/
http://kfwfbd.com/
http://www.czxidu.com/
http://www.sanfengcar.com/
http://www.xapc.cn/
http://www.dqycjk.com/
http://www.tc-lz.com/
http://www.lzlyjx.com/
```

http://www.zjgcgjj.com/
http://www.shgtkj.com/
http://www.romankedy.com/main/
http://www.jinweiquan.com/
http://www.hsxddc.cn/
http://www.sh-couns.com/
http://www.tyhz-china.com/
http://www.ccsz.net/
http://www.sveck.cn/index.asp
http://www.zc12580.com/
http://www.apdadesal.org/ENGLESH/
http://www.knyt.com.cn/
http://www.wuzhouquanxin.com/
http://www.qqbjq.com/
http://www.bjccsy.cn/
http://www.jsjwjty.com/
http://www.dm880.com/
http://www.szaxh.com/
http://www.bonney.net.cn/
http://61.178.74.231/
http://www.ycfloor.com/
http://www.lygsb.com/
http://www.xbply.com/
http://szctjs.zjwchc.com/
http://www.zhpsyz.com/
http://www.ctusb.com/
http://www.dinkia2008.com/
http://www.tctool.cn/main/
http://www.lyshanghuang.com/
http://www.xzkanghua.com/
http://www.wxdichang.com/
http://www.pdsjzjc.com/
http://huiyi.lmhy.net/
http://www.bjemay.com/
http://www.fscjjzjx.cn/
http://www.bjduoyi.com/
http://www.bjhanwei.net/
http://www.bjhanwei.net/
http://www.nxjixie.com.cn/
http://www.jswled.com/
http://www.dlnsd.com
http://www.green110.net/
http://www.qjjssy.com/
http://www.suzhoubm.cn/
http://www.yyxf119.com/
http://www.sz-lvshi8.cn/
http://www.eastshuo.com/
http://www.sz-wsd.com/
http://www.jinhuiad.com/
http://www.a-way.com.cn/
http://www.czmmms.com/
http://www.gzlt007.com/
http://www.nxchangyin.com/

http://ec53.net/
http://www.zhongweigroup.com/
http://www.longxingwendin.com/
http://www.63jd.com/
http://www.nxxiangrui.com/
http://hailong666.com/
http://hzhuayi.com.cn/
http://www.pywjky.com
http://www.sxbjxl.com/
http://www.yckgwl.com/
http://szhongyue.com/
http://boaixhd.com/
http://www.jhbzlzk.com/
http://www.jzxxjs.com/
http://www.jzzysh.com/
http://www.991gold.com/
http://www.ailite.com/
http://www.baijiajj.com/
http://www.bk-l.cn/
http://www.bohaoda.com/
http://www.kayina.net/
http://www.xhonglai.com/
http://www.hnysjd.com/
http://www.tcsws.com/
http://www.qiangsun.com/
http://www.solartyn.com/
http://www.sz-changhe.com/
http://www.genhao4.cn/
http://www.bjzx.org/
http://www.qsfrj.com/
http://www.tkglgf.com/
http://www.2dingsoft.com/
http://www.dah626.com/
http://www.gyscl.com/
http://www.ahxinpai.com/
http://www.dhtoy.com/
http://www.dcspj.cn/
http://www.green-link.com.cn/
http://www.hndcg.com/
http://www.hyxkcctv.com/
http://www.hyxtech.com/
http://www.scmspm.com/
http://hd-kuangye.com/
http://www.bxsd.net/
http://www.ypwang.com.cn/
http://www.hzlinjia.com/
http://www.csfs88.com/
http://www.jattao.com/
http://xyfxkc.com/
http://www.a5mm.com/ch/
http://www.tyok.net/
http://www.shnbsy.com/
http://www.dlzhenghong.com/

http://www.txt88.com/
http://www.diaojiaji.com/
http://www.whwcjn.cn/
http://www.jnjpsk.com/
http://www.ylltdl.com/
http://www.apjinkangyuan.com/
http://www.jnqnzs.com/
http://www.vip7788.com/
http://www.wfjs88.com/
http://www.xdfpsg.com/default.asp
http://www.smartfj.com/
http://www.sxztq.com/
http://www.xjts.net/
http://www.jcjhgc.com/
http://www.szbaorun.com/
http://www.cjreal.com.cn/
http://www.kymsjd.com.cn/
http://www.urainbow.net/
http://www.zbrym.com/
http://www.kayinapiano.com/
http://www.jzgzc.com/
http://www.lydyj.cn/
http://www.cnpukang.com/
http://www.gtwiremesh.com/
http://www.qiuhanedu.com/
http://221.1.104.86/
http://www.wx-it.cn/
http://www.cy-zx.com/
http://www.yhlawyer.com/
http://www.cz-xw.cn/
http://www.ccshsb.cn/
http://www.029hk.com/ch/main.asp
http://pld-pco.com/
http://www.jhc99.com/
http://www.aci-online.com/
http://www.sanlianzhiyao.com/
http://www.szbaisheng.com.cn/
http://www.lexonelec.com/
http://www.lionconn.com/
http://www.lsznjx.com/
http://www.abcdteam.com/
http://www.dfmgy.com/
http://www.jstskj.com/
http://www.ycnykf.com/
http://www.cbhkkl.com/
http://www.szsunda.com.cn/
http://www.shenyangxg.com/
http://www.nonglv.com/
http://www.rhdmch.com/
http://www.a5853.com/
http://www.goodwillcd.com/
http://www.dlxincheng.com/
http://www.lixinsheng.com/

http://www.szt.com.cn/
http://www.pingxt.com/
http://www.szxgnzs.com/
http://www.shtt88.cn/
http://www.37297.com/
http://www.jyrcjd.com/
http://www.jzjcwm.com/
http://www.cdsanjia.cn/
http://www.szqxj.com/
http://www.tmst.org/
http://www.xiangshuntrade.com/
http://www.sd-video.com.cn/
http://www.9t56.com/
http://www.gfbio.com/
http://www.kin-good.com/
http://www.ynmalls.com/
http://www.ntzhentai.com/
http://www.jinlingjx.com/
http://www.hbpcjx.com/
http://www.fckt.net/
http://www.yihe333.com/
http://www.sdtaybl.cn/main/
http://www.feiyiads.com/
http://www.wxgrb.com/
http://www.0377zhuoer.com/
http://www.shen-hou.com/
http://www.kfwcn.com/
http://www.pyanfang.com/
http://www.dgsjgs.com/
http://www.bjhcee.com/
http://www.sjtxcm.com/
http://www.shentongcn.com
http://www.mycqc.com/
http://www.ahxingwang.com/
http://www.shdrzc.com/
http://www.sz-lys.com/
http://www.esunstar.net/
http://www.yifengmj.com/
http://www.023pbx.cn/
http://www.jdyun.com/
http://www.huashengktwx.com/
http://www.ksxjdjx.com/
http://www.smxjfjx.net/
http://www.xmshunji.com
http://www.liuhecnc.com/
http://www.fyhfsm.com/
http://www.mywzzn.com/
http://www.sqfenghuang.com/
http://www.gemkingbio.com/
http://www.jdquartz.com/
http://www.xinchenmingjidian.com/
http://www.zhddz.com/
http://www.resun110.com/

http://www.gd-jiuxin.com/
http://www.nntggm.com/
http://www.gd-jieju.com/
http://www.dgxlbj.com/
http://www.rzhaier.com/
http://www.mangshan.org/
http://www.168vod.com/
http://www.hljfwz.cn/
http://www.infowood.com.cn/
http://www.icprofast.com
http://www.nxyiguang.cn/
http://www.wzyishang.cn/
http://www.nxcarbon.cn/
http://www.anmailong.com/
http://www.ychlt.com/
http://gh.0937.net/
http://www.hbypzs.com
http://www.zjgmljy.com/
http://jpkc.sdpei.edu.cn/
http://www.hdd-mall.com/
http://www.ykdbgj.com/
http://www.jiabaogs.com/
http://www.shrj88.cn/
http://www.tianjinshuijing.com
http://www.fsyf.net/
http://www.xtwlxg.com/
http://www.wxerq.com/
http://www.huarongda.com/
http://www.jianmingvirtualave.net/
http://www.lanbin.cn/
http://www.liangliang-sh.com/
http://www.paintmc.com/
http://kx.yctc.edu.cn/
http://zhoubao.cun.edu.cn/
http://www.xmfzsh.com/
http://sk.dhxzxx.com/
http://plb.snnu.edu.cn/new/www/
http://www.tenso.cc/
http://www.jacoal.cn/
http://www.0578fcw.com/
http://www.bjwaxc.com.cn/
http://info.xnanyang.com/
http://www.dgshmyy.com/
http://www.rgbschool.com/
http://www.dfcjh.com/
http://www.dachenad.cn/
http://www.boyuan.net.cn/
http://sr.rpjyxxw.com/
http://www.prs8.com
http://www.028wxzx.com/
http://www.lanysz.com/
http://www.nxmthg.com/
http://www.nxfurenda.com/

http://www.nxxdhg.com.cn/
http://www.nxbfry.com/
http://www.tiandixincheng.com
http://www.fxdangjian.com/
http://www.nxlhcy.com.cn/
http://www.nxalading.com/
http://www.autotl.com/
http://www.cqyclg.com/
http://www.hxaf365.com/
http://www.sun-nyled.com/
http://www.daodaw.net/
http://www.xaenglish.com/
http://www.hbrenyuan.cn
http://www.hyjh.cn
http://www.zc12580.com/
http://www.apdadesal.org/ENGLESH/
http://www.knyt.com.cn/
http://www.wuzhouquanxin.com/
http://www.qqbjq.com/
http://www.bjccsy.cn/
http://www.jsjwjty.com/
http://www.dm880.com/
http://www.szaxh.com/
http://www.bonney.net.cn/
http://61.178.74.231/
http://www.ycfloor.com/
http://www.lygsb.com/
http://www.xbply.com/
http://szctjs.zjwchc.com/
http://www.zhpsyz.com/
http://www.ctusb.com/
http://www.dinkia2008.com/
http://www.tctool.cn/main/
http://www.lyshanghuang.com/
http://www.xzkanghua.com/
http://www.wxdichang.com/
http://www.pdsjzjc.com/
http://huiyi.lmhy.net/
http://www.bjemay.com/
http://www.fscjjzjx.cn/
http://www.bjduoyi.com/
http://www.bjhanwei.net/
http://www.bjhanwei.net/
http://www.nxjixie.com.cn/
http://www.inshine.com.cn/
http://www.xj-bst.com/
http://www.szchunbao.com/
http://www.knandu.com/
http://www.beijingxianhua.com/
http://www.bj-enzyme.com
http://www.chiapao.com/
http://www.whtianlian.cn/
http://www.bflong.com/

http://www.time-movie.com.cn/
http://www.bjzxls.com/
http://www.ucl668.com/english/
http://www.zldic.com/
http://www.jzlrzx.com/
http://www.jzfl.net/
http://bmxx.jysedu.com/
http://www.jzgsdl.com/
http://www.hongsanjin.com/
http://www.bjsier.com/
http://www.bjrwk.com
http://www.ckbm.com.cn/
http://www.qxxhl.com/
http://www.nxyinhe.com.cn/
http://www.bjxcyc.com/
http://www.artstarpower.com/
http://www.hnssyt.com/
http://www.hyc.com.cn/
http://www.chinayttaiming.com/
http://www.mzmh.com/
http://bmzx.jysedu.com/
http://www.jzslsj.gov.cn/
http://www.feilong-china.com/
http://www.hjdled.com/
http://www.hysw.com.cn/
http://www.chinaesd.org.cn/
http://www.laoshan315.org.cn/
http://www.gzlzdc.org.cn/
http://www.jbaex.com/
http://www.chinabirdview.com/
http://www.szanren.com/
http://www.99gouwu.com/
http://www.oumuan.com/
http://www.chinaocindustry.com/
http://www.anbaotech.com/
http://www.eastjx.com
http://www.cqhanchi.com/
http://www.yazhifeng.com/
http://www.xt12z.com/
http://www.xswszz.cn/shiwan/
http://www.hyjczs.com/
http://www.jdhyw.net/
http://www.0519zijin.com/
http://www.gcsafety.com/
http://www.wjnby.com/
http://kfwfbd.com/
http://www.czxidu.com/
http://www.sanfengcar.com/
http://www.xapc.cn/
http://www.dqycjk.com/
http://www.tc-lz.com/
http://www.lzlyjx.com/
http://www.zjgcgjj.com/

http://www.shgtkj.com/
http://www.romankedy.com/main/
http://www.jinweiquan.com/
http://www.hsxddc.cn/
http://www.sh-couns.com/
http://www.tyhz-china.com/
http://www.ccsz.net/
http://www.sveck.cn/index.asp
http://www.isugo.com/
http://www.nj-office.com/
http://www.th-tq.com/
http://www.szlovme.com/
http://www.tahoo.cc/
http://www.lyjdyjy.com/
http://www.jzqzh.com/
http://www.chinabirdview.cn/
http://www.168hdd.com/
http://www.jenny2003.com
http://www.shhtuan.com/
http://www.beidia.com/
http://www.jzzg.com/
http://www.szhdk.com.cn/
http://www.jiadechem.com/
http://www.xmja.com/
http://www.dctvideo.net/
http://www.xmdg.cn/i.asp
http://www.xinhangtian.com/
http://www.hongchangzhiye.com/
http://www.ts818.cn/
http://www.yxfc.net/
http://www.jmcool.com
http://www.aqftfood.com/
http://www.jjjs.gov.cn/
http://www.bauchem.com/cn/
http://xsc.56edu.com/
http://www.12k.pmjt.cn/
http://www.cz-dalu.com
http://www.cbjs.net/
http://www.hsxy.pte.sh.cn/
http://www.lzlxxfj.gov.cn/
http://www.fskfilm.com/
http://www.cjdj.pte.sh.cn/
http://www.xysxaxx.com/
http://www.sbsmz.com/
http://www.gzjs.com.cn/
http://www.herysun.com/
http://www.pcsg.net/
http://www.5nian.com/
http://www.jsci.com.cn
http://www.smc-igs.com
http://www.cgqcc.com
http://www.wzscc.com
http://www.dadi518.com

```
http://www.junleiindustry.com/
http://www.ghtrading.com.cn/
http://www.maxport-international.com/
http://www.foodex-china.com/
http://www.akosdigital.com/
http://www.music-candle-factory.com/
http://www.double-link.com/
http://www.china-confetti-factory.com/
http://www.jsci.com.cn
http://www.smc-igs.com
http://www.cgqcc.com
http://www.wzscc.com
http://www.dadi518.com
http://www.junleiindustry.com/
http://www.ghtrading.com.cn/
http://www.maxport-international.com/
http://www.foodex-china.com/
http://www.akosdigital.com/
http://www.music-candle-factory.com/
http://www.double-link.com/
http://www.china-confetti-factory.com/



From -6996043415228640189
X-Google-Thread: d7f5508063,3d8a0240f96b8778,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a9g2000pro.googlegroups.com!not-for-
mail
From: tejaswini <teju9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: NEW HOT PHOTOS
Date: Sat, 13 Nov 2010 22:43:29 -0800 (PST)
Organization: http://groups.google.com
Lines: 28
Message-ID: <396b8a39-1297-49c2-8f95-c08260fb1d95@a9g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.248.37
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1289717009 13975 127.0.0.1 (14 Nov 2010 06:43:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 14 Nov 2010 06:43:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a9g2000pro.googlegroups.com; posting-host=117.199.248.37; posting-
account=6xaZwQoAAACqKFwd8FfwWgPIkcC-Icg-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2534

     FOR SAVE WATER AND CHILD PROTECTION
```

http://savewaterinworld.blogspot.com

HOT COUPLE ROMANCE
http://babes-devi.blogspot.com/2010/11/couples-in-romance.html
PRANEEHA HOT PICS
http://babes-devi.blogspot.com/2010/11/praneetha-latest-pics.html
AISHWARIYA LATEST HOT PICS
http://babes-devi.blogspot.com/2010/10/aish-latest-pics.html
SOUTHACTRESS IN A SEXY TOWELS
http://babes-devi.blogspot.com/2010/10/south-actress-in-sexy-towels.html
UDAYATHRA IN A BATH ROOM
http://babes-devi.blogspot.com/2010/10/udayatara-in-bath.html
ACTRESS IN A HOT RED DRESS
http://babes-devi.blogspot.com/2010/10/actress-in-sexy-red-dress.html
ASIN CUTE HOT PHOTOS
http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html
SEXY CHARMI IN A BATH
http://babes-devi.blogspot.com/2010/06/charmi-in-bath.html
FOR HOT PHOTOS&VIDEOS
http://babes-devi.blogspot.com/2010_06_01_archive.html
HOT SEXY BOOBS SHOW
http://babes-devi.blogspot.com/2010/09/sexy-boobs.html
ASIN CUTE HOT PHOTOS
http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html
ANKHITA SPICY PHOTOS
http://babes-devi.blogspot.com/2010/08/sexy-ankhitha.html

From -7048719689754541286
X-Google-Thread: 108122,6c9c247f56f6cff3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!feeder.news-service.com!feed.xsnews.nl!border-1.ams.xsnews.nl!193.201.147.77.MISMATCH!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 14 Nov 2010 23:08:31 -0600
From: SilverKnight <SilverKnight.72676d9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood ts-50s
Date: Mon, 15 Nov 2010 04:07:48 +0000
Message-ID: <SilverKnight.72676d9@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-dSQaEWAZsNERsiHy2zjFbVBVKlohBMWnvP+HhvMErvZkr7kPDufrr97LG8X8rbQ08cJjLxr5GJMSAQT!9WvsybAUBk0k4RaNw+uDSNzgQGPqaL4mklfPtMOURgQeLCute8nkNuRveUQOPBSt6uHAAO06Z5fI!/O/BivmVSyaD

X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1122
Xref: g2news1.google.com rec.radio.amateur.equipment:2321

I am looking for a Kenwood ts-50s complete with mic,power cord,bracket
etc.Must be in good condition and willing to ship outside the US.I have
a Paypal account.Please email me.Tnx.

--
SilverKnight

From -3583639783457663733
X-Google-Thread: 108122,f69ca1ac0173aaed,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-nntp-06.dc1.easynews.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Tempo PS; Fluke PS; HB UHF Xmtr: Dummy Ant.
From: Eugene Rippen <soundval@muchstuff.com>
Organization: Your Company
Message-ID: <Xns9E328C11A5BA9er7373@69.16.186.8>
User-Agent: Xnews/5.04.25
Lines: 53
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Tue, 16 Nov 2010 21:46:12 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:2536

Tempo AC-1 power supply in the speaker cabinet. Works. Looks good.
$90.00
plus a shipping charge that would be for 25 pounds. No pickup.
http://www.muchstuff.com/11-12-10ham/p1000671.jpg
http://www.muchstuff.com/11-12-10ham/p1000672.jpg
http://www.muchstuff.com/11-12-10ham/p1000673.jpg

(2) Ohmite Dummy Antennas, 250 watts each. Standard tube type 4 pin
base.
The base on one needs replacing. See pic. $20.00, plus a shipping charge

that would be for 2 pounds. No pickup.
http://www.muchstuff.com/11-12-10ham/p1000674.jpg

Fluke Bench Power Supply. Model 407. $90.00 obo, plus a shipping charge
for
40 pounds. Will allow pickup here in Auburn, CA.
http://www.muchstuff.com/11-12-10ham/p1000675.jpg
http://www.muchstuff.com/11-12-10ham/p1000676.jpg
http://www.muchstuff.com/11-12-10ham/p1000677.jpg

UHF homebrew transmitter with a PL-4D21 tube. Great looking. A Motorola
Power Supply that has the high voltage transformer already removed for
shipping. However, I don't expect that anyone wants to pay for what I
would
charge for packing this PS and transformer. So this is for pickup here
in
Auburn. The actual net weight is: Transmitter 8 pounds. Power Supply
75
pounds. and the transformwer 50 pounds. If I pack, will want $75 for my
labor and materials, plus the actual FedEx charge.
I know nothing more than what one can see about these items. I would see
the power supply with transformer separate only after the transmitter is
sold. I have no way of setting a price for these items. Please make an
offer.
http://www.muchstuff.com/11-12-10ham/p1000678.jpg
http://www.muchstuff.com/11-12-10ham/p1000679.jpg
http://www.muchstuff.com/11-12-10ham/p1000680.jpg
http://www.muchstuff.com/11-12-10ham/p1000685.jpg
http://www.muchstuff.com/11-12-10ham/p1000683.jpg
http://www.muchstuff.com/11-12-10ham/p1000682.jpg
http://www.muchstuff.com/11-12-10ham/p1000681.jpg

PayPal, USPS Money Order or Personal check (for which I will wait till it
clears)
If there is to be a pickup I must be paid in full in advance.

Eugene Rippen, WB6SZS
Auburn, CA.

From 4796098390669447182
X-Google-Thread: 1077d8,8036e2f973fab61a,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,8036e2f973fab61a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid16c4b10b5d,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q14g2000yqe.googlegroups.com!not-for-mail

From: cntrade08 <chenxiangmei89@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: (www.cntrade09.com) ----cheap wholesale air max shoes, nike shox shoes
Date: Thu, 18 Nov 2010 00:14:23 -0800 (PST)
Organization: http://groups.google.com
Lines: 74
Message-ID: <8c633a5c-672e-43b2-ba6e-564e16c20e76@q14g2000yqe.googlegroups.com>
NNTP-Posting-Host: 69.90.60.116
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1290068063 3261 127.0.0.1 (18 Nov 2010 08:14:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 18 Nov 2010 08:14:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q14g2000yqe.googlegroups.com; posting-host=69.90.60.116; posting-account=M3IQHgoAAAAF_xk50V4B_lNM_WdzApuX
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.pets.dogs.health:11122 rec.radio.amateur.equipment:2537

(www.cntrade09.com) ----cheap wholesale air max shoes, nike shox
shoes
Air max shoes:
air max90
air 90
air 180
nike max
airmax tn
max trainers
air stab
max bw
max 90
air turbulence
air shox
airmax 95s
nike airmax
air shoes
airmax 90
airmax 87
airmax ltd
airmax 2009
air 95
max 180
airmax shoes
airmax 360
airmax 95
max tn
max 95
discount nike air
nike air trainers
max shoes

nike max shoes
air nike
buy nike air
cheap nike air
air huarache
air foamposite
air penny
max trainer
airmax running shoes
air zoom
nike air shoes
airmax trainers
max 360
buy airmax
airmax 1
air retro
airmax
airmax 95's
airmax 180
shoes lebron
nike trainers

jordan shoes :

jordan shoes
jordan sneaker
jordans
jordan 23
jordan shoe
jordan shoes for sale
new jordan shoes
retro jordan
jordan sneakers
jordan dub zero
jordan kids
jordan xiii
air jordon
jordan xi
jordan iv

website: http://www.cntrade09.com

From -5481273367775987498
X-Google-Thread: d7f5508063,992d90946287b114,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
tranq7.tranquility.net!weretis.net!feeder3.news.weretis.net!news.szaf.org!
news.albasani.net!news.newsland.it!nntp.eutelia.it!nntp.infostrada.it!

```
newsfeed01.sul.t-online.de!t-online.de!news.mixmin.net!news2.arglkargh.de!
diablo2.news.osn.de!news.osn.de!diablo2.news.osn.de!ecngs!feeder.ecngs.de!
Xl.tags.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 Nov 2010 11:08:28 -0600
From: Plotus <Plotus.72b1419@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Vintage headphones wanted
Date: Thu, 18 Nov 2010 15:25:30 +0000
Message-ID: <Plotus.72b1419@radiobanter.com>
Organization: RadioBanter.com
Lines: 19
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-c2XB/akRQyi8Rbc4nIZA9BBF/4Y51r5wpsi11J0i/
F6KsG7bm5n2MQEhzzc1ZpdlzekMRA1LGkIuWa6!
8ae+VVVjd+G0CQ4byw4G88o4FVfJUYpNmk1TpzHvxh2i7+gMAJI7LTQtHIr3NMlmLxnmQeO/1D4c!I5d6
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1762
Xref: g2news2.google.com rec.radio.amateur.equipment:2538
```

This is not an add for wanted/for sale, rather, I'm looking for information on finding vintage headphones for my Hammarlund shortwave radio. It was made in the 30's-40's (an HQ120) and I'm wondering what kind of phones would be in keeping with the 30's-40's theme here. I'm new to the Hammarlund, but not shortwave. I am at that point where I'm going to start collecting the older shortwave/ham stuff before it all dissapears (unlikely hopefully) and one thing for the older vintage stuff to aquire would be cosmetically appealing headphones fitting the earlier era of Radios. I'm aware these (Hammarlund) radios came with speakers, which interest me as well, however for now I'd like a bit of input from some of you vintage nuts out there. What ohms should I be looking for too? Any suggestions are greatly appreciated.....Rich AKA Plotus.

--
Plotus

```
From 4774013042282018748
X-Google-Thread: 108122,992d90946287b114
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Thu, 18 Nov 2010 12:11:38 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Vintage headphones wanted
References: <Plotus.72b1419@radiobanter.com>
In-Reply-To: <Plotus.72b1419@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <4ce57a2a$0$5556$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2539

Plotus wrote:
> This is not an add for wanted/for sale, rather, I'm looking for
> information on finding vintage headphones for my Hammarlund shortwave
> radio. It was made in the 30's-40's  (an HQ120) and I'm wondering what
> kind of phones would be in keeping with the 30's-40's theme here. I'm
> new to the Hammarlund, but not shortwave. I am at that point where I'm
> going to start collecting the older shortwave/ham stuff before it all
> dissapears (unlikely hopefully) and one thing for the older vintage
> stuff to aquire would be cosmetically appealing headphones fitting the
> earlier era of Radios. I'm aware these (Hammarlund) radios came with
> speakers, which interest me as well, however for now I'd like a bit of
> input from some of you vintage nuts out there. What ohms should I be
> looking for too? Any suggestions are greatly appreciated.....Rich AKA
> Plotus.
>
>
These look pretty sweet:

http://www.naxl.com/headsets-military.html

no affiliation



From 836987180063077382
X-Google-Thread: d7f5508063,992d90946287b114
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
69.16.173.12.MISMATCH!news-in-01.newsfeed.easynews.com!easynews!core-easynews-02!
easynews.com!en-nntp-02.dc1.easynews.com.POSTED!not-for-mail
From: Howard Eisenhauer <howarde@NOSPAMhfx.eastlink.ca>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: Vintage headphones wanted
Message-ID: <ad5ee6dd4tmetgvvvcf76coja9cvmqbn60@4ax.com>
References: <Plotus.72b1419@radiobanter.com>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 19 Nov 2010 20:26:36 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2540

On Thu, 18 Nov 2010 15:25:30 +0000, Plotus
<Plotus.72b1419@radiobanter.com> wrote:

>
>This is not an add for wanted/for sale, rather, I'm looking for
>information on finding vintage headphones for my Hammarlund shortwave
>radio. It was made in the 30's-40's  (an HQ120) and I'm wondering what
>kind of phones would be in keeping with the 30's-40's theme here. I'm
>new to the Hammarlund, but not shortwave. I am at that point where I'm
>going to start collecting the older shortwave/ham stuff before it all
>dissapears (unlikely hopefully) and one thing for the older vintage
>stuff to aquire would be cosmetically appealing headphones fitting the
>earlier era of Radios. I'm aware these (Hammarlund) radios came with
>speakers, which interest me as well, however for now I'd like a bit of
>input from some of you vintage nuts out there. What ohms should I be
>looking for too? Any suggestions are greatly appreciated.....Rich AKA
>Plotus.

http://oldheadphones.com/crystal/phones/phones.htm

H.



From 4763064840108332595
X-Google-Thread: 108122,c14bee3b219c0b1b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n30g2000vbb.googlegroups.com!not-for-
mail
From: darling <sunanda9030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ONLY FOR YOUTH
Date: Mon, 22 Nov 2010 21:51:53 -0800 (PST)
Organization: http://groups.google.com
Lines: 15
Message-ID: <189b893b-8200-434b-b437-56fe3d368b1a@n30g2000vbb.googlegroups.com>
NNTP-Posting-Host: 117.199.250.72
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1290491513 31569 127.0.0.1 (23 Nov 2010 05:51:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 Nov 2010 05:51:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n30g2000vbb.googlegroups.com; posting-host=117.199.250.72;
posting-account=eA4wLwoAAAAckpMIDmfK8bt53LPo9PCn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.12)
 Gecko/20101026 Firefox/3.6.12,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2327


                      TRISHA IN A SPICY DRESS
http://youth-shilpa.blogspot.com/2010/11/trisha.html
                     SAKSHI IN A SEXY LOOK
http://youth-shilpa.blogspot.com/2010/11/sakshi.html
                     SEXY STUNNIG BEAUTY
http://youth-shilpa.blogspot.com/2010/11/beauty.html
                    NAMITHA IN A BEACH
http://youth-shilpa.blogspot.com/2010/11/namitha.html
                   BOLLYWOOD   HOT LIPKISSES
http://youth-shilpa.blogspot.com/2010/11/lipkiss.html
                      SALMA HOT BOOBS SHOW
http://youth-shilpa.blogspot.com/2010/11/salma-sexy-photo.html
                    ANJELINA JOLIE SPICY PHOTO
http://youth-shilpa.blogspot.com/2010/11/anjelinajolie.html


From 1549171261363893889
X-Google-Thread: 1077d8,53b1d937cc62759c,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,53b1d937cc62759c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid16c4b10b5d,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g25g2000yqn.googlegroups.com!not-for-
mail
From: cntrade08 <chenlily84@hotmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: Cheap Wholesale Adidas Shoes (paypal payment) (http://www.cntrade09.com/
 )
Date: Tue, 23 Nov 2010 05:07:30 -0800 (PST)
Organization: http://groups.google.com
Lines: 65
Message-ID: <f5e3d3a4-8108-4e2d-8f7c-a2661194fcd7@g25g2000yqn.googlegroups.com>
NNTP-Posting-Host: 89.208.136.96
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1290517650 15899 127.0.0.1 (23 Nov 2010 13:07:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 Nov 2010 13:07:30 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: g25g2000yqn.googlegroups.com; posting-host=89.208.136.96; posting-
account=qbRHCQoAAADxaq8M1mHuPtnY1mQIBNiC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
 CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.pets.dogs.health:11131
rec.radio.amateur.equipment:2542


Cheap Wholesale Gucci Shoes (paypal payment) (http://
www.cntrade09.com/)
Cheap Wholesale GUCCI Boots
Cheap Wholesale Lacoste Shoes
Cheap Wholesale LV Shoes (paypal payment) (http://
www.cntrade09.com/ )
Cheap Wholesale LV Boots
Cheap Wholesale Prada Shoes (paypal payment) (http://
www.cntrade09.com/)
Cheap Wholesale Timberland Shoes
Cheap Wholesale D&G Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale D&G Boots
Cheap Wholesale Puma Shoes
Cheap Wholesale Puma AAA (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale UGG Boots Shoes
Cheap Wholesale Bikkem Bergs Shoes (free shipping)
Cheap Wholesale Mauri Shoes Man
Cheap Wholesale Versace Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Versace Boots
Cheap Wholesale Paul Smith Shoes (free shipping)
Cheap Wholesale BOSS Shoes
Cheap Wholesale Burberry Shoes (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Dsquared shoes
Cheap Wholesale Dior Shoes (free shipping)
Cheap Wholesale Dior Boots
Cheap Wholesale ED Hardy Shoes (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale ED Hardy Boots
Cheap Wholesale ED Hardy Shoes Man (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Fendi Shoes (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Fendi Boots
Cheap Wholesale AFF Shoes (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Evisu Shoes (free shipping)
Cheap Wholesale 4US Shoes
Cheap Wholesale Sebago Shoes (paypal payment)
(http://www.cntrade09.com/ )
```

Cheap Wholesale Supra Shoes
Cheap Wholesale Hight Converse Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Coach Boots
Cheap Wholesale Coach Shoes
Women Christian Louboutin (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Chanel Shoes
Cheap Wholesale Chanel Boots (free shipping)
Cheap Wholesale Bape Shoes
Cheap Wholesale Adidas Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Adicolor (free shipping)
Cheap Wholesale Adidas 35TH (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Adidas NBA
Cheap Wholesale Adidas Running (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Adidas Y3
Cheap Wholesale Soccer Shoes (paypal payment)
(http://www.cntrade09.com/)

```
From -9159023072041823607
X-Google-Thread: fcc6e,c738d0190cfc3af9,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9,start
X-Google-NewGroupId: yes
X-Google-Thread: fa029,c738d0190cfc3af9,start
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,c738d0190cfc3af9,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gidd7f5508063,gid6b6ae7923,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!kilowattradio
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Climbing a 1,700 ft Antenna Tower
Date: Thu, 25 Nov 2010 08:53:54 -0800
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 12
Message-ID: <251120100853548107%kilowattradio@use-reply-to.invalid>
NNTP-Posting-Host: p6f9a0ee396f6f9a34caa7b18dc33b9cc27516b75f414b2e1.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Mail-Copies-To: nobody
User-Agent: Thoth/1.8.5 (OS X)
```

```
Xref: g2news2.google.com rec.radio.amateur.antenna:21321
rec.radio.amateur.equipment:2543 rec.radio.scanner:1799 rec.radio.shortwave:76542


<http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
mp53/player_config.php?token=07b_1284580365%26embed=1>

Shortened URL:
<http://bit.ly/b9VMU0>

--
Best Regards,

Keith
http://home.comcast.net/~kilowattradio/



From 6314381097802021846
X-Google-Thread: fcc6e,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c738d0190cfc3af9
X-Google-NewGroupId: yes
X-Google-Attributes: gid4baf9708d4,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Thu, 25 Nov 2010 10:48:56 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.15) Gecko/20101027
SeaMonkey/2.0.10
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.
shortwave
Subject: Re: Climbing a 1,700 ft Antenna Tower
References: <251120100853548107%kilowattradio@use-reply-to.invalid>
In-Reply-To: <251120100853548107%kilowattradio@use-reply-to.invalid>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <4ceeaf83$0$5527$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.antenna:19545
rec.radio.amateur.equipment:2330 rec.radio.scanner:1585 rec.radio.shortwave:69844

Keith wrote:
>
> <http://www.liveleak.com/mp53/player.swf?config=http://www.liveleak.com/
> mp53/player_config.php?token=07b_1284580365%26embed=1>
>
> Shortened URL:
```

> <http://bit.ly/b9VMU0>
>

This guy carries 30 pounds of tools up the ladder with him? Most
climbers I know take the end of a line with them, then attach a pulley
where they'll be working, then they send the end of the rope back down.
Then the ground crew can send up tools, parts, whatever, and you don't
have to worry about not forgetting anything but the rope and the pulley.

Maybe he works alone...

```
From -1995857433156612713
X-Google-Thread: 108122,26182634a81f25a0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p37g2000pra.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT PEOPLE DON'T MISS
Date: Sun, 26 Sep 2010 23:28:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 46
Message-ID: <589a9072-6928-4d2e-ae9a-18f7db9efca1@p37g2000pra.googlegroups.com>
NNTP-Posting-Host: 117.199.247.207
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1285568926 4816 127.0.0.1 (27 Sep 2010 06:28:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 27 Sep 2010 06:28:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p37g2000pra.googlegroups.com; posting-host=117.199.247.207;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2231

          FOR SUPER HOT PHOTOS

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html
```

HOT VIDOES

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

```
From 3737089332844852156
X-Google-Thread: 108122,2e8f96c1fb70145a,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,2e8f96c1fb70145a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k22g2000prb.googlegroups.com!not-for-mail
From: zhendeaini <zhendeainihuang@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Burberry jacket made in china (http://www.brandtrade66.com )
Date: Wed, 29 Sep 2010 08:05:36 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <397002ff-5c31-4ad5-88fd-74745f2e99bb@k22g2000prb.googlegroups.com>
```

```
NNTP-Posting-Host: 58.22.77.52
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1285772736 31956 127.0.0.1 (29 Sep 2010 15:05:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 29 Sep 2010 15:05:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k22g2000prb.googlegroups.com; posting-host=58.22.77.52; posting-
account=blxRtAoAAABHkOzDFBFFzu-KI7snoG4-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
 Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2232 rec.food.equipment:4183

Bape t-shirt made in china (http://www.brandtrade66.com )
Evisu long t-shit made in china (http://www.brandtrade66.com )
Evisu original jeans made in china (http://www.brandtrade66.com )
Evisu jeans wear made in china (http://www.brandtrade66.com )
Evisu hoody made in china (http://www.brandtrade66.com )
Evisu jeans made in china (http://www.brandtrade66.com )
Evisu T-shirt made in china (http://www.brandtrade66.com )
POLO T-shirt made in china (http://www.brandtrade66.com )
Googi jeans made in china (http://www.brandtrade66.com )
Googi hoody made in china (http://www.brandtrade66.com )
Googi T-shirt made in china (http://www.brandtrade66.com )
juicy made in china (http://www.brandtrade66.com )
66Deep jeans made in china (http://www.brandtrade66.com )
66 Deep hoody made in china (http://www.brandtrade66.com )
66Deep T-shirt made in china (http://www.brandtrade66.com )
Lacoste T-shirt made in china (http://www.brandtrade66.com )
Lacoste sweater made in china (http://www.brandtrade66.com )
Burberry jacket made in china (http://www.brandtrade66.com )
Buberry T-shirt made in china (http://www.brandtrade66.com )
Buberry shirt made in china (http://www.brandtrade66.com )
ED hardy hoody made in china (http://www.brandtrade66.com )
ED hardy jeans made in china (http://www.brandtrade66.com )



From -5162989057431996221
X-Google-Thread: 108122,1a84a93c6f163e8
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
post01.iad.highwinds-media.com!newsfe12.iad.POSTED!00000000!not-for-mail
From: "Cannuck" <abra@cadabra.com>
Newsgroups: rec.radio.amateur.equipment
References: <w1jeq.6aec4a9@radiobanter.com>
In-Reply-To: <w1jeq.6aec4a9@radiobanter.com>
Subject: Re: Kantronics KAM Original v4.00
Lines: 32
MIME-Version: 1.0
```

```
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Message-ID: <rm8po.23766$qb.22421@newsfe12.iad>
NNTP-Posting-Host: 173.238.137.123
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe12.iad 1285886487 173.238.137.123 (Thu, 30 Sep 2010 22:41:27 UTC)
NNTP-Posting-Date: Thu, 30 Sep 2010 22:41:27 UTC
Date: Thu, 30 Sep 2010 18:41:54 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:2233

Hi

Did you find the manual yet for the Kantronic?

I may have it at my other place so let me know and I can go there and look
around.

Good luck




"w1jeq" <w1jeq.6aec4a9@radiobanter.com> wrote in message
news:w1jeq.6aec4a9@radiobanter.com...
>
> I have the original Kantronics KAM (made in the mid 80s) that had the
> firmware upgraded to v4.00. My manual is for the original firmware but
> several commands are different. Does anyone have a v4.00 firmware manual
> in electronic format (pdf) or wouldn't mind scanning their into pdf?
>
> please reply here on the board, and i'll priv-message you my email
> address.
>
> thanks and 73 in advance
>
>
>
>
> --
> w1jeq
>



From 1061260784955011973
X-Google-Thread: 108122,92686ac7ae2baf3b,start
```

```
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe12.iad.POSTED!00000000!not-for-mail
From: "Cannuck" <abra@cadabra.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HD Antenna?
Lines: 15
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Message-ID: <5q8po.23768$qb.21290@newsfe12.iad>
NNTP-Posting-Host: 173.238.137.123
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe12.iad 1285886721 173.238.137.123 (Thu, 30 Sep 2010 22:45:21 UTC)
NNTP-Posting-Date: Thu, 30 Sep 2010 22:45:21 UTC
Date: Thu, 30 Sep 2010 18:45:49 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:2234
```

Looking to buy the Channelmaster HD 8bay for the HD TV.

I have heard some about putting two up each aimed at a different major city from where I am.

Any tips on best way to do this? or not to do this? or better way to do this?

http://cgi.ebay.ca/ws/eBayISAPI.dll?
ViewItem&item=220389335719&ssPageName=ADME:X:RTQ:CA:1123

I found these cheaper somewhere else but it is this exact antenna.

Thanks for any advice

```
From 9050623612674994312
X-Google-Thread: 108122,eea4f299e4bab1f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
```

media.com!newsfe12.iad.POSTED!00000000!not-for-mail
From: "Cannuck" <abra@cadabra.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HD Antenna advice?
Lines: 11
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Message-ID: <Wy8po.23771$qb.21987@newsfe12.iad>
NNTP-Posting-Host: 173.238.137.123
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe12.iad 1285887286 173.238.137.123 (Thu, 30 Sep 2010 22:54:46 UTC)
NNTP-Posting-Date: Thu, 30 Sep 2010 22:54:46 UTC
Date: Thu, 30 Sep 2010 18:55:13 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:2235

Hi

Wanting to put up the CHannelmaster HD antenna 8bay

I have heard some about putting two up. Each aiming towards a different
major city to get the best reception for the HD.

Any advice on this? Any reason to or not to or better ideas?

Thanks

From 5153661267348343780
X-Google-Thread: fcc6e,d7f1e990d28c106f,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,d7f1e990d28c106f,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,d7f1e990d28c106f,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,d7f1e990d28c106f,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,d7f1e990d28c106f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,d7f1e990d28c106f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,d7f1e990d28c106f,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,d7f1e990d28c106f,start
X-Google-NewGroupId: yes

```
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1283320800@panix.com>
Followup-To: poster
Date: 1 Oct 2010 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Nov 2010 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1285912800@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1285912802 29510 166.84.1.2 (1 Oct 2010 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 1 Oct 2010 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:18686 rec.radio.amateur.dx:735
rec.radio.amateur.equipment:2236 rec.radio.amateur.homebrew:3855
rec.radio.amateur.misc:5429 rec.radio.amateur.policy:28614
rec.radio.amateur.space:386 rec.radio.info:1763

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html
```

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From -4426502383265350988
X-Google-Thread: 108122,eea4f299e4bab1f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!post02.iad!news.dslextreme.com!not-for-mail
Date: Fri, 01 Oct 2010 05:36:29 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.13) Gecko/20100914 SeaMonkey/2.0.8
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HD Antenna advice?
References: <Wy8po.23771$qb.21987@newsfe12.iad>
In-Reply-To: <Wy8po.23771$qb.21987@newsfe12.iad>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed

```
Content-Transfer-Encoding: 7bit
Lines: 22
Message-ID: <4ca5d5b1$0$21179$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2237

Cannuck wrote:
> Hi
>
> Wanting to put up the CHannelmaster HD antenna 8bay
>
> I have heard some about putting two up. Each aiming towards a different
> major city to get the best reception for the HD.
>
> Any advice on this? Any reason to or not to or better ideas?
>
> Thanks
>

In order of preference

1: 2 antennas, 2 transmission lines, switch at receiver

2: 1 antenna, 1 rotor, 1 rotor cable/transmission line, rotor control
set top box

3: 2 antennas, 1 hybrid combiner on pole, 1 transmission line (many
opportunities for phasing weirdness and cancellations, etc.)


From -2875534302177306555
X-Google-Thread: 108122,92686ac7ae2baf3b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HD Antenna?
Date: Fri, 01 Oct 2010 15:46:02 GMT
Organization: some
Lines: 26
Message-ID: <i84vhp$a3$2@usenet01.srv.cis.pitt.edu>
References: <5q8po.23768$qb.21290@newsfe12.iad>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1285947769 323 136.142.52.90 (1 Oct 2010
15:42:49 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Fri, 1 Oct 2010 15:42:49 +0000 (UTC)
X-Newsreader: News Xpress 2.01
```

Xref: g2news1.google.com rec.radio.amateur.equipment:2238

In article <5q8po.23768$qb.21290@newsfe12.iad>, "Cannuck" <abra@cadabra.com>
wrote:
>Looking to buy the Channelmaster HD 8bay for the HD TV.
>
>I have heard some about putting two up each aimed at a different major city
>from where I am.
>
>Any tips on best way to do this? or not to do this? or better way to do
>this?
>
>http://cgi.ebay.ca/ws/eBayISAPI.dll?ViewItem&item=220389335719&ssPageName=ADME:
>X:RTQ:CA:1123
>
>
>I found these cheaper somewhere else but it is this exact antenna.
>
>Thanks for any advice
>

I found them mostly more expensive. Averag about $85 each.
I'm sure it good though. I myself would just use an combiner first
see how that works. If you got low band analog, does not necessarily mean you
will pick up anything far away.

No, just use one and see what you pick up first.

greg

From 8860242542132411O8
X-Google-Thread: 108122,7a0a3cfd8265606,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
u4g2000prn.googlegroups.com!not-for-mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT&SEXY IMAGES
Date: Fri, 1 Oct 2010 21:15:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <72fbb2ee-5285-4e83-b5a8-c5c80b9252c0@u4g2000prn.googlegroups.com>
NNTP-Posting-Host: 117.199.246.83
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1285992910 16702 127.0.0.1 (2 Oct 2010 04:15:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Oct 2010 04:15:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u4g2000prn.googlegroups.com; posting-host=117.199.246.83; posting-

```
account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2239

     AMISHAPATEL HOT BOOBS

http://babes-devi.blogspot.com/2010/07/amishpatel-latest-photos.html

       ARCHANA UNSEENED EXPOSING PHOTOS

http://babes-devi.blogspot.com/2010/07/archana-unseened-photos.html

        KATRINA KAIF HOT SEXY PHOTOS

http://babes-devi.blogspot.com/2010/07/katrina-sexy-looking-photos.html

         THISHA HOT WET PHOTOS

http://babes-devi.blogspot.com/2010/06/thrisha-hot-wet-photos.html

       SEXY CHARMI IN A BATHROOM

http://babes-devi.blogspot.com/2010/06/charmi-in-bath.html

        KAJALAGARWAL IN A ROMANTIC FEEL

http://babes-devi.blogspot.com/2010/06/kajal-hot-photos.html

            NAMITHA IN A BEACH

http://babes-devi.blogspot.com/2010/06/nayagarala-namitha.html


From -7940493462770483666
X-Google-Thread: 108122,92686ac7ae2baf3b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!tudelft.nl!
txtfeed1.tudelft.nl!multikabel.net!newsfeed20.multikabel.net!news2.euro.net!
209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.16.MISMATCH!npeer02.iad.highwinds-media.com!news.highwinds-media.com!
feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe21.iad.POSTED!
00000000!not-for-mail
From: "Cannuck" <abra@cadabra.com>
Newsgroups: rec.radio.amateur.equipment
References: <5q8po.23768$qb.21290@newsfe12.iad>
<i84vhp$a3$2@usenet01.srv.cis.pitt.edu>
In-Reply-To: <i84vhp$a3$2@usenet01.srv.cis.pitt.edu>
Subject: Re: HD Antenna?
Lines: 55
```

MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Message-ID: <A7Gpo.97$AC5.19@newsfe21.iad>
NNTP-Posting-Host: 173.238.137.123
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe21.iad 1286024800 173.238.137.123 (Sat, 02 Oct 2010 13:06:40 UTC)
NNTP-Posting-Date: Sat, 02 Oct 2010 13:06:40 UTC
Date: Sat, 2 Oct 2010 09:07:10 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:2240

Hi
Thanks for the reply

I do have one up now. It is only a 4bay but I can only aim to one direction to one major city. On the back of the antenna I pick up another major city's broadcasts and just happens to be right behind. But when the clouds or rain are there it gets poorer reception and the HD channels pixel a lot and I loose them. Mostly the football and hockey games and always right at the most awkward moments.

So I want two up to aim at each market. Ya, they are only about 70 dollars each and a splitter.

Anyone had success with this? Some say you get a ghosting affect.

Thanks for any tips

"GregS" <zekfrivo@zekfrivolous.com> wrote in message
news:i84vhp$a3$2@usenet01.srv.cis.pitt.edu...
> In article <5q8po.23768$qb.21290@newsfe12.iad>, "Cannuck"
> <abra@cadabra.com> wrote:
>>Looking to buy the Channelmaster HD 8bay for the HD TV.
>>
>>I have heard some about putting two up each aimed at a different major
>>city
>>from where I am.
>>
>>Any tips on best way to do this? or not to do this? or better way to do
>>this?
>>

```
>>http://cgi.ebay.ca/ws/eBayISAPI.dll?ViewItem&item=220389335719&ssPageName=ADME:
>>X:RTQ:CA:1123
>>
>>
>>I found these cheaper somewhere else but it is this exact antenna.
>>
>>Thanks for any advice
>>
>
> I found them mostly more expensive. Averag about $85 each.
> I'm sure it good though. I myself would just use an combiner first
> see how that works. If you got low band analog, does not necessarily mean
> you
> will pick up anything far away.
>
> No, just use one and see what you pick up first.
>
> greg
>
```

```
From -9111198209622960233
X-Google-Thread: 108122,92686ac7ae2baf3b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!nx02.iad01.newshosting.com!newshosting.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Sat, 02 Oct 2010 08:19:14 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.13) Gecko/20100914
SeaMonkey/2.0.8
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HD Antenna?
References: <5q8po.23768$qb.21290@newsfe12.iad>
<i84vhp$a3$2@usenet01.srv.cis.pitt.edu> <A7Gpo.97$AC5.19@newsfe21.iad>
In-Reply-To: <A7Gpo.97$AC5.19@newsfe21.iad>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <4ca74d56$0$5504$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2241
```

Cannuck wrote:

> Hi
> Thanks for the reply
>
> I do have one up now. It is only a 4bay but I can only aim to one

> direction to one major city. On the back of the antenna I pick up
> another major city's broadcasts and just happens to be right behind. But
> when the clouds or rain are there it gets poorer reception and the HD
> channels pixel a lot and I loose them. Mostly the football and hockey
> games and always right at the most awkward moments.
>
> So I want two up to aim at each market. Ya, they are only about 70
> dollars each and a splitter.
>
> Anyone had success with this? Some say you get a ghosting affect.
>

No ghosts on digital. The decoders subtract multipath.

If you have trouble with moisture it is usually because your connections
are not water tight. Is there a tropo duct to the station on the 180
degree beam of your antenna? Like San Diego into Santa Barbara? Not a
reliable mode of propagation for entertainment use.

From 3694586018384997043
X-Google-Thread: 108122,92686ac7ae2baf3b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <knock_yourself_out@example.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HD Antenna?
Date: 2 Oct 2010 17:04:35 GMT
Lines: 32
Message-ID: <slrniaeph2.197r.knock_yourself_out@shell.config.com>
References: <5q8po.23768$qb.21290@newsfe12.iad>
 <i84vhp$a3$2@usenet01.srv.cis.pitt.edu> <A7Gpo.97$AC5.19@newsfe21.iad>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net AUKN8LqrKD3Y2BuZXQHSkQLLYowL5q+2ySslSJJFU49bDIHOEJ
Cancel-Lock: sha1:lyOa/7+C4lDKJiJ3Is1rmj6HpDc=
User-Agent: slrn/0.9.9p1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:2242

On Sat, 2 Oct 2010 09:07:10 -0400, Cannuck wrote:

> I do have one up now. It is only a 4bay but I can only aim to one direction
> to one major city. On the back of the antenna I pick up another major city's
> broadcasts and just happens to be right behind. But when the clouds or rain
> are there it gets poorer reception and the HD channels pixel a lot and I
> loose them. Mostly the football and hockey games and always right at the
> most awkward moments.
>
> So I want two up to aim at each market. Ya, they are only about 70 dollars

> each and a splitter.

If, indeed, the two directions of interest are 180 degrees (+/- 20deg.)
with respect to each other, then I'd mount them back-to-back on the mast
and do the splitter lash-up right at that point.

Remember: You're not pointing lasers -- you're 'aiming' blunderbusses.

> Anyone had success with this? Some say you get a ghosting affect.

You'll be less likely to suffer multi-path reception (causing ghosting
with analog signals) with the two antennas at 180 degrees from each other.

The Real Difficulty with what you're trying to do would be (could arise)
if the two directions of interest were, say, only 50-80 degrees apart.

After it's all said and done, tho', a lot of it is Just Black Magic. :-)
Jonesy

```
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    * Killfiling google & XXXXbanter.com: jonz.net/ng.htm
```

```
From -6913063861899019206
X-Google-Thread: 108122,92686ac7ae2baf3b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.glorb.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe17.iad.POSTED!
00000000!not-for-mail
From: "Cannuck" <abra@cadabra.com>
Newsgroups: rec.radio.amateur.equipment
References: <5q8po.23768$qb.21290@newsfe12.iad>
<i84vhp$a3$2@usenet01.srv.cis.pitt.edu> <A7Gpo.97$AC5.19@newsfe21.iad>
<slrniaeph2.197r.knock_yourself_out@shell.config.com>
In-Reply-To: <slrniaeph2.197r.knock_yourself_out@shell.config.com>
Subject: Re: HD Antenna?
Lines: 64
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18197
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18263
Message-ID: <SdLpo.842$zG4.239@newsfe17.iad>
NNTP-Posting-Host: 173.238.137.123
```

X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe17.iad 1286045682 173.238.137.123 (Sat, 02 Oct 2010 18:54:42 UTC)
NNTP-Posting-Date: Sat, 02 Oct 2010 18:54:42 UTC
Date: Sat, 2 Oct 2010 14:55:12 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:2243

Ok

Some good advice

Thanks

I will put them in 180deg. your comments were -or+20degrees. That will work
well.

I didn't know that the ghosting was only affected on the analog.

What about that splitter? Is that just a regular splitter or is there
something available to aid in the signal or signal strength? Any types of a
preamp splitter or would I have to power that?

I want to put this up high on the tower and leave it. One time. I simply do
not like climbing that thing anymore than I need to. I am sure you hams
with very high towers can relate to that.

Thanks

"Allodoxaphobia" <knock_yourself_out@example.net> wrote in message
news:slrniaeph2.197r.knock_yourself_out@shell.config.com...
> On Sat, 2 Oct 2010 09:07:10 -0400, Cannuck wrote:
>
>> I do have one up now. It is only a 4bay but I can only aim to one
>> direction
>> to one major city. On the back of the antenna I pick up another major
>> city's
>> broadcasts and just happens to be right behind. But when the clouds or
>> rain
>> are there it gets poorer reception and the HD channels pixel a lot and I
>> loose them. Mostly the football and hockey games and always right at the
>> most awkward moments.
>>
>> So I want two up to aim at each market. Ya, they are only about 70
>> dollars
>> each and a splitter.
>
> If, indeed, the two directions of interest are 180 degrees (+/- 20deg.)
> with respect to each other, then I'd mount them back-to-back on the mast
> and do the splitter lash-up right at that point.
>
> Remember: You're not pointing lasers -- you're 'aiming' blunderbusses.

```
>
>> Anyone had success with this? Some say you get a ghosting affect.
>
> You'll be less likely to suffer multi-path reception (causing ghosting
> with analog signals) with the two antennas at 180 degrees from each other.
>
> The Real Difficulty with what you're trying to do would be (could arise)
> if the two directions of interest were, say, only 50-80 degrees apart.
>
> After it's all said and done, tho', a lot of it is Just Black Magic.  :-)
> Jonesy
> --
>  Marvin L Jones    | jonz          | W3DHJ  | linux
>   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
>    * Killfiling google & XXXXbanter.com: jonz.net/ng.htm
>
```

```
From 3009078810038667732
X-Google-Thread: 108122,52bcafbb3ac933f0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!feeder.news-
service.com!news.panservice.it!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for an IC for Yaesu FT-847 transceiver
Date: Sat, 2 Oct 2010 21:34:10 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="Windows-1252";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
Lines: 11
Message-ID: <4ca7892e$0$40282$4fafbaef@reader2.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.42.225.9
X-Trace: 1286048046 reader2.news.tin.it 40282 79.42.225.9:6360
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news1.google.com rec.radio.amateur.equipment:2244
```

Does any one know where to find the Hitachi hybrid circuit PF0310A, which is the RF power driver for the Yaesu FT-847 transceiver?

On the Internet I (perhaps) only found a PF0310 (without the A), but it is somewhat different.

Thanks & regards.

Tony I0JX
Rome, Italy

From -1238684197421212075
X-Google-Thread: 108122,92686ac7ae2baf3b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.glorb.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Sat, 02 Oct 2010 12:47:30 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.13) Gecko/20100914
SeaMonkey/2.0.8
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HD Antenna?
References: <5q8po.23768$qb.21290@newsfe12.iad>
<i84vhp$a3$2@usenet01.srv.cis.pitt.edu> <A7Gpo.97$AC5.19@newsfe21.iad>
<slrniaeph2.197r.knock_yourself_out@shell.config.com>
<SdLpo.842$zG4.239@newsfe17.iad>
In-Reply-To: <SdLpo.842$zG4.239@newsfe17.iad>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 71
Message-ID: <4ca78c35$0$5512$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2245

Cannuck wrote:
> Ok
>
> Some good advice
>
> Thanks
>
> I will put them in 180deg. your comments were -or+20degrees. That will
> work well.
>
> I didn't know that the ghosting was only affected on the analog.
>
> What about that splitter? Is that just a regular splitter or is there
> something available to aid in the signal or signal strength? Any types
> of a preamp splitter or would I have to power that?

```
>
> I want to put this up high on the tower and leave it. One time. I simply
> do not like climbing that thing anymore than I need to. I am sure you
> hams with very high towers can relate to that.
>
> Thanks
>
>
>
>
> "Allodoxaphobia" <knock_yourself_out@example.net> wrote in message
> news:slrniaeph2.197r.knock_yourself_out@shell.config.com...
>> On Sat, 2 Oct 2010 09:07:10 -0400, Cannuck wrote:
>>
>>> I do have one up now. It is only a 4bay but I can only aim to one
>>> direction
>>> to one major city. On the back of the antenna I pick up another major
>>> city's
>>> broadcasts and just happens to be right behind. But when the clouds
>>> or rain
>>> are there it gets poorer reception and the HD channels pixel a lot and I
>>> loose them. Mostly the football and hockey games and always right at the
>>> most awkward moments.
>>>
>>> So I want two up to aim at each market. Ya, they are only about 70
>>> dollars
>>> each and a splitter.
>>
>> If, indeed, the two directions of interest are 180 degrees (+/- 20deg.)
>> with respect to each other, then I'd mount them back-to-back on the mast
>> and do the splitter lash-up right at that point.
>>
>> Remember: You're not pointing lasers -- you're 'aiming' blunderbusses.
>>
>>> Anyone had success with this? Some say you get a ghosting affect.
>>
>> You'll be less likely to suffer multi-path reception (causing ghosting
>> with analog signals) with the two antennas at 180 degrees from each
>> other.
>>
>> The Real Difficulty with what you're trying to do would be (could arise)
>> if the two directions of interest were, say, only 50-80 degrees apart.
>>
>> After it's all said and done, tho', a lot of it is Just Black Magic. :-)
>> Jonesy
>> --
>> Marvin L Jones | jonz | W3DHJ | linux
>> 38.24N 104.55W | @ config.com | Jonesy | OS/2
>> * Killfiling google & XXXXbanter.com: jonz.net/ng.htm
>>
>
A Radio Shack 75 Ohm 2 way splitter can also be used as a combiner to
put 2 antennas on a single transmission line. Be sure to ground it to
```

```
your tower. And use some kind of weatherproofing (i.e. drip loops and
co-ax seal).  Use a UL/NEC approved grounding device where the
transmission line enters the building.


From -2780505639913955144
X-Google-Thread: 108122,52bcafbb3ac933f0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!nx01.iad01.newshosting.com!newshosting.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Sat, 02 Oct 2010 12:50:27 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.13) Gecko/20100914
SeaMonkey/2.0.8
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for an IC for Yaesu FT-847 transceiver
References: <4ca7892e$0$40282$4fafbaef@reader2.news.tin.it>
In-Reply-To: <4ca7892e$0$40282$4fafbaef@reader2.news.tin.it>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <4ca78ce7$0$5514$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2246

Antonio Vernucci wrote:
> Does any one know where to find the Hitachi hybrid circuit PF0310A,
> which is the RF power driver for the Yaesu FT-847 transceiver?
>
> On the Internet I (perhaps) only found a PF0310 (without the A), but it
> is somewhat different.
>
> Thanks & regards.
>
> Tony I0JX
> Rome, Italy

http://foxtango.org/foxtango001.htm


From -7988169189691669929
X-Google-Thread: 108122,52bcafbb3ac933f0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder2.cambriumusenet.nl!
feed.tweaknews.nl!193.201.147.87.MISMATCH!news.astraweb.com!
border2.a.newsrouter.astraweb.com!news.netcologne.de!ramfeed1.netcologne.de!
```

```
newsfeed.freenet.ag!feeder.erje.net!news.panservice.it!feeder.news.tin.it!
spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
References: <4ca7892e$0$40282$4fafbaef@reader2.news.tin.it>
<4ca78ce7$0$5514$bd467cd0@news.dslextreme.com>
Subject: Re: Looking for an IC for Yaesu FT-847 transceiver
Date: Sat, 2 Oct 2010 23:04:16 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="Windows-1252";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
Lines: 19
Message-ID: <4ca79e4b$0$12124$4fafbaef@reader4.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.42.225.9
X-Trace: 1286053451 reader4.news.tin.it 12124 79.42.225.9:6412
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news1.google.com rec.radio.amateur.equipment:2247

OK thanks
Tony

"dave" <dave@dave.dave> ha scritto nel messaggio
news:4ca78ce7$0$5514$bd467cd0@news.dslextreme.com...
> Antonio Vernucci wrote:
>> Does any one know where to find the Hitachi hybrid circuit PF0310A,
>> which is the RF power driver for the Yaesu FT-847 transceiver?
>>
>> On the Internet I (perhaps) only found a PF0310 (without the A), but it
>> is somewhat different.
>>
>> Thanks & regards.
>>
>> Tony I0JX
>> Rome, Italy
>
> http://foxtango.org/foxtango001.htm



From -6159094620226814883
X-Google-Thread: 108122,92686ac7ae2baf3b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!feeder.erje.net!
newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!
border2.nntp.dca.giganews.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.earthlink.com!
news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 02 Oct 2010 21:02:38 -0500
Date: Sat, 02 Oct 2010 21:00:39 -0500
From: sorry-spammers <""w9wi\"@(sorry-spammers)">
Organization: Ham Radio W9WI
User-Agent: Thunderbird 2.0.0.24 (X11/20100317)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HD Antenna?
References: <5q8po.23768$qb.21290@newsfe12.iad>
<i84vhp$a3$2@usenet01.srv.cis.pitt.edu> <A7Gpo.97$AC5.19@newsfe21.iad>
<slrniaeph2.197r.knock_yourself_out@shell.config.com>
<SdLpo.842$zG4.239@newsfe17.iad>
In-Reply-To: <SdLpo.842$zG4.239@newsfe17.iad>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <M9ednWo-crqieTrRnZ2dnUVZ_s6dnZ2d@earthlink.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.153.70.213
X-Trace:
sv3-2o8ul8LolSLq5cpJJdxTCpnokrk5sKD75QJfldNbqrmiODItswCP6EEldFrRjFBSf1jZrT80ruL7xw
O!29znOgfCYEbhxz9A55BtH01uBjmg0jizTluh2/zU0qJFBrTHOzJRSGfz3oCx32g4z74VQS+TpuS2!
LQ9DvBkeIkidEtry8lwGmwWvXj8=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 2090
Xref: g2news1.google.com rec.radio.amateur.equipment:2248
```

Cannuck wrote:

> I didn't know that the ghosting was only affected on the analog.

I would suggest this is not strictly true.

You won't *see* ghosting with digital TV, but if you're receiving the same signal via two different paths (which is what caused ghosting in analog) your digital TV may not be able to decode that signal at all. You won't see ghosts on the screen, but you may not be able to receive *anything* from some stations.

Digital TVs do have circuits that address this problem. It's not as if you stand no chance of receiving a digital station if you had any ghosting at all from its analog predecessor. But the correction circuits aren't perfect and if you ignore the problem altogether, you may miss out on some channels.

--

Doug Smith W9WI
Pleasant View, TN EM66

```
From 8379052439882225449
X-Google-Thread: 108122,e99fdbcb9dbbe27d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t20g2000yqa.googlegroups.com!not-for-
mail
From: OldGold <sharknews@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Vintage Ham Radio Gear ... super nice
Date: Sun, 3 Oct 2010 21:17:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 29
Message-ID: <f9633761-0983-40d3-a40a-1aec3789fbed@t20g2000yqa.googlegroups.com>
NNTP-Posting-Host: 68.198.140.153
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286165822 10014 127.0.0.1 (4 Oct 2010 04:17:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Oct 2010 04:17:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t20g2000yqa.googlegroups.com; posting-host=68.198.140.153;
posting-account=bvZ6XAoAAABDLRlxSGtgOEK_w6vrKc66
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.1.13)
 Gecko/20100914 Firefox/3.5.13,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2249
```

I have the all the gear from a vintage Ham Shack for auction. Mostly
vintage Drake gear. Really super clean and nice.

Drake L - 4 B Linear Amplifier + L-4 PS Power

Drake MN - 2000 Matching Network ~ Ham

Drake R-4C Ham Receiver

Drake T-4XC Transmitter ~ Ham

DRAKE FS4 SYNTHESIZER ~ Ham

Drake MS-4 Speaker + Drake AC-4 Power Supply

CDE Transmit Receive Direction Control ~ Ham

Shure model 444 Base Microphone Ham

Follow the link for photos and a full descriptions of each piece of gear....

http://members.ebay.com/ws/eBayISAPI.dll?ViewUserPage&userid=iam30

Thanks

```
From 4214187675640350087
X-Google-Thread: 108122,12ac23258dc34644,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a7g2000prb.googlegroups.com!not-for-
mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: `****HOT SEXY PHOTOS&VIDEOS****
Date: Mon, 4 Oct 2010 08:49:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <459dbaed-e247-4889-b037-59dc4e8bf0c4@a7g2000prb.googlegroups.com>
NNTP-Posting-Host: 117.199.246.204
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286207378 24520 127.0.0.1 (4 Oct 2010 15:49:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Oct 2010 15:49:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a7g2000prb.googlegroups.com; posting-host=117.199.246.204;
posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2250
```

SEXY CHARMI IN A BATH

http://babes-devi.blogspot.com/2010/06/charmi-in-bath.html

FOR HOT PHOTOS&VIDEOS

http://babes-devi.blogspot.com/2010_06_01_archive.html

AISHWARIYA RAI EXPOSING PHOTOS

http://babes-devi.blogspot.com/2010/09/aishwariya-rai.html

HOT SEXY BOOBS SHOW

http://babes-devi.blogspot.com/2010/09/sexy-boobs.html

ASIN CUTE HOT PHOTOS

http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html

MALLIKA SHARAWAT UNBELIVABLE PHOTOS

http://babes-devi.blogspot.com/2010/08/sexy-mallika.html

ANKHITA SPICY PHOTOS

http://babes-devi.blogspot.com/2010/08/sexy-ankhitha.html

ARTHI AGARWAL HOT WET PHOTOS

http://babes-devi.blogspot.com/2010/08/arthi-agarwal-sexy-wet-photos.html

```
From -5762007776157996469
X-Google-Thread: 108122,68b748e4347d42ad,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
newsfeed3.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!micro-heart-of-
gold.mit.edu!nntp.club.cc.cmu.edu!195.208.113.2.MISMATCH!goblin2!
goblin.stu.neva.ru!xlned.com!feeder3.xlned.com!feeder.news-service.com!
216.196.110.148.MISMATCH!Xl.tags.giganews.com!border1.nntp.ams.giganews.com!
nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Oct 2010 17:10:26 -0500
From: ohaniazx <ohaniazx.6f006e8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Harris RF-280 wanted
Date: Mon, 4 Oct 2010 16:35:13 +0000
Message-ID: <ohaniazx.6f006e8@radiobanter.com>
Organization: RadioBanter.com
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-kuP7SZhQoG0+e78q3wN3Hb9LUdM3FrzwbUGODp0bzomn0FjPxYI/
uB0TWltQ7r0dwNQvlosDSETADs4!
SBI3lC4Yl1OeZ8Dxf+yzx3fWlbr6LiZqow86BNer8E8ToewdkxNeUbqKvOPqpTxVgltOykmjWTdd!
KwKApDs=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 4
X-Original-Bytes: 1119
Xref: g2news1.google.com rec.radio.amateur.equipment:2251
```

RF-280 unit wanted, working condition with manual. Let me know what you have and how much. I am aware of street prices of the unit hence be reasonable.

Email me @ ohaniazx@gmail.com.
Zareh

--
ohaniazx

```
From -4451557814821984800
X-Google-Thread: 1077d8,3f73961e0c6ef20c,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,3f73961e0c6ef20c,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,3f73961e0c6ef20c,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q16g2000prf.googlegroups.com!not-for-
mail
From: cntrade08 <chenxaing84@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: JIMMY CHOO Purse,LV Handbags ((http://www.cntrade09.com ) ) - (paypal
payment)
Date: Tue, 5 Oct 2010 00:14:14 -0700 (PDT)
Organization: http://groups.google.com
Lines: 41
Message-ID: <76360cd4-dfc6-40e2-a8d2-2a71f94a2a8b@q16g2000prf.googlegroups.com>
NNTP-Posting-Host: 58.22.64.231
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286262855 24683 127.0.0.1 (5 Oct 2010 07:14:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Oct 2010 07:14:15 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q16g2000prf.googlegroups.com; posting-host=58.22.64.231; posting-
account=vrbHZwoAAADEhmfndJohj1WMAZguxxBj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
 CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10458
rec.radio.amateur.equipment:2252 rec.music.bluenote:2542
```

Burberry Handbags
Balenciaga Handbags ((http://www.cntrade09.com)) - (paypal
payment)

Balenciaga Purse
Bally Purse
BOSS Purse ((http://www.cntrade09.com)) - (paypal payment)
Chanel Handbags
Chanel Purse
Chloe Handbags ((http://www.cntrade09.com)) - (paypal payment)
Chloe Purse
Coach Handbags ((http://www.cntrade09.com)) - (paypal payment)
Coach Purse
D&G Purse ((http://www.cntrade09.com)) - (paypal payment)
Dior Handbags
Dunhill Purse
Gucci Handbags ((http://www.cntrade09.com)) - (paypal payment)
Gucci Purse
Hermes Purse
JIMMY CHOO Handbags ((http://www.cntrade09.com)) - (paypal payment)
JIMMY CHOO Purse
LV Handbags ((http://www.cntrade09.com)) - (paypal payment)
LV Purse
FENDI Handbags
Hermes Handbags ((http://www.cntrade09.com)) - (paypal payment)
JUICY Handbags
KOOBA Handbags ((http://www.cntrade09.com)) - (paypal payment)
LOEWE Handbags
Marc Jacobs Handbags ((http://www.cntrade09.com)) - (paypal payment)
MIUMIU Handbags
MULBERRY Handbags
THOMASWYLDE Handbags ((http://www.cntrade09.com)) - (paypal payment)
PRADA Handbags ((http://www.cntrade09.com)) - (paypal payment)
PRADA Purse
Valentnv Handbags ((http://www.cntrade09.com)) - (paypal payment)
D&G Handbags
VERSACE Handbags
Lancel Handbags ((http://www.cntrade09.com)) - (paypal payment)

From -7465586577137699118
X-Google-Thread: 108122,3e50f7e97fc94c56,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!q16g2000prf.googlegroups.com!not-for-mail
From: bangari <mbangari937@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Germany Girls Latest Sex Videos
Date: Tue, 5 Oct 2010 08:14:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5

```
Message-ID: <52549b3a-6d51-405a-aaf5-faf4b4b9f1c4@q16g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.195.165.83
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286291696 24845 127.0.0.1 (5 Oct 2010 15:14:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Oct 2010 15:14:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q16g2000prf.googlegroups.com; posting-host=117.195.165.83;
posting-account=0WC5AQoAAACZqI2QRn2oJ5m3hdYkMdYa
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.19)
 Gecko/2010031422 Firefox/3.0.19,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2253

See Germany Girls Latest Sex Videos  At http://germanymusic.tk

Due to high sex content, i have hidden the Videos in an image.
in that website on Right side  search box below  click on image
 and watch Videos in all angles.



From -3954271696859436363
X-Google-Thread: 108122,7976afc1775d79fe,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l6g2000yqb.googlegroups.com!not-for-
mail
From: larya <larya@rogers.com>
Newsgroups: rec.radio.amateur.equipment
Subject: icom 275 8 volt mike connector output
Date: Tue, 5 Oct 2010 09:07:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <db8c50cb-09fd-48d9-94ad-bd0047fed479@l6g2000yqb.googlegroups.com>
NNTP-Posting-Host: 99.235.111.150
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286294860 17439 127.0.0.1 (5 Oct 2010 16:07:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Oct 2010 16:07:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l6g2000yqb.googlegroups.com; posting-host=99.235.111.150; posting-
account=LBZmpwoAAACAZO9ii64L4iFqvdaJxylU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.1.13)
 Gecko/20100914 Firefox/3.5.13 ( .NET CLR 3.5.30729),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2254

Greettings...
Can someone point me to a webpage that shows me the specs, current
output level, on the 8 volt line?..
```

```
Thanks
Larry ve3fxq



From 7068822627760797796
X-Google-Thread: 108122,7976afc1775d79fe
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Tue, 05 Oct 2010 10:44:11 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.13) Gecko/20100914
SeaMonkey/2.0.8
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom 275 8 volt mike connector output
References: <db8c50cb-09fd-48d9-94ad-bd0047fed479@l6g2000yqb.googlegroups.com>
In-Reply-To: <db8c50cb-09fd-48d9-94ad-bd0047fed479@l6g2000yqb.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <4cab63cc$0$5554$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2255

larya wrote:
> Greettings...
> Can someone point me to a webpage that shows me the specs, current
> output level, on the 8 volt line?..
> Thanks
> Larry ve3fxq

http://dir.groups.yahoo.com/dir/Hobbies___Crafts/Hobbies/Amateur_and_Ham_Radio?
st=40



From -232577854894119385
X-Google-Thread: 108122,b9f3f8387f3cf524,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-02!easynews.com!en-
nntp-06.dc1.easynews.com.POSTED!not-for-mail
From: Allan Matthews <amatthews2@stny.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM Battery charger
Message-ID: <0b7na6tsljuh17mmv21vrb0s218j0gabjl@4ax.com>
X-Newsreader: Forte Agent 6.00/32.1186
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 05 Oct 2010 17:55:53 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:2256

Hi, I was just given an ICOM Handheld with no battery charger.  I have
a lot of wall plug in chargers.  Anybody know the specs of the Icom
BC167SA charger or the BC110 A/D/N.

thanks for any help.Allan Matthews W2IJL



From 9204045305753251101
X-Google-Thread: 108122,82db1dab2aa8b02e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a15g2000yqm.googlegroups.com!not-for-
mail
From: OldGold <sharknews@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Vintage Drake Ham Gear - amps/receiver/trans/synth/matching/mic/
speakers
Date: Wed, 6 Oct 2010 07:55:17 -0700 (PDT)
Organization: http://groups.google.com
Lines: 29
Message-ID: <ba8a5eea-ecc8-4a64-9d64-337bfe26d057@a15g2000yqm.googlegroups.com>
NNTP-Posting-Host: 68.198.140.153
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286376917 23124 127.0.0.1 (6 Oct 2010 14:55:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Oct 2010 14:55:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a15g2000yqm.googlegroups.com; posting-host=68.198.140.153;
posting-account=bvZ6XAoAAABDLRlxSGtgOEK_w6vrKc66
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.1.13)
 Gecko/20100914 Firefox/3.5.13,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2257

I have the all the gear from a vintage Ham Shack for auction. Mostly
vintage Drake gear. Really super clean and nice.

Drake L - 4 B Linear Amplifier + L-4 PS Power

Drake MN - 2000 Matching Network ~ Ham
```

Drake R-4C Ham Receiver

Drake T-4XC Transmitter ~ Ham

DRAKE FS4 SYNTHESIZER ~ Ham

Drake MS-4 Speaker + Drake AC-4 Power Supply

CDE Transmit Receive Direction Control ~ Ham

Shure model 444 Base Microphone Ham

Follow the link for photos and a full descriptions of each piece of gear....

http://members.ebay.com/ws/eBayISAPI.dll?ViewUserPage&userid=iam30

Thanks

```
From 6151450061158945261
X-Google-Thread: 108122,de7aaf206eecf2f5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q16g2000prf.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT KISSING
Date: Wed, 6 Oct 2010 08:32:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 46
Message-ID: <5443efcf-7702-4b78-a67d-6db3c3d96a55@q16g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.244.41
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286379156 7930 127.0.0.1 (6 Oct 2010 15:32:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Oct 2010 15:32:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q16g2000prf.googlegroups.com; posting-host=117.199.244.41;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2258
```

FOR SUPER HOT PHOTOS

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

HOT VIDOES

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html

ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

From 2092739094042415114
X-Google-Thread: 108122,d17e5bf7cf644b24,start
X-Google-NewGroupId: yes

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g6g2000pro.googlegroups.com!not-for-
mail
From: us dollars <bigbubble1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ***  Kareenakapoor's *** Khaza masala Videos
Date: Wed, 6 Oct 2010 10:26:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 6
Message-ID: <e3e08b95-d7d8-43bc-bc0d-558215459051@g6g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.195.167.114
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286385986 28334 127.0.0.1 (6 Oct 2010 17:26:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Oct 2010 17:26:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g6g2000pro.googlegroups.com; posting-host=117.195.167.114;
posting-account=8rr6OwoAAABbiAmhgtoT5_7SpWzm_j7u
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.19)
 Gecko/2010031422 Firefox/3.0.19,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2259

*  Kareenakapoor's * Khaza masala Videos at http://johnabrhumsjollydays.tk

Due to high sex content, i have hidden the Videos in an
image. in that website on Right side  search box below  click
on image and watch Videos in all angles.



From 6966689500259881866
X-Google-Thread: 108122,eea4f299e4bab1f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 07 Oct 2010 00:08:02 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HD Antenna advice?
References: <Wy8po.23771$qb.21987@newsfe12.iad>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Wed, 6 Oct 2010 22:02:47 -0700
Message-ID: <ns00o7-pir.ln1@radagast.org>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
```

```
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-XsKwJOjIV0PyeQSzg/
O6q17ncplCHJjPbujsTNTECiovHIqumJjwjYTfNlqL1300DFVu8yCNMT5yQ7i!9KCfL1SCUiTd/
Hyv7zMnErknkTnHwCor0+ZDmuMulL40htPfSL/J7S8CzQX5tA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1980
Xref: g2news1.google.com rec.radio.amateur.equipment:2260
```

>Hi
>
>Wanting to put up the CHannelmaster HD antenna 8bay
>
>I have heard some about putting two up. Each aiming towards a different
>major city to get the best reception for the HD.
>
>Any advice on this? Any reason to or not to or better ideas?

Combining two antennas can be rather tricky to do well; you can get odd cancellation and interference effects. Switching arrangement may work better.

Alternate approaches are:

- Use one antenna (single- or multi-bay) and a remote-controlled mechanical rotator.

- Use an "electrically steerable" antenna - some of these can be controlled/steered automatically by some newer digital television sets, via a control voltage sent up the coax.

```
--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From -359284307187815155
X-Google-Thread: fcc6e,96629cd96c04b525,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,96629cd96c04b525,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,96629cd96c04b525,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,96629cd96c04b525,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,96629cd96c04b525,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,96629cd96c04b525,start
X-Google-NewGroupId: yes
```

X-Google-Thread: 10b9c8,96629cd96c04b525,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1283839501@panix.com>
Followup-To: poster
Date: 7 Oct 2010 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Nov 2010 01:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1286431501@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1286431502 10678 166.84.1.2 (7 Oct 2010 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Oct 2010 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:18779 rec.radio.amateur.dx:740
rec.radio.amateur.equipment:2261 rec.radio.amateur.homebrew:3863
rec.radio.amateur.misc:5450 rec.radio.amateur.policy:28675 rec.radio.info:1780

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro

```
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |

We are willing to provide any technical support necessary to get this
article updated and automatically posted again at a regular interval.
This would include establishing contact with the original maintainer for
any necessary permissions.  We would prefer to seek a new, dedicated
maintainer at this time, rather than start auto-posting the original
article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.




From -7583469936097206888
X-Google-Thread: 107ada,e77640b32e35597a,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,e77640b32e35597a,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,e77640b32e35597a,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,e77640b32e35597a,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1283839800@panix.com>
```

Followup-To: poster
Date: 7 Oct 2010 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Nov 2010 01:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1286431801@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1286431802 21459 166.84.1.2 (7 Oct 2010 06:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Oct 2010 06:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:5451 rec.radio.amateur.equipment:2262 rec.radio.swap:2671 rec.radio.info:1781

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From 2340535991724305094
X-Google-Thread: 108122,7134bb13df112606,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!tudelft.nl!
txtfeed1.tudelft.nl!dedekind.zen.co.uk!zen.net.uk!hamilton.zen.co.uk!
163.1.2.201.MISMATCH!feeds.news.ox.ac.uk!news.ox.ac.uk!nntp-
feed.chiark.greenend.org.uk!ewrotcd!not-for-mail
From: Theo Markettos <theom+news@chiark.greenend.org.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Selective level meter
Date: 07 Oct 2010 17:02:18 +0100 (BST)
Organization: University of Cambridge, England
Lines: 12
Message-ID: <USr*cV3kt@news.chiark.greenend.org.uk>
NNTP-Posting-Host: chiark.greenend.org.uk
X-Trace: chiark.greenend.org.uk 1286467341 434 212.13.197.229 (7 Oct 2010 16:02:21
GMT)
X-Complaints-To: abuse@chiark.greenend.org.uk
NNTP-Posting-Date: Thu, 7 Oct 2010 16:02:21 +0000 (UTC)
User-Agent: tin/1.9.3-20080506 ("Dalintober") (UNIX) (Linux/2.6.26-2-686-bigmem
(i686))
Originator: theom@chiark.greenend.org.uk ([212.13.197.229])
Xref: g2news1.google.com rec.radio.amateur.equipment:2263

I'm reading the calibration section of the service manual for a spectrum
analyser, and that tells me to connect the IF output to a 'selective level
meter'. I've had a google and can find lots of (mostly antique) models, but
I can't seem to find anything that describes what one of these is.

Am I right in guessing it's essentially a narrowband AM receiver with a
power meter for the carrier? So a spectrum analyser with only one
horizontal point? Are they typically more accurate than a spectrum analyser
- or can I just use another analyser?

Thanks
Theo

From 2203921285263635105
X-Google-Thread: 108122,7134bb13df112606
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!

```
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Thu, 07 Oct 2010 11:24:53 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.13) Gecko/20100914
SeaMonkey/2.0.8
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Selective level meter
References: <USr*cV3kt@news.chiark.greenend.org.uk>
In-Reply-To: <USr*cV3kt@news.chiark.greenend.org.uk>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <4cae1056$0$5551$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2264

Theo Markettos wrote:
> I'm reading the calibration section of the service manual for a spectrum
> analyser, and that tells me to connect the IF output to a 'selective level
> meter'.  I've had a google and can find lots of (mostly antique) models, but
> I can't seem to find anything that describes what one of these is.
>
> Am I right in guessing it's essentially a narrowband AM receiver with a
> power meter for the carrier?  So a spectrum analyser with only one
> horizontal point?  Are they typically more accurate than a spectrum analyser
> - or can I just use another analyser?
>
> Thanks
> Theo

An audio distortion analyzer has a kind of selective meter, i.e. a
voltmeter with a bandpass filter upstream.


From -1216087423921242675
X-Google-Thread: 108122,7134bb13df112606
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
news.mixmin.net!aioe.org!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Selective level meter
Date: Fri, 08 Oct 2010 13:58:37 -0400
Organization: Aioe.org NNTP Server
Lines: 27
Message-ID: <fmmck-73CB7A.13583608102010@5ad64b5e.bb.sky.com>
References: <USr*cV3kt@news.chiark.greenend.org.uk>
NNTP-Posting-Host: Ik1cXIqQX1AqjOPPQx8djw.user.speranza.aioe.org
```

```
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news1.google.com rec.radio.amateur.equipment:2265

In article <USr*cV3kt@news.chiark.greenend.org.uk>,
 Theo Markettos <theom+news@chiark.greenend.org.uk> wrote:

> I'm reading the calibration section of the service manual for a spectrum
> analyser, and that tells me to connect the IF output to a 'selective level
> meter'.  I've had a google and can find lots of (mostly antique) models, but
> I can't seem to find anything that describes what one of these is.
>
> Am I right in guessing it's essentially a narrowband AM receiver with a
> power meter for the carrier?  So a spectrum analyser with only one
> horizontal point?  Are they typically more accurate than a spectrum analyser
> - or can I just use another analyser?

Theo-

I expect a frequency selective voltmeter will have an accuracy in the
order of 5% (<1/2 dB) or 10% (<1 dB) of its full scale reading.  The
spectrum analyzer probably has an accuracy measured in dB, probably
greater than 1 dB.

I might depend on another analyzer if that was the only option.  Then
the question would be whether the second analyzer is less accurate than
the one you're trying to calibrate!  Somewhere along the line you need a
standard to compare with.

Fred
K4DII


From 4960607258131883253
X-Google-Thread: 108122,90e0d9d00677c514,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u31g2000pru.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ADULT HOT VIDEOS
Date: Thu, 7 Oct 2010 18:10:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 46
Message-ID: <ad3241e3-d754-4fee-a32d-d3c0f6c0b907@u31g2000pru.googlegroups.com>
NNTP-Posting-Host: 117.199.240.9
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286567311 10174 127.0.0.1 (8 Oct 2010 19:48:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Oct 2010 19:48:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u31g2000pru.googlegroups.com; posting-host=117.199.240.9; posting-
account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2266

          FOR SUPER HOT PHOTOS

HOT LIP KISS 109
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-109.html
HOT LIP KISS 115
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-115.html
HOTLIP KISS 87
http://alltoux.blogspot.com/2010/09/hotlip-kiss-87.html
HOT LIP KISS 124
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-124.html
HOT LIP KISS 56
http://alltoux.blogspot.com/2010/09/hot-lip-kiss-56.html

                     HOT VIDOES

massage hot videos
http://hotvideosonlyx.blogspot.com/2010/09/massage-hot-videos.html
romantic videos
http://hotvideosonlyx.blogspot.com/2010/09/romantic-videos.html
hollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot-kiss.html
hollywood hot
http://hotvideosonlyx.blogspot.com/2010/09/hollywood-hot.html
bollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-kiss.html
bollywood hot videos
http://hotvideosonlyx.blogspot.com/2010/09/bollywood-hot-videos.html
tollywood hot kiss
http://hotvideosonlyx.blogspot.com/2010/09/tollywood-hot-kiss.html





      ALL INTERVIEW QUESTIONS

java interview questions
http://allinterviewsquestions.blogspot.com/2009/02/java-interview-questions.html
oracle interview questions
http://allinterviewsquestions.blogspot.com/2009/02/oracle-interview-questions.html
hardware interview questions 4
```

http://allinterviewsquestions.blogspot.com/2009/02/hardware-interview-questions.html
SQL Server Interview Questions
http://allinterviewsquestions.blogspot.com/2009/02/sql-server-interview-questions.html
dotnet questions 3
http://allinterviewsquestions.blogspot.com/2009/02/dotnet-questions-3.html

```
From -222885899035904094
X-Google-Thread: 10b9c8,a1fc483623a69e3c,start
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,a1fc483623a69e3c,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a1fc483623a69e3c,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,a1fc483623a69e3c,start
X-Google-NewGroupId: yes
X-Google-Thread: f7796,a1fc483623a69e3c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!news.level3.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups: rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, November 2010 - Subscribe for FREE
Followup-To: poster
Date: Sat, 9 Oct 2010 09:33:51 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <2C0FBDB22B524305A55D7810786CDD6E@GRIMES>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1286631231 6503 166.84.1.6 (9 Oct 2010 13:33:51 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 9 Oct 2010 13:33:51 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history, nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
```

```
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.251.43.135 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:1788 rec.radio.amateur.boatanchors:4135
rec.radio.amateur.equipment:2267 rec.radio.swap:2673 alt.ham-radio.morse:45

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All
About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio
publication read by Hams in more than 100 countries. The K9YA Telegraph
contains the stories and features most wanted by our readers, because
it is written by them. An e-Zine, it is delivered monthly as a
full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for
gear, ravished for a review, needing nostalgia, or just plain famished
for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the
K9YA Telegraph Web site.

http://www.k9ya.org

November 2010 articles include:

St. Francis Dam Disaster By Philip Cala-Lazar, K9PL

Software Defined Radio By Paul W. Ross, W3FIS

The Elmer Letters - Part I By Cliff Cheng, Ph.D., AC6C

Morse on the Road By James Wades, WB8SIW

Two Iambic to Single Lever Mods By Paul Signorelli, W�RW

Ham Quips By Dick Sylvan, W9CBT



From 7749808921580782706
X-Google-Thread: 1062f2,c2b190233abbbcdb,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c2b190233abbbcdb,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidda4ffbcd45,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!multikabel.net!newsfeed20.multikabel.net!
border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 09 Oct 2010 09:22:23 -0500
```

Newsgroups: misc.industry.electronics.marketplace,rec.radio.amateur.equipment
Subject: FS: High permeability ferrite toroids.
From: Lostgallifreyan <no-one@nowhere.net>
Message-ID: <Xns9E0C9C5722B75zoodlewurdle@216.196.109.145>
User-Agent: Xnews/06.08.25
Date: Sat, 09 Oct 2010 09:22:23 -0500
Lines: 7
X-Usenet-Provider: http://www.giganews.com
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
cskJhtMdk+zuuuJFs49Nbs0SPkjrQtRhwx7gG3+66pAvFFuAfcof0rx47nHOFECkHPVa51Qb7nUtYm8!
0I7rymPZHlQKppv8jWVc4yuR9Mtr+1SXe0M5aBwO5YXWJ4oxKNdAR7c3kJflxJe4NZhgO8TSBkbm!
gy3kvA==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1839
Xref: g2news1.google.com misc.industry.electronics.marketplace:314 rec.radio.amateur.equipment:2268

20 high permeability ferrite toroids for sale on eBay, listing 150504494370, availabke to the EU, or further if you can convince me to do it.

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=150504494370&ssPageName=STRK:MESELX:IT

I apologise to people in rec.radio.amateur.equipment if this posting is inappropriate. I checked there to see if FS postings were ok, and saw several relevant ones that weren't getting stamped on so I decided to take the risk. The odds are that high permeability ferrites are in such sghort supply in the UK or EU in general that few even think to look often enough on eBay to catch a one week listing, so I took the risk of posting. Most radio enthusiasts might have uses for them, so if it please just one person to see this, it justifies this single post, I hope.

From -4672565642697942035
X-Google-Thread: 1062f2,c2b190233abbbcdb
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c2b190233abbbcdb
X-Google-NewGroupId: yes
X-Google-Attributes: gidda4ffbcd45,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.acm.uiuc.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: misc.industry.electronics.marketplace,rec.radio.amateur.equipment
Subject: Re: FS: High permeability ferrite toroids.

Date: Sun, 10 Oct 2010 00:23:03 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 47
Sender: et472@72.0.192.102
Message-ID: <Pine.LNX.4.64.1010100003170.7412@darkstar.example.net>
References: <Xns9E0C9C5722B75zoodlewurdle@216.196.109.145>
NNTP-Posting-Host: 72.0.192.102
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1286684623 12825 72.0.192.102 (10 Oct 2010 04:23:43 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 10 Oct 2010 04:23:43 GMT
In-Reply-To: <Xns9E0C9C5722B75zoodlewurdle@216.196.109.145>
Xref: g2news1.google.com misc.industry.electronics.marketplace:315
rec.radio.amateur.equipment:2269

On Sat, 9 Oct 2010, Lostgallifreyan wrote:

> I apologise to people in rec.radio.amateur.equipment if this
> posting is inappropriate. I checked there to see if FS postings were ok,
> and saw several relevant ones that weren't getting stamped on so I
> decided to take the risk. The odds are that high permeability ferrites
> are in such sghort supply in the UK or EU in general that few even think
> to look often enough on eBay to catch a one week listing, so I took the
> risk of posting. Most radio enthusiasts might have uses for them, so if
> it please just one person to see this, it justifies this single post, I
> hope.

Well bozo, you'd be wrong.

Rec.radio.amateur.equipment is for the discussion of amateur radio equipment.

It's not a forsale newsgroup, never has been.

Just because clueless people put their ads here doesn't make it a forsale newsgroup.

But you've done worse than that. You've seen ads and decided you can post your ad here. But, even if ads were allowed, they would surely be limited to ads for amateur radio equipment, ie transmitters, receivers, transceivers, antennas, and accessories. That's what "equipment" means. Parts do not fit into that misinterpretation of the newsgroup.

Nobody complains? I get tired, since virtually all of the traffic here is ads. That doesn't make it right. And like I said a few weeks or months back, it's absurd to see ads in this newsgroup, because there isn't even content to ensure people are reading the newsgroup to see the ads. If a newsgroup isn't being used, ads won't be an improvement, but they also won't bring in those dollars you want, since few will read a relatively dead newsgroup.

You've failed miserably, even in your silly pronouncement of "being helpful". No, you don't care that someone would miss your ebay auction, you care that you won't get enough bids to drive up the price, so you won't make as much money on the transaction. Which is why you spam this newsgroup, rather than rely on ebay that surely has far more readers than this fairly dead newsgroup.

Michael VE2BVW

From -5963776112448209053
X-Google-Thread: 1062f2,c2b190233abbbcdb
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c2b190233abbbcdb
X-Google-NewGroupId: yes
X-Google-Attributes: gidda4ffbcd45,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambriumusenet.nl!feed.tweaknews.nl!193.201.147.68.MISMATCH!feeder.news-service.com!eweka.nl!hq-usenetpeers.eweka.nl!border3.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Oct 2010 12:05:20 -0500
Newsgroups: misc.industry.electronics.marketplace,rec.radio.amateur.equipment
Subject: Re: FS: High permeability ferrite toroids.
From: Lostgallifreyan <no-one@nowhere.net>
References: <Xns9E0C9C5722B75zoodlewurdle@216.196.109.145>
<Pine.LNX.4.64.1010100003170.7412@darkstar.example.net>
Message-ID: <Xns9E0DB7F141B1zoodlewurdle@216.196.109.145>
User-Agent: Xnews/06.08.25
Date: Sun, 10 Oct 2010 12:05:20 -0500
Lines: 57
X-Usenet-Provider: http://www.giganews.com
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-uSIN3aHAlGNk37YXB5S/
ErFIlPODVNPzX4LRBeLLsA9hFxBjNdkwD9eT91hw3n7BEojIO78FZrM4LvH!
hDxbi7KNMrYltlg5aCwCdWPbQjTsPXqzVUI0u3aUHk0MVI918Ex1XxXBJtRMzCUXkAcpqhx1PKXC!tVLm
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 3840
Xref: g2news1.google.com misc.industry.electronics.marketplace:316 rec.radio.amateur.equipment:2270

Michael Black <et472@ncf.ca> wrote in
news:Pine.LNX.4.64.1010100003170.7412@darkstar.example.net:

>

>
> On Sat, 9 Oct 2010, Lostgallifreyan wrote:
>
>> I apologise to people in rec.radio.amateur.equipment if this
>> posting is inappropriate. I checked there to see if FS postings were ok,
>> and saw several relevant ones that weren't getting stamped on so I
>> decided to take the risk. The odds are that high permeability ferrites
>> are in such sghort supply in the UK or EU in general that few even think
>> to look often enough on eBay to catch a one week listing, so I took the
>> risk of posting. Most radio enthusiasts might have uses for them, so if
>> it please just one person to see this, it justifies this single post, I
>>hope.
>
> Well bozo, you'd be wrong.
>
> Rec.radio.amateur.equipment is for the discussion of amateur radio
> equipment.
>
> It's not a forsale newsgroup, never has been.
>
> Just because clueless people put their ads here doesn't make it a forsale
> newsgroup.
>
> But you've done worse than that. You've seen ads and decided you can post
> your ad here. But, even if ads were allowed, they would surely be limited
> to ads for amateur radio equipment, ie transmitters, receivers,
> transceivers, antennas, and accessories. That's what "equipment"
> means. Parts do not fit into that misinterpretation of the newsgroup.
>
> Nobody complains? I get tired, since virtually all of the traffic here is
> ads. That doesn't make it right. And like I said a few weeks or months
> back, it's absurd to see ads in this newsgroup, because there isn't even
> content to ensure people are reading the newsgroup to see the ads. If a
> newsgroup isn't being used, ads won't be an improvement, but they also
> won't bring in those dollars you want, since few will read a relatively
> dead newsgroup.
>
> You've failed miserably, even in your silly pronouncement of "being
> helpful". No, you don't care that someone would miss your ebay auction,
> you care that you won't get enough bids to drive up the price, so you
> won't make as much money on the transaction. Which is why you spam this
> newsgroup, rather than rely on ebay that surely has far more readers than
> this fairly dead newsgroup.
>
>   Michael VE2BVW
>
>

So I won't do it again. haven't done it before either. of course you don't
notice a year of on-topic postings, often helping answer people, you just
vent spleen high wide and plentiful because you feel self righteous. And you
expect people to READ that drivel? You waste a lot more than I did. YOu must
be a truly miserable son of a bitch.

From -2872043750805110970
X-Google-Thread: 1062f2,c2b190233abbbcdb
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c2b190233abbbcdb
X-Google-NewGroupId: yes
X-Google-Attributes: gidda4ffbcd45,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!news2.arglkargh.de!news.musoftware.de!wum.musoftware.de!
border1.nntp.ams2.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
local2.nntp.ams.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Oct 2010 12:06:33 -0500
Newsgroups: misc.industry.electronics.marketplace,rec.radio.amateur.equipment
Subject: Re: FS: High permeability ferrite toroids.
From: Lostgallifreyan <no-one@nowhere.net>
References: <Xns9E0C9C5722B75zoodlewurdle@216.196.109.145>
<Pine.LNX.4.64.1010100003170.7412@darkstar.example.net>
Message-ID: <Xns9E0DB82655FA4zoodlewurdle@216.196.109.145>
User-Agent: Xnews/06.08.25
Date: Sun, 10 Oct 2010 12:06:33 -0500
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-s4o+xUsnV6agsizwhAs0DS1+on3KdAblDGIp/ma0b47C6peEGQdS8+23J6O/m/
IOpPugTSI9VvDqUIe!
lc+C1ag0sAZwqDnSMbzUXQ5ZiFNHxmOujrQv0i20FayYLFJYXfahIH6/19QLPRRFgkyM6Ly35LLk!
MMLLnw==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1573
Xref: g2news1.google.com misc.industry.electronics.marketplace:317
rec.radio.amateur.equipment:2271

Michael Black <et472@ncf.ca> wrote in
news:Pine.LNX.4.64.1010100003170.7412@darkstar.example.net:

> rather than rely on ebay that surely has far more readers than
> this fairly dead newsgroup.
>

You didn't even notice that I pointed out an eBay listing, did you? For what it's worth, your opinion means nothing. There are people I respect, and I'll listen to those if they speak, but you are NOT among them.

From 7187774346359717765

X-Google-Thread: 108122,c2b190233abbbcdb
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 11 Oct 2010 07:55:40 -0500
Newsgroups: rec.radio.amateur.equipment
From: Thomas Laus <lausts@acm.org>
Subject: Re: FS: High permeability ferrite toroids.
References: <Xns9E0C9C5722B75zoodlewurdle@216.196.109.145>
 <Pine.LNX.4.64.1010100003170.7412@darkstar.example.net>
 <Xns9E0DB82655FA4zoodlewurdle@216.196.109.145>
Reply-To: lausts@acm.org
User-Agent: slrn/0.9.9p1 (FreeBSD)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <ipadnbqp9uXRlC7RnZ2dnUVZ_jWdnZ2d@supernews.com>
Date: Mon, 11 Oct 2010 07:55:40 -0500
Lines: 19
X-Trace: sv3-GiMqkdXf4icqync3Ciw36pdcE8Srt6gmw2hCpHcvY6B3l0IZydPZlJ/
IJABJdyWd2xbEqe8oEn2NwIM!VEUhNBRNHVyygqrjPHfsDQBe+0bGDyhtCNStqNb8eeR/
uWauenJZp3aGoGrf8LRSGLa+F0RZVQoT!HoryZEq0LqLc
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Bytes: 1908
Xref: g2news1.google.com rec.radio.amateur.equipment:2272

On 2010-10-10, Lostgallifreyan <no-one@nowhere.net> wrote:

>
> You didn't even notice that I pointed out an eBay listing, did you? For what
> it's worth, your opinion means nothing. There are people I respect, and I'll
> listen to those if they speak, but you are NOT among them.
>

The standard newsgroupe etiquette for eBay postings is to use 'FA:' instead of 'FS:' in the title. The readers that have an issue with auctions can ignore that post. This newsgroup charter does not expressly forbid sales items, but mostly frowns on them. It is mostly a place to share information about various hardware used by radio amateurs.

Tom

--
Public Keys:
PGP KeyID = 0x5F22FDC1
GnuPG KeyID = 0x620836CF

```
From 6118360535026470526
X-Google-Thread: 108122,a5cc83013d0b7411,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y32g2000prc.googlegroups.com!not-for-
mail
From: devi <magguru.anilkumar@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Actress Julia Roberts Videos
Date: Mon, 11 Oct 2010 09:45:24 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <22aa62e3-b6bf-4d73-8283-fd0234edab1d@y32g2000prc.googlegroups.com>
NNTP-Posting-Host: 117.195.177.87
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286815578 10717 127.0.0.1 (11 Oct 2010 16:46:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Oct 2010 16:46:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y32g2000prc.googlegroups.com; posting-host=117.195.177.87;
posting-account=8CIYIgoAAADkd5kbJCPl-CoSM52rMBKI
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2)
 Gecko/20100115 Firefox/3.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2273

Too Much Sexy Girls In This World  At  http://juliarobertshotshow.tk

Due to high sex content, i have hidden the videos in an image.
in that website on Right side  below search box click on image and
watch videos in all angles.


From 7646737710448216136
X-Google-Thread: 108122,6244a8283fb4fe2b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u31g2000pru.googlegroups.com!not-for-
mail
From: RHANI <raghavaraghavi2862@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ROMANTIC SHOW
Date: Tue, 12 Oct 2010 04:11:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <8d807876-6409-4d0d-846f-59effe0e4f64@u31g2000pru.googlegroups.com>
NNTP-Posting-Host: 117.199.246.94
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1286881880 17334 127.0.0.1 (12 Oct 2010 11:11:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Oct 2010 11:11:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u31g2000pru.googlegroups.com; posting-host=117.199.246.94;
posting-account=GAHR3AoAAACty4is_-FhVFV7Pag_Yemp
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2274


          UDAYATHRA IN A BATH ROOM

http://babes-devi.blogspot.com/2010/10/udayatara-in-bath.html

           ACTRESS IN A HOT RED DRESS

http://babes-devi.blogspot.com/2010/10/actress-in-sexy-red-dress.html

          ASIN CUTE HOT PHOTOS

http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html

         SEXY CHARMI IN A BATH

http://babes-devi.blogspot.com/2010/06/charmi-in-bath.html

          FOR HOT PHOTOS&VIDEOS

http://babes-devi.blogspot.com/2010_06_01_archive.html

        AISHWARIYA RAI EXPOSING PHOTOS

http://babes-devi.blogspot.com/2010/09/aishwariya-rai.html

        HOT SEXY BOOBS  SHOW

http://babes-devi.blogspot.com/2010/09/sexy-boobs.html

       ASIN CUTE HOT PHOTOS

http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html


From 6710850383634379637
X-Google-Thread: d7f5508063,7134bb13df112606
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!tudelft.nl!
txtfeed1.tudelft.nl!dedekind.zen.co.uk!zen.net.uk!hamilton.zen.co.uk!
```

163.1.2.201.MISMATCH!feeds.news.ox.ac.uk!news.ox.ac.uk!nntp-feed.chiark.greenend.org.uk!ewrotcd!not-for-mail
From: Theo Markettos <theom+news@chiark.greenend.org.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Selective level meter
Date: 13 Oct 2010 10:24:03 +0100 (BST)
Organization: University of Cambridge, England
Lines: 9
Message-ID: <VSr*S6vlt@news.chiark.greenend.org.uk>
References: <USr*cV3kt@news.chiark.greenend.org.uk> <fmmck-73CB7A.13583608102010@5ad64b5e.bb.sky.com>
NNTP-Posting-Host: chiark.greenend.org.uk
X-Trace: chiark.greenend.org.uk 1286961845 8508 212.13.197.229 (13 Oct 2010 09:24:05 GMT)
X-Complaints-To: abuse@chiark.greenend.org.uk
NNTP-Posting-Date: Wed, 13 Oct 2010 09:24:05 +0000 (UTC)
User-Agent: tin/1.9.3-20080506 ("Dalintober") (UNIX) (Linux/2.6.26-2-686-bigmem (i686))
Originator: theom@chiark.greenend.org.uk ([212.13.197.229])
Xref: g2news2.google.com rec.radio.amateur.equipment:2489

Fred McKenzie <fmmck@aol.com> wrote:

> I expect a frequency selective voltmeter will have an accuracy in the
> order of 5% (<1/2 dB) or 10% (<1 dB) of its full scale reading. The
> spectrum analyzer probably has an accuracy measured in dB, probably
> greater than 1 dB.

Thanks, that's useful to know.

Theo

From -6324188134807878525
X-Google-Thread: d7f5508063,e1d0e98e8b99fd1d,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!panix!bloom-beacon.mit.edu!61.160.235.197.MISMATCH!www.shinco.com!not-for-mail
From: "Gang" <czysep@163.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Someone doing an equipment on Xilinx V5-LX110T platform
Date: Fri, 15 Oct 2010 07:21:31 +0800
Organization: A poorly-installed InterNetNews site
Lines: 8
Message-ID: <i9839s$itr$1@www.shinco.com>
NNTP-Posting-Host: 222.140.2.35
X-Trace: www.shinco.com 1287098492 19387 222.140.2.35 (14 Oct 2010 23:21:32 GMT)
X-Complaints-To: news@www.shinco.com
NNTP-Posting-Date: Thu, 14 Oct 2010 23:21:32 +0000 (UTC)
X-Priority: 3

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
Xref: g2news2.google.com rec.radio.amateur.equipment:2490

I know the software wireless radio.I`ve a xilinx V5-LX110T platform.If have
one doing it in software wireless radio?

czysep@163.com

Gang




From 6757900463930658153
X-Google-Thread: bef9722fd1,7cbaf0ad259c54d8,start
X-Google-Attributes: gidbef9722fd1,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g28g2000pra.googlegroups.com!not-for-
mail
From: cntrade08 <chenxaingmei@yahoo.com.cn>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Shox R3 man shoes paypal wholesale on http://www.cntrade09.com/
Date: Fri, 15 Oct 2010 05:09:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 43
Message-ID: <fcb03c26-0029-41b9-a5a7-ceeb1142dd52@g28g2000pra.googlegroups.com>
NNTP-Posting-Host: 58.22.72.237
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1287144586 21427 127.0.0.1 (15 Oct 2010 12:09:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Oct 2010 12:09:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g28g2000pra.googlegroups.com; posting-host=58.22.72.237; posting-
account=JNlqmAoAAADfKxjnWH8VIs4Y81tXxg-e
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
 CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.pets.dogs.health:10969
rec.radio.amateur.equipment:2491 rec.music.bluenote:2789

 NIKE man shoes paypal wholesale on http://www.cntrade09.com/
  NIKE women shoes paypal wholesale on http://www.cntrade09.com/
  NIKE footware shoes paypal wholesale on http://www.cntrade09.com/

  Air Force One

  AF1 25th man shoes paypal wholesale on http://www.cntrade09.com/
  AF1 25th women
  AF1 man shoes paypal wholesale on http://www.cntrade09.com/
  AF1 women shoes paypal wholesale on http://www.cntrade09.com/

       PUMA

  PUMA women shoes paypal wholesale on http://www.cntrade09.com/
  PUMA man shoes paypal wholesale on http://www.cntrade09.com/

       Shox

  Shox NZ man shoes paypal wholesale on http://www.cntrade09.com/
  Shox NZ women
  Shox R4 man shoes paypal wholesale on http://www.cntrade09.com/
  Shox R4 women
  Shox R3 man shoes paypal wholesale on http://www.cntrade09.com/
  Shox R3 women
  Shox R5 man shoes paypal wholesale on http://www.cntrade09.com/
  Shox TL3 man
  Shox TL3 women shoes paypal wholesale on http://www.cntrade09.com/

       Prada

  Prada High man shoes paypal wholesale on http://www.cntrade09.com/
  Prada man
  Prada women shoes paypal wholesale on http://www.cntrade09.com/

       Timberland

  Timberland man shoes paypal wholesale on http://www.cntrade09.com/
  Timberland women

       converse

  converse man shoes paypal wholesale on http://www.cntrade09.com/
  converse women


From -4363858991023333603
X-Google-Thread: d7f5508063,81ee2cd6b2ee8685,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
news-2.dfn.de!news.dfn.de!news-zh.switch.ch!switch.ch!newsfeed01.chello.at!
newsfeed01.sul.t-online.de!t-online.de!news.mixmin.net!news2.arglkargh.de!
feeder.erje.net!216.196.110.144.MISMATCH!border3.nntp.ams.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!local2.nntp.ams.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 16 Oct 2010 11:10:13 -0500
From: Frank Husnik <Frank.Husnik.6ff8489@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola RSS
Date: Sat, 16 Oct 2010 15:16:35 +0000
```

Message-ID: <Frank.Husnik.6ff8489@radiobanter.com>
Organization: RadioBanter.com
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-6N3DxqgLkteNQEy26VR8l5E93MBwO6gLb1AeqlS5i6XqckzVY+eGRSyEVjgubHy0uAkuuH5bVgbj2X
i!ryi7ODRMZO+ip7cEBvN7P8d63LRe/9N0EccRdAls1iSh2gKU3thwj+9X71X8Bemr7RCpZ2jvmVZ8!
MqZ/CJFPrK0I
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1470
Xref: g2news2.google.com rec.radio.amateur.equipment:2492

I have two problems. One, I need to blank a logic board on a MaxTrac. I have the standard RSS, but not the LAB version. I looked on my MOL account, and they have discontinued all RSS for the MaxTracs. Second, I tried to load up my SM50 RSS, and when I try to read the radio, it says model definition file not found. If my files are corrupt, does anyone have this program where they could send me the missing files? Any help is greatly appreciated.

--
Frank Husnik

From -8311237914140226277
X-Google-Thread: d7f5508063,632cd06bce3bb0c1,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n32g2000pre.googlegroups.com!not-for-mail
From: Christmas <barrettecn1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: choose your christmas handbags,leather handbags
Date: Tue, 19 Oct 2010 19:39:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <670e20e5-7d1f-4220-a264-105e73a12e1e@n32g2000pre.googlegroups.com>
NNTP-Posting-Host: 219.136.44.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1287542383 16125 127.0.0.1 (20 Oct 2010 02:39:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Oct 2010 02:39:43 +0000 (UTC)

Complaints-To: groups-abuse@google.com
Injection-Info: n32g2000pre.googlegroups.com; posting-host=219.136.44.235; posting-account=Du2qfAoAAADjCFphtG3vv4gV56MGkTh9
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1; Trident/4.0),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2493

Choose your christmas handbags,leather handbags

www.bagalibaba.com
Here are so many best handbags for fashion ladies.
leather handbags ,beaded handbags,shoulder handbags,fashion
handbags,handbags online
authentic handbags,handbag,beaded handbags,large
handbags,handbags,pink handbags,leather handbags
,marc jacobs handbags,designer handbag,wholesale designer handbags
cheap designer handbags,beaded handbags,cheap handbag,coach
handbags,dkny handbags,leather handbags
www.bagalibaba.com
black handbags,brown handbags,beaded handbags,hobo handbags,leather
handbag,satchel handbags
designer leather handbags,fiorelli handbags,jane shilton handbags,red
handbags
buy handbags,fashion handbag,cheap leather handbags,best
handbags,vanilla handbags
BRAND JEWELRY

From -6390226211721929503
X-Google-Thread: d7f5508063,c0227f4a79cb7481,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m35g2000prc.googlegroups.com!not-for-mail
From: SAMARA <jaidatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SOMETHING SPECIAL FOR U
Date: Wed, 20 Oct 2010 02:42:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <02caa0e8-2b12-4c23-8238-e702717e924d@m35g2000prc.googlegroups.com>
NNTP-Posting-Host: 117.199.240.229
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1287567775 2206 127.0.0.1 (20 Oct 2010 09:42:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Oct 2010 09:42:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m35g2000prc.googlegroups.com; posting-host=117.199.240.229; posting-account=H2cE2goAAADmgZWSN8Y7bNgjlp4HPAaf
User-Agent: G2/1.0

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2494

AISHWARIYA LATEST HOT PICS

http://babes-devi.blogspot.com/2010/10/aish-latest-pics.html

                 SOUTHACTRESS IN A SEXY TOWELS

http://babes-devi.blogspot.com/2010/10/south-actress-in-sexy-towels.html

                UDAYATHRA IN A BATH ROOM

http://babes-devi.blogspot.com/2010/10/udayatara-in-bath.html

                ACTRESS IN A HOT RED DRESS

http://babes-devi.blogspot.com/2010/10/actress-in-sexy-red-dress.html

                 ASIN CUTE HOT PHOTOS

http://babes-devi.blogspot.com/2010/09/asin-cute-photos.html

                SEXY CHARMI IN A BATH

http://babes-devi.blogspot.com/2010/06/charmi-in-bath.html

                FOR HOT PHOTOS&VIDEOS

http://babes-devi.blogspot.com/2010_06_01_archive.html

                 HOT SEXY BOOBS  SHOW

http://babes-devi.blogspot.com/2010/09/sexy-boobs.html


From -2163009148218173O9
X-Google-Thread: 108122,156bf6e407e41471
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a14g2000pro.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT ACTRESS
Date: Sun, 18 Jul 2010 01:38:48 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <fd8a5e43-2925-4040-aa87-13d78df93cda@a14g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.242.161
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279442328 6458 127.0.0.1 (18 Jul 2010 08:38:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 18 Jul 2010 08:38:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a14g2000pro.googlegroups.com; posting-host=117.199.242.161;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2129


     FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

  AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

  ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

  NAMITHA SEXY PHOTO IN BEACH

http://hotheroinesphoto.blogspot.com/2010/06/namitha-in-beach.html

  CHARMI IN A SEXY FEEL

http://hotheroinesphoto.blogspot.com/2010/06/sexy-charmi.html

  CHENNAI HOT GIRLS WITH SWIM WEAR

http://hotheroinesphoto.blogspot.com/2010/06/chennai-hot-girls.html

  KAJAL AGARWALHOT PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/kajal-agarwal-hot.html

  KATRINA KAIF IN A HOT SAREE

http://hotheroinesphoto.blogspot.com/2010/06/hot-katrina.html


From -2234165952195338457
X-Google-Thread: 108122,5e178db62aeb6517,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,5e178db62aeb6517,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!w35g2000prd.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <nyhffdf6767@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Discount cheapsale Levi s Jeans
Date: Sun, 18 Jul 2010 23:57:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 24
Message-ID: <19336cc5-f7d3-4704-b3d7-4c123dda5f98@w35g2000prd.googlegroups.com>
NNTP-Posting-Host: 58.22.149.215
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279522674 8434 127.0.0.1 (19 Jul 2010 06:57:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Jul 2010 06:57:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w35g2000prd.googlegroups.com; posting-host=58.22.149.215;
     posting-account=urxWggoAAAAPi7BHi83T2cVifycq9CO_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2130 rec.food.equipment:4070

Discount cheapsale Coogi Jeans
Discount cheapsale Crown Holder Jeans
Discount cheapsale D&G Jeans http://www.brandtrade99.com
Discount cheapsale Diesel Jeans
Discount cheapsale ECKO Jeans http://www.brandtrade99.com
Discount cheapsale ED Hardy Jeans
Discount cheapsale Evisu Jeans
Discount cheapsale G-STAR Jeans <free shipping paypal payment>
Discount cheapsale GUCCI Jeans
Discount cheapsale Iceberg Jeans
Discount cheapsale Kanji Jeans http://www.brandtrade99.com
Discount cheapsale Laguna Beach Jeans
Discount cheapsale Levi s Jeans
Discount cheapsale LRG Jeans <free shipping paypal payment>
Discount cheapsale LV Jeans
Discount cheapsale Prada Jeans http://www.brandtrade99.com
Discount cheapsale RMC Jeans
Discount cheapsale Roca Wear Jeans <free shipping paypal payment>
Discount cheapsale Rock&Republic Jeans
Discount cheapsale True Religion Jeans
Discount cheapsale Versace Jeans http://www.brandtrade99.com
Discount cheapsale ZEN Jeans<free shipping paypal payment>
website: http://www.brandtrade99.com



From -6467420505797217298
X-Google-Thread: 108122,51016e6aec1a6a09,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000pro.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT&EXCLUSIVE PHOTOS&VIDEOS
Date: Mon, 19 Jul 2010 00:04:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <f6a410c5-5288-4cb6-978e-bb3c8a621052@z34g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.253.20
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279523049 3050 127.0.0.1 (19 Jul 2010 07:04:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Jul 2010 07:04:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000pro.googlegroups.com; posting-host=117.199.253.20;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2131

HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com/
SEXY SNEHA

http://hotheroinesphoto.blogspot.com/2010/06/sneha-hot.html
KOUSHA HOT EXPOSING

http://hotheroinesphoto.blogspot.com/2010/06/sexy-kousha.html
PRIYAMANI IN HOT BIKINI

http://hotheroinesphoto.blogspot.com/2010/06/priyamani-hot.html
MADHUSHALINI IN HOT DRESS

http://hotheroinesphoto.blogspot.com/2010/06/blog-post_2972.html
HOTTEST LIPKISS

http://hotheroinesphoto.blogspot.com/2010/06/lipkiss-2.html
NAMITHA IN BATH

http://hotheroinesphoto.blogspot.com/2010/06/nayagarala-namitha.html
http://hotheroinesphoto.blogspot.com/2010/06/nayagarala-namitha.html


From 7481648739747190844
X-Google-Thread: 1077d8,5b9324ff8050e4cf,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,5b9324ff8050e4cf,start
X-Google-NewGroupId: yes
```

```
X-Google-Thread: 109603,5b9324ff8050e4cf,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y12g2000prb.googlegroups.com!not-for-
mail
From: xiang chen <chenxaing87@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Coach Bags china supplier (http://www.cntrade09.com)
Date: Mon, 19 Jul 2010 05:43:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 17
Message-ID: <0437991d-e881-423c-a06d-b86b504ab1b1@y12g2000prb.googlegroups.com>
NNTP-Posting-Host: 112.111.187.195
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279543426 29624 127.0.0.1 (19 Jul 2010 12:43:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Jul 2010 12:43:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y12g2000prb.googlegroups.com; posting-host=112.111.187.195;
     posting-account=SFec6AoAAADfZV3p1B-Zl3FMJxiKsxgB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10288
rec.radio.amateur.equipment:2132 rec.music.bluenote:2372


Christian Dior Bags  china supplier (http://www.cntrade09.com)
Jimmy Choo Bags   china supplier (http://www.cntrade09.com)
Marc Jacobs Bags   china supplier (http://www.cntrade09.com)
Burberry Bags   china supplier (http://www.cntrade09.com)
Dolce & Gabbana  china supplier (http://www.cntrade09.com)
Coach Bags china supplier (http://www.cntrade09.com)
Yves Saint Laurent china supplier (http://www.cntrade09.com)
Bottega Veneta  china supplier (http://www.cntrade09.com)
Bally Bags   china supplier (http://www.cntrade09.com)
Juicy Couture Bags   china supplier (http://www.cntrade09.com)
Isabella Fiore Bags   china supplier (http://www.cntrade09.com)
Tod's Bags   http://www.cntrade09.com
Loewe Bags  china supplier (http://www.cntrade09.com)
Goyard Bags  china supplier (http://www.cntrade09.com)
Anya Hindmarch china supplier (http://www.cntrade09.com)
Thomaswylde Bags china supplier (http://www.cntrade09.com)


From 5782593462273795863
X-Google-Thread: 108122,a448c69e2ab2462a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!t13g2000prf.googlegroups.com!not-for-
mail
From: "MBT shoes on www.footwearetcc.com" <footwearetcc@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MBT, my feet's baby
Date: Tue, 20 Jul 2010 02:40:08 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <d82cf8b5-408f-4463-b7f7-2c2d4e32a788@t13g2000prf.googlegroups.com>
NNTP-Posting-Host: 112.91.117.232
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279618808 4818 127.0.0.1 (20 Jul 2010 09:40:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jul 2010 09:40:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t13g2000prf.googlegroups.com; posting-host=112.91.117.232;
     posting-account=RB3gZwoAAABcviDs6cTo_lBPypkSTt58
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; .NET CLR 2.0.50727;
     CIBA),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2133

Want to know more about MBT, please visit www.footwearetcc.com
Let your feet enjoy walking like a king.
Please don't hesitate, come on!

Don't forget it! MBT shoes!

www.footwearetcc.com


From 5440151082123410943
X-Google-Thread: 108122,a448c69e2ab2462a
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t13g2000prf.googlegroups.com!not-for-
mail
From: "MBT shoes on www.footwearetcc.com" <footwearetcc@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MBT, my feet's baby
Date: Tue, 20 Jul 2010 02:47:53 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <7f6ddbc2-9f27-4384-8ece-26cf6668a783@t13g2000prf.googlegroups.com>
NNTP-Posting-Host: 112.91.117.232
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279619273 9231 127.0.0.1 (20 Jul 2010 09:47:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jul 2010 09:47:53 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: t13g2000prf.googlegroups.com; posting-host=112.91.117.232;
     posting-account=RB3gZwoAAABcviDs6cTo_lBPypkSTt58
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; .NET CLR 2.0.50727;
     CIBA),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2134

Want to know more about MBT, please visit www.footwearetcc.com
Let your feet enjoy walking like a king.
Please don't hesitate, come on!

Don't forget it! MBT shoes!

www.footwearetcc.com



From -2667288989603556598
X-Google-Thread: 108122,af307eafba89ad9b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x18g2000pro.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: UN BELIVABLE HOT PHOTOS&VIDEOS
Date: Thu, 22 Jul 2010 01:45:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <0eb555a3-a924-4b92-9390-669d69c50a76@x18g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.243.65
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279788340 9933 127.0.0.1 (22 Jul 2010 08:45:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Jul 2010 08:45:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x18g2000pro.googlegroups.com; posting-host=117.199.243.65;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2135



KATRINA KAIF BATH ROOM VIDEO

http://hotvideosee.blogspot.com/2010/07/katrina-in-bath.html
```

MUMAITH KHAN HOT SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-5_27.html

PRIYAMANI SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-6.html

HOT&SEXY AUNTY IN A ROMANTIC FEEL

http://hotvideosee.blogspot.com/2010/03/hot-photo-3.html

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

TO SEE 100 HOT PHOTO GALLERIES

http://hotheroinesphoto.blogspot.com

```
From 3674697655671318195
X-Google-Thread: 108122,d23216035673dcfc,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v35g2000prn.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: XXX HOT VIDEOS
Date: Sat, 24 Jul 2010 02:19:47 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <c2d12e1c-5327-40f3-a985-144bf490d2c7@v35g2000prn.googlegroups.com>
NNTP-Posting-Host: 117.199.249.145
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279963187 10908 127.0.0.1 (24 Jul 2010 09:19:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Jul 2010 09:19:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v35g2000prn.googlegroups.com; posting-host=117.199.249.145;
	posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.7)
     Gecko/20100713 Firefox/3.6.7,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2136

FOR BETS HOT VIDEOS
http://verysexyhotvideos.blogspot.com/

super hot lip kiss
http://hotvideosfreesee.blogspot.com/2010/06/super-hot-lip-kiss.html
hot lip kiss 12
http://hotvideosfreesee.blogspot.com/2010/06/hot-lip-kiss-12.html
super lip kiss 567
http://hotvideosfreesee.blogspot.com/2010/06/super-lip-kiss-567.html
super supr lip kiss232
http://hotvideosfreesee.blogspot.com/2010/06/super-supr-lip-kiss232.html
sexy lip kiss 7890
http://hotvideosfreesee.blogspot.com/2010/06/sexy-lip-kiss-7890.html
supe r hot kiss op
http://hotvideosfreesee.blogspot.com/2010/06/supe-r-hot-kiss-op.html




From -5659114689435091434
X-Google-Thread: 10dafd,7d7f41420445cd71,start
X-Google-NewGroupId: yes
X-Google-Thread: 112acb,7d7f41420445cd71,start
X-Google-NewGroupId: yes
X-Google-Thread: 1113b0,7d7f41420445cd71,start
X-Google-NewGroupId: yes
X-Google-Thread: 108228,7d7f41420445cd71,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,7d7f41420445cd71,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid1d9c5bfcf0,gid48b6f8f0ff,gid7bf93006f4,gid4a39179302,gidd7f5508063,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.mv.net!jan234
From: Jan <jan234@asdoijwids.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.h
am-radio.marketplace,rec.radio.amateur.equipment
Subject: FS: 4 Books: HAM RADIO, 2008 ARRL Handbook, Antenna Book, APRS, 2010
Repeater Directory
Date: Sun, 25 Jul 2010 20:05:49 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <2507201020054907O7%jan234@asdoijwids.com>
NNTP-Posting-Host: c-75-68-50-193.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
```

```
X-Trace: pyrite.mv.net 1280102749 58267 75.68.50.193 (26 Jul 2010 00:05:49 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 26 Jul 2010 00:05:49 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:1363414
alt.marketplace.books:6867 rec.arts.books.marketplace:4130 alt.ham-
radio.marketplace:745 rec.radio.amateur.equipment:2137


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320562536109


From -8195388329099099552
X-Google-Thread: 108122,82025e8861102f71,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,82025e8861102f71,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m17g2000prl.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade01@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Cheap Wholesale Versace Shoes (paypal payment)
Date: Sun, 25 Jul 2010 20:58:24 -0700 (PDT)
Organization: http://groups.google.com
Lines: 33
Message-ID: <7d58b0de-29d1-469b-902d-d92bdea0aad2@m17g2000prl.googlegroups.com>
NNTP-Posting-Host: 58.22.149.175
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280116704 3123 127.0.0.1 (26 Jul 2010 03:58:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 26 Jul 2010 03:58:24 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m17g2000prl.googlegroups.com; posting-host=58.22.149.175;
     posting-account=9WJp_QoAAAC6HsITIxmG_5hDn1LUe1av
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2138 rec.food.equipment:4090

Cheap Wholesale UGG Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale Ugg Boots (paypal payment)
Cheap Wholesale Gucci Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale GUCCI Boots
Cheap Wholesale Lacoste Shoes
Cheap Wholesale LV Shoes (paypal payment)
(http://www.brandtrade99.com/ )
Cheap Wholesale LV Boots
Cheap Wholesale Prada Shoes (paypal payment)
```

(http://www.brandtrade99.com/)
Cheap Wholesale Timberland Shoes
Cheap Wholesale D&G Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale D&G Boots
Cheap Wholesale Puma Shoes
Cheap Wholesale Puma AAA (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale UGG Boots Shoes
Cheap Wholesale Bikkem Bergs Shoes (free shipping)
Cheap Wholesale Mauri Shoes Man
Cheap Wholesale Versace Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale Versace Boots
Cheap Wholesale Paul Smith Shoes (free shipping)
Cheap Wholesale BOSS Shoes
Cheap Wholesale Burberry Shoes (paypal payment)
(http://www.brandtrade99.com/)

Cheap Wholesale Fendi Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale Fendi Boots

```
From -4505098412634161540
X-Google-Thread: 1077d8,350f413d79cba451,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,350f413d79cba451,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid16c4b10b5d,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b4g2000pra.googlegroups.com!not-for-
mail
From: cntrade08 <chenlily84@hotmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: wholesale nike sneakers nike air max nike shox shoes in lowest price
     and top quality www.cntrade09.com
Date: Tue, 27 Jul 2010 22:44:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 35
Message-ID: <f6e6389e-16c5-4220-9eb6-383ab85de14a@b4g2000pra.googlegroups.com>
NNTP-Posting-Host: 117.26.200.176
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280295861 31993 127.0.0.1 (28 Jul 2010 05:44:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 28 Jul 2010 05:44:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b4g2000pra.googlegroups.com; posting-host=117.26.200.176;
     posting-account=qbRHCQoAAADxaq8M1mHuPtnY1mQIBNiC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
```

Xref: g2news1.google.com rec.pets.dogs.health:10297
rec.radio.amateur.equipment:2139

For more information,please contact karen,
MSN: cntrade088@hotmail.com

Minimum order is one,factory price also!Paypal payment free
shipping,ship time will take 4-7 working days.

nike shoes nike retro shoes nike jordan basketball shoes nike running
shoes nike air force one shoes nike basketball shoes basketball
jordan
nike picture shoes nike tennis shoes nike air force 1 shoes nike golf
shoes nike shox shoes womens nike shoes exclusive kick nike shoes man
nike shoes nike soccer shoes nike air jordan shoes nike sb shoes nike
kid shoes woman nike shoes nike baseball shoes nike shox clothing
shoes accessory nike shox basketball shoes nike track shoes nike
cycling shoes nike athletic shoes nike shox running shoesretro nike
basketball shoes nike dunks shoes sports shoes sports man show nike
sports.

wholesale cheap jordan shoes,buy New arrival nike jordan
sneakers,discount nike kids series
shoes,mix jordan sneakers,custom nike sb dunks,gucci tennis shoes for
discount,sell jordan sneakers for men's women's kids,cheap nike
trainers retro shoes,nike dunks premium sb,cheap nike zoom kobe 4
sneakers free shipping wholesale nike dunk sb shoes,Jordan
spiz'ikes,nike factory for authentic brand name sneakers,jordan
spiz'ikes,jordan mixed with air force ones,cheap nike shox
oz,nz,R3,R4,R5,TL2,TL3,TL4,TL5,cheap air force ones outlet,nike
sneakers for sale,discount air max 87,max 90,max 91,max 95,max 97,max
180,max 360,max TN,max LTD,discount nike women sneakers free
shipping,cheap D&G gucci prada chanel shoes timberland boot ugg
kick,discount bape stat shoes for sale. (http://
www.cntrade09.com)

From 7043880457098338237
X-Google-Thread: 108122,6253bdc6fdc90c56,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,6253bdc6fdc90c56,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u31g2000pru.googlegroups.com!not-for-
mail
From: qqi <qllilibi3@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Discount Wholesale Armani Jeans
Date: Wed, 28 Jul 2010 00:45:05 -0700 (PDT)

```
Organization: http://groups.google.com
Lines: 31
Message-ID: <47a3c76f-663c-4298-8b5c-bbd3ad6d763b@u31g2000pru.googlegroups.com>
NNTP-Posting-Host: 58.22.69.84
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280303107 30863 127.0.0.1 (28 Jul 2010 07:45:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 28 Jul 2010 07:45:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u31g2000pru.googlegroups.com; posting-host=58.22.69.84;
     posting-account=9JsudAoAAAD5JMQ81Uo2KOvJ1ND4eKq4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2140 rec.food.equipment:4099

Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans  (http://www.brandtrade99/)
Discount Wholesale Armani Jeans
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans
Discount Wholesale BBC Jeans (http://www.brandtrade99/)
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://www.brandtrade99/)
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans
Discount Wholesale ECKO Jeans (http://www.brandtrade99/)
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.brandtrade99/)
Discount Wholesale Laguna Beach Jeans
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.brandtrade99/)
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans
Discount Wholesale ZEN Jeans (http://www.brandtrade99/)


From 1651023963378194230
X-Google-Thread: 108122,183f83036440853f,start
X-Google-NewGroupId: yes
```

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p11g2000prf.googlegroups.com!not-for-mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: pretty girls  hot videos&photos
Date: Thu, 29 Jul 2010 10:52:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <b3015e75-89d4-4cb6-abac-a3a60e3a3be1@p11g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.243.56
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280425954 26836 127.0.0.1 (29 Jul 2010 17:52:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 29 Jul 2010 17:52:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p11g2000prf.googlegroups.com; posting-host=117.199.243.56;
     posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
     Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2141
```

KATRINA KAIF BATH ROOM VIDEO

http://hotvideosee.blogspot.com/2010/07/katrina-in-bath.html

MUMAITH KHAN HOT SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-5_27.html

PRIYAMANI SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-6.html

HOT&SEXY AUNTY IN A ROMANTIC FEEL

http://hotvideosee.blogspot.com/2010/03/hot-photo-3.html

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

TO SEE 100 HOT PHOTO GALLERIES

http://hotheroinesphoto.blogspot.com

```
From 3245998769379005256
X-Google-Thread: 108122,bc76e0640a23616,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p22g2000pre.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MESMARISING VIDEOS&HOT PHOTOS
Date: Fri, 30 Jul 2010 02:18:24 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <782d1fe6-7f60-4084-b281-c61aefea49f0@p22g2000pre.googlegroups.com>
NNTP-Posting-Host: 117.199.247.250
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280481505 28528 127.0.0.1 (30 Jul 2010 09:18:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 30 Jul 2010 09:18:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p22g2000pre.googlegroups.com; posting-host=117.199.247.250;
	posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
	Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2142
```

KATRINA KAIF BATH ROOM VIDEO

http://hotvideosee.blogspot.com/2010/07/katrina-in-bath.html

MUMAITH KHAN HOT SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-5_27.html

PRIYAMANI SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-6.html

HOT&SEXY AUNTY IN A ROMANTIC FEEL

http://hotvideosee.blogspot.com/2010/03/hot-photo-3.html

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

TO SEE 100 HOT PHOTO GALLERIES

http://hotheroinesphoto.blogspot.com

```
From -4371750730787619037
X-Google-Thread: 108122,15ffc8d9080e3e6a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!y12g2000prb.googlegroups.com!not-for-
mail
From: lizhou zhu <lizhou0207@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: GHD Rare Styler New Hair Straightener Set
Date: Fri, 30 Jul 2010 02:21:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 103
Message-ID: <5ef8726b-51ad-4361-81c0-4ac12fb10e5a@y12g2000prb.googlegroups.com>
NNTP-Posting-Host: 206.225.19.60
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1280481704 30021 127.0.0.1 (30 Jul 2010 09:21:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 30 Jul 2010 09:21:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y12g2000prb.googlegroups.com; posting-host=206.225.19.60;
     posting-account=-ZXV_QkAAAC9GSzmn1F2rc6euTd1WbqN
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; zh-CN; rv:1.9.2.8)
     Gecko/20100722 Firefox/3.6.8 GTB7.1,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2143
```

December 12th 2009 - With Christmas just around the corner, I thought
I might as well add a fancy shampoo and conditioner onto my christmas
list - in fact, I might as well add a couple of both! The first I have
chosen is the body shop banana shampoo and conditioner (see below for
pics). Now, admittedly I chose these products because they smell like

bananary heaven, but they weren't cheap and the body shop is known for supplying good quality products so I am expecting good things! Each bottle cost =A33.99 for 250ml which is quite pricey because 250ml really isn't that much (especially when you have mega long, thick hair which absorbs conditioner like a sponge!). However, if my hair is left smelling anything like these products, I'll be happy no matter what the condition of it is like!

December 3rd 2009 - Well, I have been using Redken for just over two weeks now and I have to say, I am not overly impressed. I would say that my hair is slightly softer and less brittle feeling, but a slight improvement isn't really good enough when you consider the price of these products. It's very annoying because I have been to hairdressers where they have washed my hair in Redken products and when I leave, my hair is soft, bouncy, shiney - just like a shampoo advert! I can never seem to reproduce this effect at home though, no matter how much money I spend on products. Perhaps it is the hair washing technique rather than the product? Who knows! Anyway, I'm not going to buy Redken again... the hunt for the perfect products continues!

November 15th 2009 - I was having a browse around the internet today when I came across a site selling Redken hair products. Yes that's right, I wasn't looking or anything, I just came across it accidently. I had a look through their different product ranges and read reviews on the various types you could get. I decided that the "all soft" line sounded like it had the most positive results, seemingly transforming people's hair from dry and straw like, to silky soft and smooth. Just what I was after. So I have ordered some and it should arrive in a couple of days. I'm quite apprehensive, afterall, my previous attempts at fixing my hair haven't been all that successful but I am trying to stay positive. At =A320 for the shampoo and conditioner, it was pricey but the cheapest of the ones I have tried so far. Below is a picture of the product range. Gold bottles has to mean good things, right?
cheap ghd straighteners with best quality and free shipping

cheap ghd straighteners
http://www.ghdtradezone.com
cheap ghd
http://www.ghdtradezone.com
ghd hair straighteners
http://www.ghdtradezone.com
ghd hair
http://www.ghdtradezone.com
GHD
http://www.ghdtradezone.com
Black GHD MK4 Hair Straighter
http://www.ghdtradezone.com/black-gh...hter_p298.html
GHD Blog
http://www.ghdtradezone.com/blog
Blue Serenity-The ghd new limited edition colour collection

http://www.ghdtradezone.com/blue-serenity_p295.html
GHD 09 New Style Pink Gift Set
http://www.ghdtradezone.com/ghd-09-n...-set_p308.html
GHD IV Kiss - Pink Hair Straighteners Limited Edition
http://www.ghdtradezone.com/ghd-iv-k...tion_p306.html
GHD IV MINI Styler
http://www.ghdtradezone.com/GHD-IV-M...yler_p303.html
GHD IV Salon Styler
http://www.ghdtradezone.com/GHD-IV-S...yler_p302.html
GHD IV Styler
http://www.ghdtradezone.com/-ghd-iv-styler_c2224
GHD IV Styler
http://www.ghdtradezone.com/ghd-iv-styler_p301.html?
GHD IV Styling Set
http://www.ghdtradezone.com/ghd-iv-s...-set_p313.html
GHD Leopard Grain Hair Straightener
http://www.ghdtradezone.com/ghd-leop...ener_p307.html
GHD limited edition colour collection
http://www.ghdtradezone.com/-ghd-lim...llection_c2222
GHD limited edition gift set
http://www.ghdtradezone.com/-ghd-lim...gift-set_c2235
GHD Limited Edition IV Pure Styler
http://www.ghdtradezone.com/ghd-limi...yler_p309.html
GHD Limited Edition Radiance Set
http://www.ghdtradezone.com/ghd-limi...-set_p312.html
GHD MK4 Hair Straighter
http://www.ghdtradezone.com/-ghd-mk4...ightener_c2223
GHD Precious Gift Set
http://www.ghdtradezone.com/ghd-prec...-set_p305.html
GHD Purple Hair Straightener Gift Set
http://www.ghdtradezone.com/ghd-purp...-set_p310.html
GHD Rare Styler New Hair Straightener Set
http://www.ghdtradezone.com/ghd-rare...-set_p311.html
Gold GHD MK4 Hair Straighter
http://www.ghdtradezone.com/gold-ghd...hter_p299.html
Green Envy-The ghd new limited edition colour collection
http://www.ghdtradezone.com/green-envy_p296.html
Limited Edition ghd IV Dark Black Styler
http://www.ghdtradezone.com/limited-...yler_p304.html
Pink GHD MK4 Hair Straighter
http://www.ghdtradezone.com/pink-ghd...hter_p300.html
Purple Indulgence-The ghd new limited edition colour collection
http://www.ghdtradezone.com/purple-indulgence_p297.htm
RED LUST-The ghd new limited edition colour collection
http://www.ghdtradezone.com/red-lust_p294.html

From -8974555370695633340
X-Google-Thread: 108122,57b310e6ef0a716d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!

```
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 30 Jul 2010 05:45:58 -0500
Reply-To: "radioguy" <radioguy88@earthlink.net>
From: "radioguy" <radioguy88@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: TERK/audiovox FM-50 indoor/outdoor amplified antenna
Date: Fri, 30 Jul 2010 05:39:48 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <pZCdnch-DMv7MM_RnZ2dnUVZ_o6dnZ2d@earthlink.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.230.0.166
X-Trace: sv3-oer4LMSsfRqh+2kR6dNqzgOryMLZzU4QJKqyrOEy6pV4OgO+i3UB0/
D3nsq0jPId2eWIYITYeJHSvrp!qjUFEMk2Hb/zEFKQ0xzujL7YLqgY/
Loh0/3y+5KX8DetXG2FOiqIleyJ7C4wjxd5LY+2ZY/ZulHu!
95jHQeKLz7h1KpJKzsAMqYifOHYCduE+6w==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:2144

Come see one of the best amplified radio antennas on the market with an 11
dB gain, can be mounted indoors or outdoors, is weatherproof and can even be
painted to match your audio components plus a lot more for an opening bid
that is 32% off or buy it now for 24% off.  It is the Terk FM-50 Amplified
Antenna by Audiovox and you can learn more at the link below.  The auction
will expire this coming Sunday, August 1st at 9:41 PM central.  Thanks for
looking!

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=110564998304&ssPageName=STRK:MESELX:IT




From -3535162919534249566
X-Google-Thread: 108122,183f83036440853f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q16g2000prf.googlegroups.com!not-for-
mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: pretty girls  hot videos&photos
Date: Sat, 31 Jul 2010 10:44:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
```

```
Message-ID: <004bbde3-2f06-4e05-8aa7-1b847c3585ca@q16g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.245.219
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280598273 27122 127.0.0.1 (31 Jul 2010 17:44:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 31 Jul 2010 17:44:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q16g2000prf.googlegroups.com; posting-host=117.199.245.219;
     posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
     Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2145
```

KATRINA KAIF BATH ROOM VIDEO

http://hotvideosee.blogspot.com/2010/07/katrina-in-bath.html

MUMAITH KHAN HOT SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-5_27.html

PRIYAMANI SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-6.html

HOT&SEXY AUNTY IN A ROMANTIC FEEL

http://hotvideosee.blogspot.com/2010/03/hot-photo-3.html

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

TO SEE 100 HOT PHOTO GALLERIES

http://hotheroinesphoto.blogspot.com

```
From -2640864926656284142
X-Google-Thread: 108122,183f83036440853f
```

```
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t5g2000prd.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: pretty girls  hot videos&photos
Date: Sat, 31 Jul 2010 11:31:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <827aea3f-81c0-4829-804c-5aacafa13779@t5g2000prd.googlegroups.com>
NNTP-Posting-Host: 117.199.245.219
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280601101 29894 127.0.0.1 (31 Jul 2010 18:31:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 31 Jul 2010 18:31:41 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t5g2000prd.googlegroups.com; posting-host=117.199.245.219;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
     Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2146
```

KATRINA KAIF BATH ROOM VIDEO

http://hotvideosee.blogspot.com/2010/07/katrina-in-bath.html

MUMAITH KHAN HOT SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-5_27.html

PRIYAMANI SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-6.html

HOT&SEXY AUNTY IN A ROMANTIC FEEL

http://hotvideosee.blogspot.com/2010/03/hot-photo-3.html

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

TO SEE 100 HOT PHOTO GALLERIES

http://hotheroinesphoto.blogspot.com

```
From 285079516583284180
X-Google-Thread: 108122,183f83036440853f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n19g2000prf.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: pretty girls  hot videos&photos
Date: Sat, 31 Jul 2010 11:35:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <1b38076b-fb9d-43d6-bd03-12f380d8449f@n19g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.245.219
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280601312 21598 127.0.0.1 (31 Jul 2010 18:35:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 31 Jul 2010 18:35:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n19g2000prf.googlegroups.com; posting-host=117.199.245.219;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
     Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2147
```

KATRINA KAIF BATH ROOM VIDEO

http://hotvideosee.blogspot.com/2010/07/katrina-in-bath.html

MUMAITH KHAN HOT SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-5_27.html

PRIYAMANI SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-6.html

HOT&SEXY AUNTY IN A ROMANTIC FEEL

http://hotvideosee.blogspot.com/2010/03/hot-photo-3.html

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

TO SEE 100 HOT PHOTO GALLERIES

http://hotheroinesphoto.blogspot.com

```
From 5493136665318431062
X-Google-Thread: fcc6e,19db209159aa102e,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,19db209159aa102e,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,19db209159aa102e,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,19db209159aa102e,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,19db209159aa102e,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,19db209159aa102e,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,19db209159aa102e,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,19db209159aa102e,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1277964001@panix.com>
Followup-To: poster
Date: 1 Aug 2010 02:00:03 -0400
```

Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Sep 2010 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1280642401@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1280642403 21173 166.84.1.2 (1 Aug 2010 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 1 Aug 2010 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:17726 rec.radio.amateur.dx:678
rec.radio.amateur.equipment:2148 rec.radio.amateur.homebrew:3675
rec.radio.amateur.misc:5148 rec.radio.amateur.policy:27800
rec.radio.amateur.space:365 rec.radio.info:1611

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 6645109893664008322
X-Google-Thread: 108122,9376079452d203e5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s24g2000pri.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT UPDATED VIDEOS
Date: Sun, 1 Aug 2010 00:12:37 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <c808f708-2451-43f4-9f4f-12420484655e@s24g2000pri.googlegroups.com>
NNTP-Posting-Host: 117.199.250.74
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280646757 25407 127.0.0.1 (1 Aug 2010 07:12:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 1 Aug 2010 07:12:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s24g2000pri.googlegroups.com; posting-host=117.199.250.74;
     posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
     Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2149
```

FOR BETS HOT VIDEOS
http://verysexyhotvideos.blogspot.com/

super hot lip kiss
http://hotvideosfreesee.blogspot.com/2010/06/super-hot-lip-kiss.html
hot lip kiss 12
http://hotvideosfreesee.blogspot.com/2010/06/hot-lip-kiss-12.html
super lip kiss 567

http://hotvideosfreesee.blogspot.com/2010/06/super-lip-kiss-567.html
super supr lip kiss232
http://hotvideosfreesee.blogspot.com/2010/06/super-supr-lip-kiss232.html
sexy lip kiss 7890
http://hotvideosfreesee.blogspot.com/2010/06/sexy-lip-kiss-7890.html
supe r hot kiss op
http://hotvideosfreesee.blogspot.com/2010/06/supe-r-hot-kiss-op.html

---

```
From -6278035418707610955
X-Google-Thread: 108122,afe5a181a09cc4db,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!goblin3!
goblin.stu.neva.ru!citadel.nobulus.com!newsfeed.ision.net!newsfeed2.easynews.net!
ision!kanaga.switch.ch!switch.ch!newsfeed2.funet.fi!newsfeed3.funet.fi!
newsfeeds.funet.fi!feeder2.news.elisa.fi!Xl.tags.giganews.com!
border2.nntp.ams2.giganews.com!border2.nntp.ams.giganews.com!feed.xsnews.nl!
border-2.ams.xsnews.nl!194.25.134.126.MISMATCH!newsfeed01.sul.t-online.de!
newsfeed00.sul.t-online.de!t-online.de!border2.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 02 Aug 2010 11:10:42 -0500
From: Dennis Shreve <Dennis.Shreve.69ca408@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: Knight Kit Ocean Hopper Receiver
Date: Mon, 2 Aug 2010 12:13:30 +0000
Message-ID: <Dennis.Shreve.69ca408@radiobanter.com>
Organization: RadioBanter.com
Lines: 15
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-L1qBXcbav/ormL43ORFsmi3b5yjlQc/M3QccDCboQpPOdll7xEsaKHtNW/
nCtrEb1SUYp+16UVtmeU7!LInY6ll5mcp5mfCyn1hbXbdUkZkka+RjnBvV8ooHCgbX/
YuXLE7jyfC5711WlBu06WgPSSLDj4gq!XQSLVbZq0OEJEg==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1843
Xref: g2news1.google.com rec.radio.amateur.equipment:2150
```

I built a Model 749 in the late 1950's. I am now looking to buy a nice one for my antique radio collection. If you have a Knight Kit Ocean Hopper Model 740 or 749 that you would care to part with, please let me know. I would prefer one that works and is in pretty nice shape, and with a case and a few plug-in coils. I have searched E-Bay, but I have not found one yet. I thought that I would try this forum for a more serious search. You can reach me at my e-mail address dhshreve@aol.com

or call my cell # at 614-975-0472. Thank you. Dennis Shreve,
Westerville, OH

--
Dennis Shreve

From 1922714947074184596
X-Google-Thread: 108122,afe5a181a09cc4db
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!post01.iad!news.dslextreme.com!not-for-mail
Date: Mon, 02 Aug 2010 10:49:51 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.11) Gecko/20100701 SeaMonkey/2.0.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: Knight Kit Ocean Hopper Receiver
References: <Dennis.Shreve.69ca408@radiobanter.com>
In-Reply-To: <Dennis.Shreve.69ca408@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <4c570540$0$5545$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2151

Dennis Shreve wrote:
> I built a Model 749 in the late 1950's. I am now looking to buy a nice
> one for my antique radio collection. If you have a Knight Kit Ocean
> Hopper Model 740 or 749 that you would care to part with, please let me
> know. I would prefer one that works and is in pretty nice shape, and
> with a case and a few plug-in coils. I have searched E-Bay, but I have
> not found one yet. I thought that I would try this forum for a more
> serious search. You can reach me at my e-mail address dhshreve@aol.com
> or call my cell # at 614-975-0472. Thank you. Dennis Shreve,
> Westerville, OH
>
>
>
>

Careful. No power transformer.

From -1000892221229885606

X-Google-Thread: 108122,afe5a181a09cc4db
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!newshosting.com!novia!newsfeed.yul.equant.net!nntp1.roc.gblx.net!nntp.gblx.net!nntp.gblx.net!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: Knight Kit Ocean Hopper Receiver
Date: Mon, 2 Aug 2010 22:47:25 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 29
Sender: et472@202-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.1008022245090.9586@darkstar.example.net>
References: <Dennis.Shreve.69ca408@radiobanter.com>
NNTP-Posting-Host: 202-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1280803855 4488 64.235.215.202 (3 Aug 2010 02:50:55 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 3 Aug 2010 02:50:55 GMT
In-Reply-To: <Dennis.Shreve.69ca408@radiobanter.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:2152

On Mon, 2 Aug 2010, Dennis Shreve wrote:

> I built a Model 749 in the late 1950's. I am now looking to buy a nice one for my antique radio collection. If you have a Knight Kit Ocean Hopper Model 740 or 749 that you would care to part with, please let me know. I would prefer one that works and is in pretty nice shape, and with a case and a few plug-in coils. I have searched E-Bay, but I have not found one yet. I thought that I would try this forum for a more serious search. You can reach me at my e-mail address dhshreve@aol.com or call my cell # at 614-975-0472. Thank you. Dennis Shreve,
> Westerville, OH
>

This isn't a buy and sell newsgroup, it's for the discussion of amateur radio equipment.

What's more, it's intended for the discussion of current amateur radio equipment.

There's rec.radio.amateur.boatanchor for things old enough, not that it's really intended to be a buy and sell newsgroup either.

The amusing part is that people continue to think newsgroups are a place for ads, yet they do nothing to contribute to them, leaving all these empty spaces where most of the posts are ads, nobody providing actual content that might make the newsgroup a place where people might be reading to see the spam.

```
    Michael  VE2BVW



From 6205512373202250496
X-Google-Thread: 108122,f2f95b99a6d0b649,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g6g2000pro.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT&EXCLUSIVE PHOTOS&VIDEOS
Date: Mon, 2 Aug 2010 22:34:57 -0700 (PDT)
Organization: http://groups.google.com
Lines: 29
Message-ID: <537ef5df-3425-43ae-a921-ccb264cf20d6@g6g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.241.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280813697 11346 127.0.0.1 (3 Aug 2010 05:34:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Aug 2010 05:34:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g6g2000pro.googlegroups.com; posting-host=117.199.241.4;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
     Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2153



   HOT KERALA MALLU AUNTY WITHOUT SAREE

http://hotheroinesphoto.blogspot.com/2010/08/hot-photo.html

     HOT ACTRESS IN A SEXY FEELING

http://hotheroinesphoto.blogspot.com/2010/07/hot-actress_29.html

     KAJAL AGARWAL HOT BOOBS SHOW VIDEO

http://hotheroinesphoto.blogspot.com/2010/07/kajal-agarwal-boob-show.html

     SNEHA HOTTEST BATH ROOM VIDEO

http://hotheroinesphoto.blogspot.com/2010/07/sneha-bath-room-video.html

    SOUTH ACTRESS ASTHA BINGAL IN BATH

http://hotheroinesphoto.blogspot.com/2010/07/south-actress-astha-bingal-in-
```

bath.html

SAMANTHA SEXY PHOTO ONLY FOR U

http://hotheroinesphoto.blogspot.com/2010/07/samantha-special.html

MAHESH AMISHA SEXY LIPKISS

http://hotheroinesphoto.blogspot.com/2010/07/amishapatel-lipkiss.html

```
From -2728045301334209014
X-Google-Thread: 108122,6ae1780595a67ff8,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,6ae1780595a67ff8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u38g2000prh.googlegroups.com!not-for-
mail
From: susu <susuzhng11@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Cheap Wholesale Versace Shoes (paypal payment)
Date: Mon, 2 Aug 2010 23:15:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 43
Message-ID: <9df867d0-3b1b-4330-8e42-d9fc73a2caf3@u38g2000prh.googlegroups.com>
NNTP-Posting-Host: 58.22.148.110
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280816146 32418 127.0.0.1 (3 Aug 2010 06:15:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Aug 2010 06:15:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u38g2000prh.googlegroups.com; posting-host=58.22.148.110;
     posting-account=SqwsKQoAAABuhkUhjPcc7twjMP-qTCkD
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2154 rec.food.equipment:4118
```

Cheap Wholesale UGG Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale Ugg Boots (paypal payment)
Cheap Wholesale Gucci Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale GUCCI Boots
Cheap Wholesale Lacoste Shoes
Cheap Wholesale LV Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale LV Boots
Cheap Wholesale Prada Shoes (paypal payment)
(http://www.brandtrade99.com/)

```
Cheap Wholesale Timberland Shoes
Cheap Wholesale D&G Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale D&G Boots
Cheap Wholesale Puma Shoes
Cheap Wholesale Puma AAA (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale UGG Boots Shoes
Cheap Wholesale Bikkem Bergs Shoes (free shipping)
Cheap Wholesale Mauri Shoes Man
Cheap Wholesale Versace Shoes (paypal payment)
(http://www.brandtrade99.com/)
Cheap Wholesale Versace Boots
Cheap Wholesale Paul Smith Shoes (free shipping)
Cheap Wholesale BOSS Shoes
Cheap Wholesale Burberry Shoes (paypal payment)
(http://www.brandtrade99.com/ )
Cheap Wholesale Dsquared shoes
Cheap Wholesale Dior Shoes (free shipping)
Cheap Wholesale Dior Boots
Cheap Wholesale ED Hardy Shoes (paypal payment)
(http://www.brandtrade99.com/ )
Cheap Wholesale ED Hardy Boots
Cheap Wholesale ED Hardy Shoes Man (paypal payment)
(http://www.brandtrade99.com/ )
Cheap Wholesale Fendi Shoes (paypal payment)
(http://www.brandtrade99.com/ )
Cheap Wholesale Fendi Boots
Cheap Wholesale AFF Shoes (paypal payment)
(http://www.brandtrade99.com/ )
Cheap Wholesale Evisu Shoes (free shipping)


From -3464537323244549091
X-Google-Thread: 1077d8,168e4dfdd86b23f2,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,168e4dfdd86b23f2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid16c4b10b5d,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o7g2000prg.googlegroups.com!not-for-
mail
From: cntrade08 <chenlily86@hotmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment
Subject: Ebel Watch wholesale <free shipping paypal payment>
     (http://www.cntrade09.com/)
Date: Mon, 2 Aug 2010 23:23:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 113
Message-ID: <f96dcd1f-4ee2-4adf-ae6b-ff2716569c68@o7g2000prg.googlegroups.com>
NNTP-Posting-Host: 58.22.79.199
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
```

X-Trace: posting.google.com 1280816605 16857 127.0.0.1 (3 Aug 2010 06:23:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Aug 2010 06:23:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o7g2000prg.googlegroups.com; posting-host=58.22.79.199;
     posting-account=imOCVQoAAAAUWEHHGsMxGBADi-TbzLHG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10300
rec.radio.amateur.equipment:2155

Ebel Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Bape Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
bell&ross Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Breit Ling Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Burberry Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Cartier Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Chopard Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
d&g Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Givenchy Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
jacob&co Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Kappa Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Prada Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Tissot Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Titoni Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
U-BOAT Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Zenith Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
a.lange&sohne Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Audemars Piguet Watch wholesale <free shipping paypal payment>
(http://www.cntrade09.com/)
baume&mercier Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Blancpain Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Breguet Watch wholesale <free shipping paypal payment> (http://

www.cntrade09.com/)
BRM Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Bvlgari Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Chanel Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Concord Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Corum Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Dewitt Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Ferrari Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Franck Muller Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Girard Perregaux Watch   <free shipping paypal payment> (http://www.cntrade09.com/)
Glashutte Watch   <free shipping paypal payment> (http://www.cntrade09.com/)
Graham Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
GUCCI Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
GUESS Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Hamilton Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Hermes Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Hublot Watch wholesale <free shipping paypal payment> http://www.cntrade09.com/)
IWC Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Jaeger Le Coultre Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Longines Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
LV Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Montblanc Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Movado Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Omega Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Oris Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Paket Philippe Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Panerai Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Parmigiani Fleurier Watch wholesale <free shipping paypal payment>

```
(http://www.cntrade09.com/)
Piaget Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Porsche Design Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Rolex Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Romain Jerome Titanic-Dna Watch wholesale <free shipping paypal
payment>(http://www.cntrade09.com/)
Tag Heuer Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Tudor Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Vach.Constantine Watch wholesale <free shipping paypal payment>
(http://www.cntrade09.com/)
Armani Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
RADO Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)


From 5518251214543509982
X-Google-Thread: 108122,afe5a181a09cc4db
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
news.nobody.at!weretis.net!feeder4.news.weretis.net!newsfeed.CARNet.hr!
kanaga.switch.ch!switch.ch!newsfeed3.funet.fi!newsfeeds.funet.fi!
feeder2.news.elisa.fi!Xl.tags.giganews.com!border2.nntp.ams2.giganews.com!
border2.nntp.ams.giganews.com!feeder3.cambriumusenet.nl!feed.tweaknews.nl!
94.232.116.16.MISMATCH!feeder.xsnews.nl!border-4.ams.xsnews.nl!feed.xsnews.nl!
border-1.ams.xsnews.nl!newsfeed00.sul.t-online.de!t-online.de!
border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 03 Aug 2010 11:10:42 -0500
From: Dennis Shreve <Dennis.Shreve.69df588@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: Knight Kit Ocean Hopper Receiver
Date: Tue, 3 Aug 2010 12:36:55 +0000
Message-ID: <Dennis.Shreve.69df588@radiobanter.com>
Organization: RadioBanter.com
References: <Dennis.Shreve.69ca408@radiobanter.com>
<Pine.LNX.4.64.1008022245090.9586@darkstar.example.net>
Lines: 44
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-gwZjq3mpwYyFkU0y3/
g+ideOC1wV0Y7bLfHGD7LCK6Nl77+KiVAxBOetr7i9BNSEBm51CgKiTQWbLK2!
nCp+6TyaQbF8FDPv57WchMBQZ843sa2zUuQi/aUWv44yuhSpoHqeBSCe0LSJCZMN/lGBTH4a6jvi!
MXDenFLTVAEOCw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 30
X-Original-Bytes: 3026
Xref: g2news1.google.com rec.radio.amateur.equipment:2156

'Michael Black[_2_ Wrote:
> ;714420']On Mon, 2 Aug 2010, Dennis Shreve wrote:
> -
> I built a Model 749 in the late 1950's. I am now looking to buy a
> nice
> one for my antique radio collection. If you have a Knight Kit Ocean
> Hopper Model 740 or 749 that you would care to part with, please let
> me
> know. I would prefer one that works and is in pretty nice shape, and
> with a case and a few plug-in coils. I have searched E-Bay, but I
> have
> not found one yet. I thought that I would try this forum for a more
> serious search. You can reach me at my e-mail address
> dhshreve@aol.com
> or call my cell # at 614-975-0472. Thank you. Dennis Shreve,
> Westerville, OH
> -
> This isn't a buy and sell newsgroup, it's for the discussion of amateur
> radio equipment.
>
> What's more, it's intended for the discussion of current amateur radio
> equipment.
>
> There's rec.radio.amateur.boatanchor for things old enough, not that
> it's
> really intended to be a buy and sell newsgroup either.
>
> The amusing part is that people continue to think newsgroups are a
> place
> for ads, yet they do nothing to contribute to them, leaving all these
> empty spaces where most of the posts are ads, nobody providing actual
> content that might make the newsgroup a place where people might be
> reading to see the spam.
>
> Michael VE2BVW

Thanks for taking the time to voice your opinion. It is appreciated.
In the meantime, if you come across one of these, please let me know!

--
Dennis Shreve

```
From -1729899255625096642
X-Google-Thread: 108122,afe5a181a09cc4db
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-out.octanews.net!mauve.octanews.net!
nx01.iad01.newshosting.com!newshosting.com!post01.iad!news.dslextreme.com!not-for-
mail
Date: Tue, 03 Aug 2010 09:30:34 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.11) Gecko/20100701
SeaMonkey/2.0.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: Knight Kit Ocean Hopper Receiver
References: <Dennis.Shreve.69ca408@radiobanter.com>
<Pine.LNX.4.64.1008022245090.9586@darkstar.example.net>
<Dennis.Shreve.69df588@radiobanter.com>
In-Reply-To: <Dennis.Shreve.69df588@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <4c58442a$0$5539$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2157

Dennis Shreve wrote:
> 'Michael Black[_2_ Wrote:

>>
>> The amusing part is that people continue to think newsgroups are a
>> place
>> for ads, yet they do nothing to contribute to them, leaving all these
>> empty spaces where most of the posts are ads, nobody providing actual
>> content that might make the newsgroup a place where people might be
>> reading to see the spam.
>>
>> Michael  VE2BVW
>
> Thanks for taking the time to voice your opinion.  It is appreciated.
> In the meantime, if you come across one of these, please let me know!
>

Anybody else have an IMD Meter?


From -5030480539932268256
X-Google-Thread: 108122,addbd715a589350d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i18g2000pro.googlegroups.com!not-for-
mail
From: lizhou zhu <lizhou0207@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ghd hair
Date: Tue, 3 Aug 2010 21:05:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 113
Message-ID: <c732e45a-05fa-4122-a223-278391264a9e@i18g2000pro.googlegroups.com>
NNTP-Posting-Host: 206.225.19.60
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280894706 2011 127.0.0.1 (4 Aug 2010 04:05:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 4 Aug 2010 04:05:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i18g2000pro.googlegroups.com; posting-host=206.225.19.60;
     posting-account=-ZXV_QkAAAC9GSzmn1F2rc6euTd1WbqN
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; zh-CN; rv:1.9.2.8)
     Gecko/20100722 Firefox/3.6.8 GTB7.1,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2158
```

When talking about fast hair growth, people always think they are missing out on some miraculous formula that is going to make their hair grow instantly long. The only realistic way to achieve this is implanting hair extensions. However, if you wish to grow your hair naturally long, you will have to dedicate a few months to see amazing results. This article will give you some tips on how you should treat your hair if you want to grow it long and healthy.

Let's start from everyday hair care. Unless you stick to the right routine, you can forget about fast hair growth. It is recommended to shampoo your hair approximately three times a week since this will enable you to keep it clean and oiled enough to stay healthy. Also, regular conditioning is a must. Condition your hair after every washing, by spreading the conditioner from the midsection to the hair ends. Deep conditioning done twice a month can also help your hair.

In addition to these common products, you can make some hair remedies on your own. These are usually herbal mixtures and they can make fast hair growth a piece of cake.

Rosemary is one such plant and you can mix it with your cleansing shampoo. After applying this mixture to your hair, you will have no dandruff problems. Rosemary oil is also wonderful and you can make a mixture of it with arnica, southernwood and marigold oil. This blend, when rubbed onto the scalp, works great against hair loss.

Aloe vera is another useful herb for hair growth boosting and the best thing about it is that it has no negative side effects. You can use only the gel or mix the gel with some other ingredients to make an aloe vera shampoo. The gel is best used when applied directly to the scalp and can enable fast hair growth. Aloe vera contains an enzyme that is said by many to promote hair growth. Aloe shampoo is another excellent remedy. Mix aloe gel with coconut milk and wheat germ oil. This can be very useful for people who have balding problems.

On average, people's hair grows at about half an inch a month. Therefore, if you wish it to grow undisturbed, you have to nourish it as much as possible. Proper hair nourishment includes eating plenty of raw fruits and vegetables. Adding protein will also be beneficial for your hair growth and you will see that the intake of proper nutrients will improve your hair quality. In addition, drink plenty of water on a daily basis. This simple act tends to ill keep your system and body well hydrated.

Bottom line, there is so much you can do to achieve fast hair growth. Combine healthy diet with homemade hair products and your hair will reward you with an amazing growth.

cheap ghd straighteners with best quality and free shipping

cheap ghd straighteners
http://www.ghdtradezone.com
cheap ghd
http://www.ghdtradezone.com
ghd hair straighteners
http://www.ghdtradezone.com
ghd hair
http://www.ghdtradezone.com
GHD
http://www.ghdtradezone.com
Black GHD MK4 Hair Straighter
http://www.ghdtradezone.com/black-gh...hter_p298.html
GHD Blog
http://www.ghdtradezone.com/blog
Blue Serenity-The ghd new limited edition colour collection
http://www.ghdtradezone.com/blue-serenity_p295.html
GHD 09 New Style Pink Gift Set
http://www.ghdtradezone.com/ghd-09-n...-set_p308.html
GHD IV Kiss - Pink Hair Straighteners Limited Edition
http://www.ghdtradezone.com/ghd-iv-k...tion_p306.html
GHD IV MINI Styler
http://www.ghdtradezone.com/GHD-IV-M...yler_p303.html
GHD IV Salon Styler
http://www.ghdtradezone.com/GHD-IV-S...yler_p302.html
GHD IV Styler
http://www.ghdtradezone.com/-ghd-iv-styler_c2224
GHD IV Styler
http://www.ghdtradezone.com/ghd-iv-styler_p301.html?
GHD IV Styling Set

```
http://www.ghdtradezone.com/ghd-iv-s...-set_p313.html
GHD Leopard Grain Hair Straightener
http://www.ghdtradezone.com/ghd-leop...ener_p307.html
GHD limited edition colour collection
http://www.ghdtradezone.com/-ghd-lim...llection_c2222
GHD limited edition gift set
http://www.ghdtradezone.com/-ghd-lim...gift-set_c2235
GHD Limited Edition IV Pure Styler
http://www.ghdtradezone.com/ghd-limi...yler_p309.html
GHD Limited Edition Radiance Set
http://www.ghdtradezone.com/ghd-limi...-set_p312.html
GHD MK4 Hair Straighter
http://www.ghdtradezone.com/-ghd-mk4...ightener_c2223
GHD Precious Gift Set
http://www.ghdtradezone.com/ghd-prec...-set_p305.html
GHD Purple Hair Straightener Gift Set
http://www.ghdtradezone.com/ghd-purp...-set_p310.html
GHD Rare Styler New Hair Straightener Set
http://www.ghdtradezone.com/ghd-rare...-set_p311.html
Gold GHD MK4 Hair Straighter
http://www.ghdtradezone.com/gold-ghd...hter_p299.html
Green Envy-The ghd new limited edition colour collection
http://www.ghdtradezone.com/green-envy_p296.html
Limited Edition ghd IV Dark Black Styler
http://www.ghdtradezone.com/limited-...yler_p304.html
Pink GHD MK4 Hair Straighter
http://www.ghdtradezone.com/pink-ghd...hter_p300.html
Purple Indulgence-The ghd new limited edition colour collection
http://www.ghdtradezone.com/purple-indulgence_p297.htm
RED LUST-The ghd new limited edition colour collection
http://www.ghdtradezone.com/red-lust_p294.html


From 1322657315016005388
X-Google-Thread: 108122,afe5a181a09cc4db
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!nntp-
feed.chiark.greenend.org.uk!ewrotcd!matrix.darkstorm.co.uk!weretis.net!
feeder4.news.weretis.net!xmission!nntp.infostrada.it!newsfeed01.sul.t-online.de!
newsfeed00.sul.t-online.de!t-online.de!border2.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 03 Aug 2010 23:10:49 -0500
From: Dennis Shreve <Dennis.Shreve.69e9e49@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: Knight Kit Ocean Hopper Receiver
Date: Wed, 4 Aug 2010 03:11:48 +0000
Message-ID: <Dennis.Shreve.69e9e49@radiobanter.com>
Organization: RadioBanter.com
References: <Dennis.Shreve.69ca408@radiobanter.com>
<Pine.LNX.4.64.1008022245090.9586@darkstar.example.net>
```

```
<Dennis.Shreve.69df588@radiobanter.com>
<4c58442a$0$5539$bd467cd0@news.dslextreme.com>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-zEYQtge5ff55c+rf/XAKI51oUM62aowIeXJSq0y3q8dOTTe8XloVycRtq/
SFVWUh2rtPIGAyKx7GuyM!84JUexuvSQrsBKCe/42z/
2tmHZCCINjoQTm2K6W3uBl3VIIOT72OgoUSI019xjRJKLxUjQT2NSKu!1mqS1guqhtErIA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 20
X-Original-Bytes: 1918
Xref: g2news1.google.com rec.radio.amateur.equipment:2159


dave;714536 Wrote:
> Dennis Shreve wrote:-
> 'Michael Black[_2_ Wrote:-
> --
>
> The amusing part is that people continue to think newsgroups are a
> place
> for ads, yet they do nothing to contribute to them, leaving all these
> empty spaces where most of the posts are ads, nobody providing actual
> content that might make the newsgroup a place where people might be
> reading to see the spam.
>
> Michael  VE2BVW-
>
> Thanks for taking the time to voice your opinion.  It is appreciated.
> In the meantime, if you come across one of these, please let me know!
> -
>
> Anybody else have an IMD Meter?

What does an IMD Meter have to do with a Knight Kit Ocean Hopper?




--
Dennis Shreve


From -1649464348323613169
X-Google-Thread: 108122,2dcdf20172ce46d1,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,2dcdf20172ce46d1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!postnews.google.com!q21g2000prm.googlegroups.com!not-for-mail
From: "www.sneaker-shop08.com" <yijeans10@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: nike Shox TL1 men shoes discount paypal (http://
Date: Wed, 4 Aug 2010 00:13:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <d3a09d3a-5b17-4cdc-9aa7-863f2087da0b@q21g2000prm.googlegroups.com>
NNTP-Posting-Host: 112.111.185.50
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280906038 3779 127.0.0.1 (4 Aug 2010 07:13:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 4 Aug 2010 07:13:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q21g2000prm.googlegroups.com; posting-host=112.111.185.50;
     posting-account=JCIcrgoAAAA5W4xtg-sO1QwSbFFgSKjo
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2160 rec.food.equipment:4122

nike shoes,jordan shoes(http://www.brandtrade99.com)
Air Force 1 shoes(http://www.brandtrade99.com)
kids shoes(http://www.brandtrade99.com)
nike air max TN shoes(http://www.brandtrade99.com)
nike MAX LTD shoes (http://www.brandtrade99.com)
nike air MAX 180 sports shoes(http://www.brandtrade99.com)
nike air max 360 basketball shoes discount paypal (http://www.brandtrade99.com)
nike air max 2003 running shoes discount paypal (http://www.brandtrade99.com)
nike air max 97 sport shoes discount paypal (http://www.brandtrade99.com)
nike air max 95 basketball shoes(http://www.brandtrade99.com)
nike air max 90 running shoes discount paypal (http://www.brandtrade99.com)
nike air max 87 fashion shoes discount paypal (http://www.brandtrade99.com)
nike Shox TL1 men shoes discount paypal (http://www.brandtrade99.com)
nike shox TL3 sports shoes discount paypal (http://www.brandtrade99.com)
nike shox NZ running shoes (http://www.brandtrade99.com)
nike shox OZ basketball shoes discount paypal (http://www.brandtrade99.com)
nike shox R3 sport shoes discount paypal (http://www.brandtrade99.com)
nike shox R4 fashion shoes discount paypal (http://www.brandtrade99.com)
nike shox R5 running shoes discount paypal (http://www.brandtrade99.com)

puma shoes discount paypal
Get Nike Shoes at Super Cheap Prices

From -1720046152543158880
X-Google-Thread: 108122,afe5a181a09cc4db
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Wed, 04 Aug 2010 04:42:41 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.11) Gecko/20100701 SeaMonkey/2.0.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: Knight Kit Ocean Hopper Receiver
References: <Dennis.Shreve.69ca408@radiobanter.com>
<Pine.LNX.4.64.1008022245090.9586@darkstar.example.net>
<Dennis.Shreve.69df588@radiobanter.com>
<4c58442a$0$5539$bd467cd0@news.dslextreme.com>
<Dennis.Shreve.69e9e49@radiobanter.com>
In-Reply-To: <Dennis.Shreve.69e9e49@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <4c595231$0$5486$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2161

Dennis Shreve wrote:
> dave;714536 Wrote:
>> Dennis Shreve wrote:-
>> 'Michael Black[_2_ Wrote:-
>> --
>>
>> The amusing part is that people continue to think newsgroups are a
>> place
>> for ads, yet they do nothing to contribute to them, leaving all these
>> empty spaces where most of the posts are ads, nobody providing actual
>> content that might make the newsgroup a place where people might be
>> reading to see the spam.
>>
>> Michael VE2BVW-
>>
>> Thanks for taking the time to voice your opinion. It is appreciated.
>> In the meantime, if you come across one of these, please let me know!
>> -
>>
>> Anybody else have an IMD Meter?

>
> What does an IMD Meter have to do with a Knight Kit Ocean Hopper?
>
>
They're both receivers?

From 3285613967894704137
X-Google-Thread: 108122,5ca8e422ead9f30,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!14g2000yqa.googlegroups.com!not-for-mail
From: Martin <k5rgdars@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood R 2000
Date: Wed, 4 Aug 2010 10:59:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <a72758fc-76b3-4b9f-807b-41e6fc7ac94f@14g2000yqa.googlegroups.com>
NNTP-Posting-Host: 99.91.28.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1280944765 28673 127.0.0.1 (4 Aug 2010 17:59:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 4 Aug 2010 17:59:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 14g2000yqa.googlegroups.com; posting-host=99.91.28.252;
     posting-account=dGxJAAoAAAB6Zh4rNBWnY7ZVCC15zxoP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR 3.5.30729;
     AskTB5.6),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2162

For sale 1 Kenwood R 2000 receiver. Low sensitivity but works Ok. Has
manual
with schematic.

$25 plus UPS shipping from San Antonio, Tx

From 8014409369621534442
X-Google-Thread: 108122,5ca8e422ead9f30
X-Google-NewGroupId: yes
X-Google-Thread: 114aac,742a8095bc952edb,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid9e586c3d78,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!post01.iad!news.dslextreme.com!not-for-mail

```
Date: Wed, 04 Aug 2010 16:08:31 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.11) Gecko/20100701
SeaMonkey/2.0.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: Kenwood R 2000
References: <a72758fc-76b3-4b9f-807b-41e6fc7ac94f@14g2000yqa.googlegroups.com>
In-Reply-To: <a72758fc-76b3-4b9f-807b-41e6fc7ac94f@14g2000yqa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <4c59f2ef$0$5524$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2163
rec.radio.shortwave:60579
```

Martin wrote:
> For sale 1 Kenwood R 2000 receiver. Low sensitivity but works Ok. Has
> manual
> with schematic.
>
> $25 plus UPS shipping from San Antonio, Tx

Good deal

```
From 6626105327118009339
X-Google-Thread: 10dafd,97e437878551c779,start
X-Google-NewGroupId: yes
X-Google-Thread: 108228,97e437878551c779,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,97e437878551c779,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid1d9c5bfcf0,gid4a39179302,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!jan234
From: Jan <jan234@asdoijwids.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment
Subject: FA: Bencher Hex Key Black Iambic Paddle - PERFECT CONDITION
Date: Wed, 04 Aug 2010 21:42:23 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <040820102142239799%jan234@asdoijwids.com>
NNTP-Posting-Host: c-75-68-50-193.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1280972543 2393 75.68.50.193 (5 Aug 2010 01:42:23 GMT)
X-Complaints-To: abuse@mv.net
```

```
NNTP-Posting-Date: Thu, 5 Aug 2010 01:42:23 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:1391874 alt.ham-
radio.marketplace:750 rec.radio.amateur.equipment:2164


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320571240238


From -6522188494546842164
X-Google-Thread: 10dafd,f218c271806a3163,start
X-Google-NewGroupId: yes
X-Google-Thread: 108228,f218c271806a3163,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,f218c271806a3163,start
X-Google-NewGroupId: yes
X-Google-Thread: 1062f2,f218c271806a3163,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid1d9c5bfcf0,gid4a39179302,gidd7f5508063,gidda4ffbcd45,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!jan234
From: Jan <jan234@asdoijwids.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: Lambda 5 Volt 10 Amp Regulated Power Supply - Perfect Condition with
Manual
Date: Wed, 04 Aug 2010 21:43:01 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <0408201021430121127%jan234@asdoijwids.com>
NNTP-Posting-Host: c-75-68-50-193.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1280972582 2393 75.68.50.193 (5 Aug 2010 01:43:02 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Thu, 5 Aug 2010 01:43:02 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:1391875 alt.ham-
radio.marketplace:751 rec.radio.amateur.equipment:2165
misc.industry.electronics.marketplace:306


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320571235143


From 3679679533418754641
X-Google-Thread: 108122,4f1b001f5cfdcc8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!postnews.google.com!p12g2000prn.googlegroups.com!not-for-mail
From: lizhou zhu <xseoer@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: GHD Purple Hair Straightener Gift Set
Date: Thu, 5 Aug 2010 05:29:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 99
Message-ID: <f5022a1b-ffa9-4827-802d-37bfacfcec1c@p12g2000prn.googlegroups.com>
NNTP-Posting-Host: 206.225.19.60
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1281011345 9403 127.0.0.1 (5 Aug 2010 12:29:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 5 Aug 2010 12:29:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p12g2000prn.googlegroups.com; posting-host=206.225.19.60; posting-account=GY7zWAoAAADnd7u9uteIM9KW3TTImGOf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; zh-CN; rv:1.9.2.8) Gecko/20100722 Firefox/3.6.8 GTB5,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2166

Prom is an important part in life of every individual and everyone wishes to have the best look at prom. The type of hairstyle that you sport at this occasion is very important in determining your style quotient. Further, different women have different type and length of their hair. Thus, it is very important they choose such a hairstyle which suits their personality and type and length of their hair.

Women can choose from a wide variety of prom hairstyles for long hair. These styles include chic cut, boho waves or curly hair. While choosing one out of various prom hairstyles for long hair, you must keep your personality in mind. The style that you would have chosen should suit your personality. Otherwise, such a hairstyle would look odd and ruin your appearance at such an important event of your life.

If you decide to go for a chic cut, your hair would be organized in the form of plates. A strapless dress would be a perfect with such type of hairstyle. You can even choose some trendy accessories to combine them with your hairstyle and dress. One of the most important prom hairstyles for long hair is by organizing your hair in the form of waves. You can even check out various available options on the internet. You will see a variety of possible hairstyles on various websites which you can sport. However, you need to consult a hair style expert before going for any such style.

You would find that you can sport this style with ease besides adding elegance to your appearance. The hair can be organized in a bun and flowers can be added. This would create a sexy look. You can arrange your hair in the form of braids or layers. You wouldn't need any more accessories as the combination of flowers along with the exciting hairstyle would provide you enough elegance. In fact, overuse of accessories can ruin your appearance.

cheap ghd straighteners with best quality and free shipping

cheap ghd straighteners
http://www.ghdtradezone.com
cheap ghd
http://www.ghdtradezone.com
ghd hair straighteners
http://www.ghdtradezone.com
ghd hair
http://www.ghdtradezone.com
GHD
http://www.ghdtradezone.com
Black GHD MK4 Hair Straighter
http://www.ghdtradezone.com/black-gh...hter_p298.html
GHD Blog
http://www.ghdtradezone.com/blog
Blue Serenity-The ghd new limited edition colour collection
http://www.ghdtradezone.com/blue-serenity_p295.html
GHD 09 New Style Pink Gift Set
http://www.ghdtradezone.com/ghd-09-n...-set_p308.html
GHD IV Kiss - Pink Hair Straighteners Limited Edition
http://www.ghdtradezone.com/ghd-iv-k...tion_p306.html
GHD IV MINI Styler
http://www.ghdtradezone.com/GHD-IV-M...yler_p303.html
GHD IV Salon Styler
http://www.ghdtradezone.com/GHD-IV-S...yler_p302.html
GHD Pink Limited Edition
http://www.ghdtradezone.com/the-new-2010-ghd-pink-limited-edition_p316.html
GHD IV Styler
http://www.ghdtradezone.com/-ghd-iv-styler_c2224
GHD IV Styler
http://www.ghdtradezone.com/ghd-iv-styler_p301.html?
GHD IV Styling Set
http://www.ghdtradezone.com/ghd-iv-s...-set_p313.html
GHD Leopard Grain Hair Straightener
http://www.ghdtradezone.com/ghd-leop...ener_p307.html
GHD limited edition colour collection
http://www.ghdtradezone.com/-ghd-lim...llection_c2222
GHD limited edition gift set
http://www.ghdtradezone.com/-ghd-lim...gift-set_c2235
GHD Limited Edition IV Pure Styler
http://www.ghdtradezone.com/ghd-limi...yler_p309.html
GHD Limited Edition Radiance Set
http://www.ghdtradezone.com/ghd-limi...-set_p312.html
GHD MK4 Hair Straighter
http://www.ghdtradezone.com/-ghd-mk4...ightener_c2223
GHD Precious Gift Set
http://www.ghdtradezone.com/ghd-prec...-set_p305.html

GHD Purple Hair Straightener Gift Set
http://www.ghdtradezone.com/ghd-purp...-set_p310.html
GHD Rare Styler New Hair Straightener Set
http://www.ghdtradezone.com/ghd-rare...-set_p311.html
Gold GHD MK4 Hair Straighter
http://www.ghdtradezone.com/gold-ghd...hter_p299.html
Green Envy-The ghd new limited edition colour collection
http://www.ghdtradezone.com/green-envy_p296.html
Limited Edition ghd IV Dark Black Styler
http://www.ghdtradezone.com/limited-...yler_p304.html
Pink GHD MK4 Hair Straighter
http://www.ghdtradezone.com/pink-ghd...hter_p300.html
Purple Indulgence-The ghd new limited edition colour collection
http://www.ghdtradezone.com/purple-indulgence_p297.htm
RED LUST-The ghd new limited edition colour collection
http://www.ghdtradezone.com/red-lust_p294.html

```
From 832054907092029548
X-Google-Thread: fcc6e,80199652b2634237,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,80199652b2634237,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,80199652b2634237,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,80199652b2634237,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,80199652b2634237,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,80199652b2634237,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,80199652b2634237,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1278482701@panix.com>
Followup-To: poster
Date: 7 Aug 2010 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Sep 2010 02:05:01 -0000
```

Message-ID: <radio/ham-radio/recruitment-1-1281161101@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1281161102 22439 166.84.1.2 (7 Aug 2010 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Aug 2010 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:17814 rec.radio.amateur.dx:684 rec.radio.amateur.equipment:2167 rec.radio.amateur.homebrew:3691 rec.radio.amateur.misc:5166 rec.radio.amateur.policy:27872 rec.radio.info:1624

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article      |
is that it does not mention newer amateur radio newsgroups created since     |
it was written, including:                                                   |

 rec.radio.amateur.antenna                                                   |
 rec.radio.amateur.boatanchors                                               |
 rec.radio.amateur.dx                                                        |
 rec.radio.amateur.equipment                                                 |
 rec.radio.amateur.homebrew                                                  |
 rec.radio.amateur.moderated                                                 |
 rec.radio.amateur.space                                                     |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original

article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 6596591071577449481
X-Google-Thread: 107ada,4c78b724572d698a,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,4c78b724572d698a,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,4c78b724572d698a,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,4c78b724572d698a,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx01.iad01.newshosting.com!newshosting.com!198.186.194.250.MISMATCH!news-
xxxfer.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1278483000@panix.com>
Followup-To: poster
Date: 7 Aug 2010 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Sep 2010 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1281161400@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1281161401 8844 166.84.1.2 (7 Aug 2010 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Aug 2010 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:5167
rec.radio.amateur.equipment:2168 rec.radio.swap:2582 rec.radio.info:1625
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -8335980931715809365
X-Google-Thread: 108122,afe5a181a09cc4db
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: Knight Kit Ocean Hopper Receiver
Date: Mon, 09 Aug 2010 16:16:53 GMT

Organization: some
Lines: 43
Message-ID: <i3p9hf$ppo$1@usenet01.srv.cis.pitt.edu>
References: <Dennis.Shreve.69ca408@radiobanter.com>
<Pine.LNX.4.64.1008022245090.9586@darkstar.example.net>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1281370479 26424 136.142.52.90 (9 Aug 2010 16:14:39 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Mon, 9 Aug 2010 16:14:39 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:2169

In article <Pine.LNX.4.64.1008022245090.9586@darkstar.example.net>, Michael Black <et472@ncf.ca> wrote:
>On Mon, 2 Aug 2010, Dennis Shreve wrote:
>
>> I built a Model 749 in the late 1950's. I am now looking to buy a nice
>> one for my antique radio collection. If you have a Knight Kit Ocean
>> Hopper Model 740 or 749 that you would care to part with, please let me
>> know. I would prefer one that works and is in pretty nice shape, and
>> with a case and a few plug-in coils. I have searched E-Bay, but I have
>> not found one yet. I thought that I would try this forum for a more
>> serious search. You can reach me at my e-mail address dhshreve@aol.com
>> or call my cell # at 614-975-0472. Thank you. Dennis Shreve,
>> Westerville, OH
>>
>This isn't a buy and sell newsgroup, it's for the discussion of amateur
>radio equipment.

>What's more, it's intended for the discussion of current amateur radio
>equipment.

I don't think I have bought any new amateur equipment in 30 years.

>There's rec.radio.amateur.boatanchor for things old enough, not that it's
>really intended to be a buy and sell newsgroup either.

I don't think the Ocean Hopper is heavy enough.

>The amusing part is that people continue to think newsgroups are a place
>for ads, yet they do nothing to contribute to them, leaving all these
>empty spaces where most of the posts are ads, nobody providing actual
>content that might make the newsgroup a place where people might be
>reading to see the spam.
>

Usenet is many things..

I used to have a Span Master. I wish I still had it, like many other things.

greg

```
From 4816855774012006896
X-Google-Thread: 108122,fb35629725dce4e7,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w15g2000pro.googlegroups.com!not-for-
mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SOMETHING  SPECIAL FOR U
Date: Wed, 11 Aug 2010 08:34:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <2778dee1-687f-4e4e-bd39-ecded0e014f1@w15g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.244.44
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1281540841 27089 127.0.0.1 (11 Aug 2010 15:34:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Aug 2010 15:34:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w15g2000pro.googlegroups.com; posting-host=117.199.244.44;
     posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
     Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2170
```

FOR NEED GOOD INSURANCE

http://lowpremiumtermplans.blogspot.com

HOW TO SAVE WATER

http://savewaterinworld.blogspot.com

FOR HOT PHOTOS &VIDEOS

http://hotvideosee.blogspot.com/

HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

FOR HOT SEXY PHOTOS

http://babes-devi.blogspot.com

```
From -5685645066916381771
X-Google-Thread: 1077d8,ec02137bb66ae6ae,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,ec02137bb66ae6ae,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,ec02137bb66ae6ae,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h17g2000pri.googlegroups.com!not-for-
mail
From: cntrade08 <chenxaing84@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: A&G T-shirt made in china (http://www.cntrade09.com )
Date: Thu, 12 Aug 2010 05:33:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <88d7f375-4638-47ad-a4f3-27df7f506613@h17g2000pri.googlegroups.com>
NNTP-Posting-Host: 175.42.81.142
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1281616435 11912 127.0.0.1 (12 Aug 2010 12:33:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Aug 2010 12:33:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h17g2000pri.googlegroups.com; posting-host=175.42.81.142; posting-
account=vrbHZwoAAADEhmfndJohj1WMAZguxxBj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
 CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10315
rec.radio.amateur.equipment:2171 rec.music.bluenote:2424
```

adidas 35th anniversary shoes made in china (http://
www.cntrade09.com)
adicolor shoes made in china (http://www.cntrade09.com)
adidas football shoes made in china (http://www.cntrade09.com)
GGG hoody made in china (http://www.cntrade09.com)
GGG T-shirt made in china (http://www.cntrade09.com)
Armani T-shirt made in china (http://www.cntrade09.com)
Armani shirt made in china (http://www.cntrade09.com)
armani long t-shirt made in china (http://www.cntrade09.com)
AF sweater made in china (http://www.cntrade09.com)
AF women trousrs made in china (http://www.cntrade09.com)
AF men and women coat made in china (http://www.cntrade09.com)
D&G jeans made in china (http://www.cntrade09.com)
A&G T-shirt made in china (http://www.cntrade09.com)
BBC scanties made in china (http://www.cntrade09.com)
BBC jeans made in china (http://www.cntrade09.com)
BBC hoody made in china (http://www.cntrade09.com)

BBC T-shirt made in china (http://www.cntrade09.com)
LRG jeans made in china (http://www.cntrade09.com)
LRG hoody made in china (http://www.cntrade09.com)
LRG T-shirt made in china (http://www.cntrade09.com)
Bape jeans made in china (http://www.cntrade09.com)
Bape hoody made in china (http://www.cntrade09.com)

```
From 3403434649318671276
X-Google-Thread: 108122,236a2f8801ece58,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!exi-
transit.telstra.net!pit-in1.telstra.net!news.telstra.net!
snewsf0.syd.ops.aspac.uu.net!news1.optus.net.au!optus!
border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 12 Aug 2010 11:10:39 -0500
From: rossvance <rossvance.6a9d308@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Used Equipment needs new home
Date: Thu, 12 Aug 2010 15:35:00 +0000
Message-ID: <rossvance.6a9d308@radiobanter.com>
Organization: RadioBanter.com
Lines: 24
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-c5iIPljqEfoyb6QyL+khr6OC3iXloPsR+Sv0071kbNCxy4mDWrquK/
sEQl8TO+1r8OHhofxGNiysrr/!
IRpnvZ9Gk8P+bhPwfUnBjRqKI4fJmOEopNpV1JvSgxW+r2XZbNGfnL2flav2pYEuMIhMokkczbIk!
kXqUMWa7
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 13
X-Original-Bytes: 1584
Xref: g2news1.google.com rec.radio.amateur.equipment:2172
```

Our fire department switched to a 800mhz radio system we are currently trying to get rid of our old Motorola 400mhz system. Ideally we would like to help a fire department if they could use it, but are willing to explorer other options. Let us know if the is worth our time. We have the complete system working when removed from service.
-Voters
-Repeaters
-MT1000 Portable Radios and chargers
-Mobile Radios from trucks
-MT2000
-Full rack of electronics

If you need pictures we can send you some. Any help would be appreciated.

Thanks,
Ross Vance
Arvada Fire Protection District

--
rossvance

From -4391287200815212986
X-Google-Thread: 108122,236a2f8801ece58
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Thu, 12 Aug 2010 11:35:22 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.11) Gecko/20100701
SeaMonkey/2.0.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Used Equipment needs new home
References: <rossvance.6a9d308@radiobanter.com>
In-Reply-To: <rossvance.6a9d308@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <4c643ee6$0$5528$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2173

rossvance wrote:
> Our fire department switched to a 800mhz radio system we are currently
> trying to get rid of our old Motorola 400mhz system. Ideally we would
> like to help a fire department if they could use it, but are willing to
> explorer other options. Let us know if the is worth our time. We have
> the complete system working when removed from service.
> -Voters
> -Repeaters
> -MT1000 Portable Radios and chargers
> -Mobile Radios from trucks
> -MT2000
> -Full rack of electronics
>

```
> If you need pictures we can send you some. Any help would be
> appreciated.
>
> Thanks,
> Ross Vance
> Arvada Fire Protection District
>
Try eham.com and QRZ.com


From -4810346060954302259
X-Google-Thread: 108122,d8d2bf346cc4741c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n19g2000prf.googlegroups.com!not-for-
mail
From: guru <sridatta9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: pretty girls  hot videos&photos
Date: Fri, 13 Aug 2010 16:27:32 -0700 (PDT)
Organization: http://groups.google.com
Lines: 28
Message-ID: <54f68960-f713-4510-8eda-e1c5c010cd31@n19g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.242.31
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1281742052 24070 127.0.0.1 (13 Aug 2010 23:27:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 13 Aug 2010 23:27:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n19g2000prf.googlegroups.com; posting-host=117.199.242.31;
posting-account=7_cYWQoAAADEvSRHsmIxRMxDGxOUDqs2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
 Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2174


        ASTHASINGAL IN A BATHROOM

http://babes-devi.blogspot.com/2010/08/asthasingal-in-bath.html

        SNEHA HOT SEX PHOTOS

http://babes-devi.blogspot.com/2010/08/sneha-hot-sexy-photos.html

      ARTHICHABRIA BEAUTIFUL PHOTOS

http://babes-devi.blogspot.com/2010/08/aarthi-chabria-hot-photos.html

      ANUSHKA UNBELIVABLE PHOTOS
```

http://babes-devi.blogspot.com/2010/06/anuskha-sex-images.html

THRISHA HOT WET PHOTOS

http://babes-devi.blogspot.com/2010/06/thrisha-hot-wet-photos.html

NAMITHA EXTORDINARY PHOTOS

http://babes-devi.blogspot.com/2010/06/nayagarala-namitha.html

SHRIYA SARAN SEXY PHOTOS

http://babes-devi.blogspot.com/2010/08/shriya-saran-hot-photos.html

```
From -274343126888257053
X-Google-Thread: 108122,58fc53241f211276,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
citadel.nobulus.com!newsfeed.ision.net!newsfeed2.easynews.net!ision!
news.belwue.de!kanaga.switch.ch!news-zh.switch.ch!switch.ch!newsfeed01.chello.at!
newsfeed01.sul.t-online.de!t-online.de!news.mixmin.net!news.glorb.com!
news2.glorb.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 13 Aug 2010 23:10:48 -0500
From: Jim Holich <Jim.Holich.6abcd48@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Henry 2K-3
Date: Sat, 14 Aug 2010 00:52:57 +0000
Message-ID: <Jim.Holich.6abcd48@radiobanter.com>
Organization: RadioBanter.com
Lines: 11
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
nOCyWy2SW5U+GPNC65fDbg9oLLzjR1+oMtJCKE0cSiNSS+xgf+UnRXotcclvtTXWt6UIF24VLoMEAa+!
C6TvdmrTGWWQW+mMq02uxUfIP3eZy8FcAEKb8PTcUhhuTb8lzxALQ90ZVG2oNmBlWbT6pVcyyWPL!
4OoQBJvq7w==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:2175
```

Just bought a pristine Henry 2K-3 console amp. It was modified by the original owner to add the 160 meter band. I'm looking for comments from users before I put this monster on-line. I'm going to use a keying interface between my IC-746 PRO and the amp. Anything else I should be doing?

--
Jim Holich

From -6809128346251301613
X-Google-Thread: 108122,1a84a93c6f163e8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
news.weisnix.org!newsfeed.ision.net!newsfeed2.easynews.net!ision!kanaga.switch.ch!
irazu.switch.ch!news-zh.switch.ch!switch.ch!newsfeed01.chello.at!newsfeed01.sul.t-
online.de!newsfeed00.sul.t-online.de!t-online.de!news.glorb.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 16 Aug 2010 05:10:35 -0500
From: w1jeq <w1jeq.6aec4a9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kantronics KAM Original v4.00
Date: Mon, 16 Aug 2010 06:57:34 +0000
Message-ID: <w1jeq.6aec4a9@radiobanter.com>
Organization: RadioBanter.com
Lines: 15
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
ZsBOC95jzL+iHTgTrK3JfW1ZVBKZKLDQicI8mNrauqWmdR7KGL+gdzQq5TgIYD1jzgStpyTW4pgTH/1!
nLJZVPLBE309g3gCCOO8bY4VtAYiBIvCCAIkIG+Y+M9UXPy3P+GXv87F8FagWQ6HrCBpCcyupSSG!uMA=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 5
Xref: g2news1.google.com rec.radio.amateur.equipment:2176

I have the original Kantronics KAM (made in the mid 80s) that had the
firmware upgraded to v4.00. My manual is for the original firmware but
several commands are different. Does anyone have a v4.00 firmware manual
in electronic format (pdf) or wouldn't mind scanning their into pdf?

please reply here on the board, and i'll priv-message you my email
address.

thanks and 73 in advance

--
w1jeq

From 4372523201664232695
X-Google-Thread: 108122,f5d1b7b0603adba6,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-nntp-01.dc1.easynews.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Meters for sale (LOTS OF THEM)
From: Eugene Rippen <soundval@muchstuff.com>
Organization: Your Company
Message-ID: <Xns9DD6BFC08132Fer7373@69.16.186.8>
User-Agent: Xnews/5.04.25
Lines: 126
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Tue, 17 Aug 2010 01:51:06 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2177

20 meters this time (I have about 500 more.).
All have tested good movements.
Shipping will be calculated based on 14 lbs.
PayPal and USPS money orders are like cash.
Personal checks, I wait to see if they are honored.

I also have about 500 more which today at this time I will sell them ALL
at the rate of $4 each.
The list of them is at
http://www.muchstuff.com/meters/metersfs.htm
My estimate is that i can get them down to about 20 file size boxes, and
about 350 lbs.

I am not offering these meters individually at this time.
They are in a storage a few mile from here.

500 are round and square and large and small, and the list at
http://www.muchstuff.com/meters/mtrsfs.htm is better than 98% accurate,
but these 20 are part of that list.
These 20 below were in one carton I picked at random.)

Eugene Rippen, WB6SZS
Auburn, CA
soundval@muchstuff.com

(Since some of these require 1/8 inch over 2 inch diameter holes,
I don't measure each one, I just say 2 1/8 inches.)

WESTON 506 meter 25 DCma & 100 & 200 scales also.
WESTON 506 meter. Scale is 25, 100 & 200 DCma.
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0576.jpg

GE 8AW41 meter Scale is 15 V. AC-DC
Type AW-41. Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0579.jpg

GE 8DW552ACE8 meter 2 A. RF
Type DW-52. Thermocouple. Scale is 2 A. RF. Works.
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0580.jpg

Roller-Smith meter 50 DC microA. & DB scale.
Model DOHRG. 5000 ohms. Also has a DB scale: -4 to 0 to 3 dB. Sealed.
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m058.jpg

Westinghouse meter. Scale is 300 DCma.
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0581.jpg

Roller-Smith meter. Scale is 300 DCV.
Type: DDHR
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0582.jpg

GE 8DW41 meter scale is 200 DCma
Type DW-41.
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0577.jpg

Simpson meter. Scale is 50 VDC
Note that the bezel is shaved on the right side.
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0578.jpg

Westinghouse meter. Scale is 300 DCma.
Style: 1209738. USN Type CAY-22238A
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0575.jpg

Burlington 321 meter. 50 DCma
Sealed.
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0570.jpg

Triplett 221 meter. Scale is 25 DCma

Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0565.jpg

Triplett 221-T meter. Scale is 5 DCma
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0572.jpg

WESTON 507 meter. Scale is 10 RF Amps.
Scale says: "Antenna Current Indicator".
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0571.jpg

GE ABA8 meter. Scale is 200 DCma.
Type DW-41
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0574.jpg

Million meter. Tube checker scale "GOOD - BAD"
Radio Television Laboratories. This was for the tube testers that they made
named "Million"
There is a crack at mounting hole, is picture.
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0563.jpg

Westinghouse meter. Full scale is 0.25 Amps. "Antenna Current"
Type NT-33. Scale is marked 0 to 5 (no units epressed). Style 11640038.
"Antenna Current" on scale. Scale says: "F.S.= 0.25 Amps"
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0562.jpg

Triplett 221 meter. Scale is 150 DCma.
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0566.jpg

Triplett 221 2 DC Amps
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0568.jpg

WESTON 506 Meter. 500 DC ma
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0564.jpg

Phaostron Z-1183 meter. "Ruggedized - Sealed"
Scale says 0 to 9 "Nautical Miles"
Works. Panel hole should be 2 1/8 inches Diameter.
http://www.muchstuff.com/meters561-585/m0561.jpg

From -6807718898107691563
X-Google-Thread: 108122,d514539ccdd8004c,start
X-Google-NewGroupId: yes

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i19g2000pro.googlegroups.com!not-for-mail
From: lizhou zhu <lizhou0207@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ghd Green Envy
Date: Mon, 16 Aug 2010 22:46:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 84
Message-ID: <5397589a-ecfc-42d8-b14f-e8eb9f3527af@i19g2000pro.googlegroups.com>
NNTP-Posting-Host: 206.225.19.60
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1282024003 26858 127.0.0.1 (17 Aug 2010 05:46:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 17 Aug 2010 05:46:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i19g2000pro.googlegroups.com; posting-host=206.225.19.60; posting-account=-ZXV_QkAAAC9GSzmn1F2rc6euTd1WbqN
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; zh-CN; rv:1.9.2.8)
 Gecko/20100722 Firefox/3.6.8 GTB7.1,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2178
```

It is sleek, stylish, clean and popular. Not to mention, celebrities have started to style their hair this way. It also has a bit of a funky twist to it. No, it's not your average every day hairstyle, but more and more people are stepping out into public with it. What style are we talking about? We are talking about the faux Mohawk hairstyle. So, you have decided to get one of these, right? What inspired you to do so? Whatever it is, just make sure it is what you want. You should not do it just because all of the cool people are doing it. This is something that needs to fit your own style and your own personality. If it does not fit you, then do you expect it to look good on you?

This style comes from the more extreme Mohawk. Does it look better on men or on women? In our honest opinion, we believe it looks good on both sexes. It all depends on the individual. That's right, both men and women have started to turn to this. However, we noticed that more men than women are starting to get it.

What length of hair do you need? Basically, it works good for any length. You have long hair? Then you are in luck with this. You no longer have to shave both sides of that head just to get that great look. You can just pink those sides. This is perfect for that weekend fun and it can easily be un-done or tamed down.

Women that have medium length to long hair will be able to backcomb the top part in order to give the higher they want.

So, now you can go get that faux Mohawk done. Oh yeah and don't forget that extra strong hold hairspray!
http://www.ghdtradezone.com GHD
http://www.ghdtradezone.com cheap ghd
http://www.ghdtradezone.com ghd hair
http://www.ghdtradezone.com ghd hair straighteners
http://www.ghdtradezone.com cheap ghd straighteners
http://www.ghdtradezone.com/blog GHD Blog
http://www.ghdtradezone.com/ghd-iv-styler_p301.html GHD IV Styler
http://www.ghdtradezone.com/Wholesale-ghd-limited-edition-colour-collection_c2222
GHD limited edition colour collection
http://www.ghdtradezone.com/Wholesale-ghd-limited-edition-gift-set_c2235
GHD limited edition gift set
http://www.ghdtradezone.com/Wholesale-ghd-mk4-hair-straightener_c2223
GHD MK4
http://www.ghdtradezone.com/Wholesale-ghd-iv-styler_c2224 GHD IV
Styler
http://www.ghdtradezone.com/ghd-iv-mini-styler_p303.html GHD IV MINI
Styler
http://www.ghdtradezone.com/ghd-iv-salon-styler_p302.html GHD IV Salon
Styler
http://www.ghdtradezone.com/red-lust_p294.html ghd red lust
http://www.ghdtradezone.com/blue-serenity_p295.html ghd Blue Serenity
http://www.ghdtradezone.com/green-envy_p296.html ghd Green Envy
http://www.ghdtradezone.com/purple-indulgence_p297.html ghd Purple
Indulgence
http://www.ghdtradezone.com/black-ghd-mk4-hair-straighter_p298.html
Black GHD MK4 Hair Straighter
http://www.ghdtradezone.com/gold-ghd-mk4-hair-straighter_p299.html
Gold GHD MK4 Hair Straighter
http://www.ghdtradezone.com/pink-ghd-mk4-hair-straighter_p300.html
Pink GHD MK4 Hair Straighter
http://www.ghdtradezone.com/limited-edition-ghd-iv-dark-black-styler_p304.html
Limited Edition ghd IV Dark Black Styler
http://www.ghdtradezone.com/the-new-2010-ghd-pink-limited-edition_p316.html
GHD Pink Limited Edition
http://www.ghdtradezone.com/ghd-precious-gift-set_p305.html ghd
precious set
http://www.ghdtradezone.com/ghd-iv-kiss-pink-hair-straighteners-limited-edition_p306.html
pink ghd kiss
http://www.ghdtradezone.com/ghd-leopard-grain-hair-straightener_p307.html
GHD Leopard Grain Hair Straightener
http://www.ghdtradezone.com/ghd-09-new-style-pink-gift-set_p308.html
GHD Pink Gift Set
http://www.ghdtradezone.com/ghd-limited-edition-iv-pure-styler_p309.htmll
ghd limited edition pure hair straightener
http://www.ghdtradezone.com/ghd-purple-hair-straightener-gift-set_p310.html
GHD Purple Hair Straightener Gift Set
http://www.ghdtradezone.com/ghd-rare-styler-new-hair-straightener-set_p311.html
GHD Rare hair straightener
http://www.ghdtradezone.com/ghd-limited-edition-radiance-set_p312.html
ghd radiance set

```
http://www.ghdtradezone.com/ghd-iv-styling-set_p313.html GHD IV
Styling Set
http://www.ghdtradezone.com/the-new-2010-ghd-pink-limited-edition_p316.html
GHD Pink Limited Edition


From 8673868056835740467
X-Google-Thread: 108122,f5d1b7b0603adba6
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx01.iad01.newshosting.com!209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Tue, 17 Aug 2010 05:33:44 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.11) Gecko/20100701
SeaMonkey/2.0.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Meters for sale  (LOTS OF THEM)
References: <Xns9DD6BFC08132Fer7373@69.16.186.8>
In-Reply-To: <Xns9DD6BFC08132Fer7373@69.16.186.8>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <4c6a81a1$0$5548$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2179

Eugene Rippen wrote:
> 20 meters this time ( I have about 500 more.).
> All have tested good movements.
> Shipping will be calculated based on 14 lbs.
> PayPal and USPS money orders are like cash.
> Personal checks, I wait to see if they are honored.
>
> I also have about 500 more which today at this time I will sell them ALL
> at the rate of $4 each.
> The list of them is at
> http://www.muchstuff.com/meters/metersfs.htm
> My estimate is that i can get them down to about 20 file size boxes, and
> about 350 lbs.

>

It's safe to assume all the R39X compatible units have been sifted out...

How radioactive is a box of these meters, Gene?
```

```
From -8092971523589230523
X-Google-Thread: 108122,81f3d49894ee78e3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h40g2000pro.googlegroups.com!not-for-
mail
From: DAKSHA <magguri.hareeshkumar@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Simple hack to get $5000 to your Paypal account
Date: Tue, 17 Aug 2010 12:15:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <25d3f6e1-856b-4d5d-b7d3-ea0e670be7ec@h40g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.195.164.1
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1282072504 22066 127.0.0.1 (17 Aug 2010 19:15:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 17 Aug 2010 19:15:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h40g2000pro.googlegroups.com; posting-host=117.195.164.1; posting-
account=kbF7nAoAAABYf6VFeb7PK3Aumf7j1tbP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.19)
 Gecko/2010031422 Firefox/3.0.19,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2180

Simple hack to get $5000 to your Paypal account At http://easyunited.co.cc

i have hidden the Paypal Form link in an image. in that website on
Right Side below search box, click on image and enter your name and
Paypal ID.


From 3073539961531490737
X-Google-Thread: 108122,66040dd4b339f1d2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 17 Aug 2010 22:50:26 -0500
Reply-To: "radioguy" <radioguy88@earthlink.net>
From: "radioguy" <radioguy88@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: EMERSON projector alarm clk. radio 45%off
Date: Tue, 17 Aug 2010 22:43:33 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <eaqdnXUI-J4fxfbRnZ2dnUVZ_v6dnZ2d@earthlink.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.230.0.129
X-Trace: sv3-r9PI5miqnUKg3t5UfL09IBFEtTuSHGA1DJGIra/
rdBzx5VMs5Ls5ivXEJbeZvkITZHtvC0sqEzCjnoJ!
Y5oxcXCqoDsrzeZE2JNOE8UaTvygVLxL6akfAYCsMRpzwy8a+CNAx8Y0ARj5zAULLm0s4YblO91a!
t6cU6L9+jEA1Z1tZKDKVHip+NjLO25JNXw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:2181

Come see this unique Emerson Dual Alarm Clock Radio with a projection effect that displays the time above the unit and features smart set to automatically set the time, day, month and year plus has a full frequency AM/FM radio receiver for an opening bid that is 45% off retail or buy it now for 37% off. What a bargain so hit the link below and check it out! The auction will expire this coming Saturday, August 21 at 6:42 PM central.
Thanks for looking!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110573667077&ssPageName=STRK:MESELX:IT

From 8038637444477051532
X-Google-Thread: 108122,236a2f8801ece58
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin.stu.neva.ru!nrc-news.nrc.ca!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 17 Aug 2010 23:10:33 -0500
From: KoolKatz <KoolKatz.6b11348@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Used Equipment needs new home
Date: Wed, 18 Aug 2010 00:31:24 +0000
Message-ID: <KoolKatz.6b11348@radiobanter.com>
Organization: RadioBanter.com
References: <rossvance.6a9d308@radiobanter.com>
Lines: 30
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-tRgYtIdxe18+i1bGxrGQ3tAzsZfda7no9ZGrtmQqHsZ5atigDgxHDkuxxNdXElr35/
ll9ZKLWQxD48B!p4JPcaGns4b2McgJuwsNSja6h4cwk5AJAbRgx0VMnnBzllUSMRAROpncsc6ZPu/
xfyWp+a6uwgxw!Hsxd6lg=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 17
Xref: g2news1.google.com rec.radio.amateur.equipment:2182


rossvance;715368 Wrote:
> Our fire department switched to a 800mhz radio system we are currently
> trying to get rid of our old Motorola 400mhz system. Ideally we would
> like to help a fire department if they could use it, but are willing to
> explorer other options. Let us know if the is worth our time. We have
> the complete system working when removed from service.
> -Voters
> -Repeaters
> -MT1000 Portable Radios and chargers
> -Mobile Radios from trucks
> -MT2000
> -Full rack of electronics
>
> If you need pictures we can send you some. Any help would be
> appreciated.
>
> Thanks,
> Ross Vance
> Arvada Fire Protection District



If you still have this equipment would you please contact me!
724-328-1501




--
KoolKatz



From -5251707790258186362
X-Google-Thread: 108122,ca24d8bd04c6301c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.buerger.net!
newsfeed.datemas.de!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "VK2KC Gmail" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RE:Wouxun KG UVD1P
Date: Fri, 20 Aug 2010 18:09:53 +1000
Organization: A noiseless patient Spider
```

Lines: 24
Message-ID: <i4ld8s$5nl$1@news.eternal-september.org>
Injection-Date: Fri, 20 Aug 2010 08:10:05 +0000 (UTC)
Injection-Info: mx01.eternal-september.org; posting-host="kWSvn/JilHvGuE/ZxNEkhg";
logging-data="5877"; mail-complaints-to="abuse@eternal-september.org";
posting-account="U2FsdGVkX1+UpIFlHhcUV3xRi2IzUIykKUF2oY6UcDs="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5931
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:rRSyQcSS3o09ng81ylC2mfyEGPA=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:2183

I was wondering if anyone has been programming the Wouxun handheld via a computer using Wouxun's software.

I eventually got all installed and working, however when I got to print out the details of the frequencies which I had programmed and saved to the hand held (about 120) the print program only allows 3 pages rather than 4 to be printed.

Despite a few emails to Wouxun in China they cannot shed any light on as to why the 4 pages don't print. I suggested that they had a problem with the program and that bought a swift and rapid denial!

I have tried the program on 3 different computers in 3 different locations but to no avail.

They use a .tw as a file extension, and despite trying many programs nothing will open it, as I thought I could do a cut and paste into an Excel file, but cutting from the matrix and pasting to Excel is not accommodated.

73
John
VK2KC

From 5820016700440712490
X-Google-Thread: 108122,25b950427bc8c79a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u31g2000pru.googlegroups.com!not-for-mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT FOR TENAGE GUYS
Date: Fri, 20 Aug 2010 03:44:15 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34

Message-ID: <b915c050-7767-42da-972f-07403c7109ca@u31g2000pru.googlegroups.com>
NNTP-Posting-Host: 117.199.251.39
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1282301056 31326 127.0.0.1 (20 Aug 2010 10:44:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 20 Aug 2010 10:44:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u31g2000pru.googlegroups.com; posting-host=117.199.251.39;
posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
 Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2184

KATRINA KAIF BATH ROOM VIDEO

http://hotvideosee.blogspot.com/2010/07/katrina-in-bath.html

MUMAITH KHAN HOT SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-5_27.html

PRIYAMANI SEXY PHOTO

http://hotvideosee.blogspot.com/2010/03/hot-photo-6.html

HOT&SEXY AUNTY IN A ROMANTIC FEEL

http://hotvideosee.blogspot.com/2010/03/hot-photo-3.html

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

TO SEE 100 HOT PHOTO GALLERIES

http://hotheroinesphoto.blogspot.com

From 4563164662074249193
X-Google-Thread: 10b9c8,f243adc013a42fcf,start

```
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,f243adc013a42fcf,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,f243adc013a42fcf,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,f243adc013a42fcf,start
X-Google-NewGroupId: yes
X-Google-Thread: f7796,f243adc013a42fcf,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!micro-
heart-of-gold.mit.edu!bloom-beacon.mit.edu!panix!rri.panix.com!robomod!not-for-
mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, September 2010 - Subscribe for FREE
Followup-To: poster
Date: Fri, 20 Aug 2010 14:51:54 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <BA92D071E05F46BA85209303604F8A61@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1282330314 29646 166.84.1.6 (20 Aug 2010 18:51:54 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 20 Aug 2010 18:51:54 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.22.192.178 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:1659 rec.radio.amateur.boatanchors:4076
rec.radio.amateur.equipment:2185 rec.radio.swap:2605 alt.ham-radio.morse:40
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

September 2010 articles include:

Straight Key or Not Straight Key By Philip Cala-Lazar, K9PL

Superheterodyne Receivers - Part 2 By Paul W. Ross, W3FIS

Sounds Like A Special Event To Me By Bob Cashdollar, NR8U

What I Remember About That Day By Hank Kohl, K8DD

Another FB K9YA Field Day By Mike Dinelli, N9BOR

Ham Quips By Dick Sylvan, W9CBT

```
From -99229303408049869
X-Google-Thread: 108122,4c3c0097c5a075db,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin2!goblin.stu.neva.ru!feeder.erje.net!news.glorb.com!news2.glorb.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 20 Aug 2010 17:10:43 -0500
From: Robert Keeler <Robert.Keeler.6b4b369@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola MT1000 (99 chan) why-
Date: Fri, 20 Aug 2010 18:42:26 +0000
Message-ID: <Robert.Keeler.6b4b369@radiobanter.com>
Organization: RadioBanter.com
Lines: 8
```

X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
H1tmntgMIWIfYoPrD9sOFFDfrkTH74VWiKUwbjSRiTLzECNraBKBeLbgANu1b4MJbGuccMI3f2fdcHF!
EDlfiyuKkUG+AUa5bbpQxz2QVZj7KsTpC+NZ+evyGer2rdSQ/nmZhy+FVjGVm/Syj5mv+PngLQ7A!
K5XSz36zW9HZEg==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:2186

Anyone know why motorola only "installed" 8 channels for scanning on a
99 channel radio? Can it be modded to add more slots?

--
Robert Keeler

From -6871193536225133226
X-Google-Thread: 108122,4c3c0097c5a075db
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
post01.iad.highwinds-media.com!STARBAND.NET-a2kHrUvQQWlmc!not-for-mail
From: You <you@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Motorola MT1000 (99 chan) why-
Organization: Shadow.orgs
References: <Robert.Keeler.6b4b369@radiobanter.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Date: Fri, 20 Aug 2010 14:39:32 -0800
Message-ID: <you-19C925.14392520082010@news.starband.net>
X-Complaints-To: abuse@usenetserver.com
Lines: 8
X-Trace: a0cde4c6f042531e5901f06638
Xref: g2news1.google.com rec.radio.amateur.equipment:2187

In article <Robert.Keeler.6b4b369@radiobanter.com>,
 Robert Keeler <Robert.Keeler.6b4b369@radiobanter.com> wrote:

> Anyone know why motorola only "installed" 8 channels for scanning on a
> 99 channel radio? Can it be modded to add more slots?

Not unless you can build a PRom Simulator that plugs into where the PRom
goes and write a whole bunch of code in the Simulator.....

```
From -1368696931339714744
X-Google-Thread: 108122,4c3c0097c5a075db
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Fri, 20 Aug 2010 17:44:23 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.11) Gecko/20100701
SeaMonkey/2.0.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Motorola MT1000 (99 chan) why-
References: <Robert.Keeler.6b4b369@radiobanter.com>
In-Reply-To: <Robert.Keeler.6b4b369@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <4c6f215f$0$5541$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2188
```

Robert Keeler wrote:

> Anyone know why motorola only "installed" 8 channels for scanning on a
> 99 channel radio? Can it be modded to add more slots?

Hahahahahaha. Because they want you to pay them to turn on the other channels, or change frequencies, or re-program the radio, etc.

```
From -8756673257495875577
X-Google-Thread: 108122,d461eeb9e61a326,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,d461eeb9e61a326,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p11g2000prf.googlegroups.com!not-for-
mail
From: jialiushoes <jialiushoes09@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: authentic nike shoes,nike jordan sneakers
Date: Fri, 20 Aug 2010 20:06:45 -0700 (PDT)
Organization: http://groups.google.com
```

```
Lines: 32
Message-ID: <6d9e35a9-1543-4217-80de-dc013df0fca7@p11g2000prf.googlegroups.com>
NNTP-Posting-Host: 220.161.119.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1282360005 23338 127.0.0.1 (21 Aug 2010 03:06:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Aug 2010 03:06:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p11g2000prf.googlegroups.com; posting-host=220.161.119.208;
posting-account=p8eO3goAAABAtJn31zgDudUsOGLSyZo-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2189 rec.food.equipment:4145

http://www.24hours-buy.com/ wholesale discount nike air force one
shoes
http://www.24hours-buy.com/ cheapest nike air max90 shoes nike maxltd
shoes
http://www.24hours-buy.com/ cheap gucci sneakers,prada sneakers
http://www.24hours-buy.com/ cheap jordan sneakers
http://www.24hours-buy.com/ nike shoes wholesale in china
http://www.24hours-buy.com/ discount chanel gucci shoes wholesale
http://www.24hours-buy.com/ jordan sneakers
http://www.24hours-buy.com/ cheapest puma sneakers wholesale
http://www.24hours-buy.com/ dsquared2 shoes wholesale in china
http://www.24hours-buy.com/ cheap wholesale tiffnay jewelry
http://www.24hours-buy.com/ gucci shoes shop,prada shoes shop
http://www.24hours-buy.com/ nike customes
http://www.24hours-buy.com/ authentic nike shoes,nike jordan sneakers
http://www.24hours-buy.com/ wholesale cheap jordan,nike free shoes
http://www.24hours-buy.com/ evisu jean sell
http://www.24hours-buy.com/ wholesale authentic g-star true religion
jeans
http://www.24hours-buy.com/ ed hardy caps,ed hardy caps cheap,ed
hardy
cap for cheap
http://www.24hours-buy.com/ bulk air force ones for sell
http://www.24hours-buy.com/ burberry tshirt for cheap
http://www.24hours-buy.com/ adidas goodyear
http://www.24hours-buy.com/ juicy suit wholesale
http://www.24hours-buy.com/ wholesale armani shirt

Tags: http://www.24hours-buy.com/
Contact options:
It is NOT ok to contact this advertiser unless it's a direct response
to this ad


From -2125469574800888648
X-Google-Thread: 108122,56406d71c7dc3269,start
X-Google-NewGroupId: yes
```

```
X-Google-Thread: faf09,56406d71c7dc3269,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q16g2000prf.googlegroups.com!not-for-
mail
From: jialiushoes <jialiushoes09@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Air Max 89
Date: Fri, 20 Aug 2010 20:08:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 162
Message-ID: <be0d36d1-336a-42d4-8aeb-9252c4248e5f@q16g2000prf.googlegroups.com>
NNTP-Posting-Host: 220.161.119.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1282360084 6180 127.0.0.1 (21 Aug 2010 03:08:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Aug 2010 03:08:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q16g2000prf.googlegroups.com; posting-host=220.161.119.208;
posting-account=p8eO3goAAABAtJn31zgDudUsOGLSyZo-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2190 rec.food.equipment:4146
```

```
Jordan1
Jordan2
Jordan3
Jordan3.5
Jordan4
Jordan4.5
Jordan5             http://www.24hours-buy.com/ <paupal payment> <free
shipping>
Jordan6
Jordan7
Jordan8
Jordan9
Jordan10
Jordan11
Jordan11.5             http://www.24hours-buy.com/ <paupal payment>
<free
shipping>
Jordan12
Jordan13
Jordan14
Jordan16
Jordan17
Jordan18
```

Jordan 2009 http://www.24hours-buy.com/ <paupal payment>
<free
shipping>
Jordan 2010
Jordan Air Yeezy
Jordan 1+AF1
Jordan 1+Jordan 2+Jordan 5+Jordan 7
Jordan4+AF1
Jordan4.5+AF1
Jordan5+AF1
Jordan6+AF1 http://www.24hours-buy.com/ <paupal payment>
<free
shipping>
Jordan 8+AF1
Jordan 8+Jordan 22
Jordan 8+Paul
Jordan9+AF1
Jordan 9+Jordan 10
Jordan 9+Jordan 23+AF1 Women
Jordan 10+AF1
Jordan11+AF1
Jordan11.5+AF1 http://www.24hours-buy.com/ <paupal
payment> <free
shipping>
Jordan 12+Jordan 13
Jordan13+AF1
Jordan 13+6unite1
Jordan16.5+AF1
Jordan 18+Jordan 23
Jordan 23+AF1
Jordan25+AF1 http://www.24hours-buy.com/ <paupal payment>
<free
shipping>
Jordan 6unite1
Jordan 8unite1
Jordan flying Man
Jordan foamposite liite Man
Jordan Trunner Q4 Man
Jordan 25+Jordan 8 http://www.24hours-buy.com/ <paupal
payment> <free
shipping>
Jordan 2010+Jordan 13
Jordan AJ6Rings+AF1
Jordan Ajf6Rings
Jordan CAP+AF1
Jordan Carmelo Anthony Melo M5
Jordan CP3+Jordan8
Jordan OL School III +Jordan10.5
Jordan OL School III+AF1
Jordan Pro Classic
Jordan Trunner Q4 +AF1 http://www.24hours-buy.com/ <paupal
payment>
<free shipping>

Nike Air Max,Buy Discount Nike Air Max From fjrjtrade.com,Wholesale&Retail Nike Air Max online Shop.Find New Nike Air Max.

Nike Air Max CLSSIC BW
Nike Air Max Skyline
Nike Air Max 92 Man
Nike Air Max Tailwind
Air Max 09 http://www.24hours-buy.com/ <paupal payment> <free shipping>
Air Max 87
Air Max 89
Air Max 90
Air Max 91
Air Max 93 http://www.24hours-buy.com/ <paupal payment> <free shipping>
Air Max 95
Nike Air Max 2003
Air Max 180
Air Max 97
Air Max LTD
Air Max LTD2
Air Max STAB
Air Max TN http://www.24hours-buy.com/ <paupal payment> <free shipping>
Air Max TN8
Air Max TN10

Nike Shox,Buy Discount Nike Shox From fjrjtrade.com,Wholesale&Retail Nike Shox online Shop.Find New Nike Shox.

Shox NZ 2era
Shox OZ
Shox R3+R4
Shox R4 2era
Shox RZ http://www.24hours-buy.com/ <paupal payment> <free shipping>
Shox NZ
Shox R3
Shox R4

```
Shox R4 3era
Shox R5                http://www.24hours-buy.com/ <paupal payment>
<free
shipping>
Shox Reverie
Shox TL1
Shox TL3
Shox Torch
Shox TZ
Shox TZ 2era        http://www.24hours-buy.com/ <paupal payment>
<free
shipping>


Nike Free Shoes,Buy Discount Nike Free Shoes From
fjrjtrade.com,Wholesale&Retail Nike Free Shoes online Shop.Find New
Nike Free Shoes.
Nike Free Shoes Man Nike Free Shoes Women






Nike Shoes,Buy Discount Nike Shoes From
fjrjtrade.com,Wholesale&Retail
Nike Shoes online Shop.Find New Nike Shoes.
Nike RLFT Dunk


  http://www.24hours-buy.com/ <paupal payment> <free shipping>


From 934059014258029636
X-Google-Thread: 108122,531bdaf61860e50a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j8g2000yqd.googlegroups.com!not-for-
mail
From: Ryan <md2b08@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM RX-7 For Sale going cheap on EBay
Date: Sun, 22 Aug 2010 22:34:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <6819c059-0ca7-4ea0-9fae-c1afe6402607@j8g2000yqd.googlegroups.com>
NNTP-Posting-Host: 71.192.235.201
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1282541666 28848 127.0.0.1 (23 Aug 2010 05:34:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Aug 2010 05:34:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: j8g2000yqd.googlegroups.com; posting-host=71.192.235.201; posting-
account=95rXhwoAAAAyS87H4h15rbPVpZL7HvpW
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
 Gecko/20100722 Firefox/3.6.8 ( .NET CLR 3.5.30729; .NET4.0E),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2191

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=150482487620&ssPageName=STRK:MESELX:IT


Buy it now states 200.00, bidding at only 96.00!!!


From -1038315280894919282
X-Google-Thread: 108122,e75ac7239d78da36,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x24g2000pro.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT VIDEOS 1`
Date: Tue, 24 Aug 2010 00:52:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 33
Message-ID: <477aadb9-8141-45e9-a1a5-3bbb58b8cc6c@x24g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.243.202
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1282636378 10613 127.0.0.1 (24 Aug 2010 07:52:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Aug 2010 07:52:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x24g2000pro.googlegroups.com; posting-host=117.199.243.202;
posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
 Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2192

hot lip kiss videos
http://allvideosforyouth.blogspot.com/2010/08/hot-lip-kiss-videos.html

super hot lip kiss
http://allvideosforyouth.blogspot.com/2010/08/super-hot-lip-kiss.html

hot lip kiss for youth
http://allvideosforyouth.blogspot.com/2010/08/hot-lip-kiss-for-youth.html

real kissing videos
http://allvideosforyouth.blogspot.com/2010/08/real-kissing-videos.html
```

college girls hot
http://allvideosforyouth.blogspot.com/2010/08/college-girls-hot.html

girls hostel hot
http://allvideosforyouth.blogspot.com/2010/08/girls-hostel-hot.html

saima kiss
http://allvideosforyouth.blogspot.com/2010/08/saima-kiss.html

internet cafe kiss
http://allvideosforyouth.blogspot.com/2010/08/internet-cafe-kiss.html

hot couple lip kiss
http://allvideosforyouth.blogspot.com/2010/08/hot-couple-lip-kiss.html

lip kiss hot
http://allvideosforyouth.blogspot.com/2010/08/lip-kiss-hot.html

FOR HOT PHOTOS
http://hotvideosfreesee.blogspot.com/2010/06/super-hot-lip-kiss.html

From 5741913197711808031
X-Google-Thread: 1077d8,3404638424b1ce10,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,3404638424b1ce10,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,3404638424b1ce10,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f6g2000pro.googlegroups.com!not-for-mail
From: xaingmei chen <chenxaing88@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Timberland shoes <free shipping paypal payment>(http://
www.cntrade09.com/
)
Date: Tue, 24 Aug 2010 01:46:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 51
Message-ID: <d6df5a5c-4c07-429c-b253-f69266657f15@f6g2000pro.googlegroups.com>
NNTP-Posting-Host: 112.111.191.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1282639598 5163 127.0.0.1 (24 Aug 2010 08:46:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Aug 2010 08:46:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000pro.googlegroups.com; posting-host=112.111.191.75; posting-

```
account=gQ_TEQoAAAAn7iMXIHtRJ1Bt_YC6yK30
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
 CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10387
rec.radio.amateur.equipment:2193 rec.music.bluenote:2453

nike shox 2 <free shipping paypal payment>( http://www.cntrade09.com/)
nike shox ace <free shipping paypal payment>( http://www.cntrade09.com/)
men's shoe <free shipping paypal payment>( http://www.cntrade09.com/
)
buy shoe <free shipping paypal payment>( http://www.cntrade09.com/)
adidas shoe <free shipping paypal payment>( http://www.cntrade09.com/
)
kids shoe <free shipping paypal payment>( http://www.cntrade09.com/ )
buy shoes <free shipping paypal payment>( http://www.cntrade09.com/ )
puma shoe <free shipping paypal payment>(http:// www.cntrade09.com/ )
converse shoe <free shipping paypal payment>( http://www.cntrade09.com/
)
shoes sale <free shipping paypal payment>(http:// www.cntrade09.com/)
running shoes women <free shipping paypal payment>(http:// www.cntrade09.com/
)
adidas running shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Footwear <free shipping paypal payment>( http://www.cntrade09.com/)
Paul Smith shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Jordan shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
Bape shoes <free shipping paypal payment>( http://www.cntrade09.com/)
Chanel shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
D&G shoes <free shipping paypal payment>( http://www.cntrade09.com/ )
Dior shoes <free shipping paypal payment>( http://www.cntrade09.com/)
ED hardy shoes <free shipping paypal payment>( http://www.cntrade09.com/)
Evisu shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
Fendi shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Gucci shoes `<free shipping paypal payment>( http://www.cntrade09.com/
)
Hogan shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Lv shoes <free shipping paypal payment>(http:// www.cntrade09.com/ )
Prada shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Timberland shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Tous shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Ice cream shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Sebago shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
```

Lacoste shoes <free shipping paypal payment>(http://www.cntrade09.com/)
Air force one shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
TODS shoes <free shipping paypal payment>(http://www.cntrade09.com/)
AF shoes <free shipping paypal payment>(http://www.cntrade09.com/)

```
From 6563488941198123612
X-Google-Thread: 108122,1c957f687b974ec4,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
news-2.dfn.de!news.dfn.de!news.uni-stuttgart.de!news.belwue.de!kanaga.switch.ch!
switch.ch!newsfeed2.funet.fi!newsfeed1.funet.fi!newsfeeds.funet.fi!
feeder1.news.elisa.fi!news.glorb.com!news2.glorb.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 25 Aug 2010 17:10:34 -0500
From: ronnybob <ronnybob.6bb4ae9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Fully operational Sony CRF-320
Date: Wed, 25 Aug 2010 17:29:19 +0000
Message-ID: <ronnybob.6bb4ae9@radiobanter.com>
Organization: RadioBanter.com
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-EH7BtC7z/
a7uBgLid8hHIkoXRnnLm54tEeJlSQbb8WA8oHs90xHzJX1HoeU8X4wsS44VM/ugfM623/u!
IwsYzxeEKqjyseturj2/bmf+l7UDuaVuZNVc49Q+acJIFlwYFZq0XEVaT/54o2IA3CeebMari/V5!vc8F/
UI=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:2194
```

I volunteer at a thrift shop and we just received this radio. It seems to be a highly sought after radio. I bought the batteries for it and everything is working. I think. I need a power cord for it and also some guidance as to price....Universal Radio had a damaged one for $999.95..THIS IS ALL FOR CHARITY and not profit motivated .I would like to sell it at a fair price and avoid E-bay.   any help is really appreciated.. thanks

```
--
ronnybob


From 6241791236818841128
X-Google-Thread: 108122,1c957f687b974ec4
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!eternal-september.org!feeder.eternal-september.org!.POSTED!not-
for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Fully operational Sony CRF-320
Date: Wed, 25 Aug 2010 17:41:46 -0700
Organization: A noiseless patient Spider
Lines: 20
Message-ID: <i54d8h$6uh$1@news.eternal-september.org>
References: <ronnybob.6bb4ae9@radiobanter.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Thu, 26 Aug 2010 00:41:53 +0000 (UTC)
Injection-Info: mx03.eternal-september.org; posting-host="v3hI5Y7fGtxYNdFCXUBZQA";
     logging-data="7121"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18wVv6BR8XoQenPW+Wefznbmdn+ECC4X94="
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.8) Gecko/
20100802 Thunderbird/3.1.2
In-Reply-To: <ronnybob.6bb4ae9@radiobanter.com>
X-Antivirus-Status: Clean
X-Antivirus: avast! (VPS 100825-0, 08/25/2010), Outbound message
Cancel-Lock: sha1:oZvgCwyc88I4Hfq8exOq6XofZwU=
Xref: g2news1.google.com rec.radio.amateur.equipment:2195

On 8/25/2010 10:29 AM, ronnybob wrote:
> I volunteer at a thrift shop and we just received this radio. It seems
> to be a highly sought after radio. I bought the batteries for it and
> everything is working. I think. I need a power cord for it and also some
> guidance as to price....Universal Radio had a damaged one for
> $999.95..THIS IS ALL FOR CHARITY and not profit motivated .I would like
> to sell it at a fair price and avoid E-bay.   any help is really
> appreciated.. thanks
>
>
>
>
http://www.universal-radio.com/used/sold002.html

Seems idiots who will pay this price are not all that rare ... too bad
really, I was hoping things would get better.  ROFLOL
```

Regards,
JS

```
From 2740458877059909230
X-Google-Thread: 108122,1c957f687b974ec4
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx01.iad01.newshosting.com!209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!
newshosting.com!novia!newsfeed.yul.equant.net!nntp1.roc.gblx.net!nntp.gblx.net!
nntp.gblx.net!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Fully operational Sony CRF-320
Date: Thu, 26 Aug 2010 13:36:12 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 35
Sender: et472@72.0.192.106
Message-ID: <Pine.LNX.4.64.1008261333580.9578@darkstar.example.net>
References: <ronnybob.6bb4ae9@radiobanter.com> <i54d8h$6uh$1@news.eternal-september.org>
NNTP-Posting-Host: 72.0.192.106
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1282844177 6983 72.0.192.106 (26 Aug 2010 17:36:17 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 26 Aug 2010 17:36:17 GMT
In-Reply-To: <i54d8h$6uh$1@news.eternal-september.org>
Xref: g2news1.google.com rec.radio.amateur.equipment:2196
```

On Wed, 25 Aug 2010, John Smith wrote:

> On 8/25/2010 10:29 AM, ronnybob wrote:
>> I volunteer at a thrift shop and we just received this radio. It seems
>> to be a highly sought after radio. I bought the batteries for it and
>> everything is working. I think. I need a power cord for it and also some
>> guidance as to price....Universal Radio had a damaged one for
>> $999.95..THIS IS ALL FOR CHARITY and not profit motivated .I would like
>> to sell it at a fair price and avoid E-bay.   any help is really
>> appreciated.. thanks
>>
>>
>>
>>
> http://www.universal-radio.com/used/sold002.html
>
> Seems idiots who will pay this price are not all that rare ... too bad
> really, I was hoping things would get better. ROFLOL
>

So? Price reflects demand and supply.

If it was a common table radio that everyone has and nobody wants,
price would be close to nil, they'd be tossing them out.

I gather they were fairly expensive at the time of manufacture,
so likely few were bought. They may have even had limited distribution
in North America. So they probably don't exist in large numbers,
especially when you subtract those that were tossed (because they
don't work, because people didn't know what they inherited) and those
who have them may want to hang on to them.

Yet people want them, so the price goes up.

   Michael VE2BVW

```
From -7229380990077395768
X-Google-Thread: 108122,ec5145ba2aeea238,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z28g2000yqh.googlegroups.com!not-for-
mail
From: Merlin <merlin@merlinjacobs.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Starting a new Yahoo group in anticipation of the future Sangean ATS-909X
Date: Fri, 27 Aug 2010 18:48:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <47c7a5b5-ee4e-4e7d-b2c2-1d8151d35d22@z28g2000yqh.googlegroups.com>
NNTP-Posting-Host: 98.233.34.12
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1282960098 28459 127.0.0.1 (28 Aug 2010 01:48:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Aug 2010 01:48:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z28g2000yqh.googlegroups.com; posting-host=98.233.34.12; posting-
account=3CtTZgoAAABZ7mKIh4hTEpmpDMgvx046
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.8)
 Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2197
```

http://groups.yahoo.com/group/SangeanATS909X/

```
From 7867263569204267114
X-Google-Thread: 108122,ca24d8bd04c6301c
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!feeder.eternal-september.org!.POSTED!
not-for-mail
From: "VK2KC Gmail" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RE:Wouxun KG UVD1P
Date: Sat, 28 Aug 2010 12:22:16 +1000
Organization: A noiseless patient Spider
Lines: 34
Message-ID: <i59rsu$7rb$1@news.eternal-september.org>
References: <i4ld8s$5nl$1@news.eternal-september.org>
Injection-Date: Sat, 28 Aug 2010 02:22:23 +0000 (UTC)
Injection-Info: mx01.eternal-september.org; posting-host="kWSvn/JilHvGuE/ZxNEkhg";
logging-data="8043"; mail-complaints-to="abuse@eternal-september.org";
posting-account="U2FsdGVkX1+BMynjK1k854fnXVuJEkvKrobavXaehDI="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5931
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:NAVZGWC3xIBWqvO8UkJ2yD7J20Y=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:2198

"VK2KC Gmail" <vk2kcjohn@gmail.com> wrote in message
news:i4ld8s$5nl$1@news.eternal-september.org...
>I was wondering if anyone has been programming the Wouxun handheld via a
>computer using Wouxun's software.
>
> I eventually got all installed and working, however when I got to print
> out the details of the frequencies which I had programmed and saved to the
> hand held (about 120) the print program only allows 3 pages rather than 4
> to be printed.
>
> Despite a few emails to Wouxun in China they cannot shed any light on as
> to why the 4 pages don't print. I suggested that they had a problem with
> the program and that bought a swift and rapid denial!
>
> I have tried the program on 3 different computers in 3 different locations
> but to no avail.
>
> They use a .tw as a file extension, and despite trying many programs
> nothing will open it, as I thought I could do a cut and paste into an
> Excel file, but cutting from the matrix and pasting to Excel is not
> accommodated.
>
> 73
> John
> VK2KC

I managed to convince Wouxun that they have a problem with their program,
and have promised me with a fix, took 5 emails to convince them!

73
John
VK2KC

```
From 8664972962676113840
X-Google-Thread: 108122,ca24d8bd04c6301c
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Fri, 27 Aug 2010 20:05:11 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.11) Gecko/20100701
SeaMonkey/2.0.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG UVD1P
References: <i4ld8s$5nl$1@news.eternal-september.org> <i59rsu$7rb$1@news.eternal-
september.org>
In-Reply-To: <i59rsu$7rb$1@news.eternal-september.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <4c787cdd$0$5516$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2199
```

VK2KC Gmail wrote:

>
> I managed to convince Wouxun that they have a problem with their program,
> and have promised me with a fix, took 5 emails to convince them!
> 73
> John
> VK2KC
>

Excellent. 5 ain't bad these days.

```
From 6277339503774187019
X-Google-Thread: fcc6e,504d62ebaadc187c,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,504d62ebaadc187c,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,504d62ebaadc187c,start
X-Google-NewGroupId: yes
```

```
X-Google-Thread: fc2a5,504d62ebaadc187c,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,504d62ebaadc187c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,504d62ebaadc187c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10e8ad,504d62ebaadc187c,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,504d62ebaadc187c,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gid8f86f75953,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1280642401@panix.com>
Followup-To: poster
Date: 1 Sep 2010 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 04 Oct 2010 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1283320800@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1283320802 23527 166.84.1.2 (1 Sep 2010 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 1 Sep 2010 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:18194 rec.radio.amateur.dx:707
rec.radio.amateur.equipment:2200 rec.radio.amateur.homebrew:3786
rec.radio.amateur.misc:5223 rec.radio.amateur.policy:28183
rec.radio.amateur.space:376 rec.radio.info:1688

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html
```

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From -8447299513234395O7
X-Google-Thread: 10b9c8,b3e8a07dc6220038,start
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,b3e8a07dc6220038,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,b3e8a07dc6220038,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,b3e8a07dc6220038,start
X-Google-NewGroupId: yes
X-Google-Thread: f7796,b3e8a07dc6220038,start
X-Google-NewGroupId: yes

```
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!newshosting.com!news-
out.readnews.com!transit3.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, Oct 2010 - Subscribe for FREE
Followup-To: poster
Date: Wed, 1 Sep 2010 11:10:46 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <F27263E54F7B4871AF10DBD3C61A9B0E@GRIMES>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1283353846 13813 166.84.1.6 (1 Sep 2010 15:10:46 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 1 Sep 2010 15:10:46 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.22.193.107 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:1692 rec.radio.amateur.boatanchors:4085
rec.radio.amateur.equipment:2201 rec.radio.swap:2638 alt.ham-radio.morse:41
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for
gear, ravished for a review, needing nostalgia, or just plain famished
for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the
K9YA Telegraph Web site.

http://www.k9ya.org

October 2010 articles include:

Turner Calling By Philip Cala-Lazar, K9PL

Weak Signal Communications By Paul W. Ross, W3FIS

The Green Ham Radio By Cliff Cheng, Ph.D., AC6C

Wireless Spark Revisited By Joe Medsker, K8LKC

Airship USS Los Angeles By Mike Dinelli, N9BOR

Ham Quips By Dick Sylvan, W9CBT

```
From 6073580179504441222
X-Google-Thread: 108122,3bb65ffe52aa538,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h40g2000pro.googlegroups.com!not-for-
mail
From: Hot Hot Hot <m.appalakonda@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: I GOT $5000 FROM PAYPAL BY SIMPLE HACK.
Date: Thu, 2 Sep 2010 08:15:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <9f396673-9508-4787-9230-ccaceb5bc643@h40g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.195.187.72
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1283440540 20127 127.0.0.1 (2 Sep 2010 15:15:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Sep 2010 15:15:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h40g2000pro.googlegroups.com; posting-host=117.195.187.72;
posting-account=B4EF8AoAAABQ8v72_oamyDXMepNhFuhl
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.19)
 Gecko/2010031422 Firefox/3.0.19,gzip(gfe)
```

Xref: g2news1.google.com rec.radio.amateur.equipment:2202

I GOT $5000 FROM PAYPAL BY SIMPLE HACK At http://couldhappyalso.co.cc

Due to high security risks, i have hidden the PayPal Form link in an image. in that website On RIGHT SIDE Below search box , click on image and enter your PAYPAL id And Your name.

From -3857575777913558342
X-Google-Thread: 108122,2ff82d207e344f58,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin1!goblin2!
goblin.stu.neva.ru!newsfeed2.telusplanet.net!newsfeed.telus.net!news.glorb.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Sep 2010 17:10:29 -0500
From: ohaniazx <ohaniazx.6c879e8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Scientific Radio System SR-25 manual
Date: Sat, 4 Sep 2010 18:44:32 +0000
Message-ID: <ohaniazx.6c879e8@radiobanter.com>
Organization: RadioBanter.com
Lines: 19
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-gJMvK41JImomGPA2yzpc6X8/
hQj+ppIhWviSPOp+UNEEyBgOIASihgNII38covLoE5gfhbNW1ixFFL8!
s8itBCUHBe4bZ+x9pjbmEqFrdXD4trunpsXyICNlR3NJHEyXA1oUNj91bS0U7kOVlI4VqlmueVTQ!
jnmI4t8=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 7
Xref: g2news1.google.com rec.radio.amateur.equipment:2204

Folks,
I acquired a SR-MP-25 SRS radio and it seems it is not transmitting. I used H-80 mic, H-189 and H-250 handsets, nothing is transmitted. I am about to check the H-80 mic but suspect something is wrong with the unit. One H-80 came with the unit, I bought a NOS unit too and still nothing. I want to eliminate operator error. Does it have to have certain pins jumped or anything like that? I like the radio I would like to get it working. I am in Bay area, Northern CA;

Unit does receive well hence the issue is with transmission only.

THx,

Zee

--
ohaniazx

```
From 1544959135003875801
X-Google-Thread: 108122,ca24d8bd04c6301c
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!g6g2000pro.googlegroups.com!not-for-
mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wouxun KG UVD1P
Date: Sun, 5 Sep 2010 01:33:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <a87568d0-a3a8-47c4-bbc7-ab87b07628e6@g6g2000pro.googlegroups.com>
References: <i4ld8s$5nl$1@news.eternal-september.org> <i59rsu$7rb$1@news.eternal-
september.org>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1283675624 24221 127.0.0.1 (5 Sep 2010 08:33:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Sep 2010 08:33:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g6g2000pro.googlegroups.com; posting-host=203.94.56.252; posting-
account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux x86_64; en-US; rv:1.9.2.8)
 Gecko/20100804 Gentoo Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2205
```

```
On Aug 28, 12:22=A0pm, "VK2KC Gmail" <vk2kcj...@gmail.com> wrote:
> "VK2KC Gmail" <vk2kcj...@gmail.com> wrote in message
> > Despite a few emails to Wouxun in China they cannot shed any light on a=
s
> > to why the 4 pages don't print. I suggested that they had a problem wit=
h
> > the program and that bought a swift and rapid denial!
> > VK2KC
>
> I managed to convince Wouxun that they have a problem with their program,
> and have promised me with a fix, took 5 emails to convince them!
```

Well, hopefully they'll come good with a fix. I have two of these handhelds myself, but I'll admit I've never tried using the PC software for them. I hand-programmed one (using keypad) with the frequencies I wanted (almost filled all 128 channels... they could use more), then constructed a cloning cable to program the second one.

http://stuartl.longlandclan.yi.org/blog/2010/01/04/cloning-the-wouxun-kg-uv=
d1p/
describes the wiring of the cloning cable, should you ever need one.

```
From -2602767098402696504
X-Google-Thread: 108122,bf5193013c398de0,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,bf5193013c398de0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u5g2000prn.googlegroups.com!not-for-
mail
From: =?UTF-8?B?c3XjgII=?= <zhang.su957@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Discount Wholesale Dooney&Bourke Handbag
Date: Sun, 5 Sep 2010 20:54:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <3edc4251-0db4-4c5c-baa1-f148332ef56f@u5g2000prn.googlegroups.com>
NNTP-Posting-Host: 112.111.191.137
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1283745259 13988 127.0.0.1 (6 Sep 2010 03:54:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Sep 2010 03:54:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u5g2000prn.googlegroups.com; posting-host=112.111.191.137;
posting-account=eVsBswoAAAAmNOipwByBI1n-dtX7_OW5
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
 Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2206 rec.food.equipment:4177
```

```
Discount Wholesale BOSS Handbag
    Discount Wholesale Burberry Handbag <http://
www.brandtrade66.com/ >
    Discount Wholesale LV Handbag
    Discount Wholesale Chanel Handbag  <free shipping paypal payment>
    Discount Wholesale  Handbag <http://www.brandtrade66.com/ >
    Discount Wholesale Coach Handbag
    Discount Wholesale D&G Handbag <http://www.brandtrade66.com/ >
    Discount Wholesale Dooney&Bourke Handbag
    Discount Wholesale ED Hardy Handbag <http://www.brandtrade66.com/
    Discount Wholesale Fendi Handbag
    Discount Wholesale Gucci Handbag <http://www.brandtrade66.com/>
    Discount Wholesale Hermes Handbag
    Discount Wholesale Jimmy Choo Handbag <free shipping paypal
payment>
    Discount Wholesale Juciy Handbag
    Discount Wholesale LV Handbag <http://www.brandtrade66.com/>
    Discount Wholesale Miumiu Handbag <http://www.brandtrade66.com/


From 7554224281469744155
X-Google-Thread: 108122,16c19c67a3f970d5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q16g2000prf.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT ACTRESS
Date: Mon, 6 Sep 2010 00:34:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <bc7db007-8fe6-426f-a5dd-deedf20d05cb@q16g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.241.3
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1283758466 27476 127.0.0.1 (6 Sep 2010 07:34:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Sep 2010 07:34:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q16g2000prf.googlegroups.com; posting-host=117.199.241.3; posting-
account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.8)
 Gecko/20100722 Firefox/3.6.8,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2207

     AMISHAPATEL HOT BOOBS

http://babes-devi.blogspot.com/2010/07/amishpatel-latest-photos.html

       ARCHANA UNSEENED EXPOSING PHOTOS

http://babes-devi.blogspot.com/2010/07/archana-unseened-photos.html

        KATRINA KAIF HOT SEXY PHOTOS

http://babes-devi.blogspot.com/2010/07/katrina-sexy-looking-photos.html

         THISHA HOT WET PHOTOS

http://babes-devi.blogspot.com/2010/06/thrisha-hot-wet-photos.html
```

SEXY CHARMI IN A BATHROOM

http://babes-devi.blogspot.com/2010/06/charmi-in-bath.html

KAJALAGARWAL IN A ROMANTIC FEEL

http://babes-devi.blogspot.com/2010/06/kajal-hot-photos.html

NAMITHA IN A BEACH

http://babes-devi.blogspot.com/2010/06/nayagarala-namitha.html

```
From -8398855788166637493
X-Google-Thread: 108122,1c957f687b974ec4
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-13.dc1.easynews.com.POSTED!not-for-mail
From: Bob <rmiller47@satx.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Fully operational Sony CRF-320
Message-ID: <0soa86t7s34qn72ek3gu05ulci6hlq6pjc@4ax.com>
References: <ronnybob.6bb4ae9@radiobanter.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Mon, 06 Sep 2010 16:58:20 -0500
X-Original-Bytes: 1512
Xref: g2news1.google.com rec.radio.amateur.equipment:2208
```

On Wed, 25 Aug 2010 17:29:19 +0000, ronnybob
<ronnybob.6bb4ae9@radiobanter.com> wrote:

>
>I volunteer at a thrift shop and we just received this radio. It seems
>to be a highly sought after radio. I bought the batteries for it and
>everything is working. I think. I need a power cord for it and also some
>guidance as to price....Universal Radio had a damaged one for
>$999.95..THIS IS ALL FOR CHARITY and not profit motivated .I would like
>to sell it at a fair price and avoid E-bay.   any help is really
>appreciated.. thanks

It was Sony's biggest and most expensive radio in 1975. Pretty rare.
Don't have the new price, though.

If it works well, ask top dollar.

bob
k5qwg

From -6025878025433261940
X-Google-Thread: 10dafd,2f0e7553ee7a602,start
X-Google-NewGroupId: yes
X-Google-Thread: 112acb,2f0e7553ee7a602,start
X-Google-NewGroupId: yes
X-Google-Thread: 1113b0,2f0e7553ee7a602,start
X-Google-NewGroupId: yes
X-Google-Thread: 108228,2f0e7553ee7a602,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,2f0e7553ee7a602,start
X-Google-NewGroupId: yes
X-Google-Attributes: gid1d9c5bfcf0,gid48b6f8f0ff,gid7bf93006f4,gid4a39179302,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!news2.glorb.com!news.glorb.com!news.mv.net!jan234
From: Jan <jan234@asdoijwids.com>
Newsgroups: alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: FS: 4 Books: HAM RADIO, 2008 ARRL Handbook, Antenna Book, APRS, 2010 Repeater Directory
Date: Mon, 06 Sep 2010 22:47:51 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <060920102247515260%jan234@asdoijwids.com>
NNTP-Posting-Host: c-75-68-50-193.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1283827672 90825 75.68.50.193 (7 Sep 2010 02:47:52 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Tue, 7 Sep 2010 02:47:52 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:1479907 alt.marketplace.books:7200 rec.arts.books.marketplace:4372 alt.ham-radio.marketplace:761 rec.radio.amateur.equipment:2209

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320576523154

```
From -8796301991841558042
X-Google-Thread: fcc6e,81be42b4451ab24d,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,81be42b4451ab24d,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,81be42b4451ab24d,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,81be42b4451ab24d,start
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,81be42b4451ab24d,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,81be42b4451ab24d,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,81be42b4451ab24d,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1281161101@panix.com>
Followup-To: poster
Date: 7 Sep 2010 02:05:02 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Oct 2010 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1283839501@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1283839502 10983 166.84.1.2 (7 Sep 2010 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Sep 2010 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:18336 rec.radio.amateur.dx:713
rec.radio.amateur.equipment:2210 rec.radio.amateur.homebrew:3802
rec.radio.amateur.misc:5252 rec.radio.amateur.policy:28216 rec.radio.info:1706

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article      |
is that it does not mention newer amateur radio newsgroups created since     |
it was written, including:                                                   |

 rec.radio.amateur.antenna                                                   |
 rec.radio.amateur.boatanchors                                               |
 rec.radio.amateur.dx                                                        |
 rec.radio.amateur.equipment                                                 |
 rec.radio.amateur.homebrew                                                  |
 rec.radio.amateur.moderated                                                 |
 rec.radio.amateur.space                                                     |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 2404110179634002394
X-Google-Thread: 107ada,745e3fa47df95c9,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,745e3fa47df95c9,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,745e3fa47df95c9,start
```

```
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,745e3fa47df95c9,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1281161400@panix.com>
Followup-To: poster
Date: 7 Sep 2010 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Oct 2010 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1283839800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1283839801 10954 166.84.1.2 (7 Sep 2010 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Sep 2010 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:5253
rec.radio.amateur.equipment:2211 rec.radio.swap:2643 rec.radio.info:1707

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)

Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -7869827344732700940
X-Google-Thread: 108122,73e04cb746b3c550,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s9g2000yqd.googlegroups.com!not-for-mail
From: lucianopep <lucistel@libero.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT 757 GX VIDEO defect HELP!
Date: Tue, 7 Sep 2010 02:44:31 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <7409a180-e67e-4634-8a78-6e28899f2d78@s9g2000yqd.googlegroups.com>
NNTP-Posting-Host: 87.3.235.114
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1283852671 31580 127.0.0.1 (7 Sep 2010 09:44:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Sep 2010 09:44:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s9g2000yqd.googlegroups.com; posting-host=87.3.235.114; posting-account=ksBY-AoAAAAPtpt3t_zEJKeiJMth6QvE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US)
 AppleWebKit/533.4 (KHTML, like Gecko) Chrome/5.0.375.127 Safari/533.4,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2212

http://www.youtube.com/watch?v=vzPN13bO44o

i have this problem!   :-(

```
From -8694797787228920266
X-Google-Thread: 108122,73e04cb746b3c550
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT  757 GX  VIDEO defect  HELP!
Date: Tue, 7 Sep 2010 10:29:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 16
Message-ID: <slrni8c4mg.j4t.gsm@cable.mendelson.com>
References: <7409a180-e67e-4634-8a78-6e28899f2d78@s9g2000yqd.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: dsl217-132-222-86.bb.netvision.net.il
X-Trace: max.inside.misty.com 1283855344 29006 217.132.222.86 (7 Sep 2010 10:29:04
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 7 Sep 2010 10:29:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
X-Original-Bytes: 1174
Xref: g2news1.google.com rec.radio.amateur.equipment:2213

lucianopep wrote:
> http://www.youtube.com/watch?v=vzPN13bO44o
>
>
> i have this problem!   :-(

Join the Yahoo Fox-Tango group and ask there.

73,

Geoff.

--
Geoffrey S. Mendelson N3OWJ/4X1GM
To help restaurants, as part of the "stimulus package", everyone must order
dessert. As part of the socialized health plan, you are forbidden to eat it. :-)


From 788895464281666173
X-Google-Thread: 108122,73e04cb746b3c550
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s9g2000yqd.googlegroups.com!not-for-
mail
From: lucianopep <lucistel@libero.it>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT 757 GX VIDEO defect HELP!
Date: Tue, 7 Sep 2010 03:55:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <b776bbaf-a79a-47d6-8c6b-7053539cefe9@s9g2000yqd.googlegroups.com>
References: <7409a180-e67e-4634-8a78-6e28899f2d78@s9g2000yqd.googlegroups.com>
<slrni8c4mg.j4t.gsm@cable.mendelson.com>
NNTP-Posting-Host: 87.3.235.114
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1283856942 2123 127.0.0.1 (7 Sep 2010 10:55:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Sep 2010 10:55:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s9g2000yqd.googlegroups.com; posting-host=87.3.235.114; posting-account=ksBY-AoAAAAPtpt3t_zEJKeiJMth6QvE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US)
 AppleWebKit/533.4 (KHTML, like Gecko) Chrome/5.0.375.127 Safari/533.4,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2214

ehmm i need of help for repair... :_(sigh!

> Geoffrey S. Mendelson N3OWJ/4X1GM
> To help restaurants, as part of the "stimulus package", everyone must order
> dessert. As part of the socialized health plan, you are forbidden to eat it. :-)

From 8462028153132596376
X-Google-Thread: 10b9c8,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Thread: 108122,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Thread: f7796,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx02.iad01.newshosting.com!newshosting.com!198.186.194.250.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>

Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.morse
Subject: K9YA Telegraph - FREE "CW, The Fun Mode" brochure for clubs and individuals
Followup-To: poster
Date: Wed, 8 Sep 2010 15:28:39 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 25
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <B54B07D396C048AB99E7B978D382D798@GRIMES>
References: <D14F7061799E4342820B1BD719C7C6B0@kent01250b2901>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1283974119 21484 166.84.1.6 (8 Sep 2010 19:28:39 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 8 Sep 2010 19:28:39 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history, nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to   rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to   rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp auth 68.22.193.107 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:1710 rec.radio.amateur.boatanchors:4093 rec.radio.amateur.equipment:2215 rec.radio.swap:2652 alt.ham-radio.morse:43

CW, The Fun Mode - A New, Free, Brochure for Clubs

The staff at the K9YA Telegraph is pleased to announce its new publication CW, The Fun Mode.

CW, The Fun Mode is a three-fold, full-color, brochure targeted at newly licensed and upgraded amateur radio operators. The brochure highlights the many joys and advantages of Morse operation and suggests routes to its acquisition.

CW, The Fun Mode features a cartoon by K9YA Telegraph cartoonist Dick Sylvan, W9CBT, and offers a selection of notable CW quotations.

CW, The Fun Mode is available, free, to clubs and individuals. The brochure includes a space for clubs to add their own contact information.

CW, The Fun Mode may be downloaded at:

http://www.k9ya.org/downloads/K9YA-CW%20Brochure.pdf

Subscribe FREE to the K9YA Telegraph

http://www.k9ya.org

From -6755128669828046737
X-Google-Thread: 108122,5596229891d8a585,start
X-Google-NewGroupId: yes
X-Google-Thread: fa029,5596229891d8a585,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,5596229891d8a585,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid6b6ae7923,gid733d321764,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!newsp.newsguy.com!kilowattradio
From: Keith <kilowattradio@use-reply-to.invalid>
Newsgroups: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
Subject: FA: Uniden BC346XT Analog Trunk Tracker Scanner
Date: Thu, 09 Sep 2010 04:26:41 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 7
Message-ID: <090920100426418681%kilowattradio@use-reply-to.invalid>
Reply-To: kilowattradio@gmail.com
NNTP-Posting-Host: p0d92ca8b3a08c5277703a3663919f07dcc1781c6f2d80728.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Mail-Copies-To: nobody
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:2216 rec.radio.scanner:1431
rec.radio.swap:2653

Like New.
<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=280556096743>
$163.00

--
Best Regards, Keith
http://home.comcast.net/~kilowattradio/

From -4613132331970568082
X-Google-Thread: 108122,36c32af67bc54f6c,start

```
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g21g2000prn.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ADULT SEX GALLERY
Date: Fri, 10 Sep 2010 02:48:03 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <c35d346e-3b65-428a-9136-70d8dcdb7f52@g21g2000prn.googlegroups.com>
NNTP-Posting-Host: 117.199.252.179
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1284112083 5993 127.0.0.1 (10 Sep 2010 09:48:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Sep 2010 09:48:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g21g2000prn.googlegroups.com; posting-host=117.199.252.179;
posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.9)
 Gecko/20100824 Firefox/3.6.9,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2217

     AMISHAPATEL HOT BOOBS

http://babes-devi.blogspot.com/2010/07/amishpatel-latest-photos.html

       ARCHANA UNSEENED EXPOSING PHOTOS

http://babes-devi.blogspot.com/2010/07/archana-unseened-photos.html

        KATRINA KAIF HOT SEXY PHOTOS

http://babes-devi.blogspot.com/2010/07/katrina-sexy-looking-photos.html

         THISHA HOT WET PHOTOS

http://babes-devi.blogspot.com/2010/06/thrisha-hot-wet-photos.html

       SEXY CHARMI IN A BATHROOM

http://babes-devi.blogspot.com/2010/06/charmi-in-bath.html

        KAJALAGARWAL IN A ROMANTIC FEEL

http://babes-devi.blogspot.com/2010/06/kajal-hot-photos.html

            NAMITHA IN A BEACH

http://babes-devi.blogspot.com/2010/06/nayagarala-namitha.html
```

From 236494113923726525
X-Google-Thread: 108122,4d810fbadd73da07,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-in-01.newsfeed.easynews.com!
easynews!core-easynews-01!easynews.com!en-nntp-06.dc1.easynews.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 400 working meters
From: Eugene Rippen <soundval@muchstuff.com>
Organization: Your Company
Message-ID: <Xns9DEF95EF19F13er7373@69.16.186.8>
User-Agent: Xnews/5.04.25
Lines: 20
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Fri, 10 Sep 2010 21:44:27 GMT
X-Original-Bytes: 1345
Xref: g2news1.google.com rec.radio.amateur.equipment:2218

There are over 400 meters in my rented storage.
I wish to now relinquish my proprietary rights to them.
For a small sum of money, someone else can become their master.
SO!............ for a mere $995, or best offer, plus shipping, off they
go.
The movements for each of these works.
Small side issue: I estimate they can be packed in about 12 to 15 cartons,
and their total weight will be about 280 pounds. I will agree to pay for
any
amount over 300 pounds. (Considering the
total amount paid, I might agree to deliver, but only after receiving
payment in full.)

The list is at:
http://www.muchstuff.com/meterbrand.htm
Please be patient - its slow to appear.

Eugene Rippen, WB6SZS
Auburn, CA 95603

From -584877676140267863
X-Google-Thread: 108122,ca24d8bd04c6301c
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!

```
news.nobody.at!texta.sil.at!news.newsland.it!news.linuxfan.it!linuxfan.it!
news.ngi.it!nntp.eutelia.it!nntp.infostrada.it!newsfeed01.sul.t-online.de!
newsfeed00.sul.t-online.de!t-online.de!border2.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Sep 2010 23:10:52 -0500
From: KoolKatz <KoolKatz.6d35a48@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RE:Wouxun KG UVD1P
Date: Sun, 12 Sep 2010 23:16:22 +0000
Message-ID: <KoolKatz.6d35a48@radiobanter.com>
Organization: RadioBanter.com
References:  <i4ld8s$5nl$1@news.eternal-september.org>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-dFQA+vy0xx5albV8EVEJiNlE+j32uZPWajq3FgCZexBceysnKYPWTYCV4eLWlteK/
IMuK1nUpWcn35T!
rYuS3WIXmlFhWP6N3hZIod7MQufkVdLgX30IcwvBDXKswA4RDzYGs9vMCgCFnJkD4fCAU21ba0w1!
cKEJuiM=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 2
X-Original-Bytes: 1261
Xref: g2news1.google.com rec.radio.amateur.equipment:2219


What verison of Software are you using? Like be know if I have the
latest. I deal with these people on a daily base! As I am one of the
largest overseas dealers! I will gladly send you a frish copy on the
software! (Free)
KoolKatz





--
KoolKatz



From 4846749151955624855
X-Google-Thread: 108122,ca24d8bd04c6301c
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!newsfeed.datemas.de!eternal-september.org!feeder.eternal-
september.org!.POSTED!not-for-mail
From: "VK2KC Gmail" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: RE:Wouxun KG UVD1P
Date: Mon, 13 Sep 2010 17:20:54 +1000
Organization: A noiseless patient Spider
Lines: 26
Message-ID: <i6kjd8$50s$1@news.eternal-september.org>
References: <i4ld8s$5nl$1@news.eternal-september.org>
<KoolKatz.6d35a48@radiobanter.com>
Injection-Date: Mon, 13 Sep 2010 07:21:12 +0000 (UTC)
Injection-Info: mx01.eternal-september.org; posting-host="owANAb13sjq52ROGkfzn4Q";
     logging-data="5148"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19AxCRRlH2xaAt8Q5aGMFZGiXjexz7DaMg="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5931
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
Cancel-Lock: sha1:J5pbMjamwhhg7jzlZqC+xcvhN0k=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:2220

I am using KG-UVD1Pv1.16
Is there a later edition?

Do you have the problem of printing the whole frequency list, even with the
latest edition the software only prints 3 pages, when 4 is the complete
list.
John

"KoolKatz" <KoolKatz.6d35a48@radiobanter.com> wrote in message
news:KoolKatz.6d35a48@radiobanter.com...
>
> What verison of Software are you using? Like be know if I have the
> latest. I deal with these people on a daily base! As I am one of the
> largest overseas dealers! I will gladly send you a frish copy on the
> software! (Free)
> KoolKatz
>
>
>
>
> --
> KoolKatz

From 6504464406051706440
X-Google-Thread: 108122,5943ffb78b64ce88,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!

```
goblin1!goblin.stu.neva.ru!news.glorb.com!news2.glorb.com!news.glorb.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Sep 2010 11:10:20 -0500
From: W6NF <W6NF.6da9a88@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Azden PCS-3000 Instruction Manual
Date: Sat, 18 Sep 2010 13:49:17 +0000
Message-ID: <W6NF.6da9a88@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-u2333KWK+YVArHXzGn/v3Tx/s6f7KruE7sz9tVsc21y8l1/
zYqICDFmmVSVO07z0bRuFHE9hSJudLXD!zvwqtw3DHU983Nuogg/
t+CeD5lZi2MSVjiqwPJsj1hWSpz3tmfDwtvbClJ1DMcCpp9EykA8aaoHF!hQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:2222
```

The manual is in nice shape and includes the fold-out schematic and one page of manual addenda. There is other information on installation of a CSTTK-1 DTMF mic encoder. $5.00 postpaid in the lower 48.

--
W6NF

```
From 5858418608576150149
X-Google-Thread: 108122,71d1085b72b5a91d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p37g2000pra.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SOUTH ACTRESS HOT PHOTOS&VIDEOS
Date: Mon, 20 Sep 2010 08:35:49 -0700 (PDT)
Organization: http://groups.google.com
Lines: 29
Message-ID: <d117acca-96a1-4715-af58-907f9d6d4cf7@p37g2000pra.googlegroups.com>
NNTP-Posting-Host: 117.199.246.99
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
```

```
X-Trace: posting.google.com 1284996950 3840 127.0.0.1 (20 Sep 2010 15:35:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Sep 2010 15:35:50 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p37g2000pra.googlegroups.com; posting-host=117.199.246.99;
posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2223

 FOR HOT SEXY PHOTOS&VIDEOS [EXPOSING PHOTO]

http://hotheroinesphotos.blogspot.com/2010/09/exposing-photo.html

     FOR HOT VIDEOS WITH SEXY PHOTO

http://hotheroinesphotos.blogspot.com/2010/09/kangana-in-sexy-feel.html

         HOT MALLU AUNTY

http://hotheroinesphotos.blogspot.com/2010/09/mallu-aunty.html

       LASYA HOT SEXY PHOTO

http://hotheroinesphotos.blogspot.com/2010/09/sexy-lasya.html

     [FOR 3 IN 1 SEX PHOTOS ]

       AMISHAPATEL HOT BOOBS

http://babes-devi.blogspot.com/2010/07/amishpatel-latest-photos.html

       ARCHANA UNSEENED EXPOSING PHOTOS

http://babes-devi.blogspot.com/2010/07/archana-unseened-photos.html

        KATRINA KAIF HOT SEXY PHOTOS

http://babes-devi.blogspot.com/2010/07/katrina-sexy-looking-photos.html


From -7103612188377406650
X-Google-Thread: 108122,e1ba9cd1967c8aee,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!postnews.google.com!j2g2000vbo.googlegroups.com!not-for-
mail
From: claudeh <hclaudioblanco@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Availables : More that 3750 Solutions manuals and Test Banks (Part 1)
Date: Mon, 20 Sep 2010 18:02:53 -0700 (PDT)
```

```
Organization: http://groups.google.com
Lines: 2415
Message-ID: <2a4039c1-35ca-4da1-a10a-56e682ee8a59@j2g2000vbo.googlegroups.com>
NNTP-Posting-Host: 190.40.91.191
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1285030973 27717 127.0.0.1 (21 Sep 2010 01:02:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Sep 2010 01:02:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j2g2000vbo.googlegroups.com; posting-host=190.40.91.191; posting-
account=mFFJOAoAAABaIQEBRX5f95y3rtsFRjms
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2224
```

List of Solutions Manuals

---

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES & BHUTAN".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DVQJ2M78Y

I do not review the forums, just send me an email.

- Mechanics, Mechanical Engineering & Aerospace Engineering:

Solution Manual Classical Mechanics (Douglas Gregory)
Solution Manual Advanced Dynamics (Donald T. Greenwood)
Solution Manual Principles of Dynamics (2nd Ed., Donald T. Greenwood)
Solution Manual Advanced Engineering Dynamics (2nd Ed., Jerry Ginsberg)
Solution Manual Classical Dynamics (Jorge V. Jos=E9)
Solution Manual Impact Mechanics (W.J. Stronge)
Solution Manual Statistical Mechanics (2nd Ed., R.K. Pathria)
Solution Manual Introduction to Continuum Mechanics (4th Ed., W. Michael Lai, David Rubin & Erhard Krempl)
Solution Manual Analytical Mechanics (7th Ed., Grant R. Fowles, George Cassiday)
Solution Manual Introduction to Mechanical Engineering (Rizza)
Solution Manual Engineering Fundamentals and Problem Solving (4th Ed., Eide, Jenison, Mashaw & Northup)
Solution Manual Engineering Fundamentals and Problem Solving (5th Ed., Eide, Jenison, Northup & Mickelson)
Solution Manual Mechanical Engineering Principles (Bird & Ross)
Solution Manual Dynamics of Mechanical Systems (C.T.F. Ross)
Solution Manual Mechanics of Solids (C.T.F. Ross)
Solution Manual Introduction to Engineering Analysis (1st Ed., Hagen)
Solution Manual Introduction to Engineering Analysis (2nd Ed., Hagen)
Solution Manual Introduction to Engineering Analysis (3rd Ed., Hagen)
Solution Manual Engineering Design (Rudolph J. Eggert)
Solution Manual Creative Design of Products and Systems (Saeed Niku)
Solution Manual Fundamentals of Engineering Design (2nd Ed., Barry Hyman)
Solution Manual Engineering Design (4th Ed., George Dieter & Linda Schmidt)

Solution Manual Engineering Design and Graphics with Autodesk Inventor 2009 (James Bethune)
Solution Manual Engineering Design : A Project-Based Introduction (2nd Ed., Clive Dym & Patrick Little)
Solution Manual Engineering Design : A Project-Based Introduction (3rd Ed., Clive Dym & Patrick Little)
Solution Manual Tools and Tactics of Design (Dominick, Demel, Lawbaugh, Freuler, Kinzel & Fromm)
Solution Manual Engineering Analysis in Applied Mechanics (John Brewer)
Solution Manual Engineering Fluid Mechanics (William Graebel)
Solution Manual Advanced Fluid Mechanics (William Graebel)
Solution manual Essential Computational Fluid Dynamics (Oleg Zikanov)
Solution Manual Computational Fluid Dynamics : A Practical Approach (Jiyuan Tu, Guan Heng Yeoh & Chaoqun Liu)
Solution Manual Mechanics of Fluids (8th Ed., Massey)
Solution Manual Fluid Mechanics (5th Ed., Frank White)
Solution Manual Fluid Mechanics (6th Ed., Frank White)
Solution Manual Fluid Mechanics (7th Ed., Frank White)
Solution Manual Viscous Fluid Flow (3rd Ed., Frank White)
Solution Manual Thermodynamics and Heat Power (6th Ed., Kurt C. Rolle)
Solution Manual Introduction to the Thermodynamics of Materials (4th Ed. David Gaskell)
Solution Manual Engineering Thermodynamics : Work and Heat Transfer (4th Ed., G.F.C. Rogers & Yon Mayhew)
Solution Manual Introduction to Thermodynamics and Heat Transfer (2nd Ed., Yunus Cengel)
Solution Manual Fundamentals of Thermal-Fluid Sciences (1st Ed., Yunus Cengel)
Solution Manual Fundamentals of Thermal-Fluid Sciences (2nd Ed., Yunus Cengel)
Solution Manual Fundamentals of Thermal-Fluid Sciences (3rd Ed., Yunus Cengel & Robert Turner)
Solution Manual Thermodynamics : An Engineering Approach (5th Ed., Yunus Cengel)
Solution Manual Thermodynamics : An Engineering Approach (6th Ed., Yunus Cengel & Michael Boles)
Solution Manual Thermodynamics : An Engineering Approach (7th Ed., Yunus Cengel & Michael Boles)
Solution Manual Essentials of Fluid Mechanics : Fundamentals and Applications (1st Ed., Yunus Cengel, John Cimbala)
Solution Manual Fluid Mechanics (1st Ed., Yunus Cengel & John Cimbala)
Solution Manual Fluid Mechanics (2nd Ed., Yunus Cengel & John Cimbala)
Solution Manual Heat Tranfer (2nd Ed., Yunus Cengel)
Solution Manual Heat and Mass Transfer : A Practical Approach (3rd Ed., Yunus Cengel)
Solution Manual Heat and Mass Transfer : Fundamentals and Applications (4th Ed., Yunus Cengel & Afshin Ghajar)
Solution Manual Introduction to Fluid Mechanics (6th Ed., Robert Fox, Alan McDonald & Philip Pritchard)
Solution Manual Introduction to Fluid Mechanics (7th Ed., Robert Fox,

Philip Pritchard & Alan McDonald)
Solution Manual Fluid Mechanics (5th Ed., Douglas)
Solution Manual Fluid Mechanics (3rd Ed., Kundu & Cohen)
Solution Manual Fluid Mechanics (4th Ed., Kundu & Cohen)
Solution Manual Elementary Fluid Mechanics (7th Ed., Street, Watters & Vennard)
Solution Manual Fluid Mechanics with Engineering Applications (10th Ed., Finnemore & Franzini)
Solution Manual Fundamentals of Fluid Mechanics (4th Ed., Bruce Munson, Donald Young, Theodore Okiishi)
Solution Manual Fundamentals of Fluid Mechanics (5th Ed., Bruce Munson, Donald Young, Theodore Okiishi)
Solution Manual Fundamentals of Fluid Mechanics (6th Ed., Bruce Munson, Donald Young, Theodore Okiishi, Wade Huebsch)
Solution Manual Fundamentals of Fluid Mechanics - SI Units (6th Ed., Bruce Munson, Donald Young, Theodore Okiishi, Wade Huebsch)
Solution Manual A Brief Introduction to Fluid Mechanics (3rd Ed., Donald Young, Bruce Munson, Theodore Okiishi)
Solution Manual A Brief Introduction to Fluid Mechanics (4th Ed., Donald Young, Bruce Munson, Theodore Okiishi, Wade Huebsch)
Solution Manual Engineering Fluid Mechanics (7th Ed., Clayton Crowe, Donald Elger, John Roberson)
Solution Manual Engineering Fluid Mechanics (8th Ed., Clayton Crowe, Donald Elger, John Roberson)
Solution Manual Engineering Fluid Mechanics (9th Ed., Clayton Crowe, Donald Elger, John Roberson, Barbara Williams)
Solution Manual Fluid Mechanics (Potter & Foss)
Solution Manual Mechanics of Fluids (3rd Ed., Potter)
Solution Manual Fluid Power with Applications (7th Ed., Esposito)
Solution Manual Mechanics of Fluids (4th Ed., Shames)
Solution Manual Applied Fluid Mechanics (6th Ed., Mott)
Solution Manual Applied Fluid Mechanics - SI Units (6th Ed., Mott)
Solution Manual Hydraulic Control Systems (Noah Manring)
Solution Manual Fluid Mechanics and Thermodynamics of Turbomachinery (5th Ed., S.L. Dixon)
Solution Manual Fluid Mechanics and Thermodynamics of Turbomachinery (6th Ed., S.L. Dixon & Cesare Hall)
Solution Manual The Design of High-Efficiency Turbomachinery and Gas Turbines (2nd Ed., David Gordon Wilson & Theododios Korakianitis)
Solution Manual Fundamentals of Turbomachinery (William Peng)
Solution Manual Principles of Turbomachinery in Air-Breathing Engines (Baskharone)
Solution Manual Fundamentals of Jet Propulsion with Applications (Ronald D. Flack)
Solution Manual Extended Irreversible Thermodynamics (3rd Ed., D. Jou, J. Casas-Vazquez & G. Lebon)
Solution Manual Thermodynamics : An Integrated Learning System (Schmidt, Ezekoye, Howell & Baker)
Solution Manual Design of Fluid Thermal Systems (2nd Ed., William Janna)
Solution Manual Design and Simulation of Thermal Systems (N.V. Suryanarayana & Oner Arici)
Solution Manual Introduction to Thermal and Fluids Engineering

(Kaminski & Jensen)
Solution Manual Heating, Ventilating and Air Conditioning Analysis and Design (6th Ed., McQuiston)
Solution Manual Electricity, Electronics, and Control Systems for HVAC (4th Ed., Thomas Kissell)
Solution Manual Heat and Mass Transfer (Anthony Mills)
Solution Manual Convective Heat and Mass Transfer (4th Ed., Kays & Crawford)
Solution Manual Advanced Engineering Thermodynamics (3rd Ed., Bejan)
Solution Manual Convection Heat Transfer (3rd Ed., Bejan)
Solution Manual Design with Constructal Theory (Adrian Bejan & Sylvie Lorente)
Solution Manual Shape and Structure, from Engineering to Nature (Adrian Bejan)
Solution Manual Thermodynamics : Concepts and Applications (Stephen Turns)
Solution Manual Heat Transfer (10th Ed., Jack Holman)
Solution Manual Principles of Heat Transfer (Kaviany)
Solution Manual Heat Convection (Latif M. Jiji)
Solution Manual Fundamentals of Momentum, Heat and Mass Transfer (5th Ed., Welty)
Solution Manual Analytical Methods for Heat Transfer and Fluid Flow Problems (Bernhard Weigand)
Solution Manual Two-Phase Flow : Theory and Applications (Clement Kleinstreuer)
Solution Manual Convective Heat Transfer (kakac)
Solution Manual An Introduction to Fluid Dynamics : Principles of Analysis and Design (Stanley Middleman)
Solution Manual An Introduction to Mass and Heat Transfer : Principles of Analysis and Design (Stanley Middleman)
Solution Manual Fundamentals of Thermodynamics (5th Ed., Richard Sonntag, Claus Borgnakke & Gordon Van Wylen)
Solution Manual Fundamentals of Thermodynamics (6th Ed., Richard Sonntag, Claus Borgnakke & Gordon Van Wylen)
Solution Manual Fundamentals of Thermodynamics (7th Ed., Claus Borgnakke & Richard Sonntag)
Solution Manual Introduction to Engineering Thermodynamics (1st Ed., Richard Sonntag & Claus Borgnakke)
Solution Manual Introduction to Engineering Thermodynamics (2nd Ed., Richard Sonntag & Claus Borgnakke)
Solution Manual Fundamentals of Engineering Thermodynamics (5th Ed., Michael Moran, Howard Shapiro)
Solution Manual Fundamentals of Engineering Thermodynamics (6th Ed., Michael Moran, Howard Shapiro)
Solution Manual Fundamentals of Engineering Thermodynamics - SI Units (6th Ed., Michael Moran, Howard Shapiro)
Solution Manual Fundamentals of Heat and Mass Transfer (5th Ed., Incropera, DeWitt)
Solution Manual Fundamentals of Heat and Mass Transfer (6th Ed., Incropera, DeWitt)
Solution Manual Introduction to Heat Transfer (4th Ed., Incropera, DeWitt)
Solution Manual Introduction to Heat Transfer (5th Ed., Incropera,

DeWitt)
Solution Manual Radiation Detection and Measurement (3rd Ed., Glenn Knoll)
Solution Manual Radiative Heat Transfer (2nd Ed., Michael Modest)
Solution Manual Computational Heat Transfer (2nd Ed., Jaluria)
Solution Manual Principles of Combustion (2nd Ed., Kenneth Kuan-yun Kuo)
Solution Manual Combustion (2nd Ed., Irvin Glassman)
Solution Manual Combustion (3rd Ed., Irvin Glassman)
Solution Manual Incompressible Flow (3rd Ed., Panton)
Solution Manual Modern Compressible Flow : With Historical Perspective (3rd Ed., John Anderson)
Solution Manual Non-Newtonian Flow : Fundamentals and Engineering Applications (R.P. Chhabra & J F Richardson)
Solution Manual Computational Techniques for Fluid Dynamics (Srinivas, K., Fletcher, C.A.J.)
Solution Manual Introduction to Computational Fluid Dynamics (A.W. Date)
Solution Manual Robot Modeling and Control (Spong, Hutchinson & Vidyasagar)
Solution Manual Theory of Applied Robotics : Kinematics, Dynamics and Control (Reza N. Jazar)
Solution Manual Control of Robot Manipulators in Joint Space (R. Kelly, V. Santib=E1=F1ez, A. Lor=EDa)
Solution Manual Modelling and Control of Robot Manipulators (2nd Ed., Lorenzo Sciavicco, Bruno Siciliano)
Solution Manual Robotics : Modelling, Planning and Control (Bruno Siciliano, Lorenzo Sciavicco, Luigi Villani & Giuseppe Oriolo)
Solution Manual Fundamentals of Robotic Mechanical Systems : Theory, Methods, and Algorithms (3rd Ed., Jorge Angeles)
Solution Manual Kinematic Chains and Machine Components Design (Dan B. Marghitu)
Solution Manual Kinematics, Dynamics, and Design of Machinery (2nd Ed., Waldron & Kinzel)
Solution Manual Kinematics and Dynamics of Machinery (3rd Ed., Charles E. Wilson & J. Peter Sadler)
Solution Manual Kinematics and Dynamics of Machinery - SI Units (3rd Ed., Charles E. Wilson & J. Peter Sadler)
Solution Manual Machines and Mechanisms : Applied Kinematic Analysis (3rd Ed., Myszka)
Solution Manual Mechanism Design : Analysis and Synthesis (4th Ed., Erdman, Sandor & Kota)
Solution Manual Mechanical Design : A Components Approach (2nd Ed., Peter Childs)
Solution Manual Mechanical Design of Machine Elements and Machines : A Failure Prevention Perspective (1st Ed., Collins)
Solution Manual Mechanical Design of Machine Elements and Machines : A Failure Prevention Perspective (2nd Ed., Collins, Busby & Staab)
Solution Manual Fundamentals of Machine Component Design (3rd Ed., Juvinall)
Solution Manual Fundamentals of Machine Component Design (4th Ed., Juvinall)
Solution Manual Design of Machine Elements (8th Ed., Spotts)

Solution Manual Machine Elements in Mechanical Design (4th Ed., Mott)
Solution Manual Machine Elements in Mechanical Design - SI Units (4th Ed., Mott)
Solution Manual Mechanical Design : An Integrated Approach (1st Ed., Ansel Ugural)
Solution Manual Design of Machinery (3rd Ed., Norton)
Solution Manual Design of Machinery (4th Ed., Norton)
Solution Manual Machine Design : An Integrated Approach (3rd Ed., Norton)
Solution Manual Machine Design : An Integrated Approach (4th Ed., Norton)
Solution Manual Mechanical Engineering Design (6th Ed., Shigley)
Solution Manual Mechanical Engineering Design (7th Ed., Shigley, Mischke & Budynas)
Solution Manual Shigley's Mechanical Engineering Design (8th Ed., Budynas & Nisbett)
Solution Manual Shigley's Mechanical Engineering Design (9th Ed., Budynas & Nisbett)
Solution Manual Fundamentals of Machine Elements (1st Ed., Hamrock)
Solution Manual Fundamentals of Machine Elements (2nd Ed., Hamrock)
Solution Manual Mechanics of Materials : A Modern Integration of Mechanics and Materials in Structural Design (Christopher Jenkins & Sanjeev Khanna)
Solution Manual Mechanics of Materials (3th Ed., Beer)
Solution Manual Mechanics of Materials (5th Ed., Gere & Timoshenko)
Solution Manual Mechanics of Materials (6th Ed., Gere & Timoshenko)
Solution Manual Mechanics of Materials (7th Ed., Gere & Goodno)
Solution Manual Mechanics of Materials (Ansel Ugural)
Solution Manual Mechanics of Materials : An Integrated Learning System (1st Ed., Timothy Philpot)
Solution Manual Mechanics of Materials : An Integrated Learning System (2nd Ed., Timothy Philpot)
Solution Manual Mechanics of Materials (2nd Ed., Roy R. Craig)
Solution Manual Simplified Mechanics and Strength of Materials (6th Ed., James Ambrose)
Solution Manual Engineering Applications of Dynamics (Dean Karnopp & Donald Margolis)
Solution Manual Engineering Mechanics : Statics (Arthur Boresi, Richard Schmidt)
Solution Manual Engineering Mechanics : Dynamics (Arthur Boresi, Richard Schmidt)
Solution Manual Engineering Mechanics : Statics (5th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Statics - SI Version (5th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Statics (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Statics - SI Version (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics (5th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics - SI Version (5th Ed., J. L. Meriam, L. G. Kraige)

Solution Manual Engineering Mechanics : Dynamics (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Engineering Mechanics : Dynamics - SI Version (6th Ed., J. L. Meriam, L. G. Kraige)
Solution Manual Vector Mechanics for Engineers : Statics (7th Ed., Ferdinand Beer)
Solution Manual Vector Mechanics for Engineers : Statics (8th Ed., Ferdinand Beer)
Solution Manual Vector Mechanics for Engineers : Dynamics (7th Ed., Ferdinand Beer)
Solution Manual Vector Mechanics for Engineers : Dynamics (8th Ed., Ferdinand Beer)
Solution Manual Statics : Analysis and Design of Systems in Equilibrium (Sheppard & Tongue)
Solution Manual Statics : Analysis and Design of Systems in Equilibrium - Update Edition (Sheppard & Tongue)
Solution Manual Dynamics : Analysis and Design of Systems in Motion (Sheppard & Tongue)
Solution Manual Dynamics : Analysis and Design of Systems in Motion (2nd Ed., Sheppard & Tongue)
Solution Manual Statics and Mechanics of Materials : An Integrated Approach (2nd Ed., Riley, Sturges & Morris)
Solution Manual Mechanics of Materials (6th Ed., Riley, Sturges & Morris)
Solution Manual Basic Engineering Plasticity : An Introduction with Engineering and Manufacturing Applications (David Rees)
Solution Manual Theory of Plasticity (3rd Ed. Jagabanduhu Chakrabarty)
Solution Manual Deformation and Fracture Mechanics of Engineering Materials (4th Ed., Richard Hertzberg)
Solution Manual Deformable Bodies and Their Material Behavior (Haslach & Armstrong)
Solution Manual Intermediate Mechanics of Materials (1st Ed., Barber)
Solution Manual Elasticity (2nd Ed., J.R. Barber)
Solution Manual Elasticity : Theory, Applications, and Numerics (1st Ed., Martin Sadd)
Solution Manual Elasticity : Theory, Applications, and Numerics (2nd Ed., Martin Sadd)
Solution Manual Elasticity in Engineering Mechanics (2nd Ed., Boresi)
Solution Manual Advanced Mechanics of Materials (6th Ed., Boresi)
Solution Manual Advanced Mechanics of Materials (2nd Ed., Cook & Young)
Solution Manual Metal Fatigue in Engineering (2nd Ed., Stephens, Fatemi & Fuchs)
Solution Manual Applied Mechanics for Engineering Technology (8th Ed., Keith M. Walker)
Solution Manual Applied Statics and Strength of Materials (5th Ed. Limbrunner & Spiegel)
Solution Manual Statics and Strength of Materials (Robert Mott)
Solution Manual Applied Strength of Materials (4th Ed., Mott)
Solution Manual Applied Strength of Materials (5th Ed., Mott)
Solution Manual Intermediate Dynamics for Engineers (Marcelo R.M & Crespo da Silva)
Solution Manual Engineering Mechanics : Statics (Michael Plesha, Gary

Gray & Francesco Costanzo)
Solution Manual Engineering Mechanics : Dynamics (Michael Plesha, Gary Gray & Francesco Costanzo)
Solution Manual Engineering Mechanics : Statics (4th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Statics (5th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Statics - SI Units (5th Ed., Anthony Bedford, Wallace Fowler & Yusof Ahmad)
Solution Manual Engineering Mechanics : Dynamics (4th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Dynamics (5th Ed., Anthony Bedford & Wallace Fowler)
Solution Manual Engineering Mechanics : Dynamics - SI Units (5th Ed., Anthony Bedford, Wallace Fowler & Yusof Ahmad)
Solution Manual Elastic And Inelastic Stress Analysis (Irving Shames)
Solution Manual Thermal Stresses (2nd Ed., Noda, Hetnarski & Tanigawa)
Solution Manual Strength of Materials - A New Unified Theory for the 21st Century (Surya Patnaik & Dale Hopkins)
Solution Manual Statics and Strengths of Materials (6th Ed., Morrow & Kokernak)
Solution Manual Engineering Mechanics : Statics (11th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Statics (12th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Statics - SI Units (12th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Dynamics (11th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Dynamics (12th Ed., Hibbeler)
Solution Manual Engineering Mechanics : Dynamics - SI Units (12th Ed., Hibbeler)
Solution Manual Mechanics of Materials (4th Ed., Hibbeler)
Solution Manual Mechanics of Materials (6th Ed., Hibbeler)
Solution Manual Mechanics of Materials (7th Ed., Hibbeler)
Solution Manual Mechanics of Materials - SI Units (7th Ed., Hibbeler)
Solution Manual Mechanics of Materials (8th Ed., Hibbeler)
Solution Manual Statics and Mechanics of Materials (Beer, Johnston, DeWolf & Mazurek)
Solution Manual Statics and Mechanics of Materials (Bedford, Liechti & Fowler)
Solution Manual Statics and Mechanics of Materials (2nd Ed., Hibbeler)
Solution Manual Statics and Mechanics of Materials - SI Units (2nd Ed., Hibbeler)
Solution Manual Statics and Mechanics of Materials (3rd Ed., Hibbeler)
Solution Manual Energy Principles and Variational Methods in Applied Mechanics (2nd Ed., Reddy)
Solution Manual The Physics of Vibrations and Waves (6th Ed., Pain)
Solution Manual Engineering Vibrations (3rd Ed., Inman)
Solution Manual Mechanical Vibrations (4th Ed., Singiresu S. Rao)
Solution Manual Mechanical Vibrations - SI Units (4th Ed., Singiresu S. Rao)
Solution Manual Theory of Vibration : An Introduction (2nd Ed., A.A. Shabana)
Solution Manual Vibration of Discrete and Continuous Systems (2nd Ed., Ahmed Shabana)

Solution Manual Introduction to Finite Element Vibration Analysis (Maurice Petyt)
Solution Manual Vibrations and Stability : Advanced Theory, Analysis, and Tools (2nd Ed., Jon J. Thomsen)
Solution Manual Dynamics and Vibration : An Introduction (Magd Abdel Wahab)
Solution Manual Mechanical Vibration (William J. Palm, III)
Solution Manual Random Vibrations : Analysis of Structural and Mechanical Systems (Loren Lutes & Shahram Sarkani)
Solution Manual Mechanical and Structural Vibrations : Theory and Applications (by Jerry H. Ginsberg)
Solution Manual Fundamentals of Structural Integrity : Damage Tolerant Design and Nondestructive Evaluation (Alten F. Grandt)
Solution Manual A First Course in the Finite Element Method (4th Ed., Daryl L. Logan)
Solution Manual Finite Element Analysis Theory and Application with ANSYS (3rd Ed., Moaveni)
Solution Manual An Introduction to the Finite Element Method (3rd Ed., J. N. Reddy)
Solution Manual Fundamentals of Finite Element Analysis (1st Ed., David V. Hutton)
Solution Manual The Finite Element Method in Engineering (4th Ed., Rao)
Solution Manual The Finite Element Method and Applications in Engineering Using ANSYS (Madenci & Guven)
Solution Manual Introduction to Finite Element Analysis and Design (Nam-Ho Kim, Bhavani V. Sankar)
Solution Manual Introduction to the Finite Element Method : Theory, Programming and Applications (Erik G. Thompson)
Solution Manual The Finite Element Method : Its Basis and Fundamentals (6th Ed., Zienkiewicz, R. L. Taylor & J.Z. Zhu)
Solution Manual Fundamental Finite Element Analysis and Applications : with Mathematica and Matlab Computations (Asghar Bhatti)
Solution Manual Advanced Topics in Finite Element Analysis of Structures : With Mathematica and MATLAB Computations (Asghar Bhatti)
Solution Manual Modeling and Analysis of Dynamic Systems (3rd Ed., Close)
Solution Manual Modeling and Simulation of Dynamic Systems (Robert Woods, Jr. & Kent Lawrence)
Solution Manual System Dynamics (1st Ed., William J Palm III)
Solution Manual System Dynamics (2nd Ed., William J Palm III)
Solution Manual System Dynamics and Response (S. Graham Kelly)
Solution Manual System Dynamics for Engineering Students : Concepts and Applications (Nicolae Lobontiu)
Solution Manual Dynamic Modeling and Control of Engineering Systems (2nd Ed., J. Lowen Shearer, Bohdan Kulakowski, John Gardner)
Solution Manual System Dynamics : Modeling and Simulation of Mechatronic Systems (4th Ed., Karnopp, Margolis & Rosenberg)
Solution Manual Concepts and Applications of Finite Element Analysis (4th Ed., Cook, Malkus, Plesha & Witt)
Solution Manual Finite Element Modeling for Stress Analysis (Robert Cook)
Solution Manual Fracture Mechanics : Fundamentals and Applications

(2nd Ed., T.L. Anderson)
Solution Manual Mechanical Behavior of Materials (3rd Ed., Dowling)
Solution Manual Mechanical Behavior of Materials (W.F. Hosford)
Solution Manual Mechanical Behavior of Materials (Keith Bowman)
Solution Manual Theory and Design for Mechanical Measurements (4th Ed., Figliola & Beasley)
Solution Manual Mechanical Measurements (6th Ed., Beckwith, Marangoni & Lienhard)
Solution Manual Measurement and Data Analysis for Engineering and Science (Patrick Dunn)
Solution Manual Design and Analysis of Lean Production Systems (Askin & Goldberg)
Solution Manual Work Systems : The Methods, Measurement & Management of Work (Mikell P. Groover)
Solution Manual Automation, Production Systems, and Computer-Integrated Manufacturing (2nd Ed., Groover)
Solution Manual Automation, Production Systems, and Computer-Integrated Manufacturing (3rd Ed., Groover)
Solution Manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (3rd Ed., Mikell Groover)
Solution Manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (4th Ed., Mikell Groover)
Solution Manual Materials and Processes in Manufacturing (9th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution Manual DeGarmo's Materials and Processes in Manufacturing (10th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution Manual Principles of Metal Manufacturing Processes (Beddoes & Bibby)
Solution Manual Design for Manufacturing : A Structured Approach (Corrado Poli)
Solution Manual Fundamentals of Manufacturing (2nd Ed., Philip D. Rufe)
Solution Manual Engineering Materials Science (Milton Ohring)
Solution Manual Engineering Materials : Properties and Selection (8th Ed., Budinski)
Solution Manual Engineering Materials : Properties and Selection (9th Ed., Budinski)
Solution Manual Materials Science for Engineering Students (Traugott Fischer)
Solution Manual Essentials of Modern Materials Science and Engineering (James Newell)
Solution Manual Science and Design of Engineering Materials (2nd Ed., Schaffer, Saxena, et al)
Solution Manual Structure and Properties of Engineering Materiales (5th Ed., Daniel Henkel & Alan Pense)
Solution Manual Materials Selection in Mechanical Design (3rd Ed., Michael Ashby)
Solution Manual Materials : Engineering, Science, Processing and Design (1st Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution Manual Materials : Engineering, Science, Processing and Design (2nd Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution Manual Engineering Materials Vol. 1 : An Introduction to Properties, Applications and Design (3rd Ed., Michael Ashby & David

Jones)
Solution Manual Engineering Materials Vol. 2 : An Introduction to Microstructures, Processing and Design (3rd Ed., Michael Ashby & David Jones)
Solution Manual Materials Science and Engineering : An Introduction (6th Ed., William Callister)
Solution Manual Materials Science and Engineering : An Introduction (7th Ed., William Callister)
Solution Manual Materials Science and Engineering : An Introduction (8th Ed., William Callister)
Solution Manual Fundamentals of Materials Science and Engineering : Integrated Approach (2nd Ed., William Callister)
Solution Manual Fundamentals of Materials Science and Engineering : Integrated Approach (3rd Ed., William Callister)
Solution Manual Foundations of Materials Science and Engineering (3rd Ed, Smith)
Solution Manual Foundations of Materials Science and Engineering (4th Ed, Smith & Hashemi)
Solution Manual Foundations of Materials Science and Engineering (5th Ed, Smith & Hashemi)
Solution Manual Introduction to Materials Science for Engineers (6th Ed., Shackelford)
Solution Manual Introduction to Materials Science for Engineers (7th Ed., Shackelford)
Solution Manual Introduction to Materials Science for Engineers - International Edition (7th Ed., Shackelford)
Solution Manual Manufacturing Facilities Design and Material Handling (3rd Ed., Meyers & Stephens)
Solution Manual Manufacturing Facilities Design and Material Handling (4th Ed., Stephens & Meyers)
Solution Manual Manufacturing Processes for Engineering Materials (5th Ed. Kalpakjian & Smith)
Solution Manual Manufacturing Processes for Engineering Materials - SI Units (5th Ed. Kalpakjian, Smith & Chih-Wah Kok)
Solution Manual Manufacturing, Engineering & Technology (5th Ed. Kalpakjian & Smith)
Solution Manual Manufacturing, Engineering & Technology (6th Ed. Kalpakjian & Smith)
Solution Manual Manufacturing, Engineering & Technology - SI Units (6th Ed. Kalpakjian & Smith)
Solution Manual Principles of Corrosion Engineering and Corrosion Control (Zaki Ahmad)
Solution Manual Steels : Microstructure and Properties (3rd Ed. Bhadeshia & Honeycombe)
Solution Manual Analysis and Performance of Fiber Composites (3rd Ed., Bhagwan Agarwal, Lawrence Broutman & K. Chandrashekhara)
Solution Manual Nanoengineering of Structural, Functional and Smart Materials (Mark Schulz, Ajit Kelkar, Mannur Sundaresan)
Solution Manual Applied Manufacturing Process Planning : With Emphasis on Metal Forming and Machining (Nelson, Schneider)
Solution Manual Mastering CAD/CAM (1st Ed., Ibrahim Zeid)
Solution Manual Principles of CAD/CAM/CAE (Kunwoo Lee)
Solution Manual Computer Numerical Control : Operation and Programming

(3rd Ed., Stenerson & Curran)
Solution Manual Introduction to Computer Numerical Control (4th Ed., Valentino & Goldenberg)
Solution Manual Linear State-Space Control Systems (Robert L. Williams, II & Douglas A. Lawrence)
Solution Manual Gas Turbine Theory (6th Ed., H.I.H. Saravanamuttoo, G.F.C. Rogers, H. Cohen & Paul Straznicky)
Solution Manual Rocket Propulsion Elements (7th Ed., George P. Sutton & Oscar Biblarz)
Solution Manual Rocket Propulsion Elements (8th Ed., George P. Sutton & Oscar Biblarz)
Solution Manual Orbital Mechanics for Engineering Students (1st Ed., Howard Curtis)
Solution Manual Orbital Mechanics for Engineering Students (2nd Ed., Howard Curtis)
Solution Manual Atmospheric and Space Flight Dynamics : Modeling and Simulation with MATLAB and Simulink (Ashish Tewari)
Solution Manual Flight Dynamics Principles (2nd Ed., by Cook)
Solution Manual Mechanics of Flight (1st Ed., Warren F. Phillips)
Solution Manual Mechanics of Flight (2nd Ed., Warren F. Phillips)
Solution Manual Fundamentals of Airplane Flight Mechanics (David G. Hull)
Solution Manual Dynamics of Flight : Stability and Control (3rd Ed., Bernard Etkin & Lloyd Duff Reid)
Solution Manual Aircraft Rescue and Firefighting (5th Ed., IFSTA)
Solution Manual Aircraft Propulsion (Saeed Farokhi)
Solution Manual Aircraft Performance (Maido Saarlas)
Solution Manual Flight Performance of Fixed and Rotary Wing Aircraft (Antonio Filippone)
Solution Manual Fundamentals Of Aircraft Structural Analysis (Howard Curtis)
Solution Manual Aircraft Control and Simulation (2nd Ed., Brian Stevens & Frank Lewis)
Solution Manual Aircraft Structures for Engineering Students (3rd Ed., T.H.G. Megson)
Solution Manual Aircraft Structures for Engineering Students (4th Ed., T.H.G. Megson)
Solution Manual Introduction to Aircraft Structural Analysis (T.H.G. Megson)
Solution Manual Mechanics of Aircraft Structures (2nd Ed, C. T. Sun)
Solution Manual Principles of Helicopter Aerodynamics (1st Ed., Leishman)
Solution Manual Fundamentals of Aerodynamics (2nd Ed., Anderson)
Solution Manual Fundamentals of Aerodynamics (3th Ed., Anderson)
Solution Manual Fundamentals of Aerodynamics (4th Ed., Anderson)
Solution Manual Fundamentals of Aerodynamics (5th Ed., Anderson)
Solution Manual Aerodynamics for Engineers (5th Ed., John Bertin & Russell Cummings)
Solution Manual Introduction to Flight (5th Ed., Anderson)
Solution Manual Introduction to Flight (6th Ed., Anderson)
Solution Manual Mechatronics : Principles and Applications (Godfrey Onwubolu)
Solution Manual Mechatronics (Sabri Cetinkunt)

Solution Manual Introduction to Mechatronics and Measurement Systems (2nd Ed., David Alciatore & Michael Histand)
Solution Manual Introduction to Mechatronics and Measurement Systems (3rd Ed., David Alciatore & Michael Histand)
Solution Manual Introduction to Engineering Experimentation (2nd Ed., Wheeler & Ganji)
Solution Manual Introduction to Engineering Experimentation (3rd Ed., Wheeler & Ganji)
Solution Manual Gas Dynamics (3rd Ed., John & Keith)
Solution Manual Fundamentals of Gas Dynamics (2nd Ed, Robert D. Zucker)
Solution Manual Theory of Ground Vehicles (3rd Ed., J. Y. Wong)
Solution Manual Theory of Ground Vehicles (4th Ed., J. Y. Wong)
Solution Manual Vehicle Dynamics : Theory and Application (Reza Jazar)
Solution Manual Internal Combustion Engines : Applied Thermosciences (2nd Ed., Ferguson & Kirkpatrick)
Solution Manual Advanced Engine Performance Diagnosis (4th Ed., James Halderman)
Solution Manual Automotive Engines (8th Ed., Crouse)
Solution Manual Automotive Heating & Air Conditioning (5th Ed., Tom Birch)
Solution Manual Diagnosis and Troubleshooting of Automotive Electrical, Electronic, and Computer Systems (5th Ed., James Halderman)
Solution Manual Automotive Brake Systems Package (4th Ed., Rehkopf)
Solution Manual Automotive Brake Systems (4th Ed., Halderman)
Solution Manual Automotive Engine Performance (2nd Ed., Halderman)
Solution Manual Automotive Engines : Theory and Servicing (6th Ed., James Halderman)
Solution Manual Automotive Fuel and Emissions Control Systems (2nd Ed., James Halderman & James Linder)
Solution Manual Automotive Science and Mathematics (Allan Bonnick)
Solution Manual Automotive Mathematics (Jason Rouvel)
Solution Manual Automotive Service Management (Andrew Rezin)
Solution Manual Automotive Technology : Principles, Diagnosis, and Service (3rd Ed., Halderman)
Solution Manual Automotive Steering, Suspension, and Alignment (4th Ed., Halderman)
Solution Manual Automatic Transmissions & Transaxles (4th Ed., Tom Birch & Chuck Rockwood)
Solution Manual Hybrid and Alternative Fuel Vehicles (Halderman & Martin)
Solution Manual Manual Drivetrains and Axles (5th Ed., Birch & Rockwood)
Solution Manual Blueprint Reading for the Machine Trades (6th Ed., Schultz & Smith)
Solution Manual Modern Welding Technology (6th Ed., Cary & Helzer)
Solution Manual Tissue Engineering (Bernhard O. Palsson & Sangeeta N. Bhatia)
Solution Manual Tissue Engineering (Clemens van Blitterswijk, et al.)
Solution Manual Tissue Mechanics (Cowin, Doty)
Solution Manual Technology and Society (3rd Ed., Hjorth, Eichler, Khan & Morello)

Solution Manual BTEC First Engineering Curriculum Support Pack (Mike Tooley)
Solution Manual BTEC First Engineering (Mike Tooley)
Solution Manual Exploring Engineering : An Introduction to Engineering and Design (1st Ed., Philip Kosky, George Wise, Robert Balmer & William Keat)
Solution Manual Exploring Engineering : An Introduction to Engineering and Design (2nd Ed., Philip Kosky, Robert Balmer, William Keat & George Wise)
Solution Manual Engineering Science (5th Ed., W. Bolton)
Solution Manual Principles of Energy Conversion (2nd Ed., Archie W. Culp)
Solution Manual Fundamentals of Renewable Energy Processes (1st Ed., Aldo da Rosa)
Solution Manual Fundamentals of Renewable Energy Processes (2nd Ed., Aldo da Rosa)
Solution Manual Alternative Energy Systems (B. K. Hodge)
Solution Manual Solar Energy Engineering : Processes and Systems (Soteris Kalogirou)
Solution Manual Solar Engineering of Thermal Processes (2nd Ed., John Duffie & William Beckman)
Solution Manual Solar Engineering of Thermal Processes (3rd Ed., John Duffie & William Beckman)
Solution Manual Energy Technology and Directions for the Future (Fanchi)
Solution Manual Power Generation Technologies (Paul Breeze)
Solution Manual Concepts in Engineering (Holtzapple & Reece)
Solution Manual Concepts in Engineering (2nd Ed., Holtzapple & Reece)
Solution Manual Foundations of Engineering (2nd Ed, Holtzapple & Dan Reece)
Solution Manual Industrial Mechanics and Maintenance (3rd Ed., Larry Chastain)
Solution Manual Mechanical and Electrical Equipment for Buildings (10th Ed., Stein, Reynolds, Grondzik, Kwok)
Solution Manual Mechanical and Electrical Equipment for Buildings (11th Ed., Grondzik, Kwok, Stein & Reynolds)
Solution Manual Mechanical & Electrical Systems in Buildings (4th Ed., Richard Janis & William Tao)
Solution Manual Engineering Drawing And Design (7th Ed., Jensen, Helsel & Short)
Solution Manual Autodesk Inventor (James M. Leake)
Solution Manual Engineering Design Graphics : Sketching, Modeling, and Visualization (1st Ed., James Leake & Jacob Borgerson)
Solution Manual Orthopaedic Biomechanics : Mechanics and Design in Musculoskeletal Systems (Donald Bartel, Dwight Davy & Tony Keaveny)
Solution Manual Science for Engineering (3rd Ed., John Bird)

- Electrical, Electronics & Computer Engineering :

--

Solution Manual Design for Electrical and Computer Engineers (J. Eric Salt & Robert Rothery)
Solution Manual Electrical Engineering : Principles and Applications (3rd Ed., Hambley)
Solution Manual Electrical Engineering : Principles and Applications (4th Ed., Hambley)
Solution Manual Electrical Engineering : Principles and Applications (5th Ed., Hambley)
Solution Manual Electronics (2nd Ed., Hambley)
Solution Manual Electronics and Communications for Scientists and Engineers (Martin Plonus)
Solution Manual Cryptography & Network Security (Behrouz A Forouzan)
Solution Manual Data Communications and Networking (3rd Ed., Behrouz A. Forouzan)
Solution Manual Data Communications and Networking (4th Ed., Behrouz A. Forouzan)
Solution Manual TCP/IP Protocol Suite (2nd Ed., Behrouz Forouzan)
Solution Manual TCP/IP Protocol Suite (3rd Ed., Behrouz Forouzan)
Solution Manual TCP/IP Protocol Suite (4th Ed., Behrouz Forouzan)
Solution Manual Local Area Networks (Behrouz A Forouzan)
Solution Manual Analog Integrated Circuits for Communication : Principles, Simulation and Design (2nd Ed., Donald Pederson & Kartikeya Mayaram)
Solution Manual Satellite Communications (2nd Ed, Pratt, Bostian, Allnutt)
Solution Manual Business Data Communications (Behrouz A Forouzan)
Solution Manual Logic and Computer Design Fundamentals (4th Ed., Mano & Kime)
Solution Manual Linear Robust Control (Michael Green, David J. N. Limebeer)
Solution Manual Adaptive Control (2nd Ed., Karl Johan Astrom, Bjorn Wittenmark)
Solution Manual Digital Control Engineering : Analysis and Design (M. Sami Fadali & Antonio Visioli)
Solution Manual Computer-Controlled Systems : Theory and Design (3rd Ed., Karl Johan Astrom & Bjorn Wittenmark)
Solution Manual Electric Circuits (7th Ed., Nilsson & Riedel)
Solution Manual Electric Circuits (8th Ed., Nilsson & Riedel)
Solution Manual Electric Circuits (9th Ed., Nilsson & Riedel)
Solution Manual Introductory Circuits for Electrical and Computer Engineering (James Nilsson, Susan Riedel)
Solution Manual Electromagnetic Noise and Quantum Optical Measurements (Hermann A. Haus)
Solution Manual Applied Electromagnetics : Early Transmission Lines Approach (Stuart Wentworth)
Solution Manual Fundamentals of Electromagnetics with Engineering Applications (Stuart Wentworth)
Solution Manual Electromagnetics for Engineers : With Applications to Digital Systems and Electromagnetic Interference (Clayton Paul)
Solution Manual MEMS & Microsystems : Design and Manufacture (1st Ed., Tai-Ran Hsu)

Solution Manual MEMS & Microsystems : Design, Manufacture, and Nanoscale Engineering (2nd Ed., Tai-Ran Hsu)
Solution Manual Probability and Statistics for Engineering and the Sciences (7th Ed., Jay L. DeVore)
Solution Manual Probability and Stochastic Processes : A Friendly Introduction for Electrical and Computer Engineers (2nd Ed., Roy Yates & David Goodman)
Solution Manual Process Systems Analysis and Control (3rd Ed. Donald Coughanowr, Steven LeBlanc)
Solution Manual Fuel Cell Engines (Matthew M. Mench)
Solution Manual Fuel Cell Fundamentals (1st Ed., Ryan O'Hayre, et. al)
Solution Manual Fuel Cell Fundamentals (2nd Ed., Ryan O'Hayre, Whitney Colella, Suk-Won Cha, Fritz Prinz)
Solution Manual Control Systems Engineering (4th Ed., Norman Nise)
Solution Manual Control Systems Engineering (5th Ed., Norman Nise)
Solution Manual Automatic Control Systems (8th Ed., Benjamin C. Kuo, Farid Golnaraghi)
Solution Manual Automatic Control Systems (9th Ed., Farid Golnaraghi, Benjamin C. Kuo)
Solution Manual Basic Electricity for Industry : Circuits and Machines - Canadian Edition (Doug Edgar)
Solution Manual Basic Engineering Circuit Analysis (8th Ed., Irwin & Nelms)
Solution Manual Basic Engineering Circuit Analysis (9th Ed., Irwin & Nelms)
Solution Manual A Brief Introduction to Circuit Analysis (J. David Irwin)
Solution Manual Semiconductor Devices : Basic Principles (Jasprit Singh)
Solution Manual Semiconductor Device Fundamentals (Robert F. Pierret)
Solution Manual Device Electronics for Integrated Circuits (3rd Ed., Richard S. Muller, Theodore I. Kamins)
Solution Manual Fundamentals of Semiconductor Devices (Anderson)
Solution Manual Scientific Computing (2nd Ed., Michael T. Heath)
Solution Manual Scientific Computing with Case Studies (Dianne P. O'Leary)
Solution Manual Pattern Recognition and Machine Learning (Christopher M. Bishop)
Solution Manual Modern Semiconductor Devices for Integrated Circuits (Chenming C. Hu)
Solution Manual Analysis and Design of Analog Integrated Circuits (4th Ed., Paul Gray, et al.)
Solution Manual Analysis and Design of Analog Integrated Circuits (5th Ed., Paul Gray)
Solution Manual Analysis and Design of Digital Integrated Circuits (3rd Ed., Hodges)
Solution Manual Introduction to Electric Circuits (6th Ed., Dorf & Svoboda)
Solution Manual Introduction to Electric Circuits (7th Ed., Dorf & Svoboda)
Solution Manual Introduction to Electric Circuits (8th Ed., Dorf & Svoboda)
Solution Manual Modulation, Detection and Coding (Tommy =D6berg)

Solution Manual Principles of Communications: Systems, Modulation, and Noise (5th Ed., R.E. Ziemer & W.H. Tranter)
Solution Manual Principles of Communications (6th Ed., R.E. Ziemer & W.H. Tranter)
Solution Manual The Analysis and Design of Linear Circuits (4th Ed, Thomas & Rosa)
Solution Manual The Analysis and Design of Linear Circuits : Laplace Early (4th Ed, Thomas & Rosa)
Solution Manual The Analysis and Design of Linear Circuits (5th Ed, Thomas)
Solution Manual The Analysis and Design of Linear Circuits (6th Ed, Thomas, Rosa & Toussaint)
Solution Manual Dynamic Modeling and Control of Engineering Systems (2nd Ed., J. Lowen Shearer, Bohdan Kulakowski, John Gardner)
Solution Manual Modern Control Systems (11th Ed., Dorf & Bishop)
Solution Manual Modern Control Systems (12th Ed., Dorf & Bishop)
Solution Manual System Dynamics (1st Ed., William Palm III)
Solution Manual System Dynamics (2nd Ed., William Palm III)
Solution Manual System Dynamics and Response (S. Graham Kelly)
Solution Manual System Dynamics for Engineering Students : Concepts and Applications (Nicolae Lobontiu)
Solution Manual Optimal Control (2nd Ed., Frank Lewis & Vassilis Syrmos)
Solution Manual Optimal Control Theory : An Introduction (Donald E. Kirk)
Solution Manual Intuitive Probability and Random Processes using MATLAB (Steven Kay)
Solution Manual Analog Signals and Systems (Erhan Kudeki & David C. Munson, Jr.)
Solution Manual Continuous and Discrete Time Signals and Systems (Mrinal Mandal, Amir Asif)
Solution Manual Digital Signal and Image Processing (Tamal Bose)
Solution Manual Digital Image Processing (2nd Ed., Rafael Gonzalez, Richard Woods)
Solution Manual Discrete-Time Signal Processing (2nd Ed., Alan Oppenheim, Ronald Schafer, John Buck)
Solution Manual Discrete-Time Signal Processing (3rd Ed., Alan Oppenheim & Ronald Schafer)
Solution Manual Signal Processing First (James H. McClellan, Ronald W. Schafer, Mark A. Yoder)
Solution Manual Statistical Digital Signal Processing and Modeling (Monson Hayes)
Solution Manual Digital Signal Processing (Thomas J. Cavicchi)
Solution Manual Digital Signal Processing System Design : LabVIEW-Based Hybrid Programming (2nd Ed., Kehtarnavaz)
Solution Manual Digital Signal Processing (2nd Ed., Mitra)
Solution Manual Digital Signal Processing (3rd Ed., Mitra)
Solution Manual Digital Signal Processing (4th Ed., John G. Proakis, Dimitris K Manolakis)
Solution Manual Digital Signal Processing (Charles Schuler & Mahesh Chugani)
Solution Manual Digital Signal Processing : Fundamentals and Applications (Li Tan)

Solution Manual Digital Signal Processing : An Experimental Approach (Shlomo Engelberg)
Solution Manual Digital Signal Processing : System Analysis and Design (Paulo S. R. Diniz)
Solution Manual Digital Signal Processing : A Modern Introduction (Ashok Ambardar)
Solution Manual Applied Optimization with MATLAB Programming (1st Ed., P. Venkataraman)
Solution Manual Applied Optimization with MATLAB Programming (2nd Ed., P. Venkataraman)
Solution Manual Introduction to Applied Optimization (2nd Ed., Urmila Diwekar)
Solution Manual Logic Synthesis and Verification Algorithms (Gary Hachtel & Fabio Somenzi)
Solution Manual Adaptive Filtering : Algorithms and Practical Implementation (3rd Ed., Paulo S. R. Diniz)
Solution Manual Introduction to Scientific Computation and Programming (Daniel T. kaplan)
Solution Manual Principles of Signal Detection and Parameter Estimation (Bernard C. Levy)
Solution Manual Electric Machines Analysis and Design Applying MatLab (Cathey)
Solution Manual Fundamentals of Electrical Engineering (Giorgio Rizzoni)
Solution Manual Principles and Applications of Electrical Engineering (4th Ed, Rizzoni)
Solution Manual Principles and Applications of Electrical Engineering (5th Ed, Rizzoni)
Solution Manual Fundamentals of Electric Circuits (2nd Ed., Alexander & Sadiku)
Solution Manual Fundamentals of Electric Circuits (3rd Ed., Alexander & Sadiku)
Solution Manual Fundamentals of Electric Circuits (4th Ed., Alexander & Sadiku)
Solution Manual MSP430 Microcontroller Basics (John Davies)
Solution Manual Programming Massively Parallel Processors : A Hands-on Approach (David Kirk & Wen-mei Hwu)
Solution Manual Embedded DSP Processor Design : Application Specific Instruction Set Processors (Dake Liu)
Solution Manual Embedded Microcontrollers and Processor Design (Charles Greg Osborn)
Solution Manual Embedded System Design : A Unified Hardware/Software Introduction (Vahid & Givargis)
Solution Manual Embedded Microcomputer Systems : Real Time Interfacing (2nd Ed., Jonathan W. Valvano)
Solution Manual Matlab : A Practical Introduction to Programming and Problem Solving (Stormy Attaway)
Solution Manual Principles of Computer System Design : An Introduction (Jerome Saltzer & M. Frans Kaashoek)
Solution Manual The Illustrated Network : How TCP/IP Works in a Modern Network (Walter Goralski)
Solution Manual Electronic Design Automation : Synthesis, Verification, and Test (Laung-Terng Wang, Yao-Wen Chang & Kwang-Ting

Cheng)
Solution Manual Digital Design (Frank Vahid)
Solution Manual Digital Logic Design Principles (Balabanian & Carlson)
Solution Manual Fundamentals of Logic Design (5th Ed., Charles H. Roth)
Solution Manual Real-Time Systems and Software (Alan Shaw)
Solution Manual Introduction to VLSI Circuits and Systems (John P. Uyemura)
Solution Manual Chip Design for Submicron VLSI : CMOS Layout & Simulation (John Uyemura)
Solution Manual Classical Electrodynamics (2nd Ed., John David Jackson)
Solution Manual Objects, Abstraction, Data Structures and Design : Using C++ (Elliot B. Koffman & Paul A. T. Wolfgang)
Solution Manual Objects, Abstraction, Data Structures and Design Using Java Version 5.0 (Elliot B. Koffman & Paul A. T. Wolfgang)
Solution Manual Computer Architecture and Organization : An Integrated Approach (Murdocca & Heuring)
Solution Manual Wiley Pathways Networking Basics (1st Ed., Ciccarelli, Faulkner, FitzGerald, Dennis & Miller)
Solution Manual Software Engineering : Principles and Practice (3rd Ed., Hans van Vliet)
Solution Manual Software Design : From Programming to Architecture (Eric Braude)
Solution Manual Software Engineering : An Object-Oriented Perspective (Eric Braude)
Solution Manual Software Engineering : Modern Approaches (2nd Ed., Eric Braude & Michael Bernstein)
Solution Manual Neural and Adaptive Systems : Fundamentals through Simulations (Jos=E9 Principe, Neil Euliano & W. Curt Lefebvre)
Solution Manual Fundamentals of Electronic Circuit Design (David J. Comer & Donald T. Comer)
Solution Manual Microelectronic Circuit Design (2nd Ed., Jaeger & Blalock)
Solution Manual Microelectronic Circuit Design (3rd Ed., Jaeger & Blalock)
Solution Manual Microelectronic Circuit Design (4th Ed., Jaeger & Blalock)
Solution Manual Introduction to Microelectronic Fabrication : Volume 5 of Modular Series on Solid State Devices (2nd Ed., Richard Jaeger)
Solution Manual Microelectronic Circuits (5th Ed., Adel S. Sedra, K. C. Smith)
Solution Manual VHDL for Engineers (Kenneth Short)
Solution Manual Fundamentals of Digital Logic with VHDL Design (1st Ed., Brown & Vranesic)
Solution Manual Fundamentals of Digital Logic with VHDL Design (2nd Ed., Brown & Vranesic)
Solution Manual Fundamentals of Digital Logic with VHDL Design (3rd Ed., Brown & Vranesic)
Solution Manual CMOS Analog Circuit Design (2nd Ed., Phillip E. Allen, Douglas R. Holberg)
Solution Manual Design of Analog CMOS Integrated Circuits (Behzad Razavi)

Solution Manual Design of Integrated Circuits for Optical Communications (Behzad Razavi)
Solution Manual Fundamentals of Microelectronics, Preliminary Edition (Behzad Razavi)
Solution Manual Fundamentals of Microelectronics (1st Ed., Behzad Razavi)
Solution Manual Design with Operational Amplifiers and Analog Integrated Circuits (3rd Ed., Sergio Franco)
Solution Manual Your UNIX : The Ultimate Guide (1st Ed., Sumitabha Das)
Solution Manual Your UNIX : The Ultimate Guide (2nd Ed., Sumitabha Das)
Solution Manual Microwave Engineering (Annapurna Das)
Solution Manual Microwave Engineering (3rd Ed., David M. Pozar)
Solution Manual Microwave and RF Design of Wireless Systems (David M. Pozar)
Solution Manual Introduction to Wireless Systems (P. M. Shankar)
Solution Manual Microwave Transistor Amplifiers : Analysis and Design (2nd Ed., Guillermo Gonzalez)
Solution Manual Control Systems (Madan Gopal)
Solution Manual A First Lab in Circuits and Electronics (Yannis Tsividis)
Solution Manual Power Electronic Circuits (Issa Batarseh)
Solution Manual Power System Analysis : Analysis and Design (John Grainger)
Solution Manual Power Systems Analysis (2nd Ed., Hadi Saadat)
Solution Manual Power Systems Analysis and Design (4th Ed., J.Duncan Glover and Mulukutla S. Sarma)
Solution Manual Power Electronics : Converters, Applications, and Design (3rd Ed., Ned Mohan, Tore Undeland & William Robbins)
Solution Manual An Introduction to Digital and Analog Communications (2nd Ed., Simon Haykin & Michael Moher)
Solution Manual Communication Systems (4th Ed., Simon Haykin)
Solution Manual Communication Systems (5th Ed., Simon Haykin)
Solution Manual Communication Systems (4th Ed., A. Bruce Carlson, Paul B. Crilly, Janet Rutledge)
Solution Manual Communication Systems (5th Ed., A. Bruce Carlson, Paul B. Crilly)
Solution Manual Signals and Systems (2nd Ed., Simon Haykin & Barry Van Veen)
Solution Manual Introduction to Computing Systems : From bits & gates to C & beyond (1st Ed., Patt and Patel)
Solution Manual Introduction to Computing Systems : From bits & gates to C & beyond (2nd Ed., Patt and Patel)
Solution Manual Elements of the Theory of Computation (2nd Ed., Lewis & Papadimitriou)
Solution Manual Introduction to Languages and the Theory of Computation (3rd Ed., John Martin)
Solution Manual Introduction to Languages and the Theory of Computation (4th Ed., John Martin)
Solution Manual Mechanical & Electrical Systems in Buildings (4th Ed., Richard Janis & William Tao)
Solution Manual Silicon VLSI Technology : Fundamentals, Practice, and

Modeling (Plummer, Deal & Griffin)
Solution Manual Dynamic Electromagnetics (Paul Diament)
Solution Manual Engineering Electromagnetics (2nd Ed., Nathan Ida)
Solution Manual Engineering Electromagnetics (Kenneth Demarest)
Solution Manual Field and Wave Electromagnetics (1st Ed., David Cheng)
Solution Manual Fundamentals of Engineering Electromagnetics (David Cheng)
Solution Manual Information Modeling and Relational Databases (2nd Ed., Terry Halpin & Tony Morgan)
Solution Manual Probability, Statistics, and Random Processes For Electrical Engineering (3rd Ed., Alberto Leon-Garcia)
Solution Manual Detection and Estimation Theory (Thomas Schonhoff & Arthur Giordano)
Solution Manual The Intel Microprocessors (8th Ed., Barry B. Brey)
Solution Manual Wireless Networking (Kumar, Manjunath & Kuri)
Solution Manual Wireless Communications : Principles and Practice (2nd Ed., Theodore S. Rappaport)
Solution Manual Digital Electronics and Design with VHDL (Volnei A. Pedroni)
Solution Manual System-on-Chip Test Architectures : Nanometer Design for Testability (Wang, Stroud & Touba)
Solution Manual Digital Design (Verilog) : An Embedded Systems Approach Using Verilog (Peter Ashenden)
Solution Manual Digital Design (VHDL) : An Embedded Systems Approach Using VHDL (Peter Ashenden)
Solution Manual Computer Organization and Design : The Hardware/Software Interface (3rd Ed., Patterson & Hennessy)
Solution Manual Computer Organization and Design : The Hardware/Software Interface (4th Ed., Patterson & Hennessy)
Solution Manual Fundamentals of Computer Organization and Design (Sivarama P. Dandamudi)
Solution Manual Wireless Communications & Networking (Vijay Garg)
Solution Manual Network Flows : Theory, Algorithms, and Applications (Ravindra K. Ahuja, Thomas L. Magnanti, James B. Orlin)
Solution Manual Network Analysis, Architecture, and Design (3rd Ed., James McCabe)
Solution Manual Computer Networks : A Systems Approach (4th Ed., Peterson & Davie)
Solution Manual Computer Networks ISE : A Systems Approach (4th Ed., Peterson & Davie)
Solution Manual Digital Design and Computer Architecture (David Harris & Sarah Harris)
Solution Manual Fault-Tolerant Systems (Israel Koren & C. Krishna)
Solution Manual Computer Architecture : Pipelined and Parallel Processor Design (Michael J. Flynn)
Solution Manual Computer Architecture : A Quantitative Approach (4th Ed., Hennessy & Patterson)
Solution Manual High-Performance Embedded Computing : Architectures, Applications, and Methodologies (Wayne Wolf)
Solution Manual Pattern Recognition (3rd Ed., Theodoridis & Koutroumbas)
Solution Manual Pattern Recognition (4th Ed., Theodoridis & Koutroumbas)

Solution Manual Data Mining : Concepts and Techniques (2nd Ed., Han & Kamber)
Solution Manual Commonsense Reasoning (Erik Mueller)
Solution Manual Introduction to Data Compression (3rd Ed., Khalid Sayood)
Solution Manual Programming Language Pragmatics (2nd Ed., Michael Scott)
Solution Manual Programming Language Pragmatics (3rd Ed., Michael Scott)
Solution Manual Computer Graphics for Java Programmers (2nd Ed., Leen Ammeraal & Kang Zhang)
Solution Manual Database Modeling and Design : Logical Design (4th Ed., Teorey, Lightstone & Nadeau)
Solution Manual Computers As Components : Principles of Embedded Computing System Design (1st Ed., Wayne Wolf)
Solution Manual Computers As Components : Principles of Embedded Computing System Design (2nd Ed., Wayne Wolf)
Solution Manual Virtual Machines : Versatile Platforms for Systems and Processes (Jim Smith & Ravi Nair)
Solution Manual Comprehensive Functional Verification : The Complete Industry Cycle (Wile, Goss & Roesner)
Solution Manual User Interface Design and Evaluation (Stone, Jarrett, Woodroffe & Minocha)
Solution Manual Network Algorithmics : An Interdisciplinary Approach to Designing Fast Networked Devices (George Varghese)
Solution Manual Data Modeling Essentials (3rd Ed., Simsion & Witt)
Solution Manual A Student Guide to Object-Oriented Development (Carol Britton & Jill Doake)
Solution Manual Routing, Flow, and Capacity Design in Communication and Computer Networks (Pioro & Medhi)
Solution Manual Knowledge Representation and Reasoning (Brachman & Levesque)
Solution Manual Communication Networking : An Analytical Approach (Anurag Kumar, D. Manjunath & Joy Kuri)
Solution Manual Principles and Practices of Interconnection Networks (Dally & Towles)
Solution Manual Game Physics (David Eberly)
Solution Manual Engineering a Compiler (Keith Cooper & Linda Torczon)
Solution Manual Constraint Processing (Rina Dechter)
Solution Manual Design Methods for Reactive Systems : Yourdon, Statemate, and the UML (R. J. Wieringa)
Solution Manual Temporal Data & the Relational Model (C.J. Date, Darwen & Lorentzos)
Solution Manual Java Made Simple (2nd Ed., P. K. McBride)
Solution Manual The Firmware Handbook (Jack Ganssle)
Solution Manual Optical Networks : A Practical Perspective (2nd Ed., Ramaswami & Sivarajan)
Solution Manual Optical Networks : A Practical Perspective (3rd Ed., Ramaswami, Sivarajan & Sasaki)
Solution Manual Usability Engineering : Scenario-Based Development of Human-Computer Interaction (Rosson & Carroll)
Solution Manual The Designer's Guide to VHDL (2nd Ed., Peter Ashenden)
Solution Manual Transactional Information Systems : Theory,

Algorithms, and the Practice of Concurrency Control and Recovery (Weikum & Vossen)
Solution Manual Parallel Computer Architecture : A Hardware/Software Approach (Culler, Singh & Gupta)
Solution Manual Advanced Compiler Design and Implementation (Steven Muchnick)
Solution Manual Parallel Programming with MPI (Peter Pacheco)
Solution Manual Distributed Algorithms (Nancy Lynch)
Solution Manual Electrical and Electronic : Principles and Technology (3rd Ed., John Bird)
Solution Manual Electrical Circuit Theory and Technology (3rd Ed., John Bird)
Solution Manual Electronic Circuits : Fundamentals & Applications (3rd Ed., Mike Tooley)
Solution Manual A Practical Guide to SysML : The Systems Modeling Language (Friedenthal, Moore & Steiner)
Solution Manual Multidimensional Signal, Image, and Video Processing and Coding (John Woods)
Solution Manual Bioelectrical Signal Processing in Cardiac and Neurological Applications (Leif S=F6rnmo & Pablo Laguna)
Solution Manual Foundations of Analog and Digital Electronic Circuits (Anant Agarwal & Jeffrey Lang)
Solution Manual Introduction to Linear Circuit Analysis and Modelling : From DC to RF (Luis Moura & Izzat Darwazeh)
Solution Manual Embedded Systems Architecture : A Comprehensive Guide for Engineers and Programmers (Tammy Noergaard)
Solution Manual Bioimpedance and Bioelectricity Basics (2nd Ed., Grimnes & Martinsen)
Solution Manual Simulation Modeling and Analysis with ARENA (Tayfur Altiok & Benjamin Melamed)
Solution Manual The Visual Story : Creating the Visual Structure of Film, TV and Digital Media (2nd Ed., Bruce Block)
Solution Manual The Shut Up and Shoot Documentary Guide : A Down & Dirty DV Production (Anthony Artis)
Solution Manual Portable Video : ENG & EFP (5th Ed., Medoff & Fink)
Solution Manual Voice and Vision : A Creative Approach to Narrative Film and DV Production (Mick Hurbis-Cherrier)
Solution Manual Writing for Multimedia and the Web : A Practical Guide to Content Development for Interactive Media (3rd Ed., Timothy Garrand)
Solution Manual Developing and Maintaining a Design-Tech Portfolio : A Guide for Theatre, Film & TV (Rafael Jaen)
Solution Manual Producing for TV and Video : A Real-World Approach (Cathrine Kellison)
Solution Manual Producing for TV and New Media : A Real-World Approach for Producers (2nd Ed., Cathrine Kellison)
Solution Manual Placing Shadows : Lighting Techniques for Video Production (3rd Ed., Gloman & Tom LeTourneau)
Solution Manual Film Directing Fundamentals : See Your Film Before Shooting (3rd Ed., Nicholas Proferes)
Solution Manual Introduction to Media Production : The Path to Digital Media Production (3rd Ed., Musburger & Kindem)
Solution Manual Introduction to Media Production : The Path to Digital

Media Production (4th Ed., Kindem & Musburger)
Solution Manual Directing the Documentary (5th Ed., Michael Rabiger)
Solution Manual Video Production Handbook (4th Ed., Gerald Millerson & Jim Owens)
Solution Manual Making Media : Foundations of Sound and Image Production (Jan Roberts-Breslin)
Solution Manual Prepare to Board! Creating Story and Characters for Animation Features and Shorts (Nancy Beiman)
Solution Manual Light and Lens : Photography in the Digital Age (Robert Hirsch)
Solution Manual The Radio Station : Broadcast, Satellite & Internet (7th Ed., Michael Keith)
Solution Manual Developing Story Ideas (2nd Ed., Michael Rabiger)
Solution Manual Radio Production Worktext : Studio and Equipment (5th Ed., Reese, Gross & Gross)
Solution Manual Broadcast News Writing, Reporting, and Producing (4th Ed., Ted White)
Solution Manual Problem Solving and Programming Concepts (7th Ed., Sprankle)
Solution Manual Problem Solving and Programming Concepts (8th Ed., Sprankle & Hubbard)
Solution Manual A Balanced Introduction to Computer Science (2nd Ed., David Reed)
Solution Manual Introduction to Computing and Programming with Java : A Multimedia Approach (Guzdial & Ericson)
Solution Manual Starting Out with Programming Logic and Design (Tony Gaddis)
Solution Manual Starting Out with Programming Logic and Design (2nd Ed., Tony Gaddis)
Solution Manual Tools For Structured and Object-Oriented Design (7th Ed., Bohl & Rynn)
Solution Manual Programming with Alice and Java (Lewis & DePasquale)
Solution Manual e-Business and e-Commerce How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual XML How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto, Ted Lin, Praveen Sadhu)
Solution Manual Python How to Program (Harvey M. Deitel, Paul J. Deitel, Jonathan P. Liperi Ben Wiedermann)
Solution Manual Perl How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto, D. C. McPhie)
Solution Manual C How to Program (4th Ed., Harvey & Paul Deitel)
Solution Manual C How to Program (5th Ed., Harvey & Paul Deitel)
Solution Manual C++ How to Program (6th Ed., Harvey & Paul Deitel)
Solution Manual Visual Basic.NET How to Program (2nd Ed., Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual Visual C++ 2008 How to Program (2nd Ed., Harvey & Paul Deitel)
Solution Manual Internet & World Wide Web : How to Program (4th Ed., Harvey & Paul Deitel)
Solution Manual Web Technologies : A Computer Science Perspective (Jeffrey C. Jackson)
Solution Manual Mastering the Internet, XHTML and JavaScript (2nd Ed., Ibrahim Zeid)

Solution Manual Weaving a Website : Programming in HTML, Java Script, Perl and Java (Susan Anderson-Freed)
Solution Manual Simply C++ : An Application-Driven Tutorial Approach (Harvey & Paul Deitel)
Solution Manual Visual C# 2005 How to Program (2nd Ed., Harvey & Paul Deitel)
Solution Manual Visual C# 2008 How to Program (3rd Ed., Harvey & Paul Deitel)
Solution Manual Simply C# : An Application-Driven Tutorial Approach (Harvey & Paul Deitel, Hoey & Yaeger)
Solution Manual Java : An Introduction to Problem Solving and Programming (4th Ed., Walter Savitch)
Solution Manual Java : An Introduction to Problem Solving and Programming (5th Ed., Savitch & Carrano)
Solution Manual Introduction to Computing and Programming with Java : A Multimedia Approach (Guzdial & Ericson)
Solution Manual Java How to Program (7th Ed., Harvey & Paul Deitel)
Solution Manual Java For Students (5th Ed., Bell & Parr)
Solution Manual Java, Java, Java, Object-Oriented Problem Solving (3rd Ed., Morelli & Walde)
Solution Manual Java : An Eventful Approach (Bruce, Danyluk & Murtagh)
Solution Manual Introduction to Java Programming with JBuilder (3rd Ed., Y. Daniel Liang)
Solution Manual Starting Out with Visual Basic 2008 (4th Ed., Gaddis & Irvine)
Solution Manual Starting Out with Visual Basic 2010 (5th Ed., Gaddis & Irvine)
Solution Manual Starting Out with Python (Tony Gaddis)
Solution Manual Object-Oriented Programming in Python (Goldwasser & Letscher)
Solution Manual Introduction to MathCAD 11 (Ronald W. Larsen)
Solution Manual Introduction to MathCAD 13 (2nd Ed., Ronald W. Larsen)
Solution Manual MatLAB Programming (David Kuncicky)
Solution Manual Introduction to Maple 8 (David Schwartz)
Solution Manual Introduction to FORTRAN 90 (2nd Ed., Larry R. Nyhoff & Sanford Leestma)
Solution Manual Fortran 95/2003 Scientists and Engineers (3rd Ed., Stephen J. Chapman)
Solution Manual Introduction to Java (Stephen J. Chapman)
Solution Manual Java Software Solutions for AP Computer Science A (2nd Ed., Lewis, Loftus & Cocking)
Solution Manual Business Data Networks and Telecommunications (6th Ed., Raymond R. Panko)
Solution Manual Business Data Networks and Telecommunications (7th Ed., Raymond R. Panko)
Solution Manual Business Data Communications (Allen Dooley)
Solution Manual Object-Oriented Programming in C++ (4th Ed., Robert Lafore)
Solution Manual C++ : Classes and Data Structures (Jeffrey Childs)
Solution Manual Data Structures Outside-In with Java (Sesh Venugopal)
Solution Manual Data Structures and Abstractions with Java (2nd Ed., Frank M. Carrano)
Solution Manual Data Structures and Algorithms in Java (Peter Drake)

Solution Manual Practical Introduction to Data Structures and Algorithm Analysis : C++ Edition (2nd Ed., Clifford A. Shaffer)
Solution Manual Computer Vision : A Modern Approach (David Forsyth & Jean Ponce)
Solution Manual Computer Graphics Using Java 2D and 3D (Hong Zhang & Y. Daniel Liang)
Solution Manual Computer Graphics Using OpenGL (3rd Ed., Francis Hill Jr. & Stephen Kelley)
Solution Manual Computer Graphics with OpenGL (3rd Ed., Donald Hearn & M. Pauline Baker)
Solution Manual User-Centered Web Site Development : A Human-Computer Interaction Approach (McCracken & Wolfe)
Solution Manual Fundamentals of Game Design (Ernest Adams & Andrew Rollings)
Solution Manual Introduction to The Game Industry (Moore & Sward)
Solution Manual Fundamentals of Math and Physics for Game Programmers (Wendy Stahler)
Solution Manual Usability Engineering : Process, Products & Examples (Laura Leventhal & Julie Barnes)
Solution Manual Web Usability : A User-Centered Design Approach (Jonathan Lazar)
Solution Manual Structured Computer Organization (5th Ed., Andrew S. Tanenbaum)
Solution Manual Assembly Language for Intel-Based Computers (5th Ed., Kip Irvine)
Solution Manual Assembly Language for x86 Processors (6th Ed., Kip R. Irvine)
Solution Manual Fundamentals of Multimedia (Ze-Nian Li & Mark Drew)
Solution Manual Digital Media Primer (Yue-Ling Wong)
Solution Manual Essentials for Design Macromedia Director MX 2004 Comprehensive (Tara Gray)
Solution Manual Modern Systems Analysis and Design (4th Ed., Jeffrey Hoffer, Joey George, & Joseph Valacich)
Solution Manual Modern Systems Analysis and Design (5th Ed., Jeffrey Hoffer, Joey George, & Joseph Valacich)
Solution Manual Modern Database Management (8th Ed., Hoffer, Prescott & Topi)
Solution Manual Modern Database Management (9th Ed., Hoffer, Prescott & Topi)
Solution Manual Database Systems Using Oracle (2nd Ed., Nilesh Shah)
Solution Manual An Advanced Course in Database Systems : Beyond Relational Databases (Dietrich & Urban)
Solution Manual Data and Text Mining : A Business Applications Approach (Thomas Miller)
Solution Manual Network Management : Concepts and Practice, A Hands-On Approach (J. Richard Burke)
Solution Manual Computer and Communication Networks (Nader F. Mir)
Solution Manual High Performance TCP/IP Networking (Mahbub Hassan & Raj Jain)
Solution Manual Computer Security : Principles and Practice (William Stallings & Lawrie Brown)
Solution Manual Computer Forensics : Principles and Practices (Volonino, Anzaldua & Godwin)

Solution Manual Disaster Recovery : Principles and Practices (April Wells, Charlyne Walker & Timothy Walker)
Solution Manual Firewalls and VPNs : Principles and Practices (Richard Tibbs & Edward Oakes)
Solution Manual Network Defense and Countermeasures : Principles and Practices (Chuck Easttom)
Solution Manual Corporate Computer and Network Security (1st Ed., Raymond Panko)
Solution Manual Corporate Computer and Network Security (2nd Ed., Raymond Panko)
Solution Manual IP Telephony Using CallManager Express Lab Portfolio (Cheryl Schmidt & Ernie Friend)
Solution Manual High-Speed Networks and Internets : Performance and Quality of Service (2nd Ed., William Stallings)
Solution Manual Object-Oriented Modeling and Design with UML (2nd Ed., Michael Blaha & James Rumbaugh)
Solution Manual Operating Systems : Internals and Design Principles (5th Ed., William Stallings)
Solution Manual Operating Systems : Internals and Design Principles (6th Ed., William Stallings)
Solution Manual Distributed Systems : Principles and Paradigms (2nd Ed., Tanenbaum & Van Steen)
Solution Manual Modern Operating Systems (3rd Ed., Andrew Tanenbaum)
Solution Manual Operating Systems Design and Implementation (3rd Ed., Andrew Tanenbaum & Albert Woodhull)
Solution Manual UNIX Unbounded : A Beginning Approach (5th Ed., Amir Afzal)
Solution Manual Introduction to Operating Systems and Networks (Ruth Watson)
Solution Manual Operating Systems (3rd Ed., Harvey Deitel, Paul Deitel & David Choffnes)
Solution Manual Operating Systems Principles (Lubomir Bic & Alan Shaw)
Solution Manual A Practical Guide to Linux : Commands, Editors, and Shell Programming (Mark Sobell)
Solution Manual A Practical Guide to Red Hat Linux : Fedora Core and Red Hat Enterprise Linux (2nd Ed., Mark Sobell)
Solution Manual A Practical Guide to Red Hat Linux : Fedora Core and Red Hat Enterprise Linux (3rd Ed., Mark Sobell)
Solution Manual A Practical Guide to Fedora and Red Hat Enterprise Linux: College Edition (Mark Sobell)
Solution Manual A Practical Guide to Ubuntu Linux (Mark Sobell)
Solution Manual Automata, Computability and Complexity : Theory and Applications (Elaine Rich)
Solution Manual Modern Digital Electronics (R.P. Jain)
Solution Manual Linear Systems and Signals (B.P. Lathi)
Solution Manual Modern Digital and Analog Communications Systems (3rd Ed., B. P. Lathi)
Solution Manual Introduction to Digital Systems (Milo D. Ercegovac, Lang & Moreno)
Solution Manual Embedded Systems : Architechture, Programming and Design (Raj Kamal)
Solution Manual Modern Power System Analysis (D. P. Kothari & I. J. Nagrath)

Solution Manual Basic Electrical Engineering (2nd Ed., D.P. Kothari, I.J. Nagrath)
Solution Manual Electric Machines (3rd Ed., D.P. Kothari, I.J. Nagrath)
Solution Manual Circuits and Networks (A. Sudhakar & S. Palli Shyammohan)
Solution Manual Electrical and Electronic Technology (9th Ed., Edward Hughes, John Hiley, Keith Brown & Ian McKenzie-Smith)
Solution Manual Electrical and Electronic Technology (10th Ed., Edward Hughes, John Hiley, Keith Brown & Ian McKenzie-Smith)
Solution Manual Electric Motors and Drives : Fundamentals, Types and Applications (3rd Ed., Austin Hughes)
Solution Manual Modern Processor Design : Fundamentals of Superscalar Processors (John P. Shen)
Solution Manual Computer Networks : Principles, Technologies and Protocols for Network Design (N. Olifer & V. Olifer)
Solution Manual Computer Networking : Internet Protocols in Action (Jeanna Matthews)
Solution Manual Computer Organization (5th Ed., Hamacher et al.)
Solution Manual CMOS Digital Integrated Circuits : Analysis and Design (3rd Ed., Sung-Mo Kang & Yusuf Leblebici)
Solution Manual Introduction to Logic Design (1st Ed., Alan B Marcovitz)
Solution Manual Introduction to Logic Design (2nd Ed., Alan B Marcovitz)
Solution Manual Introduction to Logic Design (3rd Ed., Alan B Marcovitz)
Solution Manual Introduction to Logic and Computer Design (Alan B Marcovitz)
Solution Manual Digital Principles and Design (Donald D. Givone)
Solution Manual Programmable Logic Controllers (3rd Ed., Frank Petruzella)
Solution Manual Antenna Theory and Design (2nd Ed., Stutzman & Thiele)
Solution Manual Antennas for All Applications (3rd Ed., John Kraus & Ronald Marhefka)
Solution Manual Principles of Neurocomputing for Science and Engineering (Fredric M. Ham & Ivica Kostanic)
Solution Manual Introduction to Algorithms (2nd Ed., Cormen, et al.)
Solution Manual Algorithms (Dasgupta, et al.)
Solution Manual Applied Operating Systems Concepts (Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts (6th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts (7th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts (8th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating Systems Concepts with Java (6th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts with Java (7th Ed., Silberschatz, Galvin & Gagne)
Solution Manual Operating System Concepts with Java (8th Ed., Silberschatz, Galvin & Gagne)

Solution Manual C++ Program Design (3rd Ed., Cohoon & Davidson)
Solution Manual Java : Program Design 5.0 (Cohoon & Davidson)
Solution Manual Programming in C++ : Lessons and Applications (Timothy B. D'Orazio)
Solution Manual Applied C : An Introduction and More (Alice Fischer)
Solution Manual Programming Languages : Principles and Paradigms (1st Ed., Allen Tucker & Robert Noonan)
Solution Manual Programming Languages : Principles and Paradigms (2nd Ed., Allen Tucker & Robert Noonan)
Solution Manual Introduction to Parallel Computing (2nd Ed., Grama, Karypis, Kumar & Gupta)
Solution Manual Parallel Programming in C with MPI and Open MP (Michael J Quinn)
Solution Manual Data Communications and Network Security (Houston H. Carr & Charles Snyder)
Solution Manual Data Communications and Networks (David Miller)
Solution Manual Management Information Systems (3rd Ed., Post & Anderson)
Solution Manual Management Information Systems (4th Ed., Post & Anderson)
Solution Manual Database Management Systems (3rd Ed. Post)
Solution Manual Management Information Systems (9th Ed., James A. O'Brien, George Marakas)
Solution Manual Introduction to Systems Analysis and Design (Whitten & Bentley)
Solution Manual Systems Analysis & Design : An Active Approach (2nd Ed., Marakas)
Solution Manual An Introduction to Object-Oriented Programming with Java (4th Ed., C. Thomas Wu - Otani)
Solution Manual An Introduction to Object-Oriented Programming with Java (5th Ed., C. Thomas Wu - Otani)
Solution Manual A Comprehensive Introduction to Object-Oriented Programming With Java (C. Thomas Wu)
Solution Manual Data Structures and the Java Collections Framework (1st Ed., William Collins)
Solution Manual Data Structures and the Java Collections Framework (2nd Ed., William Collins)
Solution Manual Data Structures and the Standard Template Library (William Collins)
Solution Manual Database System Concepts (4th Ed., Silberschatz)
Solution Manual Database System Concepts (5th Ed., Silberschatz)
Solution Manual Database System Concepts (6th Ed., Silberschatz, Korth & Sudarshan)
Solution Manual Database Management Systems (3rd Ed., Ramakrishnan & Gehrke)
Solution Manual Fundamentals of Network Security (Eric Maiwald)
Solution Manual Computing Concepts (1st Ed., Haag, et al.)
Solution Manual Computing Concepts (2nd Ed., Haag et al.)
Solution Manual Microsoft Office 2003 (Haag et al.)
Solution Manual Advanced Programming Using Visual Basic .NET (2nd Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Advanced Programming Using Visual Basic 2005 (3rd Ed., Julia Case Bradley & Anita Millspaugh)

Solution Manual Programming with Java (Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming in C#.Net (1st Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming in Visual C# 2005 (2nd Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Learning Programming Using Visual Basic.Net (Bill Burrows & Joe Lanford)
Solution Manual Programming in Visual Basic.NET : Visual Basic.NET 2005 (6th Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Programming in Visual Basic .Net : 2003 Update Edition (5th Ed., Julia Case Bradley & Anita Millspaugh)
Solution Manual Survey of Operating Systems (2nd Ed., Jane Holcombe & Charles Holcombe)
Solution Manual Principles of Voice and Data Communications (Regis J. Bates & Marcus Bates)
Solution Manual Mike Meyers' Network+ Guide To Managing and Troubleshooting Networks (Michael Meyers)
Solution Manual Introduction to Windows Server 2003 (Eric Ecklund)
Solution Manual Programming The Web : An Introduction (Barrie Sosinsky & Valda Hilley)
Solution Manual Programming The Web Using XML (Ellen Pearlman & Eileen Mullin)
Solution Manual Internet Marketing : Building Advantage in a Networked Economy (2nd Ed., Rafi Mohammed et al.)
Solution Manual Internet Technologies at Work (Fred T. Hofstetter)
Solution Manual Internet Literacy (4th Ed., Fred T. Hofstetter)
Solution Manual Software Engineering : A Practitioner's Approach (5th Ed., Roger Pressman)
Solution Manual Software Engineering : A Practitioner's Approach (6th Ed., Roger Pressman)
Solution Manual Software Engineering : A Practitioner's Approach (7th Ed., Roger Pressman)
Solution Manual Web Engineering : A Practioner's Approach (1st Ed., Roger S. Pressman & David Lowe)
Solution Manual Object-Oriented Software Engineering (Stephen Schach)
Solution Manual Object-Oriented and Classical Software Engineering (5th Ed., Steve Schach)
Solution Manual Object-Oriented and Classical Software Engineering (6th Ed., Steve Schach)
Solution Manual Object-Oriented and Classical Software Engineering (7th Ed., Steve Schach)
Solution Manual Introduction to Object-Oriented Analysis and Design (Steve Schach)
Solution Manual Communication Networks (2nd Ed., Alberto Leon-Garcia & Indra Widjaja)
Solution Manual Fundamentals of Digital Logic with Verilog Design (1st Ed., Stephen Brown & Zvonko Vranesic)
Solution Manual Fundamentals of Digital Logic with Verilog Design (2nd Ed., Stephen Brown & Zvonko Vranesic)
Solution Manual Continuous and Discrete Control Systems (John Dorsey)
Solution Manual Engineering Circuit Analysis (6th Ed., William Hayt, Jack Kemmerly & Steven Durbin)

Solution Manual Engineering Circuit Analysis (7th Ed., William Hayt, Jack Kemmerly & Steven Durbin)
Solution Manual Engineering Electromagnetics (7th Ed., William Hayt & John Buck)
Solution Manual Principles of Electronic Materials and Devices (2nd Ed., Safa O. Kasap)
Solution Manual Principles of Electronic Materials and Devices (3rd Ed., Safa O. Kasap)
Solution Manual Programming in Haskell (Graham Hutton)
Solution Manual Probability and Random Processes With Applications to Signal Processing and Communications (Miller & Childers)
Solution Manual Logic in Computer Science : Modelling and Reasoning about Systems (2nd Ed., Michael Huth & Mark Ryan)
Solution Manual Introduction to Distributed Algorithms (2nd., Gerard Tel)
Solution Manual Information Theory, Inference and Learning Algorithms (David J. C. MacKay)
Solution Manual Digital Systems Engineering (William Dally & John Poulton)
Solution Manual Concepts in Programming Languages (by John Mitchell)
Solution Manual Simulation Modeling and Analysis (3rd Ed., Averill Law & David Kealton)
Solution Manual Simulation Modeling and Analysis with Expertfit Software (4th Ed., Averill Law)
Solution Manual System Modeling and Analysis : Foundations of System Performance Evaluation (Hisashi Kobayashi & Brian Mark)
Solution Manual Wireless Communications (Andrea Goldsmith)
Solution Manual Testing of Digital Systems (N. K. Jha & S. Gupta)
Solution Manual Space-Time Coding (Hamid Jafarkhani)
Solution Manual Space-Time Block Coding for Wireless Communications (Erik Larsson & Petre Stoica)
Solution Manual Smart Electronic Materials : Fundamentals and Applications (Jasprit Singh)
Solution Manual Radio-Frequency Electronics : Circuits and Applications (Jon Hagen)
Solution Manual Photonic Devices (Jia-ming Liu)
Solution Manual Networking Wireless Sensors (Bhaskar Krishnamachari)
Solution Manual Mobile Wireless Communications (Mischa Schwartz)
Solution Manual Introduction to Color Imaging Science (Hsien-Che Lee)
Solution Manual Fundamentals of Wireless Communication (David Tse & Pramod Viswanath)
Solution Manual Fundamentals of Modern VLSI Devices (Yuan Taur & Tak H. Ning)
Solution Manual Electronic and Optoelectronic Properties of Semiconductor Structures (Jasprit Singh)
Solution Manual An Introduction to Statistical Signal Processing (Robert M. Gray)
Solution Manual An Introduction to Radio Frequency Engineering (Christopher Coleman)
Solution Manual Algebraic Codes for Data Transmission (Richard Blahut)
Solution Manual Fundamentals of Solid State Electronics (C.T. Sah)
Solution Manual Fundamentals of Solid State Engineering (2nd Ed., Manijeh Razeghi)

Solution Manual Robot Modeling and Control (Spong, Hutchinson & Vidyasagar)
Solution Manual Theory of Applied Robotics : Kinematics, Dynamics and Control (Reza N. Jazar)
Solution Manual Control of Robot Manipulators in Joint Space (R. Kelly, V. Santib=E1=F1ez, A. Lor=EDa)
Solution Manual Modelling and Control of Robot Manipulators (2nd Ed., Lorenzo Sciavicco, Bruno Siciliano)
Solution Manual Robotics : Modelling, Planning and Control (Bruno Siciliano, Lorenzo Sciavicco, Luigi Villani & Giuseppe Oriolo)
Solution Manual Fundamentals of Semiconductor Fabrication (Gary S. May, Simon M. Sze)
Solution Manual Semiconductor Devices : Physics and Technology (2nd Ed, Simon M. Sze)
Solution Manual Physics of Semiconductor Devices (3rd Ed., Simon M. Sze, Kwok K. Ng)
Solution Manual Electric Machinery (6th Ed., Fitzgerald)
Solution Manual Electric Machinery Fundamentals (4th Ed., Chapman)
Solution Manual Electric Machinery and Power System Fundamentals (Chapman)
Solution Manual Local Area Networks (2nd Ed., Keiser)
Solution Manual Signals and Systems : Analysis of Signals Through Linear Systems (1st Ed., M.J. Roberts)
Solution Manual Fundamentals of Signals and Systems (M.J. Roberts)
Solution Manual Introduction to Signals and Systems (Lindner)
Solution Manual Semiconductor Physics and Devices (3rd Ed., Donald Neamen)
Solution Manual An Introduction to Semiconductor Devices (Donald Neamen)
Solution Manual Microelectronic Circuit Analysis and Design (3rd Ed., Donald Neamen)
Solution Manual Electronic Circuit Analysis and Design (2nd Ed., Donald Neamen)
Solution Manual Design for Electrical and Computer Engineers (1st Ed., Ralph Ford & Chris Coulston)
Solution Manual Fundamentals of Modeling and Analyzing Engineering Systems (Cha, Rosenberg, Dym)
Solution Manual Linear Systems (Panos J. Antsaklis & Anthony N. Michel)
Solution Manual A Linear Systems Primer (Panos J. Antsaklis & Anthony N. Michel)
Solution Manual Principles of Linear Systems (Philip E. Sarachik)
Solution Manual Linear Systems Control : Deterministic and Stochastic Methods (Elbert Hendricks, Ole Jannerup & Paul Haase S=F8rensen)
Solution Manual Power Systems Harmonics : Fundamentals, Analysis and Filter Design (George J. Wakileh)
Solution Manual Principles of Adaptive Filters and Self-learning Systems (Anthony Zaknich)
Solution Manual Algebraic Methods for Nonlinear Control Systems (2nd Ed., Conte, Moog & Perdon)
Solution Manual Discrete-Time Control Systems (2nd Ed., K. Ogata)
Solution Manual Modern Control Engineering - Problems B (3rd Ed., K. Ogata)

Solution Manual Modern Control Engineering (4th Ed., K. Ogata)
Solution Manual Modern Control Engineering (5th Ed., K. Ogata)
Solution Manual Modern Control Engineering - International Version (5th Ed., K. Ogata)
Solution Manual LabVIEW 8 Student Edition (Bishop)
Solution Manual LabVIEW 2009 Student Edition (Bishop)
Solution Manual Learning with LabVIEW 2009 (Bishop)
Solution Manual Introduction to Feedback Control (Li Qiu & Kemin Zhou)
Solution Manual Modeling and Simulation of Dynamic Systems (Robert Woods, Jr. & Kent Lawrence)
Solution Manual Feedback Control of Dynamic Systems (4th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Feedback Control of Dynamic Systems (5th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Feedback Control of Dynamic Systems (6th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Feedback Control of Dynamic Systems - International Version (6th Ed., Gene Franklin, J.D. Powell, Abbas Emami-Naeini)
Solution Manual Predictive Control with Constraints (Jan Maciejowski)
Solution Manual Computer Numerical Control : Operation and Programming (3rd Ed., Stenerson & Curran)
Solution Manual Engineering Problem Solving with C (3rd Ed., Etter)
Solution Manual Engineering Problem Solving with C++ (2nd Ed., Etter)
Solution Manual Process Control Instrumentation Technology (8th Ed., Johnson)
Solution Manual Electrical Power and Controls (2nd Ed., Skvarenina & DeWitt)
Solution Manual Electronics and Computer Math (8th Ed., Deem & Zannini)
Solution Manual Circuits, Signals, and Systems for Bioengineers : A MATLAB-Based Introduction (John Semmlow)
Solution Manual VLSI Test Principles and Architectures : Design for Testability (Laung-Terng Wang, Cheng-Wen Wu & Xiaoqing Wen)
Solution Manual Mechatronics : Principles and Applications (Godfrey Onwubolu)
Solution Manual Machine Vision : Theory, Algorithms, Practicalities (3rd Ed., E. R. Davies)
Solution Manual Essential Java for Scientists and Engineers (Brian D. Hahn & Katherine M. Malan)
Solution Manual Guide to Microsoft Excel 2002 for Scientists and Engineers (3rd Ed., Bernard V. Liengme)
Solution Manual 10-Key Touch Key : Developing Speed and Accuracy (Burton)
Solution Manual Introduction to C++ Programming, Brief Version (Y. Daniel Liang)
Solution Manual Introduction to C++ Programming, Comprehensive (Y. Daniel Liang)
Solution Manual C++ for Business Programmers (2nd Ed., John C. Molluzzo)
Solution Manual Introduction to Java Programming - Brief Version (7th Ed., Liang)
Solution Manual Introduction to Java Programming - Brief Version (8th Ed., Liang)

Solution Manual Introduction to Java Programming - Brief Version - International Edition (8th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version (6th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version (7th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version (8th Ed., Liang)
Solution Manual Introduction to Java Programming - Comprehensive Version - International Edition (8th Ed., Liang)
Solution Manual Introduction to Java Programming : Fundamentals First (6th Ed., Y. Daniel Liang)
Solution Manual Objects First With Java : A Practical Introduction Using BlueJ (3rd Ed., Barnes & Kolling)
Solution Manual Simply Java Programming : An Application-Driven=99 Tutorial Approach (Deitel)
Solution Manual Java : An Introduction to Computing (Joel Adams, Larry R. Nyhoff & Jeffrey Nyhoff)
Solution Manual Advanced Java=99 2 Platform How to Program (Deitel & Santry)
Solution Manual SQL for SQL Server (Bijoy Bordoloi & Douglas B. Bock)
Solution Manual An Introduction to Programming Using Visual Basic 2005 (6th Ed., Schneider)
Solution Manual An Introduction to Programming Using Visual Basic 2008 (7th Ed., Schneider)
Solution Manual An Introduction to Programming Using Visual Basic 2010 (8th Ed., Schneider)
Solution Manual Simply Visual Basic .NET (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual Simply Visual Basic 2005 (2nd Ed., Harvey & Paul Deitel & Associates)
Solution Manual Simply Visual Basic 2008 (3rd Ed., Harvey & Paul Deitel & Associates)
Solution Manual Visual Basic 2005 How to Program (3rd Ed., Deitel & Associates)
Solution Manual Visual Basic 2008 How to Program (4th Ed., Deitel & Associates)
Solution Manual An Introduction to Programming with Visual Basic 6.0 (4th Ed., Schneider)
Solution Manual Visual Basic.Net Programming (2nd Ed., Jeffrey Tsay)
Solution Manual Simply Visual Basic .NET (Harvey & Paul Deitel & Nieto)
Solution Manual Mechatronics (Sabri Cetinkunt)
Solution Manual PC Systems, Installation and Maintenance (2nd Ed., R.P. Beales)
Solution Manual Introduction to Linear Programming (Leonid N. Vaserstein)
Solution Manual Electric Circuits Fundamentals (8th Ed., Thomas Floyd)
Solution Manual Introductory Circuit Analysis (11th Ed., Robert L. Boylestad)
Solution Manual Introductory Circuit Analysis (12th Ed., Robert L. Boylestad)
Solution Manual Principles of Electric Circuits : Conventional Current

Version (8th Ed., Thomas Floyd)
Solution Manual Principles of Electric Circuits : Conventional Current Version (9th Ed., Thomas Floyd)
Solution Manual Principles of Electric Circuits : Electron Flow Version (8th Ed., Thomas L. Floyd)
Solution Manual Principles of Electric Circuits : Electron Flow Version (9th Ed., Thomas L. Floyd)
Solution Manual Contemporary Electric Circuits : Insights and Analysis (2nd ed., Strangeway, Petersen, Gassert & Lokken)
Solution Manual Introductory Electronic Devices and Circuits : Electron Flow Version (7th Ed., Paynter)
Solution Manual Introductory Electronic Devices and Circuits : Conventional Flow Version (7th Ed., Paynter)
Solution Manual Electronics Technology Fundamentals : Conventional Flow (2nd Ed., Robert T. Paynter & Toby Boydell)
Solution Manual Electronics Technology Fundamentals : Conventional Flow (3rd Ed., Robert T. Paynter & Toby Boydell)
Solution Manual Electronics Technology Fundamentals : Electron Flow (2nd Ed., Robert T. Paynter, Toby Boydell)
Solution Manual Electronics Technology Fundamentals : Electron Flow (3rd Ed., Robert T. Paynter, Toby Boydell)
Solution Manual Introductory DC/AC Circuits (6th Ed., Nigel P. Cook)
Solution Manual Introductory DC/AC Electronics (6th Ed., Nigel P. Cook)
Solution Manual Electronic Devices : Conventional Current Version (7th Ed., Floyd)
Solution Manual Electronic Devices : Conventional Current Version (8th Ed., Floyd)
Solution Manual Electronic Devices : Electron Flow Version (7th, Floyd)
Solution Manual Electronic Devices : Electron Flow Version (8th, Floyd)
Solution Manual Electronics Fundamentals : Circuits, Devices and Applications (7th Ed., Thomas L. Floyd)
Solution Manual Electronics Fundamentals : Circuits, Devices and Applications (8th Ed., Floyd & Buchla)
Solution Manual Electronic Devices and Circuit Theory (9th Ed., Boylestad, Nashelsky)
Solution Manual Electronic Devices and Circuit Theory (10th Ed., Boylestad, Nashelsky)
Solution Manual The Science of Electronics : DC/AC (David M. Buchla, Thomas L. Floyd)
Solution Manual The Science of Electronics : Digital (Floyd & Buchla)
Solution Manual The Science of Electronics: Analog Devices (Floyd & Buchla)
Solution Manual Digital Electronics : A Practical Approach (7th Ed., Kleitz)
Solution Manual Digital Electronics : A Practical Approach (8th Ed., Kleitz)
Solution Manual Digital Systems : Principles and Applications (10th Ed., Tocci, Widmer & Moss)
Solution Manual Digital Electronics with VHDL - Quartus II Version (Kleitz)

Solution Manual Digital Fundamentals (9th Ed., Floyd)
Solution Manual Digital Fundamentals (10th Ed., Floyd)
Solution Manual Digital Fundamentals with PLD Programming (Thomas L. Floyd)
Solution Manual The 8051 Microcontroller (4th Ed., MacKenzie & Chung-Wei Phan)
Solution Manual The 8051 Microcontroller and Embedded Systems (2nd Ed., Muhammad Ali Mazidi, Janice Mazidi & Rolin McKinlay)
Solution Manual INTEL Microprocessors 8086/8088, 80186/80188, 80286, 80386, 80486, Pentium, Prentium ProProcessor, Pentium II, III, 4, (7th Ed., Barry B. Brey)
Solution Manual Microcontroller Technology : The 68HC11 (5th Ed., Peter Spasov)
Solution Manual PIC Microcontroller (Muhammad Ali Mazidi, Rolin McKinlay & Danny Causey)
Solution Manual HCS12 Microcontrollers and Embedded Systems : Using Assembly and C with CodeWarrior (Muhammad Ali Mazidi, Danny Causey & Janice Mazidi)
Solution Manual The x86 PC : Assembly Language, Design, and Interfacing (5th Ed., Muhammad Ali Mazidi, Janice Mazidi & Danny Causey)
Solution Manual The AVR Microcontroller and Embedded Systems : Using Assembly and C (Muhammad Ali Mazidi, Sarmad Naimi & and Sepehr Naimi)
Solution Manual Industrial Electronics (James A. Rehg, Glenn J. Sartori)
Solution Manual Programmable Controllers Using the Allen-Bradley SlC-500 Family (2nd Ed., Dave Geller)
Solution Manual Programmable Logic Controllers (James A. Rehg, Glenn J. Sartori)
Solution Manual Fundamentals of Programmable Logic Controllers, Sensors, and Communications (3rd Ed., Jon Stenerson)
Solution Manual An Introduction to Programming with Visual Basic 6.0, Update Edition (4th Ed., Schneider)
Solution Manual C++ Programming Today (1st Ed., Barbara Johnston)
Solution Manual C++ Programming Today (2nd Ed., Barbara Johnston)
Solution Manual Introduction to Data Communications and Networking (Wayne Tomasi)
Solution Manual Introduction to Telecommunications (2nd Ed., Martha Rosengrant)
Solution Manual Network Security Essentials : Applications and Standards (3rd Ed., William Stallings)
Solution Manual Network Security Essentials : Applications and Standards (4th Ed., William Stallings)
Solution Manual Information Security: Principles and Practices (Mark Merkow, James Breithaupt)
Solution Manual Principles and Practice of Information Security (Linda Volonino, Stephen R. Robinson)
Solution Manual Principles of Electronic Communication Systems (3rd Ed., Louis E. Frenzel)
Solution Manual Modern Electronic Communication (8th Ed., Jeff Beasley, Gary M. Miller)
Solution Manual Modern Electronic Communication (9th Ed., Jeff Beasley, Gary M. Miller)

Solution Manual Electronic Communications for Technicians (2nd ed., Tom Wheeler)
Solution Manual Concepts In Systems and Signals (2nd Ed., John D. Sherrick)
Solution Manual Understanding Fiber Optics (5th Ed., Jeff Hecht)
Solution Manual Understanding UNIX/LINUX Programming : A Guide to Theory and Practice (Bruce Molay)
Solution Manual Applying PIC18 Microcontrollers : Architecture, Programming, and Interfacing using C and Assembly (Barry Brey)
Solution Manual Electrical Power and Controls (2nd Ed., Timothy L. Skvarenina, William E. DeWitt)
Solution Manual Process Control Instrumentation Technology (8th Ed., Curtis Johnson)
Solution Manual Electrical Machines, Drives and Power Systems (6th Ed., Theodore Wildi)
Solution Manual Introduction to Vacuum Technology (David M. Hata)
Solution Manual Electronic Project Design and Fabrication (6th Ed., Ronald A. Reis)
Solution Manual Technology and Society (3rd Ed., Linda Hjorth, Barbara A. Eichler, Ahmed S. Khan, John Morello)
Solution Manual Solid State Electronic Devices (6th Ed., Ben Streetman, Sanjay Banerjee)
Solution Manual Approaching Quantum Computing (Dan C. Marinescu & Gabriela M. Marinescu)
Solution Manual Foundations of MEMS (Chang Liu)
Solution Manual Fundamentals of Applied Electromagnetics (5th Ed., Fawwaz T. Ulaby)
Solution Manual Fundamentals of Applied Electromagnetics (6th Ed., Ulaby, Michielssen & Ravaioli)
Solution Manual Basic Electromagnetics with Applications (Nannapaneni Narayana Rao)
Solution Manual Elements of Engineering Electromagnetics (6th Ed., Nannapaneni Narayana Rao)
Solution Manual Fundamentals of Electromagnetics for Electrical and Computer Engineering (Nannapaneni Narayana Rao)
Solution Manual Digital Design (4th Ed., M. Morris Mano & Michael D. Ciletti)
Solution Manual Digital Design : Principles and Practices Package (4th Ed., John F. Wakerly)
Solution Manual VHDL: A Starter's Guide (2nd Ed., Sudhakar Yalamanchili)
Solution Manual Computer Organization and Architecture : Designing for Performance (7th Ed., William Stallings)
Solution Manual Computer Organization and Architecture : Designing for Performance (8th Ed., William Stallings)
Solution Manual Parallel Programming : Techniques and Applications Using Networked Workstations and Parallel Computers (2nd Ed., Barry Wilkinson & Michael Allen)
Solution Manual Fundamentals of Parallel Processing (Harry F. Jordan & Gita Alaghband)
Solution Manual Digital and Analog Communication Systems (7th Ed., Leon W. Couch)
Solution Manual Digital Communications (4th Ed., John Proakis)

Solution Manual Digital Communications (5th Ed., John Proakis)
Solution Manual Principles of Digital Communication and Coding (Andrew J. Viterbi, Jim K. Omura)
Solution Manual Modern Wireless Communications (Simon Haykin, Michael Moher)
Solution Manual Communication Systems Engineering (2nd Ed., John G. Proakis & Masoud Salehi)
Solution Manual ISDN and Broadband ISDN with Frame Relay and ATM (4th Ed., William Stallings)
Solution Manual Data and Computer Communications (8th Ed., William Stallings)
Solution Manual Cryptography and Network Security (4th Ed., William Stallings)
Solution Manual Cryptography and Network Security : Principles and Practice (5th Ed., William Stallings)
Solution Manual Computer Networking with Internet Protocols (William Stallings)
Solution Manual Local and Metropolitan Area Networks (6th Ed., William Stallings)
Solution Manual Probabilistic Systems and Random Signals (Abraham Haddad)
Solution Manual Error Control Coding (2nd Ed., Shu Lin & Daniel J. Costello)
Solution Manual Wireless Communications & Networks (2nd ed., William Stallings)
Solution Manual Wireless Communications and Networking (Jon W. Mark, Weihua Zhuang)
Solution Manual Detection and Estimation Theory (Thomas Schonhoff & Arthur Giordano)
Solution Manual Signals, Systems, and Transforms (3rd Ed., Charles Phillips, John Parr & Eve Riskin)
Solution Manual Signals, Systems, and Transforms (4th Ed., Charles Phillips, John Parr & Eve Riskin)
Solution Manual Signals, Systems, and Transforms - International Version (4th Ed., Charles Phillips, John Parr & Eve Riskin)
Solution Manual Fundamentals of Signals and Systems Using the Web and Matlab (3rd Ed., Edward Kamen & Bonnie Heck)
Solution Manual Adaptive Filter Theory (4th Ed., Simon Haykin)
Solution Manual Neural Networks and Learning Machines (3rd Ed., Simon Haykin)
Solution Manual Spectral Analysis of Signals (Petre Stoica & Randolph L. Moses)
Solution Manual Fluency with Information Technology : Skills, Concepts, and Capabilities (2nd Ed., Snyder)
Solution Manual Fluency with Information Technology : Skills, Concepts, and Capabilities (3rd Ed., Snyder)
Solution Manual Fluency with Information Technology, Brief Edition (Lawrence Snyder)
Solution Manual Excel 2003 Volume II: Advanced Concepts in Excel (5th Ed., Karen Jolly)
Solution Manual Focus on Excel 2003 (Julie Hayward Spooner)
Solution Manual Comprehensive Excel 2002 for Office XP (4th Ed., Karen Jolly)

Solution Manual Ethics for the Information Age (2nd Ed., Michael Quinn)
Solution Manual Ethics for the Information Age (3rd Ed., Michael Quinn)
Solution Manual Computer Science : An Overview (8th Ed., J. Glenn Brookshear)
Solution Manual Computer Science : An Overview (9th Ed., J. Glenn Brookshear)
Solution Manual Computer Science : An Overview (10th Ed., J. Glenn Brookshear)
Solution Manual Excel 2003 Volume 1 : Core Concepts in Excel (5th Ed., Karen J. Jolly)
Solution Manual Concise Prelude to Programming : Concepts and Design (2nd Ed., Stewart Venit)
Solution Manual Concise Prelude to Programming (3rd Ed., Stewart Venit & Elizabeth Drake)
Solution Manual Extended Prelude to Programming : Concepts and Design (2nd Ed., Stewart Venit)
Solution Manual Extended Prelude to Programming (3rd Ed., Stewart Venit & Elizabeth Drake)
Solution Manual Logic and Design of Computer Programs (Jim Messinger)
Solution Manual Absolute C++ (2nd Ed., Walter Savitch)
Solution Manual Absolute C++ (3rd Ed., Walter Savitch)
Solution Manual Absolute C++ (4th Ed., Walter Savitch)
Solution Manual Problem Solving with C++ : The Object of Programming (5th Ed., Walter Savitch)
Solution Manual Problem Solving with C++ (6th Ed., Walter Savitch)
Solution Manual Problem Solving with C++ (7th Ed., Walter Savitch)
Solution Manual Problem Solving, Abstraction, and Design using C++ (4th Ed., Frank Friedman & Elliot Koffman)
Solution Manual Problem Solving, Abstraction & Design Using C++ (5th Ed., Frank Friedman & Elliot Koffman)
Solution Manual Starting Out with C++ : From Control Structures through Objects (5th Ed., Tony Gaddis)
Solution Manual Starting Out with C++ : From Control Structures through Objects (6th Ed., Tony Gaddis)
Solution Manual Starting Out with C++ : From Control Structures through Objects - Brief Version (6th Ed., Tony Gaddis)
Solution Manual Starting out with C++ Brief Version Updated (4th Ed., Gaddis & Krupnow)
Solution Manual Starting out with C++ Brief Version (5th Ed., Gaddis & Krupnow)
Solution Manual Starting Out with C++ : Brief Version Update, Visual C++ .NET (4th Ed., Gaddis & Krupnow)
Solution Manual Starting Out with C++ : Early Objects (5th Ed., Gaddis, Walters & Muganda)
Solution Manual Starting Out with C++ : Early Objects (6th Ed., Gaddis, Walters & Muganda)
Solution Manual Starting Out with C++ : Early Objects (7th Ed., Gaddis, Walters & Muganda)
Solution Manual C++ By Dissection (Ira Pohl)
Solution Manual Essential C++ for Engineers and Scientists (2nd Ed., Jeri Hanly)

Solution Manual C++ Coach : Essentials for Introductory Programming (Jeff Salvage)
Solution Manual C++ Primer (4th Ed., Stanley Lippman, Jos=E9e Lajoie & Barbara Moo)
Solution Manual Engineering Computation with MATLAB (1st Ed., David Smith)
Solution Manual Engineering Computation with MATLAB (2nd Ed., David Smith)
Solution Manual Absolute Java (1st Ed., Walter Savitch)
Solution Manual Absolute Java (2nd Ed., Walter Savitch)
Solution Manual Absolute Java (3rd Ed., Walter Savitch)
Solution Manual Absolute Java (4th Ed., Walter Savitch)
Solution Manual The Art and Science of Java (Eric Roberts)
Solution Manual Building Java Programs : A Back to Basics Approach (Stuart Reges & Martin Stepp)
Solution Manual Introduction to Programming in Java : An Interdisciplinary Approach (Robert Sedgewick & Kevin Wayne)
Solution Manual Java Foundations: Introduction to Program Design and Data Structures (John Lewis, Peter DePasquale & Joe Chase)
Solution Manual Starting Out with Java : Early Objects (3rd Ed., Gaddis)
Solution Manual Starting Out with Java : From Control Structures through Objects (3rd Ed., Gaddis)
Solution Manual Starting Out with Java : From Control Structures through Objects (4th Ed., Gaddis)
Solution Manual Java Software Solutions (Java 5.0 version) : Foundations of Program Design (4th Ed., Lewis & Loftus)
Solution Manual Java Software Solutions : Foundations of Program Design (5th Ed., Lewis & Loftus)
Solution Manual Java Software Solutions : Foundations of Program Design (6th Ed., Lewis & Loftus)
Solution Manual Starting Out with Java : From Control Structures through Data Structures (Gaddis & Muganda)
Solution Manual Object of Java, The: Introduction to Programming Using Software Engineering Principles (2nd Ed, David Riley)
Solution Manual Object-Oriented Programming in Java : A Graphical Approach, Preliminary Edition (Kathryn E. Sanders & Andy van Dam)
Solution Manual Starting Out with Java 5 : Control Structures to Objects (Tony Gaddis)
Solution Manual Starting Out with Java 5 : Early Objects (Tony Gaddis)
Solution Manual Introduction to Programming Using Java : An Object-Oriented Approach (2nd Ed., David Arnow, Scott Dexter & Gerald Weiss)
Solution Manual Computing with Java (2nd Ed., Art Gittleman)
Solution Manual Problem Solving with Java, Update (2nd Ed., Elliot B. Koffman & Ursula Wolz)
Solution Manual Starting Out with Alice : A Visual Introduction to Programming (Tony Gaddis)
Solution Manual Problem Solving and Program Design in C (4th Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Problem Solving and Program Design in C (5th Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Problem Solving and Program Design in C (6th Ed., Jeri Hanly & Elliot Koffman)

Solution Manual Starting Out with Visual Basic 2005 (3rd Ed., Tony Gaddis & Kip Irvine)
Solution Manual Starting Out with Visual Basic 6 (Tony Gaddis, Kip Irvine & Bruce Denton)
Solution Manual Starting Out with Visual Basic.Net (2nd Ed., Tony Gaddis, Kip Irvine & Bruce Denton)
Solution Manual Computer Programming Fundamentals with Applications in Visual Basic=AE 6.0 (Mitchell Kerman & Ronald Brown)
Solution Manual Advanced VB.NET Alternate with VB.Net CD's (3rd Ed., Kip Irvine & Tony Gaddis)
Solution Manual Advanced Visual Basic 2005 (4th Ed., Kip Irvine & Tony Gaddis)
Solution Manual C# Software Solutions : Foundations of Program Design (John Lewis)
Solution Manual Problem Solving, Abstraction and Design Using C++, Visual C++.NET Edition (Frank Friedman & Elliot Koffman)
Solution Manual Ada 95 : Problem Solving and Program Design (3rd Ed., Michael Feldman & Elliot Koffman)
Solution Manual Programming and Problem Solving with Delphi (Mitchell Kerman)
Solution Manual C Program Design for Engineers (2nd Ed., Jeri Hanly & Elliot Koffman)
Solution Manual Data Abstraction & Problem Solving with C++ (5th ed., Frank Carrano)
Solution Manual Data Structures and Algorithm Analysis in C++ (2nd Ed., Mark Allen Weiss)
Solution Manual Data Structures and Algorithm Analysis in C++ (3rd Ed., Mark Allen Weiss)
Solution Manual Data Abstraction and Problem Solving with C++ : Walls and Mirrors (4th Ed., Frank Carrano)
Solution Manual Data Structures and Problem Solving Using C++ (2nd Ed., Mark Allen Weiss)
Solution Manual Data Structures and Algorithm Analysis in Java (2nd Ed., Mark Allen Weiss)
Solution Manual Data Structures in Java : From Abstract Data Types to the Java Collections Framework (Simon Gray)
Solution Manual Data Abstraction and Problem Solving with Java (2nd Ed., Frank Carrano & Janet Prichard)
Solution Manual Data Structures and Other Objects Using Java (3rd Ed., Michael Main)
Solution Manual Data Structures and Problem Solving Using Java (3rd Ed., Mark Allen Weiss)
Solution Manual Data Structures and Problem Solving Using Java (4th Ed., Mark Allen Weiss)
Solution Manual Java Software Structures : Designing and Using Data Structures (2nd Ed., John Lewis, Joseph Chase)
Solution Manual The Object of Data Abstraction and Structures (using Java) (David Riley)
Solution Manual Classic Data Structures in Java (Timothy Budd)
Solution Manual Data Structures in Java (Thomas A. Standish)
Solution Manual Data Structures, Algorithms and Software Principles in C (Thomas A. Standish)
Solution Manual Introduction to the Design and Analysis of Algorithms

(1st Ed., Anany Levitin)
Solution Manual Introduction to the Design and Analysis of Algorithms (2nd Ed., Anany Levitin)
Solution Manual Algorithm Design (Jon Kleinberg & =C9va Tardos)
Solution Manual Data Structures and Algorithm Analysis in C (2nd Ed., Mark Allen Weiss)
Solution Manual Computer Algorithms : Introduction to Design and Analysis (3rd Ed., Sara Baase & Allen Van Gelder)
Solution Manual Artificial Intelligence : Structures and Strategies for Complex Problem Solving (6th Ed., George Luger)
Solution Manual Artificial Intelligence : A Modern Approach (2nd Ed., Stuart Russell & Peter Norvig)
Solution Manual The Complete A+ Guide to PC Repair (3rd Ed., Cheryl Schmidt)
Solution Manual The Complete A+ Guide to PC Repair (4th Ed., Cheryl Schmidt)
Solution Manual Complete Computer Repair Textbook (4th Ed., Cheryl Schmidt)
Solution Manual Computer Systems Organization and Architecture (John D. Carpinelli)
Solution Manual CMOS VLSI Design: A Circuits and Systems Perspective (3rd Ed., Neil Weste & David Harris)
Solution Manual Interactive Computer Graphics : A Top-Down Approach Using OpenGL (4th Ed., Edward Angel)
Solution Manual Interactive Computer Graphics : A Top-Down Approach Using OpenGL (5th Ed., Edward Angel)
Solution Manual File Structures : An Object-Oriented Approach with C++ (3rd Ed., Michael J. Folk, Bill Zoellick & Greg Riccardi)
Solution Manual Oracle 10g Programming : A Primer (Rajshekhar Sunderraman)
Solution Manual Databases, Types and the Relational Model (3rd Ed., C. J. Date & Hugh Darwen)
Solution Manual Fundamentals of Database Systems (5th Ed., Ramez Elmasri & Shamkant Navathe)
Solution Manual Database Systems : An Application-Oriented Approach, Introductory Version (2nd Ed., Michael Kifer, Arthur Bernstein & Philip M. Lewis)
Solution Manual Database Systems : An Application Oriented Approach, Complete Version (2nd Ed., Michael Kifer, Arthur Bernstein & Philip M. Lewis)
Solution Manual DataBase Systems : A Practical Approach to Design, Implementation and Management (4th Ed., Thomas M. Connolly & Carolyn E. Begg)
Solution Manual DataBase Systems : A Practical Approach to Design, Implementation and Management (5th Ed., Thomas M. Connolly & Carolyn E. Begg)
Solution Manual Database Systems : The Complete Book (2nd Ed., Hector Garcia-Molina, Jeffrey D. Ullman, Jennifer Widom)
Solution Manual A First Course in Database Systems (3rd Ed., Jeffrey D. Ullman, Jennifer Widom)
Solution Manual Fundamentals of Database Systems/Oracle 9i Programming (4th Ed., Ramez Elmasri, Shamkant B. Navathe & Rajshekhar Sunderraman)
Solution Manual An Introduction to Database Systems (8th Ed., C.J.

Date)
Solution Manual Oracle 9i Programming : A Primer (Rajshekhar Sunderraman)
Solution Manual Elements of Information Theory (1st Ed., Thomas M. Cover & Joy A. Thomas)
Solution Manual Principles of Database Systems with Internet and Java Applications (Greg Riccardi)
Solution Manual Introduction to Data Mining (Pang-Ning Tan, Michael Steinbach & Vipin Kumar)
Solution Manual Data Mining: A Tutorial Based Primer (Richard Roiger & Michael Geatz)
Solution Manual Learning SQL : A Step-by-Step Guide Using Access (Sikha Bagui, Richard Earp)
Solution Manual Learning SQL : A Step-By-Step Guide Using Oracle (Richard Earp, Sikha Bagui)
Solution Manual Access 2007 Guidebook (6th Ed., Maggie Trigg & Phyllis Dobson)
Solution Manual Access 2003 Guidebook for Office XP (5th Ed., Maggie Trigg & Phyllis Dobson)
Solution Manual Implementing Databases in Oracle 9i (John Day & Craig Van Slyke)
Solution Manual Web 101: Making the Net Work for You (2nd Ed., Wendy Lehnert)
Solution Manual Web 101 (3rd Ed., Wendy G. Lehnert & Richard L. Kopec)
Solution Manual Web Developer Foundations : Using XHTML (2nd Ed., Terry Felke-Morris)
Solution Manual Web Development & Design Foundations With XHTML (3rd Ed., Terry Felke-Morris)
Solution Manual Web Development and Design Foundations with XHTML (4th Ed., Terry Felke-Morris)
Solution Manual Internet Effectively : A Beginner's Guide to the World Wide Web (Tyrone Adams & Sharon Scollard)
Solution Manual Light on the Web : Essentials to Making the 'Net Work for You (Wendy G. Lehnert)
Solution Manual Programming the World Wide Web (3rd Ed., Robert W. Sebesta)
Solution Manual Programming the World Wide Web (4th Ed., Robert W. Sebesta)
Solution Manual Programming the World Wide Web (5th Ed., Robert W. Sebesta)
Solution Manual Programming the World Wide Web (6th Ed., Robert W. Sebesta)
Solution Manual XML: Language Mechanics and Applications (Dwight Peltzer)
Solution Manual Practical Perl with CGI Applications (Elizabeth Chang)
Solution Manual Developing Web Applications with Active Server Pages (Thom Luce)
Solution Manual Structure and Interpretation of Signals and Systems (Edward A. Lee & Pravin Varaiya)
Solution Manual Languages and Machines : An Introduction to the Theory of Computer Science (2nd Ed., Thomas Sudkamp)
Solution Manual Languages and Machines : An Introduction to the Theory of Computer Science (3rd Ed., Thomas Sudkamp)

Solution Manual How to Break Software Security (James A. Whittaker & Herbert H. Thompson)
Solution Manual Software Quality Assurance : From Theory to Implementation (Daniel Galin)
Solution Manual Object Oriented Software Development Using Java (2nd Ed., Xiaoping Jia)
Solution Manual Introduction to the Team Software Process (Watts S. Humphrey)
Solution Manual Software Project Management : A Real-World Guide to Success (Joel Henry)
Solution Manual Software Engineering (7th Ed., Ian Sommerville)
Solution Manual Software Engineering (8th Ed., Ian Sommerville)
Solution Manual Software Engineering (9th Ed., Ian Sommerville)
Solution Manual Software Engineering (3rd Ed., Shari Lawrence Pfleeger & Joanne Atlee)
Solution Manual Software Engineering : Theory and Practice (4th Ed., Shari Lawrence Pfleeger & Joanne Atlee)
Solution Manual Object-Oriented Programming featuring Graphical Applications in Java (Michael Laszlo)
Solution Manual Project-Based Software Engineering : An Object-Oriented Approach (Evelyn Stiller & Cathie LeBlanc)
Solution Manual Engineering of Software, The: A Technical Guide for the Individual (Dick Hamlet & Joe Maybee)
Solution Manual Concepts of Programming Languages (7th Ed., Robert W. Sebesta)
Solution Manual Concepts of Programming Languages (8th Ed., Robert W. Sebesta)
Solution Manual Concepts of Programming Languages (9th Ed., Robert W. Sebesta)
Solution Manual Advanced Java : Internet Applications (2nd Ed., Art Gittleman)
Solution Manual Objects to Components with Java 2 Platform (Art Gittleman)
Solution Manual C for Java Programmers (Tomasz Muldner)
Solution Manual Pointers on C (Kenneth Reek)
Solution Manual C++ Programming with Design Patterns Revealed (Tomasz Muldner)
Solution Manual The C++ Programming Language (3rd Ed., Bjarne Stroustrup)
Solution Manual Operating Systems : A Systematic View (6th Ed., William S. Davis & T.M. Rajkumar)
Solution Manual Unix: The Textbook (2nd Ed., Syed Mansoor Sarwar, Robert Koretsky & Syed Aqeel Sarwar)
Solution Manual Operating Systems (3rd Ed., Gary Nutt)
Solution Manual LINUX & UNIX Programming Tools : A Primer for Software Developers (Syed Mansoor Sarwar & Khaled H. Al-Saqabi)
Solution Manual Addison-Wesley's Interactive Linux Tutorial and Reference (Edutrends, Inc.)
Solution Manual Linux : The Textbook (Syed Mansoor Sarwar, Robert Koretsky & Syed Aqeel Sarwar)
Solution Manual Kernel Projects for Linux (Gary Nutt)
Solution Manual OSP : An Environment for Operating System Projects (Michael Kifer & Scott A. Smolka)

Solution Manual Distributed Computing : Principles and Applications (M.L. Liu)
Solution Manual Distributed Operating Systems and Algorithm Analysis (Randy Chow & Theodore Johnson)
Solution Manual Mastering Networks : An Internet Lab Manual (Jorg Liebeherr & Magda El Zarki)
Solution Manual Computer Networking Complete Package (3rd Ed., James Kurose & Keith Ross)
Solution Manual Computer Networking : A Top-Down Approach Featuring the Internet (3rd Ed., James Kurose & Keith Ross)
Solution Manual Computer Networking : A Top-Down Approach (4th Ed., James Kurose & Keith Ross)
Solution Manual Computer Networking : A Top-Down Approach (5th Ed., James Kurose & Keith Ross)
Solution Manual Producing Great Sound for Film and Video (3rd Ed., Jay Rose)
Solution Manual Network Management : Principles and Practice (Mani Subramanian)
Solution Manual Computer Security : Art and Science (Matt Bishop)
Solution Manual Introduction to Computer Security (Matt Bishop)
Solution Manual How to Break Software Security (James A. Whittaker & Herbert H. Thompson)
Solution Manual Parallel Programming in C with MPI and Open MP (Michael Quinn)
Solution Manual Modern Recording Techniques (6th Ed., Miles Huber & Runstein)
Solution Manual Creating Powerful Radio : Getting, Keeping and Growing Audiences News, Talk, Information & Personality Broadcast, HD, Satellite & Internet (Valerie Geller)
Solution Manual Electronic Media Law and Regulation (5th Ed., Kenneth Creech)
Solution Manual Electronic Media Management, Revised (5th Ed., Pringle & Starr)
Solution Manual Convergent Journalism an Introduction: Writing and Producing Across Media (Quinn & Filak)
Solution Manual Flash Journalism : How to Create Multimedia News Packages (Mindy McAdams)

```
---------------------------------------------------------------------------=
------------------------
```

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

```
---------------------------------------------------------------------------=
------------------------
```

```
From -7631342371539573972
X-Google-Thread: 108122,c56387173254cc30,start
X-Google-NewGroupId: yes
```

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!q18g2000vbm.googlegroups.com!not-for-
mail
From: claudeh <hclaudioblanco@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Availables : More that 3750 Solutions manuals and Test Banks (Part 2)
Date: Mon, 20 Sep 2010 18:05:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1610
Message-ID: <e286c9d5-098d-4c97-af5c-486de48ed67b@q18g2000vbm.googlegroups.com>
NNTP-Posting-Host: 190.40.91.191
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1285031144 20984 127.0.0.1 (21 Sep 2010 01:05:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Sep 2010 01:05:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q18g2000vbm.googlegroups.com; posting-host=190.40.91.191; posting-
account=mFFJOAoAAABaIQEBRX5f95y3rtsFRjms
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.10)
 Gecko/20100914 Firefox/3.6.10 ( .NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2225
```

List of Solutions Manuals
----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES & BHUTAN".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DVQJ2M78Y

I do not review the forums, just send me an email.

- Math, Statistics & Probability :

Solution manual Advanced Engineering Mathematics (8th Ed., Erwin Kreyszig)
Solution manual Advanced Engineering Mathematics (9th Ed., Erwin Kreyszig)
Solution manual Advanced Engineering Mathematics (2nd Ed, Michael Greenberg)
Solution manual Advanced Engineering Mathematics (6th Ed., Peter O'Neil)
Solution manual Advanced Modern Engineering Mathematics (3rd Ed., Glyn James)
Solution manual Modern Engineering Mathematics (4th Ed., Glyn James)
Solution manual A Modern Introduction to Differential Equations (2nd Ed., Henry J. Ricardo)
Solution manual Elementary Differential Equations (7th Ed., Boyce)
Solution manual Elementary Differential Equations (8th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations (9th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations and Boundary Value Problems (7th Ed., Boyce & Diprima)

Solution manual Elementary Differential Equations and Boundary Value Problems (8th Ed., Boyce & Diprima)
Solution manual Elementary Differential Equations and Boundary Value Problems (9th Ed., Boyce & Diprima)
Solution manual Differential Equations : An Introduction to Modern Methods and Applications (James Brannan & William Boyce)
Solution manual Differential Equations with Boundary Value Problems : An Introduction to Modern Methods and Applications (James Brannan & William Boyce)
Solution manual Calculus : Early Transcendentals Combined (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Early Transcendentals Combined (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Multivariable (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Multivariable (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Early Transcendentals Single Variable (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Early Transcendentals Single Variable (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Combined (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Combined (9th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Single Variable (8th Ed., Anton, Bivens & Davis)
Solution manual Calculus : Late Transcendentals Single Variable (9th Ed., Anton, Bivens & Davis)
Solution manual Introduction to the Finite Element Method: Theory, Programming and Applications (Erik G. Thompson)
Solution manual Mathematics for Engineers : A Modern Interactive Approach (3rd., Anthony Croft & Robert Davison)
Solution manual Measurement and Data Analysis for Engineering and Science (Patrick F Dunn)
Solution manual Elementary Linear Algebra (4th Ed., Stephen Andrilli & David Hecker)
Solution manual Elementary Linear Algebra Edition Abridged (9th Ed., Anton & Rorres)
Solution manual Elementary Linear Algebra (9th Ed., Anton)
Solution manual Elementary Linear Algebra with Applications (9th Ed., Anton & Rorres)
Solution manual Boundary Value Problems and Partial Differential Equations (6th Ed., David Powers)
Solution manual Introductory Statistics : Using Technology (5th Ed., Prem S. Mann)
Solution manual Introductory Statistics (6th Ed., Prem S. Mann)
Solution manual Introductory Statistics (7th Ed., Prem S. Mann)
Solution manual Modern Algebra : An Introduction (6th Ed., John Durbin)
Solution manual The Art and Craft of Problem Solving (2nd Ed., Paul Zeitz)
Solution manual Introductory Statistics for the Behavioral Sciences

(6th Ed., Welkowitz, Cohen & Ewen)
Solution manual Statistics : Principles and Methods (5th Ed., Richard Johnson)
Solution manual Statistics : Principles and Methods (6th Ed., Richard Johnson)
Solution manual Statistical Bioinformatics : with R (Sunil K. Mathur)
Solution manual Parameter Estimation and Inverse Problems (Richard Aster, Brian Borchers & Clifford Thurber)
Solution manual Codes : An Introduction to Information Communication and Cryptography (Norman L. Biggs)
Solution manual Geometry and Its Applications (2nd Ed., Walter A. Meyer)
Solution manual Elementary Differential Geometry (2nd Ed., A.N. Pressley)
Solution manual Fractal Geometry : Mathematical Foundations and Applications (2nd Ed., Kenneth Falconer)
Solution manual Analytical and Computational Methods of Advanced Engineering Mathematics (Grant B. Gustafson & Calvin H. Wilcox)
Solution manual How to Read and Do Proofs : An Introduction to Mathematical Thought Processes (4th Ed., Daniel Solow)
Solution manual How to Read and Do Proofs : An Introduction to Mathematical Thought Processes (5th Ed., Daniel Solow)
Solution manual Intuitive Probability and Random Processes using MATLAB (Steven Kay)
Solution manual Modeling Random Processes for Engineers and Managers (James Solberg)
Solution manual Probability, Statistics, and Random Processes For Electrical Engineering (3rd Ed., Alberto Leon-Garcia)
Solution manual Probability Concepts in Engineering : Emphasis on Applications to Civil and Environmental Engineering (2nd Ed., Ang & Tang)
Solution manual Applied Statistics for Engineers and Physical Scientists (3rd Ed., Johannes Ledolter & Robert Hogg)
Solution manual Applied Statistics and Probability for Engineers (3rd Ed., Montgomery & Runger)
Solution manual Applied Statistics and Probability for Engineers (4th Ed., Montgomery & Runger)
Solution manual Applied Statistics and Probability for Engineers (5th Ed., Montgomery & Runger)
Solution manual Engineering Statistics (3rd Ed., Montgomery, Runger & Hubele)
Solution manual Engineering Statistics (4th Ed., Montgomery, Runger & Hubele)
Solution manual Introduction to Statistical Quality Control (5th Ed., Montgomery)
Solution manual Introduction to Statistical Quality Control (6th Ed., Montgomery)
Solution manual Calculus : One Variables (10th Ed., Salas, Hille, Etgen)
Solution manual Calculus : One and Several Variables (8th Ed., Salas, Hille, Etgen)
Solution manual Calculus : One and Several Variables (10th Ed., Salas, Hille, Etgen)

Solution manual Squaring the Circle : Geometry in Art and Architecture (Paul Calter)
Solution manual Technical Mathematics (5th Ed., Paul Calter & Michael Calter)
Solution manual Technical Mathematics with Calculus (5th Ed., Paul Calter & Michael Calter)
Solution manual Technical Mathematics with Calculus, Canadian Edition (Paul Calter & Michael Calter)
Solution manual Techniques of Problem Solving (Luis Fern=E1ndez, Haedeh Gooransarab)
Solution manual Probability and Statistics in Engineering (4th Ed., Hines, Montgomery, Goldsman & Borror)
Solution manual A First Course in Design and Analysis of Experiments (Gary W. Oehlert)
Solution manual Design and Analysis of Experiments (6th Ed., Douglas Montgomery)
Solution manual Design and Analysis of Experiments (7th Ed., Douglas Montgomery)
Solution manual Introduction to Engineering Experimentation (2nd Ed., Wheeler & Ganji)
Solution manual Introduction to Engineering Experimentation (3rd Ed., Wheeler & Ganji)
Solution manual Introduction to the Design & Analysis of Experiments (Canavos & Koutrouvelis)
Solution manual Modern Methods For Quality Control and Improvement (2nd Ed., Wadsworth, Stephens, Godfrey)
Solution manual Essential Statistics for Economics, Business and Management (Teresa Bradley)
Solution manual Statistics and Econometrics : Methods and Applications (Ashenfelter, Levine & Zimmerman)
Solution manual Applied Combinatorics (5th Ed., Alan Tucker)
Solution manual Vector Calculus (Miroslav Lovric)
Solution manual Applied Multivariate Techniques (Subhash Sharma)
Solution manual Mathematical Modeling (3rd Ed., Mark Meerschaert)
Solution manual Discrete Mathematics : Mathematical Reasoning and Proof with Puzzles, Patterns, and Games (Douglas Ensley, J. Winston Crawley)
Solution manual Probability, Random Variables and Random Signal Principles (4th Ed., Peyton Z., Jr. Peebles)
Solution manual Introduction to C++, Excel MATLAB & Basic Engineering Numerical Methods V1.1 (Harvey Stenger & Charles Smith)
Solution manual Numerical Methods for Engineers and Scientists : An Introduction with Applications Using MATLAB (1st Ed., Amos Gilat & Vish Subramaniam)
Solution manual Numerical Methods for Engineers and Scientists : An Introduction with Applications Using MATLAB (2nd Ed., Amos Gilat & Vish Subramaniam)
Solution manual MATLAB : An Introduction with Applications (2nd Ed., Amos Gilat)
Solution manual MATLAB : An Introduction with Applications (3rd Ed., Amos Gilat)
Solution manual Matlab : A Practical Introduction to Programming and Problem Solving (Stormy Attaway)

Solution manual Data, Statistics, and Decision Models with Excel (Harnett & Horrell)
Solution manual Understanding Analysis (Stephen Abbott)
Solution manual Time Series Analysis With Applications in R (2nd Ed., Jonathan D. Cryer & Kung-Sik Chan)
Solution manual Time Series Analysis and Its Applications : With R Examples (2nd Ed., Robert Shumway & David Stoffer)
Solution manual Doing Statistics for Business with Excel : Data, Inference, and Decision Making (2nd Ed. Pelosi & Sandifer)
Solution manual Engineering with Excel (3rd Ed., Ronald W. Larsen)
Solution manual Spreadsheet Tools for Engineers Using Excel 2007 (Byron Gottfried)
Solution manual Spreadsheet Tools for Engineers using Excel (2nd Ed. Byron Gottfried)
Solution manual Spreadsheet Tools for Engineers using Excel (3rd Ed. Byron Gottfried)
Solution manual Introduction to Matlab 7 (Etter, Kuncicky & Moore)
Solution manual Introduction to Matlab 6 for Engineers (1st Ed., William J Palm III)
Solution manual Introduction to Matlab 7 for Engineers (2nd Ed., William J Palm III)
Solution manual A Concise Introduction to MATLAB (William J Palm III)
Solution manual Numerical Methods for Engineers (4th Ed. Steven Chapra, Raymond Canale)
Solution manual Numerical Methods for Engineers (5th Ed. Steven Chapra, Raymond Canale)
Solution manual Numerical Methods for Engineers (6th Ed. Steven Chapra, Raymond Canale)
Solution manual Applied Numerical Methods with MATLAB for Engineers and Scientists (1st Ed., Steven Chapra)
Solution manual Applied Numerical Methods with MATLAB for Engineers and Scientists (2nd Ed., Steven Chapra)
Solution manual MATLAB for Engineers (1st Ed., Holly Moore)
Solution manual MATLAB for Engineers (2nd Ed., Holly Moore)
Solution manual Statistics for Engineers and Scientists (1st Ed., William Navidi)
Solution manual Statistics for Engineers and Scientists (2nd Ed., William Navidi)
Solution manual Statistics for Engineers and Scientists (3rd Ed., William Navidi)
Solution manual Principles of Statistics for Engineers and Scientists (William Navidi)
Solution manual Probability (Jim Pitman)
Solution manual Basic Probability Theory (Robert B. Ash)
Solution manual Stochastic Calculus for Finance (Steven E. Shreve)
Solution manual Markov Processes for Stochastic Modeling (Oliver Ibe)
Solution manual Mathematical Statistics with Applications (K.M. Ramachandran & Chris Tsokos)
Solution manual Probability : A Graduate Course (Allan Gut)
Solution manual Linear Algebra Done Right (2nd Ed., Sheldon Axler)
Solution manual Precalculus : A Prelude to Calculus (Sheldon Axler)
Solution manual Statistics for Business (Derek Waller)
Solution manual An Introduction to the Mathematics of Financial

Derivatives (2nd Ed., Salih Neftci)
Solution manual Elementary Number Theory with Applications (2nd Ed., Thomas Koshy)
Solution manual Introduction to Probability Models (9th Ed., Sheldon Ross)
Solution manual Introduction to Probability Models (10th Ed., Sheldon Ross)
Solution manual Introductory Statistics (2nd Ed., Sheldon Ross)
Solution manual Introduction to Probability and Statistics for Engineers and Scientists (4th Ed., Sheldon Ross)
Solution manual Basic Mathematics through Applications (4th Ed. by Akst, Bragg)
Solution manual Developmental Mathematics (6th Ed., Bittinger & Beecher)
Solution manual Developmental Mathematics (7th Ed., Bittinger & Beecher)
Solution manual Developmental Mathematics : Basic Mathematics and Algebra (1st Ed., Lial, Hornsby, McGinnis, Salzman & Hestwood)
Solution manual Developmental Mathematics : Basic Mathematics and Algebra (2nd Ed., Lial, Hornsby, McGinnis, Salzman & Hestwood)
Solution manual Essential Mathematics (2nd Ed., Margaret Lial & Stanley Salzman)
Solution manual Essential Mathematics (3rd Ed., Margaret Lial & Stanley Salzman)
Solution manual Prealgebra & Introductory Algebra (2nd Ed. by Elayn El Martin-Gay)
Solution manual Prealgebra (5th Ed., Bittinger, Ellenbogen & Johnson)
Solution manual Prealgebra (5th Ed., Elayn El Martin-Gay)
Solution manual Prealgebra : An Integrated Approach (Lial & Hestwood)
Solution manual Integrated Arithmetic and Basic Algebra (4th Ed., Jordan & Palow)
Solution manual Introductory Algebra through Applications (1st Ed., Akst & Bragg)
Solution manual Introductory Algebra through Applications (2nd Ed., Akst & Bragg)
Solution manual Beginning Algebra (10th Ed., Lial, Hornsby & McGinnis)
Solution manual Elementary Algebra Early Graphing for College Students (3rd Ed., Allen R. Angel)
Solution manual Intermediate Algebra with Applications & Visualization (3rd Ed., Rockswold & Krieger)
Solution manual Intermediate Algebra (10th Ed., Lial, Hornsby & McGinnis)
Solution manual Beginning and Intermediate Algebra (4th Ed., Lial, Hornsby & McGinnis)
Solution manual Elementary and Intermediate Algebra : Graphs & Models (3rd Ed., Bittinger, Ellenbogen & Johnson)
Solution manual Algebra for College Students (4th Ed., Mark Dugopolski)
Solution manual Algebra for College Students (5th Ed., Mark Dugopolski)
Solution manual Algebra For College Students (6th Ed., Robert F Blitzer)
Solution manual Algebra for College Students (3rd Ed., Allen R. Angel)

Solution manual Algebra for College Students (6th Ed., Lial, Hornsby & McGinnis)
Solution manual Statistics, Data Analysis, and Decision Modeling (3rd Ed., James Evans)
Solution manual Statistics, Data Analysis, and Decision Modeling (4th Ed., James Evans)
Solution manual College Geometry : A Discovery Approach (2nd Ed., David Kay)
Solution manual College Geometry : Using The Geometer's Sketchpad - Preliminary Edition (Barbara Reynolds & William Fenton)
Solution manual College Geometry : A Problem Solving Approach with Applications (2nd Ed., Musser, Trimpe & Maurer)
Solution manual A Survey of Mathematics with Applications (8th Ed., Angel, Abbott & Runde)
Solution manual A Survey of Mathematics with Applications: Expanded Edition (8th Ed., Angel, Abbott & Runde)
Solution manual Mathematical Ideas (11th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas: Expanded Edition (11th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Thinking : Problem-Solving and Proofs (2nd Ed., John P. D'Angelo & Douglas B. West)
Solution manual Thinking Mathematically (4th Ed., Robert F. Blitzer)
Solution manual Introduction to Mathematical Thinking: Algebra and Number Systems (Will J. Gilbert & Scott A. Vanstone)
Solution manual Mathematical Reasoning : Writing and Proof (1st Ed., Ted A. Sundstrom)
Solution manual Mathematical Reasoning : Writing and Proof (2nd Ed., Ted A. Sundstrom)
Solution manual Mathematical Reasoning for Elementary Teachers (4th Ed., Calvin T. Long & Duane W. DeTemple)
Solution manual Mathematical Reasoning for Elementary Teachers (5th Ed., Long, DeTemple & Millman)
Solution manual Mathematics for Elementary School Teachers (4th Ed., O'Daffer, Charles, Cooney, Dossey & Schielack)
Solution manual Mathematics for Elementary Teachers (2nd Ed., Sybilla Beckmann)
Solution manual Finite Mathematics and Calculus with Applications (7th Ed., Lial, Greenwell & Ritchey)
Solution manual Finite Mathematics and Calculus with Applications (8th Ed., Lial, Greenwell & Ritchey)
Solution manual Additional Calculus Topics (11th Ed., Barnett, Ziegler & Byleen)
Solution manual College Mathematics for Business, Economics, Life Sciences & Social Sciences (11th Ed., Barnett, Ziegler & Byleen)
Solution manual Introductory Mathematical Analysis for Business, Economics and the Life and Social Sciences (12th Ed., Haeussler, Paul & Wood)
Solution manual Finite Mathematics for Business, Economics, Life Sciences and Social Sciences (11th Ed., Barnett, Ziegler, Byleen)
Solution manual Finite Mathematics (9th Ed., Lial, Greenwell & Ritchey)
Solution manual Calculus and Its Applications (9th Ed., Bittinger &

Ellenbogen)
Solution manual Calculus for Business, Economics, Life Sciences & Social Sciences (11th Ed., Barnett, Ziegler & Byleen)
Solution manual Calculus with Applications (9th Ed., Lial, Greenwell & Ritchey)
Solution manual Calculus with Applications : Brief Version (9th Ed., Lial, Greenwell & Ritchey)
Solution manual Concepts of Calculus with Applications (Martha Goshaw)
Solution manual University Calculus : Elements with Early Transcendentals (Hass, Weir & Thomas, Jr.)
Solution manual Thomas' Calculus, Early Transcendentals: Media Upgrade (11th Ed., Thomas Jr., Weir, Hass & Giordano)
Solution manual Thomas' Calculus: Media Upgrade (11th Ed., Thomas Jr., Weir, Hass & Giordano)
Solution manual University Calculus : Alternate Edition (Hass, Weir & Thomas, Jr.)
Solution manual Differential Equations Computing and Modeling (4th Ed., Edwards & Penney)
Solution manual Differential Equations and Boundary Value Problems : Computing and Modeling (4th Ed., Edwards & Penney)
Solution manual Elementary Differential Equations with Boundary Value Problems (6th Ed., Edwards & Penney)
Solution manual Elementary Differential Equations (6th Ed., Edwards & Penney)
Solution manual Fundamentals of Differential Equations (7th Ed., Nagle, Saff & Snider)
Solution manual Fundamentals of Differential Equations with Boundary Value Problems (5th Ed., Nagle, Saff & Snider)
Solution manual Differential Equations and Linear Algebra (3rd Ed., Goode & Annin)
Solution manual Discrete Mathematical Structures (6th Ed., Kolman, Busby & Ross)
Solution manual College Algebra Enhanced with Graphing Utilities (5th Ed., Sullivan & Sullivan III)
Solution manual College Algebra (10th Ed., Lial, Hornsby & Schneider)
Solution manual College Algebra : Graphs and Models (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual College Algebra Essentials (8th Ed., Michael Sullivan)
Solution manual College Algebra (3rd Ed., Judith A. Beecher, Judith A. Penna & Marvin L. Bittinger)
Solution manual College Algebra (8th Ed., Michael Sullivan)
Solution manual Algebra and Trigonometry for College Readiness (Margaret L. Lial & John Hornsby)
Solution manual Algebra and Trigonometry Enhanced with Graphing Utilities (5th Ed., Sullivan & Sullivan III)
Solution manual Algebra and Trigonometry : Graphs & Models (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Trigonometry : A Unit Circle Approach (8th Ed., Michael Sullivan)
Solution manual Precalculus (3rd Ed., Lial, Hornsby & Schneider)
Solution manual Precalculus (4th Ed., Lial, Hornsby & Schneider)
Solution manual Precalculus : Enhanced with Graphing Utilities (5th Ed., Sullivan & Sullivan III)

Solution manual Precalculus : Functions and Graphs (3rd Ed. Mark Dugopolski)
Solution manual Precalculus : Graphs & Models and Graphing (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Discrete and Combinatorial Mathematics (5th ed., Ralph P. Grimaldi)
Solution manual Discrete Mathematics (Sherwood Washburn, Thomas Marlowe & Charles T. Ryan)
Solution manual Discrete Mathematics (5th ed., John Dossey, Albert Otto, Lawrence Spence & Charles Vanden Eynden)
Solution manual Mathematics for New Technologies (Don Hutchison & Mark Yannotta)
Solution manual Fundamental Finite Element Analysis and Applications: with Mathematica and Matlab Computations (Asghar Bhatti)
Solution manual Advanced Topics in Finite Element Analysis of Structures: With Mathematica and MATLAB Computations (Asghar Bhatti)
Solution manual The Finite Element Method in Engineering (4th Ed., by Rao)
Solution manual An Introduction to the Finite Element Method (3rd Ed., J. N. Reddy)
Solution manual Fundamentals of Finite Element Analysis (1st Ed., David V. Hutton)
Solution manual Simulation Modeling and Analysis (3rd Ed., Averill Law & David Kelton)
Solution manual Simulation Modeling and Analysis (4th Ed., Averill Law)
Solution manual The Finite Element Method : Its Basis and Fundamentals (6th Ed., Zienkiewicz, R. L. Taylor & J.Z. Zhu)
Solution manual Algebra : Form and Function (William McCallum, Eric Connally & Deborah Hughes-Hallett)
Solution manual Algebra : Form and Function, Preliminary Edition (William McCallum, Eric Connally & Deborah Hughes-Hallett)
Solution manual Applied Calculus (2nd Ed., Deborah Hughes-Hallett, et al.)
Solution manual Applied Calculus (3rd Ed., Deborah Hughes-Hallett, et al.)
Solution manual Applied Calculus (4th Ed., Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Multivariable (3rd Ed., William G. McCallum, Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Multivariable (4th Ed., William G. McCallum, Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Multivariable (5th Ed., William G. McCallum, Deborah Hughes-Hallett, et al.)
Solution manual Calculus : Single Variable (3rd Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single Variable (4th Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single Variable (5th Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single and Multivariable (3rd Ed., Deborah Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single and Multivariable (4th Ed., Deborah

Hughes-Hallett, Andrew M. Gleason, et al.)
Solution manual Calculus : Single and Multivariable (5th Ed., Deborah Hughes-Hallett)
Solution manual Functions Modeling Change : A Preparation for Calculus - Texas Edition (2nd Ed., Eric Connally, Deborah Hughes-Hallett & Andrew M. Gleason)
Solution manual Functions Modeling Change : A Preparation for Calculus (2nd Ed., Eric Connally, Deborah Hughes-Hallett, et al.)
Solution manual Functions Modeling Change : A Preparation for Calculus (3rd Ed., Eric Connally)
Solution manual Differential Equations (A. King, J. Billingham, S. Otto)
Solution manual Regression Methods in Biostatistics : Linear, Logistic, Survival, and Repeated Measures Models (Eric Vittinghoff, David Glidden, Stephen Shiboski, Charles McCulloch)
Solution manual A Modern Introduction to Probability and Statistics : Understanding Why and How (F.M. Dekking, C. Kraaikamp, H.P. Lopuha=E4, L.E. Meester)
Solution manual Statistical Methods for the Analysis of Repeated Measurements (Charles S. Davis)
Solution manual Bayesian Core : A Practical Approach to Computational Bayesian Statistics (Jean-Michel Marin, Christian Robert)
Solution manual The Bayesian Choice : From Decision-Theoretic Foundations to Computational Implementation (2nd Ed., Christian Robert)
Solution manual Essentials of Stochastic Processes (Rick Durrett)
Solution manual Methods of Multivariate Statistics (Muni Srivastava)
Solution manual Regression Analysis : Theory, Methods, and Applications (Ashish Sen & Muni Srivastava)
Solution manual Applied Probability and Statistics (Mario Lefebvre)
Solution manual Basic Probability Theory with Applications (Mario Lefebvre)
Solution manual Foundations of Hyperbolic Manifolds (2nd Ed., John Ratcliffe)
Solution manual Fourier and Laplace Transforms (R. J. Beerends , H. G. ter Morsche)
Solution manual Infinite-Dimensional Dynamical Systems (James C. Robinson)
Solution manual Mathematical Methods for Physics and Engineering, (3rd Ed., Riley, Hobson & Bence)
Solution manual Numerical Methods in Engineering with MATLAB (Jaan Kiusalaas)
Solution manual Numerical Methods in Engineering with Python (Jaan Kiusalaas)
Solution manual An Introduction to Numerical Analysis (Endre Suli and David Mayers)
Solution manual Fundamentals of Engineering Numerical Analysis (Parviz Moin)
Solution manual Statistical Design (George Casella)
Solution manual Statistical Inference (2nd Ed., George Casella, Roger L. Berger)
Solution manual Monte Carlo Statistical Methods (2nd Ed., Christian P. Robert, George Casella)

Solution manual Introducing Monte Carlo Methods with R (Christian Robert & George Casella)
Solution manual Introduction to Mathematical Structures and Proofs (Larry J. Gerstein)
Solution manual Analyzing Categorical Data (Jeffrey S. Simonoff)
Solution manual Fundamentals of Complex Analysis with Applications to Engineering, Science, and Mathematics (3rd Ed., E. Saff & Arthur Snider)
Solution manual Probability & Statistics for Engineers & Scientists (8th Ed., Walpole, Myers, Ye)
Solution manual Statistics for Engineering and the Sciences (5th Ed., Mendenhall & Sincich)
Solution manual A Second Course in Statistics : Regression Analysis (6th Ed., Mendenhall & Sincich)
Solution manual Miller & Freund's Probability and Statistics for Engineers (7th Ed., Johnson, Miller, Freund)
Solution manual Miller & Freund's Probability and Statistics for Engineers (8th Ed., Johnson, Miller, Freund)
Solution manual Numerical Methods Using Matlab (4th Ed., Mathews & Fink)
Solution manual Applied Numerical Analysis Using MATLAB (2nd Ed., Laurene v. Fausett)
Solution manual Applied Numerical Analysis (7th Ed., Curtis F. Gerald, Patrick O. Wheatley)
Solution manual Friendly Introduction to Numerical Analysis (Bradie)
Solution manual Elementary Linear Algebra (2nd Ed., Spence, Insel & Friedberg)
Solution manual Elementary Linear Algebra with Applications (9th Ed., Kolman & Hill)
Solution manual Introductory Linear Algebra : An Applied First Course (8th Ed., Kolman & Hill)
Solution manual Linear Algebra with Applications (6th Ed., S. Leon)
Solution manual Linear Algebra with Applications (7th Ed., S. Leon)
Solution manual Linear Algebra for Engineers and Scientists Using Matlab (Hardy)
Solution manual Linear Algebra with Applications (3rd Ed., Bretscher)
Solution manual Linear Algebra with Applications (4th Ed., Bretscher)
Solution manual Modern Matrix Algebra (Hill & Kolman)
Solution manual Matrix Methods : Applied Linear Algebra (3rd Ed., Richard Bronson & Gabriel B. Costa)
Solution manual A Transition to Abstract Mathematics : Learning Mathematical Thinking and Writing (2nd Ed., Randall Maddox)
Solution manual Partial Differential Equations and Boundary Value Problems with Fourier Series (2nd ed., Asmar)
Solution manual Applied Partial Differential Equations (4th Ed., Haberman)
Solution manual Technical Calculus (5th Ed., Dale Ewen, Joan S. Gary & James E. Trefzger)
Solution manual Technical Mathematics (2th Ed., Dale Ewen, Joan S. Gary & James E. Trefzger)
Solution manual Technical Mathematics with Calculus (2th Ed., Dale Ewen, Joan S. Gary & James E. Trefzger)
Solution manual Introductory Mathematics (4th Ed., Cook)

Solution manual Mathematics for the Technical Trades (Cook)
Solution manual College Mathematics (7th Ed., Cleaves & Hobbs)
Solution manual Fundamentals of Statistics (2nd Ed., Michael III Sullivan)
Solution manual Fundamentals of Statistics (3rd Ed., Michael III Sullivan)
Solution manual Statistics : Informed Decisions Using Data (2nd Ed., Michael III Sullivan)
Solution manual Modern Elementary Statistics (12th Ed., John E. Freund, Benjamin M. Perles)
Solution manual Statistics : The Art and Science of Learning From Data (Agresti & Franklin)
Solution manual Statistics : The Art and Science of Learning From Data (2nd Ed., Agresti & Franklin)
Solution manual Elementary Statistics : Picturing the World (3rd Ed., Larson & Farber)
Solution manual Elementary Statistics : Picturing the World (4th Ed., Larson & Farber)
Solution manual A First Course in Statistics (9th Ed., McClave & Sincich)
Solution manual A First Course in Statistics (10th Ed., McClave & Sincich)
Solution manual Statistics (10th Ed., McClave & Terry Sincich)
Solution manual Statistics (11th Ed., McClave & Terry Sincich & William Mendenhall)
Solution manual Interactive Statistics (3rd Ed., Martha Aliaga & Brenda Gunderson)
Solution manual Statistics for the Life Sciences (3rd Ed., Samuels & Witmer)
Solution manual Applied Statistics and the SAS Programming Language (5th Ed., Cody & Smith)
Solution manual Biostatistics for the Health Sciences (R. Clifford Blair & Richard Taylor)
Solution manual Biostatistics : How It Works (Steve Selvin)
Solution manual Business Statistics : First Course (4th Ed., Levine, Krehbiel & Berenson)
Solution manual Business Statistics : First Course (5th Ed., Levine, Krehbiel & Berenson)
Solution manual Course in Business Statistics (4th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Business Statistics : A Decision Making Approach (6th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Business Statistics : A Decision-Making Approach (7th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Business Statistics : A Decision-Making Approach (8th Ed., Groebner, Shannon, Fry & Smith)
Solution manual Statistics for Business & Economics (10th Ed., McClave, Benson & Sincich)
Solution manual Statistics for Managers Using Excel (5th Ed., Levine)
Solution manual Statistics for Managers Using Microsoft Excel (4th Ed., Levine, Stephan, Krehbiel & Berenson)
Solution manual Statistics for Business and Economics (5th Ed., Newbold, Carlson & Thorne)

Solution manual Statistics for Business and Economics (6th Ed., Newbold, Carlson & Thorne)
Solution manual Statistics for Business and Economics (7th Ed., Newbold, Carlson & Thorne)
Solution manual Basic Business Statistics : Concepts and Applications (10th Ed., Berenson, Krehbiel & Levine)
Solution manual Basic Business Statistics (11th Ed., Berenson, Levine & Krehbiel)
Solution manual John E. Freund's Mathematical Statistics with Applications (7th Ed., Miller)
Solution manual Probability and Statistical Inference (7th Ed., Hogg & Tanis)
Solution manual Probability and Statistical Inference (8th Ed., Hogg & Tanis)
Solution manual Introduction to Mathematical Statistics (6th Ed., Hogg, Craig & McKean)
Solution manual Introduction to Mathematical Statistics and Its Applications (4th Ed., Larsen & Marx)
Solution manual A Brief Course in Mathematical Statistics (Hogg & Tanis)
Solution manual Fundamentals of Probability, with Stochastic Processes (3rd Ed., Saeed Ghahramani)
Solution manual A First Course in Probability (7th Ed., Sheldon Ross)
Solution manual A First Course in Probability (8th Ed., Sheldon Ross)
Solution manual Applied Multivariate Statistical Analysis (6th Ed., Johnson & Wichern)
Solution manual Multivariate Data Analysis (6th Ed., Hair, Black, Babin, Anderson & Tatham)
Solution manual Multivariate Data Analysis (7th Ed., Hair, Black, Babin, Anderson)
Solution manual Essential MATLAB for Engineers and Scientists (3rd Ed., Brian Hahn & Dan Valentine)
Solution manual Essential MATLAB for Engineers and Scientists (4th Ed., Brian Hahn & Dan Valentine)
Solution manual Introduction to Applied Statistical Signal Analysis : Guide to Biomedical and Electrical Engineering Applications (3rd Ed. Richard Shiavi)
Solution manual Construction Mathematics (Surinder Virdi & Roy Baker)
Solution manual Numerical Methods in Biomedical Engineering (Stanley Dunn, Alkis Constantinides & Prabhas Moghe)
Solution manual Probability and Statistics with Integrated Software Routines (Ronald Deep)
Solution manual Finite Element Analysis with Error Estimators : An Introduction to the FEM and Adaptive Error Analysis for Engineering Students (J. Akin)
Solution manual Basic Engineering Mathematics (4th Ed., John Bird)
Solution manual Engineering Mathematics (4th Ed., John Bird)
Solution manual Engineering Mathematics (5th Ed., John Bird)
Solution manual Higher Engineering Mathematics (5th Ed., John Bird)
Solution manual Construction Mathematics (Virdi & Baker)
Solution manual Mathematics for Electrical Engineering and Computing (Mary Attenborough)
Solution manual Probability and Random Processes : With Applications

to Signal Processing and Communications (Miller & Childers)
Solution manual Introductory Statistics for Engineering Experimentation (Peter Nelson, Karen Copeland & Marie Coffin)
Solution manual Understanding Engineering Mathematics (Bill Cox)
Solution manual Statistics And Probability For Engineering Applications With Microsoft Excel (Decoursey)
Solution manual Business Math Using Calculators : With 10-Key Computer Assisted Instruction (Burton)
Solution manual Mathematics for Economics and Business (5th Ed., Ian Jacques)
Solution manual Business Math, Brief (7th Ed., Cleaves & Hobbs)
Solution manual Math for Merchandising: A Step-by-Step Approach (3rd Ed., Moore)
Solution manual Mathematics for Business (7th Ed., Salzman , Miller & Clendenen)
Solution manual Mathematics for Business (8th Ed., Salzman , Miller & Clendenen)
Solution manual Basic College Mathematics with Early Integers (K. Elayn Martin-Gay)
Solution manual Developmental Mathematics (K. Elayn Martin-Gay)
Solution manual An Introduction to Analysis (3rd Ed., William Wade)
Solution manual An Introduction to Analysis (4th Ed., William Wade)
Solution manual A Friendly Introduction to Analysis (2nd Ed., Witold A.J. Kosmala)
Solution manual Advanced Calculus (Gerald Folland)
Solution manual Analysis : With an Introduction to Proof (4th Ed., Steven R. Lay)
Solution manual Essentials of Basic College Mathematics (John Jr Tobey, Jr., Jeffrey Slater)
Solution manual Basic College Mathematics (5th Ed., John Tobey & Jeffrey Slater)
Solution manual Prealgebra (3rd Ed., Jamie Blair, John Tobey & Jeffrey Slater)
Solution manual Elementary Algebra Early Graphing for College Students (3rd Ed., Allen Angel)
Solution manual Elementary Algebra (Michael Sullivan III, Katherine R. Struve & Janet Mazzarella)
Solution manual Elementary Algebra for College Students (7th Ed., Allen R. Angel)
Solution manual Experiencing Introductory and Intermediate Algebra Through Functions and Graphs (3rd Ed., JoAnne Thomasson & Robert Pesut)
Solution manual Introductory Algebra (3rd Ed., K. Elayn Martin-Gay)
Solution manual Beginning Algebra (6th Ed., John Jr Tobey & Jeffrey Slater)
Solution manual Beginning Algebra : Early Graphing (Jamie Blair, John Tobey & Jeffrey Slater)
Solution manual Beginning and Intermediate Algebra (2nd Ed., Jamie Blair, John Tobey & Jeffrey Slater)
Solution manual Introductory Algebra (4th Ed., Robert Blitzer)
Solution manual Introductory and Intermediate Algebra (2nd Ed., Robert Blitzer)
Solution manual Intermediate Algebra for College Students (7th Ed.,

Allen Angel)
Solution manual Intermediate Algebra (Michael Sullivan III & Katherine Struve)
Solution manual Intermediate Algebra (3rd Ed., K. Elayn Martin-Gay)
Solution manual Essentials of Intermediate Algebra for College Students (Robert Blitzer)
Solution manual Intermediate Algebra (4th Ed., Robert Blitzer)
Solution manual Intermediate Algebra for College Students (5th Ed., Robert Blitzer)
Solution manual Algebra A Combined Approach (3rd Ed., K. Elayn Martin-Gay)
Solution manual Elementary & Intermediate Algebra (Michael Sullivan III, Katherine R. Struve & Janet Mazzarella)
Solution manual Essentials of Introductory and Intermediate Algebra for College Students (Robert F. Blitzer)
Solution manual Algebra for College Students (3rd Ed., Allen R. Angel)
Solution manual Algebra for College Students (5th Ed., Robert F Blitzer)
Solution manual College Algebra (8th Ed., Michael Sullivan)
Solution manual College Algebra Essentials (8th Ed., Michael Sullivan)
Solution manual College Algebra (4th Ed., Robert Blitzer)
Solution manual College Algebra Essentials (2nd Ed., Robert F. Blitzer)
Solution manual College Algebra : An Early Functions Approach (Robert F. Blitzer)
Solution manual College Algebra : Concepts Through Functions (1st Ed., Michael Sullivan III & Michael Sullivan)
Solution manual College Algebra : Concepts Through Functions (2nd Ed., Michael Sullivan III & Michael Sullivan)
Solution manual College Algebra Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Essentials of College Algebra : Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Algebra and Trigonometry (8th Ed., Michael Sullivan)
Solution manual Algebra and Trigonometry (3rd Ed., Robert F. Blitzer)
Solution manual Algebra and Trigonometry: An Early Functions Approach (Robert Blitzer)
Solution manual Algebra & Trigonometry (7th Ed., Michael Sullivan)
Solution manual Algebra and Trigonometry Enhanced With Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Trigonometry (7th Ed., Michael Sullivan)
Solution manual Trigonometry (8th Ed., Michael Sullivan)
Solution manual Trigonometry Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus (8th Ed., Michael Sullivan)
Solution manual Precalculus (3rd Ed., Robert Blitzer)
Solution manual Precalculus (4th Ed., Robert Blitzer)
Solution manual Precalculus (1st Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual Precalculus : A Right Triangle Approach (2nd Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual Precalculus Essentials (2nd Ed., Robert Blitzer)
Solution manual Precalculus Essentials (3rd Ed., Robert Blitzer)

Solution manual Precalculus : Concepts Through Functions, A Unit Circle Approach to Trigonometry (1st Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus : Concepts Through Functions, A Unit Circle Approach to Trigonometry (2nd Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus : Concepts Through Functions, A Right Triangle Approach to Trigonometry (1st Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus : Concepts Through Functions, A Right Triangle Approach to Trigonometry (2nd Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus Enhanced with Graphing Utilities (5th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Precalculus Essentials : Enhanced with Graphing Utilities (4th Ed., Michael Sullivan III & Michael Sullivan)
Solution manual Excursions in Modern Mathematics (5th Ed., Peter Tannenbaum)
Solution manual Excursions In Modern Mathematics with Mini-Excursions (6th Ed., Peter Tannenbaum)
Solution manual Quantitive Reasoning & the Environment (Greg Langkamp & Joseph Hull)
Solution manual Fundamentals of Mathematics (10th Ed., William M Setek & Michael A Gallo)
Solution manual Learning Math in Elementary and Middle School & IMAP Package (4th Ed., Cathcart, Pothier, Vance & Bezuk)
Solution manual Understanding the Math You Teach: Content and Methods for Prekindergarten Through Grade 4 (Anita C. Burris)
Solution manual Algebra Connections (Ira J. Papick & UMO University of Missouri)
Solution manual Calculus Connections (Asma Harcharras, Dorina Mitrea)
Solution manual Data Analysis and Probability Connections: Mathematics for Middle School Teachers (Debra A. Perkowski & Michael Perkowski)
Solution manual Geometry Connections (John K. Beem)
Solution manual Elementary Math Modeling Updated (2nd Ed., Mary Ellen Davis & C. Henry Edwards)
Solution manual Additional Calculus Topics (11th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual Finite Math and Its Application (9th Ed., Larry J Goldstein, David I Schneider & Martha J. Siegel)
Solution manual Finite Mathematics and Its Application (10th Ed., Larry J Goldstein, David I Schneider & Martha J. Siegel)
Solution manual Introductory Mathematical Analysis for Business, Economics and the Life and social Sciences (11th Ed., Haeussler, Paul & R.J. Wood)
Solution manual Introductory Mathematical Analysis for Business, Economics and the Life and Social Sciences (12th Ed., Haeussler, Paul & R.J. Wood)
Solution manual Additional Calculus Topics (9th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual College Mathematics for Business, Economics, Life

Sciences and Social Sciences (10th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual Brief Calculus and Its Applications (11th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Brief Calculus and Its Applications (12th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Calculus and its Applications (10th Ed., Larry Goldstein, David Schneider, David Lay)
Solution manual Calculus and its Applications (11th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Calculus and its Applications (12th Ed., Larry Goldstein, David Schneider, David Lay & Nakhle Asmar)
Solution manual Calculus for Business, Economics, Life Sciences and Social Sciences (10th Ed., Raymond Barnett, Michael Ziegler & Karl Byleen)
Solution manual Calculus, Early Transcendentals (6th Ed., C. Henry Edwards & David Penney)
Solution manual Calculus, Early Transcendentals (7th Ed., C. Henry Edwards & David Penney)
Solution manual Calculus (9th Ed., Dale Varberg, Edwin Purcell & Steve Rigdon)
Solution manual Calculus Early Transcendentals (Dale Varberg, Edwin Purcell & Steve Rigdon)
Solution manual Calculus (3rd Ed., Monty Strauss, Gerald Bradley & Karl Smith)
Solution manual Calculus (6th Ed., Henry Edwards & David E. Penney)
Solution manual Single Variable Calculus (3rd Ed., Monty Strauss, Gerald Bradley & Karl Smith)
Solution manual Vector Calculus (3rd Ed., Susan Colley)
Solution manual Applied Linear Algebra (Peter Olver & Cheri Shakiban)
Solution manual Differential Equations and Linear Algebra (2nd Ed., Jerry Farlow, James E. Hall, Jean Marie McDill & Beverly West)
Solution manual Differential Equations and Linear Algebra (2nd Ed., C. Henry Edwards & David Penney)
Solution manual Differential Equations and Linear Algebra (3rd Ed., C. Henry Edwards & David Penney)
Solution manual Differential Equations (2nd Ed., John Polking, Al Boggess & David Arnold)
Solution manual Differential Equations with Boundary Value Problems (2nd ed., John Polking, Al Boggess & David Arnold)
Solution manual Discrete Mathematics with Graph Theory (3rd Ed., Edgar Goodaire & Michael Parmenter)
Solution manual Essential Discrete Mathematics (Todd Feil & Joan Krone)
Solution manual Statistical Methods for the Social Sciences (4th Ed., Agresti & Finlay)
Solution manual A Brief Course in Mathematical Statistics (Tanis & Hogg)
Solution manual Business Mathematics, 10th Ed. (Miller, Salzman & Clendenen)
Solution manual Elementary Statistics (6th Ed., Weiss)
Solution manual Elementary Statistics (7th Ed., Weiss)
Solution manual Elementary Statistics Using the Graphing Calculator:

For the TI-83/84 Plus (Mario Triola)
Solution manual Elementary Statistics Using the TI-83/84 Plus Calculator (2nd Ed., Mario Triola)
Solution manual Elementary Statistics Using the TI-83/84 Plus Calculator (3rd Ed., Mario Triola)
Solution manual Elementary Statistics Update (9th Ed., Mario Triola)
Solution manual Elementary Statistics (10th Ed., Mario Triola)
Solution manual Elementary Statistics (11th Ed., Mario Triola)
Solution manual Essentials of Statistics (2nd Ed., Mario Triola)
Solution manual Essentials of Statistics (3rd Ed., Mario Triola)
Solution manual Essentials of Statistics (4th Ed., Mario Triola)
Solution manual Introductory Statistics (7th Ed., Neil Weiss)
Solution manual Introductory Statistics (8th Ed., Neil Weiss)
Solution manual Intro Stats (2nd Ed., De Veaux, Velleman & Bock)
Solution manual Intro Stats (3rd Ed., De Veaux, Velleman & Bock)
Solution manual Stats: Data and Models, (De Veaux, Velleman & Bock)
Solution manual Stats: Data and Models, (2nd Ed., De Veaux, Velleman & Bock)
Solution manual Elementary Statistics Using Excel (2nd Ed., Mario Triola)
Solution manual Elementary Statistics Using Excel (3rd Ed., Mario Triola)
Solution manual Elementary Statistics Using Excel (4th Ed., Mario Triola)
Solution manual Stats : Modeling the World (2nd Ed., Bock, Velleman & De Veaux)
Solution manual Stats : Modeling the World (3rd Ed., Bock, Velleman & De Veaux)
Solution manual Statistical Reasoning for Everyday Life (2nd Ed., Bennett, Briggs & Triola)
Solution manual Statistical Reasoning for Everyday Life (3rd Ed., Bennett, Briggs & Triola)
Solution manual Business Statistics (Triola & Franklin)
Solution manual Business Statistics (Sharpe, De Veaux & Velleman)
Solution manual Business Statistics : A First Course (Sharpe, De Veaux & Velleman)
Solution manual Biostatistics for the Biological and Health Sciences with Statdisk (Marc Triola & Mario Triola)
Solution manual Biostatistics : A Guide to Design, Analysis and Discovery (2nd Ed., Ronald Forthofer, Eun Lee, Mike Hernandez)
Solution manual A Course in Probability (Neil A. Weiss)
Solution manual Probability and Statistics (3rd Ed., DeGroot & Schervish)
Solution manual Statistics for Science and Engineering (John Kinney)
Solution manual Mathematical Proofs : A Transition to Advanced Mathematics (1st Ed., Chartrand, Polimeni & Zhang)
Solution manual Mathematical Proofs : A Transition to Advanced Mathematics (2nd Ed., Chartrand, Polimeni & Zhang)
Solution manual Elementary Number Theory (5th Ed., Kenneth H. Rosen)
Solution manual History of Mathematics : Brief Version (Victor J. Katz)
Solution manual Geometry : An Investigative Approach (2nd Ed., Phares G. O'Daffer & Stanley Clemens)

Solution manual A First Course in Abstract Algebra (7th Ed., John Fraleigh)
Solution manual Complex Variables with Applications (3rd Ed., David Wunsch)
Solution manual Numerical Analysis with CD-ROM (Timothy Sauer)
Solution manual Numerical Analysis and Scientific Computation (Jeffery Leader)
Solution manual Linear Algebra and Differential Equations (Gary Peterson & James Sochacki)
Solution manual Elementary Differential Equations (2nd Ed., Werner Kohler & Lee Johnson)
Solution manual Elementary Differential Equations with Boundary Value Problems (2nd Ed., Werner Kohler & Lee Johnson)
Solution manual Fundamentals of Differential Equations (6th Ed., Kent B. Nagle, Late, Edward B. Saff & Arthur David Snider)
Solution manual Fundamentals of Differential Equations and Boundary Value Problems (4th Ed., Kent B. Nagle, Late, Edward B. Saff & Arthur David Snider)
Solution manual Linear Algebra and Its Applications with CD-ROM, Update (3rd Ed., David C. Lay)
Solution manual Introduction to Linear Algebra (5th ed., Lee W. Johnson, R. Dean Riess & Jimmy T. Arnold)
Solution manual Calculus for the Life Sciences (Marvin L. Bittinger, Neal Brand & John Quintanilla)
Solution manual Calculus with Applications for the Life Sciences (Raymond N. Greenwell, Nathan P. Ritchey & Margaret L. Lial)
Solution manual Calculus : An Integrated Approach to Functions and Their Rates of Change, Preliminary Edition (Robin J. Gottlieb)
Solution manual Calculus (9th Ed., George B. Thomas, Jr. & Ross L. Finney)
Solution manual Thomas' Calculus, Alternate Edition (9th Ed., George B. Thomas, Jr. & Ross L. Finney)
Solution manual Calculus : A Complete Course (2nd Ed., Ross L. Finney, Franklin D. Demana, Bert K. Waits & Daniel Kennedy)
Solution manual Calculus (Elgin H. Johnston & Jerry Mathews)
Solution manual Thomas' Calculus, Updated (10th Ed., George B. Thomas, Jr., Ross L. Finney, Maurice D. Weir & Frank R. Giordano)
Solution manual Thomas' Calculus (11th Ed., George B. Thomas, Jr., Maurice D. Weir, Joel D. Hass & Frank R. Giordano)
Solution manual Thomas' Calculus Early Transcendentals (11th Ed., George B. Thomas, Jr., Maurice D. Weir, Joel D. Hass & Frank R. Giordano)
Solution manual University Calculus (Joel D. Hass, Maurice D. Weir & George B. Thomas, Jr.)
Solution manual University Calculus : Alternate Edition (Joel D. Hass, Maurice D. Weir & George B. Thomas, Jr.)
Solution manual Thomas' Calculus, Media Upgrade (11th Ed., George B. Thomas, Jr., Maurice D. Weir & Frank R. Giordano)
Solution manual Thomas' Calculus, Early Transcendentals, Media Upgrade (11th Ed., George B. Thomas, Jr., Maurice D. Weir, Joel D. Hass & Frank R. Giordano)
Solution manual Calculus with Applications (8th Ed., Margaret L. Lial, Raymond N. Greenwell & Nathan P. Ritchey)

Solution manual Calculus with Applications, Brief Version (8th Ed., Margaret L. Lial, Raymond N. Greenwell & Nathan P. Ritchey)
Solution manual Finite Mathematics with Applications (9th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Finite Mathematics with Applications (10th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Finite Mathematics (8th Ed., Margaret L. Lial, Raymond N. Greenwell & Nathan P. Ritchey)
Solution manual Mathematics with Applications (9th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Mathematics with Applications (10th Ed., Margaret L. Lial, Thomas W. Hungerford & John Holcomb)
Solution manual Mathematical Ideas (10th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas (11th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas Expanded Edition (10th Ed., Miller, Heeren & Hornsby)
Solution manual Mathematical Ideas Expanded Edition (11th Ed., Miller, Heeren & Hornsby)
Solution manual Using and Understanding Mathematics: A Quantitative Reasoning Approach (3rd Ed., Bennett & Briggs)
Solution manual Using and Understanding Mathematics: A Quantitative Reasoning Approach (4th Ed., Bennett & Briggs)
Solution manual A Problem Solving Approach to Mathematics (9th Ed., Billstein, Libeskind & Lott)
Solution manual A Survey of Mathematics with Applications (7th Ed., Angel, Abbott & Runde)
Solution manual A Survey of Mathematics with Applications: Expanded Edition (7th Ed., Angel, Abbott & Runde)
Solution manual Mathematics All Around (3rd Ed., Tom Pirnot)
Solution manual Mathematics for Elementary School Teachers (3rd Ed., Phares O'Daffer, Randall Charles, Thomas Cooney, John Dossey & Jane Schielack)
Solution manual Mathematics for Elementary School Teachers (4th Ed., Phares O'Daffer, Randall Charles, Thomas Cooney, John Dossey & Jane Schielack)
Solution manual Mathematics for Elementary Teachers with Activities (Sybilla Beckmann)
Solution manual Mathematics for Elementary Teachers plus Activities Manual (2nd Ed., Sybilla Beckmann)
Solution manual A Problem Solving Approach to Mathematics for Elementary School Teachers (8th Ed., Billstein, Libeskind & Lott)
Solution manual A Problem Solving Approach to Mathematics for Elementary School Teachers (9th Ed., Billstein, Libeskind & Lott)
Solution manual A Problem Solving Approach to Mathematics for Elementary School Teachers (10th Ed., Billstein, Libeskind & Lott)
Solution manual Essentials of Using and Understanding Mathematics : A Quantitative Reasoning Approach (Jeffrey Bennett & William Briggs)
Solution manual Technical Calculus with Analytic Geometry (4th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics (8th Ed., Allyn Washington)

Solution manual Basic Technical Mathematics (9th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics with Calculus (8th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics with Calculus (9th Ed., Allyn Washington)
Solution manual Basic Technical Mathematics with Calculus Metric Version (8th Ed., Allyn Washington)
Solution manual Introduction to Technical Mathematics (5th Ed., Washington, Triola & Reda)
Solution manual A Graphical Approach to Precalculus (4th Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Precalculus with Limits (3rd Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Precalculus with Limits : A Unit Circle Approach (4th Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Precalculus with Limits : A Unit Circle Approach (5th Ed., Hornsby, Lial & Rockswold)
Solution manual Precalculus : Functions and Graphs (5th Ed., Demana, Waits, Foley & Kennedy)
Solution manual Precalculus : Graphical, Numerical, Algebraic (7th Ed., Demana, Waits, Foley & Kennedy)
Solution manual Precalculus : Graphs and Models Graphing Calculator Manual Package (3rd Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Precalculus : Graphs and Models Graphing Calculator Manual Package (4th Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Functioning in the Real World : A Precalculus Experience (2nd Ed., Gordon, F. Gordon, Tucker & Siegel)
Solution manual Precalculus with Modeling and Visualization (3rd Ed., Gary K. Rockswold)
Solution manual Precalculus with Modeling and Visualization (4th Ed., Gary K. Rockswold)
Solution manual Precalculus (2nd Ed., Beecher, Penna & Bittinger)
Solution manual Precalculus (3rd Ed., Beecher, Penna & Bittinger)
Solution manual Precalculus (3rd Ed., Mark Dugopolski)
Solution manual Precalculus (4th Ed., Mark Dugopolski)
Solution manual Precalculus : Functions and Graphs (2nd Ed., Mark Dugopolski)
Solution manual Precalculus : Functions and Graphs (3rd Ed., Mark Dugopolski)
Solution manual Fundamentals of Precalculus (Mark Dugopolski)
Solution manual Trigonometry (1st Ed., Mark Dugopolski)
Solution manual Trigonometry (2nd Ed., Mark Dugopolski)
Solution manual Trigonometry (3rd Ed., Mark Dugopolski)
Solution manual Trigonometry (8th Ed., Lial, Hornsby & Schneider)
Solution manual Trigonometry (9th Ed., Lial, Hornsby & Schneider)
Solution manual Trigonometry : A Circular Function Approach (Marie Aratari)
Solution manual A Graphical Approach to Algebra and Trigonometry (4th Ed., Hornsby, Lial & Rockswold)
Solution manual A Graphical Approach to Algebra and Trigonometry (5th Ed., Hornsby, Lial & Rockswold)
Solution manual Algebra and Trigonometry : Graphs and Models Graphing

Calculator Manual Package (3rd Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual Algebra and Trigonometry (2nd Ed., Beecher, Penna & Bittinger)
Solution manual Algebra and Trigonometry (3rd Ed., Beecher, Penna & Bittinger)
Solution manual College Algebra and Trigonometry (1st Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual College Algebra and Trigonometry (2nd Ed., J. S. Ratti & Marcus S. McWaters)
Solution manual College Algebra and Trigonometry (3rd Ed., Mark Dugopolski)
Solution manual College Algebra and Trigonometry (4th Ed., Mark Dugopolski)
Solution manual College Algebra and Trigonometry : A Unit Circle Approach (5th Ed., Mark Dugopolski)
Solution manual Algebra and Trigonometry with Modeling and Visualization (3rd Ed., Gary Rockswold)
Solution manual Algebra and Trigonometry with Modeling and Visualization (4th Ed., Gary Rockswold)
Solution manual College Algebra and Trigonometry (3rd Ed., Lial, Hornsby & Schneider)
Solution manual College Algebra and Trigonometry (4th Ed., Lial, Hornsby & Schneider)
Solution manual A Graphical Approach to College Algebra (4th Ed., John Hornsby, Margaret Lial & Gary Rockswold)
Solution manual A Graphical Approach to College Algebra (5th Ed., John Hornsby, Margaret Lial & Gary Rockswold)
Solution manual College Algebra : Graphs and Models Graphing Calculator Manual Package (3rd Ed., Bittinger, Beecher, Ellenbogen & Penna)
Solution manual College Algebra (J. S. Ratti & Marcus S. McWaters)
Solution manual College Algebra with Modeling and Visualization (3rd Ed., Gary Rockswold)
Solution manual College Algebra with Modeling and Visualization (4th Ed., Gary Rockswold)
Solution manual Essentials of College Algebra with Modeling and Visualization (3rd Ed., Gary Rockswold)
Solution manual Essentials of College Algebra (Lial, Hornsby & Schneider)
Solution manual Essentials of College Algebra, Alternate Edition (Lial, Hornsby & Schneider)
Solution manual Essentials of College Algebra (10th Ed., Lial, Hornsby & Schneider)
Solution manual College Algebra (3rd Ed., Mark Dugopolski)
Solution manual College Algebra (4th Ed., Mark Dugopolski)
Solution manual College Algebra (5th Ed., Mark Dugopolski)
Solution manual College Algebra in Context with Applications for the Managerial, Life, and Social Sciences (1st Ed., Ronald Harshbarger & Lisa Yocco)
Solution manual College Algebra in Context with Applications for the Managerial, Life, and Social Sciences (2nd Ed., Ronald Harshbarger & Lisa Yocco)

Solution manual College Algebra (2nd Ed., Judith Beecher, Judith Penna & Marvin Bittinger)
Solution manual College Algebra (9th Ed., Margaret Lial, John Hornsby & David Schneider)
Solution manual Essentials of Geometry for College Students (2nd Ed., Margaret Lial, Barbara Brown, Arnold Steffenson & L. Murphy Johnson)
Solution manual Algebra for College Students (5th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory and Intermediate Algebra (2nd Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory and Intermediate Algebra (3rd Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory and Intermediate Algebra (4th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Beginning and Intermediate Algebra (3rd Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Beginning and Intermediate Algebra (4th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Elementary and Intermediate Algebra (1st Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Elementary and Intermediate Algebra (2nd Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Introductory and Intermediate Algebra : A Combined Approach (2nd Ed., Marvin Bittinger & Judith Beecher)
Solution manual Introductory and Intermediate Algebra (3rd Ed., Marvin Bittinger & Judith Beecher)
Solution manual Introductory and Intermediate Algebra through Applications (2nd Ed., Geoffrey Akst & Sadie Bragg)
Solution manual Elementary and Intermediate Algebra (1st Ed., George Woodbury)
Solution manual Elementary and Intermediate Algebra (2nd Ed., George Woodbury)
Solution manual Elementary and Intermediate Algebra (2nd Ed., Mark Dugopolski)
Solution manual Elementary and Intermediate Algebra (3rd Ed., Mark Dugopolski)
Solution manual Elementary and Intermediate Algebra : Concepts and Applications (4th Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Beginning and Intermediate Algebra with Applications and Visualization (Gary Rockswold & Terry Krieger)
Solution manual Elementary and Intermediate Algebra : Graphs & Models (2nd Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Foundations of Mathematics (Marvin Bittinger & Judith Penna)
Solution manual Intermediate Algebra (9th Ed., Marvin Bittinger)
Solution manual Intermediate Algebra (10th Ed., Marvin Bittinger)
Solution manual Intermediate Algebra : Graphs & Models (2nd Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Intermediate Algebra : Graphs & Models (3rd Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Intermediate Algebra (8th Ed., Margaret Lial, John Hornsby & Terry McGinnis)

Solution manual Intermediate Algebra (9th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Intermediate Algebra with Applications and Visualization (2nd Ed., Gary Rockswold & Terry Krieger)
Solution manual Intermediate Algebra (Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Intermediate Algebra (2nd Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Intermediate Algebra: Concepts and Applications (7th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Beginning Algebra (10th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Prealgebra and Introductory Algebra (Marvin Bittinger & David Ellenbogen)
Solution manual Prealgebra and Introductory Algebra (2nd Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Elementary Algebra (2nd Ed., Tom Carson, Ellyn Gillespie & Bill Jordan)
Solution manual Introductory Algebra (9th Ed., Marvin Bittinger)
Solution manual Introductory Algebra (10th Ed., Marvin Bittinger)
Solution manual Prealgebra and Introductory Algebra (2nd Ed., Margaret Lial, John Hornsby, Terry McGinnis & Diana Hestwood)
Solution manual Prealgebra and Introductory Algebra (3rd Ed., Margaret Lial, Diana Hestwood, John Hornsby & Terry McGinnis)
Solution manual Elementary Algebra with Early Systems of Equations (Tom Carson & Ellyn Gillespie)
Solution manual Elementary Algebra : Concepts and Applications (6th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Elementary Algebra : Concepts and Applications (7th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Introductory Algebra (Richelle Blair)
Solution manual Introductory Algebra (8th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Introductory Algebra (9th Ed., Margaret Lial, John Hornsby & Terry McGinnis)
Solution manual Beginning Algebra with Applications and Visualization (Gary Rockswold & Terry Krieger)
Solution manual Integrated Arithmetic and Basic Algebra (3rd Ed., Bill Jordan & William Palow)
Solution manual Introductory Algebra through Applications (Geoffrey Akst & Sadie Bragg)
Solution manual Prealgebra (3rd Ed., Margaret Lial & Diana Hestwood)
Solution manual Prealgebra (4th Ed., Margaret Lial & Diana Hestwood)
Solution manual Prealgebra (4th Ed., Marvin Bittinger & David Ellenbogen)
Solution manual Prealgebra (5th Ed., Marvin Bittinger, David Ellenbogen & Barbara Johnson)
Solution manual Prealgebra (2nd Ed., Tom Carson)
Solution manual Basic Mathematics (9th Ed., Marvin Bittinger)
Solution manual Basic Mathematics (10th Ed., Marvin Bittinger)
Solution manual Basic Mathematics Preliminary Edition (Robert Prior)
Solution manual Basic Mathematics with Early Integers (Marvin Bittinger & Judith Penna)

Solution manual Basic College Mathematics (7th Ed., Margaret Lial, Stanley Salzman & Diana Hestwood)
Solution manual Basic College Mathematics (8th Ed., Margaret Lial, Stanley Salzman & Diana Hestwood)
Solution manual Basic Mathematics through Applications (3rd Ed., Geoffrey Akst & Sadie Bragg)
Solution manual Fundamental Mathematics through Applications (3rd Ed., Geoffrey Akst & Sadie Bragg)
Solution manual Wave Motion (J. Billingham & A. C. King)
Solution manual Solving ODEs with MATLAB (L. F. Shampine, I. Gladwell & S. Thompson)
Solution manual Numerical Solution of Partial Differential Equations: An Introduction (2nd Ed., K. W. Morton & D. F. Mayers)
Solution manual Measure Theory and Filtering : Introduction and Applications (Lakhdar Aggoun & Robert J. Elliott)
Solution manual Mathematical Models in Biology : An Introduction (Elizabeth S. Allman & John A. Rhodes)
Solution manual Insurance Risk and Ruin (David C. M. Dickson)
Solution manual Data Analysis and Graphics Using R : An Example-based Approach (2nd Ed., John Maindonald & John Braun)
Solution manual Applied Optimization with MATLAB Programming (1st Ed., P. Venkataraman)
Solution manual Applied Optimization with MATLAB Programming (2nd Ed., P. Venkataraman)
Solution manual Convex Optimization (Stephen Boyd & Lieven Vandenberghe)
Solution manual Concrete Abstract Algebra : From Numbers to Gr=F6bner Bases (Niels Lauritzen)
Solution manual A Concrete Approach to Abstract Algebra : From the Integers to the Insolvability of the Quintic (Jeffrey Bergen)
Solution manual Calculus : Concepts and Methods (Ken Binmore & Joan Davies)
Solution manual An Introduction to Partial Differential Equations (Yehuda Pinchover & Jacob Rubinstein)
Solution manual An Introduction to Ordinary Differential Equations (James C. Robinson)
Solution manual An Introduction to Mathematical Physiology and Biology (2nd Ed., J. Mazumdar)
Solution manual An Introduction to Financial Option Valuation : Mathematics, Stochastics and Computation (Desmond Higham)
Solution manual An Interactive Introduction to Mathematical Analysis (Jonathan Lewin)
Solution manual An Introduction to Mathematical Finance: Options and Other Topics (1st Ed., Sheldon M. Ross)

- Physics & Astronomy :

Solution manual Introduction to Solid State Physics (8th Ed., Charles Kittel)

Solution manual Quantum Physics (3rd Ed., Stephen Gasiorowicz)
Solution manual Fundamentals of Nuclear Reactor Physics (Elmer Lewis)
Solution manual Nuclear Energy : An Introduction to the Concepts, Systems, and Applications of Nuclear Processes (6th Ed., Raymond L. Murray)
Solution manual Fundamentals of Electromagnetics with Engineering Applications (Stuart M. Wentworth)
Solution manual Physics (7th Ed. by Paul E. Tippens)
Solution manual Physics (6th Ed., Cutnell & Johnson)
Solution manual Physics (7th Ed., Cutnell & Johnson)
Solution manual Physics (8th Ed., Cutnell & Johnson)
Solution manual Essentials of Physics (Cutnell & Johnson)
Solution manual Understanding Physics (1st Ed., Cummings, Laws, Redish & Cooney)
Solution manual Introductory Physics : Building Understanding (Jerold Touger)
Solution manual Physics Matters : An Introduction to Conceptual Physics (James Trefil & Robert Hazen)
Solution manual How Things Work : The Physics of Everyday Life (3rd Ed., Louis Bloomfield)
Solution manual An Introduction to Modern Astrophysics (2nd Ed., Bradley W. Carroll & Dale A. Ostlie)
Solution manual Foundations of Astrophysics (Barbara Ryden & Bradley Peterson)
Solution manual Physics (5th Ed., Halliday, Resnick, Krane)
Solution manual Fundamentals of Physics (6th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual Fundamentals of Physics (7th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual Fundamentals of Physics (8th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual Fundamentals of Physics (9th Ed., David Halliday, Robert Resnick & Jearl Walker)
Solution manual The Physics of Everyday Phenomena : A Conceptual Introduction to Physics (3rd Ed., Thomas Griffith)
Solution manual The Physics of Everyday Phenomena : A Conceptual Introduction to Physics (4th Ed., Thomas Griffith)
Solution manual The Physics of Everyday Phenomena : A Conceptual Introduction to Physics (5th Ed., Thomas Griffith)
Solution manual Physics of Everyday Phenomena : A Conceptual Introduction to Physics (6th Ed., W. Thomas Griffith & Juliet W. Brosing)
Solution manual Integrated Science (2nd Ed., Tillery et al.)
Solution manual Integrated Science (3rd Ed., Tillery et al.)
Solution manual Integrated Science (4th Ed., Tillery et al.)
Solution manual Physical Science (5th Ed., Tillery)
Solution manual Physical Science (6th Ed., Tillery)
Solution manual Physical Science (7th Ed., Tillery)
Solution manual Physical Science (8th Ed., Tillery)
Solution manual The Physical Universe (11th Ed., Konrad Krauskopf & Arthur Beiser)
Solution manual The Physical Universe (12th Ed., Konrad Krauskopf & Arthur Beiser)

Solution manual Physics of the Life Sciences (Jay Newman)
Solution manual Physics in Biology and Medicine (3rd Ed., Paul Davidovits)
Solution manual Optics (1st Ed., Ajoy Ghatak)
Solution manual Optics (4th Ed., Eugene Hecht)
Solution manual Nonlinear Optics (3rd Ed., Robert Boyd)
Solution manual Introduction to Optics (3rd Ed., Frank L Pedrotti, Leno M Pedrotti & Leno S Pedrotti)
Solution manual Principles of Physical Optics (Charles Bennett)
Solution manual Optics : Principles and Applications (Kailash Sharma)
Solution manual Continuum Electromechanics (James R. Melcher)
Solution manual Electromagnetic Noise and Quantum Optical Measurements (Hermann A. Haus)
Solution manual Matter and Interactions I : Modern Mechanics (2nd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Matter and Interactions : Volume 1 : Modern Mechanics (3rd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Matter and Interactions II : Electric and Magnetic Interactions (2nd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Matter and Interactions : Volume 2 : Electric and Magnetic Interactions (3rd Ed., Ruth W. Chabay & Bruce A. Sherwood)
Solution manual Thermal Stresses (2nd Ed., Noda, Hetnarski & Tanigawa)
Solution manual Introduction to Statistical Physics (Kerson Huang)
Solution manual Extended Irreversible Thermodynamics (3rd Ed., D. Jou, J. Casas-Vazquez & G. Lebon)
Solution manual An Introduction to Thermodynamics and Statistical Mechanics (2nd Ed, Keith Stowe)
Solution manual Equilibrium and Non-Equilibrium Statistical Thermodynamics (Michel Le Bellac, Fabrice Mortessagne & G. George Batrouni)
Solution manual Elements of Statistical Mechanics: With an Introduction to Quantum Field Theory and Numerical Simulation (Ivo Sachs & Siddhartha Sen)
Solution manual Quantum Transport (2nd Ed., Supriyo Datta)
Solution manual Ocean Waves and Oscillating Systems (Johannes Falnes)
Solution manual Statistical Mechanics (2nd Ed., R.K. Pathria)
Solution manual Quantum Mechanics (Gennaro Auletta, Mauro Fortunato & Giorgio Parisi)
Solution manual Applied Quantum Mechanics (1st Ed., A. F. J. Levi)
Solution manual Applied Quantum Mechanics (2nd Ed., A. F. J. Levi)
Solution manual Fundamentals of Quantum Mechanics (C.L. Tang)
Solution manual Astronomy : A Physical Perspective (2nd Ed., Marc L. Kutner)
Solution manual Classical Mechanics (Douglas Gregory)
Solution manual Electromagnetic Field Theory Fundamentals (2nd Ed., Singh Guru & Hiziroglu)
Solution manual Special Relativity : From Einstein to Strings (P.M. Schwarz & J.H. Schwarz)
Solution manual Gravity : An Introduction to Einstein's General Relativity (James Hartle)
Solution manual A Short Course in General Relativity (James Foster & J. David Nightingale)
Solution manual Statistical Thermodynamics (Normand Laurendeau)

Solution manual Statistical Thermodynamics and Microscale Thermophysics (Van P. Carey)
Solution manual Thermal Physics (Ralph Baierlein)
Solution manual Topics in Atomic Physics (Charles E. Burkhardt, Jacob J. Leventhal)
Solution manual Foundations of Quantum Physics (Charles E. Burkhardt, Jacob J. Leventhal)
Solution manual Applied Physics (8th Ed., Dale Ewen, Ronald Nelson, Neill Schurter & Erik Gundersen)
Solution manual Applied Physics (9th Ed., Dale Ewen, Neill Schurter & Erik Gundersen)
Solution manual Analytical Mechanics (7th Ed., Grant R. Fowles, George Cassiday)
Solution manual Orbital Mechanics for Engineering Students (1st Ed., Howard Curtis)
Solution manual Orbital Mechanics for Engineering Students (2nd Ed., Howard Curtis)
Solution manual Diagnostic Ultrasound Imaging : Inside Out (Thomas Szabo)
Solution manual Astronomy : A Beginner's Guide to the Universe (5th Ed., Eric Chaisson & Steve McMillan)
Solution manual The Cosmic Perspective (5th Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Cosmic Perspective Media Update (4th Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Essential Cosmic Perspective Media Update (4th Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Essential Cosmic Perspective Media Update (3rd Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual The Essential Cosmic Perspective (3rd Ed., Jeffrey O. Bennett, Megan Donahue, Nicholas Schneider & Mark Voit)
Solution manual Astronomy Today (5th Ed., Eric Chaisson & Steve McMillan)
Solution manual Astronomy Today (6th Ed., Eric Chaisson & Steve McMillan)
Solution manual Conceptual Physical Science (3rd Ed., Paul G. Hewitt, John A. Suchocki & Leslie Hewitt)
Solution manual Conceptual Physical Science (4th Ed., Paul G. Hewitt, John A. Suchocki & Leslie Hewitt)
Solution manual Conceptual Integrated Science (Paul G. Hewitt, Suzanne Lyons, John A. Suchocki & Jennifer Yeh)
Solution manual Physics : Concepts & Connections (4th Ed., Art Hobson)
Solution manual Conceptual Physics (10th Ed., Paul Hewitt)
Solution manual Conceptual Physics Fundamentals (Paul G. Hewitt)
Solution manual College Physics (6th Ed., Jerry Wilson, Anthony Buffa & Bo Lou)
Solution manual College Physics (7th Ed., Jerry Wilson, Anthony Buffa & Bo Lou)
Solution manual College Physics (8th Ed., Young & Geller)
Solution manual Modern Physics (2nd Ed., Randy Harris)
Solution manual Modern Physics for Scientists and Engineers (John

Morrison)
Solution manual Solid State Physics : Essential Concepts (David Snoke)
Solution manual Physics with Mastering Physics (3rd Ed., James Walker)
Solution manual Physics with Mastering Physics (4th Ed., James Walker)
Solution manual Active Learning Guide (Alan Van Heuvelen & Eugenia Etkina)
Solution manual E&M TIPERs : Electricity & Magnetism Tasks (C. J. Hieggelke, D. P. Maloney, T. L. O'Kuma & Steve Kanim)
Solution manual Physics : Principles with Applications (6th Ed., Douglas C. Giancoli)
Solution manual Physlet=AE Physics : Interactive Illustrations, Explorations and Problems for Introductory Physics (Wolfgang Christian & Mario Belloni)
Solution manual University Physics with Modern Physics with Mastering Physics (11th Ed., Hugh Young & Roger Freedman)
Solution manual University Physics with Modern Physics with Mastering Physics (12th Ed., Hugh Young & Roger Freedman)
Solution manual Physics for Scientists and Engineers (3rd Ed., Douglas C. Giancoli)
Solution manual Physics for Scientists and Engineers with Modern Physics (3rd Ed., Douglas Giancoli)
Solution manual Physics for Scientists and Engineers with Modern Physics (4th Ed., Douglas Giancoli)
Solution manual Physlet=AE Quantum Physics : An Interactive Introduction (Mario Belloni, Wolfgang Christian & Anne Cox)
Solution manual Introduction to Electrodynamics (3rd Ed., David J. Griffiths)
Solution manual Introduction to Quantum Mechanics (2nd Ed., David Griffiths)
Solution manual Quantum Mechanics : An Accessible Introduction (Robert Scherrer)
Solution manual Modern Quantum Mechanics (J. J. Sakurai)
Solution manual The Physics of Sound (3rd Ed., Richard Berg & David Stork)
Solution manual Electromagnetism : Principles and Applications (1st Ed., Paul Lorrain, Dale R. Corson)
Solution manual Classical Electromagnetism (Jerrold Franklin)
Solution manual Classical Electrodynamics (2nd Ed., John David Jackson)
Solution manual Nanoengineering of Structural, Functional and Smart Materials (Mark Schulz, Ajit Kelkar, Mannur Sundaresan)
Solution manual Introduction to Color Imaging Science (Hsien-Che Lee)
Solution manual An Introduction to Astrobiology (Iain Gilmour & Mark Sephton)
Solution manual An Introduction to Galaxies and Cosmology (Mark HJones & Robert Lambourne)
Solution manual An Introduction to the Solar System (Neil McBride & Iain Gilmour)
Solution manual Quantum Physics (Michel Le Bellac)
Solution manual Laser Fundamentals (2nd Ed., William T. Silfvast)
Solution manual Laser Electronics (3rd Ed., Joseph T. Verdeyen)
Solution manual Introductory Quantum Optics (Christopher Gerry & Peter Knight)

Solution manual Introduction to Plasma Physics: With Space and
Laboratory Applications (D. A. Gurnett & A. Bhattacharjee)
Solution manual A Short Introduction to Quantum Information and
Quantum Computation (Michel Le Bellac)
Solution manual A Quantum Approach to Condensed Matter Physics (Philip
L. Taylor & Olle Heinonen)
Solution manual A First Course in String Theory (Barton Zwiebach)
Solution manual A First Course in Computational Physics and Object-
Oriented Programming with C++ (David Yevick)
Solution manual A Course in Modern Mathematical Physics : Groups,
Hilbert Space and Differential Geometry (Peter Szekeres)
Solution manual Ultrasonic Nondestructive Evaluation Systems: Models
and Measurements (Lester W. Schmerr & Sung-Jin Song)
Solution manual Explorations : Stars Galaxies and Planets (1st Ed.
Updated, Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (2nd Ed.,
Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (3rd Ed.
Updated, Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (4th Ed.
Updated, Thomas Arny)
Solution manual Explorations : An Introduction to Astronomy (5th Ed.
Updated, Thomas Arny)
Solution manual Astronomy : Journey to the Cosmic Frontier (3rd Ed.,
John D. Fix)
Solution manual Astronomy : Journey to the Cosmic Frontier (4th Ed.,
John D. Fix)
Solution manual Astronomy : Journey to the Cosmic Frontier (5th Ed.,
John D. Fix)
Solution manual Pathways to Astronomy with Starry Night Pro (Steven
Schneider & Thomas T Arny)
Solution manual From Molecules to Networks (2nd Ed., John Byrne &
James Roberts)
Solution manual Biotechnology (David Clark & Nanette Pazdernik)
Solution manual Light and Video Microscopy (Randy Wayne)

---=
----

contact me to :   mattosbw1@gmail.com   mattosbw1(at)gmail.com

---=

From -2826218478605046093
X-Google-Thread: 108122,b8266693f689fa56,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII

Path: g2news1.google.com!postnews.google.com!k13g2000vbq.googlegroups.com!not-for-mail
From: claudeh <hclaudioblanco@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Availables : More that 3750 Solutions manuals and Test Banks (Part 3)
Date: Mon, 20 Sep 2010 18:07:50 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1798
Message-ID: <5415f6a7-61af-4078-95cf-adcfa429f2bf@k13g2000vbq.googlegroups.com>
NNTP-Posting-Host: 190.40.91.191
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1285031272 30047 127.0.0.1 (21 Sep 2010 01:07:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Sep 2010 01:07:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k13g2000vbq.googlegroups.com; posting-host=190.40.91.191; posting-account=mFFJOAoAAABaIQEBRX5f95y3rtsFRjms
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; es-ES; rv:1.9.2.10) Gecko/20100914 Firefox/3.6.10 (.NET CLR 3.5.30729; .NET4.0C),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2226

List of Solutions Manuals
----

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

NOTE : "THIS SERVICE IS NOT AVAILABLE FOR :   CHINA, INDIA, PAKISTAN, IRAQ, IRAN, PHILIPPINES, NORTH KOREA, NEPAL, BANGLADESH, SRI LANKA, MALDIVES & BHUTAN".

If your wanted solutions manual is not in this list, also can ask me if is available (it is a partial list). Then if you need solutions manual only contact me by email.

"ARE NOT AVAILABLES BOOKS IN DIGITAL FORMAT", ONLY SOLUTIONS MANUALS AND TEST BANKS.

This same "list of titles" of texts with availables solutions manual and/or test banks is for download from :

http://www.megaupload.com/?d=3DVQJ2M78Y

I do not review the forums, just send me an email.

- Civil Engineering and Architecture :

Solution manual Mechanical and Structural Vibrations : Theory and Applications (by Jerry H. Ginsberg)
Solution manual Fundamentals of Structural Analysis (1st Ed., Leet & Uang)
Solution manual Fundamentals of Structural Analysis (2nd Ed., Leet & Uang)
Solution manual Fundamentals of Structural Analysis (3rd Ed., Leet & Uang)
Solution manual A Structures Primer (Harry F. Kaufman)
Solution manual Steel Design (4th Ed., William T. Segui)
Solution manual Structural and Stress Analysis (2nd Ed., Megson)
Solution manual Structural Steel Design ASD Method (4th Ed., Jack McCormac)
Solution manual Structural Steel Design (4th Ed., Jack McCormac)
Solution manual Structural Steel Design : A Practice Oriented Approach (Abi Aghayere & Jason Vigil)
Solution manual Unified Design of Steel Structures (Louis Geschwindner)
Solution manual Steel Structures : Behavior and LRFD (1st Ed., Ramulu Vinnakota)
Solution manual The Engineering of Foundations (1st Ed., Rodrigo

Salgado)
Solution manual Mechanics of Materials : A Modern Integration of Mechanics and Materials in Structural Design (Christopher Jenkins & Sanjeev Khanna)
Solution manual Analysis and Design of Shallow and Deep Foundations (Lymon Reese, William Isenhower & Shin-Tower Wang)
Solution manual Elementary Structures for Architects and Builders (5th Ed., Ronald Shaeffer)
Solution manual Statics and Strength of Materials for Architecture and Building Construction (3rd Ed., Onouye & Kane)
Solution manual Finite Element Techniques in Structural Mechanics (C. T. F. Ross)
Solution manual Fundamental Finite Element Analysis and Applications: with Mathematica and Matlab Computations (Asghar Bhatti)
Solution manual Advanced Topics in Finite Element Analysis of Structures : With Mathematica and MATLAB Computations (Asghar Bhatti)
Solution manual Adjustment Computations : Spatial Data Analysis (4th Ed., Charles Ghilani & Paul Wolf)
Solution manual Adjustment Computations : Spatial Data Analysis (5th Ed., Charles Ghilani)
Solution manual Surveying (5th Ed., Jack McCormac)
Solution manual Surveying with Construction Applications (6th Ed., Barry Kavanagh)
Solution manual Surveying with Construction Applications (7th Ed., Barry Kavanagh)
Solution manual Surveying : Principles and Applications (8th Ed., Barry Kavanagh)
Solution manual Surveying Fundamentals and Practices (6th Ed., Jerry Nathanson, Michael Lanzafama & Philip Kissam)
Solution manual Structural Analysis (5th Ed., Hibbeler)
Solution manual Structural Analysis (7th Ed., Hibbeler)
Solution manual Structural Analysis - SI Units (7th Ed., Hibbeler)
Solution manual Dynamics of Structures (3rd Ed., Chopra)
Solution manual Principles of Geotechnical Engineering (6th Ed., Braja M. Das)
Solution manual Geotechnical Engineering: Principles and Practices (2nd Ed., Donald P. Coduto, Man-chu Ronald Yeung & William A. Kitch)
Solution manual Geotechnical Engineering: Principles and Practices - International Version (2nd Ed., Donald P. Coduto, Man-chu Ronald Yeung & William A. Kitch)
Solution manual Fundamentals of Structural Stability (George Simitses & Dewey Hodges)
Solution manual Fundamentals of Structural Mechanics (2nd Ed., keith D. Hjelmstad)
Solution manual Fundamentals of Structural Dynamics (2nd Ed., Roy Craig & Andrew Kurdila)
Solution manual Design of Concrete Structures (13th Ed., Nilson, Darwin & Dolan)
Solution manual Design of Concrete Structures (14th Ed., Nilson, Darwin & Dolan)
Solution manual Structures (6th Ed., Daniel Lewis Schodek & Martin Bechthold)
Solution manual Concrete Structures (Mehdi Setareh & Robert Darvas)

Solution manual Reinforced Concrete Design : A Practical Approach (Brzev & Pao)
Solution manual Reinforced Concrete : A Fundamental Approach (6th Ed., Edward Nawy)
Solution manual Reinforced Concrete Design (6th Ed., Chu-Kia Wang, Charles Salmon)
Solution manual Reinforced Concrete Design (7th Ed., Chu-Kia Wang, Charles Salmon & Jos=E9 Pincheira)
Solution manual Reinforced Concrete Design (6th Ed., George Limbrunner & Abi Aghayere)
Solution manual Reinforced Concrete Design (7th Ed., George Limbrunner & Abi Aghayere)
Solution manual Reinforced Concrete : Mechanics and Design (4th Ed., James MacGregor & James Wight)
Solution manual Reinforced Concrete : Mechanics and Design (5th Ed., James Wight & James MacGregor)
Solution manual Reinforced Concrete : Mechanics and Design - International Version (5th Ed., James Wight & James MacGregor)
Solution manual Structural Concrete : Theory and Design (3rd Ed., M. Nadim Hassoun & Akthem Al-Manaseer)
Solution manual Structural Concrete : Theory and Design (4th Ed., M. Nadim Hassoun & Akthem Al-Manaseer)
Solution manual Design of Reinforced Concrete (6th Ed., Jack McCormac & James Nelson)
Solution manual Design of Reinforced Concrete (7th Ed., ACI 318-05 Code Edition, by Jack McCormac)
Solution manual Design of Reinforced Concrete (8th Ed., Jack McCormac & Russell Brown)
Solution manual Structural Analysis : Using Classical and Matrix Methods (3rd Ed., James Nelson, Jr., Jack McCormac)
Solution manual Structural Analysis : Using Classical and Matrix Methods (4th Ed., Jack McCormac)
Solution manual Pavement Design and Materials (A. T. Papagiannakis, E. A. Masad)
Solution manual Traffic Engineering (4th Ed., Roger P. Roess, Elena S. Prassas, William R. McShane)
Solution manual Principles of Highway Engineering and Traffic Analysis (3rd Ed., Fred Mannering, Walter Kilareski & Scott Washburn)
Solution manual Principles of Highway Engineering and Traffic Analysis (4th Ed., Fred Mannering, Walter Kilareski & Scott Washburn)
Solution manual Highway Engineering (7th Ed., Paul Wright & Karen Dixon)
Solution manual Soil Mechanics : Concepts and Applications (2nd Ed., William Powrie)
Solution manual Unsaturated Soil Mechanics (Ning Lu & William Likos)
Solution manual Soil Mechanics and Foundations (2nd Ed., Muniram Budhu)
Solution manual Soils and Foundations - SI Units (6th Ed., Liu & Evett)
Solution manual Soils and Foundations (7th Ed., Liu & Evett)
Solution manual Fundamentals of Soil Mechanics for Sedimentary and Residual Soils (Laurence Wesley)
Solution manual Essentials of Soil Mechanics and Foundations : Basic

Geotechnics (7th Ed., David McCarthy)
Solution manual Foundations and Earth Retaining Structures (Muniram Budhu)
Solution manual Design Analysis in Rock Mechanics (William G. Pariseau)
Solution manual Probability Concepts in Engineering : Emphasis on Applications to Civil and Environmental Engineering (2nd Ed., Ang & Tang)
Solution manual Hydraulic Control Systems (Noah Manring)
Solution manual Open Channel Hydraulics (A. Osman Akan)
Solution manual Open Channel Hydraulics (Terry Sturm)
Solution manual Open Channel Hydraulics (2nd Ed., Terry Sturm)
Solution manual Open-Channel Flow (2nd Ed., M. Hanif Chaudhry)
Solution manual Frozen Ground Engineering (2nd Ed., Orlando Andersland & Branko Ladanyi)
Solution manual Hydraulics in Civil and Environmental Engineering (4th Ed. Andrew Chadwick)
Solution manual Fundamentals of Hydraulic Engineering Systems (4th Ed., Robert Houghtalen, A. Osman Akan, Ned H. C. Hwang)
Solution manual Transportation Engineering : An Introduction (3rd Ed., C. Jotin Khisty, B. Kent Lall)
Solution manual Introduction to Transportation Engineering (2nd Ed., Banks)
Solution manual Urban Transportation Planning (2nd Ed., Meyer & Miller)
Solution manual Transportation Engineering and Planning (3rd Ed., Papacostas & Prevedouros)
Solution manual Structural Wood Design : A Practice-Oriented Approach (Abi Aghayere & Jason Vigil)
Solution manual Simplified Design of Wood Structures (6th Ed., James Ambrose & Patrick Tripeny)
Solution manual Simplified Design of Steel Structures (8th Ed., James Ambrose & Patrick Tripeny)
Solution manual Materials and Components of Interior Architecture (7th Ed., J. Rosemary Riggs)
Solution manual Olin's Construction : Principles, Materials, and Methods (8th Ed., H. Leslie Simmons)
Solution manual Basic Construction Materials (8th Ed., Theodore Marotta, John C. Coffey, Cynthia LaFleur-Brown & Christine LaPlante)
Solution manual Fundamentals of Residential Construction (2nd Ed., Edward Allen & Rob Thallon)
Solution manual Fundamentals of Building Construction : Materials and Methods (4th Ed., Edward Allen & Joseph Iano)
Solution manual Fundamentals of Building Construction : Materials and Methods (5th Ed., Edward Allen & Joseph Iano)
Solution manual Composites for Construction : Structural Design with FRP Materials (Lawrence Bank)
Solution manual Building Construction : Principles, Materials, and Systems (Madan Mehta, Diane Armpriest & Walter Scarborough)
Solution manual Construction Contracts (2nd Ed., Jimmie Hinze)
Solution manual Sustainable Construction and Design (Regina Leffers)
Solution manual Global Engineering and Construction (J. K. Yates)
Solution manual Construction Mathematics (Virdi & Baker)

Solution manual Materials for Civil and Construction Engineers (3rd Ed., Michael S. Mamlouk & John P. Zaniewski)
Solution manual Construction Management (3rd Ed., Daniel Halpin)
Solution manual Construction Management Fundamentals (1st Ed., Schexnayder & Mayo)
Solution manual Construction Management Fundamentals (2nd Ed., Knutson, Schexnayder, Fiori & Mayo)
Solution manual Construction Planning, Equipment, and Methods (6th Ed., Peurifoy & Schexnayder)
Solution manual Construction Planning, Equipment, and Methods (7th Ed., Peurifoy, Schexnayder & Shapira)
Solution manual Construction Planning, Equipment, and Methods (8th Ed., Peurifoy, Schexnayder, Shapira & Schmitt)
Solution manual Construction Methods and Management (7th Ed., Stephens Nunnally)
Solution manual Construction Methods and Management (8th Ed., Stephens Nunnally)
Solution manual Construction Project Administration (8th Ed., Edward Fisk, Wayne Reynolds)
Solution manual Construction Project Administration (9th Ed., Edward Fisk, Wayne Reynolds)
Solution manual Construction Project Management (3rd Ed., Gould & Joyce)
Solution manual The Management of Construction : A Project Lifecycle Approach (F. Lawrence Bennett)
Solution manual Construction Accounting and Financial Management (1st Ed., Steven Peterson)
Solution manual Construction Accounting and Financial Management (2nd Ed., Steven Peterson)
Solution manual Principles and Practices of Commercial Construction (8th Ed., Cameron K. Andres & R.C. Smith)
Solution manual Cost Analysis and Estimating for Engineering and Management (Phillip Ostwald & Timothy McLaren)
Solution manual Construction Estimating Using Excel (Stephen J. Peterson)
Solution manual Heating and Cooling of Buildings : Design for Efficiency (2nd Ed., Jan Kreider, Peter Curtiss & Ari Rabl)
Solution manual Heating, Cooling, Lighting : Sustainable Design Methods for Architects (3rd Ed., Norbert Lechner)
Solution manual Mechanical and Electrical Systems in Architecture, Engineering and Construction (5th Ed., Frank R. Dagostino & Joseph B. Wujek)
Solution manual Mechanical and Electrical Equipment for Buildings (10th Ed., Stein, Reynolds, Grondzik, Kwok)
Solution manual Mechanical and Electrical Equipment for Buildings (11th Ed., Grondzik, Kwok, Stein & Reynolds)
Solution manual Mechanical & Electrical Systems in Buildings (4th Ed., Richard Janis & William Tao)
Solution manual Introduction to Naval Architecture : Formerly Muckle's Naval Architecture for Marine Engineers (4th Ed., E.C. Tupper)
Solution manual Architectural Drawing and Light Construction (8th Ed., Philip A. Grau, III & Edward J. Muller)
Solution manual NEW Autodesk Civil 3D : Procedures & Applications

(Harry O. Ward)
Solution manual Structural Health Monitoring with Piezoelectric Wafer Active Sensors (Victor Giurgiutiu)
Solution manual Architecture Design Notebook (2nd Ed., Peter Fawcett)
Solution manual Civil Drafting Technology (7th Ed., David A. Madsen, Terence M. Shumaker & David P. Madsen)
Solution manual Introduction to Homeland Security (2nd Ed., Bullock & George Haddow)

- Environmental Engineering, Earth and Environmental Sciences :

Solution manual Principles of Environmental Engineering and Science (1st Ed., Mackenzie Davis & Susan Masten)
Solution manual Principles of Environmental Engineering and Science (2nd Ed., Mackenzie Davis & Susan Masten)
Solution manual Introduction to Environmental Engineering (Richard Mines & Laura Lackey)
Solution manual Introduction to Environmental Engineering (4th Ed., MacKenzie Davis & David Cornwell)
Solution manual Introduction to Environmental Engineering and Science (2nd Ed., Gilbert Masters)
Solution manual Introduction to Environmental Engineering and Science (3rd Ed., Gilbert Masters & Wendell Ela)
Solution manual Solar Energy Engineering (Soteris Kalogirou)
Solution manual Solar Engineering of Thermal Processes (2nd Ed., John Duffie & William Beckman)
Solution manual Solar Engineering of Thermal Processes (3rd Ed., John Duffie & William Beckman)
Solution manual Energy Technology and Directions for the Future (Fanchi)
Solution manual Environmental Engineering : Fundamentals, Sustainability, Design (James Mihelcic, Julie Zimmerman)
Solution manual Environmental Engineering Science (Nazaroff & Alvarez - Cohen)
Solution manual Environmental Engineering (4th Ed., Ruth Weiner & Robin Matthews)
Solution manual Environmental Pollution and Control (4th Ed., Peirce, Vesilind & Weiner)
Solution manual Introduction to Engineering and the Environment (1st Ed., Edward Rubin)
Solution manual Basic Environmental Technology : Water Supply, Waste Management & Pollution Control (5th Ed., Jerry Nathanson)
Solution manual Water and Wastewater Technology - SI Units (5th Ed., Mark J. Hammer, Sr. & Mark Hammer, Jr.)
Solution manual Water and Wastewater Technology (6th Ed., Mark J. Hammer, Sr. & Mark Hammer, Jr.)
Solution manual Water and Wastewater Engineering (Mackenzie L. Davis)

Solution manual Water Supply and Pollution Control (8th Ed., Viessman Jr., Hammer, Perez & Chadik)
Solution manual Water Supply and Pollution Control - International Version (8th Ed., Viessman Jr., Hammer, Perez & Chadik)
Solution manual Water Treatment : Principles and Design (2nd Ed., by MWH)
Solution manual Water Resources Engineering (Ralph A. Wurbs & Wesley P. James)
Solution manual Water Resources Engineering 2005 Edition (Larry W. Mays)
Solution manual Water Resources Engineering (2nd Ed., Larry W. Mays)
Solution manual Water Resources Engineering (2nd Ed., Chin)
Solution manual Water Chemistry (Benjamin)
Solution manual Plant Pathology (5th Ed., George Agrios)
Solution manual Radiation Detection and Measurement (3rd Ed., Glenn Knoll)
Solution manual Principles of Sequence Stratigraphy (Octavian Catuneanu)
Solution manual The Earth's Ionosphere : Plasma Physics & Electrodynamics (2nd Ed., Michael Kelley)
Solution manual Atmosphere, Ocean and Climate Dynamics : An Introductory Text (Marshall & Plumb)
Solution manual Atmospheric Science : An Introductory Survey (2nd Ed., John Wallace, Peter Hobbs)
Solution manual Environmental Issues : An Introduction to Sustainability (3rd Ed., McConnell & Abel)
Solution manual Environmental Science : Toward A Sustainable Future (10th Ed., Wright & Nebel)
Solution manual Hazard City : Assignments in Applied Geology (3rd Ed., King, Carpenter & Wilson)
Solution manual Introduction to Environmental Geology (4th ERd., Edward Keller)
Solution manual The Science of Grapevines : Anatomy and Physiology (Markus Keller)
Solution manual Geoenvironmental Engineering : Site Remediation, Waste Containment, and Emerging Waste Management Technologies (Hari Sharma & Krishna Reddy)
Solution manual Natural Hazards : Earth's Processes as Hazards, Disasters and Catastrophes (2nd Ed., Keller & Blodgett)
Solution manual Essentials of Oceanography (9th Ed., Trujillo & Thurman)
Solution manual Exercises for Weather and Climate (6th Ed., Greg Carbone)
Solution manual Fundamentals of Ground Water (Franklin Schwartz & Hubao Zhang)
Solution manual Practical Problems in Groundwater Hydrology (Scott Bair & Terry Lahm)
Solution manual Groundwater Hydrology (3rd Ed., David Keith Todd & Larry Mays)
Solution manual Groundwater Science (Charles Fitts)
Solution manual Frozen Ground Engineering (2nd Ed., Orlando Andersland & Branko Ladanyi)
Solution manual Stormwater Management for Land Development : Methods

and Calculations for Quantity Control (Thomas A. Seybert)
Solution manual Urban Hydrology, Hydraulics, and Stormwater Quality : Engineering Applications and Computer Modeling (A. Osman Akan & Houghtalen)
Solution manual Hydraulics in Civil and Environmental Engineering (4th Ed. Andrew Chadwick)
Solution manual Fundamentals of Hydraulic Engineering Systems (4th Ed., Robert Houghtalen, A. Osman Akan, Ned H. C. Hwang)
Solution manual Agriculture's Ethical Horizon (Robert Zimdahl)
Solution manual Environmental Contaminants : Assessment and Control (Daniel Vallero)
Solution manual A Problem-Solving Approach to Aquatic Chemistry (James Jensen)
Solution manual Hazardous Waste Management (2nd Ed., Michael LaGrega, Phillip Buckingham & Jeffrey Evans)
Solution manual Environmental Biotechnology : Principles and Applications (1st Ed., Bruce Rittmann & Perry McCarty)
Solution manual Chemistry for Environmental Engineering and Science (5th Ed., Clair Sawyer, Perry McCarty & Gene Parkin)
Solution manual Geology for Engineers and Environmental Scientists (3rd Ed., Alan Kehew)
Solution manual Ocean Waves and Oscillating Systems (Johannes Falnes)
Solution manual Radiation Detection and Measurement (3rd Ed., Glenn Knoll)
Solution manual Probability Concepts in Engineering : Emphasis on Applications to Civil and Environmental Engineering (2nd Ed., Ang & Tang)
Solution manual Hydrology : Water Quantity and Quality Control (2nd Ed., Wanielista, Kersten & Eaglin)
Solution manual Hydrology and Floodplain Analysis (4th Ed., Philip Bedient, Wayne Huber & Baxter Vieux)
Solution manual Hydrology : An Introduction (Brutsaert)
Solution manual Applied Atmospheric Dynamics (Amanda H. Lynch & John J. Cassano)
Solution manual Mid-Latitude Atmospheric Dynamics : A First Course (Jonathan E. Martin)
Solution manual Adjustment Computations : Spatial Data Analysis (4th Ed., Charles Ghilani & Paul Wolf)
Solution manual Adjustment Computations : Spatial Data Analysis (5th Ed., Charles Ghilani)
Solution manual Ecology (4th Ed., Manuel C. Molles)
Solution manual Industrial Ecology and Sustainable Engineering (T. E. Graedel & Braden R. Allenby)
Solution manual Principles of Environmental Science : Inquiry and Applications (4th Ed., Cunningham)
Solution manual Principles of Environmental Science : Inquiry and Applications (5th Ed., Cunningham)
Solution manual Environmental Science : A Global Concern (9th Ed., Cunningham)
Solution manual Environmental Science : A Global Concern (10th Ed., Cunningham)
Solution manual Essential Environmental Science (1st Ed., Edward Keller & Daniel Botkin)

Solution manual Environmental Science : Earth as a Living Planet (6th Ed., Daniel Botkin & Edward Keller)
Solution manual Environmental Science : Earth as a Living Planet (7th Ed., Daniel Botkin & Edward Keller)
Solution manual Environmental Science : Earth as a Living Planet, Canadian Edition (Daniel Botkin & Edward Keller & Isobel Heathcote)
Solution manual Introduction to Marine Biogeochemistry (2nd Ed., Susan Libes)
Solution manual Farm Management (5th Ed., Ronald Kay, William Edwards & Patricia Duffy)
Solution manual Farm Management (6th Ed., Ronald Kay, William Edwards & Patricia Duffy)
Solution manual Environmental Geology (6th Ed., Carla Montgomery)
Solution manual Environmental Geology (7th Ed., Carla Montgomery)
Solution manual Environmental Geology (8th Ed., Carla Montgomery)
Solution manual Natural Disasters (4th Ed., Patrick Abbott)
Solution manual Natural Disasters (5th Ed., Patrick Abbott)
Solution manual Natural Disasters (6th Ed., Patrick Abbott)
Solution manual Geography Information Systems (2nd Ed., Kang-tsung Chang)
Solution manual Meteorology (2nd Ed., Danielson et al.)
Solution manual Fundamentals of Oceanography (4th Ed., Duxbury, Sverdrup)
Solution manual Fundamentals of Oceanography (5th Ed., Duxbury, Sverdrup)
Solution manual Introduction to Geography (8th Ed., Getis et al.)
Solution manual Introduction to Geography (9th Ed., Getis et al.)
Solution manual Introduction to Geography (10th Ed., Getis et al.)
Solution manual Introduction to Geography (11th Ed., Getis et al.)
Solution manual Physical Geology : The Earth Revealed (4th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology : The Earth Revealed (6th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology : Earth Revealed (7th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (9th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (10th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (11th Ed., Plummer, McGeary & Carlson)
Solution manual Physical Geology (12th Ed., Plummer, McGeary & Carlson)
Solution manual Exploring the World Ocean (W. Sean Chamberlin & Tommy Dickey)
Solution manual Mastering ArcGIS (3rd Ed., Maribeth Price)
Solution manual Mastering ArcGIS (4th Ed., Maribeth Price)
Solution manual An Introduction to the World's Oceans (7th Ed., Sverdrup et al.)
Solution manual An Introduction to the Worlds Oceans (8th Ed., Sverdrup et al.)
Solution manual An Introduction to the Worlds Oceans (9th Ed., Sverdrup & Armbrust)
Solution manual An Introduction to the Worlds Oceans (10th Ed.,

Sverdrup & Armbrust)
Solution manual Laboratory Studies in Earth History (8th Ed., Brice et al.)
Solution manual Laboratory Studies in Earth History (9th Ed., Brice et al.)
Solution manual Exploring Geology (1st Ed., Reynolds et al.)
Solution manual Manual of Mineral Science (23rd Ed., Cornelis Klein & Barbara Dutrow)
Solution manual Isotopes : Principles and Applications (3rd Ed., Gunter Faure & Teresa Mensing)
Solution manual Earth Science : Understanding Environmental Systems (Edgar Spencer)
Solution manual Fundamentals of Weed Science (3rd Ed., Robert Zimdahl)
Solution manual Field and Laboratory Exercises in Animal Behavior (Tillberg, Breed & Hinners)
Solution manual Soils : An Introduction (6th Ed., Michael Singer & Donald Munns)
Solution manual Soils, Land, and Life (Stan Buol)
Solution manual Soils in Our Environment (10th Ed., Raymond Miller & Duane Gardiner)
Solution manual Soils in Our Environment (11th Ed., Raymond Miller & Duane Gardiner)
Solution manual Soil Microbiology, Ecology and Biochemistry (3rd Ed., Eldor Paul)
Solution manual Soil in the Environment : Crucible of Terrestrial Life (Daniel Hillel)
Solution manual Design Analysis in Rock Mechanics (William G. Pariseau)
Solution manual Forest Management and Planning (Bettinger, Boston, Siry & Grebner)
Solution manual Agricultural Systems : Agroecology and Rural Innovation for Development (Sieglinde Snapp & Barry Pound)
Solution manual Plant Systematics (Michael Simpson)
Solution manual The Nature and Properties of Soils (14th Ed., Nyle Brady & Raymond Weil)
Solution manual Elements of the Nature and Properties of Soils (2nd Ed., Nyle Brady & Ray Weil)
Solution manual Materials and the Environment : Eco-informed Material Choice (Michael Ashby)

- Chemistry and Chemical Engineering :

Solution manual An Introduction to Mass and Heat Transfer : Principles of Analysis and Design (Stanley Middleman)
Solution manual Principles and Modern Applications of Mass Transfer Operations (Jaime Benitez)
Solution manual Diffusion : Mass Transfer in Fluid Systems (2nd Ed.,

Cussler)
Solution manual Separation Process Principles (1st Ed, Seader & Henley)
Solution manual Separation Process Principles (2nd Ed, Seader & Henley)
Solution manual Analysis, Synthesis and Design of Chemical Processes (3rd Ed., Turton, Bailie, Whiting & Shaeiwitz)
Solution manual Principles of Chemical Separations with Environmental Applications (Richard D. Noble)
Solution manual Product and Process Design Principles : Synthesis, Analysis, and Evaluation (2nd Ed., Seider, Seader & Lewin)
Solution manual Product and Process Design Principles : Synthesis, Analysis, and Design (3rd Ed., Seider, Seader, Lewin & Widagdo)
Solution manual Principles and Practices of Automatic Process Control (3rd Ed., Smith & Corripio)
Solution manual Process Systems Analysis and Control (3rd Ed. Donald Coughanowr, Steven LeBlanc)
Solution manual Process Dynamics and Control (2nd Ed., Seborg, Edgard & Mellichamp)
Solution manual Process Dynamics and Control (3rd Ed., Seborg, Edgard, Mellichamp & Doyle)
Solution manual Process Control : A First Course with MATLAB (P.C. Chau)
Solution manual Plant Design and Economics for Chemical Engineers (5th Ed., Peters & Timmerhaus)
Solution manual Basic Principles and Calculations in Chemical Engineering (7th Ed., Himmelblau)
Solution manual Unit Operations of Chemical Engineering (6th Ed., McCabe & Smith)
Solution manual Unit Operations of Chemical Engineering (7th Ed., McCabe & Smith)
Solution manual Transport Phenomena in Biological Systems (1st Ed., George Truskey, Fan Yuan & David Katz)
Solution manual Transport Phenomena in Biological Systems (2nd Ed., George Truskey, Fan Yuan & David Katz)
Solution manual Transport Phenomena : A Unified Aprroach (Robert S. Brodkey & Harry C. Hershey)
Solution manual Modeling in Transport Phenomena : A Conceptual Approach (2nd Ed., Ismail Tosun)
Solution manual Transport Phenomena (2nd Ed., Bird & Stewart)
Solution manual Solutions to Class 1&2 - Transport Phenomena (Bird)
Solution manual Chemical Engineering Design (Gavin Towler)
Solution manual Chemical Engineering Design (Coulson & Richardson's Chemical Engineering - Volume 6) - (4th Ed., Sinnott)
Solution manual Chemical Engineering Design - SI Edition (5th Ed., Sinnott & Towler)
Solution manual Fundamentals of Nuclear Reactor Physics (Elmer Lewis)
Solution manual Nuclear Energy : An Introduction to the Concepts, Systems, and Applications of Nuclear Processes (6th Ed., Raymond L. Murray)
Solution manual Chemical Engineering Design and Analysis : An Introduction (Duncan & Reimer)
Solution manual Introduction to Chemical Reactor Analysis (R.E. Hayes)

Solution manual Kinetics of Catalytic Reactions (Albert Vannice)
Solution manual An Introduction to Chemical Engineering Kinetics and Reactor Design (Charles G. Hill)
Solution manual Chemical Reactions and Chemical Reactors (George W. Roberts)
Solution manual Chemical Reaction Engineering (3rd Ed., Levenspiel)
Solution manual Fundamentals of Chemical Reaction Engineering (1st Ed., Davis)
Solution manual Conceptual Design of Distillation Systems (1st Ed., Doherty & Malone)
Solution manual Fluid Mechanics for Chemical Engineers (3rd Ed., Noel de Nevers)
Solution manual Introduction to Chemical Processes : Principles, Analysis, Synthesis (1st Ed., Regina M. Murphy)
Solution manual Optimization of Chemical Processes (2nd Ed., Edgar & Himmelblau)
Solution manual Two-Phase Flow : Theory and Applications (Clement Kleinstreuer)
Solution manual Chemical and Engineering Thermodynamics (3rd Ed., Stanley I. Sandler)
Solution manual Chemical, Biochemical, and Engineering Thermodynamics (4th Ed., Stanley I. Sandler)
Solution manual Introduction to Chemical Engineering Thermodynamics (6th Ed., Smith & Van Ness)
Solution manual Introduction to Chemical Engineering Thermodynamics (7th Ed., Smith & Van Ness)
Solution manual Engineering and Chemical Thermodynamics (Koretsky)
Solution manual Introduction to Chemical Principles (9th Ed., Stephen Stoker)
Solution manual Basic Chemistry (2nd Ed., K. Timberlake & W. Timberlake)
Solution manual Phase Equilibria, Phase Diagrams and Phase Transformations : Their Thermodynamic Basis (2nd Ed., Mats Hillert)
Solution manual Principles of Chemical Kinetics (2nd Ed., James House)
Solution manual Elementary Principles of Chemical Processes (3rd Ed., Felder & Rousseau)
Solution manual Elements of Chemical Reaction Engineering (3rd Ed., Fogler)
Solution manual Principles Of Polymer Systems (5th Ed., by Ferdinand Rodriguez, Claude Cohen, Christopher Ober, Lynden Archer)
Solution manual Group Theory with Applications in Chemical Physics (Patrick Jacobs)
Solution manual Food Analysis (3rd Ed., Suzanne Nielsen)
Solution manual Introduction to Physical Chemistry (3rd Ed., Ladd)
Solution manual General Chemistry: Principles and Modern Applications (10th Ed., Ralph H. Petrucci, F. Geoffrey Herring, Jeffry D. Madura, Carey Bissonnette)
Solution manual Virtual ChemLab : General Chemistry Student Lab Manual / Workbook, v2.5, 3rd Ed. (Brian Woodfield & Matthew Asplund)
Solution manual Introductory Chemistry (2nd Ed., Nivaldo J. Tro)
Solution manual Introductory Chemistry (3rd Ed., Nivaldo J. Tro)
Solution manual Conceptual Integrated Science (Hewitt, Lyons, Suchocki & Yeh)

Solution manual Introductory Chemistry: Concepts and Connections (4th Ed., Charles Corwin)
Solution manual Prentice Hall Lab Manual Introductory Chemistry (4th Ed., Charles Corwin)
Solution manual Modern Organic Synthesis : An Introduction (George S. Zweifel, Michael H. Nantz)
Solution manual General, Organic and Biological Chemistry : Structures of Life (2nd Ed., Karen Timberlake)
Solution manual Chemistry : An Introduction to General, Organic, and Biological Chemistry (9th Ed., Karen Timberlake)
Solution manual Chemistry : An Introduction to General, Organic, and Biological Chemistry (10th Ed., Karen Timberlake)
Solution manual Conceptual Chemistry (3rd Ed., John A. Suchocki)
Solution manual Explorations in Conceptual Chemistry : A Student Activity Manual (Jeffrey Paradis)
Solution manual Criminalistics : An Introduction to Forensic Science (9th Ed., Richard Saferstein)
Solution manual Physical Chemistry (Thomas Engel & Philip Reid)
Solution manual Physical Chemistry for the Life Sciences (Engel, Drobny & Reid)
Solution manual Quantum Chemistry and Spectroscopy with Spartan Student Physical Chemistry Software (Thomas Engel & Philip Reid)
Solution manual Themodynamics, Statistical Thermodynamics, and Kinetics (Thomas Engel & Philip Reid)
Solution manual Physical Chemistry (7th. Ed., Peter Atkins & Julio de Paula)
Solution manual Physical Chemistry (2nd Ed., Robert Mortimer)
Solution manual Physical Chemistry (3rd Ed., Robert Mortimer)
Solution manual Chemistry (4th Ed., Olmsted & Williams)
Solution manual Chemistry : Structure and Dynamics (3rd Ed., Spencer, Bodner & Rickard)
Solution manual Chemistry : Structure and Dynamics (4th Ed., Spencer, Bodner & Rickard)
Solution manual Chemistry (3rd Ed., Catherine E. Housecroft & Edwin Constable)
Solution manual Chemistry (4th Ed., Catherine E. Housecroft & Edwin Constable)
Solution manual General Chemistry : The Essential Concepts (4th Ed., Raymond Chang)
Solution manual Principles of General Chemistry (2nd Ed., Martin Silberberg)
Solution manual Chemistry : The Molecular Nature of Matter and Change (3rd Ed., Martin Silberberg)
Solution manual Chemistry : The Molecular Nature of Matter and Change (4th Ed., Martin Silberberg)
Solution manual Chemistry : The Molecular Nature of Matter and Change (5th Ed., Martin Silberberg)
Solution manual General, Organic and Biochemistry (3rd ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual General, Organic and Biochemistry (4th ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual General, Organic and Biochemistry (5th ed., Katherine Denniston, Joseph Topping & Robert Caret)

Solution manual General, Organic and Biochemistry (6th ed., Katherine Denniston, Joseph Topping & Robert Caret)
Solution manual Introduction to General, Organic and Biochemistry in the Laboratory: Laboratory Manual (8th Ed., Hein, Peisen, Ritchey, Pattison & Arena)
Solution manual Introduction to General, Organic and Biochemistry in the Laboratory: Laboratory Manual (9th Ed., Hein, Pattison, Arena & Best)
Solution manual Introduction to General, Organic and Biochemistry (8th Ed., Hein, Best, Pattison & Arena)
Solution manual Introduction to General, Organic and Biochemistry (9th Ed., Hein, Pattison, Arena & Best)
Solution manual General, Organic and Biological Chemistry : An Integrated Approach, Laboratory Experiments (Macaulay, Bauer & Bloomfield)
Solution manual General, Organic, and Biological Chemistry : An Integrated Approach (1st Ed., Kenneth W. Raymond)
Solution manual General, Organic, and Biological Chemistry : An Integrated Approach (2nd Ed., Kenneth W. Raymond)
Solution manual General, Organic, and Biological Chemistry : An Integrated Approach (3rd Ed., Kenneth W. Raymond)
Solution manual General, Organic, and Biological Chemistry : A Guided Inquiry (Michael Garoutte)
Solution manual Biophysical Chemistry (James P. Allen)
Solution manual Fundamentals of Chemistry (3rd Ed., David Goldberg)
Solution manual Fundamentals of Chemistry (4th Ed., David Goldberg)
Solution manual Fundamentals of Chemistry (5th Ed., David Goldberg)
Solution manual Chemistry : A Guided Inquiry (4th Ed., Richard Moog & John Farrell)
Solution manual Chemistry : Matter and Its Changes (4th Ed., Brady & Senese)
Solution manual Chemistry : The Study of Matter and Its Changes (5th Ed., Brady & Senese)
Solution manual Chemistry : An Everyday Approach to Chemical Investigation (Sally Solomon, Susan Rutkowsky & Charles Boritz)
Solution manual Organic Chemistry (8th Ed., T. W. Graham Solomons & Craig B. Fryhle)
Solution manual Organic Chemistry (9th Ed., T. W. Graham Solomons & Craig B. Fryhle)
Solution manual Organic Chemistry (10th Ed., T. W. Graham Solomons & Craig B. Fryhle)
Solution manual Advanced Organic Chemistry Part A : Structure and Mechanisms (5th Ed., Francis Carey & Richard Sundberg)
Solution manual Advanced Organic Chemistry Part B : Reaction and Synthesis (5th Ed., Francis Carey & Richard Sundberg)
Solution manual Modern Analytical Chemistry (Harvey)
Solution manual General Chemistry Lab Manual (Petra A. M. van Koppen)
Solution manual Organic Structure Determination Using 2-D NMR Spectroscopy : A Problem-Based Approach (Jeffrey Simpson)
Solution manual Practical Interfacing in the Laboratory : Using a PC for Instrumentation, Data Analysis and Control (Stephen E. Derenzo)
Solution manual Bioprocess Engineering Principles (Pauline M. Doran)
Solution manual Isotopes : Principles and Applications (3rd Ed.,

Gunter Faure & Teresa Mensing)
Solution manual Fundamentals of Forensic Science (Max Houck & Jay Siegel)
Solution manual Chemistry Case Studies for Allied Health (Colleen Kelley & Wendy Weeks)
Solution manual The Extraordinary Chemistry of Ordinary Things (4th Ed., Carl Snyder)
Solution manual The Art and Science of Chemical Analysis (Christie Enke)
Solution manual Spectrometric Identification of Organic Compounds (7th Ed., Robert Silverstein, Francis Webster, David Kiemle)
Solution manual Bioinstrumentation (John G. Webster)
Solution manual Medical Instrumentation Application and Design (4th Ed., John G. Webster)
Solution manual Microscale General Chemistry Laboratory : with Selected Macroscale Experiments (2nd Ed., Zvi Szafran, Ronald Pike, Judith Foster)
Solution manual Microscale Organic Laboratory : with Multistep and Multiscale Syntheses (4th Ed., Dana Mayo, Ronald Pike, Peter Trumper)
Solution manual Laboratory Manual for Principles of General Chemistry (8th Ed., Jo Allan Beran)

- Industrial Engineering, Business, Economics and Finance :

Solution manual Basics of Engineering Economy (1st Ed., Leland T Blank & Anthony Tarquin)
Solution manual Engineering Economy (5th Ed., Leland T Blank & Anthony Tarquin)
Solution manual Engineering Economy (6th Ed., Leland T Blank & Anthony Tarquin)
Solution manual Contemporary Engineering Economics (4th Ed., Chan Park)
Solution manual Contemporary Engineering Economics (5th Ed., Chan Park)
Solution manual Fundamentals of Engineering Economics (2nd Ed., Chan Park)
Solution manual Fundamentals of Engineering Economics : International Version (2nd Ed., Chan Park)
Solution manual Engineering Economy (13th Ed, Sullivan, Wicks & Luxhoj)
Solution manual Engineering Economy (14th Ed, Sullivan, Wicks & Koelling)
Solution manual Engineering Economics : International Version (14th Ed., Sullivan, Wicks & Koelling)
Solution manual Recursive Methods in Economic Dynamics (C. Irigoyen)
Solution manual Engineering Design (Rudolph J. Eggert)
Solution manual Engineering Design : A Project-Based Introduction (2nd

Ed., Clive L. Dym & Patrick Little)
Solution manual Engineering Design : A Project-Based Introduction (3rd Ed., Clive L. Dym & Patrick Little)
Solution manual Tools and Tactics of Design (Dominick, Demel, Lawbaugh, Freuler, Kinzel & Fromm)
Solution manual Introduction to Statistical Quality Control (5th Ed., Douglas C. Montgomery)
Solution manual Introduction to Statistical Quality Control (6th Ed., Douglas C. Montgomery)
Solution manual An Introduction to Investment Banks, Hedge Funds, and Private Equity : The New Paradigm (David Stowell)
Solution manual Financial and Economic Analysis for Engineering and Technology Management (2nd Ed., Henry E. Riggs)
Solution manual Introduction to Operations Research (7th Ed., Hillier and Lieberman)
Solution manual Introduction to Operations Research (8th Ed., Hillier and Lieberman)
Solution manual Introduction to Operations Research (9th Ed., Hillier and Lieberman)
Solution manual Methods, Standards, and Work Design (11th Ed., Niebel & Freivalds)
Solution manual Niebel's Methods, Standards and Work Design (12th Ed., Freivalds & Niebel)
Solution manual Simulation Modeling and Analysis (3rd Ed., Averill Law & David Kealton)
Solution manual Simulation Modeling and Analysis with Expertfit Software (4th Ed., Averill Law)
Solution manual Quality Control (8th Ed., Dale Besterfield)
Solution manual Introduction to Optimum Design (2nd Ed., Jasbir Arora)
Solution manual Numerical Optimization (2nd Ed., Jorge Nocedal & Stephen Wright)
Solution manual Optimization : Foundations and Applications (Ronald E. Miller)
Solution manual Applied Optimization with MATLAB Programming (1st Ed., P. Venkataraman)
Solution manual Applied Optimization with MATLAB Programming (2nd Ed., P. Venkataraman)
Solution manual Introduction to Applied Optimization (2nd Ed., Urmila Diwekar)
Solution manual Exploring Engineering : An Introduction to Engineering and Design (1st Ed., Philip Kosky, George Wise, Robert Balmer & William Keat)
Solution manual Exploring Engineering : An Introduction to Engineering and Design (2nd Ed., Philip Kosky, Robert Balmer, William Keat & George Wise)
Solution manual Quantitative Methods For Management (William E. Pinney, Donald B. McWilliams, Joe Ormsby, Mark Atchison)
Solution manual Modern Methods For Quality Control and Improvement (2nd Ed., Wadsworth, Stephens, Godfrey)
Solution manual Managing Engineering and Technology (4th, Morse & Babcock)
Solution manual Managing Engineering and Technology (5th, Morse & Babcock)

Solution manual Quality Planning and Analysis : From Product Development through Use (4th Ed., Gryna)
Solution manual Juran's Quality Planning and Analysis for Enterprise Quality (5th Ed., Gryna, Chua & DeFeo)
Solution manual Quality (4th Ed., Summers)
Solution manual Quality (5th Ed., Summers)
Solution manual Quality Management (2nd Ed., Summers)
Solution manual Quality Management (5th Ed., Goetsch & Davis)
Solution manual Quality Management for Organizational Excellence : Introduction to Total Quality (6th Ed., David Goetsch & Stanley Davis)
Solution manual Applied Econometric Time Series (2nd Ed., Walter Enders)
Solution manual Applied Econometric Time Series (3rd Ed., Walter Enders)
Solution manual Statistics and Econometrics : Methods and Applications (Ashenfelter, Levine & Zimmerman)
Solution manual Econometric Analysis (5th Ed., William H. Greene)
Solution manual Econometric Analysis (6th Ed., William H. Greene)
Solution manual Management : A Practical Introduction (4th Ed., Angelo Kinicki & Brian Williams)
Solution manual Forest Management and Planning (Pete Bettinger, Kevin Boston, Jacek Siry & Donald Grebner)
Solution manual Foundations of Multinational Financial Management (5th Ed., Shapiro)
Solution manual Foundations of Multinational Financial Management (6th Ed., Shapiro & Sarin)
Solution manual Multinational Financial Management (8th Ed., Shapiro)
Solution manual Multinational Financial Management (9th Ed., Shapiro)
Solution manual Doing Statistics for Business with Excel : Data, Inference, and Decision Making (2nd Ed. Pelosi & Sandifer)
Solution manual Data, Statistics, and Decision Models with Excel (Harnett & Horrell)
Solution manual Modern Portfolio Theory and Investment Analysis (7th Ed., Elton, Gruber, Brown & Goetzmann)
Solution manual Modern Portfolio Theory and Investment Analysis (8th Ed., Elton, Gruber, Brown & Goetzmann)
Solution manual Accounting : What the Numbers Mean (6th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Accounting : What the Numbers Mean (7th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Accounting : What the Numbers Mean (8th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Accounting : What the Numbers Mean (9th Ed., David Marshall, Wayne McManus, Dan Viele)
Solution manual Global Accounting and Control : A Managerial Emphasis (Gray, Salter, Radebaugh)
Solution manual International Accounting and Multinational Enterprises (6th Ed., Radebaugh, Gray, Black)
Solution manual Quality : A Corporate Force, Managing for Excellence (C. Harold Aikens)
Solution manual Quality Inspired Management : The Key to Sustainability (C. Harold Aikens)
Solution manual Value Driven Product Planning and Systems Engineering

(H. E. Cook & L. A. Wissmann)
Solution manual Work Systems : The Methods, Measurement & Management of Work (Mikell Groover)
Solution manual Design and Analysis of Lean Production Systems (Askin & Goldberg)
Solution manual Occupational Safety and Health for Technologists, Engineers, and Managers (5th Ed., Goetsch)
Solution manual Occupational Safety and Health for Technologists, Engineers, and Managers (6th Ed., Goetsch)
Solution manual Manufacturing Facilities Design and Material Handling (3rd Ed., Meyers & Stephens)
Solution Manual Manufacturing Facilities Design and Material Handling (4th Ed., Stephens & Meyers)
Solution Manual Fundamentals of Forensic Science (Max Houck & Jay Siegel)
Solution Manual Project Management for Business and Engineering : Principles and Practice (2nd Ed., John Nicholas)
Solution Manual Project Management for Business and Engineering : Principles and Practice (3rd Ed., John Nicholas)
Solution Manual CIMA Official Learning System Integrated Management (4th Ed., Ann Norton)
Solution Manual CIMA Official Learning System Enterprise Management (6th Ed., Ann Norton & Jenny Hughes)
Solution Manual CIMA Official Learning System Financial Operations (6th Ed., Jo Watkins)
Solution Manual CIMA Official Learning System Financial Management (6th Ed., Luisa Robertson)
Solution Manual CIMA Official Learning System Enterprise Strategy (6th Ed., Neil Botten)
Solution Manual CIMA Official Learning System Fundamentals of Business Maths (4th Ed., Graham Eaton)
Solution Manual CIMA Official Learning System Financial Analysis (4th Ed., Catherine Gowthorpe)
Solution Manual CIMA Official Learning System Fundamentals of Financial Accounting (2nd Ed., Henry Lunt)
Solution Manual CIMA Official Learning System Fundamentals of Financial Accounting (6th Ed., Henry Lunt)
Solution Manual CIMA Official Learning System Performance Management (6th Ed., Jo Avis)
Solution Manual CIMA Official Learning System Fundamentals of Management Accounting (2nd Ed., Janet Walker)
Solution Manual CIMA Official Learning System Management Accounting Financial Strategy (4th Ed., John Ogilvie)
Solution Manual CIMA Official Learning System Financial Strategy (6th Ed., John Ogilvie)
Solution Manual CIMA Official Learning System Organisational Management and Information Systems (4th Ed., Bob Perry)
Solution Manual CIMA Learning System Enterprise Operations (Bob Perry)
Solution Manual CIMA Learning System Management Accounting - Performance Evaluation (4th Ed., Robert Scarlett)
Solution Manual CIMA Official Learning System - Performance Operations (6th Ed., Robert Scarlett)
Solution Manual CIMA Official Learning System Fundamentals of Business

Economics (2nd Ed., Steve Adams & Paul Periton)
Solution Manual Operations Management in Context (2nd Ed., Rowbotham, Azhashemi & Galloway)
Solution Manual Accounting for Business Studies (Aneirin Sion Owen)
Solution Manual ISO 9001 : 2000 Quality Registration Step-by-Step (3rd Ed., Fred Dobb)
Solution Manual Systems for Planning and Control in Manufacturing (D. K. Harrison & D. J. Petty)
Solution Manual Facilities Planning (3rd Ed., Tompkins, White, Bozer & Tanchoco)
Solution Manual Facilities Planning (4th Ed., Tompkins)
Solution Manual Facilities Planning and Design (Alberto Garcia-Diaz & J. MacGregor Smith)
Solution Manual Planning and Control of Manufacturing Operations (John Kenworthy)
Solution Manual Professionalism: Real Skills for Workplace Success (Anderson & Bolt)
Solution Manual Customer Service : Career Success Through Customer Loyalty (4th Ed., Timm)
Solution Manual Customer Service : A Practical Approach (3rd Ed., Harris)
Solution Manual Customer Service : A Practical Approach (4th Ed., Harris)
Solution Manual Serving Internal and External Customers (Anne Swartzlander)
Solution Manual The Theory of Interest (3rd Ed., Stephen G. Kellison)
Solution Manual Customer Relationship Management : The Bottom Line to Optimizing Your ROI (Anton & Petouhoff)
Solution Manual Engineering Economy and the Decision-Making Process (Joseph C. Hartman)
Solution Manual Engineering Management : Challenges in the New Millennium (C. M. Chang)
Solution Manual Cost Analysis and Estimating for Engineering and Management (Phillip F. Ostwald & Timothy S. McLaren)
Solution Manual Supply Chain Management (3rd Ed., Sunil Chopra & Peter Meindl)
Solution Manual Supply Chain Management (4th Ed., Sunil Chopra & Peter Meindl)
Solution Manual Supply Chain Management : From Vision to Implementation (Stanley E. Fawcett, Lisa M. Ellram, Jeffrey A. Ogden)
Solution Manual Industrial Safety and Health Management (5th Ed., C. Ray Asfahl)
Solution Manual Computer Numerical Control : Operation and Programming (3rd Ed., Jon S. Stenerson & Kelly Curran)
Solution Manual Introduction to Management Science (8th Ed., Bernard W. Taylor)
Solution Manual Introduction to Management Science (9th Ed., Bernard W. Taylor)
Solution Manual Introduction to Management Science (10th Ed., Bernard W. Taylor)
Solution Manual Operations Research : An Introduction (8th Ed., Taha)
Solution Manual Decision Support Systems and Intelligent Systems (7th Ed., Turban, Aronson, Ting-Peng Liang)

Solution Manual Decision Support and Business Intelligence Systems (8th Ed., Turban, Aronson, Ting-Peng Liang & Sharda)
Solution Manual Introduction to Information Systems : Canadian Edition (Rainer, Turban, Splettstoesser-Hogeterp, Sanchez-Rodriguez)
Solution Manual Introduction to Information Systems : Supporting and Transforming Business (1st Ed., Rainer, Turban, Potter)
Solution Manual Introduction to Information Systems : Supporting and Transforming Business (2nd Ed., Rainer, Turban)
Solution Manual Information Technology for Management : Transforming Organizations in the Digital Economy (5th Ed., Turban, Leidner, McLean, Wetherbe)
Solution Manual Information Technology for Management : Transforming Organizations in the Digital Economy (6th Ed., Turban, Leidner, McLean, Wetherbe)
Solution Manual Information Technology for Management : Improving Performance in the Digital Economy (7th Ed., Turban & Volonino)
Solution Manual Operations Management (7th Ed., Krajewski, Ritzman)
Solution Manual Operations Management : Process and Value Chains (8th Ed., Krajewski, Ritzman & Malhotra)
Solution Manual Operations Management : Process and Supply Chains (9th Ed., Krajewski, Ritzman & Malhotra)
Solution Manual Operations Management : Process and Supply Chains - Global Edition (9th Ed., Krajewski, Ritzman & Malhotra)
Solution Manual Operations Management (8th Ed., Jay Heizer & Render)
Solution Manual Operations Management (9th Ed., Jay Heizer & Render)
Solution Manual Operations Management (10th Ed., Jay Heizer & Render)
Solution Manual Introduction to Operations and Supply Chain Management with Advanced Decision Support Tools (1st Ed., Cecil Bozarth)
Solution Manual Introduction to Operations and Supply Chain Management (2nd Ed., Cecil Bozarth, Robert B. Handfield)
Solution Manual Managing Business Process Flows : Principles of Operations Management (2nd Ed., Anupind, Chopra, Deshmukh, et al)
Solution Manual Principles Of Operations Management (6th Ed., Heizer & Render)
Solution Manual Principles Of Operations Management (7th Ed., Heizer & Render)
Solution Manual Principles Of Operations Management (8th Ed., Heizer & Render)
Solution Manual Foundations of Operations Management (Ritzman & Krajewski)
Solution Manual Foundations of Operations Management - Canadian Edition (2nd Ed., Ritzman, Krajewski, Malhotra & Klassen)
Solution Manual Basic Marketing : A Marketing Strategy Planning Approach (16th Ed., Perreault, Cannon & McCarthy)
Solution Manual Basic Marketing : A Marketing Strategy Planning Approach (17th Ed., Perreault, Cannon & McCarthy)
Solution Manual Foundations of Financial Management (11th Ed., Block & Hirt)
Solution Manual Foundations of Financial Management (12th Ed., Block & Hirt)
Solution Manual Foundations of Financial Management (13th Ed., Block, Hirt & Danielsen)
Solution Manual Decision Modeling with Microsoft=AE Excel (6th Ed.,

Moore & Weatherford)
Solution Manual Managing Quality : Integrating The Supply Chain (3rd Ed., S. Thomas Foster)
Solution Manual Six Sigma : Basic Tools and Techniques (Donna C.S. Summers)
Solution Manual A First Course in Quality Engineering (KS Krishnamoorthi)
Solution Manual Statistical Quality Design and Control (2nd Ed., DeVor, Chang & Sutherland)
Solution Manual Economics : A Tool for Critically Understanding Society (7th Ed., Riddell, Shackelford, Stamos & Schneider)
Solution Manual Economics : A Tool for Critically Understanding Society (8th Ed., Riddell, Shackelford, Stamos & Schneider)
Solution Manual Introduction to Economic Reasoning (6th Ed., William D. Rohlf, Jr.)
Solution Manual Introduction to Economic Reasoning (7th Ed., William D. Rohlf, Jr.)
Solution Manual Economics (9th Ed., Michael Parkin)
Solution Manual Essential Foundations of Economics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Essential Foundations of Economics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual Understanding Modern Economics (Roger LeRoy Miller)
Solution Manual The Economics of Macro Issues (3rd Ed., Roger LeRoy Miller & Daniel K. Benjamin)
Solution Manual Foundations of Economics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Economics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual International Economics (8th Ed., Dominick Salvatore)
Solution Manual International Economics (9th Ed., Dominick Salvatore)
Solution Manual International Economics (10th Ed., Dominick Salvatore)
Solution Manual Introduction to International Economics (1st Ed., Dominick Salvatore)
Solution Manual Introduction to International Economics (2nd Ed., Dominick Salvatore)
Solution Manual Economics Today (13th Ed., Roger LeRoy Miller)
Solution Manual Economics Today (14th Ed., Roger LeRoy Miller)
Solution Manual Economics Today (15th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View - Canadian Edition (4th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View (13th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View (14th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Macro View (15th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View - Canadian Edition (4th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View (13th Ed., Roger LeRoy Miller)
Solution Manual Economics Today : The Micro View (14th Ed., Roger LeRoy Miller)

Solution Manual Economics Today : The Micro View (15th Ed., Roger LeRoy Miller)
Solution Manual Economics (Michael A. Leeds, Peter von Allmen & Richard C. Schiming)
Solution Manual Economics : Private Markets and Public Choice (7th Ed., Ekelund, Jr., Ressler & Tollison)
Solution Manual Principles of Economics, 7th Ed. (Roy J. Ruffin & Paul R. Gregory)
Solution Manual The Economics of Public Issues (14th Ed., Miller, Benjamin & North)
Solution Manual The Economics of Public Issues (15th Ed., Miller, Benjamin & North)
Solution Manual Macroeconomics (7th Ed., Michael Parkin)
Solution Manual Macroeconomics (8th Ed., Michael Parkin)
Solution Manual Macroeconomics (9th Ed., Michael Parkin)
Solution Manual Foundations of Microeconomics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Microeconomics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Macroeconomics (3rd Ed., Robin Bade & Michael Parkin)
Solution Manual Foundations of Macroeconomics (4th Ed., Robin Bade & Michael Parkin)
Solution Manual Microeconomic Theory (Andreu Mas-Colell, Michael D. Whinston, Jerry R. Green)
Solution Manual Microeconomics MyEconLab Homework Edition (Leeds, von Allmen & Schiming)
Solution Manual Macroeconomics MyEconLab Homework Edition (Leeds, von Allmen & Schiming)
Solution Manual Microeconomics (7th Ed., Michael Parkin)
Solution Manual Microeconomics (8th Ed., Michael Parkin)
Solution Manual Microeconomics (9th Ed., Michael Parkin)
Solution Manual Microeconomics (6th Ed., Robert Pindyck & Daniel Rubinfeld)
Solution Manual Microeconomics (7th Ed., Robert Pindyck & Daniel Rubinfeld)
Solution Manual Macroeconomics (2nd Ed., Stephen D. Williamson)
Solution Manual Macroeconomics (3rd Ed., Stephen D. Williamson)
Solution Manual Macroeconomics Update Edition (5th Ed., Andrew B. Abel, Ben S. Bernanke)
Solution Manual Macroeconomics (6th Ed., Andrew B. Abel, Ben S. Bernanke & Dean Croushore)
Solution Manual Macroeconomics (10th Ed., Robert J. Gordon)
Solution Manual Macroeconomics (11th Ed., Robert J. Gordon)
Solution Manual Macroeconomics - Canadian Edition (3rd Ed., Olivier Blanchard & David R. Johnson)
Solution Manual Macroeconomics (4th Ed., Olivier Blanchard)
Solution Manual Macroeconomics - Canadian Edition (4th Ed., Olivier Blanchard & David R. Johnson)
Solution Manual Macroeconomics (5th Ed., Olivier Blanchard)
Solution Manual Systems Engineering and Analysis (5th Ed., Benjamin Blanchard & Wolter Fabrycky)
Solution Manual Economic Growth (1st Ed., David N. Weil)

Solution Manual Economic Growth (2nd Ed., David N. Weil)
Solution Manual Money, the Financial System, and the Economy (5th Ed., R. Glenn Hubbard)
Solution Manual Money, the Financial System, and the Economy (6th Ed., R. Glenn Hubbard)
Solution Manual Money, Banking and Financial Markets (2nd Ed., Stephen G. Cecchetti)
Solution Manual The Economics of Money, Banking and Financial Markets (8th Ed., Frederic S. Mishkin)
Solution Manual The Economics of Money, Banking and Financial Markets (9th Ed., Frederic S. Mishkin)
Solution Manual Principles of Money, Banking, and Financial Markets (11th Ed., Ritter, Silber & Udell)
Solution Manual Principles of Money, Banking, and Financial Markets (12th Ed., Ritter, Silber & Udell)
Solution Manual Fundamentals of Corporate Finance (Parrino & Kidwell)
Solution Manual Financial Institutions, Markets, and Money (9th Ed., Kidwell, Blackwell, Whidbee & Peterson)
Solution Manual Financial Institutions, Markets, and Money (10th Ed., Kidwell, Blackwell, Whidbee & Peterson)
Solution Manual International Economics (3rd Ed., James Gerber)
Solution Manual International Economics (4th Ed., James Gerber)
Solution Manual International Economics (5th Ed., James Gerber)
Solution Manual International Economics (7th Ed., Steven Husted & Michael Melvin)
Solution Manual International Economics (8th Ed., Steven Husted & Michael Melvin)
Solution Manual International Economics (3rd Ed., W. Charles Sawyer & Richard L. Sprinkle)
Solution Manual World Trade and Payments : An Introduction (9th Ed., Caves, Frankel & Jones)
Solution Manual World Trade and Payments : An Introduction (10th Ed., Caves, Frankel & Jones)
Solution Manual International Economics : Theory and Policy (7th Ed., Krugman & Obstfeld)
Solution Manual International Economics : Theory and Policy (8th Ed., Krugman & Obstfeld)
Solution Manual International Money and Finance (7th Ed., Michael Melvin)
Solution Manual Economic Development (9th Ed., Todaro & Smith)
Solution Manual Microeconomics (4th Ed., Jeffrey M. Perloff)
Solution Manual Microeconomics (Don E. Waldman)
Solution Manual Microeconomics : Theory and Applications with Calculus (Jeffrey M. Perloff)
Solution Manual Microeconomic : Theory and Applications (9th Ed., Browning & Zupan)
Solution Manual Microeconomic : Theory and Applications (10th Ed., Browning & Zupan)
Solution Manual Environmental Economics and Policy (5th Ed., Tom Tietenberg)
Solution Manual Environmental and Natural Resource Economics (7th Ed., Tom Tietenberg)
Solution Manual Health Economics (3rd Ed., Charles E. Phelps)

Solution Manual Industrial Organization : Theory and Practice (3rd Ed., Waldman & Jensen)
Solution Manual Modern Industrial Organization (4th Ed., Carlton & Perloff)
Solution Manual Modern Labor Economics : Theory and Public Policy (9th Ed., Ehrenberg & Smith)
Solution Manual Law and Economics (4th Ed., Cooter & Ulen)
Solution Manual Law and Economics (5th Ed., Cooter & Ulen)
Solution Manual Market Regulation (Roger Sherman)
Solution Manual Public Finance and the American Economy (2nd Ed., Neil Bruce)
Solution Manual The Economics of Sports (2nd Ed., Leeds & von Allmen)
Solution Manual The Economics of Sports (3rd Ed., Leeds & von Allmen)
Solution Manual Introduction to Econometrics, Brief Edition (James H. Stock & Mark W. Watson)
Solution Manual Introduction to Econometrics (2nd ed., James H. Stock & Mark W. Watson)
Solution Manual Econometrics : A Modern Introduction (Michael P. Murray)
Solution Manual Using Econometrics : A Practical Guide (5th Ed., A.H. Studenmund)
Solution Manual Mathematical Methods for Economics (2nd Ed., Michael Klein)
Solution Manual Personal Finance with Financial Planning Software (3rd Ed., Jeff Madura)
Solution Manual Finance : Investments, Institutions, and Management - Update (2nd Ed., Stanley G. Eakins)
Solution Manual Introduction to Finance (Lawrence J. Gitman & Jeff Madura)
Solution Manual Principles of Managerial Finance Brief (4th Ed., Lawrence J. Gitman)
Solution Manual Principles of Managerial Finance (11th Ed., Lawrence J. Gitman)
Solution Manual Corporate Finance (Jonathan Berk & Peter DeMarzo)
Solution Manual Corporate Finance (7th Ed., Stephen A. Ross, Randolph W. Westerfield, Jeffrey Jaffe)
Solution Manual Principles of Corporate Finance (7th Ed., Richard A. Brealey, Stewart C. Myers)
Solution Manual Risk Takers : Uses and Abuses of Financial Derivatives (John Marthinsen)
Solution Manual Theory of Asset Pricing (George Pennacchi)
Solution Manual Multinational Business Finance (10th Ed., Eiteman, Stonehill & Moffett)
Solution Manual Multinational Business Finance (11th Ed., Eiteman, Stonehill & Moffett)
Solution Manual Fundamentals of Multinational Finance (1st Ed., Moffett, Stonehill & Eiteman)
Solution Manual Fundamentals of Multinational Finance (2nd Ed., Moffett, Stonehill & Eiteman)
Solution Manual Fundamentals of Multinational Finance (3rd Ed., Moffett, Stonehill & Eiteman)
Solution Manual Cases in International Finance (2nd Ed., Dufey & Giddy)

Solution Manual Fundamentals of Investing (9th Ed., Gitman & Joehnk)
Solution Manual Fundamentals of Investing (10th Ed., Gitman & Joehnk)
Solution Manual OTIS : Online Trading (Wharton Learning Lab)
Solution Manual Derivatives Markets (2nd Ed., Robert L. McDonald)
Solution Manual Principles of Risk Management and Insurance (9th Ed., George E. Rejda)
Solution Manual Principles of Risk Management and Insurance (10th Ed., George E. Rejda)
Solution Manual Financial Markets and Institutions (5th Ed., Frederic S. Mishkin & Stanley G. Eakins)
Solution Manual Financial Markets and Institutions (6th Ed., Frederic S. Mishkin & Stanley G. Eakins)
Solution Manual Statistical Analysis of Financial Data in S-PLUS (Rene A. Carmona)
Solution Manual Statistics and Finance : An Introduction (David Ruppert)
Solution Manual Mathematical Statistics for Economics and Business (Ron C. Mittelhammer)
Solution Manual Job Hazard Analysis (James E. Roughton & Nathan Crutchfield)
Solution Manual Managerial Issues of Enterprise Resource Planning Systems (David L. Olson)
Solution Manual Business Driven Technology (1st Ed., Haag et al.)
Solution Manual Business Driven Technology (2nd Ed., Haag et al.)
Solution Manual Operations Management : An Integrated Approach (2nd Ed., R. Dan Reid & Nada Sanders)
Solution Manual Operations Management : An Integrated Approach (3rd Ed., R. Dan Reid & Nada Sanders)
Solution Manual Operations Management (4th Ed., R. Dan Reid & Nada Sanders)
Solution Manual Commercial Banking: The Management of Risk (3rd Ed., Gup & Kolari)
Solution Manual Essential Statistics for Economics, Business and Management (Teresa Bradley)
Solution Manual Calculus for Business, Economics, and the Social and Life Sciences (8th Ed., Hoffmann & Bradley)
Solution Manual Calculus for Business, Economics, and the Social and Life Sciences (9th Ed., Hoffmann & Bradley)
Solution Manual Calculus for Business, Economics, and the Social and Life Sciences, Brief Edition (10th Ed., Hoffmann & Bradley)
Solution Manual Applied Calculus for Business, Economics, and the Social and Life Sciences, Expanded Edition (10th Ed., Hoffmann & Bradley)
Solution Manual Accounting for Governmental and Nonprofit Entities (12th Ed., Wilson & Kattelus)
Solution Manual Accounting for Governmental and Nonprofit Entities (13th Ed., Wilson & Kattelus)
Solution Manual Accounting for Governmental and Nonprofit Entities (14th Ed., Wilson, Kattelus & Reck)
Solution Manual Accounting for Governmental and Nonprofit Entities (15th Ed., Wilson, Reck & Kattelus)
Solution Manual Accounting Theory : Text and Readings (7th Ed., Schroeder, Clark & Cathey)

Solution Manual Financial Accounting Theory and Analysis : Text Reading and Cases (8th Ed., Schroeder, Clark & Cathey)
Solution Manual Financial Accounting Theory and Analysis : Text and Cases (9th Ed., Schroeder, Clark & Cathey)
Solution Manual Financial Accounting in an Economic Context (6th Ed., Jamie Pratt)
Solution Manual Financial Accounting in an Economic Context (7th Ed., Jamie Pratt)
Solution Manual Principles of Engineering Economic Analysis (5th Ed., White, Case, Pratt)
Solution Manual Financial Accounting (Michael Jones)
Solution Manual Financial Accounting : A Valuation Emphasis (Hughes, Ayres, Hoskin)
Solution Manual Financial Accounting : A Decision-Making Approach (2nd Ed., King, Lembke & Smith)
Solution Manual Financial Accounting (4th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Financial Accounting, with Annual Report (5th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Financial Accounting (6th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Financial Accounting (7th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Financial Accounting : IFRS Edition (1st Ed., Weygandt, Kimmel & Kieso)
Solution Manual Acive Learning Edition for Financial Accounting : Tools for Business Decision Making (3rd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Financial Accounting : Tools for Business Decision Making, with Annual Report (3rd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Financial Accounting : Tools for Business Decision Making (4th Ed., Kimmel, Weygandt & Kieso)
Solution Manual Financial Accounting : Tools for Business Decision Making (5th Ed., Kimmel, Weygandt & Kieso)
Solution Manual Managerial Decision Modeling with Spreadsheets : Canadian Edition (1st Ed., Render, Stair, Balakrishnan & Smith)
Solution Manual Managerial Decision Modeling with Spreadsheets (1st Ed., Render, Stair, Balakrishnan)
Solution Manual Managerial Decision Modeling with Spreadsheets (2nd Ed., Balakrishnan, Render & Stair)
Solution Manual Introduction to Managerial Accounting (2nd Ed., Brewer, Garrison. Noreen)
Solution Manual Introduction to Managerial Accounting (3rd Ed., Brewer, Garrison. Noreen)
Solution Manual Introduction to Managerial Accounting (4th Ed., Brewer, Garrison. Noreen)
Solution Manual Introduction to Managerial Accounting (5th Ed., Brewer, Garrison. Noreen)
Solution Manual Managerial Accounting (Balakrishnan, Sivaramakrishnan & Sprinkle)
Solution Manual Managerial Accounting : Tools for Business Decision Making, Active Learning Edition (2nd Ed., Weygandt, Kieso & Kimmel)
Solution Manual Managerial Accounting : Tools for Business Decision Making (3rd Ed., Weygandt, Kieso & Kimmel)

Solution Manual Managerial Accounting : Tools for Business Decision Making (4th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Managerial Accounting : Tools for Business Decision Making (5th Ed., Weygandt, Kimmel & Kieso)
Solution Manual Managerial Accounting : Creating Value in a Dynamic Business Environment (6th Ed., Ronald Hilton)
Solution Manual Managerial Accounting : Creating Value in a Dynamic Business Environment (7th Ed., Ronald Hilton)
Solution Manual Managerial Accounting : Creating Value in a Dynamic Business Environment (8th Ed., Ronald Hilton)
Solution Manual Managerial Accounting (2nd Ed., James Jiambalvo)
Solution Manual Managerial Accounting (3rd Ed., James Jiambalvo)
Solution Manual Managerial Accounting (4th Ed., James Jiambalvo)
Solution Manual Accounting : Tools for Business Decision Making (2nd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Accounting : Tools for Business Decision Making (3rd Ed., Kimmel, Weygandt & Kieso)
Solution Manual Intermediate Accounting (4th Ed., Spiceland, Sepe & Tomassini)
Solution Manual Intermediate Accounting (5th Ed., Spiceland, Sepe, Nelson & Tomassini)
Solution Manual Intermediate Accounting (6th Ed., Spiceland, Sepe & Nelson)
Solution Manual Intermediate Accounting: Principles and Analysis (2nd Ed., Warfield, Weygandt & Kieso)
Solution Manual Intermediate Accounting (11th Ed., Kieso, Weygandt, Warfield)
Solution Manual Intermediate Accounting (12th Ed., Kieso, Weygandt, Warfield)
Solution Manual Fundamentals of Intermediate Accounting (Kieso, Weygandt, Warfield)
Solution Manual Accounting Principles (6th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Accounting Principles (7th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Accounting Principles (8th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Accounting Principles (9th Ed., Weygandt, Kieso & Kimmel)
Solution Manual Advanced Accounting (Bline, Fischer & Skekel)
Solution Manual Advanced Accounting (2nd Ed., Jeter & Chaney)
Solution Manual Advanced Accounting (3rd Ed., Jeter & Chaney)
Solution Manual Advanced Accounting (4th Ed., Jeter & Chaney)
Solution Manual Advanced Financial Accounting (7th Ed., Richard Baker, Valdean Lembke, Thomas King, Cynthia Jeffrey)
Solution Manual Advanced Financial Accounting (8th Ed., Richard Baker, Valdean Lembke, Thomas King, Cynthia Jeffrey)
Solution Manual Project Management : A Managerial Approach (6th Ed., Meredith & Mantel)
Solution Manual Project Management : A Managerial Approach (7th Ed., Meredith & Mantel)
Solution Manual Operations Management for MBAs (3rd Ed., Meredith & Shafer)

Solution Manual Operations Management for MBAs (4th Ed., Meredith & Shafer)
Solution Manual Project Management in Practice (3rd Ed., Mantel, Meredith, Shafer & Sutton)
Solution Manual Wiley Pathways Project Management (1st Ed., Portny, Mantel, Jr., Meredith, Shafer, Sutton & Kramer)
Solution Manual Core Concepts : Project Management in Practice (2nd Ed., Mantel, Meredith, Shafer & Sutton)
Solution Manual Advanced Project Management : Best Practices on Implementation (2nd Ed., Harold Kerzner)
Solution Manual Project Management Case Studies (3rd Ed., Harold Kerzner)
Solution Manual Project Management : A Systems Approach to Planning, Scheduling, and Controlling (9th Ed., Harold Kerzner)
Solution Manual Project Management : A Systems Approach to Planning, Scheduling, and Controlling (10th Ed., Harold Kerzner)
Solution Manual Information Technology Project Management : Providing Measurable Organizational Value (2nd Ed., Jack Marchewka)
Solution Manual Information Technology Project Management (3rd Ed., Jack Marchewka)
Solution Manual Core Concepts of Government and Not-for-Profit Accounting (Granof & Wardlow)
Solution Manual Government and Not-for-Profit Accounting : Concepts and Practices (3rd Ed., Granof)
Solution Manual Government and Not-for-Profit Accounting : Concepts and Practices (4th Ed., Granof)
Solution Manual Government and Not-for-Profit Accounting : Concepts and Practices (5th Ed., Granof)
Solution Manual Business Communication Essentials, First Canadian Edition (Bovee, Thill, Schatzman & Scribner)
Solution Manual Business Communication Essentials, Second Canadian Edition (Bovee, Thill & Scribner)
Solution Manual Business Communication Essentials (2nd Ed., Bovee & Thill & Schatzman)
Solution Manual Business Communication Essentials (3rd Ed., Bovee & Thill)
Solution Manual Business Communication Essentials (4th Ed., Bovee & Thill)
Solution Manual Business Data Communications (5th Ed., William Stallings)
Solution Manual Business Data Communications (6th Ed., William Stallings)
Solution Manual Business Data Communications and Networking (8th Ed., FitzGerald & Dennis)
Solution Manual Business Data Communications and Networking (9th Ed., FitzGerald & Dennis)
Solution Manual Business Data Communications and Networking (10th Ed., FitzGerald & Dennis)
Solution Manual Operations Management (1st Ed., Andrew Greasley)
Solution Manual Operations Management (2nd Ed., Andrew Greasley)
Solution Manual Operations Management : Quality and Competitiveness in a Global Environment (5th Ed., Russell & Taylor)
Solution Manual Operations Management : Creating Value Along the

Supply Chain (6th Ed., Russell & Taylor)
Solution Manual Auditing Cases (3rd Ed., Beasley, Buckless, Glover & Prawitt)
Solution Manual Auditing Cases: An Interactive Learning Approach (4th Ed., Beasley, Buckless, Glover & Prawitt)
Solution Manual Auditing and Other Assurance Services, Canadian Tenth Edition (10th Ed., Arens, Elder, Beasley & Splettstoesser-Hogeterp)
Solution Manual Auditing and Assurance Services : An Intergrated Approach (11th Ed., Arens, Elder & Beasley)
Solution Manual Auditing and Assurance Services : An Intergrated Approach (12th Ed., Arens, Elder & Beasley)
Solution Manual Auditing and Assurance Services : An Intergrated Approach (13th Ed., Arens, Elder & Beasley)
Solution Manual Modern Auditing : Assurance Services and the Integrity of Financial Reporting (8th Ed., Boynton & Johnson)
Solution Manual Investments : Analysis and Management (9th Ed., Charles Jones)
Solution Manual Investments : Analysis and Management (10th Ed., Charles Jones)
Solution Manual Investments : Analysis and Management (11th Ed., Charles Jones)
Solution Manual The Art of Modeling with Spreadsheets : Management Science, Spreadsheet Engineering, and Modeling Craft (Powell & Baker)
Solution Manual Management Science : The Art of Modeling with Spreadsheets (2nd Ed., Powell & Baker)
Solution Manual Management Science : The Art of Modeling with Spreadsheets, Excel 2007 Update (Powell & Baker)
Solution Manual Wiley Pathways Introduction to Database Management (Gillenson, Ponniah et al.)
Solution Manual Advanced Theory and Practice in Sport Marketing (Eric Schwarz & Jason Hunter)
Solution Manual Sport and the Media : Managing the nexus (Matthew Nicholson)
Solution Manual Sport Facility Operations Management : A Global Perspective (Eric Schwarz, Stacey Hall & Simon Shibli)
Solution Manual Sport Management : Principles and Application (Russell Hoye, Aaron Smith, et al.)
Solution Manual International Business : The Challenge of Global Competition (10th Ed., Ball, McCulloch, Geringer, Minor & McNett)
Solution Manual International Business : The Challenge of Global Competition (11th Ed., Ball, McCulloch, Geringer, Minor & McNett)
Solution Manual International Business : The Challenge of Global Competition (12th Ed., Ball, McCulloch, Geringer, Minor & McNett)
Solution Manual Statistics for Business (Derek Waller)
Solution Manual Mergers, Acquisitions, and Other Restructuring Activities (4th Ed., Donald DePamphilis)
Solution Manual Mergers, Acquisitions, and Other Restructuring Activities (5th Ed., Donald DePamphilis)
Solution Manual Contemporary Tourism : An international approach (Chris Cooper & Michael Hall)
Solution Manual Nation branding : Concepts, Issues, Practice (Keith Dinnie)
Solution Manual International Business : A Global Perspective

(Katsioloudes & S. Hadjidakis)
Solution Manual Managing Cultural Differences : Global Leadership Strategies for the 21st Century (7th Ed., Moran, Harris & Moran)
Solution Manual Marketing Plans : How to prepare them, how to use them (6th Ed., Malcolm McDonald)
Solution Manual Human Resource Management for the Hospitality and Tourism Industries (Dennis Nickson)
Solution Manual Exploring Employee Relations : An International Approach (2nd Ed., Mike Leat)
Solution Manual Introduction to Financial Technology (Roy Freedman)
Solution Manual Managing Innovation : New Technology, New Products, and New Services in a Global Economy (2nd Ed., John Ettlie)
Solution Manual Enterprise : Entrepreneurship and Innovation : Concepts, Contexts and Commercialization (Lowe & Marriott)
Solution Manual Strategic Management : Global Cultural Perspectives for Profit and Non-Profit Organizations (Marios Katsioloudes)
Solution Manual e-Business and e-Commerce How to Program (Harvey M. Deitel, Paul J. Deitel, Tem R. Nieto)
Solution Manual Introduction to e-Business : Management and Strategy (Colin Combe)
Solution Manual Managing People and Organizations in Changing Contexts (Graeme Martin)
Solution Manual Sustainable Tourism (David Weaver)
Solution Manual Knowledge Management in Theory and Practice (Kimiz Dalkir)
Solution Manual Fixed Income Markets and Their Derivatives (3rd Ed., Suresh Sundaresan)
Solution Manual Introduction to Human Resource Management (2nd Ed., John Stredwick)
Solution Manual Organisations and the Business Environment (2nd Ed., David Campbell & Tom Craig)
Solution Manual Strategic Operations Management (2nd Ed., Brown, Lamming, Bessant & Jones)
Solution Manual Worldwide Destinations : The Geography of Travel and Tourism (4th Ed., Boniface & Cooper)
Solution Manual Worldwide Destinations : The Geography of Travel and Tourism (5th Ed., Boniface & Cooper)
Solution Manual Worldwide Destinations Casebook : The Geography of Travel and Tourism (2nd Ed., Boniface & Cooper)
Solution Manual Marketing in Travel and Tourism (4th Ed., Middleton, Fyall, Morgan & Ranchhod)
Solution Manual Strategic Marketing Planning (1st Ed., C. Gilligan & R. Wilson)
Solution Manual Strategic Marketing Planning (2nd Ed., C. Gilligan & R. Wilson)
Solution Manual Strategic Marketing Management : Planning, Implementation and Control (3rd Ed., Wilson & Gilligan)
Solution Manual Marketing Communications Management : Concepts and Theories, Cases and Practices (Paul Copley)
Solution Manual Auction Theory (2nd Ed., Vijay Krishna)
Solution Manual Principles of Financial Engineering (1st Ed., Salih Neftci)
Solution Manual Principles of Financial Engineering (2nd Ed., Salih

Neftci)
Solution Manual A Behavioral Approach to Asset Pricing (2nd Ed., Hersh Shefrin)
Solution Manual Managing Finance : A Socially Responsible Approach (D. Crowther)
Solution Manual Customer Relationship Management (2nd Ed., Francis Buttle)
Solution Manual Introduction to Knowledge Management : KM in Business (Groff & Jones)
Solution Manual Principles of Retailing (J. Fernie, S. Fernie & Moore)
Solution Manual Business Strategy (2nd Ed., Campbell, Stonehouse & Houston)
Solution Manual Market-Led Strategic Change (3rd Ed., Nigel Piercy)
Solution Manual Market-Led Strategic Change (4th Ed., Nigel Piercy)
Solution Manual International Hospitality Management : Concepts and cases (Alan Clarke & Wei Chen)
Solution Manual Electronic Commerce : Principles and Practice (Hossein Bidgoli)
Solution Manual Financial Management for Hospitality Decision Makers (Chris Guilding)
Solution Manual Accounting Essentials for Hospitality Managers (2nd Ed., Chris Guilding)
Solution Manual Global Business Leadership (E.S. Wibbeke)
Solution Manual Strategic Marketing : Planning and Control (2nd Ed., Drummond, Ensor & Ashford)
Solution Manual Project Finance in Theory and Practice : Designing, Structuring, and Financing Private and Public Projects (Stefano Gatti)
Solution Manual Hotel Convention Sales, Services and Operations (Pat Golden-Romero)
Solution Manual Contemporary Financial Intermediation (2nd Ed., Greenbaum & Thakor)
Solution Manual Intermediate Financial Theory (2nd Ed., Danthine & Donaldson)
Solution Manual Essential Law for Marketers (Ardi Kolah)
Solution Manual Introduction to Health and Safety at Work (4th Ed., Phil Hughes & Ed Ferrett)
Solution manual An Introduction to the Mathematics of Financial Derivatives (2nd Ed., Salih Neftci)
Solution manual Introduction to Emergency Management (3rd Ed., Haddow, Bullock & Coppola)
Solution manual Food and Beverage Management (4th Ed., Davis, Lockwood, Pantelidis & Alcott)
Solution manual Maritime Security : An Introduction (Michael McNicholas)
Solution manual Contemporary Logistics (8th Ed., Paul R. Murphy, Donald Wood)
Solution manual Contemporary Logistics (9th Ed., Paul R. Murphy, Donald Wood)

- Materials Engineering :

Solution manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (3rd Ed., Mikell Groover)
Solution manual Fundamentals of Modern Manufacturing : Materials, Processes, and Systems (4th Ed., Mikell Groover)
Solution manual Fundamentals of Manufacturing (2nd Ed., Philip D. Rufe)
Solution manual Principles of Metal Manufacturing Processes (Beddoes & Bibby)
Solution manual Materials Science for Engineering Students (Traugott Fischer)
Solution manual Essentials of Modern Materials Science and Engineering (James Newell)
Solution manual Materials Science and Engineering : An Introduction (6th Ed., William Callister)
Solution manual Materials Science and Engineering : An Introduction (7th Ed., William Callister)
Solution manual Materials Science and Engineering : An Introduction (8th Ed., William Callister)
Solution manual Fundamentals of Materials Science and Engineering : Integrated Approach (2nd Ed., William Callister)
Solution manual Fundamentals of Materials Science and Engineering : Integrated Approach (3rd Ed., William Callister)
Solution manual Science and Design of Engineering Materials (2nd Ed., Schaffer, Saxena, et al)
Solution manual Manual of Mineral Science (23rd Ed., Cornelis Klein & Barbara Dutrow)
Solution manual Materials and Processes in Manufacturing (9th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution manual DeGarmo's Materials and Processes in Manufacturing (10th Ed., E. Paul DeGarmo, J. T. Black, Ronald A. Kohser)
Solution manual Foundations of Materials Science and Engineering (3rd Ed, Smith)
Solution manual Foundations of Materials Science and Engineering (4th Ed, Smith & Hashemi)
Solution manual Foundations of Materials Science and Engineering (5th Ed, Smith & Hashemi)
Solution manual Engineering Materials Science (Milton Ohring)
Solution manual Metal Fatigue in Engineering (2nd Ed., Stephens, Fatemi & Fuchs)
Solution manual Mechanical Behavior of Materials (3rd Ed. Dowling)
Solution manual Mechanical Behavior of Materials (W.F. Hosford)
Solution manual Mechanical Behavior of Materials (Keith Bowman)
Solution manual Deformation and Fracture Mechanics of Engineering Materials (4th Ed., Richard Hertzberg)
Solution manual From Polymers to Plastics (A.K. van der Vegt)
Solution manual Nanoengineering of Structural, Functional and Smart Materials (Mark Schulz, Ajit Kelkar, Mannur Sundaresan)
Solution manual Principles Of Polymer Systems (5th Ed., by Ferdinand Rodriguez, Claude Cohen, Christopher Ober, Lynden Archer)
Solution manual Introduction to the Thermodynamics of Materials (4th

Ed. David Gaskell)
Solution manual Structure and Properties of Engineering Materiales (5th Ed., Daniel Henkel & Alan Pense)
Solution manual Plastics : Materials and Processing (3rd Ed., Strong)
Solution manual Engineering Materials : Properties and Selection (8th Ed., Budinski)
Solution manual Engineering Materials : Properties and Selection (9th Ed., Budinski)
Solution manual Introduction to Materials Science for Engineers (6th Ed., Shackelford)
Solution manual Introduction to Materials Science for Engineers (7th Ed., Shackelford)
Solution manual Introduction to Materials Science for Engineers - International Edition (7th Ed., Shackelford)
Solution manual Creative Design of Products and Systems (Saeed Niku)
Solution manual Materials : Engineering, Science, Processing and Design (1st Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution manual Materials : Engineering, Science, Processing and Design (2nd Ed., Michael Ashby, Hugh Shercliff & David Cebon)
Solution manual Engineering Materials Vol. 1 : An Introduction to Properties, Applications and Design (3rd Ed., Michael Ashby & David Jones)
Solution manual Engineering Materials Vol. 2 : An Introduction to Microstructures, Processing and Design (3rd Ed., Michael Ashby & David Jones)
Solution manual Materials and the Environment : Eco-informed Material Choice (Michael Ashby)
Solution manual Principles of Corrosion Engineering and Corrosion Control (Zaki Ahmad)
Solution manual Analysis and Performance of Fiber Composites (3rd Ed., Bhagwan Agarwal, Lawrence Broutman & K. Chandrashekhara)
Solution manual Basic Engineering Plasticity : An Introduction with Engineering and Manufacturing Applications (David Rees)
Solution manual Steels : Microstructure and Properties (3rd Ed. Bhadeshia & Honeycombe)
Solution manual Theory of Plasticity (3rd Ed. Jagabanduhu Chakrabarty)
Solution manual Plastics : Microstructure and Engineering Applications (3rd Ed., Nigel Mills)
Solution manual Laser Processing of Engineering Materials : Principles, Procedure and Industrial Application (John Ion)
Solution manual Sintering : Densification, Grain Growth and Microstructure (Suk-Joong Kang)
Solution manual Biomaterials : An Introduction (3rd Ed., Joon Park & R.S. Lakes)
Solution manual Biomaterials : The Intersection of Biology and Materials Science (Temenoff & Mikos)
Solution manual Biomaterials Science : An Introduction to Materials in Medicine (2nd Ed., Ratner, Hoffman, Schoen & Lemons)
Solution manual Tissue Engineering (Bernhard O. Palsson & Sangeeta N. Bhatia)
Solution manual Tissue Engineering (Clemens van Blitterswijk, et al.)
Solution manual Introduction to Materials Management (6th Ed., Arnold, Chapman & Clive)

Solution manual Fundamentals of Solid State Engineering (2nd Ed., Manijeh Razeghi)
Solution manual Smart Electronic Materials : Fundamentals and Applications (Jasprit Singh)
Solution manual Composite Materials : Science and Engineering (2nd Ed., Krishan K. Chawla)
Solution manual Laminar Composites (George Staab)
Solution manual Physical Metallurgy and Advanced Materials (7th Ed., R.E. Smallman & A.H.W. Ngan)

```
---------------------------------------------------------------------------=
------------------------
```

contact me to :   mattosbw1@gmail.com
mattosbw1(at)gmail.com

```
---------------------------------------------------------------------------=
------------------------
```

```
From -2310139870147753234
X-Google-Thread: 10dafd,abc34f6c04e5f7a3,start
X-Google-NewGroupId: yes
X-Google-Thread: 108228,abc34f6c04e5f7a3,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,abc34f6c04e5f7a3,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid1d9c5bfcf0,gid4a39179302,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!jan234
From: Jan <jan234@asdoijwids.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment
Subject: FA: 4 Books: HAM RADIO, 2008 ARRL Handbook, Antenna Book, APRS, 2010
Repeater Directory
Date: Tue, 21 Sep 2010 21:45:26 -0400
Organization: MV Communications, Inc.
Lines: 9
Message-ID: <2109201021452620087%jan234@asdoijwids.com>
NNTP-Posting-Host: c-75-68-50-193.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1285119927 56093 75.68.50.193 (22 Sep 2010 01:45:27 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 22 Sep 2010 01:45:27 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:1520390 alt.ham-
radio.marketplace:764 rec.radio.amateur.equipment:2227
```

4 Books: HAM RADIO, 2008 ARRL Handbook, Antenna Book, APRS, 2010
Repeater Directory:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320593850647

To see all of my listings (not just the one above), use this URL...

http://tinyurl.com/aouso

```
From -2320487138098568558
X-Google-Thread: 1077d8,a051f5d611d5adea,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a051f5d611d5adea,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,a051f5d611d5adea,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q28g2000prb.googlegroups.com!not-for-
mail
From: cntrade08 <chenxaing90@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Evisu original jeans made in china (http://www.cntrade09.com )
Date: Thu, 23 Sep 2010 01:41:14 -0700 (PDT)
Organization: http://groups.google.com
Lines: 28
Message-ID: <61987397-2530-499c-9cc7-a1a0d20e6b39@q28g2000prb.googlegroups.com>
NNTP-Posting-Host: 58.22.79.177
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1285231274 7855 127.0.0.1 (23 Sep 2010 08:41:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 23 Sep 2010 08:41:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q28g2000prb.googlegroups.com; posting-host=58.22.79.177; posting-
account=yFXwdQoAAABWrLki8p_J0MJprFHWps1_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
 CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10437
rec.radio.amateur.equipment:2228 rec.music.bluenote:2523
```

Evisu original jeans made in china (http://www.cntrade09.com)
Evisu jeans wear made in china (http://www.cntrade09.com)
Evisu hoody made in china (http://www.cntrade09.com)
Evisu jeans made in china (http://www.cntrade09.com)
Evisu T-shirt made in china (http://www.cntrade09.com)
POLO T-shirt made in china (http://www.cntrade09.com)
Googi jeans made in china (http://www.cntrade09.com)
Googi hoody made in china (http://www.cntrade09.com)

Googi T-shirt made in china (http://www.cntrade09.com)
juicy made in china (http://www.cntrade09.com)
10Deep jeans made in china (http://www.cntrade09.com)
10 Deep hoody made in china (http://www.cntrade09.com)
10Deep T-shirt made in china (http://www.cntrade09.com)
Lacoste T-shirt made in china (http://www.cntrade09.com)
Lacoste sweater made in china (http://www.cntrade09.com)
Burberry jacket made in china (http://www.cntrade09.com)
Buberry T-shirt made in china (http://www.cntrade09.com)
Buberry shirt made in china (http://www.cntrade09.com)
ED hardy hoody made in china (http://www.cntrade09.com)
ED hardy jeans made in china (http://www.cntrade09.com)

nike running (http://www.cntrade09.com
prada shoes discount paypal sale (http://www.cntrade09.com)
DSQ shoes(http://www.cntrade09.com
nike football shoes discount paypal sale (http://
www.cntrade09.com)
nike DUNK shoes discount paypal sale (http://www.cntrade09.com)
Rift shoes discount paypal sale (http://www.cntrade09.com)

```
From -1365389387653962655
X-Google-Thread: 108122,a3ff7e8cd3357996,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!nx01.iad01.newshosting.com!newshosting.com!
novia!news-out.readnews.com!postnews3.readnews.com!not-for-mail
From: "Charles" <cwa1955@sover.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Audio?
Date: Fri, 24 Sep 2010 22:04:03 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5994
X-RFC2646: Format=Flowed; Original
Lines: 7
Message-ID: <4c9d593e$0$2445$4d3efbfe@news.sover.net>
Organization: SoVerNet (sover.net)
NNTP-Posting-Host: acf28da7.news.sover.net
X-Trace:
DXC=nbokaAa2o3Q9LDU4]1BWK_K6_LM2JZB_S0_5]fgi\HfV:WUUlR<856_P]>A19A4ggRY=bQ0?AA6T_
X-Complaints-To: abuse@sover.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2229
```

Does anyone have a spare test audio osc.?
from 1 to 100khz.. with hi z and lo z?

Thanks

```
From 4349827656291107169
X-Google-Thread: 108122,143d377ee67421b2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!newsfeed3.dallas1.level3.net!news.level3.com!bloom-
beacon.mit.edu!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
news.glorb.com!news2.glorb.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Sep 2010 23:10:34 -0500
From: Jim Holich <Jim.Holich.6e32c49@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Linton LT 6100 Plus
Date: Sat, 25 Sep 2010 00:53:58 +0000
Message-ID: <Jim.Holich.6e32c49@radiobanter.com>
Organization: RadioBanter.com
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
TdAcPy2igl6eNqPFp6n+SwKBfWkEqsDVzboiLNi5uoLT0awTlxNA9z0h6tiEq8G+ZELdLN3R1xr+v3O!
nEjeUJXGzGx7hyxK1n3BolLOOVKPmNpkTzitJsVU/OYYIKPennwn7uXyheeqqx0E6KMRpc42AhvX!
3Ec9zepEFA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:2230
```

Does anyone know of software program to program the above? zi'm tired
of playing with buttons and sub-menus.

--
Jim Holich

```
From -5384603519112835556
X-Google-Thread: 108122,35451ed5ce2e125f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k13g2000pro.googlegroups.com!not-for-
```

```
mail
From: cntrade08 <chenxaing84@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: air force ones <free shipping paypal payment>(http://
     www.cntrade09.com/)
Date: Fri, 18 Jun 2010 23:54:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 74
Message-ID: <803edc6a-f518-4151-a252-a91a242ac228@k13g2000pro.googlegroups.com>
NNTP-Posting-Host: 125.78.240.58
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276930450 6881 127.0.0.1 (19 Jun 2010 06:54:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 19 Jun 2010 06:54:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k13g2000pro.googlegroups.com; posting-host=125.78.240.58;
     posting-account=vrbHZwoAAADEhmfndJohj1WMAZguxxBj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2293

(www.cntrade09.com) ----cheap wholesale air max shoes, nike shox
shoes
Air max shoes:
air max90
air 90
air 180
nike max
airmax tn
max trainers
air stab
max bw
max 90
air turbulence
air shox
airmax 95s
nike airmax
air shoes
airmax 90
airmax 87
airmax ltd
airmax 2009
air 95
max 180
airmax shoes
airmax 360
airmax 95
max tn
max 95
discount nike air
nike air trainers
```

max shoes
nike max shoes
air nike
buy nike air
cheap nike air
air huarache
air foamposite
air penny
max trainer
airmax running shoes
air zoom
nike air shoes
airmax trainers
max 360
buy airmax
airmax 1
air retro
airmax
airmax 95's
airmax 180
shoes lebron
nike trainers

jordan shoes :

jordan shoes
jordan sneaker
jordans
jordan 23
jordan shoe
jordan shoes for sale
new jordan shoes
retro jordan
jordan sneakers
jordan dub zero
jordan kids
jordan xiii
air jordon
jordan xi
jordan iv

website: http://www.cntrade09.com

```
From -4242951991074069805
X-Google-Thread: bef9722fd1,7c833f9d1c01b714,start
X-Google-Attributes: gidbef9722fd1,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!23g2000pre.googlegroups.com!not-for-mail
```

From: xiang chen <chenxaing86@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Prada shoes (paypal payment)((http://www.cntrade09.com))
Date: Sat, 19 Jun 2010 01:12:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 46
Message-ID: <ecdc8b69-c54c-44eb-b04c-ad7295b6d7cd@23g2000pre.googlegroups.com>
NNTP-Posting-Host: 59.58.157.200
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276935139 14923 127.0.0.1 (19 Jun 2010 08:12:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 19 Jun 2010 08:12:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 23g2000pre.googlegroups.com; posting-host=59.58.157.200;
posting-account=f6dnuwoAAAA0YjrQYnALrEggFmQj4Pxn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news2.google.com rec.pets.dogs.health:10704
rec.radio.amateur.equipment:2294 rec.music.bluenote:2523

Bape shoes
Chanel shoes (paypal payment)((http://www.cntrade09.com))
D&G shoes
Dior shoes
ED hardy shoes
Evisu shoes
Fendi shoes (paypal payment)((http://www.cntrade09.com))
Gucci shoes `
Hogan shoes (paypal payment)((http://www.cntrade09.com))
Lv shoes
Prada shoes (paypal payment)((http://www.cntrade09.com))
Timberland shoes
Tous shoes
puma shoes (paypal payment)((http://www.cntrade09.com))
Ice cream shoes
Sebago shoes (paypal payment)((http://www.cntrade09.com))
Lacoste shoes
Air force one shoes (paypal payment)((http://
www.cntrade09.com))
TODS shoes
AF shoes

Footwear (paypal payment)((http://www.cntrade09.com))
Paul Smith shoes
Jordan shoes
Bape shoes
Chanel shoes (paypal payment)((http://www.cntrade09.com))
D&G shoes
Dior shoes
ED hardy shoes
Evisu shoes

Fendi shoes (paypal payment)((http://www.cntrade09.com))
Gucci shoes
Hogan shoes (paypal payment)((http://www.cntrade09.com))
Lv shoes
Prada shoes (paypal payment)((http://www.cntrade09.com))
Timberland shoes
Tous shoes
puma shoes (paypal payment)((http://www.cntrade09.com))
Ice cream shoes
Sebago shoes (paypal payment)((http://www.cntrade09.com))
Lacoste shoes
Air force one shoes (paypal payment)((http://www.cntrade09.com))
TODS shoes
AF shoes

From -6085753881927411570
X-Google-Thread: 108122,f26fa629d0794198,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y4g2000yqy.googlegroups.com!not-for-mail
From: xiangmei chen <chenxiangmei85@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: As a matter of fact, MBT shoes can activate our neglected muscles in
     out feet and evenly distribute the pressure on the back.www.cntrade09.com
Date: Thu, 24 Jun 2010 05:15:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 39
Message-ID: <9a32eddb-465f-45fa-92c2-374b47114b88@y4g2000yqy.googlegroups.com>
NNTP-Posting-Host: 117.26.201.224
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1277381710 17225 127.0.0.1 (24 Jun 2010 12:15:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 24 Jun 2010 12:15:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y4g2000yqy.googlegroups.com; posting-host=117.26.201.224;
     posting-account=pSNs2goAAACTbyMbrBeRWnGVyBmFmQyM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2081

If you want to keep your feet comfort, the MBT shoes you really should try. You may surprise why the MBT shoes were so popular on the market, so at here, Kitty will do a simple introduction about how popular the fashion shoe is.

This multilayered sole are created to mimic the unevenly surfaces for barefoot walking benefits. This design comes from the concept that barefoot walking is beneficial to human body. Barefoot walking can make our feet feel the ground and sometimes the pain will teach us how to correct our postures and gait. While with shoes, we can not feel the pain then our bad habits will continue till we feel more pain on back.

As revolutionary shoes among a range of footwear, MBT shoes, or Masai Barefoot Technology, have an innovative approach to posture training that would be the basic solution of your pain. The secret of MBT shoes lies in the patented sole.

Moreover, this footwear actually activates the whole body that can really stimulate your metabolism and burn more calories. That is to say when MBT shoes work from head to toe to improve the balance and posture of the body, they also can bring you, especially ladies more better figure.

As a matter of fact, MBT shoes can activate our neglected muscles in out feet and evenly distribute the pressure on the back. The instability in the sole ensures that muscles make movements more in line and naturally. That will result in more improved posture and gait, and you body will be straighter, the pain will be less.

Well, do you want to keep your body health? Then the MBT shoe is certainly the best choice for you. If you want to buy the popular shoes, you can visit our website, at the site, you can get the best MBT shoes, at the same time, you can find other popular shoes also, like the Nike basketball shoes, Nike Air Jordan shoes, and so forth, just buy one style for your self, and you will happy for your choice.
Internet reference:

http://www.cntrade09.com

From 8867359476007643041
X-Google-Thread: 108122,8bde432505388dd5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s9g2000yqd.googlegroups.com!not-for-mail
From: N8MMR <rhwiley@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TM-V7A undocumented feature?
Date: Fri, 25 Jun 2010 04:34:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 17
Message-ID: <7f8a1483-2327-4f6b-8fe0-80e47c253c81@s9g2000yqd.googlegroups.com>
NNTP-Posting-Host: 12.49.206.162
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1277465651 3584 127.0.0.1 (25 Jun 2010 11:34:11 GMT)
X-Complaints-To: groups-abuse@google.com

NNTP-Posting-Date: Fri, 25 Jun 2010 11:34:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s9g2000yqd.googlegroups.com; posting-host=12.49.206.162;
posting-account=YY4CiwkAAAAHX23ceHM0XjimflcCRow4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
Trident/4.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.648;
.NET CLR 3.5.21022; .NET CLR 3.0.4506.2152; .NET CLR 3.5.30729),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2296

My Kenwood TM-V7A has been my backup radio which didn't get used much. I always had planned on installing it into my vehicle when time allowed. However, with my TM-733 going on the fritz, I've had to go to the V7A more often recently.

With that said, I'm noticing an issue with the TM-V7A I'm not sure if it's 'normal'. When I first power it up, I get the banner screen for the unit, then it goes straight to VFO mode. I haven't been able to find any documentation about this, but I thought there should be a way to make it go to memory mode at powerup.

Has anyone else encountered this 'issue' and hopefully found a solution?

Thanks and 73,

Bob, N8MMR

From -2913123719822154095
X-Google-Thread: 108122,8bde432505388dd5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
85.214.198.2.MISMATCH!eternal-september.org!.POSTED!not-for-mail
From: Alan WA4SCA <WA4SCA@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TM-V7A undocumented feature?
Date: Fri, 25 Jun 2010 14:09:46 -0500
Organization: AMSAT-NA
Lines: 13
Message-ID: <lfv926tg8k63nv25kchqsvbgbkvjdrnhl5@4ax.com>
References: <7f8a1483-2327-4f6b-8fe0-80e47c253c81@s9g2000yqd.googlegroups.com>
Reply-To: ALANBIDDLE70@YAHOO.COM
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Injection-Date: Fri, 25 Jun 2010 19:09:48 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="8a1zH2cDdYeSUoeUsrfmIg";
logging-data="9935"; mail-complaints-to="abuse@eternal-september.org";
posting-account="U2FsdGVkX1+jqVrBI+e6xemeBiAC92btnAJzdHsiKbk="
X-Newsreader: Forte Agent 6.00/32.1186

```
Cancel-Lock: sha1:qQAS8nHJKaBYO/x5N5fT18eKt+E=
Xref: g2news1.google.com rec.radio.amateur.equipment:2083
```

Bob,

It has been a loooong time since I fiddled with the configuration of my rig, but when I turn it back on, it comes up in exactly the mode it was in when I turned it off. Take a look in the menu for Memory, and then Autostore. Turning it on will probably solve your problem. It is covered on page 39 of my manual.

--
Alan
WA4SCA

```
From 1323366020297801224
X-Google-Thread: 108122,aa05aa83dbdbcb82,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p22g2000pre.googlegroups.com!not-for-
mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT ROMANCE
Date: Sat, 26 Jun 2010 01:24:15 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <4847db6d-ee2d-4547-a236-1f1900187fa2@p22g2000pre.googlegroups.com>
NNTP-Posting-Host: 117.199.241.27
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1277540656 12507 127.0.0.1 (26 Jun 2010 08:24:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 26 Jun 2010 08:24:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p22g2000pre.googlegroups.com; posting-host=117.199.241.27;
     posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.4)
     Gecko/20100611 Firefox/3.6.4,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2084
```

for jobs   http://jobsjackpot.blogspot.com/

hot lip kiss1
http://hotimagesandvideos.blogspot.com/2010/04/hot-lip-kiss1.html
hot hug
http://hotimagesandvideos.blogspot.com/2010/04/hot-hug.html

super hot kiss
http://hotimagesandvideos.blogspot.com/2010/04/super-hot-kiss.html
one lip kiss
http://hotimagesandvideos.blogspot.com/2010/04/one-lip-kiss.html
super navel kiss
http://hotimagesandvideos.blogspot.com/2010/04/super-navel-kiss.html
hot train lip kiss
http://hotimagesandvideos.blogspot.com/2010/04/hot-train-lip-kiss.html
hot boobs kiss
http://hotimagesandvideos.blogspot.com/2010/04/hot-boobs-kiss.html

FOR MORE PHOTOS http://hotphotos.co.in/

From 9023139730469696061
X-Google-Thread: 108122,ab25bde1f15954d2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin2!goblin.stu.neva.ru!feeder3.cambriumusenet.nl!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!209.197.12.242.MISMATCH!nx01.iad01.newshosting.com!
newshosting.com!216.196.98.150.MISMATCH!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 26 Jun 2010 17:10:57 -0500
From: geggsy <geggsy.66c30e8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: codar cr66
Date: Sat, 26 Jun 2010 21:25:32 +0000
Message-ID: <geggsy.66c30e8@radiobanter.com>
Organization: RadioBanter.com
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-MoayTAs6n4TuD4JpcoXHj1i0eb1BVRXJTVkZE0OPIutr9+PChTqVv0of95Wkqa/
qts21G741fpCturV!Y3LZSm2OsLRWHyV/gbXMyGeAkdYDJIrO2DdTGtJlxjvND7/
hUOi8PY8n2d7KDogbCchp5egSqXHe!vgH7
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 3
Xref: g2news2.google.com rec.radio.amateur.equipment:2299

HI: ALL,can anybody help me find a circuit/manual for a codar cr66
reciever.
can't seem to find any in UK,I know that Codar exported to the states.
Thanks Geggsy.

--
geggsy

```
From -2878558025765877926
X-Google-Thread: 108122,21e4f7b15d86044d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!goblin1!goblin3!goblin.stu.neva.ru!exi-
transit.telstra.net!exi-in1.telstra.net!news.telstra.net!news-
server.bigpond.net.au!53ab2750!not-for-mail
From: "Steve Kelly" <stephen.kelly2@bigpond.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC765 mode problem
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5931
Message-ID: <GWEVn.690$vD2.375@news-server.bigpond.net.au>
Date: Sun, 27 Jun 2010 09:34:30 GMT
NNTP-Posting-Host: 60.228.214.156
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1277631270 60.228.214.156 (Sun, 27 Jun 2010
19:34:30 EST)
NNTP-Posting-Date: Sun, 27 Jun 2010 19:34:30 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.equipment:2300
```

Hi,
My trust IC765 has developed a strange fault - the ssb button now switches from cw to am and not upper and lower sideband.Has anybody got any ideas on what the problem might be.

```
From 8148144247924861785
X-Google-Thread: 108122,21e4f7b15d86044d
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad!post01.iad!news.dslextreme.com!not-for-mail
Date: Sun, 27 Jun 2010 06:14:53 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.10) Gecko/20100504
SeaMonkey/2.0.5
```

```
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC765 mode problem
References: <GWEVn.690$vD2.375@news-server.bigpond.net.au>
In-Reply-To: <GWEVn.690$vD2.375@news-server.bigpond.net.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <4c274e3f$0$5539$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2301
```

Steve Kelly wrote:

> Hi,
> My trust IC765 has developed a strange fault - the ssb button now switches
> from cw to am and not upper and lower sideband.Has anybody got any ideas on
> what the problem might be.
>
>

It sounds like either a mechanical short or a processor glitch. Have you tapped it with a screwdriver handle. Have you tried a power cycle? Is there a processor reset button somewhere?

```
From -1081060065276921873
X-Google-Thread: 108122,21e4f7b15d86044d
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe11.iad.POSTED!800a5453!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: notbob <notbob@nothome.com>
Subject: Re: IC765 mode problem
References: <GWEVn.690$vD2.375@news-server.bigpond.net.au>
 <4c274e3f$0$5539$bd467cd0@news.dslextreme.com>
Organization: ....little, if any
User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <gfIVn.1103$Ls1.553@newsfe11.iad>
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Sun, 27 Jun 2010 13:21:16 UTC
Date: Sun, 27 Jun 2010 13:21:16 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:2302
```

On 2010-06-27, dave <dave@dave.dave> wrote:

> It sounds like either a mechanical short or a processor glitch. Have you
> tapped it with a screwdriver handle. Have you tried a power cycle? Is
> there a processor reset button somewhere?

I'm not licensed yet, so have no experience whatsoever, but aren't
some of those rigs software upgradable. Might try that.

nb

From -1146174525972653808
X-Google-Thread: 108122,69490a906730d049
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 27 Jun 2010 23:06:47 -0500
From: Larry Weil <kc1ih@mac.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-8800 Programming?
References: <KC2URG.64f2f72@radiobanter.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Date: Mon, 28 Jun 2010 00:06:47 -0400
Message-ID: <kc1ih-0FD63D.00064628062010@news.supernews.com>
Lines: 25
X-Trace: sv3-XMDKwtM0QmAOAhfagbCCHJQGD5zo21BOZWaDjW70/
y5hLNiQeYB7Q8rZVdqJqAwfFVRt7vOCtokXhfs!
PQW0Qm+P3P3y2fKxd8+guH98Flp5+4oU0U2Xjaz0hsGM0lLe36WfbgQRtHXipHnxlZIPlodBfar1!
fRG0ajCMhA==
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2303

In article <KC2URG.64f2f72@radiobanter.com>,
 KC2URG <KC2URG.64f2f72@radiobanter.com> wrote:

> Greeting All,
>
> I'm in the process of programming my new Yaesu FT-8800 with the RT
> software. I'm looking for tricks or what works best for you as far as
> programming? I currently have both the left and right side programmed
> the same, but looking to see what the popular configuration might be.
>
>
> Also, is there a way to copy the left program over to the right side
> without exporting and importing the delimited files? It seems that the
> check boxes don't really save once I export it.

>

If you have the newest version of the software, version 4 with USB cable, you would be able to simply cut and paste or copy and paste memories to your heart�s content.

73 de KC1IH

--
Larry Weil
Lake Wobegone, NH

From -2058768698207753313
X-Google-Thread: 108122,85ebddc688c2c78b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed2.dallas1.level3.net!
newsfeed3.dallas1.level3.net!news.level3.com!newsfeeds.sol.net!teal.octanews.net!
indigo.octanews.net!news-out.octanews.net!mauve.octanews.net!
nx01.iad01.newshosting.com!newshosting.com!216.196.98.152.MISMATCH!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 28 Jun 2010 23:11:03 -0500
From: Huck <Huck.66f2848@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help? I need inductor value or schematic for Uniden BC 50XL
scanner....thanks
Date: Mon, 28 Jun 2010 22:52:39 +0000
Message-ID: <Huck.66f2848@radiobanter.com>
Organization: RadioBanter.com
Lines: 20
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-pDYL8mVrppfI/PTRJSUYFyX69x6p1QsQhV8k3aziHfCT/
J0QQ0vfSOV+W46MgPq400TAhXup2VTc8Kh!71Vl/cjWbZMMeDuZYuR99OyLMX1FHbu0wbl3IZKYMpEWh/
GfC4MUPBG66g6LgWzq1vkyWxImjLBY!1w==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 7
Xref: g2news2.google.com rec.radio.amateur.equipment:2304

Hello. New poster here. I have a Uniden BC 50xl scanner (low-end, 10 channel). I am new to the hobby, but have some electronic repair experience.

There is an inductor connecting the antenna (center conductor of the ant. BNC) to the main PCB. It has been destroyed and rendered unidentifiable in my unit. It was a mechanical failure (the component separated and lost the color coded paint).

Might someone have a circuit diagramme for this unit? Alternatively, if anyone has one of these units, would you please open your unit and tell me the color code or value for this inductor?

Much thanks....................-huck

--
Huck

```
From -8623848483403882493
X-Google-Thread: 1077d8,a082966513fc9d8a,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,a082966513fc9d8a,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,a082966513fc9d8a,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y4g2000yqy.googlegroups.com!not-for-
mail
From: cntrade08 <chenlily86@hotmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Nike Jordan:  www.cntrade09.com (Jordan 1,Jordan 1.5,Jordan 2,Jordan
     2.5,Jordan 3,Jordan 3.5, Jordan......)
Date: Mon, 28 Jun 2010 23:53:17 -0700 (PDT)
Organization: http://groups.google.com
Lines: 36
Message-ID: <d52b66b9-8d8a-4f7f-97ea-591c4ed002d3@y4g2000yqy.googlegroups.com>
NNTP-Posting-Host: 117.26.203.163
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1277794397 24394 127.0.0.1 (29 Jun 2010 06:53:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Jun 2010 06:53:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y4g2000yqy.googlegroups.com; posting-host=117.26.203.163;
     posting-account=imOCVQoAAAAUWEHHGsMxGBADi-TbzLHG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news2.google.com rec.pets.dogs.health:10721
rec.radio.amateur.equipment:2305 rec.music.bluenote:2541
```

For more information, please contact Sophie,hotmail
Email:cntrade088@hotmail.com,

Minimum order is one,factory price also!Paypal payment free
shipping,ship time will take 4-7 working days.

Wholesale Nike Shoes,Jordan Shoes,Nike Dunk Shoes,Nike Air Force 1
Shoes,Nike Shox Shoes,
Nike Air Max,Brand Shoes Sell,cheap shoes wholesale,cheap dunk,shoes
wholesale,cheap air force 1 shoes,cheap jordan shoes,cheap hoodies
wholesale,cheap wholesale

Nike Jordan: www.cntrade09.com
Jordan 1,Jordan 1.5,Jordan 2,Jordan 2.5,Jordan 3,Jordan 3.5, Jordan
4,Jordan 4.5,Jordan 5.5 Man,Jordan 5,Jordan 6,J 6.5 Kid, Jordan
7,Jordan 7.5 Man,Jordan 8,Jordan 9,Jordan 9.5 Man,Jordan 10,Jordan
10.5,Jordan 11,Jordan 11.5,Jordan 12,Jordan 12.5,Jordan 13,Jordan
14,Jordan 15 Man,Jordan 15.5,Jordan 16, Jordan 17,Jordan 18,Jordan
19,Jordan 19.5,Jordan 22 Man,Jordan 22.5 Man,Jordan 23,Jordan 24.

Air Jordan CP3,Air Yeezy Man,J1+J2+J5+J7 Man,Jordan 3+Jordan 5+Jordan
15,Jordan 23+AF1,Jordan 3+AF1,Jordan 4+AF1,Jordan 4.5+AF1,Jordan
5+AF1,Jordan 6+AF1,Jordan 9+AF1,Jordan 9+Jordan 23 Man,Jordan
11.5+AF1,Jordan 11+AF1,Jordan 11+Anthony,Jordan 11+Jordan 12,Jordan
25
Kid,Jordan 11+Jordan 13,Jordan 11+Jordan 23,Jordan 11+Obama,Jordan
12+AF1,Jordan 13+AF1,Jordan 13+A J6 Rings,J18+J23 Man,Jordan
20+AF1,J21+J23 Man,Jordan 25+AF1,Jordan 6unite1,Jordan 8unite1,
Jordan flying Man,Jordan foamposite liite Man,Jordan MELO M5
Man,JORDAN TRUE FLIGHT Man,
Jordan Trunner Q4 Man,Jordan Michael Jackson shoes,Nike Air Michael
Jackson shoes,Nike Air skt shoes.
www.cntrade09.com

From -4721459214566453307
X-Google-Thread: 108122,85ebddc688c2c78b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!newsfeed.xs4all.nl!
newsfeed6.news.xs4all.nl!xs4all!post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Rob <nomail@example.com>
Subject: Re: Help? I need inductor value or schematic for Uniden BC 50XL
scanner....thanks
References: <Huck.66f2848@radiobanter.com>
User-Agent: slrn/pre0.9.9-111 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
Message-ID: <slrni2j9pc.uv0.nomail@xs8.xs4all.nl>
Date: 29 Jun 2010 07:56:28 GMT
Lines: 21
NNTP-Posting-Host: 194.109.21.8
X-Trace: 1277798188 news.xs4all.nl 22940 [::ffff:194.109.21.8]:43623
X-Complaints-To: abuse@xs4all.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:2306

Huck <Huck.66f2848@radiobanter.com> wrote:
>
> Hello.  New poster here.  I have a Uniden BC 50xl scanner (low-end, 10
> channel).  I am new to the hobby, but have some electronic repair
> experience.
>
> There is an inductor connecting the antenna (center conductor of the
> ant. BNC) to the main PCB.  It has been destroyed and rendered
> unidentifiable in my unit.  It was a mechanical failure (the component
> separated and lost the color coded paint).
>
> Might someone have a circuit diagramme for this unit?  Alternatively,
> if anyone has one of these units, would you please open your unit and
> tell me the color code or value for this inductor?
>
> Much thanks.....................-huck

It is unlikely that there is an inductor at that point.
It probably is a capacitor.

How did you identify it as an inductor?  Is there lots of wire in it?


From 3029598462174595561
X-Google-Thread: 108122,85ebddc688c2c78b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!goblin3!goblin.stu.neva.ru!
citadel.nobulus.com!newsfeed.ision.net!newsfeed2.easynews.net!ision!
kanaga.switch.ch!switch.ch!newsfeed3.funet.fi!newsfeed1.funet.fi!
newsfeeds.funet.fi!feeder1.news.elisa.fi!news.glorb.com!news2.glorb.com!
news.glorb.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 29 Jun 2010 17:10:54 -0500
From: Huck <Huck.6702568@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help?  I need inductor value or schematic for Uniden BC 50XL
scanner....thanks
Date: Tue, 29 Jun 2010 17:39:36 +0000
Message-ID: <Huck.6702568@radiobanter.com>
Organization: RadioBanter.com
References: <Huck.66f2848@radiobanter.com> <slrni2j9pc.uv0.nomail@xs8.xs4all.nl>
Lines: 35
```

X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-6D45XMpPiMZHGpiQsdyyEN+0byXmNGJyfNM3Hb/fSo/WiKjehYeefXoMhyRvjVjR/GPWejVSF/t13Xa!6EFiCcmVOXa28KBLl3BqTuXbNgARW6056R9ZIlz5Eyt0W54GPCuWRz40rEJaxO3L8pzQ8yDZBaOJ!/w==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 18
Xref: g2news1.google.com rec.radio.amateur.equipment:2093

'Rob[_8_ Wrote:
> ;711385']Huck Huck.66f2848@radiobanter.com wrote:--huck-
>
> It is unlikely that there is an inductor at that point.
> It probably is a capacitor.
>
> How did you identify it as an inductor? Is there lots of wire in it?

Hi Rob, and thanks for your reply.

I believe it was an inductor because it was an axial-lead component resembling a resistor (epoxy painted, with color code bands), except that the color of the base paint was bright neon green, rather than tan.

It was soldered directly to the center terminal of the BNC, and on the other end, to the PCB.

When the scanner stopped receiving, I opened the unit and found the component had separated, with the paint in bits scattered about and unreadable.

It did have a bit of fine wire in it. Unfortunately, after I de-soldered the remains, I lost them. I have done quite a lot of searching on the internet, as well as within this forum. As yet, I have been unsuccessful. I believe the unit was fairly popular, so I'm surprised that a schematic for it is so elusive.

--
Huck

From -8921837394298250176
X-Google-Thread: 108122,85ebddc688c2c78b
X-Google-NewGroupId: yes

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!feeder.news-
service.com!newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!
post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Rob <nomail@example.com>
Subject: Re: Help?  I need inductor value or schematic for Uniden BC 50XL
 scanner....thanks
References: <Huck.66f2848@radiobanter.com>
 <slrni2j9pc.uv0.nomail@xs8.xs4all.nl> <Huck.6702568@radiobanter.com>
User-Agent: slrn/pre0.9.9-111 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrni2lrsi.ttr.nomail@xs8.xs4all.nl>
Date: 30 Jun 2010 07:17:38 GMT
Lines: 37
NNTP-Posting-Host: 194.109.21.8
X-Trace: 1277882258 news.xs4all.nl 22919 [::ffff:194.109.21.8]:41166
X-Complaints-To: abuse@xs4all.nl
Xref: g2news1.google.com rec.radio.amateur.equipment:2094

Huck <Huck.6702568@radiobanter.com> wrote:
>
> 'Rob[_8_ Wrote:
>> ;711385']Huck Huck.66f2848@radiobanter.com wrote:--huck-
>>
>> It is unlikely that there is an inductor at that point.
>> It probably is a capacitor.
>>
>> How did you identify it as an inductor?  Is there lots of wire in it?
>
>
>
> Hi Rob, and thanks for your reply.
>
> I believe it was an inductor because it was an axial-lead component
> resembling a resistor (epoxy painted, with color code bands), except
> that the color of the base paint was bright neon green, rather than
> tan.
>
> It was soldered directly to the center terminal of the BNC, and on the
> other end, to the PCB.
>
> When the scanner stopped receiving, I opened the unit and found the
> component had separated, with the paint in bits scattered about and
> unreadable.
>
> It did have a bit of fine wire in it.  Unfortunately, after I
> de-soldered the remains, I lost them.  I have done quite a lot of
> searching on the internet, as well as within this forum.  As yet, I have
> been unsuccessful.  I believe the unit was fairly popular, so I'm
```

> surprised that a schematic for it is so elusive.

It probably doesn't matter what you put there.
Use a plain wire, or when there is suspicion that it might have been
a capacitor then use a small ceramic cap of 100pF..1nF.
You will not notice any difference in performance either way, but it
could be there was a capacitor there to block DC.

From 5361352785595421234
X-Google-Thread: 108122,85ebddc688c2c78b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newsfeed2.dallas1.level3.net!
newsfeed3.dallas1.level3.net!news.level3.com!newsfeeds.sol.net!news.glorb.com!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 30 Jun 2010 11:11:03 -0500
From: Huck <Huck.6712288@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help? I need inductor value or schematic for Uniden BC 50XL
scanner....thanks
Date: Wed, 30 Jun 2010 15:14:38 +0000
Message-ID: <Huck.6712288@radiobanter.com>
Organization: RadioBanter.com
References: <Huck.66f2848@radiobanter.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-MwSvXB/nQh+DZL/
FBRIPaWJkOMf6W2ebqWFnJ5rdDC6XrFESgJ55JbSmpor6OL40HmDu99hBpR/KhzH!G6Wt460x/V/
lYk0+pgi5SIfVqPrFrJXxhSc5J444Ylx0RkbmS/QC0fhIp4iy/QExDixtG+aowQ+4!WA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 5
Xref: g2news1.google.com rec.radio.amateur.equipment:2095

Thank you for your input.

I will try a straight connection with a bit of wire.

-huck

--

```
Huck


From 7190764676415075551
X-Google-Thread: 108122,85ebddc688c2c78b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder2.cambriumusenet.nl!
feed.tweaknews.nl!193.201.147.93.MISMATCH!xlned.com!feeder7.xlned.com!
news2.euro.net!newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!xs4all!
post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Rob <nomail@example.com>
Subject: Re: Help?  I need inductor value or schematic for Uniden BC 50XL
 scanner....thanks
References: <Huck.66f2848@radiobanter.com> <Huck.6712288@radiobanter.com>
User-Agent: slrn/pre0.9.9-111 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrni2msab.i1e.nomail@xs8.xs4all.nl>
Date: 30 Jun 2010 16:31:07 GMT
Lines: 11
NNTP-Posting-Host: 194.109.21.8
X-Trace: 1277915467 news.xs4all.nl 22941 [::ffff:194.109.21.8]:40924
X-Complaints-To: abuse@xs4all.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:2310

Huck <Huck.6712288@radiobanter.com> wrote:
>
> Thank you for your input.
>
> I will try a straight connection with a bit of wire.
>
> -huck

You also need to check if the connector has come loose, I think
it it rotating in its mounting hole which has destroyed the
unidentified component.


From -3124767297281875946
X-Google-Thread: fcc6e,e2d04cc5a3f3defb,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,e2d04cc5a3f3defb,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,e2d04cc5a3f3defb,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news2.glorb.com!news-
```

out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1275372001@panix.com>
Followup-To: poster
Date: 1 Jul 2010 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Aug 2010 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1277964001@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1277964002 13012 166.84.1.2 (1 Jul 2010 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 1 Jul 2010 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:17249 rec.radio.amateur.dx:652
rec.radio.amateur.equipment:2097 rec.radio.amateur.homebrew:3503
rec.radio.amateur.misc:5030 rec.radio.amateur.policy:27193
rec.radio.amateur.space:355 rec.radio.info:1545

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 5028020342512583840
X-Google-Thread: 108122,ed90398fd9aa56d2,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,ed90398fd9aa56d2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j4g2000yqh.googlegroups.com!not-for-
mail
From: brandtrade <beijingcao2010@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: (Paypal payment)( http://www.brandtrade99.com)  Discounts Hiking
     Shoes & Boots
Date: Thu, 1 Jul 2010 00:54:36 -0700 (PDT)
Organization: http://groups.google.com
Lines: 42
Message-ID: <bf810884-e6b4-42ae-aed1-0a6ccde38a66@j4g2000yqh.googlegroups.com>
NNTP-Posting-Host: 112.111.175.200
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1277970877 6859 127.0.0.1 (1 Jul 2010 07:54:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 1 Jul 2010 07:54:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000yqh.googlegroups.com; posting-host=112.111.175.200;
     posting-account=-P1o7goAAABXl0qTHGQQzIx4i6s1h46F
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2312 rec.food.equipment:4417

Paypal payment)( http://www.brandtrade99.com)  Discounts Brand Sport
Shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts Men's Sport
Shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts Fashionable
Sports Shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts Running
Shoes
(Paypal payment)( http://www.brandtrade99.com) Other Sports Shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts  Basketball
Shoes (
 Discounts Ladies' Dress Shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts  Children's
Sports Shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts Mobile
Phones
(Paypal payment)( http://www.brandtrade99.com)  Discounts Hiking Shoes
& Boots
(Paypal payment)( http://www.brandtrade99.com)   Discounts Shoes Stock
(Paypal payment)( http://www.brandtrade99.com)  Discounts  Tennis
Shoes
(Paypal payment)( http://www.brandtrade99.com)   Discounts brand sport
shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts men's sport
shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts fashion
sport shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts basketball
shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts running
shoes
brand shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts fashion
shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts men's shoes
sneakers
(Paypal payment)( http://www.brandtrade99.com)  Discounts athletic
shoes
(Paypal payment)( http://www.brandtrade99.com)  Discounts basketball
shoes
badketball jersy



From 8109611291266881322
X-Google-Thread: 108122,87eaffff0305f84e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a30g2000yqn.googlegroups.com!not-for-
mail
From: cntrade08 <chenlily84@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Nike Air Max,Brand Shoes Sell,cheap shoes wholesale,cheap dunk,shoes
     www.cntrade09.com
Date: Thu, 1 Jul 2010 04:50:19 -0700 (PDT)
Organization: http://groups.google.com
Lines: 36
Message-ID: <45546743-a433-48b8-861b-924924427ed1@a30g2000yqn.googlegroups.com>
NNTP-Posting-Host: 121.205.247.187
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1277985020 9291 127.0.0.1 (1 Jul 2010 11:50:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 1 Jul 2010 11:50:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a30g2000yqn.googlegroups.com; posting-host=121.205.247.187;
     posting-account=qbRHCQoAAADxaq8M1mHuPtnY1mQIBNiC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2099
```

For more information, please contact Sophie,hotmail
Email:cntrade088@hotmail.com,

Minimum order is one,factory price also!Paypal payment free
shipping,ship time will take 4-7 working days.

Wholesale Nike Shoes,Jordan Shoes,Nike Dunk Shoes,Nike Air Force 1
Shoes,Nike Shox Shoes,
Nike Air Max,Brand Shoes Sell,cheap shoes wholesale,cheap dunk,shoes
wholesale,cheap air force 1 shoes,cheap jordan shoes,cheap hoodies
wholesale,cheap wholesale

Nike Jordan: www.cntrade09.com
Jordan 1,Jordan 1.5,Jordan 2,Jordan 2.5,Jordan 3,Jordan 3.5, Jordan
4,Jordan 4.5,Jordan 5.5 Man,Jordan 5,Jordan 6,J 6.5 Kid, Jordan
7,Jordan 7.5 Man,Jordan 8,Jordan 9,Jordan 9.5 Man,Jordan 10,Jordan
10.5,Jordan 11,Jordan 11.5,Jordan 12,Jordan 12.5,Jordan 13,Jordan
14,Jordan 15 Man,Jordan 15.5,Jordan 16, Jordan 17,Jordan 18,Jordan
19,Jordan 19.5,Jordan 22 Man,Jordan 22.5 Man,Jordan 23,Jordan 24.

Air Jordan CP3,Air Yeezy Man,J1+J2+J5+J7 Man,Jordan 3+Jordan 5+Jordan
15,Jordan 23+AF1,Jordan 3+AF1,Jordan 4+AF1,Jordan 4.5+AF1,Jordan
5+AF1,Jordan 6+AF1,Jordan 9+AF1,Jordan 9+Jordan 23 Man,Jordan
11.5+AF1,Jordan 11+AF1,Jordan 11+Anthony,Jordan 11+Jordan 12,Jordan
25

```
Kid,Jordan 11+Jordan 13,Jordan 11+Jordan 23,Jordan 11+Obama,Jordan
12+AF1,Jordan 13+AF1,Jordan 13+A J6 Rings,J18+J23 Man,Jordan
20+AF1,J21+J23 Man,Jordan 25+AF1,Jordan 6unite1,Jordan 8unite1,
Jordan flying Man,Jordan foamposite liite Man,Jordan MELO M5
Man,JORDAN TRUE FLIGHT Man,
Jordan Trunner Q4 Man,Jordan Michael Jackson shoes,Nike Air Michael
Jackson shoes,Nike Air skt shoes.
 www.cntrade09.com



From 8497941388748751464
X-Google-Thread: 1077d8,db8bc36ec08f5ee4,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,db8bc36ec08f5ee4,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,db8bc36ec08f5ee4,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i9g2000prn.googlegroups.com!not-for-
mail
From: cntrade08 <chenlily84@hotmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Paul Smith shoes <free shipping paypal payment>( http://
www.cntrade09.com/
     )
Date: Fri, 2 Jul 2010 06:39:01 -0700 (PDT)
Organization: http://groups.google.com
Lines: 75
Message-ID: <4b4daa0f-70bc-4bf7-b57f-d2f8963ce8e3@i9g2000prn.googlegroups.com>
NNTP-Posting-Host: 121.205.246.2
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278077941 28206 127.0.0.1 (2 Jul 2010 13:39:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 2 Jul 2010 13:39:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i9g2000prn.googlegroups.com; posting-host=121.205.246.2;
     posting-account=qbRHCQoAAADxaq8M1mHuPtnY1mQIBNiC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10256
rec.radio.amateur.equipment:2100 rec.music.bluenote:2320

Shox Shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
shoes shox shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
nike shox shoe <free shipping paypal payment>(http:// www.cntrade09.com/)
nike shox shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
shox shoe <free shipping paypal payment>( http://www.cntrade09.com/ )
LV,coach,chanel boots wholesale <free shipping paypal payment>(
```

http://www.cntrade09.com/)
air force ones <free shipping paypal payment>(http:// www.cntrade09.com/)
nike trading <free shipping paypal payment>(http://www.cntrade09.com/
)
nike shox <free shipping paypal payment>(http://www.cntrade09.com/)
shox air <free shipping paypal payment>(http://www.cntrade09.com/)
white shoe <free shipping paypal payment>(http:// www.cntrade09.com/
)
nike shoe <free shipping paypal payment>(http://www.cntrade09.com/)
nike air shox <free shipping paypal payment>(http://www.cntrade09.com/)
shox r4 <free shipping paypal payment>(http://www.cntrade09.com/)
tennis shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
tennis shoe <free shipping paypal payment>(http://www.cntrade09.com/)
basketball shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
jordan shoe <free shipping paypal payment>(http:// www.cntrade09.com/)
nike shox 2 <free shipping paypal payment>(http://www.cntrade09.com/)
nike shox ace <free shipping paypal payment>(http://www.cntrade09.com/)
men's shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
buy shoe <free shipping paypal payment>(http://www.cntrade09.com/)
adidas shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
kids shoe <free shipping paypal payment>(http://www.cntrade09.com/)
buy shoes <free shipping paypal payment>(http://www.cntrade09.com/)
puma shoe <free shipping paypal payment>(http:// www.cntrade09.com/)
converse shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
shoes sale <free shipping paypal payment>(http:// www.cntrade09.com/)
running shoes women <free shipping paypal payment>(http:// www.cntrade09.com/
)
adidas running shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Footwear <free shipping paypal payment>(http://www.cntrade09.com/)
Paul Smith shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Jordan shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
Bape shoes <free shipping paypal payment>(http://www.cntrade09.com/)
Chanel shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
D&G shoes <free shipping paypal payment>(http://www.cntrade09.com/)
Dior shoes <free shipping paypal payment>(http://www.cntrade09.com/)
ED hardy shoes <free shipping paypal payment>(http://www.cntrade09.com/)
Evisu shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
Fendi shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Gucci shoes `<free shipping paypal payment>(http://www.cntrade09.com/
)
Hogan shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Lv shoes <free shipping paypal payment>(http:// www.cntrade09.com/)

```
Prada shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Timberland shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Tous shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Ice cream shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Sebago shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Lacoste shoes <free shipping paypal payment>( http://www.cntrade09.com/)
Air force one shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
TODS shoes <free shipping paypal payment>( http://www.cntrade09.com/)
AF shoes <free shipping paypal payment>( http://www.cntrade09.com/)


From -99089606749887659
X-Google-Thread: 108122,9a81f7459d8790b5,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,9a81f7459d8790b5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!7g2000prh.googlegroups.com!not-for-
mail
From: shoestrade <haoxinfenshou98@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: JIMMY CHOO bags ( paypal payment )( http://www.brandtrade99.com)
Date: Fri, 2 Jul 2010 06:53:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <97d11321-fd65-4bc7-a56d-fec984852a4a@7g2000prh.googlegroups.com>
NNTP-Posting-Host: 120.33.240.124
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278078801 6084 127.0.0.1 (2 Jul 2010 13:53:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 2 Jul 2010 13:53:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 7g2000prh.googlegroups.com; posting-host=120.33.240.124;
     posting-account=NaqkvQoAAABxjp2Ua18U0tMRFxALbNih
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2101 rec.food.equipment:4022

GUCCI bags ( paypal payment )( http://www.brandtrade99.com)
CHLOE bags
CHANEL bags
CLOTHES
COACH bags ( paypal payment )( http://www.brandtrade99.com)
DOLCE&GABBANA bags
```

```
FENDI bags
GUESS bags
JIMMY CHOO bags ( paypal payment )( http://www.brandtrade99.com)
JUICY bags
LV bags
PRADA bags ( paypal payment )( http://www.brandtrade99.com)
BAPE bags
PAUL SMITH bags
AF bags ( paypal payment )( http://www.brandtrade99.com)


GUCCI bags ( paypal payment )( http://www.brandtrade99.com)
CHLOE bags
CHANEL bags
CLOTHES
COACH bags ( paypal payment )( http://www.brandtrade99.com)


From 9214295177469842940
X-Google-Thread: 108122,4d372ba083c5ab50,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p22g2000pre.googlegroups.com!not-for-mail
From: HGHFGDS <fhfgfgg@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: BEST HOT PHOTOS
Date: Fri, 2 Jul 2010 07:07:13 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <c305bcdf-5a27-4ea1-bc25-2bd4686f61ad@p22g2000pre.googlegroups.com>
NNTP-Posting-Host: 117.199.245.153
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278079634 13320 127.0.0.1 (2 Jul 2010 14:07:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 2 Jul 2010 14:07:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p22g2000pre.googlegroups.com; posting-host=117.199.245.153;
     posting-account=IOLbpQoAAABUoo9A7VnGxqD1qiSFh-z_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2102

for jobs   http://jobsjackpot.blogspot.com/

hot lip kiss1
http://hotimagesandvideos.blogspot.com/2010/04/hot-lip-kiss1.html
hot hug
http://hotimagesandvideos.blogspot.com/2010/04/hot-hug.html
super hot kiss
```

```
http://hotimagesandvideos.blogspot.com/2010/04/super-hot-kiss.html
one lip kiss
http://hotimagesandvideos.blogspot.com/2010/04/one-lip-kiss.html
super navel kiss
http://hotimagesandvideos.blogspot.com/2010/04/super-navel-kiss.html
hot train lip kiss
http://hotimagesandvideos.blogspot.com/2010/04/hot-train-lip-kiss.html
hot boobs kiss
http://hotimagesandvideos.blogspot.com/2010/04/hot-boobs-kiss.html


  FOR MORE PHOTOS  http://hotphotos.co.in/

FOR LOANS

http://insuranceandloansdetails.blogspot.com/



From 8109397314951783437
X-Google-Thread: 38f9f745cf,abe8b3fb4cae3642,start
X-Google-Attributes: gid38f9f745cf,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e29g2000prn.googlegroups.com!not-for-
mail
From: goodshoes <dfmkdg56565@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Cheap sale Oakley Sunglass (paypal payment http://www.brandtrade99.com)
Date: Fri, 2 Jul 2010 20:03:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <d9985d70-2644-402c-835c-ba39f779a69c@e29g2000prn.googlegroups.com>
NNTP-Posting-Host: 112.111.160.89
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278126223 1567 127.0.0.1 (3 Jul 2010 03:03:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 3 Jul 2010 03:03:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e29g2000prn.googlegroups.com; posting-host=112.111.160.89;
     posting-account=5hzQTwoAAADin_EXAUnjB61o2jWIFCDm
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2317 rec.food.equipment:4431

heap sale ADIDAS Sunglass  (paypal payment http://www.brandtrade99.com)
Cheap sale ARMANI Sunglass
Cheap sale Burberry Sunglass (http://www.brandtrade99.com   free
shipping)
Cheap sale BVLGARL Sunglass
Cheap sale Cartier Sunglass  (paypal payment http://www.brandtrade99.com)
Cheap sale CHANEL Sunglass
Cheap sale COACH Sunglass
Cheap sale D&G Sunglass  (paypal payment http://www.brandtrade99.com)
Cheap sale DIESEL Sunglass
Cheap sale DIOR Sunglass
Cheap sale ED Hardy Sunglass  (http://www.brandtrade99.com   free
shipping)
Cheap sale FENDI Sunglass
Cheap sale Ferragamo Sunglass  (paypal payment http://www.brandtrade99.com)
Cheap sale GIVENCHY Sunglass
Cheap sale GUCCI Sunglass (http://www.brandtrade99.com   free
shipping)
Cheap sale LV Sunglass
Cheap sale NIKE Sunglass  (paypal payment http://www.brandtrade99.com)
Cheap sale Oakley Sunglass
Cheap sale POLICE Sunglass  (paypal payment http://www.brandtrade99.com)
Cheap sale PRADA Sunglass
Cheap sale Ray.Ban Sunglass
Cheap sale ROBERTO CAVALLI Sunglass  (paypal payment http://www.brandtrade99.com)
Cheap sale Salvatore Sunglass
Cheap sale VERSACE Sunglass
Cheap sale YSL Sunglass
goggle:
(paypal payment http://www.brandtrade99.com)(http://www.brandtrade99.com
free
shipping)


From 7684686616889375337
X-Google-Thread: 108122,727588b078911a30,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe13.iad.POSTED!7564ea0f!not-for-mail
From: Phoo Barr <someone@someone.someone>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <2010070222205526303-someone@someonesomeone>
MIME-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: VX-7R memory management issues
User-Agent: Unison/2.0.5
Lines: 23
NNTP-Posting-Host: gfokbbalmipngmcfoaiaefkmfkieacgm
X-Complaints-To: abuse@charter.net
X-Trace:
jkfjokholhdhgpccphkbdkgdnpdbolibodafofdlfpjonjfmgfokbbalmipngmcfljgnmiikapnkiibcnk
cnnpmpeaomldombcndhgcodedagjnbgcjpcejmchenfdnjbgjklipccefckbgb
NNTP-Posting-Date: Sat, 03 Jul 2010 03:20:56 UTC
Date: Fri, 2 Jul 2010 22:20:55 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:2318
```

I'm having a helluva time figuring out how to edit/mask one of my memory channels on my VX-7R.

The really odd thing is, I can edit or mask *any* other memory channel, except for this particular one!

I'm not using any memory groups, "special", nor one-touch memories. Just the basic bank of 499 (or whatever).

Steps I take to edit the memories:

* V/M toggle to VFO mode
* Select freq. & tone settings
* MON/F for .5 secs
* Dial to desired memory number
* MON/F

This works on *any* other memory channel (even existing ones), except #7. I can't mask it, either.
What is happening? How can I edit this memory channel?

Thanks.

```
From 1395153601652764513
X-Google-Thread: 1077d8,aa966ce80dad5066,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,aa966ce80dad5066,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,aa966ce80dad5066,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z30g2000prg.googlegroups.com!not-for-
mail
From: xiang chen <chenxaing86@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Discount Wholesale Affliction Jeans  (http://www.cntrade09.com/)
     <free shipping paypal payment>
Date: Mon, 5 Jul 2010 23:37:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <ade8c3ca-018f-4695-9f51-ed68fad93587@z30g2000prg.googlegroups.com>
NNTP-Posting-Host: 120.40.148.16
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278398227 28235 127.0.0.1 (6 Jul 2010 06:37:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jul 2010 06:37:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z30g2000prg.googlegroups.com; posting-host=120.40.148.16;
```

```
     posting-account=f6dnuwoAAAA0YjrQYnALrEggFmQj4Pxn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10259
rec.radio.amateur.equipment:2105 rec.music.bluenote:2331

Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans  (http://www.cntrade09.com/)
Discount Wholesale Armani Jeans
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans
Discount Wholesale BBC Jeans (http://www.cntrade09.com/)
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://www.cntrade09.com/)
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans
Discount Wholesale ECKO Jeans (http://www.cntrade09.com/)
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.cntrade09.com/)
Discount Wholesale Laguna Beach Jeans
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.cntrade09.com/)
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans
Discount Wholesale ZEN Jeans (http://www.cntrade09.com/)


From 2011914394501300750
X-Google-Thread: 108122,727588b078911a30
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 06 Jul 2010 15:47:56 -0500
From: Larry Weil <kc1ih@mac.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R memory management issues
References: <2010070222205526303-someone@someonesomeone>
```

User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Date: Tue, 06 Jul 2010 16:47:55 -0400
Message-ID: <kc1ih-5BBFF0.16475506072010@news.supernews.com>
Lines: 33
X-Trace: sv3-
PwNbbntGMwWycP07FX7s08qHxe2jyWGGXf6nzq5QTohaLUnZkrEgGrfuqp1K7dPsLZ2kv12fjfpRRqd!
T5cEaFXYjr3JHTvZ0N/PEPydjPB/McHzbK+AZSYWItJraZhacCsfLxO/mwbF46bJ1WMzxSFoU3gC!J0m/
DvCoLg==
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:2106

In article <20100702222055526303-someone@someonesomeone>,
Phoo Barr <someone@someone.someone> wrote:

> I'm having a helluva time figuring out how to edit/mask one of my
> memory channels on my VX-7R.
>
> The really odd thing is, I can edit or mask *any* other memory channel,
> except for this particular one!
>
> I'm not using any memory groups, "special", nor one-touch memories.
> Just the basic bank of 499 (or whatever).
>
> Steps I take to edit the memories:
>
>   * V/M toggle to VFO mode
>   * Select freq. & tone settings
>   * MON/F for .5 secs
>   * Dial to desired memory number
>   * MON/F
>
> This works on *any* other memory channel (even existing ones), except
> #7. I can't mask it, either.
> What is happening? How can I edit this memory channel?
>
> Thanks.

It�s possible that you have memory #7 set to be your priority channel.

73 de KC1IH

--
Larry Weil
Lake Wobegone, NH

From 4891785637579259129
X-Google-Thread: a4a23d5f63,2e82125ba01dade2,start

X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1275890700@panix.com>
Followup-To: poster
Date: 7 Jul 2010 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Aug 2010 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1278482701@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1278482702 11963 166.84.1.2 (7 Jul 2010 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Jul 2010 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:19173 rec.radio.amateur.dx:704
rec.radio.amateur.equipment:2321 rec.radio.amateur.homebrew:3873
rec.radio.amateur.misc:5316 rec.radio.amateur.policy:30420 rec.radio.info:1637

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -4603993591537401984
X-Google-Thread: 107ada,e48aaa073137829b,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,e48aaa073137829b,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,e48aaa073137829b,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,e48aaa073137829b,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1275891000@panix.com>
Followup-To: poster
Date: 7 Jul 2010 02:10:01 -0400
Organization: rec.radio.info Moderation Team
```

Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Aug 2010 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1278483000@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1278483001 22632 166.84.1.2 (7 Jul 2010 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Jul 2010 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:5317 rec.radio.amateur.equipment:2322 rec.radio.swap:2967 rec.radio.info:1638

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 1266255521732779176
X-Google-Thread: d7f5508063,ba7181343a02630,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y21g2000pro.googlegroups.com!not-for-mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 2010 HOT PHOTOS
Date: Wed, 7 Jul 2010 02:47:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <08a502ef-65d3-4ba9-bc17-5f66a6c3a099@y21g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.251.182
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278496051 16939 127.0.0.1 (7 Jul 2010 09:47:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Jul 2010 09:47:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y21g2000pro.googlegroups.com; posting-host=117.199.251.182;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2323
```

FOR HOT ACTRESSES PHOTOS & VIDEOS

http://hotheroinesphoto.blogspot.com

FOR HOT LIPKISS&BIKINIS

http://hotphotos.co.in/

FOR LOOKING JOBS IN MNC COMPANYS

http://jobsjackpot.blogspot.com/

FOR LOANS IN ALL BRANCHES

http://insuranceandloansdetails.blogspot.com/

FOR GETTING INSURANCE IDEAS

http://lowpremiumtermplans.blogspot.com

FOR SAVE WATER&CHILD PROTECTION

http://savewaterinworld.blogspot.com

FOR HOT PHOTOS&VIDEOS WITH LATEST UPDATES

http://hotimagesandvideos.blogspot.com

```
From -4490621036004926816
X-Google-Thread: 1077d8,57b3aeb10b718abc,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,57b3aeb10b718abc,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,57b3aeb10b718abc,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z30g2000prg.googlegroups.com!not-for-
mail
From: xiang chen <chenxaing87@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Lacoste shoes made in china (http://www.cntrade09.com )
Date: Thu, 8 Jul 2010 00:51:57 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <a20f96f3-d4b5-491a-b7f1-8f9621de1699@z30g2000prg.googlegroups.com>
NNTP-Posting-Host: 58.22.64.135
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278575517 6540 127.0.0.1 (8 Jul 2010 07:51:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jul 2010 07:51:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z30g2000prg.googlegroups.com; posting-host=58.22.64.135;
     posting-account=SFec6AoAAADfZV3p1B-Zl3FMJxiKsxgB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10262
rec.radio.amateur.equipment:2110 rec.music.bluenote:2339
```

puma shoes made in china (http://www.cntrade09.com)
bape shoes made in china (http://www.cntrade09.com)
Gucci shoes made in china (http://www.cntrade09.com)
Lacoste shoes made in china (http://www.cntrade09.com)
LV shoes made in china (http://www.cntrade09.com)
Timberland shoes made in china (http://www.cntrade09.com)
Evisu shoes made in china (http://www.cntrade09.com)
D&G shoes made in china (http://www.cntrade09.com)
nike running made in china (http://www.cntrade09.com)
prada shoes made in china (http://www.cntrade09.com)
DSQ shoes made in china (http://www.cntrade09.com)

```
nike football shoes made in china (http://www.cntrade09.com )
nike DUNK shoes made in china (http://www.cntrade09.com )
Rift shoes made in china (http://www.cntrade09.com )
NBA basketball shoes made in china (http://www.cntrade09.com )
adidas running made in china (http://www.cntrade09.com )
adidas NBA shoes made in china (http://www.cntrade09.com )
adidas 35th anniversary shoes made in china (http://
www.cntrade09.com )
adicolor shoes made in china (http://www.cntrade09.com )
adidas football shoes made in china (http://www.cntrade09.com )
GGG hoody made in china (http://www.cntrade09.com )
GGG T-shirt made in china (http://www.cntrade09.com )


From 6660145484605584491
X-Google-Thread: 108122,44de479bd4bae7c0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p11g2000prf.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT ACTRESS PHOTOS
Date: Thu, 8 Jul 2010 01:23:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <e86c8924-1313-4463-aa6e-f1a0a983d5d1@p11g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.244.103
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278577426 22925 127.0.0.1 (8 Jul 2010 08:23:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jul 2010 08:23:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p11g2000prf.googlegroups.com; posting-host=117.199.244.103;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2111

HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com/
SEXY SNEHA

http://hotheroinesphoto.blogspot.com/2010/06/sneha-hot.html
KOUSHA HOT EXPOSING

http://hotheroinesphoto.blogspot.com/2010/06/sexy-kousha.html
PRIYAMANI IN HOT BIKINI
```

```
http://hotheroinesphoto.blogspot.com/2010/06/priyamani-hot.html
MADHUSHALINI IN HOT DRESS

http://hotheroinesphoto.blogspot.com/2010/06/blog-post_2972.html
HOTTEST LIPKISS

http://hotheroinesphoto.blogspot.com/2010/06/lipkiss-2.html
NAMITHA IN BATH

http://hotheroinesphoto.blogspot.com/2010/06/nayagarala-namitha.html
http://hotheroinesphoto.blogspot.com/2010/06/nayagarala-namitha.html


From -3901952662781120677
X-Google-Thread: 108122,c95d43bc56705104,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,c95d43bc56705104,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n20g2000prc.googlegroups.com!not-for-
mail
From: "www.sneaker-shop08.com" <lishirt2@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Team Red Bull Hats http://www.brandtrade99.com
Date: Thu, 8 Jul 2010 02:06:29 -0700 (PDT)
Organization: http://groups.google.com
Lines: 44
Message-ID: <4a777f27-9c43-432b-8d03-31bb2cfa2cd8@n20g2000prc.googlegroups.com>
NNTP-Posting-Host: 58.22.148.253
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278579989 13735 127.0.0.1 (8 Jul 2010 09:06:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jul 2010 09:06:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n20g2000prc.googlegroups.com; posting-host=58.22.148.253;
     posting-account=9ndo1QoAAACmX76y1mXKNPrTDAG4gENO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2112 rec.food.equipment:4044

Discount smet caps http://www.brandtrade99.com
cheapsale NBA caps and hats http://www.brandtrade99.com
Supply AFF CAPS and hat http://www.brandtrade99.com
cheapsale winter warm caps http://www.brandtrade99.com
Discount ed hardy hats and caps http://www.brandtrade99.com
Discount juicy caps http://www.brandtrade99.com
Discount dc hats and caps http://www.brandtrade99.com
Discount ca caps http://www.brandtrade99.com
Cheap ny caps http://www.brandtrade99.com
Cheap polo caps and hats http://www.brandtrade99.com
```

Cheap bape caps http://www.brandtrade99.com
Supply Caddice caps http://www.brandtrade99.com
New Fasion Hats & Caps
Monster Energy http://www.brandtrade99.com
Monster Energy Hats http://www.brandtrade99.com
Monster Energy Drink Hats http://www.brandtrade99.com
White Monster Energy Hats http://www.brandtrade99.com
Monster Energy Fitted Hats http://www.brandtrade99.com
Youth Monster Energy Hats
Monster Energy New Era Hats http://www.brandtrade99.com
Monster Energy Cap http://www.brandtrade99.com
Monster Energy Drink Cap http://www.brandtrade99.com
White Monster Energy Cap http://www.brandtrade99.com
Monster Energy Fitted Cap http://www.brandtrade99.com
Youth Monster Energy Cap
Monster Energy New Era Cap http://www.brandtrade99.com
Red Bull Hats http://www.brandtrade99.com
Red Bull New Era http://www.brandtrade99.com
Red Bull Caps http://www.brandtrade99.com
Red Bull Fitted Hat http://www.brandtrade99.com
Red Bull New Era Hats http://www.brandtrade99.com
Red Bull Energy Hats http://www.brandtrade99.com
White Red Bull Hats http://www.brandtrade99.com
Black Red Bull Hats
Blue Red Bull Hats http://www.brandtrade99.com
Red Bull Hats Ebay http://www.brandtrade99.com
Buy Red Bull Hats http://www.brandtrade99.com
Team Red Bull Hats http://www.brandtrade99.com
Red Bull New Era Hats http://www.brandtrade99.com
Red Bull Baseball Hats http://www.brandtrade99.com
New Era Caps
New Era Hats http://www.brandtrade99.com
New Era NY Caps http://www.brandtrade99.com
New Era NY Hats http://www.brandtrade99.com

From -1244577991270880017
X-Google-Thread: 108122,62649533eebbacc4,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,62649533eebbacc4,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h40g2000pro.googlegroups.com!not-for-mail
From: "www.sneaker-shop08.com" <yijeans12@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Kappa Watch cheapsale <free shipping paypal payment> (http://
Date: Thu, 8 Jul 2010 02:29:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 59
Message-ID: <e9c74a34-59ac-4827-90e4-66ce10097ef6@h40g2000pro.googlegroups.com>
NNTP-Posting-Host: 58.22.64.155

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278581344 24885 127.0.0.1 (8 Jul 2010 09:29:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jul 2010 09:29:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h40g2000pro.googlegroups.com; posting-host=58.22.64.155;
     posting-account=-lBE8QoAAACdFcVIdY94ZdqqAyLDHNcH
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2113 rec.food.equipment:4045
```

Breit Ling Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Burberry Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Cartier Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Chopard Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
d&g Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Givenchy Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
jacob&co Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Kappa Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Prada Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Tissot Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Titoni Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
U-BOAT Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Zenith Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
a.lange&sohne Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Audemars Piguet Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
baume&mercier Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Blancpain Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Breguet Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
BRM Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)
Bvlgari Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)

Chanel Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)

Concord Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)

Corum Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)

Dewitt Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)

Ferrari Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)

Franck Muller Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)

Girard Perregaux Watch   <free shipping paypal payment> (http://www.brandtrade99.com/)

Glashutte Watch   <free shipping paypal payment> (http://www.brandtrade99.com/)

Graham Watch cheapsale <free shipping paypal payment> (http://www.brandtrade99.com/)

GUCCI Watch cheapsale <free shipping paypal payment> (http://

```
From -3736696335362779100
X-Google-Thread: 108122,f8f926ca595c2dd4,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
newsfeed3.dallas1.level3.net!news.level3.com!newsfeeds.sol.net!news.glorb.com!
news2.glorb.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 09 Jul 2010 17:10:55 -0500
From: Robert Keeler <Robert.Keeler.67d5468@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola MT1000 parts needed!
Date: Fri, 9 Jul 2010 17:20:17 +0000
Message-ID: <Robert.Keeler.67d5468@radiobanter.com>
Organization: RadioBanter.com
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-Q3FtWF+ykxNDz70PrHe60lcu+4ZtU560c/
b3PU3A3dCSE71Am3A3HgSZkVSBTLn65sUaSJjXVfNw1uV!
LbUk80xB03YG1d1QKXDJO3KWRuyEC3QRjeD6az3TpDFpKRiBlpvuF59jDvURXM0laFaDeaq5ct72!
QgTxpPHfiXMPvg==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 7
Xref: g2news1.google.com rec.radio.amateur.equipment:2114
```

I need the folowing two parts:

Front cover (non DTMF) # NTN4956A

Top Escuteution (99 Channel) # 1305563R01

Thanks.

--
Robert Keeler

```
From 3934017282472577103
X-Google-Thread: 108122,64e325eb33d6a60d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n19g2000prf.googlegroups.com!not-for-mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hot photos new
Date: Sat, 10 Jul 2010 02:04:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <f769a60e-87a8-457c-a3d6-4e0e9e3920c2@n19g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.199.249.65
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278752683 10904 127.0.0.1 (10 Jul 2010 09:04:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Jul 2010 09:04:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n19g2000prf.googlegroups.com; posting-host=117.199.249.65;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2115
```

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

  NAMITHA SEXY PHOTO IN BEACH

http://hotheroinesphoto.blogspot.com/2010/06/namitha-in-beach.html

  CHARMI IN A SEXY FEEL

http://hotheroinesphoto.blogspot.com/2010/06/sexy-charmi.html

  CHENNAI HOT GIRLS WITH SWIM WEAR

http://hotheroinesphoto.blogspot.com/2010/06/chennai-hot-girls.html

  KAJAL AGARWALHOT PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/kajal-agarwal-hot.html

  KATRINA KAIF IN A HOT SAREE

http://hotheroinesphoto.blogspot.com/2010/06/hot-katrina.html

```
From 4316943185514758122
X-Google-Thread: 108122,dfe3c323d3ec98bc,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
newsfeed3.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!
newsswitch.lcs.mit.edu!xmission!newsfeed2.telusplanet.net!newsfeed.telus.net!
news.glorb.com!news2.glorb.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Jul 2010 11:10:51 -0500
From: kc5bdb <kc5bdb.67e5189@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-8500
Date: Sat, 10 Jul 2010 16:01:01 +0000
Message-ID: <kc5bdb.67e5189@radiobanter.com>
Organization: RadioBanter.com
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
mO4DO8DIYehQW2Q4KDOj23uhlTFW8Pn3CCVjlcCBXkK3WKXgHXaQ1e8yO2yjFqgo5f5NFTd4QEmg/xI!
q1HT5fXxCDKPynPPpIPWTl5m6Ut4EMvAy5YZcogGMbJoBaGh8l+OR51yHtEv/ZOjy1riJXaLgCN5!v3pa
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:2116
```

I'm looking for an MH-39 or FS-10 as the one that came with my FT-8500
has seen better days.

--
kc5bdb

```
From -7810358502081369905
X-Google-Thread: 108122,daa22678f15f7789,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Jul 2010 16:51:17 -0500
From: RadioRedo <>
Newsgroups: rec.radio.amateur.equipment
Subject: Come to the Berkeley radio event!
Date: Sat, 10 Jul 2010 14:51:26 -0700
Message-ID: <8pqh369lt6taqhrpjdlke3vg10rpjt0088@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.646
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 49
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 98.210.153.219
X-Trace:
sv3-4btwyHKaKZaTEaScsbQEKlYkLaOpsslRfKjHckYzfwP9PFPFBPsc5S6Mw5KOMYNdHq6vvaz1hfegia
x!tWazfJFbLKIxYiBsS0Xv9kTEvoxDhJOKAQ092mazs4pwv1DsJPHzkiS0XPflUf6gB5q8zPyI+5eS!/
mtEMQk+XcBoAR+unt0DMEWq
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:2117
```

The California Historical Radio Society presents:
"Radio Day by the Bay...
LIVE! at KRE 2010"

A Benefit for CHRS & The Bay Area Radio Museum -
Help CHRS/BARM Celebrate Radio & Radio Broadcasting in the SF Bay Area
At the historic KRE Radio Station Building, 601 Ashby Ave.,
Berkeley. Enter on Shellmound
Saturday, July 17th, 10 AM - 2 PM... Gate opens at 9:00 AM
$5 Donation at the Gate - Children free

Master of Ceremonies:
Carter B. Smith -
Legendary Bay Area Broadcaster & Member of the
Bay Area Radio Hall of Fame - Class of 2007
http://www.bayarearadio.org/hof/

Live Musical Performance:
Frankye Kelly & The Radio Daze Band -
Performing Jazz standards and Swing favorites
http://www.frankyekelly.com/

A Live Radio Play:
The Broadcast Legends -
Will present
"The Romance of Helen Trent"
http://www.broadcastlegends.com/

- And -

A Giant Auction of Vintage Electronics:
including beautiful vintage radios,
phonographs, test equipment,
amateur gear and more.

- Plus -

Tours of KRE
See the Bay Area Radio Hall of Fame
Discover Ham Radio with W6CF
Vintage electronic Flea Market
Live Celebrity Interviews
Food & Beverages

Sound by Dan Healy & Sons
Event sponsored by Peet's Coffee, Aidells Sausages & Amy's Fine Foods
Publicity by David Jackson   http://www.bayarearadio.org/
Visit www.CaliforniaHistoricalRadio.com/ for auction catalog,
(coming soon), directions & details

```
From 3722552364186818933
X-Google-Thread: 108122,e6852c93e13a8b7,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i18g2000pro.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT ACTRESS
Date: Sun, 11 Jul 2010 01:10:03 -0700 (PDT)
Organization: http://groups.google.com
```

Lines: 31
Message-ID: <e4fb3930-ceb5-4d6f-8d97-0edf8ee75983@i18g2000pro.googlegroups.com>
NNTP-Posting-Host: 117.199.246.44
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278835803 28203 127.0.0.1 (11 Jul 2010 08:10:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jul 2010 08:10:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i18g2000pro.googlegroups.com; posting-host=117.199.246.44;
posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2118

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

NAMITHA SEXY PHOTO IN BEACH

http://hotheroinesphoto.blogspot.com/2010/06/namitha-in-beach.html

CHARMI IN A SEXY FEEL

http://hotheroinesphoto.blogspot.com/2010/06/sexy-charmi.html

CHENNAI HOT GIRLS WITH SWIM WEAR

http://hotheroinesphoto.blogspot.com/2010/06/chennai-hot-girls.html

KAJAL AGARWALHOT PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/kajal-agarwal-hot.html

KATRINA KAIF IN A HOT SAREE

http://hotheroinesphoto.blogspot.com/2010/06/hot-katrina.html

From -5976566304597381798
X-Google-Thread: 108122,b6fcae1a76609426,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,b6fcae1a76609426,start

```
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m17g2000prl.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandjersey@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Timberland shoes made in china (http://www.brandtrade99.com )
Date: Mon, 12 Jul 2010 02:13:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 49
Message-ID: <622360df-0a82-482a-a621-0b363997f014@m17g2000prl.googlegroups.com>
NNTP-Posting-Host: 59.58.158.151
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1278926005 17305 127.0.0.1 (12 Jul 2010 09:13:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 Jul 2010 09:13:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m17g2000prl.googlegroups.com; posting-host=59.58.158.151;
     posting-account=zZfySgkAAAAtweETg-Zz1_j8kzCxA5iB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2119 rec.food.equipment:4049

AF1 shoes(http://www.brandtrade99.com)
adidas 35th shoes(http://www.brandtrade99.com)
nike shoes,jordan shoes(http://www.brandtrade99.com)
Air Force 1 shoes(http://www.brandtrade99.com)
kids shoes(http://www.brandtrade99.com)
nike air max TN shoes(http://www.brandtrade99.com)
nike MAX LTD shoes (http://www.brandtrade99.com)
nike air MAX 180 sports shoes(http://www.brandtrade99.com)
nike air max 360 basketball shoes  made in china (http://
www.brandtrade99.com )
nike air max 2003 running shoes  made in china (http://
www.brandtrade99.com )
nike air max 97 sport shoes made in china (http://
www.brandtrade99.com )
nike air max 95 basketball shoes( http://www.brandtrade99.com )
nike air max 90 running shoes made in china (http://
www.brandtrade99.com )
nike air max 87 fashion shoes made in china (http://
www.brandtrade99.com )
nike Shox TL1 men shoes  made in china (http://www.brandtrade99.com )
nike shox TL3 sports shoes  made in china (http://
www.brandtrade99.com )
nike shox NZ running shoes (http://www.brandtrade99.com)
nike shox OZ basketball shoes  made in china (http://
www.brandtrade99.com )
nike shox R3 sport shoes made in china (http://www.brandtrade99.com )
nike shox R4 fashion shoes  made in china (http://
```

www.brandtrade99.com)
nike shox R5 running shoes made in china (http://
www.brandtrade99.com)
puma shoes made in china (http://www.brandtrade99.com)
bape shoes made in china (http://www.brandtrade99.com)
Gucci shoes made in china (http://www.brandtrade99.com)
Lacoste shoes made in china (http://www.brandtrade99.com)
LV shoes made in china (http://www.brandtrade99.com)
Timberland shoes made in china (http://www.brandtrade99.com)
Evisu shoes made in china (http://www.brandtrade99.com)
D&G shoes made in china (http://www.brandtrade99.com)
nike running made in china (http://www.brandtrade99.com)
prada shoes made in china (http://www.brandtrade99.com)
DSQ shoes made in china (http://www.brandtrade99.com)
nike football shoes made in china (http://www.brandtrade99.com)
nike DUNK shoes made in china (http://www.brandtrade99.com)
Rift shoes made in china (http://www.brandtrade99.com)
NBA basketball shoes made in china (http://www.brandtrade99.com)
adidas running made in china (http://www.brandtrade99.com)
adidas NBA shoes made in china (http://www.brandtrade99.com)
adidas 35th anniversary shoes made in china (http://
www.brandtrade99.com)

From -1936337053120758724
X-Google-Thread: 10b9c8,60d5b75894348dfa,start
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,60d5b75894348dfa,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,60d5b75894348dfa,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,60d5b75894348dfa,start
X-Google-NewGroupId: yes
X-Google-Thread: f7796,60d5b75894348dfa,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!transit3.readnews.com!news-xxxfer.readnews.com!news-
out.readnews.com!transit4.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, August 2010 - Subscribe for FREE
Followup-To: poster
Date: Tue, 13 Jul 2010 01:32:11 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>

```
Message-ID: <CC2008C36F30434DB7E8C336731AD227@kent01250b2901>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
     charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1278999131 27256 166.84.1.6 (13 Jul 2010 05:32:11 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 13 Jul 2010 05:32:11 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.22.192.34 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:1571 rec.radio.amateur.boatanchors:3974
rec.radio.amateur.equipment:2120 rec.radio.swap:2556 alt.ham-radio.morse:39
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

August 2010 articles include:

Sky BUDDIES By Philip Cala-Lazar, K9PL

This Ain't eBay By Steve, N9WAT

Superheterodyne Receivers - Part 1 By Paul W. Ross, W3FIS

Talking with Radio Rescue's Bob Marx, 2AZK By Philip Cala-Lazar

Making Keys with NT9K By Bill Crosier, NT9K

Ham Quips By Dick Sylvan, W9CBT

```
From -2304493555417933526
X-Google-Thread: 108122,156bf6e407e41471,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t5g2000prd.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT ACTRESS
Date: Mon, 12 Jul 2010 23:19:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <7f367a84-d920-4aee-b6eb-743fc304be83@t5g2000prd.googlegroups.com>
NNTP-Posting-Host: 117.199.246.216
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279001974 8166 127.0.0.1 (13 Jul 2010 06:19:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 13 Jul 2010 06:19:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t5g2000prd.googlegroups.com; posting-host=117.199.246.216;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2121
```

FOR HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com

AISHWARIYARAI HOT EXPOSING PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/aishwariyarai-hot-photo.html

ANKITHA IN A TUB BATH

http://hotheroinesphoto.blogspot.com/2010/06/ankitha-in-tub-bath.html

NAMITHA SEXY PHOTO IN BEACH

http://hotheroinesphoto.blogspot.com/2010/06/namitha-in-beach.html

CHARMI IN A SEXY FEEL

http://hotheroinesphoto.blogspot.com/2010/06/sexy-charmi.html

CHENNAI HOT GIRLS WITH SWIM WEAR

http://hotheroinesphoto.blogspot.com/2010/06/chennai-hot-girls.html

KAJAL AGARWALHOT PHOTO

http://hotheroinesphoto.blogspot.com/2010/06/kajal-agarwal-hot.html

KATRINA KAIF IN A HOT SAREE

http://hotheroinesphoto.blogspot.com/2010/06/hot-katrina.html

```
From -7904248614649920391
X-Google-Thread: 108122,7c006bd41109f55c,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,7c006bd41109f55c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n8g2000prh.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <ganshoushoe@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: discount louis vuitton scarvers           (http://www.brandtrade99.com)
Date: Tue, 13 Jul 2010 00:55:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 33
Message-ID: <a3774945-2dc7-4d53-82ce-2e679f93d8c3@n8g2000prh.googlegroups.com>
NNTP-Posting-Host: 58.22.73.140
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279007707 26684 127.0.0.1 (13 Jul 2010 07:55:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 13 Jul 2010 07:55:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n8g2000prh.googlegroups.com; posting-host=58.22.73.140;
     posting-account=nhLbiwoAAAAY366l-vgyMa45MYunp5Vr
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2122 rec.food.equipment:4050
```

cheapsale louis vuitto handbags   (http://www.brandtrade99.com)
cheapsale louis vuitton sandals,slippers   (http://www.brandtrade99.com)

```
cheapsale louis vuitton sunglasses         (http://
www.brandtrade99.com)
cheapsale louis vuitton spring shoes
discount louis vuitton scarvers           (http://
www.brandtrade99.com)
discount louis vuitton men shoes           (http://
www.brandtrade99.com)
discount louis vuitton women shoes         (http://
www.brandtrade99.com)
discount lv women high heel boots          (http://
www.brandtrade99.com)
discount lv women sexy underwear            (http://
www.brandtrade99.com)
discount lv bikini and swimwear            (http://
www.brandtrade99.com)
cheapsale louis vuitton belts
discount louis vuitton bedsets             (http://
www.brandtrade99.com)
discount lv spring shoes                    (http://
www.brandtrade99.com)
discount lv tshirts                        (http://
www.brandtrade99.com)
cheap lv jeans                              (http://
www.brandtrade99.com)
discount lv jackets                         (http://
www.brandtrade99.com)
cheap lv watches


From -2271522884932284б
X-Google-Thread: 108122,ed39fbcf3ee33b8a,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,ed39fbcf3ee33b8a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s17g2000prh.googlegroups.com!not-for-
mail
From: fashion t shirts seller <yongyingwen@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Discount cheapsale Versace Jeans  <free shipping paypal payment>
Date: Tue, 13 Jul 2010 19:34:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <ed2315a9-040d-4bd0-b91d-516eec3b2124@s17g2000prh.googlegroups.com>
NNTP-Posting-Host: 112.111.160.24
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279074883 28273 127.0.0.1 (14 Jul 2010 02:34:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 14 Jul 2010 02:34:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s17g2000prh.googlegroups.com; posting-host=112.111.160.24;
```

```
     posting-account=e_7dGwoAAADlQxyWUnVHdkkQOshi7Tci
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2123 rec.food.equipment:4051

Discount cheapsale Affliction Jeans  <free shipping paypal payment>
Discount cheapsale AK Jeans  (http://www.brandtrade99.com/ )
Discount cheapsale Armani Jeans  <free shipping paypal payment>
Discount cheapsale Artful Dodger Jeans <free shipping paypal payment>
Discount cheapsale BAPE Jeans  <free shipping paypal payment>
Discount cheapsale BBC Jeans (http://www.brandtrade99.com/ )
Discount cheapsale Black Label Jeans
Discount cheapsale Cavalli Jeans  <free shipping paypal payment>
Discount cheapsale Christian Audigier Jeans
Discount cheapsale Coogi Jeans
Discount cheapsale Crown Holder Jeans (http://
www.brandtrade99.com/ )
Discount cheapsale D&G Jeans
Discount cheapsale Diesel Jeans  <free shipping paypal payment>
Discount cheapsale ECKO Jeans (http://www.brandtrade99.com/ )
Discount cheapsale ED Hardy Jeans
Discount cheapsale Evisu Jeans  <free shipping paypal payment>
Discount cheapsale G-STAR Jeans <free shipping paypal payment>
Discount cheapsale GUCCI Jeans
Discount cheapsale Iceberg Jeans
Discount cheapsale Kanji Jeans (http://www.brandtrade99.com/ )
Discount cheapsale Laguna Beach Jeans  <free shipping paypal payment>
Discount cheapsale Levi s Jeans
Discount cheapsale LRG Jeans <free shipping paypal payment>
Discount cheapsale LV Jeans
Discount cheapsale Prada Jeans (http://www.brandtrade99.com/ )
Discount cheapsale RMC Jeans
Discount cheapsale Roca Wear Jeans <free shipping paypal payment>
Discount cheapsale Rock&Republic Jeans
Discount cheapsale True Religion Jeans <free shipping paypal payment>
Discount cheapsale Versace Jeans  <free shipping paypal payment>
Discount cheapsale ZEN Jeans (http://www.brandtrade99.com/ )


From 1854704574830594303
X-Google-Thread: 108122,30952a67be21db3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t10g2000yqg.googlegroups.com!not-for-
mail
From: Mike <kk2dog@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Take a peek:  www.hamwave.com
Date: Tue, 13 Jul 2010 22:54:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
```

```
Message-ID: <ddf36bd1-ca45-498e-80f9-ef934e198277@t10g2000yqg.googlegroups.com>
NNTP-Posting-Host: 67.249.55.241
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279086851 13472 127.0.0.1 (14 Jul 2010 05:54:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 14 Jul 2010 05:54:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t10g2000yqg.googlegroups.com; posting-host=67.249.55.241;
     posting-account=E9pcIQoAAACMcvZvjHyw10Br3ISp9L5L
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6 ( .NET CLR 3.5.30729),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2124

Look around:

www.hamwave.com



From -6442172552362802441
X-Google-Thread: 108122,8b0be38bff6866b5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u4g2000prn.googlegroups.com!not-for-
mail
From: BASS <dalermehandi9247@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT&EXCLUSIVE
Date: Wed, 14 Jul 2010 06:25:36 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <3df0c434-1f3e-4227-b940-8f973a4ee4ab@u4g2000prn.googlegroups.com>
NNTP-Posting-Host: 117.199.251.234
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279113936 15446 127.0.0.1 (14 Jul 2010 13:25:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 14 Jul 2010 13:25:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u4g2000prn.googlegroups.com; posting-host=117.199.251.234;
     posting-account=ChMvegkAAADX5lcnTEWruk43MP3_cJY6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.6)
     Gecko/20100625 Firefox/3.6.6,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2125

HOT HEROINES PHOTOS

http://hotheroinesphoto.blogspot.com/
SEXY SNEHA
```

http://hotheroinesphoto.blogspot.com/2010/06/sneha-hot.html
KOUSHA HOT EXPOSING

http://hotheroinesphoto.blogspot.com/2010/06/sexy-kousha.html
PRIYAMANI IN HOT BIKINI

http://hotheroinesphoto.blogspot.com/2010/06/priyamani-hot.html
MADHUSHALINI IN HOT DRESS

http://hotheroinesphoto.blogspot.com/2010/06/blog-post_2972.html
HOTTEST LIPKISS

http://hotheroinesphoto.blogspot.com/2010/06/lipkiss-2.html
NAMITHA IN BATH

http://hotheroinesphoto.blogspot.com/2010/06/nayagarala-namitha.html
http://hotheroinesphoto.blogspot.com/2010/06/nayagarala-namitha.html

---

From 8282043415878776844
X-Google-Thread: 108122,957634ea2fd77ec2,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!newsfeed3.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!news.glorb.com!news2.glorb.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 16 Jul 2010 17:10:48 -0500
From: Jon Klinkhamer <Jon.Klinkhamer.6868ee8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Harris 350K
Date: Fri, 16 Jul 2010 19:23:37 +0000
Message-ID: <Jon.Klinkhamer.6868ee8@radiobanter.com>
Organization: RadioBanter.com
Lines: 11
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-WV9hY+wMrQ260TP4W7q+YRRqEaj3YvVjt444HkrBxI36Zd6wKyDqmvoc1MgnFVLmGnUuQIwMIO1CsdG!HTBn6ttlWmgW+0qUcP4ucQksFItBX9EG+2IlMRBBB6Bi1gBvejs+bd76Ohx7kAA2aXFJ38csn879!i542q9YsLRPdG+4=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 4
Xref: g2news1.google.com rec.radio.amateur.equipment:2126

Looking for spare cards for the Harris 350K. Right now I'm looking for the 1st converter board. Please contact me if you have a spare cards.

Thank so much!
Jon, KB1DC

--
Jon Klinkhamer

```
From 3191394798364869759
X-Google-Thread: 108122,5bdccc1dd5152e48,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,5bdccc1dd5152e48,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u4g2000prn.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <nyhffdf6767@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: KOOBA Handbags ((http://www.brandtrade99.com ) ) - (paypal payment)
Date: Sat, 17 Jul 2010 01:14:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 41
Message-ID: <3314eb84-08d9-48eb-90d4-e3d92a5a7205@u4g2000prn.googlegroups.com>
NNTP-Posting-Host: 112.111.164.226
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279354443 10027 127.0.0.1 (17 Jul 2010 08:14:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 17 Jul 2010 08:14:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u4g2000prn.googlegroups.com; posting-host=112.111.164.226;
     posting-account=urxWggoAAAAPi7BHi83T2cVifycq9CO_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2127 rec.food.equipment:4067
```

Burberry Handbags
Balenciaga Handbags ((http://www.brandtrade99.com)) - (paypal
payment)
Balenciaga Purse
Bally Purse
BOSS Purse ((http://www.brandtrade99.com)) - (paypal payment)
Chanel Handbags
Chanel Purse
Chloe Handbags ((http://www.brandtrade99.com)) - (paypal payment)
Chloe Purse
Coach Handbags ((http://www.brandtrade99.com)) - (paypal payment)

Coach Purse
D&G Purse ((http://www.brandtrade99.com)) - (paypal payment)
Dior Handbags
Dunhill Purse
Gucci Handbags ((http://www.brandtrade99.com)) - (paypal payment)
Gucci Purse
Hermes Purse
JIMMY CHOO Handbags ((http://www.brandtrade99.com)) - (paypal payment)
JIMMY CHOO Purse
LV Handbags ((http://www.brandtrade99.com)) - (paypal payment)
LV Purse
FENDI Handbags
Hermes Handbags ((http://www.brandtrade99.com)) - (paypal payment)
JUICY Handbags
KOOBA Handbags ((http://www.brandtrade99.com)) - (paypal payment)
LOEWE Handbags
Marc Jacobs Handbags ((http://www.brandtrade99.com)) - (paypal payment)
MIUMIU Handbags
MULBERRY Handbags
THOMASWYLDE Handbags ((http://www.brandtrade99.com)) - (paypal payment)
PRADA Handbags ((http://www.brandtrade99.com)) - (paypal payment)
PRADA Purse
Valentnv Handbags ((http://www.brandtrade99.com)) - (paypal payment)
D&G Handbags
VERSACE Handbags
Lancel Handbags ((http://www.brandtrade99.com)) - (paypal paymen

From -3195434320919878296
X-Google-Thread: 108122,5ef37c970cc3844b,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,5ef37c970cc3844b,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x24g2000pro.googlegroups.com!not-for-mail
From: DG LEATHER SHOES <suqiz@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Discount Wholesale Iceberg Jeans
Date: Sat, 17 Jul 2010 06:39:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <7a67c96d-132f-47bb-81ab-9fcb44be5c89@x24g2000pro.googlegroups.com>
NNTP-Posting-Host: 112.111.185.7
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1279373985 1231 127.0.0.1 (17 Jul 2010 13:39:45 GMT)
X-Complaints-To: groups-abuse@google.com

```
NNTP-Posting-Date: Sat, 17 Jul 2010 13:39:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x24g2000pro.googlegroups.com; posting-host=112.111.185.7;
     posting-account=sBkrKAoAAACJCwukHN4q2dmwsxoEmtqv
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2128 rec.food.equipment:4068

Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans  (http://www.brandtrade99/)
Discount Wholesale Armani Jeans
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans
Discount Wholesale BBC Jeans (http://www.brandtrade99/)
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://www.brandtrade99/)
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans
Discount Wholesale ECKO Jeans (http://www.brandtrade99/)
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.brandtrade99/)
Discount Wholesale Laguna Beach Jeans
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.brandtrade99/)
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans
Discount Wholesale ZEN Jeans (http://www.brandtrade99/)


From 4260552536026312633
X-Google-Thread: d7f5508063,7c7cb7d960d8fe5b
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!feeder.erje.net!
news.mixmin.net!aioe.org!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-820s cw problem
Date: Mon, 31 May 2010 20:54:47 -0400
```

Organization: Aioe.org NNTP Server
Lines: 19
Message-ID: <fmmck-A435BF.20544731052010@5ad64b5e.bb.sky.com>
References: <HeyReub.6499516@radiobanter.com> <Pine.LNX.4.64.1005311309220.16388@darkstar.example.net> <k4fdd7-a031.ln1@mikea.ath.cx>
NNTP-Posting-Host: gchucKsdLDo6dOnmXa3T7Q.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news2.google.com rec.radio.amateur.equipment:2243

In article <k4fdd7-a031.ln1@mikea.ath.cx>, mikea <mikea@mikea.ath.cx> wrote:

> Or it may be a 2-conductor plug on a radio which requires a 3-conductor
> plug.

Mike-

I think you have it. I found the service manual at mods.dk. It shows a two-circuit key jack with additional circuits switched when the key is plugged in. I didn't get the operator manual, but it probably has more information about keying.

When the TS-820 came out, it was a top-of-the-line rig, so it may very well have a built-in keyer. With only one jack, it would have to accommodate both a straight key and a paddle. I wonder if there is a menu choice that disables the second circuit?

Fred

From 3216464888940696197
X-Google-Thread: d7f5508063,23cce1c4784bd3be,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Anyone parting out a Kenwood R-5000 or TS-440?
Date: Tue, 1 Jun 2010 02:09:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 23
Message-ID: <slrni08qkv.ksb.gsm@cable.mendelson.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: dsl217-132-1-43.bb.netvision.net.il

X-Trace: news.inside.misty.com 1275358144 26823 217.132.1.43 (1 Jun 2010 02:09:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 1 Jun 2010 02:09:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
X-Original-Bytes: 1359
Xref: g2news2.google.com rec.radio.amateur.equipment:2244

Anyone parting out a Kenwood R-5000? I need a new antenuator knob.

Please don't tell me to:

1. Check the Yahoo group. I've asked there many times and no one ever is.

2. Order it from Kenwood Parts in the USA. Quite simply, I can't.

The same knob is used on a TS-440.

Thanks,

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From -4443552588464386495
X-Google-Thread: a4a23d5f63,19982fab2fd2676d,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1272693601@panix.com>
Followup-To: poster
Date: 1 Jun 2010 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>

Distribution: world
Expires: 04 Jul 2010 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1275372001@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1275372002 23052 166.84.1.2 (1 Jun 2010 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 1 Jun 2010 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:18150 rec.radio.amateur.dx:674 rec.radio.amateur.equipment:2245 rec.radio.amateur.homebrew:3764 rec.radio.amateur.misc:5189 rec.radio.amateur.policy:29470 rec.radio.amateur.space:373 rec.radio.info:1558

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.

From 7171675369684070852
X-Google-Thread: d7f5508063,23cce1c4784bd3be
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Tue, 01 Jun 2010 07:22:26 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone parting out a Kenwood R-5000 or TS-440?
References: <slrni08qkv.ksb.gsm@cable.mendelson.com>
In-Reply-To: <slrni08qkv.ksb.gsm@cable.mendelson.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <4c05172b$0$5548$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2246

Geoffrey S. Mendelson wrote:
> Anyone parting out a Kenwood R-5000? I need a new antenuator knob.
>
> Please don't tell me to:
>
> 1. Check the Yahoo group. I've asked there many times and no one ever is.
>
> 2. Order it from Kenwood Parts in the USA. Quite simply, I can't.
>
> The same knob is used on a TS-440.
>
> Thanks,
>
> Geoff.

>
>
>
>
I have a TS-440SAT I'll sell you for $200 + shipping!

From 7655123132758498123
X-Google-Thread: d7f5508063,23cce1c4784bd3be
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone parting out a Kenwood R-5000 or TS-440?
Date: Tue, 1 Jun 2010 15:30:37 +0000 (UTC)
Organization: MGT Consulting
Lines: 22
Message-ID: <slrni0a9qk.79f.gsm@cable.mendelson.com>
References: <slrni08qkv.ksb.gsm@cable.mendelson.com>
 <4c05172b$0$5548$bd467cd0@news.dslextreme.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: dsl217-132-1-43.bb.netvision.net.il
X-Trace: news.inside.misty.com 1275406237 8245 217.132.1.43 (1 Jun 2010 15:30:37 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 1 Jun 2010 15:30:37 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
X-Original-Bytes: 1863
Xref: g2news2.google.com rec.radio.amateur.equipment:2247

dave wrote:
> I have a TS-440SAT I'll sell you for $200 + shipping!

A tempting offer, thanks. My estimate is that if I want to send it insured
it would cost at least $100. USPS does not insure mail to Israel, so I would
have to use FEDEX, DHL ETC.

That would raise the price to $300 plus about $75 in taxes. Getting an
import permit for it is trivial, but may add another $35 in fees (before
taxes) from the courrier service.

The other option would be to have a tourist bring it in their luggage.
At $200 it fits within the tax excemption for gifts.

That would not be a bad deal, but all I want is a knob. :-)

--

Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

```
From 3714648561920105006
X-Google-Thread: bef9722fd1,72b3acf52efeb146,start
X-Google-Attributes: gidbef9722fd1,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n20g2000prh.googlegroups.com!not-for-
mail
From: cntrade08 <chenlily84@hotmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Fendi Sunglasses Wholesale(http://www.cntrade09.com/)    (PayPal
     Payment) Dior Sunglasses
Date: Tue, 1 Jun 2010 23:02:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 65
Message-ID: <dd61ba7c-8754-4e3a-9151-b8413b384011@n20g2000prh.googlegroups.com>
NNTP-Posting-Host: 58.22.64.220
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275458526 5620 127.0.0.1 (2 Jun 2010 06:02:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Jun 2010 06:02:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n20g2000prh.googlegroups.com; posting-host=58.22.64.220;
     posting-account=qbRHCQoAAADxaq8M1mHuPtnY1mQIBNiC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news2.google.com rec.pets.dogs.health:10661
rec.radio.amateur.equipment:2248 rec.music.bluenote:2484
```

Cheap Wholesale Gucci Shoes (paypal payment) (http://
www.cntrade09.com/)
Cheap Wholesale GUCCI Boots
Cheap Wholesale Lacoste Shoes
Cheap Wholesale LV Shoes (paypal payment) (http://
www.cntrade09.com/)
Cheap Wholesale LV Boots
Cheap Wholesale Prada Shoes (paypal payment) (http://
www.cntrade09.com/)
Cheap Wholesale Timberland Shoes
Cheap Wholesale D&G Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale D&G Boots
Cheap Wholesale Puma Shoes
Cheap Wholesale Puma AAA (paypal payment)
(http://www.cntrade09.com/)

Cheap Wholesale UGG Boots Shoes
Cheap Wholesale Bikkem Bergs Shoes (free shipping)
Cheap Wholesale Mauri Shoes Man
Cheap Wholesale Versace Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Versace Boots
Cheap Wholesale Paul Smith Shoes (free shipping)
Cheap Wholesale BOSS Shoes
Cheap Wholesale Burberry Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Dsquared shoes
Cheap Wholesale Dior Shoes (free shipping)
Cheap Wholesale Dior Boots
Cheap Wholesale ED Hardy Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale ED Hardy Boots
Cheap Wholesale ED Hardy Shoes Man (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Fendi Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Fendi Boots
Cheap Wholesale AFF Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Evisu Shoes (free shipping)
Cheap Wholesale 4US Shoes
Cheap Wholesale Sebago Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Supra Shoes
Cheap Wholesale Hight Converse Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Coach Boots
Cheap Wholesale Coach Shoes
Women Christian Louboutin (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Chanel Shoes
Cheap Wholesale Chanel Boots (free shipping)
Cheap Wholesale Bape Shoes
Cheap Wholesale Adidas Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Adicolor (free shipping)
Cheap Wholesale Adidas 35TH (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Adidas NBA
Cheap Wholesale Adidas Running (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Adidas Y3
Cheap Wholesale Soccer Shoes (paypal payment)
(http://www.cntrade09.com/)

From 6150988747740129499
X-Google-Thread: d7f5508063,c5bb0bdf975e1b22,start
X-Google-Attributes: gidd7f5508063,public,usenet

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g39g2000pri.googlegroups.com!not-for-mail
From: shoesbuy <zhangqi88686@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Wholesale Kanji Jeans (http://www.cntrade09.com/)
Date: Tue, 1 Jun 2010 23:19:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <706aeba1-7493-446a-924e-95a860b6a535@g39g2000pri.googlegroups.com>
NNTP-Posting-Host: 112.111.173.89
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275459540 25759 127.0.0.1 (2 Jun 2010 06:19:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Jun 2010 06:19:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g39g2000pri.googlegroups.com; posting-host=112.111.173.89;
     posting-account=ZwjvsAoAAABA5j1UAfE2rnMWtqERqItF
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2249

Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans  (http://www.cntrade09.com/)
Discount Wholesale Armani Jeans
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans
Discount Wholesale BBC Jeans (http://www.cntrade09.com/)
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://www.cntrade09.com/)
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans
Discount Wholesale ECKO Jeans (http://www.cntrade09.com/)
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.cntrade09.com/)
Discount Wholesale Laguna Beach Jeans
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.cntrade09.com/)
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
```

Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans
Discount Wholesale ZEN Jeans (http://www.cntrade09.com/)

```
From 3729526740953816381
X-Google-Thread: d7f5508063,bc58b68deae77e9d,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e6g2000vbm.googlegroups.com!not-for-mail
From: Kevin W0KLH <kevininiowa@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom 706mkIIG Problem
Date: Wed, 2 Jun 2010 05:31:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 15
Message-ID: <1cad7e11-9161-482c-9296-d208f654e517@e6g2000vbm.googlegroups.com>
NNTP-Posting-Host: 71.217.232.32
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275481885 13685 127.0.0.1 (2 Jun 2010 12:31:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Jun 2010 12:31:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e6g2000vbm.googlegroups.com; posting-host=71.217.232.32;
     posting-account=F9uangoAAAAgoKQ5CQQU9Mx7VlIP30sM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.2.3)
     Gecko/20100401 Firefox/3.6.3,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2250
```

I just reinstalled my Icom back into my vehicle after it being out for several months, I was listening to 20 meters yesterday and tried to get into a few of the pileups that were going on. A second or two in keying up to ID my call, the radio shuts off. I also have developed what sounds like a ground hum on VHF.

For an antenna I am using a Yaesu ATAS-100 with a AM-COM controller. When tuning the antenna in, I get to very low SWR's on the meter, so I don't think that it is a high SWR that is causing it. I have checked all connections and they are tight, so any thing further I can check?

Thanks

Kevin
w0klh

```
From 3769635954905139947
X-Google-Thread: d7f5508063,60ab64730aed6c10,start
X-Google-Attributes: gidd7f5508063,public,usenet
```

X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u20g2000pru.googlegroups.com!not-for-mail
From: cntrade08 <chenlily84@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wholesale Nike Shoes,Jordan Shoes,Nike Dunk Shoes,Nike Air Force 1 Shoes,Nike Shox Shoes,
Date: Wed, 2 Jun 2010 06:02:08 -0700 (PDT)
Organization: http://groups.google.com
Lines: 36
Message-ID: <b49df7d9-594f-4189-86b1-2e104756b035@u20g2000pru.googlegroups.com>
NNTP-Posting-Host: 112.111.172.160
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275483729 16565 127.0.0.1 (2 Jun 2010 13:02:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Jun 2010 13:02:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u20g2000pru.googlegroups.com; posting-host=112.111.172.160; posting-account=qbRHCQoAAADxaq8M1mHuPtnY1mQIBNiC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2251

For more information, please contact Sophie,hotmail
Email:cntrade088@hotmail.com,

Minimum order is one,factory price also!Paypal payment free shipping,ship time will take 4-7 working days.

Wholesale Nike Shoes,Jordan Shoes,Nike Dunk Shoes,Nike Air Force 1 Shoes,Nike Shox Shoes,
Nike Air Max,Brand Shoes Sell,cheap shoes wholesale,cheap dunk,shoes wholesale,cheap air force 1 shoes,cheap jordan shoes,cheap hoodies wholesale,cheap wholesale

Nike Jordan: www.cntrade09.com
Jordan 1,Jordan 1.5,Jordan 2,Jordan 2.5,Jordan 3,Jordan 3.5, Jordan 4,Jordan 4.5,Jordan 5.5 Man,Jordan 5,Jordan 6,J 6.5 Kid, Jordan 7,Jordan 7.5 Man,Jordan 8,Jordan 9,Jordan 9.5 Man,Jordan 10,Jordan 10.5,Jordan 11,Jordan 11.5,Jordan 12,Jordan 12.5,Jordan 13,Jordan 14,Jordan 15 Man,Jordan 15.5,Jordan 16, Jordan 17,Jordan 18,Jordan 19,Jordan 19.5,Jordan 22 Man,Jordan 22.5 Man,Jordan 23,Jordan 24.

Air Jordan CP3,Air Yeezy Man,J1+J2+J5+J7 Man,Jordan 3+Jordan 5+Jordan 15,Jordan 23+AF1,Jordan 3+AF1,Jordan 4+AF1,Jordan 4.5+AF1,Jordan 5+AF1,Jordan 6+AF1,Jordan 9+AF1,Jordan 9+Jordan 23 Man,Jordan 11.5+AF1,Jordan 11+AF1,Jordan 11+Anthony,Jordan 11+Jordan 12,Jordan

25
Kid,Jordan 11+Jordan 13,Jordan 11+Jordan 23,Jordan 11+Obama,Jordan
12+AF1,Jordan 13+AF1,Jordan 13+A J6 Rings,J18+J23 Man,Jordan
20+AF1,J21+J23 Man,Jordan 25+AF1,Jordan 6unite1,Jordan 8unite1,
Jordan flying Man,Jordan foamposite liite Man,Jordan MELO M5
Man,JORDAN TRUE FLIGHT Man,
Jordan Trunner Q4 Man,Jordan Michael Jackson shoes,Nike Air Michael
Jackson shoes,Nike Air skt shoes.
www.cntrade09.com

```
From -3518262164601029198
X-Google-Thread: d7f5508063,23cce1c4784bd3be
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Wed, 02 Jun 2010 06:38:40 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone parting out a Kenwood R-5000 or TS-440?
References: <slrni08qkv.ksb.gsm@cable.mendelson.com>
<4c05172b$0$5548$bd467cd0@news.dslextreme.com>
<slrni0a9qk.79f.gsm@cable.mendelson.com>
In-Reply-To: <slrni0a9qk.79f.gsm@cable.mendelson.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 22
Message-ID: <4c065e68$0$5486$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2252
```

Geoffrey S. Mendelson wrote:
> dave wrote:
>> I have a TS-440SAT I'll sell you for $200 + shipping!
>
> A tempting offer, thanks. My estimate is that if I want to send it insured
> it would cost at least $100. USPS does not insure mail to Israel, so I would
> have to use FEDEX, DHL ETC.
>
> That would raise the price to $300 plus about $75 in taxes. Getting an
> import permit for it is trivial, but may add another $35 in fees (before
> taxes) from the courrier service.
>
> The other option would be to have a tourist bring it in their luggage.
> At $200 it fits within the tax excemption for gifts.
>

```
> That would not be a bad deal, but all I want is a knob. :-)
>
>
I'm going to try to be at the TRW swap meet at the end of the month.  If
you're in Manhattan Beach stop by.

Universal is a Kenwood parts dealer, are they not?



From -6759274218040632247
X-Google-Thread: d7f5508063,bc58b68deae77e9d
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Wed, 02 Jun 2010 06:41:16 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706mkIIG Problem
References: <1cad7e11-9161-482c-9296-d208f654e517@e6g2000vbm.googlegroups.com>
In-Reply-To: <1cad7e11-9161-482c-9296-d208f654e517@e6g2000vbm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <4c065f04$0$5486$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2253

Kevin W0KLH wrote:
> I just reinstalled my Icom back into my vehicle after it being out for
> several months, I was listening to 20 meters yesterday and tried to
> get into a few of the pileups that were going on. A second or two in
> keying up to ID my call, the radio shuts off. I also have developed
> what sounds like a ground hum on VHF.
>
> For an antenna I am using a Yaesu ATAS-100 with a AM-COM controller.
> When tuning the antenna in, I get to very low SWR's on the meter, so I
> don't think that it is a high SWR that is causing it. I have checked
> all connections and they are tight, so any thing further I can check?
>
> Thanks
>
> Kevin
> w0klh

High current DC connections can get oxide inside without loosening.
Disassemble, clean with gentle abrasives and alcohol, reassemble, coat
```

with petroleum jelly. You are connected directly to the battery, right?

```
From 5343770688650643665
X-Google-Thread: d7f5508063,23cce1c4784bd3be
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone parting out a Kenwood R-5000 or TS-440?
Date: Wed, 2 Jun 2010 14:24:20 +0000 (UTC)
Organization: MGT Consulting
Lines: 25
Message-ID: <slrni0cq5r.qtk.gsm@cable.mendelson.com>
References: <slrni08qkv.ksb.gsm@cable.mendelson.com>
 <4c05172b$0$5548$bd467cd0@news.dslextreme.com>
 <slrni0a9qk.79f.gsm@cable.mendelson.com>
 <4c065e68$0$5486$bd467cd0@news.dslextreme.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: dsl217-132-1-43.bb.netvision.net.il
X-Trace: news.inside.misty.com 1275488660 31580 217.132.1.43 (2 Jun 2010 14:24:20
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Wed, 2 Jun 2010 14:24:20 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2254
```

dave wrote:

> I'm going to try to be at the TRW swap meet at the end of the month. If
> you're in Manhattan Beach stop by.

Thanks, I'm 9,000 miles from there.

>
> Universal is a Kenwood parts dealer, are they not?

You know, I've dealt with them for almost 20 years, bought radios from them
when I lived in the US, and go to their web site often, but never thought
about asking them.

Thanks.

Geoff.

--

Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From 2118718279911620699
X-Google-Thread: d7f5508063,de77fca4c21bfcc1,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!de-l.enfer-du-nord.net!feeder1.enfer-du-nord.net!cs.uu.nl!news0.firedrake.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-920 FM board?
Date: Wed, 2 Jun 2010 09:27:37 -0500
Organization: Firedrake Synthesis
Lines: 10
Message-ID: <pb6id7-4sr2.ln1@mikea.ath.cx>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: parhelion.firedrake.org 1275489069 12790 70.164.65.62 (2 Jun 2010 14:31:09 GMT)
X-Complaints-To: usenet@parhelion.firedrake.org
NNTP-Posting-Date: Wed, 2 Jun 2010 14:31:09 +0000 (UTC)
X-Not-Approved: idees@videotron.qc.ca-is-a-troll
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:2255

Hi.

I just got a Yaesu FT-920, which is a _most_ interesting rig. It doesn't
have the FM board. Does anyone here have one to sell or trade?

--
NASA's moon shot was a stunt, done at tremendous cost with fragile, experimental
equipment and the result was headlines, not a permanent presence. And Columbus's
wasn't the last trip from the Old World to the New -- nor were all or even most
of the subsequent settler's trips government-funded. -- Bobbi Barmore

From -4760250200698234919
X-Google-Thread: d7f5508063,bc58b68deae77e9d
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706mkIIG Problem
Date: 2 Jun 2010 14:39:21 GMT
Lines: 47

Message-ID: <slrni0crcj.2ptc.bit-bucket@shell.config.com>
References: <1cad7e11-9161-482c-9296-d208f654e517@e6g2000vbm.googlegroups.com>
<4c065f04$0$5486$bd467cd0@news.dslextreme.com>
Reply-To: If you must, <Reply_to@my.sig.adr>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net MtgTMW3aD1I0cYnUc5ODxQkZjW5mapIp3G3FwQOg8t0xFZIPA5
Cancel-Lock: sha1:6WlWVkzMQ86tFphpCX4C/L7GD20=
User-Agent: slrn/0.9.9p1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:2256

On Wed, 02 Jun 2010 06:41:16 -0800, dave wrote:

> Kevin W0KLH wrote:
>
>> I just reinstalled my Icom back into my vehicle after it being out for several months, I was listening to 20 meters yesterday and tried to get into a few of the pileups that were going on. A second or two in keying up to ID my call, the radio shuts off. I also have developed what sounds like a ground hum on VHF.
>>
>> For an antenna I am using a Yaesu ATAS-100 with a AM-COM controller. When tuning the antenna in, I get to very low SWR's on the meter, so I don't think that it is a high SWR that is causing it. I have checked all connections and they are tight, so any thing further I can check?
>>
>> Kevin w0klh
>
> High current DC connections can get oxide inside without loosening. Disassemble, clean with gentle abrasives and alcohol, reassemble, coat with petroleum jelly. You are connected directly to the battery, right?

Good points. I've found the IC-706 to be bloody all sensitive to voltages under about 12.59999999V.

A friend of mine found the original "butt contact" fuse holder was the culprit. He accidently discovered the cause during one frustrating session when repositioning the power cable by clasping the fuse holder bodies (there are 2 of'em, IIRC). They were quite warm to the touch.

My installation involves direct, 10 ga. wires to the battery posts and I am using automotive, blade-style, in-line fuses. Even then, I sometimes need to remove the fuses, clean the blades, re-apply silicone grease around the body and reinsert them to get the problem to go away.

Even given all that, I cannot park and operate SSB for more than approx. 20 minutes before the other OP eventually reports terrible distortion on my transmission. I never operate FM -- I can imagine what problems that mode can inflict on this problem.

A pox on their house for rolling out a rig that works so poorly under such minor under voltages. It would not be my choice for a rig to rely upon in an emergency.

73
Jonesy

```
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    * Killfiling google & XXXXbanter.com: jonz.net/ng.htm
```

```
From 6893284693322144931
X-Google-Thread: d7f5508063,bc58b68deae77e9d
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe12.iad.POSTED!7564ea0f!not-for-mail
From: 1hogrider <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.9) Gecko/
20100317 Thunderbird/3.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706mkIIG Problem
References: <1cad7e11-9161-482c-9296-d208f654e517@e6g2000vbm.googlegroups.com>
In-Reply-To: <1cad7e11-9161-482c-9296-d208f654e517@e6g2000vbm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 27
Message-ID: <GLxNn.74517$304.46969@newsfe12.iad>
NNTP-Posting-Host: 70.188.44.65
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe12.iad 1275504742 70.188.44.65 (Wed, 02 Jun 2010 18:52:22 UTC)
NNTP-Posting-Date: Wed, 02 Jun 2010 18:52:22 UTC
Organization: Cox
Date: Wed, 02 Jun 2010 14:52:20 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2257
```

On 6/2/2010 8:31 AM, Kevin W0KLH wrote:

> I just reinstalled my Icom back into my vehicle after it being out for
> several months, I was listening to 20 meters yesterday and tried to
> get into a few of the pileups that were going on. A second or two in
> keying up to ID my call, the radio shuts off. I also have developed
> what sounds like a ground hum on VHF.
>
> For an antenna I am using a Yaesu ATAS-100 with a AM-COM controller.
> When tuning the antenna in, I get to very low SWR's on the meter, so I
> don't think that it is a high SWR that is causing it. I have checked
> all connections and they are tight, so any thing further I can check?
>
> Thanks
>
> Kevin
> w0klh

Don't know if you have the head remoted or not. If so, the instructions
are very clear about grounding of the plug on the back of the control
head, or something that effect.

Andy W4KDN

--
Two most common elements in the universe- Hydrogen & Stupidity

From 1161198759264291611
X-Google-Thread: d7f5508063,561f860375dc3116,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
bolzen.all.de!newsfeed.ision.net!newsfeed2.easynews.net!ision!
newsfeed1.dallas1.level3.net!newsfeed3.dallas1.level3.net!news.level3.com!bloom-
beacon.mit.edu!micro-heart-of-gold.mit.edu!nntp.club.cc.cmu.edu!feeder.erje.net!
news.glorb.com!news2.glorb.com!news.glorb.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Jun 2010 17:11:25 -0500
From: Travis &quot;Dutch&quot; Redman Jr
<Travis.quotDutchquot.Redman.Jr.64c8c73@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Icom HM-14 mike for my !C28A
Date: Wed, 2 Jun 2010 19:23:05 +0100
Message-ID: <Travis.quotDutchquot.Redman.Jr.64c8c73@radiobanter.com>
Organization: RadioBanter.com
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-3AJZYsvyKUhYSageFsITbs0YKLo0GbWNUVCgzFStGHV2+KQsoeHQs95HvBN4MAykhfo0sBRYC1PwN0
z!YONHs5A5Vb3Fg1xJaO8WX07lPsZ7tQNFkrmedAC4iXbfVd3seeKdLcHwjgoWwfSQ7e23cFS6B5hy!
UJGEr8joqkhzOQtcDeiyLAiJKz/p8sCT+MU=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news2.google.com rec.radio.amateur.equipment:2258

Getting backi into amateur radio after finishing up raising kids and
partially retiring from teaching. I dug out my old IC-28A 2 mtr
transceiver but can't find the mike, an HM-14 with an 8-pin round
connector. Anyone out there have one to sell? Thanks, Dutch, K0RLC

```
--
Travis &quot;Dutch&quot; Redman Jr


From 8439625440850628681
X-Google-Thread: d7f5508063,2a64f1d6786121b9,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe12.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: 30S-1 HF Amplifier
Message-ID: <0rtd06druvrtoo33j7m21v5olhl1nd5grn@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe12.iad 1275524992 70.161.107.201 (Thu, 03 Jun 2010 00:29:52 UTC)
NNTP-Posting-Date: Thu, 03 Jun 2010 00:29:52 UTC
Organization: Cox
Date: Wed, 02 Jun 2010 20:29:57 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2259

30S-1 HF Amplifier AS IS with copy of manual. Good shape, not
tested, received as a donation to K4AMG Memorial Club. $1,200.00
Pick up at the Manassas Hamfest, June 13.  Any questions contact via
http://www.k4amg.com


From -2386647074368132403
X-Google-Thread: d7f5508063,bc58b68deae77e9d
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!news.mixmin.net!aioe.org!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706mkIIG Problem
Date: Wed, 02 Jun 2010 21:24:32 -0400
Organization: Aioe.org NNTP Server
Lines: 23
Message-ID: <fmmck-B839E8.21243102062010@5ad64b5e.bb.sky.com>
References: <1cad7e11-9161-482c-9296-d208f654e517@e6g2000vbm.googlegroups.com>
```

```
NNTP-Posting-Host: hEpBd3JTlPqp4WNRMbuVcg.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news2.google.com rec.radio.amateur.equipment:2260
```

In article
<1cad7e11-9161-482c-9296-d208f654e517@e6g2000vbm.googlegroups.com>,
Kevin W0KLH <kevininiowa@aol.com> wrote:

> A second or two in
> keying up to ID my call, the radio shuts off.

Kevin-

I have the same problem with an IC-7000. I first thought there might be RF getting into the rig causing the problem. I eventually found it is actually caused by low supply voltage, as others have noted. With the engine running, it usually works OK, but sometimes there is sufficient voltage drop in the wiring that it turns off even then.

What I have done is to install an MFJ-4416 Super Battery Booster. It is a DC-to-DC power inverter that produces a constant 13.8 Volts DC from a varying input voltage. With that turned on, I've never had the rig turn itself off. The booster is effectively out of the circuit when it is turned off, so I leave it off until the problem occurs.

Fred
K4DII

```
From -4524672789567382738
X-Google-Thread: 108122,23cce1c4784bd3be
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad!
post01.iad!news.dslextreme.com!not-for-mail
Date: Thu, 03 Jun 2010 04:05:45 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone parting out a Kenwood R-5000 or TS-440?
References: <slrni08qkv.ksb.gsm@cable.mendelson.com>
<4c05172b$0$5548$bd467cd0@news.dslextreme.com>
<slrni0a9qk.79f.gsm@cable.mendelson.com>
<4c065e68$0$5486$bd467cd0@news.dslextreme.com>
```

```
<slrni0cq5r.qtk.gsm@cable.mendelson.com>
In-Reply-To: <slrni0cq5r.qtk.gsm@cable.mendelson.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <4c078c10$0$5498$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2261

Geoffrey S. Mendelson wrote:
> dave wrote:
>
>> I'm going to try to be at the TRW swap meet at the end of the month.  If
>> you're in Manhattan Beach stop by.
>
> Thanks, I'm 9,000 miles from there.
>

I know.  But I like to think of you as a jet setter.

>> Universal is a Kenwood parts dealer, are they not?
>
> You know, I've dealt with them for almost 20 years, bought radios from them
> when I lived in the US, and go to their web site often, but never thought
> about asking them.
>
> Thanks.
>
> Geoff.
>
>



From 1512077155910139599
X-Google-Thread: 10b9c8,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Thread: 108122,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Thread: f7796,6d5be172dd498442
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
```

Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, July 2010 - Subscribe for FREE
Followup-To: poster
Date: Fri, 4 Jun 2010 12:13:04 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 32
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <360FC02DE05E4A5BB3C3DA40E4F068D2@kent01250b2901>
References: <D14F7061799E4342820B1BD719C7C6B0@kent01250b2901>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain;
charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: reader1.panix.com 1275667984 5223 166.84.1.6 (4 Jun 2010 16:13:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 4 Jun 2010 16:13:04 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history, nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp auth 68.22.192.100 authed with k9ya+k9ya.org}
Xref: g2news1.google.com rec.radio.info:1491 rec.radio.amateur.boatanchors:3907 rec.radio.amateur.equipment:2048 rec.radio.swap:2508 alt.ham-radio.morse:38

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

July 2010 articles include:

Nice Adventures By Philip Cala-Lazar, K9PL

Slow Scan Television By Paul W. Ross, W3FIS

Antenna Adjectives-Words Aplenty By Rick Hiller, W5RH

Clues and Kinks for the Radio Ham By Bob Cashdollar, NR8U

Bill Little, W2OJJ (SK) By Chris Johnson, WA2ZDY/4

Ham Quips By Dick Sylvan, W9CBT

```
From -4781300678821067803
X-Google-Thread: 108122,69490a906730d049,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin2!goblin.stu.neva.ru!feeder.erje.net!news.glorb.com!news2.glorb.com!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 04 Jun 2010 17:11:48 -0500
From: KC2URG <KC2URG.64f2f72@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-8800 Programming?
Date: Fri, 4 Jun 2010 18:41:08 +0100
Message-ID: <KC2URG.64f2f72@radiobanter.com>
Organization: RadioBanter.com
Lines: 21
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-20t7Eq2ov30ol9yHAq5LvCYHazeoxucAqjgaPx0j12f48Q1c1OGaD8qQqxOjjK1VdtWQzVrJgSaRfD
m!cNhHpoEsJ1Hd0M72bKvvkmxXDDfiWwuUTZJ0xRamUNvqcdUYh5yAideDUv5K4sazcyLuGYK0LCZC!
ERM=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 9
Xref: g2news1.google.com rec.radio.amateur.equipment:2049
```

Greeting All,

I'm in the process of programming my new Yaesu FT-8800 with the RT software. I'm looking for tricks or what works best for you as far as programming? I currently have both the left and right side programmed the same, but looking to see what the popular configuration might be.

Also, is there a way to copy the left program over to the right side without exporting and importing the delimited files? It seems that the check boxes don't really save once I export it.

Thanks! 73

Rodd / KC2URG

--
KC2URG

```
From -4226933796262786346
X-Google-Thread: 108122,4744741d0f558a30,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!
nntp.club.cc.cmu.edu!feeder.erje.net!newsfeed01.sul.t-online.de!newsfeed00.sul.t-
online.de!t-online.de!border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 04 Jun 2010 23:12:17 -0500
From: pitcoken <pitcoken.64f83d1@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: FBA-14 battery pack
Date: Sat, 5 Jun 2010 04:44:22 +0100
Message-ID: <pitcoken.64f83d1@radiobanter.com>
Organization: RadioBanter.com
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-OBYKZLYfn6bi8pnu01RQBsVJKjuNTk63or57iiwHtV01DxwKaIbCRUp7Fjd7y8EGoG/
fyq5s1MhzlHX!3iJxiup+OJvT5UaQgpqg0/
NR38HAwPUbylJEn4ks93AAw6YHkbok8UWRcQmi4nVanoyobIsbJNKy!8ZI9aw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1079
Xref: g2news2.google.com rec.radio.amateur.equipment:2264
```

Anyone have this or another compatible battery pack for the FT-51 for
sale? Many thanks! Ken KE4RG

--
pitcoken

```
From 6516102608683789558
X-Google-Thread: 108122,fefba3d510d403aa,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e34g2000pra.googlegroups.com!not-for-
mail
From: shoestrade <haoxinfenshou98@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Armani goggle  http://www.cntrade09.com
Date: Fri, 4 Jun 2010 23:20:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 51
Message-ID: <c5337025-12d9-4d8e-88f7-846f5a2b9552@e34g2000pra.googlegroups.com>
NNTP-Posting-Host: 58.22.137.72
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275718806 28058 127.0.0.1 (5 Jun 2010 06:20:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 Jun 2010 06:20:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e34g2000pra.googlegroups.com; posting-host=58.22.137.72;
     posting-account=NaqkvQoAAABxjp2Ua18U0tMRFxALbNih
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2051

Sunglass:

ADIDAS Sunglass  http://www.cntrade09.com
ARMANI Sunglass  http://www.cntrade09.com
Burberry Sunglasshttp://www.cntrade09.com
BVLGARL Sunglass http://www.cntrade09.com
Cartier Sunglass http://www.cntrade09.com
CHANEL Sunglass  http://www.cntrade09.com
COACH Sunglass   http://www.cntrade09.com
D&G Sunglass     http://www.cntrade09.com
DIESEL Sunglass  http://www.cntrade09.com
DIOR Sunglass    http://www.cntrade09.com
ED Hardy Sunglasshttp://www.cntrade09.com
FENDI Sunglass   http://www.cntrade09.com
```

Ferragamo Sunglass   http://www.cntrade09.com
GIVENCHY Sunglasshttp://www.cntrade09.com
GUCCI Sunglass   http://www.cntrade09.com
LV Sunglass   http://www.cntrade09.com
NIKE Sunglass   http://www.cntrade09.com
Oakley Sunglass http://www.cntrade09.com
POLICE Sunglass http://www.cntrade09.com
PRADA Sunglass   http://www.cntrade09.com
Ray.Ban Sunglass http://www.cntrade09.com
ROBERTO CAVALLI Sunglass http://www.cntrade09.com
Salvatore Sunglass http://www.cntrade09.com
VERSACE Sunglass   http://www.cntrade09.com
YSL Sunglass   http://www.cntrade09.com

goggle:

Armani goggle http://www.cntrade09.com
Catier goggle http://www.cntrade09.com
Chanel goggle http://www.cntrade09.com
D&G goggle   http://www.cntrade09.com
DIOR goggle   http://www.cntrade09.com
FENDI goggle   http://www.cntrade09.com
FERRE goggle   http://www.cntrade09.com
FRED goggle   http://www.cntrade09.com
GUCCI goggle   http://www.cntrade09.com
LV goggle   http://www.cntrade09.com
MONT BLANC goggle   http://www.cntrade09.com
NIKE goggle   http://www.cntrade09.com
Oakley goggle   http://www.cntrade09.com
POLICE goggle http://www.cntrade09.com
PRADA goggle   http://www.cntrade09.com
PUMA goggle   http://www.cntrade09.com
RAY.BAN goggle http://www.cntrade09.com
VERSACE goggle http://www.cntrade09.com

From -4368839799928979523
X-Google-Thread: 108122,53234b7f4c5c88d0,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j36g2000prj.googlegroups.com!not-for-mail
From: lego <lego-86@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wholesale Cheap Nike Shoes,Cheap air jordans,wholesale Jordans,Nike
     air Max,Puma shoes,China Honest seller
Date: Sun, 6 Jun 2010 03:39:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 37

```
Message-ID: <9a35a5bb-9335-4412-8f72-df39413a53ee@j36g2000prj.googlegroups.com>
NNTP-Posting-Host: 205.209.142.138
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275820799 9786 127.0.0.1 (6 Jun 2010 10:39:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 6 Jun 2010 10:39:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j36g2000prj.googlegroups.com; posting-host=205.209.142.138;
     posting-account=7wzd2woAAADWenlfNBFccrT3Z4uF5eI7
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     aff-kingsoft-ciba; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2266
```

For more information, please contact Sophie,hotmail
Email:honestwholesaler-1@hotmail.com,

Minimum order is one,factory price also!Paypal payment free shipping,ship time will take 4-7 working days.

Wholesale Nike Shoes,Jordan Shoes,Nike Dunk Shoes,Nike Air Force 1 Shoes,Nike Shox Shoes,
Nike Air Max,Brand Shoes Sell,cheap shoes wholesale,cheap dunk,shoes wholesale,cheap air force 1 shoes,cheap jordan shoes,cheap hoodies wholesale,cheap wholesale

Nike Jordan: www .honest-wholesaler. com
Jordan 1,Jordan 1.5,Jordan 2,Jordan 2.5,Jordan 3,Jordan 3.5, Jordan 4,Jordan 4.5,Jordan 5.5 Man,Jordan 5,Jordan 6,J 6.5 Kid, Jordan 7,Jordan 7.5 Man,Jordan 8,Jordan 9,Jordan 9.5 Man,Jordan 10,Jordan 10.5,Jordan 11,Jordan 11.5,Jordan 12,Jordan 12.5,Jordan 13,Jordan 14,Jordan 15 Man,Jordan 15.5,Jordan 16, Jordan 17,Jordan 18,Jordan 19,Jordan 19.5,Jordan 22 Man,Jordan 22.5 Man,Jordan 23,Jordan 24.

Air Jordan CP3,Air Yeezy Man,J1+J2+J5+J7 Man,Jordan 3+Jordan 5+Jordan 15,Jordan 23+AF1,Jordan 3+AF1,Jordan 4+AF1,Jordan 4.5+AF1,Jordan 5+AF1,Jordan 6+AF1,Jordan 9+AF1,Jordan 9+Jordan 23 Man,Jordan 11.5+AF1,Jordan 11+AF1,Jordan 11+Anthony,Jordan 11+Jordan 12,Jordan 25
Kid,Jordan 11+Jordan 13,Jordan 11+Jordan 23,Jordan 11+Obama,Jordan 12+AF1,Jordan 13+AF1,Jordan 13+A J6 Rings,J18+J23 Man,Jordan 20+AF1,J21+J23 Man,Jordan 25+AF1,Jordan 6unite1,Jordan 8unite1,
Jordan flying Man,Jordan foamposite liite Man,Jordan MELO M5 Man,JORDAN TRUE FLIGHT Man,
Jordan Trunner Q4 Man,Jordan Michael Jackson shoes,Nike Air Michael Jackson shoes,Nike Air skt shoes.
www .honest-wholesaler. com

```
From -5950518549655762475
X-Google-Thread: 108122,53234b7f4c5c88d0
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!postnews.google.com!23g2000pre.googlegroups.com!not-for-
mail
From: lego <lego-86@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wholesale Cheap Nike Shoes,Cheap air jordans,wholesale Jordans,Nike
     air Max,Puma shoes,China Honest seller
Date: Sun, 6 Jun 2010 03:44:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 740
Message-ID: <34dfd3b6-b296-44e5-a407-80e071d971bf@23g2000pre.googlegroups.com>
NNTP-Posting-Host: 205.209.142.138
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1275821079 11741 127.0.0.1 (6 Jun 2010 10:44:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 6 Jun 2010 10:44:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 23g2000pre.googlegroups.com; posting-host=205.209.142.138;
     posting-account=7wzd2woAAADWenlfNBFccrT3Z4uF5eI7
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     aff-kingsoft-ciba; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2053
```

wholesale shoes, jeans, brand discount, handbag, good quality

1. Supply nike shoes for women,men,kids,Air force one,nike jordan sneakers,worldwide express,free shipping on www .honest-wholesaler. com

2. Hottest sale nike running shoes,nike shox R4,R5,NZ,TL,air max TN,air max 2010 on www .honest-wholesaler. com

3. Promotion! 30% off for sale nike sneakers,nike shox shoes,air max 2010,air max 180 on www .honest-wholesaler. com free shipping,paypal payment

4. Welnete to visit---www .honest-wholesaler. com cheap supply nike shoes,free shipping paypal payment

5. Sell Sport shoes,Low price,Best quality,fast and safe shipping www .honest-wholesaler. com Brand: nike,adidas,air jordan,air

max,shox,air
force

6. 2010 new style nike shox shoes,nike sneakers,nike air max,nike
shox shoes,adidas Y3 shoes www .honest-wholesaler. com
7. For sell 2010 new style air jordan shoes,nike shox,nike air max
in
lowest price in www .honest-wholesaler. com
8. Paypal Payment www .honest-wholesaler. com Nike Air Max 90
Sneakers,Nike
Air Max 91 Sneakers,Nike air Max 87 Sneaker,Nike Air Max 180
Sneakers,Nike Air Max 92 Sneakers

9. www .honest-wholesaler. com wholesale nike sneakers nike air max
nike
shox shoes in lowest price and top quality

10. Online Store =3D=3D www .honest-wholesaler. com Wholesale Brand Shoes
Nike
Shoes,Nike Jordan Shoes,Nike Dunk Shoes,Nike Air Force 1 Shoes,Nike
Shox Shoes,Nike Air Max Shoes Exempt Freight Paypal Payment

11. Discount air max 90,91,95,97,2003,2007,2010,wholesale discount
nike max TN shoes,cheap wholesale nike max Ltd shoes free shipping on
www .honest-wholesaler. com

12. Paypal Wholesale Brand Shoes Nike Shoes,Nike Jordan Shoes,Nike
Dunk Shoes,Nike Air Force 1 Shoes,Nike Shox Shoes,Nike Air Max Shoes
All On Site www .honest-wholesaler. com Exempt Freight

13.

=E4=BA=8C.

For more information,please contact karen,
MSN:=7Fhonestwholesaler-1@hotmail.com
Minimum order is one,factory price also!Paypal payment free
shipping,ship time will take 4-7 working days.

Get Nike Shoes at Super Cheap Prices www .honest-wholesaler.
com
Discount Nike Shox NZ Shoes Supply www .honest-wholesaler.
com

cheap Nike Shox OZ Sale Paypal Payment
Discount Nike Shox TL Store,Paypal Payment www .honest-wholesaler.com
Discount Nike Shox TL 2 Shoes Store www. honest-wholesaler .com
cheap Nike Shox TL 3 Distributor www. honest-wholesaler .com
Discount Nike Shox Bmw Shoes Distributor www .honest-wholesaler.com
Discount Nike Shox Elite Shoes Manufacturer
Discount Nike Shox Monster Manufacturer www .honest-wholesaler.com
cheap Nike Shox R4 Running Shoes www .honest-wholesaler.com
Discount Nike Shox R5 Mens Shoes www .honest-wholesaler.com
Discount Nike Shox Ride Womens Shoes www .honest-wholesaler.com
Discount Nike Shox Rival Shoes Wholesaler
Discount Nike Shox Energia Wholesaler www .honest-wholesaler.com
Discount Nike Shox LV Sneaker www .honest-wholesaler.com
Discount Nike Shox Turbo Suppliers www .honest-wholesaler.com
wholesale Nike Shox Classic Shoes Suppliers
Discount Nike Shox Dendara Trainer www. honest-wholesaler .com
Discount Nike air jordans Paypal Payment
wholesale Nike Air Max 90 Sneakers www .honest-wholesaler.com
wholesale Nike Air Max 91 Supplier www .honest-wholesaler.com
Discount Nike Air Max 95 Shoes Supplier www .honest-wholesaler.com
wholesale Nike Air Max 97 Trainers www .honest-wholesaler.com
Discount Nike Air Max 2003 Wholesale www .honest-wholesaler.com
Discount Nike Air Max 2004 Shoes
Discount Jordan michael jackson shoes
Wholesale Nike Air Miichael jackson shoes
Wholesale D&G shoes,Dior shoes,ED hardy shoes,Evisu shoes,Fendi shoes,Paypal Payment
Discount Nike Air Max 2005 Shop www .honest-wholesaler.com
wholesale Nike Air Max 2006 Shoes Shop www .honest-wholesaler.com
Discount Nike Air Max 360 Catalogs www .honest-wholesaler.com
supply Nike Air Max Ltd Shoes Catalogs www .honest-wholesaler.com
Discount Nike Air Max Tn Men's Shoes

supply Nike Air Max Tn 2 Women's Shoes www .honest-wholesaler. com
Discount Nike Air Max Tn 3 Customize www .honest-wholesaler. com
supply Nike Air Max Tn 4 Shoes Customize www .honest-wholesaler. com
Discount Nike Air Max Tn 10 Shoes Customize Paypal Payment
Discount Nike Air Max Tn 6 Shoes Customize
Discount Nike Air Max Tn 8 Shoes Customize www .honest-wholesaler. com
Discount Nike Air Max Tn 6 Supply

=E4=B8=89.

For more information,please contact karen,
MSN:=7Fhonestwholesaler-1@hotmail.com
Minimum order is one,factory price also! Paypal payment free shipping,ship time will take 4-7 working days.

Shox TW,Shox Saya+,Shox Arraw+,Shox Pursuit+,Shox Turbo V+5,Shox NZ,Shox Turbo+IV 4,Shox Spotlight,Shox Saikano+,Shox Fleet,Shox Turn & Go,Shox Junga II 2,Shox Q'Vida,Shox Junga,Shox TL 4,Shox Monster,Shox TL 3,Shox Turb OH+SL,Shox TL 2,Shox CL,Shox TL,Shox Cognescenti,Shox Explodine,Shox R4,Nike Shox Basketball,Shox Disobey,Shox Turbo.

Shox Go,Shox 2:40,Shox Respond,Shox Warrior,Shox Ride 2,Shox Glamour SW & SW II,Shox Andalucia,Shox Rhythmic,Shox Aprisa,Shox Energia,Shox Ride & Plus,Shox Allegria Glow,Shox FSM,Shox Dendara,Shox 45,Shox 2:45,Shox Legend Trainer,Shox VC,Shox Rollin,Shox BB4,Shox Bella IL,Shox Basketball,Shox Turbo OZ,Shox Electric,Shox TR,Shox D,Shox Propulsion,Shox XT,Shox Vivacity. www .honest-wholesaler. com

Zoom Moire+,Nike Trainer Huarache,Nike Free Trainer 5.0, 7.0,Nike Air Tech Challenge - Andre Agassi,Nike Presto & Chanjo,Training & Running Shoes,Barry Sanders Zoom Turf,Basketball Shoes. www .honest-wholesaler. com

=E5=9B=9B.

For more information,please contact karen,
MSN:=7Fhonestwholesaler-1@hotmail.com

Minimum order is one,factory price also!Paypal payment free shipping,ship time will take 4-7 working days.

Air Max shoes Air Max 87 shoes,paypal payment www .honest-wholesaler. com
Air Max 88 shoes,paypal payment www .honest-wholesaler. com
Air Max 89 shoes,paypal payment www .honest-wholesaler. com
Air Max 90 shoes,paypal payment www .honest-wholesaler. com
Air Max 91 shoes,paypal payment www .honest-wholesaler. com
Air Max 93 shoes,paypal payment www .honest-wholesaler. com
Air Max 95 shoes,paypal payment www .honest-wholesaler. com
Air Max 97 shoes,paypal payment
Air Max 2003 shoes,paypal payment www .honest-wholesaler. com
Air Max 360 shoes,paypal payment www .honest-wholesaler. com
Air Max 180 shoes,paypal payment www .honest-wholesaler. com
Air Max TN shoes,paypal payment www .honest-wholesaler. com
Air Max TN2 shoes,paypal payment www. honest-wholesaler .com
Air Max TN3 shoes,paypal payment www .honest-wholesaler. com
Air Max TN6 shoes,paypal payment
Air Max TN8 shoes,paypal payment www .honest-wholesaler. com
Air Max LTD shoes,paypal payment www .honest-wholesaler. com
Air Max 1 id shoes,paypal payment www .honest-wholesaler. com
Air Max 2010 shoes,paypal payment www .honest-wholesaler. com
Shox NZ shoes,paypal payment www. honest-wholesaler .com
Shox R4 shoes,paypal payment www .honest-wholesaler. com
Shox TL3 shoes,paypal payment
Shox TL4 shoes,paypal payment www .honest-wholesaler. com
Shox TL shoes,paypal payment www .honest-wholesaler. com
Shox OZ shoes,paypal payment www .honest-wholesaler. com
Shox Rival shoes,paypal payment www .honest-wholesaler. com
Shox Classic shoes,paypal payment www .honest-

wholesaler. com
Shox Energia shoes,paypal payment www .honest-
wholesaler. com

=E4=BA=94=E3=80=81

For more information,please contact karen,
MSN:=7Fhonestwholesaler-1@hotmail.com

Minimum order is one,factory price also!Paypal payment free
shipping,ship time will take 4-7 working days.

wholesale Air max shoes: www .honest-wholesaler.
com
max 87,max 90,max 95,max 97,max 2003,max 2004,max 2005,max 2006,max
180,max 360,TN1,TN2,
TN3,TN6,tn8,max ltdnike,Nike Air Max 92 Man,Nike Air Max 2006,Nike
Air
Max MAX TAILWIND,
Nike Air Max CLSSIC BW,Nike Air Max Skyline,Air Max 09,Air Max 87,Air
Max 89,Air Max 90,Air Max 91,Air Max 93,Air Max 95,Air Max 180,Air
Max
97,Air Max LTD,Air Max LTD2,Air Max STAB,Air Max TN1,Air Max TN8,Air
Max TN10,Air Structure Triax 91,Air max Tailwind 92,Air Huarache
Burst
93,Air Max 2010.

Nike Shox shoes: www .honest-wholesaler.
com
shox,shox shoes,shox nz,shox oz,shox vc,shox MONSTER,shox TUROB,shox
R2,shox R3,shox R4,shox R5,shox tl,shox TL1,shox TL2,shox TL3,shox
TL4,shox TL5,Shox OZ,Shox R3+R4,Shox R4 2era,Shox RZ,Shox NZ,Shox R2
net,Shox R3,Shox R4,Shox R4 3era,Shox Rift,Shox R5,Shox Reverie,Shox
Torch,Shox TZ,Shox TZ 2era.

Dunk: www .honest-wholesaler.
com
Dunk SB Man low,Dunk SB Women low,Dunk SB Man Mid,Dunke SB Man High

Nike RLFT: Nike RLFT Man,Nike RLFT Women,Nike RLFT Women and men

=E5=85=AD=E3=80=81

For more information,please contact karen, MSN:=7Fhonestwholesaler-1@hotmail.com

Minimum order is one,factory price also!Paypal payment free shipping,ship time will take 4-7 working days.

nike shoes nike retro shoes nike jordan basketball shoes nike running shoes nike air force one shoes nike basketball shoes basketball jordan
nike picture shoes nike tennis shoes nike air force 1 shoes nike golf shoes nike shox shoes womens nike shoes exclusive kick nike shoes man nike shoes nike soccer shoes nike air jordan shoes nike sb shoes nike kid shoes woman nike shoes nike baseball shoes nike shox clothing shoes accessory nike shox basketball shoes nike track shoes nike cycling shoes nike athletic shoes nike shox running shoesretro nike basketball shoes nike dunks shoes sports shoes sports man show nike sports.

wholesale cheap jordan shoes,buy New arrival nike jordan sneakers,discount nike kids series
shoes,mix jordan sneakers,custom nike sb dunks,gucci tennis shoes for discount,sell jordan sneakers for men's women's kids,cheap nike trainers retro shoes,nike dunks premium sb,cheap nike zoom kobe 4 sneakers free shipping wholesale nike dunk sb shoes,Jordan spiz'ikes,nike factory for authentic brand name sneakers,jordan spiz'ikes,jordan mixed with air force ones,cheap nike shox oz,nz,R3,R4,R5,TL2,TL3,TL4,TL5,cheap air force ones outlet,nike sneakers for sale,discount air max 87,max 90,max 91,max 95,max 97,max 180,max 360,max TN,max LTD,discount nike women sneakers free shipping,cheap D&G gucci prada chanel shoes timberland boot ugg kick,discount bape stat shoes for sale.   www .honest-wholesaler. com

=E4=B8=83=E3=80=81

For more information,please contact karen,
MSN:=7Fhonestwholesaler-1@hotmail.com

Minimum order is one,factory price also!Paypal payment free shipping,ship time will take 4-7 working days.

nike shoes women shoes,nike shoes wholesale,nike shoes,dunks wholesale,nike shoes,dunk sb,
wholesale nike sneakers,wholesale nike shoes jordan sneakers,nike shoes,air max 90,95,97,
180,360,tn,ltd,nike shox nz r3 r4 r5,nike shoes air force 1s nike shoes xxv year,China wholesale Nike Celebrates 25 Years of light up

Air Force Ones new air jordan sneakers in
www .honest-wholesaler. com

nike sneakers in china.nike shoes at cheap price,discount price jordans shoes.Wholesale nike shoes Air jordans,nike shoes Air force one shoes,nike shoes Air max shoes,nike shoes dunk shoes,Adidas shoes,Puma shoes,Prada shoes,Gucci shoes,Bape shoes,timberland shoes,Red monkey jeans,bape hoodies,bbc hoodies,evisu hoodies,lrg hoodies,polo lacoste t-shirts,ed hardy hoodies,gucci handbags,coach handbag,fendi handbag,chanel handbag,red monkey jeans,bape jeans,evisu
jeans,bbc jeans,lv handbag .... www. honest-wholesaler .com

cheap max,cheap shox,cheap nike shox,cheap nike air max,Cheap Jordans,nike dunks,nike sneakers,cheap nikes,cheap nike dunks,cheap nike shox,cheap nike shoes,cheap air jordans,
wholesale jordans,nike dunk shoes,cheap dunks,cheap nike sb,cheap nike
sneakers,cheap jordans,jordan sneakers,air force 1s,nike dunks,nike sneakers,cheap nikes,cheap nike shox,wholesale jordans,cheap air jordans,Cheap Sneakers,cheap shoes,nike dunk shoes,cheap air force 1,wholesale nikes,cheap nike,nike dunk,cheap nike sneakers,Cheap Jordan Sneakers,
discount nike shox,discount nikes,sneakers for cheap,nike dunks cheap,discount nike sneakers,
air force ones,cheap wholesale jacket. www .honest-wholesaler. com

If you have interest in our products,please do not hesitate to contact
us.

=E5=85=AB=E3=80=81

For more information, please contact Karen,
MSN:=7Fhonestwholesaler-1@hotmail.com

Minimum order is one,factory price also!Paypal payment free shipping,ship time will take 4-7 working days.

wholesale world-famous brand products.wholesale shoes supplier in China at factory price,cheap main products catalogues:

sport shoes:
af1 shoes,ice cream shoes,Nike shoes,kobe,RIFT,James,air

Jordan(1,2,3,3.5,4,4.5,5,5.5,6,
6.5,7,7.5,8,9,9.5,10,11,12,13,14,14.5,15,16,17,18,19,20,20.5,21,22,23)

wholesale Air max shoes: www .honest-wholesaler.
com
max 87,max 90,max 95,max 97,max 2003,max 2004,max 2005,max 2006,max
180,max 360,TN1,TN2,
TN3,TN6,tn8,max ltdnike

Shox shoes: www .honest-wholesaler.
com
shox,shox shoes,shox nz,shox oz,shox vc,shox MONSTER,shox TUROB,shox
R2,shox R3,shox R4,shox R5,shox tl,shox TL1,shox TL2,shox TL3,shox
TL4,shox TL5

Dunk shoes,puma shoes,DIESEL shoes,DSQUARED shoes,Adidas,Adidas
y-3,timberland,ugg boots,
bapeshoes,prada shoes,D&G Shoes,gucci shoes,soccer shoes,Rigf
shoes,kidsshoes,boot shoes,LV shoes,sandal shoes,converse
shoes,Garnet,McGrady,Wade shoes,Kate,Duncan,HOGAN,cashoes,SIMTH,
BALLY,BIKKEN BERGS,BOSS,VERSCE,ARMANI

all the products listed on our website all are in stock! we have more
in stock Either you are large wholesaler, or small business owner, we
have customized programmers to suit your needs. Hope sincerely to
have
glad and long term business relationmeip withyou.If you are
interested
in our products and have any problem,welnete to contact us. we will
be
honest to answer your all problem.and welnete to test our honesty
Welnete to choose the goods on it.

=E4=B9=9D.

For more information,please contact Karen,
MSN:=7Fhonestwholesaler-1@hotmail.com

Minimum order is one,factory price also! Paypal payment free
shipping,ship time will take 4-7 working days.

Cheap Wholesale Nike Shox   www .honest-
wholesaler. com
Cheap Wholesale Shox NZ   www .honest-
wholesaler. com

Cheap Wholesale Shox NZ 2era www .honest-wholesaler. com
Cheap Wholesale Shox OZ www .honest-wholesaler. com
Cheap Wholesale Shox OZ 2era
Cheap Wholesale Shox R2 www .honest-wholesaler. com
Cheap Wholesale Shox R2 2era www .honest-wholesaler. com
Cheap Wholesale Shox R3 www .honest-wholesaler. com
Cheap Wholesale Shox R3 Man www .honest-wholesaler. com
Cheap Wholesale Shox R3 Women
Cheap Wholesale Shox R3+R4 www .honest-wholesaler. com
Cheap Wholesale Shox R3+R4 Man www .honest-wholesaler. com
Cheap Wholesale Shox R3+R4 Women www .honest-wholesaler. com
Cheap Wholesale Shox R4 www .honest-wholesaler. com
Cheap Wholesale Shox R4 2era
Cheap Wholesale Shox R4 3era www .honest-wholesaler. com
Cheap Wholesale Shox R5 www .honest-wholesaler. com
Cheap Wholesale Shox R5 Man www .honest-wholesaler. com
Cheap Wholesale Shox R5 Women www .honest-wholesaler. com
Cheap Wholesale Shox R5 Kid
Cheap Wholesale Shox Reverie lover www .honest-wholesaler. com
Cheap Wholesale Shox Reverie lover Man www .honest-wholesaler. com
Cheap Wholesale Shox Reverie lover Women www .honest-wholesaler. com
Cheap Wholesale Shox RZ www .honest-wholesaler. com
Cheap Wholesale Shox TL
Cheap Wholesale Shox TL1 www .honest-wholesaler. com
Cheap Wholesale Shox TL3 www .honest-wholesaler. com
Cheap Wholesale Shox Torch www .honest-wholesaler. com
Cheap Wholesale Shox Torch 1era www .honest-wholesaler. com
Cheap Wholesale Shox Torch 2era
Cheap Wholesale Shox Torch 3era www .honest-wholesaler. com
Cheap Wholesale Shox Torch 4era www .honest-

wholesaler. com
Cheap Wholesale Shox TZ www .honest-
wholesaler. com
Cheap Wholesale Shox TZ 2era www .honest-
wholesaler. com

=E5=8D=81.

For more information,please contact Karen,
MSN:=7Fhonestwholesaler-1@hotmail.com

Minimum order is one,factory price also! Paypal payment free
shipping,ship time will take 4-7 working days.

Discount Nike Air Max www .honest-
wholesaler. com
Discount Nike Air Max 87 www .honest-
wholesaler. com
Discount Nike Air Max 87 Man www .honest-
wholesaler. com
Discount Nike Air Max 87 Women www .honest-
wholesaler. com
Discount Nike Air Max 89
Discount Nike Air Max 90 www .honest-
wholesaler. com
Discount Nike Air Max 90 Man www .honest-
wholesaler. com
Discount Nike Air Max 90 Women www .honest-
wholesaler. com
Discount Nike Air Max 90 Man Hight www .honest-
wholesaler. com
Discount Nike Air Max 90 Current Man
Discount Nike Air Max 90 Kid www .honest-
wholesaler. com
Discount Nike Air Max 91 www .honest-
wholesaler. com
Discount Nike Air Max 91 Man www .honest-
wholesaler. com
Discount Nike Air Max 91 Women
Discount Nike Air Max 92 Man www .honest-
wholesaler. com
Discount Nike Air Max 93 www .honest-
wholesaler. com
Discount Nike Air Max 95
Discount Nike Air Max 95 Man www .honest-
wholesaler. com
Discount Nike Air Max 95 Women www .honest-
wholesaler. com
Discount Nike Air Max 95 Kid www .honest-

wholesaler. com
Discount Nike Air Max 97
Discount Nike Air Max 97 Man www .honest-
wholesaler. com
Discount Nike Air Max 97 Women www .honest-
wholesaler. com
Discount Nike Air Max 180 Man www .honest-
wholesaler. com
Discount Nike Air Max 2006 www .honest-
wholesaler. com
Discount Nike Air Max 2006 1era
Discount Nike Air Max 2006 Man 2era www .honest-
wholesaler. com
Discount Nike Air Max 2006 3era www .honest-
wholesaler. com
Discount Nike Air Max 2010 www .honest-
wholesaler. com
Discount Nike Air Max 2010 Man www .honest-
wholesaler. com
Discount Nike Air Max 2010 Women
Discount Nike Air Max Clssic BW www .honest-
wholesaler. com
Discount Nike Air Max LTD www .honest-
wholesaler. com
Discount Nike Air Max LTD 2era
Discount Nike Air Max Skyline www .honest-
wholesaler. com
Discount Nike Air Max Skyline Man www .honest-
wholesaler. com
Discount Nike Air Max Skyline Women www .honest-
wholesaler. com
Discount Nike Air Max STAB
Discount Nike Air Max Tailwind www .honest-
wholesaler. com
Discount Nike Air Max TN www .honest-
wholesaler. com
Discount Nike Air Max TN8 www .honest-
wholesaler. com
Discount Nike Air Max TN10 www .honest-
wholesaler. com

=E5=8D=81=E4=B8=80.

For more information,please contact Karen,
MSN:=7Fhonestwholesaler-1@hotmail.com
Minimum order is one,factory price also! Paypal payment free
shipping,ship time will take 4-7 working days.

Footwear-sneakers series (nike,puma,adidas,Jordan 1-23,nike max,nike
shox,nike dunk,nike

rift,bape,timberland,boot,D&G,dsquqred,LV,prada,icecream,NBA,lacoste shoes,ect).

wholesale Nike Air Jordan 1 to 23 shoes,Nike Air Jordan Air Jordan 4+AF1 shoes,Nike Air Jordan Air Jordan 5+AF1 shoes,Nike Air Jordan 12+AF1 shoes,Nike Air Jordan 23+AF1 shoes.

wholesale Nike Dunk shoes www .honest-wholesaler. com
wholesale Nike Air Jordan Shoes can be found here
wholesale Nike Air Force 1,25 Annual shoes Air max 87,90,91,95,360,TN,LTD,ZOOM shoes

wholesale James shoes with cheap price www .honest-wholesaler. com
wholesale Nike Air Rift shoes with cheap price
wholesale Nike Shox NZ,OZ,R2,R3,R4,R5,TL3,Turbo,Monster shoes
wholesale Nike football shoes,basketball shoes,and track shoes with cheap price

wholesale Puma shoes with low price www .honest-wholesaler. com
wholesale Bape shoes with low price www .honest-wholesaler. com
wholesale Adidas shoes with low price www .honest-wholesaler. com
wholesale Timberland shoes with cheap price www .honest-wholesaler. com

wholesale Gucci,Armani,LV,Y-3,Coach,Dior,Diesel,D&G,Dsquared,Hogan,Prada and other leisure shoes with low price and big discount.

wholesale Nike King shoes with low price www .honest-wholesaler. com
wholesale brand baboosh with low price or bigdicount
wholesale LV,Gucci and other brand boots with low price and big discount
wholesale cheap women sneaker and high-heel shoes with low price and big discount

Brand shoes: www .honest-wholesaler. com
Air Force one,Nike Air Jordan,Nike AirMax,Nike Shox,Adidas Shoes,UGG Boot Shoes,Puma Shoes
Bape Shoes,Timberland Shoes,4US Shoes Amauri Shoes,Bikkembergs

Shoes,BOSS Shoes,Burberry Shoes,Coach Shoes,D&G Shoes,Diesel
Shoes,Dior Shoes,DSQUARED Shoes,ED Hardy Shoes,Evisu Shoes,Fendi
Shoes,FootBall Shoes,Hogan Shoes,Levis Shoes,Gucci Shoes,LV
Shoes,RICH
Shoes,
SEBAGO Shoes,Versace Shoes,Y3 Shoes,Prada Shoes.

Top Quality,4-7 days shipping time.Factory price

=E5=8D=81=E4=BA=8C.

For more information,please contact Karen, MSN:
=7Fhonestwholesaler-1@hotmail.com

Minimum order is one,factory price also! Paypal payment free
shipping,ship time will take 4-7 working days.

Dunk shoes =3D=3D=3D=3D   www .honest-wholesaler. co=
m
dunk Nike,Dunk High SB,nike dunk low premuim sb,Nike Dunk High
Shimizu,Nike SB Dunk Pro,Nike SB Dunk Dunk SB.

NIKE AIR MAX SHOES =3D=3D=3D=3D   www .honest-wholesaler. co=
m
shoes,running shoes,sport shoes,casual shoes,nike shoes,nike shox
shoes,air max, Air Max 90,91,95,97,2003,2005,2007,tn,ltd,360,Air Max
180,women Air Max 95,air max 2010,new nikes,women's nikes,nike
net,shoes for men's,Nike Air Max 92 Man,2006,TAILWIND,CLSSIC
BW,Skyline,Air Max 09,87,89,93,Air Max LTD2,Air Max STAB,Air Max
TN1,Air Max TN8,Air Max TN10,max 2004,2005,2006,max 180,max
360,TN1,TN2,TN3,TN6,tn8,max ltdnike,Y3 shoes,Nike Cortez men
shoes,Air
Max TN women shoes,Air Max TN men shoes,Nike TN Kid shoes,Max 90 high
collar,Air Max Structure shoes,Max 91 Kid shoes,Nike Air Max 91
shoes,Nike James high tops sheos,Nike Parker shoes,Nike basketball
shoes,Nike Nike Kobe shoes,Nike Air Zoom Flight Premium shoes,Nike
Hardaway shoes,Nike small armor shoes,Nike large armor shoes,Nike
Fenglei women shoes,Nike Fenglei men shoes,Max 2010 men shoes,Max
2010
women shoes,Nike Air Zenyth women shoes,Nike Air Max Skyline
shoes,Nike ACG shoes,Nike tz2 shoes,Nike rt1 shoes,AF1 glisten colour
shoes,AF1 men shoes,Air Wildwood Supreme women sheos,New style this
month shoes,April new style shoes,R4 (New style) shoes,Nike new styli
shoes,AF1-3 shoes,2010 AF1 shoes,AF1 shoes,Garnett shoes,Kope
shoes,James high shoes,Fenglei women shoes,AF1 25th high shoes,Nash
shoes,Dulantech shoes,Nike free man shoes,Nike running women
shoes,Paul shoes,Parker high shoes,Nike running men shoes,Fenglei men

shoes,Large armor shoes,Hardaway shoes,Antonio shoes,Air Force 1
Supreme lnfl6 TZ shoes,AF1 rainbow women shoes,Nike free women
shoes,Nike Blaze men high shoes,Nike Cortez women shoes,Nike Blaze
men
shoes,Nike Blaze women shoes,Nike Blaze high women shoes.

Nike Air force shoes =3D=3D=3D=3D   www .honest-wholesaler. com
Nike air force one,air force 1,air force one low cut,air force
onehigh
cut,air force one release dateAir force one,air foce one 25TH,af 1,af
1 25TH,Nike air force onenew releases,
limited versionAir Force One.

Nike Shox shoes =3D=3D=3D=3D   www .honest-wholesaler. com
shoes,new nikes,nike shox,trainers,sport shoes,Nike Shox Monster,Shox
Energia,Shox OZ,nike shox nz,Shox Dendara Trainer,Shox TL,r5,r4,good
quality shoes,buy shox,lv shox shoes,women's nikes,nike net,shoes for
men's,kid shox sneakers,trainers,shox supplier,shox shoe shop,shox
shoes,shox nz,oz,vc,MONSTER,TUROB,R2,R3,R4,R5,tl,TL1,TL2,TL3,TL4,TL5
kid shox sneakers,Shox R3+R4,Shox R4 2era,Shox NZ,Shox R2 net,Shox R4
3era,Shox Rift,Shox Reverie,Shox Torch,Shox TZ,Shox TZ 2era RZ men
shoes,Nike Shox Kid shoes,Nike King men shoes,Schuhe,Chaussures,
Schoenen,Sapatos,Nike Shox R3 men Schuhe,Chaussures,Schoenen,Nike
Shox
R3 women shoes,Schuhe,
New Nike Shox R4 shoes,Nike Shox R4 09 shoes,Nike Shox R4 Torch New
shoes,Nike RLFT Man,Nike RLFT Women.

```
From 3204574632107324911
X-Google-Thread: 108122,8b75dcf9fbcaf66b,start
X-Google-NewGroupId: yes
X-Google-Thread: f9e64,8b75dcf9fbcaf66b,start
X-Google-NewGroupId: yes
X-Google-Thread: 1057da,8b75dcf9fbcaf66b,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gidfd784c95b,gid664eaecbc7,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t26g2000prt.googlegroups.com!not-for-
mail
From: cntrade08 <chenlily84@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,uk.adverts.computer.mac,uk.adverts.computer
Subject: Tudor Watch wholesale <free shipping paypal payment>
     (http://www.cntrade09.com/)
Date: Sun, 6 Jun 2010 22:28:16 -0700 (PDT)
Organization: http://groups.google.com
Lines: 113
Message-ID: <bc2b32b9-d707-4ead-b2c4-aecae27ccfba@t26g2000prt.googlegroups.com>
NNTP-Posting-Host: 58.22.69.180
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275888497 15316 127.0.0.1 (7 Jun 2010 05:28:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 7 Jun 2010 05:28:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t26g2000prt.googlegroups.com; posting-host=58.22.69.180;
     posting-account=qbRHCQoAAADxaq8M1mHuPtnY1mQIBNiC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2054
uk.adverts.computer.mac:769 uk.adverts.computer:8255

Ebel Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Bape Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
bell&ross Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Breit Ling Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Burberry Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Cartier Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Chopard Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
d&g Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Givenchy Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
jacob&co Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Kappa Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Prada Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Tissot Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Titoni Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
U-BOAT Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Zenith Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
a.lange&sohne Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Audemars Piguet Watch wholesale <free shipping paypal payment>
(http://www.cntrade09.com/)
baume&mercier Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Blancpain Watch wholesale <free shipping paypal payment> (http://
```

www.cntrade09.com/)
Breguet Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
BRM Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Bvlgari Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Chanel Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Concord Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Corum Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Dewitt Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Ferrari Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Franck Muller Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Girard Perregaux Watch   <free shipping paypal payment> (http://www.cntrade09.com/)
Glashutte Watch   <free shipping paypal payment> (http://www.cntrade09.com/)
Graham Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
GUCCI Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
GUESS Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Hamilton Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Hermes Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Hublot Watch wholesale <free shipping paypal payment> http://www.cntrade09.com/)
IWC Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Jaeger Le Coultre Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Longines Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
LV Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Montblanc Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Movado Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Omega Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Oris Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Paket Philippe Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Panerai Watch wholesale <free shipping paypal payment> (http://

www.cntrade09.com/)
Parmigiani Fleurier Watch wholesale <free shipping paypal payment>
(http://www.cntrade09.com/)
Piaget Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Porsche Design Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Rolex Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Romain Jerome Titanic-Dna Watch wholesale <free shipping paypal
payment>(http://www.cntrade09.com/)
Tag Heuer Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Tudor Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Vach.Constantine Watch wholesale <free shipping paypal payment>
(http://www.cntrade09.com/)
Armani Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
RADO Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)

From 7888148909742109807
X-Google-Thread: a4a23d5f63,d2b7e284d3bb3765,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1273212300@panix.com>
Followup-To: poster
Date: 7 Jun 2010 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Jul 2010 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1275890700@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1275890702 21133 166.84.1.2 (7 Jun 2010 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Jun 2010 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Original-Bytes: 3546

Xref: g2news1.google.com rec.radio.amateur.antenna:16603 rec.radio.amateur.dx:634
rec.radio.amateur.equipment:2055 rec.radio.amateur.homebrew:3479
rec.radio.amateur.misc:4946 rec.radio.amateur.policy:26559 rec.radio.info:1496

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 5478885820737786743
X-Google-Thread: 107ada,7173a9ea8f6217a3,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,7173a9ea8f6217a3,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,7173a9ea8f6217a3,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,7173a9ea8f6217a3,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida3e752f117,gidd7f5508063,gid733d321764,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1273212600@panix.com>
Followup-To: poster
Date: 7 Jun 2010 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Jul 2010 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1275891000@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1275891001 10081 166.84.1.2 (7 Jun 2010 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Jun 2010 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
X-Original-Bytes: 2678
Xref: g2news2.google.com rec.radio.amateur.misc:5202
rec.radio.amateur.equipment:2270 rec.radio.swap:2931 rec.radio.info:1575
```

```
Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been

recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -6626805243676198811
X-Google-Thread: 108122,1bab31eea7aa3e1a,start
X-Google-NewGroupId: yes
X-Google-Thread: 10943a,1bab31eea7aa3e1a,start
X-Google-NewGroupId: yes
X-Google-Thread: fea2d,1bab31eea7aa3e1a,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gidb4550d7118,gid589cd4c32a,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e34g2000pra.googlegroups.com!not-for-
mail
From: cntrade08 <chenxaingmei@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment,uk.people.adoption.misc,uk.people.bdsm
Subject: Prada shoes,Fendi shoes ,Air force one shoes<free shipping paypal
     payment>( http://www.cntrade09.com/ )
Date: Mon, 7 Jun 2010 01:06:03 -0700 (PDT)
Organization: http://groups.google.com
Lines: 75
Message-ID: <6083b3b9-d945-444f-bc4d-b13e7667174f@e34g2000pra.googlegroups.com>
NNTP-Posting-Host: 112.111.172.7
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275897964 5439 127.0.0.1 (7 Jun 2010 08:06:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 7 Jun 2010 08:06:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e34g2000pra.googlegroups.com; posting-host=112.111.172.7;
     posting-account=JNlqmAoAAADfKxjnWH8VIs4Y81tXxg-e
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2271
uk.people.adoption.misc:106 uk.people.bdsm:1247

Shox Shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
shoes shox shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
nike shox shoe <free shipping paypal payment>(http:// www.cntrade09.com/)
nike shox shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
shox shoe <free shipping paypal payment>( http://www.cntrade09.com/ )
LV,coach,chanel boots wholesale <free shipping paypal payment>(
http://www.cntrade09.com/ )
air force ones <free shipping paypal payment>(http:// www.cntrade09.com/)
nike trading <free shipping paypal payment>( http://www.cntrade09.com/
)
nike shox <free shipping paypal payment>( http://www.cntrade09.com/ )
shox air <free shipping paypal payment>( http://www.cntrade09.com/)
white shoe <free shipping paypal payment>(http:// www.cntrade09.com/
)
nike shoe <free shipping paypal payment>( http://www.cntrade09.com/ )
nike air shox <free shipping paypal payment>( http://www.cntrade09.com/)
shox r4 <free shipping paypal payment>( http://www.cntrade09.com/)
tennis shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
tennis shoe <free shipping paypal payment>( http://www.cntrade09.com/)
basketball shoe <free shipping paypal payment>( http://www.cntrade09.com/
)
jordan shoe <free shipping paypal payment>(http:// www.cntrade09.com/)
nike shox 2 <free shipping paypal payment>( http://www.cntrade09.com/)
nike shox ace <free shipping paypal payment>( http://www.cntrade09.com/)
men's shoe <free shipping paypal payment>( http://www.cntrade09.com/
)
buy shoe <free shipping paypal payment>( http://www.cntrade09.com/)
adidas shoe <free shipping paypal payment>( http://www.cntrade09.com/
)
kids shoe <free shipping paypal payment>( http://www.cntrade09.com/ )
buy shoes <free shipping paypal payment>( http://www.cntrade09.com/ )
puma shoe <free shipping paypal payment>(http:// www.cntrade09.com/ )
converse shoe <free shipping paypal payment>( http://www.cntrade09.com/
)
shoes sale <free shipping paypal payment>(http:// www.cntrade09.com/)
running shoes women <free shipping paypal payment>(http:// www.cntrade09.com/
)
```

```
adidas running shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Footwear <free shipping paypal payment>( http://www.cntrade09.com/)
Paul Smith shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Jordan shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
Bape shoes <free shipping paypal payment>( http://www.cntrade09.com/)
Chanel shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
D&G shoes <free shipping paypal payment>( http://www.cntrade09.com/ )
Dior shoes <free shipping paypal payment>( http://www.cntrade09.com/)
ED hardy shoes <free shipping paypal payment>( http://www.cntrade09.com/)
Evisu shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
Fendi shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Gucci shoes `<free shipping paypal payment>( http://www.cntrade09.com/
)
Hogan shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Lv shoes <free shipping paypal payment>(http:// www.cntrade09.com/ )
Prada shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Timberland shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Tous shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Ice cream shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Sebago shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Lacoste shoes <free shipping paypal payment>( http://www.cntrade09.com/)
Air force one shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
TODS shoes <free shipping paypal payment>( http://www.cntrade09.com/)
AF shoes <free shipping paypal payment>( http://www.cntrade09.com/)


From -6643999584417285606
X-Google-Thread: d7f5508063,41531e9e8f335b7d,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u3g2000prl.googlegroups.com!not-for-
mail
From: cntrade08 <chenxiangmei87@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Wholesale Affliction Jeans  <free shipping paypal
     payment>http://www.cntrade09.com/ )
Date: Mon, 7 Jun 2010 01:55:03 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <0897266f-e9d1-45db-a351-edcaad82a077@u3g2000prl.googlegroups.com>
```

```
NNTP-Posting-Host: 120.33.240.122
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275900903 10062 127.0.0.1 (7 Jun 2010 08:55:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 7 Jun 2010 08:55:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u3g2000prl.googlegroups.com; posting-host=120.33.240.122;
     posting-account=9EH-KgoAAACtubMog4Wk6o6wOzSwtR2c
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2058

Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans  (http://www.cntrade09.com/ )
Discount Wholesale Armani Jeans  <free shipping paypal payment>
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans  <free shipping paypal payment>
Discount Wholesale BBC Jeans (http://www.cntrade09.com/ )
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans  <free shipping paypal payment>
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://
www.cntrade09.com/ )
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans  <free shipping paypal payment>
Discount Wholesale ECKO Jeans (http://www.cntrade09.com/ )
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans  <free shipping paypal payment>
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.cntrade09.com/ )
Discount Wholesale Laguna Beach Jeans  <free shipping paypal payment>
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.cntrade09.com/ )
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans  <free shipping paypal payment>
Discount Wholesale ZEN Jeans (http://www.cntrade09.com/ )


From 7066551230482682687
X-Google-Thread: d7f5508063,2a2cd7d145089e73,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!postnews.google.com!i31g2000yqm.googlegroups.com!not-for-mail
From: Pietro <pietromas@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Is it possible to track cell phones through radio emissions
Date: Tue, 8 Jun 2010 14:59:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <ed2393a8-ee78-47ce-96ed-4edb5da4c5b1@i31g2000yqm.googlegroups.com>
NNTP-Posting-Host: 109.255.25.35
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276034393 26048 127.0.0.1 (8 Jun 2010 21:59:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 8 Jun 2010 21:59:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i31g2000yqm.googlegroups.com; posting-host=109.255.25.35;
posting-account=23ZtRwoAAACOVDVOkg43Y3Iimw5ivAhd
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux x86_64; en-US; rv:1.9.2.3)
Gecko/20100423 Ubuntu/10.04 (lucid) Firefox/3.6.3 GTB7.0,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2059

If this is the wrong group I'd appreciate a pointer to the right one!

I was wondering if it is possible to detect the presence of inactive
cell phones/wifi devices by detecting radio signals they emit. I
figure wifi would be the best bet because I guess cells dont broadcast
all that much when not in use, right?

Would there be enough output to find them? Would it be strong enough
to detect over a distance of say 100m? Could signals from multiple
devices be distinguished? Would the equipment be very expensive. Would
I get thrown in prison?

I am interested in triangulating and tracking the movement of phones
through a small area as a potential postgrad project.

Thanks.

From -9185640244767268872
X-Google-Thread: d7f5508063,2a2cd7d145089e73
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!eternal-september.org!.POSTED!not-for-mail
From: david <none@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Is it possible to track cell phones through radio emissions
Date: Thu, 10 Jun 2010 03:28:03 +0000 (UTC)

```
Organization: A noiseless patient Spider
Lines: 22
Message-ID: <hupm43$t8h$1@news.eternal-september.org>
References: <ed2393a8-ee78-47ce-96ed-4edb5da4c5b1@i31g2000yqm.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Injection-Date: Thu, 10 Jun 2010 03:28:03 +0000 (UTC)
Injection-Info: mx02.eternal-september.org; posting-host="j6YNSx4ZzkGtILp30gi9hg";
     logging-data="29969"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1++kohL5PNWlHv494KGA12I"
Cancel-Lock: sha1:rC+jJJFW3Nxh3Hd58Y6ZiAe9uxo=
Xref: g2news2.google.com rec.radio.amateur.equipment:2274

On Tue, 08 Jun 2010 14:59:52 -0700, Pietro rearranged some electrons to
say:

> If this is the wrong group I'd appreciate a pointer to the right one!
>
> I was wondering if it is possible to detect the presence of inactive
> cell phones/wifi devices by detecting radio signals they emit. I figure
> wifi would be the best bet because I guess cells dont broadcast all that
> much when not in use, right?
>
> Would there be enough output to find them? Would it be strong enough to
> detect over a distance of say 100m? Could signals from multiple devices
> be distinguished? Would the equipment be very expensive. Would I get
> thrown in prison?
>
> I am interested in triangulating and tracking the movement of phones
> through a small area as a potential postgrad project.
>
> Thanks.

The cell phone providers already track the phones,  not sure that you
would be doing anything new.


From -5856855397337846982
X-Google-Thread: 108122,fef61046fd72507e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s1g2000prf.googlegroups.com!not-for-
mail
From: chen hong <chenhong169@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Women Christian Louboutin (paypal payment) (http://www.cntrade09.com/
     )
Date: Wed, 9 Jun 2010 22:49:24 -0700 (PDT)
Organization: http://groups.google.com
Lines: 67
Message-ID: <55eba22b-dc02-4430-9c21-6601207aaba7@s1g2000prf.googlegroups.com>
```

```
NNTP-Posting-Host: 58.22.77.187
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276148964 29843 127.0.0.1 (10 Jun 2010 05:49:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Jun 2010 05:49:24 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s1g2000prf.googlegroups.com; posting-host=58.22.77.187;
     posting-account=Gw5FgwoAAABgLlNaeMib7xTi-lJocPdY
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA; .NET4.0C; .NET4.0E),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2275
```

Cheap Wholesale UGG Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Ugg Boots (paypal payment)
Cheap Wholesale Gucci Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale GUCCI Boots
Cheap Wholesale Lacoste Shoes
Cheap Wholesale LV Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale LV Boots
Cheap Wholesale Prada Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Timberland Shoes
Cheap Wholesale D&G Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale D&G Boots
Cheap Wholesale Puma Shoes
Cheap Wholesale Puma AAA (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale UGG Boots Shoes
Cheap Wholesale Bikkem Bergs Shoes (free shipping)
Cheap Wholesale Mauri Shoes Man
Cheap Wholesale Versace Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Versace Boots
Cheap Wholesale Paul Smith Shoes (free shipping)
Cheap Wholesale BOSS Shoes
Cheap Wholesale Burberry Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Dsquared shoes
Cheap Wholesale Dior Shoes (free shipping)
Cheap Wholesale Dior Boots
Cheap Wholesale ED Hardy Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale ED Hardy Boots
Cheap Wholesale ED Hardy Shoes Man (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Fendi Shoes (paypal payment)
(http://www.cntrade09.com/)

```
Cheap Wholesale Fendi Boots
Cheap Wholesale AFF Shoes (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Evisu Shoes (free shipping)
Cheap Wholesale 4US Shoes
Cheap Wholesale Sebago Shoes (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Supra Shoes
Cheap Wholesale Hight Converse Shoes (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Coach Boots
Cheap Wholesale Coach Shoes
Women Christian Louboutin (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Chanel Shoes
Cheap Wholesale Chanel Boots (free shipping)
Cheap Wholesale Bape Shoes
Cheap Wholesale Adidas Shoes (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Adicolor (free shipping)
Cheap Wholesale Adidas 35TH (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Adidas NBA
Cheap Wholesale Adidas Running (paypal payment)
(http://www.cntrade09.com/ )
Cheap Wholesale Adidas Y3
Cheap Wholesale Soccer Shoes (paypal payment)
(http://www.cntrade09.com/ )


From -3336070675974183219
X-Google-Thread: 108122,28ce51d760f694bf,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!42g2000prb.googlegroups.com!not-for-
mail
From: chen hong <chenhong169@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Gucci Handbags ((http://www.cntrade09.com ) ) - (paypal payment)
Date: Wed, 9 Jun 2010 22:56:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 100
Message-ID: <60006ee5-62bc-4d96-93e3-52a39bc1edd7@42g2000prb.googlegroups.com>
NNTP-Posting-Host: 58.22.77.187
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276149364 26104 127.0.0.1 (10 Jun 2010 05:56:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Jun 2010 05:56:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 42g2000prb.googlegroups.com; posting-host=58.22.77.187;
     posting-account=Gw5FgwoAAABgLlNaeMib7xTi-lJocPdY
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA; .NET4.0C; .NET4.0E),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2276
```

Paypal Payment AAA True leather
Handbags,Purse,Chanel,Coach,PRADA,JUICY,D&G,Dior,LV,VERSACE,etc.All
Wholesale On Site (http://www.cntrade09.com) Exempt Freight

Handbags

AAA True Leather

Burberry Handbags
Balenciaga Handbags ((http://www.cntrade09.com)) - (paypal payment)
Balenciaga Purse
Bally Purse
BOSS Purse   ((http://www.cntrade09.com)) - (paypal payment)
Chanel Handbags
Chanel Purse
Chloe Handbags ((http://www.cntrade09.com)) - (paypal payment)
Chloe Purse
Coach Handbags ((http://www.cntrade09.com)) - (paypal payment)
Coach Purse
D&G Purse ((http://www.cntrade09.com)) - (paypal payment)
Dior Handbags
Dunhill Purse
Gucci Handbags ((http://www.cntrade09.com)) - (paypal payment)
Gucci Purse
Hermes Purse
JIMMY CHOO Handbags ((http://www.cntrade09.com)) - (paypal payment)
JIMMY CHOO Purse
LV Handbags ((http://www.cntrade09.com)) - (paypal payment)
LV Purse
FENDI Handbags
Hermes Handbags ((http://www.cntrade09.com)) - (paypal payment)
JUICY Handbags
KOOBA Handbags ((http://www.cntrade09.com)) - (paypal payment)
LOEWE Handbags
Marc Jacobs Handbags ((http://www.cntrade09.com)) - (paypal payment)
MIUMIU Handbags
MULBERRY Handbags
THOMASWYLDE Handbags ((http://www.cntrade09.com)) - (paypal payment)
PRADA Handbags ((http://www.cntrade09.com)) - (paypal payment)
PRADA Purse
Valentnv Handbags ((http://www.cntrade09.com)) - (paypal payment)
D&G Handbags
VERSACE Handbags
Lancel Handbags ((http://www.cntrade09.com)) - (paypal payment)

Purse

Anna Purse
Ferragmo Purse
burbetty Purse
Chanel Purse
Chloe Purse ((http://www.cntrade09.com)) - (paypal payment)
Coach Purse ((http://www.cntrade09.com)) - (paypal payment)
D&G Purse
Dior Purse
Dooney&Bourke Purse ((http://www.cntrade09.com)) - (paypal payment)
ED Purse
Fendi Purse ((http://www.cntrade09.com)) - (paypal payment)
Gucci Purse ((http://www.cntrade09.com)) - (paypal payment)
LV Purse
Guess Purse ((http://www.cntrade09.com)) - (paypal payment)
PRADA Purse
Tous Purse ((http://www.cntrade09.com)) - (paypal payment)
Versace Purse
Miumiu Purse ((http://www.cntrade09.com)) - (paypal payment)

Handbags

BOSS Handbag ((http://www.cntrade09.com)) - (paypal payment)
Burberry Handbags ((http://www.cntrade09.com)) - (paypal payment)
Chanel Handbags ((http://www.cntrade09.com)) - (paypal payment)
Chloe Handbags
Christian Audigier Handbags
Coach Handbags ((http://www.cntrade09.com)) - (paypal payment)
D&G Handbags
Dooney&Bourke Handbags ((http://www.cntrade09.com)) - (paypal payment)
ED Hardy Handbags
Fendi Handbags
Gucci Handbags ((http://www.cntrade09.com)) - (paypal payment)
Hermas Handbags
JIMMY CHOO Handbags
Juicy Handbags ((http://www.cntrade09.com)) - (paypal payment)
LV Handbags
Miu Miu Handbags ((http://www.cntrade09.com)) - (paypal payment)
Prada Handbags
Versace Handbags
Tous Handbag ((http://www.cntrade09.com)) - (paypal payment)

```
From 2578830696654053201
X-Google-Thread: 108122,2f61349ecbd838e1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!31g2000prc.googlegroups.com!not-for-
mail
From: shoesbuy <zhangqi88686@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: FRED goggle    http://www.cntrade09.com
Date: Wed, 9 Jun 2010 23:26:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 51
Message-ID: <f05cbaa5-6589-4ad1-9e56-ac2e2698a493@31g2000prc.googlegroups.com>
NNTP-Posting-Host: 218.86.50.238
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276151181 9075 127.0.0.1 (10 Jun 2010 06:26:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Jun 2010 06:26:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 31g2000prc.googlegroups.com; posting-host=218.86.50.238;
     posting-account=ZwjvsAoAAABA5j1UAfE2rnMWtqERqItF
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA; .NET4.0C; .NET4.0E),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2063

Sunglass:

ADIDAS Sunglass  http://www.cntrade09.com
ARMANI Sunglass  http://www.cntrade09.com
Burberry Sunglasshttp://www.cntrade09.com
BVLGARL Sunglass http://www.cntrade09.com
Cartier Sunglass http://www.cntrade09.com
CHANEL Sunglass  http://www.cntrade09.com
COACH Sunglass   http://www.cntrade09.com
D&G Sunglass     http://www.cntrade09.com
DIESEL Sunglass  http://www.cntrade09.com
DIOR Sunglass    http://www.cntrade09.com
ED Hardy Sunglasshttp://www.cntrade09.com
FENDI Sunglass   http://www.cntrade09.com
Ferragamo Sunglass      http://www.cntrade09.com
GIVENCHY Sunglasshttp://www.cntrade09.com
GUCCI Sunglass   http://www.cntrade09.com
LV Sunglass      http://www.cntrade09.com
NIKE Sunglass    http://www.cntrade09.com
Oakley Sunglass  http://www.cntrade09.com
POLICE Sunglass  http://www.cntrade09.com
PRADA Sunglass   http://www.cntrade09.com
Ray.Ban Sunglass http://www.cntrade09.com
ROBERTO CAVALLI Sunglass  http://www.cntrade09.com
```

Salvatore Sunglass http://www.cntrade09.com
VERSACE Sunglass   http://www.cntrade09.com
YSL Sunglass   http://www.cntrade09.com

goggle:

Armani goggle http://www.cntrade09.com
Catier goggle http://www.cntrade09.com
Chanel goggle http://www.cntrade09.com
D&G goggle   http://www.cntrade09.com
DIOR goggle   http://www.cntrade09.com
FENDI goggle   http://www.cntrade09.com
FERRE goggle   http://www.cntrade09.com
FRED goggle   http://www.cntrade09.com
GUCCI goggle   http://www.cntrade09.com
LV goggle   http://www.cntrade09.com
MONT BLANC goggle   http://www.cntrade09.com
NIKE goggle   http://www.cntrade09.com
Oakley goggle   http://www.cntrade09.com
POLICE goggle http://www.cntrade09.com
PRADA goggle   http://www.cntrade09.com
PUMA goggle   http://www.cntrade09.com
RAY.BAN goggle http://www.cntrade09.com
VERSACE goggle http://www.cntrade09.com

From -6668025996697861329
X-Google-Thread: 108122,c5bb0bdf975e1b22
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!11g2000prv.googlegroups.com!not-for-mail
From: shoesbuy <zhangqi88686@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Wholesale Kanji Jeans (http://www.cntrade09.com/)
Date: Wed, 9 Jun 2010 23:27:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <cc89308e-b358-4f3b-b24a-972e86b40819@11g2000prv.googlegroups.com>
NNTP-Posting-Host: 218.86.50.238
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276151277 31153 127.0.0.1 (10 Jun 2010 06:27:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Jun 2010 06:27:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 11g2000prv.googlegroups.com; posting-host=218.86.50.238;
     posting-account=ZwjvsAoAAABA5j1UAfE2rnMWtqERqItF
User-Agent: G2/1.0

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA; .NET4.0C; .NET4.0E),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2278

Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans  (http://www.cntrade09.com/)
Discount Wholesale Armani Jeans
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans
Discount Wholesale BBC Jeans (http://www.cntrade09.com/)
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://www.cntrade09.com/)
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans
Discount Wholesale ECKO Jeans (http://www.cntrade09.com/)
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.cntrade09.com/)
Discount Wholesale Laguna Beach Jeans
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.cntrade09.com/)
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans
Discount Wholesale ZEN Jeans (http://www.cntrade09.com/)


From 2565975498641648548
X-Google-Thread: d7f5508063,2a2cd7d145089e73
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder2.cambriumusenet.nl!
194.109.133.84.MISMATCH!newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!
newsfeed6.news.xs4all.nl!xs4all!border2.nntp.ams.giganews.com!nntp.giganews.com!
feeder3.cambriumusenet.nl!feed.tweaknews.nl!194.134.4.91.MISMATCH!news2.euro.net!
postnews2.euro.net!news.wanadoo.nl!not-for-mail
From: "Gerard" <think!@amsat.org>
Newsgroups: rec.radio.amateur.equipment
References: <ed2393a8-ee78-47ce-96ed-4edb5da4c5b1@i31g2000yqm.googlegroups.com>
Subject: Re: Is it possible to track cell phones through radio emissions
Date: Thu, 10 Jun 2010 10:46:00 +0200
MIME-Version: 1.0
```

```
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5931
Lines: 34
Message-ID: <4c10aad8$0$76393$dbd41001@news.wanadoo.nl>
Organization: Wanadoo
NNTP-Posting-Date: 10 Jun 2010 09:05:28 GMT
NNTP-Posting-Host: sd5113ed1.adsl.wanadoo.nl
X-Trace: 1276160728 dr3.euro.net 76393 213.17.62.209:1439
X-Complaints-To: abuse@wanadoo.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:2279

"Pietro" <pietromas@gmail.com> schreef in bericht
news:ed2393a8-ee78-47ce-96ed-4edb5da4c5b1@i31g2000yqm.googlegroups.com...
>
> I was wondering if it is possible to detect the presence of inactive
> cell phones/wifi devices by detecting radio signals they emit.
If inactive means 'switched off', then 'no'.

> I
> figure wifi would be the best bet because I guess cells dont
> broadcast
> all that much when not in use, right?
If switched 'on' they DO exchange info with their 'cell' from time to
time.
If left stationary they will do so less, but if in motion they will do
so more frequently.

> Would there be enough output to find them?
2 Watts (for a cellphone) is more than enough!

>  Would it be strong enough to detect over a distance of say 100m?
Yes.

> Could signals from multiple devices be distinguished?
That could be troublesome. I have only experience with analogue
signals.

> Would the equipment be very expensive.
Analogue can be home-build

> Would I get thrown in prison?
Depends on your country. Not here ( in the Netherlands ).

Gerard.
```

From 778433631686881842
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!31g2000prc.googlegroups.com!not-for-mail
From: xiang chen <chenxiangmei86@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Cheap Wholesale Hight Converse Shoes (paypal payment)
(http://www.cntrade09.com/)
Date: Thu, 10 Jun 2010 05:44:41 -0700 (PDT)
Organization: http://groups.google.com
Lines: 65
Message-ID: <ea580422-f87e-40cc-a538-3b214257ab1a@31g2000prc.googlegroups.com>
NNTP-Posting-Host: 121.205.247.150
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276173882 7919 127.0.0.1 (10 Jun 2010 12:44:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Jun 2010 12:44:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 31g2000prc.googlegroups.com; posting-host=121.205.247.150;
posting-account=FsTxnAoAAABrr9pk_YWj69j1S542fM_6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.pets.dogs.health:10203
rec.radio.amateur.equipment:2066 rec.music.bluenote:2272

Cheap Wholesale Gucci Shoes (paypal payment) (http://
www.cntrade09.com/)
Cheap Wholesale GUCCI Boots
Cheap Wholesale Lacoste Shoes
Cheap Wholesale LV Shoes (paypal payment) (http://
www.cntrade09.com/)
Cheap Wholesale LV Boots
Cheap Wholesale Prada Shoes (paypal payment) (http://
www.cntrade09.com/)
Cheap Wholesale Timberland Shoes
Cheap Wholesale D&G Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale D&G Boots
Cheap Wholesale Puma Shoes
Cheap Wholesale Puma AAA (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale UGG Boots Shoes
Cheap Wholesale Bikkem Bergs Shoes (free shipping)
Cheap Wholesale Mauri Shoes Man
Cheap Wholesale Versace Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Versace Boots
Cheap Wholesale Paul Smith Shoes (free shipping)
Cheap Wholesale BOSS Shoes

Cheap Wholesale Burberry Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Dsquared shoes
Cheap Wholesale Dior Shoes (free shipping)
Cheap Wholesale Dior Boots
Cheap Wholesale ED Hardy Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale ED Hardy Boots
Cheap Wholesale ED Hardy Shoes Man (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Fendi Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Fendi Boots
Cheap Wholesale AFF Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Evisu Shoes (free shipping)
Cheap Wholesale 4US Shoes
Cheap Wholesale Sebago Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Supra Shoes
Cheap Wholesale Hight Converse Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Coach Boots
Cheap Wholesale Coach Shoes
Women Christian Louboutin (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Chanel Shoes
Cheap Wholesale Chanel Boots (free shipping)
Cheap Wholesale Bape Shoes
Cheap Wholesale Adidas Shoes (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Adicolor (free shipping)
Cheap Wholesale Adidas 35TH (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Adidas NBA
Cheap Wholesale Adidas Running (paypal payment)
(http://www.cntrade09.com/)
Cheap Wholesale Adidas Y3
Cheap Wholesale Soccer Shoes (paypal payment)
(http://www.cntrade09.com/)

From -7226961887533356450
X-Google-Thread: 108122,7c7cb7d960d8fe5b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 10 Jun 2010 21:01:57 -0500
Newsgroups: rec.radio.amateur.equipment
Followup-To: rec.radio.amateur.equipment

```
From: Robert Smits <bob@rsmits.ca>
Subject: Re: Kenwood TS-820s cw problem
Date: Thu, 10 Jun 2010 19:01:57 -0700
References: <HeyReub.6499516@radiobanter.com>
<Pine.LNX.4.64.1005311309220.16388@darkstar.example.net> <k4fdd7-
a031.ln1@mikea.ath.cx> <fmmck-A435BF.20544731052010@5ad64b5e.bb.sky.com>
User-Agent: KNode/4.3.5
MIME-Version: 1.0
Content-Type: text/plain; charset="ISO-8859-1"
Content-Transfer-Encoding: 7Bit
Message-ID: <UNGdnb5eormLBIzRnZ2dnUVZ_uydnZ2d@giganews.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-LjorIsJT6X1kqAD2JyPm/rMhnRS6oeLXVvJtUJuwSTEKOKy4aKtwrHhRnAMzrl/
v88XNaYrE6Dz1kz6!nonj/VgEsE3seohh4Cbvm+T2vjzdlNynnoDzrhRsHDKUiuaDcU/
fLpujHrZjRGcTHtj7CLifUQ0=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2281

Fred McKenzie wrote:

> In article <k4fdd7-a031.ln1@mikea.ath.cx>, mikea <mikea@mikea.ath.cx>
> wrote:
>
>> Or it may be a 2-conductor plug on a radio which requires a 3-conductor
>> plug.
>
> Mike-
>
> I think you have it.  I found the service manual at mods.dk.  It shows a
> two-circuit key jack with additional circuits switched when the key is
> plugged in.  I didn't get the operator manual, but it probably has more
> information about keying.
>
> When the TS-820 came out, it was a top-of-the-line rig, so it may very
> well have a built-in keyer.  With only one jack, it would have to
> accommodate both a straight key and a paddle.  I wonder if there is a
> menu choice that disables the second circuit?
>
> Fred

The TS-820S came out in 1978. It did not have a built in keyer. Use a mono
1/4 " phone plug, it ought to work fine. I still have mine.


From 8703347196653301271
X-Google-Thread: 108122,11905b32d48d431a,start
X-Google-NewGroupId: yes
```

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Fri, 11 Jun 2010 05:52:05 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Collins 30L-1 Complete Untested As Is $500
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <4c1230f4$0$5513$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2282

You pick up.  North Los Angeles County



From -4531028688943777446
X-Google-Thread: 108122,a290a02848d64d62,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news2.google.com!postnews.google.com!j8g2000yqd.googlegroups.com!not-for-
mail
From: =?ISO-8859-1?Q?=D6zOlgun_Otomotiv?= <servisim@ymail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: www.yedekparcarafi.com
Date: Fri, 11 Jun 2010 14:53:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 33
Message-ID: <32ab252b-4493-4523-aec2-46799aa6ec3b@j8g2000yqd.googlegroups.com>
NNTP-Posting-Host: 85.100.11.205
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1276293219 15581 127.0.0.1 (11 Jun 2010 21:53:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 11 Jun 2010 21:53:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j8g2000yqd.googlegroups.com; posting-host=85.100.11.205;
     posting-account=f-VkEAoAAABFbI9w3Y_r6rkd66kMUZkf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1;
     Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
     3.0.30729; InfoPath.2),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2283
```

From now on there is a new spare parts portal in Turkey. www.yedekparcarafi=
.com
As =C3=96zolgun Dizel Automotive we share our experience of 30 years and
also offer cooperation. We spent most of our time as an Iveco
Responsible Service. Now, we are mentioned together with the most
important names of our branch. It is a real proof that we have never
lost our clients even if we quit our relationship with Iveco.
Nowadays we dedicate our experiences to every regions of Turkey by
gathering all the knowledge that we possess in our spare parts e-trade website.
Our prior ambition is to render service to all commercial vehicle
and spare parts sellers , also to the owners of the vehicles. We
intend to be a brand in virtual spare parts market.
Our purpose is to subscribe to an excellent priority with spare parts
manufacturers. We can do this only with your attendants.
We offer you to convey your products to the consumers with the most
appropriate price. With the help of a button related to your company
name, you will have a chance to advertise your profession.Furthermore,
your products will be carried to the market directly.
For further information please contact us from the following contact
points. Kindly please visit ourwebsite in order to recognize us
better. Your kind attitude towards our profession will be highly
appreciated.
Thank you for your kind attention on this issue.
Best regards
Tanju AVCI
=C3=96zOlgun Otomotiv

=C3=96zOlgun Dizel Motorlu Ara=C3=A7lar Ltd. =C5=9Eti.
6. Sanayi Sitesi 677/28 Sokak No:25
Buca _ =C4=B0ZM=C4=B0R-TURKIYE
E mail   : info@yedekparcarafi.com
Web   : www.yedekparcarafi.com

```
From -2017200074496862943
X-Google-Thread: 108122,96e550a33ed758af,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u3g2000prl.googlegroups.com!not-for-
mail
From: shoesbuy <zhangqi88686@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Nice jerseys,replica MLB jerseys,(http:// www.cntrade09.com/ )
Date: Sat, 12 Jun 2010 05:24:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 77
Message-ID: <d80ac185-0e3c-4b1d-bda1-04094061748d@u3g2000prl.googlegroups.com>
NNTP-Posting-Host: 121.205.247.164
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276345474 3111 127.0.0.1 (12 Jun 2010 12:24:34 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Jun 2010 12:24:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u3g2000prl.googlegroups.com; posting-host=121.205.247.164;
     posting-account=ZwjvsAoAAABA5j1UAfE2rnMWtqERqItF
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA; .NET4.0C; .NET4.0E),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2070

AAA quality clothes cheap wholesale . (http://
www.cntrade09.com/ )
NFL jersey wholesale (http://www.cntrade09.com/ )
NFL NBA MLB NHL soccer  soccer jerseys (http://
www.cntrade09.com/ )
nike brand,MLB jerseys china supplier (http://
www.cntrade09.com/ )
MLB jerseys china wholesaler.(http://www.cntrade09.com/ )
wholesale MLB jerseys.(http://www.cntrade09.com/ )
NFL shop,,NFL NBA MLB NHL jerser wholesale,NFL NBA MLB NHL
(http://www.cntrade09.com/ )
jersey supplier(http://www.cntrade09.com/ )
NFL NBA MLB NHL jersey korea supplier (http://
www.cntrade09.com/ )
NFL NBA jersey stock (http://www.cntrade09.com/ )
alibaba,wholesale NFL NBA MLB NHL jerseys.(http://
www.cntrade09.com/ )
soccer jersey china supplier (http://www.cntrade09.com/ )
soccer jerseys china wholesale.(http://www.cntrade09.com/ )
wholesale soccer jersey,supply soccer jerseys (http://
www.cntrade09.com/ )
NFL NBA MLB NHL copy jersey (http://www.cntrade09.com/ )
copy www.guoshitrade.com paypal paymentjerseys from china
(http://www.cntrade09.com/ )
NFL jerseys from china.(http://www.cntrade09.com/ )
NBA www.guoshitrade.com paypal payment shop (http://
www.cntrade09.com/ )
NFL jersey wholesale womens NBA jersey  (http://
www.cntrade09.com/ )
NBA jersey sale  (http://www.cntrade09.com/ )
cheap authentic NBA jersey  (http://www.cntrade09.com/ )
07 jersey NBA star  (http://www.cntrade09.com/ )
NBA jersey numbers  (http://www.cntrade09.com/ )
NBA vintage jersey NBA throw back jersey  (http://
www.cntrade09.com/ )
NBA jersey dress for woman  (http://www.cntrade09.com/ )
reebok NBA jersey  (http://www.cntrade09.com/ )
NBA jersey for toddler  (http://www.cntrade09.com/ )
old NBA jersey  (http://www.cntrade09.com/ )
youth NBA swingman jersey  (http://www.cntrade09.com/ )
NBA authentic basketball jersey  (http://
www.cntrade09.com/ )
basketball jersey NBA new style (http://www.cntrade09.com/ )
```

```
NBA all star game jersey (http://www.cntrade09.com/ )
NBA new jersey (http://www.cntrade09.com/ )
adidas NBA jersey  (http://www.cntrade09.com/ )
official NBA jersey (http://www.cntrade09.com/ )
classics hardwood jersey NBA (http://www.cntrade09.com/ )
old school NBA jersey (http://www.cntrade09.com/ )
NBA jersey for woman  (http://www.cntrade09.com/ )
classic NBA jersey (http://www.cntrade09.com/ )
NFL jersey korea supplier(http://www.cntrade09.com/ )
mitchell and ness NBA jersey (http://www.cntrade09.com/ )
2009 game jersey NBA star  (http://www.cntrade09.com/ )
alternate jersey NBA  (http://www.cntrade09.com/ )
best selling NBA jersey (http://www.cntrade09.com/ )
NBA jersey card  (http://www.cntrade09.com/ )
authenic NBA jersey  (http://www.cntrade09.com/ )
discount NBA jersey  (http://www.cntrade09.com/ )
Wholesale MLB jerseys,paypal,cheap MLB jersey(http://
www.cntrade09.com/ )
wholesale football jerseys,(http://www.cntrade09.com/ )
reebok MLB player jerseys,(http://www.cntrade09.com/ )
authentic MLB jerseys,discount MLB
jerseys,mitchell ness jerseys,throwback (http://
www.cntrade09.com/ )
Nice jerseys,replica MLB jerseys,(http://
www.cntrade09.com/ )
women MLB jerseys,youth MLB (http://www.cntrade09.com/ )
jerseys,official MLB jerseys,(http://www.cntrade09.com/ )
pro Bowl jerseys,super bowl jerseys,(http://
www.cntrade09.com/ )
nhljerseys,hockey jerseys,nba jerseys,(http://
www.cntrade09.com/ )
all star jersey,mlb baseball jerseys (http://
www.cntrade09.com/ )
(http://www.cntrade09.com/ ) paypal payment


From -5788972249851294406
X-Google-Thread: d7f5508063,d48023fc806bb2fb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.mv.net!jan234
From: Jan <jan234@asdoijwids.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.h
am-radio.marketplace,rec.radio.amateur.equipment
Subject: FA: Cool1930 Radio Service Manual (including Thomas Edison radios, etc!)
Date: Sat, 12 Jun 2010 22:40:52 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <120620102240526367%jan234@asdoijwids.com>
NNTP-Posting-Host: c-75-69-175-39.hsd1.nh.comcast.net
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1276396853 82275 75.69.175.39 (13 Jun 2010 02:40:53 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 13 Jun 2010 02:40:53 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:1242707
alt.marketplace.books:6624 rec.arts.books.marketplace:3941 alt.ham-
radio.marketplace:725 rec.radio.amateur.equipment:2071


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320546461655


From -2571097033383940084
X-Google-Thread: d7f5508063,c13387669d0ac79e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.mv.net!jan234
From: Jan <jan234@asdoijwids.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.h
am-radio.marketplace,rec.radio.amateur.equipment
Subject: FS: 5 Books: HAM RADIO, 2008 ARRL Handbook, Antenna Book, APRS, Repeater
Directories, etc.
Date: Sat, 12 Jun 2010 22:44:11 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <1206201022441182617%jan234@asdoijwids.com>
NNTP-Posting-Host: c-75-69-175-39.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1276397051 82275 75.69.175.39 (13 Jun 2010 02:44:11 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 13 Jun 2010 02:44:11 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:1242713
alt.marketplace.books:6629 rec.arts.books.marketplace:3946 alt.ham-
radio.marketplace:726 rec.radio.amateur.equipment:2072


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320546436490


From 1538980383140737544
X-Google-Thread: d7f5508063,d48023fc806bb2fb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Sat, 12 Jun 2010 20:44:59 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.h
am-radio.marketplace,rec.radio.amateur.equipment
Subject: Re: FA: Cool1930 Radio Service Manual (including Thomas Edison radios,
 etc!)
References: <120620102240526367%jan234@asdoijwids.com>
In-Reply-To: <120620102240526367%jan234@asdoijwids.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <4c1453b9$0$5556$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com alt.marketplace.online.ebay:1242742
alt.marketplace.books:6630 rec.arts.books.marketplace:3947 alt.ham-
radio.marketplace:727 rec.radio.amateur.equipment:2073

Jan wrote:
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320546461655

Nice TRF receiver on the cover.  Looks potentially lethal.


From -3460587815777138259
X-Google-Thread: 108122,561f860375dc3116
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!g1g2000pro.googlegroups.com!not-for-
mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Icom HM-14 mike for my !C28A
Date: Sun, 13 Jun 2010 03:42:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 106
Message-ID: <b89be1af-0ede-4d91-831a-9ee8f5711c23@g1g2000pro.googlegroups.com>
References: <Travis.quotDutchquot.Redman.Jr.64c8c73@radiobanter.com>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1276425759 23594 127.0.0.1 (13 Jun 2010 10:42:39 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Sun, 13 Jun 2010 10:42:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g1g2000pro.googlegroups.com; posting-host=203.94.56.252;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-Via: 1.1 www.longlandclan.yi.org (squid/3.0.STABLE19)
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.2.3)
     Gecko/20100512 Gentoo Firefox/3.6.3,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2074
```

On Jun 2, 6:23=A0pm, Travis &quot;Dutch&quot; Redman Jr
<Travis.quotDutchquot.Redman.Jr.64c8...@radiobanter.com> wrote:

> Getting backi into amateur radio after finishing up raising kids and
> partially retiring from teaching. I dug out my old IC-28A 2 mtr
> transceiver but can't find the mike, an HM-14 with an 8-pin round
> connector. Anyone out there have one to sell? Thanks, Dutch, K0RLC

Just a thought, are you wanting the original microphone for authenticity, or do you just want a microphone to use the radio?

If the latter, then a possible alternative solution might be to take an existing microphone, and homebrew a suitable adaptor to be able to use it on your older Icom set. I posted a few notes on this a while back, although can't seem to put my finger on the post... but I do remember writing it, and posting it on this very newsgroup. Anyway... it'll take me longer to hunt it down than to re-write what I wrote the first time... ;-)

The simplest solution would be of course to track down a microphone that's compatible out-of-the-box... however if you can get hold of a microphone that uses the same connector, that could be modified to suit your Icom. Chances are, just a few wires need to be switched, and all will be well.

Failing that, if you can track down the connector needed, you can homebrew a solution utilising a standard electret-type microphone such as a computer headset or desk microphone, and a suitable switch (heck, even a morse key). Chances are your radio will be expecting a dynamic microphone input... to interface this with an electret microphone, you just need to tap off a voltage source (if your radio doesn't provide one through the socket, tap your radio's supply, or use a small battery) which you pass through a 2kOhm resistor -- this connects to the electret microphone capsule's positive terminal (tip on computer microphone 3.5mm connectors). From this node in the circuit, run an AC decoupling capacitor (100nF MKT polyester or ceramics do well) between this point and the microphone input on the radio. Ground connections are then just run from electret capsule to microphone ground on the radio. PTT is fairly straightforward too.

For EMC, it's also a good idea to put a capacitor across the terminals of the microphone, as close as possible to the electret capsule itself. Many good quality microphones will have a small SMD ceramic capacitor soldered to the back of the microphone. This will shunt any

RF picked up by the microphone to ground. This is certainly not a requirement, and you could get away without.

I do this on my Yaesu FT-290R II, which is a similar vintage to the IC-28A. I have an original microphone for it (with DTMF) but for bicycle mobile use, I have a headset embedded in a motorcycle helmet (homebrewed from bits and pieces of broken headsets). The FT-290's microphone connector provides the following signals:

- Microphone signal
- Microphone shield
- Speaker output (doesn't disconnect internal speaker)
- PTT
- Channel Up button
- Channel Down button
- ~5V source
- 0V reference

So my connections are (please excuse the ASCII-art)

```
Radio Microphone                 Electret Microphone
+5V ------------:-------------------------.    :
         :               |  :
         :           R1: Mic Bias .-.     :
         :          ~2kOhm | |  :
         :              '-' :
         :   C1: AC Coupling      |  : 3.5mm Tip
Mic Sig --------:---------||--------------o-----:--------------
o------.
         :    ~100nF                :              |      |
         :                               : C2: EMI     _|_  | .-.
         :                  : Suppression ___  ||   |
         :                  : ~10pF        |   |'._.'
         :                  : 3.5mm Sleeve |   '  |
Mic Shield -----:-------------------------------:--------------
o------'
         :
         :                  Pushbutton or switch (e.g.
         :                  morse key)
PTT
------------:-------------------------------:---------------------.
         :                  :              |
         :                  :              |>   /
         :                  :               /
         :                  :              /
         :                  :             /
         :                  :              |'
0V--------------:-------------------------------:---------------------'
```

On my bicycle mobile station, the pushbutton is mounted on the handlebars... in a home station, one option is as I say, a straight morse key, a simple switch, even a foot switch. The above wiring I find gives good results and I get excellent signal reports -- unless I happen to be in tiger country. For a computer interface, I did the same as above, but instead swapping the electret capsule for a plug running straight to the computer's line output via an isolation transformer, and using a BC547B NPN transistor across the PTT lines -- connecting the base and emitter to RTS and 0V on a USB serial converter.

Anyway, that's a possible solution to your problem, and has the advantage that you save a few dollars buying the one microphone and just interfacing it to multiple radios, rather than buying multiple more expensive microphones.

```
From 4081060938686236637
X-Google-Thread: 1077d8,e53d76870569f00c,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,e53d76870569f00c,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,e53d76870569f00c,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid16c4b10b5d,gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news2.google.com!postnews.google.com!g1g2000pro.googlegroups.com!not-for-
mail
From: cntrade08 <chenxaing84@gmail.com>
Newsgroups: rec.pets.dogs.health,rec.radio.amateur.equipment,rec.music.bluenote
Subject: Nike Air Max97 Shoes Wholesale(http://www.cntrade09.com/) (PayPal
     Payment)
Date: Mon, 14 Jun 2010 23:42:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 48
Message-ID: <6a776da2-0346-45ff-b81b-0bc9d56a0b83@g1g2000pro.googlegroups.com>
NNTP-Posting-Host: 58.22.64.201
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1276584138 12186 127.0.0.1 (15 Jun 2010 06:42:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Jun 2010 06:42:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g1g2000pro.googlegroups.com; posting-host=58.22.64.201;
     posting-account=vrbHZwoAAADEhmfndJohj1WMAZguxxBj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news2.google.com rec.pets.dogs.health:10683
rec.radio.amateur.equipment:2289 rec.music.bluenote:2509
```

Are you searching for good quality and low price products?our company want to be you reliable supplier in china,we offer brand shoes,bags,jeans,clothes,we accept a variety of payment methods .Convenient for you the more you order the better price for you! if you interested in our goods,pls don't hestate to contact me

```
Our website (http://www.cntrade09.com/)
=E2=97=A5=E2=96=88=E2=96=84=E2=96=83=E2=96=81
...=E2=97=A5=E2=96=88=E2=98=86=E2=96=88=E2=96=85=E2=96=84=E2=96=83=E2=96=81=
=E2=96=81=E2=96=81=E2=96=81=E2=96=81=E2=96=81=E2=96=81=E2=96=83=E2=96=84=E2=
=96=85=EF=B8=BF@=EF=B8=BF=E2=96=85=E2=96=84=E2=96=81
=E3=80=93=E2=96=87=E2=96=88=E2=96=88=E2=96=88=E2=96=88Ship  Wholesaler=E2=
=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=
=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=85=E2=96=84=E2=96=83=E2=96=81=
=E2=96=81
=E3=80=93=E3=80=93=E3=80=93=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=
=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88=E2=96=88
Nike Air Max87 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max88 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max89 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max90 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max91 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max95 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max97 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max2003 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max2009 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max360 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max95 360 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max90 360 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max LTD Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max TN Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max180 Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)
Nike Air Max90 Boot Shoes Wholesale(http://www.cntrade09.com/)
(PayPal Payment)


From -2629480881841736714
X-Google-Thread: 108122,62844090fcedab7a,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k39g2000yqd.googlegroups.com!not-for-
mail
From: PA3ESF <pa3esf@gmail.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: 33e RADIO FLEA MARKET in BEETSTERZWAAG on 28 May 2011
Date: Tue, 15 Jun 2010 00:31:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <020bffa2-1cb1-4927-9f01-87f4d14fe6dc@k39g2000yqd.googlegroups.com>
NNTP-Posting-Host: 217.120.65.14
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276587080 7334 127.0.0.1 (15 Jun 2010 07:31:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Jun 2010 07:31:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k39g2000yqd.googlegroups.com; posting-host=217.120.65.14;
posting-account=YOV4MQoAAAA2exfzsEGeZ87c9YD9fCMy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; nl; rv:1.9.2.3)
Gecko/20100401 Firefox/3.6.3 (.NET CLR 3.5.30729),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2290

33e RADIO FLEA MARKET in BEETSTERZWAAG on 28 May 2011

The radio flea market takes place to - 28 May 2011. Do you look for an exotic transistor kit or a super recipient, fixed and do manufacture kit...
or do meet of radio friends? Dan comes Saturday 30 May to the Friese radio market into Beetsterzwaag!

Many thousand visitors come each year from the entire Netherlands and Europe to this radio flea market spectacle, approx. 100 dealers, with most diverse articles, like transmitters, recievers, power supplies, antennas, software, hardware and literature.

Additionally of businessmen in the place also a flea market with many attraction organized for large and small. There are some sales desks free at the moment on the radio flea market, you can reserve by telephone & email, contact on to take with the executive committee. Down are these addresses.

How does one find after Beetsterzwaag? From direction Apeldoorn = > Zwolle = > Meppel = > Heerenveen = > Drachten, departure after Gorredijk Tijnje comes departure (28) Beetsterzwaag.

From direction Bremen = > Groningen = > Drachten = > Heerenveen, departure after Drachten Haven comes departure (28) Beetsterzwaag.

On 2mtr, 145,700 Digi Heerenveen can one to instruct leave themselves. Inlet is from 09:00 to 16:00 MESZ, into which Cafeteria one also boarded into this time.

This whole is organized of VERON FRIESE WOUDEN. Cordially Welcome in Friesland on the 33e FRM!

Look for more information at the site: www.frm.a63.org

```
From 2975709698172380569
X-Google-Thread: 108122,b43bf5af1a3c0447,start
X-Google-NewGroupId: yes
X-Google-Thread: 10669a,b43bf5af1a3c0447,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gidfde1d0e7e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s6g2000prg.googlegroups.com!not-for-
mail
From: xiangmei chen <chenxiangmei85@gmail.com>
Newsgroups: rec.radio.amateur.equipment,comp.os.linux.networking,comp.lang.verilog
Subject: converse shoe <free shipping paypal payment>( http://www.cntrade09.com/
     )
Date: Fri, 18 Jun 2010 01:59:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 75
Message-ID: <12e8308e-add1-486e-a0cc-8279515bad6c@s6g2000prg.googlegroups.com>
NNTP-Posting-Host: 59.58.157.236
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1276851578 20898 127.0.0.1 (18 Jun 2010 08:59:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 18 Jun 2010 08:59:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s6g2000prg.googlegroups.com; posting-host=59.58.157.236;
     posting-account=pSNs2goAAACTbyMbrBeRWnGVyBmFmQyM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2291
comp.os.linux.networking:8323 comp.lang.verilog:4256

Shox Shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
shoes shox shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
nike shox shoe <free shipping paypal payment>(http:// www.cntrade09.com/)
nike shox shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
shox shoe <free shipping paypal payment>( http://www.cntrade09.com/ )
LV,coach,chanel boots wholesale <free shipping paypal payment>(
http://www.cntrade09.com/ )
air force ones <free shipping paypal payment>(http:// www.cntrade09.com/)
nike trading <free shipping paypal payment>( http://www.cntrade09.com/
)
nike shox <free shipping paypal payment>( http://www.cntrade09.com/ )
shox air <free shipping paypal payment>( http://www.cntrade09.com/)
white shoe <free shipping paypal payment>(http:// www.cntrade09.com/
)
nike shoe <free shipping paypal payment>( http://www.cntrade09.com/ )
nike air shox <free shipping paypal payment>( http://www.cntrade09.com/)
shox r4 <free shipping paypal payment>( http://www.cntrade09.com/)
```

tennis shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
tennis shoe <free shipping paypal payment>(http://www.cntrade09.com/)
basketball shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
jordan shoe <free shipping paypal payment>(http:// www.cntrade09.com/)
nike shox 2 <free shipping paypal payment>(http://www.cntrade09.com/)
nike shox ace <free shipping paypal payment>(http://www.cntrade09.com/)
men's shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
buy shoe <free shipping paypal payment>(http://www.cntrade09.com/)
adidas shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
kids shoe <free shipping paypal payment>(http://www.cntrade09.com/)
buy shoes <free shipping paypal payment>(http://www.cntrade09.com/)
puma shoe <free shipping paypal payment>(http:// www.cntrade09.com/)
converse shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
shoes sale <free shipping paypal payment>(http:// www.cntrade09.com/)
running shoes women <free shipping paypal payment>(http:// www.cntrade09.com/
)
adidas running shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Footwear <free shipping paypal payment>(http://www.cntrade09.com/)
Paul Smith shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Jordan shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
Bape shoes <free shipping paypal payment>(http://www.cntrade09.com/)
Chanel shoes <free shipping paypal payment>(http:// www.cntrade09.com/
)
D&G shoes <free shipping paypal payment>(http://www.cntrade09.com/)
Dior shoes <free shipping paypal payment>(http://www.cntrade09.com/)
ED hardy shoes <free shipping paypal payment>(http://www.cntrade09.com/)
Evisu shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
Fendi shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Gucci shoes `<free shipping paypal payment>(http://www.cntrade09.com/
)
Hogan shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Lv shoes <free shipping paypal payment>(http:// www.cntrade09.com/)
Prada shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Timberland shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Tous shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Ice cream shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Sebago shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Lacoste shoes <free shipping paypal payment>(http://www.cntrade09.com/)

Air force one shoes <free shipping paypal payment>(http://www.cntrade09.com/)
TODS shoes <free shipping paypal payment>(http://www.cntrade09.com/)
AF shoes <free shipping paypal payment>(http://www.cntrade09.com/)

```
From 6898415786080001310
X-Google-Thread: 108122,b5aacacf6281a046,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe15.iad.POSTED!7564ea0f!not-for-mail
From: "C. Andrews Lavarre" <alavarre@gmail.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SUSE/3.0.4-1.1.1 Thunderbird/3.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: VNAs
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Lines: 43
Message-ID: <IPWSn.101232$rE4.52470@newsfe15.iad>
NNTP-Posting-Host: 72.221.108.128
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe15.iad 1276918120 72.221.108.128 (Sat, 19 Jun 2010 03:28:40 UTC)
NNTP-Posting-Date: Sat, 19 Jun 2010 03:28:40 UTC
Organization: Cox
Date: Fri, 18 Jun 2010 23:28:39 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:2078
```

Hi,

What is the best VNA for amateur work, and why?

I have recently made a generational leap from transmatches, grid dip meters, Smith Charts, and wire cutting to an awareness of VNAs (Vector Network Analyzer), e.g.,

+ http://www.members.shaw.ca/swstuff/vna.html
+ http://www.miniradiosolutions.com/

and many others.

I started looking at VNA gear - toys that combine TDRs, VSWR meters, Z and Q meters all in one tiny box and connect to your laptop for a host of other analyses plus Smith Charts !! And promise instant wisdom and nirvana...

Not having seen, let alone used, one I wonder...

So this is a new frontier for me. What are your opinions (admittedly a troll) on the "best" of class?

My research suggests:

+ Array Solutions AIM 4170 by W5BIG
+ the mRS miniVNA

The eham.net site is really very good. I copied its Analyzer page

http://www.eham.net/reviews/products/31

into a spreadsheet so that I can sort by cost, rating, number of reviews, etc.

But analysis is only so good in the absence of actual experience ... :-)

So what do you think?

What is the best VNA for amateur work, and why?

Kind regards, 73, Andy
WA6VCT

```
From -1907229816078404351
X-Google-Thread: d7f5508063,f123575b47f59c95,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y6g2000pra.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <yinweinisb@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Get Nike Shoes at Super Cheap Prices
Date: Wed, 12 May 2010 02:25:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <15ebb782-b3c4-411e-b53e-120a7aabbd5f@y6g2000pra.googlegroups.com>
NNTP-Posting-Host: 112.111.174.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273656334 21385 127.0.0.1 (12 May 2010 09:25:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 May 2010 09:25:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y6g2000pra.googlegroups.com; posting-host=112.111.174.248;
     posting-account=8Mqs3woAAAC_-Hmzjp8Oln8nddLvh5TB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2193
```

Get Nike Shoes at Super Cheap Prices

```
Discount Ed hardy tshirt  (http://www.brandtrade10.com)
Discount Ed hardy jean  (http://www.brandtrade10.com)
Discount Ed hardy shoes  (http://www.brandtrade10.com)
Discount Ed hardy handbag  (http://www.brandtrade10.com)
Discount Ed hardy other porduct  (http://www.brandtrade10.com)
Discount Nike air jordans  (http://www.brandtrade10.com)
Discount Nike Air Max 90 Sneakers  (http://www.brandtrade10.com)
Discount Nike Air Max 91 Supplier  (http://www.brandtrade10.com)
Discount Nike Air Max 95 Shoes Supplier  (http://
www.brandtrade10.com)
Discount Nike Air Max 97 Trainers  (http://www.brandtrade10.com)
Discount Nike Air Max 2003   (http://www.brandtrade10.com)
Discount Nike Air Max 2004 Shoes
(http://www.brandtrade10.com)
Discount Nike Air Max 2005 Shop  (http://www.brandtrade10.com)
Discount Nike Air Max 2006 Shoes Shop  (http://www.brandtrade10.com)
Discount Nike Air Max 360 Catalogs  (http://www.brandtrade10.com)
Discount Nike Air Max Ltd Shoes Catalogs  (http://
www.brandtrade10.com)
Discount Nike Air Max Tn Men's Shoes  (http://www.brandtrade10.com)


From 948022253278850937
X-Google-Thread: d7f5508063,39a0848da0f12ed,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a2g2000prd.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <yinweinisb@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Nike Air Max Tn 6 Supply  (http://www.brandtrade10.com)
Date: Wed, 12 May 2010 02:27:08 -0700 (PDT)
Organization: http://groups.google.com
Lines: 29
Message-ID: <e6d4b07c-e0dd-448e-9942-1bef6669e0fd@a2g2000prd.googlegroups.com>
NNTP-Posting-Host: 112.111.174.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273656428 31973 127.0.0.1 (12 May 2010 09:27:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 May 2010 09:27:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a2g2000prd.googlegroups.com; posting-host=112.111.174.248;
     posting-account=8Mqs3woAAAC_-Hmzjp8Oln8nddLvh5TB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2194

Discount Nike Air Max Tn 6 Supply  (http://www.brandtrade10.com)
Discount Nike Shox NZ Shoes Supply  (http://www.brandtrade10.com)
Discount Nike Shox OZ Sale  (http://www.brandtrade10.com)
Discount Nike Shox TL Store  (http://www.brandtrade10.com)
Discount Nike Shox TL 2 Shoes Store (http://www.brandtrade10.com)
Discount Nike Shox TL 3 Distributor (http://www.brandtrade10.com)
Discount Nike Shox Bmw Shoes Distributor  (http://
www.brandtrade10.com)
Discount Nike Shox Elite Shoes Manufacturer
(http://www.brandtrade10.com)
Discount Nike Shox Monster Manufacturer  (http://
www.brandtrade10.com)
Discount Nike Shox R4 Running Shoes  (http://www.brandtrade10.com)
Discount Nike Shox R5 Mens Shoes  (http://www.brandtrade10.com)
Discount Nike Shox Ride Womens Shoes (http://www.brandtrade10.com)
Discount Nike Shox Rival Shoes r  (http://www.brandtrade10.com)
Discount Nike Shox Energia r  (http://www.brandtrade10.com)
Discount Nike Shox LV Sneaker  (http://www.brandtrade10.com)
Discount Nike Shox Turbo Suppliers  (http://www.brandtrade10.com)
Discount Nike Shox Classic Shoes Suppliers
(http://www.brandtrade10.com)
Discount Nike Shox Dendara Trainer  (http://www.brandtrade10.com)
Discount Nike Air Jordan 1 Seller  (http://www.brandtrade10.com)
Discount Nike Air Jordan 2 Shoes Seller  (http://
www.brandtrade10.com)
Discount Nike Air Jordan 3 Collection  (http://www.brandtrade10.com)
Discount Nike Air Jordan 4 Shoes Collection
(http://www.brandtrade10.com)
Discount Nike Air Jordan 5 Chaussure Shoes


From -6443584756314096314
X-Google-Thread: d7f5508063,28b2c44ccf48d2a3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!42g2000prb.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <yinweinisb@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: designer hoodies ( paypal payment )( http://www.brandtrade10.com)
Date: Wed, 12 May 2010 02:42:29 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <f75a62d5-da36-45c1-8d5f-c345584ee292@42g2000prb.googlegroups.com>
NNTP-Posting-Host: 112.111.174.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273657349 7593 127.0.0.1 (12 May 2010 09:42:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 May 2010 09:42:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 42g2000prb.googlegroups.com; posting-host=112.111.174.248;
     posting-account=8Mqs3woAAAC_-Hmzjp8Oln8nddLvh5TB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2195

designer hoodies ( paypal payment )( http://www.brandtrade10.com)
brand hoodies ( paypal payment )( http://www.brandtrade10.com)
cotton hoodie ( paypal payment )( http://www.brandtrade10.com)
 men's hoodie ( paypal payment )( http://www.brandtrade10.com)
 brand name hoodie ( paypal payment )( http://www.brandtrade10.com)
 hoodies wear ( paypal payment )( http://www.brandtrade10.com)
fashion hoodie ( paypal payment )( http://www.brandtrade10.com)
 knitted hoodies ( paypal payment )( http://www.brandtrade10.com)
 hoodie jacket ( paypal payment )( http://www.brandtrade10.com)
 zipper hoodie
leather jacket ( paypal payment )( http://www.brandtrade10.com)
motorcycle jacket ( paypal payment )( http://www.brandtrade10.com)
fashion jackets ( paypal payment )( http://www.brandtrade10.com)


From 104987222519896786
X-Google-Thread: d7f5508063,d38f91483618dc0f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!34g2000prs.googlegroups.com!not-for-
mail
From: jersey-2009 <brandjeans1@163.com>
Newsgroups: rec.radio.amateur.equipment
Subject: (Paypal payment)( http://www.brandtrade10.com)  Discounts Brand Sport
     Shoes
Date: Wed, 12 May 2010 06:40:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 42
Message-ID: <c89b9033-44db-4e8a-8f55-0cab004c206f@34g2000prs.googlegroups.com>
NNTP-Posting-Host: 112.111.174.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273671628 21119 127.0.0.1 (12 May 2010 13:40:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 May 2010 13:40:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000prs.googlegroups.com; posting-host=112.111.174.248;
     posting-account=5FmytgoAAADp1BhfjhlQFKEoslacWWSy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2196

(Paypal payment)( http://www.brandtrade10.com)  Discounts Brand Sport
Shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts Men's Sport
Shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts Fashionable
Sports Shoes
```

```
(Paypal payment)( http://www.brandtrade10.com)  Discounts Running
Shoes
(Paypal payment)( http://www.brandtrade10.com) Other Sports Shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts  Basketball
Shoes (
 Discounts Ladies' Dress Shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts  Children's
Sports Shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts Mobile
Phones
(Paypal payment)( http://www.brandtrade10.com)  Discounts Hiking Shoes
& Boots
(Paypal payment)( http://www.brandtrade10.com)   Discounts Shoes Stock
(Paypal payment)( http://www.brandtrade10.com)  Discounts  Tennis
Shoes
(Paypal payment)( http://www.brandtrade10.com)   Discounts brand sport
shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts men's sport
shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts fashion
sport shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts basketball
shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts running
shoes
brand shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts fashion
shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts men's shoes
sneakers
(Paypal payment)( http://www.brandtrade10.com)  Discounts athletic
shoes
(Paypal payment)( http://www.brandtrade10.com)  Discounts basketball
shoes
badketball jersy



From 4386347395768329712
X-Google-Thread: d7f5508063,e34fd794a9758cf6,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v12g2000prb.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade04@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Wholesale Kanji Jeans (http://www.brandtrade10.com/ )
Date: Thu, 13 May 2010 19:43:47 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <d1e32ea3-0cb5-49d3-aad5-3242a405bffc@v12g2000prb.googlegroups.com>
NNTP-Posting-Host: 218.6.27.179
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273805027 1787 127.0.0.1 (14 May 2010 02:43:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 May 2010 02:43:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v12g2000prb.googlegroups.com; posting-host=218.6.27.179;
     posting-account=sVJOuQoAAAAnnvKgFlS2b0FBhSYTUPUP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2197

Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans  (http://www.brandtrade10.com/ )
Discount Wholesale Armani Jeans  <free shipping paypal payment>
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans  <free shipping paypal payment>
Discount Wholesale BBC Jeans (http://www.brandtrade10.com/ )
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans  <free shipping paypal payment>
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://
www.brandtrade10.com/ )
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans  <free shipping paypal payment>
Discount Wholesale ECKO Jeans (http://www.brandtrade10.com/ )
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans  <free shipping paypal payment>
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.brandtrade10.com/ )
Discount Wholesale Laguna Beach Jeans  <free shipping paypal payment>
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.brandtrade10.com/ )
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans  <free shipping paypal payment>
Discount Wholesale ZEN Jeans (http://www.brandtrade10.com/ )


From 965463165956437439
X-Google-Thread: d7f5508063,6b233560fd051e1a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a16g2000prg.googlegroups.com!not-for-
```

```
mail
From: "www.brandtrade10.com" <wenyongying84@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Prada shoes (paypal payment)Coach Handbag online shop
Date: Fri, 14 May 2010 00:07:47 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <7b4b5e51-b6e2-4421-8722-0c0127798ad5@a16g2000prg.googlegroups.com>
NNTP-Posting-Host: 125.78.241.70
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273820867 6392 127.0.0.1 (14 May 2010 07:07:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 May 2010 07:07:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a16g2000prg.googlegroups.com; posting-host=125.78.241.70;
     posting-account=hwiJpgoAAAC_AtjcXzLnUgP2LNaAW3-z
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2198

Gucci Purse online shop http://www.cntrade09.com
Guess Purse
LV Purse online shop <free shipping paypal payment>
Miumiu Purse online saler
Prada Purse http://www.cntrade09.com
Tous Purse online saler
Versace Purse http://www.cntrade09.com<free
shipping paypal payment>
Handbags online shop
BOSS Handbag online saler
Burberry Handbag http://www.cntrade09.com
CA Handbag online shop
Chanel Handbag  <free shipping paypal payment>
Chloe Handbag http://www.cntrade09.com
D&G Handbag http://www.cntrade09.com
Dooney&Bourke Handbag online shop
ED Hardy Handbag http://www.cntrade09.com
Fendi Handbag online saler
Gucci Handbag http://www.cntrade09.com
Hermes Handbag online saler
Jimmy Choo Handbag <free shipping paypal payment>
Juciy Handbag online saler
LV Handbag http://www.cntrade09.com
Miumiu Handbag http://www.cntrade09.com
Prada Handbag online saler
Tous Handbag http://www.cntrade09.com
Versace Handbags <free shipping paypal payment>


From 3500326958549709470
X-Google-Thread: d7f5508063,6b233560fd051e1a
```

```
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!news-hub.siol.net!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?UTF-8?B?Qm9yaXMgVHXEkWFu?= <btudan@inet.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Prada shoes (paypal payment)Coach Handbag online shop
Date: Fri, 14 May 2010 11:36:36 +0200
Organization: T-Com
Lines: 1
Message-ID: <hsj5j4$alv$2@ss408.t-com.hr>
References: <7b4b5e51-b6e2-4421-8722-0c0127798ad5@a16g2000prg.googlegroups.com>
NNTP-Posting-Host: 83-131-223-113.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1273829797 10943 83.131.223.113 (14 May 2010 09:36:37 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Fri, 14 May 2010 09:36:37 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.12 (X11/20080226)
In-Reply-To: <7b4b5e51-b6e2-4421-8722-0c0127798ad5@a16g2000prg.googlegroups.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:2199
```

ABUSE!

```
From -9161408036461371З0
X-Google-Thread: d7f5508063,9e5b62e1165a6541,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t26g2000prt.googlegroups.com!not-for-
mail
From: "ddjfhjgjg ;lwjwhdjb" <dbshdghdvvvc@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HOT HOT SEX
Date: Fri, 14 May 2010 04:14:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 17
Message-ID: <c38b725f-ec23-43ec-8235-a95157144a50@t26g2000prt.googlegroups.com>
NNTP-Posting-Host: 117.199.247.250
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273835640 7693 127.0.0.1 (14 May 2010 11:14:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 May 2010 11:14:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t26g2000prt.googlegroups.com; posting-host=117.199.247.250;
     posting-account=qTNFEQoAAAAWOoxYo1_dkHHd7RRh7WEd
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.3)
```

```
     Gecko/20090824 Firefox/3.5.3,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2200
```

hot kiss 2
http://hotimagesandvideos.blogspot.com/2010/04/hot-kiss-2.html
hot lip kiss1
http://hotimagesandvideos.blogspot.com/2010/04/hot-lip-kiss1.html
hot hug
http://hotimagesandvideos.blogspot.com/2010/04/hot-hug.html
super hot kiss
http://hotimagesandvideos.blogspot.com/2010/04/super-hot-kiss.html
one lip kiss
http://hotimagesandvideos.blogspot.com/2010/04/one-lip-kiss.html
super navel kiss
http://hotimagesandvideos.blogspot.com/2010/04/super-navel-kiss.html
hot train lip kiss
http://hotimagesandvideos.blogspot.com/2010/04/hot-train-lip-kiss.html
hot boobs kiss
http://hotimagesandvideos.blogspot.com/2010/04/hot-boobs-kiss.html

```
From 1839612884901698787
X-Google-Thread: d7f5508063,2abb1f7cb9a16163,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k17g2000pro.googlegroups.com!not-for-
mail
From: "www.brandtrade07.com" <yijeans4@163.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Evisu jeans wear made in china (http://www.brandtrade10.com )
Date: Fri, 14 May 2010 20:07:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 48
Message-ID: <151294e2-f25e-497c-9bea-3e46a93dd5bd@k17g2000pro.googlegroups.com>
NNTP-Posting-Host: 218.6.26.44
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273892850 17167 127.0.0.1 (15 May 2010 03:07:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 May 2010 03:07:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k17g2000pro.googlegroups.com; posting-host=218.6.26.44;
     posting-account=Vu1W0QoAAAAdztp6nEjIwI0nisfpjJHR
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2201
```

adidas 35th anniversary shoes made in china (http://
www.brandtrade10.com)
adicolor shoes made in china (http://www.brandtrade10.com)

adidas football shoes made in china (http://www.brandtrade10.com)
GGG hoody made in china (http://www.brandtrade10.com)
GGG T-shirt made in china (http://www.brandtrade10.com)
Armani T-shirt made in china (http://www.brandtrade10.com)
Armani shirt made in china (http://www.brandtrade10.com)
armani long t-shirt made in china (http://www.brandtrade10.com)
AF sweater made in china (http://www.brandtrade10.com)
AF women trousrs made in china (http://www.brandtrade10.com)
AF men and women coat made in china (http://www.brandtrade10.com)
D&G jeans made in china (http://www.brandtrade10.com)
A&G T-shirt made in china (http://www.brandtrade10.com)
BBC scanties made in china (http://www.brandtrade10.com)
BBC jeans made in china (http://www.brandtrade10.com)
BBC hoody made in china (http://www.brandtrade10.com)
BBC T-shirt made in china (http://www.brandtrade10.com)
LRG jeans made in china (http://www.brandtrade10.com)
LRG hoody made in china (http://www.brandtrade10.com)
LRG T-shirt made in china (http://www.brandtrade10.com)
Bape jeans made in china (http://www.brandtrade10.com)
Bape hoody made in china (http://www.brandtrade10.com)

Bape t-shirt made in china (http://www.brandtrade10.com)
Evisu long t-shit made in china (http://www.brandtrade10.com)
Evisu original jeans made in china (http://www.brandtrade10.com)
Evisu jeans wear made in china (http://www.brandtrade10.com)
Evisu hoody made in china (http://www.brandtrade10.com)
Evisu jeans made in china (http://www.brandtrade10.com)
Evisu T-shirt made in china (http://www.brandtrade10.com)
POLO T-shirt made in china (http://www.brandtrade10.com)
Googi jeans made in china (http://www.brandtrade10.com)
Googi hoody made in china (http://www.brandtrade10.com)
Googi T-shirt made in china (http://www.brandtrade10.com)
juicy made in china (http://www.brandtrade10.com)
10Deep jeans made in china (http://www.brandtrade10.com)
10 Deep hoody made in china (http://www.brandtrade10.com)
10Deep T-shirt made in china (http://www.brandtrade10.com)
Lacoste T-shirt made in china (http://www.brandtrade10.com)
Lacoste sweater made in china (http://www.brandtrade10.com)
Burberry jacket made in china (http://www.brandtrade10.com)
Buberry T-shirt made in china (http://www.brandtrade10.com)
Buberry shirt made in china (http://www.brandtrade10.com)
ED hardy hoody made in china (http://www.brandtrade10.com)
ED hardy jeans made in china (http://www.brandtrade10.com)

From 2563534028074320716
X-Google-Thread: 10213f9764,46e0440377ab92f4,start
X-Google-Attributes: gid10213f9764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y18g2000prn.googlegroups.com!not-for-

```
mail
From: fashion t shirts seller <yongyingwen@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment,alt.animals
Subject: Discount Wholesale ECKO Jeans (http://www.brandtrade10/)
Date: Fri, 14 May 2010 20:36:37 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <07fee464-7f60-4b7f-8350-02efad110915@y18g2000prn.googlegroups.com>
NNTP-Posting-Host: 59.58.159.26
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273894598 15333 127.0.0.1 (15 May 2010 03:36:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 May 2010 03:36:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y18g2000prn.googlegroups.com; posting-host=59.58.159.26;
     posting-account=e_7dGwoAAADlQxyWUnVHdkkQOshi7Tci
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2202 alt.animals:259

Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans  (http://www.brandtrade10/)
Discount Wholesale Armani Jeans
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans
Discount Wholesale BBC Jeans (http://www.brandtrade10/)
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://www.brandtrade10/)
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans
Discount Wholesale ECKO Jeans (http://www.brandtrade10/)
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.brandtrade10/)
Discount Wholesale Laguna Beach Jeans
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.brandtrade10/)
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans
Discount Wholesale ZEN Jeans (http://www.brandtrade10/)
```

```
From 2510638692773764616
X-Google-Thread: d7f5508063,d2958ff423e9bdfb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m4g2000vbl.googlegroups.com!not-for-
mail
From: Shane H <spinjamn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking to sell old Radio equipment
Date: Sun, 16 May 2010 12:27:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <7593048f-3941-4a68-8e21-24e86b842734@m4g2000vbl.googlegroups.com>
NNTP-Posting-Host: 173.48.132.151
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1274038041 2288 127.0.0.1 (16 May 2010 19:27:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 May 2010 19:27:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m4g2000vbl.googlegroups.com; posting-host=173.48.132.151;
     posting-account=hKX-rAoAAABGQ-jlN1B6pJtPdu5wprh8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.2.3)
     Gecko/20100401 YFF35 Firefox/3.6.3,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2203

-Lampkin laboratories 107c Communication service monitor          -
Miratel Air Alert system
-Kikusui Electronics corp. Model 5122 Alignment
scope
 -General Radio Heterodyne Frequency meter and calibrator 620-A
-General Radio Distortion and noise meter 1932-A
-HP Quartz Oscillator 103AR
-HP Pulse Generator 212A
-Instrument corp. of Florida VLF reciever
-McMartin EBS-2
-TBM-1000B FM relay receiver

I live in Eastern MA email me if you have any questions or interest in
buying.


From 3162663868794558182
X-Google-Thread: d7f5508063,d2958ff423e9bdfb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad!
```

```
news.dslextreme.com!not-for-mail
Date: Mon, 17 May 2010 05:40:25 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking to sell old Radio equipment
References: <7593048f-3941-4a68-8e21-24e86b842734@m4g2000vbl.googlegroups.com>
In-Reply-To: <7593048f-3941-4a68-8e21-24e86b842734@m4g2000vbl.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <4bf138d8$0$27701$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2204

Shane H wrote:
> -Lampkin laboratories 107c Communication service monitor          -
> Miratel Air Alert system
> -Kikusui Electronics corp. Model 5122 Alignment
> scope
>   -General Radio Heterodyne Frequency meter and calibrator 620-A
> -General Radio Distortion and noise meter 1932-A
> -HP Quartz Oscillator 103AR
> -HP Pulse Generator 212A
> -Instrument corp. of Florida VLF reciever
> -McMartin EBS-2
> -TBM-1000B FM relay receiver
>
> I live in Eastern MA email me if you have any questions or interest in
> buying.

That stuff is obsolete. Find a museum.  Donate the shit.  Get a receipt
and deduct it from your taxes.


From -982053359986528772
X-Google-Thread: d7f5508063,ef28fd1bf5457b0e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s4g2000prh.googlegroups.com!not-for-
mail
From: =?UTF-8?B?5a6J5a6JIOS7mA==?= <lovelife817@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: AF men and women coat made in china (http://www.brandtrade10.com )
Date: Mon, 17 May 2010 06:54:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <15d3936b-0571-4dba-a538-f8c2a8580280@s4g2000prh.googlegroups.com>
NNTP-Posting-Host: 112.111.175.49
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1274104474 10502 127.0.0.1 (17 May 2010 13:54:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 May 2010 13:54:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s4g2000prh.googlegroups.com; posting-host=112.111.175.49;
     posting-account=SBM8fwkAAABcG0jeDsWMSl3SEPSjLsgR
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2205

AF men and women coat made in china (http://www.brandtrade10.com )
D&G jeans made in china (http://www.brandtrade10.com )
A&G T-shirt made in china (http://www.brandtrade10.com )
BBC scanties made in china (http://www.brandtrade10.com )
BBC jeans made in china (http://www.brandtrade10.com )
BBC hoody made in china (http://www.brandtrade10.com )
BBC T-shirt made in china (http://www.brandtrade10.com )
LRG jeans made in china (http://www.brandtrade10.com )
LRG hoody made in china (http://www.brandtrade10.com )
LRG T-shirt made in china (http://www.brandtrade10.com )
Bape jeans made in china (http://www.brandtrade10.com )
Bape hoody made in china (http://www.brandtrade10.com )


From 5767722841398858623
X-Google-Thread: d7f5508063,b3f5f7c2843ec30f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t34g2000prd.googlegroups.com!not-for-
mail
From: =?UTF-8?B?5a6J5a6JIOS7mA==?= <lovelife817@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Date: Mon, 17 May 2010 07:00:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <953ac2e3-e37b-40ae-a920-2e4c534336fc@t34g2000prd.googlegroups.com>
NNTP-Posting-Host: 112.111.175.49
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1274104856 17205 127.0.0.1 (17 May 2010 14:00:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 May 2010 14:00:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t34g2000prd.googlegroups.com; posting-host=112.111.175.49;
     posting-account=SBM8fwkAAABcG0jeDsWMSl3SEPSjLsgR
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
```

Xref: g2news2.google.com rec.radio.amateur.equipment:2206

Discount Wholesale Affliction Jeans <free shipping paypal payment>
Discount Wholesale AK Jeans (http://www.brandtrade10/)
Discount Wholesale Armani Jeans
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans
Discount Wholesale BBC Jeans (http://www.brandtrade10/)
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://www.brandtrade10/)
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans
Discount Wholesale ECKO Jeans (http://www.brandtrade10/)
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.brandtrade10/)
Discount Wholesale Laguna Beach Jeans
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.brandtrade10/)
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans
Discount Wholesale ZEN Jeans (http://www.brandtrade10/)

From -2052922052948949427
X-Google-Thread: d7f5508063,6d6fe368ba664240,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!40g2000pry.googlegroups.com!not-for-mail
From: "http://www.brandtrade10.com" <fuyanyan817@163.com>
Newsgroups: rec.radio.amateur.equipment
Subject: wholesale Burberry T-shirt (paypal payment)(http://www.brandtrade10.com/)
Date: Mon, 17 May 2010 07:44:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <517b47e9-8dff-440b-883d-c002d7878795@40g2000pry.googlegroups.com>
NNTP-Posting-Host: 112.111.175.49
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1

```
X-Trace: posting.google.com 1274107470 31189 127.0.0.1 (17 May 2010 14:44:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 May 2010 14:44:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 40g2000pry.googlegroups.com; posting-host=112.111.175.49;
     posting-account=8F-9qgoAAACiE64Xt-CydygZ6j2E4Q6R
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2207

wholesale Burberry T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale CA T-shirt
men's
(paypal payment)(http://www.brandtrade10.com/) wholesale CA T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale COOGI T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale CRYSTAL
ROCK
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale D&G T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale DIESEL T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale DSQUARED T-
shirt
men's
(paypal payment)(http://www.brandtrade10.com/) wholesale DSQUARED T-
shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale Eck? Unltd
T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale ED T-shirt
men's
(paypal payment)(http://www.brandtrade10.com/) wholesale ED T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale EVISU T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale GGG T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale G-STAR T-
shirt
(paypal payment)(http://www.brandtrade10.com/)


From -6030585731899755599
X-Google-Thread: c5261ab81d,f8aea0d3def56560,start
X-Google-Attributes: gidc5261ab81d,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news2.google.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, June 2010 - Subscribe for FREE
Followup-To: poster
Date: Tue, 18 May 2010 11:49:59 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 31
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <44E882DE14924267A176360A5FA55D42@kent01250b2901>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1274197800 5941 166.84.1.6 (18 May 2010 15:50:00 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 18 May 2010 15:50:00 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.22.193.240 authed with k9ya+k9ya.org}
Xref: g2news2.google.com rec.radio.info:1529 rec.radio.amateur.boatanchors:4219
rec.radio.amateur.equipment:2208 rec.radio.swap:2917 alt.ham-radio.morse:40
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

June 2010 articles include:

Ft. Tuthill 80 By Philip Cala-Lazar, K9PL

So You Think You Want to Be an Expeditionary Radio Op By John Kirk, VK4TJ

Ham Quips By Dick Sylvan, W9CBT

What's Wrong With This Picture By Chuck Guenther, NI�C

S. L. Seaton's Radio Autobiography

```
From 5529589464051629568
X-Google-Thread: d7f5508063,3410460f123c7271,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!42g2000prb.googlegroups.com!not-for-
mail
From: goodshoes <erhatglass@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Cheap Wholesale Adidas 35TH (paypal payment) (http://
www.brandtrade10.com/
     )
Date: Thu, 20 May 2010 20:20:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 67
Message-ID: <5eba9ff9-8142-4d34-9c2f-b36ae37bab7e@42g2000prb.googlegroups.com>
NNTP-Posting-Host: 125.78.240.119
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1274412021 20382 127.0.0.1 (21 May 2010 03:20:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 21 May 2010 03:20:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 42g2000prb.googlegroups.com; posting-host=125.78.240.119;
     posting-account=E665PAoAAADo-fRxs3pJVEefrWxb13QS
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2209
```

Cheap Wholesale UGG Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Ugg Boots (paypal payment)
Cheap Wholesale Gucci Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale GUCCI Boots
Cheap Wholesale Lacoste Shoes

Cheap Wholesale LV Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale LV Boots
Cheap Wholesale Prada Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Timberland Shoes
Cheap Wholesale D&G Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale D&G Boots
Cheap Wholesale Puma Shoes
Cheap Wholesale Puma AAA (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale UGG Boots Shoes
Cheap Wholesale Bikkem Bergs Shoes (free shipping)
Cheap Wholesale Mauri Shoes Man
Cheap Wholesale Versace Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Versace Boots
Cheap Wholesale Paul Smith Shoes (free shipping)
Cheap Wholesale BOSS Shoes
Cheap Wholesale Burberry Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Dsquared shoes
Cheap Wholesale Dior Shoes (free shipping)
Cheap Wholesale Dior Boots
Cheap Wholesale ED Hardy Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale ED Hardy Boots
Cheap Wholesale ED Hardy Shoes Man (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Fendi Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Fendi Boots
Cheap Wholesale AFF Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Evisu Shoes (free shipping)
Cheap Wholesale 4US Shoes
Cheap Wholesale Sebago Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Supra Shoes
Cheap Wholesale Hight Converse Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Coach Boots
Cheap Wholesale Coach Shoes
Women Christian Louboutin (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Chanel Shoes
Cheap Wholesale Chanel Boots (free shipping)
Cheap Wholesale Bape Shoes
Cheap Wholesale Adidas Shoes (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Adicolor (free shipping)
Cheap Wholesale Adidas 35TH (paypal payment)

(http://www.brandtrade10.com/)
Cheap Wholesale Adidas NBA
Cheap Wholesale Adidas Running (paypal payment)
(http://www.brandtrade10.com/)
Cheap Wholesale Adidas Y3
Cheap Wholesale Soccer Shoes (paypal payment)
(http://www.brandtrade10.com/)

From -8887663648475355975
X-Google-Thread: d7f5508063,d2958ff423e9bdfb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!isp-post01.iad!not-for-mail
From: "J" <ttyman@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <7593048f-3941-4a68-8e21-24e86b842734@m4g2000vbl.googlegroups.com>
<4bf138d8$0$27701$bd467cd0@news.dslextreme.com>
Subject: Re: Looking to sell old Radio equipment
Date: Sat, 22 May 2010 14:45:21 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5931
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5931
X-RFC2646: Format=Flowed; Response
Lines: 26
Message-ID: <4bf85082$0$15873$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 98.150.21.122
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2210

Aw, he's hoping someone will give him a few thou for all that crap! har.

J

"dave" <dave@dave.dave> wrote in message
news:4bf138d8$0$27701$bd467cd0@news.dslextreme.com...
> Shane H wrote:
>> -Lampkin laboratories 107c Communication service monitor   -
>> Miratel Air Alert system
>> -Kikusui Electronics corp. Model 5122 Alignment
>> scope
>>   -General Radio Heterodyne Frequency meter and calibrator 620-A
>> -General Radio Distortion and noise meter 1932-A
>> -HP Quartz Oscillator 103AR
>> -HP Pulse Generator 212A
>> -Instrument corp. of Florida VLF reciever
>> -McMartin EBS-2

>> -TBM-1000B FM relay receiver
>>
>> I live in Eastern MA email me if you have any questions or interest in
>> buying.
>
> That stuff is obsolete. Find a museum. Donate the shit. Get a receipt
> and deduct it from your taxes.

From -7128745507445833545
X-Google-Thread: d7f5508063,d2958ff423e9bdfb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!194.109.133.84.MISMATCH!newsfeed.xs4all.nl!
newsfeed5.news.xs4all.nl!xs4all!news.wiretrip.org!news.dizum.com!sewer-output!
mail2news
From: Anonymous <cripto@ecn.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking to sell old Radio equipment
References: <4bf85082$0$15873$9a6e19ea@unlimited.newshosting.com>
Message-Id: <20100523021536.658E51A756C@www.ecn.org>
Date: Sun, 23 May 2010 04:15:36 +0200 (CEST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2211

Bastard <ttyman@gmail.com> wrote:

Don't you dumb sonsabitches have anything else to do? If you don't want to
buy the equipment just go fuck yourselves. Why do you have to posts
insults? Lost your job and don't have any work?

You girls are a Far Cry from the silent keys I used to know.

From -6757308071753618706
X-Google-Thread: d7f5508063,d2958ff423e9bdfb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.acm.uiuc.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking to sell old Radio equipment
Date: Sat, 22 May 2010 22:20:00 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 30

```
Sender: et472@72.0.192.103
Message-ID: <Pine.LNX.4.64.1005222216310.25621@darkstar.example.net>
References: <4bf85082$0$15873$9a6e19ea@unlimited.newshosting.com>
 <20100523021536.658E51A756C@www.ecn.org>
NNTP-Posting-Host: 72.0.192.103
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1274581244 8330 72.0.192.103 (23 May 2010 02:20:44 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 23 May 2010 02:20:44 GMT
In-Reply-To: <20100523021536.658E51A756C@www.ecn.org>
Xref: g2news2.google.com rec.radio.amateur.equipment:2212

On Sun, 23 May 2010, Anonymous wrote:

> Bastard <ttyman@gmail.com> wrote:
>
> Don't you dumb sonsabitches have anything else to do? If you don't want to
> buy the equipment just go fuck yourselves. Why do you have to posts
> insults? Lost your job and don't have any work?
>
> You girls are a Far Cry from the silent keys I used to know.
>
>
Of course, it's worth nothing that this newsgroup,
rec.radio.amateur.equipment is not a buy and sell newsgroup.  It's for
the discussion of equipment related to amateur radio.

So the original post didn't belong here for that reason.

Further, since there is rec.radio.amateur.boatanchors, clearly there
is an intent that older equipment be discussed over there.  It's not
primarily a buy and sell newsgroup either, though they were wishy-washy
when creating the newsgroup so buying and selling is actually allowed,
though it's supposed to be a secondary use (ie if you're talking about
older equipment, then some level of buying and selling related to
the discussion fits, but it was never intended for carpetbaggers to
suddenly appear to sell their stuff).  But, the boatanchors newsgroup
would at least be read by an audience that would see the historical
aspect of the equipment in the original post.

    Michael  VE2BVW




From -3480089971772237119
X-Google-Thread: d7f5508063,d2958ff423e9bdfb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!
newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!news.wiretrip.org!
news.dizum.com!sewer-output!mail2news
```

From: starwars <nonscrivetemi@tatooine.homelinux.net>
Message: This is a Type II anonymous message, sent to you by the Winston Smith
Project StarwarS mixmaster server at pboxmix.winstonsmith.info.
If you do not want to receive anonymous messages, please contact
pbox-admin@winstonsmith.info.
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking to sell old Radio equipment
References: <Pine.LNX.4.64.1005222216310.25621@darkstar.example.net>
Message-ID: <312aee002427e28012d795c2c899fd7e@tatooine.homelinux.net>
Date: Sun, 23 May 2010 17:34:51 +0200 (CEST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2213

> Of course, it's worth nothing that this newsgroup,
> rec.radio.amateur.equipment is not a buy and sell newsgroup. It's for
> the discussion of equipment related to amateur radio.
>
> So the original post didn't belong here for that reason.

It may not be obvious to people who have not followed the newsgroup since the newsgroup name does suggest equipment discussions including perhaps buying and selling would be appropriate. If not, someone could have pointed it out politely instead of hurling insults at the poor fellow.

> Further, since there is rec.radio.amateur.boatanchors, clearly there
> is an intent that older equipment be discussed over there. It's not
> primarily a buy and sell newsgroup either, though they were wishy-washy
> when creating the newsgroup so buying and selling is actually allowed,
> though it's supposed to be a secondary use (ie if you're talking about
> older equipment, then some level of buying and selling related to
> the discussion fits, but it was never intended for carpetbaggers to
> suddenly appear to sell their stuff). But, the boatanchors newsgroup
> would at least be read by an audience that would see the historical
> aspect of the equipment in the original post.

Well said, but not everybody knows how to find newsgroups. Who knows what news service or reader he's using, he may not have access to all groups. I don't think it was a google post or I would not have seen it. Unless the guy is a habitual offender who has received explanations like yours we can't assume he is flaunting protocol.

Your gentlemanly reply is a breath of fresh air. Thank you for posting this information. I hope it will help future readers and posters.

From 557294440360469223
X-Google-Thread: d7f5508063,d2958ff423e9bdfb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!

border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Sun, 23 May 2010 13:36:31 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking to sell old Radio equipment
References: <Pine.LNX.4.64.1005222216310.25621@darkstar.example.net>
<312aee002427e28012d795c2c899fd7e@tatooine.homelinux.net>
In-Reply-To: <312aee002427e28012d795c2c899fd7e@tatooine.homelinux.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 39
Message-ID: <4bf99168$0$27723$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2214

starwars wrote:
>> Of course, it's worth nothing that this newsgroup,
>> rec.radio.amateur.equipment is not a buy and sell newsgroup. It's for
>> the discussion of equipment related to amateur radio.
>>
>> So the original post didn't belong here for that reason.
>
> It may not be obvious to people who have not followed the newsgroup since
> the newsgroup name does suggest equipment discussions including perhaps
> buying and selling would be appropriate. If not, someone could have pointed
> it out politely instead of hurling insults at the poor fellow.
>
>> Further, since there is rec.radio.amateur.boatanchors, clearly there
>> is an intent that older equipment be discussed over there. It's not
>> primarily a buy and sell newsgroup either, though they were wishy-washy
>> when creating the newsgroup so buying and selling is actually allowed,
>> though it's supposed to be a secondary use (ie if you're talking about
>> older equipment, then some level of buying and selling related to
>> the discussion fits, but it was never intended for carpetbaggers to
>> suddenly appear to sell their stuff). But, the boatanchors newsgroup
>> would at least be read by an audience that would see the historical
>> aspect of the equipment in the original post.
>
> Well said, but not everybody knows how to find newsgroups. Who knows what
> news service or reader he's using, he may not have access to all groups. I
> don't think it was a google post or I would not have seen it. Unless the
> guy is a habitual offender who has received explanations like yours we
> can't assume he is flaunting protocol.
>
> Your gentlemanly reply is a breath of fresh air. Thank you for posting this
> information. I hope it will help future readers and posters.
>

I didn't insult the seller. I insulted his collection of boatanchor
test gear.

It looks as though someone cleaned out a shop back in 1964 or so and
someone else recently found the stuff. The McMartin EBS receiver might
be a decent AM radio.

From 914259299197086374
X-Google-Thread: d7f5508063,d2958ff423e9bdfb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-nntp-01.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <jferrell13@triad.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking to sell old Radio equipment
Message-ID: <ja4lv59rab3u7b5ca745oc3nienttqp45d@4ax.com>
References: <Pine.LNX.4.64.1005222216310.25621@darkstar.example.net>
<312aee002427e28012d795c2c899fd7e@tatooine.homelinux.net>
<4bf99168$0$27723$bd467cd0@news.dslextreme.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Mon, 24 May 2010 10:50:52 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2215

On Sun, 23 May 2010 13:36:31 -0800, dave <dave@dave.dave> wrote:

>
>It looks as though someone cleaned out a shop back in 1964 or so and
>someone else recently found the stuff. The McMartin EBS receiver might
>be a decent AM radio.

Some people like old stuff. I like new stuff. I have an old National
SW2 (I Think) receiver tucked away and when I locate it I will try to
find a buyer at whatever is a fair price.

Sometimes one can find interest for such things in places other than
EBAY.

I might even try to sell it here.

John Ferrell W8CCW

From 1370119967830891071
X-Google-Thread: d7f5508063,94809f4bee9872ce,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!jan234
From: Jan <jan234@asdoijwids.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.h
am-radio.marketplace,rec.radio.amateur.equipment
Subject: FS: 7 Books: HAM RADIO, 2008 ARRL Handbook, Antenna Book, APRS, Packet,
etc.
Date: Mon, 24 May 2010 17:17:39 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <240520101717399768%jan234@asdoijwids.com>
NNTP-Posting-Host: c-75-69-175-39.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1274735859 29127 75.69.175.39 (24 May 2010 21:17:39 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 24 May 2010 21:17:39 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:1208267
alt.marketplace.books:7526 rec.arts.books.marketplace:4161 alt.ham-
radio.marketplace:776 rec.radio.amateur.equipment:2216

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320526640609

From 6440250218965880635
X-Google-Thread: d7f5508063,d2958ff423e9bdfb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Tue, 25 May 2010 07:07:37 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking to sell old Radio equipment
References: <Pine.LNX.4.64.1005222216310.25621@darkstar.example.net>
<312aee002427e28012d795c2c899fd7e@tatooine.homelinux.net>
<4bf99168$0$27723$bd467cd0@news.dslextreme.com>
<ja4lv59rab3u7b5ca745oc3nienttqp45d@4ax.com>
In-Reply-To: <ja4lv59rab3u7b5ca745oc3nienttqp45d@4ax.com>

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <4bfbd940$0$27745$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2217

John Ferrell wrote:
> On Sun, 23 May 2010 13:36:31 -0800, dave<dave@dave.dave>  wrote:
>
>
>>
>> It looks as though someone cleaned out a shop back in 1964 or so and
>> someone else recently found the stuff.  The McMartin EBS receiver might
>> be a decent AM radio.
> Some people like old stuff. I like new stuff. I have an old National
> SW2 (I Think) receiver tucked away and when I locate it I will try to
> find a buyer at whatever is a fair price.
>
> Sometimes one can find interest for such things in places other than
> EBAY.
>
> I might even try to sell it here.
>
> John Ferrell W8CCW

You used to be able to buy old test gear like that by the pallet full.
3o cents a pound.


From 2950867211346057552
X-Google-Thread: 108122,82144ca5ace1a2ab,start
X-Google-NewGroupId: yes
X-Google-Thread: 109603,82144ca5ace1a2ab,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gidbef9722fd1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a2g2000prd.googlegroups.com!not-for-
mail
From: xiangmei chen <chenxiangmei85@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.music.bluenote
Subject: cheap authentic NBA jersey  (http://www.cntrade09.com/ )
Date: Wed, 26 May 2010 00:12:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <9397049c-9426-4ad8-96c9-43ee77f7236e@a2g2000prd.googlegroups.com>
NNTP-Posting-Host: 59.58.157.154
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1274857957 14473 127.0.0.1 (26 May 2010 07:12:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 May 2010 07:12:37 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: a2g2000prd.googlegroups.com; posting-host=59.58.157.154;
     posting-account=pSNs2goAAACTbyMbrBeRWnGVyBmFmQyM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2004 rec.music.bluenote:2240

2010 south africa soccer world cup, world cup
Palpal (http://www.cntrade09.com )
 world cup soccer jerseys, world cup 2010
Palpal (http://www.cntrade09.com )
world  cup product, world cup jerseyPalpal (http://
www.cntrade09.com )
 world cup soccer  ball, world cup footabll (http://
www.cntrade09.com )
NFL NBA MLB NHL jersey korea supplier (http://
www.cntrade09.com/ )
NFL NBA jersey stock (http://www.cntrade09.com/ )
alibaba,wholesale NFL NBA MLB NHL jerseys.(http://
www.cntrade09.com/ )
soccer jersey china supplier (http://www.cntrade09.com/ )
soccer jerseys china wholesale.(http://www.cntrade09.com/ )
wholesale soccer jersey,supply soccer jerseys (http://
www.cntrade09.com/ )
NFL NBA MLB NHL copy jersey (http://www.cntrade09.com/ )
copy www.guoshitrade.com paypal paymentjerseys from china
(http://www.cntrade09.com/ )
NFL jerseys from china.(http://www.cntrade09.com/ )
NBA www.guoshitrade.com paypal payment shop (http://
www.cntrade09.com/ )
cheap authentic NBA jersey  (http://www.cntrade09.com/ )
07 jersey NBA star  (http://www.cntrade09.com/ )
NBA jersey numbers  (http://www.cntrade09.com/ )
NBA vintage jersey NBA throw back jersey  (http://
www.cntrade09.com/ )
NBA jersey dress for woman  (http://www.cntrade09.com/ )
reebok NBA jersey  (http://www.cntrade09.com/ )
NBA jersey for toddler  (http://www.cntrade09.com/ )
old NBA jersey  (http://www.cntrade09.com/ )



From -1720630910230481737
X-Google-Thread: 108122,6660363fca75ea5c,start
X-Google-NewGroupId: yes
X-Google-Thread: f6783,6660363fca75ea5c,start
X-Google-NewGroupId: yes
X-Google-Thread: 106a9a,6660363fca75ea5c,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gidd7f5508063,gid6e51f9cf85,gid2bb7068b56,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j12g2000pri.googlegroups.com!not-for-
```

mail
From: brandclothings <fuyanyan8686@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment,uk.legal,uk.local.ayrshire
Subject: Evisu jeans wear made in china (http://www.cntrade09.com)
Date: Wed, 26 May 2010 04:49:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 48
Message-ID: <7051afad-f3b6-4090-baab-574c2defcb55@j12g2000pri.googlegroups.com>
NNTP-Posting-Host: 59.58.136.91
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1274874579 10240 127.0.0.1 (26 May 2010 11:49:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 May 2010 11:49:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j12g2000pri.googlegroups.com; posting-host=59.58.136.91;
posting-account=HI75AwoAAADcwT0dGwAAyxCj4bev6u9S
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
QQPinyin 730; CIBA),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2005 uk.legal:299110
uk.local.ayrshire:360

adidas 35th anniversary shoes made in china (http://
www.cntrade09.com)
adicolor shoes made in china (http://www.cntrade09.com)
adidas football shoes made in china (http://www.cntrade09.com)
GGG hoody made in china (http://www.cntrade09.com)
GGG T-shirt made in china (http://www.cntrade09.com)
Armani T-shirt made in china (http://www.cntrade09.com)
Armani shirt made in china (http://www.cntrade09.com)
armani long t-shirt made in china (http://www.cntrade09.com)
AF sweater made in china (http://www.cntrade09.com)
AF women trousrs made in china (http://www.cntrade09.com)
AF men and women coat made in china (http://www.cntrade09.com)
D&G jeans made in china (http://www.cntrade09.com)
A&G T-shirt made in china (http://www.cntrade09.com)
BBC scanties made in china (http://www.cntrade09.com)
BBC jeans made in china (http://www.cntrade09.com)
BBC hoody made in china (http://www.cntrade09.com)
BBC T-shirt made in china (http://www.cntrade09.com)
LRG jeans made in china (http://www.cntrade09.com)
LRG hoody made in china (http://www.cntrade09.com)
LRG T-shirt made in china (http://www.cntrade09.com)
Bape jeans made in china (http://www.cntrade09.com)
Bape hoody made in china (http://www.cntrade09.com)

Bape t-shirt made in china (http://www.cntrade09.com)
Evisu long t-shit made in china (http://www.cntrade09.com)
Evisu original jeans made in china (http://www.cntrade09.com)
Evisu jeans wear made in china (http://www.cntrade09.com)

Evisu hoody made in china (http://www.cntrade09.com)
Evisu jeans made in china (http://www.cntrade09.com)
Evisu T-shirt made in china (http://www.cntrade09.com)
POLO T-shirt made in china (http://www.cntrade09.com)
Googi jeans made in china (http://www.cntrade09.com)
Googi hoody made in china (http://www.cntrade09.com)
Googi T-shirt made in china (http://www.cntrade09.com)
juicy made in china (http://www.cntrade09.com)
10Deep jeans made in china (http://www.cntrade09.com)
10 Deep hoody made in china (http://www.cntrade09.com)
10Deep T-shirt made in china (http://www.cntrade09.com)
Lacoste T-shirt made in china (http://www.cntrade09.com)
Lacoste sweater made in china (http://www.cntrade09.com)
Burberry jacket made in china (http://www.cntrade09.com)
Buberry T-shirt made in china (http://www.cntrade09.com)
Buberry shirt made in china (http://www.cntrade09.com)
ED hardy hoody made in china (http://www.cntrade09.com)
ED hardy jeans made in china (http://www.cntrade09.com)

```
From -7558956604690742305
X-Google-Thread: 108122,e70fb4ae9e6057d9,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y18g2000prn.googlegroups.com!not-for-
mail
From: brandclothings <fuyanyan8686@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Dooney&Bourke Handbags ((http://www.cntrade09.com ) ) - (paypal
     payment)
Date: Wed, 26 May 2010 04:52:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 100
Message-ID: <df027c12-6f73-4069-abdf-06ef0db2cfea@y18g2000prn.googlegroups.com>
NNTP-Posting-Host: 59.58.136.91
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1274874761 22897 127.0.0.1 (26 May 2010 11:52:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 May 2010 11:52:41 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y18g2000prn.googlegroups.com; posting-host=59.58.136.91;
     posting-account=HI75AwoAAADcwT0dGwAAyxCj4bev6u9S
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2006
```

Paypal Payment AAA True leather
Handbags,Purse,Chanel,Coach,PRADA,JUICY,D&G,Dior,LV,VERSACE,etc.All
Wholesale On Site (http://www.cntrade09.com) Exempt Freight

Handbags

AAA True Leather

Burberry Handbags
Balenciaga Handbags ((http://www.cntrade09.com)) - (paypal payment)
Balenciaga Purse
Bally Purse
BOSS Purse ((http://www.cntrade09.com)) - (paypal payment)
Chanel Handbags
Chanel Purse
Chloe Handbags ((http://www.cntrade09.com)) - (paypal payment)
Chloe Purse
Coach Handbags ((http://www.cntrade09.com)) - (paypal payment)
Coach Purse
D&G Purse ((http://www.cntrade09.com)) - (paypal payment)
Dior Handbags
Dunhill Purse
Gucci Handbags ((http://www.cntrade09.com)) - (paypal payment)
Gucci Purse
Hermes Purse
JIMMY CHOO Handbags ((http://www.cntrade09.com)) - (paypal payment)
JIMMY CHOO Purse
LV Handbags ((http://www.cntrade09.com)) - (paypal payment)
LV Purse
FENDI Handbags
Hermes Handbags ((http://www.cntrade09.com)) - (paypal payment)
JUICY Handbags
KOOBA Handbags ((http://www.cntrade09.com)) - (paypal payment)
LOEWE Handbags
Marc Jacobs Handbags ((http://www.cntrade09.com)) - (paypal payment)
MIUMIU Handbags
MULBERRY Handbags
THOMASWYLDE Handbags ((http://www.cntrade09.com)) - (paypal payment)
PRADA Handbags ((http://www.cntrade09.com)) - (paypal payment)
PRADA Purse
Valentnv Handbags ((http://www.cntrade09.com)) - (paypal payment)
D&G Handbags
VERSACE Handbags
Lancel Handbags ((http://www.cntrade09.com)) - (paypal payment)

Purse

Anna Purse
Ferragmo Purse
burbetty Purse
Chanel Purse
Chloe Purse ((http://www.cntrade09.com)) - (paypal payment)
Coach Purse ((http://www.cntrade09.com)) - (paypal payment)

D&G Purse
Dior Purse
Dooney&Bourke Purse ((http://www.cntrade09.com)) - (paypal payment)
ED Purse
Fendi Purse ((http://www.cntrade09.com)) - (paypal payment)
Gucci Purse ((http://www.cntrade09.com)) - (paypal payment)
LV Purse
Guess Purse ((http://www.cntrade09.com)) - (paypal payment)
PRADA Purse
Tous Purse ((http://www.cntrade09.com)) - (paypal payment)
Versace Purse
Miumiu Purse ((http://www.cntrade09.com)) - (paypal payment)

Handbags

BOSS Handbag ((http://www.cntrade09.com)) - (paypal payment)
Burberry Handbags ((http://www.cntrade09.com)) - (paypal payment)
Chanel Handbags ((http://www.cntrade09.com)) - (paypal payment)
Chloe Handbags
Christian Audigier Handbags
Coach Handbags ((http://www.cntrade09.com)) - (paypal payment)
D&G Handbags
Dooney&Bourke Handbags ((http://www.cntrade09.com)) - (paypal payment)
ED Hardy Handbags
Fendi Handbags
Gucci Handbags ((http://www.cntrade09.com)) - (paypal payment)
Hermas Handbags
JIMMY CHOO Handbags
Juicy Handbags ((http://www.cntrade09.com)) - (paypal payment)
LV Handbags
Miu Miu Handbags ((http://www.cntrade09.com)) - (paypal payment)
Prada Handbags
Versace Handbags
Tous Handbag ((http://www.cntrade09.com)) - (paypal payment)

From -6252792540191808453
X-Google-Thread: 108122,d113ee6ae32de1db,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q36g2000prg.googlegroups.com!not-for-mail
From: "cntrade088@hotmail.c0m" <chenlily889@gmail.com>

```
Newsgroups: rec.radio.amateur.equipment
Subject: D&G jeans made in china (http://www.cntrade09.com )
Date: Wed, 26 May 2010 06:26:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 98
Message-ID: <75daeb02-c91b-4da8-a184-54e8c2f8b4a3@q36g2000prg.googlegroups.com>
NNTP-Posting-Host: 117.26.203.102
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1274880386 28331 127.0.0.1 (26 May 2010 13:26:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 May 2010 13:26:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q36g2000prg.googlegroups.com; posting-host=117.26.203.102;
     posting-account=vml5JAoAAAB0o8RF52nitUsl7Q1HZ9Er
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:2007
```

puma shoes made in china (http://www.cntrade09.com)
bape shoes made in china (http://www.cntrade09.com)
Gucci shoes made in china (http://www.cntrade09.com)
Lacoste shoes made in china (http://www.cntrade09.com)
LV shoes made in china (http://www.cntrade09.com)
Timberland shoes made in china (http://www.cntrade09.com)
Evisu shoes made in china (http://www.cntrade09.com)
D&G shoes made in china (http://www.cntrade09.com)
nike running made in china (http://www.cntrade09.com)
prada shoes made in china (http://www.cntrade09.com)
DSQ shoes made in china (http://www.cntrade09.com)
nike football shoes made in china (http://www.cntrade09.com)
nike DUNK shoes made in china (http://www.cntrade09.com)
Rift shoes made in china (http://www.cntrade09.com)
NBA basketball shoes made in china (http://www.cntrade09.com)
adidas running made in china (http://www.cntrade09.com)
adidas NBA shoes made in china (http://www.cntrade09.com)
adidas 35th anniversary shoes made in china (http://
www.cntrade09.com)
adicolor shoes made in china (http://www.cntrade09.com)
adidas football shoes made in china (http://www.cntrade09.com)
GGG hoody made in china (http://www.cntrade09.com)
GGG T-shirt made in china (http://www.cntrade09.com)

Bape shoes
Chanel shoes (paypal payment)((http://www.cntrade09.com))
D&G shoes
Dior shoes
ED hardy shoes
Evisu shoes
Fendi shoes (paypal payment)((http://www.cntrade09.com))

Gucci shoes `
Hogan shoes (paypal payment)((http://www.cntrade09.com))
Lv shoes
Prada shoes (paypal payment)((http://www.cntrade09.com))
Timberland shoes
Tous shoes
puma shoes (paypal payment)((http://www.cntrade09.com))
Ice cream shoes
Sebago shoes (paypal payment)((http://www.cntrade09.com))
Lacoste shoes
Air force one shoes (paypal payment)((http://www.cntrade09.com))
TODS shoes
AF shoes

Footwear (paypal payment)((http://www.cntrade09.com))
Paul Smith shoes
Jordan shoes
Bape shoes
Chanel shoes (paypal payment)((http://www.cntrade09.com))
D&G shoes
Dior shoes
ED hardy shoes
Evisu shoes
Fendi shoes (paypal payment)((http://www.cntrade09.com))
Gucci shoes
Hogan shoes (paypal payment)((http://www.cntrade09.com))
Lv shoes
Prada shoes (paypal payment)((http://www.cntrade09.com))
Timberland shoes
Tous shoes
puma shoes (paypal payment)((http://www.cntrade09.com))
Ice cream shoes
Sebago shoes (paypal payment)((http://www.cntrade09.com))
Lacoste shoes
Air force one shoes (paypal payment)((http://www.cntrade09.com))
TODS shoes
AF shoes

adidas 35th anniversary shoes made in china (http://www.cntrade09.com)
adicolor shoes made in china (http://www.cntrade09.com)
adidas football shoes made in china (http://www.cntrade09.com)
GGG hoody made in china (http://www.cntrade09.com)
GGG T-shirt made in china (http://www.cntrade09.com)
Armani T-shirt made in china (http://www.cntrade09.com)
Armani shirt made in china (http://www.cntrade09.com)
armani long t-shirt made in china (http://www.cntrade09.com)
AF sweater made in china (http://www.cntrade09.com)
AF women trousrs made in china (http://www.cntrade09.com)
AF men and women coat made in china (http://www.cntrade09.com)

```
D&G jeans made in china (http://www.cntrade09.com )
A&G T-shirt made in china (http://www.cntrade09.com )
BBC scanties made in china (http://www.cntrade09.com )
BBC jeans made in china (http://www.cntrade09.com )
BBC hoody made in china (http://www.cntrade09.com )
BBC T-shirt made in china (http://www.cntrade09.com )
LRG jeans made in china (http://www.cntrade09.com )
LRG hoody made in china (http://www.cntrade09.com )
LRG T-shirt made in china (http://www.cntrade09.com )
Bape jeans made in china (http://www.cntrade09.com )
Bape hoody made in china (http://www.cntrade09.com )



From -1667226644147166987
X-Google-Thread: d7f5508063,d113ee6ae32de1db
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!193.189.160.243.MISMATCH!news-hub.siol.net!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?UTF-8?B?Qm9yaXMgVHXEkWFu?= <btudan@inet.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: D&G jeans made in china (http://www.cntrade09.com )
Date: Wed, 26 May 2010 19:02:28 +0200
Organization: T-Com
Lines: 1
Message-ID: <htjk74$h93$1@ss408.t-com.hr>
References: <75daeb02-c91b-4da8-a184-54e8c2f8b4a3@q36g2000prg.googlegroups.com>
NNTP-Posting-Host: 83-131-223-113.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1274893349 17699 83.131.223.113 (26 May 2010 17:02:29 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Wed, 26 May 2010 17:02:29 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.12 (X11/20080226)
In-Reply-To: <75daeb02-c91b-4da8-a184-54e8c2f8b4a3@q36g2000prg.googlegroups.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:2222

ABUSE!


From 7039020536173163473
X-Google-Thread: d7f5508063,b3f4f23ee409ec3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!34g2000prs.googlegroups.com!not-for-mail
From: shoestrade <zhangsuqi1987@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
```

Subject: wholesale football jerseys,(http://www.cntrade09.com/)
Date: Thu, 27 May 2010 23:27:05 -0700 (PDT)
Organization: http://groups.google.com
Lines: 77
Message-ID: <93982ab7-4d16-4a44-a02c-e80620930cc9@34g2000prs.googlegroups.com>
NNTP-Posting-Host: 59.58.157.106
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275028025 23442 127.0.0.1 (28 May 2010 06:27:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 May 2010 06:27:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000prs.googlegroups.com; posting-host=59.58.157.106;
posting-account=W35oYwkAAADyzpXT6jxQmZf-XjoUa_N9
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
QQPinyin 730; CIBA),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2223

AAA quality clothes cheap wholesale . (http://
www.cntrade09.com/)
NFL jersey wholesale (http://www.cntrade09.com/)
NFL NBA MLB NHL soccer soccer jerseys (http://
www.cntrade09.com/)
nike brand,MLB jerseys china supplier (http://
www.cntrade09.com/)
MLB jerseys china wholesaler.(http://www.cntrade09.com/)
wholesale MLB jerseys.(http://www.cntrade09.com/)
NFL shop,,NFL NBA MLB NHL jerser wholesale,NFL NBA MLB NHL
(http://www.cntrade09.com/)
jersey supplier(http://www.cntrade09.com/)
NFL NBA MLB NHL jersey korea supplier (http://
www.cntrade09.com/)
NFL NBA jersey stock (http://www.cntrade09.com/)
alibaba,wholesale NFL NBA MLB NHL jerseys.(http://
www.cntrade09.com/)
soccer jersey china supplier (http://www.cntrade09.com/)
soccer jerseys china wholesale.(http://www.cntrade09.com/)
wholesale soccer jersey,supply soccer jerseys (http://
www.cntrade09.com/)
NFL NBA MLB NHL copy jersey (http://www.cntrade09.com/)
copy www.guoshitrade.com paypal paymentjerseys from china
(http://www.cntrade09.com/)
NFL jerseys from china.(http://www.cntrade09.com/)
NBA www.guoshitrade.com paypal payment shop (http://
www.cntrade09.com/)
NFL jersey wholesale womens NBA jersey (http://
www.cntrade09.com/)
NBA jersey sale (http://www.cntrade09.com/)
cheap authentic NBA jersey (http://www.cntrade09.com/)
07 jersey NBA star (http://www.cntrade09.com/)
NBA jersey numbers (http://www.cntrade09.com/)
NBA vintage jersey NBA throw back jersey (http://

www.cntrade09.com/)
NBA jersey dress for woman (http://www.cntrade09.com/)
reebok NBA jersey (http://www.cntrade09.com/)
NBA jersey for toddler (http://www.cntrade09.com/)
old NBA jersey (http://www.cntrade09.com/)
youth NBA swingman jersey (http://www.cntrade09.com/)
NBA authentic basketball jersey (http://
www.cntrade09.com/)
basketball jersey NBA new style (http://www.cntrade09.com/)
NBA all star game jersey (http://www.cntrade09.com/)
NBA new jersey (http://www.cntrade09.com/)
adidas NBA jersey (http://www.cntrade09.com/)
official NBA jersey (http://www.cntrade09.com/)
classics hardwood jersey NBA (http://www.cntrade09.com/)
old school NBA jersey (http://www.cntrade09.com/)
NBA jersey for woman (http://www.cntrade09.com/)
classic NBA jersey (http://www.cntrade09.com/)
NFL jersey korea supplier(http://www.cntrade09.com/)
mitchell and ness NBA jersey (http://www.cntrade09.com/)
2009 game jersey NBA star (http://www.cntrade09.com/)
alternate jersey NBA (http://www.cntrade09.com/)
best selling NBA jersey (http://www.cntrade09.com/)
NBA jersey card (http://www.cntrade09.com/)
authenic NBA jersey (http://www.cntrade09.com/)
discount NBA jersey (http://www.cntrade09.com/)
Wholesale MLB jerseys,paypal,cheap MLB jersey(http://
www.cntrade09.com/)
wholesale football jerseys,(http://www.cntrade09.com/)
reebok MLB player jerseys,(http://www.cntrade09.com/)
authentic MLB jerseys,discount MLB
jerseys,mitchell ness jerseys,throwback (http://
www.cntrade09.com/)
Nice jerseys,replica MLB jerseys,(http://
www.cntrade09.com/)
women MLB jerseys,youth MLB (http://www.cntrade09.com/)
jerseys,official MLB jerseys,(http://www.cntrade09.com/)
pro Bowl jerseys,super bowl jerseys,(http://
www.cntrade09.com/)
nhljerseys,hockey jerseys,nba jerseys,(http://
www.cntrade09.com/)
all star jersey,mlb baseball jerseys (http://
www.cntrade09.com/)
(http://www.cntrade09.com/) paypal payment

From 215606092992476980
X-Google-Thread: d7f5508063,b2c9cd74f66dedbe,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!40g2000pry.googlegroups.com!not-for-mail
From: shoestrade <zhangsuqi1987@yahoo.cn>

```
Newsgroups: rec.radio.amateur.equipment
Subject: Timberland shoes <free shipping paypal payment>( http://
www.cntrade09.com/
     )
Date: Thu, 27 May 2010 23:29:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 97
Message-ID: <4d18d1fb-c3ee-485f-b3ac-1cffdcf2ad14@40g2000pry.googlegroups.com>
NNTP-Posting-Host: 59.58.157.106
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275028195 21686 127.0.0.1 (28 May 2010 06:29:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 May 2010 06:29:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 40g2000pry.googlegroups.com; posting-host=59.58.157.106;
     posting-account=W35oYwkAAADyzpXT6jxQmZf-XjoUa_N9
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2224

Shox Shoes <free shipping paypal payment>(http://
www.cntrade09.com/)
shoes shox shoes <free shipping paypal payment>(http://
www.cntrade09.com/)
nike shox shoe <free shipping paypal payment>(http://
www.cntrade09.com/)
nike shox shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
shox shoe <free shipping paypal payment>( http://www.cntrade09.com/
)

LV,coach,chanel boots wholesale <free shipping paypal payment>(
http://www.cntrade09.com/ )
air force ones <free shipping paypal payment>(http://
www.cntrade09.com/)
nike trading <free shipping paypal payment>( http://www.cntrade09.com/
)
nike shox <free shipping paypal payment>( http://www.cntrade09.com/
)
shox air <free shipping paypal payment>( http://www.cntrade09.com/)
white shoe <free shipping paypal payment>(http://
www.cntrade09.com/ )
nike shoe <free shipping paypal payment>( http://www.cntrade09.com/
)
nike air shox <free shipping paypal payment>( http://www.cntrade09.com/)
shox r4
tennis shoes <free shipping paypal payment>(http://
www.cntrade09.com/ )
tennis shoe <free shipping paypal payment>( http://www.cntrade09.com/)
basketball shoe <free shipping paypal payment>( http://www.cntrade09.com/
)
```

jordan shoe <free shipping paypal payment>(http://
www.cntrade09.com/)
nike shox 2 <free shipping paypal payment>(http://www.cntrade09.com/)
nike shox ace <free shipping paypal payment>(http://www.cntrade09.com/)
men's shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
buy shoe <free shipping paypal payment>(http://www.cntrade09.com/)
adidas shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
kids shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
buy shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
puma shoe <free shipping paypal payment>(http://
www.cntrade09.com/)
converse shoe <free shipping paypal payment>(http://www.cntrade09.com/
)
shoes sale <free shipping paypal payment>(http://
www.cntrade09.com/)
running shoes women <free shipping paypal payment>(http://
www.cntrade09.com/)
adidas running shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Ugg shoes wholesale <free shipping paypal payment>(http://
www.cntrade09.com/)
ugg shoes <free shipping paypal payment>(http://
www.cntrade09.com/)
Footwear <free shipping paypal payment>(http://www.cntrade09.com/)
Paul Smith shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Jordan shoes <free shipping paypal payment>(http://
www.cntrade09.com/)
Bape shoes <free shipping paypal payment>(http://www.cntrade09.com/)
Chanel shoes <free shipping paypal payment>(http://
www.cntrade09.com/)
D&G shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Dior shoes <free shipping paypal payment>(http://www.cntrade09.com/)
ED hardy shoes <free shipping paypal payment>(http://www.cntrade09.com/)
Evisu shoes <free shipping paypal payment>(http://
www.cntrade09.com/)
Fendi shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Gucci shoes `<free shipping paypal payment>(http://www.cntrade09.com/
)
Hogan shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Lv shoes <free shipping paypal payment>(http://
www.cntrade09.com/)
Prada shoes <free shipping paypal payment>(http://www.cntrade09.com/
)
Timberland shoes <free shipping paypal payment>(http://www.cntrade09.com/
)

```
Tous shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Ugg shoes <free shipping paypal payment>(http://
www.cntrade09.com/)
Ice cream shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Sebago shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
Lacoste shoes <free shipping paypal payment>( http://www.cntrade09.com/)
Air force one shoes <free shipping paypal payment>( http://www.cntrade09.com/
)
TODS shoes <free shipping paypal payment>( http://www.cntrade09.com/)
AF shoes <free shipping paypal payment>( http://www.cntrade09.com/)


From 272601513511164554
X-Google-Thread: d7f5508063,2ad6b405b650d76f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k25g2000prh.googlegroups.com!not-for-
mail
From: shoesbuy <zhangqi88686@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Tag Heuer Watch wholesale <free shipping paypal payment>
     (http://www.cntrade09.com/)
Date: Thu, 27 May 2010 23:34:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 113
Message-ID: <03f595cd-964a-41eb-b314-646d05cef8c8@k25g2000prh.googlegroups.com>
NNTP-Posting-Host: 59.58.157.106
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275028465 32341 127.0.0.1 (28 May 2010 06:34:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 May 2010 06:34:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k25g2000prh.googlegroups.com; posting-host=59.58.157.106;
     posting-account=ZwjvsAoAAABA5j1UAfE2rnMWtqERqItF
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; CIBA),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2225

Ebel Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Bape Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
bell&ross Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Breit Ling Watch wholesale <free shipping paypal payment> (http://
www.cntrade09.com/)
Burberry Watch wholesale <free shipping paypal payment> (http://
```

www.cntrade09.com/)
Cartier Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Chopard Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
d&g Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Givenchy Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
jacob&co Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Kappa Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Prada Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Tissot Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Titoni Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
U-BOAT Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Zenith Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
a.lange&sohne Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Audemars Piguet Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
baume&mercier Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Blancpain Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Breguet Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
BRM Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Bvlgari Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Chanel Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Concord Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Corum Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Dewitt Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Ferrari Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Franck Muller Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Girard Perregaux Watch <free shipping paypal payment> (http://www.cntrade09.com/)
Glashutte Watch <free shipping paypal payment> (http://www.cntrade09.com/)

Graham Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
GUCCI Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
GUESS Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Hamilton Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Hermes Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Hublot Watch wholesale <free shipping paypal payment> http://www.cntrade09.com/)
IWC Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Jaeger Le Coultre Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Longines Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
LV Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Montblanc Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Movado Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Omega Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Oris Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Paket Philippe Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Panerai Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Parmigiani Fleurier Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Piaget Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Porsche Design Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Rolex Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Romain Jerome Titanic-Dna Watch wholesale <free shipping paypal payment>(http://www.cntrade09.com/)
Tag Heuer Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Tudor Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Vach.Constantine Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
Armani Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)
RADO Watch wholesale <free shipping paypal payment> (http://www.cntrade09.com/)

```
From -3923409582207125455
X-Google-Thread: d7f5508063,37863a4bd7c2cf1c,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q33g2000vbt.googlegroups.com!not-for-
mail
From: Paul <pmorrison.email@googlemail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-290R - LSB no output on any band?
Date: Sat, 29 May 2010 10:51:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 15
Message-ID: <982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>
NNTP-Posting-Host: 84.13.152.123
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275155503 2585 127.0.0.1 (29 May 2010 17:51:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 May 2010 17:51:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q33g2000vbt.googlegroups.com; posting-host=84.13.152.123;
     posting-account=TmI0egoAAACTq2Z49PIJdTGJlZAWQ16H
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US)
     AppleWebKit/532.5 (KHTML, like Gecko) Chrome/4.1.249.1064
     Safari/532.5,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2226
```

Hello all,

Just bought an old Mk1 FT-s 290R. All is working well (even the back light)! but when I switch from USB to LSB the background noise drops on receive and no output is obtained into a dummy load or any movement indicated on the rigs own meter?

I may delve in tonight and apply some switch cleaner just in case, any one experienced anything similar I wonder?

Any help gratefully appreciated .

Thanks

Paul - g0VHT

```
From 5952031047079141849
X-Google-Thread: d7f5508063,37863a4bd7c2cf1c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!209.197.12.242.MISMATCH!
```

```
nx01.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!news-
out.readnews.com!transit3.readnews.com!216.40.28.145.MISMATCH!novia!news-
xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
References: <982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>
Subject: Re: FT-290R - LSB no output on any band?
Date: Sat, 29 May 2010 12:04:23 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 22
Message-ID: <4c016539$0$22145$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 29 May 2010 19:04:26 GMT
NNTP-Posting-Host: b990d4df.news.sonic.net
X-Trace: DXC=>@oaM?
Hc^^\2QIJL5b03;_m4K\QM1CV^P1OYf0H`?;XQkTUFhU3T_`SJd54f]<G4]Z@j@YLl[?SRT
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2227

I'd start by checking the mode switch and LSB
oscillator.
                                Steve
"Paul" <pmorrison.email@googlemail.com> wrote in message
news:982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com...
> Hello all,
>
> Just bought an old Mk1 FT-s 290R. All is working well (even the back
> light)! but when I switch from USB to LSB the background noise drops
> on receive and no output is obtained into a dummy load or any movement
> indicated on the rigs own meter?
>
> I may delve in tonight and apply some switch cleaner just in case, any
> one experienced anything similar I wonder?
>
> Any help gratefully appreciated .
>
> Thanks
>
> Paul - g0VHT




From -2957161017854820659
X-Google-Thread: d7f5508063,37863a4bd7c2cf1c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
```

```
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!STARBAND.NET-a2kHrUvQQWlmc!not-for-mail
From: You <you@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-290R - LSB no output on any band?
Organization: Shadow.orgs
References: <982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Date: Sat, 29 May 2010 11:05:16 -0800
Message-ID: <you-437105.11050729052010@news.starband.net>
X-Complaints-To: abuse@usenetserver.com
Lines: 21
X-Trace: 1b3874c01656331e5aba718966
Xref: g2news2.google.com rec.radio.amateur.equipment:2228

In article
<982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>,
 Paul <pmorrison.email@googlemail.com> wrote:

> Hello all,
>
> Just bought an old Mk1 FT-s 290R. All is working well (even the back
> light)! but when I switch from USB to LSB the background noise drops
> on receive and no output is obtained into a dummy load or any movement
> indicated on the rigs own meter?
>
> I may delve in tonight and apply some switch cleaner just in case, any
> one experienced anything similar I wonder?
>
> Any help gratefully appreciated .
>
> Thanks
>
> Paul - g0VHT

Look to see if the LSB IF Local OSC's isn't working...


From -5083249564183036913
X-Google-Thread: d7f5508063,37863a4bd7c2cf1c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!news.mb-
net.net!open-news-network.org!aioe.org!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-290R - LSB no output on any band?
Date: Sat, 29 May 2010 15:39:13 -0400
Organization: Aioe.org NNTP Server
Lines: 20
Message-ID: <fmmck-C2F954.15391329052010@5ad64b5e.bb.sky.com>
References: <982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>
```

```
NNTP-Posting-Host: 5/HZhUWUVbGRyiQht9qoPw.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news2.google.com rec.radio.amateur.equipment:2229
```

In article
<982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>,
Paul <pmorrison.email@googlemail.com> wrote:

> Just bought an old Mk1 FT-s 290R. All is working well (even the back
> light)! but when I switch from USB to LSB the background noise drops
> on receive and no output is obtained into a dummy load or any movement
> indicated on the rigs own meter?

Paul-

I'm not familiar with the 290R. Sideband selection is often done by switching between local oscillator crystals. It may be a bad crystal, a dirty switch, or possibly a problem with a diode switching circuit.

If the USB and LSB crystals happen to be plug-in, you could try swapping them to see if the problem swaps or stays at the same switch position.

Fred
K4DII

```
From 3537745565447490876
X-Google-Thread: d7f5508063,37863a4bd7c2cf1c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 29 May 2010 16:44:15 -0500
Date: Sat, 29 May 2010 16:44:44 -0500
From: sorry-spammers <""w9wi\"@(sorry-spammers)">
Organization: Ham Radio W9WI
User-Agent: Thunderbird 2.0.0.24 (X11/20100317)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-290R - LSB no output on any band?
References: <982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>
In-Reply-To: <982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <U96dnVOlQ7oyF5zRnZ2dnUVZ_uadnZ2d@earthlink.com>
```

Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 66.19.68.202
X-Trace: sv3-8fJc34NUx3xLFM7RiT1JMIfRaHWIGyYJouI5LgfhW479pnLVujvJ/
xJiu7vgENSOmbZPo2mATZI/qRM!
WrWLxh3P55IwA6U6rnkvPDIvyZWW32U6Y6sNq9BzbyTitWVmBYluVc805oEQahJi1J5rIm7wy9n+!
0jUwvrQ22gQRXhw0l3+7Ni+GwLs=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2230

Paul wrote:
> Just bought an old Mk1 FT-s 290R. All is working well (even the back
> light)! but when I switch from USB to LSB the background noise drops
> on receive and no output is obtained into a dummy load or any movement
> indicated on the rigs own meter?

Not sure I'd really get too worried about it.

Maybe things are different in the UK but there is essentially zero activity on LSB on 2 meters over here in the States -- *everyone* uses upper sideband.

--

Doug Smith W9WI
Pleasant View, TN EM66

From -7296346263159376876
X-Google-Thread: d7f5508063,37863a4bd7c2cf1c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!a2g2000prd.googlegroups.com!not-for-mail
From: Paul <pmorrison.email@googlemail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-290R - LSB no output on any band?
Date: Sat, 29 May 2010 23:35:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 30
Message-ID: <f4931ec6-9c9a-4bb8-8c8e-3779f79aac02@a2g2000prd.googlegroups.com>
References: <982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>
 <fmmck-C2F954.15391329052010@5ad64b5e.bb.sky.com>
NNTP-Posting-Host: 78.147.213.58
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1275201356 22592 127.0.0.1 (30 May 2010 06:35:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 May 2010 06:35:56 +0000 (UTC)

```
Complaints-To: groups-abuse@google.com
Injection-Info: a2g2000prd.googlegroups.com; posting-host=78.147.213.58;
     posting-account=TmI0egoAAACTq2Z49PIJdTGJlZAWQ16H
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US)
     AppleWebKit/533.4 (KHTML, like Gecko) Chrome/5.0.375.55 Safari/
533.4,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2231

On May 29, 8:39=A0pm, Fred McKenzie <fm...@aol.com> wrote:
> In article
> <982a298b-6d9d-4646-900d-e01a92d8f...@q33g2000vbt.googlegroups.com>,
>
> =A0Paul <pmorrison.em...@googlemail.com> wrote:
> > Just bought an old Mk1 FT-s 290R. All is working well (even the back
> > light)! but when I switch from USB to LSB the background noise drops
> > on receive and no output is obtained into a dummy load or any movement
> > indicated on the rigs own meter?
>
> Paul-
>
> I'm not familiar with the 290R. =A0Sideband selection is often done by
> switching between local oscillator crystals. =A0It may be a bad crystal, =
a
> dirty switch, or possibly a problem with a diode switching circuit.
>
> If the USB and LSB crystals happen to be plug-in, you could try swapping
> them to see if the problem swaps or stays at the same switch position.
>
> Fred
> K4DII

Thanks for your reply Fred. I plan taking 'the old lady' apart tonight
and will work through some of your suggestions. Hopefully it won't be
too difficult to trace the fault.

Many thanks

Paul - g0vht


From -5238000099556817106
X-Google-Thread: d7f5508063,37863a4bd7c2cf1c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin2!goblin.stu.neva.ru!
news.unit0.net!news2.euro.net!newsgate.cistron.nl!newsgate.news.xs4all.nl!
post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Rob <nomail@example.com>
Subject: Re: FT-290R - LSB no output on any band?
References: <982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>
```

```
 <U96dnVOlQ7oyF5zRnZ2dnUVZ_uadnZ2d@earthlink.com>
User-Agent: slrn/pre0.9.9-111 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrni04bf3.mds.nomail@xs8.xs4all.nl>
Date: 30 May 2010 09:20:35 GMT
Lines: 22
NNTP-Posting-Host: 194.109.21.8
X-Trace: 1275211235 news.xs4all.nl 22920 [::ffff:194.109.21.8]:56500
X-Complaints-To: abuse@xs4all.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:2232

sorry-spammers <""> wrote:
> Paul wrote:
>> Just bought an old Mk1 FT-s 290R. All is working well (even the back
>> light)! but when I switch from USB to LSB the background noise drops
>> on receive and no output is obtained into a dummy load or any movement
>> indicated on the rigs own meter?
>
> Not sure I'd really get too worried about it.
>
> Maybe things are different in the UK but there is essentially zero activity on
LSB on 2 meters over here in the States -- *everyone* uses upper sideband.

The only thing you need LSB for is working a mode-B satellite transponder.

I think the problem is located in or around the sideband oscillator (Q1013).
It could be the LSB sideband crystal (X01) or the circuitry that switches
the crystals.
First check the "LSB +6.8v" line.  If it does not work, it would be the
mode switch.  I would not apply any "switch cleaner" before checking this.

When this signal is OK, check if the diode is still ok.  I think the most
likely failure is in the crystal X01.  That would probably not be worth
the trouble to replace, except if you want satellite operation.


From -2022378812015848646
X-Google-Thread: d7f5508063,901c4fc04086b61e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q36g2000prg.googlegroups.com!not-for-
mail
From: Luru <fujiantian2010@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Wholesale Affliction Jeans  <free shipping paypal payment>
     (http://www.brandtrade10.com/ )
Date: Sun, 30 May 2010 05:34:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <3a583048-9073-4d8c-8044-9ac52318eb45@q36g2000prg.googlegroups.com>
```

```
NNTP-Posting-Host: 112.111.165.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275222874 2431 127.0.0.1 (30 May 2010 12:34:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 May 2010 12:34:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q36g2000prg.googlegroups.com; posting-host=112.111.165.190;
     posting-account=XsLtJgoAAAB8UE1vbavhHmks0hovOUTD
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2233

Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans  (http://www.brandtrade10.com/ )
Discount Wholesale Armani Jeans  <free shipping paypal payment>
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans  <free shipping paypal payment>
Discount Wholesale BBC Jeans (http://www.brandtrade10.com/ )
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans  <free shipping paypal payment>
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://
www.brandtrade10.com/ )
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans  <free shipping paypal payment>
Discount Wholesale ECKO Jeans (http://www.brandtrade10.com/ )
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans  <free shipping paypal payment>
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.brandtrade10.com/ )
Discount Wholesale Laguna Beach Jeans  <free shipping paypal payment>
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.brandtrade10.com/ )
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans  <free shipping paypal payment>
Discount Wholesale ZEN Jeans (http://www.brandtrade10.com/ )


From -7670266964767727905
X-Google-Thread: d7f5508063,fe0349535ec8ff3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!a16g2000prg.googlegroups.com!not-for-
mail
From: Luru <fujiantian2010@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Christian Dior Bags  china supplier (http://www.brandtrade10.com)
Date: Sun, 30 May 2010 05:52:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <4a6e47e8-0f26-4d82-a2df-3aa5b5f84274@a16g2000prg.googlegroups.com>
NNTP-Posting-Host: 112.111.165.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275223924 23265 127.0.0.1 (30 May 2010 12:52:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 May 2010 12:52:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a16g2000prg.googlegroups.com; posting-host=112.111.165.190;
     posting-account=XsLtJgoAAAB8UE1vbavhHmks0hovOUTD
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2234

Christian Dior Bags  china supplier (http://www.brandtrade10.com)
Jimmy Choo Bags   china supplier (http://www.brandtrade10.com)
Marc Jacobs Bags   china supplier (http://www.brandtrade10.com)
Burberry Bags   china supplier (http://www.brandtrade10.com)
Dolce & Gabbana  china supplier (http://www.brandtrade10.com)
Coach Bags china supplier (http://www.brandtrade10.com)
Yves Saint Laurent china supplier (http://www.brandtrade10.com)
Bottega Veneta  china supplier (http://www.brandtrade10.com)
Bally Bags   china supplier (http://www.brandtrade10.com)
Juicy Couture Bags   china supplier (http://www.brandtrade10.com)
Isabella Fiore Bags   china supplier (http://www.brandtrade10.com)
Tod's Bags   http://www.brandtrade10.com
Loewe Bags  china supplier (http://www.brandtrade10.com)
Goyard Bags  china supplier (http://www.brandtrade10.com)
Anya Hindmarch china supplier (http://www.brandtrade10.com)
Thomaswylde Bags china supplier (http://www.brandtrade10.co


From -5839416639498749642
X-Google-Thread: d7f5508063,4491805136e91ce3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!40g2000pry.googlegroups.com!not-for-
mail
From: Luru <fujiantian2010@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Wholesale Hermes Handbag<http://www.brandtrade10.com/>
Date: Sun, 30 May 2010 05:54:08 -0700 (PDT)
Organization: http://groups.google.com
```

```
Lines: 113
Message-ID: <8340d640-992c-4b69-b7f9-3b4234b35e74@40g2000pry.googlegroups.com>
NNTP-Posting-Host: 112.111.165.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275224048 25865 127.0.0.1 (30 May 2010 12:54:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 May 2010 12:54:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 40g2000pry.googlegroups.com; posting-host=112.111.165.190;
     posting-account=XsLtJgoAAAB8UE1vbavhHmks0hovOUTD
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2235

<free shipping paypal payment>
Handbags
    Discount Wholesale BOSS Handbag
    Discount Wholesale Burberry Handbag <http://
www.brandtrade10.com/ >
    Discount Wholesale LV Handbag
    Discount Wholesale Chanel Handbag  <free shipping paypal payment>
    Discount Wholesale  Handbag <http://www.brandtrade10.com/ >
    Discount Wholesale Coach Handbag
    Discount Wholesale D&G Handbag <http://www.brandtrade10.com/ >
    Discount Wholesale Dooney&Bourke Handbag
    Discount Wholesale ED Hardy Handbag <http://www.brandtrade10.com/



    Discount Wholesale Fendi Handbag
    Discount Wholesale Gucci Handbag <http://www.brandtrade10.com/>

    Discount Wholesale Jimmy Choo Handbag <free shipping paypal
payment>
    Discount Wholesale Juciy Handbag
    Discount Wholesale LV Handbag     Discount Wholesale Miumiu
Handbag <http://www.brandtrade10.com/



    Discount Wholesale Prada Handbag
    Discount Wholesale Tous Handbag <http://www.brandtrade10.com/ >
    Discount Wholesale Versace Handbags <free shipping paypal
payment>
Cheap Wholesale Balenciaga real leather Handbags
<http://www.brandtrade10.com/ paypal payment>
Cheap Wholesale Balenciaga real leather Purse
Cheap Wholesale Bally real leather Purse <free shipping paypal
payment>
Cheap Wholesale BOSS real leather Purse
<http://www.brandtrade10.com/ paypal payment>
```

Cheap Wholesale Burberry real leather Handbags
Cheap Wholesale Chanel real leather Handbags
<free shipping paypal payment>
Cheap Wholesale Chanel real leather Purse
Cheap Wholesale Chloe real leather Handbags
Cheap Wholesale Chloe real leather Purse
<free shipping paypal payment>
Cheap Wholesale Coach real leather Handbags
Cheap Wholesale Coach real leather Purse <http://
www.brandtrade10.com/ paypal payment>
Cheap Wholesale D&G real leather Handbags
Cheap Wholesale D&G real leather Purse
Cheap Wholesale Dior real leather Handbags
<free shipping paypal payment>
Cheap Wholesale Dunhill real leather Purse
Cheap Wholesale Fendi real leather Handbags
<free shipping paypal payment>
Cheap Wholesale Gucci real leather Handbags <http://
www.brandtrade10.com/ paypal payment>
Cheap Wholesale Gucci real leather Purse
Cheap Wholesale Hermes real leather Handbags
Cheap Wholesale Hermes real leather Purse
<free shipping paypal payment>
Cheap Wholesale Jimmy Choo real leather Handbags
<free shipping paypal payment>
Cheap Wholesale Jimmy Choo real leather Purse
<free shipping paypal payment>
Cheap Wholesale Juicy real leather Handbags <http://
www.brandtrade10.com/
paypal payment>
Cheap Wholesale Kooba real leather Handbags
Cheap Wholesale Lancel real leather Handbags
Cheap Wholesale Loewe real leather Handbags <http://
www.brandtrade10.com/
paypal payment>
Cheap Wholesale LV real leather Handbags <free shipping paypal
payment>
Cheap Wholesale LV real leather Purse <free shipping paypal payment>
Cheap Wholesale Marc Jacobs real leather Handbags
<http://www.brandtrade10.com/ paypal payment>
Cheap Wholesale Miumiu real leather Handbags
Cheap Wholesale Mulberry real leather Handbags
Cheap Wholesale Prada real leather Handbags <free shipping paypal
payment>
Cheap Wholesale Prada real leather Purse
Cheap Wholesale Thomaswlde real leather Handbags
<http://www.brandtrade10.com/ paypal payment>
Cheap Wholesale Valentnv real leather Handbags
Cheap Wholesale Versace real leather Handbags <http://
www.brandtrade10.com/
paypal payment>

A+ Grade

```
Purse
    Discount Wholesale Anna Purse  <free shipping paypal payment>
    Discount Wholesale Burbetty Purse
    Discount Wholesale Chanel Purse <http://www.brandtrade10.com/ >
    Discount Wholesale Chloe Purse
    Discount Wholesale Coach Purse <http://www.brandtrade10.com/ >
    Discount Wholesale D&G Purse
    Discount Wholesale Dior Purse http://www.brandtrade10.com/ >
    Discount Wholesale Dooney&Bourke Purse
    Discount Wholesale ED Hardy Purse <http://www.brandtrade10.com/




    Discount Wholesale Fendi Purse
    Discount Wholesale Ferragmo Purse
    Discount Wholesale Gucci Purse <http://www.brandtrade10.com/>
    Discount Wholesale Guess Purse
    Discount Wholesale LV Purse  <free shipping paypal payment>
    Discount Wholesale Miumiu Purse
    Discount Wholesale Prada Purse <http://www.brandtrade10.com/ >
    Discount Wholesale Tous Purse
    Discount Wholesale Versace Purse <http://www.bran


From 6491012826426201951
X-Google-Thread: d7f5508063,ab20c795a291509a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j36g2000prj.googlegroups.com!not-for-
mail
From: nicky <guangzhouwang2010@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Date: Sun, 30 May 2010 10:17:16 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <9c6fc42e-79cb-46cc-b7c1-1775b7132cf8@j36g2000prj.googlegroups.com>
NNTP-Posting-Host: 117.26.202.179
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275239836 13082 127.0.0.1 (30 May 2010 17:17:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 May 2010 17:17:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j36g2000prj.googlegroups.com; posting-host=117.26.202.179;
     posting-account=mkL0aAoAAAArJgL4zj0kyqQkbZyMWZVR
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2236
```

Discount Wholesale Affliction Jeans <free shipping paypal payment>
Discount Wholesale AK Jeans (http://www.brandtrade10.com/)
Discount Wholesale Armani Jeans <free shipping paypal payment>
Discount Wholesale Artful Dodger Jeans <free shipping paypal payment>
Discount Wholesale BAPE Jeans <free shipping paypal payment>
Discount Wholesale BBC Jeans (http://www.brandtrade10.com/)
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans <free shipping paypal payment>
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans (http://
www.brandtrade10.com/)
Discount Wholesale D&G Jeans
Discount Wholesale Diesel Jeans <free shipping paypal payment>
Discount Wholesale ECKO Jeans (http://www.brandtrade10.com/)
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans <free shipping paypal payment>
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans (http://www.brandtrade10.com/)
Discount Wholesale Laguna Beach Jeans <free shipping paypal payment>
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans (http://www.brandtrade10.com/)
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans <free shipping paypal payment>
Discount Wholesale Versace Jeans <free shipping paypal payment>
Discount Wholesale ZEN Jeans (http://www.brandtrade10.com/)

From -7754710183092069119
X-Google-Thread: d7f5508063,37863a4bd7c2cf1c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!11g2000prv.googlegroups.com!not-for-
mail
From: Paul <pmorrison.email@googlemail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-290R - LSB no output on any band?
Followup-To: rec.radio.amateur.equipment
Date: Sun, 30 May 2010 11:27:37 -0700 (PDT)
Organization: http://groups.google.com
Lines: 50
Message-ID: <b73f06ba-6c31-45b0-a33f-ccfaab92ba04@11g2000prv.googlegroups.com>
References: <982a298b-6d9d-4646-900d-e01a92d8fc87@q33g2000vbt.googlegroups.com>
     <U96dnVOlQ7oyF5zRnZ2dnUVZ_uadnZ2d@earthlink.com>
<slrni04bf3.mds.nomail@xs8.xs4all.nl>
NNTP-Posting-Host: 89.243.6.153

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1275244057 10336 127.0.0.1 (30 May 2010 18:27:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 May 2010 18:27:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 11g2000prv.googlegroups.com; posting-host=89.243.6.153;
     posting-account=TmI0egoAAACTq2Z49PIJdTGJlZAWQ16H
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US)
     AppleWebKit/533.4 (KHTML, like Gecko) Chrome/5.0.375.55 Safari/
533.4,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2237
```

Hi Rob and all,

FYI - I am using the rig with a Toko HF-240 transverter hence my need
for LSB!

Never mind, its now working! I opened the rig up earlier today, did
some basic checks, nothing obvious - applied switch cleaner to the
mode switch - no change, tapped the relevant crystals (gently), no
change so I left things as they were and put the rig back in my car.

Funny thing was the Velcro holding the rig to the dashboard came loose
and the rig fell 12 inches or so to the floor - low and behold no
damage to the rig but LSB fired back into life! Not sure how long it
will stay this way but it does give a clue to the problem in the first
place.

Thanks for all your help guys, much appreciated.

Paul - g0vht

On May 30, 10:20=A0am, Rob <nom...@example.com> wrote:
> sorry-spammers <""> wrote:
> > Paul wrote:
> >> Just bought an old Mk1 FT-s 290R. All is working well (even the back
> >> light)! but when I switch from USB to LSB the background noise drops
> >> on receive and no output is obtained into a dummy load or any movement
> >> indicated on the rigs own meter?
>
> > Not sure I'd really get too worried about it.
>
> > Maybe things are different in the UK but there is essentially zero acti=
vity on LSB on 2 meters over here in the States -- *everyone* uses upper si=
deband.
>
> The only thing you need LSB for is working a mode-B satellite transponder=
.
>
> I think the problem is located in or around the sideband oscillator (Q101=

3).
> It could be the LSB sideband crystal (X01) or the circuitry that switches
> the crystals.
> First check the "LSB +6.8v" line. =A0If it does not work, it would be the
> mode switch. =A0I would not apply any "switch cleaner" before checking th=
is.
>
> When this signal is OK, check if the diode is still ok. =A0I think the mo=
st
> likely failure is in the crystal X01. =A0That would probably not be worth
> the trouble to replace, except if you want satellite operation.

From -341185562122221390
X-Google-Thread: d7f5508063,ad9d09925aa701f6,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r9g2000vbk.googlegroups.com!not-for-mail
From: Rhett Heyward <rhetth96@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Hippo XXL RH Hybrid Utility Golf Club-XXL UTILITY
Date: Sun, 30 May 2010 14:42:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 10
Message-ID: <3f5292f5-836c-42db-8e62-e96462f7af20@r9g2000vbk.googlegroups.com>
NNTP-Posting-Host: 180.234.136.230
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275255780 20292 127.0.0.1 (30 May 2010 21:43:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 May 2010 21:43:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r9g2000vbk.googlegroups.com; posting-host=180.234.136.230;
     posting-account=eOeaYQoAAADAS7cukFFnvhpdVlB68CV2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-GB; rv:1.9.1.9)
     Gecko/20100315 Firefox/3.5.9 GTB7.0 GTBA,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2238

This hot, new hybrid design club from Hippo provides long, high
trajectory shots without the difficulty of the long irons. Graphite
shaft that flexes to maximize distance while maintaining playability.
Club head made of super-hard maraging steel for ongoing durability .
Low center of gravity that allows ball to get airborne quickly with
maximum carry . 21-degree loft for optimum distance . Premium velvet
grip to withstand wear . Headcover included for protection from the
elements . Perfect for all ages and abilities

http://www.canadagolfwarehouse.com/

```
From -8547240125266649979
X-Google-Thread: d7f5508063,ec8f4c3e51ea472f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r9g2000vbk.googlegroups.com!not-for-
mail
From: pviapp <pviappiani@tin.it>
Newsgroups: rec.radio.amateur.equipment
Subject: PLESSEY PR-2250 Spare parts.
Date: Mon, 31 May 2010 06:15:36 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <dbcea40e-3d43-4ab3-ba27-4a39d775e0b8@r9g2000vbk.googlegroups.com>
NNTP-Posting-Host: 79.24.145.55
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1275311737 20191 127.0.0.1 (31 May 2010 13:15:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 31 May 2010 13:15:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r9g2000vbk.googlegroups.com; posting-host=79.24.145.55;
     posting-account=YPEe7QoAAAClf_jCILVaZe1LhkVc5gPv
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 1.1.4322; InfoPath.2; .NET CLR 2.0.50727; .NET CLR
     3.0.4506.2152; .NET CLR 3.5.30729; OfficeLiveConnector.1.4;
     OfficeLivePatch.1.3),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2239
```

I'm from Italy and I'm searching for some PR-2250 spare parts, in particular:

- A Symmetrical 1.4 MHz filter with 3.0 KHz bandwidth (just like the one employed in the "Module 3" - not 3D -).
- A complete "Module 7" (with the oven-controlled Reference Oscillator).

Any idea about the availability of the above parts?
Thank you!!!

Best 73,

Paolo

(pviappiani@tin.it)

```
From 7388151259400901147
X-Google-Thread: d7f5508063,7c7cb7d960d8fe5b,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
```

goblin1!goblin2!goblin.stu.neva.ru!xlned.com!feeder5.xlned.com!
feeder2.cambriumusenet.nl!feed.tweaknews.nl!209.197.12.246.MISMATCH!
nx02.iad01.newshosting.com!newshosting.com!216.196.98.152.MISMATCH!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 31 May 2010 11:11:33 -0500
From: HeyReub <HeyReub.6499516@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-820s cw problem
Date: Mon, 31 May 2010 12:53:00 +0100
Message-ID: <HeyReub.6499516@radiobanter.com>
Organization: RadioBanter.com
Lines: 11
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
IPfY7yPV4dnfHdWQDCRRRMm096QkVx9dlXPP44dhPXp6gg79jV4rr84WeNFK2bK13t8+oKBwwqYi2hL!
1E55O2eQ0X3IweErzZZHijchkIW8UFfZV1DgUHNJym6d+TVCiiFWkUqwieYWBW2ic0Ui/FE4qjkp!8giR
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news2.google.com rec.radio.amateur.equipment:2240

I just bought a used ts-820 which had been completely reconditioned and has all new tubes. It works great in SSB but when I insert the CW key and put the Mode sw in CW, I get a constant tone that none of the dials on the front seem to effect. When I remove the jack, the tone goes away. Any suggestions?

--
HeyReub

From 7125228830823584109
X-Google-Thread: d7f5508063,7c7cb7d960d8fe5b
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!news.glorb.com!
news.acm.uiuc.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-820s cw problem
Date: Mon, 31 May 2010 13:10:33 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 16

Sender: et472@214-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.1005311309220.16388@darkstar.example.net>
References: <HeyReub.6499516@radiobanter.com>
NNTP-Posting-Host: 214-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1275325906 25417 64.235.215.214 (31 May 2010 17:11:46 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 31 May 2010 17:11:46 GMT
In-Reply-To: <HeyReub.6499516@radiobanter.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:2241

On Mon, 31 May 2010, HeyReub wrote:

>
I just bought a used ts-820 which had been completely reconditioned and
> has all new tubes. It works great in SSB but when I insert the CW key
> and put the Mode sw in CW, I get a constant tone that none of the dials
> on the front seem to effect. When I remove the jack, the tone goes
> away. Any suggestions?
>
Have you looked at the key? Some have a lever that allows for closing
the contacts on a continuous basis, such as when tuning up. See if there
is, and that it's not closed.

Or, it may be a short at the plug.

Michael VE2BVW

From -5338971961395724511
X-Google-Thread: d7f5508063,7c7cb7d960d8fe5b
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin1!goblin.stu.neva.ru!feeder.news-service.com!feeder.news-service.com!de-l.enfer-du-nord.net!feeder2.enfer-du-nord.net!cs.uu.nl!news0.firedrake.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-820s cw problem
Date: Mon, 31 May 2010 14:26:44 -0500
Organization: Firedrake Synthesis
Lines: 29
Message-ID: <k4fdd7-a031.ln1@mikea.ath.cx>
References: <HeyReub.6499516@radiobanter.com>
<Pine.LNX.4.64.1005311309220.16388@darkstar.example.net>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: parhelion.firedrake.org 1275334266 1788 70.164.65.62 (31 May 2010
19:31:06 GMT)
X-Complaints-To: usenet@parhelion.firedrake.org
NNTP-Posting-Date: Mon, 31 May 2010 19:31:06 +0000 (UTC)
X-Not-Approved: idees@videotron.qc.ca-is-a-troll

```
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:2242

Michael Black <et472@ncf.ca> wrote in
<Pine.LNX.4.64.1005311309220.16388@darkstar.example.net>:
> On Mon, 31 May 2010, HeyReub wrote:
>
>>
> I just bought a used ts-820 which had been completely reconditioned and
>> has all new tubes.  It works great in SSB but when I insert the CW key
>> and put the Mode sw in CW, I get a constant tone that none of the dials
>> on the front seem to effect.  When I remove the jack, the tone goes
>> away.  Any suggestions?
>>
> Have you looked at the key?  Some have a lever that allows for closing
> the contacts on a continuous basis, such as when tuning up.  See if there
> is, and that it's not closed.
>
> Or, it may be a short at the plug.

Or it may be a 2-conductor plug on a radio which requires a 3-conductor
plug. I know my Yaesu FT-857D, FT-897D, and FT-920 require 3-conductor
plugs, and if I insert a 2-conductor plug, it will put the radio into
transmit RIGHT THEN.

Check the manual and the plug type first. If the plug type is OK, then
ohm out the plug. If it's not shorted and it's the right type, then
something interesting is going on.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin


From -4449653819122143176
X-Google-Thread: 108122,af451f110c4dbee5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin2!goblin.stu.neva.ru!feeder.erje.net!news.glorb.com!news2.glorb.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Apr 2010 17:11:24 -0500
From: GW1CJJ <GW1CJJ.6192205@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-290 Mk1 SSB off frequency
Date: Sat, 24 Apr 2010 17:30:55 +0100
Message-ID: <GW1CJJ.6192205@radiobanter.com>
Organization: RadioBanter.com
Lines: 11
```

X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-XvioCChCUlUeXxiFIF7HKEvN3iOzBUb0noEgG/VgDQLtDs+iZs/
wvJ3pvXfykYF0OUdwmcWfFHFY8tZ!tKRbASL5ZGVVUpbYOPbJyhzos/
ZMK7FPw4EqNTwogMStygCAjYayh9X4c7Ig0B7xTC1oYNkP7Zoq!9ts=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 2
Xref: g2news1.google.com rec.radio.amateur.equipment:1928

My FT=290 is slightly off frequency on TX, it is about 4Khz lower than
the display frequency but the RX is spot on display frequency so I have
to operate with the clarifier switched on to be able to resolve the
other station. Antone know how I can adjust this??
Cheers

--
GW1CJJ

From 5476799887920064145
X-Google-Thread: 108122,af451f110c4dbee5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!feeder.news-service.com!newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!
post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Rob <nomail@example.com>
Subject: Re: FT-290 Mk1 SSB off frequency
References: <GW1CJJ.6192205@radiobanter.com>
User-Agent: slrn/pre0.9.9-111 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrnht878p.tfv.nomail@xs8.xs4all.nl>
Date: 25 Apr 2010 10:44:41 GMT
Lines: 13
NNTP-Posting-Host: 194.109.21.8
X-Trace: 1272192281 news.xs4all.nl 22936 [::ffff:194.109.21.8]:49537
X-Complaints-To: abuse@xs4all.nl
Xref: g2news1.google.com rec.radio.amateur.equipment:1929

GW1CJJ <GW1CJJ.6192205@radiobanter.com> wrote:
>
> My FT=290 is slightly off frequency on TX, it is about 4Khz lower than

> the display frequency but the RX is spot on display frequency so I have
> to operate with the clarifier switched on to be able to resolve the
> other station. Antone know how I can adjust this??
> Cheers

This is a Mk1 (i.e. no mark), right? Not a MkII.

Is it OK on FM, but not on USB? And what about LSB and CW?

Is the SSB modulation still OK?

From 436894075649251813
X-Google-Thread: 108122,7c75c40c5faf2dd6,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe17.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Collins 30S-1 Available
Message-ID: <djjbt5h6lcl9qeldqimr7hnpbgqkr784qv@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe17.iad 1272303240 70.161.107.201 (Mon, 26 Apr 2010 17:34:00 UTC)
NNTP-Posting-Date: Mon, 26 Apr 2010 17:34:00 UTC
Organization: Cox
Date: Mon, 26 Apr 2010 13:34:03 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:1930

30S-1 HF Amplifier is available with copy of manual. Good shape, not
tested, received as a donation to K4AMG Memorial Club. Proceeds to
purchase radios and power supplies for the school kids that pass their
FCC Exam and get their ticket, while enrolled in the WFOS broadcast
radio class at the Chesapeake Center for Science and Technology.

Go to http://www.k4amg.com and e-mail the contact person for the
particulars, 4CX1000A tube and etc.

From 8345306643023478195
X-Google-Thread: 108122,af451f110c4dbee5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!s22g2000prd.googlegroups.com!not-for-

```
mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-290 Mk1 SSB off frequency
Date: Mon, 26 Apr 2010 19:52:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <e5f47dfb-7984-4869-9a7e-627aa3681877@s22g2000prd.googlegroups.com>
References: <GW1CJJ.6192205@radiobanter.com>
NNTP-Posting-Host: 124.187.42.106
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1272336775 6399 127.0.0.1 (27 Apr 2010 02:52:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Apr 2010 02:52:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s22g2000prd.googlegroups.com; posting-host=124.187.42.106;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2.3)
     Gecko/20100401 Firefox/3.6.3 (.NET CLR 3.5.30729),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2145

On Apr 25, 2:30=A0am, GW1CJJ <GW1CJJ.6192...@radiobanter.com> wrote:
> My FT=3D290 is slightly off frequency on TX, it is about 4Khz lower than
> the display frequency but the RX is spot on display frequency so I have
> to operate with the clarifier switched on to be able to resolve the
> other station. Antone know how I can adjust this??
> Cheers

I've got a MkII here with a similar problem, although it's not as
severe... about 600~800Hz off from the actual frequency.  I'm guessing
it could be the age of the reference crystals having an impact (these
are frequency synthesised rigs), but without ripping the thing apart,
I'm not sure.

<1kHz isn't enough to bother me... just use the frequency display as a
guide then tune around until you get the target station spot on.  4kHz
on the other hand, would be quite irritating.



From -7886087028515556165
X-Google-Thread: 108122,af451f110c4dbee5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!news2.euro.net!
newsgate.cistron.nl!newsgate.news.xs4all.nl!post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Rob <nomail@example.com>
Subject: Re: FT-290 Mk1 SSB off frequency
References: <GW1CJJ.6192205@radiobanter.com>
```

<e5f47dfb-7984-4869-9a7e-627aa3681877@s22g2000prd.googlegroups.com>
User-Agent: slrn/pre0.9.9-111 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <slrnhtd9qe.tdc.nomail@xs8.xs4all.nl>
Date: 27 Apr 2010 08:58:55 GMT
Lines: 38
NNTP-Posting-Host: 194.109.21.8
X-Trace: 1272358735 news.xs4all.nl 22903 [::ffff:194.109.21.8]:44445
X-Complaints-To: abuse@xs4all.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:2146

Stuart Longland VK4MSL <me@vk4msl.yi.org> wrote:
> On Apr 25, 2:30 am, GW1CJJ <GW1CJJ.6192...@radiobanter.com> wrote:
>> My FT=290 is slightly off frequency on TX, it is about 4Khz lower than
>> the display frequency but the RX is spot on display frequency so I have
>> to operate with the clarifier switched on to be able to resolve the
>> other station. Antone know how I can adjust this??
>> Cheers
>
> I've got a MkII here with a similar problem, although it's not as
> severe... about 600~800Hz off from the actual frequency. I'm guessing
> it could be the age of the reference crystals having an impact (these
> are frequency synthesised rigs), but without ripping the thing apart,
> I'm not sure.
>
> <1kHz isn't enough to bother me... just use the frequency display as a
> guide then tune around until you get the target station spot on. 4kHz
> on the other hand, would be quite irritating.

I have the original FT-290 (I presume that is what he refers to when writing Mk1, but I am not sure).

In this rig, the synthesizer is running at a constant frequency offset from the tx/rx frequency by the first IF. The transmitter operates by generating FM/SSB/CW at the first IF and mixing it with the synthesizer frequency.

As SSB is generated by modulating a crystal frequency using a balanced modulator and then feeding it through the IF filter, I think that if this crystal is off frequency there will be a severe effect on the modulation (as the filter passes the wrong part of the spectrum).

That is why I asked if modulation is affected. If it isn't, it is a bit unclear where the frequency difference between rx and tx can originate.

(of course, it is easy to explain a difference between actual rx AND tx frequency and the dial display)

It could well be that the MkII has a different method of operation.

```
From 1176060373834502452
X-Google-Thread: 108122,4bc0834cc3bc54a3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n33g2000pri.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade12@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Paypal Wholesale Various Brand T-shirts for men, women and kids
Date: Tue, 27 Apr 2010 07:05:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <097c4c88-bfd6-4d51-91d9-56b0930c3c51@n33g2000pri.googlegroups.com>
NNTP-Posting-Host: 58.22.149.1
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1272377156 7655 127.0.0.1 (27 Apr 2010 14:05:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Apr 2010 14:05:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n33g2000pri.googlegroups.com; posting-host=58.22.149.1;
     posting-account=ZBr60woAAAA61D1VCiI-0Ph_FeCmTynE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1933

Paypal Wholesale Various Brand T-shirts for men, women and kids
in China Lacoste, Polo, A&F, AFF , Armani, Babyphat ,Bape, BBC, Blar
Label, BRM , etc. all on site

T-Shirt_Clothing
Wholesale A&F T-Shirt cheap wholesale
AFF Man T-Shirt cheap wholesale (http://www.brandtrade10.com  )


From -5900452333977988115
X-Google-Thread: 108122,70de6073c541d7fc,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m25g2000prj.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade12@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Bape Man T-Shirt cheap wholesale (http://www.brandtrade10.com  )
Date: Tue, 27 Apr 2010 07:07:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 6
Message-ID: <2963c567-c30e-42bd-b879-f843c6029084@m25g2000prj.googlegroups.com>
NNTP-Posting-Host: 58.22.149.1
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1272377230 4378 127.0.0.1 (27 Apr 2010 14:07:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Apr 2010 14:07:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m25g2000prj.googlegroups.com; posting-host=58.22.149.1;
     posting-account=ZBr60woAAAA61D1VCiI-0Ph_FeCmTynE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2148

T-Shirt_Clothing
Wholesale A&F T-Shirt cheap wholesale
AFF Man T-Shirt cheap wholesale
Armani T-Shirt cheap wholesale
Babyphat Women T-Shirt cheap wholesale
Bape Man T-Shirt cheap wholesale (http://www.brandtrade10.com  )


From 7040420181830559862
X-Google-Thread: 108122,e464e14f500ac34f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v12g2000prb.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade12@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: BBC Man T-Shirt cheap wholesale  http://www.brandtrade10.com
Date: Tue, 27 Apr 2010 07:08:17 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <fc4cbb48-7b94-4b75-bc35-9271f6bfd7b3@v12g2000prb.googlegroups.com>
NNTP-Posting-Host: 58.22.149.1
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1272377298 5174 127.0.0.1 (27 Apr 2010 14:08:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Apr 2010 14:08:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v12g2000prb.googlegroups.com; posting-host=58.22.149.1;
     posting-account=ZBr60woAAAA61D1VCiI-0Ph_FeCmTynE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1935


T-Shirt_Clothing_
Wholesale A&F T-Shirt cheap wholesale
AFF Man T-Shirt cheap wholesale
Armani T-Shirt cheap wholesale
```

```
Babyphat Women T-Shirt cheap wholesale
Bape Man T-Shirt cheap wholesale
BBC Man T-Shirt cheap wholesale  http://www.brandtrade10.com



From 374977037453023532
X-Google-Thread: 108122,eb00c5364544f102,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z21g2000pre.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade12@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Diesel Man T-Shirt cheap wholesale   http://www.brandtrade10.com
Date: Tue, 27 Apr 2010 07:10:15 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <1d0b8e8a-035d-4e8d-b227-2ec8de2d189d@z21g2000pre.googlegroups.com>
NNTP-Posting-Host: 58.22.149.1
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1272377415 12588 127.0.0.1 (27 Apr 2010 14:10:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Apr 2010 14:10:15 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z21g2000pre.googlegroups.com; posting-host=58.22.149.1;
     posting-account=ZBr60woAAAA61D1VCiI-0Ph_FeCmTynE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1936

Burberry Man T-Shirt cheap wholesale
Christan Audigier T-Shirt cheap wholesal

Coogi Man T-Shirt cheap wholesale
Crown Holder Man T-Shirt cheap wholesale
D&G Man T-Shirt cheap wholesale
Diesel Man T-Shirt cheap wholesale
http://www.brandtrade10.com



From 6270702202197671461
X-Google-Thread: 108122,53bcc5fcc6f1a314,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n33g2000pri.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade12@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: LV T-Shirtcheap wholesale    http://www.brandtrade10.com
```

```
Date: Tue, 27 Apr 2010 07:17:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <6c9195c6-245f-49b9-9fb8-0074b6f174fb@n33g2000pri.googlegroups.com>
NNTP-Posting-Host: 58.22.149.1
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1272377866 15549 127.0.0.1 (27 Apr 2010 14:17:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Apr 2010 14:17:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n33g2000pri.googlegroups.com; posting-host=58.22.149.1;
     posting-account=ZBr60woAAAA61D1VCiI-0Ph_FeCmTynE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1937

Crown Holder T-Shirt cheap wholesale
Baby T-Shirt cheap wholesale
Akademiks T-Shirt cheap wholesale
Adidas T-Shirt cheap wholesale
5ive Jungle T-Shirt cheap wholesale
Smful T-Shirt cheap wholesale
Rocawear T-Shirt cheap wholesale
LV T-Shirtcheap wholesale




From -8625876537930168597
X-Google-Thread: d7f5508063,7a6e45a198e2ccd7,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!29g2000yqp.googlegroups.com!not-for-
mail
From: jersey-2009 <niceshoes1@163.com>
Newsgroups: rec.radio.amateur.equipment
Subject: AF women trousrscheap wholesale
Date: Tue, 27 Apr 2010 07:32:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 24
Message-ID: <611ece89-34e1-4533-9ea1-38e8db74cadd@29g2000yqp.googlegroups.com>
NNTP-Posting-Host: 58.22.132.141
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1272378763 2818 127.0.0.1 (27 Apr 2010 14:32:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Apr 2010 14:32:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 29g2000yqp.googlegroups.com; posting-host=58.22.132.141;
     posting-account=n_C0lwoAAACbj5ooYz5jWdePWCiV-29q
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2152

AF women trousrscheap wholesale
AF men and women coatcheap wholesale
D&G jeanscheap wholesale
A&G T-shirtcheap wholesale
BBC scantiescheap wholesale
BBC jeanscheap wholesale
BBC hoodycheap wholesale
BBC T-shirtcheap wholesale
LRG jeanscheap wholesale
LRG hoodycheap wholesale
LRG T-shirtcheap wholesale
Bape jeanscheap wholesale
Bape hoodycheap wholesale
Bape t-shirtcheap wholesale
Evisu long t-shitcheap wholesale
Evisu original jeanscheap wholesale
Evisu jeans wearcheap wholesale
Evisu hoodycheap wholesale
Evisu jeanscheap wholesale
Evisu T-shirtcheap wholesale
POLO T-shirtcheap wholesale
Googi jeanscheap wholesale
Googi hoodycheap wholesale
Googi T-shirtcheap wholesale


From -7872417775231684074
X-Google-Thread: d7f5508063,ecf54bac70055ee8
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!news.linkpendium.com!news.linkpendium.com!pit-transit.telstra.net!
news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "VK2KC" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <4bc65abb$0$31262$607ed4bc@cv.net>
Subject: Re: software needed
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <CHKCn.22430$pv.6107@news-server.bigpond.net.au>
Date: Sat, 01 May 2010 00:35:46 GMT
NNTP-Posting-Host: 124.183.77.175
X-Complaints-To: abuse@bigpond.net.au
```

X-Trace: news-server.bigpond.net.au 1272674146 124.183.77.175 (Sat, 01 May 2010 10:35:46 EST)
NNTP-Posting-Date: Sat, 01 May 2010 10:35:46 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.equipment:2153

Steve,
Have a look here, it took me 2 mins to find it using Google!

http://www.hampedia.net/alinco/dr435.php

Just look near the top of the page and click on the link it will download
the programming software for the DR-435 in Winzip format, just extract and
use!

I am assuming that your MkIII will be compatible with this software, but
with a bit of research it won't be hard to find out.

John

"Steve Trook" <strook@optonline.net> wrote in message
news:4bc65abb$0$31262$607ed4bc@cv.net...
>I am looking for an Alinco Dr-435MKIII software.   Any help would be
>appreciated
>
> strook@optonline.net
>

From 4554767201666314801
X-Google-Thread: d7f5508063,ecf54bac70055ee8
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!209.197.12.242.MISMATCH!nx01.iad01.newshosting.com!newshosting.com!news.linkpendium.com!news.linkpendium.com!pit-transit.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "VK2KC" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <4bc65abb$0$31262$607ed4bc@cv.net> <CHKCn.22430$pv.6107@news-server.bigpond.net.au>
Subject: Re: software needed
Lines: 37
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <0KKCn.22431$pv.8559@news-server.bigpond.net.au>

```
Date: Sat, 01 May 2010 00:38:20 GMT
NNTP-Posting-Host: 124.183.77.175
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1272674300 124.183.77.175 (Sat, 01 May 2010
10:38:20 EST)
NNTP-Posting-Date: Sat, 01 May 2010 10:38:20 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.equipment:2154

Here is another link:

For DJ-196/296/496/596/C7 handhelds and DR-135/235/435/620/635 mobiles there
is a 3rd party supplier in the USA that sells software under Alinco's
authority. That 3rd party supplier's website is at
http://www.cbtinc.net/radio/alinco .

John

"VK2KC" <vk2kcjohn@gmail.com> wrote in message
news:CHKCn.22430$pv.6107@news-server.bigpond.net.au...
> Steve,
> Have a look here, it took me 2 mins to find it using Google!
>
> http://www.hampedia.net/alinco/dr435.php
>
> Just look near the top of the page and click on the link it will download
> the programming software for the DR-435 in  Winzip format, just extract
> and use!
>
> I am assuming that your MkIII will be compatible with this software, but
> with a bit of research it won't be hard to find out.
>
> John
>
> "Steve Trook" <strook@optonline.net> wrote in message
> news:4bc65abb$0$31262$607ed4bc@cv.net...
>>I am looking for an Alinco Dr-435MKIII software.   Any help would be
>>appreciated
>>
>> strook@optonline.net
>>
>
>
>




From 7184782619396014106
X-Google-Thread: a4a23d5f63,8aa0b118132b73ad,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1270101601@panix.com>
Followup-To: poster
Date: 1 May 2010 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Jun 2010 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1272693601@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1272693603 15285 166.84.1.2 (1 May 2010 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 1 May 2010 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:17461 rec.radio.amateur.dx:653
rec.radio.amateur.equipment:2155 rec.radio.amateur.homebrew:3693
rec.radio.amateur.misc:5106 rec.radio.amateur.policy:29027
rec.radio.amateur.space:360 rec.radio.info:1488

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html
```

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From 7148358465339470276
X-Google-Thread: 38f9f745cf,4d60413220040b7d,start
X-Google-Attributes: gid38f9f745cf,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y6g2000pra.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <nyhffdf6767@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Balenciaga 2010  New Bags china
Date: Sun, 2 May 2010 19:55:32 -0700 (PDT)
Organization: http://groups.google.com
Lines: 45
Message-ID: <c3036bfa-07e4-4c7c-bc6f-0faacf711d10@y6g2000pra.googlegroups.com>
NNTP-Posting-Host: 120.40.148.154
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1272855332 7390 127.0.0.1 (3 May 2010 02:55:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 3 May 2010 02:55:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y6g2000pra.googlegroups.com; posting-host=120.40.148.154;
	posting-account=urxWggoAAAAPi7BHi83T2cVifycq9CO_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1;
     Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
     3.0.30729; MALN),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2156 rec.food.equipment:4355

A&F Pants Women  supplier (paypal payment)(  http://www.brandtrade10.com
)
Affliction Pants  supplier (paypal payment)(  http://www.brandtrade10.com
)
Bape Pants  supplier (paypal payment)(  http://www.brandtrade10.com
)
BBC Pants  supplier (paypal payment)(  http://www.brandtrade10.com  )
Christian Audigier Pants  supplier (paypal payment)(  http://www.brandtrade10.com
)
Coogi Pants  supplier (paypal payment)(  http://www.brandtrade10.com
)
ED Hardy Pants  supplier (paypal payment)(  http://www.brandtrade10.com
)
ED Hardy Pants Man  supplier (paypal payment)(  http://www.brandtrade10.com
)
ED Hardy Pants Women  supplier (paypal payment)(  http://www.brandtrade10.com
)
Evisu Pants  supplier (paypal payment)(  http://www.brandtrade10.com
)
RMC Pants  supplier (paypal payment)(  http://www.brandtrade10.com  )
Rock&Republic Pants  supplier (paypal payment)(  http://www.brandtrade10.com
)
Underwear supplier (paypal payment)(  http://www.brandtrade10.com  )


fashion jeans supplier (paypal payment)(  http://www.brandtrade10.com
)
denim jeans supplier (paypal payment)(  http://www.brandtrade10.com
)
men''s jeans
brand jeans supplier (paypal payment)(  http://www.brandtrade10.com
)
women jeans'' jeans supplier (paypal payment)(  http://www.brandtrade10.com
)
branded jeans supplier (paypal payment)(  http://www.brandtrade10.com
)
designer jeans
men jeans  supplier (paypal payment)(  http://www.brandtrade10.com  )
blue jeans supplier (paypal payment)(  http://www.brandtrade10.com  )
Cotton Shirting
 Fashion Shirts Dress Shirts supplier (paypal payment)
(  http://www.brandtrade10.com  )
 Casual Shirts Brand Shirts supplier (paypal payment)(  http://
www.brandtrade10.com
)
Long Sleeve Shirt


From -3249468224550193301
```

```
X-Google-Thread: d7f5508063,f997138419a038c8
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 May 2010 00:40:02 -0500
From: Frank Watson <frankypoo@nevermind.com>
Newsgroups: rec.radio.amateur.equipment
Date: Sun, 2 May 2010 22:40:02 -0700
Message-ID: <2010050222400284758-frankypoo@nevermindcom>
References: <20030703064214.22557.00000032@mb-m15.aol.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: Re: MFJ-461 ANY GOOD???
User-Agent: Unison/2.0.5
Lines: 7
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-5Fgo4lBiV3ESajxonS5tK2FUyHSj22BxI1qJ1KSi5YdjZG6x0gcgk7L7myscbvJ2cBBeUkzz1w90T4
f!aGQfnE4jHAyF8xyVTsUnN24JuPiIPOV33FZymuwaav1Ei83JnjIIqbD1vM4EebozOSeieJY=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2157
```

No.

```
From 8442711151257753072
X-Google-Thread: 38f9f745cf,1212417783c60062,start
X-Google-Attributes: gid38f9f745cf,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!31g2000prc.googlegroups.com!not-for-
mail
From: shoestrade <haoxinfenshou98@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: D&G jeans discount paypal wholesale
Date: Mon, 3 May 2010 19:11:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 36
```

```
Message-ID: <7e1f5bdf-9a36-4d6a-bea2-312e804e0dc6@31g2000prc.googlegroups.com>
NNTP-Posting-Host: 218.6.26.110
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1272939070 12314 127.0.0.1 (4 May 2010 02:11:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 May 2010 02:11:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 31g2000prc.googlegroups.com; posting-host=218.6.26.110;
     posting-account=NaqkvQoAAABxjp2Ua18U0tMRFxALbNih
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1;
     Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
     3.0.30729; MALN),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2158 rec.food.equipment:4356

nike running (http://www.brandtrade10.com 0
prada shoes discount paypal sale (http://www.brandtrade10.com )
DSQ shoes(http://www.brandtrade10.com 0
nike football shoes discount paypal sale (http://
www.brandtrade10.com )
nike DUNK shoes discount paypal sale (http://www.brandtrade10.com )
Rift shoes discount paypal sale (http://www.brandtrade10.com )
NBA basketball shoes discount paypal sale (http://
www.brandtrade10.com )
adidas running discount paypal sale (http://www.brandtrade10.com )
adidas NBA shoes discount paypal sale (http://www.brandtrade10.com )
adidas 35th anniversary shoes discount paypal sale (http://
www.brandtrade10.com )
adicolor shoes discount paypal sale (http://www.brandtrade10.com )
adidas football shoes(http://www.brandtrade10.com 0
GGG hoody discount paypal sale (http://www.brandtrade10.com )
GGG T-shirt discount paypal sale (http://www.brandtrade10.com )
Armani T-shirt discount paypal sale (http://www.brandtrade10.com )
Armani shirt discount paypal sale (http://www.brandtrade10.com )
armani long t-shirt discount paypal sale (http://
www.brandtrade10.com )
AF sweater discount paypal sale (http://www.brandtrade10.com )
AF women trousrs discount paypal sale (http://www.brandtrade10.com )
AF men and women coat discount paypal sale (http://
www.brandtrade10.com )
D&G jeans discount paypal sale (http://www.brandtrade10.com )
A&G T-shirt discount paypal sale (http://www.brandtrade10.com )
BBC scanties discount paypal sale (http://www.brandtrade10.com )
BBC jeans discount paypal sale (http://www.brandtrade10.com )
BBC hoody discount paypal sale (http://www.brandtrade10.com )
BBC T-shirt discount paypal sale (http://www.brandtrade10.com )
LRG jeans discount paypal sale (http://www.brandtrade10.com )
LRG hoody discount paypal sale (http://www.brandtrade10.com )
LRG T-shirt discount paypal sale (http://www.brandtrade10.com )
Bape jeans discount paypal sale (http://www.brandtrade10.com )
Bape hoody discount paypal sale (http://www.brandtrade10.com )
```

```
From -8253115757142447508
X-Google-Thread: d7f5508063,ad31ddf0f721c115,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!k25g2000prh.googlegroups.com!not-for-
mail
From: =?windows-1252?Q?O=92neill_O=92neill?= <oneilltredsuk@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Nike Hyperdunk Low (Oneill)
Date: Tue, 4 May 2010 07:33:32 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <fbbc304f-25af-4d89-888a-8ded98b60207@k25g2000prh.googlegroups.com>
NNTP-Posting-Host: 110.36.47.140
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1272983612 16789 127.0.0.1 (4 May 2010 14:33:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 May 2010 14:33:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k25g2000prh.googlegroups.com; posting-host=110.36.47.140;
     posting-account=Wq1DWwoAAACbthcorQOA5n1yUyeSWKn6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.3)
     Gecko/20100401 Firefox/3.6.3 GTB7.0 GTBA,gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2159
```

Trash talk will never succeed when you see how handsome this sneaker
looks. The Nike Hyperdunk Low =96 Trash Talk sneaker does not deserve
its name because it looks just the opposite.
The name given to the Nike Hyperdunk Low =96 Trash Talk sneaker is
however part and parcel of the basketball industry as trash talk
usually eggs on basketball players to do their best. As a result,
trash talk can either bring out the best in the players or reduce them
to mere losers.
The Nike Hyperdunk Low =96 Trash Talk sneaker comes in a unique diamond-
pattern black upper which look=85.
Reference:
http://www.treds.co.uk/manufacturer/o%26/72/1#039;neill

```
From 6488207650598694319
X-Google-Thread: d7f5508063,364e8c65f909039d
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe13.iad.POSTED!7564ea0f!not-for-mail
From: pequiste@hotmail.com
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Eton E1XM swap for...
Message-ID: <dbo0u59g291vp805vlre04pkf7f517beoa@4ax.com>
References: <cba2f3df-0929-470b-bb0d-196e60f7e6f9@g11g2000yqe.googlegroups.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
NNTP-Posting-Host: 24.54.51.100
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe13.iad 1272996290 24.54.51.100 (Tue, 04 May 2010 18:04:50 UTC)
NNTP-Posting-Date: Tue, 04 May 2010 18:04:50 UTC
Date: Tue, 04 May 2010 14:04:49 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2160



I got an frg (it is actually on ebay my nick is andre6   go to see it
and if you want to trade
ve2que


On Sat, 3 Apr 2010 07:20:54 -0700 (PDT), brack
<bodybuilders@gmail.com> wrote:

>I would like to try something new, and want to swap my Eton E1XM for
>any of the following table-top receivers (used of course):
>Icom r75;
>Drake r8;
>Yaesu FRG-100
>
>If you have something that is not listed here but you think it is fair
>trade, please send me your review of your rig. Try to convince me.
>My Eton E1XM is in superb condition, purchased in US two years ago,
>has all included in the box accessories and even the wrapping plastic
>(the box is also here). No scratches or wear-outs or anything, the
>condition is like new.


From -8782452879057557336
X-Google-Thread: d7f5508063,da183971936e4b93,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t14g2000prm.googlegroups.com!not-for-
mail
From: POLO TSHIRT <wangchang345@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: PRADA bags ( paypal payment )( http://www.jialiuonline.com)
Date: Wed, 5 May 2010 02:29:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
```

Message-ID: <f7146855-72d3-493c-ad55-6b354d361c76@t14g2000prm.googlegroups.com>
NNTP-Posting-Host: 58.22.149.176
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273051774 17221 127.0.0.1 (5 May 2010 09:29:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 May 2010 09:29:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t14g2000prm.googlegroups.com; posting-host=58.22.149.176;
     posting-account=Lxs0hAoAAABC_JPuSCns-oqHQjW_9NeI
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2162

GUCCI bags (paypal payment)(http://www.jialiuonline.com)
CHLOE bags
CHANEL bags
CLOTHES
COACH bags (paypal payment)(http://www.jialiuonline.com)
DOLCE&GABBANA bags
FENDI bags
GUESS bags
JIMMY CHOO bags (paypal payment)(http://www.jialiuonline.com)
JUICY bags
LV bags
PRADA bags (paypal payment)(http://www.jialiuonline.com)
BAPE bags
PAUL SMITH bags
AF bags (paypal payment)(http://www.jialiuonline.com)

GUCCI bags (paypal payment)(http://www.jialiuonline.com)
CHLOE bags
CHANEL bags
CLOTHES
COACH bags (paypal payment)(http://www.jialiuonline.com)
DOLCE&GABBANA bags
FENDI bags
GUESS bags
JIMMY CHOO bags (paypal payment)(http://www.jialiuonline.com)
JUICY bags
LV bags
PRADA bags (paypal payment)(http://www.jialiuonline.com)
BAPE bags
PAUL SMITH bags
AF bags (paypal payment)(http://www.jialiuonline.com)

From 5152435798217144024
X-Google-Thread: d7f5508063,a0c1138364cb301,start

```
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u3g2000prl.googlegroups.com!not-for-
mail
From: brandclothings <fuyanyan8686@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Fendi real leather Handbags <free shipping paypal
Date: Wed, 5 May 2010 05:34:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 28
Message-ID: <478077d7-e699-4923-893f-7656c90bb7a8@u3g2000prl.googlegroups.com>
NNTP-Posting-Host: 112.111.160.9
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273062899 17560 127.0.0.1 (5 May 2010 12:34:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 May 2010 12:34:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u3g2000prl.googlegroups.com; posting-host=112.111.160.9;
     posting-account=HI75AwoAAADcwT0dGwAAyxCj4bev6u9S
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2163

Balenciaga real leather Handbags
Balenciaga real leather Purse
Bally real leather Purse  <free shipping paypal
payment> http://www.brandtrade10.com
BOSS real leather Purse
Burberry real leather Handbags
Chanel real leather Handbags <free shipping paypal
payment> http://www.brandtrade10.com
Chanel real leather Purse
Chloe real leather Handbags
Chloe real leather Purse <free shipping paypal
payment> http://www.brandtrade10.com
Coach real leather Handbags
Coach real leather Purse
D&G real leather Handbags
D&G real leather Purse
Dior real leather Handbags <free shipping paypal
payment> http://www.brandtrade10.com
Dunhill real leather Purse
Fendi real leather Handbags <free shipping paypal
payment> http://www.brandtrade10.com
Gucci real leather Handbags
Gucci real leather Purse
Hermes real leather Handbags
Hermes real leather Purse <free shipping paypal
payment> http://www.brandtrade10.com
Jimmy Choo real leather Handbags
```

Jimmy Choo real leather Purse

```
From -5637751788948032629
X-Google-Thread: d7f5508063,364e8c65f909039d
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!s29g2000yqd.googlegroups.com!not-for-
mail
From: brack <bodybuilders@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Eton E1XM swap for...
Date: Wed, 5 May 2010 10:38:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <40dd74a1-6dd3-48b1-916c-383bae4e7b23@s29g2000yqd.googlegroups.com>
References: <cba2f3df-0929-470b-bb0d-196e60f7e6f9@g11g2000yqe.googlegroups.com>
     <dbo0u59g291vp805vlre04pkf7f517beoa@4ax.com>
NNTP-Posting-Host: 81.235.33.89
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1273081101 22948 127.0.0.1 (5 May 2010 17:38:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 May 2010 17:38:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s29g2000yqd.googlegroups.com; posting-host=81.235.33.89;
     posting-account=T20WowgAAACLyqufFQp3eYWHcx-vKBOW
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.3)
     Gecko/20100401 Firefox/3.6.3 (.NET CLR 3.5.30729),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2164

On May 4, 8:04=A0pm, pequi...@hotmail.com wrote:
> I got an frg (it is actually on ebay my nick is andre6 =A0 go to see it
> and if you want to trade
> ve2que
>
> On Sat, 3 Apr 2010 07:20:54 -0700 (PDT), brack
>
> <bodybuild...@gmail.com> wrote:
> >I would like to try something new, and want to swap my Eton E1XM for
> >any of the following table-top receivers (used of course):
> >Icom r75;
> >Drake r8;
> >Yaesu FRG-100
>
> >If you have something that is not listed here but you think it is fair
> >trade, please send me your review of your rig. Try to convince me.
> >My Eton E1XM is in superb condition, purchased in US two years ago,
> >has all included in the box accessories and even the wrapping plastic
> >(the box is also here). No scratches or wear-outs or anything, the
> >condition is like new.

No problem, would like to trade but costs of shipping to Sweden from
Canada are overwhelming. Maybe someone from Europe would like to trade?


From 9053468320250060463
X-Google-Thread: d7f5508063,af451f110c4dbee5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin2!goblin.stu.neva.ru!feeder.erje.net!news.glorb.com!news2.glorb.com!
news.glorb.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 06 May 2010 05:11:27 -0500
From: GW1CJJ <GW1CJJ.6284b3e@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-290 Mk1 SSB off frequency
Date: Thu, 6 May 2010 10:49:43 +0100
Message-ID: <GW1CJJ.6284b3e@radiobanter.com>
Organization: RadioBanter.com
References: <GW1CJJ.6192205@radiobanter.com> <slrnht878p.tfv.nomail@xs8.xs4all.nl>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-iAu7zTFUmt2qFPzkC2UVBx3LS55J4c+Ccr19zk+b2AZiQrGT/
yP2+TVgSqlTxBIDHEZmWfjzzNXKEwZ!yZNfQDjv8f6CJ3PQkKpbXwvlizPH/
A2xX1hYrqf4S5gguCBfNProPQsrRp8YP8/pVEZ9+4Rx5Rdd!B6Y=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:2165


'Rob[_8_ Wrote:
> ;705288']GW1CJJ GW1CJJ.6192205@radiobanter.com wrote:-
>
> My FT=290 is slightly off frequency on TX, it is about 4Khz lower
> than
> the display frequency but the RX is spot on display frequency so I
> have
> to operate with the clarifier switched on to be able to resolve the
> other station. Antone know how I can adjust this??
> Cheers-
>
> This is a Mk1 (i.e. no mark), right?  Not a MkII.
>
> Is it OK on FM, but not on USB?  And what about LSB and CW?
>
```

> Is the SSB modulation still OK?

Yes it's a MK1
Seems fine on FM
Haven't tried on CW (no-one seems to be using thant mode on 2m)
Similarly have only worked other stations on USB so not sure about LSB

--
GW1CJJ

From -2766625820105935248
X-Google-Thread: d7f5508063,af451f110c4dbee5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!xs4all!
post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Rob <nomail@example.com>
Subject: Re: FT-290 Mk1 SSB off frequency
References: <GW1CJJ.6192205@radiobanter.com>
 <slrnht878p.tfv.nomail@xs8.xs4all.nl> <GW1CJJ.6284b3e@radiobanter.com>
User-Agent: slrn/pre0.9.9-111 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrnhu59qc.j9h.nomail@xs8.xs4all.nl>
Date: 06 May 2010 11:26:04 GMT
Lines: 27
NNTP-Posting-Host: 194.109.21.8
X-Trace: 1273145164 news.xs4all.nl 22943 [::ffff:194.109.21.8]:41375
X-Complaints-To: abuse@xs4all.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:2166

GW1CJJ <GW1CJJ.6284b3e@radiobanter.com> wrote:
>
> 'Rob[_8_ Wrote:
>> ;705288']GW1CJJ GW1CJJ.6192205@radiobanter.com wrote:-
>>
>> My FT=290 is slightly off frequency on TX, it is about 4Khz lower
>> than
>> the display frequency but the RX is spot on display frequency so I
>> have
>> to operate with the clarifier switched on to be able to resolve the
>> other station. Antone know how I can adjust this??
>> Cheers-
>>

```
>> This is a Mk1 (i.e. no mark), right?  Not a MkII.
>>
>> Is it OK on FM, but not on USB?  And what about LSB and CW?
>>
>> Is the SSB modulation still OK?
>
> Yes it's a MK1
> Seems fine on FM
> Haven't tried on CW (no-one seems to be using thant mode on 2m)
> Similarly have only worked other stations on USB so not sure about LSB
```

Ok, next time you work someone in USB ask him for a test what happens
when using LSB and maybe CW.
(you would have to connect a key or at least a wire using a 3.5mm jack)

```
From -8889843686544413109
X-Google-Thread: d7f5508063,af451f110c4dbee5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!
nntp.club.cc.cmu.edu!feeder.erje.net!news2.arglkargh.de!news.mixmin.net!
newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!
border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 06 May 2010 17:11:45 -0500
From: GW1CJJ <GW1CJJ.628f3ff@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-290 Mk1 SSB off frequency
Date: Thu, 6 May 2010 20:33:17 +0100
Message-ID: <GW1CJJ.628f3ff@radiobanter.com>
Organization: RadioBanter.com
References: <GW1CJJ.6192205@radiobanter.com><slrnht878p.tfv.nomail@xs8.xs4all.nl>
<GW1CJJ.6284b3e@radiobanter.com> <slrnhu59qc.j9h.nomail@xs8.xs4all.nl>
Lines: 45
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-KHjV1C2UbMUiz1hOPDFtWiiaNXf37PXUn5Cq77mVfdxs5U9dUv1+ZxkbMmJDrs/
NIHs2AR+FS1fXvFn!
diBwmy+jma74tOfW0iv3RlZmQ4Kmui5kkad9/4MzAdf89prRRXAesNIwnos46VAmK/iFWMBloxqc!1jU=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 32
X-Original-Bytes: 2497
Xref: g2news2.google.com rec.radio.amateur.equipment:2167
```

'Rob[_8_ Wrote:

> ;706422']GW1CJJ GW1CJJ.6284b3e@radiobanter.com wrote:-
>
> 'Rob[_8_ Wrote: -
> ;705288']GW1CJJ GW1CJJ.6192205@radiobanter.com wrote:-
>
> My FT=290 is slightly off frequency on TX, it is about 4Khz lower
> than
> the display frequency but the RX is spot on display frequency so I
> have
> to operate with the clarifier switched on to be able to resolve the
> other station. Antone know how I can adjust this??
> Cheers-
>
> This is a Mk1 (i.e. no mark), right? Not a MkII.
>
>
>
>
> Is it OK on FM, but not on USB? And what about LSB and CW?
>
> Is the SSB modulation still OK?-
>
> Yes it's a MK1
> Seems fine on FM
> Haven't tried on CW (no-one seems to be using thant mode on 2m)
> Similarly have only worked other stations on USB so not sure about
> LSB-
>
> Ok, next time you work someone in USB ask him for a test what happens
> when using LSB and maybe CW.
> (you would have to connect a key or at least a wire using a 3.5mm jack)

This is an original FT-290 ie the one with the built in battery pack.
Everything else on the radio seems to check out OK except a discrepancy
between TX & RX frequency on SSB - nothing noticable on FM & don't use
CW. Just hoping there is a simple adjustment to net the TX/RX
frequencies (& hopefully get these to correspond to the indicated
frequency on the display)

--
GW1CJJ

From -7956454786174026731
X-Google-Thread: d7f5508063,5ac79b7711207c8b,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!11g2000prv.googlegroups.com!not-for-mail

```
From: fashionwear11 <fashionyanyan@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Christan Audigier T-Shirt cheap good quality (http://www.brandtrade10.com
     )
Date: Thu, 6 May 2010 19:19:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <e0817423-3127-4a52-a445-6eb459ccd4a8@11g2000prv.googlegroups.com>
NNTP-Posting-Host: 112.111.175.187
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273198766 11302 127.0.0.1 (7 May 2010 02:19:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 May 2010 02:19:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 11g2000prv.googlegroups.com; posting-host=112.111.175.187;
     posting-account=XfroKgoAAAC9JnbF3G1oiuv1B_Tf_OKD
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2168

T-Shirt_Clothing_http://www.brandtrade10.com
good quality A&F T-Shirt cheap good quality (http://
www.brandtrade10.com  )
AFF Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Armani T-Shirt cheap good quality (http://www.brandtrade10.com  )
Babyphat Women T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Bape Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
BBC Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Blar Label Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )
BRM Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Burberry Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Christan Audigier T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Coogi Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Crown Holder Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )
D&G Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Diesel Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Ecko Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
ED Hardy T-Shirt cheap good quality (http://www.brandtrade10.com  )


From -5243410487938524354
X-Google-Thread: d7f5508063,3316dce6078ae1c2,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h37g2000pra.googlegroups.com!not-for-
```

```
mail
From: fashion shoes <dskjfjasdlk@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: 5ive Jungle T-Shirt cheap good quality (http://www.brandtrade10.com
     )
Date: Thu, 6 May 2010 19:34:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <8074c975-1f4e-443b-aecf-00779948ec74@h37g2000pra.googlegroups.com>
NNTP-Posting-Host: 112.111.165.54
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273199692 22124 127.0.0.1 (7 May 2010 02:34:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 May 2010 02:34:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h37g2000pra.googlegroups.com; posting-host=112.111.165.54;
     posting-account=DxK0_gkAAABWv2r6DbwH4t2lMFnUPEAb
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2169

5ive Jungle T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Smful T-Shirt cheap good quality (http://www.brandtrade10.com  )
Rocawear T-Shirt cheap good quality (http://www.brandtrade10.com  )
LV T-Shirtcheap good quality (http://www.brandtrade10.com  )



GGG hoodycheap good quality (http://www.brandtrade10.com  )
GGG T-shirtcheap good quality (http://www.brandtrade10.com  )
Armani T-shirtcheap good quality (http://www.brandtrade10.com  )
Armani shirtcheap good quality (http://www.brandtrade10.com  )
armani long t-shirtcheap good quality (http://www.brandtrade10.com  )
AF sweatercheap good quality (http://www.brandtrade10.com  )



From -9214262013237731757
X-Google-Thread: d7f5508063,ccdb846ccb4e40c1,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!r21g2000prr.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade01@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Evisu Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Date: Thu, 6 May 2010 21:03:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <abb4ff91-ad53-4d91-ba19-14eeafc3d6be@r21g2000prr.googlegroups.com>
NNTP-Posting-Host: 58.22.148.48
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1273204990 15053 127.0.0.1 (7 May 2010 04:03:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 May 2010 04:03:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r21g2000prr.googlegroups.com; posting-host=58.22.148.48;
     posting-account=9WJp_QoAAAC6HsITIxmG_5hDn1LUe1av
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2170

Evisu Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Gino Green Global Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )
G-Star Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Juicy Women T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Lacoste T-Shirt cheap good quality (http://www.brandtrade10.com  )
LEVI=92S Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
LRG Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
LV Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Nike Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
POLO T-Shirt cheap good quality (http://www.brandtrade10.com  )
SMET Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Smful Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Versace Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )
GUCCI T-Shirt cheap good quality (http://www.brandtrade10.com  )
COACH Women T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Crown Holder T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Baby T-Shirt cheap good quality (http://www.brandtrade10.com  )


From 7881358721405867943
X-Google-Thread: d7f5508063,ccdb846ccb4e40c1,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!11g2000prw.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade01@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Evisu Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Date: Thu, 6 May 2010 21:03:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <792090fb-72ec-4ef6-b080-32a08ad3b990@11g2000prw.googlegroups.com>
NNTP-Posting-Host: 58.22.148.48
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1273204992 15065 127.0.0.1 (7 May 2010 04:03:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 May 2010 04:03:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 11g2000prw.googlegroups.com; posting-host=58.22.148.48;
     posting-account=9WJp_QoAAAC6HsITIxmG_5hDn1LUe1av
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2171

Evisu Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Gino Green Global Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )
G-Star Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Juicy Women T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Lacoste T-Shirt cheap good quality (http://www.brandtrade10.com  )
LEVI=92S Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
LRG Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
LV Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Nike Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
POLO T-Shirt cheap good quality (http://www.brandtrade10.com  )
SMET Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Smful Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Versace Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )
GUCCI T-Shirt cheap good quality (http://www.brandtrade10.com  )
COACH Women T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Crown Holder T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Baby T-Shirt cheap good quality (http://www.brandtrade10.com  )



From 7218110154495786119
X-Google-Thread: a4a23d5f63,94ecf8cc5021f2b,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1270620300@panix.com>
Followup-To: poster
```

Date: 7 May 2010 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jun 2010 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1273212300@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1273212302 15159 166.84.1.2 (7 May 2010 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 May 2010 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:17552 rec.radio.amateur.dx:657 rec.radio.amateur.equipment:2172 rec.radio.amateur.homebrew:3717 rec.radio.amateur.misc:5122 rec.radio.amateur.policy:29111 rec.radio.info:1503

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

 rec.radio.amateur.antenna |
 rec.radio.amateur.boatanchors |
 rec.radio.amateur.dx |
 rec.radio.amateur.equipment |
 rec.radio.amateur.homebrew |
 rec.radio.amateur.moderated |
 rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -8488619847773607958
X-Google-Thread: a4a23d5f63,557d8047eae7776,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1270620601@panix.com>
Followup-To: poster
Date: 7 May 2010 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jun 2010 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1273212600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1273212601 15050 166.84.1.2 (7 May 2010 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 May 2010 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:5123
rec.radio.amateur.equipment:2173 rec.radio.swap:2915 rec.radio.info:1504

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57

Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -5193422274776476835
X-Google-Thread: d7f5508063,af451f110c4dbee5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1.cambriumusenet.nl!feeder3.cambriumusenet.nl!feed.tweaknews.nl!194.109.133.84.MISMATCH!newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Rob <nomail@example.com>
Subject: Re: FT-290 Mk1 SSB off frequency
References: <GW1CJJ.6192205@radiobanter.com>
 <slrnht878p.tfv.nomail@xs8.xs4all.nl> <GW1CJJ.6284b3e@radiobanter.com>
 <slrnhu59qc.j9h.nomail@xs8.xs4all.nl> <GW1CJJ.628f3ff@radiobanter.com>

User-Agent: slrn/pre0.9.9-111 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrnhu7h3d.tof.nomail@xs8.xs4all.nl>
Date: 07 May 2010 07:42:37 GMT
Lines: 46
NNTP-Posting-Host: 194.109.21.8
X-Trace: 1273218157 news.xs4all.nl 22920 [::ffff:194.109.21.8]:36244
X-Complaints-To: abuse@xs4all.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:2174

GW1CJJ <GW1CJJ.628f3ff@radiobanter.com> wrote:
>
> 'Rob[_8_ Wrote:
>> ;706422']GW1CJJ GW1CJJ.6284b3e@radiobanter.com wrote:-
>>
>> 'Rob[_8_ Wrote: -
>> ;705288']GW1CJJ GW1CJJ.6192205@radiobanter.com wrote:-
>>
>> My FT=290 is slightly off frequency on TX, it is about 4Khz lower
>> than
>> the display frequency but the RX is spot on display frequency so I
>> have
>> to operate with the clarifier switched on to be able to resolve the
>> other station. Antone know how I can adjust this??
>> Cheers-
>>
>> This is a Mk1 (i.e. no mark), right? Not a MkII.
>>
>>
>>
>>
>> Is it OK on FM, but not on USB? And what about LSB and CW?
>>
>> Is the SSB modulation still OK?-
>>
>> Yes it's a MK1
>> Seems fine on FM
>> Haven't tried on CW (no-one seems to be using thant mode on 2m)
>> Similarly have only worked other stations on USB so not sure about
>> LSB-
>>
>> Ok, next time you work someone in USB ask him for a test what happens
>> when using LSB and maybe CW.
>> (you would have to connect a key or at least a wire using a 3.5mm jack)
>
> This is an original FT-290 ie the one with the built in battery pack.
> Everything else on the radio seems to check out OK except a discrepancy
> between TX & RX frequency on SSB - nothing noticable on FM & don't use
> CW. Just hoping there is a simple adjustment to net the TX/RX
> frequencies (& hopefully get these to correspond to the indicated
> frequency on the display)

There isn't. I explained how the transceiver works.

That is why I am trying to determine what is the problem with your set.
But if you don't like to experiment a bit, good luck finding the problem.

From -8016272634891563280
X-Google-Thread: d7f5508063,30e4646b194c6dd7,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n37g2000prc.googlegroups.com!not-for-mail
From: "www.brandtrade09.com" <niketrade08@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount VERSACE True leather AAA good quality
Date: Fri, 7 May 2010 00:56:31 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <132e143c-873a-4dfe-a4c4-c457b338e329@n37g2000prc.googlegroups.com>
NNTP-Posting-Host: 58.22.148.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273218992 18962 127.0.0.1 (7 May 2010 07:56:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 May 2010 07:56:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n37g2000prc.googlegroups.com; posting-host=58.22.148.248;
     posting-account=v1E7SgoAAAAILhy4IXRbjgH4z5a7hJwO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2175

Minimum order is one,factory price also! Paypal payment free
shipping,ship time will take 4-7 working days.

Discount VERSACE True leather AAA good quality
Discount VERSACE bags versace watches good quality (http://
www.brandtrade10.com)

Discount PRADA Purse good quality   (http://www.brandtrade10.com)
Discount PRADA bags good quality
Discount PRADA True leather AAA good quality

From -5991236474309405106
X-Google-Thread: d7f5508063,b326bdfd261c2060,start
X-Google-Attributes: gidd7f5508063,public,usenet

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t14g2000prm.googlegroups.com!not-for-
mail
From: "www.brandtrade09.com" <niketrade08@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Gucci bag good quality    (http://www.brandtrade10.com )
Date: Fri, 7 May 2010 00:57:27 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <0038ca9c-53bd-4170-ba2d-83d2bc0665b5@t14g2000prm.googlegroups.com>
NNTP-Posting-Host: 58.22.148.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273219048 17862 127.0.0.1 (7 May 2010 07:57:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 May 2010 07:57:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t14g2000prm.googlegroups.com; posting-host=58.22.148.248;
     posting-account=v1E7SgoAAAAILhy4IXRbjgH4z5a7hJwO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2176

Discount Gucci bag good quality    (http://www.brandtrade10.com )
Discount BURBERRY Purse good quality
Discount BURBERRY bags good quality



Discount pauesmitl bags good quality
Discount HERMES True leather AAA good quality
Discount HERMES Purse True leather AAA good quality



Discount HERMES bags good quality
Discount LV bags good quality    (http://www.brandtrade10.com )
Discount LV Purse True leather AAA good quality



From -1131273048443554567
X-Google-Thread: 82c01338ff,af38349d0170b1ca,start
X-Google-Attributes: gid82c01338ff,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: "Tempo" <nolose@comemeelmail.es>
Newsgroups:
nl.radio.scanners,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.sca
nner,uk.radio.amateur
Subject: AOR AR5000
Date: Fri, 7 May 2010 10:57:06 +0200
```

```
Lines: 2
Message-ID: <84i326Fl2cU1@mid.individual.net>
Mime-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Trace: individual.net 44HQta6isJbxEpEDK4YYnw9v1Uo+uBdmFY7xvjV+dEI18do9SC
Cancel-Lock: sha1:11rNX4UjzpYdrrTMjDq/gPZk1Z8=
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 14.0.8089.726
X-MimeOLE: Produced By Microsoft MimeOLE V14.0.8089.726
X-Antivirus: avast! (VPS 100506-1, 2010-05-06), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com nl.radio.scanners:913 rec.radio.amateur.equipment:2177
rec.radio.amateur.misc:5124 rec.radio.scanner:1447 uk.radio.amateur:98953

http://cgi.ebay.es/ws/eBayISAPI.dll?
ViewItem&item=290431780294&ssPageName=STRK:MESELX:IT




From -1031739674359899897
X-Google-Thread: 82c01338ff,fec6880ed158198a,start
X-Google-Attributes: gid82c01338ff,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: "Tempo" <nolose@comemeelmail.es>
Newsgroups:
nl.radio.scanners,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.sca
nner,uk.radio.amateur
Subject: Tetra Motorola MTP300
Date: Fri, 7 May 2010 11:00:59 +0200
Lines: 2
Message-ID: <84i3e0FnekU1@mid.individual.net>
Mime-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Trace: individual.net wDD6HcJpzTjlKtIezJnougjyODIxUDI4FW5nUrobGuZ5llsM4q
Cancel-Lock: sha1:72p8Hels9m/SeRS9IjK8PVgFG94=
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 14.0.8089.726
X-MimeOLE: Produced By Microsoft MimeOLE V14.0.8089.726
```

```
X-Antivirus: avast! (VPS 100506-1, 2010-05-06), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com nl.radio.scanners:914 rec.radio.amateur.equipment:2178
rec.radio.amateur.misc:5125 rec.radio.scanner:1448 uk.radio.amateur:98954

http://cgi.ebay.es/ws/eBayISAPI.dll?
ViewItem&item=290431768540&ssPageName=STRK:MESELX:IT



From -1451651974233523l0
X-Google-Thread: d7f5508063,f5769e45ca000e6b,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g39g2000pri.googlegroups.com!not-for-
mail
From: fashion shoes <dskjfjasdlk@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: 2010 south africa soccer world cup, world cup soccer jerseys
Date: Fri, 7 May 2010 18:36:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <a5406aed-4c93-427e-83d1-b964bd5d7c12@g39g2000pri.googlegroups.com>
NNTP-Posting-Host: 112.111.172.109
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273282566 20584 127.0.0.1 (8 May 2010 01:36:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 May 2010 01:36:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g39g2000pri.googlegroups.com; posting-host=112.111.172.109;
     posting-account=DxK0_gkAAABWv2r6DbwH4t2lMFnUPEAb
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2179

2010 south africa soccer world cup, world cup soccer jerseys
Palpal (http://www.jersey-2009.com )
 world cup soccer jerseys, world cup 2010
Palpal (http://www.jersey-2009.com )
world  cup product, world cup jerseyPalpal (http://
www.jersey-2009.com )
 world cup soccer  ball, world cup footabll (http://
www.jersey-2009.com )
world cup trophy,world  cup gift,2010 soccer balls, (http://
www.jersey-2009.com )
soccer shoes, soccer  equipment, soccer uniform, soccer fame (http://
www.jersey-2009.com )
soccer  socks, soccer shirts, 2010 football jerseys(http://
www.jersey-2009.com )
```

```
From -2646489625832426557
X-Google-Thread: 38f9f745cf,e7d3318c886a2c9b,start
X-Google-Attributes: gid38f9f745cf,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!g1g2000pro.googlegroups.com!not-for-
mail
From: fashionwear-serinne <serinne0817@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: =?windows-1252?Q?
LEVI=92S_Man_T=2DShirt_cheap_good_quality_=28http=3A=2F=2Fwww=2E?=
     =?windows-1252?Q?brandtrade10=2Ecom__=29?=
Date: Fri, 7 May 2010 19:34:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 15
Message-ID: <0a05d505-653b-4f0b-9b56-0e128baf793c@g1g2000pro.googlegroups.com>
NNTP-Posting-Host: 58.22.64.55
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1273286066 16855 127.0.0.1 (8 May 2010 02:34:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 May 2010 02:34:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g1g2000pro.googlegroups.com; posting-host=58.22.64.55;
     posting-account=YanBngoAAAASr2Pn8UVv5B9f2mDhIuLZ
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2180 rec.food.equipment:4365

LEVI=92S Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
LRG Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
LV Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Nike Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
POLO T-Shirt cheap good quality (http://www.brandtrade10.com  )
SMET Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Smful Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Versace Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )
GUCCI T-Shirt cheap good quality (http://www.brandtrade10.com  )
COACH Women T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Crown Holder T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Baby T-Shirt cheap good quality (http://www.brandtrade10.com  )


From -5527173526671306781
X-Google-Thread: d7f5508063,580e7d172ee0f298,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a39g2000prb.googlegroups.com!not-for-
mail
From: jersey-2009 <brandjeans1@163.com>
Newsgroups: rec.radio.amateur.equipment
Subject: good quality A&F T-Shirt cheap good quality (http://www.brandtrade10.com
     )
Date: Fri, 7 May 2010 19:50:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <c3bf993d-ecfa-4d91-a285-d77d24f04f2e@a39g2000prb.googlegroups.com>
NNTP-Posting-Host: 58.22.64.63
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273287033 21563 127.0.0.1 (8 May 2010 02:50:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 May 2010 02:50:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a39g2000prb.googlegroups.com; posting-host=58.22.64.63;
     posting-account=5FmytgoAAADp1BhfjhlQFKEoslacWWSy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2181

good quality A&F T-Shirt cheap good quality (http://
www.brandtrade10.com  )
AFF Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Armani T-Shirt cheap good quality (http://www.brandtrade10.com  )
Babyphat Women T-Shirt cheap good quality (http://
www.brandtrade10.com  )
Bape Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
BBC Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Blar Label Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )
BRM Man T-Shirt cheap good quality (http://www.brandtrade10.com  )
Burberry Man T-Shirt cheap good quality (http://
www.brandtrade10.com  )


From -8660258192823426575
X-Google-Thread: d7f5508063,24f5bc9a563b1af0,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!31g2000prc.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade01@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: A&G T-shirtcheap good quality (http://www.brandtrade10.com  )
Date: Sat, 8 May 2010 00:06:08 -0700 (PDT)
Organization: http://groups.google.com
Lines: 25
```

```
Message-ID: <f7194835-5787-4899-af0b-e33b6764eee0@31g2000prc.googlegroups.com>
NNTP-Posting-Host: 58.22.69.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273302368 23802 127.0.0.1 (8 May 2010 07:06:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 May 2010 07:06:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 31g2000prc.googlegroups.com; posting-host=58.22.69.18;
     posting-account=9WJp_QoAAAC6HsITIxmG_5hDn1LUe1av
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2182

A&G T-shirtcheap good quality (http://www.brandtrade10.com  )
BBC scantiescheap good quality (http://www.brandtrade10.com  )
BBC jeanscheap good quality (http://www.brandtrade10.com  )
BBC hoodycheap good quality (http://www.brandtrade10.com  )
BBC T-shirtcheap good quality (http://www.brandtrade10.com  )
LRG jeanscheap good quality (http://www.brandtrade10.com  )
LRG hoodycheap good quality (http://www.brandtrade10.com  )
LRG T-shirtcheap good quality (http://www.brandtrade10.com  )
Bape jeanscheap good quality (http://www.brandtrade10.com  )
Bape hoodycheap good quality (http://www.brandtrade10.com  )
Bape t-shirtcheap good quality (http://www.brandtrade10.com  )
Evisu long t-shitcheap good quality (http://www.brandtrade10.com  )
Evisu original jeanscheap good quality (http://
www.brandtrade10.com  )
Evisu jeans wearcheap good quality (http://www.brandtrade10.com  )
Evisu hoodycheap good quality (http://www.brandtrade10.com  )
Evisu jeanscheap good quality (http://www.brandtrade10.com  )
Evisu T-shirtcheap good quality (http://www.brandtrade10.com  )
POLO T-shirtcheap good quality (http://www.brandtrade10.com  )
Googi jeanscheap good quality (http://www.brandtrade10.com  )
Googi hoodycheap good quality (http://www.brandtrade10.com  )
Googi T-shirtcheap good quality (http://www.brandtrade10.com  )
juicycheap good quality (http://www.brandtrade10.com  )
10Deep jeanscheap good quality (http://www.brandtrade10.com  )
10 Deep hoodycheap good quality


From 1109997997339986642
X-Google-Thread: d7f5508063,f22f6177e8e6b24e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p5g2000pri.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade01@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Monogram Shimmer high quality (paypal payment)(  (
Date: Sat, 8 May 2010 00:37:01 -0700 (PDT)
```

```
Organization: http://groups.google.com
Lines: 20
Message-ID: <58e94729-e294-4899-aa2d-63737f7d013b@p5g2000pri.googlegroups.com>
NNTP-Posting-Host: 58.22.69.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273304221 24627 127.0.0.1 (8 May 2010 07:37:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 May 2010 07:37:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p5g2000pri.googlegroups.com; posting-host=58.22.69.18;
     posting-account=9WJp_QoAAAC6HsITIxmG_5hDn1LUe1av
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2183

Monogram Shimmer high quality (paypal payment)(  (

( http://www.brandtrade10.com ) )
Monogram Suede
LV Paris Souple 08 high quality (paypal payment)(

( ( http://www.brandtrade10.com ) )
LV Damier Lune 08
08 Winter New Bag high quality (paypal payment)(

( ( http://www.brandtrade10.com ) )
LV Handbags
LV Mahina Bag high quality (paypal payment)(  ( (

http://www.brandtrade10.com ) )
LV Damier Graphite
Monogram Canvas
Monogram Watercolor high quality (paypal payment)(

 ( ( http://www.brandtrade10.com ) )


From -4461439035957513107
X-Google-Thread: d7f5508063,cc439c02b2db6424,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!11g2000prw.googlegroups.com!not-for-
mail
From: "www.jersey-2009.com" <brandtrade06@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount VERSACE True leather AAA  real quality
     ((http://www.brandtrade10.com)
Date: Sat, 8 May 2010 06:30:03 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
```

```
Message-ID: <f204c5df-1634-464f-ab8e-4162cdb5ea4d@11g2000prw.googlegroups.com>
NNTP-Posting-Host: 58.22.73.100
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273325403 27982 127.0.0.1 (8 May 2010 13:30:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 May 2010 13:30:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 11g2000prw.googlegroups.com; posting-host=58.22.73.100;
     posting-account=pBntKQoAAADhFIJqgjtgjfLEIwvo9831
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2184

Discount VERSACE True leather AAA  real quality   ((http://
www.brandtrade10.com)
Discount VERSACE bags real quality   ((http://www.brandtrade10.com)
Discount Chanel Purse real quality   ((http://www.brandtrade10.com)
Discount CHANEL bags real quality   ((http://www.brandtrade10.com)
Discount CHANEL True leather AAA real quality   ((http://
www.brandtrade10.com)
Discount PRADA Purse real quality   ((http://www.brandtrade10.com)
Discount PRADA bags real quality   ((http://www.brandtrade10.com)


From -6932566752867537023
X-Google-Thread: d7f5508063,ebbf5ae341b2d554,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k25g2000prh.googlegroups.com!not-for-
mail
From: shoestrade <zhangsuqi1987@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: sunglasses:  ADIDAS Sunglass  (paypal payment http://
www.brandtrade10.com)
Date: Sun, 9 May 2010 19:11:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <50974b77-a7e6-4963-9f7f-502745bb812f@k25g2000prh.googlegroups.com>
NNTP-Posting-Host: 58.22.64.174
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273457486 6064 127.0.0.1 (10 May 2010 02:11:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 May 2010 02:11:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k25g2000prh.googlegroups.com; posting-host=58.22.64.174;
     posting-account=W35oYwkAAADyzpXT6jxQmZf-XjoUa_N9
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:2185

sunglasses:
 ADIDAS Sunglass  (paypal payment http://www.brandtrade10.com)
 ARMANI Sunglass
 Burberry Sunglass (http://www.brandtrade10.com   free
shipping)
 BVLGARL Sunglass
 Cartier Sunglass  (paypal payment http://www.brandtrade10.com)
 CHANEL Sunglass
 COACH Sunglass
 D&G Sunglass  (paypal payment http://www.brandtrade10.com)
 DIESEL Sunglass
 DIOR Sunglass
 ED Hardy Sunglass  (http://www.brandtrade10.com   free
shipping)
 FENDI Sunglass
 Ferragamo Sunglass  (paypal payment http://www.brandtrade10.com)
 GIVENCHY Sunglass
 GUCCI Sunglass (http://www.brandtrade10.com   free shipping)
 LV Sunglass
 NIKE Sunglass  (paypal payment http://www.brandtrade10.com)
 Oakley Sunglass
 POLICE Sunglass  (paypal payment http://www.brandtrade10.com)


From -4290360397949396183
X-Google-Thread: d7f5508063,e9915440661e0bb3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e34g2000pra.googlegroups.com!not-for-
mail
From: shoestrade <zhangsuqi1987@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: goggle:  D&G goggle  (paypal payment http://www.brandtrade10.com)
Date: Sun, 9 May 2010 19:14:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <97343830-2b72-483c-93b3-64b0b27f38d1@e34g2000pra.googlegroups.com>
NNTP-Posting-Host: 58.22.64.174
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273457661 31717 127.0.0.1 (10 May 2010 02:14:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 May 2010 02:14:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e34g2000pra.googlegroups.com; posting-host=58.22.64.174;
     posting-account=W35oYwkAAADyzpXT6jxQmZf-XjoUa_N9
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2186
```

```
goggle:
(paypal payment http://www.brandtrade10.com)(http://www.brandtrade10.com
free
shipping)
 Armani goggle
 Catier goggle
 Chanel goggle (http://www.brandtrade10.com   free shipping)
 D&G goggle  (paypal payment http://www.brandtrade10.com)
 DIOR goggle
 FENDI goggle
 FERRE goggle (http://www.brandtrade10.com   free shipping)
 FRED goggle
 GUCCI goggle  (paypal payment http://www.brandtrade10.com)
 LV goggle
 MONT BLANC goggle
 NIKE goggle
 Oakley goggle (http://www.brandtrade10.com   free shipping)
 POLICE goggle
 PRADA goggle  (paypal payment http://www.brandtrade10.com)
 PUMA goggle
 RAY.BAN goggle
 VERSACE goggle  (paypal payment http://www.brandtrade10.com)


From -3530005472811732453
X-Google-Thread: 38f9f745cf,261179eca210a313,start
X-Google-Attributes: gid38f9f745cf,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u20g2000pru.googlegroups.com!not-for-
mail
From: "www.sneaker-shop08.com" <yijeans12@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: (paypal payment)(http://www.brandtrade10.com/) wholesale POLO T-
Date: Sun, 9 May 2010 20:04:27 -0700 (PDT)
Organization: http://groups.google.com
Lines: 164
Message-ID: <e39daf0b-a28b-4ed0-ba28-21d0ae9930e1@u20g2000pru.googlegroups.com>
NNTP-Posting-Host: 59.58.156.232
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273460667 22813 127.0.0.1 (10 May 2010 03:04:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 May 2010 03:04:27 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u20g2000pru.googlegroups.com; posting-host=59.58.156.232;
     posting-account=-lBE8QoAAACdFcVIdY94ZdqqAyLDHNcH
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2187 rec.food.equipment:4366
```

(paypal payment)(http://www.brandtrade10.com/) wholesale Lacoste
polo t
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Lacoste t
shirt
solid color
(paypal payment)(http://www.brandtrade10.com/) wholesale Lacoste
sweater
(paypal payment)(http://www.brandtrade10.com/) wholesale Lacoste
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Lacoste
(paypal payment)(http://www.brandtrade10.com/) wholesale Ralph
lauren
(paypal payment)(http://www.brandtrade10.com/) wholesale Ralph
Lauren polo
(paypal payment)(http://www.brandtrade10.com/) wholesale Polo
(paypal payment)(http://www.brandtrade10.com/) wholesale Ralph
lauren polo t
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Ralph
lauren t
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Abercrombie
& fitch
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Burberry
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Burberry t
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale NBA sports
jersey

T-Shirts
(paypal payment)(http://www.brandtrade10.com/) wholesale AFF T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale ARMANI T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale BAPE T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale BBC T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale BOSS T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Burberry T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale CA T-shirt
men's
(paypal payment)(http://www.brandtrade10.com/) wholesale CA T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale COOGI T-
shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale CRYSTAL
ROCK

women's
(paypal payment)(http://www.brandtrade10.com/) wholesale D&G T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale DIESEL T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale DSQUARED T-shirt
men's
(paypal payment)(http://www.brandtrade10.com/) wholesale DSQUARED T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale Eck? Unltd T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale ED T-shirt
men's
(paypal payment)(http://www.brandtrade10.com/) wholesale ED T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale EVISU T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale GGG T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale G-STAR T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale HLST T-Shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Lacoste T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Lacoste T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale LRG T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale O&L T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale POLO 3 T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale 4 T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale POLO 5 T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale POLO T-shirt men's

T-Shirts
(paypal payment)(http://www.brandtrade10.com/) wholesale AFF T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale ARMANI T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale BAPE T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale BBC T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale BOSS T-

shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Burberry T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale CA T-shirt
men's
(paypal payment)(http://www.brandtrade10.com/) wholesale CA T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale COOGI T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale CRYSTAL
ROCK
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale D&G T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale DIESEL T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale DSQUARED T-shirt
men's
(paypal payment)(http://www.brandtrade10.com/) wholesale DSQUARED T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale Eck? Unltd
T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale ED T-shirt
men's
(paypal payment)(http://www.brandtrade10.com/) wholesale ED T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale EVISU T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale GGG T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale G-STAR T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale HLST T-Shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Lacoste T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale Lacoste T-shirt
women's
(paypal payment)(http://www.brandtrade10.com/) wholesale LRG T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale O&L T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale POLO 3 T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale 4 T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale POLO 5 T-shirt
(paypal payment)(http://www.brandtrade10.com/) wholesale POLO T-shirt men's

```
ARMANI,APE,BBC ,BOSS ,Burberry ,CA ,COOGI ,CRYSTAL
ROCK ,D&G ,DIESEL ,DSQUARED,DSQUAREDEck,Unltd ,ED ,EVISU ,GGG ,G-
STAR ,HLST ,Lacoste ,LRG ,O&Lm,POLO 3 ,4 ,POLO 5 ,POLO



From 4149336146407992837
X-Google-Thread: d7f5508063,afa95c99f0e7aff3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a16g2000prg.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <wenyongying84@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: paypal high quality  sports shoes (paypal payment)
Date: Sun, 9 May 2010 20:06:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 29
Message-ID: <303e0a72-fdbf-4312-bb3f-63f6e6e7134f@a16g2000prg.googlegroups.com>
NNTP-Posting-Host: 112.111.165.207
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273460818 28989 127.0.0.1 (10 May 2010 03:06:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 May 2010 03:06:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a16g2000prg.googlegroups.com; posting-host=112.111.165.207;
     posting-account=hwiJpgoAAAC_AtjcXzLnUgP2LNaAW3-z
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2188

paypal high quality  sports shoes (paypal payment)
( (http://www.brandtrade10.com )  )

paypal high quality  gucci t-shirt high quality  (paypal payment)
( (http://www.brandtrade10.com )  )
paypal high quality  Men's Sport Shoes  (paypal payment)
( (http://www.brandtrade10.com )  )
paypal high quality  Fashionable Sports Shoes (paypal payment)
(http://www.brandtrade10.com )  )
paypal high quality  Running Shoes (paypal payment)
( (http://www.brandtrade10.com )  )
Other Sports Shoes
paypal high quality   Basketball Shoes  (paypal payment)
( (http://www.brandtrade10.com )  )
paypal high quality  Ladies' Dress Shoes
paypal high quality   Children's Sports Shoes
paypal high quality  Mobile Phones (paypal payment)
( (http://www.brandtrade10.com )  )
```

paypal high quality Hiking Shoes & Boots
 paypal high quality Shoes Stock
paypal high quality   Tennis Shoes (paypal payment)
((http://www.brandtrade10.com))
 paypal high quality brand sport shoes
paypal high quality men's sport shoes (paypal payment)
((http://www.brandtrade10.com))
paypal high quality fashion sport shoes
paypal high quality basketball shoes
paypal high quality running shoes (paypal payment)
((http://www.brandtrade10.com))

```
From 5150587014704683746
X-Google-Thread: d7f5508063,7d692ee4b0a8d476,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n37g2000prc.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <wenyongying84@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: You can gucci handbags(http://www.brandtrade10.com) (paypal payment))
Date: Sun, 9 May 2010 20:07:17 -0700 (PDT)
Organization: http://groups.google.com
Lines: 40
Message-ID: <4be4b921-47eb-4863-8364-a2c3a0edd453@n37g2000prc.googlegroups.com>
NNTP-Posting-Host: 112.111.165.207
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273460837 29274 127.0.0.1 (10 May 2010 03:07:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 May 2010 03:07:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n37g2000prc.googlegroups.com; posting-host=112.111.165.207;
     posting-account=hwiJpgoAAAC_AtjcXzLnUgP2LNaAW3-z
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2189
```

You can gucci handbags(http://www.brandtrade10.com) (paypal payment))

the camouflage or buyingbrand with a scarves shawl for unflattering

warmth.
Copy your gucci handbags(http://www.brandtrade10.com) (paypal
payment))

(or successful windshield system) circumcision (url), and resolution
it

on the business links velvet alluring column.

Italian dresses differentiate the gucci handbags

(http://www.brandtrade10.com) (paypal payment)) of record in their

motorcycles and heat too, and usually they'll|md fix crafter heavier

from the sight industry or from the quarters of naked knot purses.
I liked the shoplifters that the present gucci handbags

(http://www.brandtrade10.com) (paypal payment)) zamy steynovitz used.
Fresh, gucci handbags(http://www.brandtrade10.com) (paypal payment))

heeled stewards with flowers, preconceptions and knockoffs are
together

popular.
The gucci handbags(http://www.brandtrade10.com) (paypal payment))

season brings the warranty of ebay trying and what makes rent during

this markup upcoming a plenty are the spacious great basics that
build

spiritual shoppers.
Finding one of these minutes is as purchasable as hitting a barely

internet search.

```
From -1905903695731106122
X-Google-Thread: d7f5508063,93eb3473fc66d05c,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000prc.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <thetiantang@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: Googi T-shirtcheap hotselling (http://www.brandtrade10.com  )
Date: Mon, 10 May 2010 04:40:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <ae30ab99-000c-4394-9003-9b3a72e2b5fd@s13g2000prc.googlegroups.com>
NNTP-Posting-Host: 112.111.165.166
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1273491645 2003 127.0.0.1 (10 May 2010 11:40:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 May 2010 11:40:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000prc.googlegroups.com; posting-host=112.111.165.166;
     posting-account=Wqz65QoAAADjmz_X0tg1ve0KPU516LAB
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2190
```

Googi T-shirtcheap hotselling (http://www.brandtrade10.com)
juicycheap hotselling (http://www.brandtrade10.com)
10Deep jeanscheap hotselling (http://www.brandtrade10.com)
10 Deep hoodycheap hotselling (http://www.brandtrade10.com)
10Deep T-shirtcheap hotselling (http://www.brandtrade10.com)
Lacoste T-shirtcheap hotselling (http://www.brandtrade10.com)
Lacoste sweatercheap hotselling (http://www.brandtrade10.com)
Burberry jacketcheap hotselling (http://www.brandtrade10.com)
Buberry T-shirtcheap hotselling (http://www.brandtrade10.com)
Buberry shirtcheap hotselling (http://www.brandtrade10.com)
ED hardy hoodycheap hotselling (http://www.brandtrade10.com)
ED hardy jeanscheap hotselling (http://www.brandtrade10.com)

```
From -5852261340062410369
X-Google-Thread: 82c01338ff,af38349d0170b1ca
X-Google-Attributes: gid82c01338ff,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
dedekind.zen.co.uk!zen.net.uk!hamilton.zen.co.uk!prichard.zen.co.uk.POSTED!not-
for-mail
From: "Robin" <me@here.com>
Newsgroups:
nl.radio.scanners,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.sca
nner,uk.radio.amateur
References: <84i326Fl2cU1@mid.individual.net>
In-Reply-To: <84i326Fl2cU1@mid.individual.net>
Subject: Re: AOR AR5000
Date: Tue, 11 May 2010 23:28:15 +0100
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 14.0.8089.726
X-MimeOLE: Produced By Microsoft MimeOLE V14.0.8089.726
Lines: 7
Message-ID: <4be9da16$0$28011$db0fefd9@news.zen.co.uk>
Organization: Zen Internet
NNTP-Posting-Host: 8dee1def.news.zen.co.uk
X-Trace: DXC=LU;ZDEd@j][UnUG==]Oi4V0g@SS;SF6nWogMo?
V<QJi]f_LM=oGYbfX7EP;Qlh0e8RhlY@8>B8_d]GUK\SEnB<7Q
X-Complaints-To: abuse@zen.co.uk
```

```
Xref: g2news2.google.com nl.radio.scanners:931 rec.radio.amateur.equipment:2191
rec.radio.amateur.misc:5140 rec.radio.scanner:1451 uk.radio.amateur:99573



"Tempo" <nolose@comemeelmail.es> wrote in message
news:84i326Fl2cU1@mid.individual.net...
> http://cgi.ebay.es/ws/eBayISAPI.dll?
ViewItem&item=290431780294&ssPageName=STRK:MESELX:IT
Spanish spammer!




From -4606296153483567966
X-Google-Thread: 82c01338ff,af38349d0170b1ca
X-Google-Attributes: gid82c01338ff,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: GERMAN,ASCII
Path: g2news2.google.com!news2.google.com!volia.net!news2.volia.net!feed-
A.news.volia.net!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: =?ISO-8859-15?Q?Andr=E9,_PE1PQX?= <Andre_geenviagra@pe1pqx.eu>
Newsgroups:
nl.radio.scanners,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.sca
nner,uk.radio.amateur
Subject: Re: AOR AR5000
Date: Wed, 12 May 2010 01:16:39 +0200
Lines: 7
Message-ID: <84u6qnFjkbU1@mid.individual.net>
References: <84i326Fl2cU1@mid.individual.net>
<4be9da16$0$28011$db0fefd9@news.zen.co.uk>
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"; format=flowed
Content-Transfer-Encoding: 8bit
X-Trace: individual.net 981hYxx26L2M5AtebZeGoAY9SS7K0y3VAcEB3dM5+6SBLdP+Wj
Cancel-Lock: sha1:VvlhOWDIlxfCbuEm0Yz1olKd+ck=
X-Newsreader: MesNews/1.08.03.00-nl
Xref: g2news2.google.com nl.radio.scanners:932 rec.radio.amateur.equipment:2192
rec.radio.amateur.misc:5142 rec.radio.scanner:1452 uk.radio.amateur:99575

Het is z� dat Robin formuleerde :

> Spanish spammer!

en dat moet jij weer lekker herhalen...





From -1088034059539395746
X-Google-Thread: 108122,ceef7bcc1ca6ec7e
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
```

```
Path: g2news2.google.com!postnews.google.com!k4g2000prh.googlegroups.com!not-for-
mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile Dual Amateur/CB Radios, do they exist?
Date: Sat, 20 Mar 2010 13:54:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 89
Message-ID: <0d96e961-cea7-4f14-85d9-e6461f46c22e@k4g2000prh.googlegroups.com>
References: <924c72d3-12a3-40f4-9fa8-dd46fbee1011@a37g2000prd.googlegroups.com>
     <slrnhqa6dp.jd0.gsm@cable.mendelson.com>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1269118475 6758 127.0.0.1 (20 Mar 2010 20:54:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Mar 2010 20:54:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k4g2000prh.googlegroups.com; posting-host=203.94.56.252;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-Via: 1.1 www.longlandclan.yi.org (squid/3.0.STABLE19)
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux mips64; en-US; rv:1.9.0.11)
     Gecko/2009061212 Iceweasel/3.0.9 (Debian-3.0.9-1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2041
```

On Mar 21, 4:54=A0am, "Geoffrey S. Mendelson" <g...@cable.mendelson.com>
wrote:
> Stuart Longland VK4MSL wrote:
> > However, being handhelds, makes them awkward for mobile use -- a
> > mobile rig would be better, one which combined HF as well would be
> > ideal.
>
> You need to contact the local licensing authorities and see what is legal=
.
> For example, in the US, what you ask would simply not be illegal, either =
for
> 27mHz CB or 464mHz (family radio, what you call UHF CB).
>
> In other parts of the world things are more relaxed, many people use ham
> rigs on CB with no problems.

Well... I look at it this way, the CBRS class license dictates certain
rules of engagement. Dedicated CB sets are of course programmed and
hard-wired to ensure most of these are met (there are some rules that
hardware can't stop from being broken; playing music or abusing people
on air for example). So long as a ham set is set up to operate the
same way... I don't see a problem.

Rules as I understand them in Australia:
- HF CB: 6W AM or 12W SSB PEP transmit power around 27MHz. There's a
strict channel spacing to observe -- some of these channels are

reserved for emergency use and other purposes.
- UHF CB: 5W FM between 476.5MHz and 477.5MHz. Again, strict channel
spacing (25kHz). Channels 1-8 channels are reserved for repeater
outputs, but may be used for simplex if no repeater is operating on
those channels. Channel 11 is the calling channel (basically, make
contact then QSY). Channels 31-38 are reserved for repeater inputs,
but may be used for simplex if no repeater is operating there.
Channel 5 and 35 are reserved for emergency use. Channels 22 and 23
are for data communications only -- no voice. Maximum continuous
transmit time: 3 minutes.

It was very easy to get the KG-UVD1Ps to comply with the UHF CB
requirements... Just set the step to 25kHz, work your way through all
40 channels, then for the repeaters -- set it to a +750kHz offset.
The units only do 4W on UHF, and the timeout timer is adjustable -- so
I set it for 150 seconds, which works nicely with the majority of
amateur repeaters too.

Sadly, the things don't have enough memory channels for VHF marine as
well, because the transmitter in them is capable of that too.

> > Queries:
> > (1) Does anyone know of rigs that can do this out-of-the-box (like the
> > Wouxun handhelds)?
>
> There are lots of them that will do the VHF up to 440 mHz (the top if the
> 70cm band in the US). I have no idea if they will go any higher, but isn'=
t
> the UHF CB band 446mHz there? It is here. (I think you said something, bu=
t I
> trimmed that part of the post before I got here).

Yeah, my old Kenwood used to stop short at 470MHz... that's the
highest I've heard of. Likewise with my FT-897D (which is due for
replacement due to storm damage). So I strongly suspect we'll have to
settle for two radios... one dedicated for UHF CB, and the other to do
everything else.

> Note that ham radios do not transmit AM, they transmit double sideband re=
duce
> carrier, i.e. both on USB and LSB at the same time when in AM mode. This =
usually
> works ok on AM receivers, but it may not work on some cheap CB's. It pays=
 to
> ask anyone who is doing it if they have a problem.

That is interesting, I would have thought they'd be straight DSB-FC
(regular "AM"). The carrier is adjustable on the FT-897D (and most
likely the '8[15]7 too) so I could bump that up if needed... but this
is one factor I hadn't considered.

> Legally may be another issue. Having a transmitter that transmits outside
> of the ham bands is illegal in some parts of the world, I have no idea of

> what happens in OZ.
>
> Also is it legal for your father to be driving around with a ham radio in
> the car, and possible using it (although not on ham frequencies)?

Yep, he's looking at getting an amateur license though at some
point... and if I'm there, we'll be using it as an amateur set. I
suspect if one were to draw attention to themselves, the authorities
will come knocking -- don't give them a reason to show up, and
everything should be okay.

```
From -7765889070639222004
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!w39g2000prd.googlegroups.com!not-for-
mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sat, 20 Mar 2010 14:28:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 58
Message-ID: <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
     <200320100945262982%aeiou@mostly.invalid>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1269120501 1238 127.0.0.1 (20 Mar 2010 21:28:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Mar 2010 21:28:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w39g2000prd.googlegroups.com; posting-host=203.94.56.252;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-Via: 1.1 www.longlandclan.yi.org (squid/3.0.STABLE19)
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux mips64; en-US; rv:1.9.0.11)
     Gecko/2009061212 Iceweasel/3.0.9 (Debian-3.0.9-1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1828
```

On Mar 21, 3:45=A0am, Mark Conrad <ae...@mostly.invalid> wrote:
> Thanks for your comprehensive post on "all band" radios.
>
> Sorry about the lightning frying your expensive rig; =A0here I have
> the same problems with lightning, came to the same conclusion
> as you did, namely completely unplug =A0 _ALL_ =A0 leads to my rig.

He he... yeah... I've gone one step further -- using solar and batteries to power my radios now. So that's one less bit of wire that lightning can come in on. The experience has taught me the diligence to unplug the rest.

> Presently I do not have enough smarts to make an intelligent
> choice between the Yaesu 897D =A0as compared to the more
> expensive Elecraft K3, when it comes to the fine points
> of both those rigs.
>
> With the Elecraft, I lose the mobile capability, however
> Elecraft advocates are very impressed with that fine rig.
>
> Decisions, decisions... =A0 =A0<g>

Indeed. I haven't looked at any of the Elecraft radios, my decision was between the Icom IC-706MkII G, the Yaesu FT-857D and Yaesu FT-897D. I wound up going for the latter because above all, I wanted a radio that I could take with me portable, or stick in the rear basket/luggage rack on my bike for bicycle mobile operation.

I rejected the Icom in the end on two grounds:
(1) Having used one during last year's JOTA... I found it difficult to access what I considered, very rudimentary controls. I found its menus awkward to use. I dare say it'd be better if I had the time to read the manual more carefully, but that was my experience.
(2) Its small size meant it could not efficiently dissipate heat. This meant the radio was prone to overheating problems. (I suspect the FT857 would suffer this too.)

The '897 had two nice features: I could embed two batteries inside with a combined 9Ah capacity, and there were two auto-tuners on the market that could bolt onto the side. So I'd be able to pick up one unit, and have almost a complete radio station -- just add antenna and microphone. For the antenna, a squid pole works nicely, can be set up almost anywhere and is lightweight. A dipole is also pretty easy to carry and set up. So for a portable rig, the '897 was ideal.

My only gripe is that Yaesu for some reason decided that it would use NiMH cells in its battery packs... Li-ion would have been lighter and higher density. Heaven forbid, gel-cell batteries would do better than NiMH! But that's the choice they went with, and we all have to live with it.

I think the real questions are:
(1) How often are you going to use it portable/mobile? (For me, I'd was using my '897D portable at least once a week... and when my handheld died -- I was using it mobile daily -- even on public transport.)
(2) What bands are you likely to use? The K3 offers up to 6m with a 2m option, the '897D offers up to 70cm as standard. (I use 2m a _lot_)

From -1744985557170177553

X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Mar 2010 19:22:54 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sat, 20 Mar 2010 16:23:06 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <200320101623065370%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-
d6ad22027915@w39g2000prd.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 54
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.179.77
X-Trace: sv3-KcKbtKSSN+aj+vWmMQ4w0RFSYdoO4B/
eYU7ZWxNbQdonfX5buZdg7lSEFvLg0BYeJZyOUiCVlW5ipLU!
p8S6JMzWQgQxgjh0WhKQmbXOMN8sTCvIluSB48DGizlJEJNPQ2KzEL8nvQ+5DrsEd1P6kN4NmiYx!
Ff+tct4fQo79P7BjsKuwrdpX+1qcDtc=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2043

In article
<18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>,
Stuart Longland VK4MSL <me@vk4msl.yi.org> wrote:

> I think the real questions are:
> (1) How often are you going to use it portable/mobile? (For me, I'd
> was using my '897D portable at least once a week... and when my
> handheld died -- I was using it mobile daily -- even on public
> transport.)
> (2) What bands are you likely to use? The K3 offers up to 6m with a
> 2m option, the '897D offers up to 70cm as standard. (I use 2m a _lot_)

I agree that we have to try to anticipate our needs.

The all-in-one rigs offer   *so*   many great features that it is
downright befuddling trying to take advantage of all the features,
in one lifetime.

In the end, emotions and expectations affect a lot of us when it comes to these purchases, rather than hard facts.

However, I *will* say that rig performance in a crowded band can reveal a lot about the quality of one rig versus another.

That is why I have an emotional attachment to QRP rigs, particularly CW QRP rigs, using exotic methods to fish out very weak signals in a crowded environment. Fun, fun, fun.

I expect it is a lot more difficult to fish out a weak SSB signal. <g>

Wonder if any hams are experimenting with liquid nitrogen cooled RF front ends to their rigs, to reduce thermal noise.

Getting back to reality for a moment, I have almost decided to base my personal choice on whatever rig has the best receiver for weak CW signals, in a crowded band.

If all rigs are essentially equal in this respect, then I get to consider _other_ aspects of their performance.

If one rig stands out head and shoulders above others for CW work, then I would be strongly tempted to favor that rig.

(assuming of course diversity antennas to minimize fading)

Playing with CW is just a personal choice, in my case.

Mark

```
From -3071728852290573559
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!news0.firedrake.org!not-
for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sat, 20 Mar 2010 21:59:29 -0500
Organization: Firedrake Synthesis
Lines: 15
Message-ID: <hleg77-nuj.ln1@mikea.ath.cx>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
```

<200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-
d6ad22027915@w39g2000prd.googlegroups.com>
<200320101623065370%aeiou@mostly.invalid>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: parhelion.firedrake.org 1269140450 5410 70.164.65.62 (21 Mar 2010
03:00:50 GMT)
X-Complaints-To: usenet@parhelion.firedrake.org
NNTP-Posting-Date: Sun, 21 Mar 2010 03:00:50 +0000 (UTC)
X-Not-Approved: idees@videotron.qc.ca-is-a-troll
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news1.google.com rec.radio.amateur.equipment:1830

Mark Conrad <aeiou@mostly.invalid> wrote in
<200320101623065370%aeiou@mostly.invalid>:

> Wonder if any hams are experimenting with liquid nitrogen cooled
> RF front ends to their rigs, to reduce thermal noise.

With the high background noise floor already present on Earth, would he few tenths of a dB or so of thermal noise reduction from cryocooling make any perceptible or significant difference? Above HFis a different story, I think, but the noise floor on HF -- at least around here -- is really rottenly high.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin

From 3166183001762742027
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 21 Mar 2010 00:44:03 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sat, 20 Mar 2010 21:44:15 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <200320102144157395%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-
d6ad22027915@w39g2000prd.googlegroups.com>
<200320101623065370%aeiou@mostly.invalid> <hleg77-nuj.ln1@mikea.ath.cx>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)

Lines: 29
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.191.127
X-Trace: sv3-eqQmHYw2tgrFngZ4AvfohlRSLgMxDPhx2upeAHoCUGQ5IkUJtQqD6rxdxQPrNoXaWYho6aGaVIyFnRQ!2o1Bbc0YQvO8i32TiyNSpJPyYOR+WhIU+92xi1EDJjbnDZbDW5bLsgqtmP37wLtzc2GAkyb9BWbM!6VA0xChyzlvVtOeFyeJvAwgthz0ny2ru
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2045

In article <hleg77-nuj.ln1@mikea.ath.cx>, mikea <mikea@mikea.ath.cx> wrote:

> With the high background noise floor already present on Earth, would he
> few tenths of a dB or so of thermal noise reduction from cryocooling
> make any perceptible or significant difference? Above HFis a different
> story, I think, but the noise floor on HF -- at least around here -- is
> really rottenly high.

Yeah, guess you are correct, not to even mention the RF
coming in from the cosmos, let alone man-made RF.

Okay, time to break out my next hare-brained idea,
short million-watt pulses, bounced off all the space junk
we have floating around.

Lemme see, one-watt input, pulse length a billionth of
a second, one thousand pulses per second.

Hmm, where is the FCCs phone number, now all we have to
decide on is what frequency to use.   Very low infrared band not
being used for anything right now, I could mount an infrared
window in my roof, and let a Yaesu modulated laser handle the rest.

Now ya see what happens when an old ham is away from his ARRL
handbook for 55 years.

Mark

From 5431276156713319680
X-Google-Thread: d7f5508063,f51968e16111413f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!newshosting.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail

From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sun, 21 Mar 2010 05:54:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 50
Message-ID: <slrnhqbcqo.48j.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
 <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
 <200320100945262982%aeiou@mostly.invalid>
 <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-123-248.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269150843 5123 89.138.123.248 (21 Mar 2010 05:54:03 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sun, 21 Mar 2010 05:54:03 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2046

Stuart Longland VK4MSL wrote:

> My only gripe is that Yaesu for some reason decided that it would use
> NiMH cells in its battery packs... Li-ion would have been lighter and
> higher density. Heaven forbid, gel-cell batteries would do better
> than NiMH! But that's the choice they went with, and we all have to
> live with it.

It's because lithium cells are a disaster waiting to happen. If you charge them improperly they will catch fire. If you discharge them to "empty" they are permanently dead.

They also die after around 300 charge cycles. ANY power put in is a charge cycle, so laptops made in the last couple of years will no longer "float" a lithium battery. They let it discharge to at least 95% left before recharging it.

The latest NiMH batteries will go through 1000 cycles. Compared to litium batteries they are bulletproof. They are also a lot cheaper.

The main reason they are so common is that people don't understand their problems and like them because they are so light in comparison to NiMH cells. The lightness disapears when you find out a 450mAH battery will be trash if you use it anywhere near that amount.

BTW, they are dangerous corosive trash, much worse than NiMH cells.

Companies like them because they can claim the device has a long battery life, low weight and in 6 months to a year be back buying a new battery. Since the battery is proprietary at best and permanently installed at worst it's a win win for them either way.

The bigest problem I have with NiMH batteries is that they no longer sell large size batteries to the general public. Yes you can get real C or D cells from battery specialists (which are rare here), but generally all you can get is AA batteries or C or D cells which are just sleeved AA cells (with the corresponding capacity).

I would not mind if I could get the sleeves, but no one carries them here. :-(

After all, in my 290RII which takes a lot of C cells, sleeved AA batteries with 2700mAh capacity would far out last the NiCad ones I had in it.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or understanding, as in he has a sub-wikipedia understanding of the situation. i.e possessing less facts or information than can be found in the Wikipedia.

From 3869877621748478471
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Sun, 21 Mar 2010 05:16:34 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205 SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
References: <180320100842264914%aeiou@mostly.invalid> <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com> <200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com> <200320101623065370%aeiou@mostly.invalid>
In-Reply-To: <200320101623065370%aeiou@mostly.invalid>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1833

Mark Conrad wrote:

>
> If one rig stands out head and shoulders above others for CW work,
> then I would be strongly tempted to favor that rig.

>
> (assuming of course diversity antennas to minimize fading)
>
> Playing with CW is just a personal choice, in my case.
>
> Mark

That would be the K3.

http://www.sherweng.com/table.html

From 2802929460148194755
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx02.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!
transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sun, 21 Mar 2010 12:34:05 +0000 (UTC)
Organization: MGT Consulting
Lines: 33
Message-ID: <slrnhqc4e0.ds8.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid>
<18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>
<200320101623065370%aeiou@mostly.invalid>
<4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-123-248.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269174845 21564 89.138.123.248 (21 Mar 2010 12:34:05 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sun, 21 Mar 2010 12:34:05 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:1834

> Mark Conrad wrote:
>
>>
>> If one rig stands out head and shoulders above others for CW work,
>> then I would be strongly tempted to favor that rig.

dave wrote:
>

> That would be the K3.
>
> http://www.sherweng.com/table.html

Maybe forehead above, but certainly not head and shoulders. One receiver test does not make a radio and many people prefer the Ten-Tec to the K3.

It's a matter of taste, ergonomics and what you want to do with the radio.
If you like full QSK, the older Ten-Tec and Drake rigs with their almost noiseless receviers, exact PTO tuning, and "good sound" are more comfortable in a relatively empty band.

Being able to extract that one weak signal in a pile-up is a different matter, but many people don't care to. I would not want to spend an entire afternoon listening to a 250Hz filter, no matter what it was made of (crystal, mechaincal, digital, etc). Someone else might.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From 854235208886419415
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 21 Mar 2010 11:12:47 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sun, 21 Mar 2010 08:13:00 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <210320100813003316%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid> <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com> <200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com> <200320101623065370%aeiou@mostly.invalid> <4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 41
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.188.215

```
X-Trace: sv3-
PBmKgeA6dZKZ6VNqg1yw1NQGWHakMh4MR0UbCDp6HXTro08mMNHIWsBrWNPUPAaF0sCMz9JGn+n0g8d!
WUYd7yYY6c7ZzI6RMj1RFDUvfdrcufYIKONN9ff9MBgw32gGTJd6TiMUmghoi1JcE70tBvqGIfAS!
d21vm6XbnKuOAWtIYGCqTgKm6H5DUcA8
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2049
```

In article <4ba60e00$0$27755$bd467cd0@news.dslextreme.com>, dave
<dave@dave.dave> wrote:

> > If one rig stands out head and shoulders above others for CW work,
> > then I would be strongly tempted to favor that rig.
> >
> > (assuming of course diversity antennas to minimize fading)
> >
> > Playing with CW is just a personal choice, in my case.
> >
> > Mark
>
> That would be the K3.
>
> http://www.sherweng.com/table.html

I must admit, I was overwhelmed by the technical
terms in that website.

Are there any books that explain the practical
significance of those terms as applied to rating
one rig higher than another rig for a particular
purpose or use?

I somehow doubt if the ARRL handbook will go into
enough detail about those terms.

I realize that all-in-one rigs are a compromise,
some manufacturers favor one use over another.

Imagine the extreme difficulty of building a rig from
scratch, trying to build one that has all the features of
a commercial rig.

What surprises me is that all the commercial names that
I recognize from 55 years ago are still in business. <g>

Mark

From -8994913909182682850
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 21 Mar 2010 11:12:52 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sun, 21 Mar 2010 08:13:05 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <210320100813053648%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>
<200320101623065370%aeiou@mostly.invalid>
<4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
<slrnhqc4e0.ds8.gsm@cable.mendelson.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 58
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.188.215
X-Trace: sv3-xDL2q0GUv1/Bsip/
zCkjfHjcPIWSXuj0c0DNkgX2tG1qgk3+5RoXj6cavZqpXkHGQnrGevDngh6K+5m!
wXfd7zRvwtDZ8eSXCUrBJwdhc0xTFznqngofbiRPuNxv7HM+Wd51JSYjsJpikPOHqRpTH232nNea!SF/
4WMxvU0Tn6yz5CDqYFR0cobJ83rEx
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2050

In article <slrnhqc4e0.ds8.gsm@cable.mendelson.com>, Geoffrey S.
Mendelson <gsm@cable.mendelson.com> wrote:

Mark Conrad mused...
> > If one rig stands out head and shoulders above others for CW work,
> > then I would be strongly tempted to favor that rig.
>
> If you like full QSK, the older Ten-Tec

Good Grief, do they still sell the Ten-Tec, I used to own one
in the old days, a nice little full break-in rig.

> Being able to extract that one weak signal in a pile-up is a
> different matter, but many people don't care to. I would

> not want to spend an entire afternoon listening to a 250Hz filter, no matter what it was made of (crystal, mechaincal, digital, etc). Someone else might.

What! - watch it, that would be heaven for me ;-)

Of course I would demand a few modern touches, such as automatically generating morse code by first speaking into a microphone and converting my voice to text, (very easy to do, BTW, using modern speech recognition software, like "MacSpeech" for the Mac, or "Dragon NaturallySpeaking" on a Windows computer) - then feeding that text into a device that would change the text into morse code and store it temporarily in a computer buffer - - - to be dumped into the xmtr at a touch of a button for morse-code transmission to the distant station.

I fantasize about finding a device that will change morse code into text, because modern computers can easily change text to an artificial voice, which nowadays sounds exactly like a real person.

Perhaps the very high speed "burst" guys (RTTY?) know of such a device.

As regards listening to the high-pitched hiss of a narrow CW filter, seems to me in the old days that I kinda got around that by first using a somewhat wider filter, like 500Hz, then shutting off my receivers BFO entirely. (is shutting off the BFO still possible on modern CW rigs?)

Then I would fire up a small independent BFO I kept on the table next to my rig, to generate the necessary audio signal for my ears.

The independent BFO was extremely weak by design, so that any strong CW signal next to the weak one was reduced to the same weak audio.

Mark

From -6232060703604235247
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail

From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sun, 21 Mar 2010 16:39:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 94
Message-ID: <slrnhqciku.k1r.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
 <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
 <200320100945262982%aeiou@mostly.invalid>
 <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>
 <200320101623065370%aeiou@mostly.invalid>
 <4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
 <slrnhqc4e0.ds8.gsm@cable.mendelson.com>
 <210320100813053648%aeiou@mostly.invalid>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-123-248.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269189544 25565 89.138.123.248 (21 Mar 2010 16:39:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sun, 21 Mar 2010 16:39:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2051

Mark Conrad wrote:

> Good Grief, do they still sell the Ten-Tec, I used to own one
> in the old days, a nice little full break-in rig.

Ten-Tec is alive and well, still selling ham rigs. Their current top of the line the Orion II is as good as or better than the K3, depending upon whom you ask. I've never used either, so I am not one to ask. :-)

Their older rigs still work, Ten-Tec still fixes them when they can, and just recently stopped selling the manuals and now has them online for free download.

There may be some changes coming, the head of the ham radio division just left. He bought Vibroplex, is moving the company to where he lives and will run it. There were some joint Ten-Tec Vibroplex projects in the past if I remember correctly, maybe there will be more.

>
>
>> Being able to extract that one weak signal in a pile-up is a
>> different matter, but many people don't care to. I would
>> not want to spend an entire afternoon listening to a
>> 250Hz filter, no matter what it was made of (crystal,
>> mechaincal, digital, etc). Someone else might.
>
> What! - watch it, that would be heaven for me ;-)
>

How long has it been since you've been on the air? It may not be as wonderful as your memories. If it is, good there are plenty of rigs with filters like that out there for you to buy. There are also DSP audio filters to add on as you please.

> Of course I would demand a few modern touches, such as
> automatically generating morse code by first speaking
> into a microphone and converting my voice to text,
> (very easy to do, BTW, using modern
>   speech recognition software, like "MacSpeech"
>   for the Mac, or "Dragon NaturallySpeaking"
>   on a Windows computer)
> - then feeding that text into a device that would change
> the text into morse code and store it temporarily in
> a computer buffer - - - to be dumped into the xmtr
> at a touch of a button for morse-code transmission
> to the distant station.
>

Sure but why? Why not just use SSB.

> I fantasize about finding a device that will change
> morse code into text, because modern computers
> can easily change text to an artificial voice,
> which nowadays sounds exactly like a real person.

My AEA Morse Machine 3 did that, I expect there are programs around to do that. Come to think of it so did my PK-232. My guess is that there are a lot of people out there using such devices (keyboards to morse and morse to ascii) than you would think. It's easy to tell the spacing and timing is too perfect.

> As regards listening to the high-pitched hiss of a
> narrow CW filter, seems to me in the old days that I
> kinda got around that by first using a somewhat wider
> filter, like 500Hz, then shutting off my receivers
> BFO entirely. (is shutting off the BFO still possible
> on modern CW rigs?)

What is a BFO? Seriously, the high end rigs don't use them. They detect CW using the product detector (SSB) or some similar method.

If that's what you want there are still a lot of older rigs out there, lovingly maintained and updated.

There are yahoo lists for Yaseu (fox-tango) and other lists for ten-tec and drake. You should be able to find someone with the exact rig you want if that's what turns you on.

BTW, there is no law that limits the amount of radios you own, and since

you are in the US, you don't have to register them when you buy them and
notify the authorities that you sold them. You don't even need a license to
buy them so you can scrounge around, buy an older rig (or a new one if you
want) and start out by listening.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From 6028846304684389951
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
nx02.iad01.newshosting.com!209.197.12.242.MISMATCH!nx01.iad01.newshosting.com!
newshosting.com!novia!newsfeed.yul.equant.net!nntp1.roc.gblx.net!nntp.gblx.net!
nntp.gblx.net!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 22 Mar 2010 00:39:33 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 13
Sender: et472@72.0.192.107
Message-ID: <Pine.LNX.4.64.1003220038210.7305@darkstar.example.net>
References: <180320100842264914%aeiou@mostly.invalid>
 <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
 <200320100945262982%aeiou@mostly.invalid>
 <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>
 <200320101623065370%aeiou@mostly.invalid> <hleg77-nuj.ln1@mikea.ath.cx>
 <200320102144157395%aeiou@mostly.invalid>
NNTP-Posting-Host: 72.0.192.107
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1269232774 3735 72.0.192.107 (22 Mar 2010 04:39:34 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 22 Mar 2010 04:39:34 GMT
In-Reply-To: <200320102144157395%aeiou@mostly.invalid>
Xref: g2news2.google.com rec.radio.amateur.equipment:2052

On Sat, 20 Mar 2010, Mark Conrad wrote:

> Now ya see what happens when an old ham is away from his ARRL
> handbook for 55 years.
>

If you know about Ten-Tec, and coherent CW, then it hasn't been 55 years.

Ten-Tec started in '68 or '69.

Coherent CW didn't arrive till the early seventies.

Michael VE2BVW

From -281227459969419753
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Mar 2010 03:15:54 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 22 Mar 2010 00:16:09 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <220320100016096990%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-
d6ad22027915@w39g2000prd.googlegroups.com>
<200320101623065370%aeiou@mostly.invalid>
<4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
<slrnhqc4e0.ds8.gsm@cable.mendelson.com> <210320100813053648%aeiou@mostly.invalid>
<slrnhqciku.k1r.gsm@cable.mendelson.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 170
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.184.110
X-Trace: sv3-9Ui7TjKE2cYW9/i4LfmjpKl8ZC5q58SCLXF6o8MAOQ7UZfD6/
JLpOnavBsMtYHDqsoTYfVfEtadZ1Nh!
Z48umRYPdnsmsBUj4dIWchb7tEgWa0ouuMuaq1qq6ryRih9JE6eNUHq+9WJkgt3WHyrQtLXm/7Cy!
MzrJor8ZVuqxC8Rphp2hrXh1NMCpTfgQ
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2053

In article <slrnhqciku.k1r.gsm@cable.mendelson.com>, Geoffrey S.
Mendelson <gsm@cable.mendelson.com> wrote:

> Mark Conrad wrote:
> > Good Grief, do they still sell the Ten-Tec, I used to own one

> > in the old days, a nice little full break-in rig.
>
> Ten-Tec is alive and well, still selling ham rigs. Their current
> top of the line the Orion II is as good as or better than the K3,
> depending upon whom you ask. I've never used either,
> so I am not one to ask. :-)

Okay, then that is yet another rig for me to check out.

> How long has it been since you've been on the air? It may not
> be as wonderful as your memories.

I am guessing at 55 years, and as you state memory is a very
fickle thing, often wrong.   I had two licenses, both extra class
over a period of years, after I let one of those licenses lapse.

I am not certain of the call sign, I think it was W6IXC, but the
other I am   _certain_   was W6TAM because one of my friends
suggested that meant "Terrified Ancient Mariner" after my
sailboat exploits offshore the California coast in various small
sailboats ranging in size between an 8 foot "sabot" to a 27 foot
"Ericson" sailboat.

> > Of course I would demand a few modern touches, such as
> > automatically generating morse code by first speaking
> > into a microphone and converting my voice to text,
> > (very easy to do, BTW, using modern
> >   speech recognition software, like "MacSpeech"
> >   for the Mac, or "Dragon NaturallySpeaking"
> >   on a Windows computer)
> > - then feeding that text into a device that would change
> > the text into morse code and store it temporarily in
> > a computer buffer - - - to be dumped into the xmtr
> > at a touch of a button for morse-code transmission
> > to the distant station.
> >
>
> Sure but why? Why not just use SSB.

No rational reason, there is no accounting for why some
people prefer to do things the hard way.   ;-)

> > I fantasize about finding a device that will change
> > morse code into text, because modern computers
> > can easily change text to an artificial voice,
> > which nowadays sounds exactly like a real person.
>

> My guess is that there are a lot of people out there using
> such devices (keyboards to morse and morse to ascii)
> than you would think.
> It's easy to tell, the spacing and timing is too perfect.

Hmm, I suspect I did not get across my exact meaning,
my fault, sorry about that.

I   _meant_   a device that will change the   _incoming_
morse code dots and dashes to an artificial voice.

In other words, change this code at 60 wpm:

_ _ . . .   . . . _ _   _ _ _   _ _

...into this artificial voice from an audio speaker:

"Best Wishes, Old Man"

...such that a ham newbie who did not even know the
morse code would be able to listen to a CW signal
rattling along at 60 wpm and have that signal
converted to speech that he could understand.

In theory it is possible, given a loud clean
CW signal.

I would hate to be the guy to design such a device,
it would not be a trivial project.

> What is a BFO? Seriously, the high end rigs don't use
> them. They detect CW using the product detector (SSB)
> or some similar method.

Well that shows how behind the times I am. Heck, I still
think in terms of vacuum tubes (Fleming valves?)

The below website considers the ancient BFO technology,
explains it in words even a senile old ham like me
can understand:

http://www.tpub.com/neets/book12/51.htm

Consider using a very weak RF Beat Frequency Oscillator
(BFO) to discriminate between four very close CW

signals, such as:

7,250,500 Hz (desired signal)
7,250,520 Hz (interfering signal #1)
7,249,500 Hz (interfering signal #2)
7,249,520 Hz (interfering signal #3)

A very weak, very stable, tunable BFO can create a local RF signal at a frequency of say 7,250,000 Hz

Two resulting audio "beat freqecies" result, assuming a ham can "turn off" the regular BFO or "product detector" that usually creates the audio coming out of the speaker:

1) 500 Hz
2) 520 Hz

Heh, I am in deep doo-doo, so I shift my local RF BFO to a slightly different frequency of 7,251,000 Hz

Four resulting audio "beat frequencies" result:

1) 500 Hz (desired signal)
2) 480 Hz (interfering signal #1)
3) 1500 Hz (interfering signal #2)
4) 1480 Hz (interfering signal #3)

An audio filter should be able to separate the desired 500 Hz audio from the 480 Hz audio, I hope.

Anyone have any experience with those audio filters for a CW signal? I never used one, do they really work?

> BTW, there is no law that limits the amount of
> radios you own, and since you are in the US,
> you don't have to register them when you buy them
> and notify the authorities that you sold them.
> You don't even need a license to buy them...

Good Grief, are those restrictions common in a lot of countries?

USA will likely become that way also, if our present political ding-ding gets his way to turn this country into a socialist paradise, with Big Brother taking care of all our problems from cradle to grave. [sic]

I am so old I can remember when the people ran the USA,
now the politicians are busy taking away a lot of our
freedoms, one by one, and they have no intention of
ever returning control to the people.

Mark

From -4862651465107331469
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 22 Mar 2010 08:39:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 71
Message-ID: <slrnhqeb13.c0e.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
 <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
 <200320100945262982%aeiou@mostly.invalid>
 <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>
 <200320101623065370%aeiou@mostly.invalid>
 <4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
 <slrnhqc4e0.ds8.gsm@cable.mendelson.com>
 <210320100813053648%aeiou@mostly.invalid>
 <slrnhqciku.k1r.gsm@cable.mendelson.com>
 <220320100016096990%aeiou@mostly.invalid>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-123-248.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269247144 9548 89.138.123.248 (22 Mar 2010 08:39:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Mon, 22 Mar 2010 08:39:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2054

Mark Conrad wrote:
>
> Hmm, I suspect I did not get across my exact meaning,
> my fault, sorry about that.
>
> I   _meant_   a device that will change the   _incoming_
> morse code dots and dashes to an artificial voice.
>

No, I got that. My AEA MM3 could do that, and so could my Pk-232. I still
have the MM3, I traded the PK-232 to someone who had better use for it
when I moved here in 1996.

> In other words, change this code at 60 wpm:
>
> _ _ . . .   . . . _ _   _ _ _   _ _
>
>
> ...into this artificial voice from an audio speaker:
>
>   "Best Wishes, Old Man"
>
>
> ...such that a ham newbie who did not even know the
> morse code would be able to listen to a CW signal
> rattling along at 60 wpm and have that signal
> converted to speech that he could understand.
>
> In theory it is possible, given a loud clean
> CW signal.
>
> I would hate to be the guy to design such a device,
> it would not be a trivial project.

Actually it is quite trivial. There is lots of digital decoding software
for the PC out there and morse code is one of the simplest forms of
digital encoding. Since probably 99% of all high speed code is machine
generated, either by computer or keyer, it's uniform enough to be
easily decoded.

There is basicly 3 levels of code out there, the slow hand code which ranges
from really well done to almost impossible to copy sloppy, the mid range
keyer code and bug code where the individual characters are perfectly spaced,
but the spacing between them varies as the operater has to think between
them and the computer sent buffered code, where all of the thinking is
done before the send button is pushed, so it all comes out perfectly timed
and spaced.

The last two really are trivial to decode compared to any digital mode,
and the first ranges from easy to almost impossible.

A few years ago, it was theorized that one of the highest scoring stations
in a CW contest was exactly what you asked about. A ham who could barely
copy code using a decoding and sending program. It extracted the
callsign from the received code and replied with a signal report of 599
in perfectly sent perfectly spaced machine generated code.

A web search on "morse code decoding programs" found plenty, and
this is probably the cheapest device on the market:

http://www.mfjenterprises.com/Product.php?productid=MFJ-461

73,

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or understanding, as in he has a sub-wikipedia understanding of the situation. i.e possessing less facts or information than can be found in the Wikipedia.

```
From -7875620054644430353
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe23.iad.POSTED!33607c79!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Edwin Johnson <edwinljohnson@bellsouth.net>
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
References: <180320100842264914%aeiou@mostly.invalid>
 <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
 <200320100945262982%aeiou@mostly.invalid>
User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 50
Message-ID: <L5Lpn.1670$EE6.59@newsfe23.iad>
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Mon, 22 Mar 2010 14:25:47 UTC
Organization: TeraNews.com
Date: Mon, 22 Mar 2010 14:25:47 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:2055
```

On 2010-03-20, Mark Conrad <aeiou@mostly.invalid> wrote:

> a rig after my long 55 year absence from ham radio:
>
> 1) Completely portable (ordinary alkaline battery powered)
>   very low powered rig such as the Yaesu FT-817ND
>
> 2) Larger 100 watt mobile rig such as the Elecraft K3
>   or the Yaesu 897D

Which rig you choose should probably be dictated by what use you will make of it.

I have a Yaesu FT-857 in my car and use it portable when camping and other activities. Ergonomically, it is small but very easy to use, even the menus all make sense. The receiver is quite good and the DSP, although an audio

DSP and not at IF stage, is quite effective. It is nice to have the all-band, all-mode rig for portable use. The CW is fine, even with its relay keying, and the audio for phone is very good. For a 100w rig, this unit excels for portable use, for at receive idle, it draws only about 650 ma (measured with my digital VOM). I generally use it on battery at about 40w for ssb and about 30w for cw. This radio is probably the best 'bang for the buck' on the market. (As to a previous comment on overheating, the FT-857, unlike some other brands, does not overheat at all, so that is not a concern.)

That being said, the FT-897 is the same radio with different packaging and the ability to install a battery. I've heard, however, that many don't like that battery situation and simply take their own gel cell.

In addition, I also have a K3 for the house and/or portable. You will be hard pressed to find a rig which will stand up to crowded band conditions better. But for portable use, this unit will draw about 950 to 1000 ma at receive idle and that is worth consideration if you are operating on batteries. My unit is a very 'bare-bones' model with no second receiver nor tuner and other additions (it fit my budget this way), but I can add those at any time I wish. The receiver is probably the best on the market, the DSP is excellent, the solid state cw keying is exceptional as is the audio on phone. Incidentally, they say the tuner is excellent for almost any use.

So, in my opinion, both of these rigs are excellent but for different uses, and they appear in totally different price structures.

Good luck on making a decision.

73 ...Edwin, KD5ZLB
____
"Once you have flown, you will walk the earth with your eyes
turned skyward, for there you have been, there you long to
return."-da Vinci http://bellsouthpwp2.net/e/d/edwinljohnson

From 2953846975272258717
X-Google-Thread: 108122,4daf59a51ae4e686,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!isp-post01.iad!news.cv.net!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Commander HF Export amp. 3 Holer
Date: Mon, 22 Mar 2010 11:58:31 -0400
Message-ID: <1t4fq552snmooj11637plt5bod64vj6244@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 4
Organization: Optimum Online
NNTP-Posting-Host: 69.125.188.72
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2056

WTB: Commander HF Export amp. 3 Holer
WTB: Commander HF Export amp.
3 Holer The older model.
Please reply with price and condition.

From -7360510152593313937
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Mar 2010 11:04:49 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 22 Mar 2010 08:05:05 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <220320100805055934%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-
d6ad22027915@w39g2000prd.googlegroups.com>
<200320101623065370%aeiou@mostly.invalid>
<4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
<slrnhqc4e0.ds8.gsm@cable.mendelson.com> <210320100813053648%aeiou@mostly.invalid>
<slrnhqciku.k1r.gsm@cable.mendelson.com> <220320100016096990%aeiou@mostly.invalid>
<slrnhqeb13.c0e.gsm@cable.mendelson.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 31
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.185.250
X-Trace: sv3-hkzuyjp2iGwE47vUZnmV3iO/DaPQ+dkTSJ3IoOvGvO+7MZ/v/
wUFFkeCdwn+h78aXeJZuAXqe6UkXLV!5bepY3wXHPYcZFQVTLzeXrVBn4BjSc59JtfCxAzRifdGLY/
6sabVTw79wghbEf03mhvQMt1OlJEk!+TH6MeWYQOuoJXHDN75SwNGqCHceRruK
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1843

In article <slrnhqeb13.c0e.gsm@cable.mendelson.com>, Geoffrey S.
Mendelson <gsm@cable.mendelson.com> wrote:

> > I would hate to be the guy to design such a device,
> > it would not be a trivial project.
>
> Actually it is quite trivial. There is lots of digital decoding software
> for the PC out there and morse code is one of the simplest forms of
> digital encoding. Since probably 99% of all high speed code is machine
> generated, either by computer or keyer, it's uniform enough to be
> easily decoded.
> A web search on "morse code decoding programs" found plenty, and
> this is probably the cheapest device on the market:

http://www.mfjenterprises.com/Product.php?productid=MFJ-461

Great, I will also search the web for others, as you suggested.

I can see I have quite a lot to catch up on.   With any luck,
my books should arrive today at my rural post office.

Really looking forward to getting back, only hope my
ancient brain is up to the task.

Most of my neurons have mutated into morons,
my synapses have not snapped in ages.   My brain has
shrunk so much that I am afraid to shake my head,
for fear of hearing a rattling noise.

Mark

```
From 7393406207468144103
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Mar 2010 11:04:52 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 22 Mar 2010 08:05:10 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <220320100805106215%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <L5Lpn.1670$EE6.59@newsfe23.iad>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 46
```

```
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.185.250
X-Trace: sv3-
uLSgRsQCj6KZKfG+kMXeWpE9ZYTc0BlrdkwpGbKha4vCB67MiC1r9qfSARVk71nv2fdZr4gXq1Rr7V6!
76QSHr1TYC6QS6VtV1/ejKXVRwWHWpYljkO8o6gzuTCX6TxR+dour3aRpEdHd/JEu/Hh5qGC/p1g!
dFGNgilaXBRA4goPOdsWz9w0OG87YkGs
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2058
```

In article <L5Lpn.1670$EE6.59@newsfe23.iad>, Edwin Johnson <edwinljohnson@bellsouth.net> wrote:

> Which rig you choose should probably be dictated by
> what use you will make of it.

THAT is where I run into trouble, with my emotions.

For example, on a totally different subject, namely computers, I have always chosen battery-powered units, even though they are inferior in performance.

I expect the same stupid choice will "win out" when I finally choose a ham rig. <sigh>

Makes me wonder, when scientists finally get around to duplicating a flesh-and-blood human as an artificial hardware item, and we download our brain into the "artificial human" - - - will we make the same mistake by downloading all our emotions also. <g>

Creating "improved" artificial humans opens up several nasty cans of worms:

<http://www.kurzweilai.net/articles/art0267.html?printable=1>

Skip to the sub-section:
"Building HAL 's Language Knowledge Base" near the end,
it will downright frighten you.

Back On Topic -
****
Thanks very much for your detailed post, I will give serious consideration to the Elecraft K3 because of the high regard that rig enjoys among its users.

I have almost decided to get a very used temporary rig

at first, until I get a chance to renew my knowledge of
"modern" ham radio - - - THEN pounce on my final rig,
when I am finally fully aware of what I am doing.

Mark

```
From 2129070363976547943
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 22 Mar 2010 17:34:05 +0000 (UTC)
Organization: MGT Consulting
Lines: 33
Message-ID: <slrnhqfafk.psf.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
 <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
 <200320100945262982%aeiou@mostly.invalid>
 <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>
 <200320101623065370%aeiou@mostly.invalid>
 <4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
 <slrnhqc4e0.ds8.gsm@cable.mendelson.com>
 <210320100813053648%aeiou@mostly.invalid>
 <slrnhqciku.k1r.gsm@cable.mendelson.com>
 <220320100016096990%aeiou@mostly.invalid>
 <slrnhqeb13.c0e.gsm@cable.mendelson.com>
 <220320100805055934%aeiou@mostly.invalid>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-123-248.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269279245 5797 89.138.123.248 (22 Mar 2010
17:34:05 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Mon, 22 Mar 2010 17:34:05 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2059
```

Mark Conrad wrote:
>
> Really looking forward to getting back, only hope my
> ancient brain is up to the task.
>
> Most of my neurons have mutated into morons,
> my synapses have not snapped in ages.   My brain has
> shrunk so much that I am afraid to shake my head,
> for fear of hearing a rattling noise.

Search the web for CodeQuick. It's a Morse code course that teaches you to copy code in the language part of your brain instead of the "beep" part. This has two advantages, one it is independent of speed, so you don't have to learn 5,13,20,35,etc, you just learn it once and work up your speed.

The second is that since it works in your language center, it works in a part of your brain that is still in use and still active.

The disadvantage is it uses "sound alike" phrases to help you learn code and you need to put enough effort into the practice that you stop using them automaticly.

I like to say that I have a photographic memory, but I ran out of film about 10 years ago.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From 7656754705818936474
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 22 Mar 2010 17:49:05 +0000 (UTC)
Organization: MGT Consulting
Lines: 62
Message-ID: <slrnhqfbce.psf.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
 <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
 <200320100945262982%aeiou@mostly.invalid> <L5Lpn.1670$EE6.59@newsfe23.iad>
 <220320100805106215%aeiou@mostly.invalid>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-123-248.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269280145 5997 89.138.123.248 (22 Mar 2010 17:49:05 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Mon, 22 Mar 2010 17:49:05 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:1846

Mark Conrad wrote:

> For example, on a totally different subject, namely
> computers, I have always chosen battery-powered units,
> even though they are inferior in performance.
>
> I expect the same stupid choice will "win out" when I
> finally choose a ham rig. <sigh>

You are in luck. Tubes are no longer used in modern rigs except for power amplifiers. If you stay with anything made since 1980 and 100 watts or less, it should take 13.8 volts DC.

Some rigs used 24 volt front ends and finals to get more gain with less noise, but they are fairly rare.

The question is how much DC are you willing to put into your radio? If you look at a 100 watt rig, it's going to need around 20 amps of DC to transmit at full power. That kind of limits how you power it. Note that some rigs use far less than others in receive mode, but at a 20:1 or 10:1 ratio it does not matter a lot.

I.e. if you radio uses 1 amp on standby, then it uses the equivalent of 20 hours of reception for one hour of transmit time.
Lower power rigs use more proportionaly for standby because they use less for transmit.

If you really want to conserve battery life, look at something like an old Ten-Tec Argonaut (the 505,509,515) or the MFJ 90 series (9020, 9040, etc), which have no microprocessor, no digital synthesythesior (pardon the bad spelling), no led or lcd display, etc.

They put out 2-3 watts which is more than enough for CW, and will "work the world" on SSB if the band is open and uncrowded. Forcing a signal through a "closed" band or the middle of a pileup requires 1kw output radio, if you hope for success and that is not going to run off a battery.

For a 1kw radio, consider a generator. I am a fan of gas grills, and therefore think that a propane generator would be a good idea. I also am comfortable with propane (or in my case propane/butane mixture) tanks around the house but am not comfortable with gasoline or kerosene (diesel fuel). But then I live in a big city.

>
>
> Makes me wonder, when scientists fnally get around to
> duplicating a flesh-and-blood human as an artificial
> hardware item, and we download our brain into the
> "artificial human" - - - will we make the same mistake
> by downloading all our emotions also. <g>

You should watch the first and last episodes of the re-imagined Battlestar Galactica that was on the Sci-Fi channel.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or understanding, as in he has a sub-wikipedia understanding of the situation. i.e possessing less facts or information than can be found in the Wikipedia.

```
From -7887459679501151112
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Mar 2010 17:29:00 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 22 Mar 2010 14:29:18 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <220320101429184607%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-
d6ad22027915@w39g2000prd.googlegroups.com>
<200320101623065370%aeiou@mostly.invalid>
<4ba60e00$0$27755$bd467cd0@news.dslextreme.com>
<slrnhqc4e0.ds8.gsm@cable.mendelson.com> <210320100813053648%aeiou@mostly.invalid>
<slrnhqciku.k1r.gsm@cable.mendelson.com> <220320100016096990%aeiou@mostly.invalid>
<slrnhqeb13.c0e.gsm@cable.mendelson.com> <220320100805055934%aeiou@mostly.invalid>
<slrnhqfafk.psf.gsm@cable.mendelson.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 29
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.186.198
X-Trace: sv3-SkUsRfCoQppNSvtaSM/AyJmjPd8gkZA1r0sj/
VZvPI7n1ZfFMc22cdpyXa1ncdyHUEgHBjC8dZeOEl/!9bneXE7AeQmi/rfw+RANJ8boXY/
YJfufqe43kdZqS4YR7bycriCFKIKyPGujyHKPZTEyiQ3UynsU!Zmac+raOpiq7VQwW7E3UICPQsfZ00sjy
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2061
```

In article <slrnhqfafk.psf.gsm@cable.mendelson.com>, Geoffrey S.

Mendelson <gsm@cable.mendelson.com> wrote:

> Search the web for CodeQuick. It's a Morse code course that teaches you
> to copy code in the language part of your brain instead of the "beep" part.
> This has two advantages, one it is independent of speed, so you don't have to
> learn 5,13,20,35,etc, you just learn it once and work up your speed.

One of my heros was a MARS station operator in the army.

He sat leaning back in his spring-back chair listening to what I would call random static. Somewhere in that static was a 60 wpm CW station that he was listening to as if it was a language, not just CW.

Best I could muster was 40 wpm, on a fairly strong CW signal.

BTW, my books finally arrived, I jumped right in studying for my extra class exam'.

I have a plan, I am going to start at the top, then work my way down to novice level.   Great Minds are like that.

It should take me at least a 2 months to reclaim my extra class license, so I will have plenty of time to decide on what kind of rig to buy.

Mark

```
From -2038438138210853800
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Mar 2010 18:32:45 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 22 Mar 2010 15:33:02 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <220320101533024082%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <L5Lpn.1670$EE6.59@newsfe23.iad>
<220320100805106215%aeiou@mostly.invalid> <slrnhqfbce.psf.gsm@cable.mendelson.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
```

Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.186.198
X-Trace: sv3-2N5Dbp4ezz0ZtmWpZXtZffTEyDXdstmDdGNjq9I+iMbOeInSi0lZaFcBO0aHx/
jlTz3Rm11oVgTIx9+!B+FcEEiWvePUQYbUp3iAtZY+HStnbrSqwO2N/
1OOUNizkOpExJzQfTX8BLwFlKS9hmN29dQY+Woh!w/iKV1+w9bjp/9qL0lrX1UizXt6PSVdn
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2062

In article <slrnhqfbce.psf.gsm@cable.mendelson.com>, Geoffrey S. Mendelson <gsm@cable.mendelson.com> wrote:

> For a 1kw radio, consider a generator.

Yes, I guess that is the only practical option,
if one is contest inclined, and has to fish contacts
out of the bottom of a pileup.

That is the nice thing about ham radio, it has
something to offer everyone, the QRP guys who
use one watt of RF, and the rabid contest guys
who enjoy the rough and tumble competition.

Even something to offer the moon-bounce guys, who
can now contact other hams almost a half-world
away using UHF rigs and parabolic antennas.

Hmm, I wonder how the FCC keeps those hams from
frying a regular communications satellite with their
strong moon-bounce signals.

Mark

From 5422123861977446363
X-Google-Thread: 108122,7542d543f1421fb5,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe22.iad.POSTED!7564ea0f!not-for-mail
From: "Cannuck" <abra@cabedra.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Heathkit amp value advice?
Lines: 8
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";

```
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <kATpn.77708$wr5.47604@newsfe22.iad>
NNTP-Posting-Host: 24.226.47.211
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe22.iad 1269302672 24.226.47.211 (Tue, 23 Mar 2010 00:04:32 UTC)
NNTP-Posting-Date: Tue, 23 Mar 2010 00:04:32 UTC
Date: Mon, 22 Mar 2010 20:04:43 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2063
```

Any advice about this linear amp value?

I am not sure if this is too much or not enough.

http://cgi.ebay.ca/ws/eBayISAPI.dll?
ViewItem&item=110510605077&ssPageName=STRK:MESELX:IT

Thanks

```
From -1847816252132571648
X-Google-Thread: 108122,7542d543f1421fb5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Mar 2010 19:21:23 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <kATpn.77708$wr5.47604@newsfe22.iad>
Subject: Re: Heathkit amp value advice?
Date: Mon, 22 Mar 2010 20:22:28 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <PIydnX1xhMkelDXWnZ2dnUVZ_oCdnZ2d@earthlink.com>
Lines: 33
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.98
X-Trace: sv3-7cctZ//C+OE+WPVnv01VEK9dUMQ4Yq/GcT/
8+LIO7pcLrY91iUS7xZIk49cF02HXRL3jOQ2rIdKqspp!IC2AZ4q9//qXWTh/
7/4SNbw+ZNCxpahlgo964S536iSRykDlCksQ+3qxlQqcwnnobWlQ4Jl2uL48!
glXp0Nz7QmikC4A5NWcXXeLlCTcHeGlrPe66+A==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1850

"Cannuck" <abra@cabedra.com> wrote in message
news:kATpn.77708$wr5.47604@newsfe22.iad...
> Any advice about this linear amp value?
>
> I am not sure if this is too much or not enough.
>
> http://cgi.ebay.ca/ws/eBayISAPI.dll?ViewItem&item=110510605077&ssPageName=STRK:MESELX:IT
>
> Thanks

If the amp is in good working order then around $ 800 to $ 1000 shipped is around a good price.

The seller states he never used the amp, but just used it for the tuner. I don't know how he could have done that. You either use the amp or it is out of the line, or some modifications have been done to it that would have to be a major job and I doubt this. As the tubes are around $ 350 new, I would want to buy an amplifier from someone that has actually used the amp and will be able to give the power he is getting out of of it.

He said it is for local pickup. That is good as it is very heavy and to ship an amp means pulling the tubes and packing them very well.

From what I have seen many amps that use a pair of 3-500 tubes seem to be selling around $ 700 to $ 1000.

Am;ps this old should probably have the capacitors replaced. There are several places that sell a kit for this that replaces the capacitors and usually some diodes and resistors for around $ 100. This is somewhat more than capacitors cost, but the replacement kit is usually worth it.

From -3709595900523986066
X-Google-Thread: 108122,db44ba22a081e719,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe01.iad.POSTED!800a5453!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: notbob <notbob@nothome.com>
Subject: MFJ products
Organization: ....little, if any

User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <0T5qn.77313$jt1.22957@newsfe01.iad>
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Tue, 23 Mar 2010 16:20:12 UTC
Date: Tue, 23 Mar 2010 16:20:12 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1851

I'm studying hard and planning a shack. I hope to be on the air by June. So, is MFJ stuff any good?

To put it more bluntly, is it moderately priced practical equipment or just throw-away junk? I'll settle for Chinese made --which I suspect much of their stuff is-- if it's relatively decent in design/execution and somewhat sturdy. I can see how the antennas and like hardware could be decent, but how about the stuff like tuners and other meters and electronic equipment. Thanks for any feedback.

nb

From -6117787631721913904
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Tue, 23 Mar 2010 17:29:05 +0000 (UTC)
Organization: MGT Consulting
Lines: 68
Message-ID: <slrnhqhucj.u51.gsm@cable.mendelson.com>
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-115-27.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269365345 32530 89.138.115.27 (23 Mar 2010 17:29:05 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 23 Mar 2010 17:29:05 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2066

notbob wrote:
> I'm studying hard and planning a shack. I hope to be on the air by
> June. So, is MFJ stuff any good?

yes, it is quite good. It's not Chinese junk, it's actually all made in their factory in the US.

If you've been asking yourself why the US car companies need a bailout, you will get an education buying MFJ. If you already understand and expect that "made in US" means things are not always 100% right, nuts and bolts are loose, pop rivets are not all tightly popped, that's what you will see.

The build quality is not that of aTen-Tec, nor is the design. But it's a lot cheaper. Ten-Tec survives because they also make commerical and millitary equipment, they can afford better skilled technicians, higher quality parts and better quality control.

Martin F. Jue, is one of those people who never stops inventing things. You can find an interview of him on YouTube, it's well worth watching. Jue does not have millitary contracts to support his company, he lives off of the ham radio business.

> To put it more bluntly, is it moderately priced practical equipment or just throw-away junk? I'll settle for Chinese made --which I suspect much of their stuff is-- if it's relatively decent in design/execution and somewhat sturdy. I can see how the antennas and like hardware could be decent, but how about the stuff like tuners and other meters and electronic equipment. Thanks for any feedback.

Be prepared to open your tuner and make sure that all the bolts are tightened, there are no loose wires and no shorts.

As for service, they always have been willing to mail you a manual with schematic anywhere in the world, now they are making them available for downloads.

I recently decided that a 9020 (20m cw transceiver) I had bought in 1994 or 1995 was not receiving as well as it should, and carefully followed the alignment procredure. It still did not perform as well as my 40m one, so I went to their "ask a question" web page and asked for help.

I received an email from the guy that designed them. :-)

They also have a policy that you can either return a unit for warranty service, or request repair parts. Who else does that?

My advice to you, is if you are (or plan to be) the kind of ham that opens cardboard boxes, sets things up and uses them without ever wanting to look inside, stay away from MFJ. If you want to be the guy that is involved with his equipment and understands it inside and out, is not afraid to fire up his soldering iron to fix a loose wire, and so on, then MFJ stuff is good for you.

If you are not sure, you can always buy one of their cheaper tuners used and if you don't like it sell it. Just make sure to buy it from someone who will let you see it work (as in NOT on eBay).

Good luck.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From 8647778664360656312
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
weretis.net!feeder2.news.weretis.net!cs.uu.nl!news0.firedrake.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Tue, 23 Mar 2010 12:36:43 -0500
Organization: Firedrake Synthesis
Lines: 48
Message-ID: <bqan77-2p8.ln1@mikea.ath.cx>
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: parhelion.firedrake.org 1269365935 13500 70.164.65.62 (23 Mar 2010
17:38:55 GMT)
X-Complaints-To: usenet@parhelion.firedrake.org
NNTP-Posting-Date: Tue, 23 Mar 2010 17:38:55 +0000 (UTC)
X-Not-Approved: idees@videotron.qc.ca-is-a-troll
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:2067

notbob <notbob@nothome.com> wrote in <0T5qn.77313$jt1.22957@newsfe01.iad>:
> I'm studying hard and planning a shack. I hope to be on the air by
> June. So, is MFJ stuff any good?
>
> To put it more bluntly, is it moderately priced practical equipment or
> just throw-away junk? I'll settle for Chinese made --which I suspect
> much of their stuff is-- if it's relatively decent in design/execution
> and somewhat sturdy. I can see how the antennas and like hardware
> could be decent, but how about the stuff like tuners and other
> meters and electronic equipment. Thanks for any feedback.

I have the following MFJ gear:

o   MFJ-259 antenna analyzer; I like it a lot. It's not perfect, but it
     works well enough for my purposes. Bought used.

- MFJ-906 6m tuner. It works very nicely.
- MFJ-921 2m/1.3m tuner. Works extremely well.
- MFJ-461 pocket CW reader. For solid copy, needs really good signal, but still useful.
- MFJ-4225MV power switching supply. This is a good, solid, hash-free, cool-running supply that not only drives my radios, but also is good for electrolytic etching (see http://www.steampunkworkshop.com for more). It's as good as my Samlex SEC 1223 power supply, puts out less hash, and has meters.
- MFJ-564 iambic paddles. Not great, but serviceable. I need to take it out of service and completely readjust it.
- MFJ-441 keyer (a gift). Works; I don't need it, as my radios have keyers built in.
- MFJ-557 code practice oscillator with key. CPO is OK; key is trash.

Wow! I hadn't realized I had so much MFJ equipment.

Overall, it's low-to-middle end: not all junk, but not high-end gear, either. Some of it is a bit overpriced, I think, but it's certainly not priced like high-end gear, either.

When I was growing up, and when I was a new ham (think 1950s-1960s), there was a real need for this sort of gear at this price level, and it just wasn't available. I grant that lots more components were available locally: I could walk into parts houses in Houston and get everything I needed, except Big Inductors, Big Transformers, and Big Capacitors, to make a linear or anything smaller. Some of this gear is hard to homebrew, and I'm glad Martin Jue decided to start making and selling it.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin

From 2947084381565427360
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Tue, 23 Mar 2010 17:49:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 28
Message-ID: <slrnhqhvl1.ur9.gsm@cable.mendelson.com>
References: <0T5qn.77313$jt1.22957@newsfe01.iad> <bqan77-2p8.ln1@mikea.ath.cx>
Reply-To: gsm@mendelson.com

NNTP-Posting-Host: 89-138-115-27.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269366543 496 89.138.115.27 (23 Mar 2010 17:49:03 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 23 Mar 2010 17:49:03 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2068

mikea wrote:
> o MFJ-259 antenna analyzer; I like it a lot. It's not perfect, but it
>   works well enough for my purposes. Bought used.

Do you have the user written manual? It is in German and AFAIK never translated but a lot of it is pretty obvious anyway. For example the specs to make your own "grid dip" coils can be figured out, once you understand the metric wire sizes.

> o MFJ-557 code practice oscillator with key. CPO is OK; key is trash.

If this the plastic based one with the bent metal U shaped bracket, it was in the 1960's the key a lot of novices first learned to use. It can be adjusted to work (how well is a matter of opionon) and IMHO should be given to a boy scout or someone else interested in learning morse code.

You may be lucky, they might actually go far enough to come to the same conclusion and buy a real key. :-)

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From 2891788545192233470
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Tue, 23 Mar 2010 13:42:40 -0500
Organization: Litech Systems Design
Lines: 35
Sender: mikea@mikea.ath.cx
Message-ID: <0men77-mda.ln1@mikea.ath.cx>

```
References: <0T5qn.77313$jt1.22957@newsfe01.iad> <bqan77-2p8.ln1@mikea.ath.cx>
<slrnhqhvl1.ur9.gsm@cable.mendelson.com>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1269369816 20704 70.164.65.62 (23 Mar 2010 18:43:36 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Tue, 23 Mar 2010 18:43:36 +0000 (UTC)
X-Not-Approved: idees@videotron.qc.ca-is-a-troll
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:2069

Geoffrey S. Mendelson <gsm@cable.mendelson.com> wrote in
<slrnhqhvl1.ur9.gsm@cable.mendelson.com>:
> mikea wrote:
>> o     MFJ-259 antenna analyzer; I like it a lot. It's not perfect, but it
>>       works well enough for my purposes. Bought used.
>
> Do you have the user written manual? It is in German and AFAIK never translated
> but a lot of it is pretty obvious anyway. For example the specs to make
> your own "grid dip" coils can be figured out, once you understand the metric
> wire sizes.

Ich lese deutch.

>> o     MFJ-557 code practice oscillator with key. CPO is OK; key is trash.
>
> If this the plastic based one with the bent metal U shaped bracket, it
> was in the 1960's the key a lot of novices first learned to use. It can be
> adjusted to work (how well is a matter of opionon) and IMHO should be
> given to a boy scout or someone else interested in learning morse code.

I was damn lucky: when I got my Novice ticket in 1962, my uncle Stu gave me
a Vibroplex J-36 (he used it as a radio op on B-25s in WWII, he told me)
and a J-38 that he also had used. Still have 'em.

> You may be lucky, they might actually go far enough to come to the same
> conclusion and buy a real key. :-)

Except for the high-end MFJ stuff, they appear to go for the lowest priced
stuff that will get the job done and last for the design lifetime -- which
I think is the warranty period.

--
Answer: two spoonfuls in my cup, please.
Question: how much should I use?

(why top-posting is bad)


From 1483705503395944356
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe05.iad.POSTED!800a5453!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: notbob <notbob@nothome.com>
Subject: Re: MFJ products
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
 <slrnhqhucj.u51.gsm@cable.mendelson.com>
Organization: ....little, if any
User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <028qn.57437$2r7.3257@newsfe05.iad>
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Tue, 23 Mar 2010 18:48:28 UTC
Date: Tue, 23 Mar 2010 18:48:28 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:2070
```

On 2010-03-23, Geoffrey S. Mendelson <gsm@cable.mendelson.com> wrote:
> My advice to you, is if you are (or plan to be) the kind of ham that opens
> cardboard boxes, sets things up and uses them without ever wanting to look
> inside, stay away from MFJ. If you want to be the guy that is involved
> with his equipment and understands it inside and out, is not afraid to
> fire up his soldering iron to fix a loose wire, and so on, then MFJ stuff
> is good for you.

I have no fear of electronics hardware, having done time as an
electro-mechanical tech in Silicon Valley. I still have my trusty
Weller and am gathering parts to build a code oscillator and am also
researching radio kits to tackle. I just wanted a general opinion of
MJF, they being so prolific in a seemingly forgotten corner of basic
electronics. I know zip about radio, so studying for my license has
been both enlightening and fun. Thank you for your comprehensive take
on this company. ;)

nb

```
From -6399035420545675074
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Tue, 23 Mar 2010 18:54:08 +0000 (UTC)
```

Organization: MGT Consulting
Lines: 24
Message-ID: <slrnhqi3hh.189.gsm@cable.mendelson.com>
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
 <bqan77-2p8.ln1@mikea.ath.cx> <slrnhqhvl1.ur9.gsm@cable.mendelson.com>
 <0men77-mda.ln1@mikea.ath.cx>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-115-27.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269370448 1779 89.138.115.27 (23 Mar 2010 18:54:08 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 23 Mar 2010 18:54:08 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2071

mikea wrote:

> Ich lese deutch.

Sehr Gut!
>
> Except for the high-end MFJ stuff, they appear to go for the lowest priced
> stuff that will get the job done and last for the design lifetime -- which
> I think is the warranty period.

I have a tow MFJ tuners I bought circa 1995. One of them arrived with a
loose screw and the other had a pop rivet loosen (recently) on one of
the SO-239's on the back.

Both simple fixes.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From 9138288717369567924
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 Mar 2010 14:08:03 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
References: <0T5qn.77313$jt1.22957@newsfe01.iad> <bqan77-2p8.ln1@mikea.ath.cx>

<slrnhqhvl1.ur9.gsm@cable.mendelson.com>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Tue, 23 Mar 2010 11:35:41 -0700
Message-ID: <t8en77-qer.ln1@radagast.org>
Lines: 49
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-DuxOoXi0d8hYPOoT6q777sUuAMueAH3R9QtzEjJr1kud2xU09d/
4a1c7TfDYArZZA3MreIu1ioOdMVk!iogetaW/f99b/eBW0UfAc8tOPb5Uh/
+x5HlKrYFbCDZkh1UIoethw+QnI2X1tQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1858

In article <slrnhqhvl1.ur9.gsm@cable.mendelson.com>,
Geoffrey S. Mendelson <gsm@mendelson.com> wrote:

>Do you have the user written manual? It is in German and AFAIK never translated
>but a lot of it is pretty obvious anyway. For example the specs to make
>your own "grid dip" coils can be figured out, once you understand the metric
>wire sizes.

... but, alas, probably not worth the effort (in my experience, at least). The MFJ 2x9 with the grid-dip coils is absolutely the least sensitive and hardest-to-use grid-dip oscillator I've tried.

A few years ago I did a three-way shoot-out between GDOs. The test tank was a piece of scrap Airdux inductor, with an air-variable capacitor soldered across the ends.

The MFJ had to have its probe coil shoved right up next to the end of the coil to get a dip indication. The frequency readout was nice and precise, but the dip was not terribly deep, and with the probe so close to the coil I'd be very concerned about the probe "loading" the tank and pulling it off frequency.

A Heathkit solid-state GDO was rather better, with a sharp dip available with its probe about a half-inch away from the end of the inductor.

The best results came from a Measurements 59 GDO - the old firebottle model with a peanut tube in the sensing head. It got a sharp dip deflection with the probe 2-3" away from the end of the inductor! This model is big, clunky, and is probably the gold-standard for GDOs.

I've since picked up a Millen but haven't done a head-to-head comparison with the others. Based on what I've read, it's probably somewhere between the Measurements and the Heathkit in sensitivity.

The best approach might be a hybrid... use a good GDO to find the dip frequency, then hold it near an MFJ 2x9 in frequency-counter mode to get a precise readout of the frequency. It's a shame there's no single GDO which has both high sensitivity and a really precise frequency readout.

Might be a tempting project one of these days... build a lambda-diode GDO and add a precise frequency counter module to it.

```
-- 
Dave Platt <dplatt@radagast.org>                                   AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From 441807670575930652
X-Google-Thread: d7f5508063,db44ba22a081e719
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 Mar 2010 15:51:48 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
Subject: Re: MFJ products
Date: Tue, 23 Mar 2010 16:52:54 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <hOadnTEAN8t5tDTWnZ2dnUVZ_tydnZ2d@earthlink.com>
Lines: 29
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.98
X-Trace: sv3-
NouJTZtV0bmhx5D868NGIdfr5JAbPme78gYAWZDnoeQ+CQvlQl7to2InkGGPXmpfCXyUtzdK7NIPYaK!
gsRBXXLRq/ztsJS8xK529FRRoi6udlF84TQsBKEq6s8zI0VRJat3qHeK13q0NC+s6SCF4b68ge6D!
KKh3pHhz1CXJhxOp/fOx44Z9NYs4FHFrqUj1lw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2073
```

"notbob" <notbob@nothome.com> wrote in message news:0T5qn.77313$jt1.22957@newsfe01.iad...

> I'm studying hard and planning a shack. I hope to be on the air by
> June. So, is MFJ stuff any good?
>
> To put it more bluntly, is it moderately priced practical equipment or
> just throw-away junk? I'll settle for Chinese made --which I suspect
> much of their stuff is-- if it's relatively decent in design/execution
> and somewhat sturdy. I can see how the antennas and like hardware
> could be decent, but how about the stuff like tuners and other
> meters and electronic equipment. Thanks for any feedback.
>
> nb

I have an antenna tuner by MFJ. It does work ok. I did have to open it up
and tighten up some loose screws.
Years ago I bought a packet TNC from them. It did not work and I sent it
back , about 2 days after I called them, they had another unit at my house
and told me to send the old one to them. Any electronic unit can arive DOA,
but they did the very best getting me a new one. No problems with that unit
for as long as I used it.

As others have mentioned , just open the new MFJ up and tighten up all the
screws before using it.

I

From -4241476813254093404
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!t9g2000prh.googlegroups.com!not-for-mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Li-ion cells [was Re: Opinions about Yaesu FT-817ND transceiver?]
Date: Tue, 23 Mar 2010 14:38:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 95
Message-ID: <870b4ee1-81a1-4c04-aec6-86d849f2e6bc@t9g2000prh.googlegroups.com>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com>
<slrnhqbcqo.48j.gsm@cable.mendelson.com>
NNTP-Posting-Host: 58.166.164.236
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1269380339 9423 127.0.0.1 (23 Mar 2010 21:38:59 GMT)
X-Complaints-To: groups-abuse@google.com

```
NNTP-Posting-Date: Tue, 23 Mar 2010 21:38:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t9g2000prh.googlegroups.com; posting-host=58.166.164.236;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2)
     Gecko/20100115 Firefox/3.6 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2074

On Mar 21, 3:54=A0pm, "Geoffrey S. Mendelson" <g...@cable.mendelson.com>
wrote:
> Stuart Longland VK4MSL wrote:
> > My only gripe is that Yaesu for some reason decided that it would use
> > NiMH cells in its battery packs... Li-ion would have been lighter and
> > higher density. =A0Heaven forbid, gel-cell batteries would do better
> > than NiMH! =A0But that's the choice they went with, and we all have to
> > live with it.
>
> It's because lithium cells are a disaster waiting to happen. If you charg=
e
> them improperly they will catch fire. If you discharge them to "empty" th=
ey
> are permanently dead.

Well, there are several types of Lithium ion battery.  Some are
chemically unstable, such as Lithium-Cobalt, and are prone to taking
off thermally.  Then there are others which are far more inert, such
as LiFePO4.

Any battery will die or explode if abused, lithiums and NiMH cells are
not immune to this.

> They also die after around 300 charge cycles. ANY power put in is a charg=
e
> cycle, so laptops made in the last couple of years will no longer "float"
> a lithium battery. They let it discharge to at least 95% left before
> recharging it.
>
> The latest NiMH batteries will go through 1000 cycles. Compared to litium
> batteries they are bulletproof. They are also a lot cheaper.

Many of the cells on the market are well past the 1000 cycles.
Particularly in the electric vehicle sector (which is where I'm
employed at present).

> The main reason they are so common is that people don't understand their
> problems and like them because they are so light in comparison to
> NiMH cells. The lightness disapears when you find out a 450mAH battery wi=
ll
> be trash if you use it anywhere near that amount.
>
> BTW, they are dangerous corosive trash, much worse than NiMH cells.
>
```

> Companies like them because they can claim the device has a long battery
> life, low weight and in 6 months to a year be back buying a new battery.
> Since the battery is proprietary at best and permanently installed at wor=
st
> it's a win win for them either way.

Again, I see these batteries used in far more demanding environments
than portable HF radios, and see them outliving that 6 month
boundary. Indeed, my netbook, which runs about 15W off a 3-cell Li-
ion pack, had about 1.5 hours battery life when I bought it about 2
years ago... and still has much the same capacity now.

In the case of the FT-897... the battery packs are proprietary in
nature, and I've found NiMH cells don't last as long for me as Li-
ion. So I'll probably find myself coming back to Yaesu for more when
the two I have sign their resignation letters.

> The bigest problem I have with NiMH batteries is that they no longer sell
> large size batteries to the general public. Yes you can get real C or D c=
ells
> from battery specialists (which are rare here), but generally all you can=
 get
> is AA batteries or C or D cells which are just sleeved AA cells (with the
> corresponding capacity).
>
> I would not mind if I could get the sleeves, but no one carries them here=
. :-(
>
> After all, in my 290RII which takes a lot of C cells, sleeved AA batterie=
s
> with 2700mAh capacity would far out last the NiCad ones I had in it.

Yeah, I guess they don't see a market for the C/D cells in your
area... which is a shame. Interestingly...
http://www.jaycar.com.au/productView.asp?ID=3DSB2460&CATID=3D18&form=3DCAT&=
SUBCATID=3D583
http://www.jaycar.com.au/productView.asp?ID=3DSB2429&CATID=3D18&form=3DCAT&=
SUBCATID=3D583
http://www.dse.com.au/cgi-bin/dse.storefront/4ba932ab038f6952273fc0a87e0106=
af/Product/View/S3163
http://www.dse.com.au/cgi-bin/dse.storefront/4ba932ab038f6952273fc0a87e0106=
af/Product/View/S3169

The latter two being from a mob run by the supermarket giant,
Woolworths. (Dick Smith Electronics is pretty much useless these
days. My FT-290RII was originally bought from DSE many moons ago,
these days they barely sell CB gear. Woolworths ruined both them, and
Tandy Electronics.) I think they still sell them in their
supermarkets too. So they're still in the "easily obtainable"
category here in Australia. I understand the situation could be quite
different in the US.

From 1486167848253290946
X-Google-Thread: 108122,7542d543f1421fb5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 Mar 2010 16:40:14 -0500
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heathkit amp value advice?
Date: Tue, 23 Mar 2010 14:40:21 -0700
Reply-To: w1ksz@earthlink.net
Message-ID: <45diq51bnuto21ch11pjpe5gdh74ajitg0@4ax.com>
References: <kATpn.77708$wr5.47604@newsfe22.iad>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 174.18.188.206
X-Trace: sv3-vzOePQ0fHZtCgzcPNsB5qhDixuPeO6M+gIByO0MJkLOA8KkzrDrysekFJL/
prMxsS5s3YgeHeqTWaE1!
kO8Qgrf3rh0gtrsjl6vcJ9BcsJuOitk3NTtRpY+9qufHdyhG8TimIlYGVyqmurV7lvL0825AEiH1!
fXOnmrnpxRlrRrVFL08=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2075

Reads like a typical e-Pay ad ...
I turned it on and the light lt ... Right.
Never used it as an amp ... cause the tubes are dead
2 KW amp ... not the best day it ever saw

e-Pay is like the Judge Roy Bean TV show ... there is no law
West of the Pecos, nor on e-Pay.

$500 is fair, IF, and a big IF, the tubes are OK.

Caveat Emptor.

73, Dick, W1KSZ

On Mon, 22 Mar 2010 20:04:43 -0400, "Cannuck" <abra@cabedra.com>
wrote:

>Any advice about this linear amp value?
>
>I am not sure if this is too much or not enough.

>
>http://cgi.ebay.ca/ws/eBayISAPI.dll?
ViewItem&item=110510605077&ssPageName=STRK:MESELX:IT
>
>Thanks

From -7813203617794988147
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe16.iad.POSTED!800a5453!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: notbob <notbob@nothome.com>
Subject: Re: MFJ products
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
Organization: ....little, if any
User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <DBaqn.44616$sx5.39343@newsfe16.iad>
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Tue, 23 Mar 2010 21:42:59 UTC
Date: Tue, 23 Mar 2010 21:42:59 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:2076

On 2010-03-23, notbob <notbob@nothome.com> wrote:
> I'm studying hard and planning a shack. I hope to be on the air by
> June. So, is MFJ stuff any good?

I've been looking at their catalog, an '09 hard copy and the '10,
.pdf. What's the Ameritron stuff? Is that their high-end line? I
see on their website they recently acquired Cushcraft Antennas. Is that
what Ameritron is, an acquisition?

nb

From 3991920255860230177
X-Google-Thread: d7f5508063,db44ba22a081e719
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!209.197.12.242.MISMATCH!
nx01.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!
transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!

news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Tue, 23 Mar 2010 22:04:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 33
Message-ID: <slrnhqiemf.7je.gsm@cable.mendelson.com>
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
 <DBaqn.44616$sx5.39343@newsfe16.iad>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-115-27.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269381844 5155 89.138.115.27 (23 Mar 2010 22:04:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 23 Mar 2010 22:04:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:1863

notbob wrote:
> On 2010-03-23, notbob <notbob@nothome.com> wrote:

> I've been looking at their catalog, an '09 hard copy and the '10,
> .pdf. What's the Ameritron stuff? Is that their high-end line? I
> see on their website they recently acquired Cushcraft Antennas. Is that
> what Ameritron is, an acquisition?

Amertron, was a company that made amplifers. It was bought by MFJ and moved
to their headquarters, though it may have it's own manfacturing facility.

MFJ has tried to keep the product lines intact, even if there is some overlap.
They also bought Vectronics, the Hygain antenna line, and now Cushraft.

For example, Ameritron made accessories for their amplifiers such as
QSK switches and tuners, all high power only. Think of it as rounding
out their product line.

If you look back at Cushcraft they have been shrinking their line of
amateur products since they were bought out, I think in the 1990's.
The company that bought them is doing well selling commerical antennas,
and not as well selling amateur antennas. Now the line will be in the hands
of someone who believes in ham radio and is trying to make a living from it.

To me, it's a shame because with such a large, active and rich ham community
as the US has, it can not support the few manufacturers it has.

Geoff.
--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From -8358833469335569969
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe12.iad.POSTED!800a5453!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: notbob <notbob@nothome.com>
Subject: Re: MFJ products
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
 <DBaqn.44616$sx5.39343@newsfe16.iad>
 <slrnhqiemf.7je.gsm@cable.mendelson.com>
Organization: ....little, if any
User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <eLcqn.16718$y13.4316@newsfe12.iad>
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Wed, 24 Mar 2010 00:09:46 UTC
Date: Wed, 24 Mar 2010 00:09:46 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1864

On 2010-03-23, Geoffrey S. Mendelson <gsm@cable.mendelson.com> wrote:

> To me, it's a shame because with such a large, active and rich ham community
> as the US has, it can not support the few manufacturers it has.

Well, what did my older technician license say about the number of hams in the US? Maybe 600K? That's not a very large market. So I guess some people are looking to make money while the sun shines.

I'm rapidly becoming aware of is the price tag on some of this stuff. I'm absolutely floored by some of the prices I'm seeing. $400 for a Buddipole, an oversized tinker-toy!? You must be putting me on. $4-8K fer transceivers? Fer that kinda money, there better be a lady's "hand" in there while I'm doing cw. $3-4K fer kits? Is there a job waiting for me when I get that sucker assembled!?

That's one of the reasons I was asking about MFJ. They seem to understand not everyone is sitting on a stack of gold bullion. Hell, I don't mind paying good money for quality, but some of this stuff is absurd. $300-500 fer a 4 element yagi? It's aluminum tubing, ferchrysakes! I guess the deals are where you find 'em and that's one of the reasons hams are such avid DIY'ers. Where's my Fluke and wire stippers? ;)

nb

From 6742015939532257880
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Wed, 24 Mar 2010 05:39:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 50
Message-ID: <slrnhqj96o.jv9.gsm@cable.mendelson.com>
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
 <DBaqn.44616$sx5.39343@newsfe16.iad>
 <slrnhqiemf.7je.gsm@cable.mendelson.com>
 <eLcqn.16718$y13.4316@newsfe12.iad>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-115-27.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269409144 12842 89.138.115.27 (24 Mar 2010 05:39:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Wed, 24 Mar 2010 05:39:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2079

notbob wrote:

> Well, what did my older technician license say about the number of
> hams in the US? Maybe 600K? That's not a very large market. So I
> guess some people are looking to make money while the sun shines.

Compared to what? Here there are about 600 licensed hams.

>
> I'm rapidly becoming aware of is the price tag on some of this stuff.
> I'm absolutely floored by some of the prices I'm seeing. $400 for a
> Buddipole, an oversized tinker-toy!? You must be putting me on.

That's simply amazing. A friend of mine with an 817 was looking at a
metal antenna that came in several sections, with a tripod for $100,
cheaper than he could of made it out of building supply parts.

> $4-8K fer transceivers? Fer that kinda money, there better be a
> lady's "hand" in there while I'm doing cw. $3-4K fer kits? Is there
> a job waiting for me when I get that sucker assembled!?

Those are the high end contester type of rigs. Ten Tec who sells well made

products, made in the USA, has the Jupiter at $1600, and the OMNI VII for
for $2700, plus the top of the line Orion II.

Universal Radio www.rffun.com lists lots of rigs, from $599 up (ICOM IC-718).

While everyone wants a rig that can do 160m to 70cm, scan all the frequencies
in between, be run by a computer and have the latest DSP, how many actually
need it?

> That's one of the reasons I was asking about MFJ. They seem to
> understand not everyone is sitting on a stack of gold bullion. Hell,
> I don't mind paying good money for quality, but some of this stuff is
> absurd. $300-500 fer a 4 element yagi? It's aluminum tubing,
> ferchrysakes! I guess the deals are where you find 'em and that's one
> of the reasons hams are such avid DIY'ers. Where's my Fluke and wire
> stippers? ;)

Good for you. :-)

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From 3548986945861286356
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.isc.org!usenet.stanford.edu!w6yx.stanford.edu!nospam
From: nospam@w6yx.stanford.edu (Alan)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Wed, 24 Mar 2010 07:24:24 +0000 (UTC)
Organization: Stanford Amateur Radio Club
Lines: 44
Message-ID: <hocen8$9sg$1@usenet.stanford.edu>
References: <200320100945262982%aeiou@mostly.invalid> <18f1009b-1089-4951-975d-d6ad22027915@w39g2000prd.googlegroups.com> <slrnhqbcqo.48j.gsm@cable.mendelson.com>
NNTP-Posting-Host: w6yx.stanford.edu
X-Trace: usenet.stanford.edu 1269415464 10128 171.64.23.31 (24 Mar 2010 07:24:24 GMT)
X-Complaints-To: action@cs.stanford.edu
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Xref: g2news2.google.com rec.radio.amateur.equipment:2080

In article <slrnhqbcqo.48j.gsm@cable.mendelson.com> gsm@mendelson.com writes:

>It's because lithium cells are a disaster waiting to happen. If you charge
>them improperly they will catch fire. If you discharge them to "empty" they
>are permanently dead.

Fortunately there are new Li chemistry designs that don't seem to catch fire/explode.

>They also die after around 300 charge cycles. ANY power put in is a charge
>cycle, so laptops made in the last couple of years will no longer "float"
>a lithium battery. They let it discharge to at least 95% left before
>recharging it.

Hmmm. My cellphones (with Li batteries) have somewhere in the 1000 cycle range on them now, and are still going strong.

The last laptop I bought (3 months ago), charges when connected to power, without waiting for a discharge. Waiting for a discharge just leaves you dead if you disconnect at the wrong time in the cycle.

>The bigest problem I have with NiMH batteries is that they no longer sell
>large size batteries to the general public. Yes you can get real C or D cells
>from battery specialists (which are rare here), but generally all you can get
>is AA batteries or C or D cells which are just sleeved AA cells (with the
>corresponding capacity).
>
>I would not mind if I could get the sleeves, but no one carries them here. :-(
>
>After all, in my 290RII which takes a lot of C cells, sleeved AA batteries
>with 2700mAh capacity would far out last the NiCad ones I had in it.

Actually, C and D size NiMH seem pretty rare here, except by mail order. Presumably, mail order works there.

Alan
wa6azp

From -4428133107562045182
X-Google-Thread: d7f5508063,db44ba22a081e719
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!npeer03.iad.highwinds-

```
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
post02.iad.highwinds-media.com!API-DIGITAL.COM-a2kHrUvQQWlmc!not-for-mail
From: Alan WA4SCA <WA4SCA@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Wed, 24 Mar 2010 08:24:21 -0500
Organization: AMSAT-NA
Reply-To: ALANBIDDLE70@YAHOO.COM
Message-ID: <ia4kq5pghq8rthhqs4mql6m6f9i00v1a2t@4ax.com>
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Lines: 10
X-Trace: a9e2a4baa12856b5e753920658
Xref: g2news1.google.com rec.radio.amateur.equipment:1867
```

I have and use several MFJ products. Design is ok to good, quality
control is marginal. Think of them as kits assembled by trainees with
no supervision. Be prepared to fix the cold solder connections,
poorly drilled mounting holes, etc. Once you finish that, they work
well and if treated carefully last.

--
Alan
WA4SCA

```
From -5978298257088132304
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 25 Mar 2010 01:08:04 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
<ia4kq5pghq8rthhqs4mql6m6f9i00v1a2t@4ax.com>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Wed, 24 Mar 2010 22:20:46 -0700
Message-ID: <ee8r77-uba.ln1@radagast.org>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
```

```
X-Trace: sv3-dfvP2ZsStONm0qxR+kouxIdCkiX1h1DJXZbE/h1cTpcvU79cb/
OlhARKjqKbgSjskXHeA9nTLJP0MYe!
zs9+laBhi0YOlthXumsKsq6rD+gDdomgfRhalKKYXkMwhCI00U2rdL9CgSPi4A==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1868

In article <ia4kq5pghq8rthhqs4mql6m6f9i00v1a2t@4ax.com>,
Alan WA4SCA  <ALANBIDDLE70@YAHOO.COM> wrote:

>I have and use several MFJ products.  Design is ok to good, quality
>control is marginal.  Think of them as kits assembled by trainees with
>no supervision.  Be prepared to fix the cold solder connections,
>poorly drilled mounting holes, etc.  Once you finish that, they work
>well and if treated carefully last.

The "treated carefully" is good advice - understanding the limitations
of the equipment is critical (and not specific to MFJ products!).

There are a number of stories going around, concerning people who have
managed to damage MFJ antenna tuners - typically, by burning up the
inductor (sometimes melting the form on which it's wound).  In each
case I've read, the tuner in question has been a "T" configuration
(the commonest).  One of the gotchas of a "T" tuner is that it can
appear to "match" an extremely nasty load (e.g. a short circuit) down
to a low SWR, while what's actually happening is that you're
"matching" the tuner's own internal losses.  You can end up with
nearly 100% of your transmitter output being dissipated in the coil...
and this tends to let the magic smoke out, after a couple of minutes.

The same problem exists with other "T" tuners - it's not specific to
MFJ - so understanding the limits and vulnerabilities of that type of
tuner is important to proper use.

--
Dave Platt <dplatt@radagast.org>                                  AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From 5780128544279127348
X-Google-Thread: 108122,ea5f0d295894ca98
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-02.dc1.easynews.com.POSTED!not-for-mail
From: Roger <Invalid@rogerhalstead.com>
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: Type of Cable to Use on 2m&70cm
Message-ID: <7b3mq5p1sndbs0pfjptnqs1d8916vjr7n5@4ax.com>
References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
<you-DCAF36.10254624022010@unknown.hwng.net>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 41
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Thu, 25 Mar 2010 03:24:34 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2083

On Wed, 24 Feb 2010 10:25:53 -0900, You <you@shadow.orgs> wrote:

>In article
><447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>,
> VK4FDGM Daryl <dgmerrick@gmail.com> wrote:
>
>> Hi ,
>> I was wandering what type of Coax I should Use on VHF&UHF .
>> Bye
>> Daryl
>
>Look at Beldon 9913 for long runs... has Good Spec's and cheaper than
>Heliax or HardLine.... We call it PoorMan's Heliax....

I avoid 9913 like the plague since lightning hit the system, blew off all the water proofing, and within 15 minutes I had water running out of the 2-meter rig. I was using it on all bands. At that point I took it all out and gave away all but about 200 feet out of over 1500 feet. The 200 feet finally went into the dumpster.

I used to take the stance that if it was properly water proofed it was fine, at least until that lightning strike. I now use mostly LMR-600 and some LMR-400 with Davis BuryFlex for the flexible runs.

As for Heliax and Hardline, they are probably the cheapest as there is a lot of it floating around. I had two 100 foot runs of 1/2" Heliax with connectors given to me along with nearly a full 1000 ft roll of 3/4" hard line.

Check the local swaps and you may find 1/2" or 7/8" Heliax or even larger. Check with the local two way outfits as they may have systems they pull out. I picked up a whole pick up truck full of 7/8" Heliax and half a dozen connectors that way. I think the whole thing ran less than $100.

But I still have to repeat, I'd not install brand new 9913 if it were given to me. 9913F OTOH...<:-))

73

Roger (K8RI)

From -8305326176974964855
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!69.16.185.21.MISMATCH!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!nx02.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!
transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Thu, 25 Mar 2010 11:54:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 32
Message-ID: <slrnhqmje7.thm.gsm@cable.mendelson.com>
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
 <ia4kq5pghq8rthhqs4mql6m6f9i00v1a2t@4ax.com> <ee8r77-uba.ln1@radagast.org>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 217.132.16.193
X-Trace: news.inside.misty.com 1269518043 10642 217.132.16.193 (25 Mar 2010
11:54:03 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 25 Mar 2010 11:54:03 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2084

Dave Platt wrote:
> The "treated carefully" is good advice - understanding the limitations
> of the equipment is critical (and not specific to MFJ products!).
>
> There are a number of stories going around, concerning people who have
> managed to damage MFJ antenna tuners - typically, by burning up the
> inductor (sometimes melting the form on which it's wound). In each
> case I've read, the tuner in question has been a "T" configuration
> (the commonest). One of the gotchas of a "T" tuner is that it can
> appear to "match" an extremely nasty load (e.g. a short circuit) down
> to a low SWR, while what's actually happening is that you're
> "matching" the tuner's own internal losses. You can end up with
> nearly 100% of your transmitter output being dissipated in the coil...
> and this tends to let the magic smoke out, after a couple of minutes.

The other problem is that they are rated with numbers people don't really understand. When MFJ says it is a "300 Watt" tuner, that's maximum possible rating.

Like VA (volt-amps) which is used for transformers, and UPS's, it's much higher than what you would actually use it for. For low frequency ratings, you derate by the square root of 2 over 2 (.707) but I expect that's only good at 50Hz or 60Hz, at RF, it's close to one third.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From -2981854747408025955
X-Google-Thread: 108122,ea5f0d295894ca98
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!STARBAND.NET-a2kHrUvQQWlmc!not-for-mail
From: You <you@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Type of Cable to Use on 2m&70cm
Organization: Shadow.orgs
References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
<you-DCAF36.10254624022010@unknown.hwng.net>
<7b3mq5p1sndbs0pfjptnqs1d8916vjr7n5@4ax.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (PPC Mac OS X)
Date: Thu, 25 Mar 2010 09:41:57 -0800
Message-ID: <you-2FBBF7.09415625032010@unknown.hwng.net>
X-Complaints-To: abuse@usenetserver.com
Lines: 48
X-Trace: 6a05f4baba06f31e5901f28206
Xref: g2news2.google.com rec.radio.amateur.equipment:2085

In article <7b3mq5p1sndbs0pfjptnqs1d8916vjr7n5@4ax.com>,
 Roger <Invalid@rogerhalstead.com> wrote:

> On Wed, 24 Feb 2010 10:25:53 -0900, You <you@shadow.orgs> wrote:
>
> >In article
> ><447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>,
> > VK4FDGM Daryl <dgmerrick@gmail.com> wrote:
> >
> >> Hi ,
> >> I was wandering what type of Coax I should Use on VHF&UHF .
> >> Bye
> >> Daryl
> >

> >Look at Beldon 9913 for long runs... has Good Spec's and cheaper than
> >Heliax or HardLine.... We call it PoorMan's Heliax....
>
> I avoid 9913 like the plague since lightning hit the system, blew off
> all the water proofing, and within 15 minutes I had water running out
> of the 2-meter rig. I was using it on all bands. At that point I took
> it all out and gave away all but about 200 feet out of over 1500 feet.
> The 200 feet finally went into the dumpster.
>
> I used to take the stance that if it was properly water proofed it was
> fine, at least until that lightning strike. I now use mostly LMR-600
> and some LMR-400 with Davis BuryFlex for the flexible runs.
>
> As for Heliax and Hardline, they are probably the cheapest as there is
> a lot of it floating around. I had two 100 foot runs of 1/2" Heliax
> with connectors given to me along with nearly a full 1000 ft roll of
> 3/4" hard line.
>
> Check the local swaps and you may find 1/2" or 7/8" Heliax or even
> larger. Check with the local two way outfits as they may have systems
> they pull out. I picked up a whole pick up truck full of 7/8" Heliax
> and half a dozen connectors that way. I think the whole thing ran less
> than $100.
>
> But I still have to repeat, I'd not install brand new 9913 if it were
> given to me. 9913F OTOH...<:-))
>
> 73
>
> Roger (K8RI)

That is fine for you, who live in Lightning prone areas, but for the
rest of the world, and for "Me" who lives where lightning is, "a Once or
twice in a Lifetime occurrence", you concern is not really a problem.

From 4819851398129804611
X-Google-Thread: 108122,7542d543f1421fb5
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!feed-C.news.volia.net!volia.net!news2.volia.net!feed-A.news.volia.net!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
References: <kATpn.77708$wr5.47604@newsfe22.iad>
Subject: Re: Heathkit amp value advice?
Date: Fri, 26 Mar 2010 00:11:27 +0100
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;

```
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 16
Message-ID: <4babed99$0$1105$4fafbaef@reader4.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.36.214.136
X-Trace: 1269558681 reader4.news.tin.it 1105 79.36.214.136:12144
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news1.google.com rec.radio.amateur.equipment:1872


"Cannuck" <abra@cabedra.com> ha scritto nel messaggio
news:kATpn.77708$wr5.47604@newsfe22.iad...
> Any advice about this linear amp value?
>
> I am not sure if this is too much or not enough.
>
> http://cgi.ebay.ca/ws/eBayISAPI.dll?
ViewItem&item=110510605077&ssPageName=STRK:MESELX:IT
>
> Thanks

Please note that the bandswitch knob is not original (if it matters to you).

73
Tony I0JX



From -7440365754630787136
X-Google-Thread: 108122,ea5f0d295894ca98
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe15.iad.POSTED!7564ea0f!not-for-mail
From: Bill Janssen <billj@ieee.org>
Reply-To: billjNOT_THIS@ieee.org
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Type of Cable to Use on 2m&70cm
References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
<you-DCAF36.10254624022010@unknown.hwng.net>
<7b3mq5p1sndbs0pfjptnqs1d8916vjr7n5@4ax.com>
<you-2FBBF7.09415625032010@unknown.hwng.net>
```

```
In-Reply-To: <you-2FBBF7.09415625032010@unknown.hwng.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 62
Message-ID: <oxSqn.13584$iu2.11495@newsfe15.iad>
X-Complaints-To: abuse-news@frontiernet.net
NNTP-Posting-Date: Thu, 25 Mar 2010 23:42:12 UTC
Organization: Frontier
Date: Thu, 25 Mar 2010 16:42:31 -0700
Xref: g2news2.google.com rec.radio.amateur.equipment:2087

You wrote:
> In article <7b3mq5p1sndbs0pfjptnqs1d8916vjr7n5@4ax.com>,
>  Roger <Invalid@rogerhalstead.com> wrote:
>
>
>> On Wed, 24 Feb 2010 10:25:53 -0900, You <you@shadow.orgs> wrote:
>>
>>
>>> In article
>>> <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>,
>>> VK4FDGM Daryl <dgmerrick@gmail.com> wrote:
>>>
>>>
>>>> Hi ,
>>>> I was wandering what type of Coax I should Use on VHF&UHF .
>>>> Bye
>>>> Daryl
>>>>
>>> Look at Beldon 9913 for long runs... has Good Spec's and cheaper than
>>> Heliax or HardLine.... We call it PoorMan's Heliax....
>>>
>> I avoid 9913 like the plague since lightning hit the system, blew off
>> all the water proofing, and within 15 minutes I had water running out
>> of the 2-meter rig. I was using it on all bands. At that point I took
>> it all out and gave away all but about 200 feet out of over 1500 feet.
>> The 200 feet finally went into the dumpster.
>>
>> I used to take the stance that if it was properly water proofed it was
>> fine, at least until that lightning strike.  I now use mostly LMR-600
>> and some LMR-400  with Davis BuryFlex for the flexible runs.
>>
>> As for Heliax and Hardline, they are probably the cheapest as there is
>> a lot of it floating around.  I had two 100 foot runs of 1/2" Heliax
>> with connectors given to me along with nearly a full 1000 ft roll of
>> 3/4" hard line.
>>
>> Check the local swaps and you may find 1/2" or 7/8" Heliax or even
>> larger.  Check with the local two way outfits as they may have systems
>> they pull out. I picked up a whole pick up truck full of 7/8" Heliax
>> and half a dozen connectors that way. I think the whole thing ran less
>> than $100.
>>
```

>> But I still have to repeat, I'd not install brand new 9913 if it were
>> given to me. 9913F OTOH...<:-))
>>
>> 73
>>
>> Roger (K8RI)
>>
>
> That is fine for you, who live in Lightning prone areas, but for the
> rest of the world, and for "Me" who lives where lightning is, "a Once or
> twice in a Lifetime occurrence", you concern is not really a problem.
>

Air insulated coax is subject to water incursion. If you want to use
these cables you need
to pressurize the cable to keep water out. Even RG8 can get water
between the outer jacket
and the insulation. I was given a roll of 9913 and I gave it away as I
wouldn't use it.

Bill K7NOM

From -7171715074374656245
X-Google-Thread: 108122,ea5f0d295894ca98
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 25 Mar 2010 18:50:29 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
<you-DCAF36.10254624022010@unknown.hwng.net>
<7b3mq5p1sndbs0pfjptnqs1d8916vjr7n5@4ax.com>
<you-2FBBF7.09415625032010@unknown.hwng.net>
Subject: Re: Type of Cable to Use on 2m&70cm
Date: Thu, 25 Mar 2010 19:51:35 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <AKCdnSquitRYazbWnZ2dnUVZ_uSdnZ2d@earthlink.com>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.98
X-Trace: sv3-IebGEbEx88xmhN873qrga8lp9r7+eq/
EHMNhJ2YuqIEjgWZFiHhDOpo+Lx2C1QZBzFWciCC8v/3VCOD!
haKBRJXLI7SaAp227pQtf2BGcuNRTbD5wJIIitKYlrxRVXpTBoioFVJurNw1DqcDm99v//Jh/Z/J!
vGwYX8hVMYBIsF5vjEV/ZhJTnmD2PImxadfXkw==

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1874

"You" <you@shadow.orgs> wrote in message
news:you-2FBBF7.09415625032010@unknown.hwng.net...
>> But I still have to repeat, I'd not install brand new 9913 if it were
>> given to me. 9913F OTOH...<:-))
>>
>> 73
>>
>> Roger (K8RI)
>
> That is fine for you, who live in Lightning prone areas, but for the
> rest of the world, and for "Me" who lives where lightning is, "a Once or
> twice in a Lifetime occurrence", you concern is not really a problem.

It is not the lightning problem with 9913. It is no better or worse for that. The problem with 9913 is the center is hollow and if water ever gets into the coax it will fill up like a water pipe. The 9913F has a dialectric that is not hollow and water can not collect inside it.

I had some 9913 up not long after it came out and after about 10 years took it down when I moved. I just cut into it and no water came out of it. I went back up on a new tower with 4 runs of the Davis burry flex. The loss at VHF is not that more than the 9913 and I will not use the LMR series as the center is copper plated aluminum. I just do not like that even if there is nothing wrong with it.

From -3351448357250678307
X-Google-Thread: 108122,ea5f0d295894ca98
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!post01.iad!news.dslextreme.com!not-for-mail
Date: Fri, 26 Mar 2010 05:55:35 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205 SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Type of Cable to Use on 2m&70cm
References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
<you-DCAF36.10254624022010@unknown.hwng.net>
<7b3mq5p1sndbs0pfjptnqs1d8916vjr7n5@4ax.com>

```
<you-2FBBF7.09415625032010@unknown.hwng.net>
In-Reply-To: <you-2FBBF7.09415625032010@unknown.hwng.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 51
Message-ID: <4bacae9f$0$27723$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2089

You wrote:
> In article<7b3mq5p1sndbs0pfjptnqs1d8916vjr7n5@4ax.com>,
>   Roger<Invalid@rogerhalstead.com>  wrote:
>
>> On Wed, 24 Feb 2010 10:25:53 -0900, You<you@shadow.orgs>  wrote:
>>
>>> In article
>>> <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>,
>>> VK4FDGM Daryl<dgmerrick@gmail.com>  wrote:
>>>
>>>> Hi ,
>>>> I was wandering what type of Coax I should Use on VHF&UHF .
>>>> Bye
>>>> Daryl
>>>
>>> Look at Beldon 9913 for long runs... has Good Spec's and cheaper than
>>> Heliax or HardLine.... We call it PoorMan's Heliax....
>>
>> I avoid 9913 like the plague since lightning hit the system, blew off
>> all the water proofing, and within 15 minutes I had water running out
>> of the 2-meter rig. I was using it on all bands. At that point I took
>> it all out and gave away all but about 200 feet out of over 1500 feet.
>> The 200 feet finally went into the dumpster.
>>
>> I used to take the stance that if it was properly water proofed it was
>> fine, at least until that lightning strike.  I now use mostly LMR-600
>> and some LMR-400  with Davis BuryFlex for the flexible runs.
>>
>> As for Heliax and Hardline, they are probably the cheapest as there is
>> a lot of it floating around.  I had two 100 foot runs of 1/2" Heliax
>> with connectors given to me along with nearly a full 1000 ft roll of
>> 3/4" hard line.
>>
>> Check the local swaps and you may find 1/2" or 7/8" Heliax or even
>> larger.  Check with the local two way outfits as they may have systems
>> they pull out. I picked up a whole pick up truck full of 7/8" Heliax
>> and half a dozen connectors that way. I think the whole thing ran less
>> than $100.
>>
>> But I still have to repeat, I'd not install brand new 9913 if it were
>> given to me. 9913F OTOH...<:-))
>>
>> 73
```

```
>>
>> Roger (K8RI)
>
> That is fine for you, who live in Lightning prone areas, but for the
> rest of the world, and for "Me" who lives where lightning is, "a Once or
> twice in a Lifetime occurrence", you concern is not really a problem.

I use the stuff indoors and out.  I prefer BuryFlex to 9913.


From -8763200421193032920
X-Google-Thread: 108122,db44ba22a081e719
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!o30g2000yqb.googlegroups.com!not-for-
mail
From: Dave Smirkenberg <smirk50@rocketmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ products
Date: Fri, 26 Mar 2010 12:14:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 17
Message-ID: <623068ee-594d-4120-b787-f8569004aaf6@o30g2000yqb.googlegroups.com>
References: <0T5qn.77313$jt1.22957@newsfe01.iad>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1269630868 9961 127.0.0.1 (26 Mar 2010 19:14:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 Mar 2010 19:14:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o30g2000yqb.googlegroups.com; posting-host=72.241.231.67;
     posting-account=1WUOzAoAAADVdXuxcH8-CCd3ty35wPHB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1876

On Mar 23, 12:20=A0pm, notbob <not...@nothome.com> wrote:
> I'm studying hard and planning a shack. =A0I hope to be on the air by
> June. =A0So, is MFJ stuff any good? =A0
>
> To put it more bluntly, is it moderately priced practical equipment or
> just throw-away junk? =A0I'll settle for Chinese made --which I suspect
> much of their stuff is-- if it's relatively decent in design/execution
> and somewhat sturdy. =A0I can see how the antennas and like hardware
> could be decent, but how about the stuff like tuners and other
> meters and electronic equipment. =A0Thanks for any feedback.
>
> nb
```

I have an MFJ-259 Analyzer. Had it since 2005, no problems, works
every time.
I also have an MFJ-989C 3KW VersaTuner V. Same deal, no issues
whatever since purchase in 2004.

```
From -5963596212868567507
X-Google-Thread: 10b9c8,6d5be172dd498442,start
X-Google-NewGroupId: yes
X-Google-Thread: fc8b1,6d5be172dd498442,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,6d5be172dd498442,start
X-Google-NewGroupId: yes
X-Google-Thread: 1109af,6d5be172dd498442,start
X-Google-NewGroupId: yes
X-Google-Thread: f7796,6d5be172dd498442,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gida4a23d5f63,gidda6537b9fb,gidd7f5508063,gid733d321764,gidc5261ab81d,domainid0,pu
blic,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
xxxfer.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph, April 2010 - Subscribe for FREE
Followup-To: poster
Date: Fri, 26 Mar 2010 16:48:36 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 41
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <D14F7061799E4342820B1BD719C7C6B0@kent01250b2901>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1269636516 21954 166.84.1.6 (26 Mar 2010 20:48:36 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 26 Mar 2010 20:48:36 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
```

```
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Identified-User: {632:host139.hostmonster.com:kninyaor:k9ya.org} {sentby:smtp
auth 68.22.194.232 authed with k9ya+k9ya.org}
Xref: g2news2.google.com rec.radio.info:1410 rec.radio.amateur.boatanchors:4104
rec.radio.amateur.equipment:2091 rec.radio.swap:2860 alt.ham-radio.morse:39

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All
About
Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio
publication read by Hams in more than 100 countries. The K9YA Telegraph
contains the stories and features most wanted by our readers, because it
is
written by them. An e-Zine, it is delivered monthly as a full-color PDF
file.

If you're in the mood for Morse, hankering for history, gluttonous for
gear,
ravished for a review, needing nostalgia, or just plain famished for
fun,
you'll find it in the K9YA Telegraph.

To check out sample issues, subscribe or write an article, visit the
K9YA
Telegraph Web site.

http://www.k9ya.org


April 2010 articles include:

4SQRP Group EZ Keyer Kit  By Philip Cala-Lazar, K9PL

Digital Modes - Part I  By Paul W. Ross, W3FIS

Earning a Wartime WAC  By Scott B. Laughlin, N7NET

Ray & Don  By Rich Glassner, N�EAX

All-Bands, Legal-Limit Dipole Project  By Hal Mandel, W4HBM

Ham Lingo By Dick Sylvan, W9CBT






From -7624935109275422745
X-Google-Thread: 108122,ca04b9234386daaf
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!feeder2.cambriumusenet.nl!
feed.tweaknews.nl!195.96.0.7.MISMATCH!newsfeed.utanet.at!news-hub.siol.net!
newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-2000 another problem
Date: Fri, 26 Mar 2010 22:15:48 +0100
Organization: T-Com
Lines: 20
Message-ID: <hoj864$kl9$4@ss408.t-com.hr>
References: <ho10np$2ou$1@ss408.t-com.hr>
NNTP-Posting-Host: 93-141-7-122.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 8bit
X-Trace: ss408.t-com.hr 1269638148 21161 93.141.7.122 (26 Mar 2010 21:15:48 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Fri, 26 Mar 2010 21:15:48 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.4) Gecko/20091017
SeaMonkey/2.0
In-Reply-To: <ho10np$2ou$1@ss408.t-com.hr>
Xref: g2news2.google.com rec.radio.amateur.equipment:2092

Boris Tu�an wrote:
> Everything works fine, till suddenly my FM audio becomes weak. Even call
> signal (1750 Hz) can't go trough... I switch it off, than back on, and
> it works fine for some 5-10 minutes.
>
> Any clue?
>
> Boris

Problem solved :-) Badly connected flat cable on MBO. Looks like Kenwood
has some big problems with "quality check"...

Boris, 9A6KTB
--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris


From -8047865146331649157
X-Google-Thread: 108122,ec67eb1cbcf8ba70,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin2!goblin.stu.neva.ru!feeder.erje.net!news.glorb.com!news2.glorb.com!
```

```
news.glorb.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 26 Mar 2010 18:12:01 -0500
From: HeyReub <HeyReub.5f2f4a1@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood MC-50 Microphone
Date: Fri, 26 Mar 2010 20:04:52 +0000
Message-ID: <HeyReub.5f2f4a1@radiobanter.com>
Organization: RadioBanter.com
Lines: 7
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-K5ymhOiqDHu+DRqgbsmd8iVhGTXmk93rwFFWAX/
y8jgVt1xhf5qmKvTeVH7Hz79djSATazAetaCYLcN!
rOWbgeb+8+GHdZ43d6f4txcMWfjcyDJyAI3Q0Kp1Hfjc2lkIUzMJa4vbTOdzGWlwK/r6+Zrckgv1!jRuG
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:1879
```

I would like to buy an MC-50 for my Kenwood TS-830s.

--
HeyReub

```
From 3614959498146531649
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sun, 28 Mar 2010 19:49:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 23
Message-ID: <slrnhqvcd4.tff.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
 <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
 <200320100945262982%aeiou@mostly.invalid> <L5Lpn.1670$EE6.59@newsfe23.iad>
 <220320100805106215%aeiou@mostly.invalid>
 <slrnhqfbce.psf.gsm@cable.mendelson.com>
```

```
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-134-156.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269805744 3999 89.138.134.156 (28 Mar 2010
19:49:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sun, 28 Mar 2010 19:49:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:1880
```

Geoffrey S. Mendelson wrote:
> They put out 2-3 watts which is more than enough for CW, and will "work
> the world" on SSB if the band is open and uncrowded. Forcing a signal
> through a "closed" band or the middle of a pileup requires 1kw output radio,
> if you hope for success and that is not going to run off a battery.

Just as a comment here is a YouTube video which adds some information.

http://www.youtube.com/watch?v=gbz9yv9VQVc

He has several videos of his working stations during contests using his
Argo 509 (4 watts SSB on a good day). This is one of my favorite rigs,
although I really prefer the Triton 4 digital, which is a very similar
rig with 100 watt output (if you need it), and a digital readout instead
of the dial string.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

```
From 3942464506280447426
X-Google-Thread: 108122,ea5f0d295894ca98
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!v34g2000prd.googlegroups.com!not-for-
mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Type of Cable to Use on 2m&70cm
Date: Sun, 28 Mar 2010 19:53:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <7916f265-e17d-43f2-ae5c-afc2402eef9d@v34g2000prd.googlegroups.com>
References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
NNTP-Posting-Host: 60.228.219.33
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
```

```
X-Trace: posting.google.com 1269831235 16083 127.0.0.1 (29 Mar 2010 02:53:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 29 Mar 2010 02:53:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v34g2000prd.googlegroups.com; posting-host=60.228.219.33;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2.2)
     Gecko/20100316 Firefox/3.6.2 (.NET CLR 3.5.30729),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2095
```

On Feb 24, 9:04=A0pm, VK4FDGM Daryl <dgmerr...@gmail.com> wrote:

> Hi ,
> I was wandering what type of Coax I should Use on VHF&UHF .
> Bye
> Daryl

I use RG-58 and HDF-400. For short runs, it barely makes a difference, you'll still get good results with RG-58 on 70cm, and for portable use, I find RG-58 easier to work with. Plus, I've got heaps of the stuff -- in a past life it used to pass ethernet frames.

On the home base I use 3m of HDF-400... not for the high fidelity, but because the FT-897D I bought at the time used N-type connectors for 2m/70cm. This length was N-type terminated and just lying around doing nothing, so figured I'd put it to use, it was easier than lopping off the BNC connector and wiring up an N-type, and it could only make things better in terms of efficiency.

I also have some RG-213, but few connectors to suit it... the cable was cut at some random point, and has PL-259 connectors, so I use this for HF mainly, again, just out of convenience. One length is spare, the other having some 2.5m long radials off it for my squid pole antenna (which I use on 20m, 10m and 6m).

It'd be worth letting us know what your situation is (current or proposed) however, since there's different cables suitable for different occasions.

```
From -1249697686409892793
X-Google-Thread: 108122,a6a793e7383fcce3,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g19g2000yqe.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB  Yaesu FT 817/ND
Date: Mon, 29 Mar 2010 00:53:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
```

```
Message-ID: <1d318654-e7ed-441d-ab75-d90604625e62@g19g2000yqe.googlegroups.com>
NNTP-Posting-Host: 109.60.0.200
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1269849200 5899 127.0.0.1 (29 Mar 2010 07:53:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 29 Mar 2010 07:53:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g19g2000yqe.googlegroups.com; posting-host=109.60.0.200;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; hr; rv:1.9.2.2)
     Gecko/20100316 Firefox/3.6.2,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1882
```

In no working condition for parts .

```
From -4365948349486034444
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 29 Mar 2010 10:34:31 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 29 Mar 2010 08:34:42 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <290320100834423379%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <L5Lpn.1670$EE6.59@newsfe23.iad>
<220320100805106215%aeiou@mostly.invalid> <slrnhqfbce.psf.gsm@cable.mendelson.com>
<slrnhqvcd4.tff.gsm@cable.mendelson.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 48
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.178.71
X-Trace: sv3-ZyqEpw9Wj/EJgGLEpwLDVMQLAfh0aVwB+CkTinzOBQMAl2mfJ06y+VbWDmWLfW/
19vPRvFFCcVOfZuo!
DAIi8oinYsXWE0Nl0+XxFbOSsXSZ6P6vOvIFAhWGriOws86OYiY9G4sdh+Tc3jiQ0YP8GsbXEUz/!
uA8qOskUWjCKyu3qpTRKgP/cpgcKGlc=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2097
```

In article <slrnhqvcd4.tff.gsm@cable.mendelson.com>, Geoffrey S.
Mendelson <gsm@cable.mendelson.com> wrote:

> Geoffrey S. Mendelson wrote:
> > They put out 2-3 watts which is more than enough for CW, and will "work
> > the world" on SSB if the band is open and uncrowded. Forcing a signal
> > through a "closed" band or the middle of a pileup requires 1kw output radio,
> > if you hope for success and that is not going to run off a battery.
>
> Just as a comment here is a YouTube video which adds some information.
>
> http://www.youtube.com/watch?v=gbz9yv9VQVc
>
> He has several videos of his working stations during contests using his
> Argo 509 (4 watts SSB on a good day). This is one of my favorite rigs,
> although I really prefer the Triton 4 digital, which is a very similar
> rig with 100 watt output (if you need it), and a digital readout instead
> of the dial string.
>
> Geoff.

Thanks very much for that follow-up report.

In a weak moment, I fell victim to my emotions and
ordered a brand-new 100 watt Yaesu 857D.

Hey, nobody is perfect! - I blame it all on the stress I am
presently suffering from studying for
my extra-class license.

I bought the "look-alike" (Collins) 300Hz CW filter on a
seperate order from WART electronics, because there were
no articles on the web about any narrower CW filters
being available.

(ones that do not "ring" excessively, that is)

I hope the passband of the Yaesu's last IF stage can be shifted to
one side, as I forgot to examine the spec's of the Yaesu in detail.

If I can cock the IF passband to one side, that might reduce the
interference from another CW station somewhat, I hope.

How does the Triton 4 digital compare against the Elecraft K3
in your opinion?

Mark

From 31549856843408706
X-Google-Thread: 108122,f51968e16111413f

X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!209.197.12.242.MISMATCH!nx01.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Mon, 29 Mar 2010 18:09:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 26
Message-ID: <slrnhr1r3h.p81.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <L5Lpn.1670$EE6.59@newsfe23.iad>
<220320100805106215%aeiou@mostly.invalid>
<slrnhqfbce.psf.gsm@cable.mendelson.com>
<slrnhqvcd4.tff.gsm@cable.mendelson.com>
<290320100834423379%aeiou@mostly.invalid>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-134-156.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269886143 26532 89.138.134.156 (29 Mar 2010 18:09:03 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Mon, 29 Mar 2010 18:09:03 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2098

Mark Conrad wrote:
> How does the Triton 4 digital compare against the Elecraft K3
> in your opinion?

Not at all. the Triton 4 is around 30 years old. It is very different in operation, instead of being a computer that has a radio wrapped around it, it is just the radio. The only thing digital is the frequency readout, and just in case you don't like it, there is an analog scale on the tuning knob.

As for sound, it's just pure clean sound, with no noise from all the digital electronics inside. The oscilator is a PTO (a brass slug moving in a coil), so if your hand is steady enough, you can tune it exactly to match the frequency of the sending station.

The K3 has very fine tuning and it may not be noticably different.

The Triton 4 has true QSK, you can hear any time the transmitter is not actually sending carrier in CW mode.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or understanding, as in he has a sub-wikipedia understanding of the situation. i.e possessing less facts or information than can be found in the Wikipedia.

```
From 2688881196081522568
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Tue, 30 Mar 2010 05:23:13 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205
SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <L5Lpn.1670$EE6.59@newsfe23.iad>
<220320100805106215%aeiou@mostly.invalid> <slrnhqfbce.psf.gsm@cable.mendelson.com>
<slrnhqvcd4.tff.gsm@cable.mendelson.com> <290320100834423379%aeiou@mostly.invalid>
In-Reply-To: <290320100834423379%aeiou@mostly.invalid>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 35
Message-ID: <4bb1ed05$0$27729$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2099

Mark Conrad wrote:
> In article<slrnhqvcd4.tff.gsm@cable.mendelson.com>, Geoffrey S.
> Mendelson<gsm@cable.mendelson.com>  wrote:
>
>> Geoffrey S. Mendelson wrote:
>>> They put out 2-3 watts which is more than enough for CW, and will "work
>>> the world" on SSB if the band is open and uncrowded. Forcing a signal
>>> through a "closed" band or the middle of a pileup requires 1kw output radio,
>>> if you hope for success and that is not going to run off a battery.
>>
>> Just as a comment here is a YouTube video which adds some information.
>>
>> http://www.youtube.com/watch?v=gbz9yv9VQVc
>>
>> He has several videos of his working stations during contests using his
>> Argo 509 (4 watts SSB on a good day). This is one of my favorite rigs,
>> although I really prefer the Triton 4 digital, which is a very similar
>> rig with 100 watt output (if you need it), and a digital readout instead
>> of the dial string.
```

>>
>> Geoff.
>
>
> Thanks very much for that follow-up report.
>
> In a weak moment, I fell victim to my emotions and
> ordered a brand-new 100 watt Yaesu 857D.
>
> Hey, nobody is perfect! - I blame it all on the stress I am
> presently suffering from studying for
> my extra-class license.
>

The Gordon West book makes this a snap. And the QRZ practice tests. I
went from nothing to Amateur Extra in 5 weeks.

From 5505816310177518896
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad!post01.iad!news.dslextreme.com!not-for-mail
Date: Tue, 30 Mar 2010 05:27:33 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205
SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
References: <1803201008422649l4%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid> <L5Lpn.1670$EE6.59@newsfe23.iad>
<2203201008051062l5%aeiou@mostly.invalid> <slrnhqfbce.psf.gsm@cable.mendelson.com>
<slrnhqvcd4.tff.gsm@cable.mendelson.com> <2903201008344233 79%aeiou@mostly.invalid>
<slrnhr1r3h.p81.gsm@cable.mendelson.com>
In-Reply-To: <slrnhr1r3h.p81.gsm@cable.mendelson.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 28
Message-ID: <4bb1ee09$0$27729$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2100

Geoffrey S. Mendelson wrote:
> Mark Conrad wrote:
>> How does the Triton 4 digital compare against the Elecraft K3
>> in your opinion?
>

> Not at all. the Triton 4 is around 30 years old. It is very different in operation, instead of being a computer that has a radio wrapped around it, it is just the radio. The only thing digital is the frequency readout, and just in case you don't like it, there is an analog scale on the tuning knob.
>
> As for sound, it's just pure clean sound, with no noise from all the digital electronics inside. The oscilator is a PTO (a brass slug moving in a coil), so if your hand is steady enough, you can tune it exactly to match the frequency of the sending station.
>
> The K3 has very fine tuning and it may not be noticably different.
>
> The Triton 4 has true QSK, you can hear any time the transmitter is not actually sending carrier in CW mode.
>
> Geoff.
>

The K3 is not a computer with a radio wrapped around it. It has a DSP modulator/demodulator but the rest is straight-up cutting edge analog, complete with crystal filters and low noise local oscillators. The radio will play out of the box, with just an antenna and 13 VDC being required to get under way.

From 9112340684485344583
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.litech.org!news0.firedrake.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Tue, 30 Mar 2010 08:37:55 -0500
Organization: Firedrake Synthesis
Lines: 62
Message-ID: <jeb987-rj71.ln1@mikea.ath.cx>
References: <180320100842264914%aeiou@mostly.invalid> <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com> <200320100945262982%aeiou@mostly.invalid> <L5Lpn.1670$EE6.59@newsfe23.iad> <220320100805106215%aeiou@mostly.invalid> <slrnhqfbce.psf.gsm@cable.mendelson.com> <slrnhqvcd4.tff.gsm@cable.mendelson.com> <290320100834423379%aeiou@mostly.invalid>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: parhelion.firedrake.org 1269956348 8413 70.164.65.62 (30 Mar 2010 13:39:08 GMT)
X-Complaints-To: usenet@parhelion.firedrake.org
NNTP-Posting-Date: Tue, 30 Mar 2010 13:39:08 +0000 (UTC)
X-Not-Approved: idees@videotron.qc.ca-is-a-troll
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:2101

Mark Conrad <aeiou@mostly.invalid> wrote in
<29032010083442337 9%aeiou@mostly.invalid>:
> In article <slrnhqvcd4.tff.gsm@cable.mendelson.com>, Geoffrey S.
> Mendelson <gsm@cable.mendelson.com> wrote:
>
>> Geoffrey S. Mendelson wrote:
>> > They put out 2-3 watts which is more than enough for CW, and will "work
>> > the world" on SSB if the band is open and uncrowded. Forcing a signal
>> > through a "closed" band or the middle of a pileup requires 1kw output radio,
>> > if you hope for success and that is not going to run off a battery.
>>
>> Just as a comment here is a YouTube video which adds some information.
>>
>> http://www.youtube.com/watch?v=gbz9yv9VQVc
>>
>> He has several videos of his working stations during contests using his
>> Argo 509 (4 watts SSB on a good day). This is one of my favorite rigs,
>> although I really prefer the Triton 4 digital, which is a very similar
>> rig with 100 watt output (if you need it), and a digital readout instead
>> of the dial string.
>>
>> Geoff.
>
>
> Thanks very much for that follow-up report.
>
> In a weak moment, I fell victim to my emotions and
> ordered a brand-new 100 watt Yaesu 857D.

I suspect that you will be disappointed by something in that radio, but not
much disappointed, and that you will be delighted by lots of things in it.

> Hey, nobody is perfect! - I blame it all on the stress I am
> presently suffering from studying for
> my extra-class license.

If *I* can get an Extra ticket, then _ANYONE_ can get an Extra ticket.
(We mathematicians call this "proof by assertion".)

> I bought the "look-alike" (Collins) 300Hz CW filter on a
> seperate order from WART electronics, because there were
> no articles on the web about any narrower CW filters
> being available.
>
> (ones that do not "ring" excessively, that is)

> I hope the passband of the Yaesu's last IF stage can be shifted to
> one side, as I forgot to examine the spec's of the Yaesu in detail.

I seem to recall that the passband can be moved on the 857D and 897D
(and, of course, on the 857 and 897, as well).

> If I can cock the IF passband to one side, that might reduce the

> interference from another CW station somewhat, I hope.

That's what I've used it for -- and to get rid of the het squeal from
SWBC stations on 40m.

--
If you want to post to a.s.n-n, newgroup it on a server you administer, and
see who else comes to post. The people here have other bones to pick --
possibly including yours.
-- me, to a luser

From 4985970006200605057
X-Google-Thread: d7f5508063,7be62478a21febc4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!goblin1!goblin2!goblin.stu.neva.ru!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 Mar 2010 17:11:45 -0500
From: patq <patq.5f82c8f@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: wilson wr 500 rotor
Date: Tue, 30 Mar 2010 17:50:22 +0100
Message-ID: <patq.5f82c8f@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-R34KDvzM3UUOJNmfEPdYj7ULkq4hVEWJFJjmXK7hjGQH2qbc+pQNFAH4TViEBadh9SNDLojw8jzutDy!PoObi4pfSVOexkwb6YY+OmLqptmk+tjkBEofEYmPsUZtJSXqr9r/8R6qczaZ71TvgI2STLmWhqER
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1105
Xref: g2news1.google.com rec.radio.amateur.equipment:1888

I have a pdf of this rotor if you need it. I am looking for a plug for
the rotor side of the cable and a potentiameter for rotor direction
thanks Pat N2WC

--
patq

```
From -7617582418098571907
X-Google-Thread: 108122,12953c8126995cdd
X-Google-NewGroupId: yes
X-Google-Thread: faf09,12953c8126995cdd
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g34g2000pro.googlegroups.com!not-for-mail
From: zaqwsx147852 <hjin17@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: paypal wholesale all brand(UGGBOOTS,SHOES,CLOTHES,HANDBAG,WATCH,JEANS,JERSEY,T-SHIRT,SHIRTS,HOODY,EYEGLASS,CAP,SHAWL,WALLT)
     and so on.
Date: Wed, 31 Mar 2010 05:13:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 46
Message-ID: <a185415f-1d90-4861-b001-d19ace67bdaa@g34g2000pro.googlegroups.com>
NNTP-Posting-Host: 218.87.27.86
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1270037592 5768 127.0.0.1 (31 Mar 2010 12:13:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 Mar 2010 12:13:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g34g2000pro.googlegroups.com; posting-host=218.87.27.86;
     posting-account=mSZRUgoAAADGiZ1WnrJCWSpDr-THM41l
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727; 360SE),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2103 rec.food.equipment:4285
```

our MSN and email both are :people-trade@hotmail.com

paypal wholesale d&g shoes (paypal payment)(http://picasaweb.google.com/peopletrade.shoes001/)
paypal wholesale gucci shoes (paypal payment)(http://picasaweb.google.com/peopletrade.shoes002/)
paypal wholesale lv shoes (paypal payment)(http://picasaweb.google.com/peopletrade.clothing001/)
paypal wholesale NBA shoes (paypal payment)(http://picasaweb.google.com/peopletrade.clothing002/
)
paypal wholesale nike (paypal payment)(http://picasaweb.google.com/peopletrade.clothing003/
)
paypal wholesale adidas shoes (paypal payment)(http://picasaweb.google.com/peopletrade.clothing003/)
paypal wholesale UGG shoes (paypal payment)(http://picasaweb.google.com/

```
peopletrade.clothing003/
)
paypal wholesale bape hoody (paypal payment)(
http://picasaweb.google.com/peopletrade.clothing003/)
paypal wholesale antick jeans (paypal payment)(
http://picasaweb.google.com/peopletrade.clothing003/ )
paypal wholesale diesel jeans (paypal payment)(
http://picasaweb.google.com/peopletrade.clothing003/)
paypal wholesale artful dudger (paypal payment)(
http://picasaweb.google.com/peopletrade.clothing003/)
paypal wholesale bag(lv gucci coach chanel d&g dior ed  fendi )
(paypal payment)(http://picasaweb.google.com/
peopletrade.clothing003/)
paypal wholesale clothing (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/
)
paypal wholesale lrg,jeans,hoody, (paypal payment)(
http://picasaweb.google.com/peopletrade.clothing003/)
paypal wholesale evisu jeans,hoody,shirt (paypal payment)(
http://picasaweb.google.com/peopletrade.clothing003/)

paypal wholesale Prada (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/)
paypal wholesale Puma (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/)
paypal wholesale Sand (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/)
paypal wholesale Shox (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/
)
paypal wholesale soccer (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/
)
paypal wholesale UGG (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/)
paypal wholesale Versace (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/
)
paypal wholesale Women (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/)
paypal wholesale Y-3 (paypal payment)( http://picasaweb.google.com/
peopletrade.clothing003/
)


From -3427528294612160036
X-Google-Thread: d7f5508063,886f25812542093a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news.glorb.com!
news2.glorb.com!news.mv.net!pat
```

From: Pat <pat@patsjopwaio.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: FS: 7 Books: HAM RADIO, 2008 ARRL Handbook, Antenna Book, APRS, Packet, etc.
Date: Wed, 31 Mar 2010 14:22:42 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <310320101422426121%pat@patsjopwaio.com>
NNTP-Posting-Host: c-75-69-175-39.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1270059762 32204 75.69.175.39 (31 Mar 2010 18:22:42 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 31 Mar 2010 18:22:42 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:1029930
alt.marketplace.books:6259 rec.arts.books.marketplace:3667 alt.ham-radio.marketplace:667 rec.radio.amateur.equipment:1890

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320510490425

From -2779137792967243631
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1267426800@panix.com>
Followup-To: poster
Date: 1 Apr 2010 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 04 May 2010 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1270101601@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1270101603 8652 166.84.1.2 (1 Apr 2010 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 1 Apr 2010 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,

permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:15373 rec.radio.amateur.dx:588 rec.radio.amateur.equipment:1891 rec.radio.amateur.homebrew:3294 rec.radio.amateur.misc:4747 rec.radio.amateur.policy:25666 rec.radio.amateur.space:325 rec.radio.info:1340

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to

rec-radio-amateur-moderated-request@panix.com.

```
From -5400447508368104962
X-Google-Thread: 108122,e4a6628da9927a13
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin2!goblin.stu.neva.ru!newsfeed01.sul.t-online.de!newsfeed00.sul.t-
online.de!t-online.de!border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 01 Apr 2010 05:13:45 -0500
From: davesc50 <davesc50.5fa26ce@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Plessey PR-2250
Date: Thu, 1 Apr 2010 08:26:20 +0100
Message-ID: <davesc50.5fa26ce@radiobanter.com>
Organization: RadioBanter.com
References:  <QQV03-10.5eab744@radiobanter.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
TOjflHgerOMddd6hB1yGDORzIfP+hNLlprmzc2O+wFEuY3uLyuzcVzdvsQ5xv9UtZwMggmk40gekQ8t!
3sNuovRwOcf8huoD/0E1qi5l37DOGWQYjSjKt02mBdKVo8ZmJiZD+q7v2f+zBclT7bCI2yMg9WGn!g/
odTw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 13
X-Original-Bytes: 1593
Xref: g2news2.google.com rec.radio.amateur.equipment:2106
```

QQV03-10;702229 Wrote:

> Has anyone got any spare parts for this item, in particular the mini
> co-ax leads that connect between modules or the motherboard?
>
> Any info about module 7 please?
>
> regards,

Hi,

I have a computer controlled version of this receiver, that I acquired recently to salvage the PSU module. I am thinking of parting the rest out. It has a complete set of mini coax cables and, as long as module 7 isn't the front panel interface, a set of spare modules.
Please contact me off list and we'll sort something out.

```
Cheers,
Dave.S




--
davesc50


From 5328159714631482495
X-Google-Thread: d7f5508063,59667bbe40663581,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
193.252.117.184.MISMATCH!feeder.news.orange.fr!not-for-mail
From: incs
Date: Fri, 02 Apr 2010 11:08:43 +0200
Newsgroups: rec.radio.amateur.equipment
Subject: microphone and the design of speaker
Message-ID: <5550472@news.orange.fr>
Lines: 3
Organization: les newsgroups par Orange
NNTP-Posting-Date: 02 Apr 2010 11:08:46 CEST
NNTP-Posting-Host: 86.197.251.91
X-Trace: 1270199326 reader.news.orange.fr 3696 86.197.251.91:3505
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com rec.radio.amateur.equipment:1893

look at this site http://sourceforge.net/projects/alsasimple/.
as a drawback look at this link http://sourceforge.net/projects/usbms/ when
studying microphone.
therefore somebody shoud try to develop the control of the speaker separately


From -6818190266837855970
X-Google-Thread: 108122,59667bbe40663581
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!news.mixmin.net!aioe.org!not-for-mail
From: "stan" <betatwelve@voila.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: microphone and the design of speaker
Date: Fri, 2 Apr 2010 11:26:34 +0200
Organization: Aioe.org NNTP Server
Lines: 13
Message-ID: <hp4d8b$vbp$2@speranza.aioe.org>
References: <5550472@news.orange.fr>
NNTP-Posting-Host: +FoAr27phGEZ4nwUEXq1bw.user.speranza.aioe.org
```

```
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
X-Notice: Filtered by postfilter v. 0.8.2
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2108

Hi,

I don't see the equipments used in these URLs.
Is it related to E-Secure radio appliance ?

<incs> a �crit dans le message de news: 5550472@news.orange.fr...
> look at this site http://sourceforge.net/projects/alsasimple/.
> as a drawback look at this link http://sourceforge.net/projects/usbms/
> when studying microphone.
> therefore somebody shoud try to develop the control of the speaker
> separately




From 1526662061272152392
X-Google-Thread: 108122,b8acd4ed44934ea1,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,b8acd4ed44934ea1,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b33g2000yqc.googlegroups.com!not-for-
mail
From: shoestrade <haoxinfenshou98@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Discount Wholesale Christian Audigier Jeans
Date: Fri, 2 Apr 2010 19:02:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 33
Message-ID: <b58cdddb-bcda-434d-896e-90d1b5a97ce7@b33g2000yqc.googlegroups.com>
NNTP-Posting-Host: 58.22.64.199
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1270260153 19066 127.0.0.1 (3 Apr 2010 02:02:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 3 Apr 2010 02:02:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b33g2000yqc.googlegroups.com; posting-host=58.22.64.199;
     posting-account=NaqkvQoAAABxjp2Ua18U0tMRFxALbNih
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1895 rec.food.equipment:3898
```

```
Discount Wholesale Affliction Jeans  <free shipping paypal payment>
Discount Wholesale AK Jeans
Discount Wholesale Armani Jeans http://www.brandtrade10.com/
Discount Wholesale Artful Dodger Jeans
Discount Wholesale BAPE Jeans
Discount Wholesale BBC Jeans http://www.brandtrade10.com/
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans   <free shipping paypal payment>
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans
Discount Wholesale D&G Jeans http://www.brandtrade10.com/
Discount Wholesale Diesel Jeans
Discount Wholesale ECKO Jeans http://www.brandtrade10.com/
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans http://www.brandtrade10.com/
Discount Wholesale Laguna Beach Jeans
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans http://www.brandtrade10.com/
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans
Discount Wholesale Versace Jeans http://www.brandtrade10.com/
Discount Wholesale ZEN Jeans<free shipping paypal payment>
website: http://www.brandtrade10.com/



From 4971614474279532752
X-Google-Thread: 108122,364e8c65f909039d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g11g2000yqe.googlegroups.com!not-for-mail
From: brack <bodybuilders@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Eton E1XM swap for...
Date: Sat, 3 Apr 2010 07:20:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <cba2f3df-0929-470b-bb0d-196e60f7e6f9@g11g2000yqe.googlegroups.com>
NNTP-Posting-Host: 81.235.33.206
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
```

X-Trace: posting.google.com 1270304455 15503 127.0.0.1 (3 Apr 2010 14:20:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 3 Apr 2010 14:20:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g11g2000yqe.googlegroups.com; posting-host=81.235.33.206;
     posting-account=T20WowgAAACLyqufFQp3eYWHcx-vKBOW
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2.2)
     Gecko/20100316 Firefox/3.6.2 (.NET CLR 3.5.30729),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1896

I would like to try something new, and want to swap my Eton E1XM for
any of the following table-top receivers (used of course):
Icom r75;
Drake r8;
Yaesu FRG-100

If you have something that is not listed here but you think it is fair
trade, please send me your review of your rig. Try to convince me.
My Eton E1XM is in superb condition, purchased in US two years ago,
has all included in the box accessories and even the wrapping plastic
(the box is also here). No scratches or wear-outs or anything, the
condition is like new.

From -7306096842684553187
X-Google-Thread: 108122,364e8c65f909039d
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Sun, 04 Apr 2010 06:27:35 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Eton E1XM swap for...
References: <cba2f3df-0929-470b-bb0d-196e60f7e6f9@g11g2000yqe.googlegroups.com>
In-Reply-To: <cba2f3df-0929-470b-bb0d-196e60f7e6f9@g11g2000yqe.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <4bb89395$0$27729$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1897

brack wrote:
> I would like to try something new, and want to swap my Eton E1XM for
> any of the following table-top receivers (used of course):

> Icom r75;
> Drake r8;
> Yaesu FRG-100
>
> If you have something that is not listed here but you think it is fair
> trade, please send me your review of your rig. Try to convince me.
> My Eton E1XM is in superb condition, purchased in US two years ago,
> has all included in the box accessories and even the wrapping plastic
> (the box is also here). No scratches or wear-outs or anything, the
> condition is like new.

I have a Lowe HF-150 w/keypad and data interface. Where are you?

From -8130999410483953211
X-Google-Thread: 108122,d47216ce9c64aa5c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe24.iad.POSTED!c1bea80e!not-for-mail
From: Chris <chrisvdm@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TRC 80 Programming Please help me if you can.
Message-ID: <ke0jr5d4qcn0ommu7okfd5frapd23i6dp5@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Mon, 05 Apr 2010 06:23:36 UTC
Organization: TeraNews.com
Date: Mon, 05 Apr 2010 08:23:31 +0200
Xref: g2news2.google.com rec.radio.amateur.equipment:2112

Kenwood TRC 80 Programming Please help me if you can.

Good day,

I am asking for assistance with my Kenwood TRC 80, I need to reset the unit back to factory defaults, but do not know how to do this.

If you have any information or if you can direct me in the correct direction I would appreciate it.

Thank you for your time and assistance.

Regards,

Chris - Pretoria, South Africa
e-mail : chrisvdm@hotmail.com

```
From -4688796587497313567
X-Google-Thread: 108122,ca1801af176754ec,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!5g2000yqj.googlegroups.com!not-for-
mail
From: DG LEATHER SHOES <suqiz@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Kids football 2010 jersey sport jersey sweater sport shirt jersey
     athletic shirt paypal wholesale free shipping on http://www.brandtrade10.com
Date: Mon, 5 Apr 2010 02:50:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <5681b141-75a9-470f-af8f-c11d0bf16761@5g2000yqj.googlegroups.com>
NNTP-Posting-Host: 112.111.175.196
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1270461026 8767 127.0.0.1 (5 Apr 2010 09:50:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Apr 2010 09:50:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 5g2000yqj.googlegroups.com; posting-host=112.111.175.196;
     posting-account=sBkrKAoAAACJCwukHN4q2dmwsxoEmtqv
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1899 rec.food.equipment:3901

NFL 2010 jersey sport jersey sweater sport shirt jersey athletic shirt
paypal wholesale free shipping on http://www.brandtrade10.com/
  MLB 2010 jersey sport jersey sweater sport shirt jersey athletic
shirt paypal wholesale free shipping on http://www.brandtrade10.com/
  NBA 2010 jersey sport jersey sweater sport shirt jersey athletic
shirt paypal wholesale free shipping on http://www.brandtrade10.com/
  long football 2010 jersey sport jersey sweater sport shirt jersey
athletic shirt paypal wholesale free shipping on http://www.brandtrade10.com/
  football 2010 jersey sport jersey sweater sport shirt jersey
athletic shirt paypal wholesale free shipping on http://www.brandtrade10.com/
  Kids football 2010 jersey sport jersey sweater sport shirt jersey
athletic shirt paypal wholesale free shipping on http://www.brandtrade10.com/
  AAA+football 2010 jersey sport jersey sweater sport shirt jersey
athletic shirt paypal wholesale free shipping on http://www.brandtrade10.com/
  Lacoste 2010 jersey sport jersey sweater sport shirt jersey athletic
shirt paypal wholesale free shipping on http://www.brandtrade10.com/


From 2169638269671892300
X-Google-Thread: 108122,364e8c65f909039d
X-Google-NewGroupId: yes
```

```
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!y14g2000yqm.googlegroups.com!not-for-
mail
From: brack <bodybuilders@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Eton E1XM swap for...
Date: Mon, 5 Apr 2010 03:28:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <678f4bbc-dc8e-4eb5-af87-b9b4815f69b6@y14g2000yqm.googlegroups.com>
References: <cba2f3df-0929-470b-bb0d-196e60f7e6f9@g11g2000yqe.googlegroups.com>
     <4bb89395$0$27729$bd467cd0@news.dslextreme.com>
NNTP-Posting-Host: 94.246.127.123
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1270463335 8023 127.0.0.1 (5 Apr 2010 10:28:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Apr 2010 10:28:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y14g2000yqm.googlegroups.com; posting-host=94.246.127.123;
     posting-account=T20WowgAAACLyqufFQp3eYWHcx-vKBOW
User-Agent: G2/1.0
X-HTTP-UserAgent: Opera/9.80 (J2ME/MIDP; Opera Mini/5.0.18302/1114; U; en)
     Presto/2.4.15,gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1900

On Apr 4, 4:27=A0pm, dave <d...@dave.dave> wrote:
> brack wrote:
> > I would like to try something new, and want to swap my Eton E1XM for
> > any of the following table-top receivers (used of course):
> > Icom r75;
> > Drake r8;
> > Yaesu FRG-100
>
> > If you have something that is not listed here but you think it is fair
> > trade, please send me your review of your rig. Try to convince me.
> > My Eton E1XM is in superb condition, purchased in US two years ago,
> > has all included in the box accessories and even the wrapping plastic
> > (the box is also here). No scratches or wear-outs or anything, the
> > condition is like new.
>
> I have a Lowe HF-150 w/keypad and data interface. =A0Where are you?

I'm in Sweden, but Lowe hf 150 is not on my consideration list. Sorry
about that.


From 8676974288387453722
X-Google-Thread: 108122,364e8c65f909039d
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Mon, 05 Apr 2010 05:23:14 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.9) Gecko/20100317
SeaMonkey/2.0.4
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Eton E1XM swap for...
References: <cba2f3df-0929-470b-bb0d-196e60f7e6f9@g11g2000yqe.googlegroups.com>
     <4bb89395$0$27729$bd467cd0@news.dslextreme.com> <678f4bbc-dc8e-4eb5-af87-
b9b4815f69b6@y14g2000yqm.googlegroups.com>
In-Reply-To: <678f4bbc-dc8e-4eb5-af87-b9b4815f69b6@y14g2000yqm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 22
Message-ID: <4bb9d5ff$0$27746$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2115

brack wrote:
> On Apr 4, 4:27 pm, dave<d...@dave.dave>  wrote:
>> brack wrote:
>>> I would like to try something new, and want to swap my Eton E1XM for
>>> any of the following table-top receivers (used of course):
>>> Icom r75;
>>> Drake r8;
>>> Yaesu FRG-100
>>
>>> If you have something that is not listed here but you think it is fair
>>> trade, please send me your review of your rig. Try to convince me.
>>> My Eton E1XM is in superb condition, purchased in US two years ago,
>>> has all included in the box accessories and even the wrapping plastic
>>> (the box is also here). No scratches or wear-outs or anything, the
>>> condition is like new.
>>
>> I have a Lowe HF-150 w/keypad and data interface.  Where are you?
>
> I'm in Sweden, but Lowe hf 150 is not on my consideration list. Sorry
> about that.

I'll get over it.


From 7518118692163789417
X-Google-Thread: 108122,c0f79489976f2bf8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j21g2000yqh.googlegroups.com!not-for-
```

```
mail
From: chen yang <hyh_david@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: =?ISO-8859-1?Q?
2010paypal_wholesale_all_brand=28UGGBOOTS=2CSHOES=2CCLOTHE?=
     =?ISO-8859-1?Q?
S=2CH=ADANDBAG=2CWATCH=2CJEANS=2CJERSEY=2CT=2DSH=ADIRT=2CSHIRTS=2CHOODY=2CEYEGLA?=
     =?ISO-8859-1?Q?SS=2CCAP=2C=ADSHAWL=2CWALLT=29?=
Date: Mon, 5 Apr 2010 11:49:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 72
Message-ID: <7cdd3744-d0fa-4f80-a8be-54510647864a@j21g2000yqh.googlegroups.com>
NNTP-Posting-Host: 76.76.103.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1270493342 31498 127.0.0.1 (5 Apr 2010 18:49:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Apr 2010 18:49:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j21g2000yqh.googlegroups.com; posting-host=76.76.103.18;
     posting-account=mbY9oQoAAACizDbtPw3aLWO3ZzSM8Dgf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6.4; TheWorld),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2116

Discount wholesale Ebel Watch (www.made-in-pt.com)  (paypal
payment)
Discount wholesale Bape Watch
Discount wholesale Bell&Ross Watch
Discount wholesale Breit Ling Watch  (www.made-in-pt.com)  (paypal
payment)
Discount wholesale Burberry Watch
Discount wholesale Cartier Watch
Discount wholesale Chopard Watch
Discount wholesale D&G Watch
Discount wholesale Givenchy Watch  (www.made-in-pt.com)  (paypal
payment)
Discount wholesale Jacob&Co Watch
Discount wholesale Kappa Watch
Discount wholesale Prada Watch
Discount wholesale Tissot Watch
Discount wholesale Titoni Watch  (www.made-in-pt.com)  (paypal
payment)
Discount wholesale U-BOAT Watch
Discount wholesale Zenith Watch
Discount wholesale A.Lange&Sohne Watch
Discount wholesale Audemars Piguet Watch
Discount wholesale Baume&Mercier Watch
Discount wholesale Blancpain Watch  (www.made-in-pt.com)  (paypal
payment)
Discount wholesale Breguet Watch
Discount wholesale BRM Watch
```

Discount wholesale Bvlgari Watch
Discount wholesale Chanel Watch
Discount wholesale Concord Watch (www.made-in-pt.com) (paypal payment)
Discount wholesale Corum Watch
Discount wholesale Dewitt Watch
Discount wholesale Ferrari Watch
Discount wholesale Franck Muller Watch
Discount wholesale Girard Perregaux Watch
Discount wholesale Glashutte Watch (www.made-in-pt.com) (paypal payment)
Discount wholesale Graham Watch
Discount wholesale GUCCI Watch
Discount wholesale GUESS Watch
Discount wholesale Hamilton Watch
Discount wholesale Hermes Watch
Discount wholesale Hublot Watch (www.made-in-pt.com) (paypal payment)
Discount wholesale IWC Watch
Discount wholesale Jaeger Le Coultre Watch
Discount wholesale Longines Watch
Discount wholesale LV Watch
Discount wholesale Montblanc Watch (www.made-in-pt.com) (paypal payment)
Discount wholesale Movado Watch
Discount wholesale Omega Watch
Discount wholesale Oris Watch
Discount wholesale Paket Philippe Watch
Discount wholesale Panerai Watch (www.made-in-pt.com) (paypal payment)
Discount wholesale Parmigiani Fleurier Watch
Discount wholesale Piaget Watch
Discount wholesale Porsche Design Watch
Discount wholesale Rolex Watch (www.made-in-pt.com) (paypal payment)
Discount wholesale Romain Jerome Titanic-Dna Watch
Discount wholesale Tag Heuer Watch
Discount wholesale Tudor Watch
Discount wholesale Vach.Constantine Watch
Discount wholesale Armani Watch
Discount wholesale RADO Watch (www.made-in-pt.com) (paypal payment)

```
From -7071762753775214440
X-Google-Thread: 108122,9abc1de749411f09,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y17g2000yqd.googlegroups.com!not-for-
```

```
mail
From: chen yang <hyh_david@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: basketball 2010 jersey sport jersey sweater sport shirt jersey
     athletic shirt paypal wholesale free
Date: Mon, 5 Apr 2010 11:50:37 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <6f37e3dd-8424-4603-84bd-96f9d37abaa2@y17g2000yqd.googlegroups.com>
NNTP-Posting-Host: 76.76.103.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1270493437 21897 127.0.0.1 (5 Apr 2010 18:50:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Apr 2010 18:50:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y17g2000yqd.googlegroups.com; posting-host=76.76.103.18;
     posting-account=mbY9oQoAAACizDbtPw3aLWO3ZzSM8Dgf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6.4; TheWorld),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1903

NFL 2010 jersey sport jersey sweater sport shirt jersey athletic
shirt
paypal wholesale free shipping on http://www.made-in-pt.com/
  MLB 2010 jersey sport jersey sweater sport shirt jersey athletic
shirt paypal wholesale free shipping on http://www.made-in-pt.com/
  NBA 2010 jersey sport jersey sweater sport shirt jersey athletic
shirt paypal wholesale free shipping on http://www.made-in-pt.com/
  long football 2010 jersey sport jersey sweater sport shirt jersey
athletic shirt paypal wholesale free shipping on http://www.made-in-pt.com/
  football 2010 jersey sport jersey sweater sport shirt jersey
athletic shirt paypal wholesale free shipping on http://www.made-in-pt.com/
  Kids football 2010 jersey sport jersey sweater sport shirt jersey
athletic shirt paypal wholesale free shipping on http://www.made-in-pt.com/
  AAA+football 2010 jersey sport jersey sweater sport shirt jersey
athletic shirt paypal wholesale free shipping on http://www.made-in-pt.com/
  Lacoste 2010 jersey sport jersey sweater sport shirt jersey
athletic
shirt paypal wholesale free shipping on http://www.made-in-pt.com/
```

```
From -7936929025228587678
X-Google-Thread: d7f5508063,b8acd4ed44934ea1,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r1g2000yqj.googlegroups.com!not-for-
```

mail
From: chen yang <hyh_david@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Discount Wholesale Christian Audigier Jeans
Date: Mon, 5 Apr 2010 11:51:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 33
Message-ID: <5291a797-9066-40d2-a1bf-20db0eadf3d7@r1g2000yqj.googlegroups.com>
NNTP-Posting-Host: 76.76.103.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1270493506 1056 127.0.0.1 (5 Apr 2010 18:51:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Apr 2010 18:51:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r1g2000yqj.googlegroups.com; posting-host=76.76.103.18;
posting-account=mbY9oQoAAACizDbtPw3aLWO3ZzSM8Dgf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
GTB6.4; TheWorld),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2118

Discount Wholesale Affliction Jeans <free shipping paypal payment>
Discount Wholesale AK Jeans
Discount Wholesale Armani Jeans www.made-in-pt.com/
Discount Wholesale Artful Dodger Jeans
Discount Wholesale BAPE Jeans
Discount Wholesale BBC Jeans www.made-in-pt.com/
Discount Wholesale Black Label Jeans
Discount Wholesale Cavalli Jeans <free shipping paypal payment>
Discount Wholesale Christian Audigier Jeans
Discount Wholesale Coogi Jeans
Discount Wholesale Crown Holder Jeans
Discount Wholesale D&G Jeans www.made-in-pt.com/
Discount Wholesale Diesel Jeans
Discount Wholesale ECKO Jeans www.made-in-pt.com/
Discount Wholesale ED Hardy Jeans
Discount Wholesale Evisu Jeans
Discount Wholesale G-STAR Jeans <free shipping paypal payment>
Discount Wholesale GUCCI Jeans
Discount Wholesale Iceberg Jeans
Discount Wholesale Kanji Jeans www.made-in-pt.com/
Discount Wholesale Laguna Beach Jeans
Discount Wholesale Levi s Jeans
Discount Wholesale LRG Jeans <free shipping paypal payment>
Discount Wholesale LV Jeans
Discount Wholesale Prada Jeans www.made-in-pt.com/
Discount Wholesale RMC Jeans
Discount Wholesale Roca Wear Jeans <free shipping paypal payment>
Discount Wholesale Rock&Republic Jeans
Discount Wholesale True Religion Jeans
Discount Wholesale Versace Jeans www.made-in-pt.com/
Discount Wholesale ZEN Jeans<free shipping paypal payment>

```
website: www.made-in-pt.com/



From 4154082401344446141
X-Google-Thread: 108122,4fc79ebcb03a1949,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v20g2000yqv.googlegroups.com!not-for-
mail
From: chen yang <hyh_david@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: good quality cheap handbag jeans women shirt
Date: Mon, 5 Apr 2010 11:54:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 44
Message-ID: <3cefeb8d-e40f-4966-9e87-997215020cb6@v20g2000yqv.googlegroups.com>
NNTP-Posting-Host: 76.76.103.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1270493680 3351 127.0.0.1 (5 Apr 2010 18:54:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Apr 2010 18:54:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v20g2000yqv.googlegroups.com; posting-host=76.76.103.18;
     posting-account=mbY9oQoAAACizDbtPw3aLWO3ZzSM8Dgf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6.4; TheWorld),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2119

wholesale bape, wholesale air max,TN,AF1,puma,shox
wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale footbal
shoes,james,kobe,timberland,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale nik,rift,womens,lacoste
shoes,gucci,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale soccer shoes,max
one,converse,nba,sandal,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale bape hoodies,shirt,jacket,akadamiks
jeans,coat,wholesaler,dealer
(paypal payment)(low price)(www.made-in-pt.com)
wholesale lacost shirt,women shirt,antik
jeans,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale red monkey jeans,jacket,10deep,clh
hoody,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
```

```
wholesale ggg shirt,ggg jeans,enyce
jeans,hoody,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale polo shirt,evisu jeans,lrg
shirt,hoody,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale ed hardy
jeans ,shirt,hoodies,skirt,wholesaler,dealer,suppler
(paypal payment)(low price)(www.made-in-pt.com)
wholesale coogi,jeucy,adidas shirt,D&G
jeans,shirt,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale coogi hoody ,Artful Dudger
shirt,jeans,hoody,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale,kidrobot,hoody,amani
shirt,MLB,NHL,NFL,NIKE,NBA,Jersey,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale,choloe bag,juicy handbag,chenel bag,coach
bag,wholesaler,dealer,supplier
(paypal payment)(low price)(www.made-in-pt.com)
wholesale sunglass,hat,new era,era nba,belt
wholesaler,dealer,supplier


From -6743337600783536042
X-Google-Thread: 108122,bfbce895a86ec43,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,bfbce895a86ec43,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!11g2000yqr.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <wenyongying84@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: G-Star man long sleeve shirt hoody jacket jeans pants discount
     wholesale free shipping on http://www.brandtrade10.com
Date: Tue, 6 Apr 2010 20:19:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 40
Message-ID: <3878eaa0-d452-4143-8d4b-7b7c6e61f5af@11g2000yqr.googlegroups.com>
NNTP-Posting-Host: 112.111.165.142
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1270610352 13232 127.0.0.1 (7 Apr 2010 03:19:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Apr 2010 03:19:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 11g2000yqr.googlegroups.com; posting-host=112.111.165.142;
     posting-account=hwiJpgoAAAC_AtjcXzLnUgP2LNaAW3-z
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
```

GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2120 rec.food.equipment:4302

D&G man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
Diesel man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
Ed Hardy women
Ed Hardy man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
Evisu man
G-Star man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
Red Monkey man
ROCK man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
ROCK women
True Religion man
True Religion women

D&G man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
Diesel man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
Ed Hardy women
Ed Hardy man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
Evisu man
G-Star man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
Red Monkey man
ROCK man long sleeve shirt hoody jacket jeans pants discount wholesale free shipping on http://www.brandtrade10.com/
ROCK women
True Religion man
True Religion women

From 8045651854844631898
X-Google-Thread: fcc6e,c8cb42f31ffcaa,start
X-Google-NewGroupId: yes
X-Google-Thread: 11480d,c8cb42f31ffcaa,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,c8cb42f31ffcaa,start
X-Google-NewGroupId: yes
X-Google-Thread: fc2a5,c8cb42f31ffcaa,start

```
X-Google-NewGroupId: yes
X-Google-Thread: 107ada,c8cb42f31ffcaa,start
X-Google-NewGroupId: yes
X-Google-Thread: 10bf43,c8cb42f31ffcaa,start
X-Google-NewGroupId: yes
X-Google-Thread: 10b9c8,c8cb42f31ffcaa,start
X-Google-NewGroupId: yes
X-Google-Attributes:
gid4baf9708d4,gid7221ecd0f7,gidd7f5508063,gid241b302a50,gida3e752f117,gide721ae2bf
6,gida4a23d5f63,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1267945500@panix.com>
Followup-To: poster
Date: 7 Apr 2010 02:05:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 May 2010 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1270620300@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1270620302 1233 166.84.1.2 (7 Apr 2010 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Apr 2010 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:17231 rec.radio.amateur.dx:637
rec.radio.amateur.equipment:2121 rec.radio.amateur.homebrew:3602
rec.radio.amateur.misc:5030 rec.radio.amateur.policy:28834 rec.radio.info:1433

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information

bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 852295852470038207
X-Google-Thread: 107ada,23189ea29a84b153,start
X-Google-NewGroupId: yes
X-Google-Thread: 108122,23189ea29a84b153,start
X-Google-NewGroupId: yes
X-Google-Attributes: gida3e752f117,gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1267945801@panix.com>
Followup-To: poster

Date: 7 Apr 2010 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 May 2010 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1270620601@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1270620602 9890 166.84.1.2 (7 Apr 2010 06:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Apr 2010 06:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:4776 rec.radio.amateur.equipment:1908 rec.radio.swap:2452 rec.radio.info:1356

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 8811785220306026507
X-Google-Thread: d7f5508063,7251c91526d9f7c1,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder2.cambriumusenet.nl!
feeder1.cambriumusenet.nl!feed.tweaknews.nl!194.109.133.84.MISMATCH!
newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!news.stack.nl!aioe.org!not-for-
mail
From: Sarah <sss@tiscali.net>
Newsgroups: rec.radio.amateur.equipment
Subject: battery and its association with led
Date: Thu, 08 Apr 2010 11:50:37 +0200
Organization: Aioe.org NNTP Server
Lines: 6
Message-ID: <68384821@news.orange.fr>
NNTP-Posting-Host: 3pVv1xFMCc+Tqjn9kvrV1g.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
X-Notice: Filtered by postfilter v. 0.8.2
Xref: g2news1.google.com rec.radio.amateur.equipment:1909
```

hi everyone

a sample source code can be found at http://sourceforge.net/projects/usbms/
when troubleshooting battery.
how did you cope with battery remote monitoring?

```
From 282571746318724598
X-Google-Thread: 108122,7251c91526d9f7c1
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!u-
picardie.fr!news.ecp.fr!aioe.org!not-for-mail
From: "stan" <betatwelve@voila.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: battery and its association with led
Date: Thu, 8 Apr 2010 11:56:53 +0200
Organization: Aioe.org NNTP Server
Lines: 16
Message-ID: <hpk997$64e$1@speranza.aioe.org>
References: <68384821@news.orange.fr>
NNTP-Posting-Host: 3pVv1xFMCc+Tqjn9kvrV1g.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
```

```
X-RFC2646: Format=Flowed; Original
X-Notice: Filtered by postfilter v. 0.8.2
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2124

Hi,

looks like usbms is related to 3G modems. Do they include an internal
battery ?

"Sarah" <sss@tiscali.net> a �crit dans le message de news:
68384821@news.orange.fr...
> hi everyone
>
> a sample source code can be found at
> http://sourceforge.net/projects/usbms/
> when troubleshooting battery.
> how did you cope with battery remote monitoring?
>




From -7240574500781733376
X-Google-Thread: 108122,7251c91526d9f7c1
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
193.252.117.184.MISMATCH!feeder.news.orange.fr!not-for-mail
From: sam <sam44@gmail.com>
Date: Thu, 08 Apr 2010 23:15:44 +0200
Newsgroups: rec.radio.amateur.equipment
Subject: Relevance about battery
References: <68384821@news.orange.fr>
Message-ID: <37708517@news.orange.fr>
Lines: 4
Organization: les newsgroups par Orange
NNTP-Posting-Date: 08 Apr 2010 23:15:47 CEST
NNTP-Posting-Host: 86.219.66.66
X-Trace: 1270761347 reader.news.orange.fr 28953 86.219.66.66:12642
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:2125

why did you organize battery fine tuning?

follow this link http://sourceforge.net/projects/clockloop/ before analyzing
battery
;-)
```

```
From 3978265328954587483
X-Google-Thread: 108122,2e3e838228d55f7d,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news
From: Anne Onime <anonymous@rip.ax.lt>
Newsgroups: rec.radio.amateur.equipment
Subject: IT'S TAX TIME AGAIN KC8QJP TAX SERVICE!!!
Message-ID: <dabb1288378eaeb65bab8afe53e813bd@rip.ax.lt>
Date: Fri,  9 Apr 2010 22:51:14 +0200 (CEST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1912
```

I AM KC8QJP CRISCO KATHY,TAX SEASON IS ALMOST UPON US. I CAN GET YOU THE BEST RETURN. IT MIGHT BE A LITTLE BIT ILLEGAL.BUT WHAT THE HECK,THE GOVERMENT TAKES TO MUCH OF OUR MONEY. BE SURE AND BRING A BIG CAN OF CRISCO WITH YOU. I WORK BEST ON MY KNEES WHILE SOMEONE SLATHERS MY FAT ASS WITH CRISCO. BRING A BIG CAN, I HAVE A VERY LARGE ASS.

CALL 419-698-2075 AND ASK FOR KATHY

OR STOP BY WITH THE CRISCO!

322 Burger
Toledo, OH 43605

```
From -7817638414069982762
X-Google-Thread: d7f5508063,b3a0aa7521bd1429,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed01.sul.t-online.de!t-online.de!news.belwue.de!kanaga.switch.ch!switch.ch!
kanja.arnes.si!news-hub.siol.net!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Mosley TA-63
Date: Sat, 10 Apr 2010 19:00:28 +0200
Organization: T-Com
Lines: 13
Message-ID: <hpqarc$di9$1@ss408.t-com.hr>
NNTP-Posting-Host: 93-138-45-81.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
```

```
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1270918828 13897 93.138.45.81 (10 Apr 2010 17:00:28 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sat, 10 Apr 2010 17:00:28 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.4) Gecko/20091017
SeaMonkey/2.0
Xref: g2news1.google.com rec.radio.amateur.equipment:1913

HI!

I found one used TA-63 for a good price, but there is no manual... Can
anybody help?

Boris. 9A6KTB
--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris


From -7375882406778345241
X-Google-Thread: 108122,b3a0aa7521bd1429
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.suddenlink.net!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <hpqarc$di9$1@ss408.t-com.hr>
In-Reply-To: <hpqarc$di9$1@ss408.t-com.hr>
Subject: Re: Mosley TA-63
Date: Sat, 10 Apr 2010 12:30:54 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="ISO-8859-2";
     reply-type=response
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Lines: 16
Message-ID: <4bc0b5d0$0$12455$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 74.197.3.141
X-Complaints-To: abuse@suddenlink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1914
```

http://www.qsl.net/w8rid/Manual/Antennas/TA63N.pdf

"Boris Tu�an" <boris.tudan@ka.t-com.hr> wrote in message
news:hpqarc$di9$1@ss408.t-com.hr...
> HI!
>
> I found one used TA-63 for a good price, but there is no manual... Can anybody help?
>
> Boris. 9A6KTB
> --
> Keep 'em Rolling! http://www.mvpa.org/
> MVPA: 29718
>
> http://s186.photobucket.com/albums/x51/btudan/
>
> 73 de 9A6KTB - Boris

From -7540226056460446389
X-Google-Thread: 108122,b3a0aa7521bd1429
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!news2.arglkargh.de!news.karotte.org!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mosley TA-63
Date: Sat, 10 Apr 2010 20:39:57 +0200
Organization: T-Com
Lines: 14
Message-ID: <hpqglt$pgc$1@ss408.t-com.hr>
References: <hpqarc$di9$1@ss408.t-com.hr> <4bc0b5d0$0$12455$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 78-0-251-212.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1270924797 26124 78.0.251.212 (10 Apr 2010 18:39:57 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sat, 10 Apr 2010 18:39:57 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.4) Gecko/20091017 SeaMonkey/2.0
In-Reply-To: <4bc0b5d0$0$12455$bbae4d71@news.suddenlink.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:1915

Glenn wrote:
> http://www.qsl.net/w8rid/Manual/Antennas/TA63N.pdf

Yes, this is it, TNX!

```
Boris

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris


From 6900513036166819069
X-Google-Thread: 108122,ecf54bac70055ee8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!isp-post01.iad!news.cv.net!not-for-mail
From: "Steve Trook" <strook@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: software needed
Date: Wed, 14 Apr 2010 20:16:04 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Lines: 5
Message-ID: <4bc65abb$0$31262$607ed4bc@cv.net>
Organization: Optimum Online
NNTP-Posting-Host: 24.184.172.124
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1916

I am looking for an Alinco Dr-435MKIII software.   Any help would be
appreciated

strook@optonline.net




From -5177272582897989725
X-Google-Thread: 108122,f6da77af25a0876,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,f6da77af25a0876,start
X-Google-NewGroupId: yes
```

```
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x12g2000yqx.googlegroups.com!not-for-
mail
From: sneaker <yongyingwen@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Shox Disobey Vivacity Warrior
Date: Thu, 15 Apr 2010 06:32:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <53c6eaea-c90f-4aa7-9213-bcfbe18e5a06@x12g2000yqx.googlegroups.com>
NNTP-Posting-Host: 58.22.73.245
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1271338365 3948 127.0.0.1 (15 Apr 2010 13:32:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 15 Apr 2010 13:32:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x12g2000yqx.googlegroups.com; posting-host=58.22.73.245;
     posting-account=e_7dGwoAAADlQxyWUnVHdkkQOshi7Tci
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; GTB6.4; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1917 rec.food.equipment:3916

Nike Shox NZ R3 R4 R5 VC OZ LV TNTL Rival Bmw Ride
Turbo Classic Monster
Dendara Energia TL TL2 TL3 TL4 TL5 CL  Explodine Junga Respond
Cognescenti, Shox Disobey Vivacity Warrior
 (paypal payment)(http://www.brandtrade10.com)


From 8823252157559659369
X-Google-Thread: d7f5508063,5c1b8952f120c07c,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin2!goblin.stu.neva.ru!feeder.erje.net!xlned.com!feeder5.xlned.com!
feeder2.cambriumusenet.nl!feed.tweaknews.nl!209.197.12.242.MISMATCH!
nx01.iad01.newshosting.com!newshosting.com!216.196.98.152.MISMATCH!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Apr 2010 23:11:35 -0500
From: myequation <myequation.6103be7@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: dX-160 Realistic Mods
Date: Sun, 18 Apr 2010 00:02:23 +0100
Message-ID: <myequation.6103be7@radiobanter.com>
Organization: RadioBanter.com
Lines: 20
X-Usenet-Provider: http://www.giganews.com
```

X-Trace: sv3-kk53wYlRE45in5FOZHDdKL6mV6lSCnKtZP/xWtVN/
+ZXGQsaHvjd0cmkfyCUaSQdU4zMnMQ2kOx5lV3!RW1pPzL5zZCW04e1nkebY1nc/
Y+QoX7yfO9jYqdfOREponyQjCeScN5JxWtuhHbDVqUvcqhADGR5!dHBrCklj
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 14
Xref: g2news2.google.com rec.radio.amateur.equipment:2132

Hello everyone!

I new around here.

I'm currently working on a old junky but free dx-160 radio.

I'm wondering if anyone has any mods for this radio?

Most of the links Im finding are outdated / dead links.

thanks
-wes

--
myequation

From -5059578324910725731
X-Google-Thread: 108122,5c1b8952f120c07c
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps83.POSTED!7564ea0f!not-for-mail
From: Howard Eisenhauer <howarde@NOSPAMhfx.eastlink.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: dX-160 Realistic Mods
Message-ID: <5kams5ttlrso0sv42h1l6rggcqdd7niuaa@4ax.com>
References: <myequation.6103be7@radiobanter.com>
X-Newsreader: Forte Agent 6.00/32.1186
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Date: Sun, 18 Apr 2010 15:54:05 GMT
NNTP-Posting-Host: 24.224.233.170

X-Trace: edtnps83 1271606045 24.224.233.170 (Sun, 18 Apr 2010 09:54:05 MDT)
NNTP-Posting-Date: Sun, 18 Apr 2010 09:54:05 MDT
Xref: g2news1.google.com rec.radio.amateur.equipment:1920

On Sun, 18 Apr 2010 00:02:23 +0100, myequation
<myequation.6103be7@radiobanter.com> wrote:

>
>Hello everyone!
>
>I new around here.
>
>I'm currently working on a old junky but free dx-160 radio.
>
>I'm wondering if anyone has any mods for this radio?
>
>
>Most of the links Im finding are outdated / dead links.
>
>
>thanks
>-wes

Lots of knowledge here-

http://groups.yahoo.com/group/realisticdx/

H.

From -8171696294295197651
X-Google-Thread: 108122,d3c358109a36f318,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!news.wiretrip.org!
news.dizum.com!sewer-output!mail2news
From: George Orwell <nobody@mixmaster.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Killer 6 meter wire antenna QRZ
Message-ID: <12e4c6b513c77cd2c37c1e2f265b38f9@mixmaster.it>
Date: Sun, 18 Apr 2010 21:43:10 +0200 (CEST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1921

http://forums.qrz.com/showthread.php?t=36738

Il mittente di questo messaggio|The sender address of this

```
non corrisponde ad un utente   |message is not related to a real
reale ma all'indirizzo fittizio|person but to a fake address of an
di un sistema anonimizzatore   |anonymous system
Per maggiori informazioni      |For more info
                  https://www.mixmaster.it
```

```
From 4395627851872292863
X-Google-Thread: 108122,91bc9a7e146a25c8,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,91bc9a7e146a25c8,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r1g2000yqb.googlegroups.com!not-for-
mail
From: zaqwsx147852 <jinh59@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: jerseys,mitchell ness jerseys,throwback
Date: Mon, 19 Apr 2010 06:02:17 -0700 (PDT)
Organization: http://groups.google.com
Lines: 79
Message-ID: <2d4d9549-17c4-4256-aabc-6621d6cc26eb@r1g2000yqb.googlegroups.com>
NNTP-Posting-Host: 218.64.46.243
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1271682138 27686 127.0.0.1 (19 Apr 2010 13:02:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Apr 2010 13:02:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r1g2000yqb.googlegroups.com; posting-host=218.64.46.243;
     posting-account=3s2JBgoAAAAVrnjYzPzWkGhekmNrh-NE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1922 rec.food.equipment:3923

AAA quality clothes cheap wholesale . (http://
www.supertradeonline06.com/ )
NFL jersey wholesale (http://www.supertradeonline06.com/ )
NFL NBA MLB NHL soccer  soccer jerseys (http://
www.supertradeonline06.com/ )
nike brand,MLB jerseys china supplier (http://
www.supertradeonline06.com/ )
MLB jerseys china wholesaler.(http://www.supertradeonline06.com/ )
wholesale MLB jerseys.(http://www.supertradeonline06.com/ )
NFL shop,,NFL NBA MLB NHL jerser wholesale,NFL NBA MLB NHL
(http://www.supertradeonline06.com/ )
jersey supplier(http://www.supertradeonline06.com/ )
NFL NBA MLB NHL jersey korea supplier (http://
www.supertradeonline06.com/ )
NFL NBA jersey stock (http://www.supertradeonline06.com/ )
```

alibaba,wholesale NFL NBA MLB NHL jerseys.(http://www.supertradeonline06.com/)
soccer jersey china supplier (http://www.supertradeonline06.com/)
soccer jerseys china wholesale.(http://www.supertradeonline06.com/)
wholesale soccer jersey,supply soccer jerseys (http://www.supertradeonline06.com/)
NFL NBA MLB NHL copy jersey (http://www.supertradeonline06.com/)
copy www.guoshitrade.com paypal paymentjerseys from china (http://www.supertradeonline06.com/)
NFL jerseys from china.(http://www.supertradeonline06.com/)
NBA www.guoshitrade.com paypal payment shop (http://www.supertradeonline06.com/)
NFL jersey wholesale womens NBA jersey (http://www.supertradeonline06.com/)
NBA jersey sale (http://www.supertradeonline06.com/)
cheap authentic NBA jersey (http://www.supertradeonline06.com/)
07 jersey NBA star (http://www.supertradeonline06.com/)
NBA jersey numbers (http://www.supertradeonline06.com/)
NBA vintage jersey NBA throw back jersey (http://www.supertradeonline06.com/)
NBA jersey dress for woman (http://www.supertradeonline06.com/)
reebok NBA jersey (http://www.supertradeonline06.com/)
NBA jersey for toddler (http://www.supertradeonline06.com/)
old NBA jersey (http://www.supertradeonline06.com/)
youth NBA swingman jersey (http://www.supertradeonline06.com/)
NBA authentic basketball jersey (http://www.supertradeonline06.com/)
basketball jersey NBA new style (http://www.supertradeonline06.com/)
NBA all star game jersey (http://www.supertradeonline06.com/)
NBA new jersey (http://www.supertradeonline06.com/)
adidas NBA jersey (http://www.supertradeonline06.com/)
official NBA jersey (http://www.supertradeonline06.com/)
classics hardwood jersey NBA (http://www.supertradeonline06.com/)
old school NBA jersey (http://www.supertradeonline06.com/)
NBA jersey for woman (http://www.supertradeonline06.com/)
classic NBA jersey (http://www.supertradeonline06.com/)
NFL jersey korea supplier(http://www.supertradeonline06.com/)
mitchell and ness NBA jersey (http://www.supertradeonline06.com/)
2009 game jersey NBA star (http://www.supertradeonline06.com/)
alternate jersey NBA (http://www.supertradeonline06.com/)
best selling NBA jersey (http://www.supertradeonline06.com/)
NBA jersey card (http://www.supertradeonline06.com/)
authenic NBA jersey (http://www.supertradeonline06.com/)
discount NBA jersey (http://www.supertradeonline06.com/)
Wholesale MLB jerseys,paypal,cheap MLB jersey(http://www.supertradeonline06.com/)
wholesale football jerseys,(http://www.supertradeonline06.com/)
reebok MLB player jerseys,(http://www.supertradeonline06.com/)
authentic MLB jerseys,discount MLB jerseys,mitchell ness jerseys,throwback (http://www.supertradeonline06.com/)
Nice jerseys,replica MLB jerseys,(http://www.supertradeonline06.com/)

```
women MLB jerseys,youth MLB (http://www.supertradeonline06.com/ )
jerseys,official MLB jerseys,(http://www.supertradeonline06.com/ )
pro Bowl jerseys,super bowl jerseys,(http://
www.supertradeonline06.com/ )
nhljerseys,hockey jerseys,nba jerseys,(http://
www.supertradeonline06.com/ )
all star jersey,mlb baseball jerseys (http://
www.supertradeonline06.com/ )
(http://www.supertradeonline06.com/ ) paypal payment




From -465165548910827160
X-Google-Thread: 108122,27d9f7b4278f7298,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!c1g2000prn.googlegroups.com!not-for-
mail
From: "www.sneaker-shop08.com" <yijeans2@163.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Omega Watch wholesale (paypal payment) (http://www.brandtrade10.com )
Date: Mon, 19 Apr 2010 21:43:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <6cd0637b-f636-4424-b98f-9795854b97cd@c1g2000prn.googlegroups.com>
NNTP-Posting-Host: 218.6.25.53
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1271738624 27841 127.0.0.1 (20 Apr 2010 04:43:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Apr 2010 04:43:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c1g2000prn.googlegroups.com; posting-host=218.6.25.53;
     posting-account=Wnb8mQoAAACbb6VK4XvuzIuc03Wsyjue
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     CIBA; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1923 rec.food.equipment:3925

 Omega Watch wholesale (paypal payment) (http://www.brandtrade10.com )
atek philippe watches, discounted  watces,
 vintage omega britton watches, cartier watches, replica watches,
watches shop, watches for men



From 8103683529993347637
X-Google-Thread: 108122,26f5836d51b0f935,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h16g2000prf.googlegroups.com!not-for-
```

mail
From: wholesale shoes <huhai102@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: buy nike air, max shoes (www.sourcesoso.com)
Date: Wed, 21 Apr 2010 09:41:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 54
Message-ID: <b7a072e2-1ae9-4953-a7c0-35788000b595@h16g2000prf.googlegroups.com>
NNTP-Posting-Host: 59.60.112.220
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1271868096 16678 127.0.0.1 (21 Apr 2010 16:41:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Apr 2010 16:41:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h16g2000prf.googlegroups.com; posting-host=59.60.112.220;
posting-account=1LHHtQoAAACQ37_KX90HfJxKLST2nkij
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
CIBA; .NET CLR 2.0.50727),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2138

wholesale air max shoes in www.sourcesoso.com
air max90
air 90
air 180
nike max
airmax tn
max trainers
air stab
max bw
max 90
air turbulence
air shox
airmax 95s
nike airmax
air shoes
airmax 90
airmax 87
airmax ltd
airmax 2009
air 95
max 180
airmax shoes
airmax 360
airmax 95
max tn
max 95
discount nike air
nike air trainers
max shoes
nike max shoes
air nike

buy nike air
cheap nike air
air huarache
air foamposite
air penny
max trainer
airmax running shoes
air zoom
nike air shoes
airmax trainers
max 360
buy airmax
airmax 1
air retro
airmax
airmax 95's
airmax 180
shoes lebron
nike trainers

website: http://nikesoso.51.com

```
From 3468148995540240471
X-Google-Thread: 108122,d2a211916e00d092,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,d2a211916e00d092,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v27g2000pro.googlegroups.com!not-for-mail
From: peopel-trade <wenwenzhang79@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: wholesale LRG T-shirt
Date: Wed, 21 Apr 2010 21:17:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 170
Message-ID: <e42d9825-128d-4b93-a719-6cebe2caa854@v27g2000pro.googlegroups.com>
NNTP-Posting-Host: 218.64.45.181
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1271909860 24381 127.0.0.1 (22 Apr 2010 04:17:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Apr 2010 04:17:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v27g2000pro.googlegroups.com; posting-host=218.64.45.181;
     posting-account=tFAZ3goAAABvGbpN2nEJi4OqMNVd8UMF
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe)
```

Xref: g2news2.google.com rec.radio.amateur.equipment:2139 rec.food.equipment:4329

(paypal payment)(http://www.supertradeonline06.com/) wholesale
Lacoste polo t
shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Lacoste t shirt
solid color
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Lacoste sweater
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Lacoste shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Lacoste
(paypal payment)(http://www.supertradeonline06.com/) wholesale Ralph
lauren
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Ralph Lauren polo
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Polo
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Ralph lauren polo t
shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale Ralph
lauren t
shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Abercrombie & fitch
shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Burberry shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Burberry t shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale NBA
sports jersey

T-Shirts
(paypal payment)(http://www.supertradeonline06.com/) wholesale AFF
T-shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale
ARMANI T-shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale BAPE
T-shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale BBC
T-shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale BOSS
T-shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale
Burberry T-shirt
(paypal payment)(http://www.supertradeonline06.com/) wholesale CA T-
shirt men's
(paypal payment)(http://www.supertradeonline06.com/) wholesale CA T-

shirt women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale COOGI T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale CRYSTAL ROCK women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale D&G T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale DIESEL T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale DSQUARED T-shirt men's

(paypal payment)(http://www.supertradeonline06.com/) wholesale DSQUARED T-shirt women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale Eck? Unltd T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale ED T-shirt men's

(paypal payment)(http://www.supertradeonline06.com/) wholesale ED T-shirt women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale EVISU T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale GGG T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale G-STAR T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale HLST T-Shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale Lacoste T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale Lacoste T-shirt women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale LRG T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale O&L T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale POLO 3 T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale 4 T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale POLO 5 T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale POLO T-shirt men's

T-Shirts

(paypal payment)(http://www.supertradeonline06.com/) wholesale AFF T-shirt (paypal payment)(http://www.supertradeonline06.com/) wholesale ARMANI T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale BAPE T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale BBC T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale BOSS T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale Burberry T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale CA T-shirt men's

(paypal payment)(http://www.supertradeonline06.com/) wholesale CA T-shirt women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale COOGI T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale CRYSTAL ROCK women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale D&G T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale DIESEL T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale DSQUARED T-shirt men's

(paypal payment)(http://www.supertradeonline06.com/) wholesale DSQUARED T-shirt women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale Eck? Unltd T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale ED T-shirt men's

(paypal payment)(http://www.supertradeonline06.com/) wholesale ED T-shirt women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale EVISU T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale GGG T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale G-STAR T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale HLST T-Shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale Lacoste T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale Lacoste T-shirt women's

(paypal payment)(http://www.supertradeonline06.com/) wholesale LRG T-shirt

(paypal payment)(http://www.supertradeonline06.com/) wholesale O&L T-shirt

```
(paypal payment)( http://www.supertradeonline06.com/  ) wholesale POLO
3 T-shirt
(paypal payment)( http://www.supertradeonline06.com/  ) wholesale 4 T-
shirt
(paypal payment)( http://www.supertradeonline06.com/  ) wholesale POLO
5 T-shirt
(paypal payment)( http://www.supertradeonline06.com/  ) wholesale POLO
T-shirt men's


ARMANI,APE,BBC ,BOSS ,Burberry ,CA ,COOGI ,CRYSTAL
ROCK ,D&G ,DIESEL ,DSQUARED,DSQUAREDEck,Unltd ,ED ,EVISU ,GGG ,G-
STAR ,HLST ,Lacoste ,LRG ,O&Lm,POLO 3 ,4 ,POLO 5 ,POLO


From -3600535460972303197
X-Google-Thread: 108122,5d053ea119282e0f,start
X-Google-NewGroupId: yes
X-Google-Thread: faf09,5d053ea119282e0f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,gid38f9f745cf,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b39g2000prd.googlegroups.com!not-for-
mail
From: "www.brandtrade10.com" <nyhffdf6767@yahoo.cn>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: paypal wholesale Ladies' Dress Shoes
Date: Thu, 22 Apr 2010 06:19:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 29
Message-ID: <b505da30-1cf3-49a8-8f04-21577ed59b26@b39g2000prd.googlegroups.com>
NNTP-Posting-Host: 59.58.137.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1271942351 4351 127.0.0.1 (22 Apr 2010 13:19:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Apr 2010 13:19:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b39g2000prd.googlegroups.com; posting-host=59.58.137.68;
     posting-account=urxWggoAAAAPi7BHi83T2cVifycq9CO_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1;
     Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
     3.0.30729; MALN),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1926 rec.food.equipment:3930

paypal wholesale Ladies' Dress Shoes
(paypal payment)( http://www.brandtrade08.cn paypal  sale  Children's
Sports Shoes
(paypal payment)( http://www.brandtrade08.cn paypal  sale Mobile
Phones
(paypal payment)( http://www.brandtrade08.cn paypal  sale Hiking Shoes
& Boots
```

```
(paypal payment)( http://www.brandtrade08.cn  paypal  lesale Shoes
Stock
(paypal payment)( http://www.brandtrade08.cn paypal  sale  Tennis
Shoes
(paypal payment)( http://www.brandtrade08.cn  paypal  sale brand sport
shoes
(paypal payment)( http://www.brandtrade08.cn paypal w sale men's sport
shoes
(paypal payment)( http://www.brandtrade08.cn paypal  lesale fashion
sport shoes
(paypal payment)( http://www.brandtrade08.cn paypal w ale basketball
shoes
(paypal payment)( http://www.brandtrade08.cn paypal who e running
shoes
brand shoes
(paypal payment)( http://www.brandtrade08.cn paypal w ale fashion
shoes
(paypal payment)( http://www.brandtrade08.cn paypal w  men's shoes
sneakers
(paypal payment)( http://www.brandtrade08.cn paypal  athletic shoes
(paypal payment)( http://www.brandtrade08.cn paypal  basketball shoes
badketball jersy


From -2105795822514831838
X-Google-Thread: 38f9f745cf,c69c7eb400e5b745,start
X-Google-Attributes: gid38f9f745cf,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!postnews.google.com!k5g2000prg.googlegroups.com!not-for-
mail
From: DG LEATHER SHOES <suqiz@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Baby T-Shirt paypal sale http://www.brandtrade10.com
Date: Sat, 24 Apr 2010 00:12:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 29
Message-ID: <781ce41b-0f2f-4bac-b944-8ae829268bcf@k5g2000prg.googlegroups.com>
NNTP-Posting-Host: 59.58.157.107
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1272093145 11011 127.0.0.1 (24 Apr 2010 07:12:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Apr 2010 07:12:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k5g2000prg.googlegroups.com; posting-host=59.58.157.107;
     posting-account=sBkrKAoAAACJCwukHN4q2dmwsxoEmtqv
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1;
     Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
     3.0.30729; MALN),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1927 rec.food.equipment:3938
```

Bape Man T-Shirt paypal sale http://www.brandtrade10.com
BBC Man T-Shirt paypal sale http://www.brandtrade10.com
Blar Label Man T-Shirt paypal sale http://www.brandtrade10.com
Burberry Man T-Shirt paypal sale http://www.brandtrade10.com
Christan Audigier T-Shirt paypal sale http://www.brandtrade10.com
Coogi Man T-Shirt paypal sale http://www.brandtrade10.com
D&G Man T-Shirt paypal sale http://www.brandtrade10.com
Diesel Man T-Shirt paypal sale http://www.brandtrade10.com
Ecko Man T-Shirt paypal sale http://www.brandtrade10.com
ED Hardy T-Shirt paypal sale http://www.brandtrade10.com
Evisu Man T-Shirt paypal sale http://www.brandtrade10.com
Gino Green Global Man T-Shirt paypal sale http://www.brandtrade10.com
G-Star Man T-Shirt paypal sale http://www.brandtrade10.com
Juicy Women T-Shirt paypal sale http://www.brandtrade10.com
Lacoste T-Shirt paypal sale http://www.brandtrade10.com
LEVI=92S Man T-Shirt paypal sale http://www.brandtrade10.com
LV Man T-Shirt paypal sale http://www.brandtrade10.com
Nike Man T-Shirt paypal sale http://www.brandtrade10.com
POLO T-Shirt paypal sale http://www.brandtrade10.com
SMET Man T-Shirt paypal sale http://www.brandtrade10.com
Smful Man T-Shirt paypal sale http://www.brandtrade10.com
Versace Man T-Shirt paypal sale http://www.brandtrade10.com
GUCCI T-Shirt paypal sale http://www.brandtrade10.com
Crown Holder T-Shirt paypal sale http://www.brandtrade10.com
Baby T-Shirt paypal sale http://www.brandtrade10.com
Akademiks T-Shirt paypal sale http://www.brandtrade10.com
Adidas T-Shirt paypal sale http://www.brandtrade10.com
5ive Jungle T-Shirt paypal sale http://www.brandtrade10.com
Rocawear T-Shirt paypal sale http://www.brandtrade10.com

From -5850108481670107338
X-Google-Thread: 733d321764,5ed846d63535475b
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Stupidest ham radio customer review ever
Date: Sun, 24 Jan 2010 06:49:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 34
Message-ID: <slrnhlnra7.2rp.gsm@cable.mendelson.com>
References: <ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com>
 <hjgekt$gbl$1@news.eternal-september.org>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-14-26.bb.netvision.net.il
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit
X-Trace: news.inside.misty.com 1264315744 11770 89.138.14.26 (24 Jan 2010 06:49:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sun, 24 Jan 2010 06:49:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-2 (Linux)
Xref: g2news1.google.com alt.ham-radio:1276 rec.radio.amateur.equipment:1725 rec.radio.swap:2324

david wrote:
> On Sat, 23 Jan 2010 17:34:08 -0800, Dur rearranged some electrons to say:
>
>> Amazon.com customer review of the GALAXY DX2517:
>> http://snurl.com/HamMoron
>
> You didn't think he was serious, did you?

Only about as serious as the person selling them claiming they are a ham
radio. They cover 40 channels like a CB, just upshifted into the middle
of the 10m ham band. They miss the CW segment, the Novice/Tech segment
(do they still exist)? and the FM segment.

I also did not see any mention of CTCSS in the ads, if it does not
have it, it's not a very usefull 10m FM rig. Almost all the 10m repeaters
use it.

In order to actually use them you have to spend 1 minute searching the web,
which I did and found that you open the top cover, move a jumper and replace
the cover. Then it becomes a real 10m rig. Unfortunatley, it becomes a
high power, illegal mode, CB and freeband rig too.

On the other hand it sure is impressive, and to make modding and repair
easier it uses no SMT technology, which for most hams would be a plus.

I wonder if it's any good?

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From -6554623128680505488
X-Google-Thread: d7f5508063,559d357a0a0d2fb8,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n7g2000yqb.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>

Newsgroups: rec.radio.amateur.equipment
Subject: VoiceMax Speech Processor...
Date: Sun, 24 Jan 2010 04:44:38 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <6f5033e5-4456-4aba-bb02-0858216dda03@n7g2000yqb.googlegroups.com>
NNTP-Posting-Host: 76.18.80.48
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1264337078 31444 127.0.0.1 (24 Jan 2010 12:44:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Jan 2010 12:44:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n7g2000yqb.googlegroups.com; posting-host=76.18.80.48;
posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1;
Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
3.0.30729; Media Center PC 6.0; InfoPath.2; Media Center PC 5.0; SLCC1;
NET_mmhpset),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1726

Watch the AGC (automatic gain control) circuitry of the VoiceMax
module hold an audio signal perfectly constant, with no clipping
distortion to the original signal!
http://files.me.com/dr_gary/9xgisb

See what others are saying about VoiceMax at http://myworld.ebay.com/telstar-electronics

Questions? See the FAQs regarding VoiceMax at http://www.telstar-electronics.com/voicemax.htm

From -1559368091198978849
X-Google-Thread: 733d321764,5ed846d63535475b
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!feeder.eternal-september.org!eternal-september.org!.POSTED!not-for-mail
From: "T. & D. Gregor, Sr." <tdgsr@verizon.net>
Newsgroups: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Stupidest ham radio customer review ever
Date: Sun, 24 Jan 2010 09:06:27 -0500
Organization: The Scenery Hall of Fame
Lines: 14
Message-ID: <ilkol59tkv5j9c6tgsoqtu1rkd18lhlb58@4ax.com>
References: <ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com>
Reply-To: T. & D. Gregor, Sr. <tdgsr@verizon.net>
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Injection-Date: Sun, 24 Jan 2010 14:06:33 +0000 (UTC)
Injection-Info: feeder.eternal-september.org; posting-host="V+Qwm2cU0Gj6v16/
pmOtPw";
     logging-data="18484"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/9yuOvABPYW+VVTUKnQ2qS"
X-Newsreader: Forte Free Agent 2.0/32.652
Cancel-Lock: sha1:EIX8LEfNQRy8q9hICMXX8n2DSQY=
Xref: g2news1.google.com alt.ham-radio:1277 rec.radio.amateur.equipment:1727
rec.radio.swap:2325
```

On Sat, 23 Jan 2010 17:34:08 -0800, Dur
<Use-Author-Supplied-Address-Header@[127.1]> wrote:

>Amazon.com customer review of the GALAXY DX2517: http://snurl.com/HamMoron

After carefully reviewing the gentlemen�s comments all I can add at
this juncture in time...

is that I now realize that I'm starving for a Ham & Swiss sandwich...
Ah� here�s the rye bread, now where is that mayonnaise jar?. ;P

TEG, Sr.

```
From 786709055910199995
X-Google-Thread: 733d321764,5ed846d63535475b
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
188.40.43.213.MISMATCH!feeder.eternal-september.org!eternal-september.org!.POSTED!
not-for-mail
From: "T. & D. Gregor, Sr." <tdgsr@verizon.net>
Newsgroups: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Stupidest ham radio customer review ever
Date: Sun, 24 Jan 2010 09:08:10 -0500
Organization: The Scenery Hall of Fame
Lines: 14
Message-ID: <f1lol5t7ft58k6tios0l55j7r9s5hlsek9@4ax.com>
References: <ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com>
Reply-To: T. & D. Gregor, Sr. <tdgsr@verizon.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Injection-Date: Sun, 24 Jan 2010 14:08:16 +0000 (UTC)
Injection-Info: feeder.eternal-september.org; posting-host="V+Qwm2cU0Gj6v16/
pmOtPw";
     logging-data="18484"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+1Q0ibIA0ISrEVrUyGS0tL"
```

X-Newsreader: Forte Free Agent 2.0/32.652
Cancel-Lock: sha1:n/UDoRnRtyqKeTXW12GELfaK9Ik=
Xref: g2news1.google.com alt.ham-radio:1278 rec.radio.amateur.equipment:1728
rec.radio.swap:2326

On Sat, 23 Jan 2010 17:34:08 -0800, Dur
<Use-Author-Supplied-Address-Header@[127.1]> wrote:

>Amazon.com customer review of the GALAXY DX2517: http://snurl.com/HamMoron

After carefully reviewing the gentlemen�s comments all I can add at
this juncture in time...

is that I now realize that I'm starving for a Ham & Swiss sandwich...
Ah� here�s the rye bread, now where is that mayonnaise jar?. ;P

TEG, Sr.

From -4799711612014502679
X-Google-Thread: 733d321764,5ed846d63535475b
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
weretis.net!feeder2.news.weretis.net!feeder.news-service.com!
cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf02.ams.highwinds-media.com!newsfe04.ams2.POSTED!7564ea0f!not-for-mail
From: Mike Lee <swift240@gmail.com>
User-Agent: Thunderbird 2.0.0.23 (X11/20090817)
MIME-Version: 1.0
Newsgroups: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Stupidest ham radio customer review ever
References: <ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com>
In-Reply-To: <ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
Message-ID: <VDZ6n.80486$At4.39729@newsfe04.ams2>
NNTP-Posting-Host: 82.37.193.218
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe04.ams2 1264346741 82.37.193.218 (Sun, 24 Jan 2010 15:25:41 UTC)
NNTP-Posting-Date: Sun, 24 Jan 2010 15:25:41 UTC
Organization: virginmedia.com
Date: Sun, 24 Jan 2010 15:25:41 +0000
Xref: g2news1.google.com alt.ham-radio:1279 rec.radio.amateur.equipment:1729
rec.radio.swap:2327

Dur wrote:
> Amazon.com customer review of the GALAXY DX2517: http://snurl.com/HamMoron
>

Very funny I thought, it made me laugh......................

```
From 602853349400579007
X-Google-Thread: d7f5508063,256e6b6ed5a9dc1e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l11g2000yqb.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Distorted audio on IC730
Date: Sun, 24 Jan 2010 13:29:25 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <8f937638-c5f4-4126-9fd6-6e1686f1b6fa@l11g2000yqb.googlegroups.com>
References: <88a928c0-e581-4af3-bb2e-f01eb463f6aa@p35g2000yqh.googlegroups.com>
NNTP-Posting-Host: 76.18.80.48
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1264368565 5176 127.0.0.1 (24 Jan 2010 21:29:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Jan 2010 21:29:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l11g2000yqb.googlegroups.com; posting-host=76.18.80.48;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1;
     Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
     3.0.30729; Media Center PC 6.0; InfoPath.2; Media Center PC 5.0; SLCC1;
     NET_mmhpset),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1730
```

Have you looked at the audio... just prior to mixing with the RF?
Does a medium to high level audio signal show signs of envelope
clipping?
What about a low level audio signal... does that make it through the
audio chain properly? If not, you could have a biasing issue.

```
From -2867025055696961626
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
Date: Sun, 24 Jan 2010 21:01:52 -0500
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
```

```
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: Re: seek standalone hellschreiber units
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
In-Reply-To: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 17
Message-ID: <4b5cfb81$0$4894$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.40.159
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1731 uk.radio.amateur:78229
it.hobby.radioamatori:24120 aus.radio.amateur.digital:58

dances_with_barkadas@yahoo.com wrote:
> for communication over a copper pair into an extremely noisy area,
> manned by a non-code-proficient mechanic, at sea with intense
> vibration.
>
> seek standalone (ie, not a computer-sound-card-based solution)
> hellschreiber gear.  if it works nicely, might attract official
> purchasing in quantity

Have you thought of PSK-31? Take a look at this:

http://www.nue-psk.com/
--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo  ;-P


From 6358796692956191727
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.pipex.net!news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 25 Jan 2010 07:59:04 -0600
From: Mark Harper <mw1call@gotadsl.co.uk>
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: Re: seek standalone hellschreiber units
Date: Mon, 25 Jan 2010 13:59:05 -0000
Message-ID: <MPG.25c7b3e3a91edeea989767@news.nildram.co.uk>
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
```

<4b5cfb81$0$4894$9a6e19ea@unlimited.newshosting.com>
Organization: Seedsoft PLC
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
User-Agent: MicroPlanet-Gravity/2.9.14
Lines: 35
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 79.78.189.127
X-Trace: sv3-8xZaDON7XaOQcKaD1LkcDmUV41gNTuhlGIjKgTHTdxUBKS/e9++8FZFV/
t71IWXjXaoYk7ms27HdSj7!hOi/S6hWcppL1Lz+2jKVsPoEZmvrH6MAhBd2ZpXDiPPU+DHAT5Gv4IB/
ovoN9WgY626QY8V8U9E0!26eMJhYS2YfXkKn7E0VwNhey
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1732 uk.radio.amateur:78254
it.hobby.radioamatori:24134 aus.radio.amateur.digital:59

In article <4b5cfb81$0$4894$9a6e19ea@unlimited.newshosting.com>,
Rhyolite@NETTALLY.COM says...

> dances_with_barkadas@yahoo.com wrote:
> > for communication over a copper pair into an extremely noisy area,
> > manned by a non-code-proficient mechanic, at sea with intense
> > vibration.
> >
> > seek standalone (ie, not a computer-sound-card-based solution)
> > hellschreiber gear. if it works nicely, might attract official
> > purchasing in quantity
>
> Have you thought of PSK-31? Take a look at this:
>
> http://www.nue-psk.com/

They're a really good bit of kit...Be aware that all the units are hand built, so may take a while to arrive (Mine took 3 months, but I did order from the first batch) - I'm not sure what the turn around currently is, they may have a number of ready built units in stock!

Its software upgradeable, now does RTTY, and I think CW isnt far off, you can add USB to it, which makes upgrading easier, and it also does logging..I think its probably best to look at the site for the lowdown..

The only moan I have is the battery compartment, its a bit of a fiddle to get 2 9v/PP3 batteries in there...but once you've got the knack, its simple!

Not used mine actually 'in the field' as of yet, but the RX performance alone is astounding!

```
73

Mark (MW1MDH)


From 8857700463402068714
X-Google-Thread: d7f5508063,256e6b6ed5a9dc1e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!news-1.dfn.de!news.dfn.de!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Spamm Trappe <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Distorted audio on IC730
Date: 25 Jan 2010 15:34:55 GMT
Lines: 25
Message-ID: <slrnhlrehs.28mn.bit-bucket@shell.config.com>
References: <88a928c0-e581-4af3-bb2e-f01eb463f6aa@p35g2000yqh.googlegroups.com>
 <8f937638-c5f4-4126-9fd6-6e1686f1b6fa@l11g2000yqb.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net 4b7p7mGgMRIUbdfRIyjt0A59mKMbmyyY7SNnYHKrwqCCZUtCBz
Cancel-Lock: sha1:Ejt1xPtbCX6ccR0V8hCqh75fT4Q=
User-Agent: slrn/0.9.9p1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:1733

On Sun, 24 Jan 2010 13:29:25 -0800 (PST), Telstar Electronics wrote:

> Have you looked at the audio... just prior to mixing with the RF?

Me?  No.  I have no idea what you're refering to.

> Does a medium to high level audio signal show signs of envelope
> clipping?

Gee, what "high level audio signal"?

> What about a low level audio signal... does that make it through the
> audio chain properly? If not, you could have a biasing issue.

Huh?  I could have a "biasing issue"?  How?  Where?


 *NO!*  WAIT!  Damn!!!  I'm replying to a google grooper's posting.
No wonder it makes little sense.

     http://www.netmeister.org/news/learn2quote.html

And, lastly:
```

http://improve-usenet.org/

```
From -1545218409664255413
X-Google-Thread: d7f5508063,2cddbd429b747a48,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
news.nobody.at!texta.sil.at!news-zh.switch.ch!switch.ch!newsfeed01.chello.at!
newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!
border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 25 Jan 2010 23:12:36 -0600
From: triode <triode.5a42f1d@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: icom r71a distortion fix on AM
Date: Tue, 26 Jan 2010 02:19:13 +0000
Message-ID: <triode.5a42f1d@radiobanter.com>
Organization: RadioBanter.com
Lines: 16
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-gccHWCx+DeOGGzOHrQrXiA/
ItzAz5T4BMEjV4S7XY9yWpESt8ODmxXvPTfvewV3c4gv8ipn1pXbrH0s!P/
e0m8hHjUbnAxW+YykJ4aQZCD9YeOy30afue5X5y64PHWpEK8lGC6v3u0nDxJhOCYZ1hflPqDG2!WtA=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1656
Xref: g2news1.google.com rec.radio.amateur.equipment:1734
```

Having suffered for years with tiring audio on my R71, decided to fix it. These are one of the best radios ever made, worth hanging on to. The problem is the switching diode D75. The Emitter follower Q26 is enabled for AM reception, the 3 volts or so being used to forward bias D75, thereby passing the audio to IC6a. The current through the diode being only a few hundred microamps is insufficient to turn it on fully, causing the forward dynamic `resistance to be modulated with the audio, causing distortion. The fix is simple. Replace R202, (100k) to 15k, and replace R128 (1K) with a jumper. This increases the current to a more satisfactory.3 mA or so. The results are great.

--
triode

```
From -4061065894798619313
X-Google-Thread: d7f5508063,2b9744ce32aeb744,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: "Robb Leamy" <rleamy@windstream.net>
Newsgroups: rec.radio.amateur.equipment
Subject: nntest
Date: Wed, 27 Jan 2010 15:02:36 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <ba8db$4b609be0$471f5c1a$20177@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 8
X-Trace: ba8db4b609be0e2baf9bf20177
Xref: g2news1.google.com rec.radio.amateur.equipment:1735

hi

--
>^..^<
You may not think saving one cat makes a difference, but it makes a
difference to that cat!




From -4045255846576492815
X-Google-Thread: d7f5508063,7be39a90d1b9f3d8,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z41g2000yqz.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB  Yaesu FT 817/ND
Date: Sun, 31 Jan 2010 04:09:16 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <ec59b884-cf82-4dc7-a52a-06abfcfb6a44@z41g2000yqz.googlegroups.com>
NNTP-Posting-Host: 94.253.246.45
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1264939756 8418 127.0.0.1 (31 Jan 2010 12:09:16 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 31 Jan 2010 12:09:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z41g2000yqz.googlegroups.com; posting-host=94.253.246.45;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; hr; rv:1.9.1.7)
     Gecko/20091221 Firefox/3.5.7,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1736
```

No working for parts .

```
From -2165240109603076668
X-Google-Thread: a4a23d5f63,4b5d61260b0db691,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!elk.ncren.net!newsswitch.lcs.mit.edu!bloom-beacon.mit.edu!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1262329201@panix.com>
Followup-To: poster
Date: 1 Feb 2010 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 06 Mar 2010 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1265007601@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1265007603 24932 166.84.1.2 (1 Feb 2010 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 1 Feb 2010 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:14622 rec.radio.amateur.dx:545
rec.radio.amateur.equipment:1737 rec.radio.amateur.homebrew:3095
rec.radio.amateur.misc:4586 rec.radio.amateur.policy:25179
rec.radio.amateur.space:309 rec.radio.info:1204

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
```

Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From 2454949790884371695
X-Google-Thread: d7f5508063,2cddbd429b747a48
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!

```
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe13.iad.POSTED!7564ea0f!not-for-mail
Message-ID: <4B672E3B.9000807@ieee.org>
From: dbird <dbird@ieee.org>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom r71a distortion fix on AM
References: <triode.5a42f1d@radiobanter.com>
In-Reply-To: <triode.5a42f1d@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Host: 68.2.175.81
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe13.iad 1265053236 68.2.175.81 (Mon, 01 Feb 2010 19:40:36 UTC)
NNTP-Posting-Date: Mon, 01 Feb 2010 19:40:36 UTC
Organization: Cox
Date: Mon, 01 Feb 2010 12:40:43 -0700
Xref: g2news1.google.com rec.radio.amateur.equipment:1738

triode wrote:
> Having suffered for years with tiring audio on my R71, decided to fix
> it. These are one of the best radios ever made, worth hanging on to.
Hello Triode:

With your permission, I would like to post your solution and schematic
from Mods.DK on the R71 yahoo group. OK?

Thanks,

Dave

> The problem is the switching diode D75. The Emitter follower Q26 is
> enabled for AM reception, the 3 volts or so being used to forward bias
> D75, thereby passing the audio to IC6a. The current through the diode
> being only a few hundred microamps is insufficient to turn it on fully,
> causing the forward dynamic `resistance to be modulated with the audio,
> causing distortion. The fix is simple. Replace  R202, (100k) to 15k,
> and replace R128 (1K) with a jumper. This increases the current to a
> more satisfactory.3 mA or so. The results are great.
>
>
>
>


From 1029517675506500418
X-Google-Thread: d7f5508063,2cddbd429b747a48
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
```

news.nobody.at!news.albasani.net!news.k-dsl.de!news-zh.switch.ch!switch.ch!
newsfeed01.chello.at!newsfeed01.sul.t-online.de!t-online.de!newsfeed.kpn.net!
pfeed09.wxs.nl!feeder2.cambriumusenet.nl!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!209.197.12.242.MISMATCH!nx01.iad01.newshosting.com!
newshosting.com!216.196.98.152.MISMATCH!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 01 Feb 2010 23:13:15 -0600
From: triode <triode.5ad699a@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom r71a distortion fix on AM
Date: Mon, 1 Feb 2010 23:40:25 +0000
Message-ID: <triode.5ad699a@radiobanter.com>
Organization: RadioBanter.com
References: <triode.5a42f1d@radiobanter.com> <4B672E3B.9000807@ieee.org>
Lines: 37
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-6Yw6NK3dNAhZ/
vnmKBgz5R1G365XniEN+EJcOOkeQU0DFnch8Bl1pyHsUSkWOWl7lHDuhw6+SYAr15f!
D3Sk4ZZObG8JK95sLUJ2cYBGBVStN41apl3INr4bKOf3usj0XnXd08olnisS1ntRIOQaudKEfCT1!YDs=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 26
Xref: g2news1.google.com rec.radio.amateur.equipment:1739

dbird;698914 Wrote:
> triode wrote:-
> Having suffered for years with tiring audio on my R71, decided to fix
> it. These are one of the best radios ever made, worth hanging on to.-
> Hello Triode:
>
> With your permission, I would like to post your solution and schematic
>
> from Mods.DK on the R71 yahoo group. OK?
>
> Thanks,
>
> Dave
> -
> The problem is the switching diode D75. The Emitter follower Q26 is
> enabled for AM reception, the 3 volts or so being used to forward
> bias
> D75, thereby passing the audio to IC6a. The current through the diode
> being only a few hundred microamps is insufficient to turn it on
> fully,
> causing the forward dynamic `resistance to be modulated with the
> audio,
> causing distortion. The fix is simple. Replace R202, (100k) to 15k,
> and replace R128 (1K) with a jumper. This increases the current to a

> more satisfactory.3 mA or so. The results are great.
>
>
>
> -

Hello Dave. Yes, thats fine. Have added a bit more info for you too.

--
triode

```
From -8204416500757979914
X-Google-Thread: d7f5508063,2cddbd429b747a48
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe08.iad.POSTED!7564ea0f!not-for-mail
Message-ID: <4B68FD4B.9030504@ieee.org>
From: dbird <dbird@ieee.org>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom r71a distortion fix on AM
References: <triode.5a42f1d@radiobanter.com> <4B672E3B.9000807@ieee.org>
<triode.5ad699a@radiobanter.com>
In-Reply-To: <triode.5ad699a@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Host: 68.2.175.81
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe08.iad 1265171777 68.2.175.81 (Wed, 03 Feb 2010 04:36:17 UTC)
NNTP-Posting-Date: Wed, 03 Feb 2010 04:36:17 UTC
Organization: Cox
Date: Tue, 02 Feb 2010 21:36:27 -0700
Xref: g2news1.google.com rec.radio.amateur.equipment:1740
```

Triode:

Thanks. I haven't been able to reply on RadioBanter; don't know why. I took your description from your submission to worldwidedx.com. My ref to mods.DK was a mixup with another post, sorry. Why don't you join the yahoo R71 group? We have tried and pretty well succeeded, I think, in making it the place to go for all things R71. Plus a bunch of really helpful people.

Thanks again,

Dave

triode wrote:
> dbird;698914 Wrote:
>> triode wrote:-
>
> Hello Dave. Yes, thats fine. Have added a bit more info for you too.

```
From 2868546288781251857
X-Google-Thread: d7f5508063,89507c589b2c3f3f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!newsswitch.lcs.mit.edu!newsfeed.berkeley.edu!
ucberkeley!feedme.ziplink.net!border2.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 06 Feb 2010 11:12:25 -0600
From: triode <triode.5b35858@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM R71a added functions from front panel
Date: Sat, 6 Feb 2010 12:48:01 +0000
Message-ID: <triode.5b35858@radiobanter.com>
Organization: RadioBanter.com
Lines: 29
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
nxQy2lDT3WQoGD4VjQ9seGP77hgCqD72J8GbBsbbDrndGd7mPWDzoqvD98fMiPmD6Rjcmof8HWkAS++!
bWMmQ8/YAdTqfVSvjEZsW3t5QYlI8gx4GrrZYJrW8oyFLQt/kuPZqRQI9ET6LscL6EE233FGeaYL!Uig=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 2559
Xref: g2news1.google.com rec.radio.amateur.equipment:1741
```

Having installed a synchronous detector board into my R71a, there was the need to select between it and the original AM detector, without defacing the radio by adding extra switches to the front or rear panel. After studying the circuitry around the mode select IC13 on the logic unit board, there is an unused pin 1 that can be used for this task. Remove Diodes D10 and D13 from pins 32 and 36 on IC14. Add a long wire to pin 1 of IC13, best done at the unused pin at J2. This wire will now go high when FUNCT/CW is pressed, ... the same way as FM is selected by pressing FUNCT/AM. For my situation, I routed this wire through to the main board, through a switching diode, cathode to AM pin on J12. This enables AM mode when high. The added`wire also connects to the base of Q25 through a series 4k7 resistor, and a switching diode, cathode to base. This disables the normal AM detector when high. The voltage on this wire also is used to enable the Synchronous detector board. In use, all mode functions are as normal, pressing FUNCT/AM will select FM, AM will select normal AM, now pressing FUNCT/CW will select the new Synch AM, The ICOM memory will also store the new synch mode together with frequency. Unfortunately, there is no spare or unused icon in the flourescent display to activate with the new mode, so when selected, no mode icon is visible. This switching arrangement has many other uses and saves having to mess up the appearance of the radio. When working on your radio, take your time, and understand what you are doing. Disconnect power first.

--
triode

```
From -6252011851229617023
X-Google-Thread: a4a23d5f63,a684b07d2e16dbfe,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!news-out.readnews.com!news-
xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1262847900@panix.com>
Followup-To: poster
Date: 7 Feb 2010 02:05:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 12 Mar 2010 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1265526300@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1265526301 490 166.84.1.2 (7 Feb 2010 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Feb 2010 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:14686 rec.radio.amateur.dx:551
rec.radio.amateur.equipment:1742 rec.radio.amateur.homebrew:3108
rec.radio.amateur.misc:4602 rec.radio.amateur.policy:25203 rec.radio.info:1217
```

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From 4924775194433787500
X-Google-Thread: a4a23d5f63,fe0f2e17b3d57b77,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1262848200@panix.com>
Followup-To: poster
Date: 7 Feb 2010 02:11:16 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 12 Mar 2010 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1265526600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1265526677 7128 166.84.1.2 (7 Feb 2010 07:11:17 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Feb 2010 07:11:17 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:4603
rec.radio.amateur.equipment:1743 rec.radio.swap:2347 rec.radio.info:1218

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet

```
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 5532770924706346115
X-Google-Thread: d7f5508063,ce61831ca3a579f0,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o23g2000vbl.googlegroups.com!not-for-
mail
From: lou <louis717@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SMX-52AC
Date: Sun, 7 Feb 2010 15:14:01 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
Message-ID: <fdfdc6ed-b155-4eaf-8bb8-fa51c7fb8fc8@o23g2000vbl.googlegroups.com>
NNTP-Posting-Host: 70.18.42.112
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1265584441 32095 127.0.0.1 (7 Feb 2010 23:14:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 7 Feb 2010 23:14:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o23g2000vbl.googlegroups.com; posting-host=70.18.42.112;
     posting-account=NPeLBgoAAADpe-DRtVA16hJR31fKiCz-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.2)
     Gecko/20100115 YFF35 Firefox/3.6,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1744
```

hi
anyone have info about a monarch tube stereo? SMX-52AC.

was monarch similar to other japanese companies such as pioneer?

thanks
louis
Lou707@msn.com

From 7930588329804770818
X-Google-Thread: d7f5508063,89507c589b2c3f3f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
news-1.dfn.de!news.dfn.de!news.uni-stuttgart.de!news.unit0.net!noris.net!
news.odn.de!elvis.franken.de!chico.franken.de!news.franken.de!newsfeed.freenet.ag!
newsfeed.kamp.net!newsfeed.kamp.net!nx01.iad01.newshosting.com!newshosting.com!
216.196.98.150.MISMATCH!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 Feb 2010 17:11:59 -0600
From: zed_zed <zed_zed.5b64fb7@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM R71a added functions from front panel
Date: Mon, 8 Feb 2010 18:50:44 +0000
Message-ID: <zed_zed.5b64fb7@radiobanter.com>
Organization: RadioBanter.com
References: <triode.5b35858@radiobanter.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-dD2UoFhkvS/mCI0IrcD9Vq/7pd6Be4POtRvddxTlExfEhGvzi/
9whqDocWNDk89QbfYJbWuYruGqR4S!Tpwo70HEM/gJDkoOK2wEDIxntXjsCcfISlZ3iNVZMMP4/
R9mp90vXtRX290yfb8kuY9D1GvArrji!ovLJ
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 3
Xref: g2news1.google.com rec.radio.amateur.equipment:1745

Can you tell us what kind of synchronous detector board you have
installed ?
Do you have any pics ?
Regards.

--
zed_zed

From -3704024618478214337

```
X-Google-Thread: d7f5508063,89507c589b2c3f3f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!newsswitch.lcs.mit.edu!xmission!
newsfeed2.telusplanet.net!newsfeed.telus.net!news.glorb.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 Feb 2010 17:11:59 -0600
From: triode <triode.5b64fb7@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM R71a added functions from front panel
Date: Mon, 8 Feb 2010 21:37:54 +0000
Message-ID: <triode.5b64fb7@radiobanter.com>
Organization: RadioBanter.com
References:  <triode.5b35858@radiobanter.com> <zed_zed.5b64fb7@radiobanter.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-kRLdlbxw5WJEFsxGDQ/cst4zV16RupSFkE05S9CvxtCkSe0T9HYp+2ik7NOkC2lS6+
+8gIAsYTx2Ip9!swb3Hnl0d9dVJKJUM80q+gm0ghKIEBAIXfofWKEL2AOG47H+pcR5epnDgWB4/
XLkhSU6mPIzQ4is!H7w=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 5
Xref: g2news1.google.com rec.radio.amateur.equipment:1746
```

zed_zed;699302 Wrote:

> Can you tell us what kind of synchronous detector board you have
> installed ?
> Do you have any pics ?
> Regards.

The detector is a homemade design using a phase detector to lock the
Icom 2nd local oscillator to the carrier. I dont know how to post pics.
Cheers.

--
triode

```
From 6487946740523235978
X-Google-Thread: d7f5508063,89507c589b2c3f3f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
From: "K" <K@spam.net>
Newsgroups: rec.radio.amateur.equipment
References:  <triode.5b35858@radiobanter.com> <zed_zed.5b64fb7@radiobanter.com>
In-Reply-To: <zed_zed.5b64fb7@radiobanter.com>
Subject: FA: Harris RF-590H HF Receiver
Date: Mon, 8 Feb 2010 21:07:14 -0800
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Lines: 147
Message-ID: <4b70ed8d$0$15008$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 98.150.21.122
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1747
```

This fine RF-590H is up for bid to the highest bidder for the next 5 days. Let me know what you think its worth. I'm thinking the bidding should begin around $1500. Let me know what you will bid. Bid at Jtron2@gmail.com ... I will end it at 9:00 pm PST on Feb 12, 2010 and notify the sucessful bidder. I will leave a public note as to the outcome of this auction.

http://s1022.photobucket.com/albums/af347/n6jp/ (Be sure and click on each picture to enlarge it for a better look.)

It is my pleasure to be able to bring this Harris RF-590H premium receiver to the community as it is one that rarely comes up for sale anywhere. These receivers were built to exacting military standards using the highest quality components and modular engineering. Stability of this receiver is listed at + or - 1 part in 10-6 with a 5 Mhz TCXO standard. What does that mean? The circuitry in this receiver is rock solid!
The RF-590H was originally used in the US military (mostly Navy) and diplomatic institutions (Embassies) for communications and surveillance from 1982 to about 1998 when it was replaced by the RF-590A.

This "H" version of the RF-590 is coined the "hopping" or "agility" version due to it's special scanning of channels and the ability to zero in on frequencies from other cooperating parties much more quickly. According the the Harris patent for this model, it could take about 10 to 15 minutes to scan and locate a transmission since transmissions may be intermittent and on unknown frequecies. Harris designed special circuitry to allow the operator to locate these transmissions much more quickly. I do have a special manual for this "H" version. However, for practical listening, the included full manual should allow for most common operations. If you care to see portions of the manual prior to bidding, you may look here:

http://www.premium-rx.org/rf590.htm

This RF-590H is built for 19" rack mounting and is a heavy, rugged radio measuring a depth of 20.5 ", height of 5.25" and weight of around 40 lbs (50 lbs shipping). Inside, each stage is enclosed within a separate shielded box to minimize birdies. A large aluminum knob and numeric keypad permit tuning FM, AM, SSB, and CW signals in the 0 to 30 mhz spectrum. The frequency resolution is down to the individual Hz and is broken out to the full 3 decimal places on the bright blue vacuum flourescent display.

The RF-590H has the option of 4 AGC settings, and filters of 6.8 khz for AM, 3.2 and 2.7 Khz for SSB both upper and lower, and 300 Hz for CW. I have taken a picture of these crystal filters inside the top of the unit and it appears like there is one slot open for another filter, if desired. Just a quick note, if you think that the AM filter of 6.8 khz it too wide, based on past experience with other receivers, you would likely be correct. However, the tuning on this Harris is so precise, you can tune into an AM signal and if a narrower bandwidth is required, switch into SSB and chose upper or lower with amazing results. I have found that there are few good receivers that will allow this without serious degradation of the sound quality, but you hardly notice with this Harris. This tactic alone has allowed me to copy AM signals on shortwave that my other highly tricked out receivers using passband or a sync detector struggle with.

The RF-590H has 100 memory channels and memory scanning of these channels. I mention this as I rarely ever use memory channels, but others find this to be a large benefit when listening.

One thing that will tell you that this is a high end receiver is the modular design. The receiver is a BITE built in test button. Once depressed, the receiver runs through a series of audio, display and circuitry tests (processor EPROM, Processor RAM, synthesizer lock, rf signal path, and IF signal path) and will either display "passed" or give a fault # on the display and light the red fault light on the front panel. The owner's manual gives the fault codes so you know where to look for the problem (called fault isolation). As you can see in my picture, this receiver passes with flying colors, but if it would not, replacing it with an available module/board would be a snap. Now if only the auto industry would do this with our automobiles instead of us trotting off to drop money for a dealer to run such a test.

Speaking of owner manuals, it comes complete with a full set of manuals that cover the RF-590H receiver. These manuals have both operating instructions and schematics covering this fine receiver.

This Harris RF-590H is microprocessor controlled receiver and due to the exacting standards in build, originally sold for $17,900 to the military. This receiver is categorized as a premium receiver and there is a group of premium receiver owners online that assist each other with questions such as operation, location of parts, repairs, mods, etc. You can find that site here:

http://www.premium-rx.org/

Other features of this Harris include a 1/4" headphone jack in the front, an RF gain, a BFO that operates + or - 9.9 khz in 10 Hz increments, and a whole series of terminals on the back that provide pre and post IF filtered 455 khz jacks and a whole host of interfaces for use with other equipment or with remote devices.

I have mentioned all the the main features of this RF-590H except for one. And from my perspective, it is one of the strongest....the audio circuitry. Unlike amateur radios or consumer shortwave radios, professional communications receivers have been designed for hours of monitoring with a minimum of knob twisting. This Harris receiver works some magic with the audio circuits, bandpass filters, and automatic gain control. Besides news broadcasts from foreign broadcasters, I have enjoyed listening to music on the shortwave bands by piping the audio into a "Sounds Sweet" speaker that sits on my desk. The low frequency content is surprising as this is often removed from receivers to "improve" intelligibility, but Harris leaves it in. Typically, taking the audio into a larger speaker would result in a painful experience, but with this Harris receiver, the result is so pleasant. As is the custom with all communications receivers, the onboard speaker does not do justice with this receiver's audio capabilities.

I doubt that there are many better receivers built for broadcast AM audio. If I am doing work where I don't have to concentrate, it is a nice departure to tune into the 80, 40 or 20 meter bands to listen in on some of the amateur radio nets. The SSB on this receiver sounds unlike anything on my other communications receivers!

Electrically, this Harris works just beautifully. I have tested it over the past few days and it has been a joy. Cosmetically, this receiver is in very good condition. There are the usual nicks and smalI scratches that one would expect to find on a older piece of gear. However, the circuitry and internals are perfect so this is cosmetic only.

At this point, I hope I have covered anything that may be a question for you. However, if I have overlooked something, please email. Most questions will be with regards to shipping.

However, there will be a charge of $150 for double boxing and shipping this fine receiver anywhere in the lower 48 states of the U.S. This allows me to pack well so that it will arrive undamaged. Anywhere else will cost only enough extra to pay to the destination.

I can ship this unit overseas, but it is not my desire to do so due to the high cost of shipping. The cost will likely run $400, $500 or even more and I won't know until it is fully packed at the end of the sale. If you have the means to pay these high shipping charges, I don't mind working with you. However, due to the nature of the cost being tied into both the weight and the size shipping box, I am unable to give a quote for shipping until the receiver is fully packed after the auction ends. Thank you for understanding!

The winning bidder is asked to pay within 5 days. You may pay via cash (if picked up), or US Postal money order. I will not ship until full payment is received and processed.

This excellent reciver is offered as is with no guarantees implied or offered. No returns or refunds are offered to the buyer of this unit.

Contact me at Jtron2@gmail.com with your questions or bids. I live in the 93312 zip code area of the U.S.A.

regards, Jerry

```
From -2780399366131905618
X-Google-Thread: d7f5508063,89507c589b2c3f3f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
From: "K" <K@spam.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Harris RF-590H HF Receiver
Date: Mon, 8 Feb 2010 21:43:35 -0800
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Lines: 149
Message-ID: <4b70f60e$0$4948$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 98.150.21.122
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1748
```

This fine RF-590H is up for bid to the highest bidder for the next 5 days. Let me know what you think its worth. I'm thinking the bidding should begin around $1500. Let me know what you will bid. Bid at Jtron2@gmail.com ... I will end it at 9:00 pm PST on Feb 12, 2010 and notify the sucessful bidder. I will leave a public note as to the outcome of this auction.

http://s1022.photobucket.com/albums/af347/n6jp/ (Be sure and click on each picture to enlarge it for a better look.)

It is my pleasure to be able to bring this Harris RF-590H premium receiver to the community as it is one that rarely comes up for sale anywhere. These receivers were built to exacting military standards using the highest quality components and modular engineering. Stability of this receiver is listed at + or - 1 part in 10-6 with a 5 Mhz TCXO standard. What does that mean? The circuitry in this receiver is rock solid!
The RF-590H was originally used in the US military (mostly Navy) and diplomatic institutions (Embassies) for communications and surveillance from 1982 to about 1998 when it was replaced by the RF-590A.

This "H" version of the RF-590 is coined the "hopping" or "agility" version due to it's special scanning of channels and the ability to zero in on frequencies from other cooperating parties much more quickly. According the the Harris patent for this model, it could take about 10 to 15 minutes to scan and locate a transmission since transmissions may be intermittent and on unknown frequecies. Harris designed special circuitry to allow the operator to locate these transmissions much more quickly. I do have a special manual for this "H" version. However, for practical listening, the included full manual should allow for most common operations. If you care to see portions of the manual prior to bidding, you may look here:

http://www.premium-rx.org/rf590.htm

This RF-590H is built for 19" rack mounting and is a heavy, rugged radio measuring a depth of 20.5 ", height of 5.25" and weight of around 40 lbs (50 lbs shipping). Inside, each stage is enclosed within a separate shielded box to minimize birdies. A large aluminum knob and numeric keypad permit tuning FM, AM, SSB, and CW signals in the 0 to 30 mhz spectrum. The frequency resolution is down to the individual Hz and is broken out to the full 3 decimal places on the bright blue vacuum flourescent display.

The RF-590H has the option of 4 AGC settings, and filters of 6.8 khz for AM, 3.2 and 2.7 Khz for SSB both upper and lower, and 300 Hz for CW. I have taken a picture of these crystal filters inside the top of the unit and it appears like there is one slot open for another filter, if desired. Just a quick note, if you think that the AM filter of 6.8 khz it too wide, based on past experience with other receivers, you would likely be correct. However, the tuning on this Harris is so precise, you can tune into an AM signal and if a narrower bandwidth is required, switch into SSB and chose upper or lower with amazing results. I have found that there are few good receivers that will allow this without serious degradation of the sound quality, but you hardly notice with this Harris. This tactic alone has allowed me to copy AM signals on shortwave that my other highly tricked out receivers using passband or a sync detector struggle with.

The RF-590H has 100 memory channels and memory scanning of these channels.
I mention this as I rarely ever use memory channels, but others find this to be a large benefit when listening.

One thing that will tell you that this is a high end receiver is the modular design. The receiver is a BITE built in test button. Once depressed, the receiver runs through a series of audio, display and circuitry tests (processor EPROM, Processor RAM, synthesizer lock, rf signal path, and IF signal path) and will either display "passed" or give a fault # on the display and light the red fault light on the front panel. The owner's manual gives the fault codes so you know where to look for the problem (called fault isolation). As you can see in my picture, this receiver passes with flying colors, but if it would not, replacing it with an available module/board would be a snap. Now if only the auto industry would do this with our automobiles instead of us trotting off to drop money for a dealer to run such a test.

Speaking of owner manuals, it comes complete with a full set of manuals that cover the RF-590H receiver. These manuals have both operating instructions and schematics covering this fine receiver.

This Harris RF-590H is microprocessor controlled receiver and due to the exacting standards in build, originally sold for $17,900 to the military. This receiver is categorized as a premium receiver and there is a group of premium receiver owners online that assist each other with questions such as operation, location of parts, repairs, mods, etc. You can find that site here:

http://www.premium-rx.org/

Other features of this Harris include a 1/4" headphone jack in the front, an RF gain, a BFO that operates + or - 9.9 khz in 10 Hz increments, and a whole series of terminals on the back that provide pre and post IF filtered 455 khz jacks and a whole host of interfaces for use with other equipment or with remote devices.

I have mentioned all the the main features of this RF-590H except for one. And from my perspective, it is one of the strongest....the audio circuitry. Unlike amateur radios or consumer shortwave radios, professional communications receivers have been designed for hours of monitoring with a minimum of knob twisting. This Harris receiver works some magic with the audio circuits, bandpass filters, and automatic gain control. Besides news broadcasts from foreign broadcasters, I have enjoyed listening to music on the shortwave bands by piping the audio into a "Sounds Sweet" speaker that sits on my desk. The low frequency content is surprising as this is often removed from receivers to "improve" intelligibility, but Harris leaves it in. Typically, taking the audio into a larger speaker would result in a painful experience, but with this Harris receiver, the result is so pleasant. As is the custom with all communications receivers, the onboard speaker does not do justice with this receiver's audio capabilities.

I doubt that there are many better receivers built for broadcast AM audio. If I am doing work where I don't have to concentrate, it is a nice departure to tune into the 80, 40 or 20 meter bands to listen in on some of the amateur radio nets. The SSB on this receiver sounds unlike anything on my other communications receivers!

Electrically, this Harris works just beautifully. I have tested it over the past few days and it has been a joy. Cosmetically, this receiver is in very good condition. There are the usual nicks and smalI scratches that one would expect to find on a older piece of gear. However, the circuitry and internals are perfect so this is cosmetic only.

At this point, I hope I have covered anything that may be a question for you. However, if I have overlooked something, please email. Most questions will be with regards to shipping.

However, there will be a charge of $150 for double boxing and shipping this fine receiver anywhere in the lower 48 states of the U.S. This allows me to pack well so that it will arrive undamaged. Anywhere else will cost only enough extra to pay to the destination.

I can ship this unit overseas, but it is not my desire to do so due to the high cost of shipping. The cost will likely run $400, $500 or even more and I won't know until it is fully packed at the end of the sale. If you have the means to pay these high shipping charges, I don't mind working with you. However, due to the nature of the cost being tied into both the weight and the size shipping box, I am unable to give a quote for shipping until the receiver is fully packed after the auction ends. Thank you for understanding!

The winning bidder is asked to pay within 5 days. You may pay via cash (if picked up), or US Postal money order. I will not ship until full payment is received and processed.

This excellent reciver is offered as is with no guarantees implied or offered. No returns or refunds are offered to the buyer of this unit.

Contact me at Jtron2@gmail.com with your questions or bids. I live in the 93312 zip code area of the U.S.A.

regards, Jerry

From 6881768282915208433
X-Google-Thread: d7f5508063,89507c589b2c3f3f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad!post01.iad!news.dslextreme.com!not-for-mail
Date: Tue, 09 Feb 2010 05:58:57 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.7) Gecko/20100104
SeaMonkey/2.0.2
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment

```
Subject: Re: FA: Harris RF-590H HF Receiver
References: <4b70f60e$0$4948$9a6e19ea@unlimited.newshosting.com>
In-Reply-To: <4b70f60e$0$4948$9a6e19ea@unlimited.newshosting.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <4b7169f6$0$20547$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1749

K wrote:
> This fine RF-590H is up for bid to the highest bidder for the next 5 days.
> Let me know what you think its worth. I'm thinking the bidding should begin
> around $1500.
>
>

Jeez.  You can get a brand new K3 for $1,649 (add $250 for a couple of
XTAL filters) and you'll have the best receiver ever made.  $1,500 seems
like a giant leap of faith. Where do you get parts for the thing?


From -1286388145449529005
X-Google-Thread: d7f5508063,d6954a5d6f62ccce,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 11 Feb 2010 05:18:05 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Possible problems with Kenwood TS-820 mods.
From: clifford wright <c.c.wright@paradise.net.nz>
Organization: Wright retro radio
Message-ID: <Xns9D1D312444CBcrite40@216.196.97.131>
User-Agent: Xnews/5.04.25
Date: Thu, 11 Feb 2010 05:18:06 -0600
Lines: 15
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
KozEhwUO99LDFC0s2ynNdpahEBHHbSBT4Z0PrES3G+rk1DNsZfkTwFUTDkEaQrAOqUK2nN4PTNgvjBW!
WkgzfAXm/8mSa2XKonvHX9x8QgNRrY1JcUmrQo218q60DRREKOs5HykWE/dperpS
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1750

Good day. I have had one of these transcievers for some years and have done
```

several updates and mods to it. These include the Warc bands and published improvements to the RX front end.

Now at last 14 MHz is opening from time to time and I am working some DX on CW and SSB. However I am beginning to suspect that the front end has either too much RF gain, or its stability factor is poor. Basically hte receiver gives me the impression of having a fairly noisy RF satge with too much gain. Indeed reception is sometimes better with the RF gain backed off somewhat even on weak log path European and US signals.

Over the years I have built several communications Rx's and have a very wide experience of weak signal reception.

Has anyone else had similar problems with this or other rigs?

I would be very interested to hear, before I pull the front end apart and redesign the whole thing!!!!

73's Cliff Wright ZL1BDA ex G3NIA.

```
From 4773074570610040980
X-Google-Thread: 733d321764,196e8276ae04aea4,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!isp-post01.iad!not-for-mail
From: "Jerry" <Jtron2@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
References: <4b70f60e$0$4948$9a6e19ea@unlimited.newshosting.com>
In-Reply-To: <4b70f60e$0$4948$9a6e19ea@unlimited.newshosting.com>
Subject: Re: Harris RF-590H HF Receiver
Date: Fri, 12 Feb 2010 22:00:54 -0800
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Lines: 193
Message-ID: <4b764027$0$4976$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 98.150.21.122
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1751 rec.radio.swap:2362
```

The unit has been sold. Thanks to all.

regards, Jerry

"K" <K@spam.net> wrote in message

news:4b70f60e$0$4948$9a6e19ea@unlimited.newshosting.com...
> This fine RF-590H is up for bid to the highest bidder for the next 5 days.
> Let me know what you think its worth. I'm thinking the bidding should
> begin
> around $1500. Let me know what you will bid. Bid at Jtron2@gmail.com ...
> I
> will end it at 9:00 pm PST on Feb 12, 2010 and notify the sucessful
> bidder.
> I will leave a public note as to the outcome of this auction.
>
> http://s1022.photobucket.com/albums/af347/n6jp/ (Be sure and click on each
> picture to enlarge it for a better look.)
>
> It is my pleasure to be able to bring this Harris RF-590H premium receiver
> to the community as it is one that rarely comes up for sale anywhere.
> These
> receivers were built to exacting military standards using the highest
> quality components and modular engineering. Stability of this receiver is
> listed at + or - 1 part in 10-6 with a 5 Mhz TCXO standard. What does
> that
> mean? The circuitry in this receiver is rock solid!
> The RF-590H was originally used in the US military (mostly Navy) and
> diplomatic institutions (Embassies) for communications and surveillance
> from
> 1982 to about 1998 when it was replaced by the RF-590A.
>
> This "H" version of the RF-590 is coined the "hopping" or "agility"
> version
> due to it's special scanning of channels and the ability to zero in on
> frequencies from other cooperating parties much more quickly. According
> the
> the Harris patent for this model, it could take about 10 to 15 minutes to
> scan and locate a transmission since transmissions may be intermittent and
> on unknown frequecies. Harris designed special circuitry to allow the
> operator to locate these transmissions much more quickly. I do have a
> special manual for this "H" version. However, for practical listening,
> the
> included full manual should allow for most common operations. If you care
> to see portions of the manual prior to bidding, you may look here:
>
> http://www.premium-rx.org/rf590.htm
>
> This RF-590H is built for 19" rack mounting and is a heavy, rugged radio
> measuring a depth of 20.5 ", height of 5.25" and weight of around 40 lbs
> (50
> lbs shipping). Inside, each stage is enclosed within a separate shielded
> box to minimize birdies. A large aluminum knob and numeric keypad permit
> tuning FM, AM, SSB, and CW signals in the 0 to 30 mhz spectrum. The
> frequency resolution is down to the individual Hz and is broken out to the
> full 3 decimal places on the bright blue vacuum flourescent display.
>
> The RF-590H has the option of 4 AGC settings, and filters of 6.8 khz for
> AM,

> 3.2 and 2.7 Khz for SSB both upper and lower, and 300 Hz for CW. I have
> taken a picture of these crystal filters inside the top of the unit and it
> appears like there is one slot open for another filter, if desired. Just
> a
> quick note, if you think that the AM filter of 6.8 khz it too wide, based
> on
> past experience with other receivers, you would likely be correct.
> However,
> the tuning on this Harris is so precise, you can tune into an AM signal
> and
> if a narrower bandwidth is required, switch into SSB and chose upper or
> lower with amazing results. I have found that there are few good
> receivers
> that will allow this without serious degradation of the sound quality, but
> you hardly notice with this Harris. This tactic alone has allowed me to
> copy AM signals on shortwave that my other highly tricked out receivers
> using passband or a sync detector struggle with.
>
> The RF-590H has 100 memory channels and memory scanning of these channels.
> I mention this as I rarely ever use memory channels, but others find this
> to
> be a large benefit when listening.
>
> One thing that will tell you that this is a high end receiver is the
> modular
> design. The receiver is a BITE built in test button. Once depressed, the
> receiver runs through a series of audio, display and circuitry tests
> (processor EPROM, Processor RAM, synthesizer lock, rf signal path, and IF
> signal path) and will either display "passed" or give a fault # on the
> display and light the red fault light on the front panel. The owner's
> manual gives the fault codes so you know where to look for the problem
> (called fault isolation). As you can see in my picture, this receiver
> passes with flying colors, but if it would not, replacing it with an
> available module/board would be a snap. Now if only the auto industry
> would
> do this with our automobiles instead of us trotting off to drop money for
> a
> dealer to run such a test.
>
> Speaking of owner manuals, it comes complete with a full set of manuals
> that
> cover the RF-590H receiver. These manuals have both operating
> instructions
> and schematics covering this fine receiver.
>
> This Harris RF-590H is microprocessor controlled receiver and due to the
> exacting standards in build, originally sold for $17,900 to the military.
> This receiver is categorized as a premium receiver and there is a group of
> premium receiver owners online that assist each other with questions such
> as
> operation, location of parts, repairs, mods, etc. You can find that site
> here:
>

> http://www.premium-rx.org/
>
> Other features of this Harris include a 1/4" headphone jack in the front,
> an
> RF gain, a BFO that operates + or - 9.9 khz in 10 Hz increments, and a
> whole
> series of terminals on the back that provide pre and post IF filtered 455
> khz jacks and a whole host of interfaces for use with other equipment or
> with remote devices.
>
> I have mentioned all the the main features of this RF-590H except for one.
> And from my perspective, it is one of the strongest....the audio
> circuitry.
> Unlike amateur radios or consumer shortwave radios, professional
> communications receivers have been designed for hours of monitoring with a
> minimum of knob twisting. This Harris receiver works some magic with the
> audio circuits, bandpass filters, and automatic gain control. Besides
> news
> broadcasts from foreign broadcasters, I have enjoyed listening to music on
> the shortwave bands by piping the audio into a "Sounds Sweet" speaker that
> sits on my desk. The low frequency content is surprising as this is often
> removed from receivers to "improve" intelligibility, but Harris leaves it
> in. Typically, taking the audio into a larger speaker would result in a
> painful experience, but with this Harris receiver, the result is so
> pleasant. As is the custom with all communications receivers, the onboard
> speaker does not do justice with this receiver's audio capabilities.
>
> I doubt that there are many better receivers built for broadcast AM audio.
> If I am doing work where I don't have to concentrate, it is a nice
> departure
> to tune into the 80, 40 or 20 meter bands to listen in on some of the
> amateur radio nets. The SSB on this receiver sounds unlike anything on my
> other communications receivers!
>
> Electrically, this Harris works just beautifully. I have tested it over
> the
> past few days and it has been a joy. Cosmetically, this receiver is in
> very
> good condition. There are the usual nicks and smalI scratches that one
> would expect to find on a older piece of gear. However, the circuitry and
> internals are perfect so this is cosmetic only.
>
> At this point, I hope I have covered anything that may be a question for
> you. However, if I have overlooked something, please email. Most
> questions
> will be with regards to shipping.
>
> However, there will be a charge of $150 for double boxing and shipping
> this
> fine receiver anywhere in the lower 48 states of the U.S. This allows me
> to
> pack well so that it will arrive undamaged. Anywhere else will cost only
> enough extra to pay to the destination.

```
>
> I can ship this unit overseas, but it is not my desire to do so due to the
> high cost of shipping.  The cost will likely run $400, $500 or even more
> and
> I won't know until it is fully packed at the end of the sale.  If you have
> the means to pay these high shipping charges, I don't mind working with
> you.
> However, due to the nature of the cost being tied into both the weight and
> the size shipping box, I am unable to give a quote for shipping until the
> receiver is fully packed after the auction ends.  Thank you for
> understanding!
>
> The winning bidder is asked to pay within 5 days.  You may pay via cash
> (if
> picked up), or US Postal money order.  I will not ship until full payment
> is
> received and processed.
>
> This excellent reciver is offered as is with no guarantees implied or
> offered.  No returns or refunds are offered to the buyer of this unit.
>
> Contact me at Jtron2@gmail.com with your questions or bids.  I live in the
> 93312 zip code area of the U.S.A.
>
> regards, Jerry
>
>
>
```

```
From -2070350780029183037
X-Google-Thread: 733d321764,196e8276ae04aea4
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad!
post01.iad!news.dslextreme.com!not-for-mail
Date: Sat, 13 Feb 2010 05:13:40 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.7) Gecko/20100104
SeaMonkey/2.0.2
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Harris RF-590H HF Receiver
References: <4b70f60e$0$4948$9a6e19ea@unlimited.newshosting.com>
<4b764027$0$4976$9a6e19ea@unlimited.newshosting.com>
In-Reply-To: <4b764027$0$4976$9a6e19ea@unlimited.newshosting.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <4b76a555$0$22302$bd467cd0@news.dslextreme.com>
```

Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1752 rec.radio.swap:2365

Jerry wrote:
> The unit has been sold. Thanks to all.
>
> regards, Jerry

One born every minute. I got a brand new K3, with extra filter, for $1,700.

From 427733289335250523
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!
newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Problems with Kenwood TS-2000
Date: Sun, 14 Feb 2010 16:41:30 +0100
Organization: T-Com
Lines: 27
Message-ID: <hl95ja$5ls$1@ss408.t-com.hr>
NNTP-Posting-Host: 93-138-243-99.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1266162090 5820 93.138.243.99 (14 Feb 2010 15:41:30 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sun, 14 Feb 2010 15:41:30 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.4) Gecko/20091017
SeaMonkey/2.0
Xref: g2news1.google.com rec.radio.amateur.equipment:1753

Quote:

Problem Noise, static crashes in rx, all bands.
L72-0984-05 Filter TS2000
DAP202U Dual Diode
MA2S111 Diode TH79
Labor Located and replaced FL1 on Tx/rx unit which had shorted on the
input and was
pulling down the switching diodes for the filters causing noise. Also
the rx was
down about 20db in addition to the noise. Upgraded the firmware and
checked the
rx and tx on all bands. Set frequency.

http://www.youtube.com/watch?v=6EjoGKqdL8A

Yesterday I tested my TS after my friend repaired it, works just fine!

He changed faulty filter, diodes were fine.

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris

```
From 8164037013816569298
X-Google-Thread: d7f5508063,e6aba3af17d32a9f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Sun, 14 Feb 2010 09:27:17 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.7) Gecko/20100104
SeaMonkey/2.0.2
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problems with Kenwood TS-2000
References: <hl95ja$5ls$1@ss408.t-com.hr>
In-Reply-To: <hl95ja$5ls$1@ss408.t-com.hr>
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 26
Message-ID: <4b783245$0$15771$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1754
```

Boris Tu�an wrote:
> Quote:
>
> Problem Noise, static crashes in rx, all bands.
> L72-0984-05 Filter TS2000
> DAP202U Dual Diode
> MA2S111 Diode TH79
> Labor Located and replaced FL1 on Tx/rx unit which had shorted on the
> input and was
> pulling down the switching diodes for the filters causing noise. Also
> the rx was
> down about 20db in addition to the noise. Upgraded the firmware and
> checked the
> rx and tx on all bands. Set frequency.
>
> http://www.youtube.com/watch?v=6EjoGKqdL8A
>

>
> Yesterday I tested my TS after my friend repaired it, works just fine!
> He changed faulty filter, diodes were fine.
>

Nice vehicles!

http://www.qrz.com/db/9A6KTB

From 8210416876212192606
X-Google-Thread: d7f5508063,e6aba3af17d32a9f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin2!goblin.stu.neva.ru!feeder.erje.net!news2.arglkargh.de!news.karotte.org!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problems with Kenwood TS-2000
Date: Sun, 14 Feb 2010 18:29:29 +0100
Organization: T-Com
Lines: 14
Message-ID: <hl9btp$irk$1@ss408.t-com.hr>
References: <hl95ja$5ls$1@ss408.t-com.hr>
<4b783245$0$15771$bd467cd0@news.dslextreme.com>
NNTP-Posting-Host: 93-138-243-99.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1266168570 19316 93.138.243.99 (14 Feb 2010 17:29:30 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sun, 14 Feb 2010 17:29:30 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.4) Gecko/20091017 SeaMonkey/2.0
In-Reply-To: <4b783245$0$15771$bd467cd0@news.dslextreme.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:1755

dave wrote:
> http://www.qrz.com/db/9A6KTB

If you are interested, you can find more photos here:

http://s186.photobucket.com/albums/x51/btudan/

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris

From -7368352037572671026
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.eaglecomputertechnology!news.posted.eaglecomputertechnology.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 16 Feb 2010 03:27:22 -0600
Message-ID: <4B7A64FF.94830B3F@milestones.com>
Date: Tue, 16 Feb 2010 04:27:27 -0500
From: dxAce <dxAce@milestones.com>
Organization: The Listener at The Gates of Dawn
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Harris RF-590H HF Receiver
References: <4b70f60e$0$4948$9a6e19ea@unlimited.newshosting.com>
<4b764027$0$4976$9a6e19ea@unlimited.newshosting.com>
<4b76a555$0$22302$bd467cd0@news.dslextreme.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 216.234.126.252
X-Trace: sv3-e318HKLaFb2sPNgF8cSguiGJT4LclFxNv7dza0QguYJ3u/
KnXf0fjsGyt9YwvXl3zLLpFAQPzGbKi+6!3noEIJ4e3ZDjzA3p4mEnwRZBATl+bIsloYQGXfSuo/
fQkeQufC5+wqJmbpzjyOQDAgRIq/kZWk60!MtqwqB5qp2h6Dsg=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1756 rec.radio.swap:2372

dave wrote:

> Jerry wrote:
> > The unit has been sold. Thanks to all.
> >
> > regards, Jerry
> One born every minute. I got a brand new K3, with extra filter, for $1,700.

Rickmers, you're a k00k!

From -6736965202028348074
X-Google-Thread: d7f5508063,4732658482a43937

X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!micro-heart-of-gold.mit.edu!
nntp.club.cc.cmu.edu!feeder.erje.net!news.glorb.com!news2.glorb.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 16 Feb 2010 05:13:04 -0600
From: Fredholm <Fredholm.5c032f3@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu frg-8800 mw/lw mods
Date: Tue, 16 Feb 2010 09:23:02 +0000
Message-ID: <Fredholm.5c032f3@radiobanter.com>
Organization: RadioBanter.com
References: <elt%m.7027$Ma2.3340@newsfe04.ams2>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-teiXBTRdNbuJKJwEVo+egwzwu0Jg3Wuntwa/
jI1vDdHRhTEkB3yBGlFuGtBnV0W5ylC8rqj700KSt74!
gvkwHS3VKs8XaghkQKvDu6nuwPzG0vzLkR8BKBG3WxvkLkOMqoiiXq2H1DxHjYdcBeJ+oCV9lPDT!
Q0uUlw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 15
Xref: g2news1.google.com rec.radio.amateur.equipment:1757

If anyone has a collection of mods for the FRG-8800 ? , especially increasing sensitivity on the Front-end..
Regards..Fred

Mike Lee;697003 Wrote:
> Hi all amongst other gear I use a Yaesu FRG-8800.
> I have tried a google search on mw/lw mods for this receiver but no
> such
> luck as yet.
> Some one has done it but I have no idea how to go about it.
>
> Can any one please point me n the right direction for this.
>
>
> TIA.
>
> Mike.

```
--
Fredholm


From -7972865920890401469
X-Google-Thread: 733d321764,196e8276ae04aea4
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Tue, 16 Feb 2010 05:31:21 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.7) Gecko/20100104
SeaMonkey/2.0.2
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Harris RF-590H HF Receiver
References: <4b70f60e$0$4948$9a6e19ea@unlimited.newshosting.com>
<4b764027$0$4976$9a6e19ea@unlimited.newshosting.com>
<4b76a555$0$22302$bd467cd0@news.dslextreme.com> <4B7A64FF.94830B3F@milestones.com>
In-Reply-To: <4B7A64FF.94830B3F@milestones.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <4b7a9df7$0$20327$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1758 rec.radio.swap:2373

dxAce wrote:
>
>
> dave wrote:
>
>> Jerry wrote:
>>> The unit has been sold.  Thanks to all.
>>>
>>> regards, Jerry
>> One born every minute.  I got a brand new K3, with extra filter, for $1,700.
>
> Rickmers, you're a k00k!
>
>
A kook with a really nice "cheap" radio.


From -7001388450239888394
X-Google-Thread: d7f5508063,3d1c0ac815c076bb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!isp-post01.iad!not-for-mail
Date: Tue, 16 Feb 2010 20:35:02 -0500
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.7) Gecko/20100111 Thunderbird/3.0.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM Remote Microphone control language
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 12
Message-ID: <4b7b47b9$0$5096$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price! www.newshosting.com
NNTP-Posting-Host: 70.121.42.156
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1759

I have an IC-Delta 100 tri-band mobile radio which has a remote (wireless) command microphone. This same mike operates via wire when plugged into the radio. Seeing as ICOM makes newer radios with similar command mikes, I am curious if the data format is published or even common between radio models.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo ;-P

From 7364888495153755585
X-Google-Thread: d7f5508063,2a834d86bf810642
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!x22g2000yqx.googlegroups.com!not-for-mail
From: Dave Smirkenberg <smirk50@rocketmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: hep with amp
Date: Fri, 19 Feb 2010 17:45:29 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <b343bcbd-249f-425d-9a09-42a98d6dd2c2@x22g2000yqx.googlegroups.com>
References: <bakert.595aea3@radiobanter.com>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1266630329 5058 127.0.0.1 (20 Feb 2010 01:45:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Feb 2010 01:45:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x22g2000yqx.googlegroups.com; posting-host=72.241.231.67;
     posting-account=1WUOzAoAAADVdXuxcH8-CCd3ty35wPHB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1760

On Jan 14, 10:19=A0pm, bakert <bakert.595a...@radiobanter.com> wrote:
> I have a palomar 200 it has a white face with 3 rocker switches. one
> switch is for power one swiych for receive on or off the other switch
> is for mode high or low. my question is where can i find some info on
> this an what kind of power will it put out
>
> --
> bakert

I'd be afraid to even connect it to the mains.


From -6671621238100809008
X-Google-Thread: d7f5508063,2a834d86bf810642
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!post01.iad!
news.dslextreme.com!not-for-mail
Date: Sat, 20 Feb 2010 06:02:22 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205
SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: hep with amp
References: <bakert.595aea3@radiobanter.com>
<b343bcbd-249f-425d-9a09-42a98d6dd2c2@x22g2000yqx.googlegroups.com>
In-Reply-To: <b343bcbd-249f-425d-9a09-42a98d6dd2c2@x22g2000yqx.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <4b7feb35$0$27703$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1761

Dave Smirkenberg wrote:
> On Jan 14, 10:19 pm, bakert<bakert.595a...@radiobanter.com>  wrote:
```

```
>> I have a palomar 200 it has a white face with 3 rocker switches. one
>> switch is for power one swiych for receive on or off the other switch
>> is for mode high or low. my question is where can i find some info on
>> this an what kind of power will it put out
>>
>> --
>> bakert
>
> I'd be afraid to even connect it to the mains.

6KG6/EL509


From -5803457508785352807
X-Google-Thread: d7f5508063,9ac667e30c8ee075,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b2g2000yqi.googlegroups.com!not-for-
mail
From: TimBob <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:Interconnect Specialists Inc.FDI-2200 Interconnect Phone Patch
Date: Sun, 21 Feb 2010 15:39:40 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <8b9f0b0b-49d4-466e-9fa9-f6ae9529776c@b2g2000yqi.googlegroups.com>
NNTP-Posting-Host: 74.177.38.113
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1266795580 24133 127.0.0.1 (21 Feb 2010 23:39:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Feb 2010 23:39:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b2g2000yqi.googlegroups.com; posting-host=74.177.38.113;
     posting-account=QanrjwoAAABmrK_pOucj8ub7ZL9ogeE8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.6)
     Gecko/20091201 Firefox/3.5.6,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1762

For sale is a ISI FDI-2200 interconnect with a copy of the manual and
a copy on a CD in PDF format.  See it here-
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320491866711
 Tim


From -7731123666797674827
X-Google-Thread: d7f5508063,d6954a5d6f62ccce
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
```

```
feeder.eternal-september.org!eternal-september.org!aioe.org!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Possible problems with Kenwood TS-820 mods.
Date: Mon, 22 Feb 2010 21:35:21 -0500
Organization: Aioe.org NNTP Server
Lines: 17
Message-ID: <fmmck-E959B3.21352122022010@5ad64b5e.bb.sky.com>
References: <Xns9D1D312444CBcrite40@216.196.97.131>
NNTP-Posting-Host: MArvEtvFCva1v+annpCK+g.user.speranza.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.2
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news1.google.com rec.radio.amateur.equipment:1763

In article <Xns9D1D312444CBcrite40@216.196.97.131>,
 clifford wright <c.c.wright@paradise.net.nz> wrote:

> Indeed reception is sometimes better with the RF gain backed off
> somewhat even on weak log path European and US signals.

Cliff-

I've noticed that a noise increase can sometimes be caused by the noise
limiter.  See if it makes any difference by turning it off.

Also, intermodulation distortion from strong signals outside the band,
might be what is causing poor noise performance.  Take that into
consideration if you design a new RF stage.

Fred
K4DII


From -1857250343193231868
X-Google-Thread: d7f5508063,ba8042023f73c33,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
cyclone02.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf01.ams.highwinds-media.com!newsfe23.ams2.POSTED!7564ea0f!not-for-mail
From: "Barett" <barett@blueyonder.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: PSU problem help needed
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
```

X-RFC2646: Format=Flowed; Original
Message-ID: <9d6hn.196046$0M5.162831@newsfe23.ams2>
NNTP-Posting-Host: 94.169.121.99
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe23.ams2 1267003333 94.169.121.99 (Wed, 24 Feb 2010 09:22:13 UTC)
NNTP-Posting-Date: Wed, 24 Feb 2010 09:22:13 UTC
Organization: virginmedia.com
Date: Wed, 24 Feb 2010 09:22:22 -0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1764

Hi

I have a Watson W-30am 30-35 Amp peak power supply.

After using an IC-706 running 30-40 Watts on PSK31 for a few hours the power supply starts making a very load buzz/hum on keying the radio. The noise decrease's and increases turning the power up and down on the radio itself.

I have also notice the buzz/hum is still there when the radio is disconnected and a small load say 1 Amp connected to the PSU, although the noise is a lot quieter. So I don't think that the radio causing it.

When I start it all up the next morning the power supply is running fine again, no noise until I have been keying the radio in PSK31 mode for several hours when the very load concerning buzz/hum starts again.

The power supply has a top case fan that draws the heat out of the case and the power supply case doesn't feel hot to the touch. When the load noise occurs

Does anyone have any thoughts what could be causing this?

Thanks for any advise or help in advance.

From 4382744428304176455
X-Google-Thread: d7f5508063,ea5f0d295894ca98,start

```
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q2g2000pre.googlegroups.com!not-for-mail
From: VK4FDGM Daryl <dgmerrick@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Type of Cable to Use on 2m&70cm
Date: Wed, 24 Feb 2010 03:04:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
NNTP-Posting-Host: 58.111.141.45
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1267009454 9300 127.0.0.1 (24 Feb 2010 11:04:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 24 Feb 2010 11:04:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000pre.googlegroups.com; posting-host=58.111.141.45;
     posting-account=gkwlsQoAAABWWdxj3g8maO-Zvs3aQmNF
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2)
     Gecko/20100115 Firefox/3.6 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1765
```

Hi ,
I was wandering what type of Coax I should Use on VHF&UHF .
Bye
Daryl

```
From -9108559313753850490
X-Google-Thread: d7f5508063,ea5f0d295894ca98
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe15.iad.POSTED!7564ea0f!not-for-mail
From: 1hogrider <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.7) Gecko/20100111 Thunderbird/3.0.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Type of Cable to Use on 2m&70cm
References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
In-Reply-To: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <Ul8hn.56488$G_2.48600@newsfe15.iad>
NNTP-Posting-Host: 70.188.44.65
```

X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe15.iad 1267012084 70.188.44.65 (Wed, 24 Feb 2010 11:48:04 UTC)
NNTP-Posting-Date: Wed, 24 Feb 2010 11:48:04 UTC
Organization: Cox
Date: Wed, 24 Feb 2010 06:48:02 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1766

On 2/24/2010 6:04 AM, VK4FDGM Daryl wrote:
> Hi ,
> I was wandering what type of Coax I should Use on VHF&UHF .
> Bye
> Daryl

How long of a cable run will you need?
What operating performance are you trying to achieve? (local communications or a station 160 kilometers away?)
How much power will you be using?
What is the highest frequency you will be using?

--
Two most common elements in the universe- Hydrogen & Stupidity

From 1216483380104172466
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Wed, 24 Feb 2010 05:49:35 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205 SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Type of Cable to Use on 2m&70cm
References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
In-Reply-To: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <4b852e30$0$13692$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1767

VK4FDGM Daryl wrote:
> Hi ,
> I was wandering what type of Coax I should Use on VHF&UHF .
> Bye
> Daryl

Use RG8 (0.405") type cable for antenna leads. Use RG8X type for jumpers.

The BEST RG8 period is Davis BuryFlex.

http://www.davisrf.com/amateur.php

From -2665896078293629831
X-Google-Thread: d7f5508063,ea5f0d295894ca98
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!STARBAND.NET-a2kHrUvQQWlmc!not-for-mail
From: You <you@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Type of Cable to Use on 2m&70cm
Organization: Shadow.orgs
References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (PPC Mac OS X)
Date: Wed, 24 Feb 2010 10:25:53 -0900
Message-ID: <you-DCAF36.10254624022010@unknown.hwng.net>
X-Complaints-To: abuse@usenetserver.com
Lines: 11
X-Trace: 680504b857d4231ebfddf13471
Xref: g2news1.google.com rec.radio.amateur.equipment:1768

In article
<447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>,
VK4FDGM Daryl <dgmerrick@gmail.com> wrote:

> Hi ,
> I was wandering what type of Coax I should Use on VHF&UHF .
> Bye
> Daryl

Look at Beldon 9913 for long runs... has Good Spec's and cheaper than
Heliax or HardLine.... We call it PoorMan's Heliax....

From -7801401630449813738
X-Google-Thread: d7f5508063,ea5f0d295894ca98
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 24 Feb 2010 15:27:55 -0600
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment

References: <447c6d56-209a-4601-ad1e-5a3066980ba1@q2g2000pre.googlegroups.com>
<4b852e30$0$13692$bd467cd0@news.dslextreme.com>
Subject: Re: Type of Cable to Use on 2m&70cm
Date: Wed, 24 Feb 2010 16:28:54 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <edSdnZJRyP9GBBjWnZ2dnUVZ_tWdnZ2d@earthlink.com>
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.98
X-Trace: sv3-Medm4iO5T8vPqR2X+eWNj3wEcKu/QWHiRsUKNq30nQvgdw8oO6+CB/O/
+Ctm2vH1nW2vPprO6c33wsm!
AEI0NAg2CIVnC7Mxm0QMxZDheGqB5xuI5VvvUvWMYIb7g8HmjVIOSwU7qpTPj1bSNbUzCyhmsSSH!
X9VuhSItmpPJvdNkxjQQWV5YG6T6CGhSBSDjcQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1769

"dave" <dave@dave.dave> wrote in message
news:4b852e30$0$13692$bd467cd0@news.dslextreme.com...
> VK4FDGM Daryl wrote:
>> Hi ,
>> I was wandering what type of Coax I should Use on VHF&UHF .
>> Bye
>> Daryl
>
> Use RG8 (0.405") type cable for antenna leads. Use RG8X type for jumpers.
>
> The BEST RG8 period is Davis BuryFlex.
>
> http://www.davisrf.com/amateur.php
>

Without any details as to the type of operation, I agree with the Davis BuryFlex. I have several runs of it up a tower. I use it for the triband bean, 6 meters, 2 meters and 432 SSB work.   While not as good as hard line, if you want to stay with a coax about 1/2 inch that is what I would use. I use the BuryFlex for all bands for the outside antennas where I use an rg-8 size coax.. It is somewhat stiff inside the house and I use another more flexable coax. I would use 8x for the low bands for jumpers but it will not handle the power I run.

If I was not going over 20 feet, then the rg-8x type is a good coax to use.

```
From 9200029458079948016
X-Google-Thread: d7f5508063,3b93ac663954977f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!c16g2000yqd.googlegroups.com!not-for-
mail
From: walt <wbelsito@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: wanted mfj antenna analyzer
Date: Wed, 24 Feb 2010 18:18:39 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <cc5b137a-3e7a-4e3c-af2a-d0f44e55b757@c16g2000yqd.googlegroups.com>
NNTP-Posting-Host: 64.252.90.143
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1267064319 20968 127.0.0.1 (25 Feb 2010 02:18:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 25 Feb 2010 02:18:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c16g2000yqd.googlegroups.com; posting-host=64.252.90.143;
     posting-account=CnAsNAkAAAA3FlvVIVgil95Wiq2sXKRp
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.1.8)
     Gecko/20100202 Firefox/3.5.8 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1770

contact me ; wbelsito@aol.com


From 4073030078433249962
X-Google-Thread: d7f5508063,e4713b48192e4ca5,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!news.glorb.com!news-
xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
Subject: mic element used with FT-101ZD???
Date: Wed, 24 Feb 2010 18:51:49 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Lines: 7
Message-ID: <4b85e5c6$0$2036$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 25 Feb 2010 02:51:51 GMT
NNTP-Posting-Host: 17644bd5.news.sonic.net
X-Trace: DXC=PW5YKW:oAbbMK^igoEdeonm4K\QM1CV^`1OYf0H`?;Xa8doU?
```

```
RDo54k<M7niZjJShgJU\39g5K`eo
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1771

I'm in the process of bringing an FT-101ZD back from
the dead. Did not get a mic with it and need to know
if it requires a dynamic or crystal element. TIA
                            Steve
p.s.-don't have a manual




From -5012348582245830032
X-Google-Thread: d7f5508063,e4713b48192e4ca5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!195.208.113.67.MISMATCH!goblin1!goblin3!goblin.stu.neva.ru!pit-
transit.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-
mail
From: "VK2KC" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <4b85e5c6$0$2036$742ec2ed@news.sonic.net>
Subject: Re: mic element used with FT-101ZD???
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <Ysnhn.9673$pv.7080@news-server.bigpond.net.au>
Date: Thu, 25 Feb 2010 04:59:36 GMT
NNTP-Posting-Host: 124.184.3.120
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1267073976 124.184.3.120 (Thu, 25 Feb 2010
15:59:36 EST)
NNTP-Posting-Date: Thu, 25 Feb 2010 15:59:36 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:1772

Steve,
I did a "google" search and second hit was this one:

http://www.eserviceinfo.com/service_manual/datasheets_y_0.html

Complete FT101ZD Service Manual, downloadable.
john

"Steve" <zarco@sonic.net> wrote in message
news:4b85e5c6$0$2036$742ec2ed@news.sonic.net...
> I'm in the process of bringing an FT-101ZD back from
> the dead. Did not get a mic with it and need to know
> if it requires a dynamic or crystal element. TIA
>                            Steve
> p.s.-don't have a manual
>
>
```

```
From 221250514745055638
X-Google-Thread: d7f5508063,e4713b48192e4ca5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp1.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
References: <4b85e5c6$0$2036$742ec2ed@news.sonic.net> <Ysnhn.9673$pv.7080@news-
server.bigpond.net.au>
Subject: Re: mic element used with FT-101ZD???
Date: Thu, 25 Feb 2010 07:43:25 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Lines: 28
Message-ID: <4b869a9e$0$1617$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 25 Feb 2010 15:43:27 GMT
NNTP-Posting-Host: d5fada4c.news.sonic.net
X-Trace:
DXC=o=RZGl45SoaOocCR[1eQ:im4K\QM1CV^`1OYf0H`?;Xa`]`Bm=E>FjlDO9BX]YjfclOT\d5;jAd5d
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1773
```

Still on dial up here.....my link times out before I can
download a manual.

```
"VK2KC" <vk2kcjohn@gmail.com> wrote in message
news:Ysnhn.9673$pv.7080@news-server.bigpond.net.au...
> Steve,
> I did a "google" search and second hit was this one:
>
> http://www.eserviceinfo.com/service_manual/datasheets_y_0.html
>
> Complete FT101ZD Service Manual, downloadable.
> john
>
```

```
> "Steve" <zarco@sonic.net> wrote in message
> news:4b85e5c6$0$2036$742ec2ed@news.sonic.net...
>> I'm in the process of bringing an FT-101ZD back from
>> the dead. Did not get a mic with it and need to know
>> if it requires a dynamic or crystal element. TIA
>>                            Steve
>> p.s.-don't have a manual
>>
>>
>
>




From -5889447752033061250
X-Google-Thread: d7f5508063,2d3fecb939f6e04f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
cyclone03.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf01.ams.highwinds-media.com!newsfe24.ams2.POSTED!7564ea0f!not-for-mail
From: "Barett" <barett@blueyonder.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Watson Power-Max-45-NF any good
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <VBLhn.41598$Np2.34132@newsfe24.ams2>
NNTP-Posting-Host: 94.169.121.99
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe24.ams2 1267172853 94.169.121.99 (Fri, 26 Feb 2010 08:27:33 UTC)
NNTP-Posting-Date: Fri, 26 Feb 2010 08:27:33 UTC
Organization: virginmedia.com
Date: Fri, 26 Feb 2010 08:27:33 -0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1774

Has anyone tried one of these power supplies a Watson Power-Max-45-NF and
are they any good?

How loud is the fan and is it a thermally controlled fan?

I have been looking for some reviews but I haven't found any.

Thanks
```

From 7281376570546829804
X-Google-Thread: d7f5508063,d1e61165abd18e4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!feeder.news-service.com!
cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf02.ams.highwinds-media.com!newsfe25.ams2.POSTED!7564ea0f!not-for-mail
From: "Barett" <barett@blueyonder.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: KPS-450A NISSEI MS-450A Power Supply any good
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <lLMhn.174763$DL1.168776@newsfe25.ams2>
NNTP-Posting-Host: 94.169.121.99
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe25.ams2 1267177553 94.169.121.99 (Fri, 26 Feb 2010 09:45:53 UTC)
NNTP-Posting-Date: Fri, 26 Feb 2010 09:45:53 UTC
Organization: virginmedia.com
Date: Fri, 26 Feb 2010 09:45:53 -0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1775

Has anyone tried one of these power supplies a and
are they any good?

How loud is the fan and is it a thermally controlled fan?

I have been looking for some reviews but I haven't found any.

Thanks

From 7160700019116798020
X-Google-Thread: 733d321764,c825a69a1f187699,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
188.40.43.213.MISMATCH!feeder.eternal-september.org!eternal-september.org!.POSTED!
not-for-mail
From: "George Csahanin" <georgec@lintv.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: SB110A/ HP23 for sale
Date: Sun, 28 Feb 2010 10:43:50 -0600
Organization: A noiseless patient Spider
Lines: 84

```
Message-ID: <hme6ga$165$1@news.eternal-september.org>
Injection-Date: Sun, 28 Feb 2010 16:43:54 +0000 (UTC)
Injection-Info: feeder.eternal-september.org; posting-
host="NxLz7OQ4QyJtoRurnErcKw";
     logging-data="1221"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18r6oAaJG3md6D+b7btNObK"
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3598
Cancel-Lock: sha1:1VpQTA8Ni7EBtzFZUNL2OWzGShs=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3676
rec.radio.amateur.equipment:1776 rec.radio.swap:2381
```

Not auction...

Clean for its age. looks non-smoking.

Pictures: (click on image for big image...)

http://dyb.com/radios/radios/1.html

http://dyb.com/radios/radios/2.html

http://dyb.com/radios/radios/3.html

details:

HEATHKIT SB-110A S/N:28839

HEATHKIT HP-23

Radio checks out at 96 watts out in tune, 102watts peak SSB

Aligned calibrator

Adjusted bias, ALC, S-Meter

LSB carried osc is flaky, and does not work most of the time, LSB is almost never used on 6 meters. Tapping on the crystal seems to bring it back.

Receiver hears .1uV.

PTT is odd, unless rig is in VOX mode. Might be V5B 6AZ8, Relay amplifier.

Surplus Sales of Nebraska has more 11 pin sockets/recepticals for the power connector.

All controls and switches need cleaning.

Included is CDROM with manual copy of rig and most of the available power supplies.

HP-23 needs (and is) to be set to the lower voltage. (rotary switch on side of supply)

Power supply was brought up slowly with variac. (unit sat for a few years. Ran it four hours after bringing it back up)

$325 plus shipping from 78701

Paypal. Money order, cash if picked up.

Domestic/USA sales only.

--
George J Csahanin
W2DB
Cedar Park, TX

```
From -6433841872351746309
X-Google-Thread: 733d321764,c825a69a1f187699
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news1.google.com!news3.google.com!proxad.net!
feeder1-2.proxad.net!news.mixmin.net!feeder.eternal-september.org!eternal-
september.org!.POSTED!not-for-mail
From: "George Csahanin" <georgec@lintv.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: SB110A/ HP23 for sale
Date: Sun, 28 Feb 2010 10:48:43 -0600
Organization: A noiseless patient Spider
Lines: 101
Message-ID: <hme6ph$32v$1@news.eternal-september.org>
References: <hme6ga$165$1@news.eternal-september.org>
Injection-Date: Sun, 28 Feb 2010 16:48:49 +0000 (UTC)
Injection-Info: feeder.eternal-september.org; posting-
host="NxLz7OQ4QyJtoRurnErcKw";
     logging-data="3167"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19X/oPZBvPSKHHT0Ezu0cBu"
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3598
Cancel-Lock: sha1:zNegOC9xI3Wg9Uf2q9whJJklJBQ=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3677
rec.radio.amateur.equipment:1777 rec.radio.swap:2382

Don't post often , zoned out, and the original has wrong e-mail...

Send responses to georgec at dyb dot com.
or

georgec at w2db dot com

if need to call 512-401-2630

Prefer e-mail

"George Csahanin" <georgec@lintv.com> wrote in message
news:hme6ga$165$1@news.eternal-september.org...
> Not auction...
>
> Clean for its age. looks non-smoking.
>
> Pictures: (click on image for big image...)
>
> http://dyb.com/radios/radios/1.html
>
> http://dyb.com/radios/radios/2.html
>
> http://dyb.com/radios/radios/3.html
>

> details:
>
>
>
> HEATHKIT SB-110A S/N:28839
>
>
>
> HEATHKIT HP-23
>
>
>
> Radio checks out at 96 watts out in tune, 102watts peak SSB
>
>
>
> Aligned calibrator
>
>
>
> Adjusted bias, ALC, S-Meter
>
>
>
> LSB carried osc is flaky, and does not work most of the time, LSB is
> almost never used on 6 meters. Tapping on the crystal seems to bring it
> back.
>
>
>
> Receiver hears .1uV.
>
>
>
> PTT is odd, unless rig is in VOX mode. Might be V5B 6AZ8, Relay amplifier.
>
>
>
> Surplus Sales of Nebraska has more 11 pin sockets/recepticals for the
> power connector.
>
>
>
> All controls and switches need cleaning.
>
>
>
> Included is CDROM with manual copy of rig and most of the available power
> supplies.
>
>
>
> HP-23 needs (and is) to be set to the lower voltage. (rotary switch on

```
> side of supply)
>
>
>
> Power supply was brought up slowly with variac. (unit sat for a few years.
> Ran it four hours after bringing it back up)
>
>
> $325 plus shipping from 78701
>
> Paypal. Money order, cash if picked up.
>
> Domestic/USA sales only.
>
> --
> George J Csahanin
> W2DB
> Cedar Park, TX
>
```

```
From -7378374851918102443
X-Google-Thread: a4a23d5f63,d20340964db25d8e,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1265007601@panix.com>
Followup-To: poster
Date: 1 Mar 2010 02:00:02 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Apr 2010 03:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1267426800@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1267426802 10066 166.84.1.2 (1 Mar 2010 07:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 1 Mar 2010 07:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
```

permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:14994 rec.radio.amateur.dx:566
rec.radio.amateur.equipment:1778 rec.radio.amateur.homebrew:3149
rec.radio.amateur.misc:4659 rec.radio.amateur.policy:25363
rec.radio.amateur.space:317 rec.radio.info:1259

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to

rec-radio-amateur-moderated-request@panix.com.

```
From 7263838222631907725
X-Google-Thread: d7f5508063,e4713b48192e4ca5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
news.mixmin.net!not-for-mail
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: mic element used with FT-101ZD???
Date: Fri, 05 Mar 2010 15:19:33 -0500
Organization: Mixmin
Message-ID: <fmmck-A6712F.15193205032010@news.mixmin.net>
References: <4b85e5c6$0$2036$742ec2ed@news.sonic.net> <Ysnhn.9673$pv.7080@news-
server.bigpond.net.au> <4b869a9e$0$1617$742ec2ed@news.sonic.net>
Injection-Date: Fri, 5 Mar 2010 20:19:35 +0000 (UTC)
Injection-Info: news.mixmin.net; posting-host="237f8b1143d871d2d89345653461b88a";
     logging-data="16699"; mail-complaints-to="abuse@mixmin.net"
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Posted: yes
X-Face: M2:kXKd:'RWOYDl{uZc`?lIp)JGp#{Wu!73$b9:+?s~%}Ay|,WvxTz{\^4AJh
        N>Vy`r;;jIzv<<vS,[g~;ir61gwO/"Ff8_<BmgGs~{wyfHZYW3=':3,2vO7fLZ0RO7PT
        &/'HNHm0?k/~s)P<fv_6SH>@nXU8{,j+xR(<OXVIKnd)
Xref: g2news1.google.com rec.radio.amateur.equipment:1779
```

In article <4b869a9e$0$1617$742ec2ed@news.sonic.net>,
"Steve" <zarco@sonic.net> wrote:

> Still on dial up here.....my link times out before I can
> download a manual.

Steve-

I downloaded the manual to have in my collection. It is in 11 parts in ".rar" compressed format, of about 2 megabytes each. If you are persistent, you should be able to download it one part at a time. You would then collect the parts in one folder and decompress part one. The decompression program should automatically incorporate all into one 20 Megabyte .PDF file. (I used StuffIt Expander on a Macintosh.)

To answer your original question, the microphone is 600 Ohms impedance. I think many CB dynamic replacement microphones would work if wired correctly. Pin 1 is ground (Shield), 2 is Microphone hot, 3 is Push-to-talk and pin 4 is not used.

Fred
K4DII

```
From 6094842858913674928
```

X-Google-Thread: d7f5508063,2a834d86bf810642
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!171.64.64.130.MISMATCH!usenet.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!feedme.ziplink.net!border2.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 06 Mar 2010 23:11:45 -0600
From: n9zas <n9zas.5d8eb0a@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: hep with amp
Date: Sun, 7 Mar 2010 00:47:22 +0000
Message-ID: <n9zas.5d8eb0a@radiobanter.com>
Organization: RadioBanter.com
References: <bakert.595aea3@radiobanter.com>
<b343bcbd-249f-425d-9a09-42a98d6dd2c2@x22g2000yqx.googlegroups.com>
<4b7feb35$0$27703$bd467cd0@news.dslextreme.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
PTfM1vXgdAIEukt5qHt4pZOtlC4n2Kz5vNDVjsrdDHMFTp3oeX8vvZJlvsWUAc8A02anfrnQhwKC7Vm!
KUeQXM86DvxPiGMTs0WxZoEoQydmH+5GC2eJ2LqfMv4FluucYBkJj6DECtCN85TcultDFU9ip1cd!Lw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 16
X-Original-Bytes: 1690
Xref: g2news1.google.com rec.radio.amateur.equipment:1780

dave;700152 Wrote:
> Dave Smirkenberg wrote:-
> On Jan 14, 10:19 pm, bakertbakert.595a...@radiobanter.com wrote:-
> I have a palomar 200 it has a white face with 3 rocker switches. one
> switch is for power one swiych for receive on or off the other switch
> is for mode high or low. my question is where can i find some info on
> this an what kind of power will it put out
>
> --
> bakert-
>
> I'd be afraid to even connect it to the mains.-
>
> 6KG6/EL509

Will the op trade the amp for some brand new "hooked on phonics" books?
HAHAHAHAHAHA!!!
N9ZAS

--
n9zas

From 1508472727975104093
X-Google-Thread: a4a23d5f63,98d94df1cefa20fc,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1265526300@panix.com>
Followup-To: poster
Date: 7 Mar 2010 02:05:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Apr 2010 03:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1267945500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1267945505 28466 166.84.1.2 (7 Mar 2010 07:05:05 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Mar 2010 07:05:05 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:15040 rec.radio.amateur.dx:572
rec.radio.amateur.equipment:1781 rec.radio.amateur.homebrew:3161
rec.radio.amateur.misc:4677 rec.radio.amateur.policy:25406 rec.radio.info:1280

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been
recently revived by an active moderation team. We are currently seeking
suitable information, FAQ, and bulletin articles from the entire
rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our

newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                   |
 rec.radio.amateur.moderated                                                  |
 rec.radio.amateur.space                                                      |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 791449812527076289
X-Google-Thread: 733d321764,b1ff9d31c496e58e,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info

Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1265526600@panix.com>
Followup-To: poster
Date: 7 Mar 2010 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Apr 2010 03:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1267945801@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1267945802 4184 166.84.1.2 (7 Mar 2010 07:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Mar 2010 07:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
X-Original-Bytes: 2677
Xref: g2news1.google.com rec.radio.amateur.misc:4678 rec.radio.amateur.equipment:1782 rec.radio.swap:2391 rec.radio.info:1281

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 5910998305699757551
X-Google-Thread: 38f9f745cf,12953c8126995cdd,start
X-Google-Attributes: gid38f9f745cf,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s36g2000prh.googlegroups.com!not-for-mail
From: world-trade <jiazhao34@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: paypal wholesale all brand(UGGBOOTS,SHOES,CLOTHES,HANDBAG,WATCH,JEANS,JERSEY,T-SHIRT,SHIRTS,HOODY,EYEGLASS,CAP,SHAWL,WALLT)
     and so on.
Date: Tue, 9 Mar 2010 18:40:17 -0800 (PST)
Organization: http://groups.google.com
Lines: 71
Message-ID: <74b37c91-2ae8-49bc-a226-d10a038e3e47@s36g2000prh.googlegroups.com>
NNTP-Posting-Host: 220.161.114.97
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1268188817 11381 127.0.0.1 (10 Mar 2010 02:40:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 Mar 2010 02:40:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s36g2000prh.googlegroups.com; posting-host=220.161.114.97;
     posting-account=IG6ODwoAAAAp-Jx1gugNqvZRAuUvn4Yf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1783 rec.food.equipment:3804

Discount wholesale Ebel Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale Bape Watch
Discount wholesale Bell&Ross Watch
Discount wholesale Breit Ling Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale Burberry Watch
Discount wholesale Cartier Watch
Discount wholesale Chopard Watch
Discount wholesale D&G Watch
Discount wholesale Givenchy Watch (www.brandmarket06.com) (paypal payment)

Discount wholesale Jacob&Co Watch
Discount wholesale Kappa Watch
Discount wholesale Prada Watch
Discount wholesale Tissot Watch
Discount wholesale Titoni Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale U-BOAT Watch
Discount wholesale Zenith Watch
Discount wholesale A.Lange&Sohne Watch
Discount wholesale Audemars Piguet Watch
Discount wholesale Baume&Mercier Watch
Discount wholesale Blancpain Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale Breguet Watch
Discount wholesale BRM Watch
Discount wholesale Bvlgari Watch
Discount wholesale Chanel Watch
Discount wholesale Concord Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale Corum Watch
Discount wholesale Dewitt Watch
Discount wholesale Ferrari Watch
Discount wholesale Franck Muller Watch
Discount wholesale Girard Perregaux Watch
Discount wholesale Glashutte Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale Graham Watch
Discount wholesale GUCCI Watch
Discount wholesale GUESS Watch
Discount wholesale Hamilton Watch
Discount wholesale Hermes Watch
Discount wholesale Hublot Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale IWC Watch
Discount wholesale Jaeger Le Coultre Watch
Discount wholesale Longines Watch
Discount wholesale LV Watch
Discount wholesale Montblanc Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale Movado Watch
Discount wholesale Omega Watch
Discount wholesale Oris Watch
Discount wholesale Paket Philippe Watch
Discount wholesale Panerai Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale Parmigiani Fleurier Watch
Discount wholesale Piaget Watch
Discount wholesale Porsche Design Watch
Discount wholesale Rolex Watch (www.brandmarket06.com) (paypal payment)
Discount wholesale Romain Jerome Titanic-Dna Watch
Discount wholesale Tag Heuer Watch
Discount wholesale Tudor Watch

Discount wholesale Vach.Constantine Watch
Discount wholesale Armani Watch
Discount wholesale RADO Watch (www.brandmarket06.com) (paypal
payment)

```
From 4766343060512572240
X-Google-Thread: d7f5508063,acf76cdc3c23adfc,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 09 Mar 2010 21:22:39 -0600
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Equipment for sale
Date: Tue, 9 Mar 2010 22:22:37 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 14.0.8089.726
X-MimeOLE: Produced By Microsoft MimeOLE V14.0.8089.726
X-EsetScannerBuild: 6725
Message-ID: <29KdnZRcdOzijQrWnZ2dnUVZ_tudnZ2d@giganews.com>
Lines: 42
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-nj1nMu7IkZpK209PRQzf0R9vTCi5MifB4j82/
QyGkTPW5j8mcDY9Voq9YSPn5XTGMQAzN/AKVNhorpY!
epx1A6MJMOEnj3X3hSjLUV4EfJvukp0pnB5RL2MUePNlnsPPkX+9rUnurRxuXmvCVMW30KmSBVo=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1784
```

For info please contact the owner:

Norm, WR1W at

newoodnh@ne.rr.com

1. Elecraft KX1 "Ultra portable" CW Transceiver with added KXAT1 tuner, KXB30 30 meter capability, KXPD1 paddle. In almost new shape. Little used. Price: $250.

2. Kenwood TS 570DG Transceiver with 500 Hz CW filter. Excellent condition. Price: $450

3. Yaesu YO-100 Scope. Only used for "flat top" monitoring. Never tried other capabilities. Clean, nice appearance. Price; $90.

4. Ten Tec 40th Anniversary Edition Iambic Paddle. New. Installed cable and adjusted for my fist but never used after that. I have other paddles and do not need this one. Price: $125.

5. Yaesu VX1R 2mtr mini HT in original box with charger, lithium battery and separate AA battery adapter. Good condition...little used. Price: $65.

6. Full wave bridge Hi voltage (approx 1650 volts at 600ma) power supply with 53 mfd oil filled capacitor. Neat and heavy construction with teflon wiring, stainless hardware, K2AW's "Silicon Alley" rectifiers. You pick up or will drive reasonable distance. Selling at very low price so that it goes to someone who can use it right away or for parts. Price: $60.

__________ Information from ESET NOD32 Antivirus, version of virus signature database 4930 (20100309) __________

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

```
From 2189463867940738218
X-Google-Thread: 38f9f745cf,48eac9aee2e75984,start
X-Google-Attributes: gid38f9f745cf,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k6g2000prg.googlegroups.com!not-for-
mail
From: "www.brandtrade09.com" <zhangqi8787@126.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: NFL nfl jersey Atlanta Falcons jerseys www.jersey-2009.com
Date: Tue, 9 Mar 2010 22:59:51 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <df811b92-fea9-4763-a31d-b075b2739f1d@k6g2000prg.googlegroups.com>
```

```
NNTP-Posting-Host: 112.111.175.222
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1268204391 5734 127.0.0.1 (10 Mar 2010 06:59:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 Mar 2010 06:59:51 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k6g2000prg.googlegroups.com; posting-host=112.111.175.222;
     posting-account=eEr9yAoAAAA0O08GtnRgN-Xo1m7GsrvE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
     3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1785 rec.food.equipment:3806

NFL nfl jersey Atlanta Falcons jerseys www.jersey-2009.com
best products, fastest and safest shipping and best servings
NFL nfl jersey Baltimore Ravens jerseys www.jersey-2009.com
best products, fastest and safest shipping and best servings
NFL nfl jersey Buffalo Bills jerseys www.jersey-2009.com
best products, fastest and safest shipping and best servings
NFL nfl jersey Carolina Panthers jerseys www.jersey-2009.com


From 6518006864311335053
X-Google-Thread: 108122,4af0405175e4cb0c,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!171.64.64.130.MISMATCH!usenet.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!feedme.ziplink.net!border2.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 12 Mar 2010 17:11:58 -0600
From: Pastordave <Pastordave.5e07fa8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Trading Drake TR4C station
Date: Fri, 12 Mar 2010 20:00:44 +0000
Message-ID: <Pastordave.5e07fa8@radiobanter.com>
Organization: RadioBanter.com
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-u5WRNnAIkE+F8Fa7RLxxrUAzQEVnnO34a2OvSxGBUrje+FkIbj/
pUssakh9RvMhDBS7wYc+ijhUElqn!vvZEMipvJbm0NFhJ6URD2KLLD9Or0jhpoXsyq/
nZj6YqHc11+ZkitvEbDbt/JrZiEJdp9ZSMeA9x!VDTcWh4I
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 3
X-Original-Bytes: 1364
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:1786
```

Want to trade my Drake TR4C Station for a near mint Yaesu FT847
transceiver with PSupply. See the station on my website at
www.wa4bwo.com.
Transceiver, Tuner, PowerSupply/Speaker,mic and cables. Original Manual
included. Top notch working condx. New tubes in final with 2 hours on
them. Have a full set of replacement tubes in the deal as well.
contact me wa4bwo@arrl.net.

--
Pastordave

```
From 8328176382342174649
X-Google-Thread: 108122,189dcd8fd048fe36,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k24g2000pro.googlegroups.com!not-for-
mail
From: "www.brandtrade09.com" <zhangqi8787@126.com>
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Toronto Blue Jays Jerseys Cheap Wholesale
Date: Fri, 12 Mar 2010 22:59:50 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <548cd03a-5b3b-4f18-8f06-aadf2601a54c@k24g2000pro.googlegroups.com>
NNTP-Posting-Host: 58.22.72.223
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1268463590 28464 127.0.0.1 (13 Mar 2010 06:59:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 Mar 2010 06:59:50 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k24g2000pro.googlegroups.com; posting-host=58.22.72.223;
     posting-account=eEr9yAoAAAA0O08GtnRgN-Xo1m7GsrvE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQPinyin 730; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2001 rec.food.equipment:4222
```

Toronto Blue Jays Jerseys Cheap Wholesale http://www.jersey-2009.com

```
From -5261666767449161701
X-Google-Thread: 108122,66644d5cb3e0a697,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!de-l.enfer-du-
nord.net!feeder2.enfer-du-nord.net!news.grnet.gr!news.otenet.gr!not-for-mail
From: Kosmas Anastasiadis <sv2bfi@otenet.gr>
Newsgroups: rec.radio.amateur.equipment
Subject: powered microphone
Date: Sun, 14 Mar 2010 15:06:26 +0200
Organization: An OTEnet S.A. customer
Lines: 7
Message-ID: <hnin0h$nem$1@mouse.otenet.gr>
NNTP-Posting-Host: athedsl-267619.home.otenet.gr
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-7; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: mouse.otenet.gr 1268571985 24022 85.73.93.1 (14 Mar 2010 13:06:25 GMT)
X-Complaints-To: abuse@otenet.gr
NNTP-Posting-Date: Sun, 14 Mar 2010 13:06:25 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.23 (X11/20090817)
Xref: g2news2.google.com rec.radio.amateur.equipment:2002

Hello,
I am looking for a preamplified handy microphone for my icom ic-738.
I have a sm-20 desktop microphone and a hm-36 handy electret microphone.
With sm-20, I have nice and loud SSB modulation but I want a handheld
microphone with preamplifier built in. HM-36 has very low modulation.
I am thinking to put a preamplifier insde HM-36 or buy another  with
build in preamplifier.


From 2883858460593690692
X-Google-Thread: 108122,67be814227f5e909,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a18g2000yqc.googlegroups.com!not-for-
mail
From: walt <wbelsito@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: back date " FM " magazine  fs
Date: Mon, 15 Mar 2010 18:23:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <da58e694-c32e-47b7-b138-981306ebebb2@a18g2000yqc.googlegroups.com>
NNTP-Posting-Host: 64.252.23.39
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1268702615 15756 127.0.0.1 (16 Mar 2010 01:23:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Mar 2010 01:23:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a18g2000yqc.googlegroups.com; posting-host=64.252.23.39;
	posting-account=CnAsNAkAAAA3FlvVIVgil95Wiq2sXKRp
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.1.8)
     Gecko/20100202 Firefox/3.5.8 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2004
```

is anybody interested ?

have 1968 may to dec (no april)

and 1969 jan to may

$ 5 for the pile.

thanks   WALT

wbelsito at aol dot com

```
From -3405451495150656026
X-Google-Thread: 108122,1507cf9a1781ee4c
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!f8g2000yqn.googlegroups.com!not-for-
mail
From: walt <wbelsito@juno.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: Manuals Needed
Date: Wed, 17 Mar 2010 16:53:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 15
Message-ID: <01d6dbf7-2f99-44ee-9127-eb78bc25370a@f8g2000yqn.googlegroups.com>
References: <4b9e39a5$0$7743$c3e8da3@news.astraweb.com>
NNTP-Posting-Host: 69.0.36.162
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1268869982 20576 127.0.0.1 (17 Mar 2010 23:53:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 Mar 2010 23:53:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f8g2000yqn.googlegroups.com; posting-host=69.0.36.162;
     posting-account=CnAsNAkAAAA3FlvVIVgil95Wiq2sXKRp
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.1.8)
     Gecko/20100202 Firefox/3.5.8 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1792
rec.radio.shortwave:51221
```

On Mar 15, 9:44=A0am, A...@arrl.net wrote:
> I need the assembly and alignment manual(s) for the Knight Kit Star Roame=
r
> II and the Lafayette BCR-101 receiver. These solid state receivers are of

> 1970's vintage. Good clean copies and or clear scans would be appreciated=
.
> Will pay for copies, reproductions, etc. Thank you & 73 to all

hello ;

i have the knight star roamer manual , its 30 pages .

you can have ir for $ 5 plus postage .

WALT

From 5691228268216612444
X-Google-Thread: 108122,f51968e16111413f,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 Mar 2010 11:42:22 -0500
Subject: Opinions about Yaesu FT-817ND   transceiver?
Date: Thu, 18 Mar 2010 08:42:26 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <180320100842264914%aeiou@mostly.invalid>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.188.23
X-Trace: sv3-
VNFi35JqXAZAOvo0gi3YXOH35FnOVBSz7F8qvCEsWkehwfOLn7jol5AlHp2EouU7ZDwT1Kqe4yZMRSh!
VHBEdvitzTCwwX4PPHCOKKX1mY11zZz+NHsDz7VlHMJ4YTUgIMnQsyRFFW+Y/b9DLbxdC3n4tEFS!
BUNaYqXI7wDVSfGhVhdv29XkpaCoJio=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2007

Opinions regarding Yaesu FT-817ND   transceiver?

Seems like a great little rig, blasts out a whooping 2 watts
of RF power on batteries, do not know if I can handle
that much power, if I decide to apply for another license.

I was W6TAM 55 years ago. (extra-class license)

I have not really shopped around for a rig yet, so do not
know how the Yaesu FT-817ND rig compares to
its competitors in the $700 price range.

Any advice gratefully appreciated -

Mark Conrad

From -348962124898376347
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-xxxfer.readnews.com!news-out.readnews.com!transit4.readnews.com!teleglobe.net!newsgate.cuhk.edu.hk!news.netfront.net!not-for-mail
From: "No spam please" <me@spamnotwelcome.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Thu, 18 Mar 2010 18:16:31 -0000
Organization: Netfront http://www.netfront.net/
Lines: 30
Message-ID: <hntr80$2jnl$1@adenine.netfront.net>
References: <180320100842264914%aeiou@mostly.invalid>
NNTP-Posting-Host: 78.145.183.228
X-Trace: adenine.netfront.net 1268936769 85749 78.145.183.228 (18 Mar 2010 18:26:09 GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Thu, 18 Mar 2010 18:26:09 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:2008

"Mark Conrad" <aeiou@mostly.invalid> wrote in message
news:180320100842264914%aeiou@mostly.invalid...
>
> Opinions regarding Yaesu FT-817ND   transceiver?
>
> Seems like a great little rig, blasts out a whooping 2 watts
> of RF power on batteries, do not know if I can handle
> that much power, if I decide to apply for another license.
>
> I was W6TAM 55 years ago. (extra-class license)
>
> I have not really shopped around for a rig yet, so do not
> know how the Yaesu FT-817ND rig compares to
> its competitors in the $700 price range.

```
>
> Any advice gratefully appreciated -
>
> Mark Conrad

Hello Mark.

They are great fun. I believe there isn't anything directly equivalent (i.e.
HF / VHF / UHF portable) from the other manufacturers.
Best wishes,

Roger.



--- news://freenews.netfront.net/ - complaints: news@netfront.net ---


From 2355669853892820202
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe12.iad.POSTED!7564ea0f!not-for-mail
From: BMJ <owlstretchingtime@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
References: <180320100842264914%aeiou@mostly.invalid>
User-Agent: MT-NewsWatcher/3.5.3b1 (Intel Mac OS X)
Message-ID: <owlstretchingtime-F46C30.18350618032010@news.shawcable.net>
Lines: 30
NNTP-Posting-Host: 68.149.171.182
X-Complaints-To: internet.abuse@sjrb.ca
X-Trace: newsfe12.iad 1268937308 68.149.171.182 (Thu, 18 Mar 2010 18:35:08 UTC)
NNTP-Posting-Date: Thu, 18 Mar 2010 18:35:08 UTC
Date: Thu, 18 Mar 2010 18:35:06 +0000
Xref: g2news2.google.com rec.radio.amateur.equipment:2009

In article <180320100842264914%aeiou@mostly.invalid>,
 Mark Conrad <aeiou@mostly.invalid> wrote:

>  Opinions regarding  Yaesu FT-817ND   transceiver?
>
> Seems like a great little rig, blasts out a whooping 2 watts
> of RF power on batteries, do not know if I can handle
> that much power, if I decide to apply for another license.
>
> I was W6TAM 55 years ago.  (extra-class license)
>
> I have not really shopped around for a rig yet, so do not
> know how the Yaesu FT-817ND rig compares to
```

> its competitors in the $700 price range.
>
> Any advice gratefully appreciated -
>
> Mark Conrad

I use mine mainly for working satellites. I've been on the birds for nearly a year and a half and have used it to make about 1500 contacts with at least 80 different stations. I've worked over 25 American states as well as 5 Canadian provinces and one of its territories. My furthest contact with it was the K4T DXpedition a few days ago, which is about 4100 km from my QTH.

I made my first contacts with just the stock rubber duck antenna but I've been using an Arrow dual-band Yagi for more than a year.

I'd say that my FT-817ND was worth the investment.

From 2325169450128046820
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Thu, 18 Mar 2010 15:18:16 -0500
Organization: Litech Systems Design
Lines: 25
Sender: mikea@mikea.ath.cx
Message-ID: <8dea77-nle1.ln1@mikea.ath.cx>
References: <180320100842264914%aeiou@mostly.invalid>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1268943498 10362 70.164.65.62 (18 Mar 2010 20:18:18 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Thu, 18 Mar 2010 20:18:18 +0000 (UTC)
X-Not-Approved: idees@videotron.qc.ca-is-a-troll
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news1.google.com rec.radio.amateur.equipment:1796

Mark Conrad <aeiou@mostly.invalid> wrote in
<180320100842264914%aeiou@mostly.invalid>:
>
> Opinions regarding Yaesu FT-817ND   transceiver?
>
> Seems like a great little rig, blasts out a whooping 2 watts
> of RF power on batteries, do not know if I can handle
> that much power, if I decide to apply for another license.
>
> I was W6TAM 55 years ago. (extra-class license)

>
> I have not really shopped around for a rig yet, so do not
> know how the Yaesu FT-817ND rig compares to
> its competitors in the $700 price range.
>
> Any advice gratefully appreciated -

I don't have one, though I have the 817's bigger brothers the 857D and
897D.

Two of my friends *do* have 817s, and _LOVE_ them.

--
A computer scientist is someone who, when told to "Go to hell," sees the
"go to," rather than the destination, as harmful.
-- Dr. Roger M. Firestone

```
From 3680960797084095492
X-Google-Thread: d7f5508063,f51968e16111413f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-
for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Thu, 18 Mar 2010 20:44:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 41
Message-ID: <slrnhq53tc.sc7.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-244-5.bb.netvision.net.il
X-Trace: news.inside.misty.com 1268945044 12190 89.138.244.5 (18 Mar 2010 20:44:04
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 18 Mar 2010 20:44:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2011
```

Mark Conrad wrote:
>
> Opinions regarding Yaesu FT-817ND   transceiver?

The original 817 had a problem with batteries. The off switch did not
actually turn off the power and the finals being able to function
from 1.8mHz to 450 mHz went into oscilation and burned out.

Has this been fixed? The popular fix at the time was to remove the batteries when the rig was not in use.

The biggest problem with the Yaseu is the tiny screen. The ICOM 703 has a much larger screen. The 703 only goes up to 6m though.

The 706 does have the same frequency coverage as the Yaseu. You can adjust the output power down to 5 watts, so it may be a viable option. It also has a more features than the Yaesu.

If you are using it in a location where size and weight don't matter that much and nor does the increased battery drain, it may be worth the money for it so that you have 100 watt HF output if you need it.

The ICOM rigs include a removable front panel, so you can mount them elsewhere and just have the control head at your operating position.

Looking at Universal radio the current price for a new rig is
$600 for the 817ND, $730 for the 703+ and $945 for the 706IIG.
So you have a big range of price, power and features to choose from.

The Yaesu is the grandson of the FT-290 and simlar rigs, which were portable VHF/UHF multimode rigs, while the ICOM grew out of shrunken HF rigs, the Kenwood TS-50 being the first. Surprisingly, Kenwood no longer has anything to offer in that line.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From 8735899262099826145
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 Mar 2010 16:36:50 -0500
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Thu, 18 Mar 2010 13:36:55 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <18032010133655748O%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit

User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 48
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.181.200
X-Trace: sv3-d9Cr+XDzt2II/m7DPRaLzvj4VmjX/
wHnCxmDEt3cxLhoSbspv9uZupY54QNNc94J3XuN7SyUGh80mWA!
RLAyAn1eYbT7iZBKHoChS8IJpPK6Pv1IW7ft+AYY9CWMEanfiO+ggBc8HKx2Wpp8ioXom4wHROCl!
dK8Rl1ZRUEY9YmkwVl34R1r0EKqQjOdJ
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1798

Wow, thanks everyone for the great reports on
the lttle Yaesu transceiver!

I am contemplating it mainly for its ears.

I wanted to order the optional Collins 300 cycle filter
for CW work, but had hazy memories from 55 years ago
that such filters tended to cause unwanted "ringing"
of the output audio, kinda like a steady loud output "hiss".

When I left Ham Radio in 1955, the QRPp experts were
playing with "active filters" for low power QRP work.

If I remember correctly, such filters would block _all_   the
signal, noise and everything, then open up a 30 cycle "window"
for a brief while when the "start" of a dot or dash
was liable to occur.

The entire mess, transmitter and distant receiver was sync'd with
the WWV time signal, to open and close the receiver's active filters
during automatic CW transmission.

The incoming dot or dash audio would be re-generated artificially
by a separate audio circuit in the receiver.

QRP advocates claimed they could get on a crowded voice band,
and pump a low power CW signal through at a slow speed
of a few words-per-minute.

Switching Gears -
****

Does anyone know if the FCC still requires at least 50 RF watts
to legally drive a linear amplifier?

There was talk that they might change that requirement so that
low power rigs like the Yaesu could drive an amplifier.

Of course, nothing to stop a ham from building his own
intermediate amplifier, but cleaning up all the harmonics is
a major concern.

Mark

From -8684399889811661564
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Thu, 18 Mar 2010 14:58:44 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205
SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <180320101336557480%aeiou@mostly.invalid>
In-Reply-To: <180320101336557480%aeiou@mostly.invalid>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 52
Message-ID: <4ba2a1f4$0$27716$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2013

Mark Conrad wrote:
>
>
> Wow, thanks everyone for the great reports on
> the lttle Yaesu transceiver!
>
> I am contemplating it mainly for its ears.
>
> I wanted to order the optional Collins 300 cycle filter
> for CW work, but had hazy memories from 55 years ago
> that such filters tended to cause unwanted "ringing"
> of the output audio, kinda like a steady loud output "hiss".
>
> When I left Ham Radio in 1955, the QRPp experts were
> playing with "active filters" for low power QRP work.
>

> If I remember correctly, such filters would block _all_   the
> signal, noise and everything, then open up a 30 cycle "window"
> for a brief while when the "start" of a dot or dash
> was liable to occur.
>
> The entire mess, transmitter and distant receiver was sync'd with
> the WWV time signal, to open and close the receiver's active filters
> during automatic CW transmission.
>
>
> The incoming dot or dash audio would be re-generated artificially
> by a separate audio circuit in the receiver.
>
> QRP advocates claimed they could get on a crowded voice band,
> and pump a low power CW signal through at a slow speed
> of a few words-per-minute.
>
>
>
> Switching Gears -
> *********
>
> Does anyone know if the FCC still requires at least 50 RF watts
> to legally drive a linear amplifier?
>
> There was talk that they might change that requirement so that
> low power rigs like the Yaesu could drive an amplifier.
>
> Of course, nothing to stop a ham from building his own
> intermediate amplifier, but cleaning up all the harmonics is
> a major concern.
>
> Mark

There is an amp made specifically for the FT-817. The Tokyo Hy-Power
HL45B. I use one with my barefoot K3.

From 1664313289673111898
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 Mar 2010 17:33:53 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
References: <18032010084226491 4%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <18032010133655748 0%aeiou@mostly.invalid>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)

From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Thu, 18 Mar 2010 15:33:48 -0700
Message-ID: <cbma77-gu5.ln1@radagast.org>
Lines: 103
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-qTGfamV1pscc5xg2eSSz6c77e2fpv7I0lC6gNUlekk0aQRASJTOrVwn6d0dJ4r0z3dQoRWdEg05iQn4!c2dM+f6fPbt2H4W2/h85zi9GWkI5jLvFiYXd1/d8e9DsbWK/Q6b6mXCBcc2WfA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2014

In article <18032010133655748O%aeiou@mostly.invalid>,
Mark Conrad <aeiou@mostly.invalid> wrote:

>Wow, thanks everyone for the great reports on
>the lttle Yaesu transceiver!
>
>I am contemplating it mainly for its ears.
>
>I wanted to order the optional Collins 300 cycle filter
>for CW work, but had hazy memories from 55 years ago
>that such filters tended to cause unwanted "ringing"
>of the output audio, kinda like a steady loud output "hiss".

Sharp frequency-domain filter cutoff, comes along with blurry time-domain cutoff... you can't entirely avoid that.

Narrow-bandwidth filters aren't all equal, though, even for the same -3 dB bandwidth. Different filter alignments cause different amounts of frequency-domain (pass-band and stop-band) ripple, and different amounts of ringing and phase shift. Some types seem to be easier on the ear (and the whole ear/brain system) than others.

Another, more modern approach is to use digital filtering techniques (either with a DSP chip, or with a personal computer acting as a DSP). By using finite-impulse-response digital filters, you can get a wider range of time- and phase-relative behaviors than you can with an IIR analog filter.

>When I left Ham Radio in 1955, the QRPp experts were
>playing with "active filters" for low power QRP work.
>
>If I remember correctly, such filters would block _all_ the
>signal, noise and everything, then open up a 30 cycle "window"
>for a brief while when the "start" of a dot or dash
>was liable to occur.
>
>The entire mess, transmitter and distant receiver was sync'd with

>the WWV time signal, to open and close the receiver's active filters
>during automatic CW transmission.
>
>
>The incoming dot or dash audio would be re-generated artificially
>by a separate audio circuit in the receiver.
>
>QRP advocates claimed they could get on a crowded voice band,
>and pump a low power CW signal through at a slow speed
>of a few words-per-minute.

This sounds like the "synchronous CW" approach. As you indicate, it requires extremely careful time-base matching at the sending and receiving ends.

I do recall reading of some work being done with computer-assisted CW some years ago. It seems to have lost out in popularity to other digital modulation modes such as PSK31, which have many of the same benefits for narrow bandwidth but which don't require tightly-synchronized clocks.

At the other end of the speed range, are some very-high-speed CW and digital modes used for things like meteor scatter communications.

>Switching Gears -
>*********
>
>Does anyone know if the FCC still requires at least 50 RF watts
>to legally drive a linear amplifier?

The current standards (Part 97, sections 315 and 317) say:

- Commercially-built amplifiers capable of operating below 144 MHz must be certificated in order to be sold or modified.

- To be certificated, an external amplifier may not amplify the RF input signal by more than 15 dB.

- To be certificated, an external amplifier must not amplify signals between 26 MHz and 28 MHz at all (0 dB gain maximum).

- The above restrictions do not apply to external power amplifiers which are made by, or modified by, a licensed amateur radio operator for use at an amateur radio station.

So, yeah, if you want to buy a amplifier which can deliver "legal limit" power of 1500 watts of HF, you need to plan on driving it with at least 50 watts or so. If you want a hotter rig, you'll either have to construct it yourself, modify a commercial amplifier, add an external intermediate amplifier stage, or cheat.

>There was talk that they might change that requirement so that
>low power rigs like the Yaesu could drive an amplifier.

Well, low-power rigs *can* drive an external amplifier... just not all the way up to legal-limit in one step. A 5-watt Yaesu could drive a 15 dB linear amp up to around 150 watts of RF output - this is more output than most "barefoot" single-box HF rigs are capable of, and is less likely to accidentally ignite the neighbor's cat than a legal-limit setup.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

```
From -4856714813938645035
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 01:34:48 -0500
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Thu, 18 Mar 2010 22:34:54 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <180320102234545274%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<slrnhq53tc.sc7.gsm@cable.mendelson.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 51
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.176.27
X-Trace: sv3-
Vm13bpfeBjwbOylyUiSDh3HLGgnNzq1KKVS4xAkK68kaEZiXZX7lFEUwjl4xtP83yI8gJzBGfhX5Fcw!
Zqq0+3AewNhC7G1/dK1zLAHHv4dFlPcMziJKwrdrPnu/QKIPpdiMxvnqIl2oJJ0uQ8JhK6t+ojVI!
aklf5H2L84KUafNU6AcIprSimx8PsUw=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1802
```

In article <slrnhq53tc.sc7.gsm@cable.mendelson.com>, Geoffrey S. Mendelson <gsm@cable.mendelson.com> wrote:

> Mark Conrad wrote:
> >

> > Opinions regarding Yaesu FT-817ND   transceiver?
>
> The original 817 had a problem with batteries. The off switch did not
> actually turn off the power and the finals being able to function
> from 1.8mHz to 450 mHz went into oscilation and burned out.
>
> Has this been fixed? The popular fix at the time was to remove the batteries
> when the rig was not in use.
>
> The biggest problem with the Yaseu is the tiny screen. The ICOM 703 has a
> much larger screen. The 703 only goes up to 6m though.
>
> The 706 does have the same frequency coverage as the Yaseu. You can adjust the
> output power down to 5 watts, so it may be a viable option. It also has
> a more features than the Yaesu.
>
> If you are using it in a location where size and weight don't matter that
> much and nor does the increased battery drain, it may be worth the
> money for it so that you have 100 watt HF output if you need it.
>
> The ICOM rigs include a removable front panel, so you can mount them
> elsewhere and just have the control head at your operating position.
>
> Looking at Universal radio the current price for a new rig is
> $600 for the 817ND, $730 for the 703+ and $945 for the 706IIG.
> So you have a big range of price, power and features to choose from.
>
> The Yaesu is the grandson of the FT-290 and simlar rigs, which were
> portable VHF/UHF multimode rigs, while the ICOM grew out of shrunken
> HF rigs, the Kenwood TS-50 being the first. Surprisingly, Kenwood no
> longer has anything to offer in that line.
>
> Geoff.

Thanks for the comprehensive rundown, I will check them all.

Regular telephone service in these mountains of northern CA
is unreliable, quite a few older folks here are in a real pickle
when the phones go out.

That is one of the reasons I decided to reactivate my ham ticket.

Main reason of course is just out-and-out fun   :)

Mark

From 4610655243636058936
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 01:34:44 -0500
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Thu, 18 Mar 2010 22:34:49 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <180320102234494998%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid> <8dea77-nle1.ln1@mikea.ath.cx>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.176.27
X-Trace: sv3-VUu+q6wF5rVkrhXOr0NOAhKgHLSsWaT0W7ha6IAm9ss5+N1RMcZM93u/U/jrrJSAmDt/
MZvXp9yBbmb!EuJjyBw1sGX98LwWxJz2a6hYa4sQfoE+fwzpKuGrF1grQ1xELcHMj/
tmm+rujo4nmIhRspzT435X!yXv4WcEN0IpkwdVfc6CwDwRy7Iowtv4=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1801

In article <8dea77-nle1.ln1@mikea.ath.cx>, mikea <mikea@mikea.ath.cx>
wrote:

> > Any advice gratefully appreciated -
>
> I don't have one, though I have the 817's bigger brothers the 857D and
> 897D.
>
> Two of my friends *do* have 817s, and _LOVE_ them.

Yeah, they are cute little buggers.   Here, we are all way beyond
cell-phone range, so a few hams sprinkled around here can do a
lot of good in an emergency.

I will check out the 857D and 897D, just to make sure I have
covered all the bases; thanks for mentioning those models.

Mark

From -2886604279827058554
X-Google-Thread: d7f5508063,f51968e16111413f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 01:34:53 -0500
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Thu, 18 Mar 2010 22:35:00 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <180320102235005625%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid> <owlstretchingtime-F46C30.18350618032010@news.shawcable.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.176.27
X-Trace: sv3-0abO/
FsqWFr1+lauJIOtm6qvccmppZeJPM4nEW96eR2GrYtG5d7OCemC8Ak1XHJNJmN2wLZ8e4ww2s9!
6Dk81ISf+8K/dxh3919wAe/wQoXBGxn00l1b5K+8wbzkKJ1w8JLIsZRZ2G9lYE0UNoJ7HB++7EZJ!
lUfbb0ztCBfnhPYX+ZdJaPlfd2qKlSA=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1803

In article
<owlstretchingtime-F46C30.18350618032010@news.shawcable.net>, BMJ
<owlstretchingtime@yahoo.com> wrote:

> I use mine mainly for working satellites.

That sounds great, were no satellites when I was active.

Another thing I want to do is to get a quarter-wave antenna
up for the 160 meter band, to shove a ground wave.

I think that would be a vertical about 132 feet high, I had
better check the local FAA/FCC regulations in these mountains,
to see if that is legal for the helicopters that sometimes
cruise this area.

Probably not legal, so better think in terms of a top-loaded
vertical about 60 feet high, voltage-fed at the ground end.

In the old days I shoved a ground-wave 400 miles, from a
10 foot whip antenna on the rear end of a sailboat, with 10 watts.

A decent antenna should do much better.

Mark

From -5461849194683507908
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 01:35:00 -0500
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Thu, 18 Mar 2010 22:35:06 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <180320102235066000%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <180320101336557480%aeiou@mostly.invalid>
<cbma77-gu5.ln1@radagast.org>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.176.27
X-Trace: sv3-
EsJoWNfLUxqgwOQ4NPF1tfu09PpdhCkI7Vw34I1Mew2OlFu89wQr+a726coZyz4UVKvIYUchL7+LdPA!
qQEFFRGSESw4bnNnDsatHzHWzqNdYQxwdCZ/sgDMBk2oeU+YNgsJxmWXgFihP/m3RnmQZhooZtlO!
v7VDHj/WP2Iz0Y1fBfDY1GhvFyRqst8=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2018

In article <cbma77-gu5.ln1@radagast.org>, Dave Platt
<dplatt@radagast.org> wrote:

> Well, low-power rigs *can* drive an external amplifier... just not all
> the way up to legal-limit in one step. A 5-watt Yaesu could drive a
> 15 dB linear amp up to around 150 watts of RF output

Ahh, that is great, 100 watts of RF will keep me happy.

In the old days I had a neighbor whose porch light went on/off
when I was active.   I had to crawl under his house and bond the
joints of his water pipes to get rid of his blinking porch light.

Seems to me the upper power limit in those days was 1,000 watts,
but I probably remember it incorrectly.

Thanks for the latest regulations, my 2010 ARRL handbook has not arrived in the mail yet, due any day now.

```
From 4517978348323410300
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-
xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Fri, 19 Mar 2010 07:14:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 34
Message-ID: <slrnhq68vv.c10.gsm@cable.mendelson.com>
References: <180320100842264914%aeiou@mostly.invalid>
 <hntr80$2jnl$1@adenine.netfront.net>
 <180320101336557480%aeiou@mostly.invalid> <cbma77-gu5.ln1@radagast.org>
 <180320102235066000%aeiou@mostly.invalid>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-244-5.bb.netvision.net.il
X-Trace: news.inside.misty.com 1268982843 22960 89.138.244.5 (19 Mar 2010 07:14:03
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Fri, 19 Mar 2010 07:14:03 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:1805
```

Mark Conrad wrote:

> Seems to me the upper power limit in those days was 1,000 watts,
> but I probably remember it incorrectly.

I'm not sure when, but it changed from 1500 Watts input to 1,000 Watts output.

1,000 Watts is a lot of power and may not be of much use, depending upon what you want to do with it. The difference between 100 watts and 1,000 is not very much when the band is open and not crowded, in a contest it may be the difference between making contacts and getting lost in the pileup.

You mentioned you were in the hills of California, if you want something that is (almost) 100% reliable for an emergency a satellite phone might be better.

In another thread in an another group, I mentioned the ELT (emergency locator transmitters) that at one time were sold only for airplanes being available for hikers, etc. The original poster said they are now down to around $100 each, which makes them a viable option for your car if you think you may end up in a ditch with no cell phone coverage and out of the range of any radios.

Welcome back, btw, you can ask for your old call if it has not be taken
by someone else.

73,

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

From -1419130147958130284
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!post01.iad!
news.dslextreme.com!not-for-mail
Date: Fri, 19 Mar 2010 05:21:03 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205
SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <180320101336557480%aeiou@mostly.invalid>
<cbma77-gu5.ln1@radagast.org> <180320102235066000%aeiou@mostly.invalid>
In-Reply-To: <180320102235066000%aeiou@mostly.invalid>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <4ba36c0f$0$27726$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1806

Mark Conrad wrote:
> In article<cbma77-gu5.ln1@radagast.org>, Dave Platt
> <dplatt@radagast.org> wrote:
>
>> Well, low-power rigs *can* drive an external amplifier... just not all
>> the way up to legal-limit in one step. A 5-watt Yaesu could drive a
>> 15 dB linear amp up to around 150 watts of RF output
>
> Ahh, that is great, 100 watts of RF will keep me happy.
>
> In the old days I had a neighbor whose porch light went on/off

> when I was active.   I had to crawl under his house and bond the
> joints of his water pipes to get rid of his blinking porch light.
>
> Seems to me the upper power limit in those days was 1,000 watts,
> but I probably remember it incorrectly.
>
> Thanks for the latest regulations, my 2010 ARRL handbook
> has not arrived in the mail yet, due any day now.

You'll notice the K3 is the #1 transceiver in every class (depending on configuration). While it costs twice what the Yaesu does, it can grow with you. It is made in USA and is the best radio ever made.

From 164875350490830452
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 07:20:33 -0500
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Fri, 19 Mar 2010 04:20:39 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <190320100420399181%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <180320101336557480%aeiou@mostly.invalid>
<cbma77-gu5.ln1@radagast.org> <180320102235066000%aeiou@mostly.invalid>
<slrnhq68vv.c10.gsm@cable.mendelson.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 101
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.180.108
X-Trace: sv3-ivL92wcTYf3/O6d/
Degk9Qh3DDx36+44Iqv38SOqMPI88pTaPc+g1nXpQbSg63niEKGSx27r2jOqXQf!
VGYpwxG6JNwCvddZLZpMNt9H0GyQAZxM854siEL051wtEjry+q5MysYO2g5lCLbm3bChvcSxnX/d!
+scIX5rcq7prCOx5uJ/X7QX2r/Wkmpj8
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1807

In article <slrnhq68vv.c10.gsm@cable.mendelson.com>, Geoffrey S. Mendelson <gsm@cable.mendelson.com> wrote:

> > Seems to me the upper power limit in those days was 1,000 watts,

> > but I probably remember it incorrectly.
>
> I'm not sure when, but it changed from 1500 Watts input
> to 1,000 Watts output.

Ahh, so _that_ is what it is now, 1000 watts RF _output_ , okay.

> You mentioned you were in the hills of California, if you want
> something that is (almost) 100% reliable for an emergency
> a satellite phone might be better.

I used to have one about ten years ago, when a bunch of us motorcycle riders commonly cruised the scenic mountains here in northern California, again well beyond cell-phone range. If one of us bikers got in trouble, it was my job to call in a chopper.

Beware, OT Rant Coming Up
****

My 'cycle license is still valid, but now I have enough sense to avoid motorcycles. <g>

For 7 years, I worked as a motorcycle messinger in the Los Angeles area, never had an accident, except for one time.

An older gentleman edged onto the freeway from an on-ramp, going about 20 mph, cutting across all lanes into the fast lane, where I was going the "legal L.A. speed limit" of about 85 mph, along with all the other idiots.

I _almost_ managed to keep the bike upright, but not quite - - - dumped the bike at the last minute with my leg trapped underneath the heavy bike while it was sliding to a stop.

Last I saw of the old gentleman, he was still chugging away in the fast lane at 20 mph. <g>

I was lucky, a trucker behind me swung his rig broadside to block the fast lane, until the ambulance arrived to scrape me off the freeway.

Like with a horse, you have to get right back on again. I was back on the job in a few months, but very careful to avoid older car drivers.

What really bothers me is that the youngsters today do not properly train themselves to ride a motorcycle.   I traded in a new heavy Honda "Valkyrie" model, for an even heavier Honda "Gold Wing" model, the murdercycle that has a reverse gear, because it is too heavy to back up by using your feet, if you are on a slight downgrade.

A youngster bought my "Valkyrie" from the dealer I sold it to.

Youngster promptly killed himself a few weeks later, when he lost control of the Valkyrie on a turn.

I really think the laws should be changed, to force the youngsters to take the $50 3-day course from the MSF. (Motorcycle Safety Foundation)

MSF will not authorize a motorcycle license unless the youngster demonstrates competence by passing some rather stiff riding tests.

End of OT Rant -
****

> Welcome back, btw...

Thanks very much, I should have returned to ham radio long before now, as it is a great endeavor, in my opinion.

My daddy introduced it to me when I was about ten years old, it lead to a 34 year career in electronics, working in the research labs of what then was called Hughes Aircraft, later to be called Hughes Aerospace.

Many interesting projects during my career, such as working on the old robot series of spacecraft named "Surveyor", paving the way for manned spaceflight to the moon.

Back to beating the bushes, the enjoyable task of deciding which shiny new rig to purchase :)

Mark

```
From -8664592786336486271
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!
```

news.dslextreme.com!not-for-mail
Date: Fri, 19 Mar 2010 05:22:56 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205
SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <180320101336557480%aeiou@mostly.invalid>
<cbma77-gu5.ln1@radagast.org> <180320102235066000%aeiou@mostly.invalid>
<slrnhq68vv.c10.gsm@cable.mendelson.com>
In-Reply-To: <slrnhq68vv.c10.gsm@cable.mendelson.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <4ba36c7f$0$27726$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1808

Geoffrey S. Mendelson wrote:
> Mark Conrad wrote:
>> Seems to me the upper power limit in those days was 1,000 watts,
>> but I probably remember it incorrectly.
>
> I'm not sure when, but it changed from 1500 Watts input to 1,000 Watts output.

When cheap Wattmeters became ubiquitous?

From 5682406937627826237
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 13:08:04 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
References: <180320100842264914%aeiou@mostly.invalid> <cbma77-
gu5.ln1@radagast.org> <180320102235066000%aeiou@mostly.invalid>
<slrnhq68vv.c10.gsm@cable.mendelson.com>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Fri, 19 Mar 2010 11:01:04 -0700
Message-ID: <0oqc77-kar.ln1@radagast.org>
Lines: 25

X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-aSm3ZQ90QvTyo50gIjXPxNAxkt6SIokdDfQZgj2g033xX4JGEVS/
SCs2bBEP0QPD0MaoTa3iCd1eO8y!Jfmp3ECs5grgQWdoCCq/
J1OkxeaVmnqQxSoTCsukQeZBCm8fIybWU7F+1DPO+g==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2023

In article <slrnhq68vv.c10.gsm@cable.mendelson.com>,
Geoffrey S. Mendelson <gsm@mendelson.com> wrote:

>> Seems to me the upper power limit in those days was 1,000 watts,
>> but I probably remember it incorrectly.
>
>I'm not sure when, but it changed from 1500 Watts input to 1,000 Watts output.

The current limit on most bands is 1500 watts, Peak Envelope Power (which is an output-power measurement). It has been quite a while since the limit was specified in terms of input power to the final amplifier.

>1,000 Watts is a lot of power and may not be of much use, depending upon
>what you want to do with it. The difference between 100 watts and 1,000 is
>not very much when the band is open and not crowded, in a contest it may be
>the difference between making contacts and getting lost in the pileup.

Correct.

--
Dave Platt <dplatt@radagast.org> AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From -8977733920663427505
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 15:05:15 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Fri, 19 Mar 2010 12:05:23 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <19032010120523l866%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>

<hntr80$2jnl$1@adenine.netfront.net> <18032010133655748O%aeiou@mostly.invalid>
<cbma77-gu5.ln1@radagast.org> <18032010223506600O%aeiou@mostly.invalid>
<4ba36c0f$0$27726$bd467cd0@news.dslextreme.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 53
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.183.123
X-Trace: sv3-q3PEFj7C0RA6UdAckSvzH1JZUh9P1J14I/W+5mpyM/O4vjtsw9bJV/
Yu+9MUbBLA1wJ9ZjfZMTcfm1q!BejLngPR1/ZzhVXxQvT8Sp0+tvq3x+ze/5Fs8sEoe7PkBQHR+/
XtazDEQX2wtf9/cPV/9cQAaFzH!s0ysoRIOfPKUqKyDMDtECBQdFRwkF/f3
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1810

In article <4ba36c0f$0$27726$bd467cd0@news.dslextreme.com>, dave
<dave@dave.dave> wrote:

> You'll notice the K3 is the #1 transceiver in every class (depending on
> configuration). While it costs twice what the Yaesu does, it can grow
> with you. It is made in USA and is the best radio ever made.

WOW !!! - Thanks, that is one serious rig from elecraft.com

Downloaded their pdf file and drooled over the features and spec's.

Egad, everything seemed so simple, now I have to decide what I
really want in a rig.

You know what this means, I will need to park my carcass in the
parking lot of the nearest Walmart, hold up my cardboard sign
begging for money for Ham Radio gear.

I do free volunteer work for the local hospitals here in N. California,
trying to beat them into submission to adopt faster/better ways of
processing their mountains of paperwork.

Presently, most of them still use chisels and clay tablets
to document their medical procedures.

Only about 10% of USA hospitals take advantage of faster
speech recognition processing of data. (SR for brevity)

As a half-vast user of SR myself, I am used to stomping out
medical data on my Macs and PCs by voice, commonly dictating
complex 600 word medical reports with zero text errors
in four minutes time, wrestling phrases such as:

"perioperative transesophageal echocardiography"

Have to admit though, sometimes my tongue gets wrapped around
my eye-teeth so I can't see what I am saying.

Back on topic -
****

Seems the Elecraft K3/100 HF Transceiver would be ideal for
expediting emergency medical data in case of a national
catastrophe - - - one problem might be that FCC reg's do not
allow encryption of sensitive medical data, if I recall correctly.

I expect in a national emergency that FCC edict would
be quickly waived, allowing common sense to prevail.

Mark

```
From 3082181203287145347
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe07.iad.POSTED!800a5453!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: notbob <notbob@nothome.com>
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
References: <180320100842264914%aeiou@mostly.invalid>
 <hntr80$2jnl$1@adenine.netfront.net>
 <180320101336557480%aeiou@mostly.invalid> <cbma77-gu5.ln1@radagast.org>
 <180320102235066000%aeiou@mostly.invalid>
 <4ba36c0f$0$27726$bd467cd0@news.dslextreme.com>
 <190320101205231866%aeiou@mostly.invalid>
Organization: ....little, if any
User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <5WRon.53127$mn6.41233@newsfe07.iad>
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Fri, 19 Mar 2010 21:22:09 UTC
Date: Fri, 19 Mar 2010 21:22:09 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:2025
```

On 2010-03-19, Mark Conrad <aeiou@mostly.invalid> wrote:

> medical data on my Macs and PCs by voice, commonly dictating

> complex 600 word medical reports with zero text errors
> in four minutes time, wrestling phrases such as:
>
>   "perioperative transesophageal echocardiography"

Using what awesome software?

nb

From -5752324926897670734
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Fri, 19 Mar 2010 15:37:48 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.8) Gecko/20100205
SeaMonkey/2.0.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <180320101336557480%aeiou@mostly.invalid>
<cbma77-gu5.ln1@radagast.org> <180320102235066000%aeiou@mostly.invalid>
<4ba36c0f$0$27726$bd467cd0@news.dslextreme.com>
<190320101205231866%aeiou@mostly.invalid>
In-Reply-To: <190320101205231866%aeiou@mostly.invalid>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 57
Message-ID: <4ba3fc9c$0$27701$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1812

Mark Conrad wrote:
> In article<4ba36c0f$0$27726$bd467cd0@news.dslextreme.com>, dave
> <dave@dave.dave> wrote:
>
>> You'll notice the K3 is the #1 transceiver in every class (depending on
>> configuration). While it costs twice what the Yaesu does, it can grow
>> with you. It is made in USA and is the best radio ever made.
>
> WOW !!! - Thanks, that is one serious rig from elecraft.com
>
> Downloaded their pdf file and drooled over the features and spec's.
>
> Egad, everything seemed so simple, now I have to decide what I
> _really_ want in a rig.

```
>
>
> You know what this means, I will need to park my carcass in the
> parking lot of the nearest Walmart, hold up my cardboard sign
> begging for money for Ham Radio gear.
>
> I do free volunteer work for the local hospitals here in N. California,
> trying to beat them into submission to adopt faster/better ways of
> processing their mountains of paperwork.
>
> Presently, most of them still use chisels and clay tablets
> to document their medical procedures.
>
> Only about 10% of USA hospitals take advantage of faster
> speech recognition processing of data.  (SR for brevity)
>
> As a half-vast user of SR myself, I am used to stomping out
> medical data on my Macs and PCs by voice, commonly dictating
> complex 600 word medical reports with zero text errors
> in four minutes time, wrestling phrases such as:
>
>      "perioperative transesophageal echocardiography"
>
>
> Have to admit though, sometimes my tongue gets wrapped around
> my eye-teeth so I can't see what I am saying.
>
>
> Back on topic -
> ********
>
> Seems the Elecraft K3/100 HF Transceiver would be ideal for
> expediting emergency medical data in case of a national
> catastrophe - - - one problem might be that FCC reg's do not
> allow encryption of sensitive medical data, if I recall correctly.
>
> I expect in a national emergency that FCC edict would
> be quickly waived, allowing common sense to prevail.
>
> Mark

This may be my last solar max (at least without drooling ;-)  I figured
my heirs want their dad to have the very best.


From 2895518531573855677
X-Google-Thread: 108122,ca04b9234386daaf,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!news2.arglkargh.de!news.karotte.org!newsfeed00.sul.t-online.de!t-
```

```
online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-2000 another problem
Date: Sat, 20 Mar 2010 00:18:17 +0100
Organization: T-Com
Lines: 14
Message-ID: <ho10np$2ou$1@ss408.t-com.hr>
NNTP-Posting-Host: 93-138-254-132.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1269040697 2846 93.138.254.132 (19 Mar 2010 23:18:17 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Fri, 19 Mar 2010 23:18:17 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.4) Gecko/20091017
SeaMonkey/2.0
Xref: g2news1.google.com rec.radio.amateur.equipment:1813
```

Everything works fine, till suddenly my FM audio becomes weak. Even call
signal (1750 Hz) can't go trough... I switch it off, than back on, and
it works fine for some 5-10 minutes.

Any clue?

Boris
--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris

```
From -6754486763363396553
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 18:28:58 -0500
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Fri, 19 Mar 2010 15:29:06 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <190320101529064832%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <180320101336557480%aeiou@mostly.invalid>
<cbma77-gu5.ln1@radagast.org> <180320102235066000%aeiou@mostly.invalid>
<4ba36c0f$0$27726$bd467cd0@news.dslextreme.com>
```

<190320101205231866%aeiou@mostly.invalid> <5WRon.53127$mn6.41233@newsfe07.iad>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 72
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 184.12.240.34
X-Trace: sv3-b5V6JjVrqgjC0CvtNoeYISz/Ei5hDQ0OC86ornTGwKJHerkiKfQGjTbCtBzcLt/
QRrUOtY0Kjl055FH!
TliHOVdIMmmcB7FPNC2vGKx6vaeyLOonJyV61Ey5lqKw9Tfa9UX+cQanGZ6qM7lmRxiFNu/Y4KM1!
A7H9mVgT8UU5CzyHx7WU/zD5wpo42ddI
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1814

In article <5WRon.53127$mn6.41233@newsfe07.iad>, notbob
<notbob@nothome.com> wrote:

> > medical data on my Macs and PCs by voice, commonly dictating
> > complex 600 word medical reports with zero text errors
> > in four minutes time, wrestling phrases such as:
> >
> >   "perioperative transesophageal echocardiography"
>
> Using what awesome software?

Practically any modern SR software.

It is kinda like ham radio, not so much what you have,
but more important is how you use it.

In this case, I used "MacSpeech Dictate 1.5.8" on a 3-year old
MacBook Pro.

Mac has to be one of the newer Intel-based Macs, software
will not run on older Macs.

One can get the same results using "Dragon NaturallySpeaking"
 - - - the "Pro" version 10.1 - - - which I also run on my
old Mac hardware, using the Vista OS from Microsoft.

About the only modern speech software that is difficult to
achieve such accuracy and speed is "Windows Speech Recognition",
(WSR) - which comes free with both Vista and Windows-7 OS.

SR is a very inexact science at the present time, best estimates are
that it will take another 20 years before it is anywhere near as good
as a human, when it comes to converting speech to text.

http://www.kurzweilai.net/articles/art0267.html?printable=1

Scroll to near the end of the above website, to this sub-section:

"Building HAL 's Language Knowledge Base"

Read all the way to the end, that will give you a good idea
what our children will be doing with SR 20 years from now.

BTW, Nuance (Dragon) recently bought MacSpeech, so they are
all one company now.

A typical newbie SR user will be lucky to get 70% accuracy.

As he gains experience, that will edge up to about 98%.

In restricted speech like medical, where the same phrases like
"perioperative transesophageal echocardiography" are used
over and over again, the raw accuracy will edge up to 99%.

...or in my case 100%, in 3 out of 4 tries on that 600 word
example - - - the bad "4th" try is invariably my fault,
for mis-pronouncing one of the 600 words.

Too much time way OT, but I gave you a decent answer
to your question.

My post immediately following this will show the entire text
of my medical dictation, with 100% raw accuracy, no correction
required, total dictation time 240 seconds.

Mark

From -602672679224502794
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 18:33:29 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Fri, 19 Mar 2010 15:33:38 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <190320101533384748%aeiou@mostly.invalid>

```
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <180320101336557480%aeiou@mostly.invalid>
<cbma77-gu5.ln1@radagast.org> <180320102235066000%aeiou@mostly.invalid>
<4ba36c0f$0$27726$bd467cd0@news.dslextreme.com>
<190320101205231866%aeiou@mostly.invalid> <5WRon.53127$mn6.41233@newsfe07.iad>
<190320101529064832%aeiou@mostly.invalid>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 93
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 184.12.240.34
X-Trace: sv3-uCk8+v4sc1pA5ZIXiGUyrJtWQkBeWKxqwdSp/
lKJCQr1F0eYF2kXYQnSNMFmU+WWny0gbTsUAlvqTAp!
IYbA0MfV4Am6GGVIwusGYrLESw+cuXIL6fX94Gb/35o2VwwY+sVYldVItMWGos0lzy9cqR7PfyIU!
nx+joi52Ot4vTsJC7QbSK0QN6QgWX6/b
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1815
```

In article <190320101529064832%aeiou@mostly.invalid>, Mark Conrad <aeiou@mostly.invalid> wrote:

> My post immediately following this will show the entire text
> of my medical dictation, with 100% raw accuracy, no correction
> required, total dictation time 240 seconds.

As promised, here is the entire medical text of approx' 600 words
----

New Surgical Procedure for Ischemic/Functional Mitral Regurgitation: Mitral Complex Remodeling

Hirokuni Arai, MD, PhD*, Fusahiko Itoh, MD, Takeshi Someya, MD, Keiji Oi, MD, PhD, Kiyoshi Tamura, MD, PhD, Hiroyuki Tanaka, MD, PhD

Department of Cardiothoracic Surgery, Tokyo Medical and Dental University Graduate School of Medicine, Tokyo, Japan

* Address correspondence to Dr Arai, Department of Cardiothoracic Surgery, Tokyo Medical and Dental University Graduate School of Medicine, 1-5-45 Yushima, Bunkyo-ku, Tokyo, 113-8519, Japan Email: hiro.tsrg@tmd.ac.jp

On-pump beating heart mitral complex remodeling was performed without aortic clamping. The mitral valve was exposed through a left atriotomy posterior to the interatrial groove. Interrupted 2-0 braided horizontal mattress sutures without pledgets were placed around the annulus to optimize exposure of the subvalvular apparatus. Secondary chords to the anterior leaflet from both papillary muscles were carefully separated from primary chords with a nerve hook and were divided.

Two pairs of 5-0 and 4-0 Gore-Tex sutures (W. L. Gore & Associates, Flagstaff, AZ) were each placed to both fibrous portions of the anterior and posterior papillary muscle tips, buttressed with pledgets of autologous pericardium. Two pairs of the free arms of the 5-0 Gore-Tex sutures were twice passed through the free edge of the middle portion of the anterior leaflet about 5 mm from the margin, from ventricular to atrial side. Suture length was adjusted to be the same length as the corresponding marginal chords, and the sutures were tied.

Each pair of the free arms of the 4-0 Gore-Tex sutures was passed through the posterior annulus at sites around the border of the lateral and middle portions and middle and medial portions of the annulus, respectively (annulopapillary suture), and was also passed through corresponding sites in the annuloplasty ring (Carpentier-Edwards Physio; Edwards Lifesciences, Irvine, CA). The 26-mm semi-rigid annuloplasty ring was then seated. The annulopapillary sutures were pulled to retract the papillary muscle tips closer to the annulus, to the point at which leaflet coaptation occurred in the plane of the mitral annulus during systole, to visually confirm no residual MR. Suture lengths were determined, and the sutures were tied.

To avoid air embolism, a vent cannula with a pressure-monitoring catheter (TOYOBO Co Ltd, Osaka, Japan) was inserted into the left ventricular apex and was connected to the suction circuit equipped with a small reservoir chamber (Senko Medical Instrument Mfg Ltd, Saitama, Japan). During the final adjustment of the annulopapillary suture length, this chamber was filled with blood, and the height of the fluid level of this chamber was adjusted to load the left ventricle. The left ventricular systolic pressure was monitored to keep it slightly lower than the systemic perfusion pressure to avoid ejection through the aortic valve.

This new technique has been performed on 3 patients with ischemic/functional MR. The patients were aged 61, 64, and 69 years; their ejection fractions were 0.34, 0.25, 0.32; their left ventricular diastolic diameters were 62, 74, and 79 mm; and tenting heights were 11, 12, and 14 mm, respectively. Preoperatively, all patients showed severe MR; perioperative transesophageal echocardiography showed disappearance of MR. Mitral valvular function has remained stable during a mean short-term follow-up of 6 months (range, 1 to 12 months), with no or trivial MR noted.

```
From 7354083586079897652
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 Mar 2010 22:13:55 -0500
Subject: Re: Opinions about Yaesu FT-817ND   transceiver?
Date: Fri, 19 Mar 2010 19:14:04 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <190320101914042415%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<hntr80$2jnl$1@adenine.netfront.net> <180320101336557480%aeiou@mostly.invalid>
<cbma77-gu5.ln1@radagast.org> <180320102235066000%aeiou@mostly.invalid>
<4ba36c0f$0$27726$bd467cd0@news.dslextreme.com>
<190320101205231866%aeiou@mostly.invalid>
<4ba3fc9c$0$27701$bd467cd0@news.dslextreme.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.187.100
X-Trace: sv3-
FBF4gc5oSvGnEvd4ehvCxJuo+IURAJmGxV0VNP9uUX9SnS9QnSXFH+GbiLXkPYe0odSue3KQOq2fDAP!
hulmQ3P3xg/ulww7Ctaqlc1K6IiL8O/wHawDB30VzJt8gXmopeZDb/GQhb5pTN2x7OoBBY7POCgO!
ac4nqnfFPYuuSPMDiYUBdmC0KrqLDrFB
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1816
```

In article <4ba3fc9c$0$27701$bd467cd0@news.dslextreme.com>, dave <dave@dave.dave> wrote:

> > Seems the Elecraft K3/100 HF Transceiver would be ideal for

> > expediting emergency medical data in case of a national
> > catastrophe - - - one problem might be that FCC reg's do not
> > allow encryption of sensitive medical data, if I recall correctly.
> >
> > I expect in a national emergency that FCC edict would
> > be quickly waived, allowing common sense to prevail.
> >
> > Mark
>
> This may be my last solar max (at least without drooling ;-)
> I figured my heirs want their dad to have the very best.

Go for it !

As soon as win the lottery, I am going to do the same.

Mark

```
From -8219155521047012360
X-Google-Thread: 108122,ceef7bcc1ca6ec7e,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a37g2000prd.googlegroups.com!not-for-
mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Mobile Dual Amateur/CB Radios, do they exist?
Date: Sat, 20 Mar 2010 01:27:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 39
Message-ID: <924c72d3-12a3-40f4-9fa8-dd46fbee1011@a37g2000prd.googlegroups.com>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1269073667 6539 127.0.0.1 (20 Mar 2010 08:27:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Mar 2010 08:27:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a37g2000prd.googlegroups.com; posting-host=203.94.56.252;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-Via: 1.1 www.longlandclan.yi.org (squid/3.0.STABLE19)
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux mips64; en-US; rv:1.9.0.11)
     Gecko/2009061212 Iceweasel/3.0.9 (Debian-3.0.9-1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2031
```

Hi all,

My father is busy equipping his vehicle for a few extended road trips
around Australia. Coverage of mobile phone services is spotty when
you get away from the major centres, and so I advised that having some

sort of backup communications would be a wise idea.

I myself am a licensed radio amateur, and if I go on the trips, I bring my radios... so that satisfies that. However, I've recently joined the workforce, thus in all probability won't be going on future trips. He's expressed an interest in getting an amateur license, but even if he doesn't ... having capability of using amateur bands in an emergency is useful.

I was therefore wondering what radios are available on the market that can do both amateur frequencies, and CB. Ideally looking for both HF CB (~27MHz SSB/AM) and UHF CB (476..478MHz FM), but even HF only is still useful. What we wish to avoid is having a plethora of antennae, control heads and microphones for individual band-specific radios.

I've set up a pair of Wouxun KG-UVD1Ps to do this -- they have all 40 UHF CB simplex channels as memory channels, followed by UHF CB repeaters 1-8 as channels 41 to 48... then 49: 146.500MHz FM, 50: 439.000MHz FM... and most Australian repeaters follow on in order of frequency.

However, being handhelds, makes them awkward for mobile use -- a mobile rig would be better, one which combined HF as well would be ideal.

Queries:
(1) Does anyone know of rigs that can do this out-of-the-box (like the Wouxun handhelds)?
(2) I've heard of the "freeband" mod that's available for some radios such as the Yaesu FT-897... what other radios can this be done on, and what are the pros/cons of doing this?

Regards,
Stuart Longland VK4MSL

From -5398786330020324082
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!x23g2000prd.googlegroups.com!not-for-mail
From: Stuart Longland VK4MSL <me@vk4msl.yi.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sat, 20 Mar 2010 02:26:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 44
Message-ID: <11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
References: <180320100842264914%aeiou@mostly.invalid>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1269077173 5804 127.0.0.1 (20 Mar 2010 09:26:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Mar 2010 09:26:13 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x23g2000prd.googlegroups.com; posting-host=203.94.56.252;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-Via: 1.1 www.longlandclan.yi.org (squid/3.0.STABLE19)
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux mips64; en-US; rv:1.9.0.11)
     Gecko/2009061212 Iceweasel/3.0.9 (Debian-3.0.9-1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2032
```

On Mar 19, 2:42=A0am, Mark Conrad <ae...@mostly.invalid> wrote:

> =A0Opinions regarding =A0Yaesu FT-817ND =A0 transceiver?
>
> Seems like a great little rig, blasts out a whooping 2 watts
> of RF power on batteries, do not know if I can handle
> that much power, if I decide to apply for another license.

I haven't got a '817... I instead opted for its 100W cousin, the '897D. The catch with all of these more modern "all-band" radios though, is the high level of integration. While it does shrink the size, it does mean the radio is more complex -- and thus repairs will be more expensive and difficult.

In my case, I'm waiting to hear from the insurance company about whether they'll cover the replacement of my set following lightning damage that took out a few diodes in the power section, fried the microphone preamp and finally nuked a DDS chip responsible for generating the carrier sidetone. The end result is a radio that at first, would not run off external power (this has been fixed), won't demodulate SSB (sounds like an AM receiver with the volume turned down), won't transmit AM/SSB/CW, and won't modulate a FM carrier. Due to the usage of multi-layer PCBs, it's impossible to fix tracks that may be damaged within the layers of the PCB... and the DDS chip in question is no longer manufactured or supported. In short, a write-off.

The lightning struck a tree in the neighbour's back yard, the resulting earth potential rise caused the above damage, as well as cooking some network equipment in our house, another neighbour's computer, and several electrical goods within the property where the strike occurred. So the old wisdom of unplugging everything is especially true for the modern rigs -- not just the antenna, but station earth and power as well!

Apart from this, they are great radios. Mine was brilliant, and I hope to get it replaced at some stage. Interestingly, on 2m SSB, I find my FT-290R II (with 25W linear) outperforms it on occasions, but given the capabilities of the '897, it's worth the money. I dare say the '817 is in much the same league, and are very popular amongst

microwave enthusiasts as they are all-mode and low-enough power to not
fry the backside out of transverters.

Regards,
Stuart Longland VK4MSL

From -4709950590986126069
X-Google-Thread: 108122,ceef7bcc1ca6ec7e
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!feeder.erje.net!newsfeed.utanet.at!news-hub.siol.net!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?UTF-8?B?Qm9yaXMgVHXEkWFu?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile Dual Amateur/CB Radios, do they exist?
Date: Sat, 20 Mar 2010 13:40:38 +0100
Organization: T-Com
Lines: 17
Message-ID: <ho2fo6$k1l$1@ss408.t-com.hr>
References: <924c72d3-12a3-40f4-9fa8-dd46fbee1011@a37g2000prd.googlegroups.com>
NNTP-Posting-Host: 93-138-254-132.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1269088838 20533 93.138.254.132 (20 Mar 2010 12:40:38 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sat, 20 Mar 2010 12:40:38 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.4) Gecko/20091017 SeaMonkey/2.0
In-Reply-To: <924c72d3-12a3-40f4-9fa8-dd46fbee1011@a37g2000prd.googlegroups.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:2033

Stuart Longland VK4MSL wrote:
> (2) I've heard of the "freeband" mod that's available for some radios
> such as the Yaesu FT-897... what other radios can this be done on, and
> what are the pros/cons of doing this?

Yaesu FT-857, Yaesu FT-897, Kenwood TS-2000 are working fine on 27 MHz.
Others I didn't try.

Boris

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris

```
From 7573297635969999333
X-Google-Thread: 108122,5ed846d63535475b
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
188.40.43.213.MISMATCH!feeder.eternal-september.org!eternal-september.org!.POSTED!
not-for-mail
From: John from Detroit <wa8yxm@arrl.invalid>
Newsgroups: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Stupidest ham radio customer review ever
Date: Sat, 20 Mar 2010 09:48:13 -0400
Organization: A noiseless patient Spider
Lines: 38
Message-ID: <ho2jpi$9gn$1@news.eternal-september.org>
References: <ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com>
<hjgekt$gbl$1@news.eternal-september.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Sat, 20 Mar 2010 13:49:38 +0000 (UTC)
Injection-Info: feeder.eternal-september.org; posting-
host="WS7phWr4xjL75IqLrHyGDA";
     logging-data="9751"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1+XIlp2p3g4KCyUTbVqYYUW"
User-Agent: Thunderbird 2.0.0.24 (Windows/20100228)
In-Reply-To: <hjgekt$gbl$1@news.eternal-september.org>
Cancel-Lock: sha1:3EQAkSW/ZTTpgwo9PjhJ7TQkpJg=
Xref: g2news1.google.com alt.ham-radio:1286 rec.radio.amateur.equipment:1820
rec.radio.swap:2425
```

david wrote:

> On Sat, 23 Jan 2010 17:34:08 -0800, Dur rearranged some electrons to say:
>
>> Amazon.com customer review of the GALAXY DX2517:
>> http://snurl.com/HamMoron
>
> You didn't think he was serious, did you?

In this world.. Anything is possible.. But I'm inclined to agree with you.. I'd like to say "I agree" but, frankly, I have met many folks that dumb

I can give you some links to places where you can read about people that dumb

http://www.darwinawards.com

http://www.thisistrue.com

True (This is true) story.. Man decides to rob a car wash

Employee leads him into the tunnel where the cash box is, Opens the cash
box and while the robber is distracted grabs one of the handy dandy guns
in the wash bay (A water gun of course) and sprays the jerk down..
Well.. It's January, and the state is Washington.. The would be robber
then fled the place,,,empty handed of course,, Made a "Clean Get-Away"
for about 20 yards or so.. Now remember his clothing was soaked with hot
(When it hit him) soapy water,, which quickly became cold, soapy ICE

I mean.. there are folks that dump.. Oh.. He made national news wires too.

And I know some even better over at Darwin Awards

The Darwin awards are awarded to those who best improve the human gene
pool by removal of themselves therefrom... In the most amazing manners.

--
John in Detroit E-Dress is smoked, Invalid equals NET.

From 4541633658090029393
X-Google-Thread: 108122,e4a6628da9927a13,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!gin-ad1-unet1.teleglobe.net!
goblin1!goblin2!goblin.stu.neva.ru!feeder.erje.net!news.glorb.com!news2.glorb.com!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Mar 2010 12:11:52 -0500
From: QQV03-10 <QQV03-10.5eab744@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Plessey PR-2250
Date: Sat, 20 Mar 2010 16:52:07 +0000
Message-ID: <QQV03-10.5eab744@radiobanter.com>
Organization: RadioBanter.com
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-drU2xo3vUqecfUbmXrSr2y3qp3m6A5dwiRqOi0TXUneB4vWgSaJQ6/
xwSAL9AhguW2Sxq57pyN85LSA!vfpkwweDu2pSb/cxxiFN1KjcpnOmPA4pwGO4Mm/
102gxQsMmepEyCNHGSTJOfQF6i3lKFLDaavLG!4cVSdg==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 5
Xref: g2news2.google.com rec.radio.amateur.equipment:2035

Has anyone got any spare parts for this item, in particular the mini
co-ax leads that connect between modules or the motherboard?

Any info about module 7 please?

regards,

--
QQV03-10

From -7952453932630013174
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Mar 2010 12:45:16 -0500
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sat, 20 Mar 2010 09:45:26 -0800
From: Mark Conrad <aeiou@mostly.invalid>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <200320100945262982%aeiou@mostly.invalid>
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.1 (Carbon/OS X)
Lines: 45
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.42.183.230
X-Trace: sv3-6QAA4U8pjy7HD2+fZ7LMf+qUc0uKeC/
WNTT8QBCbFG+u1BniLgIeHiZdsLp0M0IYre7AWg8ybAZvQcY!WLQkAN/8yaXipIeGVR338o443Lqf/
U2Y8InLmpxW8cZrKKlvqN1OUTKOsk00UWjiQySWwwFh091m!enzsUSwLK6dntWsnvqWYsm4OxA9jgsaL
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:2036

In article
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>,
Stuart Longland VK4MSL <me@vk4msl.yi.org> wrote:

> > Seems like a great little rig, blasts out a whooping 2 watts
> > of RF power on batteries, do not know if I can handle
> > that much power, if I decide to apply for another license.
>
> I haven't got a '817... I instead opted for its 100W cousin, the

> '897D. The catch with all of these more modern "all-band" radios
> though, is the high level of integration. While it does shrink the
> size, it does mean the radio is more complex -- and thus repairs will
> be more expensive and difficult.

Thanks for your comprehensive post on "all band" radios.

Sorry about the lightning frying your expensive rig; here I have
the same problems with lightning, came to the same conclusion
as you did, namely completely unplug   _ALL_   leads to my rig.

I have not yet decided which way to jump as regards buying
a rig after my long 55 year absence from ham radio:

1) Completely portable (ordinary alkaline battery powered)
     very low powered rig such as the Yaesu FT-817ND

2) Larger 100 watt mobile rig such as the Elecraft K3
      or the Yaesu 897D

The Yaesu 897D certainly has impressive spec's

Presently I do not have enough smarts to make an intelligent
choice between the Yaesu 897D as compared to the more
expensive Elecraft K3, when it comes to the fine points
of both those rigs.

With the Elecraft, I lose the mobile capability, however
Elecraft advocates are very impressed with that fine rig.

Decisions, decisions...   <g>

Mark

From -5965842253731668709
X-Google-Thread: d7f5508063,f51968e16111413f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin1!goblin.stu.neva.ru!uio.no!fnord.no!news0.firedrake.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
Date: Sat, 20 Mar 2010 13:26:44 -0500
Organization: Firedrake Synthesis
Lines: 48
Message-ID: <4kgf77-jt8.ln1@mikea.ath.cx>
References: <180320100842264914%aeiou@mostly.invalid>

<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: parhelion.firedrake.org 1269109729 13039 70.164.65.62 (20 Mar 2010 18:28:49 GMT)
X-Complaints-To: usenet@parhelion.firedrake.org
NNTP-Posting-Date: Sat, 20 Mar 2010 18:28:49 +0000 (UTC)
X-Not-Approved: idees@videotron.qc.ca-is-a-troll
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:2037

Mark Conrad <aeiou@mostly.invalid> wrote in
<200320100945262982%aeiou@mostly.invalid>:

> I have not yet decided which way to jump as regards buying
> a rig after my long 55 year absence from ham radio:

> 1) Completely portable (ordinary alkaline battery powered)
>   very low powered rig such as the Yaesu FT-817ND

> 2) Larger 100 watt mobile rig such as the Elecraft K3
>   or the Yaesu 897D

The 897 will accommodate two battery packs and (or is it _or_?) a built-in power supply. They're on my purchase list -- after we get the tax refund or when I win the lottery.

> The Yaesu 897D certainly has impressive spec's

Enough so that I have, and use, two of them. In their price class, they are very impressive radios. I just swapped my Yaesu FT-450AT for one yesterday, and that rig got K7SDW on 20 m with 10W output CW yesterday afternoon, first crack off the bat.

> Presently I do not have enough smarts to make an intelligent
> choice between the Yaesu 897D as compared to the more
> expensive Elecraft K3, when it comes to the fine points
> of both those rigs.

I suspect that the K3 is, overall, the better radio, though it doesn't do 70 cm. At least it doesn't do 70 cm _yet_; I suspect a 70cm transverter board is in the works, though I have no hard info on that. I'll get one when I win the lottery.

> With the Elecraft, I lose the mobile capability, however
> Elecraft advocates are very impressed with that fine rig.

I've certainly read rave reviews on the K3. Acquisition is dependent on coming into a sizeable bolus of cash, though. I'd also like to have a Flex 5000 to play with, and an Icom 7[678]00, and a KW TS-2000, and a Yaesu FT-2000, and some W-J or Cubic receivers, and ... .

> Decisions, decisions...   <g>

Yeah, but not the kind that hurt.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin

From -1338962770928549864
X-Google-Thread: 108122,ceef7bcc1ca6ec7e
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@cable.mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile Dual Amateur/CB Radios, do they exist?
Date: Sat, 20 Mar 2010 18:54:07 +0000 (UTC)
Organization: MGT Consulting
Lines: 54
Message-ID: <slrnhqa6dp.jd0.gsm@cable.mendelson.com>
References: <924c72d3-12a3-40f4-9fa8-dd46fbee1011@a37g2000prd.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-123-248.bb.netvision.net.il
X-Trace: news.inside.misty.com 1269111247 26315 89.138.123.248 (20 Mar 2010 18:54:07 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sat, 20 Mar 2010 18:54:07 +0000 (UTC)
User-Agent: slrn/pre1.0.0-11 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:2038

Stuart Longland VK4MSL wrote:

> However, being handhelds, makes them awkward for mobile use -- a
> mobile rig would be better, one which combined HF as well would be
> ideal.

You need to contact the local licensing authorities and see what is legal.
For example, in the US, what you ask would simply not be illegal, either for
27mHz CB or 464mHz (family radio, what you call UHF CB).

In other parts of the world things are more relaxed, many people use ham
rigs on CB with no problems.

> Queries:
> (1) Does anyone know of rigs that can do this out-of-the-box (like the
> Wouxun handhelds)?

There are lots of them that will do the VHF up to 440 mHz (the top if the 70cm band in the US). I have no idea if they will go any higher, but isn't the UHF CB band 446mHz there? It is here. (I think you said something, but I trimmed that part of the post before I got here).

> (2) I've heard of the "freeband" mod that's available for some radios
> such as the Yaesu FT-897... what other radios can this be done on, and
> what are the pros/cons of doing this?

Technicaly nothing at all. The radios are designed to transmit that range and can do it. Some frequencies may be a problem due to the design of the radio, but I don't think the ones you are worried about will be.

Note that ham radios do not transmit AM, they transmit double sideband reduce carrier, i.e. both on USB and LSB at the same time when in AM mode. This usually works ok on AM receivers, but it may not work on some cheap CB's. It pays to ask anyone who is doing it if they have a problem.

Legally may be another issue. Having a transmitter that transmits outside of the ham bands is illegal in some parts of the world, I have no idea of what happens in OZ.

Also is it legal for your father to be driving around with a ham radio in the car, and possible using it (although not on ham frequencies)?

> Regards,
> Stuart Longland VK4MSL

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
New word I coined 12/13/09, "Sub-Wikipedia" adj, describing knowledge or
understanding, as in he has a sub-wikipedia understanding of the situation.
i.e possessing less facts or information than can be found in the Wikipedia.

```
From -4310525705063826071
X-Google-Thread: 108122,f51968e16111413f
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Mar 2010 14:08:04 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions about Yaesu FT-817ND transceiver?
References: <180320100842264914%aeiou@mostly.invalid>
<11ad03bb-4e19-4845-9915-4f0db8d44011@x23g2000prd.googlegroups.com>
<200320100945262982%aeiou@mostly.invalid>
Organization: Home for Obscure Mythical Beings
```

X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Sat, 20 Mar 2010 11:18:22 -0700
Message-ID: <e4gf77-t6m.ln1@radagast.org>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-
AGsnHAKJyI5QDyGCFkbRj0V+4ZiRyc8KdEH37L4SK7BK1a6xNG3erVbFn6jf98VD1s7aMhol/rzBERo!
KxydhUUF9Nl3ZW/JMclh+QbSl17I6RF2KSa0yY1zmmkxQTCtJBue+3h7UUSeHg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1825

In article <200320100945262982%aeiou@mostly.invalid>,
Mark Conrad <aeiou@mostly.invalid> wrote:

>Presently I do not have enough smarts to make an intelligent
>choice between the Yaesu 897D as compared to the more
>expensive Elecraft K3, when it comes to the fine points
>of both those rigs.

The Elecraft K3 seems to have one of the best RF front ends currently
available on an amateur radio. It does extremely well at pulling in a
weak signal, when there are very strong signals on nearby frequencies.
If you're into contesting, DX, or Field Day competition, this looks
like radio to have.

For what's worth - the FD-857D is almost the same as the FT-897D in
most respects - just in a smaller package. These two radios give you
2-meter and 440 capability, in addition to HF and 6 meters.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 8486555069720064385
X-Google-Thread: 108122,ef093f5a2cdcb4ce,start
X-Google-NewGroupId: yes
X-Google-Attributes: gidd7f5508063,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!isp-post01.iad!news.cv.net!not-for-mail
From: "Steve Trook" <strook@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: gear for sale

```
Date: Sat, 20 Mar 2010 16:29:23 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Lines: 40
Message-ID: <4ba53025$0$4990$607ed4bc@cv.net>
Organization: Optimum Online
NNTP-Posting-Host: 24.184.172.124
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2040
```

I HAVE LOTS OF GEAR TO SELL.

1-MOTOROLA PR400 32CH UHF IN THE HAM BAND 3 AVAILABLE $175EA PROGRAMMING AVAILABLE.

2-MOTOROLA HT 600 6 CH UHF EXTRA BATTERY, WITH CHARGER, ANTENNA WILL PROGRAM YOUR FREQS, $100 SHIPPED

3-POOR MANS REPEATER.   MADE FROM 2 MOTOROLA MOBILES. EXCELLENT RX SENSE. 25 WATT... WITH 6 CAVITY NOTCH DUPLEXER   UHF. CAN ALSO DO GMRS. COMES WITH ASTRON POWER SUPPLY AND CABLE INTERFACE. JUST ADD AN ANTENNA AND YOU ARE ON THE AIR. I CAN PROGRAM THE REPEATER, THE DUPLEXER WILL NEED TO BE RETUNED TO YOUR FREQ.   CURRENTLY ON 441.625/446.625 136.5 PL $400

4-16 CH VHF GM300 MOTOROLA MOBILE   45 WATT 16 PIN REAR CONNECTOR $150   PROGRAMMING AVAILABLE.

5-32CH UHF MOTOROLA MAXTRAC, RADIUS AND GM300'S TOTAL OF 6 AVAILABLE $175 EA. PROGRAMMING AVAILABLE.

6-PARA DYNAMICS PDC-5   SWR POWER MATCHER METER. $20

7-KENWOOD TK805D FACE PROGRAMMABLE 16 CH UHF MOBILE. WITH MIKE AND POWER CORD. $100

8-MOTOROLA RADIUS MILES   (BLACK) WILL WORK WITH ALL MAXTRAC/RADIUS/GM300 ETC...   3 AVAILABLE. $25 EA.

9-ICOM 208H DUAL BAND MOBILE USED AS A SPARE RADIO. MIKE , POWER CORD, SEP KIT, BRACKET. ETC AND MANUAL. $250 SHIPPED. RADIO HAS BEEN MODDED (MARS/CAP) PROF. DONE BY A LOCAL TECH.

10-MAXON 16 CH UHF SP-340 HT. MINT COND. RADIO, BATTERY, AND ANTENNA. NO CHARGER. $75

11-GENERAL ELECTRIC 40 CH CB RADIO   3-5816 WITH MIKE AND POWERCORD.
EXCELLENT WORKING COND. $50

INTERESTED?? PLEASE E-MAIL ME   strook@optonline.net

```
From 3479657487768618469
X-Google-Thread: d7f5508063,616f0380997094f3
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 15 Dec 2009 13:59:59 -0600
From: "Hello.com" <hi@hello..com>
Newsgroups: rec.radio.amateur.equipment
References: <UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com>
<CKyVm.62328$ze1.16749@news-server.bigpond.net.au>
Subject: Re: Help with MFJ-1786 Control Box, Please.
Date: Tue, 15 Dec 2009 13:59:57 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <17CdnRv4mdwid7rWnZ2dnUVZ_qudnZ2d@giganews.com>
Lines: 52
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-aeYPWgZDbn+jgL0P/wX0Oral2C/q3PNbhq0UbplYpE7/jXJQQjSArKq1A/
32hTCWSdF8KRv9tjRWgp0!XNcrtPDM5LoewEMkgyArhgjHDu/nH8wNw9X+0PwZg7pL/
nyPEgHrRCE7fQ5ejsFLNu1qAJ1IQz0=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1675
```

Thanks for the reply, John.

Well my response is a little different. Something like, "We haven't done anything yet.... reapply."

I really don't have the time, but I guess I will start tracing out the circuit.

73,
Emil
W9NM

"VK2KC" <vk2kcjohn@gmail.com> wrote in message
news:CKyVm.62328$ze1.16749@news-server.bigpond.net.au...
> Not an unusual response, I requested a schematic for the MFJ "parrot"
> repeater, I was met with a deafening silence too, but a repeat request
> elicited the following response:
>
> "The information you have requested is not available."
>
> No explanation, but I guess Martin F Jue is entitled to hold back what he
> considers "proprietary information".
>
> Happy Christmas to all and a very health and happy new year!
>
> 73
> John
> VK2KC
>
> "Hello.com" <hi@hello..com> wrote in message
> news:UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com...
>> Lightning damage to an MFJ-1786 control box. Looking for a schematic.
>> Thanks.
>>
>> Can't get a response from MFJ.
>>
>> Merry Christmas all,
>>
>> w9nm
>> at
>> sbcglobal
>> dot
>> net
>>
>>
>>
>
>

From 1282465224847821871
X-Google-Thread: d7f5508063,616f0380997094f3
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
Date: Tue, 15 Dec 2009 21:20:43 -0500

```
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help with MFJ-1786 Control Box, Please.
References: <UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com>
In-Reply-To: <UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 26
Message-ID: <4b2843f3$0$4982$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.40.219
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1676

Hello.com wrote:
> Lightning damage to an MFJ-1786 control box.  Looking for a schematic.
> Thanks.
>
> Can't get a response from MFJ.
>
> Merry Christmas all,
>
> w9nm
> at
> sbcglobal
> dot
> net
>
>

I have the MFJ-1782, unfortunately also without schematic. However in
reading the warranty terms MFJ appears to be generous in technical
assistance for DIY repairs under warranty. Why not give them a call
again and see what they can do in your situation.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo  ;-P


From 8978544663827935215
X-Google-Thread: d7f5508063,616f0380997094f3
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
news.nobody.at!texta.sil.at!news.newsland.it!nntp.infostrada.it!newsfeed01.sul.t-
online.de!t-online.de!feeder1-2.proxad.net!proxad.net!feeder2-2.proxad.net!
```

nx01.iad01.newshosting.com!newshosting.com!216.196.98.152.MISMATCH!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Dec 2009 05:12:40 -0600
From: 328X1 <328X1.56e7612@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help with MFJ-1786 Control Box, Please.
Date: Wed, 16 Dec 2009 05:34:15 +0000
Message-ID: <328X1.56e7612@radiobanter.com>
Organization: RadioBanter.com
References: <UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com>
Lines: 29
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
F7I2EpzX9iGdM3O8K0dphRQDYbuoahQaxzmH5ORWVDTBjGq+aVbm97IsWS7FLUjjtTnWycb+MsgSqU4!
20njYqVtEEiPM06Yf8+LewY1bT72yhsdLTyQMZA94CKae6Gn0TUnMFxE3B4eafxWqJjRTzFqRyLH!cQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 14
Xref: g2news1.google.com rec.radio.amateur.equipment:1677

Hello.com;695887 Wrote:
> Lightning damage to an MFJ-1786 control box. Looking for a schematic.
> Thanks.
>
> Can't get a response from MFJ.
>
> Merry Christmas all,
>
> w9nm
> at
> sbcglobal
> dot
> net

I have always heard part of the 'fun' of Amateur Radio, is self instruction. Since the MFJ-1786 Manual is readibly downloaded from several source; and the fact it goes into very detailed 'theory of operation', you probably don't really need a schematic drawing. Rather than a schematic, I'd suggest appealing to users, for someone to take good [and multiple] digital photos, then you can use them as a 'pictorial', and compare to your unit. Someone said 'a picture is worth a thousand words' ; and they can help, if you actually do a reverse engineering, and produce a schematic.

--
328X1

From 5550109873792433854
X-Google-Thread: d7f5508063,616f0380997094f3
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Dec 2009 07:51:50 -0600
From: "Hello.com" <hi@hello..com>
Newsgroups: rec.radio.amateur.equipment
References: <UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com> <328X1.56e7612@radiobanter.com>
Subject: Re: Help with MFJ-1786 Control Box, Please.
Date: Wed, 16 Dec 2009 07:51:49 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <ididndUtgd1reLXWnZ2dnUVZ_uCdnZ2d@giganews.com>
Lines: 92
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-XhJ/8HZcVB31IHWaZl7HZGl6q+UZ712K7SBYhp64tJO199uOPL/PeUETyzGpPlOCqor6l/uxTSL7G7K!cNJxGkvleksGzq/paa0AAU3Xk4MfXu9/mJvKq1AY6bn21QaKDfb4tGf4fJoEEFTudFfxNFwvnms=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1678

To me, the fun part is designing and scratch building equipment several orders of magnitude past this MFJ Box.   I took my Amateur Radio exams when one was required to draw schematics and write answers to essay questions and actual use equations... that was during my freshman year in high school, and about a month later I passed my 1st Class Commercial with Ship-Radar and Radiotelegraph Endorsements. Actually, do to circumstances of 'life', when I have let my tickets lapse, I've probably retested for Commercial and Amateur Extra 4 or 5 times each over the years. And... I had to walk 30 miles (one way) to Chicago to the FCC Field Office... up hill, both directions.

The context of the MFJ control box, to me, is the same as my kitchen AM radio. If it doesn't work, I want to fix it, expeditiously, and be on my way. There really isn't 'detailed' theory to deal with in the MFJ Box or my

AM Radio that was not covered in my high school Physics Class many many years ago... of course today, it my seem complicated to many. Those multiple choice questions are a real killer... you need to read over the pre-published answers. Is that 'reverse engineering'?

There is nothing secret or revolutionary about the MFJ control box. After using the box for 10 seconds it is manifestly apparent how the circuitry functions. I do not have the time to waste tracing PC board foil, removing and bridging components to find there values, let alone dealing with parts that don't have a trade-standard part number. If that is exciting to you... I guess everyone has their own particular level of abilities.

Plodding along, hit or miss, hoping to stumble across the defective component(s) is the type of endeavor I'll leave to others.

Why in the world would I appeal to anyone for pictures when I have the actual device sitting on my work bench? The components that had an physical anomaly associated with their defective condition have been replaced.

A picture is worth a thousand words if it is a schematic... and worth much more than that if it is valid set of equations.

If I need some "Already been done." electronic' stimulation I can page through my Patents, EE Degree Thesis, books and papers, equipment I have designed and constructed, and patents granted and denied.

My preference is for new projects under way... finding another original project... or, for that matter... just sit down at the key and spend an evening on the CW sub-bands. I'll leave the reverse-engineering to others that are much more easily satisfied with that type of thing. My appliances, however, I want a schematic and parts list... and be on the road again as quickly as possible.

Hey... thanks for your comments... but I'm ONLY looking for a SCHEMATIC... not a lecture or assumptions concerning my technical knowledge.

Emil

"328X1" <328X1.56e7612@radiobanter.com> wrote in message
news:328X1.56e7612@radiobanter.com...
>
> Hello.com;695887 Wrote:
>> Lightning damage to an MFJ-1786 control box. Looking for a schematic.
>> Thanks.
>>
>> Can't get a response from MFJ.
>>

>> Merry Christmas all,
>>
>> w9nm
>> at
>> sbcglobal
>> dot
>> net
>
> I have always heard part of the 'fun' of Amateur Radio, is self
> instruction. Since the MFJ-1786 Manual is readibly downloaded from
> several source; and the fact it goes into very detailed 'theory of
> operation', you probably don't really need a schematic drawing. Rather
> than a schematic, I'd suggest appealing to users, for someone to take
> good [and multiple] digital photos, then you can use them as a
> 'pictorial', and compare to your unit. Someone said 'a picture is worth
> a thousand words' ; and they can help, if you actually do a reverse
> engineering, and produce a schematic.
>
>
>
>
> --
> 328X1

From 2983452924777523134
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Dec 2009 08:11:53 -0600
From: "Hello.com" <hi@hello..com>
Newsgroups: rec.radio.amateur.equipment
References: <UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com>
<4b2843f3$0$4982$9a6e19ea@unlimited.newshosting.com>
Subject: Re: Help with MFJ-1786 Control Box, Please.
Date: Wed, 16 Dec 2009 08:11:53 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <QqKdncX8cKc0d7XWnZ2dnUVZ_jmdnZ2d@giganews.com>
Lines: 48
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
LaVIpqLsHETK8tdLtQZXsyKJTiCUFu8Y5fTtUgBfoIsG3mvlwFlCfA80MWKf18+AjyTE+MQvxpJqrQH!
FpOKdsv4rGLAjx6RROzf9VNjlVf+9BoTwzbBHoX7MDPwWMMDC45U4FOU81BNqY7RS2LCSI1X/Ww=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1679

Joe, thanks. I may give it one more try. Frankly, I've got more time invested in this toy than is warranted for a stand-by... use with experimental projects... type of antenna.

If I can set aside some time this winter, I may build a proper, vector measuring, controller for the loop. As I look around the bench, I can see just about everything I need, except for a few toroid cores that will need winding... not on list of favorites to do right now... the older I get, the less I am enamored of programming in assembly language. However, I still have a pile of PICs sitting around and feel obligated to use one or two on something from time to time... if I can shoe-horn one into a project.

If I can get a schematic I'll let you know.
Merry Christmas,
Emil

"RFI-EMI-GUY" <Rhyolite@NETTALLY.COM> wrote in message
news:4b2843f3$0$4982$9a6e19ea@unlimited.newshosting.com...
> Hello.com wrote:
>> Lightning damage to an MFJ-1786 control box. Looking for a schematic.
>> Thanks.
>>
>> Can't get a response from MFJ.
>>
>> Merry Christmas all,
>>
>> w9nm
>> at
>> sbcglobal
>> dot
>> net
>>
>>
>
> I have the MFJ-1782, unfortunately also without schematic. However in
> reading the warranty terms MFJ appears to be generous in technical
> assistance for DIY repairs under warranty. Why not give them a call again
> and see what they can do in your situation.
>
> --
> Joe Leikhim K4SAT
> "The RFI-EMI-GUY"�
>
> "Use only Genuine Interocitor Parts" Tom Servo ;-P

```
From -4287746257466712068
X-Google-Thread: d7f5508063,c6b988aa15d04e70,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe12.iad.POSTED!7564ea0f!not-for-mail
From: " Ron" <ronnclair@ya.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Dipole advice?
Lines: 17
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <dIjWm.980$lH1.93@newsfe12.iad>
NNTP-Posting-Host: 24.226.69.101
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe12.iad 1261029257 24.226.69.101 (Thu, 17 Dec 2009 05:54:17 UTC)
NNTP-Posting-Date: Thu, 17 Dec 2009 05:54:17 UTC
Date: Thu, 17 Dec 2009 00:54:15 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1680
```

Hi

Just about to make a dipole and have enough parts to make but only want to climb once. 50 ft tower and lots of ladder line, coax, a 1:1 balun and lots of copper wire and a nice manual tuner that has its own balun for hook up to either the ladder line or coax.

Any idea which is best possible and practical application? Should I use the ladder line or coax? Do I need the balun? I hope to use it for 10-160 as this is what the rig is capable of.

Any advice or adeas or tricks of the trade are greatly appreciated, I hope to only climb once, what works best?

thanks
Ron

```
From 5533951699490429379
```

X-Google-Thread: d7f5508063,c6b988aa15d04e70
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.netfront.net!not-for-mail
From: "No spam please" <me@spamnotwelcome.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dipole advice?
Date: Thu, 17 Dec 2009 12:47:48 -0000
Organization: Netfront http://www.netfront.net
Lines: 34
Message-ID: <hgd9ed$1r3c$1@adenine.netfront.net>
References: <dIjWm.980$lH1.93@newsfe12.iad>
NNTP-Posting-Host: 78.150.5.105
X-Trace: adenine.netfront.net 1261054222 60524 78.150.5.105 (17 Dec 2009 12:50:22 GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Thu, 17 Dec 2009 12:50:22 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:1681

" Ron" <ronnclair@ya.com> wrote in message
news:dIjWm.980$lH1.93@newsfe12.iad...
> Hi
>
> Just about to make a dipole and have enough parts to make but only want to
> climb once. 50 ft tower and lots of ladder line, coax, a 1:1 balun and
> lots
> of copper wire and a nice manual tuner that has its own balun for hook up
> to
> either the ladder line or coax.
>
> Any idea which is best possible and practical application? Should I use
> the
> ladder line or coax? Do I need the balun? I hope to use it for 10-160 as
> this is what the rig is capable of.
>
> Any advice or adeas or tricks of the trade are greatly appreciated, I hope
> to only climb once, what works best?
>
> thanks
> Ron
>

Hi Ron.

You might find that a pulley at the top of the 50ft tower will be a help.
Lets you raise and lower the dipole whenever you want without having to

climb.
You might need a stand-off arm to hold the pulley away from the tower to
that the dipole doesn't actually touch the tower.

73, Rog.

From 6972613331748240513
X-Google-Thread: d7f5508063,c6b988aa15d04e70
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Thu, 17 Dec 2009 05:06:19 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.21) Gecko/20090322 SeaMonkey/1.1.15
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dipole advice?
References: <dIjWm.980$lH1.93@newsfe12.iad>
In-Reply-To: <dIjWm.980$lH1.93@newsfe12.iad>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <4b2a2ce0$0$16003$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1682

Ron wrote:
> Hi
>
> Just about to make a dipole and have enough parts to make but only want to
> climb once. 50 ft tower and lots of ladder line, coax, a 1:1 balun and lots
> of copper wire and a nice manual tuner that has its own balun for hook
> up to
> either the ladder line or coax.
>
> Any idea which is best possible and practical application? Should I use the
> ladder line or coax? Do I need the balun? I hope to use it for 10-160 as
> this is what the rig is capable of.
>
> Any advice or adeas or tricks of the trade are greatly appreciated, I hope
> to only climb once, what works best?
>
> thanks
> Ron
>

50' tower screams HALF SLOPER.

```
From -137263358036036394
X-Google-Thread: d7f5508063,c6b988aa15d04e70
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe10.iad.POSTED!7564ea0f!not-for-mail
From: " Ron" <ronnclair@ya.com>
Newsgroups: rec.radio.amateur.equipment
References: <dIjWm.980$lH1.93@newsfe12.iad>
<4b2a2ce0$0$16003$bd467cd0@news.dslextreme.com>
In-Reply-To: <4b2a2ce0$0$16003$bd467cd0@news.dslextreme.com>
Subject: Re: Dipole advice?
Lines: 56
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <CqrWm.102$ft1.89@newsfe10.iad>
NNTP-Posting-Host: 24.226.69.101
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe10.iad 1261060898 24.226.69.101 (Thu, 17 Dec 2009 14:41:38 UTC)
NNTP-Posting-Date: Thu, 17 Dec 2009 14:41:38 UTC
Date: Thu, 17 Dec 2009 09:41:40 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1683
```

Hi hi

thanks for the tips.

What about the dipole? I have a 1:1 balun and both ladder line and coax.
Which is prefered?

Also I wish to center feed the dipole at the top of the tower, approx 4ft
away from the tower itself and then I can put a leg at about 150 degrees,
not a straight 180 degrees. So a little bit offset but one leg can be about
approx 50 foot then begins to slop over a tree and then other is about 60
foot before it begins to slop over a tree about same height.

The tuner has its own balun, I believe that is if I use the ladder line. It
is a manual mfj I think.

The pully is good idea, looking at the half sloper or taping into the tower
seems a bit complicated, all the houses around here are all aluminum siding.

What about the balun and ladder line or coax? Which is preferred?

thanks

73

```
"dave" <dave@dave.dave> wrote in message
news:4b2a2ce0$0$16003$bd467cd0@news.dslextreme.com...
>  Ron wrote:
>> Hi
>>
>> Just about to make a dipole and have enough parts to make but only want
>> to
>> climb once. 50 ft tower and lots of ladder line, coax, a 1:1 balun and
>> lots
>> of copper wire and a nice manual tuner that has its own balun for hook up
>> to
>> either the ladder line or coax.
>>
>> Any idea which is best possible and practical application? Should I use
>> the
>> ladder line or coax? Do I need the balun? I hope to use it for 10-160 as
>> this is what the rig is capable of.
>>
>> Any advice or adeas or tricks of the trade are greatly appreciated, I
>> hope
>> to only climb once, what works best?
>>
>> thanks
>> Ron
>>
>
> 50' tower screams HALF SLOPER.
```

```
From -2714144028465785174
X-Google-Thread: d7f5508063,c6b988aa15d04e70
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe09.iad.POSTED!7564ea0f!not-for-mail
From: " Ron" <ronnclair@ya.com>
Newsgroups: rec.radio.amateur.equipment
References: <dIjWm.980$lH1.93@newsfe12.iad>
```

```
<4b2a2ce0$0$16003$bd467cd0@news.dslextreme.com> <CqrWm.102$ft1.89@newsfe10.iad>
In-Reply-To: <CqrWm.102$ft1.89@newsfe10.iad>
Subject: Re: Dipole advice?
Lines: 93
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <hCsWm.75444$We2.61697@newsfe09.iad>
NNTP-Posting-Host: 24.226.69.101
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe09.iad 1261065741 24.226.69.101 (Thu, 17 Dec 2009 16:02:21 UTC)
NNTP-Posting-Date: Thu, 17 Dec 2009 16:02:21 UTC
Date: Thu, 17 Dec 2009 11:02:23 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1684
```

Once before I purchased a dipole at a hamfest and it was for all bands, I forget all the dimensions and lengths but it was copper wire fed through this 1:1 balun to coax. Rather long copper flat top style dipole, probably 60 foot each leg.

My option now is to replace the old copper wire and coax, but do I need to use the balun?

I am looking at building the G5RV antenna style dipole but without the balun but using the coax. I can connect it to the manual mfj tuner.

So what I am thinking is about 60 foot of coax, right from the tuner to the split attachment of the two legs of copper wire. Both split about 50 foot in the air at the top of the tower, then go to slop over the top of nearby trees which are also about 45 or 50 foot tall. But there will be short pieces (approx 10 foot) of left over ends that must slop over the trees and come down the other side. Not enough room in the yard.

No balun, using the coax, only about 150 watts will every be used.

Any reasons why this is not a good idea? Seems most practical for my situation here.

thanks for any tips

73

" Ron" <ronnclair@ya.com> wrote in message
news:CqrWm.102$ft1.89@newsfe10.iad...
> Hi hi
>
> thanks for the tips.
>
> What about the dipole? I have a 1:1 balun and both ladder line and coax.
> Which is prefered?
>
> Also I wish to center feed the dipole at the top of the tower, approx 4ft
> away from the tower itself and then I can put a leg at about 150 degrees,
> not a straight 180 degrees. So a little bit offset but one leg can be
> about approx 50 foot then begins to slop over a tree and then other is
> about 60 foot before it begins to slop over a tree about same height.
>
> The tuner has its own balun, I believe that is if I use the ladder line.
> It is a manual mfj I think.
>
> The pully is good idea, looking at the half sloper or taping into the
> tower seems a bit complicated, all the houses around here are all aluminum
> siding.
>
> What about the balun and ladder line or coax? Which is preferred?
>
> thanks
>
> 73
>
>
>
>
> "dave" <dave@dave.dave> wrote in message
> news:4b2a2ce0$0$16003$bd467cd0@news.dslextreme.com...
>> Ron wrote:
>>> Hi
>>>
>>> Just about to make a dipole and have enough parts to make but only want
>>> to
>>> climb once. 50 ft tower and lots of ladder line, coax, a 1:1 balun and
>>> lots
>>> of copper wire and a nice manual tuner that has its own balun for hook
>>> up to
>>> either the ladder line or coax.
>>>
>>> Any idea which is best possible and practical application? Should I use
>>> the
>>> ladder line or coax? Do I need the balun? I hope to use it for 10-160 as
>>> this is what the rig is capable of.
>>>
>>> Any advice or adeas or tricks of the trade are greatly appreciated, I
>>> hope

>>> to only climb once, what works best?
>>>
>>> thanks
>>> Ron
>>>
>>
>> 50' tower screams HALF SLOPER.
>

```
From -3380422128518090323
X-Google-Thread: d7f5508063,c6b988aa15d04e70
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Dec 2009 14:08:03 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dipole advice?
References: <dIjWm.980$lH1.93@newsfe12.iad>
<4b2a2ce0$0$16003$bd467cd0@news.dslextreme.com> <CqrWm.102$ft1.89@newsfe10.iad>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Thu, 17 Dec 2009 11:26:46 -0800
Message-ID: <m8dqv6-9js.ln1@radagast.org>
Lines: 48
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-
EI0+nCR8pcZJx7PtRECEKUpzZU4BxwZYART3H4hqftfY18PYY7kMya6TkpTkUeLZuui4CNozAwddpaU!
ooDoMEDQNV2l3h8OiOgHveZfayvs2FTuR0ZZo50Fv+4wvoNwVjYTQ5Gvs26ZXg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1685
```

>What about the dipole? I have a 1:1 balun and both ladder line and coax.
>Which is prefered?

If you want to work a wide range of bands with a single center-fed doublet, I think you'll have more success using ladder-line, and feeding directly from the balanced output of your tuner. If your tuner has only a non-balanced (coaxial) output, I'd suggest using a 1:1 choke (current balun") as close as is practical to the tuner output, and then transitioning over to ladder line.

If you're using coax, and a balun at the top, you may find yourself suffering from significant losses in the coax at high SWRs. Using ladder or open-wire line, with its higher characteristic impedance, can reduce these excess losses quite a bit (although not entirely eliminate them).

Are you firm about using a center-fed doublet/dipole? A number of people I know are very positive about their "off-center-fed" dipoles... these can work as coax-fed antennas (using a 4:1 or 6:1 balun at the feedpoint) on a set of harmonically-related bands (e.g. 80/40/20/10). Another option here is to use an off-center-fed wire, but feed it with ladder line (no balun at the feedpoint)... gives even more band coverage.

These OCF antennas are typically fed at a point around 2/3 of the way along the length (e.g. one arm is around twice the length of the other) and are cut to a length which is halfwave-resonant on the lowest band being used.

An example is the Alpha Delta DC-OCF - 135 feet long (legs are 45 and 90 feet), 6:1 balun at the feedpoint, coax-fed, covers 80/40/20/17/12/10 meters "No tuner required". It covers the lower end of 6 meters pretty well, and the higher frequencies with an increased SWR ("use with caution", presumably to avoid overstressing the balun and transmitter).

Most of these doublet/dipole antennas can also be treated as a top-loaded vertical, and fed Marconi-style (short the two sides of the feedline together, connect to the "hot" side of the tuner, and feed the ground side of the tuner to a good bed of radials). This can let you work lower-frequency bands (e.g. 160) on an antenna that by itself is too short to load up properly at such a low frequency.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 5011073437270032897
X-Google-Thread: d7f5508063,c6b988aa15d04e70
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe18.iad.POSTED!7564ea0f!not-for-mail
From: " Ron" <ronnclair@ya.com>
Newsgroups: rec.radio.amateur.equipment
References: <dIjWm.980$lH1.93@newsfe12.iad> <4b2a2ce0$0$16003$bd467cd0@news.dslextreme.com> <CqrWm.102$ft1.89@newsfe10.iad> <m8dqv6-9js.ln1@radagast.org>

```
In-Reply-To: <m8dqv6-9js.ln1@radagast.org>
Subject: Re: Dipole advice?
Lines: 80
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <gazWm.6192$Gf3.6179@newsfe18.iad>
NNTP-Posting-Host: 24.226.69.101
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe18.iad 1261092620 24.226.69.101 (Thu, 17 Dec 2009 23:30:20 UTC)
NNTP-Posting-Date: Thu, 17 Dec 2009 23:30:20 UTC
Date: Thu, 17 Dec 2009 18:30:21 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1686
```

Nice explaination,,

I understand it a lot better now, I like your idea of the off centre advantages especially when the tree distances are off,
should work out ok, unless I cut one of my neighbor's tree,,,, might look too planned.

Any good ideas for a homebrew omni on the top of the 50ft tower?

I also have a couple hd antennas I must get higher, the dish is on there but lower.

I would like to put a whip on the top mast, half way down the masting put the two hd antennas for tv (I figure one aiming north, one south (my local's station most direction)) then tee that up then there at the top of tower tie in a OCF dipole towards two trees.

The chap at the electronic store who sold me the hd antennas said it is better to do it this way or to have the router. Any body confirm or deny that? only a hundred bucks worth of parts there so not much but great signal and high def.

thanks again for your experteeze on the topic, my plan is to minimize the climbing.

"Dave Platt" <dplatt@radagast.org> wrote in message
news:m8dqv6-9js.ln1@radagast.org...

> >What about the dipole? I have a 1:1 balun and both ladder line and coax.

>>Which is prefered?
>
> If you want to work a wide range of bands with a single center-fed
> doublet, I think you'll have more success using ladder-line, and
> feeding directly from the balanced output of your tuner. If your
> tuner has only a non-balanced (coaxial) output, I'd suggest using a
> 1:1 choke (current balun") as close as is practical to the tuner
> output, and then transitioning over to ladder line.
>
> If you're using coax, and a balun at the top, you may find yourself
> suffering from significant losses in the coax at high SWRs. Using
> ladder or open-wire line, with its higher characteristic impedance,
> can reduce these excess losses quite a bit (although not entirely
> eliminate them).
>
> Are you firm about using a center-fed doublet/dipole? A number of
> people I know are very positive about their "off-center-fed"
> dipoles... these can work as coax-fed antennas (using a 4:1 or 6:1
> balun at the feedpoint) on a set of harmonically-related bands (e.g.
> 80/40/20/10). Another option here is to use an off-center-fed wire,
> but feed it with ladder line (no balun at the feedpoint)... gives even
> more band coverage.
>
> These OCF antennas are typically fed at a point around 2/3 of the way
> along the length (e.g. one arm is around twice the length of the
> other) and are cut to a length which is halfwave-resonant on the
> lowest band being used.
>
> An example is the Alpha Delta DC-OCF - 135 feet long (legs are 45 and
> 90 feet), 6:1 balun at the feedpoint, coax-fed, covers 80/40/20/
> 17/12/10 meters "No tuner required". It covers the lower end of 6
> meters pretty well, and the higher frequencies with an increased SWR
> ("use with caution", presumably to avoid overstressing the balun and
> transmitter).
>
> Most of these doublet/dipole antennas can also be treated as a
> top-loaded vertical, and fed Marconi-style (short the two sides of the
> feedline together, connect to the "hot" side of the tuner, and feed
> the ground side of the tuner to a good bed of radials). This can let
> you work lower-frequency bands (e.g. 160) on an antenna that by itself
> is too short to load up properly at such a low frequency.
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

From -5263547668572110831
X-Google-Thread: d7f5508063,c6b988aa15d04e70
X-Google-Attributes: gidd7f5508063,public,usenet

X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Dec 2009 18:47:08 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dipole advice?
References: <dIjWm.980$lH1.93@newsfe12.iad> <CqrWm.102$ft1.89@newsfe10.iad>
<m8dqv6-9js.ln1@radagast.org> <gazWm.6192$Gf3.6179@newsfe18.iad>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Thu, 17 Dec 2009 16:45:54 -0800
Message-ID: <2vvqv6-7f5.ln1@radagast.org>
Lines: 77
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-lHGJ11uvrI3PmOZADh96viVel01naVe/C/
SZ8g3Fyhc8Q6qniQPpOnSn1MrfNxGenDwcCvrCN0rWumt!n6Wz5wp3HYG1MORFslq4OOTu/
Xj5V4e2LYojqcPYYw1wuSyIEUIF6paou2IrLA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1687

>Nice explaination,,
>
>I understand it a lot better now, I like your idea of the off centre
>advantages especially when the tree distances are off,
>should work out ok, unless I cut one of my neighbor's tree,,,, might look
>too planned.
>
>Any good ideas for a homebrew omni on the top of the 50ft tower?

For which band or bands? 2 meters? If so, you could install a homebrew J-pole (these are easily made from copper pipe), or a simple quarter-wave whip with a few ground radials bent down at a 45-degree angle (two radials is enough for a very functional ground plane).

There are fancier omni antennas available, depending on what frequencies you want to work, how much gain you need, and how much you want to spend. A 1.25-wavelength "extended double zepp" made out of copper pipe, side-mounted at the top of the tower, would give you a few dB of gain compared to a J-pole or ground-plane.

>I also have a couple hd antennas I must get higher, the dish is on there but
>lower.
>
>I would like to put a whip on the top mast, half way down the masting put
>the two hd antennas for tv (I figure one aiming north, one south (my

>local's station most direction)) then tee that up then there at the top of tower tie in a OCF dipole towards two trees.
>
>The chap at the electronic store who sold me the hd antennas said it is better to do it this way or to have the router. Any body confirm or deny that? only a hundred bucks worth of parts there so not much but great signal and high def.

Well, let's see. "HD" antennas aren't fundamentally any different than decent analog-TV antennas - the RF has no idea whether it's carrying analog or digital modulations. What you want or need, in an ATSC (US digital TV) antenna, depends to a significant extent on which RF frequencies your local stations are using. In many areas, they're all up in the UHF band these days, and you can get away with a relatively small antenna... multi-bay bowtie-and-reflector antennas are popular.

In some areas (mostly urban) there are still stations transmitting digitally on the VHF bands - quite a few in the VHF "high band" (old channels 7-13) and a few still down in the VHF low-band (old channels 2-6). In these areas you'll need an antenna which is big enough to do a decent job on VHF... and the old UHF/VHF log-periodic rooftop antennas work just fine for this.

In general, you will get the best results with an antenna pointed fairly much towards the transmitter... you'll get some gain, and the antenna will be more likely to reject multipath reflections from nearby buildings and trees. If your local stations are split between mostly-north and mostly-south, then either using a bidirectional antenna, or a single antenna with a rotator, or a pair of fixed antennas with a selector switch, would make sense.

I wouldn't hook up two antennas (north and south) and just wire them in parallel... the signals will interfere and you could end up with worse results than you'd have gotten from a simple dipole.

A few HDTVs and set-top boxes now support a "smart antenna" control system. They can send a control signal (and some DC power) back up the coax to the antenna, allowing a multi-element antenna to switch a phasing network and thus "aim" itself electronically... no moving parts, just some phased beam-shaping. The DTV decoder / TV will "switch" the antenna around when channel-tuning, to figure out which beam pattern gives the cleanest signal.

Unfortunately, the control protocol and specs for this system aren't freely available, so I don't think it's possible to home-brew one.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 8772152433099378522
X-Google-Thread: d7f5508063,c6b988aa15d04e70
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe07.iad.POSTED!7564ea0f!not-for-mail
From: " Ron" <ronnclair@ya.com>
Newsgroups: rec.radio.amateur.equipment
References: <dIjWm.980$lH1.93@newsfe12.iad> <CqrWm.102$ft1.89@newsfe10.iad> <m8dqv6-9js.ln1@radagast.org> <gazWm.6192$Gf3.6179@newsfe18.iad> <2vvqv6-7f5.ln1@radagast.org>
In-Reply-To: <2vvqv6-7f5.ln1@radagast.org>
Subject: Re: Dipole advice?
Lines: 105
MIME-Version: 1.0
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <txAWm.3111$2A7.196@newsfe07.iad>
NNTP-Posting-Host: 24.226.69.101
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe07.iad 1261098201 24.226.69.101 (Fri, 18 Dec 2009 01:03:21 UTC)
NNTP-Posting-Date: Fri, 18 Dec 2009 01:03:21 UTC
Date: Thu, 17 Dec 2009 20:03:21 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1688

Thanks for comming back,,,,

not for 2m but for hf.
Something that doesn't have to be too long and tunable with the mfj adjustable tuner.
I would like to use it also for 156 megs as I talk to the boats a lot and I know that is higher freq but would prefer to have the lower frequencies and if the tuner will keep it safe.

I have one with the three traps in the middle, it is rather long and believe it is meant to be on the ground.
I have a couple of those rings with 8 dimple male 1" insert stubs that allow 8 aluminum ground planes to be clamped on and if I keep them short enough the winds wont blow them down. So I have the parts, just need to know what the measurements or heights to be useful on as many busy bands, I don't think 160m would be practical.

"Dave Platt" <dplatt@radagast.org> wrote in message
news:2vvqv6-7f5.ln1@radagast.org...
> >Nice explaination,,
>>
>>I understand it a lot better now, I like your idea of the off centre
>>advantages especially when the tree distances are off,
>>should work out ok, unless I cut one of my neighbor's tree,,,, might look
>>too planned.
>>
>>Any good ideas for a homebrew omni on the top of the 50ft tower?
>
> For which band or bands? 2 meters? If so, you could install a
> homebrew J-pole (these are easily made from copper pipe), or a simple
> quarter-wave whip with a few ground radials bent down at a 45-degree
> angle (two radials is enough for a very functional ground plane).
>
> There are fancier omni antennas available, depending on what
> frequencies you want to work, how much gain you need, and how much you
> want to spend. A 1.25-wavelength "extended double zepp" made out of
> copper pipe, side-mounted at the top of the tower, would give you a
> few dB of gain compared to a J-pole or ground-plane.
>
>>I also have a couple hd antennas I must get higher, the dish is on there
>>but
>>lower.
>>
>>I would like to put a whip on the top mast, half way down the masting put
>>the two hd antennas for tv (I figure one aiming north, one south (my
>>local's station most direction)) then tee that up then there at the top of
>>tower tie in a OCF dipole towards two trees.
>>
>>The chap at the electronic store who sold me the hd antennas said it is
>>better to do it this way or to have the router. Any body confirm or deny
>>that? only a hundred bucks worth of parts there so not much but great
>>signal
>>and high def.
>
> Well, let's see. "HD" antennas aren't fundamentally any different
> than decent analog-TV antennas - the RF has no idea whether it's
> carrying analog or digital modulations. What you want or need, in an
> ATSC (US digital TV) antenna, depends to a significant extent on which
> RF frequencies your local stations are using. In many areas, they're
> all up in the UHF band these days, and you can get away with a
> relatively small antenna... multi-bay bowtie-and-reflector antennas
> are popular.
>
> In some areas (mostly urban) there are still stations transmitting
> digitally on the VHF bands - quite a few in the VHF "high band" (old

```
> channels 7-13) and a few still down in the VHF low-band (old channels
> 2-6).  In these areas you'll need an antenna which is big enough to do
> a decent job on VHF... and the old UHF/VHF log-periodic rooftop
> antennas work just fine for this.
>
> In general, you will get the best results with an antenna pointed
> fairly much towards the transmitter... you'll get some gain, and the
> antenna will be more likely to reject multipath reflections from
> nearby buildings and trees.  If your local stations are split between
> mostly-north and mostly-south, then either using a bidirectional
> antenna, or a single antenna with a rotator, or a pair of fixed
> antennas with a selector switch, would make sense.
>
> I wouldn't hook up two antennas (north and south) and just wire them
> in parallel... the signals will interfere and you could end up with
> worse results than you'd have gotten from a simple dipole.
>
> A few HDTVs and set-top boxes now support a "smart antenna" control
> system.  They can send a control signal (and some DC power) back up
> the coax to the antenna, allowing a multi-element antenna to switch a
> phasing network and thus "aim" itself electronically... no moving
> parts, just some phased beam-shaping.  The DTV decoder / TV will
> "switch" the antenna around when channel-tuning, to figure out which
> beam pattern gives the cleanest signal.
>
> Unfortunately, the control protocol and specs for this system aren't
> freely available, so I don't think it's possible to home-brew one.
>
> --
> Dave Platt <dplatt@radagast.org>                                  AE6EO
> Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
>  I do _not_ wish to receive unsolicited commercial email, and I will
>     boycott any company which has the gall to send me such ads!



From 241966058464631673
X-Google-Thread: d7f5508063,e497ff8b6c903d89,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed.freenet.de!news.newsland.it!feeder.news.tin.it!spool.news.tin.it!not-for-
mail
From: "Tony" <iv3ium@alice.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Test
Date: Tue, 29 Dec 2009 16:18:39 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
```

Lines: 7
Message-ID: <4b3a1dcf$0$1108$4fafbaef@reader2.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.8.56.127
X-Trace: 1262099920 reader2.news.tin.it 1108 87.8.56.127:13082
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news1.google.com rec.radio.amateur.equipment:1689

www.iv3ium.it
Nord-Est Italy DX-Chat: http://www.iv3ium.it/chat/chat.html

From -1719690902023066402
X-Google-Thread: d7f5508063,e497ff8b6c903d89
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Reply-To: "C.Tuinder" <ctuinder@hotmail.com>
From: "C.Tuinder" <ctuinder@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <4b3a1dcf$0$1108$4fafbaef@reader2.news.tin.it>
Subject: Re: Test
Date: Wed, 30 Dec 2009 21:39:22 +0100
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1983
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1983
NNTP-Posting-Host: $$_fwjll_psdvs.news.x-privat.org
Message-ID: <4b3bba75$1@news.x-privat.org>
Organization: X-Privat.Org NNTP Server - http://www.x-privat.org
X-Authenticated-User: $$g8ew8pncsvjdod7n$mxc
X-Complaints-To: abuse@x-privat.org
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!xlned.com!feeder1.xlned.com!news-out1.kabelfoon.nl!newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!x-privat.org!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:1690

"Tony" <iv3ium@alice.it> schreef in bericht
news:4b3a1dcf$0$1108$4fafbaef@reader2.news.tin.it...
>
>
>
> www.iv3ium.it
> Nord-Est Italy DX-Chat: http://www.iv3ium.it/chat/chat.html

5-9+10
:-)

73

Carel
PA3DZI / OM

From -2328495377500936495
X-Google-Thread: d7f5508063,be3daea88c4ed4cb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a6g2000yqm.googlegroups.com!not-for-mail
From: Pirata <iz8qlk@live.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood SM-220 Station Monitor (no BS-8) Oscilloscope
Date: Wed, 30 Dec 2009 13:06:21 -0800 (PST)
Organization: http://groups.google.com
Lines: 14
Message-ID: <c69bf0c3-4b20-4716-8cf6-d3b8a63415b7@a6g2000yqm.googlegroups.com>
NNTP-Posting-Host: 93.147.212.189
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1262207181 24942 127.0.0.1 (30 Dec 2009 21:06:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 30 Dec 2009 21:06:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a6g2000yqm.googlegroups.com; posting-host=93.147.212.189;
     posting-account=o8DqbAoAAAB3hY3586k6SyRvp7ZBLuBs
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; it; rv:1.9.0.16)
     Gecko/2009120208 Firefox/3.0.16 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1691

Station monitor used but in perfect aesthetics conditions (see in
photo), there are only some imperfections due to the time.
The electronics is perfect, and the catodic ray tube works perfectly,
the item has been used as oscilloscope up to few days ago.

The auction includes:
Original box,
 manual copy (or if you don't want it, it's possible to download it
here)
Kenwood SM 220

The optional BS-8 is not included

http://cgi.ebay.it/ws/eBayISAPI.dll?ViewItem&item=110475577587

```
From 4410216380942277899
X-Google-Thread: d7f5508063,b9c88b4fa195320c,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j5g2000yqm.googlegroups.com!not-for-
mail
From: Desert Radio <amp.tech@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Cubic Astro 103, Swan 102, Atlas 210 / 215 repairs.
Date: Thu, 31 Dec 2009 14:07:42 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <c50f8165-f852-4978-a1e6-212e7cfab74e@j5g2000yqm.googlegroups.com>
NNTP-Posting-Host: 74.241.126.118
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1262297262 20539 127.0.0.1 (31 Dec 2009 22:07:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 31 Dec 2009 22:07:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j5g2000yqm.googlegroups.com; posting-host=74.241.126.118;
     posting-account=eXfjtAoAAABRR9ZMH3M814kE5hWmtT3l
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1692

.

Need help with your Cubic Astro 103   Swan 102   Atlas 210/215

http://www.angelfire.com/de/RadioAnarchy/radiorepairs.html

.


From 4120307487963727059
X-Google-Thread: a4a23d5f63,b325263f3719e822,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!209.197.12.242.MISMATCH!
nx01.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!
transit3.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
```

eur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1259650800@panix.com>
Followup-To: poster
Date: 1 Jan 2010 02:00:03 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 03 Feb 2010 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1262329201@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1262329203 22124 166.84.1.2 (1 Jan 2010 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 1 Jan 2010 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:14299 rec.radio.amateur.dx:526 rec.radio.amateur.equipment:1693 rec.radio.amateur.homebrew:3015 rec.radio.amateur.misc:4522 rec.radio.amateur.policy:24840 rec.radio.amateur.space:302 rec.radio.info:1134

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either
"radio.amateur" or "ham-radio" in their names, including
uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved
newsgroups up-to-date. In case we have overlooked any, and a submission
is rejected in error as a result, the rejected submitter can E-mail us
at our administrative contact address (in the signature at the bottom of
this article, and the default Reply-To for the rejection message)
requesting that it be added, and that the article be approved. We may
still choose to reject articles crossposted to any alt.* newsgroup with
an inappropriate name, including obscene language, embedded
name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.

From -1529782110732122277
X-Google-Thread: d7f5508063,4732658482a43937,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
feed.xsnews.nl!border-2.ams.xsnews.nl!69.16.177.246.MISMATCH!
cyclone03.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf02.ams.highwinds-media.com!newsfe04.ams2.POSTED!7564ea0f!not-for-mail
From: Mike Lee <swift240@gmail.com>
User-Agent: Thunderbird 2.0.0.23 (X11/20090817)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu frg-8800 mw/lw mods
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <elt%m.7027$Ma2.3340@newsfe04.ams2>
NNTP-Posting-Host: 82.37.193.218
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe04.ams2 1262379466 82.37.193.218 (Fri, 01 Jan 2010 20:57:46 UTC)
NNTP-Posting-Date: Fri, 01 Jan 2010 20:57:46 UTC
Organization: virginmedia.com
Date: Fri, 01 Jan 2010 20:57:46 +0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1694

Hi all amongst other gear I use a Yaesu FRG-8800.
I have tried a google search on mw/lw mods for this receiver but no such
luck as yet.
Some one has done it but I have no idea how to go about it.

Can any one please point me n the right direction for this.

TIA.

Mike.

From -6309264060764843321
X-Google-Thread: d7f5508063,1b7d7a453d3d2ad5,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!news.bbs-scene.org!news.unit0.net!feeder06.uucp-net.de!news.uucp.at!news.albasani.net!news.newsland.it!nntp.eutelia.it!nntp.infostrada.it!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 01 Jan 2010 17:12:27 -0600
From: beechcraft100 <beechcraft100.58436ca@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: wanted FT-767GX Working PSU Board
Date: Fri, 1 Jan 2010 21:05:28 +0000
Message-ID: <beechcraft100.58436ca@radiobanter.com>
Organization: RadioBanter.com
Lines: 15
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-C226JZ5gHMB9HYJE2OuhYAMnDjF3uPZLg0kuU6EAwJY9pB7QfUn/Jg0hSKSuMqaqs3cDm0vnG8AA2ll!xokM3TLLpP1XFyvQt9WuHYLgrGHmIKI+1TT5xVY80sp/6b33BCSK2FmLMMttRZiynvCNdGgt0RzZ!qoKKdzAm5Lh0
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 8
X-Original-Bytes: 1277
Xref: g2news1.google.com rec.radio.amateur.equipment:1695

hi all
Does anybody have a spare FT767GX working PSU board i can buy?
Fed up trying to repair mine which has been virtually rebuilt but still
the 24v output is at 42 volts
12v now working ok
Any parts considered as also any help greatly received.

Andy
G0JIA

--
beechcraft100

```
From 7143082226060757055
X-Google-Thread: d7f5508063,64310b3f07a80ed8,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe23.iad.POSTED!a2db6bf5!not-for-mail
From: "lurker" <lurker@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: cobraman097@yahoo.com Gary Okicki
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <AN30n.1188$rL7.814@newsfe23.iad>
X-Complaints-To: abuse@WWWSpace.NET
NNTP-Posting-Date: Sun, 03 Jan 2010 16:42:08 UTC
Date: Sun, 3 Jan 2010 11:41:56 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1696
```

Beware of this person, do not do business with this crook!

Gary J Okicki

7109 Josephine Dr

North Olmsted, OH 44070-5003

```
From -333575142413960244
X-Google-Thread: a4a23d5f63,734493e75beb3c11,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
```

Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1260169500@panix.com>
Followup-To: poster
Date: 7 Jan 2010 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Feb 2010 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1262847900@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1262847901 11886 166.84.1.2 (7 Jan 2010 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Jan 2010 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:14430 rec.radio.amateur.dx:531
rec.radio.amateur.equipment:1697 rec.radio.amateur.homebrew:3017
rec.radio.amateur.misc:4532 rec.radio.amateur.policy:24916 rec.radio.info:1145

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

```
One significant omission, requiring immediate updates, for this article       |
is that it does not mention newer amateur radio newsgroups created since      |
it was written, including:                                                    |

 rec.radio.amateur.antenna                                                    |
 rec.radio.amateur.boatanchors                                                |
 rec.radio.amateur.dx                                                         |
 rec.radio.amateur.equipment                                                  |
 rec.radio.amateur.homebrew                                                      |
 rec.radio.amateur.moderated                                                     |
 rec.radio.amateur.space                                                         |
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 665318696104947071
X-Google-Thread: a4a23d5f63,4c02f4bd4ef41a85,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
feeder3.cambriumusenet.nl!feed.tweaknews.nl!194.109.133.84.MISMATCH!
newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!newsfeed6.news.xs4all.nl!xs4all!
border2.nntp.ams.giganews.com!nntp.giganews.com!feeder.xsnews.nl!
border-4.ams.xsnews.nl!feed.xsnews.nl!border-3.ams.xsnews.nl!
193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!
bloom-beacon.mit.edu!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1260169800@panix.com>
Followup-To: poster
Date: 7 Jan 2010 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Feb 2010 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1262848200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1262848201 15077 166.84.1.2 (7 Jan 2010 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Jan 2010 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
```

buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:4533
rec.radio.amateur.equipment:1698 rec.radio.swap:2266 rec.radio.info:1146

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 3513083740428156303
X-Google-Thread: d7f5508063,bafc004720cff28a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
news2.glorb.com!newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail

From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: 100 uf 160 AND 450 VOLTS
Date: Fri, 8 Jan 2010 11:43:34 -0600
Organization: WebTV Subscriber
Lines: 6
Message-ID: <7780-4B476EC6-1878@storefull-3172.bay.webtv.net>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
     ETAtAhUAjN0IfkqyZNuvf92OrmX19nY++IgCFFxWgfPh58R9CRBxQ3bmtlPjZWxa
Content-Disposition: Inline
Xref: g2news1.google.com rec.radio.amateur.equipment:1699

ADDED IN ADDITION TO 10, 22, 33, AND 47 uF. dialcover.com

CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse caps, short answers, stroke.

From -5762845621332365493
X-Google-Thread: d7f5508063,4732658482a43937
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!171.64.64.130.MISMATCH!usenet.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!feedme.ziplink.net!border2.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Jan 2010 23:12:31 -0600
From: Fredholm <Fredholm.59068a5@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu frg-8800 mw/lw mods
Date: Sun, 10 Jan 2010 23:57:39 +0000
Message-ID: <Fredholm.59068a5@radiobanter.com>
Organization: RadioBanter.com
References: <elt%m.7027$Ma2.3340@newsfe04.ams2>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
RcYxGu8vmbGqmMqL8+qQlFzRQLC848AKaZzebU30yzana+XEDpu708XWR4L+51SsvEpLhUJMBnn6rf6!
YC7kYYApH0mXz3oBiC+1oOzytszckAPvyDczNsb3kJI3t3kyZBFi5CzJuixrhCHV6JQXsdT19xss!
AfQypQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40

```
X-Original-Lines: 13
X-Original-Bytes: 1458
Xref: g2news1.google.com rec.radio.amateur.equipment:1700


Mike Lee;697003 Wrote:
> Hi all amongst other gear I use a Yaesu FRG-8800.
> I have tried a google search on mw/lw mods for this receiver but no
> such
> luck as yet.
> Some one has done it but I have no idea how to go about it.
>
> Can any one please point me n the right direction for this.
>
>
> TIA.
>
> Mike.

Hi Mike, also looking for the same mod , give us a shout if you get
lucky ..regards..Fred




--
Fredholm



From -5585138603897482236
X-Google-Thread: ac483de332,ed217b7f2ff02f81,start
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p24g2000yqm.googlegroups.com!not-for-
mail
From: dances_with_barkadas@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: seek standalone hellschreiber units
Date: Tue, 12 Jan 2010 05:23:18 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
NNTP-Posting-Host: 112.203.240.151
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1263302598 18064 127.0.0.1 (12 Jan 2010 13:23:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Jan 2010 13:23:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p24g2000yqm.googlegroups.com; posting-host=112.203.240.151;
```

```
     posting-account=wy_qMAoAAAAiNtdEQUO8sUQncbVua16A
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.1.6)
     Gecko/20091201 Firefox/3.5.6,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1701 uk.radio.amateur:76502
it.hobby.radioamatori:23788 aus.radio.amateur.digital:47
```

for communication over a copper pair into an extremely noisy area,
manned by a non-code-proficient mechanic, at sea with intense
vibration.

seek standalone (ie, not a computer-sound-card-based solution)
hellschreiber gear. if it works nicely, might attract official
purchasing in quantity

```
From 6095565272663824321
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!feeder.eternal-september.org!eternal-september.org!.POSTED!not-
for-mail
From: "Charon" <Eridanos@Lethe.invalid>
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: Re: seek standalone hellschreiber units
Date: Tue, 12 Jan 2010 13:32:48 -0000
Organization: A noiseless patient Spider
Lines: 11
Message-ID: <hihtm2$o47$1@news.eternal-september.org>
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
Injection-Date: Tue, 12 Jan 2010 13:32:50 +0000 (UTC)
Injection-Info: feeder.eternal-september.org; posting-
host="dHisMjulwi7A4F+6fSWHzQ";
     logging-data="24711"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19K7RqMZMAlZRLIA96Ti54IFL0gdWq+QnM="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus-Status: Clean
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-Antivirus: avast! (VPS 100111-0, 11/01/2010), Outbound message
Cancel-Lock: sha1:W00u/WVBchJgORquQLlLMp8bFe4=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:1702 uk.radio.amateur:76506
it.hobby.radioamatori:23789 aus.radio.amateur.digital:48
```

<dances_with_barkadas@yahoo.com> wrote in message
news:5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com...

> for communication over a copper pair into an extremely noisy area,
> manned by a non-code-proficient mechanic, at sea with intense
> vibration.
>

How does the copper pair feed out over the sea? Is there
a ginormous drum on the clifftops, perhaps?

```
From 1328701056953681909
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out2.kabelfoon.nl!
newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!feeder.news-service.com!
cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf02.ams.highwinds-media.com!newsfe14.ams2.POSTED!7564ea0f!not-for-mail
From: Richard G3CWI <g3cwi@tesco.net>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: Re: seek standalone hellschreiber units
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
In-Reply-To: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <jS_2n.3039$2N3.97@newsfe14.ams2>
NNTP-Posting-Host: 80.2.39.7
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe14.ams2 1263303183 80.2.39.7 (Tue, 12 Jan 2010 13:33:03 UTC)
NNTP-Posting-Date: Tue, 12 Jan 2010 13:33:03 UTC
Organization: virginmedia.com
Date: Tue, 12 Jan 2010 13:33:05 +0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1703 uk.radio.amateur:76507
it.hobby.radioamatori:23790 aus.radio.amateur.digital:49
```

dances_with_barkadas@yahoo.com wrote:
> for communication over a copper pair into an extremely noisy area,
> manned by a non-code-proficient mechanic, at sea with intense
> vibration.
>
> seek standalone (ie, not a computer-sound-card-based solution)
> hellschreiber gear. if it works nicely, might attract official
> purchasing in quantity

ROTFL

```
--
Visit the Amazing Online Fleamarket at http://www.fleamarket.org.uk

Always lots of amateur radio gear!




From -4440180876220834304
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!feeder.eternal-september.org!eternal-september.org!.POSTED!not-
for-mail
From: atec 77 <"atec 77"@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: Re: seek standalone hellschreiber units
Date: Wed, 13 Jan 2010 09:33:31 +1000
Organization: X-No-Archive: yes
Lines: 14
Message-ID: <hij0s9$vrs$1@news.eternal-september.org>
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
<hihtm2$o47$1@news.eternal-september.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Tue, 12 Jan 2010 23:33:29 +0000 (UTC)
Injection-Info: feeder.eternal-september.org; posting-
host="boEWUuaP+eHgRsXSv318Bg";
     logging-data="32636"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX1/owgEOvdN7mVcLh/Y57IWX"
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
In-Reply-To: <hihtm2$o47$1@news.eternal-september.org>
Cancel-Lock: sha1:sn1q4/PRMYTnxGB73ons/+jr3nY=
Xref: g2news1.google.com rec.radio.amateur.equipment:1704 uk.radio.amateur:76571
it.hobby.radioamatori:23804 aus.radio.amateur.digital:50

Charon wrote:
> <dances_with_barkadas@yahoo.com> wrote in message
> news:5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com...
>> for communication over a copper pair into an extremely noisy area,
>> manned by a non-code-proficient mechanic, at sea with intense
>> vibration.
>>
>
> How does the copper pair feed out over the sea? Is there
> a ginormous drum on the clifftops, perhaps?
>
>
where does the query mention over the sea ?
  merely "at"
```

```
From -2643244811812754310
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
feeder.erje.net!feeder.eternal-september.org!eternal-september.org!.POSTED!not-
for-mail
From: "Charon" <Eridanos@Lethe.invalid>
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: Re: seek standalone hellschreiber units
Date: Wed, 13 Jan 2010 08:37:01 -0000
Organization: A noiseless patient Spider
Lines: 16
Message-ID: <hik0ne$hel$1@news.eternal-september.org>
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
<hihtm2$o47$1@news.eternal-september.org> <hij0s9$vrs$1@news.eternal-
september.org>
Injection-Date: Wed, 13 Jan 2010 08:37:03 +0000 (UTC)
Injection-Info: feeder.eternal-september.org; posting-
host="dHisMjulwi7A4F+6fSWHzQ";
     logging-data="17877"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19ItAnTn33Y4yYHn7WHN5EOWo1frjOugGc="
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
X-Antivirus-Status: Clean
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-Antivirus: avast! (VPS 100112-0, 12/01/2010), Outbound message
Cancel-Lock: sha1:oU5fLA8rLgrwHjcZyh5BDRvgaRY=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:1705 uk.radio.amateur:76599
it.hobby.radioamatori:23807 aus.radio.amateur.digital:51

"atec 77" <"atec 77"@hotmail.com> wrote in message
news:hij0s9$vrs$1@news.eternal-september.org...
> Charon wrote:
>> <dances_with_barkadas@yahoo.com> wrote in message
>> news:5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com...
>>> for communication over a copper pair into an extremely noisy area,
>>> manned by a non-code-proficient mechanic, at sea with intense
>>> vibration.
>> How does the copper pair feed out over the sea? Is there
>> a ginormous drum on the clifftops, perhaps?
> where does the query mention over the sea ?
>  merely "at"

Stupid Boy.
```

```
From 4966151381557162580
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
news2.glorb.com!feeder.erje.net!feeder.eternal-september.org!eternal-
september.org!.POSTED!not-for-mail
From: atec 77 <"atec 77"@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: Re: seek standalone hellschreiber units
Date: Wed, 13 Jan 2010 22:19:39 +1000
Organization: X-No-Archive: yes
Lines: 18
Message-ID: <hikdop$p4a$2@news.eternal-september.org>
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
<hihtm2$o47$1@news.eternal-september.org> <hij0s9$vrs$1@news.eternal-
september.org> <hik0ne$hel$1@news.eternal-september.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Injection-Date: Wed, 13 Jan 2010 12:19:37 +0000 (UTC)
Injection-Info: news.motzarella.org; posting-host="boEWUuaP+eHgRsXSv318Bg";
     logging-data="25738"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX18pBD6O0+0o15/pI0OQ0Od8"
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
In-Reply-To: <hik0ne$hel$1@news.eternal-september.org>
Cancel-Lock: sha1:NDLQEcsOpCo1EFPAhQO3f/BtG4k=
Xref: g2news1.google.com rec.radio.amateur.equipment:1706 uk.radio.amateur:76623
it.hobby.radioamatori:23813 aus.radio.amateur.digital:52

Charon wrote:
> "atec 77" <"atec 77"@hotmail.com> wrote in message
> news:hij0s9$vrs$1@news.eternal-september.org...
>> Charon wrote:
>>> <dances_with_barkadas@yahoo.com> wrote in message
>>> news:5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com...
>>>> for communication over a copper pair into an extremely noisy area,
>>>> manned by a non-code-proficient mechanic, at sea with intense
>>>> vibration.
>>> How does the copper pair feed out over the sea? Is there
>>> a ginormous drum on the clifftops, perhaps?
>> where does the query mention over the sea ?
>>  merely "at"
>
> Stupid Boy.
>
```

```
>
you certainly are


From -3509704600397544803
X-Google-Thread: d7f5508063,d4a8361e43db0e0d,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u41g2000yqe.googlegroups.com!not-for-
mail
From: W0PBV <mcalhoun@ksu.edu>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Need schematic for TenTec PowerMite
Date: Wed, 13 Jan 2010 17:53:52 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <c24d4650-79c5-4d1d-80fe-cc6b85f499bf@u41g2000yqe.googlegroups.com>
NNTP-Posting-Host: 69.149.155.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1263434032 13904 127.0.0.1 (14 Jan 2010 01:53:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 14 Jan 2010 01:53:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u41g2000yqe.googlegroups.com; posting-host=69.149.155.18;
     posting-account=_uCFGAoAAABjFHyQYXDf2QaPrLDecLxn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.7)
     Gecko/20091221 Firefox/3.5.7,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3515
rec.radio.amateur.equipment:1707

I need schematics for TenTec's PowerMite PM2A and for its AC-2, AC-3,
AC-4, and AC-5 accessories.

Please email W0PBV at ARRL dot net

--W0PBV.


From 3521975839367049364
X-Google-Thread: 733d321764,246c9135acceb72b,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe24.iad.POSTED!7564ea0f!not-for-mail
From: "Norm VE3CZI" <rodemi@cogeco.ca>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: FA: NATIONAL RADIO 2 METER CONVERTER for NC-300 Receiver
Lines: 8
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <dVF3n.9587$TC5.3189@newsfe24.iad>
NNTP-Posting-Host: 24.141.182.13
X-Complaints-To: abuse@cogeco.net
X-Trace: newsfe24.iad 1263479497 24.141.182.13 (Thu, 14 Jan 2010 14:31:37 UTC)
NNTP-Posting-Date: Thu, 14 Jan 2010 14:31:37 UTC
Date: Thu, 14 Jan 2010 09:31:33 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1708
rec.radio.amateur.homebrew:3035 rec.radio.swap:2294

Have up for auction a RARE Classic unit..Don't miss out on this one!

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=320474375918&ssPageName=STRK:MESELX:IT

Tnx for looking....Norm
```

```
From -6471899663819349810
X-Google-Thread: d7f5508063,2a834d86bf810642,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!
news-1.dfn.de!news.dfn.de!kanaga.switch.ch!news-zh.switch.ch!switch.ch!
newsfeed01.chello.at!newsfeed.freenet.de!news2.euro.net!82.197.223.103.MISMATCH!
feeder3.cambriumusenet.nl!feed.tweaknews.nl!209.197.12.242.MISMATCH!
nx01.iad01.newshosting.com!newshosting.com!216.196.98.150.MISMATCH!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Jan 2010 23:12:14 -0600
From: bakert <bakert.595aea3@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hep with amp
Date: Fri, 15 Jan 2010 03:19:07 +0000
Message-ID: <bakert.595aea3@radiobanter.com>
Organization: RadioBanter.com
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-5m2OYOPXHPq1oHWwIgNfpqRPj7WoqlSRLFlbzEJ0BYYlu0r0MzyaSi2e3RFws68UXGKigePWI0F6K+
C!+lIFmppYWXooquxftzezxc1KIFb0TMj+twPkQokW+MewVSWWWFdoVt1e9a0asDT7Gzwi+KLjKjsY!
EYU=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:1709

I have a palomar 200 it has a white face with 3 rocker switches. one
switch is for power one swiych for receive on or off the other switch
is for mode high or low. my question is where can i find some info on
this an what kind of power will it put out

--
bakert

From -2989488743256216282
X-Google-Thread: d7f5508063,2a834d86bf810642
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!meganewsservers.com!
feeder2.on.meganewsservers.com!nx01.iad01.newshosting.com!newshosting.com!
post02.iad!news.dslextreme.com!not-for-mail
Date: Fri, 15 Jan 2010 04:36:28 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.7) Gecko/20100104
SeaMonkey/2.0.2
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: hep with amp
References: <bakert.595aea3@radiobanter.com>
In-Reply-To: <bakert.595aea3@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <4b50613e$0$28623$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1710

bakert wrote:
> I have a palomar 200 it has a white face with 3 rocker switches. one
> switch is for power one swiych for receive on or off the other switch
> is for mode high or low. my question is where can i find some info on
> this an what kind of power will it put out
>
>
>
>

Phone: 760-747-3343 FAX: 760-747-3346 Mail: PO Box 462222 Escondido CA 92046 e-mail Info@ Palomar-Engineers.com

```
From 3062212155861009075
X-Google-Thread: d7f5508063,2a834d86bf810642
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!newshosting.com!news.linkpendium.com!news.linkpendium.com!pit-transit.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "VK2KC" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <bakert.595aea3@radiobanter.com>
Subject: Re: hep with amp
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
x-mimeole: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <VY44n.1514$pv.165@news-server.bigpond.net.au>
Date: Fri, 15 Jan 2010 21:18:45 GMT
NNTP-Posting-Host: 58.168.27.22
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1263590325 58.168.27.22 (Sat, 16 Jan 2010 08:18:45 EST)
NNTP-Posting-Date: Sat, 16 Jan 2010 08:18:45 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:1711
```

Here is some "hep"

Palomar Electronics Corporation was a manufacturer of CB linear amplifiers in the 1960's and 1970's that used sweep tubes (now expensive) or bipolar RF transistors.
http://www.cbtricks.com/Amp/palomar/index.htm
These units were illegal for usage on CB (27 MHz/11 meters) ... and NOT designed for the amateur radio service (10 meters). They sold hundreds of thousands of these units -- most are in garages, basements or tossed in junk with 8-track tape units.
http://www.cbtricks.com/Amp/palomar/...bile/index.htm

The company went out of business around 1980. Since that time many builders and manufacturers in southwest USA and Mexico completely copied the earlier Palomar design and sold these through truck stops and other CB merchants.
http://www.palomar-engineers.com/Palomar/palomar.html

If you are just starting out in Ham radio, its not a good place to start.

Here is a link to a photo of the Palomar 200 mobile:
http://www.cbtricks.com/Amp/palomar/200_mobile/index.htm
http://www.cbtricks.com/Amp/palomar/200_mobile/tour/index.htm
John

"bakert" <bakert.595aea3@radiobanter.com> wrote in message
news:bakert.595aea3@radiobanter.com...
>
> I have a palomar 200 it has a white face with 3 rocker switches. one
> switch is for power one swiych for receive on or off the other switch
> is for mode high or low. my question is where can i find some info on
> this an what kind of power will it put out
>
>
>
>
> --
> bakert

```
From 2894802538342227695
X-Google-Thread: d7f5508063,b414b8084a141854,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: SWEDISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
b2g2000yqi.googlegroups.com!not-for-mail
From: Giuelith Diamond <giuelith@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: =?ISO-8859-1?Q?Mixet=2Ese=AE_Give_Away=21_Haiti?=
Date: Fri, 15 Jan 2010 15:23:16 -0800 (PST)
Organization: http://groups.google.com
Lines: 42
Message-ID: <30f3dd2a-ee67-4351-988e-150ca0c9d4e9@b2g2000yqi.googlegroups.com>
NNTP-Posting-Host: 90.233.146.1
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1263597796 18313 127.0.0.1 (15 Jan 2010 23:23:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Jan 2010 23:23:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b2g2000yqi.googlegroups.com; posting-host=90.233.146.1;
     posting-account=V0uBJQoAAACNVSjJrGNIBkuhzI2_GbPI
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1712
```

MIXET GIVE AWAY V=C4RLDSPREMI=C4R 2010 - HJ=C4LPINSAMLING

Hj=E4lpinsamling via Internet

UNICEF =E4r helt beroende av frivilliga bidrag. Genom att sk=E4nka en g=E5v=
a
hj=E4lper du och ditt f=F6retag UNICEF att ge fler barn ett b=E4ttre liv.
Vill ni ge en g=E5va direkt med kreditkort eller via bankkonto g=F6r ni
det h=E4r, ge en g=E5va online. Ni kan ocks=E5 k=F6pa g=E5vor i v=E5r g=E5v=
oshop f=F6r
att ge till kunder eller personal. http://www.unicef.se/stod-oss/gavoshop?=
fr=3Dmixetgiveaway

St=F6d Mixet.se=AE Give Away! Insamling via Mobil SMS

Ge 50 kr med SMS genom att skicka SMS: K=C4MPA MIXETGIVEAWAY till 72
900
Ge pengar eller bli V=E4rldsf=F6r=E4lder direkt p=E5 webben. Du kan =E4ven
handla i g=E5voshopen eller i butiken. Bes=F6k insamlingen och kolla hur
det g=E5r samt vilka andra som hj=E4lpt till. Pengarna g=E5r till UNICEFs
kamp f=F6r varenda unge.

Keywords: Hj=E4lpinsamling via n=E4tet, hj=E4lpinsamling via Internet,
mobila tj=E4nster, mobil sms, hj=E4lpinsamling via telefon, hj=E4lpinsamlin=
g
via internet f=F6r haiti, insamling haiti, hj=E4lp haiti, sms tj=E4nst,
bidrag via sms eller internet, mixet, blocket, eniro, gulasidorna,
spray, google, yahoo, msn, bing, wikipedia, yandex, rambler, tele,
telecom, adobe, photoshop, microsoft vista, skype, ip telefoni, social
blog, friends blog, twitter, youtube, webben, smshj=E4lpen,
webbhj=E4lpen, onlinehj=E4lpen, humanit=E4r bist=E5nds organisation,
hj=E4lpinsats, multilateral, f=F6retags registrering, cayman island
offshore, reklam, promotion, nyhetssida, webbnyheter, mixet
reklambyr=E5,

From 6966440693841134836
X-Google-Thread: d7f5508063,2a834d86bf810642
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 15 Jan 2010 21:03:52 -0600
Date: Fri, 15 Jan 2010 21:03:58 -0600

From: sorry-spammers <""w9wi\"@(sorry-spammers)">
Organization: Ham Radio W9WI
User-Agent: Thunderbird 2.0.0.23 (X11/20090817)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: hep with amp
References: <bakert.595aea3@radiobanter.com> <VY44n.1514$pv.165@news-server.bigpond.net.au>
In-Reply-To: <VY44n.1514$pv.165@news-server.bigpond.net.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <wYCdnQv3Fo0EsczWnZ2dnUVZ_t-dnZ2d@earthlink.com>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.153.71.62
X-Trace: sv3-LzJJLFIljfU3aGbtEtFD6VXxZVs8+nyHSWGXBNiSL/M6m2M8f1O2CuJ/Q3Td+80WXKrrV/wGtGu0TaV!GGoJi21feXpHVqhaY5DDpe7E2Jxab58O8Mb/DQ6hkUKWk1bgkU1DL0FsV1HoHm99GyUJn1WaOzRt!n7CIgzigz0KoLUEIoGvhMKVkKA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1713

A warning about these things...

A few years ago, a local ham bought a tube CB amp from an estate sale, thinking he could use it on 10 meters. He asked me to check it out before putting it on the air.

Being a paranoid type, even though the thing hadn't been plugged in for about two weeks, I kept my fingers away from the tubes & measured the voltage on the plate caps before doing anything else.

400 VOLTS.

(I think I got as much of a shock from reading the voltmeter as I would have if I'd touched the HV circuit!)

After discharging things, I traced the wiring. And was not at all surprised to find there was NO BLEEDER. Nothing to discharge the HV after switchoff. Obviously the filter capacitors were in good shape though!

In other words, these things are physically dangerous.

(I would imagine the signal quality wouldn't be very good either...)

--

Doug Smith W9WI
Pleasant View, TN EM66

```
From 1663593433076066135
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
weretis.net!feeder2.news.weretis.net!border2.nntp.ams.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!feeder.news-service.com!
cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf02.ams.highwinds-media.com!newsfe12.ams2.POSTED!7564ea0f!not-for-mail
From: Chris <ngfb@chris-street.demon.co.uk>
Subject: Re: seek standalone hellschreiber units
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Reply-To: ngfb@chris-street.demon.co.uk
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
Message-ID: <16u3rbvnnukkn.i28rki3gyrp3$.dlg@40tude.net>
Lines: 16
NNTP-Posting-Host: 80.176.79.35
X-Complaints-To: abuse@demon.net
X-Trace: newsfe12.ams2 1263694203 80.176.79.35 (Sun, 17 Jan 2010 02:10:03 UTC)
NNTP-Posting-Date: Sun, 17 Jan 2010 02:10:03 UTC
Date: Sun, 17 Jan 2010 02:10:28 +0000
X-Original-Bytes: 1747
Xref: g2news1.google.com rec.radio.amateur.equipment:1714 uk.radio.amateur:77207
it.hobby.radioamatori:23906 aus.radio.amateur.digital:53
```

On Tue, 12 Jan 2010 05:23:18 -0800 (PST), dances_with_barkadas@yahoo.com
wrote:

> for communication over a copper pair into an extremely noisy area,
> manned by a non-code-proficient mechanic, at sea with intense
> vibration.
>
> seek standalone (ie, not a computer-sound-card-based solution)
> hellschreiber gear. if it works nicely, might attract official
> purchasing in quantity

OK it is a computer soundcard solution but would a netbook with a solid state drive to cope with the foundation not be viable? Small, compact, uses little power and will drive Hell easily and is simple to use. With a little dismantling and repackaging, can easily be made watertight and even more shockproof and a custom Linux build can make it a turnkey appliance.

```
From -2011888202245136784
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
```

X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!npeersf01.ams.highwinds-media.com!newsfe18.ams2.POSTED!7564ea0f!not-for-mail
Message-ID: <QzMVZvGUWnULFwH8@birchnet.demon.co.uk>
From: Bill <Bill@birchnet.demon.co.uk>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amateur.digital
Subject: Re: seek standalone hellschreiber units
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
Lines: 29
MIME-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
User-Agent: Turnpike/6.07-M (<s5YN$2hE8fNOllJQfavAlRuwPk>)
NNTP-Posting-Host: 81.103.51.159
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe18.ams2 1263695383 81.103.51.159 (Sun, 17 Jan 2010 02:29:43 UTC)
NNTP-Posting-Date: Sun, 17 Jan 2010 02:29:43 UTC
Organization: virginmedia.com
Date: Sun, 17 Jan 2010 02:27:32 +0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1715 uk.radio.amateur:77210 it.hobby.radioamatori:23907 aus.radio.amateur.digital:54

In message <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>, dances_with_barkadas@yahoo.com writes

>for communication over a copper pair into an extremely noisy area, manned by a non-code-proficient mechanic, at sea with intense vibration.
>
>seek standalone (ie, not a computer-sound-card-based solution) hellschreiber gear. if it works nicely, might attract official purchasing in quantity

That would surely be a bit primitive in today's world.

If your main concern is the noise cancelling and your operatives can manage to operate a radio then the Motorola Mototrbo range of radios have exceptionally good noise cancelling. I have installed them in paper mills and power stations where it is impossible to speak to the person next to you because of the noise and they still work well. On one dem' the bosses refused to accept the operator was in the generator hall until they saw him there because the audio quality was so good.

<http://www.radio-links.co.uk/files/1180438189DP3400.pdf>

Sorry to all the wingers on   uk.radio.amateur   these are digital, hence the good audio processing. :-)

--

Bill

From 6740620547990998506
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Jan 2010 01:31:58 -0600
From: lucifer@eternal-flames.gov
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: Re: seek standalone hellschreiber units
Date: Sun, 17 Jan 2010 07:32:48 +0000
Organization: The dark side of the farce.
Message-ID: <l5f5l5tok93relqf55sbv1rcd4v90gis6e@4ax.com>
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
<16u3rbvnnukkn.i28rki3gyrp3$.dlg@40tude.net>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-J9aYpwhW1+3sKrwL6Rj/sxhch58CFyYggxFpb/ZSXxsGPv6FUxZ+BGuWY1TCDb1/
Pfy0OlPs055//zz!XBT5IOWH6tQFMnuQc2ML1YuLvw1rT1jMS4ebzAL1JQVmSw/
AC8cerD9gDhbzy0UMyB9bN4xPRkAR!tw==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1716 uk.radio.amateur:77219
it.hobby.radioamatori:23908 aus.radio.amateur.digital:55

On Sun, 17 Jan 2010 02:10:28 +0000, Chris
<ngfb@chris-street.demon.co.uk> wrote:

>OK it is a computer soundcard solution but would a netbook with a solid
>state drive to cope with the foundation not be viable? Small, compact, uses
>little power and will drive Hell easily and is simple to use. With a little
>dismantling and repackaging, can easily be made watertight and even more
>shockproof and a custom Linux build can make it a turnkey appliance.

I don't use Hellschreiber, but it certainly works on a small Asus
netbook, under Linux.

Nick.

```
From -8524315957295198792
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Sun, 17 Jan 2010 05:09:12 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.1.7) Gecko/20100104
SeaMonkey/2.0.2
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amate
ur.digital
Subject: Re: seek standalone hellschreiber units
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
<16u3rbvnnukkn.i28rki3gyrp3$.dlg@40tude.net>
<l5f5l5tok93relqf55sbv1rcd4v90gis6e@4ax.com>
In-Reply-To: <l5f5l5tok93relqf55sbv1rcd4v90gis6e@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <4b530be9$0$31260$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1717 uk.radio.amateur:77249
it.hobby.radioamatori:23918 aus.radio.amateur.digital:56
```

lucifer@eternal-flames.gov wrote:
> On Sun, 17 Jan 2010 02:10:28 +0000, Chris
> <ngfb@chris-street.demon.co.uk> wrote:
>
>> OK it is a computer soundcard solution but would a netbook with a solid
>> state drive to cope with the foundation not be viable? Small, compact, uses
>> little power and will drive Hell easily and is simple to use. With a little
>> dismantling and repackaging, can easily be made watertight and even more
>> shockproof and a custom Linux build can make it a turnkey appliance.
>
> I don't use Hellschreiber, but it certainly works on a small Asus
> netbook, under Linux.
>
> Nick.

I have a PSK31 autospotter consisting of an Asus PC900A netbook ($200)
running Fldigi; an MFJ-1024 active antenna; and an ICOM R75.

http://pskreporter.info/pskmap.html

This computer has an 8 gig SSD and is very solidly constructed. I run
Puppy Linux 4.20 operating system.

http://www.w1hkj.com/

From -8715375961789749701
X-Google-Thread: ac483de332,ed217b7f2ff02f81
X-Google-Attributes: gidac483de332,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Jan 2010 07:55:17 -0600
From: lucifer@eternal-flames.gov
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur,it.hobby.radioamatori,aus.radio.amateur.digital
Subject: Re: seek standalone hellschreiber units
Date: Sun, 17 Jan 2010 13:56:08 +0000
Organization: The dark side of the farce.
Message-ID: <j156l51nj4pk2j8qkom82vqvunkvouskgn@4ax.com>
References: <5cce08bd-21d6-48e5-8543-499e69bf65a6@p24g2000yqm.googlegroups.com>
<16u3rbvnnukkn.i28rki3gyrp3$.dlg@40tude.net>
<l5f5l5tok93relqf55sbv1rcd4v90gis6e@4ax.com>
<4b530be9$0$31260$bd467cd0@news.dslextreme.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
X-Usenet-Provider: http://www.giganews.com
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-3JW78IkF0+w5IDqU/
h+CPq8e41jUm61NDMkJC0Te7s1jeu3TQJ09NPGGfqJifjG+FjVAJ6f8uJR5RY3!mxIvCyTwa4Q/
FOioBruWz0EJGcSGQozlNFzcuxUnGWHlzq1hId5MlKemnkDGfiZKACmT0y3zXmJj
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1718 uk.radio.amateur:77253 it.hobby.radioamatori:23919 aus.radio.amateur.digital:57

On Sun, 17 Jan 2010 05:09:12 -0800, dave <dave@dave.dave> wrote:

>> I don't use Hellschreiber, but it certainly works on a small Asus
>> netbook, under Linux.
>>

>> Nick.
>
>I have a PSK31 autospotter consisting of an Asus PC900A netbook ($200)
>running Fldigi; an MFJ-1024 active antenna; and an ICOM R75.
>
>http://pskreporter.info/pskmap.html
>
>This computer has an 8 gig SSD and is very solidly constructed. I run
>Puppy Linux 4.20 operating system.
>
>http://www.w1hkj.com/

Just install Wine, then Hellschrieber. I've tried it as I say, but
don't have it installed now, I use Digipan, instead.

You'll have to add it to the applications menu yourself of course, but
that isn't difficult.

I'm using it on the PC701G also with an 8Gb SSD

Nick.

From -2785158239470394827
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l19g2000yqb.googlegroups.com!not-for-mail
From: walt <wbelsito@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: can anybody use these ?
Date: Sun, 17 Jan 2010 10:28:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 14
Message-ID: <ac715001-030b-4fee-a1fe-2e8b64c5f269@l19g2000yqb.googlegroups.com>
NNTP-Posting-Host: 64.252.16.151
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1263752894 1429 127.0.0.1 (17 Jan 2010 18:28:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 17 Jan 2010 18:28:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l19g2000yqb.googlegroups.com; posting-host=64.252.16.151;
     posting-account=CnAsNAkAAAA3FlvVIVgil95Wiq2sXKRp
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.1.7)
     Gecko/20091221 Firefox/3.5.7 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1719

i have 2 ARRL lightning calculator s .

excellent condition .

type A is for freq & wavelength

type B is for ohms law .

for the both of them i am asking $ 5 postpaid .

i do paypal as wbelsito@aol.com

thanks   WALT

```
From -5053237881691169163
X-Google-Thread: d7f5508063,fe6d21e3fa6a04a0,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!postnews.google.com!o35g2000vbl.googlegroups.com!not-for-
mail
From: Gene <sawman02@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: =?windows-1252?Q?PRO=2ESIS=2ETEL_ROTOR_CONTOL_BOX_Model_=93C=94?=
Date: Mon, 18 Jan 2010 16:24:51 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <9b981236-7012-499b-8154-80242e561dc4@o35g2000vbl.googlegroups.com>
NNTP-Posting-Host: 69.127.46.189
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1263860691 5113 127.0.0.1 (19 Jan 2010 00:24:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Jan 2010 00:24:51 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o35g2000vbl.googlegroups.com; posting-host=69.127.46.189;
     posting-account=6WGPegkAAADfEiCmyH-GEIoZZGyER6c1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; AskTB5.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1720

FOR SALE
PRO.SIS.TEL ROTOR CONTOL BOX Model =E2=80=9CC=E2=80=9D
Features:
=E2=80=A2=EF=80=A0Voice synthesizer
=E2=80=A2=EF=80=A0Keypad command entry
=E2=80=A2=EF=80=A09 memories
=E2=80=A2=EF=80=A0Selectable soft start and soft stop
=E2=80=A2=EF=80=A0+70=C2=B0 and =E2=80=9370=C2=B0 rotation overlap (total r=
otation range of 500=C2=B0)
=E2=80=A2=EF=80=A0Manual command with reverse delay
=E2=80=A2=EF=80=A0RS232 computer control compatible
```

=E2=80=A2=EF=80=A0Selectable north or south stop

Go to page 20 for details:

http://www.ecse.rpi.edu/Courses/CStudio/docs/Prosistel61C.pdf

Pictures are available upon request.

Please send e-mail to wb2hid@arrl.net

```
From -5458894690600145251
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!22g2000yqr.googlegroups.com!not-for-
mail
From: RadioTuner <jhulet@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu VX-8R Belt Clip Kit
Date: Mon, 18 Jan 2010 18:35:53 -0800 (PST)
Organization: http://groups.google.com
Lines: 13
Message-ID: <5f06978a-f2d4-44fc-8f2f-bdf5ace38c08@22g2000yqr.googlegroups.com>
NNTP-Posting-Host: 64.12.116.20
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1263868553 1888 127.0.0.1 (19 Jan 2010 02:35:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Jan 2010 02:35:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000yqr.googlegroups.com; posting-host=64.12.116.20;
     posting-account=JHXGoAkAAADj-yN2QD8qUaQ6j6dBfYn5
User-Agent: G2/1.0
X-HTTP-Via: HTTP/1.1 (Velocity/3.1.1.5 [uScHs f p eN:t cCUp s ]), HTTP/1.1
     spider-mtc-tb12.proxy.aol.com[400C702C] (Prism/1.2.1), HTTP/1.1
     cache-mtc-aa16.proxy.aol.com[400C7414] (Traffic-Server/6.1.5 [uScM])
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.5; AOLBuild
     4337.155; Windows NT 6.0; WOW64; Trident/4.0; SLCC1; .NET CLR 2.0.50727;
     Media Center PC 5.0; .NET CLR 3.5.30729; .NET CLR 1.1.4322; .NET CLR
     3.0.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1721
```

Replacement belt clip for the Yaesu VX-8R hand-held radio. Replaces the stock belt clip.

Belt Clip is spring loaded, swivels, and locks with quick button release. Unlike some belt clips that will release your radio when the radio swivels 45 degrees or more, with this belt clip you "must" push the button to release the radio.

Stainless Steel bolt, washer, & Nut. Perfect for quick retrieval and replacement of the radio during field day or amateur radio operations. Leave the bet clip on your belt.

For photos and to order visit: http://HamClips.com

```
From 7347120557466605601
X-Google-Language: ENGLISH,ASCII-7-bit
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=gmail.com; s=gamma;
     h=domainkey-signature:mime-version:received:date:message-id:subject
     :from:to:content-type;
     bh=2756OJ7x1ilSKLxtEfAQkvfKhpdjPYQwkFD3aVY/In0=;
     b=GnUL68qJi/VkhPuAdObka18H1Pd4IldjvSIUgJMuKLjpnfYZ+qQ9uj8v+Ld/j8wx7m
     urUSHuUzWRdMDwdLa2tG5lFiIUlj32MdVT5yf/EuSbI9XQ7itVXb71fN0bTplc2b0Gka
     ggB8dJhp+KdVfHwj34MHQwrgTIbRcOinyDhNM=
DomainKey-Signature: a=rsa-sha1; c=nofws; d=gmail.com; s=gamma;
     h=mime-version:date:message-id:subject:from:to:content-type;
     b=vFu9xeZ5UODv3a3OGee/Uk4S9GvUgHOiYj8WdAr3w8Cp0ZCzbcYjAH64nngidULE2s
     DkAlvnlJwiDms5fJpWBv/wte46Udrz66PbKBRi9ecM/THiXe6XLfNXLQVh8ePdSUamgj
     civgYEiATaVPv17SlFAg+kQ7eilRYxbuphmXE=
MIME-Version: 1.0
Date: Sat, 23 Jan 2010 17:34:08 -0800
Message-ID: <ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com>
Subject: Stupidest ham radio customer review ever
Content-Type: text/plain; charset=ISO-8859-1
Newsgroups: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.swap
Author-Supplied-Address: x<DOT>morph<DOT>2<AT>gmail<DOT>com
From: Dur <Use-Author-Supplied-Address-Header@[127.1]>
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news2.arglkargh.de!news.bananasplit.info!mail2news.mixmin.net
X-Abuse-Contact: abuse@mixmin.net
Lines: 3
Xref: g2news1.google.com alt.ham-radio:1274 rec.radio.amateur.equipment:1722
rec.radio.swap:2321
```

Amazon.com customer review of the GALAXY DX2517: http://snurl.com/HamMoron

```
From -5460598693520483775
X-Google-Thread: 733d321764,5ed846d63535475b
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
news2.glorb.com!news-xfer.nntp.sonic.net!news.snarked.org!not-for-mail
From: "D. Stussy" <spam+newsgroups@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Stupidest ham radio customer review ever
Date: Sat, 23 Jan 2010 18:39:02 -0800
Lines: 10
Message-ID: <hjgbs0$tie$1@snarked.org>
References: <ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: 71.118.51.220
```

```
X-Trace: snarked.org 1264300736 30286 71.118.51.220 (24 Jan 2010 02:38:56 GMT)
X-Complaints-To: newsmaster+complaints@snarked.org
NNTP-Posting-Date: Sun, 24 Jan 2010 02:38:56 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:1723 rec.radio.swap:2322
```

"Dur" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
news:ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com...

> Amazon.com customer review of the GALAXY DX2517:
http://snurl.com/HamMoron

It was a cheesy response! ;-)

```
From -2893476969172927621
X-Google-Thread: 733d321764,5ed846d63535475b
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
feeder.eternal-september.org!eternal-september.org!.POSTED!not-for-mail
From: david <none@nospam.com>
Newsgroups: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Stupidest ham radio customer review ever
Date: Sun, 24 Jan 2010 03:26:21 +0000 (UTC)
Organization: A noiseless patient Spider
Lines: 6
Message-ID: <hjgekt$gbl$1@news.eternal-september.org>
References: <ca6ca7c71001231734j22e5d598p4de42bc1348fb067@mail.gmail.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Injection-Date: Sun, 24 Jan 2010 03:26:21 +0000 (UTC)
Injection-Info: feeder.eternal-september.org; posting-
host="qo9wsUFikzPO9aAXz6ivpw";
     logging-data="16757"; mail-complaints-to="abuse@eternal-september.org";
     posting-account="U2FsdGVkX19xEcvjP9AlttNSNWDcbMFd"
Cancel-Lock: sha1:KXWlW8uGOrkfIuYHQ33GFHLd8tg=
Xref: g2news1.google.com alt.ham-radio:1275 rec.radio.amateur.equipment:1724
rec.radio.swap:2323
```

On Sat, 23 Jan 2010 17:34:08 -0800, Dur rearranged some electrons to say:

> Amazon.com customer review of the GALAXY DX2517:
> http://snurl.com/HamMoron

```
You didn't think he was serious, did you?


From -6259466522697869001
X-Google-Thread: 7221ecd0f7,af9603c5f96ebc72,start
X-Google-Attributes: gid7221ecd0f7,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j19g2000yqk.googlegroups.com!not-for-
mail
From: Arky Bob <Arky_Bob_Rules@yahoo.com>
Newsgroups:
rec.radio.cb,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amate
ur.misc,rec.radio.amateur.dx
Subject: Radio Items FA
Date: Sat, 12 Sep 2009 19:54:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <1e1832d9-2c3f-4429-8821-54cdff62c495@j19g2000yqk.googlegroups.com>
NNTP-Posting-Host: 97.89.123.37
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1252810449 19621 127.0.0.1 (13 Sep 2009 02:54:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Sep 2009 02:54:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j19g2000yqk.googlegroups.com; posting-host=97.89.123.37;
     posting-account=XKjjlAoAAAB7-Gfoc5V9fd8gGJNq-L7g
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; InfoPath.2; FDM; .NET CLR
     3.0.4506.2152; .NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.cb:9646 rec.radio.amateur.antenna:14316
rec.radio.amateur.equipment:1785 rec.radio.amateur.misc:4527
rec.radio.amateur.dx:492

Like New Bencher black-base paddle with cable and connector.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=190334691470

Radio Shack SWR - Power Meter
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=190334693430

New MFJ 2 position antenna switch
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=190334698835



From -7516481090962650772
X-Google-Thread: 4baf9708d4,66acf6787b8abd7b,start
X-Google-Attributes: gid4baf9708d4,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y20g2000vbk.googlegroups.com!not-for-
mail
```

```
From: Arky Bob <Arky_Bob_Rules@yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Radio Shack SWR meter FA - Re-listed
Date: Tue, 15 Sep 2009 15:04:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <c1cbd53f-fc7d-4d1c-bbf9-7bbac6f9b0da@y20g2000vbk.googlegroups.com>
NNTP-Posting-Host: 97.89.123.37
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1253052258 21065 127.0.0.1 (15 Sep 2009 22:04:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Sep 2009 22:04:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y20g2000vbk.googlegroups.com; posting-host=97.89.123.37;
     posting-account=XKjjlAoAAAB7-Gfoc5V9fd8gGJNq-L7g
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; InfoPath.2; FDM; .NET CLR
     3.0.4506.2152; .NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.swap:2426 rec.radio.amateur.equipment:1786
rec.radio.amateur.antenna:14430

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=190335452335&ssPageName=STRK:MESELX:IT



From -6803905533050791834
X-Google-Thread: d7f5508063,42d87f7a6bcdf243
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!o36g2000vbl.googlegroups.com!not-for-
mail
From: Jinx <boydpaulkat@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB:Hy-Gain Penetrator Order 500 Antenna
Date: Thu, 17 Sep 2009 16:14:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 41
Message-ID: <11ebbf2b-85e3-48f7-9e47-550bf9d91594@o36g2000vbl.googlegroups.com>
References: <f65b33eb-01e0-424e-8083-7aac3f308e96@r25g2000vbn.googlegroups.com>
     <9ZV8m.6277$ze1.3160@news-server.bigpond.net.au> <r7W8m.6282$ze1.2345@news-
server.bigpond.net.au>
NNTP-Posting-Host: 75.39.142.1
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1253229283 18851 127.0.0.1 (17 Sep 2009 23:14:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 17 Sep 2009 23:14:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o36g2000vbl.googlegroups.com; posting-host=75.39.142.1;
```

```
     posting-account=U1ty-AoAAABWMm5GxTRwwAKu-Jz3Ztwx
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.0; WOW64;
     Trident/4.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR
     3.5.21022; .NET CLR 3.5.30729; .NET CLR 3.0.30618; OfficeLiveConnector.1.4;
     OfficeLivePatch.0.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1787

On Jul 20, 3:44=A0am, "VK2KC" <vk2kcj...@gmail.com> wrote:
> Larry,
> Just had another look, and the HyGain Penetrator was .64 wavelength long,
> this site:http://www.wolfradio.com/ant_new.htm
>
> Wolf Radio manufactures them by the look of it, and their Point 64 FMBC
> maybe the closest to the real McCoy, but at $160?
> Cheers
> John
>
> "VK2KC" <vk2kcj...@gmail.com> wrote in message
>
> news:9ZV8m.6277$ze1.3160@news-server.bigpond.net.au...
>
>
>
> > Larry from memory they were made in the 60's.
>
> > Here is and link to the original instruction manual, maybe you could bu=
y
> > the mount off HY-Gain and fab the rest.
>
> >http://www.cbtricks.com/ant_manuals/hygain/model_500/graphics/hy-gain...
>
> > Cheers
> > John
> > VK2KC
>
> > "quartz" <thunderman1...@gmail.com> wrote in message
> >news:f65b33eb-01e0-424e-8083-7aac3f308e96@r25g2000vbn.googlegroups.com..=
.
> >> am looking for Hy-Gain Penetrator Order 500 Antenna =A0to buy
>
> >> thank u
>
> >> larry- Hide quoted text -
>
> - Show quoted text -

I have an original hy-gain penetrator antenna possible for sale, (with
base coax0 plus a palamar model 50 bi-liner


From 3293757985210083703
X-Google-Thread: 4baf9708d4,66acf6787b8abd7b
```

```
X-Google-Attributes: gid4baf9708d4,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!f10g2000vbf.googlegroups.com!not-for-
mail
From: Arky Bob <Arky_Bob_Rules@yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Re: Radio Shack SWR meter FA - Re-listed
Date: Fri, 18 Sep 2009 09:21:36 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <57809deb-534e-4fcc-9799-4679be2024d0@f10g2000vbf.googlegroups.com>
References: <c1cbd53f-fc7d-4d1c-bbf9-7bbac6f9b0da@y20g2000vbk.googlegroups.com>
NNTP-Posting-Host: 97.89.123.37
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1253290896 11954 127.0.0.1 (18 Sep 2009 16:21:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 18 Sep 2009 16:21:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f10g2000vbf.googlegroups.com; posting-host=97.89.123.37;
     posting-account=XKjjlAoAAAB7-Gfoc5V9fd8gGJNq-L7g
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; InfoPath.2; FDM; .NET CLR
     3.0.4506.2152; .NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.swap:2429 rec.radio.amateur.equipment:1788
rec.radio.amateur.antenna:14491
```

On Sep 15, 6:04=A0pm, Arky Bob <Arky_Bob_Ru...@yahoo.com> wrote:

Sold - thanks.

```
From 459210130226629013
X-Google-Thread: 9e586c3d78,2f0ea037ea7633ac,start
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m11g2000vbl.googlegroups.com!not-for-
mail
From: Arky Bob <Arky_Bob_Rules@yahoo.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.antenna,rec.radio.sho
rtwave
Subject: HP-42S RPN Calculator - FA
Date: Fri, 18 Sep 2009 09:23:48 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <21b3d7a2-dc5e-410a-9981-db3d25cba35f@m11g2000vbl.googlegroups.com>
NNTP-Posting-Host: 97.89.123.37
Mime-Version: 1.0
```

Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1253291028 7202 127.0.0.1 (18 Sep 2009 16:23:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 18 Sep 2009 16:23:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m11g2000vbl.googlegroups.com; posting-host=97.89.123.37;
     posting-account=XKjjlAoAAAB7-Gfoc5V9fd8gGJNq-L7g
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; InfoPath.2; FDM; .NET CLR
     3.0.4506.2152; .NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.swap:2430 rec.radio.amateur.equipment:1789
rec.radio.amateur.antenna:14492 rec.radio.shortwave:49216

HP-42S - Scientific Calculator - RPN keystroke - excellent condition -
with manual
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=190334697354

From 3319314666756261662
X-Google-Thread: d7f5508063,48857cfe3ab3677e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!club-internet.fr!feedme-small.clubint.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-703 vs FT-817
Date: Fri, 18 Sep 2009 22:33:58 -0400
Organization: Aioe.org NNTP Server
Lines: 20
Message-ID: <fmmck-D823A3.22335818092009@nntp.aioe.org>
NNTP-Posting-Host: SsAAatJIWStFlbkvcFnsxQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.8.0
Cancel-Lock: sha1:PuAAHgp9zPe1voIOLgZsbM/SJuk=
Xref: g2news2.google.com rec.radio.amateur.equipment:1790

I'm trying to decide between the Icom IC-703 and Yaesu FT-817 for a portable QRP rig. I would probably get the optional narrow CW filter, which is available for each.

I have downloaded the user manuals for each but haven't been able to find much information about their built-in keyers.

IC-703 has a setup menu that chooses between a regular keyer and a bug. I assume that the regular keyer uses an iambic paddle, but it doesn't elaborate on how it works when the paddle is squeezed. Does it have dot and dash insertion? Does it have automatic character spacing?

The FT-817 has even less information about the keyer. How does it work with an iambic paddle?

I would appreciate any insight into the keyers, as well as any general comments comparing the two rigs.

73, Fred
K4DII

```
From -2484417515578767919
X-Google-Thread: d7f5508063,b9d34016cb8f3122
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 18 Sep 2009 23:13:17 -0500
From: telsalectical <telsalectical.4fa0fcf@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: PALSTAR   R30CC and PS30 both for $430 shipped
Date: Sat, 19 Sep 2009 03:40:00 +0100
Message-ID: <telsalectical.4fa0fcf@radiobanter.com>
Organization: RadioBanter.com
References:  <34d06149-83f7-4dc5-a930-3b1a6962ac7b@d4g2000prc.googlegroups.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-AUUfcmAtRt+7r900QNIj5E+gnYXbWAysBcup3uGWWBVrFNwrN/nKNK2nySckN/
q7soDXbfus5JvpeB6!
ROQBNqvhUJeHtRZkjJwcbRJAdNuQe9Qv9s36YFClFTzg5EplAtyhW4v2cHbUSofCfXVSapTHTQmH!
WNp2Bx0JknBM
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 4
Xref: g2news2.google.com rec.radio.amateur.equipment:1791
```

Is the radio still for sale ? If so why are you selling it, and how old is it? Thank you. John   e-mail
mcclellanj15@yahoo.com=AKSWL;683801]MINT PERFECT

PALSTAR R30CC (Collins filters) and SP30 speaker, original boxes, receipt, manual, non-smoker.

--
telsalectical

From 5819113178880939197
X-Google-Thread: d7f5508063,48857cfe3ab3677e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 19 Sep 2009 11:13:08 -0500
From: KE5LDO <KE5LDO.4fab887@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-703 vs FT-817
Date: Sat, 19 Sep 2009 16:19:08 +0100
Message-ID: <KE5LDO.4fab887@radiobanter.com>
Organization: RadioBanter.com
References: <fmmck-D823A3.22335818092009@nntp.aioe.org>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-fnmL3Wix80ToDq1OTwy9IDqSHDOqz8RaHaPSZl/
rvHY8BlpioSUv0j+mFEn7qTmMVgIywBwRv3zUgG3!
gSxbRXRdJ6k+O1WeDWIXkexNjpXo6vXv2YzPXSNIPmlZ2NxvdwqqhJxXFjhN66p37BMkVI08c4Qz!PFE=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 14
Xref: g2news2.google.com rec.radio.amateur.equipment:1793

My opinion would be, will you be QRP all the time? If not the 703 would
be your best bet. If it is, the 817. Check out the eham.net site for
information,as wellas bth Yahoo newsgroups. Hope this helps. KE5LDO

[

--
KE5LDO

From 1703103129088026917
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!193.201.147.73.MISMATCH!border2.nntp.ams.giganews.com!
nntp.giganews.com!news.mixmin.net!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-703 vs FT-817
Date: Sat, 19 Sep 2009 15:03:51 -0400
Organization: Mixmin
Lines: 25
Message-ID: <fmmck-BBAC21.15035119092009@news.mixmin.net>
References: <fmmck-D823A3.22335818092009@nntp.aioe.org>
<KE5LDO.4fab887@radiobanter.com>
NNTP-Posting-Host: a1269cef8f329bb533b3157e614a806b
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Sat, 19 Sep 2009 19:03:52 +0000 (UTC)
Posted: yes
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:1794

In article <KE5LDO.4fab887@radiobanter.com>,
 KE5LDO <KE5LDO.4fab887@radiobanter.com> wrote:

> My opinion would be, will you be QRP all the time? If not the 703 would
> be your best bet. If it is, the 817. Check out the eham.net site for
> information,as wellas bth Yahoo newsgroups. Hope this helps. KE5LDO

Per your suggestion, I read some of the reviews on each at eham.com. My
impression is that most people like whichever one they have. None of
the reviews I read said anything about how the keyers work.

Comments from people that have had both, lean towards the IC-703.
Comments were made about the 703 having a very good built-in tuner, and
the 817 being too tiny.

Dale, W4OP, suggested that I consider the Elecraft K2 with its
outstanding receiver and low current drain. Eham reviews are mostly
positive, but my eyesight may not permit me to built one from the kit.

A quick check of E-Bay finds several 817s for sale, but no 703s or
Elecrafts.

73,
Fred
K4DII

From -8642458537600624311

```
X-Google-Thread: d7f5508063,23350b013f8972b4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k26g2000vbp.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Yaesu FT-817/ND
Date: Sun, 20 Sep 2009 07:26:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <370aeb80-c171-497c-b7e5-435c6c118120@k26g2000vbp.googlegroups.com>
NNTP-Posting-Host: 94.253.238.86
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1253456817 2933 127.0.0.1 (20 Sep 2009 14:26:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 20 Sep 2009 14:26:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k26g2000vbp.googlegroups.com; posting-host=94.253.238.86;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; hr; rv:1.9.1.3)
     Gecko/20090824 Firefox/3.5.3,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1795

 In no working condition for parts .

http://picasaweb.google.hr/home?client=firefox-
a&rls=org.mozilla:hr:official&hl=hr&tab=wq



From 2156486832906693806
X-Google-Thread: d7f5508063,9bc1303e108b5cd4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: "olfart" <olfart65@excite.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Service Manual or schematic for Watkins Johnson DRO 333 or DRO 309
counter???
Date: Sun, 20 Sep 2009 12:53:00 -0400
Lines: 6
Message-ID: <7hn5biF2ud3dbU1@mid.individual.net>
X-Trace: individual.net MbFxusTwApBrG7ozBYc07QMCqTainvAAPT2nGENNdr8pYcNUk=
Cancel-Lock: sha1:v+KWQkA7fpGAYqbXdWJpD8Z/Nr0=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-RFC2646: Format=Flowed; Original
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-Antivirus: avast! (VPS 090919-0, 09/19/2009), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3407
rec.radio.amateur.equipment:1796

Trying to repair a WJ/CEI DRO 333 counter
Will gladly pay for a copy of any documentation on this unit.
Reply to group or olfart65@excite.com
Tnx & 73's

From 2865191463527213936
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
209.197.12.246.MISMATCH!nx02.iad01.newshosting.com!newshosting.com!
216.196.98.140.MISMATCH!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 20 Sep 2009 17:13:34 -0500
From: KE5LDO <KE5LDO.4fc5e65@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-703 vs FT-817
Date: Sun, 20 Sep 2009 21:08:42 +0100
Message-ID: <KE5LDO.4fc5e65@radiobanter.com>
Organization: RadioBanter.com
References: <fmmck-D823A3.22335818092009@nntp.aioe.org>
<KE5LDO.4fab887@radiobanter.com> <fmmck-BBAC21.15035119092009@news.mixmin.net>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-V3z/
tMDkz3T9BOnG9j3RfXA9LJLRYIwlr4r2b3nbVrZ9GUwvtYfmAMTGa2PH5o0ul26xLImGwkqgEHb!
fyjPExkcs6ftE8VUdEZwu+qBkUJUbeluRjP9Z3srNmfH4Wjs2mu3NshV4V0RaTnE3TED5ayZwviI!Dvg=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news2.google.com rec.radio.amateur.equipment:1797

You can purchase the Elecraft 2, 3, or any of the others completely
built, also. I suffer the same problems with poor eyesight. KE5LDO

--
KE5LDO

From 8749639629732073312
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!8c40745b!not-for-mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <fmmck-D823A3.22335818092009@nntp.aioe.org> <KE5LDO.4fab887@radiobanter.com> <fmmck-BBAC21.15035119092009@news.mixmin.net> <KE5LDO.4fc5e65@radiobanter.com>
Subject: Re: IC-703 vs FT-817
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <lAztm.2883$Jd7.1982@nwrddc02.gnilink.net>
Date: Mon, 21 Sep 2009 00:15:13 GMT
NNTP-Posting-Host: 72.71.96.236
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1253492113 72.71.96.236 (Sun, 20 Sep 2009 20:15:13 EDT)
NNTP-Posting-Date: Sun, 20 Sep 2009 20:15:13 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1798

"KE5LDO" <KE5LDO.4fc5e65@radiobanter.com> wrote in message news:KE5LDO.4fc5e65@radiobanter.com...

>
> You can purchase the Elecraft 2, 3, or any of the others completely
> built, also. I suffer the same problems with poor eyesight. KE5LDO
>
>
>
>
> --
> KE5LDO

Unless things have changed (I have built 2 of the K2's) Elecraft does not offer it built. They do however have independent builders they list on their WEBsite.
The K3 may be purchased built- of course it only involves non-soldering assembly of boards and panels anyway.
Dale W4OP

```
From -5588097034877176225
X-Google-Thread: d7f5508063,48857cfe3ab3677e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!club-internet.fr!feedme-
small.clubint.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-703 vs FT-817
Date: Mon, 21 Sep 2009 02:58:46 -0400
Organization: Aioe.org NNTP Server
Lines: 40
Message-ID: <fmmck-2011ED.02584521092009@nntp.aioe.org>
References: <fmmck-D823A3.22335818092009@nntp.aioe.org>
<KE5LDO.4fab887@radiobanter.com> <fmmck-BBAC21.15035119092009@news.mixmin.net>
<KE5LDO.4fc5e65@radiobanter.com> <lAztm.2883$Jd7.1982@nwrddc02.gnilink.net>
NNTP-Posting-Host: SHbN+OoYt5ZLyyKORLWH+A.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-Notice: Filtered by postfilter v. 0.8.0
Cancel-Lock: sha1:ecWMyznFK/aZJmJ1EC/MH/DIdkQ=
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:1799

In article <lAztm.2883$Jd7.1982@nwrddc02.gnilink.net>,
 "Dale Parfitt" <parinc1@verizon.net> wrote:

> "KE5LDO" <KE5LDO.4fc5e65@radiobanter.com> wrote in message
> news:KE5LDO.4fc5e65@radiobanter.com...
> >
> > You can purchase the Elecraft 2, 3,  or any of the others completely
> > built, also. I suffer the same problems with poor eyesight. KE5LDO
> >
> > --
> > KE5LDO
>
> Unless things have changed ( I have built 2 of the K2's) Elecraft does not
> offer it built. They do however have independent builders they list on their
> WEBsite.
> The K3 may be purchased built- of course it only involves non-soldering
> assembly of boards and panels anyway.
> Dale W4OP

Last year I built an Anatek "blue" ESR meter kit that is probably quite
simple compared to the K2.  There were several times where I soldered
parts into the wrong holes!  After correcting the mistakes, it
eventually was finished and works well.

If I went with the K2, I'd build it myself.  It might take a while.

The one complaint I've read about the K2, was that it drifts noticeably.
The specs on the Elecraft web site and in the K2 owner's manual, are not
```

very clear. The manual does mention a 100 Hz warm-up drift, and an accuracy of "+/- 30 Hz over a 500 kHz range (typ) when calibrated". The calibration procedure seems a bit awkward.

The K3 kit would be a lot easier to assemble, and a TCXO option is available. On the other hand, the price of a 10 Watt K3 is somewhat high. With the ATU, TCXO and a roofing filter, the price is around $2000. An IC-703 might run around $1000, an FT-817 around $870.

73,
Fred
K4DII

From -5116538463356722457
X-Google-Thread: d7f5508063,48857cfe3ab3677e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!ecngs!feeder2.ecngs.de!feeder.erje.net!news.mixmin.net!
aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-703 vs FT-817
Date: Mon, 21 Sep 2009 13:01:37 -0400
Organization: Aioe.org NNTP Server
Lines: 14
Message-ID: <fmmck-79839A.13013721092009@nntp.aioe.org>
References: <fmmck-D823A3.22335818092009@nntp.aioe.org>
<KE5LDO.4fab887@radiobanter.com> <fmmck-BBAC21.15035119092009@news.mixmin.net>
<KE5LDO.4fc5e65@radiobanter.com> <lAztm.2883$Jd7.1982@nwrddc02.gnilink.net>
<fmmck-2011ED.02584521092009@nntp.aioe.org>
NNTP-Posting-Host: 2C0JIvIrxBj2+umh4z8Izg.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-Notice: Filtered by postfilter v. 0.8.0
Cancel-Lock: sha1:gKmyBJs0DHPf1Rw+SO6BI3Pr2xg=
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:1800

In article <fmmck-2011ED.02584521092009@nntp.aioe.org>,
Fred McKenzie <fmmck@aol.com> wrote:

> With the ATU, TCXO and a roofing filter, the (K3) price is around
> $2000. An IC-703 might run around $1000, an FT-817 around $870.

For a comparable setup, the FT-817 would need something like an LDG Z817 20 Watt autotuner. This would bring the cost to around $1000.

A comparably equipped K2 kit might run around $1300.

73,
Fred

K4DII

From 6252201642569389052
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!weretis.net!
feeder2.news.weretis.net!feeder.eternal-september.org!eternal-september.org!
pfeed09.wxs.nl!newsfeed.kpn.net!pfeed14.wxs.nl!pfeed15.wxs.nl!not-for-mail
Date: Mon, 21 Sep 2009 21:44:14 +0200
From: PH5E <callsign.ph5e-nospam-@gmail.com>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Yaesu FT-817/ND
References: <370aeb80-c171-497c-b7e5-435c6c118120@k26g2000vbp.googlegroups.com>
In-Reply-To: <370aeb80-c171-497c-b7e5-435c6c118120@k26g2000vbp.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <4ab7d78e$0$24685$703f8584@news.kpn.nl>
NNTP-Posting-Host: 81.207.189.8
X-Trace: 1253562254 news.kpn.nl 24685 81.207.189.8:49575
X-Complaints-To: abuse@planet.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:1801

jure wrote:
> In no working condition for parts .
>
> http://picasaweb.google.hr/home?client=firefox-
a&rls=org.mozilla:hr:official&hl=hr&tab=wq

@Jure: This is a link to your own Picasa home page. Everyone clicking it
will see his/her own home page...

--
RigReference.com - Reference guide for ham radio equipment
http://rigreference.com/

From -7346147952550001069
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx02.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 21 Sep 2009 17:13:44 -0500
From: n9zas <n9zas.4fdafe7@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: max international, mlm business opportunity, MaxGXL, networkmarketing
opportunity , Max GXL, MaxWLX, Max N-fuze, Max WLX,

```
Date: Mon, 21 Sep 2009 22:28:29 +0100
Message-ID: <n9zas.4fdafe7@radiobanter.com>
Organization: RadioBanter.com
References:  <2e3bf9d1-ae7c-4feb-a20c-8bc561b82da0@e34g2000vbm.googlegroups.com>
Lines: 7
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-C47VdP67/
hh5MUpU5U6xKtCTxTUKrnJsTxyJYEuvOjag4Hw9f5LlpK5q+J5qMa0NbkP+apuEIN1ToKK!
iez3bqBFc0spvhAdFwDjSc1AfE4uGN9qADL0cSeFSHjysd8VqxI/O9dWdD+E0rhNv5nwHdovC/Ts!ZQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
Xref: g2news2.google.com rec.radio.amateur.equipment:1802
```

Get a LIFE!!! STOP psting your SPAM TRASH!!!!

--
n9zas

```
From -1316174830876317729
X-Google-Thread: d7f5508063,23350b013f8972b4
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!r36g2000vbn.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Yaesu FT-817/ND
Date: Mon, 21 Sep 2009 16:48:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <bb74b579-d521-4d0a-971c-53a06fec94c7@r36g2000vbn.googlegroups.com>
References: <370aeb80-c171-497c-b7e5-435c6c118120@k26g2000vbp.googlegroups.com>
     <4ab7d78e$0$24685$703f8584@news.kpn.nl>
NNTP-Posting-Host: 94.253.238.86
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1253576934 29629 127.0.0.1 (21 Sep 2009 23:48:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 21 Sep 2009 23:48:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r36g2000vbn.googlegroups.com; posting-host=94.253.238.86;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; hr; rv:1.9.1.3)
     Gecko/20090824 Firefox/3.5.3,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1803

On 21 ruj, 21:44, PH5E <callsign.ph5e-nosp...@gmail.com> wrote:
> jure wrote:
> > =A0In no working condition for parts .
>
> >..
>

>
> --
>    RigReference.com - Reference guide for ham radio equipmenthttp://rigre=
ference.com/


I not understand your link . . . PSE more INFO ,TNX  . . . . . jure



From -1888683397203673270
X-Google-Thread: d7f5508063,26de008d476e8877,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!xlned.com!
feeder1.xlned.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: "Steve" <Steve@altrochenospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 80 / 160 mt
Date: Tue, 22 Sep 2009 21:59:22 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-Rfc2646: Format=Flowed; Original
Lines: 3
Message-ID: <4ab92c9b$0$819$4fafbaef@reader5.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.1.218.22
X-Trace: 1253649563 reader5.news.tin.it 819 87.1.218.22:2086
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news2.google.com rec.radio.amateur.equipment:1804

I am speachless ...!  http://www.youtube.com/watch?v=gEKLVgU1B50




From 4843542247764626062
```

```
X-Google-Thread: d7f5508063,de263ecbe098ae94,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o35g2000vbi.googlegroups.com!not-for-
mail
From: alavarre <alavarre@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom RS-92 "product id"
Date: Tue, 22 Sep 2009 18:56:53 -0700 (PDT)
Organization: http://groups.google.com
Lines: 18
Message-ID: <0bcb09b7-637a-4b1c-9caa-0269795a52e5@o35g2000vbi.googlegroups.com>
NNTP-Posting-Host: 209.60.241.114
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1253671014 15464 127.0.0.1 (23 Sep 2009 01:56:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 Sep 2009 01:56:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o35g2000vbi.googlegroups.com; posting-host=209.60.241.114;
     posting-account=Gq-FPwoAAADRK6Dlye1tY8bXts0jNBS5
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.0.13)
     Gecko/2009080200 SUSE/3.0.13-0.1.2 Firefox/3.0.13 GTB5,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1805
```

Hi, I bought the IC-92 AD and its software RS-92, which comes on a CD.
It's been a year, been busy, hadn't had a time to mess with the
software. The radio is daunting enough.

Now I try to install from the CD. It wants a "Product ID".

But there IS no product ID. There is a serial # for the radio and the
CD, there is a CD number, there are model numbers. But what the heck
is the Product ID?

Of course, there is no help file, no README, no clue. Googling and
trying to download the software again fail...

Total cognitive dissonance. Can anyone help? Rest assured I have done
the customer support routine without success. They are probably as
confounded as I.... :-(

Cheers, Andy

```
From -4733953878421583997
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx02.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
```

```
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 22 Sep 2009 23:13:36 -0500
From: Jpm123 <Jpm123.4ff55cc@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: GALAXY dx99v. How should I sell? Info on Radio?
Date: Wed, 23 Sep 2009 01:11:03 +0100
Message-ID: <Jpm123.4ff55cc@radiobanter.com>
Organization: RadioBanter.com
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-M7lwYPZ94SGw6w0DvN1q9eAOUrqGN3/eZFWv6F4mVLswALJbJqV/
B0O2RnY1vfJ4BxJyS/X1Wob9POt!
MEZE+Cw0lcXsXAcNj4JxN8LLNIui3lbsTJwroK432wkJG4jigQkmhfK4mt2EQrPadF0SUGRJ050J!FDQ=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 9
Xref: g2news2.google.com rec.radio.amateur.equipment:1806
```

Wow, I am a young male and super computer literate and I have never had such an issue registering with a forum. The CAPTCHA was out of this world. Enough of this, on to the reason of this post:)

I have a GALAXY DX99V, which was once my fathers before he passed away. He had it in his truck. I need to run down to a radio shop to get it tested to be sure it works well, but I was wondering if I should sell this on EBAY or local? Where would I get the best price and what should I sell it for? Keep in mind I have absolutely no experience in these radios.

Thanks so much for the advice in advance

James

--
Jpm123

```
From 6252857074582620445
X-Google-Thread: d7f5508063,8c6e44fa795c2b79
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!o13g2000vbl.googlegroups.com!not-for-
```

mail
From: "KC8QS.Earl" <kc8qs.earl@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GALAXY dx99v. How should I sell? Info on Radio?
Date: Wed, 23 Sep 2009 04:03:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 39
Message-ID: <ce0b4720-775f-439b-b6f7-cf8220c496a1@o13g2000vbl.googlegroups.com>
References: <Jpm123.4ff55cc@radiobanter.com>
NNTP-Posting-Host: 97.81.48.165
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1253703782 2536 127.0.0.1 (23 Sep 2009 11:03:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 Sep 2009 11:03:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000vbl.googlegroups.com; posting-host=97.81.48.165;
 posting-account=e9mHGQoAAABWytmRxsslBTI9J67NU8r0
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.0;
 Trident/4.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR
 3.5.30729; OfficeLiveConnector.1.4; .NET CLR 1.1.4322; .NET CLR 3.0.30729;
 OfficeLivePatch.1.3),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1807

The Galaxy DX99V is a Mam Radio, Ten Meter Radio. It was designed for
Amateur Radio Operators to operate on the Ten Meter Ham Band. I had
one (bought new for $289.00 several years ago) but one could probably
get $50 - $70 for a really good used one now.

A side note, I don't know if your father was a licensed Ham Operator
or
not, but a lot of truckers bought these to illegally communciate with
each
other instead of using CB radio's. Very common problem even today.

Here's info on the radio direct from Galaxy ...
http://www.galaxyradios.com/99.html

Contact a local Ham Operator for further advice.

--Earl Taylor KC8QS

On Sep 22, 7:11=A0pm, Jpm123 <Jpm123.4ff5...@radiobanter.com> wrote:
> Wow, I am a young male and super computer literate and I have never had
> such an issue registering with a forum. The CAPTCHA was out of this
> world. Enough of this, on to the reason of this post:)
>
> I have a GALAXY DX99V, which was once my fathers before he passed
> away. He had it in his truck. I need to run down to a radio shop to get

```
> it tested to be sure it works well, but I was wondering if I should sell
> this on EBAY or local? Where would I get the best price and what should
> I sell it for? Keep in mind I have absolutely no experience in these
> radios.
>
> Thanks so much for the advice in advance
>
> James
>
> --
> Jpm123



From 2395936937850273544
X-Google-Thread: d7f5508063,2c0003e511445a55,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.mv.net!pete
From: Pete <pete@paspouwoae.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.h
am-radio.marketplace,rec.radio.amateur.equipment
Subject: FS: 6 Books on DSP, DIGITAL SIGNAL PROCESSING, SYSTEMS, etc.
Date: Wed, 23 Sep 2009 09:55:02 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <2309200909550228380%pete@paspouwoae.com>
NNTP-Posting-Host: 75.67.219.78
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1253714102 50338 75.67.219.78 (23 Sep 2009 13:55:02 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 23 Sep 2009 13:55:02 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:710471
alt.marketplace.books:6266 rec.arts.books.marketplace:3157 alt.ham-
radio.marketplace:672 rec.radio.amateur.equipment:1808


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320426549441


From -6836725511120236967
X-Google-Thread: d7f5508063,59f9346c747bdfc4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
```

```
gnilink.net!nx01.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 23 Sep 2009 19:41:30 -0500
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood Station
Date: Wed, 23 Sep 2009 20:41:27 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <BbCdnUw_i_enXSfXnZ2dnUVZ_sSdnZ2d@giganews.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
tYMwqW2N29hDYvtjSWsXDqxKuo4Rdhr5r4baOd3Iesh4faUU5LUighWDHT3fCMEFzRkbEHCCw86nJXc!
WUflHaMTJG8choQYa9qUyrNfJT9eMFV76I3HGJgOK60zkoyOsZRSihRgr7BSpR9fi47Ko26I3rk=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:1809
```

From Frank N1GGT:

Kenwood TS-50 HF Radio

LDG KT-100 autotuner with Kenwood Ts-50 connector

Astron SS-25 power supply

All in good working order .

This posting is for Frank. Please contact him at

fintinosr@cox.net

```
From -5150450433104454487
X-Google-Thread: d7f5508063,de263ecbe098ae94
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe19.iad.POSTED!7564ea0f!not-for-mail
From: "C. Andrews Lavarre" <alavarre@gmail.com>
Reply-To: alavarre@lavarre.org
Organization: M/V Pilgrim
User-Agent: Thunderbird 2.0.0.22 (X11/20090605)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom RS-92 "product id"
References: <0bcb09b7-637a-4b1c-9caa-0269795a52e5@o35g2000vbi.googlegroups.com>
In-Reply-To: <0bcb09b7-637a-4b1c-9caa-0269795a52e5@o35g2000vbi.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Lines: 55
Message-ID: <CXAum.213473$0e4.85034@newsfe19.iad>
NNTP-Posting-Host: 72.221.108.128
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe19.iad 1253759842 72.221.108.128 (Thu, 24 Sep 2009 02:37:22 UTC)
NNTP-Posting-Date: Thu, 24 Sep 2009 02:37:22 UTC
Date: Wed, 23 Sep 2009 22:37:25 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1810

Problem solved, no thanks to ICOM America:

how to construct the "Product ID" :

- Take the main body of the CD number minus the prefix and suffix, add a dash and then the serial number from the CD.

- FOR EXAMPLE, if the CD number is CD-123456-789 and the Serial number is 009876 then the Product ID is

    123456-009876

ICOMAmerica did not, would not give me this information. I think their policy is <wicket stupit>.

<rant>

If a guy has a ticket and has paid almost $750 for their gear and the CD and still has the gear and the CD and the ticket, which is FCC verifiable, then he is most likely legit. So their workers should have the authority to give him the algorithm for constructing the Product ID. Or just give him the numbers.

Their people need to figure out another way. Make the person register with his call sign. Once he's registered then send him the numbers.

No one with half a brain will hazard his ticket, especially an advanced class, to steal a program, especially after having paid $750 bucks. The present policy alienates a host of loyal customers to try to foil a minority of idiots who are too cheap to ever buy their products anyhow.

And furthermore... You can download the manual from ICOM America for the radio but NOT the software!! I did find mod.dk that had a scanned copy. But it is only a two pager and very sparse, although it does give the algorithm above. The rest of the program? Sheesh...

Oh! And another thing. The cable that comes with the RS-92 software is a SERIAL RS-232C cable. Good grief!! Who uses RS-232C? Only the brain dead about USB... Needless to say, my laptop does not have an RS-232C port. I've found a nice adapter at Radio Shack, now to see if the software can recognize it... :-(

But again, Good Grief! If someone has given you all this money then make their life easy!!!

</rant>

So, they make great gear but are very short on customer relations.... :-(

Yoh! ICOM! Do better!!!

Cheers, Andy

```
From 1186486301567894693
X-Google-Thread: d7f5508063,ac172ec19b20cf7a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 27 Sep 2009 09:10:33 -0500
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Tone Board for TR-9000
Date: Sun, 27 Sep 2009 10:10:34 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <95-dnUKzwcDE7yLXnZ2dnUVZ_hWdnZ2d@giganews.com>
Lines: 2
X-Usenet-Provider: http://www.giganews.com
```

X-Trace: sv3-AHQxNqIKvKbfsehbB3s0CaArZj2jfGSnM/DaKCv92XHzt9GfohAaMAtdWgCZp5t2vgrKmJAIcDBydIL!/bqNUK7p0pYkoNYS0SkxK7qcsYMKprYpm/H/cPRSFBcT9ofZjAaVYcu/KdvCEP9H3s1TxInUObg=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:1812

Looking for a tone board for the Kenwood TR-9000.
Thanks, Bob W1CNY

From 4842937003628241469
X-Google-Thread: d7f5508063,a5491688116425f8,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news.ripco.com!news-out.news.tds.net!newsreading01.news.tds.net!53ab2750!not-for-mail
From: Jack Pagel <nz9u@tds.net>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: 30 meter mod for a Kenwood TS-520
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 2
Message-ID: <YY3wm.2947$cW.944@newsreading01.news.tds.net>
Date: Mon, 28 Sep 2009 14:44:08 GMT
NNTP-Posting-Host: 69.130.238.238
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1254149048 69.130.238.238 (Mon, 28 Sep 2009 09:44:08 CDT)
NNTP-Posting-Date: Mon, 28 Sep 2009 09:44:08 CDT
Organization: tds.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1813

Was there ever a modification that will enable transmit on 30 meters?
Thanks,

From 1528928332864848080
X-Google-Thread: d7f5508063,b0a1e4f28365e845,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!news2.glorb.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!

nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 28 Sep 2009 11:13:18 -0500
From: allan g3pyw <allan.g3pyw.506960c@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RMK706 wanted by G station
Date: Mon, 28 Sep 2009 12:19:36 +0100
Message-ID: <allan.g3pyw.506960c@radiobanter.com>
Organization: RadioBanter.com
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-wxrFdl+1iTOjxJ1BtyLq5w9k1+d/
Ve+MxHdrqXogIkJMrrsbxBZUR1Mo2nksWWM07ypU5itcPxVT7CG!
Oe8DUMMYkTbJGBWYyZVxqIzkjo0VTBra2D+5IglH7p+RabBVRo5jDSNqDdgYkUzna19HQMso7qyj!
fbbkVOcFXw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 3
Xref: g2news2.google.com rec.radio.amateur.equipment:1814

Hi all, I'm looking to buy an RMK706 accessory pack for my IC-706MKIIG
so I can use the rig conveniently in my car. This kit, which includes
the two brackets and the cable, is hard to find in the UK. Does anyone
have this item (often bundled with a new Icom in some parts of the
world) new or used? Payment could be by PayPal if we have a deal.
Please email me with details of the cost including postage.
Many thanks, Allan g3pyw (QTHR)   email: g3pyw@amsat.org

--
allan g3pyw

From -7935659293397762948
X-Google-Thread: d7f5508063,a5491688116425f8
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed01.sul.t-online.de!t-online.de!fu-berlin.de!uni-berlin.de!individual.net!
not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 30 meter mod for a Kenwood TS-520
Date: 28 Sep 2009 16:47:40 GMT
Lines: 11
Message-ID: <slrnhc1q5c.122t.bit-bucket@shell.config.com>

References: <YY3wm.2947$cW.944@newsreading01.news.tds.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net GTwJxzxVoMfobCRN+NWfRwHB7jx+Mva3vI9iIXM0qboHd/BUHV
Cancel-Lock: sha1:SazeRBVOmAvPuWjhqlM+mJIu1Fc=
User-Agent: slrn/0.9.9p1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:1815

On Mon, 28 Sep 2009 14:44:08 GMT, Jack Pagel wrote:
> Was there ever a modification that will enable transmit on 30 meters?
> Thanks,

Nope.

Jonesy
--
```
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    * Killfiling google & XXXXbanter.com: jonz.net/ng.htm
```

From -4139442324010660114
X-Google-Thread: d7f5508063,aba7978c48f0e8c0,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!novso.com!213.75.85.109.MISMATCH!pfeed09.wxs.nl!newsfeed.kpn.net!pfeed14.wxs.nl!pfeed15.wxs.nl!not-for-mail
Date: Tue, 29 Sep 2009 22:49:22 +0200
From: PH5E <callsign.ph5e-nospam-@gmail.com>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Lafayette MM-505, anyone know it?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <4ac272d1$0$9564$703f8584@news.kpn.nl>
NNTP-Posting-Host: 81.207.189.8
X-Trace: 1254257361 news.kpn.nl 9564 81.207.189.8:61050
X-Complaints-To: abuse@planet.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:1816

I've had an inquiry about a Lafayette crystal controlled scanner from the 1980s. The type was MM-505 or mm505, it was black with white buttons. Does anyone know this receiver, as I can't find any reference to it on the internet? Any help is greatly appreciated.

--
RigReference.com - Reference guide for ham radio equipment
http://rigreference.com/

From -2152651531112128907
X-Google-Thread: a4a23d5f63,85b3406ceb388edf,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!goblin3!goblin1!goblin.stu.neva.ru!news.mixmin.net!newspeer.monmouth.com!newsswitch.lcs.mit.edu!bloom-beacon.mit.edu!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1251784801@panix.com>
Followup-To: poster
Date: 1 Oct 2009 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 03 Nov 2009 01:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1254376801@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1254376803 21192 166.84.1.2 (1 Oct 2009 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 1 Oct 2009 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:14860 rec.radio.amateur.dx:506 rec.radio.amateur.equipment:1817 rec.radio.amateur.homebrew:3116 rec.radio.amateur.misc:4563 rec.radio.amateur.policy:26864 rec.radio.amateur.space:290 rec.radio.info:1006

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From -8542948552913686078
X-Google-Thread: d7f5508063,a5491688116425f8
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambriumusenet.nl!
feed.tweaknews.nl!192.87.166.28.MISMATCH!tudelft.nl!txtfeed1.tudelft.nl!
zen.net.uk!dedekind.zen.co.uk!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 30 meter mod for a Kenwood TS-520
Date: Fri, 02 Oct 2009 21:37:54 -0400
Organization: Aioe.org NNTP Server
Lines: 25
Message-ID: <fmmck-6B54FC.21375302102009@nntp.aioe.org>
References: <YY3wm.2947$cW.944@newsreading01.news.tds.net>
NNTP-Posting-Host: rkJOt8vZkfUx9fVHdKTd0Q.user.aioe.org

```
X-Complaints-To: abuse@aioe.org
X-Notice: Filtered by postfilter v. 0.8.0
X-Face: (kM9bDf]?M|9_y)z,(*AH%WN|1Qn_^J$bfM}Q3`*@SD]P!8cshYLL\i7/?\]}
        QL&w2d&Chc&jQBorb$k?FURtQtP8fdCWerP.I4r>k7]q}gvRMkZ&mb_LX1*/WBwwDV8Z
        ,cd+,}T.Zw
Cancel-Lock: sha1:UwEkXccHdHhFL4U+4aHjFv5z5mU=
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:1818
```

In article <YY3wm.2947$cW.944@newsreading01.news.tds.net>,
Jack Pagel <nz9u@tds.net> wrote:

> Was there ever a modification that will enable transmit on 30 meters?
> Thanks,

Jack-

As I understand the TS-520, it has tuned circuits plus a heterodyne crystal for each band. You could sacrifice 40 Meters, retune the coils for 30 Meters, and change the 40 Meter heterodyne crystal for one that is 3 Mhz higher. In theory, it would then tune from 10.0 MHz when the dial indicated tuning from 7.0 MHz.

Retuning the coils might be as simple as changing a tap on a coil or replacing a capacitor in a parallel-tuned circuit. Doesn't the TS-530 have the WARC bands included? You might look at it for ideas on how best to modify the TS-520.

Be careful, since you could easily end up transmitting outside the Ham bands!

73,
Fred
K4DII

```
From -1638432942764504814
X-Google-Thread: d7f5508063,658be42b9ebfd7ed,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
news-1.dfn.de!news.dfn.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "olfart" <olfart65@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Watkins Johnson DRO-333A Counter
Date: Sat, 3 Oct 2009 06:16:44 -0400
Lines: 5
Message-ID: <7iombpF32bfurU1@mid.individual.net>
X-Trace: individual.net 9MlKi1mMpgQoK73RLOwUIQUSNpFYUGQVWf2PGHJjTPQxcJoAE=
Cancel-Lock: sha1:Eivfp9ROvzcgbo14AUv2v4dQjrg=
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 091002-0, 10/02/2009), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com rec.radio.amateur.equipment:1819

Trying to repair one of these counters. Does anyone have a Manual for a DRO 333A or DRO-309A that they would be willing to sell or share
Thx

From -4032218902236106600
X-Google-Thread: d7f5508063,a5491688116425f8
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.ripco.com!news-out.news.tds.net!newsreading01.news.tds.net!53ab2750!not-for-mail
From: Jack Pagel <nz9u@tds.net>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 30 meter mod for a Kenwood TS-520
References: <YY3wm.2947$cW.944@newsreading01.news.tds.net>
<fmmck-6B54FC.21375302102009@nntp.aioe.org>
In-Reply-To: <fmmck-6B54FC.21375302102009@nntp.aioe.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 33
Message-ID: <UkSxm.2998$cW.2872@newsreading01.news.tds.net>
Date: Sun, 04 Oct 2009 00:52:04 GMT
NNTP-Posting-Host: 69.130.238.238
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1254617524 69.130.238.238 (Sat, 03 Oct 2009 19:52:04 CDT)
NNTP-Posting-Date: Sat, 03 Oct 2009 19:52:04 CDT
Organization: tds.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1820

Fred McKenzie wrote:
> In article <YY3wm.2947$cW.944@newsreading01.news.tds.net>,
> Jack Pagel <nz9u@tds.net> wrote:
>
>> Was there ever a modification that will enable transmit on 30 meters?
>> Thanks,
>
> Jack-
>
> As I understand the TS-520, it has tuned circuits plus a heterodyne
> crystal for each band. You could sacrifice 40 Meters, retune the coils

> for 30 Meters, and change the 40 Meter heterodyne crystal for one that
> is 3 Mhz higher. In theory, it would then tune from 10.0 MHz when the
> dial indicated tuning from 7.0 MHz.
>
> Retuning the coils might be as simple as changing a tap on a coil or
> replacing a capacitor in a parallel-tuned circuit. Doesn't the TS-530
> have the WARC bands included? You might look at it for ideas on how
> best to modify the TS-520.
>
> Be careful, since you could easily end up transmitting outside the Ham
> bands!
>
> 73,
> Fred
> K4DII

I just picked up a TS-520 at a local hamfest. It receives 30 meters with
no problem, with the WWV monitor switching, so I thought it may not be
so difficult to add the transmit too. I read about someone doing that
with a TS-180, which I know nothing about those radios. Years ago I took
out 40 and put in 30 meters on a HW-8 QRP rig. It was easier going up
frequency than it would have been if I took out 20 meters instead.

From -799114936268962295
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.acm.uiuc.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 30 meter mod for a Kenwood TS-520
Date: Sat, 3 Oct 2009 22:15:37 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 46
Sender: et472@207-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0910032211550.20880@darkstar.example.net>
References: <YY3wm.2947$cW.944@newsreading01.news.tds.net>
 <fmmck-6B54FC.21375302102009@nntp.aioe.org>
<UkSxm.2998$cW.2872@newsreading01.news.tds.net>
NNTP-Posting-Host: 207-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1254622492 9732 64.235.215.207 (4 Oct 2009 02:14:52 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 4 Oct 2009 02:14:52 GMT
In-Reply-To: <UkSxm.2998$cW.2872@newsreading01.news.tds.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:1821

On Sun, 4 Oct 2009, Jack Pagel wrote:

> Fred McKenzie wrote:
>> In article <YY3wm.2947$cW.944@newsreading01.news.tds.net>,
>> Jack Pagel <nz9u@tds.net> wrote:

>>
>>> Was there ever a modification that will enable transmit on 30 meters?
>>> Thanks,
>>
>> Jack-
>>
>> As I understand the TS-520, it has tuned circuits plus a heterodyne crystal
>> for each band. You could sacrifice 40 Meters, retune the coils for 30
>> Meters, and change the 40 Meter heterodyne crystal for one that is 3 Mhz
>> higher. In theory, it would then tune from 10.0 MHz when the dial
>> indicated tuning from 7.0 MHz.
>>
>> Retuning the coils might be as simple as changing a tap on a coil or
>> replacing a capacitor in a parallel-tuned circuit. Doesn't the TS-530 have
>> the WARC bands included? You might look at it for ideas on how best to
>> modify the TS-520.
>>
>> Be careful, since you could easily end up transmitting outside the Ham
>> bands!
>>
>> 73,
>> Fred
>> K4DII
>
> I just picked up a TS-520 at a local hamfest. It receives 30 meters with no
> problem, with the WWV monitor switching, so I thought it may not be so
> difficult to add the transmit too. I read about someone doing that with a
> TS-180, which I know nothing about those radios. Years ago I took out 40 and
> put in 30 meters on a HW-8 QRP rig. It was easier going up frequency than it
> would have been if I took out 20 meters instead.
>

Maybe. Certainly you're part way there. There's the position on the
bandswitch, the crystal oscillator and low level tuned circuits.

The key part may be that there's no contacts for the transmitter tuned
circuits on the bandswitch. So there's no place to solder tuned circuits
for transmitting. So you have to find a similar switch with similar
contacts and transplant them into the rig, then add the tuned circuits.

Michael VE2BVW

From 7621641382796166675
X-Google-Thread: a4a23d5f63,18e39b1d7401c2de,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1252303500@panix.com>
Followup-To: poster
Date: 7 Oct 2009 02:05:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Nov 2009 01:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1254895500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1254895501 28509 166.84.1.2 (7 Oct 2009 06:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Oct 2009 06:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:14990 rec.radio.amateur.dx:512 rec.radio.amateur.equipment:1822 rec.radio.amateur.homebrew:3120 rec.radio.amateur.misc:4574 rec.radio.amateur.policy:26900 rec.radio.info:1024

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original

article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From -6845003963701099164
X-Google-Thread: a4a23d5f63,679f2567efb59a72,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1252303800@panix.com>
Followup-To: poster
Date: 7 Oct 2009 02:10:02 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Nov 2009 01:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1254895801@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1254895802 13070 166.84.1.2 (7 Oct 2009 06:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Oct 2009 06:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:4575
rec.radio.amateur.equipment:1823 rec.radio.swap:2477 rec.radio.info:1025

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been
recently revived by an active moderation team. We are currently seeking

suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -8018496597645448384
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
i.newsfeed.yosemite.net!newsfeed.yosemite.net!newsfeed.berkeley.edu!ucberkeley!
mpls-nntp-04.inet.qwest.net!news.more.net!feed.news.qwest.net!mpls-
nntp-08.inet.qwest.net!news.glorb.com!news2.glorb.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 07 Oct 2009 17:13:14 -0500
From: KB0SFP <KB0SFP.512c7e5@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB HF/SSB Transceivers Portable & Marine
Date: Wed, 7 Oct 2009 19:49:40 +0100
Message-ID: <KB0SFP.512c7e5@radiobanter.com>
Organization: RadioBanter.com
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
bNcrOJYt8txDhZfAnW0938RibF31m+UZqBrPLX9kYQXXCG5nUCbjBUHZ60O873ScYzoQ6Q9G94AOCmF!
RwbFb3Hkg6BuHZNPSjoNlUNUu70jKiSHQ3UgpAp5dGVVQZIMo/lepdBNIV83X8t45fA91/g1UWVH!DKA=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
X-Original-Lines: 9
Xref: g2news2.google.com rec.radio.amateur.equipment:1824

Wanted, portable HF/SSB transceivers, Military, Codan, SGC, Spilsbury,
Kachina, Southcom, Stoner, Paracom etc.

Also Wanted HF/SSB marine radios, SEA 222, SEA 322, SEA 330, or
similar.

Dennis Starks
Military-Radio-Guy
KB0SFP
Monitor(all USB):
3996, 5403.5, 7296, 14342.5, 18157.5

--
KB0SFP

From 9172528438028457887
X-Google-Thread: d7f5508063,4ab5dfe68dd24ca3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h14g2000pri.googlegroups.com!not-for-mail
From: networking hardware <networkingjobsfor@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: vacancy's for fresh\exp apply resume
Date: Fri, 9 Oct 2009 01:22:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 15
Message-ID: <7986c4cc-0ff4-4b82-8df8-fa75aae2485c@h14g2000pri.googlegroups.com>
NNTP-Posting-Host: 124.123.51.2
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1255076542 20774 127.0.0.1 (9 Oct 2009 08:22:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Oct 2009 08:22:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h14g2000pri.googlegroups.com; posting-host=124.123.51.2;
     posting-account=bxATrgoAAABbEYCWZPZKzzL4pxzdXek7
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.3)
     Gecko/20090824 Firefox/3.5.3,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1825

```
http://jobsinformation-jobs.blogspot.com/2009/06/sap-jobs.html

http://jobsinformation-jobs.blogspot.com/2009/06/dotnet-jobs.html

http://jobsinformation-jobs.blogspot.com/2009/06/linux-jobs.html

http://jobsinformation-jobs.blogspot.com/2009/06/mcse-jobs.html

http://jobsinformation-jobs.blogspot.com/2009/06/c-jobs.html

http://jobsinformation-jobs.blogspot.com/2009/06/networking-jobs.html

http://jobsinformation-jobs.blogspot.com/2009/06/oracle-jobs.html

http://jobsinformation-jobs.blogspot.com/2009/06/java-jobs.html


From -4661697533889968699
X-Google-Thread: d7f5508063,a73affdd60dd34fe,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j24g2000yqa.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Yaesu FT-817ND
Date: Mon, 19 Oct 2009 05:26:32 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <82880230-e65f-423a-8ad9-82eac4639ce7@j24g2000yqa.googlegroups.com>
NNTP-Posting-Host: 94.253.253.179
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1255955193 904 127.0.0.1 (19 Oct 2009 12:26:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Oct 2009 12:26:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j24g2000yqa.googlegroups.com; posting-host=94.253.253.179;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; hr; rv:1.9.1.3)
     Gecko/20090824 Firefox/3.5.3 WinTSI 12.10.2009,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1826

 In no working condition for parts . . .


From 6258244735009165831
X-Google-Thread: d7f5508063,a73affdd60dd34fe
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
proxad.net!feeder1-2.proxad.net!212.27.60.64.MISMATCH!cleanfeed3-b.proxad.net!
nnrp19-1.free.fr!not-for-mail
From: "Totoche" <totoche@totoche.com>
Newsgroups: rec.radio.amateur.equipment
References: <82880230-e65f-423a-8ad9-82eac4639ce7@j24g2000yqa.googlegroups.com>
Subject: Re: WTB Yaesu FT-817ND
Date: Mon, 19 Oct 2009 17:59:39 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3598
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Lines: 10
Message-ID: <4adc8cee$0$3610$426a74cc@news.free.fr>
Organization: Guest of ProXad - France
NNTP-Posting-Date: 19 Oct 2009 17:59:42 MEST
NNTP-Posting-Host: 93.2.203.122
X-Trace: 1255967982 news-3.free.fr 3610 93.2.203.122:4569
X-Complaints-To: abuse@proxad.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1827

"jure" <tonkojursky@hotmail.com> a �crit dans le message de news:
82880230-e65f-423a-8ad9-82eac4639ce7@j24g2000yqa.googlegroups.com...
> In no working condition for parts . . .
>

What is the problem?
Are the PCB damaged?

From -5352611537551936627
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
From: "Mike Kulyk" <mkulyk@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS/WTT Solid Brass Straight Key/PRO 76 Scanner
Date: Mon, 19 Oct 2009 15:53:52 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Lines: 16
Message-ID: <4adcc3db$1$31269$607ed4bc@cv.net>
Organization: Optimum Online

NNTP-Posting-Host: 69.117.250.166
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1828

Nice one of a kind solid brass straight key, on oak base. Real nice looking
and feels great. My carpel tunnel is saying no to CW at this time..

This key was made by a ham in 4 land.

Pictures by e-mail   Accepting best reasonable offer..

Radio Shack Pro 76 hand held 200 channel scanner.. Runs on 4 AA cells.

Also best reasonable offer..   Pic by e-mail..

I am looking for a Hy-Gain AV-18VS antenna.

Mike WB2GLW

From 2988966803810941699
X-Google-Thread: d7f5508063,2e37e07b4a274259,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!feedme.ziplink.net!
news1.ipswitchs.cmm!ddl
From: ddl@danlan.*com (Dan Lanciani)
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Tapetone XC-144
Message-ID: <1355002@news1.IPSWITCHS.CMM>
Date: 20 Oct 2009 03:23:52 GMT
Organization: Internet
Lines: 4
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3488
rec.radio.amateur.equipment:1829
X-Original-Bytes: 550

Anybody want an XC-144? free + shipping from Gloucester, MA 01930.

Dan Lanciani
ddl@danlan.*com

From -5478109399286785708
X-Google-Thread: d7f5508063,8b6bffacd3666f8d,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a37g2000prf.googlegroups.com!not-for-

```
mail
From: kumaravel maheswaricuteangel <kumaravel.maheswari@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hot entertainment
Date: Fri, 23 Oct 2009 00:53:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <0c69232a-5827-41e5-9615-dcdad9d427e3@a37g2000prf.googlegroups.com>
NNTP-Posting-Host: 117.201.18.79
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1256284401 8329 127.0.0.1 (23 Oct 2009 07:53:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Oct 2009 07:53:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a37g2000prf.googlegroups.com; posting-host=117.201.18.79;
     posting-account=MATqsAoAAAAEC23bc9FCmdVCi7jKeQW2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.3)
     Gecko/20090824 Firefox/3.5.3,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1830

http://www.123maza.com/domain-web-design/earn-money/


From 3214700184065548534
X-Google-Thread: d7f5508063,7a7547c73114062f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m11g2000vbl.googlegroups.com!not-for-
mail
From: gfghfghfgh <resourts08@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Naked Photos sex very hot sexy girls womans
Date: Mon, 26 Oct 2009 08:26:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <fa6ec7d6-df01-4893-aeba-b0ad9b223f50@m11g2000vbl.googlegroups.com>
NNTP-Posting-Host: 115.42.66.163
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1256570804 24406 127.0.0.1 (26 Oct 2009 15:26:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 26 Oct 2009 15:26:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m11g2000vbl.googlegroups.com; posting-host=115.42.66.163;
     posting-account=cndE5QoAAABr_VeQqD6STsBAa5qwgdZ-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.3)
     Gecko/20090824 Firefox/3.5.3,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1831
```

Naked Photos sex very hot sexy girls womans

http://beautiful-hot-girls-photo.blogspot.com

```
From 1915014262251577706
X-Google-Thread: d7f5508063,5cab1751e4c1f2bf,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!x6g2000prc.googlegroups.com!not-for-mail
From: Mark Licetti <StanStar@nyc.rr.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: FS: NEW Minicircuits ZKL-1R5 RF MICROWAVE AMPLIFIER(s) 10MHz-1.5GHz.
     $38.70 or $50 on Ebay [LOT of TEN, ZKL1R5]
Date: Wed, 28 Oct 2009 13:48:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 79
Message-ID: <0c9b2d26-cc45-44ab-899d-4c1ed885be22@x6g2000prc.googlegroups.com>
NNTP-Posting-Host: 72.229.6.183
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1256762939 4959 127.0.0.1 (28 Oct 2009 20:48:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 28 Oct 2009 20:48:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x6g2000prc.googlegroups.com; posting-host=72.229.6.183;
     posting-account=fh9iogoAAADTldqehgpjfji0G-E6drv5
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.0;
     Trident/4.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR
     3.0.30618; .NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.antenna:15195
rec.radio.amateur.homebrew:3191 rec.radio.amateur.equipment:1832
```

LOT of TEN or Singles.
Minicircuits ZKL-1R5 [ZKL1R5] RF MICROWAVE AMPLIFIER(s), Wideband
10MHz-1.5GHz.
High-end Amps, MedPower +18.7dBm, LowNoise 3dB, Gain 39-40dB. NEW -
in original Minicircuits/antistatic packaging (never used, USA origin
& location, ships worldwide).
Either Singles or entire LOT (price shown for a Lot, but message us if
you want single(s) - shipping is CHEAPER than shown ($5.20), etc.
however on a quantity basis you save by dealing as a Lot, not Singles
- message us if you just need a few, not all 10 units).

Posted on Ebay, item# 330371507322 - goto www.ebay.com & enter
330371507322 into search. "BuyNow" OPTION is AVAILABLE - NO need to
wait for Auction ending.
Contact via Ebay (best) or Email. By Email, can hit "Reply" in

Newsgroups but REMOVE "nospam" strings if appears in my address (edit address manually, but sometimes it=92s already done) so I could respond from a real address/name. Do NOT reply on Newsgroups (I posted here, but will NOT read), and if I get much spam that address will be DISABLED, so you'll have to communicate via Ebay (which, incidentally, is more secure anyway). My Ebay feedback is 100% positive, not to mention 14 YEARS of Newsgroups trading without complains. Again, description is on Ebay but a few facts are copied here (for convenience):

** TECHNICAL SPECS:
A DATASHEET PDF is at manufacturer's site www.minicircuits.com-->enter "ZKL-1R5" into search--> datasheet (do not omit dash, ZKL1R5 instead of ZKL-1R5 will result in an error); so only a few specs are copied below. Finally, check the price Minicircuits is asking - $150/unit, we're asking $39 "auction start" & $56 "buynow" options - new/sealed units but @33% cost (reason to sell is explained below)
** PHOTOS are at EXTERNAL SERVER (as I CANNOT POST on EBAY for free beyond 1st free photo); at http://photos.starium.org ----> select Gallery named "Minicircuits ZKL-1R5"..
=95 Wideband, 10MHz to 1.500 GHz
=95 IP3 +31 dBm typ.
=95 LowNoise 3 dB typ. (not bad for a MedPower amp, rather than dedicated LNA)
=95 Gain 40 dB typ., Flatness 1.2dB
=95 VSWR IN 1.4, OUT 1.6
=95 P1dB Compression Point +15dB min, however charts indicate 17.6 to 18.7dBm
=95 Connectors - SMA (50 Ohm impedance), gold-plated.
=95 DCpower +12V nom @115mA max, but will take a range of 9-13V or wider.
=95 More data, plots, etc. are in a datasheet (PDF) downloadable from manufacturer's website.
Example of applications: communication systems e.g. cellular, satellite distribution, GSM/ISM; Radars, we're using them in a Middle-Stage Amplifier block in an MRI (magnetic) scientific instrument.

** REASON to SELL::
Our RF Engineer has changed Product design in which this amplifier was previously used (a scientific instrument); so not all purchased lots of ZKL-1R5 could be finished before new design "kicked in". In the new design, ZKL1R5 overloads the newly designed next amplifying stage (which became more sensitive) & we don't know a clean way to attenuate ZKL1R5's gain (38-40dB!, lowering powersupply is not a solution & not enough). So instead we switched to using ZFL-500 amps with lower gain & narrower bandwidth (0.5Ghz, in fact all we need is 0.2GHz, not even 0.5GHz). Minicircuit's policy is not to take them back & it's laborious to try to retrofit these into a new system - it's better if we simply sell, at a loss or not, but it's easier. We're already stocked on 60 ZFL-500's, so design change is permanent/verified.

I, in fact, come from a competing RF company (not to be mentioned) so not interested in promoting Minicircuits, but this is one of

Minicircuits better models; as far as I know it's using Gallium/Indium PHEMT/etc. FET=92s or something to that effect, not surprising but $150 price is already difficult to attain, yet we ask even 3-4x times less or to exchange for ZFL500 (Minicircuits said =91no=94). It's a pity at the new company where I moved in 2008, which is using RF Amps (not designing them), we cannot use ZKL1R5 due to gain excessive for a new design (was normal in an older design), also we decided don't need 1.5GHz expensive amps considering our signals are under 200MHz.

P.S. Again, more photos are at that http://photos.starium.org site - pictures are better than a lengthy verbal description.

```
From 2078760610944765764
X-Google-Thread: d7f5508063,a64cf82d6902f1b4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 28 Oct 2009 17:39:17 -0500
Reply-To: "Topaz305rk" <k7sam@arrl.net>
From: "Topaz305rk" <navajomt@nemont.net>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale - MFJ-989C
Date: Wed, 28 Oct 2009 16:39:09 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 091028-0, 10/28/2009), Outbound message
X-Antivirus-Status: Not-Tested
Message-ID: <2ZWdnZ6N7YOLVXXXnZ2dnUVZ_jydnZ2d@vnet-inc.com>
Lines: 51
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-VwPVAITx/OZZ/EYGkhkMlgqJd38pYKU+4sEPil38Asne3bL/GMxNFqFez0/
pyNJWny1kXgUdGNw56lX!aPYwwQ9AjNtbx6cqHC7jxJioQjGW2oBdR0AamL0q9qOSCiSnG0/
P2rBqqxZyIrkHyFR+5FaoalP6!hR5DKMKe3l5fhqYej+wiUbXM5+o=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:1833
```

For Sale - MFJ VersaTuner V Model MFJ-989C

The MFJ-989C roller inductor tuner is a 3000 watt PEP input, 1500 watt PEP output antenna tuner. These power ratings are for load impedance's of 35-500 ohms. The MFJ-989C is designed to match 50 ohm output amplifiers, transmitters or transceivers to virtually any antenna. Peak and average forward power, reflected power, and SWR are displayed on the MFJ-989C's illuminated cross-needle meter.

Pictures and information:

http://www.mfjenterprises.com/man/pdf/MFJ-989C.pdf

http://www.universal-radio.com/catalog/hamtune/1332c.html

http://www.g3ynh.info/atu/mfj989c.html

http://www.ham.dmz.ro/antenna_tuners/mfj/mfj-989c.php

This unit is guaranteed to not be DOA.

It is working perfectly.

Reason for sale - Had a chance to upgrade to an MFJ-998 IntelliTuner and did so.

Will be boxed in a USPS mailing box.

Styrofoam cut-outs at each end to protect binding posts and knobs.

Bubble wrap or foam peanuts for protection.

Price: $225 plus $15 for USPS box and mailing costs.

Contact - Sam, K7SAM at k7sam@arrl.net

```
From 1057558145437973734
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
```

rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1254376801@panix.com>
Followup-To: poster
Date: 1 Nov 2009 02:00:03 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 04 Dec 2009 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1257058800@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1257058803 24258 166.84.1.2 (1 Nov 2009 07:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 1 Nov 2009 07:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:15204 rec.radio.amateur.dx:530 rec.radio.amateur.equipment:1834 rec.radio.amateur.homebrew:3199 rec.radio.amateur.misc:4622 rec.radio.amateur.policy:27050 rec.radio.amateur.space:301 rec.radio.info:1084

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -3029951538966050760
X-Google-Thread: 733d321764,f0bfef4a24ee31c4,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
newsgate.cuhk.edu.hk!news.netfront.net!not-for-mail
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups: 
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.shortwave,rec.
radio.swap
Subject: FA: Tymeter Numechron clock
Date: Sun, 1 Nov 2009 15:59:05 -0500
Organization: Netfront http://www.netfront.net
Lines: 35
Message-ID: <hckssj$1pl0$1@adenine.netfront.net>
NNTP-Posting-Host: 68.82.225.237
Mime-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0059_01CA5B0C.3D18C890"
X-Trace: adenine.netfront.net 1257109203 59040 68.82.225.237 (1 Nov 2009 21:00:03 
GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Sun, 1 Nov 2009 21:00:03 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
```

```
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-Original-Bytes: 2284
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3511
rec.radio.amateur.equipment:1835 rec.radio.shortwave:51436 rec.radio.swap:2539

This is a multi-part message in MIME format.

------=_NextPart_000_0059_01CA5B0C.3D18C890
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Perfect shape, keeps great time!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D290365722082&ssPageN=
ame=3DSTRK:MESELX:IT
------=_NextPart_000_0059_01CA5B0C.3D18C890
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16809" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Perfect shape, keeps great =
time!!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;item=3D29036572=
2082&amp;ssPageName=3DSTRK:MESELX:IT">http://cgi.ebay.com/ws/eBayISAPI.dl=
l?ViewItem&amp;item=3D290365722082&amp;ssPageName=3DSTRK:MESELX:IT</A></F=
ONT></DIV></BODY></HTML>

------=_NextPart_000_0059_01CA5B0C.3D18C890--




From 5992835706551385842
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m26g2000yqb.googlegroups.com!not-for-
mail
From: Threlly <threlly@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Small Wonder PSK20 or similar
Date: Sun, 1 Nov 2009 17:11:00 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <83e473fe-9f36-44ff-9a88-efd041ced407@m26g2000yqb.googlegroups.com>
```

NNTP-Posting-Host: 81.97.117.27
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1257124260 24399 127.0.0.1 (2 Nov 2009 01:11:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Nov 2009 01:11:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m26g2000yqb.googlegroups.com; posting-host=81.97.117.27;
posting-account=8nLHDgoAAADf61jI328tLcgdBWOWYw30
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10.5; en-US;
rv:1.9.1.3) Gecko/20090824 Firefox/3.5.3,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1836

Wanted:
Small 20m PSK transceiver or plain SSB 20m transceiver.

loornamyol@garrifulio.mailexpire.com

From 3175989068767268139
X-Google-Thread: d7f5508063,2b9edd395fa4cc6e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad!post02.iad!news.dslextreme.com!not-for-mail
Date: Sun, 01 Nov 2009 18:03:13 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.21) Gecko/20090322
SeaMonkey/1.1.15
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: Small Wonder PSK20 or similar
References: <83e473fe-9f36-44ff-9a88-efd041ced407@m26g2000yqb.googlegroups.com>
In-Reply-To: <83e473fe-9f36-44ff-9a88-efd041ced407@m26g2000yqb.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <4aee3e2f$0$28804$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1837

Threlly wrote:
> Wanted:
> Small 20m PSK transceiver or plain SSB 20m transceiver.
>
> loornamyol@garrifulio.mailexpire.com

http://smallwonderlabs.com/swl_psk31.htm

From -5689853630332400437
X-Google-Thread: d7f5508063,2e1ab05be82db41f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l31g2000vbp.googlegroups.com!not-for-mail
From: KA1IOR <wayg@cape-vision.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TS-850 Vox Delay...
Date: Sun, 1 Nov 2009 18:43:42 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <b8046f6a-5d32-4dbf-88e5-dbf2167a19c7@l31g2000vbp.googlegroups.com>
NNTP-Posting-Host: 75.67.148.95
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1257129822 26031 127.0.0.1 (2 Nov 2009 02:43:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Nov 2009 02:43:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l31g2000vbp.googlegroups.com; posting-host=75.67.148.95;
posting-account=C8KTwwoAAADy4ZiCHoYUEKqa_5g6V0PI
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.8)
Gecko/2009032609 Firefox/3.0.8,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1838

I have yet to find the adjustment to the Vox Delay on my TS-850; is it because I am overlooking it in the manual that has NO INDEX to help me find it, or doesn't the rig have such an adjustment? My lowly TS-430s has such adjustments...

From -3893047520956197743
X-Google-Thread: d7f5508063,2e1ab05be82db41f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 01 Nov 2009 22:31:18 -0600
Reply-To: "Topaz305rk" <k7sam@arrl.net>
From: "Topaz305rk" <navajomt@nemont.net>
Newsgroups: rec.radio.amateur.equipment
References: <b8046f6a-5d32-4dbf-88e5-dbf2167a19c7@l31g2000vbp.googlegroups.com>
Subject: Re: TS-850 Vox Delay...
Date: Sun, 1 Nov 2009 21:31:14 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 091101-1, 11/01/2009), Outbound message
X-Antivirus-Status: Not-Tested
Message-ID: <W_2dnZd4kMsB_XPXnZ2dnUVZ_qGdnZ2d@vnet-inc.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-karrRd4ftFcteur0tFOUKvZjtEnhThBAnaLuvL5AFOv1a/
eIvqdGCnt3LggiFHp0quw7HMlFtjRDHpT!2xQeN9eiDGtBAB/5Ctq40EMI/
w949cJJ2jRhpBsp3GcYaOaUhAyYX5xdSrBOjaVlOohg1FuJBkjZ!c0oAzDPf2sJSw14s0x/CG5Rl9QM=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:1839
```

"KA1IOR" <wayg@cape-vision.com> wrote in message
news:b8046f6a-5d32-4dbf-88e5-dbf2167a19c7@l31g2000vbp.googlegroups.com...

>I have yet to find the adjustment to the Vox Delay on my TS-850; is it
> because I am overlooking it in the manual that has NO INDEX to help me
> find it, or doesn't the rig have such an adjustment? My lowly TS-430s
> has such adjustments...

In my TS-850 manual, on page 17, the picture at the top of the page shows
the back of the rig and all the VOX controls.
Item #18 being Anti-VOX, #19 being VOX Gain and #20 being VOX Delay.
All three are explained on page 18 of the manual in the right hand column.
All of the above are covered under the contents on page 2 as: 4. OPERATION,
4-1. OPERATING CONTROLS. pages 10 thru 19.

Sam - K7SAM

```
From 2042036856565706837
X-Google-Thread: d7f5508063,2b9edd395fa4cc6e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!g27g2000yqn.googlegroups.com!not-for-
mail
From: Threlly <threlly@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: Small Wonder PSK20 or similar
Date: Mon, 2 Nov 2009 03:55:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <67b2309b-fddf-454c-8eea-73e79359f691@g27g2000yqn.googlegroups.com>
References: <83e473fe-9f36-44ff-9a88-efd041ced407@m26g2000yqb.googlegroups.com>
     <4aee3e2f$0$28804$bd467cd0@news.dslextreme.com>
```

```
NNTP-Posting-Host: 81.97.117.27
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1257162922 21781 127.0.0.1 (2 Nov 2009 11:55:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Nov 2009 11:55:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g27g2000yqn.googlegroups.com; posting-host=81.97.117.27;
     posting-account=8nLHDgoAAADf61jI328tLcgdBWOWYw30
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10.5; en-US;
     rv:1.9.1.3) Gecko/20090824 Firefox/3.5.3,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1840

On Nov 2, 2:03=A0am, dave <d...@dave.dave> wrote:
> Threlly wrote:
> > Wanted:
> > Small 20m PSK transceiver or plain SSB 20m transceiver.
>
> > loornam...@garrifulio.mailexpire.com
>
> http://smallwonderlabs.com/swl_psk31.htm

easier to find a pre-built one as the order lead time
from small wonder labs is months.


From -3212956900707189484
X-Google-Thread: d7f5508063,84ba50bdbab60e15,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder2.cambriumusenet.nl!
feed.tweaknews.nl!192.71.180.34.MISMATCH!newsfeed1.swip.net!
newspeer1.se.telia.net!se.telia.net!masternews.telia.net.!newsb.telia.net.POSTED!
not-for-mail
From: "Kenry Hissinger" <kenry.hissinger@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: www.sm0vpo.com
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <GlYHm.12595$U5.186181@newsb.telia.net>
Date: Tue, 03 Nov 2009 15:53:10 GMT
NNTP-Posting-Host: 81.227.200.9
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1257263590 81.227.200.9 (Tue, 03 Nov 2009 16:53:10 CET)
NNTP-Posting-Date: Tue, 03 Nov 2009 16:53:10 CET
Organization: Telia Internet
```

Xref: g2news2.google.com rec.radio.amateur.equipment:1841

Hi all,
I was given a fantastic birthday present, my own domain :-)

So if you had troublke trying to remember http://web.telia.com/~u85920178/
then fear not for www.sm0vpo.com is the new URL.

Bery best regards from Harry - SM0VPO

From 407481074553113303
X-Google-Thread: d7f5508063,89ebb1dc7560e735,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
193.252.117.184.MISMATCH!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Pierre-Fran�ois \(f5bqp_pfm\)" <pfmonet_NOSPAM_@_MAPSON_wanadoo.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: HARRIS RF355 amplifier
Date: Wed, 4 Nov 2009 07:31:11 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3598
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Lines: 18
Message-ID: <4af11fad$0$965$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 04 Nov 2009 07:31:09 CET
NNTP-Posting-Host: 83.112.77.74
X-Trace: 1257316269 news.orange.fr 965 83.112.77.74:14349
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:1842

Dear Friends,

I've a friend who own into his amplifier collection an HF Amplifier from
HARRIS model RF355 and he's trying to locate the information concerning the
commands to be sent over the serial RS232 line to drive the internal antenna
tuner automatically.
This kw HF amplifier was initially designed to follow an HARRIS RT1446
transceiver.
Could someone help in this search?
May be there are on this newsgroup some OM who worked in the past at HARRIS
communication division in the US or in the UK?

Many thanks in advance for the help.

Best 73's

pf, F5BQP

```
From 3584468434167591384
X-Google-Thread: d7f5508063,89ebb1dc7560e735
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,UTF8
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 04 Nov 2009 12:11:51 -0600
Newsgroups: rec.radio.amateur.equipment
From: Jim Haynes <jhaynes@alumni.uark.edu>
Subject: Re: HARRIS RF355 amplifier
References: <4af11fad$0$965$ba4acef3@news.orange.fr>
Organization: University of Arkansas Alumni
Reply-To: jhaynes@alumni.uark.edu
User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <slrnhf3guc.8i4.jhaynes@localhost.localdomain>
Date: Wed, 04 Nov 2009 12:11:51 -0600
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.226.60.111
X-Trace: sv3-
DSmd4+dxEFRwTwr2/6JVzkQvEJWARAE3IQ3iFPwomEYQryOSPvAeuLhCG5Ye01hiEsbw9uUu+CrHHII!
2mbs/dvvrpbMeOO3wRt96mc+SUXM+UgAqHSGX9uPuIpSCzxU+zAcPg79hzPWYlGk3Ih40eILCDIo!
Cdza+xFT4gGl49c5UsSb9t4Oq09eow==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news2.google.com rec.radio.amateur.equipment:1843
```

On 2009-11-04, Pierre-François (f5bqp_pfm)
<pfmonet_NOSPAM_@_MAPSON_wanadoo.fr> wrote:

> Dear Friends,
>
> I've a friend who own into his amplifier collection an HF Amplifier from HARRIS model RF355 and he's trying to locate the information concerning the commands to be sent over the serial RS232 line to drive the internal antenna tuner automatically.

There is a google group named "armyradios" where they talk about this kind of thing.

```
From 873150206730249673
X-Google-Thread: d7f5508063,89ebb1dc7560e735
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!fdn.fr!
news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Pierre-Fran�ois \(f5bqp_pfm\)" <pfmonet_NOSPAM_@_MAPSON_wanadoo.fr>
Newsgroups: rec.radio.amateur.equipment
References: <4af11fad$0$965$ba4acef3@news.orange.fr>
<slrnhf3guc.8i4.jhaynes@localhost.localdomain>
Subject: Re: HARRIS RF355 amplifier
Date: Wed, 4 Nov 2009 20:38:58 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3598
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Lines: 24
Message-ID: <4af1d852$0$946$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 04 Nov 2009 20:38:58 CET
NNTP-Posting-Host: 83.112.77.74
X-Trace: 1257363538 news.orange.fr 946 83.112.77.74:14443
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:1844


"Jim Haynes" <jhaynes@alumni.uark.edu> a �crit dans le message de news:
slrnhf3guc.8i4.jhaynes@localhost.localdomain...
> On 2009-11-04, Pierre-Fran�ois (f5bqp_pfm)
> <pfmonet_NOSPAM_@_MAPSON_wanadoo.fr> wrote:
>> Dear Friends,
>>
>> I've a friend who own into his amplifier collection an HF Amplifier from
>> HARRIS model RF355 and he's trying to locate the information concerning
>> the
>> commands to be sent over the serial RS232 line to drive the internal
> antenna
>> tuner automatically.
>
> There is a google group named "armyradios" where they talk about this
> kind of thing.

Many thanks for the input.

Best regards
pf, F5BQP
```

```
From 3688184556429564384
X-Google-Thread: d7f5508063,639537961b3ffded,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe08.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Dead Battery
Message-ID: <ak67f55rth5uvd73o2cqlc33lgpdcmcima@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe08.iad 1257478807 70.161.107.201 (Fri, 06 Nov 2009 03:40:07 UTC)
NNTP-Posting-Date: Fri, 06 Nov 2009 03:40:07 UTC
Organization: Cox
Date: Thu, 05 Nov 2009 22:40:14 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1845

Just picked up a FT-990 and the lithium battery is dead. Can't find a
service manual with instructions on how to locate and replace the
battery.  Would appreciate an e-mail or copy of the replacement
instructions for the battery in the FT-990.  <k4wys@cox.net>


From 4601431799688143540
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!y32g2000prd.googlegroups.com!not-for-
mail
From: k6rmr <k6rmr@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS-850 Vox Delay...
Date: Thu, 5 Nov 2009 20:29:00 -0800 (PST)
Organization: http://groups.google.com
Lines: 26
Message-ID: <c33e0e0e-44ff-46df-90dd-ce9e19aee193@y32g2000prd.googlegroups.com>
References: <b8046f6a-5d32-4dbf-88e5-dbf2167a19c7@l31g2000vbp.googlegroups.com>
     <W_2dnZd4kMsB_XPXnZ2dnUVZ_qGdnZ2d@vnet-inc.com>
NNTP-Posting-Host: 71.105.25.163
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1257481740 25066 127.0.0.1 (6 Nov 2009 04:29:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Nov 2009 04:29:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y32g2000prd.googlegroups.com; posting-host=71.105.25.163;
```

```
     posting-account=5a4rHgoAAAApSsKoFfboaSBV4uhJFOBj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     Trident/4.0; Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR
     3.0.04506.648; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1846

On Nov 1, 8:31=A0pm, "Topaz305rk" <navaj...@nemont.net> wrote:
> "KA1IOR" <w...@cape-vision.com> wrote in message
>
> news:b8046f6a-5d32-4dbf-88e5-dbf2167a19c7@l31g2000vbp.googlegroups.com...
>
> >I have yet to find the adjustment to the Vox Delay on my TS-850; is it
> > because I am overlooking it in the manual that has NO INDEX to help me
> > find it, or doesn't the rig have such an adjustment? My lowly TS-430s
> > has such adjustments...
>
> In my TS-850 manual, on page 17, the picture at the top of the page shows
> the back of the rig and all the VOX controls.
> Item #18 being Anti-VOX, #19 being VOX Gain and #20 being VOX Delay.
> All three are explained on page 18 of the manual in the right hand column=
.
> All of the above are covered under the contents on page 2 as: 4. OPERATIO=
N,
> 4-1. OPERATING CONTROLS. pages 10 thru 19.
>
> Sam - K7SAM

On my 450 there is a hole on the left side of the transceiver to ajust
the Vox
delay. I bet the 850 is simular. Look at the Operaters Manual on the
Vox operation.
        Stan K6RMR



From -3904336370392136617
X-Google-Thread: a4a23d5f63,47bd2e99b75a55ac,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-
in-01.newsfeed.easynews.com!news-in-02.newsfeed.easynews.com!easynews.com!
easynews!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!
not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1254895500@panix.com>
Followup-To: poster
```

Date: 7 Nov 2009 02:05:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Dec 2009 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1257577500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1257577501 27151 166.84.1.2 (7 Nov 2009 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Nov 2009 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:15286 rec.radio.amateur.dx:534
rec.radio.amateur.equipment:1847 rec.radio.amateur.homebrew:3208
rec.radio.amateur.misc:4642 rec.radio.amateur.policy:27130 rec.radio.info:1096

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -1533857876676781992
X-Google-Thread: a4a23d5f63,eec10df79f09bcab,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!news-in-02.newsfeed.easynews.com!easynews.com!easynews!news-out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1254895801@panix.com>
Followup-To: poster
Date: 7 Nov 2009 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 10 Dec 2009 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1257577801@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1257577802 27014 166.84.1.2 (7 Nov 2009 07:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Nov 2009 07:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.misc:4643 rec.radio.amateur.equipment:1848 rec.radio.swap:2547 rec.radio.info:1097

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -5818776967827932401
X-Google-Thread: d7f5508063,d2dc358a273391e7,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 09 Nov 2009 19:01:43 -0600
Reply-To: "Topaz305rk" <k7sam@arrl.net>
From: "Topaz305rk" <navajomt@nemont.net>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale MFJ-989C Antenna Tuner
Date: Mon, 9 Nov 2009 18:01:43 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 091109-1, 11/09/2009), Outbound message
X-Antivirus-Status: Not-Tested
Message-ID: <ddCdnUGzEL3kJmXXnZ2dnUVZ_h2dnZ2d@vnet-inc.com>
Lines: 30
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-
```

JxgGEarECHlMEa8M9Iy5lTxJdg3sXc9kvG3Jvu1LGCl8SKKU0yodsZsUf9i1Hh5SrcJ+l1gKBeJLpKC!
itx8uf3MdDkSUXdhnGVz+sgtfLlGkOqp6TCouCIdb/bmDWpalRxNQmX08tvxBk1DoT3riwJ3FkiF!
kM13jaxBkirp4pnBkbfhaa8Cqko=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1635

For Sale - MFJ VersaTuner V Model MFJ-989C

The MFJ-989C roller inductor tuner is a 3000 watt PEP input, 1500 watt PEP output antenna tuner. These power ratings are for load impedance's of 35-500 ohms. The MFJ-989C is designed to match 50 ohm output amplifiers, transmitters or transceivers to virtually any antenna. Peak and average forward power, reflected power, and SWR are displayed on the MFJ-989C's illuminated cross-needle meter.

Pictures and information:

http://www.mfjenterprises.com/man/pdf/MFJ-989C.pdf
http://www.universal-radio.com/catalog/hamtune/1332c.html
http://www.g3ynh.info/atu/mfj989c.html
http://www.ham.dmz.ro/antenna_tuners/mfj/mfj-989c.php

This unit is guaranteed to not be DOA.
It is working perfectly.
Reason for sale - Had a chance to upgrade to an MFJ-998 IntelliTuner and did so.

Will be boxed in a USPS mailing box.
Styrofoam cut-outs at each end to protect binding posts and knobs.
Bubble wrap or foam peanuts for protection.

Price: $200 plus $15 for USPS box and mailing costs.

Contact - Sam, K7SAM at k7sam@arrl.net

From 4740326824882307319
X-Google-Thread: d7f5508063,d2dc358a273391e7
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Tue, 10 Nov 2009 04:22:14 -0800
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
MIME-Version: 1.0

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: For Sale MFJ-989C Antenna Tuner
References: <ddCdnUGzEL3kJmXXnZ2dnUVZ_h2dnZ2d@vnet-inc.com>
In-Reply-To: <ddCdnUGzEL3kJmXXnZ2dnUVZ_h2dnZ2d@vnet-inc.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <4af95ae1$0$28803$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1636

Topaz305rk wrote:
> For Sale - MFJ VersaTuner V Model MFJ-989C
>
> The MFJ-989C roller inductor tuner is a 3000 watt PEP input, 1500 watt PEP
> output antenna tuner.

That sucker must get hot!




From -4075762904568370209
X-Google-Thread: d7f5508063,1ed992f3bd276f07,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o10g2000yqa.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB 817/ND
Date: Wed, 11 Nov 2009 17:28:35 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <e5457d45-58b2-488e-9357-0b061b043dc0@o10g2000yqa.googlegroups.com>
NNTP-Posting-Host: 94.253.240.153
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1257989315 17047 127.0.0.1 (12 Nov 2009 01:28:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Nov 2009 01:28:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o10g2000yqa.googlegroups.com; posting-host=94.253.240.153;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; hr; rv:1.9.1.3)
     Gecko/20090824 Firefox/3.5.3,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1637

 For parts.
```

```
From 5835366163588483410
X-Google-Thread: d7f5508063,d9f3b20efd6c7e15,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: OLEIC ACID,  MIX WITH 32 OZ. NAPTHA, LIGHTER FLUID, OR COLEMAN
     FLUID
Date: Sat, 14 Nov 2009 14:28:32 -0600
Organization: WebTV Subscriber
Lines: 6
Message-ID: <20736-4AFF12F0-37@storefull-3173.bay.webtv.net>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
     ETAuAhUAwu8jbt2P5PrNkV254oVLXWHvlfECFQC1hzP5cV5wdKh/+AyJEPrw/zBoCA==
Content-Disposition: Inline
Xref: g2news1.google.com rec.radio.amateur.equipment:1638

MAKES CRAMOLIN EQUIVALENT. $8.00 POSTPAID.


CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse  caps, short answers, stroke.




From -2502786182482671947
X-Google-Thread: eb6723c9db,cce0e62248ca0a37,start
X-Google-Attributes: gideb6723c9db,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: Looking for BIG power resistors
Date: Mon, 16 Nov 2009 18:46:05 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 18
Message-ID: <4b020e6f$0$1992$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 17 Nov 2009 02:46:08 GMT
NNTP-Posting-Host: 18281669.news.sonic.net
```

```
X-Trace: DXC=OhYfDo\E=i5hfZRoY?doh>m4K\QM1CV^01OYf0H`?;X1FdB?
jK]:`d8A409DRUn]l=7Dl0e6l44`=
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1639
rec.antiques.radio+phono:26822
```

I'm in the process of restoring a WWII vintage transmitter.
So far I've been able to use all of the original parts but some
of the bleeder resistors in the HV supply are bad. Hoping
someone has these in their junkbox;

25K ohm 80 watt; these are 11.5" long and 1.125" in diameter,
ceramic with cartridge type ends. Made by Groves Corp (bit this isn't
important). Need at least two of these.

The other resistor is really one of those old style ceramic floor
heater elements. It has wire wound on a ceramic cone and
uses a standard light bulb base. 220 volts, 660 watts.
This monster is put in series with the primary of the plate
transformer for "low power tuning". Chuckle...

Steve

```
From -2657461052268279801
X-Google-Thread: eb6723c9db,cce0e62248ca0a37
X-Google-Attributes: gideb6723c9db,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!weretis.net!
feeder2.news.weretis.net!feeder.eternal-september.org!eternal-september.org!not-
for-mail
From: "Bill Noble" <nobody@nowhere.invalid>
Newsgroups: rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: Re: Looking for BIG power resistors
Date: Mon, 16 Nov 2009 20:32:17 -0800
Organization: A noiseless patient Spider
Lines: 29
Message-ID: <hdt90i$tkm$1@news.eternal-september.org>
References: <4b020e6f$0$1992$742ec2ed@news.sonic.net>
Mime-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Trace: news.eternal-september.org
U2FsdGVkX189VBPbToiTEGSGRffQtvoDLJyFlBHVDeQaa6OafskU5Eft73Ap3ULGJTer/
6Tue2Dzrq67ZsFUG79xk5jsYrLJN0JrGqMOycPnFOiy2mvpuJw2t2o9HvvlpEul2opXO0c/
d+Ona+9KXUiiA0Y8RSl3
X-Complaints-To: abuse@eternal-september.org
```

NNTP-Posting-Date: Tue, 17 Nov 2009 04:32:19 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V14.0.8089.726
In-Reply-To: <4b020e6f$0$1992$742ec2ed@news.sonic.net>
X-Newsreader: Microsoft Windows Live Mail 14.0.8089.726
X-Auth-Sender: U2FsdGVkX18sKMnjMZ7wv0TeDRZvBUX53VpCACNv6sc7t7Ie7ynLCoD/6dc7PO+A
Importance: Normal
Cancel-Lock: sha1:1vpzvpDCC3Bead6rRZ0P9DwKb/k=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:1640
rec.antiques.radio+phono:26826

the big resistors are common at swap meets here, and the heating element is still available at some appliance stores (at least I've seen it there) and also at swap meets- you can just replace the heating element if you like, nichrome coils are readily available in various wattage/voltage combinations.

If you want to try a surplus store, try ford electronics in fullerton CA - they should have some of that kind of stuff - if I remember right the phone is 714 521 8080

"Steve" <zarco@sonic.net> wrote in message
news:4b020e6f$0$1992$742ec2ed@news.sonic.net...
> I'm in the process of restoring a WWII vintage transmitter.
> So far I've been able to use all of the original parts but some
> of the bleeder resistors in the HV supply are bad. Hoping
> someone has these in their junkbox;
>
> 25K ohm 80 watt; these are 11.5" long and 1.125" in diameter,
> ceramic with cartridge type ends. Made by Groves Corp (bit this isn't
> important). Need at least two of these.
>
> The other resistor is really one of those old style ceramic floor
> heater elements. It has wire wound on a ceramic cone and
> uses a standard light bulb base. 220 volts, 660 watts.
> This monster is put in series with the primary of the plate
> transformer for "low power tuning". Chuckle...
>
>   Steve
>

From 5712285412159016685
X-Google-Thread: eb6723c9db,cce0e62248ca0a37
X-Google-Attributes: gideb6723c9db,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Tue, 17 Nov 2009 05:30:19 -0800
From: dave <dave@dave.dave>

```
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.21) Gecko/20090322
SeaMonkey/1.1.15
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: Re: Looking for BIG power resistors
References: <4b020e6f$0$1992$742ec2ed@news.sonic.net> <hdt90i$tkm$1@news.eternal-
september.org>
In-Reply-To: <hdt90i$tkm$1@news.eternal-september.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 30
Message-ID: <4b02a5a5$0$28781$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1641
rec.antiques.radio+phono:26837

Bill Noble wrote:
> the big resistors are common at swap meets here, and the heating element
> is still available at some appliance stores (at least I've seen it
> there) and also at swap meets- you can just replace the heating element
> if you like, nichrome coils are readily available in various
> wattage/voltage combinations.
>
> If you want to try a surplus store, try ford electronics in fullerton CA
> - they should have some of that kind of stuff - if I remember right the
> phone is 714 521 8080
>
> "Steve" <zarco@sonic.net> wrote in message
> news:4b020e6f$0$1992$742ec2ed@news.sonic.net...
>> I'm in the process of restoring a WWII vintage transmitter.
>> So far I've been able to use all of the original parts but some
>> of the bleeder resistors in the HV supply are bad. Hoping
>> someone has these in their junkbox;
>>
>> 25K ohm 80 watt;  these are 11.5" long and 1.125" in diameter,
>> ceramic with cartridge type ends. Made by Groves Corp (bit this isn't
>> important). Need at least two of these.
>>
>> The other resistor is really one of those old style ceramic floor
>> heater elements. It has wire wound on a ceramic cone and
>> uses a standard light bulb base. 220 volts, 660 watts.
>> This monster is put in series with the primary of the plate
>> transformer for "low power tuning". Chuckle...
>>
>>                        Steve
>>


From -7113204004474108957
X-Google-Thread: d7f5508063,d2dc358a273391e7
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 17 Nov 2009 07:46:06 -0600
Reply-To: "Topaz305rk" <k7sam@arrl.net>
From: "Topaz305rk" <navajomt@nemont.net>
Newsgroups: rec.radio.amateur.equipment
References: <ddCdnUGzEL3kJmXXnZ2dnUVZ_h2dnZ2d@vnet-inc.com>
<4af95ae1$0$28803$bd467cd0@news.dslextreme.com>
Subject: Re: For Sale MFJ-989C Antenna Tuner
Date: Tue, 17 Nov 2009 06:45:58 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 091117-0, 11/17/2009), Outbound message
X-Antivirus-Status: Not-Tested
Message-ID: <0d2dnWmGYt68NJ_WnZ2dnUVZ_hadnZ2d@vnet-inc.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-
GtqTTyfXq0lgnbCC4I0JeJ6w7PpwztfmwXnGAbLLKThIwdbwKFrhyJpAJENykaalBVF188LQK22JnZk!
hLI9USqhfMtgEPAaPCazvWDODCQGkrB6tVGOBdYwcMr+xEsmKBQGcCw4ZoP1KAD646P78cunvusi!
Clz9huexv/vl89x1QMpY7xq4afc=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1642

"dave" <dave@dave.dave> wrote in message
news:4af95ae1$0$28803$bd467cd0@news.dslextreme.com...
> Topaz305rk wrote:
>> For Sale - MFJ VersaTuner V Model MFJ-989C
>>
>> The MFJ-989C roller inductor tuner is a 3000 watt PEP input, 1500 watt
>> PEP
>> output antenna tuner.
>
> That sucker must get hot!
>

Nope!

Sam

From 1028691601805696442
X-Google-Thread: eb6723c9db,cce0e62248ca0a37
X-Google-Attributes: gideb6723c9db,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!n35g2000yqm.googlegroups.com!not-for-mail
From: "shoppa@trailing-edge.com" <shoppa@trailing-edge.com>
Newsgroups: rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: Re: Looking for BIG power resistors
Date: Tue, 17 Nov 2009 07:23:09 -0800 (PST)
Organization: http://groups.google.com
Lines: 30
Message-ID: <b5d3c5a5-1135-47cb-a20b-2e5a9df66c56@n35g2000yqm.googlegroups.com>
References: <4b020e6f$0$1992$742ec2ed@news.sonic.net>
NNTP-Posting-Host: 170.121.14.12
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1258471389 27832 127.0.0.1 (17 Nov 2009 15:23:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 17 Nov 2009 15:23:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n35g2000yqm.googlegroups.com; posting-host=170.121.14.12;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US)
     AppleWebKit/532.0 (KHTML, like Gecko) Chrome/3.0.195.33 Safari/532.0,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1643
rec.antiques.radio+phono:26838

On Nov 16, 9:46=A0pm, "Steve" <za...@sonic.net> wrote:
> I'm in the process of restoring a WWII vintage transmitter.
> So far I've been able to use all of the original parts but some
> of the bleeder resistors in the HV supply are bad. Hoping
> someone has these in their junkbox;
>
> 25K ohm 80 watt; =A0these are 11.5" long and 1.125" in diameter,
> ceramic with cartridge type ends. Made by Groves Corp (bit this isn't
> important). Need at least two of these.

Not exactly original but ceramic tubular resistors are still made
today by Vishay, Bourns, etc.

See e.g. HL10006Z25K00JJ

For the same wattage the modern ones are probably a factor of two
smaller.

> The other resistor is really one of those old style ceramic floor
> heater elements. It has wire wound on a ceramic cone and
> uses a standard light bulb base. 220 volts, 660 watts.

> This monster is put in series with the primary of the plate
> transformer for "low power tuning". Chuckle...

Might want to think about a large-wattage 220V light bulb dropped in.

Light bulbs are interesting circuit elements, often usable on purpose
for the way the resistance increases as they heat up.

Tim.

From -4209934643320019927
X-Google-Thread: eb6723c9db,cce0e62248ca0a37
X-Google-Attributes: gideb6723c9db,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nntp.club.cc.cmu.edu!
pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: Re: Looking for BIG power resistors
Date: Tue, 17 Nov 2009 16:20:07 GMT
Organization: some
Lines: 38
Message-ID: <hduicg$eqc$1@usenet01.srv.cis.pitt.edu>
References: <4b020e6f$0$1992$742ec2ed@news.sonic.net> <b5d3c5a5-1135-47cb-
a20b-2e5a9df66c56@n35g2000yqm.googlegroups.com>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1258474704 15180 136.142.52.90 (17 Nov 2009
16:18:24 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Tue, 17 Nov 2009 16:18:24 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:1644
rec.antiques.radio+phono:26839

In article <b5d3c5a5-1135-47cb-a20b-2e5a9df66c56@n35g2000yqm.googlegroups.com>,
"shoppa@trailing-edge.com" <shoppa@trailing-edge.com> wrote:
>On Nov 16, 9:46=A0pm, "Steve" <za...@sonic.net> wrote:
>> I'm in the process of restoring a WWII vintage transmitter.
>> So far I've been able to use all of the original parts but some
>> of the bleeder resistors in the HV supply are bad. Hoping
>> someone has these in their junkbox;
>>
>> 25K ohm 80 watt; =A0these are 11.5" long and 1.125" in diameter,
>> ceramic with cartridge type ends. Made by Groves Corp (bit this isn't
>> important). Need at least two of these.
>
>Not exactly original but ceramic tubular resistors are still made
>today by Vishay, Bourns, etc.

```
Ohmite.

I just bought a 225 watt 2.5K last week from Allied.

greg

>See e.g. HL10006Z25K00JJ
>
>For the same wattage the modern ones are probably a factor of two
>smaller.
>
>> The other resistor is really one of those old style ceramic floor
>> heater elements. It has wire wound on a ceramic cone and
>> uses a standard light bulb base. 220 volts, 660 watts.
>> This monster is put in series with the primary of the plate
>> transformer for "low power tuning". Chuckle...
>
>Might want to think about a large-wattage 220V light bulb dropped in.
>
>Light bulbs are interesting circuit elements, often usable on purpose
>for the way the resistance increases as they heat up.
>
>Tim.



From -6225796034859627195
X-Google-Thread: d7f5508063,d2dc358a273391e7
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.acm.uiuc.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: For Sale MFJ-989C Antenna Tuner
Date: Tue, 17 Nov 2009 12:09:25 -0500
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 37
Sender: et472@193-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0911171206200.9284@darkstar.example.net>
References: <ddCdnUGzEL3kJmXXnZ2dnUVZ_h2dnZ2d@vnet-inc.com>
 <4af95ae1$0$28803$bd467cd0@news.dslextreme.com>
<0d2dnWmGYt68NJ_WnZ2dnUVZ_hadnZ2d@vnet-inc.com>
NNTP-Posting-Host: 193-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1258477799 10994 64.235.215.193 (17 Nov 2009 17:09:59 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 17 Nov 2009 17:09:59 GMT
In-Reply-To: <0d2dnWmGYt68NJ_WnZ2dnUVZ_hadnZ2d@vnet-inc.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:1645

On Tue, 17 Nov 2009, Topaz305rk wrote:
```

> "dave" <dave@dave.dave> wrote in message
> news:4af95ae1$0$28803$bd467cd0@news.dslextreme.com...
>> Topaz305rk wrote:
>>> For Sale - MFJ VersaTuner V Model MFJ-989C
>>>
>>> The MFJ-989C roller inductor tuner is a 3000 watt PEP input, 1500 watt
>>> PEP
>>> output antenna tuner.
>>
>> That sucker must get hot!
>>
>
> Nope!
>
> Sam
>
>
>
Not when it's dividing the power in half?

The way you wrote the add, it does read like you put 3000w in and get
1500w out.

There wouldn't be a rating for the output power level, either you feed
too much into the input or it's okay.

Surely what you meant was that the tuner can handle a transmitter of a
certain power level, and that power level can either be measured as 3000w
input to its plates or 1500watts output. Which of course isn't two
different power levels, just a different method of measuring the power,
the former with metering inside the rig, the latter with a wattmeter on
the output of the rig.

Michael VE2BVW

From 3236800091823241372
X-Google-Thread: d7f5508063,625ff77c993861b4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!goblin3!goblin.stu.neva.ru!
news.nobody.at!texta.sil.at!news1.tnib.de!feed.news.tnib.de!news.tnib.de!news.iks-
jena.de!newsfeed1.eu.ignite.net!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-
online.de!t-online.de!border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 18 Nov 2009 17:13:07 -0600
From: LukeOR <LukeOR.54a34f6@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Sony CRF-230B

```
Date: Wed, 18 Nov 2009 19:55:45 +0000
Message-ID: <LukeOR.54a34f6@radiobanter.com>
Organization: RadioBanter.com
Lines: 20
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
rmRZreKfJaQxcvDx95vRMGnpmrKQ0HK8StiudP7BsvqMvLjhXyuICjtyV8kzp3O6rMJglc5Qk6IvF4i!
B4kvoPIhn5GLMrdxwNbPTyXjfictKJNY72bdk4zKDNBGS34F406+0QlvuGL9BatXOfcPimssjEuR!uDI=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 1
X-Original-Bytes: 1872
Xref: g2news1.google.com rec.radio.amateur.equipment:1646


I am sick of this thing sitting in my closet for the last 8 years, never
really learned how to use it, but it works fine and is in excellent
condition.  If any one is interested in this baby give me a holler...


+-------------------------------------------------------------------+
|Filename: 100_1331.jpg                                             |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=644|
|Filename: 100_1332.JPG                                             |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=645|
|Filename: 100_1333.JPG                                             |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=646|
|Filename: 100_1334.JPG                                             |
|Download: http://www.radiobanter.com/attachment.php?attachmentid=647|
+-------------------------------------------------------------------+




--
LukeOR


From -4405806212549248755
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe13.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-990  FS
Message-ID: <3r6bg5ld1rco4k36gikoq35m5ao9imeeok@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
Lines: 8
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe13.iad 1258658689 70.161.107.201 (Thu, 19 Nov 2009 19:24:49 UTC)
NNTP-Posting-Date: Thu, 19 Nov 2009 19:24:49 UTC
Organization: Cox
Date: Thu, 19 Nov 2009 14:24:54 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1647

Yaesu FT-990 DC  HF Transceiver, 160 - 10 Meters + WARC plus general
coverage 100 KHz to 30 MHz, Automatic Antenna Tuner, 100 Watts,
Digital Filtering, new Lithium Memory battery for 90 Memories with
MH-31 hand microphone.  No extra filters or TCXO. Works great, has
scratches on top, 8 out of 10.  Yaesu Operators Manual, (Operators
Manual, Service Manual and Nov. '91 QST Review on CD) no factory
carton.    $750.00  Plus Shipping and Handling from 23320.
<k4wys@cox.net>


From -6755725541319795134
X-Google-Thread: d7f5508063,8e1c2ede94985120,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe13.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: PS Yaesu FP-301D FS
Message-ID: <e07bg5pfbpcqrh6ep215jngfmkpi45a1mh@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe13.iad 1258658868 70.161.107.201 (Thu, 19 Nov 2009 19:27:48 UTC)
NNTP-Posting-Date: Thu, 19 Nov 2009 19:27:48 UTC
Organization: Cox
Date: Thu, 19 Nov 2009 14:27:53 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1648

Yaesu FP-301D Power Supply, made to match the FT-301 and FT-301D
Transceivers, 25 amps at 13.5 Volts DC.  Front mounted speaker and
digital clock (24/12 hour).  23 pounds, NOT a switching PS.  Can be
wired for 234 VAC to 100 VAC input voltage. Clock needs work, runs
real fast? 10 minute programmable timer for ID.  PS  & speaker work
great, cabinet has scratches, 7 out of 10.  Yaesu Operators Manual, no
factory carton.    $60.00  Plus Shipping and Handling from 23320.
<k4wys@cox.net>
```

```
From 69425033070108989
X-Google-Thread: d7f5508063,1c289cc3dc5f1988,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g1g2000vbr.googlegroups.com!not-for-
mail
From: RadioTuner <jhulet@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu VX-8R Replacement Belt Clip
Date: Mon, 23 Nov 2009 16:11:15 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <06b59294-aebe-45c5-9b57-0642b6957316@g1g2000vbr.googlegroups.com>
NNTP-Posting-Host: 64.12.116.20
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1259021475 17844 127.0.0.1 (24 Nov 2009 00:11:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Nov 2009 00:11:15 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g1g2000vbr.googlegroups.com; posting-host=64.12.116.20;
     posting-account=JHXGoAkAAADj-yN2QD8qUaQ6j6dBfYn5
User-Agent: G2/1.0
X-HTTP-Via: HTTP/1.1 (Velocity/3.1.1.5 [uScHs f p eN:t cCUp s ]), HTTP/1.1
     spider-mtc-td09.proxy.aol.com[400C7069] (Prism/1.2.1), HTTP/1.1
     cache-mtc-aa16.proxy.aol.com[400C7414] (Traffic-Server/6.1.5 [uScM])
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.1; AOLBuild
     4334.5006; Windows NT 6.0; WOW64; Trident/4.0; SLCC1; .NET CLR 2.0.50727;
     Media Center PC 5.0; .NET CLR 3.5.30729; .NET CLR 3.0.30618; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1651
```

Yaesu VX-8R / VX-3R Replacement Belt Clip

Replacement belt clip for Yaesu VX-8R hand-held radio. Replaces stock belt clip. (Shown with VX-8R)

Spring loaded belt clip, swivels, and locks with quick release. Perfect for quick retrieval and replacement of radio during field day or amateur radio operations. Uses 3M button to adhere to radio. Strong adhesion - confidently secures radio to your side. This is your answer to the stock belt clip that comes with the radio.

$19.97 shipped Free Cont. US!

Enjoy one of Yaesu's finest HTs with this improved belt clip!

Thank you & 73,
Jason
W1WOW
**VX-8R pictured is not for sale!

For Detail & Photos - http://northernshores.vflyer.com/home/flyer/home/2953225

```
From -6814571694295890351
X-Google-Thread: d7f5508063,19d8ad0e05b893cd,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsgate.cuhk.edu.hk!
news.netfront.net!not-for-mail
From: "Frank S" <items4sale@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Bird Termaline 6154 Wattmeter RF Load 150W
Date: Tue, 24 Nov 2009 20:48:44 -0500
Organization: Netfront http://www.netfront.net
Lines: 9
Message-ID: <hei2ie$23v3$1@adenine.netfront.net>
NNTP-Posting-Host: 74.242.213.18
X-Trace: adenine.netfront.net 1259113870 69603 74.242.213.18 (25 Nov 2009 01:51:10
GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Wed, 25 Nov 2009 01:51:10 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1983
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1983
Xref: g2news1.google.com rec.radio.amateur.equipment:1652
```

Bird Termaline(c) 6154 Wattmeter and RF Load, four power scales, 5/15/50/150 Watts. 25-1000 MHz. Used in good condition, works perfectly. Type N female input connector, 50 Ohms.
$150 plus shipping
Located in Raleigh NC contact items4sale (at) bellsouth.net
Thanks for looking
Frank

```
From 5567766482046867459
X-Google-Thread: d7f5508063,e678d69a0a206724,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: SPANISH,ASCII
Path: g2news1.google.com!postnews.google.com!a10g2000pre.googlegroups.com!not-for-
mail
From: jerodiva <xe2mrv@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: =?ISO-8859-1?Q?Vendo_l=EDnea_completa_de_Kenwood_TS=2D130=2DS?=
Date: Tue, 24 Nov 2009 18:53:45 -0800 (PST)
Organization: http://groups.google.com
Lines: 25
```

```
Message-ID: <7927377a-7777-47fd-b86e-59222a27caeb@a10g2000pre.googlegroups.com>
NNTP-Posting-Host: 189.224.118.34
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1259117625 29558 127.0.0.1 (25 Nov 2009 02:53:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Nov 2009 02:53:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a10g2000pre.googlegroups.com; posting-host=189.224.118.34;
     posting-account=KrWOPgoAAADGvpi8FKuS3fdadYXyGM7t
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     Trident/4.0; Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ;
     InfoPath.2; msn OptimizedIE8;ESMX),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1653

Transeiver Kenwood TS-130-S desde 3.5 Mgz. hasta 30 Mgz. 100 Wats USB/
LSB/CW.
Micr=F3fono Din=E1mico Kenwood MC-50   50/500 ohms. (de escritorio)
Micr=F3fono Din=E1mico de palma.
VFO Remote Kenwood 130.
Sintonizador de Antena Kenwood AT-230 desde 1.8 Mgz hasta 30 Mgz.
Bocina Externa Kenwood SP-120   8 ohms.
Fuente de alimentaci=F3n Kenwood PC-30    20 amperes constantes
30amperes de pico.
Phone Pach Kenwood PC-1

Adjunto fotograf=EDa de la l=EDnea completa, esta funcionado todo
correctamente y cosm=E9ticamente se encuentra en muy buenas condiciones,
se encuentra en 8 puntos en una escala de 0 a 10.

Precio 5,000.00 pesos.
se adjunta fotografia

Cualquier informacion



Edgardo Bonion Alves-Rolo
LU1DBC/XE2
ebonion@prodigy.net.mx  ebonion@hotmail.com




From 4761548839740878045
X-Google-Thread: d7f5508063,8426a74b57eb64f4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Nov 2009 09:18:19 -0600
```

From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Heil CC-1-I cable
Date: Thu, 26 Nov 2009 10:18:18 -0500
MIME-Version: 1.0
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 14.0.8089.726
X-MimeOLE: Produced By Microsoft MimeOLE V14.0.8089.726
X-EsetScannerBuild: 6117
Message-ID: <Q5OdnecoF7emAZPWnZ2dnUVZ_vmdnZ2d@giganews.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
YOsJaYqmLp6Z3Rtjqwalr9wGVCkbmHeqwnOaV5Zuqtb7LTWeMok4EypeP7qLVrbzEnVKFxP50dEGQJn!
A4JX2SCNUgqthQBmIEUFQH/8yeQhPhlvLJR+1Zee13jCZEe9unYd5lCR5SAkmovAnWdz/9kIFk0=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1654

Looking for a CC-1-I cable for a Classic 5 mic into an Icom 8 pin.

Thanks,

Bob W1CNY

__________ Information from ESET NOD32 Antivirus, version of virus signature database 4639 (20091126) __________

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

From 1748048917749802960
X-Google-Thread: d7f5508063,8e1c2ede94985120
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!

```
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe24.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: PS Yaesu FP-301D FS
Message-ID: <flsvg59m6i7vrvaq6vjl47f8h1pa4d95hq@4ax.com>
References: <e07bg5pfbpcqrh6ep215jngfmkpi45a1mh@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe24.iad 1259336372 70.161.107.201 (Fri, 27 Nov 2009 15:39:32 UTC)
NNTP-Posting-Date: Fri, 27 Nov 2009 15:39:32 UTC
Organization: Cox
Date: Fri, 27 Nov 2009 10:39:39 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1655

On Thu, 19 Nov 2009 14:27:53 -0500, Sonny Hood <wrhood@cox.net>
wrote:Looks like it is sold awaiting money order

>Yaesu FP-301D Power Supply, made to match the FT-301 and FT-301D
>Transceivers, 25 amps at 13.5 Volts DC.  Front mounted speaker and
>digital clock (24/12 hour).  23 pounds, NOT a switching PS.  Can be
>wired for 234 VAC to 100 VAC input voltage. Clock needs work, runs
>real fast? 10 minute programmable timer for ID.  PS  & speaker work
>great, cabinet has scratches, 7 out of 10.  Yaesu Operators Manual, no
>factory carton.   $60.00  Plus Shipping and Handling from 23320.
><k4wys@cox.net>



From 5412609681077368367
X-Google-Thread: d7f5508063,633397c7802a30cb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: I HAVE THE FOLLOWING WITH ADAPTOR / COMPLETELY NEW
Date: Sat, 28 Nov 2009 11:56:37 -0600
Organization: WebTV Subscriber
Lines: 30
Message-ID: <17945-4B116455-5338@storefull-3171.bay.webtv.net>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
```

ETAsAhR4cdiJZ7YflV+SivVm1puhev55KgIUAgft6jLswoCnnvI1iPRrBwPmMMM=
Content-Disposition: Inline
Xref: g2news1.google.com rec.radio.amateur.equipment:1656

WD-II (HALF DOZEN TYPES AND SIZES) 864, 3D6.

199

30 (2 TYPES)

'01A (3 TYPES)

#10, #45

#50

6E5, 6U5, 6G5, 6T5

SS 35Z5

SS 5Y3, 5R4, 5U4, 5V4, 5W4, 5Z4, 6W6, 6AX4

SS 80, 81, 82, 83, 83V, 5Z3

SS 117Z3

SS117Z4

50A1

CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse caps, short answers, stroke.

From 8914072721356893468
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1257058800@panix.com>
Followup-To: poster
Date: 1 Dec 2009 02:00:08 -0500
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world

Expires: 03 Jan 2010 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1259650800@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1259650808 6024 166.84.1.2 (1 Dec 2009 07:00:08 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 1 Dec 2009 07:00:08 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news1.google.com rec.radio.amateur.antenna:13894 rec.radio.amateur.dx:505 rec.radio.amateur.equipment:1657 rec.radio.amateur.homebrew:2960 rec.radio.amateur.misc:4448 rec.radio.amateur.policy:24491 rec.radio.amateur.space:291 rec.radio.info:1072

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved

newsgroups up-to-date. In case we have overlooked any, and a submission
is rejected in error as a result, the rejected submitter can E-mail us
at our administrative contact address (in the signature at the bottom of
this article, and the default Reply-To for the rejection message)
requesting that it be added, and that the article be approved. We may
still choose to reject articles crossposted to any alt.* newsgroup with
an inappropriate name, including obscene language, embedded
name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to
rec-radio-amateur-moderated-request@panix.com.

From 4709334930212321878
X-Google-Thread: d7f5508063,546b416ea6463cb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f16g2000yqm.googlegroups.com!not-for-mail
From: AZAD WAHID <multitrade.mte@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Quantar repeater
Date: Tue, 1 Dec 2009 23:44:02 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
Message-ID: <4b67a462-3afb-490e-99b8-e7d1dab90e5c@f16g2000yqm.googlegroups.com>
NNTP-Posting-Host: 60.48.194.112
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1259739842 9283 127.0.0.1 (2 Dec 2009 07:44:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Dec 2009 07:44:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000yqm.googlegroups.com; posting-host=60.48.194.112;
     posting-account=e5hlVAoAAACsuODUlPK8terk08e72_p-
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.14)
     Gecko/2009082707 Firefox/3.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1658

Hi,

I was wondering if the RAM module on the Quantar repeaters are the
same?
Can I use a RAM module from a UHF unit in a VHF one?

Regards,
Azad.

From -3680738986805580369
X-Google-Thread: d7f5508063,31fb1288fb1dd9ff,start

```
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g31g2000vbr.googlegroups.com!not-for-
mail
From: "Mr. Rowdy" <ecadbx@gmail.com>
Newsgroups: alt.ham-radio,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: ICOM IC-28A 2 meter transceiver VHF FM mobile radio
Date: Thu, 3 Dec 2009 13:54:02 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <527e6429-a351-4d7f-87f4-98f587fa3aaa@g31g2000vbr.googlegroups.com>
NNTP-Posting-Host: 192.94.94.106
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1259877242 24643 127.0.0.1 (3 Dec 2009 21:54:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 3 Dec 2009 21:54:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g31g2000vbr.googlegroups.com; posting-host=192.94.94.106;
     posting-account=QHEfugkAAAAXStA1FqOqrI-tfgiuRVGS
User-Agent: G2/1.0
X-HTTP-Via: 1.1 proxysb02 (NetCache NetApp/6.0.5)
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.5)
     Gecko/20091102 Firefox/3.5.5,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio:1263 rec.radio.swap:2199
rec.radio.amateur.equipment:1659
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=110464395707&ssPageName=STRK:MESELX:IT

Excellent condition, works perfectly. Includes mounting bracket and a
printout of the manual.

Selectable 5 or 25W, options availble for digital and tone squeltch.

```
From 3454052921671838354
X-Google-Thread: a4a23d5f63,4448fef70ef04a5d,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1257577500@panix.com>
Followup-To: poster
```

Date: 7 Dec 2009 02:05:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 51
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jan 2010 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1260169500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1260169501 12918 166.84.1.2 (7 Dec 2009 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Dec 2009 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:14036 rec.radio.amateur.dx:508 rec.radio.amateur.equipment:1660 rec.radio.amateur.homebrew:2971 rec.radio.amateur.misc:4463 rec.radio.amateur.policy:24564 rec.radio.info:1086

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.2 2009/11/25 14:41:01
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

One significant omission, requiring immediate updates, for this article |
is that it does not mention newer amateur radio newsgroups created since |
it was written, including: |

rec.radio.amateur.antenna |
rec.radio.amateur.boatanchors |
rec.radio.amateur.dx |
rec.radio.amateur.equipment |
rec.radio.amateur.homebrew |
rec.radio.amateur.moderated |
rec.radio.amateur.space |

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 2663249933382196452
X-Google-Thread: a4a23d5f63,38616fa336629e00,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!npeer01.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1257577801@panix.com>
Followup-To: poster
Date: 7 Dec 2009 02:10:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: RRI Admin <rec-radio-info-request@panix.com>
Distribution: world
Expires: 09 Jan 2010 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1260169800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1260169801 9761 166.84.1.2 (7 Dec 2009 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Dec 2009 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.misc:4464
rec.radio.amateur.equipment:1661 rec.radio.swap:2201 rec.radio.info:1087

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
```

Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 95786694545444455
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!news.mixmin.net!feeder.eternal-september.org!eternal-september.org!not-for-mail
From: Kevin Alfred Strom <kevin.strom@revilo-oliver.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Mon, 07 Dec 2009 10:49:12 -0500
Organization: I speak only for myself.
Lines: 33
Message-ID: <hfj85o$5l6$1@news.eternal-september.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
<h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>

```
<nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
<Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
<0dKdnSL4C9hzzKjXnZ2dnUVZ_jJi4p2d@earthlink.com>
<Pine.NEB.4.64.0906150157570.27790@sdf.lonestar.org>
<h1e80d$o44k$1@tr22n12.aset.psu.edu>
<Pine.NEB.4.64.0906191928450.5451@sdf.lonestar.org>
<h1oi2k$ek6q$1@tr22n12.aset.psu.edu>
<Pine.NEB.4.64.0906231258450.6139@sdf.lonestar.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.eternal-september.org U2FsdGVkX1/B20s8YQGzsvjZ/
6kYXf4za3w2920YdaLgelXnP1B6LICu48gVCuSY1JxWJ8ZNb2UpKMTW1+SWCDau2YGOBZH54WYTfIXEyyI
9tjeAVCLO0wboEQBeLfzFRv3xMvuJb4a4a2Pp9nbnxA==
X-Complaints-To: abuse@eternal-september.org
NNTP-Posting-Date: Mon, 7 Dec 2009 15:49:13 +0000 (UTC)
In-Reply-To: <Pine.NEB.4.64.0906231258450.6139@sdf.lonestar.org>
X-Auth-Sender: U2FsdGVkX1+eWxOnNRg/20l9WMGROxC/4YnbtFvNetWIvZLbyGWllA==
Cancel-Lock: sha1:RHpd7ZWWmYUuHjcjR3VHvMCu10M=
User-Agent: Thunderbird 2.0.0.23 (Windows/20090812)
Xref: g2news1.google.com rec.radio.amateur.equipment:1662
```

Stray Dog wrote:

> [...]
>
> I'll tell you another one. One of the hard drive manufacturers had,
> built into some memory chip on the hard drive circuit board some code
> that "phoned home" for reasons never really disclosed. The guy who found
> out called the manufacturer but the rep he talked to couldn't say what
> the story was.
>
> A lot of this spyware crap came out in a lot of the computer trade
> magazines back 2000 to 2005 or so (computerworld, infoweek, eweek, and
> several others). Ed Foster had a "gripeline" column in one of the
> magazines and spent a lot of time on what I call the
> tricky-cheaty-sneaky crap (everything from spyware to shrinkwrap
> intimidations). He even had a website. His magazine laid him off (maybe
> the advertizers were intimidated and threatened to pull their ad
> contracts) so he set up his own website where he continued to be a forum
> for user gripes about all manner of things.
>

[...]

Thanks for the extensive information! I find that using the Noscript
addon with Firefox blocks a _lot_ of unwanted and unnecessary and
malicious garbage on the Web.

With all good wishes,

Kevin, WB4AIO.

From -579993143444493283
X-Google-Thread: a4a23d5f63,86531dfb45ecdc26,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "ARRL NE Section" <memberlist@www.arrl.org>
Newsgroups:
rec.radio.amateur.moderated,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.info
Subject: K0NEB Joins CQ Magazine as Contributing Editor
Followup-To:
rec.radio.amateur.moderated,rec.radio.amateur.equipment,rec.radio.amateur.misc
Date: Mon, 7 Dec 2009 10:49:56 EST
Organization: American Radio Relay League
Lines: 44
Approved: RRAM Approval Key <rram-approval-key@panix.com>, RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <20091207140602.0C02E32757F@bmailer.arrl.org>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1260200996 19297 166.84.1.6 (7 Dec 2009 15:49:56 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Dec 2009 15:49:56 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to   rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to   rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Greylist: Delayed for 00:23:40 by milter-greylist-4.3.3 (oasis.novia.net [216.40.24.1]); Mon, 07 Dec 2009 08:29:54 -0600 (CST)
X-Auth: PGPMoose V2.0 PGP rec.radio.amateur.moderated
 iJwEAQECAAYFAksdJCQACgkQSO8RITXCfvsAeQP9GVi0muDtBvn6uHTPHcx70Usk
 3esZc/+ef+6RFA7klFB2tKSqP/vDx+0oln39WahmNCl+rklAzsugIfjkw5BR0xP/
 la6dj7Lh0MuhJMETKvKHLlXBZF4KBtRymY/y7cC0x8Q0cbB80stEM2Jpwe3Ha/6Q
 svnFEmnSyzYB18y9Xf0=
 =PN+U
Xref: g2news1.google.com rec.radio.amateur.moderated:1222
rec.radio.amateur.equipment:1663 rec.radio.amateur.misc:4465 rec.radio.info:1088

Well, good news and bad news -- the good news first. I want to let you know that I completed my graduate program at UNL successfully. It's been a dream of mine for nearly 4 decades to finish my doctorate. So you may now refer to me as Dr. K�AIZ. However, I prefer Art. The bad news is that I've run out of the "I'm busy with school" excuse. The six weeks of September/October I spent in California dealing with the illness and death of my mother took its toll on trying to complete the degree. So the time since her passing has consisted of 15 to 20 hour days trying to catch up on finishing a dissertation and preparing for a final defense oral exam. I hope I didn't cause too much consternation while I was distracted.

At the top of my "I really needed to" list is one of the more pleasurable things I put off. That is to recognize the dedication, talent, and insight offered by one of our own. Joe Eisenberg, K�NEB, is well known as a ham, an expert in kit building, and a photographer. He has given many presentations on kit building and the technical aspects of ham radio in venues ranging from club meetings to conventions. His enthusiasm is unmatched and the skill he brings to his endeavors is phenomenal.

CQ magazine noticed that, too. I am very pleased to acknowledge that Joe is now a contributing editor for the magazine. He is writing a column called "Kit Building" for each issue. I think you will find his columns interesting and well worth the time to read. I've been building electronics almost since Marconi twisted two wires together (or at least I feel that way sometime) and I find things to learn from Joe.

Congratulations, Joe. You are an asset to the Section, a great contributor to the hobby, and a wonderful friend to have.

I'll be playing more catch-up soon. Until then, enjoy winter, the hobby, and your family.

73,
Art K�AIZ

ARRL Nebraska Section
Section Manager: Arthur I. Zygielbaum, K0AIZ
k0aiz@arrl.org

From 5879540950648029320
X-Google-Thread: d7f5508063,625ff77c993861b4
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!goblin3!goblin.stu.neva.ru!news01.khis.de!news.newsland.it!nntp.infostrada.it!newsfeed01.sul.t-online.de!t-online.de!news.mixmin.net!news.glorb.com!news2.glorb.com!news.glorb.com!

```
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 09 Dec 2009 05:14:58 -0600
From: LukeOR <LukeOR.5653bc9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Sony CRF-230B
Date: Wed, 9 Dec 2009 06:35:59 +0000
Message-ID: <LukeOR.5653bc9@radiobanter.com>
Organization: RadioBanter.com
References:  <LukeOR.54a34f6@radiobanter.com>
Lines: 45
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-lsPHtz4Z/9H6GYHBh7I0Cjn/OheQqO/
+8243EXXuC+KempWUOKCz27wxZUFXDfUy38KDGXBaLnIHGCS!
NxmBRjNBbaQHxdqImQ29krZpQYgKzjcfbK5S+0GNJv5w5pW+/1zJZEdYAE+Uto8mrHnhW/7hHYxa!BMk=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
X-Original-Lines: 14
Xref: g2news1.google.com rec.radio.amateur.equipment:1664
```

Hello

Sorry for getting back to you so late, had a lot going on.First let me start by telling you more about the radio. I got it about 10 years ago from a friend who bought it at a garage sale, I thought it was pretty neat and used it from time to time. However I do not no much about radios so it was just neat to explore and hear foriegn stations etc. As far as I can tell everything works great except that 1 of the display lights appear to be burned out. All antennaes are in perfect condition, and it has original power cord and manuals. There are some minor nicks at the corners of case but nothing bad or serious. I have had a lot of fun playing around on it, but not being a radio enthusiast, I never really knew what I was doing. I can recieve stations from all over as far as I can tell. There are plug ins on back for external antannaes but I have never tried them. If you have not seen the pictures there are some displayed at (radiobanter.com) in the equipment forums under (Sony CRF-230B).

We'll now on to a price, The main reason for sale is I really don't use it anymore. And I have seen people wanting these vintage radios. So I was seeing what people where interested to pay. I recieved a few e-mails asking 100 to 150 dollars but I think thats a little cheap. I am looking to get 250 to 300. I will be sending this letter to those that replied and hope for the best. I very much thank you for your time and interest and sorry it took so long to reply. Also some people have asked why I don't auction it, but I am not familiar with ebay or those sites. So let me see who replies and I will take best price.

Thanks to all,

Lucas - LukeOR@charter.net

- So far the two highest 2 bids for $325 and $350, I will let
it go at the end of one week to highest bidder,   Thanks   -

+---+
+---+

--
LukeOR

```
From -7541665170163203 81
X-Google-Thread: d7f5508063,256e6b6ed5a9dc1e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p35g2000yqh.googlegroups.com!not-for-
mail
From: Tom Corker <tomcorker@googlemail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Distorted audio on IC730
Date: Wed, 9 Dec 2009 05:20:10 -0800 (PST)
Organization: http://groups.google.com
Lines: 13
Message-ID: <88a928c0-e581-4af3-bb2e-f01eb463f6aa@p35g2000yqh.googlegroups.com>
NNTP-Posting-Host: 94.5.229.140
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1260364810 17933 127.0.0.1 (9 Dec 2009 13:20:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 9 Dec 2009 13:20:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p35g2000yqh.googlegroups.com; posting-host=94.5.229.140;
     posting-account=rK_oxQoAAACa91KfohNpt5xGH5Ia-wkt
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.0.15)
     Gecko/2009101601 Firefox/3.0.15 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1665
```

My old IC730 is giving me some problems with the TX audio. It used to
be fine, but I started getting poor audio reports. I checked my signal
with another reciever and my audio is quite distorted. I've posted a
sample at http://www.zshare.net/audio/696470222a13632b/ .
I've tried several mics and I'm pretty sure I'm not overdriving it.
Someone suggested it might be RF feedback, but it still happens when

using a dummy load and ferrites on the mic lead. I'm armed an oscilloscope and circuit diagrams, but if ayone could give any pointers on what I might look for I'd be very grateful.

Cheers
Tom 2E0WNT

From -4537913410743882686
X-Google-Thread: d7f5508063,e71b2a957c79bba3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe09.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Christmas Special
Message-ID: <9ur1i55odmjg64an739e83m4o2uv5s742f@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe09.iad 1260449756 70.161.107.201 (Thu, 10 Dec 2009 12:55:56 UTC)
NNTP-Posting-Date: Thu, 10 Dec 2009 12:55:56 UTC
Organization: Cox
Date: Thu, 10 Dec 2009 07:56:01 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1666

Christmas SPECIAL Yaesu FT-990 DC Transceiver, Ham Radio, 160 - 10 Meters + WARC plus general coverage, Automatic Antenna Tuner, 100 Watts, Digital Filtering, new Lithium Memory battery and, MH-31 hand microphone. Works great, 8 out of 10. Yaesu Operators Manual, (Service Manual CD) no factory carton. $600.00 Plus Shipping and Handling from 23320.   <k4wys@cox.net>

From -6267314320252143024
X-Google-Thread: d7f5508063,45f481d6c2c989fb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g12g2000yqa.googlegroups.com!not-for-mail
From: nay_lister_uk@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: The RadioBay

```
Date: Sat, 12 Dec 2009 05:50:12 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <9488cf15-6264-46a3-be54-7cedf7c2ba03@g12g2000yqa.googlegroups.com>
NNTP-Posting-Host: 94.193.53.247
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1260625812 18261 127.0.0.1 (12 Dec 2009 13:50:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Dec 2009 13:50:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g12g2000yqa.googlegroups.com; posting-host=94.193.53.247;
     posting-account=_tTU0woAAADf7TLbtwoAKvszuwBRzURZ
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; WOW64;
     Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
     3.0.30729; Media Center PC 6.0; InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1667
```

The RadioBay is the cheep alternative to Ebay, Buy and sell all your
radio equipment.
The RadioBay is a dedicated online auction site for all your radio
related needs, from broadcast equipment to HAM radio gear.

Visit the webs fastest growing online radio auction website TODAY
http://www.radiobay.uk-giveaway.info

```
From -7288475337049151269
X-Google-Thread: d7f5508063,45f481d6c2c989fb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: The NEWS Man <belzybub@blog.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The RadioBay
Date: Sat, 12 Dec 2009 09:01:28 -0600
Organization: netINS InterNetNews site
Lines: 12
Message-ID: <hg0b8n$6nq$1@news.netins.net>
References: <9488cf15-6264-46a3-be54-7cedf7c2ba03@g12g2000yqa.googlegroups.com>
NNTP-Posting-Host: hrtl-01-0119.dialup.iowatelecom.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1260630103 6906 71.7.33.119 (12 Dec 2009 15:01:43 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sat, 12 Dec 2009 15:01:43 +0000 (UTC)
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.5) Gecko/
20091204 Thunderbird/3.0
In-Reply-To: <9488cf15-6264-46a3-be54-7cedf7c2ba03@g12g2000yqa.googlegroups.com>
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:1668

But the POSTAGE to the US is Terrible!


On 12/12/2009 7:50 AM, nay_lister_uk@hotmail.com wrote:
> The RadioBay is the cheep alternative to Ebay, Buy and sell all your
> radio equipment.
> The RadioBay is a dedicated online auction site for all your radio
> related needs, from broadcast equipment to HAM radio gear.
>
> Visit the webs fastest growing online radio auction website TODAY
> http://www.radiobay.uk-giveaway.info




From -2410538192565463830
X-Google-Thread: d7f5508063,45f481d6c2c989fb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!newsfeed2.telusplanet.net!
newsfeed.telus.net!edtnps83.POSTED!7564ea0f!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The RadioBay
From: Panzer240 <panzer240@hotmail.com>
References: <9488cf15-6264-46a3-be54-7cedf7c2ba03@g12g2000yqa.googlegroups.com>
<hg0b8n$6nq$1@news.netins.net>
Organization: QAR
Message-ID: <Xns9CDF7BB3CBF88fw190a8@199.185.223.74>
User-Agent: Xnews/5.04.25
X-Face: $&/X$V,"S*#uz+{oLU'^h)QCF*4h'r$f("jr/$#M!Dt&CR9(9ju%ntlWj$kN7S{)n^fK'VC L|
TA8NouNwLeq~OD-&Y(=FdX+lD@%H%=7w-w*vaS79ke<Cs%n)'&dm#<Ktc6:_[FhYWae&YI/GLrpD
ehoTc4x)+XNdGI`,T((uEs~&1n0_5C2\\e[i|I%|cN6:]L%b5(WS}IiFEkC"q
X-Antivirus: avast! (VPS 091212-0, 12/12/2009), Outbound message
X-Antivirus-Status: Clean
Lines: 23
Date: Sat, 12 Dec 2009 16:09:39 GMT
NNTP-Posting-Host: 24.222.124.179
X-Trace: edtnps83 1260634179 24.222.124.179 (Sat, 12 Dec 2009 09:09:39 MST)
NNTP-Posting-Date: Sat, 12 Dec 2009 09:09:39 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:1669

The NEWS Man <belzybub@blog.net> wrote in news:hg0b8n$6nq$1
@news.netins.net:

> But the POSTAGE to the US is Terrible!
>
>
> On 12/12/2009 7:50 AM, nay_lister_uk@hotmail.com wrote:
>> The RadioBay is the cheep alternative to Ebay, Buy and sell all your
>> radio equipment.
```

>> The RadioBay is a dedicated online auction site for all your radio
>> related needs, from broadcast equipment to HAM radio gear.
>>
>> Visit the webs fastest growing online radio auction website TODAY
>> http://www.radiobay.uk-giveaway.info
>
>

Looks like it has a loooooonnnnggggg way to go before it is anywhere near useful.

--
Panzer

```
From -1734029938884435594
X-Google-Thread: d7f5508063,7e825d9a4cc3542c,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!news.glorb.com!
meganewsservers.com!feeder2.on.meganewsservers.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!
news.cv.net!not-for-mail
Date: Sun, 13 Dec 2009 13:19:39 -0500
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA :  CLEGG FM-88  2 METER CLASSIC
Content-Type: multipart/alternative;
 boundary="------------090205050504010609050907"
Lines: 29
Message-ID: <4b253038$0$4979$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1670
```

This is a multi-part message in MIME format.

```
--------------090205050504010609050907
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

Posting here for a friend who can't get newsgroups

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130351246548

```
--------------090205050504010609050907
Content-Type: text/html; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial">Posting here for a friend who can't
get newsgroups <br>
<br>
<a class="moz-txt-link-freetext"
 href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130351246548">http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130351246548</a></font></font>
</body>
</html>

--------------090205050504010609050907--
```

```
From 2282773112720901571
X-Google-Thread: d7f5508063,45f481d6c2c989fb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: The NEWS Man <belzybub@blog.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The RadioBay
Date: Sun, 13 Dec 2009 14:48:56 -0600
Organization: netINS InterNetNews site
Lines: 25
Message-ID: <hg3k08$iuq$1@news.netins.net>
References: <9488cf15-6264-46a3-be54-7cedf7c2ba03@g12g2000yqa.googlegroups.com>
<hg0b8n$6nq$1@news.netins.net> <Xns9CDF7BB3CBF88fw190a8@199.185.223.74>
NNTP-Posting-Host: hrtl-01-0178.dialup.iowatelecom.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1260737353 19418 71.7.33.178 (13 Dec 2009 20:49:13 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 13 Dec 2009 20:49:13 +0000 (UTC)
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.5) Gecko/
20091204 Thunderbird/3.0
In-Reply-To: <Xns9CDF7BB3CBF88fw190a8@199.185.223.74>
Xref: g2news1.google.com rec.radio.amateur.equipment:1671
```

CLEVER WAY TO POST A SALE! I'LL HAVE TO REMEMBER THAT.

```
On 12/12/2009 10:09 AM, Panzer240 wrote:
> The NEWS Man<belzybub@blog.net>  wrote in news:hg0b8n$6nq$1
> @news.netins.net:
>
>> But the POSTAGE to the US is Terrible!
>>
>>
>> On 12/12/2009 7:50 AM, nay_lister_uk@hotmail.com wrote:
>>> The RadioBay is the cheep alternative to Ebay, Buy and sell all your
>>> radio equipment.
>>> The RadioBay is a dedicated online auction site for all your radio
>>> related needs, from broadcast equipment to HAM radio gear.
>>>
>>> Visit the webs fastest growing online radio auction website TODAY
>>> http://www.radiobay.uk-giveaway.info
>>
>>
>
> Looks like it has a loooooonnnngggg way to go before it is anywhere near
> useful.
>



From 1081491809770622570
X-Google-Thread: d7f5508063,7e825d9a4cc3542c
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: The NEWS Man <belzybub@blog.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA :  CLEGG FM-88  2 METER CLASSIC
Date: Sun, 13 Dec 2009 14:51:48 -0600
Organization: netINS InterNetNews site
Lines: 8
Message-ID: <hg3k5k$jdl$1@news.netins.net>
References: <4b253038$0$4979$607ed4bc@cv.net>
NNTP-Posting-Host: hrtl-01-0178.dialup.iowatelecom.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1260737524 19893 71.7.33.178 (13 Dec 2009 20:52:04 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 13 Dec 2009 20:52:04 +0000 (UTC)
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.5) Gecko/
20091204 Thunderbird/3.0
In-Reply-To: <4b253038$0$4979$607ed4bc@cv.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:1672

CLEVER WAY TO POST A SALE! I'LL HAVE TO REMEMBER THAT.
```

On 12/13/2009 12:19 PM, Steve wrote:
> Posting here for a friend who can't get newsgroups
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130351246548

```
From 9158780266363644622
X-Google-Thread: d7f5508063,616f0380997094f3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 14 Dec 2009 11:57:27 -0600
From: "Hello.com" <hi@hello..com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help with MFJ-1786 Control Box, Please.
Date: Mon, 14 Dec 2009 11:57:26 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-QZdYaevjOE4shjSZMD9d24aWngfsIBuKzasw/
1NAZpZjFj891aBRRaXlvTxKUPsi8GyVgskFalvshs4!DV5PWChc/
eP0HmflczkXyHga80zbvLXbPLYRYliSfphOFpzsonBJyAGhAxsr1PIyeGQO9RIwUi0=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.40
Xref: g2news1.google.com rec.radio.amateur.equipment:1673
```

Lightning damage to an MFJ-1786 control box. Looking for a schematic.
Thanks.

Can't get a response from MFJ.

Merry Christmas all,

w9nm
at
sbcglobal
dot
net

From -2373334534789807765
X-Google-Thread: d7f5508063,616f0380997094f3
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.linkpendium.com!news.linkpendium.com!pit-transit.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "VK2KC" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com>
Subject: Re: Help with MFJ-1786 Control Box, Please.
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <CKyVm.62328$ze1.16749@news-server.bigpond.net.au>
Date: Mon, 14 Dec 2009 22:11:46 GMT
NNTP-Posting-Host: 203.51.64.183
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1260828706 203.51.64.183 (Tue, 15 Dec 2009 09:11:46 EST)
NNTP-Posting-Date: Tue, 15 Dec 2009 09:11:46 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:1674

Not an unusual response, I requested a schematic for the MFJ "parrot" repeater, I was met with a deafening silence too, but a repeat request elicited the following response:

"The information you have requested is not available."

No explanation, but I guess Martin F Jue is entitled to hold back what he considers "proprietary information".

Happy Christmas to all and a very health and happy new year!

73
John
VK2KC

"Hello.com" <hi@hello..com> wrote in message
news:UPCdnWLhjt0a4bvWnZ2dnUVZ_jSdnZ2d@giganews.com...

> Lightning damage to an MFJ-1786 control box. Looking for a schematic.
> Thanks.
>
> Can't get a response from MFJ.

```
>
> Merry Christmas all,
>
> w9nm
> at
> sbcglobal
> dot
> net
>
>
>
```

```
From -6969870885792197502
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Aug 2009 11:40:07 -0500
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
From: Jim Haynes <haynes@localhost.localdomain>
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
Organization: University of Arkansas Alumni
Reply-To: jhaynes@alumni.uark.edu
Followup-To: rec.radio.amateur.equipment
User-Agent: slrn/0.9.9p1 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrnh8lmb7.3fn.haynes@localhost.localdomain>
Date: Tue, 18 Aug 2009 11:40:07 -0500
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.226.60.79
X-Trace:
sv3-19lTfDvLueQYibA4zWVIAzwmaHjkq+Ksw61pG5pE0TICuTbFWEpOZPnsOwkkUMxZeeFNX1Y+7GIiaj
t!BxXt0EuaGDVqQAqrDLCEl07icUa1aFv9hExVUqTCEoLGNlHZfWlhIsvKyCKU0BMSDTAN9aMWmKNJ!
zxzlG8paqz5S9/StZFpN3MsyoWk=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1654
Xref: g2news2.google.com rec.radio.shortwave:47588
rec.radio.amateur.equipment:1735
```

["Followup-To:" header set to rec.radio.amateur.equipment.]

On 2009-08-18, dave <dave@dave.dave> wrote:
> I need to lose about 5 dB from a 15 Watt exciter. Thanks.

Do you really need to lose some watts? Or do you just need to reduce the voltage to whatever you are driving? Maybe a capacitive voltage divider would do what you need.

Jim W6JVE
--

jhhaynes at earthlink dot net

From 1400215843013860712
X-Google-Thread: d7f5508063,6bc51491d1c089b7,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!32g2000yqj.googlegroups.com!not-for-mail
From: financialtools1 <financialtools1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: CIA Panetta: Health IT ,who will control private data ? W.H. Emergency Powers to Chief of Staff ?,U.S. Attorney nominee won't ID customers, Lost Standards , AIG-FreddieMac-FannieMae for the "usual ones"?, Federal Reserve Audit , H.R.3200
Date: Tue, 18 Aug 2009 10:49:17 -0700 (PDT)
Organization: http://groups.google.com
Lines: 452
Message-ID: <22e52ec7-642b-4882-bb29-d1cabb1db182@32g2000yqj.googlegroups.com>
NNTP-Posting-Host: 64.26.97.174
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1250617788 18124 127.0.0.1 (18 Aug 2009 17:49:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Aug 2009 17:49:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 32g2000yqj.googlegroups.com; posting-host=64.26.97.174; posting-account=mL2ZQwoAAACgJbZcXrVUykqdOcEbGTnP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15) Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1736

C.I.A. Director Panetta is absolutely right when he says he wants to move his Agency forward, America faces a lot of issues right now, but some are from the past and will affect the present and the future of the Intelligence Community and here are some and that can be linked :

1) The Neocon and Oil Lobby's are constantly pushing for a fight

against Venezuela and Russia as well as Iran , because as long as they are the " enemy " and " terrorists linked " , America has only one solid source of oil and gas : Saudi Arabia-Qatar-UAE-Kuwait and only one strategic partner in that region :Israel, so they all get all our money, our weapons and attention, and when will the D.C. Politicians explain this to the American people ? when ? that it's all a fabricated dependency to keep us addicted to these 2 lobby's ? when ?

about the weapons in the Colombia-Venezuela affair , they are old bazooka-like single-use rocket launchers that Sweden sold to Venezuela in 1983-84, and now some seems to have been found in FARC's hands, so after 25 years the neocon press (the editorials in most newspapers are controlled by the Neocon-Oil Lobby's) demands that Washington DC declares Venezuela a terrorist country ?

Rebels Obtained Arms Sold to Venezuela, Colombia Says ,NYT, July,28,08
http://www.nytimes.com/2009/07/28/world/americas/28Colombia.html?

The US Policy in Latin America has been a disaster for 25 years, we should have a US-Latin America-Brazil Conference with all the countries in the continent to start a new dialog, a new era, but DC is so incompetent and corrupt, they will do only what the Neocon-Oil Lobby wants : to keep all divided and fighting, so no change here, what a criminal shame !

2) The next weeks are vital for Health Care Reform, for National Security and Rule of Law : the Obama-Biden team must make very clear to 140 million US workers and taxpayers , as well as the huge retiree and disabled group, that

a) IF THEY LIKE WHAT THEY GOT WITH MEDICARE OR ANY PRIVATE PLAN, THE WILL BE ABLE TO KEEP IT

b) AND THAT PRESCRIPTION DRUGS WILL COME DOWN IN PRICE FROM THE STRATOSPHERIC LEVELS THEY ARE NOW

c) and that the multi-billion dollar levels of profits of Pharma ,Drugs, Insurance and their top executives , as well as the Drug ads costs and its tax deductions as business expenses , will come down to earth ...

of course, not included in all this are the Federal employees and Congress members who get what they call a "Cadillac" Health Insurance , like P.Obama has the honesty to say : these amazing super deals like the one he got are excluded, the fact is that Congress members get what no one else gets...
the next few weeks of "explaining" is the make or break of the deal.....President Obama also wants to end the 177 billion dollar give-away to Insurance Companies under the Medicare Advantage Plan, which is what the Medicare plan offers already, but will he get the Congress to go along on this ?

d) another little detail is the constant cases of Pharmaceuticals

(hello ! Baxter Pharma , how you all doing ?) releasing tainted vaccines to the public, but hey ! if we don't get sick, they can't sell us the medicines ,right?

http://www.healthreform.gov/
http://edlabor.house.gov/markups/2009/07/hr-3200-americas-affordable-he.sht=
ml

and more about Health IT software security, below at 10)

3) about Rupert Murdoch and the Rule of Law :

a) In the 90's , when the Tobacco Lobby was under attack for the costs of emphysema and cancer by then President Clinton and the Democratic Party members in charge of Congress , the top executive Board members of Philip Morris Tobacco, Rupert Murdoch and Carlos Slim Helu among others , were trying to find ways to stop the Legal Investigations going on (international labs were popping-up with modified special tobacco seeds with huge nicotine concentrations, new addictive toxic substances found in most cigarettes were killing laboratory rats in hours ,etc.) so one "plan" was the one proposed by then a gossip and scandal writer working for Murdoch in his New York City publications called Goldberg, and she had a young daughter called Monica Lewinsky ,and while the West Wing of the White House was run at the time by Rahm Emanuel and his partners, Monica became an intern , put right in the center of the White House and was left alone with the president more and more time every day until she got to the core : the President's "personal" attention , the scandal broke-up and the Murdoch TV and newspapers machine started to make millions out of it, all the way to the Impeachment Proceedings....a huge business ,a wounded president under control of scandal and a Tobacco-Nicotine Legislation distracted .....

And now with the same "special team" inside the White House, we all know that it's a matter of time before P.Obama, VP Biden and their teams gets stuck in another "fabricated scandal" and to keep them against the wall and under their control, that's how they always operate : lies, theft, abuse ,extortion and treason , the usual...but as they say : do it to me once shame on you, do it to me twice, shame on me ..... and that's why is so important also to break the circle of corruption and AUDIT the Federal Reserve, this and a new team at the Fed would give the Obama -Biden team power to keep these criminals at bay...

b) Already the way Murdoch got the USA Congress to make an exception so that he could buy assets from G.M. as a foreign national, how he got satellite technology and TV Networks like Fox while a foreign national and they had to change the Laws just for him , how he got away with the Tobacco nightmare, the Lewinsky fabricated criminal fraud, how he and his papers pushed for the Iraq war (with Senator Schumer and Rep.Emanuel , among others, every week on them pushing the lies about Iraq among others) , how Murdoch's papers and TV covered-up the news about the initial march to Baghdad leaving behind warehouses full of weapons and explosives unguarded, how the Baghdad Museum was looted with military precision (and it wasn't the USA or Iraqi Military), how the contractors were losing billions of dollars in trucks and hundreds of thousands of automatic weapons and rifles in transit , and on and on, without a hitch -- we must remember that without insurgency (and armed and with weapons) there was no justification for multi-billion dollar no-bid contracts ... it's a very simple business formula -- it all shows to the world how Washington D.C. has been hijacked by Murdoch and his goons, the Neocon and Oil Lobby's , and it's a criminal shame and a real terrorist act, but will anyone in DC stand up for the Rule of Law ? no one.

even how he avoided taxes on many of these issues in the late 90's and early 2000's should get the IRS going, right? .....not with his friend Shulman in charge of the IRS , won't happen.

c) Rupert Murdoch is a personal friend of Maurice Greenberg of AIG and Judge Rakoff , and the fact that Greenberg fraud case l was in Judge Rakoff chambers has many people wondering, since they all are friends of way back, was there any talks among jurors and Judge and Greenberg? is there anything that we don't know that they know ? how can such a clear double case go in Greenberg's favor ? will the Justice Dpt. investigate ? will Congress ? will the IRS ? will the A.G.'s ? will anyone care ? no.

and in the SEC case against M.Greenberg, he gets a 15 million dollar fine and walks away with 2 billion dollars in AIG and CV Starr stock, and what's the difference in the "cooking of the books for profit " that he did as CEO and chairman of AIG and the "cooking of the books for profit " that others did ? many got 20 or more years in jail, why some go to jail and others get just a fine ? and even others just walk away with a 300.000 dollar salary.... eh! Rahm , like you at Freddie Mac ?

d) In the 9/11/2001 Investigation, Murdoch's friends Zelikow ,Lehman and Ben-Veniste (all the Robert Rubin apparatus) were in the 9/11 Committee, and no one could believe it, since all are friends and partners of the principals in the WTC case : Silverstein, Goldman, Pacific Investments, etc., etc., and specially when : 1) we think about WTC - 7 , the huge third building and that collapsed on its own footprint without being hit by any thing or anyone, in a perfect symmetric collapse ,and still is a mystery to engineers and architects , 2) and while Silverstein had called 23 Insurance companies just weeks before the attack (the leases were signed just 6 weeks before 9/11) to open dozens and dozens of policies over just about everything in the buildings, and about all these issues the Murdoch Tabloid media kept silence refusing to Investigate any of it, and always siding with the Silverstein-Goldman demands for billions and billions of dollars in Insurance payments : the whole thing smelled like rats on a sewer feast , and they were and are feasting on the dead....will anybody ask ? no .

http://www.nyccan.org/
http://www.ae911truth.org/
http://911dvdproject.com/

e) in the 2008 Financial and Derivatives Disaster, the Murdoch TV and Media machine defended many neocons in Wall Street (in many Military-Security and Intelligence Contractors the key stockholders are his Hedge-Fund / Equity / Investment Partners : the war profiteers)
and that's why he bought the W.S.J., to cut-off some of the most deep investigative reporting in that paper about the Federal Reserve ,the Treasury, AIG, Bear Stearns,Lehman,Merrill and Citi and their links (they all did their trading and investing in partnership) and the ex-vice-chairman of AIG, Frenkel , and the ex-chairman , Greenberg , know a lot about it, but will any one go to the bottom of this ? and will anyone check the massive high-speed trading they were doing among them at all hours? with the inside know-how of some at the Fed? and that the WSJ was reporting before Murdoch took the paper over ? no.

so all in all, Rupert Murdoch may be a sharp operator, but for the community as a whole, he has been and is a total disaster, a nightmare for America and the world, but ....he puts his foot and money down and in D.C. you can hear all the pants and garter belts dropping to the floor, the screams and cries....he knows how to keep the DC darlings on a leash , and they like it , the incompetent traitors.

Right now, and as many in the financial areas are saying, many " Wind and Solar Power Projects " are being delayed or cancel due to financing problems, and its the Neocon Lobby of Murdoch with Sen. Feinstein , Feinberg etal and the Oil Lobby the ones pushing to slow or kill these Energy Independence Projects with " No Finance" , this "problem" and that "little problem", they want to keep the USA stuck on imported oil and gas and depending on the Middle East for back-up sources (Saudi Arabia-Qatar-etc. and one strategic partner,Israel, getting all our money and attention) , and so the National losses are staggering and the National Security implications huge, but will anyone in D.C. stand up for America? no.

Unless a new generation of politicians and Americans gets elected , we will always have this abuse, the war profiteering , the tax evasion, the corruption and the criminal activity while the " old class " politicians bend over for yet another campaign donation and yet another Murdoch "nice story" in his Media.

4) in the N.Y. Times, "Power Shifts in Plan for Capital Calamity" , July,28,2009 ,
http://www.nytimes.com/2009/07/28/us/politics/28continuity.html? , we learn that in case of total disaster, the Chief of Staff in the White House, takes control of the Military Office...why ? a political appointee in control? do the President and the Vice-President see where they put themselves in relation to the Emanuel,Summers, Axelrod,Furman, Orszag,Geithner,Shapiro,Gensler , Genachowsky,

Feinberg group ? a political-military-financial organized group gets to control the Military Office of the White House in case of total disaster? this is totally Un -Constitutional , but will anyone in DC object ? no !

here is an excerpt ".....Power Shifts in Plan for Capital Calamity.....WASHINGTON =97 A shift in authority has given military officials at the White House a bigger operational role in creating a backup government if the nation=92s capital were =93decapitated=94 by a terrorist attack or other calamity, according to current and former officials involved in the decision.
The move, which was made in the closing weeks of the administration of President George W. Bush, came after months of heated internal debate about the balance of power and the role of the military in a time of crisis, participants said. Officials said the Obama administration had left the plan essentially intact.

Under the revamped structure, the White House Military Office, which reports to the office of the White House chief of staff, has assumed a more central role in setting up a temporary =93shadow government=94 in a crisis.

And the office, a 2,300-person outfit best known for flying Air Force One, has taken on added responsibilities as the lead agent in shepherding government leaders to a secure site at Mount Weather in rural Virginia, keeping classified lists of successors and maintaining computer systems, among other operational duties. Many of these types of tasks were previously handled by civilians at other agencies, led by the Federal Emergency Management Agency........"

5) WASHINGTON TIMES, June,23,2009 :
EXCLUSIVE: U.S. attorney nominee won't ID all clients
http://www.washingtontimes.com/news/2009/jun/23/attorney-nominee-wont-id-al=
l-clients/
where we learn that Paul Fishman , nominated by P.Obama to be U.S.Attorney in New Jersey , won't ID 37 clients of him at his law partnership , amazing,eh ?

and what about the 44 indicted corrupt figures in New Jersey? why the National Media is silent on this when at least 5 were involved in a Money laundering ring ? why not install the guy who did that great job , Ralph Marra Jr., acting U.S. attorney for New Jersey , in the permanent job ?

How is it possible that we find out about a very well organized money laundering operation working between the USA, the EU and the Middle East and the media turns silent ? how is it possible that c-span, npr and PBS don't even mention any of it?

and these same spin outlets, when P.Clinton secures freedom to 2 journalists , Ling and Lee, and out of North Korea ,they spin these great news into a negative gossip,a negative event, and hoping to minimize the success they look for arguments and conflict , and when they fail they go back to their warmongering criminal nonsense and lies , and they talk about patriotism? who are the real terrorists ? who are the real criminals and enemies of America ? what a criminal shame the TV and cable Networks have become !

6) Financial Crisis Inquiry Commission ,
http://www.opencongress.org/bill/111-s386/show
http://www.politico.com/news/stories/0709/25001.html
The problem is that the neocons will insert a neocon like Zelikow , Feinberg or Porter Goss to steer the Commission into another absurd 9/11 Commission : a cover-up and a distraction : ADD INSULT TO INJURY...

7) Schools with no playgrounds but with lots of vending machines for junk foods and sugar sodas, and then the parents have to spend money buying medications, and my question to Education Secretary Duncan and which so many parents are asking : When are schools in the USA going to have simple "Solar-Wind and Batteries" demonstrators in every schools so that kids can see how these new vital technologies work and to make them part of their natural growth: the new generations must be the leaders in Solar,Wind, Wave, Batteries and Hybrid-Electric plug-ins , fuel-cells, insulation, synthetic fuels and fusion energies, and the best way to grow a leader is to start early, by watching how these natural sources charge-up their gadgets and toys, their laptops and mobile phones, make it a second nature to them, a natural process ..... why not a simple "demo" in every school?

8) In the Criminal Anthrax issue of 2001 , when medical worker Nguyen was killed by heavy-duty anthrax spores at the Manhattan Eye,Ear and Throat Hospital, http://www.nymeeth.org/ , many knew that Emergent BioSolutions (the old Bio-Port from Lansing Michigan) and their executives, like Kramer, had a lot of answers, and then ...silent ! all the key Congress members went silent, no one asked about Bio-Port, and then they presented the usual gentiles as suspects: Dr. Hatfill and Ivins, and the rest is History....until today, how could these anthrax spores get to the Manhattan Hospital ?

9) In the Internet video standards issue , Flash is "no good" for Mac or Linux, that's why we need HTML 5 right now ! we need code, tools, applications , solutions.
http://arstechnica.com/open-source/news/2009/07/decoding-the-html-5-video-c=
odec-debate.ars
http://en.wikipedia.org/wiki/List_of_open_source_software_packages
http://www.w3.org/

at the other hand, this story should bring some joy to many:
"Google Chrome gets skins and JavaScript performance boost.
Google has released a new Chrome beta that includes a theming engine, faster JavaScript performance, several usability improvements, and support for HTML5 video. "
http://arstechnica.com/open-source/news/2009/08/googles-chrome-gets-skins-a=
nd-javascript-performance-boost.ars

10) And dear Director Panetta,the key problem in the Health Care Reform INFORMATION TECHNOLOGY CHOICE OF SOFTWARE is WHO is in charge of the medical private data ? , and do they have their own agenda ? who is watching them ? as usual, most of Washington D.C. is clueless, so who will ?

The White House announced that David Blumenthal, MD, was going to be the new national coordinator for health information technology at HHS, and he is in favor of proprietary software while the other Harvard University group that presented the better option was in favor of open-source, and Blumenthal's partners Genachowsky at the FCC, Leibowitz at the FTC , and Summers , Emanuel ,Orszag and Axelrod among others in the White House are insisting on using proprietary Flash technology from Adobe AND OTHER PROPRIETARY SOFTWARE, instead of the free and open-source HTML 5 that the web is based on, why ? at Flash ,where some of the top executives are, what a coincidence! , friends and partners of the above, they are very happy that they will be part of the "control" of all the data of all the citizens in America, isn't wonderful? and of course they will use Oracle from Ellison as database, right ? and if anyone objects, the SEC ,under supreme general chairman Shapiro -- the SEC ex-Commissioner that was in charge while AIG ,Bear Stearns ,Merrill and Lehman were selling hundreds of billions of dollars of Credit-Default-Swaps and she never saw anything !!! -- will immediately correct EVERYONE , if you know what i mean.....it's a perfect plan , wonderful, eh ? and the gentiles in DC ? many of them looking for a belt to hold their pants and garter belts , poor darlings !

So if you put all the dots together, the same organized people that gave us the 2008 Financial Disaster, will now control not only all the private data from all the patients in the USA , they will control also the software that runs the whole national system,amazing ,eh ? and later, when the "dungaroo" hits the fan, they will blame the Democrats and the Obama-Biden Administration, perfect ,eh?

In mi opinion, the sooner the Obama -Biden ticket gets all these neocons out of the White House and their Administration, the better, just look at the "dungaroo" they did Sunday, Aug,2,2009, when Geithner and Summers had the nerve to say on the TV "spin and lie" programs that higher taxes for workers and middle class are not out of the question , so dear P.Obama : when are you going to get all these neocons out ? when are you going to put an honest gentile in the Federal Reserve and audit that "cave" ? when are you going to get Flash out and low-cost HTML 5 video in ? when are we going to get going ?

http://www.ama-assn.org/amednews/site/mobile/content/ga0803.htm

Health Care Reform is vital, let's make sure the neocons don't control our data and software , because their Health Care Financial Abuse and

Disaster could make the 2008 Financial Meltdown look like a little joke, they could wreck the whole country, the greedy fools ! , let's get it right this time !

And if you want to see what some people can do with our private data, just read this :
New U.S.-Israeli Crime Ring Detailed
http://www.nytimes.com/2009/08/04/world/middleeast/04israel.html?

11) And the "Standards" issue is an old one :Until 1995, the Defense Dpt. and all its units were using a mix of wireless radios, and then Qualcomm and Jacobs went to "advice" the Military in San Diego ,Ca. , and a few years later, many of the key CDMA and wireless radios used by the U.S. military and U.S. private consumers were paying huge royalties to Qualcomm and Jacobs, they showed up with all the patents, and even when these people got some good technologies, where are the Military and consumers radios that everybody was using as open-source and free of charge in the U.S.A. ? where are they ? .... many consumers and some politicians asked the San Diego based U.S. Attorney Carol Lam about this , but then she got fired and later became the top Lawyer in Qualcomm !!! what happened ? how is that possible ? and about the wireless radios and patents investigations ? nothing.

http://en.wikipedia.org/wiki/Carol_Lam
http://www.signonsandiego.com/news/metro/20070112-9999-1n12lam.html

Right now, America needs a massive push in advanced batteries and hybrid-electric plug-in systems as well as solar and wind energy, we are number 5 and 3 in the world in these key technologies, and that's a total disaster, and how can we spend 2 trillion dollars in the Banks and Financial Institutions (700 billion from TARP plus at least 1.3 trillion dollars between Treasury, Fed, FDIC and others) and then invest only 60 billion for all alternative energies and technologies ? and just a few billions for batteries ? we gave 180 billion dollars to A.I.G., the main promoter of this 2008 Credit-Default-Swaps Disaster, and for our own future and Energy Independence just a third of that ?

That's why also vital to Audit the Federal Reserve ,
http://www.ronpaul.com/on-the-issues/audit-the-federal-reserve-hr-1207/
and investigate the Organic Program Federal Law, where Senator Leahy has worked so hard all these years,
http://www.washingtonpost.com/wp-dyn/content/article/2009/08/07/AR200908070=
3650.html
http://leahy.senate.gov/NwsLtr/20090327news_letter.html
http://www.nal.usda.gov/afsic/pubs/ofp/ofp.shtml

.....and now for the latest part of the Big Trick , "they" are about to install new "old operators" in A.I.G .,Freddie Mac and Fannie Mae, etc., and split , cut , divide and fire-sell their assets and of course, Goldman Sachs, BlackRock,Pacific Investments,etal, will be the key players, so after taxpayers INVESTED hundreds of billions of dollars bailing out these tricks, the same old operators get to make the cut AGAIN ! , and a big one ! isn't wonderful ? a triple whammy ! and Washington D.C. still looking for a belt to hold their pants...and that's also why their stock is going up and up every day, they can smell the roses already ...while the taxpayers will smell the ! $#&*XZ@#*! again.

in any case http://www.ilfc.com/ must stay in USA and EU gentile hands, it cannot end up in the Middle East with our own oil-gas money !!!

At least we also got Senator Webb that worked so hard for the Post 9/11 G.I. Bill, effective August 1,2009 ... that's leadership, that's the real deal.
http://www.gibill.va.gov/
http://en.wikipedia.org/wiki/G.I._Bill

So dear Director Panetta, you are right to want to move your great Agency forward, a very difficult job indeed, but we need a total clean-up, and who will make sure that the old garbage is out ?

```
From -7327646976017230642
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Aug 2009 07:21:04 -0500
Date: Wed, 19 Aug 2009 05:21:04 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<slrnh8lmb7.3fn.haynes@localhost.localdomain>
In-Reply-To: <slrnh8lmb7.3fn.haynes@localhost.localdomain>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <18ednbtXUtmscxbXnZ2dnUVZ_tBi4p2d@earthlink.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: 
sv3-1054UtoRuqQEQdFcS4X+m3PSAm16KUFYElILlqBE9Ed8mFZ+Z5Sm+p1u8CqLb76uSkHiJzk6isxTuw
D!QEZFmtUw/nls9xC42TcuPbb4u0TPK02yt97k8RjD7JnYgWUIBirH35h01kw54irAxjkfevkTqsg4!
2YhsCKwUNV4lnMuyfZ5Bg7kTLG4eJAJcYdo=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1854
Xref: g2news2.google.com rec.radio.amateur.equipment:1737

Jim Haynes wrote:
> ["Followup-To:" header set to rec.radio.amateur.equipment.]
> On 2009-08-18, dave <dave@dave.dave> wrote:
>> I need to lose about 5 dB from a 15 Watt exciter. Thanks.
>
> Do you really need to lose some watts? Or do you just need to
> reduce the voltage to whatever you are driving? Maybe a capacitive
> voltage divider would do what you need.
>
> Jim W6JVE

It's a Tokyo Hy-Power HL-45B amp, designed to be driven with a Yaesu
FT-817. I'm using a "20 Watt" Argonaut V, which isn't terribly linear
at 5 Watts (closer to 3 is actually what's required by the THP).

From -2821314613278647751
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
199.45.49.37!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!
nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk>
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Lines: 36
MIME-Version: 1.0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
Date: Wed, 19 Aug 2009 14:49:15 GMT
NNTP-Posting-Host: 96.229.36.32
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1250693355 96.229.36.32 (Wed, 19 Aug 2009 10:49:15
EDT)

```
NNTP-Posting-Date: Wed, 19 Aug 2009 10:49:15 EDT
Xref: g2news1.google.com rec.radio.shortwave:40924
rec.radio.amateur.equipment:1524


"Ian Jackson" <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote in message
news:yKI3DaI3usiKFwE$@g3ohx.demon.co.uk...
> In message <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>, dave
> <dave@dave.dave> writes
> >Ralph Mowery wrote:
> >> "dave" <dave@dave.dave> wrote in message
> >>news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
> >>> I need to lose about 5 dB from a 15 Watt exciter.  Thanks.
> >>  Simple answer is no.
> >>  While you can build one with wirewound resistors , the normal
> >>formulars will  not usually work at RF and you will have a lot of
> >>inductance to deal with.
> >> Even the socalled non-inductive resistors are only so at the audio
> >>frequencies.
> >>
> >
> >Can the inductive reactance be cancelled with capacitors?  I'm mainly
> >concerned with 40, 30 and 20 meters.
>
> If your highest frequency is only 14MHz, and you're not trying to obtain
> a sooper-dooper perfect match for your exciter, then I'd say that you
> would certainly get away with using wirewound resistors.
>
> To minimise the effects of the inductance, you could try mounting the
> resistors 'hard down' against a ground plane. You might need a sheet of
> some insulating material to avoid any danger of shorting to it.
>
> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W) you
> intend to use paralleled-up resistors. This in itself will help minimise
> the inductance.
> --
> Ian

A bunch of chip resistors in parallel to ultimately make a T-atten.




From 269149250059593165
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!feeder.news-
service.com!cyclone03.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf02.ams.highwinds-media.com!newsfe15.ams2.POSTED!7564ea0f!not-for-mail
Message-ID: <CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk>
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
```

Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
 <kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
 <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
 <yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
Lines: 45
MIME-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
User-Agent: Turnpike/6.06-S (<nfZqWyDPKPjkxPCjDxMoeAuVJj>)
NNTP-Posting-Host: 80.176.138.122
X-Complaints-To: abuse@demon.net
X-Trace: newsfe15.ams2 1250694158 80.176.138.122 (Wed, 19 Aug 2009 15:02:38 UTC)
NNTP-Posting-Date: Wed, 19 Aug 2009 15:02:38 UTC
Date: Wed, 19 Aug 2009 16:02:32 +0100
Xref: g2news1.google.com rec.radio.shortwave:40925
rec.radio.amateur.equipment:1525

In message <LhUim.2846$Jg.856@nwrddc01.gnilink.net>, JB
<nospam@goofball.net> writes
>
>"Ian Jackson" <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote in message
>news:yKI3DaI3usiKFwE$@g3ohx.demon.co.uk...
>> In message <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>, dave
>> <dave@dave.dave> writes
>> >Ralph Mowery wrote:
>> >> "dave" <dave@dave.dave> wrote in message
>> >>news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
>> >>> I need to lose about 5 dB from a 15 Watt exciter. Thanks.
>> >> Simple answer is no.
>> >> While you can build one with wirewound resistors , the normal
>> >>formulars will not usually work at RF and you will have a lot of
>> >>inductance to deal with.
>> >> Even the socalled non-inductive resistors are only so at the audio
>> >>frequencies.
>> >>
>> >
>> >Can the inductive reactance be cancelled with capacitors? I'm mainly
>> >concerned with 40, 30 and 20 meters.
>>
>> If your highest frequency is only 14MHz, and you're not trying to obtain
>> a sooper-dooper perfect match for your exciter, then I'd say that you
>> would certainly get away with using wirewound resistors.
>>
>> To minimise the effects of the inductance, you could try mounting the
>> resistors 'hard down' against a ground plane. You might need a sheet of
>> some insulating material to avoid any danger of shorting to it.
>>
>> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W) you
>> intend to use paralleled-up resistors. This in itself will help minimise
>> the inductance.
>> --
>> Ian
>

```
>A bunch of chip resistors in parallel to ultimately make a T-atten.
>
Yebbut....
12W is a fair bit to dissipate with chip resistors (even a lot of them).
However, the question was if you could use WW resistors, not 'how to do
it properly'. I presume there was a reason why this was asked! After
all, we ARE talking 'amateur' radio.
--
Ian



From 9116027064143216495
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!24dd0da6!not-for-
mail
Sender: Jim Pennino <jimp@mail.specsol.com>
Message-ID: <8uitl6-dpq.ln1@mail.specsol.com>
From: jimp@specsol.spam.sux.com
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk>
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (SunOS/5.10 (i86pc))
Lines: 58
Date: Wed, 19 Aug 2009 15:45:01 GMT
NNTP-Posting-Host: 71.118.11.57
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1250696701 71.118.11.57 (Wed, 19 Aug 2009 11:45:01
EDT)
NNTP-Posting-Date: Wed, 19 Aug 2009 11:45:01 EDT
Xref: g2news1.google.com rec.radio.shortwave:40926
rec.radio.amateur.equipment:1526

In rec.radio.amateur.equipment Ian Jackson
<ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote:
> In message <LhUim.2846$Jg.856@nwrddc01.gnilink.net>, JB
> <nospam@goofball.net> writes
>>
>>"Ian Jackson" <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote in message
>>news:yKI3DaI3usiKFwE$@g3ohx.demon.co.uk...
>>> In message <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>, dave
>>> <dave@dave.dave> writes
>>> >Ralph Mowery wrote:
>>> >> "dave" <dave@dave.dave> wrote in message
>>> >>news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
```

>>> >>> I need to lose about 5 dB from a 15 Watt exciter. Thanks.
>>> >> Simple answer is no.
>>> >> While you can build one with wirewound resistors , the normal
>>> >>formulars will not usually work at RF and you will have a lot of
>>> >>inductance to deal with.
>>> >> Even the socalled non-inductive resistors are only so at the audio
>>> >>frequencies.
>>> >>
>>> >
>>> >Can the inductive reactance be cancelled with capacitors? I'm mainly
>>> >concerned with 40, 30 and 20 meters.
>>>
>>> If your highest frequency is only 14MHz, and you're not trying to obtain
>>> a sooper-dooper perfect match for your exciter, then I'd say that you
>>> would certainly get away with using wirewound resistors.
>>>
>>> To minimise the effects of the inductance, you could try mounting the
>>> resistors 'hard down' against a ground plane. You might need a sheet of
>>> some insulating material to avoid any danger of shorting to it.
>>>
>>> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W) you
>>> intend to use paralleled-up resistors. This in itself will help minimise
>>> the inductance.
>>> --
>>> Ian
>>
>>A bunch of chip resistors in parallel to ultimately make a T-atten.
>>
> Yebbut....
> 12W is a fair bit to dissipate with chip resistors (even a lot of them).
> However, the question was if you could use WW resistors, not 'how to do
> it properly'. I presume there was a reason why this was asked! After
> all, we ARE talking 'amateur' radio.

A 5db T attenuator with 15 W in has the maximum dissipation in the shunt
resistor at about 5 W.

The input series resistor dissipates about 4 W and the output series
resistor dissipates a little over 1 W.

I see no reason to go to wirewound resistors at these power levels.

--
Jim Pennino

Remove .spam.sux to reply.

From -6558393782773385989
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!

```
cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf01.ams.highwinds-media.com!newsfe10.ams2.POSTED!7564ea0f!not-for-mail
Message-ID: <iGDzwABdoCjKFwuf@g3ohx.demon.co.uk>
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
 <kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
 <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
 <yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
 <CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
Lines: 63
MIME-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
User-Agent: Turnpike/6.06-S (<H0WqWe9vKPTHfPCj5BHoeAArCM>)
NNTP-Posting-Host: 80.176.138.122
X-Complaints-To: abuse@demon.net
X-Trace: newsfe10.ams2 1250699810 80.176.138.122 (Wed, 19 Aug 2009 16:36:50 UTC)
NNTP-Posting-Date: Wed, 19 Aug 2009 16:36:50 UTC
Date: Wed, 19 Aug 2009 17:36:45 +0100
Xref: g2news1.google.com rec.radio.shortwave:40927
rec.radio.amateur.equipment:1527

In message <8uitl6-dpq.ln1@mail.specsol.com>, jimp@specsol.spam.sux.com
writes
>In rec.radio.amateur.equipment Ian Jackson
><ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote:
>> In message <LhUim.2846$Jg.856@nwrddc01.gnilink.net>, JB
>> <nospam@goofball.net> writes
>>>
>>>"Ian Jackson" <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote in message
>>>news:yKI3DaI3usiKFwE$@g3ohx.demon.co.uk...
>>>> In message <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>, dave
>>>> <dave@dave.dave> writes
>>>> >Ralph Mowery wrote:
>>>> >> "dave" <dave@dave.dave> wrote in message
>>>> >>news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
>>>> >>> I need to lose about 5 dB from a 15 Watt exciter.  Thanks.
>>>> >>  Simple answer is no.
>>>> >>  While you can build one with wirewound resistors , the normal
>>>> >>formulars will  not usually work at RF and you will have a lot of
>>>> >>inductance to deal with.
>>>> >> Even the socalled non-inductive resistors are only so at the audio
>>>> >>frequencies.
>>>> >>
>>>> >
>>>> >Can the inductive reactance be cancelled with capacitors?  I'm mainly
>>>> >concerned with 40, 30 and 20 meters.
>>>>
>>>> If your highest frequency is only 14MHz, and you're not trying to obtain
>>>> a sooper-dooper perfect match for your exciter, then I'd say that you
>>>> would certainly get away with using wirewound resistors.
>>>>
```

>>>> To minimise the effects of the inductance, you could try mounting the
>>>> resistors 'hard down' against a ground plane. You might need a sheet of
>>>> some insulating material to avoid any danger of shorting to it.
>>>>
>>>> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W) you
>>>> intend to use paralleled-up resistors. This in itself will help minimise
>>>> the inductance.
>>>> --
>>>> Ian
>>>
>>>A bunch of chip resistors in parallel to ultimately make a T-atten.
>>>
>> Yebbut....
>> 12W is a fair bit to dissipate with chip resistors (even a lot of them).
>> However, the question was if you could use WW resistors, not 'how to do
>> it properly'. I presume there was a reason why this was asked! After
>> all, we ARE talking 'amateur' radio.
>
>A 5db T attenuator with 15 W in has the maximum dissipation in the shunt
>resistor at about 5 W.
>
>The input series resistor dissipates about 4 W and the output series
>resistor dissipates a little over 1 W.
>
>I see no reason to go to wirewound resistors at these power levels.
>
Oh, I quite agree. I wouldn't really choose to use WW myself, but I
think they would work in this application. It's just that I usually try
first to answer the question as asked, and, if necessary, start
embellishing things from then on!
<http://www.youtube.com/watch?v=k7vMvlRio5Y&feature=related>
--
Ian

From -5578293592337948735
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!24dd0da6!not-for-mail
Sender: Jim Pennino <jimp@mail.specsol.com>
Message-ID: <11rtl6-6mr.ln1@mail.specsol.com>
From: jimp@specsol.spam.sux.com
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>

```
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
<iGDzwABdoCjKFwuf@g3ohx.demon.co.uk>
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (SunOS/5.10 (i86pc))
Lines: 73
Date: Wed, 19 Aug 2009 18:00:02 GMT
NNTP-Posting-Host: 71.118.11.57
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1250704802 71.118.11.57 (Wed, 19 Aug 2009 14:00:02
EDT)
NNTP-Posting-Date: Wed, 19 Aug 2009 14:00:02 EDT
Xref: g2news1.google.com rec.radio.shortwave:40930
rec.radio.amateur.equipment:1528
```

```
In rec.radio.amateur.equipment Ian Jackson
<ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote:
> In message <8uitl6-dpq.ln1@mail.specsol.com>, jimp@specsol.spam.sux.com
> writes
>>In rec.radio.amateur.equipment Ian Jackson
>><ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote:
>>> In message <LhUim.2846$Jg.856@nwrddc01.gnilink.net>, JB
>>> <nospam@goofball.net> writes
>>>>
>>>>"Ian Jackson" <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote in message
>>>>news:yKI3DaI3usiKFwE$@g3ohx.demon.co.uk...
>>>>> In message <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>, dave
>>>>> <dave@dave.dave> writes
>>>>> >Ralph Mowery wrote:
>>>>> >> "dave" <dave@dave.dave> wrote in message
>>>>> >>news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
>>>>> >>> I need to lose about 5 dB from a 15 Watt exciter.  Thanks.
>>>>> >>  Simple answer is no.
>>>>> >>  While you can build one with wirewound resistors , the normal
>>>>> >>formulars will  not usually work at RF and you will have a lot of
>>>>> >>inductance to deal with.
>>>>> >> Even the socalled non-inductive resistors are only so at the audio
>>>>> >>frequencies.
>>>>> >>
>>>>> >
>>>>> >Can the inductive reactance be cancelled with capacitors?  I'm mainly
>>>>> >concerned with 40, 30 and 20 meters.
>>>>>
>>>>> If your highest frequency is only 14MHz, and you're not trying to obtain
>>>>> a sooper-dooper perfect match for your exciter, then I'd say that you
>>>>> would certainly get away with using wirewound resistors.
>>>>>
>>>>> To minimise the effects of the inductance, you could try mounting the
>>>>> resistors 'hard down' against a ground plane. You might need a sheet of
>>>>> some insulating material to avoid any danger of shorting to it.
>>>>>
>>>>> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W) you
>>>>> intend to use paralleled-up resistors. This in itself will help minimise
>>>>> the inductance.
>>>>> --
```

```
>>>>> Ian
>>>>
>>>>A bunch of chip resistors in parallel to ultimately make a T-atten.
>>>>
>>> Yebbut....
>>> 12W is a fair bit to dissipate with chip resistors (even a lot of them).
>>> However, the question was if you could use WW resistors, not 'how to do
>>> it properly'. I presume there was a reason why this was asked! After
>>> all, we ARE talking 'amateur' radio.
>>
>>A 5db T attenuator with 15 W in has the maximum dissipation in the shunt
>>resistor at about 5 W.
>>
>>The input series resistor dissipates about 4 W and the output series
>>resistor dissipates a little over 1 W.
>>
>>I see no reason to go to wirewound resistors at these power levels.
>>
> Oh, I quite agree. I wouldn't really choose to use WW myself, but I
> think they would work in this application. It's just that I usually try
> first to answer the question as asked, and, if necessary, start
> embellishing things from then on!
> <http://www.youtube.com/watch?v=k7vMvlRio5Y&feature=related>

In general I agree with that, but if I ask a question based on a shaky
or incorrect premise, i.e. "special" resistors would be required for
a 15 W attenuator, I'd prefer to be told my premise was foobar rather
than waste my time chasing after something less than desirable.



--
Jim Pennino

Remove .spam.sux to reply.


From 3545226667524200955
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
```

```
<iGDzwABdoCjKFwuf@g3ohx.demon.co.uk>
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Lines: 82
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <6sXim.2892$Jg.1676@nwrddc01.gnilink.net>
Date: Wed, 19 Aug 2009 18:25:06 GMT
NNTP-Posting-Host: 96.229.36.32
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1250706306 96.229.36.32 (Wed, 19 Aug 2009 14:25:06
EDT)
NNTP-Posting-Date: Wed, 19 Aug 2009 14:25:06 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:1529

> >>>> >Can the inductive reactance be cancelled with capacitors?  I'm
mainly
> >>>> >concerned with 40, 30 and 20 meters.
> >>>>
> >>>> If your highest frequency is only 14MHz, and you're not trying to
obtain
> >>>> a sooper-dooper perfect match for your exciter, then I'd say that you
> >>>> would certainly get away with using wirewound resistors.
> >>>>
> >>>> To minimise the effects of the inductance, you could try mounting the
> >>>> resistors 'hard down' against a ground plane. You might need a sheet
of
> >>>> some insulating material to avoid any danger of shorting to it.
> >>>>
> >>>> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W)
you
> >>>> intend to use paralleled-up resistors. This in itself will help
minimise
> >>>> the inductance.
> >>>> --
> >>>> Ian
> >>>
> >>>A bunch of chip resistors in parallel to ultimately make a T-atten.
> >>>
> >> Yebbut....
> >> 12W is a fair bit to dissipate with chip resistors (even a lot of
them).
> >> However, the question was if you could use WW resistors, not 'how to do
> >> it properly'. I presume there was a reason why this was asked! After
> >> all, we ARE talking 'amateur' radio.
> >
> >A 5db T attenuator with 15 W in has the maximum dissipation in the shunt
> >resistor at about 5 W.
```

> >
> >The input series resistor dissipates about 4 W and the output series
> >resistor dissipates a little over 1 W.
> >
> >I see no reason to go to wirewound resistors at these power levels.
> >
> Oh, I quite agree. I wouldn't really choose to use WW myself, but I
> think they would work in this application. It's just that I usually try
> first to answer the question as asked, and, if necessary, start
> embellishing things from then on!
> <http://www.youtube.com/watch?v=k7vMvlRio5Y&feature=related>
> --
> Ian

He obviously has a source of WW on hand. I hate to place an order
when I find stuff in the junk box.

So now the question is:
Will it be a significant problem? If he really knew what the inductance
values were, then it would be a simple matter to make sure it is
insignificant or at least minimal compared to the resistive component.
If the resultant SWR is low enough, the 5 dB return loss will help.
After that, the question would be "How will the amp act with
whatever input load is there?

Some resistors have a few laser cut turns that reverse themselves to
cancel the inductance. Some are a Carbon pack. A true WW
is either made by several turns of resistance wire over carbon or
ceramic for larger power ratings. Those have way too many turns.
It was mentioned that these even have a significant inductance at
audio frequencies. Now I ask you, is 5k inductive reactance
significant on a 50 ohm resistor?

You can always build one and see, if the exciter SWR is under
2:1, the amp input would see that too and you might be OK!

The other part of this is: How much power gain is the amp if
you need to kill 5 dB. Another thought is to incorporate
the inductance of the resistors to design a bandpass filter.
With many solid state exciters, some of the spurious outputs
don't reduce when you turn down the power.

http://www.repeater-builder.com/tech-info/allied-data-handbook-4th.pdf
All might find it helpful.
A more legible html version:
http://mikeyancey.com/files/Other%20Manuals/Allied%20Data%20Handbook/
htm%20version/title.html

All food for thought.

From 7465709600788721464

X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Wed, 19 Aug 2009 11:59:16 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.21) Gecko/
20090403 SeaMonkey/1.1.16
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
In-Reply-To: <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <4a8c4b86$0$25250$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.shortwave:40936
rec.radio.amateur.equipment:1530

JB wrote:
> "Ian Jackson" <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote in message
> news:yKI3DaI3usiKFwE$@g3ohx.demon.co.uk...

>> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W) you
>> intend to use paralleled-up resistors. This in itself will help minimise
>> the inductance.
>> --
>> Ian
>
> A bunch of chip resistors in parallel to ultimately make a T-atten.
>
The whole point of wirewound is that I can make a T pad with 3 5 Watt
resistors.

They make "flange" attenuators but they cost a fortune in small quantities.

From 8878167485145320274
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!

```
209.197.12.242.MISMATCH!nx01.iad01.newshosting.com!newshosting.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Wed, 19 Aug 2009 12:00:14 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.21) Gecko/
20090403 SeaMonkey/1.1.16
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk>
In-Reply-To: <CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 46
Message-ID: <4a8c4bc0$0$25250$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.shortwave:40937
rec.radio.amateur.equipment:1531

Ian Jackson wrote:
> In message <LhUim.2846$Jg.856@nwrddc01.gnilink.net>, JB
> <nospam@goofball.net> writes
>>
>> "Ian Jackson" <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote in message
>> news:yKI3DaI3usiKFwE$@g3ohx.demon.co.uk...
>>> In message <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>, dave
>>> <dave@dave.dave> writes
>>> >Ralph Mowery wrote:
>>> >> "dave" <dave@dave.dave> wrote in message
>>> >>news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
>>> >>> I need to lose about 5 dB from a 15 Watt exciter.  Thanks.
>>> >>  Simple answer is no.
>>> >>  While you can build one with wirewound resistors , the normal
>>> >>formulars will  not usually work at RF and you will have a lot of
>>> >>inductance to deal with.
>>> >> Even the socalled non-inductive resistors are only so at the audio
>>> >>frequencies.
>>> >>
>>> >
>>> >Can the inductive reactance be cancelled with capacitors?  I'm mainly
>>> >concerned with 40, 30 and 20 meters.
>>>
>>> If your highest frequency is only 14MHz, and you're not trying to obtain
>>> a sooper-dooper perfect match for your exciter, then I'd say that you
>>> would certainly get away with using wirewound resistors.
>>>
>>> To minimise the effects of the inductance, you could try mounting the
>>> resistors 'hard down' against a ground plane. You might need a sheet of
```

>>> some insulating material to avoid any danger of shorting to it.
>>>
>>> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W) you
>>> intend to use paralleled-up resistors. This in itself will help minimise
>>> the inductance.
>>> --
>>> Ian
>>
>> A bunch of chip resistors in parallel to ultimately make a T-atten.
>>
> Yebbut....
> 12W is a fair bit to dissipate with chip resistors (even a lot of them).
> However, the question was if you could use WW resistors, not 'how to do
> it properly'. I presume there was a reason why this was asked! After
> all, we ARE talking 'amateur' radio.

Fuck you.

From 756592656053963281
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Wed, 19 Aug 2009 12:05:18 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.21) Gecko/
20090403 SeaMonkey/1.1.16
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
In-Reply-To: <8uitl6-dpq.ln1@mail.specsol.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <4a8c4cef$0$25250$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.shortwave:40939
rec.radio.amateur.equipment:1532

jimp@specsol.spam.sux.com wrote:

>
> A 5db T attenuator with 15 W in has the maximum dissipation in the shunt

> resistor at about 5 W.
>
> The input series resistor dissipates about 4 W and the output series
> resistor dissipates a little over 1 W.
>
> I see no reason to go to wirewound resistors at these power levels.
>

What kind of 5 Watt resistors should I use?

From 5704097663368219972
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!24dd0da6!not-for-mail
Sender: Jim Pennino <jimp@mail.specsol.com>
Message-ID: <jv0ul6-rcs.ln1@mail.specsol.com>
From: jimp@specsol.spam.sux.com
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
<4a8c4cef$0$25250$bd467cd0@news.dslextreme.com>
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (SunOS/5.10 (i86pc))
Lines: 37
Date: Wed, 19 Aug 2009 19:45:07 GMT
NNTP-Posting-Host: 71.118.11.57
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1250711107 71.118.11.57 (Wed, 19 Aug 2009 15:45:07 EDT)
NNTP-Posting-Date: Wed, 19 Aug 2009 15:45:07 EDT
Xref: g2news1.google.com rec.radio.shortwave:40945 rec.radio.amateur.equipment:1533
X-Original-Bytes: 2279

In rec.radio.amateur.equipment dave <dave@dave.dave> wrote:
> jimp@specsol.spam.sux.com wrote:
>
>>
>> A 5db T attenuator with 15 W in has the maximum dissipation in the shunt
>> resistor at about 5 W.
>>
>> The input series resistor dissipates about 4 W and the output series
>> resistor dissipates a little over 1 W.

>>
>> I see no reason to go to wirewound resistors at these power levels.
>>
>
>
> What kind of 5 Watt resistors should I use?

Just about anything you can get other than wire wound.

Mouser has metal oxide 5 W resistors for $0.49 quantity 1.

You don't really want to run them at full rating but you will likely
have to parallel two to get the values you need anyway unless you have
a cheap source of better than 5 W precision resistors.

You need two 14.01 Ohm resistors and one 82.24 Ohm resistor to build
the attenuator.

If you parallel two 27 Ohm for 13.5 Ohm, and two 150 ohm for 75 Ohm, you
wind up with an attenuation of 4.95 db and a VSWR of 1.04 for a 50 Ohm
system.

--
Jim Pennino

Remove .spam.sux to reply.

From -8629498737439301439
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<4a8c4b86$0$25250$bd467cd0@news.dslextreme.com>
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Lines: 19
MIME-Version: 1.0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <TGYim.2839$nh2.1693@nwrddc02.gnilink.net>
Date: Wed, 19 Aug 2009 19:49:07 GMT
NNTP-Posting-Host: 96.229.36.32
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1250711347 96.229.36.32 (Wed, 19 Aug 2009 15:49:07
EDT)
NNTP-Posting-Date: Wed, 19 Aug 2009 15:49:07 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:1534

> > A bunch of chip resistors in parallel to ultimately make a T-atten.
> >
> The whole point of wirewound is that I can make a T pad with 3 5 Watt
> resistors.
>
> They make "flange" attenuators but they cost a fortune in small
quantities.

Not really necessary for HF ops.

The only advantage to using individual resistors, is to reduce the stray
reactance. That goes way out the window with WW. Inexpensive solutions
often revolve around buying surplus 1/2 watt or larger axial Carbons and
arrange them in parallel to achieve the required values. This also helps to
disperse the heat generated. The parallel resistors are soldered close to
the body to Brass or Copper stock to improve dissipation. Also consider
that although tune up will require 100% duty cycle, CW is 50% duty cycle and
SSB is less.   Check the Math in the Allied or ARRL book.

From 7234633622148357747
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf02.ams.highwinds-media.com!newsfe20.ams2.POSTED!7564ea0f!not-for-mail
Message-ID: <QTivlIKYoFjKFwYl@g3ohx.demon.co.uk>
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
 <kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
 <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
 <yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
 <CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk>
 <4a8c4bc0$0$25250$bd467cd0@news.dslextreme.com>
Lines: 73
MIME-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
User-Agent: Turnpike/6.06-S (<XoaqWuN7KPTQ+PCjsBJoeAxal4>)

NNTP-Posting-Host: 80.176.138.122
X-Complaints-To: abuse@demon.net
X-Trace: newsfe20.ams2 1250712091 80.176.138.122 (Wed, 19 Aug 2009 20:01:31 UTC)
NNTP-Posting-Date: Wed, 19 Aug 2009 20:01:31 UTC
Date: Wed, 19 Aug 2009 21:01:28 +0100
Xref: g2news1.google.com rec.radio.shortwave:40948
rec.radio.amateur.equipment:1535

In message <4a8c4bc0$0$25250$bd467cd0@news.dslextreme.com>, dave
<dave@dave.dave> writes
>Ian Jackson wrote:
>> In message <LhUim.2846$Jg.856@nwrddc01.gnilink.net>, JB
>><nospam@goofball.net> writes
>>>
>>> "Ian Jackson" <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote in message
>>> news:yKI3DaI3usiKFwE$@g3ohx.demon.co.uk...
>>>> In message <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>, dave
>>>> <dave@dave.dave> writes
>>>> >Ralph Mowery wrote:
>>>> >> "dave" <dave@dave.dave> wrote in message
>>>> >>news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
>>>> >>> I need to lose about 5 dB from a 15 Watt exciter. Thanks.
>>>> >> Simple answer is no.
>>>> >> While you can build one with wirewound resistors , the normal
>>>> >>formulars will not usually work at RF and you will have a lot of
>>>> >>inductance to deal with.
>>>> >> Even the socalled non-inductive resistors are only so at the audio
>>>> >>frequencies.
>>>> >>
>>>> >
>>>> >Can the inductive reactance be cancelled with capacitors? I'm mainly
>>>> >concerned with 40, 30 and 20 meters.
>>>>
>>>> If your highest frequency is only 14MHz, and you're not trying to obtain
>>>> a sooper-dooper perfect match for your exciter, then I'd say that you
>>>> would certainly get away with using wirewound resistors.
>>>>
>>>> To minimise the effects of the inductance, you could try mounting the
>>>> resistors 'hard down' against a ground plane. You might need a sheet of
>>>> some insulating material to avoid any danger of shorting to it.
>>>>
>>>> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W) you
>>>> intend to use paralleled-up resistors. This in itself will help minimise
>>>> the inductance.
>>>> -- Ian
>>>
>>> A bunch of chip resistors in parallel to ultimately make a T-atten.
>>>
>> Yebbut....
>> 12W is a fair bit to dissipate with chip resistors (even a lot of
>>them). However, the question was if you could use WW resistors, not
>>'how to do it properly'. I presume there was a reason why this was
>>asked! After all, we ARE talking 'amateur' radio.

>
>Fuck you.

Dave, that's a very strange response. Do you have a problem with me suggesting that you probably had a reason for asking if WW resistors could be used? I've already said that you will probably 'get away with it' up to 14MHz, especially if you mount the resistors as close as possible to a ground plane.

You may not realise that lot of 'engineering' is the art of 'getting away with it' (for whatever reason). For example, the reason might be economics, it might be practicality, it might be urgency, or it might be availability. The list is endless.

I'm just putting myself in the situation where someone needs to lose 5dB of RF drive, and (say) all he has immediately at hand is a selection of WW resistors. Does he try them (knowing that they are not recommended for RF work)? Or does he take advice from the experts who, without a second thought, will probably say "No way!".

The point is, do you want to try the WW resistors, knowing full well that they are not really the right thing to use, but will probably work well enough for what you want? Or do you want to do things 'correctly', knowing that what you have done will be almost perfect? You have received various bits of advice (some conflicting). It's now for you to decide what suits you best in the circumstances.
--
Ian

From 7324539000977061273
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
nx02.iad01.newshosting.com!209.197.12.242.MISMATCH!nx01.iad01.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Wed, 19 Aug 2009 13:10:24 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.21) Gecko/
20090403 SeaMonkey/1.1.16
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
<4a8c4cef$0$25250$bd467cd0@news.dslextreme.com> <jv0ul6-rcs.ln1@mail.specsol.com>
In-Reply-To: <jv0ul6-rcs.ln1@mail.specsol.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed

```
Content-Transfer-Encoding: 7bit
Lines: 33
Message-ID: <4a8c5c31$0$7943$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.shortwave:40949
rec.radio.amateur.equipment:1536

jimp@specsol.spam.sux.com wrote:
> In rec.radio.amateur.equipment dave <dave@dave.dave> wrote:
>> jimp@specsol.spam.sux.com wrote:
>>
>>> A 5db T attenuator with 15 W in has the maximum dissipation in the shunt
>>> resistor at about 5 W.
>>>
>>> The input series resistor dissipates about 4 W and the output series
>>> resistor dissipates a little over 1 W.
>>>
>>> I see no reason to go to wirewound resistors at these power levels.
>>>
>>
>> What kind of 5 Watt resistors should I use?
>
> Just about anything you can get other than wire wound.
>
> Mouser has metal oxide 5 W resistors for $0.49 quantity 1.
>
> You don't really want to run them at full rating but you will likely
> have to parallel two to get the values you need anyway unless you have
> a cheap source of better than 5 W precision resistors.
>
> You need two 14.01 Ohm resistors and one 82.24 Ohm resistor to build
> the attenuator.
>
> If you parallel two 27 Ohm for 13.5 Ohm, and two 150 ohm for 75 Ohm, you
> wind up with an attenuation of 4.95 db and a VSWR of 1.04 for a 50 Ohm
> system.
>
>
>
Thank-you.  That's probably how I'll do it.


From 5541325859625820194
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!nx02.iad01.newshosting.com!
newshosting.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Wed, 19 Aug 2009 15:25:11 -0700
From: dave <dave@dave.dave>
```

```
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.21) Gecko/
20090403 SeaMonkey/1.1.16
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk>
<4a8c4bc0$0$25250$bd467cd0@news.dslextreme.com>
<QTivlIKYoFjKFwYl@g3ohx.demon.co.uk>
In-Reply-To: <QTivlIKYoFjKFwYl@g3ohx.demon.co.uk>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 88
Message-ID: <4a8c7bca$0$22082$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
X-Original-Bytes: 5291
Xref: g2news2.google.com rec.radio.shortwave:47659
rec.radio.amateur.equipment:1751

Ian Jackson wrote:
> In message <4a8c4bc0$0$25250$bd467cd0@news.dslextreme.com>, dave
> <dave@dave.dave> writes
>> Ian Jackson wrote:
>>> In message <LhUim.2846$Jg.856@nwrddc01.gnilink.net>, JB
>>> <nospam@goofball.net> writes
>>>>
>>>> "Ian Jackson" <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote in message
>>>> news:yKI3DaI3usiKFwE$@g3ohx.demon.co.uk...
>>>>> In message <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>, dave
>>>>> <dave@dave.dave> writes
>>>>> >Ralph Mowery wrote:
>>>>> >> "dave" <dave@dave.dave> wrote in message
>>>>> >>news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
>>>>> >>> I need to lose about 5 dB from a 15 Watt exciter.  Thanks.
>>>>> >>  Simple answer is no.
>>>>> >>  While you can build one with wirewound resistors , the normal
>>>>> >>formulars will  not usually work at RF and you will have a lot of
>>>>> >>inductance to deal with.
>>>>> >> Even the socalled non-inductive resistors are only so at the audio
>>>>> >>frequencies.
>>>>> >>
>>>>> >
>>>>> >Can the inductive reactance be cancelled with capacitors?  I'm mainly
>>>>> >concerned with 40, 30 and 20 meters.
>>>>>
>>>>> If your highest frequency is only 14MHz, and you're not trying to
>>>>> obtain
>>>>> a sooper-dooper perfect match for your exciter, then I'd say that you
>>>>> would certainly get away with using wirewound resistors.
```

>>>>>
>>>>> To minimise the effects of the inductance, you could try mounting the
>>>>> resistors 'hard down' against a ground plane. You might need a
>>>>> sheet of
>>>>> some insulating material to avoid any danger of shorting to it.
>>>>>
>>>>> And presumably, to get rid of 5dB (nearly 3/4 of your original 15W)
>>>>> you
>>>>> intend to use paralleled-up resistors. This in itself will help
>>>>> minimise
>>>>> the inductance.
>>>>> -- Ian
>>>>
>>>> A bunch of chip resistors in parallel to ultimately make a T-atten.
>>>>
>>> Yebbut....
>>> 12W is a fair bit to dissipate with chip resistors (even a lot of
>>> them). However, the question was if you could use WW resistors, not
>>> 'how to do it properly'. I presume there was a reason why this was
>>> asked! After all, we ARE talking 'amateur' radio.
>>
>> Fuck you.
>
> Dave, that's a very strange response. Do you have a problem with me
> suggesting that you probably had a reason for asking if WW resistors
> could be used? I've already said that you will probably 'get away with
> it' up to 14MHz, especially if you mount the resistors as close as
> possible to a ground plane.
>
> You may not realise that lot of 'engineering' is the art of 'getting
> away with it' (for whatever reason). For example, the reason might be
> economics, it might be practicality, it might be urgency, or it might be
> availability. The list is endless.
>
> I'm just putting myself in the situation where someone needs to lose 5dB
> of RF drive, and (say) all he has immediately at hand is a selection of
> WW resistors. Does he try them (knowing that they are not recommended
> for RF work)? Or does he take advice from the experts who, without a
> second thought, will probably say "No way!".
>
> The point is, do you want to try the WW resistors, knowing full well
> that they are not really the right thing to use, but will probably work
> well enough for what you want? Or do you want to do things 'correctly',
> knowing that what you have done will be almost perfect? You have
> received various bits of advice (some conflicting). It's now for you to
> decide what suits you best in the circumstances.

I know how to think. I have no resistors, period, except for the 1/4
Watt ones I use at work. Mr. Jim has pointed me in the right direction.

All "amateur" means in the context of Amateur Radio is that we do not
get paid for doing our thing. It doesn't imply that we are stupid or
incompetent.

I am fully cognizant of the possibility of meaningful reactance being
introduced by a coil of Nichrome, and was hoping that someone who deals
with passive components more regularly than I could point me in the
right direction, and that has happened.

```
From -3428551231234583379
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Aug 2009 20:21:22 -0500
Date: Wed, 19 Aug 2009 18:21:22 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
<4a8c4cef$0$25250$bd467cd0@news.dslextreme.com> <jv0ul6-rcs.ln1@mail.specsol.com>
<4a8c5c31$0$7943$bd467cd0@news.dslextreme.com>
In-Reply-To: <4a8c5c31$0$7943$bd467cd0@news.dslextreme.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <5fadnTauB-yPOBHXnZ2dnUVZ_jti4p2d@earthlink.com>
Lines: 38
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-i5sXCtLG+jMNGQP0UknLmwShlw0GoKlSOIu9KkD36n9Jqn/
72QVBjKxzFskmfATtb4s6PCGArUZONJJ!
TEIXzchmnzwzDxkp7cb2qarUEuefr1spu+wOy0BTfxfbEcKWBknp3V15gQhKwxy+U4xgbMEMXLSY!F0/
iW1UKi+jGd5m3tu7zSPQjhw/ZtHgUf1o=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2895
Xref: g2news2.google.com rec.radio.shortwave:47676
rec.radio.amateur.equipment:1752
```

dave wrote:
> jimp@specsol.spam.sux.com wrote:
>> In rec.radio.amateur.equipment dave <dave@dave.dave> wrote:
>>> jimp@specsol.spam.sux.com wrote:
>>>

>>>> A 5db T attenuator with 15 W in has the maximum dissipation in the
>>>> shunt
>>>> resistor at about 5 W.
>>>>
>>>> The input series resistor dissipates about 4 W and the output series
>>>> resistor dissipates a little over 1 W.
>>>>
>>>> I see no reason to go to wirewound resistors at these power levels.
>>>>
>>>
>>> What kind of 5 Watt resistors should I use?
>>
>> Just about anything you can get other than wire wound.
>>
>> Mouser has metal oxide 5 W resistors for $0.49 quantity 1.
>>
>> You don't really want to run them at full rating but you will likely
>> have to parallel two to get the values you need anyway unless you have
>> a cheap source of better than 5 W precision resistors.
>>
>> You need two 14.01 Ohm resistors and one 82.24 Ohm resistor to build
>> the attenuator.
>>
>> If you parallel two 27 Ohm for 13.5 Ohm, and two 150 ohm for 75 Ohm, you
>> wind up with an attenuation of 4.95 db and a VSWR of 1.04 for a 50 Ohm
>> system.
>>
>>
>>
> Thank-you. That's probably how I'll do it.

I got 10 of each, so I'll have some in the "miscellaneous" tackle box
next time. Thanks.

From 9054262157740095209
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
<4a8c4cef$0$25250$bd467cd0@news.dslextreme.com> <jv0ul6-rcs.ln1@mail.specsol.com>

<4a8c5c31$0$7943$bd467cd0@news.dslextreme.com>
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Lines: 70
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <vG1jm.2958$Jg.2428@nwrddc01.gnilink.net>
Date: Thu, 20 Aug 2009 01:30:03 GMT
NNTP-Posting-Host: 96.229.36.32
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1250731803 96.229.36.32 (Wed, 19 Aug 2009 21:30:03 EDT)
NNTP-Posting-Date: Wed, 19 Aug 2009 21:30:03 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1753

> > Mouser has metal oxide 5 W resistors for $0.49 quantity 1.
> >
> > You don't really want to run them at full rating but you will likely
> > have to parallel two to get the values you need anyway unless you have
> > a cheap source of better than 5 W precision resistors.
> >
> > You need two 14.01 Ohm resistors and one 82.24 Ohm resistor to build
> > the attenuator.
> >
> > If you parallel two 27 Ohm for 13.5 Ohm, and two 150 ohm for 75 Ohm, you
> > wind up with an attenuation of 4.95 db and a VSWR of 1.04 for a 50 Ohm
> > system.
> >
> >
> >
> Thank-you. That's probably how I'll do it.

Pretty good choice. I hate to buy from mail order suppliers because they
often have a minimum order or minimum handling charge. I prefer to use what
I can, especially for evaluation of a circuit.

The formula for resistors in parallel is R = reciprocal of :
sum of reciprocals of the selected resistors.

So: R= reciprocal of 1/330+1/330+1/330+1/33=
reciprocal of 4/330= 330/4 = 82.5 ohm

for 4 ea 330 ohm 1 watt resistors for an 82.5 ohm 4 watt resistor

Or for equal value resistors: The individual resistor values divided by
the number of resistors

56/4 = 14 so a 14 ohm resistor can be made with 4 ea 56 ohm resistors.

Now lets check the work:
If the exciter is 20 watts and will see 50.04 ohms.
The 50 of the amp input + 14 ohms is 64 ohms.
If we parallel that with the 82.5 ohm...
For 2 resistors in parallel R=(r1 x r2)/ (r1+ r2) = 36.04 ohm plus the 14 ohm in series =50.04 ohm to the input of the network.

So the above values are correct for a T pad.

Go to Ohms and Kirchoff's laws to see the current, voltage and power dissipation of the components:
P=I squared R there is 632.5 ma through the 1st 14 ohm resistor for 5.6 watts,

E=IR= 8.855 volts drop for the first 14 ohm resistor.

The voltage for 20 watts at 50 ohms is SqRt of PR so
31.62 volts. The rest of the network after the 14 ohm resistor is 22.77v.
The 82.5 watt resistor will see 6.283 watts of dissipation.

Now current through the 14 ohm output resistor and 50 ohm input of the amp will be .3558amp

By now you should have a copy of ohms law around.

1.77 watts is dissipated through the second 14 ohm resistor and 6.33 to the amp.   You will notice all the dissipation of the amp and resistors adds up to 20 watts.

The identical resistors in parallel will divide the power dissipation equally.

Thanks for the exercise! I leave it to the rest to critique and cross check my math.

```
From -4919768620692069242
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!feeder.news-
service.com!cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf01.ams.highwinds-media.com!newsfe14.ams2.POSTED!7564ea0f!not-for-mail
Message-ID: <rqQxLgET5PjKFwdI@g3ohx.demon.co.uk>
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
 <kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
 <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
 <yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
 <CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk>
 <4a8c4bc0$0$25250$bd467cd0@news.dslextreme.com>
 <QTivlIKYoFjKFwYl@g3ohx.demon.co.uk>
 <4a8c7bca$0$22082$bd467cd0@news.dslextreme.com>
Lines: 38
MIME-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
User-Agent: Turnpike/6.06-S (<XtVqW65bKPDX4PCj0ROoeAlmrZ>)
NNTP-Posting-Host: 80.176.138.122
X-Complaints-To: abuse@demon.net
X-Trace: newsfe14.ams2 1250754138 80.176.138.122 (Thu, 20 Aug 2009 07:42:18 UTC)
NNTP-Posting-Date: Thu, 20 Aug 2009 07:42:18 UTC
Date: Thu, 20 Aug 2009 08:42:11 +0100
Xref: g2news2.google.com rec.radio.shortwave:47692
rec.radio.amateur.equipment:1754
```

In message <4a8c7bca$0$22082$bd467cd0@news.dslextreme.com>, dave <dave@dave.dave> writes

>

>
>I am fully cognizant of the possibility of meaningful reactance being introduced by a coil of Nichrome, and was hoping that someone who deals with passive components more regularly than I could point me in the right direction, and that has happened.

From your other post, I see that you are going to use metal oxide resistors. In the circumstances, that's obviously the correct decision.

But your question did not ask about what were the best resistors to use for the attenuator. It was "Can I use wirewound resistors to build an HF attenuator?" I assumed that you knew that WW would be inductive, but might have some reason for wanting to use them.

Ralph Mowery replied that the "Simple answer is no" etc. You responded with "Can the inductive reactance be cancelled with capacitors? I'm mainly concerned with 40, 30 and 20 meters" which again made me think that you wanted to use the WW, if possible. I suggested that the effects of the inductance might be reduced if you mounted the resistors hard down against a ground plane. [This is a frequently-used technique for preserving the characteristic impedance, especially at higher frequencies.]

JB then suggested "a bunch of chip resistors". I commented that you would need quite a lot of them. It was only then that I actually suggested that there might be a reason why you were asking about WW, and that the application was 'only' for amateur radio. Your response was "Fuck you". "How very strange", I thought!

Anyway, I'm glad you have got yourself sorted out. I hope - no, I know - that the attenuator will definitely work as expected, with the advantage

that it will probably work way up into the VHF region.
--
Ian (licensed for 'amateur' radio 49 years ago this week)

From -2933382081391749692
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 20 Aug 2009 07:42:29 -0500
Date: Thu, 20 Aug 2009 05:42:29 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk>
<4a8c4bc0$0$25250$bd467cd0@news.dslextreme.com>
<QTivlIKYoFjKFwYl@g3ohx.demon.co.uk>
<4a8c7bca$0$22082$bd467cd0@news.dslextreme.com>
<rqQxLgET5PjKFwdI@g3ohx.demon.co.uk>
In-Reply-To: <rqQxLgET5PjKFwdI@g3ohx.demon.co.uk>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <iqudnaZh3JQo2RDXnZ2dnUVZ_o1i4p2d@earthlink.com>
Lines: 39
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace:
sv3-06FXEcve93MNGMaZ9MtMXdKuWowx39cejamzqQlAqKiDP8OIgPb2JOMZDQVe0R2h0bo71DDdVuOSR0
3!32U7MZxZ9tOrOT4IgjIEip1+YLKTk2AmPiBfUg3PxiFE9nxjF/GBa1zy7+co+Q1JVN1hjZ2N4hLc!
25+bh4d6EBxWQv0J4zV43fFfVuyAhKk/WBc=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 3591
Xref: g2news2.google.com rec.radio.shortwave:47700
rec.radio.amateur.equipment:1755

Ian Jackson wrote:
> In message <4a8c7bca$0$22082$bd467cd0@news.dslextreme.com>, dave
> <dave@dave.dave> writes
>>
>

>>
>> I am fully cognizant of the possibility of meaningful reactance being
>> introduced by a coil of Nichrome, and was hoping that someone who
>> deals with passive components more regularly than I could point me in
>> the right direction, and that has happened.
>
> From your other post, I see that you are going to use metal oxide
> resistors. In the circumstances, that's obviously the correct decision.
>
> But your question did not ask about what were the best resistors to use
> for the attenuator. It was "Can I use wirewound resistors to build an HF
> attenuator?" I assumed that you knew that WW would be inductive, but
> might have some reason for wanting to use them.
>
> Ralph Mowery replied that the "Simple answer is no" etc. You responded
> with "Can the inductive reactance be cancelled with capacitors? I'm
> mainly concerned with 40, 30 and 20 meters" which again made me think
> that you wanted to use the WW, if possible. I suggested that the effects
> of the inductance might be reduced if you mounted the resistors hard
> down against a ground plane. [This is a frequently-used technique for
> preserving the characteristic impedance, especially at higher frequencies.]
>
> JB then suggested "a bunch of chip resistors". I commented that you
> would need quite a lot of them. It was only then that I actually
> suggested that there might be a reason why you were asking about WW, and
> that the application was 'only' for amateur radio. Your response was
> "Fuck you". "How very strange", I thought!
>
> Anyway, I'm glad you have got yourself sorted out. I hope - no, I know -
> that the attenuator will definitely work as expected, with the advantage
> that it will probably work way up into the VHF region.

That's way revisionist, but I am used to it. I apologize for the
vulgarity.

From -1153894631146252448
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 20 Aug 2009 07:48:53 -0500
Date: Thu, 20 Aug 2009 05:48:52 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>

```
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
<4a8c4cef$0$25250$bd467cd0@news.dslextreme.com> <jv0ul6-rcs.ln1@mail.specsol.com>
<4a8c5c31$0$7943$bd467cd0@news.dslextreme.com>
<vG1jm.2958$Jg.2428@nwrddc01.gnilink.net>
In-Reply-To: <vG1jm.2958$Jg.2428@nwrddc01.gnilink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <P7-dnfHsPY2o2xDXnZ2dnUVZ_tednZ2d@earthlink.com>
Lines: 45
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-mUOfpbqHxhofjWzcZBPl1EBPqOGljUwDHte7ZrW55ZG695hiBpejIf/
EUy3OSeZfsfyZqnK7VypXlzJ!0juNLnHFFtsQ5BkEcfbWlo88agk00XuG/o/
cjzETUeXgHpG0y6Q77XvFV617niNJkeDeC2jOeCfY!Jl9arir3OIosHlLJE0euteETvVQieGRjbBc=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 3331
Xref: g2news2.google.com rec.radio.amateur.equipment:1756

JB wrote:
>>> Mouser has metal oxide 5 W resistors for $0.49 quantity 1.
>>>
>>> You don't really want to run them at full rating but you will likely
>>> have to parallel two to get the values you need anyway unless you have
>>> a cheap source of better than 5 W precision resistors.
>>>
>>> You need two 14.01 Ohm resistors and one 82.24 Ohm resistor to build
>>> the attenuator.
>>>
>>> If you parallel two 27 Ohm for 13.5 Ohm, and two 150 ohm for 75 Ohm, you
>>> wind up with an attenuation of 4.95 db and a VSWR of 1.04 for a 50 Ohm
>>> system.
>>>
>>>
>>>
>> Thank-you.  That's probably how I'll do it.
>
> Pretty good choice.  I hate to buy from mail order suppliers because they
> often have a minimum order or minimum handling charge.  I prefer to use what
> I can, especially for evaluation of a circuit.
>
> The formula for resistors in parallel is R = reciprocal of :
> sum of reciprocals of the selected resistors.
>
> So: R= reciprocal of 1/330+1/330+1/330+1/33=
> reciprocal of 4/330= 330/4 =  82.5 ohm
>
> for 4 ea 330 ohm 1 watt resistors for an 82.5 ohm 4 watt resistor
>
```

> Or for equal value resistors: The individual resistor values divided by
> the number of resistors
>
> Thanks for the exercise! I leave it to the rest to critique and cross check
> my math.
>
>

If you go to RFcafe.com they have lots of on line calculators. I keep a
scientific calculator on my desk, but the web is much faster. I have
shortcuts to cable attenuation calculators, Ohm's Law calculators, LED
resistor calculators, etc. I have a wall chart of dBm vs Volts at 50 Ohms.

The above formula also works for capacitors in series. I knew that in
my head.

From 1409867320853077487
X-Google-Thread: d7f5508063,6cb0d17d45e8ea92
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!
news3.t-com.hr!not-for-mail
From: =?UTF-8?B?Qm9yaXMgVHXEkWFu?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-2000 problem
Date: Sun, 23 Aug 2009 20:30:15 +0200
Organization: T-Com
Lines: 15
Message-ID: <h6s1rn$bkj$1@ss408.t-com.hr>
References: <h69kh8$mr5$1@ss408.t-com.hr>
<gEgim.2462$nh2.859@nwrddc02.gnilink.net>
NNTP-Posting-Host: 93-138-27-202.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1251052215 11923 93.138.27.202 (23 Aug 2009 18:30:15 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sun, 23 Aug 2009 18:30:15 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.22) Gecko/20090606
SeaMonkey/1.1.17
In-Reply-To: <gEgim.2462$nh2.859@nwrddc02.gnilink.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:1757

JB wrote:
> Sounds like a transmitter near one of the IF frequencies.

The noise is present even if I remove the antenna...
What can I do? To install external filters?

Boris

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris

From -1623979859789265206
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!xlned.com!feeder1.xlned.com!newsfeed10.multikabel.net!multikabel.net!newsfeed20.multikabel.net!pfeed08.wxs.nl!newsfeed.kpn.net!pfeed14.wxs.nl!pfeed15.wxs.nl!not-for-mail
From: "RigReference.com" <mail@rigreference.com>
Subject: RigReference.com
Newsgroups: rec.radio.amateur.equipment
Date: Mon, 24 Aug 2009 11:56:42 +0200
Lines: 7
Message-ID: <4a9263d5$0$4469$703f8584@news.kpn.nl>
NNTP-Posting-Host: 81.207.189.8
X-Trace: 1251107797 news.kpn.nl 4469 81.207.189.8:65405
X-Complaints-To: abuse@planet.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:1758

RigReference.com is a site dedicated to ham radio equipment. Specifications, images, product reviews and videos of just about every rig ever made. RigReference.com is made for and by Ham Radio enthusiasts. Visit us at http://rigreference.com

--------------= Posted using GrabIt =----------------
------= Binary Usenet downloading made easy =---------
-= Get GrabIt for free from http://www.shemes.com/ =-

From 1994087673059942619
X-Google-Thread: d7f5508063,6cb0d17d45e8ea92
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <h69kh8$mr5$1@ss408.t-com.hr> <gEgim.2462$nh2.859@nwrddc02.gnilink.net> <h6s1rn$bkj$1@ss408.t-com.hr>

```
Subject: Re: Kenwood TS-2000 problem
Lines: 25
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <XkAkm.648$FV4.332@nwrddc01.gnilink.net>
Date: Mon, 24 Aug 2009 17:45:27 GMT
NNTP-Posting-Host: 173.55.67.200
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1251135927 173.55.67.200 (Mon, 24 Aug 2009 13:45:27
EDT)
NNTP-Posting-Date: Mon, 24 Aug 2009 13:45:27 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1759
X-Original-Bytes: 1822
```

"Boris Tu�'an" <boris.tudan@ka.t-com.hr> wrote in message
news:h6s1rn$bkj$1@ss408.t-com.hr...

> JB wrote:
> > Sounds like a transmitter near one of the IF frequencies.
>
> The noise is present even if I remove the antenna...
> What can I do? To install external filters?
>
> Boris
>
> --
> Keep 'em Rolling! http://www.mvpa.org/
> MVPA: 29718
>
> http://s186.photobucket.com/albums/x51/btudan/
>
> 73 de 9A6KTB - Boris

It would seem to be something is broken If you pull the antenna off, it would have to be pretty local. There shouldn't be a problem like that via the antenna anyway. I would be more inclined to wonder if a switching power supply had a spurious landing there, but it could also be a noisy IF amp. in the Main band.

```
From 3940857157176994268
X-Google-Thread: d7f5508063,a234c5d731c6817e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
pfeed08.wxs.nl!newsfeed.kpn.net!pfeed14.wxs.nl!pfeed15.wxs.nl!not-for-mail
From: "RigReference.com" <noreply@nospam.com>
Subject: Latest ICOM model, the IC-9100 all round transceiver.
Newsgroups: rec.radio.amateur.equipment
Date: Mon, 24 Aug 2009 22:10:08 +0200
Lines: 10
Message-ID: <4a92f39a$0$24680$703f8584@news.kpn.nl>
NNTP-Posting-Host: 81.207.189.8
X-Trace: 1251144602 news.kpn.nl 24680 81.207.189.8:52479
X-Complaints-To: abuse@planet.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:1760

Latest ICOM model, the IC-9100 all round transceiver.
Images and specifications:

http://rigreference.com/rigs/view/4519


--------------=  Posted using GrabIt  =----------------
------=  Binary Usenet downloading made easy =---------
-=  Get GrabIt for free from http://www.shemes.com/  =-




From -1898488444283580560
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nac.net!colt.net!
feeder.news-service.com!feeder.news-service.com!xlned.com!feeder3.xlned.com!
pfeed09.wxs.nl!newsfeed.kpn.net!pfeed14.wxs.nl!pfeed15.wxs.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: New mobile VHF/UHF from Yaesu: FTM-350
X-poster: PEAR::Net_NNTP v1.4.0 (stable)
From: noreply@nospam.com
Content-Transfer-Encoding: quoted-printable\nContent-Type: text/plain;
charset=ISO-8859-1;
Date: 25 Aug 2009 09:42:27 GMT
Lines: 1
Message-ID: <4a93b203$0$23467$703f8584@news.kpn.nl>
NNTP-Posting-Host: 81.207.189.8
X-Trace: 1251193347 news.kpn.nl 23467 81.207.189.8:57656
X-Complaints-To: abuse@planet.nl
X-Original-Bytes: 705
Xref: g2news2.google.com rec.radio.amateur.equipment:1761





From -7863909391568679005
X-Google-Thread: d7f5508063,cbc1d44ba50884cc,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!xlned.com!
feeder1.xlned.com!news-out1.kabelfoon.nl!newsfeed.kabelfoon.nl!
bandi.nntp.kabelfoon.nl!feeder.news-service.com!news2.euro.net!pfeed09.wxs.nl!
newsfeed.kpn.net!pfeed14.wxs.nl!pfeed15.wxs.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: New mobile VHF/UHF from Yaesu: FTM-350 (fixed)
X-poster: PEAR::Net_NNTP v1.4.0 (stable)
From: noreply@nospam.com
Content-Transfer-Encoding: quoted-printable\nContent-Type: text/plain;
charset=ISO-8859-1;
Date: 25 Aug 2009 09:59:22 GMT
Lines: 10
Message-ID: <4a93b5fa$1$3271$703f8584@news.kpn.nl>
NNTP-Posting-Host: 81.207.189.8
X-Trace: 1251194362 news.kpn.nl 3271 81.207.189.8:57698
X-Complaints-To: abuse@planet.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:1762
```

Yaesu released a new mobile VHF/UHF radio at the Tokyo Ham Fair last weekend, the FTM-350.
The FTM-350 is a 2m/70cm rig, capable of putting out 50W max. GPS and APRS are included in the box.

More info and images can be found on
http://rigreference.com/rigs/view/4522/Yaesu-FTM_350

---
RigReference.com - Reference guide for ham radio equipment
http://rigreference.com/

```
From -3647066585135063182
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!18g2000yqa.googlegroups.com!not-for-
mail
From: JIMMIE <JIMMIEDEE123@YAHOO.COM>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Date: Tue, 25 Aug 2009 11:44:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <15842d42-6157-40f5-b795-0fbff2325f30@18g2000yqa.googlegroups.com>
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
NNTP-Posting-Host: 75.191.176.71
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1251225840 13481 127.0.0.1 (25 Aug 2009 18:44:00 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Tue, 25 Aug 2009 18:44:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 18g2000yqa.googlegroups.com; posting-host=75.191.176.71;
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.1.2)
     Gecko/20090729 Firefox/3.5.2 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.shortwave:48088
rec.radio.amateur.equipment:1763

On Aug 18, 8:32=A0am, dave <d...@dave.dave> wrote:
> I need to lose about 5 dB from a 15 Watt exciter. =A0Thanks.

You could build the attenuator so it takes the power down in steps
perhaps 2 1db attenuators followed by a 3db attenuator. I didnt run
then numbers but I think this is doable with 2 watt resistors.

Jimmie

From 7309725804162520916
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Tue, 25 Aug 2009 15:55:04 -0700
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.21) Gecko/
20090403 SeaMonkey/1.1.16
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com> <15842d42-6157-40f5-
b795-0fbff2325f30@18g2000yqa.googlegroups.com>
In-Reply-To: <15842d42-6157-40f5-b795-0fbff2325f30@18g2000yqa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <4a946bcb$0$16502$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news2.google.com rec.radio.shortwave:48109
rec.radio.amateur.equipment:1764

JIMMIE wrote:
> On Aug 18, 8:32 am, dave <d...@dave.dave> wrote:
>> I need to lose about 5 dB from a 15 Watt exciter. Thanks.
>
> You could build the attenuator so it takes the power down in steps

> perhaps 2 1db attenuators followed by a 3db attenuator. I didnt run
> then numbers but I think this is doable with 2 watt resistors.
>
> Jimmie

Thanks. I have some honkin' metal oxide resistors that I'm going to use.

```
From -2456049377027008061
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 30 Aug 2009 16:54:00 -0500
Date: Sun, 30 Aug 2009 14:54:01 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.23 (X11/20090817)
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
<4a8c4cef$0$25250$bd467cd0@news.dslextreme.com> <jv0ul6-rcs.ln1@mail.specsol.com>
In-Reply-To: <jv0ul6-rcs.ln1@mail.specsol.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <YeqdnadR2_VkaQfXnZ2dnUVZ_qmdnZ2d@earthlink.com>
Lines: 33
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-
c2yfCbrslEDL5e8IpCYvC5j6fcSWLNpLH29hYf+FYp+1i5hm2RfZawkMO96hwlJ02ZE5kb14ZNQZ6KA!
0g01Q4jDy1BGEl/oUCV93e2uIQi8Ga8ER+oDfGo6cOoWYSxWmzeyGTWwVMqVj8kLaJraddynsU8y!/
lx+s3jsTL8O/6e/kUq3euBI9sFIdAFm8Tc=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2757
Xref: g2news2.google.com rec.radio.shortwave:48385
rec.radio.amateur.equipment:1765
```

jimp@specsol.spam.sux.com wrote:
> In rec.radio.amateur.equipment dave <dave@dave.dave> wrote:
>> jimp@specsol.spam.sux.com wrote:
>>
>>> A 5db T attenuator with 15 W in has the maximum dissipation in the shunt

```
>>> resistor at about 5 W.
>>>
>>> The input series resistor dissipates about 4 W and the output series
>>> resistor dissipates a little over 1 W.
>>>
>>> I see no reason to go to wirewound resistors at these power levels.
>>>
>>
>> What kind of 5 Watt resistors should I use?
>
> Just about anything you can get other than wire wound.
>
> Mouser has metal oxide 5 W resistors for $0.49 quantity 1.
>
> You don't really want to run them at full rating but you will likely
> have to parallel two to get the values you need anyway unless you have
> a cheap source of better than 5 W precision resistors.
>
> You need two 14.01 Ohm resistors and one 82.24 Ohm resistor to build
> the attenuator.
>
> If you parallel two 27 Ohm for 13.5 Ohm, and two 150 ohm for 75 Ohm, you
> wind up with an attenuation of 4.95 db and a VSWR of 1.04 for a 50 Ohm
> system.
>

Thanks, Jim.  The thing works like a champ.  I added a couple of $2.00
relays to bypass the pad when receiving.


From -1663429950284745626
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!24dd0da6!not-for-
mail
Sender: Jim Pennino <jimp@mail.specsol.com>
Message-ID: <ms9rm6-4gq.ln1@mail.specsol.com>
From: jimp@specsol.spam.sux.com
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
<yKI3DaI3usiKFwE$@g3ohx.demon.co.uk> <LhUim.2846$Jg.856@nwrddc01.gnilink.net>
<CUGbkhEIQBjKFwbY@g3ohx.demon.co.uk> <8uitl6-dpq.ln1@mail.specsol.com>
<4a8c4cef$0$25250$bd467cd0@news.dslextreme.com> <jv0ul6-rcs.ln1@mail.specsol.com>
<YeqdnadR2_VkaQfXnZ2dnUVZ_qmdnZ2d@earthlink.com>
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (SunOS/5.10 (i86pc))
Lines: 43
```

Date: Sun, 30 Aug 2009 22:15:05 GMT
NNTP-Posting-Host: 71.118.11.57
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1251670505 71.118.11.57 (Sun, 30 Aug 2009 18:15:05 EDT)
NNTP-Posting-Date: Sun, 30 Aug 2009 18:15:05 EDT
Xref: g2news2.google.com rec.radio.shortwave:48386 rec.radio.amateur.equipment:1766

In rec.radio.amateur.equipment dave <dave@dave.dave> wrote:
> jimp@specsol.spam.sux.com wrote:
>> In rec.radio.amateur.equipment dave <dave@dave.dave> wrote:
>>> jimp@specsol.spam.sux.com wrote:
>>>
>>>> A 5db T attenuator with 15 W in has the maximum dissipation in the shunt
>>>> resistor at about 5 W.
>>>>
>>>> The input series resistor dissipates about 4 W and the output series
>>>> resistor dissipates a little over 1 W.
>>>>
>>>> I see no reason to go to wirewound resistors at these power levels.
>>>>
>>>
>>> What kind of 5 Watt resistors should I use?
>>
>> Just about anything you can get other than wire wound.
>>
>> Mouser has metal oxide 5 W resistors for $0.49 quantity 1.
>>
>> You don't really want to run them at full rating but you will likely
>> have to parallel two to get the values you need anyway unless you have
>> a cheap source of better than 5 W precision resistors.
>>
>> You need two 14.01 Ohm resistors and one 82.24 Ohm resistor to build
>> the attenuator.
>>
>> If you parallel two 27 Ohm for 13.5 Ohm, and two 150 ohm for 75 Ohm, you
>> wind up with an attenuation of 4.95 db and a VSWR of 1.04 for a 50 Ohm
>> system.
>>
>
> Thanks, Jim. The thing works like a champ. I added a couple of $2.00
> relays to bypass the pad when receiving.

Good to hear I didn't drop a decimal...

--
Jim Pennino

Remove .spam.sux to reply.

```
From -4008691718815958752
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
Date: Sun, 30 Aug 2009 20:49:17 -0400
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Best external speaker for SSB phone?
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
In-Reply-To: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 19
Message-ID: <4a9b1e08$0$24252$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.40.219
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1767
rec.radio.amateur.misc:4493
```

W4PHS wrote:

> No doubt there are 1000+ opinions on this, but what are some really clear external speakers for use
> with SSB phone signals through my Yaesu FT-897? I'm 61 years old with high frequency hearing
> impairment due to 40 years of sitting by computers, and I need all the help I can get in
> understanding voice over static.
>
> I have seen several enthusiastic recommendations for the Peavey Impulse II mini monitor which is
> fairly small and costs about $100. Does anyone have any experience with it?
>
> Icom and Yaesu both make multi-hundred dollar external speakers that have gotten mixed reviews.

I would recommend one of the Motorola mobile external speakers from the
90's such as a Spectra or Syntor speaker.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo ;-P

From -7808293874157450330
X-Google-Thread: d7f5508063,a234c5d731c6817e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 30 Aug 2009 20:48:40 -0500
Reply-To: "David Thompson" <thompson@mindspring.com>
From: "David Thompson" <thompson@mindspring.com>
Newsgroups: rec.radio.amateur.equipment
References: <4a92f39a$0$24680$703f8584@news.kpn.nl>
Subject: Re: Latest ICOM model, the IC-9100 all round transceiver.
Date: Sun, 30 Aug 2009 21:48:44 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3598
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <4KydnU9BZ_xltgbXnZ2dnUVZ_gmdnZ2d@earthlink.com>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.154.89.171
X-Trace: sv3-gs2uVYCxaWxoo9cjt//
1anbqty1eBwAhOgddClqgmELDaH1OCRYvwg0O+Siqmk486N3JPADeRx05rbv!
RC3SH9hmgBgYUUi71BsB+wPHe/T4iZusJNub6UUBgsC+uh3PAZe6OCD1cNSkNA2aiX/a1z5J82vA!
8HGWHbsbmu3+/x6c4gQ5UIzoZZP5d53K1Q==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1427
Xref: g2news2.google.com rec.radio.amateur.equipment:1768

Looks like a IC 7600 with non color screen and VHF added above 6 meters.
Maybe a IC-746Pro replacement.

probably not in the USA until 2010. Plus maybe another model #.

Dave K4JRB

From 2984334579511480091
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!

```
spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
<4a9b1e08$0$24252$9a6e19ea@unlimited.newshosting.com>
Subject: Re: Best external speaker for SSB phone?
Lines: 40
MIME-Version: 1.0
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <8PSmm.472$Jd7.174@nwrddc02.gnilink.net>
Date: Mon, 31 Aug 2009 16:24:36 GMT
NNTP-Posting-Host: 173.55.34.89
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1251735876 173.55.34.89 (Mon, 31 Aug 2009 12:24:36
EDT)
NNTP-Posting-Date: Mon, 31 Aug 2009 12:24:36 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1769
rec.radio.amateur.misc:4494

> > No doubt there are 1000+ opinions on this, but what are some really
clear external speakers for use
> > with SSB phone signals through my Yaesu FT-897?  I'm 61 years old with
high frequency hearing
> > impairment due to 40 years of sitting by computers, and I need all the
help I can get in
> > understanding voice over static.
> >
> > I have seen several enthusiastic recommendations for the Peavey Impulse
II mini monitor which is
> > fairly small and costs about $100.  Does anyone have any experience with
it?
> >
> > Icom and Yaesu both make multi-hundred dollar external speakers that
have gotten mixed reviews.
>
> I would recommend one of the Motorola mobile external speakers from the
> 90's such as a Spectra or Syntor speaker.
>

I have a few, including the Mastr2 mobile speaker and Motrac/Mocom 70 metal
speakers that are very efficient for use on portables.  There are subtle
differences in the response curve due to different speaker and housing
design Kenwood also makes a smaller mobile speaker that seems to peak at the
higher end of the voice spectrum.  A little shrill for me.  You really need
to try different speakers to see what works best for your ear and
```

environment. I am currently using an RCA home theater speaker for an external speaker in another room but another works best in the shack. It is no use to have frequency response below 200 Hz or above 3kHz for best voice reception. PL tones or excessive bass at the low end will interfere with intelligibility at the low end, and at the high end you battle with noise. The actual spectrum that is required for most reliable discernment of what is being said is between 400-2400 Hz.

There are several hearing test web sites that ask stupid questions, but there is one that actually uses test sounds with noise at various levels. If you have a calibrated variable attenuator on your stereo, you can actually plot your hearing performance in each ear. One of these days I hope to stumble on to it again.

```
From -7177616046817732473
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!novia!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 31 Aug 2009 15:32:51 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Best external speaker for SSB phone?
From: "W4PHS" <W4PHS@dontask.com>
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
<4a9b1e08$0$24252$9a6e19ea@unlimited.newshosting.com>
Date: Mon, 31 Aug 2009 20:32:49 GMT
X-Newsreader: News Rover 14.2.2 (http://www.NewsRover.com)
Message-ID: <1aGdnXT_X-rurgHXnZ2dnUVZ_tKdnZ2d@giganews.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
ls0F1SmncqNSd4+97d1knjxOcKJlDOyVI7subcMuDVbZKsKiW+tEsbNOuqu6PQJPx3VLkrTe/Gy05xf!
juEaXAZS+Cc+vkJmqTqK1Mkinay0lu7o2WsvM6gw7kUeF0FEbuwg4j2Qslvh0GbAhoUEvoBKKkc=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1770
rec.radio.amateur.misc:4495
```

On 30-Aug-2009, RFI-EMI-GUY <Rhyolite@NETTALLY.COM> wrote:

> > I have seen several enthusiastic recommendations for the Peavey Impulse II mini monitor which is

> > fairly small and costs about $100. Does anyone have any experience with it?
> >
> > Icom and Yaesu both make multi-hundred dollar external speakers that have gotten mixed reviews.
>
> I would recommend one of the Motorola mobile external speakers from the
> 90's such as a Spectra or Syntor speaker.

I ended up getting a "CLRspkr" speaker with built-in DSP noise reduction. It costs about $215, and
it is sold by West Mountain Radio. Here is a link: http://www.westmountainradio.com/CLRspkr.htm

The DSP in the speaker is significantly better than the DSP in the Yaesu FT-897. I would rate it as
the best accessory I've added to my ham rig.

From 6068519247878215067
X-Google-Thread: a4a23d5f63,59af87800d49c028,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1249106400@panix.com>
Followup-To: poster
Date: 1 Sep 2009 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 04 Oct 2009 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1251784801@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1251784803 25418 166.84.1.2 (1 Sep 2009 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 1 Sep 2009 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:13815 rec.radio.amateur.dx:482 rec.radio.amateur.equipment:1771 rec.radio.amateur.homebrew:3035 rec.radio.amateur.misc:4496 rec.radio.amateur.policy:26656

rec.radio.amateur.space:282 rec.radio.info:942

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From 3888563211225445820

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!e34g2000vbm.googlegroups.com!not-for-
mail
From: kb9rqz <mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: Crossposting Permitted to rec.radio.amateur.moderated
Date: Tue, 1 Sep 2009 12:23:31 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Distribution: world
Message-ID: <9704c26c-a034-414a-b23f-899e08059976@e34g2000vbm.googlegroups.com>
References: <radio/ham-radio/moderated/crossposting-1-1251784801@panix.com>
NNTP-Posting-Host: 66.82.162.12
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1251833011 10239 127.0.0.1 (1 Sep 2009 19:23:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 1 Sep 2009 19:23:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e34g2000vbm.googlegroups.com; posting-host=66.82.162.12;
	posting-account=3ePh8QoAAABpiNDYEy2_bPCVy_4Crs1n
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
	Trident/4.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.antenna:13828 rec.radio.amateur.dx:483
rec.radio.amateur.equipment:1772 rec.radio.amateur.homebrew:3037
rec.radio.amateur.misc:4500

On Sep 1, 2:00=A0am, r...@panix.com (rec.radio.amateur.moderated Admin)
wrote:
>
for a ng that was created to aoid troll to be trolling is pretty lame


From -7062749679687253072
X-Google-Thread: d7f5508063,6cb0d17d45e8ea92
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
194.25.134.126.MISMATCH!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?UTF-8?B?Qm9yaXMgVHXEkWFu?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-2000 problem
Date: Wed, 02 Sep 2009 23:50:12 +0200
Organization: T-Com
Lines: 16
Message-ID: <h7mpal$cj2$1@ss408.t-com.hr>
References: <h69kh8$mr5$1@ss408.t-com.hr>
```

```
<gEgim.2462$nh2.859@nwrddc02.gnilink.net> <h6s1rn$bkj$1@ss408.t-com.hr>
<XkAkm.648$FV4.332@nwrddc01.gnilink.net>
NNTP-Posting-Host: 93-138-96-45.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1251928213 12898 93.138.96.45 (2 Sep 2009 21:50:13 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Wed, 2 Sep 2009 21:50:13 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.22) Gecko/20090606
SeaMonkey/1.1.17
In-Reply-To: <XkAkm.648$FV4.332@nwrddc01.gnilink.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:1773

JB wrote:
> It would seem to be something is broken  If you pull the antenna off, it
> would have to be pretty local.  There shouldn't be a problem like that via
> the antenna anyway.  I would be more inclined to wonder if a switching power
> supply had a spurious landing there, but it could also be a noisy IF amp. in
> the Main band.
>

TNX for Info, I'll check what's going on during next contest...
--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris


From 1112926857701438434
X-Google-Thread: da4ffbcd45,8ca8cbe6cab7119,start
X-Google-Attributes: gidda4ffbcd45,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.mv.net!pete
From: Pete <pete@paspouwoae.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,rec.r
adio.amateur.equipment,misc.industry.electronics.marketplace
Subject: FS: 6 Books on DSP, DIGITAL SIGNAL PROCESSING, SYSTEMS, etc.
Date: Fri, 04 Sep 2009 21:37:29 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <040920092137293867%pete@paspouwoae.com>
NNTP-Posting-Host: 75.67.219.78
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1252114650 78857 75.67.219.78 (5 Sep 2009 01:37:30 GMT)
```

X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 5 Sep 2009 01:37:30 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:695022
alt.marketplace.books:6157 rec.arts.books.marketplace:3078
rec.radio.amateur.equipment:1774 misc.industry.electronics.marketplace:273

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320413823443

From -3986367669667187452
X-Google-Thread: d7f5508063,6d5d74de4863db08,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 04 Sep 2009 23:59:56 -0500
Reply-To: "David Thompson" <thompson@mindspring.com>
From: "David Thompson" <thompson@mindspring.com>
Newsgroups: rec.radio.amateur.equipment
Subject: LK-500NT (B or C) users
Date: Sat, 5 Sep 2009 00:59:56 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3598
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <tOWdnd3y0unRbTzXnZ2dnUVZ_uednZ2d@earthlink.com>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.154.92.109
X-Trace: sv3-
mPbhjxtV1IIQn6tB+vW50dbrADJaKSEUf8CFYSnMZqj8UmiC8oJDdymqJ8rLZ0ya0eoxwDreM6KvfH/!
ZTjpA/4CKDQIeQmBteciXlHaia8svbjiyYCYG8NnFN1kRbgtzayqCPbcN/VHFyHdWtLqLRZAoz0h!
PM7ig8NtCZT8Qn7w4NW0/HbzNccsqsVzxQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1775

I am trying to overhaul my LK-500NTC and am looking for those with
experience working on the no tume circuits. Please reply to my e-mail.

73 Dave K4JRB

thompson@mindspring.com

From -7440282906487518272
X-Google-Thread: 241b302a50,6e8ab34d175c19e3,start
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1249625101@panix.com>
Followup-To: poster
Date: 7 Sep 2009 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Oct 2009 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1252303500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1252303502 22198 166.84.1.2 (7 Sep 2009 06:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Sep 2009 06:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Original-Bytes: 2712
Xref: g2news2.google.com rec.radio.amateur.antenna:14134 rec.radio.amateur.dx:486 rec.radio.amateur.equipment:1776 rec.radio.amateur.homebrew:3052 rec.radio.amateur.misc:4513 rec.radio.amateur.policy:26705 rec.radio.info:956

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

```
 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -6311109859286626655
X-Google-Thread: a4a23d5f63,91e53efbdb532c67,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!news-out.readnews.com!news-
xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1249625401@panix.com>
Followup-To: poster
Date: 7 Sep 2009 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Oct 2009 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1252303800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1252303801 28355 166.84.1.2 (7 Sep 2009 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Sep 2009 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.equipment:1777 rec.radio.swap:2398
```

```
rec.radio.info:957

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been
recently revived by an active moderation team.  We are currently seeking
suitable information, FAQ, and bulletin articles from the entire
rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our
newsgroup.

We are seeking a replacement maintainer for the following information
bulletin formerly posted to rec.radio.swap (and currently archived at
http://www.faqs.org/faqs/radio/swap-guide/ ):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this
article updated and automatically posted again at a regular interval.
This would include establishing contact with the original maintainer for
any necessary permissions.  We would prefer to seek a new, dedicated
maintainer at this time, rather than start auto-posting the original
article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.
```

```
From -6827607941020226948
X-Google-Thread: d7f5508063,1743db670dd8559b,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 07 Sep 2009 09:25:55 -0500
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Commander Amplifier
Date: Mon, 7 Sep 2009 10:25:55 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <Zf2dnRQgDbtuijjXnZ2dnUVZ_hadnZ2d@giganews.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-HAxtIsyQi/Kg19d1DfSZZWc7p31aFHMiY/
7+YZDFIauCEZsUTEIJD9KNqjSAVf6WzAFLnPk+e7Jv6E4!Erxb2rS9OjMfC6Xpakcd4RdRra/
fGVMzZYcTy4iht4dxKzbxXPMZITcZdvCOTapSWnz1DwwEI+k=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1778

From the estate of K1WM, a Commander 2500 amplifier. only needs meter lamps
replaced. Excellent operating condition. Located in New Hampshire. Pleases
contact Nancy at

nmc at tds.net

to arrange for the sale.
73, Bob W1CNY




From -5285944113591337485
X-Google-Thread: d7f5508063,959f27bb7081ba2d,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 Sep 2009 11:42:11 -0500
From: Samantha <samantha@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Grand Systems  GD 6K..  Help Please!!
User-Agent: MT-NewsWatcher/3.5.2 (PPC Mac OS X)
Date: Tue, 08 Sep 2009 11:42:11 -0500
Message-ID: <samantha-965ECE.11421108092009@news.giganews.com>
```

Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-ypmP1SkqL//
YXWWRRc0NBMX0mwsPm5UpqLm1gn51po6Xhnv9PqjyXFdIZsO8viFgmEYJT/p/nEVlW0O!
kq23DAIHwUswO2nb3gYsBy9gb7I2mZ8Dia6Wu/zQqn+EwvU8K4Dy2gkmg1eLPSlOHmcuU7cNjwdE!/js=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1779

Would anyone have any documentation on this Digital Display Unit?

Can you tell me what Radio(s) it is for?

The Power connector isn't marked. Can anyone tell me what power it
takes and how the polarity lines up with the Two Socket Plug. (There is
a key between the two sockets.

Much like

O u O

Any Help or Documentation would be GREATLY APPRECIATED!!!!

S.

From -2293577914321380234
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 09 Sep 2009 23:47:11 -0500
From: Samantha <samantha@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Grand Systems GD-6K Hookup Basics
User-Agent: MT-NewsWatcher/3.5.2 (PPC Mac OS X)
Date: Wed, 09 Sep 2009 23:47:11 -0500
Message-ID: <samantha-D797D4.23471109092009@news.giganews.com>
Lines: 64
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
bCdTSHlwNDmpkAAvH7S6YbI6S9doOl8wdAna0iW6nr+fxDHLq8RsEMyeurrThDVZRk3GorEWk+xi6FU!
a+/8kngrJFoagR4YQc1Cvq+CDtmwccJ0ly2UTi4bxqZHaSPJzxNYYS+3YohJ+1RoRK+tsXKTZPuR!c/Y=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1780

I have this question posted in the boatanchors newsgroup, but the Grand GD-6K Frequency Display could be used for a Radio that doesn't fall into that description.

So Her is my basic problem. I need to know what radios the Frequency Counter/Display was used for. I have done an exhaustive search on the internet with very little luck...   I saw one reference to it hooking up to a TS-820, and others have told me that it worked on a TS-520.

There are three RCA connectors on the back marked H C V.

It was suggested by Bill in the boatanchors newsgroup that this may be for Heterodyne Oscillator, Carrier Oscillator and VFO.

There is a two wire hookup for the power with a connector that has two round sockets separated by an inverted U on the bottom. I took the unit apart and found a 25V 470uf Capacitor and no rectification components so it must be a DC input. the 25 VDC Suggest that it is a 12VDC hookup. The left socket was tied to the chassis so the right socket could only be for the + VDC. I sew a 5VDC Regulator in there but I suspect that it is a dual voltage setup. I saw an add for another Grand Model that took 12 VDC as their input but it was not the same model. I connected 9 VDC up to it and got lights.

The only input that seem to take a signal and show a display on the meter was the H input. I started low and raised the function generator up slowly until I got a Frequency display. It seems to take a sine wave or a square wave (i even tried a sawtooth wave and it worked okay). The frequency that it displayed was >0 to 31 MHZ at a 1.5 to 3 Volt Level. I didn't take definitive measurements so it could take a lower voltage. I was just going under the assumption that in TTL that a logical one was about 2 to 5 Volts..

Now the questions. What are the H, C, and V connectors for and how do you connect them to the radios. TS-520/820 or other radios. The C input seems to take a standard frequency and display it, what would be the point of the H and V inputs.

I found this message on forums.QRZ.com and it read, it said:
____
Quote:
Originally Posted by KK7US
I have a Kenwood TS-820 with a Grand GD-6K aftermarket digital readout. One of the wires came loose from the plug in to the eight pin remote socket. It is the wire marked "C" on the back of the unit. Can anyone helpme figure out where that wire goes? I got the rtadio used some years

ago, and there are no instructions.
Thanks

KK7US, Lee

Since the H connector was the only one that gave me a readout on the frequency display, what could the "C" connector do that would stop it from operating...

Any Idea's would be greatly appreciated...

S.

```
From 429992455269323648
X-Google-Thread: d7f5508063,b4f5315ae98cc85
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1.cambriumusenet.nl!
feed.tweaknews.nl!194.134.4.91.MISMATCH!news2.euro.net!news-out2.kabelfoon.nl!
newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!nightbeing.nntp.kabelfoon.nl!not-
for-mail
From: "Ben" <benzandstra_nospam_@caiway.nl>
Newsgroups: rec.radio.amateur.equipment
References: <samantha-D797D4.23471109092009@news.giganews.com>
In-Reply-To: <samantha-D797D4.23471109092009@news.giganews.com>
Subject: Re: Grand Systems GD-6K Hookup Basics
Date: Thu, 10 Sep 2009 21:20:06 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Lines: 25
Message-ID: <4aa9516e$0$797$58c7af7e@news.kabelfoon.nl>
Organization: CAIW
NNTP-Posting-Host: 7d22cd05.news.kabelfoon.nl
X-Trace: 1252610414 nightbeing.nntp.kabelfoon.nl 797 62.45.218.115:51570
X-Complaints-To: abuse@caiway.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:1781
```

"Samantha" <samantha@comcast.net> schreef in bericht

news:samantha-D797D4.23471109092009@news.giganews.com...
>I have this question posted in the boatanchors newsgroup, but the Grand
> GD-6K Frequency Display could be used for a Radio that doesn't fall into
> that description.
>

Hi,

I do have no knowledge of the GD-6K at all. However, I could spend some time to write my thougts in the ww usenet.

Using a frequency counter as readout for any transceiver mostly requires the addition or subtraction of the IF to show the actual receive or transmit frequency. Could it be possible that one of the other inputs is used to separately feed the IF signal to the frequency counter ? Could it also be possible that the Kenwood radio's do use 2 different IF's for transmit or receive ?

If I'm complety talking non-sense then please ignore my message ;-)

Kind regards,
Ben - PE2BZ

From -2688974626637003386
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 10 Sep 2009 15:15:10 -0500
From: Samantha <samantha@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Grand Systems GD-6K Hookup Basics
References: <samantha-D797D4.23471109092009@news.giganews.com>
<4aa9516e$0$797$58c7af7e@news.kabelfoon.nl>
User-Agent: MT-NewsWatcher/3.5.2 (PPC Mac OS X)
Date: Thu, 10 Sep 2009 15:15:10 -0500
Message-ID: <samantha-104575.15151010092009@news.giganews.com>
Lines: 117
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-YXHEFFkHY8SYpGar98BZPZ5KP4XJoNJL4tWmcWRnJIDEpK4Jo/2/rluLY+n+NazK7KJ+BkIogMrz0i+!fALWyXEypgkcNkkG50dw5rMZKmMm5GAym6ChGQ70yEw05I/ZU4NwWOMoKOCWpxQWJnOFjQiN4a3V!1Bw=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1782

In article <4aa9516e$0$797$58c7af7e@news.kabelfoon.nl>, "Ben" <benzandstra_nospam_@caiway.nl> wrote:

> "Samantha" <samantha@comcast.net> schreef in bericht
> news:samantha-D797D4.23471109092009@news.giganews.com...
> >I have this question posted in the boatanchors newsgroup, but the Grand
> > GD-6K Frequency Display could be used for a Radio that doesn't fall into
> > that description.
> >
>
> Hi,
>
> I do have no knowledge of the GD-6K at all. However, I could spend some time
> to write my thougts in the ww usenet.
>
> Using a frequency counter as readout for any transceiver mostly requires the
> addition or subtraction of the IF to show the actual receive or transmit
> frequency. Could it be possible that one of the other inputs is used to
> separately feed the IF signal to the frequency counter ? Could it also be
> possible that the Kenwood radio's do use 2 different IF's for transmit or
> receive ?
>
> If I'm complety talking non-sense then please ignore my message ;-)
>
> Kind regards,
> Ben - PE2BZ

No, actually you hit it pretty much on the head. I talked to another ham that told me that he used a GD-6K on a TS-520S and that it hooked right up to the 3 connectors, plus the power connector. It seems the Grand Systems GD-6K was a reply to the Kenwood DG-5 external display. (I won't say rippoff.. LOL) ..

Now I found an online manual of the DG-5 and it read, it said:

The TS-520S operating frequency is made up as:

of = HET-(VFO+CAR)

In the The DG-5 where two counter circuits are connected in series, the heterodyne signal is fed to the lower counter. This lower counter subtracts 10MHZ from the heterodyne frequency in a digital way (HET-10MHz). The subtracted frequency presets the upper counter. The other signal fed to the upper counter is composed in the manner that the carrier frequency is mixed with the 10MHZ reference frequency and the resultant is further mixed with the VFO frequency. [(10MHz-CAR) - VFO]. The signal is added to the one preset by the lower counter, that is:

[(10MHz-CAR) - VFO] + (HET - 10 MHz) = HET - (VFO + CAR)

As explained above you will find that the DG-5 should display the correct TS-520S Operating frequency. The reason of using such a complicated construction is that if the GD-6K is the same as the TS-520S in the construction, this can produce a signal of the same frequency as the receive frequency. The signal interferes as spurious with the operation of the TS-520S.

(1) HET Connector (H) - The HET connector is used to input the heterodyne local signal of the TS-520S. To connect to it, use the supplied signal cable.

(2) CAR Connector (C) - The CAR connector is used to input the carrier signal of the TS-520S. To connect to it, use the supplied signal cable.

(3) VFO Connector (V) - The VFO connector is used to input the VFO signal of the TS-520S To connect to it, use the supplied signal cable.

(4) Digital Frequency Display - Six digit 7-segment light-emitting diodes (LEDs) illuminate input frequencies in digital way. The leftmost two digits are in units of MHZ, the succeeding three digits of kHz, and the right most digit of 100Hz. These are section by two points.

(5) Power Connector. 13.8V, 0.9A DC Power Connector - This connector supplies the TS-520S 13.8V, 0.9A DC Power into the GD-6K. For connection, use the attached power cord. It may also be connected to other power supplies of the same rating, for example, the KENWOOD Models PS-6 and PS-8.

Now all of these connectors connect to the Grand Design via three RCA jacks, and a keyed power cable.

My only real question at this point is in reference to this Post I found on the internet:

I found this message on forums.QRZ.com and it read, it said:

Quote:
Originally Posted by KK7US
I have a Kenwood TS-820 with a Grand GD-6K aftermarket digital readout. One of the wires came loose from the plug in to the eight pin remote socket. It is the wire marked "C" on the back of the unit. Can anyone helpme figure out where that wire goes? I got the rtadio used some years ago, and there are no instructions.
Thanks

KK7US, Lee

So how did this guy get the unit hooked up to a TS-820, there are no connectors on the back of the unit???

Well, any Idea's would be welcomed!!!

Thanks!

From 4793663706095346121
X-Google-Thread: d7f5508063,da8e815b902149d4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "PA3HGT" <spam@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for DVS-2
Date: Sun, 13 Sep 2009 01:36:42 +0200
Lines: 27
Message-ID: <7h2pk1F2p6bf5U1@mid.individual.net>
X-Trace: individual.net O/rkHInwEL5wnIGh44XfIwXaNSyQLEOj2wD+u0GWnWEcOldiFN
Cancel-Lock: sha1:Lg87/Q+xUEX/8c95P0TqEvaJK+Y=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5843
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-EsetScannerBuild: 5639
Xref: g2news2.google.com rec.radio.amateur.equipment:1783

Hello all,

I looking for a goodlooking and working DVS-2 voiceunit for my FT1000D .
If you want to sell your DVS-2,let me know your price with shipping to the Netherlands.I am paypall-member or for EU:IBAN is no problem.

--
Met vriendelijke groet,
Best regards,

Hans Pluijgers
HAM-callsign PA3HGT

www.pa3hgt.nl

__________ Information from ESET NOD32 Antivirus, version of virus signature database 4420 (20090912) __________

The message was checked by ESET NOD32 Antivirus.

http://www.eset.com

```
From -1161022465024O5350
X-Google-Thread: d7f5508063,cf8b5c95a4843073,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r9g2000yqa.googlegroups.com!not-for-
mail
From: Arky Bob <Arky_Bob_Rules@yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Ham Radio Items FA
Date: Sat, 12 Sep 2009 19:11:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <73d78290-8f76-4c4c-9b2d-d1206d78748f@r9g2000yqa.googlegroups.com>
NNTP-Posting-Host: 97.89.123.37
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
X-Trace: posting.google.com 1252807901 6262 127.0.0.1 (13 Sep 2009 02:11:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Sep 2009 02:11:41 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r9g2000yqa.googlegroups.com; posting-host=97.89.123.37;
     posting-account=XKjjlAoAAAB7-Gfoc5V9fd8gGJNq-L7g
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     GTB6; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; InfoPath.2; FDM; .NET CLR
     3.0.4506.2152; .NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.swap:2422 rec.radio.amateur.equipment:1784
```

Like New Bencher black-base paddle with cable and connector.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=190334691470

Radio Shack SWR - Power Meter
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=190334693430

New MFJ 2 position antenna switch
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=190334698835

```
From 2641318594272971666
X-Google-Thread: d7f5508063,48bc2c511fde6407
```

```
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 31 Jul 2009 07:56:27 -0500
Date: Fri, 31 Jul 2009 05:56:27 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ 1782
References: <4a72b0d0$0$23464$ba4acef3@news.orange.fr>
In-Reply-To: <4a72b0d0$0$23464$ba4acef3@news.orange.fr>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <HcCdnRnsn8RhdO_XnZ2dnUVZ_tli4p2d@earthlink.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-Sb3YHGMzSro02wYRfjr6r2kpMqQTnivWTk/
S+OROQkzUbqwTOVKsLgF63SZCfskT6fVxKpA5BRwZWJn!
6Z2WBtS0zQ+jgkgu8pLkzJpx7QnuWyBUfsu+DXeVzgoRlTlec2qM0g7pL2gso6NWLbdUmCiiDrq0!/
i5KWdwjfPbVGagcZBxZvDw+VhlLwmqv8nU=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1960
Xref: g2news2.google.com rec.radio.amateur.equipment:1685

Jeannot wrote:
> Hello
>
> I have bought an antenna in secondhand an antenna MFJ-1782.  I have some
> problems to obtain good results for the SWR .My antenna is in vertical
> polarization. I use this antenna with a battery..
>
>             I have only a good SWR in the ten meter band ( 1.1) but when the
> frequency  degreases , the SWR increases very rapidly . On the 20 meter band
> , the SWR is near 3-3.5 -  The coax is H100.
>
>             I tried with differents lenghs of coax . ( 5 , 10, 15 meters)
> and the result is the same.
>
>             I don't know what I must do.
>
>             I write you ( in bad English and excuse me) to say if you have a
> solution to my problem.. I thank you in advance
>
>             73
>
```

>
www.mfjenterprises.com/man/pdf/MFJ-1782.pdf

From 5779375334346183356
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
transit3.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1246428001@panix.com>
Followup-To: poster
Date: 1 Aug 2009 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 03 Sep 2009 02:00:00 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1249106400@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1249106403 11583 166.84.1.2 (1 Aug 2009 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 1 Aug 2009 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting,
permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:13344 rec.radio.amateur.dx:455
rec.radio.amateur.equipment:1686 rec.radio.amateur.homebrew:2981
rec.radio.amateur.misc:4391 rec.radio.amateur.policy:26557
rec.radio.amateur.space:269 rec.radio.info:879

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader
opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

From 3404653542723678834
X-Google-Thread: 9e586c3d78,b430d1ef50c18c36
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!feeder.erje.net!feeder.eternal-september.org!eternal-september.org!not-for-mail
From: "Martin Riddle" <martin_rid@verizon.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: FS: Elecraft K3 with options
Date: Sun, 2 Aug 2009 18:22:34 -0400
Organization: A noiseless patient Spider
Lines: 39
Message-ID: <h5541j$1mc$1@news.eternal-september.org>
References: <ceSdnUlP7LMRPfDXnZ2dnUVZ_h2dnZ2d@giganews.com> <nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com> <eembm.437064$4p1.9862@en-nntp-03.dc1.easynews.com> <04adnWvTha96lPPXnZ2dnUVZ_g6dnZ2d@giganews.com>

X-Trace: news.eternal-september.org
U2FsdGVkX18hLPL6SI2U2GU0qCde+bGSk5o2UHcvg18KmOriSfmOe9plsp93Qy/
M5kjY613VsxPzFGRBh2caG/
IZ0pcMHskzQzBTFpV9g8MhV4b9+QnQ9bJMVA+htpoEZV2V085KyTFLhr8Qh9+MjQ==
X-Complaints-To: abuse@eternal-september.org
NNTP-Posting-Date: Sun, 2 Aug 2009 22:30:11 +0000 (UTC)
In-Reply-To: <04adnWvTha96lPPXnZ2dnUVZ_g6dnZ2d@giganews.com>
X-RFC2646: Format=Flowed; Response
X-Antivirus-Status: Clean
X-Newsreader: Microsoft Windows Live Mail 14.0.8064.206
X-Auth-Sender: U2FsdGVkX1/c02/zLN7GoNCokryn8WPwQNr+9FnELG8=
Importance: Normal
X-Antivirus: avast! (VPS 090802-0, 08/02/2009), Outbound message
Cancel-Lock: sha1:5BHmVDuEP29MIzKVvepzqzzjoT0=
X-Priority: 3
X-MSMail-Priority: Normal
X-MIMEOLE: Produced By Microsoft MimeOLE V14.0.8064.206
Xref: g2news2.google.com rec.radio.amateur.equipment:1687
rec.radio.shortwave:46689

"Bob Rinaldi W1CNY" <w1cny@comcast.net> wrote in message
news:04adnWvTha96lPPXnZ2dnUVZ_g6dnZ2d@giganews.com...
> The K3 can also be purchased as a kit, and is manufactured in Aptos,
> CA.
>
>
> "Keith" <kilowattradio@use-reply-to.invalid> wrote in message
> news:eembm.437064$4p1.9862@en-nntp-03.dc1.easynews.com...
>> dave wrote in news:<nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com>:
>>> Bob Rinaldi W1CNY wrote:
>>>> Factory built Elecraft K3 transceiver. With 100 watt option, Auto
>>>> Antenna Tuner option, General coverage receive option, and 2.8kHz
>>>> 8-pole
>>>> filter option. Still under factory warranty. Purchased new in
>>>> November
>>>> 2008, serial number 2102. Original invoice $2712.29. Sell for $2400
>>>> or B.O.
>>>> w1cny@comcast.net
>>>
>>> The best receiver on the market. American made.
>>
>> Well it isn't American made, it is designed by Americans and
>> manufactuered over seas. The K2 is American made because the buyer
>> puts
>> it together, but once again most of the parts come from overseas.
>>

How much of the Kit is assembled? I see it's just about all surface
mount, and it�s a modular kit.
For $200 more you can get a tested and assembled K3. There is very

little info for the K3 on their web site.
Looks to me its not much of a kit.

Cheers

From -3620158020775522471
X-Google-Thread: 9e586c3d78,b430d1ef50c18c36
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Aug 2009 21:01:26 -0500
Date: Sun, 02 Aug 2009 19:01:28 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: FS: Elecraft K3 with options
References: <ceSdnUlP7LMRPfDXnZ2dnUVZ_h2dnZ2d@giganews.com>
<nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com> <eembm.437064$4p1.9862@en-nntp-03.dc1.easynews.com> <04adnWvTha96lPPXnZ2dnUVZ_g6dnZ2d@giganews.com>
<h5541j$1mc$1@news.eternal-september.org>
In-Reply-To: <h5541j$1mc$1@news.eternal-september.org>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit
Message-ID: <1t2dnWcAV4pr2evXnZ2dnUVZ_j9i4p2d@earthlink.com>
Lines: 39
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-f2F9Cl9Q7WlDDWXb89qUnsAzDUDI5vbZ3YX3WGK7ZYcqU8Zj5/
E606YcsDaEioPa0euS33y5X6WcTxl!
fEGcGHRXg3E4V4ujeXlDudv5DbnVhZFR051TwMNSl8gYaznycG0+y5dUF2GKaGJHCrUHFkcNpdH9!
l49ooCEx9a07Pvf3I24UUDFisnMJZaeiOhk=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2882
Xref: g2news2.google.com rec.radio.amateur.equipment:1688
rec.radio.shortwave:46711

Martin Riddle wrote:
> "Bob Rinaldi W1CNY" <w1cny@comcast.net> wrote in message
> news:04adnWvTha96lPPXnZ2dnUVZ_g6dnZ2d@giganews.com...
>> The K3 can also be purchased as a kit, and is manufactured in Aptos,
>> CA.
>>
>>

```
>> "Keith" <kilowattradio@use-reply-to.invalid> wrote in message
>> news:eembm.437064$4p1.9862@en-nntp-03.dc1.easynews.com...
>>> dave wrote in news:<nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com>:
>>>> Bob Rinaldi W1CNY wrote:
>>>>> Factory built Elecraft K3 transceiver. With 100 watt option, Auto
>>>>> Antenna Tuner option, General coverage receive option, and 2.8kHz
>>>>> 8-pole
>>>>> filter option. Still under factory warranty. Purchased new in
>>>>> November
>>>>> 2008, serial number 2102. Original invoice $2712.29. Sell for $2400
>>>>> or B.O.
>>>>> w1cny@comcast.net
>>>> The best receiver on the market.  American made.
>>> Well it isn't American made, it is designed by Americans and
>>> manufactuered over seas. The K2 is American made because the buyer
>>> puts
>>> it together, but once again most of the parts come from overseas.
>>>
>
>
> How much of the Kit is assembled? I see it's just about all surface
> mount, and it�s a modular kit.
> For $200 more you can get a tested and assembled K3. There is very
> little info for the K3 on their web site.
> Looks to me its not much of a kit.
>
> Cheers
>
>
I think you're missing the point, you know, about the receiver.

http://www.sherweng.com/table.html


From -3473751741614591319
X-Google-Thread: d7f5508063,cf33e1173d94a4bc,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-
mail
Date: Mon, 03 Aug 2009 23:50:43 -0400
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: HELP WITH A KENWOOD TM-733A.......
Content-Type: multipart/alternative;
```

```
 boundary="------------000404080708030302000503"
Lines: 44
Message-ID: <4a77b00e$0$10305$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1689

This is a multi-part message in MIME format.
--------------000404080708030302000503
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit


This is a dual band VHF / UHF mobile radio.
I can't find any service manuals for this radio anywhere online. .
Can somebody please pinpoint where the VCO adjustment is on the UHF side.

Symptom:
towards the upper part of the UHF band it transmits full power then drops.
On the lower part of the UHF band it transmits fine and does not drop.

THANKS,  73,  Mark

--------------000404080708030302000503
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial"><br>
This is a dual band VHF / UHF mobile radio. <br>
I can't find any service manuals for this radio anywhere online. .&nbsp;&nbsp;
<br>
Can somebody please pinpoint where the VCO adjustment is on the UHF
side.<br>
<br>
Symptom: <br>
towards the upper part of the UHF band it transmits full power then
drops.<br>
On the lower part of the UHF band it transmits fine and does not drop.&nbsp;
<br>
<br>
THANKS,&nbsp; 73,&nbsp; Mark</font></font>
</body>
</html>

--------------000404080708030302000503--
```

From -9053346667133602866
X-Google-Thread: d7f5508063,4a716eb4cb332ffe,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: New-to-me Yaesu FT-450: CAT problems
Date: Tue, 4 Aug 2009 09:51:05 -0500
Organization: Litech Systems Design
Lines: 15
Sender: mikea@mikea.ath.cx
Message-ID: <pfulk6-8ib2.ln1@mikea.ath.cx>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1249397535 23882 70.164.65.62 (4 Aug 2009 14:52:15 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Tue, 4 Aug 2009 14:52:15 +0000 (UTC)
X-Not-Approved: Of_Course_I_approve_it@example.com
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:1690

I traded another ham in the area my Yaesu FT-857D for a 9-month-old
Yaesu FT-450 with the built-in autotuner. I like it very well, except
that I have not been able to get the FT-450 to talk with my PC using
either a serial cable straight to the PC or a known-good Radio Shack
USB-Serial converter. Programs I've tested with are the current versions
of MixW and HRD. Both still work with the Yaesu FT-897D I still have,
but not with the FT-450.

Has anyone else here had problems with CAT to/from a Yaesu FT-450? Has
anyone here got CAT working to/from a Yaesu FT-450?

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin

From -9176212370509743443
X-Google-Thread: d7f5508063,4a716eb4cb332ffe
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Aug 2009 07:30:49 -0500
Newsgroups: rec.radio.amateur.equipment
From: Thomas Laus <lausts@acm.org>
Subject: Re: New-to-me Yaesu FT-450: CAT problems

References: <pfulk6-8ib2.ln1@mikea.ath.cx>
Reply-To: lausts@acm.org
User-Agent: slrn/0.9.9p1 (FreeBSD)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <wr-dnTpPNtbk5uTXnZ2dnUVZ_qGdnZ2d@supernews.com>
Date: Wed, 05 Aug 2009 07:30:49 -0500
Lines: 40
X-Trace: sv3-SQRIYuiRrgcijZdh7Q86e7MpSksCGmjXTJ7AWU3wh9YH/
jU2ZegGlOb9C+GxTZY234VzR7LpIahijhR!sMNkfkDki2SB50V7155Kpp1x+oPauA68v/
VmxpiGlysaranfw0VRsDU3nut1BBdYE2YkW9Filahn!EDua7a5P
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2780
Xref: g2news2.google.com rec.radio.amateur.equipment:1691

-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

On 2009-08-04, mikea <mikea@mikea.ath.cx> wrote:
> I traded another ham in the area my Yaesu FT-857D for a 9-month-old
> Yaesu FT-450 with the built-in autotuner. I like it very well, except
> that I have not been able to get the FT-450 to talk with my PC using
> either a serial cable straight to the PC or a known-good Radio Shack
> USB-Serial converter. Programs I've tested with are the current versions
> of MixW and HRD. Both still work with the Yaesu FT-897D I still have,
> but not with the FT-450.
>
> Has anyone else here had problems with CAT to/from a Yaesu FT-450? Has
> anyone here got CAT working to/from a Yaesu FT-450?
>

My radio club has a working FT-450 CAT interface. I seem to remember
that we had to try the various options for Yaesu in HRD before finding
success. We use a straight through serial interface. There is also a
CAT program on the Yaesu website for the FT-450. We used it first to
verify the cable wiring before switching to HRD. I am not at the club
station, so can't tell you which Yaesu radio model made HRD work. If
you still have a problem, repost your response and I will have a club
member that lives closer, boot up the computer and print the settings.
Another club member has a personal FT-450 that is also working. This
model Yeasu definately is supported by HRD.

Tom

- --
Public Keys:
PGP KeyID = 0x5F22FDC1

GnuPG KeyID = 0x620836CF

-----BEGIN PGP SIGNATURE-----
Version: GnuPG v1.4.9 (FreeBSD)

iEYEARECAAYFAkp5e3kACgkQ6/+C1GIINs/YJQCgkThT2NaRKGE/bkelIhR7LiZG
7acAnjvxXoMto8w4FMBcgookcD7DHY5E
=h2td
-----END PGP SIGNATURE-----

```
From -7182387459392279109
X-Google-Thread: d7f5508063,4a716eb4cb332ffe
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!meganewsservers.com!feeder2.on.meganewsservers.com!
206.15.168.33.MISMATCH!feedme.ziplink.net!border2.nntp.dca.giganews.com!
nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Aug 2009 11:13:05 -0500
From: Jim Siemons <Jim.Siemons.4bf6506@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New-to-me Yaesu FT-450: CAT problems
Date: Wed, 5 Aug 2009 16:45:39 +0100
Message-ID: <Jim.Siemons.4bf6506@radiobanter.com>
Organization: RadioBanter.com
References:  <pfulk6-8ib2.ln1@mikea.ath.cx>
Lines: 33
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-BXnrF+eDIdNTh/0vWqJM3HX62aP4dCfALAfsZ3OSun9U+iokMPqwVLqvjsD/
Ml9dxl2GPzZUbnarKxf!
3McUkTKXUH9eA0eYkb2JjsSTuab0fgnCEDHwwAC4thrwRGfLVhltX1C4Utc9ioj4Byk/TvCT93xm!3t1c/
dGiTQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 9
Xref: g2news2.google.com rec.radio.amateur.equipment:1692
```

Hi, Mike:
The most important factor is that you choose the correct cable to connect your FT450 to you computer. I have spoken to a number of hams and have witnessed on other sites comments that they have difficulty in connecting the radio to their computer. If you get the right DB9 to USB cable or DB9 to whatever your computer is looking for serial cable you should be in good shape. Just looking around, I see that most folks are using a DB9 to USB cable. I chose one that came with a small CD disk to drive the cable. In my mind, normally I would not need a disk

to drive a cable - but what the little app did was match up the data
from the correct pins. I saw some cables in the store that did not
have all the pins in their DB9 connector. That might be OK in some
applications, but I didn't know what the FT450 or HRD was exactly
looking for - so I wanted all pins to be able to be activated.

Bottom line, my cable worked. I purchased my cable from a Fry's
Electronics store in Concord, CA. There were 6-7 or more DB9 to USB
cables that I could choose from (that was kind of amazing in and of
itself). I fritz around for awhile, looking at the specifications on
the packaging and chose one. The one I picked was not, incidentally,
the most expensive one.

Inspect your cable and make sure that you are getting voltage out of
the radio.

73,
Jim Siemons AF6PU

--
Jim Siemons

From 2903198226813547727
X-Google-Thread: d7f5508063,4a716eb4cb332ffe
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New-to-me Yaesu FT-450: CAT problems
Date: Wed, 5 Aug 2009 11:56:54 -0500
Organization: Litech Systems Design
Lines: 39
Sender: mikea@mikea.ath.cx
Message-ID: <m7qok6-6ru2.ln1@mikea.ath.cx>
References: <pfulk6-8ib2.ln1@mikea.ath.cx> <Jim.Siemons.4bf6506@radiobanter.com>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1249491495 3402 70.164.65.62 (5 Aug 2009 16:58:15 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Wed, 5 Aug 2009 16:58:15 +0000 (UTC)
X-Not-Approved: Of_Course_I_approve_it@example.com
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:1693

Jim Siemons <Jim.Siemons.4bf6506@radiobanter.com> wrote in
<Jim.Siemons.4bf6506@radiobanter.com>:
>

> Hi, Mike:
> The most important factor is that you choose the correct cable to
> connect your FT450 to you computer. I have spoken to a number of hams
> and have witnessed on other sites comments that they have difficulty in
> connecting the radio to their computer. If you get the right DB9 to USB
> cable or DB9 to whatever your computer is looking for serial cable you
> should be in good shape. Just looking around, I see that most folks
> are using a DB9 to USB cable. I chose one that came with a small CD
> disk to drive the cable. In my mind, normally I would not need a disk
> to drive a cable - but what the little app did was match up the data
> from the correct pins. I saw some cables in the store that did not
> have all the pins in their DB9 connector. That might be OK in some
> applications, but I didn't know what the FT450 or HRD was exactly
> looking for - so I wanted all pins to be able to be activated.
>
> Bottom line, my cable worked. I purchased my cable from a Fry's
> Electronics store in Concord, CA. There were 6-7 or more DB9 to USB
> cables that I could choose from (that was kind of amazing in and of
> itself). I fritz around for awhile, looking at the specifications on
> the packaging and chose one. The one I picked was not, incidentally,
> the most expensive one.
>
> Inspect your cable and make sure that you are getting voltage out of
> the radio.

The USB-to-Serial adapter is known good: it works with the FT-897D. But with the FT-450, I have to use a longer serial cable, which I suspect. So, oddly enough, that was going to be tonight's project: ohm the cable out, then put the cable on the computer's serial port, put the scope probe in the other end, and look for state changes as I change things in HRD and MixW, and finally put the cable on the radio and look for state changes on the computer's end of the cable as I tune.

--
The correct policy approach to a non-problem is to have the courage to do nothing.
--Christopher Monckton

From -7114270289869513271
X-Google-Thread: d7f5508063,cf33e1173d94a4bc
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!24g2000yqm.googlegroups.com!not-for-mail
From: SkidMark <kramnaoj@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HELP WITH A KENWOOD TM-733A.......
Date: Wed, 5 Aug 2009 19:32:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <5f57383f-4141-4d85-b8b3-90911b93502e@24g2000yqm.googlegroups.com>

References: <4a77b00e$0$10305$607ed4bc@cv.net>
NNTP-Posting-Host: 174.97.29.223
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1249525922 23016 127.0.0.1 (6 Aug 2009 02:32:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 6 Aug 2009 02:32:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 24g2000yqm.googlegroups.com; posting-host=174.97.29.223;
posting-account=V8q8FAkAAABs3i2LJdTPbljDlWDrBvTo
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
CLR 1.0.3705; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1694

On Aug 3, 11:50=A0pm, Steve <kenwood1...@hotmail.com> wrote:
> This is a dual band VHF / UHF mobile radio.
> I can't find any service manuals for this radio anywhere online. . =A0
> Can somebody please pinpoint where the VCO adjustment is on the UHF side.
>
> Symptom:
> towards the upper part of the UHF band it transmits full power then drops=
.
> On the lower part of the UHF band it transmits fine and does not drop.
>
> THANKS, =A073, =A0Mark

http://www.google.com/search?hl=3Den&q=3Dtm733+service+manual&btnG=3DGoogle=
+Search&aq=3Df&oq=3D&aqi=3D

http://www.radioamateur.eu/schemi/TM733_serv.pdf

Mark

From -6433327308993413057
X-Google-Thread: a4a23d5f63,b2affba7d77c43af,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1246946700@panix.com>
Followup-To: poster

Date: 7 Aug 2009 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Sep 2009 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1249625101@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1249625102 29881 166.84.1.2 (7 Aug 2009 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Aug 2009 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:13446 rec.radio.amateur.dx:459 rec.radio.amateur.equipment:1695 rec.radio.amateur.homebrew:2991 rec.radio.amateur.misc:4420 rec.radio.amateur.policy:26570 rec.radio.info:888

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From -7212616825208659870
X-Google-Thread: a4a23d5f63,aa6a80735452ef9e,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!bloom-beacon.mit.edu!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1246947001@panix.com>
Followup-To: poster
Date: 7 Aug 2009 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Sep 2009 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1249625401@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1249625401 14545 166.84.1.2 (7 Aug 2009 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Aug 2009 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.equipment:1696 rec.radio.swap:2342 rec.radio.info:889

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -6483344472415065722
X-Google-Thread: d7f5508063,3b43cc47ee280091,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!news.kjsl.com!news.alt.net
From: John <jonnybrite@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MFJ 989D Intermittant SWR readings above 20 meters
Date: Fri, 07 Aug 2009 15:36:36 -0400
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 18
Message-ID: <qrvo7558t0ccov0pu314jo46l9s61dm521@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 1.92/32.572
Xref: g2news2.google.com rec.radio.amateur.equipment:1697

I have an MFJ 989D that I picked up used. I changed out the flimsy rotary Inductor with a well insulated ceramic insulated one from an old military tuning unit measuring 31 uh. It works great.It was physicially the same size and only took an L bracket made from Aluminum and the gears line up perfactly for the turns counter. What I see now and BEFORE the inductor change is above 20 meters, i.e. 15 and 10 meters, while applying 30 watts to tune the antenna, the power and swr meter pulsates, and then shuts down. I put another swr bridge into the input of the 989D and it acts normal and I can use it to tune the antenna with out the pulsating.

Anyone ever seen this problem? The 989D works great as far a tuning
but the SWR indicator circuit seems to have some kind of problem above
20 meters.

Any help would be appreciated..

thanks, John aka W3ZDF

From -7483047252939781750
X-Google-Thread: 733d321764,55cb5245fb989a08,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!newsgate.cuhk.edu.hk!news.netfront.net!not-for-mail
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap
Subject: FA: Yaesu FP-301 supply MINT!!
Date: Sat, 8 Aug 2009 09:31:10 -0400
Organization: Netfront http://www.netfront.net
Lines: 7
Message-ID: <h5jun0$1phu$1@adenine.netfront.net>
NNTP-Posting-Host: 68.82.225.237
X-Trace: adenine.netfront.net 1249738272 58942 68.82.225.237 (8 Aug 2009 13:31:12 GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Sat, 8 Aug 2009 13:31:12 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3282 rec.radio.amateur.equipment:1698 rec.radio.amateur.misc:4426 rec.radio.swap:2349

If you want to have a look-see, here is the link....

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=290336306874&ssPageName=STRK:MESELX:IT

From -4750061869535535501
X-Google-Thread: 733d321764,627449cea8da6360,start

```
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.netfront.net!not-
for-mail
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,r
ec.radio.swap
Subject: FA: TT 961 Power Supply  ends tmrw!
Date: Sat, 8 Aug 2009 09:33:34 -0400
Organization: Netfront http://www.netfront.net
Lines: 5
Message-ID: <h5jurg$1pub$1@adenine.netfront.net>
NNTP-Posting-Host: 68.82.225.237
X-Trace: adenine.netfront.net 1249738417 59339 68.82.225.237 (8 Aug 2009 13:33:37
GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Sat, 8 Aug 2009 13:33:37 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3283
rec.radio.amateur.equipment:1699 rec.radio.amateur.misc:4427 rec.radio.swap:2350

Very nice 961 supply!!   See it here....

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=290336308639&ssPageName=STRK:MESELX:IT




From -6217483675793209785
X-Google-Thread: d7f5508063,5e85ef1565f76ffb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r34g2000vba.googlegroups.com!not-for-
mail
From: "rs2atmink@yahoo.com" <rs2atmink@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Vintage Du Mont Cathode-ray Oscillograph Type 304-A
Date: Sat, 8 Aug 2009 13:21:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <d4e1d229-b400-4e7a-a9c3-f58b68ae28c7@r34g2000vba.googlegroups.com>
NNTP-Posting-Host: 71.58.198.163
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
```

```
X-Trace: posting.google.com 1249762881 26109 127.0.0.1 (8 Aug 2009 20:21:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Aug 2009 20:21:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r34g2000vba.googlegroups.com; posting-host=71.58.198.163;
     posting-account=5qw2FwkAAAAmXNzF65P5v1OSREk3HW2g
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.8.1.13)
     Gecko/20080313 SeaMonkey/1.1.9,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1700
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=150364709794

located in Tinton Falls, NJ

```
From 860318231226462829
X-Google-Thread: d7f5508063,f50e4abd013d2e,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f20g2000prn.googlegroups.com!not-for-
mail
From: Stuart Longland <redhatter@gentoo.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Homebrew 2m (and maybe 70cm) linear (solid state, 20~30W)
Date: Sun, 9 Aug 2009 04:38:14 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <ee6816bf-69cf-45ab-8024-51094e058171@f20g2000prn.googlegroups.com>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1249817894 21914 127.0.0.1 (9 Aug 2009 11:38:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Aug 2009 11:38:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f20g2000prn.googlegroups.com; posting-host=203.94.56.252;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-Via: 1.1 www.longlandclan.yi.org (squid/3.0.STABLE14)
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux mips64; en-US; rv:1.9.0.11)
     Gecko/2009061212 Iceweasel/3.0.9 (Debian-3.0.9-1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1701
```

Hi all,

I was wondering if anyone knew of a solid state 2m linear amp project
that I could build. I'm looking for no more than about 30W. It'll be
primarily used for FM, driven from my handheld radio. Bonus points if
it can do 70cm too (or at least allow pass-through unattenuated...).

Most of the designs I've seen are for tubes with an output power in
the KW-range... my radio license only allows me to transmit 30W FM or
100W SSB... so these are massive overkill (and not desirable for other
reasons).

The only project I've seen that fits the bill so far is
http://www.falara.org/tektalk/GPOAmp.html which calls for a PCB made
with G10 stock. I have no idea where to obtain that here in Brisbane,
I have some blank PCB, but have no idea what grade it is, or how much
impact on performance using it would have. The MRF1946A is also
difficult to source.

Does anyone know of a good project to start on this sort of thing?

Regards,
Stuart Longland (VK4MSL)

```
From -5531074959245305382
X-Google-Thread: d7f5508063,f50e4abd013d2e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!j9g2000prh.googlegroups.com!not-for-
mail
From: Stuart Longland <redhatter@gentoo.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Homebrew 2m (and maybe 70cm) linear (solid state, 20~30W)
Date: Sun, 9 Aug 2009 04:43:01 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <2a2242b0-df35-425e-985a-e07f027245c5@j9g2000prh.googlegroups.com>
References: <ee6816bf-69cf-45ab-8024-51094e058171@f20g2000prn.googlegroups.com>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1249818182 22831 127.0.0.1 (9 Aug 2009 11:43:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Aug 2009 11:43:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j9g2000prh.googlegroups.com; posting-host=203.94.56.252;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-Via: 1.1 www.longlandclan.yi.org (squid/3.0.STABLE14)
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux mips64; en-US; rv:1.9.0.11)
     Gecko/2009061212 Iceweasel/3.0.9 (Debian-3.0.9-1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1702
```

On Aug 9, 9:38=A0pm, Stuart Longland <redhat...@gentoo.org> wrote:
> I was wondering if anyone knew of a solid state 2m linear amp project
> that I could build. =A0I'm looking for no more than about 30W. =A0It'll b=
e

> primarily used for FM, driven from my handheld radio. =A0Bonus points if
> it can do 70cm too (or at least allow pass-through unattenuated...).

Just realised I was in the wrong newsgroup... I shall re-post.

More relevant to this thread though, alternatively, does anyone know
of any commercially-made linear amps that fit this requirement, and
where they can be obtained? (I suspect they'd be more expensive than
a 30W FM rig though.)

Regards,
Stuart Longland VK4MSL

From 3008529825580963582
X-Google-Thread: 9e586c3d78,b430d1ef50c18c36
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
news.netcologne.de!newsfeed-fusi2.netcologne.de!newsfeed01.chello.at!
newsfeed02.chello.at!news.hispeed.ch.POSTED!not-for-mail
Date: Sun, 09 Aug 2009 13:47:34 +0200
From: Markus L <uo9oe9@tzk.pu>
User-Agent: Thunderbird 2.0.0.22 (Windows/20090605)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: FS: Elecraft K3 with options
References: <ceSdnUlP7LMRPfDXnZ2dnUVZ_h2dnZ2d@giganews.com>
<nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com> <eembm.437064$4p1.9862@en-
nntp-03.dc1.easynews.com> <04adnWvTha96lPPXnZ2dnUVZ_g6dnZ2d@giganews.com>
<h5541j$1mc$1@news.eternal-september.org>
In-Reply-To: <h5541j$1mc$1@news.eternal-september.org>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit
Message-ID: <ea558$4a7eb755$57f558de$15794@news.hispeed.ch>
X-Complaints-To: abuse@hispeed.ch
Organization: hispeed.ch
Lines: 11
NNTP-Posting-Host: 87.245.88.222 (87.245.88.222)
NNTP-Posting-Date: Sun, 09 Aug 2009 13:47:33 +0200
X-Trace: ea5584a7eb755f250fd7b15794
Xref: g2news2.google.com rec.radio.amateur.equipment:1703
rec.radio.shortwave:47132

Martin Riddle wrote:
> How much of the Kit is assembled? I see it's just about all surface
> mount, and it�s a modular kit.
> For $200 more you can get a tested and assembled K3. There is very
> little info for the K3 on their web site.
> Looks to me its not much of a kit.

It's a no-solder kit. Take a look at the assembly manual:

http://www.elecraft.com/manual/K3_Assembly_Manual_Rev_H_WEB.pdf

Markus

From -4252943905421252979
X-Google-Thread: d7f5508063,72a399785f9674ca,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 09 Aug 2009 07:52:47 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Is there an equivalent to Elecraft KX1 for phone?
From: "KJ4NTS" <KJ4NTS@dontask.com>
Date: Sun, 9 Aug 2009 12:52:46 GMT
X-Newsreader: News Rover 14.2.2 (http://www.NewsRover.com)
Message-ID: <gcidnRmcIuACW-PXnZ2dnUVZ_uednZ2d@giganews.com>
Lines: 5
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-ea7zwbxS8j/Sp1PjGZWHM6UrLpEpeW/LaNYNte7Y2dcRs+mRmsVtrYm/2uO/
2O0A7MT4o99ibWuwhPi!uefC+jFtZXfJxwd7+GiK/R1uRD9Nu+uwpdGZ18HHrS6RdPdR1PxKX9SNZ9Y/
wvSe8UglYnRmKXo=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1274
Xref: g2news2.google.com rec.radio.amateur.equipment:1704

I saw an Elecraft model KX1 at a friend's house yesterday and fell for it. It is
cute as a bug.
However, I only work phone.

Does Elecraft or any other company make any equivalent (high quality, backpack
size) transceiver for
phone rather than CW? Either kit form or prebuilt will be fine.

From -6989762405972875 73
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-
mail
Date: Sun, 09 Aug 2009 09:58:32 -0400
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/

```
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HELP WITH A KENWOOD TM-733A.......
References: <4a77b00e$0$10305$607ed4bc@cv.net> <5f57383f-4141-4d85-
b8b3-90911b93502e@24g2000yqm.googlegroups.com>
In-Reply-To: <5f57383f-4141-4d85-b8b3-90911b93502e@24g2000yqm.googlegroups.com>
Content-Type: multipart/alternative;
 boundary="------------010505020207040105020609"
Lines: 83
Message-ID: <4a7ed5f2$0$10324$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1705

This is a multi-part message in MIME format.
--------------010505020207040105020609
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Hi Skid,   THANKS!!

SkidMark wrote:

>On Aug 3, 11:50 pm, Steve <kenwood1...@hotmail.com> wrote:
>
>
>>This is a dual band VHF / UHF mobile radio.
>>I can't find any service manuals for this radio anywhere online. .
>>Can somebody please pinpoint where the VCO adjustment is on the UHF side.
>>
>>Symptom:
>>towards the upper part of the UHF band it transmits full power then drops.
>>On the lower part of the UHF band it transmits fine and does not drop.
>>
>>THANKS,  73,  Mark
>>
>>
>
>
>
>http://www.google.com/search?
hl=en&q=tm733+service+manual&btnG=Google+Search&aq=f&oq=&aqi=
>
>http://www.radioamateur.eu/schemi/TM733_serv.pdf
>
>Mark
>
>
>
```

```
--------------010505020207040105020609
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Hi <i>Skid,</i>&nbsp;&nbsp; THANKS!!<br>
<br>
SkidMark wrote:<br>
<blockquote
 cite="mid5f57383f-4141-4d85-b8b3-90911b93502e@24g2000yqm.googlegroups.com"
 type="cite">
  <pre wrap="">On Aug 3, 11:50&nbsp;pm, Steve <a class="moz-txt-link-rfc2396E"
href="mailto:kenwood1...@hotmail.com">&lt;kenwood1...@hotmail.com&gt;</a> wrote:
  </pre>
  <blockquote type="cite">
    <pre wrap="">This is a dual band VHF / UHF mobile radio.
I can't find any service manuals for this radio anywhere online. . &nbsp;
Can somebody please pinpoint where the VCO adjustment is on the UHF side.

Symptom:
towards the upper part of the UHF band it transmits full power then drops.
On the lower part of the UHF band it transmits fine and does not drop.

THANKS, &nbsp;73, &nbsp;Mark
    </pre>
  </blockquote>
  <pre wrap=""><!---->


<a class="moz-txt-link-freetext" href="http://www.google.com/search?
hl=en&q=tm733+service+manual&btnG=Google+Search&aq=f&oq=&aqi=">http://
www.google.com/search?
hl=en&amp;q=tm733+service+manual&amp;btnG=Google+Search&amp;aq=f&amp;oq=&amp;aqi=<
/a>

<a class="moz-txt-link-freetext" href="http://www.radioamateur.eu/schemi/
TM733_serv.pdf">http://www.radioamateur.eu/schemi/TM733_serv.pdf</a>

Mark

  </pre>
</blockquote>
<br>
</body>
</html>

--------------010505020207040105020609--
```

```
From -7494648783353927822
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 09 Aug 2009 09:00:59 -0500
Date: Sun, 09 Aug 2009 07:00:58 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Is there an equivalent to Elecraft KX1 for phone?
References: <gcidnRmcIuACW-PXnZ2dnUVZ_uednZ2d@giganews.com>
In-Reply-To: <gcidnRmcIuACW-PXnZ2dnUVZ_uednZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <mp6dnYisydIGS-PXnZ2dnUVZ_qmdnZ2d@earthlink.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-
DHq5OgkSreuD5kBbEmACQZK6yCkt7AeQVprAQAY4FmkIy33BYvenvBa3dqOxtMYAKgm0GJVXKsDHe2o!
6WhqhciPHEBUk/eXgFC8BTJSFgmSypPkwfdjabwSQD02p9YVGHhiG9Z+BLLJJ7G6fPtjVNqMq3NK!
3D5K1RjmUU1MjnCmttn6F1m9MbMoJry6oCM=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1754
Xref: g2news2.google.com rec.radio.amateur.equipment:1706

KJ4NTS wrote:
> I saw an Elecraft model KX1 at a friend's house yesterday and fell for it.  It
is cute as a bug.
> However, I only work phone.
>
> Does Elecraft or any other company make any equivalent (high quality, backpack
size) transceiver for
> phone rather than CW?  Either kit form or prebuilt will be fine.

Yaesu FT-817ND

https://www.hamcity.com/store/pc/viewPrd.asp?idcategory=207&idproduct=1152

http://www.yaesu.com/indexVS.cfm?
cmd=DisplayProducts&ProdCatID=102&encProdID=06014CD0AFA0702B25B12AB4DC9C0D27&Divis
ionID=65&isArchived=0


From 6423704735905415107
X-Google-Thread: a3e752f117,a73ed1e68967ad10,start
```

```
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.enother.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 09 Aug 2009 11:34:51 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Is there an equivalent to Elecraft KX1 for phone?
From: "KJ4NTS" <KJ4NTS@dontask.com>
References: <gcidnRmcIuACW-PXnZ2dnUVZ_uednZ2d@giganews.com> <mp6dnYisydIGS-
PXnZ2dnUVZ_qmdnZ2d@earthlink.com>
Date: Sun, 9 Aug 2009 16:34:50 GMT
X-Newsreader: News Rover 14.2.2 (http://www.NewsRover.com)
Message-ID: <IsGdnXJVtes2Z-PXnZ2dnUVZ_jmdnZ2d@giganews.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-bLIqU+lw8144OPaR/e3O8CigQvI/
4Eh0maTUzs1WZr3QRAeFLo9iSfKLnFue4KsdnqVCiE7+yKiqHTM!
7QZGABMR14xMaKBFEvcUru1BuuOpneXYWpoKz3RHzmgaLuaISV7u88jKYDfUvaiQpDNb0dlzl+4=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1707
rec.radio.amateur.misc:4429


On  9-Aug-2009, dave <dave@dave.dave> wrote:

> FT-817ND

> https://www.hamcity.com/store/pc/viewPrd.asp?idcategory=207&idproduct=1152
>
> http://www.yaesu.com/indexVS.cfm?
cmd=DisplayProducts&ProdCatID=102&encProdID=06014CD0AFA0702B25B12AB4DC9C0D27&Divis
ionID=65&isArchived=0

Thanks.  That's a nice looking rig!  Does it have any sort of built-in antenna
tuner like the
Elecraft?  For outdoor hiking/emergency use, it would be nice if it could drive a
random length
antenna.


From 2351723544024716624
X-Google-Thread: a3e752f117,a73ed1e68967ad10
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
```

```
news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Is there an equivalent to Elecraft KX1 for phone?
Date: Sun, 9 Aug 2009 15:16:49 -0500
Organization: Litech Systems Design
Lines: 21
Sender: mikea@mikea.ath.cx
Message-ID: <hen3l6-kbp1.ln1@mikea.ath.cx>
References: <gcidnRmcIuACW-PXnZ2dnUVZ_uednZ2d@giganews.com> <mp6dnYisydIGS-
PXnZ2dnUVZ_qmdnZ2d@earthlink.com> <IsGdnXJVtes2Z-PXnZ2dnUVZ_jmdnZ2d@giganews.com>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1249849096 23408 70.164.65.62 (9 Aug 2009 20:18:16 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Sun, 9 Aug 2009 20:18:16 +0000 (UTC)
X-Not-Approved: Of_Course_I_approve_it@example.com
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:1708
rec.radio.amateur.misc:4431

In rec.radio.amateur.equipment KJ4NTS <KJ4NTS@dontask.com> wrote:
>
> On  9-Aug-2009, dave <dave@dave.dave> wrote:
>
>> FT-817ND
>
>> https://www.hamcity.com/store/pc/viewPrd.asp?idcategory=207&idproduct=1152
>>
>> http://www.yaesu.com/indexVS.cfm?
cmd=DisplayProducts&ProdCatID=102&encProdID=06014CD0AFA0702B25B12AB4DC9C0D27&Divis
ionID=65&isArchived=0
>
> Thanks. That's a nice looking rig! Does it have any sort of built-in
> antenna tuner like the Elecraft? For outdoor hiking/emergency use, it
> would be nice if it could drive a random length antenna.

No, but a friend has and _loves_ his FT-817ND. A tuner could be made
very small; Dan's used to sell a QRP tuner kit that would work nicely.

--
 "I regret to say that we of the F.B.I. are powerless to act in cases of
 oral-genital intimacy, unless it has in some way obstructed interstate
 commerce."     -- J. Edgar Hoover


From 4675352106907018152
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.albasani.net!not-
for-mail
From: No Spam <nospam@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ 989D Intermittant SWR readings above 20 meters
```

Date: Sun, 9 Aug 2009 20:25:45 +0000 (UTC)
Organization: albasani.net
Lines: 28
Message-ID: <h5nbc9$8jm$1@news.albasani.net>
References: <qrvo7558t0ccov0pu314jo46l9s61dm521@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
X-Trace: news.albasani.net
zKMsjesnCoAKbaoFNXryJlZtLOIttm0xTpcx0En3QXDlyRFcZOeNiM5Ey3fo9ABzlLE7smNVcgQlAJQ6lh
erQUGKHqqChtj2NPZMt6HNnsWIRUgZYhqeSwYexY3GWtdy
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Sun, 9 Aug 2009 20:25:45 +0000 (UTC)
X-User-ID: kpV2fuceOoCS4wCgQcR4MQzBvXUuVWWL2Omd7toWz0Q=
Cancel-Lock: sha1:iVI0tmFxLs4HubBPdCPri0Y7ChQ=
X-NNTP-Posting-Host: /UA+Z8IuXTp2a4Bwee6oUWtkAhBbT9Ych5DduUqi3YY=
Xref: g2news2.google.com rec.radio.amateur.equipment:1709

On Fri, 07 Aug 2009 15:36:36 -0400, John wrote:

> I have an MFJ 989D that I picked up used. I changed out the flimsy
> rotary Inductor with a well insulated ceramic insulated one from an old
> military tuning unit measuring 31 uh. It works great.It was physicially
> the same size and only took an L bracket made from Aluminum and the
> gears line up perfactly for the turns counter. What I see now and
> BEFORE the inductor change is above 20 meters, i.e. 15 and 10 meters,
> while applying 30 watts to tune the antenna, the power and swr meter
> pulsates, and then shuts down. I put another swr bridge into the input
> of the 989D and it acts normal and I can use it to tune the antenna with
> out the pulsating.
>
> Anyone ever seen this problem? The 989D works great as far a tuning but
> the SWR indicator circuit seems to have some kind of problem above 20
> meters.
>

I have the same unit but it does not do this.

However, what I think I'm reading is that the meter or the bi-directional
coupler is having problems and that the matching network is fine?

If the matching network is the issue, I've had the fingers that feed the
plates of the variable caps get dirty. If the silver plating burns
through, you will have to replace the variable caps as a greater failure
is emanate.

From 6834421412467859941
X-Google-Thread: a3e752f117,a73ed1e68967ad10
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 09 Aug 2009 15:56:57 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Is there an equivalent to Elecraft KX1 for phone?
From: "KJ4NTS" <KJ4NTS@dontask.com>
References: <gcidnRmcIuACW-PXnZ2dnUVZ_uednZ2d@giganews.com> <mp6dnYisydIGS-
PXnZ2dnUVZ_qmdnZ2d@earthlink.com> <IsGdnXJVtes2Z-PXnZ2dnUVZ_jmdnZ2d@giganews.com>
<hen3l6-kbp1.ln1@mikea.ath.cx>
Date: Sun, 9 Aug 2009 20:56:55 GMT
X-Newsreader: News Rover 14.2.2 (http://www.NewsRover.com)
Message-ID: <Wv2dnS1-dLCEpeLXnZ2dnUVZ_rCdnZ2d@giganews.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-eDd7kZBp8oubRuzK/
gdTY7UtN7cFU8fvnSvi49Ixsd0PTpgtHYlIrQnOjbaak0Oq40A1eIgwJoOid7Y!
zVRtdBU3qQqJXmMzx1i0nWOqCzs+fWcXbJvyur7pqOaZQX2g8K72R8i0ExUsTi6PIL3rHkNu1ho=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1767
Xref: g2news2.google.com rec.radio.amateur.equipment:1710
rec.radio.amateur.misc:4432

On 9-Aug-2009, mikea <mikea@mikea.ath.cx> wrote:

> > Thanks. That's a nice looking rig! Does it have any sort of built-in
> > antenna tuner like the Elecraft? For outdoor hiking/emergency use, it
> > would be nice if it could drive a random length antenna.
>
> No, but a friend has and _loves_ his FT-817ND. A tuner could be made
> very small; Dan's used to sell a QRP tuner kit that would work nicely.

I just found an LDG tuner designed specifically for the FT-817: it is the LDG
Z-817. It's about
the same size as the FT-817 and runs off 4 AA batteries.

From 5288912698736440791
X-Google-Thread: a3e752f117,a73ed1e68967ad10
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 10 Aug 2009 08:07:02 -0500
Date: Mon, 10 Aug 2009 06:07:02 -0700

From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Is there an equivalent to Elecraft KX1 for phone?
References: <gcidnRmcIuACW-PXnZ2dnUVZ_uednZ2d@giganews.com> <mp6dnYisydIGS-PXnZ2dnUVZ_qmdnZ2d@earthlink.com> <IsGdnXJVtes2Z-PXnZ2dnUVZ_jmdnZ2d@giganews.com> <hen3l6-kbp1.ln1@mikea.ath.cx>
In-Reply-To: <hen3l6-kbp1.ln1@mikea.ath.cx>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <rpadnVN0k6Drhh3XnZ2dnUVZ_tWdnZ2d@earthlink.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-9Ua4PoapgHKV5J7YYEB9x/Qi0WVsQEWW5msRvyGXvpsEBSVZWl3jYw933ZmnHkPKLcHABx8w9rvY71/!0D+EZLg4w6wQqwRwPX/MgT6FxeINEcM23Dt76jG61TM27rRHzamCMw7soCMSSWLp8COJ/P3Y0pjG!AGbdCMwbCsCt1HS+KTA1CheNHthI9tt5ye0=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2250
Xref: g2news2.google.com rec.radio.amateur.equipment:1711 rec.radio.amateur.misc:4434

mikea wrote:

> In rec.radio.amateur.equipment KJ4NTS <KJ4NTS@dontask.com> wrote:
>> On 9-Aug-2009, dave <dave@dave.dave> wrote:
>>
>>> FT-817ND
>>> https://www.hamcity.com/store/pc/viewPrd.asp?idcategory=207&idproduct=1152
>>>
>>> http://www.yaesu.com/indexVS.cfm?cmd=DisplayProducts&ProdCatID=102&encProdID=06014CD0AFA0702B25B12AB4DC9C0D27&DivisionID=65&isArchived=0
>> Thanks. That's a nice looking rig! Does it have any sort of built-in
>> antenna tuner like the Elecraft? For outdoor hiking/emergency use, it
>> would be nice if it could drive a random length antenna.
>
> No, but a friend has and _loves_ his FT-817ND. A tuner could be made
> very small; Dan's used to sell a QRP tuner kit that would work nicely.
>

These are fairly small and very light. You could build one for half
this price, and probably make it smaller.

http://www.mfjenterprises.com/Product.php?productid=MFJ-16010

From 2058839333923544379
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!
easynews.com!en-nntp-04.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <jferrell13@triad.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Homebrew 2m (and maybe 70cm) linear (solid state, 20~30W)
Message-ID: <lpu285dsu7qn9fup93aca4n2ajbgohp6k4@4ax.com>
References: <ee6816bf-69cf-45ab-8024-51094e058171@f20g2000prn.googlegroups.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 11 Aug 2009 10:11:24 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1712

On Sun, 9 Aug 2009 04:38:14 -0700 (PDT), Stuart Longland
<redhatter@gentoo.org> wrote:

>Hi all,
>
>I was wondering if anyone knew of a solid state 2m linear amp project
>that I could build. I'm looking for no more than about 30W. It'll be
>primarily used for FM, driven from my handheld radio. Bonus points if
>it can do 70cm too (or at least allow pass-through unattenuated...).
>
>Most of the designs I've seen are for tubes with an output power in
>the KW-range... my radio license only allows me to transmit 30W FM or
>100W SSB... so these are massive overkill (and not desirable for other
>reasons).
>
>The only project I've seen that fits the bill so far is
>http://www.falara.org/tektalk/GPOAmp.html which calls for a PCB made
>with G10 stock. I have no idea where to obtain that here in Brisbane,
>I have some blank PCB, but have no idea what grade it is, or how much
>impact on performance using it would have. The MRF1946A is also
>difficult to source.
>
>Does anyone know of a good project to start on this sort of thing?
>
>Regards,
>Stuart Longland (VK4MSL)
You don't need linear operation for FM. This should increase the
number of choices you have.

From 7504439735613227171
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7,start
X-Google-Attributes: gida3e752f117,public,usenet

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Aug 2009 16:08:16 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Best external speaker for SSB phone?
From: "W4PHS" <W4PHS@dontask.com>
Date: Tue, 11 Aug 2009 21:08:09 GMT
X-Newsreader: News Rover 14.2.2 (http://www.NewsRover.com)
Message-ID: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-KVXOZ4+uYnE3iK0/UN0HCS3b3wgT4BfYUCeSbHF7uueQShxAIpyyN4YE0XZi/
Vm72jiroEc8CSfdiFn!6wqPAtm20BPpEkV8gwd6VbU/
8aE71r2so9CqEve+WGexrmHhU1syULSj7IuzkuwjmBfowPrxB6c=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1582
Xref: g2news2.google.com rec.radio.amateur.equipment:1713
rec.radio.amateur.misc:4436

No doubt there are 1000+ opinions on this, but what are some really clear external
speakers for use
with SSB phone signals through my Yaesu FT-897?  I'm 61 years old with high
frequency hearing
impairment due to 40 years of sitting by computers, and I need all the help I can
get in
understanding voice over static.

I have seen several enthusiastic recommendations for the Peavey Impulse II mini
monitor which is
fairly small and costs about $100.  Does anyone have any experience with it?

Icom and Yaesu both make multi-hundred dollar external speakers that have gotten
mixed reviews.


From 4112532847240531390
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Aug 2009 20:47:25 -0500
Date: Tue, 11 Aug 2009 18:47:25 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Homebrew 2m (and maybe 70cm) linear (solid state, 20~30W)
References: <ee6816bf-69cf-45ab-8024-51094e058171@f20g2000prn.googlegroups.com>
<lpu285dsu7qn9fup93aca4n2ajbgohp6k4@4ax.com>
In-Reply-To: <lpu285dsu7qn9fup93aca4n2ajbgohp6k4@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <oOmdnYlFYbWwgh_XnZ2dnUVZ_qidnZ2d@earthlink.com>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-qY4veKXQ2YBr7AJgGcEhUeAUCbXHkKnk04XA/BeY2zBF/
vQRAoZsfpqBpCVl69VuSHbe4cR2r2aQUgj!VpFrNyuiRyj4O0mdYm4jOQYL0+vbX91/QJnU9MPy9r/
t66Q/hmyLQuSSuPBusFeFwyESmp6cioHU!ckStzI+BvYvIBq/tC7uQV6fVmsLHMJ6kupg=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2084
Xref: g2news2.google.com rec.radio.amateur.equipment:1714

John Ferrell wrote:
> On Sun, 9 Aug 2009 04:38:14 -0700 (PDT), Stuart Longland
> <redhatter@gentoo.org> wrote:
...
>>
>> The only project I've seen that fits the bill so far is
>> http://www.falara.org/tektalk/GPOAmp.html which calls for a PCB made
>> with G10 stock. I have no idea where to obtain that here in Brisbane,
>> I have some blank PCB, but have no idea what grade it is, or how much
>> impact on performance using it would have. The MRF1946A is also
>> difficult to source.
>>
>> Does anyone know of a good project to start on this sort of thing?
>>
>> Regards,
>> Stuart Longland (VK4MSL)
> You don't need linear operation for FM. This should increase the
> number of choices you have.

Here are some kits that don't suck:

http://www.communication-concepts.com/vhf_amplifiers.htm

From 421322159874177302
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!1bc6af47!not-for-

mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
Subject: Re: Best external speaker for SSB phone?
Lines: 26
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <OAsgm.1690$nh2.739@nwrddc02.gnilink.net>
Date: Wed, 12 Aug 2009 05:39:58 GMT
NNTP-Posting-Host: 173.55.34.132
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1250055598 173.55.34.132 (Wed, 12 Aug 2009 01:39:58 EDT)
NNTP-Posting-Date: Wed, 12 Aug 2009 01:39:58 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1715 rec.radio.amateur.misc:4437
X-Original-Bytes: 2270

"W4PHS" <W4PHS@dontask.com> wrote in message news:6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com...
> No doubt there are 1000+ opinions on this, but what are some really clear external speakers for use
> with SSB phone signals through my Yaesu FT-897? I'm 61 years old with high frequency hearing
> impairment due to 40 years of sitting by computers, and I need all the help I can get in
> understanding voice over static.
>
> I have seen several enthusiastic recommendations for the Peavey Impulse II mini monitor which is
> fairly small and costs about $100. Does anyone have any experience with it?
>
> Icom and Yaesu both make multi-hundred dollar external speakers that have gotten mixed reviews.

I have been using a SP-230. A Kenwood TS-830 matching station speaker. Has built in filters and radio 1/2 switch. The same circuit has been re-used for various different Kenwoods under different names and cabinets. The cabinets make all the difference and it would be really worth while for you to sit down at different speakers and radios to compare them with your particular ear. It's not uncommon for people to try several before finding something comfortable.

From 4720451703108878137
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!tr22g12.aset.psu.edu!not-for-mail
From: "Bob Spooner" <rls19@psu.edu>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Best external speaker for SSB phone?
Date: Wed, 12 Aug 2009 10:37:38 -0400
Organization: Penn State University, Academic Services and Emerging Technology
Lines: 33
Message-ID: <h5uk3i$9c5s$1@tr22n12.aset.psu.edu>
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
NNTP-Posting-Host: nat1.arl.psu.edu
X-Trace: tr22n12.aset.psu.edu 1250087858 307388 128.118.40.76 (12 Aug 2009 14:37:38 GMT)
X-Complaints-To: usenet@tr22n12.aset.psu.edu
NNTP-Posting-Date: Wed, 12 Aug 2009 14:37:38 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:1716 rec.radio.amateur.misc:4438

"W4PHS" <W4PHS@dontask.com> wrote in message
news:6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com...
> No doubt there are 1000+ opinions on this, but what are some really clear
> external speakers for use
> with SSB phone signals through my Yaesu FT-897? I'm 61 years old with
> high frequency hearing
> impairment due to 40 years of sitting by computers, and I need all the
> help I can get in
> understanding voice over static.
>
> I have seen several enthusiastic recommendations for the Peavey Impulse II
> mini monitor which is
> fairly small and costs about $100. Does anyone have any experience with
> it?
>
> Icom and Yaesu both make multi-hundred dollar external speakers that have
> gotten mixed reviews.

The speaker you mentioned will handle up to 200 W peak. That's about 2 orders of magnitude above what most transceivers put out. I'd be surprised if you could hear much of anything through it without a good external audio amplifier. Most speakers like that sacrifice efficiency to get wide frequency response - they respond way beyond the frequency content of ham radio signals, even those of the hi fi AMers. (Think broadband noise.)

There's an amplifier/speaker combination advertized in QST (I think) that
you may find meets your needs. I don't recall the name of the product or
company, but I'll try to locate it if someone else doesn't chime in.

73,
Bob AD3K

From -4628243980144673031
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Best external speaker for SSB phone?
Date: Wed, 12 Aug 2009 10:07:15 -0500
Organization: Litech Systems Design
Lines: 37
Sender: mikea@mikea.ath.cx
Message-ID: <3e2bl6-b1q1.ln1@mikea.ath.cx>
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
<h5uk3i$9c5s$1@tr22n12.aset.psu.edu>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1250089695 30217 70.164.65.62 (12 Aug 2009 15:08:15 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Wed, 12 Aug 2009 15:08:15 +0000 (UTC)
X-Not-Approved: Of_Course_I_approve_it@example.com
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:1717
rec.radio.amateur.misc:4439

In rec.radio.amateur.equipment Bob Spooner <rls19@psu.edu> wrote:
> "W4PHS" <W4PHS@dontask.com> wrote in message
> news:6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com...
>> No doubt there are 1000+ opinions on this, but what are some really clear
>> external speakers for use
>> with SSB phone signals through my Yaesu FT-897? I'm 61 years old with
>> high frequency hearing
>> impairment due to 40 years of sitting by computers, and I need all the
>> help I can get in
>> understanding voice over static.
>>
>> I have seen several enthusiastic recommendations for the Peavey Impulse II
>> mini monitor which is
>> fairly small and costs about $100. Does anyone have any experience with
>> it?
>>

>> Icom and Yaesu both make multi-hundred dollar external speakers that have
>> gotten mixed reviews.
>
> The speaker you mentioned will handle up to 200 W peak. That's about 2
> orders of magnitude above what most transceivers put out. I'd be surprised
> if you could hear much of anything through it without a good external audio
> amplifier. Most speakers like that sacrifice efficiency to get wide
> frequency response - they respond way beyond the frequency content of ham
> radio signals, even those of the hi fi AMers. (Think broadband noise.)
>
> There's an amplifier/speaker combination advertized in QST (I think) that
> you may find meets your needs. I don't recall the name of the product or
> company, but I'll try to locate it if someone else doesn't chime in.

I think Gap makes a pretty good noise-cancelling speaker; I don't have
one, but have seen and heard it in action.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin

From -6659223180518051139
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.speakeasy.net!news.speakeasy.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 12 Aug 2009 14:45:43 -0500
From: "Dave B." <dtburr@speakeasy.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
Subject: Re: Best external speaker for SSB phone?
Date: Wed, 12 Aug 2009 14:45:44 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <PumdnQ68HIR6hh7XnZ2dnUVZ_rudnZ2d@speakeasy.net>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 12.54.30.106
X-Trace: sv3-
YpUsducyNM0Vo92fpYHbj3oWV46ghapG3Rt9qyoJaKexJQMfdbnnr1zqBJyQQlnCLXDLOhpMrrJC52O!
MesYXFxzpFY/r98aL3DdQZYDdAcRg5nmY5PvyApel70PnKZEaQLGKImqoG+Vl/anDRlPa++U3dDF!
h4lEKJd7yDogDA+U6wfg45gk+TD72g==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly

X-Postfilter: 1.3.39
X-Original-Bytes: 2223
Xref: g2news2.google.com rec.radio.amateur.equipment:1718
rec.radio.amateur.misc:4440

Have you thought of active noise cancelling headphones/headset?

There is no speaker that wil be able to come close, and the difference is
night and day.

Heil makes them. Perhaps others do as well. I have some expensive aviation
ANC headsets and Heil's compares favorably given the proce.

"W4PHS" <W4PHS@dontask.com> wrote in message
news:6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com...
> No doubt there are 1000+ opinions on this, but what are some really clear
> external speakers for use
> with SSB phone signals through my Yaesu FT-897? I'm 61 years old with
> high frequency hearing
> impairment due to 40 years of sitting by computers, and I need all the
> help I can get in
> understanding voice over static.
>
> I have seen several enthusiastic recommendations for the Peavey Impulse II
> mini monitor which is
> fairly small and costs about $100. Does anyone have any experience with
> it?
>
> Icom and Yaesu both make multi-hundred dollar external speakers that have
> gotten mixed reviews.

From -2036275386234251742
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!feeder.news-service.com!newsfeed1.swip.net!newspeer1.se.telia.net!se.telia.net!masternews.telia.net.!newsb.telia.net.POSTED!not-for-mail
From: "Dennis Whatley" <dennis.whatley_NOSPAM@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
Subject: Re: Best external speaker for SSB phone?
Lines: 50
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <xsSgm.10789$U5.138458@newsb.telia.net>

Date: Thu, 13 Aug 2009 11:06:05 GMT
NNTP-Posting-Host: 81.227.200.9
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1250161565 81.227.200.9 (Thu, 13 Aug 2009 13:06:05 CEST)
NNTP-Posting-Date: Thu, 13 Aug 2009 13:06:05 CEST
Organization: Telia Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:1719
rec.radio.amateur.misc:4442

> No doubt there are 1000+ opinions on this, but what are some really clear
> external speakers for use
> with SSB phone signals through my Yaesu FT-897? I'm 61 years old with
> high frequency hearing
> impairment due to 40 years of sitting by computers, and I need all the
> help I can get in
> understanding voice over static.
>
> I have seen several enthusiastic recommendations for the Peavey Impulse II
> mini monitor which is
> fairly small and costs about $100. Does anyone have any experience with
> it?
>
> Icom and Yaesu both make multi-hundred dollar external speakers that have
> gotten mixed reviews.

With aging ears, the frequency response above 8 kHz is not considered by the medical trade. If you have a recognized HF imparement then what are we talking about? Above 1 or 2kHz? This is not so uncommon. There are several tricks you can use, your ears may be impared, but not your brain. For example, use one or more of the following:

1 - Use stereo HiFi headphones - also good for blocking out external noise and increasing concentration. Communications headphones have a restricted response, which is NOT what you want.

2 - Use your HiFi system graphic equalizer - works wonders with aging ears. Can make any speaker/headphone more suited to just your ears. People are throwing these things away at the moment.

3 - Although designed for CW use, a hi-pass filter feeding the left-hand channel and low-pass filter feeding the right-hand channel of stereo headphones/speakers also work wonders. It spreads the AF spectrum out as a frequency image across the viewing area in front of you. Each CW station can be heard in a different physical location. Cost is about $2 for the components.

Using this technique SSB can become more understandable, since CW and other interference is often positioned at very specific points in the stereo image and can be more easily ignored, just like advertising plackards on the motorway, or commercial breaks on the telly.

If you proof as to your brains ability to filter, then just try listing all the adverts you saw on the TV last night, or saw on the motorway. You

probably saw 60+ on the TV, or 200+ if you went on a "shopping trip"
downtown, but if you can remember four of them then you are doing well.

DW

```
From 3771100818086788744
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 13 Aug 2009 08:32:51 -0500
Date: Thu, 13 Aug 2009 06:32:51 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Best external speaker for SSB phone?
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com>
<xsSgm.10789$U5.138458@newsb.telia.net>
In-Reply-To: <xsSgm.10789$U5.138458@newsb.telia.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <g5qdnWj02KeeixnXnZ2dnUVZ_sKdnZ2d@earthlink.com>
Lines: 38
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-VIZixJ40yx4SiNZ9VdqVihOTdNkNF/YPan/z0DfUO7SE/
41pUYltPskpVB6VLJwuxnPHGD0i3qOKKZu!MKKmZLzDQzOJD/iL9tZi3iENoARK/
ctN5n4jCyAvGEs+ga4UK1p+zKl1Fu/h6Cpo48mwmBaHInTf!
Gdy4XXl5avmIDJFMZXxgmlzlZgkue6eqOys=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 3063
Xref: g2news2.google.com rec.radio.amateur.equipment:1720
rec.radio.amateur.misc:4443
```

Dennis Whatley wrote:

>
> With aging ears, the frequency response above 8 kHz is not considered by the
> medical trade. If you have a recognized HF imparement then what are we
> talking about? Above 1 or 2kHz? This is not so uncommon. There are several
> tricks you can use, your ears may be impared, but not your brain. For
> example, use one or more of the following:
>

> 1 - Use stereo HiFi headphones - also good for blocking out external noise
> and increasing concentration. Communications headphones have a restricted
> response, which is NOT what you want.
>
> 2 - Use your HiFi system graphic equalizer - works wonders with aging ears.
> Can make any speaker/headphone more suited to just your ears. People are
> throwing these things away at the moment.
>
> 3 - Although designed for CW use, a hi-pass filter feeding the left-hand
> channel and low-pass filter feeding the right-hand channel of stereo
> headphones/speakers also work wonders. It spreads the AF spectrum out as a
> frequency image across the viewing area in front of you. Each CW station can
> be heard in a different physical location. Cost is about $2 for the
> components.
>
> Using this technique SSB can become more understandable, since CW and other
> interference is often positioned at very specific points in the stereo image
> and can be more easily ignored, just like advertising plackards on the
> motorway, or commercial breaks on the telly.
>
> If you proof as to your brains ability to filter, then just try listing all
> the adverts you saw on the TV last night, or saw on the motorway. You
> probably saw 60+ on the TV, or 200+ if you went on a "shopping trip"
> downtown, but if you can remember four of them then you are doing well.
>
> DW
>
>

Killer advice. FB.

From -7646540790008013054
X-Google-Thread: a3e752f117,bd3b9d9cc26198b7
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news.cse.ohio-state.edu!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Best external speaker for SSB phone?
Date: Thu, 13 Aug 2009 14:23:51 GMT
Organization: some
Lines: 46
Message-ID: <h617ln$lru$1@usenet01.srv.cis.pitt.edu>
References: <6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com> <h5uk3i$9c5s$1@tr22n12.aset.psu.edu>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1250173431 22398 136.142.52.90 (13 Aug 2009 14:23:51 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Thu, 13 Aug 2009 14:23:51 +0000 (UTC)
X-Newsreader: News Xpress 2.01

Xref: g2news2.google.com rec.radio.amateur.equipment:1721
rec.radio.amateur.misc:4444

In article <h5uk3i$9c5s$1@tr22n12.aset.psu.edu>, "Bob Spooner" <rls19@psu.edu>
wrote:
>"W4PHS" <W4PHS@dontask.com> wrote in message
>news:6u6dnYCb96BdQBzXnZ2dnUVZ_sWdnZ2d@giganews.com...
>> No doubt there are 1000+ opinions on this, but what are some really clear
>> external speakers for use
>> with SSB phone signals through my Yaesu FT-897? I'm 61 years old with
>> high frequency hearing
>> impairment due to 40 years of sitting by computers, and I need all the
>> help I can get in
>> understanding voice over static.
>>
>> I have seen several enthusiastic recommendations for the Peavey Impulse II
>> mini monitor which is
>> fairly small and costs about $100. Does anyone have any experience with
>> it?
>>
>> Icom and Yaesu both make multi-hundred dollar external speakers that have
>> gotten mixed reviews.
>
>The speaker you mentioned will handle up to 200 W peak. That's about 2
>orders of magnitude above what most transceivers put out. I'd be surprised
>if you could hear much of anything through it without a good external audio
>amplifier. Most speakers like that sacrifice efficiency to get wide
>frequency response - they respond way beyond the frequency content of ham
>radio signals, even those of the hi fi AMers. (Think broadband noise.)
>
>There's an amplifier/speaker combination advertized in QST (I think) that
>you may find meets your needs. I don't recall the name of the product or
>company, but I'll try to locate it if someone else doesn't chime in.

Why do people think big speakers need more power.
PA speakers are very efficient. It has NOTHING to do
with power in, and ALL to do with SPL with 1 watt in or sensitivity.

For a person with bad hearing, a horn type of the Peavey might improve
the sound. Probably will also do more damage. You NEVER want to use
a PA speaker for nearfield listening normally. You need
to be at least 10 feet back from the horn.

I would recommend using a nearfield monitor with a adjustable
response filtering to make the best listenable sound for bad ears.
You can also use headphones.

greg
N6GS

From 7656297835931224835

```
X-Google-Thread: d7f5508063,f50e4abd013d2e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-
mail
From: Erich <n6fd@mchsi.com>
User-Agent: Thunderbird 2.0.0.22 (Windows/20090605)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Homebrew 2m (and maybe 70cm) linear (solid state, 20~30W)
References: <ee6816bf-69cf-45ab-8024-51094e058171@f20g2000prn.googlegroups.com>
In-Reply-To: <ee6816bf-69cf-45ab-8024-51094e058171@f20g2000prn.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 29
Message-ID: <RH6hm.5513$la3.4207@attbi_s22>
NNTP-Posting-Host: 173.16.128.21
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1250228081 173.16.128.21 (Fri, 14 Aug 2009 05:34:41 GMT)
NNTP-Posting-Date: Fri, 14 Aug 2009 05:34:41 GMT
Organization: AT&T ASP.att.net
Date: Fri, 14 Aug 2009 05:34:41 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1722
```

You might try here: http://www.communication-concepts.com/335a.htm
This is a 35 watt SSB-FM amp in a variety of kit forms.

73, Erich N6FD

Stuart Longland wrote:
> Hi all,
>
> I was wondering if anyone knew of a solid state 2m linear amp project
> that I could build. I'm looking for no more than about 30W. It'll be
> primarily used for FM, driven from my handheld radio. Bonus points if
> it can do 70cm too (or at least allow pass-through unattenuated...).
>
> Most of the designs I've seen are for tubes with an output power in
> the KW-range... my radio license only allows me to transmit 30W FM or
> 100W SSB... so these are massive overkill (and not desirable for other
> reasons).
>
> The only project I've seen that fits the bill so far is
> http://www.falara.org/tektalk/GPOAmp.html which calls for a PCB made
> with G10 stock. I have no idea where to obtain that here in Brisbane,
> I have some blank PCB, but have no idea what grade it is, or how much
> impact on performance using it would have. The MRF1946A is also
> difficult to source.
>
> Does anyone know of a good project to start on this sort of thing?
>

```
> Regards,
> Stuart Longland (VK4MSL)


From 7394402998968146273
X-Google-Thread: d7f5508063,515ff8d57704aada,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!feeder.news-
service.com!feeder.erje.net!news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: alt.autos.ford,rec.radio.amateur.equipment
Subject: Re: Mustang Convertible antenna mounting
Date: Fri, 14 Aug 2009 15:03:45 -0700
Lines: 24
Message-ID: <h64ofc$dhm$2@snarked.org>
References: <n9FGl.66966$GU6.18152@newsfe09.iad>
<9A2Ul.61818$Rf7.31072@newsfe21.iad> <uXjUl.86900$uD3.31211@newsfe20.iad>
<8X6hm.148025$ZN.123291@newsfe23.iad>
<H_Odndtt9L5yyhjXnZ2dnUVZ_rCdnZ2d@earthlink.com>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-160-18-32.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1250288940 13878 71.160.18.32 (14 Aug 2009 22:29:00 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Fri, 14 Aug 2009 22:29:00 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news2.google.com alt.autos.ford:9738 rec.radio.amateur.equipment:1723

"dave" <dave@dave.dave> wrote in message
news:H_Odndtt9L5yyhjXnZ2dnUVZ_rCdnZ2d@earthlink.com...
> Stanley Miln wrote:
> > Mount the Larson through the glass on the upper right front window.
> >  I have seen this done on Cell Phone Antennas.
> >               Stan
> >>
> >>
> >> "Stanley Miln" <k6rmr@dslextreme.com> wrote in message
> >> news:9A2Ul.61818$Rf7.31072@newsfe21.iad...
> >
> >>>> I can't use a trunk lip mount because the trunk goes fully vertical
> >>>> when
> >>>> open unless I put the thing on the side of the trunk.
>
> They don't make foldover antennas?  I have to fold my antenna in parking
> garages.

The Larsen glass-mount antenna has a hinge at the external mount point, and
can also be unscrewed.
```

I have the 440 (only) version.

```
From 945060296358882268
X-Google-Thread: d7f5508063,e4b0cfa969f96b4b,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b15g2000yqd.googlegroups.com!not-for-
mail
From: Michael <google@shadowstorm.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Drake RV-75 dip switch calculator
Date: Sat, 15 Aug 2009 06:44:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 73
Message-ID: <8732ecb4-2ebf-48d0-b930-539d9b64ff97@b15g2000yqd.googlegroups.com>
NNTP-Posting-Host: 67.197.187.17
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1250343861 17446 127.0.0.1 (15 Aug 2009 13:44:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Aug 2009 13:44:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b15g2000yqd.googlegroups.com; posting-host=67.197.187.17;
     posting-account=hIccaAoAAAAHJdWvuzHwqmpAxeZT9o96
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.13)
     Gecko/2009073022 Firefox/3.0.13 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1724
```

I use this program to calculate the dip switch settings for memory buttons A and B on my Drake RV75 remote VFO. It uses the same correct calculation steps as described in the Drake RV75manual to arrive at the proper dip switch settings. It will run on Linux or Unix with a bash shell.

Michael/KS4HY

For example to calculate 28.340 MHz enter in the following...

```
mrawls@amanda:~ > ./calculate-drake-rv75-memory-code 28340

==========================================
DESIRED FREQUENCY:      28340
BASE FREQUENCY:         28000
28000 - 200 = 27800
```

```
28340 - 27800 = 540
540 * 100 = 54000
54000 + 20000 = 74000
------------------------------------------
RV75 Memory Code = 74000
==========================================

mrawls@amanda:~ >
----------------------------------------------------------------------------------
--
```

Begin bash shell script for "calculate-drake-rv75-memory-code"

```
# =========================
#!/bin/bash
# Calc Drake RV-75 memory codes - MRawls

if [ -z $1 ]
then
        echo "$0 frequency-in-MHz (example - 27405.1 MHz) "
        exit
fi

FREQUENCY=`echo $1 | awk -F"." '{print$1}'`

for X in `seq 0 500 30000`
do
        if [ $X -lt $FREQUENCY ]
        then
                BASE_FREQ=$X
        fi
done

echo ""
echo "=========================================="
echo "DESIRED FREQUENCY:        $1"
echo "BASE FREQUENCY:           $BASE_FREQ"


CALC1=`echo "$BASE_FREQ - 200" | bc -l`
echo "$BASE_FREQ - 200 = $CALC1"

CALC2=`echo "$1 - $CALC1" | bc -l`
echo "$1 - $CALC1 = $CALC2"

CALC3=`echo "$CALC2 * 100" | bc -l`
echo "$CALC2 * 100 = $CALC3"
CALC4=`echo "$CALC3 + 20000" | bc -l | awk -F"." '{print$1}'`
echo "$CALC3 + 20000 = $CALC4"
echo "------------------------------------------"

echo "RV75 Memory Code = $CALC4"
echo "=========================================="
echo ""
# ==========================
```

End bash shell script

```
From -3062501878746563666
X-Google-Thread: d7f5508063,f50e4abd013d2e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f37g2000yqn.googlegroups.com!not-for-mail
From: Stuart Longland <redhatter@gentoo.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Homebrew 2m (and maybe 70cm) linear (solid state, 20~30W)
Date: Sun, 16 Aug 2009 07:53:23 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <4da8f507-d93d-4f50-b068-40ad617b57cc@f37g2000yqn.googlegroups.com>
References: <ee6816bf-69cf-45ab-8024-51094e058171@f20g2000prn.googlegroups.com>
     <RH6hm.5513$la3.4207@attbi_s22>
NNTP-Posting-Host: 203.94.56.252
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1250434403 2195 127.0.0.1 (16 Aug 2009 14:53:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Aug 2009 14:53:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f37g2000yqn.googlegroups.com; posting-host=203.94.56.252;
     posting-account=R-Br3goAAACl4rnc9GJsKjH8s5GQVNsk
User-Agent: G2/1.0
X-HTTP-Via: 1.1 www.longlandclan.yi.org (squid/3.0.STABLE14)
X-HTTP-UserAgent: Mozilla/5.0 (compatible; Konqueror/4.3; Linux) KHTML/4.3.0
     (like Gecko),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1725
```

Erich wrote:

> You might try here: http://www.communication-concepts.com/335a.htm
> This is a 35 watt SSB-FM amp in a variety of kit forms.

Hi,

Yeah... that looks like a promising kit... not sure if I can get anything like that locally (Australia; I don't possess a credit card or direct debit facilities) so that may be a limitation there... I've been pointed to a couple of kits in the homebrewing section that are based on a Mitsubishi power amp module. I found one based on this module that I can get locally, it was rather minimalist however.

This does give me some other possibilities to chase up however. I am aware that I need not use a linear amp for FM/CW/PSK too by the way... but since future use may include AM and SSB, I figure chasing this sort of amplifier would give me greater flexibility. The aim is to have a suitable power amp that can work with homebrew equipment.

Regards,
Stuart Longland (VK4MSL)

```
From -3153010234764398229
X-Google-Thread: d7f5508063,f50e4abd013d2e
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx01.iad01.newshosting.com!
newshosting.com!216.196.98.140.MISMATCH!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 16 Aug 2009 13:47:42 -0500
Date: Sun, 16 Aug 2009 11:47:45 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Homebrew 2m (and maybe 70cm) linear (solid state, 20~30W)
References: <ee6816bf-69cf-45ab-8024-51094e058171@f20g2000prn.googlegroups.com>
     <RH6hm.5513$la3.4207@attbi_s22> <4da8f507-d93d-4f50-
b068-40ad617b57cc@f37g2000yqn.googlegroups.com>
In-Reply-To: <4da8f507-d93d-4f50-b068-40ad617b57cc@f37g2000yqn.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <g5OdnVgmodfTyRXXnZ2dnUVZ_hBi4p2d@earthlink.com>
Lines: 26
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-Q6fgmhW6nz+PVX7Q0ggUdIe4zJaiuJsL/
YCvIrtBinEGnPmnWka7vKjP+bOq9aIZwmCLjdrynRYN8zD!
KPCKKyS5LU1d9DQ4q8h3MfCWtV+2k8OfTa5+HD3oT1OVjCBPjhbHaSQba0D139h0Mvf3kf5HSvEj!
m5KqwWwuFVnUdc03iRO+1xanMGPJGkQF0Yo=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2521
Xref: g2news2.google.com rec.radio.amateur.equipment:1726

Stuart Longland wrote:
> Erich wrote:
>> You might try here: http://www.communication-concepts.com/335a.htm
>> This is a 35 watt SSB-FM amp in a variety of kit forms.
>
> Hi,
>   Yeah... that looks like a promising kit... not sure if I can get
> anything like that locally (Australia; I don't possess a credit card
> or direct debit facilities) so that may be a limitation there... I've
> been pointed to a couple of kits in the homebrewing section that are
```

> based on a Mitsubishi power amp module. I found one based on this
> module that I can get locally, it was rather minimalist however.
>
>   This does give me some other possibilities to chase up however. I
> am aware that I need not use a linear amp for FM/CW/PSK too by the
> way... but since future use may include AM and SSB, I figure chasing
> this sort of amplifier would give me greater flexibility. The aim is
> to have a suitable power amp that can work with homebrew equipment.
>
> Regards,
> Stuart Longland (VK4MSL)

Why don't you send them an email. They are a small company and will
probably give you excellent service.

http://www.communication-concepts.com/default.htm

```
From 8382948743067822550
X-Google-Thread: d7f5508063,6cb0d17d45e8ea92,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
194.25.134.126.MISMATCH!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: =?ISO-8859-2?Q?Boris_Tu=F0an?= <boris.tudan@ka.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-2000 problem
Date: Sun, 16 Aug 2009 20:52:24 +0200
Organization: T-Com
Lines: 16
Message-ID: <h69kh8$mr5$1@ss408.t-com.hr>
NNTP-Posting-Host: 78-1-149-234.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1250448744 23397 78.1.149.234 (16 Aug 2009 18:52:24 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sun, 16 Aug 2009 18:52:24 +0000 (UTC)
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.22) Gecko/20090606
SeaMonkey/1.1.17
Xref: g2news2.google.com rec.radio.amateur.equipment:1727
```

I have a problem with my rig. There is too much noise main VFO, noise
that looks like somebody is transmitting with bad amp, S-meter jumps
sometimes to +40 dB. The worst is on 70cm, but it is present on all
bands. When I switch to sec. VFO, everything is fine. In the same time,
on the same freq. Main VFO is showing noise.

Any ideas?

Boris

--
Keep 'em Rolling! http://www.mvpa.org/
MVPA: 29718

http://s186.photobucket.com/albums/x51/btudan/

73 de 9A6KTB - Boris

```
From -6905636758853493453
X-Google-Thread: d7f5508063,6cb0d17d45e8ea92
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
newsfeed3.dallas1.level3.net!news.level3.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <h69kh8$mr5$1@ss408.t-com.hr>
Subject: Re: Kenwood TS-2000 problem
Lines: 33
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <gEgim.2462$nh2.859@nwrddc02.gnilink.net>
Date: Mon, 17 Aug 2009 17:42:36 GMT
NNTP-Posting-Host: 173.55.69.128
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1250530956 173.55.69.128 (Mon, 17 Aug 2009 13:42:36
EDT)
NNTP-Posting-Date: Mon, 17 Aug 2009 13:42:36 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1728
```

"Boris Tu�an" <boris.tudan@ka.t-com.hr> wrote in message
news:h69kh8$mr5$1@ss408.t-com.hr...

> I have a problem with my rig. There is too much noise main VFO, noise
> that looks like somebody is transmitting with bad amp, S-meter jumps
> sometimes to +40 dB. The worst is on 70cm, but it is present on all
> bands. When I switch to sec. VFO, everything is fine. In the same time,
> on the same freq. Main VFO is showing noise.
>
> Any ideas?
>
> Boris

> --
> Keep 'em Rolling! http://www.mvpa.org/
> MVPA: 29718
>
> http://s186.photobucket.com/albums/x51/btudan/
>
> 73 de 9A6KTB - Boris

Sounds like a transmitter near one of the IF frequencies.

The main and sub have different IF/AF sections.
The Main is multiple conversion with 10.695 MHz. and 455 IFs and multimode demod that is common to all bands.
The VHF/UHF Sub has a 58 MHz IF that goes straight into its own FM/AM demod.
It is interesting that they used completely different designs for these packages allowing for advantages and disadvantages of both.

BTW there is a glaring error on page 229 of the original Service Manual.

From -4863544292194052037
X-Google-Thread: d7f5508063,95d46d8e35286760,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Aug 2009 07:32:05 -0500
Date: Tue, 18 Aug 2009 05:32:05 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Can I use wirewound resistors to build an HF attenuator?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
Lines: 1
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-ZfFbh9Wf2RFypX9ymqnye0MYe73rXu6EYT0FB3s1tjZ1DbespdOT/
Cm944AOT+oSQiq8N0FVgL3j2vc!
5haO559I4g+P8wpzIB9FkYz3n1Es55hUCtso4aqOUa0WJDDfiISK59sNISJjWM74Toa3gU/6J3tD!
RGJGEr2r5dMbO82yxK8I/8KHzMxhQSVfR98=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1154

```
Xref: g2news2.google.com rec.radio.shortwave:47574
rec.radio.amateur.equipment:1729
```

I need to lose about 5 dB from a 15 Watt exciter. Thanks.

```
From -8203610022725408961
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Aug 2009 09:15:19 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Date: Tue, 18 Aug 2009 10:17:08 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-OKN5t3owqQ+xGF5WIfgzkRKlVbX26hZNlUG8ZG9MPeYN4b67m0bpWr6VmXDWd748kEe/
5MNf5a3JHR2!
hdLTN4EtO3vFnBtTOv3LtkpCDdRuU4W35DwntoLyUhORNu8wKmDKZLS2FUbUj3p70EvrdhACMdvf!
649ZN5ni8tRgIacioccJe1QSLA8DDfBt/7c1nQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1645
Xref: g2news2.google.com rec.radio.shortwave:47580
rec.radio.amateur.equipment:1730
```

"dave" <dave@dave.dave> wrote in message
news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...

>I need to lose about 5 dB from a 15 Watt exciter. Thanks.

Simple answer is no.

While you can build one with wirewound resistors , the normal formulars will not usually work at RF and you will have a lot of inductance to deal with. Even the socalled non-inductive resistors are only so at the audio frequencies.

From 892798526189311225
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Aug 2009 09:46:54 -0500
Date: Tue, 18 Aug 2009 07:46:55 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
In-Reply-To: <kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-BeJnDdZFMSuRBg9Pxul7W9c7HruUpVz5BhfY3OPzKp3D0iFpF3eC+08nRJKVL85toYWfjwdgacggDh3!SxGIWcm5iv50JTC37hLiocptAk5x53r60Fwv7X1LOZLH4MKiwre7BtQ1UwqSvn05qtE2+7nb2zFL!cEnKNZWP/r6t7ClMl2W//SCMkUm5LEh2t6Q=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1858
Xref: g2news2.google.com rec.radio.shortwave:47581 rec.radio.amateur.equipment:1731

Ralph Mowery wrote:
> "dave" <dave@dave.dave> wrote in message
> news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
>> I need to lose about 5 dB from a 15 Watt exciter. Thanks.
>
> Simple answer is no.
>
> While you can build one with wirewound resistors , the normal formulars will
> not usually work at RF and you will have a lot of inductance to deal with.
> Even the socalled non-inductive resistors are only so at the audio
> frequencies.
>
>

Can the inductive reactance be cancelled with capacitors? I'm mainly
concerned with 40, 30 and 20 meters.

```
From -4321422227999646493
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Lines: 21
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <PMzim.2673$Jg.69@nwrddc01.gnilink.net>
Date: Tue, 18 Aug 2009 15:28:47 GMT
NNTP-Posting-Host: 71.177.25.16
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1250609327 71.177.25.16 (Tue, 18 Aug 2009 11:28:47
EDT)
NNTP-Posting-Date: Tue, 18 Aug 2009 11:28:47 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1732
X-Original-Bytes: 2010

> >> I need to lose about 5 dB from a 15 Watt exciter.  Thanks.
> >
> > Simple answer is no.
> >
> > While you can build one with wirewound resistors , the normal formulars
will
> > not usually work at RF and you will have a lot of inductance to deal
with.
> > Even the socalled non-inductive resistors are only so at the audio
> > frequencies.
>
> Can the inductive reactance be cancelled with capacitors?  I'm mainly
> concerned with 40, 30 and 20 meters.
```

The reactance will change with frequency. Do you want to be fiddling with
antenna tuners? There is a whole lot of stuff you need to know when
designing and building. A good place to start is with an ARRL Handbook.
They can often be found in public libraries, but they are an excellent
reference on the subjects you are dealing with. I own several because even
the older information is useful.

From 7754581906465690458
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!
cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf01.ams.highwinds-media.com!newsfe25.ams2.POSTED!7564ea0f!not-for-mail
Message-ID: <yKI3DaI3usiKFwE$@g3ohx.demon.co.uk>
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
 <kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
 <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
Lines: 30
MIME-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
User-Agent: Turnpike/6.06-S (<DxVqWK4PKPDDZOCjxVCoeQUneW>)
NNTP-Posting-Host: 80.176.138.122
X-Complaints-To: abuse@demon.net
X-Trace: newsfe25.ams2 1250610107 80.176.138.122 (Tue, 18 Aug 2009 15:41:47 UTC)
NNTP-Posting-Date: Tue, 18 Aug 2009 15:41:47 UTC
Date: Tue, 18 Aug 2009 16:41:43 +0100
Xref: g2news2.google.com rec.radio.shortwave:47586
rec.radio.amateur.equipment:1733

In message <1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>, dave
<dave@dave.dave> writes
>Ralph Mowery wrote:
>> "dave" <dave@dave.dave> wrote in message
>>news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
>>> I need to lose about 5 dB from a 15 Watt exciter. Thanks.
>> Simple answer is no.
>> While you can build one with wirewound resistors , the normal
>>formulars will not usually work at RF and you will have a lot of
>>inductance to deal with.
>> Even the socalled non-inductive resistors are only so at the audio
>>frequencies.
>>
>
>Can the inductive reactance be cancelled with capacitors? I'm mainly
>concerned with 40, 30 and 20 meters.

If your highest frequency is only 14MHz, and you're not trying to obtain a sooper-dooper perfect match for your exciter, then I'd say that you would certainly get away with using wirewound resistors.

To minimise the effects of the inductance, you could try mounting the resistors 'hard down' against a ground plane. You might need a sheet of some insulating material to avoid any danger of shorting to it.

And presumably, to get rid of 5dB (nearly 3/4 of your original 15W) you intend to use paralleled-up resistors. This in itself will help minimise the inductance.
--
Ian

From 4282157355970370296
X-Google-Thread: d7f5508063,95d46d8e35286760
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!24dd0da6!not-for-mail
Sender: Jim Pennino <jimp@mail.specsol.com>
Message-ID: <b31rl6-h4c.ln1@mail.specsol.com>
From: jimp@specsol.spam.sux.com
Subject: Re: Can I use wirewound resistors to build an HF attenuator?
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com>
<kbqdnaJHYe7qKhfXnZ2dnUVZ_u2dnZ2d@earthlink.com>
<1_udnYeIaqRCIxfXnZ2dnUVZ_jhi4p2d@earthlink.com>
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (SunOS/5.10 (i86pc))
Lines: 37
Date: Tue, 18 Aug 2009 16:30:01 GMT
NNTP-Posting-Host: 71.118.11.57
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1250613001 71.118.11.57 (Tue, 18 Aug 2009 12:30:01 EDT)
NNTP-Posting-Date: Tue, 18 Aug 2009 12:30:01 EDT
Xref: g2news2.google.com rec.radio.shortwave:47587 rec.radio.amateur.equipment:1734

In rec.radio.amateur.equipment dave <dave@dave.dave> wrote:
> Ralph Mowery wrote:
>> "dave" <dave@dave.dave> wrote in message
>> news:0vqdnaEyq4zYAhfXnZ2dnUVZ_hJi4p2d@earthlink.com...
>>> I need to lose about 5 dB from a 15 Watt exciter. Thanks.
>>
>> Simple answer is no.
>>
>> While you can build one with wirewound resistors , the normal formulars will
>> not usually work at RF and you will have a lot of inductance to deal with.

>> Even the socalled non-inductive resistors are only so at the audio
>> frequencies.
>>
>>
>
> Can the inductive reactance be cancelled with capacitors? I'm mainly
> concerned with 40, 30 and 20 meters.

It becomes too frequency dependant to bother with.

Use a T attenuator.

See:

http://chemandy.com/calculators/t-attenuator-calculator.htm

You will likely have to use series or parallel combinations of resistors
to get the values required anyway.

You can also play with using two attnuator sectoions to see if it makes
the resistor values (and wattage required) simpler.

--
Jim Pennino

Remove .spam.sux to reply.

From 8871291906544273157
X-Google-Thread: 733d321764,78934b63b7d6e037
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!q11g2000yqi.googlegroups.com!not-for-mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women." <mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 6 Jul 2009 16:06:41 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <233ac43b-748c-47f8-831d-85c1973a7194@q11g2000yqi.googlegroups.com>
References: <4a5262f9@x-privat.org>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246921601 21036 127.0.0.1 (6 Jul 2009 23:06:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 23:06:41 +0000 (UTC)
Complaints-To: groups-abuse@google.com

```
Injection-Info: q11g2000yqi.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1635 rec.radio.swap:2223

On Jul 6, 4:47=A0pm, "KC8QJP" <kc8...@slather.com> wrote:
> This is the DVD every CB or Ham Radio Operator has been looking for who
> likes to build their own Amplifiers.Dont be fooled by Cheaper Priced
> Plans.You wont find the Information you will with this one.
>
> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...

moparholic is Roger Nair of Winter Brook Dr. in Brunswick,
Ohio...just
in case you did not know. He is the person posing as KC8QJP.




From -8838429818145491859
X-Google-Thread: 733d321764,fe66dc44bf69cdd9
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!x3g2000yqa.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Varmint Linear base amplifier XL-150
Date: Mon, 6 Jul 2009 16:07:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <ae768b68-1c4b-431c-aa68-00bbdb6a13d9@x3g2000yqa.googlegroups.com>
References: <4a5261ab@x-privat.org>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246921627 21113 127.0.0.1 (6 Jul 2009 23:07:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 23:07:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x3g2000yqa.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1636 rec.radio.swap:2224

On Jul 6, 4:42=A0pm, "KC8QJP" <kc8...@slather.com> wrote:
> Vary rare CB radio amplifier. VARMINT Linear base XL -150
```

```
>
> I didn,t tested .
>
> http://cgi.ebay.com/Varmint-Linear-base-amplifier-XL-150_W0QQitemZ260...

moparholic is Roger Nair of Winter Brook Dr. in Brunswick,
Ohio...just
in case you did not know. He is the person posing as KC8QJP.



From 3512115178210480624
X-Google-Thread: 733d321764,51d32944e77a5657
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!b15g2000yqd.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: CB..HAM RADIO..LINEAR AMPLIFIER MODIFICATION..MODS..CD
Date: Mon, 6 Jul 2009 16:07:23 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <d8ae64c3-83d6-4d68-8133-ed64fbb2b2a3@b15g2000yqd.googlegroups.com>
References: <4a526272$1@x-privat.org>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246921643 2965 127.0.0.1 (6 Jul 2009 23:07:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 23:07:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b15g2000yqd.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1637 rec.radio.swap:2225

On Jul 6, 4:45=A0pm, "KC8QJP" <kc8...@slather.com> wrote:
> EQUIVALENT TO 7 FULL VOLUMES OF MODS PLUS EXTRAS!
>
> http://cgi.ebay.com/CB-HAM-RADIO-LINEAR-AMPLIFIER-MODIFICATION-MODS-C...
>
> FREE SHIPPING!!!

moparholic is Roger Nair of Winter Brook Dr. in Brunswick,
Ohio...just
in case you did not know. He is the person posing as KC8QJP.
```

```
From -4133603092413902510
X-Google-Thread: d7f5508063,e976af214bbe0079
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!b14g2000yqd.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: PALOMAR BI LINEAR AMPLIFIER
Date: Mon, 6 Jul 2009 16:15:01 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <76e9a304-8da0-4453-a1ad-b96ae116080b@b14g2000yqd.googlegroups.com>
References: <4a0585a9@x-privat.org>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246922101 22572 127.0.0.1 (6 Jul 2009 23:15:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 23:15:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b14g2000yqd.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1638

On May 9, 9:30=A0am, "kc8qjp" <cris...@hotmail.com> wrote:
> a big sale thought someone out there would want them . dont know much mys=
elf
> good luck =A0 thanks.
>
> http://cgi.ebay.com/PALOMAR-BI-LINEAR-
> AMPLIFIER_W0QQitemZ110385356456QQcmdZViewItemQQptZLH_DefaultDomain_0?hash=
=3Di=ADtem19b37adea8&_trksid=3Dp3286.c0.m14&_trkparms=3D72%3A1234%7C66%3A2%=
7C65%3A12%7=ADC39%3A1%7C240%3A1318%7C301%3A0%7C293%3A1%7C294%3A50

moparholic is Roger Nair of Winter Brook Dr. in Brunswick,
Ohio...just
in case you did not know. He is the person posing as KC8QJP.




From -7981986746237522212
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!b14g2000yqd.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 6 Jul 2009 16:16:36 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <29c464d6-bafa-47f5-8aa4-cc7dad39045c@b14g2000yqd.googlegroups.com>
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-
e6a812081d17@b1g2000vbc.googlegroups.com>
     <gukl5r$bqb$2@news.mixmin.net> <a9c9d1f1-38b6-412c-
ac2c-1a351959a2b9@d19g2000prh.googlegroups.com>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246922200 23024 127.0.0.1 (6 Jul 2009 23:16:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 23:16:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b14g2000yqd.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1639
rec.radio.amateur.homebrew:2912

On May 25, 10:26=A0pm, raypsi <RBorow...@gmail.com> wrote:
> On May 15, 5:00=A0pm, "Roger & Suzanne Nair" <r&sn...@lycos.com> wrote:
>
> > "KD8IMG, Robert Trendel, is a twice convicted stalker of women."<mopeyz=
akw...@yahoo.com> wrote in message
>
> Hey OM
>
> He's got a heck of a tower if you looky at this street view here:http://t=
inyurl.com/pw6fyl
> And a gr8t privacy fence.
>
> 73 OM
> de n8zu

moparholic is Roger Nair of Winter Brook Dr. in Brunswick,
Ohio...just
in case you did not know. He is the person posing as KC8QJP.



From -2541244841911060595
```

```
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!b9g2000yqm.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 6 Jul 2009 16:16:53 -0700 (PDT)
Organization: http://groups.google.com
Lines: 57
Message-ID: <fb5071eb-4a7e-43d2-9487-b196aa11d0eb@b9g2000yqm.googlegroups.com>
References: <4a086abc@x-privat.org>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246922213 5095 127.0.0.1 (6 Jul 2009 23:16:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 23:16:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b9g2000yqm.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1640
rec.radio.amateur.homebrew:2913

On May 11, 2:13=A0pm, "kc8qjp" <cris...@hotmail.com> wrote:
> This is the DVD every CB or Ham Radio Operator has been looking for who
> likes to build their own Amplifiers.
>
> 1 to 16 Pill AMP Designs...................
>
> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Description
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0Item Specifics - Item Cond=
ition
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Condition=
: =A0New
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 This is the DVD every CB or Ham Radio=
 Operator has been
> looking for who likes to build their own Amplifiers.
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 1 to 16 Pill AMP Designs
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Step by Step directions
```

```
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Full Schematics
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Full Color Pics of step by step build=
 of each Box 1-16
> pill
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Full Parts List for each Design
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 And most important were to by all the=
 parts you need is
> included.
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 This DVD makes it very easy for the N=
ovice to build their
> Own Box
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 This is just plans we are not selling=
 anything but plans
> on how to build these units and its for Educational Purpose only.
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 No Returns or Money back.Each DVD is =
checked before they
> are shipped to make sure they work 100%
>
> begin 666 s.gif
> M1TE&.#EA`0`!`)'_`/___P```,# P ```"'Y! $```(`+ `````!``$```("
> $5 $`.P``
> `
> end
```

moparholic is Roger Nair of Winter Brook Dr. in Brunswick,
Ohio...just
in case you did not know. He is the person posing as KC8QJP.

```
From -851379960136624032
X-Google-Thread: d7f5508063,14e566a88fba14c2,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d32g2000yqh.googlegroups.com!not-for-
mail
From: Mike VE3MKX <mkx@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-680r 6m
Date: Mon, 6 Jul 2009 21:28:05 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <01214e60-57a7-409f-a4e2-afb63a2c4d5c@d32g2000yqh.googlegroups.com>
NNTP-Posting-Host: 70.49.146.18
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1246940885 18253 127.0.0.1 (7 Jul 2009 04:28:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Jul 2009 04:28:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d32g2000yqh.googlegroups.com; posting-host=70.49.146.18;
     posting-account=m2yR1goAAAAMi4ja5GYDqvs6T1Uo1WU8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; .NET CLR 1.1.4322;
     .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1641
```

Any Yaesu FT-680r 6m owners out there ? Has anyone ever compared the
rig to another 6m unit ??

Does the 680 have a good receiver in it ?? I compared the 680 to my
FT-817... the 680 seems deaf on rx compaired to the 817. I thought it
would be a hot rig...

Any thoughts ? OR is it just my 680, and it needs tweeking...

Email direct
mkx 'at' sympatico.ca

73 Mike

```
From -7650674325106328894
X-Google-Thread: a4a23d5f63,93ceb600815cbe45,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1244354701@panix.com>
Followup-To: poster
Date: 7 Jul 2009 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Aug 2009 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1246946700@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1246946701 19427 166.84.1.2 (7 Jul 2009 06:05:01 GMT)
```

X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Jul 2009 06:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:13118 rec.radio.amateur.dx:436 rec.radio.amateur.equipment:1642 rec.radio.amateur.homebrew:2915 rec.radio.amateur.misc:4333 rec.radio.amateur.policy:26467 rec.radio.info:831

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 6817867997861176429
X-Google-Thread: a4a23d5f63,3447d039756adfd8,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1244355000@panix.com>
Followup-To: poster
Date: 7 Jul 2009 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Aug 2009 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1246947001@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1246947002 19320 166.84.1.2 (7 Jul 2009 06:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Jul 2009 06:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.equipment:1643 rec.radio.swap:2226 rec.radio.info:832

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for

any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 5697135719543997008
X-Google-Thread: 733d321764,51d32944e77a5657
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KC8QJP" <kc8qjp@slather.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
References: <4a526272$1@x-privat.org> <d8ae64c3-83d6-4d68-8133-ed64fbb2b2a3@b15g2000yqd.googlegroups.com>
Subject: Re: CB..HAM RADIO..LINEAR AMPLIFIER MODIFICATION..MODS..CD
Date: Tue, 7 Jul 2009 22:36:35 -0400
Lines: 9
Organization: crisco kathy
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a54063d$1@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!news-out2.kabelfoon.nl!newsfeed.kabelfoon.nl!bandi.nntp.kabelfoon.nl!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1644 rec.radio.swap:2228

"KD8IMG, Robert Trendel, is a twice convicted stalker of women."

is actually -N8WWM
  douglas w adair
322 Burger St
Toledo, OH 43605

From -524667366470072333

X-Google-Thread: 733d321764,fe66dc44bf69cdd9
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KC8QJP" <kc8qjp@slather.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
References: <4a5261ab@x-privat.org> <ae768b68-1c4b-431c-aa68-00bbdb6a13d9@x3g2000yqa.googlegroups.com>
Subject: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
Date: Tue, 7 Jul 2009 22:41:19 -0400
Lines: 9
Organization: crisco kathy
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a540766@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!newsfeed.straub-nv.de!proxad.net!feeder1-2.proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!inn1.libero.it!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1645 rec.radio.swap:2229

"KD8IMG, Robert Trendel, is a twice convicted stalker of women."

is actually n8wwm
douglas w adair
322 Burger St
Toledo, OH 43605

From -3649822352697720620
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KC8QJP" <kc8qjp@slather.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: dogie n8wwm antenna (no ground)
Date: Tue, 7 Jul 2009 22:46:02 -0400
Lines: 3
Organization: crisco kathy
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a540873@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6

X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!x-
privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1646
rec.radio.amateur.antenna:13121

anyone ever try the n8wwm dogie design for a no ground plane?

From -3548403052898229740
X-Google-Thread: 4baf9708d4,ae9fd422adceb948
X-Google-Attributes: gid4baf9708d4,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe01.iad.POSTED!ce516c54!not-for-mail
From: steve the lying ham <stevenrobeson@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: get kelp
Message-ID: <ii6855l1i41l39ohndjc123sjjm43pkfvd@4ax.com>
References: <4a540873@x-privat.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Wed, 08 Jul 2009 03:58:42 UTC
Organization: TeraNews.com
Date: Wed, 08 Jul 2009 00:02:46 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1647
rec.radio.amateur.antenna:13122

On Tue, 7 Jul 2009 22:46:02 -0400, "KC8QJP" <kc8qjp@slather.com>
wrote:

>anyone ever try the n8wwm dogie design for a no ground plane?
>
grow up

From -4336119957301968817
X-Google-Thread: 733d321764,fe66dc44bf69cdd9
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!o6g2000yqj.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>

```
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
Date: Wed, 8 Jul 2009 09:22:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <9a0d3c03-061f-453b-8f4f-8dd2a2a94d57@o6g2000yqj.googlegroups.com>
References: <4a5261ab@x-privat.org> <ae768b68-1c4b-431c-
aa68-00bbdb6a13d9@x3g2000yqa.googlegroups.com>
     <4a540766@x-privat.org>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1247070159 17782 127.0.0.1 (8 Jul 2009 16:22:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Jul 2009 16:22:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o6g2000yqj.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1648 rec.radio.swap:2233

On Jul 7, 10:41=A0pm, "KC8QJP" <kc8...@slather.com> wrote:
> "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
>
> is actually n8wwm
> douglas w adair
> 322 Burger St
> Toledo, OH 43605

amusing little faggot isnt Roger Nair? He loves truck driver cocks.


From 5342628096504796302
X-Google-Thread: d7f5508063,7249a148f833d091,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!goblin2!goblin.stu.neva.ru!
news.grnet.gr!news.otenet.gr!not-for-mail
From: Theodoros Tsioupros <tsioupros@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: [MsgID 100180] Help needed with a Cobra CIR2000a Internet Radio receiver
Date: Sat, 11 Jul 2009 15:53:20 +0300
Organization: G-Mail
Lines: 36
Message-ID: <h3a2t2$3tu$14@mouse.otenet.gr>
Reply-To: tsioupros@gmail.com
NNTP-Posting-Host: ppp-94-66-36-191.home.otenet.gr
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-7; format=flowed
```

Content-Transfer-Encoding: 7bit
X-Trace: mouse.otenet.gr 1247317731 4030 94.66.36.191 (11 Jul 2009 13:08:51 GMT)
X-Complaints-To: abuse@otenet.gr
NNTP-Posting-Date: Sat, 11 Jul 2009 13:08:51 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.12 (X11/20080213)
Xref: g2news2.google.com rec.radio.amateur.equipment:1649

Dear friends,

I am quite a novice Usenet user, so please be a bit patient with my writing and compliance to the rules. I promise to improve later on.
I am writing from Greece to request your precious help with an Internet Radio receiver and CD player I am planning to purchase.
It is manufactured by Cobra Electronics Ltd and its exact name is "Cobra CIR2000a". I consider it to be almost perfect, as it satisfies all my demands.

The problem is that unfortunately I haven't yet noticed any local dealers of Cobra Electronics here in Greece, or even in any other European country, so I would be grateful if you could tell me if there are really any. For example the radio is available on amazon.com and some other e-shops in the United States, but it can't be found in any European e-shop.

If there aren't any European dealers of this product, it means that it will need to be imported from the United States, but in this case its price is going to be very expensive. This is due to the high customs tax rates which are enforced by the authorities when importing products from countries outside the EU.

If the Cobra CIR2000a can't be purchased from anywhere in Europe, then please let me know of other similar products that combine a traditional FM radio together with a Reciva compatible Internet radio receiver and a CD player.

*** Earnest Request ***

If it 's possible, please forward a copy of your answers to tsioupros@gmail.com as well, because I don't have permanent Internet access and as a result it 's a bit difficult to scan the Usenet for answers.

Thank you very much for your attention and patience,
Best and warmest regards to you all,
Th. Tsioupros (tsioupros@gmail.com)

From -1032948279055454159
X-Google-Thread: d7f5508063,7249a148f833d091
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!news-out2.kabelfoon.nl!newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!nightbeing.nntp.kabelfoon.nl!not-for-mail

From: "Ben" <benzandstra_nospam_@caiway.nl>
Newsgroups: rec.radio.amateur.equipment
References: <h3a2t2$3tu$14@mouse.otenet.gr>
In-Reply-To: <h3a2t2$3tu$14@mouse.otenet.gr>
Subject: Re: [MsgID 100180] Help needed with a Cobra CIR2000a Internet Radio receiver
Date: Sat, 11 Jul 2009 18:56:41 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="ISO-8859-7";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
X-Antivirus: avast! (VPS 090710-0, 10-07-2009), Outbound message
X-Antivirus-Status: Clean
Lines: 34
Message-ID: <4a58c463$0$763$58c7af7e@news.kabelfoon.nl>
Organization: CAIW
NNTP-Posting-Host: 6afae3b3.news.kabelfoon.nl
X-Trace: 1247331427 nightbeing.nntp.kabelfoon.nl 763 62.45.186.106:50555
X-Complaints-To: abuse@caiway.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:1650

"Theodoros Tsioupros" <tsioupros@gmail.com> schreef in bericht
news:h3a2t2$3tu$14@mouse.otenet.gr...
> Dear friends,
>
> I am quite a novice Usenet user, so please be a bit patient with my
> writing and compliance to the rules. I promise to improve later on.

<<< Big Cut>>>

Theodoros, not to complain about you, but did you try Google ?

It brings me to this page
http://cobra.com/products/internet-radios/cir-2000-a-internet-radio which
has a Where to Buy Item.

This shows on http://cobra.com/support/countrysearch result for different
European countries including Greece.

Teleimpex S.A. 30 Koumoundourou
Alimos, 174.56 Greece
Phone: 0030.210.993.04.12
Fax: 0030.10.993.57.53 Email: tele@tele.gr
www.tele.gr Greece
 Products
Two Way Radios (PMR) & Marine Products

I wonder however why someone without permanent Internet Access would like to buy an Internet radio....

Kind regards,
Ben Zandstra

```
From -1069823769193165876
X-Google-Thread: d7f5508063,9d4b397187e04fd2,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j9g2000vbp.googlegroups.com!not-for-mail
From: kb5ylg <kb5ylg@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  Kenwood AT-50 AutoTuner for TS-50S
Date: Sat, 11 Jul 2009 20:11:49 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <1bcfb547-a7dc-407d-bea1-a530574423a0@j9g2000vbp.googlegroups.com>
NNTP-Posting-Host: 66.190.65.7
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1247368309 28167 127.0.0.1 (12 Jul 2009 03:11:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Jul 2009 03:11:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j9g2000vbp.googlegroups.com; posting-host=66.190.65.7;
     posting-account=tuNw4QkAAADqswTfKcJO-lA8Hzzp2DP7
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.0;
     Trident/4.0; SLCC1; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR
     3.0.30618),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1651
```

Auctioning on eBay...

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130318126082&ssPageName=ADME:B:EF:US:1123

```
From -8544110288999480380
X-Google-Thread: d7f5508063,2ba2a0dde591e658
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!n4g2000vba.googlegroups.com!not-for-mail
From: Matt Murphy <stormadvisor@gmail.com>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ft747gx encoder replacement
Date: Sun, 12 Jul 2009 06:43:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <6cc28cca-bd25-45a6-abf2-9df5c296cf15@n4g2000vba.googlegroups.com>
References: <f796a5ca-562c-40d7-aad7-0da16b05a37d@b14g2000yqd.googlegroups.com>
     <7as4muF213t1nU1@mid.individual.net>
NNTP-Posting-Host: 65.210.129.209
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1247406198 4041 127.0.0.1 (12 Jul 2009 13:43:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Jul 2009 13:43:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n4g2000vba.googlegroups.com; posting-host=65.210.129.209;
     posting-account=9nvTOgoAAADxYmlrRIvzuqPpy1LOuSkJ
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR
     3.0.04506.648),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1652
```

On Jun 29, 11:25=A0am, Robert Kubichek <bobn9...@sbcglobal.net> wrote:
> Matt Murphy wrote:
> > All,
> > I have the regular frequency hopping issue common to the FT-747gx.
> > One time I came across someone that replaced the clicking vfo knob/
> > encoder with a smooth encoder. =A0Does anyone know of someone that has
> > done this? =A0I hate the clicking when trying to tune.
>
> > I can't remember now but I had thought they used a 757 or 767
> > encoder. =A0If I remember right (probably not) it was not a drop in
> > replacement but had to be hotwired. =A0Yaesu, of course, will not say
> > anything more than what the direct replacement is.
>
> > Thanks for your help.
> > matt
>
> Take a look at the encoder for the FT-890, it is magnetic, and might work=
.
> If I remember the Ft-890 is an upgraded FT-747 =A0.
>
> Bob

I will look into these and see. What I remember from the post I once
saw was that they had to hotwire the encoder they used. I have not
found a drop in replacement other than the original part.

Matt

```
From -6420508827581444529
X-Google-Thread: d7f5508063,2ba2a0dde591e658
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!r34g2000vba.googlegroups.com!not-for-
mail
From: Matt Murphy <stormadvisor@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ft747gx encoder replacement
Date: Sun, 12 Jul 2009 06:46:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <87fcbaa9-0129-4b3d-b896-df96aa59b80d@r34g2000vba.googlegroups.com>
References: <f796a5ca-562c-40d7-aad7-0da16b05a37d@b14g2000yqd.googlegroups.com>
     <h2dgk4$bbe$1@news.albasani.net>
NNTP-Posting-Host: 65.210.129.209
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1247406369 15951 127.0.0.1 (12 Jul 2009 13:46:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Jul 2009 13:46:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r34g2000vba.googlegroups.com; posting-host=65.210.129.209;
     posting-account=9nvTOgoAAADxYmlrRIvzuqPpy1LOuSkJ
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR
     3.0.04506.648),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1653
```

On Jun 30, 1:05=A0pm, Pete <pete13...@inet.net> wrote:
> On Sun, 28 Jun 2009 23:49:26 -0700, Matt Murphy wrote:
> > All,
> > I have the regular frequency hopping issue common to the FT-747gx. One
> > time I came across someone that replaced the clicking vfo knob/ encoder
> > with a smooth encoder. =A0Does anyone know of someone that has done thi=
s?
> > I hate the clicking when trying to tune.
>
> > I can't remember now but I had thought they used a 757 or 767 encoder.
> > If I remember right (probably not) it was not a drop in replacement but
> > had to be hotwired. =A0Yaesu, of course, will not say anything more tha=
n
> > what the direct replacement is.
>
> If memory serves me right, there may be some pots associated with the
> optical encoder timing.
>
> Alternatively, if the part is no longer available, allot of the old
> encoders use generic opto-couplers that can be replaced. One of the three
> must be out

```
>
> Or, there is dirt blocking the optics
>
> Hope this helps

The encoder issue I am having is not an unusual thing.  Most 747's get
this issue.  I would have thought that at least someone else had done
the replacement using another encoder.  The most annoying thing about
it is it not having the smooth dial to spin.

Matt


From -5353230965110567975
X-Google-Thread: d7f5508063,2ba2a0dde591e658
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!33g2000vbe.googlegroups.com!not-for-
mail
From: Matt Murphy <stormadvisor@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ft747gx encoder replacement
Date: Sun, 12 Jul 2009 06:47:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <9ad533d7-4d3a-4a56-b276-519798028b1a@33g2000vbe.googlegroups.com>
References: <f796a5ca-562c-40d7-aad7-0da16b05a37d@b14g2000yqd.googlegroups.com>
     <h2dgk4$bbe$1@news.albasani.net>
NNTP-Posting-Host: 65.210.129.209
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1247406465 5215 127.0.0.1 (12 Jul 2009 13:47:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Jul 2009 13:47:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 33g2000vbe.googlegroups.com; posting-host=65.210.129.209;
     posting-account=9nvTOgoAAADxYmlrRIvzuqPpy1LOuSkJ
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR
     3.0.04506.648),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1654

Sorry about the late replies.  I was on vacation and forgot to check
this post.

Matt


From 2918398371767496071
X-Google-Thread: 99a988281b,9895395902140b86,start
```

```
X-Google-Attributes: gid99a988281b,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!feedme.ziplink.net!
news1.ipswitchs.cmm!ddl
From: ddl@danlan.*com (Dan Lanciani)
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.sys.pdp8
Subject: Model 26 teletype available
Message-ID: <1354725@news1.IPSWITCHS.CMM>
Date: 13 Jul 2009 02:38:16 GMT
Organization: Internet
Lines: 5
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3134
rec.radio.amateur.equipment:1655 alt.sys.pdp8:721
X-Original-Bytes: 649

Trying again since interested people never seem to follow up...  Free in
Gloucester, MA; shipping is probably prohibitive.

                    Dan Lanciani
                    ddl@danlan.*com


From 7837418471732017722
X-Google-Thread: d7f5508063,a455f04416da904,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k26g2000vbp.googlegroups.com!not-for-
mail
From: "rs2atmink@yahoo.com" <rs2atmink@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: IC-735
Date: Tue, 14 Jul 2009 10:27:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <f9e2f0e8-8078-41de-ad28-3910c6d727c2@k26g2000vbp.googlegroups.com>
NNTP-Posting-Host: 24.40.7.19
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1247592474 12098 127.0.0.1 (14 Jul 2009 17:27:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Jul 2009 17:27:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k26g2000vbp.googlegroups.com; posting-host=24.40.7.19;
     posting-account=5qw2FwkAAAAmXNzF65P5v1OSREk3HW2g
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.21)
     Gecko/20090403 SeaMonkey/1.1.16,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1656
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=150359014300

Free shipping to lower 48.

From 7346948652232462016
X-Google-Thread: 733d321764,fe66dc44bf69cdd9
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!feed-me.highwinds-media.com!cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!npeersf02.ams.highwinds-media.com!newsfe19.ams2.POSTED!7564ea0f!not-for-mail
From: "sativasam" <sativaspam@ntlworld.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
References: <4a5261ab@x-privat.org> <ae768b68-1c4b-431c-aa68-00bbdb6a13d9@x3g2000yqa.googlegroups.com> <4a540766@x-privat.org> <9a0d3c03-061f-453b-8f4f-8dd2a2a94d57@o6g2000yqj.googlegroups.com>
In-Reply-To: <9a0d3c03-061f-453b-8f4f-8dd2a2a94d57@o6g2000yqj.googlegroups.com>
Subject: Re: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
Lines: 16
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <ymg7m.12$tU4.9@newsfe19.ams2>
NNTP-Posting-Host: 82.17.187.40
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe19.ams2 1247646238 82.17.187.40 (Wed, 15 Jul 2009 08:23:58 UTC)
NNTP-Posting-Date: Wed, 15 Jul 2009 08:23:58 UTC
Organization: virginmedia.com
Date: Wed, 15 Jul 2009 09:23:06 +0100
Xref: g2news2.google.com rec.radio.amateur.equipment:1657 rec.radio.swap:2254

now now, there there, don't fall out. Play nice, be friends forever in wireless coms...

"KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com> wrote in message
news:9a0d3c03-061f-453b-8f4f-8dd2a2a94d57@o6g2000yqj.googlegroups.com...
On Jul 7, 10:41 pm, "KC8QJP" <kc8...@slather.com> wrote:
> "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
>
> is actually n8wwm
> douglas w adair
> 322 Burger St

> Toledo, OH 43605

amusing little faggot isnt Roger Nair? He loves truck driver cocks.

```
From 6954958436171385912
X-Google-Thread: d7f5508063,bf3ee26ea098e3d3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Jul 2009 08:12:28 -0500
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Misc antennas
Date: Wed, 15 Jul 2009 09:12:21 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <ydWdneA91aIgSMDXnZ2dnUVZ_vidnZ2d@giganews.com>
Lines: 41
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-hRgNrSMI/
aH83UjOIufdqLSjgGwXXVkJfq8xgOMrCxsT3AdOVelKJb2GQ+hkqLZzZx6u8NZ0mKucfNN!
1y2SauTtdjrg3YY/Os2wVFFwagDGiYX/rCWW3BjYWx21N4e6UaMDHCvZUPsyeIdYw7ubqmLWmL0=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1911
Xref: g2news2.google.com rec.radio.amateur.equipment:1658
```

Contact: paul.mandell@gmail.com

Hustler RM-15M mobile whip

�   Antron 2M mobile whip

�   Tennadyne log periodic antenna. (T-6) (New - never assembled)

�   Pro-Am PHF 15

�   Hustler RM30

�   Pro-Am PHF 17

�   Hustler Super MR-20-S

�   Hustler RM 40

�   Hustler RM 10

�   Hustler RM 20

�   Hustler RM 75

�   Hustler RM 80

�   Pro-AM PHF 20

�   Texas Radio Bugcatcher Mobile HF Antenna (stk# BC1000 Item: KW Antenna)- NEW

�   Mobile Steel Bracket - NEW

�   Miscellaneous antennas (one with large silver and white coil)

```
From -4833362628595380024
X-Google-Thread: 733d321764,fe66dc44bf69cdd9
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
193.252.117.184.MISMATCH!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Runge16" <philsa@bigfoot.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
References: <4a5261ab@x-privat.org> <ae768b68-1c4b-431c-
aa68-00bbdb6a13d9@x3g2000yqa.googlegroups.com> <4a540766@x-privat.org>
<9a0d3c03-061f-453b-8f4f-8dd2a2a94d57@o6g2000yqj.googlegroups.com>
In-Reply-To: <9a0d3c03-061f-453b-8f4f-8dd2a2a94d57@o6g2000yqj.googlegroups.com>
Subject: Re: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
Date: Sat, 18 Jul 2009 16:57:00 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16669
Lines: 16
Message-ID: <4a61e2bf$0$23455$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 18 Jul 2009 16:57:05 CEST
NNTP-Posting-Host: 83.114.104.217
X-Trace: 1247929025 news.orange.fr 23455 83.114.104.217:11104
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:1659 rec.radio.swap:2271

Burger street lol
By the way, missing the Gestapo ?

"KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com> a �crit dans le message de
news:9a0d3c03-061f-453b-8f4f-8dd2a2a94d57@o6g2000yqj.googlegroups.com...
On Jul 7, 10:41 pm, "KC8QJP" <kc8...@slather.com> wrote:
> "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
>
> is actually n8wwm
> douglas w adair
> 322 Burger St
> Toledo, OH 43605

amusing little faggot isnt Roger Nair? He loves truck driver cocks.



From 7899297441465877367
X-Google-Thread: d7f5508063,42d87f7a6bcdf243,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r25g2000vbn.googlegroups.com!not-for-
mail
From: quartz <thunderman1189@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB:Hy-Gain Penetrator Order 500 Antenna
Date: Sun, 19 Jul 2009 19:57:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <f65b33eb-01e0-424e-8083-7aac3f308e96@r25g2000vbn.googlegroups.com>
NNTP-Posting-Host: 72.70.155.143
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1248058678 13430 127.0.0.1 (20 Jul 2009 02:57:58 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Jul 2009 02:57:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r25g2000vbn.googlegroups.com; posting-host=72.70.155.143;
     posting-account=wigt9QoAAAD_rpvHsdfuSw8RTKoXndVw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.11)
     Gecko/2009060215 Firefox/3.0.11 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1660
```

am looking for Hy-Gain Penetrator Order 500 Antenna to buy

thank u

larry

```
From 3297003903308596696
X-Google-Thread: d7f5508063,42d87f7a6bcdf243
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.acm.uiuc.edu!
news.linkpendium.com!news.linkpendium.com!pit-transit.telstra.net!
news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "VK2KC" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <f65b33eb-01e0-424e-8083-7aac3f308e96@r25g2000vbn.googlegroups.com>
Subject: Re: WTB:Hy-Gain Penetrator Order 500 Antenna
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <9ZV8m.6277$ze1.3160@news-server.bigpond.net.au>
Date: Mon, 20 Jul 2009 08:33:09 GMT
NNTP-Posting-Host: 121.216.154.135
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1248078789 121.216.154.135 (Mon, 20 Jul 2009
18:33:09 EST)
NNTP-Posting-Date: Mon, 20 Jul 2009 18:33:09 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.equipment:1661
```

Larry from memory they were made in the 60's.

Here is and link to the original instruction manual, maybe you could buy the mount off HY-Gain and fab the rest.

http://www.cbtricks.com/ant_manuals/hygain/model_500/graphics/hy-gain_500_penetrator_1975.pdf

Cheers
John
VK2KC

"quartz" <thunderman1189@gmail.com> wrote in message
news:f65b33eb-01e0-424e-8083-7aac3f308e96@r25g2000vbn.googlegroups.com...
> am looking for Hy-Gain Penetrator Order 500 Antenna to buy
>
> thank u
>
> larry
>

From -1470153389377446648
X-Google-Thread: d7f5508063,42d87f7a6bcdf243
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.acm.uiuc.edu!
news.linkpendium.com!news.linkpendium.com!pit-transit.telstra.net!
news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "VK2KC" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <f65b33eb-01e0-424e-8083-7aac3f308e96@r25g2000vbn.googlegroups.com>
<9ZV8m.6277$ze1.3160@news-server.bigpond.net.au>
Subject: Re: WTB:Hy-Gain Penetrator Order 500 Antenna
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <r7W8m.6282$ze1.2345@news-server.bigpond.net.au>
Date: Mon, 20 Jul 2009 08:44:07 GMT
NNTP-Posting-Host: 121.216.154.135
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1248079447 121.216.154.135 (Mon, 20 Jul 2009
18:44:07 EST)
NNTP-Posting-Date: Mon, 20 Jul 2009 18:44:07 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.equipment:1662

Larry,
Just had another look, and the HyGain Penetrator was .64 wavelength long,
this site:
http://www.wolfradio.com/ant_new.htm

Wolf Radio manufactures them by the look of it, and their Point 64 FMBC
maybe the closest to the real McCoy, but at $160?
Cheers

```
John

"VK2KC" <vk2kcjohn@gmail.com> wrote in message
news:9ZV8m.6277$ze1.3160@news-server.bigpond.net.au...
> Larry from memory they were made in the 60's.
>
> Here is and link to the original instruction manual, maybe you could buy
> the mount off HY-Gain and fab the rest.
>
> http://www.cbtricks.com/ant_manuals/hygain/model_500/graphics/hy-
gain_500_penetrator_1975.pdf
>
> Cheers
> John
> VK2KC
>
> "quartz" <thunderman1189@gmail.com> wrote in message
> news:f65b33eb-01e0-424e-8083-7aac3f308e96@r25g2000vbn.googlegroups.com...
>> am looking for Hy-Gain Penetrator Order 500 Antenna  to buy
>>
>> thank u
>>
>> larry
>>
>
>
>




From -5185093397509476079
X-Google-Thread: 99a988281b,9895395902140b86
X-Google-Attributes: gid99a988281b,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!goblin1!goblin.stu.neva.ru!tiscali!
newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!nntp.infostrada.it!nntp.eutelia.it!feeder.news.tin.it!spool.news.tin.it!
not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.sys.pdp8
References: <1354725@news1.IPSWITCHS.CMM>
Subject: Re: Model 26 teletype available
Date: Mon, 20 Jul 2009 23:20:09 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 18
Message-ID: <4a64df8a$0$1111$4fafbaef@reader3.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.47.196.204
X-Trace: 1248124810 reader3.news.tin.it 1111 79.47.196.204:11452
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3161
rec.radio.amateur.equipment:1663 alt.sys.pdp8:755

"Dan Lanciani" <ddl@danlan.*com> ha scritto nel messaggio
news:1354725@news1.IPSWITCHS.CMM...
> Trying again since interested people never seem to follow up...  Free in
> Gloucester, MA; shipping is probably prohibitive.
>
> Dan Lanciani
> ddl@danlan.*com

I my early ham radio days I had a model 15 and a model 28. I always dreamt of
having a model 26, but I have never seen one in reality, just on the books..

Pity is that Gloucester is some 3500 miles away from where I live, otherwise you
would see me knocking at your door.

73

Tony I0JX, Rome Italy



From -7587690802096366809
X-Google-Thread: 99a988281b,9895395902140b86
X-Google-Attributes: gid99a988281b,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!transit3.readnews.com!
news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.sys.pdp8
Subject: Re: Model 26 teletype available
Date: Mon, 20 Jul 2009 21:44:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 20
Message-ID: <slrnh69p24.q7d.gsm@cable.mendelson.com>
References: <1354725@news1.IPSWITCHS.CMM>
 <4a64df8a$0$1111$4fafbaef@reader3.news.tin.it>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-102-238.bb.netvision.net.il
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
X-Trace: max.inside.misty.com 1248126244 21373 89.138.102.238 (20 Jul 2009 21:44:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Mon, 20 Jul 2009 21:44:04 +0000 (UTC)
User-Agent: slrn/pre1.0.0-2 (Linux)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3162 rec.radio.amateur.equipment:1664 alt.sys.pdp8:756

Antonio Vernucci wrote:
> Pity is that Gloucester is some 3500 miles away from where I live, otherwise you
> would see me knocking at your door.

The trick is to find someone in the are who is being transfered to Rome and their company is shipping a container of houshold goods for them. Since the price is by container, and not by weight, it is often cheaper to ship a container that is not full than to do it by "lift van" (a custom made wooden crate).

In years past people wouldstuff their containers with household goods that they could not get outside the US, such as toilet paper, disposable diapers, canned tuna, however I think those days are long gone.

If you ask around, you might find someone who is willing to accomodate you.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

From -1937309750523527882
X-Google-Thread: 99a988281b,9895395902140b86
X-Google-Attributes: gid99a988281b,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!news2.euro.net!xlned.com!feeder1.xlned.com!border2.nntp.ams.giganews.com!nntp.giganews.com!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.sys.pdp8
References: <1354725@news1.IPSWITCHS.CMM>
<4a64df8a$0$1111$4fafbaef@reader3.news.tin.it>
<slrnh69p24.q7d.gsm@cable.mendelson.com>
Subject: Re: Model 26 teletype available
Date: Tue, 21 Jul 2009 00:17:48 +0200
MIME-Version: 1.0
Content-Type: text/plain;
    format=flowed;
    charset="iso-8859-1";
    reply-type=original
Content-Transfer-Encoding: 7bit

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 31
Message-ID: <4a64ed0d$0$1110$4fafbaef@reader3.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.47.196.204
X-Trace: 1248128269 reader3.news.tin.it 1110 79.47.196.204:11489
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3164
rec.radio.amateur.equipment:1665 alt.sys.pdp8:757

Thanks for info, but finding someone close to the present owner and willing to
ship a container to Rome may not be that easy.

Anyway I will try... who knows.

Tony I0JX

"Geoffrey S. Mendelson" <gsm@mendelson.com> ha scritto nel messaggio
news:slrnh69p24.q7d.gsm@cable.mendelson.com...
> Antonio Vernucci wrote:
>> Pity is that Gloucester is some 3500 miles away from where I live, otherwise
>> you
>> would see me knocking at your door.
>
> The trick is to find someone in the are who is being transfered to Rome and
> their company is shipping a container of houshold goods for them. Since the
> price is by container, and not by weight, it is often cheaper to ship
> a container that is not full than to do it by "lift van" (a custom made
> wooden crate).
>
> In years past people wouldstuff their containers with household goods
> that they could not get outside the US, such as toilet paper, disposable
> diapers, canned tuna, however I think those days are long gone.
>
> If you ask around, you might find someone who is willing to accomodate you.
>
> Geoff.
>
> --
> Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM



From -3901272299399496934
X-Google-Thread: d7f5508063,b9d34016cb8f3122,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d4g2000prc.googlegroups.com!not-for-
```

```
mail
From: AKSWL <aksafety@ctcweb.net>
Newsgroups: rec.radio.amateur.equipment
Subject: PALSTAR   R30CC and PS30 both for $430 shipped
Date: Tue, 21 Jul 2009 06:55:48 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <34d06149-83f7-4dc5-a930-3b1a6962ac7b@d4g2000prc.googlegroups.com>
NNTP-Posting-Host: 66.232.79.23
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1248184549 13987 127.0.0.1 (21 Jul 2009 13:55:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Jul 2009 13:55:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d4g2000prc.googlegroups.com; posting-host=66.232.79.23;
     posting-account=sfB4NgoAAAAFHdTLvQ5EqDKYiMSoE7Sl
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1666

MINT PERFECT

PALSTAR R30CC  (Collins filters) and SP30 speaker, original boxes,
receipt, manual, non-smoker.



From -4337569528106417047
X-Google-Thread: fb5b8a5db1,a06826191abaa5fa
X-Google-Attributes: gidfb5b8a5db1,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!n11g2000yqb.googlegroups.com!not-for-
mail
From: "Roger Nair of 5533 Winter Brook Dr, OH 44280, is moparholic"
<roger.nair@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,fl.forsale
Subject: Re: COLLINS 30L-1 amplifier
Date: Thu, 23 Jul 2009 06:05:47 -0700 (PDT)
Organization: http://groups.google.com
Lines: 10
Message-ID: <c0ff047a-fd33-44bb-8a3c-b6d822355c64@n11g2000yqb.googlegroups.com>
References: <16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net>
     <Gl9Sl.10414$9f6.7575@twister1.libero.it> <20090524134541.840$Mm_-
_@newsreader.com>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1248354347 14582 127.0.0.1 (23 Jul 2009 13:05:47 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 23 Jul 2009 13:05:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n11g2000yqb.googlegroups.com; posting-host=72.241.231.67;
     posting-account=rwAgSQoAAAADe5cWNSYsUbTpGLAsHdQL
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1667 rec.radio.swap:2285
fl.forsale:400

On May 24, 1:46=A0pm, Steve <moparho...@hotmail.com> wrote:
> "stermen" <stermen...@gmail.com> wrote:
> > All at 1 dollar
>
> Good gear, I wouldn't part with mine for less than $800 US.
>
> --
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0http://NewsReader.Com/

especially since he runs it on the cb band.


From 2092571458625577980
X-Google-Thread: d7f5508063,25f1a39c36d3098f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Jul 2009 11:52:13 -0500
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTT: Heil Kenwood for Heil Icom.
Date: Thu, 23 Jul 2009 12:52:13 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <MbudnWGEu6-gCPXXnZ2dnUVZ_rqdnZ2d@giganews.com>
Lines: 4
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
WbTpdZ1FM2ByfxiHaUQPPNgD8GSfqkKqtNRoQdt3dA9cu5CZ9wtwLRwnZmoqbNgQ2sGPC0ItzALBTxT!
EWaaqhBCRx31ESt3/ycof9U12atQyl6kAPyvDi0REn2U0kO4uhR2Z5cPWBiNB/kn9J5L6dQV7Rk=
X-Complaints-To: abuse@giganews.com
```

X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1349
Xref: g2news2.google.com rec.radio.amateur.equipment:1668

I have a brand new, still sealed Heil CC-1-XLR-K Kenwood cable which I would like to trade even for a Heil Icom XLR cable.
Bob, W1CNY

From -8595913616809793827
X-Google-Thread: d7f5508063,14e6a3969a187f41,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Jul 2009 14:45:44 -0500
Reply-To: "David Thompson" <thompson@mindspring.com>
From: "David Thompson" <thompson@mindspring.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ahoy LK-500NT B or C users
Date: Thu, 23 Jul 2009 15:45:49 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <4v-dnfIcXL91IPXXnZ2dnUVZ_rudnZ2d@earthlink.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.154.88.54
X-Trace: sv3-HUVtnbxCUMch2xIqCVHQrhvGUHRNm58ORVENqCPBM2JCwu9wyf9ZY7962YjLPC/gnGVOCj4U23+oU/Y!tu3NXzLoBuSWF+6zok6AIyH+V+6295CTFFRset1z/vZB2EqkUgK1eetac4lOwwoGmfqt8Jod4GGi!D61o8gXj8zBdEqGnzSz3aJafp4k8Z7MQ
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1722
Xref: g2news2.google.com rec.radio.amateur.equipment:1669

I have an amp supply LK-500NTC that I am trying to peak up on each of the fixed no tune circuits. I know I have a bad ceramic telflon disc on 160 (won't load at all) and on 15 the best I can do is 1100 watts
with just over 800 ma plate current. On bands that work oK (1300 watts out) the plate current is 550 ma. So I feel one or more of the disc caps are either bad or changed value.

If you have some experience with the no tune versions of the LK-500 I would like to get your suggestions.

73 Dave K4JRB
please direct to me at thompson@mindspring.com

```
From -1014406050418354072
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.enother.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Jul 2009 07:59:16 -0500
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Elecraft K3
Date: Sat, 25 Jul 2009 08:59:17 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <TLCdnf-5l4o5nPbXnZ2dnUVZ_t-dnZ2d@giganews.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-rge7b2IDcUW4w/
EtD72ik8w3Zpq1ZtbbvBwNJdMWEwxnUGQqhaWBWJx+QN5XDQquFxB52P8y0MWnp5m!
FTx4NYGE4vdVhy0HVQNVTlxtgXX1ai3EST6o3lQ5iWgSYqhZt0/yhGKCz/tTH3EoZVP3dUHREGA=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1670
```

For Sale: Excellent Elecraft K3, FACTORY BUILT, still under warranty.
Purchased new November 2008. With the following features:
100W finals
ATU
General Coverage RX Module
2.8kHz, 8 pole filter
Original cost $2712.00 (copy of invoice will be sent if requested)
$2400, cashiers check or paypal. Shipping included.
Bob W1CNY

```
From -8570982597771951470
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.enother.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Jul 2009 08:17:03 -0500
Date: Sat, 25 Jul 2009 06:17:03 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Elecraft K3
References: <TLCdnf-5l4o5nPbXnZ2dnUVZ_t-dnZ2d@giganews.com>
In-Reply-To: <TLCdnf-5l4o5nPbXnZ2dnUVZ_t-dnZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <t7adnd9MMMFNmPbXnZ2dnUVZ_gJi4p2d@earthlink.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-
ztfOdRfm3g6RzqI2DgFrt6ev2y9eyOasTqSkJMdh+nRYQV1FCTudfBv3GW2dxaaNUoDPLBeRAQ6rQ3M!
WYc15QdtuQVuCcZGPCcUaA6aQRTB4cTeCrFADahu9z2DGvzPx1/rCRdMR+DRZWS9mbDhVGQ/QCVc!
Fh0mBHe5K46cLeFMvXwpI6srkWeAD5jsdok=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1671

Bob Rinaldi W1CNY wrote:
> For Sale: Excellent Elecraft K3, FACTORY BUILT, still under warranty.
> Purchased new November 2008. With the following features:
> 100W finals
> ATU
> General Coverage RX Module
> 2.8kHz, 8 pole filter
> Original cost $2712.00 (copy of invoice will be sent if requested)
> $2400, cashiers check or paypal. Shipping included.
> Bob W1CNY

Attention SWLs.  This has one of the best receivers ever in it.

http://www.sherweng.com/table.html


From -4564781906733022656
X-Google-Thread: d7f5508063,43937cdd27a115fb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c29g2000yqd.googlegroups.com!not-for-
mail
From: Bill Erffurt <wmtell@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 400 Watt Broad Band Solid state Amplifier
Date: Sat, 25 Jul 2009 06:50:50 -0700 (PDT)
Organization: http://groups.google.com
Lines: 40
Message-ID: <5f889806-cb79-40a8-8dc5-940dfd96b67a@c29g2000yqd.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1248529850 21408 127.0.0.1 (25 Jul 2009 13:50:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 25 Jul 2009 13:50:50 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c29g2000yqd.googlegroups.com; posting-host=66.177.6.190;
     posting-account=GgY-wAoAAAAn8zb8eC7I1Reg8IPLxGHh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.0.12)
     Gecko/2009070611 Firefox/3.0.12,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1672
```

Hi,

I am selling my KL-400 400 watt solid state broad banded amp because I never use it.

RM MOD.351/P AMPLIFIER 60-200W (KL400)

Very high power solid state linear amplifier with built-in preamplifier (25dB), the output power is variable in 6 steps.

No band switching necessary.

Technical Specifications:

Frequency Range 3-23 MHz

Modes AM/FM or SSB

Input Power 1-10 W AM/FM, 2-20 W SSB

Output Power 70-200W AM/FM, 140-400W SSB

Current Drain 12-24 amps

Power Supply 13.8V DC

Size 170mm (w) x 62mm (h) x 210mm (d)

(These sell new for $249.95 plus shipping)

Click here to see a picture of it: http://bit.ly/9tSaa

The amp is in Like New condition both physically and electronically

My price is $175.00 plus FREE SHIPPING in the lower 48 states

Email me at: wmtell@gmail.com

Bill
KZ3DX

From -7342923191805437707
X-Google-Thread: d7f5508063,43937cdd27a115fb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!8c40745b!not-for-mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <5f889806-cb79-40a8-8dc5-940dfd96b67a@c29g2000yqd.googlegroups.com>
Subject: Re: 400 Watt Broad Band Solid state Amplifier
Lines: 22
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <_pNam.1235$MA3.170@nwrddc02.gnilink.net>
Date: Sun, 26 Jul 2009 00:27:38 GMT
NNTP-Posting-Host: 72.71.116.172
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1248568058 72.71.116.172 (Sat, 25 Jul 2009 20:27:38 EDT)
NNTP-Posting-Date: Sat, 25 Jul 2009 20:27:38 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1673

"Bill Erffurt" <wmtell@gmail.com> wrote in message
news:5f889806-cb79-40a8-8dc5-940dfd96b67a@c29g2000yqd.googlegroups.com...
> Hi,
>
> I am selling my KL-400 400 watt solid state broad banded amp because I
> never use it.
>
> RM MOD.351/P AMPLIFIER 60-200W (KL400)
>
> Very high power solid state linear amplifier with built-in
> preamplifier (25dB), the output power is variable in 6 steps.

>
> No band switching necessary.
>

There may not be any bandswitching, but if you do not follow the amp up with appropriate switchable low pass filters, it will have tons of harmonics and in the old days, you'd have the FCC at your doorstep.

Dale W4OP

```
From -5990789918973450301
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!transit3.readnews.com!
news-xxxfer.readnews.com!news-out.readnews.com!transit4.readnews.com!
207.99.111.53.MISMATCH!newspeer1.nac.net!border2.nntp.dca.giganews.com!
nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.earthlink.com!
news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 26 Jul 2009 10:09:35 -0500
Date: Sun, 26 Jul 2009 08:09:36 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 400 Watt Broad Band Solid state Amplifier
References: <5f889806-cb79-40a8-8dc5-940dfd96b67a@c29g2000yqd.googlegroups.com>
<_pNam.1235$MA3.170@nwrddc02.gnilink.net>
In-Reply-To: <_pNam.1235$MA3.170@nwrddc02.gnilink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <9a6dnVxzAfYt7PHXnZ2dnUVZ_j5i4p2d@earthlink.com>
Lines: 26
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-ZKDZCPiJssnry+mNJQo3EdMByVdJwLvJ3oU4wGaYZmTFkiLAA9n2gk/
xoF4jLWqlyFZ6X29rYob+fwo!
UaFgBbjZ0pJAJ8cntA5ZC0a6Y1jI4i1kPNo6SUdKWLFahCufmfMoIf2xdcgl8h26m7lhn3yFhCxu!Wz/
wkCNlwDVaFcelzyEtUKCCcWDpzXsSLoc=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1674
```

Dale Parfitt wrote:

> "Bill Erffurt" <wmtell@gmail.com> wrote in message
> news:5f889806-cb79-40a8-8dc5-940dfd96b67a@c29g2000yqd.googlegroups.com...
>> Hi,
>>
>> I am selling my KL-400 400 watt solid state broad banded amp because I
>> never use it.
>>

>> RM MOD.351/P AMPLIFIER 60-200W (KL400)
>>
>> Very high power solid state linear amplifier with built-in
>> preamplifier (25dB), the output power is variable in 6 steps.
>>
>> No band switching necessary.
>>
> There may not be any bandswitching, but if you do not follow the amp up with
> appropriate switchable low pass filters, it will have tons of harmonics and
> in the old days, you'd have the FCC at your doorstep.
>
> Dale W4OP
>
>

These are as cheap as I'd do. They also sell filter kits.

http://www.communication-concepts.com/hf_amplifiers.htm

```
From -8386219076234352194
X-Google-Thread: d7f5508063,8d38cf8164e12f42
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Jul 2009 05:12:48 -0500
From: Chuck Forsberg WA7KGX N2469R <caf@omen.com>
Subject: Re: Adjust MFJ259b Freqency counter?
Newsgroups: rec.radio.amateur.equipment
References: <aeAKc.110671$MB3.66727@attbi_s04>
     <529eg0p5tn6ma83anfi0dvsk6gbivm0idm@4ax.com>
User-Agent: Pan/0.133 (House of Butterflies)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <QOmdnewxYqo94PDXnZ2dnUVZ_oVi4p2d@giganews.com>
Date: Mon, 27 Jul 2009 05:12:48 -0500
Lines: 31
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
ttIo3hY7Ivc2a7E+7U+SpkMpMhtUMYYnGcXFohmSp3t1EsVEzb3uQlVdIu2pGXZpaNFdm0R51Gwaxk+!
dMDXdEeNoOm/nvQvzkGDOX1ZkhtryoSOars3uvKRrbNVdtbnWUb460ZWz+6TTkEh0s8pZ3Oee3o=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2287
Xref: g2news2.google.com rec.radio.amateur.equipment:1675
```

```
On Tue, 27 Jul 2004 22:59:17 -0500, Bob Miller wrote:

> On Sun, 18 Jul 2004 19:31:18 GMT, Gary <nospam@uabc.edu.mx> wrote:
>
>>Is there an adjustment pot on the MFJ259b for the freqency counter and
>>if so, what number is it on the board? Mine seems consistently high, and
>>the guys in Starkville seem like blinded deer in the headlights when I
>>called on the subject.
>
> this may or may not help, but at the site,
> http://www.mfjenterprises.com/products.php?prodid=MFJ-259B they have a
> link to "calibration instructions"
>
> bob
> k5qwg

The original 259 has the counter on a daughterboard.  There appears to be a
trimmer cap on it.  Adjusting it is another matter, but it might be
possible to drill a hole in the main board to allow access to the trimmer.

Disassembling the 259 is non trivial, but easier than putting it back
together.





--
Chuck Forsberg    caf@omen.com   www.omen.com   503-614-0430
Developer of Industrial ZMODEM(Tm) for Embedded Applications
  Omen Technology Inc      "The High Reliability Software"
10255 NW Old Cornelius Pass Portland OR 97231   FAX 629-0665


From -2798550735188830726
X-Google-Thread: d7f5508063,1d40340278956ee,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
209.197.12.242.MISMATCH!nx01.iad01.newshosting.com!newshosting.com!
216.196.98.140.MISMATCH!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Jul 2009 07:41:48 -0500
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Elecraft K3 with options
Date: Mon, 27 Jul 2009 08:41:47 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <ceSdnUlP7LMRPfDXnZ2dnUVZ_h2dnZ2d@giganews.com>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-lhAlhN+Jef/uzCXMu0XK0KoLVypZyQMVPnbL/8LakfzRPJTib4UcN/
lhn24usZSH+Syjx0VmAG25Ymr!guTAL1holAnaU9NtiyZkP0ZR6sqFMRf2bmHljsRHFE/
ZSRKOsGAU6P1f8Ilzguw52h72Uh6g6RM=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1518
Xref: g2news2.google.com rec.radio.amateur.equipment:1676
```

Factory built Elecraft K3 transceiver. With 100 watt option, Auto Antenna Tuner option, General coverage receive option, and 2.8kHz 8-pole filter option. Still under factory warranty. Purchased new in November 2008, serial number 2102. Original invoice $2712.29. Sell for $2400 or B.O.
w1cny@comcast.net

```
From 7027523627681817671
X-Google-Thread: 9e586c3d78,b430d1ef50c18c36,start
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Jul 2009 08:12:24 -0500
Date: Mon, 27 Jul 2009 06:12:23 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: FS: Elecraft K3 with options
References: <ceSdnUlP7LMRPfDXnZ2dnUVZ_h2dnZ2d@giganews.com>
In-Reply-To: <ceSdnUlP7LMRPfDXnZ2dnUVZ_h2dnZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
```

X-Trace: sv3-
GNLpqOUJAw0jvQ3LLg8OZEmV18vBxlB1r6KnvbZT+CMHEWsoZRUHB28Qsz4JyQ8fT44hXs4jc5Zev8e!
PjQ8ktvmXm+Q6bkktMYKSRgmwHW6b3pKX5rkrD0N2zhKSYko+I1uYOBn1ZiZIyhccQi7RSzVbchG!
3Zy6ig/QirLaB1lzMKhxLI4tYLWKO1CdFDk=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1593
Xref: g2news2.google.com rec.radio.amateur.equipment:1677
rec.radio.shortwave:46126

Bob Rinaldi W1CNY wrote:
> Factory built Elecraft K3 transceiver. With 100 watt option, Auto
> Antenna Tuner option, General coverage receive option, and 2.8kHz 8-pole
> filter option. Still under factory warranty. Purchased new in November
> 2008, serial number 2102. Original invoice $2712.29. Sell for $2400 or B.O.
> w1cny@comcast.net

The best receiver on the market. American made.

From 6938439613611827121
X-Google-Thread: d7f5508063,8d38cf8164e12f42
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Jul 2009 08:14:00 -0500
Date: Mon, 27 Jul 2009 06:14:00 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Adjust MFJ259b Freqency counter?
References: <aeAKc.110671$MB3.66727@attbi_s04>
<529eg0p5tn6ma83anfi0dvsk6gbivm0idm@4ax.com>
<QOmdnewxYqo94PDXnZ2dnUVZ_oVi4p2d@giganews.com>
In-Reply-To: <QOmdnewxYqo94PDXnZ2dnUVZ_oVi4p2d@giganews.com>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <nZGdnZo05aCFNfDXnZ2dnUVZ_uNi4p2d@earthlink.com>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-x1r+cT760ftTlid6uRVteU6iD1/ivWbF4j/
WUjLWkn0yMhRpPjmQ7mnPekZ9u0fsC0T33XzkxcXKD3/!KSvowKhLPGNRbmeBxlyCg5WzN/
1TstDB9bWRbjpIN1Iw/fi5Qt9wCmL+7HoyzY4YCMgXT00PBdkW!/
6cg9cjc4y92RWteSlpQsZmwFOAjtTtdVuI=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint

```
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1448
Xref: g2news2.google.com rec.radio.amateur.equipment:1678
```

Chuck Forsberg WA7KGX N2469R wrote:

> Disassembling the 259 is non trivial, but easier than putting it back
> together.
>

Mine came partially disassembled;-)

There's not a lot inside.

```
From -3321645799272687443
X-Google-Thread: d7f5508063,96c9a03497dc7971,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Jul 2009 13:06:04 -0500
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Clipperton L Amplifier
Date: Mon, 27 Jul 2009 14:06:02 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <D9idnTIE5IQRcfDXnZ2dnUVZ_vednZ2d@giganews.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
ml75RWEXHmDmdosT+qO8jUP2ZWd0I2dRMP6Hymjjps91IIaNxv633LfPQ93zSqfkwSnTT52ktTc1pgF!
A78lLTEJolVBMTloWy5535+Q+GHeAhcEfPsgncdho2sjy2H47G+h8tZMrl0kACK3QFXBOZm6p3E=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1363
Xref: g2news2.google.com rec.radio.amateur.equipment:1679
```

Visually impaired ham, Vinny KA1GJB, would like to sell his Clipperton L amplifier.

You can reach Vinny at

wojtusikw@sbcglobal.net

or 860 683 2665

From 1344802993904930718
X-Google-Thread: 9e586c3d78,b430d1ef50c18c36
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!
easynews.com!en-nntp-03.dc1.easynews.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
From: Keith <kilowattradio@use-reply-to.invalid>
Subject: Re: FS: Elecraft K3 with options
References: <ceSdnUlP7LMRPfDXnZ2dnUVZ_h2dnZ2d@giganews.com>
 <nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com>
Organization: http://slrn.org/ Open Source Software
Reply-To: kilowattradio@gmail.com
User-Agent: slrn/pre0.9.9-69 (Darwin)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <eembm.437064$4p1.9862@en-nntp-03.dc1.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Mon, 27 Jul 2009 18:20:58 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1680
rec.radio.shortwave:46131

dave wrote in news:<nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com>:
> Bob Rinaldi W1CNY wrote:
>> Factory built Elecraft K3 transceiver. With 100 watt option, Auto
>> Antenna Tuner option, General coverage receive option, and 2.8kHz 8-pole
>> filter option. Still under factory warranty. Purchased new in November
>> 2008, serial number 2102. Original invoice $2712.29. Sell for $2400 or B.O.
>> w1cny@comcast.net
>
> The best receiver on the market. American made.

Well it isn't American made, it is designed by Americans and manufactuered over seas. The K2 is American made because the buyer puts it together, but once again most of the parts come from overseas.

--
Best Regards, Keith
http://home.comcast.net/~kilowattradio/

```
From 4883160923466430636
X-Google-Thread: 9e586c3d78,b430d1ef50c18c36
X-Google-Attributes: gid9e586c3d78,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Jul 2009 15:11:19 -0500
From: "Bob Rinaldi W1CNY" <w1cny@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
References: <ceSdnUlP7LMRPfDXnZ2dnUVZ_h2dnZ2d@giganews.com>
<nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com> <eembm.437064$4p1.9862@en-
nntp-03.dc1.easynews.com>
In-Reply-To: <eembm.437064$4p1.9862@en-nntp-03.dc1.easynews.com>
Subject: Re: FS: Elecraft K3 with options
Date: Mon, 27 Jul 2009 16:11:17 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6002.18005
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6002.18005
Message-ID: <04adnWvTha96lPPXnZ2dnUVZ_g6dnZ2d@giganews.com>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
lNWaLYMvpp6chvhj0EyqKCufWeR0pJaif751fB1FB8wzpBk2b0k6fi0y5lKHXhYHhahgQWb8Z+udLRG!
5AD0ZLjoT6pX5jkrW09H8ncMb/JTpTCHcTBuP0CpsDpk7sf+pxNO6h5EABgjOPH2+0yMuYJUN5U=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2449
Xref: g2news2.google.com rec.radio.amateur.equipment:1681
rec.radio.shortwave:46137
```

The K3 can also be purchased as a kit, and is manufactured in Aptos, CA.

"Keith" <kilowattradio@use-reply-to.invalid> wrote in message
news:eembm.437064$4p1.9862@en-nntp-03.dc1.easynews.com...
> dave wrote in news:<nZGdnZs05aAlOvDXnZ2dnUVZ_uNi4p2d@earthlink.com>:
>> Bob Rinaldi W1CNY wrote:
>>> Factory built Elecraft K3 transceiver. With 100 watt option, Auto
>>> Antenna Tuner option, General coverage receive option, and 2.8kHz 8-pole
>>> filter option. Still under factory warranty. Purchased new in November
>>> 2008, serial number 2102. Original invoice $2712.29. Sell for $2400 or
>>> B.O.
>>> w1cny@comcast.net
>>
>> The best receiver on the market. American made.
>
> Well it isn't American made, it is designed by Americans and
> manufactuered over seas. The K2 is American made because the buyer puts
> it together, but once again most of the parts come from overseas.
>
>
>
>
> --
> Best Regards, Keith
> http://home.comcast.net/~kilowattradio/

```
From -5593359949177035747
X-Google-Thread: d7f5508063,81a67ab2acc17467,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!83.128.0.12.MISMATCH!news-out2.kabelfoon.nl!newsfeed.kabelfoon.nl!
bandi.nntp.kabelfoon.nl!newsfeed00.sul.t-online.de!t-online.de!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 29 Jul 2009 11:13:08 -0500
From: K4AEN <K4AEN.4b62a88@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Yaesu FT1000D
Date: Wed, 29 Jul 2009 13:46:35 +0100
Message-ID: <K4AEN.4b62a88@radiobanter.com>
Organization: RadioBanter.com
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-oe7yeZQ/
AhiEondA2jrEhwll5QTADVjtH0DSDT3PNg+ZRJg7TETbMTPHqnllhzcy70ftIBVaLHATt4u!KmpHtqLnW/
sxf/rLYFYqgLQnCbVSxvXz2l5a0ODVntut4Iwv2Zk2h6kZcQ8o1LQlsHYo7w5LEZ5u!9Q==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.39
X-Original-Lines: 7
Xref: g2news2.google.com rec.radio.amateur.equipment:1682


For Sale, FT 1000D, serial number 0H070287, Excellent condition, latest
version firmware (v 6), 200 W, built in power supply, dual receivers,
all options/filters (2.8; 2.1; 500; 250), includes original manual and
microphone and will include Yaesu RS 232 CAT interface (works well with
Ham Radio Deluxe).  $1800

73,

Tom
K4AEN
dit dit




--
K4AEN



From 9131760124792678069
X-Google-Thread: d7f5508063,644699c277a257f8,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l31g2000vbp.googlegroups.com!not-for-
mail
From: acamil <acamil@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: Various HAM filters,switches, meters
Date: Thu, 30 Jul 2009 13:54:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 25
Message-ID: <f75caa8c-8def-4e64-a0eb-d40018c4c414@l31g2000vbp.googlegroups.com>
NNTP-Posting-Host: 69.127.88.182
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1248987243 6589 127.0.0.1 (30 Jul 2009 20:54:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Jul 2009 20:54:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l31g2000vbp.googlegroups.com; posting-host=69.127.88.182;
     posting-account=M6o7zgoAAAC2KJf39cG9BsKjYFBYANx1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.0.12)
     Gecko/2009070611 Firefox/3.0.12 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1683
```

Have the following for sale. All items located in New Jersey

1) GC Coaxial Antenna Switch - $8.00

2) Avannti (Vert / Horz Switch - $4.00

3) B&W Model 425 Filter - $20.00

4) Pace Model P5453 (meter) - $15.00

5) CDE CBTV1-1 (tv interference filter) - $5.00

6) Johnson Antenna Mate Model 250-0719-001 - $12.00

7) Telco Channel Guard XL-1000 low pass filter - $5.00

8) Tempo RBF-1dual meter power/swr bridge - $20.00

9) GL VSMR Meter - $10.00

10) GL Antenna Matcher - $10.00

11) GL Watt Meter - $25.00

```
From 2389777154741327571
X-Google-Thread: d7f5508063,48bc2c511fde6407,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
exabot.com!freenix!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Jeannot" <g*****.****@orange.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: MFJ 1782
Date: Fri, 31 Jul 2009 10:52:33 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 21
Message-ID: <4a72b0d0$0$23464$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 31 Jul 2009 10:52:32 CEST
NNTP-Posting-Host: 81.251.89.25
X-Trace: 1249030352 news.orange.fr 23464 81.251.89.25:3420
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:1684
```

Hello

I have bought an antenna in secondhand an antenna MFJ-1782. I have some problems to obtain good results for the SWR .My antenna is in vertical polarization. I use this antenna with a battery..

I have only a good SWR in the ten meter band (1.1) but when the frequency degreases , the SWR increases very rapidly . On the 20 meter band , the SWR is near 3-3.5 - The coax is H100.

I tried with differents lenghs of coax . (5 , 10, 15 meters) and the result is the same.

I don't know what I must do.

I write you (in bad English and excuse me) to say if you have a solution to my problem.. I thank you in advance

73

From -3645403365922270755
X-Google-Thread: d7f5508063,c03fd2f12527131a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news.cse.ohio-state.edu!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: The "other" end that is near....
Date: Sat, 13 Jun 2009 18:25:22 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 39
Message-ID: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1244917525 5304 192.94.73.1 (13 Jun 2009 18:25:25 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Sat, 13 Jun 2009 18:25:25 +0000 (UTC)
Xref: g2news2.google.com rec.radio.amateur.equipment:1585

One of the guys here talked about losing internet newsgroups and some of us said how he can still get them.

The "other" end of newsgroups is that -- particularly where there is any chance of politics to be involved -- they are being taken over by kooks and extremists who practice one form or the other of shouting, huffing-and-puffing, yelling-and-screaming, beating-the-chest, posting one liner insults (or even one or two word insults), name-calling, cussing, trivia, superficialities, and other meaningless-purposeless Neanderthalisms.

The commercialization of the internet (blogs and website chat rooms) allows the owner of the blog to censor out the "noise" but then it might not be all noise, just something the owner doesn't like.

One of the technical problems of blogs and websies is the chance that they can download malicious code onto your computer (keystroke loggers, rootkits, viruses, spyware, trojans, etc), and collect personal data on you, too. Software firewalls and AV are helpful, but a lot of them, too, collect data on you (so they are spyware, too).

With ID theft said to be the fastest growing crime, I'm wondering if the degredation in the quality of internet security is, some few years in the future, going to lead to another form of economic melt-down as people start geting seriously hit in the wallet by the hackers.

From 7176995384558209622
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!feeder.motzarella.org!news.motzarella.org!motzarella.org!news.eternal-september.org!not-for-mail
From: Alan Ford <zzz.zzz@qqq.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Sat, 13 Jun 2009 13:33:56 -0700
Organization: TNT Group
Lines: 47
Message-ID: <h112fl$pl9$1@news.eternal-september.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.eternal-september.org

U2FsdGVkX1+V+WGUYuTmJWMRDFy9A+VdfnfzTPNg7XxWNrV5g7r/
9+xuMlsWrvEmNaVWDfCeJ6gxgO9yvzKpnUnmWahWcqYVQ4Bb9k5wzJECpmL7YgqyGpvMtxqi7hDF7ruFf9
AlARyBxeZl8mkhyw==
X-Complaints-To: abuse@eternal-september.org
NNTP-Posting-Date: Sat, 13 Jun 2009 20:33:57 +0000 (UTC)
In-Reply-To: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
X-Auth-Sender: U2FsdGVkX1/khA8T3TCRS1AHkbIwCTU9IVrA8xwpFco=
Cancel-Lock: sha1:BTK8vs/4RKs2y6sARAcCL41G+Os=
User-Agent: Thunderbird 2.0.0.21 (Windows/20090302)
Xref: g2news2.google.com rec.radio.amateur.equipment:1586

Stray Dog wrote:

> One of the guys here talked about losing internet newsgroups and some of
> us said how he can still get them.
>
> The "other" end of newsgroups is that -- particularly where there is any
> chance of politics to be involved -- they are being taken over by kooks
> and extremists who practice one form or the other of shouting,
> huffing-and-puffing, yelling-and-screaming, beating-the-chest, posting
> one liner insults (or even one or two word insults), name-calling,
> cussing, trivia, superficialities, and other meaningless-purposeless
> Neanderthalisms.

??? How is this any different from what the newsgroups used to be 5, 10 or 15 years ago?

> The commercialization of the internet (blogs and website chat rooms)
> allows the owner of the blog to censor out the "noise" but then it might
> not be all noise, just something the owner doesn't like.

And? Who gives a shit? As if blogs and such are in any respect relevant to anyone and anything.

And if you think that the newsgroups are full of illiterate idiots who are hardly able to scramble together three or four coherent words, you should read the comments sections below any Youtube video.

> One of the technical problems of blogs and websies is the chance that
> they can download malicious code onto your computer (keystroke loggers,
> rootkits, viruses, spyware, trojans, etc), and collect personal data on
> you, too. Software firewalls and AV are helpful, but a lot of them,
> too, collect
> data on you (so they are spyware, too).

The risk is minuscule. You run a bigger risk contracting a swine flu virus from a phone conversation.

> With ID theft said to be the fastest growing crime, I'm wondering if the
> degredation in the quality of internet security is, some few years in
> the future, going to lead to another form of economic melt-down as
> people start geting seriously hit in the wallet by the hackers.

We've been hearing the same tired story ever since the Internet got invented. The only thing that is the fastest growing in this whole story is the news media bleating about this "huge threat" in between the Cheerios and Viagra commercials, then it's off to another "huge threat" for two minutes, then Cialis and Geico.

```
From -1355908084828258005
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.cse.ohio-state.edu!
pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Sun, 14 Jun 2009 02:03:08 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 152
Message-ID: <Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
 <h112fl$pl9$1@news.eternal-september.org>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1244944992 8344 192.94.73.1 (14 Jun 2009 02:03:12 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Sun, 14 Jun 2009 02:03:12 +0000 (UTC)
In-Reply-To: <h112fl$pl9$1@news.eternal-september.org>
Xref: g2news2.google.com rec.radio.amateur.equipment:1587
```

On Sat, 13 Jun 2009, Alan Ford wrote:

```
> Date: Sat, 13 Jun 2009 13:33:56 -0700
> From: Alan Ford <zzz.zzz@qqq.net>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Re: The "other" end that is near....
>
> Stray Dog wrote:
>
>> One of the guys here talked about losing internet newsgroups and some of us
>> said how he can still get them.
>>
>> The "other" end of newsgroups is that -- particularly where there is any
>> chance of politics to be involved -- they are being taken over by kooks and
>> extremists who practice one form or the other of shouting,
>> huffing-and-puffing, yelling-and-screaming, beating-the-chest, posting one
>> liner insults (or even one or two word insults), name-calling, cussing,
>> trivia, superficialities, and other  meaningless-purposeless
>> Neanderthalisms.
>
```

> ??? How is this any different from what the newsgroups used to be 5, 10 or 15
> years ago?

I perused many NGs almost 20 years ago and the content was much more
thoughtful, substantial, and polite. Today its like the X and Y generation
have taken over.

>> The commercialization of the internet (blogs and website chat rooms) allows
>> the owner of the blog to censor out the "noise" but then it might not be
>> all noise, just something the owner doesn't like.
>
> And? Who gives a shit?

Well, me for one.

  As if blogs and such are in any respect relevant to
> anyone and anything.

In technical areas there are serious authors and serious readers.

> And if you think that the newsgroups are full of illiterate idiots who are
> hardly able to scramble together three or four coherent words, you should
> read the comments sections below any Youtube video.

I don't go there, but have read from people who do and they say there is a
lot of rubbish there.
rub

>> One of the technical problems of blogs and websies is the chance that they
>> can download malicious code onto your computer (keystroke loggers,
>> rootkits, viruses, spyware, trojans, etc), and collect personal data on
>> you, too. Software firewalls and AV are helpful, but a lot of them, too,
>> collect
>> data on you (so they are spyware, too).
>
> The risk is minuscule.

Looks to me like you don't keep up with computer security news.

  You run a bigger risk contracting a swine flu virus
> from a phone conversation.

Do you mean with a person at the other end who has the cold or by handling
a handset that was just used by a person who has the cold?

>> With ID theft said to be the fastest growing crime, I'm wondering if the
>> degredation in the quality of internet security is, some few years in the
>> future, going to lead to another form of economic melt-down as people start
>> geting seriously hit in the wallet by the hackers.
>
> We've been hearing the same tired story ever since the Internet got invented.
> The only thing that is the fastest growing in this whole story is the news
> media bleating about this "huge threat" in between the Cheerios and Viagra

> commercials, then it's off to another "huge threat" for two minutes, then
> Cialis and Geico.

My cc commpany did send me a new cc card because they said my old number was hacked.

I have received several letters over the last few years giving notice that a database was breeched and that I should be on alert for anything that might involve.

One of the banks that I do business with put out a public notice about ID theft and crime and being careful about bank data, account numbers, etc.

I have found two viruses on my computer disks using AV. Since then I am more careful about a lot of things.

A personal friend who confessed that he visited some porno websites also found his computer not working right afterwards and spent a couple of hundred bucks in phone support to get the malicious code off his box.

Our garbage can, containing our garbage in black plastic bags, had those bags removed by persons unknown and not the garbage truck. Fortunately we had been shredding anything with numbers etc on it for some time.

My wife rents commercial office space. I decided to start making backup copies of all working files, including those that needed confidentiality, and deleting the copies on the HD and then over-writing all unassigned spaces on the HD with zeros. That night her office was broken into, two metal file cabinets broken into, and the computer stolen. I was glad they did not get the confidential information.

In the last nearly ten years, several of my computers were hacked and needed to have the HD nuked and all SW re-installed, and in one case they put something on the HD that was not removed by blowing the partitions and reformating. One box, running Linux, was also hacked.

I have lunch, once a month, with ham buddies in a club. Most of them have at least one story like one of the above.

Another personal friend has a wireless network in his house in a suburban neighborhood and he noticed something odd on his computer and looked outside the house (at night) and saw a guy parked outside his house, laptop screen lighting up his face (its called "war driving" and offshoot of war dialing from BBS days). My friend decided to shut off his home wireless network power switch and he look out again and the guy drove off.

I'm not making this up.

Have you ever heard that story that the Titanic is unsinkable? I wonder if there is some wisdom to that story?

```
From -4470592802398347667
X-Google-Thread: d7f5508063,afbbf84bb133d57d,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 14 Jun 2009 08:02:00 -0500
Date: Sun, 14 Jun 2009 06:02:00 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: SPECIAL:  Shock, Awe vs Velvet Revolution
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Q72dnfcX4uFVaanXnZ2dnUVZ_vudnZ2d@earthlink.com>
Lines: 3
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-
HkZHAGGDRNV3D2d4OFE9v+Hq25uri7VvdMGugrqK1hMKK0kSA5I0B+YZFNzqOX7muacKwVPKhg/C94H!
M3HC3tl2BIb4UiGX/7QMq3U9qiNsU26gFkUSAY94IttY5oeYvlZZJhj0/VJRM6aS9nzSkg7d2kXw!
YjBaX7+gac1kl+rDVkYyQ952K52ttASWHI4=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1152
Xref: g2news2.google.com rec.radio.amateur.equipment:1588

(How to "spread" democracy)

http://news.yahoo.com/s/nm/20090611/wl_nm/us_iran_election_9

From -3901162184131080874
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!bigfeed3.bellsouth.net!news.bellsouth.net!border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 14 Jun 2009 08:55:14 -0500
Date: Sun, 14 Jun 2009 06:55:13 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org> <h112fl$pl9$1@news.eternal-september.org> <Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
In-Reply-To: <Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-lteEjrK1Nn+v7R2+aLY2sl+3izxl640t4c/2kRCc3QE7ffx1oCZpL4RGEjVBW5lQUB+BCFYv8SfqBjt!k3jPoKxi2A2zZKNTNd7BiqbbH9zmY0Hb+/Gor2LVXB9NTEppPQlZulrcSV6vJ+pXx9aNzTWFZCjg!zas+IdtLjBTFmn2Og0uuRIMsZW1VNbxYx4I=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1589

Stray Dog wrote:
>
>
>
> A personal friend who confessed that he visited some porno websites also
> found his computer not working right afterwards and spent a couple of
> hundred bucks in phone support to get the malicious code off his box.
>
> Our garbage can, containing our garbage in black plastic bags, had those

```
> bags removed by persons unknown and  not the garbage truck. Fortunately
> we had been shredding anything with numbers etc on it for some time.
>

Confessed?  Are you a priest?

You should recycle the shredder output, not put it in the garbage.


From 2250927118735564467
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.cse.ohio-state.edu!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Sun, 14 Jun 2009 19:07:35 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 58
Message-ID: <Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
 <h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
 <nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1245006459 18149 192.94.73.1 (14 Jun 2009 19:07:39 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Sun, 14 Jun 2009 19:07:39 +0000 (UTC)
In-Reply-To: <nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:1590


On Sun, 14 Jun 2009, dave wrote:

> Date: Sun, 14 Jun 2009 06:55:13 -0700
> From: dave <dave@dave.dave>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Re: The "other" end that is near....
>
> Stray Dog wrote:
>>
>>
>>
>> A personal friend who confessed that he visited some porno websites also
>> found his computer not working right afterwards and spent a couple of
>> hundred bucks in phone support to get the malicious code off his box.
>>
>> Our garbage can, containing our garbage in black plastic bags, had those
```

>> bags removed by persons unknown and not the garbage truck. Fortunately we
>> had been shredding anything with numbers etc on it for some time.
>>
>
> Confessed?

I don't understand the question.

> Are you a priest?

No.

> You should recycle the shredder output, not put it in the garbage.

It makes a mess at the recycling center. Plus, it represents less than 1%
by weight of our garbage. We do take our newspaper disposables, however,
to the recycling center, and is probably a good 75 pounds per three weeks.
We're starting to tear off the address labels, too, and shred them
separately.

What do you do?

From -6248228493999927703
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 14 Jun 2009 14:27:43 -0500
Date: Sun, 14 Jun 2009 12:27:41 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
<h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
<nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
<Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
In-Reply-To: <Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ZISdnVAk0Ziy0qjXnZ2dnUVZ_s-dnZ2d@earthlink.com>
Lines: 43
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-ZrzxyTdPBt9HfXsIIvd/dS0lvLfZ+xF/
gITvHDEKq4fuBYWlbi5tmJCQ0VSRoZs+Jltxc8zBza6XrQs!
G2WkjtIW5hy7TqVcswTEt6mYMP6qVVE6sl8Fjwg7cFI5hO9L6zU7U3A9fk5Ah8aWq6i0HQorDR/s!
ZOmrXR0fulqbNVIrIJcylt/mQ7QuSqfxa6U=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2728
Xref: g2news2.google.com rec.radio.amateur.equipment:1591

Stray Dog wrote:
>
> On Sun, 14 Jun 2009, dave wrote:
>
>> Date: Sun, 14 Jun 2009 06:55:13 -0700
>> From: dave <dave@dave.dave>
>> Newsgroups: rec.radio.amateur.equipment
>> Subject: Re: The "other" end that is near....
>>
>> Stray Dog wrote:
>>>
>>>
>>>
>>> A personal friend who confessed that he visited some porno websites
>>> also found his computer not working right afterwards and spent a
>>> couple of hundred bucks in phone support to get the malicious code
>>> off his box.
>>>
>>> Our garbage can, containing our garbage in black plastic bags, had
>>> those bags removed by persons unknown and  not the garbage truck.
>>> Fortunately we had been shredding anything with numbers etc on it for
>>> some time.
>>>
>>
>> Confessed?
>
> I don't understand the question.
>
```

>> Are you a priest?
>
> No.
>
>> You should recycle the shredder output, not put it in the garbage.
>
> It makes a mess at the recycling center. Plus, it represents less than
> 1% by weight of our garbage. We do take our newspaper disposables,
> however, to the recycling center, and is probably a good 75 pounds per
> three weeks. We're starting to tear off the address labels, too, and
> shred them separately.
>
> What do you do?
>
The shredder output is bagged, then put in the mixed recycling bin.

From 6510236412768444287
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!bigfeed3.bellsouth.net!
news.bellsouth.net!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 14 Jun 2009 14:39:25 -0500
Date: Sun, 14 Jun 2009 12:39:23 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
<h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
<nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
<Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
In-Reply-To: <Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <0dKdnSL4C9hzzKjXnZ2dnUVZ_jJi4p2d@earthlink.com>
Lines: 30
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace: sv3-GeThpe8Dd+H94a3E00xYiBOJ4NZrIoFZ2OuzVjZ65HHR72H98auF+vUzl/
yEDb+309K0f3vTAGu7csF!ueSXaGUST5KNxMBDHK3FMTb5tHQ0sh2lpHc6R1osn09tRXy/
5CzsHotHBQTAeSYfooQuctZYba5H!0MenuP7FQymSEPwsHjdzoMuU843NrstvA2g=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39

```
Xref: g2news2.google.com rec.radio.amateur.equipment:1592

Stray Dog wrote:
>
> On Sun, 14 Jun 2009, dave wrote:
>
>> Date: Sun, 14 Jun 2009 06:55:13 -0700
>> From: dave <dave@dave.dave>
>> Newsgroups: rec.radio.amateur.equipment
>> Subject: Re: The "other" end that is near....
>>
>> Stray Dog wrote:
>>>
>>>
>>>
>>> A personal friend who confessed that he visited some porno websites
>>> also found his computer not working right afterwards and spent a
>>> couple of hundred bucks in phone support to get the malicious code
>>> off his box.
>>>
>>> Our garbage can, containing our garbage in black plastic bags, had
>>> those bags removed by persons unknown and  not the garbage truck.
>>> Fortunately we had been shredding anything with numbers etc on it for
>>> some time.
>>>
>>
>> Confessed?
>
> I don't understand the question.
>

"Confessed" implies wrongdoing.  Are you a prude?


From 280314227951301017
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
feeder.motzarella.org!news.motzarella.org!motzarella.org!news.motzarella.org!not-
for-mail
From: Alan Ford <zzz.zzz@qqq.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Sun, 14 Jun 2009 14:54:43 -0700
Organization: TNT Group
Lines: 170
Message-ID: <h13rj4$ume$1@news.eternal-september.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
<h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.eternal-september.org U2FsdGVkX19+RtprsRoNFwtjyZVGiM2Q7E/
i1yujmgBkCpoN+bZs+2og6cY/
qXN0bupNkUc4nVBrbLpO+cbWD4I0piya6jlRGKTyP3GLpXmRNA9ROYVdph+mL8UgJ77eILcsBT9Qn4fTRY
ttxD7amA==
X-Complaints-To: abuse@motzarella.org
NNTP-Posting-Date: Sun, 14 Jun 2009 21:54:45 +0000 (UTC)
In-Reply-To: <Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
X-Auth-Sender: U2FsdGVkX19r4x9QCC8k6sD5+RsLl4+bdzF4oa8wc4U=
Cancel-Lock: sha1:T0tqmwyrJgePGTsu3/sYqiAsIQQ=
User-Agent: Thunderbird 2.0.0.21 (Windows/20090302)
Xref: g2news2.google.com rec.radio.amateur.equipment:1593

Stray Dog wrote:

>>> One of the guys here talked about losing internet newsgroups and some
>>> of us said how he can still get them.
>>>
>>> The "other" end of newsgroups is that -- particularly where there is
>>> any chance of politics to be involved -- they are being taken over by
>>> kooks and extremists who practice one form or the other of shouting,
>>> huffing-and-puffing, yelling-and-screaming, beating-the-chest,
>>> posting one liner insults (or even one or two word insults),
>>> name-calling, cussing, trivia, superficialities, and other
>>> meaningless-purposeless Neanderthalisms.
>>
>> ??? How is this any different from what the newsgroups used to be 5,
>> 10 or 15 years ago?
>
> I perused many NGs almost 20 years ago and the content was much more
> thoughtful, substantial, and polite. Today its like the X and Y
> generation have taken over.

Nothing to do with the generation gap. The stupidity index is a lot
higher today than at the beginning of the Internet/Usenet because today
every trailer trash moron and his mother has access to it.

>>> One of the technical problems of blogs and websies is the chance that
>>> they can download malicious code onto your computer (keystroke
>>> loggers, rootkits, viruses, spyware, trojans, etc), and collect
>>> personal data on you, too. Software firewalls and AV are helpful, but
>>> a  lot of them, too, collect
>>> data on you (so they are spyware, too).
>>
>> The risk is minuscule.
>
> Looks to me like you don't keep up with computer security news.

The risk is minuscule, provided you:

- keep your OS and browser updated with security patches
- run a s/w or h/w firewall, preferably both
```

- are not stupid enough to download and run unknown files

>>> With ID theft said to be the fastest growing crime, I'm wondering if
>>> the degredation in the quality of internet security is, some few
>>> years in the future, going to lead to another form of economic
>>> melt-down as people start geting seriously hit in the wallet by the
>>> hackers.
>>
>> We've been hearing the same tired story ever since the Internet got
>> invented. The only thing that is the fastest growing in this whole
>> story is the news media bleating about this "huge threat" in between
>> the Cheerios and Viagra commercials, then it's off to another "huge
>> threat" for two minutes, then Cialis and Geico.
>
> My cc commpany did send me a new cc card because they said my old number
> was hacked.

By far, the majority of the credit card ID theft occurs at the vendor
end, by unscrupulous employees. There is no such thing as "hacking" a
credit card #.

> I have received several letters over the last few years giving notice
> that a database was breeched and that I should be on alert for anything
> that might involve.

Where the hell do you bank, the Al Capone Credit Union? I have accounts
in four different banks and I haven't received any such notice, ever.
Granted, this is a testimonial "evidence" like yours, but still...

> One of the banks that I do business with put out a public notice about
> ID theft and crime and being careful about bank data, account numbers, etc.

Yes, because apparently there are still people out there who think it's
a good idea to write their PIN numbers on cards, leave doors unlocked
overnight and send money to Nigerian princes.
>
> I have found two viruses on my computer disks using AV. Since then I am
> more careful about a lot of things.

??? What, you mean you reduced the number of unknown exe files you
download now?

> A personal friend who confessed that he visited some porno websites also
> found his computer not working right afterwards and spent a couple of
> hundred bucks in phone support to get the malicious code off his box.

Iow, a computer illiterate clueless idiot gets surprised after the free
Underage Russian Midget Lesbian Amputee website downloads turn out to be
something else.
Tell your friend to look for Adam's apples on hookers *before* paying.

> Our garbage can, containing our garbage in black plastic bags, had those
> bags removed by persons unknown and not the garbage truck. Fortunately

> we had been shredding anything with numbers etc on it for some time.

Holy shit, you are like the Hercule Poirot of the ID theft world -
everywhere you turn, someone is stealing your ID.
The vast majority of ID theft occurs where it's convenient, low-risk and
profitable. Dumpster diving is all three at the malls and business.
Garbage diving in residential areas is none of those three.
Phishing for info is all three through massive e-mail spam effort.
Hacking computers individually and browsing for files is none of those
three.

> My wife rents commercial office space. I decided to start making backup
> copies of all working files, including those that needed
> confidentiality, and deleting the copies on the HD and then over-writing
> all unassigned spaces on the HD with zeros. That night her office was
> broken into, two metal file cabinets broken into, and the computer
> stolen. I was glad they did not get the confidential information.

Now you're just rambling. Low-level formatting of hard drives does fuck
all to protect from ID theft. The thieves who stole the computer chucked
it for a couple of bucks so that they can buy drugs. Their reseller is
more than likely interested in reselling the stolen goods quickly and
making a buck, not in wasting time browsing through millions of files on
hundreds of hard drives.
ID thieves are in the business of stealing IDs. This means getting
thousands of credit card, social security numbers and addresses at once,
using a fraction of them quickly and disappearing. It is a wholesale
business. They don't fuck around trying to get one number at a time -
hence nothing that you describe so far fits their modus operandi.
>
> In the last nearly ten years, several of my computers were hacked and
> needed to have the HD nuked and all SW re-installed,

Yeah, so? This only shows that you run totally unprotected, unsecured
and vulnerable systems.

> and in one case
> they put something on the HD that was not removed by blowing the
> partitions and reformating.

Bullshit. What day is it, an International Urban Legend Day?

> One box, running Linux, was also hacked.

Highly unlikely, unless of course you're a big enough idiot to install
the system with default passwords and logins.

> I have lunch, once a month, with ham buddies in a club. Most of them
> have at least one story like one of the above.

Then most of your buddies are clueless, too.

> Another personal friend has a wireless network in his house in a

> suburban neighborhood and he noticed something odd on his computer and
> looked outside the house (at night) and saw a guy parked outside his
> house, laptop screen lighting up his face (its called "war driving" and
> offshoot of war dialing from BBS days). My friend decided to shut off
> his home wireless network power switch and he look out again and the
> guy drove off.
>
> I'm not making this up.

This is getting better and better. Your friend has a home wireless system that he doesn't even bother password-protecting, then both you and him wonder how your systems get hacked and who knows what else?

Btw, I can easily tap into at least three or four of my neighbors' wireless networks at any time, too - no passwords, as you can imagine. So whose fault is it if their computers get hacked? You leave $1000 in your driveway, you think it's going to be there the next day?

> Have you ever heard that story that the Titanic is unsinkable? I wonder
> if there is some wisdom to that story?

There is also some wisdom in the story of how you don't stick your dick in the alligator's mouth unless you want to have it chopped off.

From -3211097521177332335
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!newsfeed.freenet.de!multikabel.net!newsfeed20.multikabel.net!news.glorb.com!news2.glorb.com!news.linkpendium.com!news.linkpendium.com!flph200.ffdc.sbc.com!prodigy.net!flph199.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!nlpi065.nbdc.sbc.com.POSTED!ef855899!not-for-mail
From: patrick jankowiak <eccm@swbell.net>
Reply-To: recyclerREMOVE_THIS@swbell.net
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: ham-com 2009 pictures
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 090614-0, 06/14/2009), Outbound message
X-Antivirus-Status: Clean
Lines: 5
Message-ID: <WOhZl.28755$c45.6420@nlpi065.nbdc.sbc.com>
NNTP-Posting-Host: 208.190.133.204
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi065.nbdc.sbc.com 1245030710 ST000 208.190.133.204 (Sun, 14 Jun 2009 21:51:50 EDT)
NNTP-Posting-Date: Sun, 14 Jun 2009 21:51:50 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:

```
Q[RGW\KEVJUSP_T[LJJ\OPLI[B]NQH]KKY\@LWQHBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Sun, 14 Jun 2009 20:51:39 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1594

ham-com 2009 pictures

http://www.bunkerofdoom.com/hamcom/2009/index.html

some old radio equ. there.


From -8096366990694670697
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!newsfeed.straub-
nv.de!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Mon, 15 Jun 2009 01:57:01 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 403
Message-ID: <Pine.NEB.4.64.0906150110120.27790@sdf.lonestar.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
 <h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
 <h13rj4$ume$1@news.eternal-september.org>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1245031025 20602 192.94.73.1 (15 Jun 2009 01:57:05 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Mon, 15 Jun 2009 01:57:05 +0000 (UTC)
In-Reply-To: <h13rj4$ume$1@news.eternal-september.org>
Xref: g2news2.google.com rec.radio.amateur.equipment:1595


On Sun, 14 Jun 2009, Alan Ford wrote:

> Date: Sun, 14 Jun 2009 14:54:43 -0700
> From: Alan Ford <zzz.zzz@qqq.net>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Re: The "other" end that is near....
>
> Stray Dog wrote:
>
>>>> One of the guys here talked about losing internet newsgroups and some of
>>>> us said how he can still get them.
>>>>
```

>>>> The "other" end of newsgroups is that -- particularly where there is any
>>>> chance of politics to be involved -- they are being taken over by kooks
>>>> and extremists who practice one form or the other of shouting,
>>>> huffing-and-puffing, yelling-and-screaming, beating-the-chest, posting
>>>> one liner insults (or even one or two word insults), name-calling,
>>>> cussing, trivia, superficialities, and other meaningless-purposeless
>>>> Neanderthalisms.
>>>
>>> ??? How is this any different from what the newsgroups used to be 5, 10 or
>>> 15 years ago?
>>
>> I perused many NGs almost 20 years ago and the content was much more
>> thoughtful, substantial, and polite. Today its like the X and Y generation
>> have taken over.
>
> Nothing to do with the generation gap. The stupidity index is a lot
> higher today than at the beginning of the Internet/Usenet because today every
> trailer trash moron and his mother has access to it.

And, this access has certainly not improved the "quality of life" like it
has been promoted to do by all manner of leaders and commericial
interests.

>>>> One of the technical problems of blogs and websies is the chance that
>>>> they can download malicious code onto your computer (keystroke loggers,
>>>> rootkits, viruses, spyware, trojans, etc), and collect personal data on
>>>> you, too. Software firewalls and AV are helpful, but a lot of them, too,
>>>> collect
>>>> data on you (so they are spyware, too).
>>>
>>> The risk is minuscule.
>>
>> Looks to me like you don't keep up with computer security news.
>
> The risk is minuscule, provided you:
>
> - keep your OS and browser updated with security patches

You can hack any OS an browser; just google search on your favorites.

> - run a s/w or h/w firewall, preferably both

Not enough because the firewall will pass files (such as HTMLs, XMLs) that
a firewall would not be configured to reject based on signatures.

> - are not stupid enough to download and run unknown files

This is almost impossible to do in a world where automatic updates are
common and trojanized websites exist.

>>>> With ID theft said to be the fastest growing crime, I'm wondering if the
>>>> degredation in the quality of internet security is, some few years in the
>>>> future, going to lead to another form of economic melt-down as people

>>>> start geting seriously hit in the wallet by the hackers.
>>>
>>> We've been hearing the same tired story ever since the Internet got
>>> invented. The only thing that is the fastest growing in this whole story
>>> is the news media bleating about this "huge threat" in between the
>>> Cheerios and Viagra commercials, then it's off to another "huge threat"
>>> for two minutes, then Cialis and Geico.
>>
>> My cc commpany did send me a new cc card because they said my old number
>> was hacked.
>
> By far, the majority of the credit card ID theft occurs at the vendor
> end, by unscrupulous employees.

When I went into further detail with them, they told me where the
"compromise" took place and it was nowhere near me.

  There is no such thing as "hacking" a
> credit card #.

They've even got chips that get replaced in walmart readers where they
grab the numbers and they get sent to a 3rd party which is the hackers.

They've got keyboard overlays at gas stations where they grab the cc
number and your PIN as soon as you enter it.

The old trick: the ATM machine. hacked so you put in your cc, then the
PIN, and no money comes out, but they have your numbers.

Yeah, your cc number can be hacked.

>> I have received several letters over the last few years giving notice that
>> a database was breeched and that I should be on alert for anything that
>> might involve.
>
> Where the hell do you bank, the Al Capone Credit Union?

A branch of one of the larger banks, international, too.

  I have accounts
> in four different banks and I haven't received any such notice, ever.

Your tough luck.

> Granted, this is a testimonial "evidence" like yours, but still...

They just don't do dilligence.

>> One of the banks that I do business with put out a public notice about ID
>> theft and crime and being careful about bank data, account numbers, etc.
>
> Yes, because apparently there are still people out there who think it's
> a good idea to write their PIN numbers on cards,

Which proves my point.

  leave doors unlocked
> overnight and send money to Nigerian princes.
>>

Also proves my point.

>> I have found two viruses on my computer disks using AV. Since then I am
>> more careful about a lot of things.
>
> ??? What, you mean you reduced the number of unknown exe files you
> download now?

Many more processes than that.

>> A personal friend who confessed that he visited some porno websites also
>> found his computer not working right afterwards and spent a couple of
>> hundred bucks in phone support to get the malicious code off his box.
>
> Iow, a computer illiterate clueless idiot gets surprised after the free
> Underage Russian Midget Lesbian Amputee website downloads turn out to be
> something else.

I'm trying to convey the idea that people need to be more careful.

> Tell your friend to look for Adam's apples on hookers *before* paying.

I tell guys to get their skin views, instead, from magazines from adult
bookstores.

>> Our garbage can, containing our garbage in black plastic bags, had those
>> bags removed by persons unknown and not the garbage truck. Fortunately we
>> had been shredding anything with numbers etc on it for some time.
>
> Holy shit, you are like the Hercule Poirot of the ID theft world - everywhere
> you turn, someone is stealing your ID.

I'd rather assume that than someone is getting free ballast for their
sailboat; particularly when the security media have talked (and have
statistics on) hacking garbage in garbage cans.

> The vast majority of ID theft occurs where it's convenient, low-risk and
> profitable. Dumpster diving is all three at the malls and business. Garbage
> diving in residential areas is none of those three.

The garbage can was in a commercial neighborhood. But, I'd even be careful
in residential areas.

> Phishing for info is all three through massive e-mail spam effort.
> Hacking computers individually and browsing for files is none of those three.

I've obtained a number of used computers, some from thrift stores, some by gifts: all had personal information that the owners should have been worried about.

And, there is quite a lot of articles on this in the media.

>> My wife rents commercial office space. I decided to start making backup
>> copies of all working files, including those that needed confidentiality,
>> and deleting the copies on the HD and then over-writing all unassigned
>> spaces on the HD with zeros. That night her office was broken into, two
>> metal file cabinets broken into, and the computer stolen. I was glad they
>> did not get the confidential information.
>
> Now you're just rambling. Low-level formatting of hard drives does fuck all
> to protect from ID theft.

Low-level formating is for head tracking. You never need to re-low level format. You are talking about high level formating. You do that, and then you have to re-install everything. You only need to zero out the unassigned empty disk space. There are utilities to do this, such as Norton's that writes zeros to all unassigned space. Its faster for me to unzip a compressed file of zeros.

The thieves who stole the computer chucked it for a
> couple of bucks so that they can buy drugs.

It was never found so we don't know what they did, or why. However, word around town (I know people) is that a lot of computers were being stolen.

Their reseller is more than
> likely interested in reselling the stolen goods quickly and making a buck,

Premature conclusion based on speculation.

> not in wasting time browsing through millions of files on hundreds of hard
> drives.

Most people put all their files under the folder "My Documents" and not burried 27 directories deep in "system" folders.

> ID thieves are in the business of stealing IDs.

And, there is a lot of it going on. And, everyone I meet falls into one of two categories: i) What, me worry? (most people) and ii) a few that take precautions.

This means getting thousands
> of credit card, social security numbers and addresses at once, using a
> fraction of them quickly and disappearing.

This is only one of several approaches in the ID theft criminology.

> It is a wholesale business. They

> don't fuck around trying to get one number at a time - hence nothing that you
> describe so far fits their modus operandi.

There is a whole spectrum of ID theft. From opportunistic beginners to the mass market. Articles say if you want good cc numbers, you can get them now for as low as 50 cents per number and so crooks maybe buy ten or twenty and start using them whereever they can.

>> In the last nearly ten years, several of my computers were hacked and
>> needed to have the HD nuked and all SW re-installed,
>
> Yeah, so? This only shows that you run totally unprotected, unsecured and
> vulnerable systems.

On the contrary but if you want to tell me you are running an invulnerable system, then you really can't prove that.

For example, a few years ago I read Ed Skoudis' book "Malware--fighting malicious code" and newer editions have come out. Basically, hackers can do anything. You can never prove your system has never been hacked. All you can say is something like "My AV has not detected anything" which means your system may have a rootkit on it that the AV can't detect.

You are always vulnerable to infection if the virus comes to your box before the AV signature comes, and if the virus can hide itself well, then even after the signature comes, you're screwed.

>> and in one case they put something on the HD that was not removed by
>> blowing the partitions and reformating.
>
> Bullshit.

There are addresses on HDs that are not normally accessible by OSes.

> What day is it, an International Urban Legend Day?

You seem to prefer to be arrogant.

>> One box, running Linux, was also hacked.
>
> Highly unlikely, unless of course you're a big enough idiot to install the
> system with default passwords and logins.

No, but I know it was hacked.

>> I have lunch, once a month, with ham buddies in a club. Most of them have
>> at least one story like one of the above.
>
> Then most of your buddies are clueless, too.

No, they are responsible, careful guys who noticed fishy things and they all managed to avoid, one way or the other, getting into deeper trouble.

>> Another personal friend has a wireless network in his house in a suburban
>> neighborhood and he noticed something odd on his computer and looked
>> outside the house (at night) and saw a guy parked outside his house,
>> laptop screen lighting up his face (its called "war driving" and offshoot
>> of war dialing from BBS days). My friend decided to shut off
>> his home wireless network power switch and he look out again and the
>> guy drove off.
>>
>> I'm not making this up.
>
> This is getting better and better. Your friend has a home wireless system
> that he doesn't even bother password-protecting,

What this, and all of my other examples, show is that quite a large
fraction of the people are careless about their computer security.

  then both you and him wonder
> how your systems get hacked and who knows what else?

Over recent years I've read four books on hacking to teach myself just
what these guys can do. In addition to my personal experience, plus
numberous articles in some five computer trade periodicals that I also
subscribed to, hacking comes up as a major problem that does not get
sufficient attention.

I take many precautions to reduce my vulnerability.

> Btw, I can easily tap into at least three or four of my neighbors' wireless
> networks at any time, too - no passwords, as you can imagine. So whose fault
> is it if their computers get hacked?

I'm not sure if you are trying to just be sarcastic, or sarcastic and
cynical.

  You leave $1000 in your driveway, you
> think it's going to be there the next day?

Like my original post, I do recommend to everyone (and give examples) that
they need to tighten up their acts.

I also do not leave money in my driveway.

>> Have you ever heard that story that the Titanic is unsinkable? I wonder if
>> there is some wisdom to that story?
>
> There is also some wisdom in the story of how you don't stick your dick in
> the alligator's mouth unless you want to have it chopped off.

Most people have an intuitive notion to stay away from aligators, but you
missed my point that the Titanic was overpromoted as unsinkable and
everyone fell for it.

Coming back to your analysis that all the new stupidity on the internet is due to the trailor trashs getting access (that maybe they should never have gotten to begin with), I would say that your attitude should have been more along the lines of trying to correct a bad situation instead of just leaving it as a bunch of "clueless" people.

Of course, there really are sociological and marketing interests that consider "X-gen" and "Y-gen" personalities as new phenomena and declines in test scores of US kids over the last few decades represent objective evidence of a general decline rather than your simplistic opinion.

```
From -1594119875985767452
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!newsfeed.straub-
nv.de!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Mon, 15 Jun 2009 02:03:28 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 90
Message-ID: <Pine.NEB.4.64.0906150157570.27790@sdf.lonestar.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
 <h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
 <nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
 <Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
 <0dKdnSL4C9hzzKjXnZ2dnUVZ_jJi4p2d@earthlink.com>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1245031412 20613 192.94.73.1 (15 Jun 2009 02:03:32 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Mon, 15 Jun 2009 02:03:32 +0000 (UTC)
In-Reply-To: <0dKdnSL4C9hzzKjXnZ2dnUVZ_jJi4p2d@earthlink.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:1596
```

On Sun, 14 Jun 2009, dave wrote:

```
> Date: Sun, 14 Jun 2009 12:39:23 -0700
> From: dave <dave@dave.dave>
> Newsgroups: rec.radio.amateur.equipment
```

> Subject: Re: The "other" end that is near....
>
> Stray Dog wrote:
>>
>> On Sun, 14 Jun 2009, dave wrote:
>>
>>> Date: Sun, 14 Jun 2009 06:55:13 -0700
>>> From: dave <dave@dave.dave>
>>> Newsgroups: rec.radio.amateur.equipment
>>> Subject: Re: The "other" end that is near....
>>>
>>> Stray Dog wrote:
>>>>
>>>>
>>>>
>>>> A personal friend who confessed that he visited some porno websites also
>>>> found his computer not working right afterwards and spent a couple of
>>>> hundred bucks in phone support to get the malicious code off his box.
>>>>
>>>> Our garbage can, containing our garbage in black plastic bags, had those
>>>> bags removed by persons unknown and not the garbage truck. Fortunately
>>>> we had been shredding anything with numbers etc on it for some time.
>>>>
>>>
>>> Confessed?
>>
>> I don't understand the question.
>>
>
> "Confessed" implies wrongdoing. Are you a prude?

Oh, your talking about the guy who told me he got his computer screwed up by going to a porn website.

Yeah, its "wrongdoing" if he finds out afterwards that he could have avoided trouble by not going there.

What is funny is that he did it a second time, and got his computer screwed up again, so he didn't learn his lesson the first time around.

And, I remember reading an article which listed the kinds of websites that are most loaded with malicious code. Good to stay away from them.

```
From -1390379048154187505
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!newsfeed.straub-
nv.de!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Mon, 15 Jun 2009 02:05:54 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 116
Message-ID: <Pine.NEB.4.64.0906150205440.27790@sdf.lonestar.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
 <h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
 <nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
 <Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
 <ZISdnVAk0Ziy0qjXnZ2dnUVZ_s-dnZ2d@earthlink.com>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
```

```
X-Trace: chessie.cirr.com 1245031558 20628 192.94.73.1 (15 Jun 2009 02:05:58 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Mon, 15 Jun 2009 02:05:58 +0000 (UTC)
In-Reply-To: <ZISdnVAk0Ziy0qjXnZ2dnUVZ_s-dnZ2d@earthlink.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:1597


On Sun, 14 Jun 2009, dave wrote:

> Date: Sun, 14 Jun 2009 12:27:41 -0700
> From: dave <dave@dave.dave>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Re: The "other" end that is near....
>
> Stray Dog wrote:
>>
>> On Sun, 14 Jun 2009, dave wrote:
>>
>>> Date: Sun, 14 Jun 2009 06:55:13 -0700
>>> From: dave <dave@dave.dave>
>>> Newsgroups: rec.radio.amateur.equipment
>>> Subject: Re: The "other" end that is near....
>>>
>>> Stray Dog wrote:
>>>>
>>>>
>>>>
>>>> A personal friend who confessed that he visited some porno websites also
>>>> found his computer not working right afterwards and spent a couple of
>>>> hundred bucks in phone support to get the malicious code off his box.
>>>>
>>>> Our garbage can, containing our garbage in black plastic bags, had those
>>>> bags removed by persons unknown and  not the garbage truck. Fortunately
>>>> we had been shredding anything with numbers etc on it for some time.
>>>>
>>>
>>> Confessed?
>>
>> I don't understand the question.
>>
>>>  Are you a priest?
>>
>> No.
>>
>>> You should recycle the shredder output, not put it in the garbage.
>>
>> It makes a mess at the recycling center. Plus, it represents less than 1%
>> by weight of our garbage. We do take our newspaper disposables, however, to
>> the recycling center, and is probably a good 75 pounds per three weeks.
>> We're starting to tear off the address labels, too, and shred them
>> separately.
>>
>> What do you do?
```

>>
> The shredder output is bagged, then put in the mixed recycling bin.
>

They should be happy getting my 99% of recyclable paper in the form of unshredded newspapers and magazines. Our shredder output volume is pretty small.

From -8311367091288199171
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!news.kjsl.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Mon, 15 Jun 2009 23:40:14 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 23
Sender: et472@72.0.192.106
Message-ID: <Pine.LNX.4.64.0906152336420.4395@darkstar.example.net>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
NNTP-Posting-Host: 72.0.192.106
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1245123601 13992 72.0.192.106 (16 Jun 2009 03:40:01 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 16 Jun 2009 03:40:01 GMT
In-Reply-To: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
Xref: g2news2.google.com rec.radio.amateur.equipment:1598

On Sat, 13 Jun 2009, Stray Dog wrote:

>
>
> One of the guys here talked about losing internet newsgroups and some of us
> said how he can still get them.
>

The end of usenet is when idiots decide a newsgroup is a hangout and
they post all kinds of off-topic junk rather than go where the discussion
belongs.

Yes, it's bad enough that someone posted here about their usenet problem,
when there are plenty of newsgroups including local, where they could
have posted.

But now you start another thread of an even more off-topic nature, and
then let it slide further off topic, and you are the major poster in this
thread.

You've just helped to kill newsgroups, idiot.

    Michael VE2BVW

```
From 2007374448309096832
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!newsfeed.straub-nv.de!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Tue, 16 Jun 2009 11:44:49 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 130
Message-ID: <Pine.NEB.4.64.0906161113060.13700@sdf.lonestar.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
 <Pine.LNX.4.64.0906152336420.4395@darkstar.example.net>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1245152694 8639 192.94.73.1 (16 Jun 2009 11:44:54 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Tue, 16 Jun 2009 11:44:54 +0000 (UTC)
In-Reply-To: <Pine.LNX.4.64.0906152336420.4395@darkstar.example.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:1599
```

On Mon, 15 Jun 2009, Michael Black wrote:

> Date: Mon, 15 Jun 2009 23:40:14 -0400
> From: Michael Black <et472@ncf.ca>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Re: The "other" end that is near....
>
> On Sat, 13 Jun 2009, Stray Dog wrote:
>
>>
>>
>> One of the guys here talked about losing internet newsgroups and some of us

>> said how he can still get them.
>>
> The end of usenet is when idiots decide a newsgroup is a hangout and
> they post all kinds of off-topic junk rather than go where the discussion
> belongs.
>
> Yes, it's bad enough that someone posted here about their usenet problem,
> when there are plenty of newsgroups including local, where they could
> have posted.
>
> But now you start another thread of an even more off-topic nature, and
> then let it slide further off topic, and you are the major poster in this
> thread.
>
> You've just helped to kill newsgroups, idiot.
>
> Michael VE2BVW
>
>

And you think what you posted above is less off topic?

And, what positive contribution did Alan Ford make besides his confused rant full of Bart Simpson bratiness?

Oh, I get it now, you expect me to read your mind and come up with exactly, perfectly, completely just what YOU wanted to hear in a post, and on-topic exactly as you consider it and according to YOUR standards of what is an acceptable topic?

And, the guy who was more interested in whether _I_ was a _prude_ than whether the average computer user on the internet might consider that they might be exposing themselves to malicious code more than they think. Maybe that guy was really implying that having an insatiable need for porno websites is normal?

Fine, you guys can just sit there and lurk until exactly what you want to hear shows up. I try to inject something practical that contributs to an awareness of a problem too many people ignore and what happens? The real idiots come out of the woodwork.

I've been on newsgroups for more than 15 years and it never ceases to amaze me how many guys out there want to be "net cops" and preach about what is on or off topic, tell someone else essetially that they posted something they didn't like, or complain that the content of a thread drifts off the original topic. Why don't you guys get real and notice that conversations in all social contexts, lunch groups, clubs, family get togethers, etc., all drift all over the place.

Oh, maybe you want a moderated newsgroup? Just wait till the moderator tells you to change something in a submitted post.

The other thing that may be causing the rise of blogs and chatrooms over newsgroups is eye candy. With graphical content on websites totally unlimited in terms of color, resolution, animation everyone is being mezmerised/hypnotized to substitute superficial eye candy gratification for intellectual content and substance. Funny I don't heare anyone complaining about the malicious code they are exposing themselves to, or the constant blast of pop-up advertising, or other advertising.

And, why is ham radio a dying hobby? Kids don't need to take a test and get a license; just go out and buy a computer and plug it in to the internet. Or the other big thing: cell phones (don't need a license there either and they are smaller than handi-talkies) and I can drive around and if there are more than five cars near me, then at least one of them has a driver with one hand holding a cellphone up to his ear, and sometimes I even see them looking down on the cellphone (texting).

Oh, yes, the kids are now (articles in the media saying this) doing "sexting" (sending cellphone camera imiages of themselves naked) to each other. I guess that is another thing for that non-prude guy to be happy about.

Sorry to bother you guys in your hammocks down on your south sea island beach under the balmy sun, far away from the depression, who don't have a concern about anything in the world until it involves something you don't want to hear about.

From -5179661685056672397
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!tr22g12.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Thu, 18 Jun 2009 16:27:56 -0400
Organization: Penn State University, Academic Services and Emerging Technology
Lines: 14
Message-ID: <h1e80d$o44k$1@tr22n12.aset.psu.edu>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
<h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
<nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
<Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
<0dKdnSL4C9hzzKjXnZ2dnUVZ_jJi4p2d@earthlink.com>
<Pine.NEB.4.64.0906150157570.27790@sdf.lonestar.org>
NNTP-Posting-Host: nat1.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: tr22n12.aset.psu.edu 1245356878 790676 128.118.40.76 (18 Jun 2009 20:27:58 GMT)
X-Complaints-To: usenet@tr22n12.aset.psu.edu
NNTP-Posting-Date: Thu, 18 Jun 2009 20:27:58 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.21 (Macintosh/20090302)
In-Reply-To: <Pine.NEB.4.64.0906150157570.27790@sdf.lonestar.org>
Xref: g2news2.google.com rec.radio.amateur.equipment:1600

Stray Dog wrote:

> And, I remember reading an article which listed the kinds of websites
> that are most loaded with malicious code. Good to stay away from them.

127.0.0.1 is your friend. Get and use a hostsfile, and your computer will be a lot safer.

You'll also be amazed at the "legitimate" sites that are trying to put stuff on your computer....... One needs not surf porn to get a jacked up computer.

- Mike -

From -8925323254413255140
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!tr22g12.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Thu, 18 Jun 2009 16:30:02 -0400
Organization: Penn State University, Academic Services and Emerging Technology
Lines: 14
Message-ID: <h1e84a$o44k$2@tr22n12.aset.psu.edu>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org> <Pine.LNX.4.64.0906152336420.4395@darkstar.example.net>
NNTP-Posting-Host: nat1.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: tr22n12.aset.psu.edu 1245357002 790676 128.118.40.76 (18 Jun 2009 20:30:02 GMT)
X-Complaints-To: usenet@tr22n12.aset.psu.edu
NNTP-Posting-Date: Thu, 18 Jun 2009 20:30:02 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.21 (Macintosh/20090302)
In-Reply-To: <Pine.LNX.4.64.0906152336420.4395@darkstar.example.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:1601

Michael Black wrote:

> But now you start another thread of an even more off-topic nature, and then let it slide further off topic, and you are the major poster in this thread.
>
> You've just helped to kill newsgroups, idiot.

Should we send the posts to you for approval, Michael?

C'mon, do you think that OT posts just started?

- Mike -

From -2471963213148776327
X-Google-Thread: d7f5508063,e33919889da9aabd
X-Google-Attributes: gidd7f5508063,public,usenet

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
newsfeed.freenet.de!newsfeed00.sul.t-online.de!t-online.de!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
nx02.iad01.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!
news.highwinds-media.com!news.cv.net!not-for-mail
Date: Thu, 18 Jun 2009 20:38:21 -0400
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood Tm-v7 Display 'line'
References: <328X1.45b8766@radiobanter.com>
In-Reply-To: <328X1.45b8766@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 24
Message-ID: <4a3adde9$0$5895$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1602

I have heard that kenwood either will change the display or send you the
part for free.
Don' remember which but call them!
Good Luck,  73
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

328X1 wrote:

>Have one of these in for reported problems. Have resolved most.  I'm
>aware the early units have a common display issue; in that a unwanted
>line or lines appear on the display.  Does anyone know, exactly, the
>root cause of the problem.  Some insight may help formulate a less
>costly repair procedure. The display is a flourescent type display.
>I'm quite versed on display faults [and repair techniques] related to
>LED/LCD type screen displays.  I've not dealt with this particular
>problem, till now.  Replacement displays are cost prohibitive.
>Especially if the problem lies elsewhere, other than the actual display
>part.
>
>
>
>
>
>


From 4409576449521575249
```

```
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.sovam.com!goblin1!goblin.stu.neva.ru!egsner!news.cirr.com!
sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Fri, 19 Jun 2009 19:29:14 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 47
Message-ID: <Pine.NEB.4.64.0906191928450.5451@sdf.lonestar.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
 <h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
 <nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
 <Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
 <0dKdnSL4C9hzzKjXnZ2dnUVZ_jJi4p2d@earthlink.com>
 <Pine.NEB.4.64.0906150157570.27790@sdf.lonestar.org>
<h1e80d$o44k$1@tr22n12.aset.psu.edu>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1245439765 22291 192.94.73.1 (19 Jun 2009 19:29:25 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Fri, 19 Jun 2009 19:29:25 +0000 (UTC)
In-Reply-To: <h1e80d$o44k$1@tr22n12.aset.psu.edu>
Xref: g2news2.google.com rec.radio.amateur.equipment:1603

On Thu, 18 Jun 2009, Michael Coslo wrote:

> Date: Thu, 18 Jun 2009 16:27:56 -0400
> From: Michael Coslo <mjc5@psu.edu>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Re: The "other" end that is near....
>
> Stray Dog wrote:
>
>> And, I remember reading an article which listed the kinds of websites that
>> are most loaded with malicious code. Good to stay away from them.
>
>
> 127.0.0.1 is your friend. Get and use a hostsfile, and your computer will be
> a lot safer.
>
> You'll also be amazed at the "legitimate" sites that are trying to put stuff
> on your computer....... One needs not surf porn to get a jacked up computer.
>
>    - Mike -
>
```

I totally agree.

From 2992944206232197678
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.cse.ohio-state.edu!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Fri, 19 Jun 2009 19:33:35 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 55
Message-ID: <Pine.NEB.4.64.0906191929490.5451@sdf.lonestar.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
 <Pine.LNX.4.64.0906152336420.4395@darkstar.example.net>
<h1e84a$o44k$2@tr22n12.aset.psu.edu>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1245440023 22322 192.94.73.1 (19 Jun 2009 19:33:43 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Fri, 19 Jun 2009 19:33:43 +0000 (UTC)
In-Reply-To: <h1e84a$o44k$2@tr22n12.aset.psu.edu>
Xref: g2news2.google.com rec.radio.amateur.equipment:1604

On Thu, 18 Jun 2009, Michael Coslo wrote:

> Date: Thu, 18 Jun 2009 16:30:02 -0400
> From: Michael Coslo <mjc5@psu.edu>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Re: The "other" end that is near....
>
> Michael Black wrote:
>
>> But now you start another thread of an even more off-topic nature, and
>> then let it slide further off topic, and you are the major poster in this
>> thread.
>>
>> You've just helped to kill newsgroups, idiot.
>
> Should we send the posts to you for approval, Michael?
>
>
> C'mon, do you think that OT posts just started?
>
>   - Mike -
>

In every group there are a few individuals who would like to be "net cop" and be a medieval king: everyone obey MY^ rules, but I don't have to obey my own rules.

More seriously, what kills newsgroups is a less than critical mass of people who are willing to author _any_ posts, including OT posts that draw other people out of their lazyness through the principle of "I'm going to let someone ELSE do all the work."

```
From -7092838512603358284
X-Google-Thread: d7f5508063,aec2a3b76544468b,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!tom
From: Thomas <tom@aspotsomwc.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment
Subject: FA: Standard C510A 2m/440 Handheld HT Ham Radio
Date: Sun, 21 Jun 2009 12:58:26 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <210620091258266177%tom@aspotsomwc.com>
NNTP-Posting-Host: 75.67.219.78
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1245603506 31656 75.67.219.78 (21 Jun 2009 16:58:26 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 21 Jun 2009 16:58:26 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:590099 alt.ham-
radio.marketplace:597 rec.radio.amateur.equipment:1605


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320387229135


From 1018872619480734282
X-Google-Thread: d7f5508063,230182a5a733d22b,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!tr22g12.aset.psu.edu!not-
for-mail
From: "Bob Spooner" <rls19@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: loose glass in meter
Date: Mon, 22 Jun 2009 10:28:49 -0400
Organization: Penn State University, Academic Services and Emerging Technology
Lines: 9
Message-ID: <h1o4f2$hk6k$1@tr22n12.aset.psu.edu>
NNTP-Posting-Host: nat4.arl.psu.edu
X-Trace: tr22n12.aset.psu.edu 1245680930 577748 128.118.40.79 (22 Jun 2009
14:28:50 GMT)
X-Complaints-To: usenet@tr22n12.aset.psu.edu
NNTP-Posting-Date: Mon, 22 Jun 2009 14:28:50 +0000 (UTC)
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:1606

I have a Viking II that the glass in the meter came loose. I'd rather not disassemble the front panel (since it looks to be a lot of work) to remove the meter which is behind a RF proof shield, so I'm thinking of just gluing the glass in a few spots. What would be good for making the glass stick to the meter case?

73, Bob AD3K

From 4051847257847838420
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!tr22g12.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Mon, 22 Jun 2009 14:21:06 -0400
Organization: Penn State University, Academic Services and Emerging Technology
Lines: 32
Message-ID: <h1oi2k$ek6q$1@tr22n12.aset.psu.edu>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
<h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
<nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
<Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
<0dKdnSL4C9hzzKjXnZ2dnUVZ_jJi4p2d@earthlink.com>
<Pine.NEB.4.64.0906150157570.27790@sdf.lonestar.org>
<h1e80d$o44k$1@tr22n12.aset.psu.edu>
<Pine.NEB.4.64.0906191928450.5451@sdf.lonestar.org>
NNTP-Posting-Host: nat2.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: tr22n12.aset.psu.edu 1245694869 479450 128.118.40.77 (22 Jun 2009 18:21:09 GMT)
X-Complaints-To: usenet@tr22n12.aset.psu.edu
NNTP-Posting-Date: Mon, 22 Jun 2009 18:21:09 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.21 (Macintosh/20090302)
In-Reply-To: <Pine.NEB.4.64.0906191928450.5451@sdf.lonestar.org>
Xref: g2news2.google.com rec.radio.amateur.equipment:1607

Stray Dog wrote:

> On Thu, 18 Jun 2009, Michael Coslo wrote:
>
>> Date: Thu, 18 Jun 2009 16:27:56 -0400
>> From: Michael Coslo <mjc5@psu.edu>
>> Newsgroups: rec.radio.amateur.equipment
>> Subject: Re: The "other" end that is near....
>>
>> Stray Dog wrote:
>>
>>> And, I remember reading an article which listed the kinds of websites
>>> that are most loaded with malicious code. Good to stay away from them.
>>
>>
>> 127.0.0.1 is your friend. Get and use a hostsfile, and your computer
>> will be a lot safer.
>>
>> You'll also be amazed at the "legitimate" sites that are trying to put
>> stuff on your computer....... One needs not surf porn to get a jacked
>> up computer.
>>
>>   - Mike -
>>
>
> I totally agree.

I forgot to mention even equipment gets in the mix. Ever install an HP
printer? I spent a lot of time denying internet access to a lot of stuff
they installed on my computer. Too bad they make some really good
printers... Wonder just why 4 or 5 things need to go to the net every boot?

- 73 de Mike N3LI -

From 1609201701235341474
X-Google-Thread: d7f5508063,c03fd2f12527131a
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.cse.ohio-state.edu!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The "other" end that is near....
Date: Tue, 23 Jun 2009 13:30:49 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 411
Message-ID: <Pine.NEB.4.64.0906231258450.6139@sdf.lonestar.org>
References: <Pine.NEB.4.64.0906131814250.9694@sdf.lonestar.org>
<h112fl$pl9$1@news.eternal-september.org>
<Pine.NEB.4.64.0906140131030.1675@sdf.lonestar.org>
<nv2dnSNk8KbfnKjXnZ2dnUVZ_ohi4p2d@earthlink.com>
<Pine.NEB.4.64.0906141902560.23039@sdf.lonestar.org>
<0dKdnSL4C9hzzKjXnZ2dnUVZ_jJi4p2d@earthlink.com>

```
 <Pine.NEB.4.64.0906150157570.27790@sdf.lonestar.org>
<h1e80d$o44k$1@tr22n12.aset.psu.edu>
 <Pine.NEB.4.64.0906191928450.5451@sdf.lonestar.org>
<h1oi2k$ek6q$1@tr22n12.aset.psu.edu>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1245763854 3295 192.94.73.1 (23 Jun 2009 13:30:54 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Tue, 23 Jun 2009 13:30:54 +0000 (UTC)
In-Reply-To: <h1oi2k$ek6q$1@tr22n12.aset.psu.edu>
Xref: g2news2.google.com rec.radio.amateur.equipment:1608
```

On Mon, 22 Jun 2009, Michael Coslo wrote:

```
> Date: Mon, 22 Jun 2009 14:21:06 -0400
> From: Michael Coslo <mjc5@psu.edu>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Re: The "other" end that is near....
>
> Stray Dog wrote:
>> On Thu, 18 Jun 2009, Michael Coslo wrote:
>>
>>> Date: Thu, 18 Jun 2009 16:27:56 -0400
>>> From: Michael Coslo <mjc5@psu.edu>
>>> Newsgroups: rec.radio.amateur.equipment
>>> Subject: Re: The "other" end that is near....
>>>
>>> Stray Dog wrote:
>>>
>>>> And, I remember reading an article which listed the kinds of websites
>>>> that are most loaded with malicious code. Good to stay away from them.
>>>
>>>
>>> 127.0.0.1 is your friend. Get and use a hostsfile, and your computer will
>>> be a lot safer.
>>>
>>> You'll also be amazed at the "legitimate" sites that are trying to put
>>> stuff on your computer....... One needs not surf porn to get a jacked up
>>> computer.
>>>
>>>     - Mike -
>>>
>>
>> I totally agree.
>
> I forgot to mention even equipment gets in the mix. Ever install an HP
> printer? I spent a lot of time denying internet access to a lot of stuff they
> installed on my computer. Too bad they make some really good printers...
> Wonder just why 4 or 5 things need to go to the net every boot?
>
>    - 73 de Mike N3LI -
```

>

I'll tell you another one. One of the hard drive manufacturers had, built into some memory chip on the hard drive circuit board some code that "phoned home" for reasons never really disclosed. The guy who found out called the manufacturer but the rep he talked to couldn't say what the story was.

A lot of this spyware crap came out in a lot of the computer trade magazines back 2000 to 2005 or so (computerworld, infoweek, eweek, and several others). Ed Foster had a "gripeline" column in one of the magazines and spent a lot of time on what I call the tricky-cheaty-sneaky crap (everything from spyware to shrinkwrap intimidations). He even had a website. His magazine laid him off (maybe the advertizers were intimidated and threatened to pull their ad contracts) so he set up his own website where he continued to be a forum for user gripes about all manner of things.

Another article speculated on the idea that a motherboard ROM-pack could be a place to store a virus or other malicious code and that if you ever got one there, you'd have to re-flash the ROM-pack to get it out. IIRC, the same author speculated on other locations (eg. video cards) where there is memory that can be a home for malicious code.

I bought two netbooks recently (another experience in initial frustration, but they are working fine now and connecting to the internet through a very new Sprint "mobile hotspot" model 2200, and it is pretty niffty). The hotspot is a little box about 1/3 the volume of a pack of cigarettes, you plug in the wall wart PS, and turn it on. It automatically connects wirelessly to the Sprint cell phone tower across the street. I can turn on any or all three of our XP computers (both netbooks and a XP desktop with a wireless adapter) and they automatically connect to the hotspot. I don't worry about wardrivers since the house is 700 feet from the public road at the edge of our property and surely beyond the range of the hotspot, but it also needs a hexkey put into the software or it doesn't work, Also, it does NAT so your boxes are IP-address masqueraded.

One reason Microsofts software firewall is a PoC is that it lets any outgoing packets go that want to go. So, I put on Zone Alarm on to find out that half the pre-installed aps are probing back to the mothership for updates. And, what else are they sending back at the same time? One article said that Microsoft's OSes now send back to the mother ship the serial number of any network card that you put into your slots.

And, I have a Java package that is trying to update itself and I can't find it in the installed software list.

Then, we bought a $400 HP laser printer. The printer driver CDROM disk says it needs 110 MB of HD space. Seems like a lot. After install.... ding, ding...the Zone Alarm pop-up tells me the printer driver is trying to access the internet.

I read Ed Skoudis' book and wrote the following review. Its a serious issue......firewalls and AV and anti-spyware are not enough.

One possible future danger is that the hackers and ID theft guys cause so much degredation in the integrity of internet based business that people leave the internet in such waves that it has a negative effect on our economy (another recesson/depression?). Maybe an over-reaction on my part? After all, so many people I know just are so ambivalent about computer security, even the commercial entities (cc companies, databases, etc).

Are Macs any better? I did a google search on "hack osx" and got tens of thousands of hits. After all, OS-X is based on Darwin which is based on BSD, another unix clone and there are tens of thousands of rootkits for all the unix flavors, too.

===========

March 27, 2004

This review is composed of a collection of possibly useful information from the book:

Malware: Fighting Malicious Code
by Ed Skoudis and Lenny Zeltser
Prentice Hall, ISBN 0131014056, c 2004, 647 pp.
$44.99 and, sorry, Amazon says it did not get permission from the publisher to let you get a "look inside the book" (I was thinking of putting page references along with some of my comments below but that won't work now).

After having read Hacking Exposed (McClure etal., c 1999) and Hacking Linux Exposed (Hatch etal., c 2001), and paging through Hack Attacks Revealed (Chirillo, c 2001), I thought I should get at least one good recent overview of the problems in computer-internet security to figure out where we are these days. When I read the earlier dated books, it was clear that the internet is very vulnerable. After reading this newest book, the situation is even worse. Most of this report is a summary of what I read. At the end of this post is a list of URLs that may be of use to some of you who wish to pursue in more detail what is going on out in the internet jungle. Unix and Windows are given about equal time.

Today, all code and/or instructions that can be used to compromise your computer are being more and more referred to as _malware_ or _malicious code_ instead of _virus_. Spyware is one example of malicious code and, according to the authors' definition, is not most properly called a virus. I will avoid the discussion about definitions (they have changed in the last couple of years) to focus on the main story: anti-virus software and firewalls (such as ZoneAlarm) are not enough. It may occur to people that spyware generally gets past both AV and firewall defenses (although the book acknowledges that some AV software will find some spyware and other malicious code) so here is the first indication that AV and firewalls are not enough. Viruses are now defined as, generally, needing some human action (eg. clicking on an attachement) to activate them. Worms are now defined as code that propagates over the net without human intervention.

What else is out there besides viruses and spyware? Attackers (sometimes called either hackers or crackers) have two categories of methodologies to use against you besides viruses and spyware: i) rootkits, and ii) a wide variety of what I will call "control signals" and "tricks."

A rootkit is at least one file which, once placed on your box, creates a backdoor that the attacker can use at any time to log onto your box and use it any way he wants. Rootkits have many functions including everything they need to make them extremely if not impossible to detect. At the minimum, rootkits allow attackers to communicate with your box (even though you have a strong firewall) and allow the attacker to cover or erase ALL traces of its existence including any entry or monitoring logs. Moreover, a rootkit causes the operating sytem to lie to you when you ask it questions about what files are on the box, their identity, size, etc. Attackers can even alter the rootkit so that your antivirus package wont be able to detect the rootkit even if the rootkit definition is in the antivirus package (the so-called polymorphic viruses also can change their signature and get past AVs because the definition in the AV doesn't match the new virus code). Rootkits can take as little as ten seconds to be placed on your box. There are more rootkits for the UNIX OS and their clones than for Windows, but in recent years attackers and developers have been making rootkits for all of the Windows flavors from 95 up to XP. Rootkits (as well as some viruses) can deactivate AVs and disable existing security features, as well as block access to AV update websites, in the OS.

Under the category I call _tricks_ I place not only spyware (which gets installed usually without your knowledge or permission) but a whole range of approaches (often also called _exploits_ [this is to distinguish them from _vulnerabilities_ which are due to programming sloppiness]) to gaining access to your box. Many tricks are not new but many have been developed in the last few years. Tricks involve the use of very widely available and standard and quite necessary network analysis tools. They have been available for network troubleshooting and analysis for years. When abused, these tools become very powerful tools for hacking. You have heard of FTP but did you know about TFTP? Trivial File Transfer Protocol can be used to send code to your box WITHOUT authentication! The Nimda worm got onto computers of users if they had Internet Explorer and visited an infected Website. The HTTP page, including the code of the worm, came onto your computer and as soon as it was displayed, it got activated and spread again (page 88-91). Firewalls normally allow HTTP/html protocols/files to pass without interference. Another trick is to use ICMP (pings) and hook onto the tail of the ping code a backdoor or other maleware package.

Other tricks include "Trojanized" websites. In other words, the attackers sneaked their backdoor codes into good programs that people download voluntarily and install voluntarily on their boxes. the author documented many cases of this. Do you trust the websites you go to and download from? Tricky (sorry for the pun) question.

Spyware was not even in the index of my older hacker books but it is in the 2004 book but is in the category now called "mobile code" under malware or malicious code.

Skoudis thinks the super-worms are yet to come (p.95). These will include multi-platform worms that will spread on both Windows and non-Windows boxes. The SadminD/IIS worm, released in May 2001 propagated on both Windows and Solaris boxes. Clever worms such as SQL Slammer were very small and used a different trick to propagate: UDP (User Datagram Protocol) instead of TCP/IP (Transmission Control Protocol/Internet Protocol). UDP does not need two way authentication. Taking over a web browser can also take place with special embedded scripts in a web page. "Browser hijacking" is where the attacker actually takes over control of the browser. At a minimum, this can result in your browser going to a different website and you can't change it back. The book gives several examples of scripts that you can type into the URL window and you get interesting and weird displays that you would not expect. These scripts can also launch an "invisible" browser in addition to the one you are viewing with, and instruct the invisible browser to go to another website and download malicious code. This approach can also be used to steal your cookie file. With that and your identity, they can go order anything they want from anywhere and you get stuck with the bill. Another way malicious code can get on your box is with scripts embedded in the reflected URL that you often get when you visit a home page. You type in www.xxx.com and what comes back is something like www.xxx.com/etc/blah-blah?=xzq/??/java.script/etc and it causes your browser to do something you don't want it to do. There were some 30 pages of details on this, not including many pages on spyware plug-ins and many more pages on JAVA exploits. Another trick is called Web bugs. They can be tiny images in an HTML document and when the file is loaded into the browser, it can send out a call to an attacker's web site and download a backdoor, rootkit, or virus, or whatever. The book says that some AV packages will detect some web bugs, but the variabilities are so high that new bugs will not be detected.

It should be pointed out that the Mac OS-X was mentioned in the book in a number of places. OS-X is a derivative of BSD, a Unix clone itself. A large fraction of the URLs below deal with Unix and/or Unix clones, if not OS-X directly. Skoudis spent some time discussing the possibility of JAVA viruses which could enter the Mac browser and attack the platform just as easily as they could in other Unix browsers or Windows browsers. He did not document a known case, but it may only be a matter of time. At one point in the book, rootkits were said to be available for the OS-X. OS-X will certainly be immune to viruses targeted to Windows, but it will not necesarily be immune to the other malware out there and if a rootkit is available (there is one called a universal rootkit that was said to work on all flavors of Unix) then a Mac owner is going to be as vulnerable to hackers as any box with Unix on it.

One thing missing from the book was some kind of evaluation of the references given.

So, where do we go with all of this information? There seem to be two kinds of internet miscreants. First, the so-called 'script kiddies' who just play with hacker tools out of immature interests in creating mischeif but are othewise clueless about responsibility to society. Second, the really serious hackers that are out to steal your identity, steal data but are probably even more interested in working on getting financial information from large corporation/govt/institutional systems and use what they find to commit crimes (at least one case was documented in the book). The former may number in the tens of thousands, the latter may be in the mid to high hundreds. I went to the www.rootkit.com website and registered myself to see what was there. They indicate that they have about 14,000 registered users. You can't get past the homepage without registering (If all of the downloadable files were rootkits, then there must have been 30 or so but I didn't actually count them). You can probably estimate that maybe one tenth of those 14,000 are really serious hackers. The rest are probably curious like me. At the time I was logged on, the website reported that there were five other people visiting the website. Everyone there has a hacker-type userid name (you don't think I gave them my real name, do you?). With us simple users in the high tens of millions, each one of us may be a relatively small target.

A second fact that protects us a little is that probably most if not all of us are logging onto servers or accounts where our IP address is assigned on a rotating basis. Thus, it would be difficult for them to locate any one of us out of maybe thousands if not at least tens of thousands of subscribers to that ISP (millions for big ISPs like AOL, MSN, etc). Also, if we are logged on for relatively short periods of time, hacking into our boxes will be more difficult. For people on fixed IP addresses and continuous connections, you have to worry about being hacked. Other than that, I think the really bad guys are after targets that are much bigger than a home desktop or home network.

Damaging viruses (don't click on anything) or worms (can't be stopped unless you have a definition) that appear before you have a definition can hurt you. The book makes it pretty clear that efforts to detect (non virus) malware on our boxes may not be so practical. Spyware is constantly changing so definitions for it will have to be upgraded, too. Spyware (as far as I know, mostly targeting Windows boxes) routinely gets past firewalls and even AV protection (is there anyone out there that has never gotten any spyware on their Windows boxes? I don't recall hearing much about spyware on non-Internet Explorer browsers). It may simply be most practical to have all of your working files in one directory and the OS and applications in all the other directories and do a mass backup in case you detect weird behavior or altered functions on your box. Then, reformat and reinstall everything. You should plan for this.

References:
I HAVE NOT CHECKED THE URLS BELOW. I HAVE LISTED THEM AS A PARTIAL LIST OF RESOURCES REFERENCED IN THE BOOK. IN VIEW OF THE FACT THAT EVEN WEBSITES HAVE BEEN TROJANIZED, ONE MAY WANT TO BE HESITANT ABOUT VISITING ANY OF THESE WEBSITES AND/OR DOWNLOADING CODE. IT DOESN'T MATTER IF YOU PAY FOR STUFF OR GET IT FOR FREE; IT MIGHT HAVE A VIRUS OR TROJAN IN IT.

ROOTKITS ARE AVAILABLE AT:

www.rootkit.com.

SPYWARE (beware-I've heard that some of these might not be free or simple or fully disclose what they are doing, I've seen 'adaware' in URLs and its not the same outfit that puts out 'ad-aware'):
security.kolla.de (spybot)
www.____usa.com (ad-aware)
www.webroot.com
www.pestpatrol.com
www.itcompany.com
www.wilderssecurity.com

TRICKS:
www.peacefire.com/security/iecookies
dslweb.nwnexus.com/mclain/ActiveX/Exploder/FAQ.htm
www.phrack.org

EMAIL WIRETAPPING:
www.lawyerware.com/article.asp?article=20

DEFENSES AGAINST ATTACKS:

www.tripwire.com
www.tripwire.org
www.chkrootkit.org
www.securityfocus.com
www.cs.tut.fi/~rammer/aide.html
osiris.shmoo.com
www.atstake.com
www.founstone.com
www.sysinternals.com
www.megasecurity.com
packetstormsecurity.org
www.bo2k.com
www.md5summer.org

www.sourceforge.com (snort, an IDS tool)
monkey.org (hacks)
www.outguess.org/detection.php
www.cert.org
store.sans.org
www.anticracking.sk
www.cisecurity.org
www.geocities.com/fcheck2000/fcheck.html
www.insecure.org
www.sOftpj.org/en/tools.ntml
SOFTWARE FIREWALLS

www.zonealarm.com
www.tinysoftware.com
blackice.iss.net
www.symantec.com

MORE ON VIRUSES/WORMS:

www.viruslist.com/eng/viruslistbooks.html?id=36
lcamtuf.core-dump.cx/worm.txt
www.silicondefense.com/flash/

ANONYMIZING WEBSITES:
www.anonymizer.com
www.idmask.com
www.inetprivacy.com
www.the-cloak.com
anon.inf.tu-dresden.de
www.megaproxy.com

UNIX HARDENING:

www.bastille-linux.org

WEBSITES LISTING HOAXES:

www.truthorfiction.com
hoaxbusters.ciac.org
www.vmyths.com

EASTER EGGS (benign trojans, documented easter eggs in MS Excel 97, 2000, there are thousands of Easter Eggs)
www.eeggs.com

MACINTOSH RELATED
www.uk.research.att.com/vnc
www.connectix.com
bochs.sourceforge.net
packetstormsecuruty.nl/UNIX/penetration/rootkits

```
From -8255959129088075102
X-Google-Thread: d7f5508063,78405a0f33a3b6b5,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!news2.arglkargh.de!news.musoftware.de!wum.musoftware.de!
newsfeed0.kamp.net!newsfeed.kamp.net!feeder.news-service.com!feeder.news-
service.com!news.panservice.it!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
Subject: RCA receiver CR-88B
Date: Tue, 23 Jun 2009 18:23:05 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="Windows-1252";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 7
Message-ID: <4a410168$0$47540$4fafbaef@reader1.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.53.17.141
X-Trace: 1245774184 reader1.news.tin.it 47540 79.53.17.141:4759
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news2.google.com rec.radio.amateur.equipment:1609
```

Do you happen to know the RCA CR-88B receiver? It si totally different from the CR-88 (without a B)!

If so, please report.

Tony I0JX

```
From 7940536785707927261
X-Google-Thread: d7f5508063,230182a5a733d22b
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-03.dc1.easynews.com.POSTED!not-for-mail
From: bill@love.ranch
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: loose glass in meter
Message-ID: <qtk6459cgji2lngnor7lbief77grjn2p04@4ax.com>
References: <h1o4f2$hk6k$1@tr22n12.aset.psu.edu>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 25 Jun 2009 06:39:58 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1610

I would try the auto mirror to windshield glue they sell at the auto
parts stores.

On Mon, 22 Jun 2009 10:28:49 -0400, "Bob Spooner" <rls19@psu.edu>
wrote:

>I have a Viking II that the glass in the meter came loose. I'd rather not
>disassemble the front panel (since it looks to be a lot of work) to remove
>the meter which is behind a RF proof shield, so I'm thinking of just gluing
>the glass in a few spots. What would be good for making the glass stick to
>the meter case?
>
>73, Bob AD3K
>



From 6384731334295223043
X-Google-Thread: d7f5508063,2ba2a0dde591e658,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b14g2000yqd.googlegroups.com!not-for-
mail
From: Matt Murphy <stormadvisor@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ft747gx encoder replacement
Date: Sun, 28 Jun 2009 23:49:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <f796a5ca-562c-40d7-aad7-0da16b05a37d@b14g2000yqd.googlegroups.com>
NNTP-Posting-Host: 65.210.129.209
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1246258166 9899 127.0.0.1 (29 Jun 2009 06:49:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 29 Jun 2009 06:49:26 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: b14g2000yqd.googlegroups.com; posting-host=65.210.129.209;
     posting-account=9nvTOgoAAADxYmlrRIvzuqPpy1LOuSkJ
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR
     3.0.04506.648),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1611

All,
I have the regular frequency hopping issue common to the FT-747gx.
One time I came across someone that replaced the clicking vfo knob/
encoder with a smooth encoder.  Does anyone know of someone that has
done this?  I hate the clicking when trying to tune.

I can't remember now but I had thought they used a 757 or 767
encoder.  If I remember right (probably not) it was not a drop in
replacement but had to be hotwired.  Yaesu, of course, will not say
anything more than what the direct replacement is.

Thanks for your help.
matt



From 911081268468367124
X-Google-Thread: d7f5508063,2ba2a0dde591e658
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ft747gx encoder replacement
Date: Mon, 29 Jun 2009 10:25:18 -0500
Lines: 19
Message-ID: <7as4muF213t1nU1@mid.individual.net>
References: <f796a5ca-562c-40d7-aad7-0da16b05a37d@b14g2000yqd.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net Fb2IrxIFO3tPghgm2ZKguwTwGYDbD5mtCALLeF0/114ksqSfQ5
Cancel-Lock: sha1:FR1saPUzQ2ae8+cphlUsrqW1MG4=
User-Agent: Thunderbird 2.0.0.22 (Windows/20090605)
In-Reply-To: <f796a5ca-562c-40d7-aad7-0da16b05a37d@b14g2000yqd.googlegroups.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:1612

Matt Murphy wrote:
> All,
> I have the regular frequency hopping issue common to the FT-747gx.
> One time I came across someone that replaced the clicking vfo knob/
> encoder with a smooth encoder.  Does anyone know of someone that has
> done this?  I hate the clicking when trying to tune.
```

```
>
> I can't remember now but I had thought they used a 757 or 767
> encoder.  If I remember right (probably not) it was not a drop in
> replacement but had to be hotwired.  Yaesu, of course, will not say
> anything more than what the direct replacement is.
>
> Thanks for your help.
> matt
Take a look at the encoder for the FT-890, it is magnetic, and might work.
If I remember the Ft-890 is an upgraded FT-747  .


Bob



From -8275297358062503465
X-Google-Thread: d7f5508063,2ba2a0dde591e658
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
newsfeed00.sul.t-online.de!t-online.de!news.albasani.net!not-for-mail
From: Pete <pete13245@inet.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ft747gx encoder replacement
Date: Tue, 30 Jun 2009 17:05:08 +0000 (UTC)
Organization: albasani.net
Lines: 24
Message-ID: <h2dgk4$bbe$1@news.albasani.net>
References: <f796a5ca-562c-40d7-aad7-0da16b05a37d@b14g2000yqd.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
X-Trace: news.albasani.net
N6KWvQ3NHd8uZbH+jOiCIwNus8IvpcD4QdEes1DXrVylC3ikl4UPjTvrvVMQrYdcyeOXwaqAt1diiAwk4X
4uEGcUvH7c8JANyzJX0PejIDj3I8yXHwBfFXXoSxBjdOum
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Tue, 30 Jun 2009 17:05:08 +0000 (UTC)
X-User-ID: 5fRoEf9MFd+KL/pePq6yZxmR2gW6zMuCOe3M1ho3Kk0=
Cancel-Lock: sha1:U6wN/0ZIFQLk8e7C4kTj1ATx1Yk=
X-NNTP-Posting-Host: WaIeS0KhLiu1/Z0rzIT84758cSRcE7t5LFKEzrFQHcE=
Xref: g2news2.google.com rec.radio.amateur.equipment:1613

On Sun, 28 Jun 2009 23:49:26 -0700, Matt Murphy wrote:

> All,
> I have the regular frequency hopping issue common to the FT-747gx. One
> time I came across someone that replaced the clicking vfo knob/ encoder
> with a smooth encoder.  Does anyone know of someone that has done this?
> I hate the clicking when trying to tune.
>
> I can't remember now but I had thought they used a 757 or 767 encoder.
> If I remember right (probably not) it was not a drop in replacement but
```

> had to be hotwired. Yaesu, of course, will not say anything more than
> what the direct replacement is.
>

If memory serves me right, there may be some pots associated with the optical encoder timing.

Alternatively, if the part is no longer available, allot of the old encoders use generic opto-couplers that can be replaced. One of the three must be out

Or, there is dirt blocking the optics

Hope this helps

```
From 5915861309633144043
X-Google-Thread: d7f5508063,1e0bff4f4728e9c5,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!newsgate.cuhk.edu.hk!news.netfront.net!not-for-mail
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: test
Date: Mon, 29 Jun 2009 23:26:59 -0400
Organization: Netfront http://www.netfront.net
Lines: 3
Message-ID: <h2dup9$l2h$1@adenine.netfront.net>
NNTP-Posting-Host: 70.88.245.53
X-Trace: adenine.netfront.net 1246396010 21585 70.88.245.53 (30 Jun 2009 21:06:50 GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Tue, 30 Jun 2009 21:06:50 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:1614
```

new server test

```
From 7176517139255718224
X-Google-Thread: 8f86f75953,2c7c6e1fa70bd76a,start
X-Google-Attributes: gid8f86f75953,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-out.readnews.com!
```

transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1243836001@panix.com>
Followup-To: poster
Date: 1 Jul 2009 02:00:02 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 03 Aug 2009 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1246428001@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com (rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1246428002 4011 166.84.1.2 (1 Jul 2009 06:00:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 1 Jul 2009 06:00:02 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:13068 rec.radio.amateur.dx:431 rec.radio.amateur.equipment:1615 rec.radio.amateur.homebrew:2899 rec.radio.amateur.misc:4326 rec.radio.amateur.policy:26457 rec.radio.amateur.space:259 rec.radio.info:818

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -9032107495770127237
X-Google-Thread: d7f5508063,560440f757b2dc13,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 01 Jul 2009 07:31:52 -0500
Reply-To: "Topaz305rk" <k7sam@arrl.net>
From: "Topaz305rk" <navajomt@nemont.net>
Newsgroups: rec.radio.amateur.equipment
Subject: HS-900 Manual
Date: Wed, 1 Jul 2009 06:31:26 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 090630-0, 06/30/2009), Outbound message
X-Antivirus-Status: Not-Tested
Message-ID: <SdKdnWsmo_CkytbXnZ2dnUVZ_r6dnZ2d@vnet-inc.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-
```

Q8gIrUmbZ7ingYsqKCeX5JerAJq0EUI2jaWPJVQQZvcXtII60iAJx5Vg1WEWAq5nakobRm//iuGvYO+!
aPGxf7TsTsZW4B850sUJ7xHU4ZwcuCb5sasNOZNHYVkXAgK8qyPMgPni9Zqw74L0zDtp6IC8BXSn!
VIqubM0P18m+bUb6HOP2XE1JDsE=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1642
Xref: g2news2.google.com rec.radio.amateur.equipment:1616

Looking for the manual for a High Sierra HS-900 screwdriver antenna.
It is discontinued, and High Sierra had a computer crash a number of years ago and no longer have any copies.
Anyone have a copy they could copy and email to me?
Anyone want to sell a copy of what they have?
Anyone know anyplace on the internet that has a copy I can download? Have searched with no luck.

Thanks to anyone in advance.

Sam Moore - K7SAM

From 8838433967914988100
X-Google-Thread: d7f5508063,ca3da66aa767b528,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b9g2000yqm.googlegroups.com!not-for-mail
From: N0WQT <netgeak@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Complete Packet Setup. Azden PCS-3000, MFJ - 1278
Date: Wed, 1 Jul 2009 21:11:41 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <8c73eae9-484e-4159-a2f9-9701d4dd9c9f@b9g2000yqm.googlegroups.com>
NNTP-Posting-Host: 96.2.162.152
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1246507901 9701 127.0.0.1 (2 Jul 2009 04:11:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Jul 2009 04:11:41 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b9g2000yqm.googlegroups.com; posting-host=96.2.162.152;
posting-account=pVJ8WAoAAADwYSiAOikPCTOxEiAONC1x
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.0.11)
Gecko/2009060215 Firefox/3.0.11 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1617

I have a complete packet setup for sale.
Included are as follows:
Azden PCS-3000 radio with mic and owners manual
MFJ 1278 TNC with cable, original box, manual and powersupply. Also
have extra software eeprom and ver 3.4 upgrade eeprom uinstalled.
All are in excellent condition and ready to use.
Asking $150 OBO plus actual shipping cost.

Thank you for your time and concideration.
God Bless.

Carl.

From -9088991809934768469
X-Google-Thread: d7f5508063,e9e3acdbd9c55994,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Manuals available online for Debeg 2000, ITT/Mackay 3020, RACAL 1217
Date: Fri, 3 Jul 2009 21:13:46 -0500
Organization: Litech Systems Design
Lines: 15
Sender: mikea@mikea.ath.cx
Message-ID: <qfq2i6-bv71.ln1@mikea.ath.cx>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1246673434 31544 70.164.65.62 (4 Jul 2009 02:10:34 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Sat, 4 Jul 2009 02:10:34 +0000 (UTC)
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:1618

I have just put up manuals for three receivers on my website:

ITT/Mackay 3020 at <http://mikea.ath.cx/3020/>
DEBEG 2000 at <http://mikea.ath.cx/debeg/>
RACAL 1217 at <http://mikea.ath.cx/6217/>

Where the schematics are larger than 8.5x11, I mostly haven't yet
scanned them.

Enjoy.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin

From 3759875944070343658
X-Google-Thread: d7f5508063,f830817cff19a11b,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!eweka.nl!
lightspeed.eweka.nl!195.114.241.69.MISMATCH!feeder.news-service.com!
cyclone01.ams2.highwinds-media.com!news.highwinds-media.com!
npeersf01.ams.highwinds-media.com!newsfe20.ams2.POSTED!7564ea0f!not-for-mail
From: mike lee <swift240@gmail.com>
User-Agent: Thunderbird 2.0.0.22 (X11/20090608)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Dressler ara30
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <2TL3m.23210$AX1.17165@newsfe20.ams2>
NNTP-Posting-Host: 82.37.193.218
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe20.ams2 1246726718 82.37.193.218 (Sat, 04 Jul 2009 16:58:38 UTC)
NNTP-Posting-Date: Sat, 04 Jul 2009 16:58:38 UTC
Organization: virginmedia.com
Date: Sat, 04 Jul 2009 17:58:38 +0100
Xref: g2news2.google.com rec.radio.amateur.equipment:1619

Hi all I use an Dressler ARA 30 active antenna, how ever the PSU that I used to power it 12V has gone belly up and in doing so it has melted a resistor inside the little box that comes with the antenna.
Inside the box are 2 caps and 1 resistor, I can not get any colour code from it due to the damage so I cant simply replace it.

Does any one know what this resistor could be please?

TIA,

Mike.

From -5965972484510465497
X-Google-Thread: d7f5508063,f830817cff19a11b
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!news.glorb.com!
nx01.iad01.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!
news.highwinds-media.com!not-for-mail
Date: Sun, 05 Jul 2009 16:56:45 -0400
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment

Subject: Re: Dressler ara30
References: <2TL3m.23210$AX1.17165@newsfe20.ams2>
In-Reply-To: <2TL3m.23210$AX1.17165@newsfe20.ams2>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 21
Message-ID: <4a511350$0$11818$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1620

mike lee wrote:
> Hi all I use an Dressler ARA 30 active antenna, how ever the PSU that I
> used to power it 12V has gone belly up and in doing so it has melted a
> resistor inside the little box that comes with the antenna.
> Inside the box are 2 caps and 1 resistor, I can not get any colour code
> from it due to the damage so I cant simply replace it.
>
> Does any one know what this resistor could be please?
>
> TIA,
>
> Mike.

Could very well be an RF choke that happens to look like a resistor. Are
you sure the preamp itself is not fried?

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo ;-P

From 4584841879883447652
X-Google-Thread: d7f5508063,f830817cff19a11b
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!8c40745b!not-for-
mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <2TL3m.23210$AX1.17165@newsfe20.ams2>
<4a511350$0$11818$9a6e19ea@unlimited.newshosting.com>
Subject: Re: Dressler ara30
Lines: 34
X-Priority: 3

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <UKb4m.2507$9l4.1116@nwrddc01.gnilink.net>
Date: Mon, 06 Jul 2009 00:41:24 GMT
NNTP-Posting-Host: 98.118.224.114
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1246840884 98.118.224.114 (Sun, 05 Jul 2009 20:41:24 EDT)
NNTP-Posting-Date: Sun, 05 Jul 2009 20:41:24 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1621

"RFI-EMI-GUY" <Rhyolite@NETTALLY.COM> wrote in message
news:4a511350$0$11818$9a6e19ea@unlimited.newshosting.com...
> mike lee wrote:
>> Hi all I use an Dressler ARA 30 active antenna, how ever the PSU that I
>> used to power it 12V has gone belly up and in doing so it has melted a
>> resistor inside the little box that comes with the antenna.
>> Inside the box are 2 caps and 1 resistor, I can not get any colour code
>> from it due to the damage so I cant simply replace it.
>>
>> Does any one know what this resistor could be please?
>>
>> TIA,
>>
>> Mike.
>
> Could very well be an RF choke that happens to look like a resistor. Are
> you sure the preamp itself is not fried?
>
> --
> Joe Leikhim K4SAT
> "The RFI-EMI-GUY"�
>

I agree with Joe- the preamp may have gone west. Some power inserters do use
a series resistor- but more often a choke. The only reason for it to burn up
would be excessive current draw by the preamp- or a kinked and shorted
feedline.
Put a VOM across the preamp input and see what the input resistance looks
like. Tantalums on the input often short when exposed a surge.

Dale W4OP
Dale W4OP

From -2426374766931308443
X-Google-Thread: d7f5508063,f830817cff19a11b
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
Date: Sun, 05 Jul 2009 21:24:57 -0400
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dressler ara30
References: <2TL3m.23210$AX1.17165@newsfe20.ams2>
<4a511350$0$11818$9a6e19ea@unlimited.newshosting.com>
<UKb4m.2507$9l4.1116@nwrddc01.gnilink.net>
In-Reply-To: <UKb4m.2507$9l4.1116@nwrddc01.gnilink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 43
Message-ID: <4a515231$0$5086$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1622

Dale Parfitt wrote:
> "RFI-EMI-GUY" <Rhyolite@NETTALLY.COM> wrote in message
> news:4a511350$0$11818$9a6e19ea@unlimited.newshosting.com...
>> mike lee wrote:
>>> Hi all I use an Dressler ARA 30 active antenna, how ever the PSU that I
>>> used to power it 12V has gone belly up and in doing so it has melted a
>>> resistor inside the little box that comes with the antenna.
>>> Inside the box are 2 caps and 1 resistor, I can not get any colour code
>>> from it due to the damage so I cant simply replace it.
>>>
>>> Does any one know what this resistor could be please?
>>>
>>> TIA,
>>>
>>> Mike.
>> Could very well be an RF choke that happens to look like a resistor. Are
>> you sure the preamp itself is not fried?
>>
>> --
>> Joe Leikhim K4SAT
>> "The RFI-EMI-GUY"�
>>
> I agree with Joe- the preamp may have gone west. Some power inserters do use
> a series resistor- but more often a choke. The only reason for it to burn up
> would be excessive current draw by the preamp- or a kinked and shorted
> feedline.
> Put a VOM across the preamp input and see what the input resistance looks
> like. Tantalums on the input often short when exposed a surge.
>
```

> Dale W4OP
> Dale W4OP
>
>

The only case I could see where it might be a resistor is if a MMIC like a MAR-6 is the amplifier device. In that case calculating the resistor would be easy per the device spec sheet. It doesn't look like Dressler has published a schematic, so some reverse engineering might be in order.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo ;-P

```
From -1982490082451541128
X-Google-Thread: da4ffbcd45,431fe8326862c3f2,start
X-Google-Attributes: gidda4ffbcd45,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!dave
From: Dave <dave@daveijosqwe.com>
Newsgroups: alt.marketplace.books,rec.arts.books.marketplace,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FS: 1-Day-Left: 5 Books on SEMICONDUCTOR PHYSICS, CMOS DESIGN, DIGITAL
INTEGRATED CIRCUITS, etc.
Date: Sun, 05 Jul 2009 23:29:02 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <050720092329022449%dave@daveijosqwe.com>
NNTP-Posting-Host: 75.67.219.78
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1246850942 63685 75.67.219.78 (6 Jul 2009 03:29:02 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 6 Jul 2009 03:29:02 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.books:5774
rec.arts.books.marketplace:2787 alt.ham-radio.marketplace:604
rec.radio.amateur.equipment:1623 misc.industry.electronics.marketplace:243
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320381254886

```
From 5797819263130929652
X-Google-Thread: da4ffbcd45,a7da8422fa5aff59,start
X-Google-Attributes: gidda4ffbcd45,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!dave
From: Dave <dave@daveijosqwe.com>
Newsgroups: alt.marketplace.books,rec.arts.books.marketplace,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FS: 1-Day-Left: 6 Books on DSP, DIGITAL SIGNAL PROCESSING, SYSTEMS, etc.
Date: Sun, 05 Jul 2009 23:29:33 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <050720092329334318%dave@daveijosqwe.com>
NNTP-Posting-Host: 75.67.219.78
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1246850973 63685 75.67.219.78 (6 Jul 2009 03:29:33 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 6 Jul 2009 03:29:33 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.books:5775
rec.arts.books.marketplace:2788 alt.ham-radio.marketplace:605
rec.radio.amateur.equipment:1624 misc.industry.electronics.marketplace:244


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320381254927


From 5103031224866947059
X-Google-Thread: d7f5508063,f830817cff19a11b
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!8c40745b!not-for-
mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <2TL3m.23210$AX1.17165@newsfe20.ams2>
<4a511350$0$11818$9a6e19ea@unlimited.newshosting.com>
<UKb4m.2507$9l4.1116@nwrddc01.gnilink.net>
<4a515231$0$5086$9a6e19ea@unlimited.newshosting.com>
Subject: Re: Dressler ara30
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <4zg4m.2557$9l4.1287@nwrddc01.gnilink.net>
Date: Mon, 06 Jul 2009 06:10:08 GMT
NNTP-Posting-Host: 98.118.224.114
X-Complaints-To: abuse@verizon.net
```

X-Trace: nwrddc01.gnilink.net 1246860608 98.118.224.114 (Mon, 06 Jul 2009 02:10:08 EDT)
NNTP-Posting-Date: Mon, 06 Jul 2009 02:10:08 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1625

>> I agree with Joe- the preamp may have gone west. Some power inserters do use
>> a series resistor- but more often a choke. The only reason for it to burn
>> up would be excessive current draw by the preamp- or a kinked and shorted
>> feedline.
>> Put a VOM across the preamp input and see what the input resistance looks
>> like. Tantalums on the input often short when exposed a surge.
>>
>> Dale W4OP
>> Dale W4OP
> The only case I could see where it might be a resistor is if a MMIC like a
> MAR-6 is the amplifier device. In that case calculating the resistor would
> be easy per the device spec sheet. It doesn't look like Dressler has
> published a schematic, so some reverse engineering might be in order.
>
> --
> Joe Leikhim K4SAT
> "The RFI-EMI-GUY"�
>
The resistive voltage divider/ isolator was fairly common in some of the LF
power inserters- Burhans et al:
http://members.shaw.ca/ve7sl/burhans.html

Dale W4OP

From 1333581058250056128
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!i6g2000yqj.googlegroups.com!not-for-mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women." <mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 6 Jul 2009 08:53:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 71
Message-ID: <f82eada0-dcb6-4c8b-90b2-de5cb9e8cd6a@i6g2000yqj.googlegroups.com>
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-e6a812081d17@b1g2000vbc.googlegroups.com>
<gukl5r$bqb$2@news.mixmin.net>
NNTP-Posting-Host: 72.241.231.67

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246895624 32756 127.0.0.1 (6 Jul 2009 15:53:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 15:53:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i6g2000yqj.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1626
rec.radio.amateur.homebrew:2906

On May 15, 5:00=A0pm, "Roger & Suzanne Nair" <r&sn...@lycos.com> wrote:
> "KD8IMG, Robert Trendel, is a twice convicted stalker of women."<mopeyzak=
w...@yahoo.com> wrote in message
>
> news:7a5421ab-79a2-4005-99f9-e6a812081d17@b1g2000vbc.googlegroups.com...
> On May 11, 2:13 pm, "kc8qjp" <cris...@hotmail.com> wrote:
>
>
>
>
>
> > This is the DVD every CB or Ham Radio Operator has been looking for who
> > likes to build their own Amplifiers.
>
> > 1 to 16 Pill AMP Designs...................
>
> >http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>
> > Description
>
> > Item Specifics - Item Condition
> > Condition: New
>
> > This is the DVD every CB or Ham Radio Operator has been
> > looking for who likes to build their own Amplifiers.
>
> > 1 to 16 Pill AMP Designs
>
> > Step by Step directions
>
> > Full Schematics
>
> > Full Color Pics of step by step build of each Box 1-16
> > pill
>
> > Full Parts List for each Design
>
> > And most important were to by all the parts you need is
> > included.
>
> > This DVD makes it very easy for the Novice to build their
> > Own Box
>
> > This is just plans we are not selling anything but plans
> > on how to build these units and its for Educational Purpose only.
>
> > No Returns or Money back.Each DVD is checked before they
> > are shipped to make sure they work 100%
>
> > begin 666 s.gif
> > M1TE&.#EA`0`!`)'_`/___P```,# P ```"'Y! $```(`+ `````!``$```("
> > $5 $`.P``
> > `
> > end
> > The poster of this message is moparholic at hotmail.com...he is
> > forging a female ham's callsign
>
> Who in their right mind would want to pretend to be kc8qjp crisco kathy??=
?
>
> http://wwwcsif.cs.ucdavis.edu/~loewen/fat-woman.jpg
>
> =A0 I don't want her
> =A0 you can have her
> =A0 she's too fat
> =A0 for me- Hide quoted text -
>
> - Show quoted text -

moparholic is Roger Nair of Winter Brook Dr. in Brunswick, Ohio...just
in case you did not know.


From 7963430911318252735
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!h31g2000yqd.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 6 Jul 2009 08:53:50 -0700 (PDT)
Organization: http://groups.google.com
Lines: 77
Message-ID: <462b4c3c-2ef3-459d-8897-8e5a2b205612@h31g2000yqd.googlegroups.com>
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-
e6a812081d17@b1g2000vbc.googlegroups.com>
     <gukl5r$bqb$2@news.mixmin.net> <4a0df615@x-privat.org>
```

```
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246895630 32766 127.0.0.1 (6 Jul 2009 15:53:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 15:53:50 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h31g2000yqd.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1627
rec.radio.amateur.homebrew:2907
```

```
On May 15, 7:08=A0pm, "Dan Valdez" <dv...@yahoo.com> wrote:
> "Roger & Suzanne Nair" <r&sn...@lycos.com> wrote in messagenews:gukl5r$bq=
b$2@news.mixmin.net...
>
>
>
>
>
> > "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
> > <mopeyzakw...@yahoo.com> wrote in message
> >news:7a5421ab-79a2-4005-99f9-e6a812081d17@b1g2000vbc.googlegroups.com...
> > On May 11, 2:13 pm, "kc8qjp" <cris...@hotmail.com> wrote:
> >> This is the DVD every CB or Ham Radio Operator has been looking for wh=
o
> >> likes to build their own Amplifiers.
>
> >> 1 to 16 Pill AMP Designs...................
>
> >>http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ..=
.
>
> >> Description
>
> >> Item Specifics - Item Condition
> >> Condition: New
>
> >> This is the DVD every CB or Ham Radio Operator has been
> >> looking for who likes to build their own Amplifiers.
>
> >> 1 to 16 Pill AMP Designs
>
> >> Step by Step directions
>
> >> Full Schematics
>
> >> Full Color Pics of step by step build of each Box 1-16
> >> pill
```

~~~~
>
> >> Full Parts List for each Design
>
> >> And most important were to by all the parts you need is
> >> included.
>
> >> This DVD makes it very easy for the Novice to build their
> >> Own Box
>
> >> This is just plans we are not selling anything but plans
> >> on how to build these units and its for Educational Purpose only.
>
> >> No Returns or Money back.Each DVD is checked before they
> >> are shipped to make sure they work 100%
>
> >> begin 666 s.gif
> >> M1TE&.#EA`0`!`)'_`/___P```,# P ```"'Y! $```(`+ `````!``$```("
> >> $5 $`.P``
> >> `
> >> end
>
> >> The poster of this message is moparholic at hotmail.com...he is
> >> forging a female ham's callsign
>
> > Who in their right mind would want to pretend to be kc8qjp crisco kathy=
???
>
> >http://wwwcsif.cs.ucdavis.edu/~loewen/fat-woman.jpg
>
> > =A0I don't want her
> > =A0you can have her
> > =A0she's too fat
> > =A0for me
>
> Is kc8qjp out of prison again?- Hide quoted text -
>
> - Show quoted text -

moparholic is Roger Nair of Winter Brook Dr. in Brunswick, Ohio...just
in case you did not know.

From -2072936766338169985
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!g1g2000yqh.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
~~~~

```
Date: Mon, 6 Jul 2009 08:54:14 -0700 (PDT)
Organization: http://groups.google.com
Lines: 18
Message-ID: <b968e6b7-4688-46ba-b4cb-61526f4bb097@g1g2000yqh.googlegroups.com>
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-
e6a812081d17@b1g2000vbc.googlegroups.com>
     <gukl5r$bqb$2@news.mixmin.net> <4a0df615@x-privat.org> <01d627ca-7c8c-4eda-
a243-c449ed34ca9c@d2g2000pra.googlegroups.com>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246895654 11666 127.0.0.1 (6 Jul 2009 15:54:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 15:54:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g1g2000yqh.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1628
rec.radio.amateur.homebrew:2908

On May 25, 10:32=A0pm, raypsi <RBorow...@gmail.com> wrote:
> On May 15, 7:08=A0pm, "Dan Valdez" <dv...@yahoo.com> wrote:
>
> > "Roger & Suzanne Nair" <r&sn...@lycos.com> wrote in messagenews:gukl5r$=
bqb$2@news.mixmin.net...
>
> > Is kc8qjp out of prison again?-
>
> Hey OM
>
> She lives in the same area zip code looky the street view a real flag
> waver here:http://tinyurl.com/qnaxzn
>
> 73 OM
> de n8zu

moparholic is Roger Nair of Winter Brook Dr. in Brunswick, Ohio...just
in case you did not know.


From 6247613093738253900
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!h18g2000yqj.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>
```

```
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 6 Jul 2009 08:54:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 29
Message-ID: <dfce40a8-5abe-4eaa-8587-376eafa7f9e8@h18g2000yqj.googlegroups.com>
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-
e6a812081d17@b1g2000vbc.googlegroups.com>
     <gukl5r$bqb$2@news.mixmin.net> <4a0df615@x-privat.org> <01d627ca-7c8c-4eda-
a243-c449ed34ca9c@d2g2000pra.googlegroups.com>
     <4a1eb74c$1@x-privat.org>
NNTP-Posting-Host: 72.241.231.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1246895663 451 127.0.0.1 (6 Jul 2009 15:54:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Jul 2009 15:54:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h18g2000yqj.googlegroups.com; posting-host=72.241.231.67;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1629
rec.radio.amateur.homebrew:2909

On May 28, 12:09=A0pm, "Dan Valdez" <dv...@yahoo.com> wrote:
> "raypsi" <RBorow...@gmail.com> wrote in message
>
> news:01d627ca-7c8c-4eda-a243-c449ed34ca9c@d2g2000pra.googlegroups.com...
> On May 15, 7:08 pm, "Dan Valdez" <dv...@yahoo.com> wrote:
>
> > "Roger & Suzanne Nair" <r&sn...@lycos.com> wrote in
> > messagenews:gukl5r$bqb$2@news.mixmin.net...
>
> > Is kc8qjp out of prison again?-
>
> Hey OM
>
> She lives in the same area zip code looky the street view a real flag
> waver here:http://tinyurl.com/qnaxzn
>
> 73 OM
> de n8zu
>
> =3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=
=3D=3D=3D=3D=3D
>
> It would appear her reputation has been soiled by N8WWM..
>
> http://www.google.com/search?hl=3Den&q=3Dkc8qjp&btnG=3DGoogle+Search&aq=
=3Df&o...
```

moparholic is Roger Nair of Winter Brook Dr. in Brunswick, Ohio...just
in case you did not know.

```
From 3925247207522409379
X-Google-Thread: a3e752f117,79edcc041cbde3ae,start
X-Google-Attributes: gida3e752f117,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!news.kjsl.com!
news.alt.net!news.astraweb.com!border5.newsrouter.astraweb.com!
flph200.ffdc.sbc.com!prodigy.net!flph199.ffdc.sbc.com!prodigy.com!
nlpi071.nbdc.sbc.com!flpi144.ffdc.sbc.com.POSTED!9b0b1a69!not-for-mail
From: Anon bozo <anon@bozo.to>
MIME-Version: 1.0
User-Agent: Hogwasher/4.3
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <0001HW.C67772E6007F6A94B08A39AF@news.sf.sbcglobal.net>
Subject: Ham gear (used) cheap
Newsgroups:
rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.homebrew,rec.radio.amateur.misc
Reply-To: anon@bozo.to
Lines: 5
NNTP-Posting-Host: 99.189.171.35
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi144.ffdc.sbc.com 1246897366 ST000 99.189.171.35 (Mon, 06 Jul 2009
12:22:46 EDT)
NNTP-Posting-Date: Mon, 06 Jul 2009 12:22:46 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
FKPGWXCEGJTSSQD[OBCD^VX@WB]^PCPDLXUNNH\KMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 6 Jul 2009 09:22:46 -0700
Xref: g2news2.google.com rec.radio.amateur.antenna:13103
rec.radio.amateur.equipment:1630 rec.radio.amateur.homebrew:2910
rec.radio.amateur.misc:4332
```

Friend is getting out of amateur:

http://dat7.com/sale/

```
From -577409094277932267
X-Google-Thread: 733d321764,dea946be7f48b521,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
```

X-Google-Language: ENGLISH,ASCII-7-bit
From: "KC8QJP" <kc8qjp@slather.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: BUILD YOUR OWN LINEAR AMPLIFIER.1-16PILL.CB/HAM MODS CD
Date: Mon, 6 Jul 2009 16:39:41 -0400
Lines: 6
Organization: crisco kathy
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a526116@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!ecngs!feeder2.ecngs.de!newsfeed.freenet.de!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1631 rec.radio.swap:2216

This is the disc every CB or Ham Radio Operator has been looking for who
likes to build their own Amplifiers.

http://cgi.ebay.com/BUILD-YOUR-OWN-LINEAR-AMPLIFIER-1-16PILL-CB-HAM-MODS-CD_W0QQitemZ220435985412QQcmdZViewItemQQptZLH_DefaultDomain_0?hash=item3353023404&_trksid=p3286.c0.m14&_trkparms=65%3A12%7C66%3A2%7C39%3A1%7C72%3A1240%7C293%3A1%7C294%3A50

From 4641012243155249267
X-Google-Thread: 733d321764,fe66dc44bf69cdd9,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KC8QJP" <kc8qjp@slather.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Varmint Linear base amplifier XL-150
Date: Mon, 6 Jul 2009 16:42:10 -0400
Lines: 7
Organization: crisco kathy
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a5261ab@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!

```
newsfeed.straub-nv.de!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1632 rec.radio.swap:2217
```

Vary rare CB radio amplifier. VARMINT Linear base XL -150

I didn,t tested .

http://cgi.ebay.com/Varmint-Linear-base-amplifier-XL-150_W0QQitemZ260441762301QQcmdZViewItemQQptZVintage_Electronics_R2?hash=item3ca389e9fd&_trksid=p3286.c0.m14&_trkparms=65%3A12%7C66%3A2%7C39%3A1%7C72%3A1240%7C293%3A1%7C294%3A50

```
From 4756775768146364491
X-Google-Thread: 733d321764,51d32944e77a5657,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KC8QJP" <kc8qjp@slather.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject:    CB..HAM RADIO..LINEAR AMPLIFIER MODIFICATION..MODS..CD
Date: Mon, 6 Jul 2009 16:45:29 -0400
Lines: 7
Organization: crisco kathy
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a526272$1@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news1.google.com!news.glorb.com!area.cu.mi.it!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1633 rec.radio.swap:2218
```

EQUIVALENT TO 7 FULL VOLUMES OF MODS PLUS EXTRAS!

http://cgi.ebay.com/CB-HAM-RADIO-LINEAR-AMPLIFIER-MODIFICATION-MODS-CD_W0QQitemZ220446378517QQcmdZViewItemQQptZLH_DefaultDomain_0?hash=item3353a0ca15&_trksid=p3286.c0.m14&_trkparms=65%3A12%7C66%3A2%7C39%3A1%7C72%3A1240%7C293%3A3%7C294%3A50

FREE SHIPPING!!!

```
From 6825274433557085342
X-Google-Thread: 733d321764,78934b63b7d6e037,start
```

X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KC8QJP" <kc8qjp@slather.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 6 Jul 2009 16:47:44 -0400
Lines: 7
Organization: crisco kathy
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a5262f9@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!news-out1.kabelfoon.nl!newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1634 rec.radio.swap:2219

This is the DVD every CB or Ham Radio Operator has been looking for who likes to build their own Amplifiers.Dont be fooled by Cheaper Priced Plans.You wont find the Information you will with this one.

http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ200353599844QQcmdZViewItemQQptZLH_DefaultDomain_0?hash=item2ea6015164&_trksid=p3286.c0.m14&_trkparms=65%3A12%7C66%3A2%7C39%3A1%7C72%3A1240%7C293%3A4%7C294%3A50

From -5663160803748993957
X-Google-Thread: d7f5508063,1845b57d5fe6b6e5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!feeder.news-service.com!feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "Steve" <moparholic@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <4a086abc@x-privat.org> <47532aab-fe3e-49e4-9e41-ec35da576a1c@r3g2000vbp.googlegroups.com> <c5oh05hkde4ug0feifjdfkjigq47bmg1hc@4ax.com>
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Tue, 12 May 2009 23:06:49 -0400
Organization: essb
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512

```
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 32
Message-ID: <4a0a394f$0$64028$c5fe31e7@read01.usenet4all.se>
NNTP-Posting-Date: 13 May 2009 05:06:55 CEST
NNTP-Posting-Host: 44acc125.read01.usenet4all.se
X-Trace: DXC=2=DN]0a?<6oiS>Id5U:dLf]=V>ZL5o1]b<moHH[O[>Zja2_aogiU\
\aAChSdgJ=LRgWGk;S76Hjab5`\HH8KQ0g`@a`V`U10=nilTG>:ZcH;]a
X-Complaints-To: abuse@usenet4all.se
Xref: g2news2.google.com rec.radio.amateur.equipment:1535


"Bruce W. Ellis" <ellis@means.net> wrote in message
news:c5oh05hkde4ug0feifjdfkjigq47bmg1hc@4ax.com...
> On Mon, 11 May 2009 18:45:11 -0700 (PDT), JIMMIE
> <JIMMIEDEE123@YAHOO.COM> wrote:
>
>>On May 11, 2:13 pm, "kc8qjp" <cris...@hotmail.com> wrote:
>>> This is the DVD every CB or Ham Radio Operator has been looking for who
>>> likes to build their own Amplifiers.
>>>
>>> 1 to 16 Pill AMP Designs...................
>>>
>>> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>>>
>>> Description
>>>
>>> Item Specifics - Item Condition
>>> Condition: New
>>>
>>> This is the DVD every CB or Ham Radio Operator has been
>>> looking for who likes to build their own Amplifiers.
>>>
>>> 1 to 16 Pill AMP Designs
>>>
>>>
> OK - I'm confused and not used to CB lingo.   What is a "pill"
>
> W0BF
>
Transistors of course. DUH!




From -1449920868124523099
X-Google-Thread: d7f5508063,de1a87aa1b5e1580,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.bananasplit.info!
news.dizum.com!sewer-output!mail2news
From: Borked Pseudo Mailed <nobody@pseudo.borked.net>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: CROOK AT DAYTON
Message-ID: <51b9c68c7cec04032d84848cd5769450@pseudo.borked.net>
Date: Tue, 12 May 2009 21:32:12 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1536

N8WWM IS A CONVICTED CRIMINAL




From -6124674903732124 74
X-Google-Thread: d7f5508063,1845b57d5fe6b6e5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 13 May 2009 07:24:55 -0500
Date: Wed, 13 May 2009 05:24:53 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
References: <4a086abc@x-privat.org> <47532aab-fe3e-49e4-9e41-
ec35da576a1c@r3g2000vbp.googlegroups.com>
<c5oh05hkde4ug0feifjdfkjigq47bmg1hc@4ax.com>
<4a0a394f$0$64028$c5fe31e7@read01.usenet4all.se>
In-Reply-To: <4a0a394f$0$64028$c5fe31e7@read01.usenet4all.se>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <C-qdnf6QFL2FIZfXnZ2dnUVZ_vxi4p2d@earthlink.com>
Lines: 34
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.141
X-Trace:
sv3-430cwjNUrpYDKPKN8wlRnZlQVk2eYT5pSCgXVy3+aEr44jTtjxpiiM0ujA+pT9A1XmZRl/
ybgQf4UgV!9opSW988TrZlGQkpmzlZE9yXUBYNK+sI6l6hzq9+S0SyhPHs6ipK8XG8T/
eEIyTpYCqKcdoY8uMH!8iP0lSZeb4bbQYnDWBTTEmCMf0SrZ5fs
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2289
Xref: g2news2.google.com rec.radio.amateur.equipment:1537

Steve wrote:
> "Bruce W. Ellis" <ellis@means.net> wrote in message
> news:c5oh05hkde4ug0feifjdfkjigq47bmg1hc@4ax.com...
>> On Mon, 11 May 2009 18:45:11 -0700 (PDT), JIMMIE
```

>> <JIMMIEDEE123@YAHOO.COM> wrote:
>>
>>> On May 11, 2:13 pm, "kc8qjp" <cris...@hotmail.com> wrote:
>>>> This is the DVD every CB or Ham Radio Operator has been looking for who
>>>> likes to build their own Amplifiers.
>>>>
>>>> 1 to 16 Pill AMP Designs...................
>>>>
>>>> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>>>>
>>>> Description
>>>>
>>>> Item Specifics - Item Condition
>>>> Condition: New
>>>>
>>>> This is the DVD every CB or Ham Radio Operator has been
>>>> looking for who likes to build their own Amplifiers.
>>>>
>>>> 1 to 16 Pill AMP Designs
>>>>
>>>>
>> OK - I'm confused and not used to CB lingo.   What is a "pill"
>>
>> W0BF
>>
> Transistors of course. DUH!
>
>

Apparently CBers prefer small words.

From -2952841029350799425
X-Google-Thread: d7f5508063,e976af214bbe0079
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 13 May 2009 14:07:30 -0500
Reply-To: "David Thompson" <thompson@mindspring.com>
From: "David Thompson" <thompson@mindspring.com>
Newsgroups: rec.radio.amateur.equipment
References: <4a0585a9@x-privat.org>
Subject: Re: PALOMAR BI LINEAR AMPLIFIER
Date: Wed, 13 May 2009 15:07:38 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Response
Message-ID: <XJWdnX8HGKjuh5bXnZ2dnUVZ_tqdnZ2d@earthlink.com>

Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.154.101.117
X-Trace: sv3-
jAcN6sDVyAdhbCzT0eyU6b89UIhnr7WgPxe1exwlAn5mfxldgfw8ak1zu8vMpJJCzVJs9e+gSnM/HT3!
8jdYFkHnUL530hMuFwjvPhDQ1M5afMUFR4TuWMK3rFnRoXqht/mCfKjzLH3tbh15Vn7Bu0cLjg3f!
1rwTflL2mZbIWyLUEcvWgDIi6ptWCFPTxhQ=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1729
Xref: g2news2.google.com rec.radio.amateur.equipment:1538

These are CB Linears and against FCC rules to use by radio amateurs. AVOID.
Dave K4JRB

"kc8qjp" <criscok@hotmail.com> wrote in message
news:4a0585a9@x-privat.org...
>a big sale thought someone out there would want them . dont know much
>myself good luck   thanks.
>
>
> http://cgi.ebay.com/PALOMAR-BI-LINEAR-
> AMPLIFIER_W0QQitemZ110385356456QQcmdZViewItemQQptZLH_DefaultDomain_0?
hash=item19b37adea8&_trksid=p3286.c0.m14&_trkparms=72%3A1234%7C66%3A2%7C65%3A12%7C
39%3A1%7C240%3A1318%7C301%3A0%7C293%3A1%7C294%3A50
>

From 3124221546835843935
X-Google-Thread: d7f5508063,e976af214bbe0079
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.11.MISMATCH!npeer01.iad.highwinds-media.com!news.highwinds-media.com!
feed-me.highwinds-media.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews2.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <4a0585a9@x-privat.org>
<XJWdnX8HGKjuh5bXnZ2dnUVZ_tqdnZ2d@earthlink.com>
Subject: Re: PALOMAR BI LINEAR AMPLIFIER
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response

```
Message-ID: <CaOOl.42329$19.21203@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbokcjpcblbfaiclnccapcmoeddabenigfhif
eckepfagppmljipmeinjligljcpcpopbhbbbhodokkmpcpnpepkdbphldijhbcdpjdffkndkaaabno
NNTP-Posting-Date: Thu, 14 May 2009 01:41:54 EDT
Organization: BellSouth Internet Group
Date: Thu, 14 May 2009 01:52:54 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1539


"David Thompson" <thompson@mindspring.com> wrote in message
news:XJWdnX8HGKjuh5bXnZ2dnUVZ_tqdnZ2d@earthlink.com...
> These are CB Linears and against FCC rules to use by radio amateurs.
> AVOID.
> Dave K4JRB


Amateur radio operators are responsible for their emissions. The FCC could
care less about an amateur's equipment as long as the emissions are within
spec.

It IS illegal to sell such equipment in the USA. It is NOT illegal to buy
and use it, if you are a properly licensed amateur radio operator. Once
again, amateurs are responsible for the quality of their RF emissions. They
are not responsible for their gear having type certification. The
manufacturers and the retailers are responsible for having proper type
certification.

Ed, AJ4PJ




From -8907189784436042784
X-Google-Thread: d7f5508063,3b5deeb72aa094e3,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o30g2000vbc.googlegroups.com!not-for-
mail
From: "tigerbusiness@gmail.com" <tigerbusiness@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Superstar3900 Black + Lemm 12 Ampere
Date: Thu, 14 May 2009 02:39:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <58bbc2d1-13e7-42c9-89ef-dc36042c844f@o30g2000vbc.googlegroups.com>
NNTP-Posting-Host: 94.163.193.102
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
```

```
X-Trace: posting.google.com 1242293999 30986 127.0.0.1 (14 May 2009 09:39:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 14 May 2009 09:39:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o30g2000vbc.googlegroups.com; posting-host=94.163.193.102;
     posting-account=XIZldAoAAAC8UiwYrM8c2Y783MrGkUDG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; it; rv:1.9.0.10)
     Gecko/2009042316 Firefox/3.0.10,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1540

Superstar 3900 Black
http://tinyurl.com/pq4z8v
Lemm 12 Ampere
http://tinyurl.com/oxv8op

73 51 only
Alan



From 860574617061539990
X-Google-Thread: d7f5508063,f2f5e3602aba2e49,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s16g2000vbp.googlegroups.com!not-for-
mail
From: Mike VE3MKX <mkx@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Heathkits for Sale
Date: Thu, 14 May 2009 18:00:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <45ccf8e1-4600-4ba7-b299-9770eb9ff8b4@s16g2000vbp.googlegroups.com>
NNTP-Posting-Host: 64.229.40.194
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1242349243 8573 127.0.0.1 (15 May 2009 01:00:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 May 2009 01:00:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s16g2000vbp.googlegroups.com; posting-host=64.229.40.194;
     posting-account=m2yR1goAAAAMi4ja5GYDqvs6T1Uo1WU8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; .NET CLR 1.1.4322;
     .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1541

For Sale

Heathkit  Bi-directional 300Watt RF wattmeter - IM-4190 - precision
```

piece - 100meg to 1 gig $60 US

Heath HD-16 code oscillator $15 US

Heath HD-1515 (brown colour) phone patch $22 US

- Heath HD-1420 VLF converter $32 US

- Heath HD-1422 Antenna noise bridge $32 US

- Heath HD-1520 touch tone decoder $32 US

Shipping extra

Fro more info, send me an Email.
mkxATsympatico.ca

```
From 3498286047076759060
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!b1g2000vbc.googlegroups.com!not-for-
mail
From: "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Fri, 15 May 2009 08:45:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 55
Message-ID: <7a5421ab-79a2-4005-99f9-e6a812081d17@b1g2000vbc.googlegroups.com>
References: <4a086abc@x-privat.org>
NNTP-Posting-Host: 72.240.210.0
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1242402344 10913 127.0.0.1 (15 May 2009 15:45:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 May 2009 15:45:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b1g2000vbc.googlegroups.com; posting-host=72.240.210.0;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1542
rec.radio.amateur.homebrew:2702
```

On May 11, 2:13=A0pm, "kc8qjp" <cris...@hotmail.com> wrote:
> This is the DVD every CB or Ham Radio Operator has been looking for who

```
> likes to build their own Amplifiers.
>
> 1 to 16 Pill AMP Designs...................
>
> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Description
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0Item Specifics - Item Cond=
ition
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Condition=
: =A0New
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 This is the DVD every CB or Ham Radio=
 Operator has been
> looking for who likes to build their own Amplifiers.
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 1 to 16 Pill AMP Designs
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Step by Step directions
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Full Schematics
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Full Color Pics of step by step build=
 of each Box 1-16
> pill
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Full Parts List for each Design
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 And most important were to by all the=
 parts you need is
> included.
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 This DVD makes it very easy for the N=
ovice to build their
> Own Box
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 This is just plans we are not selling=
 anything but plans
> on how to build these units and its for Educational Purpose only.
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 No Returns or Money back.Each DVD is =
checked before they
> are shipped to make sure they work 100%
>
> begin 666 s.gif
> M1TE&.#EA`0`!`)'_`/___P```,# P ```"'Y! $```(`+ `````!``$```("
> $5 $`.P``
> `
> end
```

The poster of this message is moparholic at hotmail.com...he is
forging a female ham's callsign

From 4889095055640097878
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news3
From: Bill M <radioexray@geemail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Fri, 15 May 2009 16:44:17 -0400
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 9
Message-ID: <gukk720rl2@news3.newsguy.com>
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-
e6a812081d17@b1g2000vbc.googlegroups.com>
NNTP-Posting-Host: p24d1bfbfff00000073b1290e905b03f4f4edcc2ec7af5129.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 2.0.0.4 (Windows/20070604)
In-Reply-To: <7a5421ab-79a2-4005-99f9-e6a812081d17@b1g2000vbc.googlegroups.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:1543
rec.radio.amateur.homebrew:2703

KD8IMG, Robert Trendel, is a twice convicted stalker of women. wrote:

>
> The poster of this message is moparholic at hotmail.com...he is
> forging a female ham's callsign

You're kidding, right?

-Bill

From -6591827899796854472
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
news2.glorb.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!
newsfeed.straub-nv.de!news.mixmin.net!not-for-mail
From: "Roger & Suzanne Nair" <r&snair@lycos.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Fri, 15 May 2009 17:00:35 -0400
Organization: roger and sue

Lines: 64
Message-ID: <gukl5r$bqb$2@news.mixmin.net>
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-e6a812081d17@b1g2000vbc.googlegroups.com>
NNTP-Posting-Host: fb23a3beb68234f52ed618768f4cdd88
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Fri, 15 May 2009 21:00:43 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:1544 rec.radio.amateur.homebrew:2704

"KD8IMG, Robert Trendel, is a twice convicted stalker of women."
<mopeyzakween@yahoo.com> wrote in message
news:7a5421ab-79a2-4005-99f9-e6a812081d17@b1g2000vbc.googlegroups.com...
On May 11, 2:13 pm, "kc8qjp" <cris...@hotmail.com> wrote:

> This is the DVD every CB or Ham Radio Operator has been looking for who
> likes to build their own Amplifiers.
>
> 1 to 16 Pill AMP Designs...................
>
> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>
> Description
>
> Item Specifics - Item Condition
> Condition: New
>
> This is the DVD every CB or Ham Radio Operator has been
> looking for who likes to build their own Amplifiers.
>
> 1 to 16 Pill AMP Designs
>
> Step by Step directions
>
> Full Schematics
>
> Full Color Pics of step by step build of each Box 1-16
> pill
>
> Full Parts List for each Design
>
> And most important were to by all the parts you need is
> included.
>
> This DVD makes it very easy for the Novice to build their
> Own Box
>
> This is just plans we are not selling anything but plans

> on how to build these units and its for Educational Purpose only.
>
> No Returns or Money back.Each DVD is checked before they
> are shipped to make sure they work 100%
>

```
> begin 666 s.gif
> M1TE&.#EA`0`!`)'_`/___P```,# P ```"'Y! $```(`+ `````!``$```("
> $5 $`.P``
> `
> end
```

> The poster of this message is moparholic at hotmail.com...he is
> forging a female ham's callsign
>
>

Who in their right mind would want to pretend to be kc8qjp crisco kathy???

http://wwwcsif.cs.ucdavis.edu/~loewen/fat-woman.jpg

I don't want her
you can have her
she's too fat
for me

From -3015223036120496657
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Dan Valdez" <dval5@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-e6a812081d17@b1g2000vbc.googlegroups.com> <gukl5r$bqb$2@news.mixmin.net>
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Fri, 15 May 2009 19:08:59 -0400
Lines: 70
Organization: soft rock
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a0df615@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!feeder.news-service.com!news-out2.kabelfoon.nl!newsfeed.kabelfoon.nl!bandi.nntp.kabelfoon.nl!x-privat.org!not-for-mail

```
Xref: g2news2.google.com rec.radio.amateur.equipment:1545
rec.radio.amateur.homebrew:2706


"Roger & Suzanne Nair" <r&snair@lycos.com> wrote in message
news:gukl5r$bqb$2@news.mixmin.net...
>
> "KD8IMG, Robert Trendel, is a twice convicted stalker of women."
> <mopeyzakween@yahoo.com> wrote in message
> news:7a5421ab-79a2-4005-99f9-e6a812081d17@b1g2000vbc.googlegroups.com...
> On May 11, 2:13 pm, "kc8qjp" <cris...@hotmail.com> wrote:
>> This is the DVD every CB or Ham Radio Operator has been looking for who
>> likes to build their own Amplifiers.
>>
>> 1 to 16 Pill AMP Designs...................
>>
>> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>>
>> Description
>>
>> Item Specifics - Item Condition
>> Condition: New
>>
>> This is the DVD every CB or Ham Radio Operator has been
>> looking for who likes to build their own Amplifiers.
>>
>> 1 to 16 Pill AMP Designs
>>
>> Step by Step directions
>>
>> Full Schematics
>>
>> Full Color Pics of step by step build of each Box 1-16
>> pill
>>
>> Full Parts List for each Design
>>
>> And most important were to by all the parts you need is
>> included.
>>
>> This DVD makes it very easy for the Novice to build their
>> Own Box
>>
>> This is just plans we are not selling anything but plans
>> on how to build these units and its for Educational Purpose only.
>>
>> No Returns or Money back.Each DVD is checked before they
>> are shipped to make sure they work 100%
>>
>> begin 666 s.gif
>> M1TE&.#EA`0`!`)'_`/___P```,# P ```"'Y! $```(`+ `````!``$```("
>> $5 $`.P``
>> `
```

```
>> end
>
>> The poster of this message is moparholic at hotmail.com...he is
>> forging a female ham's callsign
>>
>>
> Who in their right mind would want to pretend to be kc8qjp crisco kathy???
>
> http://wwwcsif.cs.ucdavis.edu/~loewen/fat-woman.jpg
>
>  I don't want her
>  you can have her
>  she's too fat
>  for me
>
>
>
Is kc8qjp out of prison again?




From 7460873981654549005
X-Google-Thread: d7f5508063,6665ae710a29ae19,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.bananasplit.info!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: rrs <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: AMERITRON ALS-600 solid state FET amplifier
Message-ID: <2bb99f2d130827b8125dd3efb291eaad@pseudo.borked.net>
Date: Sat, 16 May 2009 06:55:04 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.swap:2085 rec.radio.amateur.equipment:1546

http://xrl.us/AmeritronALS600




From 7733725177518641201
X-Google-Thread: d7f5508063,816690569e4c1b9a,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
From: "pain in oz" <vicpol@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ft-50 problem
Date: Sun, 17 May 2009 21:45:41 +1000
Lines: 13
MIME-Version: 1.0
```

Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
NNTP-Posting-Host: 203.219.212.203
X-Original-NNTP-Posting-Host: 203.219.212.203
Message-ID: <4a0ffb77@dnews.tpgi.com.au>
X-Trace: dnews.tpgi.com.au!tpg.com.au 1242561399 203.219.212.203 (17 May 2009 21:56:39 +1100)
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!feeder.news-service.com!feeder1.cambriumusenet.nl!feeder3.cambriumusenet.nl!feed.tweaknews.nl!193.141.40.65.MISMATCH!npeer.de.kpn-eurorings.net!npeer-ng0.de.kpn-eurorings.net!news.netcologne.de!newsfeed-hp2.netcologne.de!usenet.hanse.com!nntp.gblx.net!nntp3.phx1!dnews.tpgi.com.au!tpg.com.au!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1547

Hi Guys.

I have a ft-50 that I have had for years now.
I am having a problem with it staying powered up.
It powers up and then shut down as if the battery is flat. It is doing the same thing even with 12v connected.

Does anyone have any ideas or had the fault before.

Any help would be very much appreciated

Darren

From -7484181912607690340
X-Google-Thread: d7f5508063,3f43dcb65f542b13,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!j12g2000vbl.googlegroups.com!not-for-mail
From: rafi1 <rafixlnc23@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hi,guess check out ,JOKE OF THE DAY.
Date: Tue, 19 May 2009 15:08:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 111
Message-ID: <5197bec2-e0ff-4e21-88b0-38f772c70dc6@j12g2000vbl.googlegroups.com>
NNTP-Posting-Host: 69.171.167.138
Mime-Version: 1.0

```
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1242770935 10803 127.0.0.1 (19 May 2009 22:08:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 May 2009 22:08:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j12g2000vbl.googlegroups.com; posting-host=69.171.167.138;
     posting-account=jmparwoAAAD3Xi48Lf8WfM7nMIYTTGQh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1548
```

Joke of the Day
Updated Tuesday, May 19, 2009

---=

Q. What is the definition of a perfect lover?
A. A man with a nine inch tongue who can breath through his ears.

---=

A man placed some flowers on the grave of his dearly departed mother and started back toward his car when his attention was diverted to another man kneeling at a grave. The man seemed to be praying with profound intensity and kept repeating, =93Why did you have to die? Why did you have to die?=94 The first man approached him and said, =93Sir, I don=92t wish to interfere with your private grief, but this demonstration of pain is more than I=92ve ever seen before. For whom do you mourn so deeply? A child? A parent?=94 The mourner took a moment to collect himself, then replied, =93My wife=92s first husband.=94

---=

A policeman was patrolling a local parking spot overlooking a golf course. He drove by a car and saw a couple inside with the dome light on. There was a young man in the driver's seat reading a computer magazine and a young lady in the back seat knitting. He stopped to investigate. He walked up to the driver's window and knocked. The young man looked up, cranked the window down, and said, "Yes Officer?"

"What are you doing?" the policeman asked. "What does it look like?" answered the young man. "I'm reading this magazine." Pointing towards the young lady in the back seat, the officer then asked, "And what is she doing?" The young man looked over his shoulder and replied, "What does it look like? She's knitting."

"And how old are you?" the officer then asked the young man. "I'm nineteen," he replied. "And how old is she?" asked the officer. The young man looked at his watch and said, "Well, in about twelve minutes she'll be sixteen."

--=
-----

10 Office Rules:

10. Never walk without a document -- People with documents look like hardworking employees headed to important meetings. People with nothing in their hands look like they're headed for the cafeteria. People with a newspaper in their hand look like they're headed for the toilet. Above all, make sure you carry loads of stuff home with you at night, thus generating the false impression that you work longer hours than you really do.

9. Use computers to look busy -- Any time you use a computer, it looks like "work" to the casual observer. You can send and receive personal e-mail, chat and have a blast without doing anything remotely related to work. These aren't exactly the societal benefits that the proponents of the computer revolution would like to talk about, but they're not bad either. When you get caught by your boss -- and you will get caught -- your best defense is to claim you're teaching yourself to use new software, thus saving valuable training dollars.

8. Messy desk -- only top management can get away with a clean desk. For the rest of us, it looks like we're not working hard enough. Build huge piles of documents around your workspace. To the observer, last year's work looks the same as today's work; it's volume that counts. Pile them high and wide. If you know somebody is coming to your cubicle, bury the document you'll need halfway down in an existing stack and rummage for it when he/she arrives.

7. Voice mail -- Never answer your phone if you have voice mail. People don't call you just because they want to give you something for nothing -- they call because they want YOU to do work for THEM. That's no way to live. Screen all your calls through voice mail. If somebody leaves a message for you and it sounds like impending work, respond during lunch hour when you know they're not there -- it looks like you're hardworking and conscientious even though you're being a devious weasel.

6. Look impatient and annoyed -- According to George Costanza, one should also always try to look impatient and annoyed to give off the impression that you're always busy.

5. Leave the office late -- Always leave the office late, especially when the boss is still around. You could read magazines and storybooks that you always wanted to read. Make sure you walk past the boss' room

on your way out. Send important e-mails at unearthly hours (i.e. 9:35pm, 7:05am, etc.) and during public holidays.

4. Creative sighing for effect -- Sigh loudly when there are many people around, giving the impression that you are under extreme pressure.

3. Stacking strategy -- It is not enough to pile lots of documents on the table. Put lots of books on the floor, etc. (thick computer manuals are the best).

2. Build vocabulary -- Read up on some computer magazines and pick out all the jargon and new products. Use the phrases freely when in conversation with bosses. Remember, they don't have to understand what you say, but you sure sound impressive.

1. MOST IMPORTANT -- DON'T forward this to your boss by mistake!

```
From 2094054569480277432
X-Google-Thread: d7f5508063,7d1c168ca2546dd4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t11g2000vbc.googlegroups.com!not-for-
mail
From: RF King <TravisCurrier@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Thanks
Date: Wed, 20 May 2009 10:40:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <905fd5bd-0001-41ad-ab1a-29589123e31d@t11g2000vbc.googlegroups.com>
NNTP-Posting-Host: 68.5.44.83
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1242841221 22458 127.0.0.1 (20 May 2009 17:40:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 May 2009 17:40:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t11g2000vbc.googlegroups.com; posting-host=68.5.44.83;
     posting-account=DlP5YwoAAABdjm_DJzoZgY1pnXMYD7rO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US)
     AppleWebKit/525.19 (KHTML, like Gecko) Chrome/1.0.154.65 Safari/
525.19,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1549
```

As a former Engineer I want to take the time to share a very good website to this group. They sale RF & Microwave Products. I don't want to spam this group I just thought you might be interested in my products. I will post sales everyonce in a while for you guys.

Please Visit:

www.RFKings.com

And here is a 20% off coupon to say thanks:

Coupon Code: RFK20SALE

Travis Currier
RF Kings
Phone: 949-276-7378
Email:sales@rfkings.com
Website: www.rfkings.com
Location: Laguna Niguel, CA

From -2119379222599948476
X-Google-Thread: d7f5508063,7d1c168ca2546dd4,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe23.iad.POSTED!7564ea0f!not-for-mail
From: "Dr. Barry L. Ornitz" <BLOrnitz48@charter.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <349ab699-79e9-488a-bdaa-b5399941816f@u10g2000vbd.googlegroups.com>
In-Reply-To: <349ab699-79e9-488a-bdaa-b5399941816f@u10g2000vbd.googlegroups.com>
Subject: Re: Thanks
Lines: 42
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
X-RFC2646: Format=Flowed; Original
Message-ID: <6bZQl.72953$CN5.19539@newsfe23.iad>
NNTP-Posting-Host: jnibogphckphemgkkgknfdakiclijcld
X-Complaints-To: abuse@charter.net
X-Trace:
aeeollfjikkhiokkkenaajobffgmphfmlclcaaopppcdiglmjnibogphckphemgkfllejjhdijjjcbpjij
gmcmppglfjkejlpdghhpdpigpgkldmpeabkdmgfafpdkinfengolcelnpbekad
NNTP-Posting-Date: Wed, 20 May 2009 19:51:30 UTC
Date: Wed, 20 May 2009 15:51:30 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:12050
rec.radio.amateur.boatanchors:2906 rec.radio.amateur.equipment:1550

"RF King" <TravisCurrier@gmail.com> wrote in message
news:349ab699-79e9-488a-bdaa-b5399941816f@u10g2000vbd.googlegroups.com...

> As a former Engineer I want to take the time to share a very good
> website to this group. They sale RF & Microwave Products. I don't want
> to spam this group I just thought you might be interested in my
> products. I will post sales everyonce in a while for you guys.
>
> Please Visit:
>
> www.RFKings.com
>
> And here is a 20% off coupon to say thanks:
>
> Coupon Code: RFK20SALE
>
>
> Travis Currier
> RF Kings
> Phone: 949-276-7378
> Email:sales@rfkings.com
> Website: www.rfkings.com
> Location: Laguna Niguel, CA

He may not want to spam the group but he is more than willing to send spam individually to your email address if he reads it from a posting. He also sent at least seven other identical postings to different newsgroups instead of cross posting. The site he advertises is his. If you get spam, send your complaints to
    abuse@hostmysite.com, groups-abuse@google.com,
and to his posting host abuse@cox.net.
The registrar of his site is Godaddy so you might wish to complain there too. I have already received spam from this jerk before his Usenet postings were sent.

--
I HATE SPAM !
73, Dr. Barry L. Ornitz WA4VZQ
    BLOrnitz48@charter.net

```
From 1122689978962292715
X-Google-Thread: d7f5508063,e33919889da9aabd,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 21 May 2009 17:14:46 -0500
```

From: 328X1 <328X1.45b8766@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood Tm-v7 Display 'line'
Date: Thu, 21 May 2009 18:35:23 +0100
Message-ID: <328X1.45b8766@radiobanter.com>
Organization: RadioBanter.com
Lines: 16
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
g8S6zhYNXioYK2gmxp7r7e1ph7uB8VT9sL4lopSVxFX+RDQmilZ0FuEkZVvBZA90Y9XXyZnl02v1Bdv!
F99bFc9fJb21BmG3IHNPdbQyGPsHOELBre6lkCWGKLInb+xbfyL6gZjLZmf1JBEOMm/8BnqtQFA1!zw==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
X-Original-Bytes: 1591
Xref: g2news2.google.com rec.radio.amateur.equipment:1551

Have one of these in for reported problems. Have resolved most. I'm aware the early units have a common display issue; in that a unwanted line or lines appear on the display. Does anyone know, exactly, the root cause of the problem. Some insight may help formulate a less costly repair procedure. The display is a flourescent type display. I'm quite versed on display faults [and repair techniques] related to LED/LCD type screen displays. I've not dealt with this particular problem, till now. Replacement displays are cost prohibitive. Especially if the problem lies elsewhere, other than the actual display part.

--
328X1

From -5737343382109068189
X-Google-Thread: d7f5508063,4a9b29c79b58b069,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t10g2000vbg.googlegroups.com!not-for-
mail
From: kb1jec@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Ford 'Solar Tint' Glass and Glass-Mount Antenna?
Date: Fri, 22 May 2009 10:11:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <2666f161-d079-40a7-8479-f6bba9f9a177@t10g2000vbg.googlegroups.com>

```
NNTP-Posting-Host: 76.19.186.101
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1243012280 4828 127.0.0.1 (22 May 2009 17:11:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 May 2009 17:11:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t10g2000vbg.googlegroups.com; posting-host=76.19.186.101;
     posting-account=_htwrgoAAAA-DVpeOsA88jsC-ejcr_ER
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.10)
     Gecko/2009042316 Firefox/3.0.10,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1552
```

Hi all,

I have a 99 Ford Escort with a back window marked as 'Ford Solar Tint'. It has a defroster in it as well. I was hoping to mount a small though-glass antenna for APRS use on 2m, but I don't know if it would be possible with that glass. Anyone have any experience with this?

Thanks.

```
From 3573132725944098129
X-Google-Thread: d7f5508063,4a9b29c79b58b069
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 23 May 2009 07:38:10 -0500
Date: Sat, 23 May 2009 05:38:10 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ford 'Solar Tint' Glass and Glass-Mount Antenna?
References: <2666f161-d079-40a7-8479-f6bba9f9a177@t10g2000vbg.googlegroups.com>
In-Reply-To: <2666f161-d079-40a7-8479-f6bba9f9a177@t10g2000vbg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <StKdnWPXmbqvc4rXnZ2dnUVZ_sydnZ2d@earthlink.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.99
X-Trace:
sv3-3Pj7UAtnUiYSjgKO2fBWtVMKRqNCR9wSZ7RgARLSskNadXiYTXAKl8l4veg0J7jL4FU5dNGVCwwov2
3!UjZjpSROHq8XClp5n5txegt5nOnpks6BiytHCF2qimc4f1TuWnKp7d12A1awouShi9LlXbdGHwU4!
T5LMCUTYC9X05MRW42+f0HqB20DiTMzzeQ==
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1629
Xref: g2news2.google.com rec.radio.amateur.equipment:1553

kb1jec@gmail.com wrote:
> Hi all,
>
> I have a 99 Ford Escort with a back window marked as 'Ford Solar
> Tint'. It has a defroster in it as well. I was hoping to mount a
> small though-glass antenna for APRS use on 2m, but I don't know if it
> would be possible with that glass. Anyone have any experience with
> this?
>
> Thanks.

I bet the antenna manufacturer could tell you.

From -6590087682258594319
X-Google-Thread: d7f5508063,aa49390bfd26e237,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
From: Chevy454 <nunyas@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Battery Saver?
Date: Sat, 23 May 2009 10:44:42 -0400
Reply-To: nunyas@aol.com
Message-ID: <rm2g15135l421l25fg09p216ju1dea7j0c@4ax.com>
X-Newsreader: Forte Free Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
Organization: Optimum Online
NNTP-Posting-Host: 24.45.199.95
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1554

This item prevents your thermoelectric cooer from draining your car
battery to the point where you can not start your car:
http://koolatrononline.stores.yahoo.net/koolatron-12v-battery-saver.html

Can something like this be easily homebrewed from a couple of 30/40
amp horn relays and a couple of pots? That would permit its use for
the same purpose in mobile QRO radio.

I tested one and it open the circuit at 11.5V and closes it again at
12.8V. The dead zone is needed to prevent cycling.

Ken KC2JDY

```
From 7367588915949849324
X-Google-Thread: d7f5508063,4a9b29c79b58b069
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!transit3.readnews.com!
news-xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ford 'Solar Tint' Glass and Glass-Mount Antenna?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <2666f161-d079-40a7-8479-f6bba9f9a177@t10g2000vbg.googlegroups.com>
<StKdnWPXmbqvc4rXnZ2dnUVZ_sydnZ2d@earthlink.com>
Organization: Your Company
Message-ID: <Xns9C145EBDDF9AEHuckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 23 May 2009 16:18:47 GMT
Lines: 33
NNTP-Posting-Host: b43af6fb.news.adtechcomputers.com
X-Trace:
DXC=Y4[n@G4BDam;>kBkM`GFNegC4_A5:nI@a<<=aEgO;R8g2ik20G\97SeI_BDfiSH[clecf<A4o8l9c0
W_Uo]cC15jd[G8m?KT0oioc41\iBKHWfDQYZ009lm@j
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1555
```

dave <dave@dave.dave> wrote in
news:StKdnWPXmbqvc4rXnZ2dnUVZ_sydnZ2d@earthlink.com:

> kb1jec@gmail.com wrote:
>> Hi all,
>>
>> I have a 99 Ford Escort with a back window marked as 'Ford Solar
>> Tint'. It has a defroster in it as well. I was hoping to mount a
>> small though-glass antenna for APRS use on 2m, but I don't know if it
>> would be possible with that glass. Anyone have any experience with
>> this?
>>
>> Thanks.
>

Here are some comments from the FAQ on Larson glass mount antennas,
taken from: http://www.larsen-antennas.com/techref_faqs.shtml

Ed   K7AAT

A: Glass mount antennas are easy to install and do not require drilling a
hole. Just be sure the antenna is mounted high up on the glass and not

over defogger wires or on reflective window tint as this could impede
performance.

Tint: Various tints affect the dielectric constant causing a higher VSWR,
poor reception or no performance.

Do not mount antenna on any dark tinted area or on an area where an after
market tinting film has been applied.

```
From 2376005400700714756
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 23 May 2009 13:14:05 -0500
Date: Sat, 23 May 2009 11:14:05 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Battery Saver?
References: <rm2g15135l421l25fg09p216ju1dea7j0c@4ax.com>
In-Reply-To: <rm2g15135l421l25fg09p216ju1dea7j0c@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <WfCdnWe6m-5zoYXXnZ2dnUVZ_qudnZ2d@earthlink.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.99
X-Trace:
sv3-3OYrVc8LU8OH1jd7iaXhBTxavpikgZQG+DAWDe8yRRiMj2tgo9YZ5YY6KSSUddLSlmh7P0jj/
yU0T7k!4lig/hHQKbHiws8e6wDI8thY/+QSx5i/OdMxloFDfammfWz2gV/Wtef9H+76P3YyM/
fUJ+Ek7Sca!UF5zDpdByJe5NpvH6gcZXizHMgAdmGy7WA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1817
Xref: g2news2.google.com rec.radio.amateur.equipment:1556
```

Chevy454 wrote:
> This item prevents your thermoelectric cooer from draining your car
> battery to the point where you can not start your car:
> http://koolatrononline.stores.yahoo.net/koolatron-12v-battery-saver.html
>
> Can something like this be easily homebrewed from a couple of 30/40
> amp horn relays and a couple of pots? That would permit its use for
> the same purpose in mobile QRO radio.
>

> I tested one and it open the circuit at 11.5V and closes it again at
> 12.8V. The dead zone is needed to prevent cycling.
>
> Ken KC2JDY

You can get a smart charger for less than that, and just keep your
battery topped-off at all times.

```
From -991840367918731767
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!nntp.infostrada.it!twister1.libero.it.POSTED!not-for-mail
From: "stermen" <stermen975@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,fl.forsale
References: <16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net>
In-Reply-To: <16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net>
Subject: Re: COLLINS 30L-1 transmitter
Lines: 18
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Message-ID: <Gl9Sl.10414$9f6.7575@twister1.libero.it>
Date: Sun, 24 May 2009 10:31:02 GMT
NNTP-Posting-Host: 151.80.196.129
X-Complaints-To: abuse@libero.it
X-Trace: twister1.libero.it 1243161062 151.80.196.129 (Sun, 24 May 2009 12:31:02
MET DST)
NNTP-Posting-Date: Sun, 24 May 2009 12:31:02 MET DST
Organization: [Infostrada]
Xref: g2news2.google.com rec.radio.amateur.equipment:1557 rec.radio.swap:2122
fl.forsale:350
```

All at 1 dollar

Find everything from $ 1

clik here:

http://rover.ebay.com/rover/1/711-53200-19255-0/1?
type=1&campid=5336189855&toolid=10001&customid=

"DC" <nobody@pseudo.borked.net> ha scritto nel messaggio
news:16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net...
> http://atu.ca/Collins30L1
>

From 992360122788120704
X-Google-Thread: fb5b8a5db1,a06826191abaa5fa
X-Google-Attributes: gidfb5b8a5db1,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 24 May 2009 12:43:42 -0500
Date: Sun, 24 May 2009 10:43:40 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,fl.forsale
Subject: Re: COLLINS 30L-1 transmitter
References: <16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net>
<Gl9Sl.10414$9f6.7575@twister1.libero.it>
In-Reply-To: <Gl9Sl.10414$9f6.7575@twister1.libero.it>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <nuOdne0Tta3TGoTXnZ2dnUVZ_i1i4p2d@earthlink.com>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.99
X-Trace: sv3-KIB8cCiDCeVdyT098TIvnE2C6JjKcw9DqBcJnc9dSOp9o5+/
188dRUr2Nl0wjn9grHfV91snqmtrhET!
hBnOJp6PHiK1p3lIDpBV5+dnLEl2iIliwzhRQeMME4CzFTOhpH2XHN1w5AtLIAaDzS3V/fuehQ8+!
bVciAJeM4B/ZCiDMgO5IoZTxCHSkajV5pA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1643
Xref: g2news2.google.com rec.radio.amateur.equipment:1558 rec.radio.swap:2123
fl.forsale:373

stermen wrote:
> All at 1 dollar
>
> Find everything from $ 1
>
>
> clik here:
>

```
> http://rover.ebay.com/rover/1/711-53200-19255-0/1?
type=1&campid=5336189855&toolid=10001&customid=
>
>
>
>
>
>
> "DC" <nobody@pseudo.borked.net> ha scritto nel messaggio
> news:16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net...
>> http://atu.ca/Collins30L1
>>
>


30L-1 is a tube amp.


From -7255331520973797894
X-Google-Thread: fb5b8a5db1,a06826191abaa5fa
X-Google-Attributes: gidfb5b8a5db1,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!transit3.readnews.com!
textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!nr5-
q1.newsreader.com.POSTED!not-for-mail
Subject: Re: COLLINS 30L-1 amplifier
From: Steve <moparholic@hotmail.com>
Organization: essb audio
Message-ID: <20090524134541.840$Mm_-_@newsreader.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,fl.forsale
References: <16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net>
<Gl9Sl.10414$9f6.7575@twister1.libero.it>
X-NRC-Trace: NewsReader.Com z9fygwrVw20ly@afp3bS=VCJNXfl.63z8hj,8fV0G3f6aIfJxf
Date: 24 May 2009 17:46:40 GMT
Lines: 8
NNTP-Posting-Host: 032495b9.nr5-q1.newsreader.com
X-Trace:
DXC=NOWc8JQ[j8;bX=FJTETc_0bgZaH`e<A[9Z?:i9<JJBS>XZ6cGh[RNi7iJ;iV2YAoG5O8a623@TTA0S
h4@a_23L`2
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1559 rec.radio.swap:2124
fl.forsale:374

"stermen" <stermen975@gmail.com> wrote:
> All at 1 dollar
>
>
Good gear, I wouldn't part with mine for less than $800 US.

--
                  http://NewsReader.Com/
```

```
From -577871585868978353
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!d19g2000prh.googlegroups.com!not-for-
mail
From: raypsi <RBorowiak@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 25 May 2009 19:26:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <a9c9d1f1-38b6-412c-ac2c-1a351959a2b9@d19g2000prh.googlegroups.com>
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-
e6a812081d17@b1g2000vbc.googlegroups.com>
     <gukl5r$bqb$2@news.mixmin.net>
NNTP-Posting-Host: 76.226.206.226
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1243304771 16528 127.0.0.1 (26 May 2009 02:26:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 May 2009 02:26:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d19g2000prh.googlegroups.com; posting-host=76.226.206.226;
     posting-account=fLVwTAoAAAAuuduBMbjTK6IYA_V3PAap
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     2.0.50727; .NET CLR 3.0.04506.648; .NET CLR 3.5.21022; .NET CLR
     3.0.4506.2152; .NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1560
rec.radio.amateur.homebrew:2734
```

On May 15, 5:00=A0pm, "Roger & Suzanne Nair" <r&sn...@lycos.com> wrote:
> "KD8IMG, Robert Trendel, is a twice convicted stalker of women."<mopeyzak=
w...@yahoo.com> wrote in message

Hey OM

He's got a heck of a tower if you looky at this street view here:
http://tinyurl.com/pw6fyl
And a gr8t privacy fence.

73 OM
de n8zu

```
From -3322206565399869520
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!d2g2000pra.googlegroups.com!not-for-
mail
From: raypsi <RBorowiak@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 25 May 2009 19:32:01 -0700 (PDT)
Organization: http://groups.google.com
Lines: 15
Message-ID: <01d627ca-7c8c-4eda-a243-c449ed34ca9c@d2g2000pra.googlegroups.com>
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-
e6a812081d17@b1g2000vbc.googlegroups.com>
     <gukl5r$bqb$2@news.mixmin.net> <4a0df615@x-privat.org>
NNTP-Posting-Host: 76.226.206.226
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1243305121 17694 127.0.0.1 (26 May 2009 02:32:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 May 2009 02:32:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d2g2000pra.googlegroups.com; posting-host=76.226.206.226;
     posting-account=fLVwTAoAAAAuuduBMbjTK6IYA_V3PAap
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     2.0.50727; .NET CLR 3.0.04506.648; .NET CLR 3.5.21022; .NET CLR
     3.0.4506.2152; .NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1561
rec.radio.amateur.homebrew:2735

On May 15, 7:08=A0pm, "Dan Valdez" <dv...@yahoo.com> wrote:
> "Roger & Suzanne Nair" <r&sn...@lycos.com> wrote in messagenews:gukl5r$bq=
b$2@news.mixmin.net...

>
> Is kc8qjp out of prison again?-

Hey OM

She lives in the same area zip code looky the street view a real flag
waver here:
http://tinyurl.com/qnaxzn

73 OM
de n8zu


From 5340687526807159405
X-Google-Thread: 733d321764,f62ad97910eff0dd,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Date: 26 May 2009 12:19:14 -0000
```

```
Message-ID: <0GAMQ7PA39959.8466898148@reece.net.au>
From: rrab <remailer@reece.net.au>
Subject: FA: DenTron MLA-2500 linear amplifier
X-Remailer-Contact: abuse@reece.net.au
Newsgroups: rec.radio.amateur.boatanchors, rec.radio.amateur.equipment,
     rec.radio.swap
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
feeder.motzarella.org!news.motzarella.org!mail2news.nymu.eu
X-Abuse-Contact: abuse@nymu.eu
Lines: 5
Xref: g2news2.google.com rec.radio.amateur.boatanchors:2935
rec.radio.amateur.equipment:1562 rec.radio.swap:2130

http://xrl.us/DenTronMLA2500
```

```
From 5472070016882038148
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Dan Valdez" <dval5@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <4a086abc@x-privat.org> <7a5421ab-79a2-4005-99f9-
e6a812081d17@b1g2000vbc.googlegroups.com> <gukl5r$bqb$2@news.mixmin.net>
<4a0df615@x-privat.org> <01d627ca-7c8c-4eda-a243-
c449ed34ca9c@d2g2000pra.googlegroups.com>
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Thu, 28 May 2009 12:09:39 -0400
Lines: 26
Organization: soft rock
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a1eb74c$1@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!news-
out2.kabelfoon.nl!newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!x-privat.org!not-
for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1563
rec.radio.amateur.homebrew:2747


"raypsi" <RBorowiak@gmail.com> wrote in message
news:01d627ca-7c8c-4eda-a243-c449ed34ca9c@d2g2000pra.googlegroups.com...
```

```
On May 15, 7:08 pm, "Dan Valdez" <dv...@yahoo.com> wrote:
> "Roger & Suzanne Nair" <r&sn...@lycos.com> wrote in
> messagenews:gukl5r$bqb$2@news.mixmin.net...

>
> Is kc8qjp out of prison again?-

Hey OM

She lives in the same area zip code looky the street view a real flag
waver here:
http://tinyurl.com/qnaxzn

73 OM
de n8zu

=============================

It would appear her reputation has been soiled by N8WWM..

http://www.google.com/search?hl=en&q=kc8qjp&btnG=Google+Search&aq=f&oq=&aqi=




From 8864447215657340555
X-Google-Thread: d7f5508063,a99330320ed0f88,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j9g2000prh.googlegroups.com!not-for-
mail
From: kent <kent11752@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: www.keephotsell.com wholesale jean:Evisu,True
Religion,bape,bbc,d&g,artful
     dodger,red monk
Date: Thu, 28 May 2009 10:14:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <5a28650f-581c-4421-919d-14487bc1f4bf@j9g2000prh.googlegroups.com>
NNTP-Posting-Host: 121.205.203.38
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1243530841 8368 127.0.0.1 (28 May 2009 17:14:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 May 2009 17:14:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j9g2000prh.googlegroups.com; posting-host=121.205.203.38;
     posting-account=3dGmDAoAAABSdQZcIx1sZX25waXaTtd3
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; .NET CLR 3.0.04506; CIBA; MAXTHON
2.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1564
```

www.keephotsell.com Ed Hardy Hats,Evisu jeans,Nike Basketball Sneakers,gucci sneakers china,china nike wholesaler,the cheapest nike's,wholesale china nike,louis vuitton bag, bikiny,shoe utlet,sneakers at wholesale,women prada sneakers,women prada sneakers,whlesale sneakers,wholesale china bikini,suppliers of branded clothing,sneaker wholesale,chinese jordan supplier,wholesale jordans from china,2008 prada sneaker for men,china jordan wholesale

www.keephotsell.com

```
From -2709697599067168491
X-Google-Thread: d7f5508063,e976af214bbe0079
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!usenet-
fr.net!ircam.fr!freenix!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Runge15" <philsa@bigfoot.com>
Newsgroups: rec.radio.amateur.equipment
References: <4a0585a9@x-privat.org>
<XJWdnX8HGKjuh5bXnZ2dnUVZ_tqdnZ2d@earthlink.com>
In-Reply-To: <XJWdnX8HGKjuh5bXnZ2dnUVZ_tqdnZ2d@earthlink.com>
Subject: Re: PALOMAR BI LINEAR AMPLIFIER
Date: Sat, 30 May 2009 09:24:47 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16669
Lines: 21
Message-ID: <4a20df4f$0$17763$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 30 May 2009 09:25:06 CEST
NNTP-Posting-Host: 83.114.231.164
X-Trace: 1243668306 news.orange.fr 17763 83.114.231.164:12902
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:1565
```

Oh dear CB !!
Ugh ! Help ! Not the nasty word, nooo !

"David Thompson" <thompson@mindspring.com> a �crit dans le message de news:XJWdnX8HGKjuh5bXnZ2dnUVZ_tqdnZ2d@earthlink.com...

> These are CB Linears and against FCC rules to use by radio amateurs.
> AVOID.
> Dave K4JRB
>
> "kc8qjp" <criscok@hotmail.com> wrote in message
> news:4a0585a9@x-privat.org...
>>a big sale thought someone out there would want them . dont know much
>>myself good luck   thanks.
>>
>>
>> http://cgi.ebay.com/PALOMAR-BI-LINEAR-
>> AMPLIFIER_W0QQitemZ110385356456QQcmdZViewItemQQptZLH_DefaultDomain_0?
hash=item19b37adea8&_trksid=p3286.c0.m14&_trkparms=72%3A1234%7C66%3A2%7C65%3A12%7C
39%3A1%7C240%3A1318%7C301%3A0%7C293%3A1%7C294%3A50
>>
>
>

From 904660805614470574
X-Google-Thread: d7f5508063,aa49390bfd26e237
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
209.197.12.218.MISMATCH!post02.iad!not-for-mail
Date: Sat, 30 May 2009 21:22:35 -1000
From: Rick Frazier <rickf@rickfrazier.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.13) Gecko/
20080313 SeaMonkey/1.1.9
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Battery Saver?
References: <rm2g15135l421l25fg09p216ju1dea7j0c@4ax.com>
In-Reply-To: <rm2g15135l421l25fg09p216ju1dea7j0c@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 51
Message-ID: <4a223042$0$5568$986e3d2@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1566

Chevy454 wrote:
> This item prevents your thermoelectric cooer from draining your car
> battery to the point where you can not start your car:
> http://koolatrononline.stores.yahoo.net/koolatron-12v-battery-saver.html
>
> Can something like this be easily homebrewed from a couple of 30/40
> amp horn relays and a couple of pots? That would permit its use for

> the same purpose in mobile QRO radio.
>
> I tested one and it open the circuit at 11.5V and closes it again at
> 12.8V. The dead zone is needed to prevent cycling.
>
> Ken KC2JDY

Ken:

If your relay "reliably" will not actuate, or will drop out at 11.5 volts, then you may wish to trust it to keep from depeting the battery so far you can't start the vehicle. However, having tried similar methods (including a variable settable sensor that then controlled a relay to allow use of "accessories" such as ham radio xciever, I found the best solution for me was to have a separate battery that powered the radio equipment (charged via a battery isolator diode) from the alternator, so the starting battery wasn't affected at all. This worked for both a tow vehicle (89 chevy silverado pickup) and a marine installation (19ft ski boat with entertainment electronics, marine and and ham radios) such that I could be on the water all day without the engine running, end up with the radios and cd player inoperable and still start the engine to return to the marina (of course, everything worked as soon as the engine started, and I had a bypass switch so I could run the marine radio from the starter battery if there was an emergency...)

Though you may want to do with only a single battery, after several different configurations, I really prefer a second battery for entertainment and radios. Thus I knew that when the radios crapped out, I still had a FULLY CHARGED battery to start and run the engine, whether on the water in the land based tow vehicle.   It's been more than a few years since I ran that configuration, but would do it again in a minute if I even thought about "long term operation" without the engine running. In the truck I currently have mobile ham radio, I don't have the second battery, but am careful to start and at least idle the engine if I run the radio for more than an hour, just to keep the battery up to normal levels... I probably helps that the radio isn't spec'd to run below 12.0 volts, so I tend to watch the voltage that shows on the radio display and any time it looks like it's dropping, I get the engine running. Of course, as I age, I find my operating time between moves has been decreasing, so the actual times I have to remember to start the engine are pretty rare... [sigh]

--Rick AH7H

From -226484422731191687
X-Google-Thread: a4a23d5f63,6bb740fe266ce4f1,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!news.level3.com!bloom-beacon.mit.edu!panix!panix2.panix.com!not-for-mail

From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Supersedes: <radio/ham-radio/moderated/crossposting-1-1241157601@panix.com>
Followup-To: poster
Date: 1 Jun 2009 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 04 Jul 2009 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1243836001@panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1243836003 26885 166.84.1.2 (1 Jun 2009 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 1 Jun 2009 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:12332 rec.radio.amateur.dx:409 rec.radio.amateur.equipment:1567 rec.radio.amateur.homebrew:2776 rec.radio.amateur.misc:4278 rec.radio.amateur.policy:26325 rec.radio.amateur.space:225 rec.radio.info:763

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -7471229251871132797
X-Google-Thread: a4a23d5f63,73142b94770f39d8,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!transit3.readnews.com!
news-out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1241676300@panix.com>
Followup-To: poster
Date: 7 Jun 2009 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Jul 2009 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1244354701@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1244354702 6252 166.84.1.2 (7 Jun 2009 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Jun 2009 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
```

Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:12634 rec.radio.amateur.dx:412 rec.radio.amateur.equipment:1568 rec.radio.amateur.homebrew:2801 rec.radio.amateur.misc:4284 rec.radio.amateur.policy:26374 rec.radio.info:776

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 2704076100198846058
X-Google-Thread: a4a23d5f63,ea29be09e6ec494d,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!news.glorb.com!transit3.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!

panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1241676600@panix.com>
Followup-To: poster
Date: 7 Jun 2009 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Jul 2009 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1244355000@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1244355001 13102 166.84.1.2 (7 Jun 2009 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Jun 2009 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.equipment:1569 rec.radio.swap:2154 rec.radio.info:777

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original

article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From -5628138847531383342
X-Google-Thread: 733d321764,1f4fbd366b303df,start
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news.netfront.net!not-for-mail
From: "Rick" <pissousky@yahoo.ca>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap
Subject: Need help.: OMNI-D 546 Receiving problems.!
Date: Sun, 7 Jun 2009 21:57:26 -0400
Organization: Netfront http://www.netfront.net
Lines: 9
Message-ID: <h0hr6b$1i5p$1@adenine.netfront.net>
Reply-To: "Rick" <pissousky@yahoo.ca>
NNTP-Posting-Host: 66.130.219.31
X-Trace: adenine.netfront.net 1244426252 51385 66.130.219.31 (8 Jun 2009 01:57:32 GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Mon, 8 Jun 2009 01:57:32 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Xref: g2news2.google.com rec.radio.amateur.boatanchors:2986
rec.radio.amateur.equipment:1570 rec.radio.amateur.homebrew:2802
rec.radio.amateur.misc:4289 rec.radio.swap:2155

Please help me to solve my omni-d problem.... It lost 90% of the receive side.I can barely hear signals that were usually 30 over 9.but what gets me it is that I flip the switch in the back to "receive" instead of leaving it in the transceive position and use the receive jack(not the pl-259) and it receive normally.I opened it and checked the relay(contacts) and they are ok....I took a wire antenna and jumped it to the "input signal pin" of the rx mixer and the reception cames back....any ideas guys.......

From 8229896318973716520
X-Google-Thread: 733d321764,1f4fbd366b303df
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!news2.glorb.com!news.astraweb.com!border5.newsrouter.astraweb.com!flph200.ffdc.sbc.com!prodigy.net!news.linkpendium.com!news.linkpendium.com!pit-transit.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "VK2KC" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap
References: <h0hr6b$1i5p$1@adenine.netfront.net>
Subject: Re: Need help.: OMNI-D 546 Receiving problems.!
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <683Xl.17063$y61.3474@news-server.bigpond.net.au>
Date: Mon, 08 Jun 2009 07:32:18 GMT
NNTP-Posting-Host: 58.168.73.124
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1244446338 58.168.73.124 (Mon, 08 Jun 2009 17:32:18 EST)
NNTP-Posting-Date: Mon, 08 Jun 2009 17:32:18 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.boatanchors:2988 rec.radio.amateur.equipment:1571 rec.radio.amateur.homebrew:2804 rec.radio.amateur.misc:4290 rec.radio.swap:2156

I used to own an Omni D 546, and I did have some problems with it, but not a receive problem but an email to TenTech, got me going in the right direction, and actually the manual that is supplied gives a huge amount of info on fault finding etc. Perhaps you could try to find a copy?

73
john
"Rick" <pissousky@yahoo.ca> wrote in message
news:h0hr6b$1i5p$1@adenine.netfront.net...
> Please help me to solve my omni-d problem.... It lost 90% of the receive
> side.I can barely hear signals that were usually 30 over 9.but what gets
> me it is that I flip the switch in the back to "receive" instead of
> leaving it in the transceive position and use the receive jack(not the
> pl-259) and it receive normally.I opened it and checked the
> relay(contacts) and they are ok....I took a wire antenna and jumped it to
> the "input signal pin" of the rx mixer and the reception cames back....any
> ideas guys.......

>
>

```
From -3672855241588984283
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.linkpendium.com!
news.linkpendium.com!pit-transit.telstra.net!news.telstra.net!news-
server.bigpond.net.au!53ab2750!not-for-mail
From: "VK2KC" <vk2kcjohn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RETokyo HC500 tuner
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <vb3Xl.17064$y61.4910@news-server.bigpond.net.au>
Date: Mon, 08 Jun 2009 07:35:55 GMT
NNTP-Posting-Host: 58.168.73.124
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1244446555 58.168.73.124 (Mon, 08 Jun 2009
17:35:55 EST)
NNTP-Posting-Date: Mon, 08 Jun 2009 17:35:55 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.equipment:1572
```

Hello,
I wonder if anyone has a copy of a schematic for a HC-500 Universal Antenna Coupler made by Tokyo-Hy-Power Labs?

I have one that has been mutilated and a few parts are missing, but can be fixed.

Love to get it going.

Thanks
73
john

```
From -5156600004630503216
X-Google-Thread: 733d321764,1f4fbd366b303df
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!h18g2000yqj.googlegroups.com!not-for-
mail
```

```
From: JIMMIE <JIMMIEDEE123@YAHOO.COM>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew,rec.radio.amateur.misc,rec.radio.swap
Subject: Re: Need help.: OMNI-D 546 Receiving problems.!
Date: Mon, 8 Jun 2009 01:24:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <b4b07555-2a79-4219-8657-d742c2546d3e@h18g2000yqj.googlegroups.com>
References: <h0hr6b$1i5p$1@adenine.netfront.net>
NNTP-Posting-Host: 75.191.176.71
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1244449466 11736 127.0.0.1 (8 Jun 2009 08:24:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 Jun 2009 08:24:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h18g2000yqj.googlegroups.com; posting-host=75.191.176.71;
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     Trident/4.0; .NET CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
     3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:2989
rec.radio.amateur.equipment:1573 rec.radio.amateur.homebrew:2805
rec.radio.amateur.misc:4291 rec.radio.swap:2157

On Jun 7, 9:57=A0pm, "Rick" <pissou...@yahoo.ca> wrote:
> Please help me to solve my =A0omni-d problem.... It lost 90% of the recei=
ve
> side.I can barely hear signals that were usually 30 over 9.but what gets =
me
> it is that I flip the switch in the back to "receive" instead of leaving =
it
> in the transceive position and use the receive jack(not the pl-259) and i=
t
> receive normally.I opened it and checked the relay(contacts) and they are
> ok....I took a wire antenna and jumped it to the "input signal pin" of th=
e
> rx mixer and the reception cames back....any ideas guys.......

How did you check the relay contacts? My neighbor, now SK, had one
with a problem that sounds like yours and it was the relay. You cant
always tell just by looking.

Jimmie



From 4979112201801381186
X-Google-Thread: d7f5508063,df95db3cc2495e0f,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: The End is Near...
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbofjiahkolhbedgfbogelbadjeaejgiflcif
eckepfagppmljimfccdhiicpcmojmdgeeimkbpdfjpfphdfdncmlijdhmeeceefhhchnhocjabfggo
NNTP-Posting-Date: Mon, 08 Jun 2009 11:35:02 EDT
Organization: BellSouth Internet Group
Date: Mon, 8 Jun 2009 11:46:38 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1574

I've been using usenet for about 15 years with various names. I just read
the announcement from AT&T that they are ending usenet services very soon.
That sucks. But so does growing old in general. Still, quite often it beats
the alternative.

To all of those that I have chatted with over the years and whom I may never
chat again, thanks. It's been fun.

Ed Cregger





From 7302936196011827180
X-Google-Thread: d7f5508063,df95db3cc2495e0f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news2.arglkargh.de!news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The End is Near...
Date: Mon, 8 Jun 2009 11:47:06 -0500
Organization: Litech Systems Design
Lines: 15
Sender: mikea@mikea.ath.cx
Message-ID: <atrvf6-2a6.ln1@mikea.ath.cx>
```

References: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1244479697 24337 70.164.65.62 (8 Jun 2009 16:48:17 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Mon, 8 Jun 2009 16:48:17 +0000 (UTC)
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:1575

Ed Cregger <ecregger@bellsouff.net> wrote in
<GcaXl.52890$19.5810@bignews2.bellsouth.net>:
> I've been using usenet for about 15 years with various names. I just read
> the announcement from AT&T that they are ending usenet services very soon.
> That sucks. But so does growing old in general. Still, quite often it beats
> the alternative.
>
> To all of those that I have chatted with over the years and whom I may never
> chat again, thanks. It's been fun.

there are other usenet servers. ask by e-mail.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin

From -6532446481034160514
X-Google-Thread: 733d321764,1f4fbd366b303df
X-Google-Attributes: gid733d321764,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!STARBAND.NET-a2kHrUvQQWlmc!not-for-mail
From: You <you@shadow.orgs>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew,rec.radio.amateur.misc,rec.radio.swap
Subject: Re: Need help.: OMNI-D 546 Receiving problems.!
Organization: Shadow.orgs
References: <h0hr6b$1i5p$1@adenine.netfront.net>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Date: Mon, 08 Jun 2009 09:50:50 -0800
Message-ID: <you-86887F.09504808062009@unknown.usenetserver.com>
X-Complaints-To: abuse@usenetserver.com
Lines: 16
X-Trace: d4dd54a2d4f2831eb3df313664
Xref: g2news2.google.com rec.radio.amateur.boatanchors:2990
rec.radio.amateur.equipment:1576 rec.radio.amateur.homebrew:2811
rec.radio.amateur.misc:4292 rec.radio.swap:2158

In article <h0hr6b$1i5p$1@adenine.netfront.net>,
"Rick" <pissousky@yahoo.ca> wrote:

> Please help me to solve my omni-d problem.... It lost 90% of the receive
> side.I can barely hear signals that were usually 30 over 9.but what gets me
> it is that I flip the switch in the back to "receive" instead of leaving it
> in the transceive position and use the receive jack(not the pl-259) and it
> receive normally.I opened it and checked the relay(contacts) and they are
> ok....I took a wire antenna and jumped it to the "input signal pin" of the
> rx mixer and the reception cames back....any ideas guys.......

Grab the Schematic, ands start looking where the Transceive Input and
the Receive Only Input connect and then follow the Transceive line back
and test each component clear back to the connector.... You will likely
find it in the contacts, but it may be a PIN Diode Switch, or T/R Relay
problem depending on how the radio was designed...

```
From 4904459526276831998
X-Google-Thread: d7f5508063,df95db3cc2495e0f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 09 Jun 2009 07:30:33 -0500
Date: Tue, 09 Jun 2009 05:30:33 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The End is Near...
References: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
In-Reply-To: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <E4udnXIULeJ0yLPXnZ2dnUVZ_oednZ2d@earthlink.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.183.215.118
X-Trace:
sv3-1mCQzavZGGvg38K9WxlBacEM1ID9FaJ7sFTXJ2xJ3Am37IE3fG+bkyp8cP0rsz5caEKNB0J6WiUfIo
k!bNKse7o1U7fLAbnxQaHdfXGOUQqod/UbcPR9Ht3LyXk9sSreeXV6fcpreB3BgxawqVSCOpbAf+JV!
Oq2H2tGsk2NeUxk9Kbm0IkbOciGl0Hh0WiA=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1602
Xref: g2news2.google.com rec.radio.amateur.equipment:1577
```

Ed Cregger wrote:
> I've been using usenet for about 15 years with various names. I just read
> the announcement from AT&T that they are ending usenet services very soon.

```
> That sucks. But so does growing old in general. Still, quite often it beats
> the alternative.
>
> To all of those that I have chatted with over the years and whom I may never
> chat again, thanks. It's been fun.
>
> Ed Cregger
>
>

www.dslextreme.com


From 1865865179081625038
X-Google-Thread: d7f5508063,df95db3cc2495e0f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!news-in-01.newsfeed.easynews.com!
easynews!core-easynews-01!easynews.com!en-nntp-07.dc1.easynews.com.POSTED!not-for-
mail
From: John Ferrell <jferrell13@triad.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The End is Near...
Message-ID: <d7ss25hk61bv4h8p3bjqqd6bnq7o5u1h32@4ax.com>
References: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 09 Jun 2009 10:29:00 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1578

On Mon, 8 Jun 2009 11:46:38 -0400, "Ed Cregger"
<ecregger@bellsouff.net> wrote:

>I've been using usenet for about 15 years with various names. I just read
>the announcement from AT&T that they are ending usenet services very soon.
>That sucks. But so does growing old in general. Still, quite often it beats
>the alternative.
>
>To all of those that I have chatted with over the years and whom I may never
>chat again, thanks. It's been fun.
>
>Ed Cregger
>
I use this:
```

http://www.forteinc.com/apn/index.php

$2.95 per month gets 12G download per month... that is a lot of data!
It is less expensive than a magazine subscription

```
From 6313356217067399991
X-Google-Thread: d7f5508063,df95db3cc2495e0f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!npeer02.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
post01.iad.highwinds-media.com!newsfe16.iad.POSTED!2009fe3c!not-for-mail
From: Jon Teske <jdteske@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The End is Near...
Reply-To: jdteske@verizon.net
Message-ID: <obss25db8qirdvo4opjml2hb2tq878uf14@4ax.com>
References: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
<E4udnXIULeJ0yLPXnZ2dnUVZ_oednZ2d@earthlink.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 35
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Tue, 09 Jun 2009 14:28:23 UTC
Organization: TeraNews.com
Date: Tue, 09 Jun 2009 10:28:12 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1579
```

On Tue, 09 Jun 2009 05:30:33 -0700, dave <dave@dave.dave> wrote:

>Ed Cregger wrote:
>> I've been using usenet for about 15 years with various names. I just read
>> the announcement from AT&T that they are ending usenet services very soon.
>> That sucks. But so does growing old in general. Still, quite often it beats
>> the alternative.
>>
>> To all of those that I have chatted with over the years and whom I may never
>> chat again, thanks. It's been fun.
>>
>> Ed Cregger
>>
>>
>
>www.dslextreme.com

This is a trend in ISPs. For the past year I've used a free service
called Tera News after my ISP cut this access. The ISPs for the most
part didn't actually run the service but contracted with a service
such as Giganews. It is possible to get access through Giganews as

and individual, but they do have fees. The free service has some daily limits but I've never exceeded the daily limit for text based things. If you are into binaries in a big way, they do offer paid services with greater downloading quantities. There are several of these services.

Because of the Spam content on many groups, Usenet popularity is down. Many groups have gone to moderated services on things like Yahoo groups where they is a little more control (sometimes) on the kook factor; or, they have private websites actually owned by a participating member and often moderated by them.

Jon W3JT

```
From 3482963176480622130
X-Google-Thread: d7f5508063,df95db3cc2495e0f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.r-kom.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Spamm Trappe <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The End is Near...
Date: 9 Jun 2009 14:48:21 GMT
Lines: 22
Message-ID: <slrnh2sthk.22fv.bit-bucket@shell.config.com>
References: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
X-Trace: individual.net CnPit5aSYmTRtk7isYWyHgb326BxsWYV4Ujg3GhIl9As2J8Ud7
Cancel-Lock: sha1:YCvY5nifVk02RItsFTTs2PHoky4=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:1580
```

On Mon, 8 Jun 2009 11:46:38 -0400, Ed Cregger wrote:

> I've been using usenet for about 15 years with various names. I just read the announcement from AT&T that they are ending usenet services very soon.

I sense that you don't know an awful lot about usenet -- since you've multi-posted this in gawd knows how many ng's.

Your ISP is merely a _connection_ to the internet (and all it's protocols.) Any "services" it provides beyond that are just 'teasers' to get folks to sign up. Sadly, as with so many things America, they are dumbing down the services they provide to cater to the klewless.

You have total freedom to avail yourself of _ALL_ the internet has to offer once you're connected.

I use www.individual.net/ for usenet -- have done so for over 10 years and through 3 different ISP's. WFM.

I use virtually _nothing_ of my ISP's services -- not DNS, not email, not usenet... Once connected to the internet I have *the entire world* across which to locate free or reasonably priced services.

From -4993795005764670709
X-Google-Thread: d7f5508063,df95db3cc2495e0f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <GcaXl.52890$19.5810@bignews2.bellsouth.net> <slrnh2sthk.22fv.bit-bucket@shell.config.com>
Subject: Re: The End is Near...
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <plzXl.8877$Xl4.1657@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbolipckkpmlienljlodcjndmmeafoejcjfif
eckepfagppmljimjhaienpkeioaoekgeeimkbpdfjpfphdallepgnicjhdipklaeemjjnagdfafjfd
NNTP-Posting-Date: Tue, 09 Jun 2009 16:11:01 EDT
Organization: BellSouth Internet Group
Date: Tue, 9 Jun 2009 16:19:57 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1581

"Spamm Trappe" <bit-bucket@config.com> wrote in message
news:slrnh2sthk.22fv.bit-bucket@shell.config.com...
> On Mon, 8 Jun 2009 11:46:38 -0400, Ed Cregger wrote:
>> I've been using usenet for about 15 years with various names. I just
>> read the announcement from AT&T that they are ending usenet services
>> very soon.
>
> I sense that you don't know an awful lot about usenet -- since you've
> multi-posted this in gawd knows how many ng's.
>
> Your ISP is merely a _connection_ to the internet (and all it's
> protocols.) Any "services" it provides beyond that are just 'teasers'
> to get folks to sign up. Sadly, as with so many things America, they
> are dumbing down the services they provide to cater to the klewless.

>
> You have total freedom to avail yourself of _ALL_ the internet has to
> offer once you're connected.
>
> I use www.individual.net/ for usenet -- have done so for over 10 years
> and through 3 different ISP's. WFM.
>
> I use virtually _nothing_ of my ISP's services -- not DNS, not email,
> not usenet... Once connected to the internet I have *the entire world*
> across which to locate free or reasonably priced services.

Is your real name Squidward?

Ed Cregger

From 4908000630267082146
X-Google-Thread: d7f5508063,df95db3cc2495e0f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!news3.google.com!goblin1!goblin.stu.neva.ru!egsner!news.cirr.com!sdf.lonestar.org!qcwa150
From: Stray Dog <qcwa150@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The End is Near...
Date: Thu, 11 Jun 2009 03:30:14 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 61
Message-ID: <Pine.NEB.4.64.0906110323580.3549@sdf.lonestar.org>
References: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1244691016 1162 192.94.73.1 (11 Jun 2009 03:30:16 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Thu, 11 Jun 2009 03:30:16 +0000 (UTC)
In-Reply-To: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:1582

On Mon, 8 Jun 2009, Ed Cregger wrote:

> Date: Mon, 8 Jun 2009 11:46:38 -0400
> From: Ed Cregger <ecregger@bellsouff.net>
> Newsgroups: rec.radio.amateur.equipment
> Subject: The End is Near...
>
> I've been using usenet for about 15 years with various names. I just read
> the announcement from AT&T that they are ending usenet services very soon.

> That sucks. But so does growing old in general. Still, quite often it beats
> the alternative.
>
> To all of those that I have chatted with over the years and whom I may never
> chat again, thanks. It's been fun.
>
> Ed Cregger
>
>
>

There are lots of alternatives.

Use your web browser and go to;

http://groups.google.com

I think yahoo has usenet access, too.

Also use google (or any search engine) and search on "newsgroups access"

You can purchase subscriptions to unix shell accounts at many ISPs and learn a bit of unix, and use a unix email-newgroup client (there are many, but PINE is very easy to learn), and you also beat all the email carried viruses, too, because you read your email in a unix environment from your windows computer (or mac) by opening a telnet window.

You can get an almost free shell account at:

http://freeshell.org or //sdf.lonestar.org

but you have to learn a few things, too, and pay one buck activation fee and he likes a lifetime membership fee of $36 for full priviledges.

www.mv.com

and

www.panix.com

also have unix shell accounts with full unix NG access, and the usual clients.

```
From 3223366165636462808
X-Google-Thread: d7f5508063,df95db3cc2495e0f
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
feeder.motzarella.org!news.motzarella.org!motzarella.org!news.eternal-
september.org!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The End is Near...
Date: Thu, 11 Jun 2009 07:54:20 -0400
Organization: A noiseless patient Spider
Lines: 71
Message-ID: <h0qr9l$fik$1@news.eternal-september.org>
References: <GcaXl.52890$19.5810@bignews2.bellsouth.net>
<Pine.NEB.4.64.0906110323580.3549@sdf.lonestar.org>
X-Trace: news.eternal-september.org U2FsdGVkX1+pVc/
jkhWCulaRY3AQIcDdb8tOVoQO1102iRG/
UDzivmmhIoVNVqjtQ8uN+JNCnjKhC+MB4QV2RL2OtdSISUFGVfnwdLOPQhC47hpMtOYceE7qOZj5z4PYjB
CAN00dl9OFBYHMIhWgcg==
X-Complaints-To: abuse@eternal-september.org
NNTP-Posting-Date: Thu, 11 Jun 2009 11:54:29 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Auth-Sender: U2FsdGVkX1/WzTb941d+XOL4hdonTO4koEo5t6r+ENW/pL9N9KSzeQ==
Cancel-Lock: sha1:39yEIIeurlaQ/G76MYxF9G7FtP8=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:1583


"Stray Dog" <qcwa150@sdf.lonestar.org> wrote in message
news:Pine.NEB.4.64.0906110323580.3549@sdf.lonestar.org...
>
> On Mon, 8 Jun 2009, Ed Cregger wrote:
>
>> Date: Mon, 8 Jun 2009 11:46:38 -0400
>> From: Ed Cregger <ecregger@bellsouff.net>
>> Newsgroups: rec.radio.amateur.equipment
>> Subject: The End is Near...
>>
>> I've been using usenet for about 15 years with various names. I just read
>> the announcement from AT&T that they are ending usenet services very
>> soon.
>> That sucks. But so does growing old in general. Still, quite often it
>> beats
>> the alternative.
>>
>> To all of those that I have chatted with over the years and whom I may
>> never
>> chat again, thanks. It's been fun.
```

>>
>> Ed Cregger
>>
>>
>>
>
> There are lots of alternatives.
>
> Use your web browser and go to;
>
> http://groups.google.com
>
>
> I think yahoo has usenet access, too.
>
> Also use google (or any search engine) and search on "newsgroups access"
>
> You can purchase subscriptions to unix shell accounts at many ISPs and
> learn a bit of unix, and use a unix email-newgroup client (there are many,
> but PINE is very easy to learn), and you also beat all the email carried
> viruses, too, because you read your email in a unix environment from your
> windows computer (or mac) by opening a telnet window.
>
> You can get an almost free shell account at:
>
> http://freeshell.org or //sdf.lonestar.org
>
> but you have to learn a few things, too, and pay one buck activation fee
> and he likes a lifetime membership fee of $36 for full priviledges.
>
> www.mv.com
>
> and
>
> www.panix.com
>
> also have unix shell accounts with full unix NG access, and the usual
> clients.

Thanks to you and everyone else that answered. I don't know what I was thinking when I made the original post. Musta been a senior moment, but with all of the information that has been posted, I'll still be on the newsgroups.

73 everyone.

Ed, AJ4PJ

From -2674043492445087828

```
X-Google-Thread: d7f5508063,738a3a710d3738ab,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x31g2000prc.googlegroups.com!not-for-
mail
From: bruteman <brutemann@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FOR GAMERS ONLY
Date: Thu, 11 Jun 2009 08:28:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <535ad81c-7a13-4ea9-949f-1eeba71f0778@x31g2000prc.googlegroups.com>
NNTP-Posting-Host: 119.94.37.8
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1244734086 9198 127.0.0.1 (11 Jun 2009 15:28:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 Jun 2009 15:28:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x31g2000prc.googlegroups.com; posting-host=119.94.37.8;
     posting-account=l2Tf4QoAAACjUwxntj2nP7N6StVUob6R
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.10)
     Gecko/2009042316 Firefox/3.0.10,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1584

-------------------------------------------------

http://gpoi.mybrute.com/

-------------------------------------------------

Let's get it on!

Insert a name to create your own Brute.

You will be able to fight against other Brutes in the arena.

Gain experience and fight tough in the ranking to become...
THE BRUTE!


From 6302022518976108125
X-Google-Thread: 108122,2e024a2b8c2558b3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
Date: Mon, 20 Apr 2009 19:22:13 -0400
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
```

User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-R9000 DATA "0008ch ERROR or 0517ch Error ...ERROR ch
 Was CLEAR"
References: <Sbarelman.4315765@radiobanter.com>
<49ebcfe4$0$20273$9a6e19ea@unlimited.newshosting.com>
<Sbarelman.4320027@radiobanter.com>
In-Reply-To: <Sbarelman.4320027@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 109
Message-ID: <49ed03a1$0$18685$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1485

Sbarelman wrote:
> RFI-EMI-GUY;673393 Wrote:
>> Sbarelman wrote:-
>> Hello to all
>> I checked and renewed some solders in CRT's PCB, cause I had the
>> horizontal
>> axis that sometimes turn off...there were of the welding cold, I also
>> replace
>> the memory battery and placing one socket with two wires in a way
>> that
>> can be
>> stay near the clock battery to be more accesible....BUT...after had
>> reassembling
>> all The receiver does'n function....
>> The Logic Check says all Passed for all steps execpt the DATA steps
>> return
>> "0008ch ERROR or 0517ch Error ...ERROR ch Was CLEAR"
>>
>> I try to remove the memory battery and nothing change
>>
>> The radio does a logic check on its own when turned on, and
>> everything passes except "DATA." It shows, "ERROR 0008 ch ERROR."
>> Beneath that it says, "ERROR CH was CLEAR." If I command a logic
>> check by holding down the "SPEECH" button while turning the power
>> on, the DATA line shows "Passed," and it goes to 2.000 mHz, which
>> it both displays and actually receives. As soon as I turn the
>> tuning knob, the display blanks and the receiver mutes.
>>
>> Pressing any of the mode switches from the muted condition brings up
>> a display of 10.000 mHz, and it actually does receive at that
>> frequency also. Again, turning the tuning knob kills the frequency
>> display and mutes the receiver.
>>
>> If I don't touch the tuning dial while it is on 2 or 10 mHz , I can

>> use the up - down knob to select 2 mHz on ch 000, 5 mHz on ch 001,
>> 10 mHz on ch 002, 145 mHz on ch 003, 430 mHz on ch 004, 2 mHz on ch
>> 0P1, and 26 mHz on ch 0P2. I presume those are some test
>> frequencies that reside in ROM. Turning the tuning knob at any of
>> these frequencies blanks the display and mutes the receiver.
>>
>> When one of the before mentioned frequencies is displayed, pressing
>> either the "MHZ UP" or "MHZ DOWN" buttons locks in that frequency
>> until the power is turned off.
>>
>> The CPU seems to be OK. Various other functions it controls work
>> correctly.
>>
>> I have tried the logic reset procedure of holding down the "clear"
>> button while turning on the power, but that didn't help.
>>
>> Any Help ?
>>
>> Thanks a lot
>> Andrea
>>
>>
>>
>> -
>>
>> Which memory battery did you modify? You do know that the battery that
>>
>> is accessible from the door on top of the unit is for the clock only.
>> The channel memory battery is inside of the logic unit casting. That
>> being said, there is a circuit to the clock battery board that is
>> critical to the CPU logic and there is a bulletin that ICOM posted
>> about
>> changing a jumper on that circuit board (the one with the clock battery
>>
>> and speech chip option) to correct a memory error.
>>
>> Secondly, since you probably had the front panel off to do the CRT
>> repair, you might have a pinched wire or a switch stuck closed. I think
>>
>> there is a memory clear button, that if stuck could perhaps cause an
>> error code when booting up.
>>
>> --
>> Joe Leikhim K4SAT
>> "The RFI-EMI-GUY"�
>>
>> "Use only Genuine Interocitor Parts" Tom Servo ;-P
>
> HI Thanks for your reply
>
> I modify the Memory Battery and i just added two wires and a socket
> for it in a way that can be stay near the clock battery it like i
> replace the memory battery....

> I checked all the wires and all seems to be OK
> I checked the Voltage at the pin where the memory battery was soldered
> and it seems to be Ok 3 Volts
> So I reset with the correct command ,at power press clear button, the
> cpu reset but no more
>
> So you told me about a bulletin that ICOM posted about
> changing a jumper coul you tell me where can i find more info about it
> ?
>
> Thanks a lot
>
>
>
>

I sent you a file you should get shortly..

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo ;-P

```
From -5726190933328091400
X-Google-Thread: 108122,2e024a2b8c2558b3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 21 Apr 2009 05:13:02 -0500
From: Sbarelman <Sbarelman.43351a7@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-R9000 DATA "0008ch ERROR or 0517ch Error ...ERROR ch Was
CLEAR"
Date: Tue, 21 Apr 2009 07:30:06 +0100
Message-ID: <Sbarelman.43351a7@radiobanter.com>
Organization: RadioBanter.com
References: <Sbarelman.4315765@radiobanter.com>
<49ebcfe4$0$20273$9a6e19ea@unlimited.newshosting.com>
<Sbarelman.4320027@radiobanter.com>
<49ed03a1$0$18685$9a6e19ea@unlimited.newshosting.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
NE3GzN0agRqADKct6QDe0xW2+zsxRDIjWyVe5nKXTC+QVeOX5ML6szmuf0ahU50FGdHx2di74E0UAJx!
cU/Oz+IBNyzoHKfInnkjB004D+CUxG7TUOL0pxI49n0lzzdbX4LKPr2CSKne4YxckdyM54X9ZaqD!
+PuBGgg=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.39
X-Original-Lines: 4
Xref: g2news2.google.com rec.radio.amateur.equipment:1486


Hi
where did you sent it to me ?

Thanks




--
Sbarelman


From -971963567137452278
X-Google-Thread: 108122,2e024a2b8c2558b3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
Date: Tue, 21 Apr 2009 13:49:29 -0400
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-R9000 DATA "0008ch ERROR or 0517ch Error ...ERROR ch
 Was CLEAR"
References: <Sbarelman.4315765@radiobanter.com>
<49ebcfe4$0$20273$9a6e19ea@unlimited.newshosting.com>
<Sbarelman.4320027@radiobanter.com>
<49ed03a1$0$18685$9a6e19ea@unlimited.newshosting.com>
<Sbarelman.43351a7@radiobanter.com>
In-Reply-To: <Sbarelman.43351a7@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 16
Message-ID: <49ee0723$0$18664$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1273

Sbarelman wrote:
> Hi
> where did you sent it to me ?
>
> Thanks
```

```
>
>
>
>
to the address in your reply..

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo  ;-P


From 9149681128185659641
X-Google-Thread: 108122,c07af9d24dce711d,start
X-Google-Thread: 1109af,c07af9d24dce711d,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feed.cgocable.net!
read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: WANTED:  Service / Operations Manual for MOTOROLA Deviation Meter
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <jjuHl.27406$gf.25911@read1.cgocable.net>
Date: Tue, 21 Apr 2009 21:22:23 -0400
NNTP-Posting-Host: 24.141.81.109
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1240363343 24.141.81.109 (Tue, 21 Apr 2009 21:22:23
EDT)
NNTP-Posting-Date: Tue, 21 Apr 2009 21:22:23 EDT
Organization: Cogeco Cable
Xref: g2news1.google.com rec.radio.amateur.equipment:1274 rec.radio.swap:1578

Looking for a Service /  Operations Manual for a   Motorola SLN-6412A
[S1344AB]   Freq Counter / Auto-Deviation Meter..... Click here for  picture
!     Please advise if you can be of assistance.

Thank You for looking.....Norm VE3CZI   www DOT rodemi DOT com




From 2004853327695281179
X-Google-Thread: 108122,872bde0d09f5e795,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r33g2000yqn.googlegroups.com!not-for-
```

```
mail
From: saltydog <saltydogmn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Yaesu VX-1R 144/440 MHZ Transceiver - MINT condition!
Date: Wed, 22 Apr 2009 07:01:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <957bb134-19d6-437b-bcbd-3861a2732fa6@r33g2000yqn.googlegroups.com>
NNTP-Posting-Host: 64.131.8.38
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1240408900 7905 127.0.0.1 (22 Apr 2009 14:01:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 22 Apr 2009 14:01:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r33g2000yqn.googlegroups.com; posting-host=64.131.8.38;
     posting-account=L2IEvwoAAAC0tqh98lkvDFiMp8Dn_s2a
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.9.0.8)
     Gecko/2009032609 Firefox/3.0.8 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1489

This is a one-time notice. Thanks for your time!

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=STRK:MESELX:IT&item=200334424470

Current bid is only $10.49 - no reserve!

Thanks for looking - good luck!


From 8984917872491043311
X-Google-Thread: 108122,e71590e03c2f90b9,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx01.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Apr 2009 10:58:15 -0500
From: "Bob D." <bobbyd849@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Tuning 40M on new Ameritron AL-80B Amp
Date: Wed, 22 Apr 2009 11:58:20 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
Message-ID: <DaGdna7Mp4sKo3LUnZ2dnUVZ_h2dnZ2d@giganews.com>
```

Lines: 14
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-rPEY1Zs6IedN/
LXCJo28JV7fdiGOk9SCTNB55XiwCmKwXS7hcqWtfotShd5MaT8ioAkkjmW4OTtQyX+!1PysTakZ3LuuX/
M8MjgplMYZ6IQgo8r265HR1UPGxIRis6b6f0NXAB00kQQhoffEy4VD8M5MDbg=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1501
Xref: g2news1.google.com rec.radio.amateur.equipment:1276

The LOAD control on my Ameritron AL-80B has almost no peak on 40 meters.
Does this indicate something is bad?

The PLATE control peaks nicely on 40M.
The LOAD control peaks sharply on the other bands.
I'm getting full output power and good reports on 40M SSB.

I'm tuning the PLATE and LOAD controls for max output with 100W CW input,
using a Cantenna dummy load.

--
Bob ND9B

From 7271904769338611484
X-Google-Thread: 108122,d999132fd3bf5c66,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Listen to QSO on Internet ?
From: "Titi" <.>
Date: Wed, 22 Apr 2009 22:43:41 +0200
Message-ID: <1240433129_2079@vo.lu>
Lines: 28
NNTP-Posting-Host: 87.240.252.188
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!eweka.nl!
lightspeed.eweka.nl!194.134.4.91.MISMATCH!news2.euro.net!82.197.223.106.MISMATCH!
feeder1.cambriumusenet.nl!feed.tweaknews.nl!193.141.40.65.MISMATCH!npeer.de.kpn-
eurorings.net!npeer-ng0.de.kpn-eurorings.net!news.vo.lu!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: vo.lu 1240433129 87.240.252.188 (22 Apr 2009 22:45:29 0200)
Reply-to: "Titi" <.>
MIME-Version: 1.0
Content-Type: text/plain;
 format=flowed;
 charset="iso-8859-1";
 reply-type=original
Content-Transfer-Encoding: 7bit

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Xref: g2news1.google.com rec.radio.amateur.equipment:1277

Hi,

Is there somewhere on the web a tool permitting to listen to QSO in live (as
there is ATCmonitor to listen to air controllers) ?
Do you know an URL ?
PS. there is well Echolink, but you need to contact the OM to listen him. I
am searcging for a passive tool, like listing to a receiver tuned on HF.

Thanks
Thierry

From -316647851656431162
X-Google-Thread: 108122,d999132fd3bf5c66
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Apr 2009 16:12:26 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Listen to QSO on Internet ?
References: <1240433129_2079@vo.lu>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Wed, 22 Apr 2009 14:12:19 -0700
Message-ID: <jqd4c6-ecg.ln1@radagast.org>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-vPr8RFJev3mRRSgfxsySMNdV6OSCaNUICl3DAP6i/
r0oawkHN3JdKtseHATIvzl1QLPUjpUzUy3nLSH!
90MtbLf6zXjv9vz9CsZpM8vRWzboy4Gks5uoUROjWQJG9MWBL6Ym9fE7zaShaQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1750
Xref: g2news1.google.com rec.radio.amateur.equipment:1278

>Hi,
>
>Is there somewhere on the web a tool permitting to listen to QSO in live (as
>there is ATCmonitor to listen to air controllers) ?

>Do you know an URL ?
>PS. there is well Echolink, but you need to contact the OM to listen him. I
>am searcging for a passive tool, like listing to a receiver tuned on HF.

Check out the links at

  http://www.dxzone.com/catalog/Internet_and_Radio/Online_Receivers/

Quite a few of them there.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -5659987673113459457
X-Google-Thread: 108122,e71590e03c2f90b9
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <DaGdna7Mp4sKo3LUnZ2dnUVZ_h2dnZ2d@giganews.com>
Subject: Re: Tuning 40M on new Ameritron AL-80B Amp
Lines: 29
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <vFNHl.79$fy.49@nwrddc01.gnilink.net>
Date: Wed, 22 Apr 2009 23:23:07 GMT
NNTP-Posting-Host: 173.55.75.200
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1240442587 173.55.75.200 (Wed, 22 Apr 2009 19:23:07
EDT)
NNTP-Posting-Date: Wed, 22 Apr 2009 19:23:07 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:1279

"Bob D." <bobbyd849@comcast.net> wrote in message
news:DaGdna7Mp4sKo3LUnZ2dnUVZ_h2dnZ2d@giganews.com...
> The LOAD control on my Ameritron AL-80B has almost no peak on 40 meters.
> Does this indicate something is bad?
>

> The PLATE control peaks nicely on 40M.
> The LOAD control peaks sharply on the other bands.
> I'm getting full output power and good reports on 40M SSB.
>
> I'm tuning the PLATE and LOAD controls for max output with 100W CW input,
> using a Cantenna dummy load.
>
> --
> Bob ND9B
>

See page 13 in the manual. They can be downloaded from the Ameritron/MFJ website.

Start with a dip in Plate current with PLATE adj.

What are you looking at for a "peak"? It should be tuned for maximum RF output from the AMP. The peak should be shallow when properly loaded.

Because of the Q of the tank circuit, the adjustment is less sharp on the lower frequencies.

Perhaps the LOAD adj. is too far clockwise. Be careful not to exceed grid current. All this should be doable with less than 80w CW.

```
From 9176687312310058991
X-Google-Thread: 108122,e71590e03c2f90b9
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-out.readnews.com!
transit3.readnews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Apr 2009 20:04:04 -0500
From: "Bob D." <bobbyd849@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <DaGdna7Mp4sKo3LUnZ2dnUVZ_h2dnZ2d@giganews.com>
<vFNHl.79$fy.49@nwrddc01.gnilink.net>
Subject: Re: Tuning 40M on new Ameritron AL-80B Amp
Date: Wed, 22 Apr 2009 21:04:10 -0400
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <Lv-dnTAlz4UZI3LUnZ2dnUVZ_uOdnZ2d@giganews.com>
Lines: 40
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
BEltVQXGFuF12KaKZ4am9Wy32SQkyuhjYJHHnussAQyg0u7bqqLwALtduypEXmVUStksGedkDKJl4qk!
sutrwVLGP/eseHo+MwUX8yD6vneOAslMvHVFZKN3NYDllzX3YVOtHxH9h9tMeHyQyVffBXYwhlQ=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:1280

I think I found the problem. The ALC SET control was set too low. It was
"capping" the output power. I couldn't see the LOAD peak because the ALC was
holding the power down.

--
Bob D.

"JB" <nospam@goofball.net> wrote in message
news:vFNHl.79$fy.49@nwrddc01.gnilink.net...
> "Bob D." <bobbyd849@comcast.net> wrote in message
> news:DaGdna7Mp4sKo3LUnZ2dnUVZ_h2dnZ2d@giganews.com...
>> The LOAD control on my Ameritron AL-80B has almost no peak on 40 meters.
>> Does this indicate something is bad?
>>
>> The PLATE control peaks nicely on 40M.
>> The LOAD control peaks sharply on the other bands.
>> I'm getting full output power and good reports on 40M SSB.
>>
>> I'm tuning the PLATE and LOAD controls for max output with 100W CW input,
>> using a Cantenna dummy load.
>>
>> --
>> Bob ND9B
>>
> See page 13 in the manual.  They can be downloaded from the Ameritron/MFJ
> website.
>
> Start with a dip in Plate current with PLATE adj.
>
> What are you looking at for a "peak"?  It should be tuned for maximum RF
> output from the AMP.  The peak should be shallow when properly loaded.
>
> Because of the Q of the tank circuit, the adjustment is less sharp on the
> lower frequencies.
>
> Perhaps the LOAD adj. is too far clockwise.  Be careful not to exceed grid
> current.  All this should be doable with less than 80w CW.
>




From 4556299669820630648
X-Google-Thread: 108122,d999132fd3bf5c66
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
feeder.motzarella.org!news.motzarella.org!motzarella.org!not-for-mail
From: "T. & D. Gregor, Sr." <tdgsr@verizon.net>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Listen to QSO on  Internet ?
Date: Thu, 23 Apr 2009 08:16:28 -0400
Organization: The Scenery Hall of Fame
Lines: 24
Message-ID: <hsm0v494h8pgnj3v680sknnqbp46u7n5a0@4ax.com>
References: <1240433129_2079@vo.lu>
Reply-To: T. & D. Gregor, Sr. <tdgsr@verizon.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.eternal-september.org U2FsdGVkX19dwZBayi7679lu5T0kL/
U5xxiJY7e2AE6qn0AY5+Uq4fjwn2TeSvxXjAHDrRbjcyHe2Oc5RnINfmLwJIKLnC0wZ7s/
dn+hGj2fNVvbAF3/5k4FdNzf2cbZ9/LwnvuI+/8=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 23 Apr 2009 12:16:32 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
X-Auth-Sender: U2FsdGVkX1/i/ucxSmhImKouuTafdiCbjRDYtL0mHgI=
Cancel-Lock: sha1:qW7vH0KbcCY+wgyW6crEUbtfBLc=
Xref: g2news1.google.com rec.radio.amateur.equipment:1281
```

Hi Thierry:

Try the following:

http://www.smeter.net/

Good Luck

Tom G, Sr.

On Wed, 22 Apr 2009 22:43:41 +0200, "Titi" <.> wrote:

>Hi,
>
>Is there somewhere on the web a tool permitting to listen to QSO in live (as
>there is ATCmonitor to listen to air controllers) ?
>Do you know an URL ?
>PS. there is well Echolink, but you need to contact the OM to listen him. I
>am searcging for a passive tool, like listing to a receiver tuned on HF.
>
>Thanks
>Thierry

```
From 89864556218796196
X-Google-Thread: 108122,d999132fd3bf5c66
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
feeder.motzarella.org!news.motzarella.org!motzarella.org!not-for-mail
```

```
From: "T. & D. Gregor, Sr." <tdgsr@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Listen to QSO on  Internet ?
Date: Thu, 23 Apr 2009 08:16:56 -0400
Organization: The Scenery Hall of Fame
Lines: 24
Message-ID: <c1n0v4l22qmna3s2k51dsk0kk1esgnq4jr@4ax.com>
References: <1240433129_2079@vo.lu>
Reply-To: T. & D. Gregor, Sr. <tdgsr@verizon.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.eternal-september.org U2FsdGVkX1/
UCy49NJvHItwRwdJ13Rd0HOyajLDxH7s398MYYIgKl+5yNqTsHyA7gpehfzvFHWFoFuJJtetqfouLR0tWk
JHpALt+rbzXOpN6MgPyI3djaoAGWc4GotDxt/xDqarBL7I=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 23 Apr 2009 12:16:59 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
X-Auth-Sender: U2FsdGVkX1/GpWA6uWOEbKeyWNaxyuBMdyNhbNZoZu0=
Cancel-Lock: sha1:j3i/Z64okGu6gadE/Km+rOBSySU=
Xref: g2news1.google.com rec.radio.amateur.equipment:1282


Hi Thierry:

Try the following:

http://www.smeter.net/

Good Luck

Tom G, Sr.

On Wed, 22 Apr 2009 22:43:41 +0200, "Titi" <.> wrote:

>Hi,
>
>Is there somewhere on the web a tool permitting to listen to QSO in live (as
>there is ATCmonitor to listen to air controllers) ?
>Do you know an URL ?
>PS. there is well Echolink, but you need to contact the OM to listen him. I
>am searcging for a passive tool, like listing to a receiver tuned on HF.
>
>Thanks
>Thierry




From 379735595188752591
X-Google-Thread: 108122,d999132fd3bf5c66
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
```

```
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Apr 2009 07:29:08 -0500
Date: Thu, 23 Apr 2009 05:29:08 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Listen to QSO on  Internet ?
References: <1240433129_2079@vo.lu>
In-Reply-To: <1240433129_2079@vo.lu>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <xridnY21n62Iwm3UnZ2dnUVZ_hVi4p2d@earthlink.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.202
X-Trace: sv3-463+33qfIWXQSexmMCAVSrJhpFxPg6+/+baoIgmlJpm/
vf0A4agzmrdGn3ug4ikb1t1Yz2szi+MmxT2!
CEXyP6RdW+JbTKz4sQUHU57H3wLAVD3rliW6rhs8YZRFRR8Gj1gD3Lft96jqieYctKgkjsu7OomX!
Mn2yNBpWA7csGzXek0kfMhOx66LNgVOx
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1557
Xref: g2news1.google.com rec.radio.amateur.equipment:1283

Titi wrote:
> Hi,
>
> Is there somewhere on the web a tool permitting to listen to QSO in live
> (as there is ATCmonitor to listen to air controllers) ?
> Do you know an URL ?
> PS. there is well Echolink, but you need to contact the OM to listen
> him. I am searcging for a passive tool, like listing to a receiver tuned
> on HF.
>
> Thanks
> Thierry
>
Listen w/ Winamp, etc.

http://74.52.7.110:8000/listen.pls




From -7005288212695511192
X-Google-Thread: 108122,e71590e03c2f90b9
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
```

```
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <DaGdna7Mp4sKo3LUnZ2dnUVZ_h2dnZ2d@giganews.com>
<vFNHl.79$fy.49@nwrddc01.gnilink.net> <Lv-
dnTAlz4UZI3LUnZ2dnUVZ_uOdnZ2d@giganews.com>
Subject: Re: Tuning 40M on new Ameritron AL-80B Amp
Lines: 53
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <y32Il.194$fy.144@nwrddc01.gnilink.net>
Date: Thu, 23 Apr 2009 18:03:10 GMT
NNTP-Posting-Host: 173.55.68.32
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1240509790 173.55.68.32 (Thu, 23 Apr 2009 14:03:10
EDT)
NNTP-Posting-Date: Thu, 23 Apr 2009 14:03:10 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1498
```

"Bob D." <bobbyd849@comcast.net> wrote in message
news:Lv-dnTAlz4UZI3LUnZ2dnUVZ_uOdnZ2d@giganews.com...
> I think I found the problem. The ALC SET control was set too low. It was
> "capping" the output power. I couldn't see the LOAD peak because the ALC
was
> holding the power down.
>
> --
> Bob D.

ALC on those takes a little getting used to.

> "JB" <nospam@goofball.net> wrote in message
> news:vFNHl.79$fy.49@nwrddc01.gnilink.net...
> > "Bob D." <bobbyd849@comcast.net> wrote in message
> > news:DaGdna7Mp4sKo3LUnZ2dnUVZ_h2dnZ2d@giganews.com...
> >> The LOAD control on my Ameritron AL-80B has almost no peak on 40
meters.
> >> Does this indicate something is bad?
> >>
> >> The PLATE control peaks nicely on 40M.
> >> The LOAD control peaks sharply on the other bands.
> >> I'm getting full output power and good reports on 40M SSB.
> >>

> >> I'm tuning the PLATE and LOAD controls for max output with 100W CW input,
> >> using a Cantenna dummy load.
> >>
> >> --
> >> Bob ND9B
> >>
> > See page 13 in the manual. They can be downloaded from the Ameritron/MFJ
> > website.
> >
> > Start with a dip in Plate current with PLATE adj.
> >
> > What are you looking at for a "peak"? It should be tuned for maximum RF
> > output from the AMP. The peak should be shallow when properly loaded.
> >
> > Because of the Q of the tank circuit, the adjustment is less sharp on the
> > lower frequencies.
> >
> > Perhaps the LOAD adj. is too far clockwise. Be careful not to exceed grid
> > current. All this should be doable with less than 80w CW.
> >
>
>

From 6598147677027464618
X-Google-Thread: 108122,6e1ebbbeb68979b7,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!zen.net.uk!dedekind.zen.co.uk!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Heath HW-9 Dial Error
Date: Sat, 25 Apr 2009 00:54:40 -0400
Organization: Aioe.org NNTP Server
Lines: 24
Message-ID: <fmmck-A0E773.00543925042009@nntp.aioe.org>
NNTP-Posting-Host: e5DaJPbmh14QODC96VMYiw.user.aioe.org
X-Complaints-To: abuse@aioe.org
NNTP-Posting-Date: Sat, 25 Apr 2009 04:54:53 +0000 (UTC)
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.7.7
Cancel-Lock: sha1:U5S9I/gBf2NrT4zKOl7ujwkME/E=
Xref: g2news1.google.com rec.radio.amateur.equipment:1285

I bought a used HW-9 that works well except for dial accuracy. I'd appreciate comments from other HW-9 owners with regard to accuracy of theirs.

So far, I've found the 80 Meter heterodyne oscillator crystal is about 5 KHz off frequency. All the others are within about 1/2 KHz, which is not significant compared to the width of the lines on the VFO dial.

Except for the 80 meter crystal problem, it appears that frequency errors are almost entirely due to VFO tracking error. VFO frequency is correct at 0 and 250, but as much as 10 KHz off in the middle of the range.

One of the VFO capacitor rotor plates is bent away from an outer stator plate. That might be the result of an earlier owner attempting to correct the problem, or it might have come that way from Heath. Can anyone tell me if the stock VFO capacitor plates were originally straight (flat) or bent?

The VFO Shield is missing. If I can find some copper, I'll try to make one, but doubt that will correct the problem.

Fred
K4DII

From 4569771624210407926
X-Google-Thread: fc8b1,3fcd2283884d0980,start
X-Google-Thread: 108122,3fcd2283884d0980,start
X-Google-Thread: f4535,3fcd2283884d0980,start
X-Google-Attributes: gidfc8b1,gid108122,gidf4535,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-nntp-05.dc1.easynews.com.POSTED!not-for-mail
From: heath@hamoh.com
Newsgroups: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment,rec.audio.tubes
Subject: Wanted - Manuals for Heathkit IO-4555 O-Scope
Message-ID: <6h85v4lbi0rrqe7hg08q30kqi93g125mrc@4ax.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sat, 25 Apr 2009 01:44:54 -0400
Xref: g2news1.google.com rec.radio.swap:1581 rec.radio.amateur.boatanchors:2443 rec.radio.amateur.equipment:1286 rec.audio.tubes:6087

Hi, I have an IO-4555 Heathkit O-Scope that started spewing out smoke 15 seconds after turning it on.

Would like to find someone that can shoot me a PDF of the assembly manual with schematics. The operations manual would be nice also.

I've checked Google and Dogpile for variations and can only find a schematic for the dual trace version. (IO-4550)

A few places are selling the manuals for a goofy amount of money. I may have some files, templates, webspace, etc. that I can offer for trade.

Tim - WD8MQF
heath@hamoh.com

http://www.frakkedmatch.com

From 3633355946023575885
X-Google-Thread: 1109af,3fcd2283884d0980
X-Google-Thread: fc8b1,3fcd2283884d0980
X-Google-Thread: 108122,3fcd2283884d0980
X-Google-Thread: f4535,3fcd2283884d0980
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gidf4535,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!transit3.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment,rec.audio.tubes
Subject: Re: Wanted - Manuals for Heathkit IO-4555 O-Scope
Date: 25 Apr 2009 08:37:36 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 35
Message-ID: <gsv06g$opa$1@panix2.panix.com>
References: <6h85v4lbi0rrqe7hg08q30kqi93g125mrc@4ax.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1240663056 15810 166.84.1.2 (25 Apr 2009 12:37:36 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 25 Apr 2009 12:37:36 +0000 (UTC)
Xref: g2news1.google.com rec.radio.swap:1582 rec.radio.amateur.boatanchors:2444 rec.radio.amateur.equipment:1287 rec.audio.tubes:6089

<heath@hamoh.com> wrote:
>Hi, I have an IO-4555 Heathkit O-Scope that started spewing out smoke
>15 seconds after turning it on.

One of two things happened. Either an electrolytic cap failed, or the power transformer failed. The power transformers on these were very cheaply made, and the high voltage winding had a bad tendency to short to the case. If it made a loud snapping sound, it was probably the transformer. If it made a smell that was more sharp and chemical than ordinary burning, it was probably a cap.

>Would like to find someone that can shoot me a PDF of the assembly
>manual with schematics. The operations manual would be nice also.
>
>I've checked Google and Dogpile for variations and can only find a
>schematic for the dual trace version. (IO-4550)

That'll probably be sufficient since the supply is more or less the same and it's a power supply problem you've encountered. You may also look on BAMA.

You should not need the manual. Find the high voltage winding that generates the anode voltage for the CRT.... measure resistance to ground and you should see at least hundreds of ohms across the winding. Then look at the supply caps.

You can also try powering it up with the case off and seeing what smokes.

If the transformer is good, it's worth it to replace the caps. If the transformer has failed, scrap it for parts and get another scope.
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From -7698221362670149188
X-Google-Thread: 1109af,3fcd2283884d0980
X-Google-Thread: fc8b1,3fcd2283884d0980
X-Google-Thread: 108122,3fcd2283884d0980
X-Google-Thread: f4535,3fcd2283884d0980
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gidf4535,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-nntp-03.dc1.easynews.com.POSTED!not-for-mail
From: timba_61@yahoo.com
Newsgroups: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment,rec.audio.tubes
Subject: Re: Wanted - Manuals for Heathkit IO-4555 O-Scope
Message-ID: <5co6v4h91813o1a04qimrgbckiiuj651n4@4ax.com>
References: <6h85v4lbi0rrqe7hg08q30kqi93g125mrc@4ax.com>
<gsv06g$opa$1@panix2.panix.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 40
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we

```
will be unable to process your complaint properly.
Date: Sat, 25 Apr 2009 15:19:22 -0400
Xref: g2news1.google.com rec.radio.swap:1584 rec.radio.amateur.boatanchors:2446
rec.radio.amateur.equipment:1288 rec.audio.tubes:6092

On 25 Apr 2009 08:37:36 -0400, kludge@panix.com (Scott Dorsey) wrote:

> <heath@hamoh.com> wrote:
>>Hi, I have an IO-4555 Heathkit O-Scope that started spewing out smoke
>>15 seconds after turning it on.
>
>One of two things happened.  Either an electrolytic cap failed, or the
>power transformer failed.  The power transformers on these were very
>cheaply made, and the high voltage winding had a bad tendency to short
>to the case.  If it made a loud snapping sound, it was probably the
>transformer.  If it made a smell that was more sharp and chemical than
>ordinary burning, it was probably a cap.
>
>>Would like to find someone that can shoot me a PDF of the assembly
>>manual with schematics. The operations manual would be nice also.
>>
>>I've checked Google and Dogpile for variations and can only find a
>>schematic for the dual trace version. (IO-4550)
>
>That'll probably be sufficient since the supply is more or less the same
>and it's a power supply problem you've encountered.  You may also look on
>BAMA.
>
>You should not need the manual.  Find the high voltage winding that
>generates the anode voltage for the CRT.... measure resistance to ground
>and you should see at least hundreds of ohms across the winding.  Then
>look at the supply caps.
>
>You can also try powering it up with the case off and seeing what smokes.
>
>If the transformer is good, it's worth it to replace the caps.  If the
>transformer has failed, scrap it for parts and get another scope.
>--scott


Thanks for the trouble shooting tips. The smell and color reminded me
more of frying resistors :-) I haven't opened her up yet to peek at
the damage.

Tim...


From -8013715298596147646
X-Google-Thread: 1109af,3fcd2283884d0980
X-Google-Thread: fc8b1,3fcd2283884d0980
X-Google-Thread: 108122,3fcd2283884d0980
X-Google-Thread: f4535,3fcd2283884d0980
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gidf4535,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nlpi057.nbdc.sbc.com!
prodigy.net!newspeer.monmouth.com!newsswitch.lcs.mit.edu!bloom-beacon.mit.edu!
panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amat
eur.equipment,rec.audio.tubes
Subject: Re: Wanted - Manuals for Heathkit IO-4555 O-Scope
Date: 25 Apr 2009 18:31:24 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 14
Message-ID: <gt02vs$jkd$1@panix2.panix.com>
References: <6h85v4lbi0rrqe7hg08q30kqi93g125mrc@4ax.com>
<gsv06g$opa$1@panix2.panix.com> <5co6v4h91813o1a04qimrgbckiiuj651n4@4ax.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1240698684 12888 166.84.1.2 (25 Apr 2009 22:31:24 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 25 Apr 2009 22:31:24 +0000 (UTC)
Xref: g2news1.google.com rec.radio.swap:1587 rec.radio.amateur.boatanchors:2449
rec.radio.amateur.equipment:1289 rec.audio.tubes:6101

 <timba_61@yahoo.com> wrote:
>Thanks for the trouble shooting tips. The smell and color reminded me
>more of frying resistors :-) I haven't opened her up yet to peek at
>the damage.

Pull the case open and look inside!  If you see some big resistors in
the power supply gone open, check the capacitors downstream of them for
a dead short.  You'll never know until you open it!  They are fun and
easy to work on... everything is laid out very openly and the basic
design you can figure out by looking for the most part.
--scott

--
"C'est un Nagra.  C'est suisse, et tres, tres precis."


From 3155823619188005476
X-Google-Thread: 1109af,b1d2e7d5375d2f1b,start
X-Google-Thread: 108122,b1d2e7d5375d2f1b,start
X-Google-Thread: 114aac,b1d2e7d5375d2f1b,start
X-Google-Thread: fa029,b1d2e7d5375d2f1b,start
X-Google-Attributes:
gid1109af,gid108122,gid114aac,gidfa029,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!newsfeed2.telusplanet.net!
newsfeed.telus.net!edtnps82.POSTED!7564ea0f!not-for-mail
From: "Ron" <elitepetsshop@telus.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.scanner
Subject: FS: Ten-Tec RX-350 Mint
```

Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 090425-0, 04/25/2009), Outbound message
X-Antivirus-Status: Clean
Message-ID: <YK1Jl.25491$PH1.22534@edtnps82>
Date: Sun, 26 Apr 2009 18:30:16 GMT
NNTP-Posting-Host: 75.155.196.125
X-Trace: edtnps82 1240770616 75.155.196.125 (Sun, 26 Apr 2009 12:30:16 MDT)
NNTP-Posting-Date: Sun, 26 Apr 2009 12:30:16 MDT
Xref: g2news1.google.com rec.radio.swap:1589 rec.radio.amateur.equipment:1290
rec.radio.shortwave:32322 rec.radio.scanner:687

I have a Mint RX-350 Shortwave Receiver with manual and origional receipts.
An awsome receiver!
100kHz to 30 MHz Demodulation, filtering, passband tuning and AGC are all
done by digital signal processing (DSP). In addition the DSP functions
include an automatic notch filter and adaptive noise filtering. Reception
modes supported are AM, USB/LSB, CW (700 Hz BFO offset) and Digital (1000Hz
BFO offset). The receiver has 34 available IF bandwidths for any type of
signal under all reception conditions!

I also have the optional 302R remote tuning knob/keypad and the 307B
external speaker enclosure which matches the receiver. AC cord and DC plug
as well.

Serious interest only please. Email me at jodi.ron@gmail.com for more
information.

Thank you,
Ron

For all your precious Pets desires visit www.elitepetsshop.com

From -2672269006722244898
X-Google-Thread: 1109af,b1d2e7d5375d2f1b
X-Google-Thread: 108122,b1d2e7d5375d2f1b
X-Google-Thread: 114aac,b1d2e7d5375d2f1b
X-Google-Thread: fa029,b1d2e7d5375d2f1b
X-Google-Attributes:
gid1109af,gid108122,gid114aac,gidfa029,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 26 Apr 2009 16:52:34 -0500
Date: Sun, 26 Apr 2009 14:52:35 -0700

From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.scanner
Subject: Re: FS: Ten-Tec RX-350 Mint
References: <YK1Jl.25491$PH1.22534@edtnps82>
In-Reply-To: <YK1Jl.25491$PH1.22534@edtnps82>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <3Y6dnXFeT_k-SmnUnZ2dnUVZ_oGdnZ2d@earthlink.com>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.140
X-Trace: sv3-B9rjdYXE5s6g9iWwtnjoy1RA5YD+lEMTa+EKCx/98y/
senKrygIA7XkwkJ49MeDWFUftbNkWrqZrODp!
SO5SakCk5rNpCm9jYb75oEct3fCqXB9w62aA+p5QgWc+erQ3K82SYOqCY3bU6WM/UCGLSCAA16iY!
dXoMFZVD8GlG0R7xLEp7sZS83WQPV0Vt
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2164
Xref: g2news1.google.com rec.radio.swap:1591 rec.radio.amateur.equipment:1291 rec.radio.shortwave:32343 rec.radio.scanner:688

Ron wrote:
> I have a Mint RX-350 Shortwave Receiver with manual and origional receipts.
> An awsome receiver!
> 100kHz to 30 MHz Demodulation, filtering, passband tuning and AGC are all
> done by digital signal processing (DSP). In addition the DSP functions
> include an automatic notch filter and adaptive noise filtering. Reception
> modes supported are AM, USB/LSB, CW (700 Hz BFO offset) and Digital (1000Hz
> BFO offset). The receiver has 34 available IF bandwidths for any type of
> signal under all reception conditions!
>
> I also have the optional 302R remote tuning knob/keypad and the 307B
> external speaker enclosure which matches the receiver. AC cord and DC plug
> as well.
>
> Serious interest only please. Email me at jodi.ron@gmail.com for more
> information.
>
> Thank you,
> Ron
>
> For all your precious Pets desires visit www.elitepetsshop.com
>
>

http://www.universal-radio.com/CATALOG/commrxvr/rx350.html

From 5006229802203054092
X-Google-Thread: d7f5508063,37bb6c9afbf1286c,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.bananasplit.info!
news.dizum.com!sewer-output!mail2news
From: rrae <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: COMMANDER HF-2500 Magnum linear amplifier
Message-ID: <96234931f9cd4113f24521d3e1954fdf@pseudo.borked.net>
Date: Mon, 27 Apr 2009 05:00:15 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1506

http://xrl.us/CommanderHF2500

From -5852579822291343776
X-Google-Thread: c3d68fd440,3fcd2283884d0980
X-Google-Attributes: gidc3d68fd440,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t36g2000prt.googlegroups.com!not-for-
mail
From: ixtarbrules@yahoo.com
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.audio
.tubes
Subject: Re: Wanted - Manuals for Heathkit IO-4555
Date: Mon, 27 Apr 2009 18:26:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 39
Message-ID: <30d82122-653b-4e0c-9ef4-c7e73147783a@t36g2000prt.googlegroups.com>
References: <6h85v4lbi0rrqe7hg08q30kqi93g125mrc@4ax.com>
<gsv06g$opa$1@panix2.panix.com>
NNTP-Posting-Host: 65.64.100.150
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1240882014 26412 127.0.0.1 (28 Apr 2009 01:26:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Apr 2009 01:26:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t36g2000prt.googlegroups.com; posting-host=65.64.100.150;
posting-account=u0X-2goAAAAQzW4S9h4r29Ok0hPtwU16
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
rv:1.8.1.20) Gecko/20081217 Firefox/2.0.0.20,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.swap:2019 rec.radio.amateur.boatanchors:2810
rec.radio.amateur.equipment:1507 rec.audio.tubes:8211

On Apr 25, 7:37 am, klu...@panix.com (Scott Dorsey) wrote:
> <he...@hamoh.com> wrote:
> >Hi, I have an IO-4555 Heathkit O-Scope that started spewing out smoke
> >15 seconds after turning it on.
>
> One of two things happened. Either an electrolytic cap failed, or the
> power transformer failed. The power transformers on these were very
> cheaply made, and the high voltage winding had a bad tendency to short
> to the case. If it made a loud snapping sound, it was probably the
> transformer. If it made a smell that was more sharp and chemical than
> ordinary burning, it was probably a cap.
>
> >Would like to find someone that can shoot me a PDF of the assembly
> >manual with schematics. The operations manual would be nice also.
>
> >I've checked Google and Dogpile for variations and can only find a
> >schematic for the dual trace version. (IO-4550)
>
> That'll probably be sufficient since the supply is more or less the same
> and it's a power supply problem you've encountered. You may also look on
> BAMA.
>
> You should not need the manual. Find the high voltage winding that
> generates the anode voltage for the CRT.... measure resistance to ground
> and you should see at least hundreds of ohms across the winding. Then
> look at the supply caps.
>
> You can also try powering it up with the case off and seeing what smokes.
>
> If the transformer is good, it's worth it to replace the caps. If the
> transformer has failed, scrap it for parts and get another scope.

If you want a vintage scope get a Tek, since the toob models have excellent parts availability since no revenue users want them. The Heathkit trafo could be rewound if you really want an educational project, but most were not very good scopes except for X-Y use. In the SSTV days they were ham-popular since they used a commodity jug that could be had with a P7 phosphor. that also makes a great audio level indicator if you're too cheap to buy a Dorrough.

From 3196776011269846009
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t36g2000prt.googlegroups.com!not-for-mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Y. FT-817/ND
Date: Wed, 29 Apr 2009 08:25:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <133ba79e-19b8-4a5f-8649-cb359857def3@t36g2000prt.googlegroups.com>

```
NNTP-Posting-Host: 213.202.119.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1241018712 22928 127.0.0.1 (29 Apr 2009 15:25:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 29 Apr 2009 15:25:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t36g2000prt.googlegroups.com; posting-host=213.202.119.75;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1508
```

In no working or bad condition . . .

```
From 3107095289175404122
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!z16g2000prd.googlegroups.com!not-for-
mail
From: piyush <piyushguptaoist@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: CHIP FOCUS 7-8 MAY 2009
Date: Thu, 30 Apr 2009 05:59:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 93
Message-ID: <ccbb6555-8fe4-47c1-a191-82d54005ed43@z16g2000prd.googlegroups.com>
NNTP-Posting-Host: 59.95.101.246
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1241096353 7241 127.0.0.1 (30 Apr 2009 12:59:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Apr 2009 12:59:13 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z16g2000prd.googlegroups.com; posting-host=59.95.101.246;
     posting-account=bX-bLAoAAAC5lghLh4vfhHzjzBlGtAxm
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.5)
     Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1509
```

TO BE HELD IN ORIENTAL INSTITUTE OF SCIENCE AND TECHNOLOGY BHOPAL

website-chipfocus[dot]we[dot]bs
http://chipfocus.we.bs/
www.oistbpl.com

Advances in electronics technology have led to convergence of
communication, computing, and sensor technologies onto a single
silicon substrate. Unprecedented revolution in micro, nano and

molecular electronics has brought about paradigm shifts in design approaches and novel applications of VLSI and Embedded systems. Emergence of Network-on-Chip (NoC) technologies for high-performance System-on-Chip (SoC) design has only added to the challenges and opportunities. India, an emerging world economy and a well-established leader in Information and Communication Technology (ICT) has an ambitious Nation Technology Roadmap to take on the challenges and tap the opportunities in the rapidly expanding arena of VLSI Design and Embedded Systems. Chip Focus 2006, the first National Conference on VLSI Design & Embedded Systems received massive response exceeding 700 participants. We received yet better response during 2007 & 2008. Thanks to their encouraging feedback and constructive suggestions that Chip Focus has become a prominent calendar event for the students pursuing their interests in VLSI Design & Embedded Systems
http://chipfocus.we.bs/

What is VLSI?

VLSI stands for "Very Large Scale Integration". This is the field which involves packing more and more logic devices into smaller and smaller areas.Thanks to VLSI, circuits that would have taken boardfuls of space can now be put into a small space few millimeters across! This has opened up a big opportunity to do things that were not possible before. VLSI circuits are everywhere ... your computer, your car, your brand new state-of-the-art digital camera, the cell-phones, and what have you. All this involves a lot of expertise on many fronts within the same field, VLSI has been around for a long time, there is nothing new about it ... but as a side effect of advances in the world of computers, there has been a dramatic proliferation of tools that can be used to design VLSI circuits. Alongside, obeying Moore's law, the capability of an IC has increased exponentially over the years, in terms of computation power, utilisation of available area, yield. The combined effect of these two advances is that people can now put diverse functionality into the IC's, opening up new frontiers. Examples are embedded systems, where intelligent devices are put inside everyday objects, and ubiquitous computing where small computing devices proliferate to such an extent that even the shoes you wear may actually do something useful like monitoring your heartbeats! These two fields are kinda related, and getting into their description can easily lead to another article

Program Outline

The 2-day conference would be marked by expert lectures, tutorials and workshops on Electronics Design Automation (EDA) tools and Embedded System Programming. Some of the key issues that would dominate the conference sessions are:

- Challenges, opportunities and future roadmap in Nanoelectronics
- Bottlenecks in Gigascale Design and Manufacturing
- Low power and high speed processor and memory design
- System on Chip (SoC) Design - Analog-digital-RF mixed signal
- Network on Chip (NoC) Design and Sensor networks
- Emerging process technologies and design shifts
- EDA tool issues in deep sub-micron design
- Optics inside chips =96 emerging trends and techniques
- Embedded systems - Hardware-software co-design and co-

verification

- FPGA/ASIC based embedded system design (simulation & synthesis)
- Embedded Systems for DSP, communications, digital imaging
- Programmable devices

Guidelines

- Participants are requested to reach ten minute before to prevent inconvenient.
- Participants are require to carry the receipt of the registration along.
- Participants are requested to carry the Identification cards of the Institutes/Organizations they belong to.
- Participants are requested to show their id card on demand.
- Participants are requested to switched off (not in vibration) their mobile phones.
- Please maintain silence in auditorium.
- The kits inclusive of lunch coupons can be collected from the Institute on producing the receipt of registration.

Who can Attend?
The conference is open to engineering (UG, PG), MCA students, research scholars, academics, scientists and industrial professionals.

The objective of CHIP FOCUS 2009 (The 4th National Seminar on VLSI Design & Embedded Systems) is to seek convergence of eminent scholars from across the country on a common platform to discuss the key issues and trends in VLSI Design and Embedded Systems. This would enable our young scientists and engineers to gain from the views of the visionaries and get directions from them to discover new horizons and opportunities for research, innovation and growth

---

From -9129202090104839473
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.info
Subject: Crossposting Permitted to rec.radio.amateur.moderated
Followup-To: poster
Date: 1 May 2009 02:00:03 -0400
Organization: rec.radio.amateur.moderated Moderation Team
Lines: 47
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 03 Jun 2009 02:00:01 -0000
Message-ID: <radio/ham-radio/moderated/crossposting-1-1241157601@panix.com>

Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1241157603 22010 166.84.1.2 (1 May 2009 06:00:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 1 May 2009 06:00:03 +0000 (UTC)
Summary: Short reminder for unmoderated newsgroups that crossposting is permitted
Keywords: FAQ, ham, amateur, radio, moderated, unmoderated, crossposting, permitted
Xref: g2news2.google.com rec.radio.amateur.antenna:11478 rec.radio.amateur.dx:380 rec.radio.amateur.equipment:1510 rec.radio.amateur.homebrew:2654 rec.radio.amateur.misc:4227 rec.radio.amateur.policy:26086 rec.radio.amateur.space:213 rec.radio.info:713

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/moderated/crossposting
Revision: 1.1 2009/04/12 19:42:04
Posting-Frequency: posted monthly
URL: http://www.panix.com/~rram/usenet/rram/index.html

Changes followed by "|".

After a 30-day public discussion and feedback period to gauge reader opinions in March of 2009:

http://groups.google.com/group/rec.radio.amateur.moderated/browse_thread/thread/d7d337db35f23326

the rec.radio.amateur.moderated Moderation Team has decided to consider amending its charter, and permit limited simultaneous crossposting to rec.radio.amateur.moderated and one other unmoderated amateur-radio-related discussion newsgroup. We are currently trying this on a temporary basis (90 days, through early July 2009), and adopt it permanently if successful.

Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

Approved regional hierarchy newsgroups are those that contain either "radio.amateur" or "ham-radio" in their names, including uk.radio.amateur and aus.radio.amateur.misc.

We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

Please direct any comments, questions, or criticisms to rec-radio-amateur-moderated-request@panix.com.

```
From -524371115177135685
```

```
X-Google-Thread: c3d68fd440,3fcd2283884d0980
X-Google-Attributes: gidc3d68fd440,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!
easynews.com!en-nntp-03.dc1.easynews.com.POSTED!not-for-mail
From: timba_61@yahoo.com
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.audio
.tubes
Subject: Re: Wanted - Manuals for Heathkit IO-4555
Message-ID: <p56lv4t4g225rtqqo9v0ef5n19epv6s6tk@4ax.com>
References: <6h85v4lbi0rrqe7hg08q30kqi93g125mrc@4ax.com>
<gsv06g$opa$1@panix2.panix.com> <30d82122-653b-4e0c-9ef4-
c7e73147783a@t36g2000prt.googlegroups.com>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 52
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 01 May 2009 02:53:50 -0400
Xref: g2news2.google.com rec.radio.swap:2029 rec.radio.amateur.boatanchors:2827
rec.radio.amateur.equipment:1511 rec.audio.tubes:8243

On Apr 25, 7:37 am, klu...@panix.com (Scott Dorsey) wrote:
>  <he...@hamoh.com> wrote:
> >Hi, I have an IO-4555 Heathkit O-Scope that started spewing out smoke
> >15 seconds after turning it on.
>
> One of two things happened.  Either an electrolytic cap failed, or the
> power transformer failed.  The power transformers on these were very
> cheaply made, and the high voltage winding had a bad tendency to short
> to the case.  If it made a loud snapping sound, it was probably the
> transformer.  If it made a smell that was more sharp and chemical than
> ordinary burning, it was probably a cap.
>
```

> >Would like to find someone that can shoot me a PDF of the assembly
> >manual with schematics. The operations manual would be nice also.
>
> >I've checked Google and Dogpile for variations and can only find a
> >schematic for the dual trace version. (IO-4550)
>
> That'll probably be sufficient since the supply is more or less the same
> and it's a power supply problem you've encountered. You may also look on
> BAMA.
>
> You should not need the manual. Find the high voltage winding that
> generates the anode voltage for the CRT.... measure resistance to ground
> and you should see at least hundreds of ohms across the winding. Then
> look at the supply caps.
>
> You can also try powering it up with the case off and seeing what smokes.
>
> If the transformer is good, it's worth it to replace the caps. If the
> transformer has failed, scrap it for parts and get another scope.

> If you want a vintage scope get a Tek, since the toob models have
>excellent parts availability since no revenue users want them. The
>Heathkit trafo could be rewound if you really want an educational
>project, but most were not very good scopes except for X-Y use. In the
>SSTV days they were ham-popular since they used a commodity jug that
>could be had with a P7 phosphor. that also makes a great audio level
>indicator if you're too cheap to buy a Dorrough.

This is mainly for my son to learn to work on audio amplifiers. He's a
budding rock star that loves the sound of a tube amp. So I'm picking
up some simple test equipment for him to work with. VOM, scope, freq
counter, function generator (computer based), etc.

I also have an old electronics course for him to learn. I hope that
he's going to turn into a good repair tech for his equipment of
choice.

I do have another scope but I would rather he use the Heathkit. When I
get the time I'll tear apart the heathkit and check out that power
supply or make him do it.

```
From -2809959067512387467
X-Google-Thread: d7f5508063,6a13eed319e606bb,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 01 May 2009 05:13:56 -0500
From: rahulkapoor <rahulkapoor.44080aa@radiobanter.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: TS-450S output reduced
Date: Fri, 1 May 2009 09:56:40 +0100
Message-ID: <rahulkapoor.44080aa@radiobanter.com>
Organization: RadioBanter.com
Lines: 37
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-8faFOfBQyR9/6chP2M/A9CtGNhfyb6lT8j2xIVQ71EFKv45yd5/
izxn5ulk9CQ4oPt3WcBqeIkkGxxO!iVmViTRraXB3VaGNFRQk5CXvQU3CfREw1hr78q/
iXjZP2JyapCZjYBtakY5ISvO6P/mMy1OCPJOL!GT7uVdRM1A==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 28
Xref: g2news2.google.com rec.radio.amateur.equipment:1512

Hi

This is VU2YK.

Last week I used my TS-450S and it was in perfect working condition. Amazing receiver and get unsolicited comments about nice TX audio with stock mic. The lightning fast relayless Rx/Tx switching is noiseless and any CW Ops delight. Full 100 watts out on all HF bands.

Yesterday I switched on the rig, and shock and awe ! Output power reduced to 20 watts ! All else remains same. Low SWR, Power supply rock steady. ALC indicator does not move, indicating some problem inside. I did not touch the rig in the last few days.

The important symptoms are :

1. NO ALC movement of meter
2. Power output down to 20 W on 20 M, low on other bands
3. Shack temp had become very hot last few days. Day temp in shade is 40 degrees C plus.
4.I checked all power and antenna cable connections. Receive is 100 % OK and power cable are clean. SWR is 1:1

Will appreciate any help in diagnosing and rectifying the problem.
Thanks !

73

Rahul
VU2YK
New Delhi

```
--
rahulkapoor


From -6556876208879981856
X-Google-Thread: d7f5508063,6a13eed319e606bb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.16.MISMATCH!npeer02.iad.highwinds-media.com!news.highwinds-media.com!
feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!
gnilink.net!nwrddc02.gnilink.net.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <rahulkapoor.44080aa@radiobanter.com>
Subject: Re: TS-450S output reduced
Lines: 44
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <GyDKl.3874$b11.1753@nwrddc02.gnilink.net>
Date: Fri, 01 May 2009 14:20:22 GMT
NNTP-Posting-Host: 173.55.67.155
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1241187622 173.55.67.155 (Fri, 01 May 2009 10:20:22
EDT)
NNTP-Posting-Date: Fri, 01 May 2009 10:20:22 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1513

"rahulkapoor" <rahulkapoor.44080aa@radiobanter.com> wrote in message
news:rahulkapoor.44080aa@radiobanter.com...
>
> Hi
>
> This is VU2YK.
>
> Last week I used my TS-450S and it was in perfect working condition.
> Amazing receiver and get unsolicited comments about nice TX audio
> with stock mic. The lightning fast relayless Rx/Tx switching is
> noiseless and any CW Ops delight. Full 100 watts out on all HF bands.
>
> Yesterday I switched on the rig, and shock and awe ! Output power
> reduced to 20 watts ! All else remains same. Low SWR, Power supply
> rock steady. ALC indicator does not move, indicating some problem
```

> inside. I did not touch the rig in the last few days.
>
> The important symptoms are :
>
> 1. NO ALC movement of meter
> 2. Power output down to 20 W on 20 M, low on other bands
> 3. Shack temp had become very hot last few days. Day temp in shade is
> 40 degrees C plus.
> 4.I checked all power and antenna cable connections. Receive is 100 %
> OK and power cable are clean. SWR is 1:1
>
> Will appreciate any help in diagnosing and rectifying the problem.
> Thanks !
>
> 73
>
> Rahul
> VU2YK
> New Delhi

No ALC indication may be either low drive or low output since it derives it's indication from the output stage to reduce the drive. IP is probably low too.

Check Mic gain, DC Power (do the lights dim?) and mic connections first. Other than that, check for loose screws on the boards. Or you may have PA circuit board problems where solder joints go bad from heat or shock, usually the grounds. Just a few thoughts.

From -1434612470244090199
X-Google-Thread: d7f5508063,6a13eed319e606bb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!gnilink.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <rahulkapoor.44080aa@radiobanter.com>
<GyDKl.3874$b11.1753@nwrddc02.gnilink.net>
Subject: Re: TS-450S output reduced
Lines: 64
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <MnKKl.35284$i9.32291@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net

X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbobnbdnpgapgankpphajgalckjmihfbnpaif
eckepfagppmljifgnfhlpiakahancppbhbbbhodokkmpcpkgolkakdmcmiijacfglpjloolmhofmkn
NNTP-Posting-Date: Fri, 01 May 2009 18:06:36 EDT
Organization: BellSouth Internet Group
Date: Fri, 1 May 2009 18:18:10 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1514

"JB" <nospam@goofball.net> wrote in message
news:GyDKl.3874$b11.1753@nwrddc02.gnilink.net...
> "rahulkapoor" <rahulkapoor.44080aa@radiobanter.com> wrote in message
> news:rahulkapoor.44080aa@radiobanter.com...
>>
>> Hi
>>
>> This is VU2YK.
>>
>> Last week I used my TS-450S and it was in perfect working condition.
>> Amazing receiver and get unsolicited comments about nice TX audio
>> with stock mic. The lightning fast relayless Rx/Tx switching is
>> noiseless and any CW Ops delight. Full 100 watts out on all HF bands.
>>
>> Yesterday I switched on the rig, and shock and awe ! Output power
>> reduced to 20 watts ! All else remains same. Low SWR, Power supply
>> rock steady. ALC indicator does not move, indicating some problem
>> inside. I did not touch the rig in the last few days.
>>
>> The important symptoms are :
>>
>> 1. NO ALC movement of meter
>> 2. Power output down to 20 W on 20 M, low on other bands
>> 3. Shack temp had become very hot last few days. Day temp in shade is
>> 40 degrees C plus.
>> 4.I checked all power and antenna cable connections. Receive is 100 %
>> OK and power cable are clean. SWR is 1:1
>>
>> Will appreciate any help in diagnosing and rectifying the problem.
>> Thanks !
>>
>> 73
>>
>> Rahul
>> VU2YK
>> New Delhi
>
> No ALC indication may be either low drive or low output since it derives
> it's indication from the output stage to reduce the drive. IP is probably
> low too.
>
> Check Mic gain, DC Power (do the lights dim?) and mic connections first.
> Other than that, check for loose screws on the boards. Or you may have PA

> circuit board problems where solder joints go bad from heat or shock,
> usually the grounds. Just a few thoughts.
>

Also check to ensure that you are not measuring power output while in the AM
or FM mode. Easy to overlook.

It has been too many years since I have operated my old TS-450/AT rig, to
remember the controls and options well.

Yours has fast T/R switching time? Wow. My TS-430 had to be modified in
order to work Amtor within less than 100 miles. I used the old AEA
modification plan, which worked great and was easy to do.

Isn't there an ALC adjustment on the TS-450? I would look into that and see
if it got bumped.

Ed, AJ4PJ

```
From 7621026348008975793
X-Google-Thread: d7f5508063,6a13eed319e606bb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!wn11feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!
53ab2750!not-for-mail
From: Bruce in alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS-450S output reduced
Organization: Bruce's Trading Post
References: <rahulkapoor.44080aa@radiobanter.com>
<GyDKl.3874$b11.1753@nwrddc02.gnilink.net>
<MnKKl.35284$i9.32291@bignews7.bellsouth.net>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <fast-C9EED3.10342702052009@netnews.worldnet.att.net>
Lines: 41
Date: Sat, 02 May 2009 18:34:00 GMT
NNTP-Posting-Host: 12.12.208.5
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1241289240 12.12.208.5 (Sat, 02 May
2009 18:34:00 GMT)
NNTP-Posting-Date: Sat, 02 May 2009 18:34:00 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1515
```

> >> Hi
> >>
> >> This is VU2YK.
> >>

> >> Last week I used my TS-450S and it was in perfect working condition.
> >> Amazing receiver and get unsolicited comments about nice TX audio
> >> with stock mic. The lightning fast relayless Rx/Tx switching is
> >> noiseless and any CW Ops delight. Full 100 watts out on all HF bands.
> >>
> >> Yesterday I switched on the rig, and shock and awe ! Output power
> >> reduced to 20 watts ! All else remains same. Low SWR, Power supply
> >> rock steady. ALC indicator does not move, indicating some problem
> >> inside. I did not touch the rig in the last few days.
> >>
> >> The important symptoms are :
> >>
> >> 1. NO ALC movement of meter
> >> 2. Power output down to 20 W on 20 M, low on other bands
> >> 3. Shack temp had become very hot last few days. Day temp in shade is
> >> 40 degrees C plus.
> >> 4.I checked all power and antenna cable connections. Receive is 100 %
> >> OK and power cable are clean. SWR is 1:1
> >>
> >> Will appreciate any help in diagnosing and rectifying the problem.
> >> Thanks !
> >>
> >> 73
> >>
> >> Rahul
> >> VU2YK
> >> New Delhi

Just a Note here, I run a TS-690, which is the same basic Radio with a 6 Meter extension... Look at the second Knob in on the lower lefthand corner of the Front Panel, at the Knob called PWR. It should be fully Clockwise, to get Max Power Out......

--
Bruce in alaska
add <path> after <fast> to reply

From -8090151510525578894
X-Google-Thread: d7f5508063,78594d0b340ec768,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe19.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Dayton
Message-ID: <trupv45vg3b1u9efvovgqaabv2466g2b00@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe19.iad 1241316241 70.161.107.201 (Sun, 03 May 2009 02:04:01 UTC)
NNTP-Posting-Date: Sun, 03 May 2009 02:04:01 UTC
Organization: Cox
Date: Sat, 02 May 2009 22:04:08 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1516

For Sale Friday AM, Check out Thursday @ Dayton space 3246 : Kenwood
TS-870S HF Transceiver, power cable, Hand mic and copy of manual
$995.00 ; 5 Amp "veriac", variable transformer Radio Shack. Output
0-140 VAC, $50.00 ; Solarcon Antron A-99 Vertical, with GPK-1 NEW,
for 12 & 10 Meters. $100.00 ; MFJ-9406 6 meter SSB Transceiver w/
MFJ-290 Mic, power cable & Factory manual. $180.00
<k4wys@cox.net>

From 4952770081733237299
X-Google-Thread: d7f5508063,c69817f368a6d5f7,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe11.iad.POSTED!8520d5e9!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: "Kathy Lee" <kc8qjp@hotmail.com>
Subject: bi-linear amplifier palomar model 50
Message-ID: <1241372579_2@webnews.usenet-node1.com>
Organization: www.usenet-node1.com
Lines: 1
X-Complaints-To: abuse@Sonic-News.com--send only the headers and the reason for
your complaint
NNTP-Posting-Date: Sun, 03 May 2009 17:43:11 UTC
Date: Sun, 03 May 2009 17:43:11 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1517

http://cgi.ebay.com/bi-linear-amplifier-palomar-model-50-palomar-cb-
radio_W0QQitemZ110384916589QQcmdZViewItemQQptZLH_DefaultDomain_0?
hash=item19b374286d&_trksid=p3286.c0.m14&_trkparms=72%3A1171%7C66%3A2%7C65%3A12%7C
39%3A1%7C240%3A1318%7C301%3A1%7C293%3A1%7C294%3A50

From 6348492195495299429
X-Google-Thread: d7f5508063,39dcbe390a304e87,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!wn11feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail

```
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB:Collins 51S-1 parts unit
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <_UsLl.193048$4m1.171855@bgtnsc05-news.ops.worldnet.att.net>
Date: Mon, 04 May 2009 03:02:18 GMT
NNTP-Posting-Host: 12.64.128.221
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1241406138 12.64.128.221 (Mon, 04 May
2009 03:02:18 GMT)
NNTP-Posting-Date: Mon, 04 May 2009 03:02:18 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:1518

Hello and thanks for the read. I would like to buy a non-working (complete
or partial) 51S-1 receiver. If you have one, please contact me direct.
Thanks. Larry
```

```
From 6377022739346069765
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i28g2000prd.googlegroups.com!not-for-
mail
From: shangshirt3@163.com
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: polo women    shirt cheap wholesaler (paypal payment)(
     www.sneaker-shop08.com )
Date: Mon, 4 May 2009 01:49:49 -0700 (PDT)
Organization: http://groups.google.com
Lines: 132
Message-ID: <87eb8215-c181-4ec3-8397-a9bf78f3c04b@i28g2000prd.googlegroups.com>
NNTP-Posting-Host: 59.58.99.189
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1241426989 13712 127.0.0.1 (4 May 2009 08:49:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 May 2009 08:49:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i28g2000prd.googlegroups.com; posting-host=59.58.99.189;
     posting-account=c6UClgoAAACaQdw-BABCErwrsO9mlbxS
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1519 rec.food.equipment:2279
```

Men's Shirt
Cotton Shirting cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Fashion Shirts
Dress Shirts cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Casual Shirts View all cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Men's Shirt
Cotton Shirting Fashion Shirtscheap wholesaler (paypal payment)
(www.niketrade08.cn)
Dress Shirts
Casual Shirts Brand Shirtscheap wholesaler (paypal payment)
(www.niketrade08.cn)
Long Sleeve Shirt
men's shirt cotton shirtcheap wholesaler (paypal payment)
(www.niketrade08.cn)
dress shirt casual shirt
brand shirt ladies' shirtcheap wholesaler (paypal payment)
(www.niketrade08.cn)
long sleeve shirt polo shirtcheap wholesaler (paypal payment)
(www.niketrade08.cn)

Blac Label
Artful dodger shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Burberry shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Armani
BBC shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
D&G
Smet man shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Crown Holder shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Ed Hardy man shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Ed Hardy women
Evisu shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
G-Star shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Lacoste women
polo women shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Lacoste man
polo man
Smet man shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)

Sinful women shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
BAPE
Crown Holder shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Affliction
COOGI
Christian Audigier man
Lacoste man
A&F man

Men's Shirt
Cotton Shirting cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Fashion Shirts
Dress Shirts cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Casual Shirts View all cheap wholesaler (paypal payment)
(www.sneaker-shop08.com)
Men's Shirt
Cotton Shirting Fashion Shirtscheap wholesaler (paypal payment)
(www.sneaker-shop08.com)
Dress Shirts
Casual Shirts Brand Shirtscheap wholesaler (paypal payment)
(www.sneaker-shop08.com)
Long Sleeve Shirt
men's shirt cotton shirtcheap wholesaler (paypal payment)
(www.sneaker-shop08.com)
dress shirt casual shirt
brand shirt ladies' shirtcheap wholesaler (paypal payment)
(www.sneaker-shop08.com)
long sleeve shirt polo shirtcheap wholesaler (paypal payment)
(www.sneaker-shop08.com)

Blac Label
Artful dodger shirt cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Burberry shirt cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Armani
BBC shirt cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
D&G
Smet man shirt cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Crown Holder shirt cheap wholesaler (paypal payment)(www.sneaker-shop08.com)

```
  Ed Hardy man shirt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Ed Hardy women
  Evisu shirt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  G-Star shirt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Lacoste women
  polo women    shirt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Lacoste man
  polo man
  Smet man   shirt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Sinful women shirt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  BAPE
  Crown Holder shirt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Affliction
  COOGI
  Christian Audigier man
  Lacoste man
  A&F man




From 2167866519414080104
X-Google-Thread: 38f9f745cf,572a96eab6ec4c95,start
X-Google-Attributes: gid38f9f745cf,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g31g2000pra.googlegroups.com!not-for-mail
From: shangshirt4@163.com
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: cheap SMET jeans  wholesale
Date: Mon, 4 May 2009 02:00:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 62
Message-ID: <c6074ead-794c-473b-8668-0bfc0b113fff@g31g2000pra.googlegroups.com>
NNTP-Posting-Host: 59.58.99.189
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1241427606 15878 127.0.0.1 (4 May 2009 09:00:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 May 2009 09:00:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g31g2000pra.googlegroups.com; posting-host=59.58.99.189;
     posting-account=K2xWRAoAAACW9D7ZcSE3UZkPSyO519on
User-Agent: G2/1.0
```

X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1520 rec.food.equipment:2280

jeans:
cheap EVISU jeans wholesale (paypal payment)(www.niketrade08.cn)
cheap ED hardy jeans wholesale
cheap COOGI jeans wholesale (paypal payment)(www.niketrade08.cn)
cheap GINO GREEN GLOBAL jeans wholesale
cheap LACOSTE jeans wholesale
cheap G-STAR jeans wholesale
cheap KED ROBOT jeans wholesale
cheap RED MONKEY jeans wholesale
cheap ADIDAS jeans wholesale
cheap BBC jeans wholesale (paypal payment)(www.niketrade08.cn)
cheap BOSS jeans wholesale
cheap LRG jeans wholesale (paypal payment)(www.niketrade08.cn)
cheap HELEN jeans wholesale
cheap JUICY jeans wholesale
cheap THE CROUN HOLDER jeans wholesale
cheap SMET jeans wholesale
cheap SEVEN jeans wholesale (paypal payment)(www.niketrade08.cn)
cheap TRUN NORTH FACE jeans wholesale
cheap children jeans wholesale
cheap ARMANI jeans wholesale (paypal payment)(www.niketrade08.cn)
cheap BAPE jeans wholesale
cheap LEVIS jeans wholesale
cheap ANTIK jeans wholesale (paypal payment)(www.niketrade08.cn)
cheap true religion jeans wholesale

jeans:
cheap EVISU jeans wholesale www.sneaker-shop08.com
cheap ED hardy jeans wholesale
cheap COOGI jeans wholesale www.sneaker-shop08.com
cheap GINO GREEN GLOBAL jeans wholesale
cheap LACOSTE jeans wholesale
cheap G-STAR jeans wholesale
cheap KED ROBOT jeans wholesale
cheap RED MONKEY jeans wholesale
cheap ADIDAS jeans wholesale
cheap BBC jeans wholesale www.sneaker-shop08.com
cheap BOSS jeans wholesale
cheap LRG jeans wholesale www.sneaker-shop08.com
cheap HELEN jeans wholesale
cheap JUICY jeans wholesale
cheap THE CROUN HOLDER jeans wholesale
cheap SMET jeans wholesale
cheap SEVEN jeans wholesale www.sneaker-shop08.com
cheap TRUN NORTH FACE jeans wholesale

cheap children jeans wholesale
cheap ARMANI jeans wholesale www.sneaker-shop08.com
cheap BAPE jeans wholesale
cheap LEVIS jeans wholesale
cheap ANTIK jeans wholesale www.sneaker-shop08.com
cheap true religion jeans wholesale

```
From 6470088410602408813
X-Google-Thread: d7f5508063,6a13eed319e606bb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx01.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 05 May 2009 17:13:29 -0500
From: rahulkapoor <rahulkapoor.4466f65@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS-450S output reduced
Date: Tue, 5 May 2009 19:01:20 +0100
Message-ID: <rahulkapoor.4466f65@radiobanter.com>
Organization: RadioBanter.com
References: <rahulkapoor.44080aa@radiobanter.com>
<GyDKl.3874$b11.1753@nwrddc02.gnilink.net>
<MnKKl.35284$i9.32291@bignews7.bellsouth.net> <fast-
C9EED3.10342702052009@netnews.worldnet.att.net>
Lines: 31
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-VQpTLXkCUjndmDmH9msQkfCibgY1xg7YYXZHfOxCDp24Q3//
O06luQK7BFOKZjrSZOAmAz/rwfLTYkW!S/SvGc/poq4txFJ987qdVsmk0/3ul8P+lBj+/
+iGEEX8z34gVKrII86r+zPjzx2WXA9PjYCj5zd2!07mfbRS91g==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 15
X-Original-Bytes: 2096
Xref: g2news2.google.com rec.radio.amateur.equipment:1521
```

Thanks gentlemen for your valuable suggestions. I am indeed grateful. I have had this rig for than a decade and never an issue.

Yes the 450S has PIN diode switching TX/RX. Works like a charm with
full bk-in on CW. Even at 35 WPM I can hear the other station between
my dits.

My friends have pointed out to a common problem with many Kenwood rigs
of this era. Blown predriver and/or driver transistors ! They are both
obsolete therefore need careful substitution with some peripheral
component changes involved.

Since the problem occurred suddenly and not gradually I am inclined to
believe that excessive heat cased one of transistors to rupture. While
I have not yet begun work on this, I am collecting all possible
documentation before I bring out the proverbial screwdriver from its
hiding place.

Thanks again

73

Rahul
VU2YK
Hey - Just do an image/video Google search of my call

--
rahulkapoor

From -5867275250749309199
X-Google-Thread: d7f5508063,6a13eed319e606bb
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!zen.net.uk!dedekind.zen.co.uk!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS-450S output reduced
Date: Wed, 06 May 2009 12:48:57 -0400
Organization: Aioe.org NNTP Server
Lines: 26
Message-ID: <fmmck-6872D2.12485506052009@nntp.aioe.org>
References: <rahulkapoor.44080aa@radiobanter.com>
NNTP-Posting-Host: BdacboPLJJRqdGwm8XpcTQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
NNTP-Posting-Date: Wed, 6 May 2009 16:49:17 +0000 (UTC)
X-Notice: Filtered by postfilter v. 0.7.8
Cancel-Lock: sha1:1U1Zk9a2jk/e5hmPL+Iy1/mKozg=
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)

Xref: g2news2.google.com rec.radio.amateur.equipment:1522

In article <rahulkapoor.44080aa@radiobanter.com>,
rahulkapoor <rahulkapoor.44080aa@radiobanter.com> wrote:

> 3. Shack temp had become very hot last few days. Day temp in shade is
> 40 degrees C plus.

Rahul-

Unless you ran it key-down for an extended period in CW or FM mode, it is unlikely that your ambient temperature caused a transistor to fail. Power transistors normally operate somewhat higher than 40 degrees C.

Lack of any ALC reading is most likely the result of low power. The cause of low power could be a bad transistor, but is more likely a leaky or shorted capacitor loading down the voltage supply to an RF stage, or a voltage-dropping resistor that has gone high in value.

Another problem you might look into, is a connector on the rear panel, where a transverter would normally be connected. Some Kenwoods have a closed-circuit switch built into the connector, and sometimes the switch contacts get oxidized from lack of exercise. There would have been a mating connector in an accessory packet that came with the radio. If you still have it, try plugging it in several times. The wiping action of the switch should clean up any oxide coating.

73, Fred K4DII

From 8302836451850116642
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1239084301@panix.com>
Followup-To: poster
Date: 7 May 2009 02:05:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Jun 2009 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1241676300@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1241676301 13275 166.84.1.2 (7 May 2009 06:05:01 GMT)
X-Complaints-To: abuse@panix.com

NNTP-Posting-Date: Thu, 7 May 2009 06:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Original-Bytes: 2709
Xref: g2news2.google.com rec.radio.amateur.antenna:11672 rec.radio.amateur.dx:389
rec.radio.amateur.equipment:1523 rec.radio.amateur.homebrew:2673
rec.radio.amateur.misc:4244 rec.radio.amateur.policy:26141 rec.radio.info:724

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 1247350644928075555
X-Google-Thread: a4a23d5f63,3601bc3e7c17394b,start
X-Google-Attributes: gida4a23d5f63,public,usenet
X-Google-NewGroupId: yes

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1239084600@panix.com>
Followup-To: poster
Date: 7 May 2009 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Jun 2009 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1241676600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1241676601 240 166.84.1.2 (7 May 2009 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 May 2009 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.equipment:1524 rec.radio.swap:2049 rec.radio.info:725

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for

any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 4044056060533248960
X-Google-Thread: 4c2e24c2f1,7fd2d03f32c98fa6,start
X-Google-Attributes: gid4c2e24c2f1,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.bananasplit.info!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: rrae <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf
Subject: FA: ICOM IC-706 MKIIG transceiver
Message-ID: <cb4def019f0db09199cbbf4d570fb72f@pseudo.borked.net>
Date: Thu,  7 May 2009 05:41:18 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1525 alt.ham-radio.vhf-
uhf:938
```

http://xrl.us/IcomIC706transceiver

```
From 2831089869475247645
X-Google-Language: ENGLISH,ASCII-7-bit
From: "kc8qjp" <criscok@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: PALOMAR BI LINEAR AMPLIFIER
Date: Sat, 9 May 2009 09:30:56 -0400
Lines: 8
Organization: crisco kathy
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a0585a9@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
```

news.buerger.net!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1526

a big sale thought someone out there would want them . dont know much myself
good luck   thanks.

http://cgi.ebay.com/PALOMAR-BI-LINEAR-
AMPLIFIER_W0QQitemZ110385356456QQcmdZViewItemQQptZLH_DefaultDomain_0?
hash=item19b37adea8&_trksid=p3286.c0.m14&_trkparms=72%3A1234%7C66%3A2%7C65%3A12%7C
39%3A1%7C240%3A1318%7C301%3A0%7C293%3A1%7C294%3A50

From -8244968486577709696
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5,start
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
From: "kc8qjp" <criscok@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 11 May 2009 14:13:06 -0400
Lines: 62
Organization: crisco kathy
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$5jnnqhingh7l64.newsfeed.x-privat.org
Message-ID: <4a086abc@x-privat.org>
X-Authenticated-User: $$q3_o_tx91q7xfh$rfsj2gd6
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!news.k-dsl.de!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1527
rec.radio.amateur.homebrew:2689

This is the DVD every CB or Ham Radio Operator has been looking for who
likes to build their own Amplifiers.

1 to 16 Pill AMP Designs...................

http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-
DVD_W0QQitemZ200332937473QQcmdZViewItemQQptZLH_DefaultDomain_0?
hash=item2ea4c60901&_trksid=p3286.c0.m14&_trkparms=72%3A1234%7C66%3A2%7C65%3A12%7C
39%3A1%7C240%3A1318%7C301%3A0%7C293%3A1%7C294%3A50

Description

Item Specifics - Item Condition
Condition: New

This is the DVD every CB or Ham Radio Operator has been looking for who likes to build their own Amplifiers.

1 to 16 Pill AMP Designs

Step by Step directions

Full Schematics

Full Color Pics of step by step build of each Box 1-16 pill

Full Parts List for each Design

And most important were to by all the parts you need is included.

This DVD makes it very easy for the Novice to build their Own Box

This is just plans we are not selling anything but plans on how to build these units and its for Educational Purpose only.

No Returns or Money back.Each DVD is checked before they are shipped to make sure they work 100%

```
begin 666 s.gif
M1TE&.#EA`0`!`)'_`/___P```,# P ```"'Y! $```(`+ `````!``$```("
$5 $`.P``
`
end
```

```
From 1661308149605244174
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.pipex.net!news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 11 May 2009 17:20:05 -0500
Date: Mon, 11 May 2009 22:19:33 +0000
From: Highland Ham <rfburns@allbands.net>
User-Agent: Thunderbird 2.0.0.12 (X11/20080306)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
References: <4a086abc@x-privat.org>
In-Reply-To: <4a086abc@x-privat.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <4-adndQKs58LOZXXnZ2dnUVZ8oKdnZ2d@pipex.net>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 85.210.64.177
X-Trace: sv3-HH1CxWwv940MB5xW90re/6DK/
rw6cVJpkp+foH9Sn3BnkwtVzmKhHv1rcYULaB+Yyvv33HgxrE66Fln!
KeAActFkdbcN5W6dEpteUg7nl6v6te5emqDNDxdPZmwMJvuiMTep64jLUPgImkEVLNHd9hTz+enf!
BewqKVAcQuGNUGY2eBAzD1wPqQ==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1520
Xref: g2news2.google.com rec.radio.amateur.equipment:1528
rec.radio.amateur.homebrew:2690
```

kc8qjp wrote:

> This is the DVD every CB or Ham Radio Operator has been looking for who
> likes to build their own Amplifiers.

=======================================

CBers should NOT build any transmitting equipment ....because that is illegal !

Frank   GM0CSZ / KN6WH

```
From 1041132058817995694
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
```

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!r3g2000vbp.googlegroups.com!not-for-
mail
From: JIMMIE <JIMMIEDEE123@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Date: Mon, 11 May 2009 18:45:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 56
Message-ID: <47532aab-fe3e-49e4-9e41-ec35da576a1c@r3g2000vbp.googlegroups.com>
References: <4a086abc@x-privat.org>
NNTP-Posting-Host: 75.190.185.150
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1242092711 26339 127.0.0.1 (12 May 2009 01:45:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 May 2009 01:45:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r3g2000vbp.googlegroups.com; posting-host=75.190.185.150;
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1529
rec.radio.amateur.homebrew:2691

On May 11, 2:13=A0pm, "kc8qjp" <cris...@hotmail.com> wrote:
> This is the DVD every CB or Ham Radio Operator has been looking for who
> likes to build their own Amplifiers.
>
> 1 to 16 Pill AMP Designs...................
>
> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Description
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0Item Specifics - Item Cond=
ition
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Condition=
: =A0New
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 This is the DVD every CB or Ham Radio=
 Operator has been
> looking for who likes to build their own Amplifiers.
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 1 to 16 Pill AMP Designs
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Step by Step directions
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Full Schematics
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Full Color Pics of step by step build=
```

~~~
 of each Box 1-16
> pill
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 Full Parts List for each Design
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 And most important were to by all the=
 parts you need is
> included.
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 This DVD makes it very easy for the N=
ovice to build their
> Own Box
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 This is just plans we are not selling=
 anything but plans
> on how to build these units and its for Educational Purpose only.
>
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 No Returns or Money back.Each DVD is =
checked before they
> are shipped to make sure they work 100%
>
> begin 666 s.gif
> M1TE&.#EA`0`!`)'_`/___P```,# P ```"'Y! $```(`+ `````!``$```("
> $5 $`.P``
> `
> end

I doubt if it will be long before its on the internet for free.

Jimmie



From -919711341536597626
X-Google-Thread: d7f5508063,1845b57d5fe6b6e5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe12.iad.POSTED!7564ea0f!not-for-mail
From: Bruce W. Ellis <ellis@means.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
Organization: Not much
Reply-To: ellis*nospam*@means.net
Message-ID: <c5oh05hkde4ug0feifjdfkjigq47bmg1hc@4ax.com>
References: <4a086abc@x-privat.org> <47532aab-fe3e-49e4-9e41-
ec35da576a1c@r3g2000vbp.googlegroups.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 25
~~~

```
NNTP-Posting-Host: cicmcbeomleajlnblfdgndlghbcaakak
X-Complaints-To: abuse@charter.net
X-Trace:
dolmjbnehhedbigjkenaajobffgmphfmiaeiohljihbgnoancicmcbeomleajlnbcmebmdhmacefmadbgo
mofdmpegcimbiikdcegofpaficgghgkdcaficchbkchmgoplepgefcpbbnokgh
NNTP-Posting-Date: Tue, 12 May 2009 02:38:29 UTC
Date: Mon, 11 May 2009 21:38:05 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1530

On Mon, 11 May 2009 18:45:11 -0700 (PDT), JIMMIE
<JIMMIEDEE123@YAHOO.COM> wrote:

>On May 11, 2:13�pm, "kc8qjp" <cris...@hotmail.com> wrote:
>> This is the DVD every CB or Ham Radio Operator has been looking for who
>> likes to build their own Amplifiers.
>>
>> 1 to 16 Pill AMP Designs...................
>>
>> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>>
>> � � � � � � � � � Description
>>
>> � � � � � � � � � � � �Item Specifics - Item Condition
>> � � � � � � � � � � � � � � � � Condition: �New
>>
>> � � � � � � � � � This is the DVD every CB or Ham Radio Operator has been
>> looking for who likes to build their own Amplifiers.
>>
>> � � � � � � � � � 1 to 16 Pill AMP Designs
>>
>> �
OK - I'm confused and not used to CB lingo.   What is a "pill"

W0BF


From -8493483779566984962
X-Google-Thread: 241b302a50,1845b57d5fe6b6e5
X-Google-Attributes: gid241b302a50,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!nx02.iad01.newshosting.com!
newshosting.com!novia!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 11 May 2009 21:48:50 -0500
Date: Tue, 12 May 2009 02:48:50 +0000
From: Scott <acepilotREMOVE@bloomer.net>
User-Agent: Thunderbird 2.0.0.21 (Windows/20090302)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
References: <4a086abc@x-privat.org> <4-adndQKs58LOZXXnZ2dnUVZ8oKdnZ2d@pipex.net>
```

In-Reply-To: <4-adndQKs58LOZXXnZ2dnUVZ8oKdnZ2d@pipex.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <hKmdnbHcGq0PfpXXnZ2dnUVZ_ridnZ2d@bright.net>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-SSyxGg9LlFl/lJINYIUYMSISi0FPcmEG2IOoBCpC/
fLqo0KA6DKesAHmFYnMa0uSQvE3dJk/BO9PBMr!
x3tjOlwRADEYR3LhYFA9yjXUX9QkkQaLqNL7yytvpRrj9eckXUU4TfhefW51gIfrIPITcw11mUEP!
Fpisl3aRgw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1531
rec.radio.amateur.homebrew:2692

Highland Ham wrote:
> kc8qjp wrote:
>> This is the DVD every CB or Ham Radio Operator has been looking for
>> who likes to build their own Amplifiers.
>
> ==
> CBers should NOT build any transmitting equipment ....because that is
> illegal !
>
> Frank   GM0CSZ / KN6WH

Not to worry...it states the plans are for educational use only! ;)
Maybe it would be good for CBers to build high voltage amps if you get
my drift ;) Just kidding...they're people too...

Scott
N0EDV

From 3192937053393455229
X-Google-Thread: d7f5508063,1845b57d5fe6b6e5
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 12 May 2009 07:48:34 -0500
Date: Tue, 12 May 2009 05:48:31 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
References: <4a086abc@x-privat.org> <47532aab-fe3e-49e4-9e41-

```
ec35da576a1c@r3g2000vbp.googlegroups.com>
<c5oh05hkde4ug0feifjdfkjigq47bmg1hc@4ax.com>
In-Reply-To: <c5oh05hkde4ug0feifjdfkjigq47bmg1hc@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ttWdnW7f0eW_7ZTXnZ2dnUVZ_ixi4p2d@earthlink.com>
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.253
X-Trace: sv3-
u7CZnD+sPXEeKy9UfR4M9Cz2HVzjB6Buj+gLGCkEUWi+FOThNqpGArkNiXLaRlfuEyxfzj6lt7FYrLp!
zv2a1mEvrS8Pp3hnfsK1qSDzZbjflqgj9DHYoa+PndWf5tlJA3NS8bSHKEbGFB3T+aDqqcCtraI/!
96FFz3QU8QShJr+61mhf1YMocKoP1ATE
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2148
Xref: g2news2.google.com rec.radio.amateur.equipment:1532
```

Bruce W. Ellis wrote:
> On Mon, 11 May 2009 18:45:11 -0700 (PDT), JIMMIE
> <JIMMIEDEE123@YAHOO.COM> wrote:
>
>> On May 11, 2:13 pm, "kc8qjp" <cris...@hotmail.com> wrote:
>>> This is the DVD every CB or Ham Radio Operator has been looking for who
>>> likes to build their own Amplifiers.
>>>
>>> 1 to 16 Pill AMP Designs...................
>>>
>>> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>>>
>>>   Description
>>>
>>>   Item Specifics - Item Condition
>>>   Condition: New
>>>
>>>   This is the DVD every CB or Ham Radio Operator has been
>>> looking for who likes to build their own Amplifiers.
>>>
>>>   1 to 16 Pill AMP Designs
>>>
>>>
> OK - I'm confused and not used to CB lingo.   What is a "pill"
>
> W0BF

MMIC

```
From -7619447390270942226
X-Google-Thread: d7f5508063,1845b57d5fe6b6e5
X-Google-Attributes: gidd7f5508063,public,usenet
```

```
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 12 May 2009 08:43:43 -0500
Date: Tue, 12 May 2009 06:43:39 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier Plans 1-16 Pill On DVD
References: <4a086abc@x-privat.org> <47532aab-fe3e-49e4-9e41-
ec35da576a1c@r3g2000vbp.googlegroups.com>
<c5oh05hkde4ug0feifjdfkjigq47bmg1hc@4ax.com>
<ttWdnW7f0eW_7ZTXnZ2dnUVZ_ixi4p2d@earthlink.com>
In-Reply-To: <ttWdnW7f0eW_7ZTXnZ2dnUVZ_ixi4p2d@earthlink.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_eOdnXQUS7-S4JTXnZ2dnUVZ_oJi4p2d@earthlink.com>
Lines: 33
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.253
X-Trace: sv3-
I8vJ2kCezJM28vXnGiIZI7sr51uM9kHnMNYrRph6vcv33tnkIGEicV4hFelNZffW2KB9g8islb64Cqc!
QKuQ3Lq9NhP3DxLYdPT3d1S9f3f04iahRSa0b4Ut/BYBB7g8CxkFj9dJDOz3JI3WD9efCqGzuVQY!
Rgh5tNfLEbo07GnS0PlzMaJqZXg+H9TG
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 2329
Xref: g2news2.google.com rec.radio.amateur.equipment:1533

dave wrote:
> Bruce W. Ellis wrote:
>> On Mon, 11 May 2009 18:45:11 -0700 (PDT), JIMMIE
>> <JIMMIEDEE123@YAHOO.COM> wrote:
>>
>>> On May 11, 2:13 pm, "kc8qjp" <cris...@hotmail.com> wrote:
>>>> This is the DVD every CB or Ham Radio Operator has been looking for who
>>>> likes to build their own Amplifiers.
>>>>
>>>> 1 to 16 Pill AMP Designs...................
>>>>
>>>> http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ...
>>>>
>>>>
>>>>                   Description
>>>>
>>>>                        Item Specifics - Item Condition
>>>>                                 Condition:  New
>>>>
```

>>>>   This is the DVD every CB or Ham Radio Operator has
>>>> been
>>>> looking for who likes to build their own Amplifiers.
>>>>
>>>>   1 to 16 Pill AMP Designs
>>>>
>>>>
>> OK - I'm confused and not used to CB lingo.   What is a "pill"
>>
>> W0BF
>
> MMIC

http://www.datasheetcatalog.com/datasheets_pdf/2/S/C/2/2SC2879.shtml

```
From -1973115121002594535
X-Google-Thread: d7f5508063,89e7eaba7ee78dfe,start
X-Google-Attributes: gidd7f5508063,public,usenet
X-Google-NewGroupId: yes
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j12g2000vbl.googlegroups.com!not-for-
mail
From: PA3ESF <pa3esf@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Zaterdag 30 mei 2009 - 31e FRIESE RADIO MARKT
Date: Tue, 12 May 2009 13:29:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 42
Message-ID: <e12345c5-8342-464d-b22d-aa8f86c8afbe@j12g2000vbl.googlegroups.com>
NNTP-Posting-Host: 80.113.184.34
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1242160195 21502 127.0.0.1 (12 May 2009 20:29:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 May 2009 20:29:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j12g2000vbl.googlegroups.com; posting-host=80.113.184.34;
     posting-account=YOV4MQoAAAA2exfzsEGeZ87c9YD9fCMy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; nl; rv:1.9.0.8)
     Gecko/2009032609 Firefox/3.0.8,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1534
```

31e RADIO FLEA MARKET in BEETSTERZWAAG on 30 May 2009

The radio flea market takes place to - 30 May 2009. Do you look for an
exotic transistor kit or a super recipient, fixed and do manufacture
kit...
or do meet of radio friends? Dan comes Saturday 30 May to the Friese
radio market into Beetsterzwaag!

Many thousand visitors come each year from the entire Netherlands and Europe to this radio flea market spectacle, approx. 100 dealers, with most diverse articles, like transmitters, recievers, power supplies, antennas, software, hardware and literature.

Additionally of businessmen in the place also a flea market with many attraction organized for large and small. There are some sales desks free at the moment on the radio flea market, you can reserve by telephone & email, contact on to take with the executive committee. Down are these addresses.

How does one find after Beetsterzwaag? From direction Apeldoorn = > Zwolle = > Meppel = > Heerenveen = > Drachten, departure after Gorredijk Tijnje comes departure (28) Beetsterzwaag.

From direction Bremen = > Groningen = > Drachten = > Heerenveen, departure after Drachten Haven comes departure (28) Beetsterzwaag.

On 2mtr, 145,700 Digi Heerenveen can one to instruct leave themselves. Inlet is from 09:00 to 16:00 MESZ, into which Cafeteria one also boarded into this time.

This whole is organized of VERON FRIESE WOUDEN. Cordially Welcome in Friesland on the 31e FRM!

Look for more information at the site: www.frm.a63.org

Contact people, are:

Announce sales desks & Public relation:
Weit Lap, PA3ESF
Bouekers 40 9247 AR URETERP
Tel. 0031(0) 512 302702
E-mail : admin.frm@a63.org

```
From -5829467027751903752
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Apr 2009 12:00:56 -0500
Date: Sun, 05 Apr 2009 12:00:02 -0500
From: sorry-spammers <""w9wi\"@(sorry-spammers)">
Organization: Ham Radio W9WI
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: COLLINS 32S-1 transmitter
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
<49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
```

<WgYkl.2889$i9.1115@bignews8.bellsouth.net> <840162a2-e182-4500-af87-
de475dce5d2e@t3g2000yqa.googlegroups.com> <gn24ei$qhn$1@panix2.panix.com>
<FL_Bl.1048$y61.49@news-server.bigpond.net.au>
In-Reply-To: <FL_Bl.1048$y61.49@news-server.bigpond.net.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Nfednez5aItUfkXUnZ2dnUVZ_tXinZ2d@earthlink.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.154.42.162
X-Trace: sv3-NRFdUQge5Jz/
Yd1HgKEgsObTbWk60e1XXNVojro9tuxGqgJuUOWn9FJjHEYirBEDiYQWkPonOPjfnVf!
rhsxWhDnzLhKMRnVIUfSBi2zCLOKHfWjm71xzxrMqOA16RKrNXByC6z7EVOFVsl8WUEk0s+e54yH!
IZxYv7Cz5CQOKsVhMYA/uHvQd8w=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1887
Xref: g2news1.google.com rec.radio.amateur.equipment:1220

Bossa Nova wrote:
> Wasn't Hawaii the 49th state?.
> I thought Alaska was the 50th state, but stand corrected if I am mistaken.

According to the State of Alaska it was the 49th state. At least, the
site contains video and photos showing the state's first governor
attaching the 49th star to the U.S. Flag...

http://www.gov.state.ak.us/ASCC/history.php

--

Doug Smith W9WI
Pleasant View, TN EM66

From -2142722751698238052
X-Google-Thread: fcc6e,d77006ccb5d906e,start
X-Google-Thread: 11480d,d77006ccb5d906e,start
X-Google-Thread: 108122,d77006ccb5d906e,start
X-Google-Thread: fc2a5,d77006ccb5d906e,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1236409501@panix.com>
Followup-To: poster

Date: 7 Apr 2009 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 May 2009 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1239084301@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1239084302 10289 166.84.1.2 (7 Apr 2009 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Apr 2009 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:10826 rec.radio.amateur.dx:355 rec.radio.amateur.equipment:1435 rec.radio.amateur.homebrew:2437 rec.radio.amateur.misc:4179 rec.radio.amateur.policy:25854 rec.radio.info:671

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -3068638680287287096
X-Google-Thread: 108122,bc5a477eaebe78b8,start
X-Google-Thread: 1109af,bc5a477eaebe78b8,start
X-Google-Thread: 10b9c8,bc5a477eaebe78b8,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1236409800@panix.com>
Followup-To: poster
Date: 7 Apr 2009 02:10:00 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 May 2009 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1239084600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1239084601 21338 166.84.1.2 (7 Apr 2009 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Apr 2009 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:1222 rec.radio.swap:1510
rec.radio.info:594

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -2508536767377006236
X-Google-Thread: 108122,444d946c16b93b63,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps83.POSTED!7564ea0f!not-for-mail
From: "Colin Gunn" <cngunn@telus.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Harris RF-601 Antenna Coupler Group
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <OIXCl.20663$Db2.5669@edtnps83>
Date: Wed, 08 Apr 2009 06:43:58 GMT
NNTP-Posting-Host: 66.183.156.42
X-Trace: edtnps83 1239173038 66.183.156.42 (Wed, 08 Apr 2009 00:43:58 MDT)
NNTP-Posting-Date: Wed, 08 Apr 2009 00:43:58 MDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1437
```

check out my ad at http://victoria.en.craigslist.ca/ele/1112447835.html for the absolute ultimate automatic antenna coupler made by Harris primarily for Military and Marine applications.

From -6597464632111542756
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l13g2000vba.googlegroups.com!not-for-mail
From: AllenMcB <allen@mcbroom.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for newer SW receiver with digital tuning
Date: Wed, 8 Apr 2009 08:28:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
NNTP-Posting-Host: 24.233.213.188
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1239204500 19900 127.0.0.1 (8 Apr 2009 15:28:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Apr 2009 15:28:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l13g2000vba.googlegroups.com; posting-host=24.233.213.188;
posting-account=ikbNmAkAAAAqPU_KCvChI0pA8c3XUZ-p
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.8)
Gecko/2009032609 Firefox/3.0.8,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1224

For the last 40+ years, I've listened to shortwave with the same receiver, an old Hallicrafters S-108 that I bought when I was 12 years old.

I recently moved it out to my workshop (making the wife happy to have it out of the house), hung a 200' longwire antenna through the trees, and began listening more often than I used to do.

The old radio still sounds good, and it brings the BBC and Havana in pretty strong, but trying to listen to anything other than the strong stations is frustrating. The reception drifts, and I never really know what frequency I've got. I can guess somewhere in the ballpark, but that's about it.

Yesterday I started looking on ebay for receivers, wanting something non-portable with digital tuning. I think I'm now more confused than anything.

I don't need or want anything state of the art or expensive, just something workable that has better frequency identification.

Any suggestions on what to look for, and maybe just as important, anything to definitely avoid? Cost is a factor (the economy has gone downhill here, as well), so buying a new unit is not an option.

I appreciate any suggestions or input y'all can offer.

From -6246022556858724966
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.cse.ohio-state.edu!usenet01.sei.cmu.edu!pitt.edu!egsner!news.cirr.com!
sdf.lonestar.org!sdog2008
From: Stray Dog <sdog2008@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Thu, 9 Apr 2009 02:54:39 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 84
Message-ID: <Pine.NEB.4.64.0904090247541.10936@sdf.lonestar.org>
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1239245704 28036 192.94.73.1 (9 Apr 2009 02:55:04 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Thu, 9 Apr 2009 02:55:04 +0000 (UTC)
In-Reply-To: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:1225

On Wed, 8 Apr 2009, AllenMcB wrote:

> Date: Wed, 8 Apr 2009 08:28:20 -0700 (PDT)
> From: AllenMcB <allen@mcbroom.org>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Looking for newer SW receiver with digital tuning
>
> For the last 40+ years, I've listened to shortwave with the same
> receiver, an old Hallicrafters S-108 that I bought when I was 12 years
> old.
>
> I recently moved it out to my workshop (making the wife happy to have
> it out of the house), hung a 200' longwire antenna through the trees,
> and began listening more often than I used to do.
>
> The old radio still sounds good, and it brings the BBC and Havana in
> pretty strong, but trying to listen to anything other than the strong
> stations is frustrating. The reception drifts, and I never really
> know what frequency I've got. I can guess somewhere in the ballpark,
> but that's about it.
>
> Yesterday I started looking on ebay for receivers, wanting something
> non-portable with digital tuning. I think I'm now more confused than
> anything.

> I don't need or want anything state of the art or expensive, just something workable that has better frequency identification.
>
> Any suggestions on what to look for, and maybe just as important, anything to definitely avoid? Cost is a factor (the economy has gone downhill here, as well), so buying a new unit is not an option.
>
> I appreciate any suggestions or input y'all can offer.

I bought a Grundig G5 about a year ago from Radio Shack.

About the size of two king size cigarette packages, digital readout, and almost intuitive to operate with push buttons, and is readout to one kc, and there is a vernier tuning for SSB and CW. Built in BFO is turned on and off with a button, and you can tune very accurately. PLL means basically zero drift. 2 foot telescoping antenna, can pick up almost anything in HF range. Tunes 150 kc to 29,999 khz. But has a lot of birdies (but that shouldn't affect much). At the time it was $150 and some places you can get it for $100. Built in S-meter, etc. Also does FM band as well as AM and HF. For what it is, I think its a pretty good deal.

What made the deal for me was they had one in a Radio Shack store, with batteries, and I spent ten minutes playing with it and was able to figure out how to use it (at the basic level) without reading the manual. Could not hear much because of all the noise made by all the other junk, but after I bought one and took it home to quiet home environment, I could hear just about anything my base ham transciever could hear except for the weakest signals.

```
From 5002619990666592015
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!news.astraweb.com!
border5.newsrouter.astraweb.com!not-for-mail
From: geek <geek@localhost.localdomain>
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Wed, 08 Apr 2009 22:01:39 -0700
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))
Message-Id: <pan.2009.04.09.05.01.39.559470@localhost.localdomain>
Newsgroups: rec.radio.amateur.equipment
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 10
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: a2fe9d39.news.astraweb.com
X-Trace: DXC=lfO<S=CmJ@U<>SSnB4kIGXL?
0kYOcDh@ZF`G9=EcbWc_]`dk<mE25VZE225kP77^ST:i1N2;`Z\i_<\eRZ1Lb:OS
Xref: g2news2.google.com rec.radio.amateur.equipment:1440
```

Hi,

Eton E5. Spectacular sensitivity and wicked selectivity in a portable.
$150.

Another fellow mentioned a G5 from Grundig he got at RS. AFAIK, they are
the same rig inside.

Cheers!

```
From -1996898387406977784
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!v28g2000vbb.googlegroups.com!not-for-
mail
From: AllenMcB <allen@mcbroom.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Thu, 9 Apr 2009 06:38:45 -0700 (PDT)
```

```
Organization: http://groups.google.com
Lines: 16
Message-ID: <20b7468e-889c-4612-a47e-2b3cf3710960@v28g2000vbb.googlegroups.com>
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
     <Pine.NEB.4.64.0904090247541.10936@sdf.lonestar.org>
NNTP-Posting-Host: 24.233.213.188
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1239284325 5228 127.0.0.1 (9 Apr 2009 13:38:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Apr 2009 13:38:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v28g2000vbb.googlegroups.com; posting-host=24.233.213.188;
     posting-account=ikbNmAkAAAAqPU_KCvChI0pA8c3XUZ-p
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.8)
     Gecko/2009032609 Firefox/3.0.8,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1441
```

On Apr 8, 9:54=A0pm, Stray Dog <sdog2...@sdf.lonestar.org> wrote:

> I bought a Grundig G5 about a year ago from Radio Shack.
>
> About the size of two king size cigarette packages, digital readout, and
> almost intuitive to operate with push buttons, and is readout to one kc,
> and there is a vernier tuning for SSB and CW. Built in BFO is turned on
> and off with a button, and you can tune very accurately.

Can you attach an external antenna to it?

I've seen the little SW receivers on ebay, and they all look like the
old portable transistor radios to me. I realize a lot has changed, so
please tell me: After listening to the old Hallicrafters all these
years, how is the small receiver going to sound? Will it receive as
many stations as the old boat anchor I've been using?

```
From -8461111347197158505
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!r36g2000vbr.googlegroups.com!not-for-
mail
From: AllenMcB <allen@mcbroom.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Thu, 9 Apr 2009 06:39:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <6f939c2e-4590-408c-b79c-7e7eade24130@r36g2000vbr.googlegroups.com>
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
     <pan.2009.04.09.05.01.39.559470@localhost.localdomain>
NNTP-Posting-Host: 24.233.213.188
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1239284402 17342 127.0.0.1 (9 Apr 2009 13:40:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Apr 2009 13:40:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r36g2000vbr.googlegroups.com; posting-host=24.233.213.188;
     posting-account=ikbNmAkAAAAqPU_KCvChI0pA8c3XUZ-p
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.8)
     Gecko/2009032609 Firefox/3.0.8,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1228

On Apr 9, 12:01=A0am, geek <g...@localhost.localdomain> wrote:
> Hi,
>
> Eton E5. Spectacular sensitivity and wicked selectivity in a portable.
> $150.
>

The Etons I've seen are wind-up chargers, made mostly for emergency
use.  Is this the same Eton setup?




From -6608833683136193094
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!g20g2000vba.googlegroups.com!not-for-
mail
From: AllenMcB <allen@mcbroom.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Thu, 9 Apr 2009 06:52:17 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <85dee475-d0e1-4d14-933a-2890c1cced35@g20g2000vba.googlegroups.com>
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
     <pan.2009.04.09.05.01.39.559470@localhost.localdomain>
NNTP-Posting-Host: 24.233.213.188
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1239285137 19806 127.0.0.1 (9 Apr 2009 13:52:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Apr 2009 13:52:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g20g2000vba.googlegroups.com; posting-host=24.233.213.188;
     posting-account=ikbNmAkAAAAqPU_KCvChI0pA8c3XUZ-p
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.8)
```

Gecko/2009032609 Firefox/3.0.8,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1443

On Apr 9, 12:01=A0am, geek <g...@localhost.localdomain> wrote:

> Another fellow mentioned a G5 from Grundig he got at RS. AFAIK, they are
> the same rig inside.

I just read reviews on the E5/G5 at http://www.eham.net/reviews/detail/6815=
.
I think I'm looking for something that's not designed to be portable,
that will accept an external antenna, and that doesn't use batteries.

Thanks for the suggestion, though. I learned a good bit reading about
these.

From 8146692407716468201
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-
xxxfer.readnews.com!news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Thu, 9 Apr 2009 14:56:49 +0000 (UTC)
Organization: MGT Consulting
Lines: 38
Message-ID: <slrngts34n.q2l.gsm@cable.mendelson.com>
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
 <pan.2009.04.09.05.01.39.559470@localhost.localdomain>
 <85dee475-d0e1-4d14-933a-2890c1cced35@g20g2000vba.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-85-77.bb.netvision.net.il
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: max.inside.misty.com 1239289009 11530 89.138.85.77 (9 Apr 2009 14:56:49
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 9 Apr 2009 14:56:49 +0000 (UTC)
User-Agent: slrn/pre0.9.9-111 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:1444

AllenMcB wrote:

> Thanks for the suggestion, though. I learned a good bit reading about
> these.

http://www.rffun.com/catalog/commrxvr.html http://www.rffun.com/used/used2.html

The R1000 was sold, but there were several R1000, R2000, R5000.

The R5000, and maybe the others has a Yahoo group ask there
about them before you buy one.

http://radio.tentec.com/amateur/receivers/RX320D

Possibly the best of the radios that are run by a PC.
(no controls on the radio).

FYI: Grundig is a European manufacturer of radios who sold out their
line to Eaton. In some places current production is sold as Grundig in
others, the same radios are sold as Eaton. Grundig also made a line of
very good shortwave desktops.

Another good used radio is the Drake SW8,
http://www.rffun.com/catalog/commrxvr/0088.html

BTW, almost every ham radio transceiver made since 1985 has had a general
coverage receiver. Many of them require an added AM filter to recieve
shortwave broadcasts. Even with the price of the added filter, they make
excelent desktop shortwave receivers.

73,

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

From -2561157167942023403
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
Date: 9 Apr 2009 15:22:32 GMT
Lines: 41
Message-ID: <slrngts4lo.9gq.bit-bucket@shell.config.com>
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
<Pine.NEB.4.64.0904090247541.10936@sdf.lonestar.org>
Reply-To: If you must, <Reply_to@my.sig.adr>
X-Trace: individual.net klcoCCJoPBGOqKr7Cx/ZSA8CJBTvfSATOznQFHcfz5dz8gh3SI
Cancel-Lock: sha1:hFFdyqk32HD/UVNVls1FjhkFbeI=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:1231

On Thu, 9 Apr 2009 02:54:39 +0000, Stray Dog wrote:

>
> On Wed, 8 Apr 2009, AllenMcB wrote:
>
>> Date: Wed, 8 Apr 2009 08:28:20 -0700 (PDT)
>> From: AllenMcB <allen@mcbroom.org>
>> Newsgroups: rec.radio.amateur.equipment
>> Subject: Looking for newer SW receiver with digital tuning
>>
>> For the last 40+ years, I've listened to shortwave with the same
>> receiver, an old Hallicrafters S-108 that I bought when I was 12 years
>> old.
>>
>> I recently moved it out to my workshop (making the wife happy to have
>> it out of the house), hung a 200' longwire antenna through the trees,
>> and began listening more often than I used to do.
>>
>> The old radio still sounds good, and it brings the BBC and Havana in
>> pretty strong, but trying to listen to anything other than the strong
>> stations is frustrating. The reception drifts, and I never really
>> know what frequency I've got. I can guess somewhere in the ballpark,
>> but that's about it.
>>
>> Yesterday I started looking on ebay for receivers, wanting something
>> non-portable with digital tuning.

If you're talking used, the Grundig Satellit 700 would fit the bill.
About the size of a college pyhsics text book and runs off of batteries
or a 12VDC wall wart. Has a telescoping antenna and a external antenna
connector. Lots of extra features -- like SSB and a synchronous
detector.

(Yep, that's the way it's spelled: "Satellit".)

HTH,
Jonesy
```
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    * Killfiling google & XXXXbanter.com: jonz.net/ng.htm
```

From 4650320599565613744
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx01.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 09 Apr 2009 11:13:11 -0500
From: maxman56 <maxman56.423d407@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment

```
Subject: WTB Harris RF-350K  RT-1464/URC  PART
Date: Thu, 9 Apr 2009 15:51:38 +0100
Message-ID: <maxman56.423d407@radiobanter.com>
Organization: RadioBanter.com
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
BANTIGYN4IXUznigPMqtIE1xWwC35FBqPylmShldHHo35Jr9N+IWekSGQy9LXx1PLDJXgoYZM2V+xXm!
ab86tC6YX7r00Ghwp0lzkA2ULX1foaIIm4EbRwiFdt7Mmcq9ZgJ/0L32megN/BibEZovnOGGYDTR!
UpT5ew==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 4
X-Original-Bytes: 1138
Xref: g2news1.google.com rec.radio.amateur.equipment:1232


Wanting to buy, working or not a Power Amp Assy
Part Number  10085-8010  100W  PA  12V Assy  A1A4
for a Harris RF-350K  RT-1446/URC
Thanks





--
maxman56


From 4056968627280171354
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f18g2000vbf.googlegroups.com!not-for-
mail
From: DonL <wd5jbc@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Thu, 9 Apr 2009 10:44:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <ecc986f4-873b-49bc-a899-61cea02bb7dc@f18g2000vbf.googlegroups.com>
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
NNTP-Posting-Host: 71.96.236.154
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1239299083 32451 127.0.0.1 (9 Apr 2009 17:44:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Apr 2009 17:44:43 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: f18g2000vbf.googlegroups.com; posting-host=71.96.236.154;
     posting-account=ipxwwgoAAADBI8Za_4DSwkSqltvaCtZ7
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X 10.4; en-US;
     rv:1.9.0.8) Gecko/2009032608 Firefox/3.0.8,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1233
```

My recommendation is to look for an Icom R71A or Kenwood R5000. These receivers are high end table top units.
They were the top models in the 1980's and can easily out perform any of the portables currently produced.
These units have excellent crystal filtering, and can take optional narrow filters. They both have passband tuning and CW notch filters, and are stable enough to listen to AM stations in ssb mode (exalted carrier AM reception).

In SSB mode you can listen to either the upper or lower sideband of an AM signal, whichever has the least amount of interference, and make use of the narrow ssb filters and passband tuning to really dig out those weak stations.

The IcomR71A and Kenwood R5000 are very reasonably priced, and have excellent crystal filters with several optional filters that can still be found. I've seen R71A's with all the optional filters go for around $300.00, and units with the stock filters for $200.00. The Kenwood R5000's go for a bit more. The build quality of these units far exceed the plastic radios being produced now a days.

```
From -3497037558966303370
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx02.iad01.newshosting.com!newshosting.com!198.186.190.251.MISMATCH!
transit4.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: "Geoffrey S. Mendelson" <gsm@mendelson.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Thu, 9 Apr 2009 19:36:48 +0000 (UTC)
Organization: MGT Consulting
Lines: 67
Message-ID: <slrngtsjli.8l8.gsm@cable.mendelson.com>
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
 <ecc986f4-873b-49bc-a899-61cea02bb7dc@f18g2000vbf.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-85-77.bb.netvision.net.il
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
X-Trace: max.inside.misty.com 1239305808 17000 89.138.85.77 (9 Apr 2009 19:36:48 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 9 Apr 2009 19:36:48 +0000 (UTC)
User-Agent: slrn/pre0.9.9-111 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:1234

DonL wrote:

> The IcomR71A and Kenwood R5000 are very reasonably priced, and have
> excellent crystal filters with several optional
> filters that can still be found. I've seen R71A's with all the
> optional filters go for around $300.00, and units with the stock
> filters for $200.00. The Kenwood R5000's go for a bit more. The build
> quality of these units far exceed the plastic radios
> being produced now a days.

There are two problems with these radios. Both are excelent choices if you are aware of the problems and buy a radio which has had them fixed or you consider the cost of the repair/upgrade when you buy it.

The R71 and R71a had their internal programing in battery backed up RAM. Eventually the battery died and the radio became unusable. There were ROM upgrade kits (where the RAM was replaced with a permanent ROM chip) and ICOM did some sort of repair (replace battery and reprogram the RAM).

It's well worth your time to investigate one and see. Here is a web page I found searching the web for "ICOM R71 battery backed up RAM"

http://ronhashiro.htohananet.com/am-radio/ik2rnd-icom-ramboard.html

The Kenwood R5000 is a different matter. The R5000 was made with certain components "potted" with a rubber compound. This rubber compound eventually absorbed enough water from the air to cause the radio to stop working and eventually corrode the components it protected. This know as the "dots" because the display shows a dot instead of each digit.

The R5000 has a RECHARGEABLE lithium battery for memory back up. It cannot be replaced with a regular lithium battery and the front cover of the radio must be removed to access it.

All together the removal of the potting compound, replacing and damaged components and replacing the battery costs around $150 plus shipping.

As an estimate an R5000 that has its original battery and has not been "fixed" is worth around $250-$350 depending upon filters and accessories.

In any case the VHF converter is worth an additional $200 on it's own.

A repaired unit is worth around $450 on up depending upon filters, accesories and the condition.

Note that the computer interface is two parts one an add-on inside the radio and an external ttl to RS232 level convertor. It is very limited in what it can do.

The R5000 takes the same solder in SSB and CW filters as the TS-430, TS-440 and TS-450, so they are fairly common. Some of them took the same AM filter, but the R5000 version came on a circuit board while the ham version was soldered in.

The radio includes a useable 6kHz AM filter and a 2.4kHz SSB/CW filter.
A better 6kHz AM filter was available and IRC sold a 4kHz AM filter.
You could also buy a 1.8kHz SSB filter, and 500Hz and 250Hz CW filters.

There are some limits on the number of filters, placement and combinations.

There is an R5000 Yahoo group, which is a good place to ask questions.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

```
From 202514169125298237
X-Google-Thread: 108122,8206680d5158e060,start
X-Google-Thread: 1109af,8206680d5158e060,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps82.POSTED!7564ea0f!not-for-mail
From: "Ron M" <elitepetsshop@telus.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.m
isc
Subject: FS-Ten-Tec RX-350 MINT
Lines: 77
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0024_01C9B93C.E5D4BAB0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Antivirus: avast! (VPS 090409-0, 04/09/2009), Outbound message
X-Antivirus-Status: Clean
Message-ID: <uRwDl.22316$PH1.19002@edtnps82>
Date: Fri, 10 Apr 2009 00:59:06 GMT
NNTP-Posting-Host: 75.155.196.125
X-Trace: edtnps82 1239325146 75.155.196.125 (Thu, 09 Apr 2009 18:59:06 MDT)
NNTP-Posting-Date: Thu, 09 Apr 2009 18:59:06 MDT
Xref: g2news1.google.com rec.radio.amateur.equipment:1235
rec.radio.shortwave:31322 rec.radio.swap:1525 rec.radio.amateur.misc:3931
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_0024_01C9B93C.E5D4BAB0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I have a Mint RX-350 Shortwave Receiver with manual and origional =
receipts.  An awsome receiver! =20
100kHz to 30 MHz  Demodulation, filtering, passband tuning and AGC are =
all done by digital signal processing (DSP).  In addition the DSP =
functions include an automatic notch filter and adaptive noise =
filtering.  Reception modes supported are AM, USB/LSB, CW (700 Hz BFO =
offset) and Digital (1000Hz BFO offset).  The receiver has 34 available =
IF bandwidths for any type of signal under all reception conditions!

I also have the optional 302R remote tuning knob/keypad and the 307B =
external speaker enclosure which matches the receiver.  AC cord and DC =
plug as well.

Serious interest only please.  Email me at jodi.ron@gmail.com for more =
information.

Thank you,=20
Ron

For all your precious Pets desires visit www.elitepetsshop.com


------=_NextPart_000_0024_01C9B93C.E5D4BAB0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I have a Mint RX-350 Shortwave Receiver =
with manual=20
and origional receipts.&nbsp; An awsome receiver!&nbsp; </FONT></DIV>
<DIV><FONT face=3DArial size=3D2>100kHz to 30 MHz&nbsp; Demodulation, =
filtering,=20
passband tuning and AGC are all done by digital signal processing =
(DSP).&nbsp;=20
In addition the DSP functions include an automatic notch filter and =
adaptive=20
noise filtering.&nbsp; Reception modes supported are AM, USB/LSB, CW =
(700 Hz BFO=20
offset) and Digital (1000Hz BFO offset).&nbsp; The receiver has 34 =
available IF=20
bandwidths for any type of signal under all reception =
conditions!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I also have the optional 302R remote =
tuning=20
knob/keypad and the 307B external speaker enclosure which matches the=20
receiver.&nbsp; AC cord and DC plug as well.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Serious interest only please.&nbsp; =
Email me at <A=20
href=3D"mailto:jodi.ron@gmail.com">jodi.ron@gmail.com</A> for more=20
information.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Thank you,&nbsp;<BR>Ron</FONT></DIV>
<DIV><FONT face=3DArial size=3D2><BR>For all your precious Pets desires =
visit <A=20
href=3D"http://www.elitepetsshop.com">www.elitepetsshop.com</A></DIV>
<DIV>&nbsp;</DIV>
<DIV></FONT>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_0024_01C9B93C.E5D4BAB0--




From -3232138269558930316
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!news.astraweb.com!
border2.newsrouter.astraweb.com!not-for-mail
From: geek <geek@localhost.localdomain>
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Thu, 09 Apr 2009 21:25:39 -0700
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))
Message-Id: <pan.2009.04.10.04.25.39.556987@localhost.localdomain>
Newsgroups: rec.radio.amateur.equipment
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
<pan.2009.04.09.05.01.39.559470@localhost.localdomain> <85dee475-
d0e1-4d14-933a-2890c1cced35@g20g2000vba.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 19
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 80a4d8ea.news.astraweb.com
X-Trace: DXC=kQX<Q:eON^dN4DY]]om;IiL?
0kYOcDh@j;>GTR`=ZX:bKSS:O2<FJjkFDS<UL7kA@lnh2cCTA><0oY?Y[^2P0Tdn=AU8U6db\?n
Xref: g2news2.google.com rec.radio.amateur.equipment:1450

On Thu, 09 Apr 2009 06:52:17 -0700, AllenMcB wrote:
```

```
> On Apr 9, 12:01�am, geek <g...@localhost.localdomain> wrote:
>
>> Another fellow mentioned a G5 from Grundig he got at RS. AFAIK, they are
>> the same rig inside.
>
> I just read reviews on the E5/G5 at http://www.eham.net/reviews/detail/6815.
> I think I'm looking for something that's not designed to be portable,
> that will accept an external antenna, and that doesn't use batteries.
>
> Thanks for the suggestion, though.  I learned a good bit reading about
> these.

No problem! :-)

Eton also has the E1, which is the non-portable version.

Cheers!


From 6149117044244241853
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!news.astraweb.com!
border1.newsrouter.astraweb.com!not-for-mail
From: geek <geek@localhost.localdomain>
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Thu, 09 Apr 2009 21:26:50 -0700
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))
Message-Id: <pan.2009.04.10.04.26.50.25305@localhost.localdomain>
Newsgroups: rec.radio.amateur.equipment
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
<pan.2009.04.09.05.01.39.559470@localhost.localdomain> <6f939c2e-4590-408c-
b79c-7e7eade24130@r36g2000vbr.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 16
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 80a4d8ea.news.astraweb.com
X-Trace: DXC=_E^^92nF?_RJ[9olalG_WRL?
0kYOcDh@Z;>GTR`=ZX:RKSS:O2<FJj[FDS<UL7kA@\nh2cCTA><0_Y?Y[^2P0Td^=AU8U6db\?^
Xref: g2news2.google.com rec.radio.amateur.equipment:1451

On Thu, 09 Apr 2009 06:39:59 -0700, AllenMcB wrote:

> On Apr 9, 12:01�am, geek <g...@localhost.localdomain> wrote:
>> Hi,
>>
>> Eton E5. Spectacular sensitivity and wicked selectivity in a portable.
>> $150.
>>
```

>
> The Etons I've seen are wind-up chargers, made mostly for emergency
> use. Is this the same Eton setup?

They have a whole line. IIRC, they absorbed Grundig, so inherited the goodies and lemons ;-)

Cheers!

```
From -3374886975668975026
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
news2.glorb.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!
nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Apr 2009 11:15:46 -0500
From: KE5LDO <KE5LDO.4252587@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
Date: Fri, 10 Apr 2009 15:24:36 +0100
Message-ID: <KE5LDO.4252587@radiobanter.com>
Organization: RadioBanter.com
References:  <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
LHU86K+vJYmlESzvQ2QmsZMwoLTlgv34nqKTT0QrZSUJKHdvTi0rnyZBcGRe2GVkma96Sb84NVD6u07!/
sdeeIWqZFC5UnwIv4F/XGLKLYMcoN+JS9yacg+IGHqcsbWxeD8aXwihIcfv5stkXG23wKUy7vKl!eQM=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
X-Original-Bytes: 1442
Xref: g2news1.google.com rec.radio.amateur.equipment:1238
```

I purchased an ICOM R-75 after using an Eton EXM1. It would suit your needs much better because it has many features, including not overloading with your longwire. Mine is used for all SW monitoring. They are great receivers. Go to eham.net for the reviews. Hope this helps. It is also a triple conversion which reduces overlaoding and images. Best, KE5LDO

--

KE5LDO

```
From -2355604481647894674
X-Google-Thread: 108122,54b7231fa2c11ebb,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f1g2000prb.googlegroups.com!not-for-
mail
From: rrae <f.agate.m0@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: AMERITRON AL-572 amplifier
Date: Fri, 10 Apr 2009 12:29:15 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <5ac3710f-3f37-42f8-a8ac-08b0a1548ada@f1g2000prb.googlegroups.com>
NNTP-Posting-Host: 69.226.212.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1239391755 25839 127.0.0.1 (10 Apr 2009 19:29:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Apr 2009 19:29:15 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f1g2000prb.googlegroups.com; posting-host=69.226.212.67;
     posting-account=ue6FtwoAAACh3fMY3OBcsQCv-UwJtfjC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US)
     AppleWebKit/525.19 (KHTML, like Gecko) Chrome/1.0.154.53 Safari/
525.19,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1239
```

http://xrl.us/AmeritronAL572

```
From 5859818740298093220
X-Google-Thread: 108122,54b7231fa2c11ebb
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
proxad.net!feeder1-2.proxad.net!news.wiretrip.org!news.dizum.com!sewer-output!
mail2news-x2!mail2news
From: rram <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,co.ads
Subject: FA: AMERITRON AL-572 amplifier
Message-ID: <138d2172bfc6b80db57261882199ce97@pseudo.borked.net>
Date: Fri, 10 Apr 2009 05:05:14 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1454 co.ads:48
```

http://xrl.us/AmeritronAL572

From -7049537399570686914
X-Google-Thread: 108122,77098dada3712c1a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Apr 2009 10:34:29 -0500
Date: Sat, 11 Apr 2009 11:34:28 -0400
From: Drifter <drifter@pgh.net>
User-Agent: Thunderbird 2.0.0.21 (Windows/20090302)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for newer SW receiver with digital tuning
References: <d00ba002-0735-4803-857e-a4552a339bc5@l13g2000vba.googlegroups.com>
<KE5LDO.4252587@radiobanter.com>
In-Reply-To: <KE5LDO.4252587@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 090410-0, 04/10/2009), Outbound message
X-Antivirus-Status: Clean
Message-ID: <N6qdnYbfVbwYJX3UnZ2dnUVZ_jti4p2d@earthlink.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.17.165.127
X-Trace: sv3-4bFjCVLuzQzUtWSodYV/
RDNZF2SCiZABdF9dXKLteLfyuQLWkA3j555Pp3F9ADJLXfTmD+rMzFP4NCf!
2nL00pwJl5me6OJsd1idCkPZe5LlvAOXS3QjRynscdwIGFOveytgxe1u+1tddBqkJnrTMcLKp8wf!
cvd6OykRbPEZTeh/DbJ9GV9mtyLOVqg=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1854
Xref: g2news1.google.com rec.radio.amateur.equipment:1241

KE5LDO wrote:
> I purchased an ICOM R-75 after using an Eton EXM1. It would suit your
> needs much better because it has many features, including not
> overloading with your longwire. Mine is used for all SW monitoring.
> They are great receivers. Go to eham.net for the reviews. Hope this
> helps. It is also a triple conversion which reduces overlaoding and
> images. Best, KE5LDO
>
>
>
>

I'm with LDO on this. the icom is a sweet receiver.
Universal has 4 on their used list right now.

```
Drifter...


From -3003972933307404087
X-Google-Thread: 108122,2ba460fe69837c5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.bananasplit.info!
news.dizum.com!sewer-output!mail2news
From: Anonymous <nobody@nymu.eu>
Newsgroups: rec.radio.amateur.equipment
Subject: Wholesale Penis pumps
Message-ID: <7c9dc8292e5a24dd5d7e15b0f06ca211@mixmaster.nymu.eu>
Date: Wed, 15 Apr 2009 00:35:43 +0100 (BST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1242

Large assortment of brand new penis pumps for sale below wholesale
cost!
 *free shipping"

 CALL 419-698-2075

 Ask for Doug Adair.




From -5036043536693486826
X-Google-Thread: 108122,c1078118b1746e7b,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a23g2000vbl.googlegroups.com!not-for-
mail
From: AllenMcB <allen@mcbroom.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Moderator?
Date: Wed, 15 Apr 2009 06:38:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
NNTP-Posting-Host: 24.233.213.188
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1239802721 6056 127.0.0.1 (15 Apr 2009 13:38:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Apr 2009 13:38:41 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a23g2000vbl.googlegroups.com; posting-host=24.233.213.188;
     posting-account=ikbNmAkAAAAqPU_KCvChI0pA8c3XUZ-p
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.8)
     Gecko/2009032609 Firefox/3.0.8,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1243

Does this group have a moderator?



From 1715285199872684074
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-01.dc1.easynews.com.POSTED!not-for-mail
From: pltrgyst@spamlessxhost.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
Message-ID: <voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Wed, 15 Apr 2009 10:12:19 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1458

On Wed, 15 Apr 2009 06:38:40 -0700 (PDT), AllenMcB <allen@mcbroom.org> wrote:

>Does this group have a moderator?

Do you see the word "moderated" in the name of the group?

-- Larry (no charge...)



From 3291470804226496032
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
feeder.erje.net!newsfeed.straub-nv.de!news.mixmin.net!news.bananasplit.info!
news.dizum.com!sewer-output!mail2news
From: Borked Pseudo Mailed <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
Message-ID: <0d1e6eff84f3ca874711aede0cc610e5@pseudo.borked.net>
Date: Wed, 15 Apr 2009 08:13:41 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
```

Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1245

AllenMcB <allen@mcbroom.org> wrote:
> Does this group have a moderator?
>
Are you as stupid as you sound?

From -153527564156640587
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-out.octanews.net!indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
From: Bert Hyman <bert@iphouse.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com> <voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
Organization: Not that you'd notice
Message-ID: <Xns9BEE61222C6DVeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 15 Apr 2009 14:32:55 GMT
Lines: 17
NNTP-Posting-Date: 15 Apr 2009 09:32:55 CDT
NNTP-Posting-Host: 54be69f4.newsreader.iphouse.net
X-Trace: DXC=O3[k[jMZkWmW24:]h7]O@eUU[C:R=]MbjeHS>e[L>83`_6<?F3cWVDjc230oU7d71aX7@2h;nGb4meQ2hgXCL[Hl
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1460

In news:voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com
pltrgyst@spamlessxhost.org wrote:

> On Wed, 15 Apr 2009 06:38:40 -0700 (PDT), AllenMcB <allen@mcbroom.org>
> wrote:
>
>>Does this group have a moderator?
>
> Do you see the word "moderated" in the name of the group?

Many, if not most, moderated newsgroups do not have the word "moderated" in the name.

Still, this group is not moderated.

--
Bert Hyman   St. Paul, MN bert@iphouse.com

From 2135490210128168162

```
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!transit3.readnews.com!
news-xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <0d1e6eff84f3ca874711aede0cc610e5@pseudo.borked.net>
Organization: Your Company
Message-ID: <Xns9BEE65A56F622Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 15 Apr 2009 16:59:30 GMT
Lines: 16
NNTP-Posting-Host: fe9d5ff1.news.adtechcomputers.com
X-Trace:
DXC=V920D[KQT]Y4NfW<0XZoBWgC4_A5:nI@Q<<=aEgO;R8W2ik20G\97SUJ9a:J[^QmAYecf<A4o8l9S0
W_Uo]cC15ZJcQ=MBdhKJ_:7GUW1RO;4^;2KZ0>1BiNV
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1247


>>
> Are you as stupid as you sound?
>
>

  Now why would you say that?  There ARE other rec.  newsgroups that are
very well moderated.  It is not necessarily obvious to many.


  Ed



.



From -5295913339134965817
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
Date: 15 Apr 2009 17:09:01 GMT
Lines: 4
Message-ID: <slrnguc55d.10ef.bit-bucket@shell.config.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
X-Trace: individual.net xeNouo/I1PLZGM88S1kpJAEVmDLEfmXDCvZ4DlX7vsQSoO6Qbr
```

```
Cancel-Lock: sha1:UnOCFptlH+oBcBbLgOszIZsUM5s=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:1248

On Wed, 15 Apr 2009 06:38:40 -0700 (PDT), AllenMcB wrote:
> Does this group have a moderator?

After the 'quality' of the replies you've recieved, isn't it obvious?


From 3955102502970251316
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-02.dc1.easynews.com.POSTED!not-for-mail
From: pltrgyst@spamlessxhost.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
Message-ID: <d65cu4lqfl8p6jd8oe6v8meo7ran4rglq9@4ax.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
<voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
<Xns9BEE61222C6DVeebleFetzer@216.250.184.7>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Wed, 15 Apr 2009 13:10:14 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:1249

On 15 Apr 2009 14:32:55 GMT, Bert Hyman <bert@iphouse.com> wrote:

>> Do you see the word "moderated" in the name of the group?
>
>Many, if not most, moderated newsgroups do not have the word "moderated"
>in the name.

Oh? Can you name a few, please?

Always looking to learn...

Thanks -- Larry


From 3500170633713901668
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!news.glorb.com!news2.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
From: Bert Hyman <bert@iphouse.com>
References: <0d1e6eff84f3ca874711aede0cc610e5@pseudo.borked.net>
<Xns9BEE65A56F622Huckleberrybigvalley@198.186.192.196>
Organization: Not that you'd notice
Message-ID: <Xns9BEE7DD1B74DVeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 15 Apr 2009 17:23:18 GMT
Lines: 16
NNTP-Posting-Date: 15 Apr 2009 12:23:18 CDT
NNTP-Posting-Host: e8a0db02.newsreader.iphouse.net
X-Trace:
DXC=J2WYJbbT3cQn@6@2jf]AAYVn\Tj8`^Bb[eHS>e[L>83P2TU26d]0[[Wc230oU7d71QX7@2h;nGb4]6
38ld?_:IST
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1250

In news:Xns9BEE65A56F622Huckleberrybigvalley@198.186.192.196 Ed
<Huckleberry_REMOVE_@bigvalley.net> wrote:

>
>>>
>> Are you as stupid as you sound?
>>
>>
>
>   Now why would you say that?

Maybe because he's as stupid as he sounds; that's why he has to post
through an anonymizer.

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From -2171929587223074300
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.octanews.net!
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
From: Bert Hyman <bert@iphouse.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
<voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
```

```
<Xns9BEE61222C6DVeebleFetzer@216.250.184.7>
<d65cu4lqfl8p6jd8oe6v8meo7ran4rglq9@4ax.com>
Organization: Not that you'd notice
Message-ID: <Xns9BEE7E6CA2B2FVeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 15 Apr 2009 17:26:52 GMT
Lines: 24
NNTP-Posting-Date: 15 Apr 2009 12:26:52 CDT
NNTP-Posting-Host: e8a0db02.newsreader.iphouse.net
X-Trace: DXC=4>nSg9`k<D9MG?
>FV[hEE2Vn\Tj8`^Bb;eHS>e[L>8302TU26d]0[[7c230oU7d711X7@2h;nGb4=638ld?_:IS4
X-Complaints-To: abuse@iphouse.net
X-Original-Bytes: 1569
Xref: g2news1.google.com rec.radio.amateur.equipment:1251

In news:d65cu4lqfl8p6jd8oe6v8meo7ran4rglq9@4ax.com
pltrgyst@spamlessxhost.org wrote:

> On 15 Apr 2009 14:32:55 GMT, Bert Hyman <bert@iphouse.com> wrote:
>
>>> Do you see the word "moderated" in the name of the group?
>>
>>Many, if not most, moderated newsgroups do not have the word
>>"moderated" in the name.
>
> Oh? Can you name a few, please?

My news provider carries 33,766 newsgroups. Of those, 4,986 are
moderated. Of the moderated groups, only 125 have the word "moderated"
in the group name.

Should I list the other 4,861 here, or email you the list?

> Always looking to learn...

And I'd be glad to oblige you.

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From -5875861772946046651
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
From: Bert Hyman <bert@iphouse.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
<voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
<Xns9BEE61222C6DVeebleFetzer@216.250.184.7>
```

```
<d65cu4lqfl8p6jd8oe6v8meo7ran4rglq9@4ax.com>
<Xns9BEE7E6CA2B2FVeebleFetzer@216.250.184.7>
Organization: Not that you'd notice
Message-ID: <Xns9BEE7F79B8880VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 15 Apr 2009 17:33:05 GMT
Lines: 11
NNTP-Posting-Date: 15 Apr 2009 12:33:05 CDT
NNTP-Posting-Host: e8a0db02.newsreader.iphouse.net
X-Trace:
DXC=1@9@@GQHBkJ2^=K6Dca>`BVn\Tj8`^BbKeHS>e[L>83@2TU26d]0[[Gc230oU7d71AX7@2h;nGb4M6
38ld?_:ISD
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1252

In news:Xns9BEE7E6CA2B2FVeebleFetzer@216.250.184.7 Bert Hyman
<bert@iphouse.com> wrote:

> Of the moderated groups, only 125 have the word "moderated"
> in the group name.

An interesting sidelight which I just discovered is that 6 groups with
the word "moderated" in their names are actually unmoderated.

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From -1349254915476047147
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-04.dc1.easynews.com.POSTED!not-for-mail
From: pltrgyst@spamlessxhost.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
Message-ID: <2eacu4htn693voto8j83bqaldjr1jbjlh2@4ax.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
<voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
<Xns9BEE61222C6DVeebleFetzer@216.250.184.7>
<d65cu4lqfl8p6jd8oe6v8meo7ran4rglq9@4ax.com>
<Xns9BEE7E6CA2B2FVeebleFetzer@216.250.184.7>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
```

```
Date: Wed, 15 Apr 2009 14:41:56 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:1253

On 15 Apr 2009 17:26:52 GMT, Bert Hyman <bert@iphouse.com> wrote:

>>>Many, if not most, moderated newsgroups do not have the word
>>>"moderated" in the name.
>>
>> Oh? Can you name a few, please?
>
>My news provider carries 33,766 newsgroups. Of those, 4,986 are
>moderated. Of the moderated groups, only 125 have the word "moderated"
>in the group name.

What your provider (or any other particular news server) carries is meaningless.
Many servers carry locally created groups for private purposes, that are not
distributed acroos the USEnet hierarchy. I have a dozen or so on my own news
servers at work.

>Should I list the other 4,861 here, or email you the list?
>
>> Always looking to learn...
>
>And I'd be glad to oblige you.

Email would be fine then. Thanks.

-- Larry


From -1253697687168634279
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-04.dc1.easynews.com.POSTED!not-for-mail
From: pltrgyst@spamlessxhost.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
Message-ID: <qjacu41auvf1i9bd01g9bchv7pm3opdm24@4ax.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
<voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
<Xns9BEE61222C6DVeebleFetzer@216.250.184.7>
<d65cu4lqfl8p6jd8oe6v8meo7ran4rglq9@4ax.com>
<Xns9BEE7E6CA2B2FVeebleFetzer@216.250.184.7>
<Xns9BEE7F79B8880VeebleFetzer@216.250.184.7>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Complaints-To: abuse@easynews.com
```

Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Wed, 15 Apr 2009 14:42:28 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:1254

On 15 Apr 2009 17:33:05 GMT, Bert Hyman <bert@iphouse.com> wrote:

>In news:Xns9BEE7E6CA2B2FVeebleFetzer@216.250.184.7 Bert Hyman
><bert@iphouse.com> wrote:
>
>> Of the moderated groups, only 125 have the word "moderated"
>> in the group name.
>
>An interesting sidelight which I just discovered is that 6 groups with
>the word "moderated" in their names are actually unmoderated.

Probably because no one's willing to do the work any more.

-- Larry

From 3241172466027371420
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news-out.octanews.net!indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
From: Bert Hyman <bert@iphouse.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
<voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
<Xns9BEE61222C6DVeebleFetzer@216.250.184.7>
<d65cu4lqfl8p6jd8oe6v8meo7ran4rglq9@4ax.com>
<Xns9BEE7E6CA2B2FVeebleFetzer@216.250.184.7>
<2eacu4htn693voto8j83bqaldjr1jbjlh2@4ax.com>
Organization: Not that you'd notice
Message-ID: <Xns9BEE8C268DDA6VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 15 Apr 2009 18:47:50 GMT
Lines: 9
NNTP-Posting-Date: 15 Apr 2009 13:47:50 CDT
NNTP-Posting-Host: b8978e3b.newsreader.iphouse.net
X-Trace:
DXC=WEEod953a5VY`>o>kTh:dVVn\Tj8`^Bb[eHS>e[L>83Pln8_Pj@<Z_\c230oU7d71QX7@2h;nGb4]V
1Pe:ih;3`X
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1469

In news:2eacu4htn693voto8j83bqaldjr1jbjlh2@4ax.com
pltrgyst@spamlessxhost.org wrote:

> Email would be fine then. Thanks.

It that address legit?

--
Bert Hyman   St. Paul, MN bert@iphouse.com

```
From -2751663973299411662
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!news-xxxfer.readnews.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
<voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
<Xns9BEE61222C6DVeebleFetzer@216.250.184.7>
<d65cu4lqfl8p6jd8oe6v8meo7ran4rglq9@4ax.com>
<Xns9BEE7E6CA2B2FVeebleFetzer@216.250.184.7>
<2eacu4htn693voto8j83bqaldjr1jbjlh2@4ax.com>
Organization: Your Company
Message-ID: <Xns9BEE85280D200Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 15 Apr 2009 20:05:21 GMT
Lines: 21
NNTP-Posting-Host: 38e6db23.news.adtechcomputers.com
X-Trace:
DXC=Fd]AA:<mBHO2@mA_I0]WTDgC4_A5:nI@A<<=aEgO;R8GV=C<9ITo7HC5D5;0<aWNlBecf<A4o8l9C0
W_Uo]cC15JJcQ=MBdhKJOCaTAQSfO1DIRXeZiJ\o14F
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1470
```

>
> What your provider (or any other particular news server) carries is
> meaningless. Many servers carry locally created groups for private
> purposes, that are not distributed acroos the USEnet hierarchy. I have
> a dozen or so on my own news servers at work.
>

Just off the top of my head I can think of one very tightly moderated group that is carried on every news server I have ever come across....
rec.guns

Ed

```
.



From -1229519598525604231
X-Google-Thread: 108122,db18768aa268b61e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x3g2000yqa.googlegroups.com!not-for-
mail
From: ryesnake@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Icom R71A
Date: Wed, 15 Apr 2009 13:15:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <27383e63-ed44-4761-aa02-53868d7c1fb4@x3g2000yqa.googlegroups.com>
NNTP-Posting-Host: 71.200.37.80
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1239826522 303 127.0.0.1 (15 Apr 2009 20:15:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Apr 2009 20:15:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x3g2000yqa.googlegroups.com; posting-host=71.200.37.80;
     posting-account=q4fKLgoAAACAtfjUz-84NcqzGIgDjCtk
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1257

Icom R71A in very nice condition - no scratchs or dings and works
great.  I am just not useing it as have gotten into other things.  I
live in Dover, Delaware so can do the math on shipping and I'm
workable.
http://wiki.radioreference.com/index.php/IC-R71

Asking 350 plus shipping and again this rig is in great shape!
Contact me at

ryesnake@yahoo.com

I'll negot on shipping


From 8073004606012925659
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news-
in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-
nntp-05.dc1.easynews.com.POSTED!not-for-mail
From: pltrgyst@spamlessxhost.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
Message-ID: <qu7du49352m0sogn7nbgak6g0i345ikrjq@4ax.com>
References: <0f7c7071-5efc-4a0a-9fe9-4f17fdb0e45b@a23g2000vbl.googlegroups.com>
<voqbu41np01sc65bu4qao9frsvrbjj4fh6@4ax.com>
<Xns9BEE61222C6DVeebleFetzer@216.250.184.7>
<d65cu4lqfl8p6jd8oe6v8meo7ran4rglq9@4ax.com>
<Xns9BEE7E6CA2B2FVeebleFetzer@216.250.184.7>
<Xns9BEE7F79B8880VeebleFetzer@216.250.184.7>
<qjacu41auvf1i9bd01g9bchv7pm3opdm24@4ax.com>
<1jtcu454pa9nkocj2hma1l6n0sskuqk0av@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Wed, 15 Apr 2009 23:07:06 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1473

On Wed, 15 Apr 2009 20:06:37 -0400, jd <jdbaker@shoreline.net> wrote:

>>>An interesting sidelight which I just discovered is that 6 groups with
>>>the word "moderated" in their names are actually unmoderated.
>>
>>Probably because no one's willing to do the work any more.
>
>Too bad, because if someone was willing, your ass would be the first
>to get dumped.  troll

No troll at all. This is a problem for numerous groups -- not just USEnet, but
also Google Groups. One specific example is rec.autos.sport.f1 moderated. It has
a moderation group in name only -- just try getting a response from them, or
approval as a new poster -- which is why the group has withered away to no
appreciable traffic. I'm sure you can find others in a similar state.

-- Larry


From 1740920534888980979
X-Google-Thread: 108122,416f3b45a5f7bd7f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h28g2000yqd.googlegroups.com!not-for-
mail
```

From: ithomehelp@aol.com
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola GP360
Date: Thu, 16 Apr 2009 09:37:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 6
Message-ID: <ce80f1f2-3b33-40b6-9009-59456ebdacfe@h28g2000yqd.googlegroups.com>
NNTP-Posting-Host: 92.20.246.231
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1239899878 25872 127.0.0.1 (16 Apr 2009 16:37:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Apr 2009 16:37:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h28g2000yqd.googlegroups.com; posting-host=92.20.246.231;
posting-account=skyU-goAAAAtCRz-HzVUOdOYGI-ZvtoV
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
.NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30618; InfoPath.2;
OfficeLiveConnector.1.3; OfficeLivePatch.0.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1260

Hi does anyone have the programming software for the gp360 radios as i
have recently aquired a used one and it needs reprogramming.

Thanks

Michael

From 171644422878212785
X-Google-Thread: 108122,c1078118b1746e7b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!u8g2000yqn.googlegroups.com!not-for-mail
From: AllenMcB <allen@mcbroom.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Moderator?
Date: Fri, 17 Apr 2009 04:48:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <4922b030-4411-456e-a7d2-b7a65f966593@u8g2000yqn.googlegroups.com>
References: <0d1e6eff84f3ca874711aede0cc610e5@pseudo.borked.net>
<Xns9BEE65A56F622Huckleberrybigvalley@198.186.192.196>
NNTP-Posting-Host: 24.233.213.188
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1239968938 19828 127.0.0.1 (17 Apr 2009 11:48:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Apr 2009 11:48:58 +0000 (UTC)

```
Complaints-To: groups-abuse@google.com
Injection-Info: u8g2000yqn.googlegroups.com; posting-host=24.233.213.188;
     posting-account=ikbNmAkAAAAqPU_KCvChI0pA8c3XUZ-p
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.8)
     Gecko/2009032609 Firefox/3.0.8,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1261

On Apr 15, 11:59=A0am, Ed <Huckleberry_REMO...@bigvalley.net> wrote:
>There ARE other rec. =A0newsgroups that are
> very well moderated. =A0It is not necessarily obvious to many.
>


Thanks for the helpful reply, Ed.  I'm aware that some moderated
groups don't have that as part of the name, so that's why I asked.  I
had guessed it didn't have one from the spam that was coming through
in the digests, and the troll posts that followed confirmed it  <G>

Thanks again!



From 8379450644265067216
X-Google-Thread: 108122,f13e36965bd91b2f,start
X-Google-Thread: 1109af,f13e36965bd91b2f,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.bananasplit.info!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: rrae <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: YAESU FT-840 transceiver
Message-ID: <b82da938793f8f648897e4cf3e7a16c5@pseudo.borked.net>
Date: Fri, 17 Apr 2009 08:55:05 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1476 rec.radio.swap:1970

* With FM option, box, manual, microphone and power lead

http://xrl.us/YaesuFT840




From 7263828355155670202
X-Google-Thread: 10b9c8,6d2cfaafd3a54580,start
X-Google-Thread: fc8b1,6d2cfaafd3a54580,start
X-Google-Thread: 108122,6d2cfaafd3a54580,start
X-Google-Thread: 1109af,6d2cfaafd3a54580,start
X-Google-Thread: f7796,6d2cfaafd3a54580,start
X-Google-Attributes:
gid10b9c8,gidfc8b1,gid108122,gid1109af,gidf7796,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!newspump.monmouth.com!
newspeer.monmouth.com!newsswitch.lcs.mit.edu!bloom-beacon.mit.edu!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph - May 2009
Followup-To:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-
radio.morse
Date: Sat, 18 Apr 2009 08:26:15 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 34
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <7FjGl.24210$c45.24205@nlpi065.nbdc.sbc.com>
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader1.panix.com 1240057573 1711 166.84.1.1 (18 Apr 2009 12:26:13 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 18 Apr 2009 12:26:13 +0000 (UTC)
Keywords: Ham Radio, magazine, eZine, e-Zine, K9YA Telegraph, Morse code, history,
nostalgia, radio
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-VirusChecked: Checked
X-Env-Sender: news@nlpi065.nbdc.sbc.com
X-Msg-Ref: server-3.tower-120.messagelabs.com!1240057550!41413809!1
X-StarScan-Version: 6.0.0; banners=-,-,-
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 090417-0, 04/17/2009), Outbound message
X-Antivirus-Status: Clean
X-UserInfo1:
OXZAG_[DGB^UCWDYIBHZOWP@YZOZ@GXOXZ\@LWQHBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
X-Original-Bytes: 3386
Xref: g2news1.google.com rec.radio.info:616 rec.radio.amateur.boatanchors:2413
rec.radio.amateur.equipment:1263 rec.radio.swap:1552 alt.ham-radio.morse:30
```

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN! It's ALL ABOUT
HAM RADIO!

Inside the May 2009 issue:

Where is Our Eric Sloane? By Philip Cala-Lazar, K9PL

VHF Historical Notes - Part III By Kevin Kaufhold, W9GKA

There's a Sterba Curtain in My Yard By Darron Sanchez, WA5TCZ

An Elmer's Tale By Rod Newkirk, VA3ZBB/W9BRD

Ham Quips By Dick Sylvan, W9CBT

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

---

```
From -8141025253749473812
X-Google-Thread: 108122,d03fd63e609a0a73,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!
news2.glorb.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!
nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Apr 2009 11:13:26 -0500
From: TF4M <TF4M.42fb187@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Harris RF-350K half-duplex operation
Date: Sat, 18 Apr 2009 12:56:24 +0100
Message-ID: <TF4M.42fb187@radiobanter.com>
Organization: RadioBanter.com
Lines: 16
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-o2uVb+Kg8N90d+wrSFOINNMPR0mJEs5Kbz/bgBq/
ZrbcXJe8XGb4l0ianbRDhySnk0pni3T8LChwaMU!buR8+F4kphBO3A/
```

CYXcJulV48mTHGYl8pfUrvaGULIySj47J6mCCLTQ3CjVZCOUgSLzlzOTfjSfk
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 10
X-Original-Bytes: 1169
Xref: g2news2.google.com rec.radio.amateur.equipment:1478

This may be of interest to Harris RF-350K owners.

This feature enables split frequency operation for the radio.

see my web site for details.

http://tf4m.com/archives/656

73
Thor, TF4M

--
TF4M

From 4427990933345634113
X-Google-Thread: 108122,2e024a2b8c2558b3,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!news2.glorb.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Apr 2009 17:13:48 -0500
From: Sbarelman <Sbarelman.4315765@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-R9000 DATA "0008ch ERROR or 0517ch Error ...ERROR ch Was CLEAR"
Date: Sun, 19 Apr 2009 17:30:45 +0100
Message-ID: <Sbarelman.4315765@radiobanter.com>
Organization: RadioBanter.com
Lines: 56
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-iWcumdtl2uPaIr/Qpkx7noZv2HWYYnix73u+nESqB5Cm5p/pforgzX2Kn9KJjtwtxQeN2q2PC2mCEon!yKvmAAYYWESO5Wcl0u1Xrgpy7NYOPpKGVI7iAa9h7dqLf7imypR5an7FJsQwJYom3Tsl+kxNFYmg!3X7by/U=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 45
X-Original-Bytes: 3085
Xref: g2news2.google.com rec.radio.amateur.equipment:1479

Hello to all
I checked and renewed some solders in CRT's PCB, cause I had the horizontal axis that sometimes turn off...there were of the welding cold, I also replace the memory battery and placing one socket with two wires in a way that can be stay near the clock battery to be more accesible....BUT...after had reassembling all The receiver does'n function....
The Logic Check says all Passed for all steps execpt the DATA steps return
"0008ch ERROR or 0517ch Error ...ERROR ch Was CLEAR"

I try to remove the memory battery and nothing change

The radio does a logic check on its own when turned on, and everything passes except "DATA." It shows, "ERROR 0008 ch ERROR." Beneath that it says, "ERROR CH was CLEAR." If I command a logic check by holding down the "SPEECH" button while turning the power on, the DATA line shows "Passed," and it goes to 2.000 mHz, which it both displays and actually receives. As soon as I turn the tuning knob, the display blanks and the receiver mutes.

Pressing any of the mode switches from the muted condition brings up a display of 10.000 mHz, and it actually does receive at that frequency also. Again, turning the tuning knob kills the frequency display and mutes the receiver.

If I don't touch the tuning dial while it is on 2 or 10 mHz , I can use the up - down knob to select 2 mHz on ch 000, 5 mHz on ch 001, 10 mHz on ch 002, 145 mHz on ch 003, 430 mHz on ch 004, 2 mHz on ch 0P1, and 26 mHz on ch 0P2. I presume those are some test frequencies that reside in ROM. Turning the tuning knob at any of these frequencies blanks the display and mutes the receiver.

When one of the before mentioned frequencies is displayed, pressing either the "MHZ UP" or "MHZ DOWN" buttons locks in that frequency until the power is turned off.

The CPU seems to be OK. Various other functions it controls work correctly.

I have tried the logic reset procedure of holding down the "clear" button while turning on the power, but that didn't help.

Any Help ?

Thanks a lot
Andrea

--
Sbarelman

From -5811952209205968629
X-Google-Thread: 108122,2e024a2b8c2558b3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
Date: Sun, 19 Apr 2009 21:29:20 -0400
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-R9000 DATA "0008ch ERROR or 0517ch Error ...ERROR ch
 Was CLEAR"
References: <Sbarelman.4315765@radiobanter.com>
In-Reply-To: <Sbarelman.4315765@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 74
Message-ID: <49ebcfe4$0$20273$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1480

Sbarelman wrote:
> Hello to all
> I checked and renewed some solders in CRT's PCB, cause I had the
> horizontal
> axis that sometimes turn off...there were of the welding cold, I also
> replace
> the memory battery and placing one socket with two wires in a way that
> can be
> stay near the clock battery to be more accesible....BUT...after had
> reassembling
> all The receiver does'n function....
> The Logic Check says all Passed for all steps execpt the DATA steps
> return
> "0008ch ERROR or 0517ch Error ...ERROR ch Was CLEAR"

>
> I try to remove the memory battery and nothing change
>
> The radio does a logic check on its own when turned on, and everything passes except "DATA." It shows, "ERROR 0008 ch ERROR." Beneath that it says, "ERROR CH was CLEAR." If I command a logic check by holding down the "SPEECH" button while turning the power on, the DATA line shows "Passed," and it goes to 2.000 mHz, which it both displays and actually receives. As soon as I turn the tuning knob, the display blanks and the receiver mutes.
>
> Pressing any of the mode switches from the muted condition brings up a display of 10.000 mHz, and it actually does receive at that frequency also. Again, turning the tuning knob kills the frequency display and mutes the receiver.
>
> If I don't touch the tuning dial while it is on 2 or 10 mHz , I can use the up - down knob to select 2 mHz on ch 000, 5 mHz on ch 001, 10 mHz on ch 002, 145 mHz on ch 003, 430 mHz on ch 004, 2 mHz on ch 0P1, and 26 mHz on ch 0P2. I presume those are some test frequencies that reside in ROM. Turning the tuning knob at any of these frequencies blanks the display and mutes the receiver.
>
> When one of the before mentioned frequencies is displayed, pressing either the "MHZ UP" or "MHZ DOWN" buttons locks in that frequency until the power is turned off.
>
> The CPU seems to be OK. Various other functions it controls work correctly.
>
> I have tried the logic reset procedure of holding down the "clear" button while turning on the power, but that didn't help.
>
> Any Help ?
>
> Thanks a lot
> Andrea
>
>
>
>

Which memory battery did you modify? You do know that the battery that is accessible from the door on top of the unit is for the clock only. The channel memory battery is inside of the logic unit casting. That being said, there is a circuit to the clock battery board that is critical to the CPU logic and there is a bulletin that ICOM posted about changing a jumper on that circuit board (the one with the clock battery and speech chip option) to correct a memory error.

Secondly, since you probably had the front panel off to do the CRT repair, you might have a pinched wire or a switch stuck closed. I think there is a memory clear button, that if stuck could perhaps cause an error code when booting up.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo ;-P

```
From 2767407853666833836
X-Google-Thread: 108122,1f16ef61d00067be,start
X-Google-Thread: faf09,1f16ef61d00067be,start
X-Google-Attributes: gid108122,gidfaf09,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y6g2000prf.googlegroups.com!not-for-mail
From: shoushoe2@163.com
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Fendi shoes cheap wholesaler (paypal payment)( www.sneaker-shop08.com
     )
Date: Mon, 20 Apr 2009 01:31:13 -0700 (PDT)
Organization: http://groups.google.com
Lines: 117
Message-ID: <da75cf74-9956-4c6c-bd52-25635a0f9ae0@y6g2000prf.googlegroups.com>
NNTP-Posting-Host: 59.58.99.189
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1240216273 10970 127.0.0.1 (20 Apr 2009 08:31:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Apr 2009 08:31:13 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y6g2000prf.googlegroups.com; posting-host=59.58.99.189;
     posting-account=30QgDgoAAABSkt_MEfexrr_jqtFC37Ob
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1267 rec.food.equipment:1830
```

Footwear cheap wholesaler (paypal payment)(www.niketrade08.cn)
Paul Smith shoes
Jordan shoes
Bape shoes
Chanel shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
D&G shoes
Dior shoes
ED hardy shoes
Evisu shoes
Fendi shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
Gucci shoes
Hogan shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)

Lv shoes
Prada shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
Timberland shoes
Tous shoes
Ugg shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
Ice cream shoes
Sebago shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
Lacoste shoes
Air force one shoes cheap wholesaler (paypal payment) (www.niketrade08.cn)
TODS shoes
AF shoes

Footwear cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Paul Smith shoes
Jordan shoes
Bape shoes
Chanel shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
D&G shoes
Dior shoes
ED hardy shoes
Evisu shoes
Fendi shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Gucci shoes
Hogan shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Lv shoes
Prada shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Timberland shoes
Tous shoes
Ugg shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Ice cream shoes
Sebago shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Lacoste shoes
Air force one shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
TODS shoes
AF shoes

Footwear cheap wholesaler (paypal payment)(www.niketrade08.cn)
Paul Smith shoes
Jordan shoes
Bape shoes
Chanel shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
D&G shoes

Dior shoes
ED hardy shoes
Evisu shoes
Fendi shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
Gucci shoes
Hogan shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
Lv shoes
Prada shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
Timberland shoes
Tous shoes
Ugg shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
Ice cream shoes
Sebago shoes cheap wholesaler (paypal payment)(www.niketrade08.cn)
Lacoste shoes
Air force one shoes cheap wholesaler (paypal payment)
(www.niketrade08.cn)
TODS shoes
AF shoes

Footwear cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Paul Smith shoes
Jordan shoes
Bape shoes
Chanel shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
D&G shoes
Dior shoes
ED hardy shoes
Evisu shoes
Fendi shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Gucci shoes
Hogan shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Lv shoes
Prada shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Timberland shoes
Tous shoes
Ugg shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Ice cream shoes
Sebago shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Lacoste shoes
Air force one shoes cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
TODS shoes
AF shoes

From 5296402011030982715

```
X-Google-Thread: 108122,978f8a67994ad265,start
X-Google-Thread: faf09,978f8a67994ad265,start
X-Google-Attributes: gid108122,gidfaf09,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d38g2000prn.googlegroups.com!not-for-
mail
From: shoushoe2@163.com
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Dior Glasses cheap wholesaler (paypal payment)( www.sneaker-shop08.com
     )
Date: Mon, 20 Apr 2009 01:32:16 -0700 (PDT)
Organization: http://groups.google.com
Lines: 433
Message-ID: <74630f00-4cab-4afd-8ba6-2d8def2b04d6@d38g2000prn.googlegroups.com>
NNTP-Posting-Host: 59.58.99.189
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1240216337 29610 127.0.0.1 (20 Apr 2009 08:32:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Apr 2009 08:32:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d38g2000prn.googlegroups.com; posting-host=59.58.99.189;
     posting-account=30QgDgoAAABSkt_MEfexrr_jqtFC37Ob
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1482 rec.food.equipment:2231
```

we have set up long-term and closed cooperation with many manufacturers and factories. TOP & BEST quality of products, high reputation, excellent services and professionalism are those that we used compete with others. We sincerely wish to cooperate with you and to make mutual benefit! We will be your first choice of suppliers for TOP quality products!
Best Service, Highest Quality, Competitive price, Timely delivery
as
its philosophy,
we are to fully cooperate on the basis of equality and mutual benefit with business partners from all over the world.
We could supply mixed colors and sizes shoes for you. Your satisfaction is our final target.

cheap wholesaler (paypal payment)(www.niketrade08.cn   )
Jeans
diesel jeans
designer jeans
stretch jeans
low rise jeans
men's jeans cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
skinny jeans
fashion jeans

jeans seven
jeans boot cut cheap wholesaler (paypal payment)
(www.niketrade08.cn)
womens diesel jeans
man diesel jeans
womens jeans cheap wholesaler (paypal payment)
(www.niketrade08.cn)
buy diesel jeans
evisu jeans
7 jeans
mens jeans cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Jean
Artful Dodger Jean
A&F Jean cheap wholesaler (paypal payment)(www.niketrade08.cn)
Affliction Jean
Armani Jean
Bape Jeans cheap wholesaler (paypal payment)
(www.niketrade08.cn)
BBC Jeans
Christian Audigier jeans
Coogi Jeans
D&G Jeans
Diesel Jeans
Ed hardy Jeans cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Evisu Jeans
G-star Jean
Gino Green Global
LRG Jeans
Pants cheap wholesaler (paypal payment)(www.niketrade08.cn)
Red Monkey Jeans
Rcover Jeans
Rock Republic Jean
Rock Women Jeans
Seven Jean cheap wholesaler (paypal payment)
(www.niketrade08.cn)
True Religion
True Religion Women
cheap wholesaler (paypal payment)(www.niketrade08.cn)
air jordan
T-Shirt
lacoste t shirt
Lacoste Men's shirts
ralph lauren polo
Polo long sleeve shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
a&f t shirt
Artful Dodger t shirts
Abercrombie Fitch
Affliction Shirt
Armani shirt
Bape/Ape Shirt cheap wholesaler (paypal payment)

(www.niketrade08.cn   )
BBC Shirt
Burberry
Christan Audigier
Coogi Shirt
D&G shirts cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Ed hardy Shirt
Ed hardy Women
Evisu t-shirt
Gino Green Global cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Juicy t-shirt
Lacoste Shirt cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Polo Shirt
Smet Shirt
cheap wholesaler (paypal payment)(www.niketrade08.cn   )
air jordan
Jersey
NFL Jersey cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
NBA Jersey
NHL Jersey cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
MLB Jersey
Football Jersey
cheap wholesaler (paypal payment)(www.niketrade08.cn   )
air jordan
Hoodies
Artful Dodger
AK Hoody
Affliction Hoody cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Bape/Ape Hoody
BBC Hoody cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Christan Audigier
CLH Hoody
ED-Hardy Hoody cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Coogi Hoody
Evisu Hoody
G-Star Hoody cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Gino Green Global
Kidrobot Hoody cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
LRG Hoody
Parish Hoody
Polo Hoody
10 Deep Hoody
cheap wholesaler (paypal payment)(www.niketrade08.cn   )

air jordan
Jacket
Adidas Jacket cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
A&F men Jacket
A&F women Jacket cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Bape Jacket
BBC Jacket
ED Jacket cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
cheap wholesaler (paypal payment)(www.niketrade08.cn   )
air jordan
Sweater
A&F Sweater cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Armani sweater
Boss sweater cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
D&G sweater
Lacoste Sweater
Polo sweater cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Prada sweater
cheap wholesaler (paypal payment)(www.niketrade08.cn   )
air jordan
Suit
Baby Phat
Burberry suit
Dior suit
Juicy Couture suit
cheap wholesaler (paypal payment)(www.niketrade08.cn   )
air jordan
Consumer electrics
GHD
MK4 cheap wholesaler (paypal payment)(www.niketrade08.cn   )
MK5
Hair straightener
Hair products cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Hair accessories
Ipod 3rd generation
Ipod 4th generation cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Ipod nano
Ipod touch
cheap wholesaler (paypal payment)(www.niketrade08.cn   )
air jordan
Sun Glasses
New Sunglasses
Armani Glasses cheap wholesaler (paypal payment)
(www.niketrade08.cn   )
Burberry Glasses

D&G Glasses
Chanel Glasses cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Dior Glasses cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Fendi Glasses
Gucci Glasses
Okely Glasses cheap wholesaler (paypal payment)
(www.niketrade08.cn)
LV Glasses
Prada Glasses cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Versace Glasses
Belt
Armani Belt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
D&G Belt
ED hardy Belt
Gucci Belt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
LV Belt
Other brands belt cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Hat cheap wholesaler (paypal payment)(www.niketrade08.cn)
New Hat
Christan Audigier
Ed hardy Hat cheap wholesaler (paypal payment)
(www.niketrade08.cn)
ERA Hat
Gucci Hat

we have set up long-term and closed cooperation with many manufacturers and factories. TOP & BEST quality of products, high reputation, excellent services and professionalism are those that we used compete with others. We sincerely wish to cooperate with you and to make mutual benefit! We will be your first choice of suppliers for TOP quality products!
Best Service, Highest Quality, Competitive price, Timely delivery as
its philosophy,
we are to fully cooperate on the basis of equality and mutual benefit with business partners from all over the world.
We could supply mixed colors and sizes shoes for you. Your satisfaction is our final target.

cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Jeans
diesel jeans
designer jeans
stretch jeans

low rise jeans
men's jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
skinny jeans
fashion jeans
jeans seven
jeans boot cut cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
womens diesel jeans
man diesel jeans
womens jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
buy diesel jeans
evisu jeans
7 jeans
mens jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Jean
Artful Dodger Jean
A&F Jean cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Affliction Jean
Armani Jean
Bape Jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
BBC Jeans
Christian Audigier jeans
Coogi Jeans
D&G Jeans
Diesel Jeans
Ed hardy Jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Evisu Jeans
G-star Jean
Gino Green Global
LRG Jeans
Pants cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
Red Monkey Jeans
Rcover Jeans
Rock Republic Jean
Rock Women Jeans
Seven Jean cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
True Religion
True Religion Women
cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
air jordan
T-Shirt
lacoste t shirt
Lacoste Men's shirts
ralph lauren polo
Polo long sleeve shirt cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
a&f t shirt

Artful Dodger t shirts
Abercrombie Fitch
Affliction Shirt
Armani shirt
Bape/Ape Shirt cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
BBC Shirt
Burberry
Christan Audigier
Coogi Shirt
D&G shirts cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Ed hardy Shirt
Ed hardy Women
Evisu t-shirt
Gino Green Global cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Juicy t-shirt
Lacoste Shirt cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Polo Shirt
Smet Shirt
cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
air jordan
Jersey
NFL Jersey cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
NBA Jersey
NHL Jersey cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
MLB Jersey
Football Jersey
cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
air jordan
Hoodies
Artful Dodger
AK Hoody
Affliction Hoody cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Bape/Ape Hoody
BBC Hoody cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Christan Audigier
CLH Hoody
ED-Hardy Hoody cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Coogi Hoody
Evisu Hoody
G-Star Hoody cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Gino Green Global
Kidrobot Hoody cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)

LRG Hoody
Parish Hoody
Polo Hoody
10 Deep Hoody
cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
air jordan
Jacket
Adidas Jacket cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
A&F men Jacket
A&F women Jacket cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Bape Jacket
BBC Jacket
ED Jacket cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
air jordan
Sweater
A&F Sweater cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Armani sweater
Boss sweater cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
D&G sweater
Lacoste Sweater
Polo sweater cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Prada sweater
cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
air jordan
Suit
Baby Phat
Burberry suit
Dior suit
Juicy Couture suit
cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
air jordan
Consumer electrics
GHD
MK4 cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
MK5
Hair straightener
Hair products cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Hair accessories
Ipod 3rd generation
Ipod 4th generation cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Ipod nano
Ipod touch
cheap wholesaler (paypal payment)(www.sneaker-shop08.com)
air jordan

```
Sun Glasses
New Sunglasses
Armani Glasses cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
Burberry Glasses
D&G Glasses
Chanel Glasses cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
Dior Glasses cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
Fendi Glasses
Gucci Glasses
Okely Glasses cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
LV Glasses
Prada Glasses cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
Versace Glasses
Belt
Armani Belt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
D&G Belt
ED hardy Belt
Gucci Belt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
LV Belt
Other brands belt cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
Hat cheap wholesaler (paypal payment)( www.sneaker-shop08.com )
New Hat
Christan Audigier
Ed hardy Hat cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
ERA Hat
Gucci Hat
```

```
From 6818607248440960911
X-Google-Thread: 108122,65f42eb63c2b668b,start
X-Google-Thread: faf09,65f42eb63c2b668b,start
X-Google-Attributes: gid108122,gidfaf09,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v35g2000pro.googlegroups.com!not-for-
mail
From: shoushoe2@163.com
Newsgroups: rec.radio.amateur.equipment,rec.food.equipment
Subject: Crown Holder man jeans cheap wholesaler (paypal payment)(
     www.sneaker-shop08.com )
Date: Mon, 20 Apr 2009 01:34:59 -0700 (PDT)
Organization: http://groups.google.com
```

```
Lines: 136
Message-ID: <bf537e4a-94f3-43b2-82ca-05b0ae28f7b8@v35g2000pro.googlegroups.com>
NNTP-Posting-Host: 59.58.99.189
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1240216499 11522 127.0.0.1 (20 Apr 2009 08:34:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Apr 2009 08:34:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v35g2000pro.googlegroups.com; posting-host=59.58.99.189;
     posting-account=30QgDgoAAABSkt_MEfexrr_jqtFC37Ob
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1269 rec.food.equipment:1832



fashion jeans  cheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
denim jeanscheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
men's jeans
brand jeans  cheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
women jeans' jeans  cheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
branded jeans  cheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
designer jeans
men jeans   cheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
blue jeans  cheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
Cotton Shirting
 Fashion Shirts Dress Shirts  cheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
 Casual Shirts Brand Shirtscheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
Long Sleeve Shirt



Artful dodger man jeanscheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
  BAPE man jeanscheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
  BBC man jeanscheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
  Christian Audigier man jeanscheap wholesaler (paypal payment)
(   www.niketrade08.cn   )
  COOGI man jeans
  Crown Holder man jeans cheap wholesaler (paypal payment)
```

(www.niketrade08.cn)
D&G man jeans
Diesel man jeanscheap wholesaler (paypal payment)
(www.niketrade08.cn)
Ed Hardy women jeanscheap wholesaler (paypal payment)
(www.niketrade08.cn)
Ed Hardy man jeans
Evisu man jeans jeans cheap wholesaler (paypal payment)
(www.niketrade08.cn)
G-Star man jeanscheap wholesaler (paypal payment)
(www.niketrade08.cn)
Red Monkey man jeans
ROCK man jeans cheap wholesaler (paypal payment)
(www.niketrade08.cn)
ROCK women jeans
True Religion man jeanscheap wholesaler (paypal payment)
(www.niketrade08.cn)
True Religion women jeans
Affliction man jeans
Black Label man jeanscheap wholesaler (paypal payment)
(www.niketrade08.cn)
GUCCI man jeans cheap wholesaler (paypal payment)
(www.niketrade08.cn)
Prada man jeans
Versace man jeanscheap wholesaler (paypal payment)
(www.niketrade08.cn)
Levis man jeans
A&F man jeans cheap wholesaler (paypal payment)
(www.niketrade08.cn)

fashion jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
denim jeanscheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
men's jeans
brand jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
women jeans' jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
branded jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
designer jeans
men jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
blue jeans cheap wholesaler (paypal payment)(www.sneaker-shop08.com
)
Cotton Shirting

```
 Fashion Shirts Dress Shirts  cheap wholesaler (paypal payment)
( www.sneaker-shop08.com )
 Casual Shirts Brand Shirtscheap wholesaler (paypal payment)
( www.sneaker-shop08.com )
Long Sleeve Shirt


Artful dodger man jeanscheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  BAPE man jeanscheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  BBC man jeanscheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Christian Audigier man jeanscheap wholesaler (paypal payment)
( www.sneaker-shop08.com )
  COOGI man jeans
  Crown Holder man jeans cheap wholesaler (paypal payment)
( www.sneaker-shop08.com )
  D&G man jeans
  Diesel man jeanscheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Ed Hardy women jeanscheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Ed Hardy man jeans
  Evisu man jeans jeans cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  G-Star man jeanscheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Red Monkey man jeans
  ROCK man jeans   cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  ROCK women jeans
  True Religion man jeanscheap wholesaler (paypal payment)
( www.sneaker-shop08.com )
  True Religion women jeans
  Affliction man jeans
  Black Label man jeanscheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  GUCCI man jeans cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Prada man jeans
  Versace man jeanscheap wholesaler (paypal payment)( www.sneaker-shop08.com
)
  Levis man jeans
  A&F man jeans   cheap wholesaler (paypal payment)( www.sneaker-shop08.com
)



From -8276471934009852811
X-Google-Thread: 108122,2e024a2b8c2558b3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
```

Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx01.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Apr 2009 05:13:01 -0500
From: Sbarelman <Sbarelman.4320027@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-R9000 DATA "0008ch ERROR or 0517ch Error ...ERROR ch Was CLEAR"
Date: Mon, 20 Apr 2009 10:17:21 +0100
Message-ID: <Sbarelman.4320027@radiobanter.com>
Organization: RadioBanter.com
References: <Sbarelman.4315765@radiobanter.com>
<49ebcfe4$0$20273$9a6e19ea@unlimited.newshosting.com>
Lines: 103
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
VnigCg7A3foCYFg72P7u4bh647EMdXQ1X8g4Gw558wJnNng5bo8j9gUKGzN8fUaxZhxPUKfDjPWjqUd!
uATn/+jQvYzCo36RZ9O7sOBMMGUKdSJy9K+pKNH44rFsB7sg/Qu2ymHEhg61yqF4qj0689xBwuni!
qXMU4bU=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 86
X-Original-Bytes: 4834
Xref: g2news2.google.com rec.radio.amateur.equipment:1484

RFI-EMI-GUY;673393 Wrote:
> Sbarelman wrote:-
> Hello to all
> I checked and renewed some solders in CRT's PCB, cause I had the
> horizontal
> axis that sometimes turn off...there were of the welding cold, I also
> replace
> the memory battery and placing one socket with two wires in a way
> that
> can be
> stay near the clock battery to be more accesible....BUT...after had
> reassembling
> all The receiver does'n function....
> The Logic Check says all Passed for all steps execpt the DATA steps
> return
> "0008ch ERROR or 0517ch Error ...ERROR ch Was CLEAR"
>
> I try to remove the memory battery and nothing change
>
> The radio does a logic check on its own when turned on, and
> everything passes except "DATA." It shows, "ERROR 0008 ch ERROR."

> Beneath that it says, "ERROR CH was CLEAR." If I command a logic
> check by holding down the "SPEECH" button while turning the power
> on, the DATA line shows "Passed," and it goes to 2.000 mHz, which
> it both displays and actually receives. As soon as I turn the
> tuning knob, the display blanks and the receiver mutes.
>
> Pressing any of the mode switches from the muted condition brings up
> a display of 10.000 mHz, and it actually does receive at that
> frequency also. Again, turning the tuning knob kills the frequency
> display and mutes the receiver.
>
> If I don't touch the tuning dial while it is on 2 or 10 mHz , I can
> use the up - down knob to select 2 mHz on ch 000, 5 mHz on ch 001,
> 10 mHz on ch 002, 145 mHz on ch 003, 430 mHz on ch 004, 2 mHz on ch
> 0P1, and 26 mHz on ch 0P2. I presume those are some test
> frequencies that reside in ROM. Turning the tuning knob at any of
> these frequencies blanks the display and mutes the receiver.
>
> When one of the before mentioned frequencies is displayed, pressing
> either the "MHZ UP" or "MHZ DOWN" buttons locks in that frequency
> until the power is turned off.
>
> The CPU seems to be OK. Various other functions it controls work
> correctly.
>
> I have tried the logic reset procedure of holding down the "clear"
> button while turning on the power, but that didn't help.
>
> Any Help ?
>
> Thanks a lot
> Andrea
>
>
>
> -
>
> Which memory battery did you modify? You do know that the battery that
>
> is accessible from the door on top of the unit is for the clock only.
> The channel memory battery is inside of the logic unit casting. That
> being said, there is a circuit to the clock battery board that is
> critical to the CPU logic and there is a bulletin that ICOM posted
> about
> changing a jumper on that circuit board (the one with the clock battery
>
> and speech chip option) to correct a memory error.
>
> Secondly, since you probably had the front panel off to do the CRT
> repair, you might have a pinched wire or a switch stuck closed. I think
>
> there is a memory clear button, that if stuck could perhaps cause an
> error code when booting up.

>
> --
> Joe Leikhim K4SAT
> "The RFI-EMI-GUY"�
>
> "Use only Genuine Interocitor Parts" Tom Servo ;-P

HI Thanks for your reply

I modify the Memory Battery and i just added two wires and a socket
for it in a way that can be stay near the clock battery it like i
replace the memory battery....
I checked all the wires and all seems to be OK
I checked the Voltage at the pin where the memory battery was soldered
and it seems to be Ok 3 Volts
So I reset with the correct command ,at power press clear button, the
cpu reset but no more

So you told me about a bulletin that ICOM posted about
changing a jumper coul you tell me where can i find more info about it
?

Thanks a lot

--
Sbarelman

```
From 7236002138440776210
X-Google-Thread: 1109af,a4932be52920c02d,start
X-Google-Thread: 108122,a4932be52920c02d,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=gmail.com; s=gamma;
     h=domainkey-signature:received:received:message-id:from:to:subject
     :date:mime-version:content-type:content-transfer-encoding:x-priority
     :x-msmail-priority:x-mailer:x-mimeole;
     bh=AvF48xQJm3hPDy9/RSvvVmsns+SbLQdX+tljULw+888=;
     b=f8miae3CwidNvQglGNpaQBzcTLqOS7qll+WF4vV41gWvlK+iuMy5n05JAZOPWtWa/t
     XrXHeZYAPJMmKtOtdMBwA37zDGwTqaUsa0U0CqQXYhWUK5MBEF19Ks+Hm7lA5UAWdO/3
     SF4Tf/5iihjmI4l2dFBBd5iR7jKC99PcTmgOg=
DomainKey-Signature: a=rsa-sha1; c=nofws; d=gmail.com; s=gamma;
     h=message-id:from:to:subject:date:mime-version:content-type
     :content-transfer-encoding:x-priority:x-msmail-priority:x-mailer
     :x-mimeole;
     b=JTmkcfV6DM/w05ZXNtAJJXcOXzWBSMX+yUn/oUMSUZaHZmGSXqyEVkzBQomuveDjnk
     37Hz2O2pEs/OMUm/l9FRR5Fqa+ypGApsHtME3V0fmd29hhfraZZQyqriMa+LDuU28arK
     8KxFYcdtUP5fmYrLxqfolPdMZd3twWE72NCpA=
Message-ID: <E47D9170153047349017D7930A96036B@DefaultPC>
Subject: FA: Icom IC-7700 transceiver
```

```
Date: Wed, 4 Mar 2009 09:06:01 -0800
MIME-Version: 1.0
Content-Type: text/plain; format=flowed; charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Mailer: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Author-Supplied-Address: l<DOT>marble<DOT>f0<AT>gmail<DOT>com
From: "DC" <Use-Author-Supplied-Address-Header@[127.1]>
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!feeder.erje.net!
news2.arglkargh.de!news.bananasplit.info!mail2news.mixmin.net
X-Abuse-Contact: abuse@mixmin.net
Lines: 3
Xref: g2news1.google.com rec.radio.swap:1366 rec.radio.amateur.equipment:1169
```

http://xrl.us/IcomIC7700

```
From 852983833873782183
X-Google-Thread: 108122,f7dc230dddd9110d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q30g2000vbn.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB  FT 817
Date: Wed, 4 Mar 2009 09:15:31 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <3fdcbdba-53e2-4b37-9688-19b0620007ac@q30g2000vbn.googlegroups.com>
NNTP-Posting-Host: 213.202.119.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1236186940 30338 127.0.0.1 (4 Mar 2009 17:15:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 4 Mar 2009 17:15:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q30g2000vbn.googlegroups.com; posting-host=213.202.119.75;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1384
```

In no working condition . . .

From -1537369209700846530
X-Google-Thread: 108122,46bb4aa181d13830
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn11feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <you@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Maxon TM-4800 programming
Organization: Shadow.orgs
References: <captain945.3f36ef5@radiobanter.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <you-301A7F.09123104032009@netnews.worldnet.att.net>
Lines: 8
Date: Wed, 04 Mar 2009 18:10:07 GMT
NNTP-Posting-Host: 12.12.211.130
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1236190207 12.12.211.130 (Wed, 04 Mar
2009 18:10:07 GMT)
NNTP-Posting-Date: Wed, 04 Mar 2009 18:10:07 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1171

In article <captain945.3f36ef5@radiobanter.com>,
captain945 <captain945.3f36ef5@radiobanter.com> wrote:

> I have a Maxon TM-4800 800 trunking and can not find anything anywhere
> on it. I know that somewhere someone has the cable and the software I
> need to program this radio. Do you?

Did you call Maxon?

From 6487714704319344246
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Thread: 106d41,f111a78963ee3d1a
X-Google-Attributes:
gidfb049,gidfcc6e,gid108122,gid114aac,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx01.iad.newshosting.com!newshosting.com!198.186.194.250.MISMATCH!
news-xxxfer.readnews.com!transit4.readnews.com!news-out.readnews.com!
postnews3.readnews.com!nr-nfs1.newsreader.com.POSTED!not-for-mail
Subject: Re: N8WWM latest conviction...time served for driving without a license
again. Too many drunk drivings
From: Steve <moparholic@hotmail.com>
Organization: essb audio
Message-ID: <20090304151339.389$fH@newsreader.com>
Newsgroups: alt.ham-radio.vhf-

```
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,rec.
radio.cb
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad> <gl7rcv$v1h$1@news.mixmin.net>
<497b6185$0$19492$c5fe31e7@reader.usenet4all.se> <glqd12$mog$1@news.mixmin.net>
<glqdr5$p68$1@news.mixmin.net>
X-NRC-Trace: NewsReader.Com b+2kCndrvPzG@zfLnM-bLGCNAfRFjtYkvBlr-scQWCjcyfN
Date: 04 Mar 2009 20:13:32 GMT
Lines: 76
NNTP-Posting-Host: b24a9238.nr-nfs1.newsreader.com
X-Trace: DXC=?@?gfjLm@h7R_1;JG>>K:>`8<ea3U[gO9^@<oZ6l:QA;M5bdT:?
Wfn>Nd7biGRhQT7oI=3b<C81a<LOa?cUanZl5
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:822 rec.radio.amateur.antenna:8507
rec.radio.amateur.equipment:1172 rec.radio.shortwave:28109 rec.radio.cb:6355

"RF BURNS" <rfburns33@hotmail.com> wrote:
> > court document below----
> >  Defendant DOB    Case Number                 Violation
>       ADAIR, DOUGLAS   07/10/1958   08TRD019070102    DRIVING W/O COMPLY
> W/LIC REINSTATEMENT REQ
>
>      Journal Entry
>  07/03/2008 Affidavit Filed 07/03/2008 00:00, Citation issued on
>  07/01/2008 00:00. Defendant summoned to appear for arraignment on
> 07/11/2008
>  09:00 in court room 1. Personal appearance required. [Clerk entry]
> 07/11/2008 PD fee assessed. [JUDGE KELLER]
> 07/11/2008 Defendant ordered to pay fee for PUBLIC DEFENDER FEE..
>  [JUDGE KELLER]
>  07/11/2008 Defendant present with attorney DEFENDER, PUBLIC , #9999.
>  [JUDGE KELLER]
>  07/11/2008 Defendant requests a public defender. [JUDGE KELLER]
>  07/11/2008 Defendant found indigent by Court and public defender
>  assigned. [JUDGE KELLER]
> 07/11/2008 Defendant attorney enters plea of not guilty. To Assignment
> Commissioner for date. [JUDGE KELLER]
> 07/11/2008 At the request of defendant attorney, case continued to
> 08/01/2008 09:00 in courtroom 1 for prosecutor pre-trial. [JUDGE KELLER]
> 07/11/2008 Case assigned to JUDGE KELLER. Plea indicated. [JUDGE
> KELLER]
> 08/01/2008 Defendant present with attorney PUBLIC DEFENDER, #9999.
> [JUDGE KELLER]
> 08/01/2008 Defendant attorney withdraws prior plea. [JUDGE KELLER]
>  08/01/2008 Defendant attorney enters plea of no contest. [JUDGE
> KELLER]
> 08/01/2008 Defendant found guilty by judge. [JUDGE KELLER]
> 08/01/2008 FRA Shown. [JUDGE KELLER]
> 08/01/2008 Defendant sentenced to pay $150.00 fine and $60.00 costs.
> [JUDGE KELLER]
> 08/01/2008 Defendant sentenced to 60 days in CORRECTIONS CENTER OF
> NORTHWEST OHIO. SUSPENDED. 30 days suspended. Stay on jail until
> 09/26/2008 18:00. [JUDGE KELLER]
```

> 08/01/2008 Commitment form printed on 08/01/2008 10:18 by user
> SAWMILLER,STEFFANIE LYNN on station 195. [Clerk entry]
> 08/01/2008 At the request of defendant attorney, case continued to
> 09/26/2008 09:00 in courtroom 1 for operator's license. [JUDGE KELLER]
> 08/01/2008 Commitment form printed on 08/01/2008 10:22 by user
> JOOST,JAMIE SUE on station 203. [Clerk entry]
> 08/01/2008 Defendant applied to MONTHLY Payment Plan. Scheduled amount
> of $50.00. Begin date of 09/05/2008. [Clerk entry]
> 08/25/2008 Payment Plan amount of $50.00 paid. [Clerk entry]
> 09/19/2008 Payment Plan amount of $50.00 paid. [Clerk entry]
> 09/26/2008 Defendant present with attorney PUBLIC DEFENDER, #9999.
> [JUDGE KELLER]
> 09/26/2008 Defendant placed on Active probation for 2 years. Begin
> Date of 09/26/2008, end date of 09/26/2010. Probation Conditions are: NG
> OF SIMILAR OFFENSE [JUDGE KELLER]
> 09/26/2008 Defendant's sentence modified. [JUDGE KELLER]
> 09/26/2008 Commitment form printed on 09/26/2008 10:57 by user
> WALLS,KIMBERLY H on station 3430. [Clerk entry]
> 09/26/2008 Defendant sentenced to 15 days in CORRECTIONS CENTER OF
> NORTHWEST OHIO. ELECTRONIC MONITORING. [JUDGE KELLER]
> 09/26/2008 Commitment form printed on 09/26/2008 11:30 by user
> WALLS,KIMBERLY H on station 3430. [Clerk entry]
> 09/26/2008 Commitment form printed on 09/26/2008 13:34 by user
> KUCKUCK,RON on station 2503. [Clerk entry]
> 09/26/2008 Commitment form printed on 09/26/2008 13:34 by user
> KUCKUCK,RON on station 2503. [Clerk entry]
> 09/26/2008 Commitment form printed on 09/26/2008 13:34 by user
> KUCKUCK,RON on station 2503. [Clerk entry]
> 10/22/2008 Payment Plan amount of $50 paid. [Clerk entry]
> 11/14/2008 Payment Plan amount of $50.00 paid. [Clerk entry]
> 12/12/2008 Fines and/or Costs paid in full. [Clerk entry]
>

N8wwm is well known for being a trouble maker, I'm sure you've heard him
and his old lady have the feds up their asscrack.

Fine upstanding armature operators, those two. :-D

--
http://NewsReader.Com/

From -8768376923355822722
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Attributes: gidfb049,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe17.iad.POSTED!ce516c54!not-for-mail
From: kb9rqz@yahoooo.com
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.shortwav
Subject: get kelp
Message-ID: <m86uq49qn58isrd09hs0uk8684svolg2ve@4ax.com>

```
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad> <gl7rcv$v1h$1@news.mixmin.net>
<497b6185$0$19492$c5fe31e7@reader.usenet4all.se> <glqd12$mog$1@news.mixmin.net>
<glqdr5$p68$1@news.mixmin.net> <20090304151339.389$fH@newsreader.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Thu, 05 Mar 2009 00:14:06 UTC
Organization: TeraNews.com
Date: Wed, 04 Mar 2009 19:13:47 -0500
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:824
rec.radio.amateur.equipment:1173

On 04 Mar 2009 20:13:32 GMT, Steve <moparholic@hotmail.com> wrote:

>"R
get a life

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act


From -8098861638343413057
X-Google-Thread: 108122,82ebdc9f41c3fbb2,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
nlpi057.nbdc.sbc.com!prodigy.net!flph199.ffdc.sbc.com!prodigy.com!
flpi107.ffdc.sbc.com!flpi146.ffdc.sbc.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: eBay: ARC-5, tuner cap, etc
Lines: 1
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <LKRrl.14124$D32.146@flpi146.ffdc.sbc.com>
NNTP-Posting-Host: 70.128.126.110
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi146.ffdc.sbc.com 1236265003 ST000 70.128.126.110 (Thu, 05 Mar 2009
09:56:43 EST)
NNTP-Posting-Date: Thu, 05 Mar 2009 09:56:43 EST
Organization: at&t http://my.att.net/
X-UserInfo1:
[[OERYWDPZRORRDXN[O@_WH@YR_B@EXLLBWLOOAFMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Thu, 5 Mar 2009 09:02:39 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:1388
```

http://search.ebay.com/_W0QQsassZwd5jfrQQfrppZ50QQfsopZ32QQfsooZ2QQrdZ0

```
From -7643959082251169065
X-Google-Thread: fcc6e,58fd8713c4063803,start
X-Google-Thread: 11480d,58fd8713c4063803,start
X-Google-Thread: 108122,58fd8713c4063803,start
X-Google-Thread: fc2a5,58fd8713c4063803,start
X-Google-Thread: 107ada,58fd8713c4063803,start
X-Google-Thread: 10bf43,58fd8713c4063803,start
X-Google-Thread: 10b9c8,58fd8713c4063803,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid107ada,gid10bf43,gid10b9c8,domainid0,publ
ic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1233990300@panix.com>
Followup-To: poster
Date: 7 Mar 2009 02:05:02 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Apr 2009 03:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1236409501@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1236409502 17435 166.84.1.2 (7 Mar 2009 07:05:02 GMT)
X-Complaints-To: abuse@panix.com
```

NNTP-Posting-Date: Sat, 7 Mar 2009 07:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:8560 rec.radio.amateur.dx:288 rec.radio.amateur.equipment:1175 rec.radio.amateur.homebrew:2001 rec.radio.amateur.misc:3901 rec.radio.amateur.policy:22556 rec.radio.info:542

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -7714173312008725051
X-Google-Thread: 108122,67ac627bbafceea3,start
X-Google-Thread: 1109af,67ac627bbafceea3,start
X-Google-Thread: 10b9c8,67ac627bbafceea3,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1233990600@panix.com>
Followup-To: poster
Date: 7 Mar 2009 02:10:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Apr 2009 03:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1236409800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1236409801 23771 166.84.1.2 (7 Mar 2009 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Mar 2009 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:1176 rec.radio.swap:1380 rec.radio.info:543

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for

any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -7881697164003077530
X-Google-Thread: 108122,eb8f8376b4b9c12e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!j8g2000yql.googlegroups.com!not-for-mail
From: Brucemm33@aol.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: JRC NRD 545 for sale
Date: Sat, 7 Mar 2009 20:33:36 -0800 (PST)
Organization: http://groups.google.com
Lines: 30
Message-ID: <8fe600be-dc6b-4d1c-acbe-c54857379a2f@j8g2000yql.googlegroups.com>
References: <76dcfa0d-1247-4e26-ae41-97307ccd5a53@w1g2000prm.googlegroups.com>
NNTP-Posting-Host: 71.214.153.214
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1236486816 24661 127.0.0.1 (8 Mar 2009 04:33:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 8 Mar 2009 04:33:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j8g2000yql.googlegroups.com; posting-host=71.214.153.214;
posting-account=EWgEMQoAAAANh3xUCA_mqc5X7WPqdL3Y
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; GTB5;
.NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR
3.0.04506.648; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1391

On Jan 28, 10:36=A0pm, Brucem...@aol.com wrote:
> Greetings,
>
> I have been considering putting my 545 up for sale for some time
> because I don't use it much any longer . =A0The radio is in excellent
> condition (a minor scratch towards the back of the top cover is the
> only blemish which does not detract from its visual appearance) and
> it

> includes a fully functional CHE-199 VHF/UHF wideband converter =A0(no
> "mute" problem as described by others with this model of radio).
> There are no gaps in the frequency coverage of the CHE-199 so the
> radio tunes continously from 100 kHz up to 1999.999 MHz. =A0I will also
> include the original Instruction Manual, the 138 page Service Manual,
> and the original box for the radio. =A0I also installed a TCXO option
> which improves the frequency stability to =A0+/- 0.5PPM. The serial
> number of the radio is RG##773 which I purchased it new in July 2001
> from Universal Radio. =A0It has been well cared for in a non-smoking
> environment. =A0This radio with these options sold for over $2100 new
> however I am willing to part for $1600 + shipping. =A0 I can guarantee
> the radio works 100%. The variable bandwidth control and variable AGC
> makes the radio a dream to operate as this is the finest SSB radio I
> have ever used. I can send you pictures if you are interested.
>
> Sincerely,
> Bruce KC0WRI

The radio has been sold
Bruce

From 330210549799335149
X-Google-Thread: 108122,61681b58dbb8c92f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q11g2000yqh.googlegroups.com!not-for-mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: APRSPoint version 4.5.1 available
Date: Sun, 8 Mar 2009 21:42:36 -0700 (PDT)
Organization: http://groups.google.com
Lines: 17
Message-ID: <5c3ea4ef-1ee6-4bd0-8194-e0257da9eec9@q11g2000yqh.googlegroups.com>
NNTP-Posting-Host: 58.246.12.251
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1236573756 27281 127.0.0.1 (9 Mar 2009 04:42:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 9 Mar 2009 04:42:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q11g2000yqh.googlegroups.com; posting-host=58.246.12.251;
     posting-account=YbeU5wkAAACme6OAyhEcjCxucFdvb0tP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1;
     Trident/4.0; QQDownload 1.7; .NET CLR 1.1.4322; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1392

This version has better support for mappoint 2009 and added support for APRS symbols and overlays, and made several enhancements. Current users please pay special attention to #2, since your current settings may need to be changed,

1. Added support for standard APRS symbols and overlays,
2. Changed the way log files are saved, now you need to provide the name of a folder where logs will be saved, the name of the log file is genarated automatically by appending the date after 'log', so old logs won't be overwritten. You need to create the folder if it doesn't exist. Leave the folder name field empty if you don't want to save logs,
3. Better signal range calculation accuracy to reflect real world operating conditions,
4. Uninstall will no longer remove tnc settings file,

Visit www.aprspoint.com for details.

```
From -27207541833224232
X-Google-Thread: 108122,25d3d8d8ed83444f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 09 Mar 2009 18:13:15 -0500
From: misterbird <misterbird.3fb57f6@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Palstar R30 series
Date: Mon, 9 Mar 2009 17:57:40 +0000
Message-ID: <misterbird.3fb57f6@radiobanter.com>
Organization: RadioBanter.com
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-i6BzAMQJKXJTWXg9fAhszKPWQBEBSmuRhhLen+Tik2C1vk8dI/
IeUWuex9oWwERlflBUd1BSg4P386K!tk9zc7mgSWx/MA2pZaVEFAVhWEZWkJE43j6s1h/
f4kbNMOpWFcZKNsKJTOZchxedQjeI50alkbtE!94mN+ouE
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 3
Xref: g2news2.google.com rec.radio.amateur.equipment:1393
```

Hello everyone,

I'm wondering if you can give me some advice on tracking down a used Palstar R30, R30C, R30CC. I've been looking at universal radio online and just missed one by a day. I'm guessing they are highly sought after and I'll need some special tactics for this mission. I would appreciate any leads! Cheers!

--
misterbird

From -5168552228356654092
X-Google-Thread: 108122,25d3d8d8ed83444f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Mar 2009 09:32:39 -0500
Date: Tue, 10 Mar 2009 10:32:28 -0400
From: Drifter <drifter@pgh.net>
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Palstar R30 series
References: <misterbird.3fb57f6@radiobanter.com>
In-Reply-To: <misterbird.3fb57f6@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 090309-0, 03/09/2009), Outbound message
X-Antivirus-Status: Clean
Message-ID: <6Y6dnaNtVoaa5yvUnZ2dnUVZ_ovinZ2d@earthlink.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.17.166.224
X-Trace: sv3-u7M/
tib5koeQgAK5Co3hMsTqnnvJj3g9OMYJleE9pMWC5lzBeSK6Dy8Vhg776iKWian+ZrwMGL3Wmau!
imFoj9dNHMflu7NJfsD20sxNPXEWkKhi+h3mVYUuYdSAA/mSqgrMa1uHxcMtCVxH+dLhn/a2g7vS!
24T7GsP/q5kV98+HarTtnCRpeeFMk9c=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1394

misterbird wrote:
> Hello everyone,
>
> I'm wondering if you can give me some advice on tracking down a used
> Palstar R30, R30C, R30CC. I've been looking at universal radio online
> and just missed one by a day. I'm guessing they are highly sought
> after and I'll need some special tactics for this mission. I would
> appreciate any leads! Cheers!
>
>

>
>
You might try the palstar yahoo group. was one for

sale there a few days ago.

Drifter...

```
From 9170526429115586303
X-Google-Thread: 108122,5f1da1801d73d8b8,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: GERMAN,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.bananasplit.info!news.dizum.com!sewer-output!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Rohde & Schwarz EK070 10KHz-30MHZ receiver
Message-ID: <182afa7e1ffc417e9a1decae750b0654@pseudo.borked.net>
Date: Tue, 10 Mar 2009 09:10:16 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1181
```

http://is.gd/mH33/RohdeSchwarzReceiver

```
From 6727741395547436581
X-Google-Thread: 108122,25d3d8d8ed83444f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Mar 2009 18:13:37 -0500
From: misterbird <misterbird.3fca976@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Palstar R30 series
Date: Tue, 10 Mar 2009 18:47:10 +0000
Message-ID: <misterbird.3fca976@radiobanter.com>
Organization: RadioBanter.com
References: <misterbird.3fb57f6@radiobanter.com>
<6Y6dnaNtVoaa5yvUnZ2dnUVZ_ovinZ2d@earthlink.com>
Lines: 33
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
Cm944mpg6uKcoDEK319BKqaPYW3zL1X2aTutjsfn+eDwRXZX0x8zt00xqRjl4jM2KlUyrjSGWZSYPQc!
2eQRxpZdM7DsMC+XvzqkRfp+tbFRFRfZvcPI7bUlpBb/fniLQtgZxm7779b04rKn6KBal/bZhzA8!
EDNrqafy
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.39
X-Original-Lines: 19
Xref: g2news2.google.com rec.radio.amateur.equipment:1396


Drifter;668723 Wrote:
> misterbird wrote:-
> Hello everyone,
>
> I'm wondering if you can give me some advice on tracking down a used
> Palstar R30, R30C, R30CC.  I've been looking at universal radio
> online
> and just missed one by a day.  I'm guessing they are highly sought
> after and I'll need some special tactics for this mission.  I would
> appreciate any leads!  Cheers!
>
>
>
> -
> You might try the palstar yahoo group. was one for
>
> sale there a few days ago.
>
> Drifter...

Thanks for the tip.  I'll get on it.  I'm new to this whole world and
thought that a Palstar might be something easy to start with.  But I've
been reading some reviews on it and people keep suggesting that it's
good for AM and mediumwave but not so much for shortwave.  All I'm
looking for is a good solid worldband radio that will allow me to
listen to remote stations.  I won't be doing anything too serious.  Is
Palstar good for this?  I appreciate any advice.




--
misterbird



From 153276653212163578
X-Google-Thread: 108122,25d3d8d8ed83444f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Mar 2009 20:55:50 -0500
Date: Tue, 10 Mar 2009 18:55:48 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.19 (X11/20090105)
MIME-Version: 1.0
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Palstar R30 series
References: <misterbird.3fb57f6@radiobanter.com>
<6Y6dnaNtVoaa5yvUnZ2dnUVZ_ovinZ2d@earthlink.com>
<misterbird.3fca976@radiobanter.com>
In-Reply-To: <misterbird.3fca976@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <iqmdnbP-UuS7hyrUnZ2dnUVZ_qHinZ2d@earthlink.com>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.11
X-Trace: sv3-7hHC0A/tuP+UUXXoPZZ6D0aVGV1di2uDDSHHYTtrWZvIE6OJBcD1W/TOr4+
+ikhycjgsP0LWFJXpJQN!Dc9Gmbm91CpwJetpn8n1QAj8E5BS1SQlfYfSyapIJrXnKOhtuPK4mTyM/
GOy5eltfi9CbzOwiLP8!WsQQguiLuY/T5woRp8Rg2Z+4fQVWjaU=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1397

misterbird wrote:
> Drifter;668723 Wrote:
>> misterbird wrote:-
>> Hello everyone,
>>
>> I'm wondering if you can give me some advice on tracking down a used
>> Palstar R30, R30C, R30CC. I've been looking at universal radio
>> online
>> and just missed one by a day. I'm guessing they are highly sought
>> after and I'll need some special tactics for this mission. I would
>> appreciate any leads! Cheers!
>>
>>
>>
>> -
>> You might try the palstar yahoo group. was one for
>>
>> sale there a few days ago.
>>
>> Drifter...
>
> Thanks for the tip. I'll get on it. I'm new to this whole world and
> thought that a Palstar might be something easy to start with. But I've
> been reading some reviews on it and people keep suggesting that it's
> good for AM and mediumwave but not so much for shortwave. All I'm
> looking for is a good solid worldband radio that will allow me to
> listen to remote stations. I won't be doing anything too serious. Is
> Palstar good for this? I appreciate any advice.
>
>

Start here:
http://www.eham.net/reviews/detail/1215

```
From 3854070195465286389
X-Google-Thread: 108122,25d3d8d8ed83444f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 11 Mar 2009 08:01:43 -0500
Newsgroups: rec.radio.amateur.equipment
From: Thomas Laus <lausts@acm.org>
Subject: Re: Palstar R30 series
References: <misterbird.3fb57f6@radiobanter.com>
 <6Y6dnaNtVoaa5yvUnZ2dnUVZ_ovinZ2d@earthlink.com>
 <misterbird.3fca976@radiobanter.com>
 <iqmdnbP-UuS7hyrUnZ2dnUVZ_qHinZ2d@earthlink.com>
Reply-To: lausts@acm.org
User-Agent: slrn/0.9.9p1 (FreeBSD)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <TcWdnVTx2oKqKyrUnZ2dnUVZ_g2WnZ2d@supernews.com>
Date: Wed, 11 Mar 2009 08:01:43 -0500
Lines: 50
X-Trace:
sv3-1EH+YAHfHI9qVDU74Bqh5xkVo1VaHJ9szZSSjdaNYQXvQhwInPQulzzCyTe9cF3jqLHbKsyC4Rv/
bgq!b401ycwldu6h7wd8W96xNjrsM/xvWjIPKZuW3T1Z6sygzw+v99TUTf9vgpmFrqaSQrYIFauaE5s8!
NS+pc7tu
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:1184

On 2009-03-11, dave <dave@dave.dave> wrote:
> misterbird wrote:
>> Drifter;668723 Wrote:
>>> misterbird wrote:-
>>> Hello everyone,
>>>
>>> I'm wondering if you can give me some advice on tracking down a used
>>> Palstar R30, R30C, R30CC.  I've been looking at universal radio
>>> online
>>> and just missed one by a day.  I'm guessing they are highly sought
>>> after and I'll need some special tactics for this mission.  I would
>>> appreciate any leads!  Cheers!
>>>
>>>
>>>
>>> -
>>> You might try the palstar yahoo group. was one for
>>>
>>> sale there a few days ago.
>>>
>>> Drifter...
>>
>> Thanks for the tip.  I'll get on it.  I'm new to this whole world and
>> thought that a Palstar might be something easy to start with.  But I've
>> been reading some reviews on it and people keep suggesting that it's
>> good for AM and mediumwave but not so much for shortwave.  All I'm
>> looking for is a good solid worldband radio that will allow me to
>> listen to remote stations.  I won't be doing anything too serious.  Is
>> Palstar good for this?  I appreciate any advice.
>>
>>
> Start here:
> http://www.eham.net/reviews/detail/1215

The Palstar is a great little radio with few 'bells and whistles'.  I
bought one about a year ago after visiting the Palstar factory in nearby
Piqua, Ohio.  They had a Drake R-8 and a Lowe HF-225 in their test lab.
I turned the knobs on all of the receivers to compare their performance
using the same antenna.  The Palstar did not have the performance of the
Drake, but the selling price is a LOT less.  I was considering
purchasing the Lowe, but the Palstar won me over.

http://www.eham.net/reviews/detail/851?ehamsid=a413fe7dd87187af00ebac669735bafc

Tom

--
Public Keys:
PGP KeyID = 0x5F22FDC1
GnuPG KeyID = 0x620836CF


From 1182274765000393745
X-Google-Thread: 108122,2e273e0d491130fc,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
border1.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
feeder.news-service.com!feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Linear Amplifier Plans 1-16 Pill On DVD
Date: Wed, 11 Mar 2009 15:30:04 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 16
```

```
Message-ID: <49b81140$0$86897$c5fe31e7@read01.usenet4all.se>
Organization: UseNET
NNTP-Posting-Date: 11 Mar 2009 20:30:09 CET
NNTP-Posting-Host: 97ab64b3.read01.usenet4all.se
X-Trace: DXC=lU[K5HNC?
cJgm]:5DF1JEH]=V>ZL5o1]B<moHH[O[>ZJ@PU0K`Tai>LAChSdgJ=LRGWGk;S76HjaB5`\HH8KQ0g@@a`
V`U10=nI_jJd0MECe0I
X-Complaints-To: abuse@usenet4all.se
X-Original-Bytes: 1375
Xref: g2news2.google.com rec.radio.amateur.equipment:1399 rec.radio.swap:1818
```

This is the DVD every CB or Ham Radio Operator has been looking for who likes to build their own Amplifiers.

Educational Purpose only.

http://cgi.ebay.com/Linear-Amplifier-Plans-1-16-Pill-On-DVD_W0QQitemZ200312737411QQcmdZViewItemQQptZCB_Radios?hash=item200312737411&_trksid=p3286.c0.m14&_trkparms=72%3A1234%7C66%3A2%7C65%3A12%7C39%3A1%7C240%3A1318%7C301%3A0%7C293%3A1%7C294%3A50

```
begin 666 s.gif
M1TE&.#EA`0`!`)'_`/___P```,# P ```"'Y! $```(`+ `````!``$```("
$5 $`.P``
`
end
```

```
From -2626121383954870208
X-Google-Thread: 1109af,ce620af6ad6bd61c
X-Google-Thread: 108122,ce620af6ad6bd61c
X-Google-Thread: fc8b1,ce620af6ad6bd61c
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: FRENCH,ASCII
Subject: Re: HALLICRAFTERS S-38C receiver (1953)
From: "-" <...>
Date: Sat, 14 Mar 2009 18:36:06 +0100
Message-ID: <1237052248_33@vo.lu>
References: <17e8632d402c448d533e3011e0253a56@pseudo.borked.net>
Lines: 27
NNTP-Posting-Host: 87.240.252.183
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!feeder.news-service.com!newsfeed.eweka.nl!eweka.nl!
feeder3.eweka.nl!news.astraweb.com!border5.newsrouter.astraweb.com!xlned.com!
feeder1.xlned.com!npeer.de.kpn-eurorings.net!npeer-ng2.de.kpn-eurorings.net!
news.vo.lu!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
X-Trace: vo.lu 1237052248 87.240.252.183 (14 Mar 2009 18:37:28 0100)
```

```
Reply-to: "-" <...>
In-Reply-To: <17e8632d402c448d533e3011e0253a56@pseudo.borked.net>
MIME-Version: 1.0
Content-Type: text/plain;
 format=flowed;
 charset="iso-8859-1";
 reply-type=original
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Xref: g2news2.google.com rec.radio.swap:1827 rec.radio.amateur.equipment:1400
rec.radio.amateur.boatanchors:2534


"DC" <mailto:contact@assura.lu> a �crit dans le message de
news:17e8632d402c448d533e3011e0253a56@pseudo.borked.net...
contact@assura.lu

>
>




From 1847507179718284674
X-Google-Thread: 108122,43c8ec8acf1f6cfd,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q11g2000yqh.googlegroups.com!not-for-
mail
From: mrhaney <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Cushcraft A3 antenna
Date: Mon, 16 Mar 2009 07:18:41 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <f8166109-85a7-4fce-96cb-a6cf67440016@q11g2000yqh.googlegroups.com>
NNTP-Posting-Host: 72.216.40.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1237213121 7006 127.0.0.1 (16 Mar 2009 14:18:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 16 Mar 2009 14:18:41 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q11g2000yqh.googlegroups.com; posting-host=72.216.40.68;
     posting-account=iDa5ggkAAADrhtwpj3fwoB8ZHtIo_pzj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     FunWebProducts; GTB5; .NET CLR 2.0.50727; .NET CLR 3.0.04506.648; .NET CLR
     3.5.21022),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1401
```

I am reworking my A3 triband antenna.. I need the plastic boots that
fit on ends of each trap..Seems that Cushcraft does not sell them
seperately...Any other sources or ideas ...tnx   Harold W4PQW

From 5643248053014303314
X-Google-Thread: 108122,7bd578886548ce5f,start
X-Google-Thread: 1109af,7bd578886548ce5f,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!
newsfeed5.news.xs4all.nl!xs4all!news.wiretrip.org!news.dizum.com!sewer-output!
mail2news-x2!mail2news
Date: 16 Mar 2009 20:09:10 -0000
Message-ID: <TY2MJD4E39889.2146990741@reece.net.au>
From: DC <remailer@reece.net.au>
Subject: FA: National NCL-2000 linear HF 2000-watt amplifier
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
X-Remailer-Contact: abuse@reece.net.au
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1402 rec.radio.swap:1839

http://atu.ca/NCL2000

From 3650276421723081915
X-Google-Thread: 108122,43c8ec8acf1f6cfd
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 16 Mar 2009 21:46:30 -0500
Reply-To: "Topaz305rk" <k7sam@arrl.net>
From: "Topaz305rk" <navajomt@nemont.net>
Newsgroups: rec.radio.amateur.equipment
References: <f8166109-85a7-4fce-96cb-a6cf67440016@q11g2000yqh.googlegroups.com>
Subject: Re: Cushcraft A3 antenna
Date: Mon, 16 Mar 2009 20:46:24 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 090316-0, 03/16/2009), Outbound message
X-Antivirus-Status: Not-Tested
Message-ID: <F56dnaKM8OWakiLUnZ2dnUVZ_oTinZ2d@vnet-inc.com>

Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-wJKEy0/79Q48hjL90vrVqq0Dxc2UpoO95jE5zU3EnqIE03yO/7g+oDmtyBq5Hdk8xJRDGzM8IOnsEIM!93xiesQlsJ6cWXNWZcf9VrmZxn8QmBZvOklpDUvK1Gf4A862mEjKESoBA5uZhTgN/UnDL/rdJ0ON!Qljo+XJ+0zJD6JdUHfiKqeojrYo=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1403

"mrhaney" <w4pqw@cox.net> wrote in message news:f8166109-85a7-4fce-96cb-a6cf67440016@q11g2000yqh.googlegroups.com...
>I am reworking my A3 triband antenna.. I need the plastic boots that
> fit on ends of each trap..Seems that Cushcraft does not sell them
> seperately...Any other sources or ideas ...tnx   Harold W4PQW

Found this on eBay
http://cgi.ebay.com/End-Caps-for-Cushcraft-Trap-Antennas_W0QQitemZ280322899622QQcmdZViewItemQQimsxZ20090315?IMSfp=TL090315125005r16898
Have no idea if the seller is good or not, just an idea.

Also, you might want to call MFJ.
I believe the traps on the Hy-Gain and Cushcraft three element beams are the same size.
You could call and ask to be sure.
If so, I was able to buy a complete set for a real old TH-66DX a few years ago with no problems.
Worth a phone call anyway.

Good luck finding the trap caps.

Sam - K7SAM

From -126155413153152699
X-Google-Thread: 108122,1901dcdacf30d46c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!postnews.google.com!v23g2000pro.googlegroups.com!not-for-mail
From: "hrconsultant.vinu@gmail.com" <hrconsultant.vinu@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Exceptional Openings for RF Engineers
Date: Mon, 16 Mar 2009 23:18:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <e6983248-d0a5-4b00-bfe9-04d96ef26d82@v23g2000pro.googlegroups.com>

```
NNTP-Posting-Host: 122.172.48.174
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1237270701 29270 127.0.0.1 (17 Mar 2009 06:18:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 17 Mar 2009 06:18:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v23g2000pro.googlegroups.com; posting-host=122.172.48.174;
     posting-account=QLNyxAoAAABd5ZvnbgbbforHaa-FLvZ4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.2; .NET CLR
     1.1.4322; InfoPath.2; .NET CLR 2.0.50727; .NET CLR
3.0.04506.30),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1190
```

Greetings from VRoute Consulting Services, providing business
solutions and recruitment services around the globe.
Currently recruiting for Power wave Technologies (www.powerwave.com)
is a global supplier of end-to-end wireless solutions for wireless
communications networks. It designs, manufactures antennas, multi-
carrier RF power amplifiers.

Work Location: Hyderabad
Position: RF Engineer

Education: Bachelor=92s/Masters Degree in Electronics & communications
engineering or similar technical discipline.

Job Requirement: Requires 2-5 years of professional experience in RF
circuit design/development, preferably including the knowledge in
digital communication modulation techniques
=95 Requires a working knowledge in small signal designs of LNAs, small
signal Amplifiers, Synthesizers, power dividers, couplers, switches
=95 Require good knowledge in designing Class A,B Power amplifiers,
feedforward power amplifiers, high efficiency power amplifier design
techniques and pre-distorters
=95 Experience with RF Design tools i.e., ADS, AWR, HFSS, MATLAB...etc.

If this interests you then please do forward your updated profile to
for further proceedings.

Also we appreciate if you can forward this information to your
friends.
Look forward hearing from you soon. Thanks for your time.

Regards,
Vinod

```
From -8170328761110585098
X-Google-Thread: 108122,43c8ec8acf1f6cfd
X-Google-Attributes: gid108122,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news-in-01.newsfeed.easynews.com!easynews!core-easynews-01!easynews.com!en-nntp-02.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Cushcraft A3 antenna
Message-ID: <poivr4h9sej72j5qce4fl2g7llt7rv7i43@4ax.com>
References: <f8166109-85a7-4fce-96cb-a6cf67440016@q11g2000yqh.googlegroups.com> <F56dnaKM8OWakiLUnZ2dnUVZ_oTinZ2d@vnet-inc.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Tue, 17 Mar 2009 12:13:17 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:1191

On Mon, 16 Mar 2009 20:46:24 -0600, "Topaz305rk" <navajomt@nemont.net>
wrote:

>"mrhaney" <w4pqw@cox.net> wrote in message
>news:f8166109-85a7-4fce-96cb-a6cf67440016@q11g2000yqh.googlegroups.com...
>>I am reworking my A3 triband antenna.. I need the plastic boots that
>> fit on ends of each trap..Seems that Cushcraft does not sell them
>> seperately...Any other sources or ideas ...tnx   Harold W4PQW
>
>Found this on eBay
>http://cgi.ebay.com/End-Caps-for-Cushcraft-Trap-Antennas_W0QQitemZ280322899622QQcmdZViewItemQQimsxZ20090315?IMSfp=TL090315125005r16898
>Have no idea if the seller is good or not, just an idea.
>
>Also, you might want to call MFJ.
>I believe the traps on the Hy-Gain and Cushcraft three element beams are the
>same size.
>You could call and ask to be sure.
>If so, I was able to buy a complete set for a real old TH-66DX a few years
>ago with no problems.
>Worth a phone call anyway.
>
>Good luck finding the trap caps.
>
>Sam - K7SAM
>
I have the same problem. I wonder how bad I really need them. They
have been missing quite a while and $24 seems a little pricey for
bottle caps.

John Ferrell W8CCW

From 3219166444085590503
X-Google-Thread: 108122,bf9b70033e5050b5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!cfe5c29e!not-for-mail
From: "MarcusV" <nospam@nospam.net>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM 91AD
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-Antivirus: avast! (VPS 090317-0, 03/17/2009), Outbound message
X-Antivirus-Status: Clean
Message-ID: <Tzdwl.993$SU3.504@nwrddc02.gnilink.net>
Date: Wed, 18 Mar 2009 21:19:47 GMT
NNTP-Posting-Host: 72.86.94.130
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1237411187 72.86.94.130 (Wed, 18 Mar 2009 17:19:47 EDT)
NNTP-Posting-Date: Wed, 18 Mar 2009 17:19:47 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1406

Worth the extra $$$ @ $369.99?

D-Star technology worth having or would I be better off with a simularly
priced handheld w/o the D-Star but other features instead?

tis

From -8894648382515609596
X-Google-Thread: 108122,bf9b70033e5050b5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!newsfeed.straub-nv.de!news2.arglkargh.de!news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM 91AD
Date: Wed, 18 Mar 2009 16:39:55 -0500
Organization: Litech Systems Design
Lines: 23

```
Sender: mikea@mikea.ath.cx
Approved: YouBetcherArse@example.com
Message-ID: <ba6896-mjh1.ln1@mikea.ath.cx>
References: <Tzdwl.993$SU3.504@nwrddc02.gnilink.net>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1237412416 19002 70.164.65.62 (18 Mar 2009 21:40:16 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Wed, 18 Mar 2009 21:40:16 +0000 (UTC)
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news1.google.com rec.radio.amateur.equipment:1193

MarcusV <nospam@nospam.net> wrote in <Tzdwl.993$SU3.504@nwrddc02.gnilink.net>:
> Worth the extra $$$ @ $369.99?
>
> D-Star technology worth having or would I be better off with a simularly
> priced handheld w/o the D-Star but other features instead?

That's a really hard call, and it depends lots on your answers to questions like
o    Is there lots of D-star where you use your handhelds??
o    Are you interested in using D-star?

I personally have no interest in it, but know hams who do. There's not much
build-out of D-star where I am, but some areas (e.g., Minneapolis and its
surrounds) have a fair amount.

I can't answer your question for you, but I hope this helps guide you to
your own answer.

Very 73, de

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin


From -8323299390607042147
X-Google-Thread: 108122,bf9b70033e5050b5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
news.glorb.com!wn13feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <ALANBIDDLE70@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM 91AD
Organization: AMSAT-NA
Reply-To: ALANBIDDLE70@YAHOO.COM
Message-ID: <j235s4102ri4ulj6nae4ht7pa11b5s23vv@4ax.com>
References: <Tzdwl.993$SU3.504@nwrddc02.gnilink.net>
X-Newsreader: Forte Agent 5.00/32.1171
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
Lines: 8
NNTP-Posting-Host: d667da26a1b9ececf624f811f97a2e88
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1237486840
d667da26a1b9ececf624f811f97a2e88 (Thu, 19 Mar 2009 18:20:40 GMT)
NNTP-Posting-Date: Thu, 19 Mar 2009 18:20:40 GMT
Date: Thu, 19 Mar 2009 18:20:40 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1194

D-Star value is somewhat subjective, but be certain to compare the
91AD with the 92AD. The 92 is something of a do over to fix poor
design choices in the 91.

--
Alan
WA4SCA

From -8937739125284973340
X-Google-Thread: 108122,43c8ec8acf1f6cfd
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps83.POSTED!7564ea0f!
not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Cushcraft A3 antenna
From: Panzer240 <panzer240@hotmail.com>
References: <f8166109-85a7-4fce-96cb-a6cf67440016@q11g2000yqh.googlegroups.com>
<F56dnaKM8OWakiLUnZ2dnUVZ_oTinZ2d@vnet-inc.com>
<poivr4h9sej72j5qce4fl2g7llt7rv7i43@4ax.com>
Organization: QAR
Message-ID: <Xns9BD47F088CE8Bfw190a8@199.185.223.74>
User-Agent: Xnews/5.04.25
X-Face: $&/X$V,"S*#uz+{oLU'^h)QCF*4h'r$f("jr/$#M!Dt&CR9(9ju%ntlWj$kN7S{)n^fK'VC L|
TA8NouNwLeq~OD-&Y(=FdX+lD@%H%=7w-w*vaS79ke<Cs%n)'&dm#<Ktc6:_[FhYWae&YI/GLrpD
ehoTc4x)+XNdGI`,T((uEs~&1n0_5C2\\e[i|I%|cN6:]L%b5(WS}IiFEkC"q
X-Antivirus: avast! (VPS 090319-0, 03/19/2009), Outbound message
X-Antivirus-Status: Clean
Lines: 50
Date: Fri, 20 Mar 2009 15:29:16 GMT
NNTP-Posting-Host: 24.222.124.179
X-Trace: edtnps83 1237562956 24.222.124.179 (Fri, 20 Mar 2009 09:29:16 MDT)
NNTP-Posting-Date: Fri, 20 Mar 2009 09:29:16 MDT
Xref: g2news1.google.com rec.radio.amateur.equipment:1195

John Ferrell <johnferrell@sprintmail.com> wrote in
news:poivr4h9sej72j5qce4fl2g7llt7rv7i43@4ax.com:

> On Mon, 16 Mar 2009 20:46:24 -0600, "Topaz305rk" <navajomt@nemont.net>

```
> wrote:
>
>>"mrhaney" <w4pqw@cox.net> wrote in message
>>news:f8166109-85a7-4fce-96cb-a6cf67440016
@q11g2000yqh.googlegroups.com...
>>>I am reworking my A3 triband antenna.. I need the plastic boots that
>>> fit on ends of each trap..Seems that Cushcraft does not sell them
>>> seperately...Any other sources or ideas ...tnx   Harold W4PQW
>>
>>Found this on eBay
>>http://cgi.ebay.com/End-Caps-for-Cushcraft-Trap-
Antennas_W0QQitemZ2803228
>>99622QQcmdZViewItemQQimsxZ20090315?IMSfp=TL090315125005r16898 Have no
>>idea if the seller is good or not, just an idea.
>>
>>Also, you might want to call MFJ.
>>I believe the traps on the Hy-Gain and Cushcraft three element beams are
>>the same size.
>>You could call and ask to be sure.
>>If so, I was able to buy a complete set for a real old TH-66DX a few
>>years ago with no problems.
>>Worth a phone call anyway.
>>
>>Good luck finding the trap caps.
>>
>>Sam - K7SAM
>>
> I have the same problem. I wonder how bad I really need them. They
> have been missing quite a while and $24 seems a little pricey for
> bottle caps.
>
> John Ferrell ...........W8CCW
>

Try here:

http://www.mapleleafcom.com/antacc.htm

Prices are I think $CDN so you would get a bit of a discount as well,
could pay for the shipping :-)

Hope it helps

--
Panzer




From 6370738527929001426
X-Google-Thread: 108122,b1ee5276af5d67f9,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g38g2000yqd.googlegroups.com!not-for-
```

```
mail
From: mayispeakfreely@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood AT-250 with Non-Kenwood Radios?
Date: Sat, 21 Mar 2009 09:03:37 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <0fb6a94d-7344-475f-8422-fb3b1cdeb8b2@g38g2000yqd.googlegroups.com>
NNTP-Posting-Host: 75.38.186.36
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1237651417 4179 127.0.0.1 (21 Mar 2009 16:03:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Mar 2009 16:03:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g38g2000yqd.googlegroups.com; posting-host=75.38.186.36;
     posting-account=6QpFZQkAAAC_P6knszodpR9s6nyqddJy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1410

Has anyone successfully used a Kenwood AT-250 automatic antenna tuner
with a non-Kenwood radio?

Is it simply a matter of grounding pin 3 on the ACC jack, reducing
output to <50 watts, and hitting the "Tune" button?  What about the
pin 8 connection?  What exactly is that?



From 3839270734670918275
X-Google-Thread: 108122,5e5efb3b0bb637d2,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Mar 2009 18:13:17 -0500
From: donavg <donavg.40b29f6@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HP8551B Contol Cable
Date: Sat, 21 Mar 2009 20:50:55 +0000
Message-ID: <donavg.40b29f6@radiobanter.com>
Organization: RadioBanter.com
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-5lsYQFJmnb2kn48vGhbJZMFL4Vbfl/plTuPbTV1lO49FgtreKUSF+6aRy7ZYK0F/
u8qnBzrZcDM4lmR!tQ2tmZ0EWmxdU+R3fh1tIp7grinkCJ7r/
1p0flWJPrxq01hOmeYTiAFfDNCJS0OOG8qf0haAsuUW!afc=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 6
Xref: g2news1.google.com rec.radio.amateur.equipment:1197

I have an HP 8551B / 851B spectrum analyzer. It's missing the control
cable that connects the display section to the Rf section. I found the
connectors needed to make the cable but can't find the schematic to the
cable.
So I'm wondering if anyone can confirm if this cable is wired pin to
pin. For example pin 1 on one connector is electrically connected to
pin 1 on the other end etc.. all the way to pin 14? Or do any pins
cross over to another number?

I would appreciate any help. Thanks.

Don

--
donavg

From -5220615031147780726
X-Google-Thread: 108122,5e5efb3b0bb637d2
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!f4af025b!not-for-mail
From: "Norm Mann" <folder0735@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <donavg.40b29f6@radiobanter.com>
Subject: Re: HP8551B Contol Cable
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <qQfxl.1404$6%.792@nwrddc01.gnilink.net>
Date: Sun, 22 Mar 2009 00:43:02 GMT
NNTP-Posting-Host: 71.102.225.245
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1237682582 71.102.225.245 (Sat, 21 Mar 2009 20:43:02 EDT)
NNTP-Posting-Date: Sat, 21 Mar 2009 20:43:02 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:1198

"donavg" <donavg.40b29f6@radiobanter.com> wrote in message
news:donavg.40b29f6@radiobanter.com...
>
> I have an HP 8551B / 851B spectrum analyzer. It's missing the control
> cable that connects the display section to the Rf section. I found the
> connectors needed to make the cable but can't find the schematic to the
> cable.
> So I'm wondering if anyone can confirm if this cable is wired pin to
> pin. For example pin 1 on one connector is electrically connected to
> pin 1 on the other end etc.. all the way to pin 14?   Or do any pins
> cross over to another number?
>
> I would appreciate any help. Thanks.
>

I don't know how much this will help, but I have the manual for the 852A
display section, which was also used on the 8551. It shows pins 1 to 10 are
control lines from the 8551 (-24V), pin 11 as -24V, pin 12 as -15V, pin 13
as +15V and pin 14 as ground. Didn't see anything about the cable itself,
but it's supposed to come with the RF section.

HTH,

-NM

From 4027172694653769660
X-Google-Thread: 108122,c363b69cd02dbc54,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp1.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-730 question
Date: Mon, 23 Mar 2009 10:56:54 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Lines: 15
Message-ID: <49c7db79$0$1610$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 23 Mar 2009 18:56:58 GMT
NNTP-Posting-Host: 71740fab.news.sonic.net
X-Trace: DXC=Fbe_M3i@RY[1@?
T@<^RdkUm4K\QM1CV^P1OYf0H`?;XQ:YYNNhiLM^UDO9BX]Yjfc\nn7b?U6V=HZ
X-Complaints-To: abuse@sonic.net

```
Xref: g2news1.google.com rec.radio.amateur.equipment:1199

Just picked up one of these, and solved the preamp relay
problem. I'm not getting anything out on transmit, and its
not drawing much current, In SSB and AM, I can see
normal meter deflection when the meter is in ALC mode,
but no RF.

I've heard that these radios are very sensitive to SWR, and
will shut down the finals, and am wondering if this is causing
a problem.

Comments, suggestions?  TIA
                 Steve
p.s.-yes, I tried transmitting into a load, and I am a ham




From 5859239496487617777
X-Google-Thread: 108122,8d24234382f00322,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v35g2000pro.googlegroups.com!not-for-
mail
From: frumpmyer@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Icom IC-T21A rare HT
Date: Mon, 23 Mar 2009 16:31:47 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <4038cef6-5c1a-4171-a0b0-0a3054ffc70d@v35g2000pro.googlegroups.com>
NNTP-Posting-Host: 97.125.28.159
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1237851107 4992 127.0.0.1 (23 Mar 2009 23:31:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Mar 2009 23:31:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v35g2000pro.googlegroups.com; posting-host=97.125.28.159;
     posting-account=qdl-WwoAAACMWLnGX-nTcGTVhFAXvPqc
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.3)
     Gecko/2008092417 Firefox/3.0.3,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1200

See:
http://search.ebay.com/_W0QQsassZarficus4yoy


From 1875533797863761335
X-Google-Thread: 108122,c363b69cd02dbc54
```

X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx02.iad.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local01.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 24 Mar 2009 08:56:15 -0500
Date: Tue, 24 Mar 2009 06:56:15 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-730 question
References: <49c7db79$0$1610$742ec2ed@news.sonic.net>
In-Reply-To: <49c7db79$0$1610$742ec2ed@news.sonic.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <xd-dnVWN_-3ie1XUnZ2dnUVZ_szinZ2d@earthlink.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.47
X-Trace: sv3-RcCo/
BqeeoGSZvGhkAXDeDnbtfJFZuh6ANFORS00P3zyV6jT4EmEq40sj682MxSwER2L8zeLlKoNWTI!
ovuexwoz+Qu97capy6BbDMQgH85cuaO1QNvzbg5dDwrBt6OYTYCFcGEbB6OMpEq4Ygy5O4FOusav!
+VkfNsaZyeHT4Wsjrz20BohHnxZZPbQ=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1415

Steve wrote:
> Just picked up one of these, and solved the preamp relay
> problem. I'm not getting anything out on transmit, and its
> not drawing much current, In SSB and AM, I can see
> normal meter deflection when the meter is in ALC mode,
> but no RF.
>
> I've heard that these radios are very sensitive to SWR, and
> will shut down the finals, and am wondering if this is causing
> a problem.
>
> Comments, suggestions? TIA
>   Steve
> p.s.-yes, I tried transmitting into a load, and I am a ham
>
>

Is there a "Carrier" knob?

```
From -4338942898908856044
X-Google-Thread: 108228,53714fc3257473a9
X-Google-Thread: 108122,7b48843435696e18,start
X-Google-Attributes: gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!feeder.news-service.com!newsfeed.xs4all.nl!
newsfeed5.news.xs4all.nl!xs4all!news.wiretrip.org!news.dizum.com!sewer-output!
mail2news-x2!mail2news
From: observer <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: Re: FA: WORKMAN SX-144/430 SWR-Wattmeter
References: <71c96b26da4b3a2b945bd7a5acbbce96@pseudo.borked.net>
Message-ID: <602b778c96bb7138b2e9791b4597b97a@pseudo.borked.net>
Date: Tue, 24 Mar 2009 09:06:36 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:482
rec.radio.amateur.equipment:1202

In article
<71c96b26da4b3a2b945bd7a5acbbce96@pseudo.borked.net>
observer <nob...@pseudo.borked.net> wrote:
>
> atu.ca/SWR_Wattmeter

Correct link: http://atu.ca/SWR_Wattmeter




From 9097939963374773734
X-Google-Thread: 114aac,d0d9b79949dc849e
X-Google-Thread: 1109af,c921c5310aab7d0e,start
X-Google-Thread: 108778,c921c5310aab7d0e,start
X-Google-Thread: 108122,c921c5310aab7d0e,start
X-Google-Thread: 10b9c8,c921c5310aab7d0e,start
X-Google-Attributes:
gid114aac,gid1109af,gid108778,gid108122,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!news-
out.readnews.com!transit3.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: "~ RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.swap,alt.radio.amateur,rec.radio.amateur.equipment,r
ec.radio.info
Subject: INFO : Radio Hobby NewsGroups Active and Dead
Followup-To:
rec.radio.shortwave,rec.radio.swap,alt.radio.amateur,rec.radio.amateur.equipment
Date: Sat, 28 Mar 2009 18:17:20 EDT
Organization: http://groups.google.com
Lines: 110
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <09f2aa81-729a-4a06-808c-449dc59f9790@i28g2000prd.googlegroups.com>
```

```
References: <78GdnaKZDN7aulPUnZ2dnUVZ_s7inZ2d@earthlink.com>
NNTP-Posting-Host: panix6.panix.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: reader1.panix.com 1238278640 16055 166.84.1.6 (28 Mar 2009 22:17:20 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 28 Mar 2009 22:17:20 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
Complaints-To: groups-abuse@google.com
Injection-Info: i28g2000prd.googlegroups.com; posting-host=69.110.72.30;
     posting-account=sXdt0QkAAADnWX7qexSpwEu6RhprtPN6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.7)
     Gecko/2009021910 Firefox/3.0.7,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.shortwave:30486 rec.radio.swap:1469
alt.radio.amateur:119 rec.radio.amateur.equipment:1204 rec.radio.info:580
```

On Mar 28, 6:33 am, dave <d...@dave.dave> wrote:

- No Posts:

Dave - Many/Most 'Look' Active To Me ~ RHF

- rec.radio.amateur
Try : Rec.Radio.Amateur.Moderated [Active and Moderated]
http://groups.google.com/group/rec.radio.amateur.moderated/

- rec.radio.antenna
* Try : Rec.Radio.Amateur.Antenna [Active]
http://groups.google.com/group/rec.radio.amateur.antenna/
.
- rec.radio.amateur.equipment (Active)
http://groups.google.com/group/rec.radio.amateur.equipment/
.
- The antenna board is usually very active.
http://groups.google.com/group/rec.radio.amateur.antenna/about
Seams to have Averaged close too 1000 Posts
each Month of 2008; and has around 700 Posts
per Month for 2009; which is roughly 20+ a Day.
.
.
USENET : REC / RADIO / AMATEUR {"REC" Groups}

http://groups.google.com/groups/dir?sel=usenet%3Drec.radio.amateur
rec.radio.amateur.antenna. (Active)
rec.radio.amateur.boatanchors. (Active)
rec.radio.amateur.digital. (Last Post 2004)
* rec.radio.amateur.digital.misc (Active)
rec.radio.amateur.dx. (Active)
rec.radio.amateur.equipment. (Active)
rec.radio.amateur.homebrew. (Active)
rec.radio.amateur.misc. (Active)
rec.radio.amateur.moderated. (Active & Moderated)
rec.radio.amateur.packet. (Last Post 2004)
rec.radio.amateur.policy. (Active)
rec.radio.amateur.space. (Active)
rec.radio.amateur.swap. (Last Post 2005)
-see- rec.radio.swap. (Active)
http://groups.google.com/group/rec.radio.swap/
 .
Check under REC / RADIO {Non-Amateur}
http://groups.google.com/groups/dir?sel=usenet%3Drec.radio
 .
rec.radio.broadcasting. {Last Post OCT 2008)
http://groups.google.com/group/rec.radio.broadcasting/
 .
rec.radio.cb (Active)
http://groups.google.com/group/rec.radio.cb/
 .
rec.radio.commercial-lmr (Last Post 2003)
http://groups.google.com/group/rec.radio.commercial-lmr/
 .
rec.radio.info (Active)
http://groups.google.com/group/rec.radio.info/
 .
rec.radio.noncomm (Active)
http://groups.google.com/group/rec.radio.noncomm/
 .
rec.radio.scanner (Active)
http://groups.google.com/group/rec.radio.scanner/
 .
rec.radio.shortwave (Active)
http://groups.google.com/group/rec.radio.shortwave/
 .
rec.radio.swap. (Active)
http://groups.google.com/group/rec.radio.swap/
 .
 .
USENET : ALT / RADIO
{There are some more Radio Groups in "ALT"' Class}
http://groups.google.com/groups/dir?sel=usenet%3Dalt.radio
alt.radio.amateur. (3)
* alt.radio.amateur (Active)
http://groups.google.com/group/alt.radio.amateur/
alt.radio.broadcasting. (2)
alt.radio.cb. (1)

```
alt.radio.college. (1)
alt.radio.commercials. (1)
alt.radio.digital. (1)
alt.radio.family. (1)
alt.radio.free. (2)
alt.radio.george-noory. (1)
alt.radio.highschool. (1)
alt.radio.international. (1)
* alt.radio.international. (Active) ?Shortwave?
http://groups.google.com/group/alt.radio.international/
alt.radio.internet. (3)
alt.radio.networks. (3)
alt.radio.oldtime. (1)
* alt.radio.oldtime. (Active)
http://groups.google.com/group/alt.radio.oldtime/
alt.radio.online-tonight. (1)
alt.radio.parg. (1)
alt.radio.paul-harvey. (1)
alt.radio.pirate. (1)
* alt.radio.pirate. (Active)
http://groups.google.com/group/alt.radio.pirate/
alt.radio.satellite. (1)
alt.radio.scanner. (4)
alt.radio.stations. (1)
alt.radio.talk. (4)
* alt.radio.talk. (Active)
http://groups.google.com/group/alt.radio.talk/
alt.radio.uk. (3)
alt.radio.whadya-know. (1)
alt.radio.wktu. (1)
 .



From 8558934259679697133
X-Google-Thread: 108122,367a3b836eef7ebc,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!42g2000yqk.googlegroups.com!not-for-
mail
From: sawman02@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: F/S VERY LARGE Log Periodic antennas
Date: Sat, 28 Mar 2009 17:15:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <f3cc7232-ef42-4166-8f6f-444020825b46@42g2000yqk.googlegroups.com>
NNTP-Posting-Host: 67.80.174.207
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1238285734 3509 127.0.0.1 (29 Mar 2009 00:15:34 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Sun, 29 Mar 2009 00:15:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 42g2000yqk.googlegroups.com; posting-host=67.80.174.207;
     posting-account=6WGPegkAAADfEiCmyH-GEIoZZGyER6c1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; AskTB5.2),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1419
```

This antenna is, in fact, a system of two Log Periodic antennas. The Mirage/KLM C6-12-8 and the Mirage/KLM 10-30-7. When installed on one tower and fed in series with one 50 ohm feed line, the system becomes the Mirage/KLM C6-30-15-LPA. This scheme offers several advantages. Performance of the system is equal to an antenna with a 76 foot long boom. In addition the two antennas can be mounted on separate towers and/or fed with separate feed lines for even greater flexibility with no loss of performance.

Specifications:

```
   Frequency of operation:           6 to 30 MHZ

   Elements of system:      15

   Element length (Max):         48 feet

   Gain:               5.5 dBd minimum to 8.0 dBd

   Front to back:           15.0 dB typical

   Feed Impedance:          50 ohms unbalanced (Use 4 4:1 Baluns)

   Boom Length:             C6-12-8 = 46 FT.
                   C10-30-7 = 30 FT.

  Turning Radius:           33.0 Ft
```

Asking $500.00

Please e-mail any questions to w2npt@arrl.net THIS ANTENNA SYSTEM IS ON THE GROUND READY FOR PICK UP ONLY IN NORTHERN NEW JERSEY

```
From 941755012993812538
X-Google-Thread: 114aac,d0d9b79949dc849e
X-Google-Thread: 1109af,c921c5310aab7d0e
X-Google-Thread: 108778,c921c5310aab7d0e
X-Google-Thread: 108122,c921c5310aab7d0e
X-Google-Attributes:
gid114aac,gid1109af,gid108778,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
```

```
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Mar 2009 23:26:48 -0500
Message-ID: <49CEF88B.3010404@dave.dave>
Date: Sat, 28 Mar 2009 21:26:51 -0700
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.swap,alt.radio.amateur,rec.radio.amateur.equipment
To: ~ RHF <rhf-newsgroups@pacbell.net>
Subject: Re: INFO : Radio Hobby NewsGroups Active and Dead
References: <78GdnaKZDN7aulPUnZ2dnUVZ_s7inZ2d@earthlink.com>
<09f2aa81-729a-4a06-808c-449dc59f9790@i28g2000prd.googlegroups.com>
In-Reply-To: <09f2aa81-729a-4a06-808c-449dc59f9790@i28g2000prd.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 112
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.115
X-Trace: sv3-BEkdnJZqJFaF+pXZLQSgHJK7mZTxdPONCGoGU7SQp3azX6UY+qQ6ACKd/
BKrTTXboFXCDlqkiqLJzVX!
f1Hs25+nvOwgmYUQGOczNHxIuLLFcqPb4CU6t4vrFpiezS3yOVITJ22HJ0kqGHyvVL+DakY/vzRA!
KiNVog==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 5011
Xref: g2news1.google.com rec.radio.shortwave:30528 rec.radio.swap:1472
alt.radio.amateur:120 rec.radio.amateur.equipment:1206

~ RHF wrote:
> On Mar 28, 6:33 am, dave <d...@dave.dave> wrote:
>
> - No Posts:
>
> Dave - Many/Most 'Look' Active To Me ~ RHF
>
> - rec.radio.amateur
> Try : Rec.Radio.Amateur.Moderated [Active and Moderated]
> http://groups.google.com/group/rec.radio.amateur.moderated/
>
> - rec.radio.antenna
> * Try : Rec.Radio.Amateur.Antenna [Active]
> http://groups.google.com/group/rec.radio.amateur.antenna/
>  .
> - rec.radio.amateur.equipment (Active)
> http://groups.google.com/group/rec.radio.amateur.equipment/
>  .
> - The antenna board is usually very active.
> http://groups.google.com/group/rec.radio.amateur.antenna/about
> Seams to have Averaged close too 1000 Posts
> each Month of 2008; and has around 700 Posts
> per Month for 2009; which is roughly 20+ a Day.
>  .
>  .
> USENET : REC / RADIO / AMATEUR {"REC" Groups}
> http://groups.google.com/groups/dir?sel=enet%3Drec.radio.amateur
> rec.radio.amateur.antenna. (Active)
> rec.radio.amateur.boatanchors. (Active)
> rec.radio.amateur.digital. (Last Post 2004)
> * rec.radio.amateur.digital.misc (Active)
> rec.radio.amateur.dx. (Active)
> rec.radio.amateur.equipment. (Active)
> rec.radio.amateur.homebrew. (Active)
> rec.radio.amateur.misc. (Active)
> rec.radio.amateur.moderated. (Active & Moderated)
> rec.radio.amateur.packet. (Last Post 2004)
> rec.radio.amateur.policy. (Active)
> rec.radio.amateur.space. (Active)
> rec.radio.amateur.swap. (Last Post 2005)
> -see- rec.radio.swap. (Active)
> http://groups.google.com/group/rec.radio.swap/
>  .
> Check under REC / RADIO {Non-Amateur}
> http://groups.google.com/groups/dir?sel=enet%3Drec.radio
>  .
> rec.radio.broadcasting. {Last Post OCT 2008)
> http://groups.google.com/group/rec.radio.broadcasting/
>  .
> rec.radio.cb (Active)
> http://groups.google.com/group/rec.radio.cb/
>  .
> rec.radio.commercial-lmr (Last Post 2003)
> http://groups.google.com/group/rec.radio.commercial-lmr/
>  .
> rec.radio.info (Active)
> http://groups.google.com/group/rec.radio.info/
>  .
> rec.radio.noncomm (Active)
> http://groups.google.com/group/rec.radio.noncomm/
>  .
> rec.radio.scanner (Active)
> http://groups.google.com/group/rec.radio.scanner/
>  .
> rec.radio.shortwave (Active)
> http://groups.google.com/group/rec.radio.shortwave/
>  .
> rec.radio.swap. (Active)
> http://groups.google.com/group/rec.radio.swap/
>  .
>  .
> USENET : ALT / RADIO
> {There are some more Radio Groups in "ALT"' Class}
> http://groups.google.com/groups/dir?sel=enet%3Dalt.radio
> alt.radio.amateur.  (3)
> * alt.radio.amateur (Active)
> http://groups.google.com/group/alt.radio.amateur/
> alt.radio.broadcasting. (2)
> alt.radio.cb. (1)
> alt.radio.college. (1)
> alt.radio.commercials. (1)
> alt.radio.digital. (1)
> alt.radio.family. (1)
> alt.radio.free. (2)
> alt.radio.george-noory. (1)
> alt.radio.highschool. (1)
> alt.radio.international. (1)
> * alt.radio.international. (Active) ?Shortwave?
> http://groups.google.com/group/alt.radio.international/
> alt.radio.internet. (3)
> alt.radio.networks. (3)
> alt.radio.oldtime. (1)
> * alt.radio.oldtime. (Active)
> http://groups.google.com/group/alt.radio.oldtime/
> alt.radio.online-tonight. (1)
> alt.radio.parg. (1)
> alt.radio.paul-harvey. (1)
> alt.radio.pirate. (1)
> * alt.radio.pirate. (Active)
> http://groups.google.com/group/alt.radio.pirate/
> alt.radio.satellite. (1)
> alt.radio.scanner. (4)
> alt.radio.stations. (1)
> alt.radio.talk. (4)
> * alt.radio.talk. (Active)
> http://groups.google.com/group/alt.radio.talk/
> alt.radio.uk. (3)
> alt.radio.whadya-know. (1)
> alt.radio.wktu. (1)
>  .
>
Thanks, Roy!


From -984338893522159219
X-Google-Thread: 114aac,d0d9b79949dc849e
X-Google-Thread: 1109af,c921c5310aab7d0e
X-Google-Thread: 108778,c921c5310aab7d0e
X-Google-Thread: 108122,c921c5310aab7d0e
X-Google-Attributes:
gid114aac,gid1109af,gid108778,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Mar 2009 23:27:03 -0500
Date: Sat, 28 Mar 2009 21:27:05 -0700
From: dave <dave@dave.dave>
```

```
User-Agent: Thunderbird 2.0.0.21 (X11/20090318)
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.swap,alt.radio.amateur,rec.radio.amateur.equipment
Subject: Re: INFO : Radio Hobby NewsGroups Active and Dead
References: <78GdnaKZDN7aulPUnZ2dnUVZ_s7inZ2d@earthlink.com>
<09f2aa81-729a-4a06-808c-449dc59f9790@i28g2000prd.googlegroups.com>
In-Reply-To: <09f2aa81-729a-4a06-808c-449dc59f9790@i28g2000prd.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_fydnY6_7LMKZVPUnZ2dnUVZ_r3inZ2d@earthlink.com>
Lines: 112
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.115
X-Trace:
sv3-6xaABxwHwjXw1y8ID9Szd9sgo2BxPYT5wjlyc5YB2MGXeXwFx+aV7meQcEbRtraxQtRfaTFxvQmfGp
C!eY+/WEa29ShGpHqMSVjGBRl5w3lTcrs61wTjie3IItl2uMUuR5/zDvor4sUL7ONTZL6bEEG0kQWl!
WhXoTBkeDc3YIvrDflVDKqLJPa4BpAAo
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 5015
Xref: g2news1.google.com rec.radio.shortwave:30529 rec.radio.swap:1473
alt.radio.amateur:121 rec.radio.amateur.equipment:1207

~ RHF wrote:
> On Mar 28, 6:33 am, dave <d...@dave.dave> wrote:
>
> - No Posts:
>
> Dave - Many/Most 'Look' Active To Me ~ RHF
>
> - rec.radio.amateur
> Try : Rec.Radio.Amateur.Moderated [Active and Moderated]
> http://groups.google.com/group/rec.radio.amateur.moderated/
>
> - rec.radio.antenna
> * Try : Rec.Radio.Amateur.Antenna [Active]
> http://groups.google.com/group/rec.radio.amateur.antenna/
>  .
> - rec.radio.amateur.equipment (Active)
> http://groups.google.com/group/rec.radio.amateur.equipment/
>  .
> - The antenna board is usually very active.
> http://groups.google.com/group/rec.radio.amateur.antenna/about
> Seams to have Averaged close too 1000 Posts
> each Month of 2008; and has around 700 Posts
> per Month for 2009; which is roughly 20+ a Day.
>  .
>  .
> USENET : REC / RADIO / AMATEUR {"REC" Groups}
> http://groups.google.com/groups/dir?sel=enet%3Drec.radio.amateur
> rec.radio.amateur.antenna. (Active)
> rec.radio.amateur.boatanchors. (Active)
> rec.radio.amateur.digital. (Last Post 2004)
> * rec.radio.amateur.digital.misc (Active)
> rec.radio.amateur.dx. (Active)
> rec.radio.amateur.equipment. (Active)
> rec.radio.amateur.homebrew. (Active)
> rec.radio.amateur.misc. (Active)
> rec.radio.amateur.moderated. (Active & Moderated)
> rec.radio.amateur.packet. (Last Post 2004)
> rec.radio.amateur.policy. (Active)
> rec.radio.amateur.space. (Active)
> rec.radio.amateur.swap. (Last Post 2005)
> -see- rec.radio.swap. (Active)
> http://groups.google.com/group/rec.radio.swap/
>  .
> Check under REC / RADIO {Non-Amateur}
> http://groups.google.com/groups/dir?sel=enet%3Drec.radio
>  .
> rec.radio.broadcasting. {Last Post OCT 2008)
> http://groups.google.com/group/rec.radio.broadcasting/
>  .
> rec.radio.cb (Active)
> http://groups.google.com/group/rec.radio.cb/
>  .
> rec.radio.commercial-lmr (Last Post 2003)
> http://groups.google.com/group/rec.radio.commercial-lmr/
>  .
> rec.radio.info (Active)
> http://groups.google.com/group/rec.radio.info/
>  .
> rec.radio.noncomm (Active)
> http://groups.google.com/group/rec.radio.noncomm/
>  .
> rec.radio.scanner (Active)
> http://groups.google.com/group/rec.radio.scanner/
>  .
> rec.radio.shortwave (Active)
> http://groups.google.com/group/rec.radio.shortwave/
>  .
> rec.radio.swap. (Active)
> http://groups.google.com/group/rec.radio.swap/
>  .
>  .
> USENET : ALT / RADIO
> {There are some more Radio Groups in "ALT"' Class}
> http://groups.google.com/groups/dir?sel=enet%3Dalt.radio
> alt.radio.amateur.  (3)
> * alt.radio.amateur (Active)
> http://groups.google.com/group/alt.radio.amateur/
> alt.radio.broadcasting. (2)
> alt.radio.cb. (1)
> alt.radio.college. (1)
> alt.radio.commercials. (1)
> alt.radio.digital. (1)
> alt.radio.family. (1)
> alt.radio.free. (2)
> alt.radio.george-noory. (1)
> alt.radio.highschool. (1)
> alt.radio.international. (1)
> * alt.radio.international. (Active) ?Shortwave?
> http://groups.google.com/group/alt.radio.international/
> alt.radio.internet. (3)
> alt.radio.networks. (3)
> alt.radio.oldtime. (1)
> * alt.radio.oldtime. (Active)
> http://groups.google.com/group/alt.radio.oldtime/
> alt.radio.online-tonight. (1)
> alt.radio.parg. (1)
> alt.radio.paul-harvey. (1)
> alt.radio.pirate. (1)
> * alt.radio.pirate. (Active)
> http://groups.google.com/group/alt.radio.pirate/
> alt.radio.satellite. (1)
> alt.radio.scanner. (4)
> alt.radio.stations. (1)
> alt.radio.talk. (4)
> * alt.radio.talk. (Active)
> http://groups.google.com/group/alt.radio.talk/
> alt.radio.uk. (3)
> alt.radio.whadya-know. (1)
> alt.radio.wktu. (1)
>  .
>
Thanks, Roy!


From 3612935222025940755
X-Google-Thread: 108122,bf9b70033e5050b5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews8.bellsouth.net.POSTED!7d816c7a!
not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <Tzdwl.993$SU3.504@nwrddc02.gnilink.net>
Subject: Re: ICOM 91AD
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <MM_zl.22065$i9.2446@bignews8.bellsouth.net>
```

X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbohggbmkodckcccklkgbdiglpkjmcgijocpo
pbfknjibenhinflkmcmhmaajhblekfoapdjinoploeaipiflcapcghliogogcknimnploccabjmioa
NNTP-Posting-Date: Mon, 30 Mar 2009 03:45:48 EDT
Organization: BellSouth Internet Group
Date: Mon, 30 Mar 2009 02:48:57 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1422

Certainly a waste of my $$$
Most irratating flaw is that the volume knob is always getting
bumped and does not lock in position so often the rig is on
but no sound. You woud THINK after so many years of
making radios they could do a bit better on the interface to
people. Been a real pain in the can. I go for a scoping
next week ... maybe the Dr can remove that pain too. :)

K4TWO   Gary   73

"MarcusV" <nospam@nospam.net> wrote in message
news:Tzdwl.993$SU3.504@nwrddc02.gnilink.net...
> Worth the extra $$$ @ $369.99?
>
> D-Star technology worth having or would I be better off with a simularly
> priced handheld w/o the D-Star but other features instead?
>
> tis
>

From -6835557650035825296
X-Google-Thread: 108122,46bb4aa181d13830
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
bigfeed2.bellsouth.net!news.bellsouth.net!border2.nntp.dca.giganews.com!
nntp.giganews.com!backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 31 Mar 2009 17:13:26 -0500
From: radiotech315 <radiotech315.4184ae6@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Maxon TM-4800 programming
Date: Tue, 31 Mar 2009 20:23:06 +0100
Message-ID: <radiotech315.4184ae6@radiobanter.com>
Organization: RadioBanter.com
References: <captain945.3f36ef5@radiobanter.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-2rW0k1oIy7/BgEWp+Qo/
3tlkWlayp95L6vC1qLghPGD4mrI4sCzXFN4C79e5NZ6oIIQd//LALrKYH+/!kk04cVtd6bA/

WWnlmcOHLPoz5LHjP68ZAHqkqTtM7rGolgiuhpDO3NItXBdJM2Ug6jedZLsSzPE+!7A+2SM4ZN4s=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 5
Xref: g2news2.google.com rec.radio.amateur.equipment:1423

have 2-tm-4800--4 rapid rate chargers-2 old batteries-1 leather case-many belt clips-1-new in box programmer 1-used programmer-1 original software 5.25 disk-1 copy of software on 3.5 disk-1 original programming manual-1 original service manual-1-original operating instruction manual-all for $200.00

pls e-mail me with name and phone number to
radioREMOVEtech315atyahoo.com
and i will call you-remove remove and change at to @ in address
your location is not that far from me-DO NOT PUT PERSONAL INFO ON THIS FORUM

--
radiotech315

From 3479106555225718146
X-Google-Thread: 108122,f662503da6658bee,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!backlog2.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 01 Apr 2009 12:45:14 -0500
From: "Bob D." <bobbyd849@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Spectrum Scopes
Date: Wed, 1 Apr 2009 13:45:16 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <XaOdnRWaHOW3NU7UnZ2dnUVZ_uSdnZ2d@giganews.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-VJTqEnyMqufhNZpor01Ai5eTouAgVfyjDd936PU9F0werlFkRibBSCRcWLV5Ru+yOJPcjJkgQhadUJG!IFAz0qQiqET8bcgcpXH6Pl/88LIwvfBfDqlDaSYysLREdzIbM/L2LWQgERjgvMG934jvh6caVu0=
X-Complaints-To: abuse@giganews.com

```
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Bytes: 1427
Xref: g2news1.google.com rec.radio.amateur.equipment:1210
```

My current HF rig is a Kenwood TS-570S. I'm very satisfied with it, but I have an itch for a spectrum scope. I would like to hear comments from users of spectrum scopes, and recommendations for rigs with spectum scopes. I don't need the ultimate power-user DX rig, but I am willing to pay a premium for the scope feature.

Bob ND9B

```
From 4690141392140269234
X-Google-Thread: 108122,f662503da6658bee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!7d816c7a!
not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <XaOdnRWaHOW3NU7UnZ2dnUVZ_uSdnZ2d@giganews.com>
Subject: Re: Spectrum Scopes
Lines: 52
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <RVQAl.23509$v8.12171@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcboaigcjmlbdbbijkaajeefhpcphchenfibkd
npgenfjphpaiejcppkdaghbdahifncpegepkeljhdocageackejcngfonkpiedcaaibdilgclgdhoj
NNTP-Posting-Date: Wed, 01 Apr 2009 17:21:53 EDT
Organization: BellSouth Internet Group
Date: Wed, 1 Apr 2009 16:29:29 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1425
```

I use an Icom Pro III. I didn't try to compare any of the rigs with "band scopes"
but having used real spectrum analyzers I was a bit disappointed that the

band
width (resoloution) was fixed, you could change the range of frequencies the
sweep
would span but there was also no way to change the sweep rate.   To check
any kind
of close signals the indicator is worthless. It is also worthless to check
the
band spread of a signal.   but then you have to pay big bucks for a real
analyzer. It does show the abusers who tune up and dial across the whole
ham band back and forth. Usually the over power limit hams with too much
money for amps and not enough courtesy to be worth working..

IMHO///
I cant say for sure, but I would guess this would be a common short coming
of
all the "band scopes" cost being the factor for doing every thing a real
analyzer does,
They simply don't have the design to see what is shown for example
transmitters with
a spurious signal close to the desired frequency. That is the picture that
is often show
on spec' sheets.

Google   arrl spectrum analyzer display   and wander around to view
any display
examples and most will not be the same as the band scope displays

Good luck

K4TWO   Gary   73

"Bob D." <bobbyd849@comcast.net> wrote in message
news:XaOdnRWaHOW3NU7UnZ2dnUVZ_uSdnZ2d@giganews.com...
> My current HF rig is a Kenwood TS-570S. I'm very satisfied with it, but I
> have an itch for a spectrum scope. I would like to hear comments from
> users
> of spectrum scopes, and recommendations for rigs with spectum scopes. I
> don't need the ultimate power-user DX rig, but I am willing to pay a
> premium
> for the scope feature.
>
> Bob ND9B
>
>
>
>

From -3351370166375422775
X-Google-Thread: 108122,f662503da6658bee

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.litech.org!not-for-
mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum Scopes
Date: Wed, 1 Apr 2009 16:36:29 -0500
Organization: Litech Systems Design
Lines: 42
Sender: mikea@mikea.ath.cx
Approved: YouBetcherArse@example.com
Message-ID: <tb3da6-0dk2.ln1@mikea.ath.cx>
References: <XaOdnRWaHOW3NU7UnZ2dnUVZ_uSdnZ2d@giganews.com>
<RVQAl.23509$v8.12171@bignews5.bellsouth.net>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1238621894 26463 70.164.65.62 (1 Apr 2009 21:38:14 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Wed, 1 Apr 2009 21:38:14 +0000 (UTC)
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news1.google.com rec.radio.amateur.equipment:1212

Mr Fed UP <mrfedup@bellsouth.net> wrote in
<RVQAl.23509$v8.12171@bignews5.bellsouth.net>:
> I use an Icom Pro III. I didn't try to compare any of the rigs with "band
> scopes"
> but having used real spectrum analyzers I was a bit disappointed that the
> band
> width (resoloution) was fixed, you could change the range of frequencies the
> sweep
> would span but there was also no way to change the sweep rate.   To check
> any kind
> of close signals the indicator is worthless. It is also worthless to check
> the
> band spread of a signal.   but then you have to pay big bucks for a real
> analyzer.  It does show the abusers who tune up and dial across the whole
> ham band back and forth.  Usually the over power limit hams with too much
> money for amps and not enough courtesy to be worth working..
>
> IMHO///
> I cant say for sure, but I would guess this would be a common short coming
> of
> all the "band scopes"  cost being the factor for doing every thing a real
> analyzer does,
> They simply don't have the design to see what is shown for example
> transmitters with
> a spurious signal close to the desired frequency.  That is the picture that
> is often show
> on spec' sheets.
>
> Google        arrl spectrum analyzer display       and wander around to view
> any display
> examples and most will not be the same as the band scope displays
```

I thought about the problem myself a year or so ago, and spent $400
(more or less) on an SDR-IP Software-Defined Receiver from RFSpace
Inc. It makes a rather nice bandscope and spectrum analyzer, though
I'm limited to 190 KHz max bandwidth. It is nice to be able to see,
say, all the CW portion of 80m or 40m or 17m or whatnot at a time

Not a bad RX in other repects, too.

--
Objective-C++: Trying to find out exactly how many wrongs _do_ make
a right -- David Richerby

From -3603543216043404734
X-Google-Thread: 108122,f662503da6658bee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.litech.org!not-for-mail
From: mikea <mikea@mikea.ath.cx>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum Scopes
Supersedes: <tb3da6-0dk2.ln1@mikea.ath.cx>
Date: Wed, 1 Apr 2009 16:41:39 -0500
Organization: Litech Systems Design
Lines: 42
Sender: mikea@mikea.ath.cx
Approved: YouBetcherArse@example.com
Message-ID: <jl3da6-0dk2.ln1@mikea.ath.cx>
References: <XaOdnRWaHOW3NU7UnZ2dnUVZ_uSdnZ2d@giganews.com>
<RVQAl.23509$v8.12171@bignews5.bellsouth.net>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1238622135 26923 70.164.65.62 (1 Apr 2009 21:42:15 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Wed, 1 Apr 2009 21:42:15 +0000 (UTC)
User-Agent: tin/1.8.3-20070201 ("Scotasay") (UNIX) (FreeBSD/7.1-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:1427

Mr Fed UP <mrfedup@bellsouth.net> wrote in
<RVQAl.23509$v8.12171@bignews5.bellsouth.net>:
> I use an Icom Pro III. I didn't try to compare any of the rigs with "band
> scopes"
> but having used real spectrum analyzers I was a bit disappointed that the
> band
> width (resoloution) was fixed, you could change the range of frequencies the
> sweep
> would span but there was also no way to change the sweep rate.   To check
> any kind
> of close signals the indicator is worthless. It is also worthless to check
> the
> band spread of a signal.   but then you have to pay big bucks for a real
> analyzer. It does show the abusers who tune up and dial across the whole

> ham band back and forth. Usually the over power limit hams with too much
> money for amps and not enough courtesy to be worth working..
>
> IMHO///
> I cant say for sure, but I would guess this would be a common short coming
> of
> all the "band scopes" cost being the factor for doing every thing a real
> analyzer does,
> They simply don't have the design to see what is shown for example
> transmitters with
> a spurious signal close to the desired frequency. That is the picture that
> is often show
> on spec' sheets.
>
> Google   arrl spectrum analyzer display   and wander around to view
> any display
> examples and most will not be the same as the band scope displays

I thought about the problem myself a year or so ago, and spent $400
(more or less) on an SDR-IQ Software-Defined Receiver from RFSpace
Inc. It makes a rather nice bandscope and spectrum analyzer, though
I'm limited to 190 KHz max bandwidth. It is nice to be able to see,
say, all the CW portion of 80m or 40m or 17m or whatnot at a time

Not a bad RX in other repects, too.

--
Objective-C++: Trying to find out exactly how many wrongs _do_ make
a right -- David Richerby

From -9031318341740385466
X-Google-Thread: 108122,f662503da6658bee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!8c40745b!not-for-mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <XaOdnRWaHOW3NU7UnZ2dnUVZ_uSdnZ2d@giganews.com>
Subject: Re: Spectrum Scopes
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <mMTAl.1022$Q52.492@nwrddc02.gnilink.net>
Date: Thu, 02 Apr 2009 00:36:34 GMT
NNTP-Posting-Host: 96.235.95.13

X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1238632594 96.235.95.13 (Wed, 01 Apr 2009 20:36:34 EDT)
NNTP-Posting-Date: Wed, 01 Apr 2009 20:36:34 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1428

"Bob D." <bobbyd849@comcast.net> wrote in message
news:XaOdnRWaHOW3NU7UnZ2dnUVZ_uSdnZ2d@giganews.com...
> My current HF rig is a Kenwood TS-570S. I'm very satisfied with it, but I
> have an itch for a spectrum scope. I would like to hear comments from
> users
> of spectrum scopes, and recommendations for rigs with spectum scopes. I
> don't need the ultimate power-user DX rig, but I am willing to pay a
> premium
> for the scope feature.
>
> Bob ND9B
>

Hi Bob,
The newer 7800, 7700 and 7600 have variable sweep rates and much better RBW-100Hz on the 7600 I recall.

The best solution is to buy the SDR-IQ and the IF-2000 board and tap off before the PRO NB

Dale W4OP

From 5925388157043214111
X-Google-Thread: 108122,f662503da6658bee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!tr22g12.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum Scopes
Date: Thu, 02 Apr 2009 13:02:39 -0400
Organization: Penn State University, Academic Services and Emerging Technology
Lines: 27
Message-ID: <gr2r4d$9s74$1@tr22n12.aset.psu.edu>
References: <XaOdnRWaHOW3NU7UnZ2dnUVZ_uSdnZ2d@giganews.com> <mMTAl.1022$Q52.492@nwrddc02.gnilink.net>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: tr22n12.aset.psu.edu 1238691789 323812 128.118.40.78 (2 Apr 2009 17:03:09 GMT)
X-Complaints-To: usenet@tr22n12.aset.psu.edu

```
NNTP-Posting-Date: Thu, 2 Apr 2009 17:03:09 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.21 (Macintosh/20090302)
In-Reply-To: <mMTAl.1022$Q52.492@nwrddc02.gnilink.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:1215

Dale Parfitt wrote:
> "Bob D." <bobbyd849@comcast.net> wrote in message
> news:XaOdnRWaHOW3NU7UnZ2dnUVZ_uSdnZ2d@giganews.com...
>> My current HF rig is a Kenwood TS-570S. I'm very satisfied with it, but I
>> have an itch for a spectrum scope. I would like to hear comments from
>> users
>> of spectrum scopes, and recommendations for rigs with spectum scopes. I
>> don't need the ultimate power-user DX rig, but I am willing to pay a
>> premium
>> for the scope feature.
>>
>> Bob ND9B
>>
> Hi Bob,
> The newer 7800, 7700 and 7600 have variable sweep rates and much better RBW-
> 100Hz on the 7600 I recall.
>
> The best solution is to buy the SDR-IQ and the IF-2000 board and tap off
> before the PRO NB

The band scope is a pretty cool addition within it's limitations. It
certainly isn't a spectrum analyzer, but then that isn't what it is
designed for. They are handy for seeing activity mostly. The IC-756 III
is a really nice one. The top end rigs with scopes have some more
features, but what a price tag.

     - 73 de Mike N3LI -



From -1632227742888224246
X-Google-Thread: 1109af,171c71f60dfe23b9,start
X-Google-Thread: fc8b1,171c71f60dfe23b9,start
X-Google-Thread: 10eb1b,171c71f60dfe23b9,start
X-Google-Thread: 108122,171c71f60dfe23b9,start
X-Google-Attributes:
gid1109af,gidfc8b1,gid10eb1b,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
feeder.news-service.com!newsfeed.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!mail2news-
x2!mail2news
From: rrsrrab <nobody@pseudo.borked.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,tx.forsale,rec.radio.amateur.equipmen
t
Subject: FA: DENTRON GLA-1000 linear amplifier
Message-ID: <deaa2054b50c7aba868a76c96168c4a8@pseudo.borked.net>
Date: Fri,  3 Apr 2009 08:11:09 -0600 (MDT)
```

Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:1491 rec.radio.amateur.boatanchors:2294
tx.forsale:571 rec.radio.amateur.equipment:1216

http://xrl.us/DentronGLA1000

From 8626369128565013010
X-Google-Thread: 108122,51d01e4ac173711c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx02.iad.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
backlog2.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 03 Apr 2009 11:14:23 -0500
From: sivaram <sivaram.41beb08@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Spare parts
Date: Fri, 3 Apr 2009 13:29:56 +0100
Message-ID: <sivaram.41beb08@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-yZPl9dAtoEUETLx9BHbQ8a62SbQLaPxICQAO3YeTlBlmH5/6V/
N70tO56Onmn2WuC4ibcxzynWNKa9C!9fGxCD2nP//
qUXUQ0Vg+Tx9YozkeAsDVjgn2pk2+g8wZ0KOE1s4i//WC3/rTyxl3w0PF277xxT4i!HPNw
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 2
X-Original-Bytes: 1101
Xref: g2news1.google.com rec.radio.amateur.equipment:1217

We do MW, FM and SW transmitter spare parts.
We also do Sony broadcast equipments spares and Post production
equipments and Radio links etc.

--
sivaram

From -3589881369144464758

```
X-Google-Thread: 108122,51d01e4ac173711c
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
news2.arglkargh.de!news.musoftware.de!wum.musoftware.de!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: Spam Trappe <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spare parts
Date: 3 Apr 2009 22:04:34 GMT
Lines: 21
Message-ID: <slrngtd1vi.139g.bit-bucket@shell.config.com>
References: <sivaram.41beb08@radiobanter.com>
X-Trace: individual.net /R52ae6UcuFbYkWo7//YjAtjgIVulEm7gnOg/c+OgqK8zjW04M
Cancel-Lock: sha1:w65dyzPOceHpMiV5FqpOs5veiX0=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:1432

On Fri, 3 Apr 2009 13:29:56 +0100, sivaram wrote:
>
> We do MW, FM and SW transmitter spare parts.
> We also do Sony broadcast equipments spares and Post production
> equipments and Radio links etc.
>

Oh, lookie!!  An incompentent spammer!


One more reason to killfile radiobanter.com.......
```

```
From -7919598032944259345
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes: gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!goblin3!goblin.stu.neva.ru!lon-
transit.news.telstra.net!pit-transit.telstra.net!news.telstra.net!news-
server.bigpond.net.au!53ab2750!not-for-mail
From: "Bossa Nova" <tango@gmail.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
```

```
rsale
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
<49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
<WgYkl.2889$i9.1115@bignews8.bellsouth.net> <840162a2-e182-4500-af87-
de475dce5d2e@t3g2000yqa.googlegroups.com> <gn24ei$qhn$1@panix2.panix.com>
Subject: Re: COLLINS 32S-1 transmitter
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <FL_Bl.1048$y61.49@news-server.bigpond.net.au>
Date: Sun, 05 Apr 2009 09:22:45 GMT
NNTP-Posting-Host: 121.217.229.235
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1238923365 121.217.229.235 (Sun, 05 Apr 2009
19:22:45 EST)
NNTP-Posting-Date: Sun, 05 Apr 2009 19:22:45 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.swap:1498 rec.radio.amateur.equipment:1219
rec.radio.amateur.boatanchors:2302 wa.ads.forsale:89


"Scott Dorsey" <kludge@panix.com> wrote in message
news:gn24ei$qhn$1@panix2.panix.com...
> Barry  <n4buq@knology.net> wrote:
>>On Feb 12, 10:42=A0am, jakdedert <jakded...@bellsouth.net> wrote:
>>> Paulco wrote:
>>> > Stupid bloody yanks - post to an Australian NG when he wont freight
>>> > out=
>>side
>>> > the US.
>>>
>>> > "DC" <nob...@pseudo.borked.net> wrote in message
>>> >news:614ee46bb66be531efbfb93306360df9@pseudo.borked.net...
>>> >>http://xrl.us/Collins32S1
>>>
>>> Just which of the x-posted groups above is specific to Oz?
>>
>>Besides Alaska, what other state gets excluded in the "lower 48"?
>
> Hawaii, the Fiftieth State, the Golden Gem of the Pacific.  The people
> of Hawaii bid you welcome!  Hawaii Calls!  From Hawaii's sunny shore onto
> the great briny sea, at the Moana hotel facing the beach of Waikiki we
> found the music of the islands..
> --scott
> --
> "C'est un Nagra.  C'est suisse, et tres, tres precis."

Wasn't Hawaii the 49th state?.
I thought Alaska was the 50th state, but stand corrected if I am mistaken.
```

From 697281361977879572
X-Google-Thread: 108122,8c31d8744b31f88e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!57e3ed27!not-for-mail
From: "JTB" <jerryjtb@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Voice Recorder IC p/n ISD2575P
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <bikel.1419$Aw2.1224@nwrddc02.gnilink.net>
Date: Fri, 23 Jan 2009 14:15:35 GMT
NNTP-Posting-Host: 209.158.47.107
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1232720135 209.158.47.107 (Fri, 23 Jan 2009 09:15:35 EST)
NNTP-Posting-Date: Fri, 23 Jan 2009 09:15:35 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:1282

Looking for a voice recorder IC part number ISD2575P. Anyone have one of
these they can part with?

From 71912396087492313
X-Google-Thread: 108122,c16f2de8e64b4267,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Hans Remeeus <hans@remeeus.eu>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for experiences with the Shure 55SH Series II microphone
Date: Fri, 23 Jan 2009 16:08:46 +0100
Organization: PA1HR
Lines: 17
Message-ID: <6tu4spFc210kU1@mid.individual.net>
Reply-To: "hans at remeeus dot eu"

Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net VSR9XBpql0gzw3GwQi6swAPB5Zse4Mgu98rATQca8Oq/gf9sgD
Cancel-Lock: sha1:Nfo87ARkHT2vE9jDihpuKxDA4Ro=
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
Xref: g2news1.google.com rec.radio.amateur.equipment:1069

Hello,

I am looking for experiences with the Shure 55SH Series II microphone.

It would be nice to hear someone his voice with this microphone. For
example someone in G or DL who is willing to make a contact on 3.6 MHz SSB.

Thanks in advance.

--

73,
Hans Remeeus (PA1HR)
http://www.remeeus.eu
Communication is about people, the rest is technology.

From -5011187239099977454
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!r36g2000prf.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
Date: Fri, 23 Jan 2009 07:21:35 -0800 (PST)
Organization: http://groups.google.com
Lines: 15
Message-ID: <d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-a9af-13155a5b10a4@z6g2000pre.googlegroups.com>
  <uNjel.540114$yE1.97233@attbi_s21>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232724095 30998 127.0.0.1 (23 Jan 2009 15:21:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Jan 2009 15:21:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r36g2000prf.googlegroups.com; posting-host=216.203.30.4;
  posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1284

On Jan 23, 7:40=A0am, "Harold E. Johnson" <W4...@mchsi.com> wrote:
> Don't bother... Weller stuff is junk... that's why you're trying to
> repair the the one you have... lol
> Do yourself a favor and try one of these...http://www.hexaconelectric.com=
/thermo.html
> They ain't cheap... but man do they last.
>
> Weller makes junk better than your junk by maybe 40-50 dB.
> Thanks for your unsolicited opinion.
> W4ZCB

Harold, I have no affiliation with Hexacon... or do I sell their
equipment. However, we do use their equipment... and it has proven to
be much more reliable than Weller stuff. I guess you get what you pay
for. Not surprising I guess.

From 720111419414820385
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-
mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-
a9af-13155a5b10a4@z6g2000pre.googlegroups.com> <uNjel.540114$yE1.97233@attbi_s21>
<d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
Subject: Re: WTB Weller soldering iron
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <qymel.484888$TT4.147590@attbi_s22>
NNTP-Posting-Host: 173.21.179.211
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1232729366 173.21.179.211 (Fri, 23 Jan 2009 16:49:26 GMT)
NNTP-Posting-Date: Fri, 23 Jan 2009 16:49:26 GMT
Organization: AT&T ASP.att.net
Date: Fri, 23 Jan 2009 16:49:26 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1285

> Don't bother... Weller stuff is junk... that's why you're trying to
> repair the the one you have... lol
> Do yourself a favor and try one of

> these...http://www.hexaconelectric.com/thermo.html
> They ain't cheap... but man do they last.
>
> Weller makes junk better than your junk by maybe 40-50 dB.
> Thanks for your unsolicited opinion.
> W4ZCB

Harold, I have no affiliation with Hexacon... or do I sell their equipment. However, we do use their equipment... and it has proven to be much more reliable than Weller stuff. I guess you get what you pay for. Not surprising I guess.

I was commenting on your speech compressor not the equipment you use to build it.

If you had read the other posts, some denegrating the Weller company, you would have read a comment of mine that explains my use of Weller products for over 60 years. That includes personal use of several models of their irons as well as the industrial use of Weller irons and guns by my employees in a manufacturing environment. I HAVE used a few other irons, a favorite being the Antex for SMD work. I suspect that, unless you're morbidly obese, I have likely melted more solder pounds than you weigh and am particularly offended, by people offering their unsolicited opinions on subjects they know little about. Go build a compressor. Most of us these days, do it in software with DSP.

W4ZCB

From 7869796587374558552
X-Google-Thread: 108122,ce620af6ad6bd61c
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.netfront.net!not-for-mail
From: Bruce W. Ellis <ellis@means.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: HALLICRAFTERS S-38C receiver (1953)
Date: Fri, 23 Jan 2009 12:12:45 -0600
Organization: Netfront http://www.netfront.net
Lines: 14
Message-ID: <30rin4d0o2rgeklli79hsg1ra8nnik5232@4ax.com>
References: <17e8632d402c448d533e3011e0253a56@pseudo.borked.net> <e7ec8b61-af7f-43e1-8fa3-3e1d04c7ae84@v5g2000pre.googlegroups.com>
Reply-To: ellis*nospam*@means.net
NNTP-Posting-Host: 206.8.12.143
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: adenine.netfront.net 1232734286 97706 206.8.12.143 (23 Jan 2009 18:11:26 GMT)

```
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Fri, 23 Jan 2009 18:11:26 +0000 (UTC)
X-Newsreader: Forte Agent 3.1/32.783
Xref: g2news1.google.com rec.radio.amateur.equipment:1072

On Wed, 21 Jan 2009 21:45:04 -0800 (PST), cmdr buzz corey
<cmdr-buzz-corey@mailcity.com> wrote:

>On Jan 16, 5:35�am, DC <nob...@pseudo.borked.net> wrote:
>> http://atu.ca/HallicraftersS38C
>
>And some idiot pays $380 for a $38 radio.
 I had a S-38D in the mid 50's.  It was pretty awful - it completly
overloaded so I had no idea where my (crystal controlled Viking
Adventurer) was transmitting and it drifted.   Making a QSO was pretty
hit and miss. It might have some nostalgia value, but not 300 bucks
worth.

Bruce  W0BF  (ex KN0CNC/K0CNC)



From -1231050782636734466
X-Google-Thread: 108122,6aa68a4ffe64bcd
X-Google-Thread: fc8b1,6aa68a4ffe64bcd
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news3
From: Bill M <radioexray@geemail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: FA: HALLICRAFTERS SX-115 receiver
Date: Fri, 23 Jan 2009 14:49:11 -0400
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 18
Message-ID: <gld3f902evo@news3.newsguy.com>
References: <fa895671119b5e77a1600a176d3a3076@pseudo.borked.net>
<pan.2009.01.23.07.11.19.217172@localhost.localdomain>
<W1kel.136036$3_4.42411@newsfe10.iad>
NNTP-Posting-Host: pb69efcbfff00000027b826b4bf2b6f4ddb2bb8610edb30f9.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 2.0.0.4 (Windows/20070604)
In-Reply-To: <W1kel.136036$3_4.42411@newsfe10.iad>
Xref: g2news1.google.com rec.radio.amateur.equipment:1073
rec.radio.amateur.boatanchors:1789

dave wrote:
> geek wrote:
>> On Thu, 22 Jan 2009 12:30:12 -0700, DC wrote:
>>
>>> http://atu.ca/SX115
```

>>
>>
>> "Current bid: US $832.00 "
>>
>> JEEEEEBUS!!!!!!!!!
>
> Have these people ever seen inside a Halli?

SX-115 is a top notch rig.

-Bill (-A owner)

From 7082337079301051834
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!ecngs!feeder2.ecngs.de!feeder.erje.net!newsfeed.straub-nv.de!
news.albasani.net!not-for-mail
From: Clive <Clive@petendud.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
Date: Fri, 23 Jan 2009 21:46:17 +0000
Organization: hard work never kiled anyone ----- but why take the risk ....
Lines: 20
Message-ID: <glddr3$rns$1@news.albasani.net>
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-
a9af-13155a5b10a4@z6g2000pre.googlegroups.com>
<uNjel.540114$yE1.97233@attbi_s21>
<d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
Reply-To: Clive@petendud.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
OUbmQBVi2PepUNCpab3vqRVjj5tSsuJgTybDVykJeaUVgf8sJhWrg60TZthGQNxQFwhoLAYU36/
s6ik2W1PLcaI4Lk92wjceI9zQN8MBNGgP/UOHQBzgL+ftWg1tuzmB
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 23 Jan 2009 21:46:11 +0000 (UTC)
X-User-ID: lUD1E5ZOCNoZZXfdBDzA9w72ZotfNV0k/BzSMPie3aI=
In-Reply-To: <d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
Cancel-Lock: sha1:SFmVH5/Q5sqV6Darv47V1w5k9Jg=
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
X-NNTP-Posting-Host: GG6kx9J3ocMkWVvAI4R0rh/b8vDo1k+WeSXS1dUwrvA=
Xref: g2news2.google.com rec.radio.amateur.equipment:1288

Tel star Electronics wrote:
> On Jan 23, 7:40 am, "Harold E. Johnson" <W4...@mchsi.com> wrote:
>> Don't bother... Weller stuff is junk... that's why you're trying to
>> repair the the one you have... lol

>> Do yourself a favor and try one of these...http://www.hexaconelectric.com/
thermo.html
>> They ain't cheap... but man do they last.
>>
>> Weller makes junk better than your junk by maybe 40-50 dB.
>> Thanks for your unsolicited opinion.
>> W4ZCB
>
> Harold, I have no affiliation with Hexacon... or do I sell their
> equipment. However, we do use their equipment... and it has proven to
> be much more reliable than Weller stuff. I guess you get what you pay
> for. Not surprising I guess.

Looking at some of your solder joints it shows you don't use a Weller,
perhaps you should?

Clive

From -5146609109191434631
X-Google-Thread: 108122,42222f87a78a9be3,start
X-Google-Thread: 107ada,42222f87a78a9be3,start
X-Google-Attributes: gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!newshub.sdsu.edu!
flph200.ffdc.sbc.com!prodigy.net!flph199.ffdc.sbc.com!prodigy.com!
flpi107.ffdc.sbc.com!nlpi067.nbdc.sbc.com.POSTED!f7e6035e!not-for-mail
From: "Bruce W.1" <no@email.com>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: HF band scope???
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <Kksel.19196$ZP4.10131@nlpi067.nbdc.sbc.com>
NNTP-Posting-Host: 65.43.212.186
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi067.nbdc.sbc.com 1232753066 ST000 65.43.212.186 (Fri, 23 Jan 2009
18:24:26 EST)
NNTP-Posting-Date: Fri, 23 Jan 2009 18:24:26 EST
Organization: at&t http://my.att.net/
X-UserInfo1:
FKPO@MC@@S@WR]TSZX^D]_\@VR]^@B@MCPWZKB]MPXHBTWICYFWUQBKZQLYJX_ITFD_KFVLUN[DOM_A_N
SYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXG
QCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Fri, 23 Jan 2009 18:24:19 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1289
rec.radio.amateur.misc:3337

DX will soon be upon us. This time around I'd like to have a band
scope, without spending thousands of dollars. This so I can see band
activity on a display screen. For this I have not found a solution.

The cheapest solution that I have found is an Icom IC-PCR1500 PC
controlled receiver, for about $500. It would do the job.

My Icom IC-735 HF rig does not have an IF output on the back.

I recall seeing standalone band scopes, but I can't seem to find any now.

Can anyone recommend a solution?

Thanks for your help.

```
From 6152990401999585593
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!b38g2000prf.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
Date: Fri, 23 Jan 2009 15:57:48 -0800 (PST)
Organization: http://groups.google.com
Lines: 37
Message-ID: <e743016d-a2a1-4bef-80a8-777f8303ce58@b38g2000prf.googlegroups.com>
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-
a9af-13155a5b10a4@z6g2000pre.googlegroups.com>
     <uNjel.540114$yE1.97233@attbi_s21>
<d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
     <qymel.484888$TT4.147590@attbi_s22>
NNTP-Posting-Host: 75.34.20.178
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232755068 29010 127.0.0.1 (23 Jan 2009 23:57:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Jan 2009 23:57:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b38g2000prf.googlegroups.com; posting-host=75.34.20.178;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1290
```

On Jan 23, 10:49=A0am, "Harold E. Johnson" <W4...@mchsi.com> wrote:
> > Don't bother... Weller stuff is junk... that's why you're trying to
> > repair the the one you have... lol
> > Do yourself a favor and try one of
> > these...http://www.hexaconelectric.com/thermo.html
> > They ain't cheap... but man do they last.

```
>
> > Weller makes junk better than your junk by maybe 40-50 dB.
> > Thanks for your unsolicited opinion.
> > W4ZCB
>
> Harold, I have no affiliation with Hexacon... or do I sell their
> equipment. However, we do use their equipment... and it has proven to
> be much more reliable than Weller stuff. I guess you get what you pay
> for. Not surprising I guess.
>
> I was commenting on your speech compressor not the equipment you use to
> build it.
>
> If you had read the other posts, some denegrating the Weller company, you
> would have read a comment of mine that explains my use of Weller products
> for over 60 years. That includes personal use of several models of their
> irons as well as the industrial use of Weller irons and guns by my employ=
ees
> in a manufacturing environment. I HAVE used a few other irons, a favorite
> being the Antex for SMD work. I suspect that, unless you're morbidly obes=
e,
> I have likely melted more solder pounds than you weigh and am particularl=
y
> offended, by people offering their unsolicited opinions on subjects they
> know little about. Go build a compressor. Most of us these days, do it in
> software with DSP.
>
> W4ZCB

Harold, I think you've been breathing too many solder fumes from that
Weller... lol


From -1422412660007203396
X-Google-Thread: 108122,8c31d8744b31f88e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!i18g2000prf.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: Voice Recorder IC p/n ISD2575P
Date: Fri, 23 Jan 2009 16:12:21 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <21cdbbd2-0bda-4182-af11-7fa7097f8cc2@i18g2000prf.googlegroups.com>
References: <bikel.1419$Aw2.1224@nwrddc02.gnilink.net>
NNTP-Posting-Host: 75.34.20.178
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232755941 31798 127.0.0.1 (24 Jan 2009 00:12:21 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Sat, 24 Jan 2009 00:12:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i18g2000prf.googlegroups.com; posting-host=75.34.20.178;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1291

On Jan 23, 8:15=A0am, "JTB" <jerry...@verizon.net> wrote:
> Looking for a voice recorder IC part number ISD2575P. Anyone have one of
> these they can part with?

You couldn't get any help here?
http://www.nuvoton-usa.com/hq/enu/ProductAndSales/ProductLines/ConsumerElec=
tronicsIC/ISDVoiceIC/ISDChipCorder/

From -1028289287506233787
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-
mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-
a9af-13155a5b10a4@z6g2000pre.googlegroups.com> <uNjel.540114$yE1.97233@attbi_s21>
<d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
<qymel.484888$TT4.147590@attbi_s22> <e743016d-
a2a1-4bef-80a8-777f8303ce58@b38g2000prf.googlegroups.com>
Subject: Re: WTB Weller soldering iron
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <iduel.485430$TT4.189047@attbi_s22>
NNTP-Posting-Host: 173.21.179.211
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1232760782 173.21.179.211 (Sat, 24 Jan 2009 01:33:02 GMT)
NNTP-Posting-Date: Sat, 24 Jan 2009 01:33:02 GMT
Organization: AT&T ASP.att.net
Date: Sat, 24 Jan 2009 01:33:02 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1078

> If you had read the other posts, some denegrating the Weller company, you
> would have read a comment of mine that explains my use of Weller products
> for over 60 years. That includes personal use of several models of their

> irons as well as the industrial use of Weller irons and guns by my
> employees
> in a manufacturing environment. I HAVE used a few other irons, a favorite
> being the Antex for SMD work. I suspect that, unless you're morbidly
> obese,
> I have likely melted more solder pounds than you weigh and am particularly
> offended, by people offering their unsolicited opinions on subjects they
> know little about. Go build a compressor. Most of us these days, do it in
> software with DSP.
>
> W4ZCB

Harold, I think you've been breathing too many solder fumes from that
Weller... lol

I'm sure it will not be any surprise, but you're signal is way below my
noise. Plonk.

W4ZCB

From -5585848944761124737
X-Google-Thread: 108122,6aa68a4ffe64bcd
X-Google-Thread: fc8b1,6aa68a4ffe64bcd
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe08.iad.POSTED!7564ea0f!not-for-mail
From: "George" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <fa895671119b5e77a1600a176d3a3076@pseudo.borked.net>
<pan.2009.01.23.07.11.19.217172@localhost.localdomain>
<W1kel.136036$3_4.42411@newsfe10.iad> <gld3f902evo@news3.newsguy.com>
In-Reply-To: <gld3f902evo@news3.newsguy.com>
Subject: Re: FA: HALLICRAFTERS SX-115 receiver
Lines: 25
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Message-ID: <2Yvel.17684$8a4.16764@newsfe08.iad>
NNTP-Posting-Host: 70.180.115.25
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe08.iad 1232767870 70.180.115.25 (Sat, 24 Jan 2009 03:31:10 UTC)

```
NNTP-Posting-Date: Sat, 24 Jan 2009 03:31:10 UTC
Organization: Cox
Date: Fri, 23 Jan 2009 21:30:24 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:1293
rec.radio.amateur.boatanchors:2148

I would not buy nothing from that guy, he is a rip off. Beware of Radio-Mart

--
George Folse
"Bill M" <radioexray@geemail.com> wrote in message
news:gld3f902evo@news3.newsguy.com...
> dave wrote:
>> geek wrote:
>>> On Thu, 22 Jan 2009 12:30:12 -0700, DC wrote:
>>>
>>>> http://atu.ca/SX115
>>>
>>>
>>> "Current bid:    US $832.00 "
>>>
>>> JEEEEEBUS!!!!!!!!!
>>
>> Have these people ever seen inside a Halli?
>
> SX-115 is a top notch rig.
>
> -Bill (-A owner)
>
>



From -4006330781102032467
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Jan 2009 02:08:55 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-
a9af-13155a5b10a4@z6g2000pre.googlegroups.com>
<uNjel.540114$yE1.97233@attbi_s21>
<d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
<glddr3$rns$1@news.albasani.net>
Subject: Re: WTB Weller soldering iron
Date: Sat, 24 Jan 2009 00:08:59 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <cYGdnUk7_fEFUefUnZ2dnUVZ_s3inZ2d@giganews.com>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-a4G3wN1FjnuQrhDJ/
oahTTEqs0CefJt4KkOhgYp+IWHT3OSgp1E3vPmgBTrOVsq4LWJhRk7u4A3n89N!
UMmhJmyPhKA+qp1wk78Gq2tyby0aZOhKxCs3g3385g2yTX7uwZ3gJnrQzxr0zzMXJ7h546B7QQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1294
```

Clive wrote:
> Tel star Electronics wrote:
>> Harold E. Johnson wrote:
>>> Don't bother... Weller stuff is junk... that's why you're trying to
>>> repair the the one you have... lol
>>> Do yourself a favor and try one of
>>> these...http://www.hexaconelectric.com/thermo.html
>>> They ain't cheap... but man do they last.
>>>
>>> Weller makes junk better than your junk by maybe 40-50 dB.
>>> Thanks for your unsolicited opinion.
>>> W4ZCB
>>
>> Harold, I have no affiliation with Hexacon... or do I sell their
>> equipment. However, we do use their equipment... and it has proven to
>> be much more reliable than Weller stuff. I guess you get what you pay
>> for. Not surprising I guess.
>
> Looking at some of your solder joints it shows you don't use a Weller,
> perhaps you should?
>
> Clive

I thought I was the only one to notice the over-cooked solder blobs. I do better than that w/ lead-free solder on Rogers PCBs w/ my Weller solder station. But then, I've been doing it for decades. And, while some other brands have failed us repeatedly, I've seen only ONE Weller station have to be tossed out. The way I see it, they're relatively inexpensive AND they last.
Bryan WA7PRC

```
From -5072602526212592435
X-Google-Thread: 108122,42222f87a78a9be3
X-Google-Thread: 107ada,42222f87a78a9be3
```

X-Google-Attributes: gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Jan 2009 03:28:19 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <Kksel.19196$ZP4.10131@nlpi067.nbdc.sbc.com>
Subject: Re: HF band scope???
Date: Sat, 24 Jan 2009 01:28:21 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <FKWdnbwu1YquQufUnZ2dnUVZ_qXinZ2d@giganews.com>
Lines: 52
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-22AGxCF25mQL8RRoEs2v+tsq0rn1ZlzXnEWipoeNoZ/iB1tWaWq1sRd7e9v0/
pyP7+zLChUZ2zzjseR!ISyWEI7fHuun5MXq8cRt9b2DZR/
ld4kFhDFgxMqlE1QkMqmVRZePlKmb9Wyx15ObEzLI7r0D9A==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:1081
rec.radio.amateur.misc:3084

Bruce W.1 wrote:
> DX will soon be upon us. This time around I'd like to have a band scope,
> without spending thousands of dollars. This so I can see band activity on
> a display screen. For this I have not found a solution.
>
> The cheapest solution that I have found is an Icom IC-PCR1500 PC
> controlled receiver, for about $500. It would do the job.
>
> My Icom IC-735 HF rig does not have an IF output on the back.
>
> I recall seeing standalone band scopes, but I can't seem to find any now.
>
> Can anyone recommend a solution?
>
> Thanks for your help.

Hi Bruce,

I've been using a Heath SB-620 "Scanalyzer" for about 20 years (Yaesu made a similar unit, the rare YO-901 w/ bandscope option). The Heath units can be found for around $100. I used mine with a Heath SB102, and now with a Kenwood TS-130S. My SB620 came built for the Heathkit IF of 3395KHz (I didn't get the parts for other IFs). When I ran the SB102, that wasn't a concern. But, when I switched to the TS120S (and now TS130S) with their 8830 KHz IF, I needed to come up with a way to make it work. The first was to tap off the rig's IF at the mixer (before the crystal filter) w/ a simple buffer amplifier, and feed it to the ACC socket via some small RG174 coaxial cable.

In looking at the input amplifier of the SB620, I saw that it could be configured as a mixer with the flip of a switch. I would need to supply a signal to mix with the IF signal from the rig (e.g.: 3.395 + 8.83 = 12.225 MHz). I built an oscillator (dead-bug style) using a crystal meant for an old 2M rig (146.76 / 12 = 12.23 MHz), plugged it in to the SB620, and tweaked the 620's sweep oscillator inductor just a tad. Voila!

The first thing I noticed was the difference in how far I could sweep. With the SB102 et al, you have a preselector which limits the bandwidth you'll see at the mixer output. About �50 KHz was the extent of the response. However, with the TS-120/130, there's a bandpass filter at the frontend. I can sweep the entire band. The limiting factor is the width of the CRT... the blips become VERY close together. hi!

According to the service manual, your '735 has a 2nd IF of 9.0106 MHz, and you'd pick off the signal at the output of the 2nd mixer on the 'Main Unit', ahead of the IF filter(s). Short of having a standalone spectrum analyzer or receiver w/ Panoramic Display, this is your best bet.

vy 73,
Bryan WA7PRC

From 7714952562578853745
X-Google-Thread: 108122,11da8e9cfda32358,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!newshub.sdsu.edu!flph200.ffdc.sbc.com!prodigy.net!flph199.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!flpi143.ffdc.sbc.com.POSTED!f7e6035e!not-for-mail
From: "Bruce W.1" <no@email.com>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,res.radio.amateur.misc
Subject: RadioBanter.com sucks
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 2
Message-ID: <Z8Hel.638$Lr6.132@flpi143.ffdc.sbc.com>
NNTP-Posting-Host: 65.43.212.186
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi143.ffdc.sbc.com 1232813753 ST000 65.43.212.186 (Sat, 24 Jan 2009 11:15:53 EST)
NNTP-Posting-Date: Sat, 24 Jan 2009 11:15:53 EST

Organization: at&t http://my.att.net/
X-UserInfo1:
[[PA@SNEBZC[W]I]]RKB_UDAZZ\DPCPDLXUNNHXIJYWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Sat, 24 Jan 2009 11:18:22 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1296

This Usenet newsgroup is being scraped by RadioBanter.com, which
apparently can't generate its own content.

From 2668685590715590344
X-Google-Thread: 108122,84de256d93aea183,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!Xl.tags.giganews.com!border2.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Jan 2009 11:13:09 -0600
From: SW1073 <SW1073.3c10197@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Sony SW-7600GR
Date: Sat, 24 Jan 2009 13:39:15 +0000
Message-ID: <SW1073.3c10197@radiobanter.com>
Organization: RadioBanter.com
Lines: 33
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
rWYPf9ITq+TrsT2rqKKBRDW4JlvprVj3PSwrcK3vNZWShJJ4KhIqxzemgLRjUs156qTXl/Og2UN/cZS!
WRI3L43/dBGJ40GrXDA0R7Q1H3ZCnlnR9H7FW6VKQONRHZL0w7PyxyH7mh962gTiiGsjMOY36YwH!QIs=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 15
Xref: g2news1.google.com rec.radio.amateur.equipment:1083

Hi,

New to the Group and it looks like there is a great deal of information
here!

I recently purchased a Sony SW-7600GR and am stunned by it's ability to
pull in stations. I have some questions though and would appreciate any
input; I've looked in the manual and have come up short.

(1) On Page 7 of the manual it shows both MHz and kHz (Item #10),
implying that one can select a preference. Yet I see no other mention
of it.

(2) Is it possible to set the local time of day and concurrently set UTC? It seems that by default as you set your local time the UTC is adjusted. My UTC offset should in fact be +5 from local time, yet the radio will not set as such.

(3) With the antenna fully extended, there is substantial play on a horizontal axis. That is to say, if you fully extend the antenna and move it along a horizontal plane of left to right (or vice-versa) it will have a good six inches or so of play. I was wondering if this is normal or if something's loose where the antenna enters the radio.

(4) Is there a way to reset the radio back to it's factory defaults?

Thank you.

--
SW1073

```
From 856239704047382334
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!w39g2000prb.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
Date: Sat, 24 Jan 2009 09:22:50 -0800 (PST)
Organization: http://groups.google.com
Lines: 40
Message-ID: <b48e67ff-3dcc-4445-9c3f-91c707923867@w39g2000prb.googlegroups.com>
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-
a9af-13155a5b10a4@z6g2000pre.googlegroups.com>
     <uNjel.540114$yE1.97233@attbi_s21>
<d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
     <glddr3$rns$1@news.albasani.net>
<cYGdnUk7_fEFUefUnZ2dnUVZ_s3inZ2d@giganews.com>
NNTP-Posting-Host: 75.34.20.178
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232817770 30831 127.0.0.1 (24 Jan 2009 17:22:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Jan 2009 17:22:50 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w39g2000prb.googlegroups.com; posting-host=75.34.20.178;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1084

On Jan 24, 2:08=A0am, "Bryan" <bryan.swadenerNOS...@comcast.net> wrote:
> Clive wrote:
> > Tel star Electronics wrote:
> >> Harold E. Johnson wrote:
> >>> Don't bother... Weller stuff is junk... that's why you're trying to
> >>> repair the the one you have... lol
> >>> Do yourself a favor and try one of
> >>> these...http://www.hexaconelectric.com/thermo.html
> >>> They ain't cheap... but man do they last.
>
> >>> Weller makes junk better than your junk by maybe 40-50 dB.
> >>> Thanks for your unsolicited opinion.
> >>> W4ZCB
>
> >> Harold, I have no affiliation with Hexacon... or do I sell their
> >> equipment. However, we do use their equipment... and it has proven to
> >> be much more reliable than Weller stuff. I guess you get what you pay
> >> for. Not surprising I guess.
>
> > Looking at some of your solder joints it shows you don't use a Weller,
> > perhaps you should?
>
> > Clive
>
> I thought I was the only one to notice the over-cooked solder blobs. =A0I=
 do
> better than that w/ lead-free solder on Rogers PCBs w/ my Weller solder
> station. =A0But then, I've been doing it for decades. =A0And, while some =
other
> brands have failed us repeatedly, I've seen only ONE Weller station have =
to
> be tossed out. =A0The way I see it, they're relatively inexpensive AND th=
ey
> last.
> Bryan WA7PRC- Hide quoted text -
>
> - Show quoted text -

I didn't realize so many people who work at Weller frequent this
group... lol


From -2165248541648700927
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
```

```
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Jan 2009 12:38:11 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-
a9af-13155a5b10a4@z6g2000pre.googlegroups.com> <uNjel.540114$yE1.97233@attbi_s21>
<d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
<glddr3$rns$1@news.albasani.net> <cYGdnUk7_fEFUefUnZ2dnUVZ_s3inZ2d@giganews.com>
<b48e67ff-3dcc-4445-9c3f-91c707923867@w39g2000prb.googlegroups.com>
Subject: Re: WTB Weller soldering iron
Date: Sat, 24 Jan 2009 10:38:15 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <P4udnXcvNbyJ_ebUnZ2dnUVZ_ovinZ2d@giganews.com>
Lines: 45
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-0qE28VSPVeurt3Dvt3fh/
5bRrGF9ZSs+RRj2FOqmJ93y+yjglvEgv8424o71D4PMfVFNEpuMhnuiL8K!wbhNv0aCxYl7GqNrFxU4/
uti8r8+CGMJiJFlmIsZILkwk0gwXvNdhhu6kj+eQI9vTz28KF/f1A==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1299
```

Telstar Electronics wrote:
On Jan 24, 2:08 am, Bryan wrote:
> Clive wrote:
> > Tel star Electronics wrote:
> >> Harold E. Johnson wrote:
> >>> Don't bother... Weller stuff is junk... that's why you're trying to
> >>> repair the the one you have... lol
> >>> Do yourself a favor and try one of
> >>> these...http://www.hexaconelectric.com/thermo.html
> >>> They ain't cheap... but man do they last.
>
> >>> Weller makes junk better than your junk by maybe 40-50 dB.
> >>> Thanks for your unsolicited opinion.
> >>> W4ZCB
>
> >> Harold, I have no affiliation with Hexacon... or do I sell their
> >> equipment. However, we do use their equipment... and it has proven to
> >> be much more reliable than Weller stuff. I guess you get what you pay
> >> for. Not surprising I guess.
>
> > Looking at some of your solder joints it shows you don't use a Weller,
> > perhaps you should?
>

> > Clive
>
> I thought I was the only one to notice the over-cooked solder blobs. I do
> better than that w/ lead-free solder on Rogers PCBs w/ my Weller solder
> station. But then, I've been doing it for decades. And, while some other
> brands have failed us repeatedly, I've seen only ONE Weller station have
> to
> be tossed out. The way I see it, they're relatively inexpensive AND they
> last.
> Bryan WA7PRC- Hide quoted text -
>
> - Show quoted text -

I didn't realize so many people who work at Weller frequent this
group... lol

I can't speak for others but, I don't work for any soldering equipment
manufacturer. Nor, do I sell any soldering equipment. And, no one I know
does.
:: plonk ::

From -2591938452021257582
X-Google-Thread: 108122,11da8e9cfda32358
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
news2.glorb.com!feeder.erje.net!newsfeed.straub-nv.de!news.netcologne.de!newsfeed-
fusi2.netcologne.de!feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z8Hel.638$Lr6.132@flpi143.ffdc.sbc.com>
Subject: Re: RadioBanter.com sucks
Date: Sat, 24 Jan 2009 13:42:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 3
Message-ID: <497b6138$0$19491$c5fe31e7@reader.usenet4all.se>
Organization: UseNET
NNTP-Posting-Date: 24 Jan 2009 19:43:04 CET
NNTP-Posting-Host: ad1198a3.reader.usenet4all.se
X-Trace: DXC=;4iN`K?
a>M1Zj]7_f[@>W0]=V>ZL5o1]2<moHH[O[>Z:I3UCDFQl0I1AChSdgJ=LR7WGk;S76Hja25`\HH8KQ0g0@
a`V`U10=n91844[?aRc:0
X-Complaints-To: abuse@usenet4all.se
Xref: g2news1.google.com rec.radio.amateur.equipment:1086

so do you

```
From -1361588743244368O3
X-Google-Thread: 108122,11da8e9cfda32358
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!newsfeed.straub-nv.de!news.netcologne.de!newsfeed-
fusi2.netcologne.de!feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z8Hel.638$Lr6.132@flpi143.ffdc.sbc.com>
Subject: Re: RadioBanter.com sucks
Date: Sat, 24 Jan 2009 13:43:03 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 4
Message-ID: <497b6139$0$19491$c5fe31e7@reader.usenet4all.se>
Organization: UseNET
NNTP-Posting-Date: 24 Jan 2009 19:43:05 CET
NNTP-Posting-Host: ad1198a3.reader.usenet4all.se
X-Trace: DXC=;4iN`K?
a>MALf7cUbT@;QG]=V>ZL5o1]B<moHH[O[>ZJI3UCDFQl0IAAChSdgJ=LRGWGk;S76HjaB5`\HH8KQ0g@@
a`V`U10=nI1844[?aRc:@
X-Complaints-To: abuse@usenet4all.se
Xref: g2news2.google.com rec.radio.amateur.equipment:1301
```

so do you

```
From 5371345842663483554
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Attributes: gidfb049,gidfcc6e,gid108122,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!nx01.iad.newshosting.com!newshosting.com!newsfeed.icl.net!
newsfeed.fjserv.net!newsfeed.freenet.de!xlned.com!feeder1.xlned.com!
news.netcologne.de!newsfeed-fusi2.netcologne.de!feeder.usenet4all.se!
reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: alt.ham-radio.vhf-
```

```
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad> <gl7rcv$v1h$1@news.mixmin.net>
Subject: Re: KC8QJP and N8WWM Glory Hole Party -  KC8QJP will be offering discount
tax consulting through the gloryhole while N8WWM is on his knees
Date: Sat, 24 Jan 2009 13:44:20 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 46
Message-ID: <497b6185$0$19492$c5fe31e7@reader.usenet4all.se>
Organization: UseNET
NNTP-Posting-Date: 24 Jan 2009 19:44:22 CET
NNTP-Posting-Host: ad1198a3.reader.usenet4all.se
X-Trace:
DXC==KMcLWkWmB]fY\<^W0=XQT]=V>ZL5o1]R<moHH[O[>ZZE=eMN<nXU=^AChSdgJ=LRWWGk;S76HjaR5
`\HH8KQ0gP@a`V`U10=nYY18BeeCUI_\
X-Complaints-To: abuse@usenet4all.se
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:793 rec.radio.amateur.antenna:9446
rec.radio.amateur.equipment:1302 rec.radio.shortwave:32035


"RF BURNS" <rfburns33@hotmail.com> wrote in message
news:gl7rcv$v1h$1@news.mixmin.net...
>
> "zoltan" <zoltan@zoltan.com> wrote in message
> news:6jgVk.11173$qh4.10597@newsfe04.iad...
>>
>> "n8wwm mrbindwell (fatboy)" <dougay@nospam.com> wrote in message
>> news:gcgpfa$ct7$1@news.mixmin.net...
>>>
>>> "Leland C Scott" <kc8ldo@madisonhts.com> wrote in message
>>> news:gc086k$u0v$1@news.tornevall.net...
>>>> "n8wwm mrbindwell (fatboy)" wrote:
>>>>
>>>> http://img254.imageshack.us/my.php?image=dougpetro3yk1.jpg
>>>>
>>>>> Pick up some crisco on your way over tonight,  KC8QJP  needs a good
>>>>> slathering on her hind quarters.
>>>>>
>>>>> She's also getting ready to start her tax return posts again like she
>>>>> does every year. You remember those..
>>>>>
>>>>> http://tinyurl.com/46teqq
>>>>>
>>>>> She says she wants to add some pics of her and me to them this year.
>>>>>
>>>>>
>>>>>
>>>> Cool!
>>>>
```

>>> they're having it over here, queerboy.
>>>
>>> Lance & Lisa Adair
>>> 10431 Jackman Rd
>>> Temperance, MI 48182-9629
>>> (734) 854-2426
>>>
>>>
>> n8wwm is a convicted criminal
>>
>>
> N8WWM is a shut in loser.
>
He hardly ever breaks the law anymore.

From -2262908413053703956
X-Google-Thread: 108122,d020c6f6be9ed482
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!newsfeed.straub-nv.de!nuzba.szn.dk!pnx.dk!news.banetele.no!
feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
References: <Hamradioaddict.3aee0f6@radiobanter.com>
Subject: Re: RCI-2950 Ten Meter Rig
Date: Sat, 24 Jan 2009 13:45:42 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 15
Message-ID: <497b61d8$0$19492$c5fe31e7@reader.usenet4all.se>
Organization: UseNET
NNTP-Posting-Date: 24 Jan 2009 19:45:44 CET
NNTP-Posting-Host: ad1198a3.reader.usenet4all.se
X-Trace:
DXC=ZX=:]>Ndk\>=GCMIg2^@\2]=V>ZL5o1]2<moHH[O[>Z:E=eMN<nXU=>AChSdgJ=LR7WGk;S76Hja25
`\HH8KQ0g0@a`V`U10=n9mE7ZeT[7gI9
X-Complaints-To: abuse@usenet4all.se
Xref: g2news2.google.com rec.radio.amateur.equipment:1303

"Hamradioaddict" <Hamradioaddict.3aee0f6@radiobanter.com> wrote in message
news:Hamradioaddict.3aee0f6@radiobanter.com...
>
> RCI-2950 10 Meter rig in good condition - work great - full output plus.
> Comes with high power Cobra mic. $150 Email KK4WS@arrl.net.
>

```
>
>
Does it work on 11 meters?
>
> --
> Hamradioaddict




From 5433392617522702002
X-Google-Thread: 108122,84de256d93aea183
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.acm.uiuc.edu!
news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Sony SW-7600GR
Date: Sat, 24 Jan 2009 14:01:51 -0500
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 53
Sender: et472@221-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0901241358170.4661@darkstar.example.net>
References: <SW1073.3c10197@radiobanter.com>
NNTP-Posting-Host: 221-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1232823780 8399 64.235.215.221 (24 Jan 2009 19:03:00 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 24 Jan 2009 19:03:00 GMT
In-Reply-To: <SW1073.3c10197@radiobanter.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:1304

On Sat, 24 Jan 2009, SW1073 wrote:

> Hi,
>
> New to the Group and it looks like there is a great deal of information
> here!
>
> I recently purchased a Sony SW-7600GR and am stunned by it's ability to
> pull in stations. I have some questions though and would appreciate any
> input; I've looked in the manual and have come up short.
>
> (1) On Page 7 of the manual it shows both MHz and kHz (Item #10),
> implying that one can select a preference. Yet I see no other mention
> of it.
>
More likely you are reading something into it that isn't there.

1MHz = 1000KHz
```

So when you have a receiver that reads to 1KHz, then the real
difference is where the decimal point is.

10.000 MHz = 10,000 KHz

There's no need to switch because they are the same numbers.

> (2) Is it possible to set the local time of day and concurrently set
> UTC? It seems that by default as you set your local time the UTC is
> adjusted. My UTC offset should in fact be +5 from local time, yet the
> radio will not set as such.
>
> (3) With the antenna fully extended, there is substantial play on a
> horizontal axis. That is to say, if you fully extend the antenna and
> move it along a horizontal plane of left to right (or vice-versa) it
> will have a good six inches or so of play. I was wondering if this is
> normal or if something's loose where the antenna enters the radio.
>

That's probably so you can orient the antenna. Certainly the Grundig
Satellits have a mechanism for swiveling the antenna around when it's
fully extended.

Michael

> (4) Is there a way to reset the radio back to it's factory defaults?
>
> Thank you.
>
>
>
>
> --
> SW1073
>

From -2041675493705826509
X-Google-Thread: 108122,ccee187e0ef49cad
X-Google-Thread: 10bf43,3c88351f9ac5427a,start
X-Google-Thread: 107ada,ccee187e0ef49cad
X-Google-Attributes: gid108122,gid10bf43,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Jan 2009 14:21:37 -0600
From: dloydlavies@gmail.com
Newsgroups: alt.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: Kenwood TH-K2 extended transmitt mod
Date: Sat, 24 Jan 2009 15:25:44 -0500
Message-ID: <gl8kn45l5pl1rja0kr6dsvpnn26b6lril8@4ax.com>

```
References: <msWfb.514$hq5.336881846@newssvr11.news.prodigy.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-
xEucmGUdn0WX+sEjgFTgp2fIhxFupEKbmld5KOaaldo0xBIxPJSQ+DKyae8cYhapcNH4Qjfj5tBiBur!
wc2dlzx98zG6SjlX+QcG7Uh6Uhtt5N33qSrbCiEYwwgsOMOzUk+cWtk2BBlKBGQR1xxE9ae1QI/4!+NTo
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com alt.ham-radio:807 rec.radio.amateur.equipment:1091
rec.radio.amateur.policy:21364 rec.radio.amateur.misc:3113

On Sun, 05 Oct 2003 15:06:58 GMT, "Capt. jack" <jack@satterfield.org>
wrote:

>Does anyone have the modification for the TH-K2 for extended freq. transmit
>capability?
>
>Thanks,
>
>Jack
>W4GRJ
>



From 2490513519257363901
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Attributes: gidfb049,gidfcc6e,gid108122,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!Xl.tags.giganews.com!border2.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.got.net!news.got.net.POSTED!
not-for-mail
NNTP-Posting-Date: Sat, 24 Jan 2009 14:23:57 -0600
From: dloydlavies@gmail.com
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave
Subject: get kelp
Date: Sat, 24 Jan 2009 15:30:08 -0500
Message-ID: <shumn41ltg4g80u470j3bk24436l8fo30a@4ax.com>
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad> <gl7rcv$v1h$1@news.mixmin.net>
<497b6185$0$19492$c5fe31e7@reader.usenet4all.se>
X-Newsreader: Forte Free Agent 3.3/32.846
```

MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-
BcGghh7a8TZxSvUzS6cPxbhOYuePix5ZuSbibZID8r7O4BVMwnI+w540i3d3+ilt08O2IF+qIy7Txjj!
zjx7mkF10x5GkFeJwK+pYHH6AwAWpy3zo5vuUrmJsjgPm3TMOsvWS+eU66AohohchOw/ww2uKQ9m!ul9m
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:707 rec.radio.amateur.antenna:7670
rec.radio.amateur.equipment:1092 rec.radio.shortwave:25336

On Sat, 24 Jan 2009 13:44:20 -0500, "KC8QJP" <KC8QJP@yahoo.com> wrote:

>
>"RF BURNS" <rfburns33@hotmail.com> wrote in message

fake spamer

From 8071435538624560386
X-Google-Thread: 108122,11da8e9cfda32358
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!newsfeed.icl.net!
newsfeed.fjserv.net!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RadioBanter.com sucks
Date: 24 Jan 2009 21:04:50 GMT
Lines: 16
Message-ID: <slrngnn0jh.ean.bit-bucket@shell.config.com>
References: <Z8Hel.638$Lr6.132@flpi143.ffdc.sbc.com>
Reply-To: If you must, <Reply_to@my.sig.adr>
X-Trace: individual.net sQoU9/vL8xEUMJJOi6kb+wgDx6mYWA14/u6MElF3ngp9CEs+Hi
Cancel-Lock: sha1:A9C9pO2RfuHHPTNBitQYSzqiu8o=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:1093

On Sat, 24 Jan 2009 11:18:22 -0500, Bruce W.1 wrote:
> This Usenet newsgroup is being scraped by RadioBanter.com,
> which apparently can't generate its own content.

It just not here. There seem to be a-lot-of-thingsbanter.com
The Caribbean travel ng I follow is polluted by travelbanter.com.

TOTBAL! :-)

```
Just killfile according to the headers you see.

Jonesy
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    * Killfiling google & XXXXbanter.com: jonz.net/ng.htm


From 5960936447963066876
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!s9g2000prg.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
Date: Sat, 24 Jan 2009 16:44:18 -0800 (PST)
Organization: http://groups.google.com
Lines: 66
Message-ID: <0fb1de9f-ffe7-43a3-9bc7-129dd11844d0@s9g2000prg.googlegroups.com>
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-
a9af-13155a5b10a4@z6g2000pre.googlegroups.com>
     <uNjel.540114$yE1.97233@attbi_s21>
<d20edd99-4edc-4bd1-9985-4c04370f8d76@r36g2000prf.googlegroups.com>
     <glddr3$rns$1@news.albasani.net>
<cYGdnUk7_fEFUefUnZ2dnUVZ_s3inZ2d@giganews.com>
     <b48e67ff-3dcc-4445-9c3f-91c707923867@w39g2000prb.googlegroups.com>
     <P4udnXcvNbyJ_ebUnZ2dnUVZ_ovinZ2d@giganews.com>
NNTP-Posting-Host: 75.34.20.178
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232844259 17293 127.0.0.1 (25 Jan 2009 00:44:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Jan 2009 00:44:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s9g2000prg.googlegroups.com; posting-host=75.34.20.178;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1094

On Jan 24, 12:38=A0pm, "Bryan" <bryan.swadenerNOS...@comcast.net> wrote:
> Telstar Electronics wrote:
>
> On Jan 24, 2:08 am, Bryan wrote:
>
>
```

```
>
>
>
> > Clive wrote:
> > > Tel star Electronics wrote:
> > >> Harold E. Johnson wrote:
> > >>> Don't bother... Weller stuff is junk... that's why you're trying to
> > >>> repair the the one you have... lol
> > >>> Do yourself a favor and try one of
> > >>> these...http://www.hexaconelectric.com/thermo.html
> > >>> They ain't cheap... but man do they last.
>
> > >>> Weller makes junk better than your junk by maybe 40-50 dB.
> > >>> Thanks for your unsolicited opinion.
> > >>> W4ZCB
>
> > >> Harold, I have no affiliation with Hexacon... or do I sell their
> > >> equipment. However, we do use their equipment... and it has proven t=
o
> > >> be much more reliable than Weller stuff. I guess you get what you pa=
y
> > >> for. Not surprising I guess.
>
> > > Looking at some of your solder joints it shows you don't use a Weller=
,
> > > perhaps you should?
>
> > > Clive
>
> > I thought I was the only one to notice the over-cooked solder blobs. I =
do
> > better than that w/ lead-free solder on Rogers PCBs w/ my Weller solder
> > station. But then, I've been doing it for decades. And, while some othe=
r
> > brands have failed us repeatedly, I've seen only ONE Weller station hav=
e
> > to
> > be tossed out. The way I see it, they're relatively inexpensive AND the=
y
> > last.
> > Bryan WA7PRC- Hide quoted text -
>
> > - Show quoted text -
>
> I didn't realize so many people who work at Weller frequent this
> group... lol
>
> I can't speak for others but, I don't work for any soldering equipment
> manufacturer. Nor, do I sell any soldering equipment. =A0And, no one I kn=
ow
> does.
> :: plonk ::- Hide quoted text -
>
```

> - Show quoted text -

You sure are sensitive. All I did was give my personal opinion of Weller... just as you did. I happen to think they stink. Since you got so riled about my honest review... I'll just assume that you know that weller is cheap crap... and you're just mad because you bought one. Plonk yourself... lol

```
From -7488733055539115374
X-Google-Thread: 108122,11da8e9cfda32358
X-Google-Thread: 107ada,7bb734e3811af773,start
X-Google-Attributes: gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!newshub.sdsu.edu!
flph200.ffdc.sbc.com!prodigy.net!flph199.ffdc.sbc.com!prodigy.com!
flpi107.ffdc.sbc.com!nlpi061.nbdc.sbc.com.POSTED!f7e6035e!not-for-mail
From: "Bruce W.1" <no@email.com>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: RadioBanter.com sucks
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 2
Message-ID: <JtTel.2035$PE4.1065@nlpi061.nbdc.sbc.com>
NNTP-Posting-Host: 65.43.212.186
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi061.nbdc.sbc.com 1232864233 ST000 65.43.212.186 (Sun, 25 Jan 2009
01:17:13 EST)
NNTP-Posting-Date: Sun, 25 Jan 2009 01:17:13 EST
Organization: at&t http://my.att.net/
X-UserInfo1:
FKPO@MC@OPV]S]YSY@CBNWX@RJ_XPDLMN@GZ_GYO^BSZUSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Sun, 25 Jan 2009 01:17:06 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1095
rec.radio.amateur.misc:3123
```

This Usenet newsgroup is being scraped by RadioBanter.com, which apparently can't generate its own content.

```
From 937947718263381906
X-Google-Thread: 108122,11da8e9cfda32358
X-Google-Thread: 107ada,7bb734e3811af773
X-Google-Attributes: gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!newsgate.cistron.nl!
newsgate.news.xs4all.nl!194.109.133.84.MISMATCH!newsfeed.xs4all.nl!
```

```
newsfeed5.news.xs4all.nl!xs4all!post.news.xs4all.nl!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
From: Rob <nomail@example.com>
Subject: Re: RadioBanter.com sucks
References: <JtTel.2035$PE4.1065@nlpi061.nbdc.sbc.com>
User-Agent: slrn/pre0.9.9-102 (FreeBSD)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrngnoh1e.12hf.nomail@xs7.xs4all.nl>
Date: 25 Jan 2009 10:51:26 GMT
Lines: 7
NNTP-Posting-Host: 194.109.21.7
X-Trace: 1232880686 news.xs4all.nl 199 [::ffff:194.109.21.7]:54831
X-Complaints-To: abuse@xs4all.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:1310
rec.radio.amateur.misc:3379

Bruce W.1 <no@email.com> wrote:
> This Usenet newsgroup is being scraped by RadioBanter.com, which
> apparently can't generate its own content.

Well, this newsgroup (rec.radio.amateur.misc) does not generate
much content either...  after filtering out the lunatic that posts
messages consisting only of quoted text, of course.


From 7873700703451481090
X-Google-Thread: 108122,11da8e9cfda32358
X-Google-Thread: 107ada,7bb734e3811af773
X-Google-Attributes: gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!news.netcologne.de!newsfeed-fusi2.netcologne.de!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: RadioBanter.com sucks
Date: 25 Jan 2009 16:41:45 GMT
Lines: 10
Message-ID: <slrngnp5i9.2c6u.bit-bucket@shell.config.com>
References: <JtTel.2035$PE4.1065@nlpi061.nbdc.sbc.com>
X-Trace: individual.net P4a0fMC5zgYsuuFE3LnvDwUjVuNfKEKGlvRjsICvNVKWs8Yqth
Cancel-Lock: sha1:dKjMTnu5eiBU+1DqNznI7U5DDPg=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:1097
rec.radio.amateur.misc:3127

On Sun, 25 Jan 2009 01:17:06 -0500, Bruce W.1 wrote:
> This Usenet newsgroup is being scraped by RadioBanter.com, which
> apparently can't generate its own content.

The .sig:
```

```
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    * Killfiling google & XXXXbanter.com: jonz.net/ng.htm


From -3033955735742899577
X-Google-Thread: 108122,9886f2e5e346b491,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.glorb.com!solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: "Rollie" <rollie@iowatelecom.net>
Newsgroups: rec.radio.amateur.equipment
Subject: MARS for Jupiter 538
Date: Sun, 25 Jan 2009 11:46:38 -0600
Organization: netINS InterNetNews site
Lines: 4
Message-ID: <gli8i0$gcr$1@news.netins.net>
NNTP-Posting-Host: nevd-01-1968.dsl.iowatelecom.net
X-Trace: news.netins.net 1232905600 16795 71.7.103.176 (25 Jan 2009 17:46:40 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 25 Jan 2009 17:46:40 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:1098

Does anyone out there have the MARS modification for the TenTec Jupiter 538
transceiver for the extra frequencies. Tnx, KD0FGX




From 5695681921014012974
X-Google-Thread: 108122,9886f2e5e346b491
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!post01.iad!
news.suddenlink.net!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <gli8i0$gcr$1@news.netins.net>
In-Reply-To: <gli8i0$gcr$1@news.netins.net>
Subject: Re: MARS for Jupiter 538
Date: Sun, 25 Jan 2009 21:38:11 -0600
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
```

charset="iso-8859-1";
reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Lines: 11
Message-ID: <497d302a$0$5464$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 74.197.3.141
X-Complaints-To: abuse@suddenlink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1313

"Rollie" <rollie@iowatelecom.net> wrote in message
news:gli8i0$gcr$1@news.netins.net...
> Does anyone out there have the MARS modification for the TenTec Jupiter
> 538 transceiver for the extra frequencies. Tnx, KD0FGX

Send Ten-Tec a copy of your MARS license and they'll send you the
modification.
<http://kb.tentec.com/index.php?action=article&id=63>

73
Glenn AA5PK

From 918686004667142065
X-Google-Thread: 108122,42222f87a78a9be3
X-Google-Thread: 107ada,42222f87a78a9be3
X-Google-Attributes: gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Mon, 26 Jan 2009 15:10:54 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.19) Gecko/
20081204 SeaMonkey/1.1.14
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: HF band scope???
References: <Kksel.19196$ZP4.10131@nlpi067.nbdc.sbc.com>
In-Reply-To: <Kksel.19196$ZP4.10131@nlpi067.nbdc.sbc.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <497e42ff$0$31213$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1100
rec.radio.amateur.misc:3274

Bruce W.1 wrote:

> DX will soon be upon us. This time around I'd like to have a band
> scope, without spending thousands of dollars. This so I can see band
> activity on a display screen. For this I have not found a solution.
>
> The cheapest solution that I have found is an Icom IC-PCR1500 PC
> controlled receiver, for about $500. It would do the job.
>
> My Icom IC-735 HF rig does not have an IF output on the back.
>
> I recall seeing standalone band scopes, but I can't seem to find any now.
>
> Can anyone recommend a solution?
>
> Thanks for your help.

I'd prefer a modern SDR radio, as opposed to the old analog ICOM, if I
wanted a panoramic display. This also costs $500, and it's a better HF
receiver and has a much better spectrum display.

http://www.universal-radio.com/catalog/commrxvr/0106.html

From -8101178349585022859
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Thread: 106d41,f111a78963ee3d1a
X-Google-Attributes:
gidfcc6e,gid108122,gid114aac,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.mixmin.net!not-for-mail
From: "RF BURNS" <rfburns33@hotmail.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,rec.
radio.cb
Subject: Re: KC8QJP and N8WWM Glory Hole Party - KC8QJP will be offering discount
tax consulting through the gloryhole while N8WWM is on his knees
Date: Wed, 28 Jan 2009 14:51:53 -0500
Organization: rfburns
Lines: 119
Message-ID: <glqd12$mog$1@news.mixmin.net>
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad> <gl7rcv$v1h$1@news.mixmin.net>
<497b6185$0$19492$c5fe31e7@reader.usenet4all.se>
NNTP-Posting-Host: fb23a3beb68234f52ed618768f4cdd88
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Wed, 28 Jan 2009 19:52:03 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal

Xref: g2news1.google.com alt.ham-radio.vhf-uhf:739 rec.radio.amateur.antenna:7747
rec.radio.amateur.equipment:1101 rec.radio.shortwave:25660 rec.radio.cb:5612

"KC8QJP" <KC8QJP@yahoo.com> wrote in message
news:497b6185$0$19492$c5fe31e7@reader.usenet4all.se...
>
> "RF BURNS" <rfburns33@hotmail.com> wrote in message
> news:gl7rcv$v1h$1@news.mixmin.net...
>>
>> "zoltan" <zoltan@zoltan.com> wrote in message
>> news:6jgVk.11173$qh4.10597@newsfe04.iad...
>>>
>>> "n8wwm mrbindwell (fatboy)" <dougay@nospam.com> wrote in message
>>> news:gcgpfa$ct7$1@news.mixmin.net...
>>>>
>>>> "Leland C Scott" <kc8ldo@madisonhts.com> wrote in message
>>>> news:gc086k$u0v$1@news.tornevall.net...
>>>>> "n8wwm mrbindwell (fatboy)" wrote:
>>>>>
>>>>> http://img254.imageshack.us/my.php?image=dougpetro3yk1.jpg
>>>>>
>>>>>> Pick up some crisco on your way over tonight, KC8QJP needs a good
>>>>>> slathering on her hind quarters.
>>>>>>
>>>>>> She's also getting ready to start her tax return posts again like she
>>>>>> does every year. You remember those..
>>>>>>
>>>>>> http://tinyurl.com/46teqq
>>>>>>
>>>>>> She says she wants to add some pics of her and me to them this year.
>>>>>>
>>>>>>
>>>>>>
>>>>> Cool!
>>>>>
>>>> they're having it over here, queerboy.
>>>>
>>>> Lance & Lisa Adair
>>>> 10431 Jackman Rd
>>>> Temperance, MI 48182-9629
>>>> (734) 854-2426
>>>>
>>>>
>>> n8wwm is a convicted criminal
>>>
>>>
>> N8WWM is a shut in loser.
>>
> He hardly ever breaks the law anymore.
>
Bullshit, he just got out of jail again for driving without a license, and
he was found indigent again for the sixth time in six years!

Poor dougay has no money, no job, no lfe. Too bad YOU have to support the pathetic criminal drunken loser eh, KC8QJP?

court document below----

Journal Entry

07/03/2008 Affidavit Filed 07/03/2008 00:00, Citation issued on 07/01/2008 00:00. Defendant summoned to appear for arraignment on 07/11/2008 09:00 in court room 1. Personal appearance required. [Clerk entry]

07/11/2008 PD fee assessed. [JUDGE KELLER]

07/11/2008 Defendant ordered to pay fee for PUBLIC DEFENDER FEE.. [JUDGE KELLER]

07/11/2008 Defendant present with attorney DEFENDER, PUBLIC , #9999. [JUDGE KELLER]

07/11/2008 Defendant requests a public defender. [JUDGE KELLER]

07/11/2008 Defendant found indigent by Court and public defender assigned. [JUDGE KELLER]

07/11/2008 Defendant attorney enters plea of not guilty. To Assignment Commissioner for date. [JUDGE KELLER]

07/11/2008 At the request of defendant attorney, case continued to 08/01/2008 09:00 in courtroom 1 for prosecutor pre-trial. [JUDGE KELLER]

07/11/2008 Case assigned to JUDGE KELLER. Plea indicated. [JUDGE KELLER]

08/01/2008 Defendant present with attorney PUBLIC DEFENDER, #9999. [JUDGE KELLER]

08/01/2008 Defendant attorney withdraws prior plea. [JUDGE KELLER]

08/01/2008 Defendant attorney enters plea of no contest. [JUDGE KELLER]

08/01/2008 Defendant found guilty by judge. [JUDGE KELLER]

08/01/2008 FRA Shown. [JUDGE KELLER]

08/01/2008 Defendant sentenced to pay $150.00 fine and $60.00 costs. [JUDGE KELLER]

08/01/2008 Defendant sentenced to 60 days in CORRECTIONS CENTER OF NORTHWEST OHIO. SUSPENDED. 30 days suspended. Stay on jail until 09/26/2008 18:00. [JUDGE KELLER]

08/01/2008 Commitment form printed on 08/01/2008 10:18 by user SAWMILLER,STEFFANIE LYNN on station 195. [Clerk entry]

08/01/2008 At the request of defendant attorney, case continued to 09/26/2008 09:00 in courtroom 1 for operator's license. [JUDGE KELLER]

08/01/2008 Commitment form printed on 08/01/2008 10:22 by user JOOST,JAMIE SUE on station 203. [Clerk entry]

08/01/2008 Defendant applied to MONTHLY Payment Plan. Scheduled amount of $50.00. Begin date of 09/05/2008. [Clerk entry]

08/25/2008 Payment Plan amount of $50.00 paid. [Clerk entry]

09/19/2008 Payment Plan amount of $50.00 paid. [Clerk entry]

09/26/2008 Defendant present with attorney PUBLIC DEFENDER, #9999. [JUDGE KELLER]

09/26/2008 Defendant placed on Active probation for 2 years. Begin Date of 09/26/2008, end date of 09/26/2010. Probation Conditions are: NG OF SIMILAR OFFENSE [JUDGE KELLER]

09/26/2008 Defendant's sentence modified. [JUDGE KELLER]

09/26/2008 Commitment form printed on 09/26/2008 10:57 by user

WALLS,KIMBERLY H on station 3430. [Clerk entry]

09/26/2008 Defendant sentenced to 15 days in CORRECTIONS CENTER OF NORTHWEST OHIO. ELECTRONIC MONITORING. [JUDGE KELLER]

09/26/2008 Commitment form printed on 09/26/2008 11:30 by user WALLS,KIMBERLY H on station 3430. [Clerk entry]

09/26/2008 Commitment form printed on 09/26/2008 13:34 by user KUCKUCK,RON on station 2503. [Clerk entry]

09/26/2008 Commitment form printed on 09/26/2008 13:34 by user KUCKUCK,RON on station 2503. [Clerk entry]

09/26/2008 Commitment form printed on 09/26/2008 13:34 by user KUCKUCK,RON on station 2503. [Clerk entry]

10/22/2008 Payment Plan amount of $50 paid. [Clerk entry]

11/14/2008 Payment Plan amount of $50.00 paid. [Clerk entry]

12/12/2008 Fines and/or Costs paid in full. [Clerk entry]

```
From -4808121768814759673
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Thread: 106d41,f111a78963ee3d1a
X-Google-Attributes:
gidfcc6e,gid108122,gid114aac,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.mixmin.net!not-for-mail
From: "RF BURNS" <rfburns33@hotmail.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.cb
Subject: N8WWM latest conviction...time served for driving without a license again. Too many drunk drivings
Date: Wed, 28 Jan 2009 15:05:47 -0500
Organization: rfburns
Lines: 73
Message-ID: <glqdr5$p68$1@news.mixmin.net>
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad> <gl7rcv$v1h$1@news.mixmin.net>
<497b6185$0$19492$c5fe31e7@reader.usenet4all.se> <glqd12$mog$1@news.mixmin.net>
NNTP-Posting-Host: fb23a3beb68234f52ed618768f4cdd88
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Wed, 28 Jan 2009 20:05:58 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:740 rec.radio.amateur.antenna:7748
rec.radio.amateur.equipment:1102 rec.radio.shortwave:25665 rec.radio.cb:5613
```

> court document below----
> Defendant DOB Case Number Violation

ADAIR, DOUGLAS 07/10/1958 08TRD019070102 DRIVING W/O COMPLY W/LIC REINSTATEMENT REQ

Journal Entry

07/03/2008 Affidavit Filed 07/03/2008 00:00, Citation issued on 07/01/2008 00:00. Defendant summoned to appear for arraignment on 07/11/2008 09:00 in court room 1. Personal appearance required. [Clerk entry]

07/11/2008 PD fee assessed. [JUDGE KELLER]

07/11/2008 Defendant ordered to pay fee for PUBLIC DEFENDER FEE.. [JUDGE KELLER]

07/11/2008 Defendant present with attorney DEFENDER, PUBLIC , #9999. [JUDGE KELLER]

07/11/2008 Defendant requests a public defender. [JUDGE KELLER]

07/11/2008 Defendant found indigent by Court and public defender assigned. [JUDGE KELLER]

07/11/2008 Defendant attorney enters plea of not guilty. To Assignment Commissioner for date. [JUDGE KELLER]

07/11/2008 At the request of defendant attorney, case continued to 08/01/2008 09:00 in courtroom 1 for prosecutor pre-trial. [JUDGE KELLER]

07/11/2008 Case assigned to JUDGE KELLER. Plea indicated. [JUDGE KELLER]

08/01/2008 Defendant present with attorney PUBLIC DEFENDER, #9999. [JUDGE KELLER]

08/01/2008 Defendant attorney withdraws prior plea. [JUDGE KELLER]

08/01/2008 Defendant attorney enters plea of no contest. [JUDGE KELLER]

08/01/2008 Defendant found guilty by judge. [JUDGE KELLER]

08/01/2008 FRA Shown. [JUDGE KELLER]

08/01/2008 Defendant sentenced to pay $150.00 fine and $60.00 costs. [JUDGE KELLER]

08/01/2008 Defendant sentenced to 60 days in CORRECTIONS CENTER OF NORTHWEST OHIO. SUSPENDED. 30 days suspended. Stay on jail until 09/26/2008 18:00. [JUDGE KELLER]

08/01/2008 Commitment form printed on 08/01/2008 10:18 by user SAWMILLER,STEFFANIE LYNN on station 195. [Clerk entry]

08/01/2008 At the request of defendant attorney, case continued to 09/26/2008 09:00 in courtroom 1 for operator's license. [JUDGE KELLER]

08/01/2008 Commitment form printed on 08/01/2008 10:22 by user JOOST,JAMIE SUE on station 203. [Clerk entry]

08/01/2008 Defendant applied to MONTHLY Payment Plan. Scheduled amount of $50.00. Begin date of 09/05/2008. [Clerk entry]

08/25/2008 Payment Plan amount of $50.00 paid. [Clerk entry]

09/19/2008 Payment Plan amount of $50.00 paid. [Clerk entry]

09/26/2008 Defendant present with attorney PUBLIC DEFENDER, #9999. [JUDGE KELLER]

09/26/2008 Defendant placed on Active probation for 2 years. Begin Date of 09/26/2008, end date of 09/26/2010. Probation Conditions are: NG OF SIMILAR OFFENSE [JUDGE KELLER]

09/26/2008 Defendant's sentence modified. [JUDGE KELLER]
09/26/2008 Commitment form printed on 09/26/2008 10:57 by user WALLS,KIMBERLY H on station 3430. [Clerk entry]
09/26/2008 Defendant sentenced to 15 days in CORRECTIONS CENTER OF NORTHWEST OHIO. ELECTRONIC MONITORING. [JUDGE KELLER]
09/26/2008 Commitment form printed on 09/26/2008 11:30 by user WALLS,KIMBERLY H on station 3430. [Clerk entry]
09/26/2008 Commitment form printed on 09/26/2008 13:34 by user KUCKUCK,RON on station 2503. [Clerk entry]
09/26/2008 Commitment form printed on 09/26/2008 13:34 by user KUCKUCK,RON on station 2503. [Clerk entry]
09/26/2008 Commitment form printed on 09/26/2008 13:34 by user KUCKUCK,RON on station 2503. [Clerk entry]
10/22/2008 Payment Plan amount of $50 paid. [Clerk entry]
11/14/2008 Payment Plan amount of $50.00 paid. [Clerk entry]
12/12/2008 Fines and/or Costs paid in full. [Clerk entry]

```
From 3862890198458765457
X-Google-Thread: 108122,eb8f8376b4b9c12e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w1g2000prm.googlegroups.com!not-for-
mail
From: Brucemm33@aol.com
Newsgroups: rec.radio.amateur.equipment
Subject: JRC NRD 545 for sale
Date: Wed, 28 Jan 2009 20:36:48 -0800 (PST)
Organization: http://groups.google.com
Lines: 28
Message-ID: <76dcfa0d-1247-4e26-ae41-97307ccd5a53@w1g2000prm.googlegroups.com>
NNTP-Posting-Host: 71.221.41.180
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1233203808 21647 127.0.0.1 (29 Jan 2009 04:36:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 29 Jan 2009 04:36:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w1g2000prm.googlegroups.com; posting-host=71.221.41.180;
     posting-account=EWgEMQoAAAANh3xUCA_mqc5X7WPqdL3Y
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; GTB5;
     .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR
     3.0.04506.648; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1103
```

Greetings,

I have been considering putting my 545 up for sale for some time because I don't use it much any longer . The radio is in excellent condition (a minor scratch towards the back of the top cover is the only blemish which does not detract from its visual appearance) and it includes a fully functional CHE-199 VHF/UHF wideband converter (no "mute" problem as described by others with this model of radio). There are no gaps in the frequency coverage of the CHE-199 so the radio tunes continously from 100 kHz up to 1999.999 MHz. I will also include the original Instruction Manual, the 138 page Service Manual, and the original box for the radio. I also installed a TCXO option which improves the frequency stability to +/- 0.5PPM. The serial number of the radio is RG##773 which I purchased it new in July 2001 from Universal Radio. It has been well cared for in a non-smoking environment. This radio with these options sold for over $2100 new however I am willing to part for $1600 + shipping.   I can guarantee the radio works 100%. The variable bandwidth control and variable AGC makes the radio a dream to operate as this is the finest SSB radio I have ever used. I can send you pictures if you are interested.

Sincerely,
Bruce KC0WRI

```
From -67243794399323074
X-Google-Thread: 108122,4fcd98deb96adabf,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
newsgate.cuhk.edu.hk!news.netfront.net!not-for-mail
From: "Karl" <ska@inbox.lv>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB:TE Systems 0552G 6M VHF Amp
Date: Thu, 29 Jan 2009 17:12:46 +0200
Organization: Netfront http://www.netfront.net
Lines: 5
Message-ID: <glsh1h$1abp$1@adenine.netfront.net>
NNTP-Posting-Host: 81.198.159.106
X-Trace: adenine.netfront.net 1233241970 43385 81.198.159.106 (29 Jan 2009
15:12:50 GMT)
X-Complaints-To: news@netfront.net
NNTP-Posting-Date: Thu, 29 Jan 2009 15:12:50 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Xref: g2news1.google.com rec.radio.amateur.equipment:1104
```

Hi,all!
Wanted to buy used TE Systems 0552G 6M VHF Amplifier.
Karl/YL2MD

From -6037121509269796891
X-Google-Thread: 108122,a06826191abaa5fa,start
X-Google-Thread: 1109af,a06826191abaa5fa,start
X-Google-Thread: 1132e2,a06826191abaa5fa,start
X-Google-Attributes: gid108122,gid1109af,gid1132e2,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news.mixmin.net!news2.arglkargh.de!news.dizum.com!sewer-output!mail2news-x3!
mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,fl.forsale
Subject: FA: COLLINS 30L-1 transmitter
Message-ID: <16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net>
Date: Fri, 30 Jan 2009 05:26:59 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1319 rec.radio.swap:1607
fl.forsale:249

http://atu.ca/Collins30L1

From 5159021931121644435
X-Google-Thread: 108122,a06826191abaa5fa
X-Google-Thread: 1109af,a06826191abaa5fa
X-Google-Thread: 1132e2,a06826191abaa5fa
X-Google-Attributes: gid108122,gid1109af,gid1132e2,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
news2.glorb.com!nx02.iad.newshosting.com!newshosting.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Fri, 30 Jan 2009 13:27:08 -0800
From: dave <dave@dave.dave>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.19) Gecko/
20081204 SeaMonkey/1.1.14
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,fl.forsale
Subject: Re: FA: COLLINS 30L-1 transmitter
References: <16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net>
In-Reply-To: <16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
Message-ID: <498370ad$0$31197$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com

```
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1106 rec.radio.swap:1187
fl.forsale:209

DC wrote:
> http://atu.ca/Collins30L1
>
Linear Amplifier


From 3314562558165046258
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 106d41,f111a78963ee3d1a
X-Google-Attributes: gid108122,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
transit3.readnews.com!news-xxxfer.readnews.com!transit4.readnews.com!news-
out.readnews.com!postnews3.readnews.com!nr-q10.newsreader.com.POSTED!not-for-mail
Subject: Re: N8WWM latest conviction...time served for driving without a license
again. Too many drunk drivings
From: Steve <moparholic@hotmail.com>
Organization: essb audio
Message-ID: <20090131233625.495$V0@newsreader.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,rec.
radio.cb
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad> <gl7rcv$v1h$1@news.mixmin.net>
<497b6185$0$19492$c5fe31e7@reader.usenet4all.se> <glqd12$mog$1@news.mixmin.net>
<glqdr5$p68$1@news.mixmin.net>
X-NRC-Trace: NewsReader.Com gWD055T./nxw.vD+nUItvp3hbSFjtYkvBlr-scQwAUVRT.
Date: 01 Feb 2009 04:32:25 GMT
Lines: 75
NNTP-Posting-Host: e16fdee5.nr-q10.newsreader.com
X-Trace:
DXC=81f\fa>\@PKHSlmWE`@n^JAIFYADJ8L_AZ?:i9<JJBSN_XO85==LOQFiJ;iV2YAoGE[XdP8fJ`g4I^
BJZh=mFWfA
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:745 rec.radio.amateur.antenna:7817
rec.radio.amateur.equipment:1107 rec.radio.shortwave:25878 rec.radio.cb:5657

"RF BURNS" <rfburns33@hotmail.com> wrote:
> > court document below----
> >  Defendant DOB    Case Number                 Violation
>       ADAIR, DOUGLAS   07/10/1958   08TRD019070102    DRIVING W/O COMPLY
> W/LIC REINSTATEMENT REQ
>
>      Journal Entry
>  07/03/2008 Affidavit Filed 07/03/2008 00:00, Citation issued on
>  07/01/2008 00:00. Defendant summoned to appear for arraignment on
> 07/11/2008
>  09:00 in court room 1. Personal appearance required. [Clerk entry]
> 07/11/2008 PD fee assessed. [JUDGE KELLER]
> 07/11/2008 Defendant ordered to pay fee for PUBLIC DEFENDER FEE..
>  [JUDGE KELLER]
>  07/11/2008 Defendant present with attorney DEFENDER, PUBLIC , #9999.
>  [JUDGE KELLER]
>  07/11/2008 Defendant requests a public defender. [JUDGE KELLER]
>  07/11/2008 Defendant found indigent by Court and public defender
>  assigned. [JUDGE KELLER]
> 07/11/2008 Defendant attorney enters plea of not guilty. To Assignment
> Commissioner for date. [JUDGE KELLER]
> 07/11/2008 At the request of defendant attorney, case continued to
> 08/01/2008 09:00 in courtroom 1 for prosecutor pre-trial. [JUDGE KELLER]
> 07/11/2008 Case assigned to JUDGE KELLER. Plea indicated. [JUDGE
> KELLER]
> 08/01/2008 Defendant present with attorney PUBLIC DEFENDER, #9999.
> [JUDGE KELLER]
> 08/01/2008 Defendant attorney withdraws prior plea. [JUDGE KELLER]
>  08/01/2008 Defendant attorney enters plea of no contest. [JUDGE
> KELLER]
> 08/01/2008 Defendant found guilty by judge. [JUDGE KELLER]
> 08/01/2008 FRA Shown. [JUDGE KELLER]
> 08/01/2008 Defendant sentenced to pay $150.00 fine and $60.00 costs.
> [JUDGE KELLER]
> 08/01/2008 Defendant sentenced to 60 days in CORRECTIONS CENTER OF
> NORTHWEST OHIO. SUSPENDED. 30 days suspended. Stay on jail until
> 09/26/2008 18:00. [JUDGE KELLER]
> 08/01/2008 Commitment form printed on 08/01/2008 10:18 by user
> SAWMILLER,STEFFANIE LYNN on station 195. [Clerk entry]
> 08/01/2008 At the request of defendant attorney, case continued to
> 09/26/2008 09:00 in courtroom 1 for operator's license. [JUDGE KELLER]
> 08/01/2008 Commitment form printed on 08/01/2008 10:22 by user
> JOOST,JAMIE SUE on station 203. [Clerk entry]
> 08/01/2008 Defendant applied to MONTHLY Payment Plan. Scheduled amount
> of $50.00. Begin date of 09/05/2008. [Clerk entry]
> 08/25/2008 Payment Plan amount of $50.00 paid. [Clerk entry]
> 09/19/2008 Payment Plan amount of $50.00 paid. [Clerk entry]
> 09/26/2008 Defendant present with attorney PUBLIC DEFENDER, #9999.
> [JUDGE KELLER]
> 09/26/2008 Defendant placed on Active probation for 2 years. Begin
> Date of 09/26/2008, end date of 09/26/2010. Probation Conditions are: NG
> OF SIMILAR OFFENSE [JUDGE KELLER]
> 09/26/2008 Defendant's sentence modified. [JUDGE KELLER]
> 09/26/2008 Commitment form printed on 09/26/2008 10:57 by user
> WALLS,KIMBERLY H on station 3430. [Clerk entry]
> 09/26/2008 Defendant sentenced to 15 days in CORRECTIONS CENTER OF
> NORTHWEST OHIO. ELECTRONIC MONITORING. [JUDGE KELLER]
> 09/26/2008 Commitment form printed on 09/26/2008 11:30 by user
> WALLS,KIMBERLY H on station 3430. [Clerk entry]
> 09/26/2008 Commitment form printed on 09/26/2008 13:34 by user
> KUCKUCK,RON on station 2503. [Clerk entry]
> 09/26/2008 Commitment form printed on 09/26/2008 13:34 by user
> KUCKUCK,RON on station 2503. [Clerk entry]
> 09/26/2008 Commitment form printed on 09/26/2008 13:34 by user
> KUCKUCK,RON on station 2503. [Clerk entry]
> 10/22/2008 Payment Plan amount of $50 paid. [Clerk entry]
> 11/14/2008 Payment Plan amount of $50.00 paid. [Clerk entry]
> 12/12/2008 Fines and/or Costs paid in full. [Clerk entry]
>>
>
>
One more conviction is small in the grand scheme of drunken N8WWM.

--
                 http://NewsReader.Com/


From -8145648225807248077
X-Google-Thread: 108122,c0fb7dc76773220,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u18g2000pro.googlegroups.com!not-for-
mail
From: K7ITM <k7itm@msn.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Looking for dead HP848x RF power sensor
Date: Sun, 1 Feb 2009 00:00:37 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <4fd1b5fe-5918-4923-bdbc-fcdce3e7533f@u18g2000pro.googlegroups.com>
NNTP-Posting-Host: 71.112.191.81
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1233475237 13572 127.0.0.1 (1 Feb 2009 08:00:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 1 Feb 2009 08:00:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u18g2000pro.googlegroups.com; posting-host=71.112.191.81;
     posting-account=uiivuwkAAADKlh9jd4TJzpBGWedvsUqf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.5)
     Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1322
rec.radio.amateur.boatanchors:2227

I'm looking for a dead HP848x (e.g. HP8482A or similar) RF power
sensor head to rescue from the trash.  All I need is the connector
(the one to the cable to the readout box)--don't care about any of the
rest of it.  Anyone?

Cheers,
Tom


From -8554142487416680894
X-Google-Thread: 108122,a06826191abaa5fa
X-Google-Thread: 1109af,a06826191abaa5fa
```

```
X-Google-Thread: 1132e2,a06826191abaa5fa
X-Google-Attributes: gid108122,gid1109af,gid1132e2,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!
nwrddc02.gnilink.net.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,fl.forsale
References: <16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net>
Subject: Re: COLLINS 30L-1 transmitter
Lines: 9
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <ioihl.397$N02.64@nwrddc02.gnilink.net>
Date: Sun, 01 Feb 2009 14:32:46 GMT
NNTP-Posting-Host: 71.104.208.156
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1233498766 71.104.208.156 (Sun, 01 Feb 2009 09:32:46
EST)
NNTP-Posting-Date: Sun, 01 Feb 2009 09:32:46 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:1109 rec.radio.swap:1197
fl.forsale:212
X-Original-Bytes: 1429

"DC" <nobody@pseudo.borked.net> wrote in message
news:16cfaf315682749031d2fad9bd4606ff@pseudo.borked.net...
> http://atu.ca/Collins30L1
>
Cool amp.  Book is available on-line.  Easy to rewire 240 or 120.  Need to
change cord and fuses and taps on transformer.  Always check cathode
resistors for proper value and bias filter cap before firing up a strange
one.



From -3646348561417191312
X-Google-Thread: 108122,c0fb7dc76773220
X-Google-Thread: fc8b1,c0fb7dc76773220
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: Looking for dead HP848x RF power sensor
```

```
Date: 1 Feb 2009 11:53:38 -0500
Organization: Former users of Netcom shell (1989-2000)
Lines: 12
Message-ID: <gm4k2i$7a8$1@panix2.panix.com>
References: <4fd1b5fe-5918-4923-bdbc-fcdce3e7533f@u18g2000pro.googlegroups.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1233507212 24227 166.84.1.2 (1 Feb 2009 16:53:32 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 1 Feb 2009 16:53:32 +0000 (UTC)
Xref: g2news1.google.com rec.radio.amateur.equipment:1110
rec.radio.amateur.boatanchors:1872

K7ITM  <k7itm@msn.com> wrote:
>I'm looking for a dead HP848x (e.g. HP8482A or similar) RF power
>sensor head to rescue from the trash.  All I need is the connector
>(the one to the cable to the readout box)--don't care about any of the
>rest of it.  Anyone?

What is that connector?  As I recall, this stuff mostly used standard
military-style KPT connectors.  If you have a number on it, someone may
have a match.
--scott
--
"C'est un Nagra.  C'est suisse, et tres, tres precis."


From 4956775623710189178
X-Google-Thread: 108122,c0fb7dc76773220
X-Google-Thread: fc8b1,c0fb7dc76773220
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!p23g2000prp.googlegroups.com!not-for-
mail
From: K7ITM <k7itm@msn.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: Looking for dead HP848x RF power sensor
Date: Sun, 1 Feb 2009 17:31:19 -0800 (PST)
Organization: http://groups.google.com
Lines: 23
Message-ID: <3808c26b-5818-4eb3-9c5d-de87dde543d2@p23g2000prp.googlegroups.com>
References: <4fd1b5fe-5918-4923-bdbc-fcdce3e7533f@u18g2000pro.googlegroups.com>
     <gm4k2i$7a8$1@panix2.panix.com>
NNTP-Posting-Host: 71.112.191.81
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1233538279 19313 127.0.0.1 (2 Feb 2009 01:31:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Feb 2009 01:31:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p23g2000prp.googlegroups.com; posting-host=71.112.191.81;
     posting-account=uiivuwkAAADKlh9jd4TJzpBGWedvsUqf
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.5)
     Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1111
rec.radio.amateur.boatanchors:1887

On Feb 1, 8:53=A0am, klu...@panix.com (Scott Dorsey) wrote:
> K7ITM =A0<k7...@msn.com> wrote:
> >I'm looking for a dead HP848x (e.g. HP8482A or similar) RF power
> >sensor head to rescue from the trash. =A0All I need is the connector
> >(the one to the cable to the readout box)--don't care about any of the
> >rest of it. =A0Anyone?
>
> What is that connector? =A0As I recall, this stuff mostly used standard
> military-style KPT connectors. =A0If you have a number on it, someone may
> have a match.
> --scott
> --
> "C'est un Nagra. =A0C'est suisse, et tres, tres precis."

Thanks for the idea, Scott, but no, they have no spline keying.  The
locking ring is threaded, with male threads on the plug on the cable.
I suppose I can get a part number, but suspect if I can even find
someplace that will sell me just one, it will be considerably more
than the cost of shipping a dead unit that someone was going to toss
anyway.

Cheers,
Tom



From 7025830556264947207
X-Google-Thread: 108122,c0fb7dc76773220
X-Google-Thread: fc8b1,c0fb7dc76773220
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: Looking for dead HP848x RF power sensor
Date: 1 Feb 2009 20:52:25 -0500
Organization: Former users of Netcom shell (1989-2000)
Lines: 16
Message-ID: <gm5jkp$mle$1@panix2.panix.com>
References: <4fd1b5fe-5918-4923-bdbc-fcdce3e7533f@u18g2000pro.googlegroups.com>
<gm4k2i$7a8$1@panix2.panix.com> <3808c26b-5818-4eb3-9c5d-
de87dde543d2@p23g2000prp.googlegroups.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1233539540 23935 166.84.1.2 (2 Feb 2009 01:52:20 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 2 Feb 2009 01:52:20 +0000 (UTC)
Xref: g2news1.google.com rec.radio.amateur.equipment:1112
rec.radio.amateur.boatanchors:1888
```

```
K7ITM  <k7itm@msn.com> wrote:
>
>Thanks for the idea, Scott, but no, they have no spline keying.  The
>locking ring is threaded, with male threads on the plug on the cable.

Like an A&N connector?

>I suppose I can get a part number, but suspect if I can even find
>someplace that will sell me just one, it will be considerably more
>than the cost of shipping a dead unit that someone was going to toss
>anyway.

Could be, or could be someone has a box in their basement.
--scott
--
"C'est un Nagra.  C'est suisse, et tres, tres precis."


From 6057359201076293546
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Attributes: gidfb049,gidfcc6e,gid108122,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad.newshosting.com!
newshosting.com!69.16.185.16.MISMATCH!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe09.iad.POSTED!ce516c54!not-for-mail
From: dloydlavies@gmail.com
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: get kelp
Message-ID: <8tkco45cp30jf9289il8jsqmh6901n9tal@4ax.com>
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad> <gl7rcv$v1h$1@news.mixmin.net>
<497b6185$0$19492$c5fe31e7@reader.usenet4all.se>
<shumn41ltg4g80u470j3bk24436l8fo30a@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Mon, 02 Feb 2009 01:54:48 UTC
Organization: TeraNews.com
Date: Sun, 01 Feb 2009 21:00:12 -0500
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:746 rec.radio.amateur.antenna:7840
rec.radio.amateur.equipment:1113 rec.radio.shortwave:25917

On Sat, 24 Jan 2009 15:30:08 -0500, dloydlavies@gmail.com wrote:
```

```
>On Sat, 24 Jan 2009 13:44:20 -0500, "KC8QJP" <KC8QJP@yahoo.com> wrote:
>
>>
>>"RF BURNS" <rfburns33@hotmail.com> wrote in message
>
>fake spamer


From -9145362419406335049
X-Google-Thread: 106d41,4efbb1c3533a0d08
X-Google-Thread: 114aac,4efbb1c3533a0d08
X-Google-Thread: 10bf43,4efbb1c3533a0d08
X-Google-Thread: 108122,4efbb1c3533a0d08
X-Google-Attributes:
gid106d41,gid114aac,gid10bf43,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post01.iad.highwinds-media.com!newsfe04.iad.POSTED!ce516c54!not-for-mail
From: dloydlavies@gmail.com
Newsgroups:
rec.radio.cb,rec.radio.shortwave,rec.radio.amateur.policy,rec.radio.amateur.equipm
ent
Subject: Re: k3vr is good next step
Message-ID: <ialco4l7q2j4jm4bk5hiu11no8c4414sjo@4ax.com>
References: <7df7ad8b-f4d2-459f-8f20-edbda5907f43@d42g2000prb.googlegroups.com>
<f34a2f8f-34f3-457e-b341-edb58a286d7f@g1g2000pra.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 6
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Mon, 02 Feb 2009 02:01:08 UTC
Organization: TeraNews.com
Date: Sun, 01 Feb 2009 21:07:16 -0500
Xref: g2news1.google.com rec.radio.cb:5679 rec.radio.shortwave:25922
rec.radio.amateur.policy:21722 rec.radio.amateur.equipment:1114

On Mon, 5 Jan 2009 10:56:07 -0800 (PST), an_old_friend
<kb9rqz@gmail.com> wrote:

>On Jan 5, 11:19�am, mopeyzakw...@yahoo.com wrote:
>> SEARCH ID SEARCH CRITERIA IDENTIFIER STATUS
>can the spamm


From -3720219281037084578
X-Google-Thread: 108122,c0fb7dc76773220
X-Google-Thread: fc8b1,c0fb7dc76773220
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
```

```
Path: g2news1.google.com!postnews.google.com!i24g2000prf.googlegroups.com!not-for-
mail
From: K7ITM <k7itm@msn.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: Looking for dead HP848x RF power sensor
Date: Sun, 1 Feb 2009 20:58:37 -0800 (PST)
Organization: http://groups.google.com
Lines: 27
Message-ID: <8f5fdf04-b160-40ef-96fb-89c1d367449e@i24g2000prf.googlegroups.com>
References: <4fd1b5fe-5918-4923-bdbc-fcdce3e7533f@u18g2000pro.googlegroups.com>
     <gm4k2i$7a8$1@panix2.panix.com> <3808c26b-5818-4eb3-9c5d-
de87dde543d2@p23g2000prp.googlegroups.com>
     <gm5jkp$mle$1@panix2.panix.com>
NNTP-Posting-Host: 71.112.191.81
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1233550717 26408 127.0.0.1 (2 Feb 2009 04:58:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Feb 2009 04:58:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i24g2000prf.googlegroups.com; posting-host=71.112.191.81;
     posting-account=uiivuwkAAADKlh9jd4TJzpBGWedvsUqf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.5)
     Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1115
rec.radio.amateur.boatanchors:1889
```

On Feb 1, 5:52=A0pm, klu...@panix.com (Scott Dorsey) wrote:
> K7ITM =A0<k7...@msn.com> wrote:
>
> >Thanks for the idea, Scott, but no, they have no spline keying. =A0The
> >locking ring is threaded, with male threads on the plug on the cable.
>
> Like an A&N connector?
>
> >I suppose I can get a part number, but suspect if I can even find
> >someplace that will sell me just one, it will be considerably more
> >than the cost of shipping a dead unit that someone was going to toss
> >anyway.
>
> Could be, or could be someone has a box in their basement.
> --scott
> --
> "C'est un Nagra. =A0C'est suisse, et tres, tres precis."

Well, I'm not familiar with A&N connectors, but I gather A&N deals
pretty exclusively in high vacuum stuff. These connectors aren't
sealed. I'll see if I can come up with a manufacturer and part number
tomorrow.

Doesn't everyone with a basement have a box or two in it? ;-)

```
Cheers,
Tom


From -5292075462973458837
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Attributes: gidfb049,gidfcc6e,gid108122,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-
me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe21.iad.POSTED!
ce516c54!not-for-mail
From: dloydlavies@gmail.com
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: get kelp
Message-ID: <an7fo4heqtrk2pn7htsfh1se09aq5bfhda@4ax.com>
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad> <gl7rcv$v1h$1@news.mixmin.net>
<497b6185$0$19492$c5fe31e7@reader.usenet4all.se>
<shumn41ltg4g80u470j3bk24436l8fo30a@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Tue, 03 Feb 2009 01:27:05 UTC
Organization: TeraNews.com
Date: Mon, 02 Feb 2009 20:33:31 -0500
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:761 rec.radio.amateur.antenna:7853
rec.radio.amateur.equipment:1116 rec.radio.shortwave:25999

On Sat, 24 Jan 2009 15:30:08 -0500, dloydlavies@gmail.com wrote:

>On Sat, 24 Jan 2009 13:44:20 -0500, "KC8QJP" <KC8QJP@yahoo.com> wrote:
>
>>
>>"RF BURNS" <rfburns33@hotmail.com> wrote in message
>
>fake spamer


From -7744608932894973596
X-Google-Thread: fc8b1,f390866fa095bc44,start
X-Google-Thread: 108122,f390866fa095bc44,start
X-Google-Thread: 1109af,f390866fa095bc44,start
X-Google-Thread: 106d41,f390866fa095bc44,start
X-Google-Attributes:
```

```
gidfc8b1,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u14g2000yqg.googlegroups.com!not-for-
mail
From: Richie <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.cb
Subject: FA: Rare Drake UV-3 w/all 3 modules & Heath HW-2036
Date: Tue, 3 Feb 2009 07:58:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <39882a96-5642-4d03-9a1f-f71fa397b05c@u14g2000yqg.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1233676702 19947 127.0.0.1 (3 Feb 2009 15:58:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Feb 2009 15:58:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u14g2000yqg.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.5)
     Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1899
rec.radio.amateur.equipment:1117 rec.radio.swap:1204 rec.radio.cb:5724

http://shop.ebay.com/merchant/artdecor2



From -1966440372949071512
X-Google-Thread: fc8b1,f390866fa095bc44
X-Google-Thread: 108122,f390866fa095bc44
X-Google-Thread: 1109af,f390866fa095bc44
X-Google-Thread: 106d41,f390866fa095bc44
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe25.iad.POSTED!ce516c54!not-for-mail
From: dloydlavies@gmail.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.cb
Subject: Re: FA: Rare Drake UV-3 w/all 3 modules & Heath HW-2036
Message-ID: <st3ho4pgstmlop1ot09rae24tg441u4mrh@4ax.com>
References: <39882a96-5642-4d03-9a1f-f71fa397b05c@u14g2000yqg.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
Lines: 4
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Tue, 03 Feb 2009 18:34:35 UTC
Organization: TeraNews.com
Date: Tue, 03 Feb 2009 13:41:02 -0500
Xref: g2news2.google.com rec.radio.amateur.boatanchors:2261
rec.radio.amateur.equipment:1332 rec.radio.swap:1628 rec.radio.cb:7045

On Tue, 3 Feb 2009 07:58:22 -0800 (PST), Richie <rlucch2098@aol.com>
wrote:

>http://shop.ebay.com/merchant/artdecor2



From 6371810120624585276
X-Google-Thread: fc8b1,f390866fa095bc44
X-Google-Thread: 108122,f390866fa095bc44
X-Google-Thread: 1109af,f390866fa095bc44
X-Google-Thread: 106d41,f390866fa095bc44
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe24.iad.POSTED!ce516c54!not-for-mail
From: dloydlavies@gmail.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.cb
Subject: Re: FA: Rare Drake UV-3 w/all 3 modules & Heath HW-2036
Message-ID: <5loho45204knng5nqap93pgv8sqp4lmkpe@4ax.com>
References: <39882a96-5642-4d03-9a1f-f71fa397b05c@u14g2000yqg.googlegroups.com>
<st3ho4pgstmlop1ot09rae24tg441u4mrh@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Wed, 04 Feb 2009 00:28:19 UTC
Organization: TeraNews.com
Date: Tue, 03 Feb 2009 19:34:46 -0500
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1914
rec.radio.amateur.equipment:1119 rec.radio.swap:1219 rec.radio.cb:5777

On Tue, 03 Feb 2009 13:41:02 -0500, dloydlavies@gmail.com wrote:

>On Tue, 3 Feb 2009 07:58:22 -0800 (PST), Richie <rlucch2098@aol.com>
>wrote:
>
>>http://shop.ebay.com/merchant/artdecor2
```

From -9160671514991174308
X-Google-Thread: fc8b1,f390866fa095bc44
X-Google-Thread: 108122,f390866fa095bc44
X-Google-Thread: 1109af,f390866fa095bc44
X-Google-Thread: 106d41,f390866fa095bc44
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!w39g2000prb.googlegroups.com!not-for-mail
From: Richie <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
Subject: Re: FA: Rare Drake UV-3 w/all 3 modules & Heath HW-2036
Date: Wed, 4 Feb 2009 16:59:12 -0800 (PST)
Organization: http://groups.google.com
Lines: 12
Message-ID: <10a00925-473d-4c19-adf6-f1ef19ad40af@w39g2000prb.googlegroups.com>
References: <39882a96-5642-4d03-9a1f-f71fa397b05c@u14g2000yqg.googlegroups.com>
 <st3ho4pgstmlop1ot09rae24tg441u4mrh@4ax.com>
<5loho45204knng5nqap93pgv8sqp4lmkpe@4ax.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1233795553 1435 127.0.0.1 (5 Feb 2009 00:59:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 5 Feb 2009 00:59:13 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w39g2000prb.googlegroups.com; posting-host=68.56.207.208;
 posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.5)
 Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:2280
rec.radio.amateur.equipment:1334 rec.radio.swap:1649 rec.radio.cb:7077

On Feb 3, 7:34=A0pm, dloydlav...@gmail.com wrote:
> On Tue, 03 Feb 2009 13:41:02 -0500, dloydlav...@gmail.com wrote:
> >On Tue, 3 Feb 2009 07:58:22 -0800 (PST), Richie <rlucch2...@aol.com>
> >wrote:
>
> >>http://shop.ebay.com/merchant/artdecor2
>
>

Tnx dloydlav for changing the title back.
Why anyone wud want to change it is beyond me?
Why cannot they start thier own thread?

```
From 2435731241905600263
X-Google-Thread: 108122,6a8246b1fa821e85,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!7a5d3c59!not-for-mail
From: Jerry Franks <w4rf@att.net>
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: PRC-6 On Ebay
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <dhril.10344$4m1.2371@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 17ffa8fdbb5cf2283c76449681c14c6f
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1233797321
17ffa8fdbb5cf2283c76449681c14c6f (Thu, 05 Feb 2009 01:28:41 GMT)
NNTP-Posting-Date: Thu, 05 Feb 2009 01:28:41 GMT
Organization: AT&T Worldnet
Date: Thu, 05 Feb 2009 01:28:41 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1335

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=STRK:MESELX:IT&item=220355899751


From -6693421363963559418
X-Google-Thread: fc8b1,f390866fa095bc44
X-Google-Thread: 108122,f390866fa095bc44
X-Google-Attributes: gidfc8b1,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe16.iad.POSTED!ce516c54!not-for-mail
From: dloydlavies@gmail.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.cb
Subject: Re: FA: Rare Drake UV-3 w/all 3 modules & Heath HW-2036
Message-ID: <oa5mo4h83u7jpvkjjcf7un75k6n0e80eg4@4ax.com>
References: <39882a96-5642-4d03-9a1f-f71fa397b05c@u14g2000yqg.googlegroups.com>
<st3ho4pgstmlop1ot09rae24tg441u4mrh@4ax.com>
<5loho45204knng5nqap93pgv8sqp4lmkpe@4ax.com> <10a00925-473d-4c19-adf6-
f1ef19ad40af@w39g2000prb.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 15
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Thu, 05 Feb 2009 16:29:08 UTC
```

```
Organization: TeraNews.com
Date: Thu, 05 Feb 2009 11:35:37 -0500
Xref: g2news2.google.com rec.radio.amateur.boatanchors:2288
rec.radio.amateur.equipment:1336 rec.radio.swap:1655 rec.radio.cb:7086

On Wed, 4 Feb 2009 16:59:12 -0800 (PST), Richie <rlucch2098@aol.com>
wrote:

>On Feb 3, 7:34�pm, dloydlav...@gmail.com wrote:
>> On Tue, 03 Feb 2009 13:41:02 -0500, dloydlav...@gmail.com wrote:
>> >On Tue, 3 Feb 2009 07:58:22 -0800 (PST), Richie <rlucch2...@aol.com>
>> >wrote:
>>
>> >>http://shop.ebay.com/merchant/artdecor2
>>
>>
>
>Tnx dloydlav for changing the title back.
>Why anyone wud want to change it is beyond me?
>Why cannot they start thier own thread?



From 237794324709275942
X-Google-Thread: 108122,73dbb246c3a435e8,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: AMERITRON AL-1200 amplifier
Message-ID: <446fa86ba2aa4b5203a9b775ea712ddd@pseudo.borked.net>
Date: Thu,  5 Feb 2009 12:32:45 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1337

http://xrl.us/AmeritronAL1200




From -3101146978378236724
X-Google-Thread: 108122,1415ae35cb5afbe,start
X-Google-Thread: 1109af,1415ae35cb5afbe,start
X-Google-Thread: 114aac,1415ae35cb5afbe,start
X-Google-Attributes: gid108122,gid1109af,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
news2.glorb.com!feeder.erje.net!news.netcologne.de!newsfeed-fusi2.netcologne.de!
feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave
Subject: MIDNIGHT SPECIAL AMPLIFIER LINEAR
```

```
Date: Fri, 6 Feb 2009 12:30:45 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 7
Message-ID: <498c73ce$0$19491$c5fe31e7@read01-hal>
Organization: UseNET
NNTP-Posting-Date: 06 Feb 2009 18:30:54 CET
NNTP-Posting-Host: 8151ae1a.read01-hal
X-Trace:
DXC=gKA6VO;eEl_a_mZGL=gTW^]=V>ZL5o1]R<moHH[O[>ZZI3UCDFQl0IQAChSdgJ=LRWWGk;S76HjaR5
`\HH8KQ0gP@a`V`U10=nYIj1R8A9FII^
X-Complaints-To: abuse@usenet4all.se
Xref: g2news1.google.com rec.radio.amateur.equipment:1124 rec.radio.swap:1243
rec.radio.shortwave:26273
```

XFORCE MIDNIGHT SPECIAL AMPLIFIER

http://cgi.ebay.com/XFORCE-MIDNIGHT-SPECIAL-AMPLIFIER-
LINEAR_W0QQitemZ160313859934QQihZ006QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZ
ViewItem

TESTED AND CERTIFIED BY N8WWM TO NOT BE DOA!

```
From 7270095040072257232
X-Google-Thread: 108122,1415ae35cb5afbe
X-Google-Thread: 1109af,1415ae35cb5afbe
X-Google-Thread: 114aac,1415ae35cb5afbe
X-Google-Attributes: gid108122,gid1109af,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!flph200.ffdc.sbc.com!
prodigy.net!flph199.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!
flpi144.ffdc.sbc.com.POSTED!3cbbcf16!not-for-mail
Reply-To: "MRR" <PacificCommonwealth@SecuritiesDealer.com>
From: "MRR" <paccom2@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave
References: <498c73ce$0$19491$c5fe31e7@read01-hal>
Subject: Re: MIDNIGHT SPECIAL AMPLIFIER LINEAR
Lines: 60
Organization: Pacific Commonwealth Group, Inc.
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_00A6_01C9887B.72B9BD60"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <oY4jl.6545$jZ1.1510@flpi144.ffdc.sbc.com>
```

```
NNTP-Posting-Host: 64.162.75.157
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi144.ffdc.sbc.com 1233968020 ST000 64.162.75.157 (Fri, 06 Feb 2009
19:53:40 EST)
NNTP-Posting-Date: Fri, 06 Feb 2009 19:53:40 EST
X-UserInfo1:
[[PAPDCAO@RQRWDYAJH@JFXBWR\HPCTL@XT^OBPLAH[\RWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Fri, 6 Feb 2009 16:53:30 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:1125 rec.radio.swap:1245
rec.radio.shortwave:26310

This is a multi-part message in MIME format.

------=_NextPart_000_00A6_01C9887B.72B9BD60
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

This isn't an illegal, 11 meter, chicken bander special, is it?  Whoever =
is interested in this better have a good story for the FCC when it =
arrives.
  "KC8QJP" <KC8QJP@yahoo.com> wrote in message =
news:498c73ce$0$19491$c5fe31e7@read01-hal...
  XFORCE MIDNIGHT SPECIAL AMPLIFIER

  =
http://cgi.ebay.com/XFORCE-MIDNIGHT-SPECIAL-AMPLIFIER-LINEAR_W0QQitemZ160=
313859934QQihZ006QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

  TESTED AND CERTIFIED BY N8WWM TO NOT BE DOA!=20



------=_NextPart_000_00A6_01C9887B.72B9BD60
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16788" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D5><STRONG>This isn't an illegal, 11 =
meter, chicken=20
bander special, is it?&nbsp; Whoever is interested in this better have a =
good=20
story for the FCC when it arrives.</STRONG></FONT></DIV>
<BLOCKQUOTE=20
```

```
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"KC8QJP" &lt;<A =
href=3D"mailto:KC8QJP@yahoo.com">KC8QJP@yahoo.com</A>&gt;=20
  wrote in message <A=20
  =
href=3D"news:498c73ce$0$19491$c5fe31e7@read01-hal">news:498c73ce$0$19491$=
c5fe31e7@read01-hal</A>...</DIV>XFORCE=20
  MIDNIGHT SPECIAL AMPLIFIER<BR><BR><A=20
  =
href=3D"http://cgi.ebay.com/XFORCE-MIDNIGHT-SPECIAL-AMPLIFIER-LINEAR_W0QQ=
itemZ160313859934QQihZ006QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZVi=
ewItem">http://cgi.ebay.com/XFORCE-MIDNIGHT-SPECIAL-AMPLIFIER-LINEAR_W0QQ=
itemZ160313859934QQihZ006QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZVi=
ewItem</A><BR><BR>TESTED=20
  AND CERTIFIED BY N8WWM TO NOT BE DOA! =
<BR><BR></BLOCKQUOTE></BODY></HTML>

------=_NextPart_000_00A6_01C9887B.72B9BD60--



From 2689460176560878263
X-Google-Thread: 108122,1415ae35cb5afbe
X-Google-Thread: 1109af,1415ae35cb5afbe
X-Google-Thread: 114aac,1415ae35cb5afbe
X-Google-Attributes: gid108122,gid1109af,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.mixmin.net!not-for-mail
From: "RF BURNS" <rfburns33@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave
Subject: Re: MIDNIGHT SPECIAL AMPLIFIER LINEAR
Date: Sat, 7 Feb 2009 00:18:45 -0500
Organization: rfburns
Lines: 76
Message-ID: <gmj5js$39d$1@news.mixmin.net>
References: <498c73ce$0$19491$c5fe31e7@read01-hal>
<oY4jl.6545$jZ1.1510@flpi144.ffdc.sbc.com>
NNTP-Posting-Host: fb23a3beb68234f52ed618768f4cdd88
Mime-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000B_01C988B9.A4755510"
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Sat, 7 Feb 2009 05:18:52 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:1126 rec.radio.swap:1246
rec.radio.shortwave:26353

This is a multi-part message in MIME format.
```

```
------=_NextPart_000_000B_01C988B9.A4755510
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Consider the source, they're both federal criminals.
  "MRR" <paccom2@sbcglobal.net> wrote in message =
news:oY4jl.6545$jZ1.1510@flpi144.ffdc.sbc.com...
  This isn't an illegal, 11 meter, chicken bander special, is it?  =
Whoever is interested in this better have a good story for the FCC when =
it arrives.
    "KC8QJP" <KC8QJP@yahoo.com> wrote in message =
news:498c73ce$0$19491$c5fe31e7@read01-hal...
    XFORCE MIDNIGHT SPECIAL AMPLIFIER

    =
http://cgi.ebay.com/XFORCE-MIDNIGHT-SPECIAL-AMPLIFIER-LINEAR_W0QQitemZ160=
313859934QQihZ006QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

    TESTED AND CERTIFIED BY N8WWM TO NOT BE DOA!=20


------=_NextPart_000_000B_01C988B9.A4755510
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16788" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Consider the source, they're both =
federal=20
criminals.</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"MRR" &lt;<A=20
  href=3D"mailto:paccom2@sbcglobal.net">paccom2@sbcglobal.net</A>&gt; =
wrote in=20
  message <A=20
  =
href=3D"news:oY4jl.6545$jZ1.1510@flpi144.ffdc.sbc.com">news:oY4jl.6545$jZ=
1.1510@flpi144.ffdc.sbc.com</A>...</DIV>
  <DIV><FONT face=3DArial size=3D5><STRONG>This isn't an illegal, 11 =
meter, chicken=20
  bander special, is it?&nbsp; Whoever is interested in this better have =
a good=20
```

```
  story for the FCC when it arrives.</STRONG></FONT></DIV>
  <BLOCKQUOTE=20
  style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
    <DIV>"KC8QJP" &lt;<A =
href=3D"mailto:KC8QJP@yahoo.com">KC8QJP@yahoo.com</A>&gt;=20
    wrote in message <A=20
    =
href=3D"news:498c73ce$0$19491$c5fe31e7@read01-hal">news:498c73ce$0$19491$=
c5fe31e7@read01-hal</A>...</DIV>XFORCE=20
    MIDNIGHT SPECIAL AMPLIFIER<BR><BR><A=20
    =
href=3D"http://cgi.ebay.com/XFORCE-MIDNIGHT-SPECIAL-AMPLIFIER-LINEAR_W0QQ=
itemZ160313859934QQihZ006QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZVi=
ewItem">http://cgi.ebay.com/XFORCE-MIDNIGHT-SPECIAL-AMPLIFIER-LINEAR_W0QQ=
itemZ160313859934QQihZ006QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZVi=
ewItem</A><BR><BR>TESTED=20
    AND CERTIFIED BY N8WWM TO NOT BE DOA!=20
<BR><BR></BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>

------=_NextPart_000_000B_01C988B9.A4755510--




From 5842660816501819217
X-Google-Thread: fcc6e,ae88261a71a60bd9,start
X-Google-Thread: 11480d,ae88261a71a60bd9,start
X-Google-Thread: 108122,ae88261a71a60bd9,start
X-Google-Thread: fc2a5,ae88261a71a60bd9,start
X-Google-Thread: 107ada,ae88261a71a60bd9,start
X-Google-Thread: 10bf43,ae88261a71a60bd9,start
X-Google-Thread: 10b9c8,ae88261a71a60bd9,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid107ada,gid10bf43,gid10b9c8,domainid0,publ
ic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad.newshosting.com!
newshosting.com!newspeer.monmouth.com!newsswitch.lcs.mit.edu!bloom-beacon.mit.edu!
panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1231311901@panix.com>
Followup-To: poster
Date: 7 Feb 2009 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 12 Mar 2009 03:05:00 -0000
```

Message-ID: <radio/ham-radio/recruitment-1-1233990300@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1233990302 22241 166.84.1.2 (7 Feb 2009 07:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Feb 2009 07:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:7906 rec.radio.amateur.dx:258 rec.radio.amateur.equipment:1127 rec.radio.amateur.homebrew:1844 rec.radio.amateur.misc:3583 rec.radio.amateur.policy:21980 rec.radio.info:488

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 8813217654655328583
X-Google-Thread: 108122,d7f359ac35afae88,start
X-Google-Thread: 1109af,d7f359ac35afae88,start
X-Google-Thread: 10b9c8,d7f359ac35afae88,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!bloom-beacon.mit.edu!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1231312200@panix.com>
Followup-To: poster
Date: 7 Feb 2009 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 12 Mar 2009 03:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1233990600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1233990601 28278 166.84.1.2 (7 Feb 2009 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Feb 2009 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:1128 rec.radio.swap:1247 rec.radio.info:489

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT

Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this
article updated and automatically posted again at a regular interval.
This would include establishing contact with the original maintainer for
any necessary permissions. We would prefer to seek a new, dedicated
maintainer at this time, rather than start auto-posting the original
article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -7948049559859254275
X-Google-Thread: 108122,1415ae35cb5afbe
X-Google-Thread: 1109af,1415ae35cb5afbe
X-Google-Thread: 114aac,1415ae35cb5afbe
X-Google-Attributes: gid108122,gid1109af,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!v5g2000prm.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave
Subject: Re: MIDNIGHT SPECIAL AMPLIFIER LINEAR
Date: Sat, 7 Feb 2009 12:17:16 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
Message-ID: <fcc1d2b3-ad89-488a-8e61-f807847df064@v5g2000prm.googlegroups.com>
References: <498c73ce$0$19491$c5fe31e7@read01-hal>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1234037836 13775 127.0.0.1 (7 Feb 2009 20:17:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 7 Feb 2009 20:17:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v5g2000prm.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1129 rec.radio.swap:1250
rec.radio.shortwave:26412
```

On Feb 6, 12:30=A0pm, "KC8QJP" <KC8...@yahoo.com> wrote:

> XFORCE MIDNIGHT SPECIAL AMPLIFIER

```
>
> http://cgi.ebay.com/XFORCE-MIDNIGHT-SPECIAL-AMPLIFIER-LINEAR_W0QQitem...
>
> TESTED AND CERTIFIED BY N8WWM TO NOT BE DOA!

forged by moparholic at hotmail dot com



From -5632517323224672761
X-Google-Thread: 108122,f79a0425bf989aa1,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: FS: KENWOOD 2 MTR TRANSVERT & HAM-M ROTOR MANUALS
Date: Sun, 8 Feb 2009 11:59:55 -0600
Organization: WebTV Subscriber
Lines: 8
Message-ID: <1958-498F1D9B-1105@storefull-3172.bay.webtv.net>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
     ETAuAhUAuK8Tjpv90lJjJwmViZAMa4uuJFkCFQDFvF8x2MsJhlBqEHi8AVBCwnHSSw==
Content-Disposition: Inline
Xref: g2news2.google.com rec.radio.amateur.equipment:1344

KENWOOD 2 METER TRANSVERTER, TV-502 MANUAL.  POSTPAID. $5.00

HAM-M ROTOR, COVERS SERIES 1 THRU 4, $5.00


CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse  caps, short answers, stroke.




From 1072166521156229644
X-Google-Thread: 108122,19a2296469ed2ea0,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: THREE MICROPHONES
Date: Mon, 9 Feb 2009 10:36:26 -0600
Organization: WebTV Subscriber
Lines: 15
Message-ID: <1960-49905B8A-416@storefull-3172.bay.webtv.net>
```

NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
ETAtAhQ+ECj1oTktI/TXfFcn5EusXfzCbQIVAI5mjMF+VXVsavjvjgGplSStJa2e
Content-Disposition: Inline
Xref: g2news2.google.com rec.radio.amateur.equipment:1345

TURNER 454C DESK MIC WITH CABLE AND PLUG FOR KENWOOD. $15.00

TURNER PLUS THREE DESK MIC WITH AMPLIFIER, COIL CORD AND PLUG FOR KENWOOD. $20.00

HAND MIC WITH COIL CORD, NEW, WITH KENWOOD PLUG

SURPLUS TO MY NEEDS FOLLOWING A STROKE.

CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse caps, short answers, stroke.

From 3660556635302510711
X-Google-Thread: 108122,8ca4df7395d828db,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v18g2000pro.googlegroups.com!not-for-mail
From: Bill <WoodWorking@ThalerAndThomas.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood th25at backup battery replacement
Date: Mon, 9 Feb 2009 21:08:35 -0800 (PST)
Organization: http://groups.google.com
Lines: 9
Message-ID: <7fa879f7-8784-493c-8fa3-dfe24cb0243d@v18g2000pro.googlegroups.com>
NNTP-Posting-Host: 65.78.182.69
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1234242515 15924 127.0.0.1 (10 Feb 2009 05:08:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Feb 2009 05:08:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v18g2000pro.googlegroups.com; posting-host=65.78.182.69;
posting-account=Jv9M0AoAAAAvMJ80TiPRdNyR7Suw3VMy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.0.5)
Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1132

Greetings,

My family has several kenwood th25at with bad backup battery. Please
reply with any information about
how to find and replace the battery or where to get information to
replace the battery.

Thank you,
Bill WB0ALN

```
From -8954653208453120480
X-Google-Thread: 1109af,640ce5a38dc32f9c,start
X-Google-Thread: 108122,640ce5a38dc32f9c,start
X-Google-Thread: fc8b1,640ce5a38dc32f9c,start
X-Google-Thread: 107783,640ce5a38dc32f9c,start
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!news.alt.net!
news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
Subject: FA: COLLINS 32S-1 transmitter
Message-ID: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
Date: Tue, 10 Feb 2009 06:02:59 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.swap:1680 rec.radio.amateur.equipment:1347
rec.radio.amateur.boatanchors:2321 wa.ads.forsale:80
```

http://xrl.us/Collins32S1

```
From -1836853844492605237
X-Google-Thread: fc8b1,f390866fa095bc44
X-Google-Thread: 108122,f390866fa095bc44
X-Google-Thread: 1109af,f390866fa095bc44
X-Google-Thread: 106d41,f390866fa095bc44
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe22.iad.POSTED!ce516c54!not-for-mail
From: k3vr@hotmail.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.cb
```

Subject: Re: FA: Rare Drake UV-3 w/all 3 modules & Heath HW-2036
Message-ID: <tao3p4d8froiq0oi9opi1nh876ou2hdt9g@4ax.com>
References: <39882a96-5642-4d03-9a1f-f71fa397b05c@u14g2000yqg.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
X-Complaints-To: abuse@teranews.com
NNTP-Posting-Date: Tue, 10 Feb 2009 20:12:40 UTC
Organization: TeraNews.com
Date: Tue, 10 Feb 2009 15:19:43 -0500
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1972
rec.radio.amateur.equipment:1134 rec.radio.swap:1260 rec.radio.cb:5991

On Tue, 3 Feb 2009 07:58:22 -0800 (PST), Richie <rlucch2098@aol.com>
wrote:

>http://shop.ebay.com/merchant/artdecor2

From -4722741874121811578
X-Google-Thread: 108122,989dbdcc2e3f073b,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe24.iad.POSTED!7564ea0f!not-for-mail
From: "jbclem" <jbclem1@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: how to sell JRC NRD 525?
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <QGLkl.12512$AC1.12113@newsfe24.iad>
NNTP-Posting-Host: djoamppbdbdkelkhnonlobnaklklinib
X-Complaints-To: abuse@charter.net
X-Trace:
jkohgggjelajdaokmcjobjcmnmlfmhhabllmmcdphomgmfjidjoamppbdbdkelkhekhibmabljcjpmhoad
bbdbpbdenejdkigkbncjllfgkpgnghmpifghdincpfjchpfdlbpmaelemcakjp
NNTP-Posting-Date: Thu, 12 Feb 2009 02:19:28 UTC
Date: Wed, 11 Feb 2009 18:18:45 -0800
Xref: g2news2.google.com rec.radio.amateur.equipment:1349

I have a JRC NRD 525 with less than 50 hours use, and I'm thinking of
selling it. How can I determine its value and what are some good places to
try to sell it. I may not be able to use eBay because I don't use Paypal.

jc

From -4029636102645452678
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!newsfeed1.ip.tiscali.net!195.208.113.1.MISMATCH!goblin3!goblin.stu.neva.ru!lon-transit.news.telstra.net!pit-transit.telstra.net!lon-in.news.telstra.net!news.telstra.net!newsfeed.iinet.net.au!newsfeed.iinet.net.au!per-qv1-newsstorage1.iinet.net.au!per-qv1-newsstorage1.iinet.net.au!per-qv1-newsreader-01.iinet.net.au!not-for-mail
From: "Paulco" <paulco@nospam.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.forsale
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
Subject: Re: COLLINS 32S-1 transmitter
Date: Thu, 12 Feb 2009 21:08:05 +0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Lines: 10
Message-ID: <49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
NNTP-Posting-Host: 203.59.52.8
X-Trace: 1234440488 per-qv1-newsreader-01.iinet.net.au 23917 203.59.52.8
Xref: g2news1.google.com rec.radio.swap:1265 rec.radio.amateur.equipment:1136 rec.radio.amateur.boatanchors:1985 wa.ads.forsale:71

Stupid bloody yanks - post to an Australian NG when he wont freight outside the US.

"DC" <nobody@pseudo.borked.net> wrote in message
news:614ee46bb66be531efbfb93306360df9@pseudo.borked.net...
> http://xrl.us/Collins32S1
>

From -5236827324108641369
X-Google-Thread: 108122,989dbdcc2e3f073b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!

```
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 12 Feb 2009 07:02:39 -0600
Date: Thu, 12 Feb 2009 05:02:39 -0800
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.19 (X11/20090105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: how to sell JRC NRD 525?
References: <QGLkl.12512$AC1.12113@newsfe24.iad>
In-Reply-To: <QGLkl.12512$AC1.12113@newsfe24.iad>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <TYednQ2qtvttgAnUnZ2dnUVZ_umWnZ2d@earthlink.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.154
X-Trace: sv3-
av0btntsobe4lc6gBsNMuJqdenj4hvk2EoTaNbl1nsoYgF6fDcENxFmhahkEuEX9GwqWW3OVu33D5Bc!
cHE7kquZP/+HE9e4WY5oaPJKRrmeMJWy/1LyOw8qUq6Q5HosPEs+RJ42pyJt6FJhUwUlJa81UV8A!
lJQtgZvAw9myhk6Oz9/lHtnPa02jVQdx
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1351

jbclem wrote:
> I have a JRC NRD 525 with less than 50 hours use, and I'm thinking of
> selling it.  How can I determine its value and what are some good places to
> try to sell it.  I may not be able to use eBay because I don't use Paypal.
>
> jc
>
>
Craig's List



From -6783438659080834478
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews8.bellsouth.net.POSTED!725764fe!not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
MIME-Version: 1.0
Newsgroups:
```

```
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
Subject: Re: COLLINS 32S-1 transmitter
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
<49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
In-Reply-To: <49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <WgYkl.2889$i9.1115@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbomicilopoclojffgkgkdipmdpjkiadihjop
dmlbnnoobmekjcghhkhjhgnijjleeefedekkhdaolapcelkaaeldedpdbpajncaenoggmapnngflle
NNTP-Posting-Date: Thu, 12 Feb 2009 11:39:18 EST
Organization: BellSouth Internet Group
Date: Thu, 12 Feb 2009 10:42:48 -0600
Xref: g2news1.google.com rec.radio.swap:1266 rec.radio.amateur.equipment:1138
rec.radio.amateur.boatanchors:1989 wa.ads.forsale:72

Paulco wrote:
> Stupid bloody yanks - post to an Australian NG when he wont freight outside
> the US.
>
>
> "DC" <nobody@pseudo.borked.net> wrote in message
> news:614ee46bb66be531efbfb93306360df9@pseudo.borked.net...
>> http://xrl.us/Collins32S1
>>
>
>
Just which of the x-posted groups above is specific to Oz?

jak



From -3819262722797639420
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!t3g2000yqa.googlegroups.com!not-for-
mail
From: Barry <n4buq@knology.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
Subject: Re: COLLINS 32S-1 transmitter
Date: Thu, 12 Feb 2009 11:14:40 -0800 (PST)
```

```
Organization: http://groups.google.com
Lines: 17
Message-ID: <840162a2-e182-4500-af87-de475dce5d2e@t3g2000yqa.googlegroups.com>
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
     <49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
     <WgYkl.2889$i9.1115@bignews8.bellsouth.net>
NNTP-Posting-Host: 65.208.22.25
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1234466080 28540 127.0.0.1 (12 Feb 2009 19:14:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Feb 2009 19:14:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t3g2000yqa.googlegroups.com; posting-host=65.208.22.25;
     posting-account=9zSZtwoAAAA6xelJJeqszkvpZ39b8rYE
User-Agent: G2/1.0
X-HTTP-Via: 1.0 US-HSV-ISA1
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 1.0.3705; .NET CLR 3.0.04506.30;
     InfoPath.2; Zune 3.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:1267 rec.radio.amateur.equipment:1139
rec.radio.amateur.boatanchors:1990 wa.ads.forsale:73

On Feb 12, 10:42=A0am, jakdedert <jakded...@bellsouth.net> wrote:
> Paulco wrote:
> > Stupid bloody yanks - post to an Australian NG when he wont freight out=
side
> > the US.
>
> > "DC" <nob...@pseudo.borked.net> wrote in message
> >news:614ee46bb66be531efbfb93306360df9@pseudo.borked.net...
> >>http://xrl.us/Collins32S1
>
> Just which of the x-posted groups above is specific to Oz?
>
> jak

Besides Alaska, what other state gets excluded in the "lower 48"?

Barry


From -3592608884003299105
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
```

bignews8.bellsouth.net.POSTED!725764fe!not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.forsale
Subject: Re: COLLINS 32S-1 transmitter
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
<49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
<WgYkl.2889$i9.1115@bignews8.bellsouth.net> <840162a2-e182-4500-af87-de475dce5d2e@t3g2000yqa.googlegroups.com>
In-Reply-To: <840162a2-e182-4500-af87-de475dce5d2e@t3g2000yqa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <7C_kl.2934$i9.2522@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbohdhcfkphdkchgaejdocigggjnhdmhhhopl
lnjneplelfojeodfpcjnifmnlmmhfgpnaffidobadcejjoponncgboifbaemgghehcdhhbhchfnlhm
NNTP-Posting-Date: Thu, 12 Feb 2009 14:18:27 EST
Organization: BellSouth Internet Group
Date: Thu, 12 Feb 2009 13:21:56 -0600
Xref: g2news2.google.com rec.radio.swap:1689 rec.radio.amateur.equipment:1354
rec.radio.amateur.boatanchors:2347 wa.ads.forsale:84

Barry wrote:
> On Feb 12, 10:42 am, jakdedert <jakded...@bellsouth.net> wrote:
>> Paulco wrote:
>>> Stupid bloody yanks - post to an Australian NG when he wont freight outside
>>> the US.
>>> "DC" <nob...@pseudo.borked.net> wrote in message
>>> news:614ee46bb66be531efbfb93306360df9@pseudo.borked.net...
>>>> http://xrl.us/Collins32S1
>> Just which of the x-posted groups above is specific to Oz?
>>
>> jak
>
> Besides Alaska, what other state gets excluded in the "lower 48"?
>
> Barry

Oh good. Let's play 50 questions. Answer: Hawaii.

Your turn--two questions:

1. What is the airspeed velocity of an unladen swallow?

2. What does Hawaii have to do with my question?

jak

```
From 1222518230047109115
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 12 Feb 2009 15:29:25 -0600
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
     <49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
     <WgYkl.2889$i9.1115@bignews8.bellsouth.net> <840162a2-e182-4500-af87-
de475dce5d2e@t3g2000yqa.googlegroups.com>
<7C_kl.2934$i9.2522@bignews8.bellsouth.net>
Subject: Re: COLLINS 32S-1 transmitter
Date: Fri, 13 Feb 2009 06:29:29 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <p6mdnZPTpKgoCQnUnZ2dnVY3goWdnZ2d@giganews.com>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-MJsYwhJcS/WqvoD61jpqBTJSL7T15Wef9KjIO9htATmfnhT9ZiXVj/
8tbMwhfuFCzGAHxMfNEWAjr6x!
ScIUNhG8ATbDiXzI7WSuSR3PScnr47BOM555W4AD2hMOkj+kz9yGiBZMaFTml/sJDEn5JG1qtyp6
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:1269 rec.radio.amateur.equipment:1141
rec.radio.amateur.boatanchors:1993 wa.ads.forsale:75


"jakdedert" <jakdedert@bellsouth.net> wrote in message
news:7C_kl.2934$i9.2522@bignews8.bellsouth.net...
> Barry wrote:
>> On Feb 12, 10:42 am, jakdedert <jakded...@bellsouth.net> wrote:
>>> Paulco wrote:
>>>> Stupid bloody yanks - post to an Australian NG when he wont freight
>>>> outside
```

```
>>>> the US.
>>>> "DC" <nob...@pseudo.borked.net> wrote in message
>>>> news:614ee46bb66be531efbfb93306360df9@pseudo.borked.net...
>>>>> http://xrl.us/Collins32S1
>>> Just which of the x-posted groups above is specific to Oz?
>>>
>>> jak
>>

That would be wa.ads.forsale.  wa= Western Australia.

(answered by a 'bloody yank'.)  :)




From 2112485564752O5291
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
Subject: Re: COLLINS 32S-1 transmitter
Date: 12 Feb 2009 16:30:58 -0500
Organization: Former users of Netcom shell (1989-2000)
Lines: 22
Message-ID: <gn24ei$qhn$1@panix2.panix.com>
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
<49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
<WgYkl.2889$i9.1115@bignews8.bellsouth.net> <840162a2-e182-4500-af87-
de475dce5d2e@t3g2000yqa.googlegroups.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1234474251 14801 166.84.1.2 (12 Feb 2009 21:30:51 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 12 Feb 2009 21:30:51 +0000 (UTC)
Xref: g2news1.google.com rec.radio.swap:1270 rec.radio.amateur.equipment:1142
rec.radio.amateur.boatanchors:1994 wa.ads.forsale:76

Barry  <n4buq@knology.net> wrote:
>On Feb 12, 10:42=A0am, jakdedert <jakded...@bellsouth.net> wrote:
>> Paulco wrote:
>> > Stupid bloody yanks - post to an Australian NG when he wont freight out=
>side
>> > the US.
>>
```

```
>> > "DC" <nob...@pseudo.borked.net> wrote in message
>> >news:614ee46bb66be531efbfb93306360df9@pseudo.borked.net...
>> >>http://xrl.us/Collins32S1
>>
>> Just which of the x-posted groups above is specific to Oz?
>
>Besides Alaska, what other state gets excluded in the "lower 48"?

Hawaii, the Fiftieth State, the Golden Gem of the Pacific.  The people
of Hawaii bid you welcome!  Hawaii Calls!  From Hawaii's sunny shore onto
the great briny sea, at the Moana hotel facing the beach of Waikiki we
found the music of the islands..
--scott
--
"C'est un Nagra.  C'est suisse, et tres, tres precis."


From 8781943397151666036
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!r41g2000yqm.googlegroups.com!not-for-
mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
Subject: Re: COLLINS 32S-1 transmitter
Date: Thu, 12 Feb 2009 20:02:07 -0800 (PST)
Organization: http://groups.google.com
Lines: 13
Message-ID: <bafc4d18-4046-46db-96ef-da70ea7db1f5@r41g2000yqm.googlegroups.com>
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
     <49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
NNTP-Posting-Host: 168.103.251.100
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1234497727 24032 127.0.0.1 (13 Feb 2009 04:02:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 13 Feb 2009 04:02:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r41g2000yqm.googlegroups.com; posting-host=168.103.251.100;
     posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.0.5)
     Gecko/2008121622 Ubuntu/8.10 (intrepid) Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:1271 rec.radio.amateur.equipment:1143
rec.radio.amateur.boatanchors:1996 wa.ads.forsale:78
```

```
On Feb 12, 6:08=A0am, "Paulco" <pau...@nospam.com> wrote:
> Stupid bloody yanks - post to an Australian NG when he wont freight outsi=
de
> the US.
>
> "DC" <nob...@pseudo.borked.net> wrote in message
>
> news:614ee46bb66be531efbfb93306360df9@pseudo.borked.net...
>
> >http://xrl.us/Collins32S1

Perhaps you should ignore the ad and maybe your blood pressure won't
get so high.


From 3519673223927301827
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!h5g2000yqh.googlegroups.com!not-for-
mail
From: Barry <n4buq@knology.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
Subject: Re: COLLINS 32S-1 transmitter
Date: Fri, 13 Feb 2009 08:43:10 -0800 (PST)
Organization: http://groups.google.com
Lines: 15
Message-ID: <108f79a4-d65e-4363-b71a-90d86c95b210@h5g2000yqh.googlegroups.com>
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
     <49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
     <WgYkl.2889$i9.1115@bignews8.bellsouth.net> <840162a2-e182-4500-af87-
de475dce5d2e@t3g2000yqa.googlegroups.com>
     <7C_kl.2934$i9.2522@bignews8.bellsouth.net>
NNTP-Posting-Host: 65.208.22.25
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1234543391 7805 127.0.0.1 (13 Feb 2009 16:43:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 13 Feb 2009 16:43:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h5g2000yqh.googlegroups.com; posting-host=65.208.22.25;
     posting-account=9zSZtwoAAAA6xelJJeqszkvpZ39b8rYE
User-Agent: G2/1.0
X-HTTP-Via: 1.0 US-HSV-ISA1
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 1.0.3705; .NET CLR 3.0.04506.30;
     InfoPath.2; Zune 3.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:1273 rec.radio.amateur.equipment:1144
rec.radio.amateur.boatanchors:1998 wa.ads.forsale:80

> Oh good. =A0Let's play 50 questions. =A0Answer: Hawaii.
>
> Your turn--two questions:
>
> 1. What is the airspeed velocity of an unladen swallow?
>
> 2. What does Hawaii have to do with my question?
>
> jak

1. Faster than an laden swallow?

2. How is Hawaii more northern than, say, North Dakota?

Barry



From 311434983378679008
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!69.16.185.21.MISMATCH!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!cyclone1.gnilink.net!gnilink.net!bigfeed.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews1.bellsouth.net.POSTED!725764fe!
not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
Subject: Re: COLLINS 32S-1 transmitter
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
     <49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
     <WgYkl.2889$i9.1115@bignews8.bellsouth.net> <840162a2-e182-4500-af87-
de475dce5d2e@t3g2000yqa.googlegroups.com>
<7C_kl.2934$i9.2522@bignews8.bellsouth.net> <108f79a4-d65e-4363-
b71a-90d86c95b210@h5g2000yqh.googlegroups.com>
In-Reply-To: <108f79a4-d65e-4363-b71a-90d86c95b210@h5g2000yqh.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 24
```

```
Message-ID: <y3ill.3399$9a.907@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcbofamfhmghbfibboccbmfolapedlmhlkmopl
lnjneplelfojeokjpllnmdphbjnmfppnaffidobadcejjohkmkcaehkejlllnmgghipkbjhfldconn
NNTP-Posting-Date: Fri, 13 Feb 2009 12:26:54 EST
Organization: BellSouth Internet Group
Date: Fri, 13 Feb 2009 11:34:33 -0600
Xref: g2news2.google.com rec.radio.swap:1695 rec.radio.amateur.equipment:1359
rec.radio.amateur.boatanchors:2355 wa.ads.forsale:91

Barry wrote:
>> Oh good.  Let's play 50 questions.  Answer: Hawaii.
>>
>> Your turn--two questions:
>>
>> 1. What is the airspeed velocity of an unladen swallow?
>>
>> 2. What does Hawaii have to do with my question?
>>
>> jak
>
> 1. Faster than an laden swallow?
>

Bzzzt!  Sorry, correct answer is: another question.

> 2. How is Hawaii more northern than, say, North Dakota?
>
Bzzzt!  Sorry, correct answer is...still undetermined.

Insert two quarters to play again.

jak
> Barry



From 908307409268607795
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!spln!extra.newsguy.com!
newsp.newsguy.com!news1
From: Bill M <radioexray@geemail.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
```

```
Subject: Re: COLLINS 32S-1 transmitter
Date: Fri, 13 Feb 2009 14:55:42 -0400
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 30
Message-ID: <gn4fng02rpg@news1.newsguy.com>
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
     <49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
     <WgYkl.2889$i9.1115@bignews8.bellsouth.net> <840162a2-e182-4500-af87-
de475dce5d2e@t3g2000yqa.googlegroups.com>
<7C_kl.2934$i9.2522@bignews8.bellsouth.net> <108f79a4-d65e-4363-
b71a-90d86c95b210@h5g2000yqh.googlegroups.com>
<y3ill.3399$9a.907@bignews1.bellsouth.net>
NNTP-Posting-Host: p24d1bfbfff00000073b1290e905b03f4f4edcc2ec7af5129.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 2.0.0.4 (Windows/20070604)
In-Reply-To: <y3ill.3399$9a.907@bignews1.bellsouth.net>
Xref: g2news2.google.com rec.radio.swap:1696 rec.radio.amateur.equipment:1360
rec.radio.amateur.boatanchors:2359 wa.ads.forsale:92

jakdedert wrote:
> Barry wrote:
>>> Oh good.  Let's play 50 questions.  Answer: Hawaii.
>>>
>>> Your turn--two questions:
>>>
>>> 1. What is the airspeed velocity of an unladen swallow?
>>>
>>> 2. What does Hawaii have to do with my question?
>>>
>>> jak
>>
>> 1. Faster than an laden swallow?
>>
>
> Bzzzt!  Sorry, correct answer is: another question.
>
>> 2. How is Hawaii more northern than, say, North Dakota?
>>
> Bzzzt!  Sorry, correct answer is...still undetermined.
>
> Insert two quarters to play again.
>
> jak
>> Barry


I'd like to buy a vowel, Alex.

  -ex
```

From -1690232697454356157
X-Google-Thread: 108122,7d0e1c149bb35ade,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!goblin3!goblin.stu.neva.ru!lon-transit.news.telstra.net!pit-in1.telstra.net!news.telstra.net!news-south.connect.com.au!not-for-mail
From: Gary Smith <vkthree@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC725 Problem
Date: Sat, 14 Feb 2009 16:29:23 +1100
Organization: Customer of AAPT Pty Ltd
Lines: 13
Message-ID: <gn5krj$855$1@news-01.bur.connect.com.au>
NNTP-Posting-Host: c-59-101-132-134.mel.connect.net.au
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news-01.bur.connect.com.au 1234589363 8357 59.101.132.134 (14 Feb 2009 05:29:23 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Sat, 14 Feb 2009 05:29:23 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
Xref: g2news2.google.com rec.radio.amateur.equipment:1361

Hi, i have an Icom IC725 HF radio. Can't seem to get the remote CI-V talking. Aparrently there should be between 5 and 1 volt variation (i think) from that socket when you spin the VFO and or change bands. I have checked the diode matrrix and settings to death, i DO get a small voltage variation on the socket but nothing like it should be. I'm trying to get HRD set up on it but no luck. Have posted in the forums there a while ago and got step by step help but nothing i had not already done. Any help appreciated...

Thanks You

Gary
VK3LCD

From 1809378975967268918
X-Google-Thread: 108122,7edc1988f2e961c3,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r10g2000prf.googlegroups.com!not-for-mail
From: Justin <Justin198103@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Hurricane 350 output power?
Date: Sat, 14 Feb 2009 06:06:28 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <319232a8-c345-4753-8387-1661dd897680@r10g2000prf.googlegroups.com>

NNTP-Posting-Host: 68.82.152.104
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1234620388 25002 127.0.0.1 (14 Feb 2009 14:06:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 14 Feb 2009 14:06:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r10g2000prf.googlegroups.com; posting-host=68.82.152.104;
posting-account=5GMGxwgAAAABPtn8lDmFzSu2ghrISwhr
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
.NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR
3.0.04506),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1148

Does anyone know the approx full output power of this amp? and will it work well on 10m? Thanks!

From 3073761701552333801
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe07.iad.POSTED!7564ea0f!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
<49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
<bafc4d18-4046-46db-96ef-da70ea7db1f5@r41g2000yqm.googlegroups.com>
Subject: Re: COLLINS 32S-1 transmitter
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <qyBll.1325$FI5.1311@newsfe07.iad>
NNTP-Posting-Host: 68.229.77.6
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe07.iad 1234625814 68.229.77.6 (Sat, 14 Feb 2009 15:36:54 UTC)
NNTP-Posting-Date: Sat, 14 Feb 2009 15:36:54 UTC
Organization: Cox
Date: Sat, 14 Feb 2009 10:36:43 -0500
Xref: g2news1.google.com rec.radio.swap:1283 rec.radio.amateur.equipment:1149
rec.radio.amateur.boatanchors:2004

Anyone wanna bet it goes cheap, and ends up in
a RadioMart auction in 30 days?

From -5228715449419759784
X-Google-Thread: 108122,76ca887c49c1ec1f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y38g2000prg.googlegroups.com!not-for-mail
From: jtcase@sbcglobal.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: JRC NRD-545
Date: Sat, 14 Feb 2009 07:43:51 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <26a3ea92-25bc-47ef-9d14-f02c74bdd3b6@y38g2000prg.googlegroups.com>
NNTP-Posting-Host: 69.209.51.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1234626231 10884 127.0.0.1 (14 Feb 2009 15:43:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 14 Feb 2009 15:43:51 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y38g2000prg.googlegroups.com; posting-host=69.209.51.190;
posting-account=4Wd7jwoAAAA4Y-dVY4ZUddpSMP_ZX97T
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; WOW64;
Trident/4.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR
1.1.4322; .NET CLR 3.5.21022; .NET CLR 3.0.30618),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1364

Looking for a minty JRC NRD-545, preferably a later serial number.
Convertor a plus but not necessary. Will pay premium price for the
right unit!

From -885918958172970887
X-Google-Thread: 108122,ea64f4c7a177d88a,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!news.motzarella.org!motzarella.org!reader.motzarella.org!not-for-mail
From: sonnybeach <jhotemw@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: collins 32s Tx'er
Date: Sat, 14 Feb 2009 23:41:09 +0000 (UTC)
Organization: junky Sempron POS
Lines: 6
Message-ID: <gn7kql$2mj$1@reader.motzarella.org>

```
X-Trace: news.eternal-september.org U2FsdGVkX1/
lH7dvHsctmsZWisOj6guVDy1Ikz6iTVIvs0pOwOBWJcnF39TDrrfJRuZVU8v5/Onti1zuC+fhZGX4/
f5Uj7tmeeEzAh6rXbfjxUIhPmuVhgsWrve04c3dOG5aL5xA1Ho5cfS1q24pmg==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sat, 14 Feb 2009 23:41:09 +0000 (UTC)
User-Agent: tin/1.8.2-20060425 ("Shillay") (UNIX) (Linux/2.6.21.5-smp (i686))
X-Auth-Sender: U2FsdGVkX18mk8b41itYLiZemX0OYiMJEn+ec1u9XtQy2AfagESiiQ==
Cancel-Lock: sha1:jH7p07d79cgBM+1kyn2koi9shKw=
Xref: g2news2.google.com rec.radio.amateur.equipment:1365
```

It's a beautiful looking transmitter. Cleanest layout I've ever seen.

--
Sonnybeach

```
From 8019437272127283514
X-Google-Thread: 1109af,640ce5a38dc32f9c
X-Google-Thread: 108122,640ce5a38dc32f9c
X-Google-Thread: fc8b1,640ce5a38dc32f9c
X-Google-Thread: 107783,640ce5a38dc32f9c
X-Google-Attributes:
gid1109af,gid108122,gidfc8b1,gid107783,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
tudelft.nl!txtfeed1.tudelft.nl!feeder.news-service.com!news.motzarella.org!
motzarella.org!reader.motzarella.org!not-for-mail
From: sonnybeach <jhotemw@hotmail.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,wa.ads.fo
rsale
Subject: Re: COLLINS 32S-1 transmitter
Date: Sat, 14 Feb 2009 23:52:17 +0000 (UTC)
Organization: junky Sempron POS
Lines: 17
Message-ID: <gn7lfh$2mj$2@reader.motzarella.org>
References: <614ee46bb66be531efbfb93306360df9@pseudo.borked.net>
<49941128$0$23917$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
X-Trace: news.eternal-september.org
U2FsdGVkX18mqa7WilOBw7go88MRYxEg7k4M9auitwCJ+OzGpdAjIR+rOcNa6ohYv5w3aPPCsfVu0vqZMR
CUFLV1qJoQet59lcp9Z6X6ouMjoVXnLygaQKGpxHZ3Zo59UrudhOJkARl1Ujqc3o+bHQ==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sat, 14 Feb 2009 23:52:17 +0000 (UTC)
User-Agent: tin/1.8.2-20060425 ("Shillay") (UNIX) (Linux/2.6.21.5-smp (i686))
X-Auth-Sender: U2FsdGVkX1/Jt8L1NILO0+SrfEjA7uByR3jAKGEbp9lBB9a6KZ4B9A==
Cancel-Lock: sha1:YB4JwbLS4EG5tvnWEx2Owo+lL98=
Xref: g2news1.google.com rec.radio.swap:1287 rec.radio.amateur.equipment:1152
rec.radio.amateur.boatanchors:2006 wa.ads.forsale:83
```

In rec.radio.amateur.equipment Paulco <paulco@nospam.com> wrote:
> Stupid bloody yanks - post to an Australian NG when he wont freight outside

```
> the US.
>
>
> "DC" <nobody@pseudo.borked.net> wrote in message
> news:614ee46bb66be531efbfb93306360df9@pseudo.borked.net...
>> http://xrl.us/Collins32S1
>>
>
>
Very pretty radio. Very clean inside. I'm not in the market, but it
looks pretty.

--
Sonnybeach




From 6209377006803383610
X-Google-Thread: 108122,eeec738cad2741ed,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!fdn.fr!
news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Pierre-Fran�ois \(f5bqp_pfm\)" <pfmonet_NOSPAM_@_MAPSON_wanadoo.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: Noise Figer Meter EATON 2075B
Date: Sun, 15 Feb 2009 20:46:28 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Lines: 16
Message-ID: <49987116$0$18398$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 15 Feb 2009 20:46:30 CET
NNTP-Posting-Host: 83.112.196.101
X-Trace: 1234727190 news.orange.fr 18398 83.112.196.101:3071
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:1367

Hi to all of you,

I'm searching the EATON 2075B NF meter service manual.
If you have these pdf or printed please let me know, I need to calibrate my
2075B.
I own the 2075A service manual but it's a different hardware, so almost
useless as the calibration is different.
Many thanks for your replies.

All the best

pf, F5BQP
```

From 9115594935069964364
X-Google-Thread: 108122,ea3aea1258268db5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.utanet.at!newsfeed.aon.at!newsreader02.highway.telekom.at!not-for-mail
From: "Peter Holzer" <p111263@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Repeater Icom FR4000
Date: Tue, 17 Feb 2009 19:01:09 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Lines: 11
Message-ID: <499afb6a$0$20975$91cee783@newsreader02.highway.telekom.at>
NNTP-Posting-Host: 91-115-188-114.adsl.highway.telekom.at
X-Trace: 1234893674 newsreader02.highway.telekom.at 20975 91.115.188.114:3520
Xref: g2news1.google.com rec.radio.amateur.equipment:1154

Hi folks,

I am having a Icom FR4000 with an error message "ALT3". Do you have any idea what this means?

Any info would be aprreciated.

BR
Pete

From 5943342120249421291
X-Google-Thread: fc8b1,a9d8a069bf246143,start
X-Google-Thread: 1109af,a9d8a069bf246143,start
X-Google-Thread: 108122,a9d8a069bf246143,start
X-Google-Attributes: gidfc8b1,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.bananasplit.info!
news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: DENTRON 160-10L amplifier
Message-ID: <ae0bd43fb598381a1bfdb80ebe3cb916@pseudo.borked.net>

Date: Tue, 17 Feb 2009 15:09:56 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2024 rec.radio.swap:1290 rec.radio.amateur.equipment:1155

http://xrl.us/Dentron

From -4593265770163804970
X-Google-Thread: 108122,323213dc5df06045
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!41g2000yqf.googlegroups.com!not-for-mail
From: mazarelo <mazarelo@sprintpcs.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Trade 1911 45
Date: Wed, 18 Feb 2009 19:27:58 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <f666546a-e062-4c89-b01a-7026760eba8b@41g2000yqf.googlegroups.com>
NNTP-Posting-Host: 71.207.88.152
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1235014078 8572 127.0.0.1 (19 Feb 2009 03:27:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 19 Feb 2009 03:27:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 41g2000yqf.googlegroups.com; posting-host=71.207.88.152;
posting-account=CWzg0QoAAAAGATF5TcawyuR8oKyYc6ro
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
.NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1371

I have a new, never fired Colt Custom Shop MKIV Series 70 1911 I'd
like to trade, + or - cash
for a HF transceiver, or HF receiver.

From -3377185253211468355
X-Google-Thread: 1109af,2a0fa2a71f0bffe6,start
X-Google-Thread: 108122,2a0fa2a71f0bffe6,start
X-Google-Thread: fc8b1,2a0fa2a71f0bffe6,start
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!feeder.erje.net!news.mixmin.net!news.bananasplit.info!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news

From: DC <nobody@pseudo.borked.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: COLLINS 75A-4 receiver
Message-ID: <0fe020b3a83fbffdbdadeceeac3e8915@pseudo.borked.net>
Date: Fri, 20 Feb 2009 20:21:51 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:1303 rec.radio.amateur.equipment:1158
rec.radio.amateur.boatanchors:2056

http://xrl.us/Collins75A4

From -6772109048231402280
X-Google-Thread: 108122,c57022bb9e8b634,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news2.arglkargh.de!newsfeed.straub-nv.de!news.netcologne.de!newsfeed-
fusi2.netcologne.de!feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Linear Amplifier Cook Book!!
Date: Sat, 21 Feb 2009 09:22:15 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 13
Message-ID: <49a00e1c$0$19491$c5fe31e7@read01-hal>
Organization: UseNET
NNTP-Posting-Date: 21 Feb 2009 15:22:21 CET
NNTP-Posting-Host: 4f86ecd6.read01-hal
X-Trace:
DXC=MYAH[G]H@oB9FUiS3ITZJL]=V>ZL5o1]B<moHH[O[>ZJI3UCDFQl0IAAChSdgJ=LRGWGk;S76HjaB5
`\HH8KQ0g@@a`V`U10=nIE=fn3mN11mH
X-Complaints-To: abuse@usenet4all.se
Xref: g2news2.google.com rec.radio.amateur.equipment:1373

Learn the secrets
of, fatboys, DaveMade, Xforce, ETC. No need to spend big money!

Build your own. This Info set will be indispensable! clear High Resolution
Photos and Diagrams.

This set will lead you through the Entire Build process. Parts List, and
sources included.

http://cgi.ebay.com/Linear-Amplifier-Cook-Book-CB-HF-Learn-all-The-

```
Secrets_W0QQitemZ110352606595QQihZ001QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmd
ZViewItem
```

```
From 6287114255497021092
X-Google-Thread: 108122,c57022bb9e8b634
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Feb 2009 09:04:35 -0600
Date: Sat, 21 Feb 2009 07:04:35 -0800
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.19 (X11/20090105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier Cook Book!!
References: <49a00e1c$0$19491$c5fe31e7@read01-hal>
In-Reply-To: <49a00e1c$0$19491$c5fe31e7@read01-hal>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <7LCdncohCveZhT3UnZ2dnUVZ_tzinZ2d@earthlink.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.79.51.249
X-Trace: sv3-dDxaeLFn/
nYTBwS56qPWCWejRxIOsGhJv6aAkqqJ6FyEdYzSyKUxFwGVoUpLxohFs3euJe4KtTQ1PpM!
X0HYy8kFhcSQsKCiWc9HIFzFKr4UTuK1ojYwseQDEERNzwR/UHoVVIdfDYeGpM7uvjwHvd1xgUi8!
+izqEVKfk5rrPNw9E5Tgq8kAHKMBfrtV
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:1160

KC8QJP wrote:
> Learn the secrets
> of, fatboys, DaveMade, Xforce, ETC. No need to spend big money!
>
>  Build your own. This Info set will be indispensable! clear High Resolution
> Photos and Diagrams.
>
>
>  This set will lead you through the Entire Build process. Parts List, and
> sources included.
>
> http://cgi.ebay.com/Linear-Amplifier-Cook-Book-CB-HF-Learn-all-The-
Secrets_W0QQitemZ110352606595QQihZ001QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmd
ZViewItem
>
```

>
Yikes!

```
From -4966678377809600262
X-Google-Thread: 108122,c57022bb9e8b634
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Feb 2009 09:12:48 -0600
Date: Sat, 21 Feb 2009 08:12:58 -0700
From: wheat_shucker <none4u@bogus.com>
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier Cook Book!!
References: <49a00e1c$0$19491$c5fe31e7@read01-hal>
<7LCdncohCveZhT3UnZ2dnUVZ_tzinZ2d@earthlink.com>
In-Reply-To: <7LCdncohCveZhT3UnZ2dnUVZ_tzinZ2d@earthlink.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <c4ydnTaR7uNthD3UnZ2dnUVZ_q7inZ2d@giganews.com>
Lines: 3
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-A6OHsBvREMifmTJ/
7Oz3Vev14lHWbcJCUn1/1WwakHjvF0zutnW6PDgHqmp7AF6f6eaczzWyN+M/9G2!
dW39qdoWLdpOXDGMMMAXvnNYAJsUxF1AFLp37rC1eg+qwYN+OGnuAOOZD8HKLuQ6i3Yx03HeuW0=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:1161
```

Re: The CB Jammer

Double Yikes!!

```
From 7634308147150138603
X-Google-Thread: 108122,e08f30576ffba4cc,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m4g2000vbp.googlegroups.com!not-for-
mail
From: thepeddler09@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: lot of antique transistor radios-KOYO PARROT-SONY-AIRWAY
     DELUXE-WESTINGHOUSE-MOTOROLA-GE-RCA-more
Date: Tue, 24 Feb 2009 14:41:38 -0800 (PST)
```

```
Organization: http://groups.google.com
Lines: 21
Message-ID: <3d6cc85a-30de-4e19-9e32-58928f576f3f@m4g2000vbp.googlegroups.com>
NNTP-Posting-Host: 216.222.225.87
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1235515298 29005 127.0.0.1 (24 Feb 2009 22:41:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Feb 2009 22:41:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m4g2000vbp.googlegroups.com; posting-host=216.222.225.87;
     posting-account=3D5paAoAAADneEBY7MQYPLHsFmNnnBzP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
     4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1162

http://shop.ebay.com/merchant/66-catalina_W0QQ_nkwZQQ_armrsZ1QQ_fromZQQ_mdoZ

VINTAGE GE TRANSISTOR RADIO-LARGE BATTERY-TESTED/WORKS- 0 Bids $24.99
5d 3h 58m
 RCA MODEL RZG 101J VINTAGE TRANSISTOR RADIO-COMPLETE-$  0 Bids $9.98
5d 3h 58m
 GE TRANSISTOR RADIO-VINTAGE P-1728, TESTED & IT WORKS-$ 0 Bids $9.98
5d 3h 58m
 KOYO PARROT KR-4S1 SUBMINIATURE TUBE RADIO-WHITE-RARE!! 0 Bids
$199.88
$400.00 5d 3h 58m
 WESTINGHOUSE MOD.H-938P6GP WHITE TRANSISTOR RADIO-$$$$$ 0 Bids $9.98
5d 3h 58m
 AIRWAY DELUXE TRANSISTOR RADIO MODEL YT-161 working !!! 0 Bids $24.99
5d 3h 58m
 MOTOROLA X23E VINTAGE TRANSISTOR RADIO-complete-$$$ 0 Bids $9.98 5d
3h 58m
 VINTAGE EXPO '70 TRANSISTOR RADIO-YELLOW-COMPLETE-$$$$$ 0 Bids $24.99
5d 3h 58m
 SONY MODEL 3F-85WA VINTAGE TRANSISTOR RADIO-it works-$$ 0 Bids $9.98
6d 3h 58m


From -3415805954777887922
X-Google-Thread: 108122,c348e0ef9dc366a9,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
c36g2000yqn.googlegroups.com!not-for-mail
From: EB5AGV <jose.gavila@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: NEW Yaesu FT-980 YahooGroup
Date: Wed, 25 Feb 2009 00:17:17 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
```

```
Message-ID: <065498c1-17fd-4c77-a245-9561618647ca@c36g2000yqn.googlegroups.com>
NNTP-Posting-Host: 158.42.165.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1235549838 11660 127.0.0.1 (25 Feb 2009 08:17:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Feb 2009 08:17:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c36g2000yqn.googlegroups.com; posting-host=158.42.165.18;
     posting-account=907d1QoAAABf7BI4mJXkFthDzGp4RftM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; es-ES; rv:1.9.0.6)
     Gecko/2009011913 Firefox/3.0.6,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1163

Hello!

If you own one of these fine transceivers, please, join us at:

http://groups.yahoo.com/group/FT-980/

Best regards,

73 JOSE - EB5AGV
http://jvgavila.com


From 7437601538957886003
X-Google-Thread: 1109af,97a16d52c64b416a,start
X-Google-Thread: 108122,97a16d52c64b416a,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.bananasplit.info!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: Japan Radio Co. NRD-91 receiver
Message-ID: <32db7f69942f8b0fe23f6b6a0f76011e@pseudo.borked.net>
Date: Thu, 26 Feb 2009 05:34:44 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.swap:1760 rec.radio.amateur.equipment:1378

http://xrl.us/NRD91



From -2836647218633675715
X-Google-Thread: fcc6e,d7d337db35f23326,start
X-Google-Thread: 11480d,d7d337db35f23326,start
X-Google-Thread: 108122,d7d337db35f23326,start
X-Google-Thread: fc2a5,d7d337db35f23326,start
```

```
X-Google-Thread: 107ada,d7d337db35f23326,start
X-Google-Thread: 10bf43,d7d337db35f23326,start
X-Google-Thread: 10e8ad,d7d337db35f23326,start
X-Google-Thread: 3a471f,d7d337db35f23326,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid107ada,gid10bf43,gid10e8ad,gid3a471f,doma
inid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!news-out.readnews.com!transit3.readnews.com!panix!
rram.panix.com!robomod!not-for-mail
From: rram@panix.com (rec.radio.amateur.moderated Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amat
eur.space,rec.radio.amateur.moderated
Subject: [ADMIN,META] Allow crossposting to rec.radio.amateur.moderated?
Followup-To: poster
Date: Tue, 3 Mar 2009 09:22:16 EST
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 190
Approved: RRAM Approval Key <rram-approval-key@panix.com>
Message-ID: <gojeci$m74$1@reader1.panix.com>
Reply-To: rec-radio-amateur-moderated-request@panix.com
(rec.radio.amateur.moderated Admin)
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader1.panix.com 1236090134 24881 166.84.1.1 (3 Mar 2009 14:22:14 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 3 Mar 2009 14:22:14 +0000 (UTC)
X-RRAM-Policy: http://www.panix.com/~rram/usenet/rram/index.html
X-RRAM-Info-1: Send submissions to             rec-radio-amateur-
moderated@panix.com
X-RRAM-Info-2: Send technical complaints to    rec-radio-amateur-moderated-
request@panix.com
X-RRAM-Info-3: Send complaints about policy to rec-radio-amateur-moderated-
request@panix.com
X-RRAM-Info-4: GnuPG 1.4.5 Public Key at http://www.panix.com/~rram/gpg.html
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
Old-NNTP-Posting-Host: panix2.panix.com
Old-X-Complaints-To: abuse@panix.com
Old-NNTP-Posting-Date: Tue, 3 Mar 2009 14:21:06 +0000 (UTC)
User-Agent: nn/6.7.3
X-Auth: PGPMoose V2.0 PGP rec.radio.amateur.moderated
 iJwEAQECAAYFAkmtPRgACgkQSO8RITXCfvsqawP6A17K4vQTN1WcmyH33GYFlYpz
 oliF+zVQUJ3gKBpEnAKbvUcfNm5ntO9hhCk1d6eiI7Iu9CwsSMwmkFN0azdbzudR
 4ZCsAlkmJ5O35zeE2jNvE+uoJYFHTjVxnsHLKsTVVBLAs1bNT1xMfWOEhawlAUGZ
```

 WnNgKz5TaViRJKL4u0k=
 =iVUy

Xref: g2news1.google.com rec.radio.amateur.antenna:8464 rec.radio.amateur.dx:280 rec.radio.amateur.equipment:1165 rec.radio.amateur.homebrew:1992 rec.radio.amateur.misc:3890 rec.radio.amateur.policy:22546 rec.radio.amateur.space:170 rec.radio.amateur.moderated:775

(Followups directed to poster by default. If followup to newsgroups is desired, edit your headers on followup to drop rec.radio.amateur.moderated from the Newsgroups line, else your article will be rejected.)

The rec.radio.amateur.moderated newsgroup enters its 3rd year of operation this month. Since its creation in February of 2007, we have approved nearly 3,000 articles about amateur radio and closely related subjects. We would like to thank our readers and posters for their quality contributions to our newsgroup.

When we first started out, consistent with our newsgroup's Charter and Posting Guidelines:

http://www.panix.com/~rram/usenet/rram/

we allowed discussion threads to be posted to our newsgroup only. Our moderation software is programmed to automatically reject any crossposts. The one exception has been periodic information postings that are crossposted to rec.radio.info, rec.answers, and/or news.answers.

Some moderated newsgroups, such as those in the comp.lang.perl.* and misc.kids.* hierarchies, started accepting crosspostings to appropriate unmoderated newsgroups after a suitable waiting period from their initial creation. Now that our newsgroup is well-established and carried at most major sites, we would like to implement this customary followup and allow some crossposting. We would propose to allow simultaneous crossposting (i.e., one article, with all newsgroups specified at once on the Newsgroups line in the headers) to rec.radio.amateur.moderated and one other unmoderated newsgroup in the rec.radio.amateur.*, alt.radio.amateur.*, and alt.ham-radio.* hierarchies only.

Pros:

- Allows the moderated and unmoderated newsgroups to share discussion threads of common interest, without propagating more than one set of articles to news, or showing them more than once in a newsreader. Presently, threads of common interest have to run in parallel, with different sets of followups, and requiring readers to have to follow two threads, possibly with duplicate articles, in different newsgroups. We have seen multiple examples of this happening in the amateur-radio-related newsgroups over the past 2 years.

- Provides the default action of submitting articles and followups to moderator review, as news servers will forward to us for approval any article that contains rec.radio.amateur.moderated on the Newsgroups line. This allows the moderated newsgroup crossposting to serve as a "guardian" or "sentinel" to discourage threads from getting hijacked into running off-topic or into personal abuse. This may also encourage posters to use the underutilized rec.radio.amateur.misc or .policy newsgroups as crossposting targets for articles that might otherwise be posted only to .moderated.

- Readers of the unmoderated newsgroups will enjoy high-quality, on-topic, discussion threads that would otherwise require subscribing to and reading a moderated newsgroup. Readers of the moderated newsgroup will enjoy high-quality, on-topic, discussion threads that would otherwise require subscribing to and reading other unmoderated newsgroups. Those unmoderated newsgroups may contain articles of widely varying degrees of quality and topic relevance.

- Participation in this crossposting scheme is completely voluntary. Posters of initial articles in threads will make the voluntary choice to add rec.radio.amateur.moderated and one other unmoderated newsgroup to the Newsgroups line when posting. Those following up to these crossposted threads will make a voluntary choice whether to keep rec.radio.amateur.moderated or any other newsgroup on the Newsgroups line, or remove them. Followups may be directed by default to any subset of the newsgroups on the Newsgroups line (or via E-mail to "poster") by specifying them on an appropriate Followup-To line. In short, you control what you post, where you post it, and what default destinations you want for any followups. This proposed crossposting scheme does not change any of these long-standing features of Usenet and newsreader software.

Cons:

- This will subject all such simultaneously crossposted articles to moderator review by us. If they do not meet the Charter and Posting Guidelines of rec.radio.amateur.moderated, they will be rejected. We will attempt to work with submitters to let them know what is happening, and how their articles can be fixed for eventual approval. However, rejected articles that were submitted anonymously without a traceable/derivable E-mail address or identity will have to be dropped silently without feedback to the unreachable submitter.

- Moderator review will introduce some posting delay. However, it has been our experience over the last 2 years that with our large moderation team distributed across many time zones, and the automation provided by our moderation software, we can turn submissions around relatively quickly, often within an hour.

- Many newsreaders do not give clear feedback to the user what newsgroups in which a given article appears, nor to what newsgroups a followup to that article will be sent by default. We expect to initially have to handle a few confused, possibly angry, submitters who will insist that they did not intend to post to a moderated newsgroup. We are willing to provide the necessary polite feedback and user education to them to allow this crossposting scheme to work effectively. This will help ensure that the scheme is only used by those who are reasonably aware of the various pros and cons. We hope that this problem will diminish with time and greater user awareness.

- Not all newsgroups, especially those in the alt.* hierarchy, are carried at all sites. Users may find themselves following up by default to newsgroups that do not exist on their local news server, possibly resulting in article rejection from their server. Those users would have to edit their Newsgroups line for successful resubmission. We will work with users to get appropriate newsgroups added to their local servers, as well as with Panix to get those newsgroups added to Panix's server. However, as with default followups described in the previous paragraph, we expect to have to go through an initial period of user and news service provider education and polite feedback. We hope that this problem also will diminish with time and greater user awareness.

We propose to enforce this scheme in our moderation software as follows:

- Submissions simultaneously crossposted to more than 2 newsgroups will be automatically rejected with a rejection form letter (same as what happens now to submissions that are posted to more than 1 newsgroup).

- Submissions that contain newsgroups on the Newsgroups line other than approved newsgroups in the rec.radio.amateur.*, alt.radio.amateur.*, or alt.ham-radio.* hierarchies will be automatically rejected with a rejection form letter.

  Approved rec.radio.amateur.* newsgroups are those that are currently listed in the latest version of the "List of Big Eight Newsgroups" which is crossposted monthly to news.announce.newgroups, news.groups, and news.lists.misc.

  Approved alt.radio.amateur.* and alt.ham-radio.* newsgroups are those that have been created consistent with the suggestions in "So You Want to Create an Alt Newsgroup" at:

  http://www.faqs.org/faqs/alt-creation-guide/

  We will make every reasonable effort to keep our list of approved newsgroups up-to-date. In case we have overlooked any, and a submission is rejected in error as a result, the rejected submitter can E-mail us at our administrative contact address (in the signature at the bottom of this article, and the default Reply-To for the rejection message) requesting that it be added, and that the article be approved. We may still choose to reject articles crossposted to any alt.* newsgroup with an inappropriate name, including obscene language, embedded name-calling, or encouragement of unlawful conduct.

To help publicize this new editorial policy, we will update our Posting Guidelines, which are posted to the moderated newsgroup on the 15th of each month. Changes to our Posting Guidelines are indicated by an updated date in the Revision: auxiliary header at the top of the body, as well as "change bars" ('|') after each modified line of text. We will also add a short announcement, posted on the 1st of each month and cross-posted to the unmoderated newsgroups, restating this new editorial policy, and encouraging crossposted submissions.

Since this is a change to our newsgroup's editorial policies, and with some impact to the readers and posters of the unmoderated newsgroups, we would like to solicit 30 days of direct feedback and/or public discussion regarding this proposed change. For example, we would be interested to know if allowing crossposting to one other unmoderated newsgroup is enough, or if two would be preferable. We feel that more than two additional crossposted newsgroups greatly increases the probability of misconduct or accidental misposting that may result in article rejection by us. Also, should this scheme be opened up to uk.radio.amateur and aus.radio.amateur.* as well? You may send us E-mail directly to our administrative contact address below, which is the default Followup-To/Reply-To for this article. You may also discuss this publicly on the unmoderated newsgroups. In fact, we cannot stop you from doing so. We will make every reasonable effort to incorporate any feedback and suggestions. If we decide to implement this proposal, we will make a public announcement shortly after the end of the 30-day discussion period.

(Followups directed to poster by default. If followup to newsgroups is desired, edit your headers on followup to drop rec.radio.amateur.moderated from the Newsgroups line, else your article will be rejected.)

--
rec.radio.amateur.moderated Admin
rec-radio-amateur-moderated-request@panix.com

From 4863868621897292921
X-Google-Thread: 107ada,c0bc76570b6c0280,start
X-Google-Thread: 108122,c0bc76570b6c0280,start
X-Google-Thread: fc2a5,c0bc76570b6c0280,start
X-Google-Attributes: gid107ada,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o8g2000pre.googlegroups.com!not-for-mail
From: "dave.harper" <dave.harper@gmail.com>
Newsgroups: rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Peak-to-peak voltage for mic input?
Date: Tue, 3 Mar 2009 14:19:14 -0800 (PST)

Organization: http://groups.google.com
Lines: 9
Message-ID: <dde847a2-7e8e-41f0-ae2f-561089232dcf@o8g2000pre.googlegroups.com>
NNTP-Posting-Host: 128.158.1.161
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1236118754 6840 127.0.0.1 (3 Mar 2009 22:19:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Mar 2009 22:19:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o8g2000pre.googlegroups.com; posting-host=128.158.1.161;
     posting-account=rHEQaggAAAAFTscVchKefpnjROFHTWH8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.4)
     Gecko/2008102920 Firefox/3.0.3,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.misc:3894
rec.radio.amateur.equipment:1166 rec.radio.amateur.homebrew:1995

I've made a digital modem and am trying to figure out how much I need
to reduce the modem's audio output before piping the signal into an IC-
V8. I want to make sure the voltage is high enough to RX well, but
not so high that the signal is clipped of the IC-V8 is damaged.
Anyone know what the typical peak-to-peak voltage is for a standard
mic input?

Thanks in advance for any advice!
Dave

From 1440303390706680672
X-Google-Thread: 107ada,c0bc76570b6c0280
X-Google-Thread: 108122,c0bc76570b6c0280
X-Google-Thread: fc2a5,c0bc76570b6c0280
X-Google-Attributes: gid107ada,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.pipex.net!news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 03 Mar 2009 16:54:55 -0600
Date: Tue, 03 Mar 2009 22:54:53 +0000
From: Highland Ham <rfburns@allbands.net>
User-Agent: Thunderbird 2.0.0.12 (X11/20080306)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Peak-to-peak voltage for mic input?
References: <dde847a2-7e8e-41f0-ae2f-561089232dcf@o8g2000pre.googlegroups.com>
In-Reply-To: <dde847a2-7e8e-41f0-ae2f-561089232dcf@o8g2000pre.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <v8ednVDGKJiiKDDUnZ2dnUVZ8gCWnZ2d@pipex.net>
Lines: 19

X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 81.178.71.168
X-Trace: sv3-ZjZyDqQ4RaZEeuBb77hvQt9+6mqeWcs7nK6/
UZ7Cj3uzLEgP1worfnlvpJHPpUPyFolAmg+CZup8dVW!/CFdmElUwXlKNKADwl8QKKv5UR/
a6UGbrau5Q7F3OPE6lJdxeyMtzT/DPMRW4WzTs2rXk40wUzQt!Q1YF6L3cbANbhkmCe9xHM5a9hA==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.misc:4150
rec.radio.amateur.equipment:1381 rec.radio.amateur.homebrew:2293

dave.harper wrote:
> I've made a digital modem and am trying to figure out how much I need
> to reduce the modem's audio output before piping the signal into an IC-
> V8. I want to make sure the voltage is high enough to RX well, but
> not so high that the signal is clipped of the IC-V8 is damaged.
> Anyone know what the typical peak-to-peak voltage is for a standard
> mic input?
>
> Thanks in advance for any advice!

========================
Assuming that the modem has an adjustable output , I would suggest you
hook it up to the radio and ,starting at zero input ,see at what mike
input level you get an output by listening to a receiver.
If the radio has its own mike being an electret type (possibly with an
additional built-in pre-amplifier) the mike input signal will highly
likely be in the 50 - 300 mV range .

Frank   GM0CSZ / KN6WH

From 7680394538042710293
X-Google-Thread: 108122,46bb4aa181d13830,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 03 Mar 2009 17:13:50 -0600
From: captain945 <captain945.3f36ef5@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Maxon TM-4800 programming
Date: Tue, 3 Mar 2009 19:58:25 +0000
Message-ID: <captain945.3f36ef5@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-8jlbdhFJy8biPfSdhv9JHdMXrM3g4DI/
sGDywVs6NYOANIQo+GLzddwu+bV3GruOTB5vA2hNN6nAs/q!

z9G8oTkNi9vJVlX8LDylWORlch3HN8norOgvtQmDOKdZBJUPphHDB3R6cKyzWexEP8TViwAzeW7+!
Zsul6Q+f
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:1168

I have a Maxon TM-4800 800 trunking and can not find anything anywhere
on it. I know that somewhere someone has the cable and the software I
need to program this radio. Do you?

--
captain945

From 1117818176967256717
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
post02.iad.highwinds-media.com!newsfe07.iad.POSTED!d79b4107!not-for-mail
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.19 (X11/20090105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
References: <aJSal.522192$yE1.506882@attbi_s21>
In-Reply-To: <aJSal.522192$yE1.506882@attbi_s21>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <B1Tal.13114$tD1.9927@newsfe07.iad>
X-Complaints-To: abuse2@dslextreme.com
NNTP-Posting-Date: Tue, 13 Jan 2009 02:30:57 UTC
Organization: DSL Extreme
Date: Tue, 13 Jan 2009 02:30:56 +0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1017

Harold E. Johnson wrote:
> Looking for just the TC201 soldering iron that goes with their TC202
> station. Actually, if I could just find out what the two IC's are that are
> house numbered, I could likely repair the one I have.
>
> W4ZCB
>

```
>
>
Do yourself a favor:

http://www.kimcodistributing.com/store/item.asp?DEPARTMENT_ID=461&ITEM_ID=7

Fixing a Weller is good money after bad.


From -7205886662410062813
X-Google-Thread: 108122,dfe167130386140,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed0.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!multikabel.net!
newsfeed20.multikabel.net!post30.multikabel.net!cache110.multikabel.net!not-for-
mail
From: "Arjo Strijbosch" <arjostrijbosch@casema.nl>
Newsgroups: rec.radio.amateur.equipment
Subject: Wiltron 610D
Date: Tue, 13 Jan 2009 10:23:03 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <dcbf6$496c5d71$5355772f$9566@cache110.multikabel.net>
X-Complaints-To: abuse.cas.news@prolocation.net
Organization: Multikabel
Lines: 11
NNTP-Posting-Host: 83.85.119.47 (83.85.119.47)
NNTP-Posting-Date: Tue, 13 Jan 2009 10:22:57 +0100
X-Trace: dcbf6496c5d71f6f0d28a09566
Xref: g2news2.google.com rec.radio.amateur.equipment:1232

Hello,
I'am looking for the service manual of a Wiltron 610D sweepgenerator
mainframe,
with a 61084D ( 1-1500mhz)  plugin unit ?
Perhaps has somebody a link or a copy of it ?

Best regards,

Arjo Strijbosch




From -9118519914492428423
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
```

news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!wns14feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad>
Subject: Re: WTB Weller soldering iron
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <8o%al.522781$yE1.60560@attbi_s21>
NNTP-Posting-Host: 173.21.179.211
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1231848068 173.21.179.211 (Tue, 13 Jan 2009 12:01:08 GMT)
NNTP-Posting-Date: Tue, 13 Jan 2009 12:01:08 GMT
Organization: AT&T ASP.att.net
Date: Tue, 13 Jan 2009 12:01:08 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1233

"Dave" <dave@dave.dave> wrote in message
news:B1Tal.13114$tD1.9927@newsfe07.iad...
> Harold E. Johnson wrote:
>> Looking for just the TC201 soldering iron that goes with their TC202
>> station. Actually, if I could just find out what the two IC's are that
>> are
>> house numbered, I could likely repair the one I have.
>>
>> W4ZCB
>>
>>
>>
> Do yourself a favor:
>
> http://www.kimcodistributing.com/store/item.asp?DEPARTMENT_ID=461&ITEM_ID=7
>
> Fixing a Weller is good money after bad.

Dave, I'm 82 years old, have been a homebrewer for over 65 of them, and possibly have melted more solder than you weigh. I have had employees and myself using Weller products for at least 50 years and could really get along without your sage advise. Now if you have a spare TC201 around, name your price.

W4ZCB

```
From 5076716012945424329
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe01.iad.POSTED!d79b4107!not-for-mail
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.19 (X11/20090105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
In-Reply-To: <8o%al.522781$yE1.60560@attbi_s21>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 37
Message-ID: <G21bl.1$g23.0@newsfe01.iad>
X-Complaints-To: abuse2@dslextreme.com
NNTP-Posting-Date: Tue, 13 Jan 2009 13:54:46 UTC
Organization: DSL Extreme
Date: Tue, 13 Jan 2009 13:54:45 +0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1020
```

Harold E. Johnson wrote:
> "Dave" <dave@dave.dave> wrote in message
> news:B1Tal.13114$tD1.9927@newsfe07.iad...
>> Harold E. Johnson wrote:
>>> Looking for just the TC201 soldering iron that goes with their TC202
>>> station. Actually, if I could just find out what the two IC's are that
>>> are
>>> house numbered, I could likely repair the one I have.
>>>
>>> W4ZCB
>>>
>>>
>>>
>> Do yourself a favor:
>>
>> http://www.kimcodistributing.com/store/item.asp?DEPARTMENT_ID=461&ITEM_ID=7
>>
>> Fixing a Weller is good money after bad.
>
>
> Dave, I'm 82 years old, have been a homebrewer for over 65 of them, and
> possibly have melted more solder than you weigh. I have had employees and
> myself using Weller products for at least 50 years and could really get
> along without your sage advise. Now if you have a spare TC201 around, name
> your price.
>
> W4ZCB
>

```
>

I work in a laboratory.  We have Wellers and Xytronics (which use Hakko
heating elements and are quite similar).  Nobody uses the Wellers if
they can help it. The Xytronics are much lighter and easier to maneuver.

http://forums.qrz.com/showthread.php?t=176189

Now I'll look for a loose handle...


From -1289281630726772814
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
news.cse.ohio-state.edu!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
Date: Tue, 13 Jan 2009 16:20:14 GMT
Organization: some
Lines: 47
Message-ID: <gkievu$hqf$1@usenet01.srv.cis.pitt.edu>
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
<G21bl.1$g23.0@newsfe01.iad>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1231863614 18255 136.142.52.90 (13 Jan 2009
16:20:14 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Tue, 13 Jan 2009 16:20:14 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.equipment:1235

In article <G21bl.1$g23.0@newsfe01.iad>, Dave <dave@dave.dave> wrote:
>Harold E. Johnson wrote:
>> "Dave" <dave@dave.dave> wrote in message
>> news:B1Tal.13114$tD1.9927@newsfe07.iad...
>>> Harold E. Johnson wrote:
>>>> Looking for just the TC201 soldering iron that goes with their TC202
>>>> station. Actually, if I could just find out what the two IC's are that
>>>> are
>>>> house numbered, I could likely repair the one I have.
>>>>
>>>> W4ZCB
>>>>
>>>>
>>>>
>>> Do yourself a favor:
>>>
>>> http://www.kimcodistributing.com/store/item.asp?DEPARTMENT_ID=461&ITEM_ID=7
>>>
```

```
>>> Fixing a Weller is good money after bad.
>>
>>
>> Dave, I'm 82 years old, have been a homebrewer for over 65 of them, and
>> possibly have melted more solder than you weigh. I have had employees and
>> myself using Weller products for at least 50 years and could really get
>> along without your sage advise. Now if you have a spare TC201 around, name
>> your price.
>>
>> W4ZCB
>>
>>
>
>I work in a laboratory.  We have Wellers and Xytronics (which use Hakko
>heating elements and are quite similar).  Nobody uses the Wellers if
>they can help it. The Xytronics are much lighter and easier to maneuver.
>
>http://forums.qrz.com/showthread.php?t=176189
>
>Now I'll look for a loose handle...


I have some of each. One Xytronic over 15 years old. But, after
using a Weller thin pencil all others are like holding baseball bats. I like this
80 watt Weller
pen.....
http://www.venso.se/images/weller/lodpennor/wsp80set_600.jpg

g




From -8985112263754903163
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.straub-nv.de!news.albasani.net!not-for-mail
From: Clive <Clive@petendud.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
Date: Tue, 13 Jan 2009 17:58:51 +0000
Organization: hard work never kiled anyone ----- but why take the risk ........
Lines: 21
Message-ID: <gkikoq$5vc$1@news.albasani.net>
References: <aJSal.522192$yE1.506882@attbi_s21>
Reply-To: Clive@petendud.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net kC5gwYXy22EtadVfKXeq0ErpmPpodGa5mz0xCtgnLA78/I//
daKC4EY1ck1A4grS82ddAmBxOsMxP20NK443f6Oqc1qvmhaSKMD5koLL5lbEOaRbE26dbUxFyUmTG3X5
X-Complaints-To: abuse@albasani.net
```

```
NNTP-Posting-Date: Tue, 13 Jan 2009 17:58:50 +0000 (UTC)
X-User-ID: iOlRIw82nCpp/r3pm0pbD7SIMFzjMJxvhoFEDegk6wY=
In-Reply-To: <aJSal.522192$yE1.506882@attbi_s21>
Cancel-Lock: sha1:nokIa+UqUPiKlNPDsLuEANk6Fmo=
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
X-NNTP-Posting-Host: 2YgXV/8Z9MKXs7SrjJ8uxFa/OmRU80O0IGTuEBKA6uo=
Xref: g2news1.google.com rec.radio.amateur.equipment:1022
```

Harold E. Johnson wrote:

> Looking for just the TC201 soldering iron that goes with their TC202
> station. Actually, if I could just find out what the two IC's are that are
> house numbered, I could likely repair the one I have.
>
> W4ZCB
>
>
>

Have a look on ebay, they tend to go cheaply second user and not a bad price new.

http://cgi.ebay.com/WELLER-TC201T-SOLDERING-IRON-BRAND-NEW-TC201_W0QQitemZ290288068469QQcmdZViewItemQQptZLH_DefaultDomain_0?hash=item290288068469&_trksid=p3286.c0.m14&_trkparms=72%3A1205|66%3A4|65%3A12|39%3A1|240%3A1318|301%3A1|293%3A1|294%3A200

I've had a few complete stations from ebay for less than 20 GBP over the last couple of years, far nicer to use than the cheap Chinese units we were using.

Don't you hate it when they house code a $1 IC...

Clive

```
From 4978193192526171523
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe19.iad.POSTED!d79b4107!not-for-mail
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.19 (X11/20090105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
<G21bl.1$g23.0@newsfe01.iad> <gkievu$hqf$1@usenet01.srv.cis.pitt.edu>
In-Reply-To: <gkievu$hqf$1@usenet01.srv.cis.pitt.edu>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 48
```

Message-ID: <Wocbl.77521$2w3.51993@newsfe19.iad>
X-Complaints-To: abuse2@dslextreme.com
NNTP-Posting-Date: Wed, 14 Jan 2009 02:49:26 UTC
Organization: DSL Extreme
Date: Wed, 14 Jan 2009 02:49:24 +0000
Xref: g2news2.google.com rec.radio.amateur.equipment:1237

GregS wrote:
> In article <G21bl.1$g23.0@newsfe01.iad>, Dave <dave@dave.dave> wrote:
>> Harold E. Johnson wrote:
>>> "Dave" <dave@dave.dave> wrote in message
>>> news:B1Tal.13114$tD1.9927@newsfe07.iad...
>>>> Harold E. Johnson wrote:
>>>>> Looking for just the TC201 soldering iron that goes with their TC202
>>>>> station. Actually, if I could just find out what the two IC's are that
>>>>> are
>>>>> house numbered, I could likely repair the one I have.
>>>>>
>>>>> W4ZCB
>>>>>
>>>>>
>>>>>
>>>> Do yourself a favor:
>>>>
>>>> http://www.kimcodistributing.com/store/item.asp?DEPARTMENT_ID=461&ITEM_ID=7
>>>>
>>>> Fixing a Weller is good money after bad.
>>>
>>> Dave, I'm 82 years old, have been a homebrewer for over 65 of them, and
>>> possibly have melted more solder than you weigh. I have had employees and
>>> myself using Weller products for at least 50 years and could really get
>>> along without your sage advise. Now if you have a spare TC201 around, name
>>> your price.
>>>
>>> W4ZCB
>>>
>>>
>> I work in a laboratory. We have Wellers and Xytronics (which use Hakko
>> heating elements and are quite similar). Nobody uses the Wellers if
>> they can help it. The Xytronics are much lighter and easier to maneuver.
>>
>> http://forums.qrz.com/showthread.php?t=176189
>>
>> Now I'll look for a loose handle...
>
>
> I have some of each. One Xytronic over 15 years old. But, after
> using a Weller thin pencil all others are like holding baseball bats. I like
this 80 watt Weller
> pen.....
> http://www.venso.se/images/weller/lodpennor/wsp80set_600.jpg
>
> g

```
>

That looks cool.  The ones we have at work are klunky.


From -1129887858834150734
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!8c40745b!not-for-
mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
Subject: Re: WTB Weller soldering iron
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <Vidbl.111$eX3.6@nwrddc01.gnilink.net>
Date: Wed, 14 Jan 2009 03:51:17 GMT
NNTP-Posting-Host: 72.71.105.14
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1231905077 72.71.105.14 (Tue, 13 Jan 2009 22:51:17
EST)
NNTP-Posting-Date: Tue, 13 Jan 2009 22:51:17 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:1238


"Harold E. Johnson" <W4ZCB@mchsi.com> wrote in message
news:8o%al.522781$yE1.60560@attbi_s21...
>
> "Dave" <dave@dave.dave> wrote in message
> news:B1Tal.13114$tD1.9927@newsfe07.iad...
>> Harold E. Johnson wrote:
>>> Looking for just the TC201 soldering iron that goes with their TC202
>>> station. Actually, if I could just find out what the two IC's are that
>>> are
>>> house numbered, I could likely repair the one I have.
>>>
>>> W4ZCB
>>>
>>>
>>>
>> Do yourself a favor:
>>
>> http://www.kimcodistributing.com/store/item.asp?DEPARTMENT_ID=461&ITEM_ID=7
```

```
>>
>> Fixing a Weller is good money after bad.
>
>
> Dave, I'm 82 years old, have been a homebrewer for over 65 of them, and
> possibly have melted more solder than you weigh. I have had employees and
> myself using Weller products for at least 50 years and could really get
> along without your sage advise. Now if you have a spare TC201 around, name
> your price.
>
> W4ZCB
I'm with you Harold. I have both and prefer the Weller's much more flexible
cord to the pen.

Dale W4OP





From -6193979449882461115
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-
mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
<Vidbl.111$eX3.6@nwrddc01.gnilink.net>
Subject: Re: WTB Weller soldering iron
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <zrlbl.524273$yE1.158334@attbi_s21>
NNTP-Posting-Host: 173.21.179.211
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1231938399 173.21.179.211 (Wed, 14 Jan 2009 13:06:39 GMT)
NNTP-Posting-Date: Wed, 14 Jan 2009 13:06:39 GMT
Organization: AT&T ASP.att.net
Date: Wed, 14 Jan 2009 13:06:39 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1025


>>> Do yourself a favor:
>>>
>>> http://www.kimcodistributing.com/store/item.asp?DEPARTMENT_ID=461&ITEM_ID=7
>>>
>>> Fixing a Weller is good money after bad.
```

```
>>
>>
>> Dave, I'm 82 years old, have been a homebrewer for over 65 of them, and
>> possibly have melted more solder than you weigh. I have had employees and
>> myself using Weller products for at least 50 years and could really get
>> along without your sage advise. Now if you have a spare TC201 around,
>> name your price.
>>
>> W4ZCB
> I'm with you Harold. I have both and prefer the Weller's much more
> flexible cord to the pen.
>
> Dale W4OP

Sigh! GM Dale. Good to hear from you as always. All I was trying to do was
find an operational TC201 to go with my TC202. (Now I have. Thanks to W9GB,
Weller at Apex, NC will repair my old one. Try to get the Chinese folks to
supply that kind of service.) Now I have also seen how these threads develop
a life of their own. It all seems to start with an indefagitable desire to
express an opinion instead of help. I do believe I wouldn't  trade a TC201
for 10K opinions. Make that 100K. Pick any number!

Regards
W4ZCB
>
>
```

```
From 8785242835864246907
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe13.iad.POSTED!d79b4107!not-for-mail
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.19 (X11/20090105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
<Vidbl.111$eX3.6@nwrddc01.gnilink.net> <zrlbl.524273$yE1.158334@attbi_s21>
In-Reply-To: <zrlbl.524273$yE1.158334@attbi_s21>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 34
Message-ID: <5Flbl.47605$pe.4986@newsfe13.iad>
X-Complaints-To: abuse2@dslextreme.com
NNTP-Posting-Date: Wed, 14 Jan 2009 13:21:05 UTC
```

```
Organization: DSL Extreme
Date: Wed, 14 Jan 2009 13:21:05 +0000
Xref: g2news2.google.com rec.radio.amateur.equipment:1240

Harold E. Johnson wrote:
>>>> Do yourself a favor:
>>>>
>>>> http://www.kimcodistributing.com/store/item.asp?DEPARTMENT_ID=461&ITEM_ID=7
>>>>
>>>> Fixing a Weller is good money after bad.
>>>
>>> Dave, I'm 82 years old, have been a homebrewer for over 65 of them, and
>>> possibly have melted more solder than you weigh. I have had employees and
>>> myself using Weller products for at least 50 years and could really get
>>> along without your sage advise. Now if you have a spare TC201 around,
>>> name your price.
>>>
>>> W4ZCB
>> I'm with you Harold. I have both and prefer the Weller's much more
>> flexible cord to the pen.
>>
>> Dale W4OP
>
> Sigh! GM Dale. Good to hear from you as always. All I was trying to do was
> find an operational TC201 to go with my TC202. (Now I have. Thanks to W9GB,
> Weller at Apex, NC will repair my old one. Try to get the Chinese folks to
> supply that kind of service.) Now I have also seen how these threads develop
> a life of their own. It all seems to start with an indefagitable desire to
> express an opinion instead of help. I do believe I wouldn't  trade a TC201
> for 10K opinions. Make that 100K. Pick any number!
>
> Regards
> W4ZCB
>>
>
>
>
Hakko is Japanese.  Weller is overpriced.


From -2569529135601746903
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-
mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
<Vidbl.111$eX3.6@nwrddc01.gnilink.net> <zrlbl.524273$yE1.158334@attbi_s21>
<5Flbl.47605$pe.4986@newsfe13.iad>
```

```
Subject: Re: WTB Weller soldering iron
Lines: 53
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <51mbl.524329$yE1.412037@attbi_s21>
NNTP-Posting-Host: 173.21.179.211
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1231940801 173.21.179.211 (Wed, 14 Jan 2009 13:46:41 GMT)
NNTP-Posting-Date: Wed, 14 Jan 2009 13:46:41 GMT
Organization: AT&T ASP.att.net
Date: Wed, 14 Jan 2009 13:46:41 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1241


"Dave" <dave@dave.dave> wrote in message
news:5Flbl.47605$pe.4986@newsfe13.iad...
> Harold E. Johnson wrote:
>>>>> Do yourself a favor:
>>>>>
>>>>> http://www.kimcodistributing.com/store/item.asp?DEPARTMENT_ID=461&ITEM_ID=7
>>>>>
>>>>> Fixing a Weller is good money after bad.
>>>>
>>>> Dave, I'm 82 years old, have been a homebrewer for over 65 of them, and
>>>> possibly have melted more solder than you weigh. I have had employees
>>>> and
>>>> myself using Weller products for at least 50 years and could really get
>>>> along without your sage advise. Now if you have a spare TC201 around,
>>>> name your price.
>>>>
>>>> W4ZCB
>>> I'm with you Harold. I have both and prefer the Weller's much more
>>> flexible cord to the pen.
>>>
>>> Dale W4OP
>>
>> Sigh! GM Dale. Good to hear from you as always. All I was trying to do
>> was
>> find an operational TC201 to go with my TC202. (Now I have. Thanks to
>> W9GB,
>> Weller at Apex, NC will repair my old one. Try to get the Chinese folks
>> to
>> supply that kind of service.) Now I have also seen how these threads
>> develop
>> a life of their own. It all seems to start with an indefagitable desire
>> to
>> express an opinion instead of help. I do believe I wouldn't  trade a
>> TC201
>> for 10K opinions. Make that 100K. Pick any number!
>>
```

>> Regards
>> W4ZCB
>>>
>>
>>
>>
> Hakko is Japanese. Weller is overpriced.

Well, I'll give you that you don't surrender easily Dave. Another opinion?
Weller isn't overpriced for me. Does Hakko have a repair facility in your
home state? Weller does for me.

W4ZCB

From 8131057633926921908
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe22.iad.POSTED!d79b4107!not-for-mail
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.19 (X11/20090105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
<Vidbl.111$eX3.6@nwrddc01.gnilink.net> <zrlbl.524273$yE1.158334@attbi_s21>
<5Flbl.47605$pe.4986@newsfe13.iad> <51mbl.524329$yE1.412037@attbi_s21>
In-Reply-To: <51mbl.524329$yE1.412037@attbi_s21>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <_jmbl.8315$Ew6.4567@newsfe22.iad>
X-Complaints-To: abuse2@dslextreme.com
NNTP-Posting-Date: Wed, 14 Jan 2009 14:06:50 UTC
Organization: DSL Extreme
Date: Wed, 14 Jan 2009 14:06:50 +0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1028

Harold E. Johnson wrote:

>>>
>>>
>> Hakko is Japanese. Weller is overpriced.
>
> Well, I'll give you that you don't surrender easily Dave. Another opinion?
> Weller isn't overpriced for me. Does Hakko have a repair facility in your

```
> home state? Weller does for me.
>
> W4ZCB
>
>
>

Surrender?  I'm not in any battle.  I am explaining my thinking and
offering personal opinions.  I am not at war.

  They have an office in my home town.  And a very snazzy web site.  73

http://www.hakkousa.com/


From -7376032246931414794
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!8c40745b!not-for-
mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
<Vidbl.111$eX3.6@nwrddc01.gnilink.net> <zrlbl.524273$yE1.158334@attbi_s21>
<5Flbl.47605$pe.4986@newsfe13.iad> <51mbl.524329$yE1.412037@attbi_s21>
Subject: Re: WTB Weller soldering iron
Lines: 51
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <Jdzbl.339$eX3.34@nwrddc01.gnilink.net>
Date: Thu, 15 Jan 2009 04:47:37 GMT
NNTP-Posting-Host: 72.71.105.14
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1231994857 72.71.105.14 (Wed, 14 Jan 2009 23:47:37
EST)
NNTP-Posting-Date: Wed, 14 Jan 2009 23:47:37 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:1243

 >>>>> Dave, I'm 82 years old, have been a homebrewer for over 65 of them,
and
>>>>> possibly have melted more solder than you weigh. I have had employees
>>>>> and
>>>>> myself using Weller products for at least 50 years and could really
>>>>> get
>>>>> along without your sage advise. Now if you have a spare TC201 around,
>>>>> name your price.
>>>>>
>>>>> W4ZCB
>>>> I'm with you Harold. I have both and prefer the Weller's much more
>>>> flexible cord to the pen.
>>>>
>>>> Dale W4OP
>>>
>>> Sigh! GM Dale. Good to hear from you as always. All I was trying to do
>>> was
>>> find an operational TC201 to go with my TC202. (Now I have. Thanks to
>>> W9GB,
>>> Weller at Apex, NC will repair my old one. Try to get the Chinese folks
>>> to
>>> supply that kind of service.) Now I have also seen how these threads
>>> develop
>>> a life of their own. It all seems to start with an indefagitable desire
>>> to
>>> express an opinion instead of help. I do believe I wouldn't  trade a
>>> TC201
>>> for 10K opinions. Make that 100K. Pick any number!
>>>
>>> Regards
>>> W4ZCB
>>>>
>>>
>>>
>>>
>> Hakko is Japanese.  Weller is overpriced.
>
> Well, I'll give you that you don't surrender easily Dave. Another opinion?
> Weller isn't overpriced for me. Does Hakko have a repair facility in your
> home state? Weller does for me.
>
> W4ZCB
>
I have been using the Apex site for repair for some time- as often as not,
they send me a new iron for free the next day. Great service. I bought the
Hakko on the recommendation from a friend. I won't buy another- it doesn't
even have an LED to tell you if it's on or not- had to add that myself.

Dale W4OP




From 4566637237519690721
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
```

NNTP-Posting-Date: Thu, 15 Jan 2009 23:06:58 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
<Vidbl.111$eX3.6@nwrddc01.gnilink.net> <zrlbl.524273$yE1.158334@attbi_s21>
<5Flbl.47605$pe.4986@newsfe13.iad> <51mbl.524329$yE1.412037@attbi_s21>
<Jdzbl.339$eX3.34@nwrddc01.gnilink.net>
Subject: Re: WTB Weller soldering iron
Date: Thu, 15 Jan 2009 21:06:59 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <UP-dnV6H6qRviO3UnZ2dnUVZ_j2dnZ2d@giganews.com>
Lines: 65
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-7Ho2ejZwnkUMX0uAM4sdklLysgTsLhxbbQZBd7ndh9gcHcvcqg86DJnUEGK60gtsX/
yhtQxYy+OPfT7!VlBzTc4HN8bFU9p3ts/
EAjQrKbje0xrXGssuRlOcbFjCWV36sHsxnaTm3Ep3JGhoswHtertHeA==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1244

Dale Parfitt wrote:
> >>>>> Dave, I'm 82 years old, have been a homebrewer for over 65 of them,
> and
>>>>>> possibly have melted more solder than you weigh. I have had employees
>>>>>> and
>>>>>> myself using Weller products for at least 50 years and could really
>>>>>> get
>>>>>> along without your sage advise. Now if you have a spare TC201 around,
>>>>>> name your price.
>>>>>>
>>>>>> W4ZCB
>>>>> I'm with you Harold. I have both and prefer the Weller's much more
>>>>> flexible cord to the pen.
>>>>>
>>>>> Dale W4OP
>>>>
>>>> Sigh! GM Dale. Good to hear from you as always. All I was trying to do
>>>> was
>>>> find an operational TC201 to go with my TC202. (Now I have. Thanks to
>>>> W9GB,
>>>> Weller at Apex, NC will repair my old one. Try to get the Chinese folks
>>>> to
>>>> supply that kind of service.) Now I have also seen how these threads
>>>> develop

```
>>>> a life of their own. It all seems to start with an indefagitable desire
>>>> to
>>>> express an opinion instead of help. I do believe I wouldn't  trade a
>>>> TC201
>>>> for 10K opinions. Make that 100K. Pick any number!
>>>>
>>>> Regards
>>>> W4ZCB
>>>>>
>>>>
>>>>
>>>>
>>> Hakko is Japanese.  Weller is overpriced.
>>
>> Well, I'll give you that you don't surrender easily Dave. Another
>> opinion?
>> Weller isn't overpriced for me. Does Hakko have a repair facility in your
>> home state? Weller does for me.
>>
>> W4ZCB
>>
> I have been using the Apex site for repair for some time- as often as not,
> they send me a new iron for free the next day. Great service. I bought the
> Hakko on the recommendation from a friend. I won't buy another- it doesn't
> even have an LED to tell you if it's on or not- had to add that myself.
>
> Dale W4OP

Every place I've worked in the past 30+ years has had some form of Weller
soldering equipment.  I've seen only one that we "had to bury".  OTOH, I've
seen many other highly-touted brands that were less than impressive.  I'll
keep Apex in mind though, with Weller's track record, I doubt I'll need
their service.
I recently bought a WES51 pencil that I like a lot and my current employer
just bought a D650 gun that has power to spare for those big jobs.  The
first Weller product I used?  Dad's 8100 Junior that finally gave up after
"only" 40 years!

Bryan WA7PRC




From -3177907451961793140
X-Google-Thread: 108122,f610828f37f9712,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!transit3.readnews.com!news-xxxfer.readnews.com!news-
out.readnews.com!postnews3.readnews.com!nr5.newsreader.com.POSTED!not-for-mail
Subject: Kenwood TH-F6A
From: Nick Cramer <n_cramerSPAM@pacbell.net>
```

```
Organization: NewsReader.Com $9.95/Month 30GB
Message-ID: <20090116060030.418$HY@newsreader.com>
Newsgroups: rec.radio.amateur.equipment
X-NRC-Trace: NewsReader.Com 8_k5zMXAjAi29VTQabxMWEMzBroGV.Kk0ia7RSVxAvq0FwYLF
Date: 16 Jan 2009 10:57:52 GMT
Lines: 8
NNTP-Posting-Host: 41d1e6f0.nr5.newsreader.com
X-Trace: DXC=h?
JH>MKQ@i9ic;hHIk2lH<OA8_@f\K_i2iobIidSZ0Z232nAP5AZ8d6=GG>gNT>AL2]=HRNM7eUC1
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1031

I just got my Tech ticket. A friend recommended the Kenwood TH-F6A. Any
thoughts appreciated. Thanks.

--
Nick, KI6VAV. Support severely wounded and disabled Veterans and their
families! I support them at https://www.woundedwarriorproject.org/
Thank a Veteran and Support Our Troops.
You are not forgotten.       Thanks ! !       ~Semper Fi~



From 5962907621003190495
X-Google-Thread: 1109af,ce620af6ad6bd61c,start
X-Google-Thread: 108122,ce620af6ad6bd61c,start
X-Google-Thread: fc8b1,ce620af6ad6bd61c,start
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
feeder.erje.net!news.mixmin.net!news2.arglkargh.de!news.dizum.com!sewer-output!
mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: HALLICRAFTERS S-38C receiver (1953)
Message-ID: <17e8632d402c448d533e3011e0253a56@pseudo.borked.net>
Date: Fri, 16 Jan 2009 05:35:20 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:1105 rec.radio.amateur.equipment:1032
rec.radio.amateur.boatanchors:1761

http://atu.ca/HallicraftersS38C




From 361250391749186016
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
```

```
NNTP-Posting-Date: Fri, 16 Jan 2009 13:52:00 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
From: "Ken Fowler" <ko6no@yahoo.com>
Reply-to: ko6no@yahoo.com
References: <aJSal.522192$yE1.506882@attbi_s21>
<B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
<Vidbl.111$eX3.6@nwrddc01.gnilink.net> <zrlbl.524273$yE1.158334@attbi_s21>
<5Flbl.47605$pe.4986@newsfe13.iad> <51mbl.524329$yE1.412037@attbi_s21>
<Jdzbl.339$eX3.34@nwrddc01.gnilink.net> <UP-
dnV6H6qRviO3UnZ2dnUVZ_j2dnZ2d@giganews.com>
Organization: KO6NO
Date: Fri, 16 Jan 2009 19:52:01 GMT
X-Newsreader: News Rover 13.3.0 (http://www.NewsRover.com)
Message-ID: <jpOdneh4bfX9eO3UnZ2dnUVZ_oTinZ2d@giganews.com>
Lines: 85
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-q6L8DhaRd8LAXEJOPFu5GZsihr9CBGP0HIm//IlzuMLc5Jmf/CKdynE51GuNeUc/
1ycBUy9mFCx7ciz!
dgbYdYy3XsnLfrr+lQ6rsYC0+DB4SwXqGyPpEHTQwaGk9mdoxtFXBSvSMRscTp6ll78hLn/5eJr/
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1247


On 15-Jan-2009, "Bryan" <bryan.swadenerNOSPAM@comcast.net> wrote:

> Path:
> Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
> NNTP-Posting-Date: Thu, 15 Jan 2009 23:06:58 -0600
> From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
> Newsgroups: rec.radio.amateur.equipment
> References: <aJSal.522192$yE1.506882@attbi_s21>
> <B1Tal.13114$tD1.9927@newsfe07.iad> <8o%al.522781$yE1.60560@attbi_s21>
> <Vidbl.111$eX3.6@nwrddc01.gnilink.net>
> <zrlbl.524273$yE1.158334@attbi_s21> <5Flbl.47605$pe.4986@newsfe13.iad>
> <51mbl.524329$yE1.412037@attbi_s21>
> <Jdzbl.339$eX3.34@nwrddc01.gnilink.net>
> Subject: Re: WTB Weller soldering iron
> Date: Thu, 15 Jan 2009 21:06:59 -0800
> X-Priority: 3
> X-MSMail-Priority: Normal
> X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
> X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
> X-RFC2646: Format=Flowed; Response
> Message-ID: <UP-dnV6H6qRviO3UnZ2dnUVZ_j2dnZ2d@giganews.com>
> Lines: 65
> X-Usenet-Provider: http://www.giganews.com
> X-Trace:
> sv3-7Ho2ejZwnkUMX0uAM4sdklLysgTsLhxbbQZBd7ndh9gcHcvcqg86DJnUEGK60gtsX/
yhtQxYy+OPfT7!VlBzTc4HN8bFU9p3ts/
EAjQrKbje0xrXGssuRlOcbFjCWV36sHsxnaTm3Ep3JGhoswHtertHeA==
> X-Complaints-To: abuse@giganews.com
> X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
> X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
> X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your
> complaint properly
> X-Postfilter: 1.3.39
> Bytes: 3780
> Xref: number1.nntp.dca.giganews.com rec.radio.amateur.equipment:220934
>
> Dale Parfitt wrote:
> > >>>>> Dave, I'm 82 years old, have been a homebrewer for over 65 of
> > >>>>>them,
....Snipped...
> >>>> Regards
> >>>> W4ZCB
> >>>>>
> >>>>
> >>>>
> >>>>
> >>> Hakko is Japanese.  Weller is overpriced.
> >>
> >> Well, I'll give you that you don't surrender easily Dave. Another
> >> opinion?
> >> Weller isn't overpriced for me. Does Hakko have a repair facility in
> >> your
> >> home state? Weller does for me.
> >>
> >> W4ZCB
> >>
.... Snipped ...
 >
> > Dale W4OP
>
> Every place I've worked in the past 30+ years has had some form of Weller
>
> soldering equipment.  I've seen only one that we "had to bury".  OTOH,
> I've
> seen many other highly-touted brands that were less than impressive.
> I'll
> keep Apex in mind though, with Weller's track record, I doubt I'll need
> their service.
> I recently bought a WES51 pencil that I like a lot and my current
> employer
> just bought a D650 gun that has power to spare for those big jobs.  The
> first Weller product I used?  Dad's 8100 Junior that finally gave up
> after
> "only" 40 years!
>
> Bryan WA7PRC
```

Another data point ... I got my Weller D8100 for Christmas when I was 16.
I used it for 20 years in the US Navy.   I still use it at home. I'm now
70. The 8100 is what I grab to solder on UHF connectors and in tube
circuits. On the bench is an old used Weller WTCP Station bought at a
Swap Meet. Not that I wouldn't like a newer Temp Contolled Station, but I
still get along hobby-wise with what I have.

Ken Fowler, KO6NO
--

From -4969410885046668165
X-Google-Thread: 108122,a275087cc58ae1e1
X-Google-Thread: 10ed5f,a275087cc58ae1e1
X-Google-Thread: fb049,a275087cc58ae1e1
X-Google-Thread: 108778,a275087cc58ae1e1
X-Google-Thread: 114a57,a275087cc58ae1e1
X-Google-Thread: 10bf43,dafd7cceec154d1e,start
X-Google-Attributes:
gid108122,gid10ed5f,gidfb049,gid108778,gid114a57,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 16 Jan 2009 17:45:42 -0600
From: dloyd@gmail.com
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio,alt.ham-radio.vhf-uhf,alt.radio.amateur,alt.ham-radio.hf,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: Palstar R30CC receiver
Date: Fri, 16 Jan 2009 18:47:40 -0500
Message-ID: <j472n45g48pc66hkfg35mk9ppsurs9gmfn@4ax.com>
References: <368a0207025ed32e35269e14eb7268cf@pseudo.borked.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-
FaqbIETXlaFJRhziKmEinpL1eRmWpGua0VOmZ+J+1JzwYW86bqmHs+TWq7mbErFTJTLWnOacqnbSc0x!
UryFpIUSCM27bx7/Ylg5wyFJRRXj1Gf+yb1GqtVVu81gvU3hCZFfbzA8RoDrNU/WPhRerhFU/a07!xwg8
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1248 alt.ham-radio:592
alt.ham-radio.vhf-uhf:732 alt.radio.amateur:88 alt.ham-radio.hf:58
rec.radio.amateur.policy:23638 rec.radio.amateur.misc:2654

On Wed, 5 Nov 2008 21:13:04 -0700 (MST), DC

```
<nobody@pseudo.borked.net> wrote:

>http://easyurl.net/Palstar



From 3119369530344221068
X-Google-Thread: 108228,f6d961e8affb17cc
X-Google-Thread: 108122,f6d961e8affb17cc
X-Google-Thread: fb049,f6d961e8affb17cc
X-Google-Thread: 10ed5f,f6d961e8affb17cc
X-Google-Thread: 10bf43,98658fc239dabbd1,start
X-Google-Thread: 107ada,98658fc239dabbd1,start
X-Google-Attributes:
gid108228,gid108122,gidfb049,gid10ed5f,gid10bf43,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 16 Jan 2009 17:48:42 -0600
From: dloyd@gmail.com
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,alt.ham-
radio.vhf-uhf,alt.ham-radio,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: YAESU FT-847 ultra-compact satellite transceiver
Date: Fri, 16 Jan 2009 18:50:33 -0500
Message-ID: <2a72n49hit5amlrchjik90b1c35n1te14i@4ax.com>
References: <aeb8317271d5a1c382ff57448bd6e798@pseudo.borked.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-TbtbH4X88PF1IIKZUs93B5zD+h/TYg+7B+OTJsivIBA2O+R/
5iUAcpNca5x8fkRUco4mQsHmBcFL9xe!
6TUpnk0lwzfoEyAH5AZrXZ7w8p8X8GK00P9lwC4FsCxl5bzup4iT4NL5I/fN/0D5LU8ZYaZj1mLS!n/hg
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com alt.ham-radio.marketplace:424
rec.radio.amateur.equipment:1249 alt.ham-radio.vhf-uhf:733 alt.ham-radio:607
rec.radio.amateur.policy:23654 rec.radio.amateur.misc:2670

On Thu, 11 Dec 2008 08:46:51 -0700 (MST), DC
<nobody@pseudo.borked.net> wrote:

>http://atu.ca/YaesuFT847



From -7600055688796065609
X-Google-Thread: 108228,96ca64247644a60f
X-Google-Thread: 1109af,96ca64247644a60f
```

```
X-Google-Thread: 108122,96ca64247644a60f
X-Google-Thread: 10ed5f,96ca64247644a60f
X-Google-Thread: 10bf43,837fe8f2c5ff29f3,start
X-Google-Thread: 107ada,837fe8f2c5ff29f3,start
X-Google-Attributes:
gid108228,gid1109af,gid108122,gid10ed5f,gid10bf43,gid107ada,domainid0,public,usene
t
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Jan 2009 11:54:22 -0600
From: dloyd@gmail.com
Newsgroups: alt.ham-
radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,alt.ham-
radio,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: HALLICRAFTERS S-38 receiver (1946)
Date: Sat, 17 Jan 2009 12:58:42 -0500
Message-ID: <0ue2n415gk1tj5nprqes5u68p3k063qu9a@4ax.com>
References: <4c99871606845e089264d1ee77f2c3d7@pseudo.borked.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-vpJhiQHhy7q2Ah5TvE6UUysrf/FQO82tCbWrFirxqn5MK8umUXyX5qQIpv4q5O/
fLbkk16493ZP7oI1!m1XSlW/T/
uBXe8mhbp+euvRHGhCehjNFCFyKSAQtomNjMOrXtjy370MQB9vLS+eEszujjoH6E/zz!MjZe
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com alt.ham-radio.marketplace:371 rec.radio.swap:1109
rec.radio.amateur.equipment:1036 alt.ham-radio:515 rec.radio.amateur.policy:20721
rec.radio.amateur.misc:2530
```

On Sun, 10 Aug 2008 08:35:05 -0600 (MDT), AC
<nobody@pseudo.borked.net> wrote:

>http://easyurl.net/HallicraftersS38

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd

Chassel Mi

but the cowards asking lack the gut to act

```
From -8748315378641623987
X-Google-Thread: f7810,5f9d4ed44a17104a
X-Google-Thread: 114a57,5f9d4ed44a17104a
X-Google-Thread: fc734,5f9d4ed44a17104a
X-Google-Thread: 108778,5f9d4ed44a17104a
X-Google-Thread: 108122,5f9d4ed44a17104a
X-Google-Thread: fc2a5,5f9d4ed44a17104a
X-Google-Thread: 107ada,5f9d4ed44a17104a
X-Google-Thread: 10bf43,5f9d4ed44a17104a
X-Google-Attributes:
gidf7810,gid114a57,gidfc734,gid108778,gid108122,gidfc2a5,gid107ada,gid10bf43,domai
nid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!
Xl.tags.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
local02.nntp.dca.giganews.com!nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Jan 2009 12:23:33 -0600
From: dloyd@gmail.com
Newsgroups: alt.ham-radio.dxing,alt.ham-radio.hf,alt.ham-
radio.ssb,alt.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: AY YI YI YI YES ITS THE PORKBUTT SONG
Date: Sat, 17 Jan 2009 13:29:02 -0500
Message-ID: <nd84n49hajptmcdcm3nkfk5rt1dosr3dg1@4ax.com>
References: <vn07nhkt1kngc6@corp.supernews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace:
sv3-3cDbnWU+ovhkH4boDOP7xxAfx5JV5pjF813nJBiWUz6ImDZhGv7ggE0E8EHJIXVdcfjq0Inks2ueXe
7!+rU8kjXgAM1SK3AovzWBB4gUTjxuuBBLJvnrl5QTyGMItMgZDsiJ2ldgz3dbAMkgszi2MzFA2y9e!
l0iH
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com alt.ham-radio.dxing:213 alt.ham-radio.hf:65 alt.ham-
radio.ssb:23 alt.radio.amateur:95 rec.radio.amateur.equipment:1251
rec.radio.amateur.homebrew:2069 rec.radio.amateur.misc:2793
rec.radio.amateur.policy:23796
```

On Tue, 23 Sep 2003 18:22:42 -0400, " BIG AL"
<bigal3.894.5@bigal3.894.5.com> wrote:

>BE ON 3894.5 TONITE. THE ARKANSAS BOYS NEED TO BE SHOWN THE DOOR. HO HO
>
>THE REST OF YOU LIMPS ONE NEED TO STAY AWAY. HO HO
>
>AY YI YI YI YES ITS THE PORKBUTT SONG
>
>AY YI YI YI YES ITS THE PORKBUTT SONG
>
>AY YI YI YI YES ITS THE PORKBUTT SONG
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

From 9041760398391840409
X-Google-Thread: f7810,7c4e300b889bebb7
X-Google-Thread: 114a57,7c4e300b889bebb7
X-Google-Thread: fc734,7c4e300b889bebb7
X-Google-Thread: 108122,7c4e300b889bebb7
X-Google-Thread: fc2a5,7c4e300b889bebb7
X-Google-Thread: 107ada,7c4e300b889bebb7
X-Google-Thread: 10bf43,7c4e300b889bebb7
X-Google-Attributes:
gidf7810,gid114a57,gidfc734,gid108122,gidfc2a5,gid107ada,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!bigfeed2.bellsouth.net!news.bellsouth.net!Xl.tags.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Jan 2009 12:23:35 -0600
From: dloyd@gmail.com
Newsgroups: alt.ham-radio.dxing,alt.ham-radio.hf,alt.ham-radio.ssb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: SHOW ME YOUR LITTLE ONE AND I'LL SHOW YOU MY BIG ONE BOY
Date: Sat, 17 Jan 2009 13:29:02 -0500
Message-ID: <3e84n416cldpq6csql51dh501m3ilu3vq2@4ax.com>
References: <vn07rpnvkjh12c@corp.supernews.com>
X-Newsreader: Forte Free Agent 3.3/32.846

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-FN751U6PenU9i+ioyn7dCAnKnsW/
+4dZXQCDEI+ckGy8p3lvP8g9bLLVoUtVTh2ReGYmR8QCdgH8TL/!hIFd61N3Cv//
vVIzUQcA2iZsuMra7bMM5JeS/gbdmzcLVblT4CnB20pYDXh00gx7Ii5NcXLGmcrL!LB6q
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com alt.ham-radio.dxing:216 alt.ham-radio.hf:67 alt.ham-
radio.ssb:24 rec.radio.amateur.equipment:1252 rec.radio.amateur.homebrew:2070
rec.radio.amateur.misc:2795 rec.radio.amateur.policy:23798

On Tue, 23 Sep 2003 23:24:55 -0400, " BIG  AL"
<bigal3.894.5@bigal3.894.5.com> wrote:

>THIS IS K4OKA THE CARING STATION. HO HO
>
>STOP PLAYING WITH YOURSELF BOY.
>
> HO HO
>
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act


From 914097865970351078
X-Google-Thread: 108122,a275087cc58ae1e1
X-Google-Thread: 10ed5f,a275087cc58ae1e1
X-Google-Thread: fb049,a275087cc58ae1e1
X-Google-Thread: 108778,a275087cc58ae1e1
X-Google-Thread: 10bf43,dafd7cceec154d1e
X-Google-Attributes:
gid108122,gid10ed5f,gidfb049,gid108778,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Jan 2009 12:40:41 -0600
From: dloyd@gmail.com
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio,alt.ham-radio.vhf-
uhf,alt.radio.amateur,alt.ham-
radio.hf,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: Palstar R30CC receiver
Date: Sat, 17 Jan 2009 13:46:28 -0500
Message-ID: <1s94n4dvj6tvvh1hvhvjmiejrd5crs1sno@4ax.com>
References: <368a0207025ed32e35269e14eb7268cf@pseudo.borked.net>
<j472n45g48pc66hkfg35mk9ppsurs9gmfn@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-pO5qNSxwOZaa6OpCPCEtEJACrYxgtDOILjAYnEzXXl0Y/LC6s/
Hivg3LRLa4KfJ7hM0MnCyf2UPsSs6!iTDRLUYho3kYUfnsE91YQMGkf/
C3Y2rABm5onLjIk2HMZWeChrcWjDdukJicJ6/Nzb9NGLzBMnbM!85Lm
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:1039 alt.ham-radio:521
alt.ham-radio.vhf-uhf:652 alt.radio.amateur:84 alt.ham-radio.hf:59
rec.radio.amateur.policy:20754 rec.radio.amateur.misc:2561

On Fri, 16 Jan 2009 18:47:40 -0500, dloyd@gmail.com wrote:

>On Wed,  5 Nov 2008 21:13:04 -0700 (MST), DC
><nobody@pseudo.borked.net> wrote:
>
>>http://easyurl.net/Palstar



From -8737777948513729118
X-Google-Thread: 108122,7c4e300b889bebb7
X-Google-Thread: fc2a5,7c4e300b889bebb7
X-Google-Thread: 107ada,7c4e300b889bebb7
X-Google-Thread: 10bf43,7c4e300b889bebb7
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!postnews.google.com!r27g2000vbp.googlegroups.com!not-for-
mail
From: dloydlavies@hotmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
Subject: Re: SHOW ME YOUR LITTLE ONE AND I'LL SHOW YOU MY BIG ONE BOY
```

```
Date: Sat, 17 Jan 2009 11:30:03 -0800 (PST)
Organization: http://groups.google.com
Lines: 34
Message-ID: <bb65d8bf-375b-4cc6-a882-56a35763edbc@r27g2000vbp.googlegroups.com>
References: <vn07rpnvkjh12c@corp.supernews.com>
<3e84n416cldpq6csql51dh501m3ilu3vq2@4ax.com>
NNTP-Posting-Host: 64.12.116.143
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232220603 10441 127.0.0.1 (17 Jan 2009 19:30:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 17 Jan 2009 19:30:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r27g2000vbp.googlegroups.com; posting-host=64.12.116.143;
     posting-account=LlKlpQoAAAACKApcMghEg1tHuqFnsbsX
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1;
     .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1
     spider-mtc-tc10.proxy.aol.com[400C704A] (Prism/1.2.1), HTTP/1.1
     cache-mtc-ac14.proxy.aol.com[400C748F] (Traffic-Server/6.1.5 [uScM])
Xref: g2news1.google.com rec.radio.amateur.equipment:1040
rec.radio.amateur.homebrew:1774 rec.radio.amateur.misc:2563
rec.radio.amateur.policy:20758

On Jan 17, 1:29=EF=BF=BDpm, dl...@gmail.com wrote:
> On Tue, 23 Sep 2003 23:24:55 -0400, " BIG =EF=BF=BDAL"
>
> <bigal3.89...@bigal3.894.5.com> wrote:
> >THIS IS K4OKA THE CARING STATION. HO HO
>
> >STOP PLAYING WITH YOURSELF BOY.
>
> > HO HO
>
> "one useless man is disgrace 2 become a law firm 3 or more become a congr=
ess"
> adams
>
> woger you are a Congress all in your own head
>
> http://kb9rqz.bravejournal.com/
> altopia is never used by KB9RQZ
> nor is Konst...@hotmail.com ever
> btw i can be found at
> 17366 N River Rd
> Chassel Mi
>
> but the cowards asking lack the gut to act

Mark, KB9RQZ you are funny, trying to fool folks into thinking that
you are me by using "dloyd" but still posting under your Hughes
```

account and using your sig line....LOL

You are one kooky kook.

Have fun...while I sit back and laugh.

DL

From -7421940012305417706
X-Google-Thread: 108122,f610828f37f9712
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!wns14feed!worldnet.att.net!199.45.49.37!cyclone1.gnilink.net!gnilink.net!nx02.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
From: "SGT" <STROOK@OPTONLINE.NET>
Newsgroups: rec.radio.amateur.equipment
References: <20090116060030.418$HY@newsreader.com>
In-Reply-To: <20090116060030.418$HY@newsreader.com>
Subject: Re: Kenwood TH-F6A
Date: Sat, 17 Jan 2009 15:25:42 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="Windows-1252";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Lines: 17
Message-ID: <49723ecf$0$20305$607ed4bc@cv.net>
Organization: Optimum Online
NNTP-Posting-Host: 24.184.168.183
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1255

Nice radio if you want 2m/220/amd 440.   Great radio!!   If you want only 2m and 440   and a great radio at a great price .... I reccomend the yaesu FT60.   FOr under $200 you get full 5 watts of power and 2m/440 coverage. It is also moddable for out of band xmit and receive.

"Nick Cramer" <n_cramerSPAM@pacbell.net> wrote in message
news:20090116060030.418$HY@newsreader.com...
>I just got my Tech ticket. A friend recommended the Kenwood TH-F6A. Any
> thoughts appreciated. Thanks.
>
> --
> Nick, KI6VAV. Support severely wounded and disabled Veterans and their

```
> families! I support them at https://www.woundedwarriorproject.org/
> Thank a Veteran and Support Our Troops.
> You are not forgotten.       Thanks ! !       ~Semper Fi~




From -7826204480650892224
X-Google-Thread: 108122,a275087cc58ae1e1
X-Google-Thread: 10ed5f,a275087cc58ae1e1
X-Google-Thread: fb049,a275087cc58ae1e1
X-Google-Thread: 114a57,a275087cc58ae1e1
X-Google-Thread: 107ada,dafd7cceec154d1e
X-Google-Attributes:
gid108122,gid10ed5f,gidfb049,gid114a57,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Jan 2009 14:56:24 -0600
From: dloyd@gmail.com
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio,alt.ham-radio.vhf-
uhf,alt.radio.amateur,alt.ham-
radio.hf,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: Palstar R30CC receiver
Date: Sat, 17 Jan 2009 16:01:37 -0500
Message-ID: <0v84n4hhp2ot2ppktae94cbme5bt5toh71@4ax.com>
References: <368a0207025ed32e35269e14eb7268cf@pseudo.borked.net>
<j472n45g48pc66hkfg35mk9ppsurs9gmfn@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-b74D6PNbmfrBZkegh8zCI6anj0piJjm6QCfggt7FfrJ/
hNzwVWa7+ZOe0nxa+4H4VbYl6wt5RxGPZ91!R+lRp8IDlIv/MQUNbXsRuzmL0dBbzT/
ClQ4d5lIdBXb7h094lCe8dFGyJ8Ttv0YkLpAqpzhRHvwj!WJKk
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1256 alt.ham-radio:678
alt.ham-radio.vhf-uhf:743 alt.radio.amateur:97 alt.ham-radio.hf:69
rec.radio.amateur.policy:23836 rec.radio.amateur.misc:2831

On Fri, 16 Jan 2009 18:47:40 -0500, dloyd@gmail.com wrote:

>On Wed,  5 Nov 2008 21:13:04 -0700 (MST), DC
><nobody@pseudo.borked.net> wrote:
>
>>http://easyurl.net/Palstar
```

From 222812776365153966
X-Google-Thread: 108228,f6d961e8affb17cc
X-Google-Thread: 108122,f6d961e8affb17cc
X-Google-Thread: fb049,f6d961e8affb17cc
X-Google-Thread: 10ed5f,f6d961e8affb17cc
X-Google-Thread: 10bf43,98658fc239dabbd1
X-Google-Thread: 107ada,98658fc239dabbd1
X-Google-Attributes:
gid108228,gid108122,gidfb049,gid10ed5f,gid10bf43,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feed.news.qwest.net!mpls-nntp-02.inet.qwest.net!216.196.98.141.MISMATCH!
Xl.tags.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
local02.nntp.dca.giganews.com!nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Jan 2009 14:58:46 -0600
From: dloyd@gmail.com
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,alt.ham-
radio.vhf-uhf,alt.ham-radio,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: YAESU FT-847 ultra-compact satellite transceiver
Date: Sat, 17 Jan 2009 16:01:37 -0500
Message-ID: <k194n4lgnmqvl87gippuhh9csq1659vhrg@4ax.com>
References: <aeb8317271d5a1c382ff57448bd6e798@pseudo.borked.net>
<2a72n49hit5amlrchjik90b1c35n1te14i@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-PQBvWdm29UGiKG65U0KyJ83vvLSjXxbv5tPz5nWzEKAyo7XZuwywCI4q1bdH38oEonUS/
pLhF4oWam4!
DgOUIVykSV6t8vMyubeIIxpg6zHbMsWMx5EZaUJ7f9G6rLirxlaQDT9MVv97Pu0fDwtVBJqL0IsM!NY7g
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com alt.ham-radio.marketplace:429
rec.radio.amateur.equipment:1257 alt.ham-radio.vhf-uhf:744 alt.ham-radio:693
rec.radio.amateur.policy:23851 rec.radio.amateur.misc:2846

On Fri, 16 Jan 2009 18:50:33 -0500, dloyd@gmail.com wrote:

>On Thu, 11 Dec 2008 08:46:51 -0700 (MST), DC
><nobody@pseudo.borked.net> wrote:
>
>>http://atu.ca/YaesuFT847

From -1952790076583892254
X-Google-Thread: 108122,f6d961e8affb17cc
X-Google-Thread: 10ed5f,f6d961e8affb17cc

```
X-Google-Thread: 107ada,98658fc239dabbd1
X-Google-Attributes: gid108122,gid10ed5f,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!news.alt.net
From: "Dimmy" <anon@anon>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,alt.ham-
radio.vhf-uhf,alt.ham-radio,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: YAESU FT-847 ultra-compact satellite transceiver
Date: Sat, 17 Jan 2009 22:45:58 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 16
Message-ID: <2gqu3h.n0l.19.1@news.alt.net>
References: <aeb8317271d5a1c382ff57448bd6e798@pseudo.borked.net>
<2a72n49hit5amlrchjik90b1c35n1te14i@4ax.com>
<k194n4lgnmqvl87gippuhh9csq1659vhrg@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com alt.ham-radio.marketplace:374
rec.radio.amateur.equipment:1044 alt.ham-radio.vhf-uhf:657 alt.ham-radio:559
rec.radio.amateur.policy:20796 rec.radio.amateur.misc:2600
```

<dloyd@gmail.com> wrote in message
news:k194n4lgnmqvl87gippuhh9csq1659vhrg@4ax.com...
> On Fri, 16 Jan 2009 18:50:33 -0500, dloyd@gmail.com wrote:
>
>>On Thu, 11 Dec 2008 08:46:51 -0700 (MST), DC
>><nobody@pseudo.borked.net> wrote:
>>
>>>http://atu.ca/YaesuFT847

Maybe Mark Morgan will sell you his 847. He doesn't know how to use it. He once commented that he had problems receiving 80 meters....said he had a two meter antenna hooked to it.
Duh!

```
From 3970327796121688367
X-Google-Thread: 108228,f6d961e8affb17cc
X-Google-Thread: 108122,f6d961e8affb17cc
X-Google-Thread: 10bf43,98658fc239dabbd1
X-Google-Attributes: gid108228,gid108122,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Jan 2009 22:41:55 -0600
From: dloydlavies@gmail.com
```

```
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,alt.ham-
radio.vhf-uhf,alt.ham-radio,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: YAESU FT-847 ultra-compact satellite transceiver
Date: Sat, 17 Jan 2009 23:46:05 -0500
Message-ID: <90d5n41j33qaodc8dnqfa2urtl6m70k8j2@4ax.com>
References: <aeb8317271d5a1c382ff57448bd6e798@pseudo.borked.net>
<2a72n49hit5amlrchjik90b1c35n1te14i@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-
dI5u7u9i0hLpL8FFKOwkhXwWJq+oYTqESxFvpZLDx7PDD2z1nX0iEurztJyhyfKVrjUeywqg200uNVP!
Hvbwsyy+/7wQ7RWmIZAC8sJ4wyRttboMd8iMxlitbsXfJPsUIcxAqcs3a0kUYY41xnNH9E46s/+r!Dlna
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com alt.ham-radio.marketplace:376
rec.radio.amateur.equipment:1045 alt.ham-radio.vhf-uhf:667 alt.ham-radio:574
rec.radio.amateur.policy:20834 rec.radio.amateur.misc:2636

On Fri, 16 Jan 2009 18:50:33 -0500, dloyd@gmail.com wrote:

>On Thu, 11 Dec 2008 08:46:51 -0700 (MST), DC
><nobody@pseudo.borked.net> wrote:
>
>>http://atu.ca/YaesuFT847



From -686999309223836894
X-Google-Thread: 108122,f610828f37f9712
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!news-
xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr5.newsreader.com.POSTED!not-for-mail
Subject: Re: Kenwood TH-F6A
From: Nick Cramer <n_cramerSPAM@pacbell.net>
Organization: NewsReader.Com $9.95/Month 30GB
Message-ID: <20090118052541.643$VK@newsreader.com>
Newsgroups: rec.radio.amateur.equipment
References: <20090116060030.418$HY@newsreader.com>
<49723ecf$0$20305$607ed4bc@cv.net>
X-NRC-Trace: NewsReader.Com fVeGjnzAq2@PDS=XS@WEY9S4qweyVRMJHXK,+XFeGPKMb==9.h
Date: 18 Jan 2009 10:22:53 GMT
Lines: 20
NNTP-Posting-Host: 1c5bd7dd.nr5.newsreader.com
X-Trace: DXC=EQkaf1=`ZCNBkcjBh6a]@JOA8_@f\K_iBiZXZgEEf?
mN0j<]643L:lK=GG>gNT>ALBN2=:5>^gG_@
```

```
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1260

"SGT" <STROOK@OPTONLINE.NET> wrote:
> Nice radio if you want 2m/220/amd 440.   Great radio!!   If you want only
> 2m and 440   and a great radio at a great price .... I reccomend the
> yaesu FT60.   FOr under $200 you get full 5 watts of power and 2m/440
> coverage. It is also moddable for out of band xmit and receive.
>
> "Nick Cramer" <n_cramerSPAM@pacbell.net> wrote in message
> news:20090116060030.418$HY@newsreader.com...
> >I just got my Tech ticket. A friend recommended the Kenwood TH-F6A. Any
> > thoughts appreciated. Thanks.

Thanks, Strooker. I appreciate your comments. Yes. I'm looking at the Yaesu
FT-60, too. Being on tight money, my final decision will be my only
decision, so I have to be as analytical as possible in my choice.

--
Nick, KI6VAV. Support severely wounded and disabled Veterans and their
families! I support them at https://www.woundedwarriorproject.org/
Thank a Veteran and Support Our Troops.
You are not forgotten.       Thanks ! !       ~Semper Fi~


From 6973665619644183345
X-Google-Thread: 108122,f6d961e8affb17cc
X-Google-Thread: 10ed5f,f6d961e8affb17cc
X-Google-Thread: 107ada,98658fc239dabbd1
X-Google-Attributes: gid108122,gid10ed5f,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 18 Jan 2009 14:58:12 -0600
From: dloydlavies@gmail.com
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,alt.ham-
radio.vhf-uhf,alt.ham-radio,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: YAESU FT-847 ultra-compact satellite transceiver
Date: Sun, 18 Jan 2009 16:03:14 -0500
Message-ID: <0867n45pbg94nq4cc196tdq5dua1rhcntf@4ax.com>
References: <aeb8317271d5a1c382ff57448bd6e798@pseudo.borked.net>
<2a72n49hit5amlrchjik90b1c35n1te14i@4ax.com>
<k194n4lgnmqvl87gippuhh9csq1659vhrg@4ax.com> <2gqu3h.n0l.19.1@news.alt.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-fTF/epyvxX+UY+ckwZR8DuhL7z1hwRLjlgodE8bEDSWXiVnkiKFEOf/4JG78QeBCG/
11Rr9mE+D6O/I!zZHfMAtUMcxRHUwclRrE1HIyT9sKTmkq8ScP/
```

cSZC3omATEU4JQ9DNsPGjssL6NwBY2dpCtMsb5M!BcAy
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com alt.ham-radio.marketplace:380 rec.radio.amateur.equipment:1047 alt.ham-radio.vhf-uhf:672 alt.ham-radio:609 rec.radio.amateur.policy:20892 rec.radio.amateur.misc:2677

On Sat, 17 Jan 2009 22:45:58 -0500, "Dimmy" <anon@anon> wrote:

>
><dloyd@gmail.com> wrote in message
>news:k194n4lgnmqvl87gippuhh9csq1659vhrg@4ax.com...
>> On Fri, 16 Jan 2009 18:50:33 -0500, dloyd@gmail.com wrote:
>>
>>>On Thu, 11 Dec 2008 08:46:51 -0700 (MST), DC
>>><nobody@pseudo.borked.net> wrote:
>>>
>>>>http://atu.ca/YaesuFT847
>
>Maybe Mark Morgan will sell you his 847.
WHY WOULDi DO THAT

From -6251185340887304967
X-Google-Thread: f7810,5f9d4ed44a17104a
X-Google-Thread: 114a57,5f9d4ed44a17104a
X-Google-Thread: 108122,5f9d4ed44a17104a
X-Google-Thread: 107ada,5f9d4ed44a17104a
X-Google-Attributes: gidf7810,gid114a57,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 19 Jan 2009 02:39:47 -0600
From: dloydlavies@hotmail.com
Newsgroups: alt.ham-radio.dxing,alt.ham-radio.hf,alt.ham-radio.ssb,alt.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: AY YI YI YI YES ITS THE PORKBUTT SONG
Date: Mon, 19 Jan 2009 03:45:34 -0500
Message-ID: <ddf8n49tl3ig1pjh3a687gkevsio9usr2i@4ax.com>
References: <vn07nhkt1kngc6@corp.supernews.com> <nd84n49hajptmcdcm3nkfk5rt1dosr3dg1@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131

```
X-Trace: sv3-PvAF5WTXd+qGu64T80lQOqi/
5FmbGCM3VeT5d0DWbYr9pJCFkFmpv6wyxv9UHKnIQLOaOEZJspEXNbg!Hj/
kKIZKtR7wXxkAOYfXo9WQifUTFNVXZ864Rvn5Ck3Cot3xOFM+TIhqXRsNZwvaU5ehqEF4hnDI!dFLe
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com alt.ham-radio.dxing:288 alt.ham-radio.hf:79 alt.ham-
radio.ssb:30 alt.radio.amateur:103 rec.radio.amateur.equipment:1262
rec.radio.amateur.homebrew:2079 rec.radio.amateur.misc:2998
rec.radio.amateur.policy:24035

On Sat, 17 Jan 2009 13:29:02 -0500, dloyd@gmail.com wrote:

>On Tue, 23 Sep 2003 18:22:42 -0400, " BIG AL"
><bigal3.894.5@bigal3.894.5.com> wrote:
>
>>BE ON 3894.5 TONITE. THE ARKANSAS BOYS NEED TO BE SHOWN THE DOOR. HO HO
>>
>>THE REST OF YOU LIMPS ONE NEED TO STAY AWAY. HO HO
>>
>>AY YI YI YI YES ITS THE PORKBUTT SONG
>>
>>AY YI YI YI YES ITS THE PORKBUTT SONG
>>
>>AY YI YI YI YES ITS THE PORKBUTT SONG
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever
>btw i can be found at
>17366 N River Rd
>Chassel Mi
>
>but the cowards asking lack the gut to act


From 4062127444822085235
X-Google-Thread: 108122,70f47b58046c3e83,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!newsfeed.icl.net!
newsfeed.fjserv.net!newsfeed.ision.net!newsfeed2.easynews.net!ision!
newsfeed.freenet.de!xlned.com!feeder1.xlned.com!news.netcologne.de!newsfeed-
fusi2.netcologne.de!feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Black Cat 300 linear amplifier
Date: Mon, 19 Jan 2009 11:43:41 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 6
Message-ID: <4974adc2$0$19495$c5fe31e7@reader01>
Organization: UseNET
NNTP-Posting-Date: 19 Jan 2009 17:43:46 CET
NNTP-Posting-Host: 24fba245.reader01
X-Trace: DXC=;5a\0WX:1:[6\5N<i]o^kV]=V>ZL5o1]R<moHH[O[>ZZi12YO3QH^?
VAChSdgJ=LRWWGk;S76HjaR5`\HH8KQ0gP@a`V`U10=nY?633lVHg[l\
X-Complaints-To: abuse@usenet4all.se
Xref: g2news2.google.com rec.radio.amateur.equipment:1263
```

Black Cat,AMP,Hard to find !!! you will not be let down with this amp. This is a work horse when it comes to the AM modulation

http://cgi.ebay.com/Black-Cat-300-linear-amplifier_W0QQitemZ110339867892QQihZ001QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

```
From 4988561822579007869
X-Google-Thread: 108122,a275087cc58ae1e1
X-Google-Thread: 10ed5f,a275087cc58ae1e1
X-Google-Thread: fb049,a275087cc58ae1e1
X-Google-Thread: 108778,a275087cc58ae1e1
X-Google-Thread: 114a57,a275087cc58ae1e1
X-Google-Thread: 10bf43,dafd7cceec154d1e
X-Google-Thread: 107ada,dafd7cceec154d1e
X-Google-Attributes:
gid108122,gid10ed5f,gidfb049,gid108778,gid114a57,gid10bf43,gid107ada,domainid0,pub
lic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 19 Jan 2009 17:31:15 -0600
From: dloydlavies@hotmail.com
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio,alt.ham-radio.vhf-
uhf,alt.radio.amateur,alt.ham-
radio.hf,rec.radio.amateur.policy,rec.radio.amateur.misc
Subject: Re: FA: Palstar R30CC receiver
Date: Mon, 19 Jan 2009 18:37:03 -0500
Message-ID: <uk3an45idcg476h8ge43pjs12tn6gad09b@4ax.com>
References: <368a0207025ed32e35269e14eb7268cf@pseudo.borked.net>
<j472n45g48pc66hkfg35mk9ppsurs9gmfn@4ax.com>
```

```
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-wAlmTJsTHbHSb3+5vSVaxqoyX1aNUhb//
jLeQPejoP2EgOmgXnvyk+idaNGwu97YHelwdxqvzrK42MQ!FbhA1NnaxXRzMovw7wacW6LwuzB3I/
lGkIFDQStL/7vrMldlIutGQ27QY4WvwjIkZ3WEOO4CNycT!VD7j
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1264 alt.ham-radio:775
alt.ham-radio.vhf-uhf:769 alt.radio.amateur:105 alt.ham-radio.hf:82
rec.radio.amateur.policy:24115 rec.radio.amateur.misc:3074

On Fri, 16 Jan 2009 18:47:40 -0500, dloyd@gmail.com wrote:

>On Wed,  5 Nov 2008 21:13:04 -0700 (MST), DC
><nobody@pseudo.borked.net> wrote:
>
>>http://easyurl.net/Palstar



From 2745745852307957398
X-Google-Thread: 108122,732f1ccfba0edb2,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r10g2000prf.googlegroups.com!not-for-
mail
From: RF King <TravisCurrier@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New Coaxial Products Catalog
Date: Tue, 20 Jan 2009 11:20:36 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <4e58e8fb-6147-4641-bbb6-765cf7ab171a@r10g2000prf.googlegroups.com>
NNTP-Posting-Host: 72.54.251.178
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1232479237 29457 127.0.0.1 (20 Jan 2009 19:20:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jan 2009 19:20:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r10g2000prf.googlegroups.com; posting-host=72.54.251.178;
     posting-account=DlP5YwoAAABdjm_DJzoZgY1pnXMYD7rO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US)
     AppleWebKit/525.19 (KHTML, like Gecko) Chrome/1.0.154.43 Safari/
525.19,gzip(gfe),gzip(gfe)
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:1265

New Coaxial Products Catalog

**CABLE ASSEMBLIES**CONNECTORS**ADAPTERS**ATTENUATORS**RF
COMPONENTS**TOOLS**BULK COAX CABLE**


NEW CATALOG:

http://www.aaarfproducts.com/catalog/CATALOGSmallFile.pdf

INVENTORY CLEARANCE SALE:

http://www.aaarfproducts.com/catalog/CSAAARF4.pdf


AAA RF Products
Phone: 949-481-3154
Email:sales@aaarfproducts.com
Website: www.aaarfproducts.com
Location: San Clemente, CA


From 26714656317421911
X-Google-Thread: 108122,70f47b58046c3e83
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!w1g2000prm.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Black Cat 300 linear amplifier
Date: Wed, 21 Jan 2009 07:26:20 -0800 (PST)
Organization: http://groups.google.com
Lines: 15
Message-ID: <29ccab98-0dab-4b9a-866e-80e89c0f60ba@w1g2000prm.googlegroups.com>
References: <4974adc2$0$19495$c5fe31e7@reader01>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232551580 26136 127.0.0.1 (21 Jan 2009 15:26:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Jan 2009 15:26:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w1g2000prm.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1053
```

```
On Jan 19, 11:43=A0am, "KC8QJP" <KC8...@yahoo.com> wrote:
> Black Cat,AMP,Hard to find !!! you will not be let down with this amp. Th=
is
> is a work horse when it comes to the AM modulation
>
> http://cgi.ebay.com/Black-Cat-300-linear-amplifier_W0QQitemZ110339867...

A measure recently taken that will have repercussions that will
indicate exactly how severely your actions have impacted upon fellow
keyclowns.

This measure was taken in your honor. You'll be hearing about it, but
not from us.





From 4906011952691218344
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!i24g2000prf.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: power supply hums when electric blanket on
Date: Wed, 21 Jan 2009 07:28:09 -0800 (PST)
Organization: http://groups.google.com
Lines: 90
Message-ID: <9d24ee96-ec02-49f7-95d2-bc66700cb0cf@i24g2000prf.googlegroups.com>
References: <87d4f8ow30.fsf@jidanni.org> <gsqt26-69n.ln1@radagast.org>
     <4960d88a$0$586$c5fe31e7@reader.usenet4all.se>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232551689 21193 127.0.0.1 (21 Jan 2009 15:28:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Jan 2009 15:28:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i24g2000prf.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1054

On Jan 4, 10:40=A0am, "KC8QJP" <KC8...@yahoo.com> wrote:
> "Dave Platt" <dpl...@radagast.org> wrote in message
>
> news:gsqt26-69n.ln1@radagast.org...
>
>
```

```
>
> > >When I dare to use an
> >>A) electric blanket, or a electric frying pan set on "low",
> >>at the same time when there is a
> >>B) UPS computer power supply, or Ham radio power supply
> >>also turned on anywhere in the house, the power supplies hum most
> >>worryingly. One must make a choice: A) food, warmth, or B) fun.
>
> >>What is the name of this waveform resonance with the current limiters
> >>of A phenomena? Is there some kind of filter I can apply?
>
> > That sounds to me as if you're running into a "harmonic currents"
> > issue. =A0This occurs if you have something connected to the mains whic=
h
> > draws current in a nonlinear fashion (i.e. current drawn is not
> > linearly related to the instantaneous value of the voltage sinusoid).
>
> > In my experience, the commonest cause for this is a device which uses
> > a triac "chopper" to control the amount of current being used. =A0Such
> > devices "switch on" partway through each powerline cycle (120 times a
> > second), so the current jumps from zero to a fairly high value. =A0The
> > sudden jump creates a load on the line with frequency components at
> > harmonics of the 60 Hz powerline frequency... hence the name.
>
> > The devices you indicate (electric blankets, frying pans), and light
> > dimmers are notorious culprits.
>
> > Some of these devices may draw current in an asymmetrical fashion...
> > e.g. they might use a half-wave rectifier diode, and thus draw current
> > on only the positive half of the AC cycle and not on the negative (or
> > vice versa). =A0"Light bulb saver" discs (little disc-shaped diodes tha=
t
> > go into a light socket before the bulb) do this. =A0In effect, the
> > asymmetrical load creates a DC offset on the voltage "seen" by other
> > devices on the same circuit.
>
> > All of these "bad loads" can cause transformers in other devices to
> > start humming or buzzing. =A0Toroidal power transformers are
> > particularly subject to buzzing if there's an asymmetrical load / DC
> > offset on the line.
>
> > I don't know of any good way of filtering out this sort of problem...
> > an isolation transformer can help somewhat, sometimes, but it's an
> > expensive solution and I don't think it's very effective.
>
> > If you've got really severe humming/buzzing with something as simple
> > and low-wattage as an electric blanket, , I'd be a bit concerned
> > that this might indicate that there's a problem in your house
> > wiring... overloaded circuits, a bad or loose connection somewhere, or
> > even a loose or open neutral. =A0The latter is a dangerous situation.
> > If you should notice lights getting brighter, or appliance motors
> > speed up, when you turn *on* a light or appliance elsewhere in the
> > house... then you may have an open neutral and should call the power
> > company immediately. =A0I've had this happen twice (squirrel chewed
> > through the neutral wire in our building's drop from the pole
> > transformer), and PG&E always reacted immediately... their dispatcher
> > said that they consider a "low voltage / high voltage" situation to
> > require immediate action.
>
> > You might want to have an electrician check out your house wiring.
>
> > --
> > Dave Platt <dpl...@radagast.org> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =
=A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 AE6EO
> > Friends of Jade Warrior home page: =A0http://www.radagast.org/jade-warr=
ior
> > =A0I do _not_ wish to receive unsolicited commercial email, and I will
> > =A0 =A0 boycott any company which has the gall to send me such ads!
>
> cut the ground off the blanket that will make the hum go away- Hide quote=
d text -
>
> - Show quoted text -

impostor

A measure recently taken that will have repercussions that will
indicate exactly how severely your actions have impacted upon fellow
keyclowns.

This measure was taken in your honor. You'll be hearing about it, but
not from us.




From 5806569533993536773
X-Google-Thread: 108122,820b342a0cebfdee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!t39g2000prh.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier HF 16 pill Project amp
Date: Wed, 21 Jan 2009 07:32:37 -0800 (PST)
Organization: http://groups.google.com
Lines: 21
Message-ID: <87584982-2540-4d34-98d7-ddf8b2285cb3@t39g2000prh.googlegroups.com>
References: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se>
     <ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com>
<495cf25a$0$590$c5fe31e7@reader.usenet4all.se>
     <slrnglq9c2.6fq.bit-bucket@shell.config.com>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
```

```
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232551957 22232 127.0.0.1 (21 Jan 2009 15:32:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Jan 2009 15:32:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t39g2000prh.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1269

On Jan 1, 3:20=A0pm, Spamm Trappe <bit-buc...@config.com> wrote:
> On Thu, 1 Jan 2009 11:41:53 -0500, KC8QJP wrote:
> > "mhmz" <zemor...@hotmail.com> wrote in message
> >news:ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com...
> >> On Tue, 30 Dec 2008 14:45:35 -0500, "KC8QJP" <KC8...@yahoo.com> wrote:
>
> >>>This is not for a HAM radio want to be CB'er!
> >>>http://cgi.ebay...spam...
>
> >>>FREE SHIPPING WITH BUY IT NOW!
>
> >> 16 "pill"? =A0What kind of language is that? =A0Sounds like CB to me.
>
> > Pills are transistors fyi.
> > =A0It's sold.
>
> No. =A0Pills are medicine. =A0Transistors are transistors.
> And, you are a spammer, and, probably, an 11 Meter Lid.

the person posting that is not the person who owns that call. if you
want to complain, send an email to moparholic at hotmail dot com


From 8522456827222334567
X-Google-Thread: 108122,820b342a0cebfdee
X-Google-Thread: 114aac,820b342a0cebfdee
X-Google-Attributes: gid108122,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!w24g2000prd.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: Linear Amplifier HF 16 pill Project amp
Date: Wed, 21 Jan 2009 07:34:09 -0800 (PST)
Organization: http://groups.google.com
Lines: 41
Message-ID: <3ffdc381-fc6e-4f6f-bb24-123ae457aefd@w24g2000prd.googlegroups.com>
References: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se>
     <ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com>
<495cf25a$0$590$c5fe31e7@reader.usenet4all.se>
     <tf5ql45odtk8vh8p9hvalejdlok0pnjg2v@4ax.com>
```

```
<495e446e$1$17070$6e1ede2f@read.cnntp.org>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232552049 22426 127.0.0.1 (21 Jan 2009 15:34:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Jan 2009 15:34:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w24g2000prd.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1056
rec.radio.shortwave:25111

On Jan 2, 11:44=A0am, "RF BURNS" <rfburns...@yahoo.com> wrote:
> "mhmz" <zemor...@hotmail.com> wrote in message
>
> news:tf5ql45odtk8vh8p9hvalejdlok0pnjg2v@4ax.com...
>
>
>
> > On Thu, 1 Jan 2009 11:41:53 -0500, "KC8QJP" <KC8...@yahoo.com> wrote:
>
> >>"mhmz" <zemor...@hotmail.com> wrote in message
> >>news:ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com...
> >>> On Tue, 30 Dec 2008 14:45:35 -0500, "KC8QJP" <KC8...@yahoo.com> wrote=
:
>
> >>>>This is not for a HAM radio want to be CB'er!
> >>>>http://cgi.ebay.com/Linear-Amplifier-HF-16-pill-Project-amp_W0QQitemZ=
...
>
> >>>>FREE SHIPPING WITH BUY IT NOW!
>
> >>> 16 "pill"? =A0What kind of language is that? =A0Sounds like CB to me.
>
> >>Pills are transistors fyi.
> >> It's sold.
>
> > No, =A0pills are aspirin. =A0Transistors are transistors. =A0Talk like =
you
> > know what you're doing, and not like some idiot CB'er.
>
> KC8QJP has been banned from QRZ and is also a criminal, beware, she shack=
s
> up with another known criminal crook, N8WWM Doug Adair.
>
> http://forums.qrz.com/showthread.php?t=3D36738
>
> http://tinyurl.com/89ww9m- Hide quoted text -
```

>
> - Show quoted text -

the person posting that is not the person who owns that call. if you
want to complain, send an email to moparholic at hotmail dot com

```
From 904594402203843756
X-Google-Thread: 108122,70f47b58046c3e83
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!news.mixmin.net!not-for-mail
From: "RF BURNS" <rfburns33@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Black Cat 300 linear amplifier
Date: Wed, 21 Jan 2009 13:58:32 -0500
Organization: Mixmin
Lines: 27
Message-ID: <gl7r92$ueh$1@news.mixmin.net>
References: <4974adc2$0$19495$c5fe31e7@reader01>
<29ccab98-0dab-4b9a-866e-80e89c0f60ba@w1g2000prm.googlegroups.com>
NNTP-Posting-Host: fb23a3beb68234f52ed618768f4cdd88
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Wed, 21 Jan 2009 18:58:43 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:1271
```

<mopeyzakween@yahoo.com> wrote in message
news:29ccab98-0dab-4b9a-866e-80e89c0f60ba@w1g2000prm.googlegroups.com...
On Jan 19, 11:43 am, "KC8QJP" <KC8...@yahoo.com> wrote:
> Black Cat,AMP,Hard to find !!! you will not be let down with this amp.
> This
> is a work horse when it comes to the AM modulation
>
> http://cgi.ebay.com/Black-Cat-300-linear-amplifier_W0QQitemZ110339867...

> A measure recently taken that will have repercussions that will
> indicate exactly how severely your actions have impacted upon fellow
> keyclowns.

> This measure was taken in your honor. You'll be hearing about it, but
> not from us.
>
>
http://www.google.com/search?hl=en&q=KC8QJP&btnG=Google+Search&aq=f&oq=

UH OH KC8QJP IS IN EVEN MORE TROUBLE????

CRISCO KATHY BETTER WISE UP ALREADY!!!!

```
From -4811659388561344933
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Attributes: gidfb049,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!news.mixmin.net!not-for-mail
From: "RF BURNS" <rfburns33@hotmail.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Re: KC8QJP and N8WWM Glory Hole Party -  KC8QJP will be offering discount
tax consulting through the gloryhole while N8WWM is on his knees
Date: Wed, 21 Jan 2009 14:00:37 -0500
Organization: Mixmin
Lines: 41
Message-ID: <gl7rcv$v1h$1@news.mixmin.net>
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
<6jgVk.11173$qh4.10597@newsfe04.iad>
NNTP-Posting-Host: fb23a3beb68234f52ed618768f4cdd88
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Wed, 21 Jan 2009 19:00:48 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:782 rec.radio.amateur.antenna:9385
rec.radio.amateur.equipment:1272 rec.radio.shortwave:31824


"zoltan" <zoltan@zoltan.com> wrote in message
news:6jgVk.11173$qh4.10597@newsfe04.iad...
>
> "n8wwm mrbindwell (fatboy)" <dougay@nospam.com> wrote in message
> news:gcgpfa$ct7$1@news.mixmin.net...
>>
>> "Leland C Scott" <kc8ldo@madisonhts.com> wrote in message
>> news:gc086k$u0v$1@news.tornevall.net...
>>> "n8wwm mrbindwell (fatboy)" wrote:
>>>
>>> http://img254.imageshack.us/my.php?image=dougpetro3yk1.jpg
>>>
>>>> Pick up some crisco on your way over tonight,  KC8QJP  needs a good
>>>> slathering on her hind quarters.
```

```
>>>>
>>>> She's also getting ready to start her tax return posts again like she
>>>> does every year. You remember those..
>>>>
>>>> http://tinyurl.com/46teqq
>>>>
>>>> She says she wants to add some pics of her and me to them this year.
>>>>
>>>>
>>>>
>>> Cool!
>>>
>> they're having it over here, queerboy.
>>
>> Lance & Lisa  Adair
>> 10431 Jackman Rd
>> Temperance, MI 48182-9629
>> (734) 854-2426
>>
>>
> n8wwm is a convicted criminal
>
>
N8WWM is a shut in loser.
```

```
From 8479656427687663809
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.germany.com!news.mixmin.net!not-
for-mail
From: "RF BURNS" <rfburns33@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: power supply hums when electric blanket on
Date: Wed, 21 Jan 2009 14:02:24 -0500
Organization: Mixmin
Lines: 98
Message-ID: <gl7rg9$v7i$1@news.mixmin.net>
References: <87d4f8ow30.fsf@jidanni.org> <gsqt26-69n.ln1@radagast.org>
<4960d88a$0$586$c5fe31e7@reader.usenet4all.se> <9d24ee96-ec02-49f7-95d2-
bc66700cb0cf@i24g2000prf.googlegroups.com>
NNTP-Posting-Host: fb23a3beb68234f52ed618768f4cdd88
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Wed, 21 Jan 2009 19:02:33 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:1273
```

<mopeyzakween@yahoo.com> wrote in message
news:9d24ee96-ec02-49f7-95d2-bc66700cb0cf@i24g2000prf.googlegroups.com...
On Jan 4, 10:40 am, "KC8QJP" <KC8...@yahoo.com> wrote:
> "Dave Platt" <dpl...@radagast.org> wrote in message
>
> news:gsqt26-69n.ln1@radagast.org...
>
>
>
> > >When I dare to use an
> >>A) electric blanket, or a electric frying pan set on "low",
> >>at the same time when there is a
> >>B) UPS computer power supply, or Ham radio power supply
> >>also turned on anywhere in the house, the power supplies hum most
> >>worryingly. One must make a choice: A) food, warmth, or B) fun.
>
> >>What is the name of this waveform resonance with the current limiters
> >>of A phenomena? Is there some kind of filter I can apply?
>
> > That sounds to me as if you're running into a "harmonic currents"
> > issue. This occurs if you have something connected to the mains which
> > draws current in a nonlinear fashion (i.e. current drawn is not
> > linearly related to the instantaneous value of the voltage sinusoid).
>
> > In my experience, the commonest cause for this is a device which uses
> > a triac "chopper" to control the amount of current being used. Such
> > devices "switch on" partway through each powerline cycle (120 times a
> > second), so the current jumps from zero to a fairly high value. The
> > sudden jump creates a load on the line with frequency components at
> > harmonics of the 60 Hz powerline frequency... hence the name.
>
> > The devices you indicate (electric blankets, frying pans), and light
> > dimmers are notorious culprits.
>
> > Some of these devices may draw current in an asymmetrical fashion...
> > e.g. they might use a half-wave rectifier diode, and thus draw current
> > on only the positive half of the AC cycle and not on the negative (or
> > vice versa). "Light bulb saver" discs (little disc-shaped diodes that
> > go into a light socket before the bulb) do this. In effect, the
> > asymmetrical load creates a DC offset on the voltage "seen" by other
> > devices on the same circuit.
>
> > All of these "bad loads" can cause transformers in other devices to
> > start humming or buzzing. Toroidal power transformers are
> > particularly subject to buzzing if there's an asymmetrical load / DC
> > offset on the line.
>
> > I don't know of any good way of filtering out this sort of problem...
> > an isolation transformer can help somewhat, sometimes, but it's an
> > expensive solution and I don't think it's very effective.
>

> > If you've got really severe humming/buzzing with something as simple
> > and low-wattage as an electric blanket, , I'd be a bit concerned
> > that this might indicate that there's a problem in your house
> > wiring... overloaded circuits, a bad or loose connection somewhere, or
> > even a loose or open neutral. The latter is a dangerous situation.
> > If you should notice lights getting brighter, or appliance motors
> > speed up, when you turn *on* a light or appliance elsewhere in the
> > house... then you may have an open neutral and should call the power
> > company immediately. I've had this happen twice (squirrel chewed
> > through the neutral wire in our building's drop from the pole
> > transformer), and PG&E always reacted immediately... their dispatcher
> > said that they consider a "low voltage / high voltage" situation to
> > require immediate action.
>
> > You might want to have an electrician check out your house wiring.
>
> > --
> > Dave Platt <dpl...@radagast.org> AE6EO
> > Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
> > I do _not_ wish to receive unsolicited commercial email, and I will
> > boycott any company which has the gall to send me such ads!
>
> cut the ground off the blanket that will make the hum go away- Hide quoted
> text -
>
> - Show quoted text -

> A measure recently taken that will have repercussions that will
> indicate exactly how severely your actions have impacted upon fellow
> keyclowns.

> This measure was taken in your honor. You'll be hearing about it, but
> not from us.
>
>
http://www.google.com/search?hl=en&q=KC8QJP&btnG=Google+Search&aq=f&oq=

UH OH KC8QJP IS IN EVEN MORE TROUBLE????
CRISCO KATHY BETTER WISE UP ALREADY!!!!

From 2301842123484782160
X-Google-Thread: 108122,ce620af6ad6bd61c
X-Google-Thread: fc8b1,ce620af6ad6bd61c
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII

```
Path: g2news1.google.com!postnews.google.com!v5g2000pre.googlegroups.com!not-for-
mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: FA: HALLICRAFTERS S-38C receiver (1953)
Date: Wed, 21 Jan 2009 21:45:04 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <e7ec8b61-af7f-43e1-8fa3-3e1d04c7ae84@v5g2000pre.googlegroups.com>
References: <17e8632d402c448d533e3011e0253a56@pseudo.borked.net>
NNTP-Posting-Host: 168.103.252.132
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232603104 17317 127.0.0.1 (22 Jan 2009 05:45:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Jan 2009 05:45:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v5g2000pre.googlegroups.com; posting-host=168.103.252.132;
     posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.9.0.5)
     Gecko/2008121622 Ubuntu/8.10 (intrepid) Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:1133 rec.radio.amateur.equipment:1060
rec.radio.amateur.boatanchors:1781

On Jan 16, 5:35=A0am, DC <nob...@pseudo.borked.net> wrote:
> http://atu.ca/HallicraftersS38C

And some idiot pays $380 for a $38 radio.


From 3297600337382813774
X-Google-Thread: 1109af,ce620af6ad6bd61c
X-Google-Thread: 108122,ce620af6ad6bd61c
X-Google-Thread: fc8b1,ce620af6ad6bd61c
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news-
in-01.newsfeed.easynews.com!core-easynews!easynews.com!easynews!en-
nntp-08.dc1.easynews.com.POSTED!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: FA: HALLICRAFTERS S-38C receiver (1953)
Reply-To: pltrgyst@spamlessxhost.org
Message-ID: <f56gn4pr2lsuehha3cfonqpvv17khn5rl7@4ax.com>
References: <17e8632d402c448d533e3011e0253a56@pseudo.borked.net> <e7ec8b61-
af7f-43e1-8fa3-3e1d04c7ae84@v5g2000pre.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Thu, 22 Jan 2009 01:57:16 -0500
Xref: g2news1.google.com rec.radio.swap:1134 rec.radio.amateur.equipment:1061 rec.radio.amateur.boatanchors:1782

On Wed, 21 Jan 2009 21:45:04 -0800 (PST), cmdr buzz corey
<cmdr-buzz-corey@mailcity.com> wrote:

>And some idiot pays $380 for a $38 radio.

That two other people bid over $300 for...

-- Larry

From 8093471880297478379
X-Google-Thread: 108122,6aa68a4ffe64bcd,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!border1.nntp.ams.giganews.com!nntp.giganews.com!news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: HALLICRAFTERS SX-115 receiver
Message-ID: <fa895671119b5e77a1600a176d3a3076@pseudo.borked.net>
Date: Thu, 22 Jan 2009 12:30:12 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:1062 rec.radio.amateur.boatanchors:1783

http://atu.ca/SX115

From -1107196553301512287
X-Google-Thread: 108122,6aa68a4ffe64bcd
X-Google-Thread: fc8b1,6aa68a4ffe64bcd
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.glorb.com!news.astraweb.com!border2.newsrouter.astraweb.com!not-for-mail
From: geek <geek@localhost.localdomain>
Subject: Re: FA: HALLICRAFTERS SX-115 receiver
Date: Thu, 22 Jan 2009 23:11:19 -0800
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))

```
Message-Id: <pan.2009.01.23.07.11.19.217172@localhost.localdomain>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <fa895671119b5e77a1600a176d3a3076@pseudo.borked.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 8
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 00e8f9d7.news.astraweb.com
X-Trace: DXC=Dak[L76gW8C7dZd0V0aUXKL?
0kYOcDh@JT=47B=V8C_D@Fk2o5_DRCKFDS<UL7kA@Lnh2cCTA><0Ok3_?Qk5ZVdE:aWia<ZiQbA
Xref: g2news1.google.com rec.radio.amateur.equipment:1063
rec.radio.amateur.boatanchors:1784
```

On Thu, 22 Jan 2009 12:30:12 -0700, DC wrote:

> http://atu.ca/SX115

"Current bid: US $832.00 "

JEEEEEBUS!!!!!!!!!

```
From 8073255436078572795
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!z6g2000pre.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB Weller soldering iron
Date: Fri, 23 Jan 2009 04:54:40 -0800 (PST)
Organization: http://groups.google.com
Lines: 13
Message-ID: <4bb96706-7454-49d8-a9af-13155a5b10a4@z6g2000pre.googlegroups.com>
References: <aJSal.522192$yE1.506882@attbi_s21>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1232715280 3786 127.0.0.1 (23 Jan 2009 12:54:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Jan 2009 12:54:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z6g2000pre.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1064
```

On Jan 12, 8:09=A0pm, "Harold E. Johnson" <W4...@mchsi.com> wrote:
> Looking for just the TC201 soldering iron that goes with their TC202
> station. Actually, if I could just find out what the two IC's are that ar=
e
> house numbered, I could likely repair the one I have.
>
> W4ZCB

Don't bother... Weller stuff is junk... that's why you're trying to
repair the the one you have... lol
Do yourself a favor and try one of these... http://www.hexaconelectric.com/=
thermo.html
They ain't cheap... but man do they last.

```
From -2451685755795647015
X-Google-Thread: 108122,bf0bbcd55272acfc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-
mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <aJSal.522192$yE1.506882@attbi_s21> <4bb96706-7454-49d8-
a9af-13155a5b10a4@z6g2000pre.googlegroups.com>
Subject: Re: WTB Weller soldering iron
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <uNjel.540114$yE1.97233@attbi_s21>
NNTP-Posting-Host: 173.21.179.211
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1232718042 173.21.179.211 (Fri, 23 Jan 2009 13:40:42 GMT)
NNTP-Posting-Date: Fri, 23 Jan 2009 13:40:42 GMT
Organization: AT&T ASP.att.net
Date: Fri, 23 Jan 2009 13:40:42 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1065
```

Don't bother... Weller stuff is junk... that's why you're trying to
repair the the one you have... lol
Do yourself a favor and try one of these...
http://www.hexaconelectric.com/thermo.html
They ain't cheap... but man do they last.

Weller makes junk better than your junk by maybe 40-50 dB.
Thanks for your unsolicited opinion.
W4ZCB

```
From 3392128835230078472
X-Google-Thread: 108122,6aa68a4ffe64bcd
X-Google-Thread: fc8b1,6aa68a4ffe64bcd
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe10.iad.POSTED!d79b4107!not-for-mail
From: dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.19 (X11/20090105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: FA: HALLICRAFTERS SX-115 receiver
References: <fa895671119b5e77a1600a176d3a3076@pseudo.borked.net>
<pan.2009.01.23.07.11.19.217172@localhost.localdomain>
In-Reply-To: <pan.2009.01.23.07.11.19.217172@localhost.localdomain>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <W1kel.136036$3_4.42411@newsfe10.iad>
X-Complaints-To: abuse2@dslextreme.com
NNTP-Posting-Date: Fri, 23 Jan 2009 13:58:14 UTC
Organization: DSL Extreme
Date: Fri, 23 Jan 2009 13:58:14 +0000
Xref: g2news1.google.com rec.radio.amateur.equipment:1066
rec.radio.amateur.boatanchors:1785

geek wrote:
> On Thu, 22 Jan 2009 12:30:12 -0700, DC wrote:
>
>> http://atu.ca/SX115
>
>
> "Current bid:    US $832.00 "
>
> JEEEEEBUS!!!!!!!!!

Have these people ever seen inside a Halli?


From -6464378402891495010
X-Google-Thread: 108122,6b5a98fb64568aa9,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!57e3ed27!not-for-
mail
From: "JTB" <jerryjtb@verizon.net>
Newsgroups: rec.radio.amateur.equipment
```

Subject: Ten Tec ORION II-AT Want FT-2K or FT-1K
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <lbkel.1418$Aw2.1161@nwrddc02.gnilink.net>
Date: Fri, 23 Jan 2009 14:08:17 GMT
NNTP-Posting-Host: 209.158.47.107
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1232719697 209.158.47.107 (Fri, 23 Jan 2009 09:08:17 EST)
NNTP-Posting-Date: Fri, 23 Jan 2009 09:08:17 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:1281

Sell Ten Tec ORION II (566/AT) with three optional roofing filters, internal antenna tuner and remote encoder (302-R). $3300.00 plus shipping. Will consider as partial trade a mint late serial number - FT-2000D or possibly a Mint Loaded Yaesu FT-1000 MK V. No other trades considered. PayPal OK if buyer pays fees (+3.5%).

From -2572001649199082341
X-Google-Thread: 108122,820b342a0cebfdee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 Dec 2008 17:14:05 -0600
Date: Tue, 30 Dec 2008 17:14:06 -0600
From: baw <me@nomail4me.com>
User-Agent: Thunderbird 2.0.0.18 (Windows/20081105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier HF 16 pill Project amp
References: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se> <ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com>
In-Reply-To: <ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <CMmdnY0hmaKjNsfUnZ2dnUVZ_h6dnZ2d@giganews.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-dyZGnXWx4ua6mvWR5GSW2JX0WZNh2xbN4/WdqaPRHGU7cV4xqE898NNJVYJ8y6HOUYGvccwj0qtj2kT!AV+hJc6t2ZgbbYpEtz6RMivEhocJrFKgSOrMNTaVZpHE3+5rrbX9sSUW34rPYgCB++6HwWZPwN4=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1177
```

mhmz wrote:

> On Tue, 30 Dec 2008 14:45:35 -0500, "KC8QJP" <KC8QJP@yahoo.com> wrote:
>
>> This is not for a HAM radio want to be CB'er!
>> http://cgi.ebay.com/Linear-Amplifier-HF-16-pill-Project-amp_W0QQitemZ280297250695QQihZ018QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZViewItem
>>
>> FREE SHIPPING WITH BUY IT NOW!
>>
> 16 "pill"? What kind of language is that? Sounds like CB to me.

That's a big 10-4 on that!!!!

```
From -7799684682833481124
X-Google-Thread: 108122,5ca2079426cd1f51,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.speakeasy.net!news.speakeasy.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 Dec 2008 17:19:43 -0600
From: "Brian" <hml59@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-756 DIsplay Problem
Date: Tue, 30 Dec 2008 18:19:52 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <5-GdnSKV7aoSMcfUnZ2dnUVZ_hydnZ2d@speakeasy.net>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 216.254.71.45
X-Trace: sv3-b7YQkUFG0ouKcg+SIi43Ldk3F1+5bIzh/3+gehZide2/
LNkjFlLleDPR0xBTAJ3v6TDjZ7dJLa/UR56!
3uDuCLf093fOBarWYVZpW1RvfRZri817Q7EvZRhH6HttVMyi8s1CuBc83HRLrdLz0LdaaPsqGlx0!
AooD8BAjNfhCkUz0SwxsD3FGl2bYpxhgsHub9A==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:964
```

All 756 have display problem?? or only some batch (certain serial # range)
have problem??

I am hesitating to purchase used 756.
Please help me if there are something I should know before purchasing used one.
Thanks in advance,
Brian

From 3994191047504675407
X-Google-Thread: 108122,5ca2079426cd1f51
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!news2!feeder.erje.net!news.mixmin.net!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-756 DIsplay Problem
Date: Tue, 30 Dec 2008 23:34:41 -0500
Organization: Mixmin
Lines: 14
Message-ID: <fmmck-0D9A12.23343830122008@news.mixmin.net>
References: <5-GdnSKV7aoSMcfUnZ2dnUVZ_hydnZ2d@speakeasy.net>
NNTP-Posting-Host: 59a899db9c194f20d1dbf405db752a6f
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Wed, 31 Dec 2008 04:34:38 +0000 (UTC)
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:965

In article <5-GdnSKV7aoSMcfUnZ2dnUVZ_hydnZ2d@speakeasy.net>,
"Brian" <hml59@yahoo.com> wrote:

> All 756 have display problem?? or only some batch (certain serial # range)
> have problem??
> I am hesitating to purchase used 756.

Brian-

Apparently it was only the first version that had the problem. If you want to learn more, Google for 756 display.

Fred
K4DII

From -2501947368960982454
X-Google-Thread: 108122,820b342a0cebfdee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!w39g2000prb.googlegroups.com!not-for-mail
From: mopeyzakween@yahoo.com
Newsgroups: rec.radio.amateur.equipment

```
Subject: Re: Linear Amplifier HF 16 pill Project amp
Date: Tue, 30 Dec 2008 20:57:46 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
Message-ID: <70512a59-56aa-4e93-8150-a74aedc89141@w39g2000prb.googlegroups.com>
References: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1230699496 28641 127.0.0.1 (31 Dec 2008 04:58:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 Dec 2008 04:58:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w39g2000prb.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1180

On Dec 30, 2:45=A0pm, "KC8QJP" <KC8...@yahoo.com> wrote:
> This is not for a HAM radio want to be CB'er!http://cgi.ebay.com/Linear-A=
mplifier-HF-16-pill-Project-amp_W0QQitemZ...
>
> FREE SHIPPING WITH BUY IT NOW!

the poster is moparholic@hotmail.com forging a persons ID...he also
goes by kenwood1701@hotmail.com at times


From -1737490426548679297
X-Google-Thread: 108122,820b342a0cebfdee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!r37g2000prr.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier HF 16 pill Project amp
Date: Tue, 30 Dec 2008 20:58:32 -0800 (PST)
Organization: http://groups.google.com
Lines: 16
Message-ID: <8b458211-9674-4daa-b51e-8ead1d69fe12@r37g2000prr.googlegroups.com>
References: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se>
     <ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com>
<CMmdnY0hmaKjNsfUnZ2dnUVZ_h6dnZ2d@giganews.com>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1230699512 18185 127.0.0.1 (31 Dec 2008 04:58:32 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Wed, 31 Dec 2008 04:58:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r37g2000prr.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1181

On Dec 30, 6:14=A0pm, baw <m...@nomail4me.com> wrote:
> mhmz wrote:
> > On Tue, 30 Dec 2008 14:45:35 -0500, "KC8QJP" <KC8...@yahoo.com> wrote:
>
> >> This is not for a HAM radio want to be CB'er!
> >>http://cgi.ebay.com/Linear-Amplifier-HF-16-pill-Project-amp_W0QQitemZ..=
.
>
> >> FREE SHIPPING WITH BUY IT NOW!
>
> > 16 "pill"? =A0What kind of language is that? =A0Sounds like CB to me.
>
> That's a big 10-4 on that!!!!

the poster is moparholic@hotmail.com forging a persons ID...he also
goes by kenwood1701@hotmail.com at times



From 8018115396765394480
X-Google-Thread: 108122,1885822b7df6cdc6,start
X-Google-Thread: 1109af,1885822b7df6cdc6,start
X-Google-Thread: 108228,1885822b7df6cdc6,start
X-Google-Attributes: gid108122,gid1109af,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2!feeder.erje.net!
news.mixmin.net!news2.arglkargh.de!news.dizum.com!sewer-output!mail2news-x3!
mail2news-x2!mail2news
From: rrae <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace
Subject: FA: DRAKE R8B receiver
Message-ID: <39f58d0c153767ac2596dcd0bbf77aef@pseudo.borked.net>
Date: Wed, 31 Dec 2008 06:18:43 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:968 rec.radio.swap:1046
alt.ham-radio.marketplace:346

http://atu.ca/DrakeR8B




From -8346127574393356989
X-Google-Thread: 1062f2,5f0a18e460443ce4,start
X-Google-Thread: 1131b0,5f0a18e460443ce4,start
```

```
X-Google-Thread: fc8b1,5f0a18e460443ce4,start
X-Google-Thread: 108122,5f0a18e460443ce4,start
X-Google-Attributes:
gid1062f2,gid1131b0,gidfc8b1,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!news-in-02.newsfeed.easynews.com!
core-easynews!easynews.com!easynews!en-nntp-02.dc1.easynews.com.POSTED!not-for-
mail
From: "S. Worthington" <spongebob@biniki.bottom.net>
Subject: FA: Fluke 8840A bench DMM, ESI 2160 LCR bridge, cap substitution box
User-Agent: Pan/0.14.2 (This is not a psychotic episode. It's a cleansing moment
of clarity.)
Message-Id: <pan.2008.12.31.15.44.53.62500@biniki.bottom.net>
Newsgroups:
misc.industry.electronics.marketplace,sci.electronics.repair,rec.radio.amateur.boa
tanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Antivirus: avast! (VPS 081231-0, 12/31/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 13
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Wed, 31 Dec 2008 08:44:57 -0700
Xref: g2news1.google.com misc.industry.electronics.marketplace:128
sci.electronics.repair:11531 rec.radio.amateur.boatanchors:1641
rec.radio.amateur.equipment:969

Please check these new ebay listings:

Fluke 8840A bench DMM w/GPIB and True RMS options:
http://preview.tinyurl.com/94d8p5

Ohmite 2% capacitor substitution box:
http://preview.tinyurl.com/79poal

Teagam (ESI) 2160 digital LRC meter with GPIB and RS-232:
http://preview.tinyurl.com/6wv49e

Thanks!




From -4222575811876149603
X-Google-Thread: 108122,70ecc3c89a341ee6,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2!feeder.erje.net!
newsfeed.datemas.de!news.datemas.de!not-for-mail
```

```
From: jidanni@jidanni.org
Newsgroups: rec.radio.amateur.equipment
Subject: power supply hums when electric blanket on
Date: Wed, 31 Dec 2008 21:51:08 +0000 (UTC)
Organization: Datemas.de http://www.datemas.de
Lines: 9
Message-ID: <87d4f8ow30.fsf@jidanni.org>
X-Trace: news.datemas.de
jCSa4hsDG5QYMC+bJFRLb3xX5um7pUssKgYJhqOFmINehHqTu1WbpvfLemJsJrtdZSSS6d9U1+Pqp8fLvD
xbQP67EGWAtAYoCorwq0RB0lUV38VZfgXltFLFLBhtM97SMUv+ztGg9SxL7NutbtsV8r8N0OWKXTRi
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Wed, 31 Dec 2008 21:51:08 +0000 (UTC)
Xref: g2news1.google.com rec.radio.amateur.equipment:970

When I dare to use an
A) electric blanket, or a electric frying pan set on "low",
at the same time when there is a
B) UPS computer power supply, or Ham radio power supply
also turned on anywhere in the house, the power supplies hum most
worryingly. One must make a choice: A) food, warmth, or B) fun.

What is the name of this waveform resonance with the current limiters
of A phenomena? Is there some kind of filter I can apply?


From 304265869895213141
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 31 Dec 2008 16:44:53 -0600
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <87d4f8ow30.fsf@jidanni.org>
Subject: Re: power supply hums when electric blanket on
Date: Wed, 31 Dec 2008 17:46:59 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <EYSdnfZhVYB4aMbUnZ2dnUVZ_gqdnZ2d@earthlink.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace:
sv3-5TB8qDxskO+R0fYxeEPKRsSSVfxv9blCeXyFdMxqQXEl4TemfKgeQ2KSPYbj1uEkdiRzOcqqwYy76d
J!M5wNAqBfqwJbpJMDVWFLQgQ/NUISWgoalQDUS40BMlOZJ5aptS2BEZJ9Fi6KTllFoUhQ5HZWnfR6!
337dQ7lOp+J6spTx5Jr7BiaEd08BPYspzQucmQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1185

<jidanni@jidanni.org> wrote in message news:87d4f8ow30.fsf@jidanni.org...
> When I dare to use an
> A) electric blanket, or a electric frying pan set on "low",
> at the same time when there is a
> B) UPS computer power supply, or Ham radio power supply
> also turned on anywhere in the house, the power supplies hum most
> worryingly. One must make a choice: A) food, warmth, or B) fun.
>
> What is the name of this waveform resonance with the current limiters
> of A phenomena? Is there some kind of filter I can apply?

Check for a loose wire somewhere in the circuits that are affected. Check
the voltages at the affected devices to see if they change when the frying
pan is cut on and off.

From -5343321283717740842
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2!feeder.erje.net!
newsfeed.datemas.de!news.datemas.de!jidanni1.jidanni.org!not-for-mail
From: jidanni@jidanni.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: power supply hums when electric blanket on
Date: Thu, 01 Jan 2009 08:10:23 +0800
Organization: Datemas.de http://www.datemas.de
Lines: 13
Message-ID: <87myebophs.fsf@jidanni.org>
References: <EYSdnfZhVYB4aMbUnZ2dnUVZ_gqdnZ2d@earthlink.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
X-Trace: news.datemas.de LkxnmcHXf/sjkBhGMmJi/
jgMxQ3u6tLUHG80Duh+w1axtbcjM7O+AZzBKFut3QwnkM4qXye/
1/38YJdoDA0TR9NfdOZFtIgW6CKxFjr86lSlhLzSxB2CMD0XbBGCv8gH92OXu6N4I6Ix8K45BoAYotqv/
duzX8sk
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Thu, 1 Jan 2009 00:10:53 +0000 (UTC)
Xref: g2news2.google.com rec.radio.amateur.equipment:1186

>>>>> "RM" == Ralph Mowery <rmowery28146@earthlink.net> writes:

RM> Check for a loose wire somewhere in the circuits that are affected. Check
RM> the voltages at the affected devices to see if they change when the frying
RM> pan is cut on and off.

Thanks but a ham told me (in Chinese) that this is a well known
phenomenon with cheap current limiters, that take a bite out of each
crest of the AC sine wave as their method of limiting. That's why such
appliances cause power supplies in the same house to hum when such
appliances are switched to LOW or MEDIUM, but not HIGH. If only I
could find the English name of this phenomenon, I could look up what
to do about it.

```
From -2007533767802440851
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 31 Dec 2008 19:13:10 -0600
Subject: Re: power supply hums when electric blanket on
Date: Wed, 31 Dec 2008 17:13:10 -0800
From: artie <artie.m@gNOSPAMmail.com>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <311220081713109506%artie.m@gNOSPAMmail.com>
References: <EYSdnfZhVYB4aMbUnZ2dnUVZ_gqdnZ2d@earthlink.com>
<87myebophs.fsf@jidanni.org>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
Mail-Copies-To: nobody
User-Agent: Thoth/1.8.3 (Carbon/OS X)
Lines: 56
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-x6VKQnpEMvFekjZsZBQquBXi7DGAcI+dr//
5NURWJvj+ByqXgBA3KGllEZs6N0q9zY9adPHT+7rDtT8!
ZOHuiVQVW5q8cwnp6JeC6iM8kADdun4HFnAZ2IQFSXOYYCznvzu+rEsLJTWKR+LR8OWB
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:973
```

In article <87myebophs.fsf@jidanni.org>, <jidanni@jidanni.org> wrote:

```
> >>>>> "RM" == Ralph Mowery <rmowery28146@earthlink.net> writes:
>
> RM> Check for a loose wire somewhere in the circuits  that are affected.
> Check
> RM> the voltages at the affected devices to see if they change when the frying
> RM> pan is cut on and off.
>
> Thanks but a ham told me (in Chinese) that this is a well known
> phenomenon with cheap current limiters, that take a bite out of each
```

> crest of the AC sine wave as their method of limiting. That's why such appliances cause power supplies in the same house to hum when such appliances are switched to LOW or MEDIUM, but not HIGH. If only I could find the English name of this phenomenon, I could look up what to do about it.

You've got a cheezy SCR-based control in the electric blanket. When it turns on, you get a fast current spike. IR products in your power wiring turn this into a voltage spike (drop), and since it's a reasonably fast, sharp edge, it's rich in harmonics.

Now let's look at your power transformers, such as the one in your ham radio supply, or in the UPS. When they're getting nice clean sine waves, they hum along merrily (they hum because they don't know the words).

But when that spike from the SCR wanders in, the windings in the transformer try to reproduce it, humming now at harmonics of the power line, and humming a different and more irritating tune.

When the electric blanket is on high, the SCR is essentially turned on through the entire cycle (or half-cycle depending on topology). Turning on at close to zero voltage minimizes the switching spike.

Fixes:

Brute force filter at the electric blanket, and/or a snubber on the SCR.

Get an electric blanket that uses a (zero-crossing) triac control.

Heavier, shorter power wiring to the electric blanket, the UPS and ham radio gear, or both.

Ditch the electric blanket and get a live-in friend!

Before we rebuilt our house, when the fuser heater in the laser printer in the office kicked on (another cheap SCR switch), the fluorescent lights in the room would flicker. After rebuilding, and replacing all the wiring, going from AWG 14 to AWG 10 and 12, that laser printer didn't make the lights flicker any more. Replacing it with a more efficient laser printer helped a lot, too.

--
Namaste--

From 3719365261558708510
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!

nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 31 Dec 2008 21:46:10 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: power supply hums when electric blanket on
References: <87d4f8ow30.fsf@jidanni.org>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Wed, 31 Dec 2008 19:45:52 -0800
Message-ID: <gsqt26-69n.ln1@radagast.org>
Lines: 63
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-qBj79uUX9sAS3ui5D0cH5TYUY9xJlLrjazyzDBGFlr67ySy7ziN9LFqeAn+3Iu3tgVEYg+DHtRGgHCq!HNvdRXFejnsViRDcIBhVwDmVAqXbKM6Gyrp/Q9ceCRmxm8UaiAXHlhan4JyeCg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:974

>When I dare to use an
>A) electric blanket, or a electric frying pan set on "low",
>at the same time when there is a
>B) UPS computer power supply, or Ham radio power supply
>also turned on anywhere in the house, the power supplies hum most
>worryingly. One must make a choice: A) food, warmth, or B) fun.
>
>What is the name of this waveform resonance with the current limiters
>of A phenomena? Is there some kind of filter I can apply?

That sounds to me as if you're running into a "harmonic currents" issue. This occurs if you have something connected to the mains which draws current in a nonlinear fashion (i.e. current drawn is not linearly related to the instantaneous value of the voltage sinusoid).

In my experience, the commonest cause for this is a device which uses a triac "chopper" to control the amount of current being used. Such devices "switch on" partway through each powerline cycle (120 times a second), so the current jumps from zero to a fairly high value. The sudden jump creates a load on the line with frequency components at harmonics of the 60 Hz powerline frequency... hence the name.

The devices you indicate (electric blankets, frying pans), and light dimmers are notorious culprits.

Some of these devices may draw current in an asymmetrical fashion... e.g. they might use a half-wave rectifier diode, and thus draw current on only the positive half of the AC cycle and not on the negative (or vice versa). "Light bulb saver" discs (little disc-shaped diodes that go into a light socket before the bulb) do this. In effect, the asymmetrical load creates a DC offset on the voltage "seen" by other devices on the same circuit.

All of these "bad loads" can cause transformers in other devices to start humming or buzzing. Toroidal power transformers are particularly subject to buzzing if there's an asymmetrical load / DC offset on the line.

I don't know of any good way of filtering out this sort of problem... an isolation transformer can help somewhat, sometimes, but it's an expensive solution and I don't think it's very effective.

If you've got really severe humming/buzzing with something as simple and low-wattage as an electric blanket, , I'd be a bit concerned that this might indicate that there's a problem in your house wiring... overloaded circuits, a bad or loose connection somewhere, or even a loose or open neutral. The latter is a dangerous situation. If you should notice lights getting brighter, or appliance motors speed up, when you turn *on* a light or appliance elsewhere in the house... then you may have an open neutral and should call the power company immediately. I've had this happen twice (squirrel chewed through the neutral wire in our building's drop from the pole transformer), and PG&E always reacted immediately... their dispatcher said that they consider a "low voltage / high voltage" situation to require immediate action.

You might want to have an electrician check out your house wiring.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 2688793902674062863
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2!feeder.erje.net!
newsfeed.straub-nv.de!feeder1.news.weretis.net!newsfeeder.dynfx.net!weretis.net!
newsfeed.datemas.de!news.datemas.de!jidanni1.jidanni.org!not-for-mail
From: jidanni@jidanni.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: power supply hums when electric blanket on
Date: Thu, 01 Jan 2009 11:55:39 +0800
Organization: Datemas.de http://www.datemas.de
Lines: 12
Message-ID: <87tz8jn0hw.fsf@jidanni.org>
References: <311220081713109506%artie.m@gNOSPAMmail.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
X-Trace: news.datemas.de

```
xuGnubtWcgWsnvSrYnaQdYS4ykovdjtVw8XtFtA9GTYoB9b8ygELaLbyY7Ap5X3nJtRt50oUo01apgfww1
JjFaEuVo+8qKLIVijTq8E+l5ub1rwSR8wb2v+w5h15QiFWSmxAUNECYhR+YfJMU7WjAzbE/seQkWeg
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Thu, 1 Jan 2009 03:55:46 +0000 (UTC)
Xref: g2news2.google.com rec.radio.amateur.equipment:1189

a> You've got a cheezy SCR-based control in the electric blanket.
Ah, http://en.wikipedia.org/wiki/Silicon-controlled_rectifier
a> Brute force filter at the electric blanket, and/or a snubber on the SCR.
Ah, http://en.wikipedia.org/wiki/Snubber
a> Get an electric blanket that uses a (zero-crossing) triac control.
But its my http://en.wikipedia.org/wiki/Security_blanket
a> Heavier, shorter power wiring to the electric blanket, the UPS and ham
a> radio gear, or both.
OK, and what is that brute force filter, and do those snubbers come in
AC inline versions that you just plug into requiring no snippers for dumbo me?
a> Ditch the electric blanket and get a live-in friend!
Tried that last time.



From 7809185591395684451
X-Google-Thread: fc8b1,582098a111362f27,start
X-Google-Thread: 108122,582098a111362f27,start
X-Google-Thread: 100cf8,582098a111362f27,start
X-Google-Thread: 115730,582098a111362f27,start
X-Google-Thread: 108228,582098a111362f27,start
X-Google-Thread: 10d492,582098a111362f27,start
X-Google-Thread: 10db18,582098a111362f27,start
X-Google-Attributes:
gidfc8b1,gid108122,gid100cf8,gid115730,gid108228,gid10d492,gid10db18,domainid0,pub
lic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2!news-
in-01.newsfeed.easynews.com!news-in-02.newsfeed.easynews.com!core-easynews!
easynews.com!easynews!en-nntp-08.dc1.easynews.com.POSTED!not-for-mail
From: "S. Worthington" <spongebob@biniki.bottom.net>
Subject: FA: B&K Dynamatic 375 VTVM with probe
User-Agent: Pan/0.14.2 (This is not a psychotic episode. It's a cleansing moment
of clarity.)
Message-Id: <pan.2009.01.01.05.26.49.937500@biniki.bottom.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.audio.equipment,sci.
electronics.equipment,alt.ham-
radio.marketplace,rec.antiques.marketplace,rec.audio.marketplace
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Antivirus: avast! (VPS 081231-1, 12/31/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 7
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
```

will be unable to process your complaint properly.
Date: Wed, 31 Dec 2008 22:26:51 -0700
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1645
rec.radio.amateur.equipment:976 alt.audio.equipment:737
sci.electronics.equipment:871 alt.ham-radio.marketplace:347
rec.antiques.marketplace:1007 rec.audio.marketplace:622

Just the ticket for maintaining your old tube equipment-
MORE old tube equipment!

Please see here:
http://preview.tinyurl.com/9l2ylq

Thanks!

From 8181629554351774122
X-Google-Thread: 108122,820b342a0cebfdee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2!feeder.erje.net!
feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
References: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se>
<ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com>
Subject: Re: Linear Amplifier HF 16 pill Project amp
Date: Thu, 1 Jan 2009 11:41:53 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 17
Message-ID: <495cf25a$0$590$c5fe31e7@reader.usenet4all.se>
Organization: UseNET
NNTP-Posting-Date: 01 Jan 2009 17:42:03 CET
NNTP-Posting-Host: 6edb5382.reader.usenet4all.se
X-Trace: DXC=e_1hE6]S?
Lo312d5d\W`>l]=V>ZL5o1]b<moHH[O[>ZjVg\o3>M26hcnKldQMcVdZhUfH1^`>A<4klAI[;_[Mlm`]gW
MeU]7iUc7Dkl;fJHi]g
X-Complaints-To: abuse@usenet4all.se
Xref: g2news2.google.com rec.radio.amateur.equipment:1191

"mhmz" <zemorgan@hotmail.com> wrote in message
news:ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com...
> On Tue, 30 Dec 2008 14:45:35 -0500, "KC8QJP" <KC8QJP@yahoo.com> wrote:
>
>>This is not for a HAM radio want to be CB'er!
>>http://cgi.ebay.com/Linear-Amplifier-HF-16-pill-Project-
amp_W0QQitemZ280297250695QQihZ018QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZVie
wItem

>>
>>FREE SHIPPING WITH BUY IT NOW!
>>
> 16 "pill"? What kind of language is that? Sounds like CB to me.
>
>
Pills are transistors fyi.
 It's sold.

From -6214502272269938303
X-Google-Thread: 108122,820b342a0cebfdee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
newsfeed.straub-nv.de!nuzba.szn.dk!pnx.dk!feeder.usenet4all.se!
reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
References: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se>
<ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com>
<CMmdnY0hmaKjNsfUnZ2dnUVZ_h6dnZ2d@giganews.com>
Subject: Re: Linear Amplifier HF 16 pill Project amp
Date: Thu, 1 Jan 2009 11:44:33 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 19
Message-ID: <495cf2fb$0$588$c5fe31e7@reader.usenet4all.se>
Organization: UseNET
NNTP-Posting-Date: 01 Jan 2009 17:44:43 CET
NNTP-Posting-Host: 6edb5382.reader.usenet4all.se
X-Trace:
DXC=ObQ9@3RgPId>;4n2;V]4Oo]=V>ZL5o1]b<moHH[O[>ZjB>OCMU5j_TinKldQMcVdZhUfH1^`>A<4kl
AI[;_[Mlm`]gWMeU]7iUcR>cj:c_:E4i
X-Complaints-To: abuse@usenet4all.se
Xref: g2news2.google.com rec.radio.amateur.equipment:1192

"baw" <me@nomail4me.com> wrote in message
news:CMmdnY0hmaKjNsfUnZ2dnUVZ_h6dnZ2d@giganews.com...
> mhmz wrote:
>> On Tue, 30 Dec 2008 14:45:35 -0500, "KC8QJP" <KC8QJP@yahoo.com> wrote:
>>
>>> This is not for a HAM radio want to be CB'er!
>>> http://cgi.ebay.com/Linear-Amplifier-HF-16-pill-Project-
amp_W0QQitemZ280297250695QQihZ018QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZVie
wItem
>>>

```
>>> FREE SHIPPING WITH BUY IT NOW!
>> 16 "pill"?  What kind of language is that?  Sounds like CB to me.
>
> That's a big 10-4 on that!!!!
>
>
I'm putting together a super-skyhook sloper now, I'll let you know when it's
QRT.




From 6837594631058831175
X-Google-Thread: 108122,820b342a0cebfdee
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Spamm Trappe <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linear Amplifier HF 16 pill Project amp
Date: 1 Jan 2009 20:20:19 GMT
Lines: 17
Message-ID: <slrnglq9c2.6fq.bit-bucket@shell.config.com>
References: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se>
<ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com>
<495cf25a$0$590$c5fe31e7@reader.usenet4all.se>
X-Trace: individual.net iIaG/8hBt30xFo89OC5yKw3w9GJYmedruS+2T7kRmahbjQ6q6S
Cancel-Lock: sha1:YRosWGuFBFNiL1zoPVeBihd0v5A=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:1195

On Thu, 1 Jan 2009 11:41:53 -0500, KC8QJP wrote:
> "mhmz" <zemorgan@hotmail.com> wrote in message
> news:ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com...
>> On Tue, 30 Dec 2008 14:45:35 -0500, "KC8QJP" <KC8QJP@yahoo.com> wrote:
>>
>>>This is not for a HAM radio want to be CB'er!
>>>http://cgi.ebay...spam...
>>>
>>>FREE SHIPPING WITH BUY IT NOW!
>>>
>> 16 "pill"?  What kind of language is that?  Sounds like CB to me.
>>
> Pills are transistors fyi.
>  It's sold.

No.  Pills are medicine.  Transistors are transistors.
And, you are a spammer, and, probably, an 11 Meter Lid.


From 5879179423545732564
X-Google-Thread: 108122,d019ae9600f63d61,start
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2!news.mv.net!not-
for-mail
From: Eric <answer.to.newsgroup@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom IC-735 and phone patch
Date: Thu, 01 Jan 2009 20:26:04 -0500
Organization: MV Communications, Inc.
Lines: 5
Message-ID: <48rql45pmrqdkbi2v4gluhnhthjv6oodgs@4ax.com>
NNTP-Posting-Host: dslv-1-185.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: pyrite.mv.net 1230859587 88642 207.22.18.185 (2 Jan 2009 01:26:27 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Fri, 2 Jan 2009 01:26:27 +0000 (UTC)
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
Xref: g2news1.google.com rec.radio.amateur.equipment:982


Do any of you have an IC-735 and use it with a phone patch?

If so, what patch do you use and how do you hook it up?



From 5338921238492727442
X-Google-Thread: 108122,820b342a0cebfdee
X-Google-Thread: 114aac,820b342a0cebfdee
X-Google-Attributes: gid108122,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!
peer3.news.newnet.co.uk!feed.cnntp.org!news.cnntp.org!not-for-mail
From: "RF BURNS" <rfburns422@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
References: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se>
<ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com>
<495cf25a$0$590$c5fe31e7@reader.usenet4all.se>
<tf5ql45odtk8vh8p9hvalejdlok0pnjg2v@4ax.com>
Subject: Re: Linear Amplifier HF 16 pill Project amp
Date: Fri, 2 Jan 2009 11:44:28 -0500
Organization: radio guru
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 35
Message-ID: <495e446e$1$17070$6e1ede2f@read.cnntp.org>
NNTP-Posting-Host: 7b49eb72.read.cnntp.org
X-Trace: DXC=`i?^]dNjN3eS_2j463:FkeWoT\PAgXa?a9n?
```

```
IKK`9eoclK9^66lO<W`NlQ3Hf^WU]kShn>CaR<J]n1cc@Ack<nChZk3@nX3=U3m
X-Complaints-To: abuse@cnntp.org
Xref: g2news1.google.com rec.radio.amateur.equipment:983 rec.radio.shortwave:23544


"mhmz" <zemorgan@hotmail.com> wrote in message
news:tf5ql45odtk8vh8p9hvalejdlok0pnjg2v@4ax.com...
> On Thu, 1 Jan 2009 11:41:53 -0500, "KC8QJP" <KC8QJP@yahoo.com> wrote:
>
>>
>>"mhmz" <zemorgan@hotmail.com> wrote in message
>>news:ga4ll4lrque8b8chhrreqg9e2fhbss8ae7@4ax.com...
>>> On Tue, 30 Dec 2008 14:45:35 -0500, "KC8QJP" <KC8QJP@yahoo.com> wrote:
>>>
>>>>This is not for a HAM radio want to be CB'er!
>>>>http://cgi.ebay.com/Linear-Amplifier-HF-16-pill-Project-
amp_W0QQitemZ280297250695QQihZ018QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZVie
wItem
>>>>
>>>>FREE SHIPPING WITH BUY IT NOW!
>>>>
>>> 16 "pill"?  What kind of language is that?  Sounds like CB to me.
>>>
>>>
>>Pills are transistors fyi.
>> It's sold.
>>
>
> No,  pills are aspirin.  Transistors are transistors.  Talk like you
> know what you're doing, and not like some idiot CB'er.
>
>
KC8QJP has been banned from QRZ and is also a criminal, beware, she shacks
up with another known criminal crook, N8WWM Doug Adair.

http://forums.qrz.com/showthread.php?t=36738

http://tinyurl.com/89ww9m






From -4865377392234O4259
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.cse.ohio-state.edu!
pitt.edu!egsner!news.cirr.com!freeshell.org!sdog2008
From: Stray Dog <sdog2008@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: power supply hums when electric blanket on
Date: Fri, 2 Jan 2009 21:01:58 +0000
```

```
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 48
Message-ID: <Pine.NEB.4.64.0901022050360.3569@sdf.lonestar.org>
References: <87d4f8ow30.fsf@jidanni.org>
NNTP-Posting-Host: freeshell.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1230930126 21238 192.94.73.30 (2 Jan 2009 21:02:06 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Fri, 2 Jan 2009 21:02:06 +0000 (UTC)
In-Reply-To: <87d4f8ow30.fsf@jidanni.org>
Xref: g2news2.google.com rec.radio.amateur.equipment:1198
```

On Wed, 31 Dec 2008, jidanni@jidanni.org wrote:

> Date: Wed, 31 Dec 2008 21:51:08 +0000 (UTC)
> From: jidanni@jidanni.org
> Newsgroups: rec.radio.amateur.equipment
> Subject: power supply hums when electric blanket on
>
> When I dare to use an
> A) electric blanket, or a electric frying pan set on "low",
> at the same time when there is a
> B) UPS computer power supply, or Ham radio power supply
> also turned on anywhere in the house, the power supplies hum most
> worryingly. One must make a choice: A) food, warmth, or B) fun.
>
> What is the name of this waveform resonance with the current limiters
> of A phenomena? Is there some kind of filter I can apply?
>

You can think about so-called power filtering or power conditioning transformers or voltage stabilizing transformers. They are not cheap and can get heavy, too, but come in at least three versions: i) low end, ii) mid range, and iii) fancy-schmanzy high end, all with various kinds of specifications on max output harmonic content, voltage regulation plus/minus, etc. Some use transformer-capacitor-inductor networks, some use an unusual core geometry to exploit a curiosity in electrodynamics of transformers to get the effect. But they are all designed to take out spikes, harmonics, and weirdo waveform problems. Some of these are offered by high-end computer backup-PS companies since some computer installations experience funny glitchy-buggy problems from their power lines.

Can't help you with search terms and I know the proper term will give you magic results (lots of hits on what you want). Good luck, but our modern world is hooking up all kinds of weirdo electronic crap to the power grid.

For ham radio, you might want to think about a 12 volt deep cycle marine battery and charger to give you clean power.

```
From -2770852563549169314
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!npeer.de.kpn-eurorings.net!npeer-ng2.de.kpn-eurorings.net!zen.net.uk!
dedekind.zen.co.uk!feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
References: <87d4f8ow30.fsf@jidanni.org> <gsqt26-69n.ln1@radagast.org>
Subject: Re: power supply hums when electric blanket on
Date: Sun, 4 Jan 2009 10:40:54 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Lines: 71
Message-ID: <4960d88a$0$586$c5fe31e7@reader.usenet4all.se>
Organization: UseNET
NNTP-Posting-Date: 04 Jan 2009 16:40:58 CET
NNTP-Posting-Host: ab2d33f9.reader.usenet4all.se
X-Trace: DXC=5iYiLPL0KFTUYB@99d?
^@T]=V>ZL5o1]R<moHH[O[>ZZ@AeMe[>_FXTnKldQMcVdZXUfH1^`>A<4[lAI[;_[MlmP]gWMeU]7iUSbE
M\A:A4M4_
X-Complaints-To: abuse@usenet4all.se
Xref: g2news1.google.com rec.radio.amateur.equipment:985
```

```
"Dave Platt" <dplatt@radagast.org> wrote in message
news:gsqt26-69n.ln1@radagast.org...
> >When I dare to use an
>>A) electric blanket, or a electric frying pan set on "low",
>>at the same time when there is a
>>B) UPS computer power supply, or Ham radio power supply
>>also turned on anywhere in the house, the power supplies hum most
>>worryingly. One must make a choice: A) food, warmth, or B) fun.
>>
>>What is the name of this waveform resonance with the current limiters
>>of A phenomena? Is there some kind of filter I can apply?
>
> That sounds to me as if you're running into a "harmonic currents"
```

> issue. This occurs if you have something connected to the mains which
> draws current in a nonlinear fashion (i.e. current drawn is not
> linearly related to the instantaneous value of the voltage sinusoid).
>
> In my experience, the commonest cause for this is a device which uses
> a triac "chopper" to control the amount of current being used. Such
> devices "switch on" partway through each powerline cycle (120 times a
> second), so the current jumps from zero to a fairly high value. The
> sudden jump creates a load on the line with frequency components at
> harmonics of the 60 Hz powerline frequency... hence the name.
>
> The devices you indicate (electric blankets, frying pans), and light
> dimmers are notorious culprits.
>
> Some of these devices may draw current in an asymmetrical fashion...
> e.g. they might use a half-wave rectifier diode, and thus draw current
> on only the positive half of the AC cycle and not on the negative (or
> vice versa). "Light bulb saver" discs (little disc-shaped diodes that
> go into a light socket before the bulb) do this. In effect, the
> asymmetrical load creates a DC offset on the voltage "seen" by other
> devices on the same circuit.
>
> All of these "bad loads" can cause transformers in other devices to
> start humming or buzzing. Toroidal power transformers are
> particularly subject to buzzing if there's an asymmetrical load / DC
> offset on the line.
>
> I don't know of any good way of filtering out this sort of problem...
> an isolation transformer can help somewhat, sometimes, but it's an
> expensive solution and I don't think it's very effective.
>
> If you've got really severe humming/buzzing with something as simple
> and low-wattage as an electric blanket, , I'd be a bit concerned
> that this might indicate that there's a problem in your house
> wiring... overloaded circuits, a bad or loose connection somewhere, or
> even a loose or open neutral. The latter is a dangerous situation.
> If you should notice lights getting brighter, or appliance motors
> speed up, when you turn *on* a light or appliance elsewhere in the
> house... then you may have an open neutral and should call the power
> company immediately. I've had this happen twice (squirrel chewed
> through the neutral wire in our building's drop from the pole
> transformer), and PG&E always reacted immediately... their dispatcher
> said that they consider a "low voltage / high voltage" situation to
> require immediate action.
>
> You might want to have an electrician check out your house wiring.
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!
>

>
cut the ground off the blanket that will make the hum go away

From -2777112365815225832
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 04 Jan 2009 14:08:04 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: power supply hums when electric blanket on
References: <87d4f8ow30.fsf@jidanni.org> <gsqt26-69n.ln1@radagast.org>
<4960d88a$0$586$c5fe31e7@reader.usenet4all.se>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Sun, 4 Jan 2009 11:44:55 -0800
Message-ID: <n6g736-d2s.ln1@radagast.org>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-
j1UlCwMiEEiyWLe7yLm9oV74xtOK82PA3oAaqY1301bjByesLl+jBdnaZ6zz6hdPRRo28+ual9LKdMI!
xgVJgXxvE6uLAsesySNT4rW33y2YhSe79ClQMImbE3iZBgX7z3imp7QwfzIdmg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:986

In article <4960d88a$0$586$c5fe31e7@reader.usenet4all.se>,
KC8QJP <KC8QJP@yahoo.com> wrote:

>cut the ground off the blanket that will make the hum go away

That strikes me as very poor advice, for three reasons:

[1] I've never seen an electric blanket or bed-heating pad here in the U.S. which *has* a ground prong. They all use two-wire (hot/neutral) plugs.

[2] If there *is* a ground prong on a device which is used in close proximity to a human body, it's probably there for a very good reason (safety). Removing a safety ground from such a device seems like a really bad idea.

[3] If the reason for the humming is a harmonic-currents problem (as I

> suspect) then it has *nothing* to do with the presence or absence
> of a ground connection. It's due to irregular current flows on
> the hot and neutral wires. Floating the device free from the
> safety ground will have not reduce the problem at all.

"Floating" an equipment-chassis ground can sometimes help reduce hum in audio/video equipment if the hum is due to a ground loop. I don't believe that ground loops have anything at all to do with the original poster's buzzing-transformer problem.

```
-- 
Dave Platt <dplatt@radagast.org>                                  AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From -8850934221293620686
X-Google-Thread: 108122,b975fac63ab8bcd0,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g1g2000pra.googlegroups.com!not-for-
mail
From: 08 trade <bapetrading@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: www.08-trade.com supply cheap Nike, Adidas shoes, handbags,
     Sunglasses, Jeans, MP3, MP4, Psp, PS3, Watch, Tshirt, jordan, AF1, Dunk ,
     Airmax, Shox, diesel, Puma, Juicy, chloe, PRADA, FENDI, LV, GUCCI, chanel,
     DIOR, Coach Etc Trade Co.ltd
Date: Mon, 5 Jan 2009 00:14:55 -0800 (PST)
Organization: http://groups.google.com
Lines: 23
Message-ID: <97997269-4b6e-4a0d-b1e5-48a6f99cbf50@g1g2000pra.googlegroups.com>
NNTP-Posting-Host: 121.205.209.6
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1231143299 7492 127.0.0.1 (5 Jan 2009 08:14:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Jan 2009 08:14:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g1g2000pra.googlegroups.com; posting-host=121.205.209.6;
     posting-account=WHK1OwoAAAD-SlhaDfEbIIDnnhwq9WKW
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     TencentTraveler 4.0; Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)
     ),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1201
```

www.08-trade.com

About us

08-Trade Sporting Goods Co.,Ltd

Sport shoes world, wide choice of brand name shoes such as Nike Jordan , Air Force, Max, Addidas, Timberland, Dunk, Prada,ps3,etc. We have abundant experience of shoes exporting and we also deal in clothes. If you are interested in our products and want to business please contact us without delay. We welcome customers from home and abroad. Wholesale or retail is available.

Our company is located in Putian city, Fujian Province . It is famous for its shoes exporting. We can offer you not only competitive price but also good quality products. We'd like to establish business relations with you on mutual benefit.

Thank you for the favor of your attention.

Mail : 08-trade@live.cn

MSN : 08trade@live.cn 08-trade@live.cn

```
From -7579631261025245495
X-Google-Thread: 1109af,4ff3db8ef1f51023,start
X-Google-Thread: 108122,4ff3db8ef1f51023,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2!feeder.erje.net!
border1.nntp.ams.giganews.com!nntp.giganews.com!news.wiretrip.org!news.dizum.com!
sewer-output!mail2news-x3!mail2news-x2!mail2news
From: rrs <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: JRC NRD-525 receiver
Message-ID: <29558073db73e5e282fe1edf7d17768f@pseudo.borked.net>
Date: Mon,  5 Jan 2009 04:55:19 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 1
Xref: g2news1.google.com alt.ham-radio.marketplace:353 rec.radio.swap:1063
rec.radio.amateur.equipment:988
```

http://atu.ca/JRC_NRD525

```
From -2917015776635238037
X-Google-Thread: 106d41,4efbb1c3533a0d08,start
X-Google-Thread: 114aac,4efbb1c3533a0d08,start
X-Google-Thread: 10bf43,4efbb1c3533a0d08,start
X-Google-Thread: 108122,4efbb1c3533a0d08,start
X-Google-Attributes:
gid106d41,gid114aac,gid10bf43,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d42g2000prb.googlegroups.com!not-for-
```

```
mail
From: mopeyzakween@yahoo.com
Newsgroups:
rec.radio.cb,rec.radio.shortwave,rec.radio.amateur.policy,rec.radio.amateur.equipm
ent
Subject: moparhoLICK's gay lover, Randy Chapman, KB5URP, convicted crack
     dealer...the FAIRY!
Date: Mon, 5 Jan 2009 08:19:48 -0800 (PST)
Organization: http://groups.google.com
Lines: 67
Message-ID: <7df7ad8b-f4d2-459f-8f20-edbda5907f43@d42g2000prb.googlegroups.com>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1231172389 30534 127.0.0.1 (5 Jan 2009 16:19:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Jan 2009 16:19:49 +0000 (UTC)
Cc: moparholic@hotmail.com
Complaints-To: groups-abuse@google.com
Injection-Info: d42g2000prb.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:5307 rec.radio.shortwave:23934
rec.radio.amateur.policy:19871 rec.radio.amateur.equipment:989

SEARCH ID SEARCH CRITERIA IDENTIFIER STATUS
3930206 Chapman,Randall    CCH/NBF/SOR [9 results.]  VIEW  DETAILS


RESULTS FOR 'CHAPMAN,RANDALL '
    Search ID 3930206 Back to Top
NAME DPS NUMBER SEX RACE DATE OF BIRTH CCH SOR NBF
CHAPMAN,RANDOLPH WILLARD 05388013 MALE WHITE 03/22/1961 VIEW



CHAPMAN,RANDOLPH WILLARD (SID: 05388013)
SEX RACE ETHNICITY HEIGHT WEIGHT EYES HAIR COLOR DL NUMBER FBI# DLU
MALE  WHITE    508  195  BROWN  Brown      10/26/1995
NAMES CHAPMAN,RANDOLPH WILLARD (Primary)
CHAPMAN,RANDY



BIRTHDATES 03/22/1961 (Primary)



  Arrest Summary (TRN)
DATE OF ARREST SEQUENCE CODE TRACKING NUMBER AGENCY DESCRIPTION
01/16/1995 A 0007369727 TEXAS CITY PD View
```

```
Arrest Date: 01/16/1995   Arrest Summary


DATE OF ARREST 01/16/1995
SEQUENCE CODE A
TRACKING NUMBER 0007369727
AGENCY DESCRIPTION TX0840900 ( TEXAS CITY PD )
CHARGE
TRACKING SUFFIX A001
OFFENSE DETAIL
INTERNAL AGENCY PERSON NUMBER 020130
INTERNAL AGENCY CASE NUMBER 95633
ARREST OFFENSE 35990014 ( POSS CS PG 1 < 1G )
ARREST OFFENSE CITATION 481.115(b)
LEVEL AND DEGREE OF OFFENSE FS ( FELONY - STATE JAIL FELONY )
DATE OF OFFENSE 01/16/1995
ARREST DISPOSITION 205 ( HELD )
ARREST DISPOSITION DATE 01/16/1995
PROSECUTOR ORI REFERRED TO TX084015A ( DISTRICT ATTORNEYS OFFICE
GALVESTON )
PROSECUTION DETAIL
AGENCY DESCRIPTION TX084015A ( DISTRICT ATTORNEYS OFFICE
GALVESTON )
PROSECUTOR ACTION FIELD A ( PROSECUTOR ACCEPTS THE CHARGE )
PROSECUTOR OFFENSE 35990014 ( POSS CS PG 1 < 1G )
PROSECUTOR OFFENSE CITATION 481.115(b)
LEVEL AND DEGREE PROSECUTED FS ( FELONY - STATE JAIL FELONY )
COURT STATUS
COURT SEQUENCE a
AGENCY DESCRIPTION TX084035J ( 122ND DISTRICT COURT GALVESTON )
COURT OFFENSE 35990014 ( POSS CS PG 1 < 1G )
CITATION 481.115(b)
LEVEL AND DEGREE OFFENSE FS ( FELONY - STATE JAIL FELONY )
COURT DISPOSITION 312 ( DEFERRED )
COURT DISPOSITION DATE 09/21/1995
DATE OF SENTENCE/STATUS 09/21/1995
CAUSE NUMBER 95CR0800
FINAL PLEADING G ( GUILTY )
COURT PROBATION 4Y
COURT FINE 200
COURT COSTS 157
AGENCY RECEIVING CUSTODY GCCSCD


From -2016592414309081976
X-Google-Thread: 106d41,4efbb1c3533a0d08
X-Google-Thread: 114aac,4efbb1c3533a0d08
X-Google-Thread: 10bf43,4efbb1c3533a0d08
X-Google-Thread: 108122,4efbb1c3533a0d08
X-Google-Attributes:
gid106d41,gid114aac,gid10bf43,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!g1g2000pra.googlegroups.com!not-for-
```

```
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups:
rec.radio.cb,rec.radio.shortwave,rec.radio.amateur.policy,rec.radio.amateur.equipm
ent
Subject: k3vr is good next step
Date: Mon, 5 Jan 2009 10:56:07 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <f34a2f8f-34f3-457e-b341-edb58a286d7f@g1g2000pra.googlegroups.com>
References: <7df7ad8b-f4d2-459f-8f20-edbda5907f43@d42g2000prb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.33
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1231181767 17429 127.0.0.1 (5 Jan 2009 18:56:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Jan 2009 18:56:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g1g2000pra.googlegroups.com; posting-host=69.19.14.33;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:5308 rec.radio.shortwave:23948
rec.radio.amateur.policy:19881 rec.radio.amateur.equipment:990

On Jan 5, 11:19=A0am, mopeyzakw...@yahoo.com wrote:
> SEARCH ID SEARCH CRITERIA IDENTIFIER STATUS
can the spamm



From -8720278174522459669
X-Google-Thread: 108122,70ecc3c89a341ee6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!news2!
feeder.erje.net!newsfeed.datemas.de!news.datemas.de!jidanni1.jidanni.org!not-for-
mail
From: jidanni@jidanni.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: power supply hums when electric blanket on
Date: Tue, 06 Jan 2009 03:17:30 +0800
Organization: Datemas.de http://www.datemas.de
Lines: 10
Message-ID: <87hc4dimut.fsf@jidanni.org>
References: <n6g736-d2s.ln1@radagast.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
X-Trace: news.datemas.de a8WVKG5Qszv4uADT6voibVPGcP6AN2DBCJxEPKcl6/
lFOznZZRKnc6s9Vq9Hz77ofp0uTStWdZK3MP0HrR+XE71qAC6z+clmfApYIfHBp9AV4H0OeZf3QvE6B+r9
fuAi5ztc+CjcCSFp+2JLpm5n/hEjvjsGnJv8
```

X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Mon, 5 Jan 2009 19:17:37 +0000 (UTC)
Xref: g2news1.google.com rec.radio.amateur.equipment:991

DP> [1] I've never seen an electric blanket or bed-heating pad here in
DP> the U.S. which *has* a ground prong.
No ground prong on my blanket or frying pan.
Thick house wiring all done by myself, so that can't be the problem
(don't tell Mom about the day I made a loop and all the conduits in
the walls shook.)
Therefore I shall, as a nod to the less privileged who perhaps don't
even have electric power, learn not to eat or sleep while using the
computer or my radio equipment (BM4IFV, not on air anymore, now just
on email). OK, thanks. Bye.

From 927512892432629187
X-Google-Thread: 108122,4efbb1c3533a0d08
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
gnilink.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews5.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <7df7ad8b-f4d2-459f-8f20-edbda5907f43@d42g2000prb.googlegroups.com>
<f34a2f8f-34f3-457e-b341-edb58a286d7f@g1g2000pra.googlegroups.com>
Subject: Re: k3vr is good next step
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <bYs8l.15$e13.14@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbodpinmoijjojdleldfdiaobddcilimldhif
eckepfagppmljiecjknoefhkpmfikalhikpiefcfcnlkioochpbembmcnfhheckckonbdakjeedbgi
NNTP-Posting-Date: Mon, 05 Jan 2009 14:12:07 EST
Organization: BellSouth Internet Group
Date: Mon, 5 Jan 2009 14:18:02 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:992

The only people interested in this type of trash are the same types that bow
and genuflect to the "E Channel".

Nomini Domini

"an_old_friend" <kb9rqz@gmail.com> wrote in message

```
news:f34a2f8f-34f3-457e-b341-edb58a286d7f@g1g2000pra.googlegroups.com...
On Jan 5, 11:19 am, mopeyzakw...@yahoo.com wrote:
> SEARCH ID SEARCH CRITERIA IDENTIFIER STATUS
can the spamm





From -2982168546785837526
X-Google-Thread: 106d41,4efbb1c3533a0d08
X-Google-Thread: 114aac,4efbb1c3533a0d08
X-Google-Thread: 10bf43,4efbb1c3533a0d08
X-Google-Thread: 108122,4efbb1c3533a0d08
X-Google-Attributes:
gid106d41,gid114aac,gid10bf43,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!g39g2000pri.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups:
rec.radio.cb,rec.radio.shortwave,rec.radio.amateur.policy,rec.radio.amateur.equipm
ent
Subject: Re: k3vr is good next step
Date: Mon, 5 Jan 2009 15:21:40 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <ca52e2c4-ba76-435c-8172-b785a1f7309b@g39g2000pri.googlegroups.com>
References: <7df7ad8b-f4d2-459f-8f20-edbda5907f43@d42g2000prb.googlegroups.com>
     <f34a2f8f-34f3-457e-b341-edb58a286d7f@g1g2000pra.googlegroups.com>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1231197701 11487 127.0.0.1 (5 Jan 2009 23:21:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Jan 2009 23:21:41 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g39g2000pri.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:5309 rec.radio.shortwave:23964
rec.radio.amateur.policy:19904 rec.radio.amateur.equipment:993

On Jan 5, 1:56=A0pm, an_old_friend <kb9...@gmail.com> wrote:
> On Jan 5, 11:19=A0am, mopeyzakw...@yahoo.com wrote:> SEARCH ID SEARCH CRI=
TERIA IDENTIFIER STATUS
>
> can the spamm

go lick mopeys nutz, qweenie
```

```
From -4804911961327894315
X-Google-Thread: 106d41,4efbb1c3533a0d08
X-Google-Thread: 114aac,4efbb1c3533a0d08
X-Google-Thread: 10bf43,4efbb1c3533a0d08
X-Google-Thread: 108122,4efbb1c3533a0d08
X-Google-Attributes:
gid106d41,gid114aac,gid10bf43,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
s36g2000vbp.googlegroups.com!not-for-mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups:
rec.radio.cb,rec.radio.shortwave,rec.radio.amateur.policy,rec.radio.amateur.equipm
ent
Subject: Re: k3vr is good next step
Date: Mon, 5 Jan 2009 16:58:11 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <97f784ba-943c-4086-86a3-b5e1c609666d@s36g2000vbp.googlegroups.com>
References: <7df7ad8b-f4d2-459f-8f20-edbda5907f43@d42g2000prb.googlegroups.com>
     <f34a2f8f-34f3-457e-b341-edb58a286d7f@g1g2000pra.googlegroups.com>
     <ca52e2c4-ba76-435c-8172-b785a1f7309b@g39g2000pri.googlegroups.com>
NNTP-Posting-Host: 69.19.14.17
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1231203491 28868 127.0.0.1 (6 Jan 2009 00:58:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jan 2009 00:58:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s36g2000vbp.googlegroups.com; posting-host=69.19.14.17;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:5311 rec.radio.shortwave:23966
rec.radio.amateur.policy:19909 rec.radio.amateur.equipment:994

On Jan 5, 6:21=A0pm, mopeyzakw...@yahoo.com wrote:
> On Jan 5, 1:56=A0pm, an_old_friend <kb9...@gmail.com> wrote:
>
> > On Jan 5, 11:19=A0am, mopeyzakw...@yahoo.com wrote:> SEARCH ID SEARCH C=
RITERIA IDENTIFIER STATUS
>
> > can the spamm
>
> go lick mopeys nutz, qweenie

no


From -5912708126046824005
```

X-Google-Thread: 108122,1e2047836b501231,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: HELP!! Motorola R-2001D Service Monitor
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <RdA8l.258995$Mh5.83437@bgtnsc04-news.ops.worldnet.att.net>
Date: Tue, 06 Jan 2009 03:28:49 GMT
NNTP-Posting-Host: 12.65.96.177
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1231212529 12.65.96.177 (Tue, 06 Jan 2009 03:28:49 GMT)
NNTP-Posting-Date: Tue, 06 Jan 2009 03:28:49 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:1210

Hello and thanks for the read.. I have 2 R-2001 service monitors that have low Generator Mode output.

The specs are that the output should be low of minus 127 dBm to a high of plus 13 dBm using the step switch and variable.

Both of these units output a low of minus 147 dBm to a high of minus 17 dBm using the step switch and variable.

While in the Generate Mode, the next line below the actual Volt/dBm reading line reads:

DIST/SINAD INPUT Too low

On the older R-2001B monitor in Generate Mode, that line is SINAD DB with a bar (graph?) below it.

Any & all thoughts are appreciated. Is it pilot error on my part? Settingd on thr Front Panel? Internal setting problem?? Or ????

Thanks for your help.   Larry

From -1391567672460032125
X-Google-Thread: 108122,1e2047836b501231
X-Google-Attributes: gid108122,domainid0,public,usenet

X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!not-for-mail
Message-ID: <4962DCB4.6050706@NETTALLY.COM>
Date: Mon, 05 Jan 2009 23:23:16 -0500
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
To: Larry McGee <lrmagoo@worldnet.att.net>
Subject: Re: HELP!! Motorola R-2001D Service Monitor
References: <RdA8l.258995$Mh5.83437@bgtnsc04-news.ops.worldnet.att.net>
In-Reply-To: <RdA8l.258995$Mh5.83437@bgtnsc04-news.ops.worldnet.att.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 57
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1211

Larry McGee wrote:
> Hello and thanks for the read.. I have 2 R-2001 service monitors that have
> low Generator Mode output.
>
> The specs are that the output should be low of minus 127 dBm to a high of
> plus 13 dBm using the step switch and variable.
>
> Both of these units output a low of minus 147 dBm to a high of minus 17 dBm
> using the step switch and variable.
>
> While in the Generate Mode, the next line below the actual Volt/dBm reading
> line reads:
>
> DIST/SINAD INPUT Too low
>
> On the older R-2001B monitor in Generate Mode, that line is SINAD DB with a
> bar (graph?) below it.
>
> Any & all thoughts are appreciated. Is it pilot error on my part? Settingd
> on thr Front Panel? Internal setting problem?? Or ????
>
> Thanks for your help.   Larry
>
>
>

Larry; It has been a while since I have used one of these models.

1) There is a fuse under the BNC connector for the GEN out which
sometimes gets blown. Unscrew the BNC and you will find it, it looks
like a resistor nut is a very small value fuse. When it blows, your RF

output from the GEN out is greatly reduced.

2) You can push or pull the RF out vernier to select different functions (I forget which) Perhaps high RF level or GEN out mode (BNC connector) vs Duplex (N connector). I don't think you get full generator output from the duplex (N Connector) port because it runs through a high power attenuator pad. But it should be calibrated properly on the low end of the range.

3) How are you measuring the RF levels? Describe how you are set up.

4) The SINAD meter won't read anything unless you generate an FM carrier modulated with a 1000 Hz tone at +/- 3.0 KHz deviation (60% modulation) into an suitable 25 khz bandwidth FM receiver and connect its audio output to the scope/SINAD input. It is an audio distortion analyzer with a SINAD calibration mode. You can spoof it by looping a tone out from the audio generator to the SINAD input, but the SINAD will be so good, the bar won't move much from the left unless you switch to AC DVM mode.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Use only Genuine Interocitor Parts" Tom Servo ;-P

```
From 932425137688311487
X-Google-Thread: 108122,7e5022b418d805ed,start
X-Google-Thread: 1109af,7e5022b418d805ed,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!z6g2000pre.googlegroups.com!not-for-mail
From: imaham@sbcglobal.net
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Kenwood TS-850 Knobs - Removal Techniques
Date: Tue, 6 Jan 2009 09:42:39 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <4840826e-c22e-453b-baa8-2a7d65b90606@z6g2000pre.googlegroups.com>
NNTP-Posting-Host: 192.25.142.225
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1231263759 18388 127.0.0.1 (6 Jan 2009 17:42:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jan 2009 17:42:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z6g2000pre.googlegroups.com; posting-host=192.25.142.225;
     posting-account=yAk_-QoAAACD6db8YB2jtqdT5F2GdVWG
```

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; Agilent Technologies IE6 SP1; .NET CLR 1.1.4322; InfoPath.1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1213 rec.radio.swap:1488

Hi,

I have a Kenwood TS-850s and need to remove the knobs for a little maintenance. They are on very tight and I'm afraid I'm going to damage the pots/panel/knobs by removing them. Any removal techniques that will minimize any damage would be appreciated.

From 4929896883026826213
X-Google-Thread: 108122,a7e3c41c8f199876,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r15g2000prd.googlegroups.com!not-for-mail
From: dkodet@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Yeasu FT-60R repeater shifts
Followup-To: rec.radio.amateur.equipment
Date: Tue, 6 Jan 2009 10:44:55 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <17128ca7-c665-4dfc-adcb-8f8c6f3fd74f@r15g2000prd.googlegroups.com>
NNTP-Posting-Host: 12.37.141.56
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1231267495 29817 127.0.0.1 (6 Jan 2009 18:44:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jan 2009 18:44:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r15g2000prd.googlegroups.com; posting-host=12.37.141.56; posting-account=8k1AoQoAAAAP7YkTIl2zqJtCrcdDWZQ1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.5) Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1214

I am having an issue with programming my radio repeater shifts. I am trying ot program my local fire frequencies for the fire dept but having issues.

the Rx freq is 151.190 and the Tx freq is 159.225 which means I have a +8.035 shift.

Now when I go to do a custom shift in my settings I cannot shift at this increment, meaning I can only set my shift to be 8.05, 8.10 and 8.00. . . Is there a way that I am missing to get my shift ot be 8.035

so I can hit the repeater correctly.

```
From -7672212221498371789
X-Google-Thread: 108122,7e5022b418d805ed
X-Google-Thread: 1109af,7e5022b418d805ed
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
References: <4840826e-c22e-453b-baa8-2a7d65b90606@z6g2000pre.googlegroups.com>
Subject: Re: Kenwood TS-850 Knobs - Removal Techniques
Lines: 18
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <JOR8l.4153$Es4.3842@nwrddc01.gnilink.net>
Date: Tue, 06 Jan 2009 23:28:41 GMT
NNTP-Posting-Host: 71.110.236.13
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1231284521 71.110.236.13 (Tue, 06 Jan 2009 18:28:41
EST)
NNTP-Posting-Date: Tue, 06 Jan 2009 18:28:41 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:1001 rec.radio.swap:1068
X-Original-Bytes: 1947
```

<imaham@sbcglobal.net> wrote in message
news:4840826e-c22e-453b-baa8-2a7d65b90606@z6g2000pre.googlegroups.com...

> Hi,
>
> I have a Kenwood TS-850s and need to remove the knobs for a little
> maintenance. They are on very tight and I'm afraid I'm going to
> damage the pots/panel/knobs by removing them. Any removal techniques
> that will minimize any damage would be appreciated.

Lube the pots and shafts with light mineral oil and let it soak. Contact cleaners with mineral oil are safer. Some Kenwood knobs have set screws. Look under the rubber band on the main tuning knob, etc. A fork with one of the tines missing might help to pry the others. Use cardboard on the face to protect it.   You just have to be careful not to mar things. Another way on some models is to loosen the front panel and rock it. Sometimes the metal inserts rust.

From -7563426662840882592
X-Google-Thread: 108122,70070abf2c73107d,start
X-Google-Thread: fc2a5,70070abf2c73107d,start
X-Google-Thread: 10b9c8,70070abf2c73107d,start
X-Google-Attributes: gid108122,gidfc2a5,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1228633501@panix.com>
Followup-To: poster
Date: 7 Jan 2009 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Feb 2009 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1231311901@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1231311901 14537 166.84.1.2 (7 Jan 2009 07:05:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Jan 2009 07:05:01 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Original-Bytes: 2655
Xref: g2news1.google.com rec.radio.amateur.antenna:7204 rec.radio.amateur.dx:220 rec.radio.amateur.equipment:1002 rec.radio.amateur.homebrew:1756 rec.radio.info:434

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information

bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 6536056638287905925
X-Google-Thread: 108122,a3b4e90951abd296,start
X-Google-Thread: 1109af,a3b4e90951abd296,start
X-Google-Thread: 10b9c8,a3b4e90951abd296,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2!news.glorb.com!
transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1228633800@panix.com>
Followup-To: poster
Date: 7 Jan 2009 02:10:00 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Feb 2009 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1231312200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1231312200 17790 166.84.1.2 (7 Jan 2009 07:10:00 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Jan 2009 07:10:00 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles

Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.equipment:1217 rec.radio.swap:1490 rec.radio.info:513

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -9029646713090532164
X-Google-Thread: 108122,7e5022b418d805ed
X-Google-Thread: 1109af,7e5022b418d805ed
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!r27g2000vbp.googlegroups.com!not-for-mail

From: john <jrefme@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Kenwood TS-850 Knobs - Removal Techniques
Date: Wed, 7 Jan 2009 04:45:31 -0800 (PST)
Organization: http://groups.google.com
Lines: 16
Message-ID: <b741023a-4b8a-4e83-aac8-a432d9de35b2@r27g2000vbp.googlegroups.com>
References: <4840826e-c22e-453b-baa8-2a7d65b90606@z6g2000pre.googlegroups.com>
NNTP-Posting-Host: 68.209.214.26
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1231332331 2624 127.0.0.1 (7 Jan 2009 12:45:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Jan 2009 12:45:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r27g2000vbp.googlegroups.com; posting-host=68.209.214.26;
posting-account=UTPexwoAAADRw129DebiElVBdlY09fcp
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
GTB5; Avant Browser; .NET CLR 1.1.4322; .NET CLR 2.0.50727; eMusic
DLM/3),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1004 rec.radio.swap:1070

On Jan 6, 12:42=A0pm, ima...@sbcglobal.net wrote:
> Hi,
>
> I have a Kenwood TS-850s and need to remove the knobs for a little
> maintenance. =A0They are on very tight and I'm afraid I'm going to
> damage the pots/panel/knobs by removing them. =A0Any removal techniques
> that will minimize any damage would be appreciated.

If the knobs do not have a set screw, you might like to try this
method. I have used it many times over
the last five decades. Take a heavy thick cloth and slide it around
the knob, then twist the cloth to form
a clamp, pull with a rocking right to left or up and down motion.
Warning, you might need to get some help
holding the rig if very tight. This method has worked for me many
times. K4ZYF

From -6100504755584056211
X-Google-Thread: 108122,d695653da79dac6f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!news-out.readnews.com!transit3.readnews.com!news-
out.news.tds.net!newsreading01.news.tds.net!eaafa096!not-for-mail
From: "steve carey" <scarey@tds.net>
Newsgroups: rec.radio.amateur.equipment
Subject: hammarlund hq rx

```
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <sSh9l.603$xY.535@newsreading01.news.tds.net>
Date: Thu, 08 Jan 2009 07:24:08 GMT
NNTP-Posting-Host: 72.168.99.101
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1231399448 72.168.99.101 (Thu, 08 Jan 2009
01:24:08 CST)
NNTP-Posting-Date: Thu, 08 Jan 2009 01:24:08 CST
Organization: TDS.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1219
```

Looking for knobs for the HQ series rx can any body help

```
From -4918468663267741239
X-Google-Thread: fc8b1,260883120c79415b,start
X-Google-Thread: 108122,260883120c79415b,start
X-Google-Thread: 1109af,260883120c79415b,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g39g2000pri.googlegroups.com!not-for-
mail
From: Richie <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.cb
Subject: FA: RCA RadioTron Manual & ORIGINAL HEATHKIT MANUALS
Date: Fri, 9 Jan 2009 07:11:57 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <c5c026c9-9501-4ed1-968c-6fd76ceaa8ab@g39g2000pri.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1231513918 8837 127.0.0.1 (9 Jan 2009 15:11:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Jan 2009 15:11:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g39g2000pri.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.5)
     Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:2057
rec.radio.amateur.equipment:1220 rec.radio.swap:1502 rec.radio.cb:6613
```

http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

```
From 2305408013490098453
X-Google-Thread: 108122,ea1228dbb1b82c5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d36g2000prf.googlegroups.com!not-for-
mail
From: kb9olm <kb9olm@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS:   CFG-515 Antenna Coupler plug-in board for NSD-515 JRC
     transmitter
Date: Sat, 10 Jan 2009 11:25:07 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <d323641d-67be-4e55-8703-d3b50820b4c2@d36g2000prf.googlegroups.com>
NNTP-Posting-Host: 75.36.156.216
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1231615507 11526 127.0.0.1 (10 Jan 2009 19:25:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Jan 2009 19:25:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d36g2000prf.googlegroups.com; posting-host=75.36.156.216;
     posting-account=TAYySQgAAACzmyBLoosOcf7OlPn558nk
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.5)
     Gecko/2008120122 Firefox/3.0.5,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1221
```

For sale:

Hard to find CFG-515 Antenna Coupler plug-in board for NSD-515 JRC
transmitter. The board is in very good cosmetic and very good working
condition.This board is an optional board for NSD-515 transmitter.

I use my NSD-515 transmitter with external amplifier, so I really
don't have much use for internal tuner board.

$150 plus shipping from SF Bay Area.

Check Universal Radio website for reference:
http://www.universal-radio.com/CATAL...hf/nsd515.html

I am also looking for non working NRD-515 receiver.

Reply directly to: kb9olm AT yahoo DOT com

73,
Vlad, kb9olm

From 3277738104188169779
X-Google-Thread: 108122,a96ccb8486a7ff92,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: FINNISH,ASCII
Subject: Re: Kuka ruokkii kommunistin?
From: Pitk�nen <pitkanen@musa.net>
Date: Sat, 10 Jan 2009 14:04:17 -0600
Message-ID: <6fsov7Fct05uU1@rageur.com>
References: <_YOck.168$%L5.55@read4.inet.fi>
Lines: 43
NNTP-Posting-Host: port-92-194-208-101.dynamic.qsc.de
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!feeder.news-service.com!news-out.newsfeeds.com!prop.superfeed.net!news-in1.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news-in1.superfeed.net 1231617857 port-92-194-208-101.dynamic.qsc.de (10 Jan 2009 14:04:17 -0600)
Followup-To: sfnet.harrastus,sfnet.harrastus.lemmikit.muut,sfnet.harrastus.mp.maahantuonti,rec.radio.amateur.equipment
MIME-Version: 1.0
Content-Type: text/plain;
Content-Transfer-Encoding: 8bit
Xref: g2news2.google.com rec.radio.amateur.equipment:1222

Fortumille lunta tupaan. Valtio ostattaa sen ulos Fingridist�. Ja tutusti asia taas niin vaikeaa, ettei l�ytynyt edes tekstitv:n puolelta. Siltaappaa!

Vasta viikko sitten OL-3 projekti meni plutoniumpaskojen laittomista poltoista USA:han 3v tutkintaan.

Fennovoimalle kenomonoa Kristiinan kuntafiksuilta, jotta sinkelit lent��!.
..

Ydinkriittisempi Urpiainen syrj�ytti ydinkiimaissemmat Nartrit.. ..

Pohjolan ydinvoimalat 80% ajossa ja tiedossa ilmeinen megaleka laittomasta 60 polttolimiitin ylityksest� 75!

Uraanipositiivikaivuu loppu 2007 ja plutoniumjalostus kaatui 11% saantifloppiin laserilla. Cernin kenkkuilut jatkuu. ..)

Ja hemmetti kun lipsahti viel� julkisuuteen my�s noi TVO:n kohtalokkaanhuonot tritiumvuototiedot.

M�ntyankeroinen vie puun my�t� rakentamiskiimat maastamme. Ei auta vaikka ydinklingonit vaikeena vaikee faktoista!

Beettasoihtuava ydinaavikoituminen levii hurjiin mitoihin. Ja kohta ydinsyyllisyytt� ei peit� mehil�istuhoissa, kampamaneeteissa, tai edes sammako/matelijoitten tritiumlammikkokuoloista jne. en�� MIK��N!

Kyll� on M�LS�� ydinalalla nyky��n!

.. . ..Jaa hemmetin hauskaa ydinvastustajilla! Niin hubaa, ett� piti ihan
"TVO/Pohjolan seinille kiipeill�!"!)

From 1193930280569096490
X-Google-Thread: 108122,d020c6f6be9ed482,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Jan 2009 17:14:06 -0600
From: Hamradioaddict <Hamradioaddict.3aee0f6@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RCI-2950 Ten Meter Rig
Date: Sat, 10 Jan 2009 18:23:26 +0000
Message-ID: <Hamradioaddict.3aee0f6@radiobanter.com>
Organization: RadioBanter.com
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-66sCaYks8QmY1knEavop6AeOyRUf/
5ZJAN2L7NIJcXy38aYmWAKspeup1HjqWpC2K1jpfUwzbhGpNwK!
NdczwrgOkAb8sbj6uUcnoqNYerOV4MvfJuG1ri1pysJla5R7cbPnKKd7yqnTWTCXuIOhkmGPZbWE!FYn/
Rjx0wQcXYA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news2.google.com rec.radio.amateur.equipment:1223

RCI-2950 10 Meter rig in good condition - work great - full output plus.
Comes with high power Cobra mic. $150 Email KK4WS@arrl.net.

--
Hamradioaddict

From 9043671609603390235
X-Google-Thread: 108122,c354e049c74814e4,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j38g2000yqa.googlegroups.com!not-for-

```
mail
From: Mike VE3MKX <mkx@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: QRP Schematic WANTED !! ! ! !!
Date: Sat, 10 Jan 2009 17:52:38 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <dfda7ce9-cf44-4473-b648-c43b97da0631@j38g2000yqa.googlegroups.com>
NNTP-Posting-Host: 70.55.41.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1231638759 31300 127.0.0.1 (11 Jan 2009 01:52:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jan 2009 01:52:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j38g2000yqa.googlegroups.com; posting-host=70.55.41.75;
     posting-account=m2yR1goAAAAMi4ja5GYDqvs6T1Uo1WU8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; .NET CLR 1.1.4322;
     .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:1010

Hi,
 Im looking for a schematic for the Welz RP-120 qrp swr meter.   IF
you can help me out, it would be appreciated !

73 Mike
VE3MKX




From -8448655932403708217
X-Google-Thread: 108122,d0c971411640aa2,start
X-Google-Thread: fc8b1,d0c971411640aa2,start
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
feeder.erje.net!eweka.nl!lightspeed.eweka.nl!newsfeed.xs4all.nl!
newsfeed5.news.xs4all.nl!xs4all!news.wiretrip.org!news.dizum.com!sewer-output!
mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: JOHNSON Viking Ranger II transmitter
Message-ID: <c74f8470c627ef1f74051942540aaabc@pseudo.borked.net>
Date: Sun, 11 Jan 2009 07:12:05 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1225
rec.radio.amateur.boatanchors:2064

http://atu.ca/VikingRangerII
```

```
From 7620194561041174134
X-Google-Thread: 108122,d695653da79dac6f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: =?ISO-8859-1?Q?Tom_N=D8JMY?=
 <changethistexttothewordham@hayseedhamfest.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: hammarlund hq rx
Date: Sun, 11 Jan 2009 11:43:13 -0600
Organization: netINS InterNetNews site
Lines: 14
Message-ID: <496A2FB1.8060107@hayseedhamfest.com>
References: <sSh9l.603$xY.535@newsreading01.news.tds.net>
Reply-To: ham@hayseedhamfest.com
NNTP-Posting-Host: smnr-03-1314.dsl.iowatelecom.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
X-Trace: news.netins.net 1231695790 3850 69.66.237.34 (11 Jan 2009 17:43:10 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 11 Jan 2009 17:43:10 +0000 (UTC)
To: steve carey <scarey@tds.net>
User-Agent: Thunderbird 2.0.0.19 (Windows/20081209)
In-Reply-To: <sSh9l.603$xY.535@newsreading01.news.tds.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:1226

steve carey wrote:
> Looking for knobs for the HQ series rx can any body help
>
>
Steve, the various models are not all the same.  The HQ-129X set is
unique and relatively expensive.  The later models aren't.  What
particular model(s) are you looking for?

73,
Tom N�JMY.  .

www.hayseedhamfest.com
Multi-section Can Capacitors
for Heathkit, Drake, more...


From -8938962058087394567
X-Google-Thread: 108122,d0c971411640aa2
X-Google-Thread: fc8b1,d0c971411640aa2
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!news.astraweb.com!
```

border5.newsrouter.astraweb.com!not-for-mail
From: geek <geek@localhost.localdomain>
Subject: Re: FA: JOHNSON Viking Ranger II transmitter
Date: Sun, 11 Jan 2009 22:41:39 -0800
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))
Message-Id: <pan.2009.01.12.06.41.38.38616@localhost.localdomain>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <c74f8470c627ef1f74051942540aaabc@pseudo.borked.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 9
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 6a8cefa5.news.astraweb.com
X-Trace: DXC=MY[MdDg8B[V7HkD[4f_4]SL?0kYOcDh@Zic2h253iQlVL9l6XX8>c:
\FDS<UL7kA@\nh2cCTA><0_ld3T:]K=EoT=AU8U6db\?^
Xref: g2news1.google.com rec.radio.amateur.equipment:1013
rec.radio.amateur.boatanchors:1715

On Sun, 11 Jan 2009 07:12:05 -0700, DC wrote:

> http://atu.ca/VikingRangerII

Your server isn't responding. Maybe we all wanted to look and crashed it
;-D

Cheers!

From -1766363081469735442
X-Google-Thread: 108122,8b8c89a85710544b,start
X-Google-Thread: 1109af,8b8c89a85710544b,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!transit3.readnews.com!textspool1.readnews.com!news-
out.readnews.com!postnews3.readnews.com!nr5.newsreader.com.POSTED!not-for-mail
Subject: ARRL Ham Radio License Manual -Tech
From: Nick Cramer <n_cramer@pacbell.net>
Organization: NewsReader.Com $9.95/Month 30GB
Message-ID: <20090112062243.361$cm@newsreader.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
X-NRC-Trace: NewsReader.Com LsV,icQpN@wE4m9sfXqqS,20rXeHOj-ejWq_L@cZAP1+/J-
Date: 12 Jan 2009 11:20:25 GMT
Lines: 7
NNTP-Posting-Host: 01aa0456.nr5.newsreader.com
X-Trace: DXC==_[icRC8R?
BJl9TGa@Ug:FOA8_@f\K_iBKL^KARU;bCG\1B=d:X[88Mo5i<cZ<<3CO2m5T0`>4Z:A
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1228 rec.radio.swap:1517

Got my Tech ticket. You pay postage or pick it up.

--
Nick, KI6VAV. Support severely wounded and disabled Veterans and their
families! I support them at https://www.woundedwarriorproject.org/
Thank a Veteran and Support Our Troops.
You are not forgotten.   Thanks ! !   ~Semper Fi~

From -5862376071227145529
X-Google-Thread: 108122,dbc4586a78ad800,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2.glorb.com!
bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews4.bellsouth.net.POSTED!6862afdb!not-for-mail
From: "ArtLab" <artlab@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Various pieces of equipment in excellent condition.
Lines: 49
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <SANal.2956$MT3.2054@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbooklkpompkngiedgebfpcnbikilhpmnndia
fkikpajibbjigkbpkpibafciodoakgpcjignnconmkiefjbnokfidicclepkhhhbfbbgdbemghfool
NNTP-Posting-Date: Mon, 12 Jan 2009 15:18:58 EST
Organization: BellSouth Internet Group
Date: Mon, 12 Jan 2009 15:20:29 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1229

The following has been priced for a quick sale:

Icom Model IC-745 HF all band, all modes, all solid state transceiver.
General coverage receiver. Duel VFO, 16 memmories.   With FM board
installed.   New RAM battery just replaced. Includes Microphone, manual
and DC cable. Never used mobile.   Excellent condition throughout.

$310 includes shipping

27 amp. Regulated Power supply, 12 volts DC. Nippon America, with output meter. Excellent condition.

$35 plus shipping charges.

Antenna Tuner. Mfj-949C Versa Tuner II. Will handle up to 300 W. of RF output. With SWR/wattmeter. Owner's manual included. In excellent condition.

$ 70 includes shipping

AEA Model PK-232 Data Controller. No upgrades, no modifications. Very little use, In Excellent condition.

$40 includes shipping

All of the above equipment has been in storage (carefully packaged, in a closet, in my home) for the last 9 years or so.

From 617899234887451617
X-Google-Thread: 108122,bf0bbcd55272acfc,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.glorb.com!
wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Weller soldering iron
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <aJSal.522192$yE1.506882@attbi_s21>
NNTP-Posting-Host: 173.21.179.211
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1231812550 173.21.179.211 (Tue, 13 Jan 2009 02:09:10 GMT)

```
NNTP-Posting-Date: Tue, 13 Jan 2009 02:09:10 GMT
Organization: AT&T ASP.att.net
Date: Tue, 13 Jan 2009 02:09:10 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1016
```

Looking for just the TC201 soldering iron that goes with their TC202 station. Actually, if I could just find out what the two IC's are that are house numbered, I could likely repair the one I have.

W4ZCB

```
From -8989838266302439335
X-Google-Thread: 108122,9953d60be994d1ad,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-xfer.nntp.sonic.net!
news.astraweb.com!border2.newsrouter.astraweb.com!flph200.ffdc.sbc.com!
prodigy.net!flph199.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!
nlpi065.nbdc.sbc.com.POSTED!f91b684c!not-for-mail
From: aRKay <arkayREMOVE@qsl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: SignaLink SL-1+ due 3-Dec 17:08 PST
Organization: iMac 2.4 GHz  Intel Core 2 Duo
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Face: nrf3>{WQ6c&r+7@e)"]0G60`-6ND^)I2mI%>)QGYa=9"=7jhd-g2|b3!>Al0+
        Ccb%xGQshhi|g@QU2$
X-Face-Author: Tony Svanstrom mailto:tls@kagi.com http://www.svanstrom.com/
               If you want to use it please also use this Authorline.
Message-ID: <arkayREMOVE-C989F3.03120803122008@news.houston.sbcglobal.net>
Lines: 19
NNTP-Posting-Host: 70.129.201.145
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi065.nbdc.sbc.com 1228295545 ST000 70.129.201.145 (Wed, 03 Dec 2008
04:12:25 EST)
NNTP-Posting-Date: Wed, 03 Dec 2008 04:12:25 EST
X-UserInfo1:
OX]IR[OG\ZRUCFLYZBNXKQ@@AZJDB\XILA]T]_MIJQR@EPIB_VUKAH_[MTX\IS[K[NGYJJFNOFZR_G[BUN
TAOQLFE^TEHRPI]PZZRP_BMDSFQFL_]CBHXRWCMDCUZAZN@D_AKMNLEI]MWHCSXL^]NNC__CZFGSGHYYXW
PFG@SCAVA]\FT\@B\RDGENSUQS^M
Date: Wed, 03 Dec 2008 03:12:25 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:911
```

This is an unmodified like new Tigertronics SignaLink Model SL-1+ Sound Card - Radio Interface. The SL-1+ is described in detail at <http://www.tigertronics.com/>. Just click on SignaLink SL-1+. This is not the USB version.

The internal jumpers are set for use with a Kenwood but can easily be reset for other rigs. You will receive the SL-1+,the

manual from Tigertronics and two interface cables. The SL-1+
radio cable has an 8-Pin Mic plug that was never used. The
other is a never used 5 foot cable with male 3.5 mm stereo
connectors.

Worked perfect when last used but sold as is. Will not ship
outside of the US. Shipping is $8.00 for Priority Mail

Bidding starts at $45 and End Dec-03-08�17:08:36 PST

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=260323717383&ssPageNam

From 6740627241884372914
X-Google-Thread: 108228,2eab9703ddfd2279,start
X-Google-Thread: 108122,2eab9703ddfd2279,start
X-Google-Attributes: gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!newsfeed.straub-nv.de!feeder1.news.weretis.net!
newsfeeder.dynfx.net!weretis.net!feeder.news-service.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!news.wiretrip.org!news.dizum.com!
sewer-output!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: FA: Collins Radio "Gold Dust Twins" KWS-1 transmitter and 75A-4 receiver
Message-ID: <25ad0a4d94e9f64f12a3f69f09107348@pseudo.borked.net>
Date: Wed, 3 Dec 2008 06:45:01 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 1
Xref: g2news1.google.com alt.ham-radio.marketplace:316
rec.radio.amateur.equipment:912

http://atu.ca/GoldDustTwins

From 1171601168981123721
X-Google-Thread: 108122,3dc94f29b8e9f522,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v5g2000prm.googlegroups.com!not-for-
mail
From: Clayton <19LCE81@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FOR SALE: Command Set Transmitter
Date: Wed, 3 Dec 2008 12:16:54 -0800 (PST)
Organization: http://groups.google.com
Lines: 14
Message-ID: <72cb927b-edc3-4752-b77c-500973c3070f@v5g2000prm.googlegroups.com>
NNTP-Posting-Host: 207.200.116.133

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1228335415 5977 127.0.0.1 (3 Dec 2008 20:16:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Dec 2008 20:16:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v5g2000prm.googlegroups.com; posting-host=207.200.116.133;
     posting-account=cPM9CQoAAACWQE-0rbAAD-iufsJZBjPT
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1;
     FDM),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/3.1.1.2 [uScMs f p eN:t cCMp s ]), HTTP/1.1
     spider-ntc-tc11.proxy.aol.com[CFC8704B] (Prism/1.2.1), HTTP/1.1
     cache-ntc-ac04.proxy.aol.com[CFC87485] (Traffic-Server/6.1.5 [uScM])
Xref: g2news2.google.com rec.radio.amateur.equipment:1127
```

I have a BC-458 transmitter I would like to sell.
It also goes by ARC-5 transmitter,Command Set Transmitter and SCR-274-
N
This was used in WW-II aircraft
This set is untested so is being sold As-Is
It is all there(tubes,etc...)and is in great shape but does have
normal wear for its age.

If you would like more pictures email me and I will send some

I'm asking $80 for it but will take reasonable offers
Plus Shipping

Thank You

```
From -5541434734978668056
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l39g2000yqn.googlegroups.com!not-for-
mail
From: raypsi <RBorowiak@gmail.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Wed, 3 Dec 2008 13:51:53 -0800 (PST)
Organization: http://groups.google.com
Lines: 46
Message-ID: <7ed1b40c-3269-4713-a1ea-a4b1e2a72a6e@l39g2000yqn.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
     <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com>
     <ggmekg$fmh$1@news.albasani.net> <47ae8004-
```

```
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
     <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
     <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
     <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
     <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
     <20081129174111.728$gv@newsreader.com>
NNTP-Posting-Host: 76.226.127.85
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1228341113 22947 127.0.0.1 (3 Dec 2008 21:51:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Dec 2008 21:51:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l39g2000yqn.googlegroups.com; posting-host=76.226.127.85;
     posting-account=fLVwTAoAAAAuuduBMbjTK6IYA_V3PAap
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.18)
     Gecko/20081029 Firefox/2.0.0.18,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.homebrew:1684 rec.radio.cb:6100
rec.radio.amateur.equipment:1128

On Nov 29, 5:42 pm, Steve <moparho...@hotmail.com> wrote:
> JIMMIE <jimmi...@gmail.com> wrote:
> > On Nov 29, 9:44=A0am, Telstar Electronics <briangrif...@sbcglobal.net>
> > wrote:
> > > > So did Mouser assist you in the design, or put up money to market you
> > > > splatter circuit? Do they get a cut of your business? Do they sell
> > > > your junk in their catalog? Or is your only partnership just that you
> > > > order parts from them? Do they even know what you order parts for?
> > > > Partner with Mouser, yeah right, just more telestar hype.
>
> > > Commander... Like I said earlier... the dictionary defines partner as
> > > "One that is united or associated
> > > with another or others in an activity or a sphere of common interest."
> > > I guess you're not able to comprehend that sentence. Not really
> > > surprising. If you're looking for an argument... I only argue with
> > > worthwhile adversaries... lol
>
> > Perhaps Mouser should be informed of this claim to partnership. They
> > may very interested.
>
> > Jimmie
>
> Oh no, are you going to report him to Mouser?
>
> --
>                   http://NewsReader.Com/

Hey OM

well I tell you what let's say a certain company is running
```

racketeering like some big electronics firm.
This racket involves taking peoples money and laundering it then giving it back after it's been laundered. Now lets say you partnered with this company then you too would be guilty of racketeering which under RICO laws is a felony.

So in the end your so called definition of partner would fall under the guise of RICO and you will go to jail for a real long time and your best friend in jail will be bubba.

In other words your guilty by association.

73 OM

n8zu

```
From 60866421421234303
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!v4g2000yqa.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Thu, 4 Dec 2008 04:33:01 -0800 (PST)
Organization: http://groups.google.com
Lines: 14
Message-ID: <9411fb1f-87c4-4746-b4e6-da5017bb2024@v4g2000yqa.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
     <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com>
     <ggmekg$fmh$1@news.albasani.net> <47ae8004-
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
     <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
     <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
     <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
     <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
     <20081129174111.728$gv@newsreader.com> <7ed1b40c-3269-4713-a1ea-
a4b1e2a72a6e@l39g2000yqn.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1228393981 29261 127.0.0.1 (4 Dec 2008 12:33:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 4 Dec 2008 12:33:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: v4g2000yqa.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:1391 rec.radio.cb:4819
rec.radio.amateur.equipment:915
```

> well I tell you what let's say a certain company is running
> racketeering like some big electronics firm.
> This racket involves taking peoples money and laundering it then
> giving it back after it's been laundered. Now lets say you partnered
> with this company then you too would be guilty of racketeering =A0which
> under RICO laws is a felony.
> So in the end your so called definition of partner would fall under
> the guise of RICO and you will go to jail for a real long time and
> your best friend in jail will be bubba.
> In other words your guilty by association.
> n8zu

I had no idea so many attorneys frequented this group... lol

```
From -3403309525466798833
X-Google-Thread: 108122,6c5cf0eddb83406b,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!b74219fb!
not-for-mail
From: Michael <not.valid.dont.bother@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Any new HF rigs from Kenwood on the horizon?
Message-ID: <8m9hj4tvlr83nuuodvkkfmi5qqo7pe8aqq@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbobkflianlohkcchgjlckfpbenogbkjepfon
onmamaoehaoagjleihdjimhnjkbkcgihbbjoldfngcmehnbidononokjghnhaonaldkljeplihjnep
NNTP-Posting-Date: Thu, 04 Dec 2008 22:58:57 EST
Organization: BellSouth Internet Group
Date: Thu, 04 Dec 2008 23:01:02 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1130
```

So does anyone know if Kenwood has any new HF ham radios on the horizon? I've looked hard at the TS-2000 and TS-480, but I could not brign myself to buy them. The A/B comparisons with the TS-2000 to other HF standards is too dismal, and the TS-480 is too ugly. I hope the next radio is more sensitive, more selective, less noisy, and alot better looking that the TS-2000.

From -6327095837681470955
X-Google-Thread: 108122,6c5cf0eddb83406b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Dec 2008 04:11:27 -0600
From: "Ken chattenton" <k.chattenton@btopenworld.com>
Newsgroups: rec.radio.amateur.equipment
References: <8m9hj4tvlr83nuuodvkkfmi5qqo7pe8aqq@4ax.com>
Subject: Re: Any new HF rigs from Kenwood on the horizon?
Date: Fri, 5 Dec 2008 09:53:37 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <XaudnYjYvb3SY6XUnZ2dnUVZ8rGdnZ2d@bt.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-zZPvs6GG01KpV7vPw0Aex8Bk/
5zUz2wP2sKl0h5sblHLtwRWSceJhGxAyungKAGW8t3wb2tVpmJEiR9!
2ti5iarnwymdT0n+2v8uusSyQ9a+rQ6jZfPEfHMBt3hxVctsClsI1isyJBfqPywWTRE1pKGXtizX
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:1131

HI from Ken, G4KIR,

It appears (from rumours) that "Kenwood" have now ceased producing new HF Transceivers.
They still seem to be interested in the VHF, UHF side of our hobby though.

It's a shame we may not see anymore HF equipment from this once very popular company.

Hope this helps, cheers, Ken, G4KIR.

"Michael" <not.valid.dont.bother@hotmail.com> wrote in message >
> So does anyone know if Kenwood has any new HF ham radios on the
> horizon?

From 9133598038576697690
X-Google-Thread: 108122,6c5cf0eddb83406b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!
198.186.194.250.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any new HF rigs from Kenwood on the horizon?
Date: Fri, 5 Dec 2008 12:04:01 +0000 (UTC)
Organization: MGT Consulting
Lines: 29
Message-ID: <slrngji62j.cpc.gsm@cable.mendelson.com>
References: <8m9hj4tvlr83nuuodvkkfmi5qqo7pe8aqq@4ax.com>
<XaudnYjYvb3SY6XUnZ2dnUVZ8rGdnZ2d@bt.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-45-148.bb.netvision.net.il
X-Trace: max.inside.misty.com 1228478641 27756 89.138.45.148 (5 Dec 2008 12:04:01
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Fri, 5 Dec 2008 12:04:01 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:918

Ken chattenton wrote:
> HI from Ken, G4KIR,
>
> It appears (from rumours) that "Kenwood" have now ceased producing new HF
> Transceivers.
> They still seem to be interested in the VHF, UHF side of our hobby though.

Since we are repeating rumors I have heard from several sources, all of whom may have heard it from the same place, so all I suggest you assume is that it is a popular rumor, not necessarily a truthful one, is that they are being bought by a large consumer electronics company.

If that is truely the case, their new masters may have a different idea.

As an example, the camera maket dried up a few years ago in the shift from film to digital. Konica merged with Minolta and then went bust, Sony bought the remains and now makes good digital cameras using their technology.

Nikon was bought out by a different large consumer electronics company, and they have prospered.

I would not count them out.

Meanwhile try Ten-Tec :-)

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

From -8998197594556996793
X-Google-Thread: 108122,dc8f769f7c5d0308,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!news2.arglkargh.de!news.karotte.org!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "PA3HGT" <jaja@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICom IC970 and PS35
Date: Fri, 5 Dec 2008 18:56:05 +0100
Lines: 17
Message-ID: <6pt89cF9tf64U1@mid.individual.net>
X-Trace: individual.net +JMNK4JNX9CLkXH3B9y70QNudsXT2dogHqGtE62r6UkeANcIVy
Cancel-Lock: sha1:YthLGPf4PG+aMoWtLf+9DFm2oCk=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:920

Hello,

I have a qeustion about the PS35 , the internal PS for the IC970H.
Can this supply auto-detect 110 and 220 volts so no switch is needed to set
from 110 tot 220 volts ?

Met vriendelijke groet,
Best regards,

Hans Pluijgers
HAM-callsign PA3HGT

www.pa3hgt.nl

From 5526800564064058479

```
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!x38g2000yqj.googlegroups.com!not-for-
mail
From: JIMMIE <jimmie68@gmail.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Fri, 5 Dec 2008 10:04:30 -0800 (PST)
Organization: http://groups.google.com
Lines: 65
Message-ID: <d6511cf0-1b00-4906-b953-86b366b5da03@x38g2000yqj.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
     <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com>
     <ggmekg$fmh$1@news.albasani.net> <47ae8004-
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
     <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
     <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
     <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
     <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
     <20081129174111.728$gv@newsreader.com> <7ed1b40c-3269-4713-a1ea-
a4b1e2a72a6e@l39g2000yqn.googlegroups.com>
NNTP-Posting-Host: 155.178.5.10
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1228500271 5834 127.0.0.1 (5 Dec 2008 18:04:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 5 Dec 2008 18:04:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x38g2000yqj.googlegroups.com; posting-host=155.178.5.10;
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.4)
     Gecko/2008102920 Firefox/3.0.4,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:1411 rec.radio.cb:4845
rec.radio.amateur.equipment:921

On Dec 3, 4:51=A0pm, raypsi <RBorow...@gmail.com> wrote:
> On Nov 29, 5:42 pm, Steve <moparho...@hotmail.com> wrote:
>
>
>
>
>
>
>
> > JIMMIE <jimmi...@gmail.com> wrote:
> > > On Nov 29, 9:44=3DA0am, Telstar Electronics <briangrif...@sbcglobal.n=
et>
```

```
> > > wrote:
> > > > > So did Mouser assist you in the design, or put up money to market=
 you
> > > > > splatter circuit? Do they get a cut of your business? Do they sel=
l
> > > > > your junk in their catalog? Or is your only partnership just that=
 you
> > > > > order parts from them? Do they even know what you order parts for=
?
> > > > > Partner with Mouser, yeah right, just more telestar hype.
>
> > > > Commander... Like I said earlier... the dictionary defines partner =
as
> > > > "One that is united or associated
> > > > with another or others in an activity or a sphere of common interes=
t."
> > > > I guess you're not able to comprehend that sentence. Not really
> > > > surprising. If you're looking for an argument... I only argue with
> > > > worthwhile adversaries... lol
>
> > > Perhaps Mouser should be informed of this claim to partnership. They
> > > may very interested.
>
> > > Jimmie
>
> > Oh no, are you going to report him to Mouser?
>
> > --
> > =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0http://NewsReader.Com/
>
> Hey OM
>
> well I tell you what let's say a certain company is running
> racketeering like some big electronics firm.
> This racket involves taking peoples money and laundering it then
> giving it back after it's been laundered. Now lets say you partnered
> with this company then you too would be guilty of racketeering =A0which
> under RICO laws is a felony.
>
> So in the end your so called definition of partner would fall under
> the guise of RICO and you will go to jail for a real long time and
> your best friend in jail will be bubba.
>
> In other words your guilty by association.
>
> 73 OM
>
> n8zu

Thats happened, when you raid a cathouse you get the piano player too.
Perhaps one could prove their disassociation enough to stay out of
jail but your lawyer may be putting a new addition on his house and
dedicating it to you.
```

```
From 503287045521753435
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!news-
xxxfer.readnews.com!transit4.readnews.com!news-out.readnews.com!
postnews3.readnews.com!nr5c.newsreader.com.POSTED!not-for-mail
Subject: Re: VoiceMax Speech Processor
From: Steve <moparholic@hotmail.com>
Organization: essb audio
Message-ID: <20081205192241.772$qD@newsreader.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
<10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
<tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com> <ggmekg$fmh$1@news.albasani.net>
<47ae8004-a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
<ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
<046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
<190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
<00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
<20081129174111.728$gv@newsreader.com> <7ed1b40c-3269-4713-a1ea-
a4b1e2a72a6e@l39g2000yqn.googlegroups.com>
X-NRC-Trace: NewsReader.Com y52Ep6BZsFRu40GR05BmSoy+tiQM4zi1HfqL@cjY-XV48U
Date: 06 Dec 2008 00:23:43 GMT
Lines: 58
NNTP-Posting-Host: 007722fb.nr5c.newsreader.com
X-Trace: DXC=KVSeG`[MMOdgANm88P;Z?dTBAE>]OkP]m_U[i288Bd=hie>QonokMnch?
P8;AJZT_hg_TfMHQMcfa
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.homebrew:1710 rec.radio.cb:6144
rec.radio.amateur.equipment:1136

raypsi <RBorowiak@gmail.com> wrote:
> On Nov 29, 5:42 pm, Steve <moparho...@hotmail.com> wrote:
> > JIMMIE <jimmi...@gmail.com> wrote:
> > > On Nov 29, 9:44=A0am, Telstar Electronics
> > > <briangrif...@sbcglobal.net> wrote:
> > > > > So did Mouser assist you in the design, or put up money to market
> > > > > you splatter circuit? Do they get a cut of your business? Do they
> > > > > sell your junk in their catalog? Or is your only partnership just
> > > > > that you order parts from them? Do they even know what you order
> > > > > parts for? Partner with Mouser, yeah right, just more telestar
> > > > > hype.
> >
> > > > Commander... Like I said earlier... the dictionary defines partner
> > > > as "One that is united or associated
> > > > with another or others in an activity or a sphere of common
```

> > > > interest." I guess you're not able to comprehend that sentence. Not
> > > > really surprising. If you're looking for an argument... I only
> > > > argue with worthwhile adversaries... lol
> >
> > > Perhaps Mouser should be informed of this claim to partnership. They
> > > may very interested.
> >
> > > Jimmie
> >
> > Oh no, are you going to report him to Mouser?
> >
> > --
> >   http://NewsReader.Com/
>
> Hey OM
>
> well I tell you what let's say a certain company is running
> racketeering like some big electronics firm.
> This racket involves taking peoples money and laundering it then
> giving it back after it's been laundered. Now lets say you partnered
> with this company then you too would be guilty of racketeering which
> under RICO laws is a felony.
>
> So in the end your so called definition of partner would fall under
> the guise of RICO and you will go to jail for a real long time and
> your best friend in jail will be bubba.
>
> In other words your guilty by association.
>
> 73 OM
>
> n8zu
>
Hello zu,

You're right about the guilt by association, just look at what happened to
OJ Simpsons' friend today. 15 years is along way to go for a ride along.

73
Steve.

--
                 http://NewsReader.Com/

From -9006165685257244753
X-Google-Thread: 108122,b95dec3d20a255fd
X-Google-Thread: fc2a5,b95dec3d20a255fd
X-Google-Thread: 107ada,b95dec3d20a255fd
X-Google-Thread: 110c99,b95dec3d20a255fd
X-Google-Thread: 111320,b95dec3d20a255fd
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2!feeder.erje.net!
fdn.fr!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Runge13" <philsa@bigfoot.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
References: <b8ce10db-378c-4ac2-81a5-f4fb023239ac@f3g2000yqf.googlegroups.com>
<zVYYk.2602$UI2.2449@bignews6.bellsouth.net>
<49347c37.40462203@newsgroups.bellsouth.net>
In-Reply-To: <49347c37.40462203@newsgroups.bellsouth.net>
Subject: Re: Females love to show off in front of their webcams
Date: Sat, 6 Dec 2008 22:24:53 +0100
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16669
Lines: 23
Message-ID: <493aedb9$0$938$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 06 Dec 2008 22:25:14 CET
NNTP-Posting-Host: 83.114.232.115
X-Trace: 1228598714 news.orange.fr 938 83.114.232.115:2711
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:1137
rec.radio.amateur.homebrew:1719 rec.radio.amateur.misc:1874 rec.running:7219
rec.scouting.issues:1810

Hypocrits
"J. Hugh Sullivan" <Eagle@bellsouth.net> a �crit dans le message de
news:49347c37.40462203@newsgroups.bellsouth.net...
> On Mon, 1 Dec 2008 16:47:04 -0500, "Ed Cregger"
> <ecregger@bellsouff.net> wrote:
>
>>If they're not talking on ham radio, we're not interested.
>>
>>Ed, N2ECW
>
> Concur.
>
> Hugh, WA4QZU
>>
>>-------
>>
>><elvinabr@gmail.com> wrote in message
>>news:b8ce10db-378c-4ac2-81a5-f4fb023239ac@f3g2000yqf.googlegroups.com...
>>> Females love webcams http://westsex.withsex.com
```

```
>>
>>
>



From 3658092238432469591
X-Google-Thread: 108122,dc8f769f7c5d0308
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-
for-mail
Message-ID: <493B2CF1.8010606@NETTALLY.COM>
Date: Sat, 06 Dec 2008 20:54:57 -0500
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
To: PA3HGT <jaja@hotmail.com>
Subject: Re: ICom IC970 and PS35
References: <6pt89cF9tf64U1@mid.individual.net>
In-Reply-To: <6pt89cF9tf64U1@mid.individual.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 30
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:924

PA3HGT wrote:
> Hello,
>
> I have a qeustion about the PS35 , the internal PS for the IC970H.
> Can this supply auto-detect 110 and 220 volts so no switch is needed to set
> from 110 tot 220 volts ?
>
>
> Met vriendelijke groet,
> Best regards,
>
> Hans Pluijgers
> HAM-callsign PA3HGT
>
> www.pa3hgt.nl
>
>
No auto detect, you have to move jumpers;

See link for more info.
```

http://www.ab4oj.com/icom/ps35/main.html

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From 3079051180297616482
X-Google-Thread: 108122,6c5cf0eddb83406b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!nlpi057.nbdc.sbc.com!
prodigy.net!flph199.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!
flpi143.ffdc.sbc.com.POSTED!f91b684c!not-for-mail
From: aRKay <arkayREMOVE@qsl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any new HF rigs from Kenwood on the horizon?
Organization: iMac 2.4 GHz  Intel Core 2 Duo
References: <8m9hj4tvlr83nuuodvkkfmi5qqo7pe8aqq@4ax.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Face: nrf3>{WQ6c&r+7@e)"]0G60`-6ND^)I2mI%>)QGYa=9"=7jhd-g2|b3!>Al0+
        Ccb%xGQshhi|g@QU2$
X-Face-Author: Tony Svanstrom mailto:tls@kagi.com http://www.svanstrom.com/
               If you want to use it please also use this Authorline.
Message-ID: <arkayREMOVE-383D0E.21050206122008@news.houston.sbcglobal.net>
Lines: 14
NNTP-Posting-Host: 99.179.96.212
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi143.ffdc.sbc.com 1228618970 ST000 99.179.96.212 (Sat, 06 Dec 2008
22:02:50 EST)
NNTP-Posting-Date: Sat, 06 Dec 2008 22:02:50 EST
X-UserInfo1:
TSU[@I_A\S@WSPDX\JIB^_TDTJYNQBQLGPQRJVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Sat, 06 Dec 2008 21:05:02 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:1139
```

In article <8m9hj4tvlr83nuuodvkkfmi5qqo7pe8aqq@4ax.com>,
 Michael <not.valid.dont.bother@hotmail.com> wrote:

> So does anyone know if Kenwood has any new HF ham radios on the
> horizon? I've looked hard at the TS-2000 and TS-480, but I could not
> brign myself to buy them. The A/B comparisons with the TS-2000 to
> other HF standards is too dismal, and the TS-480 is too ugly. I hope
> the next radio is more sensitive, more selective, less noisy, and alot
> better looking that the TS-2000.

Don't hold your breath. I had a TS-570D and when it went out of production I purchased a TS-2000. Hated the rig and sold it and purchased a TS-570S. I guess it is sort of like remarrying the same woman. I am a happy camper with the TS-570S.

From 8112046716201998022
X-Google-Thread: fcc6e,9e162f6508849ef5,start
X-Google-Thread: 11480d,9e162f6508849ef5,start
X-Google-Thread: 108122,9e162f6508849ef5,start
X-Google-Thread: fc2a5,9e162f6508849ef5,start
X-Google-Thread: 10b9c8,9e162f6508849ef5,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1226041500@panix.com>
Followup-To: poster
Date: 7 Dec 2008 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Jan 2009 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1228633501@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1228633502 22231 166.84.1.2 (7 Dec 2008 07:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Dec 2008 07:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:6325 rec.radio.amateur.dx:197 rec.radio.amateur.equipment:926 rec.radio.amateur.homebrew:1428 rec.radio.info:386

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our

newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -4448619857490495281
X-Google-Thread: 108122,cceec92e1f811bcf,start
X-Google-Thread: 1109af,cceec92e1f811bcf,start
X-Google-Thread: 10b9c8,cceec92e1f811bcf,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
209.244.4.230!newsfeed1.dallas1.level3.net!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1226041800@panix.com>
Followup-To: poster
Date: 7 Dec 2008 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Jan 2009 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1228633800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com

X-Trace: reader1.panix.com 1228633801 27089 166.84.1.2 (7 Dec 2008 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Dec 2008 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:927 rec.radio.swap:973 rec.radio.info:387

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 6117444479658407994
X-Google-Thread: fc8b1,30bde57010031c1a,start
X-Google-Thread: fc2a5,30bde57010031c1a,start

```
X-Google-Thread: 108122,30bde57010031c1a,start
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y18g2000yqn.googlegroups.com!not-for-
mail
From: mjsilva@embarqmail.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: FA: MOPA 2-Tube Transmitter Instant Junkbox parts assortment
Date: Mon, 8 Dec 2008 09:07:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <4fcc0d8f-5a41-46e9-be38-c1619125043f@y18g2000yqn.googlegroups.com>
NNTP-Posting-Host: 71.3.103.150
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1228756043 10979 127.0.0.1 (8 Dec 2008 17:07:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 Dec 2008 17:07:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y18g2000yqn.googlegroups.com; posting-host=71.3.103.150;
     posting-account=1stP5woAAADDs6CGcEBL7H05Epw-H_jm
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; .NET CLR 3.0.04506; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1884
rec.radio.amateur.homebrew:1771 rec.radio.amateur.equipment:1142
```

I had this idea a while back, to thin out my stuff in what I think is a useful and interesting way. Along the way I ended up having to buy a bunch of new stuff as well (e.g. the brand new tune and load variable caps). So take a look - might be a fun way to spend some winter evenings.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=160303721771

73,
Mike, KK6GM

```
From 8527350942668639827
X-Google-Thread: 108122,4133ef2a2f523d85,start
X-Google-Thread: 1109af,4133ef2a2f523d85,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!
nwrddc02.gnilink.net.POSTED!4f97008e!not-for-mail
From: "Lou" <commctr1@verizon.net>
```

```
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS/FT Two (2) Radius GP300s VHF 16 channel
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <Dvh%k.572$c35.166@nwrddc02.gnilink.net>
Date: Mon, 08 Dec 2008 22:49:07 GMT
NNTP-Posting-Host: 71.175.237.244
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1228776547 71.175.237.244 (Mon, 08 Dec 2008 17:49:07 EST)
NNTP-Posting-Date: Mon, 08 Dec 2008 17:49:07 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:929 rec.radio.swap:981
X-Original-Bytes: 1109
```

These are VHF 16 channel with chargers and speaker mics. I'm looking for a
UHF GM300 16 channel 40 watt.
Will sell both radio's for $125 plus shipping.
I'm in SE, Pa..
If interested let me know via email.

```
From 8056224142012034938
X-Google-Thread: 108122,de0b4480b320f54c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e10g2000vbe.googlegroups.com!not-for-mail
From: "rs2atmink@yahoo.com" <rs2atmink@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: PR Crystals 7132KHz 3703KHz and 7163KHz
Date: Mon, 8 Dec 2008 18:09:42 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <4cafaaac-d5f9-4bfc-9cdf-39ddf024e385@e10g2000vbe.googlegroups.com>
NNTP-Posting-Host: 68.80.200.77
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1228788583 24889 127.0.0.1 (9 Dec 2008 02:09:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 Dec 2008 02:09:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e10g2000vbe.googlegroups.com; posting-host=68.80.200.77;
     posting-account=5qw2FwkAAAAmXNzF65P5v1OSREk3HW2g
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.8.1.13)
     Gecko/20080313 SeaMonkey/1.1.9,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:930
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=150315074135

also another crystal for 7050KHz

```
From -5831008987218432231
X-Google-Thread: 108122,31960fe760eab04,start
X-Google-Thread: fc2a5,31960fe760eab04,start
X-Google-Thread: 107ada,31960fe760eab04,start
X-Google-Thread: 110c99,31960fe760eab04,start
X-Google-Thread: 111320,31960fe760eab04,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s9g2000prg.googlegroups.com!not-for-
mail
From: elvinabr@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: our real femme
Date: Tue, 9 Dec 2008 07:37:11 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <42837a00-2f00-4c66-a754-8150029c8cb3@s9g2000prg.googlegroups.com>
NNTP-Posting-Host: 94.178.166.17
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1228837032 15314 127.0.0.1 (9 Dec 2008 15:37:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 Dec 2008 15:37:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s9g2000prg.googlegroups.com; posting-host=94.178.166.17;
     posting-account=Iq4AEgoAAAAzw2EHegLKObvlQ62MXhS6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:931
rec.radio.amateur.homebrew:1503 rec.radio.amateur.misc:1632 rec.running:5714
rec.scouting.issues:956
```

Some of our real femme http://wesexy.byethost8.com/

```
From 6523226483178526235
X-Google-Thread: 108122,3a9155d30d8011ce,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: DUTCH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2!feeder.erje.net!
```

newsfeed01.sul.t-online.de!t-online.de!fu-berlin.de!uni-berlin.de!individual.net!
not-for-mail
From: "PA3HGT" <jaja@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-970 group
Date: Wed, 10 Dec 2008 21:59:01 +0100
Lines: 16
Message-ID: <6qaoseFbop7uU1@mid.individual.net>
X-Trace: individual.net K59y5F7i65XLuvtM7WUzmwT1e4TxEwNjSEhXINxOFs08ljPmqb
Cancel-Lock: sha1:WElmxn45b93MH6IJUl8vPDcJapc=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Xref: g2news2.google.com rec.radio.amateur.equipment:1146

Hello all,

For who are interested:

http://groups.yahoo.com/group/IC-970/

--
Met vriendelijke groet,
Best regards,

Hans Pluijgers
HAM-callsign PA3HGT

www.pa3hgt.nl

From -3241383686928430123
X-Google-Thread: 108228,f6d961e8affb17cc,start
X-Google-Thread: 108122,f6d961e8affb17cc,start
X-Google-Thread: fb049,f6d961e8affb17cc,start
X-Google-Thread: 10ed5f,f6d961e8affb17cc,start
X-Google-Attributes:
gid108228,gid108122,gidfb049,gid10ed5f,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!mail2news-
x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,alt.ham-
radio.vhf-uhf,alt.ham-radio
Subject: FA: YAESU FT-847 ultra-compact satellite transceiver
Message-ID: <aeb8317271d5a1c382ff57448bd6e798@pseudo.borked.net>
Date: Thu, 11 Dec 2008 08:46:51 -0700 (MST)

```
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:322
rec.radio.amateur.equipment:933 alt.ham-radio.vhf-uhf:420 alt.ham-radio:304

http://atu.ca/YaesuFT847




From -6825075359456619645
X-Google-Thread: fc8b1,30bde57010031c1a
X-Google-Thread: fc2a5,30bde57010031c1a
X-Google-Thread: 108122,30bde57010031c1a
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!y18g2000yqn.googlegroups.com!not-for-
mail
From: raypsi <RBorowiak@gmail.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: Re: FA: MOPA 2-Tube Transmitter Instant Junkbox parts assortment
Date: Thu, 11 Dec 2008 12:58:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 24
Message-ID: <dc5059f2-63d7-4818-a518-1d9bb79bd062@y18g2000yqn.googlegroups.com>
References: <4fcc0d8f-5a41-46e9-be38-c1619125043f@y18g2000yqn.googlegroups.com>
NNTP-Posting-Host: 76.226.231.61
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1229029103 17027 127.0.0.1 (11 Dec 2008 20:58:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 Dec 2008 20:58:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y18g2000yqn.googlegroups.com; posting-host=76.226.231.61;
     posting-account=fLVwTAoAAAAuuduBMbjTK6IYA_V3PAap
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1552
rec.radio.amateur.homebrew:1523 rec.radio.amateur.equipment:934

On Dec 8, 12:07=A0pm, mjsi...@embarqmail.com wrote:
> I had this idea a while back, to thin out my stuff in what I think is
> a useful and interesting way. =A0Along the way I ended up having to buy
> a bunch of new stuff as well (e.g. the brand new tune and load
> variable caps). =A0So take a look - might be a fun way to spend some
> winter evenings.
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D160303721771
>
> 73,
```

> Mike, KK6GM

Hey OM

I should has learned to play the guitar. Instead I got into
electronics built my first xmitter in '67 using a 6BQ5 xtal osc and
6146A final.
Everything was hot. I used series twist lock caps in the ps, B&W coil,
with aligator clip adjust, multi elmac plate and tune caps, a tv set
power xformer, all that on a punched out 5x7x2 LMB chassis. Even the
Key was hot as I keyed the screen of the 6146A.

73 OM
n8zu

From 6977601587019899061
X-Google-Thread: 108122,aa8412af640f3baa,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 12 Dec 2008 05:13:05 -0600
From: Horsesavy <Horsesavy.387fcba@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Alinco DJ 560
Date: Fri, 12 Dec 2008 05:47:01 +0000
Message-ID: <Horsesavy.387fcba@radiobanter.com>
Organization: RadioBanter.com
Lines: 21
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-tYuOkZZC/
EO7up58sRWHdMnqP2QAiQyXpXR7IwbwncUc5oMmhGcVKCc0kv8YRfbjy9MW8ED35mbjlrU!
HesRVzX4n09V9LbO0j6WTkKBE1YSEteFcM9/bc7OckbTHDpPzi1y/RJ5nA2o6Hio6S2Whi92HHyA!
sRdprZE=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 4
Xref: g2news1.google.com rec.radio.amateur.equipment:935

I have a intresting question about the Aircraft, 800 Mhz Mod for the
Alinco DJ560. Every mod i have found for this radio is wrong. They are
pertaining to the 580, for the 800/aircraft mod. The only jumper is the
orange wire on the IF board whitch opens out of band TX. There are no
red or blue wires to cut at the bottem of the radio, behind the batt
clip. There are two wires buried back on the RF board near the VFO's,
but im not shure they are to be cut, one being red. the only blue wire
is in a harness going from the processor board to the Ptt/Func button

board and i know that one isnt it. In guessing it is a SMD on the board
that has to be removed.

I know this is probibly not of much concern to many, being this radio
is somewhat obsolete and not too popular. But i would a appreciate help
with this intresting problem.
Much thanks.

--
Horsesavy

```
From -6854066111980065022
X-Google-Thread: fc8b1,30bde57010031c1a
X-Google-Thread: fc2a5,30bde57010031c1a
X-Google-Thread: 108122,30bde57010031c1a
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!k24g2000pri.googlegroups.com!not-for-
mail
From: mjsilva@embarqmail.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: Re: FA: MOPA 2-Tube Transmitter Instant Junkbox parts assortment
Date: Fri, 12 Dec 2008 10:02:40 -0800 (PST)
Organization: http://groups.google.com
Lines: 30
Message-ID: <ab4948f6-89a2-4ae9-b128-31740dc76fde@k24g2000pri.googlegroups.com>
References: <4fcc0d8f-5a41-46e9-be38-c1619125043f@y18g2000yqn.googlegroups.com>
     <dc5059f2-63d7-4818-a518-1d9bb79bd062@y18g2000yqn.googlegroups.com>
NNTP-Posting-Host: 71.3.103.150
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1229104990 32160 127.0.0.1 (12 Dec 2008 18:03:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 12 Dec 2008 18:03:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k24g2000pri.googlegroups.com; posting-host=71.3.103.150;
     posting-account=1stP5woAAADDs6CGcEBL7H05Epw-H_jm
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; .NET CLR 3.0.04506; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1911
rec.radio.amateur.homebrew:1821 rec.radio.amateur.equipment:1150
```

On Dec 11, 3:58=A0pm, raypsi <RBorow...@gmail.com> wrote:
> On Dec 8, 12:07=A0pm, mjsi...@embarqmail.com wrote:

>
> > I had this idea a while back, to thin out my stuff in what I think is
> > a useful and interesting way. =A0Along the way I ended up having to buy
> > a bunch of new stuff as well (e.g. the brand new tune and load
> > variable caps). =A0So take a look - might be a fun way to spend some
> > winter evenings.
>
> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D160303721771
>
> > 73,
> > Mike, KK6GM
>
> Hey OM
>
> I should has learned to play the guitar. Instead I got into
> electronics built my first xmitter in '67 using a 6BQ5 xtal osc and
> 6146A final.
> Everything was hot. I used series twist lock caps in the ps, B&W coil,
> with aligator clip adjust, multi elmac plate and =A0tune caps, a tv set
> power xformer, all that on a punched out 5x7x2 LMB chassis. Even the
> Key was hot as I keyed the screen of the 6146A.
>
> 73 OM
> n8zu

That's pretty impressive, fitting that on a 5x7 chassis!

Mike

From -8965042482541700213
X-Google-Thread: 108122,6c5cf0eddb83406b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any new HF rigs from Kenwood on the horizon?
References: <8m9hj4tvlr83nuuodvkkfmi5qqo7pe8aqq@4ax.com>
<XaudnYjYvb3SY6XUnZ2dnUVZ8rGdnZ2d@bt.com> <slrngji62j.cpc.gsm@cable.mendelson.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Date: Fri, 12 Dec 2008 16:52:51 -0500
Message-ID: <m-FDF5ED.16525112122008@news.optonline.net>
Lines: 62
Organization: Optimum Online
NNTP-Posting-Host: 69.119.128.117
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:937

In article <slrngji62j.cpc.gsm@cable.mendelson.com>,
 gsm@mendelson.com (Geoffrey S. Mendelson) wrote:

> Ken chattenton wrote:
> > HI from Ken, G4KIR,
> >
> > It appears (from rumours) that "Kenwood" have now ceased producing new HF
> > Transceivers.
> > They still seem to be interested in the VHF, UHF side of our hobby though.
>
> Since we are repeating rumors I have heard from several sources, all of whom
> may have heard it from the same place, so all I suggest you assume is that
> it is a popular rumor, not necessarily a truthful one, is that they are
> being bought by a large consumer electronics company.
>
> If that is truely the case, their new masters may have a different idea.
>
> As an example, the camera maket dried up a few years ago in the shift
> from film to digital. Konica merged with Minolta and then went bust, Sony
> bought the remains and now makes good digital cameras using their technology.
>
> Nikon was bought out by a different large consumer electronics company,
> and they have prospered.
>
> I would not count them out.
>
> Meanwhile try Ten-Tec :-)
>
> Geoff.

<<be a shame if Kenwood dosn't make any more nice new hf rigs,
some of the features of for ex, the ts-2000x make it really
unique.

it think it's ironic and a bit self contradictory, that while i
enjoy many of the new rigs, some look really great, some sure don't
some do in fact have some nice new features, as was stated here and
as noted here some really will dissapoint

many perhaps more than ever seem to really seek out some of the
older but good rigs

To me my Yeasu FT-102 is great and tough to beat not saying
it's perfect , I played with a friends old collins and was
really impressed at the design aka it looked nice as well as
it's performance,

it's interesting to note that some of these older rigs that are
still considered 'favoriates' were made pre computers yet
somehow guys/companies were still able to produce greatness

some of these older rigs had their own personalities, a cult
following it's definately more than sentimental

maybe some company will produce a really super rig that will become 'the rig' and will stand the test of time, maybe it will even be less than 10grand

cheers

```
From 2308092120413967019
X-Google-Thread: fc8b1,30bde57010031c1a
X-Google-Thread: fc2a5,30bde57010031c1a
X-Google-Thread: 108122,30bde57010031c1a
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder.news-service.com!
69.16.177.246.MISMATCH!cyclone03.ams.highwinds-media.com!news.highwinds-media.com!
npeersf01.ams.highwinds-media.com!newsfe29.ams2.POSTED!7564ea0f!not-for-mail
From: "Theo" <theodore.twyler@ntlworld.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
References: <4fcc0d8f-5a41-46e9-be38-c1619125043f@y18g2000yqn.googlegroups.com>
<dc5059f2-63d7-4818-a518-1d9bb79bd062@y18g2000yqn.googlegroups.com>
<ab4948f6-89a2-4ae9-b128-31740dc76fde@k24g2000pri.googlegroups.com>
Subject: Re: FA: MOPA 2-Tube Transmitter Instant Junkbox parts assortment
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <DaC0l.16363$Ax1.3514@newsfe29.ams2>
NNTP-Posting-Host: 86.15.197.154
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe29.ams2 1229123363 86.15.197.154 (Fri, 12 Dec 2008 23:09:23 UTC)
NNTP-Posting-Date: Fri, 12 Dec 2008 23:09:23 UTC
Organization: virginmedia.com
Date: Fri, 12 Dec 2008 23:09:21 -0000
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1916
rec.radio.amateur.homebrew:1824 rec.radio.amateur.equipment:1152
```

<mjsilva@embarqmail.com> wrote in message
news:ab4948f6-89a2-4ae9-b128-31740dc76fde@k24g2000pri.googlegroups.com...
On Dec 11, 3:58 pm, raypsi <RBorow...@gmail.com> wrote:

> On Dec 8, 12:07 pm, mjsi...@embarqmail.com wrote:
>
> > I had this idea a while back, to thin out my stuff in what I think is
> > a useful and interesting way. Along the way I ended up having to buy
> > a bunch of new stuff as well (e.g. the brand new tune and load
> > variable caps). So take a look - might be a fun way to spend some
> > winter evenings.

>
> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=160303721771
>
> > 73,
> > Mike, KK6GM
>
> Hey OM
>
> I should has learned to play the guitar. Instead I got into
> electronics built my first xmitter in '67 using a 6BQ5 xtal osc and
> 6146A final.
> Everything was hot. I used series twist lock caps in the ps, B&W coil,
> with aligator clip adjust, multi elmac plate and tune caps, a tv set
> power xformer, all that on a punched out 5x7x2 LMB chassis. Even the
> Key was hot as I keyed the screen of the 6146A.
>
> 73 OM
> n8zu

That's pretty impressive, fitting that on a 5x7 chassis!

(Actually 5ft x 7ft !) ;-)

From 7178574878118141153
X-Google-Thread: 108122,6c5cf0eddb83406b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <8m9hj4tvlr83nuuodvkkfmi5qqo7pe8aqq@4ax.com>
<XaudnYjYvb3SY6XUnZ2dnUVZ8rGdnZ2d@bt.com> <slrngji62j.cpc.gsm@cable.mendelson.com>
<m-FDF5ED.16525112122008@news.optonline.net>
Subject: Re: Any new HF rigs from Kenwood on the horizon?
Lines: 100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <0HL0l.7416$nD1.3598@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbodmcclbmifeelnmbhdknlhmpjmkpbopnoif
eckepfagppmljilkkoadkbbneghefkncmdhcleiijhgcdmnpaomdfjlcdbnmieekfngodfappodfma
NNTP-Posting-Date: Sat, 13 Dec 2008 04:58:20 EST

```
Organization: BellSouth Internet Group
Date: Sat, 13 Dec 2008 05:03:46 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:1154


"ml" <m@di.net> wrote in message
news:m-FDF5ED.16525112122008@news.optonline.net...
> In article <slrngji62j.cpc.gsm@cable.mendelson.com>,
> gsm@mendelson.com (Geoffrey S. Mendelson) wrote:
>
>> Ken chattenton wrote:
>> > HI from Ken, G4KIR,
>> >
>> > It appears ( from rumours ) that "Kenwood" have now ceased producing
>> > new HF
>> > Transceivers.
>> > They still seem to be interested in the VHF, UHF side of our hobby
>> > though.
>>
>> Since we are repeating rumors I have heard from several sources, all of
>> whom
>> may have heard it from the same place, so all I suggest you assume is
>> that
>> it is a popular rumor, not necessarily a truthful one, is that they are
>> being bought by a large consumer electronics company.
>>
>> If that is truely the case, their new masters may have a different idea.
>>
>> As an example, the camera maket dried up a few years ago in the shift
>> from film to digital. Konica merged with Minolta and then went bust, Sony
>> bought the remains and now makes good digital cameras using their
>> technology.
>>
>> Nikon was bought out by a different large consumer electronics company,
>> and they have prospered.
>>
>> I would not count them out.
>>
>> Meanwhile try Ten-Tec :-)
>>
>> Geoff.
>
> <<be  a shame if   Kenwood dosn't  make  any more nice new  hf  rigs,
> some of the features  of   for ex, the ts-2000x   make  it  really
> unique.
>
> it think it's   ironic and  a bit  self contradictory, that while   i
> enjoy  many of the new  rigs, some look really great,  some sure don't
> some do in fact  have some nice new  features,   as  was stated here and
> as noted here  some  really  will dissapoint
>
> many  perhaps  more than ever  seem to really    seek out  some of the
> older   but good   rigs
```

>
> To me my Yeasu FT-102 is great and tough to beat not saying
> it's perfect , I played with a friends old collins and was
> really impressed at the design aka it looked nice as well as
> it's performance,
>
>
> it's interesting to note that some of these older rigs that are
> still considered 'favoriates' were made pre computers yet
> somehow guys/companies were still able to produce greatness
>
> some of these older rigs had their own personalities, a cult
> following it's definately more than sentimental
>
> maybe some company will produce a really super rig that will
> become 'the rig' and will stand the test of time, maybe it will
> even be less than 10grand
>
>
>
> cheers

I bought a new IC-756 Pro III a few months ago. I'm not impressed. Wish I hadn't spent the money. I miss being able to go to HRO in DE and try out the rigs first hand. Shouldn't spent that much money without doing that. A drive to Atlanta would have taken care of that. That'll learn me.

It isn't that the 756 isn't a nice rig. It is. It's just that it isn't worth $2,300 more than my Yaesu FT-890AT. Ditto the FT-847 I bought a while back. I'm not impressed with it either. Should sell both of them and put the money back where it belongs.

I also have an IC-706MKIIG that I dearly love, so my distaste for the later rigs isn't based solely on not like software driven radios. The 706 was easy to memorize. The latter two rigs require that I keep the manual handy. Of course, it could be me and my declining short term memory that is the problem. Still, if the function is controlled by a switch or a knob on the front panel, like the FT-890, I don't seem to have a problem needing a manual.

Also, the older rigs were easier to work on. No SMT to deal with. Maybe I'll sell off the new 756 and the several year old 847 and look around for an FT-990.

Ed, N2ECW

```
From -3515989859833300499
X-Google-Thread: 108122,6c5cf0eddb83406b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!news2!
news-out.octanews.net!indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-
mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any new HF rigs from Kenwood on the horizon?
From: Bert Hyman <bert@iphouse.com>
References: <8m9hj4tvlr83nuuodvkkfmi5qqo7pe8aqq@4ax.com>
<XaudnYjYvb3SY6XUnZ2dnUVZ8rGdnZ2d@bt.com> <slrngji62j.cpc.gsm@cable.mendelson.com>
Organization: Not that you'd notice
Message-ID: <Xns9B7369583F40EVeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 13 Dec 2008 16:21:20 GMT
Lines: 17
NNTP-Posting-Date: 13 Dec 2008 10:21:20 CST
NNTP-Posting-Host: 873691f8.newsreader.iphouse.net
X-Trace: DXC=DO<cJ9M<<_0?
KRUOe16_^0UU[C:R=]Mb:eHS>e[L>830QXEXSgFmgj0c230oU7d711X7@2h;nGb4=hM34Kb3fVf?
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:941

In news:slrngji62j.cpc.gsm@cable.mendelson.com gsm@mendelson.com
(Geoffrey S. Mendelson) wrote:

> Since we are repeating rumors I have heard from several sources, all
> of whom may have heard it from the same place, so all I suggest you
> assume is that it is a popular rumor, not necessarily a truthful one,
> is that they are being bought by a large consumer electronics company.

I thought Kenwood already was a large consumer electronics company :-)

But a note on their Web site dated last May said they expected their
"merger" with JVC to be completed by October 2008.

http://www.kenwoodusa.com/NewsArchive/2008/06818857-9d61-464a-8bb0-b41cab8ceabf

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From -3349139030611849377
X-Google-Thread: fc8b1,30bde57010031c1a
X-Google-Thread: fc2a5,30bde57010031c1a
X-Google-Thread: 108122,30bde57010031c1a
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!o40g2000prn.googlegroups.com!not-for-
mail
From: mjsilva@embarqmail.com
Newsgroups:
```

```
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: Re: FA: MOPA 2-Tube Transmitter Instant Junkbox parts assortment
Date: Sat, 13 Dec 2008 10:49:58 -0800 (PST)
Organization: http://groups.google.com
Lines: 45
Message-ID: <6d62330c-f9a1-494e-b7c0-4fc5c68c3433@o40g2000prn.googlegroups.com>
References: <4fcc0d8f-5a41-46e9-be38-c1619125043f@y18g2000yqn.googlegroups.com>
     <dc5059f2-63d7-4818-a518-1d9bb79bd062@y18g2000yqn.googlegroups.com>
     <ab4948f6-89a2-4ae9-b128-31740dc76fde@k24g2000pri.googlegroups.com>
     <DaC0l.16363$Ax1.3514@newsfe29.ams2>
NNTP-Posting-Host: 71.3.103.150
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1229194199 10016 127.0.0.1 (13 Dec 2008 18:49:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 Dec 2008 18:49:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o40g2000prn.googlegroups.com; posting-host=71.3.103.150;
     posting-account=1stP5woAAADDs6CGcEBL7H05Epw-H_jm
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; .NET CLR 3.0.04506; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1563
rec.radio.amateur.homebrew:1532 rec.radio.amateur.equipment:942

On Dec 12, 6:09=A0pm, "Theo" <theodore.twy...@ntlworld.com> wrote:
> <mjsi...@embarqmail.com> wrote in message
>
> news:ab4948f6-89a2-4ae9-b128-31740dc76fde@k24g2000pri.googlegroups.com...
> On Dec 11, 3:58 pm, raypsi <RBorow...@gmail.com> wrote:
>
>
>
>
>
> > On Dec 8, 12:07 pm, mjsi...@embarqmail.com wrote:
>
> > > I had this idea a while back, to thin out my stuff in what I think is
> > > a useful and interesting way. Along the way I ended up having to buy
> > > a bunch of new stuff as well (e.g. the brand new tune and load
> > > variable caps). So take a look - might be a fun way to spend some
> > > winter evenings.
>
> > >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D160303721771
>
> > > 73,
> > > Mike, KK6GM
>
> > Hey OM
>
```

> > I should has learned to play the guitar. Instead I got into
> > electronics built my first xmitter in '67 using a 6BQ5 xtal osc and
> > 6146A final.
> > Everything was hot. I used series twist lock caps in the ps, B&W coil,
> > with aligator clip adjust, multi elmac plate and tune caps, a tv set
> > power xformer, all that on a punched out 5x7x2 LMB chassis. Even the
> > Key was hot as I keyed the screen of the 6146A.
>
> > 73 OM
> > n8zu
>
> That's pretty impressive, fitting that on a 5x7 chassis!
>
> (Actually 5ft x 7ft !) =A0;-)- Hide quoted text -
>
> - Show quoted text -

You mean kinda like this?

http://i408.photobucket.com/albums/pp169/snarflemike/SCAN0006.jpg

From -2687163721713191197
X-Google-Thread: fc8b1,30bde57010031c1a
X-Google-Thread: fc2a5,30bde57010031c1a
X-Google-Thread: 108122,30bde57010031c1a
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!s14g2000vbp.googlegroups.com!not-for-mail
From: JIMMIE <jimmie68@gmail.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: FA: MOPA 2-Tube Transmitter Instant Junkbox parts assortment
Date: Sat, 13 Dec 2008 15:38:34 -0800 (PST)
Organization: http://groups.google.com
Lines: 63
Message-ID: <0a1be5d2-178a-4874-8ef7-736970ac7404@s14g2000vbp.googlegroups.com>
References: <4fcc0d8f-5a41-46e9-be38-c1619125043f@y18g2000yqn.googlegroups.com>
     <dc5059f2-63d7-4818-a518-1d9bb79bd062@y18g2000yqn.googlegroups.com>
     <ab4948f6-89a2-4ae9-b128-31740dc76fde@k24g2000pri.googlegroups.com>
     <DaC0l.16363$Ax1.3514@newsfe29.ams2> <6d62330c-f9a1-494e-b7c0-4fc5c68c3433@o40g2000prn.googlegroups.com>
NNTP-Posting-Host: 155.178.5.10
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1229211514 5287 127.0.0.1 (13 Dec 2008 23:38:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 Dec 2008 23:38:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s14g2000vbp.googlegroups.com; posting-host=155.178.5.10;

```
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.4)
     Gecko/2008102920 Firefox/3.0.4,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1920
rec.radio.amateur.homebrew:1830 rec.radio.amateur.equipment:1157

On Dec 13, 1:49=A0pm, mjsi...@embarqmail.com wrote:
> On Dec 12, 6:09=A0pm, "Theo" <theodore.twy...@ntlworld.com> wrote:
>
>
>
> > <mjsi...@embarqmail.com> wrote in message
>
> >news:ab4948f6-89a2-4ae9-b128-31740dc76fde@k24g2000pri.googlegroups.com..=
.
> > On Dec 11, 3:58 pm, raypsi <RBorow...@gmail.com> wrote:
>
> > > On Dec 8, 12:07 pm, mjsi...@embarqmail.com wrote:
>
> > > > I had this idea a while back, to thin out my stuff in what I think =
is
> > > > a useful and interesting way. Along the way I ended up having to bu=
y
> > > > a bunch of new stuff as well (e.g. the brand new tune and load
> > > > variable caps). So take a look - might be a fun way to spend some
> > > > winter evenings.
>
> > > >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D160303721771
>
> > > > 73,
> > > > Mike, KK6GM
>
> > > Hey OM
>
> > > I should has learned to play the guitar. Instead I got into
> > > electronics built my first xmitter in '67 using a 6BQ5 xtal osc and
> > > 6146A final.
> > > Everything was hot. I used series twist lock caps in the ps, B&W coil=
,
> > > with aligator clip adjust, multi elmac plate and tune caps, a tv set
> > > power xformer, all that on a punched out 5x7x2 LMB chassis. Even the
> > > Key was hot as I keyed the screen of the 6146A.
>
> > > 73 OM
> > > n8zu
>
> > That's pretty impressive, fitting that on a 5x7 chassis!
>
> > (Actually 5ft x 7ft !) =A0;-)- Hide quoted text -
>
> > - Show quoted text -
>
```

> You mean kinda like this?
>
> http://i408.photobucket.com/albums/pp169/snarflemike/SCAN0006.jpg

My neighbor gave me one of those 5 tube AM BCB radio kits back when I was a kid. It was part of an electronics correspondence course he was taking. The idea was to put it together breadboard fashion on the schematic then when you got it working move it to the chassis. I thought it was cool just keeping it on the breadboard and hauled it around for years until it finally got stolen out of storage about 20 years ago. Over the years I had tested several mods on it. HF converters, adding another IF stage, a BFO, Q multiplier and reworked the series filament string for parallel operation. I'm sure if it was still around I would still be tinkering with it.

Jimmie

```
From 6971881957242897900
X-Google-Thread: fc8b1,30bde57010031c1a
X-Google-Thread: fc2a5,30bde57010031c1a
X-Google-Thread: 108122,30bde57010031c1a
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!2eb35c21!
not-for-mail
From: ken scharf <wa2mzeNOSPAMBOTS@bellsouth.net>
User-Agent: Icedove 1.5.0.14eol (X11/20080724)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: Re: FA: MOPA 2-Tube Transmitter Instant Junkbox parts assortment
References: <4fcc0d8f-5a41-46e9-be38-c1619125043f@y18g2000yqn.googlegroups.com>
<dc5059f2-63d7-4818-a518-1d9bb79bd062@y18g2000yqn.googlegroups.com>
In-Reply-To: <dc5059f2-63d7-4818-a518-1d9bb79bd062@y18g2000yqn.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 48
Message-ID: <5a_0l.7945$UI2.3187@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbomjfchiphdpgphgmjmnmfofihnblfeanpdf
klpnickmioilafjjneebceapajlkfgihbbjoldfngcmehnpggecabbpplcmceinimjijeefldcoilp
NNTP-Posting-Date: Sat, 13 Dec 2008 21:27:13 EST
Organization: BellSouth Internet Group
Date: Sat, 13 Dec 2008 21:29:26 -0500
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1565
rec.radio.amateur.homebrew:1534 rec.radio.amateur.equipment:944
```

raypsi wrote:
> On Dec 8, 12:07 pm, mjsi...@embarqmail.com wrote:
>> I had this idea a while back, to thin out my stuff in what I think is
>> a useful and interesting way. Along the way I ended up having to buy
>> a bunch of new stuff as well (e.g. the brand new tune and load
>> variable caps). So take a look - might be a fun way to spend some
>> winter evenings.
>>
>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=160303721771
>>
>> 73,
>> Mike, KK6GM
>
> Hey OM
>
> I should has learned to play the guitar. Instead I got into
> electronics built my first xmitter in '67 using a 6BQ5 xtal osc and
> 6146A final.
> Everything was hot. I used series twist lock caps in the ps, B&W coil,
> with aligator clip adjust, multi elmac plate and tune caps, a tv set
> power xformer, all that on a punched out 5x7x2 LMB chassis. Even the
> Key was hot as I keyed the screen of the 6146A.
>
> 73 OM
> n8zu

I didn't build a transmitter when I got my Novice License (in my teens), though I did start collecting parts to do so. I was going to build a rig using a 6GK6 oscillator and an 807 final. But, on Washington's birthday I went down to Harrison's in NYC for their big yearly sale. They had a stack of Elmac AF67 transmitters for about $15 each, so I got one. I had to build a power supply for it though. This I did using a junk salvaged from old TV sets found curbside on garbage pick up days.

I used to ride around the neighborhood on my bicycle looking for thrown out TV sets. I carried enough tools with me to pull a chassis out of a cabinet and lug it home. Then I'd tear it apart in the basement and keep the goodies.

Seems all of those AF67's had the same problem, burned out modulation transformers. But they worked great on CW with crystal control. Some of them also had bad VFO's.

Years later when my brother got his novice license we found him a used Lafayette HA350 receiver and I built him a two tube transmitter. Actually I used parts from my now defunct AF67 stuffed into a large minibox as a chassis. It used the 6GK6 (from the junk box) and a 6146 in the final (from the AF67). I wonder if he still has that transmitter lost in his basement? I might want it (and the HA350) back.

```
From 214655186150436942
X-Google-Thread: 108122,dc8f769f7c5d0308
X-Google-Attributes: gid108122,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2!feeder.erje.net!news-1.dfn.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "PA3HGT" <jaja@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICom IC970 and PS35
Date: Sun, 14 Dec 2008 10:29:25 +0100
Lines: 45
Message-ID: <6qk1vaFcs99uU1@mid.individual.net>
References: <6pt89cF9tf64U1@mid.individual.net> <493B2CF1.8010606@NETTALLY.COM>
X-Trace: individual.net nLZHWpsOruVa2Thq7teNlQSxyAk4M2y9WRsb+GWIUEDOxWipbp
Cancel-Lock: sha1:X1K65RluSTg/cbkItvSALyVHsNI=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Xref: g2news2.google.com rec.radio.amateur.equipment:1159

Thanks Joe !

--
Met vriendelijke groet,
Best regards,

Hans Pluijgers
HAM-callsign PA3HGT

www.pa3hgt.nl

"RFI-EMI-GUY" <Rhyolite@NETTALLY.COM> schreef in bericht
news:493B2CF1.8010606@NETTALLY.COM...
> PA3HGT wrote:
>> Hello,
>>
>> I have a qeustion about the PS35 , the internal PS for the IC970H.
>> Can this supply auto-detect 110 and 220 volts so no switch is needed to
>> set from 110 tot 220 volts ?
>>
>>
>> Met vriendelijke groet,
>> Best regards,
>>
>> Hans Pluijgers
>> HAM-callsign PA3HGT
>>
>> www.pa3hgt.nl
>>
>>
> No auto detect, you have to move jumpers;
>
> See link for more info.
> http://www.ab4oj.com/icom/ps35/main.html

```
>
> --
> Joe Leikhim K4SAT
> "The RFI-EMI-GUY"�
>
> "Treason doth never prosper: what's the reason?
> For if it prosper, none dare call it treason."
>
> "Follow The Money"  ;-P
```

```
From 2984620111759613039
X-Google-Thread: 108122,a3c504bcaefa2702,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.albasani.net!not-
for-mail
From: Stev eH
<StevehkhhSDJvhvbjjxbvvbhnvbhzjdnxzvzhzdshbvnjzvnbvnvjbvbcjbvvvvnmxvzjhjzsdgfgsfgh
gjsghgsljhglhdjfghfufgfhzysgfhczgugfvzlvufzvllgfzlyfyvlgbylvdfghvblyrylxybvryvbfbl
lyxdldf@tfif.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom auto ATU
Date: Sun, 14 Dec 2008 18:26:51 +0000
Organization: Digital preserves music the way that formaldehyde preserves
 frogs. You kill it, and it lasts forever
Lines: 7
Message-ID: <gi3j59$r4d$1@news.albasani.net>
Reply-To:
StevehkhhSDJvhvbjjxbvvbhnvbhzjdnxzvzhzdshbvnjzvnbvnvjbvbcjbvvvvnmxvzjhjzsdgfgsfghg
jsghgsljhglhdjfghfufgfhzysgfhczgugfvzlvufzvllgfzlyfyvlgbylvdfghvblyrylxybvryvbfbll
yxdldf@tfif.co.uk
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net nOt+OXl3i/ljvNET6VsYwNTS1vCfpQJmLO/
X8sHqh4drQfBYQ7UkNhI7XmgvftI3X+MlPN6b3Iejw1zsgFyflp8abTYW4HaU5l3jJr3rEXc9NbIFCjfot
BY1W+RdE7Cd
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Sun, 14 Dec 2008 18:26:49 +0000 (UTC)
X-User-ID: YrbbXM+W1+0972jc28KWL8e7z9y4fr4gTh1vPSQ4pm4=
Cancel-Lock: sha1:1Jm+rXgL7a5gJShtBaYu8u/tYpY=
User-Agent: Thunderbird 2.0.0.18 (Windows/20081105)
X-NNTP-Posting-Host: CM9iPx9UMQJ6cubYUKxKQACfMabtDw6HvP6opcCwiQM=
Xref: g2news1.google.com rec.radio.amateur.equipment:946
```

Hi,

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&rd=1&item=220329525790&ssPageName=STRK:MESE:IT

Icom AT-160 auto ATU for sale.

Steve H

```
From -3276323730832294510
X-Google-Thread: 108122,f6e1f27739624bb1,start
X-Google-Thread: fc2a5,f6e1f27739624bb1,start
X-Google-Thread: 107ada,f6e1f27739624bb1,start
X-Google-Thread: 110c99,f6e1f27739624bb1,start
X-Google-Thread: 111320,f6e1f27739624bb1,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t39g2000prh.googlegroups.com!not-for-
mail
From: elvinabr@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Sexy celeb
Date: Wed, 17 Dec 2008 06:08:50 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <1b7441a3-7aed-46cc-8b53-ea59f507c71d@t39g2000prh.googlegroups.com>
NNTP-Posting-Host: 92.112.203.156
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1229522930 5356 127.0.0.1 (17 Dec 2008 14:08:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 Dec 2008 14:08:50 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t39g2000prh.googlegroups.com; posting-host=92.112.203.156;
     posting-account=Iq4AEgoAAAAzw2EHegLKObvlQ62MXhS6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:947
rec.radio.amateur.homebrew:1577 rec.radio.amateur.misc:1687 rec.running:5865
rec.scouting.issues:957
```

http://reggi.coolpage.biz Angelina Jolie Under The Sheets Charlize Theron walks through a house, slowly peeling her clothes off! Farrah Fawcett Topless Kelly Ripa Striptease Meg Ryan Getting It On Meg hops on for the ride! Melanie Griffith Nude Check her out before her implants! If they get rid of the butch amazon woman, sign me up. Orgy - The New Reality Show Get J-Lo and her rear- end at their finest and on your screen with... Alyssa Milano Sexy Photoshoot

From 3813479044733573241
X-Google-Thread: 108122,30f631a73b467f47,start
X-Google-Thread: fc8b1,30f631a73b467f47,start
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: ALPHA 77SX 3.5KW "Big Boy" HF amplifier
Message-ID: <82e5a96a5c7d881f9e71e7f6880ce726@pseudo.borked.net>
Date: Wed, 17 Dec 2008 10:02:18 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:948
rec.radio.amateur.boatanchors:1578

http://xrl.us/Alpha77SX

From -4977238469800724658
X-Google-Thread: 108122,30f631a73b467f47
X-Google-Thread: fc8b1,30f631a73b467f47
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe03.iad.POSTED!7564ea0f!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <82e5a96a5c7d881f9e71e7f6880ce726@pseudo.borked.net>
Subject: Re: ALPHA 77SX 3.5KW "Big Boy" HF amplifier
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <Vxa2l.2990$5Z1.962@newsfe03.iad>
NNTP-Posting-Host: 68.229.77.6
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe03.iad 1229534453 68.229.77.6 (Wed, 17 Dec 2008 17:20:53 UTC)
NNTP-Posting-Date: Wed, 17 Dec 2008 17:20:53 UTC
Organization: Cox
Date: Wed, 17 Dec 2008 12:20:58 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:949
rec.radio.amateur.boatanchors:1579

Uggg. RadioMart. And he probably bought it on eBay a few months
back for a lot less than his puffery is bring now..

```
"DC" <nobody@pseudo.borked.net> wrote in message
news:82e5a96a5c7d881f9e71e7f6880ce726@pseudo.borked.net...
> http://xrl.us/Alpha77SX
>
```

```
From -8777221143214246324
X-Google-Thread: 108122,30f631a73b467f47
X-Google-Thread: fc8b1,30f631a73b467f47
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!pitt.edu!egsner!
news.cirr.com!freeshell.org!sdog2008
From: Stray Dog <sdog2008@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: ALPHA 77SX 3.5KW "Big Boy" HF amplifier
Date: Thu, 18 Dec 2008 21:37:25 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 50
Message-ID: <Pine.NEB.4.64.0812182129350.21295@sdf.lonestar.org>
References: <82e5a96a5c7d881f9e71e7f6880ce726@pseudo.borked.net>
 <Vxa2l.2990$5Z1.962@newsfe03.iad>
NNTP-Posting-Host: freeshell.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1229636248 4355 192.94.73.30 (18 Dec 2008 21:37:28 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Thu, 18 Dec 2008 21:37:28 +0000 (UTC)
In-Reply-To: <Vxa2l.2990$5Z1.962@newsfe03.iad>
Xref: g2news2.google.com rec.radio.amateur.equipment:1164
rec.radio.amateur.boatanchors:1937
```

You've heard of "house flipping" in the real estate market? ;-)

This looks like amplifier flipping. Some of these guys read the obituary columns and the silent key lists, then go offer the widow 5 cents on the dollar, if you get my drift.

Couple years ago I was looking for rigs and read the stuff on eBay, too. I always had this funny feeling that "it works" meant that if you turned on the switch, you might get some noise out of the speaker or the pilot light went on without blowing the fuse, and not much more.

Take your extra money and go to hamfests instead. Maybe someone should write up a list of things to look for when the box is right in front of you and questions to ask before you start haggling. Auctions always seem to get more blood out of a turnip than the turnip can possibly hold.

Pardon my skeptical attitude. But, I build homebrew gear now.

```
On Wed, 17 Dec 2008, Tio Pedro wrote:

> Date: Wed, 17 Dec 2008 12:20:58 -0500
> From: Tio Pedro <radioconnection@cox.net>
> Newsgroups: rec.radio.amateur.equipment, rec.radio.amateur.boatanchors
> Subject: Re: ALPHA 77SX 3.5KW "Big Boy" HF amplifier
>
> Uggg. RadioMart. And he probably bought it on eBay a few months
> back for a lot less than his puffery is bring now..
>
> "DC" <nobody@pseudo.borked.net> wrote in message
> news:82e5a96a5c7d881f9e71e7f6880ce726@pseudo.borked.net...
>> http://xrl.us/Alpha77SX
```

```
From -5027663191994017022
X-Google-Thread: 108122,8c0762ff04d08b71,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z28g2000prd.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB FT-817ND for parts
Date: Sat, 20 Dec 2008 08:47:20 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <850b36fa-c7d2-4e2e-bd86-21ea7d4f398f@z28g2000prd.googlegroups.com>
NNTP-Posting-Host: 213.202.119.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1229791640 24120 127.0.0.1 (20 Dec 2008 16:47:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Dec 2008 16:47:20 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: z28g2000prd.googlegroups.com; posting-host=213.202.119.75;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:951

WTB FT-817ND in no working condition . . . .


From 5094078290464262294
X-Google-Thread: 108122,7d76d57be30c8a26,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l33g2000pri.googlegroups.com!not-for-
mail
From: Clayton <19LCE81@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Hy-Gain 421B Power Meter
Date: Sat, 20 Dec 2008 23:16:19 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <1524de52-fd6a-43bb-bfbf-2a17e102d44b@l33g2000pri.googlegroups.com>
NNTP-Posting-Host: 207.200.116.133
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1229843779 30277 127.0.0.1 (21 Dec 2008 07:16:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Dec 2008 07:16:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l33g2000pri.googlegroups.com; posting-host=207.200.116.133;
     posting-account=cPM9CQoAAACWQE-0rbAAD-iufsJZBjPT
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1;
     FDM),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/3.1.1.2 [uScMs f p eN:t cCMp s ]), HTTP/1.1
     spider-ntc-ta10.proxy.aol.com[CFC8700A] (Prism/1.2.1), HTTP/1.1
     cache-ntc-ac04.proxy.aol.com[CFC87485] (Traffic-Server/6.1.5 [uScM])
Xref: g2news1.google.com rec.radio.amateur.equipment:952

Hi,
Was wondering if anyone here has a manual for a Hy-Gain 421B Power
Meter that they could scan and email me or might know of someplace
where one could be downloaded?

Any help is Greatly Appreciated
Thank You


From -7814323977912633326
X-Google-Thread: 108122,bec8c143b2a8b16b,start
```

```
X-Google-Thread: fc2a5,bec8c143b2a8b16b,start
X-Google-Thread: 107ada,bec8c143b2a8b16b,start
X-Google-Thread: 110c99,bec8c143b2a8b16b,start
X-Google-Thread: 111320,bec8c143b2a8b16b,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u18g2000pro.googlegroups.com!not-for-
mail
From: elvinabr@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Big Boobs on Parade
Date: Sun, 21 Dec 2008 08:56:18 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <0b599d6c-9a90-4bac-9b52-94a5c583fa29@u18g2000pro.googlegroups.com>
NNTP-Posting-Host: 94.178.165.210
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1229878578 5531 127.0.0.1 (21 Dec 2008 16:56:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Dec 2008 16:56:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u18g2000pro.googlegroups.com; posting-host=94.178.165.210;
     posting-account=Iq4AEgoAAAAzw2EHegLKObvlQ62MXhS6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor;  Embedded Web Browser from: http://bsalsa.com/; Avant Browser; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:953
rec.radio.amateur.homebrew:1601 rec.radio.amateur.misc:1727 rec.running:5941
rec.scouting.issues:958

http://sosed.smutwebsites.com/  Big Boobs on Parade rulez the world of
Big Boobs! This site offers a categorized selection of the most unique
Free Big Boobs Movies ever filmed. Our team of hard working slaves
picks each and every one of these fine babes warranting the finest big
boobs videos for our fellow surfers



From 8379190470255531660
X-Google-Thread: 108122,e50082d4b6af0688,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed0.kamp.net!newsfeed.kamp.net!newsfeeder.ewetel.de!newsreader0.ewetel.de!
not-for-mail
Date: Tue, 23 Dec 2008 18:42:22 +0100
From: Kai Hoefs <cw-op@ewetel.net>
```

User-Agent: Thunderbird 2.0.0.18 (Windows/20081105)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Searching for manual of the receiver 'M3000' by Dansk Radio
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <495122d5$0$27531$8e6e7893@newsreader.ewetel.de>
NNTP-Posting-Host: 85.16.103.193
X-Trace: 1230054101 newsreader.ewetel.de 27531 85.16.103.193:60811
Xref: g2news1.google.com rec.radio.amateur.equipment:954

Hi!

I am searching for a manual of the receiver 'M3000' by Dansk Radio A/S,
built in the 80s. It was also sold by Marconi as 'Oceanic'.

Picture = http://www.seefunknetz.de/m3000.htm

Perhaps there is someone who can help and send me a scanned copy by mail
or even by snail-mail. Costs will be paied of course.

Thanks in advance!
73
Kai
DL1AH

From -6433342179516147533
X-Google-Thread: 108122,991909b3fdb7ebbd,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!news2!feeder.erje.net!border1.nntp.ams.giganews.com!nntp.giganews.com!news.wiretrip.org!news.dizum.com!sewer-output!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: TEN-TEC Titan 425 amplifier
Message-ID: <2e91ace148467f4a8fbda2286dfe250d@pseudo.borked.net>
Date: Wed, 24 Dec 2008 07:26:56 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:955

http://atu.ca/TenTecTitan

From 593200406254159950
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!w1g2000prm.googlegroups.com!not-for-mail

```
From: elvinabr@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Lesbians cuple USA
Date: Wed, 24 Dec 2008 14:26:47 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <0a03888d-57a5-448b-9960-f16acba72abf@w1g2000prm.googlegroups.com>
NNTP-Posting-Host: 92.112.159.148
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1230157607 1593 127.0.0.1 (24 Dec 2008 22:26:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 24 Dec 2008 22:26:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w1g2000prm.googlegroups.com; posting-host=92.112.159.148;
     posting-account=Iq4AEgoAAAAzw2EHegLKObvlQ62MXhS6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor;  Embedded Web Browser from: http://bsalsa.com/; Avant Browser; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1170
rec.radio.amateur.homebrew:1917 rec.radio.amateur.misc:2042 rec.running:7622
rec.scouting.issues:1820

Lesbi cuple want sex right now  http://lesbicouple.pornblink.com/


From 5456728538222742419
X-Google-Thread: 108122,c7dacfea442e8a36,start
X-Google-Thread: 107ada,c7dacfea442e8a36,start
X-Google-Thread: 1109af,c7dacfea442e8a36,start
X-Google-Attributes: gid108122,gid107ada,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news.motzarella.org!motzarella.org!news.motzarella.org!not-for-mail
From: Steve Silverwood <kb6ojs@arrl.net>
Newsgroups: rec.radio.amateur.equipment;,rec.radio.amateur.misc;,rec.radio.swap
Subject: A/B switch for ACC port on FT-817
Date: Thu, 25 Dec 2008 21:23:28 -0800
Organization: A noiseless patient Spider
Lines: 21
Message-ID: <mgq8l45s1bnu6ddsvuamv2gimavb6godoa@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.eternal-september.org U2FsdGVkX1/
w6M0c9V3zWHflXdrBNOulRGeHIuwOQ79oy3JB3Ei6kVJRL3+2kpZsES2USV14bHicFJddKOxbPdi5yGBg+
rdWE2Zr83PdVodgRPw1jzHRiVPiAvLX9WJ+9o1d4gbxtAE=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
```

NNTP-Posting-Date: Fri, 26 Dec 2008 05:23:33 +0000 (UTC)
X-Newsreader: Forte Agent 4.2/32.1118
X-Auth-Sender: U2FsdGVkX189D4YqWfFAhr5dcwrJLsiX25DlzzfKzj8=
Cancel-Lock: sha1:QrooER0nlfz1vip8HNssMDZf2vo=
Xref: g2news2.google.com rec.radio.swap:1451

I was wondering if anyone knew of a source for an A/B switch for the ACC port in the back of the FT-817. I need it because I have both an LDG Z100 auto-tuner plus a CAT cable for computer control. Both items to me are indispensible, but reaching back and manually swapping cables every time I want to switch devices is a pain in the backside.

I'm sure SOMEONE out there knows where I could get such a device. Right now I can't even find the switch, cables and connectors to BUILD one myself, plus the fact that my eyesight is bad enough that working on something that small is a bit difficult to do.

-- //Steve//

Steve Silverwood, KB6OJS
Wildomar, CA
Email: kb6ojs@arrl.net

PS: Apologies for the cross-posting. I don't normally do that, but I'm desperate and thought I should cast a wide net.

From 754651770855879477
X-Google-Thread: 108122,bec8c143b2a8b16b
X-Google-Thread: fc2a5,bec8c143b2a8b16b
X-Google-Thread: 107ada,bec8c143b2a8b16b
X-Google-Thread: 110c99,bec8c143b2a8b16b
X-Google-Thread: 111320,bec8c143b2a8b16b
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o4g2000pra.googlegroups.com!not-for-mail
From: joeturn <joeturn2000@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.running,rec.scouting.issues
Subject: Re: Big Boobs on Parade
Date: Sat, 27 Dec 2008 09:03:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <a4ca7bd2-83b9-4c4a-a3e7-eea10cd152cc@o4g2000pra.googlegroups.com>
References: <0b599d6c-9a90-4bac-9b52-94a5c583fa29@u18g2000pro.googlegroups.com>
NNTP-Posting-Host: 24.95.252.127
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1

```
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1230397395 7003 127.0.0.1 (27 Dec 2008 17:03:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 Dec 2008 17:03:15 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o4g2000pra.googlegroups.com; posting-host=24.95.252.127;
     posting-account=TOBUfggAAAC5Ow7sgid-1fbF1N9O6T1h
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1171
rec.radio.amateur.homebrew:1947 rec.radio.amateur.misc:2060 rec.running:7642
rec.scouting.issues:1822

http://redtube.com/  I like this one better



From 3336330267157601090
X-Google-Thread: fc8b1,30bde57010031c1a
X-Google-Thread: fc2a5,30bde57010031c1a
X-Google-Thread: 108122,30bde57010031c1a
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!j38g2000yqa.googlegroups.com!not-for-
mail
From: terryS <tsanford@nf.sympatico.ca>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: Re: FA: MOPA 2-Tube Transmitter Instant Junkbox parts assortment
Date: Sat, 27 Dec 2008 15:19:32 -0800 (PST)
Organization: http://groups.google.com
Lines: 58
Message-ID: <ba5af0b0-d0d2-4273-af7e-8cde7c5ab52a@j38g2000yqa.googlegroups.com>
References: <4fcc0d8f-5a41-46e9-be38-c1619125043f@y18g2000yqn.googlegroups.com>
     <dc5059f2-63d7-4818-a518-1d9bb79bd062@y18g2000yqn.googlegroups.com>
     <ab4948f6-89a2-4ae9-b128-31740dc76fde@k24g2000pri.googlegroups.com>
     <DaC0l.16363$Ax1.3514@newsfe29.ams2> <6d62330c-f9a1-494e-
b7c0-4fc5c68c3433@o40g2000prn.googlegroups.com>
NNTP-Posting-Host: 142.162.129.76
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1230419972 20747 127.0.0.1 (27 Dec 2008 23:19:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 Dec 2008 23:19:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j38g2000yqa.googlegroups.com; posting-host=142.162.129.76;
     posting-account=UK_CnQoAAADvwpneBBPBQf8pgC_pYRd5
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1963
```

```
rec.radio.amateur.homebrew:1953 rec.radio.amateur.equipment:1172

On Dec 13, 3:49=A0pm, mjsi...@embarqmail.com wrote:
> On Dec 12, 6:09=A0pm, "Theo" <theodore.twy...@ntlworld.com> wrote:
>
>
>
>
>
> > <mjsi...@embarqmail.com> wrote in message
>
> >news:ab4948f6-89a2-4ae9-b128-31740dc76fde@k24g2000pri.googlegroups.com..=
.
> > On Dec 11, 3:58 pm, raypsi <RBorow...@gmail.com> wrote:
>
> > > On Dec 8, 12:07 pm, mjsi...@embarqmail.com wrote:
>
> > > > I had this idea a while back, to thin out my stuff in what I think =
is
> > > > a useful and interesting way. Along the way I ended up having to bu=
y
> > > > a bunch of new stuff as well (e.g. the brand new tune and load
> > > > variable caps). So take a look - might be a fun way to spend some
> > > > winter evenings.
>
> > > >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D160303721771
>
> > > > 73,
> > > > Mike, KK6GM
>
> > > Hey OM
>
> > > I should has learned to play the guitar. Instead I got into
> > > electronics built my first xmitter in '67 using a 6BQ5 xtal osc and
> > > 6146A final.
> > > Everything was hot. I used series twist lock caps in the ps, B&W coil=
,
> > > with aligator clip adjust, multi elmac plate and tune caps, a tv set
> > > power xformer, all that on a punched out 5x7x2 LMB chassis. Even the
> > > Key was hot as I keyed the screen of the 6146A.
>
> > > 73 OM
> > > n8zu
>
> > That's pretty impressive, fitting that on a 5x7 chassis!
>
> > (Actually 5ft x 7ft !) =A0;-)- Hide quoted text -
>
> > - Show quoted text -
>
> You mean kinda like this?
>
> http://i408.photobucket.com/albums/pp169/snarflemike/SCAN0006.jpg- Hide q=
uoted text -
>
> - Show quoted text -

Hey. Notice how everyone in that picture is wearing a tie? The guy on
the left is wearing a bow tie, I thnk? Proper dressing; these days we
are too sloppy; eh? Cheers.


From -6583080955463185761
X-Google-Thread: 108122,e896faed65845f46,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns11feed!worldnet.att.net!209.197.12.246!
nx02.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!
news.highwinds-media.com!news.cv.net!not-for-mail
Date: Sat, 27 Dec 2008 23:40:47 -0500
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: everybody, check this out!!
Content-Type: multipart/alternative;
 boundary="------------090800060903020802040700"
Lines: 29
Message-ID: <495703be$0$4881$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:959

This is a multi-part message in MIME format.
--------------090800060903020802040700
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit



http://www.youtube.com/watch?v=vjDyp17BIlE&NR=1

--------------090800060903020802040700
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
```

```
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial"><br>
<br>
</font></font><font size="+1"><font face="Arial"><a
 class="moz-txt-link-freetext"
 href="http://www.youtube.com/watch?v=vjDyp17BIlE&amp;NR=1">http://
www.youtube.com/watch?v=vjDyp17BIlE&amp;NR=1</a></font></font><br>
</body>
</html>

--------------090800060903020802040700--


From -6767545775688764293
X-Google-Thread: 108122,955a3575cc0d505e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
Date: Sat, 27 Dec 2008 23:43:00 -0500
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: test
Content-Type: multipart/alternative;
 boundary="------------010200000900070802030500"
Lines: 23
Message-ID: <49570444$0$4879$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1174

This is a multi-part message in MIME format.
--------------010200000900070802030500
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

test

--------------010200000900070802030500
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
```

```
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial">test</font></font><br>
</body>
</html>

--------------010200000900070802030500--



From 2311057125795120376
X-Google-Thread: 108122,820b342a0cebfdee,start
X-Google-Thread: 114aac,820b342a0cebfdee,start
X-Google-Attributes: gid108122,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambrium.nl!feeder5.cambrium.nl!
82.197.196.119.MISMATCH!feeder8.cambrium.nl!feed.tweaknews.nl!
193.201.147.80.MISMATCH!news.astraweb.com!border3.a.newsrouter.astraweb.com!
feeder.news-service.com!feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP" <KC8QJP@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
Followup-To: rec.radio.amateur.equipment
Subject: Linear Amplifier HF 16 pill Project amp
Date: Tue, 30 Dec 2008 14:45:35 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 6
Message-ID: <495a7a66$0$588$c5fe31e7@reader.usenet4all.se>
Organization: UseNET
NNTP-Posting-Date: 30 Dec 2008 20:45:43 CET
NNTP-Posting-Host: 83621fb1.reader.usenet4all.se
X-Trace:
DXC=T=j:j9]7B:cm:8a0UbmaOi]=V>ZL5o1]b<moHH[O[>ZjB>OCMU5j_TinKldQMcVdZhUfH1^`>A<4kl
AI[;_[Mlm`]gWMeU]7iUc;e@1>63V:Kk
X-Complaints-To: abuse@usenet4all.se
Xref: g2news2.google.com rec.radio.amateur.equipment:1175
rec.radio.shortwave:29912

This is not for a HAM radio want to be CB'er!
http://cgi.ebay.com/Linear-Amplifier-HF-16-pill-Project-
amp_W0QQitemZ280297250695QQihZ018QQcategoryZ164974QQssPageNameZWDVWQQrdZ1QQcmdZVie
wItem

FREE SHIPPING WITH BUY IT NOW!




From 3062339746589941792
X-Google-Thread: fcc6e,5c0762941c88f1c3
X-Google-Thread: fc8b1,5c0762941c88f1c3
```

X-Google-Thread: 108122,5c0762941c88f1c3
X-Google-Thread: fc2a5,5c0762941c88f1c3
X-Google-Thread: 1109af,5c0762941c88f1c3
X-Google-Attributes:
gidfcc6e,gidfc8b1,gid108122,gidfc2a5,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!gnilink.net!wns11feed!worldnet.att.net!
209.197.12.246!nx02.iad.newshosting.com!newshosting.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Thu, 20 Nov 2008 14:50:48 +0000
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.17 (X11/20080925)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: R-390A built by ECA
References: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
<49256a1b$0$31210$bd467cd0@news.dslextreme.com>
<18c16b47-21b1-4abd-9239-7247964aaed7@u14g2000yqg.googlegroups.com>
In-Reply-To: <18c16b47-21b1-4abd-9239-7247964aaed7@u14g2000yqg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <49257948$0$31175$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.antenna:5557
rec.radio.amateur.boatanchors:1390 rec.radio.amateur.equipment:859
rec.radio.amateur.homebrew:1241 rec.radio.swap:885

Tim Shoppa wrote:
> On Nov 20, 8:46 am, Dave <d...@dave.dave> wrote:
>> K wrote:
>>> FA: An excellent R-390A built by ECA
>>> http://tinyurl.com/6ydbsg
>> What's the green thing by the headphone jack?
>
> A very common modification, especially by the Navy, was to add a jack
> there to monitor the diode load voltage, this makes their regular
> maintenance much much easier. NAVSHIPS-0967-063-2140 documents this.
>
> Tim N3QE

Isn't there a Diode Load terminal on the back already?

BTW: That paint job looks awful. Too shiny. I had 2 of those beasts
and liked a slightly worn look a lot better.

They aren't that difficult to tweak to superior performance. I
wouldn't spend more than $500 for one with a good RF deck.

```
From -3593173250382797555
X-Google-Thread: 108122,5c0762941c88f1c3
X-Google-Thread: fc2a5,5c0762941c88f1c3
X-Google-Thread: 1109af,5c0762941c88f1c3
X-Google-Attributes: gid108122,gidfc2a5,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Thu, 20 Nov 2008 14:54:45 +0000
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.17 (X11/20080925)
MIME-Version: 1.0
Newsgroups: 
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: R-390A built by ECA
References: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
     <49256a1b$0$31210$bd467cd0@news.dslextreme.com>
<18c16b47-21b1-4abd-9239-7247964aaed7@u14g2000yqg.googlegroups.com>
In-Reply-To: <18c16b47-21b1-4abd-9239-7247964aaed7@u14g2000yqg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <49257a36$0$31174$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.antenna:5558
rec.radio.amateur.boatanchors:1391 rec.radio.amateur.equipment:860
rec.radio.amateur.homebrew:1242 rec.radio.swap:886

Tim Shoppa wrote:
> On Nov 20, 8:46 am, Dave <d...@dave.dave> wrote:
>> K wrote:
>>> FA: An excellent R-390A built by ECA
>>> http://tinyurl.com/6ydbsg
>> What's the green thing by the headphone jack?
>
> A very common modification, especially by the Navy, was to add a jack
> there to monitor the diode load voltage, this makes their regular
> maintenance much much easier. NAVSHIPS-0967-063-2140 documents this.
>
> Tim N3QE

The NAVSHIPS document states that a Dymo label should be affixed by the
jack.


From -5863615597100922397
X-Google-Thread: fcc6e,5c0762941c88f1c3
X-Google-Thread: fc8b1,5c0762941c88f1c3
```

X-Google-Thread: 108122,5c0762941c88f1c3
X-Google-Thread: fc2a5,5c0762941c88f1c3
X-Google-Thread: 1109af,5c0762941c88f1c3
X-Google-Attributes:
gidfcc6e,gidfc8b1,gid108122,gidfc2a5,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!k36g2000yqe.googlegroups.com!not-for-mail
From: Tim Shoppa <shoppa@trailing-edge.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: R-390A built by ECA
Date: Thu, 20 Nov 2008 07:19:36 -0800 (PST)
Organization: http://groups.google.com
Lines: 24
Message-ID: <0b26492c-f2a9-4c63-945a-5dc0eee3b2ca@k36g2000yqe.googlegroups.com>
References: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
     <49256a1b$0$31210$bd467cd0@news.dslextreme.com>
<18c16b47-21b1-4abd-9239-7247964aaed7@u14g2000yqg.googlegroups.com>
     <49257a36$0$31174$bd467cd0@news.dslextreme.com>
NNTP-Posting-Host: 170.121.14.12
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1227194377 30319 127.0.0.1 (20 Nov 2008 15:19:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Nov 2008 15:19:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k36g2000yqe.googlegroups.com; posting-host=170.121.14.12;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:5560
rec.radio.amateur.boatanchors:1392 rec.radio.amateur.equipment:861
rec.radio.amateur.homebrew:1243 rec.radio.swap:887

On Nov 20, 9:54=A0am, Dave <d...@dave.dave> wrote:
> Tim Shoppa wrote:
> > On Nov 20, 8:46 am, Dave <d...@dave.dave> wrote:
> >> K wrote:
> >>> FA: An excellent R-390A built by ECA
> >>>http://tinyurl.com/6ydbsg
> >> What's the green thing by the headphone jack?
>
> > A very common modification, especially by the Navy, was to add a jack
> > there to monitor the diode load voltage, this makes their regular
> > maintenance much much easier. NAVSHIPS-0967-063-2140 documents this.
>
> > Tim N3QE
>
> The NAVSHIPS document states that a Dymo label should be affixed by the

> jack.

Related to your other comment, I think that the one on the E-place has been repainted.

My yellow striper came with the decades-old Dymo stickers still attached. I swear the glues in modern Dymo labels aren't as good.

Tim.

```
From 7259306707971635032
X-Google-Thread: fc8b1,db16b6f5e11b8b6b
X-Google-Thread: 108122,db16b6f5e11b8b6b
X-Google-Thread: 1109af,db16b6f5e11b8b6b
X-Google-Thread: 10bf43,db16b6f5e11b8b6b
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post01.iad.highwinds-media.com!newsfe03.iad.POSTED!8520d5e9!not-for-mail
From: "zoltan" <zoltan@zoltan.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.amateur.policy
References: <3595e4d6-0111-458c-b997-c3fd87ba76e4@w39g2000prb.googlegroups.com>
Subject: Re: DOUG ADAIR, N8WWM, CONVICTED CRACK DEALER
Lines: 40
Organization:  doug adair is a criminal
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <K5gVk.25991$WR6.17550@newsfe03.iad>
X-Complaints-To: abuse@Sonic-News.com--send only the headers and the reason for
your complaint
NNTP-Posting-Date: Thu, 20 Nov 2008 16:18:50 UTC
Date: Thu, 20 Nov 2008 11:18:36 -0500
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1393
rec.radio.amateur.equipment:862 rec.radio.swap:888 rec.radio.amateur.policy:16865
```

<mopeyzakween@yahoo.com> wrote in message news:3595e4d6-0111-458c-b997-c3fd87ba76e4@w39g2000prb.googlegroups.com...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRC...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRC...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRC...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRC...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRD...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRD...

n8wwm is a convicted criminal

From 1955830562995764701
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Attributes: gidfb049,gidfcc6e,gid108122,gid114aac,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe04.iad.POSTED!8520d5e9!not-for-mail
From: "zoltan" <zoltan@zoltan.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
Subject: Re: KC8QJP and N8WWM Glory Hole Party - KC8QJP will be offering discount tax consulting through the gloryhole while N8WWM is on his knees
Lines: 68
Organization: doug adair is a criminal
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512

```
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <6jgVk.11173$qh4.10597@newsfe04.iad>
X-Complaints-To: abuse@Sonic-News.com--send only the headers and the reason for
your complaint
NNTP-Posting-Date: Thu, 20 Nov 2008 16:33:06 UTC
Date: Thu, 20 Nov 2008 11:32:56 -0500
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:388 rec.radio.amateur.antenna:5564
rec.radio.amateur.equipment:863 rec.radio.shortwave:18579


"n8wwm mrbindwell (fatboy)" <dougay@nospam.com> wrote in message
news:gcgpfa$ct7$1@news.mixmin.net...
>
> "Leland C Scott" <kc8ldo@madisonhts.com> wrote in message
> news:gc086k$u0v$1@news.tornevall.net...
>> "n8wwm mrbindwell (fatboy)" wrote:
>>
>> http://img254.imageshack.us/my.php?image=dougpetro3yk1.jpg
>>
>>> Pick up some crisco on your way over tonight,  KC8QJP  needs a good
>>> slathering on her hind quarters.
>>>
>>> She's also getting ready to start her tax return posts again like she
>>> does every year. You remember those..
>>>
>>> http://tinyurl.com/46teqq
>>>
>>> She says she wants to add some pics of her and me to them this year.
>>>
>>>
>>>
>> Cool!
>>
> they're having it over here, queerboy.
>
> Lance & Lisa  Adair
> 10431 Jackman Rd
> Temperance, MI 48182-9629
> (734) 854-2426
>
>
n8wwm is a convicted criminal

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...


http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...


http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...
```

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=CRB...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRC...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRC...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRC...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRC...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRD...

http://www.tmc-clerk.com/criminaltraffic/detailprint.aspx?CaseNum=TRD...

```
From 1905828079799248525
X-Google-Thread: 108122,589946183fc663b6,start
X-Google-Thread: fc734,589946183fc663b6,start
X-Google-Attributes: gid108122,gidfc734,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder4.cambrium.nl!
feed.tweaknews.nl!news2.euro.net!newsgate.cistron.nl!newsgate.news.xs4all.nl!
xs4all!news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.ssb
Subject: FA: DENTRON Clipperton-L linear amplifier
Message-ID: <0d12ff1fb5cdc1e4b9ced8365b50fdd8@pseudo.borked.net>
Date: Thu, 20 Nov 2008 10:49:32 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:864 alt.ham-radio.ssb:8
```

http://atu.ca/DENTRON

```
From 206463344791730046
X-Google-Thread: 10b9c8,473b734e815c1f56,start
X-Google-Thread: 108122,473b734e815c1f56,start
X-Google-Thread: 1109af,473b734e815c1f56,start
X-Google-Attributes: gid10b9c8,gid108122,gid1109af,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!news.kjsl.com!
news.alt.net!news-out.readnews.com!transit4.readnews.com!panix!rri.panix.com!
robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph - December 2008
Followup-To: poster
Date: Thu, 20 Nov 2008 15:25:32 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 38
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <NEjVk.5966$D32.2606@flpi146.ffdc.sbc.com>
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader1.panix.com 1227212728 13632 166.84.1.1 (20 Nov 2008 20:25:28 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 20 Nov 2008 20:25:28 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-VirusChecked: Checked
X-Env-Sender: news@flpi146.ffdc.sbc.com
X-Msg-Ref: server-4.tower-167.messagelabs.com!1227212711!7657846!1
X-StarScan-Version: 6.0.0; banners=-,-,-
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
[[PAPDCA[S@ORZAYAROD]_\@VR]^@B@MCPWZKB]MPXHZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Xref: g2news1.google.com rec.radio.info:353 rec.radio.amateur.boatanchors:1394
rec.radio.amateur.equipment:865 rec.radio.swap:891 alt.ham-radio.morse:11
```

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT HAM RADIO!

December 2008

The Winter of Our Content By Philip Cala-Lazar, K9PL

Radio in the Park with Nick By Nick Krebs, KG9E

Winnie the War Winner By John Kirk, VK4TJ

The Beer Can Rumble By Rod Newkirk, VA3ZBB/W9BRD

Ruggedizing the Whiterook MD-33 By Paul Signorelli, W�RW

Ham Lingo By Dick Sylvan, W9CBT

K9YA Field Day Results

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

---

```
From -1167591498600784888
X-Google-Thread: fc8b1,db16b6f5e11b8b6b
X-Google-Thread: 108122,db16b6f5e11b8b6b
X-Google-Thread: 1109af,db16b6f5e11b8b6b
X-Google-Thread: 10bf43,db16b6f5e11b8b6b
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 20 Nov 2008 15:13:11 -0600
From: kb9rqz@yahoo.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.amateur.policy
Subject: : Lawsuit countdown 11 day to SoL (Statute of Limitiations) for   k3vr
w4nti has another 14 days after that
Date: Thu, 20 Nov 2008 16:15:30 -0500
Message-ID: <4rkbi4520a08po731l6ff80pn3p9a4kvde@4ax.com>
References: <3595e4d6-0111-458c-b997-c3fd87ba76e4@w39g2000prb.googlegroups.com>
<K5gVk.25991$WR6.17550@newsfe03.iad>
X-Newsreader: Forte Free Agent 3.3/32.846
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-VfRdKdtoG7hc/
c+gklP25JkXnH500NeEA8qE3Ew7Ef1hNI5H8tlgZyGyZ79mFkLJnsaxqI7SPdHkDm2!
rgwddgnfzJM5HREhRvIF0qclN8YXCeLJvWnDegE5jCtF1vpzYQmYzZatkLVeu+tmes/gtc/YFvi0!cWka
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1751
rec.radio.amateur.equipment:1080 rec.radio.swap:1314
rec.radio.amateur.policy:19942

On Thu, 20 Nov 2008 11:18:36 -0500, "zoltan" <zoltan@zoltan.com>
wrote:

>

spamer

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act


From -8209631795048286295
X-Google-Thread: 108122,4ddfbd548e102dff,start
X-Google-Thread: fc2a5,4ddfbd548e102dff,start
X-Google-Thread: 107ada,4ddfbd548e102dff,start
X-Google-Thread: 111320,4ddfbd548e102dff,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f3g2000yqf.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
```

```
Subject: BIG TITS WOMAN
Date: Fri, 21 Nov 2008 01:45:40 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <0d866c0b-11aa-43c6-a747-6a24dc4252b0@f3g2000yqf.googlegroups.com>
NNTP-Posting-Host: 92.112.218.246
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1227260741 2647 127.0.0.1 (21 Nov 2008 09:45:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 21 Nov 2008 09:45:41 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f3g2000yqf.googlegroups.com; posting-host=92.112.218.246;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:867
rec.radio.amateur.homebrew:1247 rec.radio.amateur.misc:1581 rec.running:5250
rec.scouting.issues:946

http://bigtitsov.servik.com/ BIG TITS WOMAN


From -1505599323304051009
X-Google-Thread: 108122,ed154b827141ac98,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t3g2000yqa.googlegroups.com!not-for-
mail
From: TimBob <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need manual for Motorola portable repeater, model #P43SXS3180B4
Date: Fri, 21 Nov 2008 05:47:15 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <aac7938c-f8f8-4e7f-b2a1-bc602e8b3dca@t3g2000yqa.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1227275235 8674 127.0.0.1 (21 Nov 2008 13:47:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 21 Nov 2008 13:47:15 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t3g2000yqa.googlegroups.com; posting-host=64.216.97.21;
     posting-account=QanrjwoAAABmrK_pOucj8ub7ZL9ogeE8
User-Agent: G2/1.0
X-HTTP-Via: 1.1 ISA, 1.1 iwss:8080 (IWSS)
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
```

2.0.50727; .NET CLR 3.0.04506.30),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1082

I am in need of a manual for a Motorola portable repeater model
#P43SXS3180B4. I would gladly pay for a copy or an original. Thanks
Tim N7XAU

From -3095190187369519734
X-Google-Thread: fcc6e,5c0762941c88f1c3
X-Google-Thread: fc8b1,5c0762941c88f1c3
X-Google-Thread: 108122,5c0762941c88f1c3
X-Google-Thread: fc2a5,5c0762941c88f1c3
X-Google-Thread: 1109af,5c0762941c88f1c3
X-Google-Attributes:
gidfcc6e,gidfc8b1,gid108122,gidfc2a5,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Fri, 21 Nov 2008 14:19:32 +0000
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.17 (X11/20080925)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: R-390A built by ECA
References: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
<49256a1b$0$31210$bd467cd0@news.dslextreme.com>
<18c16b47-21b1-4abd-9239-7247964aaed7@u14g2000yqg.googlegroups.com>
<49257a36$0$31174$bd467cd0@news.dslextreme.com> <0b26492c-
f2a9-4c63-945a-5dc0eee3b2ca@k36g2000yqe.googlegroups.com>
In-Reply-To: <0b26492c-f2a9-4c63-945a-5dc0eee3b2ca@k36g2000yqe.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 24
Message-ID: <4926c374$0$31141$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.antenna:5626
rec.radio.amateur.boatanchors:1397 rec.radio.amateur.equipment:869
rec.radio.amateur.homebrew:1251 rec.radio.swap:896

Tim Shoppa wrote:
> On Nov 20, 9:54 am, Dave <d...@dave.dave> wrote:
>> Tim Shoppa wrote:
>>> On Nov 20, 8:46 am, Dave <d...@dave.dave> wrote:
>>>> K wrote:
>>>>> FA: An excellent R-390A built by ECA
>>>>> http://tinyurl.com/6ydbsg
>>>> What's the green thing by the headphone jack?
>>> A very common modification, especially by the Navy, was to add a jack

>>> there to monitor the diode load voltage, this makes their regular
>>> maintenance much much easier. NAVSHIPS-0967-063-2140 documents this.
>>> Tim N3QE
>> The NAVSHIPS document states that a Dymo label should be affixed by the
>> jack.
>
> Related to your other comment, I think that the one on the E-place has
> been repainted.
>
> My yellow striper came with the decades-old Dymo stickers still
> attached. I swear the glues in modern Dymo labels aren't as good.
>
> Tim.

But the P-touch makes suitable substitutes that look great and adhere
very well.

From -1263930890845916312
X-Google-Thread: fc8b1,db16b6f5e11b8b6b
X-Google-Thread: 108122,db16b6f5e11b8b6b
X-Google-Thread: 1109af,db16b6f5e11b8b6b
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.amateur.policy
References: <3595e4d6-0111-458c-b997-c3fd87ba76e4@w39g2000prb.googlegroups.com>
<K5gVk.25991$WR6.17550@newsfe03.iad>
Subject: Re: DOUG ADAIR, N8WWM, CONVICTED CRACK DEALER
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <gwDVk.68345$De7.30557@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcboejljgfoelajlebieajgalckjmihfbnpaif
eckepfagppmljilelheolfaeibjiapdgccdebdgpgdfpfbaipbankkdmonnpljbhfokipbhgdhggfd
NNTP-Posting-Date: Fri, 21 Nov 2008 13:57:16 EST
Organization: BellSouth Internet Group
Date: Fri, 21 Nov 2008 14:04:18 -0500
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1401
rec.radio.amateur.equipment:870 rec.radio.swap:898 rec.radio.amateur.policy:16921

People that spend all of their time talking about other people on a
technical newsgroup are idiots. Now that I think of it, I guess that

includes me too. So be it.

Get a frigging life.

Ed, N2ECW

From 4812534540121432358
X-Google-Thread: 108122,db16b6f5e11b8b6b
X-Google-Thread: 1109af,db16b6f5e11b8b6b
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 21 Nov 2008 13:35:16 -0600
From: kb9rqz@yahoo.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.amateur.policy
Subject: Lawsuit countdown 10 day to SoL (Statute of Limitiations) for
     k3vr w4nti has another 14 days after that
Date: Fri, 21 Nov 2008 14:37:37 -0500
Message-ID: <le3ei4pgvocf0jf9160n9s73fg94nft9or@4ax.com>
References: <3595e4d6-0111-458c-b997-c3fd87ba76e4@w39g2000prb.googlegroups.com>
<K5gVk.25991$WR6.17550@newsfe03.iad>
<gwDVk.68345$De7.30557@bignews7.bellsouth.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-3HY4aqjqadYvChFuKUse8oyXha/
NEjkMZPXmmasiyI+mnHSzsW84UA3f+Sn9yV4UZo5A78c1MMDR8ss!
uZf3WapOqT1Bn5TAblm0kkKjwMYe2EpGz57zSjz1kek8pWxtoT9HeMBs25JXiW8+LqsD5YrqTZra!PT2K
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1402
rec.radio.amateur.equipment:871 rec.radio.swap:901 rec.radio.amateur.policy:16928

On Fri, 21 Nov 2008 14:04:18 -0500, "Ed Cregger"
<ecregger@bellsouff.net> wrote:

>People that spend all of their time talking about other people on a
>technical newsgroup are idiots. Now that I think of it, I guess that
>includes me too. So be it.
>

>Get a frigging life.

I honestly think that is their goal the lives they try to steal being
more interesting than their own
>
>Ed, N2ECW
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

From 7447694803152305340
X-Google-Thread: fcc6e,43dd6fa279e1aec9,start
X-Google-Thread: fc8b1,43dd6fa279e1aec9,start
X-Google-Thread: 108122,43dd6fa279e1aec9,start
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!not-for-mail
From: "K" <K@spam.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.homebrew,rec.radio.swap
Subject: FA: EAC R-390A
Date: Sat, 22 Nov 2008 11:17:13 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Lines: 6
Message-ID: <49285abc$0$4867$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 98.150.29.193
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.antenna:7495
rec.radio.amateur.boatanchors:1764 rec.radio.amateur.equipment:1087
rec.radio.amateur.homebrew:1564 rec.radio.swap:1327

FA: very nice EAC R-390A click here http://tinyurl.com/556eo5

K

```
From -1907160151056644024
X-Google-Thread: fcc6e,5c0762941c88f1c3
X-Google-Thread: 108122,5c0762941c88f1c3
X-Google-Thread: fc2a5,5c0762941c88f1c3
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.pipex.net!news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Nov 2008 21:24:25 -0600
Date: Sat, 22 Nov 2008 19:24:19 +0000
From: highlandham <rfburns@nospam.sco>
User-Agent: Thunderbird 2.0.0.18 (Windows/20081105)
MIME-Version: 1.0
Newsgroups: 
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: R-390A built by ECA
References: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
     <49256a1b$0$31210$bd467cd0@news.dslextreme.com>
<18c16b47-21b1-4abd-9239-7247964aaed7@u14g2000yqg.googlegroups.com>
     <49257a36$0$31174$bd467cd0@news.dslextreme.com> <0b26492c-
f2a9-4c63-945a-5dc0eee3b2ca@k36g2000yqe.googlegroups.com>
<4926c374$0$31141$bd467cd0@news.dslextreme.com>
In-Reply-To: <4926c374$0$31141$bd467cd0@news.dslextreme.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <MoKdnbyAK710UbXUnZ2dneKdnZzinZ2d@pipex.net>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.107.29.68
X-Trace: sv3-VKBex43v/FvoZgQpBjMOWuwZZ6QgfiNKZSkmctYnmWw12NdMDYg5BiqtdBL9gW/
kp+I6D+9NOq8s7DR!iEJ1EYk3Hne39HZaDJuM9PBX07k1+3buGDZJUOOQ/PpElb8qzqWzVu/
OHRP6K+dumHAnH+LAcmiu!Qd01hMyS9FeiUUjZGCVROe9/
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint 
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.antenna:5732 
rec.radio.amateur.boatanchors:1411 rec.radio.amateur.equipment:874 
rec.radio.amateur.homebrew:1275 rec.radio.swap:910
```

>> My yellow striper came with the decades-old Dymo stickers still

```
>> attached. I swear the glues in modern Dymo labels aren't as good.
>>
>> Tim.
> But the P-touch makes suitable substitutes that look great and adhere
> very well.
==================================
If you mean the P-touch from Brother, yes that's an excellent type of
label(er)



Frank



From -7909031450323192235
X-Google-Thread: 108122,85d344af90657d9f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!postnews.google.com!h20g2000yqn.googlegroups.com!not-for-
mail
From: jack57clayton@aol.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Realistic DX-302
Date: Sun, 23 Nov 2008 07:02:42 -0800 (PST)
Organization: http://groups.google.com
Lines: 15
Message-ID: <6d4e4068-ebcc-4d51-9c42-21f77edbcbfd@h20g2000yqn.googlegroups.com>
References: <fws2055.35e7576@radiobanter.com>
NNTP-Posting-Host: 195.93.21.36
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1227452563 27211 127.0.0.1 (23 Nov 2008 15:02:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 23 Nov 2008 15:02:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h20g2000yqn.googlegroups.com; posting-host=195.93.21.36;
     posting-account=qoTeaAoAAAC7WNLekstoRNYtLJAyLFl3
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/3.1.1.2 [uScMs f p eN:t cCMp s ]), HTTP/1.1
     spider-los-ta07.proxy.aol.com[C35D1207] (Prism/1.2.1), HTTP/1.1
     cache-los-ab04.proxy.aol.com[C35D1524] (Traffic-Server/6.1.5 [uScM])
Xref: g2news1.google.com rec.radio.amateur.equipment:875

On Nov 10, 1:03=EF=BF=BDpm, fws2055 <fws2055.35e7...@radiobanter.com> wrote=
:
> Hi, can anyone direct me to a link that has a downloadable free manual
> for the realisticDX-302receiver. =EF=BF=BDAny help would be greatly
> appreciated. =EF=BF=BDThanks.
>
> --
```

> fws2055

hiya,here is a page that will help you,
cheers,
jack.

http://www.freeinfostuff.com/DX300-302/DX300-302.htm

From 3161104548348507861
X-Google-Thread: 108122,cae00b18bbee34e9,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Gio'" <8681invalid@mynewsgate.net>
Reply-To: "Gio'" <8681invalid@mynewsgate.net>
Subject: Substitute to Kenwood vc-h1
Newsgroups: rec.radio.amateur.equipment
NNTP-Posting-Host: $$_hwdil-ponwm.newsfeed.x-privat.org
Message-ID: <492ab373$1@x-privat.org>
Date: 24 Nov 2008 15:00:19 +0100
Organization: X-Privat NNTP Server - http://www.x-privat.org
Lines: 10
X-Complaints-To: abuse@x-privat.org
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2!feeder.erje.net!x-privat.org!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:876

As it is no longer produced, does somebody know if there is a suitable
substitute to Kenwood vc-h1 on sale?
I am looking for something like it, handheld size, to use on portable
operation for SSTV.
Otherwise, is there any digital compact photocamera which can be easily
connected to a kennwood th-d7 radio? (most, if not all digital photo
cameras only connect to computers and require a software).
Thanks.
Gio

From 2412262765273121393
X-Google-Thread: 108122,522ed452ea8fa9f8,start
X-Google-Thread: fc2a5,522ed452ea8fa9f8,start
X-Google-Thread: 107ada,522ed452ea8fa9f8,start
X-Google-Thread: 110c99,522ed452ea8fa9f8,start
X-Google-Thread: 111320,522ed452ea8fa9f8,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v42g2000yqv.googlegroups.com!not-for-mail
From: tyreemand@gmail.com
Newsgroups:

```
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Woman in Burlington  Wisconsin
Date: Mon, 24 Nov 2008 10:01:06 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <66cf4719-e91c-464a-928c-8ddb6ac7c6c2@v42g2000yqv.googlegroups.com>
NNTP-Posting-Host: 92.112.222.188
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1227549667 24383 127.0.0.1 (24 Nov 2008 18:01:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 24 Nov 2008 18:01:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v42g2000yqv.googlegroups.com; posting-host=92.112.222.188;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1091
rec.radio.amateur.homebrew:1596 rec.radio.amateur.misc:1841 rec.running:6892
rec.scouting.issues:1804

http://vorsex.blogbugs.org/



From 7976926356271146347
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z28g2000prd.googlegroups.com!not-for-
mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Mon, 24 Nov 2008 13:00:20 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
NNTP-Posting-Host: 97.112.141.194
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1227560420 24233 127.0.0.1 (24 Nov 2008 21:00:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 24 Nov 2008 21:00:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z28g2000prd.googlegroups.com; posting-host=97.112.141.194;
```

```
     posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.17)
     Gecko/20061201 Firefox/2.0.0.17 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:4690 rec.radio.amateur.homebrew:1302
rec.radio.amateur.equipment:878

On Nov 14, 5:13 am, Telstar Electronics <briangrif...@sbcglobal.net>
wrote:
> The VoiceMax speech processor is not for everyone...
> It's only for radio operators that want maximum range from their rig.

Along with maximum splatter.


From -2212959962629065364
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!d32g2000yqe.googlegroups.com!not-for-
mail
From: an old friend <kb9rqz@yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Mon, 24 Nov 2008 17:28:54 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <98a62611-fb5f-45f0-8042-af5191d51bf3@d32g2000yqe.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
NNTP-Posting-Host: 69.19.14.31
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1227576534 5783 127.0.0.1 (25 Nov 2008 01:28:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 25 Nov 2008 01:28:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d32g2000yqe.googlegroups.com; posting-host=69.19.14.31;
     posting-account=KMtInQoAAADyqpyVogjjHvJnhcPWkrRh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:4697 rec.radio.amateur.homebrew:1307
rec.radio.amateur.equipment:879

On Nov 24, 4:00=A0pm, cmdr buzz corey <cmdr-buzz-co...@mailcity.com>
wrote:
> On Nov 14, 5:13 am, Telstar Electronics <briangrif...@sbcglobal.net>
> wrote:
>
```

> > The VoiceMax speech processor is not for everyone...
> > It's only for radio operators that want maximum range from their rig.
>
> Along with maximum splatter.

at least he has a name and the guts to use it

From -800607402861702163
X-Google-Thread: 108122,75d3a094e21b9d31,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f20g2000yqg.googlegroups.com!not-for-mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SHOP CLEANOUT-PRIDE 100 WATT linear CB/Ham amp-(4) vintage tube CB radios-(2) old tube PA system amps for guitar projects-tube radios- test equipment-rare items-$10-25 each
Date: Tue, 25 Nov 2008 03:36:34 -0800 (PST)
Organization: http://groups.google.com
Lines: 42
Message-ID: <2d895c92-8ec6-44b0-9ab5-0d3ceaaf6a0c@f20g2000yqg.googlegroups.com>
NNTP-Posting-Host: 216.222.249.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1227612995 14253 127.0.0.1 (25 Nov 2008 11:36:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 25 Nov 2008 11:36:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f20g2000yqg.googlegroups.com; posting-host=216.222.249.22; posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:880

http://shop.ebay.com/merchant/66-catalina_W0QQ_nkwZQQ_armrsZ1QQ_fromZQQ_mdoZ

(7) RCA SOUND MAGAZINE LOADED LARGE CASSETTE TAPES-old- 1 Bid $9.98
4h 5m
EICO VINTAGE ANTIQUE TUBE TESTER-MODEL 625-PARTS/FIX-$$ 3 Bids
$20.55 15h 1m
GRATEFUL DEAD 1965-85 LONG STRANGE TRIP TOUR T-SHIRT-$$ 1 Bid $9.98
15h 1m
VINTAGE 1960's MUNTZ 4-TRACK CARTRIDGE CAR TAPE DECK-$$ 0 Bids $9.98
15h 1m
STROMBERG CARLSON TUBE RADIO-ANTIQUE VINTAGE-rare item- 0 Bids $9.98
6d 10h 1m
SBE II VINTAGE CB BASE STATION W/MIC-WOOD COVER OPTION- 0 Bids
$49.98 6d 15h 1m
PRIDE 100 WATT BI-LINEAR POWER AMP-CB/HAM RADIO-12 VOLT 0 Bids

$99.88 6d 15h 1m
 LAYETTE COMSTAT-25 VINTAGE TUBE AMPED CB RADIO w/cord-$ 0 Bids $9.98
6d 15h 1m
 1970-81 PONTIAC TRANS AM-FORMULA STEERING WHEEL OEM GM- 0 Bids
$24.99 6d 15h 1m
 OLD PA TUBE AMP-35WATT-2CH-MONO-GUITAR TUBE AMP PROJECT 0 Bids
$24.99 6d 15h 1m
 EICO 340 VINTAGE TUBE AMPED AUDIO/RF SIGNAL GENERATOR-$ 0 Bids $9.98
6d 15h 1m
 VINTAGE MONO PA TUBE AMP-30 WATT-2CH-GUITAR AMP PROJECT 0 Bids
$24.99 6d 15h 1m
 EMERSON BAKELITE TUBE RADIO-VINTAGE ANTIQUE COLLECTIBLE 0 Bids $9.98
6d 15h 1m
 JC PENNEY VINTAGE 1970's CB/HAM/SHORTWAVE POWER MIC-$$$ 0 Bids $9.98
6d 15h 1m
 CRYSTALAB ANTIQUE TUBE AMPED METRONOME-mod mp-100-pa-$$ 0 Bids
$24.99 6d 15h 1m
 ANTIQUE COLLECTIBLE OLD FOLDING WOODEN IRONING BOARD-$$ 0 Bids $24.99
$75.00 2d 15h 1m
 LAFAYETTE HE-20C VINTAGE TUBE CB W/ELECTROVOICE 630 MIC 0 Bids $9.98
6d 15h 1m
 EICO 762W VINTAGE TUBE AMPED CB RADIO W/CORD-rare item- 0 Bids $9.98
6d 15h 1m
 3 SWR/FS METERS-MATCHBOX-JOHNSON-PARADYNAMICS-MICRONTA- 0 Bids
$24.99 6d 15h 1m
 LAFAYETTE HB-111 VINTAGE TUBE AMPED CB RADIO-rare item- 0 Bids $9.98
6d 15h 1m

From -4939697580566817199
X-Google-Thread: 109b53,5ae148320cc6e2bd,start
X-Google-Thread: 108122,5ae148320cc6e2bd,start
X-Google-Attributes: gid109b53,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-
com.hr!news3.t-com.hr!not-for-mail
From: "news.t-com.hr" <jako@hi.t-com.hr>
Newsgroups: hr.rec.radio.amateri,rec.radio.amateur.equipment
Subject: IC-V200T
Date: Tue, 25 Nov 2008 15:45:46 +0100
Organization: T-Com
Lines: 14
Message-ID: <ggh380$joh$1@ss408.t-com.hr>
NNTP-Posting-Host: 78-3-16-203.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1227624512 20241 78.3.16.203 (25 Nov 2008 14:48:32 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Tue, 25 Nov 2008 14:48:32 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Xref: g2news1.google.com hr.rec.radio.amateri:805 rec.radio.amateur.equipment:881

Hi to all,

I have vhf transceiver IC-V200T and I change eeprom to
super H16 but anyway before and now I have problem with output power. On
170.000 MHz they give about 30W, but on amateur band only 50mW.
I try adjust using service manual but I can only adjust power on 170.000
MHz.
Can you help to me and try explain how to adjust power on radioamateur band?

Best regards,

73 de 9A8RA

From 5419414536331289747
X-Google-Thread: 109b53,5ae148320cc6e2bd
X-Google-Thread: 108122,5ae148320cc6e2bd
X-Google-Attributes: gid109b53,gid108122,domainid0,public,usenet
X-Google-Language: CROATIAN,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-
online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "9A5TD" <ham9a5td@post.t-com.hr>
Newsgroups: hr.rec.radio.amateri,rec.radio.amateur.equipment
Subject: Re: IC-V200T
Date: Tue, 25 Nov 2008 17:45:43 +0100
Organization: T-Com
Lines: 10
Message-ID: <ggha3q$5jc$1@ss408.t-com.hr>
References: <ggh380$joh$1@ss408.t-com.hr>
NNTP-Posting-Host: 78-2-61-167.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1227631546 5740 78.2.61.167 (25 Nov 2008 16:45:46 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Tue, 25 Nov 2008 16:45:46 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Xref: g2news2.google.com hr.rec.radio.amateri:1178
rec.radio.amateur.equipment:1096

> band only 50mW.
> I try adjust using service manual but I can only adjust power on 170.000
> MHz.

Od svega ovoga mene zanima na cega si izmjerio ovih 50 mW ?

BTW..koji hibrid imas u izlazu posto su te stanice znale doci u raznim
varijantama na trziste ?

From 7720563405568034957
X-Google-Thread: 109b53,5ae148320cc6e2bd
X-Google-Thread: 108122,5ae148320cc6e2bd
X-Google-Attributes: gid109b53,gid108122,domainid0,public,usenet
X-Google-Language: CROATIAN,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!87.106.137.111.MISMATCH!feeder1.news.weretis.net!newsfeeder.dynfx.net!weretis.net!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "news.t-com.hr" <jako@hi.t-com.hr>
Newsgroups: hr.rec.radio.amateri,rec.radio.amateur.equipment
Subject: Re: IC-V200T
Date: Wed, 26 Nov 2008 14:05:26 +0100
Organization: T-Com
Lines: 28
Message-ID: <ggjhnt$21c$1@ss408.t-com.hr>
References: <ggh380$joh$1@ss408.t-com.hr> <ggha3q$5jc$1@ss408.t-com.hr>
NNTP-Posting-Host: 78-3-3-255.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1227704893 2092 78.3.3.255 (26 Nov 2008 13:08:13 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Wed, 26 Nov 2008 13:08:13 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Xref: g2news1.google.com hr.rec.radio.amateri:807 rec.radio.amateur.equipment:883

Bok Damire,

Hvala na odgovoru, ma mjerio sam sa obicnim wattmetrom ali sma stavio 50mW
jer nije pokazivao niti malo snage..HI
Neznam napamet koji je hibrid al mogu provjerit znam samo da jeuredjaj za
opseg 146-174 MHz a znam da postoji varijanta
za 86 MHz tako nesto a dali postoji jos koja verzija neznam. Programirao sam
nekoliko ovih uredjaja i svi su imali snagu
ok, ali ovaj nece ...pa ako imas kakve informacije pomagaj...

Hvala i pozdrav

DE 9A8RA

"9A5TD" <ham9a5td@post.t-com.hr> wrote in message
news:ggha3q$5jc$1@ss408.t-com.hr...
> > band only 50mW.
> > I try adjust using service manual but I can only adjust power on 170.000
> > MHz.
>
> Od svega ovoga mene zanima na cega si izmjerio ovih 50 mW ?
>

> BTW..koji hibrid imas u izlazu posto su te stanice znale doci u raznim
> varijantama na trziste ?
>
>

```
From -1093430873657463136
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nlpi057.nbdc.sbc.com!
prodigy.net!flph199.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!
flpi148.ffdc.sbc.com.POSTED!53558094!not-for-mail
From: "Rectifier" <redgranite_2000@yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
<10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
In-Reply-To: <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
Subject: Re: VoiceMax Speech Processor
Lines: 22
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Message-ID: <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com>
NNTP-Posting-Host: 69.151.79.22
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi148.ffdc.sbc.com 1227725785 ST000 69.151.79.22 (Wed, 26 Nov 2008
13:56:25 EST)
NNTP-Posting-Date: Wed, 26 Nov 2008 13:56:25 EST
Organization: at&t http://my.att.net/
X-UserInfo1:
SCSYQN_@OHTER\PXTBCFO\DB[X_LPO@FCIXNMRQIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Wed, 26 Nov 2008 12:56:20 -0600
Xref: g2news1.google.com rec.radio.cb:4719 rec.radio.amateur.homebrew:1325
rec.radio.amateur.equipment:884
```

"cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in message
news:10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com...
> On Nov 14, 5:13 am, Telstar Electronics <briangrif...@sbcglobal.net>
> wrote:

>> The VoiceMax speech processor is not for everyone...
>> It's only for radio operators that want maximum range from their rig.
>
> Along with maximum splatter.

LOL.

His website claims that Mouser Electronics is a "partner." Searches on Mouser for "Telstar" and "VoiceMax" return zero results. Hmm. . does buying some parts from Mouser make them a "partner." If so, I'm a "partner" with Mouser, too.

LOL

LOL

```
From -4814536359077308657
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
z1g2000yqn.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Wed, 26 Nov 2008 17:22:44 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <020a50e0-c5ad-4a71-8e59-eb90b328855d@z1g2000yqn.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
     <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com>
NNTP-Posting-Host: 99.140.254.59
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1227748964 4884 127.0.0.1 (27 Nov 2008 01:22:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 27 Nov 2008 01:22:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z1g2000yqn.googlegroups.com; posting-host=99.140.254.59;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:4731 rec.radio.amateur.homebrew:1326
rec.radio.amateur.equipment:885
```

> His website claims that Mouser Electronics is a "partner." =A0Searches on
> Mouser for "Telstar" and "VoiceMax" return zero results. =A0Hmm. . does b=
uying
> some parts from Mouser make them a "partner." =A0If so, I'm a "partner" w=
ith
> Mouser, too.

The dictionary defines partner as "One that is united or associated
with another or others in an activity or a sphere of common interest."
So yes, in your example... you would be a partner of Mouser.

From 2885708277134285541
X-Google-Thread: 109b53,5ae148320cc6e2bd
X-Google-Thread: 108122,5ae148320cc6e2bd
X-Google-Attributes: gid109b53,gid108122,domainid0,public,usenet
X-Google-Language: CROATIAN,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!
news3.t-com.hr!not-for-mail
From: "9A5TD" <ham9a5td@post.t-com.hr>
Newsgroups: hr.rec.radio.amateri,rec.radio.amateur.equipment
Subject: Re: IC-V200T
Date: Thu, 27 Nov 2008 14:05:21 +0100
Organization: T-Com
Lines: 11
Message-ID: <ggm5ui$hui$1@ss408.t-com.hr>
References: <ggh380$joh$1@ss408.t-com.hr> <ggha3q$5jc$1@ss408.t-com.hr>
<ggjhnt$21c$1@ss408.t-com.hr>
NNTP-Posting-Host: 78-2-22-242.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1227791122 18386 78.2.22.242 (27 Nov 2008 13:05:22 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Thu, 27 Nov 2008 13:05:22 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com hr.rec.radio.amateri:1181
rec.radio.amateur.equipment:1100

Programirao sam
> nekoliko ovih uredjaja i svi su imali snagu
> ok, ali ovaj nece ...pa ako imas kakve informacije pomagaj...
>

Hy,

Ne znam ti sto reci, nalozi ga na trimer-potu do daske i onda vidi malo sa
onim ulaznim zavojnicama , rasiri ili skupi pa vidi sto se desava...

From -1766676630043381798
X-Google-Thread: 108122,af78daf9c5b86dcd,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2!news-in-01.newsfeed.easynews.com!core-easynews!easynews.com!easynews!en-nntp-07.dc1.easynews.com.POSTED!not-for-mail
From: fugu <fugu@poisonfish.net>
Subject: FA: Teagam Digital LCR Bridge and FM Stereo Signal Generator
User-Agent: Pan/0.14.2 (This is not a psychotic episode. It's a cleansing moment of clarity.)
Message-Id: <pan.2008.11.27.19.21.49.265625@poisonfish.net>
Newsgroups: rec.radio.amateur.equipment
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Antivirus: avast! (VPS 081127-1, 11/27/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 8
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Thu, 27 Nov 2008 12:21:49 -0700
Xref: g2news1.google.com rec.radio.amateur.equipment:887

LCR bridge here:
http://preview.tinyurl.com/6lod9u

Stereo Sig gen here:
http://preview.tinyurl.com/5o8myb

Katajekenai!
F

From -3848586809775212138
X-Google-Thread: fc8b1,afd0a9888d88f715,start
X-Google-Thread: 108122,afd0a9888d88f715,start
X-Google-Attributes: gidfc8b1,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!newsfeed.xs4all.nl!newsfeed6.news.xs4all.nl!newsfeed5.news.xs4all.nl!xs4all!news.wiretrip.org!news.bananasplit.info!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: FA: TECHNICAL MATERIEL Model MSR-9 Receiving Mode Selector (CV-1758/URR)
Message-ID: <a709bac6930ef4715fd02112c074a8f7@pseudo.borked.net>
Date: Fri, 28 Nov 2008 07:25:04 -0700 (MST)

```
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1433
rec.radio.amateur.equipment:889

http://easyurl.net/MSR9




From 8968168696697539121
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!20g2000yqt.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Sat, 29 Nov 2008 06:44:33 -0800 (PST)
Organization: http://groups.google.com
Lines: 12
Message-ID: <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
     <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com>
     <ggmekg$fmh$1@news.albasani.net> <47ae8004-
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
     <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
     <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
NNTP-Posting-Host: 99.140.254.59
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1227969874 855 127.0.0.1 (29 Nov 2008 14:44:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Nov 2008 14:44:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 20g2000yqt.googlegroups.com; posting-host=99.140.254.59;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:1357 rec.radio.cb:4756
rec.radio.amateur.equipment:890

> So did Mouser assist you in the design, or put up money to market you
> splatter circuit? Do they get a cut of your business? Do they sell
> your junk in their catalog? Or is your only partnership just that you
```

> order parts from them? Do they even know what you order parts for?
> Partner with Mouser, yeah right, just more telestar hype.

Commander... Like I said earlier... the dictionary defines partner as
"One that is united or associated
with another or others in an activity or a sphere of common interest."
I guess you're not able to comprehend that sentence. Not really
surprising. If you're looking for an argument... I only argue with
worthwhile adversaries... lol

```
From -7848382386660556012
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!t11g2000yqg.googlegroups.com!not-for-
mail
From: JIMMIE <jimmie68@gmail.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Sat, 29 Nov 2008 13:34:31 -0800 (PST)
Organization: http://groups.google.com
Lines: 19
Message-ID: <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
     <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com>
     <ggmekg$fmh$1@news.albasani.net> <47ae8004-
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
     <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
     <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
     <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
NNTP-Posting-Host: 155.178.6.10
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1227994471 4846 127.0.0.1 (29 Nov 2008 21:34:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Nov 2008 21:34:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t11g2000yqg.googlegroups.com; posting-host=155.178.6.10;
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:1362 rec.radio.cb:4757
rec.radio.amateur.equipment:891
```

On Nov 29, 9:44=A0am, Telstar Electronics <briangrif...@sbcglobal.net>

wrote:
> > So did Mouser assist you in the design, or put up money to market you
> > splatter circuit? Do they get a cut of your business? Do they sell
> > your junk in their catalog? Or is your only partnership just that you
> > order parts from them? Do they even know what you order parts for?
> > Partner with Mouser, yeah right, just more telestar hype.
>
> Commander... Like I said earlier... the dictionary defines partner as
> "One that is united or associated
> with another or others in an activity or a sphere of common interest."
> I guess you're not able to comprehend that sentence. Not really
> surprising. If you're looking for an argument... I only argue with
> worthwhile adversaries... lol

Perhaps Mouser should be informed of this claim to partnership. They
may very interested.

Jimmie

From -4152022338368271309
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!news-xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!nr5c.newsreader.com.POSTED!not-for-mail
Subject: Re: VoiceMax Speech Processor
From: Steve <moparholic@hotmail.com>
Organization: essb audio
Message-ID: <20081129174111.728$gv@newsreader.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com> <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com> <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-eb90b328855d@z1g2000yqn.googlegroups.com> <ggmekg$fmh$1@news.albasani.net> <47ae8004-a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com> <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-f50ce28999bd@s20g2000yqh.googlegroups.com> <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com> <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com> <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
X-NRC-Trace: NewsReader.Com Px0m5okln=m0_qJRN/40ziKOAF8Pg+4EvyPfSvMM2qV.s_
Date: 29 Nov 2008 22:42:06 GMT
Lines: 25
NNTP-Posting-Host: 231a131d.nr5c.newsreader.com
X-Trace: DXC=nHHlN7bE>NWRK9BM2dnEi^TBAE>]OkP]]_3knc<U@l\X?In7R>=jn:Ph?P8;AJZT_XiPj?_P130jZ
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.homebrew:1363 rec.radio.cb:4759 rec.radio.amateur.equipment:892

```
JIMMIE <jimmie68@gmail.com> wrote:
> On Nov 29, 9:44=A0am, Telstar Electronics <briangrif...@sbcglobal.net>
> wrote:
> > > So did Mouser assist you in the design, or put up money to market you
> > > splatter circuit? Do they get a cut of your business? Do they sell
> > > your junk in their catalog? Or is your only partnership just that you
> > > order parts from them? Do they even know what you order parts for?
> > > Partner with Mouser, yeah right, just more telestar hype.
> >
> > Commander... Like I said earlier... the dictionary defines partner as
> > "One that is united or associated
> > with another or others in an activity or a sphere of common interest."
> > I guess you're not able to comprehend that sentence. Not really
> > surprising. If you're looking for an argument... I only argue with
> > worthwhile adversaries... lol
>
> Perhaps Mouser should be informed of this claim to partnership. They
> may very interested.
>
> Jimmie
>
Oh no, are you going to report him to Mouser?

--
                 http://NewsReader.Com/


From 1298995197343395387
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!goblin2!goblin1!
goblin.stu.neva.ru!egsner!news.cirr.com!sdf.lonestar.org!sdog2008
From: Stray Dog <sdog2008@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Sat, 29 Nov 2008 23:23:21 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 63
Message-ID: <Pine.NEB.4.64.0811292318210.22660@sdf.lonestar.org>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
  <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
 <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com>
 <020a50e0-c5ad-4a71-8e59-eb90b328855d@z1g2000yqn.googlegroups.com>
 <ggmekg$fmh$1@news.albasani.net> <47ae8004-
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
  <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
  <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
 <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
 <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: MULTIPART/MIXED; BOUNDARY="0-678719977-1228001001=:22660"
X-Trace: chessie.cirr.com 1228001010 23755 192.94.73.1 (29 Nov 2008 23:23:30 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Sat, 29 Nov 2008 23:23:30 +0000 (UTC)
In-Reply-To: <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.homebrew:1364 rec.radio.cb:4760
rec.radio.amateur.equipment:893

  This message is in MIME format.  The first part should be readable text,
  while the remaining parts are likely unreadable without MIME-aware tools.

--0-678719977-1228001001=:22660
Content-Type: TEXT/PLAIN; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: QUOTED-PRINTABLE



On Sat, 29 Nov 2008, JIMMIE wrote:

> Date: Sat, 29 Nov 2008 13:34:31 -0800 (PST)
> From: JIMMIE <jimmie68@gmail.com>
> Newsgroups: rec.radio.amateur.homebrew, rec.radio.cb,
>     rec.radio.amateur.equipment
> Subject: Re: VoiceMax Speech Processor
>=20
> On Nov 29, 9:44=A0am, Telstar Electronics <briangrif...@sbcglobal.net>
> wrote:
>>> So did Mouser assist you in the design, or put up money to market you
>>> splatter circuit? Do they get a cut of your business? Do they sell
>>> your junk in their catalog? Or is your only partnership just that you
>>> order parts from them? Do they even know what you order parts for?
>>> Partner with Mouser, yeah right, just more telestar hype.
>>
>> Commander... Like I said earlier... the dictionary defines partner as
>> "One that is united or associated
>> with another or others in an activity or a sphere of common interest."
>> I guess you're not able to comprehend that sentence. Not really
>> surprising. If you're looking for an argument... I only argue with
>> worthwhile adversaries... lol
>
> Perhaps Mouser should be informed of this claim to partnership. They
> may very interested.
>
> Jimmie
>

Maybe not "informed" but ask people THERE, at Mouser, what their=20
"definition" of _partner_ is and then tell them about this guy.

"Dictionary" definitions should not be confused with word usage within=20
contexts that alter the meaning of words. For example, the word=20
```

sterilize has a different meaning in banking/finance compared to=20
microbiology.

In a business context, "partners" generally implies that an ongoing=20
relationship exists by virtue of a written contract. If party A buys parts=
=20
from party B, and pays for those parts with money, that establishes a=20
provider-customer relationship, not a partnership.

--0-678719977-1228001001=:22660--

From 2461175746736191389
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2!news.cse.ohio-state.edu!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!sdog2008
From: Stray Dog <sdog2008@sdf.lonestar.org>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Sat, 29 Nov 2008 23:29:31 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 98
Message-ID: <Pine.NEB.4.64.0811292329230.22660@sdf.lonestar.org>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
 <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
 <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1228001378 23840 192.94.73.1 (29 Nov 2008 23:29:38 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Sat, 29 Nov 2008 23:29:38 +0000 (UTC)
In-Reply-To: <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com>
Xref: g2news1.google.com rec.radio.cb:4761 rec.radio.amateur.homebrew:1365
rec.radio.amateur.equipment:894

On Wed, 26 Nov 2008, Rectifier wrote:

> Date: Wed, 26 Nov 2008 12:56:20 -0600
> From: Rectifier <redgranite_2000@yahoo.com>
> Newsgroups: rec.radio.cb, rec.radio.amateur.homebrew,
>   rec.radio.amateur.equipment
> Subject: Re: VoiceMax Speech Processor
>
>
> "cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in message
> news:10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com...
>> On Nov 14, 5:13 am, Telstar Electronics <briangrif...@sbcglobal.net>
>> wrote:
>>> The VoiceMax speech processor is not for everyone...
>>> It's only for radio operators that want maximum range from their rig.
>>
>> Along with maximum splatter.
>
>
> LOL.
>
> His website claims that Mouser Electronics is a "partner." Searches on
> Mouser for "Telstar" and "VoiceMax" return zero results. Hmm. . does buying
> some parts from Mouser make them a "partner." If so, I'm a "partner" with
> Mouser, too.
>
> LOL
>
> LOL
>

I have their 2008 sept-oct catalog and "Telstar" is not listed in the supplier index at the end.

Does Telstar provide any kind of study data that defines what "maximum range from their rig" actually means?

And documents that the processor actually does something measurably beneficial at the receive end?

```
From -9845983294629699l6
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!20g2000yqt.googlegroups.com!not-for-mail
```

```
From: JIMMIE <jimmie68@gmail.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Sat, 29 Nov 2008 16:29:28 -0800 (PST)
Organization: http://groups.google.com
Lines: 49
Message-ID: <64be9677-e7b2-4152-a4dc-f3c2db8730fa@20g2000yqt.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
     <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com>
     <ggmekg$fmh$1@news.albasani.net> <47ae8004-
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
     <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
     <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
     <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
     <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
     <20081129174111.728$gv@newsreader.com>
NNTP-Posting-Host: 155.178.4.10
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1228004968 2979 127.0.0.1 (30 Nov 2008 00:29:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Nov 2008 00:29:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 20g2000yqt.googlegroups.com; posting-host=155.178.4.10;
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.homebrew:1663 rec.radio.cb:6053
rec.radio.amateur.equipment:1109

On Nov 29, 5:42=A0pm, Steve <moparho...@hotmail.com> wrote:
> JIMMIE <jimmi...@gmail.com> wrote:
> > On Nov 29, 9:44=3DA0am, Telstar Electronics <briangrif...@sbcglobal.net=
>
> > wrote:
> > > > So did Mouser assist you in the design, or put up money to market y=
ou
> > > > splatter circuit? Do they get a cut of your business? Do they sell
> > > > your junk in their catalog? Or is your only partnership just that y=
ou
> > > > order parts from them? Do they even know what you order parts for?
> > > > Partner with Mouser, yeah right, just more telestar hype.
>
> > > Commander... Like I said earlier... the dictionary defines partner as
> > > "One that is united or associated
> > > with another or others in an activity or a sphere of common interest.=
"
> > > I guess you're not able to comprehend that sentence. Not really
> > > surprising. If you're looking for an argument... I only argue with
> > > worthwhile adversaries... lol
>
> > Perhaps Mouser should be informed of this claim to partnership. They
> > may very interested.
>
> > Jimmie
>
> Oh no, are you going to report him to Mouser?
>
> --
> =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0http://NewsReader.Com/- Hide quoted te=
xt -
>
> - Show quoted text -
```

The last I heard a partnership required a legal agreement between two
or more parties agreeing to be parters. It may be a case of the powers
that be at Mouser asking themselves "Can I make more money off of
Telstar by doing business with or by taking legal actioon against
Telstar".

I once had a similar complaint lodged against me when I had my own
business because my sign and letterhead read ....serving in
partnership with a well known electronics supply firm. I manage to get
away with it because they had sent me a letter after I had opened my
account with them stating how they "anticipated serving in partnership
with my business". I had based my shingle on this quote.

Jimmie

```
From -4716662886625307716
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!aioe.org!not-for-mail
From: Grumpy The Mule <s_foonly@foo.bar>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Sun, 30 Nov 2008 02:58:43 +0100 (CET)
Organization: Mostly In Piles
Lines: 55
Message-ID: <Xns9B65CB3B5C2D52MDWN@194.177.96.78>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
<10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
<tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com> <ggmekg$fmh$1@news.albasani.net>
<47ae8004-a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
<ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
```

f50ce28999bd@s20g2000yqh.googlegroups.com>
<046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
<190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
<00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
<Pine.NEB.4.64.0811292318210.22660@sdf.lonestar.org>
NNTP-Posting-Host: bjSA4AVnj21JsSLsyXOV0A.user.aioe.org
X-Complaints-To: abuse@aioe.org
NNTP-Posting-Date: Sun, 30 Nov 2008 01:58:43 +0000 (UTC)
User-Agent: Xnews/5.04.25
X-Notice: Filtered by postfilter v. 0.7.5
Xref: g2news1.google.com rec.radio.amateur.homebrew:1367 rec.radio.cb:4763
rec.radio.amateur.equipment:896

There are no federal laws in the USA governing partnerships.
It may be covered by some state law where Mouser is incorporated.
The issue is trademark infringement. Something most companies
take quite seriously.

Stray Dog <sdog2008@sdf.lonestar.org> wrote in
news:Pine.NEB.4.64.0811292318210.22660@sdf.lonestar.org:

>
> On Sat, 29 Nov 2008, JIMMIE wrote:
>
>> Date: Sat, 29 Nov 2008 13:34:31 -0800 (PST)
>> From: JIMMIE <jimmie68@gmail.com>
>> Newsgroups: rec.radio.amateur.homebrew, rec.radio.cb,
>>   rec.radio.amateur.equipment
>> Subject: Re: VoiceMax Speech Processor
>>
>> On Nov 29, 9:44�am, Telstar Electronics <briangrif...@sbcglobal.net>
>> wrote:
>>>> So did Mouser assist you in the design, or put up money to market
>>>> you splatter circuit? Do they get a cut of your business? Do they
>>>> sell your junk in their catalog? Or is your only partnership just
>>>> that you order parts from them? Do they even know what you order
>>>> parts for? Partner with Mouser, yeah right, just more telestar
>>>> hype.
>>>
>>> Commander... Like I said earlier... the dictionary defines partner
>>> as "One that is united or associated
>>> with another or others in an activity or a sphere of common
>>> interest." I guess you're not able to comprehend that sentence. Not
>>> really surprising. If you're looking for an argument... I only argue
>>> with worthwhile adversaries... lol
>>
>> Perhaps Mouser should be informed of this claim to partnership. They
>> may very interested.
>>
>> Jimmie

```
>>
>
> Maybe not "informed" but ask people THERE, at Mouser, what their
> "definition" of _partner_ is and then tell them about this guy.
>
> "Dictionary" definitions should not be confused with word usage within
> contexts that alter the meaning of words. For example, the word
> _sterilize_ has a different meaning in banking/finance compared to
> microbiology.
>
> In a business context, "partners"  generally implies that an ongoing
> relationship exists by virtue of a written contract. If party A buys
> parts from party B, and pays for those parts with money, that
> establishes a provider-customer relationship, not a partnership.
```

```
From 6703633171731167581
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-xfer.nntp.sonic.net!
news.alt.net!transit4.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr5c.newsreader.com.POSTED!not-for-mail
Subject: Re: VoiceMax Speech Processor
From: Steve <moparholic@hotmail.com>
Organization: essb audio
Message-ID: <20081129215210.672$0g@newsreader.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
<10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
<tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com> <ggmekg$fmh$1@news.albasani.net>
<47ae8004-a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
<ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
<046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
<190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
<00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
<20081129174111.728$gv@newsreader.com> <64be9677-e7b2-4152-a4dc-
f3c2db8730fa@20g2000yqt.googlegroups.com>
X-NRC-Trace: NewsReader.Com iUcAV16StGxNJH4r=3leat48,dwQ2F1N,e=gXk_AwAVlZwUve.
Date: 30 Nov 2008 02:53:05 GMT
Lines: 15
NNTP-Posting-Host: 22e0ff94.nr5c.newsreader.com
X-Trace: DXC=Jgcml9joddHV9NL5`XOACGTBAE>]OkP]M_3knc<U@l\Hmg7f1SY3d1Ch?
P8;AJZT_HJgkdf8]I?\D
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.homebrew:1368 rec.radio.cb:4764
rec.radio.amateur.equipment:897
```

```
JIMMIE <jimmie68@gmail.com> wrote:
 <snip>
> I had based my shingle on this quote.
>
> Jimmie
>
I hear you Jimmie, the simple fact is Brian uses google to cross post/spew
his product. As far as I know they don't give a flying rats ass about
usenet abuse.

I say no one is buying it anyway so let Brian carry on from his parents
basement. No harm no foul.

--
                 http://NewsReader.Com/


From 7232303204902298683
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!o2g2000yqd.googlegroups.com!not-for-
mail
From: an_old_friend <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Sat, 29 Nov 2008 23:57:19 -0800 (PST)
Organization: http://groups.google.com
Lines: 18
Message-ID: <4b4115ee-39f2-4e2f-824a-9c504bab9d18@o2g2000yqd.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
     <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com>
     <ggmekg$fmh$1@news.albasani.net> <47ae8004-
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
     <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
     <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
     <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
     <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
     <20081129174111.728$gv@newsreader.com> <64be9677-e7b2-4152-a4dc-
f3c2db8730fa@20g2000yqt.googlegroups.com>
     <20081129215210.672$0g@newsreader.com>
NNTP-Posting-Host: 69.19.14.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1228031840 11046 127.0.0.1 (30 Nov 2008 07:57:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Nov 2008 07:57:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: o2g2000yqd.googlegroups.com; posting-host=69.19.14.18;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:1370 rec.radio.cb:4769
rec.radio.amateur.equipment:898

On Nov 29, 9:53=A0pm, Steve <moparho...@hotmail.com> wrote:
> JIMMIE <jimmi...@gmail.com> wrote:
>
> =A0<snip>> I had based my shingle on this quote.
>
> > Jimmie
>
> I hear you Jimmie, the simple fact is Brian uses google to cross post/spe=
w
> his product. As far as I know they don't give a flying rats ass about
> usenet abuse.
>
> I say no one is buying it anyway so let Brian carry on from his parents
> basement. No harm no foul.

the problem is certainly guy seem to have a case of OCD concernign him
and he uses them to ppormote his product a nice way of making
lemonaide of that problem


From 1288919407578796673
X-Google-Thread: 108122,213ace4454e3428e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: taylor 6146b
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Date: Sun, 30 Nov 2008 08:29:04 -0500
Message-ID: <m-EA176B.08290430112008@news.optonline.net>
Lines: 8
Organization: Optimum Online
NNTP-Posting-Host: 69.119.128.117
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:899

hi

was  wondering if anyone had   experience with the  taylor brand  for
6146b,  I didn't find  many opinions   regarding    this on google

found lots of opinions   on the GE  brand  thou
```

```
thanks



From -5631757537027742O4
X-Google-Thread: 108122,704ebd8e0f79dc5b,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: taylor tubes 6146b
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Date: Sun, 30 Nov 2008 11:00:55 -0500
Message-ID: <m-F31AFF.11005530112008@news.optonline.net>
Lines: 11
Organization: Optimum Online
NNTP-Posting-Host: 69.119.128.117
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1114

hi

was wondering  if anyone had   specific  experience with the   taylor
brand   6146b (NOT W)

Seems  I can  get alot  of  opinions  googling around on the GE's  but
not a  word on the Taylor



thanks



From -7189867566151076199
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
t2g2000yqm.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Sun, 30 Nov 2008 08:52:09 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <2c347ec8-5acd-4c17-8ec9-f6457140e91b@t2g2000yqm.googlegroups.com>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
     <10048f70-225e-4ba3-acee-632151f1ac30@z28g2000prd.googlegroups.com>
     <tZgXk.6309$W06.728@flpi148.ffdc.sbc.com> <020a50e0-c5ad-4a71-8e59-
eb90b328855d@z1g2000yqn.googlegroups.com>
     <ggmekg$fmh$1@news.albasani.net> <47ae8004-
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
     <ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
     <046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
     <190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
     <00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
NNTP-Posting-Host: 99.140.254.59
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1228063930 3725 127.0.0.1 (30 Nov 2008 16:52:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Nov 2008 16:52:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t2g2000yqm.googlegroups.com; posting-host=99.140.254.59;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:1372 rec.radio.cb:4770
rec.radio.amateur.equipment:901

> Perhaps Mouser should be informed of this claim to partnership. They
> may very interested.
> Jimmie

Yes Jimmie-boy... I think you should alert them immediately... lol
www.telstar-electronics.com



From -6106146548284962327
X-Google-Thread: 108122,704ebd8e0f79dc5b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!69.16.185.11.MISMATCH!
npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post02.iad.highwinds-media.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: X rated Vermonter <nospam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: taylor tubes 6146b
Date: Sun, 30 Nov 2008 19:32:48 -0500
Message-ID: <p0c6j41i6am3a1fi92i18tc377kdimn8k1@4ax.com>
References: <m-F31AFF.11005530112008@news.optonline.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
Organization: VTel Internet NNTP
Cache-Post-Path: yoda.vermontel.net!unknown@vtelinet-209-134-46-165.vermontel.net
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
X-Complaints-To: abuse@usenetserver.com
Lines: 20
X-Trace: 7cee3493330b17de7c94e21252
Xref: g2news1.google.com rec.radio.amateur.equipment:902

On Sun, 30 Nov 2008 11:00:55 -0500, ml <m@di.net> wrote:

>hi
>
>was wondering  if anyone had   specific  experience with the   taylor
>brand   6146b (NOT W)
>
>Seems  I can  get alot  of  opinions  googling around on the GE's  but
>not a  word on the Taylor
>
>
>
>thanks

According to this gentleman's paper, you cannot substitute 6146b for
other 6146 series tubes.

www.n6wk.com/kenwood/The_6146_Family_of_Tubes-1.doc

If it were me, I would stick with GE tubes.


From -887359947363871568
X-Google-Thread: fc2a5,fc6cbb34a018c5bc
X-Google-Thread: 106d41,fc6cbb34a018c5bc
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gidfc2a5,gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!pfilter-
v0.1!news.teranews.com!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups: rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Sun, 30 Nov 2008 17:01:37 -0500
Message-ID: <u836j4db2v49muee1441f0tj95hhnsv5a9@4ax.com>
References: <ggmekg$fmh$1@news.albasani.net> <47ae8004-
a482-406b-99fb-31fb85ed9222@20g2000yqt.googlegroups.com>
<ggn7sd$eu2$1@news.albasani.net> <c227abd5-71b7-4351-aff0-
f50ce28999bd@s20g2000yqh.googlegroups.com>
<046342db-07ed-476e-875e-468d8b576a21@y1g2000pra.googlegroups.com>
<190175b5-13d0-4767-9d43-4adb2874f545@20g2000yqt.googlegroups.com>
<00da575c-7189-4369-8eed-bc0b7a9ea78f@t11g2000yqg.googlegroups.com>
<2c347ec8-5acd-4c17-8ec9-f6457140e91b@t2g2000yqm.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
```

MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@teranews.com
Organization: www.TeraNews.com
Lines: 28
NNTP-Posting-Date: Sun, 30 Nov 2008 16:58:29 -0500
Xref: g2news1.google.com rec.radio.amateur.homebrew:1374 rec.radio.cb:4784
rec.radio.amateur.equipment:903

On Sun, 30 Nov 2008 08:52:09 -0800 (PST), Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

>> Perhaps Mouser should be informed of this claim to partnership. They
>> may very interested.
>> Jimmie
>
>Yes Jimmie-boy... I think you should alert them immediately... lol
>www.telstar-electronics.com

I don't personaly see much need for your product but I do enjoy the
way you make lemonaide of your detractors

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act
** Posted from http://www.teranews.com **

From -1060429310832855447
X-Google-Thread: 108122,2a61af445e61d503,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: FINNISH,ASCII
Subject: Ryhm�n sfnet.atk virallinen kuvaus
From: Mauno Sj�blom <sjoblom@daune.com>
Date: Mon, 01 Dec 2008 05:25:50 -0600
Message-ID: <1228130750_2541@news-in1.superfeed.net>
References: <%Akdk.30364$_03.21806@reader1.news.saunalahti.fi>
Lines: 12
NNTP-Posting-Host: 66.230.230.230
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!meganewsservers.com!

```
feeder2.on.meganewsservers.com!news-out.superfeed.net!prop.superfeed.net!news-
in1.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news-in1.superfeed.net 1228130750 66.230.230.230 (1 Dec 2008 05:25:50
-0600)
Followup-To:
sfnet.atk.os2,sfnet.keskustelu.uskonto,sfnet.viestinta.tv.digi,rec.radio.amateur.e
quipment
MIME-Version: 1.0
Content-Type: text/plain;
Content-Transfer-Encoding: 8bit
X-Original-Bytes: 868
X-Original-Lines: 22
Xref: g2news1.google.com rec.radio.amateur.equipment:904


S�hk�   [Jukka Lukkari,  14.05.2008]

S�hk�n kulutus jatkaa laskuaan
S�hk�n kulutus j�i huhtikuussa runsaan prosentin edellisvuotta pienemm�ksi.
Vuoden nelj�n ensimm�isen kuukauden aikana s�hk�� on Suomessa kulunut 32,3
gigawattituntia eli yli kaksi prosenttia viime vuotta v�hemm�n.

*Aika hurjaa pudotusta kun ennakoitiin viikko sitten teolisuuspiireiss�mme
mit� lie +10% lis�� ja nyt tuo v�itt�� jo -6% vuosilaskua!!! Kuka siis
valehtelee maasamme ydinhallinnon lis�ksi?!




From -7376798903355885895
X-Google-Thread: 108122,b95dec3d20a255fd,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f3g2000yqf.googlegroups.com!not-for-
mail
From: elvinabr@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Females love to show off in front of their webcams
Date: Mon, 1 Dec 2008 07:03:25 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <b8ce10db-378c-4ac2-81a5-f4fb023239ac@f3g2000yqf.googlegroups.com>
NNTP-Posting-Host: 92.112.204.237
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1228143806 2851 127.0.0.1 (1 Dec 2008 15:03:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 1 Dec 2008 15:03:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: f3g2000yqf.googlegroups.com; posting-host=92.112.204.237;
     posting-account=Iq4AEgoAAAAzw2EHegLKObvlQ62MXhS6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1119
rec.radio.amateur.homebrew:1672 rec.radio.amateur.misc:1860 rec.running:7052
rec.scouting.issues:1805
```

Females love webcams http://westsex.withsex.com

```
From -3312569405010234493
X-Google-Thread: 108122,b95dec3d20a255fd
X-Google-Thread: fc2a5,b95dec3d20a255fd
X-Google-Thread: 107ada,b95dec3d20a255fd
X-Google-Thread: 110c99,b95dec3d20a255fd
X-Google-Thread: 111320,b95dec3d20a255fd
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews6.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
References: <b8ce10db-378c-4ac2-81a5-f4fb023239ac@f3g2000yqf.googlegroups.com>
Subject: Re: Females love to show off in front of their webcams
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <zVYYk.2602$UI2.2449@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcboekblmaojffmmnckihpgjkleeaomodjdaif
eckepfagppmljicfanacojdoofoiooncmdhcleiijhgcdmkliedflhfbeiklbegghbjjfoaiemglci
NNTP-Posting-Date: Mon, 01 Dec 2008 16:45:03 EST
Organization: BellSouth Internet Group
Date: Mon, 1 Dec 2008 16:47:04 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:906
rec.radio.amateur.homebrew:1378 rec.radio.amateur.misc:1606 rec.running:5479
rec.scouting.issues:949
```

If they're not talking on ham radio, we're not interested.

```
Ed, N2ECW

-------

<elvinabr@gmail.com> wrote in message
news:b8ce10db-378c-4ac2-81a5-f4fb023239ac@f3g2000yqf.googlegroups.com...
> Females love webcams http://westsex.withsex.com




From -1358350565063536030
X-Google-Thread: 108122,704ebd8e0f79dc5b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: taylor tubes 6146b
References: <m-F31AFF.11005530112008@news.optonline.net>
<p0c6j41i6am3a1fi92i18tc377kdimn8k1@4ax.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Date: Mon, 01 Dec 2008 18:35:14 -0500
Message-ID: <m-D283CA.18351401122008@news.optonline.net>
Lines: 30
Organization: Optimum Online
NNTP-Posting-Host: 69.119.128.117
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:907

In article <p0c6j41i6am3a1fi92i18tc377kdimn8k1@4ax.com>,
 X rated Vermonter <nospam@arrl.net> wrote:

> On Sun, 30 Nov 2008 11:00:55 -0500, ml <m@di.net> wrote:
>
> >hi
> >
> >was wondering  if anyone had   specific  experience with the   taylor
> >brand   6146b (NOT W)
> >
> >Seems  I can  get alot  of  opinions  googling around on the GE's  but
> >not a  word on the Taylor
> >
> >
> >
> >thanks
>
> According to this gentleman's paper, you cannot substitute 6146b for
> other 6146 series tubes.
>
> www.n6wk.com/kenwood/The_6146_Family_of_Tubes-1.doc
```

>
> If it were me, I would stick with GE tubes.

thanks for the   tip , i agree but not sure why you mentioned that
thou

was't looking to substitute

was   requesting info on the   taylor brand of   6146b tubes

From 4994088462231642679
X-Google-Thread: 108122,b95dec3d20a255fd
X-Google-Thread: fc2a5,b95dec3d20a255fd
X-Google-Thread: 107ada,b95dec3d20a255fd
X-Google-Thread: 110c99,b95dec3d20a255fd
X-Google-Thread: 111320,b95dec3d20a255fd
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2!
bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews5.bellsouth.net.POSTED!534065d3!not-for-mail
From: Eagle@bellsouth.net (J. Hugh Sullivan)
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Re: Females love to show off in front of their webcams
Message-ID: <49347c37.40462203@newsgroups.bellsouth.net>
References: <b8ce10db-378c-4ac2-81a5-f4fb023239ac@f3g2000yqf.googlegroups.com>
<zVYYk.2602$UI2.2449@bignews6.bellsouth.net>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 19
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcboeleohmdinfhnhnmpmmjjbckkldkhbdolbi
ipkoanookdfhleoldlmclpbpmfiahemfajldofeiileooanflhbhgdfkjbjiebhbfbbgdbemghfool
NNTP-Posting-Date: Mon, 01 Dec 2008 19:02:59 EST
Organization: BellSouth Internet Group
Date: Tue, 02 Dec 2008 00:08:17 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:908
rec.radio.amateur.homebrew:1379 rec.radio.amateur.misc:1607 rec.running:5487
rec.scouting.issues:950

On Mon, 1 Dec 2008 16:47:04 -0500, "Ed Cregger"
<ecregger@bellsouff.net> wrote:

>If they're not talking on ham radio, we're not interested.
>
>Ed, N2ECW

Concur.

```
Hugh, WA4QZU
>
>-------
>
><elvinabr@gmail.com> wrote in message
>news:b8ce10db-378c-4ac2-81a5-f4fb023239ac@f3g2000yqf.googlegroups.com...
>> Females love webcams http://westsex.withsex.com
>
>



From 7437008609479892869
X-Google-Thread: fb049,a3117796bcb23bf7,start
X-Google-Thread: 108122,a3117796bcb23bf7,start
X-Google-Attributes: gidfb049,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x8g2000yqk.googlegroups.com!not-for-
mail
From: bigjcw1023@gmail.com
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment
Subject: Software for Radio Control
Date: Tue, 2 Dec 2008 04:27:16 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <3d111dd7-1fd0-4f16-9fe0-020bbf9aa3c4@x8g2000yqk.googlegroups.com>
NNTP-Posting-Host: 174.130.100.226
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1228220837 11212 127.0.0.1 (2 Dec 2008 12:27:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 2 Dec 2008 12:27:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x8g2000yqk.googlegroups.com; posting-host=174.130.100.226;
     posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.18)
     Gecko/20081029 Firefox/2.0.0.18,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:405 rec.radio.amateur.equipment:909

I was wondering if there was a program that is similar to echostation
that was free to use my rig as an announcement machine?



From -9147729741432803386
X-Google-Thread: 108122,3b72fbb74888fec8,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
```

```
NNTP-Posting-Date: Tue, 02 Dec 2008 07:57:54 -0600
From: "Hello.com" <hi@hello..com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS:  TenTec Orion II
Date: Tue, 2 Dec 2008 07:56:11 -0600
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0019_01C95453.71719E20"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Message-ID: <Arydnf0R25R_o6jUnZ2dnUVZ_gOdnZ2d@giganews.com>
Lines: 84
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
ONoGWA+PLnCdksXdoBwAiIpUA1JiW0GcYi+QilFOsdjipIo1PPnDDz5tUwbnJwabBk1yFF8gGRhXd+U!
KfYTk04qXK/4L1TEZIhgKTFb7gBGH94W3fHYtGWUObautWunoVwzKhFyCIFoUuSbFeV1bqH6WjM=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:910

This is a multi-part message in MIME format.

------=_NextPart_000_0019_01C95453.71719E20
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

TenTec Orion II model 566 in mint condition, both operationally and =
visually.  Included is the 302R black Encoder-Keypad matching the O II =
case, orig packing-box, manual, and misc items, couple of added roofing =
filters: 1.8khz and 600hz.=20

The optional 302R - Black remote encoder/keypad is included and adds =
much to operator convenience. Like new condition, works as new, =
non-smoking environment. I am the original owner.=20

The rig has always been in the home shack and run into a BiggIR antenna =
or a Titan 425 amp. This model does NOT have the antenna tuner, as it is =
the 566. (The model with the included tuner is the 566AT.) Photo jpg =
files available by request.=20

$3300 plus actual shipping/insur, pickup is fine. MO, check, PayPal OK =
with fee added. Would consider trade for a Titan III amp in comparable =
condition. Thanks for looking.  -  w9nm at sbcglobal dot net  -=20

------=_NextPart_000_0019_01C95453.71719E20
Content-Type: text/html;
```

```
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16640" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>
<P><SPAN=20
style=3D"COLOR: black; FONT-FAMILY: Latha; mso-bidi-font-size: =
10.0pt"><FONT=20
size=3D3>TenTec Orion II model 566 in mint condition, both operationally =
and=20
visually.<SPAN style=3D"mso-spacerun: yes">&nbsp; </SPAN>Included is the =
302R=20
black Encoder-Keypad matching the O II case, orig packing-box, manual, =
and misc=20
items, couple of added roofing filters: 1.8khz and 600hz. =
<?xml:namespace prefix=20
=3D o ns =3D "urn:schemas-microsoft-com:office:office"=20
/><o:p></o:p></FONT></SPAN></P>
<P><SPAN=20
style=3D"COLOR: black; FONT-FAMILY: Latha; mso-bidi-font-size: =
10.0pt"><FONT=20
size=3D3>The optional 302R - Black remote encoder/keypad is included and =
adds much=20
to operator convenience. Like new condition, works as new, non-smoking=20
environment. I am the original owner. <o:p></o:p></FONT></SPAN></P>
<P><FONT size=3D3><SPAN style=3D"FONT-FAMILY: Latha">The rig has always =
been in the=20
home shack and run into a BiggIR antenna or a Titan 425 amp. This model =
does NOT=20
have the antenna tuner, as it is the 566. (The model with the included =
tuner is=20
the 566AT.) Photo jpg files available by request. </SPAN><SPAN=20
style=3D"COLOR: black; FONT-FAMILY: Latha; mso-bidi-font-size: =
10.0pt"><o:p></o:p></SPAN></FONT></P>
<P><SPAN=20
style=3D"COLOR: black; FONT-FAMILY: Latha; mso-bidi-font-size: =
10.0pt"><FONT=20
size=3D3>$3300 plus actual shipping/insur, pickup is fine. MO, check, =
PayPal OK=20
with fee added. Would consider trade for a Titan III amp in comparable=20
condition. Thanks for looking.<SPAN style=3D"mso-spacerun: yes">&nbsp;=20
</SPAN>-<SPAN style=3D"mso-spacerun: yes">&nbsp; </SPAN>w9nm at =
sbcglobal dot=20
net<SPAN style=3D"mso-spacerun: yes">&nbsp; </SPAN>- </FONT></SPAN><SPAN =

style=3D"FONT-FAMILY: =
Latha"><o:p></o:p></SPAN></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0019_01C95453.71719E20--



From 523674562455282592
X-Google-Thread: 108228,b730620354ee1c8b
X-Google-Thread: 1109af,b730620354ee1c8b
X-Google-Thread: 108122,b730620354ee1c8b
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
193.252.117.184.MISMATCH!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Pierre-Fran�ois \(f5bqp_pfm\)" <pfmonet_NOSPAM_@_MAPSON_wanadoo.fr>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
References: <750a5602769784ef27ab868172e61965@pseudo.borked.net>
Subject: Re: COLLINS 51S-1 receiver
Date: Sun, 2 Nov 2008 21:54:39 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Lines: 14
Message-ID: <490e1392$0$893$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 02 Nov 2008 21:54:42 CET
NNTP-Posting-Host: 83.112.206.129
X-Trace: 1225659282 news.orange.fr 893 83.112.206.129:10508
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com alt.ham-radio.marketplace:281 rec.radio.swap:795
rec.radio.amateur.equipment:808


"DC" <nobody@pseudo.borked.net> a �crit dans le message de news:
750a5602769784ef27ab868172e61965@pseudo.borked.net...
> http://snipr.com/Collins51S1
>

Splendid rig!
I already have one in very good condition however not so pretty! ;-((

73's
pf, F5BQP





From 1796425762537887163
X-Google-Thread: 108228,b730620354ee1c8b
X-Google-Thread: 1109af,b730620354ee1c8b
```

```
X-Google-Thread: 108122,b730620354ee1c8b
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.posted.eaglecomputertechnology!news.posted.eaglecomputertechnology.POSTED!
not-for-mail
NNTP-Posting-Date: Mon, 03 Nov 2008 03:03:48 -0600
Message-ID: <490EBE72.20604B7F@DXersForMcCain.co.ke>
Date: Mon, 03 Nov 2008 04:03:46 -0500
From: dxAce <dxAce@DXersForMcCain.co.ke>
Organization: "The Listener At The Gates Of Dawn"
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: COLLINS 51S-1 receiver
References: <750a5602769784ef27ab868172e61965@pseudo.borked.net>
<490e1392$0$893$ba4acef3@news.orange.fr>
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 216.234.99.13
X-Trace: sv3-y2bKhZ8F1KGwgVZuK/
9W1AERFnFW7dGhzwJnpwSns3JXHpS3Q2GQg+ZNyB8Hlopxlw3uaxjWflJZjEs!
fKCXRf4hPoXH9QXCiKYS4YJI4RkjZ6Z9V4mT5lFtITHS3WGGan2bFbfFzm31xWQIxlWquvIDHVeZ!
X9nvI86VOePNq3FuSAUp
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com alt.ham-radio.marketplace:283 rec.radio.swap:803
rec.radio.amateur.equipment:809
```

"Pierre-Fran�ois (f5bqp_pfm)" wrote:

> "DC" <nobody@pseudo.borked.net> a �crit dans le message de news:
> 750a5602769784ef27ab868172e61965@pseudo.borked.net...
> > http://snipr.com/Collins51S1
> >
>
> Splendid rig!
> I already have one in very good condition however not so pretty! ;-((
>

'cleansed' by Radio-Mart.

```
From -21070181790827286
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!40g2000prx.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Blonde and brunette sweeties enjoy sharing one very strong chocolate
     shaft
Date: Mon, 3 Nov 2008 23:33:52 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <38b83f30-b842-498e-ae74-4ba93d670be4@40g2000prx.googlegroups.com>
NNTP-Posting-Host: 92.112.158.204
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1225784033 15876 127.0.0.1 (4 Nov 2008 07:33:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Nov 2008 07:33:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 40g2000prx.googlegroups.com; posting-host=92.112.158.204;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:810
rec.radio.amateur.homebrew:1061 rec.radio.amateur.misc:1526 rec.running:4918
rec.scouting.issues:934

http://chocolate.withsex.com/ Blonde and brunette sweeties enjoy
sharing one very strong chocolate shaft http://chocolate.withsex.com/


From 8629920727310761797
X-Google-Thread: 108122,44035a3234a33bd8,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d36g2000prf.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Yaesu FT 817ND / 817
Date: Tue, 4 Nov 2008 09:13:43 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <13f90bbc-5bd3-4272-a1af-a23eb2670119@d36g2000prf.googlegroups.com>
NNTP-Posting-Host: 213.202.119.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
```

Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1225818823 10969 127.0.0.1 (4 Nov 2008 17:13:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Nov 2008 17:13:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d36g2000prf.googlegroups.com; posting-host=213.202.119.75;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3173

 In no working condition .
                                           73 9A7PJT

From -6639612654107932647
X-Google-Thread: 108122,95f59fed5e12909f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed01.sul.t-online.de!t-online.de!nntp.infostrada.it!
twister2.libero.it.POSTED!not-for-mail
From: Piero Soldi <piero.soldi@libero.it>
User-Agent: Thunderbird 2.0.0.17 (Windows/20080914)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Interface for HP-8558B Spectrum Analyzer
References: <490c8d03$0$5500$bbae4d71@news.suddenlink.net>
In-Reply-To: <490c8d03$0$5500$bbae4d71@news.suddenlink.net>
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <zs5Qk.96471$Ca.20881@twister2.libero.it>
Date: Wed, 05 Nov 2008 00:06:55 GMT
NNTP-Posting-Host: 151.16.202.80
X-Complaints-To: abuse@iol.it
X-Trace: twister2.libero.it 1225843615 151.16.202.80 (Wed, 05 Nov 2008 01:06:55
MET)
NNTP-Posting-Date: Wed, 05 Nov 2008 01:06:55 MET
Organization: [Infostrada]
Xref: g2news1.google.com rec.radio.amateur.equipment:812

LOP ha scritto:
> We would like to be able to do computer analysis of the HP-8558B data. Has
> someone built an interface to get the data into a PC and is there some
> software that would do the analysis? I guess that we could resort to digital
> photography of the screen and then scan the picture into the computer? We
> would still need some software to do the analysis.
>
> Have any of you done something like this?
>
> Thanks,   Don and Liz

>
>

Try to search : KE5FX or John Miles.

P.

```
From 4292023779321484379
X-Google-Thread: 108122,e13d475469020997,start
X-Google-Thread: fc2a5,e13d475469020997,start
X-Google-Thread: 107ada,e13d475469020997,start
X-Google-Thread: 110c99,e13d475469020997,start
X-Google-Thread: 111320,e13d475469020997,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d42g2000prb.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Financial crisis came in to farm industry. Viagra sell 300 percents
Date: Tue, 4 Nov 2008 22:14:43 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <957bdefb-dfa7-4a19-bd2f-aa3f17a6b1fa@d42g2000prb.googlegroups.com>
NNTP-Posting-Host: 92.112.154.94
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1225865683 17680 127.0.0.1 (5 Nov 2008 06:14:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Nov 2008 06:14:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d42g2000prb.googlegroups.com; posting-host=92.112.154.94;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:813
rec.radio.amateur.homebrew:1072 rec.radio.amateur.misc:1534 rec.running:4937
rec.scouting.issues:935
```

http://farmos.freetzi.com/ Financial crisis came in to farm industry.
Viagra sell 300 percents

```
From -8178989470302482682
X-Google-Thread: 108122,d6047fea74ca83ae,start
```

X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comporium.net!news.comporium.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Nov 2008 10:24:10 -0600
From: "Jim Barnard" <jbarnard@ftc-i.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Elecraft K-2
Date: Wed, 5 Nov 2008 11:24:09 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <SsednXSvhLY3VYzU4p2dnAA@comporium.net>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 216.218.126.63
X-Trace: sv3-aIubZXblp/r8Lo7LGbn91hP1PoKPFBDQfCW04MXzUwvKIPM/
Qufj4NPjHXJtuMCZTLnn7eY/DbA/qFE!
ly7V4Mlfzgnn6JIGVHlU146glpZ+RiHSmdyMwuF1khG00tuBHILx+Olk/aTPLC7ffTnRZszGFZxr!
4pstr2E=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:814

From time to time, I see an Elecraft K-2 come up for sale. I have thought about buying one of these to try. However, they usually sell for better than $1200. I looking over the specs, I wonder if this radio, which has 10-year old technology, performs any better than a Yaesu FT-757 or similar vintage rig? Usually, vintage Yaesu, Kenwood or Icoms sell in the $300-500 price range.

Any thought and recommendations are appreciated.

Jim
W4BRX

From -2389204229544126659
X-Google-Thread: 108122,d6047fea74ca83ae
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Nov 2008 13:26:01 -0600
Newsgroups: rec.radio.amateur.equipment

From: Jim Haynes <haynes@localhost6.localdomain6>
Subject: Re: Elecraft K-2
References: <SsednXSvhLY3VYzU4p2dnAA@comporium.net>
Organization: University of Arkansas Alumni
Reply-To: jhaynes@alumni.uark.edu
User-Agent: slrn/0.9.9 (Linux)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <slrngh3sq9.5vc.haynes@localhost6.localdomain6>
Date: Wed, 05 Nov 2008 13:26:02 -0600
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.227.108.185
X-Trace: sv3-ykmhHYU/ORXoraEq1zDeqEZzbRfoi5MQzOhAWAXhgwxidMLvO9VG+J1oBGTL+usqsE/
+mulzpU/+Wl+!GTyTkZ//
2hWUe2m2dvkBlUwxZw07lHfw7wY3SPvP1JMwKNUGsGCUtgEWj4uGh9wqi6NgkaLRxKFt!
6VI9j4//8nsQ9t3zr5ExpLKNbpvaY/xB
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:3177

We Elecraft owners/builders are something else!

Compared to some of the radios you mentioned, well, you pay extra for
the fun of building the kit. I don't have one of those to compare
with, but someone who borrowed my K-2 for a little while said it has
a "really sweet receiver".

--

jhhaynes at earthlink dot net

From 6001429747405700077
X-Google-Thread: 108122,4bffcc9bc8cd4141,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2!wn11feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Help: Pin info ERC Oven Crystal
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <MhrQk.114405$Mh5.113809@bgtnsc04-news.ops.worldnet.att.net>

Date: Thu, 06 Nov 2008 00:57:16 GMT
NNTP-Posting-Host: 12.65.12.130
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1225933036 12.65.12.130 (Thu, 06 Nov 2008 00:57:16 GMT)
NNTP-Posting-Date: Thu, 06 Nov 2008 00:57:16 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:816

Hello and thanks for the read. I have an ERC (Electronic Research Co.)
Oven-Crystal in an 8 pin octal base can.
Does anyone have a lead to a site where I could find which pins are for the 115VAC heater, +V and it's ground and at what voltage range to make the 1 MHz crystal oscillate and which pin for it's output.
I am trying to adapt this unit to fit inside a Motorola R-1201A signal generator that is missing the original Xtal unit.
Thanks for any help.
Larry McGee

From 3064625364074006390
X-Google-Thread: 108122,a275087cc58ae1e1,start
X-Google-Thread: 10ed5f,a275087cc58ae1e1,start
X-Google-Thread: fb049,a275087cc58ae1e1,start
X-Google-Thread: 108778,a275087cc58ae1e1,start
X-Google-Thread: 114a57,a275087cc58ae1e1,start
X-Google-Attributes: gid108122,gid10ed5f,gidfb049,gid108778,gid114a57,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!border1.nntp.ams.giganews.com!nntp.giganews.com!news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x5!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio,alt.ham-radio.vhf-uhf,alt.radio.amateur,alt.ham-radio.hf
Subject: FA: Palstar R30CC receiver
Message-ID: <368a0207025ed32e35269e14eb7268cf@pseudo.borked.net>
Date: Wed, 5 Nov 2008 21:13:04 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:818 alt.ham-radio:270 alt.ham-radio.vhf-uhf:355 alt.radio.amateur:70 alt.ham-radio.hf:32

http://easyurl.net/Palstar

From 4119382799352957777
X-Google-Thread: 108122,a275087cc58ae1e1
X-Google-Thread: 10ed5f,a275087cc58ae1e1

```
X-Google-Thread: fb049,a275087cc58ae1e1
X-Google-Thread: 108778,a275087cc58ae1e1
X-Google-Thread: 114a57,a275087cc58ae1e1
X-Google-Attributes:
gid108122,gid10ed5f,gidfb049,gid108778,gid114a57,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!post02.iad!
news.dslextreme.com!not-for-mail
Date: Thu, 06 Nov 2008 14:37:10 +0000
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.17 (X11/20080925)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio,alt.ham-radio.vhf-
uhf,alt.radio.amateur,alt.ham-radio.hf
Subject: Re: FA: Palstar R30CC receiver
References: <368a0207025ed32e35269e14eb7268cf@pseudo.borked.net>
In-Reply-To: <368a0207025ed32e35269e14eb7268cf@pseudo.borked.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <49130116$0$31808$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:819 alt.ham-radio:271
alt.ham-radio.vhf-uhf:356 alt.radio.amateur:71 alt.ham-radio.hf:33

DC wrote:
> http://easyurl.net/Palstar
>

No computer control?


From -8312209161898351275
X-Google-Thread: 108122,d6047fea74ca83ae
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 06 Nov 2008 09:23:47 -0600
From: "Hello.com" <hi@hello..com>
Newsgroups: rec.radio.amateur.equipment
References: <SsednXSvhLY3VYzU4p2dnAA@comporium.net>
Subject: Re: Elecraft K-2
Date: Thu, 6 Nov 2008 09:22:41 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Response
Message-ID: <wPGdnYY14LaZkY7UnZ2dnUVZ_r_inZ2d@giganews.com>
```

Lines: 55
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-tu24io9A0ABiHvj1BhGKqelpj4lyU4OW+Gi+Ul/
KpB3B0v4JlvlWRbbjo+QGTop1hWpZTK2SacX3Reg!
jYqOtmQVsfI67XMljWwpNM9NWopJLCd4uTUHqTtxf5/VeiduRhcqk2UHqjjFEFXrKpvr82Tyd6c=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:3182

From the standpoint of performance the K2 is excellent. Reviews are available on the ARRL website of all popular rigs.

There are many current receiver sections that are not up to the overload handling specs of the K2. The $1200 prices you may see are for a K2 will include quite a few options. Over the years I have loaded my K2 with pretty much everything available, save for the 100w amp. The $$ add up. You can find basic K2s for sale from time to time. You could start there, and add the options as you go. (If you have a desire to build it yourself.)

If you compare a kit to a mass produced rig (of comparable performance/features) you will find that the mass produced rig will be less expensive.

Set your budget $$. Decide what modes are most important to you. Read the reviews, post question here and on the appropriate forums. When you have a 'short list' try and find hams within reasonable traveling distance for a hands-on test. Then pick... take a deep breath... and purchase the rig of your choice.

I own and have built K1, K2, KX1, plus some to the test equip type kits from Elecraft... all of them are great! My first novice station was a homebrew tx and regen rx out of the ARRL hand book. My first commercial rx was a Hallicrafter's SX-45... that I spent years using and Modifying that receiver. First commercial new rig was a Galaxy V mkII, that I would lug around during my Army days, running phone patch for fellow GIs. Over the years I've settled on Icom for the shack and Elecraft for QRP and a TenTec amp for QRO.. You could find some excellent values purchasing an Icom 756 Pro I or II on the used market... uh... I mean, pre-owned. My point of view is from a 98% CW op.

Good luck in your quest,
Emil
W9NM

"Jim Barnard" <jbarnard@ftc-i.net> wrote in message

```
news:SsednXSvhLY3VYzU4p2dnAA@comporium.net...
> From time to time, I see an Elecraft K-2 come up for sale. I have thought
> about buying one of these to try. However, they usually sell for better
> than $1200. I looking over the specs, I wonder if this radio, which has
> 10-year old technology, performs any better than a Yaesu FT-757 or similar
> vintage rig? Usually, vintage Yaesu, Kenwood or Icoms sell in the $300-500
> price range.
>
> Any thought and recommendations are appreciated.
>
> Jim
> W4BRX
>
```

```
From -5148375294954672864
X-Google-Thread: fcc6e,6fa2412b6ae002ae,start
X-Google-Thread: 108122,6fa2412b6ae002ae,start
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1223359501@panix.com>
Followup-To: poster
Date: 7 Nov 2008 02:05:02 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Dec 2008 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1226041500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1226041503 9015 166.84.1.2 (7 Nov 2008 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Nov 2008 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Original-Bytes: 2660
Xref: g2news2.google.com rec.radio.amateur.antenna:21780 rec.radio.amateur.dx:656
rec.radio.amateur.equipment:3183 rec.radio.amateur.homebrew:3531
rec.radio.info:837

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
```

Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 7357783337787259318
X-Google-Thread: 108122,9d0785bff72d6c4d,start
X-Google-Thread: 1109af,9d0785bff72d6c4d,start
X-Google-Thread: 10b9c8,9d0785bff72d6c4d,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!news-
xxxfer.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1223359800@panix.com>
Followup-To: poster
```

Date: 7 Nov 2008 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Dec 2008 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1226041800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1226041801 26773 166.84.1.2 (7 Nov 2008 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Nov 2008 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:822 rec.radio.swap:819 rec.radio.info:328

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From 6079925027011065258
X-Google-Thread: 108122,2416ed7cca73cf55,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
From: "Mike Kulyk" <mkulyk@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: BASE Station CB radios and Linear AMP
Date: Fri, 7 Nov 2008 07:19:21 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Lines: 20
Message-ID: <49143250$0$14320$607ed4bc@cv.net>
Organization: Optimum Online
NNTP-Posting-Host: 69.117.250.166
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3185

I have 2 older CB BASE station radios. ONE IS SSB.. and the other is AM only

And I have a 100 + watt Knight T 175 AMP. 10 mtr and 6 mtr AMP. ALL THIS EQUIPMENT IS IN NEED OF REPAIR. THE AM unit comes on and I got sound out of it. Squelch Noise. COMES WITH NICE TURNER DESK MIC

THE SSB radio has NO power cord.. SO I could not power it. COMES with MIC.,.

THE AMP powered up.. Made some noise. SO I pulled the plug.

Pictures of all above by e-mail.

I will trade for a NON working HF transceiver.

73

Mike WB2GLW

From -1835482166563475234
X-Google-Thread: 108122,69a4b8933a08d7c9,start

X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 07 Nov 2008 11:13:45 -0600
From: Rui777 <Rui777.35a2c96@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: ICOM 745, Very nice!
Date: Fri, 7 Nov 2008 17:12:36 +0000
Message-ID: <Rui777.35a2c96@radiobanter.com>
Organization: RadioBanter.com
Lines: 11
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
azFhjiARWRAA6JZdy+YD7hz4MyHZceg+VKKc202iLNGQEMRniHttVgEnmC1HKZPJx9fhXnpP1UKTzXN!
lgoVBsNDkV5I87e3AiBODclierxH5SJIpwby6r3mSmfnnXkQ8zeZKtoUOWeiniKhICWcPQExPNgC!kbY=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news2.google.com rec.radio.amateur.equipment:3186

This fine radio is near MINT with a HOT receiver. It has the mod to
allow transmit on Marine, MARS, CAP & 60M. Comes with original box,
hand mike, power cable, and full tech manual on CD. $450 plus shipping
or trade for Heathkit SB220, HL2200 or equiv. Roy 818-352-6478 or
email: roywooden@ gmail.com

--
Rui777

From -5124110544693661498
X-Google-Thread: 108122,6de9008c82308079,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!flpi089.ffdc.sbc.com!prodigy.net!
flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!nlpi070.nbdc.sbc.com.POSTED!
d2d531d9!not-for-mail
From: "H. Adam Stevens" <hstevens8395@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu VX-7R on eBay
Lines: 2
MIME-Version: 1.0
Content-Type: text/plain;

```
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Message-ID: <eklRk.5973$x%.224@nlpi070.nbdc.sbc.com>
NNTP-Posting-Host: 67.78.109.2
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi070.nbdc.sbc.com 1226170762 ST000 67.78.109.2 (Sat, 08 Nov 2008
13:59:22 EST)
NNTP-Posting-Date: Sat, 08 Nov 2008 13:59:22 EST
Organization: at&t http://my.att.net/
X-UserInfo1: Q[R_PJSCO@TUC\
\YXJJX__TKF@JLUULMVPQZKB]MPXHZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPI
JH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSD
A^M]@DRVUM@RBM
Date: Sat, 8 Nov 2008 12:59:54 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:825

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=STRK:MESELX:IT&item=160297496124




From 5429213159954478241
X-Google-Thread: 108122,4bffcc9bc8cd4141
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help: Pin info ERC Oven Crystal
Date: Sat, 08 Nov 2008 15:35:28 -0500
Organization: Aioe.org NNTP Server
Lines: 43
Message-ID: <fmmck-C657A1.15352808112008@nntp.aioe.org>
References: <MhrQk.114405$Mh5.113809@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: OjxUMtKQgQjE3QmmrROV1Q.user.aioe.org
X-Complaints-To: abuse@aioe.org
NNTP-Posting-Date: Sat, 8 Nov 2008 20:35:31 +0000 (UTC)
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.7.4
Xref: g2news1.google.com rec.radio.amateur.equipment:826

In article
<MhrQk.114405$Mh5.113809@bgtnsc04-news.ops.worldnet.att.net>,
 "Larry McGee" <lrmagoo@worldnet.att.net> wrote:

> Hello and thanks for the read. I have an ERC (Electronic Research Co.)
> Oven-Crystal in an 8 pin octal base can.
```

> Does anyone have a lead to a site where I could find which pins are for the
> 115VAC heater, +V and it's ground and at what voltage range to make the 1
> MHz crystal oscillate and which pin for it's output.
> I am trying to adapt this unit to fit inside a Motorola R-1201A signal
> generator that is missing the original Xtal unit.

Larry-

If your ERC is complex, with an electronically regulated oven and/or a crystal oscillator circuit, you will definitely need some factory data to use it. If you know where it came from, perhaps that equipment will have a circuit diagram to show how it is hooked up.

I went through my collection and found three old octal-base ovens, but none were ERC.

It was possible to remove the outer cover of each. One was potted so thoroughly that it was not possible to see the wiring to the octal base, but the other two were easy to see. Wiring to each was slightly different, so I'd hesitate to recommend one.

If yours has a simple thermostat and heating element, you may be able to find two pins that are close to zero Ohms. These would be the thermostat contacts. Between these and one other pin would be the heating element, in the order of several hundred or a couple thousand Ohms. You would have to devise an experiment to determine which of the thermostat leads is common to the heating element.

If yours is just a crystal oven, not an oscillator, then the crystal should oscillate in whatever circuit you use. You can rig-up a simple crystal test oscillator, and test various combinations of the octal plug connections to find which are the two crystal leads.

None of mine had a connection to the metal case, but yours might.

Fred
K4DII

From 8188954256543259353
X-Google-Thread: fc8b1,85a7e80dd8199886,start
X-Google-Thread: 108122,85a7e80dd8199886,start
X-Google-Thread: fc2a5,85a7e80dd8199886,start
X-Google-Thread: 1109af,85a7e80dd8199886,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
From: "K" <K@spam.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

```
Subject: FA: EAC R-390A
Date: Sat, 8 Nov 2008 14:35:37 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Lines: 9
Message-ID: <49161439$0$4954$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 98.150.29.193
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1324
rec.radio.amateur.equipment:827 rec.radio.amateur.homebrew:1087 rec.radio.swap:825

FA: EAC R-390A on ebay --

      R-390A HF Receiver - 280283671494


--






From 2094286331379550470
X-Google-Thread: 108122,92fa871cb4c8ef57,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 09 Nov 2008 13:52:17 -0600
From: "Richard Knoppow" <dickburk@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Drake AC4 or AC3 Power Supply
Date: Sun, 9 Nov 2008 11:52:17 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <lNWdnYEcEYPvoorUnZ2dnUVZ_qLinZ2d@earthlink.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 66.81.244.35
X-Trace: sv3-GyzHmygYfADShNRKjReF2u34x6BU72C71jNF0G/
dW6yDIKIrOper1kCdJi4UtXrYSYeaVxt1suJ/p33!
RVqLU6Ei+S70PZ6HxoDzdhgFcViL95AsNT4RevbWqmQd6znPAt1DW0r7aepI32LsDDw/cOaK2gHz!
px2iCPysdsl3QIvWEHwhBxei9wZjTFwV
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:828

Does anyone have a Drake AC4 or AC3 PS for sale? I
don't need the loudspeaker cabinet although it would be nice
to have.
Please contact me via private e-mail.

--

--
Richard Knoppow
Los Angeles
WB6KBL
dickburk@ix.netcom.com

From 5860026374654785022
X-Google-Thread: 108122,1ff8aa972babfa73,start
X-Google-Thread: fc2a5,1ff8aa972babfa73,start
X-Google-Thread: 107ada,1ff8aa972babfa73,start
X-Google-Thread: 110c99,1ff8aa972babfa73,start
X-Google-Thread: 111320,1ff8aa972babfa73,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i18g2000prf.googlegroups.com!not-for-mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.running,rec.scouting.issues
Subject: The London Fetish Week Survival Guide for North Americans
Date: Mon, 10 Nov 2008 03:43:32 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <96d34299-5de5-468f-9e54-86a28f29327a@i18g2000prf.googlegroups.com>
NNTP-Posting-Host: 92.112.157.79
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1226317412 4217 127.0.0.1 (10 Nov 2008 11:43:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Nov 2008 11:43:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i18g2000prf.googlegroups.com; posting-host=92.112.157.79;
posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:829
rec.radio.amateur.homebrew:1114 rec.radio.amateur.misc:1541 rec.running:5015
rec.scouting.issues:940

Magazine BDSM http://magazin.byethost2.com Hands-down, London has some
the best fetish party weekends around.



From 2487541513528431920
X-Google-Thread: 108122,cc2135583b9cde07,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!not-for-mail
From: "K" <K@spam.net>
Newsgroups: rec.radio.amateur.equipment
Subject:  FA: EAC R-390A HF Receiver Auction # 280283671494
Date: Mon, 10 Nov 2008 14:04:05 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Lines: 6
Message-ID: <4918afd8$0$17045$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 98.150.29.193
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3192

 FA: EAC R-390A HF Receiver Auction # 280283671494 or click on below:
    http://fyad.org/wq4z






From 8406332471581066791
X-Google-Thread: 108122,85d344af90657d9f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 10 Nov 2008 17:14:36 -0600
From: fws2055 <fws2055.35e7576@radiobanter.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Realistic DX-302
Date: Mon, 10 Nov 2008 21:03:45 +0000
Message-ID: <fws2055.35e7576@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
yd69IRCl6MQfnHSmp43qxoAhp15FUfOsfGbLdW+4it7jltn59jKQveBAoBvS1yNf6O4hqs6b2JGKnw+!
mEAM/dLI3SzscttO/4StUZjyZhxrzPtiaN6AFNoEs4q48Ibw+9u2MiwTHe9iswtIxAP545hlVYKP!kjl2
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:831

Hi, can anyone direct me to a link that has a downloadable free manual
for the realistic DX-302 receiver. Any help would be greatly
appreciated. Thanks.

--
fws2055

From 8776703645471210391
X-Google-Thread: 108122,179ae301eed7f436,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
q30g2000prq.googlegroups.com!not-for-mail
From: kz3dx@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: TRADE: Your ORION II - for - my OMNI VII
Date: Tue, 11 Nov 2008 16:22:54 -0800 (PST)
Organization: http://groups.google.com
Lines: 25
Message-ID: <a4e5b7a7-fe51-4821-84d3-d422aa3f71de@q30g2000prq.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1226449374 8367 127.0.0.1 (12 Nov 2008 00:22:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Nov 2008 00:22:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q30g2000prq.googlegroups.com; posting-host=66.177.6.190;
     posting-account=45XJAgoAAAA05yZfLd6955vg-czIX97d

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.17)
 Gecko/20080829 Firefox/2.0.0.17,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:832

If your Orion II (model 566) has turned out to be more rig then you want or more rig then you need, maybe we can get together.

I have an Omni VII with the built-in tuner, 500Hz and 300Hz filters installed, and optional external fan. It covers 160m through 6m. I use it mostly on PSK31 and CW. It is absolutely Like New. It of course comes with the original book, the Original box, etc. and I will include a pair of Swiss Ear buds, which are great for CW. The latest version of the firmware is loaded.

I am located in Jacksonville, FL. If you are within 150 or so miles and are interested in trading rigs let's talk. I would prefer not to ship the rigs, for the obvious reasons.

If we can meet, then you can see how the OMNI VII operates and I can see how your ORION II operates.

I am interested in an Orion II model 566 (ONLY) with the built-in tuner and at least the 500Hz filter and the optional fan. The latest version of the firmware has been installed.

My email address is: kz3dx@yahoo.com

Thanks,
Bill

From -8024116861567272538
X-Google-Thread: 108122,4e7152447921c43e,start
X-Google-Thread: fc2a5,4e7152447921c43e,start
X-Google-Thread: 110c99,4e7152447921c43e,start
X-Google-Thread: 111320,4e7152447921c43e,start
X-Google-Attributes:
gid108122,gidfc2a5,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i18g2000prf.googlegroups.com!not-for-mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.running,rec.scouting.issues
Subject: porn trailers
Date: Wed, 12 Nov 2008 04:46:54 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <d9d49dd6-a634-43ec-a943-80b5074ff0ce@i18g2000prf.googlegroups.com>
NNTP-Posting-Host: 92.112.154.58
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1226494014 3561 127.0.0.1 (12 Nov 2008 12:46:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Nov 2008 12:46:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i18g2000prf.googlegroups.com; posting-host=92.112.154.58;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:833
rec.radio.amateur.homebrew:1132 rec.radio.amateur.misc:1548 rec.running:5057
rec.scouting.issues:941

porn trailers http://pupir.byethost9.com/bdsm.htm porn videos
http://pupir.byethost9.com/hardcore.htm free homemade porn
http://pupir.byethost9.com/lesbi.htm hardcore porn http://pupir.byethost9.com/
amateur.htm



From 6597312350147730617
X-Google-Thread: fc8b1,7d6f2f8f5ed1b946,start
X-Google-Thread: 108122,7d6f2f8f5ed1b946,start
X-Google-Thread: 1109af,7d6f2f8f5ed1b946,start
X-Google-Thread: 106d41,7d6f2f8f5ed1b946,start
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i24g2000prf.googlegroups.com!not-for-
mail
From: Richie <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.cb
Subject: FA: Drake TR-72 manual
Date: Wed, 12 Nov 2008 07:51:42 -0800 (PST)
Organization: http://groups.google.com
Lines: 1
Message-ID: <3f22bdc3-cf2e-4f08-b4f1-1752b528c8dd@i24g2000prf.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1226505102 1536 127.0.0.1 (12 Nov 2008 15:51:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Nov 2008 15:51:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i24g2000prf.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.17)
     Gecko/20080829 Firefox/2.0.0.17,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1347
rec.radio.amateur.equipment:834 rec.radio.swap:839 rec.radio.cb:4610
```

http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

```
From -4030257139181682662
X-Google-Thread: 108122,5304a49093880b0b,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b38g2000prf.googlegroups.com!not-for-
mail
From: brad2000@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: good radio for sat com
Date: Wed, 12 Nov 2008 14:53:23 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
Message-ID: <b933ddf5-cb08-439a-b46a-a1980ee97723@b38g2000prf.googlegroups.com>
NNTP-Posting-Host: 198.24.6.135
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1226530404 6738 127.0.0.1 (12 Nov 2008 22:53:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Nov 2008 22:53:24 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b38g2000prf.googlegroups.com; posting-host=198.24.6.135;
     posting-account=RTOJGgoAAADcPtHh4i5Eb-WnkxsEWnqh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.9.0.3)
     Gecko/2008092417 Firefox/3.0.3,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3197
```

I'm looking at a radio for satellite communications work.

Has anyone used the Yaesu VX-8R for talking over satellites. How about
the Kenwood TH-D7A.

Thanks for any insight into these radios.

-brad w.

```
From 4940550800510267508
X-Google-Thread: 108122,5304a49093880b0b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!post02.iad!
news.suddenlink.net!not-for-mail
```

```
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <b933ddf5-cb08-439a-b46a-a1980ee97723@b38g2000prf.googlegroups.com>
In-Reply-To: <b933ddf5-cb08-439a-b46a-a1980ee97723@b38g2000prf.googlegroups.com>
Subject: Re: good radio for sat com
Date: Wed, 12 Nov 2008 21:17:42 -0600
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Lines: 27
Message-ID: <491b9c68$0$5476$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 74.197.3.141
X-Complaints-To: abuse@suddenlink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3198
```

<brad2000@gmail.com> wrote in message
news:b933ddf5-cb08-439a-b46a-a1980ee97723@b38g2000prf.googlegroups.com...

> I'm looking at a radio for satellite communications work.
>
> Has anyone used the Yaesu VX-8R for talking over satellites. How about
> the Kenwood TH-D7A.
>
> Thanks for any insight into these radios.
>
> -brad w.

Brad,

The TH-D7A would be the better choice. It's capable of transmitting and receiving simultaneously on 2m and 70cm. That allows you to hear you own signal coming down from the satellite. It forces you to wear a headset to prevent feedback, but you'll soon appreciate receiving while transmitting to make uplink Doppler frequency corrections to keep you full quieting into the birds.

TH-D7As are hard to come by since Kenwood discontinued them. They are available overseas, but very pricey.

73 es GL

Glenn AA5PK

```
From -6468961604272829346
X-Google-Thread: 108122,d494437cb16e98bc,start
```

```
X-Google-Thread: fc2a5,d494437cb16e98bc,start
X-Google-Thread: 107ada,d494437cb16e98bc,start
X-Google-Thread: 110c99,d494437cb16e98bc,start
X-Google-Thread: 111320,d494437cb16e98bc,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!40g2000prx.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Over 80,000 images of beautiful busty women
Date: Thu, 13 Nov 2008 02:57:56 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <b0e08dac-e21e-465e-9fe0-668b8cf46b63@40g2000prx.googlegroups.com>
NNTP-Posting-Host: 92.112.210.73
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1226573877 29550 127.0.0.1 (13 Nov 2008 10:57:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Nov 2008 10:57:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 40g2000prx.googlegroups.com; posting-host=92.112.210.73;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:837
rec.radio.amateur.homebrew:1148 rec.radio.amateur.misc:1550 rec.running:5068
rec.scouting.issues:942

http://dunny.withsex.com/ Home of the worlds most downloaded woman,
Danni Ashe. Over 80,000 images of beautiful busty women, nude images,
centerfolds, and porn stars. Original video features, live video
feeds, daily updates.


From 5260133404786688272
X-Google-Thread: 108228,e271c3580477b6e8,start
X-Google-Thread: 108122,e271c3580477b6e8,start
X-Google-Attributes: gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: ALPHA 78 Bandpass HF linear amplifier
```

```
Message-ID: <18d527da9b5ca30d1b3ee495299ad142@pseudo.borked.net>
Date: Thu, 13 Nov 2008 09:28:45 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com alt.ham-radio.marketplace:932 rec.radio.swap:3725
rec.radio.amateur.equipment:3200

http://atu.ca/Alpha78



From -5455546699845143521
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 106d41,f111a78963ee3d1a
X-Google-Attributes: gidfb049,gidfcc6e,gid108122,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!w1g2000prk.googlegroups.com!not-for-
mail
From: RHF <rhf-newsgroups@pacbell.net>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: shownatovah day 127 o0f the lawsuit the suit is of course still
     MIA
Followup-To: alt.idiots
Date: Fri, 14 Nov 2008 02:47:30 -0800 (PST)
Organization: http://groups.google.com
Lines: 12
Message-ID: <0ad9d9d0-927f-48d7-8475-430e728de913@w1g2000prk.googlegroups.com>
References: <gc086k$u0v$1@news.tornevall.net> <48efffd8$0$4894$607ed4bc@cv.net>
     <fe2b025b-9ec7-4551-b6e5-5ae0b54e5351@f63g2000hsf.googlegroups.com>
NNTP-Posting-Host: 69.225.95.77
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1226659650 11093 127.0.0.1 (14 Nov 2008 10:47:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Nov 2008 10:47:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w1g2000prk.googlegroups.com; posting-host=69.225.95.77;
     posting-account=sXdt0QkAAADnWX7qexSpwEu6RhprtPN6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.3)
     Gecko/2008092417 Firefox/3.0.3,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:374 rec.radio.amateur.antenna:5390
rec.radio.amateur.equipment:839 rec.radio.cb:4626

On Oct 11, 10:38=A0am, "kb9rq...@hotmail.com" <kb9rq...@hotmail.com>
wrote:
> On Oct 10, 9:22=A0pm, Steve <kenwood1...@hotmail.com> wrote:
>
> > FYI, =A0THE "TINYURL.COM" BELOW IS LOADED WITH SPYWARE!!!
```

```
>
> course that is the games they play
 .
Deleted : Rec.Radio.Shortwave
 .
Added : Alt.Idiots to Follow-Up
 .



From -4541257428020464814
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 106d41,f111a78963ee3d1a
X-Google-Attributes: gidfb049,gidfcc6e,gid108122,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
v39g2000pro.googlegroups.com!not-for-mail
From: RHF <rhf-newsgroups@pacbell.net>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: KC8QJP and N8WWM Glory Hole Party - KC8QJP will be offering
     discount tax consulting through the gloryhole while N8WWM is on his knees
Followup-To: alt.idiots
Date: Fri, 14 Nov 2008 02:48:33 -0800 (PST)
Organization: http://groups.google.com
Lines: 28
Message-ID: <2eceb07a-394e-4006-a601-ae2b0688c33a@v39g2000pro.googlegroups.com>
References: <gc086k$u0v$1@news.tornevall.net> <48efffd8$0$4894$607ed4bc@cv.net>
NNTP-Posting-Host: 69.225.95.77
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1226659713 29963 127.0.0.1 (14 Nov 2008 10:48:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Nov 2008 10:48:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v39g2000pro.googlegroups.com; posting-host=69.225.95.77;
     posting-account=sXdt0QkAAADnWX7qexSpwEu6RhprtPN6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.3)
     Gecko/2008092417 Firefox/3.0.3,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:375 rec.radio.amateur.antenna:5391
rec.radio.amateur.equipment:840 rec.radio.cb:4627

On Oct 10, 5:22=A0pm, Steve <kenwood1...@hotmail.com> wrote:
> FYI, =A0THE "TINYURL.COM" BELOW IS LOADED WITH SPYWARE!!!
>
> Leland C Scott wrote:
> >"n8wwm mrbindwell (fatboy)" wrote:
>
> >http://img254.imageshack.us/my.php?image=3Ddougpetro3yk1.jpg
>
```

```
> >>Pick up some crisco on your way over tonight, =A0KC8QJP =A0needs a good
> >>slathering on her hind quarters.
>
> >>She's also getting ready to start her tax return posts again like she d=
oes
> >>every year. You remember those..
>
> >>http://tinyurl.com/46teqq
>
> >>She says she wants to add some pics of her and me to them this year.
>
> >Cool!
>
>


 .
Deleted : Rec.Radio.Shortwave
 .
Added : Alt.Idiots to Follow-Up
 .



From -63948992218318477
X-Google-Thread: 106d41,fc6cbb34a018c5bc,start
X-Google-Thread: fc2a5,fc6cbb34a018c5bc,start
X-Google-Thread: 108122,fc6cbb34a018c5bc,start
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
d36g2000prf.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: VoiceMax Speech Processor
Date: Fri, 14 Nov 2008 04:13:55 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1226664837 13232 127.0.0.1 (14 Nov 2008 12:13:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Nov 2008 12:13:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d36g2000prf.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:4628 rec.radio.amateur.homebrew:1156
rec.radio.amateur.equipment:841
```

```
The VoiceMax speech processor is not for everyone...
It's only for radio operators that want maximum range from their rig.
VoiceMax is no gimmick... it uses proven AGC technology to produce
tangible results. Want to know more?
http://tinyurl.com/2ac9r5



From -877666150262131158
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news.musoftware.de!wum.musoftware.de!news.albasani.net!not-for-mail
From: Stev eH
<StevehkhhSDJvhvbjjxbvvbhnvbhzjdnxzvzhzdshbvnjzvnbvnvjbvbcjbvvvvnmxvzjhjzsdgfgsfgh
gjsghgsljhglhdjfghfufgfhzysgfhczgugfvzlvufzvllgfzlyfyvlgbylvdfghvblyrylxybvryvbfbl
lyxdldf@tfif.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Fri, 14 Nov 2008 20:21:17 +0000
Organization: Digital preserves music the way that formaldehyde preserves
 frogs. You kill it, and it lasts forever
Lines: 13
Message-ID: <gfkmjr$gih$1@news.albasani.net>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
Reply-To:
StevehkhhSDJvhvbjjxbvvbhnvbhzjdnxzvzhzdshbvnjzvnbvnvjbvbcjbvvvvnmxvzjhjzsdgfgsfghg
jsghgsljhglhdjfghfufgfhzysgfhczgugfvzlvufzvllgfzlyfyvlgbylvdfghvblyrylxybvryvbfbll
yxdldf@tfif.co.uk
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net O2z36n5bKrCikSbbTgEYu52zp7SeYB/
jPbHWRafw1KN9p5rDJoVXK3Sy9C1a9A/
A4CLyAVLXWgWqJwGIK0bS0xEC9JgwzLAnITETNXlCW3zUm8reQy+i10OOBbyq2/Um
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 14 Nov 2008 20:21:15 +0000 (UTC)
X-User-ID: ucJDXFEz4dr8THI2PHU8NX8UryBzqerLM6ap0ySXGOA=
In-Reply-To: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
Cancel-Lock: sha1:c3NXmYmPWNVZ64wzJgDbFrl9Ku4=
User-Agent: Thunderbird 2.0.0.17 (Windows/20080914)
X-NNTP-Posting-Host: Mq7cfCIpKVMXlxltlFyWqT7Spd32vRnIRzJgL3l1R/k=
Xref: g2news1.google.com rec.radio.amateur.equipment:842

Tel star Electronics briangriffey@sbcglobal.net
<briangriffey@sbcglobal.net>  wrote:
> The VoiceMax speech processor is not for everyone...
> It's only for radio operators that want maximum range from their rig.
> VoiceMax is no gimmick... it uses proven AGC technology to produce
> tangible results. Want to know more?
> http://tinyurl.com/2ac9r5

briangriffey@sbcglobal.net <briangriffey@sbcglobal.net>
```

What has this got to do with amateur radio?

Steve H

From -6286865467047712281
X-Google-Thread: 108122,fc6cbb34a018c5bc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.cse.ohio-state.edu!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!sdog2008
From: Stray Dog <sdog2008@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Fri, 14 Nov 2008 21:25:18 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 51
Message-ID: <Pine.NEB.4.64.0811142124190.7316@sdf.lonestar.org>
References: <b40ffb0b-7e1c-4535-ac51-f05846d00dec@d36g2000prf.googlegroups.com>
 <gfkmjr$gih$1@news.albasani.net>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1226697924 13846 192.94.73.1 (14 Nov 2008 21:25:23 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Fri, 14 Nov 2008 21:25:23 +0000 (UTC)
In-Reply-To: <gfkmjr$gih$1@news.albasani.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:843

On Fri, 14 Nov 2008, Stev eH wrote:

> Date: Fri, 14 Nov 2008 20:21:17 +0000
> From: Stev eH
>   <StevehkhhSDJvhvbjjxbvvbhnvbhzjdnxzvzhzdshbvnjzvnbvnvjbvbcjbvvvvnmxvzjhjzs
>   dgfgsfghgjsghgsljhglhdjfghfufgfhzysgfhczgugfvzlvufzvllgfzlyfyvlgbylvdfghvb
>   lyrylxybvryvbfbllyxdldf@tfif.co.uk>
> Newsgroups: rec.radio.amateur.equipment
> Subject: Re: VoiceMax Speech Processor
>
> Tel star Electronics briangriffey@sbcglobal.net <briangriffey@sbcglobal.net>
> wrote:
>> The VoiceMax speech processor is not for everyone...
>> It's only for radio operators that want maximum range from their rig.
>> VoiceMax is no gimmick... it uses proven AGC technology to produce
>> tangible results. Want to know more?
>> http://tinyurl.com/2ac9r5
>
> briangriffey@sbcglobal.net <briangriffey@sbcglobal.net>
>
> What has this got to do with amateur radio?
>

> Steve H
>

These guys come on the NG about every month trying to soft sell their product.

```
From -8252794388247053417
X-Google-Thread: 108122,f27f89bc4c8133a4,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
spln!extra.newsguy.com!newsp.newsguy.com!news4
From: me@privacy.net
Newsgroups: rec.radio.amateur.equipment
Subject: TH-F6A No Audio with SMC-34 Speaker Mic
Date: Mon, 17 Nov 2008 11:21:17 -0800
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 4
Message-ID: <gfsg7b02vua@news4.newsguy.com>
NNTP-Posting-Host: pc53617bfff000000a4928794d1747ffcffbc30a781c0efc9.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 4.2/32.1118
Xref: g2news1.google.com rec.radio.amateur.equipment:844
X-Original-Bytes: 910
```

When I plug in the speaker mic to the TH-F6A I can transmit but no one can hear audio from my radio. I have checked option 9 and sp.mic is selected as the option for the speaker mic jack. Anyone have any ideas what the problem could be?

From -1200367914666297509
X-Google-Thread: 108122,f27f89bc4c8133a4
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 17 Nov 2008 14:38:31 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TH-F6A No Audio with SMC-34 Speaker Mic
References: <gfsg7b02vua@news4.newsguy.com>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Mon, 17 Nov 2008 12:38:07 -0800
Message-ID: <fa19v5-50k.ln1@radagast.org>
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-ZxvLJJXqP3Z+6/6mtKk2zpGVcg3s6aRxVX03cx0iKLOtzoKBsYDX0ZtGMFQQqVw0qo+blH5p+Ab1bjG!MC0/acFOpfEtQXS+5eY+IBT/21sWYlfBH6+zV5b8guKsEA4fm4lFiCxbLhGnvg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:3207

> When I plug in the speaker mic to the TH-F6A I can transmit but no one can
>hear audio from my radio. I have checked option 9 and sp.mic is selected as
>the option for the speaker mic jack. Anyone have any ideas what the problem
>could be?

I can think of at least three possible causes:

- A bad SMC-34 - maybe a defective mic cartridge or a broken wire somewhere else.

- A bad speaker/mic jack in the TH-F6A

- A fault in the TH-F6A circuit which is supposed to provide a current-limited DC bias voltage to the microphone.

The best way to narrow down whether it's the mic or the radio is to use the field engineer's favorite approach: substitution. Try your existing SMC-34 on someone else's TH-F6A and see if it works. Try a

known-good SMC-34 (or an MFJ or another vendor's speaker/mic which is
compatible with your radio) on your TH-F6A and see if it works any
better.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -5139396795227996996
X-Google-Thread: 108122,5ad3784b1d92f981,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: FINNISH,ASCII
Subject: Ryhm�n sfnet.keskustelu.liikenne virallinen kuvaus
From: Sami Myllym�ki <sami@kasky.com>
Date: Mon, 17 Nov 2008 15:26:55 -0600
Message-ID: <1226957215_21651@news-in1.superfeed.net>
References: <48774003$0$2667$9b536df3@news.fv.fi>
Lines: 31
NNTP-Posting-Host: 66.230.230.230
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns11feed!worldnet.att.net!204.71.34.3!newsfeed.cwix.com!news-
out.superfeed.net!sp26iad.superfeed.net!news-in1.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news-in1.superfeed.net 1226957215 66.230.230.230 (17 Nov 2008 15:26:55
-0600)
Followup-To:
sfnet.keskustelu.avaruus,sfnet.keskustelu.kieli,sfnet.tori.rakennustarvikkeet,rec.
radio.amateur.equipment
Content-Type: text/plain;
MIME-Version: 1.0
Content-Transfer-Encoding: 8bit
X-Original-Bytes: 2399
X-Original-Lines: 41
Xref: g2news2.google.com rec.radio.amateur.equipment:3208

MTV 3. 07.06.2008. "Norjassa tuulivoima my�t�tuulessa. Norjan
energiatarpeista PUOLET voidaan kattaa tuulivoimalla, kun nykysuunnitelmat
toteutetaan! Kaiken kaikkiaan 130 tuulivoimalapuistohanketta on haettu
rakennuslupaa Norjan energiavirastolta. Jos kaikille halukkaille my�nnet��n
lupa energiantuotanto kasvaisi 56 terawatttitunnilla, mik� on noin puolet
maan nykytuotannosta. N�iden lis�ksi 19 tuulihanketta on saanut
rakennusluvan, mutta rakentamista ei ole viel� alettu."

*Niin.. ..MYKIST�V��! .. On jo p�iv�n selv��, ett� Tanskan ja Saksan
uskaliaat uudisenergiairtiotot ovat saamassa arvoisensa triumfin. Maailman
energiaj�tit alkavat k��nty� ennenn�kem�tt�m�n massiivisesti pois
ydinmenneisyydest� ja suuntaavat tuhdisti turpoaville
uudisenergiasektoreille. Erityisherkkuna on nimenomaan toimivimman
offshoremerituuliosuuden aukeaminen. Kun jopa Englannin kaltaiseen
pataydintaantumusvaltioon rakennetaan parhaillaan maailman masiivisinta

Loviisaluokan ofshoretuuloipuistoa, ydinalan korttipeli p��ttyi t�yskaatoon. Ja kohta s�hk�verkot my�s kautta Pohjolan suorastaan notkuvat tuskin en�� kymmenesosaa ydins�hk�kustannuksesta maksavaa 100% saasteetonta bulkkiekoenergiaa. 100% s��dett�v�t ja puolisen vuotta sitten Norjan Trondheimissa mitatut k�sitt�m�tt�m�n hyv�t tuulivoiman ***99% vuosipysyvyyshy�tysuhteet NELJ� kertaa paremmat kuin ydinreaktorirumiluksilla ajetut enemm�n kuin vakuuttivat.***

T�ss� on tulossa sellaiset energiantuotannon poistumat ydinvoiman kaltaisista uudiskyvytt�mist� vektoreista, ett� ydinvoiman mustapekka sopeutumiskyvytt�m�lle Suomelle on varmentumassa. T�h�n settiin kun Viro julkaisee tuuliaikeensa ja saadaan ilman muuta Ruotsi mukaan, niin ydinsuomi sotketaan mukavasti ydinsuohonsa, jopa omilla s�hk�markkinoillaan. KUKAAN EI TARVITSE sikakallista s��t�kyvyt�nt� ja EU:ssa maineensa mokanutta ydinvoimaa. Tulemme n�kem��n sellaisen ydinvastarinnan n�emm� MY�S talousmiesten jaloin ��nestyksin, ettei mit��n jakoa. HIENOA!))

```
From 4477055115657052014
X-Google-Thread: fc8b1,7d6f2f8f5ed1b946
X-Google-Thread: 108122,7d6f2f8f5ed1b946
X-Google-Thread: 1109af,7d6f2f8f5ed1b946
X-Google-Thread: 10bf43,1566a0af4d1d9120,start
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!b38g2000prf.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.cb,rec.radio.amateur.policy
Subject: Re: FA: Drake TR-72 manual
Date: Mon, 17 Nov 2008 14:57:18 -0800 (PST)
Organization: http://groups.google.com
Lines: 82
Message-ID: <0ee282e4-df5b-4507-b70a-63ba3b555aab@b38g2000prf.googlegroups.com>
References: <3f22bdc3-cf2e-4f08-b4f1-1752b528c8dd@i24g2000prf.googlegroups.com>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1226962639 23279 127.0.0.1 (17 Nov 2008 22:57:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Nov 2008 22:57:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b38g2000prf.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1377
```

rec.radio.amateur.equipment:847 rec.radio.swap:866 rec.radio.cb:4649
rec.radio.amateur.policy:16629

On Nov 12, 10:51=A0am, Richie <rlucch2...@aol.com> wrote:
> http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

KB5URP, Randy Chapman, CONVICTED crack dealer...

It is NEVER gonna stop, moparhoLICK...NEVER. Get used to it. You can do not a friggin' thing to stop it. HAHAHAHAHHA...ASSCLOWN...sit there
and do what you do with truckers...SUCK ON IT! LOL! The more you post the more we will whap your faggy face with your gay lover Chapwoman's deal. Go eat a kitty turd and get over it, queenie.

```
Batch Search Summary
SEARCH ID SEARCH CRITERIA IDENTIFIER STATUS
3930206 Chapman,Randall    CCH/NBF/SOR [9 results.]  VIEW  DETAILS


RESULTS FOR 'CHAPMAN,RANDALL '
    Search ID 3930206 Back to Top
NAME DPS NUMBER SEX RACE DATE OF BIRTH CCH SOR NBF
CHAPMAN,RANDOLPH WILLARD 05388013 MALE WHITE 03/22/1961 VIEW


CHAPMAN,RANDOLPH WILLARD (SID: 05388013)
SEX RACE ETHNICITY HEIGHT WEIGHT EYES HAIR COLOR DL NUMBER FBI# DLU
MALE  WHITE    508  195  BROWN  Brown      10/26/1995
NAMES CHAPMAN,RANDOLPH WILLARD (Primary)
CHAPMAN,RANDY


BIRTHDATES 03/22/1961 (Primary)


  Arrest Summary (TRN)
DATE OF ARREST SEQUENCE CODE TRACKING NUMBER AGENCY DESCRIPTION
01/16/1995 A 0007369727 TEXAS CITY PD View


Arrest Date: 01/16/1995   Arrest Summary


DATE OF ARREST 01/16/1995
SEQUENCE CODE A
TRACKING NUMBER 0007369727
AGENCY DESCRIPTION TX0840900 ( TEXAS CITY PD )
CHARGE
TRACKING SUFFIX A001
OFFENSE DETAIL
INTERNAL AGENCY PERSON NUMBER 020130
INTERNAL AGENCY CASE NUMBER 95633
```

```
ARREST OFFENSE 35990014 ( POSS CS PG 1 < 1G )
ARREST OFFENSE CITATION 481.115(b)
LEVEL AND DEGREE OF OFFENSE FS ( FELONY - STATE JAIL FELONY )
DATE OF OFFENSE 01/16/1995
ARREST DISPOSITION 205 ( HELD )
ARREST DISPOSITION DATE 01/16/1995
PROSECUTOR ORI REFERRED TO TX084015A ( DISTRICT ATTORNEYS OFFICE
GALVESTON )
PROSECUTION DETAIL
AGENCY DESCRIPTION TX084015A ( DISTRICT ATTORNEYS OFFICE
GALVESTON )
PROSECUTOR ACTION FIELD A ( PROSECUTOR ACCEPTS THE CHARGE )
PROSECUTOR OFFENSE 35990014 ( POSS CS PG 1 < 1G )
PROSECUTOR OFFENSE CITATION 481.115(b)
LEVEL AND DEGREE PROSECUTED FS ( FELONY - STATE JAIL FELONY )
COURT STATUS
COURT SEQUENCE a
AGENCY DESCRIPTION TX084035J ( 122ND DISTRICT COURT GALVESTON )
COURT OFFENSE 35990014 ( POSS CS PG 1 < 1G )
CITATION 481.115(b)
LEVEL AND DEGREE OFFENSE FS ( FELONY - STATE JAIL FELONY )
COURT DISPOSITION 312 ( DEFERRED )
COURT DISPOSITION DATE 09/21/1995
DATE OF SENTENCE/STATUS 09/21/1995
CAUSE NUMBER 95CR0800
FINAL PLEADING G ( GUILTY )
COURT PROBATION 4Y
COURT FINE 200
COURT COSTS 157
AGENCY RECEIVING CUSTODY GCCSCD
```

```
From -4149154820779493727
X-Google-Thread: 108122,db16b6f5e11b8b6b,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!w39g2000prb.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.amateur.policy
Subject: Randy Chapman, KB5URP, CONVICTED CRACK DEALER
Date: Mon, 17 Nov 2008 14:58:43 -0800 (PST)
Organization: http://groups.google.com
Lines: 69
Message-ID: <3595e4d6-0111-458c-b997-c3fd87ba76e4@w39g2000prb.googlegroups.com>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
```

```
X-Trace: posting.google.com 1226962723 23451 127.0.0.1 (17 Nov 2008 22:58:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Nov 2008 22:58:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w39g2000prb.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4525
rec.radio.amateur.equipment:3210 rec.radio.swap:3748
rec.radio.amateur.policy:43121

Batch Search Summary
SEARCH ID SEARCH CRITERIA IDENTIFIER STATUS
3930206 Chapman,Randall    CCH/NBF/SOR [9 results.]  VIEW  DETAILS


RESULTS FOR 'CHAPMAN,RANDALL '
    Search ID 3930206 Back to Top
NAME DPS NUMBER SEX RACE DATE OF BIRTH CCH SOR NBF
CHAPMAN,RANDOLPH WILLARD 05388013 MALE WHITE 03/22/1961 VIEW


CHAPMAN,RANDOLPH WILLARD (SID: 05388013)
SEX RACE ETHNICITY HEIGHT WEIGHT EYES HAIR COLOR DL NUMBER FBI# DLU
MALE  WHITE    508  195  BROWN  Brown      10/26/1995
NAMES CHAPMAN,RANDOLPH WILLARD (Primary)
CHAPMAN,RANDY

BIRTHDATES 03/22/1961 (Primary)


  Arrest Summary (TRN)
DATE OF ARREST SEQUENCE CODE TRACKING NUMBER AGENCY DESCRIPTION
01/16/1995 A 0007369727 TEXAS CITY PD View


Arrest Date: 01/16/1995   Arrest Summary


DATE OF ARREST 01/16/1995
SEQUENCE CODE A
TRACKING NUMBER 0007369727
AGENCY DESCRIPTION TX0840900 ( TEXAS CITY PD )
CHARGE
TRACKING SUFFIX A001
OFFENSE DETAIL
INTERNAL AGENCY PERSON NUMBER 020130
INTERNAL AGENCY CASE NUMBER 95633
ARREST OFFENSE 35990014 ( POSS CS PG 1 < 1G )
ARREST OFFENSE CITATION 481.115(b)
LEVEL AND DEGREE OF OFFENSE FS ( FELONY - STATE JAIL FELONY )
```

DATE OF OFFENSE 01/16/1995
ARREST DISPOSITION 205 (HELD)
ARREST DISPOSITION DATE 01/16/1995
PROSECUTOR ORI REFERRED TO TX084015A (DISTRICT ATTORNEYS OFFICE GALVESTON)
PROSECUTION DETAIL
AGENCY DESCRIPTION TX084015A (DISTRICT ATTORNEYS OFFICE GALVESTON)
PROSECUTOR ACTION FIELD A (PROSECUTOR ACCEPTS THE CHARGE)
PROSECUTOR OFFENSE 35990014 (POSS CS PG 1 < 1G)
PROSECUTOR OFFENSE CITATION 481.115(b)
LEVEL AND DEGREE PROSECUTED FS (FELONY - STATE JAIL FELONY)
COURT STATUS
COURT SEQUENCE a
AGENCY DESCRIPTION TX084035J (122ND DISTRICT COURT GALVESTON)
COURT OFFENSE 35990014 (POSS CS PG 1 < 1G)
CITATION 481.115(b)
LEVEL AND DEGREE OFFENSE FS (FELONY - STATE JAIL FELONY)
COURT DISPOSITION 312 (DEFERRED)
COURT DISPOSITION DATE 09/21/1995
DATE OF SENTENCE/STATUS 09/21/1995
CAUSE NUMBER 95CR0800
FINAL PLEADING G (GUILTY)
COURT PROBATION 4Y
COURT FINE 200
COURT COSTS 157
AGENCY RECEIVING CUSTODY GCCSCD

From 6580226424758147434
X-Google-Thread: fc8b1,7d6f2f8f5ed1b946
X-Google-Thread: 108122,7d6f2f8f5ed1b946
X-Google-Thread: 1109af,7d6f2f8f5ed1b946
X-Google-Thread: 106d41,7d6f2f8f5ed1b946
X-Google-Thread: 10bf43,1566a0af4d1d9120
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid106d41,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 17 Nov 2008 18:34:05 -0600
From: kb9rqz@yahoo.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb,rec.radio.amateur.policy
Subject: Lawsuit countdown 14 day to SoL (Statute of Limitiations) for
k3vr w4nti has another 14 days after that
Date: Mon, 17 Nov 2008 19:36:23 -0500
Message-ID: <mf34i4dqu2qg67if6f13331cgclivid6ut@4ax.com>
References: <3f22bdc3-cf2e-4f08-b4f1-1752b528c8dd@i24g2000prf.googlegroups.com>

<0ee282e4-df5b-4507-b70a-63ba3b555aab@b38g2000prf.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 33
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-
faLPkQPkdjXc3y3mRRAGn28CVHC38b4my3yA22mcGYt0D2XsKC57k+sPc36I+giFx5I+O/21ebC6OpL!
uQkeqF85cAWFGT5aCXppqbOzsBDFdIqsaES+fpGqQ7mC//HCCX0BZdCZutavNxO2rr4nQYTmQgXx!bKHA
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4526
rec.radio.amateur.equipment:3211 rec.radio.swap:3749 rec.radio.cb:13686
rec.radio.amateur.policy:43126

On Mon, 17 Nov 2008 14:57:18 -0800 (PST), mopeyzakween@yahoo.com
wrote:

>On Nov 12, 10:51�am, Richie <rlucch2...@aol.com> wrote:
>> http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom
>
>KB5URP, Randy Chapman, CONVICTED crack dealer...
>
>It is NEVER gonna stop, moparhoLICK...NEVER. Get used to it. You can
>do not a friggin' thing to stop it. HAHAHAHAHHA...ASSCLOWN...sit
>there
>and do what you do with truckers...SUCK ON IT! LOL! The more you post
>the more we will whap your faggy face with your gay lover Chapwoman's
>deal. Go eat a kitty turd and get over it, queenie.
>
>Batch Search Summary
>SEARCH ID SEARCH CRITERIA IDENTIFIER STATUS
>3930206 Chapman,Randall   CCH/NBF/SOR [9 results.] VIEW DETAILS
spamer

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

From 5151846878437178790
X-Google-Thread: fc8b1,db16b6f5e11b8b6b
X-Google-Thread: 108122,db16b6f5e11b8b6b
X-Google-Thread: 10bf43,db16b6f5e11b8b6b
X-Google-Attributes: gidfc8b1,gid108122,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.got.net!news.got.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 17 Nov 2008 18:34:27 -0600
From: kb9rqz@yahoo.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.amateur.policy
Subject: Lawsuit countdown 14 day to SoL (Statute of Limitiations) for
     k3vr w4nti has another 14 days after that
Date: Mon, 17 Nov 2008 19:36:45 -0500
Message-ID: <eg34i4tl82dbh5jtmq7q4ujhspvg20nafo@4ax.com>
References: <3595e4d6-0111-458c-b997-c3fd87ba76e4@w39g2000prb.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.19.113.131
X-Trace: sv3-
a0lhXBCooqXxgdAmIWRmVRlUKDJZBbeNAhw9dhzxOlZU1CfOvDaA3uy3rrAp+J1l4I9qCCvOMPmVUlh!
qqBljz1rOmt/eDiYvSyjYPndMLpvSq5yo0exdRjHIyBgVasFCeSPvVwolhVoVWXxNdx5+GxcSWl3!6zeL
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1380
rec.radio.amateur.equipment:850 rec.radio.swap:869 rec.radio.amateur.policy:16636

On Mon, 17 Nov 2008 14:58:43 -0800 (PST), mopeyzakween@yahoo.com
wrote:

>Batch Search Summary
>SEARCH ID SEARCH CRITERIA IDENTIFIER STATUS
>3930206 Chapman,Randall   CCH/NBF/SOR [9 results.] VIEW DETAILS
>
>

spammer

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

From 7738697125592036365
X-Google-Thread: 108122,2e16e45630d0d137,start
X-Google-Thread: fb049,2e16e45630d0d137,start
X-Google-Attributes: gid108122,gidfb049,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u18g2000pro.googlegroups.com!not-for-mail
From: bigjcw1023@gmail.com
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf
Subject: Yaesu Question
Date: Mon, 17 Nov 2008 21:04:25 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <a3f7320a-2bce-4f4a-830b-6b36760853f8@u18g2000pro.googlegroups.com>
NNTP-Posting-Host: 174.130.34.242
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1226984666 23335 127.0.0.1 (18 Nov 2008 05:04:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Nov 2008 05:04:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u18g2000pro.googlegroups.com; posting-host=174.130.34.242;
posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.18)
Gecko/20081029 Firefox/2.0.0.18,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:851 alt.ham-radio.vhf-uhf:385

I have a Yaesu FT212RH and I want to use it as an anouncement machine,
through the computer to transmit. One, are there any mods to the rig
that I need to make. Two, I founf a cable that has db9 and audio
connectors for this rig on shacksupplies.com, a UK company. The
product is MC02YA. Would this be what I need? Or would I be able to
do this with a regular programming cable that just goes from the mic
to PC? Thanks for the input!!!

From 2513010000959144323
X-Google-Thread: 108122,fdffc4e0ec6e3530,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!

nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Nov 2008 23:13:03 -0600
From: aar9sm <aar9sm.36955d8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Scancat
Date: Wed, 19 Nov 2008 01:46:46 +0000
Message-ID: <aar9sm.36955d8@radiobanter.com>
Organization: RadioBanter.com
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-QYCIlwJnKyA2ubpfkE4KbLbrl3cuj+oIzsYbaoVdE18Xt/
57c3iADSghWQ6jNSlwwEkI7gTea766hmj!Qam3aT7AWMaZrjyayRe7/6S3OGR/
yiqsyssUGEvXypry8bWj3gFqbvdV2ZKq9K2Hz/6kd6wnDvKi!b5o=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 5
Xref: g2news1.google.com rec.radio.amateur.equipment:852

Looking for the old Scancat 6.0 or a working copy of the Exporer. Exe
program or any program for that matter that will allow me to change the
US Bandplan to the Euro Bandplan in my AR800.

73

Mike

--
aar9sm

From -7832667757509772714
X-Google-Thread: 108122,ceb23819535b6fed,start
X-Google-Thread: 111320,ceb23819535b6fed,start
X-Google-Attributes: gid108122,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i18g2000prf.googlegroups.com!not-for-mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.running,rec.scouting.issues
Subject: Over 80,000 images of beautiful busty women
Date: Wed, 19 Nov 2008 06:58:44 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <844e62be-851a-43f6-b746-4a5eb7f7f386@i18g2000prf.googlegroups.com>

```
NNTP-Posting-Host: 92.112.131.116
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1227106724 3177 127.0.0.1 (19 Nov 2008 14:58:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Nov 2008 14:58:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i18g2000prf.googlegroups.com; posting-host=92.112.131.116;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:1067
rec.radio.amateur.homebrew:1527 rec.radio.amateur.misc:1824 rec.running:6794
rec.scouting.issues:1801

http://dunny.withsex.com/ Home of the worlds most downloaded woman,
Danni Ashe. Over 80,000 images of beautiful busty women, nude images,
centerfolds, and porn stars. Original video features, live video
feeds, daily updates.



From 4051822819652885781
X-Google-Thread: fcc6e,5c0762941c88f1c3,start
X-Google-Thread: fc8b1,5c0762941c88f1c3,start
X-Google-Thread: 108122,5c0762941c88f1c3,start
X-Google-Thread: fc2a5,5c0762941c88f1c3,start
X-Google-Thread: 1109af,5c0762941c88f1c3,start
X-Google-Attributes:
gidfcc6e,gidfc8b1,gid108122,gidfc2a5,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!not-for-mail
From: "K" <K@spam.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.homebrew,rec.radio.swap
Subject: FA: R-390A built by ECA
Date: Wed, 19 Nov 2008 19:40:50 -0800
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
```

```
Lines: 6
Message-ID: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 98.150.29.193
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.antenna:5539
rec.radio.amateur.boatanchors:1386 rec.radio.amateur.equipment:854
rec.radio.amateur.homebrew:1236 rec.radio.swap:879
```

FA: An excellent R-390A built by ECA

http://tinyurl.com/6ydbsg

```
From 2350857862659625590
X-Google-Thread: fcc6e,5c0762941c88f1c3
X-Google-Thread: fc8b1,5c0762941c88f1c3
X-Google-Thread: 108122,5c0762941c88f1c3
X-Google-Thread: fc2a5,5c0762941c88f1c3
X-Google-Thread: 1109af,5c0762941c88f1c3
X-Google-Attributes:
gidfcc6e,gidfc8b1,gid108122,gidfc2a5,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!news2.arglkargh.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: R-390A built by ECA
Date: Wed, 19 Nov 2008 22:49:27 -0800
Organization: albasani.net
Lines: 16
Message-ID: <gg319p$mj6$1@news.albasani.net>
References: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net FNeNuWjmLBnS4W4f/oQKYiVb7py5gl/
ylEYEcJqAljUDDBIYtJT8+dY+2Br845fD10MqzjwY6n1BN7iYmwbIInUatjd9zTcK3kw8p6MlGcudyNWw3
NVimDwvSnNQRsXC
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Thu, 20 Nov 2008 06:49:29 +0000 (UTC)
X-User-ID: ygRjenhw2azNo2CmExNZQlQgIRb9cMEMm8gYaJpKpUM=
In-Reply-To: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
X-Antivirus-Status: Clean
X-Antivirus: avast! (VPS 081119-0, 11/19/2008), Outbound message
Cancel-Lock: sha1:4UZItPrOVFjABIzdsQEyr5TPbpY=
User-Agent: Thunderbird 2.0.0.18 (Windows/20081105)
```

```
X-NNTP-Posting-Host: qdBE3PKg+BqpJzAXM+UScDNUTYzT5sQ0JiMjxWZfa6U=
Xref: g2news1.google.com rec.radio.amateur.antenna:5545
rec.radio.amateur.boatanchors:1387 rec.radio.amateur.equipment:855
rec.radio.amateur.homebrew:1237 rec.radio.swap:881
```

K wrote:
> FA: An excellent R-390A built by ECA
>
> http://tinyurl.com/6ydbsg

Wow, that brings back memories. That is a receiver which came into
being right around when I did (1950's).

The tubes in it alone worth something (can be hard to get replacements
these days, just price them!)

I sat before one of those for untold hours in my younger days ... shame
SW is so empty these days ... :-(It was an EXCELLENT RECEIVER ...

Regards,
JS

```
From -4234242712322004857
X-Google-Thread: fcc6e,5c0762941c88f1c3
X-Google-Thread: fc8b1,5c0762941c88f1c3
X-Google-Thread: 108122,5c0762941c88f1c3
X-Google-Thread: fc2a5,5c0762941c88f1c3
X-Google-Thread: 1109af,5c0762941c88f1c3
X-Google-Attributes:
gidfcc6e,gidfc8b1,gid108122,gidfc2a5,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad.newshosting.com!
newshosting.com!post02.iad!news.dslextreme.com!not-for-mail
Date: Thu, 20 Nov 2008 13:46:03 +0000
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.17 (X11/20080925)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: R-390A built by ECA
References: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
In-Reply-To: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <49256a1b$0$31210$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.antenna:5552
rec.radio.amateur.boatanchors:1388 rec.radio.amateur.equipment:856
rec.radio.amateur.homebrew:1238 rec.radio.swap:882

K wrote:
> FA: An excellent R-390A built by ECA
>
> http://tinyurl.com/6ydbsg
>
>
>
What's the green thing by the headphone jack?


From 2249814301082730973
X-Google-Thread: 108122,76380f8f1aff96ef,start
X-Google-Thread: fc2a5,76380f8f1aff96ef,start
X-Google-Thread: 107ada,76380f8f1aff96ef,start
X-Google-Thread: 110c99,76380f8f1aff96ef,start
X-Google-Thread: 111320,76380f8f1aff96ef,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g38g2000yqn.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: teen home made p0rn
Date: Thu, 20 Nov 2008 05:59:19 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <601adf02-8c98-4973-a9a2-c9f113aeae81@g38g2000yqn.googlegroups.com>
NNTP-Posting-Host: 92.112.152.87
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1227189560 3368 127.0.0.1 (20 Nov 2008 13:59:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Nov 2008 13:59:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g38g2000yqn.googlegroups.com; posting-host=92.112.152.87;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:857
rec.radio.amateur.homebrew:1239 rec.radio.amateur.misc:1576 rec.running:5231
rec.scouting.issues:945

http://sambuko.freetzi.com/old.htm homemade lesbian p0rn,homemade p0rn
pics
```

```
From -8627665730771040836
X-Google-Thread: fcc6e,5c0762941c88f1c3
X-Google-Thread: fc8b1,5c0762941c88f1c3
X-Google-Thread: 108122,5c0762941c88f1c3
X-Google-Thread: fc2a5,5c0762941c88f1c3
X-Google-Thread: 1109af,5c0762941c88f1c3
X-Google-Attributes:
gidfcc6e,gidfc8b1,gid108122,gidfc2a5,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!u14g2000yqg.googlegroups.com!not-for-
mail
From: Tim Shoppa <shoppa@trailing-edge.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: R-390A built by ECA
Date: Thu, 20 Nov 2008 06:27:44 -0800 (PST)
Organization: http://groups.google.com
Lines: 13
Message-ID: <18c16b47-21b1-4abd-9239-7247964aaed7@u14g2000yqg.googlegroups.com>
References: <4924dc4b$0$4892$9a6e19ea@unlimited.newshosting.com>
     <49256a1b$0$31210$bd467cd0@news.dslextreme.com>
NNTP-Posting-Host: 170.121.14.12
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1227191265 20800 127.0.0.1 (20 Nov 2008 14:27:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Nov 2008 14:27:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u14g2000yqg.googlegroups.com; posting-host=170.121.14.12;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.antenna:7334
rec.radio.amateur.boatanchors:1745 rec.radio.amateur.equipment:1072
rec.radio.amateur.homebrew:1537 rec.radio.swap:1305

On Nov 20, 8:46=A0am, Dave <d...@dave.dave> wrote:
> K wrote:
> > FA: An excellent R-390A built by ECA
>
> >http://tinyurl.com/6ydbsg
>
> What's the green thing by the headphone jack?

A very common modification, especially by the Navy, was to add a jack
there to monitor the diode load voltage, this makes their regular
maintenance much much easier. NAVSHIPS-0967-063-2140 documents this.
```

Tim N3QE

```
From -8913158169115085827
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<gds9n4$2vl$1@defalla.upc.es>
Subject: Re: 868MHz Propagation problem
Lines: 72
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <YcnMk.50803$XT1.43666@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcboclopbcladfagbgobpohemacbphcocjhaif
eckepfagppmljiigapcjkfahpehopaobndmfgpeaapikjjoflbcdpjeghceflhcjjcpebhhghhpmli
NNTP-Posting-Date: Fri, 24 Oct 2008 13:02:48 EDT
Organization: BellSouth Internet Group
Date: Fri, 24 Oct 2008 13:07:19 -0400
Xref: g2news1.google.com rec.radio.amateur.homebrew:961
rec.radio.amateur.antenna:4916 sci.electronics.design:37769
rec.radio.amateur.equipment:756
```

```
"oopere" <me@somewhere.net> wrote in message
news:gds9n4$2vl$1@defalla.upc.es...
>
>
> dgleeson422111 wrote:
>> Hello All
>>
>> We have a propagation issue that is confusing us. We have two 868MHz
>> modules on test, each capable of 500mW transmission.
>>
>> We are testing to find the range of communication. We are testing them
>> as follows. One remains in our office while the other is taken to the
>> street outside. we are communicating charecter strings such as "Im at
```

>> the lamp post number 1" etc. There is somebody at each end sending
>> text strings in a continuous conversation. There is no protocol, error
>> checking or error recovery.
>>
>> What we have repetadly found is that the radio in the office can
>> receive long after the radio in the street has stopped receiving. (The
>> person with the radio in the street is moving away from the office.)
>>
>> The radios are the same and the power supplies to the radios are the
>> same. Indeed switching the radios gives the same effect.
>>
>> The propagation paths between the two radios are the same in terms of
>> distance. However the radio signal transmitted from the office travels
>> through walls first before then traveling through open space. Its the
>> opposite for the radio in the street, firstly traveling through space
>> and then through the walls in the office.
>>
>> We did think we had identified an interfeering source in one direction
>> (when moving away from the office) so we started moving in the
>> opposite direction. We found exactly the same effect.
>>
>> Are we getting interfeerance from GSM, ISM or Paging?
>>
>> As far as GSM bands go in Europe 890�915 MHz OR 1710�1785 MHz So these
>> shouldnt be our problem.
>>
>> ISM is where we intend to operate and the greatest band occupancy
>> should be 10%. So we should get communication even though we would get
>> some interfeerance.
>>
>> Paging - well this has very much gone out of fashion in Europe. But
>> even if it was the cause then wouldnt it be intermittant
>> communication. We have a constant problem.
>>
>> Can anyone shed light on this phenomonon? Is it an issue of wireless
>> propagation that Im not familiar with or is it Interfeerance?
>>
>> Best regards, and thanks for any input.
>>
>> Denis
>> ________________________
>> http://www.CentronSolutions.com
>
> You may experience receiver desensitization from a strong out-of-band
> interferer which is not penetrating well into your office and hence not
> interferring there.
>
> Pere

Such as traffic light electronics.

Without error correction protocols being employed, you are also at the mercy of multipath interference. You're QRMing your own signal. 8>)

Ed, NM2K

From 2136477581385635830
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.utanet.at!newsfeed.aon.at!newsreader02.highway.telekom.at!not-for-mail
From: Helmut Wabnig <hwabnig@ .- --- -. dotat>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 19:26:57 +0200
Message-ID: <m714g4dcib22h58lk2dnq5dlap15ru9qon@4ax.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Host: 91-114-234-173.adsl.highway.telekom.at
X-Trace: 1224869213 newsreader02.highway.telekom.at 3964 91.114.234.173:13398
Xref: g2news1.google.com rec.radio.amateur.homebrew:962
rec.radio.amateur.antenna:4918 sci.electronics.design:37777
rec.radio.amateur.equipment:757

On Fri, 24 Oct 2008 02:14:24 -0700 (PDT), dgleeson422111
<dgleeson3@eircom.net> wrote:

>
>What we have repetadly found is that the radio in the office can
>receive long after the radio in the street has stopped receiving. (The
>person with the radio in the street is moving away from the office.)
>

Polarization could be a factor.
Reflections change the polarization appr. 90 degrees.

Rotate the antennas left & right to find out.

(you did not mention your type of antennas)

w.

```
From -3374541615043129641
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.utanet.at!newsfeed.aon.at!newsreader02.highway.telekom.at!not-for-mail
From: Helmut Wabnig <hwabnig@ .- --- -. dotat>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 19:29:55 +0200
Message-ID: <le14g4hi8u896c9l9lk0qnb2i7b2jdibr4@4ax.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Host: 91-114-234-173.adsl.highway.telekom.at
X-Trace: 1224869391 newsreader02.highway.telekom.at 3964 91.114.234.173:13398
Xref: g2news1.google.com rec.radio.amateur.homebrew:963
rec.radio.amateur.antenna:4919 sci.electronics.design:37778
rec.radio.amateur.equipment:758
```

On Fri, 24 Oct 2008 02:14:24 -0700 (PDT), dgleeson422111
<dgleeson3@eircom.net> wrote:

>
>What we have repetadly found is that the radio in the office can
>receive long after the radio in the street has stopped receiving. (The
>person with the radio in the street is moving away from the office.)
>

This is typical for groundplane antennas.
They radiate upwards.

Polarization could be a factor.
Reflections change the polarization appr. 90 degrees.

Rotate the antennas left & right to find out.

(you did not mention your type of antennas)

w.

From 3231226400090318701
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.seanet.com!news.seanet.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Oct 2008 12:33:12 -0500
Message-ID: <49020D38.B232C623@hovnanian.com>
Date: Fri, 24 Oct 2008 11:00:24 -0700
From: "Paul Hovnanian P.E." <paul@hovnanian.com>
X-Mailer: Mozilla 4.72 [en] (X11; U; Linux 2.2.14-5.0 i586)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 61
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.38.163.222
X-Trace: sv3-gVu5oSlO6fqhXoARhQPLxLHwsnQziil5cewju0x8asZRCm/
PucFqasIl+SKB+nkFEFaSMu35RscTrq2!bZMdZ89cXs04Vys0VKa/
VrZFv9A3ZZBzQLqRENKqPM9jYZKr5KzcY49kg91w15Lbc9Tmo7RL5iXJ!Aw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.homebrew:964
rec.radio.amateur.antenna:4920 sci.electronics.design:37779
rec.radio.amateur.equipment:759

dgleeson422111 wrote:
>
> Hello All
>
> We have a propagation issue that is confusing us. We have two 868MHz
> modules on test, each capable of 500mW transmission.
>
> We are testing to find the range of communication. We are testing them
> as follows. One remains in our office while the other is taken to the
> street outside. we are communicating charecter strings such as "Im at
> the lamp post number 1" etc. There is somebody at each end sending
> text strings in a continuous conversation. There is no protocol, error
> checking or error recovery.

>
> What we have repetadly found is that the radio in the office can receive long after the radio in the street has stopped receiving. (The person with the radio in the street is moving away from the office.)
>
> The radios are the same and the power supplies to the radios are the same. Indeed switching the radios gives the same effect.
>
> The propagation paths between the two radios are the same in terms of distance. However the radio signal transmitted from the office travels through walls first before then traveling through open space. Its the opposite for the radio in the street, firstly traveling through space and then through the walls in the office.
>
> We did think we had identified an interfeering source in one direction (when moving away from the office) so we started moving in the opposite direction. We found exactly the same effect.
>
> Are we getting interfeerance from GSM, ISM or Paging?
>
> As far as GSM bands go in Europe 890-915 MHz OR 1710-1785 MHz So these shouldnt be our problem.
>
> ISM is where we intend to operate and the greatest band occupancy should be 10%. So we should get communication even though we would get some interfeerance.
>
> Paging - well this has very much gone out of fashion in Europe. But even if it was the cause then wouldnt it be intermittant communication. We have a constant problem.
>
> Can anyone shed light on this phenomonon? Is it an issue of wireless propagation that Im not familiar with or is it Interfeerance?
>
> Best regards, and thanks for any input.
>
> Denis
> _____________________
> http://www.CentronSolutions.com

Have you tried relocating the office transceiver? There might be something about the office environment that is interfering with its transmission.

--
Paul Hovnanian   mailto:Paul@Hovnanian.com
---
A mathematician is a machine for converting coffee into theorems.

From 4876087752788079072
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad

X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
h2g2000hsg.googlegroups.com!not-for-mail
From: Mark <makolber@yahoo.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 10:44:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 86
Message-ID: <89e3cfad-c877-4be6-8eca-53993e23a9e9@h2g2000hsg.googlegroups.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<49020D38.B232C623@hovnanian.com>
NNTP-Posting-Host: 129.188.69.169
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1224870250 7692 127.0.0.1 (24 Oct 2008 17:44:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Oct 2008 17:44:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h2g2000hsg.googlegroups.com; posting-host=129.188.69.169;
posting-account=WmOtlwkAAADE8ghbKFJsr1g-UcPbtjjc
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:965
rec.radio.amateur.antenna:4921 sci.electronics.design:37781
rec.radio.amateur.equipment:760

On Oct 24, 2:00=A0pm, "Paul Hovnanian P.E." <p...@hovnanian.com> wrote:
> dgleeson422111 wrote:
>
> > Hello All
>
> > We have a propagation issue that is confusing us. We have two 868MHz
> > modules on test, each capable of 500mW transmission.
>
> > We are testing to find the range of communication. We are testing them
> > as follows. One remains in our office while the other is taken to the
> > street outside. we are communicating charecter strings such as "Im at
> > the lamp post number 1" etc. There is somebody at each end sending
> > text strings in a continuous conversation. There is no protocol, error
> > checking or error recovery.
>
> > What we have repetadly found is that the radio in the office can
> > receive long after the radio in the street has stopped receiving. (The
> > person with the radio in the street is moving away from the office.)
>

> > The radios are the same and the power supplies to the radios are the
> > same. Indeed switching the radios gives the same effect.
>
> > The propagation paths between the two radios are the same in terms of
> > distance. However the radio signal transmitted from the office travels
> > through walls first before then traveling through open space. Its the
> > opposite for the radio in the street, firstly traveling through space
> > and then through the walls in the office.
>
> > We did think we had identified an interfeering source in one direction
> > (when moving away from the office) so we started moving in the
> > opposite direction. We found exactly the same effect.
>
> > Are we getting interfeerance from GSM, ISM or Paging?
>
> > As far as GSM bands go in Europe 890-915 MHz OR 1710-1785 MHz So these
> > shouldnt be our problem.
>
> > ISM is where we intend to operate and the greatest band occupancy
> > should be 10%. So we should get communication even though we would get
> > some interfeerance.
>
> > Paging - well this has very much gone out of fashion in Europe. But
> > even if it was the cause then wouldnt it be intermittant
> > communication. We have a constant problem.
>
> > Can anyone shed light on this phenomonon? Is it an issue of wireless
> > propagation that Im not familiar with or is it Interfeerance?
>
> > Best regards, and thanks for any input.
>
> > Denis
> > _____________________
> >http://www.CentronSolutions.com
>
> Have you tried relocating the office transceiver? There might be
> something about the office environment that is interfering with its
> transmission.
>
> --
> Paul Hovnanian =A0 =A0 mailto:P...@Hovnanian.com
> --
> A mathematician is a machine for converting coffee into theorems.- Hide q=
uoted text -
>
> - Show quoted text -

wow so many of these replies are wrong..

in almost all cases, RF path losses are RECIPROCAL.

(even a 1/2 silvered mirror is reciprocal to light)

As some have said, the cause of your issue is probably interference to the outside receiver.

Or maybe something about the indoor setup is causing the indoor Tx to operate at lower power.

It is very unusual for RF path loss to be non-reciprocal.

Mark

```
From 3641528973368158636
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.seanet.com!news.seanet.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Oct 2008 12:52:06 -0500
Message-ID: <490211A5.5AE4BB68@hovnanian.com>
Date: Fri, 24 Oct 2008 11:19:17 -0700
From: "Paul Hovnanian P.E." <paul@hovnanian.com>
X-Mailer: Mozilla 4.72 [en] (X11; U; Linux 2.2.14-5.0 i586)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
         <gds9n4$2vl$1@defalla.upc.es>
<898752cd-4cd6-4e2e-8d25-5f57f14e0067@h60g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.38.163.222
X-Trace: sv3-GFU4DfnAFftsK5emBEzYOkBnYgjK4dNApurewZhcIzaclNqMGw6x2eQugt/
A3xRmd6hcSqgTC0fuhCm!
HvQ+u5x5NgKmMOyNq4n+EWS5GPjG7m4ZbT6PQ5bdu38DNL0XPdAcamtps8EhvKbtCS6kBFHiFbOQ!lA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.homebrew:966
```

```
rec.radio.amateur.antenna:4922 sci.electronics.design:37785
rec.radio.amateur.equipment:761

dgleeson422111 wrote:
>
> Hi Guys
>
> Thanks for your input on this.
>
> The idea of height being a problem is interesting. The radio in the
> office is on the 1st floor (i.e above the ground by one floor).
>
> If the antenna were at the same height would the problem go away?
>
> We will test and see

If I remember my antenna/propagation theory correctly, such a change
should affect both the transmit and receive gains equally. That is to
say, if moving the office antenna lower will reduce its transmit range,
it will also reduce its receive range.

What you are looking for is something that is reducing the office end
transmit power while leaving its receive sensitivity intact. Someone
else suggested an SWR problem due to near field interference with the
antenna.



--
Paul Hovnanian     mailto:Paul@Hovnanian.com
------------------------------------------------------------------
Don't anthropomorphize computers. They hate that.


From 8609439533307744717
X-Google-Thread: 108122,b41da065acfb5cf7
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <you@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted info on ITT Mackay MSR 5050
Organization: Shadow.orgs
References: <Bill.Tweedie.34700cc@radiobanter.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <you-3800B7.10170224102008@netnews.worldnet.att.net>
Lines: 9
Date: Fri, 24 Oct 2008 18:17:11 GMT
NNTP-Posting-Host: 12.12.208.8
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1224872231 12.12.208.8 (Fri, 24 Oct
2008 18:17:11 GMT)
NNTP-Posting-Date: Fri, 24 Oct 2008 18:17:11 GMT
```

Xref: g2news1.google.com rec.radio.amateur.equipment:762

In article <Bill.Tweedie.34700cc@radiobanter.com>,
Bill Tweedie <Bill.Tweedie.34700cc@radiobanter.com> wrote:

> Can anyone point me in the right direction re the above receiver?
> Regards
> Bill Tweedie

Look for a Commercial Marine Electronics Outfit, in ANY Major Port in
the world... They should have the information your looking for....

From -5118028477461238032
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!not-for-mail
Date: Fri, 24 Oct 2008 14:22:05 -0400
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com> <mRjMk.17671$bK.16944@newsfe04.iad>
In-Reply-To: <mRjMk.17671$bK.16944@newsfe04.iad>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 26
Message-ID: <49021242$0$4931$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price! www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.homebrew:967 rec.radio.amateur.antenna:4924 sci.electronics.design:37795 rec.radio.amateur.equipment:763

Dave wrote:
> dgleeson422111 wrote:
>> Hello All
>>
>> We have a propagation issue that is confusing us. We have two 868MHz
>> modules on test, each capable of 500mW transmission.

>>
>> We are testing to find the range of communication. We are testing them
>> as follows. One remains in our office while the other is taken to the
>> street outside. we are communicating charecter strings such as "Im at
>> the lamp post number 1" etc. There is somebody at each end sending
>> text strings in a continuous conversation. There is no protocol, error
>> checking or error recovery.
>
> Do you have a license?

Not required in EU for 868 MHz

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 700665208082166303
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!not-for-mail
Message-ID: <490212D9.7020605@NETTALLY.COM>
Date: Fri, 24 Oct 2008 14:24:25 -0400
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
To: Anthony Fremont <nobody@noplace.net>
Subject: Re: 868MHz Propagation problem
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<i82dnTmmXOMzJJzUnZ2dnUVZ_t7inZ2d@supernews.com>
In-Reply-To: <i82dnTmmXOMzJJzUnZ2dnUVZ_t7inZ2d@supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 28
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.homebrew:968

rec.radio.amateur.antenna:4925 sci.electronics.design:37797
rec.radio.amateur.equipment:764

Anthony Fremont wrote:
> dgleeson422111 wrote:
> \> What we have repetadly found is that the radio in the office can
>> receive long after the radio in the street has stopped receiving. (The
>> person with the radio in the street is moving away from the office.)
>>
>> The radios are the same and the power supplies to the radios are the
>> same. Indeed switching the radios gives the same effect.
>
> The radio outside is likely being desensitized by some other signal.
>
>

Most likely scenario.

Also make sure that in your design you are powering down the transmitter
fully in the receive mode. In some radios there can be a residual
carrier from the PLL causing self interference ar interference to other
nearby nodes.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 7726525042116158000
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Oct 2008 13:27:01 -0500
From: "Anthony Fremont" <nobody@noplace.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<49020D38.B232C623@hovnanian.com> <89e3cfad-
c877-4be6-8eca-53993e23a9e9@h2g2000hsg.googlegroups.com>
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 13:26:59 -0500

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <tt2dnUrzaMnojp_UnZ2dnUVZ_uWdnZ2d@supernews.com>
Lines: 32
X-Trace: sv3-
PSMpcWtP2mjHGq8hsn0nMJkCrw6HxgllpzolU7xocfcn8mt1AdCBeoB6Qjji3nQGU1K0jdtBFYqtVzK!
llw6RLjK/Q/WpxB1dJK48QDWxITV228sLtbmODChLQWuRfj8MBnZDKQfN+fTC14tQc9RnylMe+ql!
VGHUqW9Rvck=
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.homebrew:969
rec.radio.amateur.antenna:4926 sci.electronics.design:37800
rec.radio.amateur.equipment:765

Mark wrote:
> On Oct 24, 2:00 pm, "Paul Hovnanian P.E." <p...@hovnanian.com> wrote:

> wow so many of these replies are wrong..

This is normal when antenna "theory" comes up.

> in almost all cases, RF path losses are RECIPROCAL.

I agree, including the antenna gains (meaning that the antennas at each end
don't have to match).

> (even a 1/2 silvered mirror is reciprocal to light)

Well that guy is usually on a differet page.

> As some have said, the cause of your issue is probably interference to
> the outside receiver.

That's what I think is the most likely cause. The guy outside probably has
his Nextel phone with him. ;-)

> Or maybe something about the indoor setup is causing the indoor Tx to
> operate at lower power.

I suppose that's possible too. The OP should make sure the power supplies
are equivalent (meaning that the output power would suffer more than the
receiver gain with a drooping supply). So check the indoor supply.

> It is very unusual for RF path loss to be non-reciprocal.

```
From -1680513820075036081
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!m74g2000hsh.googlegroups.com!not-for-
mail
From: jimmie68@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 13:25:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 47
Message-ID: <86256efd-9b07-412c-ac39-c886d2b42ec6@m74g2000hsh.googlegroups.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
     <49020D38.B232C623@hovnanian.com> <89e3cfad-
c877-4be6-8eca-53993e23a9e9@h2g2000hsg.googlegroups.com>
     <tt2dnUrzaMnojp_UnZ2dnUVZ_uWdnZ2d@supernews.com>
NNTP-Posting-Host: 155.178.6.10
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1224879959 9988 127.0.0.1 (24 Oct 2008 20:25:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Oct 2008 20:25:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m74g2000hsh.googlegroups.com; posting-host=155.178.6.10;
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:970
rec.radio.amateur.antenna:4935 sci.electronics.design:37822
rec.radio.amateur.equipment:766

On Oct 24, 2:26=A0pm, "Anthony Fremont" <nob...@noplace.net> wrote:
> Mark wrote:
> > On Oct 24, 2:00 pm, "Paul Hovnanian P.E." <p...@hovnanian.com> wrote:
> > wow so many of these replies are wrong..
>
> This is normal when antenna "theory" comes up.
>
> > in almost all cases, =A0RF path losses are RECIPROCAL.
>
> I agree, including the antenna gains (meaning that the antennas at each e=
nd
> don't have to match).
```

>
> > (even a 1/2 silvered mirror is reciprocal to light)
>
> Well that guy is usually on a differet page.
>
> > As some have said, the cause of your issue is probably interference to
> > the outside receiver.
>
> That's what I think is the most likely cause. =A0The guy outside probably=
 has
> his Nextel phone with him. =A0;-)
>
> > Or maybe something about the indoor setup is causing the indoor Tx to
> > operate at lower power.
>
> I suppose that's possible too. =A0The OP should make sure the power suppl=
ies
> are equivalent (meaning that the output power would suffer more than the
> receiver gain with a drooping supply). =A0So check the indoor supply.
>
>
>
> > It is very unusual for RF path loss to be non-reciprocal.- Hide quoted =
text -
>
> - Show quoted text -

It is assumed that the path to and from the office should be inferior
to the line of sight path out on the street. This may or may not be
true. The building may actually be offering gain in certain
directions. I would start by seeing if the same condition existed at
many more locations. If it does then other ideas need to be examined,
I would start by examining the RF environment outside the building.

Jimmie

From 5566842126589954495
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Oct 2008 15:39:46 -0500
From: Richard Clark <kb7qhc@comcast.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem

Date: Fri, 24 Oct 2008 13:37:34 -0700
Message-ID: <4pb4g41och7e9d1ggp2cjhdv2m9lhk8r72@4ax.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 67
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.17.52.237
X-Trace: sv3-SyWFbwoL2KTCJe4nQkwQUTQV/
yPJ6NgF8qGAm00vgDxVhEaWJWq3Z4g7R3EGs7byJGxiTFchQEeedZM!
VWjR8I8EputguGB2M2ZktEfhPMYBkcLZQ3VmHi2kh9gaI9bBLiB5Rh/a6k+Nu4pgPoTlmjLHN4cg!
yKLMw1GRAYTJp7SwVrWRZXY3jA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.homebrew:971
rec.radio.amateur.antenna:4936 sci.electronics.design:37824
rec.radio.amateur.equipment:767

On Fri, 24 Oct 2008 02:14:24 -0700 (PDT), dgleeson422111
<dgleeson3@eircom.net> wrote:

>Hello All
>
>We have a propagation issue that is confusing us. We have two 868MHz
>modules on test, each capable of 500mW transmission.

Hi Denis,

That is a lot of power for a problem of losing contact in the space of blocks.

>What we have repetadly found is that the radio in the office can
>receive long after the radio in the street has stopped receiving. (The
>person with the radio in the street is moving away from the office.)
>
>The radios are the same and the power supplies to the radios are the
>same. Indeed switching the radios gives the same effect.
>
>The propagation paths between the two radios are the same in terms of
>distance. However the radio signal transmitted from the office travels
>through walls first before then traveling through open space. Its the
>opposite for the radio in the street, firstly traveling through space
>and then through the walls in the office.

A very good description of the symptoms and relations.

>We did think we had identified an interfeering source in one direction

>(when moving away from the office) so we started moving in the
>opposite direction. We found exactly the same effect.

A good test for reducing variables. If you identified an interference, I would presume you could do that again in the other direction.

>Are we getting interfeerance from GSM, ISM or Paging?

Only if the remote set was nearer to an undiscovered interferer. You seemed to have resolved that once, and you should be able to detect the similar occurrence again.

>As far as GSM bands go in Europe 890�915 MHz OR 1710�1785 MHz So these
>shouldnt be our problem.

This is a flaw in the logic. Your frequency of operation is very close to these bands - unless your sets have been designed with elaborate front end tuning (which seems unlikely).

>Can anyone shed light on this phenomonon? Is it an issue of wireless
>propagation that Im not familiar with or is it Interfeerance?

One component not discussed is the remote set's proximity to the operator. The operator could disturb the local field (aka shield). Going beyond is the effect of a Fresnel Zone, but your descriptions describe a complete black-out. To test this requires you to go further away to see if you pick up the signal again. This is a long shot, however, as the effect would be distinct within the space of a meter or so. For mobile operation, the Fresnel Zone creates what is called "Picket Fencing" as the signal comes and goes quickly with distance traveled.

Perhaps it is the proximity of a Pub, and your operator stopped in for a Guinness.

73's
Richard Clark, KB7QHC

From -39033099036381596
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!flpi089.ffdc.sbc.com!prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!nlpi061.nbdc.sbc.com.POSTED!78df62d6!not-for-mail
From: Joerg <notthisjoergsch@removethispacbell.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0

Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
In-Reply-To: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 67
Message-ID: <iTqMk.5863$be.5632@nlpi061.nbdc.sbc.com>
NNTP-Posting-Host: 75.26.183.178
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi061.nbdc.sbc.com 1224882766 ST000 75.26.183.178 (Fri, 24 Oct 2008 17:12:46 EDT)
NNTP-Posting-Date: Fri, 24 Oct 2008 17:12:46 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
[[PGG[[DPRR]R_DYFBCD^VX@WB]^PCPDLXUNNH\KMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Fri, 24 Oct 2008 14:12:43 -0700
Xref: g2news1.google.com rec.radio.amateur.homebrew:972 rec.radio.amateur.antenna:4939 sci.electronics.design:37830 rec.radio.amateur.equipment:768

dgleeson422111 wrote:
> Hello All
>
> We have a propagation issue that is confusing us. We have two 868MHz
> modules on test, each capable of 500mW transmission.
>
> We are testing to find the range of communication. We are testing them
> as follows. One remains in our office while the other is taken to the
> street outside. we are communicating charecter strings such as "Im at
> the lamp post number 1" etc. There is somebody at each end sending
> text strings in a continuous conversation. There is no protocol, error
> checking or error recovery.
>
> What we have repetadly found is that the radio in the office can
> receive long after the radio in the street has stopped receiving. (The
> person with the radio in the street is moving away from the office.)
>
> The radios are the same and the power supplies to the radios are the
> same. Indeed switching the radios gives the same effect.
>
> The propagation paths between the two radios are the same in terms of
> distance. However the radio signal transmitted from the office travels
> through walls first before then traveling through open space. Its the
> opposite for the radio in the street, firstly traveling through space
> and then through the walls in the office.
>
> We did think we had identified an interfeering source in one direction

> (when moving away from the office) so we started moving in the
> opposite direction. We found exactly the same effect.
>
> Are we getting interfeerance from GSM, ISM or Paging?
>
> As far as GSM bands go in Europe 890�915 MHz OR 1710�1785 MHz So these
> shouldnt be our problem.
>
> ISM is where we intend to operate and the greatest band occupancy
> should be 10%. So we should get communication even though we would get
> some interfeerance.
>
> Paging - well this has very much gone out of fashion in Europe. But
> even if it was the cause then wouldnt it be intermittant
> communication. We have a constant problem.
>
> Can anyone shed light on this phenomonon? Is it an issue of wireless
> propagation that Im not familiar with or is it Interfeerance?
>
> Best regards, and thanks for any input.
>

I'll second Pere and Anthony. Strong out-of-band signals is what I found mostly in situations where path losses seemed strangely non-reciprocal.

Post a schematic. One possibility is that your receive input filter is wide open like a barn door and GSM swamps the receiver.

Another option if you have a spectrum analyzer: Hang a large near-field probe into a long cable, tape it to a broomstick and hold that out the window for a while. See what pops up on the screen. If this is in a city be prepared for some commotion among the pedestrians down there :-)

--
Regards, Joerg

http://www.analogconsultants.com/

"gmail" domain blocked because of excessive spam.
Use another domain or send PM.

```
From 5906386887933069433
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d10g2000pra.googlegroups.com!not-for-mail
From: raypsi <RBorowiak@gmail.com>
Newsgroups:
```

rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 16:13:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <562c8f9b-654e-4565-94db-28c275992da2@d10g2000pra.googlegroups.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
NNTP-Posting-Host: 76.226.99.187
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224890023 6243 127.0.0.1 (24 Oct 2008 23:13:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Oct 2008 23:13:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d10g2000pra.googlegroups.com; posting-host=76.226.99.187;
    posting-account=fLVwTAoAAAAuuduBMbjTK6IYA_V3PAap
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
    2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:973
rec.radio.amateur.antenna:4940 sci.electronics.design:37860
rec.radio.amateur.equipment:769

Hey:

My crystal balls are saying:

Multipath where a reflected signal from the source is being cancelled out in the zone sort of like standing waves. It's like waves in a bath tub they bounce of the sides and produce more interference waves, and so on. Or FM broadcast stations signal in the big city with tall buildings, all of a sudden the signal just goes puff while you're driving along downtown.

I'd say gits your antenna near a window or put up an outdoor antenna.

73 OM

n8zu

From -2613695343751621127
X-Google-Thread: 108122,4b7fdd235427f948
X-Google-Thread: fc2a5,4b7fdd235427f948
X-Google-Thread: 107ada,4b7fdd235427f948
X-Google-Thread: 110c99,4b7fdd235427f948
X-Google-Thread: 111320,4b7fdd235427f948
X-Google-Attributes:

```
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x41g2000hsb.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: BDSM HARDCORE 1 Tb movi
Date: Sat, 25 Oct 2008 06:44:32 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <1b878a33-4cd4-46af-9cc7-7a86b294ede4@x41g2000hsb.googlegroups.com>
NNTP-Posting-Host: 92.112.230.221
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224942272 29687 127.0.0.1 (25 Oct 2008 13:44:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 25 Oct 2008 13:44:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x41g2000hsb.googlegroups.com; posting-host=92.112.230.221;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3132
rec.radio.amateur.homebrew:3425 rec.radio.amateur.misc:9391 rec.running:23943
rec.scouting.issues:3843

 http://traxanki.byethost15.com/bdsm.htm BDSM    http://traxanki.byethost15.com/
hardcore.htm
HARDCORE  http://s0x0.blogspot.com  http://groups.google.com/group/porntube-best-
movies-collection



From -3739587106435610243
X-Google-Thread: 108122,897ee50afc5ff757
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!s9g2000prg.googlegroups.com!not-for-
mail
From: woodward42@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Alinco DJ-596 vs Aseus VX-6R
Date: Sat, 25 Oct 2008 07:38:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <e874f072-9978-40ce-af72-9996c41e67ba@s9g2000prg.googlegroups.com>
References: <joesv-seaoflove.com.33ec366@radiobanter.com>
NNTP-Posting-Host: 24.113.30.57
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1224945524 7064 127.0.0.1 (25 Oct 2008 14:38:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 25 Oct 2008 14:38:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s9g2000prg.googlegroups.com; posting-host=24.113.30.57;
     posting-account=NPi5ywoAAAAZ5TBV0ogmOXlGkfRmogXV
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3133
```

On Oct 17, 1:01=A0pm, j...@sv-seaoflove.com <joesv-seaoflove.com.
33ec...@radiobanter.com> wrote:

> HI, I'm a novice doing community service communications backup 2-3 times
> a year preparing for the next emergency. Which is the better radio for
> me and why if you don't mind my asking?
>
> Is Li-Ion better for me than NiCad or NiMH?
>
> Would the LI-Ion output of 7.4 v reduce the 5w output power of the HT
> vs a 9.6 NiCad or NiMH?
>
> Can Li-I remain plugged in to a trickle charge for months?
>
> Thanks for your time
>
> --
> j...@sv-seaoflove.com

Get battery packs for your radios that take AA Akaline batteries.
Carry extra batteries in your "go bag". Rechargeable batteries are a
liability during emergencies, what if there is no power to charge
them. When a set of the AA's go dead, open the case, put in new ones
and you are back in service in seconds.

```
From -1471556651622368020
X-Google-Thread: 108122,897ee50afc5ff757
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!a29g2000pra.googlegroups.com!not-for-
mail
From: woodward42@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Alinco DJ-596 vs Aseus VX-6R
Date: Sat, 25 Oct 2008 07:40:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 18
Message-ID: <5f6c4573-8335-493d-8eb2-dba07c8c736d@a29g2000pra.googlegroups.com>
References: <joesv-seaoflove.com.33ec366@radiobanter.com>
```

```
NNTP-Posting-Host: 24.113.30.57
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1224945655 21153 127.0.0.1 (25 Oct 2008 14:40:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 25 Oct 2008 14:40:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a29g2000pra.googlegroups.com; posting-host=24.113.30.57;
     posting-account=NPi5ywoAAAAZ5TBV0ogmOXlGkfRmogXV
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3134

On Oct 17, 1:01=A0pm, j...@sv-seaoflove.com <joesv-seaoflove.com.
33ec...@radiobanter.com> wrote:
> HI, I'm a novice doing community service communications backup 2-3 times
> a year preparing for the next emergency. Which is the better radio for
> me and why if you don't mind my asking?
>
> Is Li-Ion better for me than NiCad or NiMH?
>
> Would the LI-Ion output of 7.4 v reduce the 5w output power of the HT
> vs a 9.6 NiCad or NiMH?
>
> Can Li-I remain plugged in to a trickle charge for months?
>
> Thanks for your time
>
> --
> j...@sv-seaoflove.com



From -4755423588142343985
X-Google-Thread: 108122,b53dea8b7148111e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed.iinet.net.au!
newsfeed.iinet.net.au!per-qv1-newsstorage1.iinet.net.au!per-qv1-
newsstorage1.iinet.net.au!per-qv1-newsreader-01.iinet.net.au!not-for-mail
From: "Garry Beattie" <gjbeattie@iinet.net.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Wagner HF SSB Radio
Date: Sun, 26 Oct 2008 06:01:46 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Lines: 12
```

```
Message-ID: <49037b2e$0$10576$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
NNTP-Posting-Host: 124.171.198.148
X-Trace: 1224964910 per-qv1-newsreader-01.iinet.net.au 10576 124.171.198.148
Xref: g2news1.google.com rec.radio.amateur.equipment:773
```

Hi guys.

I have just been given a Wagner HF SSB radio, model 1829 MR, and I am
looking for anywhere I can buy parts or download a manual for it.

The radio works fine, but it needs a mic and antenna.

Any help or advice would be greatly appreciated.

Garry

```
From -8481104481442728980
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.16.MISMATCH!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post02.iad.highwinds-media.com!newsfe19.iad.POSTED!7564ea0f!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<49020D38.B232C623@hovnanian.com> <89e3cfad-
c877-4be6-8eca-53993e23a9e9@h2g2000hsg.googlegroups.com>
Subject: Re: 868MHz Propagation problem
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <m0MMk.5597$3w.704@newsfe19.iad>
NNTP-Posting-Host: 72.192.52.79
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe19.iad 1224969362 72.192.52.79 (Sat, 25 Oct 2008 21:16:02 UTC)
NNTP-Posting-Date: Sat, 25 Oct 2008 21:16:02 UTC
Organization: Cox
Date: Sat, 25 Oct 2008 17:15:44 -0400
Xref: g2news1.google.com rec.radio.amateur.homebrew:977
rec.radio.amateur.antenna:4951 sci.electronics.design:38031
```

rec.radio.amateur.equipment:774

"Mark" <makolber@yahoo.com> wrote in message news:89e3cfad-c877-4be6-8eca-
wow so many of these replies are wrong..

in almost all cases, RF path losses are RECIPROCAL.

(It is very unusual for RF path loss to be non-reciprocal.

Mark

I agree. But, one thing that should be proven is that both modules
are working as intended. The one being used for the remote
application *could* be defective. Swap modules and see if the
receiving problem also switches locations, or remains the
same.

Pete

From 39892592126444603
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!q30g2000prq.googlegroups.com!not-for-mail
From: mark.aren.nz@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Sat, 25 Oct 2008 14:43:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 80
Message-ID: <e3b3f28c-4e39-485d-9b6e-3120840bf34e@q30g2000prq.googlegroups.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
     <49020D38.B232C623@hovnanian.com> <89e3cfad-c877-4be6-8eca-53993e23a9e9@h2g2000hsg.googlegroups.com>
     <tt2dnUrzaMnojp_UnZ2dnUVZ_uWdnZ2d@supernews.com> <86256efd-9b07-412c-ac39-c886d2b42ec6@m74g2000hsh.googlegroups.com>
NNTP-Posting-Host: 222.152.3.228
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1224970998 19143 127.0.0.1 (25 Oct 2008 21:43:18 GMT)

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 25 Oct 2008 21:43:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q30g2000prq.googlegroups.com; posting-host=222.152.3.228;
     posting-account=Kz1rYQoAAAB0vk9lPnIWtdJL3Ji1TdC6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.homebrew:3429
rec.radio.amateur.antenna:21498 sci.electronics.design:132243
rec.radio.amateur.equipment:3137

Hello,

There should be a reciprocal relationship between the modules
regardless of height, antennas etc. as long as TX power and RX
sensitivity of the modules are the same (which they appear to be).

The modules are unlikely to have very good input filters at 868MHz, so
any adjacent channel interference (GSM etc.) is likely to cause the
out of balance behaviour.

Try heading in a different direction outside, or go somewhere else
with your experiment.

For your real world application, are you likely to have any site close
to adjacent channel transmitters (cell or broadcast) ? If so, think
about a decant front end filters. This could be costly, but might save
you...

Regards,

Mark

On Oct 25, 9:25=A0am, jimmi...@gmail.com wrote:
> On Oct 24, 2:26=A0pm, "Anthony Fremont" <nob...@noplace.net> wrote:
>
>
>
>
>
> > Mark wrote:
> > > On Oct 24, 2:00 pm, "Paul Hovnanian P.E." <p...@hovnanian.com> wrote:
> > > wow so many of these replies are wrong..
>
> > This is normal when antenna "theory" comes up.
>
> > > in almost all cases, =A0RF path losses are RECIPROCAL.
>
> > I agree, including the antenna gains (meaning that the antennas at each=
 end

```
> > don't have to match).
>
> > > (even a 1/2 silvered mirror is reciprocal to light)
>
> > Well that guy is usually on a differet page.
>
> > > As some have said, the cause of your issue is probably interference t=
o
> > > the outside receiver.
>
> > That's what I think is the most likely cause. =A0The guy outside probab=
ly has
> > his Nextel phone with him. =A0;-)
>
> > > Or maybe something about the indoor setup is causing the indoor Tx to
> > > operate at lower power.
>
> > I suppose that's possible too. =A0The OP should make sure the power sup=
plies
> > are equivalent (meaning that the output power would suffer more than th=
e
> > receiver gain with a drooping supply). =A0So check the indoor supply.
>
> > > It is very unusual for RF path loss to be non-reciprocal.- Hide quote=
d text -
>
> > - Show quoted text -
>
> It is assumed that the path to and from the office should be inferior
> to the line of sight path out on the street. This may or may not be
> true. The building may actually be offering gain in certain
> directions. I would start by seeing if the same condition existed at
> many more locations. If it does then other ideas need to be examined,
> I would start by examining the RF environment outside the building.
>
> Jimmie- Hide quoted text -
>
> - Show quoted text -



From -2438290796135029339
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Oct 2008 18:21:14 -0500
From: "W3CQH" <hsgorden@comcast.net>
Newsgroups:
```

rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Subject: Re: 868MHz Propagation problem
Date: Sat, 25 Oct 2008 19:21:12 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <qfqdnZYsC6J3NJ7UnZ2dnUVZ_g2dnZ2d@comcast.com>
Lines: 60
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.218.8
X-Trace: sv3-
ZKjIJIjpNulbw9KzS7ELmBKZyR3wDbV2gmFymkVDPag8t6w3AuySH7soAn+bZolKZ9BPlTCsgygpqoY!
lHZbiml2LDOmC/2Wh1JVv67dsIDY4mDyg/dJd50oHKG6nEGMj2NqZGcRleekEKZP8yH4vDJCipLL!
Evw7DANOxqk4J+H6KfZ6wbTcrq0E
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.homebrew:980
rec.radio.amateur.antenna:4953 sci.electronics.design:38051
rec.radio.amateur.equipment:776

"dgleeson422111" <dgleeson3@eircom.net> wrote in message
news:159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com...
Hello All

We have a propagation issue that is confusing us. We have two 868MHz modules on test, each capable of 500mW transmission.

We are testing to find the range of communication. We are testing them as follows. One remains in our office while the other is taken to the street outside. we are communicating charecter strings such as "Im at the lamp post number 1" etc. There is somebody at each end sending text strings in a continuous conversation. There is no protocol, error checking or error recovery.

What we have repetadly found is that the radio in the office can receive long after the radio in the street has stopped receiving. (The person with the radio in the street is moving away from the office.)

The radios are the same and the power supplies to the radios are the same. Indeed switching the radios gives the same effect.

The propagation paths between the two radios are the same in terms of distance. However the radio signal transmitted from the office travels through walls first before then traveling through open space. Its the

opposite for the radio in the street, firstly traveling through space
and then through the walls in the office.

We did think we had identified an interfeering source in one direction
(when moving away from the office) so we started moving in the
opposite direction. We found exactly the same effect.

Are we getting interfeerance from GSM, ISM or Paging?

As far as GSM bands go in Europe 890�915 MHz OR 1710�1785 MHz So these
shouldnt be our problem.

ISM is where we intend to operate and the greatest band occupancy
should be 10%. So we should get communication even though we would get
some interfeerance.

Paging - well this has very much gone out of fashion in Europe. But
even if it was the cause then wouldnt it be intermittant
communication. We have a constant problem.

Can anyone shed light on this phenomonon? Is it an issue of wireless
propagation that Im not familiar with or is it Interfeerance?

Best regards, and thanks for any input.

Denis

____
http://www.CentronSolutions.com

its interesting that a commercial company would bring a problem such as this
to a bunch of amateur radio operators... true some of the amateurs may be
professional engineers, but the remainder are not! I guess that in today's
market place we try to gain information on the dirt and cheap way.

```
From 5843853190946099434
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!not-for-mail
Date: Sat, 25 Oct 2008 20:14:27 -0400
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
```

References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
In-Reply-To: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 66
Message-ID: <4903b656$0$4918$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 70.121.205.178
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.radio.amateur.homebrew:3432
rec.radio.amateur.antenna:21500 sci.electronics.design:132263
rec.radio.amateur.equipment:3139

dgleeson422111 wrote:
> Hello All
>
> We have a propagation issue that is confusing us. We have two 868MHz
> modules on test, each capable of 500mW transmission.
>
> We are testing to find the range of communication. We are testing them
> as follows. One remains in our office while the other is taken to the
> street outside. we are communicating charecter strings such as "Im at
> the lamp post number 1" etc. There is somebody at each end sending
> text strings in a continuous conversation. There is no protocol, error
> checking or error recovery.
>
> What we have repetadly found is that the radio in the office can
> receive long after the radio in the street has stopped receiving. (The
> person with the radio in the street is moving away from the office.)
>
> The radios are the same and the power supplies to the radios are the
> same. Indeed switching the radios gives the same effect.
>
> The propagation paths between the two radios are the same in terms of
> distance. However the radio signal transmitted from the office travels
> through walls first before then traveling through open space. Its the
> opposite for the radio in the street, firstly traveling through space
> and then through the walls in the office.
>
> We did think we had identified an interfeering source in one direction
> (when moving away from the office) so we started moving in the
> opposite direction. We found exactly the same effect.
>
> Are we getting interfeerance from GSM, ISM or Paging?
>
> As far as GSM bands go in Europe 890�915 MHz OR 1710�1785 MHz So these
> shouldnt be our problem.
>
> ISM is where we intend to operate and the greatest band occupancy
> should be 10%. So we should get communication even though we would get
> some interfeerance.
>

> Paging - well this has very much gone out of fashion in Europe. But
> even if it was the cause then wouldnt it be intermittant
> communication. We have a constant problem.
>
> Can anyone shed light on this phenomonon? Is it an issue of wireless
> propagation that Im not familiar with or is it Interfeerance?
>
> Best regards, and thanks for any input.
>
> Denis
> _____________________
> http://www.CentronSolutions.com

What is the modulation type and data rate? Could be a delay spread
issue. Maybe the outside unit is receiving a reflected signal from the
surface of a nearby structure and is experiencing inter-symbol
interference that by chance the base unit is shielded from. This would
occur only if a high symbol rate was being used.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 1612104230852788665
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!flpi089.ffdc.sbc.com!
prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!
nlpi069.nbdc.sbc.com.POSTED!78df62d6!not-for-mail
From: Joerg <notthisjoergsch@removethispacbell.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<qfqdnZYsC6J3NJ7UnZ2dnUVZ_g2dnZ2d@comcast.com>
In-Reply-To: <qfqdnZYsC6J3NJ7UnZ2dnUVZ_g2dnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 28
Message-ID: <hKOMk.4404$as4.2658@nlpi069.nbdc.sbc.com>
NNTP-Posting-Host: 75.26.161.180
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi069.nbdc.sbc.com 1224980493 ST000 75.26.161.180 (Sat, 25 Oct 2008

20:21:33 EDT)
NNTP-Posting-Date: Sat, 25 Oct 2008 20:21:33 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
[[OGRYSEGZWUSWHXNCOF_W\@PJ_^PBQLGPQRZ_MHEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Sat, 25 Oct 2008 17:21:28 -0700
Xref: g2news1.google.com rec.radio.amateur.homebrew:982
rec.radio.amateur.antenna:4955 sci.electronics.design:38062
rec.radio.amateur.equipment:778

W3CQH wrote:

[...]

> its interesting that a commercial company would bring a problem such as this
> to a bunch of amateur radio operators... true some of the amateurs may be
> professional engineers, but the remainder are not! I guess that in today's
> market place we try to gain information on the dirt and cheap way.
>

Nah, that's ok. Every one of us occasionally runs into an unusual situation. Then one can either stew on it for days without getting to the ground of it, or ask. IMHO it is a sign of maturity if somebody has the guts to say "Hey, guys, this problem here really has us puzzled".

That is especially true for EMI cases and this sure looks like one. Sometimes a brief hint by someone who has been in the trenches for decades can get things going again. And most older ham radio operators had that exposure, fixing the neighbor's electronics because their manufacturers messed up.

--
Regards, Joerg

http://www.analogconsultants.com/

"gmail" domain blocked because of excessive spam.
Use another domain or send PM.

From 6348523039809979621
X-Google-Thread: 108122,b53dea8b7148111e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2!
bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews6.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <49037b2e$0$10576$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
Subject: Re: Wagner HF SSB Radio

```
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <EmPMk.55470$vX2.30717@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbomenopidajmbnmoaaajgalckjmihfbnpaif
eckepfagppmljigphcjifdfaglcfmaobndmfgpeaapikjjcbnmpkgnnnjmdomifglpjloolmhofmkn
NNTP-Posting-Date: Sat, 25 Oct 2008 21:04:36 EDT
Organization: BellSouth Internet Group
Date: Sat, 25 Oct 2008 21:06:20 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:779


"Garry Beattie" <gjbeattie@iinet.net.au> wrote in message
news:49037b2e$0$10576$5a62ac22@per-qv1-newsreader-01.iinet.net.au...
> Hi guys.
>
> I have just been given a Wagner HF SSB radio, model 1829 MR, and I am
> looking for anywhere I can buy parts or download a manual for it.
>
> The radio works fine, but it needs a mic and antenna.
>
> Any help or advice would be greatly appreciated.
>
> Garry

-------------

I have never heard of that brand of radio, Garry. Is it intended for amateur
use, or a general HF rig?

Ed, NM2K




From -2217869505016574702
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
news2.arglkargh.de!news.karotte.org!fu-berlin.de!uni-berlin.de!individual.net!not-
for-mail
From: Bob <biascomms@invalid.inv>
Newsgroups:
```

rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Followup-To: rec.radio.amateur.homebrew
Date: Sun, 26 Oct 2008 01:10:26 +0000
Organization: Bias Comms
Lines: 14
Message-ID: <6mhuceFgoaqdU1@mid.individual.net>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<49020D38.B232C623@hovnanian.com> <89e3cfad-c877-4be6-8eca-53993e23a9e9@h2g2000hsg.googlegroups.com>
<m0MMk.5597$3w.704@newsfe19.iad>
Reply-To: biascomms@invalid.inv
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-Trace: individual.net EwQcB3IHi2XCzf6IUxrbJQcWwvEi+u1qye/3f1+koyxC6PmfCk
Cancel-Lock: sha1:tm6nVpPJzM6y8llfOZe1C89arx4=
Mail-Copies-To: biascomms@invalid.inv
User-Agent: KNode/0.10.4
Xref: g2news2.google.com rec.radio.amateur.homebrew:3434
rec.radio.amateur.antenna:21502 sci.electronics.design:132275
rec.radio.amateur.equipment:3142

Tio Pedro wrote:

> I agree. But, one thing that should be proven is that both modules
> are working as intended. The one being used for the remote
> application *could* be defective. Swap modules and see if the
> receiving problem also switches locations, or remains the
> same.

The OP said that he did that, and the problem remained. It's certainly a desensing problem due to local interference at one end. That's the only possible cause.

From 550483516596825642
X-Google-Thread: 1109af,9fef961a64ec7ff9,start
X-Google-Thread: 108228,9fef961a64ec7ff9,start
X-Google-Thread: 108122,9fef961a64ec7ff9,start
X-Google-Attributes: gid1109af,gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!feeder.news-service.com!border1.nntp.ams.giganews.com!nntp.giganews.com!news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: FA: DRAKE R8 receiver + longwire antenna
Message-ID: <0f463ea0a8cf1da83f533c9ddaa97e40@pseudo.borked.net>

Date: Sat, 25 Oct 2008 21:09:46 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 1
Xref: g2news1.google.com rec.radio.swap:771 alt.ham-radio.marketplace:268 rec.radio.amateur.equipment:781

http://snipr.com/DrakeR8

From 4369716432966880851
X-Google-Thread: 108122,c204d311db11b79f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!gnilink.net!nx02.iad.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!newsfeed00.sul.t-online.de!t-online.de!news.k-dsl.de!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-7000 Frequency Alignment Question
Date: Sun, 26 Oct 2008 02:12:06 -0400
Organization: Aioe.org NNTP Server
Lines: 21
Message-ID: <fmmck-860639.02120626102008@nntp.aioe.org>
NNTP-Posting-Host: F3RhWRzt4zwgJBF7Z5Pm2A.user.aioe.org
X-Complaints-To: abuse@aioe.org
NNTP-Posting-Date: Sun, 26 Oct 2008 06:12:09 +0000 (UTC)
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:3144

I noticed that my IC-7000 is slightly off frequency, both receiving WWV and counting the transmitted signal. Twenty MHz WWV appears to be about 12 Hz high after the radio has warmed up. I realize this isn't much, but it is outside the radio's 0.5 ppm specification.

The IC-7000's 24.8064 MHz reference oscillator is used to generate the synthesizer clock as well as the second and third local oscillators. It does not appear to have a variable capacitor or inductor for its adjustment. Instead, it is voltage controlled. Apparently the voltage is adjusted to correct the frequency, and the value is digitized and stored in non-volatile memory.

The service manual provides a method of setting the reference oscillator's 5th harmonic to 124.032000 MHz. It was slightly off, so I adjusted it. However, the original error did not appear to change.

Has anyone else experienced this discrepancy? Is it possible that the value given in the service manual is in error?

Fred

K4DII

```
From 4161686192116058740
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
From: ml <m@di.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<4903b656$0$4918$9a6e19ea@unlimited.newshosting.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Date: Sun, 26 Oct 2008 06:19:38 -0400
Message-ID: <m-59381A.06193826102008@news.optonline.net>
Lines: 64
Organization: Optimum Online
NNTP-Posting-Host: 69.119.128.117
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.homebrew:3437
rec.radio.amateur.antenna:21505 sci.electronics.design:132312
rec.radio.amateur.equipment:3145

In article <4903b656$0$4918$9a6e19ea@unlimited.newshosting.com>,
 RFI-EMI-GUY <Rhyolite@NETTALLY.COM> wrote:

> dgleeson422111 wrote:
> > Hello All
> >
> > We have a propagation issue that is confusing us. We have two 868MHz
> > modules on test, each capable of 500mW transmission.
> >
> > We are testing to find the range of communication. We are testing them
> > as follows. One remains in our office while the other is taken to the
> > street outside. we are communicating charecter strings such as "Im at
> > the lamp post number 1" etc. There is somebody at each end sending
> > text strings in a continuous conversation. There is no protocol, error
> > checking or error recovery.
> >
> > What we have repetadly found is that the radio in the office can
> > receive long after the radio in the street has stopped receiving. (The
> > person with the radio in the street is moving away from the office.)
> >
> > The radios are the same and the power supplies to the radios are the
> > same. Indeed switching the radios gives the same effect.
> >
```

> > The propagation paths between the two radios are the same in terms of distance. However the radio signal transmitted from the office travels through walls first before then traveling through open space. Its the opposite for the radio in the street, firstly traveling through space and then through the walls in the office.
> >
> > We did think we had identified an interfeering source in one direction (when moving away from the office) so we started moving in the opposite direction. We found exactly the same effect.
> >
> > Are we getting interfeerance from GSM, ISM or Paging?
> >
> > As far as GSM bands go in Europe 890�915 MHz OR 1710�1785 MHz So these shouldnt be our problem.
> >
> > ISM is where we intend to operate and the greatest band occupancy should be 10%. So we should get communication even though we would get some interfeerance.
> >
> > Paging - well this has very much gone out of fashion in Europe. But even if it was the cause then wouldnt it be intermittant communication. We have a constant problem.
> >
> > Can anyone shed light on this phenomonon? Is it an issue of wireless propagation that Im not familiar with or is it Interfeerance?
> >
> > Best regards, and thanks for any input.
> >
> > Denis
> > ______________________
> > http://www.CentronSolutions.com
>
> What is the modulation type and data rate? Could be a delay spread issue. Maybe the outside unit is receiving a reflected signal from the surface of a nearby structure and is experiencing inter-symbol interference that by chance the base unit is shielded from. This would occur only if a high symbol rate was being used.

what type of amateur radio application is this for? Or is it a commercial application posted in this amateur radio group? just wondering

From 8622294934985229863
X-Google-Thread: 108122,b53dea8b7148111e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed.iinet.net.au!newsfeed.iinet.net.au!per-qv1-newsstorage1.iinet.net.au!per-qv1-newsstorage1.iinet.net.au!per-qv1-newsreader-01.iinet.net.au!not-for-mail
From: "Garry Beattie" <gjbeattie@iinet.net.au>
Newsgroups: rec.radio.amateur.equipment

References: <49037b2e$0$10576$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
<EmPMk.55470$vX2.30717@bignews6.bellsouth.net>
Subject: Re: Wagner HF SSB Radio
Date: Sun, 26 Oct 2008 20:27:05 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Lines: 37
Message-ID: <490445fd$0$22596$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
NNTP-Posting-Host: 124.171.198.148
X-Trace: 1225016829 per-qv1-newsreader-01.iinet.net.au 22596 124.171.198.148
Xref: g2news2.google.com rec.radio.amateur.equipment:3146

"Ed Cregger" <ecregger@bellsouff.net> wrote in message
news:EmPMk.55470$vX2.30717@bignews6.bellsouth.net...
>
> "Garry Beattie" <gjbeattie@iinet.net.au> wrote in message
> news:49037b2e$0$10576$5a62ac22@per-qv1-newsreader-01.iinet.net.au...
>> Hi guys.
>>
>> I have just been given a Wagner HF SSB radio, model 1829 MR, and I am
>> looking for anywhere I can buy parts or download a manual for it.
>>
>> The radio works fine, but it needs a mic and antenna.
>>
>> Any help or advice would be greatly appreciated.
>>
>> Garry
>
> -------------
>
> I have never heard of that brand of radio, Garry. Is it intended for
> amateur use, or a general HF rig?
>
> Ed, NM2K

Hi Ed.

It has marine channels installed and I do hope to use it in my boat (Yes I do have the licences for it) so I dare say it is a marine HF SSB.

Apparently they were a very good brand in their day, but they are getting old now.

Best regards

Garry

```
From -4628457907292334224
X-Google-Thread: 108122,b53dea8b7148111e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wagner HF SSB Radio
Organization: Bruce's Trading Post
References: <49037b2e$0$10576$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
<EmPMk.55470$vX2.30717@bignews6.bellsouth.net> <490445fd$0$22596$5a62ac22@per-qv1-
newsreader-01.iinet.net.au>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <fast-FEA753.10070626102008@netnews.worldnet.att.net>
Lines: 50
Date: Sun, 26 Oct 2008 18:07:15 GMT
NNTP-Posting-Host: 12.12.208.37
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1225044435 12.12.208.37 (Sun, 26 Oct
2008 18:07:15 GMT)
NNTP-Posting-Date: Sun, 26 Oct 2008 18:07:15 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3147

In article
<490445fd$0$22596$5a62ac22@per-qv1-newsreader-01.iinet.net.au>,
 "Garry Beattie" <gjbeattie@iinet.net.au> wrote:

> "Ed Cregger" <ecregger@bellsouff.net> wrote in message
> news:EmPMk.55470$vX2.30717@bignews6.bellsouth.net...
> >
> > "Garry Beattie" <gjbeattie@iinet.net.au> wrote in message
> > news:49037b2e$0$10576$5a62ac22@per-qv1-newsreader-01.iinet.net.au...
> >> Hi guys.
> >>
> >> I have just been given a Wagner HF SSB radio, model 1829 MR, and I am
> >> looking for anywhere I can buy parts or download a manual for it.
> >>
> >> The radio works fine, but it needs a mic and antenna.
> >>
> >> Any help or advice would be greatly appreciated.
> >>
> >> Garry
> >
> > -------------
> >
> > I have never heard of that brand of radio, Garry. Is it intended for
> > amateur use, or a general HF rig?
> >
> > Ed, NM2K
>
> Hi Ed.
```

```
>
> It has marine channels installed and I do hope to use it in my boat (Yes I
> do have the licences for it) so I dare say it is a marine HF SSB.
>
> Apparently they were a very good brand in their day, but they are getting
> old now.
>
> Best regards
>
> Garry

Don't know where you live, but if you are in the USA, you should check
the FCC to make sure that radio is Type Accepted for NEW Installations
on US Flagged Vessels. There are a LOT of older Marine Radios that do
NOT now meet the Technical Specs of todays Type Acceptance Certification
and therefore can NOT be Fitted.  The can still be used, IF they were
installed before the Cutoff Date, for their Type Acceptance Expired,
under the GrandFathering Clause.

--
Bruce in alaska
add <path> after <fast> to reply


From 8690963513792426854
X-Google-Thread: 108122,b53dea8b7148111e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed.iinet.net.au!newsfeed.iinet.net.au!per-qv1-
newsstorage1.iinet.net.au!per-qv1-newsstorage1.iinet.net.au!per-qv1-
newsreader-01.iinet.net.au!not-for-mail
From: "Garry Beattie" <gjbeattie@iinet.net.au>
Newsgroups: rec.radio.amateur.equipment
References: <49037b2e$0$10576$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
<EmPMk.55470$vX2.30717@bignews6.bellsouth.net> <490445fd$0$22596$5a62ac22@per-qv1-
newsreader-01.iinet.net.au> <fast-FEA753.10070626102008@netnews.worldnet.att.net>
Subject: Re: Wagner HF SSB Radio
Date: Mon, 27 Oct 2008 06:01:35 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Lines: 28
Message-ID: <4904cca3$0$22632$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
NNTP-Posting-Host: 124.171.198.148
X-Trace: 1225051300 per-qv1-newsreader-01.iinet.net.au 22632 124.171.198.148
Xref: g2news2.google.com rec.radio.amateur.equipment:3148


"Bruce in alaska" <fast@btpost.net> wrote in message
news:fast-FEA753.10070626102008@netnews.worldnet.att.net...
```

>
> Don't know where you live, but if you are in the USA, you should check
> the FCC to make sure that radio is Type Accepted for NEW Installations
> on US Flagged Vessels. There are a LOT of older Marine Radios that do
> NOT now meet the Technical Specs of todays Type Acceptance Certification
> and therefore can NOT be Fitted. The can still be used, IF they were
> installed before the Cutoff Date, for their Type Acceptance Expired,
> under the GrandFathering Clause.
>
> --
> Bruce in alaska
> add <path> after <fast> to reply

Hi Bruce. Thanks for the tip and that is an interesting one that I had not heard of.

I actually live in Australia so I should check out our version of the FCC, namely the ACA.

Maybe I may just need to bight the bullet and go ahead and buy a new Icom M700 Pro24 unit?

Garry

```
From -6054279643737320589
X-Google-Thread: 108122,41ea439121865fb8,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v56g2000hsf.googlegroups.com!not-for-
mail
From: mopeyzakween@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Randall W. Chapman, KB5URP, is a convicted crack dealer
Date: Sun, 26 Oct 2008 15:56:47 -0700 (PDT)
Organization: http://groups.google.com
Lines: 69
Message-ID: <2c9bde6e-8d7c-497d-b888-9c53d867d6e6@v56g2000hsf.googlegroups.com>
NNTP-Posting-Host: 72.240.223.217
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1225061807 4212 127.0.0.1 (26 Oct 2008 22:56:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 26 Oct 2008 22:56:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v56g2000hsf.googlegroups.com; posting-host=72.240.223.217;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:3149

Batch Search Summary
SEARCH ID SEARCH CRITERIA IDENTIFIER STATUS
3930206 Chapman,Randall    CCH/NBF/SOR [9 results.]  VIEW  DETAILS


RESULTS FOR 'CHAPMAN,RANDALL '
    Search ID 3930206 Back to Top
NAME DPS NUMBER SEX RACE DATE OF BIRTH CCH SOR NBF
CHAPMAN,RANDOLPH WILLARD 05388013 MALE WHITE 03/22/1961 VIEW


CHAPMAN,RANDOLPH WILLARD (SID: 05388013)
SEX RACE ETHNICITY HEIGHT WEIGHT EYES HAIR COLOR DL NUMBER FBI# DLU
MALE  WHITE    508  195  BROWN  Brown      10/26/1995
NAMES CHAPMAN,RANDOLPH WILLARD (Primary)
CHAPMAN,RANDY

BIRTHDATES 03/22/1961 (Primary)


  Arrest Summary (TRN)
DATE OF ARREST SEQUENCE CODE TRACKING NUMBER AGENCY DESCRIPTION
01/16/1995 A 0007369727 TEXAS CITY PD View


Arrest Date: 01/16/1995   Arrest Summary


DATE OF ARREST 01/16/1995
SEQUENCE CODE A
TRACKING NUMBER 0007369727
AGENCY DESCRIPTION TX0840900 ( TEXAS CITY PD )
CHARGE
TRACKING SUFFIX A001
OFFENSE DETAIL
INTERNAL AGENCY PERSON NUMBER 020130
INTERNAL AGENCY CASE NUMBER 95633
ARREST OFFENSE 35990014 ( POSS CS PG 1 < 1G )
ARREST OFFENSE CITATION 481.115(b)
LEVEL AND DEGREE OF OFFENSE FS ( FELONY - STATE JAIL FELONY )
DATE OF OFFENSE 01/16/1995
ARREST DISPOSITION 205 ( HELD )
ARREST DISPOSITION DATE 01/16/1995
PROSECUTOR ORI REFERRED TO TX084015A ( DISTRICT ATTORNEYS OFFICE
GALVESTON )
PROSECUTION DETAIL
AGENCY DESCRIPTION TX084015A ( DISTRICT ATTORNEYS OFFICE
GALVESTON )
PROSECUTOR ACTION FIELD A ( PROSECUTOR ACCEPTS THE CHARGE )
PROSECUTOR OFFENSE 35990014 ( POSS CS PG 1 < 1G )
PROSECUTOR OFFENSE CITATION 481.115(b)
```

```
LEVEL AND DEGREE PROSECUTED FS ( FELONY - STATE JAIL FELONY )
COURT STATUS
COURT SEQUENCE a
AGENCY DESCRIPTION TX084035J ( 122ND DISTRICT COURT GALVESTON )
COURT OFFENSE 35990014 ( POSS CS PG 1 < 1G )
CITATION 481.115(b)
LEVEL AND DEGREE OFFENSE FS ( FELONY - STATE JAIL FELONY )
COURT DISPOSITION 312 ( DEFERRED )
COURT DISPOSITION DATE 09/21/1995
DATE OF SENTENCE/STATUS 09/21/1995
CAUSE NUMBER 95CR0800
FINAL PLEADING G ( GUILTY )
COURT PROBATION 4Y
COURT FINE 200
COURT COSTS 157
AGENCY RECEIVING CUSTODY GCCSCD
```

```
From 9123456207094813257
X-Google-Thread: 108122,7dcb9d3e462e2971,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news2!
nlpi057.nbdc.sbc.com!prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!
flpi107.ffdc.sbc.com!nlpi068.nbdc.sbc.com.POSTED!fb4d250f!not-for-mail
From: "john" <n5nme@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Yaesu FBA-14
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <Im7Nk.5225$yr3.1988@nlpi068.nbdc.sbc.com>
NNTP-Posting-Host: 70.250.69.61
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi068.nbdc.sbc.com 1225065000 ST000 70.250.69.61 (Sun, 26 Oct 2008
19:50:00 EDT)
NNTP-Posting-Date: Sun, 26 Oct 2008 19:50:00 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
Q[R_PJSCOPUYGQ\XKBCBNWX@RJ_XPDLMN@GZ_GYO^BSZUSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Sun, 26 Oct 2008 18:50:04 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:3150
```

I am looking a Yaesu FBA-14 battery holder, If you have one that is for sale, please contact me.

Thanks, John

```
From 3018475491829762992
X-Google-Thread: 108122,8e4f689f6437a1f1,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Oct 2008 03:36:30 -0500
From: "Ken chattenton" <k.chattenton@btopenworld.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu-BPF-1.
Date: Mon, 27 Oct 2008 08:33:14 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <Cbudnd1iSIcT4JjUnZ2dnUVZ8rednZ2d@bt.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-7x8+oHGN9bEWCMkm2TGIzYxSZQTfIF/
GsL+kHCjoUGqP7fpJwQxd+MZcvXaQ+MzdpRzsn/8L9FV/WSv!rD/mtyzTHDTg1o6p5TC/5agG/
NuyYKiEDVwB0uY+y2Lw4tr4l4Li2s+5wcsKoRe5wM4DlJJW5A==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:3151
```

HI all from Ken, G4KIR,

I am looking for the band-pass filter for the sub Rx on a "YAESU-FT1000".
If you have one for sale then please let me know (location no problem).

All the very best to you all, Ken, G4KIR
k.chattenton@btopenworld.com

```
From 9147102777483886158
X-Google-Thread: 108122,c204d311db11b79f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!194.25.134.126.MISMATCH!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!news.k-dsl.de!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-7000 Frequency Alignment Question
Date: Mon, 27 Oct 2008 15:24:07 -0400
Organization: Aioe.org NNTP Server
Lines: 21
Message-ID: <fmmck-C1F605.15240627102008@nntp.aioe.org>
References: <fmmck-860639.02120626102008@nntp.aioe.org>
NNTP-Posting-Host: c2bqR/oGq2MtOThJd6tcTQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
NNTP-Posting-Date: Mon, 27 Oct 2008 19:24:09 +0000 (UTC)
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
X-Notice: Filtered by postfilter v. 0.7.4
Xref: g2news1.google.com rec.radio.amateur.equipment:790

In article <fmmck-860639.02120626102008@nntp.aioe.org>,
Fred McKenzie <fmmck@aol.com> wrote:

> The service manual provides a method of setting the reference oscillator's 5th harmonic to 124.032000 MHz. It was slightly off, so I adjusted it. However, the original error did not appear to change.

It turns out that the setting of the oscillator didn't "take". I made the change and pressed the SET button. However the oscillator frequency had not changed after exiting the ADJUST mode.

Well, it really did take, but only when in the ADJUST mode! There must be some other way of changing the reference oscillator frequency when in normal operation, but I can't find it.

There are a couple other oscillator adjustments that don't appear to relate to the reference frequency. They appear to require access to the back of the front panel electronics, which is quite a challenge!

Fred
K4DII

From 4335223434962942028
X-Google-Thread: 108122,8e4f689f6437a1f1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <Cbudnd1iSIcT4JjUnZ2dnUVZ8rednZ2d@bt.com>
Subject: Re: Yaesu-BPF-1.

```
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <jHvNk.56373$vX2.14408@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbojegmhmgdpnlhcppphpgjkleeaomodjdaif
eckepfagppmljinijapdiodmglafnnobndmfgpeaapikjjdofcifagdoihpmmacaaibdilgclgdhoj
NNTP-Posting-Date: Mon, 27 Oct 2008 23:30:23 EDT
Organization: BellSouth Internet Group
Date: Mon, 27 Oct 2008 23:32:15 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:791
```

"Ken chattenton" <k.chattenton@btopenworld.com> wrote in message
news:Cbudnd1iSIcT4JjUnZ2dnUVZ8rednZ2d@bt.com...

> HI all from Ken, G4KIR,
>
> I am looking for the band-pass filter for the sub Rx on a "YAESU-FT1000".
> If you have one for sale then please let me know (location no problem).
>
> All the very best to you all, Ken, G4KIR k.chattenton@btopenworld.com
>

Talk to submarines? Gee, a whole new hobby. <G>

Ed, NM2K

```
From -2896180366292877207
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!postnews.google.com!x16g2000prn.googlegroups.com!not-for-
mail
From: Radio_Dick <rspost@mail.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Tue, 28 Oct 2008 11:20:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 69
Message-ID: <3103a4b3-9e42-445f-9c4e-0f26997fd19c@x16g2000prn.googlegroups.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
```

```
NNTP-Posting-Host: 68.109.123.9
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1225218022 18627 127.0.0.1 (28 Oct 2008 18:20:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Oct 2008 18:20:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x16g2000prn.googlegroups.com; posting-host=68.109.123.9;
     posting-account=EdN3OgkAAACaM4tYIJ9xLgHr_4uTRXVd
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.homebrew:3450
rec.radio.amateur.antenna:21516 sci.electronics.design:132774
rec.radio.amateur.equipment:3154

On Oct 24, 5:14=A0am, dgleeson422111 <dglees...@eircom.net> wrote:
> Hello All
>
> We have a propagation issue that is confusing us. We have two 868MHz
> modules on test, each capable of 500mW transmission.
>
> We are testing to find the range of communication. We are testing them
> as follows. One remains in our office while the other is taken to the
> street outside. we are communicating charecter strings such as "Im at
> the lamp post number 1" etc. There is somebody at each end sending
> text strings in a continuous conversation. There is no protocol, error
> checking or error recovery.
>
> What we have repetadly found is that the radio in the office can
> receive long after the radio in the street has stopped receiving. (The
> person with the radio in the street is moving away from the office.)
>
> The radios are the same and the power supplies to the radios are the
> same. Indeed switching the radios gives the same effect.
>
> The propagation paths between the two radios are the same in terms of
> distance. However the radio signal transmitted from the office travels
> through walls first before then traveling through open space. Its the
> opposite for the radio in the street, firstly traveling through space
> and then through the walls in the office.
>
> We did think we had identified an interfeering source in one direction
> (when moving away from the office) so we started moving in the
> opposite direction. We found exactly the same effect.
>
> Are we getting interfeerance from GSM, ISM or Paging?
>
> As far as GSM bands go in Europe 890=96915 MHz OR 1710=961785 MHz So thes=
e
> shouldnt be our problem.
>
```

> ISM is where we intend to operate and the greatest band occupancy
> should be 10%. So we should get communication even though we would get
> some interfeerance.
>
> Paging - well this has very much gone out of fashion in Europe. But
> even if it was the cause then wouldnt it be intermittant
> communication. We have a constant problem.
>
> Can anyone shed light on this phenomonon? Is it an issue of wireless
> propagation that Im not familiar with or is it Interfeerance?
>
> Best regards, and thanks for any input.
>
> Denis
> _____________________http://www.CentronSolutions.com

Denis,

I agree with some of your previous posts - the outside receiver is likely being desensed by a strong signal, perhaps away from or a harmonic of the frequency you're using. I suggest trying the test away from town and at least 10km from strong transmitting towers. Let us know what you find out - may help those of us who do UHF/VHF mobile/portable hamming.

As a ham I have NOT PROBLEM with the commercial community asking questions on a ham radio group - we can ALL learn from this.

Cheers,

Dick Post, N7EMW
www.repdesign.us

From 8892402049854247049
X-Google-Thread: 108122,8d11a593302b028e,start
X-Google-Thread: fc2a5,8d11a593302b028e,start
X-Google-Thread: 107ada,8d11a593302b028e,start
X-Google-Thread: 110c99,8d11a593302b028e,start
X-Google-Thread: 111320,8d11a593302b028e,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news2.google.com!postnews.google.com!n33g2000pri.googlegroups.com!not-for-mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.running,rec.scouting.issues
Subject: Democrats sexy meltdown
Date: Tue, 28 Oct 2008 11:24:58 -0700 (PDT)
Organization: http://groups.google.com

```
Lines: 7
Message-ID: <2dd60dad-8eb1-480a-a423-d64cd48f80cb@n33g2000pri.googlegroups.com>
NNTP-Posting-Host: 92.112.139.92
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1225218298 19380 127.0.0.1 (28 Oct 2008 18:24:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Oct 2008 18:24:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n33g2000pri.googlegroups.com; posting-host=92.112.139.92;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3155
rec.radio.amateur.homebrew:3451 rec.radio.amateur.misc:9402 rec.running:24004
rec.scouting.issues:3845

 http://salo.coolpage.biz/amateur.htm  read full=EF=BF=BD Natalie felt it w=
as
only fair that I remove the gag from Bills mouth so  he could answer
his loving wife and daughters probing questions. After clearing his
throat he said something that I will never forget Hillary  I feel your
pain http://groups.google.com/group/sexual-meltdown http://sexual-meltdown.=
blogspot.com/



From 8705416075546505963
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n33g2000pri.googlegroups.com!not-for-
mail
From: Mark <makolber@yahoo.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Tue, 28 Oct 2008 12:19:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 17
Message-ID: <8a181d97-fbfc-450b-9944-2822ae4f203b@n33g2000pri.googlegroups.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
     <4903b656$0$4918$9a6e19ea@unlimited.newshosting.com>
NNTP-Posting-Host: 129.188.33.26
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1225221584 21858 127.0.0.1 (28 Oct 2008 19:19:44 GMT)
```

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Oct 2008 19:19:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n33g2000pri.googlegroups.com; posting-host=129.188.33.26;
     posting-account=WmOtlwkAAADE8ghbKFJsr1g-UcPbtjjc
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.homebrew:3452
rec.radio.amateur.antenna:21517 sci.electronics.design:132787
rec.radio.amateur.equipment:3156

>
> What is the modulation type and data rate? Could be a delay spread
> issue. Maybe the outside unit is receiving a reflected signal from the
> surface of a nearby structure and is experiencing inter-symbol
> interference that by chance the base unit is shielded from. This would
> occur only if a high symbol rate was being used.
>
>

i was thinking about that...but no....

all the multi-path paths are reciprocal as well,,, so whatever the
delay spread is one way should be the same the other way.

Mark

From -5855554069964120438
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Oct 2008 14:21:35 -0500
Reply-To: "Tam" <t-tammaru@c0mca$t.net>
From: "Tam" <t-tammaru@comcast.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<3103a4b3-9e42-445f-9c4e-0f26997fd19c@x16g2000prn.googlegroups.com>
In-Reply-To: <3103a4b3-9e42-445f-9c4e-0f26997fd19c@x16g2000prn.googlegroups.com>
Subject: Re: 868MHz Propagation problem
Date: Tue, 28 Oct 2008 15:21:41 -0400
MIME-Version: 1.0
Content-Type: text/plain;

```
     format=flowed;
     charset="Windows-1252";
     reply-type=original
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Message-ID: <jeydnam0_4ai-5rUnZ2dnUVZ_vednZ2d@comcast.com>
Lines: 80
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.139.6.234
X-Trace: sv3-
srYwwMyi28QXDoPShJyIIB1+NXI4ujy56zbrD8XgDACSCm090bNlnPy4yI2JB6cQViCrcA1z4ScrFog!
ojjJYjJDifq8y9GfmGg4bcxJ5LtAK1Ve/b/ASQSEiMn3R4bPcaxhFfR6sEXhUf1aLFycmLvUWLu4!
hcngxMP1pI8Ie0mryoRYK7wXlYAN
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.homebrew:1002
rec.radio.amateur.antenna:4972 sci.electronics.design:38584
rec.radio.amateur.equipment:795
```

"Radio_Dick" <rspost@mail.com> wrote in message
news:3103a4b3-9e42-445f-9c4e-0f26997fd19c@x16g2000prn.googlegroups.com...
On Oct 24, 5:14 am, dgleeson422111 <dglees...@eircom.net> wrote:

> Hello All
>
> We have a propagation issue that is confusing us. We have two 868MHz
> modules on test, each capable of 500mW transmission.
>
> We are testing to find the range of communication. We are testing them
> as follows. One remains in our office while the other is taken to the
> street outside. we are communicating charecter strings such as "Im at
> the lamp post number 1" etc. There is somebody at each end sending
> text strings in a continuous conversation. There is no protocol, error
> checking or error recovery.
>
> What we have repetadly found is that the radio in the office can
> receive long after the radio in the street has stopped receiving. (The
> person with the radio in the street is moving away from the office.)
>
> The radios are the same and the power supplies to the radios are the
> same. Indeed switching the radios gives the same effect.
>
> The propagation paths between the two radios are the same in terms of
> distance. However the radio signal transmitted from the office travels
> through walls first before then traveling through open space. Its the
> opposite for the radio in the street, firstly traveling through space

> and then through the walls in the office.
>
> We did think we had identified an interfeering source in one direction (when moving away from the office) so we started moving in the opposite direction. We found exactly the same effect.
>
> Are we getting interfeerance from GSM, ISM or Paging?
>
> As far as GSM bands go in Europe 890�915 MHz OR 1710�1785 MHz So these shouldnt be our problem.
>
> ISM is where we intend to operate and the greatest band occupancy should be 10%. So we should get communication even though we would get some interfeerance.
>
> Paging - well this has very much gone out of fashion in Europe. But even if it was the cause then wouldnt it be intermittant communication. We have a constant problem.
>
> Can anyone shed light on this phenomonon? Is it an issue of wireless propagation that Im not familiar with or is it Interfeerance?
>
> Best regards, and thanks for any input.
>
> Denis
> _____________________http://www.CentronSolutions.com

Denis,

I agree with some of your previous posts - the outside receiver is likely being desensed by a strong signal, perhaps away from or a harmonic of the frequency you're using. I suggest trying the test away from town and at least 10km from strong transmitting towers. Let us know what you find out - may help those of us who do UHF/VHF mobile/portable hamming.

As a ham I have NOT PROBLEM with the commercial community asking questions on a ham radio group - we can ALL learn from this.

Cheers,

Dick Post, N7EMW
www.repdesign.us

****
I don't know why I don't get the > on your response, but whatever.
He can get some feel for what is going on by taking *both* radios outside near his office, and walking around. He should be able to find a particular area that has poor reception. I don't buy the explanations for antenna gain and multipath, they should affect both directions of transmission equally.

Tam

From -1721910998462758492
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news2.arglkargh.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Tue, 28 Oct 2008 18:14:49 -0700
Organization: albasani.net
Lines: 18
Message-ID: <ge8de6$6qf$1@news.albasani.net>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net k8aOMQ824+F5JKT/
iUcNfPOFdep6ALnrW9Tjmslt3V+RSzEcBeSfAMQQEum+g+NBcqMPGd9PTwUIBMzOFzAHyPN1koRPWRtBat
e6MIYzJMTjGDeviaGZjZx93UQ9varO
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Wed, 29 Oct 2008 01:14:46 +0000 (UTC)
X-User-ID: fPjh0GBzspphgicqmgkbB9V7SmXJ3JnhoR9Acjezhvc=
In-Reply-To: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Cancel-Lock: sha1:gc8KcbT/tvemwwCVf4bwF4xufsw=
User-Agent: Thunderbird 2.0.0.17 (Windows/20080914)
X-NNTP-Posting-Host: Rq5KHeJD2gQnXzQG2/lqkb3j6KS9K8iKYVA5mDVxrFM=
Xref: g2news1.google.com rec.radio.amateur.homebrew:1008
rec.radio.amateur.antenna:4979 sci.electronics.design:38655
rec.radio.amateur.equipment:796

dgleeson422111 wrote:

> >> ...
> Best regards, and thanks for any input.
>
> Denis
> _____________________
> http://www.CentronSolutions.com

Since most of the posts, in their "EXPERT OPINIONS", relate to your
receiver being "de-sensed", do you have a way of negating/affirming this?

Begin there, and we can get down to "real problems!" :-) i.e., a
wide-band field strength meter, freq counter, etc. will either make all
this "right" or "wrong."

Regards,
JS

From -6358890391770828869
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
newsfeed.straub-nv.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Tue, 28 Oct 2008 18:16:33 -0700
Organization: albasani.net
Lines: 11
Message-ID: <ge8dhf$6qf$2@news.albasani.net>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<ge8de6$6qf$1@news.albasani.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net D7WZDZxg3/
NTl6edV7QkTNeImLYXBiwK3ABkKp7YF4YZ6CJVRV2uLgFoh/
yca4Y6YiUOmdGIVFGDHC62w5r276jyMaUismY4qVtPG01BFAi+Mq5bLUxL+YNf+Y2ind3a
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Wed, 29 Oct 2008 01:16:31 +0000 (UTC)
X-User-ID: yNT8Ry8Jh3v+mxgylpRiYNLrLfbglyGK9jCdjGJ1H4k=
In-Reply-To: <ge8de6$6qf$1@news.albasani.net>
Cancel-Lock: sha1:TLS60jxinBzZO4ktxCzMQ+lLARc=
User-Agent: Thunderbird 2.0.0.17 (Windows/20080914)
X-NNTP-Posting-Host: QEMwYWnh336V4D71eUi1UtTazwAr+UeZx6NeHJqI96Y=
Xref: g2news2.google.com rec.radio.amateur.homebrew:3460
rec.radio.amateur.antenna:21526 sci.electronics.design:132861
rec.radio.amateur.equipment:3159

John Smith wrote:

> ...
> Regards,
> JS

And, I should have included, beg one, buy one, borrow one, steal one, etc. ...

Regards,
JS

```
From -6908147611221345454
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 29 Oct 2008 00:46:48 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<ge8de6$6qf$1@news.albasani.net>
Subject: Re: 868MHz Propagation problem
Date: Wed, 29 Oct 2008 14:46:49 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <--SdnWQYjp1VZZrUnZ2dnUVZ_sPinZ2d@giganews.com>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-xctKUADvFTqnZfNYmr2f+JLfKj9sl2s7MYtf5ybXcwAu2eqaQ7EiM6ZDe0GWQK/
XAIgeoGpGUDNqkGC!MlsstUN4IbRDGKJLrsu07I5VT2JS+L89kHawHUdNvMy8UMKjBv/
bvkHq7bmVpwLP847L8stV
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.homebrew:3461
rec.radio.amateur.antenna:21534 sci.electronics.design:132913
rec.radio.amateur.equipment:3160


"John Smith" <assemblywizard@gmail.com> wrote in message
news:ge8de6$6qf$1@news.albasani.net...
> dgleeson422111 wrote:
>
> >> ...
>> Best regards, and thanks for any input.
>>
>> Denis
>> _____________________
>> http://www.CentronSolutions.com
>
> Since most of the posts, in their "EXPERT OPINIONS", relate to your
> receiver being "de-sensed", do you have a way of negating/affirming this?
```

>

Desense is definately a possibility, but I still believe that it's at least AS good a chance that it's a standing wave issue on the office end. Others have said to take the 'office' radio outdoors and test the setup that way. That's a good (and simple) test.

```
From -6374235066249219256
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!news.k-dsl.de!newsfeed.freenet.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Bob <biascomms@invalid.inv>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Followup-To: rec.radio.amateur.homebrew
Date: Wed, 29 Oct 2008 08:02:54 +0000
Organization: Bias Comms
Lines: 13
Message-ID: <6mqjltFe8shpU1@mid.individual.net>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com> <ge8de6$6qf$1@news.albasani.net> <--SdnWQYjp1VZZrUnZ2dnUVZ_sPinZ2d@giganews.com>
Reply-To: biascomms@invalid.inv
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-Trace: individual.net xtcDCFIraqXCqBUx11KYWQveMtHd8hH0EzFvwtH2GsIu8Nat1C
Cancel-Lock: sha1:nesUY47qFrDRaQSE8yirULi+iaw=
Mail-Copies-To: biascomms@invalid.inv
User-Agent: KNode/0.10.4
Xref: g2news2.google.com rec.radio.amateur.homebrew:3463 rec.radio.amateur.antenna:21538 sci.electronics.design:132921 rec.radio.amateur.equipment:3161
```

Brenda Ann wrote:

> Desense is definately a possibility, but I still believe that it's at least
> AS good a chance that it's a standing wave issue on the office end. Others
> have said to take the 'office' radio outdoors and test the setup that way.
> That's a good (and simple) test.

I'm /still/ more inclined towards a desense problem - cities are astonishingly noisy these days throughout the RF spectrum. I've recently had 4.9 GHz data transmission problems that were eventually traced to a harmonic of a nearby surveillance TV transmitter!

Bob

From 8573537425051788887
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!feeder2.news.saunalahti.fi!reader1.news.saunalahti.fi!53ab2750!
not-for-mail
From: Paul Keinanen <keinanen@sci.fi>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Message-ID: <o7bgg41fq19nuqssnp6mk4h4u4kfeuolqt@4ax.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<ge8de6$6qf$1@news.albasani.net> <--SdnWQYjp1VZZrUnZ2dnUVZ_sPinZ2d@giganews.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 54
Date: Wed, 29 Oct 2008 11:59:31 +0200
NNTP-Posting-Host: 85.77.254.162
X-Complaints-To: newsmaster@saunalahti.com
X-Trace: reader1.news.saunalahti.fi 1225274367 85.77.254.162 (Wed, 29 Oct 2008
11:59:27 EET)
NNTP-Posting-Date: Wed, 29 Oct 2008 11:59:27 EET
Organization: Saunalahti Customer
Xref: g2news1.google.com rec.radio.amateur.homebrew:1013
rec.radio.amateur.antenna:4993 sci.electronics.design:38720
rec.radio.amateur.equipment:800

On Wed, 29 Oct 2008 14:46:49 +0900, "Brenda Ann"
<brendad@shinbiro.com> wrote:

>
>"John Smith" <assemblywizard@gmail.com> wrote in message
>news:ge8de6$6qf$1@news.albasani.net...

>> Since most of the posts, in their "EXPERT OPINIONS", relate to your
>> receiver being "de-sensed", do you have a way of negating/affirming this?

Desense caused by out of band signals if of course possible when we
talk about such toy receivers as most wireless LAN or wireless
headphones are.

However, since the 868 MHz band is a non-licenced band, it is quite
likely that there might be other transmitters (e.g. wireless
headphones) in the area of the moving transmitter, but not near the
office transmitter.

Give a spectrum analyzer to the moving station operator to monitor the interference level in that frequency band, when the moving transmitter is off. A scanner receiver with a decent signal strength indicator might even suffice.

>Desense is definately a possibility, but I still believe that it's at least
>AS good a chance that it's a standing wave issue on the office end.

This is out of the question for any single frequency half duplex connection, since the path would be reciprocal. In a full duplex dual frequency point to point system between two _fixed_ station, this would be definitively possible. Even in this case, moving the other station by 10-30 cm, you would find a spot, in which there is a good connections both ways.

Based on my experience at 1297 MHz with a narrow band (16 kHz) signal in urban environment, you definitively have a lot of multipath nulls (several nulls every meter), For speech communication, this is not much of an issue, the faster you move, you have hundreds of nulls every second and it does not much affect the readability of the speech. The only problem is that if you stop at a traffic light, you usually will end up in a multipath null and the communication is broken, unless you can slide the car a few centimeters.

>Others
>have said to take the 'office' radio outdoors and test the setup that way.
>That's a good (and simple) test.

The OP did swap the radios, but he did not tell if the power supply was also swapped. If the office power supply was faulty and the office transmitter could not deliver the nominal power, this could explain the situation.

Paul

From -6648296759181786979
X-Google-Thread: 108122,d796c9d553309ed1,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a70g2000hsh.googlegroups.com!not-for-mail
From: cowboy67 <cowboy67111@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Tektronix TM5003
Date: Wed, 29 Oct 2008 12:21:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <3928a4ab-3c6f-4c9a-a2c7-c7d9beca06cc@a70g2000hsh.googlegroups.com>
NNTP-Posting-Host: 66.157.147.78
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1225308116 26310 127.0.0.1 (29 Oct 2008 19:21:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 29 Oct 2008 19:21:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a70g2000hsh.googlegroups.com; posting-host=66.157.147.78;
     posting-account=W2-z3woAAAD1cH-TnRbpJSziAzZmPYjj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
     4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:801

Working Tektronix TM5003 for auction. Ebay auction ID 290270713087


From -7246613931957900495
X-Google-Thread: fc8b1,2832df3e5417645a,start
X-Google-Thread: 108122,2832df3e5417645a,start
X-Google-Thread: 1109af,2832df3e5417645a,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v39g2000pro.googlegroups.com!not-for-
mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.swap
Subject: FA: Original Manuals, Yaesu, Drake, Kenwood
Date: Thu, 30 Oct 2008 19:30:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <33ace22b-514a-426a-b5d9-78b436cde681@v39g2000pro.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1225420244 31467 127.0.0.1 (31 Oct 2008 02:30:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 31 Oct 2008 02:30:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v39g2000pro.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.17)
     Gecko/20080829 Firefox/2.0.0.17,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4420
rec.radio.amateur.equipment:3165 alt.ham-radio.marketplace:911 rec.radio.swap:3668

http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom


From 879932892600274774
X-Google-Thread: 108122,b730620354ee1c8b,start
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: COLLINS 51S-1 receiver
Message-ID: <750a5602769784ef27ab868172e61965@pseudo.borked.net>
Date: Sat,  1 Nov 2008 08:16:18 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:279 rec.radio.swap:790
rec.radio.amateur.equipment:805
```

http://snipr.com/Collins51S1

```
From 6630431140113406832
X-Google-Thread: 108122,95f59fed5e12909f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
feed.cgocable.net!nx01.iad.newshosting.com!newshosting.com!post02.iad!
news.suddenlink.net!not-for-mail
From: "LOP" <castles@yestertronics.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Interface for HP-8558B Spectrum Analyzer
Date: Sat, 1 Nov 2008 10:08:24 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
Lines: 11
Message-ID: <490c8d03$0$5500$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 72.47.89.233
X-Complaints-To: abuse@suddenlink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:806
```

We would like to be able to do computer analysis of the HP-8558B data. Has someone built an interface to get the data into a PC and is there some software that would do the analysis? I guess that we could resort to digital photography of the screen and then scan the picture into the computer? We would still need some software to do the analysis.

Have any of you done something like this?

Thanks,   Don and Liz

From -2477225457169341726
X-Google-Thread: 108122,95f59fed5e12909f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 01 Nov 2008 13:42:08 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Interface for HP-8558B Spectrum Analyzer
References: <490c8d03$0$5500$bbae4d71@news.suddenlink.net>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Sat, 1 Nov 2008 11:37:22 -0700
Message-ID: <28kut5-jia.ln1@radagast.org>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-bnExJt/
kOCzAkED+6RQoNf+LrWSV8j1OSfEfdacaiKTgqCdgXnGYkllWYgFcHSo3PCz2m5u62ew6yHz!
RzpCaJ0xi3nbXDio8cCIgdMTfY5urk3zQPz7TKSfCAU3Gt1O/FLEGhl6iIE/Zg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:807

In article <490c8d03$0$5500$bbae4d71@news.suddenlink.net>,
LOP <castles@yestertronics.com> wrote:

>We would like to be able to do computer analysis of the HP-8558B data. Has
>someone built an interface to get the data into a PC and is there some
>software that would do the analysis? I guess that we could resort to digital
>photography of the screen and then scan the picture into the computer? We
>would still need some software to do the analysis.
>
>Have any of you done something like this?

I've gotten data out of a spectrum analyzer of this sort by hooking a digital oscilloscope (one with data-capture capability) to the auxiliary X-axis and Y-axis display outputs on the analyzer back panel. By triggering on the first part of the rising edge of the X-axis sweep, capturing both axis signals simultaneously, and then uploading the data from the 'scope to a PC, it's then possible to reconstruct the trace on the screen from the resulting data pairs and then do analysis.

A two-channel ADC (perhaps USB-based?) could be used in the same way.

--
Dave Platt <dplatt@radagast.org>   AE6EO

```
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From -6115088796408244965
X-Google-Thread: 108122,9c910d5b8fdd2ac2,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe01.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Heil Mic & Accessories
Message-ID: <rlg0e4hhchlngun0snnkoua9a2s6sg22oj@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe01.iad 1222656704 70.161.107.201 (Mon, 29 Sep 2008 02:51:44 UTC)
NNTP-Posting-Date: Mon, 29 Sep 2008 02:51:44 UTC
Organization: Cox
Date: Sun, 28 Sep 2008 22:52:14 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:650

Like new Heil PR-781 microphone w/ SM3    $100.00 plus shipping
Like new SM-2B shock mount for PR-781   $75.00 plus shipping
CC-1-XLR-i  6 ft Icom Cable for PR-781 for Icom  $25.00 plus shipping
CC-1-XLR 3 pin cable 6 ft w/ M-F connector $25.00 plus shipping
WSP 40 wind screen for PR-781    $10.00 plus shipping
Figure shipping from 23323, all working fine, <k4wys@cox.net>


From -5617516232843129537
X-Google-Thread: 108122,cc3f63caef5938fe,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!npeer03.iad.highwinds-
media.com!news.highwinds-media.com!feed-me.highwinds-media.com!
post02.iad.highwinds-media.com!newsfe01.iad.POSTED!7564ea0f!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-7000 PARTS
Message-ID: <ssg0e4l15k5vko33jujndc0udns5f1bi2c@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
```

```
NNTP-Posting-Host: 70.161.107.201
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe01.iad 1222656958 70.161.107.201 (Mon, 29 Sep 2008 02:55:58 UTC)
NNTP-Posting-Date: Mon, 29 Sep 2008 02:55:58 UTC
Organization: Cox
Date: Sun, 28 Sep 2008 22:56:28 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:651

Due to damage to the logic board in an IC-7000, I have the following
parts that can be purchased. Removable head for the IC-7000, $50.00
plus shipping.  Icom HM-151 microphone for IC-7000 with the AB5N
modification  $105.00 plus shipping.  Radio unit for $150.00 plus
shipping.  Buy the whole IC-7000 for $300.00 and have Icom install a
new logic board for $650 and you will have a great rig with only
$950.00 plus the Icom warranty.  I also have an "INTEC" 5.4 inch color
LCD monitor (runs on 12 VDC) with cables to connect to the IC-7000 for
$75.00 plus shipping.
Figure shipping from 23323, all working fine, <k4wys@cox.net>



From 8493277978508447019
X-Google-Thread: 108122,8258d55fe2920112,start
X-Google-Thread: fc2a5,8258d55fe2920112,start
X-Google-Thread: 107ada,8258d55fe2920112,start
X-Google-Thread: 110c99,8258d55fe2920112,start
X-Google-Thread: 111320,8258d55fe2920112,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!postnews.google.com!
l64g2000hse.googlegroups.com!not-for-mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Super virtual girl. Sexy. Must look ALL!
Date: Mon, 29 Sep 2008 08:48:23 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <30dbc41a-1827-4357-8e72-e95b8e80e2e8@l64g2000hse.googlegroups.com>
NNTP-Posting-Host: 92.112.155.134
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222703304 16789 127.0.0.1 (29 Sep 2008 15:48:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 29 Sep 2008 15:48:24 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l64g2000hse.googlegroups.com; posting-host=92.112.155.134;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:652
rec.radio.amateur.homebrew:866 rec.radio.amateur.misc:1211 rec.running:4100
rec.scouting.issues:880

Super real virtual girl. Sexy. Must look ALL http://ragdai.info/video.htm


From 8953246357336858623
X-Google-Thread: 108122,be7b0011e7941797
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!d1g2000hsg.googlegroups.com!not-for-
mail
From: terry <tsanford@nf.sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power inverter
Date: Mon, 29 Sep 2008 14:37:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 41
Message-ID: <7b5761c4-1afd-4104-929e-ea8e662446a3@d1g2000hsg.googlegroups.com>
References: <gb2rel$mke$1@news-01.bur.connect.com.au>
<fmmck-8F064B.21072026092008@nntp.aioe.org>
NNTP-Posting-Host: 142.162.129.19
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1222724232 18768 127.0.0.1 (29 Sep 2008 21:37:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 29 Sep 2008 21:37:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d1g2000hsg.googlegroups.com; posting-host=142.162.129.19;
     posting-account=UK_CnQoAAADvwpneBBPBQf8pgC_pYRd5
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:653

On Sep 26, 11:07=A0pm, Fred McKenzie <fm...@aol.com> wrote:
> In article <gb2rel$mk...@news-01.bur.connect.com.au>,
> =A0"Gary Smith" <vkth...@gmail.com> wrote:
>
> > Hi all, i purchased a 12vdc to 240vac inverter for using my laptop. it'=
s a
> > 300 watt model fromm Jaycar.
> > I asked the person running the shop if i could run my 100w IC725 from i=
t. NO
> > WAY was the reply.
>
> > I was thinking of running the DSE D-3800 power supply from it when out =
on
> > contests and running the laptop and ssb hf rig from it.
>
```

> Gary-
>
> This is one of those things you can try and see if it will work!
>
> Instead of estimating the power your equipment needs, you need to find a
> way measure it. =A0I measured power consumed of an HF rig putting out 100
> Watts CW, and found the actual AC consumption was about 350 Watts.
>
> JB-
>
> As far as needing 13.8 Volts instead of 12.3, there is a product on the
> market designed just for that problem. =A0One version was published in QS=
T
> several years ago, and may be currently marketed by the original author. =
=A0
> Another variation is the MFJ-4416.
>
> Fred
> K4DII

Gee yes: Just because the final amp. of a transmitter is rated 100
watts DC input and may put out 70% of that as RF doesn't mean the
whole unit 'uses' 100 watts!
If it is a tube unit with tubes to heat and standby and a receiever
portion it could easily be consuming several times100 watts. Measure
it!

```
From -6059775707380625465
X-Google-Thread: 108122,db6af04b14952402,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 Sep 2008 02:07:32 -0500
From: "Ken chattenton" <k.chattenton@btopenworld.com>
Newsgroups: rec.radio.amateur.equipment
Subject: YAESU BPF-1 REQUIRED.
Date: Tue, 30 Sep 2008 07:53:13 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <WNWdnYoYmqepTXzVnZ2dnUVZ8jydnZ2d@bt.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-IsQmaw/pP5efWzPRM/6XjxFRYO0J/
mF7Zvdk3EDXHcXRULZFQ2Ppj0pq8ZuAIOC+b5Z8Gsx8ESVFMbZ!uwe2uI/
LsBtZ3SsYZbNIl3LXX1rEXrLdvNEiTaXy24ANjYZO6xmvbV1Qc6L2/JKjt2zVmGy+QHoP
X-Complaints-To: abuse@btinternet.com
```

X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:654

HI all from Ken, G4KIR,

I am looking for the 'RX Band Pass Filter' for a "YAESU FT1000" (BPF-1).
If anyone has one of these spare, or do not use the one in there radio (D version), then I would be pleased to purchase it from you.
I will pay a good price for the right unit of course.

All the very best to you all, Ken, G4KIR   k.chattenton@btopenworld.com

From -6543314247177857403
X-Google-Thread: 108122,be7b0011e7941797
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!r66g2000hsg.googlegroups.com!not-for-mail
From: jimmie68@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power inverter
Date: Tue, 30 Sep 2008 17:58:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 69
Message-ID: <40010bfd-d9f6-479a-86ce-219d0ce5cde9@r66g2000hsg.googlegroups.com>
References: <gb2rel$mke$1@news-01.bur.connect.com.au>
<48d52c4f$0$22245$bd467cd0@news.dslextreme.com>
     <Q%eBk.407$UB3.210@trnddc07>
NNTP-Posting-Host: 75.190.189.120
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1222822706 3744 127.0.0.1 (1 Oct 2008 00:58:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 1 Oct 2008 00:58:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r66g2000hsg.googlegroups.com; posting-host=75.190.189.120;
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3017

On Sep 20, 6:42=A0pm, "JB" <nos...@goofball.net> wrote:
> "Dave" <d...@dave.dave> wrote in message
>

> news:48d52c4f$0$22245$bd467cd0@news.dslextreme.com...
>
>
>
>
>
> > Gary Smith wrote:
> > > Hi all, i purchased a 12vdc to 240vac inverter for using my laptop. i=
t's
> > > a 300 watt model fromm Jaycar.
> > > I asked the person running the shop if i could run my 100w IC725 from
> > > it. NO WAY was the reply.
>
> > > I was thinking of running the DSE D-3800 power supply from it when ou=
t
> > > on contests and running the laptop and ssb hf rig from it.
> > > I just wanted to know if it was capable of handling that (which i
> > > presumed it would be) as the lap takes about 60w maybe and the
> > > transmitter 100w at times.
>
> > > Anyway, if someone can please explain why a 300w inverter won't run 1=
60w
> > > of gear i will be very happy.
>
> > > Thanks
>
> > > Gary
> > > VK3LCD
>
> > That's nuts. =A012 VDC to 240 VAC back to 12 VDC for a laptop? =A0Surel=
y
> > there's a more elegant (in its simplicity) solution.
>
> Probably because the radio likes to see 13.8 not 12.3 v. =A0Big problem w=
hen
> you do portable OPs. =A0A lot of the laptops need 17-19v =A0too.
>
> There are inverters out there clean enough for that, designed to convert
> 10-whatever volts to 13.8 regulated =A0for $600 on up. =A0 Some that will=
 take
> care of the battery charging and automatic battery revert too.
>
> The biggest problem to look out for is ground loops. =A0You could easily =
wind
> up with the Battery negative at ground potential along with antenna and
> neutral and have some low voltage component or personnel wind up DEAD wit=
h
> much anguish left to the survivors.
>
> IF you have designed around that to keep from blowing things up in the he=
at
> of the contest don't expect the 300 watt supply to be able to hack it. =
=A0If

> it doesn't trip right off, you might be OK. =A0But then you still might h=
ave
> noise and you will have to keep your batteries up some how and if someone
> plugs something in you didn't plan for then there's that Death problem
> again.- Hide quoted text -
>
> - Show quoted text -

Ive never had problems running my 100w PEP ICOM on 12 volts. I suppose
it puts out a little less power. Never measured it on 12 volts.

Jimmie

```
From 1668129440197661352
X-Google-Thread: fb049,f111a78963ee3d1a,start
X-Google-Thread: fcc6e,f111a78963ee3d1a,start
X-Google-Thread: 108122,f111a78963ee3d1a,start
X-Google-Thread: 114aac,f111a78963ee3d1a,start
X-Google-Thread: 106d41,f111a78963ee3d1a,start
X-Google-Thread: 10dc2a,f111a78963ee3d1a,start
X-Google-Attributes:
gidfb049,gidfcc6e,gid108122,gid114aac,gid106d41,gid10dc2a,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!goblin2!goblin1!goblin.stu.neva.ru!
news.tornevall.net!not-for-mail
From: "Leland C Scott" <kc8ldo@madisonhts.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,rec.
radio.cb,alt.sports.football.pro.cleve-browns
Subject: Re:  KC8QJP and N8WWM Glory Hole Party -  KC8QJP will be offering
discount tax consulting through the gloryhole while N8WWM is on his knees
Date: Wed, 1 Oct 2008 12:20:25 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 19
Message-ID: <gc086k$u0v$1@news.tornevall.net>
NNTP-Posting-Host: 5c1913850f13bedd11bde69852c63167
X-Trace: bfb385e421c1dcf526467f2a36d77629
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-Complaints-Language: Spoken language is english or swedish - NOT ITALIAN,
FRENCH, GERMAN OR ANY OTHER LANGUAGE!
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=bfb385e421c1dcf526467f2a36d77629
X-SpeedUI: 286
X-Complaints-Italiano: Parlo la lingua non � italiano
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:266 rec.radio.amateur.antenna:4329
```

```
rec.radio.amateur.equipment:656 rec.radio.shortwave:13044 rec.radio.cb:2859
alt.sports.football.pro.cleve-browns:1033

"n8wwm mrbindwell (fatboy)" wrote:

http://img254.imageshack.us/my.php?image=dougpetro3yk1.jpg

> Pick up some crisco on your way over tonight,  KC8QJP  needs a good
> slathering on her hind quarters.
>
> She's also getting ready to start her tax return posts again like she does
> every year. You remember those..
>
> http://tinyurl.com/46teqq
>
> She says she wants to add some pics of her and me to them this year.
>
>
>
Cool!




From 6652761314100397037
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!news.kjsl.com!
news.alt.net
From: "justme" <jbleaux@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Diplexer needed for 2mtrs/440.
Date: Wed, 1 Oct 2008 12:53:49 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 12
Message-ID: <27t30h.nub.19.1@news.alt.net>
References: <27l97u.dln.19.1@news.alt.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 081001-0, 10/01/2008), Outbound message
X-Antivirus-Status: Clean
Xref: g2news1.google.com rec.radio.amateur.equipment:657

ANYONE HAVE ONE FOR SALE?

"justme" <jbleaux@gmail.com> wrote in message
news:27l97u.dln.19.1@news.alt.net...
> Anyone have one or two of these?
>
> Thanks
>
```

```
>
>




From 3128118736581343155
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nlpi057.nbdc.sbc.com!prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!
flpi107.ffdc.sbc.com!nlpi061.nbdc.sbc.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: eBay: some old ham gear
Lines: 1
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <2bSEk.2932$be.1248@nlpi061.nbdc.sbc.com>
NNTP-Posting-Host: 64.149.32.23
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi061.nbdc.sbc.com 1222897470 ST000 64.149.32.23 (Wed, 01 Oct 2008
17:44:30 EDT)
NNTP-Posting-Date: Wed, 01 Oct 2008 17:44:30 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
[[PAPDON^ZUKRTD[@JIROFXBWR\HPCTL@XT^OBPLAH[\RYIBK^RAQFW[ML\THRCKV^GGZKJMGV^^_JSCFF
UA_QXFGVSCYRPILH]TRVKC^LSN@DX_HCAFX__@J\DAJBVMY\ZWZCZLPA^MVH_P@\
\EOMW\YSXHG__IJQY_@M[A[[AXQ_XDSTAR]\PG]NVAQUVM
Date: Wed, 1 Oct 2008 16:44:29 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:658

http://search.ebay.com/_W0QQsassZwd5jfrQQfrppZ50QQfsopZ32QQfsooZ2QQrdZ0


From 7497807161148414289
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!
feeder.erje.net!news.musoftware.de!wum.musoftware.de!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Spamm Trappe <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Diplexer needed for 2mtrs/440.
Date: 1 Oct 2008 23:00:13 GMT
Lines: 9
Message-ID: <slrnge807t.cnc.bit-bucket@shell.config.com>
```

```
References: <27l97u.dln.19.1@news.alt.net> <27t30h.nub.19.1@news.alt.net>
X-Trace: individual.net BNYnRv6NMsyp9L5gsvXW4gqcVFJSGNLuiBNTIkEfrafz0pfNVM
Cancel-Lock: sha1:3B6aQPQ26QLwegsTMaa2RVoc/tQ=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:659

On Wed, 1 Oct 2008 12:53:49 -0500, justme wrote:
> ANYONE HAVE ONE FOR SALE?
>
> "justme" <jbleaux@gmail.com> wrote in message
> news:27l97u.dln.19.1@news.alt.net...
>> Anyone have one or two of these?

*NOPE!  NOT ME!*




From -3576684902650513455
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!flpi089.ffdc.sbc.com!prodigy.net!
flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!nlpi069.nbdc.sbc.com.POSTED!
f91b684c!not-for-mail
From: aRKay <arkayREMOVE@qsl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-570S
Organization: iMac 2.4 GHz  Intel Core 2 Duo
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
<8e49d41d-3f4f-4c87-a898-996b322dcb7f@k36g2000pri.googlegroups.com> <cq-
dnaMYPZ_IMUDVnZ2dnUVZ_gadnZ2d@comcast.com>
User-Agent: MT-NewsWatcher/3.5.3b3 (Intel Mac OS X)
X-Face: nrf3>{WQ6c&r+7@e)"]0G60`-6ND^)I2mI%>)QGYa=9"=7jhd-g2|b3!>Al0+
        Ccb%xGQshhi|g@QU2$
X-Face-Author: Tony Svanstrom mailto:tls@kagi.com http://www.svanstrom.com/
               If you want to use it please also use this Authorline.
Message-ID: <arkayREMOVE-419701.20392401102008@news.houston.sbcglobal.net>
Lines: 37
NNTP-Posting-Host: 70.129.201.145
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi069.nbdc.sbc.com 1222911565 ST000 70.129.201.145 (Wed, 01 Oct 2008
21:39:25 EDT)
NNTP-Posting-Date: Wed, 01 Oct 2008 21:39:25 EDT
X-UserInfo1:
[[PAPDCAOPRIRS@[GZOBNFP@AJYZTB\MV@BL\QMIWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Wed, 01 Oct 2008 20:39:25 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:660

I agree with Pete.  Go to Menu Item 49 and change it to 0 that will read
Off.
```

```
In article <cq-dnaMYPZ_IMUDVnZ2dnUVZ_gadnZ2d@comcast.com>,
 "Pete KE9OA" <p.gianako@comcast.net> wrote:

> One of the functions that you can enable with this unit is a Tx audio
> moniter. Check out your manual. There is nothing wrong with the radio. Read
> the manual.
>
> Pete
>
> <woodward42@gmail.com> wrote in message
> news:8e49d41d-3f4f-4c87-a898-996b322dcb7f@k36g2000pri.googlegroups.com...
> On Sep 9, 9:15 am, woodwar...@gmail.com wrote:
> > Am experiencing RF on the chassis of the radio when transmit. Have
> > good ground system, clean power supply, resonant antenna w/ low SWR.
> > When I touch the antenna of my RF Field Strength meter to any metal on
> > the radio, wattmeter or power supply it pins the needle. Opened
> > radio, looked at ant output connectors, could find no problems or bad
> > solder joints. Installed 1:1 choke balun on coax at radio, no effect
> > on problem. Hear myself talking in the headset and when transmitting
> > it triggers a motion detector light mounted outside and above the ham
> > shack. Same effect when using a dummy load. Defect inside the radio,
> > anyone experienced this?
> >
> > 73, Steve
>
> Thanks to everyone who responded.  The problem of hearing myself when
> transmitting is a problem in the radio as I suspected.  The motion
> light issue is of no concern, they are inherently prone to RF setting
> them off.  This one is only about 5' above the radio on the outside
> wall.  My main question was directed to if anyone had this type
> problem with their TS-570.
>
> 73, Steve


From -4589118275506549144
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!news.kjsl.com!
news.alt.net
From: "justme" <jbleaux@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Diplexer needed for 2mtrs/440
Date: Wed, 1 Oct 2008 22:13:35 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 18
Message-ID: <27u3q2.j4o.19.1@news.alt.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 081001-0, 10/01/2008), Outbound message
X-Antivirus-Status: Clean
```

Xref: g2news1.google.com rec.radio.amateur.equipment:661

How do you know?

From: "Spamm Trappe" <bit-bucket@config.com>
Subject: Re: Diplexer needed for 2mtrs/440.
Date: Wednesday, October 01, 2008 6:00 PM

On Wed, 1 Oct 2008 12:53:49 -0500, justme wrote:
> ANYONE HAVE ONE FOR SALE?
>
> "justme" <jbleaux@gmail.com> wrote in message
> news:27l97u.dln.19.1@news.alt.net...
>> Anyone have one or two of these?

NOPE! NOT ME!

From 7950008374585374062
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 02 Oct 2008 17:59:14 -0500
From: Stormcat <Stormcat.32b078d@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SOS Faulty Sony ICF-SW55
Date: Thu, 2 Oct 2008 19:54:23 +0100
Message-ID: <Stormcat.32b078d@radiobanter.com>
Organization: RadioBanter.com
Lines: 21
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-4Nh6FE8okiYAeGlIbMtqXR2bBqcPr7DdG/
SEvDp5K1bvAdznr2Fug44AxUuDnPt9atrLCZdwLRV4z2C!
wyu8HWffTHYsF9wLfKvsZURldYOInldGj4b7DM8IG+ZdUD+DQZJyHMOVFoKuNjH8UxPt750EqnPd!
4WHz+A==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 13
Xref: g2news2.google.com rec.radio.amateur.equipment:3024

Strange things happening with my old Sony ICF-SW55...

SW frequencies seem to work fine... LW and MW frequencies don't work.

FM doesn't work - in fact, the radio locks up when FM is selected.

I can get the LW and MW to 'work' again by touching various parts of
the circuit board with my finger while the back is off.

Display shows "CAL" at switch on, which I suppose is some kind of
calibration routine?

Can anyone help with some ideas?

Thanks.

--
Stormcat

```
From 6359378875897233004
X-Google-Thread: 108122,272e5df9ab6e66ad
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <gh0fe45djn2jhj57kdb1qtl1dtcruf7448@4ax.com>
Subject: Re: Oddity programming Kenwood TM-271
Lines: 23
MIME-Version: 1.0
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <XGNFk.620$yI6.281@nwrddc01.gnilink.net>
Date: Sat, 04 Oct 2008 17:26:15 GMT
NNTP-Posting-Host: 71.119.234.80
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1223141175 71.119.234.80 (Sat, 04 Oct 2008 13:26:15
EDT)
NNTP-Posting-Date: Sat, 04 Oct 2008 13:26:15 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:3027
```

"Evan Platt" <evan@theobvious.espphotography.com> wrote in message
news:gh0fe45djn2jhj57kdb1qtl1dtcruf7448@4ax.com...

> I have a kenwood tm-271, and a ribless cable - not sure it's a kenwood
> cable or not, but works - somewhat.
>
> What's happening is channels are missing - so let's say I've created a
> entry in channels 1-40. When I write to the radio, I may have channel
> 1,2,3,9,11,13,18, etc. And it shows - ie they show as channel
> 1,2,3,9, etc.
>
> Any ideas? Using MCP-1A, Windows XP, serial port (no USB adapter),
> slowed comport speed down to 9600....
>
> Any suggestions appreciated. Thanks.
> --
> To reply via e-mail, remove The Obvious from my e-mail address.

First, try in safe mode. Windows seems to want to do everything but what
YOU want to first. Then read back to see if the radio got what you
programmed, look at the saved file and compare it with a saved file from
what you programmed. Also, see if some of the channels have been hidden.

From 7827888341353490297
X-Google-Thread: 108122,e3cc0209d15d4872,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!news.kjsl.com!news.alt.net
From: "justme" <jbleaux@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 2 METER 440 DUPLEXER WANTED............USED
Date: Sat, 4 Oct 2008 13:08:33 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 5
Message-ID: <285104.5i7.19.1@news.alt.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 081004-0, 10/04/2008), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com rec.radio.amateur.equipment:3028

Someone has one of these just gathering dust. Please sell it to me.

Thanks

From -7375951216814137978
X-Google-Thread: fc8b1,ef6176f19647170d,start

```
X-Google-Thread: 108122,ef6176f19647170d,start
X-Google-Thread: 108228,ef6176f19647170d,start
X-Google-Thread: 1109af,ef6176f19647170d,start
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p59g2000hsd.googlegroups.com!not-for-
mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.swap
Subject: FA: NEW STUFF> Vibroplex Bug, Yaesu Soft Case, Icom Wall cube, etc!
Date: Sat, 4 Oct 2008 19:26:49 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <cc61f659-341c-4598-a88a-a9ba61392cae@p59g2000hsd.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223173609 24109 127.0.0.1 (5 Oct 2008 02:26:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Oct 2008 02:26:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p59g2000hsd.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4201
rec.radio.amateur.equipment:3031 alt.ham-radio.marketplace:870 rec.radio.swap:3560

http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom


From -6463481782905275066
X-Google-Thread: 108122,272e5df9ab6e66ad
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <gh0fe45djn2jhj57kdb1qtl1dtcruf7448@4ax.com>
<XGNFk.620$yI6.281@nwrddc01.gnilink.net>
<4thfe49rr278jkrjetpmg1gips5o5auo54@4ax.com>
Subject: Re: Oddity programming Kenwood TM-271
Lines: 32
MIME-Version: 1.0
Content-Type: text/plain;
```

```
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <%vWFk.739$P5.194@nwrddc02.gnilink.net>
Date: Sun, 05 Oct 2008 03:28:59 GMT
NNTP-Posting-Host: 71.104.209.14
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1223177339 71.104.209.14 (Sat, 04 Oct 2008 23:28:59
EDT)
NNTP-Posting-Date: Sat, 04 Oct 2008 23:28:59 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:3032


"Evan Platt" <evan@theobvious.espphotography.com> wrote in message
news:4thfe49rr278jkrjetpmg1gips5o5auo54@4ax.com...
> On Sat, 04 Oct 2008 17:26:15 GMT, "JB" <nospam@goofball.net> wrote:
>
> >First, try in safe mode.  Windows seems to want to do everything but what
> >YOU want to first.
>
> Hmm.. Never really used safe mode for rss stuff.. But the MCP app
> isn't recognizing the comport. Says it's unavailable. Windows Device
> Manager says something like it cannot verify the status while in safe
> mode.

Hmmmmmmmm.
Read but no write...

It claims to work with SP1 or greater but SP3 wasn't around yet.  You may
need to unload a bunch of stuff in task manager.  Maybe go the shortcut
properties and run as a win98 program or something.   Did you fiddle with
buffers on the com port?

I did have problems with mcp2000 (similar) with my PL2303 usb-serial dongle
until I found a specific driver version for it.  After that I was even able
to program DOS RSS programs under XP.  You might have a serial cable problem
or hardware driver issue with your machine.  Rotsa ruck.

I got kind of tired with mcp because you have to still program one channel
at a time anyway.  I have been using Excel for memory management in my
ts2000, and it does well.  Allows me to cut and paste entire banks.  The
271.mcp file structure is similar but the parameters look different.  It's
just a script file.



From 7880559904769002240
X-Google-Thread: 108122,75295184e0939365,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!p49g2000hsd.googlegroups.com!not-for-mail
From: bigjcw1023@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: HF antenna tuner
Date: Sat, 4 Oct 2008 22:50:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <4be46964-bdb9-40f7-8aea-70d42f5577d0@p49g2000hsd.googlegroups.com>
NNTP-Posting-Host: 71.31.173.66
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223185830 27813 127.0.0.1 (5 Oct 2008 05:50:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Oct 2008 05:50:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p49g2000hsd.googlegroups.com; posting-host=71.31.173.66;
     posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.17)
     Gecko/20080829 Firefox/2.0.0.17,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3034
```

I have a Kenwood ts440s w auto antenna tuner. I am running a g5rv antenna and the auto does not tune on all bands. I know I need an external manual tuner, but do I get the one with the balun built in or not. I have an airwound balun at the feedpoint for the coax from the ladderline of the antenna? That is for current prevention on the outer part of the cable as per manuf. instructions, dont think I really need that though.
Thanks

```
From 4302455457919624822
X-Google-Thread: 108122,5883b4da736eae20,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!8g2000hse.googlegroups.com!not-for-mail
From: bigjcw1023@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Impedance Transformer
Date: Sat, 4 Oct 2008 23:01:01 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <a8f7cd5b-f581-4355-8c09-accc061479fb@8g2000hse.googlegroups.com>
NNTP-Posting-Host: 71.31.173.66
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223186461 29739 127.0.0.1 (5 Oct 2008 06:01:01 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Sun, 5 Oct 2008 06:01:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 8g2000hse.googlegroups.com; posting-host=71.31.173.66;
     posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.17)
     Gecko/20080829 Firefox/2.0.0.17,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3035

This applied to my antenna tuner quest, would a impedance transformer
work?

From -3080010906190285973
X-Google-Thread: 108122,75295184e0939365
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!news.k-dsl.de!
news.motzarella.org!motzarella.org!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF antenna tuner
Date: Sun, 5 Oct 2008 09:22:49 -0400
Organization: A noiseless patient Spider
Lines: 25
Message-ID: <gcaf3d$nl$1@registered.motzarella.org>
References: <4be46964-bdb9-40f7-8aea-70d42f5577d0@p49g2000hsd.googlegroups.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX1+0GXPvUCPT7N5J3z0hySHBKwlbRJH1Ufrjz9NLCUeki+E9g4IXY/eK1DkWk/RL/
+rjN9r6LvYd4GrLZvAoWqHqiFajDr0YdLmKXq464NFX3snQwrm+2hFFJwubsKcDV90=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sun, 5 Oct 2008 13:22:53 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Auth-Sender: U2FsdGVkX1+NcbO4hqk3LlnJwllyYmqEJs715bPkL1UoII56h8vztA==
Cancel-Lock: sha1:ZZNRbQ9JQDzZqi1lxes4JxDokeM=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:674

<bigjcw1023@gmail.com> wrote in message
news:4be46964-bdb9-40f7-8aea-70d42f5577d0@p49g2000hsd.googlegroups.com...
>I have a Kenwood ts440s w auto antenna tuner. I am running a g5rv
> antenna and the auto does not tune on all bands. I know I need an
> external manual tuner, but do I get the one with the balun built in or
> not. I have an airwound balun at the feedpoint for the coax from the
> ladderline of the antenna? That is for current prevention on the
> outer part of the cable as per manuf. instructions, dont think I
> really need that though.
> Thanks

Compared to the MFJ 989C roller inductor tuner with the built-in 4:1 balun, I have not been able to match the 989C's very wide tuning range with a smaller 300 watt tuner running into a 4:1 balun. It is my suspicion that if you need a long of "tuning swing", you'll likely not find it by running a normal 50 ohm tuner into your 4:1 balun. It hasn't worked for me in the past. Of course, I haven't tried every MFJ tuner that would meet the criteria, much less all of the other brands of tuners.

Ed, NM2K

From 801983816429795475
X-Google-Thread: 108122,5883b4da736eae20
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!news.motzarella.org!motzarella.org!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Impedance Transformer
Date: Sun, 5 Oct 2008 09:28:43 -0400
Organization: A noiseless patient Spider
Lines: 20
Message-ID: <gcafef$300$1@registered.motzarella.org>
References: <a8f7cd5b-f581-4355-8c09-accc061479fb@8g2000hse.googlegroups.com>
X-Trace: feeder.motzarella.org U2FsdGVkX1+KnWSHPpZa9vz+7KZe5ATWmzwU82MSCFSlkY3Q0jpd9+ZotDSt5+KSAGHhYSUcwzpK8O/viEgjBFCdV64ByGyewHtD76WIfsSrBI23ucOStzPYQx6VHvs0FEJrZ7AV240=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sun, 5 Oct 2008 13:28:47 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Auth-Sender: U2FsdGVkX18i9Nrf65EiRy4jVhgKWzAItCFWo8jj1tVQETZMGrSjLw==
Cancel-Lock: sha1:E7D6y4suEtMMxkIDFB/zIQBZ1sk=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:675

<bigjcw1023@gmail.com> wrote in message news:a8f7cd5b-f581-4355-8c09-accc061479fb@8g2000hse.googlegroups.com...
> This applied to my antenna tuner quest, would a impedance transformer
> work?

An antenna tuner (matchbox/transmatch) transforms one impedance to another via the operator's manipulation of variable capacitors and inductors.

By the strictest definition of the term transformer, the transformation of impedances occurs via the inductance of coils that are mutually coupled, plus any stray capacitances in the circuit. The transformer is usually non adjustable, unless various input/output taps have been included on the coils througout the primary/secondary/both sides of the transformer.

Ed, NM2K

```
From 8959845667855524278
X-Google-Thread: 108122,fb708d56b5b959ed,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
cleanfeed3-b.proxad.net!nnrp5-2.free.fr!not-for-mail
From: T0M <viepriv�e@fra.invalid>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-140S All mode ssquelch modification
Date: Sun, 05 Oct 2008 09:26:08 -0500
Organization: XE
Message-ID: <hdjhe4l6p2skcs6n4182vh528q9scipnq0@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 Francais
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
NNTP-Posting-Date: 05 Oct 2008 16:26:09 MEST
NNTP-Posting-Host: 148.243.82.142
X-Trace: 1223216769 news-3.free.fr 24662 148.243.82.142:1062
X-Complaints-To: abuse@proxad.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3038
```

I know it's possible to do a modifiction to have the squelch working in all modes with a Kenwood TS-14S.
I would like to know if some of you have already made this mod and if it really works.

Thank you in advance,

T0M

```
From 818066132248722538
X-Google-Thread: 114aac,c9c7d6f69b612904,start
X-Google-Thread: 108228,c9c7d6f69b612904,start
X-Google-Thread: 108122,c9c7d6f69b612904,start
X-Google-Thread: 10a1eb,c9c7d6f69b612904,start
X-Google-Attributes:
gid114aac,gid108228,gid108122,gid10a1eb,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x5!mail2news-x4!mail2news-
x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.shortwave,alt.ham-
radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,alt.marketplace
Subject: FA: HARRIS RF-590H receiver
Message-ID: <29ff7c3dc964e3a4382749844f8de6a0@pseudo.borked.net>
Date: Sun, 5 Oct 2008 09:03:24 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.shortwave:13438 alt.ham-radio.marketplace:237
rec.radio.swap:680 rec.radio.amateur.equipment:677 alt.marketplace:3042

http://snipr.com/HarrisRF

From -9132870809357825178
X-Google-Thread: 108122,fb708d56b5b959ed
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news.motzarella.org!motzarella.org!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-140S All mode ssquelch modification
Date: Sun, 5 Oct 2008 15:15:33 -0400
Organization: A noiseless patient Spider
Lines: 22
Message-ID: <gcb3oq$hjn$1@registered.motzarella.org>
References: <hdjhe4l6p2skcs6n4182vh528q9scipnq0@4ax.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX18tJHa29Jj3+qruMjIAVmkWyQScGJJNA9QKlB6MRnnGupoDL8Hekcr0QYkbINFLsXlaukepoc
ooMaguTATtXl5kqvOUqWhYEDRGdXHHwVp3Vb+jFdKWxXo3qnBjhQB4Dw8=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sun, 5 Oct 2008 19:15:39 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Auth-Sender: U2FsdGVkX1+DW/vQYsBNacPGo11uJGJBYkA24gvWLIyUpMJuVvwaVA==
Cancel-Lock: sha1:g+sWAsiq2vD7ukxlM8moGjyEEv4=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:678

"T0M" <viepriv�e@fra.invalid> wrote in message
news:hdjhe4l6p2skcs6n4182vh528q9scipnq0@4ax.com...
>I know it's possible to do a modifiction to have the squelch working in
> all modes with a Kenwood TS-14S.
> I would like to know if some of you have already made this mod and if it
> really works.

>
> Thank you in advance,
>
> T0M

Even though I've owned and operated my share of Kenwood rigs, and never
heard of the problem that you describe, it surprises me that the squelch is
not intended to work in any particular mode. Which mode is your squelch
inoperative?

Ed, NM2K

```
From 2726337079546445250
X-Google-Thread: 108122,a1bfa2185ce087de,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
u28g2000hsc.googlegroups.com!not-for-mail
From: JVG <jose.gavila@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Amateur radio equipment repair BLOG
Date: Sun, 5 Oct 2008 14:51:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <147cd4e4-69a3-406a-809e-a35404586934@u28g2000hsc.googlegroups.com>
NNTP-Posting-Host: 89.129.6.163
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223243481 6715 127.0.0.1 (5 Oct 2008 21:51:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Oct 2008 21:51:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u28g2000hsc.googlegroups.com; posting-host=89.129.6.163;
     posting-account=907d1QoAAABf7BI4mJXkFthDzGp4RftM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; es-ES; rv:1.9.0.3)
     Gecko/2008092417 Firefox/3.0.3,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:679
```

Hello!

After 13 years of publishing my WEB I have decided it is time to start
another Internet project (in parallel with the WEB) and have created
my BLOG, called RadioRepair :-). You can access it at:

http://radiorepair.blogspot.com/

I have just posted my first article which is about the repair of a
Kenwood TS-790 which was done last week. I hope you like it and, of
course, your comments :-)

Thanks and best regards,

73 JOSE EB5AGV
http://jvgavila.com

From 1854105116782292347
X-Google-Thread: 108122,fb708d56b5b959ed
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news1.google.com!newsfeed.stanford.edu!
news.kjsl.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-140S All mode ssquelch modification
Date: Sun, 5 Oct 2008 18:45:33 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 57
Sender: et472@209-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0810051839160.18912@darkstar.example.net>
References: <hdjhe4l6p2skcs6n4182vh528q9scipnq0@4ax.com>
 <gcb3oq$hjn$1@registered.motzarella.org>
NNTP-Posting-Host: 209-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: MULTIPART/MIXED; BOUNDARY="8323328-1942531726-1223246733=:18912"
X-Trace: theodyn.ncf.ca 1223246798 12628 64.235.215.209 (5 Oct 2008 22:46:38 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 5 Oct 2008 22:46:38 GMT
In-Reply-To: <gcb3oq$hjn$1@registered.motzarella.org>
Xref: g2news1.google.com rec.radio.amateur.equipment:680

  This message is in MIME format. The first part should be readable text,
  while the remaining parts are likely unreadable without MIME-aware tools.

--8323328-1942531726-1223246733=:18912
Content-Type: TEXT/PLAIN; charset=X-UNKNOWN; format=flowed
Content-Transfer-Encoding: QUOTED-PRINTABLE

On Sun, 5 Oct 2008, Ed Cregger wrote:

>=20
"T0M" <viepriv=E9e@fra.invalid> wrote in message
> news:hdjhe4l6p2skcs6n4182vh528q9scipnq0@4ax.com...
>> I know it's possible to do a modifiction to have the squelch working in
>> all modes with a Kenwood TS-14S.
>> I would like to know if some of you have already made this mod and if it
>> really works.
>>
>> Thank you in advance,

```
>>
>> T0M
>
> ----------
>
> Even though I've owned and operated my share of Kenwood rigs, and never
> heard of the problem that you describe, it surprises me that the squelch =
is
> not intended to work in any particular mode. Which mode is your squelch
> inoperative?
>
It's odd.  There were some SSB only VHF rigs in the seventies, and
they generally did include squelch (though I have no idea how
well they worked or if people actually used it).

Then the multi-mode rigs came along, and at least some of those
rigs had squelch that only worked on FM.  I'd guess it reflected
operating habits, you want the FM rig left on in case someone
hits the channel, but for SSB you generally aren't just waiting,
you are actively tuning.  Plus, you can get a feel for where
to set the squelch for local FM, but how much would you miss
if you had the squelch turned too high?  By the time you get
the rig squelched on SSB, you likely are missing the weak
signals.

I imagine that's the case, and a search reveals this is an
HF rig, not a VHF rig as I imagined, and the squelch only
works on FM.

That makes sense, I can't imagine people wanting squelch much
on HF SSB.

The same search turns up at least one mod that may or may
not be useful.  Just the rig's number and squelch into
the search engine.

   Michael  VE2BVW

--8323328-1942531726-1223246733=:18912--



From 4506680387576873250
X-Google-Thread: 108122,fb708d56b5b959ed
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Oct 2008 18:16:13 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <hdjhe4l6p2skcs6n4182vh528q9scipnq0@4ax.com>
<gcb3oq$hjn$1@registered.motzarella.org>
```

<Pine.LNX.4.64.0810051839160.18912@darkstar.example.net>
Subject: Re: Kenwood TS-140S All mode ssquelch modification
Date: Sun, 5 Oct 2008 19:17:34 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <XJydndq7Lt8g13TVnZ2dnUVZ_rfinZ2d@earthlink.com>
Lines: 56
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-
vqbeJvfjVIFrKQUIvemfJAREqKckiC9skO3AfuKIzuUMt0LZeelAK8X2yxENo8t2fUe3oejfDfJtL93!
5kpoiTH+x9Rj6wAnI/kcHo6bLRZf7Tj93RY8bpyq8Rm1SwPPW56NbC8+C1BHLvsCOtw1bkjuPC4W!
cv1ySik4Ujz99BbhzCTAomnYXVvrKE4XrQepig==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:681

"Michael Black" <et472@ncf.ca> wrote in message
news:Pine.LNX.4.64.0810051839160.18912@darkstar.example.net...
On Sun, 5 Oct 2008, Ed Cregger wrote:

>
"T0M" <viepriv�e@fra.invalid> wrote in message
> news:hdjhe4l6p2skcs6n4182vh528q9scipnq0@4ax.com...
>> I know it's possible to do a modifiction to have the squelch working in
>> all modes with a Kenwood TS-14S.
>> I would like to know if some of you have already made this mod and if it
>> really works.
>>
>> Thank you in advance,
>>
>> T0M
>
> ----------
>
> Even though I've owned and operated my share of Kenwood rigs, and never
> heard of the problem that you describe, it surprises me that the squelch
> is
> not intended to work in any particular mode. Which mode is your squelch
> inoperative?
>
>It's odd. There were some SSB only VHF rigs in the >seventies, and
>they generally did include squelch (though I have no idea how
>well they worked or if people actually used it).

>Then the multi-mode rigs came along, and at least some of those
>rigs had squelch that only worked on FM. I'd guess it reflected

>operating habits, you want the FM rig left on in case >someone
>hits the channel, but for SSB you generally aren't just waiting,
>you are actively tuning. Plus, you can get a feel for where
>to set the squelch for local FM, but how much would you miss
>if you had the squelch turned too high? By the time you get
>the rig squelched on SSB, you likely are missing the >weak
>signals.

I have a Yeasu ft221 for vhf that stays on all the time. It did not come with a squelch for ssb but did for FM. I found a way to squelch it for ssb. Almost all activity on vhf will be on 144.200 or 50.125 to start with. It is seldom the band opens that this is not the starting point. With two rigs on, one for 2 meters and one for 6 meters, it would be loud in the shack if they did not have a squelch for ssb. Also there are some local hams that monitor certain frequencies on 10 meters for local work and the squelch comes in handy there also. Same for some special interist groups and nets on the other bands.

I would miss the squelch on the rigs if they did not have them. Lots of times I monitor an 80 meter frequency while working on the computer in the shack and do not want to hear all the noise if no one is talking.

From 2450437093660794189
X-Google-Thread: 108122,64b3da6b17044c6a,start
X-Google-Thread: fc2a5,64b3da6b17044c6a,start
X-Google-Thread: 107ada,64b3da6b17044c6a,start
X-Google-Thread: 110c99,64b3da6b17044c6a,start
X-Google-Thread: 111320,64b3da6b17044c6a,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
c60g2000hsf.googlegroups.com!not-for-mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.running,rec.scouting.issues
Subject: New Jersey webcam: Landie
Date: Mon, 6 Oct 2008 06:40:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <185961b6-739f-4aea-891c-e8dae4ce60ec@c60g2000hsf.googlegroups.com>
NNTP-Posting-Host: 92.112.158.156
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223300457 22975 127.0.0.1 (6 Oct 2008 13:40:57 GMT)
X-Complaints-To: groups-abuse@google.com

```
NNTP-Posting-Date: Mon, 6 Oct 2008 13:40:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c60g2000hsf.googlegroups.com; posting-host=92.112.158.156;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:682
rec.radio.amateur.homebrew:902 rec.radio.amateur.misc:1242 rec.running:4311
rec.scouting.issues:883
```

Webcam: Landie,19 year.New Jersey. Viens me voir et tu verras!
http://datesex.xhostar.com/landie1989.htm

```
From -7997983796183062969
X-Google-Thread: 108122,fb708d56b5b959ed
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feed.cgocable.net!
nx02.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!
news.highwinds-media.com!news.cv.net!not-for-mail
Message-ID: <48EA99BF.60305@optonline.net>
Date: Mon, 06 Oct 2008 19:05:35 -0400
From: John Siegel <johnasiegel@optonline.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.0.2) Gecko/
20030208 Netscape/7.02
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-140S All mode ssquelch modification
References: <hdjhe4l6p2skcs6n4182vh528q9scipnq0@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Organization: Optimum Online
NNTP-Posting-Host: 69.116.75.74
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:683
```

T0M wrote:

> I know it's possible to do a modifiction to have the squelch working in
> all modes with a Kenwood TS-14S.
> I would like to know if some of you have already made this mod and if it
> really works.
>
> Thank you in advance,
>
> T0M

I owned the 680S years ago and the same mod applies to it. I never did

it so I can't
report anything about how well it works. How easy it to reverse the mod
if you try it and don't like it.
John

From -6623447673184002205
X-Google-Thread: fcc6e,b2e6f690f9f0478d,start
X-Google-Thread: 11480d,b2e6f690f9f0478d,start
X-Google-Thread: 108122,b2e6f690f9f0478d,start
X-Google-Thread: fc2a5,b2e6f690f9f0478d,start
X-Google-Thread: 10b9c8,b2e6f690f9f0478d,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1220767501@panix.com>
Followup-To: poster
Date: 7 Oct 2008 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Nov 2008 01:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1223359501@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1223359502 27796 166.84.1.2 (7 Oct 2008 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Oct 2008 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Original-Bytes: 2661
Xref: g2news1.google.com rec.radio.amateur.antenna:4540 rec.radio.amateur.dx:147
rec.radio.amateur.equipment:684 rec.radio.amateur.homebrew:905 rec.radio.info:269

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 2400424406762324337
X-Google-Thread: 108122,334bf95db39e7566,start
X-Google-Thread: 1109af,334bf95db39e7566,start
X-Google-Thread: 10b9c8,334bf95db39e7566,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!198.186.194.249.MISMATCH!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1220767800@panix.com>
Followup-To: poster
Date: 7 Oct 2008 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world

Expires: 09 Nov 2008 01:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1223359800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1223359801 8480 166.84.1.2 (7 Oct 2008 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 7 Oct 2008 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:685 rec.radio.swap:681 rec.radio.info:270

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -6420083994604578311
X-Google-Thread: fc8b1,ef6176f19647170d
X-Google-Thread: 108122,ef6176f19647170d
X-Google-Thread: 108228,ef6176f19647170d
X-Google-Thread: 1109af,ef6176f19647170d
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l64g2000hse.googlegroups.com!not-for-
mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.swap
Subject: FA: NEW STUFF> Vibroplex Bug, Yaesu Soft Case, Icom Wall cube, etc!
Date: Tue, 7 Oct 2008 07:15:16 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <f332d9c4-1740-49ca-9661-afb6406a1035@l64g2000hse.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223388916 20237 127.0.0.1 (7 Oct 2008 14:15:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Oct 2008 14:15:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l64g2000hse.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1078
rec.radio.amateur.equipment:686 alt.ham-radio.marketplace:239 rec.radio.swap:682

http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom


From -708678957047574948
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Thread: 106d41,f111a78963ee3d1a
X-Google-Attributes:
gidfb049,gidfcc6e,gid108122,gid114aac,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.mixmin.net!not-for-mail
From: "n8wwm mrbindwell \(fatboy\)" <dougay@nospam.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,rec.
radio.cb
```

```
Subject: Re: KC8QJP and N8WWM Glory Hole Party -  KC8QJP will be offering discount
tax consulting through the gloryhole while N8WWM is on his knees
Date: Tue, 7 Oct 2008 18:56:34 -0400
Organization: toledo radio bdsm operator
Lines: 29
Message-ID: <gcgpfa$ct7$1@news.mixmin.net>
References: <gc086k$u0v$1@news.tornevall.net>
NNTP-Posting-Host: 11b7c99c4b6be6a8762670838b77e7e9
X-Complaints-To: abuse@mixmin.net
NNTP-Posting-Date: Tue, 7 Oct 2008 22:56:43 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:293 rec.radio.amateur.antenna:4565
rec.radio.amateur.equipment:687 rec.radio.shortwave:13733 rec.radio.cb:3190


"Leland C Scott" <kc8ldo@madisonhts.com> wrote in message
news:gc086k$u0v$1@news.tornevall.net...
> "n8wwm mrbindwell (fatboy)" wrote:
>
> http://img254.imageshack.us/my.php?image=dougpetro3yk1.jpg
>
>> Pick up some crisco on your way over tonight,  KC8QJP  needs a good
>> slathering on her hind quarters.
>>
>> She's also getting ready to start her tax return posts again like she
>> does every year. You remember those..
>>
>> http://tinyurl.com/46teqq
>>
>> She says she wants to add some pics of her and me to them this year.
>>
>>
>>
> Cool!
>
they're having it over here, queerboy.

Lance & Lisa  Adair
10431 Jackman Rd
Temperance, MI 48182-9629
(734) 854-2426




From 6443857780025730109
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
```

```
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Thread: 106d41,f111a78963ee3d1a
X-Google-Attributes:
gidfb049,gidfcc6e,gid108122,gid114aac,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!a18g2000pra.googlegroups.com!not-for-
mail
From: an old freind <kb9rqz-2@hotmail.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,rec.
radio.cb
Subject: shownatovah still day 123 of the lawsuit watch the suit is of course
     still MIA
Date: Tue, 7 Oct 2008 16:09:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <43243b76-7a56-4ce1-8ca6-f86d1d09c3de@a18g2000pra.googlegroups.com>
References: <gc086k$u0v$1@news.tornevall.net> <gcgpfa$ct7$1@news.mixmin.net>
NNTP-Posting-Host: 66.82.9.107
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1223420973 32019 127.0.0.1 (7 Oct 2008 23:09:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Oct 2008 23:09:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a18g2000pra.googlegroups.com; posting-host=66.82.9.107;
     posting-account=o73Y0woAAACG7dTYy7CfpR1Vq3TJyJ8p
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:294 rec.radio.amateur.antenna:4566
rec.radio.amateur.equipment:688 rec.radio.shortwave:13737 rec.radio.cb:3194

On Oct 7, 6:56=A0pm, "n8wwm mrbindwell \(fatboy\)" <dou...@nospam.com>
wrote:
> "
fake



From -2893374648304217063
X-Google-Thread: 108122,75295184e0939365
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2!news.glorb.com!
news.cse.ohio-state.edu!pitt.edu!egsner!news.cirr.com!sdf.lonestar.org!sdog2008
From: Stray Dog <sdog2008@sdf.lonestar.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF antenna tuner
Date: Tue, 7 Oct 2008 23:34:38 +0000
Organization: Central Iowa (Model) Railroad, Plano, TX, USA
Lines: 37
Message-ID: <Pine.NEB.4.64.0810072331490.2660@sdf.lonestar.org>
```

References: <4be46964-bdb9-40f7-8aea-70d42f5577d0@p49g2000hsd.googlegroups.com>
NNTP-Posting-Host: sdf.lonestar.org
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: chessie.cirr.com 1223422479 11498 192.94.73.1 (7 Oct 2008 23:34:39 GMT)
X-Complaints-To: abuse@cirr.com
NNTP-Posting-Date: Tue, 7 Oct 2008 23:34:39 +0000 (UTC)
In-Reply-To: <4be46964-bdb9-40f7-8aea-70d42f5577d0@p49g2000hsd.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:689

On Sat, 4 Oct 2008, bigjcw1023@gmail.com wrote:

> Date: Sat, 4 Oct 2008 22:50:30 -0700 (PDT)
> From: bigjcw1023@gmail.com
> Newsgroups: rec.radio.amateur.equipment
> Subject: HF antenna tuner
>
> I have a Kenwood ts440s w auto antenna tuner. I am running a g5rv
> antenna and the auto does not tune on all bands. I know I need an
> external manual tuner, but do I get the one with the balun built in or
> not. I have an airwound balun at the feedpoint for the coax from the
> ladderline of the antenna? That is for current prevention on the
> outer part of the cable as per manuf. instructions, dont think I
> really need that though.
> Thanks
>

I have a friend with a modern solid state rig with built-in auto AT, also,
and he cannot match all of his antennas on the appropriate bands, either.

I gave (he actually bought it from me) him one of my small manual
ant tuners and it matched up fine with negligible reflected power.

You may have to do the same thing, but you should read your manual about
how to disable the internal automatic antenna tuner.

From -6266996236008570628
X-Google-Thread: 108122,75295184e0939365
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews1.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <4be46964-bdb9-40f7-8aea-70d42f5577d0@p49g2000hsd.googlegroups.com>
<Pine.NEB.4.64.0810072331490.2660@sdf.lonestar.org>
Subject: Re: HF antenna tuner
Lines: 51
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <OETGk.45263$bx1.9791@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcbodfgfnbjilhjijjacpohemacbphcocjhaif
eckepfagppmljigohmojkmepakedikobndmfgpeaapikjjgdnikgnpncdcoigmcjjcpebhhghhpmli
NNTP-Posting-Date: Tue, 07 Oct 2008 21:02:38 EDT
Organization: BellSouth Internet Group
Date: Tue, 7 Oct 2008 21:07:19 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:690


"Stray Dog" <sdog2008@sdf.lonestar.org> wrote in message
news:Pine.NEB.4.64.0810072331490.2660@sdf.lonestar.org...
>
> On Sat, 4 Oct 2008, bigjcw1023@gmail.com wrote:
>
>> Date: Sat, 4 Oct 2008 22:50:30 -0700 (PDT)
>> From: bigjcw1023@gmail.com
>> Newsgroups: rec.radio.amateur.equipment
>> Subject: HF antenna tuner
>>
>> I have a Kenwood ts440s w auto antenna tuner.  I am running a g5rv
>> antenna and the auto does not tune on all bands.  I know I need an
>> external manual tuner, but do I get the one with the balun built in or
>> not.  I have an airwound balun at the feedpoint for the coax from the
>> ladderline of the antenna?  That is for current prevention on the
>> outer part of the cable as per manuf. instructions, dont think I
>> really need that though.
>> Thanks
>>
> -------------
>
> I have a friend with a modern solid state rig with built-in auto AT, also,
> and he cannot match all of his antennas on the appropriate bands, either.
>
> I gave (he actually bought it from me) him one of my small manual ant
> tuners and it matched up fine with negligible reflected power.
>
```

> You may have to do the same thing, but you should read your manual about
> how to disable the internal automatic antenna tuner.

I presently own an Elecraft 4:1 100 watt balun and I'm running a Van Gordon All Bander antenna that is fed with 450 twinlead.

My Yaesu FT-890/AT's tuner can usually find a good match wherever I go. Now and then I find a place where it won't match up, but the great majority of times it matches perfectly.

My Icom IC-737's autotuner was almost as good at matching on my present antenna as the Yaesu FT-890/AT.

I wish that an autotuner manufacturer would recognize the market for folks using antennas fed with twinlead and offer us an autotuner designed to operate accordingly. Were the price reasonable, I would be there buying like stink on manure. A high power version would be attractive to me too.

Ed, NM2K

```
From -7743666845519240766
X-Google-Thread: 108122,bcde626bab1611c5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
k36g2000pri.googlegroups.com!not-for-mail
From: "www.Radiondistics.com" <francesco.errante@tiscali.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Balanced transmission lines in a progressive wave regime. 'Cos seeing
     is believing!
Date: Wed, 8 Oct 2008 05:44:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <0a5f96c2-1e6c-4d58-8273-e474bf381515@k36g2000pri.googlegroups.com>
NNTP-Posting-Host: 217.203.166.0
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223469895 29681 127.0.0.1 (8 Oct 2008 12:44:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Oct 2008 12:44:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k36g2000pri.googlegroups.com; posting-host=217.203.166.0;
     posting-account=a-6UnQkAAAD8c-YJs5jR93m8P9boeQbX
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US)
     AppleWebKit/525.13 (KHTML, like Gecko) Chrome/0.2.149.27 Safari/
525.13,gzip(gfe),gzip(gfe)
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:691
```

A step by step experimental verification of the aperiodic behaviour of
a properly adapted balanced transmission line.

by

Francesco Errante

www.Radiondistics.com

```
From -3246259840440589222
X-Google-Thread: 108122,68829320e805779b,start
X-Google-Thread: fc2a5,68829320e805779b,start
X-Google-Thread: 107ada,68829320e805779b,start
X-Google-Thread: 110c99,68829320e805779b,start
X-Google-Thread: 111320,68829320e805779b,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u29g2000pro.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Halle Berry's uncut Sex Scene in Monsters Ball
Date: Thu, 9 Oct 2008 09:25:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <7d70eba9-b856-4417-8615-0da41e4e43ec@u29g2000pro.googlegroups.com>
NNTP-Posting-Host: 92.112.147.71
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223569546 4425 127.0.0.1 (9 Oct 2008 16:25:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Oct 2008 16:25:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u29g2000pro.googlegroups.com; posting-host=92.112.147.71;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:692
rec.radio.amateur.homebrew:912 rec.radio.amateur.misc:1285 rec.running:4383
rec.scouting.issues:884
```

Halle Berry's uncut Sex Scene in Monsters Ball http://
spirs_manyac.googlegroups.com/web/halle
berry.htm

From -2189626612659791828
X-Google-Thread: 108122,a5f6dc8937dc74bc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Oct 2008 13:17:35 -0500
From: starmanjb <starmanjb.334964f@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need wire identification for Alliance Rotor motor
Date: Fri, 10 Oct 2008 00:55:21 +0100
Message-ID: <starmanjb.334964f@radiobanter.com>
Organization: RadioBanter.com
References: <rebdaniel.2fb9fe8@radiobanter.com>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-Wa2tNKpJ8oaAzS34kMGPmMH3zV9+0nDTQ8K/
lnBzYLMkKRv1gytNre6YnfQAUDSwQPhdJsA6L74y4WQ!
38TopSGnxEqTXfCLleE8oX6qLJcg25UWolTOo2ro25a2SjcMHiN+YnG+cd7bkaFqTw4huFzsSn2Q!
KVedjMw=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 8
Xref: g2news1.google.com rec.radio.amateur.equipment:693

rebdaniel;643880 Wrote:
> Saw a previous posting where a user was helped with a different model
> than mine a couple of years ago.
>
> I've got an Alliance U-110 Tenna Rotor and the schematics are missing
> for the in house controller. Four terminals, labeled 1-4, no idea how
> they connect with with the wires. I inherited a system already in use,
> and the wires which are in place are red, green, black and white. Any
> ideas about which goes to which terminal?
>
> Sadly uneducated,
> RebDaniel

On the rotor body there is a cover plate where the wires connect. Each number on the rotor has a matching number on the controller. Wire number 1 on the rotor goes to 1 on the controller, 2 goes to 2, 3 goes to 3 and 4 to 4.

--
starmanjb

From -1419753354207809194
X-Google-Thread: 108122,e962cbdb2e534eb,start
X-Google-Thread: fcc6e,e962cbdb2e534eb,start
X-Google-Attributes: gid108122,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!feedme.ziplink.net!
news1.ipswitchs.cmm!ddl
From: ddl@danlan.*com (Dan Lanciani)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Hygain rotor quality decline?
Message-ID: <1350382@news1.IPSWITCHS.CMM>
Date: 10 Oct 2008 05:36:10 GMT
Organization: Internet
Lines: 26
Xref: g2news1.google.com rec.radio.amateur.equipment:694
rec.radio.amateur.antenna:4612
X-Original-Bytes: 1812

I just installed my third HAMIV rotor; I got about 4 years each from the previous two. The most recent failure was the pot, with 5-6 turns worn through at the spot I usually leave the rotor. Makes me think the brake wasn't working very well. The previous unit was freewheeling; I don't remember exactly what was wrong. The screws holding the case together are always corroded in place so any repair becomes less trivial as they break off. And anyway the inside usually looks bad enough (with lots of rusted ball bearings) that repair is unappealing.

On the current (new) unit I noticed that one screw hole for the control cable cover plate was stripped (and they should have noticed too since the screw was hanging out) and one mounting screw hole was not tapped to full depth (I had to get a shorter bolt).

I bought the first HAMIV about 8 years ago to replace a HAMM from the 60's (IIRC). They say the HAMIV is an improvement but it certainly doesn't seem to last as long. Is there another rotor with the same mounting pattern that might be better? It's an inside-tower mount so I'm kind of constrained. Maybe I should look at rebuilding the HAMM? It was seized but I still have it.

If anyone wants the two failed HAMIV rotors for parts let me know or I will probably toss them soon...

Dan Lanciani
ddl@danlan.*com

From -8046058570732344130
X-Google-Thread: 108122,e23a5c761021cf23,start

```
X-Google-Thread: fc2a5,e23a5c761021cf23,start
X-Google-Thread: 107ada,e23a5c761021cf23,start
X-Google-Thread: 110c99,e23a5c761021cf23,start
X-Google-Thread: 111320,e23a5c761021cf23,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!8g2000hse.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Enormous amount webcams womans showing groupsex. Free
Date: Fri, 10 Oct 2008 06:56:57 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <eb71d972-58de-4bf2-a317-56eccc67cee0@8g2000hse.googlegroups.com>
NNTP-Posting-Host: 92.112.145.174
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223647017 1090 127.0.0.1 (10 Oct 2008 13:56:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Oct 2008 13:56:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 8g2000hse.googlegroups.com; posting-host=92.112.145.174;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:695
rec.radio.amateur.homebrew:918 rec.radio.amateur.misc:1287 rec.running:4400
rec.scouting.issues:886

Enormous amount webcams womans showing groupsex. http://sexystory.psend.com/
groupsex.htm


From -957350439938085014
X-Google-Thread: fc8b1,181721a98184447a,start
X-Google-Thread: 108122,181721a98184447a,start
X-Google-Thread: 108228,181721a98184447a,start
X-Google-Thread: 1109af,181721a98184447a,start
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s50g2000hsb.googlegroups.com!not-for-
mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.swap
```

```
Subject: FA: All sorts of small, neat items> HB Iambic paddles & Keyer++
Date: Fri, 10 Oct 2008 07:18:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <7731308d-8c30-489f-b64f-54fd00baaaca@s50g2000hsb.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223648293 5604 127.0.0.1 (10 Oct 2008 14:18:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Oct 2008 14:18:13 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s50g2000hsb.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1092
rec.radio.amateur.equipment:696 alt.ham-radio.marketplace:241 rec.radio.swap:689

http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom


From 4923702089364654422
X-Google-Thread: 108122,e962cbdb2e534eb
X-Google-Thread: fcc6e,e962cbdb2e534eb
X-Google-Attributes: gid108122,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Oct 2008 11:14:30 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
References: <1350382@news1.IPSWITCHS.CMM>
Subject: Re: Hygain rotor quality decline?
Date: Fri, 10 Oct 2008 12:15:53 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <BeqdncoLO4374nLVnZ2dnUVZ_vjinZ2d@earthlink.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-5iFPs9od/
HNxI8qo7Uxz4SHvUEHrd48Jc+XHti7kK+744eUoD73EZKbw5Tmt6W9MQeDO7QSUlRbTS1r!hRIvbNIP/
BaBszP8SsbLBpIZVLZibZ4yf0VY9Ft2QSawsWH1seQ0eSv78uQf12wpFWW/SK2oRFU8!
izKjk94O3fkY6s7225xWVedp0CE1uA4k6Lh9vg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:697
rec.radio.amateur.antenna:4620

"Dan Lanciani" <ddl@danlan.*com> wrote in message
news:1350382@news1.IPSWITCHS.CMM...
>I just installed my third HAMIV rotor; I got about 4 years each from
> the previous two. The most recent failure was the pot, with 5-6 turns
> worn through at the spot I usually leave the rotor.

That sure sounds like a short life for a rotator. As you have it inside the
tower (?) I guess that you have a thrust bearing at the top of the tower.
Are you near the salt water or in a very windy place ? Do you contes with
it and turn it a lot ?

I put one up about a year ago that was used,but rebuilt. I am not in an
area that is very hard on the rotators. I hope it will last longer than 4
years. It is in the tower about 5 feet down and I have a thrust bearing at
the top. Just truning a 3 element tribander and beams for 6,2, and 432 on
15 foot booms.

From -7130303063474512731
X-Google-Thread: 108122,175fe03e446b271d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-
small.clubint.net!feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: "moreradio" <moreradio@alice.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola HF receiver Micom-1
Date: Fri, 10 Oct 2008 21:29:38 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Lines: 10
Message-ID: <48efad21$0$40309$4fafbaef@reader5.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 82.55.232.62
X-Trace: 1223666977 reader5.news.tin.it 40309 82.55.232.62:6654
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news2.google.com rec.radio.amateur.equipment:3060

Hello,

I'm looking for some expertise on how to convert the receiver I have, without tuning wheel, in a receiver with tuning wheel. I tryed to install a suitable shaft encoder but it seems to me it need different fw version. Any help?

Claudio

From 1740419040472833714
X-Google-Thread: 108122,e962cbdb2e534eb
X-Google-Thread: fcc6e,e962cbdb2e534eb
X-Google-Attributes: gid108122,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!feedme.ziplink.net!news1.ipswitchs.cmm!ddl
From: ddl@danlan.*com (Dan Lanciani)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Re: Hygain rotor quality decline?
Message-ID: <1350415@news1.IPSWITCHS.CMM>
Date: 10 Oct 2008 20:11:42 GMT
References: <1350382@news1.IPSWITCHS.CMM>
<BeqdncoLO4374nLVnZ2dnUVZ_vjinZ2d@earthlink.com>
Organization: Internet
Lines: 35
Xref: g2news2.google.com rec.radio.amateur.equipment:3061
rec.radio.amateur.antenna:21171
X-Original-Bytes: 2138

In article <BeqdncoLO4374nLVnZ2dnUVZ_vjinZ2d@earthlink.com>,
rmowery28146@earthlink.net (Ralph Mowery) writes:
|
| "Dan Lanciani" <ddl@danlan.*com> wrote in message
| news:1350382@news1.IPSWITCHS.CMM...
| >I just installed my third HAMIV rotor; I got about 4 years each from
| > the previous two. The most recent failure was the pot, with 5-6 turns
| > worn through at the spot I usually leave the rotor.
|
| That sure sounds like a short life for a rotator. As you have it inside the
| tower (?) I guess that you have a thrust bearing at the top of the tower.

There is a collar; I'm reluctant to elevate it by calling it a bearing but
it does prevent any significant mast bending moment from reaching the rotor.

| Are you near the salt water or in a very windy place ?

Yes, about a block from the ocean.

| Do you contes with
| it and turn it a lot ?

I don't turn it a lot and I always leave it in the same position since that is the position that allows me to lower the tower and I wouldn't want it stuck in some other position. Obviously this isn't great for the pot if the brake isn't working well.

But none of this explains the reduction in life compared to the old HAMM (I think we are talking nearly an order of magnitude) or the screw hole tapping problems with the latest unit. Was there a stainless bearing option (perhaps third-party) for the HAMM? That might have had something to do with it. Other than the bearings (and of course the pot) the latest failure doesn't look *too* bad inside.

Dan Lanciani
ddl@danlan.*com

From -7376442312964425652
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 10dc2a,f111a78963ee3d1a
X-Google-Attributes: gid108122,gid10dc2a,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-mail
Date: Fri, 10 Oct 2008 21:22:26 -0400
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.cb,alt.sports.football.pro.cleve-browns
Subject: Re: KC8QJP and N8WWM Glory Hole Party - KC8QJP will be offering
 discount tax consulting through the gloryhole while N8WWM is on his knees
References: <gc086k$u0v$1@news.tornevall.net>
In-Reply-To: <gc086k$u0v$1@news.tornevall.net>
Content-Type: multipart/alternative;
 boundary="------------090409080907080706020700"
Lines: 82
Message-ID: <48efffd8$0$4894$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1714 rec.radio.amateur.antenna:21178 rec.radio.amateur.equipment:3062 rec.radio.shortwave:46599 rec.radio.cb:12357 alt.sports.football.pro.cleve-browns:10939

This is a multi-part message in MIME format.
--------------090409080907080706020700
Content-Type: text/plain; charset=us-ascii; format=flowed

```
Content-Transfer-Encoding: 7bit

FYI,  THE "TINYURL.COM" BELOW IS LOADED WITH SPYWARE!!!

Leland C Scott wrote:

>"n8wwm mrbindwell (fatboy)" wrote:
>
>http://img254.imageshack.us/my.php?image=dougpetro3yk1.jpg
>
>
>
>>Pick up some crisco on your way over tonight,  KC8QJP  needs a good
>>slathering on her hind quarters.
>>
>>She's also getting ready to start her tax return posts again like she does
>>every year. You remember those..
>>
>>http://tinyurl.com/46teqq
>>
>>She says she wants to add some pics of her and me to them this year.
>>
>>
>>
>>
>>
>Cool!
>
>
>
>



--------------090409080907080706020700
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body style="font-size: 10pt; color: rgb(0, 0, 0); font-family: Arial;"
 bgcolor="#ffffff" text="#000000">
FYI,&nbsp; THE "TINYURL.COM" BELOW IS <b>LOADED WITH SPYWARE!!!</b><br>
<br>
Leland C Scott wrote:
<blockquote cite="midgc086k$u0v$1@news.tornevall.net" type="cite">
  <pre wrap="">"n8wwm mrbindwell (fatboy)" wrote:

<a class="moz-txt-link-freetext" href="http://img254.imageshack.us/my.php?
image=dougpetro3yk1.jpg">http://img254.imageshack.us/my.php?
```

```
image=dougpetro3yk1.jpg</a>

  </pre>
  <blockquote type="cite">
    <pre wrap="">Pick up some crisco on your way over tonight,  KC8QJP  needs a
good
slathering on her hind quarters.

She's also getting ready to start her tax return posts again like she does
every year. You remember those..

<a class="moz-txt-link-freetext" href="http://tinyurl.com/46teqq">http://
tinyurl.com/46teqq</a>

She says she wants to add some pics of her and me to them this year.



    </pre>
  </blockquote>
  <pre wrap=""><!---->Cool!


  </pre>
</blockquote>
<br>
</body>
</html>

--------------090409080907080706020700--



From 1496155837661373087
X-Google-Thread: 108122,fb708d56b5b959ed
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!news.glorb.com!proxad.net!
feeder1-2.proxad.net!cleanfeed1-b.proxad.net!nnrp17-2.free.fr!not-for-mail
From: T0M <viepriv�e@fra.invalid>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-140S All mode ssquelch modification
Date: Sat, 11 Oct 2008 08:24:09 -0500
Organization: XE
Message-ID: <n2hse4l97ho9r2197ajdo1h52koh7clc10@4ax.com>
References: <hdjhe4l6p2skcs6n4182vh528q9scipnq0@4ax.com>
<gcb3oq$hjn$1@registered.motzarella.org>
X-Newsreader: Forte Agent 1.93/32.576 Francais
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 13
NNTP-Posting-Date: 11 Oct 2008 15:24:05 MEST
NNTP-Posting-Host: 148.243.82.226
```

```
X-Trace: 1223731445 news-3.free.fr 11771 148.243.82.226:1241
X-Complaints-To: abuse@proxad.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3063

Ed Cregger a �crit:

>>Even though I've owned and operated my share of Kenwood rigs, and never
>>heard of the problem that you describe, it surprises me that the squelch is
>>not intended to work in any particular mode. Which mode is your squelch
>>inoperative?
>>
>>Ed, NM2K
>>

Squelch is unoperational on SSB modes with TS-140S.

T0M



From -1768859718793259969
X-Google-Thread: 108122,e962cbdb2e534eb
X-Google-Thread: fcc6e,e962cbdb2e534eb
X-Google-Attributes: gid108122,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a1g2000hsb.googlegroups.com!not-for-
mail
From: ltdoc@yahoo.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Re: Hygain rotor quality decline?
Date: Sat, 11 Oct 2008 07:07:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <f16b5dc3-1aa8-4908-a1eb-3ce456bff075@a1g2000hsb.googlegroups.com>
References: <1350382@news1.IPSWITCHS.CMM>
<BeqdncoLO4374nLVnZ2dnUVZ_vjinZ2d@earthlink.com>
     <1350415@news1.IPSWITCHS.CMM>
NNTP-Posting-Host: 64.149.45.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223734040 11713 127.0.0.1 (11 Oct 2008 14:07:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Oct 2008 14:07:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a1g2000hsb.googlegroups.com; posting-host=64.149.45.75;
     posting-account=BHChOwoAAAAHBcYu8Jy6XWsZZMTK1CKz
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.3)
     Gecko/2008092417 Firefox/3.0.3 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:702
rec.radio.amateur.antenna:4637

Dan,
```

I think you may have answered one or two of your complaints. I also think you have had a couple of 'manufacturing defects' that the company really ought to fix.

Because of where you live, you are going to have corrosion problems no matter who makes your rotor. About the only simple means of reducing that corrosion problem is regular maintenance, more regular than 'normal'?

Two 'duds' in a row is sort of unusual. That tends to tell me that quality control may not be the 'best' in the woprld, or at least could be a little better. I'm sure they won't jump for joy with another complaint, but I certainly think I would complain if it were my rotor!

Good luck.

- 'Doc

```
From 1866261136401070674
X-Google-Thread: 108122,e962cbdb2e534eb
X-Google-Thread: fcc6e,e962cbdb2e534eb
X-Google-Attributes: gid108122,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Oct 2008 09:33:32 -0500
From: "W3CQH" <hsgorden@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
References: <1350382@news1.IPSWITCHS.CMM>
<BeqdncoLO4374nLVnZ2dnUVZ_vjinZ2d@earthlink.com> <1350415@news1.IPSWITCHS.CMM>
<f16b5dc3-1aa8-4908-a1eb-3ce456bff075@a1g2000hsb.googlegroups.com>
Subject: Re: Hygain rotor quality decline?
Date: Sat, 11 Oct 2008 10:33:43 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <iu6dnY0-59ChJG3VnZ2dnUVZ_qDinZ2d@comcast.com>
Lines: 38
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.218.8
X-Trace: sv3-MOIhj76GyPn0Ywb/
9BdZzvB178l0ilCSgZB1FKvn9jjRcw2hfmM7veXxZ7aTUTMclDBx6T4YUZWSRaB!
o8uQs+AGvxkSyUrML6/9KCv9amPtCiPijdjl7BtiaqWmY32wHb5he+hdodGJiNH1i2LDu8PxQPoO!
TqM1kJOpKmI7yOLuXFwd+nXiisnw
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:3065
```

rec.radio.amateur.antenna:21185

<ltdoc@yahoo.com> wrote in message
news:f16b5dc3-1aa8-4908-a1eb-3ce456bff075@a1g2000hsb.googlegroups.com...
> Dan,
>   I think you may have answered one or two of your complaints. I
> also think you have had a couple of 'manufacturing defects' that the
> company really ought to fix.
>   Because of where you live, you are going to have corrosion problems
> no matter who makes your rotor. About the only simple means of
> reducing that corrosion problem is regular maintenance, more regular
> than 'normal'?
>   Two 'duds' in a row is sort of unusual. That tends to tell me that
> quality control may not be the 'best' in the woprld, or at least could
> be a little better. I'm sure they won't jump for joy with another
> complaint, but I certainly think I would complain if it were my rotor!
>   Good luck.
> - 'Doc
>

Dan,

Since you live so close to the ocean, you might want to try and coat (spray paint) the rotator assy with NEOPRENE PAINT. (This paint is waterproof & impervious to salt water & diesel fuel and you should be able to find it in either a well stocked hardware store or paint supply store).

You also might want to coat any open antenna connectors as well as any coaxial connectors.

Your other option would be to coat your rotator with a 2-part epoxy based paint, although this is rather expensive, and if you had to take the rotator apart it would be a BEAR OF A JOB! Personally, I would stay with the NEOPRENE!

my $0.02
73's de Howard W3CQH

From 8553995908799055338
X-Google-Thread: fb049,f111a78963ee3d1a
X-Google-Thread: fcc6e,f111a78963ee3d1a
X-Google-Thread: 108122,f111a78963ee3d1a
X-Google-Thread: 114aac,f111a78963ee3d1a
X-Google-Thread: 106d41,f111a78963ee3d1a
X-Google-Attributes:
gidfb049,gidfcc6e,gid108122,gid114aac,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!f63g2000hsf.googlegroups.com!not-for-mail

From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.cb
Subject: shownatovah day 127 o0f the lawsuit the suit is of course still MIA
Date: Sat, 11 Oct 2008 11:38:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <fe2b025b-9ec7-4551-b6e5-5ae0b54e5351@f63g2000hsf.googlegroups.com>
References: <gc086k$u0v$1@news.tornevall.net> <48efffd8$0$4894$607ed4bc@cv.net>
NNTP-Posting-Host: 69.19.14.29
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1223750309 30173 127.0.0.1 (11 Oct 2008 18:38:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Oct 2008 18:38:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f63g2000hsf.googlegroups.com; posting-host=69.19.14.29;
     posting-account=ZkkqngoAAACi9Od06_OZVMTGYRf8dQlp
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:297 rec.radio.amateur.antenna:4643 rec.radio.amateur.equipment:704 rec.radio.shortwave:14058 rec.radio.cb:3335

On Oct 10, 9:22=A0pm, Steve <kenwood1...@hotmail.com> wrote:
> FYI, =A0THE "TINYURL.COM" BELOW IS LOADED WITH SPYWARE!!!
>

course that is the games they play

From -5651983590729395782
X-Google-Thread: 108122,7f5afb5e12fcebba,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe07.iad.POSTED!7564ea0f!not-for-mail
From: Dave <n7rk@cox.net>
User-Agent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US; rv:1.8.1.16) Gecko/20080703 SeaMonkey/1.1.11
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Original Heathkit, National and Drake Manuals
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <yF7Ik.5440$jv1.1541@newsfe07.iad>
NNTP-Posting-Host: 68.3.32.205
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe07.iad 1223755486 68.3.32.205 (Sat, 11 Oct 2008 20:04:46 UTC)

NNTP-Posting-Date: Sat, 11 Oct 2008 20:04:46 UTC
Organization: Cox
Date: Sat, 11 Oct 2008 13:04:46 -0700
Xref: g2news1.google.com rec.radio.amateur.equipment:705

I have over 100 Heathkit original manuals for sale along with a few original Drake, National and Yaesu manuals. I will ship international.

The list can be seen here:

http://members.cox.net/radiostuff9/manuals_fs.htm

73 and Tnx for looking,

Dave N7RK

From 5304362260147337621
X-Google-Thread: 108122,75295184e0939365
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!core-easynews!easynews.com!easynews!en-nntp-07.dc1.easynews.com.POSTED!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF antenna tuner
Message-ID: <dhg2f412q0hjrvricag2gkdasthj4cnp5r@4ax.com>
References: <4be46964-bdb9-40f7-8aea-70d42f5577d0@p49g2000hsd.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sat, 11 Oct 2008 19:30:03 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:3068

On Sat, 4 Oct 2008 22:50:30 -0700 (PDT), bigjcw1023@gmail.com wrote:

>I have a Kenwood ts440s w auto antenna tuner. I am running a g5rv
>antenna and the auto does not tune on all bands. I know I need an
>external manual tuner, but do I get the one with the balun built in or
>not. I have an airwound balun at the feedpoint for the coax from the
>ladderline of the antenna? That is for current prevention on the
>outer part of the cable as per manuf. instructions, dont think I
>really need that though.
>Thanks

If you're bringing coax into the shack then there's no need for a

balun built into the external tuner -- but a bigger tuner may work
better than a smaller one, by virtue of its wider tuning range.

The g5rv works best on 80, 40, 20 and 12 meters, so what your internal
tuner is already doing may be about what you should expect, anyway.

bob
k5qwg

From 7343399087786941726
X-Google-Thread: 108122,e962cbdb2e534eb
X-Google-Thread: fcc6e,e962cbdb2e534eb
X-Google-Attributes: gid108122,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
feedme.ziplink.net!news1.ipswitchs.cmm!ddl
From: ddl@danlan.*com (Dan Lanciani)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Re: Hygain rotor quality decline?
Message-ID: <1350442@news1.IPSWITCHS.CMM>
Date: 12 Oct 2008 03:52:21 GMT
References: <1350382@news1.IPSWITCHS.CMM>
<iu6dnY0-59ChJG3VnZ2dnUVZ_qDinZ2d@comcast.com>
Organization: Internet
Lines: 69
Xref: g2news1.google.com rec.radio.amateur.equipment:707
rec.radio.amateur.antenna:4647
X-Original-Bytes: 3706

In article <iu6dnY0-59ChJG3VnZ2dnUVZ_qDinZ2d@comcast.com>, hsgorden@comcast.net
(W3CQH) writes:
|
| <ltdoc@yahoo.com> wrote in message
| news:f16b5dc3-1aa8-4908-a1eb-3ce456bff075@a1g2000hsb.googlegroups.com...
| > Dan,
| >   I think you may have answered one or two of your complaints. I
| > also think you have had a couple of 'manufacturing defects' that the
| > company really ought to fix.

Yeah, but somehow it didn't seem worth the bother. I was up on the tower
when I discovered the short-tapped mounting hole and of course at that
point it was easier to get a shorter bolt.

| >   Because of where you live, you are going to have corrosion problems
| > no matter who makes your rotor.

Although the corrosion makes the rotors unappealing to work on I don't
think it was the cause of the failures.

| > About the only simple means of
| > reducing that corrosion problem is regular maintenance, more regular

| > than 'normal'?

Perhaps, though I still wonder why the HAMM faired so much better. In order to do any kind of regular maintenance I think I'd have to replace the bolts that hold the case together with stainless in advance since they rust in place very quickly.

| >   Two 'duds' in a row is sort of unusual.

Three duds...

| > That tends to tell me that
| > quality control may not be the 'best' in the woprld, or at least could
| > be a little better. I'm sure they won't jump for joy with another
| > complaint, but I certainly think I would complain if it were my rotor!

Yeah, again it just doesn't seem too productive. I'm sure they would be happy to have me ship back the latest one and I could wait around for a replacement with my tower down. (I put it up today.) I think I'd rather look for an alternative product or revisit the HAMM which I still have.

| Dan,
|
| Since you live so close to the ocean, you might want to try and coat (spray
| paint) the rotator assy with NEOPRENE PAINT. (This paint is waterproof &
| impervious to salt water & diesel fuel and you should be able to find it in
| either a well stocked hardware store or paint supply store).

I'm not sure how this would help in more than a cosmetic way. You understand that the rotor is not sealed, right? There is a gap between the bottom of the bell and the mounting plate. It points down so water shouldn't be *flowing* in, but the insides are certainly exposed to the weather. The only thing keeping the bearings from rusting is the grease, and the retainer strip really can't insure that they are always fully coated. The more I think about this the more I remember stainless bearings in the HAMM, though it might have been an after-market modification.

| You also might want to coat any open antenna connectors as well as any
| coaxial connectors.

I've had good luck with a tight spiral wrap of ordinary vinyl tape. Just took apart some connectors that had been up for more than a decade and they were shiny as new. Lately I've also been filling the insides with STUFF dielectric paste but I'm not sure this makes much difference.

Dan Lanciani
ddl@danlan.*com

From 6364795648049822966
X-Google-Thread: 108122,e962cbdb2e534eb
X-Google-Thread: fcc6e,e962cbdb2e534eb

```
X-Google-Attributes: gid108122,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q35g2000hsg.googlegroups.com!not-for-
mail
From: ltdoc@yahoo.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Re: Hygain rotor quality decline?
Date: Sun, 12 Oct 2008 07:52:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <e7a62836-091d-4275-9ced-ffdbd752bfe9@q35g2000hsg.googlegroups.com>
References: <1350382@news1.IPSWITCHS.CMM>
<iu6dnY0-59ChJG3VnZ2dnUVZ_qDinZ2d@comcast.com>
     <1350442@news1.IPSWITCHS.CMM>
NNTP-Posting-Host: 64.149.45.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223823123 25731 127.0.0.1 (12 Oct 2008 14:52:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Oct 2008 14:52:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q35g2000hsg.googlegroups.com; posting-host=64.149.45.75;
     posting-account=BHChOwoAAAAHBcYu8Jy6XWsZZMTK1CKz
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.3)
     Gecko/2008092417 Firefox/3.0.3 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:708
rec.radio.amateur.antenna:4649
```

Dan,
   There's no 'fool proof' way of 'fixing' any rotor that doesn't mean a lot of inconvenience in some way. Picking the most palatable inconvenience is the 'trick'.
   "Productive"? Uh, yeah, I agree with you, probably not very productive, But I'd do that complaining anyway. Who knows, they might really surprise you (and me :)).
   Which solution is the best? I have no idea.
 - 'Doc

Beat the @#$ thing to death with a very large hammer. Productive?
No, but @#$ sure satisfying!

```
From -488298621871489791
X-Google-Thread: 108122,bbde5e94cb133b57,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z18g2000prn.googlegroups.com!not-for-
mail
From: jass.bains84@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Earn - 5000 - Just for signing up!
```

```
Date: Sun, 12 Oct 2008 09:17:49 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <e832e8cc-7b66-4b42-bfd3-caa3b4ce235e@z18g2000prn.googlegroups.com>
NNTP-Posting-Host: 117.199.98.73
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1223828269 9614 127.0.0.1 (12 Oct 2008 16:17:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Oct 2008 16:17:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z18g2000prn.googlegroups.com; posting-host=117.199.98.73;
     posting-account=2kHVxgoAAADct1OraYxDHLspiMFAgJs4
User-Agent: G2/1.0
X-HTTP-UserAgent: Opera/9.51 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:709

Earn - 5000 - Just for signing up!
Iam earning more than Rs.5000 every month from Internet. Iam not
joking. Its Real.No Investment.
Easy job. Work part time. Don't miss this great earning opportunity.
Hurry today.
sign up here

http://mGinger.com/index.jsp?inviteId=1832971


From 8349433600722464611
X-Google-Thread: 108122,e962cbdb2e534eb
X-Google-Thread: fcc6e,e962cbdb2e534eb
X-Google-Attributes: gid108122,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2!news.glorb.com!
feeder.erje.net!news.k-dsl.de!aioe.org!not-for-mail
From: Grumpy The Mule <s_foonly@foo.bar>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Re: Hygain rotor quality decline?
Date: Sun, 12 Oct 2008 19:30:54 +0200 (CEST)
Organization: Mostly In Piles
Lines: 37
Message-ID: <Xns9B357F505C2852MDWN@194.177.96.78>
References: <1350382@news1.IPSWITCHS.CMM>
<iu6dnY0-59ChJG3VnZ2dnUVZ_qDinZ2d@comcast.com> <1350442@news1.IPSWITCHS.CMM>
NNTP-Posting-Host: nVHk06JNrtUmZkzWPaZdBA.user.aioe.org
X-Complaints-To: abuse@aioe.org
NNTP-Posting-Date: Sun, 12 Oct 2008 17:30:54 +0000 (UTC)
User-Agent: Xnews/5.04.25
Xref: g2news1.google.com rec.radio.amateur.equipment:710
rec.radio.amateur.antenna:4651

Howdy,
```

In the 70's I worked on a project developing dual use small
boat radar. We had a terrible time with bearing corrosion at
first.

You might want to try wash-out resistant grease intended for
boat trailer wheel hubs.

In the radar we eventually used Andok C which is no longer
manufactured. Nye developed Rheolube 374C as a replacement
for Andok C. Both are an NLGI Grade 4 grease,

McMaster-Carr has a good selection of stainless steel bearings
and they have ceramic balls for bearings I believe. I'd want
to play with those a bit first before putting them up on a
tower.

73,
Grumpy

ddl@danlan.*com (Dan Lanciani) wrote in
news:1350442@news1.IPSWITCHS.CMM:

> I've had good luck with a tight spiral wrap of ordinary vinyl tape.
> Just took apart some connectors that had been up for more than a
> decade and they were shiny as new. Lately I've also been filling the
> insides with STUFF dielectric paste but I'm not sure this makes much
> difference.
>
> Dan Lanciani
> ddl@danlan.*com

From 2372505524689006360
X-Google-Thread: 108228,976294d0e7b4349d,start
X-Google-Thread: 108122,976294d0e7b4349d,start
X-Google-Thread: 107ada,976294d0e7b4349d,start
X-Google-Thread: 10453d,976294d0e7b4349d,start
X-Google-Attributes:
gid108228,gid108122,gid107ada,gid10453d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.marketing.online.ebay
Subject: FA: B&W (Barker & Williamson) PT-2500A HF Linear Amplifier

```
Message-ID: <01e200e497189dd8acd550367a458fb0@pseudo.borked.net>
Date: Sun, 12 Oct 2008 12:34:30 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:242
rec.radio.amateur.equipment:711 rec.radio.amateur.misc:1306
alt.marketing.online.ebay:9744

http://easyurl.net/BWamplifier




From -4312531165975889333
X-Google-Thread: 108122,2009a5d10f79c406,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!
tmp-post01.iad!news.highwinds-media.com!not-for-mail
From: null <null@void.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: CONAR 400 NOVICE TRANSMITTER
Date: Sun, 12 Oct 2008 19:47:43 -0400
Message-ID: <0235f453sevkdic41720qov46i6riearop@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
NNTP-Posting-Host: 97.101.212.245
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:712

FOR AUCTION: Extra nice, clean, working CONAR 400 NOVICE TRANSMITTER.
Collector quality - take a look...

eBay auction Item Number:  110299045969




From 7987284064923516310
X-Google-Thread: 108122,e962cbdb2e534eb
X-Google-Thread: fcc6e,e962cbdb2e534eb
X-Google-Attributes: gid108122,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!69.16.185.11.MISMATCH!
npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post02.iad.highwinds-media.com!newsfe19.iad.POSTED!7564ea0f!not-for-mail
From: "NoSPAM" <unknown@nospam.org>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
```

```
References: <1350382@news1.IPSWITCHS.CMM>
<iu6dnY0-59ChJG3VnZ2dnUVZ_qDinZ2d@comcast.com> <1350442@news1.IPSWITCHS.CMM>
<Xns9B357F505C2852MDWN@194.177.96.78>
In-Reply-To: <Xns9B357F505C2852MDWN@194.177.96.78>
Subject: Re: Hygain rotor quality decline?
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
X-RFC2646: Format=Flowed; Original
Message-ID: <yIwIk.106$E%3.36@newsfe19.iad>
NNTP-Posting-Host: jnibogphckphemgkkgknfdakiclijcld
X-Complaints-To: abuse@charter.net
X-Trace:
alfcnpnhbafhfffefkhgnhldfhiklkalpfjdpdiaofajgjicjnibogphckphemgkfllejjhdijjjcbpjan
bbchclbfklfndcadmpfmdaimppgfmahoagcamkpblhjjlmnbbjahdmbpmhjpdc
NNTP-Posting-Date: Mon, 13 Oct 2008 00:34:38 UTC
Date: Sun, 12 Oct 2008 20:34:37 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:713
rec.radio.amateur.antenna:4653
```

"Grumpy The Mule" <s_foonly@foo.bar> wrote in message
news:Xns9B357F505C2852MDWN@194.177.96.78...

> Howdy,
>
> In the 70's I worked on a project developing dual use small
> boat radar. We had a terrible time with bearing corrosion at
> first.
>
> You might want to try wash-out resistant grease intended for
> boat trailer wheel hubs.

Good advice.

> McMaster-Carr has a good selection of stainless steel bearings
> and they have ceramic balls for bearings I believe. I'd want
> to play with those a bit first before putting them up on a
> tower.

Most folks instantly think of stainless steels for corrosion protection. However SS is not a particularly corrosion resistant material around salt water. All commonly available grades of SS are subject to halogen corrosion, i.e. chlorides in sea water. Before retirement I worked at Eastman Chemical company in their research laboratories. They frequently had to resort to rather exotic alloys, such as Hastelloy C-276, for applications where halogens were involved. These alloys tend to be extremely expensive and nearly impossible to machine.

I would suggest using lots of a good grease and frequent maintenance if your rotor is exposed to salt air.

    Barry   WA4VZQ

From 1006586519648851377
X-Google-Thread: 108122,75295184e0939365
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-mail
From: "robo tech" <robotech24@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <4be46964-bdb9-40f7-8aea-70d42f5577d0@p49g2000hsd.googlegroups.com> <dhg2f412q0hjrvricag2gkdasthj4cnp5r@4ax.com>
Subject: Re: HF antenna tuner
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <WszIk.329819$TT4.67151@attbi_s22>
NNTP-Posting-Host: 12.208.157.62
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1223869366 12.208.157.62 (Mon, 13 Oct 2008 03:42:46 GMT)
NNTP-Posting-Date: Mon, 13 Oct 2008 03:42:46 GMT
Organization: AT&T ASP.att.net
Date: Mon, 13 Oct 2008 03:42:46 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3076

I had that exact setup that you have and I had to use an external tuner to get the swr down to acceptable levels. If I remember right, the g5rv with the 440's internal tuner would tune ok for 80 and 40, but not very well for the other bands.
tim
kk5h
"Bob Miller" <NOSPAM@neosoft.com> wrote in message
news:dhg2f412q0hjrvricag2gkdasthj4cnp5r@4ax.com...
> On Sat, 4 Oct 2008 22:50:30 -0700 (PDT), bigjcw1023@gmail.com wrote:
>
>>I have a Kenwood ts440s w auto antenna tuner. I am running a g5rv
>>antenna and the auto does not tune on all bands. I know I need an
>>external manual tuner, but do I get the one with the balun built in or
>>not. I have an airwound balun at the feedpoint for the coax from the
>>ladderline of the antenna? That is for current prevention on the
>>outer part of the cable as per manuf. instructions, dont think I
>>really need that though.
>>Thanks
>
> If you're bringing coax into the shack then there's no need for a
> balun built into the external tuner -- but a bigger tuner may work
> better than a smaller one, by virtue of its wider tuning range.

>
> The g5rv works best on 80, 40, 20 and 12 meters, so what your internal
> tuner is already doing may be about what you should expect, anyway.
>
> bob
> k5qwg

From -4424159540501692196
X-Google-Thread: 108122,d1ed30180b15785f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Oct 2008 05:13:14 -0500
From: G7KDP <G7KDP.33b77a7@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Stabilock 4010a
Date: Wed, 15 Oct 2008 09:48:58 +0100
Message-ID: <G7KDP.33b77a7@radiobanter.com>
Organization: RadioBanter.com
Lines: 14
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-D3oeqLhLFyIvcWcpMH0n5LUhmCdfQpSx/
qLqU5DaFyGdkTnp1TvSfTnL+pkeVqs+WuEUsY4Ei1ejVd2!bvU2F2fVp/
qsucm9jaaG2rKI8PKhucEO99bqVVuRBzelGEY5fDwRd3/j2C57sPYxTqANXtZtTJ6o!0A==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 7
Xref: g2news1.google.com rec.radio.amateur.equipment:715

Can anyone help looking for a Service manual for a poorly Stabilock
4010a
the Synth has gone out off lock need to re-align

Regards

Don

--
G7KDP

```
From 4467162581342550647
X-Google-Thread: 108122,120a9cd2d2994823,start
X-Google-Thread: fc2a5,120a9cd2d2994823,start
X-Google-Thread: 107ada,120a9cd2d2994823,start
X-Google-Thread: 110c99,120a9cd2d2994823,start
X-Google-Thread: 111320,120a9cd2d2994823,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!25g2000prz.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: BDSM in BDSM mpeg
Date: Wed, 15 Oct 2008 07:24:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <20c82979-3d82-4393-9528-213833b26724@25g2000prz.googlegroups.com>
NNTP-Posting-Host: 92.112.204.219
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224080694 26393 127.0.0.1 (15 Oct 2008 14:24:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Oct 2008 14:24:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 25g2000prz.googlegroups.com; posting-host=92.112.204.219;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:716
rec.radio.amateur.homebrew:928 rec.radio.amateur.misc:1359 rec.running:4508
rec.scouting.issues:889

BDSM http://youtubeplayer.byethost9.com/jpeg/bdsm.html BDSM


From -4551734401418467070
X-Google-Thread: 108122,32328ff32198ee9e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s50g2000hsb.googlegroups.com!not-for-
mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: electronics hobby shop estate sale cleanout-various items
Date: Thu, 16 Oct 2008 05:28:09 -0700 (PDT)
```

```
Organization: http://groups.google.com
Lines: 27
Message-ID: <7e6635eb-5ff4-4707-88ee-c4303d06169c@s50g2000hsb.googlegroups.com>
NNTP-Posting-Host: 216.222.226.141
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224160090 28231 127.0.0.1 (16 Oct 2008 12:28:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Oct 2008 12:28:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s50g2000hsb.googlegroups.com; posting-host=216.222.226.141;
     posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
     4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:717

http://shop.ebay.com/merchant/66-catalina_W0QQ_nkwZQQ_armrsZ1QQ_fromZQQ_mdoZ

 HEATHKIT MODEL GD-1B GRID DIP METER-vintage-CB-HAM-SW-$ 0 Bids
$24.99  5d 13h 13m
 RCA MODEL WT-501 TRANSISTOR TESTOR NPN-PNP-IN/OUT CIRCT 0 Bids $9.98
5d 13h 13m
 PRECISION APPARATUS 3-420 WHITE DOT/BAR GENERATOR-TV-$$ 0 Bids $9.98
5d 13h 13m
 ARGUS MODEL 300 AUTOMATIC SLIDE PROJECTOR-vintage-nice- 0 Bids $9.98
5d 13h 13m
 RCA VICTOR VICTROLA BAKELITE AM RADIO/PHONO 45RPM 7"-$$ 0 Bids $9.98
5d 13h 13m
 WOLLENSAK MODEL 715 8MM MOVIE PROJECTOR-COMPLETE-$$$$$$ 0 Bids $9.98
5d 13h 13m
 SPERRY GYROSCOPE TYPE B-7A AUTOPILOT COMPONENT AMP-WWII
B-17 B-24 B-25 B-29 VINTAGE USAAF SPERRY A-12 AUTOPILOT 0 Bids $24.99
5d 13h 13m
 (2) VINTAGE RADIO-PHONO SPEAKERS-RL-113-1 & 10747-8"-$$ 0 Bids $9.98
5d 13h 13m
 2 vintage 8track decks-BELAIR portable-PANASONIC record 0 Bids $9.98
5d 13h 13m
 (3) vintage cassette decks-PIONEER-KENWOOD-REALISTIC-$$ 0 Bids
$24.99  5d 13h 13m
 PRECISION APPARATUS MOD EV-10-S TUBE MULTI-TESTER-nice! 0 Bids $9.98
5d 13h 13m
 "HOLIDAY PARADE" painting print by E. MELVIN BOLSTAD-$$ 0 Bids
$24.99


From 385549945605369854
X-Google-Thread: 108122,2005c1a9fcec6bb0,start
X-Google-Thread: fc2a5,2005c1a9fcec6bb0,start
X-Google-Thread: 107ada,2005c1a9fcec6bb0,start
X-Google-Thread: 110c99,2005c1a9fcec6bb0,start
X-Google-Thread: 111320,2005c1a9fcec6bb0,start
```

```
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y29g2000hsf.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Looking for bondage webcam?
Date: Fri, 17 Oct 2008 04:11:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <934c1f33-1a94-4163-9f2a-4499a8ef2c30@y29g2000hsf.googlegroups.com>
NNTP-Posting-Host: 92.112.134.178
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224241902 16251 127.0.0.1 (17 Oct 2008 11:11:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Oct 2008 11:11:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y29g2000hsf.googlegroups.com; posting-host=92.112.134.178;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:718
rec.radio.amateur.homebrew:933 rec.radio.amateur.misc:1454 rec.running:4546
rec.scouting.issues:891

View explicit live Webcams, meet for amateur scenes!
http://puntyhouse.byethost11.com/altcam.htm



From 6120630937575810225
X-Google-Thread: 108228,61d4cc09794a31a0,start
X-Google-Thread: 108122,61d4cc09794a31a0,start
X-Google-Thread: 1109af,61d4cc09794a31a0,start
X-Google-Attributes: gid108228,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
news.mixmin.net!news2.arglkargh.de!news.dizum.com!sewer-output!mail2news-x3!
mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Rockwell Collins HF-2050 receiver in original crate
Message-ID: <26daad2a09aa5f569352120360c4fa7e@pseudo.borked.net>
Date: Fri, 17 Oct 2008 12:50:18 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
```

```
Xref: g2news2.google.com alt.ham-radio.marketplace:885
rec.radio.amateur.equipment:3081 rec.radio.swap:3609
```

http://easyurl.net/RockwellHF2050

```
From -8169984882960653897
X-Google-Thread: 108122,15adffd0edae18d8,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!64g2000hsu.googlegroups.com!not-for-
mail
From: TimBob <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Alinco or similar DTMF microphone for Alinco DR-590 transciever.
Date: Fri, 17 Oct 2008 12:15:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <ba2d0ffa-577a-48dd-8192-09038172d614@64g2000hsu.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224270947 932 127.0.0.1 (17 Oct 2008 19:15:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Oct 2008 19:15:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 64g2000hsu.googlegroups.com; posting-host=64.216.97.21;
     posting-account=QanrjwoAAABmrK_pOucj8ub7ZL9ogeE8
User-Agent: G2/1.0
X-HTTP-Via: 1.1 ISA, 1.1 iwss:8080 (IWSS)
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     2.0.50727; .NET CLR 3.0.04506.30),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3082
```

I am in need of a DTMF microphone for an Alinco DR-590 radio. I would
like to get an Original Alinco mic at a resonable cost. Thanks!
Tim N7XAU

```
From 266590294965597817
X-Google-Thread: 108122,897ee50afc5ff757,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Oct 2008 17:13:57 -0500
From: joe@sv-seaoflove.com <joesv-seaoflove.com.33ec366@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Alinco DJ-596 vs Aseus VX-6R
Date: Fri, 17 Oct 2008 21:01:47 +0100
```

Message-ID: <joesv-seaoflove.com.33ec366@radiobanter.com>
Organization: RadioBanter.com
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
f66fQzHFO8B0jysHVswbHhB1Rb6e+GYpN2laR0kSW0qsawfMsAnQxyoCqT6iC+cW8+MbkDkr87SqLyX!
0OmNzecenV/EQl78/Kl2k4uHWjrCsS8jtQ6zTAb5xfZQ2kcGJj0vecuSk8XVmsLp4wkbETNO2o2g!
hFTJXxoxWxZpISldk0Cg
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 9
Xref: g2news1.google.com rec.radio.amateur.equipment:721

HI, I'm a novice doing community service communications backup 2-3 times
a year preparing for the next emergency. Which is the better radio for
me and why if you don't mind my asking?

Is Li-Ion better for me than NiCad or NiMH?

Would the LI-Ion output of 7.4 v reduce the 5w output power of the HT
vs a 9.6 NiCad or NiMH?

Can Li-I remain plugged in to a trickle charge for months?

Thanks for your time

--
joe@sv-seaoflove.com

From 3552858528605082615
X-Google-Thread: 108122,d1ed30180b15785f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Oct 2008 05:13:39 -0500
From: lwbyoyo1 <lwbyoyo1.33f6c2f@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Stabilock 4010a
Date: Sat, 18 Oct 2008 10:53:56 +0100
Message-ID: <lwbyoyo1.33f6c2f@radiobanter.com>
Organization: RadioBanter.com
References: <G7KDP.33b77a7@radiobanter.com>
Lines: 16

```
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
bJyJTXR58j3H3YtFRTBbT6E9zAmtfW9UuDeABdiGqzAaNNTyYwAczSkocCY6jhmbfvFUw0rDHnG2ocV!
Ug45KRt06F66mom896Ija543L1gWWytxPQbh3S7za6F21ILEOGt/lTm8G31+P/CWuWB2WW23Rq6m!
K5CcOA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news2.google.com rec.radio.amateur.equipment:3084
```

I like your article!!!The article very interesting.--[image: http://www.qzone.la/img/userup/0808/2GU2563439.jpg]Welcome to our wow power leveling site:Cheapest 'Maple Story Mesos' (http://www.toppowerlevel.net/gamelist.php?fid=1468),'Cheap WARHAMMER ONLINE GOLD' (http://www.toppowerlevel.net/gamelist.php?fid=3966) for sale,'RuneScape Money' (http://www.toppowerlevel.net/gamelist.php?fid=4011),buy 'SilkRoad Online Gold' (http://www.toppowerlevel.net/gamelist.php?fid=4013),buy 'Gaia Gold' (http://www.toppowerlevel.net/gamelist.php?fid=4046).LWB

```
--
lwbyoyo1
```

```
From -2603727438103971266
X-Google-Thread: 108122,12326ce60e0bd8f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q9g2000hsb.googlegroups.com!not-for-
mail
From: Aviator <waltw1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: usb connector on a generic usb mono headse
Date: Sat, 18 Oct 2008 13:48:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <8c0fcd38-a5e7-4aff-8869-3e928127d15a@q9g2000hsb.googlegroups.com>
NNTP-Posting-Host: 68.158.99.50
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224362880 28306 127.0.0.1 (18 Oct 2008 20:48:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Oct 2008 20:48:00 +0000 (UTC)
```

Complaints-To: groups-abuse@google.com
Injection-Info: q9g2000hsb.googlegroups.com; posting-host=68.158.99.50;
    posting-account=VR6QjwoAAABCZ6QmpW99PH2Te3LA45fs
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.1.3)
    Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:723

Does anyone have the schematic for the pinout of the usb connector on
a generic usb mono headset with electret microphone. I'd like to try
and operate one of my HF rigs with it. Thanks.

From 5166152452411720628
X-Google-Thread: 108122,8634b5dfda6dc219,start
X-Google-Thread: 114aac,8634b5dfda6dc219,start
X-Google-Thread: 1109af,8634b5dfda6dc219,start
X-Google-Attributes: gid108122,gid114aac,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Oct 2008 16:15:32 -0500
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave,rec.radio.s
wap
Subject: FA; Kantronics mini-terminal Code RTTY reader
Date: Sat, 18 Oct 2008 17:15:33 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <5tidncE99q1pzGfVnZ2dnUVZ_t7inZ2d@comcast.com>
Lines: 5
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.0.66.32
X-Trace: sv3-
ykUAAAXpqpFcgltgoQ0O9ldwkQtPyIhANIstpgSLZgKcnYAk7A8E6nvSXJ1Aq6jxGGnvMBVpDwiJd/x!
W3/7I3J4nM/6B3DEEDkXTncb/va1E4n0MGkMywBJ3OOSNi4QToMgRsh/BYbN3iVD46Ku2yLouBmG!
VWSNPretxmt1AQ4zeh+HKWykhw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:724 rec.radio.shortwave:14781
rec.radio.swap:731

Also generates rtty from CW in

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=STRK:MESELX:IT&item=290267356428

```
From -4688232273692359532
X-Google-Thread: 108122,12326ce60e0bd8f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2!news.acm.uiuc.edu!
news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: usb connector on a generic usb mono headse
Date: Sat, 18 Oct 2008 18:32:19 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 23
Sender: et472@214-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0810181829560.9113@darkstar.example.net>
References: <8c0fcd38-a5e7-4aff-8869-3e928127d15a@q9g2000hsb.googlegroups.com>
NNTP-Posting-Host: 214-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1224369230 28484 64.235.215.214 (18 Oct 2008 22:33:50 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 18 Oct 2008 22:33:50 GMT
In-Reply-To: <8c0fcd38-a5e7-4aff-8869-3e928127d15a@q9g2000hsb.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:725
```

On Sat, 18 Oct 2008, Aviator wrote:

> Does anyone have the schematic for the pinout of the usb connector on
> a generic usb mono headset with electret microphone. I'd like to try
> and operate one of my HF rigs with it. Thanks.
>

Huh?

If they are USB, the "standard pinout" would be the same as any USB connector, ie a pin for ground, a pin for +5v and I guess two pins for data. But unless you have an actual USB connector on your rig, knowing that won't mean a thing.

Afterall, you can't make use of a digital signal, which is what those USB things are about.

You need to chop off the connector, assuming the digital electronics is hidden in there, and then figure out which of the wires coming off the headset are for microphone, speaker and ground. Then you wire it to a connector that matches what's on your rig.

Michael VE2BVW

From 9119077054098200818
X-Google-Thread: 108122,5aa4fbd1fbabe32d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Oct 2008 23:15:59 -0500
From: prc74b <prc74b.3406958@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TRW Transistors
Date: Sun, 19 Oct 2008 02:51:15 +0100
Message-ID: <prc74b.3406958@radiobanter.com>
Organization: RadioBanter.com
Lines: 19
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-k6eQKVM/ju9yDngcKLqUAM2iMu3jG4BbB7sVQOkZq4qsA4V7uvcRZP7y000KcEx+2y/
nnAhARCcdd6t!zOOVGkU4YmLFvRllIhH3LqvPsGmOYgUGXWdBaM8U0Rd2/
wRFQAKa4YThcjtrtvCSU1u0wbAvCBiM!YwM=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 6
Xref: g2news1.google.com rec.radio.amateur.equipment:726

I have an old Hallicrafters Transceiver that uses TRW PT5651 RF transistors as the Driver and P/P finals. It is a 10 watt 2-18 mhz transceiver used in the early to mid 60's. The finals are shot and I am looking for replacements. I can not find data sheets, specs, are any information on these anywhere. Its like they didn't exist. I am looking for any type of replacement. I can't even tell if they are Pnp or NPN. They are single stud mount, with 4 solder tabs. The curcuit is broadband, and the B+ is 12-14 volts.

Thanks for any help.

Joe Munson
WA4VAG

--
prc74b

From -7984718175839160874
X-Google-Thread: 108122,5aa4fbd1fbabe32d

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe04.iad.POSTED!d79b4107!not-for-mail
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.17 (X11/20080925)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TRW Transistors
References: <prc74b.3406958@radiobanter.com>
In-Reply-To: <prc74b.3406958@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <_oHKk.8329$bK.682@newsfe04.iad>
X-Complaints-To: abuse2@dslextreme.com
NNTP-Posting-Date: Sun, 19 Oct 2008 14:22:50 UTC
Organization: DSL Extreme
Date: Sun, 19 Oct 2008 14:22:50 +0000
Xref: g2news1.google.com rec.radio.amateur.equipment:727

prc74b wrote:
> I have an old Hallicrafters Transceiver that uses TRW PT5651 RF
> transistors as the Driver and P/P finals.  It is a 10 watt 2-18 mhz
> transceiver used in the early to mid 60's.  The finals are shot and I
> am looking for replacements.  I can not find data sheets, specs, are
> any information on these anywhere.  Its like they didn't exist.  I am
> looking for any type of replacement. I can't even tell if they are Pnp
> or NPN.  They are single stud mount, with 4 solder tabs.  The curcuit
> is broadband, and the B+ is 12-14 volts.
>
> Thanks for any help.
>
> Joe Munson
> WA4VAG
>
>
>
>
Does the transceiver have a model number?


From -2518986836516878099
X-Google-Thread: 108122,5aa4fbd1fbabe32d
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!news.linkpendium.com!news.linkpendium.com!
news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TRW Transistors
```

```
Date: Sun, 19 Oct 2008 13:32:15 -0700
Lines: 20
Message-ID: <gdg5gr$vnn$1@snarked.org>
References: <prc74b.3406958@radiobanter.com>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-118-52-187.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1224448347 32503 71.118.52.187 (19 Oct 2008 20:32:27 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Sun, 19 Oct 2008 20:32:27 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:728

"prc74b" <prc74b.3406958@radiobanter.com> wrote in message
news:prc74b.3406958@radiobanter.com...
> I have an old Hallicrafters Transceiver that uses TRW PT5651 RF
> transistors as the Driver and P/P finals.  It is a 10 watt 2-18 mhz
> transceiver used in the early to mid 60's.  The finals are shot and I
> am looking for replacements.  I can not find data sheets, specs, are
> any information on these anywhere.  Its like they didn't exist.  I am
> looking for any type of replacement. I can't even tell if they are Pnp
> or NPN.  They are single stud mount, with 4 solder tabs.  The curcuit
> is broadband, and the B+ is 12-14 volts.
>
> Thanks for any help.
>
> Joe Munson
> WA4VAG

Thompson Raito Woolrich was bought by Northrop Grumman a few years ago.  I
doubt it but you could always try their parts division.




From -6793847018243644429
X-Google-Thread: 108122,5aa4fbd1fbabe32d
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Oct 2008 17:14:43 -0500
From: prc74b <prc74b.3416666@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TRW Transistors
Date: Sun, 19 Oct 2008 20:39:47 +0100
Message-ID: <prc74b.3416666@radiobanter.com>
Organization: RadioBanter.com
References: <prc74b.3406958@radiobanter.com> <_oHKk.8329$bK.682@newsfe04.iad>
Lines: 29
```

```
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-sV9QRsHp175T9Bf8hc4CB5/
xu6DYw5M9jOZBQd1qPl5gcBMQiE0VXk+3o0AuJytKGv9FZAUvKy8DqFR!
t8Cg+hJAvOCdYIR+88L6uoQwp2x7Dgc2jbF373YCZx7p/Ncpsn9j4cvLZS63cGnf7ZZ/c0VXflhZ!ti8=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 18
Xref: g2news1.google.com rec.radio.amateur.equipment:729


'Dave[_18_ Wrote:
> ;651539']prc74b wrote:-
> I have an old Hallicrafters Transceiver that uses TRW PT5651 RF
> transistors as the Driver and P/P finals.   I can not find data
> sheets, specs, or any information on these anywhere.  Its like they
> didn't exist.  I am
> looking for any type of replacement. I can't even tell if they are
> Pnp
> or NPN.  They are single stud mount, with 4 solder tabs.  The curcuit
> is broadband, and the B+ is 12-14 volts.
>
> Thanks for any help.
>
> Joe Munson
> WA4VAG
>
>
>
> -
> Does the transceiver have a model number?

No marking of any kind on the unit.  But I believe to be a
Hallicrafters TR-9.





--
prc74b



From 6249774547930881488
X-Google-Thread: 108122,5aa4fbd1fbabe32d
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!news2!
news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: Michael <micoder@sbcglobal.net>
User-Agent: Thunderbird 2.0.0.17 (Windows/20080914)
```

```
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TRW Transistors
References: <prc74b.3406958@radiobanter.com>
In-Reply-To: <prc74b.3406958@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <RUOKk.69332$9s3.1532@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 19 Oct 2008 22:54:41 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:730

prc74b wrote:
> I have an old Hallicrafters Transceiver that uses TRW PT5651 RF
> transistors as the Driver and P/P finals.  It is a 10 watt 2-18 mhz
> transceiver used in the early to mid 60's.  The finals are shot and I
> am looking for replacements.  I can not find data sheets, specs, are
> any information on these anywhere.  Its like they didn't exist.  I am
> looking for any type of replacement. I can't even tell if they are Pnp
> or NPN.  They are single stud mount, with 4 solder tabs.  The curcuit
> is broadband, and the B+ is 12-14 volts.
>
> Thanks for any help.
>
> Joe Munson
> WA4VAG
>
>
>
>
You need to find out whether these are pnp or npns.
I have used 2N6083's to replace npn hf outputs before. They worked fine.
I think they are only capable of 30 watts output. They work fine with 12
volts. They only cost about 4 bucks a pieces at
http://www.americanmicrosemi.com/products/search/index.php


From -3901220027258767652
X-Google-Thread: 108122,5aa4fbd1fbabe32d
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe08.iad.POSTED!d79b4107!not-for-mail
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.17 (X11/20080925)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TRW Transistors
```

```
References: <prc74b.3406958@radiobanter.com> <_oHKk.8329$bK.682@newsfe04.iad>
<prc74b.3416666@radiobanter.com>
In-Reply-To: <prc74b.3416666@radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 33
Message-ID: <zmPKk.32636$SH5.30148@newsfe08.iad>
X-Complaints-To: abuse2@dslextreme.com
NNTP-Posting-Date: Sun, 19 Oct 2008 23:26:23 UTC
Organization: DSL Extreme
Date: Sun, 19 Oct 2008 23:26:22 +0000
Xref: g2news1.google.com rec.radio.amateur.equipment:731

prc74b wrote:
> 'Dave[_18_ Wrote:
>> ;651539']prc74b wrote:-
>> I have an old Hallicrafters Transceiver that uses TRW PT5651 RF
>> transistors as the Driver and P/P finals.   I can not find data
>> sheets, specs, or any information on these anywhere.  Its like they
>> didn't exist.  I am
>> looking for any type of replacement. I can't even tell if they are
>> Pnp
>> or NPN.  They are single stud mount, with 4 solder tabs.  The curcuit
>> is broadband, and the B+ is 12-14 volts.
>>
>> Thanks for any help.
>>
>> Joe Munson
>> WA4VAG
>>
>>
>>
>> -
>> Does the transceiver have a model number?
>
> No marking of any kind on the unit.  But I believe to be a
> Hallicrafters TR-9.
>
>
>
>
That's a bad-ass looking radio.

http://www.qsl.net/la5ki/big/tr9.jpg




From 7237912284331546967
X-Google-Thread: 108122,5aa4fbd1fbabe32d
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Oct 2008 22:14:17 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <prc74b.3406958@radiobanter.com> <_oHKk.8329$bK.682@newsfe04.iad>
<prc74b.3416666@radiobanter.com>
Subject: Re: TRW Transistors
Date: Mon, 20 Oct 2008 22:14:22 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <xJydnV64YLCU1GDVnZ2dnUVZ_sHinZ2d@comcast.com>
Lines: 40
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.239.37.56
X-Trace: sv3-
poETnteGN1PeqQXFwMTJnson4IpE7tUeuyg0vskrkD2k1A1eisLpkJF9tbp2cNVCRjpHguvM4iKXXwy!
KVxoVUK2J5Gq7a0lOCxmPVYTV9gg52woyor5gHYvq6UEZCczJitvxHWIn6WQfvHPB9CNWgs/FKEm!
cxLyZ4fgEoXDRo8DSYV+se1HW7B7
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:732
```

I believe that I used to have one of those. It had a 6kHz mechanical filter, a roller inductor matching network, and it was AM and CW mode. I ended up selling it at a hamfest several years back for 40 dollars. A nice piece.

Pete

"prc74b" <prc74b.3416666@radiobanter.com> wrote in message
news:prc74b.3416666@radiobanter.com...
>
> 'Dave[_18_ Wrote:
>> ;651539']prc74b wrote:-
>> I have an old Hallicrafters Transceiver that uses TRW PT5651 RF
>> transistors as the Driver and P/P finals.   I can not find data
>> sheets, specs, or any information on these anywhere. Its like they
>> didn't exist. I am
>> looking for any type of replacement. I can't even tell if they are
>> Pnp
>> or NPN. They are single stud mount, with 4 solder tabs. The curcuit
>> is broadband, and the B+ is 12-14 volts.
>>
>> Thanks for any help.
>>
>> Joe Munson

```
>> WA4VAG
>>
>>
>>
>> -
>> Does the transceiver have a model number?
>
> No marking of any kind on the unit.  But I believe to be a
> Hallicrafters TR-9.
>
>
>
>
> --
> prc74b
```

```
From -4080061135918134829
X-Google-Thread: 108122,5aa4fbd1fbabe32d
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Oct 2008 22:15:16 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <prc74b.3406958@radiobanter.com> <_oHKk.8329$bK.682@newsfe04.iad>
<prc74b.3416666@radiobanter.com> <zmPKk.32636$SH5.30148@newsfe08.iad>
Subject: Re: TRW Transistors
Date: Mon, 20 Oct 2008 22:15:20 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <o8-dnf8rMq3Z1GDVnZ2dnUVZ_t3inZ2d@comcast.com>
Lines: 39
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.239.37.56
X-Trace:
sv3-3a0bVeLfcWaM1XhTgdMWUEUpBo94BAj58fUGWpDhKP6f3YfPgw1KxMYeqKe1bxDni3ZWuXu6KO+WSl
d!qYofZ0/hP4fEpRonDJOVin/WZ/Ce2L997+ianLK2zpvgpL+t0w2eNzh6RkJgZQjkfAQPG4UTH8Tc!
uHltYSaTjGtgBZhMtQosk+5qbrZ0
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:733
```

No, mine was a different model. This is really cool looking.

"Dave" <dave@dave.dave> wrote in message
news:zmPKk.32636$SH5.30148@newsfe08.iad...
> prc74b wrote:
>> 'Dave[_18_ Wrote:
>>> ;651539']prc74b wrote:-
>>> I have an old Hallicrafters Transceiver that uses TRW PT5651 RF
>>> transistors as the Driver and P/P finals.   I can not find data
>>> sheets, specs, or any information on these anywhere. Its like they
>>> didn't exist. I am
>>> looking for any type of replacement. I can't even tell if they are
>>> Pnp
>>> or NPN. They are single stud mount, with 4 solder tabs. The curcuit
>>> is broadband, and the B+ is 12-14 volts.
>>> Thanks for any help.
>>>
>>> Joe Munson
>>> WA4VAG
>>>
>>>
>>>
>>> -
>>> Does the transceiver have a model number?
>>
>> No marking of any kind on the unit. But I believe to be a
>> Hallicrafters TR-9.
>>
>>
>>
>>
> That's a bad-ass looking radio.
>
> http://www.qsl.net/la5ki/big/tr9.jpg
>
>

From 4263767184451955344
X-Google-Thread: 108122,51b2d20164d48a4b,start
X-Google-Thread: fc2a5,51b2d20164d48a4b,start
X-Google-Thread: 107ada,51b2d20164d48a4b,start
X-Google-Thread: 110c99,51b2d20164d48a4b,start
X-Google-Thread: 111320,51b2d20164d48a4b,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!2g2000hsn.googlegroups.com!not-for-mail

```
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Scandalous video reason Divorce Madonna and Ricchi
Date: Tue, 21 Oct 2008 04:11:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <f33c5746-281a-4269-9137-c2ddf7695dd4@2g2000hsn.googlegroups.com>
NNTP-Posting-Host: 92.112.134.237
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224587472 28657 127.0.0.1 (21 Oct 2008 11:11:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Oct 2008 11:11:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 2g2000hsn.googlegroups.com; posting-host=92.112.134.237;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:734
rec.radio.amateur.homebrew:941 rec.radio.amateur.misc:1487 rec.running:4638
rec.scouting.issues:901

http://www.madonascandal.byethost31.com  Madonna page featuring
exclusive Madonna videos, Madonna photos, and Madonna news,Madonna
videos, Madonna news, Madonna photos, Madonna videos, Madonna gossip.
Scandalous video reason end-marriage Madonna and Ricchi



From 5301043337405823513
X-Google-Thread: 108122,5aa4fbd1fbabe32d
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 21 Oct 2008 11:14:22 -0500
From: prc74b <prc74b.343b507@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TRW Transistors
Date: Tue, 21 Oct 2008 14:31:34 +0100
Message-ID: <prc74b.343b507@radiobanter.com>
Organization: RadioBanter.com
References: <prc74b.3406958@radiobanter.com>
<RUOKk.69332$9s3.1532@fe07.news.easynews.com>
Lines: 43
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-ave9R2zMaUZD2Fs/LfPx3TsSV9/h227q1w/
```

doafOGEqbIDMTS1gi2M2uXx0H1b0BrTYdiYSo5J1bqZ9!FtRx+hf81J6vZsZGF5O9YmA2dzzC7mtJD/
4i5jxkTKqGPGP9RDYSRYlx3v/GVWKb1qLb9Wde5zft!SIA=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 27
Xref: g2news1.google.com rec.radio.amateur.equipment:735

'Michael[_4_ Wrote:
> ;651662']prc74b wrote:-
> I have an old Hallicrafters Transceiver that uses TRW PT5651 RF
> transistors as the Driver and P/P finals. I can not find data sheets,
> specs, are
> any information on these anywhere. Its like they didn't exist. I am
> looking for any type of replacement. I can't even tell if they are
> Pnp
> or NPN. They are single stud mount, with 4 solder tabs. The curcuit
> is broadband, and the B+ is 12-14 volts.
>
> Thanks for any help.
>
> Joe Munson
> WA4VAG
>
>
>
> -
> You need to find out whether these are pnp or npns.
> I have used 2N6083's to replace npn hf outputs before. They worked
> fine.
> I think they are only capable of 30 watts output. They work fine with
> 12
> volts. They only cost about 4 bucks a pieces at
> http://www.americanmicrosemi.com/products/search/index.php

I will look up the spec sheets on the 2N5883. I have thought about just building a small 10 watt RF PA, using modern components and putting it in the set, leaving the orginal pa in it, and maybe some day getting replacement parts. So far, from the really bad copy of a schematic, and with the finals and driver shorted, cannot tell if they are npn or pnp.

Thanks for the information

joe

--

```
From 2703201961437693370
X-Google-Thread: 10b9c8,ac1d7fcbbd761e8d,start
X-Google-Thread: fc8b1,ac1d7fcbbd761e8d,start
X-Google-Thread: 108122,ac1d7fcbbd761e8d,start
X-Google-Thread: 1109af,ac1d7fcbbd761e8d,start
X-Google-Thread: f7796,ac1d7fcbbd761e8d,start
X-Google-Attributes:
gid10b9c8,gidfc8b1,gid108122,gid1109af,gidf7796,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2!
transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph - November 2008
Followup-To: poster
Date: Tue, 21 Oct 2008 15:29:52 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 36
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <t3qLk.5952$Ws1.1463@nlpi064.nbdc.sbc.com>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1224617392 11943 166.84.1.6 (21 Oct 2008 19:29:52 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 21 Oct 2008 19:29:52 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-VirusChecked: Checked
X-Env-Sender: news@nlpi064.nbdc.sbc.com
X-Msg-Ref: server-3.tower-146.messagelabs.com!1224617311!4521546!1
X-StarScan-Version: 5.5.12.14.2; banners=-,-,-
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
[[PGGYCNWZUWCFD[LZKJOPHAWB\^PBQLGPQRZ_MHEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Xref: g2news1.google.com rec.radio.info:298 rec.radio.amateur.boatanchors:1170
rec.radio.amateur.equipment:736 rec.radio.swap:742 alt.ham-radio.morse:10
```

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT HAM RADIO!

November 2008

QRP Power Meter By Philip Cala-Lazar, K9PL

Experiencing Elecraft By Chuck Guenther, NI�C

Vintage Telegraphy By Paul Huff, N8XMS

Ham Origins By Kyle W. Jeske, N4NSS/NNN�EGS

The Silent Key By Jerry Spring, VE6NU

The Wet String Caper By Rod Newkirk, VA3ZBB/W9BRD

Ham Quips By Dick Sylvan, W9CBT

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

---

From 5113980138230667480
X-Google-Thread: 108122,96fdbc066e5c0c2,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news1.google.com!news.glorb.com!wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Help:Motorola R-2001 Service Monitor
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512

X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <GbFLk.1660$_Y1.1650@bgtnsc05-news.ops.worldnet.att.net>
Date: Wed, 22 Oct 2008 12:41:10 GMT
NNTP-Posting-Host: 12.64.204.13
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1224679270 12.64.204.13 (Wed, 22 Oct 2008 12:41:10 GMT)
NNTP-Posting-Date: Wed, 22 Oct 2008 12:41:10 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:737

Hello and thanks for reading.
I bought a R-2001D on eBay and am just getting my feet wet on using all the functions.
Everything seems to be working, but I am wondering about the RF Generate function. It seems to be low on maximum output - and one line on the display shows DIST/SINAD INPUT TOO LOW instead of giving the SINAD reading.
Is this a normal reading? If not, is it correctable by an adjustment or what module needs ti be repaird or replaced?
Thanks for any info you can pass on to me.
Larry McGee

From 1998058187661966830
X-Google-Thread: 108122,96fdbc066e5c0c2
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!transit3.readnews.com!transit4.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help:Motorola R-2001 Service Monitor
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <GbFLk.1660$_Y1.1650@bgtnsc05-news.ops.worldnet.att.net>
Organization: Your Company
Message-ID: <Xns9B3F9FD212A84Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 22 Oct 2008 22:42:38 GMT
Lines: 24
NNTP-Posting-Host: 850de256.news.adtechcomputers.com
X-Trace: DXC=Pb=B[W=Bd3VJiEbTeh[P]ZgC4_A5:nI@Q<<=aEgO;R8W3Uf@X=bFN0\D1Xh<?kFB5UR?X7U2a5ffWemfRC[RMj?_GX7R=>CCRmVOE=^FP^OhJ^R6TmOB\bGi\
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:738

> Hello and thanks for reading.
> I bought a R-2001D on eBay and am just getting my feet wet on using
> all the functions.
> Everything seems to be working, but I am wondering about the RF

> Generate function. It seems to be low on maximum output - and one line
> on the display shows DIST/SINAD INPUT TOO LOW instead of giving the
> SINAD reading. Is this a normal reading? If not, is it correctable by
> an adjustment or what module needs ti be repaird or replaced?
> Thanks for any info you can pass on to me.
> Larry McGee

Larry, I am not familiar with the 2001D, but have used one many years ago. I am somewhat confused by your problem description, above. Unless I am misunderstanding you, you are complaining about low RF output?... while at the same time complaining about a display line saying, " DIST/SINAD INPUT TOO LOW " That's two problems. I can't suggest anything about the first, but what are you hooking the DIST/SINAD input up to when getting the "too low" reading? It should be a receiver speaker while you are generating a 1000Hz modulated tone at 3KHz deviation. Sorry if not necessary, but you DO know how to use the SINAD meter on that instrument, right?

Ed K7AAT

```
From 7431412003069537122
X-Google-Thread: 108122,4b7fdd235427f948,start
X-Google-Thread: fc2a5,4b7fdd235427f948,start
X-Google-Thread: 107ada,4b7fdd235427f948,start
X-Google-Thread: 110c99,4b7fdd235427f948,start
X-Google-Thread: 111320,4b7fdd235427f948,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y71g2000hsa.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: BDSM HARDCORE 1 Tb movi
Date: Thu, 23 Oct 2008 06:23:23 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <2a306d75-2c7c-444f-9955-00dd69e400a4@y71g2000hsa.googlegroups.com>
NNTP-Posting-Host: 92.112.136.140
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224768203 22812 127.0.0.1 (23 Oct 2008 13:23:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 23 Oct 2008 13:23:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y71g2000hsa.googlegroups.com; posting-host=92.112.136.140;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727; .NET CLR 3.0.4506.2152; .NET CLR
3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:739
rec.radio.amateur.homebrew:945 rec.radio.amateur.misc:1494 rec.running:4706
rec.scouting.issues:906

 http://traxanki.byethost15.com/bdsm.htm BDSM    http://traxanki.byethost15.com/
hardcore.htm
HARDCORE  http://s0x0.blogspot.com  http://groups.google.com/group/porntube-best-
movies-collection


From 7572436900221227849
X-Google-Thread: 108122,b41f7b7f7b0cf827,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Collins 51S-1 knobs.
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <ae0Mk.88313$Mh5.19129@bgtnsc04-news.ops.worldnet.att.net>
Date: Thu, 23 Oct 2008 14:53:58 GMT
NNTP-Posting-Host: 12.64.120.54
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1224773638 12.64.120.54 (Thu, 23 Oct
2008 14:53:58 GMT)
NNTP-Posting-Date: Thu, 23 Oct 2008 14:53:58 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:741

Hello and thanks for the read.
I have just received a working Collins 51S-1 and I would like to buy 2
missing knobs. The MEGACYCLES knob and the REJECTION TUNING knob. If you
have one or both of these knobs that you would part with, please reply to me
direct.
Thanks - Larry McGee




From 1011185175564142924
X-Google-Thread: 108122,b41da065acfb5cf7,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news2.google.com!news.glorb.com!news2!
Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Oct 2008 23:14:04 -0500
From: Bill Tweedie <Bill.Tweedie.34700cc@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted info on ITT Mackay MSR 5050
Date: Fri, 24 Oct 2008 00:24:22 +0100
Message-ID: <Bill.Tweedie.34700cc@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
dr0OsLN04VL1KmO7PV+BNRx5sG6lLN1VM71plvCgliLewJi0hPX6giiJ68WCWOUDiswlSocH84B1O5Q!
cFliuPeeJFu6Axl6/YwDQpUbTkt/1rcQsmKZt0ZwQsfQcAtbuNR5W2++3/Hj/UJUfA0croGvkDxH!
eAgfrr1TkDM=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 3
Xref: g2news1.google.com rec.radio.amateur.equipment:742

Can anyone point me in the right direction re the above receiver?
Regards
Bill Tweedie

--
Bill Tweedie

From -4022033130469457369
X-Google-Thread: fc2a5,40b331647bfbb4ad,start
X-Google-Thread: fcc6e,40b331647bfbb4ad,start
X-Google-Thread: 112d1e,40b331647bfbb4ad,start
X-Google-Thread: 108122,40b331647bfbb4ad,start
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!postnews.google.com!k37g2000hsf.googlegroups.com!not-for-
mail
From: dgleeson422111 <dgleeson3@eircom.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 02:14:24 -0700 (PDT)
Organization: http://groups.google.com

Lines: 50
Message-ID: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
NNTP-Posting-Host: 84.203.44.22
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1224839664 7254 127.0.0.1 (24 Oct 2008 09:14:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Oct 2008 09:14:24 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k37g2000hsf.googlegroups.com; posting-host=84.203.44.22;
posting-account=bpnzCwoAAAAp-CsLugagnABuu8cufJpF
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:946
rec.radio.amateur.antenna:4895 sci.electronics.design:37710
rec.radio.amateur.equipment:743

Hello All

We have a propagation issue that is confusing us. We have two 868MHz modules on test, each capable of 500mW transmission.

We are testing to find the range of communication. We are testing them as follows. One remains in our office while the other is taken to the street outside. we are communicating charecter strings such as "Im at the lamp post number 1" etc. There is somebody at each end sending text strings in a continuous conversation. There is no protocol, error checking or error recovery.

What we have repetadly found is that the radio in the office can receive long after the radio in the street has stopped receiving. (The person with the radio in the street is moving away from the office.)

The radios are the same and the power supplies to the radios are the same. Indeed switching the radios gives the same effect.

The propagation paths between the two radios are the same in terms of distance. However the radio signal transmitted from the office travels through walls first before then traveling through open space. Its the opposite for the radio in the street, firstly traveling through space and then through the walls in the office.

We did think we had identified an interfeering source in one direction (when moving away from the office) so we started moving in the opposite direction. We found exactly the same effect.

Are we getting interfeerance from GSM, ISM or Paging?

As far as GSM bands go in Europe 890=96915 MHz OR 1710=961785 MHz So these shouldnt be our problem.

ISM is where we intend to operate and the greatest band occupancy should be 10%. So we should get communication even though we would get some interfeerance.

Paging - well this has very much gone out of fashion in Europe. But even if it was the cause then wouldnt it be intermittant communication. We have a constant problem.

Can anyone shed light on this phenomonon? Is it an issue of wireless propagation that Im not familiar with or is it Interfeerance?

Best regards, and thanks for any input.

Denis
____
http://www.CentronSolutions.com

```
From -7219312208122696333
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!kanaga.switch.ch!
switch.ch!news.rediris.es!news.cesca.es!news.upc.es!not-for-mail
From: oopere <me@somewhere.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 12:57:40 +0200
Organization: Universitat Politecnica de Catalunya
Lines: 59
Message-ID: <gds9n4$2vl$1@defalla.upc.es>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
NNTP-Posting-Host: caos.upc.es
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit
X-Trace: defalla.upc.es 1224845860 3061 147.83.101.203 (24 Oct 2008 10:57:40 GMT)
X-Complaints-To: newsmngr@upc.es
NNTP-Posting-Date: Fri, 24 Oct 2008 10:57:40 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.17 (Windows/20080914)
In-Reply-To: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.homebrew:949
rec.radio.amateur.antenna:4896 sci.electronics.design:37712
rec.radio.amateur.equipment:744
```

dgleeson422111 wrote:
> Hello All
>
> We have a propagation issue that is confusing us. We have two 868MHz
> modules on test, each capable of 500mW transmission.
>
> We are testing to find the range of communication. We are testing them
> as follows. One remains in our office while the other is taken to the
> street outside. we are communicating charecter strings such as "Im at
> the lamp post number 1" etc. There is somebody at each end sending
> text strings in a continuous conversation. There is no protocol, error
> checking or error recovery.
>
> What we have repetadly found is that the radio in the office can
> receive long after the radio in the street has stopped receiving. (The
> person with the radio in the street is moving away from the office.)
>
> The radios are the same and the power supplies to the radios are the
> same. Indeed switching the radios gives the same effect.
>
> The propagation paths between the two radios are the same in terms of
> distance. However the radio signal transmitted from the office travels
> through walls first before then traveling through open space. Its the
> opposite for the radio in the street, firstly traveling through space
> and then through the walls in the office.
>
> We did think we had identified an interfeering source in one direction
> (when moving away from the office) so we started moving in the
> opposite direction. We found exactly the same effect.
>
> Are we getting interfeerance from GSM, ISM or Paging?
>
> As far as GSM bands go in Europe 890�915 MHz OR 1710�1785 MHz So these
> shouldnt be our problem.
>
> ISM is where we intend to operate and the greatest band occupancy
> should be 10%. So we should get communication even though we would get
> some interfeerance.
>
> Paging - well this has very much gone out of fashion in Europe. But
> even if it was the cause then wouldnt it be intermittant
> communication. We have a constant problem.
>
> Can anyone shed light on this phenomonon? Is it an issue of wireless
> propagation that Im not familiar with or is it Interfeerance?
>
> Best regards, and thanks for any input.
>
> Denis
> _____________________
> http://www.CentronSolutions.com

You may experience receiver desensitization from a strong out-of-band

interferer which is not penetrating well into your office and hence not
interferring there.

Pere

From -3465549071780222160
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!postnews.google.com!h60g2000hsg.googlegroups.com!not-for-mail
From: dgleeson422111 <dgleeson3@eircom.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 04:38:05 -0700 (PDT)
Organization: http://groups.google.com
Lines: 74
Message-ID: <898752cd-4cd6-4e2e-8d25-5f57f14e0067@h60g2000hsg.googlegroups.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<gds9n4$2vl$1@defalla.upc.es>
NNTP-Posting-Host: 84.203.44.22
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1224848286 2190 127.0.0.1 (24 Oct 2008 11:38:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Oct 2008 11:38:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h60g2000hsg.googlegroups.com; posting-host=84.203.44.22;
posting-account=bpnzCwoAAAAp-CsLugagnABuu8cufJpF
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:950
rec.radio.amateur.antenna:4899 sci.electronics.design:37716
rec.radio.amateur.equipment:745

Hi Guys

Thanks for your input on this.

The idea of height being a problem is interesting. The radio in the
office is on the 1st floor (i.e above the ground by one floor).

If the antenna were at the same height would the problem go away?

We will test and see

On Oct 24, 11:57=A0am, oopere <m...@somewhere.net> wrote:
> dgleeson422111 wrote:
> > Hello All
>
> > We have a propagation issue that is confusing us. We have two 868MHz
> > modules on test, each capable of 500mW transmission.
>
> > We are testing to find the range of communication. We are testing them
> > as follows. One remains in our office while the other is taken to the
> > street outside. we are communicating charecter strings such as "Im at
> > the lamp post number 1" etc. There is somebody at each end sending
> > text strings in a continuous conversation. There is no protocol, error
> > checking or error recovery.
>
> > What we have repetadly found is that the radio in the office can
> > receive long after the radio in the street has stopped receiving. (The
> > person with the radio in the street is moving away from the office.)
>
> > The radios are the same and the power supplies to the radios are the
> > same. Indeed switching the radios gives the same effect.
>
> > The propagation paths between the two radios are the same in terms of
> > distance. However the radio signal transmitted from the office travels
> > through walls first before then traveling through open space. Its the
> > opposite for the radio in the street, firstly traveling through space
> > and then through the walls in the office.
>
> > We did think we had identified an interfeering source in one direction
> > (when moving away from the office) so we started moving in the
> > opposite direction. We found exactly the same effect.
>
> > Are we getting interfeerance from GSM, ISM or Paging?
>
> > As far as GSM bands go in Europe 890=96915 MHz OR 1710=961785 MHz So th=
ese
> > shouldnt be our problem.
>
> > ISM is where we intend to operate and the greatest band occupancy
> > should be 10%. So we should get communication even though we would get
> > some interfeerance.
>
> > Paging - well this has very much gone out of fashion in Europe. But
> > even if it was the cause then wouldnt it be intermittant
> > communication. We have a constant problem.
>
> > Can anyone shed light on this phenomonon? Is it an issue of wireless
> > propagation that Im not familiar with or is it Interfeerance?
>
> > Best regards, and thanks for any input.
>
> > Denis

```
> > ____________________
> >http://www.CentronSolutions.com
>
> You may experience receiver desensitization from a strong out-of-band
> interferer which is not penetrating well into your office and hence not
> interferring there.
>
> Pere- Hide quoted text -
>
> - Show quoted text -
```

```
From -1913614943630130201
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l42g2000hsc.googlegroups.com!not-for-
mail
From: osr@uakron.edu
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 04:49:13 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <ee49a64c-dca6-4389-8f6c-c41d2c9eca64@l42g2000hsc.googlegroups.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
     <gds9n4$2vl$1@defalla.upc.es>
<898752cd-4cd6-4e2e-8d25-5f57f14e0067@h60g2000hsg.googlegroups.com>
NNTP-Posting-Host: 72.63.252.37
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1224848954 16142 127.0.0.1 (24 Oct 2008 11:49:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Oct 2008 11:49:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l42g2000hsc.googlegroups.com; posting-host=72.63.252.37;
     posting-account=OzBv3QoAAADabLLQl57zs47DtlEGM_D1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:951
rec.radio.amateur.antenna:4900 sci.electronics.design:37717
rec.radio.amateur.equipment:746
```

higher antennas = longer range. Thats your issue.
Also lack of error correction, poor antenna pattern to meet the low

power regulations, and a less then robust protocol, ie your probably using some form of on/off modulation where the receiver does not have a continious wave signal to locl on and track. Try sending a preamble character that is 10101010 a few times, assuming your receiver is sophisticated enough to use AGC. This sets the DC level in the discriminator more accurately and reduces errors.

your using a radio with intentionally designed in limited range to allow reuse of the frquency.

Steve

From 7574336586981342188
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Oct 2008 07:02:26 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 21:02:24 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <T5CdncnwyZfOJJzUnZ2dnUVZ_obinZ2d@giganews.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-OL7Pw+t+EPgafSSX3LVC3b0ocRG59q8EHq8FalDN5cUMwDJ+h70gtjjbDn3BwVZpfxsX26EMunFppfa!LwN8lnlz74a6JwxBf2XIR0r3lOFLaJ3MSw/YpIFlcrSrIm/TIln992xbuu8FARjFMt+XNh0a
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.homebrew:952 rec.radio.amateur.antenna:4901 sci.electronics.design:37719 rec.radio.amateur.equipment:747

"dgleeson422111" <dgleeson3@eircom.net> wrote in message
news:159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com...

What we have repetadly found is that the radio in the office can receive long after the radio in the street has stopped receiving. (The person with the radio in the street is moving away from the office.)

The radios are the same and the power supplies to the radios are the same. Indeed switching the radios gives the same effect.

Is your office in a concrete building? Or one with any steel reinforcement or steel or aluminum studs? If so, it could well be that there is a standing wave issue, so that a portion of your transmitted signal is being reflected back, and so not making it to the receiver. This would not necessarily affect the reception on the radio in the office from the outside radio.

```
From 2018505197993835231
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Oct 2008 07:03:58 -0500
From: "Anthony Fremont" <nobody@noplace.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 07:03:57 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <i82dnTmmXOMzJJzUnZ2dnUVZ_t7inZ2d@supernews.com>
Lines: 11
X-Trace: sv3-OMMmYroeEMS+DOyWlh49eEYA953cpY7o5NjHsfsK396AEeiNAiH/iETOC0nqDoG5Ble/
8Ou3IEeVSK6!
1owDR+3OHJaEJ3Kk9hY48GguNJM4MSHsTxLThV7Cxt1pqIJxcN4vGobGZ0eQ+xHzqu7rdq2Z9eyb!
IzzKQtV2UOO9
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
```

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.homebrew:953
rec.radio.amateur.antenna:4902 sci.electronics.design:37720
rec.radio.amateur.equipment:748

dgleeson422111 wrote:
\> What we have repetadly found is that the radio in the office can
> receive long after the radio in the street has stopped receiving. (The
> person with the radio in the street is moving away from the office.)
>
> The radios are the same and the power supplies to the radios are the
> same. Indeed switching the radios gives the same effect.

The radio outside is likely being desensitized by some other signal.




From 8108967934357530740
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe03.iad.POSTED!7564ea0f!not-for-mail
From: 1hogrider <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
Subject: Re: 868MHz Propagation problem
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
In-Reply-To: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 28
Message-ID: <RYiMk.4801$I8.1980@newsfe03.iad>
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe03.iad 1224850353 24.254.177.70 (Fri, 24 Oct 2008 12:12:33 UTC)
NNTP-Posting-Date: Fri, 24 Oct 2008 12:12:33 UTC
Organization: Cox
Date: Fri, 24 Oct 2008 08:12:33 -0400
Xref: g2news1.google.com rec.radio.amateur.homebrew:954
```

rec.radio.amateur.antenna:4903 sci.electronics.design:37721
rec.radio.amateur.equipment:749

dgleeson422111 wrote:
> Hello All
>
> We have a propagation issue that is confusing us. We have two 868MHz
> modules on test, each capable of 500mW transmission.
>
> We are testing to find the range of communication. We are testing them
> as follows. One remains in our office while the other is taken to the
> street outside. we are communicating charecter strings such as "Im at
> the lamp post number 1" etc. There is somebody at each end sending
> text strings in a continuous conversation. There is no protocol, error
> checking or error recovery.
>
> What we have repetadly found is that the radio in the office can
> receive long after the radio in the street has stopped receiving. (The
> person with the radio in the street is moving away from the office.)
>

I see you have other responses. One test that would establish that is
environmental (adjacent signal, receiver desense, etc), if BOTH units
could be moved to a relative RF free environment such as a rural setting
and then test the range.

If this eliminates the problem, then its probably time to break out a
spectrum analyzer and take a look at what is around your operating
frequency.

Andy

From -2384179959923605472
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!flpi089.ffdc.sbc.com!prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!flpi143.ffdc.sbc.com.POSTED!f08f66eb!not-for-mail
From: "Jon Slaughter" <Jon_Slaughter@Hotmail.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Subject: Re: 868MHz Propagation problem
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal

X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <BYiMk.3157$Ei5.2077@flpi143.ffdc.sbc.com>
NNTP-Posting-Host: 70.245.198.128
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi143.ffdc.sbc.com 1224850337 ST000 70.245.198.128 (Fri, 24 Oct 2008 08:12:17 EDT)
NNTP-Posting-Date: Fri, 24 Oct 2008 08:12:17 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
TSU[@IONVBTQB_XXKZO^[_DATBYHPAXOG@PF]LAMGP_PWDEGKG]UWV[_PUGZXQ[KS^ESKCJLOF_J_NGAWN
TG^_XGTNTAHULK[X[NRTC@G\P^PLT_OCBRHUO@@TBQZDZMHD[YZ@NLXQXIWMOSXT_KOLK^^CXFF\WHMI^C
@EGA_[FXAQ@E^TGNMUXGYNS[QQVL
Date: Fri, 24 Oct 2008 07:14:04 -0500
Xref: g2news1.google.com rec.radio.amateur.homebrew:955
rec.radio.amateur.antenna:4904 sci.electronics.design:37723
rec.radio.amateur.equipment:750

It's because the paths are not the same. Think of a silvered mirror. It can transmit light much easier in one direction than the other. Take both outside and see if it has the same problem. (extremely doubtful because the path's is virtually identical)

From 7566361853708992036
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!p49g2000hsd.googlegroups.com!not-for-mail
From: EE123 <onyx49@juno.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Date: Fri, 24 Oct 2008 05:29:50 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <b033a457-e210-4c0e-b0ba-8a5d5cf8abf3@p49g2000hsd.googlegroups.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
     <BYiMk.3157$Ei5.2077@flpi143.ffdc.sbc.com>
NNTP-Posting-Host: 71.252.39.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable

```
X-Trace: posting.google.com 1224851390 23126 127.0.0.1 (24 Oct 2008 12:29:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Oct 2008 12:29:50 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p49g2000hsd.googlegroups.com; posting-host=71.252.39.208;
     posting-account=FjB8TQkAAAAouoo9NUVcPYboAEjj7ms8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:956
rec.radio.amateur.antenna:4905 sci.electronics.design:37726
rec.radio.amateur.equipment:751
```

On Oct 24, 8:14=A0am, "Jon Slaughter" <Jon_Slaugh...@Hotmail.com> wrote:
> It's because the paths are not the same. Think of a silvered mirror. It c=
an
> transmit light much easier in one direction than the other. Take both
> outside and see if it has the same problem. (extremely doubtful because t=
he
> path's is virtually identical)

Did you design the receive software?
Or did buy the receiver "off the shelve"?

Perhaps there is a problem
with the receivers and how they are
receiving the data.

```
From -7370928318787156262
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!flpi089.ffdc.sbc.com!prodigy.net!
flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!flpi144.ffdc.sbc.com.POSTED!
f08f66eb!not-for-mail
From: "Jon Slaughter" <Jon_Slaughter@Hotmail.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.ra
dio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
<BYiMk.3157$Ei5.2077@flpi143.ffdc.sbc.com> <b033a457-e210-4c0e-
b0ba-8a5d5cf8abf3@p49g2000hsd.googlegroups.com>
Subject: Re: 868MHz Propagation problem
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <SyjMk.1284$%11.842@flpi144.ffdc.sbc.com>
NNTP-Posting-Host: 70.245.198.128
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi144.ffdc.sbc.com 1224852786 ST000 70.245.198.128 (Fri, 24 Oct 2008 08:53:06 EDT)
NNTP-Posting-Date: Fri, 24 Oct 2008 08:53:06 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
FKPO@SJE]JVWCP\Y]JXBNPP@@R]VPO\MPP\@NDEMCH]VGBIGFWMUCS_]^O[TX_I\^GGZKVLHV^^OMOBFV
UI^\XFHVWCIP@KGPX@R^[@BDQHPOD_HKANIRKAETDEJEVL_TY]JOZLPA^KFNSS]T]M^OW\@K^VGVGK@A_A
AAS@FKBBAP@ECTAZMSXG@FWEASZM
Date: Fri, 24 Oct 2008 07:53:04 -0500
Xref: g2news1.google.com rec.radio.amateur.homebrew:957
rec.radio.amateur.antenna:4906 sci.electronics.design:37727
rec.radio.amateur.equipment:752

"EE123" <onyx49@juno.com> wrote in message
news:b033a457-e210-4c0e-b0ba-8a5d5cf8abf3@p49g2000hsd.googlegroups.com...
On Oct 24, 8:14 am, "Jon Slaughter" <Jon_Slaugh...@Hotmail.com> wrote:
> It's because the paths are not the same. Think of a silvered mirror. It
> can
> transmit light much easier in one direction than the other. Take both
> outside and see if it has the same problem. (extremely doubtful because
> the
> path's is virtually identical)

Did you design the receive software?
Or did buy the receiver "off the shelve"?

Perhaps there is a problem
with the receivers and how they are
receiving the data.

um, did you read his message? He said that it was independent of the
receiver because they exchanged them and the same problem. i.e., it helps to
read the original post.

From -2586398698541782337
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe04.iad.POSTED!d79b4107!not-for-mail
From: Dave <dave@dave.dave>

User-Agent: Thunderbird 2.0.0.17 (X11/20080925)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
In-Reply-To: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <mRjMk.17671$bK.16944@newsfe04.iad>
X-Complaints-To: abuse2@dslextreme.com
NNTP-Posting-Date: Fri, 24 Oct 2008 13:12:50 UTC
Organization: DSL Extreme
Date: Fri, 24 Oct 2008 13:12:50 +0000
Xref: g2news1.google.com rec.radio.amateur.homebrew:958
rec.radio.amateur.antenna:4908 sci.electronics.design:37728
rec.radio.amateur.equipment:753

dgleeson422111 wrote:
> Hello All
>
> We have a propagation issue that is confusing us. We have two 868MHz
> modules on test, each capable of 500mW transmission.
>
> We are testing to find the range of communication. We are testing them
> as follows. One remains in our office while the other is taken to the
> street outside. we are communicating charecter strings such as "Im at
> the lamp post number 1" etc. There is somebody at each end sending
> text strings in a continuous conversation. There is no protocol, error
> checking or error recovery.

Do you have a license?

From 1755891802396243325
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>

Subject: Re: 868MHz Propagation problem
Lines: 17
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <rimMk.44$Jv2.32@nwrddc01.gnilink.net>
Date: Fri, 24 Oct 2008 16:00:23 GMT
NNTP-Posting-Host: 71.110.230.49
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1224864023 71.110.230.49 (Fri, 24 Oct 2008 12:00:23 EDT)
NNTP-Posting-Date: Fri, 24 Oct 2008 12:00:23 EDT
Xref: g2news1.google.com rec.radio.amateur.homebrew:959 rec.radio.amateur.antenna:4913 sci.electronics.design:37747 rec.radio.amateur.equipment:754
X-Original-Bytes: 2291

>What we have repetadly found is that the radio in the office can receive long after the radio in the street has stopped receiving. (The person with the radio in the street is moving away from the office.)

You don't say if you are using the same antenna on both ends, but the environment is very different at each end. Consider that Transmitting is about putting signal into an area, while receiving is about capturing the signals in near field of the antenna, then discerning the intellegence. You would have to analyze the output to be sure, but it may be localized reflections, shading or noise at the street level. Because of this it is so difficult to quantify range. There is equipment and software specifically designed to do what you are trying to do but it is expensive. The result is highly detailed signal strength graphic output overlaid on 3d mapping for each fixed site at various frequencies. Most commercial antenna sites have gone to great expense to generate those maps in order to show what their tower does because it is very different for each location.

From -3113958521284503327
X-Google-Thread: fc2a5,40b331647bfbb4ad
X-Google-Thread: fcc6e,40b331647bfbb4ad
X-Google-Thread: 112d1e,40b331647bfbb4ad
X-Google-Thread: 108122,40b331647bfbb4ad
X-Google-Attributes: gidfc2a5,gidfcc6e,gid112d1e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!goblin1!goblin.stu.neva.ru!uio.no!newsfeed1.funet.fi!newsfeeds.funet.fi!feeder1.news.saunalahti.fi!reader1.news.saunalahti.fi!53ab2750!not-for-mail
From: Paul Keinanen <keinanen@sci.fi>
Newsgroups:

rec.radio.amateur.homebrew,rec.radio.amateur.antenna,sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: 868MHz Propagation problem
Message-ID: <frs3g4ltnlun2ne5str6veq10rr1t1nmcr@4ax.com>
References: <159dee31-5436-4f46-ae9d-48214eec09ca@k37g2000hsf.googlegroups.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
Date: Fri, 24 Oct 2008 19:19:03 +0300
NNTP-Posting-Host: 85.77.237.217
X-Complaints-To: newsmaster@saunalahti.com
X-Trace: reader1.news.saunalahti.fi 1224865136 85.77.237.217 (Fri, 24 Oct 2008 19:18:56 EEST)
NNTP-Posting-Date: Fri, 24 Oct 2008 19:18:56 EEST
Organization: Saunalahti Customer
Xref: g2news1.google.com rec.radio.amateur.homebrew:960 rec.radio.amateur.antenna:4914 sci.electronics.design:37753 rec.radio.amateur.equipment:755

On Fri, 24 Oct 2008 02:14:24 -0700 (PDT), dgleeson422111
<dgleeson3@eircom.net> wrote:

>What we have repetadly found is that the radio in the office can
>receive long after the radio in the street has stopped receiving. (The
>person with the radio in the street is moving away from the office.)

Is the moving station manually portable or is it mounted on a vehicle?

If the moving operator is bored and continuously talks on a GSM phone
or if the (vehicle) generates some other kind of interference, this
would reduce the SNR at the moving station.

>The radios are the same and the power supplies to the radios are the
>same. Indeed switching the radios gives the same effect.
>
>The propagation paths between the two radios are the same in terms of
>distance. However the radio signal transmitted from the office travels
>through walls first before then traveling through open space. Its the
>opposite for the radio in the street, firstly traveling through space
>and then through the walls in the office.

Does the transmitter have some kind of SWR protection ?

If the Tx antenna is close to the wall, it might detune the antenna,
increasing the SWR and the SWR protection drops the transmitter power.

Paul OH3LWR

From 7444739792356821374

X-Google-Thread: 108122,be7b0011e7941797
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Sep 2008 08:21:23 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
References: <gb2rel$mke$1@news-01.bur.connect.com.au>
Subject: Re: Power inverter
Date: Sat, 20 Sep 2008 22:21:26 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
x-mimeole: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <CsWdnXgs0P5OZUnVnZ2dnUVZ_rDinZ2d@giganews.com>
Lines: 34
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-0STN30NUypnwXt6Y1DmHxc3ZNcNLI8pQjQnJhHqV3mA9hb58lVFy0SslN2u8jk2NVPP8m80FICFf0F
6!MB3lo8DAmNt5Izv1m7dE1GeR2E7UA0lvCBZ7BSA5wzeQjcRLaXM6wl+wA5SBkC0voZkvQLnR
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:600

"Gary Smith" <vkthree@gmail.com> wrote in message
news:gb2rel$mke$1@news-01.bur.connect.com.au...
> Hi all, i purchased a 12vdc to 240vac inverter for using my laptop. it's a
> 300 watt model fromm Jaycar.
> I asked the person running the shop if i could run my 100w IC725 from it.
> NO WAY was the reply.
>
> I was thinking of running the DSE D-3800 power supply from it when out on
> contests and running the laptop and ssb hf rig from it.
> I just wanted to know if it was capable of handling that (which i presumed
> it would be) as the lap takes about 60w maybe and the transmitter 100w at
> times.
>
> Anyway, if someone can please explain why a 300w inverter won't run 160w
> of gear i will be very happy.

It's not so much that it won't RUN the gear, the gear simply won't be very usable.

The output from these type of inverters is a very strange waveform, a sort of three step square wave with a ring at each step. And all that noise shows up in your receiver AND in your transmitter. The filtering in the rig is just not designed to deal with the complex, harmonic rich waveform at the output of the inverter. I've even tried running the output through an isolation transformer, but it did no good at all. You may be able to make it look somewhat like a sine wave if you could find a proper transformer to make a tuned tank at 50 Hz, but no telling what voltage you would be getting out of it. The voltage on my 300 watt 120V/60Hz inverter is 380V peak to peak (190V peak) with so much garbage in it that my frequency counter can't even SEE the 60 Hz component.

From 8348839587339289754
X-Google-Thread: fb049,ad4a878d398da36f
X-Google-Thread: 108122,ad4a878d398da36f
X-Google-Thread: 1109af,ad4a878d398da36f
X-Google-Thread: 106d41,5f298671efa77a2,start
X-Google-Attributes:
gidfb049,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Leland C Scott" <lelandcscott@14mile.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
References: <48398a0a@news.x-privat.org>
<48661e9d$0$809$c5fe31e7@reader.usenet4all.se>
Subject: Re: COOKIE BUILT CV350RS LINEAR BASE AMPLIFIER
Date: Sat, 20 Sep 2008 11:22:01 -0400
Lines: 24
Organization: i love the homo n8wwm
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
NNTP-Posting-Host: $$-dwiml-oln0p.news.x-privat.org
Message-ID: <48d5151f$1@news.x-privat.org>
X-Complaints-To: abuse@x-privat.org
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!x-privat.org!not-for-mail
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:238 rec.radio.amateur.equipment:601
rec.radio.swap:611 rec.radio.cb:2555

"N8WWM" <n8wwm@myhouse.invalid> wrote in message
news:48661e9d$0$809$c5fe31e7@reader.usenet4all.se...
>
> "KC8QJP" <KC8QJP@invalid.invalid> wrote in message
> news:48398a0a@news.x-privat.org...
>> Unit has dual toshiba 1446's. my radio has a .5 watt dead key and the amp
>> swings around 175-200 on am with the variable between 1/2 to 3/4 the way
>> up. max input is a 4 watt dead key. sure it can swing more but my radio

```
>> likes it a little lower. it has seen over 300 on sideband. sorry the
>> preamp doesn't work, but i never cared for the extra noise anyway-
>>
>>
>>
>> http://cgi.ebay.com/COOKIE-BUILT-CV350RS-LINEAR-BASE-
AMPLIFIER_W0QQitemZ330238513765QQihZ014QQcategoryZ48700QQssPageNameZWDVWQQrdZ1QQcm
dZViewItem
>>
>>
>>
> Kathy, haven't you had enough trouble with law already? As I recall you
> have a felony for filing false tax returns.
>
http://img529.imageshack.us/my.php?image=n8dontbeadickheadwd9.jpg




From 2703351952065025171
X-Google-Thread: 108122,be7b0011e7941797
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Sat, 20 Sep 2008 16:59:18 +0000
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.16 (X11/20080724)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power inverter
References: <gb2rel$mke$1@news-01.bur.connect.com.au>
In-Reply-To: <gb2rel$mke$1@news-01.bur.connect.com.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <48d52be6$0$22245$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:602

Gary Smith wrote:
> Hi all, i purchased a 12vdc to 240vac inverter for using my laptop. it's
> a 300 watt model fromm Jaycar.
> I asked the person running the shop if i could run my 100w IC725 from
> it. NO WAY was the reply.
>
> I was thinking of running the DSE D-3800 power supply from it when out
> on contests and running the laptop and ssb hf rig from it.
> I just wanted to know if it was capable of handling that (which i
> presumed it would be ) as the lap takes about 60w maybe and the
> transmitter 100w at times.
```

```
>
> Anyway, if someone can please explain why a 300w inverter won't run 160w
> of gear i will be very happy.
>
> Thanks
>
> Gary
> VK3LCD
That radio will run directly on 12 VDC;  why the inverter?

http://www.rigpix.com/icom/ic725.htm




From 3343747931715888670
X-Google-Thread: 108122,be7b0011e7941797
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!post01.iad!
news.dslextreme.com!not-for-mail
Date: Sat, 20 Sep 2008 17:01:03 +0000
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.16 (X11/20080724)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power inverter
References: <gb2rel$mke$1@news-01.bur.connect.com.au>
In-Reply-To: <gb2rel$mke$1@news-01.bur.connect.com.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 22
Message-ID: <48d52c4f$0$22245$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:603

Gary Smith wrote:
> Hi all, i purchased a 12vdc to 240vac inverter for using my laptop. it's
> a 300 watt model fromm Jaycar.
> I asked the person running the shop if i could run my 100w IC725 from
> it. NO WAY was the reply.
>
> I was thinking of running the DSE D-3800 power supply from it when out
> on contests and running the laptop and ssb hf rig from it.
> I just wanted to know if it was capable of handling that (which i
> presumed it would be ) as the lap takes about 60w maybe and the
> transmitter 100w at times.
>
> Anyway, if someone can please explain why a 300w inverter won't run 160w
> of gear i will be very happy.
>
> Thanks
```

```
>
> Gary
> VK3LCD

That's nuts.  12 VDC to 240 VAC back to 12 VDC for a laptop?  Surely
there's a more elegant (in its simplicity) solution.


From -8402847595460282679
X-Google-Thread: fb049,ad4a878d398da36f
X-Google-Thread: 108122,ad4a878d398da36f
X-Google-Thread: 1109af,ad4a878d398da36f
X-Google-Thread: 106d41,5f298671efa77a2
X-Google-Attributes:
gidfb049,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!e39g2000hsf.googlegroups.com!not-for-
mail
From: "kb9rqz-3@hotmail.com" <kb9rqz-3@hotmail.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
Subject:
zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz
zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz
Date: Sat, 20 Sep 2008 11:39:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <a9978bed-f60b-4dd0-b785-8fa425ef9cb5@e39g2000hsf.googlegroups.com>
References: <48398a0a@news.x-privat.org>
<48661e9d$0$809$c5fe31e7@reader.usenet4all.se>
     <48d5151f$1@news.x-privat.org>
NNTP-Posting-Host: 69.19.14.36
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1221935951 9086 127.0.0.1 (20 Sep 2008 18:39:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Sep 2008 18:39:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e39g2000hsf.googlegroups.com; posting-host=69.19.14.36;
     posting-account=eOo-XwoAAADrjk2Lo3ehLAcVz_9Zux2n
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:248 rec.radio.amateur.equipment:604
rec.radio.swap:612 rec.radio.cb:2564

On Sep 20, 11:22=A0am, "Leland C Scott" <lelandcsc...@14mile.com> wrote:
>
stalker


From 3072196667620958505
```

```
X-Google-Thread: 108122,ab1ea169a1747c9e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <xXXAk.228570$102.133408@bgtnsc05-news.ops.worldnet.att.net>
Subject: Re: WTB:Motorola Watt Meter adaptor
Lines: 23
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <J4eBk.548$1a2.183@trnddc04>
Date: Sat, 20 Sep 2008 21:39:53 GMT
NNTP-Posting-Host: 71.104.206.162
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1221946793 71.104.206.162 (Sat, 20 Sep 2008 17:39:53 EDT)
NNTP-Posting-Date: Sat, 20 Sep 2008 17:39:53 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:605
X-Original-Bytes: 2044
```

"Larry McGee" <lrmagoo@worldnet.att.net> wrote in message
news:xXXAk.228570$102.133408@bgtnsc05-news.ops.worldnet.att.net...

> Hello and thanks for the read.
> I am looking to purchase the Motorola watt meter adaptor as used with the
> r-2001x type service monitor. Should be part number RTL-4055A.
> If you have one that you would sell for a reasonable price, please let me
> hear from you.
> If I find the adaptor, I could be interested in some of the ST-12xx
elements
> as well.
> Larry
>

Your best bet would be to go to a nearly defunct Mot radio shop. If they hadn't thrown them away already.

They were never useful because it required a connection to the R2001 to display the result and it was always easier to take a Bird out to the antenna rather than the whole thing. As I got older and radios got lighter, I began to take the lighter equipment to the heavier equipment for service. If you are doing an Bench ATE setup, good luck. The internal load should be quite capable of short tests up to the limit of calibration.

```
From 986775890129365904
X-Google-Thread: 108122,be7b0011e7941797
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <gb2rel$mke$1@news-01.bur.connect.com.au>
<48d52c4f$0$22245$bd467cd0@news.dslextreme.com>
Subject: Re: Power inverter
Lines: 45
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Q%eBk.407$UB3.210@trnddc07>
Date: Sat, 20 Sep 2008 22:42:56 GMT
NNTP-Posting-Host: 71.104.206.162
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1221950576 71.104.206.162 (Sat, 20 Sep 2008 18:42:56 EDT)
NNTP-Posting-Date: Sat, 20 Sep 2008 18:42:56 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:606
X-Original-Bytes: 2957


"Dave" <dave@dave.dave> wrote in message
news:48d52c4f$0$22245$bd467cd0@news.dslextreme.com...
> Gary Smith wrote:
> > Hi all, i purchased a 12vdc to 240vac inverter for using my laptop. it's
> > a 300 watt model fromm Jaycar.
> > I asked the person running the shop if i could run my 100w IC725 from
> > it. NO WAY was the reply.
> >
> > I was thinking of running the DSE D-3800 power supply from it when out
> > on contests and running the laptop and ssb hf rig from it.
> > I just wanted to know if it was capable of handling that (which i
> > presumed it would be ) as the lap takes about 60w maybe and the
> > transmitter 100w at times.
> >
> > Anyway, if someone can please explain why a 300w inverter won't run 160w
> > of gear i will be very happy.
> >
> > Thanks
> >
> > Gary
```

> > VK3LCD
>
> That's nuts. 12 VDC to 240 VAC back to 12 VDC for a laptop? Surely
> there's a more elegant (in its simplicity) solution.

Probably because the radio likes to see 13.8 not 12.3 v. Big problem when you do portable OPs. A lot of the laptops need 17-19v too.

There are inverters out there clean enough for that, designed to convert 10-whatever volts to 13.8 regulated for $600 on up.   Some that will take care of the battery charging and automatic battery revert too.

The biggest problem to look out for is ground loops. You could easily wind up with the Battery negative at ground potential along with antenna and neutral and have some low voltage component or personnel wind up DEAD with much anguish left to the survivors.

IF you have designed around that to keep from blowing things up in the heat of the contest don't expect the 300 watt supply to be able to hack it. If it doesn't trip right off, you might be OK. But then you still might have noise and you will have to keep your batteries up some how and if someone plugs something in you didn't plan for then there's that Death problem again.

```
From -7135871101729820228
X-Google-Thread: fcc6e,2fd602ea806724a,start
X-Google-Thread: 108122,2fd602ea806724a,start
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k7g2000hsd.googlegroups.com!not-for-
mail
From: charrid <richfur@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Eico GDO coils
Date: Sat, 20 Sep 2008 16:14:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
NNTP-Posting-Host: 90.177.201.205
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1221952461 27387 127.0.0.1 (20 Sep 2008 23:14:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Sep 2008 23:14:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k7g2000hsd.googlegroups.com; posting-host=90.177.201.205;
     posting-account=4IFC0AoAAACvF_vvbWJ69M9qNKLCbX7x
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
```

```
Xref: g2news1.google.com rec.radio.amateur.antenna:3863
rec.radio.amateur.equipment:607

Would anybody who owns Eico model 710 GDO be willing to supply coil
data (diameter, length, No. of turns, wire diameter) so that I could
duplicate the coils? I bought the coil-less 710 at the fleamarket and
cannot find the coil set. I am mainly interested in the 2.9-7,5 and
7.5-18 MHz ranges. Or maybe a close-up photo with a ruler laying next
to the coils would be enough.
73, Rich OK8RF




From -5765032317550031713
X-Google-Thread: 108122,4adeeaaa7b4b9122
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!e39g2000hsf.googlegroups.com!not-for-
mail
From: terry <tsanford@nf.sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Using a 230V AC to 13.8V DC in the USA
Date: Sat, 20 Sep 2008 18:44:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <19822543-ca96-49e2-87c5-6fc40b3a64e2@e39g2000hsf.googlegroups.com>
References: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com>
     <fYyuk.134$jE1.32@trnddc03> <74f5ffc3-
d551-491c-8323-4f5ad9dcfb0e@56g2000hsm.googlegroups.com>
     <6VFuk.168$393.154@trnddc05>
NNTP-Posting-Host: 142.162.129.19
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1221961483 22483 127.0.0.1 (21 Sep 2008 01:44:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Sep 2008 01:44:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e39g2000hsf.googlegroups.com; posting-host=142.162.129.19;
     posting-account=UK_CnQoAAADvwpneBBPBQf8pgC_pYRd5
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:608

On Aug 31, 9:35=A0pm, "JB" <nos...@goofball.net> wrote:
> It has been stated elsewhere in documentation not to hook a battery on th=
e
> output for backup.- Hide quoted text -
>
Anyone know why that comment "not to hook up a battery"?
Perhaps because to re-charge a nominal 12 volt battery at say 2.3
volts (max) per cell it requires 6 x 2.3 =3D 13.8 volts. Or even a
```

little higher; that's why military equipment was/is rated as '14 volts' (or, typically aircraft, 28 volts).

From -7525532032987827203
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!headwall.stanford.edu!newsfeed.stanford.edu!news.kjsl.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sat, 20 Sep 2008 21:54:03 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 39
Sender: et472@72.0.192.99
Message-ID: <Pine.LNX.4.64.0809202145490.28405@darkstar.example.org>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
NNTP-Posting-Host: 72.0.192.99
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1221962076 11511 72.0.192.99 (21 Sep 2008 01:54:36 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 21 Sep 2008 01:54:36 GMT
In-Reply-To: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:3864
rec.radio.amateur.equipment:609

On Sat, 20 Sep 2008, charrid wrote:

> Would anybody who owns Eico model 710 GDO be willing to supply coil
> data (diameter, length, No. of turns, wire diameter) so that I could
> duplicate the coils? I bought the coil-less 710 at the fleamarket and
> cannot find the coil set. I am mainly interested in the 2.9-7,5 and
> 7.5-18 MHz ranges. Or maybe a close-up photo with a ruler laying next
> to the coils would be enough.
> 73, Rich OK8RF
>
>

The coils are bound to have so many turns that they will be hard to count, unless someone actually unwound them.

Open it up, see if you can figure the capacitance of the variable capacitor (or maybe there's a schematic somewhere that provides that information?), and then use the equations to figure out the needed inductance and then the number of turns to make that value of inductance. Then you can use any size coil form, just so long as you can rig it to fit whatever the GDO is using for the coils to plug into. Wind some extra turns, and then remove them if necessary (since it's easier to remove than add turns).

It won't be exact, but any GDO dial is fairly vague. The inherent
capacitance of the coil will come into play, so you can decide whether
it's best to have the GDO dial match at the high end or the low end.

Thirty years ago there was an article in "73" about revamping a GDO,
I think he solid-stated it but can't remember, but he didn't have a
coil set either and described the process he went through to give
it a set of coils. I think it was radical surgery though, I seem
to recall that he even changed the jacks used for the coils. He
took the easy way out, providing a jack to feed a frequency counter
so the original dial was relatively unimportant.

Michael VE2BVW

```
From 4760744034728553156
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed.straub-nv.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sat, 20 Sep 2008 19:26:11 -0700
Organization: albasani.net
Lines: 20
Message-ID: <gb4bc4$vki$1@news.albasani.net>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
<Pine.LNX.4.64.0809202145490.28405@darkstar.example.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net jGrgKKzfpxr/
NNnbG4EBA2+IlxOIIpf20JihbmffkdhzjBbzWU4T3ccF4OW/UqS7aIhFVX/
neEsBcM95ay2PGC48CnNINbbXxdTjLqZZdOlV2fJT95rwS1GQLifqozbx
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Sun, 21 Sep 2008 02:26:12 +0000 (UTC)
X-User-ID: IB7LyL1JE15i8hovykjvER+U1DpO//XFqmnsYB22u1s=
In-Reply-To: <Pine.LNX.4.64.0809202145490.28405@darkstar.example.org>
Cancel-Lock: sha1:nR2bJpOvk2w2k0QF1IrM4NEVgLA=
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
X-NNTP-Posting-Host: T8+S0XUCa0g00OfuXsY+KSjlnBJFns/sWVv/Jj1Nrb0=
Xref: g2news1.google.com rec.radio.amateur.antenna:3865
rec.radio.amateur.equipment:610
```

Michael Black wrote:

> ...
> Michael VE2BVW

So then, start out with the highest frequency coil--this one you should
be able to count the turns on.

Then, look at then next, wind it, test it, and adjust turns so that in
conforms to the expected frequency coverage of the "next band."

Then, sit down with your calculator and "predict" the next ... adjust
your calculations and predict/compute the next ... etc.--repeat as
necessary ...

Logic ... it pays off in the long run, is usable across all disciplines ...

Regards,
JS

```
From 3701267711604507018
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Sep 2008 22:00:50 -0500
From: Jeff Liebermann <jeffl@cruzio.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sat, 20 Sep 2008 20:02:57 -0700
Message-ID: <0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080920-0, 09/20/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 44
X-Trace: sv3-O5yz+uOjEhuvnxAVd/SN3Y46s6SmcSjUGNvhdVc3uUQr1VK+LDuCLqsh/
KwLM4X4Q4kQo/416GwzpKI!8cWFKgSJ/NQC11PIxpuASV4XS3TpJpd3b7iR/
E2jA3xpWgdzUyrsmN1UPFVTT3q/OQmsSlpaaQQH!q49giw==
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.antenna:3869
rec.radio.amateur.equipment:611
```

On Sat, 20 Sep 2008 16:14:21 -0700 (PDT), charrid <richfur@gmail.com> wrote:

>Would anybody who owns Eico model 710 GDO be willing to supply coil
>data (diameter, length, No. of turns, wire diameter) so that I could
>duplicate the coils?

Yech, tubes. I have several Heathkit grid dip meters, but no Eico.

This may help:
<http://www.qsl.net/n4xy/GDO_EICO.html>
The photo shows one coil, which should give you an idea as to the general size and construction of the coil.

The photo of the Eico 710-A looks very much like one of my Heathkits (buried somewhere). Do you have a 710 or a 710-A. There's a huge difference.

>I bought the coil-less 710 at the fleamarket and
>cannot find the coil set. I am mainly interested in the 2.9-7,5 and
>7.5-18 MHz ranges. Or maybe a close-up photo with a ruler laying next
>to the coils would be enough.
>73, Rich OK8RF

Others have suggested cut-n-try which is probably good enough. As long as the coil looks roughly like the original, it should work.

However, if you wanna do the math, look at the schematic and figure out the minimum and maximum capacitance on the variable tuning capacitor. Be sure to include any trimmers or padding capacitors in the tuned circuit. You know the lowest and highest frequencies from the dial. Drag out your abacus and plug the numbers into the usual LC resonant frequency equation. Solve for a value of L that will be roughly the same at both the high and low ends of the dial. You probably won't hit the exact value, but it should be close. Lots of online calculators for the inductance of solenoid wound coils. No need for an LRC meter as you can just plug it into the grid dip meter and count the frequency.

--
Jeff Liebermann   jeffl@cruzio.com
150 Felker St #D   http://www.LearnByDestroying.com
Santa Cruz CA 95060 http://802.11junk.com
Skype: JeffLiebermann   AE6KS   831-336-2558

From -2399631384732307718
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!

border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Sep 2008 22:09:20 -0500
From: Jeff Liebermann <jeffl@cruzio.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sat, 20 Sep 2008 20:11:26 -0700
Message-ID: <7debd41dhjli2g99ck777ns49d1a7mihpc@4ax.com>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
<0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080920-0, 09/20/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 24
X-Trace: sv3-
ZX5yr4pP+0cf0AhZrjspAupueVzh9stDQ6whqZWMZhJNwGjXCT+PCLzDYDIUrp8YmvXdIrIOSBcDLcD!
2SzondfivDSlc98fXei55WG/EkCEXxCsjoph5MzUR6l2h20ENiC7bJBVIEMwxcueBzEEeECr624t!
PMfh9w==
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.antenna:3870
rec.radio.amateur.equipment:612

On Sat, 20 Sep 2008 20:02:57 -0700, Jeff Liebermann <jeffl@cruzio.com>
wrote:

>This may help:
><http://www.qsl.net/n4xy/GDO_EICO.html>
>The photo shows one coil, which should give you an idea as to the
>general size and construction of the coil.

More photos.
<http://reviews.ebay.com/Eico-710-Grid-Dip-Meter-Coil-Set-protection-packing_W0QQugidZ10000000001863194?ssPageName=BUYGD:CAT:-1:SEARCH:5>
Oh-oh. My Heathkit coils do not have ferrite or iron slugs. The Eico
710 coils apparently do. The coil on the left is obviously broken.

Free manual for the Eico 710:
<http://bama.edebris.com/manuals/eico/710/>
I'm too lazy to find a DejaVu decompressor, but I expect there are
some instructions and diagrams of the coils in the manual.

--
Jeff Liebermann   jeffl@cruzio.com
150 Felker St #D   http://www.LearnByDestroying.com

Santa Cruz CA 95060 http://802.11junk.com
Skype: JeffLiebermann   AE6KS   831-336-2558

From 1204163048680040359
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed.straub-nv.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sat, 20 Sep 2008 21:27:20 -0700
Organization: albasani.net
Lines: 21
Message-ID: <gb4ifb$7ti$1@news.albasani.net>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
<0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
v0Ai8zkaFethO+K5yPFaMZCeSyjJ8LDO28kbuh+8rfD4irOjP3TOKiKHqV0oJvNUhI/
p90RDmYvxywyizwwNA7Dnnn/pZjlqhvtJQMRtnO4E5hWLw5sR4laoHYRtjYOI
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Sun, 21 Sep 2008 04:27:23 +0000 (UTC)
X-User-ID: AAzUkvpc3NWrRscy7o2vmHlUKSfO/G9rtlVZcAdsH1A=
In-Reply-To: <0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com>
Cancel-Lock: sha1:8zwv9dfQYIm8Gdjp9cIEYSZKsfw=
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
X-NNTP-Posting-Host: vP4jRdxqYUSEjK/4X6o8xD+Cj6xCXoxC9hr16vVc6ts=
Xref: g2news1.google.com rec.radio.amateur.antenna:3876
rec.radio.amateur.equipment:613

Jeff Liebermann wrote:

> ...
> Others have suggested cut-n-try which is probably good enough. As
> long as the coil looks roughly like the original, it should work.
> ...

Yeah, working as a software engineer and finding I get the most money from convincing those "with money" that I am worth "some of their money" has made me aware of the value of reverse engineering--whether software or hardware--it works!

But, if you have built enough "old box tube xmitters", you can almost guess the dia./turns/and-caps <wink> Heck, bet I could come up with a circuit using the same coils, using a fet, and saving the cost of the filament power! Indeed, if the tube uses an octal socket, in his current

GDO, why not replace the tube with a fet(s)?

Regards,
JS

From 3004195495759829392
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Sep 2008 23:49:01 -0500
From: Jeff Liebermann <jeffl@cruzio.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sat, 20 Sep 2008 21:51:07 -0700
Message-ID: <i6kbd49hmjo51vltiiras5n1ko6o4jpvji@4ax.com>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
<0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com> <gb4ifb$7ti$1@news.albasani.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080920-0, 09/20/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 42
X-Trace: sv3-
AMozEFbsxxVJVhm3UfbxlSma4madyZ0zqe5LaJVizGtYf5KSwE0y1Pv7+2JWzuN5lnAqYvKbGfsEf6Q!
4QZmU/tdusntFFVlVMwg9UuYJWZ+hyTfNdEEF213EJm4AmhnPsS4IxvonABzl2kySHxO0NK03XmR!
nkP1FA==
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.antenna:3877
rec.radio.amateur.equipment:614

On Sat, 20 Sep 2008 21:27:20 -0700, John Smith
<assemblywizard@gmail.com> wrote:

>Jeff Liebermann wrote:
>> ...
>> Others have suggested cut-n-try which is probably good enough. As
>> long as the coil looks roughly like the original, it should work.
>> ...

>Yeah, working as a software engineer and finding I get the most money
>from convincing those "with money" that I am worth "some of their money"

>has made me aware of the value of reverse engineering--whether software
>or hardware--it works!

The very first think I did when starting a new product, was to do a "survey" of the competitions products. If possible, some were purchased, dissected, reverse engineered, and on one occasion, cloned. No need to reinvent the wheel when the competition has done it for you.

>But, if you have built enough "old box tube xmitters", you can almost
>guess the dia./turns/and-caps <wink> Heck, bet I could come up with a
>circuit using the same coils, using a fet, and saving the cost of the
>filament power! Indeed, if the tube uses an octal socket, in his current
>GDO, why not replace the tube with a fet(s)?

Because the typical FET as a much higher transconductance (typically about 30 millisiemens versus 5 millisiemens) and a much wider frequency response, that you'll probably spend considerable time stabilizing the oscillator. It's not easy to build a tunable oscillator that operates over such a wide frequency range. Also, the grid and gate currents are quite different. It can be done because there are FET grid dip oscillators available. However, if you compare schematics, they are sufficiently different to require a rebuild.

It's also criminal sacrilege to despoil such a vintage boat anchor.

--
Jeff Liebermann   jeffl@cruzio.com
150 Felker St #D   http://www.LearnByDestroying.com
Santa Cruz CA 95060 http://802.11junk.com
Skype: JeffLiebermann   AE6KS   831-336-2558

From 3767190976040151315
X-Google-Thread: 108122,4adeeaaa7b4b9122
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!1bc6af47!
not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com>
<fYyuk.134$jE1.32@trnddc03> <74f5ffc3-
d551-491c-8323-4f5ad9dcfb0e@56g2000hsm.googlegroups.com>
<6VFuk.168$393.154@trnddc05> <19822543-
ca96-49e2-87c5-6fc40b3a64e2@e39g2000hsf.googlegroups.com>
Subject: Re: Using a 230V AC to 13.8V DC in the USA
Lines: 48
MIME-Version: 1.0
Content-Type: text/plain;

charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <L3vBk.436$3e1.175@trnddc02>
Date: Sun, 21 Sep 2008 16:59:23 GMT
NNTP-Posting-Host: 71.104.217.51
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1222016363 71.104.217.51 (Sun, 21 Sep 2008 12:59:23 EDT)
NNTP-Posting-Date: Sun, 21 Sep 2008 12:59:23 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:615
X-Original-Bytes: 3407

> It has been stated elsewhere in documentation not to hook a battery on the
> output for backup.- Hide quoted text -
>

It is potentially hazardous to float a battery on just any power supply output. Several issues can and DO arise with ALL power supplies.

1. May interfere with regulation.
2. May exceed the design limits for overvoltage protection circuits.
3. May exceed the design limits for overcurrent protection circuits.
4. May cause damage to the power supply or excessive current drain on the battery system when the power supply is not energized.
5. Voltage may not be set for proper charge/float operation resulting in premature failure of battery.
6. Other issues may arise from the modular nature of a complex system that can be too easily changed or modified without proper consideration, I.E. simply by hooking up another piece of gear, adding a wire or even adding a fuse holder that isn't designed to be used in an explosive and corrosive environment.
7. Battery float issues not considered or investigated in design, prototype, product development and marketing phases.
Or fully considered in corporate risk management and policy development, I.E. it is much safer and simpler to just say no rather than have to deal with explaining how to do it.

In order to float a battery on a supply, you need to either buy a supply designed for it or you need to redesign what you use.

There are also other serious potential hazards when dealing with batteries that need to be addressed.

1. Fire hazard
2. Hazardous Gas and Vapor handling, including burning insulation.
3. Acid containment issues
4. Explosion hazard
5. Mandatory skillful regular maintenance in order to minimize and avert disaster as well as maximize life expectancy.

As I stated, mine has been modified (redesigned) for battery float operation. To do this, you need years of training, experience and the ability to project that knowledge into successful practice. If you have an ongoing professional need for this please get in touch with me at:
http://infotech.awardspace.com/

Otherwise, DO NOT PROCEED! Because of various risks to Life,
Health and property of yourself AND OTHERS!

From -7116135336219059358
X-Google-Thread: 108122,4adeeaaa7b4b9122
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad.newshosting.com!newshosting.com!post01.iad!news.dslextreme.com!not-for-mail
Date: Sun, 21 Sep 2008 17:17:55 +0000
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.16 (X11/20080724)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Using a 230V AC to 13.8V DC in the USA
References: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com> <fYyuk.134$jE1.32@trnddc03> <74f5ffc3-d551-491c-8323-4f5ad9dcfb0e@56g2000hsm.googlegroups.com> <6VFuk.168$393.154@trnddc05> <19822543-ca96-49e2-87c5-6fc40b3a64e2@e39g2000hsf.googlegroups.com> <L3vBk.436$3e1.175@trnddc02>
In-Reply-To: <L3vBk.436$3e1.175@trnddc02>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 51
Message-ID: <48d681c3$0$22185$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:616

JB wrote:
>> It has been stated elsewhere in documentation not to hook a battery on the
>> output for backup.- Hide quoted text -
>>
>
> It is potentially hazardous to float a battery on just any power supply
> output. Several issues can and DO arise with ALL power supplies.
>
> 1. May interfere with regulation.
> 2. May exceed the design limits for overvoltage protection circuits.
> 3. May exceed the design limits for overcurrent protection circuits.
> 4. May cause damage to the power supply or excessive current drain on the
> battery system when the power supply is not energized.

> 5. Voltage may not be set for proper charge/float operation resulting in
> premature failure of battery.
> 6. Other issues may arise from the modular nature of a complex system
> that can be too easily changed or modified without proper consideration,
> I.E. simply by hooking up another piece of gear, adding a wire or even
> adding
> a fuse holder that isn't designed to be used in an explosive and corrosive
> environment.
> 7. Battery float issues not considered or investigated in design, prototype,
> product development and marketing phases.
> Or fully considered in corporate risk management and policy development,
> I.E. it is much safer and simpler to just say no rather than have to deal
> with explaining how to do it.
>
> In order to float a battery on a supply, you need to either buy a supply
> designed for it or you need to redesign what you use.
>
> There are also other serious potential hazards when dealing with batteries
> that need to be addressed.
>
> 1. Fire hazard
> 2. Hazardous Gas and Vapor handling, including burning insulation.
> 3. Acid containment issues
> 4. Explosion hazard
> 5. Mandatory skillful regular maintenance in order to minimize and avert
> disaster as well as maximize life expectancy.
>
> As I stated, mine has been modified (redesigned) for battery float
> operation. To do this, you need years of training, experience and the
> ability to project that knowledge into successful practice. If you have an
> ongoing professional need for this please get in touch with me at:
> http://infotech.awardspace.com/
>
> Otherwise, DO NOT PROCEED! Because of various risks to Life,
> Health and property of yourself AND OTHERS!
>
Aren't there IC chips that safely manage battery configurations such as
these?

From -6336287871540794408
X-Google-Thread: fb049,ad4a878d398da36f
X-Google-Thread: 108122,ad4a878d398da36f
X-Google-Thread: 1109af,ad4a878d398da36f
X-Google-Thread: 106d41,5f298671efa77a2
X-Google-Attributes:
gidfb049,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!m45g2000hsb.googlegroups.com!not-for-mail
From: mopeyzakween@yahoo.com
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

```
Subject: Re:
zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz
zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz
Date: Sun, 21 Sep 2008 10:21:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 10
Message-ID: <5bdfccad-0563-4371-9e3a-cdf0a8e8b288@m45g2000hsb.googlegroups.com>
References: <48398a0a@news.x-privat.org>
<48661e9d$0$809$c5fe31e7@reader.usenet4all.se>
     <48d5151f$1@news.x-privat.org> <a9978bed-f60b-4dd0-
b785-8fa425ef9cb5@e39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 72.240.218.108
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1222017706 31555 127.0.0.1 (21 Sep 2008 17:21:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Sep 2008 17:21:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m45g2000hsb.googlegroups.com; posting-host=72.240.218.108;
     posting-account=EYauFwoAAADpgTKtMQl5sSxO0kmxmu9w
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:255 rec.radio.amateur.equipment:617
rec.radio.swap:616 rec.radio.cb:2582

On Sep 20, 2:39=A0pm, "kb9rq...@hotmail.com" <kb9rq...@hotmail.com>
wrote:
> On Sep 20, 11:22=A0am, "Leland C Scott" <lelandcsc...@14mile.com> wrote:
>
> stalker

that's just faggot moparhoLICK acting like he always does...he wants
to have gay sex with hams and even the lambda crew think he is too
obsessed with it. His wife does the dog cuz mopey turned queer years
ago.


From 4635269024967631107
X-Google-Thread: fb049,ad4a878d398da36f
X-Google-Thread: 108122,ad4a878d398da36f
X-Google-Thread: 1109af,ad4a878d398da36f
X-Google-Thread: 106d41,5f298671efa77a2
X-Google-Attributes:
gidfb049,gid108122,gid1109af,gid106d41,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!79g2000hsk.googlegroups.com!not-for-
mail
From: "kb9rqz-3@hotmail.com" <kb9rqz-3@hotmail.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
Subject: Re:
```

```
zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz
zzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz
Date: Sun, 21 Sep 2008 10:25:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <f300717d-315b-4eee-891c-ca86c5e7412d@79g2000hsk.googlegroups.com>
References: <48398a0a@news.x-privat.org>
<48661e9d$0$809$c5fe31e7@reader.usenet4all.se>
     <48d5151f$1@news.x-privat.org> <a9978bed-f60b-4dd0-
b785-8fa425ef9cb5@e39g2000hsf.googlegroups.com>
     <5bdfccad-0563-4371-9e3a-cdf0a8e8b288@m45g2000hsb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1222017902 32226 127.0.0.1 (21 Sep 2008 17:25:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Sep 2008 17:25:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000hsk.googlegroups.com; posting-host=69.19.14.22;
     posting-account=eOo-XwoAAADrjk2Lo3ehLAcVz_9Zux2n
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:256 rec.radio.amateur.equipment:618
rec.radio.swap:617 rec.radio.cb:2585

On Sep 21, 1:21=A0pm, mopeyzakw...@yahoo.com wrote:
>
fraud


From 6893058237795602649
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!a70g2000hsh.googlegroups.com!not-for-
mail
From: charrid <richfur@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sun, 21 Sep 2008 12:52:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 25
Message-ID: <53245882-a3fa-4910-b9e3-b7cd0690f21f@a70g2000hsh.googlegroups.com>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
     <0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com>
<7debd41dhjli2g99ck777ns49d1a7mihpc@4ax.com>
NNTP-Posting-Host: 90.177.201.205
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
```

```
X-Trace: posting.google.com 1222026755 27539 127.0.0.1 (21 Sep 2008 19:52:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Sep 2008 19:52:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a70g2000hsh.googlegroups.com; posting-host=90.177.201.205;
     posting-account=4IFC0AoAAACvF_vvbWJ69M9qNKLCbX7x
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:3895
rec.radio.amateur.equipment:619

On Sep 21, 5:11=A0am, Jeff Liebermann <je...@cruzio.com> wrote:
> On Sat, 20 Sep 2008 20:02:57 -0700, Jeff Liebermann <je...@cruzio.com>
> wrote:

> Free manual for the Eico 710:
> <http://bama.edebris.com/manuals/eico/710/>
> I'm too lazy to find a DejaVu decompressor, but I expect there are
> some instructions and diagrams of the coils in the manual.
...
Jeff, thanks very much for your suggestions and links. I have actually
already downloaded BAMA manual (Dejavu plugin works great on IrfanView
4.20, saves as pdf) and I will get to work calculating the approximate
inductances. The variable C is the only component they don't show the
value for, but I'll take a guess, wind a coil and listen for the
signal. Then with some trial and error I can probably come up with a
couple of coils for the ranges I am interested in. I know the scale
won't be accurate, but in this day of digital readouts it's not
important.

I am fascinated with the number of GDO's shown on N4XY's site - I
remember seeing just Heath, Eico and an old Mullen.

Thanks agn
Rich OK8RF




From 1680165322387524428
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
z72g2000hsb.googlegroups.com!not-for-mail
From: charrid <richfur@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sun, 21 Sep 2008 13:03:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 39
Message-ID: <b3a6d2ae-104f-4cd3-98f7-939aa38f86b7@z72g2000hsb.googlegroups.com>
```

```
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
     <Pine.LNX.4.64.0809202145490.28405@darkstar.example.org>
NNTP-Posting-Host: 90.177.201.205
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1222027384 29689 127.0.0.1 (21 Sep 2008 20:03:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Sep 2008 20:03:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z72g2000hsb.googlegroups.com; posting-host=90.177.201.205;
     posting-account=4IFC0AoAAACvF_vvbWJ69M9qNKLCbX7x
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:3896
rec.radio.amateur.equipment:620
```

On Sep 21, 3:54=A0am, Michael Black <et...@ncf.ca> wrote:

> The coils are bound to have so many turns that they will be hard to count, unless someone actually unwound them.
>
> Open it up, see if you can figure the capacitance of the variable capacitor (or maybe there's a schematic somewhere that provides that information?), and then use the equations to figure out the needed inductance and then the number of turns to make that value of inductance. =A0Then you can use any size coil form, just so long as you can rig it to fit whatever the GDO is using for the coils to plug into. =A0Wind some extra turns, and then remove them if necessary (since it's easier to remove than add turns).
>
> It won't be exact, but any GDO dial is fairly vague. =A0The inherent capacitance of the coil will come into play, so you can decide whether it's best to have the GDO dial match at the high end or the low end.
>
> Thirty years ago there was an article in "73" about revamping a GDO, I think he solid-stated it but can't remember, but he didn't have a coil set either and described the process he went through to give it a set of coils. =A0I think it was radical surgery though, I seem to recall that he even changed the jacks used for the coils. =A0He took the easy way out, providing a jack to feed a frequency counter so the original dial was relatively unimportant.
>
> Michael =A0VE2BVW

I think I have a pretty good idea from various pictures of Eico or other GDO's what the coils should look like. I want mainly to get the instrument operational on 80-20m ranges, so there won't be too many turns. I have the manual but there is no variable cap value - looking at it and comparing to standard BC band 365pF it can't be more than 50-80 pF per section. So as you say - calculate the inductance, wind a coil... etc. adjust the winding until I hit the dial on one end.

Sounds like a lot of work for the old clunker, but I have the time and
enjoy this kind of stuff...

73 Rich OK8RF

From -3056617619948956067
X-Google-Thread: 108122,e8a35d770ad3f371,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: "Rollie" <rollie@iowatelecom.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re:RE; Using a 230V AC to 13.8V DC in the USA
Date: Sun, 21 Sep 2008 15:12:00 -0500
Organization: netINS InterNetNews site
Lines: 10
Message-ID: <gb69qi$j83$1@news.netins.net>
NNTP-Posting-Host: nevd-01-1968.dsl.iowatelecom.net
X-Trace: news.netins.net 1222027922 19715 71.7.103.176 (21 Sep 2008 20:12:02 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 21 Sep 2008 20:12:02 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:621

A normal storage battery (automotive) that I use as a standby is 13.8 Volts as it is in the automobile. I also have a standby generator, but the battery is the primary backup till the Genset starts. Anyway I have the battery for a RCI Ranger 2950 which I use in the radio shack and another in the mobile. 13.8 is GREAT

Whatever primary voltage (115 or 230) makes no difference, just whatever the convertor requires.

From -5354597259189953461
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 21 Sep 2008 19:13:23 -0500
From: Jeff Liebermann <jeffl@cruzio.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Subject: Re: Eico GDO coils
Date: Sun, 21 Sep 2008 17:15:32 -0700
Message-ID: <9undd45rrtfosuvse14uce9kn0ojepi8do@4ax.com>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com> <0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com> <7debd41dhjli2g99ck777ns49d1a7mihpc@4ax.com> <53245882-a3fa-4910-b9e3-b7cd0690f21f@a70g2000hsh.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Antivirus: avast! (VPS 080921-0, 09/21/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 69
X-Trace: sv3-2cdumZpChjLBwsuOQ7Tsw+jPCWU85vH9OHvd/1TcL+b+mFFU8n0Xf60RLFth7Y7P8am2roJOFr1rY0Z!WqJxAsYh+c/3Zoba5bh4+a2NJpNbFdkwLbV5/+YgRuB7NVeXfKrB662WtL10Eab7QsNveqgjZgjD!NhuTKg==
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.antenna:3899 rec.radio.amateur.equipment:622

On Sun, 21 Sep 2008 12:52:35 -0700 (PDT), charrid <richfur@gmail.com> wrote:

>On Sep 21, 5:11�am, Jeff Liebermann <je...@cruzio.com> wrote:
>> On Sat, 20 Sep 2008 20:02:57 -0700, Jeff Liebermann <je...@cruzio.com>
>> wrote:
>
>> Free manual for the Eico 710:
>> <http://bama.edebris.com/manuals/eico/710/>
>> I'm too lazy to find a DejaVu decompressor, but I expect there are
>> some instructions and diagrams of the coils in the manual.

>Jeff, thanks very much for your suggestions and links. I have actually
>already downloaded BAMA manual (Dejavu plugin works great on IrfanView
>4.20, saves as pdf)

Duh. I use Irfanview heavily, but have never bothered to download the
DejaVu plugin. Thanks.

>and I will get to work calculating the approximate
>inductances. The variable C is the only component they don't show the
>value for, but I'll take a guess, wind a coil and listen for the
>signal.

That will work as long as you don't accidentally land on a
sub-harmonic. Methinks a frequency counter might be more useful than
tuning around the bands looking for the signal.

If you have a capitance meter or bridge, it might be possible to measure the value of the tuning capacitor.

>Then with some trial and error I can probably come up with a
>couple of coils for the ranges I am interested in. I know the scale
>won't be accurate, but in this day of digital readouts it's not
>important.

Chuckle. A few months ago, I won a used HP something universal counter on eBay because I wanted the extra digits of resolution. However, that was for period and event counting, not frequency.

>I am fascinated with the number of GDO's shown on N4XY's site - I
>remember seeing just Heath, Eico and an old Mullen.

Search Google for "base dip oscillator" and "gate dip oscillator". There are a few designers that couldn't find the grid pin on the semiconductor devices. My Heathkit HD-1250 calls it a "solid-state dip meter".

I don't know if this will help, but the HD-1250 looks very much like the Eico (other than the tube versus the xistor). Here's a table of coil values for it assembled from various parts of the manual:

	MHZ	uH	
L1	1.6 - 3.4	171	red
L2	3.2 - 6.6	41.1	orn
L3	6.3 - 13	10.2	yel
L4	12.5 - 26	2.62	grn
L5	25 - 51	0.72	blu
L6	48 - 100	0.196	vio
L7	100 - 250	????	brn

As usual, no value on the tuning capacitor in the manual, but it can be calculated from the above data.

--
Jeff Liebermann   jeffl@cruzio.com
150 Felker St #D   http://www.LearnByDestroying.com
Santa Cruz CA 95060 http://802.11junk.com
Skype: JeffLiebermann   AE6KS   831-336-2558

From -5906368480289721789
X-Google-Thread: 108122,4adeeaaa7b4b9122
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns11feed!worldnet.att.net!199.45.49.37!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!nwrddc02.gnilink.net.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>

From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com>
<fYyuk.134$jE1.32@trnddc03> <74f5ffc3-
d551-491c-8323-4f5ad9dcfb0e@56g2000hsm.googlegroups.com>
<6VFuk.168$393.154@trnddc05> <19822543-
ca96-49e2-87c5-6fc40b3a64e2@e39g2000hsf.googlegroups.com>
<L3vBk.436$3e1.175@trnddc02> <48d681c3$0$22185$bd467cd0@news.dslextreme.com>
Subject: Re: Using a 230V AC to 13.8V DC in the USA
Lines: 66
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <acEBk.515$Jw.235@nwrddc02.gnilink.net>
Date: Mon, 22 Sep 2008 03:22:46 GMT
NNTP-Posting-Host: 71.104.217.51
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc02.gnilink.net 1222053766 71.104.217.51 (Sun, 21 Sep 2008 23:22:46
EDT)
NNTP-Posting-Date: Sun, 21 Sep 2008 23:22:46 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:623

"Dave" <dave@dave.dave> wrote in message
news:48d681c3$0$22185$bd467cd0@news.dslextreme.com...
> JB wrote:
> >> It has been stated elsewhere in documentation not to hook a battery on
the
> >> output for backup.- Hide quoted text -
> >>
> >
> > It is potentially hazardous to float a battery on just any power supply
> > output. Several issues can and DO arise with ALL power supplies.
> >
> > 1. May interfere with regulation.
> > 2. May exceed the design limits for overvoltage protection circuits.
> > 3. May exceed the design limits for overcurrent protection circuits.
> > 4. May cause damage to the power supply or excessive current drain on
the
> > battery system when the power supply is not energized.
> > 5. Voltage may not be set for proper charge/float operation resulting in
> > premature failure of battery.
> > 6. Other issues may arise from the modular nature of a complex system
> > that can be too easily changed or modified without proper consideration,
> > I.E. simply by hooking up another piece of gear, adding a wire or even
> > adding
> > a fuse holder that isn't designed to be used in an explosive and
corrosive

```
> > environment.
> > 7. Battery float issues not considered or investigated in design,
prototype,
> > product development and marketing phases.
> > Or fully considered in corporate risk management and policy development,
> > I.E. it is much safer and simpler to just say no rather than have to
deal
> > with explaining how to do it.
> >
> > In order to float a battery on a supply, you need to either buy a supply
> > designed for it or you need to redesign what you use.
> >
> > There are also other serious potential hazards when dealing with
batteries
> > that need to be addressed.
> >
> > 1. Fire hazard
> > 2. Hazardous Gas and Vapor handling, including burning insulation.
> > 3. Acid containment issues
> > 4. Explosion hazard
> > 5. Mandatory skillful regular maintenance in order to minimize and avert
> > disaster as well as maximize life expectancy.
> >
> > As I stated, mine has been modified (redesigned) for battery float
> > operation.  To do this, you need years of training, experience and the
> > ability to project that knowledge into successful practice.  If you have
an
> > ongoing professional need for this please get in touch with me at:
> > http://infotech.awardspace.com/
> >
> > Otherwise, DO NOT PROCEED!  Because of various risks to Life,
> > Health and property of yourself AND OTHERS!
> >
> Aren't there IC chips that safely manage battery configurations such as
> these?

Are airplanes safe?  Yes but it depends on how you build them, maintain
them, fuel them, take-off and Land them.   Who flys them and how...   I know
this much about airplanes but I'm not a pilot.




From -8251138875884977319
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!y21g2000hsf.googlegroups.com!not-for-
mail
From: charrid <richfur@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sun, 21 Sep 2008 22:25:33 -0700 (PDT)
```

```
Organization: http://groups.google.com
Lines: 17
Message-ID: <8d48bd12-b495-4ee4-ab6f-b76f014eba25@y21g2000hsf.googlegroups.com>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
     <0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com>
<7debd41dhjli2g99ck777ns49d1a7mihpc@4ax.com>
     <53245882-a3fa-4910-b9e3-b7cd0690f21f@a70g2000hsh.googlegroups.com>
     <9undd45rrtfosuvse14uce9kn0ojepi8do@4ax.com>
NNTP-Posting-Host: 90.177.201.205
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1222061134 5051 127.0.0.1 (22 Sep 2008 05:25:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 Sep 2008 05:25:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y21g2000hsf.googlegroups.com; posting-host=90.177.201.205;
     posting-account=4IFC0AoAAACvF_vvbWJ69M9qNKLCbX7x
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:3903
rec.radio.amateur.equipment:624

On Sep 22, 2:15=A0am, Jeff Liebermann <je...@cruzio.com> wrote:
> On Sun, 21 Sep 2008 12:52:35 -0700 (PDT), charrid <rich...@gmail.com>
> wrote:
>
> sub-harmonic. =A0Methinks a frequency counter might be more useful than
> tuning around the bands looking for the signal.
>
Which brings me to another one of my boat anchors - GR-1192B freq.
counter which worked fine for 20 years just stopped counting. I am
trying to find a manual on the Manual exchange group but so far no
reply. No BAMA record, either. I know the new counters are cheap and
tenth in size, but the neon display tubes look so nice...

Just got mail from K7ITM offering to supply the Eico coil info. Thanks
for the Heath data.

Rich OK8RF



From -4996503208029920505
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Sep 2008 01:35:04 -0500
From: Jeff Liebermann <jeffl@cruzio.com>
```

Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Sun, 21 Sep 2008 23:37:12 -0700
Message-ID: <f3eed451dff5nrm9b8vodcku47i1416pbd@4ax.com>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
<0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com>
<7debd41dhjli2g99ck777ns49d1a7mihpc@4ax.com> <53245882-a3fa-4910-b9e3-b7cd0690f21f@a70g2000hsh.googlegroups.com>
<9undd45rrtfosuvse14uce9kn0ojepi8do@4ax.com> <8d48bd12-b495-4ee4-ab6f-b76f014eba25@y21g2000hsf.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Antivirus: avast! (VPS 080921-0, 09/21/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 57
X-Trace: sv3-
AyeghFo6Ok750GhaJaXKg5BXvDWZ2mQzegMi9AEib3RUtFW08T9L62ebpeFz6g7cAaEBn55lAwB1yYH!
KvuzihT0APrDXMeIJdjGkkn/x8bywgkG9Bad3idCjcLsYq9R/5iBCWggfY3Yo2bg3GEioRMickoZ!
gB1M9g==
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.antenna:3908 rec.radio.amateur.equipment:625

On Sun, 21 Sep 2008 22:25:33 -0700 (PDT), charrid <richfur@gmail.com> wrote:

>On Sep 22, 2:15�am, Jeff Liebermann <je...@cruzio.com> wrote:
>> On Sun, 21 Sep 2008 12:52:35 -0700 (PDT), charrid <rich...@gmail.com>
>> wrote:
>>
>> sub-harmonic. �Methinks a frequency counter might be more useful than
>> tuning around the bands looking for the signal.

>Which brings me to another one of my boat anchors - GR-1192B freq.
>counter which worked fine for 20 years just stopped counting.

Nixie tubes. Ah... nostalgia. I've got several boxes with Nixie tubes (HP5248M, HP5246L, and some home made junk). I think I paid more for the printed manuals than for the counters and downconverters. The usual problem with ancient hardware are the electrolytic cazapitors. If you have an ESR meter, test them to see if they have "dried out". If everything looks like it's working (display lights up and digits change when thrashing the buttons), then it might be the time base oscillator or dividers. Try an external time base oscillator in case the crystal has quit.

>I am
>trying to find a manual on the Manual exchange group but so far no
>reply. No BAMA record, either. I know the new counters are cheap and
>tenth in size, but the neon display tubes look so nice...

Photo of the counter at bottom of page:
<http://www.k5cm.com/k1ggiFMTMethod.htm>

General Radio morphed into GenRad and was bought by Teradyne. The test equipment division went to IET Labs:
<http://www.ietlabs.com/Genrad/index.html>
The have a few manuals online:
<http://www.ietlabs.com/pdf/Manuals/index.html>
but not the GR1192B. Send them email as I'm sure they have a printed copy in the archives that only needs to be scanned. Maybe just the schematic and block diagram.

I make it a habit of buying or downloading the manual for literally every piece of test equipment that I use. I find myself repairing the old equipment all too often:
<http://802.11junk.com/jeffl/pics/home/slides/lab.html>
Note: It's a lab, not a museum.

>Just got mail from K7ITM offering to supply the Eico coil info. Thanks
>for the Heath data.

Cool. One question. Is the frequency range of the Eico the same as the Heathkit ranges that I listed? I'm curious.

--
Jeff Liebermann   jeffl@cruzio.com
150 Felker St #D   http://www.LearnByDestroying.com
Santa Cruz CA 95060 http://802.11junk.com
Skype: JeffLiebermann   AE6KS   831-336-2558

From -6379507716603232228
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!d45g2000hsc.googlegroups.com!not-for-mail
From: charrid <richfur@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Mon, 22 Sep 2008 01:00:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 56
Message-ID: <e1f91143-679b-4058-b960-95351b5097f8@d45g2000hsc.googlegroups.com>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
     <0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com>
<7debd41dhjli2g99ck777ns49d1a7mihpc@4ax.com>

```
     <53245882-a3fa-4910-b9e3-b7cd0690f21f@a70g2000hsh.googlegroups.com>
     <9undd45rrtfosuvse14uce9kn0ojepi8do@4ax.com> <8d48bd12-b495-4ee4-ab6f-
b76f014eba25@y21g2000hsf.googlegroups.com>
     <f3eed451dff5nrm9b8vodcku47i1416pbd@4ax.com>
NNTP-Posting-Host: 90.177.201.205
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1222070460 1525 127.0.0.1 (22 Sep 2008 08:01:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 Sep 2008 08:01:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d45g2000hsc.googlegroups.com; posting-host=90.177.201.205;
     posting-account=4IFC0AoAAACvF_vvbWJ69M9qNKLCbX7x
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:3909
rec.radio.amateur.equipment:626

On Sep 22, 8:37=A0am, Jeff Liebermann <je...@cruzio.com> wrote:
> On Sun, 21 Sep 2008 22:25:33 -0700 (PDT), charrid <rich...@gmail.com>
> wrote:

> "dried out". =A0If everything looks like it's working (display lights up
> and digits change when thrashing the buttons), then it might be the
> time base oscillator or dividers. =A0Try an external time base
> oscillator in case the crystal has quit. =A0

Power supply was also my first thought, but Nixies light up and if I
try hard, I  can change some digits. Time base fault sounds like a
good bet. Thanks for the hint.
>
> Photo of the counter at bottom of page:
> <http://www.k5cm.com/k1ggiFMTMethod.htm>
>
I have already emailed k5cm asking if he has the manual

> The have a few manuals online:
> <http://www.ietlabs.com/pdf/Manuals/index.html>
> but not the GR1192B. =A0Send them email as I'm sure they have a printed
> copy in the archives that only needs to be scanned. =A0Maybe just the
> schematic and block diagram.

I did get to ietlabs site in my first searches. Never thought of
mailing them for a scan, though. I'll give them a try.


> old equipment all too often:
> <http://802.11junk.com/jeffl/pics/home/slides/lab.html>
> Note: =A0It's a lab, not a museum.

I don't think 20-30 year old HP's are at all museum pieces - they are
```

still in their prime.

> Cool. =A0One question. =A0Is the frequency range of the Eico the same as
> the Heathkit ranges that I listed? =A0I'm curious.

Eico 710 has 8 coils starting below AM BC band:
L1 0.4 - 0.7
L2 0.7-1.38
L3 1.38-2.9
L3 2.9-7.5
L4 7.5-18
L5 18-42
L6 42-100
L7 100-250

Rich, OK8RF

> --
> Jeff Liebermann =A0 =A0 je...@cruzio.com
> 150 Felker St #D =A0 =A0http://www.LearnByDestroying.com
> Santa Cruz CA 95060http://802.11junk.com
> Skype: JeffLiebermann =A0 =A0 AE6KS =A0 =A0831-336-2558

From -8676026160801257488
X-Google-Thread: fcc6e,2fd602ea806724a
X-Google-Thread: 108122,2fd602ea806724a
X-Google-Attributes: gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Sep 2008 10:51:23 -0500
From: Jeff Liebermann <jeffl@cruzio.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Eico GDO coils
Date: Mon, 22 Sep 2008 08:53:35 -0700
Message-ID: <7tefd4pi8ttglvat1ua76ekr2v8or0g294@4ax.com>
References: <000b7859-691e-418d-b9a1-609626329f79@k7g2000hsd.googlegroups.com>
<0gdbd45nk1vlvqa6fv9i8p085nstb4c174@4ax.com>
<7debd41dhjli2g99ck777ns49d1a7mihpc@4ax.com> <53245882-a3fa-4910-b9e3-
b7cd0690f21f@a70g2000hsh.googlegroups.com>
<9undd45rrtfosuvse14uce9kn0ojepi8do@4ax.com> <8d48bd12-b495-4ee4-ab6f-
b76f014eba25@y21g2000hsf.googlegroups.com>
<f3eed451dff5nrm9b8vodcku47i1416pbd@4ax.com> <e1f91143-679b-4058-
b960-95351b5097f8@d45g2000hsc.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Antivirus: avast! (VPS 080922-0, 09/22/2008), Outbound message
X-Antivirus-Status: Clean

Lines: 71
X-Trace: sv3-kPDBRy/
OVgizhoMaxGcUojhzhPBNR4wmBd3Qn9N+SFMJ4X5TS3UGPHjACfh55QpBBHFBz3uZ43r1RU/!
yxSgbtJljyPsqT+SE3phURDaF5bSCE/ApnS0RutoAsu4djaVza8yYuCEDgLHAzC1ptK2+KyHv/hk!
OUlYXw==
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.antenna:3917 rec.radio.amateur.equipment:627

On Mon, 22 Sep 2008 01:00:59 -0700 (PDT), charrid <richfur@gmail.com> wrote:

>Power supply was also my first thought, but Nixies light up and if I
>try hard, I can change some digits. Time base fault sounds like a
>good bet. Thanks for the hint.

It's probably a simple divide by 10 divider chain. Should be easy to troubleshoot. Since it probably doesn't work on any range, it's probably somewhere between the clock oscillator and the first digit counter. This should be easy (famous last words).

Incidentally, I bought an HP5334A counter on eBay. When plugged in, it displayed an error messages that indicated the clock section was dead. I got a really good price on it, so I decided it was better to fix than to return. I didn't have a schematic yet, and none could be found to download. After replacing the clock oscillator and the hex inverter that was acting as an oscillator, I eventually discovered that the internal/external toggle switch was open. Sounds simple but this trivial troubleshooting exercise took about a week.
Moral #1: If it moves, it breaks (especially on old equipment).
Moral #2: Simple problems take forever. Complex problems are easy.
Moral #3: That which is most obviously working, beyond any need of checking, it usually the problem.

>I did get to ietlabs site in my first searches. Never thought of
>mailing them for a scan, though. I'll give them a try.

It will probably cost you some money, but methinks is worth the effort.

I'm sitting on a fairly complete collection of Intech marine radio service manuals from the 1970's. One of my customers has a Canon Imagerunner 5000 copier and scanner combination that does a totally impressive job of scanning manuals (hopper feed, de-collating, scan to PDF, etc). At about 2-3 hours per manual, this is a major project.

>> old equipment all too often:
>> <http://802.11junk.com/jeffl/pics/home/slides/lab.html>

>> Note: �It's a lab, not a museum.
>
>I don't think 20-30 year old HP's are at all museum pieces - they are
>still in their prime.

That depends on what you're doing. For tinkering and experimentation,
it's good enough. For design projects and consulting, it's
inefficient, insufficient in many ways, and barely adequate. For
example, using a digital camera to obtain a spectrum analyzer image is
rather clumsy with my cardboard hood.

>> Cool. �One question. �Is the frequency range of the Eico the same as
>> the Heathkit ranges that I listed? �I'm curious.
>
>Eico 710 has 8 coils starting below AM BC band:
>L1 0.4 - 0.7
>L2 0.7-1.38
>L3 1.38-2.9
>L3 2.9-7.5
>L4 7.5-18
>L5 18-42
>L6 42-100
>L7 100-250

Thanks. Not even close to the Heathkit. So much for that theory.

--
Jeff Liebermann   jeffl@cruzio.com
150 Felker St #D   http://www.LearnByDestroying.com
Santa Cruz CA 95060 http://802.11junk.com
Skype: JeffLiebermann   AE6KS   831-336-2558

From -592446186202914530
X-Google-Thread: fc8b1,9a3e686b37d9b95a,start
X-Google-Thread: 108122,9a3e686b37d9b95a,start
X-Google-Thread: 108228,9a3e686b37d9b95a,start
X-Google-Thread: 1109af,9a3e686b37d9b95a,start
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x35g2000hsb.googlegroups.com!not-for-mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap
Subject: FA: 6JS6C, WWII Switch box NEW, Hi-End RF Connectors, etc!
Date: Mon, 22 Sep 2008 09:16:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <444f7dc2-de21-40d9-b8e3-164902d9b4f0@x35g2000hsb.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222100194 31712 127.0.0.1 (22 Sep 2008 16:16:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 Sep 2008 16:16:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000hsb.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1015
rec.radio.amateur.equipment:628 alt.ham-radio.marketplace:220 rec.radio.swap:620
```

http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

```
From 5401127642927102590
X-Google-Thread: 108122,ee0c81f49bee6a5b,start
X-Google-Thread: 1109af,ee0c81f49bee6a5b,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!4f97008e!not-for-
mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Motorola VHF and lowband
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <MzQBk.645$MN3.477@nwrddc01.gnilink.net>
Date: Mon, 22 Sep 2008 17:27:08 GMT
NNTP-Posting-Host: 71.175.238.38
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1222104428 71.175.238.38 (Mon, 22 Sep 2008 13:27:08
EDT)
NNTP-Posting-Date: Mon, 22 Sep 2008 13:27:08 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:2991 rec.radio.swap:3502
X-Original-Bytes: 1369
```

Motorola Maxtrac LB 29.7-36mhz 16 channel with mic, bracket and power cable.
$195.00 plus shipping.
2- Radius GP300's VHF 16 channel with charger, good NiMh batteries and
speaker mics. $175.00 each or $310 for the pair shipped.
Also still available, MT1000 LB 42-50mhz, radio, battery, and speaker mic.
Make offer. As is!

```
Items only shipped in Cont. US. USPS money orders only. No personal checks.

pottsladd at yahoo . com




From 3825582851940327480
X-Google-Thread: 108122,83c5f9ff7b7b157f,start
X-Google-Thread: 107ada,83c5f9ff7b7b157f,start
X-Google-Thread: 10bf43,83c5f9ff7b7b157f,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
k30g2000hse.googlegroups.com!not-for-mail
From: tamarmadgecay@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
Subject: boobs webcams
Date: Tue, 23 Sep 2008 06:42:16 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <711eaa5d-b2e4-4e39-b9fa-b4f51eb6377f@k30g2000hse.googlegroups.com>
NNTP-Posting-Host: 92.112.154.0
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222177337 17650 127.0.0.1 (23 Sep 2008 13:42:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 Sep 2008 13:42:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k30g2000hse.googlegroups.com; posting-host=92.112.154.0;
     posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:630
rec.radio.amateur.homebrew:795 rec.radio.amateur.misc:1182
rec.radio.amateur.policy:10386

asian women webcams - adult cam - xxx webcams - sluts webcams - latina
women webcams - fucking hardcore webcams - sluts webcams
http://ragdai.info/bdsm-cam-broadcasting.htm


From -5835670239788914966
X-Google-Thread: 1109af,d4d82e829059b5e,start
X-Google-Thread: 108122,d4d82e829059b5e,start
X-Google-Thread: 114a57,d4d82e829059b5e,start
X-Google-Attributes: gid1109af,gid108122,gid114a57,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.hf
Subject: FA: TEN-TEC Delta II Model 936 transceiver
Message-ID: <e796a770fedb7bc7a06a6801016740e6@pseudo.borked.net>
Date: Wed, 24 Sep 2008 07:53:30 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.swap:3505 rec.radio.amateur.equipment:2993
alt.ham-radio.hf:191

http://easyurl.net/DeltaII

From -9051162212860011641
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news.tornevall.net!not-for-mail
From: "N8WWM" <mrbindwell@n8wwm.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave
Subject: KC8QJP and N8WWM Glory Hole Party - KC8QJP will be offering discount tax
consulting through the hole while doug is on his knees
Date: Wed, 24 Sep 2008 11:46:33 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 18
Message-ID: <gbdnk4$h08$1@news.tornevall.net>
References: <2702ff02-d57d-403b-9d09-07f49bf5c6cd@a1g2000hsb.googlegroups.com>
<g8neab$vqs$1@news.mixmin.net> <48d51447$1@news.x-privat.org>
NNTP-Posting-Host: 3333f3790e187d75920a13bfb9a77ccf
X-Trace: a9c571607b22376b54dac351dbe65e71
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-Complaints-Language: Spoken language is english or swedish - NOT ITALIAN,
FRENCH, GERMAN OR ANY OTHER LANGUAGE!
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=a9c571607b22376b54dac351dbe65e71
X-SpeedUI: 286
X-Complaints-Italiano: Parlo la lingua non � italiano
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1675
rec.radio.amateur.antenna:20566 rec.radio.amateur.equipment:2994
rec.radio.shortwave:45089

"Leland C Scott" <lelandcscott@14mile.com> wrote in message

news:48d51447$1@news.x-privat.org...
> http://img529.imageshack.us/my.php?image=n8dontbeadickheadwd9.jpg
> "n8wwm mrbindwell (fatboy)"
>

Pick up some crisco on your way over tonight, KC8QJP needs a good
slathering on her hind quarters.

She's also getting ready to start her tax return posts again like she does
every year. You remember those..

http://tinyurl.com/46teqq

She says she wants to add some pics of her and me to them this year.

From 7352679079282958119
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!gnilink.net!uns-out.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!fe115.usenetserver.com.POSTED!a2db6bf5!not-for-mail
From: "chickenhawk" <chickenhawk@dugslappa.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.shortwave
Followup-To: rec.radio.cb
References: <2702ff02-d57d-403b-9d09-07f49bf5c6cd@a1g2000hsb.googlegroups.com>
<g8neab$vqs$1@news.mixmin.net> <48d51447$1@news.x-privat.org>
<gbdnk4$h08$1@news.tornevall.net>
Subject: Re: KC8QJP and N8WWM Glory Hole Party - KC8QJP will be offering discount tax consulting through the hole while doug is on his knees
Lines: 25
Organization: radio rambo
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <LutCk.765$Ur4.307@fe115.usenetserver.com>
X-Complaints-To: abuse@WWWSpace.NET
NNTP-Posting-Date: Wed, 24 Sep 2008 12:00:43 EDT
Date: Wed, 24 Sep 2008 12:00:33 -0400
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1676
rec.radio.amateur.antenna:20568 rec.radio.amateur.equipment:2995
rec.radio.shortwave:45091

"N8WWM" <mrbindwell@n8wwm.com> wrote in message
news:gbdnk4$h08$1@news.tornevall.net...
>
> "Leland C Scott" <lelandcscott@14mile.com> wrote in message

> news:48d51447$1@news.x-privat.org...
>> http://img529.imageshack.us/my.php?image=n8dontbeadickheadwd9.jpg
>> "n8wwm mrbindwell (fatboy)"
>>
> Pick up some crisco on your way over tonight, KC8QJP needs a good
> slathering on her hind quarters.
>
> She's also getting ready to start her tax return posts again like she does
> every year. You remember those..
>
> http://tinyurl.com/46teqq
>
> She says she wants to add some pics of her and me to them this year.
>
>
>

tell her not to do it doug bi crisco kathy has already served jail time for
her accounting fraud.

```
From 7660358914195102511
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r66g2000hsg.googlegroups.com!not-for-mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.running,rec.scouting.issues
Subject: Filthy Pink Sneakers. By Marina Cooper
Date: Wed, 24 Sep 2008 10:33:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <416c7efd-bc03-4bf7-8d4a-5a503eca0f7d@r66g2000hsg.googlegroups.com>
NNTP-Posting-Host: 92.112.146.209
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222277585 12856 127.0.0.1 (24 Sep 2008 17:33:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 24 Sep 2008 17:33:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r66g2000hsg.googlegroups.com; posting-host=92.112.146.209;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2996
rec.radio.amateur.homebrew:3259 rec.radio.amateur.misc:9079 rec.running:23178
rec.scouting.issues:3808
```

```
SEXY story. The cute doorman gives me an enigmatic look when I say I'm
here to see you. I am not sure if maybe he thinks I am your daughter.
You are not quite old enough for that, I am not quite young enough -
but we are pretty close. Am I wrong for thinking that's hot?
Definitely. I think...  http://ragdai.info/sex-story.html


From 3342884086706001290
X-Google-Thread: 108122,65ae4807dacb5c9d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 24 Sep 2008 12:59:18 -0500
From: TestMaster <TestMaster.3203545@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Seeking Anritsu SiteMasters
Date: Wed, 24 Sep 2008 17:32:08 +0100
Message-ID: <TestMaster.3203545@radiobanter.com>
Organization: RadioBanter.com
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-7g2OWPklXV9tEDqNYrnis7v4zKbX8BDbGQabPaFedbE8rMYlIrjdMbPLhO4dg5yOHUuIoas8kewWUz
4!jQ2pVVEjt2JFVDjpiL1lgOVZh/Bge9U9hvIZ0YhQtnt7T/ENQADCPIZ3QXcRGP8zBxEyWJodGLes!
P+YcWCYg
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 2
Xref: g2news2.google.com rec.radio.amateur.equipment:2997


Anritsu SiteMasters Wanted
what do you have available?




--
TestMaster


From -4631337688705121970
X-Google-Thread: 108122,254ef3a9870946bf,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!kanaga.switch.ch!
switch.ch!newsserver.news.garr.it!newsserver.cilea.it!not-for-mail
```

From: Michele <noone@nowhere.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu VX8R
Date: Thu, 25 Sep 2008 09:38:32 +0200
Organization: CILEA
Lines: 11
Message-ID: <gbff2j$vf8$1@newsserver.cilea.it>
Reply-To: noone@nowhere.it
NNTP-Posting-Host: damico.elet.polimi.it
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: newsserver.cilea.it 1222328211 32232 131.175.123.77 (25 Sep 2008 07:36:51 GMT)
X-Complaints-To: news@cilea.it
NNTP-Posting-Date: 25 Sep 2008 07:36:51 GMT
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
Xref: g2news2.google.com rec.radio.amateur.equipment:2998

Hi everybody,
just a line to inform that there is a great yahoogroup devoted to the
new Yaesu VX-8R.. you can find it at:

http://groups.yahoo.com/group/VX_8R/

Please feel free to join !
73,

Mike

From -1512686260681833641
X-Google-Thread: 108122,8c501afae0c165f2,start
X-Google-Thread: fc2a5,8c501afae0c165f2,start
X-Google-Thread: 107ada,8c501afae0c165f2,start
X-Google-Thread: 110c99,8c501afae0c165f2,start
X-Google-Thread: 111320,8c501afae0c165f2,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!z66g2000hsc.googlegroups.com!not-for-mail
From: tyreemand@gmail.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.running,rec.scouting.issues
Subject: I AM DOMME HEAR ME ROAR.25 year old Woman BellaPura
Date: Fri, 26 Sep 2008 06:20:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <1469c7a6-b1b2-4ceb-a8de-bfda8bcf2994@z66g2000hsc.googlegroups.com>
NNTP-Posting-Host: 92.112.131.200

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222435230 29906 127.0.0.1 (26 Sep 2008 13:20:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 Sep 2008 13:20:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z66g2000hsc.googlegroups.com; posting-host=92.112.131.200;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2999
rec.radio.amateur.homebrew:3276 rec.radio.amateur.misc:9085 rec.running:23213
rec.scouting.issues:3809

25 year old Woman BellaPura in Saint Louis, Looking For: Men, Women,
Couples for erotic email exchange, phone fantasies, performing only,
watching only or active participation http://ragdai.info/BellaPura.htm



From -5394967228738245959
X-Google-Thread: 108122,af35bd12dc8d4859,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!26g2000hsk.googlegroups.com!not-for-
mail
From: Snowman <Sgrubor@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Yaesu VX-6 Handheld NEW + cradle, mic, Diamond ant. FREE SHIPPING
Date: Fri, 26 Sep 2008 10:06:31 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <ab2ca012-a742-4ef6-bd84-bfe613b5fb72@26g2000hsk.googlegroups.com>
NNTP-Posting-Host: 216.174.136.2
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222448792 9348 127.0.0.1 (26 Sep 2008 17:06:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 Sep 2008 17:06:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 26g2000hsk.googlegroups.com; posting-host=216.174.136.2;
     posting-account=lrcp5goAAADrRPKCdM1ooXsnGXh1vR6M
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:3000

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=180293825515

Awesome waterproof durable HAM transciever.
```

Also receives FM radio and TV, weather radio and warnings, AM and SW
radio, FRS....
Can be programmed as emergency beacon/locator, amazing unit.

From 3798738890566864522
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: CRT for Moto R2001
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <e5fDk.241476$102.39957@bgtnsc05-news.ops.worldnet.att.net>
Date: Sat, 27 Sep 2008 00:26:50 GMT
NNTP-Posting-Host: 12.64.108.145
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1222475210 12.64.108.145 (Sat, 27 Sep 2008 00:26:50 GMT)
NNTP-Posting-Date: Sat, 27 Sep 2008 00:26:50 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:3001

Hello and thanks for the read.
I believe I am going to need a replacement CRT for my Motorola R-2001C
Service Monitor.
I have a weak trace that I can focus. I am going to check the voltages but
don't have much hope that that will be the problem.
Does anyone have a lead on where I might find a good replcement CRT if I
need it?
Larry

From -3097774421670503082
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!news.k-dsl.de!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power inverter
Date: Fri, 26 Sep 2008 21:07:20 -0400
Organization: Aioe.org NNTP Server
Lines: 28
Message-ID: <fmmck-8F064B.21072026092008@nntp.aioe.org>

References: <gb2rel$mke$1@news-01.bur.connect.com.au>
NNTP-Posting-Host: tx+F54j/XlwjNpOSDZAuAg.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:3002

In article <gb2rel$mke$1@news-01.bur.connect.com.au>,
"Gary Smith" <vkthree@gmail.com> wrote:

> Hi all, i purchased a 12vdc to 240vac inverter for using my laptop. it's a
> 300 watt model fromm Jaycar.
> I asked the person running the shop if i could run my 100w IC725 from it. NO
> WAY was the reply.
>
> I was thinking of running the DSE D-3800 power supply from it when out on
> contests and running the laptop and ssb hf rig from it.

Gary-

This is one of those things you can try and see if it will work!

Instead of estimating the power your equipment needs, you need to find a
way measure it. I measured power consumed of an HF rig putting out 100
Watts CW, and found the actual AC consumption was about 350 Watts.

JB-

As far as needing 13.8 Volts instead of 12.3, there is a product on the
market designed just for that problem. One version was published in QST
several years ago, and may be currently marketed by the original author.
Another variation is the MFJ-4416.

Fred
K4DII

From -6808020404015286951
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j22g2000hsf.googlegroups.com!not-for-mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap
Subject: FA: All sorts of stuff 6LQ6-Yaesu & Icom Mike-QRPp xmtr, etc
Date: Fri, 26 Sep 2008 18:07:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <c001b0ba-8a3b-4b41-b746-53f8faddda80@j22g2000hsf.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222477646 2846 127.0.0.1 (27 Sep 2008 01:07:26 GMT)

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 Sep 2008 01:07:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j22g2000hsf.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4176
rec.radio.amateur.equipment:3003 alt.ham-radio.marketplace:857 rec.radio.swap:3517
```

http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

```
From -2984603090884671207
X-Google-Thread: 108122,14e124c79e84fe5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 26 Sep 2008 22:45:25 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
<8e49d41d-3f4f-4c87-a898-996b322dcb7f@k36g2000pri.googlegroups.com>
Subject: Re: Kenwood TS-570S
Date: Fri, 26 Sep 2008 22:45:23 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <cq-dnaMYPZ_IMUDVnZ2dnUVZ_gadnZ2d@comcast.com>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.239.37.56
X-Trace: sv3-glaBwZfnoGvQQbuiJTb/
FuqWEEwe9OtlR7MTgfvP4Lcb6Z77ZQ6DAiryk5X5iWSVjlp0X252gT7uxJ2!
pMwhqA4X0+MwXG0LGVHfCyzejr1oIsArP6XBxpM9tSpoTCTufNXdceyobB1DCPYstjahJbRk5p8f!
o7e9v+Qj7afeMZcTCTVXs+TVkl1k
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:642
```

One of the functions that you can enable with this unit is a Tx audio
moniter. Check out your manual. There is nothing wrong with the radio. Read
the manual.

Pete

<woodward42@gmail.com> wrote in message
news:8e49d41d-3f4f-4c87-a898-996b322dcb7f@k36g2000pri.googlegroups.com...
On Sep 9, 9:15 am, woodwar...@gmail.com wrote:
> Am experiencing RF on the chassis of the radio when transmit. Have good ground system, clean power supply, resonant antenna w/ low SWR. When I touch the antenna of my RF Field Strength meter to any metal on the radio, wattmeter or power supply it pins the needle. Opened radio, looked at ant output connectors, could find no problems or bad solder joints. Installed 1:1 choke balun on coax at radio, no effect on problem. Hear myself talking in the headset and when transmitting it triggers a motion detector light mounted outside and above the ham shack. Same effect when using a dummy load. Defect inside the radio, anyone experienced this?
>
> 73, Steve

Thanks to everyone who responded. The problem of hearing myself when transmitting is a problem in the radio as I suspected. The motion light issue is of no concern, they are inherently prone to RF setting them off. This one is only about 5' above the radio on the outside wall. My main question was directed to if anyone had this type problem with their TS-570.

73, Steve

From -7412387751406993796
X-Google-Thread: 108122,390c35deaa73852c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a29g2000pra.googlegroups.com!not-for-mail
From: anuu <anujbatta2012@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Money makes everyone healthy
Date: Sat, 27 Sep 2008 09:58:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 6
Message-ID: <0734ea94-39ef-41cd-b824-02308eda8e66@a29g2000pra.googlegroups.com>
NNTP-Posting-Host: 117.195.98.171
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222534713 16006 127.0.0.1 (27 Sep 2008 16:58:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 Sep 2008 16:58:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a29g2000pra.googlegroups.com; posting-host=117.195.98.171;
     posting-account=P6WxvwoAAACi7L5z7Pso82IRPz5hEP17

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:643

Earn Money Within Minutes By Joining any Program

For more information Please Visit:


http://www.365jobs4u.com/idevaffiliate/pages/2137.php


From 4562608889532768437
X-Google-Thread: 108122,64f7416b9a6fa99b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!nwrddc01.gnilink.net.POSTED!1bc6af47!not-for-
mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <e5fDk.241476$102.39957@bgtnsc05-news.ops.worldnet.att.net>
Subject: Re: CRT for Moto R2001
Lines: 19
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <tFvDk.331$kI6.74@nwrddc01.gnilink.net>
Date: Sat, 27 Sep 2008 19:17:45 GMT
NNTP-Posting-Host: 71.110.230.143
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1222543065 71.110.230.143 (Sat, 27 Sep 2008 15:17:45
EDT)
NNTP-Posting-Date: Sat, 27 Sep 2008 15:17:45 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:644


"Larry McGee" <lrmagoo@worldnet.att.net> wrote in message
news:e5fDk.241476$102.39957@bgtnsc05-news.ops.worldnet.att.net...
> Hello and thanks for the read.
> I believe I am going to need a replacement CRT for my Motorola R-2001C
> Service Monitor.
> I have a weak trace that I can focus. I am going to check the voltages but
> don't have much hope that that will be the problem.
```

> Does anyone have a lead on where I might find a good replcement CRT if I
> need it?
> Larry

You might try rejuvenating it and reset bias. I have extended the life of
CRTs between 3-15 years on nearly all that way (not much use these days).
It can only improve the situation unless the phosphor is burned. .

They were never much good out in the sun anyway though. It would really be
interesting to see if an LCD monitor module might fit in it's place.

```
From 577186380917688625
X-Google-Thread: 108122,8c501afae0c165f2
X-Google-Thread: fc2a5,8c501afae0c165f2
X-Google-Thread: 107ada,8c501afae0c165f2
X-Google-Thread: 110c99,8c501afae0c165f2
X-Google-Thread: 111320,8c501afae0c165f2
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!l42g2000hsc.googlegroups.com!not-for-
mail
From: an_old_friend <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: day 114 of the lawsuit wach the suit is stil MIA
Date: Sat, 27 Sep 2008 17:32:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <a17166a3-850e-4c1a-9de3-680e52073d17@l42g2000hsc.googlegroups.com>
References: <1469c7a6-b1b2-4ceb-a8de-bfda8bcf2994@z66g2000hsc.googlegroups.com>
NNTP-Posting-Host: 69.19.14.36
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1222561980 2836 127.0.0.1 (28 Sep 2008 00:33:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 28 Sep 2008 00:33:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l42g2000hsc.googlegroups.com; posting-host=69.19.14.36;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.3)
     Gecko/2008092417 Firefox/3.0.3,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:645
rec.radio.amateur.homebrew:854 rec.radio.amateur.misc:1207 rec.running:4051
rec.scouting.issues:876
```

On Sep 26, 9:20=A0am, tyreem...@gmail.com wrote:
>

```
spam



From 5516040086303986845
X-Google-Thread: 108122,4abfdf898b7890f2,start
X-Google-Thread: 1109af,4abfdf898b7890f2,start
X-Google-Thread: 108228,4abfdf898b7890f2,start
X-Google-Thread: fc8b1,4abfdf898b7890f2,start
X-Google-Attributes:
gid108122,gid1109af,gid108228,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!mail2news-
x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors
Subject: FA: DENTRON MLA 2500 linear amplifier
Message-ID: <fa6010e7c3e5f0ce9e2f2704daf3042e@pseudo.borked.net>
Date: Sun, 28 Sep 2008 07:29:26 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:646 rec.radio.swap:637
alt.ham-radio.marketplace:224 rec.radio.amateur.boatanchors:1033

http://easyurl.net/DENTRON




From -3159080591755158943
X-Google-Thread: 108122,32ec4bbb895ca,start
X-Google-Thread: fc2a5,32ec4bbb895ca,start
X-Google-Thread: 107ada,32ec4bbb895ca,start
X-Google-Thread: 110c99,32ec4bbb895ca,start
X-Google-Thread: 111320,32ec4bbb895ca,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid110c99,gid111320,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b1g2000hsg.googlegroups.com!not-for-
mail
From: tyreemand@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
running,rec.scouting.issues
Subject: Johshe 31 year old Woman in Santa Ana, California. Find Men for
     1-on-1 sex, Bondage
Date: Sun, 28 Sep 2008 10:51:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <2f0f59a0-8c9a-4666-8c93-b27e597c9dd6@b1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 92.112.149.66
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
```

```
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222624315 30096 127.0.0.1 (28 Sep 2008 17:51:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 28 Sep 2008 17:51:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b1g2000hsg.googlegroups.com; posting-host=92.112.149.66;
     posting-account=8N4mVgoAAABmLLkJQvSeZsuS_r9oM6nG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:647
rec.radio.amateur.homebrew:863 rec.radio.amateur.misc:1210 rec.running:4064
rec.scouting.issues:878
```

Johshe 31 year old Woman in Santa Ana, California. Find Men for 1-on-1
sex, Bondage, Discipline, Discreet Relationship or Group sex
http://ragdai.info/Johshe3.htm

```
From 4274865495143395949
X-Google-Thread: 108122,d604bf3654ce8e0e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!news.alt.net
From: "justme" <jbleaux@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Diplexer needed for 2mtrs/440.
Date: Sun, 28 Sep 2008 13:51:08 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 6
Message-ID: <27l97u.dln.19.1@news.alt.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-Antivirus: avast! (VPS 080927-0, 09/27/2008), Outbound message
X-Antivirus-Status: Clean
Xref: g2news1.google.com rec.radio.amateur.equipment:648
```

Anyone have one or two of these?

Thanks

```
From -5950298923140532574
X-Google-Thread: 108122,26ce27bc9d5841d8,start
X-Google-Thread: 114aac,26ce27bc9d5841d8,start
X-Google-Thread: 1109af,26ce27bc9d5841d8,start
```

```
X-Google-Attributes: gid108122,gid114aac,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p25g2000hsf.googlegroups.com!not-for-
mail
From: Snowman <Sgrubor@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap
Subject: FA: Yaesu VX-6 with extras FREE SHIPPING - REDUCED PRICE
Date: Sun, 28 Sep 2008 16:04:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <447fac9e-cd4c-4dd2-b0aa-4124dc3013fc@p25g2000hsf.googlegroups.com>
NNTP-Posting-Host: 70.64.15.166
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1222643080 23795 127.0.0.1 (28 Sep 2008 23:04:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 28 Sep 2008 23:04:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p25g2000hsf.googlegroups.com; posting-host=70.64.15.166;
     posting-account=lrcp5goAAADrRPKCdM1ooXsnGXh1vR6M
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.2)
     Gecko/2008091620 Firefox/3.0.2,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:649 rec.radio.shortwave:12841
rec.radio.swap:641

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=180293825515

Plus mic, cradle, Diamond antenna....

Awesome submersible durable HAM transciever.
Also receives FM radio and TV, weather radio and warnings, AM and SW
radio, FRS....
Can be programmed as emergency beacon/locator, amazing unit.



From -8254291520695515017
X-Google-Thread: 108122,ed7317952c43e230,start
X-Google-Thread: 1109af,ed7317952c43e230,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc06.POSTED!4f97008e!not-for-mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Motorola MT1000 LB 42-50mhz needs battery & charger
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <UcEwk.615$Af3.532@trnddc06>
Date: Sat, 06 Sep 2008 23:18:12 GMT
NNTP-Posting-Host: 71.175.239.151
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1220743092 71.175.239.151 (Sat, 06 Sep 2008 19:18:12 EDT)
NNTP-Posting-Date: Sat, 06 Sep 2008 19:18:12 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:546 rec.radio.swap:559
```

MT1000, 6 channel low band 42-50mhz, with battery, untested, and speaker
mic.
Radio worked when removed from service, but sold as is. Will need battery
and charger.

$75.00 plus shipping

pottsladd13 at yahoo . com

```
From -8317874900794369153
X-Google-Thread: fcc6e,a2bdc517d85e5a4e,start
X-Google-Thread: 11480d,a2bdc517d85e5a4e,start
X-Google-Thread: 108122,a2bdc517d85e5a4e,start
X-Google-Thread: fc2a5,a2bdc517d85e5a4e,start
X-Google-Thread: 10b9c8,a2bdc517d85e5a4e,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1218089100@panix.com>
Followup-To: poster
Date: 7 Sep 2008 02:05:02 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Oct 2008 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1220767501@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1220767503 11734 166.84.1.2 (7 Sep 2008 06:05:03 GMT)
X-Complaints-To: abuse@panix.com
```

NNTP-Posting-Date: Sun, 7 Sep 2008 06:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
X-Original-Bytes: 2655
Xref: g2news1.google.com rec.radio.amateur.antenna:2940 rec.radio.amateur.dx:121 rec.radio.amateur.equipment:547 rec.radio.amateur.homebrew:584 rec.radio.info:221

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -7030791666452023391
X-Google-Thread: 108122,4f738bcf53e38e3c,start
X-Google-Thread: 1109af,4f738bcf53e38e3c,start
X-Google-Thread: 10b9c8,4f738bcf53e38e3c,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1218089401@panix.com>
Followup-To: poster
Date: 7 Sep 2008 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Oct 2008 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1220767800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1220767801 4904 166.84.1.2 (7 Sep 2008 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Sep 2008 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:548 rec.radio.swap:561
rec.radio.info:222

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -3476124320444726667
X-Google-Thread: 108122,66da8000c32c77f5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!25g2000prz.googlegroups.com!not-for-
mail
From: roseeehh@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: =?KOI8-R?Q?=8D=8D=8D_The_Free_Software_Definition_=2D_Free_Softwa?=
     =?KOI8-R?Q?re_Foundation=8D=8D=8D?=
Date: Sun, 7 Sep 2008 06:50:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <4bb59e9e-aef3-439c-87d9-468195b8516b@25g2000prz.googlegroups.com>
NNTP-Posting-Host: 117.197.192.234
Mime-Version: 1.0
Content-Type: text/plain; charset=KOI8-R
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1220795400 5501 127.0.0.1 (7 Sep 2008 13:50:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 7 Sep 2008 13:50:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 25g2000prz.googlegroups.com; posting-host=117.197.192.234;
     posting-account=ijxLIwoAAABMTgwMO6Mqd1hlyXuKMNuT
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:549
```

=8D=8D=8D The Free Software Definition - Free Software Foundation=8D=8D=8D

----------

http://freesoftware21.blogspot.com

http://helpdesksoftware21.blogspot.com

```
From 6957626093119207286
X-Google-Thread: 108122,4df370c4f8520173,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 Sep 2008 13:00:19 -0500
From: W3ML <W3ML.309cbf0@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Emotator 103LB
Date: Sun, 7 Sep 2008 17:26:22 +0100
Message-ID: <W3ML.309cbf0@radiobanter.com>
Organization: RadioBanter.com
Lines: 15
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
QmPa5PejsyyhU44X1GlxQlZnwiX4n26xNvmOZqbSp8yZ8x3rLkCVVEYWiGnhdby5xKumoUEpS7CZkSu!
1awAfvbz2Lyl5nr3krfo64Sb2EALZPt1ObH8Kj0ZSPqRcaWWfIXJBq8x23kKpLRE0ZGK1i0Z0LHy
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 7
Xref: g2news1.google.com rec.radio.amateur.equipment:550
```

I have an Emotator 103 LB that quick showing the direction the rotor is turned.

I need a control box or even the parts manual to maybe fix mine.

If you have manual/parts list or a working unit that you would like to sell please contact me at w3ml@arrl.net

John

--
W3ML

```
From -1366781773715648697
X-Google-Thread: 108122,89e2b2b0b82b9cca,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!79g2000hsk.googlegroups.com!not-for-
mail
From: TimBob <tmize57@juno.com>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Four analog meter movements that should fit R-390 and R-391 receivers
Date: Mon, 8 Sep 2008 05:43:37 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <7240a651-ec1d-43d8-a95e-29f157453c60@79g2000hsk.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1220877818 9846 127.0.0.1 (8 Sep 2008 12:43:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 Sep 2008 12:43:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000hsk.googlegroups.com; posting-host=64.216.97.21;
     posting-account=QanrjwoAAABmrK_pOucj8ub7ZL9ogeE8
User-Agent: G2/1.0
X-HTTP-Via: 1.1 ISA, 1.1 iwss:8080 (IWSS)
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     2.0.50727; .NET CLR 3.0.04506.30),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:551

I have four analog meter movements that should fit the R-390 and
R-391
series of receivers.  Check it out!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=320296660504
Tim



From -2158509236561343778
X-Google-Thread: 108122,7eb27b5d9db64480
X-Google-Thread: 108228,7eb27b5d9db64480
X-Google-Thread: 1109af,7eb27b5d9db64480
X-Google-Attributes: gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!34g2000hsh.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap
Subject: Re: FA: Sunday Nite>Vibroplex Bug, Case, Yaesu FT-202R Xtals, big
     xtals, etc!
Date: Mon, 8 Sep 2008 08:15:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <5af3eae8-bb10-4130-b94b-48ca38170115@34g2000hsh.googlegroups.com>
References: <ddcb76d3-98a1-4946-9043-1c41bfcae17d@k13g2000hse.googlegroups.com>
     <1KKdnR8p2Y7QZ1_VnZ2dnUVZ_hydnZ2d@comcast.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1220886959 7878 127.0.0.1 (8 Sep 2008 15:15:59 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Mon, 8 Sep 2008 15:15:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000hsh.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:553 alt.ham-radio.marketplace:203 rec.radio.swap:564

On Sep 6, 5:46 pm, NoMoreSpam <Disgusted...@qrparci.org> wrote:
> Richie wrote:
> >http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom
>
> I really thought about bidding on the case, but anyone with that much negative
> feedback is to much of a risk.

Maybe you gotta learn to read?

From -5321969693880615753
X-Google-Thread: 108122,14e124c79e84fe5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p31g2000prf.googlegroups.com!not-for-mail
From: woodward42@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-570S
Date: Tue, 9 Sep 2008 09:15:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
NNTP-Posting-Host: 24.113.30.57
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1220976959 9401 127.0.0.1 (9 Sep 2008 16:15:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 Sep 2008 16:15:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p31g2000prf.googlegroups.com; posting-host=24.113.30.57;
     posting-account=NPi5ywoAAAAZ5TBV0ogmOXlGkfRmogXV
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2916

Am experiencing RF on the chassis of the radio when transmit. Have
good ground system, clean power supply, resonant antenna w/ low SWR.
When I touch the antenna of my RF Field Strength meter to any metal on
the radio, wattmeter or power supply it pins the needle. Opened
radio, looked at ant output connectors, could find no problems or bad

solder joints. Installed 1:1 choke balun on coax at radio, no effect on problem. Hear myself talking in the headset and when transmitting it triggers a motion detector light mounted outside and above the ham shack. Same effect when using a dummy load. Defect inside the radio, anyone experienced this?

73, Steve

```
From 3513479744603730177
X-Google-Thread: 108122,9c4713405df58025,start
X-Google-Thread: fc2a5,9c4713405df58025,start
X-Google-Thread: 107ada,9c4713405df58025,start
X-Google-Thread: 10bf43,9c4713405df58025,start
X-Google-Attributes:
gid108122,gidfc2a5,gid107ada,gid10bf43,domainid0,public,usenet
X-Google-Language: RUSSIAN,KOI8R
Path: g2news2.google.com!postnews.google.com!59g2000hsb.googlegroups.com!not-for-
mail
From: tamarmadgecay@gmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
Subject: =?KOI8-R?B?18nExc8g4tLJ1M7JIMkg68XXyc7BLg==?=
Date: Tue, 9 Sep 2008 10:15:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <ad600da9-6bba-45fe-a5f3-14eca1e4ed52@59g2000hsb.googlegroups.com>
NNTP-Posting-Host: 92.112.144.22
Mime-Version: 1.0
Content-Type: text/plain; charset=KOI8-R
Content-Transfer-Encoding: base64
X-Trace: posting.google.com 1220980556 21292 127.0.0.1 (9 Sep 2008 17:15:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 Sep 2008 17:15:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 59g2000hsb.googlegroups.com; posting-host=92.112.144.22;
     posting-account=lpvsOQoAAADrItjCNLUGUA4f5NKzjLsd
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; WebMoney
     Advisor; Avant Browser;  Embedded Web Browser from: http://bsalsa.com/; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2917
rec.radio.amateur.homebrew:3069 rec.radio.amateur.misc:9025
rec.radio.amateur.policy:35514
```

883P1NLJLCDLwcsgz87BINPP08XUIN7Mxc4sIM/OwSDM1d7bwdEhICBodHRwOi8vcmFnZGFpLmlu
Zm8vZ29sYXlhLXByYXZkYS5odG0NCvzUzyDXycTFzyDT1dDF0iE=

```
From -5950166914842749393
X-Google-Thread: 108122,14e124c79e84fe5
X-Google-Attributes: gid108122,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!wn13feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <you@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-570S
Organization: Shadow.orgs
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <you-805F4E.11113309092008@netnews.worldnet.att.net>
Lines: 19
Date: Tue, 09 Sep 2008 19:11:41 GMT
NNTP-Posting-Host: 12.12.208.73
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1220987501 12.12.208.73 (Tue, 09 Sep 2008 19:11:41 GMT)
NNTP-Posting-Date: Tue, 09 Sep 2008 19:11:41 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:556

In article
<4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>,
woodward42@gmail.com wrote:

> Am experiencing RF on the chassis of the radio when transmit. Have
> good ground system, clean power supply, resonant antenna w/ low SWR.
> When I touch the antenna of my RF Field Strength meter to any metal on
> the radio, wattmeter or power supply it pins the needle. Opened
> radio, looked at ant output connectors, could find no problems or bad
> solder joints. Installed 1:1 choke balun on coax at radio, no effect
> on problem. Hear myself talking in the headset and when transmitting
> it triggers a motion detector light mounted outside and above the ham
> shack. Same effect when using a dummy load. Defect inside the radio,
> anyone experienced this?
>
> 73, Steve

and what makes you "Think" you have a "Good RF Ground"?????
Not likely....

From 7646828477587533985
X-Google-Thread: 108122,14e124c79e84fe5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!not-for-mail
From: AJ Lake <nomail@fakeaddress.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-570S
Date: Tue, 09 Sep 2008 12:26:46 -0700
Organization: Aioe.org NNTP Server

```
Lines: 14
Message-ID: <j1hdc4t5p6rtdshlimdlmcb16to68pibor@4ax.com>
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
NNTP-Posting-Host: hSgUdE1qkWL2GDcXQDk/hg.user.aioe.org
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
X-Newsreader: Forte Agent 1.91/32.564
Xref: g2news2.google.com rec.radio.amateur.equipment:2919
```

woodward42@gmail.com wrote:

>Am experiencing RF on the chassis of the radio when transmit..

>Same effect when using a dummy load.

Make sure the dummy load and coax feeding it are good.

Then check the connections inside the radio. Look for loose or corroded connections. Ground, coax, connectors and around the TX section. If questionable, resolder or clean and reclamp them. But it has to work into the dummy load before you need to worry about the antenna. Good Luck.

```
From -5222103593690338668
X-Google-Thread: 108122,14e124c79e84fe5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
nwrddc01.gnilink.net.POSTED!8c40745b!not-for-mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
Subject: Re: Kenwood TS-570S
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <uvExk.85$l25.36@nwrddc01.gnilink.net>
Date: Wed, 10 Sep 2008 00:27:06 GMT
NNTP-Posting-Host: 72.71.101.52
X-Complaints-To: abuse@verizon.net
X-Trace: nwrddc01.gnilink.net 1221006426 72.71.101.52 (Tue, 09 Sep 2008 20:27:06
EDT)
```

NNTP-Posting-Date: Tue, 09 Sep 2008 20:27:06 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:2920

<woodward42@gmail.com> wrote in message
news:4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com...
> Am experiencing RF on the chassis of the radio when transmit. Have
> good ground system, clean power supply, resonant antenna w/ low SWR.
> When I touch the antenna of my RF Field Strength meter to any metal on
> the radio, wattmeter or power supply it pins the needle. Opened
> radio, looked at ant output connectors, could find no problems or bad
> solder joints. Installed 1:1 choke balun on coax at radio, no effect
> on problem. Hear myself talking in the headset and when transmitting
> it triggers a motion detector light mounted outside and above the ham
> shack. Same effect when using a dummy load. Defect inside the radio,
> anyone experienced this?
>
> 73, Steve

I don't believe your test is indicative of RF on the outside of your
feedline. Are you experiencing distortion on your SSB signal? Does the VSWR
change on your antenna system if you add in a length of coax? I think that
whatever you are touching your FSM to is simply acting like a longer
antenna. As for the motion detector- probably picking up RF directly from
the antenna- those things have no shielding or RF immunity.
Dale W4OP

From -1944124764514121300
X-Google-Thread: 108122,14e124c79e84fe5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!1bc6af47!
not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
Subject: Re: Kenwood TS-570S
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <TlVxk.908$sq3.743@trnddc07>
Date: Wed, 10 Sep 2008 19:37:23 GMT
NNTP-Posting-Host: 71.110.228.163
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1221075443 71.110.228.163 (Wed, 10 Sep 2008 15:37:23 EDT)

NNTP-Posting-Date: Wed, 10 Sep 2008 15:37:23 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:559
X-Original-Bytes: 2021

<woodward42@gmail.com> wrote in message
news:4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com...
> Am experiencing RF on the chassis of the radio when transmit. Have
> good ground system, clean power supply, resonant antenna w/ low SWR.
> When I touch the antenna of my RF Field Strength meter to any metal on
> the radio, wattmeter or power supply it pins the needle. Opened
> radio, looked at ant output connectors, could find no problems or bad
> solder joints. Installed 1:1 choke balun on coax at radio, no effect
> on problem. Hear myself talking in the headset and when transmitting
> it triggers a motion detector light mounted outside and above the ham
> shack. Same effect when using a dummy load. Defect inside the radio,
> anyone experienced this?
>
> 73, Steve

Put the choke balun at the feed point.
Don't touch the FSM antenna to any metal. You might blow the diode.
Is there low swr on dummy load?
Is coax and dummy load double shielded?
Motion detector probably needs to be bypassed.
Check for ground faults in the house wiring.

What kind of antenna? Describe 'good ground'

From 3318429851880715062
X-Google-Thread: 108122,14e124c79e84fe5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!f63g2000hsf.googlegroups.com!not-for-mail
From: mrhaney <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-570S
Date: Wed, 10 Sep 2008 17:41:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <4397999c-24bb-4c61-a7dc-9e7992083ca2@f63g2000hsf.googlegroups.com>
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
     <uvExk.85$l25.36@nwrddc01.gnilink.net>
NNTP-Posting-Host: 72.216.40.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1221093702 490 127.0.0.1 (11 Sep 2008 00:41:42 GMT)
X-Complaints-To: groups-abuse@google.com

```
NNTP-Posting-Date: Thu, 11 Sep 2008 00:41:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f63g2000hsf.googlegroups.com; posting-host=72.216.40.68;
     posting-account=iDa5ggkAAADrhtwpj3fwoB8ZHtIo_pzj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     FunWebProducts; .NET CLR 2.0.50727; .NET CLR 3.0.04506.648; .NET CLR
     3.5.21022),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2922

On Sep 9, 7:27=A0pm, "Dale Parfitt" <pari...@verizon.net> wrote:
> <woodwar...@gmail.com> wrote in message
>
> news:4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com...
>
> > Am experiencing RF on the chassis of the radio when transmit. =A0Have
> > good ground system, clean power supply, resonant antenna w/ low SWR.
> > When I touch the antenna of my RF Field Strength meter to any metal on
> > the radio, wattmeter or power supply it pins the needle. =A0Opened
> > radio, looked at ant output connectors, could find no problems or bad
> > solder joints. =A0Installed 1:1 choke balun on coax at radio, no effect
> > on problem. =A0Hear myself talking in the headset and when transmitting
> > it triggers a motion detector light mounted outside and above the ham
> > shack. =A0Same effect when using a dummy load. =A0Defect inside the rad=
io,
> > anyone experienced this?
>
> > 73, Steve
>
> I don't believe your test is indicative of RF on the outside of your
> feedline. Are you experiencing distortion on your SSB signal? Does the VS=
WR
> change on your antenna system if you add in a length of coax? I think tha=
t
> whatever you are touching your FSM to is simply acting like a longer
> antenna. As for the motion detector- probably picking up RF directly from
> the antenna- those things have no shielding or RF immunity.
> Dale W4OP

If the transmitter is feeding RF via a shielded coax,into a shielded
50 ohm dummy load,and VSWR is low, I don`t think you have a problem..
Field strength as measured by portable meter,  short antenna ,tuned
circuit,diode det. analog 50ua. meter ..I would expect to see RF all
over the shack..All this may be normal.. Harold W4PQW


From -7012234849926167962
X-Google-Thread: 108122,14e124c79e84fe5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!feeder.erje.net!news.k-
dsl.de!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-570S
Date: Thu, 11 Sep 2008 01:18:02 -0400
Organization: Aioe.org NNTP Server
Lines: 24
Message-ID: <fmmck-B01AD6.01180111092008@nntp.aioe.org>
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
NNTP-Posting-Host: MQSsxfIwCKNHTYKEjlGi/g.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:2924

In article
<4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>,
woodward42@gmail.com wrote:

> Hear myself talking in the headset and when transmitting
> it triggers a motion detector light mounted outside and above the ham
> shack. Same effect when using a dummy load. Defect inside the radio,
> anyone experienced this?

Steve-

I suspect you have a cable with an open or resistive shield connection.
If so, it would be a cable that is common to both your antenna and the
dummy load.

Do you have one of the dummy loads that screws directly onto the SO-239
connector on the rig? Radio Shack used to sell one that was good for 10
or 15 Watts, but would withstand 100 Watts for a few seconds. If the
problem with the motion detector is present with such a
directly-connected dummy load, then look inside the rig. If not, then
look outside.

Fred
K4DII

From -7296408064949444220
X-Google-Thread: 108122,fbaff6e6786ea896,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
59g2000hsb.googlegroups.com!not-for-mail
From: TimBob <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:Four meter movements should fit R-390 R-390A R-391 receivers, 3
days left!
Date: Thu, 11 Sep 2008 05:52:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <67386dd6-b32d-4264-91ce-189301dee7a0@59g2000hsb.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1221137563 13248 127.0.0.1 (11 Sep 2008 12:52:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 Sep 2008 12:52:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 59g2000hsb.googlegroups.com; posting-host=64.216.97.21;
     posting-account=QanrjwoAAABmrK_pOucj8ub7ZL9ogeE8
User-Agent: G2/1.0
X-HTTP-Via: 1.1 ISA, 1.1 iwss:8080 (IWSS)
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     2.0.50727; .NET CLR 3.0.04506.30),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:563

I have four analog meter movements that should fit the R-390 and
R-391
series of receivers.  Check it out!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=320296660504
Tim



From -7261622838251572908
X-Google-Thread: 108122,8549705a595e1e13,start
X-Google-Thread: fc8b1,8549705a595e1e13,start
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
news.exosphere.de!news2.arglkargh.de!news.wiretrip.org!news.dizum.com!sewer-
output!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boa
tanchors
Subject: FA: WRL Globe King model 500A transmitter - complete in cabinet
Message-ID: <f44fdc42074e41afecd46e7f06393f24@pseudo.borked.net>
Date: Thu, 11 Sep 2008 11:45:06 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:207 rec.radio.swap:567
rec.radio.amateur.equipment:564 rec.radio.amateur.boatanchors:947

http://snipr.com/GlobeKing500A




From 2555486734585456304
X-Google-Thread: 10bf43,a3cd46649ad3c0ef,start
X-Google-Thread: 1109af,a3cd46649ad3c0ef,start
X-Google-Thread: fcc6e,a3cd46649ad3c0ef,start
X-Google-Thread: 108122,a3cd46649ad3c0ef,start
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed.straub-nv.de!tudelft.nl!txtfeed1.tudelft.nl!feeder.news-service.com!
feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "KC8QJP Crisco Kathy" <kc8qjp@criscointherear.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Fri, 12 Sep 2008 12:02:15 -0400
Organization: Crisco in my can
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
Lines: 11
Message-ID: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
NNTP-Posting-Date: 12 Sep 2008 18:02:19 CEST
NNTP-Posting-Host: 0eb24961.reader.usenet4all.se
X-Trace: DXC=KUCVi5;NJleb?
fKkQd3Zob]=V>ZL5o1]b<moHH[O[>ZjE[^0H_Sk_UdLPm9eR3NN1n`[3W^?
RWEmm\P=mi`YFk`hILAhnliii\lVOY_j?MVgNm
X-Complaints-To: abuse@usenet4all.se
Xref: g2news1.google.com rec.radio.amateur.policy:9237 rec.radio.swap:572
rec.radio.amateur.antenna:3179 rec.radio.amateur.equipment:565
```

http://cgi.ebay.com/Xforce-Amp-1000-watt-Mobile-Linear-Amplifier_W0QQitemZ130253740730QQihZ003QQcategoryZ48700QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

FREE SHIPPING!

XFORCE WILL ROCK YOUR WORLD!

--
n8wwm mrbindwell's wife

```
From -2669966904498100487
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.albasani.net!not-
for-mail
```

From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Fri, 12 Sep 2008 09:18:11 -0700
Organization: albasani.net
Lines: 23
Message-ID: <gae4o7$bh0$1@news.albasani.net>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net X6xf24P0deqThNYwjP8KGJX/5NyaTHlgcxvqmosMdRg/3ir8JIYQHvCVXPQKRCx845mCSppuT9T1S4nSCD1VaiEIyT8eMn0vdcLH4nQApSa61/sGOrDtUSuXVM0T3iTr
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 12 Sep 2008 16:18:15 +0000 (UTC)
X-User-ID: L0LW9PR9IYIxuwrHaYn85AMg3N6J/0tSX52UVHprPOA=
In-Reply-To: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
Cancel-Lock: sha1:zRGbwqGlk7Vw5mFHOE4c5CLePdI=
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
X-NNTP-Posting-Host: m+Hvrr10qFxC25atbACZ0UOk49fHOpoxGGOXIlTzVEQ=
Xref: g2news1.google.com rec.radio.amateur.policy:9238 rec.radio.swap:573
rec.radio.amateur.antenna:3180 rec.radio.amateur.equipment:566

KC8QJP Crisco Kathy wrote:

> http://cgi.ebay.com/Xforce-Amp-1000-watt-Mobile-Linear-Amplifier_W0QQitemZ130253740730QQihZ003QQcategoryZ48700QQssPageNameZWDVWQQrdZ1QQcmdZViewItem
>
> FREE SHIPPING!
>
> XFORCE WILL ROCK YOUR WORLD!
>
>
> --
> n8wwm mrbindwell's wife
>
>

Here is a real amp, just so you know what one looks like:

http://www.hfpower.com/new/a2000a.htm

Regards,
JS

--
loudobbs.com -- you do have the power to be informed; but, first you
have to use it.

```
From -3352346580157204833
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!828f12f2!not-for-mail
From: "Dave" <noone@nowhere.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <9%wyk.17$pp3.12@trnddc06>
Date: Fri, 12 Sep 2008 16:43:49 GMT
NNTP-Posting-Host: 70.109.254.107
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1221237829 70.109.254.107 (Fri, 12 Sep 2008 12:43:49 EDT)
NNTP-Posting-Date: Fri, 12 Sep 2008 12:43:49 EDT
Xref: g2news1.google.com rec.radio.amateur.policy:9239 rec.radio.swap:574
rec.radio.amateur.antenna:3183 rec.radio.amateur.equipment:567
X-Original-Bytes: 1518

you should stick to fur coats, the posting has been reported to ebay as a
violation of listing policy.

"KC8QJP Crisco Kathy" <kc8qjp@criscointherear.com> wrote in message
news:48ca928a$0$529$c5fe31e7@reader.usenet4all.se...
> http://cgi.ebay.com/Xforce-Amp-1000-watt-Mobile-Linear-
Amplifier_W0QQitemZ130253740730QQihZ003QQcategoryZ48700QQssPageNameZWDVWQQrdZ1QQcm
dZViewItem
>
> FREE SHIPPING!
>
> XFORCE WILL ROCK YOUR WORLD!
>
>
> --
> n8wwm mrbindwell's wife
>
```

From -7540357777560834030
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed.straub-nv.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Fri, 12 Sep 2008 11:14:30 -0700
Organization: albasani.net
Lines: 15
Message-ID: <gaebib$jk0$1@news.albasani.net>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
<9%wyk.17$pp3.12@trnddc06>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net K3lLifBbHUEMhpj7mUQD/
Ib+t0KlvGJ8X2v9s4uALSkJrKmYsoLMzRs7FPGw8pknLX4GkbFUJvXi5/
nR5oJKqEQePWx1PemQ6e2KJdnKEvP97jzBdeFImRTzmkIA4QHl
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 12 Sep 2008 18:14:35 +0000 (UTC)
X-User-ID: RJsnJm8EV/iw277XhjrXq2ADaPQ1FTxAlG6f6iOZJC8=
In-Reply-To: <9%wyk.17$pp3.12@trnddc06>
Cancel-Lock: sha1:T32DWWk1nDQAbEmgVpAMOHPz3I4=
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
X-NNTP-Posting-Host: uIc7Mp2SflqOMUaGSlq6zX+80Q/FG8E9aSmnpMR8H+8=
Xref: g2news1.google.com rec.radio.amateur.policy:9244 rec.radio.swap:575
rec.radio.amateur.antenna:3186 rec.radio.amateur.equipment:568

Dave wrote:
> you should stick to fur coats, the posting has been reported to ebay as a
> violation of listing policy.
>

Actually, I run a similar amp on 10-40m in my pickup, what makes the listing a violation? If I ever decide to get rid of it, I can't sell it on ebay?

Regards,
JS

--
loudobbs.com -- you do have the power to be informed; but, first you have to use it.

```
From -1932563961766719725
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!8g2000hse.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Fri, 12 Sep 2008 11:58:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <f4d68b26-07d2-4928-87fa-9da4d0ae1e88@8g2000hse.googlegroups.com>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
     <9%wyk.17$pp3.12@trnddc06> <gaebib$jk0$1@news.albasani.net>
NNTP-Posting-Host: 69.19.14.38
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1221245919 10592 127.0.0.1 (12 Sep 2008 18:58:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 12 Sep 2008 18:58:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 8g2000hse.googlegroups.com; posting-host=69.19.14.38;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.policy:35736 rec.radio.swap:3457
rec.radio.amateur.antenna:19734 rec.radio.amateur.equipment:2931

On Sep 12, 2:14=A0pm, John Smith <assemblywiz...@gmail.com> wrote:
> Dave wrote:
> > you should stick to fur coats, the posting has been reported to ebay as=
 a
> > violation of listing policy.
>
> Actually, I run a similar amp on 10-40m in my pickup, what makes the
> listing a violation? =A0If I ever decide to get rid of it, I can't sell i=
t
> on ebay?
>
> Regards,
> JS
>
> --
> loudobbs.com -- you do have the power to be informed; but, first you
```

> have to use it.

it offends certain folks and ebay can't tell legal amps so the
whinners win

```
From -2162505084749476229
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed.straub-nv.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Fri, 12 Sep 2008 12:07:39 -0700
Organization: albasani.net
Lines: 18
Message-ID: <gaeelv$naj$1@news.albasani.net>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
     <9%wyk.17$pp3.12@trnddc06> <gaebib$jk0$1@news.albasani.net>
<f4d68b26-07d2-4928-87fa-9da4d0ae1e88@8g2000hse.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
dQCiKdTNMoMJSFPGeKg7rzT3256k8DCruvKDRjU2W+auoebIJAX2wOwDW36vwazJvY8X1scMH3Y0oDRt79
YWtq8y1u+xs6Fym+rj4e/lQzVLJunvvOyQDAQjlJYbAOO/
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 12 Sep 2008 19:07:44 +0000 (UTC)
X-User-ID: MF+/jtujZif1qF+TVdAVjdwKJeMeAiNeTMwzzlEThBc=
In-Reply-To: <f4d68b26-07d2-4928-87fa-9da4d0ae1e88@8g2000hse.googlegroups.com>
Cancel-Lock: sha1:Yz0CBZA6LfXR6NsAcZVKbidBLXY=
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
X-NNTP-Posting-Host: KkWAyOCvej6+f4dAJTmrO29DTSwootttnmLqRmYxxNs=
Xref: g2news1.google.com rec.radio.amateur.policy:9246 rec.radio.swap:577
rec.radio.amateur.antenna:3189 rec.radio.amateur.equipment:570
```

an_old_friend wrote:

> ...
> it offends certain folks and ebay can't tell legal amps so the
> whinners win

Wow. I am certainly no attorney, but ebay seems "ripe for picking on
that one."

I mean, if they are illegally preventing some from participating in the
God-given-right-of-capitalism, it seems like a sin; doesn't it? LOL

Regards,
JS

--
loudobbs.com -- you do have the power to be informed; but, first you
have to use it.

```
From 7641791026519006535
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!m73g2000hsh.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Fri, 12 Sep 2008 12:11:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 24
Message-ID: <86386957-d8cc-4b45-b1a9-8f33b998284d@m73g2000hsh.googlegroups.com>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
     <9%wyk.17$pp3.12@trnddc06> <gaebib$jk0$1@news.albasani.net>
     <f4d68b26-07d2-4928-87fa-9da4d0ae1e88@8g2000hse.googlegroups.com>
     <gaeelv$naj$1@news.albasani.net>
NNTP-Posting-Host: 69.19.14.38
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1221246712 13259 127.0.0.1 (12 Sep 2008 19:11:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 12 Sep 2008 19:11:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000hsh.googlegroups.com; posting-host=69.19.14.38;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.policy:35742 rec.radio.swap:3459
rec.radio.amateur.antenna:19736 rec.radio.amateur.equipment:2933
```

On Sep 12, 3:07=A0pm, John Smith <assemblywiz...@gmail.com> wrote:
> an_old_friend wrote:
> > ...

```
> > it offends certain folks and ebay can't tell legal amps so the
> > whinners win
>
> Wow. =A0I am certainly no attorney, but ebay seems "ripe for picking on
> that one."

poetencaily but they seem to have decided the fcc is a bigger threat
to te whole system, and I assume their lawyers have weighed that
>
> I mean, if they are illegally preventing some from participating in the
> God-given-right-of-capitalism, it seems like a sin; doesn't it? =A0LOL

well sins are not crimes or suable civil torts
>
> Regards,
> JS
>
> --
> loudobbs.com -- you do have the power to be informed; but, first you
> have to use it.




From 4560196608812765555
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 12 Sep 2008 14:15:06 -0500
From: "Channel Cop" <nedrog@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
<9%wyk.17$pp3.12@trnddc06> <gaebib$jk0$1@news.albasani.net>
<f4d68b26-07d2-4928-87fa-9da4d0ae1e88@8g2000hse.googlegroups.com>
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Fri, 12 Sep 2008 15:15:10 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <KIednTfrTfQnIlfVnZ2dnUVZ_hqdnZ2d@comcast.com>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.218.8
```

```
X-Trace: sv3-
cx5TAPzhO7tNvzaztlZvPTdzhxggR4pccYxwUxB01jsD+vWHsBVsx7UfEamXVex+AUNgLa/OsvFbP2c!
zlP9yRHAqspxNnGhRKG7/9xXhQc9TkE2YyiGSBkCcRJ9sAU3KjrKUhqSm/13M5/pCr3DIaO5mun2!
ttg4EBiuExr66Iz4HREzyoodrAQc
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.policy:35747 rec.radio.swap:3460
rec.radio.amateur.antenna:19738 rec.radio.amateur.equipment:2934


"an_old_friend" <kb9rqz@gmail.com> wrote in message
news:f4d68b26-07d2-4928-87fa-9da4d0ae1e88@8g2000hse.googlegroups.com...
On Sep 12, 2:14 pm, John Smith <assemblywiz...@gmail.com> wrote:
> Dave wrote:
> > you should stick to fur coats, the posting has been reported to ebay as
> > a
> > violation of listing policy.
>
> Actually, I run a similar amp on 10-40m in my pickup, what makes the
> listing a violation? If I ever decide to get rid of it, I can't sell it
> on ebay?
>
> Regards,
> JS
>
> --
> loudobbs.com -- you do have the power to be informed; but, first you
> have to use it.

it offends certain folks and ebay can't tell legal amps so the
whinners win

maybe you should inform ebay which ones are illegal and be a good guy to the
ham community!




From -4435189121526559955
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
newsfeed3.dallas1.level3.net!news.level3.com!cyclone1.gnilink.net!gnilink.net!
nx01.iad01.newshosting.com!newshosting.com!195.62.97.14.MISMATCH!
```

```
newsfeed0.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!news.albasani.net!not-
for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Fri, 12 Sep 2008 12:22:30 -0700
Organization: albasani.net
Lines: 32
Message-ID: <gaefhr$omf$1@news.albasani.net>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
<9%wyk.17$pp3.12@trnddc06> <gaebib$jk0$1@news.albasani.net>
<f4d68b26-07d2-4928-87fa-9da4d0ae1e88@8g2000hse.googlegroups.com>
<KIednTfrTfQnIlfVnZ2dnUVZ_hqdnZ2d@comcast.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net oZW0y8Wr/
i7UBQV6qCxCE27FY1yrhu3Fza8iVoaviR4Xzal51WQnyg5rIfRVg1ILep+8+VdHR8JMZMY6XOsb1cw9awO
NkbMej69sSaXRHi4V7PJ2IGDGPjC96fjd2caN
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 12 Sep 2008 19:22:35 +0000 (UTC)
X-User-ID: K6StUvOE/VHao6I1YmxA0YJhxegobvSY8OE2YVtxwd0=
In-Reply-To: <KIednTfrTfQnIlfVnZ2dnUVZ_hqdnZ2d@comcast.com>
Cancel-Lock: sha1:jDL8HQpEFqnIysj8KXQ8bvd0aV0=
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
X-NNTP-Posting-Host: AN133D44P59ywTs4hPUb2TsfFIz12/rvt1/+ledCTrU=
Xref: g2news1.google.com rec.radio.amateur.policy:9257 rec.radio.swap:580
rec.radio.amateur.antenna:3193 rec.radio.amateur.equipment:573
```

Channel Cop wrote:

> ...
> it offends certain folks and ebay can't tell legal amps so the
> whinners win
>
> maybe you should inform ebay which ones are illegal and be a good guy to the
> ham community!

Since the "legal" ones either have a tuned circuit with takes the output
to ground and burns up the finals if you attempt to hit 11 meters, or a
choke which cuts drive at 11 meter freqs, or both ... I don't think they
can tell at ebay!

Most truckers actually use ham equip. (or, "legal equipment"), they just
have cut out the "protections."

So in the end, what good is all of it?

And, every ham I know, knows that if you want top dollar for ancient
equipment he/she is done with--sell it to a trucker! LOL

I mean, it is sort of like the "copy protection" on movies--it doesn't work, teenagers worldwide copy and burn movies with free software--but the industry claims it works! Go figure ...

Regards,
JS

--
loudobbs.com -- you do have the power to be informed; but, first you have to use it.

From -3034357503149755716
X-Google-Thread: 108122,f1734632a03536e5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!4f97008e!not-for-mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: MT1000 LB 42-50mhz 6ch $75.00
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <7cByk.45$Yw1.38@trnddc03>
Date: Fri, 12 Sep 2008 21:30:43 GMT
NNTP-Posting-Host: 71.175.236.172
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1221255043 71.175.236.172 (Fri, 12 Sep 2008 17:30:43 EDT)
NNTP-Posting-Date: Fri, 12 Sep 2008 17:30:43 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:2936 rec.radio.swap:3462
X-Original-Bytes: 1122

MT1000, 6 channel low band 42-50mhz, with battery, untested, and speaker mic.
Radio worked when removed from service, but sold as is. Will need battery and charger.

$75.00 plus shipping

pottsladd13 at yahoo . com

From 4907528054511898744
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef

X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe02.iad.POSTED!7564ea0f!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
In-Reply-To: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <i3Cyk.8782$cr4.65@newsfe02.iad>
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe02.iad 1221258574 24.254.177.70 (Fri, 12 Sep 2008 22:29:34 UTC)
NNTP-Posting-Date: Fri, 12 Sep 2008 22:29:34 UTC
Organization: Cox
Date: Fri, 12 Sep 2008 18:29:32 -0400
Xref: g2news2.google.com rec.radio.amateur.policy:35759 rec.radio.swap:3463
rec.radio.amateur.antenna:19755 rec.radio.amateur.equipment:2937

KC8QJP Crisco Kathy wrote:

> http://cgi.ebay.com/Xforce-Amp-1000-watt-Mobile-Linear-Amplifier_W0QQitemZ130253740730QQihZ003QQcategoryZ48700QQssPageNameZWDVWQQrdZ1QQcmdZViewItem
>
> FREE SHIPPING!
>
> XFORCE WILL ROCK YOUR WORLD!
>
>
> --
> n8wwm mrbindwell's wife
>
>

Where do they get "1000 Watt Amp"?

"Power Output (RMS) 350 Watts
Power Output (PEP) 650 Watts
Driven Power (RMS) 450 Watts
Driven Power (PEP) 1000 Watts"

Sounds more like an attenuator to me.

```
From -6010576027239963281
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!nlpi057.nbdc.sbc.com!
prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!
nlpi066.nbdc.sbc.com.POSTED!a6387dc4!not-for-mail
From: Cecil Moore <nospam@w5dxp.com>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
<i3Cyk.8782$cr4.65@newsfe02.iad>
In-Reply-To: <i3Cyk.8782$cr4.65@newsfe02.iad>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <2jCyk.208$YU2.87@nlpi066.nbdc.sbc.com>
NNTP-Posting-Host: 69.149.248.70
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi066.nbdc.sbc.com 1221259582 ST000 69.149.248.70 (Fri, 12 Sep 2008
18:46:22 EDT)
NNTP-Posting-Date: Fri, 12 Sep 2008 18:46:22 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
[[PAPDCAOXVYRWLXBRX^_QHAGB]FBEXOV@GZ_GYO^BVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Fri, 12 Sep 2008 17:46:24 -0500
Xref: g2news2.google.com rec.radio.amateur.policy:35760 rec.radio.swap:3464
rec.radio.amateur.antenna:19756 rec.radio.amateur.equipment:2938
```

nitespark wrote:
> Sounds more like an attenuator to me.

I once attended a CB shootout where they only measured
forward power, not power delivered to the antenna. The
higher the SWR, the better they liked it.
--
73, Cecil http://www.w5dxp.com

```
From -5333023187494363621
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!eweka.nl!lightspeed.eweka.nl!
feeder.erje.net!newsfeed.straub-nv.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Fri, 12 Sep 2008 16:06:52 -0700
Organization: albasani.net
Lines: 55
Message-ID: <gaesmh$7bl$1@news.albasani.net>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
<i3Cyk.8782$cr4.65@newsfe02.iad>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
nJhWJEAnfyf0aIaHL86cuNT8Sz1RUM0GO4FtgpPPuAZ8vhNXL9BmLoVTq5IZU2hS9OG7QM9kFRrHW3CzRU
/Xgxa8OuNBqqiv4Gy28ZV2h2Zvnb1KkU7kTE7izvtd0vf/
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 12 Sep 2008 23:06:57 +0000 (UTC)
X-User-ID: kQo6oiFeszAXFRByN+MPAHfU/P18EBZTjoTilkgRgRY=
In-Reply-To: <i3Cyk.8782$cr4.65@newsfe02.iad>
Cancel-Lock: sha1:4eionp2jmYEg275yX46ZudqrPhI=
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
X-NNTP-Posting-Host: 2Q9XEn/ZC+cprpAFqCWK2pPQkPhC0lbNt6cajW2MVuM=
Xref: g2news2.google.com rec.radio.amateur.policy:35761 rec.radio.swap:3465
rec.radio.amateur.antenna:19760 rec.radio.amateur.equipment:2939
```

nitespark wrote:

 >> ...
> Where do they get "1000 Watt Amp"?
>
> "Power Output (RMS) 350 Watts
> Power Output (PEP) 650 Watts
> Driven Power (RMS) 450 Watts
> Driven Power (PEP) 1000 Watts"
>
> Sounds more like an attenuator to me.

Yeah, screwy specs. Although I have never used this particular amp, it
probably hits full out at ~40w-80w rms. That is what the small box amp
they usually sell is for (most will have them when selling amps this

big), takes 4w to ~80w then you drive the amp ...

I have an ancient CMI (has a Palo Alto/Menlo Park address and a couple of hams/engineers there built and sold them) which does a solid 80m-10m, 500w rms at 40w rms drive (I drive it with ~25w), pep follows the same linear curve ... it is marked "Amateur Amplifier" on the front panel and was purchased at an electronics surplus store in Livermore, CA in the 80's. I got it for next to nothing thinking I would have to replace one or more of the power transistors--it was only a diode in the thermal protection circuit which had failed ...

It seems quite legal to me, even though I know they were marketed to CB'ers in the 70's and enjoyed widespread "diesel usage." On a scope it puts out a beautiful signal on all the bands I have used/measured, however, as with any high power amp, the drive signal needs to be clean to excellent tolerances. However, I would entertain arguments on how it is "illegal."

I am guessing, but I guess it is the fact it spans 80m to ~40 Mhz which makes it illegal? However, when it was sold, I don't believe it was illegal to allow amps to cover the 10m and 11m bands ... but would have to research that now to make sure ...

Nowadays, I don't believe you can even buy an amp which covers the 10m band ... you must first "modify" the amp ... someone more knowledgeable on the fine points of the rules/regs would know for sure ...

My antenna on the pickup has been though h*ll, bent, dented, etc. (I have forgotten to fold it down on low overhangs), at one time the amp was operating into a 4+:1 SWR by the time I noticed (smelled something getting hot, grabbed the unit behind the seat and burnt my hand!) It is one tough amp! I run a shortened 1/2 wave with a gamma match on 40m and a simple 10m SS whip, switchable ...

Regards,
JS

--
loudobbs.com -- you do have the power to be informed; but, first you have to use it.

```
From 6727260640878625251
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes: gid10bf43,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l64g2000hse.googlegroups.com!not-for-
mail
From: ltdoc@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
```

```
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Sat, 13 Sep 2008 05:39:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <a4f341ee-8172-4d88-815c-979f0cc0b25b@l64g2000hse.googlegroups.com>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
     <i3Cyk.8782$cr4.65@newsfe02.iad> <gaesmh$7bl$1@news.albasani.net>
NNTP-Posting-Host: 70.128.114.159
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1221309550 16689 127.0.0.1 (13 Sep 2008 12:39:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 Sep 2008 12:39:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l64g2000hse.googlegroups.com; posting-host=70.128.114.159;
     posting-account=BHChOwoAAAAHBcYu8Jy6XWsZZMTK1CKz
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1 (.NET CLR 3.5.30729),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.policy:35808 rec.radio.swap:3468
rec.radio.amateur.antenna:19806 rec.radio.amateur.equipment:2940
```

Legality depends on how and where something is used, and by whom.
If you try hard enough, an Ice cube can be illegal.
 - 'Doc

```
From -3562595793090010505
X-Google-Thread: fc8b1,e2e2b2d337527e80
X-Google-Thread: 108122,e2e2b2d337527e80
X-Google-Thread: 108228,e2e2b2d337527e80
X-Google-Thread: 1109af,e2e2b2d337527e80
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 Sep 2008 11:20:14 -0500
From: "CP" <someone@nospam.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.swap
References: <87f13a0d-25e3-43ba-bfaf-688c6d19f52a@b1g2000hsg.googlegroups.com>
Subject: Re: Icom IC-2GAT h/t & HM-9 Spkr Mic
Date: Sat, 13 Sep 2008 12:20:07 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5508
X-RFC2646: Format=Flowed; Original
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5508
Message-ID: <L7udnUh7PomjdVbVnZ2dnUVZ_qjinZ2d@comcast.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.245.108.41
X-Trace:
sv3-8DLSMcMUep998eRq9vSBnM03QcksJSEcU063HQYSQFx0ego0KFmyeIY+S0JoFaodnbqUAcc7Tdh4i/
2!MGISvmX2ChJVQAHjvQD9PIl+FIYtXWUwQWf1yjPggzmOkhtShoPyZcLNhND4RXVqubaFf0VUIgyl!
oWzs/oVD7IkGj6DhdchjKb/iOzOlzA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4107
rec.radio.amateur.equipment:2942 alt.ham-radio.marketplace:845 rec.radio.swap:3470

Spammer.
Plonk!

"Richie" <rlucch2098@aol.com> wrote in message
news:87f13a0d-25e3-43ba-bfaf-688c6d19f52a@b1g2000hsg.googlegroups.com...
> This sunday, H/T at a big $15 & HM-9 no bids!>
> http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom




From 5085907905401944937
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed.kamp.net!newsfeed.kamp.net!newsfeed.straub-nv.de!news.albasani.net!not-
for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Sat, 13 Sep 2008 09:56:53 -0700
Organization: albasani.net
Lines: 11
Message-ID: <gagrcl$l6o$1@news.albasani.net>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
     <i3Cyk.8782$cr4.65@newsfe02.iad> <gaesmh$7bl$1@news.albasani.net>
<a4f341ee-8172-4d88-815c-979f0cc0b25b@l64g2000hse.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
6BW+n3GmWl6dPUdXJqHjAiUSTKog6TYW5ULIaFWXmD6eI1Dl68PRtKSZiUieSI29BnRMLrfpu9VqnC5kqL
KZFWs0gEmvfeDpA7BD2PVWemlbtNxdT7Q2n0U8hqyQl5EC
X-Complaints-To: abuse@albasani.net
```

NNTP-Posting-Date: Sat, 13 Sep 2008 16:56:54 +0000 (UTC)
X-User-ID: Ho6emsmDG0ZfUdb9nS8DQV06BBusOejtdbYdX33vj/8=
In-Reply-To: <a4f341ee-8172-4d88-815c-979f0cc0b25b@l64g2000hse.googlegroups.com>
Cancel-Lock: sha1:mtwboec8uKn76FYJyOKsE/sCKno=
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
X-NNTP-Posting-Host: dxkxmH8WIIDNLeO+po0q64P0uzUmkY9DgJa6FU+/Lho=
Xref: g2news1.google.com rec.radio.amateur.policy:9350 rec.radio.swap:590
rec.radio.amateur.antenna:3269 rec.radio.amateur.equipment:581

ltdoc@yahoo.com wrote:
>   Legality depends on how and where something is used, and by whom.
> If you try hard enough, an Ice cube can be illegal.
> - 'Doc

Exactly, if I would strike my neighbor with a shovel, it would become an
"illegal weapon"; I would guess.

Regards,
JS

From -5002548792337575760
X-Google-Thread: fc8b1,e2e2b2d337527e80
X-Google-Thread: 108122,e2e2b2d337527e80
X-Google-Thread: 108228,e2e2b2d337527e80
X-Google-Thread: 1109af,e2e2b2d337527e80
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 Sep 2008 12:11:09 -0500
Date: Sat, 13 Sep 2008 13:11:09 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.11) Gecko/20071128
SeaMonkey/1.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap
Subject: Re: Icom IC-2GAT h/t & HM-9 Spkr Mic
References: <87f13a0d-25e3-43ba-bfaf-688c6d19f52a@b1g2000hsg.googlegroups.com>
<L7udnUh7PomjdVbVnZ2dnUVZ_qjinZ2d@comcast.com>
In-Reply-To: <L7udnUh7PomjdVbVnZ2dnUVZ_qjinZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <4YydnemQeaewaVbVnZ2dnUVZ_g-dnZ2d@rcn.net>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.191.167.10
X-Trace: sv3-edHWiy4bfxpgkQyOqZj+sZzayWs3wVIOpbp0XRlC7RXv/
2osZlMnTw5Q08ogvOU48imvg+gQJtsuJm7!

```
7gCl0dTTl9t3EeJj9JDokhy0gnqBmgilLj6XJM5xMCsHyJsbUAE/wCRJKHihcAVkoDsliKoWdS8M!
8FwWBCOBs5dI
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4108
rec.radio.amateur.equipment:2944 alt.ham-radio.marketplace:846 rec.radio.swap:3472

It does make you wonder who he thinks he is fooling with these "tips"
he sends out on great buys on ebay.

Oh, wait a minute, I said the word "thinks".  That was my mistake.

-Chuck

CP wrote:
> Spammer.
> Plonk!
>
> "Richie" <rlucch2098@aol.com> wrote in message
> news:87f13a0d-25e3-43ba-bfaf-688c6d19f52a@b1g2000hsg.googlegroups.com...
>> This sunday, H/T at a big $15 & HM-9 no bids!>
>> http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom
>
>



From -5259519302754849166
X-Google-Thread: 108122,14e124c79e84fe5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!k36g2000pri.googlegroups.com!not-for-
mail
From: woodward42@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-570S
Date: Sat, 13 Sep 2008 11:55:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <8e49d41d-3f4f-4c87-a898-996b322dcb7f@k36g2000pri.googlegroups.com>
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
NNTP-Posting-Host: 24.113.30.57
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1221332122 23504 127.0.0.1 (13 Sep 2008 18:55:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 Sep 2008 18:55:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k36g2000pri.googlegroups.com; posting-host=24.113.30.57;
     posting-account=NPi5ywoAAAAZ5TBV0ogmOXlGkfRmogXV
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2945

On Sep 9, 9:15=A0am, woodwar...@gmail.com wrote:
> Am experiencing RF on the chassis of the radio when transmit. =A0Have
> good ground system, clean power supply, resonant antenna w/ low SWR.
> When I touch the antenna of my RF Field Strength meter to any metal on
> the radio, wattmeter or power supply it pins the needle. =A0Opened
> radio, looked at ant output connectors, could find no problems or bad
> solder joints. =A0Installed 1:1 choke balun on coax at radio, no effect
> on problem. =A0Hear myself talking in the headset and when transmitting
> it triggers a motion detector light mounted outside and above the ham
> shack. =A0Same effect when using a dummy load. =A0Defect inside the radio=
,
> anyone experienced this?
>
> 73, Steve

Thanks to everyone who responded.  The problem of hearing myself when
transmitting is a problem in the radio as I suspected.  The motion
light issue is of no concern, they are inherently prone to RF setting
them off.  This one is only about 5' above the radio on the outside
wall.  My main question was directed to if anyone had this type
problem with their TS-570.

73, Steve


From 1837172059117017750
X-Google-Thread: 108122,14e124c79e84fe5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.dslextreme.com!not-
for-mail
Date: Sat, 13 Sep 2008 20:37:12 +0000
From: Dave <dave@dave.dave>
User-Agent: Thunderbird 2.0.0.16 (X11/20080724)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-570S
References: <4d7a20b1-2e7a-4760-85ca-92a2fd752e7a@p31g2000prf.googlegroups.com>
<8e49d41d-3f4f-4c87-a898-996b322dcb7f@k36g2000pri.googlegroups.com>
In-Reply-To: <8e49d41d-3f4f-4c87-a898-996b322dcb7f@k36g2000pri.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <48cc2478$0$29115$bd467cd0@news.dslextreme.com>
Organization: dslextreme.com
X-Complaints-To: abuse@dslextreme.com
Xref: g2news1.google.com rec.radio.amateur.equipment:584
```

woodward42@gmail.com wrote:
> On Sep 9, 9:15 am, woodwar...@gmail.com wrote:
>> Am experiencing RF on the chassis of the radio when transmit. Have
>> good ground system, clean power supply, resonant antenna w/ low SWR.
>> When I touch the antenna of my RF Field Strength meter to any metal on
>> the radio, wattmeter or power supply it pins the needle. Opened
>> radio, looked at ant output connectors, could find no problems or bad
>> solder joints. Installed 1:1 choke balun on coax at radio, no effect
>> on problem. Hear myself talking in the headset and when transmitting
>> it triggers a motion detector light mounted outside and above the ham
>> shack. Same effect when using a dummy load. Defect inside the radio,
>> anyone experienced this?
>>
>> 73, Steve
>
> Thanks to everyone who responded. The problem of hearing myself when
> transmitting is a problem in the radio as I suspected. The motion
> light issue is of no concern, they are inherently prone to RF setting
> them off. This one is only about 5' above the radio on the outside
> wall. My main question was directed to if anyone had this type
> problem with their TS-570.
>
> 73, Steve

Motion lights can create a lot of QRN.

From 7034945518679465777
X-Google-Thread: 10b9c8,f0946a92650480a7,start
X-Google-Thread: fc8b1,f0946a92650480a7,start
X-Google-Thread: 108122,f0946a92650480a7,start
X-Google-Thread: 1109af,f0946a92650480a7,start
X-Google-Thread: f7796,f0946a92650480a7,start
X-Google-Attributes:
gid10b9c8,gidfc8b1,gid108122,gid1109af,gidf7796,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!transit3.readnews.com!news-xxxfer.readnews.com!spool-
small8.readnews.com!news-out.readnews.com!transit4.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph - October 2008
Followup-To: poster
Date: Sun, 14 Sep 2008 10:33:35 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 37
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <Gg9zk.265$be.124@nlpi061.nbdc.sbc.com>

```
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1221402815 25555 166.84.1.6 (14 Sep 2008 14:33:35 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 14 Sep 2008 14:33:35 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-VirusChecked: Checked
X-Env-Sender: news@nlpi061.nbdc.sbc.com
X-Msg-Ref: server-6.tower-121.messagelabs.com!1221402796!20218484!1
X-StarScan-Version: 5.5.12.14.2; banners=-,-,-
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
[[PAPDCA[S@ORZAYAROD]_\@VR]^@B@MCPWZKB]MPXHBTWICYFWUQBKZQLYJX\_ITFD_KFVLUN[DOM_A_N
SYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXG
QCOA_SAH@TPD^\AL\RLGRFWEARBM
Xref: g2news1.google.com rec.radio.info:229 rec.radio.amateur.boatanchors:963
rec.radio.amateur.equipment:585 rec.radio.swap:593 alt.ham-radio.morse:5
```

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT HAM RADIO!

October 2008

The PFR-3 By Philip Cala-Lazar, K9PL

Pedal Radio By John Kirk, VK4TJ

The Making of a Ham By Darron Sanchez, WA5TCZ

Ham Origins By Mark Danner, AB7MP & Ward Silver, N�AX

All Hands on Deck By Rod Newkirk, VA3ZBB/W9BRD

Ham History By Dick Sylvan, W9CBT

The K9YA Telegraph is a free, monthly, general interest amateur radiopublication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

```
From -6121585046810032073
X-Google-Thread: 10bf43,a3cd46649ad3c0ef
X-Google-Thread: 1109af,a3cd46649ad3c0ef
X-Google-Thread: fcc6e,a3cd46649ad3c0ef
X-Google-Thread: 108122,a3cd46649ad3c0ef
X-Google-Attributes:
gid10bf43,gid1109af,gidfcc6e,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!r66g2000hsg.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.antenna,rec.radio.amateu
r.equipment
Subject: Re: Xforce-Amp 1000 watt Mobile Linear Amplifier
Date: Sun, 14 Sep 2008 16:04:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <0b2d9944-e916-418c-8cde-9056ba2b8c72@r66g2000hsg.googlegroups.com>
References: <48ca928a$0$529$c5fe31e7@reader.usenet4all.se>
     <i3Cyk.8782$cr4.65@newsfe02.iad> <gaesmh$7bl$1@news.albasani.net>
     <a4f341ee-8172-4d88-815c-979f0cc0b25b@l64g2000hse.googlegroups.com>
     <gagrcl$l6o$1@news.albasani.net>
NNTP-Posting-Host: 66.82.9.88
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1221433500 18840 127.0.0.1 (14 Sep 2008 23:05:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 14 Sep 2008 23:05:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r66g2000hsg.googlegroups.com; posting-host=66.82.9.88;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:9524 rec.radio.swap:594
rec.radio.amateur.antenna:3328 rec.radio.amateur.equipment:586
```

```
On Sep 13, 12:56=A0pm, John Smith <assemblywiz...@gmail.com> wrote:
> lt...@yahoo.com wrote:
> > =A0 =A0Legality depends on how and where something is used, and by whom=
.
> > If you try hard enough, an Ice cube can be illegal.
> > =A0- 'Doc
>
> Exactly, if I would strike my neighbor with a shovel, it would become an
> "illegal weapon"; =A0I would guess.
>
> Regards,
> JS

depends on where you are in CA maybe uin michigan where I live nope


From -6527779767675665187
X-Google-Thread: 108122,439cc0ab9112b716,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!flpi089.ffdc.sbc.com!prodigy.net!
flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!flpi144.ffdc.sbc.com.POSTED!
c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: eBay: books and radios
Lines: 1
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <yyjzk.261$Rx.216@flpi144.ffdc.sbc.com>
NNTP-Posting-Host: 70.142.50.64
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi144.ffdc.sbc.com 1221444894 ST000 70.142.50.64 (Sun, 14 Sep 2008
22:14:54 EDT)
NNTP-Posting-Date: Sun, 14 Sep 2008 22:14:54 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
TSU[@I_AOXTMBP\Y]RHV_STDFZ\@@FXLM@TDOCQDJ@_@FNTBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Sun, 14 Sep 2008 21:14:51 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:587
```

http://shop.ebay.com/merchant/wd5jfr

From 4497348110307493329
X-Google-Thread: f7653,fe3c43609cdd2e23,start
X-Google-Thread: 11480d,fe3c43609cdd2e23,start
X-Google-Thread: 108122,fe3c43609cdd2e23,start
X-Google-Attributes: gidf7653,gid11480d,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer01.iad.highwinds-media.com!
npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!post01.iad.highwinds-media.com!newsfe04.iad.POSTED!7564ea0f!not-for-mail
From: "Webmaster" <webmaster@hamradiolicense.net>
Newsgroups:
rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment
Subject: Ham Radio License Exam Preparation Software
Lines: 18
MIME-Version: 1.0
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Message-ID: <AXlzk.8856$PK.1338@newsfe04.iad>
NNTP-Posting-Host: 70.188.114.247
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe04.iad 1221454688 70.188.114.247 (Mon, 15 Sep 2008 04:58:08 UTC)
NNTP-Posting-Date: Mon, 15 Sep 2008 04:58:08 UTC
Organization: Cox
Date: Sun, 14 Sep 2008 23:58:17 -0500
Xref: g2news1.google.com rec.radio.amateur.digital.misc:35
rec.radio.amateur.dx:126 rec.radio.amateur.equipment:588

Test Preparation Software

Pass your US FCC ham radio license test with ease. Our test preparation software serves as a training aid to help amateurs and prospective amateurs pass the
VEC's administered test. When you can consistently pass the test given by our test
preparation software, you will almost certainly pass an actual test.

Our ham radio license test preparation software uses the latest officially released VEC's approved question pools. The program breaks the test into different sub-element. Integrated into the software are illustrations and Part 97 rules pertaining to the current question. The program tracks the progress of the tests taken. Once you have mastered each sub-element you are ready for the official test.

Visit our web site at http://www.hamradiolicense.net for more information

---

From -8047867321466232687
X-Google-Thread: 108122,8a854aa7a9f1b5fa,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe01.iad.POSTED!7564ea0f!not-for-mail
From: Dave <n7rk@cox.net>
User-Agent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US; rv:1.8.1.12) Gecko/20080201 SeaMonkey/1.1.8
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Vernier Dials, Roller Inductors, RF Ammeters and More
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 96
Message-ID: <Sotzk.8017$Dj1.1317@newsfe01.iad>
NNTP-Posting-Host: 68.3.32.205
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe01.iad 1221485234 68.3.32.205 (Mon, 15 Sep 2008 13:27:14 UTC)
NNTP-Posting-Date: Mon, 15 Sep 2008 13:27:14 UTC
Organization: Cox
Date: Mon, 15 Sep 2008 06:27:14 -0700
Xref: g2news1.google.com rec.radio.amateur.equipment:589

Here are a bunch of parts for sale. Prices do not include shipping. I will ship overseas.

Groth TC-2 Turns Counter.........$75 plus shipping
http://members.cox.net/radiodx3/grothtc2.JPG
http://members.cox.net/radiodx3/grothtc22.JPG

Monarch 50mm Vernier Dial...$18 plus shipping
50 mm version which is 2 inches in diameter couples to a standard 1/4 inch shaft.
http://members.cox.net/radiodx3/50mmJAvernier.JPG

EF Johnson Roller Inductor.........$40 plus shipping
The max inductance of this roller coil is approximately 13 uh and this should cover 3.5 to 30 MHz. This is in excellent condition. The dimensions of this coil are 3.5 inches long by 2.5 inches wide by 3 inches high.
http://members.cox.net/radiodx3/smallrollercoil.JPG

EF Johnson Roller Inductor.........$40 plus shipping
The max inductance of this roller coil is approximately 13 uh and this should cover 3.5 to 30 MHz. This is in excellent condition. The dimensions of this coil are 3.5 inches long by 2.5 inches wide by 3 inches high.

http://members.cox.net/radiodx3/efjrollercoil.JPG

National Radio "Velvet Vernier" Type AM Dial..........$25 plus shipping
Includes Insulated Coupling
http://members.cox.net/radiodx3/nat_amdial.JPG
http://members.cox.net/radiodx3/nat_amdial2.JPG

National Radio "Velvet Vernier" Type AM Dial..........$25 plus shipping
Includes Insulated Coupling
http://members.cox.net/radiodx3/nat_amdial3.JPG
http://members.cox.net/radiodx3/nat_amdial4.JPG

National Radio Velvet Vernier Dial & Insulated Coupling....$22 plus shipping
http://members.cox.net/radiodx3/velvet_vernier.JPG
http://members.cox.net/radiodx3/velvet_vernier2.JPG

Triplett RF Ammeter - 10 Amp Maximum....$25 plus shipping
http://members.cox.net/radiodx3/10a_sqrfammeter.JPG

Weston RF Ammeter - 10 Amp Maximum....$25 plus shipping
http://members.cox.net/radiodx3/10a_rfammeter.JPG

Geared 3 Section Variable Capacitor ....$20 plus shipping
Came out of a Hallicrafters SX-71 receiver.Measures 35 pf max per section and 10 pf min. Tying the 3 sections together will give you a variable capacitor with a max capacitance of 105 pf. The dimensions are 5 inches long by 3 inches wide by 2 inches high. The shaft is a standard 0.25 inches. This would be a great loading capacitor in a homebrew VHF transmitter or in a tuning capacitor in a crystal radio.
http://members.cox.net/radiostuff9/big3seccap3.JPG

Cardwell 100 pf Variable Capacitor....$20 plus shipping
http://members.cox.net/radiodx3/cardwell_cap.JPG

Unknown 200 pf Variable Capacitor....$20 plus shipping
http://members.cox.net/radiodx3/200pfcap.JPG

Geared 3 Section Variable Capacitor...$20 plus shipping
Came out of a Hallicrafters SX-71 receiver. Measures 470 pf max per section and 10 pf min. Tying the 3 sections together will give you a variable capacitor with a max capacitance of 1470 pf. The dimensions are 7 inches long by 3.5 inches wide by 2 inches high. The shaft is a standard 0.25 inches. This would be a great loading capacitor in a homebrew transmitter or in a tuning capacitor in a crystal radio.
http://members.cox.net/radiostuff9/big3seccap.JPG

Lighted VU Meter ....$15 plus shipping
The manufacturer is unknown. This is a tested working meter. The dimensions are 3 inches by 3 inches. The body will fit a hole that is 2.75 inches in diameter. looks better than in photo.
http://members.cox.net/radiostuff9/vu_meterB.JPG

Lighted VU Meter..........$20 plus shipping

The manufacturer is unknown. This is a tested working meter. Their is crack in the housing which can be seen in one of the photos. The dimensions are 2.25 inches by 2.25 inches. The body will fit a hole that is 2.25 inches in diameter.
http://members.cox.net/radiostuff9/vu_meter.JPG

100 kHz Crystal for Receiver Crystal Calibrator...$14 plus shipping
This is a working crystal removed from a Hallicrafters receiver that was parted out.
http://members.cox.net/radiostuff9/100khzxtal.JPG

--
****
Dave N7RK   Boatanchors Home Page: http://members.cox.net/n7rk
Phoenix, Arizona   *DXCC Honor Roll*   *WAZ#22 - 75 Meter SSB*

ex-XE2/N7RK, N7RK/ZB2, VK2ERK, ZM0AJN, WB6NRK, WN6IWX

Boatanchor and Antique Radio Collector

```
From -4045643331987899890
X-Google-Thread: 108122,2af401215f82078,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f36g2000hsa.googlegroups.com!not-for-
mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: lot #4 electronics shop cleanout sale-grid dip meter, multi tester,
     etc.
Date: Tue, 16 Sep 2008 04:36:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 46
Message-ID: <408c0884-4042-4cc5-a91a-2c4d86090fb6@f36g2000hsa.googlegroups.com>
NNTP-Posting-Host: 216.222.236.70
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1221564963 20681 127.0.0.1 (16 Sep 2008 11:36:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Sep 2008 11:36:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f36g2000hsa.googlegroups.com; posting-host=216.222.236.70;
     posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
     4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:590
```

http://shop.ebay.com/merchant/66-catalina_W0QQ_nkwZQQ_armrsZ1QQ_fromZQQ_mdoZ

1950's VINTAGE SIMPSON BLACK BAKELITE THERMOMETER GAUGE 1 Bid $9.98 2d
14h 13m

SPERRY GYROSCOPE TYPE B-7A AUTOPILOT COMPONENT AMP-WWII
B-17 B-24 B-25 B-29 VINTAGE USAAF SPERRY A-12 AUTOPILOT 0 Bids $24.99
2d 14h 13m

2 vintage 8track decks-BELAIR portable-PANASONIC record 0 Bids $9.98
2d 14h 13m

RCA MARK 8 PORTABLE 8TRACK DECK STEREO AC/DC-VG CONDITN 0 Bids $24.99
2d 14h 13m

(3) vintage cassette decks-PIONEER-KENWOOD-REALISTIC-$$ 0 Bids $24.99
3d 14h 13m

HEATHKIT MODEL GD-1B GRID DIP METER-vintage-CB-HAM-SW-$ 0 Bids $24.99
6d 14h 13m

ARGUS MODEL 300 AUTOMATIC SLIDE PROJECTOR-vintage-nice- 0 Bids $9.98
6d 14h 13m

PRECISION APPARATUS 3-420 WHITE DOT/BAR GENERATOR-TV-$$ 0 Bids $9.98
6d 14h 13m

"HOLIDAY PARADE" painting print by E. MELVIN BOLSTAD-$$ 0 Bids $24.99
6d 14h 13m

RCA MODEL WT-501 TRANSISTOR TESTOR NPN-PNP-IN/OUT CIRCT 0 Bids $9.98
6d 14h 13m

(2) VINTAGE RADIO-PHONO SPEAKERS-RL-113-1 & 10747-8"-$$ 0 Bids $9.98
6d 14h 13m

WOLLENSAK MODEL 715 8MM MOVIE PROJECTOR-COMPLETE-$$$$$$ 0 Bids $9.98
6d 14h 13m

RCA VICTOR VICTROLA BAKELITE AM RADIO/PHONO 45RPM 7"-$$ 0 Bids $9.98
6d 14h 13m

PRECISION APPARATUS MOD EV-10-S TUBE MULTI-TESTER-nice! 0 Bids $9.98
6d 14h 13m

```
From -2465762442194527129
X-Google-Thread: 1109af,1897134b78768ec6,start
X-Google-Thread: 108122,1897134b78768ec6,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!
feeder.erje.net!proxad.net!feeder1-2.proxad.net!news.wiretrip.org!news.dizum.com!
sewer-output!mail2news-x2!mail2news
```

From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: DRAKE L-7 linear amplifier
Message-ID: <0522ded4dbbeb342280dbb4cfd22c8b4@pseudo.borked.net>
Date: Tue, 16 Sep 2008 08:55:26 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:599 rec.radio.amateur.equipment:591

http://easyurl.net/DrakeL7

From 2056081462398655327
X-Google-Thread: 108122,b6404cd31137f6bb,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 16 Sep 2008 17:21:32 -0500
From: "pak" <pak.ecker@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-60R
Date: Tue, 16 Sep 2008 18:21:31 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18000
Message-ID: <xrydnX4GuYzxrE3VnZ2dnUVZ_uednZ2d@comcast.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.226.69.140
X-Trace: sv3-rjQhD1Kz4X9oUy+4GtMWUp2rNQC9V/FCnu9VorLJ8J59Ndj++jXhw/
qyBkw23gkEYssURGQXmvAzoji!
cxMohbAjXlaR2YJaIi4WhkqEGDmDLxCLrbNtDFN3nNcFllY8dx0pgh0ojyI2g3mQFkiAvLK4so5E!/
DEYieLb0tN+qHOMFcwTCFcB3kGtFQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:592

Have a new FT-60R and despite repeated readings of the manual, I am stumped on a few issues.

First, Programmable (Band Limit) Memory Scan. On page 40, item 2 in the manual it talks about storing the upper and lower limit of the scan you want to program. It says using the methods learned earlier (?) store the lower freq in L01 and the upper in U01. I cannot figure out how to get to L01 and U01 to store these limits.

Can anyone help?

Thanks and 73
Paul
KC2NYU

From 2280305443377313552
X-Google-Thread: 108122,b6404cd31137f6bb
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.acm.uiuc.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-60R
Date: Wed, 17 Sep 2008 10:34:47 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 21
Sender: et472@207-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0809171033100.23792@darkstar.example.org>
References: <xrydnX4GuYzxrE3VnZ2dnUVZ_uednZ2d@comcast.com>
NNTP-Posting-Host: 207-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1221662112 16822 64.235.215.207 (17 Sep 2008 14:35:12 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 17 Sep 2008 14:35:12 GMT
In-Reply-To: <xrydnX4GuYzxrE3VnZ2dnUVZ_uednZ2d@comcast.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:2956

On Tue, 16 Sep 2008, pak wrote:

> Have a new FT-60R and despite repeated readings of the manual, I am stumped
> on a few issues.
> First, Programmable (Band Limit) Memory Scan. On page 40, item 2 in the
> manual it talks about storing the upper and lower limit of the scan you want
> to program. It says using the methods learned earlier (?) store the lower
> freq in L01 and the upper in U01. I cannot figure out how to get to L01 and
> U01 to store these limits.
>
> Can anyone help?
>

I have no idea, but obviously there is something explained earlier in the manual about storing frequencies. So if the unit has some memories for certain frequencies, find that section and read it.

I'd assume you have to tune to the desired frequency, and then press
a button to store it.

MIchael VE2BVW

From 2681884078981036087
X-Google-Thread: 108122,b6404cd31137f6bb
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <xrydnX4GuYzxrE3VnZ2dnUVZ_uednZ2d@comcast.com>
Subject: Re: Yaesu FT-60R
Lines: 27
MIME-Version: 1.0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <nKaAk.301$3e1.250@trnddc02>
Date: Wed, 17 Sep 2008 17:02:11 GMT
NNTP-Posting-Host: 71.104.208.121
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1221670931 71.104.208.121 (Wed, 17 Sep 2008 13:02:11 EDT)
NNTP-Posting-Date: Wed, 17 Sep 2008 13:02:11 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:2957

"pak" <pak.ecker@comcast.net> wrote in message
news:xrydnX4GuYzxrE3VnZ2dnUVZ_uednZ2d@comcast.com...
> Have a new FT-60R and despite repeated readings of the manual, I am
stumped
> on a few issues.
> First, Programmable (Band Limit) Memory Scan. On page 40, item 2 in the
> manual it talks about storing the upper and lower limit of the scan you
want
> to program. It says using the methods learned earlier (?) store the lower
> freq in L01 and the upper in U01. I cannot figure out how to get to L01
and
> U01 to store these limits.
>

> Can anyone help?
>
>
> Thanks and 73
> Paul
> KC2NYU
Don't know that particular model but the typical routine is to select the
channel position in memory mode, then change to VFO mode and enter in the
frequency, then Func+mem, mem(or select memory position and hit mem). There
are variations of this with menu structures.

I prefer to use the software with large frequency lists.

From 4653399505265970289
X-Google-Thread: 108122,b6404cd31137f6bb
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <xrydnX4GuYzxrE3VnZ2dnUVZ_uednZ2d@comcast.com>
<nKaAk.301$3e1.250@trnddc02>
Subject: Re: Yaesu FT-60R
Lines: 40
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <HibAk.273$UB3.196@trnddc07>
Date: Wed, 17 Sep 2008 17:40:55 GMT
NNTP-Posting-Host: 71.104.208.121
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1221673255 71.104.208.121 (Wed, 17 Sep 2008 13:40:55 EDT)
NNTP-Posting-Date: Wed, 17 Sep 2008 13:40:55 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:2958

"JB" <nospam@goofball.net> wrote in message
news:nKaAk.301$3e1.250@trnddc02...
>
> "pak" <pak.ecker@comcast.net> wrote in message
> news:xrydnX4GuYzxrE3VnZ2dnUVZ_uednZ2d@comcast.com...
> > Have a new FT-60R and despite repeated readings of the manual, I am
> stumped
> > on a few issues.

```
> > First, Programmable ( Band Limit) Memory Scan. On page 40, item 2 in the
> > manual it talks about storing the upper and lower limit of the scan you
> want
> > to program. It says using the methods learned earlier (?) store the
lower
> > freq in L01 and the upper in U01. I cannot figure out how to get to L01
> and
> > U01 to store these limits.
> >
> > Can anyone help?
> >
> >
> > Thanks and 73
> > Paul
> > KC2NYU
> Don't know that particular model but the typical routine is to select the
> channel position in memory mode, then change to VFO mode and enter in the
> frequency, then Func+mem, mem(or select memory position and hit mem).
There
> are variations of this with menu structures.
>
> I prefer to use the software with large frequency lists.

Go to page 27-29  go to memory mode and enter 1001 F/W.  Then go to VFO mode
and enter in your lower frequency limit then press F/W for 1 second and you
should see the flashing number.  Use the channel knob to make sure you are
on the one you want and press F/W again.  Pretty much the same as I stated
above, but they are using different keys.  It looks like the L and U
positions are at the start of each bank below channel 1, 11, etc.
>



From 1583058509747827478
X-Google-Thread: 108122,cc8d4549e5504aca,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!25g2000prz.googlegroups.com!not-for-
mail
From: Karl in Spokane <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Panel meter, small
Date: Fri, 19 Sep 2008 13:58:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <2b952a63-9106-469c-b2b7-38c956ee2c08@25g2000prz.googlegroups.com>
NNTP-Posting-Host: 199.190.134.55
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1221857885 23498 127.0.0.1 (19 Sep 2008 20:58:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 19 Sep 2008 20:58:05 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: 25g2000prz.googlegroups.com; posting-host=199.190.134.55;
     posting-account=bQbFuAkAAAB_7SMvb-dBBqPIRhE7jh5C
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:597

Any have a line on a few panel meters? Say arond 2" square or less


From -3894024838949937921
X-Google-Thread: 108122,ab1ea169a1747c9e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn11feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB:Motorola Watt Meter adaptor
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <xXXAk.228570$102.133408@bgtnsc05-news.ops.worldnet.att.net>
Date: Sat, 20 Sep 2008 01:01:17 GMT
NNTP-Posting-Host: 12.65.156.58
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1221872477 12.65.156.58 (Sat, 20 Sep
2008 01:01:17 GMT)
NNTP-Posting-Date: Sat, 20 Sep 2008 01:01:17 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:598

Hello and thanks for the read.
I am looking to purchase the Motorola watt meter adaptor as used with the
r-2001x type service monitor. Should be part number RTL-4055A.
If you have one that you would sell for a reasonable price, please let me
hear from you.
If I find the adaptor, I could be interested in some of the ST-12xx elements
as well.
Larry




From 6857481515493048305
X-Google-Thread: 108122,be7b0011e7941797,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!newsfeed.stanford.edu!
```

headwall.stanford.edu!newshub.sdsu.edu!news.linkpendium.com!news.linkpendium.com!
pit-transit.telstra.net!pit-in1.telstra.net!news.telstra.net!news-south.connect.com.au!not-for-mail
From: "Gary Smith" <vkthree@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Power inverter
Date: Sat, 20 Sep 2008 22:48:15 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 19
Message-ID: <gb2rel$mke$1@news-01.bur.connect.com.au>
NNTP-Posting-Host: c-59-101-195-45.bur.connect.net.au
Mime-Version: 1.0
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=original
Content-Transfer-Encoding: 7bit
X-Trace: news-01.bur.connect.com.au 1221914902 23182 59.101.195.45 (20 Sep 2008 12:48:22 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Sat, 20 Sep 2008 12:48:22 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Xref: g2news1.google.com rec.radio.amateur.equipment:599

Hi all, i purchased a 12vdc to 240vac inverter for using my laptop. it's a 300 watt model fromm Jaycar.
I asked the person running the shop if i could run my 100w IC725 from it. NO WAY was the reply.

I was thinking of running the DSE D-3800 power supply from it when out on contests and running the laptop and ssb hf rig from it.
I just wanted to know if it was capable of handling that (which i presumed it would be) as the lap takes about 60w maybe and the transmitter 100w at times.

Anyway, if someone can please explain why a 300w inverter won't run 160w of gear i will be very happy.

Thanks

Gary
VK3LCD

From 6898553134987929317
X-Google-Thread: 108122,3e74099e13f87e8b,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!

border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.metrocastcablevision.com!news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 18 Aug 2008 19:26:13 -0500
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: CD-307A MILITARY HEADPHONE EXTENSION CABLE
Date: Mon, 18 Aug 2008 20:26:11 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <Ic-dnRK7ILy4jjfVnZ2dnUVZ_oTinZ2d@metrocastcablevision.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.9.4.229
X-Trace: sv3-
MGVlizClT9HFwGof7AMqPB9Rd3Y1SZuzpSFLZns94XNZIAY6i6A2GbG4Re2YE+5eaoz09DlPMuKNXdv!
8p9Z38nDVcspMWG9Bgvd0mkjJDJwnCZFpa0Ci3kfRZiLaE7U32MnlIStk8ejyRWwrnsv/dyg/Zd0!
cL2oWjLrSLNj0j6yR38ONlYoYZUZpnHW+ayojFeB6MU=
X-Complaints-To: abuse@metrocastcablevision.com
X-DMCA-Complaints-To: abuse@metrocastcablevision.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.equipment:2854

FOR SALE
CD-307A MILITARY HEADPHONE EXTENSION CABLE

DESCRIPTION: 16'5" 2-conductor, factory-made cable with PJ-055
(1/4" phone plug) on one end and JJ-026 (mates with PJ-054
(short 1/4" phone plug)) on the other end, used to extend
military headphones. Older cable, very nice condition.

PRICE: $20.00 includes shipping via US Priority Mail to
US addressees - no foreign sales.

PAY BY: US Postal Money Order

CONTACT: BOB, W5BTC

EMAIL: dc2light(at)md(dot)metrocast(dot)net

From 2529737735474726502
X-Google-Thread: 108122,aa5f754696ecf0f7,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!npeer02.iad.highwinds-media.com!

```
news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-
media.com!newsfe08.iad.POSTED!7564ea0f!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Ten-Tec Argonaut 509 with PS and Keyer
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 58
Message-ID: <Zfqqk.43119$yn5.13121@newsfe08.iad>
NNTP-Posting-Host: 72.218.226.12
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe08.iad 1219113081 72.218.226.12 (Tue, 19 Aug 2008 02:31:21 UTC)
NNTP-Posting-Date: Tue, 19 Aug 2008 02:31:21 UTC
Organization: Cox
Date: Mon, 18 Aug 2008 22:24:22 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2855
```

1. Ten-Tec Argonaut 509 QRP Tranceiver, Excellent Condition, Plus Extras

This was the very first radio I ever owned. When I got my license way back in '75 I was still in junior high (middle school now I think) so my dad and I went to the only local place that sold ham gear and he got me the argonaut. At the time I didn't know that QRP was not the best idea for a new operator. I have only used this radio a little over the years as I am not much of a talker. It has been sitting in a box for the last few year so I thought I would pass it along to someone that will give it more to do. It is in excellent shape and everything worked last time I used it. I don't have an antenna anymore so I can't test it very well now. Included is the matching power supply and a black Ten-Tec automatic paddle keyer I got at the same time. I no longer have the box but I do have the original manual.

2. OWI Movit WAO II MV-961 / MV 981 K Programmable, Build it Yourself Robot Kit with PC interface

I got this as a gift a few years ago and never actually did anything with it. It is a very nice little robot with either direct programming via its keypad or programming from a PC via the interface kit. This is a full kit version which means you have to solder the electronics as well as assembling the mechanical parts. This would be a great parent and child project or for anyone interested in robots and how they work. Below is from the company that makes the kit. This is the description of the MV-961 which is already assembled. The unit for sale is the MV-981 K which is identical except you build it from parts including soldering the printed circuit board.

WAO II is an intelligent robot with a four-bit micro-computer. Through its 26 keys, you can input a motion program. There are 8 movement command keys, 4 program keys, and 3 demonstration keys. WAO II also has a pen mechanism in the middle of its body which allows it to draw simple letters and designs. Assmebled Printed Circuit Board Movement: Programmable through keyboard or personal computer by utilizing an optional interface (sold separately). "AA" x 3 each, 9V x 1 each (not included).

3. Brand New Linksys WRT310N N Ultra RangePlus Wireless N Gigabit Router

I bought this just before the wrt610n came out. I couldn't decide if I wanted to keep this or get the 610. By the time I decided my return period was up so now I have a brand new in the box wrt310n for sale. I never did more than take it out for the pictures below. My indecision will be you gain.

4. TomTom 520 720 GO Flex Car Quick Mount

I got this to use with my TomTom 720GO but I ended up going another way due to the place I found to mount it in my car. It is very nice mount and can be wired into the car's electrical system or used with the cigarette lighter plug. It makes it quick and easy to remove the TomTom when leaving the car, no plugs to contend with.

For pictures, more information or to place a bid go to

http://shop.ebay.com/merchant/tcbordp

```
From -6874447260147005704
X-Google-Thread: 108122,256f35726810cba5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z66g2000hsc.googlegroups.com!not-for-mail
From: RF King <TravisCurrier@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FREE: 70 Page RF Products Catalog
Date: Tue, 19 Aug 2008 10:05:14 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <997b4572-6022-4880-97ed-d87a650ee989@z66g2000hsc.googlegroups.com>
NNTP-Posting-Host: 72.54.251.178
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1219165514 27065 127.0.0.1 (19 Aug 2008 17:05:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Aug 2008 17:05:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z66g2000hsc.googlegroups.com; posting-host=72.54.251.178;
     posting-account=DlP5YwoAAABdjm_DJzoZgY1pnXMYD7rO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:494
```

AAA RF Products Latest Catalog is now available.

Please Provide your mailing address to receive your copy at no charge.

Hope you guys all have a great day and I will look forward to helping
you on all your RF needs

Travis Currier
AAA RF Products
Phone: 949-481-3154
Email:sales@aaarfproducts.com
Website: www.aaarfproducts.com
Location: San Clemente, CA

From 6235381957727444785
X-Google-Thread: 108122,7f7530ab420b2c9,start
X-Google-Thread: fc8b1,7f7530ab420b2c9,start
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: DC <fritz@spamexpire-200808.rodent.frell.theremailer.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: COLLINS 51S-1 receiver and 55G-1 preselector/speaker
Message-ID: <0c7e965a4d8f34497fd9d2a8612a8080@msgid.frell.theremailer.net>
Date: Tue, 19 Aug 2008 23:08:47 +0200
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com alt.ham-radio.marketplace:807 rec.radio.swap:3383 rec.radio.amateur.equipment:2857 rec.radio.amateur.boatanchors:3933

http://atu.ca/Collins

From 8137930737158742385
X-Google-Thread: 108122,2d010d1d5f62c063,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c65g2000hsa.googlegroups.com!not-for-mail
From: walt <wbelsito@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: nuvistors for sale
Date: Tue, 19 Aug 2008 20:44:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 41

```
Message-ID: <483b4529-bdb3-4a68-8a60-15582690dfc7@c65g2000hsa.googlegroups.com>
NNTP-Posting-Host: 64.12.116.20
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1219203887 31957 127.0.0.1 (20 Aug 2008 03:44:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Aug 2008 03:44:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c65g2000hsa.googlegroups.com; posting-host=64.12.116.20;
     posting-account=CnAsNAkAAAA3FlvVIVgil95Wiq2sXKRp
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 8.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.5 [uScMs f p eN:t cCMp s ]), HTTP/1.1
     spider-mtc-tc06.proxy.aol.com[400C7046] (Prism/1.2.1), HTTP/1.1
     cache-mtc-aa16.proxy.aol.com[400C7414] (Traffic-Server/6.1.5 [uScM])
Xref: g2news2.google.com rec.radio.amateur.equipment:2858
```

hello ; i still have some nuvistors for sale ;

1   2CW4   RCA pull

1   2DS4   RCA n.o.s.

1   6CW4   G / E n.o.s.

2   6DS4   G / E   pulls

3   6DS4   RCA pulls

1 6DV4   syl   pull

2   13CW4   RCA pulls

6   8393 H / P # 1921 - 0037   12 volt fil N.O.S.

12   7586 H / P # 1921 - 0017 6 volt fil N.O.S.

also 3 sockets .

untested .

```
$ 5 apiece  +  postage .


thanks      WALT  ,  waterbury , ct  .

contact me at wbelsitoat aol dot com


From -5427482159802l8629
X-Google-Thread: 108122,28a879cf24fc49d6,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 21 Aug 2008 20:01:54 -0500
From: radiodud <radiodud.2f3c507@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: fs: motorola maxtracs 800mhz b-5's
Date: Thu, 21 Aug 2008 21:43:18 +0100
Message-ID: <radiodud.2f3c507@radiobanter.com>
Organization: RadioBanter.com
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-vw5rc7gRsJwDSjteqJAzU+USzOHxHJmySd6e8/
jMkzP3BgD+zJhv5b31TrorCaqYTGF4CJCbHgGYaNO!
btCP8fg2heNq25Wc4Hi7p8nELEjmjpXSBz5DAeXE7wsJoWWeN45jlaKXLx2pXCb+uOCkBi5m3+YS!
tAqSKA==
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:497


i have about 200 motorola maxtracs 15 watt b-5 ,2 sys. 2 group radios
for sale. email me if interested. thanks





--
radiodud


From -7828586477639874904
X-Google-Thread: 108122,f61663b840134d93,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.k-dsl.de!
news.motzarella.org!motzarella.org!not-for-mail
From: mike <spamme9@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS MFJ-830 2KW 30MHZ power sensor head for MFJ power meter
Date: Fri, 22 Aug 2008 03:07:06 -0700
Organization: A noiseless patient Spider
Lines: 6
Message-ID: <g8m32v$5o3$1@registered.motzarella.org>
Reply-To: spamme9@gmail.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: feeder.motzarella.org U2FsdGVkX1/S5/M7xph9HpIro/
ZjvoB7AOLopFWtdTkmXAs9fAJxtpKWRqIh+707zEV7/XXC8SClhdVtnQrs18iOkigpsbO/
Xk9wGMb94dC8ghtKydEotlepVIqUxDuQ0YlKDz/8ZcE=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Fri, 22 Aug 2008 10:06:23 +0000 (UTC)
X-Auth-Sender: U2FsdGVkX181TSvJSvtgUO3T1CsDLb0B6nJp6xDxt5I=
Cancel-Lock: sha1:4lT7BTsemql4yG1YIYQX2t6q7fE=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
Xref: g2news2.google.com rec.radio.amateur.equipment:2860

For Sale
MFJ-830 200W/2KW 30MHZ power sensor head for MFJ power meter.

Appears to be new in the box.
$20 + shipping from 97223.
Return address is good.

From -7806986419089970152
X-Google-Thread: fc8b1,f701fc0446cea912,start
X-Google-Thread: 108122,f701fc0446cea912,start
X-Google-Thread: 108228,f701fc0446cea912,start
X-Google-Thread: 1109af,f701fc0446cea912,start
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k30g2000hse.googlegroups.com!not-for-mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap
Subject: FA: MINT Millen GDO, 1955 ARRL HB, 6JS6C's,+ Stuff
Date: Fri, 22 Aug 2008 06:57:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <33a3de75-fc5b-4135-98d0-1219053d8cbf@k30g2000hse.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit

```
X-Trace: posting.google.com 1219413463 8782 127.0.0.1 (22 Aug 2008 13:57:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Aug 2008 13:57:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k30g2000hse.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3954
rec.radio.amateur.equipment:2861 alt.ham-radio.marketplace:810 rec.radio.swap:3393

All these are new for this coming week>
http://search.ebay.com/_W0QQsassZmyradioroomQQfrppZ50QQfsopZ32QQfsooZ2QQrdZ0


From -416778734825829175
X-Google-Thread: 108122,2b91b1ac7ebc561d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c65g2000hsa.googlegroups.com!not-for-
mail
From: bigjcw1023@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: 10 meter wonderbar
Date: Fri, 22 Aug 2008 11:01:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <24586721-d929-4473-8764-3b48cb31bc52@c65g2000hsa.googlegroups.com>
NNTP-Posting-Host: 75.117.250.142
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1219428108 2860 127.0.0.1 (22 Aug 2008 18:01:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Aug 2008 18:01:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c65g2000hsa.googlegroups.com; posting-host=75.117.250.142;
     posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2862

I was going to build this antenna and had a couple quick questions
about it.  DOes the coil connect at the tap point and one apex of the
triangle, or both triangles and the tap point.  And the smaller coil
that connects the coax goes to the center conductor and then the
shield?


From 4112782428114777610
X-Google-Thread: 108122,59952bcd9d19b8e1,start
```

X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m45g2000hsb.googlegroups.com!not-for-mail
From: bigjcw1023@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: G5RV
Date: Fri, 22 Aug 2008 11:04:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <67594861-e618-4ceb-9159-72a16f9002d4@m45g2000hsb.googlegroups.com>
NNTP-Posting-Host: 75.117.250.142
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1219428286 16477 127.0.0.1 (22 Aug 2008 18:04:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Aug 2008 18:04:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m45g2000hsb.googlegroups.com; posting-host=75.117.250.142;
posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:501

I made a balun for this antenna according to the manufactures
instructions and I still have high swr. HELP. I do get good signal
reports though. The ladder line is only verticle for almost 12ft and
then drapes off the roof. Best way it could be installed right now.
Using a kenwood ts440s with auto tuner. No luck on ten meter yet!!!

From 6331708458254659039
X-Google-Thread: 108122,59952bcd9d19b8e1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nntpserver.com!
zeus.nntpserver.com!pfilter-v0.1!news.teranews.com!not-for-mail
From: Dick <lost@nowhere.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: G5RV
Date: Fri, 22 Aug 2008 21:54:20 -0700
Message-ID: <ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com>
References: <67594861-e618-4ceb-9159-72a16f9002d4@m45g2000hsb.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@teranews.com
Organization: www.TeraNews.com
Lines: 17

NNTP-Posting-Date: Sat, 23 Aug 2008 00:54:20 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:502

On Fri, 22 Aug 2008 11:04:46 -0700 (PDT), bigjcw1023@gmail.com wrote:

>I made a balun for this antenna according to the manufactures
>instructions and I still have high swr. HELP. I do get good signal
>reports though. The ladder line is only verticle for almost 12ft and
>then drapes off the roof. Best way it could be installed right now.
>Using a kenwood ts440s with auto tuner. No luck on ten meter yet!!!

I have found that only a couple of bands can be tuned with the
built-in tuner. For the rest you will need an external tuner that can
handle SWR's greater than 3:1.

With the current sunspot cycle, you would be lucky to make a ten-meter
contact (other than locals) with a 6-element beam, let alone a G5RV.

Dick - W6CCD
** Posted from http://www.teranews.com **

From 1778629164912184813
X-Google-Thread: 108122,59952bcd9d19b8e1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 23 Aug 2008 08:56:20 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <67594861-e618-4ceb-9159-72a16f9002d4@m45g2000hsb.googlegroups.com>
<ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com>
Subject: Re: G5RV
Date: Sat, 23 Aug 2008 09:57:16 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <bOOdnXT8E82Zii3VnZ2dnUVZ_r_inZ2d@earthlink.com>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace:
sv3-5gQ01IbddK6bIckXUapgZoBkCxjZmogIcDf06IHjUnm21xGLjupPTT5QCMA8pTPBrvMinkn6G4lIFN
s!tRSZbM2JnvIa0eQhuHGMjmzjuBvA0TPEqUZzrYGRoZKHLg0NYqx8Y21Fz0MiuQs4qCheHrxxP+QI!
CSGzNWkDxMcF9k/vIUGOyxcMVYv/GraBUD2cPg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39

Xref: g2news1.google.com rec.radio.amateur.equipment:503

"Dick" <lost@nowhere.org> wrote in message
news:ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com...
> On Fri, 22 Aug 2008 11:04:46 -0700 (PDT), bigjcw1023@gmail.com wrote:
>
>>I made a balun for this antenna according to the manufactures
>>instructions and I still have high swr. HELP. I do get good signal
>>reports though. The ladder line is only verticle for almost 12ft and
>>then drapes off the roof. Best way it could be installed right now.
>>Using a kenwood ts440s with auto tuner. No luck on ten meter yet!!!
>
> I have found that only a couple of bands can be tuned with the
> built-in tuner. For the rest you will need an external tuner that can
> handle SWR's greater than 3:1.
>
> With the current sunspot cycle, you would be lucky to make a ten-meter
> contact (other than locals) with a 6-element beam, let alone a G5RV.
>
> Dick - W6CCD

I don't think much of the G5RV, but that is a personal opinion without ever
having one up. I do use an OCF antenna with all its problems. Mainly for
80 and 40 meters.

Ten meters has been opening up some and I have made a few contacts on it. I
am not much of a 10 meter operator. I do have a triband beam up and it is
much beter than the OCF for the bands it is cut for , but I have heard many
10 meter stations and beacons over the last month. I have even made a few 6
meter contacts out of the local area.

From -8525263452565449894
X-Google-Thread: fc8b1,ed11b63dae97be63,start
X-Google-Thread: 108122,ed11b63dae97be63,start
X-Google-Thread: 1109af,ed11b63dae97be63,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 23 Aug 2008 10:37:57 -0500
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA:Galaxy outboard CW filter
Date: Sat, 23 Aug 2008 11:37:45 -0400
X-Priority: 3

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <IPednVqADoNIsy3VnZ2dnUVZ_vjinZ2d@comcast.com>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.0.66.32
X-Trace: sv3-R8aN015p1B7yh0CmD3/Dq5XKKpqISKkflg6tBkfoHWPAoXsjU/xHh3CB/
IeHzjtW73KRXs8zEjJcApR!
c0+2osvfwx85Do5Pk5C4Vy2iTgsbZNRKM+RerR44zlu5lspsPrDtxvnHDkEJAoW6B+fcCftsVpDf!
apyCdExYEjo+4J6OzO4MpfEmQA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3963
rec.radio.amateur.equipment:2866 rec.radio.swap:3397

Very rare outboard CW filter for the GT550.
Try to find another! ...NO BIDS yet, ends tomorrow!

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=290253829544&ssPageName=STRK:MESE:IT&ih=019

From 1434717517755445143
X-Google-Thread: 108122,59952bcd9d19b8e1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
x41g2000hsb.googlegroups.com!not-for-mail
From: bigjcw1023@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: G5RV
Date: Sat, 23 Aug 2008 23:25:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 38
Message-ID: <5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com>
References: <67594861-e618-4ceb-9159-72a16f9002d4@m45g2000hsb.googlegroups.com>
     <ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com>
<bOOdnXT8E82Zii3VnZ2dnUVZ_r_inZ2d@earthlink.com>
NNTP-Posting-Host: 75.117.250.142
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1219559136 15099 127.0.0.1 (24 Aug 2008 06:25:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Aug 2008 06:25:36 +0000 (UTC)

```
Complaints-To: groups-abuse@google.com
Injection-Info: x41g2000hsb.googlegroups.com; posting-host=75.117.250.142;
     posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:505

On Aug 23, 10:57 am, "Ralph Mowery" <rmowery28...@earthlink.net>
wrote:
> "Dick" <l...@nowhere.org> wrote in message
>
> news:ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com...
>
>
>
> > On Fri, 22 Aug 2008 11:04:46 -0700 (PDT), bigjcw1...@gmail.com wrote:
>
> >>I made a balun for this antenna according to the manufactures
> >>instructions and I still have high swr.  HELP.  I do get good signal
> >>reports though.  The ladder line is only verticle for almost 12ft and
> >>then drapes off the roof.  Best way it could be installed right now.
> >>Using a kenwood ts440s with auto tuner.  No luck on ten meter yet!!!
>
> > I have found that only a couple of bands can be tuned with the
> > built-in tuner.  For the rest you will need an external tuner that can
> > handle SWR's greater than 3:1.
>
> > With the current sunspot cycle, you would be lucky to make a ten-meter
> > contact (other than locals) with a 6-element beam, let alone a G5RV.
>
> > Dick - W6CCD
>
> I don't think much of the G5RV, but that is a personal opinion without ever
> having one up.  I do use an OCF antenna with all its problems.  Mainly for
> 80 and 40 meters.
>
> Ten meters has been opening up some and I have made a few contacts on it.  I
> am not much of a 10 meter operator.  I do have a triband beam up and it is
> much beter than the OCF for the bands it is cut for , but I have heard many
> 10 meter stations and beacons over the last month.  I have even made a few 6
> meter contacts out of the local area.

I did make a contact from N Ohio to Idaho with reptty good results
running around 35W on 40 meter the other night.  Thanks for the input
though!!!


From 6070790269198908272
X-Google-Thread: 108228,530f9e687d8436fd,start
X-Google-Thread: 1109af,530f9e687d8436fd,start
X-Google-Thread: 108122,530f9e687d8436fd,start
X-Google-Thread: fc8b1,530f9e687d8436fd,start
```

```
X-Google-Attributes:
gid108228,gid1109af,gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!lightspeed.eweka.nl!
81.171.88.16.MISMATCH!eweka.nl!hq-usenetpeers.eweka.nl!
border1.nntp.ams.giganews.com!nntp.giganews.com!news.wiretrip.org!news.dizum.com!
sewer-output!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boa
tanchors
Subject: FA: COLLINS 51S-1 receiver and 55G-1 preselector/speaker
Message-ID: <0c7e965a4d8f34497fd9d2a8612a8080@pseudo.borked.net>
Date: Sun, 24 Aug 2008 01:15:29 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 1
Xref: g2news1.google.com alt.ham-radio.marketplace:180 rec.radio.swap:518
rec.radio.amateur.equipment:506 rec.radio.amateur.boatanchors:819

http://atu.ca/Collins




From -7873766496418032000
X-Google-Thread: 108228,548eef6d5124adfd,start
X-Google-Thread: 1109af,548eef6d5124adfd,start
X-Google-Thread: 102b99,548eef6d5124adfd,start
X-Google-Thread: 108122,548eef6d5124adfd,start
X-Google-Attributes:
gid108228,gid1109af,gid102b99,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
feeder.erje.net!news.exosphere.de!news2.arglkargh.de!news.dizum.com!sewer-output!
mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.swap,ny.forsale,rec.radio.amateur.equipment
Subject: FA: KENWOOD SM-230 Station Monitor
Message-ID: <77cccda50983986322531457202dff70@pseudo.borked.net>
Date: Sun, 24 Aug 2008 06:35:03 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:181 rec.radio.swap:519
ny.forsale:162 rec.radio.amateur.equipment:507

http://easyurl.net/KenwoodSM230




From 5117319716722655454
X-Google-Thread: 1109af,548eef6d5124adfd
X-Google-Thread: 102b99,548eef6d5124adfd
```

```
X-Google-Thread: 108122,548eef6d5124adfd
X-Google-Attributes: gid1109af,gid102b99,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!eweka.nl!lightspeed.eweka.nl!
feeder.erje.net!news.exosphere.de!news2.arglkargh.de!news.dizum.com!sewer-output!
mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: DC <fritz@spamexpire-200808.rodent.frell.theremailer.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.swap,ny.forsale,rec.radio.amateur.equipment
Subject: FA: KENWOOD SM-230 Station Monitor
Message-ID: <77cccda50983986322531457202dff70@msgid.frell.theremailer.net>
Date: Sun, 24 Aug 2008 15:13:32 +0200
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:182 rec.radio.swap:520
ny.forsale:163 rec.radio.amateur.equipment:508

http://easyurl.net/KenwoodSM230




From -6938224378815363801
X-Google-Thread: 108122,59952bcd9d19b8e1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 25 Aug 2008 21:20:08 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: G5RV
From: Mike Coslo <mcoslo@youknow.comcast.net>
References: <67594861-e618-4ceb-9159-72a16f9002d4@m45g2000hsb.googlegroups.com>
<ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com>
<bOOdnXT8E82Zii3VnZ2dnUVZ_r_inZ2d@earthlink.com>
<5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com>
Organization: Your Company
Message-ID: <Xns9B05E3EAE7C70mcoslocomcastnet@216.196.97.136>
User-Agent: Xnews/5.04.25
Date: Mon, 25 Aug 2008 21:20:09 -0500
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.58.64.185
X-Trace: sv3-
ijS3pX8eByVkuUSWgnPDfsHI+jtqWzmFyCAPsWTyEtlKMoDcWkoS8FDsgVeEcZ+hyEmFH7VB2Kh7HzW!
cOVFH267oDroIwpar39aVOs789ijWzykSapSnffBdOHjc31WHhc4QbtFJo8vVOAlA/fkfTaW31L9!
LC3lXRm7F3utmmNIT/SkYu4VfgamQOpc
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:2871

bigjcw1023@gmail.com wrote in
news:5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com:

> I did make a contact from N Ohio to Idaho with reptty good results
> running around 35W on 40 meter the other night.  Thanks for the input
> though!!!

Did you get your problem solved? A few questions here. Where is the balun
located, and what type is it?

Internal tuners tend to correct up to only  3:1 or so. There is a good
chance that you will still need an outboard tuner. Something like a MFJ 949
would probably do the. If you do use that, you can probably take the balun
of the radio end, (if that is where it is at) and run the ladder line
directly to the tuner.


     - 73 de Mike N3LI -






From 711510812516097366
X-Google-Thread: 108122,59952bcd9d19b8e1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!w7g2000hsa.googlegroups.com!not-for-
mail
From: bigjcw1023@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: G5RV
Date: Mon, 25 Aug 2008 20:51:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <65586821-66b2-4658-87d5-694710b5cb2c@w7g2000hsa.googlegroups.com>
References: <67594861-e618-4ceb-9159-72a16f9002d4@m45g2000hsb.googlegroups.com>
     <ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com>
<bOOdnXT8E82Zii3VnZ2dnUVZ_r_inZ2d@earthlink.com>
     <5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com>
     <Xns9B05E3EAE7C70mcoslocomcastnet@216.196.97.136>
NNTP-Posting-Host: 75.117.250.142
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1219722688 23186 127.0.0.1 (26 Aug 2008 03:51:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Aug 2008 03:51:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w7g2000hsa.googlegroups.com; posting-host=75.117.250.142;
     posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2872

On Aug 25, 10:20 pm, Mike Coslo <mco...@youknow.comcast.net> wrote:
> bigjcw1...@gmail.com wrote
innews:5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com:
>
> > I did make a contact from N Ohio to Idaho with reptty good results
> > running around 35W on 40 meter the other night.  Thanks for the input
> > though!!!
>
> Did you get your problem solved? A few questions here. Where is the balun
> located, and what type is it?
>
> Internal tuners tend to correct up to only  3:1 or so. There is a good
> chance that you will still need an outboard tuner. Something like a MFJ 949
> would probably do the. If you do use that, you can probably take the balun
> of the radio end, (if that is where it is at) and run the ladder line
> directly to the tuner.
>
>         - 73 de Mike N3LI -

The balun is at the feedpoint.  It is constructed as per mauf specs.
4" pvc with ten turns of the coax around it, secured with zip ties.


From -7255677660000095887
X-Google-Thread: 108122,59952bcd9d19b8e1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
newsfeed.freenet.de!news.germany.com!storethat.news.telefonica.de!telefonica.de!
nntpserver.com!zeus.nntpserver.com!pfilter-v0.1!news.teranews.com!not-for-mail
From: Dick <lost@nowhere.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: G5RV
Date: Tue, 26 Aug 2008 06:53:03 -0700
Message-ID: <6i28b4l3kd4inocqcmnhgg2g20u4ud1489@4ax.com>
References: <67594861-e618-4ceb-9159-72a16f9002d4@m45g2000hsb.googlegroups.com>
<ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com>
<bOOdnXT8E82Zii3VnZ2dnUVZ_r_inZ2d@earthlink.com>
<5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com>
<Xns9B05E3EAE7C70mcoslocomcastnet@216.196.97.136>
<65586821-66b2-4658-87d5-694710b5cb2c@w7g2000hsa.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@teranews.com
Organization: www.TeraNews.com
Lines: 31
```

NNTP-Posting-Date: Tue, 26 Aug 2008 09:53:03 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2873

On Mon, 25 Aug 2008 20:51:28 -0700 (PDT), bigjcw1023@gmail.com wrote:

>On Aug 25, 10:20 pm, Mike Coslo <mco...@youknow.comcast.net> wrote:
>> bigjcw1...@gmail.com wrote
innews:5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com:
>>
>> > I did make a contact from N Ohio to Idaho with reptty good results
>> > running around 35W on 40 meter the other night. Thanks for the input
>> > though!!!
>>
>> Did you get your problem solved? A few questions here. Where is the balun
>> located, and what type is it?
>>
>> Internal tuners tend to correct up to only 3:1 or so. There is a good
>> chance that you will still need an outboard tuner. Something like a MFJ 949
>> would probably do the. If you do use that, you can probably take the balun
>> of the radio end, (if that is where it is at) and run the ladder line
>> directly to the tuner.
>>
>>   - 73 de Mike N3LI -
>
>The balun is at the feedpoint. It is constructed as per mauf specs.
>4" pvc with ten turns of the coax around it, secured with zip ties.

Here is a good article regarding feeding the G5RV. You will note in
it that Louis Varney (G5RV) in his later writings, did not recommend
the use of a balun. I have used the G5RV for many years without a
balun with fairly good success. Here is the article -
http://www.vk1od.net/G5RV/index.htm

Dick - W6CCD
** Posted from http://www.teranews.com **

From -4494622859002145051
X-Google-Thread: 108122,879f19584f8b8b3c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe04.news.easynews.com.POSTED!not-for-mail
From: Michael <micoder@sbcglobal.net>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Hear It, GAP audio DSP - successful noise reduction
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 33
Message-ID: <CYgtk.578567$I42.203526@fe04.news.easynews.com>

X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Wed, 27 Aug 2008 18:23:31 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:512

I am just posting this review for anyone who has noise problems. I also posted it on eham.

The only reason I did not give this a five is because the level control and bypass control are tiny buttons. The level control is accomplished by holding down a tiny button and trying to count beeps. A very poor idea. It should have been a rotary switch.

Now, the noise reduction. It is very very good. This device adapts the amount of noise reduction to the amount of noise it receives. This makes listening to a group on say 75 a real pleasure. The signals I receive that are very good like 20 over hold my agc so that I am not receiving noise. This then stops the ANEM from effecting the signal. When a weak signal comes on, my noise starts to come up and I can hear the ANEM start to force down the noise. There is a slight distortion of the audio that does not affect readability.

The bottom line is that I can listen to a round table without listening to noise with the exception noted below.

This device is not fast enough to stop lightening crashes.

This device is good enough that in the four days I have had it now, I feel spoiled. I do not want to operate without it.

It was pricey, $200. But I feel it was worth it. And no, I have no financial interest in Gap or any other company. BTW Gap antennas suck.
This unit was purchased from w4rt.com

My call is W8EZI

Note: ANEM is the original name of this module.

From -2425850407762062460
X-Google-Thread: 108122,a5f6dc8937dc74bc,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Aug 2008 19:00:58 -0500
From: rebdaniel <rebdaniel.2fb9fe8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need wire identification for Alliance Rotor motor

Date: Wed, 27 Aug 2008 19:55:05 +0100
Message-ID: <rebdaniel.2fb9fe8@radiobanter.com>
Organization: RadioBanter.com
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-9gh7crhJAZw7q1KMlr/
0U085FyBbZOySK9JtQDgJv5wKgzfBOttT+eXeAk7pS0lliFoUwHMSo/800hy!
7l63S8RhKM6VFVjRJVwWXSGqfFhBExOs2dl6Gur2IMqcu3j0GoF+L00oFzrW/k7dNOzH8KlMJrJg!
dSuTYwg=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 6
Xref: g2news2.google.com rec.radio.amateur.equipment:2875

Saw a previous posting where a user was helped with a different model than mine a couple of years ago.

I've got an Alliance U-110 Tenna Rotor and the schematics are missing for the in house controller. Four terminals, labeled 1-4, no idea how they connect with with the wires. I inherited a system already in use, and the wires which are in place are red, green, black and white. Any ideas about which goes to which terminal?

Sadly uneducated,
RebDaniel

--
rebdaniel

From 228817605044834329
X-Google-Thread: 108122,a5f6dc8937dc74bc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Aug 2008 19:32:33 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <rebdaniel.2fb9fe8@radiobanter.com>
Subject: Re: Need wire identification for Alliance Rotor motor
Date: Wed, 27 Aug 2008 20:33:32 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <7tednb_wicq8byjVnZ2dnUVZ_ofinZ2d@earthlink.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-cQXNCYixVhelfGl1e02PRahBxqR/
uDoktTBUlN2cHe+ybcStJ26k67R2cC8T9SpAqoC56oU+XBwns+Y!id20JWn0/faiGnp/
bfEnIMn64lVRAXTlzCZVwJmpOFNNol2hgVxKlCLwcM4xYXMlhuHCFaCQn008!djNiNsZ9s/
a9U8iwaziLsv/UjFTySEZacGtdLA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:514


"rebdaniel" <rebdaniel.2fb9fe8@radiobanter.com> wrote in message
news:rebdaniel.2fb9fe8@radiobanter.com...
>
> Saw a previous posting where a user was helped with a different model
> than mine a couple of years ago.
>
> I've got an Alliance U-110 Tenna Rotor and the schematics are missing
> for the in house controller.  Four terminals, labeled 1-4, no idea how
> they connect with with the wires.  I inherited a system already in use,
> and the wires which are in place are red, green, black and white.  Any
> ideas about which goes to which terminal?
>
> Sadly uneducated,
> RebDaniel
>
The wire colors mean nothing.  If you can look at the rotator, then the same
number on the rotator goes to the same number on the house unit.

I usually use the colors of the resistor code when wiring up things, just
start with the lowest color wire and go up.
I doubt anyone else does this.





From 4414063754292036474
X-Google-Thread: 108122,a5f6dc8937dc74bc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
news.suddenlink.net!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <rebdaniel.2fb9fe8@radiobanter.com>
In-Reply-To: <rebdaniel.2fb9fe8@radiobanter.com>
```

```
Subject: Re: Need wire identification for Alliance Rotor motor
Date: Wed, 27 Aug 2008 19:32:41 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Lines: 24
Message-ID: <48b5f23b$0$4024$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 75.111.224.200
X-Complaints-To: abuse@suddenlink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:515

I just e-mailed you the schematic.
73 de Glenn AA5PK

"rebdaniel" <rebdaniel.2fb9fe8@radiobanter.com> wrote in message
news:rebdaniel.2fb9fe8@radiobanter.com...
>
> Saw a previous posting where a user was helped with a different model
> than mine a couple of years ago.
>
> I've got an Alliance U-110 Tenna Rotor and the schematics are missing
> for the in house controller.  Four terminals, labeled 1-4, no idea how
> they connect with with the wires.  I inherited a system already in use,
> and the wires which are in place are red, green, black and white.  Any
> ideas about which goes to which terminal?
>
> Sadly uneducated,
> RebDaniel
>
>
>
>
> --
> rebdaniel



From -7465104953570487557
X-Google-Thread: 108122,a5f6dc8937dc74bc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
news.suddenlink.net!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
```

References: <rebdaniel.2fb9fe8@radiobanter.com>
<48b5f23b$0$4024$bbae4d71@news.suddenlink.net>
In-Reply-To: <48b5f23b$0$4024$bbae4d71@news.suddenlink.net>
Subject: Re: Need wire identification for Alliance Rotor motor
Date: Wed, 27 Aug 2008 19:54:46 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Lines: 29
Message-ID: <48b5f768$0$4020$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 75.111.224.200
X-Complaints-To: abuse@suddenlink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2878

Well, I would have if your e-mail address had been valid.

"Glenn" <aa5pk@hotmail.com> wrote in message
news:48b5f23b$0$4024$bbae4d71@news.suddenlink.net...
>I just e-mailed you the schematic.
> 73 de Glenn AA5PK
>
> "rebdaniel" <rebdaniel.2fb9fe8@radiobanter.com> wrote in message
> news:rebdaniel.2fb9fe8@radiobanter.com...
>>
>> Saw a previous posting where a user was helped with a different model
>> than mine a couple of years ago.
>>
>> I've got an Alliance U-110 Tenna Rotor and the schematics are missing
>> for the in house controller. Four terminals, labeled 1-4, no idea how
>> they connect with with the wires. I inherited a system already in use,
>> and the wires which are in place are red, green, black and white. Any
>> ideas about which goes to which terminal?
>>
>> Sadly uneducated,
>> RebDaniel
>>
>>
>>
>>
>> --
>> rebdaniel
>

From 603463665199095182

```
X-Google-Thread: 108122,a5f6dc8937dc74bc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Aug 2008 20:01:49 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <rebdaniel.2fb9fe8@radiobanter.com>
<48b5f23b$0$4024$bbae4d71@news.suddenlink.net>
<48b5f768$0$4020$bbae4d71@news.suddenlink.net>
Subject: Re: Need wire identification for Alliance Rotor motor
Date: Wed, 27 Aug 2008 21:02:48 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <86KdnYy23M1gZSjVnZ2dnUVZ_uednZ2d@earthlink.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-
tFODZJ5QwrSm5Mx2BFX1y+jyohkKaw2rQsVruuLqV1gnumNoLZ3lqCnj38bjyuCVBh24+aaVwlx/yzS!
lRZrrkZannIxPy5KqoZU+m/vER9m4sHGhe3Ul7eEiJBp+FW5eAk/9L/z5O7h7GmZGSILFzG+p8Mp!BY/
aTDjP3NxHezYAZcn1aAjCeBmh0c9rsbN/7Q==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:517


"Glenn" <aa5pk@hotmail.com> wrote in message
news:48b5f768$0$4020$bbae4d71@news.suddenlink.net...
> Well, I would have if your e-mail address had been valid.
>
> "Glenn" <aa5pk@hotmail.com> wrote in message
> news:48b5f23b$0$4024$bbae4d71@news.suddenlink.net...
>>I just e-mailed you the schematic.
>> 73 de Glenn AA5PK
>>

Don't you just hate that ?   I do and do not try to send the needed info a
second time to people that will not use a valid email address.




From 3858267090796465179
X-Google-Thread: 108122,a5f6dc8937dc74bc
X-Google-Attributes: gid108122,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!cycny01.gnilink.net!
cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!newshosting.com!
post01.iad01!news.suddenlink.net!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <rebdaniel.2fb9fe8@radiobanter.com>
<48b5f23b$0$4024$bbae4d71@news.suddenlink.net>
<48b5f768$0$4020$bbae4d71@news.suddenlink.net>
<86KdnYy23M1gZSjVnZ2dnUVZ_uednZ2d@earthlink.com>
In-Reply-To: <86KdnYy23M1gZSjVnZ2dnUVZ_uednZ2d@earthlink.com>
Subject: Re: Need wire identification for Alliance Rotor motor
Date: Wed, 27 Aug 2008 20:45:23 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Lines: 12
Message-ID: <48b60346$0$4034$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 75.111.224.200
X-Complaints-To: abuse@suddenlink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2880

"Ralph Mowery" <rmowery28146@earthlink.net> wrote in message
news:86KdnYy23M1gZSjVnZ2dnUVZ_uednZ2d@earthlink.com...
>
> Don't you just hate that ?   I do and do not try to send the needed info a
> second time to people that will not use a valid email address.

At least get a throw-away Hotmail or Yahoo account :O)

I liked your method of using the resistor color code when attaching colored
wires.  I'll have to keep that in mind.
73 de Glenn AA5PK




From 3242196950928446987
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!
fe64.usenetserver.com.POSTED!add3cb9d!not-for-mail
From: greenpjs <greenpjs@neo.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need wire identification for Alliance Rotor motor
```

```
Reply-To: greenpjs@neo.rr.com
Message-ID: <h71cb49a8ilqbdbkc740bao23so46cq7eq@4ax.com>
References: <rebdaniel.2fb9fe8@radiobanter.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
X-Complaints-To: abuse@usenetserver.com
X-Abuse-Info: Please be sure to forward a copy of ALL headers
X-Abuse-Info: Otherwise we will be unable to process your complaint properly.
NNTP-Posting-Date: Wed, 27 Aug 2008 21:58:13 EDT
Date: Wed, 27 Aug 2008 21:58:12 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2881

On Wed, 27 Aug 2008 19:55:05 +0100, rebdaniel
<rebdaniel.2fb9fe8@radiobanter.com> wrote:

>
>Saw a previous posting where a user was helped with a different model
>than mine a couple of years ago.
>
>I've got an Alliance U-110 Tenna Rotor and the schematics are missing
>for the in house controller.  Four terminals, labeled 1-4, no idea how
>they connect with with the wires.  I inherited a system already in use,
>and the wires which are in place are red, green, black and white.  Any
>ideas about which goes to which terminal?
>
>Sadly uneducated,
>RebDaniel
I used to install U-100's many years ago (a side job while in college)
and remember if you use the included strain relief at the motor end
with a four wire flat cable, the four wires became 1, 2, 4, and 3
because of the way the screw terminals were laid out on the motor.
You, therefore, had to swap the 3rd and 4th wires on the control box.
I always wondered why they did it that way.  We had many repair calls
because an owner would disconnect the control box and then reconnect
it the obvious way... wrong.  Perhaps they fixed that problem on the
U-110.



From 3919217790263076740
X-Google-Thread: 108122,9995d11b51e22199,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: FRENCH,ASCII
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
cleanfeed3-a.proxad.net!nnrp10-1.free.fr!not-for-mail
From: "Pascal06" <pp@pp.com>
Newsgroups: rec.radio.amateur.equipment
Subject: [BUY]Albrecht AE201S
Date: Thu, 28 Aug 2008 08:51:25 +0200
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 080827-0, 27/08/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 35
Message-ID: <48b64aee$1$30233$426a74cc@news.free.fr>
Organization: Guest of ProXad - France
NNTP-Posting-Date: 28 Aug 2008 08:51:26 MEST
NNTP-Posting-Host: 82.228.251.229
X-Trace: 1219906286 news-3.free.fr 30233 82.228.251.229:1072
X-Complaints-To: abuse@proxad.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2882

Hello,
I would want to buy an Albrecht AE201 in good condition, AKA :
Eurocb pro 201
Alan AE201S
Eagle Spitfire 454
Intek SS-201
Magnum SSB-1010
Titan RPSY-201
Cherokee AH-100, etc...
If you have that at home and you want sell it...
Thanks in advance !

Pascal

Bonjour,
Je suis � la recherche d'un poste Albrecht AE201, connu �galement sous
les marques et mod�les suivants:
Eurocb pro 201
Alan AE201S
Eagle Spitfire 454
Intek SS-201 AM/FM/SSB
Magnum SSB-1010 AM/FM/SSB
Titan RPSY-201 AM/FM/SSB
Cherokee AH-100 AM/SSB, etc...
Si vous avez �a dans vos cartons, ou si vous connaissez quelqu'un...
Merci d'avance.

From 4991873483031881811

```
X-Google-Thread: 108122,bd196a707423ba37,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!news.kjsl.com!
news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Techcom" <techcom@sonic.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Alliance U-110 Tenna Rotor Won't  Rotate
Date: Thu, 28 Aug 2008 14:57:10 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Lines: 32
Message-ID: <48b720fa$0$17235$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 28 Aug 2008 22:04:43 GMT
NNTP-Posting-Host: 9c73cb2c.news.sonic.net
X-Trace:
DXC=BL_P`SSo<c`N0BPL[]^QFmm4K\QM1CV^`1OYf0H`?;XaGPM]8<jh7>mcjm3_5lG2blj5bDK3`<INgd
OS<n2b8Ugd
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:521
```

I have a Alliance U-110 Tenna Rotor that won't rotate when you turn the knob on the house control box. The control box just lights up and there's no pulsing of the rotor. I checked the wiring between the control box and the antenna rotor and it seems all correct. The only way that I can get it to work, is by pressing a tab under the control box that's over the number 1 & 2 screws. There's got to be a better way to operate this rotor. I'd picked another Alliance U-110 House Control Box at a garage sale and tried that one and came up with the same problem. Does anybody know what the problem might be? Is it easy to repair? Thank You in your help- Techcom.

From -6263123404360388220
X-Google-Thread: 108122,bd196a707423ba37
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 28 Aug 2008 18:14:42 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <48b720fa$0$17235$742ec2ed@news.sonic.net>
Subject: Re: Alliance U-110 Tenna Rotor Won't Rotate
Date: Thu, 28 Aug 2008 19:15:41 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <OPSdne-horP_rCrVnZ2dnUVZ_tCdnZ2d@earthlink.com>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-J5LHUpOs4bS5NHAruLBFeOmSvLn1nHY2b+JikYfotTx/
91O4BK3r16oRkiP14Zsb2AiYoYq4GiY4sBq!Pyv7CkBVsT/
KF4Q49wRIRoCHrXX360xIOS9jr8K5pc4zkWt844npiv91qNM6fJxYl6VbUoB1dPHi!
S2QEEFNcq5XWoV9mlD5AOB9g4m6PopX6oIVCkQ==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:522

"Techcom" <techcom@sonic.net> wrote in message
news:48b720fa$0$17235$742ec2ed@news.sonic.net...
>
> I have a Alliance U-110 Tenna Rotor that won't rotate when you turn the
> knob on the house control box. The control box just lights up and there's
> no pulsing of the rotor. I checked the wiring between the control box and
> the antenna rotor and it seems all correct. The only way that I can get it
> to work, is by pressing a tab under the control box that's over the number
> 1 & 2 screws. There's got to be a better way to operate this rotor. I'd
> picked another Alliance U-110 House Control Box at a garage sale and
> tried that one and came up with the same problem. Does anybody know what
> the problem might be? Is it easy to repair? Thank You in your help-
> Techcom.
>

The capacitor usually goes bad in the rotors.
When you press the tab , that is to line up the rotor with the control
indicator. I doubt the rotor is actually turning the antenna.

From -1406498507264818844
X-Google-Thread: 108122,bec68b856c7bb439,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn11feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Collins KWM-380 for parts
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <_WItk.186920$102.127905@bgtnsc05-news.ops.worldnet.att.net>
Date: Fri, 29 Aug 2008 02:13:14 GMT
NNTP-Posting-Host: 12.64.186.180
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1219975994 12.64.186.180 (Fri, 29 Aug
2008 02:13:14 GMT)
NNTP-Posting-Date: Fri, 29 Aug 2008 02:13:14 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:523

Hello all - I guess it is sacreligious to think that anyone would not repair
this xcvr., but I have to ask.
If anyone has a non-working Collins KWM-380 or HF-380 that you have given up
on, please let me know. I am specifically looking for a good trim ring that
goes around the face, maybe a case. Also, could use some of the optonal
boards for inside the xcvr.
If you have anything available, please let me know direct.
Thanks - Larry

From -6096615061933683713
X-Google-Thread: 108122,bec68b856c7bb439
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!news.kjsl.com!
ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment

Subject: Re: WTB: Collins KWM-380 for parts
Date: Fri, 29 Aug 2008 13:23:29 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 16
Sender: et472@72.0.192.99
Message-ID: <Pine.LNX.4.64.0808291322540.12284@darkstar.example.org>
References: <_WItk.186920$102.127905@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 72.0.192.99
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1220030613 23909 72.0.192.99 (29 Aug 2008 17:23:33 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 29 Aug 2008 17:23:33 GMT
In-Reply-To: <_WItk.186920$102.127905@bgtnsc05-news.ops.worldnet.att.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:524

On Fri, 29 Aug 2008, Larry McGee wrote:

> Hello all - I guess it is sacreligious to think that anyone would not repair
> this xcvr., but I have to ask.
> If anyone has a non-working Collins KWM-380 or HF-380 that you have given up
> on, please let me know. I am specifically looking for a good trim ring that
> goes around the face, maybe a case. Also, could use some of the optonal
> boards for inside the xcvr.
> If you have anything available, please let me know direct.
> Thanks - Larry
>

Isn't that the sort of thing that Surplus Sales of Nebraska is so good
at? Tiny little parts with high prices, but at least you can get them.

    Michael VE2BVW

From 2977631634805084567
X-Google-Thread: 108122,bec68b856c7bb439
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe09.iad.POSTED!7564ea0f!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: rec.radio.amateur.equipment
References: <_WItk.186920$102.127905@bgtnsc05-news.ops.worldnet.att.net>
<Pine.LNX.4.64.0808291322540.12284@darkstar.example.org>
Subject: Re: WTB: Collins KWM-380 for parts
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Response
Message-ID: <jnWtk.25325$9u1.8943@newsfe09.iad>

```
NNTP-Posting-Host: 72.192.52.79
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe09.iad 1220031055 72.192.52.79 (Fri, 29 Aug 2008 17:30:55 UTC)
NNTP-Posting-Date: Fri, 29 Aug 2008 17:30:55 UTC
Organization: Cox
Date: Fri, 29 Aug 2008 13:30:34 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:525


"Michael Black" <et472@ncf.ca> wrote in message  > Isn't that the sort of
thing that Surplus Sales of Nebraska is so good
> at?  Tiny little parts with high prices, but at least you can get them.
>
>    Michael  VE2BVW
>

Good one :)




From -6763717782417188585
X-Google-Thread: 108122,59952bcd9d19b8e1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!core-easynews!easynews.com!easynews!en-
nntp-08.dc1.easynews.com.POSTED!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: G5RV
Message-ID: <q1bjb4lgj984u0qei08qivnakjdlubeuif@4ax.com>
References: <67594861-e618-4ceb-9159-72a16f9002d4@m45g2000hsb.googlegroups.com>
<ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com>
<bOOdnXT8E82Zii3VnZ2dnUVZ_r_inZ2d@earthlink.com>
<5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com>
<Xns9B05E3EAE7C70mcoslocomcastnet@216.196.97.136>
<65586821-66b2-4658-87d5-694710b5cb2c@w7g2000hsa.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 30 Aug 2008 15:35:20 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:527

On Mon, 25 Aug 2008 20:51:28 -0700 (PDT), bigjcw1023@gmail.com wrote:

>On Aug 25, 10:20 pm, Mike Coslo <mco...@youknow.comcast.net> wrote:
```

```
>> bigjcw1...@gmail.com wrote
innews:5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com:
>>
>> > I did make a contact from N Ohio to Idaho with reptty good results
>> > running around 35W on 40 meter the other night.  Thanks for the input
>> > though!!!
>>
>> Did you get your problem solved? A few questions here. Where is the balun
>> located, and what type is it?
>>
>> Internal tuners tend to correct up to only  3:1 or so. There is a good
>> chance that you will still need an outboard tuner. Something like a MFJ 949
>> would probably do the. If you do use that, you can probably take the balun
>> of the radio end, (if that is where it is at) and run the ladder line
>> directly to the tuner.
>>
>>         - 73 de Mike N3LI -
>
>The balun is at the feedpoint.  It is constructed as per mauf specs.
>4" pvc with ten turns of the coax around it, secured with zip ties.

You might look at g5rv's later article on his antenna:
http://www.qsl.net/aa3px/g5rv.htm

bob
k5qwg



From 8399961919302071764
X-Google-Thread: 108122,5329d22be003fffd,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
l33g2000pri.googlegroups.com!not-for-mail
From: rebecca0048@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: usfine is a wonderful game store
Date: Sat, 30 Aug 2008 21:21:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <22f0d98d-f379-469d-b13e-23b919aca7fb@l33g2000pri.googlegroups.com>
NNTP-Posting-Host: 220.178.42.42
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1220156478 1563 127.0.0.1 (31 Aug 2008 04:21:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 31 Aug 2008 04:21:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l33g2000pri.googlegroups.com; posting-host=220.178.42.42;
     posting-account=T1wgNgkAAABmrT3N0QFRIGjqSXE1HWsH
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     TencentTraveler 4.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:528
```

Do you like the game for Age Of Conan gold in a good websit for
http://www.mmonice.com
Welcome to our website to scan some games which you are interested.
http://www.mmonice.com/Maple-Story-Accounts-c-155.html

```
From 4251855469682050661
X-Google-Thread: 108122,4adeeaaa7b4b9122,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!2g2000hsn.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Using a 230V AC to 13.8V DC in the USA
Date: Sun, 31 Aug 2008 06:25:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 25
Message-ID: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com>
NNTP-Posting-Host: 96.241.35.95
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1220189143 13472 127.0.0.1 (31 Aug 2008 13:25:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 31 Aug 2008 13:25:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 2g2000hsn.googlegroups.com; posting-host=96.241.35.95;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; WOW64;
     SLCC1; .NET CLR 2.0.50727; .NET CLR 3.0.04506; Media Center PC
     5.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:529
```

Hi All

I recently moved to the US and have brought with me a SEC 1223 Switch
Mode Power Supply (spec is below). It is not marked up that it can run
using 120V but i tried it and it seems to be putting out about 13.2V
on my meter. I have not stress tested it with a radio connected on
transmit.

Any thoughts?

Regards

Andy

SEC-1223 SEC 23A 13.8V Switch Mode Power Supply
* Input 230V AC * Output 13.8V DC * Output current 23A continuous (25A peak) * Thermostatic Fan cooled * HF & VHF filtering *

The SEC-1223 switch mode power supply offers 23A of continuous current output and 25A peak. This is more than enough for any 100W transceiver. Designed with RF operation in mind, it is totally noise free and utterly stable. Lighter than an IC-706 and bout the same size, it will fit underneath for desktop operation. It will also fit in a brief case or flight bag.

From 8318847105600955086
X-Google-Thread: 1109af,afb0cead6450205,start
X-Google-Thread: 108122,afb0cead6450205,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: ELECRAFT K2 100W transceiver
Message-ID: <33a652bd508e0e5c93db31c1e972077b@pseudo.borked.net>
Date: Sun, 31 Aug 2008 08:22:04 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:542 rec.radio.amateur.equipment:530

http://easyurl.net/ElecraftK2

From 1555001326318985671
X-Google-Thread: 108122,4adeeaaa7b4b9122
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com>
Subject: Re: Using a 230V AC to 13.8V DC in the USA
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <fYyuk.134$jE1.32@trnddc03>
Date: Sun, 31 Aug 2008 15:40:59 GMT
NNTP-Posting-Host: 71.104.204.114
X-Complaints-To: abuse@verizon.net

X-Trace: trnddc03 1220197259 71.104.204.114 (Sun, 31 Aug 2008 11:40:59 EDT)
NNTP-Posting-Date: Sun, 31 Aug 2008 11:40:59 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:531
X-Original-Bytes: 2126

"Andiroo" <a.richman@btinternet.com> wrote in message
news:24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com...
> Hi All
>
> I recently moved to the US and have brought with me a SEC 1223 Switch
> Mode Power Supply (spec is below). It is not marked up that it can run
> using 120V but i tried it and it seems to be putting out about 13.2V
> on my meter. I have not stress tested it with a radio connected on
> transmit.
>
> Any thoughts?
>
>
> Regards
>
> Andy
>
> SEC-1223 SEC 23A 13.8V Switch Mode Power Supply
> * Input 230V AC * Output 13.8V DC * Output current 23A continuous (25A
> peak) * Thermostatic Fan cooled * HF & VHF filtering *
>
> The SEC-1223 switch mode power supply offers 23A of continuous current
> output and 25A peak. This is more than enough for any 100W
> transceiver. Designed with RF operation in mind, it is totally noise
> free and utterly stable. Lighter than an IC-706 and bout the same
> size, it will fit underneath for desktop operation. It will also fit
> in a brief case or flight bag.

There is a rack mount version that is internally selectable 120/220 Here's
a thread on the conversion:

http://n2.nabble.com/Samlex-SEC-1223-td382856.html

From -8827742231378426185
X-Google-Thread: 108122,bec68b856c7bb439
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.acm.uiuc.edu!
news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: Collins KWM-380 for parts
Date: Sun, 31 Aug 2008 13:37:43 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada

```
Lines: 32
Sender: et472@72.0.192.109
Message-ID: <Pine.LNX.4.64.0808311334130.14529@darkstar.example.org>
References: <_WItk.186920$102.127905@bgtnsc05-news.ops.worldnet.att.net>
 <Pine.LNX.4.64.0808291322540.12284@darkstar.example.org>
 <jnWtk.25325$9u1.8943@newsfe09.iad>
NNTP-Posting-Host: 72.0.192.109
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1220204274 19141 72.0.192.109 (31 Aug 2008 17:37:54 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 31 Aug 2008 17:37:54 GMT
In-Reply-To: <jnWtk.25325$9u1.8943@newsfe09.iad>
Xref: g2news1.google.com rec.radio.amateur.equipment:532

On Fri, 29 Aug 2008, Tio Pedro wrote:

>
"Michael Black" <et472@ncf.ca> wrote in message  > Isn't that the sort of
> thing that Surplus Sales of Nebraska is so good
>> at?  Tiny little parts with high prices, but at least you can get them.
>>
>>    Michael  VE2BVW
>>
>
> Good one :)
>
I remember the first time I noticed an ad for the company, sometime
in the eighties but I don't know if they'd been running ads before.
"A new surplus place, I'll send for the catalog".  And then it comes,
and there are interesting things, but unlike the surplus catalogs
I'd come to know, the prices were all high.

So something that would be really neat to build with, like an IF
filter out of the KWM-380, had such a high price that virtually
all the alternatives were more appealing.  The only reason one
could pay that was if it was absolutely necessary, which would
mean you need one to replace the one in your Collins transceiver.

I haven't seen their catalog recently, but I wince every time I
see people suggest it for some mundane part like one of those
"365pf variable capacitors" so common in construction projects.
Those are so easy to get, even if you have to buy a radio at
a garage sale, there is no reason to pay a premium price.

   Michael  VE2BVW




From -3303394950296930460
X-Google-Thread: 108122,4adeeaaa7b4b9122
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
```

```
Path: g2news1.google.com!postnews.google.com!56g2000hsm.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Using a 230V AC to 13.8V DC in the USA
Date: Sun, 31 Aug 2008 10:54:16 -0700 (PDT)
Organization: http://groups.google.com
Lines: 54
Message-ID: <74f5ffc3-d551-491c-8323-4f5ad9dcfb0e@56g2000hsm.googlegroups.com>
References: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com>
     <fYyuk.134$jE1.32@trnddc03>
NNTP-Posting-Host: 96.241.35.95
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1220205256 32735 127.0.0.1 (31 Aug 2008 17:54:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 31 Aug 2008 17:54:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 56g2000hsm.googlegroups.com; posting-host=96.241.35.95;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; WOW64;
     SLCC1; .NET CLR 2.0.50727; .NET CLR 3.0.04506; Media Center PC
     5.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:533

On Aug 31, 11:40=A0am, "JB" <nos...@goofball.net> wrote:
> "Andiroo" <a.rich...@btinternet.com> wrote in message
>
> news:24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com...
>
>
>
>
>
> > Hi All
>
> > I recently moved to the US and have brought with me a SEC 1223 Switch
> > Mode Power Supply (spec is below). It is not marked up that it can run
> > using 120V but i tried it and it seems to be putting out about 13.2V
> > on my meter. I have not stress tested it with a radio connected on
> > transmit.
>
> > Any thoughts?
>
> > Regards
>
> > Andy
>
> > SEC-1223 SEC 23A 13.8V Switch Mode Power Supply
> > * Input 230V AC * Output 13.8V DC * Output current 23A continuous (25A
> > peak) * Thermostatic Fan cooled * HF & VHF filtering *
```

```
>
> > The SEC-1223 switch mode power supply offers 23A of continuous current
> > output and 25A peak. This is more than enough for any 100W
> > transceiver. Designed with RF operation in mind, it is totally noise
> > free and utterly stable. Lighter than an IC-706 and bout the same
> > size, it will fit underneath for desktop operation. It will also fit
> > in a brief case or flight bag.
>
> There is a rack mount version that is internally selectable 120/220 =A0He=
re's
> a thread on the conversion:
>
> http://n2.nabble.com/Samlex-SEC-1223-td382856.html- Hide quoted text -
>
> - Show quoted text -

Hi

Thanks for the advice. I would probably need to find a service
engineer to do this as meddling with the inner of switch mode power
supplies is beyond my comfort zone. I just wondered why it seemed to
work and if i could get away without further mods or if there was a
simple switch to flick like there was on my home pc power supply (if
only!).

Thanks for the link to advice.

Andy


From 5276945267508507249
X-Google-Thread: 108122,4adeeaaa7b4b9122
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 31 Aug 2008 14:45:34 -0500
From: No Spam <no@spam.com>
Subject: Re: Using a 230V AC to 13.8V DC in the USA
Newsgroups: rec.radio.amateur.equipment
References: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com>
User-Agent: Pan/0.132 (Waxed in Black)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <IK6dnRnDH4xDaSfVnZ2dnUVZ_orinZ2d@comcast.com>
Date: Sun, 31 Aug 2008 14:45:34 -0500
Lines: 35
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.8.221.21
X-Trace: sv3-EluGWPpat6chERubDkz57OEYEah0PFG7EVeU/GKJbIKYVebYM5czBPwfb7veluBHhiP/
3p+H1EWI3C4!
```

```
h0hfjswImg7n9toAzvWyJWMcxRlXr+1dGcEbgqk4KRBHtrsTobxw6aRiDKdxm8QWwA3h59lP5ePH!
yJWFLHC8k1TvPbX7FKLM/54h8mg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:534

On Sun, 31 Aug 2008 06:25:43 -0700, Andiroo wrote:

> Hi All
>
> I recently moved to the US and have brought with me a SEC 1223 Switch
> Mode Power Supply (spec is below). It is not marked up that it can run
> using 120V but i tried it and it seems to be putting out about 13.2V on
> my meter. I have not stress tested it with a radio connected on
> transmit.
>
> Any thoughts?
>
>
> Regards
>
> Andy
>
> SEC-1223 SEC 23A 13.8V Switch Mode Power Supply * Input 230V AC * Output
> 13.8V DC * Output current 23A continuous (25A peak) * Thermostatic Fan
> cooled * HF & VHF filtering *
>
> The SEC-1223 switch mode power supply offers 23A of continuous current
> output and 25A peak. This is more than enough for any 100W transceiver.
> Designed with RF operation in mind, it is totally noise free and utterly
> stable. Lighter than an IC-706 and bout the same size, it will fit
> underneath for desktop operation. It will also fit in a brief case or
> flight bag.


Some of these newer supplies can auto switch between input voltage. The
nomenclature on the spec tage will say something like....

" 90~250v "

If it says that, it's a auto switching input


From -4594645794544827577
X-Google-Thread: 108122,4adeeaaa7b4b9122
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
```

media.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com> <fYyuk.134$jE1.32@trnddc03> <74f5ffc3-d551-491c-8323-4f5ad9dcfb0e@56g2000hsm.googlegroups.com>
Subject: Re: Using a 230V AC to 13.8V DC in the USA
Lines: 62
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <6VFuk.168$393.154@trnddc05>
Date: Sun, 31 Aug 2008 23:35:30 GMT
NNTP-Posting-Host: 71.104.215.5
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1220225730 71.104.215.5 (Sun, 31 Aug 2008 19:35:30 EDT)
NNTP-Posting-Date: Sun, 31 Aug 2008 19:35:30 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:535

> > Hi All
>
> > I recently moved to the US and have brought with me a SEC 1223 Switch
> > Mode Power Supply (spec is below). It is not marked up that it can run
> > using 120V but i tried it and it seems to be putting out about 13.2V
> > on my meter. I have not stress tested it with a radio connected on
> > transmit.
>
> > Any thoughts?
>
> > Regards
>
> > Andy
>
> > SEC-1223 SEC 23A 13.8V Switch Mode Power Supply
> > * Input 230V AC * Output 13.8V DC * Output current 23A continuous (25A
> > peak) * Thermostatic Fan cooled * HF & VHF filtering *
>
> > The SEC-1223 switch mode power supply offers 23A of continuous current
> > output and 25A peak. This is more than enough for any 100W
> > transceiver. Designed with RF operation in mind, it is totally noise
> > free and utterly stable. Lighter than an IC-706 and bout the same
> > size, it will fit underneath for desktop operation. It will also fit
> > in a brief case or flight bag.
>
> There is a rack mount version that is internally selectable 120/220 Here's
> a thread on the conversion:
>
> http://n2.nabble.com/Samlex-SEC-1223-td382856.html- Hide quoted text -
>
> - Show quoted text -

Hi

Thanks for the advice. I would probably need to find a service engineer to do this as meddling with the inner of switch mode power supplies is beyond my comfort zone. I just wondered why it seemed to work and if i could get away without further mods or if there was a simple switch to flick like there was on my home pc power supply (if only!).

Thanks for the link to advice.

Andy

Full schematic here:
http://www.n0ss.net/index_general.html

If you had a 120/240 switch, that is where it would go. It cuts off half of the full wave bridge to feed same voltage that would be available with 240 v.
Doing so will likely allow you to pull full current before regulation goes south. Might be iffy for your radio if you don't. Also the supply will run cooler if you do.

There is also an output voltage adjustment.

It has been stated elsewhere in documentation not to hook a battery on the output for backup.

From -6615689760359411675
X-Google-Thread: 108122,4adeeaaa7b4b9122
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
Date: Sun, 31 Aug 2008 17:17:33 -1000
From: rick frazier <rickf@rickfrazier.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.13) Gecko/20080313 SeaMonkey/1.1.9
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Using a 230V AC to 13.8V DC in the USA
References: <24eb7004-6987-4977-8296-953023c1092c@2g2000hsn.googlegroups.com> <IK6dnRnDH4xDaSfVnZ2dnUVZ_orinZ2d@comcast.com>
In-Reply-To: <IK6dnRnDH4xDaSfVnZ2dnUVZ_orinZ2d@comcast.com>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 51

Message-ID: <48bb5ed2$0$28595$9a6e19ea@unlimited.newshosting.com>
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
X-Complaints-To: abuse@newshosting.com
Xref: g2news1.google.com rec.radio.amateur.equipment:536

No Spam wrote:
> On Sun, 31 Aug 2008 06:25:43 -0700, Andiroo wrote:
>
>> Hi All
>>
>> I recently moved to the US and have brought with me a SEC 1223 Switch
>> Mode Power Supply (spec is below). It is not marked up that it can run
>> using 120V but i tried it and it seems to be putting out about 13.2V on
>> my meter. I have not stress tested it with a radio connected on
>> transmit.
>>
>> Any thoughts?
>>
>>
>> Regards
>>
>> Andy
>>
>> SEC-1223 SEC 23A 13.8V Switch Mode Power Supply * Input 230V AC * Output
>> 13.8V DC * Output current 23A continuous (25A peak) * Thermostatic Fan
>> cooled * HF & VHF filtering *
>>
>> The SEC-1223 switch mode power supply offers 23A of continuous current
>> output and 25A peak. This is more than enough for any 100W transceiver.
>> Designed with RF operation in mind, it is totally noise free and utterly
>> stable. Lighter than an IC-706 and bout the same size, it will fit
>> underneath for desktop operation. It will also fit in a brief case or
>> flight bag.
>
>
> Some of these newer supplies can auto switch between input voltage. The
> nomenclature on the spec tage will say something like....
>
> " 90~250v "
>
> If it says that, it's a auto switching input

Most of the 90-250V are "universal", not auto switching, as there is no
switching of the primary involved for any reasonable input voltage.
They rectify the incoming voltage, and the actual switcher that creates
the output voltage runs on that DC supply. This is the reason many
single rated (240V) switchers will run on 120V, though they don't
typically provide full current output unless they have really stout
input diodes... If you've a 250V single input rated switcher, (and no
obvious jumpers inside) it would be best to keep the output drain to
half of the rated current, unless you've been inside and can verify the
input diodes can handle the current.. (DAMHIKT) [wry smile]. Any

supply with jumpering inside to switch can typically use 120V with full output.

Good Luck

--Rick AH7H

```
From 4916623179641712313
X-Google-Thread: 108122,64346a142af3212f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!79g2000hsk.googlegroups.com!not-for-
mail
From: KI4LDJ <dante35@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Packet Radio Guru
Date: Thu, 4 Sep 2008 13:25:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <603b77d4-fde9-4790-afdf-477221b0f15b@79g2000hsk.googlegroups.com>
NNTP-Posting-Host: 128.227.159.212
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1220559918 1267 127.0.0.1 (4 Sep 2008 20:25:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 4 Sep 2008 20:25:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000hsk.googlegroups.com; posting-host=128.227.159.212;
     posting-account=8e2TzgoAAADuwPpbvebcpnhbMkQLYDNM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10.5; en-US;
     rv:1.9.0.1) Gecko/2008070206 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2900
```

Is anyone a packet radio guru in the Gainesville area? A few students from GARC (www.gatorradio.org) are trying to perform AX.25 packet transmissions between several packet radios. Please email me at dante@gatorradio.org (73 ~ Dante, KI4LDJ)

```
From -1573799049064352514
X-Google-Thread: 1109af,634acac9175c7091,start
X-Google-Thread: 108228,634acac9175c7091,start
X-Google-Thread: 108122,634acac9175c7091,start
X-Google-Attributes: gid1109af,gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!
newsfeed1.ip.tiscali.net!proxad.net!feeder1-2.proxad.net!news.wiretrip.org!
news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: DC <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: FA: ALPHA 78 "no tune" Bandpass HF linear amplifier
```

Message-ID: <32084e84d8dfb99a5566724969651633@pseudo.borked.net>
Date: Fri, 5 Sep 2008 13:40:32 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 2
Xref: g2news1.google.com rec.radio.swap:551 alt.ham-radio.marketplace:195
rec.radio.amateur.equipment:539

http://easyurl.net/ALPHA78

From -6289493747839583038
X-Google-Thread: 108122,de4cdcb7145e8d92,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Sep 2008 19:01:06 -0500
From: Paul Garth <Paul.Garth.3077d55@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: KPC3+ talking to Alinco ALR-22
Date: Fri, 5 Sep 2008 19:29:46 +0100
Message-ID: <Paul.Garth.3077d55@radiobanter.com>
Organization: RadioBanter.com
Lines: 45
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-UG2EzpGlqR7PsTFrTKu9GFDF4hdiP7Ts7driWvK5N0aie/
t19HbxXRJHT8aaWjf81OY8Ec1xy1oarTO!
dxoc2dv0svYp9HHMvs+rpXbjmvKyH2EEnlM5NsIM3mETEUGWEQjtp1r24jVTQBiRynsTV3JHedQr!
H3SHIfnr
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 34
Xref: g2news1.google.com rec.radio.amateur.equipment:540

Having difficulties getting the TNC (KPC3+) to Connect to a Host.

Kantronics KPC3+
Alinco ALR-22 2M Rig
Serial Cable between PC and KPC3+ is fine and connection is fine
Cable between KPC3+ and Alinco has been verified pinned correct
Using Windows Hyperterminal

When I click Connect hostname, I see
--Red Transmit light on KPC3+
--Flashing on the Alinco (transmitting)
--My Yaesu Handi-Talkie hears a tone

--The host doesn't make a connection, though

When I key-up the Handi-Talkie, the Alinco doesn't respond

When I put the regular microphone back on the rig, it receives and transmits

I read somewhere that I have to set CD to Software (vs Internal) - no difference

I've done the full reset -- no difference

I've done the soft reset -- no difference

Abaud is 9600
Hbaud is 1200

I was able to follow the KPC3+ instructions where you open up the squelch and raise the volume until the green receive light comes on and then turn up squelch -- no difference

Question: Is there some setting I need to be making on either the Radio or TNC to tune it up?

Thanks in advance,

Paul (KI6USA)

--
Paul Garth

```
From -7065973675137488726
X-Google-Thread: 108122,71012dca57c5bb16,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y38g2000hsy.googlegroups.com!not-for-mail
From: kz3dx@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Begali - Simplex Mono - Palladium - Like New
Date: Fri, 5 Sep 2008 19:31:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <71df5b97-a067-43eb-bcfd-43f908a348e6@y38g2000hsy.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1220668299 27709 127.0.0.1 (6 Sep 2008 02:31:39 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 Sep 2008 02:31:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y38g2000hsy.googlegroups.com; posting-host=66.177.6.190;
     posting-account=45XJAgoAAAA05yZfLd6955vg-czIX97d
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9.0.1)
     Gecko/2008070208 Firefox/3.0.1,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:541
```

This paddle is in Like New condition and comes with black finger
paddles (not red), the Begali cord with the metal Begali 1/4" stereo
plug installed.

Just plug it in and start transmitting.

The price is $198.50 plus $10.27 shipping in the lower 48 states.

Please email me for International shipping rates.

If you have any questions, please email me at: kz3dx@yahoo.com

Thanks,
Bill

```
From 4598861060877761186
X-Google-Thread: 108122,59952bcd9d19b8e1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a1g2000hsb.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: G5RV
Date: Sat, 6 Sep 2008 08:15:29 -0700 (PDT)
Organization: http://groups.google.com
Lines: 48
Message-ID: <54f2e68c-bcc7-4f2c-8545-e488bdd5e844@a1g2000hsb.googlegroups.com>
References: <67594861-e618-4ceb-9159-72a16f9002d4@m45g2000hsb.googlegroups.com>
     <ir5va41jh80qud51tgbf63345rb7qog05f@4ax.com>
<bOOdnXT8E82Zii3VnZ2dnUVZ_r_inZ2d@earthlink.com>
     <5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com>
     <Xns9B05E3EAE7C70mcoslocomcastnet@216.196.97.136>
<65586821-66b2-4658-87d5-694710b5cb2c@w7g2000hsa.googlegroups.com>
     <6i28b4l3kd4inocqcmnhgg2g20u4ud1489@4ax.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1220714129 9215 127.0.0.1 (6 Sep 2008 15:15:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 Sep 2008 15:15:29 +0000 (UTC)
```

Complaints-To: groups-abuse@google.com
Injection-Info: a1g2000hsb.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:544

On Aug 26, 9:53 am, Dick <l...@nowhere.org> wrote:
> On Mon, 25 Aug 2008 20:51:28 -0700 (PDT), bigjcw1...@gmail.com wrote:
> >On Aug 25, 10:20 pm, Mike Coslo <mco...@youknow.comcast.net> wrote:
> >> bigjcw1...@gmail.com wrote
innews:5170bc0d-99e5-455a-8407-89277132d911@x41g2000hsb.googlegroups.com:
>
> >> > I did make a contact from N Ohio to Idaho with reptty good results
> >> > running around 35W on 40 meter the other night. Thanks for the input
> >> > though!!!
>
> >> Did you get your problem solved? A few questions here. Where is the balun
> >> located, and what type is it?
>
> >> Internal tuners tend to correct up to only 3:1 or so. There is a good
> >> chance that you will still need an outboard tuner. Something like a MFJ 949
> >> would probably do the. If you do use that, you can probably take the balun
> >> of the radio end, (if that is where it is at) and run the ladder line
> >> directly to the tuner.
>
> >>   - 73 de Mike N3LI -
>
> >The balun is at the feedpoint. It is constructed as per mauf specs.
> >4" pvc with ten turns of the coax around it, secured with zip ties.
>
> Here is a good article regarding feeding the G5RV. You will note in
> it that Louis Varney (G5RV) in his later writings, did not recommend
> the use of a balun. I have used the G5RV for many years without a
> balun with fairly good success. Here is the article -http://www.vk1od.net/G5RV/
index.htm
>
> Dick - W6CCD
> ** Posted fromhttp://www.teranews.com**

Correct about "NO Balun" on Lou Varney's design but the writer is
using a coaxial choke, nothing more.
A G5RV antenna has varing success because of installation conditions &
was only designed as a 20 meter antenna.
If you're lucky, it will work on various bands but the feedline should
come away as close to 90 degrees from the antenna feedpoint & AWAY
FROM ALL METAL OBJECTS like gutters, fences, etc!

I decided against a G5RV because of room & height.
I made up a 66' dipole, fed at center with 450 window/ladder line.
That line comes up to & under the eave of the house to a homebrew 4:1
balun which I found on the WWW. I feed that with RG-8 to a NYE tuner

for all bands including 80 meters.
The tuner is quite resetable & easily adjusted, I am very pleased with it & its only 20' high:-)
GL.......
Rich

```
From 8565812936573895993
X-Google-Thread: 108122,7eb27b5d9db64480
X-Google-Thread: 108228,7eb27b5d9db64480
X-Google-Thread: 1109af,7eb27b5d9db64480
X-Google-Attributes: gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 06 Sep 2008 16:46:53 -0500
Date: Sat, 06 Sep 2008 17:46:53 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Spicebird 0.4 (X11/2008011304)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap
Subject: Re: FA: Sunday Nite>Vibroplex Bug, Case, Yaesu FT-202R Xtals, big
 xtals,  etc!
References: <ddcb76d3-98a1-4946-9043-1c41bfcae17d@k13g2000hse.googlegroups.com>
In-Reply-To: <ddcb76d3-98a1-4946-9043-1c41bfcae17d@k13g2000hse.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <1KKdnR8p2Y7QZ1_VnZ2dnUVZ_hydnZ2d@comcast.com>
Lines: 7
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.98.102.223
X-Trace: sv3-kztzPOL/DtoD5ssI4iTuJl2eWcq38DyegI6+oXrHgqyssqZ/
t5je1PiHcGgiGi+V0tZruc9KGUF2nUJ!OT/
rPnNPIY7qrBUMB22mV7lAIqvO3Gkiafkx9aV08zggRRPXYAsOiMs9WaWWhcw+YajfD9pHmLSn!
iOlUINo19JEow1nkIrMys6mxn5/6cw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:545 alt.ham-
radio.marketplace:197 rec.radio.swap:558
```

Richie wrote:
> http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

I really thought about bidding on the case, but anyone with that much negative feedback is to much of a risk.

From -3781663947019393704
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!fe097.usenetserver.com.POSTED!800a5453!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
From: notbob <notbob@nothome.com>
Subject: Re: What is this linear?
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
<Xns9AF1D86CAE2B5Huckleberrybigvalley@198.186.192.196>
<atbmk.5251$Ep1.1685@bignews2.bellsouth.net>
Organization: ....little, if any
Message-ID: <slrng9jhor.5m7.notbob@bb.nothome.com>
User-Agent: slrn/0.9.8.1 (Linux)
Lines: 9
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Wed, 06 Aug 2008 11:45:30 EDT
Date: Wed, 06 Aug 2008 15:45:30 GMT
Xref: g2news2.google.com rec.radio.cb:10402 rec.radio.amateur.equipment:2802
rec.radio.amateur.misc:8697

On 2008-08-06, Ed Cregger <ecregger@bellsouff.net> wrote:

> And that is at audio frequencies, IIRC. Lots of guitar amps use that tube in
> push-pull, or AB1 single tube config. I'm reaching way back and my memory is
> having problems, but I think I'm in the ballpark.

Yes, very common in guitar amps.

nb

From 81529188312838023
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news4.google.com!
out03b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!
news.usenetserver.com!spln!extra.newsguy.com!newsp.newsguy.com!news1
From: Registered User <n4jvp@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CAT protocol specifications?
Date: Wed, 06 Aug 2008 14:39:37 -0400
Organization: subdevo.com
Lines: 48
Message-ID: <eepj949sq3gmb0vumt6rrrqj8euc0qbdjb@4ax.com>
References: <4889010b@news.inet.com.pl>

<j06i84lglb8ibcrqi4ceprsobs1l66vggc@4ax.com> <488a0751$1@news.inet.com.pl>
Reply-To: n4jvp@ix.netcom.com
NNTP-Posting-Host: p34d1bfbfff000000c82a1148aee35e0a00a9bfef3517f408.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 3.3/32.846
Xref: g2news1.google.com rec.radio.amateur.equipment:441

On Fri, 25 Jul 2008 19:03:06 +0200, SP1WSC
<silverdr@inet.pl.remove.it> wrote:

- some snippage -
>
>Yes - the manual provides the basics and explains how to construct the
>packets etc. What is missing though are the methods of handling the
>memory banks. It even doesn't say how to read/write memory locations (I
>may suspect that user memories are to be accessed by reading/writing
>specific hardware memory addresses). And I have read somewhere that
>there is a full specifications document, which covers these topics plus
>there is even more - some undocumented features, which can be accessed
>this way. I am looking for at least the specs that would allow one to
>deal with user memories. FT-897 is a good choice - I have to deal with
>FT-857, which is supposed to be fully compatible, but also with VX-7R,
>which almost certainly is not.

I haven't considered the memory banks at all, I guess because I don't
use them.

An email to VertexStandard about additional opcodes received a
response in minutes. Unfortunately they can provide nothing beyond
what is in the manual. Port sniffing has revealed some additional
command structures and an understanding of why the documentation is so
limited.

An example is controlling the DNR/DNF/DBF features. A single command,
0x00 0xA8 0x?? 0x00 0xBC
is used to manage the combined state of the three controls. If byte[2]
is 0x9F sending the command will result in all three controls being
on. If that byte is 0x9D the resulting state will be the DNF and DBF
are on and the DNR is off.

The command
0x00 0xA8 0x00 0x00 0xBB
is used to request the state of the three controls. The first byte of
the response describes the current state. 0x90 indicates that none of
three are on.

The three controls present eight possible states. Explaining how the
command values relate to the various possible states without getting
into the complexities of state management only works if the audience
understands state management. The published documentation is targeted
at the lowest common denominator and avoids having to explain how

computers work.

73 de n4jvp

```
From -4283493353368042739
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news3.google.com!
out02b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!
news.usenetserver.com!spln!extra.newsguy.com!newsp.newsguy.com!news2
From: Registered User <n4jvp@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CAT protocol specifications?
Date: Wed, 06 Aug 2008 18:00:06 -0400
Organization: subdevo.com
Lines: 61
Message-ID: <427k94l8h57103oneilqdjebbnb60pp1bv@4ax.com>
References: <4889010b@news.inet.com.pl>
<j06i84lglb8ibcrqi4ceprsobs1l66vggc@4ax.com> <488a0751$1@news.inet.com.pl>
<eepj949sq3gmb0vumt6rrrqj8euc0qbdjb@4ax.com>
Reply-To: n4jvp@ix.netcom.com
NNTP-Posting-Host: p34d1bfbfff000000c82a1148aee35e0a00a9bfef3517f408.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 3.3/32.846
Xref: g2news1.google.com rec.radio.amateur.equipment:442
```

On Wed, 06 Aug 2008 14:39:37 -0400, Registered User
<n4jvp@ix.netcom.com> wrote:

>On Fri, 25 Jul 2008 19:03:06 +0200, SP1WSC
><silverdr@inet.pl.remove.it> wrote:
>
>- some snippage -
>>
>>Yes - the manual provides the basics and explains how to construct the
>>packets etc. What is missing though are the methods of handling the
>>memory banks. It even doesn't say how to read/write memory locations (I
>>may suspect that user memories are to be accessed by reading/writing
>>specific hardware memory addresses). And I have read somewhere that
>>there is a full specifications document, which covers these topics plus
>>there is even more - some undocumented features, which can be accessed
>>this way. I am looking for at least the specs that would allow one to
>>deal with user memories. FT-897 is a good choice - I have to deal with
>>FT-857, which is supposed to be fully compatible, but also with VX-7R,
>>which almost certainly is not.
>
>I haven't considered the memory banks at all, I guess because I don't
>use them.

>
>An email to VertexStandard about additional opcodes received a
>response in minutes. Unfortunately they can provide nothing beyond
>what is in the manual. Port sniffing has revealed some additional
>command structures and an understanding of why the documentation is so
>limited.
>
>An example is controlling the DNR/DNF/DBF features. A single command,
>0x00 0xA8 0x?? 0x00 0xBC
>is used to manage the combined state of the three controls. If byte[2]
>is 0x9F sending the command will result in all three controls being
>on. If that byte is 0x9D the resulting state will be the DNF and DBF
>are on and the DNR is off.
>
>The command
>0x00 0xA8 0x00 0x00 0xBB
>is used to request the state of the three controls. The first byte of
>the response describes the current state. 0x90 indicates that none of
>three are on.
>
>The three controls present eight possible states. Explaining how the
>command values relate to the various possible states without getting
>into the complexities of state management only works if the audience
>understands state management. The published documentation is targeted
>at the lowest common denominator and avoids having to explain how
>computers work.
>

Add to complicate things a little bit more the same commands are used
for the speech processor. To turn the processor on the command is
0x00 0xA8 0x?? 0x02 0xBC
The command sets the state of the DNR/DNF/DBF tools along with turning
the speech processor on. To turn the processor off, set the
DNR/DNF/DBF tools' state with byte[3] as 0x00.

The command
0x00 0xA8 0x00 0x00 0xBB reads processor state from byte[2] of the
response. 0x02 is on and 0x00 is off.

73 de n4jvp

From 5897853773811878524
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
79g2000hsk.googlegroups.com!not-for-mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: What is this linear?
Date: Wed, 6 Aug 2008 16:11:29 -0700 (PDT)

```
Organization: http://groups.google.com
Lines: 7
Message-ID: <cd933121-21c4-4f27-8cd5-976d1c02f241@79g2000hsk.googlegroups.com>
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
NNTP-Posting-Host: 97.112.139.52
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1218064290 12783 127.0.0.1 (6 Aug 2008 23:11:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Aug 2008 23:11:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000hsk.googlegroups.com; posting-host=97.112.139.52;
     posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.16)
     Gecko/20061201 Firefox/2.0.0.16 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:1377 rec.radio.amateur.equipment:443
rec.radio.amateur.misc:810
```

On Aug 5, 1:06 pm, notbob <not...@nothome.com> wrote:

> I was advised by
> one helpful fellow that I should list it as a ham linear and make no mention
> of CB.

They will still take the auction down. They have been advised of such
false claims.

```
From 2678498055481679537
X-Google-Thread: 108122,91cf630c9bf7d4ec
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!
attbi_s21.POSTED!53ab2750!not-for-mail
From: "robo tech" <robotech24@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <cQdmk.5452$kh2.1030@bignews3.bellsouth.net>
Subject: Re: Anyone operating HF digital telephony?
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <mGtmk.286981$yE1.241550@attbi_s21>
NNTP-Posting-Host: 12.210.162.166
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1218078482 12.210.162.166 (Thu, 07 Aug 2008 03:08:02 GMT)
NNTP-Posting-Date: Thu, 07 Aug 2008 03:08:02 GMT
Organization: AT&T ASP.att.net
Date: Thu, 07 Aug 2008 03:08:02 GMT
```

Xref: g2news1.google.com rec.radio.amateur.equipment:444

If you mean "digital voice", I have heard some on and around 14.235 - 14.236
There are a few programs around that will decode it. It requires a very
clean signal, but when it gets it, it sounds crystal clear! There are some
other bands that people play on, but that should get you started.
kk5h
"Ed Cregger" <ecregger@bellsouff.net> wrote in message
news:cQdmk.5452$kh2.1030@bignews3.bellsouth.net...
>I am interested in this mode of operation, but don't know anything about it
>on amateur radio, such as where do folks hang out on this mode? Is one band
>preferred over another? How is low power operation using this mode? And
>just about any other questions concerning this mode. TIA
>
> Ed, NM2K
>

From -5608747491152304727
X-Google-Thread: fcc6e,812f31bee9e0c537,start
X-Google-Thread: 11480d,812f31bee9e0c537,start
X-Google-Thread: 108122,812f31bee9e0c537,start
X-Google-Thread: fc2a5,812f31bee9e0c537,start
X-Google-Thread: 10b9c8,812f31bee9e0c537,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1215410701@panix.com>
Followup-To: poster
Date: 7 Aug 2008 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Sep 2008 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1218089100@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1218089102 26524 166.84.1.2 (7 Aug 2008 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Aug 2008 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles

Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:2018 rec.radio.amateur.dx:95 rec.radio.amateur.equipment:445 rec.radio.amateur.homebrew:423 rec.radio.info:166

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -4002391425323959075
X-Google-Thread: 108122,8994d673036708c3,start
X-Google-Thread: 1109af,8994d673036708c3,start
X-Google-Thread: 10b9c8,8994d673036708c3,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!news-out.readnews.com!transit3.readnews.com!panix!panix2.panix.com!not-for-mail

From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1215411000@panix.com>
Followup-To: poster
Date: 7 Aug 2008 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Sep 2008 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1218089401@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1218089401 2837 166.84.1.2 (7 Aug 2008 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Aug 2008 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:446 rec.radio.swap:435 rec.radio.info:167

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From -8374846356888642936
X-Google-Thread: 108122,91cf630c9bf7d4ec
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.16.MISMATCH!npeer02.iad.highwinds-media.com!news.highwinds-media.com!
feed-me.highwinds-media.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <cQdmk.5452$kh2.1030@bignews3.bellsouth.net>
<mGtmk.286981$yE1.241550@attbi_s21>
Subject: Re: Anyone operating HF digital telephony?
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Response
Message-ID: <Ccymk.6765$De7.6020@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbofniiocpbmajopfkdpohemacbphcocjhaif
eckepfagppmljiomjgfomdneapobfofdodbbiggikpfejhpecjgjbliidodlblcjjcpebhhghhpmli
NNTP-Posting-Date: Thu, 07 Aug 2008 04:17:38 EDT
Organization: BellSouth Internet Group
Date: Thu, 7 Aug 2008 04:21:25 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:447
```

"robo tech" <robotech24@mchsi.com> wrote in message
news:mGtmk.286981$yE1.241550@attbi_s21...

> If you mean "digital voice", I have heard some on and around 14.235 -
> 14.236 There are a few programs around that will decode it. It requires a
> very clean signal, but when it gets it, it sounds crystal clear! There
> are some other bands that people play on, but that should get you started.
> kk5h

Thanks. I've give 14.235 a gander.

I was hoping that it wouldn't take a really terrific signal to decode. I'm still hopeful, but the added overhead of a digital encryption scheme just about guarantees either the need for more bandwidth for the same quality as the analog signal, or a degradation of the analog signal while at the same bandwidth.

I have both the box and the programs. Now to find someone to play with. <G>

Ed, NM2K

From 7800664294788406617
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 07 Aug 2008 07:58:40 -0500
From: james <george@washington.edu>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: What is this linear?
Date: Thu, 07 Aug 2008 08:58:42 -0400
Reply-To: beerkeg@budu.edu
Message-ID: <03sl94hdqhpjmuis5lhj3k69872omt0umg@4ax.com>
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
<Xns9AF1D86CAE2B5Huckleberrybigvalley@198.186.192.196>
<atbmk.5251$Ep1.1685@bignews2.bellsouth.net>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 69
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.91.132.200
X-Trace: sv3-T5ZEGQlau5NyE4Sl0RD8zMlpWlPA/It3F0c1JuLLt5o0lWKJjHiJqMBwqKpxhpBhs6KvcY3kqrgjSje!SkGFRgVzWgst7t8xssDKQZMzFkXk2PklysNuX7kg3Eu/6xusdPaO+q1cVVJJdxljfBpcu2b2ZKQ7!UgHn9PFMOluZuGBumL8IIg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.cb:1394 rec.radio.amateur.equipment:448 rec.radio.amateur.misc:823

On Wed, 6 Aug 2008 02:28:38 -0400, "Ed Cregger"
<ecregger@bellsouff.net> wrote:

|
|"Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
|news:Xns9AF1D86CAE2B5Huckleberrybigvalley@198.186.192.196...
|> notbob <notbob@nothome.com> wrote in
|> news:slrng9h95h.4kt.notbob@bb.nothome.com:
|>
|>> OK, I got an old linear that I acquired from my late FIL about 20 yrs
|>> ago. It's been in cool clean storage ever since and I'd like to get
|>> rid of it. I tried to sell on ebay till I got mucho alerts to the
|>> effect ebay no liking CB linear listings. I pulled it. I don't know
|>> much about radio, but I'm sure it was a CB linear cuz he never had a
|>> ham license. I was advised by one helpful fellow that I should list
|>> it as a ham linear and make no mention of CB. That makes sense, but I
|>> pride myself on being very accurate and honest about what I sell and
|>> so would like some help identifying this particular piece of hardware,
|>> it at all possible.
|>>
|>> It has no brand name on it, so I suspect it's a homebrew. It's a very
|>> nice job if it is. It has a 2" high chassis box with one vacuum tube
|>> and a pretty good size transformer mounted on top. A 4" high full
|>> cover over that is machine perferated on 3 sides for cooling.
|>>
|>> Transformer: GRAND 11-2206A GT-6974 7578049
|>> vacuum tube: 6805/EL84
|>>
|>> On lower front lower chassis, it has an ON/OFF and STDBY switch and
|>> one red light. The meter is a Sonar brand:
|>>
|>> S units --> DB
|>> Output 0-30+
|>>
|>> Rear lower chassis has IN and OUT antenna jacks and a ground wire
|>> terminal and of course, an AC plug. Overall dimensions with cover on
|>> are 6"H X 7"W X 5"D. Weight approx 6-8lbs.
|>>
|>> I don't know if anything can be determined by the above info, but any
|>> help would be appreciated. I can open her up all the way, if that
|>> will help. I'm not real savvy on radio, but do know basic electronics
|>> and can identify different components. Thank you.
|>>
|>> nb
|>>
|>
|>
|>
|>   The plate dissapation of the tube you described is only about 10 or 20
|> watts. This is not anything any ham would want.
|>
|>   Ed   K7AAT
|

|
|And that is at audio frequencies, IIRC. Lots of guitar amps use that tube in
|push-pull, or AB1 single tube config. I'm reaching way back and my memory is
|having problems, but I think I'm in the ballpark.
|
|Ed, NM2K
|
|-----------------

12 watts plate dissapation in class A1. They are useful upto 30 MHz or
so. They were also used as RF output stage for some older tube CB
radios in the 60's. You can get about 3.5 watts carrier out in a class
C plate modulated stage. Sufficient for meeting the requirements for
CB. They were definitely more common in audio applications.

james

From 5780731416706019571
X-Google-Thread: 108122,91cf630c9bf7d4ec
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone operating HF digital telephony?
Date: Thu, 07 Aug 2008 11:33:55 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 37
Message-ID: <g7f4l3$1h6c$1@f04n12.cac.psu.edu>
References: <cQdmk.5452$kh2.1030@bignews3.bellsouth.net>
<mGtmk.286981$yE1.241550@attbi_s21> <Ccymk.6765$De7.6020@bignews7.bellsouth.net>
NNTP-Posting-Host: nat2.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1218123235 50380 128.118.40.77 (7 Aug 2008 15:33:55 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Thu, 7 Aug 2008 15:33:55 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.16 (Macintosh/20080707)
In-Reply-To: <Ccymk.6765$De7.6020@bignews7.bellsouth.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:449

Ed Cregger wrote:
> "robo tech" <robotech24@mchsi.com> wrote in message
> news:mGtmk.286981$yE1.241550@attbi_s21...
>> If you mean "digital voice", I have heard some on and around 14.235 -
>> 14.236 There are a few programs around that will decode it. It requires a
>> very clean signal, but when it gets it, it sounds crystal clear! There
>> are some other bands that people play on, but that should get you started.
>> kk5h

>
> -------------
>
> Thanks. I've give 14.235 a gander.
>
> I was hoping that it wouldn't take a really terrific signal to decode. I'm
> still hopeful, but the added overhead of a digital encryption scheme just
> about guarantees either the need for more bandwidth for the same quality as
> the analog signal, or a degradation of the analog signal while at the same
> bandwidth.

In addition, I believe you have to be listening at the start of a transmission for the signal to be heard. HF digital won't be the sort of thing that we randomly tune across a band listening for a CQ. I suspect for it to catch on, HF will almost need to be channelized. That won't get rid of the strong signal issue. I'm not really sure of the advantages of Digital HF over analog, unless it is a simple "Digital is always better" thing.

A similar situation exists in digital SSTV. The mode can send pictures of just about any size, but if the receiving transceiver doesn't get the signal right, it prompts the transmitter to retry. Sometimes the message just doesn't get through because of noise, QRM, etc.

It's enough of a problem that many suggest not even trying it unless you are running serious power.

- 73 de Mike N3LI -

From -3710814210241149555
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news3.google.com!out03b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!69.16.185.16.MISMATCH!npeer02.iad.highwinds-media.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe01.iad.POSTED!7564ea0f!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
<cd933121-21c4-4f27-8cd5-976d1c02f241@79g2000hsk.googlegroups.com>
Subject: Re: What is this linear?
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180

X-RFC2646: Format=Flowed; Original
Message-ID: <ZoPmk.5113$i15.4012@newsfe01.iad>
NNTP-Posting-Host: 72.209.25.33
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe01.iad 1218167481 72.209.25.33 (Fri, 08 Aug 2008 03:51:21 UTC)
NNTP-Posting-Date: Fri, 08 Aug 2008 03:51:21 UTC
Organization: Cox
Date: Thu, 7 Aug 2008 23:51:15 -0400
Xref: g2news1.google.com rec.radio.cb:1417 rec.radio.amateur.equipment:450
rec.radio.amateur.misc:846

"cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in message
news:cd933121-21c4-4f27-8cd5-976d1c02f241@79g2000hsk.googlegroups.com...
> On Aug 5, 1:06 pm, notbob <not...@nothome.com> wrote:
>> I was advised by
>> one helpful fellow that I should list it as a ham linear and make no
>> mention
>> of CB.
>
> They will still take the auction down. They have been advised of such
> false claims.

I reported an obvious CB amp a few weeks back. It was even
stated in the writeup that it was intended for CB use. Four
reports, and eBay never pulled the auction. Their enforcement
is haphazzard at best.

From -3795335798940484737
X-Google-Thread: 108122,91cf630c9bf7d4ec
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!newsfeed0.kamp.net!
newsfeed.kamp.net!news.k-dsl.de!news.motzarella.org!motzarella.org!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone operating HF digital telephony?
Date: Fri, 8 Aug 2008 00:04:58 -0400
Organization: A noiseless patient Spider
Lines: 59
Message-ID: <g7ggle$55l$1@registered.motzarella.org>
References: <cQdmk.5452$kh2.1030@bignews3.bellsouth.net>
<mGtmk.286981$yE1.241550@attbi_s21> <Ccymk.6765$De7.6020@bignews7.bellsouth.net>
<g7f4l3$1h6c$1@f04n12.cac.psu.edu>
X-Trace: reader.motzarella.org U2FsdGVkX1/WpPP+7lQM/LuhJhCLFk7PUYEr/
OcwgdnAosvLTCOZzXP3UqzqkhNXuZvcK5qJQ0OgifdC/
unKa3yDlBXXpzfdqrLnFwjYbGdwHp6+mnkQ0x6YdbvGoM3LLNUs4PKslg4=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Fri, 8 Aug 2008 04:05:02 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512

X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Auth-Sender: U2FsdGVkX1+bqmqYy9DmFmZvKEqWney57sOLwyKKHSK/0UC6/ue3OA==
Cancel-Lock: sha1:NbWOG0LCPuKb75f2riTVhRHPJno=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:451

"Michael Coslo" <mjc5@psu.edu> wrote in message
news:g7f4l3$1h6c$1@f04n12.cac.psu.edu...
> Ed Cregger wrote:
>> "robo tech" <robotech24@mchsi.com> wrote in message
>> news:mGtmk.286981$yE1.241550@attbi_s21...
>>> If you mean "digital voice", I have heard some on and around 14.235 -
>>> 14.236 There are a few programs around that will decode it. It requires
>>> a very clean signal, but when it gets it, it sounds crystal clear!
>>> There are some other bands that people play on, but that should get you
>>> started.
>>> kk5h
>>
>> -------------
>>
>> Thanks. I've give 14.235 a gander.
>>
>> I was hoping that it wouldn't take a really terrific signal to decode.
>> I'm still hopeful, but the added overhead of a digital encryption scheme
>> just about guarantees either the need for more bandwidth for the same
>> quality as the analog signal, or a degradation of the analog signal while
>> at the same bandwidth.
>
> In addition, I believe you have to be listening at the start of a
> transmission for the signal to be heard. HF digital won't be the sort of
> thing that we randomly tune across a band listening for a CQ. I suspect
> for it to catch on, HF will almost need to be channelized. That won't get
> rid of the strong signal issue. I'm not really sure of the advantages of
> Digital HF over analog, unless it is a simple "Digital is always better"
> thing.
>
> A similar situation exists in digital SSTV. The mode can send pictures of
> just about any size, but if the receiving transceiver doesn't get the
> signal right, it prompts the transmitter to retry. Sometimes the message
> just doesn't get through because of noise, QRM, etc.
>
> It's enough of a problem that many suggest not even trying it unless you
> are running serious power.
>
>
> - 73 de Mike N3LI -

Well, I have a kilowatt to try and use digital phone with a low inverted vee.

If I understand it correctly, HF digital is using FEC (Forward Error Correction), which would contribute to the characteristics that you are describing. It's been a while since I messed with Amtor/Pactor and other digital modes. I'm sure some of it will come back in time.

Maybe I'll give it a shot with the commercial box I have and then sell it if I'm not pleased with it. Selling is something that I do quite often anyway. I like to try lots of modes, like many other hams.

Ed, NM2K

```
From -4904395725016376l5
X-Google-Thread: 108122,2fd66e6784f90ae7,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!59g2000hsb.googlegroups.com!not-for-mail
From: bigjcw1023@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Problem - HELP
Date: Thu, 7 Aug 2008 22:30:05 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <40ecf836-b84a-4f66-93cc-881943b2dd61@59g2000hsb.googlegroups.com>
NNTP-Posting-Host: 75.117.248.84
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1218173405 19128 127.0.0.1 (8 Aug 2008 05:30:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Aug 2008 05:30:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 59g2000hsb.googlegroups.com; posting-host=75.117.248.84;
     posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:452
```

I am treying to get echolink to work through my network. I have a belkin fsd7230-4 router and a speedstream 5200 modem router. I tried direct connect through the modem setting up port forwarding and it did work, through the router though is a nother story. Any ideas? Port forwarding in the belkin has been set up.

```
From 177057625643630149
X-Google-Thread: 108122,2fd66e6784f90ae7
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 08 Aug 2008 07:52:24 -0500
Newsgroups: rec.radio.amateur.equipment
From: Thomas Laus <lausts@acm.org>
Subject: Re: Problem - HELP
References: <40ecf836-b84a-4f66-93cc-881943b2dd61@59g2000hsb.googlegroups.com>
Reply-To: lausts@acm.org
Message-ID: <slrng9ogc8.1892.lausts@mail.laus.org>
User-Agent: slrn/0.9.8.1 (FreeBSD)
Date: Fri, 08 Aug 2008 07:52:24 -0500
Lines: 20
X-Trace: sv3-tugRu/
9T7OkF8HTR+qfj+5MnQpBUbiLzO3uNVmNJxiHiLCqOccyENAm1M0TuPFAqaS7o6mRgmCYrQrf!
rDSTt+GKIJWDr7P+3ewcohAXTWpzXAYHaK7EPCHf+z0vDq3NpxxA/MdhjpG4Is5dtC7WFFWG
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:453

On 2008-08-08, bigjcw1023@gmail.com <bigjcw1023@gmail.com> wrote:
> I am treying to get echolink to work through my network.  I have a
> belkin fsd7230-4 router and a speedstream 5200 modem router.  I tried
> direct connect through the modem setting up port forwarding and it did
> work, through the router though is a nother story.  Any ideas?  Port
> forwarding in the belkin has been set up.
>
Just a suggestion, have your speedstream 5200 forward ALL of it's ports
to your Belkin.  There might be a 'DMZ' setting in the Speedstream
configuration.  I use the same model Belkin router along with another
router that splits off my digital phone system ports from all the rest.
The DMZ setting works for me.

Tom



--
Public Keys:
PGP KeyID = 0x5F22FDC1
GnuPG KeyID = 0x620836CF


From 3869724543929898126
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
208.49.83.146!uns-out.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!fe109.usenetserver.com.POSTED!800a5453!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
From: notbob <notbob@nothome.com>
Subject: Re: What is this linear?
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
<cd933121-21c4-4f27-8cd5-976d1c02f241@79g2000hsk.googlegroups.com>
<ZoPmk.5113$i15.4012@newsfe01.iad>
Organization: ....little, if any
Message-ID: <slrng9oree.417.notbob@bb.nothome.com>
User-Agent: slrn/0.9.8.1 (Linux)
Lines: 11
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Fri, 08 Aug 2008 12:01:18 EDT
Date: Fri, 08 Aug 2008 16:01:18 GMT
Xref: g2news1.google.com rec.radio.cb:1420 rec.radio.amateur.equipment:455
rec.radio.amateur.misc:848

On 2008-08-08, Tio Pedro <radioconnection@cox.net> wrote:

> I reported an obvious CB amp a few weeks back. It was even
> stated in the writeup that it was intended for CB use. Four
> reports, and eBay never pulled the auction. Their enforcement
> is haphazzard at best.

So, in short, there are folks out there who rat out a person posting a CB
linear. Interesting.

nb

From 6754157387513219712
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!auth.news-2.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: What is this linear?
From: Bert Hyman <bert@iphouse.com>
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
<cd933121-21c4-4f27-8cd5-976d1c02f241@79g2000hsk.googlegroups.com>
<ZoPmk.5113$i15.4012@newsfe01.iad> <slrng9oree.417.notbob@bb.nothome.com>
Organization: Not so you'd notice
Message-ID: <Xns9AF47132B7B94VeebleFetzer@127.0.0.1>
User-Agent: Xnews/2006.08.24
Date: 08 Aug 2008 16:07:46 GMT

```
Lines: 21
NNTP-Posting-Date: 08 Aug 2008 11:07:46 CDT
NNTP-Posting-Host: 25084f7e.auth.newsreader.iphouse.com
X-Trace: DXC=4d@MgDBMD?
\4ZQ1:B4ANhS_6RIS\>jRcSFbE0<hKBJT_3MRYShQ;QZZD1kiRiW\QFTZgRhQGSTe:^h6Q1TR0cFnVSm]9
NbUV4QWVVXA=BjOlEX
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.cb:1421 rec.radio.amateur.equipment:456
rec.radio.amateur.misc:849

notbob@nothome.com (notbob) wrote in
news:slrng9oree.417.notbob@bb.nothome.com:

> On 2008-08-08, Tio Pedro <radioconnection@cox.net> wrote:
>
>> I reported an obvious CB amp a few weeks back. It was even
>> stated in the writeup that it was intended for CB use.  Four
>> reports, and eBay never pulled the auction. Their enforcement
>> is haphazzard at best.
>
> So, in short, there are folks out there who rat out a person posting
> a CB linear.

Would you expand on your use of the term "rat out"?

> Interesting.

Maybe.

--
Bert Hyman | St. Paul, MN | bert@iphouse.com


From -8031978380647451682
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!e39g2000hsf.googlegroups.com!not-for-
mail
From: an old freind <kb9rqz@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: What is this linear?
Date: Fri, 8 Aug 2008 09:50:24 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <8ce3ad4f-c72f-4f73-99c8-417a801e0e4e@e39g2000hsf.googlegroups.com>
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
<cd933121-21c4-4f27-8cd5-976d1c02f241@79g2000hsk.googlegroups.com>
     <ZoPmk.5113$i15.4012@newsfe01.iad> <slrng9oree.417.notbob@bb.nothome.com>
NNTP-Posting-Host: 66.82.9.103
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1218214225 4810 127.0.0.1 (8 Aug 2008 16:50:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Aug 2008 16:50:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e39g2000hsf.googlegroups.com; posting-host=66.82.9.103;
     posting-account=hvMD6AoAAADhaR-hQoHk-p7xtiL6xLI9
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:1422 rec.radio.amateur.equipment:457
rec.radio.amateur.misc:850

On Aug 8, 12:01=A0pm, notbob <not...@nothome.com> wrote:
> On 2008-08-08, Tio Pedro <radioconnect...@cox.net> wrote:
>
> > I reported an obvious CB amp a few weeks back. It was even
> > stated in the writeup that it was intended for CB use. =A0Four
> > reports, and eBay never pulled the auction. Their enforcement
> > is haphazzard at best.
>
> So, in short, there are folks out there who rat out a person posting a CB
> linear. =A0Interesting.
>
> nb

yes there are several folks that spends their days and night watching
ebay to 'rat out" such sales
while I might laud sucha dedicattion to the rule it does seem rather a
band aid on broken leg so f the problem created by the FCC's foolish
action hat 50 or so years in creating unlinced  on top of (in RF
terms) not one but Ham bands


From -2446532354603632825
X-Google-Thread: 108122,2fd66e6784f90ae7
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!novia!news-
xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problem - HELP
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <40ecf836-b84a-4f66-93cc-881943b2dd61@59g2000hsb.googlegroups.com>
Organization: Your Company
Message-ID: <Xns9AF46B9007B57Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 08 Aug 2008 17:34:24 GMT
Lines: 19
NNTP-Posting-Host: 16f661cd.news.adtechcomputers.com
X-Trace: DXC=NjEmAMVjZ=6fgC=d<>K8V>gC4_A5:nI@1<<=aEgO;R87l^a]Cf;;aL<gHKV71OCC>3R?
```

X7U2a5ff7emfRC[RMj??GX7R=>CCRm6UmkhaOI<2G>FjEQiEfI`o0
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:458

> I am treying to get echolink to work through my network. I have a
> belkin fsd7230-4 router and a speedstream 5200 modem router. I tried
> direct connect through the modem setting up port forwarding and it did
> work, through the router though is a nother story. Any ideas? Port
> forwarding in the belkin has been set up.

For what its worth, I had a similar situation a few years ago, although with different equipment...   my Actiontec DSL modem/router was feeding my Linksys wireless router. Never could get Echolink to work properly through all that. I ended up putting my modem/router into dumb " bridging " mode, with no routing action activated in it. At that point the Port Forwarding in my Linksys Router worked well and Echolink functioned properly.

Ed   K7AAT

From 4688459006044228510
X-Google-Thread: 108122,8302e716482e9a,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a70g2000hsh.googlegroups.com!not-for-mail
From: stefmac <stefmacr@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: uniden 2020 Generator Unit
Date: Fri, 8 Aug 2008 12:50:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <3bdb6c75-2650-42dd-8ce3-b6fb9d35a77c@a70g2000hsh.googlegroups.com>
NNTP-Posting-Host: 77.164.211.85
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1218225056 3373 127.0.0.1 (8 Aug 2008 19:50:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Aug 2008 19:50:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a70g2000hsh.googlegroups.com; posting-host=77.164.211.85;
     posting-account=zjv1NwoAAABsSfvC_ZwjnHfD41Ht4LTc
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:459

On the Generator Unit PC 080 there is a connector on the pcb , marked as J 501 . It is a 5 pole receptable . On it there is plugged a 4 pole plug and you can put it in the J 501 in two way's . But .. what is the purpose of this connector ? On the 4 pole plug there are 2 connections , pin 1 and 2 are connected and also pins 3 and 4 . But I do not know what this plug does . Is there anyone who can help ?
pa0sjm
stefmacr@gmail.com

From 2878008960716327795
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad.highwinds-media.com!newsfe06.iad.POSTED!7564ea0f!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
<cd933121-21c4-4f27-8cd5-976d1c02f241@79g2000hsk.googlegroups.com>
<ZoPmk.5113$i15.4012@newsfe01.iad> <slrng9oree.417.notbob@bb.nothome.com>
Subject: Re: What is this linear?
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Hk6nk.7927$3l5.6172@newsfe06.iad>
NNTP-Posting-Host: 72.209.25.33
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe06.iad 1218245031 72.209.25.33 (Sat, 09 Aug 2008 01:23:51 UTC)
NNTP-Posting-Date: Sat, 09 Aug 2008 01:23:51 UTC
Organization: Cox
Date: Fri, 8 Aug 2008 21:23:43 -0400
Xref: g2news1.google.com rec.radio.cb:1433 rec.radio.amateur.equipment:460 rec.radio.amateur.misc:861

"notbob" <notbob@nothome.com> wrote in message
news:slrng9oree.417.notbob@bb.nothome.com...
> On 2008-08-08, Tio Pedro <radioconnection@cox.net> wrote:
> > So, in short, there are folks out there who rat out a person posting a
> CB
> linear. Interesting.
>
> nb

Yeah, amazing isn't it? I worked hard for my commercial
and amateur licenses. And, I intend to protect what I've

earned. Any scoff-law who'd run an illegal amplifier wouldn't
give two hoots about freebanding on the ham bands.

From -8593348067700748907
X-Google-Thread: 108122,a1d30caaa319fece,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k7g2000hsd.googlegroups.com!not-for-mail
From: kc2ftn@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Ham gear for sale
Date: Fri, 8 Aug 2008 19:30:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <04d1a517-0851-4b17-9714-ba28a5f01587@k7g2000hsd.googlegroups.com>
NNTP-Posting-Host: 24.58.195.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1218249056 7072 127.0.0.1 (9 Aug 2008 02:30:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Aug 2008 02:30:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k7g2000hsd.googlegroups.com; posting-host=24.58.195.67;
     posting-account=xIfiCQoAAAAf2CzaT05t7KBoXt2hgAtv
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:461

http://members6.boardhost.com/theswapshoppe/

From 3189678880790757292
X-Google-Thread: 108122,2fd66e6784f90ae7
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k13g2000hse.googlegroups.com!not-for-mail
From: bigjcw1023@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problem - HELP
Date: Fri, 8 Aug 2008 20:59:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <d62f1702-e55c-44d0-ab51-9a1e0265cb93@k13g2000hse.googlegroups.com>
References: <40ecf836-b84a-4f66-93cc-881943b2dd61@59g2000hsb.googlegroups.com>
     <Xns9AF46B9007B57Huckleberrybigvalley@198.186.192.196>
NNTP-Posting-Host: 75.117.248.84

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1218254383 23333 127.0.0.1 (9 Aug 2008 03:59:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Aug 2008 03:59:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k13g2000hse.googlegroups.com; posting-host=75.117.248.84;
     posting-account=maJFpAkAAAA4bPkwKQPqYsqpxyb-6zDw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:462

On Aug 8, 1:34 pm, Ed <Huckleberry_REMO...@bigvalley.net> wrote:
> > I am treying to get echolink to work through my network.  I have a
> > belkin fsd7230-4 router and a speedstream 5200 modem router.  I tried
> > direct connect through the modem setting up port forwarding and it did
> > work, through the router though is a nother story.  Any ideas?  Port
> > forwarding in the belkin has been set up.
>
>   For what its worth,  I had a similar situation a few years ago, although
> with different equipment...   my Actiontec DSL modem/router was feeding my
> Linksys wireless router.  Never could get Echolink to work properly through
> all that.  I ended up putting my modem/router into dumb " bridging " mode,
> with no routing action activated in it.  At that point the Port Forwarding
> in my Linksys Router worked well and Echolink functioned properly.
>
>   Ed   K7AAT

Tom,
Thanks for the tip.  I put in my routers IP address and it says not a
valid NAPT address.  Can I disable the NAT/NAPT feature and still be
ok.  I have firewall and encryption on the router.
W8WFQ


From 4068899887221944652
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: "Rollie" <rollie@iowatelecom.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: What is this linear?
Date: Sat, 9 Aug 2008 07:10:23 -0500
Organization: netINS InterNetNews site
Lines: 53
Message-ID: <g7k1fk$scv$1@news.netins.net>
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
```

```
NNTP-Posting-Host: nevd-01-1968.dsl.iowatelecom.net
X-Trace: news.netins.net 1218283829 29087 71.7.103.176 (9 Aug 2008 12:10:29 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sat, 9 Aug 2008 12:10:29 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Xref: g2news1.google.com rec.radio.cb:1450 rec.radio.amateur.equipment:463
rec.radio.amateur.misc:873

Hi nb,  I went to www.cbtricks.com and the only Sonar linear they list is
the BR-21.  They say it's a 30 watter made for their ham tranmitter.  It can
also be used for CB if the correct capacitor is in and the correct inductor.
See the schematic they have.  Hope I've been some help.  Rollie



"notbob" <notbob@nothome.com> wrote in message
news:slrng9h95h.4kt.notbob@bb.nothome.com...
> OK, I got an old linear that I acquired from my late FIL about 20 yrs ago.
> It's been in cool clean storage ever since and I'd like to get rid of it.
> I
> tried to sell on ebay till I got mucho alerts to the effect ebay no liking
> CB linear listings.  I pulled it.  I don't know much about radio, but I'm
> sure it was a CB linear cuz he never had a ham license.  I was advised by
> one helpful fellow that I should list it as a ham linear and make no
> mention
> of CB.  That makes sense, but I pride myself on being very accurate and
> honest about what I sell and so would like some help identifying this
> particular piece of hardware, it at all possible.
>
> It has no brand name on it, so I suspect it's a homebrew.  It's a very
> nice
> job if it is.  It has a 2" high chassis box with one vacuum tube and a
> pretty good size transformer mounted on top.  A 4" high full cover over
> that
> is machine perferated on 3 sides for cooling.
>
> Transformer:  GRAND 11-2206A  GT-6974  7578049
> vacuum tube:  6805/EL84
>
> On lower front lower chassis, it has an ON/OFF and STDBY switch and one
> red
> light.  The meter is a Sonar brand:
>
> S units --> DB
> Output  0-30+
>
> Rear lower chassis has IN and OUT antenna jacks and a ground wire terminal
> and of
> course, an AC plug.  Overall dimensions with cover on are 6"H X 7"W X 5"D.
```

> Weight
> approx 6-8lbs.
>
> I don't know if anything can be determined by the above info, but any help
> would be appreciated. I can open her up all the way, if that will help.
> I'm not real savvy on radio, but do know basic electronics and can
> identify
> different components. Thank you.
>
> nb

From -6658799843226412654
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: "Rollie" <rollie@iowatelecom.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: What is this linear?
Date: Sat, 9 Aug 2008 09:45:04 -0500
Organization: netINS InterNetNews site
Lines: 50
Message-ID: <g7kaho$1an$1@news.netins.net>
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
NNTP-Posting-Host: nevd-01-1968.dsl.iowatelecom.net
X-Trace: news.netins.net 1218293112 1367 71.7.103.176 (9 Aug 2008 14:45:12 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sat, 9 Aug 2008 14:45:12 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Xref: g2news1.google.com rec.radio.cb:1457 rec.radio.amateur.equipment:464
rec.radio.amateur.misc:874

According to docs. on www.cbtricks.com it looks like you have a Sonar BR-21
which is either ham or cb linear. Rollie

"notbob" <notbob@nothome.com> wrote in message
news:slrng9h95h.4kt.notbob@bb.nothome.com...
> OK, I got an old linear that I acquired from my late FIL about 20 yrs ago.
> It's been in cool clean storage ever since and I'd like to get rid of it.
> I
> tried to sell on ebay till I got mucho alerts to the effect ebay no liking
> CB linear listings. I pulled it. I don't know much about radio, but I'm

> sure it was a CB linear cuz he never had a ham license. I was advised by
> one helpful fellow that I should list it as a ham linear and make no
> mention
> of CB. That makes sense, but I pride myself on being very accurate and
> honest about what I sell and so would like some help identifying this
> particular piece of hardware, it at all possible.
>
> It has no brand name on it, so I suspect it's a homebrew. It's a very
> nice
> job if it is. It has a 2" high chassis box with one vacuum tube and a
> pretty good size transformer mounted on top. A 4" high full cover over
> that
> is machine perferated on 3 sides for cooling.
>
> Transformer: GRAND 11-2206A GT-6974 7578049
> vacuum tube: 6805/EL84
>
> On lower front lower chassis, it has an ON/OFF and STDBY switch and one
> red
> light. The meter is a Sonar brand:
>
> S units --> DB
> Output 0-30+
>
> Rear lower chassis has IN and OUT antenna jacks and a ground wire terminal
> and of
> course, an AC plug. Overall dimensions with cover on are 6"H X 7"W X 5"D.
> Weight
> approx 6-8lbs.
>
> I don't know if anything can be determined by the above info, but any help
> would be appreciated. I can open her up all the way, if that will help.
> I'm not real savvy on radio, but do know basic electronics and can
> identify
> different components. Thank you.
>
> nb

From 6549159269138986090
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!fe95.POSTED!800a5453!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
From: notbob <notbob@nothome.com>

Subject: Re: What is this linear?
References: <slrng9h95h.4kt.notbob@bb.nothome.com> <g7k1fk$scv$1@news.netins.net>
Organization: ....little, if any
Message-ID: <slrng9rj57.322.notbob@bb.nothome.com>
User-Agent: slrn/0.9.8.1 (Linux)
Lines: 9
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Sat, 09 Aug 2008 12:57:53 EDT
Date: Sat, 09 Aug 2008 16:57:53 GMT
X-Original-Bytes: 1084
Xref: g2news1.google.com rec.radio.cb:1463 rec.radio.amateur.equipment:465
rec.radio.amateur.misc:879

On 2008-08-09, Rollie <rollie@iowatelecom.net> wrote:
> Hi nb, I went to www.cbtricks.com and the only Sonar linear they list is
> the BR-21. They say it's a 30 watter made for their ham tranmitter. It can
> also be used for CB if the correct capacitor is in and the correct inductor.
> See the schematic they have. Hope I've been some help. Rollie

Wow! Thank you very much for the info, Rollie. I'll check it out. :)

nb

From -930751401572469351
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
news.motzarella.org!motzarella.org!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: What is this linear?
Date: Sat, 9 Aug 2008 20:52:12 -0400
Organization: A noiseless patient Spider
Lines: 28
Message-ID: <g7le41$b4r$1@registered.motzarella.org>
References: <slrng9h95h.4kt.notbob@bb.nothome.com> <g7k1fk$scv$1@news.netins.net>
<slrng9rj57.322.notbob@bb.nothome.com>
X-Trace: reader.motzarella.org
U2FsdGVkX18mEBoEoMdI72tq0LxTIcb8kXV+nOe+sK0Zu00dCIEEcxBFFUVPHb9OJtDIPvcjKpLw7NfOhH
ralN+EDoVP/9Gc350yXyEKdgFGUYlFS87tgydWNfBUfsCSbz/xcbTwxSjnilSMqABC/Q==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sun, 10 Aug 2008 00:52:17 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Auth-Sender: U2FsdGVkX18c2MvLC71DSaI366IZBKoqJiotxl6C35iXY7SHoTpsnQ==
Cancel-Lock: sha1:rya3gNeMwlDrMdxUGtzQg/zLY1M=
X-Priority: 3
X-MSMail-Priority: Normal

Xref: g2news1.google.com rec.radio.cb:1485 rec.radio.amateur.equipment:466 rec.radio.amateur.misc:889

"notbob" <notbob@nothome.com> wrote in message
news:slrng9rj57.322.notbob@bb.nothome.com...
> On 2008-08-09, Rollie <rollie@iowatelecom.net> wrote:
>> Hi nb, I went to www.cbtricks.com and the only Sonar linear they list is
>> the BR-21. They say it's a 30 watter made for their ham tranmitter. It
>> can
>> also be used for CB if the correct capacitor is in and the correct
>> inductor.
>> See the schematic they have. Hope I've been some help. Rollie
>
> Wow! Thank you very much for the info, Rollie. I'll check it out. :)
>
> nb

I wouldn't expect to get more than ten watts out of it running CB AM. In fact, that would be pushing it pretty hard.

On the other hand, it should produce over 20 watts PEP running single sideband.

Ed, NM2K

From 2660302042921352093
X-Google-Thread: fc8b1,5fc8ba1bf2a4ab6e,start
X-Google-Thread: 108122,5fc8ba1bf2a4ab6e,start
X-Google-Thread: 108228,5fc8ba1bf2a4ab6e,start
X-Google-Thread: 1109af,5fc8ba1bf2a4ab6e,start
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!59g2000hsb.googlegroups.com!not-for-mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap
Subject: FA: 3 lots of vintage transistors from late 1950's
Date: Sat, 9 Aug 2008 19:32:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <f23661bd-7e91-41ef-b9f1-758b8de37a57@59g2000hsb.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1218335560 2705 127.0.0.1 (10 Aug 2008 02:32:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Aug 2008 02:32:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 59g2000hsb.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:713
rec.radio.amateur.equipment:467 alt.ham-radio.marketplace:158 rec.radio.swap:448

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4666&item=220266737045

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4666&item=220266737079

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4666&item=220266737093


From -2306691795325646428
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
e39g2000hsf.googlegroups.com!not-for-mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: What is this linear?
Date: Sat, 9 Aug 2008 21:47:32 -0700 (PDT)
Organization: http://groups.google.com
Lines: 18
Message-ID: <f7def0a7-6e31-49bb-97d3-39437021de48@e39g2000hsf.googlegroups.com>
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
<cd933121-21c4-4f27-8cd5-976d1c02f241@79g2000hsk.googlegroups.com>
     <ZoPmk.5113$i15.4012@newsfe01.iad> <slrng9oree.417.notbob@bb.nothome.com>
NNTP-Posting-Host: 97.112.141.212
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1218343652 23861 127.0.0.1 (10 Aug 2008 04:47:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Aug 2008 04:47:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e39g2000hsf.googlegroups.com; posting-host=97.112.141.212;
     posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.16)
     Gecko/20061201 Firefox/2.0.0.16 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:1488 rec.radio.amateur.equipment:468
```

```
rec.radio.amateur.misc:895

On Aug 8, 10:01 am, notbob <not...@nothome.com> wrote:
> On 2008-08-08, Tio Pedro <radioconnect...@cox.net> wrote:
>
> > I reported an obvious CB amp a few weeks back. It was even
> > stated in the writeup that it was intended for CB use.  Four
> > reports, and eBay never pulled the auction. Their enforcement
> > is haphazzard at best.
>
> So, in short, there are folks out there who rat out a person posting a CB
> linear.  Interesting.
>
> nb

Like this one?

http://cgi.ebay.com/DAVE-MADE-COBRA-BLACK-BOX-LINEAR-AMPLIFIER-FOR-CB-
RADIO_W0QQitemZ320285022074QQihZ011QQcategoryZ1501QQssPageNameZWDVWQQrdZ1QQcmdZVie
wItem

Now you see it. Soon you won't.



From -8052386146311066238
X-Google-Thread: 108228,96ca64247644a60f,start
X-Google-Thread: 1109af,96ca64247644a60f,start
X-Google-Thread: 108122,96ca64247644a60f,start
X-Google-Thread: 10ed5f,96ca64247644a60f,start
X-Google-Attributes:
gid108228,gid1109af,gid108122,gid10ed5f,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
border1.nntp.ams.giganews.com!nntp.giganews.com!news.wiretrip.org!news.dizum.com!
sewer-output!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: AC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio
Subject: FA: HALLICRAFTERS S-38 receiver (1946)
Message-ID: <4c99871606845e089264d1ee77f2c3d7@pseudo.borked.net>
Date: Sun, 10 Aug 2008 08:35:05 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 1
Xref: g2news1.google.com alt.ham-radio.marketplace:159 rec.radio.swap:450
rec.radio.amateur.equipment:469 alt.ham-radio:176

http://easyurl.net/HallicraftersS38




From 3472491815512978445
X-Google-Thread: 108122,91cf630c9bf7d4ec
```

X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Aug 2008 10:48:06 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <cQdmk.5452$kh2.1030@bignews3.bellsouth.net>
<mGtmk.286981$yE1.241550@attbi_s21>
Subject: Re: Anyone operating HF digital telephony?
Date: Sun, 10 Aug 2008 10:48:09 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <JdadnXE0F8MrkALVnZ2dnUVZ_hudnZ2d@comcast.com>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.239.37.56
X-Trace: sv3-
AzXArXv4IyJFssl7Y2A8IPkTtjjGUnHEmqFxDwKwIrT7gDdsdCRx1NZV73DVpqb5cxdEB9w+aA2cEAD!
IC2XQnAs83yCg/8gtIz5V8FJm3mmHrxuEWvadYMqO8XYZPNDTQliaCZ4YVxaORqyunGbkcJPqNqk!/
G3wtY9CO1qg4Q4TyC5wSviqqsb4
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:470

I remember 14.235MHz being used for slow scan television. I don't know if
this has changed over the years.

Pete

"robo tech" <robotech24@mchsi.com> wrote in message
news:mGtmk.286981$yE1.241550@attbi_s21...
> If you mean "digital voice", I have heard some on and around 14.235 -
> 14.236 There are a few programs around that will decode it. It requires a
> very clean signal, but when it gets it, it sounds crystal clear! There
> are some other bands that people play on, but that should get you started.
> kk5h
> "Ed Cregger" <ecregger@bellsouff.net> wrote in message
> news:cQdmk.5452$kh2.1030@bignews3.bellsouth.net...
>>I am interested in this mode of operation, but don't know anything about
>>it on amateur radio, such as where do folks hang out on this mode? Is one
>>band preferred over another? How is low power operation using this mode?
>>And just about any other questions concerning this mode. TIA
>>
>> Ed, NM2K

>>
>
>

```
From -1408343710835724698
X-Google-Thread: 108122,91cf630c9bf7d4ec
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Aug 2008 11:34:57 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <cQdmk.5452$kh2.1030@bignews3.bellsouth.net>
<mGtmk.286981$yE1.241550@attbi_s21> <JdadnXE0F8MrkALVnZ2dnUVZ_hudnZ2d@comcast.com>
Subject: Re: Anyone operating HF digital telephony?
Date: Sun, 10 Aug 2008 12:35:45 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <P7WdnXAFAOcshQLVnZ2dnUVZ_q7inZ2d@earthlink.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-
Tj7jnKSN30h1RNSbKmKOge2XNiCn3TdB6zYewV9qwGk7FhgEY1o6m4J6qrZsCkWwZlD0R/B3u0OQ9rl!
hRnHHYpWUe4V515jER4AqaDFpyFf40aadWpg8f9NDjFQKo59X/QV5n8OTUdWMwsKhy4cIY93MBJ4!
qe+sajfy9x9Yz9P9DhmemQcKTrRzFP90gAux/g==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:471
```

"Pete KE9OA" <p.gianako@comcast.net> wrote in message
news:JdadnXE0F8MrkALVnZ2dnUVZ_hudnZ2d@comcast.com...

>I remember 14.235MHz being used for slow scan television. I don't know if
>this has changed over the years.
>
> Pete
>

The most common 20 meter frequences for sstv is now on 14.230 and 14.233. Set the transmitter for this on usb and make contact on voice. The transmitter will then be on the correct frequency for the audio frequencies of sstv.

```
From -6180849819052239950
X-Google-Thread: 108122,75dac8cf556affce,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
Date: Mon, 11 Aug 2008 20:29:03 +1000
From: blackeye <joek124@hotmail.com>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Silver Eagle -K eagle Brand New
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <48a0146d$0$2275$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 122.109.164.86
X-Trace: 1218450542  2275 122.109.164.86
X-Original-Bytes: 723
Xref: g2news1.google.com rec.radio.amateur.equipment:472

http://cgi.ebay.com.au/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220267744028&ssPageName=STRK:MESE:IT&ih=012


From -2189323238947636527
X-Google-Thread: 108122,ad627e4801d854d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
Date: Mon, 11 Aug 2008 20:30:36 +1000
From: blackeye <joek124@hotmail.com>
User-Agent: Thunderbird 2.0.0.16 (Windows/20080708)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Galaxy  DX95T Big Rig Series Brand New
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <48a014ca$0$2275$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 122.109.164.86
X-Trace: 1218450635  2275 122.109.164.86
X-Original-Bytes: 730
Xref: g2news1.google.com rec.radio.amateur.equipment:473

http://cgi.ebay.com.au/ws/eBayISAPI.dll?
```

```
ViewItem&rd=1&item=220267756380&ssPageName=STRK:MESE:IT&ih=012


From 8348582468336991936
X-Google-Thread: 108122,7cc55694e04c2326,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nlpi057.nbdc.sbc.com!prodigy.net!flpi088.ffdc.sbc.com!
prodigy.com!flpi107.ffdc.sbc.com!nlpi064.nbdc.sbc.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: eBay:  National NCX-1000 Halllicrafters R-45/ARR-7
Lines: 1
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Message-ID: <_H4ok.16801$cW3.7390@nlpi064.nbdc.sbc.com>
NNTP-Posting-Host: 64.149.46.246
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi064.nbdc.sbc.com 1218500474 ST000 64.149.46.246 (Mon, 11 Aug 2008
20:21:14 EDT)
NNTP-Posting-Date: Mon, 11 Aug 2008 20:21:14 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
SCSGW[[DYJWUCQLXEBCBNWX@RJ_XPDLMN@GZ_GYO^BVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 11 Aug 2008 19:20:49 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:2836

http://shop.ebay.com/merchant/wd5jfr


From 6918564254213788020
X-Google-Thread: 108122,305f99673393fef1,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!flpi089.ffdc.sbc.com!
prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!
nlpi069.nbdc.sbc.com.POSTED!fb4d250f!not-for-mail
From: "john" <n5nme@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wtb : uhf Ge Mastr II
Lines: 6
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <ymook.19028$89.10885@nlpi069.nbdc.sbc.com>
NNTP-Posting-Host: 70.250.194.218
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi069.nbdc.sbc.com 1218581022 ST000 70.250.194.218 (Tue, 12 Aug 2008
18:43:42 EDT)
NNTP-Posting-Date: Tue, 12 Aug 2008 18:43:42 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
OXZYGYSDPB^UCWDYIBHZOWP@YZOZ@GXOXR]ZMVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Tue, 12 Aug 2008 17:43:30 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:2837
```

I am looking for a good mastr II UHF radio. Please let me know what you have.

Thanks, John n5nme

```
From 805553161929119687
X-Google-Thread: 10b9c8,2d8b140a489a786c,start
X-Google-Thread: fc8b1,2d8b140a489a786c,start
X-Google-Thread: 108122,2d8b140a489a786c,start
X-Google-Thread: 1109af,2d8b140a489a786c,start
X-Google-Thread: f7796,2d8b140a489a786c,start
X-Google-Attributes:
gid10b9c8,gidfc8b1,gid108122,gid1109af,gidf7796,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!news-out.readnews.com!transit3.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph (Sept. 2008) - FREE Subscription
Followup-To: poster
Date: Fri, 15 Aug 2008 20:39:47 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 24
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <Ukppk.18406$mh5.13865@nlpi067.nbdc.sbc.com>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1218847187 4651 166.84.1.6 (16 Aug 2008 00:39:47 GMT)
```

X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 16 Aug 2008 00:39:47 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-VirusChecked: Checked
X-Env-Sender: news@nlpi067.nbdc.sbc.com
X-Msg-Ref: server-2.tower-121.messagelabs.com!1218847169!17943524!1
X-StarScan-Version: 5.5.12.14.2; banners=-,-,-
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
TSUGGYCNWZUWCFD[LZKJOPHAWB\^PBQLGPQRJRQIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^RSNVLGTFTKHTXHHP[NB_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_PLSA[CCFAULEY\FL\VLGANTQQ]FN
Xref: g2news2.google.com rec.radio.info:694 rec.radio.amateur.boatanchors:3904 rec.radio.amateur.equipment:2839 rec.radio.swap:3352 alt.ham-radio.morse:49

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT HAM RADIO!

September 2008

CQ USS Seattle By Philip Cala-Lazar, K9PL
I Could Have Become a Ditty Bop By Mitch Gill, NA7US
A Contester in the Making By Melinda Alsobrook, KI4CIA
Roy's Rhapsody in Blue By Rod Newkirk, VA3ZBB/W9BRD
Ham History By Dick Sylvan, W9CBT

The K9YA Telegraph is a free, monthly, general interest amateur radiopublication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

From 4271837471691628926

```
X-Google-Thread: 108122,2ee77e18ba617011,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!79g2000hsk.googlegroups.com!not-for-
mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ANTIQUE RADIOS-lot #2-Philco-Olympic-Silvertone-RCA
     Victor-Majestic-Wards Airline-Admiral-Automatic Radio-Muntz-Carron-GE-more
Date: Sat, 16 Aug 2008 03:31:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 50
Message-ID: <58d713b3-5703-4c79-a573-e28bc81dfd8e@79g2000hsk.googlegroups.com>
NNTP-Posting-Host: 209.74.29.195
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1218882663 10023 127.0.0.1 (16 Aug 2008 10:31:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 16 Aug 2008 10:31:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000hsk.googlegroups.com; posting-host=209.74.29.195;
     posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
     4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:478

old radio repair shop estate cleanout !

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZ66Q2dcatalina

PHILCO MODEL 66 WOODEN TOMBSTONE ANTIQUE RADIO-TUBES-$$     4 $21.50
 $20.00  2d 15h 02m
 SILVERTONE MODEL 7104 ANTIQUE WOOD RADIO w/tubes-NICE-$     1 $9.98
 $20.00  2d 15h 02m
 (2) VINTAGE U.S. ARMY WWII GAS CANS-METAL-COMPLETE-$$$$     - $9.98
 $20.00  2d 15h 02m
 WWII SIGNAL CORPS LANTERN-U.S.ARMY-MX290GV-VINTAGE-$$$$     - $9.98
 $10.00  2d 15h 02m
 AUTOMATIC RADIO STEREO 4-TRACK CARTRIDGE PLAYER-1960's-     2 $10.50
 $25.00  2d 15h 02m
 MUNTZ 4-TRACK CARTRIDGE STEREO TAPE DECK W/MOUNT-NICE-$     - $9.98
 $20.00  2d 15h 02m
 PINK ADMIRAL MODEL 4L24N 1950's "AMERICANA" RADIO-works     2 $10.50
 $10.00  2d 15h 02m
 RCA VICTOR MOD. 96T7 WOODEN RADIO W/TUBES-PARTS/RESTORE     1 $9.98
 $20.00  2d 15h 02m
 OLYMPIC ANTIQUE WHITE BAKELITE RADIO-w/TUBES-POWERS UP-     - $9.98
 $10.00  2d 15h 02m
 VINTAGE PHILCO ROTATING ELECTROSTATIC SPEAKER-antique-$     1 $9.98
 $15.00  2d 15h 02m
 ANTIQUE GE HOTPOINT CALROD A-C-MATIC IRON-MODEL 149F86-     - $9.98
 $15.00  2d 15h 02m
 ANTIQUE COLLECTIBLE WESTERN ELECTRIC OLD TELEGRAPH KEY-     2 $13.00
 $10.00  2d 15h 02m
 HEYER SYSTEM BEAM POWER CANDLE GAUGE-TEST METER-old-$$$     1 $9.98
 $10.00  2d 15h 02m
 (20) BUCKET FULL OLD TUBE RADIO POWER SUPPLY VIBRATORS-     1 $9.98
 $10.00  2d 15h 02m
 CARRON MODEL 2000 PORTABLE VICTROLA-ACOUSTIC REPRODUCER     - $9.98
 $20.00  2d 15h 02m
 1950-60's RCA MAGAZINE LOADED CASSETTE PS TRANSFORMER-$     - $9.98
 $10.00  2d 15h 02m
 SILVERTONE STEREO SINGLE ENDED TUBE AMP w/REVERB UNIT-$     - $99.88
 Free 3d 15h 02m
 1968 FORD THUNDERBIRD HEADLIGHT BEZELS-GRILL SIDE TRIM-     - $9.98
 $10.00  3d 15h 02m
 BOXFULL (6) VINTAGE AM/FM/CASSETTE DECKS-DELCO-PIONEER-     - $9.98
 $20.00  3d 15h 02m
 4 ATARI 5200 GAMES-MARIO BROS-FROGGER-VANGUARD-FOOTBALL     - $9.98
 Free 3d 15h 02m
 SIGNAL CORPS U.S. ARMY ANTENNA AT-340/PRC PHOENIX ELECT     - $24.99
 $15.00  3d 15h 02m
 (3) SPARE AMP-VOLTMETER GAUGES w/GLASS-GE-WESTINGHOUSE-     - $9.98
 $10.00  3d 15h 02m
 WARDS AIRLINE 62; GRIGSBY-GRUNOW MAJESTIC 20-2 PHILCOS-     - $99.88
 Pickup only: Free 3d 15h 02m
```

```
From -6681751879805194686
X-Google-Thread: 108122,bfde3d674e40f6e3,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Mirage/KLM HF10080 Amplifier
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <JfJpk.4869$Mh5.4217@bgtnsc04-news.ops.worldnet.att.net>
Date: Sat, 16 Aug 2008 23:19:05 GMT
NNTP-Posting-Host: 12.64.204.194
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1218928745 12.64.204.194 (Sat, 16 Aug
2008 23:19:05 GMT)
NNTP-Posting-Date: Sat, 16 Aug 2008 23:19:05 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:479
```

Hello to all - I am looking for any information on this 10 thru 80 meter amplifier. Thanks for your replies. Larry

From -5743908892458033543
X-Google-Thread: fc8b1,530fcf0c15efa285,start
X-Google-Thread: 108122,530fcf0c15efa285,start
X-Google-Thread: 1109af,530fcf0c15efa285,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Aug 2008 08:29:49 -0500
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Galaxy GT-550, CW filter, PS/speaker all MINT!!
Date: Sun, 17 Aug 2008 09:29:54 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com>
Lines: 5
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.0.66.32
X-Trace: sv3-RrKsb6n6p0x+oii1NFOu+5rzg5ld0SXVSBdx/
2YnXWe142ugKf0uBtwQKNnWFYpRZdGRSlQ0vDZ+vnh!
Tn8vSuXt1wkzhQCj2G48oonJt68Qn+iqSxdBcv6CelaIQ0YZVxWxGlrQgwMgBiG1czED4KJUOrxX!
aS5UNrWnzm9zlWpojKIic4xeAg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.boatanchors:765
rec.radio.amateur.equipment:480 rec.radio.swap:474

You can view here if interested.....

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=290253826663&ssPageName=STRK:MESE:IT&ih=019

From 8448280590331218212
X-Google-Thread: fc8b1,84c670d3fde26904,start

```
X-Google-Thread: 108122,84c670d3fde26904,start
X-Google-Thread: 114aac,84c670d3fde26904,start
X-Google-Thread: 1109af,84c670d3fde26904,start
X-Google-Attributes:
gidfc8b1,gid108122,gid114aac,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Aug 2008 08:36:26 -0500
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.shortwave,rec.radio.swap
Subject: FA: Kenwood R820  **MINT!!**
Date: Sun, 17 Aug 2008 09:36:31 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <7bmdnag8uIjHtDXVnZ2dnUVZ_gqdnZ2d@comcast.com>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.0.66.32
X-Trace: sv3-TBwibUUseTIHUwOV65l3TRgm/
9quvlmF9eo6nkxfppgbOuLNcRfOo1jR8GEiTYqis6wRjsLx4XeA8kQ!
xkP3bue8FE3fIaqqe+hDltl4HNTL47yostpKjb6KcijtNWsIU8FMhud6rHhmJFU5pT3bHIRWvgR8!
hwIdHTab8gjf2PK6ngezO9td+w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.boatanchors:766
rec.radio.amateur.equipment:481 rec.radio.shortwave:9204 rec.radio.swap:475
```

Been looking for a perfect example?

Have a look at this link if interested....
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=290253823970&ssPageName=STRK:MESE:IT&ih=019

```
From -8213693788831997439
X-Google-Thread: fc8b1,530fcf0c15efa285
X-Google-Thread: 108122,530fcf0c15efa285
X-Google-Thread: 1109af,530fcf0c15efa285
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Aug 2008 09:10:52 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Sun, 17 Aug 2008 07:10:50 -0700
Subject: Re: FA: Galaxy GT-550, CW filter, PS/speaker all MINT!!
From: Don Bowey <dbowey@comcast.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Message-ID: <C4CD7F7A.C1852%dbowey@comcast.net>
References: <r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.193.160.217
X-Trace: sv3-J46fDw9v7h4Gu+0AsErIiVkNHvcwXeHQd0qjoa3NYg+1MYAVx/M5Dtbi+FWCCkDCrHBkV9bY/kG3Pln!1N8oFM8VQMLfePsly3eCCMbRgfyIiBKJyyeaTYnp3J6AgbZ18YMhnyXByZEXI7m/RWnJqWbwKGJ+!9RYsdS9qx7pY9g1M
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.boatanchors:767 rec.radio.amateur.equipment:482 rec.radio.swap:476

On 8/17/08 6:29 AM, in article r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com, "Dave Edwards" <kd2e@comcast.net> wrote:

> You can view here if interested.....
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=290253826663&ssPageNam
> e=STRK:MESE:IT&ih=019
>
>

You have this listed as a Transceiver, but I don't see a receiver section.

Why include a 300 Hz. Receiver CW filter with just a transmitter?

By the way, it's really greedy of you to have a separate auction for it's required power supply.

From -1404164625050774334
X-Google-Thread: 108122,2370ae4ad20356cb,start

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!
npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews5.bellsouth.net.POSTED!6862afdb!not-for-mail
From: "ArtLab" <artlab@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS-  Various Items,     in top shape/
Lines: 43
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Message-ID: <ag1qk.11535$XT1.8665@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcboegdjgibeoiodfilkhhojkddncgigbnakph
elhikegnommdmbkjepiobgdledpbilooonlbaddgikljknjhjahipoagcpcnfeobdfdaecnnfkdeik
NNTP-Posting-Date: Sun, 17 Aug 2008 18:04:54 EDT
Organization: BellSouth Internet Group
Date: Sun, 17 Aug 2008 18:07:43 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:483
```

Icom Model IC-745 HF all band, all modes, all solid state transceiver. General coverage receiver. Duel VFO, 16 memmories.   With FM board installed.   New RAM battery just replaced. Includes Microphone, manual and DC cable. Never used mobile.   Excellent condition throughout.

$360 includes shipping

27 amp. Regulated Power supply, 12 volts DC. Nippon America, with output meter. Excellent condition.

$45 plus shipping charges.

Antenna Tuner. Mfj-949C Versa Tuner II. Will handle up to 300 W. of RF output. With SWR/wattmeter. Owner's manual included. In excellent condition.

$ 80 includes shipping

AEA Model PK-232 Data Controller. No upgrades, no modifications. Very
little use, In Excellent condition.

$50 includes shipping

All of the above equipment has been in storage (carefully packaged, in a
closet, in my home) for the last 8 years or so

```
From -1933456876131601703
X-Google-Thread: fc8b1,530fcf0c15efa285
X-Google-Thread: 108122,530fcf0c15efa285
X-Google-Thread: 1109af,530fcf0c15efa285
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.pghconnect.com!news.pghconnect.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 18 Aug 2008 09:22:44 -0500
Reply-To: "The Dude!" <thedude@mofo.net>
From: "The Dude!" <thedude@mofo.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
References: <r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com>
<C4CD7F7A.C1852%dbowey@comcast.net>
In-Reply-To: <C4CD7F7A.C1852%dbowey@comcast.net>
Subject: Re: FA: Galaxy GT-550, CW filter, PS/speaker all MINT!!
Date: Mon, 18 Aug 2008 09:22:43 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18049
Message-ID: <lu2dneE_qsUpGDTVnZ2dnUVZ_sWdnZ2d@pghconnect.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.151.79.22
X-Trace: sv3-5UyniLhHv0+PuJJCLnCWiVsV58cu7UXQVG7lzRLvDjfS/
```

```
5jJN0anqrsT6tt28ngE5NhBWwd9MoYadwX!jteq9PT3/
Ylgh4XMV4nCQQSPDKdzEQbwPTbV5wLHbVYAbaHDXR7PjN/mJYAUkbHctUqybn5tH00g!
2F2DT3CDiIEXS5t4IKkXXiM=
X-Complaints-To: abuse@globalpops.com
X-DMCA-Complaints-To: abuse@globalpops.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.boatanchors:772
rec.radio.amateur.equipment:484 rec.radio.swap:478

"Don Bowey" <dbowey@comcast.net> wrote in message
news:C4CD7F7A.C1852%dbowey@comcast.net...
> On 8/17/08 6:29 AM, in article
> r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com,
> "Dave Edwards" <kd2e@comcast.net> wrote:
>
>> You can view here if interested.....
>>
>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=290253826663&ssPageNam
>> e=STRK:MESE:IT&ih=019
>>
>>
>
> You have this listed as a Transceiver, but I don't see a receiver section.
>
> Why include a 300 Hz. Receiver CW filter with just a transmitter?
>
> By the way, it's really greedy of you to have a separate auction for it's
> required power supply.
>

Yeah, and to not address shipping in the auction. . . I don't bid on
anything that does not address shipping costs.




From 5881898996345883528
X-Google-Thread: fc8b1,530fcf0c15efa285
X-Google-Thread: 108122,530fcf0c15efa285
X-Google-Thread: 1109af,530fcf0c15efa285
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!
npeer01.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!
8c40745b!not-for-mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
```

```
References: <r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com>
<C4CD7F7A.C1852%dbowey@comcast.net>
Subject: Re: FA: Galaxy GT-550, CW filter, PS/speaker all MINT!!
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Original
Message-ID: <_bgqk.170$482.103@trnddc06>
Date: Mon, 18 Aug 2008 15:04:26 GMT
NNTP-Posting-Host: 72.71.99.147
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1219071866 72.71.99.147 (Mon, 18 Aug 2008 11:04:26 EDT)
NNTP-Posting-Date: Mon, 18 Aug 2008 11:04:26 EDT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:774
rec.radio.amateur.equipment:485 rec.radio.swap:480


"Don Bowey" <dbowey@comcast.net> wrote in message
news:C4CD7F7A.C1852%dbowey@comcast.net...
> On 8/17/08 6:29 AM, in article
> r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com,
> "Dave Edwards" <kd2e@comcast.net> wrote:
>
>> You can view here if interested.....
>>
>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=290253826663&ssPageNam
>> e=STRK:MESE:IT&ih=019
>>
>>
>
> You have this listed as a Transceiver, but I don't see a receiver section.
>
> Why include a 300 Hz. Receiver CW filter with just a transmitter?
>
He has it listed as a transceiver because it IS a transceiver.  I have three
here, and have restored two others- and I must say his auction is for the
cleanest one I have ever seen.
As for listing the P.S. separately, this  seems to be standard procedure.
Many BA collectors have HP-23's, 117XC's etc that they use interchangeably
on these rigs, so the factory supply may or may not be required. If I did
not need the supply, I sure woud not want to be paying shipping  on it.

Dale W4OP




From -7163710463960069272
X-Google-Thread: fc8b1,d8c7e6de224924f6,start
X-Google-Thread: 108122,d8c7e6de224924f6,start
X-Google-Thread: 1109af,d8c7e6de224924f6,start
```

```
X-Google-Thread: 10c2ee,d8c7e6de224924f6,start
X-Google-Attributes:
gidfc8b1,gid108122,gid1109af,gid10c2ee,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!flpi089.ffdc.sbc.com!prodigy.net!
flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!flpi143.ffdc.sbc.com.POSTED!
c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.antiq
ues.radio+phono
Subject: eBay  BBC-655  ARC-5 rack for 3
Lines: 1
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
Message-ID: <eigqk.4514$zv7.2169@flpi143.ffdc.sbc.com>
NNTP-Posting-Host: 64.149.39.103
X-Complaints-To: abuse@prodigy.net
X-Trace: flpi143.ffdc.sbc.com 1219072266 ST000 64.149.39.103 (Mon, 18 Aug 2008
11:11:06 EDT)
NNTP-Posting-Date: Mon, 18 Aug 2008 11:11:06 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
[[PAPDCA[S@ERQXXKZOX_RXAUSXB@DTMNHWB_EYLJZ]BGIELDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Mon, 18 Aug 2008 10:12:11 -0500
Xref: g2news1.google.com rec.radio.amateur.boatanchors:775
rec.radio.amateur.equipment:486 rec.radio.swap:481 rec.antiques.radio+phono:5318

http://shop.ebay.com/merchant/wd5jfr



From 8701007420981234330
X-Google-Thread: fc8b1,530fcf0c15efa285
X-Google-Thread: 108122,530fcf0c15efa285
X-Google-Thread: 1109af,530fcf0c15efa285
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.acm.uiuc.edu!
news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
```

ec.radio.swap
Subject: Re: FA: Galaxy GT-550, CW filter, PS/speaker all MINT!!
Date: Mon, 18 Aug 2008 11:39:02 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 40
Sender: et472@200-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0808181137110.28230@darkstar.example.org>
References: <r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com>
 <C4CD7F7A.C1852%dbowey@comcast.net> <_bgqk.170$482.103@trnddc06>
NNTP-Posting-Host: 200-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1219073975 22499 64.235.215.200 (18 Aug 2008 15:39:35 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 18 Aug 2008 15:39:35 GMT
In-Reply-To: <_bgqk.170$482.103@trnddc06>
Xref: g2news1.google.com rec.radio.amateur.boatanchors:776
rec.radio.amateur.equipment:487 rec.radio.swap:482

On Mon, 18 Aug 2008, Dale Parfitt wrote:

>
"Don Bowey" <dbowey@comcast.net> wrote in message
> news:C4CD7F7A.C1852%dbowey@comcast.net...
>> On 8/17/08 6:29 AM, in article
>> r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com,
>> "Dave Edwards" <kd2e@comcast.net> wrote:
>>
>>> You can view here if interested.....
>>>
>>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=290253826663&ssPageNam
>>> e=STRK:MESE:IT&ih=019
>>>
>>>
>>
>> You have this listed as a Transceiver, but I don't see a receiver section.
>>
>> Why include a 300 Hz. Receiver CW filter with just a transmitter?
>>
> He has it listed as a transceiver because it IS a transceiver. I have three
> here, and have restored two others- and I must say his auction is for the
> cleanest one I have ever seen.
> As for listing the P.S. separately, this seems to be standard procedure.
> Many BA collectors have HP-23's, 117XC's etc that they use interchangeably
> on these rigs, so the factory supply may or may not be required. If I did
> not need the supply, I sure woud not want to be paying shipping on it.
>
> Dale W4OP
>
I had wondered if there was some confusion on the part of the previous
poster, since "Galaxy" nowadays seems to be a brand name for CB type
things, though I have no idea if there's any connection to the original.

Off hand, I couldn't think of any transmitter from the real Galaxy. They
had that really fancy receiver in the late sixties, the R-350 or whatever,
and they had transceivers, but I can't picture any transmitters.

    Michael VE2BVW

```
From -6684176994201851767
X-Google-Thread: fc8b1,530fcf0c15efa285
X-Google-Thread: 108122,530fcf0c15efa285
X-Google-Thread: 1109af,530fcf0c15efa285
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!8c40745b!
not-for-mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
References: <r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com>
<C4CD7F7A.C1852%dbowey@comcast.net> <_bgqk.170$482.103@trnddc06>
<Pine.LNX.4.64.0808181137110.28230@darkstar.example.org>
Subject: Re: FA: Galaxy GT-550, CW filter, PS/speaker all MINT!!
Lines: 57
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Response
Message-ID: <kkhqk.175$UX.147@trnddc03>
Date: Mon, 18 Aug 2008 16:21:36 GMT
NNTP-Posting-Host: 72.71.99.147
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1219076496 72.71.99.147 (Mon, 18 Aug 2008 12:21:36 EDT)
NNTP-Posting-Date: Mon, 18 Aug 2008 12:21:36 EDT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:777
rec.radio.amateur.equipment:488 rec.radio.swap:484
```

"Michael Black" <et472@ncf.ca> wrote in message
news:Pine.LNX.4.64.0808181137110.28230@darkstar.example.org...
> On Mon, 18 Aug 2008, Dale Parfitt wrote:
>
>>
> "Don Bowey" <dbowey@comcast.net> wrote in message
>> news:C4CD7F7A.C1852%dbowey@comcast.net...
>>> On 8/17/08 6:29 AM, in article
>>> r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com,

```
>>> "Dave Edwards" <kd2e@comcast.net> wrote:
>>>
>>>> You can view here if interested.....
>>>>
>>>> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=290253826663&ssPageNam
>>>> e=STRK:MESE:IT&ih=019
>>>>
>>>>
>>>
>>> You have this listed as a Transceiver, but I don't see a receiver
>>> section.
>>>
>>> Why include a 300 Hz. Receiver CW filter with just a transmitter?
>>>
>> He has it listed as a transceiver because it IS a transceiver.  I have
>> three
>> here, and have restored two others- and I must say his auction is for the
>> cleanest one I have ever seen.
>> As for listing the P.S. separately, this  seems to be standard procedure.
>> Many BA collectors have HP-23's, 117XC's etc that they use
>> interchangeably
>> on these rigs, so the factory supply may or may not be required. If I did
>> not need the supply, I sure woud not want to be paying shipping  on it.
>>
>> Dale W4OP
>>
> I had wondered if there was some confusion on the part of the previous
> poster, since "Galaxy" nowadays seems to be a brand name for CB type
> things, though I have no idea if there's any connection to the original.
>
> Off hand, I couldn't think of any transmitter from the real Galaxy.  They
> had that really fancy receiver in the late sixties, the R-350 or whatever,
> and they had transceivers, but I can't picture any transmitters.
>
>    Michael  VE2BVW
Hi Michael,

I don't know of any TX either. The R350 and R1350 are both fine receivers,
but no stand alone TX that I am aware of.

In later years, the CB industry hijacked the Galaxy name and continue to
churn out "10M" rigs.

Dale W4OP
>




From -4208241471847136055
X-Google-Thread: fc8b1,530fcf0c15efa285
X-Google-Thread: 108122,530fcf0c15efa285
```

```
X-Google-Attributes: gidfc8b1,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 18 Aug 2008 12:18:16 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Mon, 18 Aug 2008 10:18:01 -0700
Subject: Re: FA: Galaxy GT-550, CW filter, PS/speaker all MINT!!
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
Message-ID: <C4CEFCD9.C1A23%dbowey@comcast.net>
References: <r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com>
<C4CD7F7A.C1852%dbowey@comcast.net> <_bgqk.170$482.103@trnddc06>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 38
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.193.160.217
X-Trace: sv3-
ZNl9ePhkLdzEXnFYLWXcyK79kq40iK3yYBuiZxV4s2Iea29KjhaX+Ak7C4ASr3RtlM3HimTVZm1YCKW!
pU0/ObaFyxAcgpVlXDBYGesQBzE/sW1opz3r/SH4GdOJ5f6rllFz7lKU0pMAsJM8sWcmU13Of5De!
SdQVh+zQI+KHEv93
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3925
rec.radio.amateur.equipment:2851 rec.radio.swap:3366

On 8/18/08 8:04 AM, in article _bgqk.170$482.103@trnddc06, "Dale Parfitt"
<parinc1@verizon.net> wrote:

>
> "Don Bowey" <dbowey@comcast.net> wrote in message
> news:C4CD7F7A.C1852%dbowey@comcast.net...
>> On 8/17/08 6:29 AM, in article
>> r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com,
>> "Dave Edwards" <kd2e@comcast.net> wrote:
>>
>>> You can view here if interested.....
>>>
>>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=290253826663&ssPageN
>>> am
>>> e=STRK:MESE:IT&ih=019
>>>
>>>
>>
```

>> You have this listed as a Transceiver, but I don't see a receiver section.
>>
>> Why include a 300 Hz. Receiver CW filter with just a transmitter?
>>
> He has it listed as a transceiver because it IS a transceiver. I have three
> here, and have restored two others- and I must say his auction is for the
> cleanest one I have ever seen.
> As for listing the P.S. separately, this seems to be standard procedure.
> Many BA collectors have HP-23's, 117XC's etc that they use interchangeably
> on these rigs, so the factory supply may or may not be required. If I did
> not need the supply, I sure woud not want to be paying shipping on it.
>
> Dale W4OP
>
>

Thanks for squaring me up. It's surprising there are no designated knobs on
the front for receive functions, not even a RIT, but a peek at the schematic
makes it clear.

```
From 6732288164767398739
X-Google-Thread: fc8b1,530fcf0c15efa285
X-Google-Thread: 108122,530fcf0c15efa285
X-Google-Thread: 1109af,530fcf0c15efa285
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe04.iad.POSTED!7564ea0f!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
References: <r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com> <C4CD7F7A.C1852%dbowey@comcast.net> <_bgqk.170$482.103@trnddc06> <C4CEFCD9.C1A23%dbowey@comcast.net>
Subject: Re: FA: Galaxy GT-550, CW filter, PS/speaker all MINT!!
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5579
X-RFC2646: Format=Flowed; Original
Message-ID: <Saiqk.20961$Bt6.16030@newsfe04.iad>
NNTP-Posting-Host: 72.209.25.33
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe04.iad 1219079986 72.209.25.33 (Mon, 18 Aug 2008 17:19:46 UTC)
NNTP-Posting-Date: Mon, 18 Aug 2008 17:19:46 UTC
Organization: Cox
Date: Mon, 18 Aug 2008 13:19:37 -0400
Xref: g2news1.google.com rec.radio.amateur.boatanchors:779
```

rec.radio.amateur.equipment:490 rec.radio.swap:486

"Don Bowey" <dbowey@comcast.net> wrote in message > Thanks for squaring me
up. It's surprising there are no designated knobs on
> the front for receive functions, not even a RIT, but a peek at the
> schematic
> makes it clear.
>

Don't feel bad, the first I asked myself was "where's the AFG,
IFG, etc. controls????" Pete

From 5041140829468338129
X-Google-Thread: fc8b1,530fcf0c15efa285
X-Google-Thread: 108122,530fcf0c15efa285
X-Google-Thread: 1109af,530fcf0c15efa285
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-
media.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!
8c40745b!not-for-mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
References: <r46dnYwqLd9QujXVnZ2dnUVZ_sHinZ2d@comcast.com>
<C4CD7F7A.C1852%dbowey@comcast.net> <_bgqk.170$482.103@trnddc06>
<C4CEFCD9.C1A23%dbowey@comcast.net> <Saiqk.20961$Bt6.16030@newsfe04.iad>
Subject: Re: FA: Galaxy GT-550, CW filter, PS/speaker all MINT!!
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3350
X-RFC2646: Format=Flowed; Response
Message-ID: <Cdnqk.194$Ro1.26@trnddc04>
Date: Mon, 18 Aug 2008 23:04:02 GMT
NNTP-Posting-Host: 72.71.99.147
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1219100642 72.71.99.147 (Mon, 18 Aug 2008 19:04:02 EDT)
NNTP-Posting-Date: Mon, 18 Aug 2008 19:04:02 EDT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3927
rec.radio.amateur.equipment:2853 rec.radio.swap:3369

"Tio Pedro" <radioconnection@cox.net> wrote in message
news:Saiqk.20961$Bt6.16030@newsfe04.iad...

```
>
> "Don Bowey" <dbowey@comcast.net> wrote in message  > Thanks for squaring
> me up.  It's surprising there are no designated knobs on
>> the front for receive functions, not even a RIT, but a peek at the
>> schematic
>> makes it clear.
>>
>
> Don't feel bad, the first I asked myself was "where's the AFG,
> IFG, etc. controls????"  Pete
I have often felt this may have been an oversight on Galaxy's part, that
perhaps the AF and RF gain control text was left off the silk screen- and
simply never got added. Or, As you can see, the controls are so close to the
top that there is no room at the top for the text. They barely had room to
sneak in the "mic" text between the mic gain and RF gain controls.

Now that I have found my "keeper" BA transceiver- a Hallicrafters Cyclone
and remote VFO, I'll likely be selling my Galaxys' as they no longer seem to
get used.

Dale W4OP
```

```
From -7019993656357181212
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!pfilter-v0.1!news.teranews.com!not-for-mail
Date: Tue, 22 Jul 2008 08:56:46 -0400
From: Usenet User <liberalsrcrap@gmail.com>
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: QST review of up-to-date amateur equip ...
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com>
In-Reply-To: <f1dd650c-ed2c-41fb-b1fa-a6ecaafbf19e@f63g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <55a8c$4885d909$10413@news.teranews.com>
X-Complaints-To: abuse@teranews.com
Organization: www.TeraNews.com
Lines: 18
NNTP-Posting-Date: Tue, 22 Jul 2008 08:56:41 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2747
rec.radio.amateur.digital.misc:257

He really has no point. My guess he is just trying to pimp the
equipment. Probably works for Flex Radio.
```

Brian wrote:
> On Jul 22, 2:09 am, John Smith <assemblywiz...@gmail.com> wrote:
>> http://www.flex-radio.com/
>>
>> Just go down the page to:
>>
>> FLEX-5000A July QST Product Review Now Available for Download
>>
>> Regards,
>> JS
>
> Your point is ....?
>
> Brian w3rv
** Posted from http://www.teranews.com **

From 2432791893893139151
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: QST review of up-to-date amateur equip ...
Date: Wed, 23 Jul 2008 15:04:26 -0700
Organization: albasani.net
Lines: 8
Message-ID: <g689t5$51t$2@news.albasani.net>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com>
<55a8c$4885d909$10413@news.teranews.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net mJtL2GWqLUtWpuyq9FFM+Z0P28gKH2lMr7GIT07MSbWL5ltK2+
+D0hWZXqaM6Df0u7MzYXmlcOJxE/yNFBUxRoa2xztxtSZtl0UeSsCuetWAqW9EKAIVYhRWb/rUjxkz
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Wed, 23 Jul 2008 22:04:21 +0000 (UTC)
X-User-ID: qFN/ocEopVWb5FPeysJbxQsJi64lSdFiOKYLT+YLhYo=
In-Reply-To: <55a8c$4885d909$10413@news.teranews.com>
Cancel-Lock: sha1:b/9c6ap4R2lUfx4+UnfjmQydowk=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: C42UVVoURNZqa/pz/7ihuOl1n5hJjd2yAmKxolruMX4=
Xref: g2news1.google.com rec.radio.amateur.equipment:386
rec.radio.amateur.digital.misc:29

Usenet User wrote:
> He really has no point. My guess he is just trying to pimp the
> equipment. Probably works for Flex Radio.

Actually, I am a proud owner of the 5000C ... it's beautiful ...

Regards,
JS

```
From 6927043319258122487
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!news-in-02.newsfeed.easynews.com!core-easynews!
easynews.com!easynews!en-nntp-03.dc1.easynews.com.POSTED!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QST review of up-to-date amateur equip ...
Message-ID: <7pgf845fatftso7v4uic7ih5i5jseuk2ru@4ax.com>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com> <g64q49$ujb$1@news.albasani.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Wed, 23 Jul 2008 18:52:37 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:2749

On Tue, 22 Jul 2008 07:16:45 -0700, John Smith
<assemblywizard@gmail.com> wrote:

>Brian wrote:
>> On Jul 22, 2:09 am, John Smith <assemblywiz...@gmail.com> wrote:
>>> http://www.flex-radio.com/
>>>
>>> Just go down the page to:
>>>
>>> FLEX-5000A July QST Product Review Now  Available for Download
>>>
>>> Regards,
>>> JS
>>
>> Your point is ..........?
>>
>> Brian w3rv
>
>When I go and visit others shacks, it becomes clear there is a real and
>present need to provoke them too upgrade to modern equipment ...
>
```

>Regards,
>JS

And once MSoft moves on to another operating system, your black box
will be... yesterday's modern?

I still have a lovely AEA Packratt, but it runs on a Commodore 64.

bob
k5qwg

From -3038670309965998944
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
newsfeed.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!news.albasani.net!not-for-
mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QST review of up-to-date amateur equip ...
Date: Wed, 23 Jul 2008 18:07:47 -0700
Organization: albasani.net
Lines: 30
Message-ID: <g68kl0$knm$1@news.albasani.net>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com> <g64q49$ujb$1@news.albasani.net>
<7pgf845fatftso7v4uic7ih5i5jseuk2ru@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net 3vKsZsdQzu6zQILC75eTTvledNKFDlpyGS0t3o1b1//
l2zWSddSMbF8y1vQVKbr1LnMxvg7cFqFtRFoKlw/Cb95tjsmtmwfKAXmBWnxwHFk+Zwww6F//
mvEYRvnGhjXZ
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Thu, 24 Jul 2008 01:07:47 +0000 (UTC)
X-User-ID: 7MLGGIogGvRJ6pi/ULESzQPOXKemrDYypJ4ct9s09UM=
In-Reply-To: <7pgf845fatftso7v4uic7ih5i5jseuk2ru@4ax.com>
Cancel-Lock: sha1:a6XtyMMOQSQWGOK20y3+rab9oqo=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: ePdZJrbqxW5WJFto7Lb91Zv58iIBe8nfQLGIK0Q5wz4=
Xref: g2news1.google.com rec.radio.amateur.equipment:388

Bob Miller wrote:

> ...
> And once MSoft moves on to another operating system, your black box
> will be... yesterday's modern?
>
> I still have a lovely AEA Packratt, but it runs on a Commodore 64.
>
> bob

> k5qwg

As I have pointed out, in a previous post, the software which drives
this rig is open source ... that means you can compile it and run it on
linux. (Wine will even allow you to run windows programs on a linux
machine.)

Although they have attempted to obsfucate some functions in the software
by supplying pre-compiled libraries which the software calls, some of us
have reverse engineered these.

My rig has no frequency blocks, for instance. Transmit freqs run the
full range this rig is capable of receiving.

Open source is the key ... However, FlexRadio has plans for supplying
the linux software "in the box" and ready for use. There is just not
much of hurry here as 95%+ of hams run windows ... (probably 99.9999%!)

Regards,
JS

From 4721475580893677010
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!core-easynews!easynews.com!easynews!en-nntp-07.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QST review of up-to-date amateur equip ...
Message-ID: <vftg84pmjq2g7b9rhoq0n6amislevfkevc@4ax.com>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-a6ecaafbf19e@f63g2000hsf.googlegroups.com> <g64q49$ujb$1@news.albasani.net> <7pgf845fatftso7v4uic7ih5i5jseuk2ru@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Thu, 24 Jul 2008 08:32:25 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2751

>
>And once MSoft moves on to another operating system, your black box
>will be... yesterday's modern?

>
>I still have a lovely AEA Packratt, but it runs on a Commodore 64.
>
>bob
>k5qwg
That had a lot to do with my trading up my TenTec Pegasus for a
Jupiter!
John Ferrell W8CCW

From -8571669836271390004
X-Google-Thread: 108228,9d3c439cb5bc2906,start
X-Google-Thread: 108122,9d3c439cb5bc2906,start
X-Google-Thread: 1109af,9d3c439cb5bc2906,start
X-Google-Thread: fc8b1,9d3c439cb5bc2906,start
X-Google-Attributes:
gid108228,gid108122,gid1109af,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
feeder.news-service.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x5!mail2news-x4!mail2news-
x3!mail2news-x2!mail2news
From: AC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave,r
ec.radio.amateur.boatanchors
Subject: FA: National NC HRO "Sixty" 18-tube receiver + speaker
Message-ID: <22114e93784d282f86bb0ccb9682d17f@pseudo.borked.net>
Date: Thu, 24 Jul 2008 10:43:53 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 1
Xref: g2news2.google.com alt.ham-radio.marketplace:752
rec.radio.amateur.equipment:2752 rec.radio.swap:3266 rec.radio.shortwave:40187
rec.radio.amateur.boatanchors:3721

http://atu.ca/National60

From -2812787500454361354
X-Google-Thread: 108122,125bc73b49ebb357,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Fri, 25 Jul 2008 00:24:10 +0200
From: silverdr <silverdr@inet.pl.remove.it>
User-Agent: Thunderbird 2.0.0.12 (Macintosh/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
Subject: CAT protocol specifications?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: sennik.srebrnysen.com

```
Message-ID: <4889010b@news.inet.com.pl>
X-Trace: news.inet.com.pl 1216938251 83.18.220.10 (25 Jul 2008 00:24:11 +0200)
Lines: 8
X-Authenticated-User: patryk
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!
news.nask.org.pl!newsfeed.neostrada.pl!news.inet.com.pl!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:2753
```

Hi group(s),

I am looking for the specifications of the CAT protocol mainly for Yaesu and Kenwood TRXs. I have the basic commands in the user's manual but I am looking for full specs, including memories management, etc. Any pointers or hints would be highly appreciated. TNX in advance.

P.

```
From 6498852606559474367
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.suddenlink.net!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
References: <4889010b@news.inet.com.pl>
In-Reply-To: <4889010b@news.inet.com.pl>
Subject: Re: CAT protocol specifications?
Date: Thu, 24 Jul 2008 18:27:26 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6001.18000
Lines: 13
Message-ID: <48890ff5$0$4018$bbae4d71@news.suddenlink.net>
NNTP-Posting-Host: 75.111.224.200
X-Complaints-To: abuse@suddenlink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2754
```

"silverdr" <silverdr@inet.pl.remove.it> wrote in message
news:4889010b@news.inet.com.pl...

> Hi group(s),
>
> I am looking for the specifications of the CAT protocol mainly for Yaesu

> and Kenwood TRXs. I have the basic commands in the user's manual but I am
> looking for full specs, including memories management, etc. Any pointers
> or hints would be highly appreciated. TNX in advance.
>
> P.

Google "kenwood CAT protocol"

From -7424273923408539144
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!spln!extra.newsguy.com!newsp.newsguy.com!
news1
From: Registered User <n4jvp@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CAT protocol specifications?
Date: Thu, 24 Jul 2008 20:16:35 -0400
Organization: subdevo.com
Lines: 19
Message-ID: <j06i84lglb8ibcrqi4ceprsobs1l66vggc@4ax.com>
References: <4889010b@news.inet.com.pl>
Reply-To: n4jvp@ix.netcom.com
NNTP-Posting-Host: p34d1bfbfff000000c82a1148aee35e0a00a9bfef3517f408.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 3.3/32.846
Xref: g2news1.google.com rec.radio.amateur.equipment:393

On Fri, 25 Jul 2008 00:24:10 +0200, silverdr
<silverdr@inet.pl.remove.it> wrote:

>Hi group(s),
>
>I am looking for the specifications of the CAT protocol mainly for Yaesu
>and Kenwood TRXs. I have the basic commands in the user's manual but I
>am looking for full specs, including memories management, etc. Any
>pointers or hints would be highly appreciated. TNX in advance.
>
The FT-897D uses 5 byte command blocks.The first 4 bytes hold the
command arguments while the carries the opcode. The manual provides
the opcodes and further details.

Essentially all the control software does is read and write command
blocks to a comm port. In the Windows world the port is controlled via
calls to kernel32.dll.

73 de n4jvp

```
From -4161811959915409768
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder.news-service.com!
newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!fu-berlin.de!
uni-berlin.de!individual.net!not-for-mail
From: Spamm Trappe <bit-bucket@config.com>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
Subject: Re: CAT protocol specifications?
Date: 25 Jul 2008 01:36:12 GMT
Lines: 11
Message-ID: <slrng8ibgc.23h7.bit-bucket@shell.config.com>
References: <4889010b@news.inet.com.pl>
<48890ff5$0$4018$bbae4d71@news.suddenlink.net>
X-Trace: individual.net opNdNqUZhXIwliK9dQsMowUmpf5XVHumbGQ3mR9YF2smyIoGam
Cancel-Lock: sha1:jgXLJOqquH9WKRt3BJevxSosYCY=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:2756

On Thu, 24 Jul 2008 18:27:26 -0500, Glenn wrote:
> "silverdr" <silverdr@inet.pl.remove.it> wrote:
>>
>> I am looking for the specifications of the CAT protocol mainly for Yaesu
>> and Kenwood TRXs. I have the basic commands in the user's manual but I am
>> looking for full specs, including memories management, etc. Any pointers
>> or hints would be highly appreciated. TNX in advance.
>
> Google "kenwood CAT protocol"

What a concept, ehhhh?


From -9171078459427072951
X-Google-Thread: 108122,f19d315396a1a5f1,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z11g2000prl.googlegroups.com!not-for-
mail
From: laxmi <laxmiinall@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hi free hardware books see here
Date: Fri, 25 Jul 2008 04:46:48 -0700 (PDT)
Organization: http://groups.google.com
Lines: 24
Message-ID: <52e54b0a-e0e9-4d70-a424-6a0ffd882b4e@z11g2000prl.googlegroups.com>
NNTP-Posting-Host: 121.246.172.21
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1216986409 26518 127.0.0.1 (25 Jul 2008 11:46:49 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Fri, 25 Jul 2008 11:46:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z11g2000prl.googlegroups.com; posting-host=121.246.172.21;
     posting-account=9syYQgoAAABKblmmrSq5ONLUAnFPzKME
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:395

What is the: Netscape
http://freedownloadablebooks.blogspot.com/2008/03/what-is-netscape.html
What is the: Mirror
http://freedownloadablebooks.blogspot.com/2008/03/what-is-mirror.html
What is the: LAN
http://freedownloadablebooks.blogspot.com/2008/03/what-is-lan.html
What is the: IP Number
http://freedownloadablebooks.blogspot.com/2008/03/what-is-ip-number.html
What is the: HTML
http://freedownloadablebooks.blogspot.com/2008/03/what-is-html.html
What is the: Gateway
http://freedownloadablebooks.blogspot.com/2008/03/what-is-gateway.html
What is the: FAQ
http://freedownloadablebooks.blogspot.com/2008/03/what-is-faq.html
What is the: cgi-bin
http://freedownloadablebooks.blogspot.com/2008/03/what-is-cgi-bin.html
What is the: Baud
http://freedownloadablebooks.blogspot.com/2008/03/what-is-baud.html
What is the: AT Command set
http://freedownloadablebooks.blogspot.com/2008/03/what-is-at-command-set.html
What is the: Anonymous FTP
http://freedownloadablebooks.blogspot.com/2008/03/what-is-anonymous-ftp.html
What is the: Whois
http://freedownloadablebooks.blogspot.com/2008/03/what-is-whois.html


From 4533743524685456936
X-Google-Thread: 108122,a5e57498c0e5dcbb,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
w39g2000prb.googlegroups.com!not-for-mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: lot of vintage mics- CB radios-car radios-wood/bakelite
     radios-receivers-mics-transceivers-TUBES-estate sale clearance
Date: Fri, 25 Jul 2008 05:15:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 87
Message-ID: <628bce3b-6d63-4f3e-9364-0e124d4a3c19@w39g2000prb.googlegroups.com>
NNTP-Posting-Host: 209.74.23.237
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
```

X-Trace: posting.google.com 1216988153 32127 127.0.0.1 (25 Jul 2008 12:15:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 25 Jul 2008 12:15:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w39g2000prb.googlegroups.com; posting-host=209.74.23.237;
posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:396

http://shop.ebay.com/merchant/66-catalina_W0QQ_nkwZQQ_armrsZ1QQ_fromZQQ_mdoZ

WWII SIGNAL CORPS LANTERN-U.S.ARMY-MX290GV-VINTAGE-$$$$ 0 Bids $24.99
$45.00
Free 3d 13h 28m

16 TAPES LOT 4-TRACK CARTRIDGES-SINATRA-PETER,PAUL,MARY 0 Bids $24.99
$50.00
Free 3d 13h 28m

PHILCO MODEL 66 WOODEN TOMBSTONE ANTIQUE RADIO-TUBES-$$ 0 Bids $49.98
$250.00
+$40.00 3d 13h 28m

PHILCO VINTAGE BAKELITE TELEVISION BOOSTER BOX-COMPLETE 0 Bids $9.98
+$10.00 3d 13h 28m

ANTIQUE CUNNINGHAM WOOD RADIO w/TUBES-parts/fix/restore 1 Bid $24.99
+$20.00 3d 13h 28m

AMPEX MICRO 85 STEREO CASSETTE RECORDER-INTEGRATED AMP-
MADE IN AUSTRIA-VINTAGE HIGH END DECK w/120 VAC MOTOR-$ 0 Bids $24.99
$50.00
+$20.00 3d 13h 28m

LOT OF (14) OLD PLASTIC-BAKELITE-ANTIQUE TUBE RADIOS-$$ 0 Bids $99.88
+$100.00 3d 13h 28m

1930's WOODEN RADIO CATHEDRAL EXTERNAL SPEAKER-ANTIQUE- 1 Bid $24.99
+$20.00 3d 13h 28m

(6) RCA SOUNDTAPE MAGAZINE LOADED LARGE CASSETTE TAPES- 0 Bids $24.99
$125.00
+$10.00 3d 13h 28m

ZENITH LONG DISTANCE WAVE MAGNET SUITCASE TUBE RADIO-$$ 0 Bids $24.99
+$25.00 3d 13h 28m

FIRESTONE MODEL S-7403-3 WOOD RADIO-TUBES-parts/fix-$$$ 0 Bids $24.99
+$25.00 3d 13h 28m

MUNTZ 4-TRACK CARTRIDGE STEREO TAPE DECK W/MOUNT-NICE-$ 0 Bids $24.99

$100.00
+$30.00 3d 13h 28m

STEWART ANTIQUE PHONOGRAPH-EARLY 1900's-parts/restore-$ 0 Bids $24.99
+$35.00 3d 13h 28m

RCA SOUNDTAPE MAGAZINE LOADED CASSETTE RECORDER-SCP2-$$
STEREO SINGLE ENDED TUBE AMP INSIDE W/6V6'S-VINTAGE AMP 1 Bid $99.88
+$50.00 3d 13h 28m

STANDARD BRAND AM/FM STEREO TUNER-VINTAGE COMPONENT-$$$ 0 Bids $9.98
+$15.00 4d 13h 28m

WIPER MOTOR LINKAGE-GTO-CHEVELLE-GRAN SPORT-442-SKYLARK
CUTLASS-F85-SPECIAL-JUDGE-GT37-T37-MALIBU-SS396-SS454-$ 0 Bids $9.98
+$10.00 4d 13h 28m

VINTAGE ASTATIC D-104 MIC w/UG8 CHROME STAND-classic-$$ 2 Bids $10.50
+$10.00 4d 13h 28m

STEWART-WARNER MOD 07-5R5 ANTIQUE TUBE WOODEN RADIO-old 0 Bids $24.99
+$20.00 4d 13h 28m

ANTIQUE WOODEN ASTATIC TV STATION CONTROLLER-1940-50's- 0 Bids $9.98
+$10.00 4d 11h 54m

VINTAGE LIONEL-MULTI CONTROL TRAINMASTER TRANSFORMER-$$
25 VOLT OUTPUT w/ WHISTLE, DIRECTION, SPEED CONTROLS-VG 0 Bids $24.99
+$15.00 4d 13h 28m

VINTAGE RCA MODEL MI-12016G MICROPHONE w/CORD-rare-$$$$ 2 Bids $10.48
+$10.00 4d 13h 28m

(3) VINTAGE WALKIE-TALKIE CB RADIOS-ASSORTED MAKES-$$$$ 0 Bids $9.98
+$10.00 4d 13h 28m

BENDIX SAPPHIRE II ANTIQUE CAR RADIO-WHITE BUTTONS-part 2 Bids $10.98
+$10.00 4d 13h 28m

JULIETTE TOPPLAY CARTRIDGE PLAYER-2 TRACK ENDLESS LOOP-
SIMILAR TO PLAYTAPE-RARE VINTAGE AUDIO FORMAT PLAYER-$$ 0 Bids $9.98
+$10.00 4d 13h 28m

SPORTSMAN GREAT LAKES TRADE BAITCAST REEL-ANTIQUE-old-$ 0 Bids $9.98
+$10.00 4d 13h 28m

From -603920439617296427
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!

```
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!1bc6af47!
not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
References: <4889010b@news.inet.com.pl>
Subject: Re: CAT protocol specifications?
Lines: 37
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <4nlik.6$rb5.2@trnddc04>
Date: Fri, 25 Jul 2008 14:25:04 GMT
NNTP-Posting-Host: 71.104.204.178
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1216995904 71.104.204.178 (Fri, 25 Jul 2008 10:25:04 EDT)
NNTP-Posting-Date: Fri, 25 Jul 2008 10:25:04 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:397
X-Original-Bytes: 2445
```

"silverdr" <silverdr@inet.pl.remove.it> wrote in message
news:4889010b@news.inet.com.pl...

> Hi group(s),
>
> I am looking for the specifications of the CAT protocol mainly for Yaesu
> and Kenwood TRXs. I have the basic commands in the user's manual but I
> am looking for full specs, including memories management, etc. Any
> pointers or hints would be highly appreciated. TNX in advance.
>
> P.

Get hold of a packet sniffer and trap the comms between the radio and commercial control software such as ARCP2000.

Haven't bothered with Yaesu, but I have a Kenwood TS2000. The radio can run up to 56.7k and looks like a modem. Uses a standard 9 pin modem cable. The Owners Manual is available for download and carries a whole section on the command structure. This structure has been in place since they first started using it and they just keep adding to it. Earlier radios require a level shifter and only run 4800bd but have the same memory and vfo commands.

Beware that even the power on and several other commands require a sequence of commands and telemetry. There are commands that interrogate the status of specific conditions before deciding the appropriate command or string of commands, but simpler things like reading vfos and mode are simple and included in many third party programs.

I am currently using ARCP-2000, LOG-eqf, RIG-eqf (for dos), MCP-2000, and a very interesting Excel spreadsheet by K9DCI that allows management of extreme frequency lists.

73, ac6tk

http://techinfo.awardspace.com

```
From -8444229152403320556
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Fri, 25 Jul 2008 18:42:28 +0200
From: SP1WSC <silverdr@inet.pl.remove.it>
User-Agent: Thunderbird 2.0.0.16 (Macintosh/20080707)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
Subject: Re: CAT protocol specifications?
References: <4889010b@news.inet.com.pl>
<48890ff5$0$4018$bbae4d71@news.suddenlink.net>
In-Reply-To: <48890ff5$0$4018$bbae4d71@news.suddenlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 212.14.63.66
Message-ID: <488a027c$1@news.inet.com.pl>
X-Trace: news.inet.com.pl 1217004156 212.14.63.66 (25 Jul 2008 18:42:36 +0200)
Lines: 13
X-Authenticated-User: patryk
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!news.nask.org.pl!
newsfeed.neostrada.pl!news.inet.com.pl!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:398
```

Glenn wrote:

>> I am looking for the specifications of the CAT protocol mainly for
>> Yaesu and Kenwood TRXs. I have the basic commands in the user's manual
>> but I am looking for full specs, including memories management, etc.
>> Any pointers or hints would be highly appreciated. TNX in advance.

> Google "kenwood CAT protocol"

I did Google "Yaesu CAT protocol" (this is the first one I need) and similar combinations few times before I looked for the appropriate group to ask the question. Unfortunately I found little to none information of the kind I look for.

```
From 8745898098386629203
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Fri, 25 Jul 2008 18:53:05 +0200
From: SP1WSC <silverdr@inet.pl.remove.it>
```

User-Agent: Thunderbird 2.0.0.16 (Macintosh/20080707)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
Subject: Re: CAT protocol specifications?
References: <4889010b@news.inet.com.pl> <4nlik.6$rb5.2@trnddc04>
In-Reply-To: <4nlik.6$rb5.2@trnddc04>
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 212.14.63.66
Message-ID: <488a04f8$1@news.inet.com.pl>
X-Trace: news.inet.com.pl 1217004792 212.14.63.66 (25 Jul 2008 18:53:12 +0200)
Lines: 45
X-Authenticated-User: patryk
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!194.25.134.126.MISMATCH!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!news.nask.org.pl!newsfeed.neostrada.pl!news.inet.com.pl!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:399

JB wrote:

>> I am looking for the specifications of the CAT protocol mainly for Yaesu
>> and Kenwood TRXs. I have the basic commands in the user's manual but I
>> am looking for full specs, including memories management, etc. Any
>> pointers or hints would be highly appreciated. TNX in advance.

> Get hold of a packet sniffer and trap the comms between the radio and
> commercial control software such as ARCP2000.

Huh - this I also had in mind already but I would still prefer to have
the specs rather than sniff the communications. This is especially valid
when the reason why I need the specs is defined as "no Windows machine
to run the commercial (or non-commercial) control software in the
vicinity" ;-)

> Haven't bothered with Yaesu,

Well - that is exactly what I need now. Kenwood is second on the list
because I plan to buy one for winter. Right now I need to do something
with the Yaesu.

> but I have a Kenwood TS2000. The radio can run
> up to 56.7k and looks like a modem. Uses a standard 9 pin modem cable. The
> Owners Manual is available for download and carries a whole section on the
> command structure. This structure has been in place since they first
> started using it and they just keep adding to it. Earlier radios require a
> level shifter and only run 4800bd but have the same memory and vfo commands.

Good to know that there is at least some sanity over the "commerciality"
within Kenwood staff.

> Beware that even the power on and several other commands require a sequence

> of commands and telemetry. There are commands that interrogate the status
> of specific conditions before deciding the appropriate command or string of
> commands, but simpler things like reading vfos and mode are simple and
> included in many third party programs.
>
> I am currently using ARCP-2000, LOG-eqf, RIG-eqf (for dos), MCP-2000, and a
> very interesting Excel spreadsheet by K9DCI that allows management of
> extreme frequency lists.

I think I shall archive this post as I plan on TS2000X and may return to
it later.

From -5561252378518976480
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Fri, 25 Jul 2008 19:03:06 +0200
From: SP1WSC <silverdr@inet.pl.remove.it>
User-Agent: Thunderbird 2.0.0.16 (Macintosh/20080707)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CAT protocol specifications?
References: <4889010b@news.inet.com.pl>
<j06i84lglb8ibcrqi4ceprsobs1l66vggc@4ax.com>
In-Reply-To: <j06i84lglb8ibcrqi4ceprsobs1l66vggc@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 212.14.63.66
Message-ID: <488a0751$1@news.inet.com.pl>
X-Trace: news.inet.com.pl 1217005393 212.14.63.66 (25 Jul 2008 19:03:13 +0200)
Lines: 22
X-Authenticated-User: patryk
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!news.nask.org.pl!newsfeed.neostrada.pl!news.inet.com.pl!
not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:400

Registered User wrote:

>> I am looking for the specifications of the CAT protocol mainly for Yaesu
>> and Kenwood TRXs. I have the basic commands in the user's manual but I
>> am looking for full specs, including memories management, etc. Any
>> pointers or hints would be highly appreciated. TNX in advance.

> The FT-897D uses 5 byte command blocks.The first 4 bytes hold the
> command arguments while the carries the opcode. The manual provides
> the opcodes and further details.

Yes - the manual provides the basics and explains how to construct the
packets etc. What is missing though are the methods of handling the
memory banks. It even doesn't say how to read/write memory locations (I

may suspect that user memories are to be accessed by reading/writing specific hardware memory addresses). And I have read somewhere that there is a full specifications document, which covers these topics plus there is even more - some undocumented features, which can be accessed this way. I am looking for at least the specs that would allow one to deal with user memories. FT-897 is a good choice - I have to deal with FT-857, which is supposed to be fully compatible, but also with VX-7R, which almost certainly is not.

```
From 3466566466884510680
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 26 Jul 2008 08:35:16 -0500
Newsgroups: rec.radio.amateur.equipment
From: Thomas Laus <lausts@acm.org>
Subject: Re: CAT protocol specifications?
References: <4889010b@news.inet.com.pl>
<j06i84lglb8ibcrqi4ceprsobs1l66vggc@4ax.com> <488a0751$1@news.inet.com.pl>
Reply-To: lausts@acm.org
Message-ID: <slrng8ma0k.r9g.lausts@laus.org>
User-Agent: slrn/0.9.8.1 (FreeBSD)
Date: Sat, 26 Jul 2008 08:35:16 -0500
Lines: 48
X-Trace: sv3-X8IroH9/Wu+c9gk911SHaDBzc6/tMpeQiAKqZJVeiaABzpzDMSQYTYJu/
XpgdSjCHyzxBbSZ0nDZeb0!
BHHMuKTYdH7jT0bCmwqoXp8PoDuzK5CtH6030oDWgmzNw1UCow8tmqX5jvpWGGqC
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:402
```

-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

On 2008-07-25, SP1WSC <silverdr@inet.pl.remove.it> wrote:

> Registered User wrote:
>
>>> I am looking for the specifications of the CAT protocol mainly for Yaesu
>>> and Kenwood TRXs. I have the basic commands in the user's manual but I
>>> am looking for full specs, including memories management, etc. Any
>>> pointers or hints would be highly appreciated. TNX in advance.
>
>
> Yes - the manual provides the basics and explains how to construct the
> packets etc. What is missing though are the methods of handling the

> memory banks. It even doesn't say how to read/write memory locations (I
> may suspect that user memories are to be accessed by reading/writing
> specific hardware memory addresses). And I have read somewhere that
> there is a full specifications document, which covers these topics plus
> there is even more - some undocumented features, which can be accessed
> this way. I am looking for at least the specs that would allow one to
> deal with user memories. FT-897 is a good choice - I have to deal with
> FT-857, which is supposed to be fully compatible, but also with VX-7R,
> which almost certainly is not.
>

Have you tried looking in the files for the Hamlib project on
Sourceforge?

http://hamlib.sourceforge.net/

They keep a repository of various software interfaces to a lot of
radios. I have used the Kenwood library to get some hints on how to
talk to my TS-950. You might be able to gain some insight into how your
Yaesu talks it's COMM port.

Tom

- --Public Keys:
PGP KeyID = 0x5F22FDC1
GnuPG KeyID = 0x620836CF

-----BEGIN PGP SIGNATURE-----
Version: GnuPG v1.4.9 (FreeBSD)

iEYEARECAAYFAkiLKBMACgkQ6/+C1GIINs+CSwCgq2VpAkLUGDBu/FZnhcF55rTA
ykMAoJ9oYVvHbed6yP0BknYoYvgZO73B
=x6vw
-----END PGP SIGNATURE-----

From -6161737837939377163
X-Google-Thread: 108122,5a38dfe7efe7551,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
border1.nntp.ams.giganews.com!nntp.giganews.com!feeder.news.tin.it!
spool.news.tin.it!not-for-mail
From: "moreradio" <moreradio@alice.it>
Newsgroups: rec.radio.amateur.equipment
Subject: TS-480 SAT tuning knob trouble
Date: Sat, 26 Jul 2008 12:22:20 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Rfc2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 11

Message-ID: <488b3f9b$0$1082$4fafbaef@reader1.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.19.209.53
X-Trace: 1217085339 reader1.news.tin.it 1082 79.19.209.53:16135
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news1.google.com rec.radio.amateur.equipment:403

Hello,
I'm a proud owner of a new TS-480 transceiver, it has an odd trouble when i
crank the tuning knob it
squeak terribly, it seems caused by a friction effect...
Anybody, over there, knows how to dismount such knob? I can't see any
screw...
Thanks in advance

Claudio

From 2155654950370263323
X-Google-Thread: 108122,5a38dfe7efe7551
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!news.k-dsl.de!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS-480 SAT tuning knob trouble
Date: Sat, 26 Jul 2008 20:46:52 -0400
Organization: Aioe.org NNTP Server
Lines: 17
Message-ID: <fmmck-537BFE.20465226072008@nntp.aioe.org>
References: <488b3f9b$0$1082$4fafbaef@reader1.news.tin.it>
NNTP-Posting-Host: gxuXC4/hZggS08E6yruLdw.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:404

In article <488b3f9b$0$1082$4fafbaef@reader1.news.tin.it>,
"moreradio" <moreradio@alice.it> wrote:

> I'm a proud owner of a new TS-480 transceiver, it has an odd trouble when i
> crank the tuning knob it
> squeak terribly, it seems caused by a friction effect...
> Anybody, over there, knows how to dismount such knob? I can't see any
> screw...

Claudio-

I just checked mine and found it also has a slight squeak. It seems to
change when I move the switch directly below the knob, which I think

controls the friction.

Fred
K4DII

From 422934309856154413
X-Google-Thread: 108122,a5e57498c0e5dcbb
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!postnews.google.com!
r66g2000hsg.googlegroups.com!not-for-mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: lot of vintage mics- CB radios-car radios-wood/bakelite
radios-receivers-mics-transceivers-TUBES-estate sale clearance
Date: Sun, 27 Jul 2008 04:20:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 247
Message-ID: <492353f7-129b-4a4c-911d-94a54cd384cf@r66g2000hsg.googlegroups.com>
References: <628bce3b-6d63-4f3e-9364-0e124d4a3c19@w39g2000prb.googlegroups.com>
NNTP-Posting-Host: 216.222.240.8
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1217157626 10851 127.0.0.1 (27 Jul 2008 11:20:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Jul 2008 11:20:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r66g2000hsg.googlegroups.com; posting-host=216.222.240.8;
posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:405

On Jul 25, 8:15=A0am, "Dwight D. Eisenhower" <rottedHo...@yahoo.com>
wrote:
> http://shop.ebay.com/merchant/66-catalina_W0QQ_nkwZQQ_armrsZ1QQ_fromZ...
>
> WWII SIGNAL CORPS LANTERN-U.S.ARMY-MX290GV-VINTAGE-$$$$ 0 Bids $24.99
> $45.00
> Free 3d 13h 28m
>
> =A016 TAPES LOT 4-TRACK CARTRIDGES-SINATRA-PETER,PAUL,MARY 0 Bids $24.99
> $50.00
> Free 3d 13h 28m
>
> =A0PHILCO MODEL 66 WOODEN TOMBSTONE ANTIQUE RADIO-TUBES-$$ 0 Bids $49.98
> $250.00
> +$40.00 3d 13h 28m
>
> =A0PHILCO VINTAGE BAKELITE TELEVISION BOOSTER BOX-COMPLETE 0 Bids $9.98

```
> +$10.00 3d 13h 28m
>
> =A0ANTIQUE CUNNINGHAM WOOD RADIO w/TUBES-parts/fix/restore 1 Bid $24.99
> +$20.00 3d 13h 28m
>
> =A0AMPEX MICRO 85 STEREO CASSETTE RECORDER-INTEGRATED AMP-
> MADE IN AUSTRIA-VINTAGE HIGH END DECK w/120 VAC MOTOR-$ 0 Bids $24.99
> $50.00
> +$20.00 3d 13h 28m
>
> =A0LOT OF (14) OLD PLASTIC-BAKELITE-ANTIQUE TUBE RADIOS-$$ 0 Bids $99.88
> +$100.00 3d 13h 28m
>
> =A01930's WOODEN RADIO CATHEDRAL EXTERNAL SPEAKER-ANTIQUE- 1 Bid $24.99
> +$20.00 3d 13h 28m
>
> =A0(6) RCA SOUNDTAPE MAGAZINE LOADED LARGE CASSETTE TAPES- 0 Bids $24.99
> $125.00
> +$10.00 3d 13h 28m
>
> =A0ZENITH LONG DISTANCE WAVE MAGNET SUITCASE TUBE RADIO-$$ 0 Bids $24.99
> +$25.00 3d 13h 28m
>
> =A0FIRESTONE MODEL S-7403-3 WOOD RADIO-TUBES-parts/fix-$$$ 0 Bids $24.99
> +$25.00 3d 13h 28m
>
> =A0MUNTZ 4-TRACK CARTRIDGE STEREO TAPE DECK W/MOUNT-NICE-$ 0 Bids $24.99
> $100.00
> +$30.00 3d 13h 28m
>
> =A0STEWART ANTIQUE PHONOGRAPH-EARLY 1900's-parts/restore-$ 0 Bids $24.99
> +$35.00 3d 13h 28m
>
> =A0RCA SOUNDTAPE MAGAZINE LOADED CASSETTE RECORDER-SCP2-$$
> STEREO SINGLE ENDED TUBE AMP INSIDE W/6V6'S-VINTAGE AMP 1 Bid $99.88
> +$50.00 3d 13h 28m
>
> =A0STANDARD BRAND AM/FM STEREO TUNER-VINTAGE COMPONENT-$$$ 0 Bids $9.98
> +$15.00 4d 13h 28m
>
> =A0WIPER MOTOR LINKAGE-GTO-CHEVELLE-GRAN SPORT-442-SKYLARK
> CUTLASS-F85-SPECIAL-JUDGE-GT37-T37-MALIBU-SS396-SS454-$ 0 Bids $9.98
> +$10.00 4d 13h 28m
>
> =A0VINTAGE ASTATIC D-104 MIC w/UG8 CHROME STAND-classic-$$ 2 Bids $10.50
> +$10.00 4d 13h 28m
>
> =A0STEWART-WARNER MOD 07-5R5 ANTIQUE TUBE WOODEN RADIO-old 0 Bids $24.99
> +$20.00 4d 13h 28m
>
> =A0ANTIQUE WOODEN ASTATIC TV STATION CONTROLLER-1940-50's- 0 Bids $9.98
> +$10.00 4d 11h 54m
>
```

```
> =A0VINTAGE LIONEL-MULTI CONTROL TRAINMASTER TRANSFORMER-$$
> 25 VOLT OUTPUT w/ WHISTLE, DIRECTION, SPEED CONTROLS-VG 0 Bids $24.99
> +$15.00 4d 13h 28m
>
> =A0VINTAGE RCA MODEL MI-12016G MICROPHONE w/CORD-rare-$$$$ 2 Bids $10.48
> +$10.00 4d 13h 28m
>
> =A0(3) VINTAGE WALKIE-TALKIE CB RADIOS-ASSORTED MAKES-$$$$ 0 Bids $9.98
> +$10.00 4d 13h 28m
>
> =A0BENDIX SAPPHIRE II ANTIQUE CAR RADIO-WHITE BUTTONS-part 2 Bids $10.98
> +$10.00 4d 13h 28m
>
> =A0JULIETTE TOPPLAY CARTRIDGE PLAYER-2 TRACK ENDLESS LOOP-
> SIMILAR TO PLAYTAPE-RARE VINTAGE AUDIO FORMAT PLAYER-$$ 0 Bids $9.98
> +$10.00 4d 13h 28m
>
> =A0SPORTSMAN GREAT LAKES TRADE BAITCAST REEL-ANTIQUE-old-$ 0 Bids $9.98
> +$10.00 4d 13h 28m

HUGE lot antique radios-estate clearance

updated list

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZ66Q2dcatalina

16 TAPES LOT 4-TRACK CARTRIDGES-SINATRA-PETER,PAUL,MARY     1 $24.99
 Free 1d 14h 24m
 WWII SIGNAL CORPS LANTERN-U.S.ARMY-MX290GV-VINTAGE-$$$$     -
 $24.99
$45.00
 Free 1d 14h 24m
  (2) SCOTCH 10" DIAMETER, 1/4" WIDE MAGNETIC TAPE REELS-     -
 $9.98
$15.00
 Free 9d 14h 24m
 PHILCO MODEL 66 WOODEN TOMBSTONE ANTIQUE RADIO-TUBES-$$     -
 $49.98
$250.00
 $40.00  1d 14h 24m
 ANTIQUE CUNNINGHAM WOOD RADIO w/TUBES-parts/fix/restore     1 $24.99
 $20.00  1d 14h 24m
 PHILCO VINTAGE BAKELITE TELEVISION BOOSTER BOX-COMPLETE     - $9.98
 $10.00  1d 14h 24m
 AMPEX MICRO 85 STEREO CASSETTE RECORDER-INTEGRATED AMP-
MADE IN AUSTRIA-VINTAGE HIGH END DECK w/120 VAC MOTOR-$
    -
 $24.99
$50.00
 $20.00  1d 14h 24m
 1930's WOODEN RADIO CATHEDRAL EXTERNAL SPEAKER-ANTIQUE-     1 $24.99
 $20.00  1d 14h 24m
 (6) RCA SOUNDTAPE MAGAZINE LOADED LARGE CASSETTE TAPES-     -
 $24.99
$125.00
 $10.00  1d 14h 24m
 LOT OF (14) OLD PLASTIC-BAKELITE-ANTIQUE TUBE RADIOS-$$     - $99.88
 $100.00  1d 14h 24m
 ANTIQUE WOODEN ASTATIC TV STATION CONTROLLER-1940-50's-     - $9.98
 $10.00  2d 12h 50m
 VINTAGE RCA MODEL MI-12016G MICROPHONE w/CORD-rare-$$$$     4 $20.50
 $10.00  2d 14h 24m
 (3) VINTAGE WALKIE-TALKIE CB RADIOS-ASSORTED MAKES-$$$$     - $9.98
 $10.00  2d 14h 24m
 VINTAGE LIONEL-MULTI CONTROL TRAINMASTER TRANSFORMER-$$
25 VOLT OUTPUT w/ WHISTLE, DIRECTION, SPEED CONTROLS-VG
    - $24.99
 $15.00  2d 14h 24m
 STANDARD BRAND AM/FM STEREO TUNER-VINTAGE COMPONENT-$$$     - $9.98
 $15.00  2d 14h 24m
 STEWART-WARNER MOD 07-5R5 ANTIQUE TUBE WOODEN RADIO-old     1 $24.99
 $20.00  2d 14h 24m
 SPORTSMAN GREAT LAKES TRADE BAITCAST REEL-ANTIQUE-old-$     1 $9.98
 $10.00  2d 14h 24m
 WIPER MOTOR LINKAGE-GTO-CHEVELLE-GRAN SPORT-442-SKYLARK
CUTLASS-F85-SPECIAL-JUDGE-GT37-T37-MALIBU-SS396-SS454-$
    - $9.98
 $10.00  2d 14h 24m
 BENDIX SAPPHIRE II ANTIQUE CAR RADIO-WHITE BUTTONS-part     2 $10.98
 $10.00  2d 14h 24m
 VINTAGE ASTATIC D-104 MIC w/UG8 CHROME STAND-classic-$$     2 $10.50
 $10.00  2d 14h 24m
 JULIETTE TOPPLAY CARTRIDGE PLAYER-2 TRACK ENDLESS LOOP-
SIMILAR TO PLAYTAPE-RARE VINTAGE AUDIO FORMAT PLAYER-$$
    - $9.98
 $10.00  2d 14h 24m
 (2) 1964 DODGE DELUXE RADIOS w/PLASTIC DASH PLATE BEZEL
"ALL TRANSISTOR" PUSHBUTTON RADIOS-413-426HEMI-440-$$$$
    - $24.99
 $20.00  3d 14h 24m
 VINTAGE DEVRY RF GENERATOR-P/N32000-SERIAL#105-vg cond.     - $9.98
 $25.00  3d 14h 24m
 OLD LAFAYETTE COMSTAT-25 CITIZENS BAND TRANSCEIVER-TUBE     - $24.99
 $20.00  3d 14h 24m
 ANTIQUE HAVANA HARBOR CIGAR BOX RADIO-UPMANN-DUNHILL-$$     - $9.98
 $10.00  3d 14h 24m

 1965-67 CHEVY CORVETTE VERTICAL PUSHBUTTON RADIO-$$$$$$     - $9.98
 $10.00  3d 14h 21m
 NUMARK HU-235R STUDIO MONITOR HEADPHONES-VINTAGE-parts-     - $9.98
 $10.00  3d 14h 21m
 SHOTGUN/RIFLE ? FOREARM STOCK-CHECKERED-FINISHED-#04291     1 $9.98
 $5.00  3d 14h 21m
 HUGE PANASONIC RS-888S QUAD RECEIVER-8TRACK-CASSETTE-$$
RECORD/PLAY STEREO/QUAD 8TRACK/CASSETTE-120/220 VOLTS-$
    - $49.98
 $35.00  3d 14h 21m
 1950s BUICK GM SONOMATIC TUBE AMPED DASH RADIO-fix/part     - $9.98
 $10.00  3d 14h 21m
 RCA M1-12115-A VINTAGE AM/FM RECEIVER-MONO TUBE AMPED-$     - $9.98
 $20.00  3d 14h 21m
 (2) OEM GM CHEVROLET PUSHBUTTON RADIOS-1960's-CHROME-$$     - $9.98
 $20.00  3d 14h 21m
 SILVERTONE STEREO SINGLE ENDED TUBE AMP w/REVERB UNIT-$
2)12AX7's drive 2)6BQ5's w/FACEPLATE-KNOBS-CORDS-TUBES-
    -
 $149.88
$300.00
 $40.00  8d 14h 21m
 3 INTERNATIONAL SILVER CO FLAGSHIP ANGLED ANTIQUE FORKS     - $9.98
 $5.00  8d 14h 21m
 MAGNAVOX COLLARO MODEL TP264C ANTIQUE TUBE PHONOGRAPH-$     - $24.99
 $45.00  8d 14h 21m
  CHRYSLER CARTER 4-BARREL AVS CARBURETOR 4682S 3548 95-$
SUPER BEE-ROADRUNNER-383 HP MAGNUM-750 CFM-MUSCLECARB-$
    - $24.99
 $15.00  9d 14h 21m
  (2) VINTAGE CRAFTSMAN AIR PAINT SPRAY GUNS-pressurefeed     - $9.98
 $10.00  9d 14h 21m
 ZENITH LONG DISTANCE WAVE MAGNET SUITCASE TUBE RADIO-$$     - $24.99
 $25.00  1d 14h 21m
 MUNTZ 4-TRACK CARTRIDGE STEREO TAPE DECK W/MOUNT-NICE-$     -
 $24.99
$100.00
 $30.00  1d 14h 21m
 STEWART ANTIQUE PHONOGRAPH-EARLY 1900's-parts/restore-$     - $24.99
 $35.00  1d 14h 21m
 FIRESTONE MODEL S-7403-3 WOOD RADIO-TUBES-parts/fix-$$$     - $24.99
 $25.00  1d 14h 21m
 RCA SOUNDTAPE MAGAZINE LOADED CASSETTE RECORDER-SCP2-$$
STEREO SINGLE ENDED TUBE AMP INSIDE W/6V6'S-VINTAGE AMP
    1 $99.88
 $50.00  1d 14h 21m
 LAFAYETTE MODEL HB-111 VINTAGE TUBE AMPED CB RADIO-$$$$     - $9.98
 $25.00  2d 14h 21m
 AIR KING MODEL 4602 WOODEN RADIO W/TUBES-parts/restore-     - $24.99
 $35.00  2d 14h 21m
 RCA VICTOR MOD. 96T7 WOODEN RADIO W/TUBES-PARTS/RESTORE     - $24.99
 $35.00  2d 14h 21m
 HEATHKIT VIBRATION TESTER MODEL VT-1 VINTAGE-antique-$$     1 $9.98
 $15.00  2d 14h 21m
 SILVERTONE MODEL 7104 ANTIQUE WOOD RADIO w/tubes-NICE-$     - $24.99
 $35.00  2d 14h 21m
 ADMIRAL MOD.6RT43A-5B1A radio/phono-vintage-tubes-78rpm     - $24.99
 $35.00  2d 14h 21m
 (2) MINIATURE VINTAGE RADIO/PHONOGRAPHS-VG CONDITION-$$     - $24.99
 $25.00  2d 14h 21m
 HEATHKIT PRECISION FIELD STRENGTH CRYSTAL TUNE WAVE-??
SOME SORT OF ANTENNA BOOSTER/HOMING DEVICE-L@@K-$$$$$$$
```

    - $9.98
 $25.00 3d 14h 21m

 (2) AIWA PORTABLE 2-TRACK R2R RECORDERS-TP703-TP705-$$$ - $24.99
 $35.00 3d 14h 20m
 VINTAGE SONY MINI TRANSISTOR RADIO-CRAIG CASSETTE-MORE-   - $9.98
 $20.00 3d 14h 20m
 VINTAGE RCA MODEL NINE CITIZENS BAND TRANSCEIVER-TUBES-   1 $9.98
 $20.00 3d 17h 20m
 WARDS AIRLINE 62-479, GRIGSBY-GRUNOW MAJESTIC 20-radios
PHILCO MODELS 48-1262, 46-1209-ANTIQUE AM/SW COLLECTION
    -
 $499.88
$900.00
 Pickup only 8d 14h 20m
 TEXTRON DUAL BEAM OSCILLOSCOPE MODEL N180 DUAL BEAM-$$$ - $24.99
 $150.00 8d 14h 20m

From 4304590706501009355
X-Google-Thread: 108122,f19d315396a1a5f1
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 27 Jul 2008 14:01:39 -0500
From: nopq528 <nopq528.2d27b64@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: hi free hardware books see here
Date: Sun, 27 Jul 2008 19:26:51 +0100
Message-ID: <nopq528.2d27b64@radiobanter.com>
Organization: RadioBanter.com
References: <52e54b0a-e0e9-4d70-a424-6a0ffd882b4e@z11g2000prl.googlegroups.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-sA1pBkd+CZn/
bC6OmxEARcY6w39vKOEKrd1T0vhrbNwiamT4Uoheg28+BVMpmPDUog25mbbKgdtTEWf!
+qloxKtqL9T0d05wLffWyPKEfktDz9tsJfmnFD38PVl4xCbBIJodk772cTu7dVh6YpEnqdZKEivv!xT8l
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:406

Among thousands of people, you meet those you&#8217;ve met. Through
thousands of years, with the boundlessness of time, you happen to meet
them, neither earlier nor a bit too late. ________Buy cheap 'wow gold'
(http://www.wowgold1000.com/) click here.To 'buy wow gold'

```
(http://www.wowgold1000.com/) on EU Servers just click the link of
'cheap wow gold' (http://www.wowgold1000.com/) EU Servers, 24/7 live
support at the same time! We have been a paypal confirmed seller of
'wow powerleveling'
(http://www.wowgold1000.com/wow-power-leveling.html)  Europe for years.
So it is securest and safest to buy Cheap 'aoc gold'
(http://www.wowgold1000.com/aoc-gold.html) from us.
http://www.wowgold800.com




--
nopq528


From 5553999603232060038
X-Google-Thread: 108228,be2fed532eb17060,start
X-Google-Thread: fc8b1,be2fed532eb17060,start
X-Google-Thread: 108122,be2fed532eb17060,start
X-Google-Thread: 1109af,be2fed532eb17060,start
X-Google-Attributes:
gid108228,gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!flpi089.ffdc.sbc.com!
prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!
nlpi068.nbdc.sbc.com.POSTED!8b6c9613!not-for-mail
From: "CSFD" <csfd@hotmail.com>
Newsgroups: alt.ham-radio.marketplace,rec.ham-
radio.swap,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equip
ment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: RARE KENWOOD TR-851A ALL MODE UHF
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Qpcjk.19264$N87.16561@nlpi068.nbdc.sbc.com>
NNTP-Posting-Host: 70.128.124.99
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi068.nbdc.sbc.com 1217221360 ST000 70.128.124.99 (Mon, 28 Jul 2008
01:02:40 EDT)
NNTP-Posting-Date: Mon, 28 Jul 2008 01:02:40 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
Q[R_PJSCOXUYS_TXARHNO_LJL@IBUUDO@HTHOCULF@^PGDTFOG[]FKKZE\]^HRWI[FCWJF^NB^[D_DSBR^
RC^QPFTFUCYRDIH@\FCQKBITUT@EP_[CAFHTC@GLDKZHBMGDXCJINMCA\]GG[RH\^MOM[\BK[NVPWKYAYI
POG@SK@ZA]DE[\AP]_DFU^T]A\VM
Date: Sun, 27 Jul 2008 23:59:59 -0500
Xref: g2news1.google.com alt.ham-radio.marketplace:131
rec.radio.amateur.boatanchors:590 rec.radio.amateur.equipment:407
rec.radio.swap:391
```

http://cgi.ebay.com/ALINCO-DR-435T-UHF-MOBILE-WITH-EXTRAS_W0QQitemZ330256847973QQihZ014QQcategoryZ4674QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

Kenwood TR-851A UHF all mode mobile......This is one of the BEST uhf mobile radios ever made...Check out the reviews on E-ham.......Very hard to find rare radio!!!

From -9181519474208145838
X-Google-Thread: 108228,3d39801347a4ec82,start
X-Google-Thread: fc8b1,3d39801347a4ec82,start
X-Google-Thread: 108122,3d39801347a4ec82,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!flpi089.ffdc.sbc.com!prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!flpi107.ffdc.sbc.com!nlpi068.nbdc.sbc.com.POSTED!8b6c9613!not-for-mail
From: "CSFD" <csfd@hotmail.com>
Newsgroups: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA: RARE KENWOOD TR-851A UHF ALL MODE
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Ztcjk.19265$N87.9867@nlpi068.nbdc.sbc.com>
NNTP-Posting-Host: 70.128.124.99
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi068.nbdc.sbc.com 1217221625 ST000 70.128.124.99 (Mon, 28 Jul 2008 01:07:05 EDT)
NNTP-Posting-Date: Mon, 28 Jul 2008 01:07:05 EDT
Organization: at&t http://my.att.net/
X-UserInfo1: Q[R_@SZD@ZRMRQPXKROHZZAJGHT@QDDMEPWXODMMHXMTWA]EPMS[AACY@TZZXQ[KS^ESKCJLOF_J_NGAWNTG^_XGTNTAHULK[X[NRTC@G\P^PLT_OCBRHUO@@TBQZDZMHD[YZ@NLXQXIWMOSXT_KOLK^^CXFF\WHMI^C@EGA_[FXAQ@E^TGNMUXGYNS[QQVL
Date: Mon, 28 Jul 2008 00:04:29 -0500
Xref: g2news1.google.com alt.ham-radio.marketplace:132 rec.radio.amateur.boatanchors:591 rec.radio.amateur.equipment:408

Sorry guys.....I screwed up....here is the correct link for the Kenwood UHF all mode

http://cgi.ebay.com/KENWOOD-TR-851A-UHF-ALL-MODE-MOBILE_W0QQitemZ330256851526QQihZ014QQcategoryZ40067QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

```
From -4334585048304738450
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Mon, 28 Jul 2008 13:49:36 +0200
From: SP1WSC <silverdr@inet.pl.remove.it>
User-Agent: Thunderbird 2.0.0.16 (Macintosh/20080707)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CAT protocol specifications?
References: <4889010b@news.inet.com.pl>
<j06i84lglb8ibcrqi4ceprsobs1l66vggc@4ax.com> <488a0751$1@news.inet.com.pl>
<slrng8ma0k.r9g.lausts@laus.org>
In-Reply-To: <slrng8ma0k.r9g.lausts@laus.org>
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 212.14.63.66
Message-ID: <488db246$1@news.inet.com.pl>
X-Trace: news.inet.com.pl 1217245766 212.14.63.66 (28 Jul 2008 13:49:26 +0200)
Lines: 33
X-Authenticated-User: patryk
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!
news.nask.org.pl!newsfeed.neostrada.pl!news.inet.com.pl!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:409

Thomas Laus wrote:

>>>> I am looking for the specifications of the CAT protocol mainly for Yaesu
>>>> and Kenwood TRXs. I have the basic commands in the user's manual but I
>>>> am looking for full specs, including memories management, etc. Any
>>>> pointers or hints would be highly appreciated. TNX in advance.
>>
>> Yes - the manual provides the basics and explains how to construct the
>> packets etc. What is missing though are the methods of handling the
>> memory banks. It even doesn't say how to read/write memory locations (I
>> may suspect that user memories are to be accessed by reading/writing
>> specific hardware memory addresses). And I have read somewhere that
>> there is a full specifications document, which covers these topics plus
>> there is even more - some undocumented features, which can be accessed
>> this way. I am looking for at least the specs that would allow one to
>> deal with user memories. FT-897 is a good choice - I have to deal with
>> FT-857, which is supposed to be fully compatible, but also with VX-7R,
>> which almost certainly is not.
>>
> Have you tried looking in the files for the Hamlib project on
> Sourceforge?
>
> http://hamlib.sourceforge.net/
>
> They keep a repository of various software interfaces to a lot of
```

> radios. I have used the Kenwood library to get some hints on how to
> talk to my TS-950. You might be able to gain some insight into how your
> Yaesu talks it's COMM port.

Now that might be a good hint! Thank you, I shall definitely look into
those. Still, I am wondering how do all those people who write the CAT
software gain their knowledge. I would expect the producers to
publish the full specs but so far no reply from "vertex"..

From -6163026164654O9827
X-Google-Thread: 108122,483a05729548709f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 29 Jul 2008 08:01:53 -0500
From: moonit <moonit.2d4ca00@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: My GR1225 UHF Repeater low output power
Date: Tue, 29 Jul 2008 11:06:02 +0100
Message-ID: <moonit.2d4ca00@radiobanter.com>
Organization: RadioBanter.com
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-KOM2tg5JZs0lX/wtukPWOMT3eNkjyDT6Ma9rRYt4SAC46JaC0HL/WoghZmM0jwc/
58lkMWKH3f1zfqp!
bu+YweCbUzbA66jPEQ0mm55ekywFkgdpgTxMLk8mB2zgHeqOhMLoqGoo5sI702EVW9wh+gSWk4PR!aMU=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 3
Xref: g2news1.google.com rec.radio.amateur.equipment:412

Hi guys

Need your advise because my GR1225 UHF Repeater cannot transmit far.
This unit I buy secondhand last month from my friend. After make field
test, coverage only 6km radius. I don't know whether I wrongly
programmed or hardware problem.

--
moonit

From -671990700444244529

```
X-Google-Thread: 108122,e327024c584c15bd
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 29 Jul 2008 14:01:22 -0500
From: nopq528 <nopq528.2d51e5f@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA - Mobile Antenna Reflective GROUND PLANE
Date: Tue, 29 Jul 2008 17:35:46 +0100
Message-ID: <nopq528.2d51e5f@radiobanter.com>
Organization: RadioBanter.com
References: <487ce2c5$1$25951$6e1ede2f@read.cnntp.org>
<g5iopr$uli$1@news.albasani.net> <_Enfk.318$gH4.80@trnddc05>
<g5lhm8$igd$4@news.albasani.net> <Ut4gk.16$GI.12@trnddc05>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-RTupYWMNdx2Sx/0JcHvBs252xh8PH/7x5hEIYy+EsPBHjGBgNPZAnn1m6pK/
wOEQ1XAapk6ypGlW7cP!
3jCcj7AsaoAtcLybV+GDznJaZKh2+9+CLc0rPIJQfqWLFM4CfOFAYOoOjJAhlKSk2Cf4JcrcFEEp!cxqL
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:413


Happiness is accompanied by sorrow, and it would turn sunny after rain
as well. If rain remains after rain and sorrow remains after sorrow,
please take those farewells easy, and turn to smilingly look for
yourself who is never to appear.________ 'wow power level'
(http://www.wowgold1000.com/wow-power-leveling.html) 'wow power level'
(http://www.wowgold800.com/) 'wow powerlevel'
(http://www.wowgold1000.com/wow-power-leveling.html) 'wow powerlevel'
(http://www.wowgold800.com/) 'wow leveling' (http://www.wowgold800.com)
from http://www.google.com/search?hl=en&q=site%3Awww.wowgold1000.com




--
nopq528


From -4325274961610108014
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
```

Path: g2news1.google.com!postnews.google.com!t54g2000hsg.googlegroups.com!not-for-mail
From: Tom <holden_family@sympatico.ca>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Tue, 29 Jul 2008 20:14:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <1033a23b-2c66-49ca-bb98-5703be6a2706@t54g2000hsg.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
     <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
     <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
<zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
     <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
     <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <28149a87-09f2-4778-aece-7533b162308f@34g2000hsh.googlegroups.com>
NNTP-Posting-Host: 76.67.13.82
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1217387684 11300 127.0.0.1 (30 Jul 2008 03:14:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 30 Jul 2008 03:14:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t54g2000hsg.googlegroups.com; posting-host=76.67.13.82;
     posting-account=dSeW1wgAAACmKsq9OPblBZ8hpo9AeSuQ
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:1239 rec.radio.amateur.equipment:414
rec.radio.amateur.homebrew:409

On Jun 12, 11:35=A0am, Telstar Electronics <briangrif...@sbcglobal.net>
wrote:
> > As I said. "Obviously they have to contain 'all the works' (oscillator,
> > balanced modulator, compressor, clipper, filters, balanced demodulator
> > etc)."
>
> That sounds very complex and expensive all right.
> Another problem I see is that they only work on SSB.
> My customers insist on something small that fits inside the radio and
> processes in all modes. The VoiceMax does that with less than 1% THD.
> Can't build them fast enough to keep them in stock...

DF4ZS developed a RF speech clipper that fits into the Yaesu MH-31
microphone shell. This mic is used with the popular, tiny FT-817
transceiver along with others and in all speech modes. His clipper has
a SSB IF.

Details: http://jwm.de/afu/0ft817eng.htm
Reviews: http://www.eham.net/reviews/detail/2732 (6)

There are no reviews of the VoiceMax on eham.net while there are 21 of the W4RT Electronics "One Big Punch" which uses a similar IC and can be installed either in the MH-31 or inside the case of the FT-817 et al.

DF4ZS also makes an outboard RF Clipper with adjustable a.f. compression and integrated noise gate.

If you don't mind tying up a computer to do your speech processing, VE3NEA developed freeware to work with a soundcard between the mic and the transmitter that functions as bandpass filter, 7-band equalizer, noise gate, compressor, and RF envelope clipper. http://www.dxatlas.com/VSh=
aper/

```
From -1020615009495028435
X-Google-Thread: 108122,5089b6ac1474a65c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a1g2000hsb.googlegroups.com!not-for-
mail
From: blazers <don_acb@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Home of quality electronics
Date: Wed, 30 Jul 2008 00:31:27 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <2d2dbcf4-5f3e-4620-a5ff-a665f45e0a4c@a1g2000hsb.googlegroups.com>
NNTP-Posting-Host: 195.166.237.254
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1217403088 27176 127.0.0.1 (30 Jul 2008 07:31:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 30 Jul 2008 07:31:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a1g2000hsb.googlegroups.com; posting-host=195.166.237.254;
     posting-account=lTwNbQoAAABp_L50cocLnaox5fOkeHvm
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2777
```

http://www.affiliates.shopkami.com/jrox.php?id=18007_1_tlid_2 Car DVD Players, Car Audio, MP3, MP4 Players, Digital Camera, Camcorder,mobile phones,computer accessories & more at very competitive prizes

```
From 6374507196767195451
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!e39g2000hsf.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Wed, 30 Jul 2008 05:03:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <8f09fc76-04c8-4d98-85db-2db433e50f3c@e39g2000hsf.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
     <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
     <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
<zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
     <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
     <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <28149a87-09f2-4778-
aece-7533b162308f@34g2000hsh.googlegroups.com>
     <1033a23b-2c66-49ca-bb98-5703be6a2706@t54g2000hsg.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1217419411 20438 127.0.0.1 (30 Jul 2008 12:03:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 30 Jul 2008 12:03:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e39g2000hsf.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.cb:10271 rec.radio.amateur.equipment:2778
rec.radio.amateur.homebrew:2861

On Jul 29, 10:14=A0pm, Tom <holden_fam...@sympatico.ca> wrote:
> DF4ZS developed a RF speech clipper that fits into the Yaesu MH-31
> microphone shell. This mic is used with the popular, tiny FT-817
> transceiver along with others and in all speech modes. His clipper has
> a SSB IF.
>
> Details:http://jwm.de/afu/0ft817eng.htm
> Reviews:http://www.eham.net/reviews/detail/2732(6)
>
> There are no reviews of the VoiceMax on eham.net while there are 21 of
> the W4RT Electronics "One Big Punch" which uses a similar IC and can
```

> be installed either in the MH-31 or inside the case of the FT-817 et
> al.
>
> DF4ZS also makes an outboard RF Clipper with adjustable a.f.
> compression and integrated noise gate.

This DF4ZS is a clipping type processor... nothing like the VoiceMax audio compressor. You are correct, Since VoiceMax is a new product and there are only about 150 units in use worldwide... so far there are no reviews on Eham. Thanks for your interesting comments.
www.telstar-electronics.com

From 8921120294469981909
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad.highwinds-media.com!npeer02.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-media.com!newsfe06.iad.POSTED!7564ea0f!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com> <jZX1k.2010$nD3.912@newsfe15.lga> <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com> <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com> <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-a9b0-37b1bc451672@m45g2000hsb.googlegroups.com> <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com> <zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk> <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com> <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <28149a87-09f2-4778-aece-7533b162308f@34g2000hsh.googlegroups.com> <1033a23b-2c66-49ca-bb98-5703be6a2706@t54g2000hsg.googlegroups.com> <8f09fc76-04c8-4d98-85db-2db433e50f3c@e39g2000hsf.googlegroups.com>
Subject: Re: VoiceMax Speech Processor...
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <CO7kk.1134$3l5.125@newsfe06.iad>
NNTP-Posting-Host: 72.209.25.33
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe06.iad 1217464610 72.209.25.33 (Thu, 31 Jul 2008 00:36:50 UTC)
NNTP-Posting-Date: Thu, 31 Jul 2008 00:36:50 UTC
Organization: Cox
Date: Wed, 30 Jul 2008 20:36:26 -0400
Xref: g2news1.google.com rec.radio.cb:1246 rec.radio.amateur.equipment:417 rec.radio.amateur.homebrew:411

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message This

DF4ZS is a clipping type processor... nothing like the VoiceMax audio compressor.

That is true. SSB RF clipping is proven to deliver an honest 6 dB improvement.

```
From 3337646341225143254
X-Google-Thread: 108122,d5b90fb506f83ead,start
X-Google-Thread: f5bc1,d5b90fb506f83ead,start
X-Google-Attributes: gid108122,gidf5bc1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
u12g2000prd.googlegroups.com!not-for-mail
From: 17SAGP@gmail.com
Newsgroups: rec.radio.amateur.equipment,soc.genealogy.ireland
Subject: Earn a lot of MONEY~!!!!!!!!!~~~!~!~~!~~!~!~~!!~!~!
Date: Wed, 30 Jul 2008 22:27:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 68
Message-ID: <e9155cc8-bc43-4be5-8a2b-580c8922ca60@u12g2000prd.googlegroups.com>
NNTP-Posting-Host: 122.104.177.178
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1217482073 15233 127.0.0.1 (31 Jul 2008 05:27:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 31 Jul 2008 05:27:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u12g2000prd.googlegroups.com; posting-host=122.104.177.178;
     posting-account=8hl0eQoAAADeApy2aqsqM9YfrW9H3_gg
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_5_4; en-us)
     AppleWebKit/525.18 (KHTML, like Gecko) Version/3.1.2 Safari/
525.20.1,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:418 soc.genealogy.ireland:368
```

EARN A FORTUNE IN LESS THAN 30 DAYS WITH VIRTUALLY NO INVESTMENT.

This is a home based opportunity to make substantial money with a $10.00 investment: as seen on Oprah, A Current Affair and Today Tonight.

THIS REALLY CAN MAKE YOU EASY MONEY. IT WORKS, BUT YOU HAVE TO FOLLOW THE LETTER FOR IT TO WORK. THIS IS NOT A PYRAMID SCAM!!

For a simple investment of 15-30 minutes and just $10.00, it is 100% worth it to make thousands so quickly. This is not another scam that takes lots of your hard earned money; this is a no risk investment that will make you thousands of dollars

I figured "what have I got to lose except $10.00, right?" So I invested the measly $10.00. Well GUESS WHAT? Within days, I started getting money coming into my PayPal account! I was shocked.

REQUIREMENTS:
You must have a verified PayPal account. If you do not have an account, take a few minutes to join Paypal FREE:

http://www.paypal.com

When creating your Paypal account make sure you use the same email address as your user name in the list below so people can send money to your account.

STEP 1:
Once you have a PayPal account running, use PayPal to pay $2.00 to EACH of the 5 email addresses below because you pay people with an email address in PayPal.

FOLLOW THESE EASY STEPS:
1. Log in to PayPal. Go to "SEND MONEY" tab.

2. Type in
Recipients name: (email address)
Subject: "email LIST".
Category: "SERVICE".
Comments: "PLEASE ADD ME TO YOUR email LIST".

3. Next screen: "CHECK PAYMENT DETAIL"; select "NO SHIPPING ADDRESS REQUIRED".

4. Send money.
THAT'S IT, YOU'RE DONE.

What you are doing is creating a service. THIS IS ABSOLUTELY LEGAL. You are requesting a legitimate service and you are paying for it. Send $2.00 to EACH of these Paypal account email addresses:
1.) 17sagp@gmail.com
2.) bentoj_44@yahoo.com
3.) tyd84@hushmail.com
4.) jhn585@gmail.com
5.) tanyanewzealand@aol.com

STEP 2:
Now, AFTER paying $2.00 to each of the email addresses above, take the #1 email address off the list, move the other email addresses up (5 becomes 4, 4 becomes 3, etc.) and add your email address as number 5 on the list.

STEP 3:
Keep this article as close to the original as possible. Post this article to at least 200 newsgroups (there are thousands of groups). And email your message to as many people you can. Remember, the more

you post and email the more money you make.

From -3594528481691389819
X-Google-Thread: 108228,c0b40e4f19bd248f,start
X-Google-Thread: 108122,c0b40e4f19bd248f,start
X-Google-Thread: 1109af,c0b40e4f19bd248f,start
X-Google-Attributes: gid108228,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: AC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: ALPHA 89 HF linear amplifier
Message-ID: <2cc355c6ebea41f6fe67e98bc7ac4ddb@pseudo.borked.net>
Date: Thu, 31 Jul 2008 11:58:43 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com alt.ham-radio.marketplace:779
rec.radio.amateur.equipment:2782 rec.radio.swap:3288

http://snipr.com/Alpha89

From -2797009848933896956
X-Google-Thread: 108122,125bc73b49ebb357
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
References: <4889010b@news.inet.com.pl> <4nlik.6$rb5.2@trnddc04>
<488a04f8$1@news.inet.com.pl>
Subject: Re: CAT protocol specifications?
Lines: 65
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <cqvkk.543$iM5.503@trnddc07>
Date: Fri, 01 Aug 2008 03:29:12 GMT
NNTP-Posting-Host: 71.104.211.232
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1217561352 71.104.211.232 (Thu, 31 Jul 2008 23:29:12 EDT)
NNTP-Posting-Date: Thu, 31 Jul 2008 23:29:12 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:2783
X-Original-Bytes: 3537

I do have an FT8500 and have used the Win 3.1 programming s/w but I haven't

considered Cat control or if it is even possible. It has a remote front
panel option, so there has to be some serial communication going on, but
haven't looked.

Good luck OM. There must be someone fooling around with Yahoos.

"SP1WSC" <silverdr@inet.pl.remove.it> wrote in message
news:488a04f8$1@news.inet.com.pl...
> JB wrote:
>
> >> I am looking for the specifications of the CAT protocol mainly for
Yaesu
> >> and Kenwood TRXs. I have the basic commands in the user's manual but I
> >> am looking for full specs, including memories management, etc. Any
> >> pointers or hints would be highly appreciated. TNX in advance.
>
> > Get hold of a packet sniffer and trap the comms between the radio and
> > commercial control software such as ARCP2000.
>
> Huh - this I also had in mind already but I would still prefer to have
> the specs rather than sniff the communications. This is especially valid
> when the reason why I need the specs is defined as "no Windows machine
> to run the commercial (or non-commercial) control software in the
> vicinity" ;-)
>
> > Haven't bothered with Yaesu,
>
> Well - that is exactly what I need now. Kenwood is second on the list
> because I plan to buy one for winter. Right now I need to do something
> with the Yaesu.
>
>
> > but I have a Kenwood TS2000. The radio can run
> > up to 56.7k and looks like a modem. Uses a standard 9 pin modem cable.
The
> > Owners Manual is available for download and carries a whole section on
the
> > command structure. This structure has been in place since they first
> > started using it and they just keep adding to it. Earlier radios
require a
> > level shifter and only run 4800bd but have the same memory and vfo
commands.
>
> Good to know that there is at least some sanity over the "commerciality"
>   within Kenwood staff.
>
> > Beware that even the power on and several other commands require a
sequence
> > of commands and telemetry. There are commands that interrogate the
status
> > of specific conditions before deciding the appropriate command or string
of
> > commands, but simpler things like reading vfos and mode are simple and

> > included in many third party programs.
> >
> > I am currently using ARCP-2000, LOG-eqf, RIG-eqf (for dos), MCP-2000,
and a
> > very interesting Excel spreadsheet by K9DCI that allows management of
> > extreme frequency lists.
>
> I think I shall archive this post as I plan on TS2000X and may return to
> it later.

From 945913540171020123
X-Google-Thread: 108122,3f0bfb8b0f64df4a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
2g2000hsn.googlegroups.com!not-for-mail
From: OnSiteT@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Yaesu FT-530
Date: Sat, 2 Aug 2008 16:36:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <01ed1d3b-1359-4bd4-9059-413b520f97c4@2g2000hsn.googlegroups.com>
References: <D5Kfk.2691$9V5.2075@bignews6.bellsouth.net>
NNTP-Posting-Host: 207.171.234.45
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1217720181 11121 127.0.0.1 (2 Aug 2008 23:36:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Aug 2008 23:36:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 2g2000hsn.googlegroups.com; posting-host=207.171.234.45;
     posting-account=0hunOAoAAADRGb-dXCMRtCPukKu5jgKN
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 SeaMonkey/1.1.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:422

On Jul 17, 11:06 am, "ArtLab" <art...@bellsouth.net> wrote:
> For Sale: Yaesu FT-530 in pristine condition, with charger and manual, in
> box. Selling for $225, including shipping to lower 48.
>
> Art
> WB4VVO
> Miami, FL

Do you still have this radio for sale?

```
From -1533118554209319311
X-Google-Thread: 108122,3f0bfb8b0f64df4a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!f36g2000hsa.googlegroups.com!not-for-
mail
From: alainmsq@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Yaesu FT-530
Date: Sun, 3 Aug 2008 18:14:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <ff7a0cb8-7b68-453d-bad7-7e3ec3afe101@f36g2000hsa.googlegroups.com>
References: <D5Kfk.2691$9V5.2075@bignews6.bellsouth.net>
NNTP-Posting-Host: 96.227.5.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1217812475 17549 127.0.0.1 (4 Aug 2008 01:14:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Aug 2008 01:14:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f36g2000hsa.googlegroups.com; posting-host=96.227.5.67;
     posting-account=sg1w-goAAABSdK4bOg0WB1PlmSLuPW5Q
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; .NET CLR 3.0.04506),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:423

On Jul 17, 12:06=A0pm, "ArtLab" <art...@bellsouth.net> wrote:
> For Sale: Yaesu FT-530 in pristine condition, with charger and manual, in
> box. Selling for $225, including shipping to lower 48.
>
> Art
> WB4VVO
> Miami, FL

if it is available i am willing to buy it from you
call 267-394-2481
alain
N3UQN


From 2331186968572927293
X-Google-Thread: 108122,d5381f3fe4a63add,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe07.iad.POSTED!7564ea0f!not-for-mail
From: "George" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS SB220
```

```
Lines: 11
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18000
Message-ID: <4Oulk.9479$1N1.8844@newsfe07.iad>
NNTP-Posting-Host: 70.180.115.25
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe07.iad 1217820928 70.180.115.25 (Mon, 04 Aug 2008 03:35:28 UTC)
NNTP-Posting-Date: Mon, 04 Aug 2008 03:35:28 UTC
Organization: Cox
Date: Sun, 3 Aug 2008 22:34:36 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:424

I have a Heath kit SB220 FS that I started restoring and never finished. It
is in ex condition cosmetically, electrically I am not sure yet. It has all
new mods, soft key, soft start, new doubler board and diodes, new filter
caps and bleeder resistors, new filament transformer from Peter Dahl. I do
not have the 3-500Z tubes. I cannot guaranty it, but I think all that is
needed now is the tubes. I have too many amplifiers so I am selling this
one. $350 plus shipping from 70053. I have photos if you are interested.

--
George Folse K5WWO




From 5670291569425719678
X-Google-Thread: 108122,6b8286c4d2b18759,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
v13g2000pro.googlegroups.com!not-for-mail
From: bizsneakers3@yahoo.com.cn
Newsgroups: rec.radio.amateur.equipment
Subject: discount affliction burberry ed hardy tshirts,dior prada sneakers
Date: Mon, 4 Aug 2008 04:59:19 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <bc20054d-ed34-4dc9-af6a-58fd284f9ddb@v13g2000pro.googlegroups.com>
NNTP-Posting-Host: 222.77.200.125
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1217851160 26475 127.0.0.1 (4 Aug 2008 11:59:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Aug 2008 11:59:20 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: v13g2000pro.googlegroups.com; posting-host=222.77.200.125;
     posting-account=KIxSKQoAAADsaXjVfP3iyM-m5pzNsiWP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:425
```

--------(www.ebuycellphone.com) ---------

Discount Coach Sandals, Dior Sandals, Prada Sandals, Chanel Sandals, Versace Sandals, Crocs Sandals, Women's Sandals Men's Slippers From China
Affliction T-shirts lacoste T-shirts Polo T-shirts Brand ShirtsGGG T-shirts Designer T-Shirts Helen Coat burberry coat Cheap Jacket Juicy Couture bbc hoodies bape hoodies Cheap Designer Hoodies NFL NHL NBA MLB Jersey

```
From 2963540791377392277
X-Google-Thread: fcc6e,dc585776d38c5acc,start
X-Google-Thread: 108228,dc585776d38c5acc,start
X-Google-Thread: 108122,dc585776d38c5acc,start
X-Google-Thread: 1109af,dc585776d38c5acc,start
X-Google-Attributes:
gidfcc6e,gid108228,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nlpi057.nbdc.sbc.com!prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!
flpi107.ffdc.sbc.com!nlpi064.nbdc.sbc.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups: rec.radio.amateur.antenna,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: eBay: Tokyo Hy Power HC-2000 antenna tuner
Lines: 2
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Message-ID: <ZUFlk.15644$cW3.3190@nlpi064.nbdc.sbc.com>
NNTP-Posting-Host: 70.142.42.87
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi064.nbdc.sbc.com 1217866425 ST000 70.142.42.87 (Mon, 04 Aug 2008
12:13:45 EDT)
NNTP-Posting-Date: Mon, 04 Aug 2008 12:13:45 EDT
Organization: at&t http://my.att.net/
```

```
X-UserInfo1:
SCSYQN_@FS@ERQXXKZOX_RXAUSXB@DTMNHWB_EYLJZ]BGIELK^RAQFW[ML\THRCKV^GGZKJMGV^^_JSCFF
UA_QXFGVSCYRPILH]TRVKC^LSN@DX_HCAFX__@J\DAJBVMY\ZWZCZLPA^MVH_P@\
\EOMW\YSXHG__IJQY_@M[A[[AXQ_XDSTAR]\PG]NVAQUVM
Date: Mon, 4 Aug 2008 11:13:18 -0500
Xref: g2news1.google.com rec.radio.amateur.antenna:1933 alt.ham-
radio.marketplace:148 rec.radio.amateur.equipment:426 rec.radio.swap:422

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=STRK:MESELX:IT&item=110276680780



From 7944481152634553595
X-Google-Thread: 108122,a3ac201b7e168d99,start
X-Google-Thread: fc2a5,a3ac201b7e168d99,start
X-Google-Thread: 1062f2,a3ac201b7e168d99,start
X-Google-Thread: 115730,a3ac201b7e168d99,start
X-Google-Thread: fcc6e,a3ac201b7e168d99,start
X-Google-Attributes:
gid108122,gidfc2a5,gid1062f2,gid115730,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!newshub.sdsu.edu!
flpi089.ffdc.sbc.com!prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!
flpi107.ffdc.sbc.com!nlpi064.nbdc.sbc.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,misc.industry.electronics.m
arketplace,sci.electronics.equipment,rec.radio.amateur.antenna
Subject: eBay: HP 8411A
Lines: 2
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Message-ID: <sPJlk.15688$cW3.5226@nlpi064.nbdc.sbc.com>
NNTP-Posting-Host: 70.142.42.87
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi064.nbdc.sbc.com 1217882456 ST000 70.142.42.87 (Mon, 04 Aug 2008
16:40:56 EDT)
NNTP-Posting-Date: Mon, 04 Aug 2008 16:40:56 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
OP[MBXSEFRUARSH]]RKB_UDAZZ\DPCPDLXUNNHLIWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Mon, 4 Aug 2008 15:40:29 -0500
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:427
rec.radio.amateur.homebrew:416 misc.industry.electronics.marketplace:65
sci.electronics.equipment:334 rec.radio.amateur.antenna:1943

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=STRK:MESELX:IT&item=110276680571




From -1206717152937620781
X-Google-Thread: 108228,9c74ff57fb1d17c4,start
X-Google-Thread: 108122,9c74ff57fb1d17c4,start
X-Google-Attributes: gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: AC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: JRC NRD-535D receiver
Message-ID: <437a55a718dc3072cba93d18c9f662e0@pseudo.borked.net>
Date: Mon,  4 Aug 2008 15:34:49 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:149 rec.radio.swap:424
rec.radio.amateur.equipment:428

http://easyurl.net/NRD535D




From -5965917612452943574
X-Google-Thread: 108122,a3ac201b7e168d99
X-Google-Thread: fc2a5,a3ac201b7e168d99
X-Google-Thread: 1062f2,a3ac201b7e168d99
X-Google-Thread: 115730,a3ac201b7e168d99
X-Google-Thread: fcc6e,a3ac201b7e168d99
X-Google-Attributes:
gid108122,gidfc2a5,gid1062f2,gid115730,gidfcc6e,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
z72g2000hsb.googlegroups.com!not-for-mail
From: JeffM <jeffm_@email.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,misc.industry.electronics.m
arketplace,sci.electronics.equipment,rec.radio.amateur.antenna
Subject: SPAM -- Do NOT cross-post to non-forsale groups
Date: Mon, 4 Aug 2008 16:30:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <8b743fe5-e98e-43c8-bcf5-ebefc4237f25@z72g2000hsb.googlegroups.com>
References: <sPJlk.15688$cW3.5226@nlpi064.nbdc.sbc.com>
NNTP-Posting-Host: 198.147.225.141
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1217892610 21935 127.0.0.1 (4 Aug 2008 23:30:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Aug 2008 23:30:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z72g2000hsb.googlegroups.com; posting-host=198.147.225.141;
     posting-account=zOSGNAkAAACodzv53qV0nau9KezQHGvD
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2)
     Gecko/20040803,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:429
rec.radio.amateur.homebrew:417 misc.industry.electronics.marketplace:66
sci.electronics.equipment:335 rec.radio.amateur.antenna:1947
```

Henry Kolesnik wrote:
>cgi.ebay[SPAM]

```
From 6388648968609272512
X-Google-Thread: 108228,9c74ff57fb1d17c4
X-Google-Thread: 1109af,9c74ff57fb1d17c4
X-Google-Thread: 108122,9c74ff57fb1d17c4
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.posted.nepnet!news.posted.nepnet.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Aug 2008 20:37:52 -0500
From: "r392" <r392@nep.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
References: <437a55a718dc3072cba93d18c9f662e0@pseudo.borked.net>
Subject: radio mart Re: JRC NRD-535D receiver
Date: Mon, 4 Aug 2008 21:38:14 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <eLqdnfK6ZY1tMwrVnZ2dnUVZ_vzinZ2d@posted.nepnet>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 205.244.38.132
X-Trace: sv3-
O0vPHzbIdlVrQQrvQjiAakf6Alav7yBXzEfzImDwNCX1luU4Dk6vteKhIAbsF41+pCGR7INp/kN09we!
3x5o5vceQpVNF6pCY3+tpW34h+j9L+IVZDzD0EUIyjHICZ/YJmNOheuCZXLNsZZhN+HEo4ark/sg!
4X6RgwBbvA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com alt.ham-radio.marketplace:784 rec.radio.swap:3306
rec.radio.amateur.equipment:2792
```

Radio Mart

"AC" <nobody@pseudo.borked.net> wrote in message
news:437a55a718dc3072cba93d18c9f662e0@pseudo.borked.net...

> http://easyurl.net/NRD535D
>

```
From -5012253317017979562
X-Google-Thread: 108228,9c74ff57fb1d17c4
X-Google-Thread: 1109af,9c74ff57fb1d17c4
X-Google-Thread: 108122,9c74ff57fb1d17c4
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 05 Aug 2008 08:57:52 -0500
From: tedP <teddypol@aol.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: radio mart Re: JRC NRD-535D receiver
Date: Tue, 05 Aug 2008 10:01:04 -0400
Message-ID: <u7ng941frkt49efij34sok5tksm2r6us3q@4ax.com>
References: <437a55a718dc3072cba93d18c9f662e0@pseudo.borked.net>
<eLqdnfK6ZY1tMwrVnZ2dnUVZ_vzinZ2d@posted.nepnet>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-e23941vfvN2n0GYftO0J9/SWacO+xJDcwtofPDeKTKhcQfT45H7rbU/
cZnLZ18ZiI84Ici4GnVH+ZoW!
NAe07giSN5dYATHjZ7kEXFISMoH24xstzLhLSRkgCqlRG+gCwfPjoNQks1aZLLkgI+OU
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com alt.ham-radio.marketplace:785 rec.radio.swap:3307
rec.radio.amateur.equipment:2793
```

All I can say is Buyer Beware! This guy is bad news!!!!!!

```
On Mon, 4 Aug 2008 21:38:14 -0400, "r392" <r392@nep.net> wrote:

>Radio Mart
>
>
>
>"AC" <nobody@pseudo.borked.net> wrote in message
>news:437a55a718dc3072cba93d18c9f662e0@pseudo.borked.net...
>> http://easyurl.net/NRD535D
>>
>




From -5098279053371030676
X-Google-Thread: 108228,9c74ff57fb1d17c4
X-Google-Thread: 1109af,9c74ff57fb1d17c4
X-Google-Thread: 108122,9c74ff57fb1d17c4
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 05 Aug 2008 09:03:10 -0500
From: jerry <7905jetski@hotmail.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FA: JRC NRD-535D receiver
Date: Tue, 05 Aug 2008 10:06:22 -0400
Message-ID: <iing94trvmp6j4dghmbei66abr5d8c7lcv@4ax.com>
References: <437a55a718dc3072cba93d18c9f662e0@pseudo.borked.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-Zz1MlXE5tPeCgLvmGRqF+Vi3ilCEL+lCdu0HHqJOJCWel/I3Mo5gG56DahG/
srjWdo0iyUXqg5q28la!A64kQZ2CNCaPDLoK+X7SN1xEaxBDc4mL0YF/
8vWfS02vihSl5r+v4x2ka+RDpR6OaQGb
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com alt.ham-radio.marketplace:786 rec.radio.swap:3308
rec.radio.amateur.equipment:2794

On Mon,  4 Aug 2008 15:34:49 -0600 (MDT), AC
<nobody@pseudo.borked.net> wrote:

>http://easyurl.net/NRD535D
```

Don't waste your time! This is another Radio Mart SPAM.

```
From 926514973488446496
X-Google-Thread: 106d41,26ef83e1c169efaa,start
X-Google-Thread: 108122,26ef83e1c169efaa,start
X-Google-Thread: 107ada,26ef83e1c169efaa,start
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!fe117.usenetserver.com.POSTED!
800a5453!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
From: notbob <notbob@nothome.com>
Subject: What is this linear?
Organization: ....little, if any
Followup-To: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Message-ID: <slrng9h95h.4kt.notbob@bb.nothome.com>
User-Agent: slrn/0.9.8.1 (Linux)
Lines: 34
X-Complaints-To: abuse@WWWSpace.net
NNTP-Posting-Date: Tue, 05 Aug 2008 15:06:25 EDT
Date: Tue, 05 Aug 2008 19:06:25 GMT
X-Original-Bytes: 2267
Xref: g2news2.google.com rec.radio.cb:10379 rec.radio.amateur.equipment:2795
rec.radio.amateur.misc:8688
```

OK, I got an old linear that I acquired from my late FIL about 20 yrs ago. It's been in cool clean storage ever since and I'd like to get rid of it. I tried to sell on ebay till I got mucho alerts to the effect ebay no liking CB linear listings. I pulled it. I don't know much about radio, but I'm sure it was a CB linear cuz he never had a ham license. I was advised by one helpful fellow that I should list it as a ham linear and make no mention of CB. That makes sense, but I pride myself on being very accurate and honest about what I sell and so would like some help identifying this particular piece of hardware, it at all possible.

It has no brand name on it, so I suspect it's a homebrew. It's a very nice job if it is. It has a 2" high chassis box with one vacuum tube and a pretty good size transformer mounted on top. A 4" high full cover over that is machine perferated on 3 sides for cooling.

Transformer: GRAND 11-2206A GT-6974 7578049
vacuum tube: 6805/EL84

On lower front lower chassis, it has an ON/OFF and STDBY switch and one red light. The meter is a Sonar brand:

S units --> DB
Output 0-30+

Rear lower chassis has IN and OUT antenna jacks and a ground wire terminal and of course, an AC plug. Overall dimensions with cover on are 6"H X 7"W X 5"D. Weight approx 6-8lbs.

I don't know if anything can be determined by the above info, but any help would be appreciated. I can open her up all the way, if that will help.
I'm not real savvy on radio, but do know basic electronics and can identify different components. Thank you.

nb

```
From -3475341218388546074
X-Google-Thread: 108228,9c74ff57fb1d17c4
X-Google-Thread: 1109af,9c74ff57fb1d17c4
X-Google-Thread: 108122,9c74ff57fb1d17c4
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer01.iad.highwinds-media.com!
news.highwinds-media.com!feed-me.highwinds-media.com!post02.iad.highwinds-
media.com!newsfe02.iad.POSTED!7564ea0f!not-for-mail
From: "George" <k5wwo@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
References: <437a55a718dc3072cba93d18c9f662e0@pseudo.borked.net>
<eLqdnfK6ZY1tMwrVnZ2dnUVZ_vzinZ2d@posted.nepnet>
<u7ng941frkt49efij34sok5tksm2r6us3q@4ax.com>
In-Reply-To: <u7ng941frkt49efij34sok5tksm2r6us3q@4ax.com>
Subject: Re: radio mart Re: JRC NRD-535D receiver
Lines: 24
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6001.18000
Message-ID: <bG5mk.10127$QX3.1684@newsfe02.iad>
NNTP-Posting-Host: 70.180.115.25
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe02.iad 1217980167 70.180.115.25 (Tue, 05 Aug 2008 23:49:27 UTC)
NNTP-Posting-Date: Tue, 05 Aug 2008 23:49:27 UTC
Organization: Cox
Date: Tue, 5 Aug 2008 18:48:30 -0500
Xref: g2news2.google.com alt.ham-radio.marketplace:787 rec.radio.swap:3309
rec.radio.amateur.equipment:2796
```

I agree he sure is bad news

--

```
George Folse
"tedP" <teddypol@aol.com> wrote in message
news:u7ng941frkt49efij34sok5tksm2r6us3q@4ax.com...
> All I can say is Buyer Beware!  This guy is bad news!!!!!!
>
>
>
>
> On Mon, 4 Aug 2008 21:38:14 -0400, "r392" <r392@nep.net> wrote:
>
>>Radio Mart
>>
>>
>>
>>"AC" <nobody@pseudo.borked.net> wrote in message
>>news:437a55a718dc3072cba93d18c9f662e0@pseudo.borked.net...
>>> http://easyurl.net/NRD535D
>>>
>>
>



From 8632615395095101641
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Thread: 107ada,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-xxxfer.readnews.com!
news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: What is this linear?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
Organization: Your Company
Message-ID: <Xns9AF1D86CAE2B5Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 06 Aug 2008 04:16:28 GMT
Lines: 46
NNTP-Posting-Host: f267f434.news.adtechcomputers.com
X-Trace: DXC=6;7iYTfL\_6`QH7QS>[O[0gC4_A5:nI@1<<=aEgO;R879eafB9d\2P60eOIM\7BY[8R?
X7U2a5ff7emfRC[RMj??GX7R=>CCRm6WbNP<nFG;E5TcETD=a8dJ7
X-Complaints-To: abuse@adtechcomputers.com
X-Original-Bytes: 2683
Xref: g2news1.google.com rec.radio.cb:1365 rec.radio.amateur.equipment:436
rec.radio.amateur.misc:807

notbob <notbob@nothome.com> wrote in
news:slrng9h95h.4kt.notbob@bb.nothome.com:

> OK, I got an old linear that I acquired from my late FIL about 20 yrs
```

> ago. It's been in cool clean storage ever since and I'd like to get
> rid of it. I tried to sell on ebay till I got mucho alerts to the
> effect ebay no liking CB linear listings. I pulled it. I don't know
> much about radio, but I'm sure it was a CB linear cuz he never had a
> ham license. I was advised by one helpful fellow that I should list
> it as a ham linear and make no mention of CB. That makes sense, but I
> pride myself on being very accurate and honest about what I sell and
> so would like some help identifying this particular piece of hardware,
> it at all possible.
>
> It has no brand name on it, so I suspect it's a homebrew. It's a very
> nice job if it is. It has a 2" high chassis box with one vacuum tube
> and a pretty good size transformer mounted on top. A 4" high full
> cover over that is machine perferated on 3 sides for cooling.
>
> Transformer: GRAND 11-2206A GT-6974 7578049
> vacuum tube: 6805/EL84
>
> On lower front lower chassis, it has an ON/OFF and STDBY switch and
> one red light. The meter is a Sonar brand:
>
> S units --> DB
> Output 0-30+
>
> Rear lower chassis has IN and OUT antenna jacks and a ground wire
> terminal and of course, an AC plug. Overall dimensions with cover on
> are 6"H X 7"W X 5"D. Weight approx 6-8lbs.
>
> I don't know if anything can be determined by the above info, but any
> help would be appreciated. I can open her up all the way, if that
> will help. I'm not real savvy on radio, but do know basic electronics
> and can identify different components. Thank you.
>
> nb
>

The plate dissapation of the tube you described is only about 10 or 20 watts. This is not anything any ham would want.

Ed   K7AAT

From 8015457523435421127
X-Google-Thread: 106d41,26ef83e1c169efaa
X-Google-Thread: 108122,26ef83e1c169efaa
X-Google-Attributes: gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad.highwinds-media.com!news.highwinds-media.com!feed-me.highwinds-media.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews2.bellsouth.net.POSTED!7eee1d3b!not-for-mail

From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <slrng9h95h.4kt.notbob@bb.nothome.com>
<Xns9AF1D86CAE2B5Huckleberrybigvalley@198.186.192.196>
Subject: Re: What is this linear?
Lines: 58
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Message-ID: <atbmk.5251$Ep1.1685@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbonkggjnaojmiejdejdknlhmpjmkpbopnoif
eckepfagppmljicmlhjmmmhdfeahhpfdodbbiggikpfejhebgejmblifikfdlmggmpilneogppkimn
NNTP-Posting-Date: Wed, 06 Aug 2008 02:25:10 EDT
Organization: BellSouth Internet Group
Date: Wed, 6 Aug 2008 02:28:38 -0400
Xref: g2news1.google.com rec.radio.cb:1368 rec.radio.amateur.equipment:437
rec.radio.amateur.misc:808

"Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns9AF1D86CAE2B5Huckleberrybigvalley@198.186.192.196...
> notbob <notbob@nothome.com> wrote in
> news:slrng9h95h.4kt.notbob@bb.nothome.com:
>
>> OK, I got an old linear that I acquired from my late FIL about 20 yrs
>> ago. It's been in cool clean storage ever since and I'd like to get
>> rid of it. I tried to sell on ebay till I got mucho alerts to the
>> effect ebay no liking CB linear listings. I pulled it. I don't know
>> much about radio, but I'm sure it was a CB linear cuz he never had a
>> ham license. I was advised by one helpful fellow that I should list
>> it as a ham linear and make no mention of CB. That makes sense, but I
>> pride myself on being very accurate and honest about what I sell and
>> so would like some help identifying this particular piece of hardware,
>> it at all possible.
>>
>> It has no brand name on it, so I suspect it's a homebrew. It's a very
>> nice job if it is. It has a 2" high chassis box with one vacuum tube
>> and a pretty good size transformer mounted on top. A 4" high full
>> cover over that is machine perferated on 3 sides for cooling.
>>
>> Transformer: GRAND 11-2206A GT-6974 7578049
>> vacuum tube: 6805/EL84
>>
>> On lower front lower chassis, it has an ON/OFF and STDBY switch and
>> one red light. The meter is a Sonar brand:
>>
>> S units --> DB
>> Output 0-30+

>>
>> Rear lower chassis has IN and OUT antenna jacks and a ground wire
>> terminal and of course, an AC plug. Overall dimensions with cover on
>> are 6"H X 7"W X 5"D. Weight approx 6-8lbs.
>>
>> I don't know if anything can be determined by the above info, but any
>> help would be appreciated. I can open her up all the way, if that
>> will help. I'm not real savvy on radio, but do know basic electronics
>> and can identify different components. Thank you.
>>
>> nb
>>
>
>
>
>   The plate dissapation of the tube you described is only about 10 or 20
> watts. This is not anything any ham would want.
>
>   Ed   K7AAT

And that is at audio frequencies, IIRC. Lots of guitar amps use that tube in
push-pull, or AB1 single tube config. I'm reaching way back and my memory is
having problems, but I think I'm in the ballpark.

Ed, NM2K

From -2032426266459276653
X-Google-Thread: 108122,91cf630c9bf7d4ec,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews3.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Anyone operating HF digital telephony?
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Message-ID: <cQdmk.5452$kh2.1030@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcbohncggpnhjelkfgjnajgalckjmihfbnpaif
eckepfagppmljicmlhjmmmhdfeahhpfdodbbiggikpfejhemoonbhjohcelmmmfglpjloolmhofmkn
NNTP-Posting-Date: Wed, 06 Aug 2008 05:06:16 EDT

```
Organization: BellSouth Internet Group
Date: Wed, 6 Aug 2008 05:08:15 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2800
```

I am interested in this mode of operation, but don't know anything about it on amateur radio, such as where do folks hang out on this mode? Is one band preferred over another? How is low power operation using this mode? And just about any other questions concerning this mode. TIA

Ed, NM2K

```
From 1168671186119575993
X-Google-Thread: fcc6e,dc585776d38c5acc
X-Google-Thread: 108228,dc585776d38c5acc
X-Google-Thread: 108122,dc585776d38c5acc
X-Google-Thread: 1109af,dc585776d38c5acc
X-Google-Attributes:
gidfcc6e,gid108228,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i76g2000hsf.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.antenna,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: eBay: Tokyo Hy Power HC-2000 antenna tuner
Date: Wed, 6 Aug 2008 07:35:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <324a431b-1c40-4add-936a-e33aed3e51f0@i76g2000hsf.googlegroups.com>
References: <ZUFlk.15644$cW3.3190@nlpi064.nbdc.sbc.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1218033306 5667 127.0.0.1 (6 Aug 2008 14:35:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Aug 2008 14:35:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i76g2000hsf.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.antenna:18534 alt.ham-
radio.marketplace:789 rec.radio.amateur.equipment:2801 rec.radio.swap:3312
```

On Aug 4, 12:13 pm, "Henry Kolesnik" <koles...@nojunksbcglobal.net> wrote:

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ssPageName=STRK:MESELX:...

Thats a well made tuner!
I had one once, should have kept it.
GL........
Rich

From -4024189713050304920
X-Google-Thread: 10b9c8,e858b89d5d4323b3,start
X-Google-Thread: fc8b1,e858b89d5d4323b3,start
X-Google-Thread: 108122,e858b89d5d4323b3,start
X-Google-Thread: 1109af,e858b89d5d4323b3,start
X-Google-Thread: f7796,e858b89d5d4323b3,start
X-Google-Attributes:
gid10b9c8,gidfc8b1,gid108122,gid1109af,gidf7796,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph - FREE Subscription
Followup-To: poster
Date: Sun, 13 Jul 2008 11:11:39 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 29
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <eToek.26960$co7.25780@nlpi066.nbdc.sbc.com>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1215961900 2281 166.84.1.6 (13 Jul 2008 15:11:40 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 13 Jul 2008 15:11:40 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to   rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to   rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-VirusChecked: Checked
X-Env-Sender: news@nlpi066.nbdc.sbc.com
X-Msg-Ref: server-15.tower-203.messagelabs.com!1215961666!26229993!1
X-StarScan-Version: 5.5.12.14.2; banners=-,-,-
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
SCSYAS^DLPVMB_H]]RKB_UDAZZ\DPCPDLXUNNHXIJYWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM

Xref: g2news1.google.com rec.radio.info:115 rec.radio.amateur.boatanchors:516
rec.radio.amateur.equipment:332 rec.radio.swap:333 alt.ham-radio.morse:2

The K9YA Telegraph is a FREE, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit
http://www.k9ya.org

August 2008 issue:

Brush Up Your Shakespeare By Philip Cala-Lazar, K9PL

Snow on the Radials By Chuck Guenther, NI�C

K9YA Field Day By Mike Dinelli, N9BOR

QRP the Hard Way By Scott Laughlin, N7NET

You've Got a Ticket to Ride By Rod Newkirk, VA3ZBB/W9BRD

Icebreaker Mackinaw, W8AGB By Chuck Scott, N8DNX

Ham Quips By Dick Sylvan, W9CBT

From 3890242244562977039
X-Google-Thread: 108122,28031024dfb8ded7,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!23eab747!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Alinco DJ-Z10 DC Power Plug Size
From: bill@yahoo.com
X-Newsreader: News Rover 13.3.1 (http://www.NewsRover.com)
Lines: 6
Message-ID: <n8tek.149$gH4.11@trnddc05>
Date: Sun, 13 Jul 2008 19:59:15 GMT
NNTP-Posting-Host: 70.105.103.231
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1215979155 70.105.103.231 (Sun, 13 Jul 2008 15:59:15 EDT)
NNTP-Posting-Date: Sun, 13 Jul 2008 15:59:15 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:333

```
X-Original-Bytes: 946

Awaiting my new Alinco DJ-X10.  I bought it used and it is coming minus a DC
charger or power cable.  I see it takes input from 8-15v.  I have a few old
power supplies, but was wondering what millimeter size power plug it takes.
The online manual I found does not specify.

Thanks



From 9134695440888895784
X-Google-Thread: 108122,85b02589ea7d648f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
194.25.134.126.MISMATCH!newsfeed01.sul.t-online.de!t-online.de!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: "PA3HGT" <rollotomassi1(removethis)@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help needed: Icom IC-781
Date: Sun, 13 Jul 2008 22:25:22 +0200
Lines: 88
Message-ID: <6dv6lbF4ivriU1@mid.individual.net>
References: <793114a9-4675-4b8d-8b88-a7989f920083@x41g2000hsb.googlegroups.com>
<cbfada50-41ec-48f3-8ead-1e8c621ab7d3@34g2000hsh.googlegroups.com>
<18abe9a7-7d31-49c9-a2c6-a797324bd78b@59g2000hsb.googlegroups.com>
<6drac5F400jjU1@mid.individual.net> <fd54f83e-2f66-4745-b717-
d3a7666ca493@x41g2000hsb.googlegroups.com>
X-Trace: individual.net vqT9MW9oUohE0dGOiVQcQgeNh1HUHQCHvI12+mTmm59qfqFPLr
Cancel-Lock: sha1:4PDUd2v5KY7qIJdss9Y1UmlhZGw=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:334

No problem.
I own a 7800 V2 and i looking for a mint IC781.

--
Met vriendelijke groet,
Best regards,

Hans Pluijgers
HAM-callsign PA3HGT

www.pa3hgt.nl

"wa2rqy" <rlucch2098@aol.com> schreef in bericht
news:fd54f83e-2f66-4745-b717-d3a7666ca493@x41g2000hsb.googlegroups.com...
> On Jul 12, 5:04 am, "PA3HGT" <rollotomassi1(removethis)@hotmail.com>
> wrote:
```

```
>> Hello Rich,
>>
>> You can tryhttp://groups.yahoo.com/group/IcomIC781/ , this is a
>> users-group and maybe you can get help there.
>> You have to be a member (free) to post your qeustions.
>>
>> --
>> Met vriendelijke groet,
>> Best regards,
>>
>> Hans Pluijgers
>> HAM-callsign PA3HGT
>>
>> www.pa3hgt.nl
>>
>> "wa2rqy" <rlucch2...@aol.com> schreef in
>> berichtnews:18abe9a7-7d31-49c9-a2c6-a797324bd78b@59g2000hsb.googlegroups.com...
>>
>> > On Jul 10, 1:39 pm, mrhaney <w4...@cox.net> wrote:
>> >> On Jul 8, 8:42 pm, wa2rqy <rlucch2...@aol.com> wrote:
>>
>> >> > Hi all;
>> >> > Well I never thought this would happen but I unpacked my Icom 781
>> >> > after 3 years in its box(moved to 4-land).
>> >> > Today I took it out & put in place on my desk.
>> >> > Fired it up & initially it seemed fine, full output, 150 watts,
>> >> > Audio
>> >> > adjusted fine, received great.
>> >> > After a short while of familiarizing myself with the controls, I
>> >> > started to notice power dropping off. Bad Cable I thought so I
>> >> > changed
>> >> > it & it was fine for a short time then did the same thing, no
>> >> > output,
>> >> > ALC meter pins to the right on mike key up. Another bad cable? I
>> >> > slid
>> >> > it back out again & changed the Coax cable again. Seemed fine but
>> >> > then
>> >> > started over.
>> >> > I got sorta annoyed & took a break, came back 2 hours later and was
>> >> > perfect again but after 45 minutes it started again. Power dropping
>> >> > off, finally nothing out, ALC meter pins on mike key-up but the PO
>> >> > on
>> >> > meter shows fine but outboard meter shows zero.
>> >> >   Anyone have any ideas?
>> >> > I'd hate to have to send this out:-(
>> >> > 73 & tnx,
>> >> > Rich WA2RQY
>>
>> >>       First get A 50 Ohm dummy load connected to the Xcvr.That may
>> >> tell you all you need to know..If it works on dummy load ,look into
>> >> your ant system,If no work on dummy load ,,Look at power supply and
>> >> see if PA is drawing current from the power supply..If you have no
>> >> load on PA the rig will shut down...You may just have several minor
>> >> problems ,,,not a major problem...GL  W4PQW
>>
>> > Well I will try that but I have to add that I tried several Coax
>> > jumpers, same problem, all other radios work fine on same antenna thru
>> > same switches.
>> > Now it seems to be just about permanent, in IC or ALC meter position,
>> > the needle goes all the way to the right. I hate to say "pins" upon
>> > mike key up:-(
>> > I will try a Dummy load also!
>> > tnx & 73....
>> > Rich WA2RQY/4
>
> Tnx Hans;
> I've joined es will present my problem there as most there are
> familiar with the Icom 781.
> Regards,
> Rich WA2RQY/4




From -6804542637003659971
X-Google-Thread: 108122,4d084e22e474726f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 13 Jul 2008 18:27:43 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <H5KdnUwELrwe-eXVnZ2dnUVZ_s3inZ2d@posted.visi>
<Xns9AD9CF6FCBFAAHuckleberrybigvalley@198.186.192.196>
Subject: Re: Questions: HP 8640B signal generator . . .
Date: Sun, 13 Jul 2008 18:27:48 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <K9OdnQ1rTtvyEufVnZ2dnUVZ_sTinZ2d@comcast.com>
Lines: 34
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.239.37.56
X-Trace: sv3-fL1epxlnum+aTNiM0OlNwkkm/e/9tH3PWeR/nAn/
0UHmUmuSyeBaLlsjXmhqhEsuCTYxWsmBFyprx9G!HWkxp4W+0wGzLc0pnXUEoY7VCGXcpt/
hi08fRK4OKolKUGI28aFMHa8oQIdaUomiE7j9hgwvy4gF!FUxhztS+5qrScRGsnk+WTcMUrUV3
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
```

Xref: g2news1.google.com rec.radio.amateur.equipment:335

The following link will take you to Agilent's manuals webpage, where you will find the operation/service manual for the 8640B as a free download:

ftp://ftp.agilent.com/pub/manuals/

This is the name of the file that you will be interested in:

08640-90017 8640B Operating & Service Jan74.pdf

Many people are selling HP manuals on eBay that are available as free downloads from the Agilent site. This isn't only limited to HP manuals...........many free manuals that are available on the BAMA website and mods.dk are also being sold in this manner. Unfortunately, many folks aren't aware of these websites.

Pete

"Ed" <Huckleberry@bigvalley.net> wrote in message
news:Xns9AD9CF6FCBFAAHuckleberrybigvalley@198.186.192.196...
>
>
> Stan,
>
> I can not answer your questions, but I would like to point out that there
> are numerous Operator and Technical manuals on CD for that signal
> generator
> available on EBay for only a couple dollars. You might consider buying
> one.
>
> Ed   K7AAT
>

From 3610317789233662539
X-Google-Thread: 108122,4d084e22e474726f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.posted.visi!news.posted.visi.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 13 Jul 2008 21:36:21 -0500
Reply-To: "Stan Shankman" <stantheman@visi.com>
From: "Stan Shankman" <stantheman@visi.com>
Newsgroups: rec.radio.amateur.equipment
References: <H5KdnUwELrwe-eXVnZ2dnUVZ_s3inZ2d@posted.visi>
Subject: Re: Questions: HP 8640B signal generator . . .
Date: Sun, 13 Jul 2008 19:34:46 -0700
MIME-Version: 1.0

Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 12.0.1606
X-MimeOLE: Produced By Microsoft MimeOLE V12.0.1606
Message-ID: <he-dnXkQvqg4JufVnZ2dnUVZ_u-dnZ2d@posted.visi>
Lines: 43
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.110.206.169
X-Trace: sv3-5RsdFPhHoSFABHBxK//
Mawbh4SZW9hLREzSAKIA0k1eRN5o2dsnFyBF2WCSdQnH+36gbYmtDynde7o1!CjunMaDBTCOLjgvB/
dNHItcmt60PdKgu3wDTzTX5T6RqWg1Xh+GyHwmnKL3NMW9OLS8GXRnzAXrd!VIQUWdrOP3EVUeYo
X-Complaints-To: abuse@visi.com
X-DMCA-Complaints-To: abuse@visi.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:336

Thanks for the suggestions guys, but I already have the Agilent manuals.
The problem is, the manuals are not detailed enough to answer my questions.
I was hoping to find an HP 8640B Guru.
I know there are guys out there that go nuts over these old signal
generators, and one day I would like to chat with such a person.
- Stan
K7SJB

"Stan Shankman" <stantheman@visi.com> wrote in message
news:H5KdnUwELrwe-eXVnZ2dnUVZ_s3inZ2d@posted.visi...
> Questions: HP 8640B signal generator . . .
>
> Greetings all,
> I picked up a used HP 8640B signal generator off of eBay. I have always
> wanted one, and now I have one.
> Mine seems to work okay, but the tuning cavity only requires use of the
> clockwise most portion of its range. Much of the counter-clockwise range
> is just not needed - even though the frequencies seem to be okay. Is this
> normal? I have never used an HP 8640B before so I cannot say.
> Also, I noticed that when I remove the top-most counter board (the board
> that contains the digital readout segment displays), I see a smaller
> compartment that contains the pre-scalar. Judging by the missing screws,
> and the overall appearance, it looks like there could have been a lid on
> that compartment. Was there in fact such a lid? Or, is this locations
> reserved for an option? Also, after removing the top lid from the unit, I
> see two strong "RF boxes" the smaller one, in the front, is the frequency
> counter (with the 7-segment readout as described above), and the other

> box, the big one in the middle right-most side (looking form the front),
> is presumably the frequency multipliers. Now my question is, behind these
> two boxes, is another (much smaller) open-lid box that contains a few
> plug-in cards. But when looking closely at this box, I see that it too
> might have had a lid. Can anyone say for sure if such lids were in fact
> present when the unit was new? If so, can anyone provide such spare parts?
> Oh, and while I'm at it, can anyone say if it is possible to add
> option-002 (the frequency doubler option)? Can such parts be obtained -
> perhaps from a dead unit? Or am I better off just finding a unit that has
> the doubler option already installed and parting with my current unit?
> Thanks,
> - Stan Shankman
> K7SJB
>
>

From -8538263505697099529
X-Google-Thread: 108122,9ad4cf1c9f60c640,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: FINNISH,ASCII
Subject: Re: Lettuja
From: Perttu Salminen <perttu.salminen@mobster.net>
Date: Mon, 14 Jul 2008 07:17:15 -0500
Message-ID: <kSOdk.31402$_03.2812@tilskd.net>
References: <UUhdk.30294$_03.22342@reader1.news.saunalahti.fi>
Lines: 117
NNTP-Posting-Host: sd-1090.dedibox.fr
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news-
out.usenet.com!prop.superfeed.net!news-in1.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news-in1.superfeed.net 1216037835 sd-1090.dedibox.fr (14 Jul 2008
07:17:15 -0500)
Followup-To:
sfnet.harrastus.kulttuuri,sfnet.harrastus.pelit.kerailykortit,sfnet.harrastus.raha
pelit
Content-Type: text/plain;
MIME-Version: 1.0
Content-Transfer-Encoding: 8bit
Xref: g2news1.google.com rec.radio.amateur.equipment:337

Transmutaatiotekniikasta.
*Maassamme ydinalalla on tuskin mit��n niin tarkoin TABU:na piretty�
systeemi�, kuin mahdollisuus neutraloida edes osin maailman vaarallisimpia
ihmiskunnan ydinj�temoskiaan ydinvoimalasaasteista. P�iv�n selv�� on, ett�
t�m� olisi mahdollista, koska sotilassektorilla systeemi� on py�ritetty
vuosikymmenet. Mutta siviilisektorilla ydinmoskiinsa hukkuva ydintehtailumme
ei suin surmin halua tutustua realiteetteihin, koska periaate "likaaja
maksakoon pahuutensa" panisi ydinteollisuuden vastaamaan ihan OIKEASTI
ydinrikoksistaan ihmiskuntaamme vastaan! Siksi ydinhallintomme ei edes
maksata TVO/Posiva,Fortumeiltamme rahaa asiallisempaan
ydinj�tevarastointitekniikan kehittelyyn. Vaikka syyt� enemm�n kuin olisi!

Kyse on siis siit�, ett� t�ysin toimimaton "suolapintasuolammikkoviskonta on olevinaan halvempaa!" ja todellisuudessa kaikki ydinj�te muutaman sentin n�enn�iss��st�miseksi pannaan suolavesiallikkoihinsa h�yrystym��n surutta lastenlapsiemme tuhoamiseksi!

* Mit��n edes alkeismoraalia ei t�ss� ydinr�yhkeydess� voi sivistyskansa n�hd� toki. Yht� kaikki asiasta on toki pidetty my�s tutkimuksia. Mutta koska transmutaatio ON realistinen maailmanlaajuinen mahdollisuus jo nyt saati tulevaisuudessa, mutta pikkasen maksaa. Ennenkaikkea, koska ydinhallinnostamme miljoonien hengenvaaraan asettaminen on..niin "hauskaa"? Mit� ilmeisemmin vallank�yt�n, valtiydinterrorin ty�v�line painetaan KAIKKI my�s t�m�n aiheen esittelykanavat hiljaiseksi. Siksi p��tin, ett� nimenoman minun teht�v�n�ni on ydinalanalan huippuosaajana maamme ensimm�isen� raottaa t�m�n realiteetin muotoja vuosikymmenten 100% valtiotiedotuspimennostaan. Tulevaisuuden ydirikoksen Nyyrbergin oikeudenk�ynniss� n�m� artikkelien esill�olot tulevat toki lis��m��n rajusti syyllist�misn�yt�ll��n vastuulliset ydin�kymme ydinvaltiorikostemme tekij�iden paineita! Pidemmitt� puheitta valtion huippusalattua aiheeseen liittyv�� materiaalia siis vihdoin ja viimein my�s TIETOISUUTEEN ja PALJON!:

Transmutaatiolaitteisto on er�s t�rkeimmist� tulevaisuuden k�ytetyn ydinpolttoaineen j�lleenk�sittelyosasista! Laitteella saadaan tuntien s�teilytt�misk�sittelyll� pudotettua hengenvaarallisten k�ytettyjen polttoainetankojen s�teilytasoa 1000 osaan. Aiheesta l�ytyy loistava artikkeli. Jokin aika sitten esim. Tieteen Kuvalehti k�sitteli t�t� pitk�lle kehitetty� innovaatiota ansiokkaasti.

Idean alkutaipaleet sijoittuvat Cernin hiukkaskiihdytinkokeiluissa saatuihin tuloksiin. Tarkoitukseen tarvitaan j�re� hiukkaskiihdytinyksikk�. Perusajatuksena on hiukkaspommittaa, (ydinvoimapiireiss� niin pidetty teema tuo viimeinen), mutta asiaan. Testeiss� on voitu havaita, ett� kiihdyttimest� tulevat partikkelihiukkaset poistivat fissioprosesseissa virittyneiden atomiytimien viritystiloja tramaattisesti. Ehk� yksi hyv� vertaus tilanteelle olisi seuraava: Ydinreaktorissa oleva polttoaine on "ik��n kuin" kaupunki joka joutuu sotapommituksissa rauniotilaan. T�ll�in osittain sortunut talokanta sis�lt�� runsaasti potentiaalista satunnaisesti purkautuvaa "gravitaatioenergiaa" joka romahtaessaan ohikulkijoiden p��lle s�teilee satunnaista gravitaatioenergiaansa vaarallisen paljon ymp�rist��ns�. Nyt siis hiukkaskiihdyttimell� "murskataan" lis�pommittamalla muodostuneet romahtamisvaaralliset rauniot. T�ll�in siis rauniot jyr�t��n "turvalliseksi ihmisille" alueella liikkumiseen.

No, miksi sitten ei voitaisi kuljettaa polttoainetankoja jo olemassaoloevien hiukkaskiihdyttimien luo saamaan k�sittely�? Kimurantiksi tilanteen tekee, kun muistetaan Euroopan laajuinen massiivinen vastustus t�m�n k�ytetyn uraanin edustamaa supermyrkyn kuljettamisesta surullisenkuuluisaan eurooppalaiseen hy�t�reaktoriin. T�m�n opettamana se vaihtoehto onkin koettu riskialttiiksi. Ehkei n�ill� turvattomilla aineilla kannata vaarantaa kokonaisten valtioiden olemassaoloa. Muuten, kuin ydinvoimaloita tehtailemalla tietenkin.

Jos jo aineen kuljetus koetaan ongelmalliseksi, on nostettu esille ajatus ett� halvempi vaihtoehto olisi kehitt�� liikuteltava laitteisto. On laskettu, ett� jopa yksi eurooppalainen yksikk� voisi k�sitell� koko maanosassa muodostuneen ydinpolttoainekertym�n. N�in laitehankinta tulisi maakohtaisesti t�ysin realistiselle tasolle, jotenka hintakaan ei ole ydinvoimapiireille ylitt�m�t�n. Jonkinverran ongelmia on tuottanut t�m�n pienehk�n laitteen tehon saaminen riitt�v�ksi. Mutta suuremmissa kiinteiss� hiukkaskiihdyttimiss� on jo nyt saatu riitt�vi� tehoja. T�m� ei ole ongelman ydin.

Miksi sitten suomalaisessa ydinvoimakeskustelussa j�rjestelm�llisesti t�m� toimiva tulevaisuuden tekniikka halutaan j��r�p�isesti torjua? Miksi TVO/ Posiva konsortio, piittaamatta kiistattomista laitteen tuomista eduista, haluaakin pikaisesti haudata j�tteens� tulevan laitteiston saavuttamattomiin. Toisihan ydinj�telakiin aiheesta lis�tty transmutaatiok�sittely kiistatta lis�hintaa konsortion ennest��nkin kalliin omakustanteisen ydins�hk�n hinnan p��lle. Julkisuuteen tulisi ihmisille selvemmin esille, ett� kuinka vaarallista ja ep�vakaata peli� yhti� pelaa torjuessaan t�m�nkin loistavan idean.

Sitten viel�, TVO/Posiva konsortion tarkoituksena oli jo loppusijoitusluolaston paikkaa kartoittaessaan seuraava. Aikoinaan geologit ilmoittivat Olkiluodon kallioper�n niin huonoksi luolaston sijoituspaikaksi, ettei sit� rankattu edes 100 parhaimman suomalaisen loppusijoituspaikan joukkoon. Koskapa se sijaitsee oseaanisen laattatektoniikan t�rm�yspisteess�. Jossa Atlantin sel�nne luo kasvavaa puristusta yh�. Koska t�m� valtamerellinen sedimenttimurskevy�hyke luo loppusijoituspaikalle kenties suomen huonoimmat ja ep�vakaimmat s�ilytysolosuhteet.

Miksi sitten TVO/Posiva konsortion kovassa painostuksessa Olkiluoto otettiin v�kisin 101 vaihtoehtona mukaan? Koska alueella oleva luonnonmerisatama luo loistavat mahdollisuudet tuoda maailmalta huomaamatta ainokaiseen ydinj�tevarastoon vaivatta kovalla valuutalla k�ytetty� ydinmateriaalia. (Asiaa muuten TVO on varkain , tarkoin piilossa julkisuudesta aktiivisesti kysellyt jo 5 vuoden ajan mm. Ruotsin kautta maailmalta Suomeen kuljetettavista ydinj�tteist� mm. Olkiluodon satamaa hy�dynt�en! Sain ennakkotietooni vahvistuksen "sis�piireist�" mm. 2008!) T�m�n transmutaatiolaitteen mukanaan tuoman helpotuksen takia saattaisikin t�m�n loistavan ydinmonopolibisneksen perusteet murtua. Koska v�hemmin s�teilev�� polttoainetta voisi jokin "kilpaileva" taho my�s varastoida muualle ja viel� Posivalaista vaihtoehtoa turvallisemminkin. Silloinhan selvi�isi my�s, ett� kuinka kehnosti Posivalainen loppusijoitusluolahahmotelma on suunniteltu, verrattuna "oikeampaan" vaihtoehtoon. Silloin loppusijoitusbisneksen hintataso luonnollisesti laskisi ja TVO/Posiva konsortio ei saisi kaikkia haikailemiaan rahoja.

From 8290436537711690647
X-Google-Thread: 108122,bce42988ae417992,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews3.bellsouth.net.POSTED!6862afdb!
not-for-mail
From: "ArtLab" <artlab@bellsouth.net>

Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-530
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Message-ID: <GhLek.1197$t32.372@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcboaimifldjikhlhicjelnfkomngiejkhagah
aaadfnnodjkcbacgomeiamjimbkifbpcjbopfflpbfgbkhacihnhlmniflpfiecjjcpebhhghhpmli
NNTP-Posting-Date: Mon, 14 Jul 2008 12:37:58 EDT
Organization: BellSouth Internet Group
Date: Mon, 14 Jul 2008 12:39:12 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:338

What is a good price for a Yaesu FT-530, in excellent condition, with
charger and manual, in the box ?

Thanks and best regards.

From 5117314058943651680
X-Google-Thread: 108122,6fdb6e81fcf60dd3,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 14 Jul 2008 15:50:06 -0500
Reply-To: "radioguy" <radioguy88@earthlink.net>
From: "radioguy" <radioguy88@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: TERK amplified FM Pro antenna 34%off
Date: Mon, 14 Jul 2008 15:50:43 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <5qednWHlrKhjJubVnZ2dnUVZ_qPinZ2d@earthlink.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.230.3.91
X-Trace: sv3-V4qfkHx0ZL0WHJ9H2t7u94EF9Xlauv/
dMpL0lZ1kTL0E7uNuUu2IlcWfr8xMz8RbYcwV+6zWCm4Ep9V!4Sasz+4muefoQQb9pwlXI//
tzKbvObpdiTd+Q/ZhpRhjBVEg13+/G7qklCf3hOqP9PGW9ExH0+5y!rNZp7QPKkjki+UbD4s/DAzjsl6/
CY8Lv
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:339

Come see this auction that offers a Terk FM Pro Dual Drive amplified antenna to boost your FM radio reception by a 11 dB gain for an opening bid that is 34% off usual retail. The item is at the link below or on Ebay in the Consumer Electronics A/V Accessories & Cables/Antennas/AM/FM Antennas categories with the keywords Terk FM Pro Amplified. The auction expires this coming Saturday, July 19 at 4:22 pm central or end it early with buy it now. Thanks for looking!

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=110270269197&ssPageName=STRK:MESE:IT&ih=001

From 8993562450858613608
X-Google-Thread: 108122,4d084e22e474726f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.freenet.de!
news.germany.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Questions: HP 8640B signal generator . . .
Date: Mon, 14 Jul 2008 19:24:42 -0400
Organization: Aioe.org NNTP Server
Lines: 23
Message-ID: <fmmck-E94D7A.19244214072008@nntp.aioe.org>
References: <H5KdnUwELrwe-eXVnZ2dnUVZ_s3inZ2d@posted.visi>
NNTP-Posting-Host: ARb8XTw8NahdrXYZnqk8NQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:340

In article <H5KdnUwELrwe-eXVnZ2dnUVZ_s3inZ2d@posted.visi>,
"Stan Shankman" <stantheman@visi.com> wrote:

> can anyone say if it is possible to add option-002
> (the frequency doubler option)? Can such parts be obtained - perhaps from a
> dead unit? Or am I better off just finding a unit that has the doubler
> option already installed and parting with my current unit?

Stan-

I recall seeing that discussion some time back. Someone mentioned using an external HP Frequency Doubler 11690A. This is a small device with male and female BNC connectors.

I found the 11690A Operating And Service Manual somewhere, possibly at the HP site. It contains a graph of conversion loss for different frequencies vs input level. Internal construction details are shown.

At the time, I asked if anyone knew if you could use the internal parts of the 11690A to add option-002 to the 8640B, but did not get a response.

Fred
K4DII

From -5783069462663419337
X-Google-Thread: 1109af,27601f0ce0c63f2a,start
X-Google-Thread: 108122,27601f0ce0c63f2a,start
X-Google-Thread: 108228,27601f0ce0c63f2a,start
X-Google-Thread: 108778,27601f0ce0c63f2a,start
X-Google-Attributes:
gid1109af,gid108122,gid108228,gid108778,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!newsfeed2.news.xs4all.nl!
newsgate.cistron.nl!xs4all!news.wiretrip.org!news.dizum.com!sewer-output!
mail2news-x5!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: Ted <fritz@spamexpire-200807.rodent.frell.theremailer.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,alt.radio.amateur,alt.ham-radio.hf
Subject: eBay: COLLINS R-390A/URR HF receiver
Message-ID: <a4b63d30395dbb4fd7f4936e5e4829c7@msgid.frell.theremailer.net>
Date: Tue, 15 Jul 2008 05:12:10 +0200
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.swap:3217 rec.radio.amateur.equipment:2703
alt.ham-radio.marketplace:735 alt.radio.amateur:241 alt.ham-radio.hf:173

http://easyurl.net/CollinsR390A

From -334266096658673606
X-Google-Thread: 108122,b9ae2032a660a20f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.posted.visi!news.posted.visi.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 14 Jul 2008 22:37:08 -0500
Reply-To: "Stan Shankman" <stantheman@visi.com>
From: "Stan Shankman" <stantheman@visi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Programming information for the NRD-535D . . .
Date: Mon, 14 Jul 2008 00:26:53 -0700
MIME-Version: 1.0

Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 12.0.1606
X-MimeOLE: Produced By Microsoft MimeOLE V12.0.1606
Message-ID: <bomdnQN8rpP4huHVnZ2dnUVZ_v3inZ2d@posted.visi>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.110.206.169
X-Trace: sv3-
NvmfmTt622DTTpb3e7DXsRXYRkrmnXcf4HNuWy6l5KEjL4slDwLfCdhMl6Ak2zhLP8WovkU7goc9Ek6!
nDjkfS4tDkSvU0r/kKR3/2uLSgvqOKNrUfn1Wy8FAGMDKuLzBNgh8/0cdJFpRHHY9oZtMi4y2L0g!
jAKEhbM4LvPGzMAD
X-Complaints-To: abuse@visi.com
X-DMCA-Complaints-To: abuse@visi.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:342

Greetings all,
Where can one obtain programming information for the JRC NRD-535D shortwave receiver?
I want the kind of information that a programmer would require when writing code to control this radio.

Also, I am also interested in hearing from others as to their likes and dislikes of various software packages used with this radio. Any recommendations?

Thanks,

Stan Shankman
K7SJB

From -8023776815093533411
X-Google-Thread: fc8b1,523f01c808558ee6
X-Google-Thread: 108122,523f01c808558ee6
X-Google-Thread: 108228,523f01c808558ee6
X-Google-Thread: 1109af,523f01c808558ee6
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!Xl.tags.giganews.com!

border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 15 Jul 2008 10:50:59 -0500
Date: Tue, 15 Jul 2008 11:50:59 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.11) Gecko/20071128
SeaMonkey/1.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.swap
Subject: Re: FA: Brown Bros. CTL-A Paddle/Key Combo>1974 MINT!
References: <978cdb81-8267-40e9-aa82-1e3ce32cdcb7@i76g2000hsf.googlegroups.com>
In-Reply-To: <978cdb81-8267-40e9-aa82-1e3ce32cdcb7@i76g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <wbednfIA84X-WuHVnZ2dnUVZ_uGdnZ2d@rcn.net>
Lines: 5
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.163.20.14
X-Trace: sv3-pF9eXjE0yEv5EcKVcB/jyHKQdwJzwILa78Bbz6Wa/
t9+RUsP5rHGaBARXwQhehudC7ZNgufYoOqzeF1!vPXTuP19IfYetc3tpNOBtjQ/
BkPK2tnStdSwanzXo3lCrZUvZteRgfFMU/y4UIMuy4dOg6EZXmkv!G17oIFB6lCo=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3680
rec.radio.amateur.equipment:2706 alt.ham-radio.marketplace:737 rec.radio.swap:3220

Richie wrote:
> These close Sunday nite & are good deals, many with no bids still>
> http://cgi6.ebay.com/ws/eBayISAPI.dll?MfcISAPICommand=ViewListedItems...

If it is such a good deal, buy it.

From -2543872111710943876
X-Google-Thread: 108122,dc6ae493bec25538,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
k37g2000hsf.googlegroups.com!not-for-mail
From: kz3dx@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-R7000 Wideband Communications Receiver/Scanner (UNBLOCKED)
Date: Tue, 15 Jul 2008 10:05:19 -0700 (PDT)
Organization: http://groups.google.com
Lines: 33
Message-ID: <d2754927-a685-4567-9747-b4be563d162b@k37g2000hsf.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit

X-Trace: posting.google.com 1216141519 24271 127.0.0.1 (15 Jul 2008 17:05:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Jul 2008 17:05:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k37g2000hsf.googlegroups.com; posting-host=66.177.6.190;
posting-account=45XJAgoAAAA05yZfLd6955vg-czIX97d
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:345

This Icom R7000 Receiver/Scanner covers from 25 to 999 and 1025 to 2000 MHz (UNBLOCKED) in the following modes: AM, AM-W, FM, FM-W, FM-N, USB and LSB. The R7000 covers low band, VHF civil and military aeronautical bands, marine, business, FM, pirates, amateur, government, TV bands, NASCAR, border patrol, plus much more.

99 memories store frequency and mode and may be selected by simply pressing the memory switch, then rotating the memory channel knob or by direct keyboard entry.

Scan modes include full-scan, programmed-scan, mode-scan, selected-scan, priority-scan and auto write programmed-scan. By depressing the Auto-M switch, the receiver automatically memorizes frequencies in use while the unit is in the scan mode. Six tuning speeds: 0.1, 1.0, 5, 10, 12.5 or 25 kHz. Requires 117/240 VAC.

This is one of the very best receivers Icom has ever manufactured. It is use widely by governments around the world, military, intelligence and anti-terrorism agencies. This radio is extremely clean. There are a few very minor (patina) scratches & paint chips. There are splash marks on the rear panel, but that does not affect the operation. The front panel is in perfect condition. It is guaranteed to not be DOA.

Please email me for more pictures: kz3dx@yahoo.com The price is $478.50 for the radio plus shipping. The AC power cord is included. Shipping & Insurance: to the lower 48 states is $48.35. To Europe is $98.60. To Australia/NZ is $115.27.

If you have any questions, please email me at: kz3dx@yahoo.com

Thanks for looking,

Bill

From -5203131418755724674
X-Google-Thread: 108122,4d084e22e474726f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!npeer03.iad!news.highwinds-media.com!
feed-me.highwinds-media.com!cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!
nx02.iad01.newshosting.com!newshosting.com!198.186.190.251.MISMATCH!

```
transit4.readnews.com!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Questions: HP 8640B signal generator . . .
From: Ed <Huckleberry@bigvalley.net>
References: <H5KdnUwELrwe-eXVnZ2dnUVZ_s3inZ2d@posted.visi>
Organization: Your Company
Message-ID: <Xns9ADC6B210CA18Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 15 Jul 2008 17:31:27 GMT
Lines: 45
NNTP-Posting-Host: 8f92f3b8.news.adtechcomputers.com
X-Trace: DXC=NAg[21Zl>?dDe2A4;`E`CjgC4_A5:nI@a<<=aEgO;R8g^4JdobCJ[8eIFblbPmAdfjR?
X7U2a5ffgemfRC[RMj?oGX7R=>CCRmfWbNP<nFG;Ee@0PUBQ^RW7a
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:2708
```

"Stan Shankman" <stantheman@visi.com> wrote in
news:H5KdnUwELrwe-eXVnZ2dnUVZ_s3inZ2d@posted.visi:

> Questions: HP 8640B signal generator . . .
>
> Greetings all,
> I picked up a used HP 8640B signal generator off of eBay. I have
> always wanted one, and now I have one.
> Mine seems to work okay, but the tuning cavity only requires use of
> the clockwise most portion of its range. Much of the counter-clockwise
> range is just not needed - even though the frequencies seem to be
> okay. Is this normal? I have never used an HP 8640B before so I cannot
> say. Also, I noticed that when I remove the top-most counter board
> (the board that contains the digital readout segment displays), I see
> a smaller compartment that contains the pre-scalar. Judging by the
> missing screws, and the overall appearance, it looks like there could
> have been a lid on that compartment. Was there in fact such a lid? Or,
> is this locations reserved for an option? Also, after removing the top
> lid from the unit, I see two strong "RF boxes" the smaller one, in the
> front, is the frequency counter (with the 7-segment readout as
> described above), and the other box, the big one in the middle
> right-most side (looking form the front), is presumably the frequency
> multipliers. Now my question is, behind these two boxes, is another
> (much smaller) open-lid box that contains a few plug-in cards. But
> when looking closely at this box, I see that it too might have had a
> lid. Can anyone say for sure if such lids were in fact present when
> the unit was new? If so, can anyone provide such spare parts?
> Oh, and while I'm at it, can anyone say if it is possible to add
> option-002 (the frequency doubler option)? Can such parts be obtained
> - perhaps from a dead unit? Or am I better off just finding a unit
> that has the doubler option already installed and parting with my
> current unit? Thanks,
> - Stan Shankman
> K7SJB
>

Rather than attempt to answer some of your questions with possibly erroneous info, and since you have the manual on file, have you studied the Service Sheets in Section 8, and especially page 8-73 closely? I might answer some of your questions regarding missing covers, etc. I haven't dug through the thick manual for reference to your other items... My manual does not cover any details on the Options, only the main unit. I'm using HP manual, PN: 08640-90017

Ed K7AAT

From 5334742557869880534
X-Google-Thread: 106d41,e327024c584c15bd,start
X-Google-Thread: 108122,e327024c584c15bd,start
X-Google-Attributes: gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeeder.dynfx.net!weretis.net!feed.cnntp.org!news.cnntp.org!not-for-mail
From: "SUPERSKYHOOK N8WWM" <N8WWM@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA - Mobile Antenna Reflective GROUND PLANE
Date: Tue, 15 Jul 2008 13:47:41 -0400
Organization: SUPERSKYHOOK
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 8
Message-ID: <487ce2c5$1$25951$6e1ede2f@read.cnntp.org>
NNTP-Posting-Host: 1453d4c7.read.cnntp.org
X-Trace: DXC=P<53;?;\HTVhIm;o<VC`>UWoT\PAgXa?Q3QObBb3c?J]lK9^66lO<WPULFQf3c?
N5_W=DlA<cb[KPLMFjdN>3TiU
X-Complaints-To: abuse@cnntp.org
Xref: g2news2.google.com rec.radio.amateur.antenna:18041 rec.radio.cb:10081
rec.radio.amateur.equipment:2709 rec.radio.swap:3222

These REALLY Improve mobile antenna transmission by making your antenna an actual ground plane!

Fits at the bottom of standard 3/8" stud mount antennas

http://cgi.ebay.com/Mobile-Antenna-Reflective-GROUND-PLANE-Cb-ham-radio_W0QQitemZ280244585044QQcmdZViewItem?hash=item280244585044&_trksid=p3286.m14.l1318

From 4151626802713194189
X-Google-Thread: 106d41,93578acc2d5ea70f,start
X-Google-Thread: 108122,93578acc2d5ea70f,start

X-Google-Thread: 1109af,93578acc2d5ea70f,start
X-Google-Attributes: gid106d41,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!newsfeeder.dynfx.net!weretis.net!feed.cnntp.org!news.cnntp.org!not-for-mail
From: "SUPERSKYHOOK N8WWM" <N8WWM@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA - uniden pc76xlw and sidewinder amp
Date: Tue, 15 Jul 2008 13:58:36 -0400
Organization: SUPERSKYHOOK
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 5
Message-ID: <487ce554$0$25952$6e1ede2f@read.cnntp.org>
NNTP-Posting-Host: 1453d4c7.read.cnntp.org
X-Trace: DXC=l1S8d8jka0;ESBkT7Jlob?WoT\PAgXa?1Z1ejXFd@Bc6lK9^66lO<W0ULFQf3c?N5?W=DlA<cb[K0Y53T^hDEm>>
X-Complaints-To: abuse@cnntp.org
Xref: g2news2.google.com rec.radio.cb:10082 rec.radio.amateur.equipment:2710 rec.radio.swap:3223

Be loud and proud!

http://cgi.ebay.com/ebaymotors/cb-radio-and-bi-linear-amp_W0QQcmdZViewItemQQ_trksidZp3286Q2em14Q2el1318QQhashZitem190236626500QQitemZ190236626500

From -4792404080964524022
X-Google-Thread: fcc6e,e327024c584c15bd
X-Google-Thread: 106d41,e327024c584c15bd
X-Google-Thread: 108122,e327024c584c15bd
X-Google-Thread: 1109af,e327024c584c15bd
X-Google-Attributes: gidfcc6e,gid106d41,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!194.25.134.126.MISMATCH!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA - Mobile Antenna Reflective GROUND PLANE
Date: Tue, 15 Jul 2008 11:03:40 -0700
Organization: albasani.net
Lines: 16
Message-ID: <g5iopr$uli$1@news.albasani.net>
References: <487ce2c5$1$25951$6e1ede2f@read.cnntp.org>

Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net VQwFhbnUNolkKaZhtUm1gbV3xMzsgZ/
eZTBqdYkJsQKG3gQN0UR5OjOtkkmN+Dq5R7+5Er5DQjhRDSQ9M648oX7xr8jd1kNPl/6uBwaIdLymUA/
HFVyMIcWsqwh+BRRc
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Tue, 15 Jul 2008 18:03:39 +0000 (UTC)
X-User-ID: AHCtzatFEIcq5xADPMb8jhkNHP3ap/S3X48qQ2vZjts=
In-Reply-To: <487ce2c5$1$25951$6e1ede2f@read.cnntp.org>
Cancel-Lock: sha1:rVsG5gV3R73E/SLHG4KwSKerQR4=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: A98iQR3OlrEIZfVO7sZyqlRCXb7Zem52ZORe8jH9lqI=
Xref: g2news1.google.com rec.radio.amateur.antenna:1496 rec.radio.cb:1054
rec.radio.amateur.equipment:349 rec.radio.swap:343

SUPERSKYHOOK N8WWM wrote:
> These REALLY Improve mobile antenna transmission by making your antenna an
> actual ground plane!
>
> Fits at the bottom of standard 3/8" stud mount antennas
>
> http://cgi.ebay.com/Mobile-Antenna-Reflective-GROUND-PLANE-Cb-ham-
radio_W0QQitemZ280244585044QQcmdZViewItem?
hash=item280244585044&_trksid=p3286.m14.l1318
>
>

Oh yeah, turn an antenna into a real skyburner!

Maybe as a top hat for VHF--if it weren't so darn heavy ...

Regards,
JS

From 4624894057835890373
X-Google-Thread: 114aac,8626b353e5c3c89d,start
X-Google-Thread: 108122,8626b353e5c3c89d,start
X-Google-Attributes: gid114aac,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed.datemas.de!feed.cnntp.org!news.cnntp.org!not-for-mail
From: "SUPER SKYHOOK N8WWM" <N8WWM@hotmail.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA Linear amp - Super Star 250 for CB and Ham radio
Date: Tue, 15 Jul 2008 15:15:15 -0400
Organization: SUPER SKYHOOK
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original

Lines: 8
Message-ID: <487cf74c$0$25949$6e1ede2f@read.cnntp.org>
NNTP-Posting-Host: af4ab011.read.cnntp.org
X-Trace: DXC=lUdec1o4DM=ESBkT7Jlob?WoT\PAgXa?1`81AK\eERf;lK9^66lO<W0ULFQf3c?N5?
W=DlA<cb[K0RZlY5a8@LI3
X-Complaints-To: abuse@cnntp.org
Xref: g2news2.google.com rec.radio.shortwave:39436
rec.radio.amateur.equipment:2712 rec.radio.swap:3226

This is a used Linear i am not sure how much power it has or anything about
it it It was working when it was removed from truck about a year ago thats
alls i know.

http://cgi.ebay.com/ebaymotors/Linear-Super-Star-250-for-
CB_W0QQcmdZViewItemQQ_trksidZp3286Q2em14Q2el1318QQhashZitem330252865101QQitemZ3302
52865101

From -1208691929731194439
X-Google-Thread: 108122,924b4251ac66f337
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!feeder.news-
service.com!news.motzarella.org!motzarella.org!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRG-757
Date: Wed, 16 Jul 2008 02:32:39 -0400
Organization: A noiseless patient Spider
Lines: 26
Message-ID: <g5k4mc$g3f$1@registered.motzarella.org>
References: <NkCdk.22572$LL4.12740@bignews7.bellsouth.net>
<6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com>
<g590pr$2dk$1@aioe.org>
<6e1b89f8-6121-4525-812b-215fe89df0b6@m73g2000hsh.googlegroups.com>
<g5b45l$3lu$1@aioe.org> <j4cek.18156$3q7.2576@newsfe15.lga>
X-Trace: feeder.motzarella.org U2FsdGVkX18jIAXlxeUX7rWb03laj/
YzK34reaxpHapiA2KvWkw7B3haoWcWPu+58bouRXZhowQKtudLk/oh/AN7aLOY/
IHHJUJDtxYqk4vHrMEEdN6PvtOA9/XYPhkt2SGdmGiWZFdeAPYfsc6Jag==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 16 Jul 2008 06:32:45 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Auth-Sender: U2FsdGVkX1/JGf303HXMQ0RZm23l8likNkJmLu92Mza7B3I3bJXt4w==
Cancel-Lock: sha1:AazGmXZKJxg6lGt3MNGFsMVF7pE=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:352

"George" <k5wwo@cox.net> wrote

> If I remember correctly the switch on the FT 890 is internal. Do you have
> your Manual? Look through the manual it will tell you where the switch is.
>
> --
> George Folse K5WWO

The manual is here "somewhere". I haven't seen it since we moved from NJ to GA over ten years ago, though I do not doubt that it made it here with us.

I was running this combo a few years ago and I do not remember resetting a switch inside of the rig.

Since your post, I have received a jpg of the original manual for the FRB-757 and that has irrefutably answered all my questions. Thanks to everyone for your help. This has been a very pleasant exchange/experience.

Ed, NM2K

From -8942882886805554290
X-Google-Thread: 108122,bce42988ae417992
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad!news.highwinds-media.com!
feed-me.highwinds-media.com!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc05.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <GhLek.1197$t32.372@bignews3.bellsouth.net>
Subject: Re: Yaesu FT-530
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <kqnfk.316$gH4.189@trnddc05>
Date: Wed, 16 Jul 2008 14:17:52 GMT
NNTP-Posting-Host: 71.104.208.43
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1216217872 71.104.208.43 (Wed, 16 Jul 2008 10:17:52 EDT)
NNTP-Posting-Date: Wed, 16 Jul 2008 10:17:52 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:353

I gave $230 for mine new when they were phasing them out. They are well made and the heat sink is able to dissipate into the belt clip rather than the battery. RX speaker audio is less than I want but at least the radio is large enough to find the keypad.

If you can get one of the protective gloves for it, they will stay like new for a long time.

I still have it, and everything works. I replaced the knobs and Antenna not long ago. RF output has held up too.

"ArtLab" <artlab@bellsouth.net> wrote in message
news:GhLek.1197$t32.372@bignews3.bellsouth.net...

> What is a good price for a Yaesu FT-530, in excellent condition, with
> charger and manual, in the box ?
>
> Thanks and best regards.
>
>

```
From -2238728265010784518
X-Google-Thread: fcc6e,e327024c584c15bd
X-Google-Thread: 106d41,e327024c584c15bd
X-Google-Thread: 108122,e327024c584c15bd
X-Google-Thread: 1109af,e327024c584c15bd
X-Google-Attributes:
gidfcc6e,gid106d41,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad!news.highwinds-media.com!
feed-me.highwinds-media.com!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc05.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <487ce2c5$1$25951$6e1ede2f@read.cnntp.org>
<g5iopr$uli$1@news.albasani.net>
Subject: Re: FA - Mobile Antenna Reflective GROUND PLANE
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <_Enfk.318$gH4.80@trnddc05>
Date: Wed, 16 Jul 2008 14:33:30 GMT
NNTP-Posting-Host: 71.104.208.43
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1216218810 71.104.208.43 (Wed, 16 Jul 2008 10:33:30 EDT)
NNTP-Posting-Date: Wed, 16 Jul 2008 10:33:30 EDT
```

```
Xref: g2news1.google.com rec.radio.amateur.antenna:1529 rec.radio.cb:1067
rec.radio.amateur.equipment:354 rec.radio.swap:352

Nothing to do with ground reflection but...

Shunt matching capacitor to raise feed point impedance.  But do you need it
in your installation?

I used to use a BC variable cap hooked up to a throttle cable so I could
fine tune my Hamsticks,  Yes it made a difference although I never gave it a
Buck Rogers name.

"John Smith" <assemblywizard@gmail.com> wrote in message
news:g5iopr$uli$1@news.albasani.net...
> SUPERSKYHOOK N8WWM wrote:
> > These REALLY Improve mobile antenna transmission by making your antenna
an
> > actual ground plane!
> >
> > Fits at the bottom of standard 3/8" stud mount antennas
> >
> >
http://cgi.ebay.com/Mobile-Antenna-Reflective-GROUND-PLANE-Cb-ham-
radio_W0QQitemZ280244585044QQcmdZViewItem?
hash=item280244585044&_trksid=p3286.m14.l1318
> >
> >
>
> Oh yeah, turn an antenna into a real skyburner!
>
> Maybe as a top hat for VHF--if it weren't so darn heavy ...
>
> Regards,
> JS




From 3292438441458036630
X-Google-Thread: fcc6e,e327024c584c15bd
X-Google-Thread: 106d41,e327024c584c15bd
X-Google-Thread: 108122,e327024c584c15bd
X-Google-Thread: 1109af,e327024c584c15bd
X-Google-Attributes:
gidfcc6e,gid106d41,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
194.25.134.126.MISMATCH!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-
online.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA - Mobile Antenna Reflective GROUND PLANE
```

```
Date: Wed, 16 Jul 2008 12:20:38 -0700
Organization: albasani.net
Lines: 14
Message-ID: <g5lhm8$igd$4@news.albasani.net>
References: <487ce2c5$1$25951$6e1ede2f@read.cnntp.org>
<g5iopr$uli$1@news.albasani.net> <_Enfk.318$gH4.80@trnddc05>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net 59+sz2vwFpNuWg+iGeYWHse4Afqhb4NZFe4vBRARoca6oZWcmw/
amQv8oBTmx4K/acETmlpZqBhbHiYOqAHRHW4AhleQJZ1ZBbcZ0zB/r96dG2U0jGyF4H7wZbXphnUf
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Wed, 16 Jul 2008 19:20:40 +0000 (UTC)
X-User-ID: jzIC9uAOzkV38tl4iIQj50oG8+X2QDkq9P77or5eu5c=
In-Reply-To: <_Enfk.318$gH4.80@trnddc05>
Cancel-Lock: sha1:isvozu9o11Y+Ic5sHJfvWK+fZp0=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: /q8MVR7/xoD/s3e9fFtEE4EKu4KfplGmm+dwSus/AuU=
Xref: g2news1.google.com rec.radio.amateur.antenna:1535 rec.radio.cb:1070
rec.radio.amateur.equipment:355 rec.radio.swap:353

JB wrote:
> ...
> I used to use a BC variable cap hooked up to a throttle cable so I could
> fine tune my Hamsticks,  Yes it made a difference although I never gave it a
> Buck Rogers name.
> ...


That is a REAL shame, let's do that right now ...

How about AITD?  For "Alien Intelligence Tuning Device", you like that name?

Regards,
JS



From -397102578296335324
X-Google-Thread: 108122,bce42988ae417992
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-
mail
Date: Wed, 16 Jul 2008 23:34:53 -0400
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: Yaesu FT-530
References: <GhLek.1197$t32.372@bignews3.bellsouth.net>
In-Reply-To: <GhLek.1197$t32.372@bignews3.bellsouth.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <487ebd86$0$5017$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news2.google.com rec.radio.amateur.equipment:2718

If you can get $150 you're doing good.
Although it is mint it is also very old now.  I still have mine
and it works AOK!!
Good luck!!

73


ArtLab wrote:

>What is a good price for a Yaesu FT-530, in excellent condition, with
>charger and manual, in the box ?
>
>Thanks and best regards.
>
>
>
>



From -1143372354279151877
X-Google-Thread: 108122,3f0bfb8b0f64df4a,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!6862afdb!
not-for-mail
From: "ArtLab" <artlab@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu FT-530
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Message-ID: <D5Kfk.2691$9V5.2075@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbofakehnmpcogkjfkddnolpipflnijlkagdp
dgdbnhdidilnidchkkablhlnpigniekijhhagfkjbgilpamjchkafmjklofncgmbncipjbdcodchhk
```

NNTP-Posting-Date: Thu, 17 Jul 2008 12:05:55 EDT
Organization: BellSouth Internet Group
Date: Thu, 17 Jul 2008 12:06:52 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2719

For Sale: Yaesu FT-530 in pristine condition, with charger and manual, in box. Selling for $225, including shipping to lower 48.

Art
WB4VVO
Miami, FL

From 3538116437148761525
X-Google-Thread: 108122,f9a1a08b0dece194,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Drake SPR-4 crystals
Reply-To: Pierfrancesco Caci <pf@tippete.net>
From: Pierfrancesco Caci <ik5pvx@penny.tippete.net>
Date: Thu, 17 Jul 2008 18:59:48 +0200
Message-ID: <87r69s5tvf.fsf@penny.tippete.net>
User-Agent: Gnus/5.11 (Gnus v5.11) Emacs/22.1 (gnu/linux)
Cancel-Lock: sha1:1qEBjy4F+y2U60J932SWn4QreVc=
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Lines: 16
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.12.134.68
X-Trace: 1216313988 reader4.news.tin.it 41653 79.12.134.68:11746
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news2.google.com rec.radio.amateur.equipment:2720

Hello,
I'd like to add the WARC bands to the SPR-4 receiver. If I understand the docs correctly, the crystals need to be for f + 11.090, thus I need 21.09, 29.09, 35.09 MHz xtals. I have no idea though about the form factor (should it be HC-49?) nor about the load capacity (10, 15 or 20 pF?). Anything else that I could be asked at order time?

Thanks

Pf, ik5pvx

--
Pierfrancesco Caci

```
From 3979146042366706146
X-Google-Thread: 108122,6fdb6e81fcf60dd3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Jul 2008 19:51:03 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <5qednWHlrKhjJubVnZ2dnUVZ_qPinZ2d@earthlink.com>
Subject: Re: TERK amplified FM Pro antenna 34%off
Date: Thu, 17 Jul 2008 19:50:59 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <48mdnaAK16lqdeLVnZ2dnUVZ_vGdnZ2d@comcast.com>
Lines: 34
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.239.37.56
X-Trace: sv3-QkB/
Vnkw2gd0Ric+1dAzrTXyzHax1Z3cBfnkjJwW86gbJxIjeAmscoTt8yiEfHRcv6c3AxLjW7sz7Tk!
ZbtMhZUdv+Kg/CqmiHdlabwTqF7mkPWNvcqLiaCz6H/t1UuTbQJBZ1stnxdPn7HrsU5Mx7QbOOJ8!
Ek1ShcOR2mNuXraTAViZjvx3AV76
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:359
```

Beach Audio is selling that brand new for $68.99

http://www.beachaudio.com/Terk/Fm-50-p-298.html?utm_campaign=froogle&utm_content=reg&utm_term=FM-50&utm_medium=cpc&utm_source=froogle&GTKW=FM-50&GCID=C12585x003

These folks have it for $65.49

http://www.sureneeds.com/fm50.html

If you paid any more than these prices when you bought this item, you were overcharged. Who did you buy this antenna from? This way, I will know which retailer to avoid.

Pete

"radioguy" <radioguy88@earthlink.net> wrote in message
news:5qednWHlrKhjJubVnZ2dnUVZ_qPinZ2d@earthlink.com...
> Come see this auction that offers a Terk FM Pro Dual Drive amplified
> antenna
> to boost your FM radio reception by a 11 dB gain for an opening bid that
> is
> 34% off usual retail. The item is at the link below or on Ebay in the
> Consumer Electronics A/V Accessories & Cables/Antennas/AM/FM Antennas
> categories with the keywords Terk FM Pro Amplified. The auction expires
> this coming Saturday, July 19 at 4:22 pm central or end it early with buy
> it
> now. Thanks for looking!
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=110270269197&ssPageName=STRK:MESE:IT&ih=001
>
>

From 4940281274458951453
X-Google-Thread: 108122,6835fd5f615b6ca7,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.190.251.MISMATCH!transit4.readnews.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for M67746 RF module
From: Ed <Huckleberry@bigvalley.net>
Organization: Your Company
Message-ID: <Xns9ADECB0A79831Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 18 Jul 2008 02:57:03 GMT
Lines: 6
NNTP-Posting-Host: ce76c909.news.adtechcomputers.com
X-Trace: DXC=o5[gGZ7OkJcDL5CI7;683jgC4_A5:nI@a<<=aEgO;R8g^4JdobCJ[8e\0Z9oC2Ve^hR?
X7U2a5ffgemfRC[RMj?oGX7R=>CCRmfWbNP<nFG;Ee0jAXQ5EAOci
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:360

Our club is looking for a source for the 2M RF PA module, M67746. We find it available at RF Parts.com for $95.00. We are looking for a cheaper source. Thanks.

Ed   K7AAT

```
From -2775000255357936281
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
j33g2000pri.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Drake SPR-4 crystals
Date: Fri, 18 Jul 2008 07:51:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <be47a8a8-b379-4c59-8308-eb2a5e469650@j33g2000pri.googlegroups.com>
References: <87r69s5tvf.fsf@penny.tippete.net>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1216392670 25373 127.0.0.1 (18 Jul 2008 14:51:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 18 Jul 2008 14:51:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000pri.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:361

On Jul 17, 12:59 pm, Pierfrancesco Caci <ik5...@penny.tippete.net>
wrote:
> Hello,
> I'd like to add the WARC bands to the SPR-4 receiver. If I understand
> the docs correctly, the crystals need to be for f + 11.090, thus I need
> 21.09, 29.09, 35.09 MHz xtals. I have no idea though about the form
> factor (should it be HC-49?) nor about the load capacity (10, 15 or 20
> pF?). Anything else that I could be asked at order time?
>
> Thanks
>
> Pf, ik5pvx
>
> --
> Pierfrancesco Caci

This fellow may still have some>
http://groups.google.com/group/rec.radio.swap/browse_thread/thread/
a53fff94768cadb3
Good Luck, ciao,
Rich WA2RQY/4


From 4108298579497520O2
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc05.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <487ce2c5$1$25951$6e1ede2f@read.cnntp.org>
<g5iopr$uli$1@news.albasani.net> <_Enfk.318$gH4.80@trnddc05>
<g5lhm8$igd$4@news.albasani.net>
Subject: Re: FA - Mobile Antenna Reflective GROUND PLANE
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Ut4gk.16$GI.12@trnddc05>
Date: Fri, 18 Jul 2008 17:33:40 GMT
NNTP-Posting-Host: 71.110.233.25
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1216402420 71.110.233.25 (Fri, 18 Jul 2008 13:33:40 EDT)
NNTP-Posting-Date: Fri, 18 Jul 2008 13:33:40 EDT
Xref: g2news1.google.com rec.radio.amateur.antenna:1611 rec.radio.cb:1093
rec.radio.amateur.equipment:362 rec.radio.swap:356

Hey quit talking tek'ncl!!
I think I'll call it the "Back Seat Cloud Scratcher"

"John Smith" <assemblywizard@gmail.com> wrote in message
news:g5lhm8$igd$4@news.albasani.net...
> JB wrote:
> > ...
> > I used to use a BC variable cap hooked up to a throttle cable so I could
> > fine tune my Hamsticks, Yes it made a difference although I never gave
it a
> > Buck Rogers name.
> > ...
>
>
> That is a REAL shame, let's do that right now ...
>
> How about AITD? For "Alien Intelligence Tuning Device", you like that
name?
>
> Regards,
> JS

From 7042768220536032772

```
X-Google-Thread: 108122,281bd04a748550e4,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000pri.googlegroups.com!not-for-
mail
From: "www.urbanhotsale.net" <cnshoes84@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: china whole sale chanel fendi burberry amioi police sunglasses,ugg
     boots
Date: Fri, 18 Jul 2008 18:17:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <351b0832-de32-4224-8995-4905f9a847cb@j33g2000pri.googlegroups.com>
NNTP-Posting-Host: 222.77.200.116
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1216430241 23183 127.0.0.1 (19 Jul 2008 01:17:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 19 Jul 2008 01:17:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000pri.googlegroups.com; posting-host=222.77.200.116;
     posting-account=8fFeYAoAAABGYqo5XRvquUsZkNVUozO4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:363

Discount Coach Sandals, Dior Sandals, Prada  Sandals, Chanel Sandals,
Versace Sandals, Crocs Sandals, Women's Sandals Men's Slippers From
China
 Discount, Prada Sunglasses, Discount, D&G Sunglasses, Discount,
Fendi
Sunglasses,Discount,Burberry Sunglasses Discount, Chanel Sunglasses
Discount, LVSunglasses Discount, Dior Sunglasses Discount, (G U C C
I ) Sunglasses Discount, Armani Sunglasses Discount, Versace
SunglassesDiscount, A&F Sunglasses Discount, LV Sunglasses

For more products pls visit:
http://groups.google.com/group/sci.engr.television.broadcast/browse_thread/thread/
6eb9bed7645ab589/8b1c58a3a2cf0d19



From 23975467342848869
X-Google-Thread: 108122,e47f2dabb1e3b28b,start
X-Google-Thread: 1109af,e47f2dabb1e3b28b,start
X-Google-Attributes: gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feed.cgocable.net!
read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: WANTED:  Heathkit HX-20 SSB Transmitter
```

Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <4Sbgk.24118$Mc.4522@read1.cgocable.net>
Date: Fri, 18 Jul 2008 21:57:12 -0400
NNTP-Posting-Host: 24.141.81.109
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1216432640 24.141.81.109 (Fri, 18 Jul 2008 21:57:20 EDT)
NNTP-Posting-Date: Fri, 18 Jul 2008 21:57:20 EDT
Organization: Cogeco Cable
Xref: g2news1.google.com rec.radio.amateur.equipment:364 rec.radio.swap:361

Looking for a Heathkit HX-20 SSB Transmitter...will accept the matching
HR-20 Receiver & P/S if the set is available
Please contact me with details
Tnx...Norm VE3CZI

From 1814030105812177611
X-Google-Thread: 108228,3327c357501dd3b5,start
X-Google-Thread: 1109af,3327c357501dd3b5,start
X-Google-Thread: 108122,3327c357501dd3b5,start
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!
newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!newsgate.cistron.nl!xs4all!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: AC <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: Index Labs QRP Plus transceiver
Message-ID: <63c89183aea36c6430b1fa342b954a54@pseudo.borked.net>
Date: Fri, 18 Jul 2008 20:41:20 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:110 rec.radio.swap:363
rec.radio.amateur.equipment:365

http://snipr.com/QRPplus

From -7263579371952884203
X-Google-Thread: 108228,3327c357501dd3b5
X-Google-Thread: 1109af,3327c357501dd3b5
X-Google-Thread: 108122,3327c357501dd3b5
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news3.google.com!news2.google.com!npeer01.iad!news.highwinds-media.com!feed-me.highwinds-media.com!post01.iad!newsfe02.iad.POSTED!7564ea0f!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
References: <63c89183aea36c6430b1fa342b954a54@pseudo.borked.net>
Subject: Re: Index Labs QRP Plus transceiver
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <kfmgk.400$JK7.285@newsfe02.iad>
NNTP-Posting-Host: 72.209.25.33
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe02.iad 1216475216 72.209.25.33 (Sat, 19 Jul 2008 13:46:56 UTC)
NNTP-Posting-Date: Sat, 19 Jul 2008 13:46:56 UTC
Organization: Cox
Date: Sat, 19 Jul 2008 09:46:44 -0400
Xref: g2news1.google.com alt.ham-radio.marketplace:112 rec.radio.swap:365 rec.radio.amateur.equipment:366

Wowzer, a radiomart special!

"AC" <nobody@pseudo.borked.net> wrote in message news:63c89183aea36c6430b1fa342b954a54@pseudo.borked.net...
> http://snipr.com/QRPplus
>

From 1143523883496799562
X-Google-Thread: 108122,3df45fc04584314f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w39g2000prb.googlegroups.com!not-for-mail
From: tinku <gsrinivasulu8@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hardware-information-arts
Date: Sat, 19 Jul 2008 17:20:05 -0700 (PDT)
Organization: http://groups.google.com
Lines: 28
Message-ID: <a46cd347-08bc-4ed3-9d8a-03a66aa87800@w39g2000prb.googlegroups.com>
NNTP-Posting-Host: 121.246.172.21
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1216513205 6276 127.0.0.1 (20 Jul 2008 00:20:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 20 Jul 2008 00:20:05 +0000 (UTC)

```
Complaints-To: groups-abuse@google.com
Injection-Info: w39g2000prb.googlegroups.com; posting-host=121.246.172.21;
     posting-account=H89kSwoAAAAPUsGaL2xZuuhiHYfffhBi
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9)
     Gecko/2008052906 Firefox/3.0,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:368

Three layers
http://freedownloadablebooks.blogspot.com/2008/03/three-layers.html
Sound installation
http://freedownloadablebooks.blogspot.com/2008/03/sound-installation.html
Video installation
http://freedownloadablebooks.blogspot.com/2008/03/video-installation.html
Installation art
http://freedownloadablebooks.blogspot.com/2008/03/installation-art.html
Interactive art
http://freedownloadablebooks.blogspot.com/2008/03/interactive-art.html
Some Examples of Digital Poetry
http://freedownloadablebooks.blogspot.com/2008/03/some-examples-of-digital-
poetry.html
Internet art
http://freedownloadablebooks.blogspot.com/2008/03/internet-art.html
Sound art
http://freedownloadablebooks.blogspot.com/2008/03/sound-art.html
Video art
http://freedownloadablebooks.blogspot.com/2008/03/video-art.html
Computer art
http://freedownloadablebooks.blogspot.com/2008/03/computer-art.html
Software art
http://freedownloadablebooks.blogspot.com/2008/03/software-art.html
Digital art
http://freedownloadablebooks.blogspot.com/2008/03/digital-art.html
Electronic art
http://freedownloadablebooks.blogspot.com/2008/03/electronic-art.html
New media art
http://freedownloadablebooks.blogspot.com/2008/03/new-media-art.html


From -8557479492972486211
X-Google-Thread: 108122,76e942694a42f9a3,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m73g2000hsh.googlegroups.com!not-for-
mail
From: sawman02@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED DIS-72 Hy Gain Beam
Date: Sat, 19 Jul 2008 17:30:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <e4bfe86f-9e82-4625-ac34-e3e144539ce5@m73g2000hsh.googlegroups.com>
NNTP-Posting-Host: 67.80.174.207
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1216513812 10124 127.0.0.1 (20 Jul 2008 00:30:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 20 Jul 2008 00:30:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000hsh.googlegroups.com; posting-host=67.80.174.207;
     posting-account=6WGPegkAAADfEiCmyH-GEIoZZGyER6c1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:369
```

WANT TO BUY: Hy Gain 2 Element 40 Meter Discoverer HF Beam Antenna
Contact w2npt@arrl.net

```
From 3754756479065248577
X-Google-Thread: fc8b1,822a2cfeb16b114c,start
X-Google-Thread: 108122,822a2cfeb16b114c,start
X-Google-Thread: 108228,822a2cfeb16b114c,start
X-Google-Thread: 1109af,822a2cfeb16b114c,start
X-Google-Attributes:
gidfc8b1,gid108122,gid108228,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e39g2000hsf.googlegroups.com!not-for-
mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.swap
Subject: FA: EIMAC 4CX1000A + 3lots 417A, 6197, Collins 12AU7 tubes
Date: Mon, 21 Jul 2008 07:42:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <5d23ec03-805c-49b0-8af9-ce9681e1782f@e39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1216651338 21378 127.0.0.1 (21 Jul 2008 14:42:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 21 Jul 2008 14:42:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e39g2000hsf.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.16)
     Gecko/20080702 Firefox/2.0.0.16,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:562
rec.radio.amateur.equipment:370 alt.ham-radio.marketplace:114 rec.radio.swap:374
```

All nice deals & cheep shipping>
http://cgi6.ebay.com/ws/eBayISAPI.dll?
MfcISAPICommand=ViewListedItems&userid=myradioroom&include=0&since=2&sort=3&rows=2
5

From -1671901328356222944
X-Google-Thread: 108122,16da6cbec976e142,start
X-Google-Thread: f7653,16da6cbec976e142,start
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!feeder.erje.net!
news.musoftware.de!wum.musoftware.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: QST review of up-to-date amateur equip ...
Date: Mon, 21 Jul 2008 23:09:52 -0700
Organization: albasani.net
Lines: 8
Message-ID: <g63tje$1cm$1@news.albasani.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net XzcR3keLRF1NQc3/
H4WW3zj1X0Ul0ApLysNd6jTNVtLytbUu29mLGaYI37gxbuSf9WmWKSqnFf7rd/
Ou6H7ig337NBxMAFLvMWs7QQ9EIZmrphh/v4RUb+mXGY2RUiXy
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Tue, 22 Jul 2008 06:09:50 +0000 (UTC)
X-User-ID: op4+tb1KZXxvVbmJI5HGGVcAh0lPvRivT3pDcyAhNbs=
Cancel-Lock: sha1:BRfK0lTZtISicu1aju1UU9cloW4=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: 3HBcOljg8/h9MS+P7TWtqjzSM7SRqHQmLCqjqqP9w7M=
Xref: g2news1.google.com rec.radio.amateur.equipment:371
rec.radio.amateur.digital.misc:16

http://www.flex-radio.com/

Just go down the page to:

FLEX-5000A July QST Product Review Now Available for Download

Regards,
JS

From 8088698831431727119
X-Google-Thread: 108122,af079a74ebd18b4,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d45g2000hsc.googlegroups.com!not-for-
mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment

Subject: HUGE lot of old wooden-bakelite-plastic radios, phonograghs, tape
decks, RCA Magazine Loaded Soundtape recorder, 4-track cartridges/decks, etc.
for sale-
Date: Tue, 22 Jul 2008 03:45:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 65
Message-ID: <5f21a614-d8b8-4000-8576-bcc4a6918af8@d45g2000hsc.googlegroups.com>
NNTP-Posting-Host: 209.74.37.146
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1216723533 12462 127.0.0.1 (22 Jul 2008 10:45:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Jul 2008 10:45:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d45g2000hsc.googlegroups.com; posting-host=209.74.37.146;
posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:372

http://shop.ebay.com/merchant/66-catalina_W0QQ_nkwZQQ_armrsZ1QQ_fromZQQ_mdoZ

WWII SIGNAL CORPS LANTERN-U.S.ARMY-MX290GV-VINTAGE-$$$$ 0 Bids $24.99
$45.00
Free 6d 14h 56m

16 TAPES LOT 4-TRACK CARTRIDGES-SINATRA-PETER,PAUL,MARY 0 Bids $24.99
$50.00
Free 6d 14h 56m

PHILCO MODEL 66 SUPERHETERODYNE ANTIQUE TUBE RADIO-$$$$ 0 Bids $49.98
$250.00
+$40.00 6d 14h 56m

PHILCO VINTAGE BAKELITE TELEVISION BOOSTER BOX-COMPLETE 0 Bids $9.98
+$10.00 6d 14h 56m

ANTIQUE CUNNINGHAM WOOD RADIO w/TUBES-parts/fix/restore 1 Bid $24.99
+$20.00 6d 14h 56m

AMPEX MICRO 85 STEREO CASSETTE RECORDER-INTEGRATED AMP-
MADE IN AUSTRIA-VINTAGE HIGH END DECK w/120 VAC MOTOR-$ 0 Bids $24.99
$50.00
+$20.00 6d 14h 56m

1930's WOODEN RADIO CATHEDRAL EXTERNAL SPEAKER-ANTIQUE- 1 Bid $24.99
+$20.00 6d 14h 56m

(6) RCA SOUNDTAPE MAGAZINE LOADED LARGE CASSETTE TAPES- 0 Bids $24.99
$125.00
+$10.00 6d 14h 56m

ZENITH LONG DISTANCE WAVE MAGNET SUITCASE TUBE RADIO-$$ 0 Bids $24.99
+$25.00 6d 14h 56m

FIRESTONE MODEL S-7403-3 WOOD RADIO-TUBES-parts/fix-$$$ 0 Bids $24.99
+$25.00 6d 14h 56m

MUNTZ 4-TRACK CARTRIDGE STEREO TAPE DECK W/MOUNT-NICE-$ 0 Bids $24.99
$100.00
+$30.00 6d 14h 56m

LOT OF (14) OLD PLASTIC-BAKELITE-ANTIQUE TUBE RADIOS-$$ 0 Bids $99.88
+$100.00 6d 14h 56m
STAR-LITE CLOCK RADIO
ADMIRAL MODEL 4L24N
ARVIN MODEL 544A
LAFAYETTE MODEL 519
ARVIN MODEL 55R27
GE MODEL 555
OLYMPIC-UNKNOWN MODEL
SILVERTONE MODEL 9005
STROMBERG CARLSON MODEL 1105
RADIOLA MODEL 61-8
ZENITH MODEL 7H02
ADMIRAL MODEL 6Q12-N
RCA VICTOR MODEL 1-X-592

RCA SOUNDTAPE MAGAZINE LOADED CASSETTE RECORDER-SCP2-$$
STEREO SINGLE ENDED TUBE AMP INSIDE W/6V6'S-VINTAGE AMP 0 Bids $99.88
$300.00
+$50.00 6d 14h 56m

STEWART ANTIQUE PHONOGRAPH-EARLY 1900's-parts/restore-$ 0 Bids $24.99
+$35.00 6d 14h 56m

```
From 1876706770245225727
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f63g2000hsf.googlegroups.com!not-for-
mail
From: Brian <kelly@dvol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: QST review of up-to-date amateur equip ...
Date: Tue, 22 Jul 2008 04:01:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <f1dd650c-ed2c-41fb-b1fa-a6ecaafbf19e@f63g2000hsf.googlegroups.com>
References: <g63tje$1cm$1@news.albasani.net>
NNTP-Posting-Host: 66.19.241.31
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1216724515 24337 127.0.0.1 (22 Jul 2008 11:01:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Jul 2008 11:01:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f63g2000hsf.googlegroups.com; posting-host=66.19.241.31;
     posting-account=v6e5QgkAAABdxi-t7BKDSW_J9tm5AYR_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:373
rec.radio.amateur.digital.misc:17

On Jul 22, 2:09 am, John Smith <assemblywiz...@gmail.com> wrote:
> http://www.flex-radio.com/
>
> Just go down the page to:
>
> FLEX-5000A July QST Product Review Now  Available for Download
>
> Regards,
> JS

Your point is ..........?

Brian w3rv


From 8464220998101146122
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: QST review of up-to-date amateur equip ...
Date: Tue, 22 Jul 2008 07:16:45 -0700
Organization: albasani.net
Lines: 20
Message-ID: <g64q49$ujb$1@news.albasani.net>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
s5Oo6jwsIoKV6TiAeVuNQa1w1knxEQ2RNQwCnZbsYen6d4D42LABRtL1cTmpIaIxbJzkp4S4inLnwh5+G/
2O4P+z/JeXrungK427nyNOcHSuj/L7rqPnYQkV+AYCTA/D
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Tue, 22 Jul 2008 14:16:42 +0000 (UTC)
```

```
X-User-ID: 5HFdATs8UjFDblp15HV8xPX/7fPJa/X1dURaUxmS50M=
In-Reply-To: <f1dd650c-ed2c-41fb-b1fa-a6ecaafbf19e@f63g2000hsf.googlegroups.com>
Cancel-Lock: sha1:7ZW2Djs0Mv3fg3AQfFWWJvzVdLw=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: NezMSrQp/XBpI9UxL/QH+amqIDCXvHEik/hZBdMxmxU=
Xref: g2news1.google.com rec.radio.amateur.equipment:374
rec.radio.amateur.digital.misc:18
```

Brian wrote:
> On Jul 22, 2:09 am, John Smith <assemblywiz...@gmail.com> wrote:
>> http://www.flex-radio.com/
>>
>> Just go down the page to:
>>
>> FLEX-5000A July QST Product Review Now Available for Download
>>
>> Regards,
>> JS
>
> Your point is ....?
>
> Brian w3rv

When I go and visit others shacks, it becomes clear there is a real and present need to provoke them too upgrade to modern equipment ...

Regards,
JS

```
From 8227892693160184344
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
newsfeed.freenet.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Spamm Trappe <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: QST review of up-to-date amateur equip ...
Date: 22 Jul 2008 15:12:25 GMT
Lines: 8
Message-ID: <slrng8bu6p.2llm.bit-bucket@shell.config.com>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com>
X-Trace: individual.net TpIrqkerqATQeksXnbY93Ap1+Y8jXc17wmW75dmiTaApNZibhw
Cancel-Lock: sha1:CbssbauggpFXAK9BzK1QZ1w7T2g=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:375
rec.radio.amateur.digital.misc:19
```

On Tue, 22 Jul 2008 04:01:55 -0700 (PDT), Brian wrote:
> On Jul 22, 2:09 am, John Smith <assemblywiz...@gmail.com> wrote:

>> http://www............
>
> Your point is ....?

His point was to SPAM his URL and direct traffic to it.
Which you succeeded in assisting by *REPOSTING* the damn spam.

```
From 2235530935119255472
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!news.musoftware.de!wum.musoftware.de!news.albasani.net!not-for-
mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: QST review of up-to-date amateur equip ...
Date: Tue, 22 Jul 2008 08:17:22 -0700
Organization: albasani.net
Lines: 17
Message-ID: <g64tlv$ujb$2@news.albasani.net>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com> <slrng8bu6p.2llm.bit-
bucket@shell.config.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
eD1RyQggz8gDiU+imenN6WObLVcqgKLGMPtPDj26GxHkrfqLJiacZupMCjF09W/
TuLqiuUlkBU4YSjtXVUrazbJAsuMZela89nwWA1Sf1ncUG0/4ckDRHvvdpAImluDa
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Tue, 22 Jul 2008 15:17:19 +0000 (UTC)
X-User-ID: Bti+cOPPluxcHfVTdZMA2HxG6qqHB7UadaZLzgpY59w=
In-Reply-To: <slrng8bu6p.2llm.bit-bucket@shell.config.com>
Cancel-Lock: sha1:aaxYt1JCeUWfwtsltdC4foGwzpA=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: LS4TcqcaDUwNIxVsb1pkL85HJw/f7gBpkTdZ2gSiGOE=
Xref: g2news1.google.com rec.radio.amateur.equipment:376
rec.radio.amateur.digital.misc:20
```

Spamm Trappe wrote:

> ...
> His point was to SPAM his URL and direct traffic to it.
> Which you succeeded in assisting by *REPOSTING* the damn spam.

LOL!

Where, exactly, would you expect posts about digital equipment--other
than a digital/equipment thread?

Maybe rec.radio.amateur.smokesignals?

Geesh, takes all types! :-(

Regards,
JS

```
From -8661054394571233822
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!npeer02.iad!news.highwinds-media.com!feed-me.highwinds-media.com!cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.freenet.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: QST review of up-to-date amateur equip ...
Date: Tue, 22 Jul 2008 08:31:17 -0700
Organization: albasani.net
Lines: 26
Message-ID: <g64ug1$ujb$3@news.albasani.net>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-a6ecaafbf19e@f63g2000hsf.googlegroups.com> <slrng8bu6p.2llm.bit-bucket@shell.config.com> <g64tlv$ujb$2@news.albasani.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net 3png0Pd3gz4w2uQIhiPPcS+1M3/C9IbLsWkOe5ieNqAyxc/l4w0NMa7zzgFNnzwoTU90Kc7kGMrZkQlZF+rhuIsl0nD4h45axpCwlvyZwLjJ+l1nA4jr+zODCpdIfqPG
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Tue, 22 Jul 2008 15:31:14 +0000 (UTC)
X-User-ID: inbi60Q2XhC+5xtmibI2G1u+bpMpJauecBqAcSKWgck=
In-Reply-To: <g64tlv$ujb$2@news.albasani.net>
Cancel-Lock: sha1:RgIcPUEOtZfURUCbIlQJPXbYyL0=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: 9fw1ZFn8zSvTvxDOkl4G9qraUcwznxtkmed+djOnXtc=
Xref: g2news1.google.com rec.radio.amateur.equipment:377 rec.radio.amateur.digital.misc:21
```

John Smith wrote:
> Spamm Trappe wrote:
>
>> ...
>> His point was to SPAM his URL and direct traffic to it.
>> Which you succeeded in assisting by *REPOSTING* the damn spam.
>
> LOL!
>
> Where, exactly, would you expect posts about digital equipment--other

> than a digital/equipment thread?
>
> Maybe rec.radio.amateur.smokesignals?
>
> Geesh, takes all types! :-(
>
> Regards,
> JS

If you failed to notice, the transceiver comes with open source software; Meaning, you can modify the software to operate with any digital data transfer protocol (modes, to the illiterate) which anyone can imagine.

Regards,
JS

From 7659415284991034222
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!news.musoftware.de!wum.musoftware.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: QST review of up-to-date amateur equip ...
Date: Tue, 22 Jul 2008 08:41:16 -0700
Organization: albasani.net
Lines: 20
Message-ID: <g64v2o$ujb$4@news.albasani.net>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-a6ecaafbf19e@f63g2000hsf.googlegroups.com> <slrng8bu6p.2llm.bit-bucket@shell.config.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
SKVYoBaj1Uglh6sjuaUtoEXCjE3BvufYsb6Yu2E6JBIvWoWwjGEAAMvfu8Yg2w3mdKIkLvOzydZ+7vgS88
Pz1IVaVeUJbNDLe8eYBxwyUBfM3UMKrqsy2s3YYyZEcali
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Tue, 22 Jul 2008 15:41:13 +0000 (UTC)
X-User-ID: 90tTQm4zLlSEYrrxs5UGkvtUr7OJ5zqeBNpFbZq4lsI=
In-Reply-To: <slrng8bu6p.2llm.bit-bucket@shell.config.com>
Cancel-Lock: sha1:EH3kchkUPfnorL2BoJr1kzW3g2E=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: lTLz7b9nd52TWSWAj/ROIUaX4FySxJhjORk/ZqJVF1c=
Xref: g2news1.google.com rec.radio.amateur.equipment:378
rec.radio.amateur.digital.misc:22

Spamm Trappe wrote:

> ...
> His point was to SPAM his URL and direct traffic to it.
> Which you succeeded in assisting by *REPOSTING* the damn spam.

Yanno, the illogic of that statement overwhelms me. It makes me wonder
where people capable/prone-to making such statements come from?

I mean that statement presupposes that an interest in state-of-the-art
equipment is some sort of illicit/insane leaning which needs to be
ignored/attacked.

What, you are still awaiting the return of the spark-gap transmitters?
This all, only, sounds to me as if you wish burden others with your
preferences/likes/interests/beliefs/etc ... What? Everyone is an
amateur politician these days?

Regards,
JS

From -933995695841379588
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "kb9rqz" <mrak@puncemail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.digital.misc,rec.radio.amateur.policy
References: <g63tje$1cm$1@news.albasani.net>
Subject: Re: QST review of up-to-date amateur equip ...
Date: Tue, 22 Jul 2008 15:36:29 -0400
Lines: 4
Organization: i indeed punce
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
NNTP-Posting-Host: $$-dwiml-nmn1.news.x-privat.org
Message-ID: <488636c3@news.x-privat.org>
X-Complaints-To: abuse@x-privat.org
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!proxad.net!
feeder1-2.proxad.net!feeder.erje.net!x-privat.org!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:379
rec.radio.amateur.digital.misc:23 rec.radio.amateur.policy:5202

John Smith <assemblywizard@gmail.com> wrote:
can teh sapm

From 967902168465800593

```
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Thread: 10bf43,11bff83011dad587
X-Google-Attributes: gid108122,gidf7653,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "kb9rqz" <mrak@puncemail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.digital.misc,rec.radio.amateur.polic
y
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com> <slrng8bu6p.2llm.bit-
bucket@shell.config.com> <g64v2o$ujb$4@news.albasani.net>
Subject: Re: QST review of up-to-date amateur equip ...
Date: Tue, 22 Jul 2008 15:38:17 -0400
Lines: 5
Organization: i indeed punce
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
NNTP-Posting-Host: $$-dwiml-nmn1.news.x-privat.org
Message-ID: <4886372e$1@news.x-privat.org>
X-Complaints-To: abuse@x-privat.org
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
newsfeed.straub-nv.de!x-privat.org!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:380
rec.radio.amateur.digital.misc:24 rec.radio.amateur.policy:5203

John Smith <assemblywizard@gmail.com> wrote:
can teh sapm






From 4497900661512485250
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "kb9rqz" <mrak@puncemail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.digital.misc,rec.radio.amateur.polic
y
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com> <slrng8bu6p.2llm.bit-
bucket@shell.config.com> <g64tlv$ujb$2@news.albasani.net>
Subject: Re: QST review of up-to-date amateur equip ...
Date: Tue, 22 Jul 2008 15:42:55 -0400
Lines: 8
Organization: i indeed punce
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
NNTP-Posting-Host: $$-dwiml-nmn1.news.x-privat.org
Message-ID: <48863844@news.x-privat.org>
X-Complaints-To: abuse@x-privat.org
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.cs.univ-paris8.fr!x-privat.org!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:381
rec.radio.amateur.digital.misc:25 rec.radio.amateur.policy:5204
```

"John Smith" <assemblywizard@gmail.com> wrote in message
news:g64tlv$ujb$2@news.albasani.net...

> Maybe rec.radio.amateur.smokesignals?
>

afaeerall where their is smake their is fire

```
From -8593891840347544412
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: 10bf43,11bff83011dad587
X-Google-Attributes: gid108122,gid10bf43,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!l42g2000hsc.googlegroups.com!not-for-
mail
From: an old friend <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.digital.misc,rec.radio.amateur.polic
y
Subject: nothing so glamourous looks like he is just a check kiter
Date: Tue, 22 Jul 2008 14:25:50 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <c4329fb9-307e-4a40-9172-b090cf7201bc@l42g2000hsc.googlegroups.com>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-
a6ecaafbf19e@f63g2000hsf.googlegroups.com>
     <slrng8bu6p.2llm.bit-bucket@shell.config.com>
<g64tlv$ujb$2@news.albasani.net>
     <48863844@news.x-privat.org>
NNTP-Posting-Host: 66.82.9.110
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1216761951 3995 127.0.0.1 (22 Jul 2008 21:25:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Jul 2008 21:25:51 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l42g2000hsc.googlegroups.com; posting-host=66.82.9.110;
     posting-account=KMtInQoAAADyqpyVogjjHvJnhcPWkrRh
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:382
rec.radio.amateur.digital.misc:26 rec.radio.amateur.policy:5208

On Jul 22, 3:42=A0pm, "kb9rqz" <m...@puncemail.com> wrote:
> "
fake



From 5083617778283888122
X-Google-Thread: 108122,e31257a2da8e8f47,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z72g2000hsb.googlegroups.com!not-for-
mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: DOZENS of antique radios for sale-mics-CB's-short wave-audio-etc-old
     time collection from estate sale
Date: Wed, 23 Jul 2008 03:01:32 -0700 (PDT)
Organization: http://groups.google.com
Lines: 83
Message-ID: <6141ef0c-8eaa-41dd-a0b0-5480af25479a@z72g2000hsb.googlegroups.com>
NNTP-Posting-Host: 216.222.226.195
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1216807292 15992 127.0.0.1 (23 Jul 2008 10:01:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 Jul 2008 10:01:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z72g2000hsb.googlegroups.com; posting-host=216.222.226.195;
     posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
     4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:383

http://shop.ebay.com/merchant/66-catalina_W0QQ_nkwZQQ_armrsZ1QQ_fromZQQ_mdoZ



auction list has been updated- over 35 items for sale

more to come- there are (5) large wooden console units short wave/am/
fm/police to be listed soon

 16 TAPES LOT 4-TRACK CARTRIDGES-SINATRA-PETER,PAUL,MARY 0 Bids $24.99
$50.00
Free 5d 15h 34m
 WWII SIGNAL CORPS LANTERN-U.S.ARMY-MX290GV-VINTAGE-$$$$ 0 Bids $24.99
$45.00
Free 5d 15h 34m
```

PHILCO VINTAGE BAKELITE TELEVISION BOOSTER BOX-COMPLETE 0 Bids $9.98
+$10.00 5d 15h 34m
AMPEX MICRO 85 STEREO CASSETTE RECORDER-INTEGRATED AMP-
MADE IN AUSTRIA-VINTAGE HIGH END DECK w/120 VAC MOTOR-$ 0 Bids $24.99
$50.00
+$20.00 5d 15h 34m
1930's WOODEN RADIO CATHEDRAL EXTERNAL SPEAKER-ANTIQUE- 1 Bid $24.99
+$20.00 5d 15h 34m
(6) RCA SOUNDTAPE MAGAZINE LOADED LARGE CASSETTE TAPES- 0 Bids $24.99
$125.00
+$10.00 5d 15h 34m
PHILCO MODEL 66 WOODEN TOMBSTONE ANTIQUE RADIO-TUBES-$$ 0 Bids $49.98
$250.00
+$40.00 5d 15h 34m
ANTIQUE CUNNINGHAM WOOD RADIO w/TUBES-parts/fix/restore 1 Bid $24.99
+$20.00 5d 15h 34m
ANTIQUE WOODEN ASTATIC TV STATION CONTROLLER-1940-50's- 0 Bids $9.98
+$10.00 6d 14h 0m
(3) VINTAGE WALKIE-TALKIE CB RADIOS-ASSORTED MAKES-$$$$ 0 Bids $9.98
+$10.00 6d 15h 34m
STANDARD BRAND AM/FM STEREO TUNER-VINTAGE COMPONENT-$$$ 0 Bids $9.98
+$15.00 6d 15h 34m
VINTAGE RCA MODEL MI-12016G MICROPHONE w/CORD-rare-$$$$ 0 Bids $9.98
+$10.00 6d 15h 34m
WIPER MOTOR LINKAGE-GTC-CHEVELLE-GRAN SPORT-442-SKYLARK
CUTLASS-F85-SPECIAL-JUDGE-GT37-T37-MALIBU-SS396-SS454-$ 0 Bids $9.98
+$10.00 6d 15h 34m
VINTAGE ASTATIC D-104 MIC w/UG8 CHROME STAND-classic-$$ 0 Bids $9.98
+$10.00 6d 15h 34m
JULIETTE TOPPLAY CARTRIDGE PLAYER-2 TRACK ENDLESS LOOP-
SIMILAR TO PLAYTAPE-RARE VINTAGE AUDIO FORMAT PLAYER-$$ 0 Bids $9.98
+$10.00 6d 15h 34m
VINTAGE LIONEL-MULTI CONTROL TRAINMASTER TRANSFORMER-$$
25 VOLT OUTPUT w/ WHISTLE, DIRECTION, SPEED CONTROLS-VG 0 Bids $24.99
+$15.00 6d 15h 34m
BENDIX SAPPHIRE II ANTIQUE CAR RADIO-WHITE BUTTONS-part 0 Bids $9.98
+$10.00 6d 15h 34m
STEWART-WARNER MOD 07-5R5 ANTIQUE TUBE WOODEN RADIO-old 0 Bids $24.99
+$20.00 6d 15h 34m
FIRESTONE MODEL S-7403-3 WOOD RADIO-TUBES-parts/fix-$$$ 0 Bids $24.99
+$25.00 5d 15h 34m
MUNTZ 4-TRACK CARTRIDGE STEREO TAPE DECK W/MOUNT-NICE-$ 0 Bids $24.99
$100.00
+$30.00 5d 15h 34m
ZENITH LONG DISTANCE WAVE MAGNET SUITCASE TUBE RADIO-$$ 0 Bids $24.99
+$25.00 5d 15h 34m
RCA SOUNDTAPE MAGAZINE LOADED CASSETTE RECORDER-SCP2-$$
STEREO SINGLE ENDED TUBE AMP INSIDE W/6V6'S-VINTAGE AMP 1 Bid $99.88
+$50.00 5d 15h 34m
LOT OF (14) OLD PLASTIC-BAKELITE-ANTIQUE TUBE RADIOS-$$ 0 Bids $99.88
+$100.00 5d 15h 34m
STEWART ANTIQUE PHONOGRAPH-EARLY 1900's-parts/restore-$ 0 Bids $24.99
+$35.00 5d 15h 34m

RCA VICTOR MOD. 96T7 WOODEN RADIO W/TUBES-PARTS/RESTORE 0 Bids $24.99
+$35.00 6d 15h 34m
AIR KING MODEL 4602 WOODEN RADIO W/TUBES-parts/restore- 0 Bids $24.99
+$35.00 6d 15h 34m
ADMIRAL MOD.6RT43A-5B1A radio/phono-vintage-tubes-78rpm 0 Bids $24.99
+$35.00 6d 15h 34m
(2) MINIATURE VINTAGE RADIO/PHONOGRAPHS-VG CONDITION-$$ 0 Bids $24.99
+$25.00 6d 15h 34m
SPORTSMAN VINTAGE ENGRAVED CHROMED BAITCAST REEL-OLD-$$ 0 Bids $9.98
+$10.00 6d 15h 34m
SILVERTONE MODEL 7104 ANTIQUE WOOD RADIO w/tubes-NICE-$ 0 Bids $24.99
+$35.00 6d 15h 34m
HEATHKIT VIBRATION TESTER MODEL VT-1 VINTAGE-antique-$$ 0 Bids $9.98
+$15.00 6d 15h 34m
LAFAYETTE MODEL HB-111 VINTAGE TUBE AMPED CB RADIO-$$$$ 0 Bids $9.98
+$25.00 6d 15h 34m

From -393089441116945672
X-Google-Thread: 108122,16da6cbec976e142
X-Google-Thread: f7653,16da6cbec976e142
X-Google-Attributes: gid108122,gidf7653,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!140.99.99.194.MISMATCH!news-in-02.newsfeed.easynews.com!core-easynews!easynews.com!easynews!en-nntp-07.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: QST review of up-to-date amateur equip ...
Message-ID: <7o9e8414f1n37ku2gm7qmhj3vdr2mrmns9@4ax.com>
References: <g63tje$1cm$1@news.albasani.net> <f1dd650c-ed2c-41fb-b1fa-a6ecaafbf19e@f63g2000hsf.googlegroups.com> <slrng8bu6p.2llm.bit-bucket@shell.config.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Wed, 23 Jul 2008 08:45:50 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:384 rec.radio.amateur.digital.misc:27

On 22 Jul 2008 15:12:25 GMT, Spamm Trappe <bit-bucket@config.com>
wrote:

>On Tue, 22 Jul 2008 04:01:55 -0700 (PDT), Brian wrote:
>> On Jul 22, 2:09 am, John Smith <assemblywiz...@gmail.com> wrote:
>>> http://www.............

>>
>> Your point is ....?
>
>His point was to SPAM his URL and direct traffic to it.
>Which you succeeded in assisting by *REPOSTING* the damn spam.
I usally refrain from commenting on stuff like this but I gotta ask
today:
The groups posted to are
rec.radio.amateur.equipment,rec.radio.amateur.digital.misc

The url is pointing to a very high end transciever.

Just what is it that does not fit?
John Ferrell W8CCW

From -2129230345550463276
X-Google-Thread: 108122,d041fc5fca7135d9
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.islandhosting.com!
news.islandhosting.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Jul 2008 04:55:01 -0500
Message-Id: <6e85567660b7c7b621b8564cd275c91d@grapevine.islandnet.com>
From: Robert Smits <bob@rsmits.ca>
Subject: Re: Kenwood TS-830 S
Newsgroups: rec.radio.amateur.equipment
Reply-To: bob@rsmits.ca
Mail-Copies-To: bob@rsmits.ca
Date: Wed, 02 Jul 2008 02:53:47 -0700
References: <1cd92a35-7878-4f39-9a5e-6e902cf38208@x41g2000hsb.googlegroups.com>
<hbWdnf-dKfAgk8LVnZ2dnUVZ_qLinZ2d@comcast.com> <Z9y8k.8$wR.2@trnddc07>
User-Agent: KNode/0.10.9
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Organization: Organization is overrated
X-Tracking: 486B502A582306215E232B7F1A7E5D7E046653661C684B791F635C78
X-Report-Abuse-To: news@islandnet.com
X-NNRP-Cache: Grapevine 2.0 -- http://grapevine.islandnet.com/
Lines: 35
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 199.175.106.126
X-Trace: sv3-hjG20C/w2zyzT3IFJev8iaapzLkJTzEz3lsziMN7hafwoz/
aX0XIjgrI5ECKy6bKwJCMF7MLaLHxDuT!
wSBGRFxBBjA1ZczuVLaJ1b1X4KAeHYxUoLsoH0oOmFUlf6OPy1p1r0ehNRzYO3325gmCfa5o29hS!
5C+w9ps6w+aE3NC5t2EI0bVkF/VPvSQ6y4VwF/M=
X-Complaints-To: abuse@islandnet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly

X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:279

JB wrote:

>> >I am a fancier of the TS-830S transceiver and am searching for some
>> > historical facts..Anyone know how many were produced,Or,first and last
>> > serial numbers..I think they were first produced in August ,1980 and
>> > last advertised about July of 82 looks like about Two years of
>> > production ..Thanks   Harold W4PQW
>>
>> Has to be longer than that, I pruchase the TS-530S (the TS-830S was
> readily
>> avaialble) in the fall of 1983.
>>
>> w9gb
>>
> Got curious myself since I liked mine so much. Found this web page from
> SK that says "introduced in 1977"
> http://w4ti.net/ts-830.html
>
> On the TS-520_820_530_830 Yahoo Group a Kenwood tech was quoted "about
> 1979 - 1981". I thought I had a Ham Radio magazine from 1983 with the
> Gold
> model but I can't find it now. Others swear it was available as late as
> 1987. Please share on any info.

The TS-820S (and TS-520) came out in 1978. I got one soon after I got my ham
ticket. The TS-830 added the new WARC bands we didn't have in the
TS-820/TS-520 and 1981 sounds about right.

--
bob@rsmits.ca (Robert Smits, Ladysmith BC)

"I'm not one of those who think Bill Gates is the devil. I simply suspect
that if Microsoft ever met up with the devil, it wouldn't need an
interpreter." - Nicholas Petreley

From 6497197029181900113
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r66g2000hsg.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Wed, 2 Jul 2008 05:42:18 -0700 (PDT)
Organization: http://groups.google.com

Lines: 6
Message-ID: <52fc1cc4-417a-40a0-9e11-dd01b6ff477c@r66g2000hsg.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
<92419105-6fbe-4dbf-b971-7454304c514f@27g2000hsf.googlegroups.com>
<17c8be37-7531-42a2-b8e5-124dae1584cb@k13g2000hse.googlegroups.com>
<48565EB4.4010800@qrparci.org>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215002539 25026 127.0.0.1 (2 Jul 2008 12:42:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Jul 2008 12:42:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r66g2000hsg.googlegroups.com; posting-host=216.203.30.4;
posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:788 rec.radio.amateur.equipment:280
rec.radio.amateur.homebrew:304

> Appropriately, a CB radio, illegally modified. Only a CBer would fall for this
> "Speech Processor."

Yes, VoiceMax is selling well. We are unable to keep up with the
demand at this time. These units are back-ordered until late August08.

From -5655990108103062839
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Jul 2008 09:41:07 -0500
From: "Channel Cop" <nedrog@yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
<92419105-6fbe-4dbf-b971-7454304c514f@27g2000hsf.googlegroups.com>
<17c8be37-7531-42a2-b8e5-124dae1584cb@k13g2000hse.googlegroups.com>
<48565EB4.4010800@qrparci.org> <52fc1cc4-417a-40a0-9e11-
dd01b6ff477c@r66g2000hsg.googlegroups.com>
Subject: Re: VoiceMax Speech Processor...
Date: Wed, 2 Jul 2008 10:41:44 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198

```
X-RFC2646: Format=Flowed; Original
Message-ID: <wOKdnSGmo7UeDvbVnZ2dnUVZ_qLinZ2d@comcast.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.218.8
X-Trace:
sv3-63YL8LTNRUHDMQZ0gZf2xlRgtIRXZ4X7+mKcGPVMu6E9BOTgUc3lWCcttced8+OhhxnVYd0aIlKXQg
d!YOzDLVGw6hgDgaEm+EbFgKYdP1CDT6IM1z7rUbPuSoeIGkvUknU5l0/90ZNULQPssmTnfwanZN5/!
Ew6yHdprAvWOukzgnzEfTNr9SvhR
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.cb:793 rec.radio.amateur.equipment:281
rec.radio.amateur.homebrew:305
```

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:52fc1cc4-417a-40a0-9e11-dd01b6ff477c@r66g2000hsg.googlegroups.com...

>> Appropriately, a CB radio, illegally modified. Only a CBer would fall for
>> this
>> "Speech Processor."
>
> Yes, VoiceMax is selling well. We are unable to keep up with the
> demand at this time. These units are back-ordered until late August08.

sound more like the garbage that fell off of the BACK of the animal while it was taking a CRAP. OH - wait a minute - "back-ordered" - that is the convention that you go out and turn-around and order something?

>

```
From 2903357308392436775
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 03 Jul 2008 13:27:06 -0500
Message-ID: <486D19FD.9060507@qrparci.org>
Date: Thu, 03 Jul 2008 14:27:09 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 2.0.0.9 (X11/20080220)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
To: Telstar Electronics <briangriffey@sbcglobal.net>
```

```
Subject: Re: VoiceMax Speech Processor...
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <92419105-6fbe-4dbf-b971-7454304c514f@27g2000hsf.googlegroups.com>
     <17c8be37-7531-42a2-b8e5-124dae1584cb@k13g2000hse.googlegroups.com>
     <48565EB4.4010800@qrparci.org> <52fc1cc4-417a-40a0-9e11-
dd01b6ff477c@r66g2000hsg.googlegroups.com>
In-Reply-To: <52fc1cc4-417a-40a0-9e11-dd01b6ff477c@r66g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.98.102.223
X-Trace: sv3-XxJ41/
Ifv76c9XkWSNqGm3tGFSQlNQDsCpPemz44PmqLM2ckBu+qE6Vws2dC4YxByOOwdR6KBjVmh/v!
7gGU12CN60e4hgQBOvGlfMZk+vJYesbeuDccBRxYFk13fW29/j3AQXIsdnmUxyTFPICDhk9lT2aA!
3Ppbfz/w
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.cb:814 rec.radio.amateur.equipment:282
rec.radio.amateur.homebrew:310

Telstar Electronics wrote:
>> Appropriately, a CB radio, illegally modified. Only a CBer would fall for this
>> "Speech Processor."
>
> Yes, VoiceMax is selling well. We are unable to keep up with the
> demand at this time. These units are back-ordered until late August08.
>
Just another example of how many morons are passing the so-called "exams" these
days.


From -7496670709216695451
X-Google-Thread: 108122,49c77950527dad23,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s21g2000prm.googlegroups.com!not-for-
mail
From: "www.urbanhotsale.net" <cnshoes88@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: chanel evisu diesel shoes,nike airmax 87 90 95 180 2007 shoes
Date: Thu, 3 Jul 2008 20:14:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 12
Message-ID: <596eb03e-d220-4fd5-9210-6ec94d52e77a@s21g2000prm.googlegroups.com>
NNTP-Posting-Host: 222.77.203.247
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
```

```
X-Trace: posting.google.com 1215141268 7603 127.0.0.1 (4 Jul 2008 03:14:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 4 Jul 2008 03:14:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s21g2000prm.googlegroups.com; posting-host=222.77.203.247;
     posting-account=nF2zKgkAAAAowc5dTtV0CXn2Kkk4NMrv
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:283

Discount Coach Sandals, Dior Sandals, Prada  Sandals, Chanel Sandals,
Versace Sandals, Crocs Sandals, Women's Sandals Men's Slippers From
China
 Discount, Prada Sunglasses, Discount, D&G Sunglasses, Discount,
Fendi
Sunglasses,Discount,Burberry Sunglasses Discount, Chanel Sunglasses
Discount, LVSunglasses Discount, Dior Sunglasses Discount, (G U C C
I ) Sunglasses Discount, Armani Sunglasses Discount, Versace
SunglassesDiscount, A&F Sunglasses Discount, LV Sunglasses

For more products pls visit:
http://groups.google.is/group/rec.arts.mystery/browse_thread/thread/
548ece5c9792c35e



From -3212944250421044487
X-Google-Thread: 108122,2195aff407934a2f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s50g2000hsb.googlegroups.com!not-for-
mail
From: ebohnn@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS - ICOM - R7000 R-7000 Receiver/Scanner
Date: Sun, 6 Jul 2008 14:02:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 26
Message-ID: <8bf78aab-33d3-4458-b217-290532180f02@s50g2000hsb.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215378160 27169 127.0.0.1 (6 Jul 2008 21:02:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 6 Jul 2008 21:02:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s50g2000hsb.googlegroups.com; posting-host=66.177.6.190;
     posting-account=Xx-pBQoAAADiCoWBLs9Cz0bwNkswGSN1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
     Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:285
```

I have listed my Icom R7000 For Sale on ebay.

Click on this link to see the pictures:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=270253045776

Thanks for looking,

Bill

.

.

.

.

.

.

.

http://swissrailpasses.com

```
From -7672725135432305060
X-Google-Thread: 1109af,f95a3c97106d66ed,start
X-Google-Thread: 108122,f95a3c97106d66ed,start
X-Google-Thread: 10ed5f,f95a3c97106d66ed,start
X-Google-Thread: 108228,f95a3c97106d66ed,start
X-Google-Attributes:
gid1109af,gid108122,gid10ed5f,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!mail2news-
x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio,alt.ham-
radio.marketplace
Subject: eBay: COLLINS 851S-1 HF receiver
Message-ID: <ac66376bc7db3ec5752c442f9379c77e@pseudo.borked.net>
Date: Sun,  6 Jul 2008 20:14:25 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:307 rec.radio.amateur.equipment:286
alt.ham-radio:137 alt.ham-radio.marketplace:92
```

http://easyurl.net/Collins851S1

From -2694178549105029829
X-Google-Thread: fcc6e,622883f5255bbab,start
X-Google-Thread: 11480d,622883f5255bbab,start
X-Google-Thread: 108122,622883f5255bbab,start
X-Google-Thread: fc2a5,622883f5255bbab,start
X-Google-Thread: 10b9c8,622883f5255bbab,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1212818701@panix.com>
Followup-To: poster
Date: 7 Jul 2008 02:05:02 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Aug 2008 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1215410701@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1215410703 19812 166.84.1.2 (7 Jul 2008 06:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Jul 2008 06:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:1249 rec.radio.amateur.dx:65
rec.radio.amateur.equipment:287 rec.radio.amateur.homebrew:320 rec.radio.info:105

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

```
 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -8441463752266132418
X-Google-Thread: 108122,43a5c42927a755c8,start
X-Google-Thread: 1109af,43a5c42927a755c8,start
X-Google-Thread: 10b9c8,43a5c42927a755c8,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1212819001@panix.com>
Followup-To: poster
Date: 7 Jul 2008 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Aug 2008 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1215411000@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1215411001 11980 166.84.1.2 (7 Jul 2008 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
```

NNTP-Posting-Date: Mon, 7 Jul 2008 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:288 rec.radio.swap:308 rec.radio.info:106

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -4848033625681517682
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet

```
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
d77g2000hsb.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Mon, 7 Jul 2008 04:23:51 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <bf4c39a7-d6cf-46eb-bbbd-5ab1b9ae3eca@d77g2000hsb.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <92419105-6fbe-4dbf-b971-7454304c514f@27g2000hsf.googlegroups.com>
     <17c8be37-7531-42a2-b8e5-124dae1584cb@k13g2000hse.googlegroups.com>
     <48565EB4.4010800@qrparci.org> <52fc1cc4-417a-40a0-9e11-
dd01b6ff477c@r66g2000hsg.googlegroups.com>
     <wOKdnSGmo7UeDvbVnZ2dnUVZ_qLinZ2d@comcast.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1215429832 17172 127.0.0.1 (7 Jul 2008 11:23:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 7 Jul 2008 11:23:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d77g2000hsb.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:864 rec.radio.amateur.equipment:289
rec.radio.amateur.homebrew:321

On Jul 2, 9:41=A0am, "Channel Cop" <ned...@yahoo.com> wrote:
> sound more like the garbage that fell off of the BACK of the animal while=
 it
> was taking a CRAP. =A0OH - wait a minute - "back-ordered" - that is the
> convention that you go out and turn-around and order something?

Thanks for your comment. In regard to your email... more VoiceMax
modules will be available earlier than expected... around August 1st.
We should have a few left after the back-orders are sent out.

www.telstar-electronics.com



From 8573604620474843059
X-Google-Thread: 108122,fe0fe47a6457fa15,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f36g2000hsa.googlegroups.com!not-for-
mail
From: "www.0086wholesale.com" <myniceshoes7@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: china discount prada trainers,nike airmax ltd tn 87 90 95 180 shoes
Date: Mon, 7 Jul 2008 08:12:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 10
Message-ID: <a62e4372-578d-4b58-b204-d18596edac5b@f36g2000hsa.googlegroups.com>
NNTP-Posting-Host: 125.78.239.53
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215443530 27390 127.0.0.1 (7 Jul 2008 15:12:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 7 Jul 2008 15:12:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f36g2000hsa.googlegroups.com; posting-host=125.78.239.53;
     posting-account=njbcrgkAAADotqeEnGWitMZLw_KzYYDC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:291

www.0086wholesale.com
Discount Coach Sandals, Dior Sandals, Prada  Sandals, Chanel Sandals,
Versace Sandals, Crocs Sandals, Women's Sandals Men's Slippers From
China
 Discount, Prada Sunglasses, Discount, D&G Sunglasses, Discount,
Fendi
Sunglasses,Discount,Burberry Sunglasses Discount, Chanel Sunglasses
Discount, LVSunglasses Discount, Dior Sunglasses Discount, (G U C C
I ) Sunglasses Discount, ArmaniSunglasses Discount, Versace
SunglassesDiscount, A&F Sunglasses Discount, LV Sunglasses


From -6644563542556881466
X-Google-Thread: 108122,d709388aaf949143,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!34g2000hsf.googlegroups.com!not-for-
mail
From: joshhemming@fastmail.fm
Newsgroups: rec.radio.amateur.equipment
Subject: Isolation Transformer Purpose?
Date: Mon, 7 Jul 2008 19:23:16 -0700 (PDT)
Organization: http://groups.google.com
Lines: 15
Message-ID: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
NNTP-Posting-Host: 4.240.147.23
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215483796 19597 127.0.0.1 (8 Jul 2008 02:23:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 8 Jul 2008 02:23:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: 34g2000hsf.googlegroups.com; posting-host=4.240.147.23;
     posting-account=QmtYiAkAAAD8x_FZIcTukKyn1tz9-Y4N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:292
```

I'm not a ham operator! But I figure you guys can explain what an Isolation Transformer does.

I came up with one at an estate sale this weekend of a former TV repairman. Among the 1970s vintage test equipment and color bar generators was this xfmr. This unit says "Isolation Transformer 5 Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC, Secondary 120 VAC" on the other. It's about 8" square and as you can imagine, quite heavy.

I was guessing it keeps voltage spikes out of the equipment that's plugged into it, but then I saw some old posts in this group which mentions grounded chassis.

Do people who have fairly modern ham equipment still use these things?

```
From 9168154534489253771
X-Google-Thread: 108122,d709388aaf949143
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
out03a.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!KNOLOGY.NET-a2kHrUvQQWlmc!not-for-mail
From: "Barry" <n4buq@knology.net>
Newsgroups: rec.radio.amateur.equipment
References: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
Subject: Re: Isolation Transformer Purpose?
Date: Mon, 7 Jul 2008 21:45:18 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <79af7$4872d4c1$4c49d950$10313@KNOLOGY.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 32
X-Trace: 79af74872d4c1e9ec7cf510313
Xref: g2news1.google.com rec.radio.amateur.equipment:293
```

<joshhemming@fastmail.fm> wrote in message
news:abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com...

> I'm not a ham operator! But I figure you guys can explain what an
> Isolation Transformer does.

>
> I came up with one at an estate sale this weekend of a former TV
> repairman. Among the 1970s vintage test equipment and color bar
> generators was this xfmr. This unit says "Isolation Transformer 5
> Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC,
> Secondary 120 VAC" on the other. It's about 8" square and as you can
> imagine, quite heavy.
>
> I was guessing it keeps voltage spikes out of the equipment that's
> plugged into it, but then I saw some old posts in this group which
> mentions grounded chassis.
>
> Do people who have fairly modern ham equipment still use these things?

They are useful for older equipment where it is convenient to have the 120V supply "floating" above ground. In other words, there is 120VAC potential across the transformer, but neither leg has potential from that leg to ground. They are used on the bench where "hot" chassis poses a shock risk/hazard. They are also handy where "leaky" bypass capacitors across the AC line cause GFIs to trip (as in radios such as R390A). I have a 1KVA unit and used it quite often. It does little for shielding against spikes or other line noise.

Good find.

Barry - N4BUQ

```
From -8865360902757597034
X-Google-Thread: 108122,d709388aaf949143
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 07 Jul 2008 21:47:28 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
Subject: Re: Isolation Transformer Purpose?
Date: Mon, 7 Jul 2008 22:47:57 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>
Lines: 35
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-0bPaMqXwneM9Q9yDyQSFc03OhL2Fknw2d88/
```

zFRBAGCWoM3PQITTksszhNX5qT7ivDmAGiIOQAOXlMa!
YWFCI5iYaUVBp1em1tngsdwa1ulKVf4qrNZHo0cVGxvmjGu6wXxv07ESfSfNfqqzCOEZMK+86Rs5!
yELysdN8nTb+3BGLe88jJGkXT84+d0l0BuBMuw==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:294

<joshhemming@fastmail.fm> wrote in message
news:abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com...

> I'm not a ham operator! But I figure you guys can explain what an Isolation Transformer does.
>
> I came up with one at an estate sale this weekend of a former TV repairman. Among the 1970s vintage test equipment and color bar generators was this xfmr. This unit says "Isolation Transformer 5 Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC, Secondary 120 VAC" on the other. It's about 8" square and as you can imagine, quite heavy.
>
> I was guessing it keeps voltage spikes out of the equipment that's plugged into it, but then I saw some old posts in this group which mentions grounded chassis.
>
> Do people who have fairly modern ham equipment still use these things?

The transformer is not to keep out the spikes. Some of the older equipment (vacuum tubes) did not have transfromers in them and one side of the chassie was connected to the neutral side of the power plug. If the house receptical was not wired correctly or if the plug was put in backwards then the chassie of the equipment would be connected to the hot wire and if you touched it and were grounded you would get shocked or worse and could die.

Sometimes when testing equipment without a transformer in it the isolation transformer was used to make sure the grounded chassie would not be connected to the hot side of the incomming AC power.
Many times the test equipment would have its chassie connected to the ground and the chassie of the two pieces of equipment would be connected together.

Modern equipment with transistors seldom have this problem.

From 2129827864911968388
X-Google-Thread: 108122,91e5ae13b8b3cfc0,start
X-Google-Thread: fc8b1,91e5ae13b8b3cfc0,start
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!

nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 Jul 2008 07:26:51 -0500
Date: Tue, 08 Jul 2008 08:26:51 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 2.0.0.12 (X11/20071114)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: KW2000B for sale
X-Enigmail-Version: 0.95.6
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <IcadnZZ0bYSWwO7VnZ2dnUVZ_gmdnZ2d@comcast.com>
Lines: 3
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.98.102.223
X-Trace: sv3-A42ySmEnVEfRakesIu08r/
4lPO9jKyxHLqBiK2I3mj4NZydh90T1kVyhiRshbmqxAXkQ2O6XA1W1pDh!
jcp3uDrPBjhmPzuScNDxX03KKZHMsCCYNxYWuurDMF8UVWNCKvZ+qVt9yxsH3OTOIuMyjjs1n4za!
awyR5z6qzDSzlCseQrZs7OUnC1QimA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:295 rec.radio.amateur.boatanchors:464

Excellent condition. Available in the US. Ship to US and Canada only!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230267922903

From 8424812087875979716
X-Google-Thread: 108122,91e5ae13b8b3cfc0
X-Google-Thread: fc8b1,91e5ae13b8b3cfc0
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 Jul 2008 08:21:08 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Tue, 08 Jul 2008 06:21:07 -0700
Subject: Re: KW2000B for sale
From: Don Bowey <dbowey@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Message-ID: <C498B7D3.BD665%dbowey@comcast.net>
References: <IcadnZZ0bYSWwO7VnZ2dnUVZ_gmdnZ2d@comcast.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 9

```
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.193.160.217
X-Trace: sv3-p9pUqYDuQUicFBT3tc0ss+0jqLTL1TtntrU+9cg2isnOP4JLYAFYSOG/
lBrNVIm6YfiK8oGPDeoXMOZ!
vs6Vg37BPJJL2CoidMfWq0GejJ8BYo6/5U4xrIPUZQV0em4+KpJxjfDmgXOfl509drF4Gewaeyrt!
5g8ExdwyKwNFOYo9
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:296
rec.radio.amateur.boatanchors:465
```

On 7/8/08 5:26 AM, in article IcadnZZ0bYSWwO7VnZ2dnUVZ_gmdnZ2d@comcast.com,
"NoMoreSpam" <Disgustedham@qrparci.org> wrote:

> Excellent condition. Available in the US. Ship to US and Canada only!
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230267922903

It very much appears to be "for auction," not "for sale."

```
From 129787973705905210
X-Google-Thread: 108122,5ea0615e91e1f53,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 Jul 2008 17:13:27 -0500
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD: HP 5354A PLUG-IN
Date: Tue, 08 Jul 2008 15:13:30 -0700
Reply-To: w1ksz@earthlink.net
Message-ID: <sip774p2pppbmkuaule1egdp4p6iu3fg7q@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.164.76.30
X-Trace: sv3-CEGpW6I/vzlbhoOm4jX1aS770IROy9iSo/
HWUQXiUfNADDS43WjjYlUdMzck5bdt6HqDQe0pHHhozMC!3vPQXx3Fe+/
A3yaEydRDcW+Sf8WrpMbBXQrOj7xpA3tH/jfMLwVVVl9PoeD2nc3xHjVhhfk52OiH!nIKQ7BpaWC0LsVlU
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

```
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:297

Anyone have one they will part with ?

Tnx, Dick, W1KSZ


From -7456862352278809418
X-Google-Thread: 108122,85b02589ea7d648f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!postnews.google.com!
x41g2000hsb.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help needed: Icom IC-781
Date: Tue, 8 Jul 2008 18:42:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <793114a9-4675-4b8d-8b88-a7989f920083@x41g2000hsb.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215567775 4661 127.0.0.1 (9 Jul 2008 01:42:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 9 Jul 2008 01:42:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x41g2000hsb.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
     Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:298

Hi all;
Well I never thought this would happen but I unpacked my Icom 781
after 3 years in its box(moved to 4-land).
Today I took it out & put in place on my desk.
Fired it up & initially it seemed fine, full output, 150 watts, Audio
adjusted fine, received great.
After a short while of familiarizing myself with the controls, I
started to notice power dropping off. Bad Cable I thought so I changed
it & it was fine for a short time then did the same thing, no output,
ALC meter pins to the right on mike key up. Another bad cable? I slid
it back out again & changed the Coax cable again. Seemed fine but then
started over.
I got sorta annoyed & took a break, came back 2 hours later and was
perfect again but after 45 minutes it started again. Power dropping
off, finally nothing out, ALC meter pins on mike key-up but the PO on
meter shows fine but outboard meter shows zero.
  Anyone have any ideas?
```

I'd hate to have to send this out:-(
73 & tnx,
Rich WA2RQY

From -7209789250784628308
X-Google-Thread: 108122,d709388aaf949143
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
news.cse.ohio-state.edu!usenet01.sei.cmu.edu!elk.ncren.net!newsflash.concordia.ca!
pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Isolation Transformer Purpose?
Date: Wed, 09 Jul 2008 12:22:09 GMT
Organization: some
Lines: 42
Message-ID: <g52ahg$54i$1@usenet01.srv.cis.pitt.edu>
References: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
<SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1215606128 5266 136.142.52.90 (9 Jul 2008
12:22:08 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Wed, 9 Jul 2008 12:22:08 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:299

In article <SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>, "Ralph Mowery"
<rmowery28146@earthlink.net> wrote:
>
><joshhemming@fastmail.fm> wrote in message
>news:abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com...
>> I'm not a ham operator! But I figure you guys can explain what an
>> Isolation Transformer does.
>>
>> I came up with one at an estate sale this weekend of a former TV
>> repairman. Among the 1970s vintage test equipment and color bar
>> generators was this xfmr. This unit says "Isolation Transformer 5
>> Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC,
>> Secondary 120 VAC" on the other. It's about 8" square and as you can
>> imagine, quite heavy.
>>
>> I was guessing it keeps voltage spikes out of the equipment that's
>> plugged into it, but then I saw some old posts in this group which
>> mentions grounded chassis.
>>
>> Do people who have fairly modern ham equipment still use these things?
>
>The transformer is not to keep out the spikes. Some of the older equipment
>(vacuum tubes) did not have transfromers in them and one side of the chassie
>was connected to the neutral side of the power plug. If the house

```
>receptical was not wired correctly or if the plug was put in backwards then
>the chassie of the equipment would be connected to the hot wire and if you
>touched it and were grounded you would get shocked or worse and could die.
>
>Sometimes when testing equipment without a transformer in it the isolation
>transformer was used to make sure the grounded chassie would not be
>connected to the hot side of the incomming AC power.
>Many times the test equipment would have its chassie connected to the ground
>and the chassie of the two pieces of equipment would be connected together.
>
>Modern equipment with transistors seldom have this problem.
>

Isolation transformers such as the ones Tripplite sells, do filter well.
They also eliminate the ground to line spike issue. One leg of the secondaries
is tied to ground, eliminating any differential noise.

greg




From -6216384611643795544
X-Google-Thread: 108122,d709388aaf949143
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer03.iad!news.highwinds-media.com!
feed-me.highwinds-media.com!news.glorb.com!news.cse.ohio-state.edu!
usenet01.sei.cmu.edu!elk.ncren.net!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Isolation Transformer Purpose?
Date: Wed, 09 Jul 2008 12:27:27 GMT
Organization: some
Lines: 51
Message-ID: <g52are$54i$2@usenet01.srv.cis.pitt.edu>
References: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
<SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>
<g52ahg$54i$1@usenet01.srv.cis.pitt.edu>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1215606446 5266 136.142.52.90 (9 Jul 2008
12:27:26 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Wed, 9 Jul 2008 12:27:26 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:300

In article <g52ahg$54i$1@usenet01.srv.cis.pitt.edu>, zekfrivo@zekfrivolous.com
(GregS) wrote:
>In article <SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>, "Ralph Mowery"
> <rmowery28146@earthlink.net> wrote:
>>
>><joshhemming@fastmail.fm> wrote in message
>>news:abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com...
```

>>> I'm not a ham operator! But I figure you guys can explain what an
>>> Isolation Transformer does.
>>>
>>> I came up with one at an estate sale this weekend of a former TV
>>> repairman. Among the 1970s vintage test equipment and color bar
>>> generators was this xfmr. This unit says "Isolation Transformer 5
>>> Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC,
>>> Secondary 120 VAC" on the other. It's about 8" square and as you can
>>> imagine, quite heavy.
>>>
>>> I was guessing it keeps voltage spikes out of the equipment that's
>>> plugged into it, but then I saw some old posts in this group which
>>> mentions grounded chassis.
>>>
>>> Do people who have fairly modern ham equipment still use these things?
>>
>>The transformer is not to keep out the spikes. Some of the older equipment
>>(vacuum tubes) did not have transfromers in them and one side of the chassie
>>was connected to the neutral side of the power plug. If the house
>>receptical was not wired correctly or if the plug was put in backwards then
>>the chassie of the equipment would be connected to the hot wire and if you
>>touched it and were grounded you would get shocked or worse and could die.
>>
>>Sometimes when testing equipment without a transformer in it the isolation
>>transformer was used to make sure the grounded chassie would not be
>>connected to the hot side of the incomming AC power.
>>Many times the test equipment would have its chassie connected to the ground
>>and the chassie of the two pieces of equipment would be connected together.
>>
>>Modern equipment with transistors seldom have this problem.
>>
>
>Isolation transformers such as the ones Tripplite sells, do filter well.
>They also eliminate the ground to line spike issue. One leg of the secondaries
>is tied to ground, eliminating any differential noise.
>
>greg

As Trip Lite says...

* Superior line noise reduction and spike suppression
* Faraday Shield offers 100% isolation from the input AC line
* Secondary neutral to ground bonding eliminates common mode noise
* Removes EMI/RFI noise, utility switching transients and background spikes
* Select models feature hospital-grade plug and receptacles

From -6585280976489295213
X-Google-Thread: 108122,d709388aaf949143
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!

```
newsfeed.yul.equant.net!newspeer.monmouth.com!newsswitch.lcs.mit.edu!
elk.ncren.net!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Isolation Transformer Purpose?
Date: Wed, 09 Jul 2008 12:30:10 GMT
Organization: some
Lines: 59
Message-ID: <g52b0g$54i$3@usenet01.srv.cis.pitt.edu>
References: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
<SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>
<g52ahg$54i$1@usenet01.srv.cis.pitt.edu> <g52are$54i$2@usenet01.srv.cis.pitt.edu>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1215606608 5266 136.142.52.90 (9 Jul 2008
12:30:08 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Wed, 9 Jul 2008 12:30:08 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:301
```

In article <g52are$54i$2@usenet01.srv.cis.pitt.edu>, zekfrivo@zekfrivolous.com
(GregS) wrote:
>In article <g52ahg$54i$1@usenet01.srv.cis.pitt.edu>, zekfrivo@zekfrivolous.com
> (GregS) wrote:
>>In article <SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>, "Ralph Mowery"
>> <rmowery28146@earthlink.net> wrote:
>>>
>>><joshhemming@fastmail.fm> wrote in message
>>>news:abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com...
>>>> I'm not a ham operator! But I figure you guys can explain what an
>>>> Isolation Transformer does.
>>>>
>>>> I came up with one at an estate sale this weekend of a former TV
>>>> repairman. Among the 1970s vintage test equipment and color bar
>>>> generators was this xfmr. This unit says "Isolation Transformer 5
>>>> Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC,
>>>> Secondary 120 VAC" on the other. It's about 8" square and as you can
>>>> imagine, quite heavy.
>>>>
>>>> I was guessing it keeps voltage spikes out of the equipment that's
>>>> plugged into it, but then I saw some old posts in this group which
>>>> mentions grounded chassis.
>>>>
>>>> Do people who have fairly modern ham equipment still use these things?
>>>
>>>The transformer is not to keep out the spikes. Some of the older equipment
>>>(vacuum tubes) did not have transfromers in them and one side of the chassie
>>>was connected to the neutral side of the power plug. If the house
>>>receptical was not wired correctly or if the plug was put in backwards then
>>>the chassie of the equipment would be connected to the hot wire and if you
>>>touched it and were grounded you would get shocked or worse and could die.
>>>
>>>Sometimes when testing equipment without a transformer in it the isolation

```
>>>transformer was used to make sure the grounded chassie would not be
>>>connected to the hot side of the incomming AC power.
>>>Many times the test equipment would have its chassie connected to the ground
>>>and the chassie of the two pieces of equipment would be connected together.
>>>
>>>Modern equipment with transistors seldom have this problem.
>>>
>>
>>Isolation transformers such as the ones Tripplite sells, do filter well.
>>They also eliminate the ground to line spike issue. One leg of the secondaries
>>is tied to ground, eliminating any differential noise.
>>
>>greg
>
>As Trip Lite says...
>
>    *  Superior line noise reduction and spike suppression
>    * Faraday Shield offers 100% isolation from the input AC line
>    * Secondary neutral to ground bonding eliminates common mode noise
>    * Removes EMI/RFI noise, utility switching transients and background spikes
>    * Select models feature hospital-grade plug and receptacles

But, there are transformers without the bonding, as most service shops would use.
It would be easy to add a switch to bond either leg to ground. Might be handy.

greg



From -5420931869645137 36
X-Google-Thread: 108122,91e5ae13b8b3cfc0
X-Google-Thread: fc8b1,91e5ae13b8b3cfc0
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j22g2000hsf.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: KW2000B for sale
Date: Wed, 9 Jul 2008 12:38:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <cf6f405b-7354-46f4-8eed-926fb75cc79f@j22g2000hsf.googlegroups.com>
References: <IcadnZZ0bYSWwO7VnZ2dnUVZ_gmdnZ2d@comcast.com>
     <C498B7D3.BD665%dbowey@comcast.net>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215632323 32552 127.0.0.1 (9 Jul 2008 19:38:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 9 Jul 2008 19:38:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: j22g2000hsf.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
     Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:302
rec.radio.amateur.boatanchors:473

On Jul 8, 9:21 am, Don Bowey <dbo...@comcast.net> wrote:
> On 7/8/08 5:26 AM, in article IcadnZZ0bYSWwO7VnZ2dnUVZ_gmdn...@comcast.com,
>
> "NoMoreSpam" <Disgusted...@qrparci.org> wrote:
> > Excellent condition. Available in the US. Ship to US and Canada only!
>
> >http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230267922903
>
> It very much appears to be "for auction," not "for sale."

A nicely made radio anyway!
I once had a mint set of KW Electronics Twins.
The KW Altanta looks like a Swan 500, well similiar:-)
I shudda kept those as they were rare & beautifully made.
GL with the Auction.
Rich



From 574407135477852971
X-Google-Thread: 108122,1aef45ab03747b15,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 09 Jul 2008 15:03:52 -0500
From: KJ4DIY <KJ4DIY.2bacea1@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Antenn Tuners
Date: Wed, 9 Jul 2008 16:11:57 +0100
Message-ID: <KJ4DIY.2bacea1@radiobanter.com>
Organization: RadioBanter.com
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-WCUcGrmYJUm9/mTWL0ycAnwda8xsd2D9a6AI3UAorOBruwPZQ61G8kzyLN7ZHg/
cljxUh2xDVBtZXRh!iC4pe7pru5NvnoVr+8Q484OpIfFJsrEEpe3okW8yweD9BQUmENvq4pkD/
+61OT9CCQ0QSMPPARM0!ZQ0=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 7
Xref: g2news1.google.com rec.radio.amateur.equipment:303
```

I'm new to amateur radio.
I just passed my Extra Class test. (100%)
I need an antenna tuner for my G5RV-E dipole.
I�m running an ICOM IC-718 HF transceiver.
I was wondering if any one had some recommendations.
I don�t have a lot of money so I�m on a tight budget.
Any help would be greatly appreciated.

--
KJ4DIY

```
From -8789894747012597055
X-Google-Thread: 108122,1aef45ab03747b15
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!8c40745b!
not-for-mail
Reply-To: "Dale Parfitt" <parinc1@verizon.net>
From: "Dale Parfitt" <parinc1@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <KJ4DIY.2bacea1@radiobanter.com>
Subject: Re: Antenn Tuners
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <fzbdk.1157$al3.363@trnddc06>
Date: Wed, 09 Jul 2008 23:10:03 GMT
NNTP-Posting-Host: 72.71.117.144
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1215645003 72.71.117.144 (Wed, 09 Jul 2008 19:10:03 EDT)
NNTP-Posting-Date: Wed, 09 Jul 2008 19:10:03 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:304
X-Original-Bytes: 1467
```

"KJ4DIY" <KJ4DIY.2bacea1@radiobanter.com> wrote in message
news:KJ4DIY.2bacea1@radiobanter.com...
>
> I'm new to amateur radio.
> I just passed my Extra Class test. (100%)
> I need an antenna tuner for my G5RV-E dipole.
> I'm running an ICOM IC-718 HF transceiver.
> I was wondering if any one had some recommendations.

> I don't have a lot of money so I'm on a tight budget.
> Any help would be greatly appreciated.
> --
> KJ4DIY

My solution was to build my HF antennas so that they do not require a tuner
and its attendant losses.

Dale W4OP

From 2544551906363809962
X-Google-Thread: 108122,d709388aaf949143
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 09 Jul 2008 19:50:18 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
<SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>
<g52ahg$54i$1@usenet01.srv.cis.pitt.edu>
Subject: Re: Isolation Transformer Purpose?
Date: Wed, 9 Jul 2008 20:50:28 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <wNOdne0XsPFXwejVnZ2dnUVZ_oTinZ2d@earthlink.com>
Lines: 34
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-91i0Hii1DAikn/
JO8QC+GZzqxmrJMa8dT4UTWFgU0nCs70UxMGINdaS9YH890oGfEUw4ClTEUrgxwcx!
T19Z+M1JiB4atNqGA82Ie25RX88DsWOfQruGvPWCMnNWRBlqiaq5hxYd069tE4+Q4WrUcjg56i0H!
FicvJRpjQgaLUryHh8uaBaNyP0xSUqg8mBiEMA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:305

"GregS" <zekfrivo@zekfrivolous.com> wrote in message
news:g52ahg$54i$1@usenet01.srv.cis.pitt.edu...
> In article <SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>, "Ralph
> Mowery" <rmowery28146@earthlink.net> wrote:

```
>>
>><joshhemming@fastmail.fm> wrote in message
>>news:abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com...
>>> I'm not a ham operator!  But I figure you guys can explain what an
>>> Isolation Transformer does.
>>>
>>> I came up with one at an estate sale this weekend of a former TV
>>> repairman.  Among the 1970s vintage test equipment and color bar
>>> generators was this xfmr.  This unit says "Isolation Transformer 5
>>> Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC,
>>> Secondary 120 VAC" on the other.  It's about 8" square and as you can
>>> imagine, quite heavy.



>
> Isolation transformers such as the ones Tripplite sells, do filter well.
> They also eliminate the ground to line spike issue. One leg of the
> secondaries
> is tied to ground, eliminating any differential noise.
>
> greg
>

While there are transformers designed to keep out spikes and filter the
line, you have to look at the question.
 The transformer was mentioned was with test equipment.  Usually it is to
isolate the hot chassies, not to eliminate spikes and noise.





From 6475781666959393686
X-Google-Thread: 108122,1aef45ab03747b15
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.alt.net!news-
xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
References: <KJ4DIY.2bacea1@radiobanter.com>
Subject: Re: Antenn Tuners
Date: Wed, 9 Jul 2008 18:44:38 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Lines: 25
Message-ID: <48756989$0$17177$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 10 Jul 2008 01:44:42 GMT
NNTP-Posting-Host: 0098b70b.news.sonic.net
X-Trace:
```

```
DXC=<cZ8>mebfW\ech>6m1PIK]m4K\QM1CV^P1OYf0H`?;XQTd8Am[i1HfTU82S]RmJQeTCZGh7XU^FXRj
AJhVi0G1mW
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:306
```

I use an MFJ 949C tuner with my G5RV. Its not the best tuner
around, but it works fine and has been reliable. Probably the
least expensive tuner you'll find.

Congrats on the extra!
Steve W6SSP

"KJ4DIY" <KJ4DIY.2bacea1@radiobanter.com> wrote in message
news:KJ4DIY.2bacea1@radiobanter.com...

> I'm new to amateur radio.
> I just passed my Extra Class test. (100%)
> I need an antenna tuner for my G5RV-E dipole.
> I'm running an ICOM IC-718 HF transceiver.
> I was wondering if any one had some recommendations.
> I don't have a lot of money so I'm on a tight budget.
> Any help would be greatly appreciated.
>
>
>
>
> --
> KJ4DIY

```
From -5632309452268331422
X-Google-Thread: 108122,1aef45ab03747b15
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 10 Jul 2008 07:35:15 -0500
Reply-To: "Topaz305rk" <k7sam@arrl.net>
From: "Topaz305rk" <navajomt@nemont.net>
Newsgroups: rec.radio.amateur.equipment
References: <KJ4DIY.2bacea1@radiobanter.com> <fzbdk.1157$al3.363@trnddc06>
Subject: Re: Antenn Tuners
Date: Thu, 10 Jul 2008 06:35:12 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 080709-1, 07/09/2008), Outbound message
X-Antivirus-Status: Not-Tested
```

```
Message-ID: <X_ydnYt9J7CZn-vVnZ2dnUVZ_sednZ2d@vnet-inc.com>
Lines: 26
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-mOt91Y1fLpfBtp7JtVubGda4+X0hL/
LeU0p92awDmZgw6DLiyVizZ5nj4quST1vbUYPkb7p0P+YIkne!
2Jzy9r9O+f6tCYANB4aebcERJsrMUDQfhW04DfbdqiasnSxRnY+Ae1xjgOid6PD+baMLpFEwlMzV!
6bMCwjV7zwAmbB4DAkFE6hMQUuw=
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:307


"Dale Parfitt" <parinc1@verizon.net> wrote in message
news:fzbdk.1157$al3.363@trnddc06...
>
> "KJ4DIY" <KJ4DIY.2bacea1@radiobanter.com> wrote in message
> news:KJ4DIY.2bacea1@radiobanter.com...
>>
>> I'm new to amateur radio.
>> I just passed my Extra Class test. (100%)
>> I need an antenna tuner for my G5RV-E dipole.
>> I'm running an ICOM IC-718 HF transceiver.
>> I was wondering if any one had some recommendations.
>> I don't have a lot of money so I'm on a tight budget.
>> Any help would be greatly appreciated.
> > --
>> KJ4DIY
>
> My solution was to build my HF antennas so that they do not require a
> tuner and its attendant losses.
>
> Dale W4OP
>
>
Wow, that was a really helpful answer.




From -3790156869632429509
X-Google-Thread: 108122,91e5ae13b8b3cfc0
X-Google-Thread: fc8b1,91e5ae13b8b3cfc0
X-Google-Thread: 1109af,6daa723f0b8fedb0,start
X-Google-Thread: 108122,91e5ae13b8b3cfc0
X-Google-Attributes:
gid108122,gidfc8b1,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!panix3.panix.com!arthures
From: A <arthures@panix.com>
```

Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment
Subject: FYI, FWIW..the Grundig G5 SWL receiver
Date: Thu, 10 Jul 2008 10:07:51 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 79
Message-ID: <Pine.NEB.4.64.0807100933420.6406@panix3.panix.com>
References: <IcadnZZ0bYSWwO7VnZ2dnUVZ_gmdnZ2d@comcast.com>
NNTP-Posting-Host: panix3.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader1.panix.com 1215698872 8734 166.84.1.3 (10 Jul 2008 14:07:52 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 10 Jul 2008 14:07:52 +0000 (UTC)
In-Reply-To: <IcadnZZ0bYSWwO7VnZ2dnUVZ_gmdnZ2d@comcast.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:308
rec.radio.amateur.boatanchors:476 rec.radio.swap:323

Yesterday I bought, from a local Radio Shack, a Grundig G5 SWL receiver and found myself quite pleased with it and decided to share this with y'all. $150.

For some time I was looking for a replacement, new portable SWL receiver for my old GE portable SWL receiver (runs on 6 D cells, about the size of two big Kleenex boxes, and all of its switches, pots, varicaps are now all noisy as hell and hard to do anything with, plus other problems).

I was very interested to see, recently, that some (ham) handi-talkies now have SWL capability, and even SSB/CW capability. So, I was thinking about those, too, but the ones I asked about are about $300 each. More than I wanted to sink into a toy of this nature.

While in the RS store, they had a G5 sitting on the shelf and with good batteries in it (a good omen) and in ten minutes of fiddling with all the buttons to see how much I could figure out without reading the manual, I was encouraged to give it a try. You could not hear squat in the store, maybe because most of these new stores have metal 2x4s, metal roofs, and local electrical noise, but I had the hunch that maybe this thing was going to be decent.

Here's the short skinny: Its about the size of two king-sized cig packages. 4-AA cells. Comes with its own walwart AC supply.

Really nice performance on features I was interested in. the PLL local oscillators allow _continuous_ tunning from 150 kc to 29999 kc, on AM and SSB (and CW), and in one-kc readout steps on the digital frequency read out. For SSB and CW fine tuning, there is a vernier bandspread knob on the side which seems to give you something like a +/- 2 kc range for RIT, so you can get SSB stations tuned in if they are not on exact 1 kc frequencies (lovely!). It has an AM "bandswitch" button that cycles you up through starting frequencies of the major SW bands so you can tune to where you want to be more quickly. The manual tells how to do direct keyboard entry if you know the frequency you want to all digets, and that works, too. It also has 700 memories but I have not tried to learn the complicated process to use them.

So, sitting in my livingroom favorite chair (house is wood frame construction, no sheilding problems), I was tuning up and down the 80-75 meter to 20 meter CW and SSB bands, and with the built in three foot extendable "whip" antenna alone, was copying a large number of all of these stations (when the bands were open) all over. The frequency was also stable, at least over the time periods I was listening. Signal strength, receiver sensitivity was better than I expected.

There is a built in "S meter" with bar levels, but you only get five groups spread out from 1-9 (but, what else do you need?).

There is a two step switch for IF selectivity. Narrow (voice) and wide (music) that (I did not measure) feels like maybe 5-7 kc on narrow, maybe 10-15 on wide. You can easily tune both LSB and USB with the vernier frequency. But, in wall-to-wall crowded conditions, might give you trouble (qrm).

It also tunes the standard broadcast FM band (88-108), and in stereo.

There is a "local-dx" switch for attenuation for close, strong signals.

Downside: there are birdies and PLL noise all over the bands, poor image rejection below 550 kc, and birdies worse in some segments than others, but for the price and size, I'll live with that. There is a "lock" button that kills all access to anything and you have to read the manual to get it unlocked so don't push the lock button if you play with one. IIRC, you have to press and hold that button for more than 3 seconds to get it to unlock everything.

I had the impression that the receiver might be usable in a portable situation (eg motel, vacation) if you could bring a transmitter along and suitable antenna. The receiver has jacks for earphone, ext antenna, DC input, etc. An external narrow audio filter might help in the CW band if it is crowded.

Last but not least, I am not affiliated with Grundig, not related to anyone there in any way, this is not a post in response to some favor they did for me, in any way, shape or form. This is a pure FYI, FWIW "I was pleased with the unit" report and I'm going to have a lot of fun with it.

```
From 843268401740703124
X-Google-Thread: 108122,85b02589ea7d648f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!34g2000hsh.googlegroups.com!not-for-
mail
```

From: mrhaney <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help needed: Icom IC-781
Date: Thu, 10 Jul 2008 10:39:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <cbfada50-41ec-48f3-8ead-1e8c621ab7d3@34g2000hsh.googlegroups.com>
References: <793114a9-4675-4b8d-8b88-a7989f920083@x41g2000hsb.googlegroups.com>
NNTP-Posting-Host: 72.216.40.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1215711545 8249 127.0.0.1 (10 Jul 2008 17:39:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Jul 2008 17:39:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000hsh.googlegroups.com; posting-host=72.216.40.68;
posting-account=iDa5ggkAAADrhtwpj3fwoB8ZHtIo_pzj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
FunWebProducts; .NET CLR 2.0.50727; .NET CLR 3.0.04506.648; .NET CLR
3.5.21022),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:309

On Jul 8, 8:42=A0pm, wa2rqy <rlucch2...@aol.com> wrote:
> Hi all;
> Well I never thought this would happen but I unpacked my Icom 781
> after 3 years in its box(moved to 4-land).
> Today I took it out & put in place on my desk.
> Fired it up & initially it seemed fine, full output, 150 watts, Audio
> adjusted fine, received great.
> After a short while of familiarizing myself with the controls, I
> started to notice power dropping off. Bad Cable I thought so I changed
> it & it was fine for a short time then did the same thing, no output,
> ALC meter pins to the right on mike key up. Another bad cable? I slid
> it back out again & changed the Coax cable again. Seemed fine but then
> started over.
> I got sorta annoyed & took a break, came back 2 hours later and was
> perfect again but after 45 minutes it started again. Power dropping
> off, finally nothing out, ALC meter pins on mike key-up but the PO on
> meter shows fine but outboard meter shows zero.
> =A0 Anyone have any ideas?
> I'd hate to have to send this out:-(
> 73 & tnx,
> Rich WA2RQY

First get A 50 Ohm dummy load connected to the Xcvr.That may
tell you all you need to know..If it works on dummy load ,look into
your ant system,If no work on dummy load ,,Look at power supply and
see if PA is drawing current from the power supply..If you have no
load on PA the rig will shut down...You may just have several minor
problems ,,,not a major problem...GL W4PQW

```
From -7829602681770257210
X-Google-Thread: 108122,d709388aaf949143
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps83.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Isolation Transformer Purpose?
From: Panzer240 <panzer240@hotmail.com>
References: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
<SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>
<g52ahg$54i$1@usenet01.srv.cis.pitt.edu>
<wNOdne0XsPFXwejVnZ2dnUVZ_oTinZ2d@earthlink.com>
Organization: QAR
Message-ID: <Xns9AD7B70D584AFfw190a8@199.185.223.74>
User-Agent: Xnews/5.04.25
X-Face: $&/X$V,"S*#uz+{oLU'^h)QCF*4h'r$f("jr/$#M!Dt&CR9(9ju%ntlWj$kN7S{)n^fK'VC L|
TA8NouNwLeq~OD-&Y(=FdX+lD@%H%=7w-w*vaS79ke<Cs%n)'&dm#<Ktc6:_[FhYWae&YI/GLrpD
ehoTc4x)+XNdGI`,T((uEs~&1n0_5C2\\e[i|I%|cN6:]L%b5(WS}IiFEkC"q
X-Antivirus: avast! (VPS 080709-1, 07/09/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 47
Date: Thu, 10 Jul 2008 20:59:45 GMT
NNTP-Posting-Host: 24.222.252.75
X-Trace: edtnps83 1215723585 24.222.252.75 (Thu, 10 Jul 2008 14:59:45 MDT)
NNTP-Posting-Date: Thu, 10 Jul 2008 14:59:45 MDT
Xref: g2news1.google.com rec.radio.amateur.equipment:310

"Ralph Mowery" <rmowery28146@earthlink.net> wrote in
news:wNOdne0XsPFXwejVnZ2dnUVZ_oTinZ2d@earthlink.com:

> "GregS" <zekfrivo@zekfrivolous.com> wrote in message
> news:g52ahg$54i$1@usenet01.srv.cis.pitt.edu...
>> In article <SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>, "Ralph
>> Mowery" <rmowery28146@earthlink.net> wrote:
>>>
>>><joshhemming@fastmail.fm> wrote in message
>>>news:abba9e19-931b-4c77-b1e9-38218c607f78@
34g2000hsf.googlegroups.com...
>>>> I'm not a ham operator!  But I figure you guys can explain what an
>>>> Isolation Transformer does.
>>>>
>>>> I came up with one at an estate sale this weekend of a former TV
>>>> repairman.  Among the 1970s vintage test equipment and color bar
>>>> generators was this xfmr.  This unit says "Isolation Transformer 5
>>>> Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC,
>>>> Secondary 120 VAC" on the other.  It's about 8" square and as you can
>>>> imagine, quite heavy.
>
>
>>
>> Isolation transformers such as the ones Tripplite sells, do filter
>> well. They also eliminate the ground to line spike issue. One leg of
```

>> the secondaries
>> is tied to ground, eliminating any differential noise.
>>
>> greg
>>
>
> While there are transformers designed to keep out spikes and filter the
> line, you have to look at the question.
> The transformer was mentioned was with test equipment. Usually it is
> to
> isolate the hot chassies, not to eliminate spikes and noise.
>
>
>

And I might add was not identified ad being a Tripplite transformer. Since
it came from a TV reapir man's gear it was as you say to isolate the hot
chassis of some of the old time consumer electronics.

--
Panzer

```
From -3001210376232666467
X-Google-Thread: 108122,91e5ae13b8b3cfc0
X-Google-Thread: fc8b1,91e5ae13b8b3cfc0
X-Google-Thread: 1109af,6daa723f0b8fedb0
X-Google-Attributes: gid108122,gidfc8b1,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e53g2000hsa.googlegroups.com!not-for-
mail
From: Richie <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap
Subject: Re: FYI, FWIW..the Grundig G5 SWL receiver
Date: Thu, 10 Jul 2008 17:21:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 83
Message-ID: <f214f1a5-81e1-4a17-b83b-909d48f2e0c3@e53g2000hsa.googlegroups.com>
References: <IcadnZZ0bYSWwO7VnZ2dnUVZ_gmdnZ2d@comcast.com>
     <Pine.NEB.4.64.0807100933420.6406@panix3.panix.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215735682 12836 127.0.0.1 (11 Jul 2008 00:21:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 11 Jul 2008 00:21:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e53g2000hsa.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
```

X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
     Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:311
rec.radio.amateur.boatanchors:481 rec.radio.swap:324

On Jul 10, 10:07 am, A <arthu...@panix.com> wrote:
> Yesterday I bought, from a local Radio Shack, a Grundig G5 SWL receiver
> and found myself quite pleased with it and decided to share this with
> y'all. $150.
>
> For some time I was looking for a replacement, new portable SWL receiver
> for my old GE portable SWL receiver (runs on 6 D cells, about the size of
> two big Kleenex boxes, and all of its switches, pots, varicaps are now all
> noisy as hell and hard to do anything with, plus other problems).
>
> I was very interested to see, recently, that some (ham) handi-talkies now
> have SWL capability, and even SSB/CW capability. So, I was thinking about
> those, too, but the ones I asked about are about $300 each. More than I
> wanted to sink into a toy of this nature.
>
> While in the RS store, they had a G5 sitting on the shelf and with good
> batteries in it (a good omen) and in ten minutes of fiddling with all the
> buttons to see how much I could figure out without reading the manual, I
> was encouraged to give it a try. You could not hear squat in the store,
> maybe because most of these new stores have metal 2x4s, metal roofs, and
> local electrical noise, but I had the hunch that maybe this thing was
> going to be decent.
>
> Here's the short skinny: Its about the size of two king-sized cig
> packages. 4-AA cells. Comes with its own walwart AC supply.
>
> Really nice performance on features I was interested in. the PLL local
> oscillators allow _continuous_ tunning from 150 kc to 29999 kc, on AM and
> SSB (and CW), and in one-kc readout steps on the digital frequency read
> out. For SSB and CW fine tuning, there is a vernier bandspread knob on the
> side which seems to give you something like a +/- 2 kc range for RIT, so
> you can get SSB stations tuned in if they are not on exact 1 kc
> frequencies (lovely!). It has an AM "bandswitch" button that cycles you up
> through starting frequencies of the major SW bands so you can tune to
> where you want to be more quickly. The manual tells how to do direct
> keyboard entry if you know the frequency you want to all digets, and that
> works, too. It also has 700 memories but I have not tried to learn the
> complicated process to use them.
>
> So, sitting in my livingroom favorite chair (house is wood frame
> construction, no sheilding problems), I was tuning up and down the
> 80-75 meter to 20 meter CW and SSB bands, and with the built in three foot
> extendable "whip" antenna alone, was copying a large number of all of
> these stations (when the bands were open) all over. The frequency was also
> stable, at least over the time periods I was listening. Signal strength,
> receiver sensitivity was better than I expected.
>
> There is a built in "S meter" with bar levels, but you only get five

> groups spread out from 1-9 (but, what else do you need?).
>
> There is a two step switch for IF selectivity. Narrow (voice) and wide
> (music) that (I did not measure) feels like maybe 5-7 kc on narrow, maybe
> 10-15 on wide. You can easily tune both LSB and USB with the vernier
> frequency. But, in wall-to-wall crowded conditions, might give you
> trouble (qrm).
>
> It also tunes the standard broadcast FM band (88-108), and in stereo.
>
> There is a "local-dx" switch for attenuation for close, strong signals.
>
> Downside: there are birdies and PLL noise all over the bands, poor image
> rejection below 550 kc, and birdies worse in some segments than others,
> but for the price and size, I'll live with that. There is a "lock" button
> that kills all access to anything and you have to read the manual to get
> it unlocked so don't push the lock button if you play with one. IIRC, you
> have to press and hold that button for more than 3 seconds to get it to
> unlock everything.
>
> I had the impression that the receiver might be usable in a portable
> situation (eg motel, vacation) if you could bring a transmitter along and
> suitable antenna. The receiver has jacks for earphone, ext antenna, DC
> input, etc. An external narrow audio filter might help in the CW band if
> it is crowded.
>
> Last but not least, I am not affiliated with Grundig, not related to
> anyone there in any way, this is not a post in response to some favor
> they did for me, in any way, shape or form. This is a pure FYI, FWIW "I
> was pleased with the unit" report and I'm going to have a lot of fun with
> it.

I cannot understand why you changed the heading and not just start
your own posting to advertise this SS, modern receiver on the
Boatanchors forum?

From -4488781015292911O6
X-Google-Thread: 108122,91e5ae13b8b3cfc0
X-Google-Thread: fc8b1,91e5ae13b8b3cfc0
X-Google-Thread: 1109af,6daa723f0b8fedb0
X-Google-Attributes: gid108122,gidfc8b1,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.acm.uiuc.edu!
news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap
Subject: Re: FYI, FWIW..the Grundig G5 SWL receiver
Date: Thu, 10 Jul 2008 23:08:28 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 51
Sender: et472@72.0.192.97

Message-ID: <Pine.LNX.4.64.0807102258130.4984@darkstar.example.org>
References: <IcadnZZ0bYSWwO7VnZ2dnUVZ_gmdnZ2d@comcast.com>
 <Pine.NEB.4.64.0807100933420.6406@panix3.panix.com>
 <f214f1a5-81e1-4a17-b83b-909d48f2e0c3@e53g2000hsa.googlegroups.com>
NNTP-Posting-Host: 72.0.192.97
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1215745759 19261 72.0.192.97 (11 Jul 2008 03:09:19 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 11 Jul 2008 03:09:19 GMT
In-Reply-To: <f214f1a5-81e1-4a17-b83b-909d48f2e0c3@e53g2000hsa.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:312
rec.radio.amateur.boatanchors:489 rec.radio.swap:325

On Thu, 10 Jul 2008, Richie wrote:

> I cannot understand why you changed the heading and not just start
> your own posting to advertise this SS, modern receiver on the
> Boatanchors forum?
>

Who knows why he replied to an existing message, but obviously he
had to change the subject header because whatever message he replied
to wouldn't have been about this receiver.

He must be clueless, since he posted it to
   rec.radio.amateur.equipment
   rec.radio.amateur.boatanchors
   rec.radio.swap
   rec.radio.amateur.equipment
none of which really have relevance.

.equipment is about amateur radio equipment, and this isn't.

.boatanchors is about old and heavey equipment, and this isn't.

.swap is for buying and selling, and this isn't

I have no idea why he had .equipment twice in the newsgroup header.

And the one place where there is real relevance, rec.radio.shortwave
is missing.

And he seems to be saying it's a lousy receiver (all those birdies)
yet a good bargain.

Maybe he's saying that despite the digital readout it's about par
with all those low end junk shortwave receivers we had to put up
with forty years ago because it was all we could afford, even if
they were never appropriate for ham use with the ham bands taking up a
quarter inch or so each on the dial, and the backlash for the tuning
was so bad that you had to tune out of the band before you could tune

back in.

That Grundig Satellite 700 that I bought a month ago for 2.00 at the Rotary Club sale was a great bargain, and at least it is halfway old enough to be a boatanchor. All those years of going to rummage and garage sales and never seeing a shortwave receiver, and this is the second Grundig I've found (and bought) in three years. I wouldn't really use it as a serious ham band receiver, but it sure beats a lot of junk from the old days.

Michael VE2BVW

```
From 1027084843267884737
X-Google-Thread: 108122,924b4251ac66f337,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews7.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FRG-757
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Message-ID: <NkCdk.22572$LL4.12740@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbogbmhbdnaaolfjabjpnnlgomjdphhjaapif
eckepfagppmljikbdmgpabeimblhlopcjbopfflpbfgbkhjfdpalmeiaeemfchpafgfaaiineaepkk
NNTP-Posting-Date: Fri, 11 Jul 2008 01:37:49 EDT
Organization: BellSouth Internet Group
Date: Fri, 11 Jul 2008 01:41:09 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:313
```

I finally found my old relay box used for keying my amp. I did not find the paper sheet that came with it showing the connections. Three connections must be made, but there are five ports. I have hooked it up in what I consider to be the logical way, but my radio immediately returns to receive when keyed. I seem to remember a trick (alternate hook up) but do not wish to damage the radio via experimenting. I'm kind of goofy these days due to medications, so I don't trust myself to make the connections by intuition. I'm using an Ameritron AL-80A amplifier and a Yaesu FT-890/AT rig.

If someone could make a .jpg of this manual and email it to me via nm2k@arrl.net, I would appreciate it very, very much. Thanks.

Ed Cregger

```
From -85005685510852978
X-Google-Thread: 108122,1aef45ab03747b15
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.aset.psu.edu!not-
for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Antenn Tuners
Date: Fri, 11 Jul 2008 08:48:55 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 37
Message-ID: <g57krm$1du0$1@f04n12.cac.psu.edu>
References: <KJ4DIY.2bacea1@radiobanter.com> <fzbdk.1157$al3.363@trnddc06>
NNTP-Posting-Host: nat1.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1215780534 47040 128.118.40.76 (11 Jul 2008 12:48:54
GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Fri, 11 Jul 2008 12:48:54 +0000 (UTC)
User-Agent: Thunderbird 1.5.0.14 (Macintosh/20071210)
In-Reply-To: <fzbdk.1157$al3.363@trnddc06>
Xref: g2news1.google.com rec.radio.amateur.equipment:314
```

Dale Parfitt wrote:
> "KJ4DIY" <KJ4DIY.2bacea1@radiobanter.com> wrote in message
> news:KJ4DIY.2bacea1@radiobanter.com...
>> I'm new to amateur radio.
>> I just passed my Extra Class test. (100%)
>> I need an antenna tuner for my G5RV-E dipole.
>> I'm running an ICOM IC-718 HF transceiver.
>> I was wondering if any one had some recommendations.
>> I don't have a lot of money so I'm on a tight budget.
>> Any help would be greatly appreciated.
> > --
>> KJ4DIY
>
> My solution was to build my HF antennas so that they do not require a tuner
> and its attendant losses.

Helpful post, Dale!

Okay, Howard, the G5RV in in it's many incarnations does need a tuner
for multi-band operations.

I recommend one of the MFJ 94XX series tuners. They are very inexpensive. The caveat is that you may have to tighten a screw down here or there to get it running perfect. MFJ does have a decent warranty, and return policy to it's credit. I am using a 949E tuner at the present time.

You might consider at some point going to a general purpose dipole, which is as much wire as you can hang - within limits, feed it with ladder line, and use the tuner.

But your G5RV, and tuner will do well for you.

- 73 d eMike N3LI -

```
From -6827709391286216463
X-Google-Thread: 108122,d709388aaf949143
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!nrc-news.nrc.ca!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Isolation Transformer Purpose?
Date: Fri, 11 Jul 2008 14:33:00 GMT
Organization: some
Lines: 43
Message-ID: <g57quo$ekg$3@usenet01.srv.cis.pitt.edu>
References: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
<SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>
<g52ahg$54i$1@usenet01.srv.cis.pitt.edu>
<wNOdne0XsPFXwejVnZ2dnUVZ_oTinZ2d@earthlink.com>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1215786776 14992 136.142.52.90 (11 Jul 2008
14:32:56 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Fri, 11 Jul 2008 14:32:56 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:315
```

```
In article <wNOdne0XsPFXwejVnZ2dnUVZ_oTinZ2d@earthlink.com>, "Ralph Mowery"
<rmowery28146@earthlink.net> wrote:
>
>"GregS" <zekfrivo@zekfrivolous.com> wrote in message
>news:g52ahg$54i$1@usenet01.srv.cis.pitt.edu...
>> In article <SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>, "Ralph
>> Mowery" <rmowery28146@earthlink.net> wrote:
>>>
>>><joshhemming@fastmail.fm> wrote in message
>>>news:abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com...
>>>> I'm not a ham operator!  But I figure you guys can explain what an
```

>>>> Isolation Transformer does.
>>>>
>>>> I came up with one at an estate sale this weekend of a former TV
>>>> repairman. Among the 1970s vintage test equipment and color bar
>>>> generators was this xfmr. This unit says "Isolation Transformer 5
>>>> Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC,
>>>> Secondary 120 VAC" on the other. It's about 8" square and as you can
>>>> imagine, quite heavy.
>
>
>>
>> Isolation transformers such as the ones Tripplite sells, do filter well.
>> They also eliminate the ground to line spike issue. One leg of the
>> secondaries
>> is tied to ground, eliminating any differential noise.
>>
>> greg
>>
>
>While there are transformers designed to keep out spikes and filter the
>line, you have to look at the question.
> The transformer was mentioned was with test equipment. Usually it is to
>isolate the hot chassies, not to eliminate spikes and noise.

I was responding to someone who said it did not provide filtering. Regardless,
an isolation transformer should have an electrostatic shield between
the line and output, cutting down electrostatic conduction. Any standard isolation
transformer
sold in the US must have the secondary tied to ground by NEC code.
In all cases, you are isolating the mains from the equipment. Even if one leg of
the output
is grounded, its still isolated from the mains. The problem is if you put your
body within the
chassis somewhere.

greg

From 2204389923011577523
X-Google-Thread: 108122,d709388aaf949143
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.litech.org!
News.Dal.Ca!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Isolation Transformer Purpose?
Date: Fri, 11 Jul 2008 14:35:36 GMT
Organization: some
Lines: 52
Message-ID: <g57r3k$ekg$4@usenet01.srv.cis.pitt.edu>
References: <abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com>
<SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>

```
<g52ahg$54i$1@usenet01.srv.cis.pitt.edu>
<wNOdne0XsPFXwejVnZ2dnUVZ_oTinZ2d@earthlink.com>
<g57quo$ekg$3@usenet01.srv.cis.pitt.edu>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1215786932 14992 136.142.52.90 (11 Jul 2008
14:35:32 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Fri, 11 Jul 2008 14:35:32 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:316

In article <g57quo$ekg$3@usenet01.srv.cis.pitt.edu>, zekfrivo@zekfrivolous.com
(GregS) wrote:
>In article <wNOdne0XsPFXwejVnZ2dnUVZ_oTinZ2d@earthlink.com>, "Ralph Mowery"
> <rmowery28146@earthlink.net> wrote:
>>
>>"GregS" <zekfrivo@zekfrivolous.com> wrote in message
>>news:g52ahg$54i$1@usenet01.srv.cis.pitt.edu...
>>> In article <SvCdnQd6ifvcSO_VnZ2dnUVZ_rXinZ2d@earthlink.com>, "Ralph
>>> Mowery" <rmowery28146@earthlink.net> wrote:
>>>>
>>>><joshhemming@fastmail.fm> wrote in message
>>>>news:abba9e19-931b-4c77-b1e9-38218c607f78@34g2000hsf.googlegroups.com...
>>>>> I'm not a ham operator!  But I figure you guys can explain what an
>>>>> Isolation Transformer does.
>>>>>
>>>>> I came up with one at an estate sale this weekend of a former TV
>>>>> repairman.  Among the 1970s vintage test equipment and color bar
>>>>> generators was this xfmr.  This unit says "Isolation Transformer 5
>>>>> Amps, 600 Watts" on one side and "Isolation: Primary 120 VAC,
>>>>> Secondary 120 VAC" on the other.  It's about 8" square and as you can
>>>>> imagine, quite heavy.
>>
>>
>>>
>>> Isolation transformers such as the ones Tripplite sells, do filter well.
>>> They also eliminate the ground to line spike issue. One leg of the
>>> secondaries
>>> is tied to ground, eliminating any differential noise.
>>>
>>> greg
>>>
>>
>>While there are transformers designed to keep out spikes and filter the
>>line, you have to look at the question.
>> The transformer was mentioned was with test equipment.  Usually it is to
>>isolate the hot chassies, not to eliminate spikes and noise.
>
>I was responding to someone who said it did not provide filtering. Regardless,
>an isolation transformer should have an electrostatic shield between
>the line and output, cutting down electrostatic conduction. Any standard
> isolation transformer
>sold in the US must have the secondary tied to ground by NEC code.
```

>In all cases, you are isolating the mains from the equipment. Even if one leg
> of the output
>is grounded, its still isolated from the mains. The problem is if you put your
> body within the
>chassis somewhere.

I also would have to say a TEST equipment isolation transformer is
really needed for GROUND isolation perhaps more so that mains
isolation.

greg

```
From 2607772856778028013
X-Google-Thread: 108122,85b02589ea7d648f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
59g2000hsb.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help needed: Icom IC-781
Date: Fri, 11 Jul 2008 08:10:53 -0700 (PDT)
Organization: http://groups.google.com
Lines: 40
Message-ID: <18abe9a7-7d31-49c9-a2c6-a797324bd78b@59g2000hsb.googlegroups.com>
References: <793114a9-4675-4b8d-8b88-a7989f920083@x41g2000hsb.googlegroups.com>
     <cbfada50-41ec-48f3-8ead-1e8c621ab7d3@34g2000hsh.googlegroups.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215789053 10570 127.0.0.1 (11 Jul 2008 15:10:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 11 Jul 2008 15:10:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 59g2000hsb.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
     Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:317
```

On Jul 10, 1:39 pm, mrhaney <w4...@cox.net> wrote:
> On Jul 8, 8:42 pm, wa2rqy <rlucch2...@aol.com> wrote:
>
> > Hi all;
> > Well I never thought this would happen but I unpacked my Icom 781
> > after 3 years in its box(moved to 4-land).
> > Today I took it out & put in place on my desk.
> > Fired it up & initially it seemed fine, full output, 150 watts, Audio
> > adjusted fine, received great.
> > After a short while of familiarizing myself with the controls, I

```
> > started to notice power dropping off. Bad Cable I thought so I changed
> > it & it was fine for a short time then did the same thing, no output,
> > ALC meter pins to the right on mike key up. Another bad cable? I slid
> > it back out again & changed the Coax cable again. Seemed fine but then
> > started over.
> > I got sorta annoyed & took a break, came back 2 hours later and was
> > perfect again but after 45 minutes it started again. Power dropping
> > off, finally nothing out, ALC meter pins on mike key-up but the PO on
> > meter shows fine but outboard meter shows zero.
> >   Anyone have any ideas?
> > I'd hate to have to send this out:-(
> > 73 & tnx,
> > Rich WA2RQY
>
>       First get A 50 Ohm dummy load connected to the Xcvr.That may
> tell you all you need to know..If it works on dummy load ,look into
> your ant system,If no work on dummy load ,,Look at power supply and
> see if PA is drawing current from the power supply..If you have no
> load on PA the rig will shut down...You may just have several minor
> problems ,,,not a major problem...GL  W4PQW

Well I will try that but I have to add that I tried several Coax
jumpers, same problem, all other radios work fine on same antenna thru
same switches.
Now it seems to be just about permanent, in IC or ALC meter position,
the needle goes all the way to the right. I hate to say "pins" upon
mike key up:-(
I will try a Dummy load also!
tnx & 73....
Rich WA2RQY/4


From 150887748745512655
X-Google-Thread: 108122,924b4251ac66f337
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!34g2000hsf.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRG-757
Date: Fri, 11 Jul 2008 08:48:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com>
References: <NkCdk.22572$LL4.12740@bignews7.bellsouth.net>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215791282 17309 127.0.0.1 (11 Jul 2008 15:48:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 11 Jul 2008 15:48:02 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000hsf.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
     Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:318

On Jul 11, 1:41 am, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
> I finally found my old relay box used for keying my amp. I did not find the
> paper sheet that came with it showing the connections. Three connections
> must be made, but there are five ports. I have hooked it up in what I
> consider to be the logical way, but my radio immediately returns to receive
> when keyed. I seem to remember a trick (alternate hook up) but do not wish
> to damage the radio via experimenting. I'm kind of goofy these days due to
> medications, so I don't trust myself to make the connections by intuition.
> I'm using an Ameritron AL-80A amplifier and a Yaesu FT-890/AT rig.
>
> If someone could make a .jpg of this manual and email it to me via
> n...@arrl.net, I would appreciate it very, very much. Thanks.
>
> Ed Cregger

Or you can follow this?
Relay box marked "TX" goes to amp relay terminal that keys the amp.
Relay box "red" cable connects to 13.8vdc on rig, "Blue" cable
connects to PPT line on rig.
Hope this helps?
Rich WA2RQY/4


From 8584152766371063768
X-Google-Thread: 108228,58c713f985bbaaea,start
X-Google-Thread: 1109af,58c713f985bbaaea,start
X-Google-Thread: 108122,58c713f985bbaaea,start
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!newsgate.cistron.nl!xs4all!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: eBay: AMERITRON ALS-600 600W linear amplifier + power supply
Message-ID: <f8d1191411c2e4c1d0a60c2a2d3e22c4@pseudo.borked.net>
Date: Fri, 11 Jul 2008 12:21:00 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com alt.ham-radio.marketplace:730 rec.radio.swap:3207
rec.radio.amateur.equipment:2681

http://easyurl.net/ALS600
```

```
From 2586820649201046923
X-Google-Thread: 108122,924b4251ac66f337
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!not-for-
mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRG-757
Date: Fri, 11 Jul 2008 21:18:44 -0400
Organization: Aioe.org NNTP Server
Lines: 37
Message-ID: <g590pr$2dk$1@aioe.org>
References: <NkCdk.22572$LL4.12740@bignews7.bellsouth.net>
<6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com>
NNTP-Posting-Host: vAvOo3D5NM1pa2VF+BLd9g.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:2682
```

"wa2rqy" <rlucch2098@aol.com> wrote in message
news:6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com...

```
> On Jul 11, 1:41 am, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
>> I finally found my old relay box used for keying my amp. I did not find
>> the
>> paper sheet that came with it showing the connections. Three connections
>> must be made, but there are five ports. I have hooked it up in what I
>> consider to be the logical way, but my radio immediately returns to
>> receive
>> when keyed. I seem to remember a trick (alternate hook up) but do not
>> wish
>> to damage the radio via experimenting. I'm kind of goofy these days due
>> to
>> medications, so I don't trust myself to make the connections by
>> intuition.
>> I'm using an Ameritron AL-80A amplifier and a Yaesu FT-890/AT rig.
>>
>> If someone could make a .jpg of this manual and email it to me via
>> n...@arrl.net, I would appreciate it very, very much. Thanks.
>>
>> Ed Cregger
>
> Or you can follow this?
> Relay box marked "TX" goes to amp relay terminal that keys the amp.
> Relay box "red" cable connects to 13.8vdc on rig, "Blue" cable
> connects to PPT line on rig.
```

> Hope this helps?
> Rich WA2RQY/4

That is how I have it hooked up and is what isn't working. Thanks.

Ed, NM2K

```
From 2544991853123769023
X-Google-Thread: 108122,924b4251ac66f337
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000hsh.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRG-757
Date: Fri, 11 Jul 2008 18:45:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 54
Message-ID: <6e1b89f8-6121-4525-812b-215fe89df0b6@m73g2000hsh.googlegroups.com>
References: <NkCdk.22572$LL4.12740@bignews7.bellsouth.net>
     <6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com>
     <g590pr$2dk$1@aioe.org>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215827122 12579 127.0.0.1 (12 Jul 2008 01:45:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Jul 2008 01:45:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000hsh.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
     Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2683
```

On Jul 11, 9:18 pm, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
> "wa2rqy" <rlucch2...@aol.com> wrote in message
>
> news:6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com...
>
>
>
> > On Jul 11, 1:41 am, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
> >> I finally found my old relay box used for keying my amp. I did not find
> >> the

> >> paper sheet that came with it showing the connections. Three connections
> >> must be made, but there are five ports. I have hooked it up in what I
> >> consider to be the logical way, but my radio immediately returns to
> >> receive
> >> when keyed. I seem to remember a trick (alternate hook up) but do not
> >> wish
> >> to damage the radio via experimenting. I'm kind of goofy these days due
> >> to
> >> medications, so I don't trust myself to make the connections by
> >> intuition.
> >> I'm using an Ameritron AL-80A amplifier and a Yaesu FT-890/AT rig.
>
> >> If someone could make a .jpg of this manual and email it to me via
> >> n...@arrl.net, I would appreciate it very, very much. Thanks.
>
> >> Ed Cregger
>
> > Or you can follow this?
> > Relay box marked "TX" goes to amp relay terminal that keys the amp.
> > Relay box "red" cable connects to 13.8vdc on rig, "Blue" cable
> > connects to PPT line on rig.
> > Hope this helps?
> > Rich WA2RQY/4
>
> --------------
>
> That is how I have it hooked up and is what isn't working. Thanks.
>
> Ed, NM2K

Some radios like the FT-757GX have a "Linear switch" on the back that
needs to be OFF on a non qsk amp.
It is really a simple device, it needs 13.8 volts to activate the
relay, a ptt line sends this 13.8vdc to that internal relay, causing
it to close thus closing the relay line to the amp.
If these situations are satisfied, it should work unless a wire is
open, relay coil bad, etc!
Does the amp key up if you short out the relay line terminal on the
back of
the amp? I had a small microswitch in a cassette box with a wire
coming out. This wire had a RCA male plug & I used it to test all my
amps without even connecting it to a transceiver.
GL.....
Rich WA2RQY/4

```
From 7100327968879978631
X-Google-Thread: 108122,1aef45ab03747b15
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news1.google.com!Xl.tags.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
```

NNTP-Posting-Date: Fri, 11 Jul 2008 21:02:49 -0500
From: KJ4DIY <KJ4DIY.2bdc5fc@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Antenn Tuners
Date: Fri, 11 Jul 2008 23:39:29 +0100
Message-ID: <KJ4DIY.2bdc5fc@radiobanter.com>
Organization: RadioBanter.com
References: <KJ4DIY.2bacea1@radiobanter.com> <fzbdk.1157$al3.363@trnddc06>
<g57krm$1du0$1@f04n12.cac.psu.edu>
Lines: 57
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-3nrEeb8mS/t0rmfhUbLcPgCYplZKmD9e0dFE8foyY3/PG/w+RKJeiyK/4p14kik/
3w+gcgCrSQiKfvl!W7XGC9jUNrf0VR1fjsL/
pN3lGaWSxOrSlyFszIZvDeHxhRGFrFKudihyyzXxoMpPQq6KvTA6u307!y10=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 47
Xref: g2news1.google.com rec.radio.amateur.equipment:322

Michael Coslo;638432 Wrote:
> Dale Parfitt wrote:-
> "KJ4DIY" KJ4DIY.2bacea1@radiobanter.com wrote in message
> news:KJ4DIY.2bacea1@radiobanter.com...-
> I'm new to amateur radio.
> I just passed my Extra Class test. (100%)
> I need an antenna tuner for my G5RV-E dipole.
> I'm running an ICOM IC-718 HF transceiver.
> I was wondering if any one had some recommendations.
> I don't have a lot of money so I'm on a tight budget.
> Any help would be greatly appreciated.
> --
> KJ4DIY-
>
> My solution was to build my HF antennas so that they do not require a
> tuner
> and its attendant losses.-
>
>
> Helpful post, Dale!
>
>
> Okay, Howard, the G5RV in in it's many incarnations does need a tuner
> for multi-band operations.
>
> I recommend one of the MFJ 94XX series tuners. They are very
> inexpensive. The caveat is that you may have to tighten a screw down
> here or there to get it running perfect. MFJ does have a decent
> warranty, and return policy to it's credit. I am using a 949E tuner at
>

> the present time.
>
> You might consider at some point going to a general purpose dipole,
> which is as much wire as you can hang - within limits, feed it with
> ladder line, and use the tuner.
>
> But your G5RV, and tuner will do well for you.
>
>
>   - 73 d eMike N3LI -

Mike N3LI
Thanks for the good advice.
I'm going to see about getting a MFJ 949E myself.
It sounds like a good choice for right now.
I don't see needing more than 300w power handling for awhile.
I can see how the built in dummy load will be helpful.
The price at Universal Radio Inc. is not going to stretch my budget to thin.
Thanks again for the help Mike.
73�s Howard KJ4DIY

--
KJ4DIY

From -9091863401419294821
X-Google-Thread: 108122,4d084e22e474726f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!Xl.tags.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.posted.visi!news.posted.visi.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 12 Jul 2008 03:00:03 -0500
Reply-To: "Stan Shankman" <stantheman@visi.com>
From: "Stan Shankman" <stantheman@visi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Questions: HP 8640B signal generator . . .
Date: Sat, 12 Jul 2008 01:00:02 -0700
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 12.0.1606
X-MimeOLE: Produced By Microsoft MimeOLE V12.0.1606

Message-ID: <H5KdnUwELrwe-eXVnZ2dnUVZ_s3inZ2d@posted.visi>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.110.206.169
X-Trace: sv3-IXy2qC96DeWCw1je1ZgU0FiJU70MHUsU1Og+GLD1LUlg/
mb69PWkakYppiIrS4dcmKAUQzMVhVb8L+8!1HLbk1Q4uGx25JtwJfcfEJu/
2PE1Kzi7hxRXyJWp0o9diOYAVteggnpGVNrwuvPrDC7eKGL8mTDg!6iwJB3j9PjF3Hhx6
X-Complaints-To: abuse@visi.com
X-DMCA-Complaints-To: abuse@visi.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:323

Questions: HP 8640B signal generator . . .

Greetings all,

I picked up a used HP 8640B signal generator off of eBay. I have always wanted one, and now I have one.

Mine seems to work okay, but the tuning cavity only requires use of the clockwise most portion of its range. Much of the counter-clockwise range is just not needed - even though the frequencies seem to be okay. Is this normal? I have never used an HP 8640B before so I cannot say.

Also, I noticed that when I remove the top-most counter board (the board that contains the digital readout segment displays), I see a smaller compartment that contains the pre-scalar. Judging by the missing screws, and the overall appearance, it looks like there could have been a lid on that compartment. Was there in fact such a lid? Or, is this locations reserved for an option? Also, after removing the top lid from the unit, I see two strong "RF boxes" the smaller one, in the front, is the frequency counter (with the 7-segment readout as described above), and the other box, the big one in the middle right-most side (looking form the front), is presumably the frequency multipliers. Now my question is, behind these two boxes, is another (much smaller) open-lid box that contains a few plug-in cards. But when looking closely at this box, I see that it too might have had a lid. Can anyone say for sure if such lids were in fact present when the unit was new? If so, can anyone provide such spare parts?

Oh, and while I'm at it, can anyone say if it is possible to add option-002 (the frequency doubler option)? Can such parts be obtained - perhaps from a dead unit? Or am I better off just finding a unit that has the doubler option already installed and parting with my current unit?

Thanks,
- Stan Shankman
K7SJB

From -6235392882563817782
X-Google-Thread: 108122,85b02589ea7d648f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
newsfeed.freenet.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "PA3HGT" <rollotomassi1(removethis)@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help needed: Icom IC-781
Date: Sat, 12 Jul 2008 11:04:09 +0200
Lines: 59
Message-ID: <6drac5F400jjU1@mid.individual.net>
References: <793114a9-4675-4b8d-8b88-a7989f920083@x41g2000hsb.googlegroups.com>
<cbfada50-41ec-48f3-8ead-1e8c621ab7d3@34g2000hsh.googlegroups.com>
<18abe9a7-7d31-49c9-a2c6-a797324bd78b@59g2000hsb.googlegroups.com>
X-Trace: individual.net 9zi02pM/lUhyWzQUTDrezwJ1jfN6nukTyZBveNNclzlOIEdQXI
Cancel-Lock: sha1:G59WPv4yIvZcyrAmjXjlCmSdMe0=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Xref: g2news1.google.com rec.radio.amateur.equipment:324

Hello Rich,

You can try http://groups.yahoo.com/group/IcomIC781/ , this is a
users-group and maybe you can get help there.
You have to be a member (free) to post your qeustions.

--
Met vriendelijke groet,
Best regards,

Hans Pluijgers
HAM-callsign PA3HGT

www.pa3hgt.nl

"wa2rqy" <rlucch2098@aol.com> schreef in bericht
news:18abe9a7-7d31-49c9-a2c6-a797324bd78b@59g2000hsb.googlegroups.com...
> On Jul 10, 1:39 pm, mrhaney <w4...@cox.net> wrote:
>> On Jul 8, 8:42 pm, wa2rqy <rlucch2...@aol.com> wrote:
>>
>> > Hi all;
>> > Well I never thought this would happen but I unpacked my Icom 781
>> > after 3 years in its box(moved to 4-land).
>> > Today I took it out & put in place on my desk.
>> > Fired it up & initially it seemed fine, full output, 150 watts, Audio
>> > adjusted fine, received great.
>> > After a short while of familiarizing myself with the controls, I
>> > started to notice power dropping off. Bad Cable I thought so I changed
>> > it & it was fine for a short time then did the same thing, no output,
>> > ALC meter pins to the right on mike key up. Another bad cable? I slid
>> > it back out again & changed the Coax cable again. Seemed fine but then
>> > started over.
>> > I got sorta annoyed & took a break, came back 2 hours later and was

>> > perfect again but after 45 minutes it started again. Power dropping
>> > off, finally nothing out, ALC meter pins on mike key-up but the PO on
>> > meter shows fine but outboard meter shows zero.
>> >   Anyone have any ideas?
>> > I'd hate to have to send this out:-(
>> > 73 & tnx,
>> > Rich WA2RQY
>>
>>   First get A 50 Ohm dummy load connected to the Xcvr.That may
>> tell you all you need to know..If it works on dummy load ,look into
>> your ant system,If no work on dummy load ,,Look at power supply and
>> see if PA is drawing current from the power supply..If you have no
>> load on PA the rig will shut down...You may just have several minor
>> problems ,,,not a major problem...GL W4PQW
>
> Well I will try that but I have to add that I tried several Coax
> jumpers, same problem, all other radios work fine on same antenna thru
> same switches.
> Now it seems to be just about permanent, in IC or ALC meter position,
> the needle goes all the way to the right. I hate to say "pins" upon
> mike key up:-(
> I will try a Dummy load also!
> tnx & 73....
> Rich WA2RQY/4

From -4420705247786817831
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes:
gid10bf43,gidfcc6e,gid107ada,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!pfilter-v0.1!news.teranews.com!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. that being crow or not I am
convinced he abused a 7 yo kid
Date: Sat, 12 Jul 2008 08:07:23 -0400
Message-ID: <bj7h74hje09v1r4r9cguvb32j4j424v882@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<ro0ak31el1h50rf53vvk825o5eksql02e1@4ax.com>
<9u1el3tf154batg7b964cu88f5ip639krp@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@teranews.com
Organization: www.TeraNews.com
Lines: 70
NNTP-Posting-Date: Sat, 12 Jul 2008 08:03:04 -0400
Xref: g2news1.google.com rec.radio.amateur.policy:4336
rec.radio.amateur.antenna:1412 rec.radio.amateur.misc:475
rec.radio.amateur.equipment:325

On Wed, 05 Dec 2007 15:28:08 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 21 Nov 2007 22:58:22 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>><DloydLavies@gmail.com> wrote:
>>>
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
```

```
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act
** Posted from http://www.teranews.com **


From 3505473505639688357
X-Google-Thread: 108122,e0bd55b9e06c0e97,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b1g2000hsg.googlegroups.com!not-for-
mail
From: ebohnn@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS - ICOM IC-R7000 R-7000 * UNBLOCKED * Wideband Communications
     Receiver
Date: Sat, 12 Jul 2008 11:10:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 10
Message-ID: <c4f42380-ef12-4e39-95d5-e212d16ff30c@b1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215886220 16373 127.0.0.1 (12 Jul 2008 18:10:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Jul 2008 18:10:20 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: b1g2000hsg.googlegroups.com; posting-host=66.177.6.190;
     posting-account=Xx-pBQoAAADiCoWBLs9Cz0bwNkswGSN1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
     Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:327

I am selling my IC-R7000 - UNBLOCKED - wideband receiver.

Clilck here to see the pictures:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=270253045776

Thanks for looking,

Bill

.



From 5329325987976768937
X-Google-Thread: 108122,924b4251ac66f337
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
newsfeed.freenet.de!newsfeed0.kamp.net!newsfeed.kamp.net!news.k-dsl.de!aioe.org!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRG-757
Date: Sat, 12 Jul 2008 16:28:36 -0400
Organization: Aioe.org NNTP Server
Lines: 69
Message-ID: <g5b45l$3lu$1@aioe.org>
References: <NkCdk.22572$LL4.12740@bignews7.bellsouth.net>
<6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com>
<g590pr$2dk$1@aioe.org>
<6e1b89f8-6121-4525-812b-215fe89df0b6@m73g2000hsh.googlegroups.com>
NNTP-Posting-Host: vAvOo3D5NM1pa2VF+BLd9g.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:328


"wa2rqy" <rlucch2098@aol.com> wrote in message
news:6e1b89f8-6121-4525-812b-215fe89df0b6@m73g2000hsh.googlegroups.com...
> On Jul 11, 9:18 pm, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
>> "wa2rqy" <rlucch2...@aol.com> wrote in message
>>
```

>> news:6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com...
>>
>>
>>
>> > On Jul 11, 1:41 am, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
>> >> I finally found my old relay box used for keying my amp. I did not
>> >> find
>> >> the
>> >> paper sheet that came with it showing the connections. Three
>> >> connections
>> >> must be made, but there are five ports. I have hooked it up in what I
>> >> consider to be the logical way, but my radio immediately returns to
>> >> receive
>> >> when keyed. I seem to remember a trick (alternate hook up) but do not
>> >> wish
>> >> to damage the radio via experimenting. I'm kind of goofy these days
>> >> due
>> >> to
>> >> medications, so I don't trust myself to make the connections by
>> >> intuition.
>> >> I'm using an Ameritron AL-80A amplifier and a Yaesu FT-890/AT rig.
>>
>> >> If someone could make a .jpg of this manual and email it to me via
>> >> n...@arrl.net, I would appreciate it very, very much. Thanks.
>>
>> >> Ed Cregger
>>
>> > Or you can follow this?
>> > Relay box marked "TX" goes to amp relay terminal that keys the amp.
>> > Relay box "red" cable connects to 13.8vdc on rig, "Blue" cable
>> > connects to PPT line on rig.
>> > Hope this helps?
>> > Rich WA2RQY/4
>>
>> --------------
>>
>> That is how I have it hooked up and is what isn't working. Thanks.
>>
>> Ed, NM2K
>
> Some radios like the FT-757GX have a "Linear switch" on the back that
> needs to be OFF on a non qsk amp.
> It is really a simple device, it needs 13.8 volts to activate the
> relay, a ptt line sends this 13.8vdc to that internal relay, causing
> it to close thus closing the relay line to the amp.
> If these situations are satisfied, it should work unless a wire is
> open, relay coil bad, etc!
> Does the amp key up if you short out the relay line terminal on the
> back of
> the amp? I had a small microswitch in a cassette box with a wire
> coming out. This wire had a RCA male plug & I used it to test all my
> amps without even connecting it to a transceiver.
> GL.....

> Rich WA2RQY/4

You might be on to something, Rich. I'll check for the switch on the back of the rig.

Ed, NM2K

From -2060605187627459753
X-Google-Thread: 108122,85b02589ea7d648f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x41g2000hsb.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help needed: Icom IC-781
Date: Sat, 12 Jul 2008 16:32:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 65
Message-ID: <fd54f83e-2f66-4745-b717-d3a7666ca493@x41g2000hsb.googlegroups.com>
References: <793114a9-4675-4b8d-8b88-a7989f920083@x41g2000hsb.googlegroups.com>
     <cbfada50-41ec-48f3-8ead-1e8c621ab7d3@34g2000hsh.googlegroups.com>
     <18abe9a7-7d31-49c9-a2c6-a797324bd78b@59g2000hsb.googlegroups.com>
     <6drac5F400jjU1@mid.individual.net>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1215905563 28547 127.0.0.1 (12 Jul 2008 23:32:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Jul 2008 23:32:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x41g2000hsb.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.15)
     Gecko/20080623 Firefox/2.0.0.15,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:329

On Jul 12, 5:04 am, "PA3HGT" <rollotomassi1(removethis)@hotmail.com>
wrote:
> Hello Rich,
>
> You can tryhttp://groups.yahoo.com/group/IcomIC781/ , this is a
> users-group and maybe you can get help there.
> You have to be a member (free) to post your qeustions.
>
> --

> Met vriendelijke groet,
> Best regards,
>
> Hans Pluijgers
> HAM-callsign PA3HGT
>
> www.pa3hgt.nl
>
> "wa2rqy" <rlucch2...@aol.com> schreef in berichtnews:18abe9a7-7d31-49c9-a2c6-a797324bd78b@59g2000hsb.googlegroups.com...
>
> > On Jul 10, 1:39 pm, mrhaney <w4...@cox.net> wrote:
> >> On Jul 8, 8:42 pm, wa2rqy <rlucch2...@aol.com> wrote:
>
> >> > Hi all;
> >> > Well I never thought this would happen but I unpacked my Icom 781
> >> > after 3 years in its box(moved to 4-land).
> >> > Today I took it out & put in place on my desk.
> >> > Fired it up & initially it seemed fine, full output, 150 watts, Audio
> >> > adjusted fine, received great.
> >> > After a short while of familiarizing myself with the controls, I
> >> > started to notice power dropping off. Bad Cable I thought so I changed
> >> > it & it was fine for a short time then did the same thing, no output,
> >> > ALC meter pins to the right on mike key up. Another bad cable? I slid
> >> > it back out again & changed the Coax cable again. Seemed fine but then
> >> > started over.
> >> > I got sorta annoyed & took a break, came back 2 hours later and was
> >> > perfect again but after 45 minutes it started again. Power dropping
> >> > off, finally nothing out, ALC meter pins on mike key-up but the PO on
> >> > meter shows fine but outboard meter shows zero.
> >> >   Anyone have any ideas?
> >> > I'd hate to have to send this out:-(
> >> > 73 & tnx,
> >> > Rich WA2RQY
>
> >>   First get A 50 Ohm dummy load connected to the Xcvr.That may
> >> tell you all you need to know..If it works on dummy load ,look into
> >> your ant system,If no work on dummy load ,,Look at power supply and
> >> see if PA is drawing current from the power supply..If you have no
> >> load on PA the rig will shut down...You may just have several minor
> >> problems ,,,not a major problem...GL W4PQW
>
> > Well I will try that but I have to add that I tried several Coax
> > jumpers, same problem, all other radios work fine on same antenna thru
> > same switches.
> > Now it seems to be just about permanent, in IC or ALC meter position,
> > the needle goes all the way to the right. I hate to say "pins" upon
> > mike key up:-(
> > I will try a Dummy load also!
> > tnx & 73....
> > Rich WA2RQY/4

Tnx Hans;

I've joined es will present my problem there as most there are
familiar with the Icom 781.
Regards,
Rich WA2RQY/4

From 2489741589648154718
X-Google-Thread: 108122,924b4251ac66f337
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
ramfeed1.eweka.nl!eweka.nl!hq-usenetpeers.eweka.nl!68.142.88.75.MISMATCH!
hwmnpeer01.ams!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe15.lga.POSTED!7564ea0f!not-for-mail
From: "George" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
References: <NkCdk.22572$LL4.12740@bignews7.bellsouth.net>
<6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com>
<g590pr$2dk$1@aioe.org>
<6e1b89f8-6121-4525-812b-215fe89df0b6@m73g2000hsh.googlegroups.com>
<g5b45l$3lu$1@aioe.org>
In-Reply-To: <g5b45l$3lu$1@aioe.org>
Subject: Re: FRG-757
Lines: 76
MIME-Version: 1.0
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18000
Message-ID: <j4cek.18156$3q7.2576@newsfe15.lga>
NNTP-Posting-Host: 70.180.115.25
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe15.lga 1215909263 70.180.115.25 (Sat, 12 Jul 2008 17:34:23 MST)
NNTP-Posting-Date: Sat, 12 Jul 2008 17:34:23 MST
Organization: Cox
Date: Sat, 12 Jul 2008 19:34:00 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:330

If I remember correctly the switch on the FT 890 is internal. Do you have
your Manual? Look through the manual it will tell you where the switch is.

--
George Folse K5WWO
"Ed Cregger" <ecregger@bellsouff.net> wrote in message
news:g5b45l$3lu$1@aioe.org...
>
> "wa2rqy" <rlucch2098@aol.com> wrote in message
> news:6e1b89f8-6121-4525-812b-215fe89df0b6@m73g2000hsh.googlegroups.com...

>> On Jul 11, 9:18 pm, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
>>> "wa2rqy" <rlucch2...@aol.com> wrote in message
>>>
>>> news:6ec64714-0f4b-42aa-9167-6393b2e30aab@34g2000hsf.googlegroups.com...
>>>
>>>
>>>
>>> > On Jul 11, 1:41 am, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
>>> >> I finally found my old relay box used for keying my amp. I did not
>>> >> find
>>> >> the
>>> >> paper sheet that came with it showing the connections. Three
>>> >> connections
>>> >> must be made, but there are five ports. I have hooked it up in what I
>>> >> consider to be the logical way, but my radio immediately returns to
>>> >> receive
>>> >> when keyed. I seem to remember a trick (alternate hook up) but do not
>>> >> wish
>>> >> to damage the radio via experimenting. I'm kind of goofy these days
>>> >> due
>>> >> to
>>> >> medications, so I don't trust myself to make the connections by
>>> >> intuition.
>>> >> I'm using an Ameritron AL-80A amplifier and a Yaesu FT-890/AT rig.
>>>
>>> >> If someone could make a .jpg of this manual and email it to me via
>>> >> n...@arrl.net, I would appreciate it very, very much. Thanks.
>>>
>>> >> Ed Cregger
>>>
>>> > Or you can follow this?
>>> > Relay box marked "TX" goes to amp relay terminal that keys the amp.
>>> > Relay box "red" cable connects to 13.8vdc on rig, "Blue" cable
>>> > connects to PPT line on rig.
>>> > Hope this helps?
>>> > Rich WA2RQY/4
>>>
>>> --------------
>>>
>>> That is how I have it hooked up and is what isn't working. Thanks.
>>>
>>> Ed, NM2K
>>
>> Some radios like the FT-757GX have a "Linear switch" on the back that
>> needs to be OFF on a non qsk amp.
>> It is really a simple device, it needs 13.8 volts to activate the
>> relay, a ptt line sends this 13.8vdc to that internal relay, causing
>> it to close thus closing the relay line to the amp.
>> If these situations are satisfied, it should work unless a wire is
>> open, relay coil bad, etc!
>> Does the amp key up if you short out the relay line terminal on the
>> back of
>> the amp? I had a small microswitch in a cassette box with a wire

>> coming out. This wire had a RCA male plug & I used it to test all my
>> amps without even connecting it to a transceiver.
>> GL.....
>> Rich WA2RQY/4
>
> ----------------
>
> You might be on to something, Rich. I'll check for the switch on the back
> of the rig.
>
> Ed, NM2K
>

```
From 8584171890634241069
X-Google-Thread: 108122,4d084e22e474726f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!novia!
transit4.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Questions: HP 8640B signal generator . . .
From: Ed <Huckleberry@bigvalley.net>
References: <H5KdnUwELrwe-eXVnZ2dnUVZ_s3inZ2d@posted.visi>
Organization: Your Company
Message-ID: <Xns9AD9CF6FCBFAAHuckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 13 Jul 2008 03:23:09 GMT
Lines: 11
NNTP-Posting-Host: 3fde5125.news.adtechcomputers.com
X-Trace: DXC=oaYT0eoFUUD25]V9k:[LPCgC4_A5:nI@A<<=aEgO;R8G^4JdobCJ[8E3PPOXG]@OLDR?
X7U2a5ffGemfRC[RMj?OGX7R=>CCRmFWbNP<nFG;EEoinjoU8\4kK
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:331
```

Stan,

I can not answer your questions, but I would like to point out that there are numerous Operator and Technical manuals on CD for that signal generator available on EBay for only a couple dollars. You might consider buying one.

Ed   K7AAT

```
From 5217277194281903981
X-Google-Thread: 108122,1e07352c7093af63
X-Google-Attributes: gid108122,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
out02a.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!
news.usenetserver.com!nntpserver.com!zeus.nntpserver.com!pfilter-v0.1!
news.teranews.com!not-for-mail
Date: Mon, 16 Jun 2008 19:12:18 -0400
From: Usenet user<usenet_user@rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help us save usenet news for Time-Warner customers
X-Newsreader: BNews2004v20
Message-ID: <4df45$4856f40a$27746@news.teranews.com>
X-Complaints-To: abuse@teranews.com
Organization: www.TeraNews.com
Lines: 10
NNTP-Posting-Date: Mon, 16 Jun 2008 19:15:22 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:220

Time-Warner corporate is dropping usenet news as of June 23, 2008.

Please help by asking them to keep it. The person to call works for the TW president:

Barbara Burroughs
phone 203-351-2281

email: barbara.burroughs@twcable.com

** Posted from http://www.teranews.com **

From -8667697691382351725
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 19 Jun 2008 03:02:45 -0500
From: fghi003 <fghi003.29fc81d@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor...
Date: Thu, 19 Jun 2008 08:15:29 +0100
Message-ID: <fghi003.29fc81d@radiobanter.com>
Organization: RadioBanter.com
References: <c58546f7-
aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com><92419105-6fbe-4dbf-
b971-7454304c514f@27g2000hsf.googlegroups.com><17c8be37-7531-42a2-
b8e5-124dae1584cb@k13g2000hse.googlegroups.com><48565EB4.4010800@qrparci.org>
<931c7395-18c2-4037-a93e-a3225845e6ee@34g2000hsh.googlegroups.com>
Lines: 43
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-uv9tIt/
7ULIiHammuf+BC1IVD5kT+vB4lmVsVxBFpiPT379yv74eCZbUP8yFdlyLt7UxrxVdYT9P0KE!

```
dzQD4RRaln00J75GSfPLdX5Okr9rYsagj5HQsprOZAJt252Yhjc1BOfFr5cm40nwalrlY+bFykkZ!Ce9D
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:221
```

On a farm out in the country lived a man and a woman and their three sons. Early one morning, the woman awoke, and while looking out of the window onto to the pasture, she saw that the family?s only cow was lying dead in the field. The situation looked hopeless to her -- how could she possibly continue to feed her family now?'wow gold' (http://trv2china.com/aboust%20us.htm)In a depressed state of mind, she hung herself. When the man awoke to find his wife dead, as well as the cow, he too began to see the hopelessness of the situation, and he shot himself in he head. 'wow gold' (http://trv2china.com/contact%20us.htm)Now the oldest son woke up to discover his parents dead (and the cow!), and he decided to go down to the river and drown himself. When he got to the river, he discovered a mermaid sitting on the bank. She said, "I?ve seen all and know the reason for your despair. But if you will have sex with me five times in a row, I will restore your parents and the cow to you." The son agreed to try, but after four times, he was simply unable to satisfy her again. So the mermaid drowned him in the river.'wow gold' (http://wow-ffxi-gil.com/About%20us.htm)Next the second oldest son woke up. After discovering what had happened, he too decided to throw himself into the river. The mermaid said to him, "If you will have sex with me ten times in a row, I will make everything right." And while the son tried his best (seven times!), it was not enough to satisfy the mermaid, so she drowned him in the river.'wow gold' (http://wow-ffxi-gil.com/Contact%20us.htm)The youngest son, woke up and saw his parents dead, the dead cow in the field, and his brothers gone. He decided that life was a hopeless prospect, and he went down to the river to throw himself in.And there he also met the Mermaid. "I have seen all that has happened, and I can make everything right if you will only have sex with me fifteen times in a row."The young son replied, "Is that all? Why not twenty times in a row?"The mermaid was somewhat taken aback by this request. Then he said, "Hell, why not twenty-five times in a row?" And even as she was reluctantly agreeing to his request, he said, "Why not THIRTY times in a row?"Finally, she said, "Enough!! Okay, if you will have sex with me thirty times in a row, then I will bring everybody back to perfect health."Then the young fellow asked, "Wait! How do I know that thirty times in a row won?t kill you like it did the cow?"

--
fghi003

```
From -7472602574584119517
X-Google-Thread: 108122,d041fc5fca7135d9,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x41g2000hsb.googlegroups.com!not-for-
mail
From: mrhaney <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-830 S
Date: Thu, 19 Jun 2008 07:00:23 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <1cd92a35-7878-4f39-9a5e-6e902cf38208@x41g2000hsb.googlegroups.com>
NNTP-Posting-Host: 72.216.40.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213884023 4881 127.0.0.1 (19 Jun 2008 14:00:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 19 Jun 2008 14:00:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x41g2000hsb.googlegroups.com; posting-host=72.216.40.68;
     posting-account=iDa5ggkAAADrhtwpj3fwoB8ZHtIo_pzj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     FunWebProducts; .NET CLR 2.0.50727; .NET CLR 3.0.04506.648; .NET CLR
     3.5.21022),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:222
```

I am a fancier of the TS-830S transceiver and am searching for some
historical facts..Anyone know how many were produced,Or,first and last
serial numbers..I think they were first produced in August ,1980 and
last advertised about July of 82 looks like about Two years of
production ..Thanks   Harold W4PQW

```
From -4862141611109079744
X-Google-Thread: 108228,117b56e083a5f2b3,start
X-Google-Thread: 1109af,117b56e083a5f2b3,start
X-Google-Thread: 112880,117b56e083a5f2b3,start
X-Google-Thread: 108122,117b56e083a5f2b3,start
X-Google-Attributes:
gid108228,gid1109af,gid112880,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!newsgate.cistron.nl!
xs4all!news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!
mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.swap,nm.forsale,rec.radio.amateur.equipment
```

```
Subject: eBay: TEN-TEC Orion I version 2 HF transceiver with antenna tuner
Message-ID: <6b68c090e6c2ec1ef1a62a0c4a064c55@pseudo.borked.net>
Date: Thu, 19 Jun 2008 11:10:11 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:53 rec.radio.swap:207
nm.forsale:2 rec.radio.amateur.equipment:223
```

http://easyurl.net/OrionI

```
From 1638131138187415885
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
<HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com> <484873B8.8040305@NETTALLY.COM>
<mk22k.17746$qP.9885@trnddc03> <Xns9AB559CAC966AVeebleFetzer@216.250.184.7>
<Xns9AB5CC4B5596FVeebleFetzer@216.250.184.7>
<484a09e5$0$5147$4c368faf@roadrunner.com>
<Xns9AB65A15AA5E2VeebleFetzer@216.250.184.7>
Subject: Re: HF interference from WiFi router
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <wTw6k.27951$8q2.2700@trnddc02>
Date: Thu, 19 Jun 2008 17:41:48 GMT
NNTP-Posting-Host: 71.110.231.247
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1213897308 71.110.231.247 (Thu, 19 Jun 2008 13:41:48 EDT)
NNTP-Posting-Date: Thu, 19 Jun 2008 13:41:48 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:224
X-Original-Bytes: 2416
```

My bet is the caps are cheap and go bad. I get wall worts for a buck at the thrift store so it's just a matter of swapping out the bad ones. It takes a hammer to get into them so there is nothing serviceable except the connector.

If you go the route of daisy chaining from your main supply beware you may have common mode issues on some bands.

"Bert Hyman" <bert@iphouse.com> wrote in message

```
news:Xns9AB65A15AA5E2VeebleFetzer@216.250.184.7...
> In news:484a09e5$0$5147$4c368faf@roadrunner.com Rick Frazier
> <rickf@rickfrazier.com> wrote:
>
> > It was an easy task to put together a decent but cheap analog power
> > supply with a few 3 terminal regulators to power the devices in
> > question,
>
> I was surprised to find a cache of 7812s in my parts bin and even one
> LM320K-12 and one LM340K-12.
>
> and all of the hash was gone (for awhile).  I don't exactly
> > know how, but a few of the things somehow crept back into the house,
> > and it's time to go on another extermination binge for the wall warts
> > again...
>
> I just took a walk around the house and see that the things are
> everywhere, all plugged in and probably all squawking to some degree.
>
> --
> Bert Hyman St. Paul, MN bert@iphouse.com




From 7748172180914954165
X-Google-Thread: 108122,1e07352c7093af63
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix1.panix.com!arthures
From: A <arthures@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help us save usenet news for Time-Warner customers
Date: Thu, 19 Jun 2008 20:45:34 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 78
Message-ID: <Pine.NEB.4.64.0806192042540.9693@panix1.panix.com>
References: <4856f119$0$4268$4c368faf@roadrunner.com>
 <ypD5k.7228$rW2.733@bignews9.bellsouth.net>
<eYOdnYhCX7sC7MXVnZ2dnUVZ_vCdnZ2d@earthlink.com>
NNTP-Posting-Host: panix1.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1213922737 19009 166.84.1.1 (20 Jun 2008 00:45:37 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 20 Jun 2008 00:45:37 +0000 (UTC)
In-Reply-To: <eYOdnYhCX7sC7MXVnZ2dnUVZ_vCdnZ2d@earthlink.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:225



On Tue, 17 Jun 2008, Richard Knoppow wrote:
```

>
> "Ed Cregger" <ecregger@bellsouff.net> wrote in message
> news:ypD5k.7228$rW2.733@bignews9.bellsouth.net...
>>
>> "Usenet user" <usenet_user@rr.com> wrote in message
>> news:4856f119$0$4268$4c368faf@roadrunner.com...
>>> Time-Warner corporate is dropping usenet news as of June
>>> 23, 2008.
>>>
>>> Please help by asking them to keep it. The person to
>>> call works for the TW president:
>>>
>>> Barbara Burroughs
>>> phone 203-351-2281
>>>
>>> email: barbara.burroughs@twcable.com
>>>
>>
>> ----------
>>
>> You and others are spitting into the wind, but that is
>> your privilege.
>>
>> As someone else stated elsewhere, usenet is not a money
>> maker. That is the problem, lock, stock and barrel.
>>
>> It was nice while it lasted and it lasted a whole lot
>> longer than I dreamed it would.
>>
>>
>> Ed Cregger
>   This is exactly the kind of defeatist attitude that
> prevents people from even trying to solve problems.
>   You are right that everything is about money now. Not
> just making money but making a lot of it. Unfortunately, the
> internet has become a commercial venture and with that
> change its becomming harder to maintain any of its former
> public service qualities. Nonetheless, Time-Warner should be
> told its getting at least a part of its customer base mad.
> Most corporate management has isolated itself from its
> customers to the degree that one can not even communicate
> with them at all. For instance, check out the Disney
> Company's corporate web site. Here, at least, is a name and
> phone number. Dun these idiots. Of course, it may have no
> effect but it _could_ stave off discontinuance for a time.
> Or, they may outsource Usenet in the same way that Earthlink
> has. As an Earthlink subscriber I can testify that the
> outsourced news servers are far better run than anything
> Earthlink, Mindspring, Netcom, whatever, ever had.
>   Usenet is a part of a full-service ISP. If TW doesn't
> want to continue it they should either offer a farmed-out
> service without raising their prices or lower their prices

> because they are offering a crippled service. Or, go
> elsewhere and drop them. Drop their cable service also,
> there are others or you can learn to live without television
> and save your brain.

Another idea: get back on the air, start nets, call nets, become active on the air, encourage others to do the same. Flush all the commercial interests and get back to 100% ham radio content; live, real reality, commercial free, organic, and healthier for your brain and healthier for our wallet.

73

>
> --
> ---
> Richard Knoppow
> Los Angeles, CA, USA
> dickburk@ix.netcom.com
>
>
>

From 950541882554313262
X-Google-Thread: 108122,1e07352c7093af63
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news3.google.com!
out02b.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!
bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews8.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <4856f119$0$4268$4c368faf@roadrunner.com>
<ypD5k.7228$rW2.733@bignews9.bellsouth.net>
<eYOdnYhCX7sC7MXVnZ2dnUVZ_vCdnZ2d@earthlink.com>
<Pine.NEB.4.64.0806192042540.9693@panix1.panix.com>
Subject: Re: Help us save usenet news for Time-Warner customers
Lines: 88
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Message-ID: <PoE6k.7557$AJ6.2463@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbomnbebfhgffoehhcpdcjndmmeafoejcjfif
eckepfagppmljioadfhaeebkilcfddohbhljkoaljgpnjcmcpgnfbglkofpjgbaeemjjnagdfafjfd
NNTP-Posting-Date: Thu, 19 Jun 2008 22:15:11 EDT

```
Organization: BellSouth Internet Group
Date: Thu, 19 Jun 2008 21:35:51 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:226


"A" <arthures@panix.com> wrote in message
news:Pine.NEB.4.64.0806192042540.9693@panix1.panix.com...
>
>
> On Tue, 17 Jun 2008, Richard Knoppow wrote:
>
>>
>> "Ed Cregger" <ecregger@bellsouff.net> wrote in message
>> news:ypD5k.7228$rW2.733@bignews9.bellsouth.net...
>>>
>>> "Usenet user" <usenet_user@rr.com> wrote in message
>>> news:4856f119$0$4268$4c368faf@roadrunner.com...
>>>> Time-Warner corporate is dropping usenet news as of June
>>>> 23, 2008.
>>>>
>>>> Please help by asking them to keep it.  The person to
>>>> call works for the TW president:
>>>>
>>>> Barbara Burroughs
>>>> phone 203-351-2281
>>>>
>>>> email: barbara.burroughs@twcable.com
>>>>
>>>
>>> ----------
>>>
>>> You and others are spitting into the wind, but that is
>>> your privilege.
>>>
>>> As someone else stated elsewhere, usenet is not a money
>>> maker. That is the problem, lock, stock and barrel.
>>>
>>> It was nice while it lasted and it lasted a whole lot
>>> longer than I dreamed it would.
>>>
>>>
>>> Ed Cregger
>>    This is exactly the kind of defeatist attitude that
>> prevents people from even trying to solve problems.
>>    You are right that everything is about money now. Not
>> just making money but making a lot of it. Unfortunately, the
>> internet has become a commercial venture and with that
>> change its becomming harder to maintain any of its former
>> public service qualities. Nonetheless, Time-Warner should be
>> told its getting at least a part of its customer base mad.
>> Most corporate management has isolated itself from its
>> customers to the degree that one can not even communicate
>> with them at all. For instance, check out the Disney
```

>> Company's corporate web site. Here, at least, is a name and
>> phone number. Dun these idiots. Of course, it may have no
>> effect but it _could_ stave off discontinuance for a time.
>> Or, they may outsource Usenet in the same way that Earthlink
>> has. As an Earthlink subscriber I can testify that the
>> outsourced news servers are far better run than anything
>> Earthlink, Mindspring, Netcom, whatever, ever had.
>>   Usenet is a part of a full-service ISP. If TW doesn't
>> want to continue it they should either offer a farmed-out
>> service without raising their prices or lower their prices
>> because they are offering a crippled service. Or, go
>> elsewhere and drop them. Drop their cable service also,
>> there are others or you can learn to live without television
>> and save your brain.
>
> Another idea: get back on the air, start nets, call nets, become active
> on the air, encourage others to do the same. Flush all the commercial
> interests and get back to 100% ham radio content; live, real reality,
> commercial free, organic, and healthier for your brain and healthier for
> our wallet.
>
> 73
>
>>
>> --
>> ---
>> Richard Knoppow
>> Los Angeles, CA, USA
>> dickburk@ix.netcom.com

I keep saying I'm going to do just that, Richard, but I get side tracked
when on the internet and never get around to turning the radio on. <G>

Ed, NM2K

From 7451444356912260187
X-Google-Thread: 10f32b,f3a87bef60f657a6
X-Google-Thread: 108122,f3a87bef60f657a6
X-Google-Attributes: gid10f32b,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!ramfeed2.eweka.nl!
eweka.nl!hq-usenetpeers.eweka.nl!69.16.177.246.MISMATCH!cyclone03.ams!
news.ams.newshosting.com!npeersf02.ams!newsfe28.ams2.POSTED!53ab2750!not-for-mail
From: "DAB sounds worse than FM" <dab.is@dead>
Newsgroups: alt.radio.digital,rec.radio.amateur.equipment
References: <e3b899b9-77ef-4b14-9773-776b36469aa1@q24g2000prf.googlegroups.com>

Subject: Re: looking for wi fi radio with AM/FM
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Message-ID: <eBI6k.18045$zs1.14937@newsfe28.ams2>
NNTP-Posting-Host: 82.14.64.139
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe28.ams2 1213945290 82.14.64.139 (Fri, 20 Jun 2008 07:01:30 UTC)
NNTP-Posting-Date: Fri, 20 Jun 2008 07:01:30 UTC
Organization: virginmedia.com
Date: Fri, 20 Jun 2008 08:01:35 +0100
Xref: g2news1.google.com alt.radio.digital:639 rec.radio.amateur.equipment:228

<aristotle65@hotmail.com> wrote in message
news:e3b899b9-77ef-4b14-9773-776b36469aa1@q24g2000prf.googlegroups.com
> Is there a Wi Fi radio that is capable of also listening to local AM
> radio stations. The radios I see advertised offer FM radio plus
> WiFi

I'm not aware of any Wi-Fi radios that also have AM, but Wi-Fi radio
that also have FM have been a bit of a rarity up to now anyway.

Have you checked whether the AM station you want to listen to has an
Internet stream?

--
Steve - www.digitalradiotech.co.uk - Digital Radio News & Info

The adoption of DAB was the most incompetent technical
decision ever made in the history of UK broadcasting:
http://www.digitalradiotech.co.uk/dab/incompetent_adoption_of_dab.htm

From 5418267528503060275
X-Google-Thread: 10f32b,f3a87bef60f657a6
X-Google-Thread: 108122,f3a87bef60f657a6
X-Google-Attributes: gid10f32b,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: alt.radio.digital,rec.radio.amateur.equipment
Subject: Re: looking for wi fi radio with AM/FM
Date: Fri, 20 Jun 2008 08:39:01 +0000 (UTC)

Organization: MGT Consulting
Lines: 15
Message-ID: <slrng5mr42.5pb.gsm@cable.mendelson.com>
References: <e3b899b9-77ef-4b14-9773-776b36469aa1@q24g2000prf.googlegroups.com> <eBI6k.18045$zs1.14937@newsfe28.ams2>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-139-254-37.bb.netvision.net.il
X-Trace: max.inside.misty.com 1213951141 18471 89.139.254.37 (20 Jun 2008 08:39:01 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Fri, 20 Jun 2008 08:39:01 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
X-Original-Bytes: 1354
Xref: g2news1.google.com alt.radio.digital:645 rec.radio.amateur.equipment:229

DAB sounds worse than FM wrote:

> I'm not aware of any Wi-Fi radios that also have AM, but Wi-Fi radio
> that also have FM have been a bit of a rarity up to now anyway.

Someone has a US patent on the combining of regular radio stations and what is now called Internet Radio.

Either the manufacturers licensed the patent, worked around it, or ignored it (decided not to sell their unit in the U.S.).

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

From -4488428118246458886
X-Google-Thread: 11480d,b5f28998c043992b,start
X-Google-Thread: 108122,b5f28998c043992b,start
X-Google-Thread: f64c6,f230f4d9732c1b7f
X-Google-Attributes: gid11480d,gid108122,gidf64c6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!peer-uk.news.demon.net!kibo.news.demon.net!news.demon.co.uk!demon!not-for-mail
From: "Martin g1gyc" <News.Martin@g1gyc.demon.co.uk>
Newsgroups: rec.radio.amateur.dx,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Radio for VHF UHF weak signal DX
Date: Sat, 21 Jun 2008 08:52:08 +0100
Organization: Aurora Communications
Lines: 8
Message-ID: <g3ibvf$b7$1$8300dec7@news.demon.co.uk>
Reply-To: "Martin g1gyc" <Nwes.Martin@g1gyc.demon.co.uk>
NNTP-Posting-Host: g1gyc.demon.co.uk
X-Trace: news.demon.co.uk 1214034735 359 83.105.90.78 (21 Jun 2008 07:52:15 GMT)
X-Complaints-To: abuse@demon.net

```
NNTP-Posting-Date: Sat, 21 Jun 2008 07:52:15 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-Priority: 3
X-RFC2646: Format=Flowed; Original
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
Xref: g2news1.google.com rec.radio.amateur.dx:39 rec.radio.amateur.equipment:230
uk.radio.amateur:6424
```

Hello,

What is the current thinking of which radio is currently the best for weak signal VHF / UHF DX working ?

Any one care to comment ?

```
From 6684043538562699475
X-Google-Thread: 11480d,b5f28998c043992b
X-Google-Thread: 108122,b5f28998c043992b
X-Google-Thread: f64c6,f230f4d9732c1b7f
X-Google-Attributes: gid11480d,gid108122,gidf64c6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!club-internet.fr!feedme-
small.clubint.net!feeder.news.tin.it!news.greatnowhere.com!
reader.greatnowhere.com!reader.greatnowhere.com!not-for-mail
From: "Jeff" <jeff@local.host>
Newsgroups: rec.radio.amateur.dx,rec.radio.amateur.equipment,uk.radio.amateur
References: <g3ibvf$b7$1$8300dec7@news.demon.co.uk>
Subject: Re: Radio for VHF UHF weak signal DX
Date: Sat, 21 Jun 2008 09:58:44 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Response
Lines: 16
Message-ID: <485cc303$0$1346$834e42db@reader.greatnowhere.com>
NNTP-Posting-Date: 21 Jun 2008 08:59:47 GMT
NNTP-Posting-Host: f34f9094.reader.greatnowhere.com
X-Trace: DXC=3kT<IoY_2YeLYKSdTI]Qci]XKbj2VKD@jn1RJ3gdIg\k?
=EWaeQnMja0`mVWf]VU=fUZO1EUVP10hh_gI5\B[jRbS:FFYZH>8Tm0k9o6Ded?
GleRdNjNci=AkQice2XOo:am`cLcAFU`APngSbL4N4>SGca7e3>I8nLdbQba_0XKK1S`cUHefITeYOeFo^
6E5kX=Gn
X-Complaints-To: usenet@greatnowhere.com
Xref: g2news1.google.com rec.radio.amateur.dx:40 rec.radio.amateur.equipment:231
uk.radio.amateur:6431
```

"Martin g1gyc" <News.Martin@g1gyc.demon.co.uk> wrote in message

news:g3ibvf$b7$1$8300dec7@news.demon.co.uk...
> Hello,
>
> What is the current thinking of which radio is currently the best for weak
> signal VHF / UHF DX working ?
>
> Any one care to comment ?
>

Groundhog day??

Jeff

From 4919807588316726530
X-Google-Thread: 11480d,b5f28998c043992b
X-Google-Thread: 108122,b5f28998c043992b
X-Google-Thread: f64c6,f230f4d9732c1b7f
X-Google-Attributes: gid11480d,gid108122,gidf64c6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.straub-nv.de!nuzba.szn.dk!pnx.dk!news.stack.nl!feeds.news.ox.ac.uk!
news.ox.ac.uk!feed2.jnfs.ja.net!jnfs.ja.net!qmul!peer-uk.news.demon.net!
kibo.news.demon.net!news.demon.co.uk!demon!not-for-mail
From: "Martin g1gyc" <News.Martin@g1gyc.demon.co.uk>
Newsgroups: rec.radio.amateur.dx,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Radio for VHF UHF weak signal DX
Date: Sat, 21 Jun 2008 10:29:46 +0100
Organization: Aurora Communications
Lines: 30
Message-ID: <g3ihmk$5t2$1$8300dec7@news.demon.co.uk>
References: <g3ibvf$b7$1$8300dec7@news.demon.co.uk>
<485cc303$0$1346$834e42db@reader.greatnowhere.com>
Reply-To: "Martin g1gyc" <Nwes.Martin@g1gyc.demon.co.uk>
NNTP-Posting-Host: g1gyc.demon.co.uk
X-Trace: news.demon.co.uk 1214040596 6050 83.105.90.78 (21 Jun 2008 09:29:56 GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Sat, 21 Jun 2008 09:29:56 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-Priority: 3
X-RFC2646: Format=Flowed; Response
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
Xref: g2news1.google.com rec.radio.amateur.dx:41 rec.radio.amateur.equipment:232
uk.radio.amateur:6439

"Jeff" <jeff@local.host> wrote in message
news:485cc303$0$1346$834e42db@reader.greatnowhere.com...
>
> "Martin g1gyc" <News.Martin@g1gyc.demon.co.uk> wrote in message

> news:g3ibvf$b7$1$8300dec7@news.demon.co.uk...
>> Hello,
>>
>> What is the current thinking of which radio is currently the best for
>> weak signal VHF / UHF DX working ?
>>
>> Any one care to comment ?
>>
>
> Groundhog day??
>
> Jeff
>

And your point is ?

I know I posted the same question recently, recived only 1 reply stating I
had posted in RTF - which was a mistake on my part
I have checked on my server and can no longer find the post or any connected
thread so have poised the question again.

So what do you use for weak signal DX on VHF / UHF then or ar you not
interested in radio ?

From -7435495204319338097
X-Google-Thread: 11480d,b5f28998c043992b
X-Google-Thread: 108122,b5f28998c043992b
X-Google-Thread: f64c6,f230f4d9732c1b7f
X-Google-Attributes: gid11480d,gid108122,gidf64c6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.ecp.fr!
news.greatnowhere.com!reader.greatnowhere.com!reader.greatnowhere.com!not-for-mail
From: "Jeff" <jeff@local.host>
Newsgroups: rec.radio.amateur.dx,rec.radio.amateur.equipment,uk.radio.amateur
References: <g3ibvf$b7$1$8300dec7@news.demon.co.uk>
<485cc303$0$1346$834e42db@reader.greatnowhere.com>
<g3ihmk$5t2$1$8300dec7@news.demon.co.uk>
Subject: Re: Radio for VHF UHF weak signal DX
Date: Sat, 21 Jun 2008 11:05:04 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Lines: 41
Message-ID: <485cd29c$0$1347$834e42db@reader.greatnowhere.com>
NNTP-Posting-Date: 21 Jun 2008 10:06:20 GMT
NNTP-Posting-Host: 1f97256e.reader.greatnowhere.com
X-Trace:

```
DXC=m\DTEn6o<<6WUW9C9@\8k>]XKbj2VKD@:n1RJ3gdIg\;QaP^N;WlFE:0`mVWf]VU=6UZO1EUVP108h
_gI5\B[jR2S:FFYZH>8T=0k9o6Ded?G<cmEf\
\fkfS=^2b8LWin<769oIoh6kAEX:gSbL4N4>SG3a7e3>I8nLd2Qba_0XKK1S0cUHefITeYO5Fo^6E5kX=G
>
```

```
X-Complaints-To: usenet@greatnowhere.com
Xref: g2news1.google.com rec.radio.amateur.dx:42 rec.radio.amateur.equipment:233
uk.radio.amateur:6442


"Martin g1gyc" <News.Martin@g1gyc.demon.co.uk> wrote in message
news:g3ihmk$5t2$1$8300dec7@news.demon.co.uk...
>
> "Jeff" <jeff@local.host> wrote in message
> news:485cc303$0$1346$834e42db@reader.greatnowhere.com...
>>
>> "Martin g1gyc" <News.Martin@g1gyc.demon.co.uk> wrote in message
>> news:g3ibvf$b7$1$8300dec7@news.demon.co.uk...
>>> Hello,
>>>
>>> What is the current thinking of which radio is currently the best for
>>> weak signal VHF / UHF DX working ?
>>>
>>> Any one care to comment ?
>>>
>>
>> Groundhog day??
>>
>> Jeff
>>
>
> And your point is ?
>
> I know I posted the same question recently, recived only 1 reply stating I
> had posted in RTF - which was a mistake on my part
> I have checked on my server and can no longer find the post or any
> connected thread so have poised the question again.
>
> So what do you use for weak signal DX on VHF / UHF then or ar you not
> interested in radio ?
>

Well I replied to your first post and there were at least 6 other replies
that I saw in uk.r.a!!

73
Jeff




From 685069579357656307
X-Google-Thread: 11480d,b5f28998c043992b
```

```
X-Google-Thread: 108122,b5f28998c043992b
X-Google-Thread: f64c6,f230f4d9732c1b7f
X-Google-Attributes: gid11480d,gid108122,gidf64c6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews8.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.dx,rec.radio.amateur.equipment,uk.radio.amateur
References: <g3ibvf$b7$1$8300dec7@news.demon.co.uk>
<485cc303$0$1346$834e42db@reader.greatnowhere.com>
Subject: Re: Radio for VHF UHF weak signal DX
Lines: 38
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Response
Message-ID: <nS47k.8309$AJ6.3960@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcboiapfjfncngaijiomdcjndmmeafoejcjfif
eckepfagppmljiihanackflekmliloohbhljkoaljgpnjcicdecokidaecdldaaeemjjnagdfafjfd
NNTP-Posting-Date: Sat, 21 Jun 2008 06:38:11 EDT
Organization: BellSouth Internet Group
Date: Sat, 21 Jun 2008 06:39:09 -0400
Xref: g2news1.google.com rec.radio.amateur.dx:43 rec.radio.amateur.equipment:234
uk.radio.amateur:6446


"Jeff" <jeff@local.host> wrote in message
news:485cc303$0$1346$834e42db@reader.greatnowhere.com...
>
> "Martin g1gyc" <News.Martin@g1gyc.demon.co.uk> wrote in message
> news:g3ibvf$b7$1$8300dec7@news.demon.co.uk...
>> Hello,
>>
>> What is the current thinking of which radio is currently the best for
>> weak signal VHF / UHF DX working ?
>>
>> Any one care to comment ?
>>
>
> Groundhog day??
>
> Jeff
>

------------
```

Before I left NJ, USA in 98, the activity on VHF/UHF had nearly disappeared, except for a few diehards with their own repeaters. I hardly ever heard anyone on USB or CW on six meters, two meters and upwards.

Now that I'm down south in GA, near Chattanooga, TN, it is the same way. Ten years later and no rise in activity on VHF/UHF. It's very disappointing for me. I enjoyed the higher average IQ of the operators that I used to find on VHF/UHF.

I presently own a Yaesu FT-847 and a few single band radios for VHF/UHF. A Yaesu FT-690R MII, an ICOM 229H (actually a couple) and an el cheapo 220 MHz rig, whose brand I can't remember. There is a fair amount of activity on 220 MHz down here, but it is all via repeater.

Ed, NM2K

From -1482091593798717858
X-Google-Thread: 11480d,b5f28998c043992b
X-Google-Thread: 108122,b5f28998c043992b
X-Google-Thread: f64c6,f230f4d9732c1b7f
X-Google-Attributes: gid11480d,gid108122,gidf64c6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeedt0.toon.t-online.de!
newsfeed01.sul.t-online.de!t-online.de!newsfeeder.dynfx.net!weretis.net!
zen.net.uk!dedekind.zen.co.uk!peer.news.zetnet.net!peer-uk.news.demon.net!
kibo.news.demon.net!news.demon.co.uk!demon!g3ohx.demon.co.uk!ianREMOVETHISjackson
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.amateur.dx,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Radio for VHF UHF weak signal DX
Date: Sat, 21 Jun 2008 11:37:29 +0100
Lines: 55
Message-ID: <uNoPgaRpnNXIFwWB@g3ohx.demon.co.uk>
References: <g3ibvf$b7$1$8300dec7@news.demon.co.uk>
<485cc303$0$1346$834e42db@reader.greatnowhere.com>
<g3ihmk$5t2$1$8300dec7@news.demon.co.uk>
<485cd29c$0$1347$834e42db@reader.greatnowhere.com>
NNTP-Posting-Host: g3ohx.demon.co.uk
Mime-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
X-Trace: news.demon.co.uk 1214044655 10160 80.176.138.122 (21 Jun 2008 10:37:35 GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Sat, 21 Jun 2008 10:37:35 +0000 (UTC)
User-Agent: Turnpike/6.06-S (<XxUqWK9fKPTDYPCj1BCoeAVjgT>)
Xref: g2news1.google.com rec.radio.amateur.dx:44 rec.radio.amateur.equipment:235 uk.radio.amateur:6447

In message <485cd29c$0$1347$834e42db@reader.greatnowhere.com>, Jeff <jeff@local.host> writes

>
>"Martin g1gyc" <News.Martin@g1gyc.demon.co.uk> wrote in message
>news:g3ihmk$5t2$1$8300dec7@news.demon.co.uk...
>>
>> "Jeff" <jeff@local.host> wrote in message
>> news:485cc303$0$1346$834e42db@reader.greatnowhere.com...
>>>
>>> "Martin g1gyc" <News.Martin@g1gyc.demon.co.uk> wrote in message
>>> news:g3ibvf$b7$1$8300dec7@news.demon.co.uk...
>>>> Hello,
>>>>
>>>> What is the current thinking of which radio is currently the best for
>>>> weak signal VHF / UHF DX working ?
>>>>
>>>> Any one care to comment ?
>>>>
>>>
>>> Groundhog day??
>>>
>>> Jeff
>>>
>>
>> And your point is ?
>>
>> I know I posted the same question recently, recived only 1 reply stating I
>> had posted in RTF - which was a mistake on my part
>> I have checked on my server and can no longer find the post or any
>> connected thread so have poised the question again.
>>
>> So what do you use for weak signal DX on VHF / UHF then or ar you not
>> interested in radio ?
>>
>
>Well I replied to your first post and there were at least 6 other replies
>that I saw in uk.r.a!!
>
>73
>Jeff
>

Yes, your question appeared on 15 June. There were several replies (and
none of the usual crap).

Maybe you are having the same problem which I get occasionally, where
some postings fail to appear or, if they do, show up as 'expired' (a
black dot with Demon's Turnpike threaded structure). This sometimes
happens even with my own postings, even though I have set the expiry
time for most NGs to 8 days.

If I suspect that some interesting postings are missing, I can usually
retrieve them by re-setting the collection time for that particular NG
to a few days ago.
--
Ian

```
From 5939803227978386786
X-Google-Thread: 10f32b,f3a87bef60f657a6
X-Google-Thread: 108122,f3a87bef60f657a6
X-Google-Attributes: gid10f32b,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sat, 21 Jun 2008 07:33:00 -0500
From: Paul Webster <paul.webster@spidersweb.spammenot.freeserve.co.uk>
Newsgroups: alt.radio.digital,rec.radio.amateur.equipment
Subject: Re: looking for wi fi radio with AM/FM
Date: Sat, 21 Jun 2008 13:32:43 +0100
Message-ID: <o5tp54h4o3nj2vpu5lhduv7kgbq46ttajk@4ax.com>
References: <e3b899b9-77ef-4b14-9773-776b36469aa1@q24g2000prf.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
X-Usenet-Provider: http://www.giganews.com
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
TaaxK3XNvpsN3TmDhaPF7g6QW54Q5aeCl0kFhlukc6RgYqAEndhUjamEOg66APDZcGWWV0Z7lOvKt8T!
hX931F38vPgxd/56TiO4RCrAT/UrYO5oVUJN4JS8NxpLvk2uVcrmTLURE0D16euVqrM7tnjwfs2f!LkM=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com alt.radio.digital:666 rec.radio.amateur.equipment:236

aristotle65@hotmail.com wrote:

>Is there a Wi Fi radio that is capable of also listening to local AM
>radio stations.  The radios I see advertised offer FM radio plus WiFi

The Roku Soundbridge Radio has AM/FM and Wifi
http://www.roku.com/products_soundbridgeradio.php

--
Rgds
Paul Webster


From 1260791854920018728
X-Google-Thread: 11480d,b5f28998c043992b
X-Google-Thread: 108122,b5f28998c043992b
X-Google-Thread: f64c6,f230f4d9732c1b7f
X-Google-Attributes: gid11480d,gid108122,gidf64c6,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Jun 2008 08:43:47 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.dx,rec.radio.amateur.equipment,uk.radio.amateur
References: <g3ibvf$b7$1$8300dec7@news.demon.co.uk>
Subject: Re: Radio for VHF UHF weak signal DX
Date: Sat, 21 Jun 2008 09:44:07 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <Kcadnf2zi6wOmMDVnZ2dnUVZ_q7inZ2d@earthlink.com>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-
pnCB8gV8WLwibNbXhaXBk6DBpVdXDODetjyXv9cSZNWuvyHv8h6VNNaxrx1HKW78MTAkHCJL1lkfxqb!
G9YLwtpF5e8qw3muqLTID8T2zONE4uIh9uEhGUz1oMhqK5bvH7b1oQewvvoGj1D4C/KNFTogiMRV!
zDrgpcRXLSF3eVL+wKzn932Sh9HgTJ1qysvwvg==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.dx:46 rec.radio.amateur.equipment:238
uk.radio.amateur:6463
```

"Martin g1gyc" <News.Martin@g1gyc.demon.co.uk> wrote in message
news:g3ibvf$b7$1$8300dec7@news.demon.co.uk...

> Hello,
>
> What is the current thinking of which radio is currently the best for weak
> signal VHF / UHF DX working ?
>
> Any one care to comment ?
>
>

Probably not the radio, but having a good preamp at the antenna.

Most areas have so little activity that selectivity is not that much of an issue except maybe two weekends a year for the contests. The noise floor should be set by the preamp near the antenna.

```
From 2396122043609560589
X-Google-Thread: 108122,bbedc8b7fcb6d014,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s21g2000prm.googlegroups.com!not-for-
mail
From: "www.24hoursneakers.com" <HHL20008@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Cheap  Air Max87 90 95 97  Shox Bape DUNK Adidas Puma Shoes Supplier
Date: Sat, 21 Jun 2008 08:48:57 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <994ef826-b979-4a78-8c6c-1670f40b0642@s21g2000prm.googlegroups.com>
NNTP-Posting-Host: 58.22.138.72
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1214063338 19072 127.0.0.1 (21 Jun 2008 15:48:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Jun 2008 15:48:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s21g2000prm.googlegroups.com; posting-host=58.22.138.72;
     posting-account=1ZWNOgoAAAC9Cx_xqgUQbifuqwchh6MD
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; MSN
     Optimized;CN),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:239

Air Max 87 / 90 / 95 / 97 / 360 / 180 / 2003 / 2008 / TN / LTD
Sneakers,
Shox R2 / R3 / R4 / R5 / R6 / OZ / NZ / TL / Turob / BMW Sneakers

Discout Puma Trainers, Adidas Trainers, Lacoste Trainers,  Jordan1-23
Sneakers, Prada Sneakers, AF1 Sneakers, Mauri Sneakers, Dsquared
Hogan Supplier.
http://groups.google.com/group/macromedia.flex.flex_builder/browse_thread/thread/
c563994f44a2e26d


From 7856475286193480958
X-Google-Thread: 11480d,b5f28998c043992b
X-Google-Thread: 108122,b5f28998c043992b
X-Google-Thread: f64c6,f230f4d9732c1b7f
X-Google-Attributes: gid11480d,gid108122,gidf64c6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in02.usenetserver.com!news.usenetserver.com!pink.octanews.net!news-
out.octanews.net!indigo.octanews.net!auth.beige.octanews.com.POSTED!not-for-mail
From: Joe <none@nowhere>
Newsgroups: rec.radio.amateur.dx,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Radio for VHF UHF weak signal DX
Date: Sat, 21 Jun 2008 20:45:11 +0000
```

Reply-To: none@nowhere
Message-ID: <3mpq54hin66tr07hu4dp5oafbvta7p35pm@4ax.com>
References: <g3ibvf$b7$1$8300dec7@news.demon.co.uk>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Organization: Octanews
NNTP-Posting-Date: 21 Jun 2008 15:45:11 CDT
X-Complaints-To: abuse@octanews.net
Xref: g2news1.google.com rec.radio.amateur.dx:47 rec.radio.amateur.equipment:240 uk.radio.amateur:6496

On Sat, 21 Jun 2008 08:52:08 +0100, "Martin g1gyc" <News.Martin@g1gyc.demon.co.uk> wrote:

>Hello,
>
>What is the current thinking of which radio is currently the best for weak
>signal VHF / UHF DX working ?
>
>Any one care to comment ?
>

The best is a high quality HF radio (K3, Orion-II, FT9000, IC7700, 7800) followed by a
DB6NT transverter. Or even nicer: a SDR with transverter. There are not many serious
radio's left with VHF/UHF. Only one I know of is the IC910H. I am still using my trusty
FT736 and am having a ball with it... If you can find one - or something else especially
with a Mutek go for it!

But since you are in G, check and ask on the ON4KST website www.on4kst.com/chat and select
the frequency your interested in. Often between 100-200+ stations per band chat Ask for
some opinions there.

No VHF/UHF is not dead but it has definitely changed in the past 6 or so years...

From 3038764732736342841
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment

Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Sun, 22 Jun 2008 02:42:58 -0400
Organization: Aioe.org NNTP Server
Lines: 92
Message-ID: <g3ks9i$dlt$1@aioe.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com> <g297jh$10ag$1@f04n12.cac.psu.edu>
<Pine.NEB.4.64.0806051408390.22284@panix1.panix.com>
NNTP-Posting-Host: vAvOo3D5NM1pa2VF+BLd9g.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:242

"A" <arthures@panix.com> wrote in message
news:Pine.NEB.4.64.0806051408390.22284@panix1.panix.com...
>
>
> On Thu, 5 Jun 2008, Michael Coslo wrote:
>
>> Jiggly wrote:
>>> The hobby has lots of people who are morbidly obese.
>>> (See http://en.wikipedia.org/wiki/Morbid_obesity for definition)
>>>
>>> Sadly, many of them die from weight-related causes. We lose a lot of
>>> nice people and good operators that way.
>>
>> That reminds me.....
>>
>>
>> For years we've been force fed about how we have to eat right, not smoke,
>> etc. How the obese ans smokers and heavy drinkers were going to be a
>> healthcare disaster.
>>
>> Apparently that stuff takes an average of 4 years off our life. People
>> who live the proper life will live around 4 years longer on average.
>>
>> But the kicker is this:
>>
>> When they got the stats on relative life expectancy, they found the
>> causes of death. Those obese and smoking and hard drinkin' jerks tended
>> to have a quick end, while the righteous proper folk tended to have long
>> debilitating ends.
>>
>> My Mother-in-law didn't smoke, didn't drink, and spent the lat 8 years of
>> her life as an dementia patient in a nursing home. I cringe every time I

>> think of that happening to me.
>>
>> The problem with lengthening our lives is that any gains we make are at
>> the wrong end.
>>
>> - 73 de Mike N3LI -
>>
>
> Some thoughts on the wisdom above: all those articles citing studies
> involving statistics benefit not you, but i) the newspaper reporter making
> his wages for doing this, ii) the medical school professor getting the
> grants to do the work (including pay his/her salary [i.e. the school gets
> its staff for free]), and iii) the bean-counter actuaries who work with
> the insurance companies figuring out what premiums to charge you based on
> any factors that significantly affect the mortality curves.
>
> No doctor can plug into you any "voltmeter" (or cholesterol meter, or
> weight meter, etc), and tell you because of X, YOU're going to live N more
> days. You can calculate satellite orbits, miles of gas left in your car's
> gas tank, and minutes of light left in a flashlight with considerable
> accuracy, but in a biological animal, you can't make those kinds of
> predictions unless you're talking about death being caused by bleeding at
> high rates or you're in the middle of suffering a hearth attack or the
> likes of that.
>
> Now, enjoy the rest of your life as best you can (ice cream, booze, don't
> smoke tobacco around me, etc) and consider that if you agonize too much
> over things, then those visits to the psychiatrists will cut into your
> entertainment budget AND you will be more unhappy.
>
> 73

I've seen a lot of fit, slim, healthy and trim folks pass on in my 62 year life. And not from car accidents, falling, electrocution, car crashes or plane crashes. It seems that the active folks are actually worriers, more so than we portly folks.

One thing I do know for sure is that after smoking for 35 years, quitting was a mistake. The damage was already done to my body. The weight that I gained after quitting has brought on myriad problems that I did not have before, such as diabetes, high blood pressure, diabetic neuropathy, etc. Had I just kept on smoking, chances are I would have been much better off.

If you don't smoke, don't start. If you do smoke at a good clip, think twice before quitting. Had I to do quitting again with what I know now, no way would I have done so. This is my seventh year having quit smoking. Now I have this cotton picking seven year record to maintain and improve upon. And over one hundred pounds of blubber to tote that I didn't have before I quit smoking. I don't care what the doctors say. Being slim and smoking is lots better than being a non smoker, but fat.

Now we need to arrange some lynching parties for the bastards that began
taxing cigarettes at a ridiculous rate.

Ed Cregger

From 297315215183056768
X-Google-Thread: 108122,f3a87bef60f657a6
X-Google-Thread: 10f32b,f3a87bef60f657a6
X-Google-Attributes: gid108122,gid10f32b,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!bigfeed.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!5df67c19!
not-for-mail
From: "Count Floyd" <CountFloyd@MonsterChillerHorrorTheater.com>
Message-ID: <BJ4mQCBKg9HM-pn2-3jzz0k6hJEOg@localhost>
Newsgroups: rec.radio.amateur.equipment,alt.radio.digital
Subject: Re: looking for wi fi radio with AM/FM
References: <e3b899b9-77ef-4b14-9773-776b36469aa1@q24g2000prf.googlegroups.com>
User-Agent: ProNews/2 V1.59.cp120
MIME-Version: 1.0
Content-Type: text/plain; charset=US-ASCII
Content-Transfer-Encoding: 8bit
Lines: 9
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbofcfbnkmdffpkepgicknmmfcicgolaonopg
fnmfackgplmdojbpdgfobglckoihojmmobmnhejeihnjjghhiioknomedbbfelghpoomdgfnpfhafb
NNTP-Posting-Date: Sun, 22 Jun 2008 11:54:21 EDT
Organization: BellSouth Internet Group
Date: Sun, 22 Jun 2008 15:54:21 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:243 alt.radio.digital:678

On Fri, 20 Jun 2008 05:34:21 UTC, aristotle65@hotmail.com wrote:

> Is there a Wi Fi radio that is capable of also listening to local AM
> radio stations. The radios I see advertised offer FM radio plus WiFi

Check CCrane, they have several wi/fi radios on their website for
sale.

From 6605995051960737713
X-Google-Thread: 108122,d041fc5fca7135d9
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!

```
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 22 Jun 2008 21:47:25 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <1cd92a35-7878-4f39-9a5e-6e902cf38208@x41g2000hsb.googlegroups.com>
Subject: Re: Kenwood TS-830 S
Date: Sun, 22 Jun 2008 21:47:11 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Message-ID: <hbWdnf-dKfAgk8LVnZ2dnUVZ_qLinZ2d@comcast.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-
pgeNkinqV7o3RFDQp8KlnUcAT8ay6t3VKwkJJhEKw4WQSviRHko5WccupEFIO+TdEvfibBlwa7IJe/o!
cMPdnWtKRqzx18Gs84h8c/2opPVorAY5NYDWaAO117VowBmFwVzWNHNKdmpuo505sPEocMvCZN0Y!
AZKf8D830vyYJgK+jvIQm3f8jMYDiA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:244

"mrhaney" <w4pqw@cox.net> wrote in message
news:1cd92a35-7878-4f39-9a5e-6e902cf38208@x41g2000hsb.googlegroups.com...
>I am a fancier of the TS-830S transceiver and am searching for some
> historical facts..Anyone know how many were produced,Or,first and last
> serial numbers..I think they were first produced in August ,1980  and
> last advertised about July of 82  looks like about Two years of
> production ..Thanks   Harold W4PQW

Has to be longer than that, I pruchase the TS-530S (the TS-830S was readily
avaialble) in the fall of 1983.

w9gb





From 6697024549444297792
X-Google-Thread: 11480d,b5f28998c043992b
X-Google-Thread: 108122,b5f28998c043992b
X-Google-Thread: f64c6,f230f4d9732c1b7f
X-Google-Attributes: gid11480d,gid108122,gidf64c6,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
```

newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!roadrunner.com!not-for-mail
From: W2RAC <w2racNOSPAM@cfl.rr.com>
Newsgroups: rec.radio.amateur.dx,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Radio for VHF UHF weak signal DX
Date: Mon, 23 Jun 2008 11:12:54 -0400
Message-ID: <bdev54ddcjvaaq1lmjnif88v6mfss1kbgo@4ax.com>
References: <g3ibvf$b7$1$8300dec7@news.demon.co.uk>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 58
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 67.8.177.216
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.dx:50 rec.radio.amateur.equipment:245 uk.radio.amateur:6683

DEAD some say, then you are not trying.

Here in EL99 I/ we have a 2m SSB net every Wednesday at 0100z or 8pm local. 144.250   http://www.swotrc.net/

Then on Thursdays the Florida Week Signal Society has a 432.100 at 0130z or 8:30. http://flwss.net/ These guys are avaiable upto 10gz!!!

I myself use a ICOM 820H but have used in the past a FT726 and FT736. I know of operators whom use Ft-847 with good results (as long as the SWR does not trip out on that particular radio). the Ic-910 with the 1.2g is a decent radio.
My plans are to finish installing my 222 transverter and 900 radio, then it 1.2g 2.4 and up!

A GREAT source of transverters is Down East Microwave.
http://downeastmicrowave.com/
Coupled with a 756pro3 using the band scope is the ultimate in my opinion.

Antenna mounted preamps are nice but a better use of $$ is in the hardline, not coax and good antennas, not cushcraps.
http://gulfalphaantennas.com/
http://www.directivesystems.com/antenna4.htm
http://www.yu7ef.com/   I built his 9el out of spare parts and it works great!!!

You think UHF/VHF SSB is dead, just check the scores of the June QSO party. 6m did dominate but I had more QSO on 432 then 2m.

"Remember, amateur radio is a CONTACT sport!" Chuck K0VXM

Richard W2RAC EL99
IRLP 4053
EchoIRLP 40531
144.200
432.100

On Sat, 21 Jun 2008 08:52:08 +0100, "Martin g1gyc"
<News.Martin@g1gyc.demon.co.uk> wrote:

>Hello,
>
>What is the current thinking of which radio is currently the best for weak
>signal VHF / UHF DX working ?
>
>Any one care to comment ?
>

From -1759902372713520355
X-Google-Thread: 108122,d10558b827952af9,start
X-Google-Thread: fc8b1,d10558b827952af9,start
X-Google-Attributes: gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Jun 2008 12:52:43 -0500
Date: Mon, 23 Jun 2008 13:52:42 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 2.0.0.12 (X11/20071114)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: KW Electronics VESPA II Transmitter (in USA)
X-Enigmail-Version: 0.95.6
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <kpadnZG8hed2f8LVnZ2dnUVZ_gudnZ2d@comcast.com>
Lines: 1
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.98.102.223
X-Trace: sv3-
JIZ66hZMeInCdHYd+G8O7NxmCuv8pp2Xt427sVpNgwG7wnML6OlTag98MPlf4OTHtAKMzt/dU++AwPI!
Jq+e4UTf5EOEi3xTywEzs1VAdb5s39fx+V6dfFeilaZihuXLwJhlOqXTWhX2MQh/muOh/w4wMy6E!
AYZkRtThUFhYpOwm5gUWWpJySygcog==
X-Complaints-To: abuse@comcast.net

```
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:246
rec.radio.amateur.boatanchors:379
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230264806564

```
From -5196777141819471404
X-Google-Thread: 108122,f40bafcf1464ca68,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
news.astraweb.com!border1.a.newsrouter.astraweb.com!hwmnpeer01.ams!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe15.lga.POSTED!7564ea0f!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Yeasu VX-7R Black Quad Band HT with Extras, Virtually New in
 the Box
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 90
Message-ID: <Gg78k.4766$3q7.4201@newsfe15.lga>
NNTP-Posting-Host: 72.218.226.12
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe15.lga 1214316710 72.218.226.12 (Tue, 24 Jun 2008 07:11:50 MST)
NNTP-Posting-Date: Tue, 24 Jun 2008 07:11:50 MST
Organization: Cox
Date: Tue, 24 Jun 2008 10:06:10 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:247
```

1 -Yeasu VX-7R Black Quad Band HT with Extras, Excellent Condition,
Virtually New in the Box

This is a totally unused black VX-7R that I bought at a local hamfest the beginning of this year. I have a bad habit of buying these at the hamfest and then never using them. I charged this one up and played with the buttons for about 15 minutes and thats the total of its use to date. I am always so excited about these things at the hamfest but then I loose interest and they sit around gathering dust. So I might as well pass it along to someone that will give it a good home and actually use the thing. It is in perfect, new in the box condition with all the original packaging and manuals. It also includes the computer cable and software to program the memories and such as well as the soft case made for it.

Below are exerpts from the Yaesu website that describe the features and functions better than I could.

The Yaesu VX-7R is a triple band (6M, 2M & 440 MHz) HT with extensive receive coverage, and leading-edge features. The American version even transceives with 300 mW on the 220 band. Power output on 6 meters, 2 meters and 440 MHz is 5/2.5/1/0.5 watts. It receives the AM and FM broadcast bands, shortwave (AM), VHF and UHF TV audio, VHF Air and public service frequencies. This new model features a rugged magnesium case with rubber bumpers and gaskets. It clearly sets the standard in ruggedness, versatility and water resistance. It is actually submersible (3 feet for 30 minutes). There is even an optional submersible speaker mic (not included).

Other features include: magnesium case, 24 hour clock, 900 memories, changeable icons, severe weather alert, and multicolor LED strobe. The VX-7R also has an Internet key to access the new WIRES? system. At only 2.5 x 4 x 1.2 inches it will go with you everywhere. Hikers and mountain climbers may connect the optional SU-1 Barometric Sensor for direct air pressure readings. The VX7R comes with SMA Dual Section Antenna, FNB-80LI Lithium Ion Battery, NC-72B Battery Charger, Belt Clip and Wrist Strap.

2 - Mio Digiwalker C520 Widescreen GPS Unit With Extras, Excellent Condition

This is a really nice widescreen automotive GPS unit that works great. I have used it for about a year both locally and on various trips and it has come in very handy at times. The user interface is very easy to use and the routing function is very fast, even midtrip reroutes are quick. The only reason I am selling this is I got a tomtom and I don't really need two units. Along with the normal routing functions this unit will also play mp3 files, show picures and play videos. Great when you are stuck somewhere waiting. It has an internal rechargable battery so you can use it handheld outside the car. It also has bluetooth connectivity both for hands free use with your bluetooth cellphone and for wireless stereo audio via bluetooth headphones (not included).

Included with the GPS is the mio power / audio cradle that allows easy mounting and removal from your car. No more cords to plug in, all connections are made via a contact along the edge of the GPS. It also has an amplified speaker that boosts the soud output from the GPS, good for driving with the windows down. I am really missing this bit with my new tomtom, I almost decided to sell it instead. I will also include an alternative suction cup mount for more flexibility in window mounting. Last but not least is aremote agnetic unt gps antenna to allow maximum flexibility in the mounting for the gps. Everything in is excellent shape and works perfectly. Includes the original box, packaging, software and manual.

3 - Vexplorer Remote Control Robot Kit

This is a virtually unused Vexplorer ready to build in the box. It is in excellent condition and everything works perfectly. It even has a second set of small hardware (screws, nuts and such) that is unopened in case you misplace something. This would be a great project for a parent and child to build, I know I would have loved it when I was younger. I originally purchased it with a specific purpose in mind and it was a little smaller than I had hoped so I am selling it so that someone else can enjoy it. Any of you parents out there that had an erector set as a child will be right at home with this. You can even buy add on parts to increase it functionality. Some of the pictures below are from the web site since mine is unassembled and still in the box. Check out Vexplorer Website <http://www.vexrobotics.com/vex-robotics-vexplorer.shtml>

For more information, pictures or to place a bid go to

http://shop.ebay.com/merchant/tcbordp

```
From -8570562882630114393
X-Google-Thread: 108122,a1602d53ea65889e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
news.astraweb.com!border1.a.newsrouter.astraweb.com!hwmnpeer01.ams!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe15.lga.POSTED!7564ea0f!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Mio Digiwalker C520 Widescreen GPS Unit With Extras
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 89
Message-ID: <8v78k.4770$3q7.560@newsfe15.lga>
NNTP-Posting-Host: 72.218.226.12
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe15.lga 1214317636 72.218.226.12 (Tue, 24 Jun 2008 07:27:16 MST)
NNTP-Posting-Date: Tue, 24 Jun 2008 07:27:16 MST
Organization: Cox
Date: Tue, 24 Jun 2008 10:21:36 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:248
```

1 - Mio Digiwalker C520 Widescreen GPS Unit With Extras, Excellent Condition

This is a really nice widescreen automotive GPS unit that works great. I have used it for about a year both locally and on various trips and it has come in very handy at times. The user interface is very easy to use and the routing function is very fast, even midtrip reroutes are quick. The only reason I am selling this is I got a tomtom and I don't really need two units. Along with the normal routing functions this unit will also play mp3 files, show picures and play videos. Great when you are stuck somewhere waiting. It has an internal rechargable battery so you can use it handheld outside the car. It also has bluetooth connectivity both for hands free use with your bluetooth cellphone and for wireless stereo audio via bluetooth headphones (not included).

Included with the GPS is the mio power / audio cradle that allows easy mounting and removal from your car. No more cords to plug in, all connections are made via a contact along the edge of the GPS. It also has an amplified speaker that boosts the soud output from the GPS, good for driving with the windows down. I am really missing this bit with my new tomtom, I almost decided to sell it instead. I will also include an alternative suction cup mount for more flexibility in window mounting. Last but not least is aremote agnetic unt gps antenna to allow maximum flexibility in the mounting for the gps. Everything in is excellent shape and works perfectly. Includes the original box, packaging, software and manual.

2 - Vexplorer Remote Control Robot Kit

This is a virtually unused Vexplorer ready to build in the box. It is in excellent condition and everything works perfectly. It even has a second set of small hardware (screws, nuts and such) that is unopened in case you misplace something. This would be a great project for a parent and child to build, I know I would have loved it when I was younger. I originally purchased it with a specific purpose in mind and it was a little smaller than I had hoped so I am selling it so that someone else can enjoy it. Any of you parents out there that had an erector set as a child will be right at home with this. You can even buy add on parts to increase it functionality. Some of the pictures below are from the web site since mine is unassembled and still in the box. Check out Vexplorer Website <http://www.vexrobotics.com/vex-robotics-vexplorer.shtml>

3 -Yeasu VX-7R Black Quad Band HT with Extras, Excellent Condition, Virtually New in the Box

This is a totally unused black VX-7R that I bought at a local hamfest the beginning of this year. I have a bad habit of buying these at the hamfest and then never using them. I charged this one up and played with the buttons for about 15 minutes and thats the total of its use to date. I am always so excited about these things at the hamfest but then I loose interest and they sit around gathering dust. So I might as well pass it along to someone that will give it a good home and actually use the thing. It is in perfect, new in the box condition with all the original packaging and manuals. It also includes the computer cable and software to program the memories and such as well as the soft case made for it.

Below are exerpts from the Yaesu website that describe the features and functions better than I could.

The Yaesu VX-7R is a triple band (6M, 2M & 440 MHz) HT with extensive receive coverage, and leading-edge features. The American version even transceives with 300 mW on the 220 band. Power output on 6 meters, 2 meters and 440 MHz is 5/2.5/1/0.5 watts. It receives the AM and FM broadcast bands, shortwave (AM), VHF and UHF TV audio, VHF Air and public service frequencies. This new model features a rugged magnesium case with rubber bumpers and gaskets. It clearly sets the standard in ruggedness, versatility and water resistance. It is actually submersible (3 feet for 30 minutes). There is even an optional submersible speaker mic (not included).

Other features include: magnesium case, 24 hour clock, 900 memories, changeable icons, severe weather alert, and multicolor LED strobe. The VX-7R also has an Internet key to access the new WIRES? system. At only 2.5 x 4 x 1.2 inches it will go with you everywhere. Hikers and mountain climbers may connect the optional SU-1 Barometric Sensor for direct air pressure readings. The VX7R comes with SMA Dual Section Antenna, FNB-80LI Lithium Ion Battery, NC-72B Battery Charger, Belt Clip and Wrist Strap.

For more information, pictures or to place a bid go to

http://shop.ebay.com/merchant/tcbordp

```
From 8605152721190293745
X-Google-Thread: 108122,8d375a0958f5b9fd,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: FINNISH,ASCII
Subject: Re: Viron digit ja Suomen HD:t
From: Mauno Karjalainen <karjalainen@signet.com>
Date: Tue, 24 Jun 2008 12:38:42 -0500
Message-ID: <6bna65F394ac2U1@flu32-252.loen.edu>
References: <g2g9c1$s02$1@epityr.hut.fi>
Lines: 39
NNTP-Posting-Host: sd-1090.dedibox.fr
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!news-
out.superfeed.net!sp26iad.superfeed.net!news-in1.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news-in1.superfeed.net 1214329122 sd-1090.dedibox.fr (24 Jun 2008
12:38:42 -0500)
Followup-To:
sfnet.harrastus.lemmikit.kissat,sfnet.keskustelu.foreigners,sfnet.keskustelu.seksi
MIME-Version: 1.0
Content-Type: text/plain;
Content-Transfer-Encoding: 8bit
```

X-Original-Bytes: 3110
X-Original-Lines: 50
Xref: g2news1.google.com rec.radio.amateur.equipment:249

23.05.2008 Aamusta asti on syydetty h�t��ntyneelle kansalle kas vihnett� vallattoman toimivaa mehil�istuhojippoa. Juu ilmeisesti h�t��ntyneet kansalaiset ovat jo viikojen ajan tukkineet puhelinlinjat tivaten syyt� siihen , ettei p�lytt�jist� ole koko maasamme harmainta hajua miss��n. Ja koska edes mehil�isliitto en�� jaksa keksi� mysteeriin en�� virannomaisiamme ep�ileville kysejille mit��n haluttua selityst� alkaa YLE syyt�m��n omaansa. Ei nyt ei kelpaa punkit, ei tekaistut virukset. Ei edes kiinalaiset sokeriruokintaliemimyrkytykset. Ei edes geenimanipulointi tunnu kansamme kauhua laannuttavan. Kuten muistamme jo pitk��n tiedetty TODELLINEN s�teilyionisaatiop��st�fakta harhauttajana on ehdottoman kiellon tabu.

Nyt on siis ydinhallintomme kehitt�nyt, etten sanoisi nerokkaankivan selitteen �idin, kaikkien ydinvalheiden kuninkaan syv�luotaavan neronkiivauden laattalentojen likaisenharmaan kuninkaan. Ja kuten ydinalallamme on tapana ollut massasyyd�ll� jopa kaikkein typerimm�n arvellaan uppoavan kansan aivotursoon. "Kylmyys on syyn� muka mehil�isliiton tunnustamaan jopa -90% todettuun mehil�iskatoon menneeseen vuoteen, t�h�n- ja viel� tuleviin kymmeniin kesiin!" ..? .. ��.. ..? ..Noin hienoa tiet�� ett� vaikka jo +8C l�mm�ss� iloisesti lentelev� amppari puuttuu jo pitk��n +23C kes�p�ivist�mme niin nyt saatuani "ns. virallisen selityksen ydinhallinnoltamme" nukun kuin murmeli tulevat ydinkauhuvuosien y�t punasateitten rummuttaessa henke� viel� kituvista biotoopeistamme koko s�teilyionisaatioitten vuosikymmenten kertymien raivolla. HIENOA!(

PS. Ja kauhistellen j�lleen uuttta TVO/Fortum/Posivan:n ydinvoimalamasiivien tritiump��st�jen ja (440kpl k�yt�ss� nyt) maailmaamme tuhoavien ydinvoimaloitten syyt�mien raskasvesitritiump��st�jen ja k�siin r�j�ht�vien beettasoihtujen uhreja my�s el�imist�ss�mme. Jo pitk��n on ollut tiedossa, ett� ydinvoimaloiden 360-kertaistuneet radioaktiiviset tritiumh�yryt yms. tappavat massoittain n�iss� lammikoissaan suojatta kutevaa sammakkoel�imist��. 23.05.2008 on julistettu maailmanlaajuiseksi sammakkoel�inten KATASTROFIJULISTUSP�IV�KSI!.. ..Mit� t�ss� jatkuvassa ydinaavikoitumistuhoterssiss� osaa en�� sanoa rakkaat lukijani? Niin olen min� n�ist� Einsteininkin ennakoimista faktoista oppia antanut m��r�� karsastamatta? .. Ehken tarpeeksi, mutta nyt tilanne alkaa olla sellainen, ett� meid�n JOKAISEN on kertakaikkiaan pakko tehd� omakohtaiset ratkaisut! Kannattaako alati etenev�� ydinteurastusta vai vastustaakko sit� luonnon mukana? Yht� kaikki arpa on heitetty. Ydinvoima L�HTEE!.. En�� luonto kysyy mielipiteen��n asiasta vain yhden kysymyksen. "Ihmiskunnan kanssa, vai ILMAN!?". .))))

From -4175731484530993866
X-Google-Thread: 108122,e051e45616b29ec,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: FINNISH,ASCII
Subject: Re: VPN
From: Matias Hartmann <matias.hartmann@lot.com>
Date: Wed, 25 Jun 2008 08:58:17 -0500

Message-ID: <1214402297_6193@news-in1.superfeed.net>
References: <g2fvk6$db$1@nyytiset.pp.htv.fi>
Lines: 35
NNTP-Posting-Host: tor.metacolo.net
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nlpi057.nbdc.sbc.com!prodigy.net!news-out.superfeed.net!sp6iad.superfeed.net!news-in1.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news-in1.superfeed.net 1214402297 tor.metacolo.net (25 Jun 2008 08:58:17 -0500)
Followup-To: sfnet.harrastus.sukellus,sfnet.keskustelu.foreigners,sfnet.urheilu.voimailu
MIME-Version: 1.0
Content-Type: text/plain;
Content-Transfer-Encoding: 8bit
Xref: g2news1.google.com rec.radio.amateur.equipment:250
X-Original-Bytes: 2499
X-Original-Lines: 45

BANG! Maailmankaikkeuden historia./Neutriino.
Neutriinot ovat pieni� ja hyvin kevyit� hiukkasia. Niit� syntyy ydinfuusiossa, jotka toimivat t�htien (esimerkiksi Auringon, perusydinvoimalan) energian l�htein�. Useiden vuosien ajan neutriinojen oletettiin olevan massattomia, mutta nyky��n tiedet��n ett� niill� on pienen pieni massa, tosin liian pieni pime�n materian ongelman selitt�miseen. Massan olemassaolo ratkaisi pitk��n mieli� askarruttaneen "neutriino-ongelman", jonka mukaan havaitsimme v�hemm�n neutriinoja Auringosta kuin teorian mukaan olisi pit�nyt. Pieni massa antaa neutriinon vaihtua kolmen olomuodon- elektronin, myonin ja tau-neutriinon- v�lill� sen tullessa Auringosta maahan.

*T�ss� on siis keskeist� tajuta, ett� kvanttiydinfyysikkojen neutraaliksi "aiemmin v��rin" ilmoittama ydinvoimalatehokadon 17% neutriinos�teily ymp�rist�biotooppin on my�s potentiaaliltaan siis yll� mainitusti elektronis�teily�. Ja kuten on syyt� tiet�� elektronis�teily tunnetaan paremmin ns. beettas�teilyn elektronituotoksena! J�lleen huomaamme miten h�rskisti ydinala valehtelee aiheesta. Ydinvoimalassa mittareissa n�kym�t�n neutriinos�teily l�p�isee kaikki s�teilysuojat se sen j�lkeen muuttujana synytt�� ��rimm�isen tuhoisaa beettas�teily�. Toki sen lis�ksi, ett� neutriinon osuessa protoniin syntyy 1 000 000eV gammaterssi my�s.

Aiemmat havaintolaitteet pystyiv�t havaitsemaan vain kaikkein kevyint� tyyppi�. Neutriinojen ilmenemismuotojen lukum��r� voidaan ennustaa alkur�j�hdysteoriasta. Samalla haastetaan tiukasti teoria, jonka mukaan maailmanmkaikeus alkoi kuumassa tihe�ss� tilassa.

Neutroni.
Atomiytimet koostuvat kahden tyyppisist� hiukkasista, neutroneista ja protoneista, ja n�m� molemmat hiukkastyypit taas koostuvat kolmesta kvarkista. Neutronit painavat melkein yht� paljon kuin protonit, mutta ovat varauksettomia. Supernovar�j�hdyksen ��rimm�isiss� olosuhteissa protonit ja elektronit voivat yhdisty� ja muodostaa neutroneja, jolloin kuolevan t�hden ytimest� syntyy tihe� neutronit�hti. Neutronit�hden maksimimassan oletetaan

olevan noin kahdeksan Auringon massaa: t�t� suuremmat luhistuisivat mustiksi aukoiksi.

From -5546174243783169679
X-Google-Thread: 108122,d041fc5fca7135d9
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <1cd92a35-7878-4f39-9a5e-6e902cf38208@x41g2000hsb.googlegroups.com> <hbWdnf-dKfAgk8LVnZ2dnUVZ_qLinZ2d@comcast.com>
Subject: Re: Kenwood TS-830 S
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Z9y8k.8$wR.2@trnddc07>
Date: Wed, 25 Jun 2008 20:47:53 GMT
NNTP-Posting-Host: 71.110.227.105
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1214426873 71.110.227.105 (Wed, 25 Jun 2008 16:47:53 EDT)
NNTP-Posting-Date: Wed, 25 Jun 2008 16:47:53 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:252
X-Original-Bytes: 2357

> >I am a fancier of the TS-830S transceiver and am searching for some
> > historical facts..Anyone know how many were produced,Or,first and last
> > serial numbers..I think they were first produced in August ,1980 and
> > last advertised about July of 82 looks like about Two years of
> > production ..Thanks   Harold W4PQW
>
> Has to be longer than that, I pruchase the TS-530S (the TS-830S was
readily
> avaialble) in the fall of 1983.
>
> w9gb
>
Got curious myself since I liked mine so much. Found this web page from SK
that says "introduced in 1977"
http://w4ti.net/ts-830.html

On the TS-520_820_530_830 Yahoo Group a Kenwood tech was quoted "about 1979 - 1981". I thought I had a Ham Radio magazine from 1983 with the Gold model but I can't find it now. Others swear it was available as late as 1987. Please share on any info.

I got mine in 93' after another gent suffered Field Day trauma from a newbie operator. One of the 6146b tubes actually had a sucked-in envelope! I bought it for $250 with the VFO-230 thrown in. All it needed was a 12BY6 and replacement shaft coupler for the band switch, made from drilled Teflon rod tapped for set screws. I used this radio for the next several years with the same finals at full output (>120 WPEP) in CW/SSB and even in RTTY service with the mic gain reduced for 70 Watts out.

I sold it 2 years ago anticipating a move. I kick myself now.

```
From -3452077407229779348
X-Google-Thread: 1109af,5d549956ce50ce82,start
X-Google-Thread: 108122,5d549956ce50ce82,start
X-Google-Thread: 108228,5d549956ce50ce82,start
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: eBay: COLLINS KWM-2A transceiver
Message-ID: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
Date: Wed, 25 Jun 2008 16:18:34 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:235 rec.radio.amateur.equipment:253
alt.ham-radio.marketplace:62
```

http://easyurl.net/CollinsKWM2A

```
From -9027346949572529643
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jun 2008 07:33:45 -0500
Message-ID: <48638CA9.3000601@qrparci.org>
Date: Thu, 26 Jun 2008 08:33:45 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 2.0.0.12 (X11/20071114)
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
```

```
To: Ted <nobody@pseudo.borked.net>
Subject: Re: eBay: COLLINS KWM-2A transceiver
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
In-Reply-To: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
X-Enigmail-Version: 0.95.6
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.98.102.223
X-Trace: sv3-n3qnu52Jv4sKMOmnl8/
C3pWRSokvD3GfJry+LrCVcF+vDYDOpH87Ma0G7o+BubVdRt7Gz+7kzEzFfic!
WjSLgC+hz6A1q9oHgY7HkgnzRRiTdCvh+gVCx4hhf3v2x1uzRSVx2lcpMDwMZPSvHyRGl4KcqaoV!
ey6+LS8/
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:240 rec.radio.amateur.equipment:254
alt.ham-radio.marketplace:63
```

Ted wrote:

> http://easyurl.net/CollinsKWM2A
>

CAVEAT EMPTOR. The seller is that well-known liar and rip-off artist RADIO-MART!!

```
From 8073167233121761795
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.posted.commspeed!
news.posted.commspeed.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jun 2008 16:39:25 -0500
From: Christopher Mills Wolfe <caveman@commspeed.net>
Subject: Re: eBay: COLLINS KWM-2A transceiver
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
     <48638CA9.3000601@qrparci.org>
User-Agent: Pan/0.132 (Waxed in Black)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <EpednWWzs7YQkfnVnZ2dnUVZ_rfinZ2d@posted.commspeed>
Date: Thu, 26 Jun 2008 16:39:25 -0500
Lines: 12
```

X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 216.19.16.188
X-Trace: sv3-7JtxN2Bg97HedOGNyNJZFea8yL7GcPKfGLDC5fGPuKeAGS0SzlMIbddkVv/
zMOqUEbG5OmPgIMMlRVD!
90nvzDlFVNxPNkq22iPju+lgUS+HCWJfdhMQkw6RZVhoEXWE9DUpjnIewU2p17GZwmp8SZlMdAD7!
uY2sHvH+RVUk9ZQ5
X-Complaints-To: abuse@commspeed.net
X-DMCA-Complaints-To: abuse@commspeed.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:248 rec.radio.amateur.equipment:255
alt.ham-radio.marketplace:69

On Thu, 26 Jun 2008 08:33:45 -0400, NoMoreSpam wrote:

> Ted wrote:
>> http://easyurl.net/CollinsKWM2A
>>
>>
>
> CAVEAT EMPTOR. The seller is that well-known liar and rip-off artist
> RADIO-MART!!

Let's see..10,000 plus comments and a 97.4% approval. If I were a large
or small scale seller I'd be tickled to have such a rating.

From -4794892970806692781
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jun 2008 18:48:21 -0500
From: Bernard Peters <sis@boom.bang>
Subject: Re: eBay: COLLINS KWM-2A transceiver
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
     <48638CA9.3000601@qrparci.org>
     <EpednWWzs7YQkfnVnZ2dnUVZ_rfinZ2d@posted.commspeed>
User-Agent: Pan/0.132 (Waxed in Black)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <C66dnaw-4utYt_nVnZ2dnUVZ_oTinZ2d@comcast.com>
Date: Thu, 26 Jun 2008 18:48:21 -0500
Lines: 17
X-Usenet-Provider: http://www.giganews.com

```
NNTP-Posting-Host: 24.8.221.21
X-Trace: sv3-
I0VVHfIH6rsxY5+diY133at6t9sdpzCgL3+EP9T4avJ2O9Drtb5WaHMzxQ2AbepaMtKp7aMJjpeLAPH!
7wQWDDdE/GhbhXS2ytW5TgQQZiJlZJ9yCf2acQtwz02Lk326xA/pldWfWgtAOzgzdY2ZJ775EGtp!
V8jIIZRgMNKHJUnbkuJjyKliiSM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:254 rec.radio.amateur.equipment:256
alt.ham-radio.marketplace:70

On Thu, 26 Jun 2008 16:39:25 -0500, Christopher Mills Wolfe wrote:

> On Thu, 26 Jun 2008 08:33:45 -0400, NoMoreSpam wrote:
>
>> Ted wrote:
>>> http://easyurl.net/CollinsKWM2A
>>>
>>>
>>>
>> CAVEAT EMPTOR. The seller is that well-known liar and rip-off artist
>> RADIO-MART!!
>
> Let's see..10,000 plus comments and a 97.4% approval. If I were a large
> or small scale seller I'd be tickled to have such a rating.

Obviously, you don't know ebay. Give one bad report and your account is
toast. radiomart's practices are well documented and quite googleable.


From 5961727740252978231
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.posted.commspeed!
news.posted.commspeed.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jun 2008 19:56:23 -0500
From: Christopher Mills Wolfe <caveman@commspeed.net>
Subject: Re: eBay: COLLINS KWM-2A transceiver
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
     <48638CA9.3000601@qrparci.org>
     <EpednWWzs7YQkfnVnZ2dnUVZ_rfinZ2d@posted.commspeed>
     <C66dnaw-4utYt_nVnZ2dnUVZ_oTinZ2d@comcast.com>
User-Agent: Pan/0.132 (Waxed in Black)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
```

```
Content-Transfer-Encoding: 8bit
Message-ID: <lNydnWtNiusqp_nVnZ2dnUVZ_sudnZ2d@posted.commspeed>
Date: Thu, 26 Jun 2008 19:56:23 -0500
Lines: 22
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 216.19.16.188
X-Trace: sv3-ulDI5V3K1JukGgLf6kg/fD0gEkSTJv1ASyNVlFmdXwuy5CCfn3Jammi2BqkMDL+iTiF/
2ec3ELqj37r!
QmQyCUy4qhyylVwtd4AtOEurDTl7QXy9yLjIVC9NVmTtdtZLeWNK+u7ribu4BXYiqy276ZtPhcsu!
qPX4amNfibK9fzvP
X-Complaints-To: abuse@commspeed.net
X-DMCA-Complaints-To: abuse@commspeed.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:257 rec.radio.amateur.equipment:257
alt.ham-radio.marketplace:72

On Thu, 26 Jun 2008 18:48:21 -0500, Bernard Peters wrote:

> On Thu, 26 Jun 2008 16:39:25 -0500, Christopher Mills Wolfe wrote:
>
>> On Thu, 26 Jun 2008 08:33:45 -0400, NoMoreSpam wrote:
>>
>>> Ted wrote:
>>>> http://easyurl.net/CollinsKWM2A
>>>>
>>>>
>>>>
>>> CAVEAT EMPTOR. The seller is that well-known liar and rip-off artist
>>> RADIO-MART!!
>>
>> Let's see..10,000 plus comments and a 97.4% approval. If I were a large
>> or small scale seller I'd be tickled to have such a rating.
>
> Obviously, you don't know ebay. Give one bad report and your account is
> toast. radiomart's practices are well documented and quite googleable.

Excellent source. Had the other gent simply used the same tact I would
not have made a comment. We all learn every day.


From 1988964352894935001
X-Google-Thread: 108122,d041fc5fca7135d9
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jun 2008 20:34:45 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
```

```
References: <1cd92a35-7878-4f39-9a5e-6e902cf38208@x41g2000hsb.googlegroups.com>
<hbWdnf-dKfAgk8LVnZ2dnUVZ_qLinZ2d@comcast.com> <Z9y8k.8$wR.2@trnddc07>
Subject: Re: Kenwood TS-830 S
Date: Thu, 26 Jun 2008 20:34:42 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Message-ID: <hISdnT0mZr0o3vnVnZ2dnUVZ_jydnZ2d@comcast.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-
yfuWJmbeZvoG3MLpkx1Hp4pE3IdA7+RplYFbWOXzIeXPze3TzWTguLKOhIMY5AO5WqvBp5A7mGn7Xcc!
jcM7TnvuSO0l/EXAYRzYUPVmV5d1XGbV3gov2Ug6htxx2BNRAvJDTGWla6rdKhHj6Rcp0Y+yxe9n!
jm5Vp2b/I67ye2s1DDEAudtQFugOkA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:259

"JB" <nospam@goofball.net> wrote in message news:Z9y8k.8$wR.2@trnddc07...
>> >I am a fancier of the TS-830S transceiver and am searching for some
>> > historical facts..Anyone know how many were produced,Or,first and last
>> > serial numbers..I think they were first produced in August ,1980  and
>> > last advertised about July of 82  looks like about Two years of
>> > production ..Thanks   Harold W4PQW
>>
>> Has to be longer than that, I pruchase the TS-530S (the TS-830S was
> readily
>> avaialble) in the fall of 1983.
>>
>> w9gb
>>
> Got curious myself since I liked mine so much.  Found this web page from
> SK
> that says "introduced in 1977"
> http://w4ti.net/ts-830.html
>
Sadly, Diehl Martin, W4TI (web site above) passed away 4 months after my
colleague at work --- who also had pancreatic cancer.

w9gb




From 6988281249560536588
X-Google-Thread: 108122,d041fc5fca7135d9
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!news-in-02.newsfeed.easynews.com!core-easynews!
easynews.com!easynews!en-nntp-08.dc1.easynews.com.POSTED!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-830 S
Message-ID: <bb2a649svbn8tlfrldirdu5i4nplk9n2mn@4ax.com>
References: <1cd92a35-7878-4f39-9a5e-6e902cf38208@x41g2000hsb.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 27 Jun 2008 10:39:00 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:260

On Thu, 19 Jun 2008 07:00:23 -0700 (PDT), mrhaney <w4pqw@cox.net>
wrote:

>I am a fancier of the TS-830S transceiver and am searching for some
>historical facts..Anyone know how many were produced,Or,first and last
>serial numbers..I think they were first produced in August ,1980  and
>last advertised about July of 82  looks like about Two years of
>production ..Thanks   Harold W4PQW

fwiw, the QST review was in May of '81.

bob
k5qwg


From 5922765327659547189
X-Google-Thread: 108122,d041fc5fca7135d9
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
news.albasani.net!not-for-mail
From: Steve H
<steveqqqqqqqqqqwwwwwwwwweeeeeeeeeeeerrrrrrrrrrrrrttttttttttttttttyyyyyyyyyyyyyyyy
yaaaaaaaaaaaaasssssssssssssssddddddddddddddddddffffffffffffffgggggggghhhhhhhhhhhhh
hhhhhhh@tfif.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-830 S
Date: Fri, 27 Jun 2008 18:59:25 +0100
Organization: not a lot
Lines: 19
Message-ID: <g439pq$doh$1@news.albasani.net>
```

```
References: <1cd92a35-7878-4f39-9a5e-6e902cf38208@x41g2000hsb.googlegroups.com>
<bb2a649svbn8tlfrldirdu5i4nplk9n2mn@4ax.com>
Reply-To:
steveqqqqqqqqqqwwwwwwwwwweeeeeeeeeeerrrrrrrrrrrrrrtttttttttttttttyyyyyyyyyyyyyyyyy
aaaaaaaaaaasssssssssssssssssddddddddddddddddddffffffffffffffggggggggghhhhhhhhhhhhh
hhhhhh@tfif.co.uk
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net bdwlqGAZbRtBQUA56v+XDbBZCP7y6zMd1pGFWVvt7p/
ed3ry7CcQEiDX0XF6rt2JYSCs8t+2F5feDtr3HJcVyrOciQusH+9+1QHZ1N1TAmavfHakDg3tjfGe0pFPz
0jV
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 27 Jun 2008 17:59:23 +0000 (UTC)
X-User-ID: 0UlMiWCT199wyyr5e6AnAjByS/FKRqxYnuiS5zBaUs4=
In-Reply-To: <bb2a649svbn8tlfrldirdu5i4nplk9n2mn@4ax.com>
Cancel-Lock: sha1:dXeiYxV61fPl2KaEZlX+nThSXoI=
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
X-NNTP-Posting-Host: G7C18BGKusQCm1YORaxemnHwxZdQh5vXbP/NfZWVjJg=
Xref: g2news1.google.com rec.radio.amateur.equipment:261

Bob Miller wrote:
> On Thu, 19 Jun 2008 07:00:23 -0700 (PDT), mrhaney <w4pqw@cox.net>
> wrote:
>
>> I am a fancier of the TS-830S transceiver and am searching for some
>> historical facts..Anyone know how many were produced,Or,first and last
>> serial numbers..I think they were first produced in August ,1980  and
>> last advertised about July of 82  looks like about Two years of
>> production ..Thanks   Harold W4PQW
>
> fwiw, the QST review was in May of '81.
>
> bob
> k5qwg

I bought one of the first in the UK at the Granby Halls Radio Rally in
the summer of 1981, it's still in daily use today.

Stev eH



From -1504834823229376382
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
nx02.iad01.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!
news.highwinds-media.com!news.cv.net!not-for-mail
From: "Rick" <ricknj10@hotmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
```

```
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
<48638CA9.3000601@qrparci.org> <EpednWWzs7YQkfnVnZ2dnUVZ_rfinZ2d@posted.commspeed>
<hhe864t5oecclgiohmrnk09efnl3qpirrc@4ax.com>
Subject: Re: eBay: COLLINS KWM-2A transceiver
Date: Fri, 27 Jun 2008 14:42:41 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 10
Message-ID: <486534a2$0$4998$607ed4bc@cv.net>
Organization: Optimum Online
NNTP-Posting-Host: 67.82.179.222
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.swap:260 rec.radio.amateur.equipment:262
X-Original-Bytes: 1553

The transceiver that will arrive on your doorstep will have no resemblance
to what you bid on.  Trust those who provide a warning to you, they speak
the truth.  Many have been burned.
Feedback below 99% is a big warning flag, because many who are disappointed
do not leave feedback because until recently he was able to retaliate with
negatives.  To see what I mean look up the feedback ratings on anyone who
left him a negative and you will see their record is tainted by a Radio Mart
negative.  A very nasty seller.




From -4897208651599740529
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
r66g2000hsg.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: eBay: COLLINS KWM-2A transceiver
Date: Fri, 27 Jun 2008 19:30:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <a3704f38-92d9-4aa1-b45b-e101d617a834@r66g2000hsg.googlegroups.com>
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
     <48638CA9.3000601@qrparci.org>
<EpednWWzs7YQkfnVnZ2dnUVZ_rfinZ2d@posted.commspeed>
     <hhe864t5oecclgiohmrnk09efnl3qpirrc@4ax.com>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
```

```
X-Trace: posting.google.com 1214620257 14123 127.0.0.1 (28 Jun 2008 02:30:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Jun 2008 02:30:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r66g2000hsg.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:262 rec.radio.amateur.equipment:263
alt.ham-radio.marketplace:74

On Jun 26, 8:57 pm, Joey <joeymcf...@hotmail.com> wrote:
> On Thu, 26 Jun 2008 16:39:25 -0500, Christopher Mills Wolfe
>
> <cave...@commspeed.net> wrote:
> >On Thu, 26 Jun 2008 08:33:45 -0400, NoMoreSpam wrote:
>
> >> Ted wrote:
> >>>http://easyurl.net/CollinsKWM2A
>
> >> CAVEAT EMPTOR. The seller is that well-known liar and rip-off artist
> >> RADIO-MART!!
>
> >Let's see..10,000 plus comments and a 97.4% approval. If I were a large
> >or small scale seller I'd be tickled to have such a rating.
>
> Don't talk so stupid.  RadioMart is a well-documented extortionist who
> misrepresents his items, threatens his buyers with negative feedback,
> and makes false claims about his items.  Avoid him at all costs.

Still, 10K sales is a lot of stuff sold.
Even the best intentioned/honest seller can miss something every once
in a while.
Besides, some buyers can be a real PITA:-)
I suggest taking a look at his prior sales & see how much he got, for
what & the feedback for same.
I think Ebay changed their Feedback Policy to prevent sellers from
holding poor feedback over the heads of buyers.
Also with PayPal required in the Consumer Electronics (ham stuff,
used), a buyer can retrieve his/her monies if an auction is bogus or
deceiving. At least thats what I hear, PayPal is for the buyer, not
the seller.
According to Ebay/Paypal, Paypal can hold the sellers monies for 21
days or until positive feedback is given.
Rich


From -2781145886288470778
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe15.lga.POSTED!7564ea0f!not-for-mail
From: "George" <k5wwo@cox.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
<48638CA9.3000601@qrparci.org> <EpednWWzs7YQkfnVnZ2dnUVZ_rfinZ2d@posted.commspeed>
<hhe864t5oecclgiohmrnk09efnl3qpirrc@4ax.com> <a3704f38-92d9-4aa1-b45b-
e101d617a834@r66g2000hsg.googlegroups.com>
In-Reply-To: <a3704f38-92d9-4aa1-b45b-e101d617a834@r66g2000hsg.googlegroups.com>
Subject: Re: eBay: COLLINS KWM-2A transceiver
Lines: 42
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18000
Message-ID: <6Li9k.4998$3q7.3209@newsfe15.lga>
NNTP-Posting-Host: 70.180.115.25
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe15.lga 1214625858 70.180.115.25 (Fri, 27 Jun 2008 21:04:18 MST)
NNTP-Posting-Date: Fri, 27 Jun 2008 21:04:18 MST
Organization: Cox
Date: Fri, 27 Jun 2008 23:04:05 -0500
Xref: g2news1.google.com rec.radio.swap:264 rec.radio.amateur.equipment:264
alt.ham-radio.marketplace:75

I had one dealing with, it almost turned out bad but didn't. I will never
deal with him again. I just don't trust him.

--
George
"wa2rqy" <rlucch2098@aol.com> wrote in message
news:a3704f38-92d9-4aa1-b45b-e101d617a834@r66g2000hsg.googlegroups.com...
> On Jun 26, 8:57 pm, Joey <joeymcf...@hotmail.com> wrote:
>> On Thu, 26 Jun 2008 16:39:25 -0500, Christopher Mills Wolfe
>>
>> <cave...@commspeed.net> wrote:
>> >On Thu, 26 Jun 2008 08:33:45 -0400, NoMoreSpam wrote:
>>
>> >> Ted wrote:
>> >>>http://easyurl.net/CollinsKWM2A
>>
>> >> CAVEAT EMPTOR. The seller is that well-known liar and rip-off artist
>> >> RADIO-MART!!
>>
```

```
>> >Let's see..10,000 plus comments and a 97.4% approval. If I were a large
>> >or small scale seller I'd be tickled to have such a rating.
>>
>> Don't talk so stupid.  RadioMart is a well-documented extortionist who
>> misrepresents his items, threatens his buyers with negative feedback,
>> and makes false claims about his items.  Avoid him at all costs.
>
> Still, 10K sales is a lot of stuff sold.
> Even the best intentioned/honest seller can miss something every once
> in a while.
> Besides, some buyers can be a real PITA:-)
> I suggest taking a look at his prior sales & see how much he got, for
> what & the feedback for same.
> I think Ebay changed their Feedback Policy to prevent sellers from
> holding poor feedback over the heads of buyers.
> Also with PayPal required in the Consumer Electronics (ham stuff,
> used), a buyer can retrieve his/her monies if an auction is bogus or
> deceiving. At least thats what I hear, PayPal is for the buyer, not
> the seller.
> According to Ebay/Paypal, Paypal can hold the sellers monies for 21
> days or until positive feedback is given.
> Rich
```

```
From 4837651651261470572
X-Google-Thread: fb049,ad4a878d398da36f
X-Google-Thread: 108122,ad4a878d398da36f
X-Google-Thread: 1109af,ad4a878d398da36f
X-Google-Attributes: gidfb049,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
feeder.usenet4all.se!reader.usenet4all.se!not-for-mail
From: "N8WWM" <n8wwm@myhouse.invalid>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <48398a0a@news.x-privat.org>
Subject: Re: COOKIE BUILT CV350RS LINEAR BASE AMPLIFIER
Date: Sat, 28 Jun 2008 07:20:31 -0400
Organization: toledo radio
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 19
Message-ID: <48661e9d$0$809$c5fe31e7@reader.usenet4all.se>
NNTP-Posting-Date: 28 Jun 2008 13:21:02 CEST
NNTP-Posting-Host: d0cc5b43.reader.usenet4all.se
X-Trace: DXC=0@=O\f6cj?
^fY\<^W0=XQT]=V>ZL5o1]R<moHH[O[>ZZD2766\RY;BPLPm9eR3NN1^`[3W^?
RWEm]>odC@U9;HO\iIJo=nZ4^5X9hZka]gi2nZ
X-Complaints-To: abuse@usenet4all.se
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:122 rec.radio.amateur.equipment:265
```

rec.radio.swap:265

"KC8QJP" <KC8QJP@invalid.invalid> wrote in message
news:48398a0a@news.x-privat.org...
> Unit has dual toshiba 1446's. my radio has a .5 watt dead key and the amp
> swings around 175-200 on am with the variable between 1/2 to 3/4 the way
> up. max input is a 4 watt dead key. sure it can swing more but my radio
> likes it a little lower. it has seen over 300 on sideband. sorry the
> preamp doesn't work, but i never cared for the extra noise anyway-
>
>
>
> http://cgi.ebay.com/COOKIE-BUILT-CV350RS-LINEAR-BASE-AMPLIFIER_W0QQitemZ330238513765QQihZ014QQcategoryZ48700QQssPageNameZWDVWQQrdZ1QQcmdZViewItem
>
>
>

Kathy, haven't you had enough trouble with law already? As I recall you have
a felony for filing false tax returns.

From -5135208436487952261
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Jun 2008 07:45:57 -0500
Message-ID: <48663286.7030204@qrparci.org>
Date: Sat, 28 Jun 2008 08:45:58 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 2.0.0.12 (X11/20080310)
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
To: wa2rqy <rlucch2098@aol.com>
Subject: Re: eBay: COLLINS KWM-2A transceiver
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
     <48638CA9.3000601@qrparci.org>
<EpednWWzs7YQkfnVnZ2dnUVZ_rfinZ2d@posted.commspeed>
<hhe864t5oecclgiohmrnk09efnl3qpirrc@4ax.com> <a3704f38-92d9-4aa1-b45b-e101d617a834@r66g2000hsg.googlegroups.com>
In-Reply-To: <a3704f38-92d9-4aa1-b45b-e101d617a834@r66g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 38
X-Usenet-Provider: http://www.giganews.com

NNTP-Posting-Host: 76.98.102.223
X-Trace: sv3-
KIsbLVbdoiS3jkkWOyTeXX2fpiYSb4wJ1DqY7ejcRag30Lj6AQXGD1/0tbPFST0YAOAYDQN0LAs3y9n!
PSFt9ZejBeg3i+I/1Y2T22G5Qh9s1qrAoLN37jjo4e4H8fsEtdMhQ2h5L+3MR0uy5KjCBDdmAR6d!
I7RI7ja8
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:267 rec.radio.amateur.equipment:266
alt.ham-radio.marketplace:76

wa2rqy wrote:
> On Jun 26, 8:57 pm, Joey <joeymcf...@hotmail.com> wrote:
>> On Thu, 26 Jun 2008 16:39:25 -0500, Christopher Mills Wolfe
>>
>> <cave...@commspeed.net> wrote:
>>> On Thu, 26 Jun 2008 08:33:45 -0400, NoMoreSpam wrote:
>>>> Ted wrote:
>>>>> http://easyurl.net/CollinsKWM2A
>>>> CAVEAT EMPTOR. The seller is that well-known liar and rip-off artist
>>>> RADIO-MART!!
>>> Let's see..10,000 plus comments and a 97.4% approval. If I were a large
>>> or small scale seller I'd be tickled to have such a rating.
>> Don't talk so stupid. RadioMart is a well-documented extortionist who
>> misrepresents his items, threatens his buyers with negative feedback,
>> and makes false claims about his items. Avoid him at all costs.
>
> Still, 10K sales is a lot of stuff sold.
> Even the best intentioned/honest seller can miss something every once
> in a while.
> Besides, some buyers can be a real PITA:-)
> I suggest taking a look at his prior sales & see how much he got, for
> what & the feedback for same.
> I think Ebay changed their Feedback Policy to prevent sellers from
> holding poor feedback over the heads of buyers.
> Also with PayPal required in the Consumer Electronics (ham stuff,
> used), a buyer can retrieve his/her monies if an auction is bogus or
> deceiving. At least thats what I hear, PayPal is for the buyer, not
> the seller.
> According to Ebay/Paypal, Paypal can hold the sellers monies for 21
> days or until positive feedback is given.
> Rich

Oh my God! must be a Democrat. "Give poor Radiomart the benefit of the doubt."

The SOB should be BANNED from Ebay, and prosecuted for fraud. His number of
sales is only a testimony to the stupidity of the average Ebayer.

Please, by all means, bid on the rig, and see what it's like.

```
From -3102716188778881132
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!25g2000hsx.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: eBay: COLLINS KWM-2A transceiver
Date: Sat, 28 Jun 2008 07:26:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 50
Message-ID: <7f3592b4-4ba6-478d-ba45-4d6640a5d6f6@25g2000hsx.googlegroups.com>
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
     <48638CA9.3000601@qrparci.org>
<EpednWWzs7YQkfnVnZ2dnUVZ_rfinZ2d@posted.commspeed>
     <hhe864t5oecclgiohmrnk09efnl3qpirrc@4ax.com> <a3704f38-92d9-4aa1-b45b-
e101d617a834@r66g2000hsg.googlegroups.com>
     <48663286.7030204@qrparci.org>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1214663199 4573 127.0.0.1 (28 Jun 2008 14:26:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Jun 2008 14:26:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 25g2000hsx.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:269 rec.radio.amateur.equipment:267
alt.ham-radio.marketplace:77

On Jun 28, 8:45 am, NoMoreSpam <Disgusted...@qrparci.org> wrote:
> wa2rqy wrote:
> > On Jun 26, 8:57 pm, Joey <joeymcf...@hotmail.com> wrote:
> >> On Thu, 26 Jun 2008 16:39:25 -0500, Christopher Mills Wolfe
>
> >> <cave...@commspeed.net> wrote:
> >>> On Thu, 26 Jun 2008 08:33:45 -0400, NoMoreSpam wrote:
> >>>> Ted wrote:
> >>>>>http://easyurl.net/CollinsKWM2A
> >>>> CAVEAT EMPTOR. The seller is that well-known liar and rip-off artist
> >>>> RADIO-MART!!
> >>> Let's see..10,000 plus comments and a 97.4% approval. If I were a large
> >>> or small scale seller I'd be tickled to have such a rating.
> >> Don't talk so stupid.  RadioMart is a well-documented extortionist who
> >> misrepresents his items, threatens his buyers with negative feedback,
> >> and makes false claims about his items.  Avoid him at all costs.
>
> > Still, 10K sales is a lot of stuff sold.
> > Even the best intentioned/honest seller can miss something every once
> > in a while.
> > Besides, some buyers can be a real PITA:-)
> > I suggest taking a look at his prior sales & see how much he got, for
> > what & the feedback for same.
> > I think Ebay changed their Feedback Policy to prevent sellers from
> > holding poor feedback over the heads of buyers.
> > Also with PayPal required in the Consumer Electronics (ham stuff,
> > used), a buyer can retrieve his/her monies if an auction is bogus or
> > deceiving. At least thats what I hear, PayPal is for the buyer, not
> > the seller.
> > According to Ebay/Paypal, Paypal can hold the sellers monies for 21
> > days or until positive feedback is given.
> > Rich
>
> Oh my God! must be a Democrat. "Give poor Radiomart the benefit of the doubt."
>
> The SOB should be BANNED from Ebay, and prosecuted for fraud. His number of
> sales is only a testimony to the stupidity of the average Ebayer.
>
> Please, by all means, bid on the rig, and see what it's like.

This guy likes to be anonymous, e-mails people off line who make any
comment, one way or the other!
You're a real Winner;
Where did I say to give anyone the benefit of the doubt.
I merely made a remark how I see things and how to protect yourself
with paypal, read my above reply with both open eyes already & stop
whinning.
Tnx but I already have a KWM-2, not bought or overpaid like on Ebay.
You must be stupid to pay big bucks for a pig in a poke anyway!
Rich



From -8766165233457195693
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!feeder.news-
service.com!newsfeed.xs4all.nl!newsfeed2.news.xs4all.nl!newsgate.cistron.nl!
xs4all!news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!
mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: eBay: COLLINS KWM-2A transceiver
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
Message-ID: <83e3cae8dc2c4a1bd19e81631939942a@pseudo.borked.net>
Date: Mon, 30 Jun 2008 03:46:54 -0600 (MDT)
```

```
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:284 rec.radio.amateur.equipment:270
alt.ham-radio.marketplace:82
```

In article <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
Ted <nob...@pseudo.borked.net> wrote:

>
> http://easyurl.net/CollinsKWM2A

Winning bid $2,415

```
From -4980098102065746671
X-Google-Thread: 108122,fbb91d18f1b0de8c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i76g2000hsf.googlegroups.com!not-for-
mail
From: kc7byd54@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Dead Icom 751
Date: Mon, 30 Jun 2008 07:02:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <24876537-d4b5-4a0d-8465-834ccf4b911c@i76g2000hsf.googlegroups.com>
NNTP-Posting-Host: 74.70.62.82
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1214834573 871 127.0.0.1 (30 Jun 2008 14:02:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jun 2008 14:02:53 +0000 (UTC)
Cc: kc7byd54@gmail.com
Complaints-To: groups-abuse@google.com
Injection-Info: i76g2000hsf.googlegroups.com; posting-host=74.70.62.82;
     posting-account=Xhd7ngoAAACfk8mzmNao1ZM-5eio5mh9
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; .NET CLR 3.0.04506),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:271
```

Hi my name is Ernie,

My Icom 751 is dead , no power output. I checked it with a swr/watt meter conected to a dummy load and also conected to a swr/watt meter to an antenna. I replaced the recieve board and got the receive working great.
This rig was given to me by my best friend and its my first HF rig.
Can you help, also I could really use a schematic.

```
Thanks Ernie,  KC7BYD


From -6193026291621557294
X-Google-Thread: 1109af,5d549956ce50ce82
X-Google-Thread: 108122,5d549956ce50ce82
X-Google-Thread: 108228,5d549956ce50ce82
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k30g2000hse.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: eBay: COLLINS KWM-2A transceiver
Date: Mon, 30 Jun 2008 07:40:32 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <60ad7e67-f352-4bf3-a6ad-d9c038580ba7@k30g2000hse.googlegroups.com>
References: <6efc93c61f7e61725c99898077a542a2@pseudo.borked.net>
     <83e3cae8dc2c4a1bd19e81631939942a@pseudo.borked.net>
NNTP-Posting-Host: 68.56.207.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1214836832 31699 127.0.0.1 (30 Jun 2008 14:40:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jun 2008 14:40:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k30g2000hse.googlegroups.com; posting-host=68.56.207.208;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:285 rec.radio.amateur.equipment:272
alt.ham-radio.marketplace:83

On Jun 30, 5:46 am, Ted <nob...@pseudo.borked.net> wrote:
> In article <6efc93c61f7e61725c99898077a54...@pseudo.borked.net>
>
> Ted <nob...@pseudo.borked.net> wrote:
>
> >http://easyurl.net/CollinsKWM2A
>
> Winning bid $2,415

Amazing!
Oh, but it is an "A" :-)


From 6476794710312761101
X-Google-Thread: 108122,fbb91d18f1b0de8c
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 30 Jun 2008 11:42:23 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <24876537-d4b5-4a0d-8465-834ccf4b911c@i76g2000hsf.googlegroups.com>
Subject: Re: Dead Icom 751
Date: Mon, 30 Jun 2008 12:42:48 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <0fCdnZl3VcVykfTVnZ2dnUVZ_sLinZ2d@earthlink.com>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-zonoRCBeRWmnNIZNPS7T9UiYfyvdLkZsg8E3aGpZW0vAmCxObv6lvBmzHXyLDC17IeiPTSL4TCCcv7a!6Mw4P6Csy7Iembs9itbTdVZfyTT+cHJ9xhH6uosMHTXDcvwY9MIBlS+lnmbjyT4q/E230jQ191I3!tD/W967BGJ/hOcUZMemRiqmdrQLJFThIknAxMA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:273

<kc7byd54@gmail.com> wrote in message
news:24876537-d4b5-4a0d-8465-834ccf4b911c@i76g2000hsf.googlegroups.com...

> Hi my name is Ernie,
>
> My Icom 751 is dead , no power output. I checked it with a swr/watt
> meter conected to a dummy load and also conected to a swr/watt meter
> to an antenna. I replaced the recieve board and got the receive
> working great.
> This rig was given to me by my best friend and its my first HF rig.
> Can you help, also I could really use a schematic.
>
>
> Thanks Ernie, KC7BYD

Look here for a manual and service manual. Be sure to look way down the page under Manuals in adition to the Icom part.

http://www.cqham.ru/sch_eng.html

From -8568869090770999529

X-Google-Thread: 108122,fbb91d18f1b0de8c
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 30 Jun 2008 22:27:01 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <24876537-d4b5-4a0d-8465-834ccf4b911c@i76g2000hsf.googlegroups.com>
Subject: Re: Dead Icom 751
Date: Mon, 30 Jun 2008 22:26:53 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Message-ID: <Q9udnczaHLKYOfTVnZ2dnUVZ_szinZ2d@comcast.com>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-
CuFbUgS27RKn58/81WtPYm2SaauYmaUE494Lxe7qF0q9JFzC3ZEmLss6An5sw+EkPaQH5RqhmRtJf9t!
baP5QFUEJX2zPBOovXbXQSp6LUlM9scJoi2eMmJDblBZrOQrHCENxc4YBDavEu0Hj2IsidQYaRch!
6Cl3PkUnF81Rh3q2X4CVulBp0D+/bA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:275

<kc7byd54@gmail.com> wrote in message
news:24876537-d4b5-4a0d-8465-834ccf4b911c@i76g2000hsf.googlegroups.com...
> Hi my name is Ernie,
>
> My Icom 751 is dead , no power output. I checked it with a swr/watt
> meter conected to a dummy load and also conected to a swr/watt meter
> to an antenna. I replaced the recieve board and got the receive
> working great.
> This rig was given to me by my best friend and its my first HF rig.
> Can you help, also I could really use a schematic.
>
> Thanks Ernie, KC7BYD

Why don't you call Scott Malcolm in Toledo, WA
Probably one of the better technicians in NW USA to work on classic Icom
radios.
http://www.angelfire.com/biz2/mts/

gb

```
From -5736151349725022339
X-Google-Thread: 108122,fbb91d18f1b0de8c
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad!news.highwinds-media.com!
feed-me.highwinds-media.com!cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!
nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.buzzardnews.com!not-
for-mail
From: Little O'Me <me@here.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dead Icom 751 ==== Fear Not - Simple Fix
Date: Tue, 01 Jul 2008 23:46:59 -0700
Message-ID: <1o8m64d2chd2qp3nolsk44dedpq0c3i6tm@4ax.com>
References: <24876537-d4b5-4a0d-8465-834ccf4b911c@i76g2000hsf.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
X-Complaints-To: abuse@buzzardnews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:277

On Mon, 30 Jun 2008 07:02:52 -0700 (PDT), kc7byd54@gmail.com wrote:

>Hi my name is Ernie,
>
>My Icom 751 is dead , no power output. I checked it with a swr/watt
>meter conected to a dummy load and also conected to a swr/watt meter
>to an antenna. I replaced the recieve board and got the receive
>working great.
>This rig was given to me by my best friend and its my first HF rig.
>Can you help, also I could really use a schematic.
>
>
>Thanks Ernie,  KC7BYD


Ernie,

Fear not!  It is simply a dead battery on the "RAM Unit" memory board.
Icom figured the 10 year battery would be time enough to buy another
new Icom radio.  Unfortunately, it is not as simple as replacing the
battery, for the radio is now brain dear.  Check this link:
http://www.willcoele.com/radio_repair/index.html#MEMORYREPAIR
For about 50 bucks it will be as good as new - no, better than new
because it will cover 60 meters, and you don't have to send the radio.
You pop out a small circuit board and mail it to him.

Good luck and 73.  Maybe we'll catch you on the air with my 751.
```

Rick WM6M

```
From 2164608832846642874
X-Google-Thread: 108122,e24c2e3ad1c470a6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Jul 2008 03:02:39 -0500
From: ninibearkiss <ninibearkiss.2b0eb73@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Millionaire Dating:  How to find rich wealthy men online and fall in
love. cbtruste@gmail.com scuzzyo@msn.com
Date: Wed, 2 Jul 2008 07:59:52 +0100
Message-ID: <ninibearkiss.2b0eb73@radiobanter.com>
Organization: RadioBanter.com
References: <3hy9k.58684$gc5.13005@pd7urf2no>
<18l164hbmrt5p21il8l3v0sdb20m8ulcd7@4ax.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-evcKfU+j42ahpESy0ONI756n/
RqMgEx3CmlZYcWvz75ad0+CIlgRiNsoYz0LpxCxRFZkzrZSytj5zqu!NJxqHhNAxLWwD/
82r9ERmhTw7SsyzVmNNRQ5AxizEI44Klye3qMbv5EivDQZyL4IAzenvGuX5S4y!E8fjU9IWdGQ=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:278
```

AffluentMeet.com might be your choice. I came across it and found many
real millionaires there. It's a professional rich people dating
community.

--
ninibearkiss

```
From 5795252420958936862
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!news.glorb.com!
news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Tue, 10 Jun 2008 13:58:51 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 26
Message-ID: <g2mfcr$ri6$2@f04n12.cac.psu.edu>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
<0rudna7Al7GAGdXVnZ2dnUVZ_tajnZ2d@comcast.com> <g2adfp$u5h$1@snarked.org>
<g2bdup$rj0$2@f04n12.cac.psu.edu> <g2cd7b$m18$1@snarked.org>
NNTP-Posting-Host: nat2.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1213120731 28230 128.118.40.77 (10 Jun 2008 17:58:51 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Tue, 10 Jun 2008 17:58:51 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <g2cd7b$m18$1@snarked.org>
Xref: g2news1.google.com rec.radio.amateur.equipment:167

D. Stussy wrote:
> "Michael Coslo" <mjc5@psu.edu> wrote in message
> news:g2bdup$rj0$2@f04n12.cac.psu.edu...
>> D. Stussy wrote:
>>> "Dee Flint" <deeflint01@comcast.net> wrote in message
>>>> Too many people deceive themselves too with "I'm just big boned" and
> all
>>>> those arguments. Well the healthy BMI has sufficient range to
> accommodate
>>>> the big boned. If you can't see your collar bone when you look in the
>>>> mirror nude, you are overweight.
>>> That doesn't mean that there's not a higher percentage among amateur
> radio
>>> operators than the general population.
>> Citations on that?
>
> Attend any of our local frequency coordinators meetings and look for
> yourself. I exclude the swap meets because there are many
> non-amateur-radio-licensed individuals that attend in addition to
> licenseholders.

I noticed the same thing going to church. There were a lot of Hams at that church. I see a lot of Hams walking around downtown too. I didn't know that so many people were Hams!

- 73 de Mike N3LI -

From 6621948199140871524

```
X-Google-Thread: 108122,d5d6a606987510da,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: HF interference from WiFi router
From: Bert Hyman <bert@iphouse.com>
Organization: Not that you'd notice
Message-ID: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 05 Jun 2008 15:53:39 GMT
Lines: 13
NNTP-Posting-Date: 05 Jun 2008 10:53:39 CDT
NNTP-Posting-Host: c62d8f18.newsreader.iphouse.net
X-Trace:
DXC=B[L35Q=Kfnf25ID>fGFAAeUU[C:R=]MbjeHS>e[L>83`Q:e1W^^nkJjc230oU7d71aX7@2h;nGb4m_
?om:;en6Xe
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:117

The WiFi transmitter in my Actiontec GT701-WG produced interference over
much of the HF spectrum and completely obliterates the 17 meter band.
With my HF receiver in AM mode, looking at the received audio with a
spectrum analyzer, I see peaks at 60Hz and 120Hz. The router and WiFi
portion work just fine.

Anybody ever run into a problem like this and found a solution to it?

I can eliminate the noise by disabling the radio in the router, but a
real fix would be preferable.

--
Bert Hyman         W0RSB    St. Paul, MN  bert@iphouse.com


From 1211659329997643437
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews4.bellsouth.net.POSTED!ab02de34!not-for-mail
From: Dean Craft <harolddcraft@bellsouth.net>
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<8e88f5b1-79d5-490c-86d4-7facdbe59850@f63g2000hsf.googlegroups.com>
<Pine.LNX.4.64.0805231519520.14891@darkstar.example.org>
In-Reply-To: <Pine.LNX.4.64.0805231519520.14891@darkstar.example.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
```

Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080523-0, 05/23/2008), Outbound message
X-Antivirus-Status: Not-Tested
Lines: 14
Message-ID: <wHGZj.15889$Xv3.13488@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbomlhbibpbaccdjjadiogaobkcflnbhhgblo
cfcgmgefomgpjkclgnnkcpaphicffapjogimejokdcbfpclnbmpdhaogghamdgjgcakdflmpljddgl
NNTP-Posting-Date: Fri, 23 May 2008 17:30:04 EDT
Organization: BellSouth Internet Group
Date: Fri, 23 May 2008 17:30:40 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:64

Was it the 'Gonsett Twins'?

Dean -- W4IHK

>
> I seem to recall, but can't remember their names, that there was even a
> mobile pair for HF, though I'm sure it was AM.
>
>
>
> Michael VE2BVW
>

From -1413945300643597154
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Thu, 05 Jun 2008 13:26:09 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 32
Message-ID: <g297jh$10ag$1@f04n12.cac.psu.edu>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

X-Trace: f04n12.cac.psu.edu 1212686769 33104 128.118.40.78 (5 Jun 2008 17:26:09 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Thu, 5 Jun 2008 17:26:09 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:118

Jiggly wrote:
> The hobby has lots of people who are morbidly obese.
> (See http://en.wikipedia.org/wiki/Morbid_obesity for definition)
>
> Sadly, many of them die from weight-related causes. We lose a lot of
> nice people and good operators that way.

That reminds me.....

For years we've been force fed about how we have to eat right, not smoke, etc. How the obese ans smokers and heavy drinkers were going to be a healthcare disaster.

Apparently that stuff takes an average of 4 years off our life. People who live the proper life will live around 4 years longer on average.

But the kicker is this:

When they got the stats on relative life expectancy, they found the causes of death. Those obese and smoking and hard drinkin' jerks tended to have a quick end, while the righteous proper folk tended to have long debilitating ends.

My Mother-in-law didn't smoke, didn't drink, and spent the lat 8 years of her life as an dementia patient in a nursing home. I cringe every time I think of that happening to me.

The problem with lengthening our lives is that any gains we make are at the wrong end.

- 73 de Mike N3LI -

From 3836664652383011655
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!198.186.190.251.MISMATCH!news-out.readnews.com!transit4.readnews.com!panix!panix1.panix.com!arthures
From: A <arthures@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Overweight hams (Re: What are almost all the new ham radios

ugly?)
Date: Thu, 5 Jun 2008 14:20:19 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 60
Message-ID: <Pine.NEB.4.64.0806051408390.22284@panix1.panix.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org>
<Xns9AAD505F1F56CVeebleFetzer@127.0.0.1> <g1nn5i$jbp$1@snarked.org>
<g1pfj3$oua$1@f04n12.cac.psu.edu> <g1qct3$mb3$1@snarked.org>
<Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
<g297jh$10ag$1@f04n12.cac.psu.edu>
NNTP-Posting-Host: panix1.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1212690020 24781 166.84.1.1 (5 Jun 2008 18:20:20 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 5 Jun 2008 18:20:20 +0000 (UTC)
In-Reply-To: <g297jh$10ag$1@f04n12.cac.psu.edu>
Xref: g2news1.google.com rec.radio.amateur.equipment:119

On Thu, 5 Jun 2008, Michael Coslo wrote:

> Jiggly wrote:
>> The hobby has lots of people who are morbidly obese.
>> (See http://en.wikipedia.org/wiki/Morbid_obesity for definition)
>>
>> Sadly, many of them die from weight-related causes. We lose a lot of
>> nice people and good operators that way.
>
>   That reminds me.....
>
>
> For years we've been force fed about how we have to eat right, not smoke,
> etc. How the obese ans smokers and heavy drinkers were going to be a
> healthcare disaster.
>
> Apparently that stuff takes an average of 4 years off our life. People who
> live the proper life will live around 4 years longer on average.
>
> But the kicker is this:
>
> When they got the stats on relative life expectancy, they found the causes of
> death. Those obese and smoking and hard drinkin' jerks tended to have a quick
> end, while the righteous proper folk tended to have long debilitating ends.
>
> My Mother-in-law didn't smoke, didn't drink, and spent the lat 8 years of her
> life as an dementia patient in a nursing home. I cringe every time I think of
> that happening to me.
>
> The problem with lengthening our lives is that any gains we make are at the

> wrong end.
>
>   - 73 de Mike N3LI -
>

Some thoughts on the wisdom above: all those articles citing studies involving statistics benefit not you, but i) the newspaper reporter making his wages for doing this, ii) the medical school professor getting the grants to do the work (including pay his/her salary [i.e. the school gets its staff for free]), and iii) the bean-counter actuaries who work with the insurance companies figuring out what premiums to charge you based on any factors that significantly affect the mortality curves.

No doctor can plug into you any "voltmeter" (or cholesterol meter, or weight meter, etc), and tell you because of X, YOU're going to live N more days. You can calculate satellite orbits, miles of gas left in your car's gas tank, and minutes of light left in a flashlight with considerable accuracy, but in a biological animal, you can't make those kinds of predictions unless you're talking about death being caused by bleeding at high rates or you're in the middle of suffering a hearth attack or the likes of that.

Now, enjoy the rest of your life as best you can (ice cream, booze, don't smoke tobacco around me, etc) and consider that if you agonize too much over things, then those visits to the psychiatrists will cut into your entertainment budget AND you will be more unhappy.

73

```
From 3653672600966337359
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.posted.tivoinc!news.posted.tivoinc.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 05 Jun 2008 14:08:04 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF interference from WiFi router
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Thu, 5 Jun 2008 11:33:51 -0700
Message-ID: <f5olh5-dbq.ln1@radagast.org>
Lines: 85
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.159.209.148
X-Trace: sv3-
aN5WsA0XHFIBqbbxGoih3qaMZ04OJvj763WheW2XSH8BQkx3KmIFiAZq4NTpJwqP6pQGSWa3MTDdP48!
rOuns91ag0UGAE6oYUi6AmSgqKeHC1l7Yi2LOUxiSRAPKeGizUFl5XiRdkHfzw==
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:120

>The WiFi transmitter in my Actiontec GT701-WG produced interference over much of the HF spectrum and completely obliterates the 17 meter band. With my HF receiver in AM mode, looking at the received audio with a spectrum analyzer, I see peaks at 60Hz and 120Hz. The router and WiFi portion work just fine.

That's distinctly puzzing, from a frequency point of view, since the WiFi frequency is far above HF, and the 802.11 protocol tends to use a beaconing / timeslicing which isn't tied to the powerline frequency cycle.

>Anybody ever run into a problem like this and found a solution to it?

Consumer-grade networking gear is notorious for generating QRM. I haven't seen this specific symptom before.

>I can eliminate the noise by disabling the radio in the router, but a real fix would be preferable.

I could imagine several paths for the interference:

- The presence of 60 and 120 Hz sideband spacing suggests that it may be power-supply related. Possibly, the enabling of the radio is raising the WAP/router's current consumption beyond what the "wall wart" is capable of delivering. If the DC voltage supplied by to the router were sagging 120 times a second, it might generate all sorts of interesting QRM... and this might be leaking out of the cabinet directly, or coming back out along the power cable. Or, perhaps, a switching-supply wall wart might be emitting QRM directly under conditions of high (but acceptable) current load.

- There might be QRM RF coming out to the WiFi antenna... but that's a pretty good approximation of an infintesimally-short dipole/monopole at HF and wouldn't radiate efficiently.

- The QRM might be coming from the radio itself, but leaking back out through other paths... onto the Ethernet cables or the power wiring.

I'd tend to suspect the power supply, and QRM leakage back out into your household AC wiring... that'd be a much more efficient path than emission out of the WiFi antenna.

As to specific examples: I've chased down QRM problems involving two different pieces of consumer Ethernet / wireless gear.

One was a buzzy QRM which wandered around the whole 2-meter band, and was bad enough to get in on the squelch tails of at least two repeaters located miles away. The cause was a 10/100-megabit hub which was "singing" loudly - I believe it was probably a harmonic of one of its on-board clock oscillators. The QRM was apparently getting out into the external power wires and external Ethernet cables (common-mode, I assume) and was being re-radiated efficiently. Replacing the switch with one of another brand fixed the problem.

The second was a a set of closely-spaced (some kHz apart) spurs throughout the 2-meter band, strong enough to open the squelch on an HT or scanner. These were coming from the switching DC-to-DC converter inside a wirelss router/switch (one of the Netgear grey-plastic varieties). They seem to have been radiating directly out from the PC board, as they were strongest with the probe closest to the chassis, and did not appear to be leaking out through the DC cable to the wall wart. The router had some ferrite beads and cap bypassing for the DC input. Replacing the WAP/router with a different model fixed the problem.

If your router is of a fairly recent vintage, it was probably supplied with a switching-type DC supply... I think a lot of the cheaper ones can be prone to be HF-noisy. You might want to consider finding an old linear-type (transformer/rectifier/caps) supply with the same output voltage and equal or better current capacity, and see if that makes the problem go away.

Other possible technical fixes: wrap the DC power cord through a clamp-on ferrite a few times, as close to the router as possible; figure out how to construct a high-pass filter for the router's antenna connection which will pass signals above 2 gig and block signals below that.

If all else fails, replace the router with a different brand.

```
--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From 5929722747353068720
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Jun 2008 18:24:13 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
```

```
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
<0rudna7Al7GAGdXVnZ2dnUVZ_tajnZ2d@comcast.com> <g2adfp$u5h$1@snarked.org>
Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Tue, 10 Jun 2008 19:23:40 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <aKadnUwlVJ2AkNLVnZ2dnUVZ_qfinZ2d@comcast.com>
Lines: 63
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-cPzUF5GkpAUks+4OeVtsBFnhEaRS3Qc52it8MetRG1p8uX2xeO/
NxXssVs+sbkwaBtxavpILUxBh6k/!1EdanNiEPZ/
5M1G1BJkHT25X6tTfaFR0Dbi9OUXSzzP12JLFGoiHS06ugGjWN9eBcfg58DE+Dq2b!
nnpcX8wbS5AP2A5HzIuhESU79U1X
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:168


"D. Stussy" <spam@bde-arc.ampr.org> wrote in message
news:g2adfp$u5h$1@snarked.org...
> "Dee Flint" <deeflint01@comcast.net> wrote in message
> news:0rudna7Al7GAGdXVnZ2dnUVZ_tajnZ2d@comcast.com...
>> "Jiggly" <jiggy@jiggy.com> wrote in message
>> news:um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com...
>> > The hobby has lots of people who are morbidly obese.
>> > (See http://en.wikipedia.org/wiki/Morbid_obesity for definition)
>> >
>> > Sadly, many of them die from weight-related causes.  We lose a lot of
>> > nice people and good operators that way.
>> >
>> >
>> > On 02 Jun 2008 13:44:56 GMT, Bert Hyman <bert@iphouse.com> wrote:
>> >
>> >>In news:g1qct3$mb3$1@snarked.org "D. Stussy" <spam@bde-arc.ampr.org>
>> >>wrote:
>> >>
>> >>> Considering that many "hams" are grossly overweight (at least in my
>> >>> geographic area), are you certain?
>> >>
>> >>It's pretty clear that you've picked the wrong hobby.
>> >>
>> >>Good luck.
>>
>> Doing some further web surfing:
```

>>
>> Depending on what site you visit (here's the one I used:
>> http://www.nclnet.org/news/2007/obesity_survey_06192007.htm)
>>
>>   Approximately 66% of Americans are overweight to obese
>>   Approximately half of that group (or 33%) of Americans are obese to
>> morbidly obese.
>>
>> So it is not unique to hams. I think we see it more in hams simply
> because
>> the average age is higher and the bad habits that lead to overweight and
>> obesity have had more time to do their work.
>>
>> Too many people deceive themselves too with "I'm just big boned" and all
>> those arguments. Well the healthy BMI has sufficient range to
>> accommodate
>> the big boned. If you can't see your collar bone when you look in the
>> mirror nude, you are overweight.
>
> That doesn't mean that there's not a higher percentage among amateur radio
> operators than the general population.
>
>

Well without doing a proper statistical study, there's no way to be sure.

Just looking at people in the stores around here, it looks like the average
population is about the same as the hams (accounting for the age bracket
bias).

Of the people that I personally know that are over 50, I could count the
one's that are not overweight on the fingers of one hand.

Dee, N8UZE

```
From 1958705539627523422
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.lga!
newsfe15.lga.POSTED!53ab2750!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
Subject: Re: VoiceMax Speech Processor...
Lines: 17
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <jZX1k.2010$nD3.912@newsfe15.lga>
NNTP-Posting-Host: 72.209.25.33
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe15.lga 1212697551 72.209.25.33 (Thu, 05 Jun 2008 13:25:51 MST)
NNTP-Posting-Date: Thu, 05 Jun 2008 13:25:51 MST
Organization: Cox
Date: Thu, 5 Jun 2008 16:25:44 -0400
Xref: g2news1.google.com rec.radio.cb:517 rec.radio.amateur.equipment:121
rec.radio.amateur.homebrew:119

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com...
> VoiceMax is really gaining momentum!
> Radio operators all over the world are enjoying the Voicemax
> advantage.
> Since VoiceMax doesn't use audio "clipping"... your audio is loud AND
> clear.
> What a concept!
>
> See what VoiceMax can do for you at
> http://www.telstar-electronics.com/voicemax.htm

What is the dB advantage of this vs. RF clipping for SSB?

From 1236812473431705796
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
news.acm.uiuc.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Fri, 23 May 2008 19:24:58 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 25
Sender: et472@214-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0805231922210.15115@darkstar.example.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
 <8e88f5b1-79d5-490c-86d4-7facdbe59850@f63g2000hsf.googlegroups.com>
 <Pine.LNX.4.64.0805231519520.14891@darkstar.example.org>
 <wHGZj.15889$Xv3.13488@bignews4.bellsouth.net>
NNTP-Posting-Host: 214-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0

```
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1211585332 13618 64.235.215.214 (23 May 2008 23:28:52 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 23 May 2008 23:28:52 GMT
In-Reply-To: <wHGZj.15889$Xv3.13488@bignews4.bellsouth.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:65

On Fri, 23 May 2008, Dean Craft wrote:

> Was it the 'Gonsett Twins'?
>
> Dean  --  W4IHK
>
>
No, all of that was about the chrome-knobbed Heathkits.

I was thinking of the Heathkit "Commanche" mobile receiver,
and the matching "Cheyenne" transmitter, both of which were
AM.

    Michael  VE2BVW

>
>>
>> I seem to recall, but can't remember their names, that there was even a
>> mobile pair for HF, though I'm sure it was AM.
>>
>>
>>
>>   Michael  VE2BVW
>>
>



From -3492528414929255234
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 05 Jun 2008 16:48:25 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
Subject: Re: HF interference from WiFi router
Date: Fri, 6 Jun 2008 06:48:17 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com>
```

Lines: 20
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-tFakqxlxq8uvazGGxfFRV10NzZjgwtZBAp8sKe1OkgJVhUzFj6IILyE1UsT52G+wyPiT1qVieM6cMmt!JUGydb39hhxkLDMfcuup9LyFltvYa5wsv9sj1nCGDkfdOIOeW5rha/LajPZo4ok3B6B8IOEU
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:122

"Bert Hyman" <bert@iphouse.com> wrote in message
news:Xns9AB46ED28C18CVeebleFetzer@216.250.184.7...
> The WiFi transmitter in my Actiontec GT701-WG produced interference over
> much of the HF spectrum and completely obliterates the 17 meter band.
> With my HF receiver in AM mode, looking at the received audio with a
> spectrum analyzer, I see peaks at 60Hz and 120Hz. The router and WiFi
> portion work just fine.
>
> Anybody ever run into a problem like this and found a solution to it?
>
> I can eliminate the noise by disabling the radio in the router, but a
> real fix would be preferable.

Try feeding power to it from a battery source, rather than the wall wart
that comes with it. See what that does for it.

From 8198652354292519379
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Jun 2008 18:30:52 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
<0rudna7Al7GAGdXVnZ2dnUVZ_tajnZ2d@comcast.com> <g2adfp$u5h$1@snarked.org>
<g2bdup$rj0$2@f04n12.cac.psu.edu> <g2cd7b$m18$1@snarked.org>
<g2mfcr$ri6$2@f04n12.cac.psu.edu>

```
Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Tue, 10 Jun 2008 19:30:19 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <sMSdnULIx6Axk9LVnZ2dnUVZ_tzinZ2d@comcast.com>
Lines: 38
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-Xh8927bZ625TFM3WiIOVxX/
xl3VArUhH8MZQFvb1+6HdfEje7gx+iU9di31nfpYPEI9qikRFdownx4E!
mz8t5115eqeCcFnuA7WAfpDjMKGMKpNn2v/ngOr0B755BWFRaTWEIfJ07sCEwreL8sGCRLduTXe7!
zfF+1k4n1VJ/YDIunzQ4KS0I7rT6
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:169


"Michael Coslo" <mjc5@psu.edu> wrote in message
news:g2mfcr$ri6$2@f04n12.cac.psu.edu...
> D. Stussy wrote:
>> "Michael Coslo" <mjc5@psu.edu> wrote in message
>> news:g2bdup$rj0$2@f04n12.cac.psu.edu...
>>> D. Stussy wrote:
>>>> "Dee Flint" <deeflint01@comcast.net> wrote in message
>>>>> Too many people deceive themselves too with "I'm just big boned" and
>> all
>>>>> those arguments.  Well the healthy BMI has sufficient range to
>> accommodate
>>>>> the big boned.  If you can't see your collar bone when you look in the
>>>>> mirror nude, you are overweight.
>>>> That doesn't mean that there's not a higher percentage among amateur
>> radio
>>>> operators than the general population.
>>> Citations on that?
>>
>> Attend any of our local frequency coordinators meetings and look for
>> yourself.  I exclude the swap meets because there are many
>> non-amateur-radio-licensed individuals that attend in addition to
>> licenseholders.
>
> I noticed the same thing going to church. There were a lot of Hams at that
> church. I see a lot of Hams walking around downtown too. I didn't know
> that so many people were Hams!
>
> - 73 de Mike N3LI -
```

Yes I see them everywhere too: grocery store, Wal-Mart, Target, the mall.

Michigan has one of the highest rates of obesity and overweight in the country.

Dee, N8UZE

From 6941946845202169483
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews8.bellsouth.net.POSTED!aba369ab!not-for-mail
Message-ID: <484873B8.8040305@NETTALLY.COM>
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF interference from WiFi router
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
<HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com>
In-Reply-To: <HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 31
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbolndmfonobpccjkepniiafngkoplnndbopd
kkniakbmhaegdaalpnflbapfokdkpemnalmffcadaeghdbghdjecjhhckjnbgkoephfhlojiceiccf
NNTP-Posting-Date: Thu, 05 Jun 2008 19:15:10 EDT
Organization: BellSouth Internet Group
Date: Thu, 05 Jun 2008 19:16:08 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:123

Brenda Ann wrote:
> "Bert Hyman" <bert@iphouse.com> wrote in message
> news:Xns9AB46ED28C18CVeebleFetzer@216.250.184.7...
>> The WiFi transmitter in my Actiontec GT701-WG produced interference over
>> much of the HF spectrum and completely obliterates the 17 meter band.
>> With my HF receiver in AM mode, looking at the received audio with a
>> spectrum analyzer, I see peaks at 60Hz and 120Hz. The router and WiFi
>> portion work just fine.
>>
>> Anybody ever run into a problem like this and found a solution to it?
>>
>> I can eliminate the noise by disabling the radio in the router, but a
>> real fix would be preferable.
>

```
>
> Try feeding power to it from a battery source, rather than the wall wart
> that comes with it.  See what that does for it.
>
>
>
I was thinking same thing. He has a swiching wall wart that responds to
the current draw when the WiFi TX is enabled.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P


From -2284998755322141980
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nlpi057.nbdc.sbc.com!
prodigy.net!uns-out.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!
VERMONTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Fri, 23 May 2008 19:36:49 -0400
Message-ID: <05le34t4p5ak5kp7ssefgqot73lkf3a288@4ax.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-46-6.vermontel.net
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
X-Complaints-To: abuse@usenetserver.com
Lines: 5
X-Trace: 3f1d6483754437de7c94b07133
Xref: g2news1.google.com rec.radio.amateur.equipment:66

I thought the 1990s Japanese radios looked a lot like Yamaha stereo
receivers.

I like my IC-7700.  Excellent performance, appearance, functionality,
and build quality.


From 7355793611197175O8
X-Google-Thread: 108122,d5d6a606987510da
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!transit3.readnews.com!
news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!arthures
From: A <arthures@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF interference from WiFi router
Date: Thu, 5 Jun 2008 19:18:51 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 28
Message-ID: <Pine.NEB.4.64.0806051914310.13955@panix2.panix.com>
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1212707933 24609 166.84.1.2 (5 Jun 2008 23:18:53 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 5 Jun 2008 23:18:53 +0000 (UTC)
In-Reply-To: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
Xref: g2news1.google.com rec.radio.amateur.equipment:124
```

On Thu, 5 Jun 2008, Bert Hyman wrote:

> The WiFi transmitter in my Actiontec GT701-WG produced interference over
> much of the HF spectrum and completely obliterates the 17 meter band.
> With my HF receiver in AM mode, looking at the received audio with a
> spectrum analyzer, I see peaks at 60Hz and 120Hz. The router and WiFi
> portion work just fine.
>
> Anybody ever run into a problem like this and found a solution to it?
>
> I can eliminate the noise by disabling the radio in the router, but a
> real fix would be preferable.

One other responder suggested to try battery power to see if it is a problem in an ac to dc power supply, but otherwise a lot of electronic deviced these days spit out all kinds of hash, noise, spurious emisions all up and down the RF spectrum. I have had problems with computer emissions getting into receivers, and very often weak to strong diode noise getting into my receivers. Sometimes you can add bypass capacitors, inductors, and sheilding (metal foil around the device and then alligator-clipped to a ground, or the ground hole in a three prong AC line power outlet plug) to cut down on this. Good luck otherwise.

> --
> Bert Hyman   W0RSB   St. Paul, MN bert@iphouse.com
>

```
From -2015721346894500993
X-Google-Thread: 108122,d2ef116859ebb443
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 05 Jun 2008 19:05:19 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Thu, 5 Jun 2008 20:04:39 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <rIGdnYBhErWi4tXVnZ2dnUVZ_oninZ2d@comcast.com>
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-fWprEPLvtU6idtIP1Cxnm+EKuyJZyXsu6x2/
m98SWWVbNzk7bYRV0GN7ssYYCGn3aJ2iy7zpM4AtB2m!
J0lBkeyw+9Z0vMjzV9zkazNiSuHgoy+gCSn5NEfqCSMCgLqSS8nb8v+8KoAruaETaK0TtUytey2F!
6+iCMQGLFH39VPlcs3x5PqlWQSTG
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:125
```

Look around you and you will find that it's pretty much true of the entire population not just hams.

Dee

"Jiggly" <jiggy@jiggy.com> wrote in message
news:um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com...

> The hobby has lots of people who are morbidly obese.
> (See http://en.wikipedia.org/wiki/Morbid_obesity for definition)
>
> Sadly, many of them die from weight-related causes. We lose a lot of
> nice people and good operators that way.
>
>
> On 02 Jun 2008 13:44:56 GMT, Bert Hyman <bert@iphouse.com> wrote:
>

```
>>In news:g1qct3$mb3$1@snarked.org "D. Stussy" <spam@bde-arc.ampr.org>
>>wrote:
>>
>>> Considering that many "hams" are grossly overweight (at least in my
>>> geographic area), are you certain?
>>
>>It's pretty clear that you've picked the wrong hobby.
>>
>>Good luck.




From -1019056348136768462
X-Google-Thread: 108122,3f3cef1e56e1d888,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!news.glorb.com!
wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-
for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Boonton 4200 uWattmeter
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <rFF3k.35409$102.14693@bgtnsc05-news.ops.worldnet.att.net>
Date: Wed, 11 Jun 2008 01:13:59 GMT
NNTP-Posting-Host: 12.65.114.108
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1213146839 12.65.114.108 (Wed, 11 Jun
2008 01:13:59 GMT)
NNTP-Posting-Date: Wed, 11 Jun 2008 01:13:59 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:171

Hello all.
An acquaintance not in this group has listed the above item on eBay #
250257132347.
This RF milla Wattmeter is a complete unit including sensors 4E & 6E, 20 dB
pad, cables & manual all in a fitted carrying case.
Thanks for the read.
Larry




From -8454547413419887791
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 05 Jun 2008 19:26:05 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Thu, 5 Jun 2008 20:25:25 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <0rudna7Al7GAGdXVnZ2dnUVZ_tajnZ2d@comcast.com>
Lines: 43
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-EQVMbvMPUfR9Wy7M0+w/SWPUQ8I8y+PqS4jXx6XFUyIgfe9ws6HACnoeXAa5YecQr/
NtLHKtLepR+9X!47KyxWONPaaWTX0J73650qNYBdH365NdamADjkKMD9zEpL0rNlHHNXRioutJjES/
UT0fh1t/Wj1y!igcJfWDX673dz0Pp0j/0i4jRgwMg
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:126

"Jiggly" <jiggy@jiggy.com> wrote in message
news:um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com...
> The hobby has lots of people who are morbidly obese.
> (See http://en.wikipedia.org/wiki/Morbid_obesity for definition)
>
> Sadly, many of them die from weight-related causes. We lose a lot of
> nice people and good operators that way.
>
>
> On 02 Jun 2008 13:44:56 GMT, Bert Hyman <bert@iphouse.com> wrote:
>
>>In news:g1qct3$mb3$1@snarked.org "D. Stussy" <spam@bde-arc.ampr.org>
>>wrote:
>>
>>> Considering that many "hams" are grossly overweight (at least in my
>>> geographic area), are you certain?
>>
>>It's pretty clear that you've picked the wrong hobby.

>>
>>Good luck.

Doing some further web surfing:

Depending on what site you visit (here's the one I used:
http://www.nclnet.org/news/2007/obesity_survey_06192007.htm)

Approximately 66% of Americans are overweight to obese
Approximately half of that group (or 33%) of Americans are obese to morbidly obese.

So it is not unique to hams. I think we see it more in hams simply because the average age is higher and the bad habits that lead to overweight and obesity have had more time to do their work.

Too many people deceive themselves too with "I'm just big boned" and all those arguments. Well the healthy BMI has sufficient range to accommodate the big boned. If you can't see your collar bone when you look in the mirror nude, you are overweight.

Dee

```
From -1465761424943611109
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
From: Bert Hyman <bert@iphouse.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
Organization: Not that you'd notice
Message-ID: <Xns9AA7BE1DD1573VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 23 May 2008 23:41:21 GMT
Lines: 9
NNTP-Posting-Date: 23 May 2008 18:41:21 CDT
NNTP-Posting-Host: e10e5685.newsreader.iphouse.net
X-Trace:
DXC=l]T7JJ`HYWNlafVZb51;0FUU[C:R=]MbJeHS>e[L>83@EML9k0X\=fHc230oU7d71AX7@2h;nGb4ME
4XTS1aZMI@
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:67
```

In news:o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com Middle Aged Ham
<Middle-Timer.44444444446454554@hotmail.com> wrote:

>   Why are almost all the new HF ham radios so ugly?

```
They're not.

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From 5290968115423808790
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!npeer01.iad!
news.highwinds-media.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc03.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
<HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com> <484873B8.8040305@NETTALLY.COM>
Subject: Re: HF interference from WiFi router
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <mk22k.17746$qP.9885@trnddc03>
Date: Fri, 06 Jun 2008 03:40:02 GMT
NNTP-Posting-Host: 71.110.236.97
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1212723602 71.110.236.97 (Thu, 05 Jun 2008 23:40:02 EDT)
NNTP-Posting-Date: Thu, 05 Jun 2008 23:40:02 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:127

> >
> > Try feeding power to it from a battery source, rather than the wall wart
> > that comes with it.  See what that does for it.
> >
> >
> >
> I was thinking same thing. He has a swiching wall wart that responds to
> the current draw when the WiFi TX is enabled.
>
Exactly my problem with a Wirespeed DSL modem.  Cheap wall wort would spew
all over the spectrum after a few minutes under load.




From 8362204979678648204
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
```

```
headwall.stanford.edu!newshub.sdsu.edu!news.linkpendium.com!news.linkpendium.com!
news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Thu, 5 Jun 2008 21:12:35 -0700
Lines: 46
Message-ID: <g2adfp$u5h$1@snarked.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
<0rudna7Al7GAGdXVnZ2dnUVZ_tajnZ2d@comcast.com>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-118-49-180.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1212725561 30897 71.118.49.180 (6 Jun 2008 04:12:41 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Fri, 6 Jun 2008 04:12:41 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:128

"Dee Flint" <deeflint01@comcast.net> wrote in message
news:0rudna7Al7GAGdXVnZ2dnUVZ_tajnZ2d@comcast.com...
> "Jiggly" <jiggy@jiggy.com> wrote in message
> news:um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com...
> > The hobby has lots of people who are morbidly obese.
> > (See http://en.wikipedia.org/wiki/Morbid_obesity for definition)
> >
> > Sadly, many of them die from weight-related causes.  We lose a lot of
> > nice people and good operators that way.
> >
> >
> > On 02 Jun 2008 13:44:56 GMT, Bert Hyman <bert@iphouse.com> wrote:
> >
> >>In news:g1qct3$mb3$1@snarked.org "D. Stussy" <spam@bde-arc.ampr.org>
> >>wrote:
> >>
> >>> Considering that many "hams" are grossly overweight (at least in my
> >>> geographic area), are you certain?
> >>
> >>It's pretty clear that you've picked the wrong hobby.
> >>
> >>Good luck.
>
> Doing some further web surfing:
>
> Depending on what site you visit (here's the one I used:
> http://www.nclnet.org/news/2007/obesity_survey_06192007.htm)
>
```

> Approximately 66% of Americans are overweight to obese
> Approximately half of that group (or 33%) of Americans are obese to morbidly obese.
>
> So it is not unique to hams. I think we see it more in hams simply because the average age is higher and the bad habits that lead to overweight and obesity have had more time to do their work.
>
> Too many people deceive themselves too with "I'm just big boned" and all those arguments. Well the healthy BMI has sufficient range to accommodate the big boned. If you can't see your collar bone when you look in the mirror nude, you are overweight.

That doesn't mean that there's not a higher percentage among amateur radio operators than the general population.

From 8319760706898575682
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 11 Jun 2008 08:44:16 -0500
From: james <george@washington.edu>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Wed, 11 Jun 2008 09:44:19 -0400
Reply-To: beerkeg@budu.edu
Message-ID: <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com> <jZX1k.2010$nD3.912@newsfe15.lga> <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com> <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 49
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.91.132.89
X-Trace: sv3-SikfVNQWS7iQitW9Qy02MvZ7091imzmEAwSe/6W4LikndSxobRoACX8iaLz7ZZjuGsHquuzBIYggohd!Zic64Yexy1fhfUyIHBiq+nzp1kOnkQVenLkXlHXABO6+5NSEeI5It/wxOWyVVcnxhLcuHl/NwbIZ!9KLsa9T2747DKJvEXoim
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly

X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.cb:565 rec.radio.amateur.equipment:172
rec.radio.amateur.homebrew:154

On Mon, 9 Jun 2008 06:25:33 -0700 (PDT), Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

|On Jun 6, 4:17�pm, james <geo...@washington.edu> wrote:
|> On Thu, 5 Jun 2008 16:25:44 -0400, "Tio Pedro"
|>
|> <radioconnect...@cox.net> wrote:
|>
|> ||"Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
|>
|> |news:c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com...
|> |> VoiceMax is really gaining momentum!
|> |> Radio operators all over the world are enjoying the Voicemax
|> |> advantage.
|> |> Since VoiceMax doesn't use audio "clipping"... your audio is loud AND
|> |> clear.
|> |> What a concept!
|> |>
|> |> See what VoiceMax can do for you at
|> |>http://www.telstar-electronics.com/voicemax.htm
|> |
|> |What is the dB advantage of this vs. RF clipping for SSB?
|> |
|> |
|> |----------------------
|>
|> RF Clipping is superior to audio compression in SSB transmission. RF
|> clipping will provide about 6dB improvement over audio compression
|> alone.
|>
|> james
|
|James is correct... that the RF clipping technique is somewhat more
|effective. What he fails to mention is that it's more complex... and
|not easily installed into an existing radio. RF clipping also
|exihibits substantially more distortion. The VoiceMax installs
|easily... and provides tangible results.
|----------------

Actually as easy to design an RF Clipper as an audio compressor. True
it is a bit more difficult to install. Audio clippers can be external
to the transmitter and simpler to install and operate. A RF Clipper
will install as easily as your internal audio compressor.

Personally I would take RF clipping over Audio compression any day
with SSB transmissions. If the post filters are good in enough RF
clipping, there is not significant difference in distortion.

james

```
From 8974192898977184100
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
m3g2000hsc.googlegroups.com!not-for-mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Thu, 5 Jun 2008 21:35:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 18
Message-ID: <0881c8e8-0a85-41df-97e8-8ecdf767427a@m3g2000hsc.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
NNTP-Posting-Host: 97.112.140.28
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212726900 22592 127.0.0.1 (6 Jun 2008 04:35:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jun 2008 04:35:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m3g2000hsc.googlegroups.com; posting-host=97.112.140.28;
     posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.14)
     Gecko/20061201 Firefox/2.0.0.14 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:519 rec.radio.amateur.equipment:129
rec.radio.amateur.homebrew:121

On Jun 5, 2:25 pm, "Tio Pedro" <radioconnect...@cox.net> wrote:
> "Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
>
> news:c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com...
>
> > VoiceMax is really gaining momentum!
> > Radio operators all over the world are enjoying the Voicemax
> > advantage.
> > Since VoiceMax doesn't use audio "clipping"... your audio is loud AND
> > clear.
> > What a concept!
>
> > See what VoiceMax can do for you at
> >http://www.telstar-electronics.com/voicemax.htm
>
> What is the dB advantage of this vs. RF clipping for SSB?

It is a splatter box add-on.
```

From -5386915092526995021
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!news-xfer.nntp.sonic.net!posts.news.sonic.net!
nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
Subject: Re: What are almost all the new ham radios ugly?
Date: Fri, 23 May 2008 18:09:05 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 11
Message-ID: <48376ab4$0$34542$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 24 May 2008 01:09:09 GMT
NNTP-Posting-Host: 6069671e.news.sonic.net
X-Trace: DXC=fhA5NiLk<JOn8eO?
f<T^JBm4K\QM1CV^@1OYf0H`?;XA2iP;C^^Tk2BJd54f]<G4]JBe<Gjk:TZBEjAJhVi0G1mG
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:68

Totally agree with you. Another important point (for me
at least) is rigs of the past were repairable. No longer the
case IMO.

Thats why my main rig is a Kenwood TS-830S, and
my stereo rack is full of 1970's silver face Pioneer equipment.
And yes, it all works!

Steve

From 4923489942882996885
X-Google-Thread: 1109af,699cca9e5fea5ed3
X-Google-Thread: 108122,699cca9e5fea5ed3
X-Google-Thread: 108228,699cca9e5fea5ed3
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!eweka.nl!lightspeed.eweka.nl!
194.134.4.17.MISMATCH!news2.euro.net!newsgate.cistron.nl!xs4all!news.wiretrip.org!
news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <fritz@spamexpire-200806.rodent.frell.theremailer.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace

```
Subject: FA: Drake L-4B linear amplifier with L-4PS power supply
Message-ID: <d73d17a7dd04a78fa83f325c7d700345@msgid.frell.theremailer.net>
Date: Fri, 06 Jun 2008 11:46:33 +0200
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:149 rec.radio.amateur.equipment:130
alt.ham-radio.marketplace:30

http://easyurl.net/DrakeL4B




From 782744224539273833
X-Google-Thread: 108122,913930a0bbba3ac3,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s33g2000pri.googlegroups.com!not-for-
mail
From: michael <cnbbiz032@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: shoes D&g shoes  paypal payment $28/pairs   cnbbiz2008@hotmail.com  (
      http://photo.163.com/photos/llz800728111/130680801/ )
Date: Wed, 11 Jun 2008 13:11:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 58
Message-ID: <83b5af54-370f-48a6-ad3b-ec4011e07a20@s33g2000pri.googlegroups.com>
NNTP-Posting-Host: 59.58.105.200
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213215102 30915 127.0.0.1 (11 Jun 2008 20:11:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Jun 2008 20:11:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s33g2000pri.googlegroups.com; posting-host=59.58.105.200;
     posting-account=KW0m5AoAAADCD27We1rTApeJ2OwaFPpn
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; zh-CN; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:173

 Please chat with me by cnbbiz2008@hotmail.com to get the price and
more photos,  we take paypal payment $28/pairs as payment. please see
the photo album below for our product list.

shoes ARMANI shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(  http://photo.163.com/photos/llz800728111/134489149/  )

shoes bally shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(  http://photo.163.com/photos/llz800728111/140329386/ )

shoes 4us shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(  http://photo.163.com/photos/llz800728111/144977471/ )
```

shoes bape shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/llz800728111/130680706/)

shoes BURBERRY shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/134395893/
)

shoes ca shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/xinpaodao.2235855/144102223/)

shoes chanel shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/llz800728111/131078679/)

shoes Converse shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/nikeallstar#p2
)

shoes Clarks shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/nikeallstar#p1)

shoes Lee shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/nikeallstar#p1)

sandle Crocs sandle paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/huayuexiehang/153324391/
)

shoes dunk shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/8fzjlyl/)

shoes D&g shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/llz800728111/130680801/)

shoes DIESEL shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/nikeallstar#p1)

shoes DIOR shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/llz800728111/153489067/)

shoes DSQUARED shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/tt83234/140318831/#p2)

shoes DC shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/tt83234/140318831/#p2)

```
From 6137897973915598038
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
```

```
news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Fri, 06 Jun 2008 09:26:49 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 17
Message-ID: <g2bdup$rj0$2@f04n12.cac.psu.edu>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
<0rudna7Al7GAGdXVnZ2dnUVZ_tajnZ2d@comcast.com> <g2adfp$u5h$1@snarked.org>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1212758809 28256 128.118.40.78 (6 Jun 2008 13:26:49
GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Fri, 6 Jun 2008 13:26:49 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <g2adfp$u5h$1@snarked.org>
Xref: g2news1.google.com rec.radio.amateur.equipment:131

D. Stussy wrote:
> "Dee Flint" <deeflint01@comcast.net> wrote in message
>
>>
>> Too many people deceive themselves too with "I'm just big boned" and all
>> those arguments.  Well the healthy BMI has sufficient range to accommodate
>> the big boned.  If you can't see your collar bone when you look in the
>> mirror nude, you are overweight.
>
> That doesn't mean that there's not a higher percentage among amateur radio
> operators than the general population.


Citations on that?



     - 73 de Mike N3LI -



From 3550990628989369878
X-Google-Thread: 108122,9686f7688dc1c1be
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 May 2008 21:04:13 -0500
```

From: gprunescaper <gprunescaper.27d2cf7@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: PSE NO EQSL BLOG ACTION FROM ITALY
Date: Fri, 23 May 2008 21:51:47 +0100
Message-ID: <gprunescaper.27d2cf7@radiobanter.com>
Organization: RadioBanter.com
References: <e596310c-1f8c-4c0a-a71c-b3943a9114c4@a1g2000hsb.googlegroups.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-xK8MwKlJCoIwGp+i/Fc1+hQYKLZauwvMq1Ou/
QzfA3DWqHLikgzGOI6GEGnK2cmTLRTJD52eh1lsTYI!QCW/26xCjc0aaZTPffQtKeUS/
u5Yw71AnAVeuWS13mexU8j2p69VPNPSeJMiSSS4LMx6x3zYwU62!TV6Sg9vO25g=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.38
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:69

::This method is more for fun than for money. You will get chance to win fantastic cash prizes completely free by playing free game online:::, ('maplestory' (http://www.maplestorymesos.us/),'runescap' (http://www.gprunescape.com/)e etc.)and win the scores. You will get some entries to enter the lucky draw based on how many scores you have made. If you lucky enough, you can get some rewards:::, such as cash or gifts. Some web sites even hold the campaign and award the top play with the prize or gift. Since you have no need to spend a dime during it, it's totally safe for you. Below are some very good sites where can win for prizes. ::::gprunescape have been a professional, loyal and reliable RS2 gold store online, and also 'powerleveling' (http://www.runescape-power-leveling.us/) seller for many years. You will find it is the best way to buy RS2 gold or leveling; you will really get what you want. This is your chance for you to buy RS2 gold and leveling up. And also provide 'making money guide' (http://www.runescape365.com/),We are ready now, how about you?
::::::

--
gprunescaper

From -6810665172927704289
X-Google-Thread: 108122,b3c2ec036aa6a67,start
X-Google-Thread: 114c14,b3c2ec036aa6a67,start
X-Google-Thread: fbfb7,b3c2ec036aa6a67,start
X-Google-Thread: 1faf9f,b3c2ec036aa6a67,start

X-Google-Attributes:
gid108122,gid114c14,gidfbfb7,gid1faf9f,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!postnews.google.com!w34g2000prm.googlegroups.com!not-for-mail
From: ben_lby@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.music.gdead,alt.fan.letterman,alt.tv.lost
Subject: For Sale: XBOX 360, PSP, NDS Lite, Wii Modded Consoles & Retro Stuff
Date: Fri, 6 Jun 2008 06:31:05 -0700 (PDT)
Organization: http://groups.google.com
Lines: 95
Message-ID: <fc48eec5-4e9d-4a75-b3a3-7a91360a739b@w34g2000prm.googlegroups.com>
NNTP-Posting-Host: 60.48.52.158
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1212759065 6470 127.0.0.1 (6 Jun 2008 13:31:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jun 2008 13:31:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w34g2000prm.googlegroups.com; posting-host=60.48.52.158;
posting-account=5EIRagoAAADqM8obaSzpuid52lSDsRvE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90;
ALEXA),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:132 rec.music.gdead:5595
alt.fan.letterman:1738 alt.tv.lost:5953

We=92re a video game specialist and wholesaler for modded consoles, retro consoles and game backups, we ship worldwide. Below are some of our offerings at wholesale prices. For any enquiries, please feel free to contact us at gamersparadisemy@gmail.com

Sony Playstation 3 - 40GB Pack (NTSC/U & NTSC/J versions available)
comes with two dual shock 3 controllers and Hori cooling fan.
USD 350 (with worldwide shipping)

XBOX 360 Elite (with HDMI)
=96 120GB Pack (NTSC/U & NTSC/J) comes with two controllers and Nyko cooling fan.
Modded and able to run XBOX 360 backups, homebrew softwares and able to go online via XBOX Live.
USD 400 (with worldwide shipping)

XBOX 360 Premium (with HDMI, free 2 ori games, Forza 2 and Viva Pinata)
=96 20GB Pack (NTSC/U & NTSC/J) comes with two controllers and Nyko cooling fan.
Modded and able to run XBOX 360 backups, homebrew softwares and able to go online via XBOX Live.
USD 330 (with worldwide shipping)

XBOX 360 Core (without HDD and HD cable, only composite video)
=96 (NTSC/U & NTSC/J) comes with 1 controller.
Modded and able to run XBOX 360 backups, homebrew softwares and able to go online via XBOX Live.
USD 260 (with worldwide shipping)

Nintendo Wii - (NTSC/U & NTSC/J) comes with two controllers and Nyko cooling fan.
Modded and able to run Nintendo Wii backups and homebrew softwares.
USD290 (with worldwide shipping)

Sony PS2 - (NTSC/U & NTSC/J) comes with two controllers and Nyko cooling fan.
Modded and able to run PS2 backups and homebrew softwares.
USD140 (with worldwide shipping)

Sony PSP with 4GB MSPD
Able to run PSP backups and homebrew softwares.
USD180 (with worldwide shipping)

Nintendo NDS Lite with R4 (2GB MiniSD card included)
Able to run NDS backups and homebrew softwares
USD180 (with worldwide shipping)

*** Remarks: All modded consoles come with 5 backups of your choice whereas for portables, they will come with 5-10 preloaded games of your choice on the memory card.

--=

XBOX 360 / Wii / PS2 Backups,
USD2 each (dvd-r), USD3 each (factory pressed gold disc) =96 minimum order of 10 games needed.

NDS / PSP Roms
USD2 per game, burnt on dvd-r, USD5 for any 3 games burnt on dvd-r

--=

Used Retro Consoles, Original Games & Backups
(Please email us for the best price, we have many used retro consoles and games in stock, all in perfect condition, sourced from Shibuya, Japan)

Neo Geo Cart (Original Games Only)
Neo Geo CD
PSX
SNES (CD Backup Machine with complete SNES roms)
N64 (CD Backup Machines with complete N64 roms)
Sega Saturn
Sega Dreamcast

Sega Megadrive
Sega Game Gear (Original Games Only)
Sega 32X (Original Games only)
Panasonic 3DO
Atari Jaguar (Original Games Only)
PC Engine (Backups Only For CD Version)
XBOX
Gameboy Advance
Gameboy Micro
Atari Jaguar (Original Games Only)

Gamers Paradise Sdn. Bhd.
LG 148, Sungai Wang Plaza,
Jalan Bukit Bintang,
55100 Kuala Lumpur,
Malaysia
gamersparadisemy@gmail.com

```
From 1123415160361375265
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!m45g2000hsb.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Wed, 11 Jun 2008 13:36:55 -0700 (PDT)
Organization: http://groups.google.com
Lines: 56
Message-ID: <75671283-a0ce-469c-a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
     <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1213216623 2897 127.0.0.1 (11 Jun 2008 20:37:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Jun 2008 20:37:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m45g2000hsb.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
```

```
Xref: g2news1.google.com rec.radio.cb:567 rec.radio.amateur.equipment:174
rec.radio.amateur.homebrew:159

On Jun 11, 8:44=A0am, james <geo...@washington.edu> wrote:
> On Mon, 9 Jun 2008 06:25:33 -0700 (PDT), Telstar Electronics
>
> <briangrif...@sbcglobal.net> wrote:
>
> |On Jun 6, 4:17=A0pm, james <geo...@washington.edu> wrote:
> |> On Thu, 5 Jun 2008 16:25:44 -0400, "Tio Pedro"
> |>|> <radioconnect...@cox.net> wrote:
>
> |>
> |> ||"Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
> |>
> |> |news:c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com.=
..
> |> |> VoiceMax is really gaining momentum!
> |> |> Radio operators all over the world are enjoying the Voicemax
> |> |> advantage.
> |> |> Since VoiceMax doesn't use audio "clipping"... your audio is loud AN=
D
> |> |> clear.
> |> |> What a concept!
> |> |>
> |> |> See what VoiceMax can do for you at
> |> |>http://www.telstar-electronics.com/voicemax.htm
> |> |
> |> |What is the dB advantage of this vs. RF clipping for SSB?
> |> |
> |> |
> |> |---------------------
> |>
> |> RF Clipping is superior to audio compression in SSB transmission. RF
> |> clipping will provide about 6dB improvement over audio compression
> |> alone.
> |>
> |> james
> |
> |James is correct... that the RF clipping technique is somewhat more
> |effective. What he fails to mention is that it's more complex... and
> |not easily installed into an existing radio. RF clipping also
> |exihibits substantially more distortion. The VoiceMax installs
> |easily... and provides tangible results.
> |----------------
>
> Actually as easy to design an RF Clipper as an audio compressor. True
> it is a bit more difficult to install. Audio clippers can be external
> to the transmitter and simpler to install and operate. A RF Clipper
> will install as easily as your internal audio compressor. =A0
>
> Personally I would take RF clipping over Audio compression any day
> with SSB transmissions. If the post filters are good in enough RF
```

> clipping, there is not significant difference in distortion.
>
> james

But I was under the impression that RF clippers only work on SSB?...
and the installation involves tearing into the IF section?

From -7067444093449849602
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF interference from WiFi router
From: Bert Hyman <bert@iphouse.com>
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
<HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com> <484873B8.8040305@NETTALLY.COM>
<mk22k.17746$qP.9885@trnddc03>
Organization: Not that you'd notice
Message-ID: <Xns9AB559CAC966AVeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 06 Jun 2008 13:49:37 GMT
Lines: 22
NNTP-Posting-Date: 06 Jun 2008 08:49:37 CDT
NNTP-Posting-Host: e6413955.newsreader.iphouse.net
X-Trace:
DXC=AgmWfH[FTTB3W;EIY;M47CVn\Tj8`^BbKeHS>e[L>83@7_hEeZ2]1jEc230oU7d71AX7@2h;nGb4MU
h30Em[lcIE
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:133

In news:mk22k.17746$qP.9885@trnddc03 "JB" <nospam@goofball.net> wrote:

>> >
>> > Try feeding power to it from a battery source, rather than the wall
>> > wart that comes with it. See what that does for it.
>> >
>> >
>> >
>> I was thinking same thing. He has a swiching wall wart that responds
>> to the current draw when the WiFi TX is enabled.
>>
> Exactly my problem with a Wirespeed DSL modem. Cheap wall wort would
> spew all over the spectrum after a few minutes under load.

Thanks for the suggestion about the power supply.

I'll be cobbling together an appropriate cable to feed the modem from a
stiffly regulated analog supply. If that works, I'll just build a little
supply to replace the wall wart.

--
Bert Hyman   St. Paul, MN bert@iphouse.com

From -7262075085841892879
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!transit4.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
Organization: Your Company
Message-ID: <Xns9AA7C26C84752Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 24 May 2008 02:06:44 GMT
Lines: 12
NNTP-Posting-Host: 8efdb33b.news.adtechcomputers.com
X-Trace:
DXC=HJ=n4[B>k27hPH]YHR;=o6gC4_A5:nI@1<<=aEgO;R87VULeCib0Uj1[lI7hgGoUc7\DIHhFR2Zk>hmYbfZRQ=;0RbZa3\[KBO<
X-Complaints-To: abuse@adtechcomputers.com
X-Original-Bytes: 1000
Xref: g2news1.google.com rec.radio.amateur.equipment:70

> Why are almost all the new HF ham radios so ugly? HF Ham radios use
> to be a thing of beauty, but now most of them are butt ugly!
>

Perhaps you are not aware of the common phrase,   "beauty is in the eyes of the beholder."

Ed   K7AAT

From -2875587229497831948
X-Google-Thread: 108122,b078e7dcaf50fe20,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!c19g2000prf.googlegroups.com!not-for-mail
From: Carl <ws7l@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: AEA MM-3 Morse Machine CW Keyer
Date: Fri, 6 Jun 2008 08:02:45 -0700 (PDT)
Organization: http://groups.google.com

```
Lines: 4
Message-ID: <76e04d2a-db47-432b-841d-7f3bb3f926fd@c19g2000prf.googlegroups.com>
NNTP-Posting-Host: 96.225.214.42
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212764565 22546 127.0.0.1 (6 Jun 2008 15:02:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jun 2008 15:02:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c19g2000prf.googlegroups.com; posting-host=96.225.214.42;
     posting-account=k5PvcQoAAACTjhJmeiTxsxuBcO4cSkc8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:134
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=290236419289

73 & thanks for looking,
WS7L

```
From -1891032964270902664
X-Google-Thread: 108122,f94c0b5c4d4cb42a,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!
roadrunner.com!not-for-mail
From: andrew cuomo <control@control.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Time-Warner drops Usenet news service
Date: Wed, 11 Jun 2008 16:37:07 -0400
Message-ID: <pmd054962bivnbbbai405einifnfpjp0bi@4ax.com>
X-Newsreader: Forte Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 66.67.8.228
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:175
```

No more usenet news for RoadRunner users as of June 23. You have to sign up with a pay service.

For questions call Time Warner central: 203-328-0600.

Press 2 to get the "Office of the President". Stay on the line to talk to the "Customer Care Advocate."

```
A nice person will take your message. They even say they will look
into it and call back.


From 8657348711278217185
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!y38g2000hsy.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Fri, 6 Jun 2008 09:33:32 -0700 (PDT)
Organization: http://groups.google.com
Lines: 21
Message-ID: <74684ba1-b92a-4a70-acb1-9f699e75fbc8@y38g2000hsy.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1212770013 21515 127.0.0.1 (6 Jun 2008 16:33:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jun 2008 16:33:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y38g2000hsy.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:522 rec.radio.amateur.equipment:135
rec.radio.amateur.homebrew:127

On Jun 5, 3:25=A0pm, "Tio Pedro" <radioconnect...@cox.net> wrote:
> "Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
>
> news:c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com...
>
> > VoiceMax is really gaining momentum!
> > Radio operators all over the world are enjoying the Voicemax
> > advantage.
> > Since VoiceMax doesn't use audio "clipping"... your audio is loud AND
> > clear.
> > What a concept!
>
> > See what VoiceMax can do for you at
> >http://www.telstar-electronics.com/voicemax.htm
>
```

```
> What is the dB advantage of this vs. RF clipping for SSB?

The compression ratio of VoiceMax is fixed at 15:1 with distortion
levels well below 1%.
I suggest you read this for clarification... http://en.wikipedia.org/wiki/Au=
dio_level_compression



From 5379191435820263897
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad!news.highwinds-media.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps91.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
From: Panzer240 <panzer240@hotmail.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<Xns9AA7C26C84752Huckleberrybigvalley@198.186.192.196>
Organization: QAR
Message-ID: <Xns9AA89A5E4E2FBfw190a8@199.185.223.74>
User-Agent: Xnews/5.04.25
X-Face: $&/X$V,"S*#uz+{oLU'^h)QCF*4h'r$f("jr/$#M!Dt&CR9(9ju%ntlWj$kN7S{)n^fK'VC L|
TA8NouNwLeq~OD-&Y(=FdX+lD@%H%=7w-w*vaS79ke<Cs%n)'&dm#<Ktc6:_[FhYWae&YI/GLrpD
ehoTc4x)+XNdGI`,T((uEs~&1n0_5C2\\e[i|I%|cN6:]L%b5(WS}IiFEkC"q
X-Antivirus: avast! (VPS 080523-0, 05/23/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 28
Date: Sat, 24 May 2008 18:10:34 GMT
NNTP-Posting-Host: 24.222.201.116
X-Trace: edtnps91 1211652634 24.222.201.116 (Sat, 24 May 2008 12:10:34 MDT)
NNTP-Posting-Date: Sat, 24 May 2008 12:10:34 MDT
Xref: g2news1.google.com rec.radio.amateur.equipment:71

"Ed_G" <Huckleberry_REMOVE_@bigvalley.net> wrote in
news:Xns9AA7C26C84752Huckleberrybigvalley@198.186.192.196:

>>   Why are almost all the new HF ham radios so ugly?  HF Ham radios use
>> to be a thing of beauty, but now most of them are butt ugly!
>>
>
>
>    Perhaps you are not aware of the common phrase,   "beauty is in the
>    eyes
> of the beholder."
>
>
>    Ed   K7AAT
>
>

Actually as long as the gear does a good job of being a radio, who cares
what it looks like? Did you buy it to look at or use? What aare you doing
```

trying to impress others or have fun?

:-D

--
Panzer

From 6890885546015816873
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!news-
out.octanews.net!indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF interference from WiFi router
From: Bert Hyman <bert@iphouse.com>
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
<HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com> <484873B8.8040305@NETTALLY.COM>
<mk22k.17746$qP.9885@trnddc03> <Xns9AB559CAC966AVeebleFetzer@216.250.184.7>
Organization: Not that you'd notice
Message-ID: <Xns9AB5CC4B5596FVeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 06 Jun 2008 20:04:58 GMT
Lines: 33
NNTP-Posting-Date: 06 Jun 2008 15:04:58 CDT
NNTP-Posting-Host: f9b87415.newsreader.iphouse.net
X-Trace:
DXC=P6LCCV>]NNQn@6@2jf]AAYUU[C:R=]MbZeHS>e[L>83P:Jo7_H5>>dWc230oU7d71QX7@2h;nGb4]8
bC@@cgPS8^
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:136

In news:Xns9AB559CAC966AVeebleFetzer@216.250.184.7 Bert Hyman
<bert@iphouse.com> wrote:

> In news:mk22k.17746$qP.9885@trnddc03 "JB" <nospam@goofball.net> wrote:
>
>>> >
>>> > Try feeding power to it from a battery source, rather than the wall
>>> > wart that comes with it. See what that does for it.
>>> >
>>> >
>>> >
>>> I was thinking same thing. He has a swiching wall wart that responds
>>> to the current draw when the WiFi TX is enabled.
>>>
>> Exactly my problem with a Wirespeed DSL modem. Cheap wall wort would
>> spew all over the spectrum after a few minutes under load.
>

> Thanks for the suggestion about the power supply.
>
> I'll be cobbling together an appropriate cable to feed the modem from a
> stiffly regulated analog supply. If that works, I'll just build a little
> supply to replace the wall wart.

That seems to be it.

I powered the router from an Astron RS-12A and the interference was gone.

Don't know if the wall wart itself is the source of the problem or if it drops output under load and causes the router to misbehave, but it's an easy enough fix.

--
Bert Hyman   W0RSB   St. Paul, MN bert@iphouse.com

From 7205429952856481261
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 11 Jun 2008 21:18:44 -0500
From: james <george@washington.edu>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Wed, 11 Jun 2008 22:18:48 -0400
Reply-To: beerkeg@budu.edu
Message-ID: <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
<jZX1k.2010$nD3.912@newsfe15.lga> <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
<86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
<i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 70
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.91.132.190
X-Trace: sv3-KDVZWZOTTe1wpSDw77M9R46HynX3b+/Hun4lRvNtDaL7/LB3i4K9z2ULGI//L/
1QTYOI3qDlHJ6hxah!
1yEhxwzU09ou5YgoRnjhYtbMoFhbHGMR2+fNewvDPtRDUcwy6uAx5cK9BRMydA24gylAtCFlclq3!
o36OF6TCAolVQotz4LrS4w==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly

X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.cb:569 rec.radio.amateur.equipment:176
rec.radio.amateur.homebrew:167

On Wed, 11 Jun 2008 13:36:55 -0700 (PDT), Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

|On Jun 11, 8:44�am, james <geo...@washington.edu> wrote:
|> On Mon, 9 Jun 2008 06:25:33 -0700 (PDT), Telstar Electronics
|>
|> <briangrif...@sbcglobal.net> wrote:
|>
|> |On Jun 6, 4:17�pm, james <geo...@washington.edu> wrote:
|> |> On Thu, 5 Jun 2008 16:25:44 -0400, "Tio Pedro"
|> |>|> <radioconnect...@cox.net> wrote:
|>
|> |>
|> |> ||"Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
|> |>
|> |> |news:c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com...
|> |> |> VoiceMax is really gaining momentum!
|> |> |> Radio operators all over the world are enjoying the Voicemax
|> |> |> advantage.
|> |> |> Since VoiceMax doesn't use audio "clipping"... your audio is loud AND
|> |> |> clear.
|> |> |> What a concept!
|> |> |>
|> |> |> See what VoiceMax can do for you at
|> |> |>http://www.telstar-electronics.com/voicemax.htm
|> |> |
|> |> |What is the dB advantage of this vs. RF clipping for SSB?
|> |> |
|> |> |
|> |> |----------------------
|> |>
|> |> RF Clipping is superior to audio compression in SSB transmission. RF
|> |> clipping will provide about 6dB improvement over audio compression
|> |> alone.
|> |>
|> |> james
|> |
|> |James is correct... that the RF clipping technique is somewhat more
|> |effective. What he fails to mention is that it's more complex... and
|> |not easily installed into an existing radio. RF clipping also
|> |exihibits substantially more distortion. The VoiceMax installs
|> |easily... and provides tangible results.
|> |----------------
|>
|> Actually as easy to design an RF Clipper as an audio compressor. True
|> it is a bit more difficult to install. Audio clippers can be external
|> to the transmitter and simpler to install and operate. A RF Clipper
|> will install as easily as your internal audio compressor. �
|>

```
|> Personally I would take RF clipping over Audio compression any day
|> with SSB transmissions. If the post filters are good in enough RF
|> clipping, there is not significant difference in distortion.
|>
|> james
|
|But I was under the impression that RF clippers only work on SSB?...
|and the installation involves tearing into the IF section?
|--------------

Correct. An RF clipper an be inserted after the SSB filters or before.
There are versions that do the clipping after the balance modualtor
and before filters. Sherwood did a RF clipper for the Drake TR4 that
was after the SSB filters and had crystal filters to restore the
original bandwidth.

Generally RF clipping is a bit more expensive than audio compression.
Then you get what you pay for.


james



From 4892019348061831754
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
27g2000hsf.googlegroups.com!not-for-mail
From: laura halliday <marsgal42@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Fri, 6 Jun 2008 13:47:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <92419105-6fbe-4dbf-b971-7454304c514f@27g2000hsf.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
NNTP-Posting-Host: 208.181.1.34
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212785246 16943 127.0.0.1 (6 Jun 2008 20:47:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jun 2008 20:47:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 27g2000hsf.googlegroups.com; posting-host=208.181.1.34;
     posting-account=QznKWwkAAABtWRT875LiEkR4XDuK_tqd
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:524 rec.radio.amateur.equipment:137
```

```
rec.radio.amateur.homebrew:128

On Jun 5, 4:26 am, Telstar Electronics <briangrif...@sbcglobal.net>
wrote:
> VoiceMax is really gaining momentum!
> Radio operators all over the world are enjoying the Voicemax
> advantage.
> Since VoiceMax doesn't use audio "clipping"... your audio is loud AND
> clear.
> What a concept!
>
> See what VoiceMax can do for you athttp://www.telstar-electronics.com/
voicemax.htm

Here we go again!

Laura Halliday VE7LDH     "Non sequitur. Your ACKS are
Grid: CN89mg                uncoordinated."
ICBM: 49 16.05 N 122 56.92 W       - Nomad the Network Engineer


From 4308423826018135080
X-Google-Thread: 108122,f2281be5e2d7a9cf,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Need KLM Force5 Schematics.
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <cU3_j.25539$we7.21641@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 25 May 2008 02:10:16 GMT
NNTP-Posting-Host: 12.64.180.160
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1211681416 12.64.180.160 (Sun, 25 May
2008 02:10:16 GMT)
NNTP-Posting-Date: Sun, 25 May 2008 02:10:16 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:72

Hello and thanks for the read.

After my previos posting for a copy of the manual, I now have the manual.
Evidently, there were several loose schematics as part of the manual which
weren't available with this manual. Within the manual was a referral to 2
sheets of schematics for Synthesizers and 2 sheets for RF Filter and
```

Bandswitch. There may have been more.

If anyone has these schematic sheets, I would gladly pay for the copying and postage plus any other reasonable costs that are part of getting these copies made.

Thanks you for your consideration. Larry

From 8007555680285746880
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 06 Jun 2008 16:17:21 -0500
From: james <george@washington.edu>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Fri, 06 Jun 2008 17:17:28 -0400
Reply-To: beerkeg@budu.edu
Message-ID: <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com> <jZX1k.2010$nD3.912@newsfe15.lga>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.91.132.52
X-Trace: sv3-4RMHFvCSlXmO0PP/MP0i2zIL26L2c098/XntcmPPBIz1pFU1Ypcsj+ZXwHsUVbi77bMV1PLFQnqrHRg!MguUGp3EyoATiVDTKx/NmW6manCRvSpoLs7o/aLoKS7LqG+QGJ649LZu267h9gGWKjEkff1ep8oP!QZlUDSsoaip/b2b151fn
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.cb:526 rec.radio.amateur.equipment:138 rec.radio.amateur.homebrew:129

On Thu, 5 Jun 2008 16:25:44 -0400, "Tio Pedro"
<radioconnection@cox.net> wrote:

|
|"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
|news:c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com...
|> VoiceMax is really gaining momentum!

```
|> Radio operators all over the world are enjoying the Voicemax
|> advantage.
|> Since VoiceMax doesn't use audio "clipping"... your audio is loud AND
|> clear.
|> What a concept!
|>
|> See what VoiceMax can do for you at
|> http://www.telstar-electronics.com/voicemax.htm
|
|What is the dB advantage of this vs. RF clipping for SSB?
|
|
|----------------------
```

RF Clipping is superior to audio compression in SSB transmission. RF clipping will provide about 6dB improvement over audio compression alone.

james

```
From -1706567658025505105
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
newsfeed00.sul.t-online.de!t-online.de!peer-uk.news.demon.net!kibo.news.demon.net!
news.demon.co.uk!demon!g3ohx.demon.co.uk!ianREMOVETHISjackson
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Thu, 12 Jun 2008 09:03:36 +0100
Lines: 89
Message-ID: <zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
 <jZX1k.2010$nD3.912@newsfe15.lga>
 <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
 <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
 <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com>
 <75671283-a0ce-469c-a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
 <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
NNTP-Posting-Host: g3ohx.demon.co.uk
Mime-Version: 1.0
Content-Type: text/plain;charset=iso-8859-1;format=flowed
Content-Transfer-Encoding: 8bit
X-Trace: news.demon.co.uk 1213257820 18546 80.176.138.122 (12 Jun 2008 08:03:40
GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Thu, 12 Jun 2008 08:03:40 +0000 (UTC)
User-Agent: Turnpike/6.06-S (<X1SqWat$KPTGaPCjtBGoeAF7Yn>)
Xref: g2news1.google.com rec.radio.cb:571 rec.radio.amateur.equipment:177
```

rec.radio.amateur.homebrew:171

In message <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>, james
<george@washington.edu> writes
>On Wed, 11 Jun 2008 13:36:55 -0700 (PDT), Telstar Electronics
><briangriffey@sbcglobal.net> wrote:
>
>|On Jun 11, 8:44�am, james <geo...@washington.edu> wrote:
>|> On Mon, 9 Jun 2008 06:25:33 -0700 (PDT), Telstar Electronics
>|>
>|> <briangrif...@sbcglobal.net> wrote:
>|>
>|> |On Jun 6, 4:17�pm, james <geo...@washington.edu> wrote:
>|> |> On Thu, 5 Jun 2008 16:25:44 -0400, "Tio Pedro"
>|> |>|> <radioconnect...@cox.net> wrote:
>|>
>|> |>
>|> |> ||"Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
>|> |>
>|> |> |news:c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com...
>|> |> |> VoiceMax is really gaining momentum!
>|> |> |> Radio operators all over the world are enjoying the Voicemax
>|> |> |> advantage.
>|> |> |> Since VoiceMax doesn't use audio "clipping"... your audio is loud AND
>|> |> |> clear.
>|> |> |> What a concept!
>|> |> |>
>|> |> |> See what VoiceMax can do for you at
>|> |> |>http://www.telstar-electronics.com/voicemax.htm
>|> |> |
>|> |> |What is the dB advantage of this vs. RF clipping for SSB?
>|> |> |
>|> |> |
>|> |> |----------------------
>|> |>
>|> |> RF Clipping is superior to audio compression in SSB transmission. RF
>|> |> clipping will provide about 6dB improvement over audio compression
>|> |> alone.
>|> |>
>|> |> james
>|> |
>|> |James is correct... that the RF clipping technique is somewhat more
>|> |effective. What he fails to mention is that it's more complex... and
>|> |not easily installed into an existing radio. RF clipping also
>|> |exihibits substantially more distortion. The VoiceMax installs
>|> |easily... and provides tangible results.
>|> |----------------
>|>
>|> Actually as easy to design an RF Clipper as an audio compressor. True
>|> it is a bit more difficult to install. Audio clippers can be external
>|> to the transmitter and simpler to install and operate. A RF Clipper
>|> will install as easily as your internal audio compressor. �
>|>

>|> Personally I would take RF clipping over Audio compression any day
>|> with SSB transmissions. If the post filters are good in enough RF
>|> clipping, there is not significant difference in distortion.
>|>
>|> james
>|
>|But I was under the impression that RF clippers only work on SSB?...
>|and the installation involves tearing into the IF section?
>|--------------
>
>Correct. An RF clipper an be inserted after the SSB filters or before.
>There are versions that do the clipping after the balance modualtor
>and before filters. Sherwood did a RF clipper for the Drake TR4 that
>was after the SSB filters and had crystal filters to restore the
>original bandwidth.
>
>Generally RF clipping is a bit more expensive than audio compression.
>Then you get what you pay for.
>
>
>james

I thought that there were some stand-alone RF clippers. Surely there is
no reason why they cannot be external units, inserted in-line between
the mic and the mic socket (ie audio in - audio out)?

Obviously they have to contain 'all the works' (oscillator, balanced
modulator, compressor, clipper, filters, balanced demodulator etc), but
at least they are self-contained and universal.

Regarding filtering, the main advantage of RF clippers is that they
eliminate the effects of second-order distortion, and only have the
distortion produced by in-band third order intermodulation. For
cheapness and simplicity, if you leave out the SSB filtering (ie do
everything at DSB), you will have at least twice the number of in-band
IM products. But how much worse is this than having SSB filtering?
--
Ian

From 7216330350890193957
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe24.lga.POSTED!53ab2750!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>

```
<jZX1k.2010$nD3.912@newsfe15.lga> <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
Subject: Re: VoiceMax Speech Processor...
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <cSh2k.1791$js1.1369@newsfe24.lga>
NNTP-Posting-Host: 72.209.25.33
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe24.lga 1212787208 72.209.25.33 (Fri, 06 Jun 2008 14:20:08 MST)
NNTP-Posting-Date: Fri, 06 Jun 2008 14:20:08 MST
Organization: Cox
Date: Fri, 6 Jun 2008 17:19:59 -0400
Xref: g2news1.google.com rec.radio.cb:527 rec.radio.amateur.equipment:139
rec.radio.amateur.homebrew:130


"james" <george@washington.edu> wrote in message
news:57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com...

> |----------------------
>
> RF Clipping is superior to audio compression in SSB transmission. RF
> clipping will provide about 6dB improvement over audio compression
> alone.
>
> james

Rhetorical question :)




From 4506791939141392235
X-Google-Thread: 108122,8d588757703ed9ec
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 25 May 2008 03:04:27 -0500
From: gprunescaper <gprunescaper.27ed2d0@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: We have in stock RD70HHF1 mitsubishi transistors
Date: Sun, 25 May 2008 07:18:19 +0100
Message-ID: <gprunescaper.27ed2d0@radiobanter.com>
Organization: RadioBanter.com
References:  <aae86df2-370f-43d0-9339-f11b8bccd36d@t54g2000hsg.googlegroups.com>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
```

Buiv1lGlBq8GaSYtJZnoLtqrKf5ZmseL8w+SW2fO+fzvZ0k+QLNfRTZxKuxaHvbXFCTfofS30UZb9Ay!
0NnhN0FacXNRNi4oAcRm4IGYNhTdbkjgVyaG/yjXcc2vRtbwJND6U0scm/p6DghDG9fJJIGCR6Rh!
0n8wCMvIkzE=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.38
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:73

::Nice! that seems a good idea .T::his is a remake of my thread. We may have many reasons to not quit 'Runescape' (http://www.gprunescape.com/). What is your reason to not quit and continue playing? It could be that you would like to accomplish goals in 'Runescape' (http://www.runescape-power-leveling.us/). It may be that you would like to continue to talk to your friends. Maybe it is because Runescape is a never ending game. Please post your reason for you not to quit Runescape. You may have the same reason as another player so you could repeat what the other player said. ::::You will get chance to win fantastic cash prizes completely free by playing free game online::::, ('maplestory' (http://www.maplestorymesos.us/),'runescape' (http://www.runescape365.com/) etc.)and win the scores. You will get some entries to enter the lucky draw based on how many scores you have made. If you lucky enough, you can get some rewards::::, such as cash or gifts. ::::So I think everyone can enjoy everyday life, and I would like to make friends with eeryone of you guys. ::::::::

--
gprunescaper

From -2920175711188776853
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nac.net!feeder.erje.net!news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Fri, 6 Jun 2008 15:20:24 -0700
Lines: 24
Message-ID: <g2cd7b$m18$1@snarked.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>

```
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
<um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
<0rudna7Al7GAGdXVnZ2dnUVZ_tajnZ2d@comcast.com> <g2adfp$u5h$1@snarked.org>
<g2bdup$rj0$2@f04n12.cac.psu.edu>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-118-49-180.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1212790827 22568 71.118.49.180 (6 Jun 2008 22:20:27 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Fri, 6 Jun 2008 22:20:27 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
X-Original-Bytes: 2070
Xref: g2news1.google.com rec.radio.amateur.equipment:140

"Michael Coslo" <mjc5@psu.edu> wrote in message
news:g2bdup$rj0$2@f04n12.cac.psu.edu...
> D. Stussy wrote:
> > "Dee Flint" <deeflint01@comcast.net> wrote in message
> >>
> >> Too many people deceive themselves too with "I'm just big boned" and
all
> >> those arguments.  Well the healthy BMI has sufficient range to
accommodate
> >> the big boned.  If you can't see your collar bone when you look in the
> >> mirror nude, you are overweight.
> >
> > That doesn't mean that there's not a higher percentage among amateur
radio
> > operators than the general population.
>
> Citations on that?

Attend any of our local frequency coordinators meetings and look for
yourself.  I exclude the swap meets because there are many
non-amateur-radio-licensed individuals that attend in addition to
licenseholders.




From 1443187725962350052
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!tudelft.nl!
txtfeed1.tudelft.nl!feeder.erje.net!feeder2.news.saunalahti.fi!
reader1.news.saunalahti.fi!53ab2750!not-for-mail
From: Paul Keinanen <keinanen@sci.fi>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
```

Subject: Re: VoiceMax Speech Processor...
Message-ID: <etr154h8ohbrsqp3h7oukrkk81h0uhk9ml@4ax.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com> <jZX1k.2010$nD3.912@newsfe15.lga> <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com> <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com> <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-a9b0-37b1bc451672@m45g2000hsb.googlegroups.com> <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com> <zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
Date: Thu, 12 Jun 2008 12:45:03 +0300
NNTP-Posting-Host: 85.77.226.246
X-Complaints-To: newsmaster@saunalahti.com
X-Trace: reader1.news.saunalahti.fi 1213263898 85.77.226.246 (Thu, 12 Jun 2008 12:44:58 EEST)
NNTP-Posting-Date: Thu, 12 Jun 2008 12:44:58 EEST
Organization: Saunalahti Customer
Xref: g2news1.google.com rec.radio.cb:572 rec.radio.amateur.equipment:178 rec.radio.amateur.homebrew:172

On Thu, 12 Jun 2008 09:03:36 +0100, Ian Jackson
<ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote:

>I thought that there were some stand-alone RF clippers. Surely there is
>no reason why they cannot be external units, inserted in-line between
>the mic and the mic socket (ie audio in - audio out)?
>

At least Datong made a stand-alone unit. There was an article about
RF-clipping and the Datong unit in Wireless World a few decades ago.

Paul OH3LWR

From 5798041897231092126
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!roadrunner.com!not-for-mail
Date: Fri, 06 Jun 2008 18:09:04 -1000
From: Rick Frazier <rickf@rickfrazier.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.13) Gecko/20080313 SeaMonkey/1.1.9
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF interference from WiFi router
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>

```
<HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com> <484873B8.8040305@NETTALLY.COM>
<mk22k.17746$qP.9885@trnddc03> <Xns9AB559CAC966AVeebleFetzer@216.250.184.7>
<Xns9AB5CC4B5596FVeebleFetzer@216.250.184.7>
In-Reply-To: <Xns9AB5CC4B5596FVeebleFetzer@216.250.184.7>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 52
Message-ID: <484a09e5$0$5147$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.94.89.108
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:141

Bert Hyman wrote:
> In news:Xns9AB559CAC966AVeebleFetzer@216.250.184.7 Bert Hyman
> <bert@iphouse.com> wrote:
>
>> In news:mk22k.17746$qP.9885@trnddc03 "JB" <nospam@goofball.net> wrote:
>>
>>>>> Try feeding power to it from a battery source, rather than the wall
>>>>> wart that comes with it.  See what that does for it.
>>>>>
>>>>>
>>>>>
>>>> I was thinking same thing. He has a swiching wall wart that responds
>>>> to the current draw when the WiFi TX is enabled.
>>>>
>>> Exactly my problem with a Wirespeed DSL modem.  Cheap wall wort would
>>> spew all over the spectrum after a few minutes under load.
>> Thanks for the suggestion about the power supply.
>>
>> I'll be cobbling together an appropriate cable to feed the modem from a
>> stiffly regulated analog supply. If that works, I'll just build a little
>> supply to replace the wall wart.
>
> That seems to be it.
>
> I powered the router from an Astron RS-12A and the interference was gone.
>
> Don't know if the wall wart itself is the source of the problem or if it
> drops output under load and causes the router to misbehave, but it's an
> easy enough fix.
>
I doubt you'll find that lower voltage is the culprit, if my personal
saga with noise is any indication... ALL of my noise problems were
traced to various cheapie wall warts (mostly switching type) included
with various cell phones, net switches, cable modem, etc... and each
worked just fine over a fairly wide voltage range when connected to a
good analog lab supply.  In each case, they tended to just cease
functioning at some point as the voltage dropped, and I didn't get any
broadband noise from them any place in the testing cycle.  Plug the wall
wart back in, and some even put out nasty broadband noise with little or
no load, though all of the offenders put out plenty of hash at full
```

load, even using a purely resistive load and an electronic load I happen to have left over from power supply development days.

It was an easy task to put together a decent but cheap analog power supply with a few 3 terminal regulators to power the devices in question, and all of the hash was gone (for awhile). I don't exactly know how, but a few of the things somehow crept back into the house, and it's time to go on another extermination binge for the wall warts again...

Good Luck...
--Rick AH7H

```
From -5156832860940007700
X-Google-Thread: 108122,4e9e18c91ccc5fae,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
feeder2.ecngs.de!ecngs!feeder.ecngs.de!130.59.10.21.MISMATCH!kanaga.switch.ch!
switch.ch!newsfeed-du-01.pub.2nd.sunrise.ch!not-for-mail
From: Willy Schwarz <willyschwarz@swissmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Dimensions Begali Paddles
Date: Sun, 25 May 2008 14:36:31 +0200
Reply-To: willyschwarz@swissmail.com
Message-ID: <jumi341ssn1l3hdbpngab6pe140si380ee@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
Organization: Sunrise Communications AG, http://www.sunrise.ch
NNTP-Posting-Host: 84.226.75.186
X-Trace: 1211718857 news.sunrise.ch 9033 84.226.75.186:11398
X-Complaints-To: abuse@sunrise.ch
Xref: g2news1.google.com rec.radio.amateur.equipment:74
```

Does somebody know the overall dimensions of the two Begali paddles Traveler and Simplex?

```
From 5669833944920282602
X-Google-Thread: 108122,b3c2ec036aa6a67
X-Google-Thread: f61dd,6ced4acd7241788c,start
X-Google-Thread: 114c14,b3c2ec036aa6a67
X-Google-Thread: fbfb7,b3c2ec036aa6a67
X-Google-Thread: 1faf9f,b3c2ec036aa6a67
X-Google-Attributes:
gid108122,gidf61dd,gid114c14,gidfbfb7,gid1faf9f,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news1.google.com!postnews.google.com!
j1g2000prb.googlegroups.com!not-for-mail
```

From: ben_lby@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,uk.games.video.xbox,rec.music.gdead,alt.fan.letterman,
alt.tv.lost
Subject: For Sale: XBOX 360, PSP, NDS Lite, Wii Modded Consoles & Retro Stuff
Date: Fri, 6 Jun 2008 22:29:46 -0700 (PDT)
Organization: http://groups.google.com
Lines: 51
Message-ID: <10fb9005-6a9f-4b52-b5d6-c78ebe7b7cb0@j1g2000prb.googlegroups.com>
NNTP-Posting-Host: 60.48.166.51
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1212816587 7409 127.0.0.1 (7 Jun 2008 05:29:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 7 Jun 2008 05:29:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j1g2000prb.googlegroups.com; posting-host=60.48.166.51;
posting-account=5EIRagoAAADqM8obaSzpuid52lSDsRvE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90;
ALEXA),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:142 uk.games.video.xbox:1154
rec.music.gdead:5903 alt.fan.letterman:1818 alt.tv.lost:6109

We=92re a video game specialist and wholesaler for modded consoles,
retro consoles and game backups, we ship worldwide. Below are some of
our offerings at wholesale prices. For any enquiries, please feel free
to contact us at gamersparadisemy@gmail.com

Sony Playstation 3 - 40GB Pack (NTSC/U & NTSC/J versions available)
comes with two dual shock 3 controllers and Hori cooling fan.
USD 350 (with worldwide shipping)

XBOX 360 Elite (with HDMI)
=96 120GB Pack (NTSC/U & NTSC/J) comes with two controllers and Nyko
cooling fan.
Modded and able to run XBOX 360 backups, homebrew softwares and able
to go online via XBOX Live.
USD 400 (with worldwide shipping)

XBOX 360 Premium (with HDMI, free 2 ori games, Forza 2 and Viva
Pinata)
=96 20GB Pack (NTSC/U & NTSC/J) comes with two controllers and Nyko
cooling fan.
Modded and able to run XBOX 360 backups, homebrew softwares and able
to go online via XBOX Live.
USD 330 (with worldwide shipping)

XBOX 360 Core (without HDD and HD cable, only composite video)
=96 (NTSC/U & NTSC/J) comes with 1 controller.
Modded and able to run XBOX 360 backups, homebrew softwares and able
to go online via XBOX Live.

USD 260 (with worldwide shipping)

Nintendo Wii - (NTSC/U & NTSC/J) comes with two controllers and Nyko
cooling fan.
Modded and able to run Nintendo Wii backups and homebrew softwares.
USD290 (with worldwide shipping)

Sony PS2 - (NTSC/U & NTSC/J) comes with two controllers and Nyko
cooling fan.
Modded and able to run PS2 backups and homebrew softwares.
USD140 (with worldwide shipping)

Sony PSP with 4GB MSPD
Able to run PSP backups and homebrew softwares.
USD180 (with worldwide shipping)

Nintendo NDS Lite with R4 (2GB MiniSD card included)
Able to run NDS backups and homebrew softwares
USD180 (with worldwide shipping)

*** Remarks: All modded consoles come with 5 backups of your choice
whereas for portables, they will come with 5-10 preloaded games of
your choice on the memory card.

```
From -1401883698509309694
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d1g2000hsg.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Thu, 12 Jun 2008 04:24:35 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
     <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
     <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
<zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213269875 8450 127.0.0.1 (12 Jun 2008 11:24:35 GMT)
```

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Jun 2008 11:24:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d1g2000hsg.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:573 rec.radio.amateur.equipment:179
rec.radio.amateur.homebrew:173

> I thought that there were some stand-alone RF clippers. Surely there is
> no reason why they cannot be external units, inserted in-line between
> the mic and the mic socket (ie audio in - audio out)?

Huh? How can you do RF clipping outside the unit? Not a chance...
Any unit that's inserted in the mic jack is no RF clipper.
www.telstar-electronics.com

From 348582382024210438
X-Google-Thread: fcc6e,40e2968397344bb1,start
X-Google-Thread: 11480d,40e2968397344bb1,start
X-Google-Thread: 108122,40e2968397344bb1,start
X-Google-Thread: fc2a5,40e2968397344bb1,start
X-Google-Thread: 10b9c8,40e2968397344bb1,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1210140301@panix.com>
Followup-To: poster
Date: 7 Jun 2008 02:05:02 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Jul 2008 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1212818701@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1212818702 24538 166.84.1.2 (7 Jun 2008 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 7 Jun 2008 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment

Xref: g2news1.google.com rec.radio.amateur.antenna:491 rec.radio.amateur.dx:25
rec.radio.amateur.equipment:143 rec.radio.amateur.homebrew:131 rec.radio.info:51

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From 2498496080295092121
X-Google-Thread: 108122,4e9e18c91ccc5fae
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: Dimensions Begali Paddles
From: John Reilly <reillyjf@comcast.net>
Date: Sun, 25 May 2008 06:56:39 -0600
Message-ID: <1211707500_127940@news.newsville.com>
References: <jumi341ssn1l3hdbpngab6pe140si380ee@4ax.com>

```
Lines: 6
NNTP-Posting-Host: 67.176.46.24
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!4.24.21.153!
newsfeed3.dallas1.level3.net!newsfeed2.dallas1.level3.net!news.level3.com!
news.newsville.com!news.newsville.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Authenticated-User: jfreilly
X-Trace: news.newsville.com 1211707500 67.176.46.24 (25 May 2008 05:25:00 -0400)
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
MIME-Version: 1.0
In-Reply-To: <jumi341ssn1l3hdbpngab6pe140si380ee@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Original-Bytes: 675
X-Original-Lines: 18
Xref: g2news1.google.com rec.radio.amateur.equipment:75

Simplex:  h = 2.25", w = 3.5", d = 5" (depends on finger pieces, these
are the long ones)
   - 73, John

Willy Schwarz wrote:
> Does somebody know the overall dimensions of the two Begali paddles
> Traveler and Simplex?


From 2096161910679743167
X-Google-Thread: 108122,e9230e8c3da129d0,start
X-Google-Thread: 1109af,e9230e8c3da129d0,start
X-Google-Thread: 10b9c8,e9230e8c3da129d0,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1210140601@panix.com>
Followup-To: poster
Date: 7 Jun 2008 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Jul 2008 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1212819001@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1212819002 15430 166.84.1.2 (7 Jun 2008 06:10:02 GMT)
X-Complaints-To: abuse@panix.com
```

NNTP-Posting-Date: Sat, 7 Jun 2008 06:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:144 rec.radio.swap:151 rec.radio.info:52

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 3384329429058695097
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.tele.dk!news.tele.dk!small.news.tele.dk!bnewspeer01.bru.ops.eu.uu.net!
emea.uu.net!peer-uk.news.demon.net!kibo.news.demon.net!news.demon.co.uk!demon!
g3ohx.demon.co.uk!ianREMOVETHISjackson
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Thu, 12 Jun 2008 13:28:38 +0100
Lines: 22
Message-ID: <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
<jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
<86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
<i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com>
<75671283-a0ce-469c-a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
<sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
<zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
<c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
NNTP-Posting-Host: g3ohx.demon.co.uk
Mime-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
X-Trace: news.demon.co.uk 1213273722 7862 80.176.138.122 (12 Jun 2008 12:28:42 GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Thu, 12 Jun 2008 12:28:42 +0000 (UTC)
User-Agent: Turnpike/6.06-S (<HVfqWabvKPDlbPCj7REoeAENw9>)
Xref: g2news1.google.com rec.radio.cb:574 rec.radio.amateur.equipment:180 rec.radio.amateur.homebrew:174

In message
<c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>,
Telstar Electronics <briangriffey@sbcglobal.net> writes
>> I thought that there were some stand-alone RF clippers. Surely there is
>> no reason why they cannot be external units, inserted in-line between
>> the mic and the mic socket (ie audio in - audio out)?
>
>Huh? How can you do RF clipping outside the unit? Not a chance...
>Any unit that's inserted in the mic jack is no RF clipper.
>www.telstar-electronics.com

As I said. "Obviously they have to contain 'all the works' (oscillator, balanced modulator, compressor, clipper, filters, balanced demodulator etc)."

And, as Paul said, "At least Datong made a stand-alone unit. There was an article about RF-clipping and the Datong unit in Wireless World a few decades ago."

But maybe Datong didn't know what they were doing.
--
Ian

```
From 6195880121254317388
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!news-
out.octanews.net!indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF interference from WiFi router
From: Bert Hyman <bert@iphouse.com>
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
<HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com> <484873B8.8040305@NETTALLY.COM>
<mk22k.17746$qP.9885@trnddc03> <Xns9AB559CAC966AVeebleFetzer@216.250.184.7>
<Xns9AB5CC4B5596FVeebleFetzer@216.250.184.7>
<484a09e5$0$5147$4c368faf@roadrunner.com>
Organization: Not that you'd notice
Message-ID: <Xns9AB65A15AA5E2VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 07 Jun 2008 13:51:20 GMT
Lines: 20
NNTP-Posting-Date: 07 Jun 2008 08:51:20 CDT
NNTP-Posting-Host: b61b8ce5.newsreader.iphouse.net
X-Trace: DXC=geiZb@1G5M0?
KRUOe16_^0Vn\Tj8`^Bb;eHS>e[L>830iQbc]bJC@L7c230oU7d711X7@2h;nGb4=DUQV6i4j1B0
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:145

In news:484a09e5$0$5147$4c368faf@roadrunner.com Rick Frazier
<rickf@rickfrazier.com> wrote:

> It was an easy task to put together a decent but cheap analog power
> supply with a few 3 terminal regulators to power the devices in
> question,

I was surprised to find a cache of 7812s in my parts bin and even one
LM320K-12 and one LM340K-12.

and all of the hash was gone (for awhile).  I don't exactly
> know how, but a few of the things somehow crept back into the house,
> and it's time to go on another extermination binge for the wall warts
> again...

I just took a walk around the house and see that the things are
everywhere, all plugged in and probably all squawking to some degree.

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From -5375913361286689859
X-Google-Thread: fc8b1,7eab61feaab7d3b6,start
X-Google-Thread: 108122,7eab61feaab7d3b6,start
```

```
X-Google-Attributes: gidfc8b1,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
m45g2000hsb.googlegroups.com!not-for-mail
From: Richie <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Remember the Galaxy Scout Deluxe?
Date: Sat, 7 Jun 2008 07:21:16 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <119ac3d4-5313-42a5-9908-26eac2d0362e@m45g2000hsb.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212848477 31698 127.0.0.1 (7 Jun 2008 14:21:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 7 Jun 2008 14:21:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m45g2000hsb.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.boatanchors:296
rec.radio.amateur.equipment:146

Finally here is one for sale>
http://cgi6.ebay.com/ws/eBayISAPI.dll?
MfcISAPICommand=ViewListedItems&userid=myradioroom&include=0&since=2&sort=3&rows=2
5


From -3808725510467860
X-Google-Thread: 108122,7eab61feaab7d3b6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <ALANBIDDLE70@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Remember the Galaxy Scout Deluxe?
Organization: AMSAT-NA
Reply-To: ALANBIDDLE70@YAHOO.COM
Message-ID: <4uol4416jerd92fi8vu020qskbgo226o3g@4ax.com>
References: <119ac3d4-5313-42a5-9908-26eac2d0362e@m45g2000hsb.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: 0b2d32f80747dbe909d5e1f6c1112d3d
X-Complaints-To: abuse@worldnet.att.net
```

```
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1212867600
0b2d32f80747dbe909d5e1f6c1112d3d (Sat, 07 Jun 2008 19:40:00 GMT)
NNTP-Posting-Date: Sat, 07 Jun 2008 19:40:00 GMT
Date: Sat, 07 Jun 2008 19:40:00 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:147

Thanks for the post.  I believe it was actually a Globe Scout.  The
Galaxy line came later.

Alan
WA4SCA

--
Alan
WA4SCA



From 8742786967540348092
X-Google-Thread: 108122,7eab61feaab7d3b6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!34g2000hsh.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Remember the Galaxy Scout Deluxe?
Date: Sat, 7 Jun 2008 19:07:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <6b1ca35d-0ed1-40b9-8ad6-376c18d46e0f@34g2000hsh.googlegroups.com>
References: <119ac3d4-5313-42a5-9908-26eac2d0362e@m45g2000hsb.googlegroups.com>
     <4uol4416jerd92fi8vu020qskbgo226o3g@4ax.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212890855 21140 127.0.0.1 (8 Jun 2008 02:07:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 8 Jun 2008 02:07:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000hsh.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:148

On Jun 7, 3:40 pm, Alan WA4SCA <ALANBIDDL...@YAHOO.COM> wrote:
> Thanks for the post.  I believe it was actually a Globe Scout.  The
> Galaxy line came later.
>
> Alan
> WA4SCA
```

>
> --
> Alan
> WA4SCA

Hi Alan
The pictures show it as a Galaxy Electronics, Scout Deluxe.
There was Similiar rig called the Galaxy Chief but this was not as
fancy & CW only!
The WRL Globe Scout was much earlier & a totally different design.
I've seen plenty-o-those but these Scout Deluxe are harder to find as
competition at this time from Hallicrafters(HT-40), Johnson Challeger,
Heathkit DX-40, even Lafalotte radio was intense as many novices can
on board!
73.....
Rich WA2RQY

From -1664309439393123503
X-Google-Thread: 108122,7eab61feaab7d3b6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!8g2000hse.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Remember the Galaxy Scout Deluxe?
Date: Sat, 7 Jun 2008 19:21:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 30
Message-ID: <086d690d-05e0-4e41-ba4d-c9260717fb84@8g2000hse.googlegroups.com>
References: <119ac3d4-5313-42a5-9908-26eac2d0362e@m45g2000hsb.googlegroups.com>
     <4uol4416jerd92fi8vu020qskbgo226o3g@4ax.com>
<6b1ca35d-0ed1-40b9-8ad6-376c18d46e0f@34g2000hsh.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212891688 22725 127.0.0.1 (8 Jun 2008 02:21:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 8 Jun 2008 02:21:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 8g2000hse.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:149

On Jun 7, 10:07 pm, wa2rqy <rlucch2...@aol.com> wrote:
> On Jun 7, 3:40 pm, Alan WA4SCA <ALANBIDDL...@YAHOO.COM> wrote:
>
> > Thanks for the post. I believe it was actually a Globe Scout. The

> > Galaxy line came later.
>
> > Alan
> > WA4SCA
>
> > --
> > Alan
> > WA4SCA
>
> Hi Alan
> The pictures show it as a Galaxy Electronics, Scout Deluxe.
> There was Similiar rig called the Galaxy Chief but this was not as
> fancy & CW only!
> The WRL Globe Scout was much earlier & a totally different design.
> I've seen plenty-o-those but these Scout Deluxe are harder to find as
> competition at this time from Hallicrafters(HT-40), Johnson Challeger,
> Heathkit DX-40, even Lafalotte radio was intense as many novices can
> on board!
> 73.....
> Rich WA2RQY

OOPS, Sorry Alan;
You're right, Galaxy came later on with thier SSB gear, All Leo
Meyerson companies anyway, hi!
7trees,
Rich

```
From 7982533389586737480
X-Google-Thread: fb049,ad4a878d398da36f,start
X-Google-Thread: 108122,ad4a878d398da36f,start
X-Google-Thread: 1109af,ad4a878d398da36f,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KC8QJP" <KC8QJP@invalid.invalid>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: COOKIE BUILT CV350RS LINEAR BASE AMPLIFIER
Date: Sun, 25 May 2008 11:47:02 -0400
Lines: 12
Organization: crisco in the can
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
NNTP-Posting-Host: $$-iwcqiimoj7q-.news.x-privat.org
Message-ID: <48398a0a@news.x-privat.org>
X-Complaints-To: abuse@x-privat.org
Path: g2news1.google.com!news2.google.com!news.glorb.com!feeder.erje.net!x-
privat.org!not-for-mail
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:37 rec.radio.amateur.equipment:76
rec.radio.swap:96
```

Unit has dual toshiba 1446's. my radio has a .5 watt dead key and the amp swings around 175-200 on am with the variable between 1/2 to 3/4 the way up. max input is a 4 watt dead key. sure it can swing more but my radio likes it a little lower. it has seen over 300 on sideband. sorry the preamp doesn't work, but i never cared for the extra noise anyway-

http://cgi.ebay.com/COOKIE-BUILT-CV350RS-LINEAR-BASE-AMPLIFIER_W0QQitemZ330238513765QQihZ014QQcategoryZ48700QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

```
From -4075263641638313673
X-Google-Thread: 108122,7eab61feaab7d3b6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn11feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <ALANBIDDLE70@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Remember the Galaxy Scout Deluxe?
Organization: AMSAT-NA
Reply-To: ALANBIDDLE70@YAHOO.COM
Message-ID: <japn44df76p4g67se0gbt11qsmt4s9qi7b@4ax.com>
References: <119ac3d4-5313-42a5-9908-26eac2d0362e@m45g2000hsb.googlegroups.com>
<4uol4416jerd92fi8vu020qskbgo226o3g@4ax.com>
<6b1ca35d-0ed1-40b9-8ad6-376c18d46e0f@34g2000hsh.googlegroups.com>
<086d690d-05e0-4e41-ba4d-c9260717fb84@8g2000hse.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
NNTP-Posting-Host: c144df1701d0c58f66617696c5e3cc61
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1212933776
c144df1701d0c58f66617696c5e3cc61 (Sun, 08 Jun 2008 14:02:56 GMT)
NNTP-Posting-Date: Sun, 08 Jun 2008 14:02:56 GMT
Date: Sun, 08 Jun 2008 14:02:56 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:150
```

Rich,

My first rig was a Globe Scout 680A. The one in the picture is certainly fancier!

BTW, I attended the Palm Desert QCWA meeting in January where they presented Leo with his certificate for 80 years as a ham. His age is something like 97. (It was certificate #34, so hams seem to have good longevity.) Anyway, Leo is still sharp as a tack, though his hearing is poor. Not so bad that he doesn't still get on the air a bit!

--
Alan
WA4SCA

From -3139095841587162989
X-Google-Thread: 108122,49d44113979ab111,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!lon-transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: Adrian <vk4tux@bigpond.com>
User-Agent: Thunderbird 2.0.0.14 (X11/20080421)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood 850s, dsp-100 gear & acc
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 2
Message-ID: <t394k.10240$IK1.943@news-server.bigpond.net.au>
Date: Thu, 12 Jun 2008 12:58:01 GMT
NNTP-Posting-Host: 121.222.47.200
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1213275481 121.222.47.200 (Thu, 12 Jun 2008 22:58:01 EST)
NNTP-Posting-Date: Thu, 12 Jun 2008 22:58:01 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:181

Ebay see items for sale ID : vk4tux

From 5125091603906177109
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
<jZX1k.2010$nD3.912@newsfe15.lga> <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
<86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
<i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-

```
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
<sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com> <zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
<c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
<CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk>
Subject: Re: VoiceMax Speech Processor...
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <%x94k.205330$yE1.184476@attbi_s21>
NNTP-Posting-Host: 12.219.130.17
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1213277435 12.219.130.17 (Thu, 12 Jun 2008 13:30:35 GMT)
NNTP-Posting-Date: Thu, 12 Jun 2008 13:30:35 GMT
Organization: AT&T ASP.att.net
Date: Thu, 12 Jun 2008 13:30:35 GMT
Xref: g2news1.google.com rec.radio.cb:576 rec.radio.amateur.equipment:182
rec.radio.amateur.homebrew:175
```

>>Huh? How can you do RF clipping outside the unit? Not a chance...
>>Any unit that's inserted in the mic jack is no RF clipper.
>>www.telstar-electronics.com
>
> As I said. "Obviously they have to contain 'all the works' (oscillator,
> balanced modulator, compressor, clipper, filters, balanced demodulator
> etc)."
>
> And, as Paul said, "At least Datong made a stand-alone unit. There was an
> article about RF-clipping and the Datong unit in Wireless World a few
> decades ago."
>
> But maybe Datong didn't know what they were doing.
> --
> Ian

They had a lot of company, and the residents here have a very short memory. Datong was second. Comdel made an RF clipper in the late 60's and early 70's. Mike input and amplifier, mixed up to 455 KHz, sideband generated, clipped the hell out of it, filtered it with a second filter, mixed back down to audio with the same LO for injection to your mike input jack. Every serious contester and DXer had one. Cost more than the receiver.

W4ZCB

```
From 2721746406095469310
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
```

```
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
newsfeed00.sul.t-online.de!t-online.de!peer-uk.news.demon.net!kibo.news.demon.net!
news.demon.co.uk!demon!g3ohx.demon.co.uk!ianREMOVETHISjackson
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Thu, 12 Jun 2008 14:45:18 +0100
Lines: 33
Message-ID: <lYMLKWNuhSUIFw$a@g3ohx.demon.co.uk>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
 <jZX1k.2010$nD3.912@newsfe15.lga>
 <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
 <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
 <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com>
 <75671283-a0ce-469c-a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
 <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
 <zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
 <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
 <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <%x94k.205330$yE1.184476@attbi_s21>
NNTP-Posting-Host: g3ohx.demon.co.uk
Mime-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
X-Trace: news.demon.co.uk 1213278322 14525 80.176.138.122 (12 Jun 2008 13:45:22
GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Thu, 12 Jun 2008 13:45:22 +0000 (UTC)
User-Agent: Turnpike/6.06-S (<XIZqWuLbKPDw8PCjmRJoeAxUnd>)
Xref: g2news1.google.com rec.radio.cb:577 rec.radio.amateur.equipment:183
rec.radio.amateur.homebrew:177

In message <%x94k.205330$yE1.184476@attbi_s21>, Harold E. Johnson
<W4ZCB@mchsi.com> writes
>
>>>Huh? How can you do RF clipping outside the unit? Not a chance...
>>>Any unit that's inserted in the mic jack is no RF clipper.
>>>www.telstar-electronics.com
>>
>> As I said. "Obviously they have to contain 'all the works' (oscillator,
>> balanced modulator, compressor, clipper, filters, balanced demodulator
>> etc)."
>>
>> And, as Paul said, "At least Datong made a stand-alone unit. There was an
>> article about RF-clipping and the Datong unit in Wireless World a few
>> decades ago."
>>
>> But maybe Datong didn't know what they were doing.
>> --
>> Ian
>
>They had a lot of company, and the residents here have a very short memory.
```

>Datong was second. Comdel made an RF clipper in the late 60's and early
>70's. Mike input and amplifier, mixed up to 455 KHz, sideband generated,
>clipped the hell out of it, filtered it with a second filter, mixed back
>down to audio with the same LO for injection to your mike input jack. Every
>serious contester and DXer had one. Cost more than the receiver.
>
>W4ZCB
>

Yes, a quick Google on "RF clipper"+Datong brings up lots of info -
about Datong and lots of others. This is one of the first:
http://www.qsl.net/m0ezp/radio-datong.html
--
Ian

```
From -5314654253916246969
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
34g2000hsh.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Thu, 12 Jun 2008 08:35:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 10
Message-ID: <28149a87-09f2-4778-aece-7533b162308f@34g2000hsh.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
     <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
     <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
<zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
     <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
     <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213284920 1211 127.0.0.1 (12 Jun 2008 15:35:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Jun 2008 15:35:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000hsh.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
```

```
Xref: g2news1.google.com rec.radio.cb:579 rec.radio.amateur.equipment:184
rec.radio.amateur.homebrew:179
```

> As I said. "Obviously they have to contain 'all the works' (oscillator,
> balanced modulator, compressor, clipper, filters, balanced demodulator
> etc)."

That sounds very complex and expensive all right.
Another problem I see is that they only work on SSB.
My customers insist on something small that fits inside the radio and
processes in all modes. The VoiceMax does that with less than 1% THD.
Can't build them fast enough to keep them in stock...

```
From -4469834416067148889
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
newsfeed00.sul.t-online.de!t-online.de!peer-uk.news.demon.net!kibo.news.demon.net!
news.demon.co.uk!demon!g3ohx.demon.co.uk!ianREMOVETHISjackson
From: Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Thu, 12 Jun 2008 19:15:35 +0100
Lines: 20
Message-ID: <HPmzvkAHfWUIFw7X@g3ohx.demon.co.uk>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
 <jZX1k.2010$nD3.912@newsfe15.lga>
 <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
 <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
 <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com>
 <75671283-a0ce-469c-a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
 <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
 <zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
 <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
 <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk>
 <28149a87-09f2-4778-aece-7533b162308f@34g2000hsh.googlegroups.com>
NNTP-Posting-Host: g3ohx.demon.co.uk
Mime-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
X-Trace: news.demon.co.uk 1213294540 3314 80.176.138.122 (12 Jun 2008 18:15:40
GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Thu, 12 Jun 2008 18:15:40 +0000 (UTC)
User-Agent: Turnpike/6.06-S (<GkbqWeJqKPDUPPCjoQFoeEAepr>)
Xref: g2news1.google.com rec.radio.cb:582 rec.radio.amateur.equipment:185
rec.radio.amateur.homebrew:181
```

In message

```
<28149a87-09f2-4778-aece-7533b162308f@34g2000hsh.googlegroups.com>,
Telstar Electronics <briangriffey@sbcglobal.net> writes
>
>> As I said. "Obviously they have to contain 'all the works' (oscillator,
>> balanced modulator, compressor, clipper, filters, balanced demodulator
>> etc)."
>
>That sounds very complex and expensive all right.
>Another problem I see is that they only work on SSB.
>My customers insist on something small that fits inside the radio and
>processes in all modes. The VoiceMax does that with less than 1% THD.
>Can't build them fast enough to keep them in stock...

Why do you think that they only work on SSB? Stand-alone RF clippers
like the Datong are independent of transmit mode. They are audio in -
audio out (with a bit of RF magic in between). They should work even on
an audio PA system.
--
Ian



From 8325427125526278871
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r66g2000hsg.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Thu, 12 Jun 2008 13:00:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <284b2da4-e248-436d-b260-de3891e6005c@r66g2000hsg.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
     <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
     <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
<zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
     <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
     <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <28149a87-09f2-4778-
aece-7533b162308f@34g2000hsh.googlegroups.com>
     <HPmzvkAHfWUIFw7X@g3ohx.demon.co.uk>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213300822 3763 127.0.0.1 (12 Jun 2008 20:00:22 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Jun 2008 20:00:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r66g2000hsg.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:584 rec.radio.amateur.equipment:186
rec.radio.amateur.homebrew:182
```

> Why do you think that they only work on SSB? Stand-alone RF clippers
> like the Datong are independent of transmit mode. They are audio in -
> audio out (with a bit of RF magic in between). They should work even on
> an audio PA system.

OK, thanks for your input.

```
From 1129072933775536466
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: VoiceMax Speech Processor...
From: Steve <moparholic@hotmail.com>
Organization: wha?
Message-ID: <20080612234308.760$aU@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
<jZX1k.2010$nD3.912@newsfe15.lga> <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
<86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
<i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
<sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com> <zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
<c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
<CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <28149a87-09f2-4778-
aece-7533b162308f@34g2000hsh.googlegroups.com>
<HPmzvkAHfWUIFw7X@g3ohx.demon.co.uk>
X-NRC-Trace: NewsReader.Com _DCiMCj/bEwHYjsDvk+3U0/so=HRLAIGa+G.xh2FVV+MIZSIF
Date: 13 Jun 2008 03:43:05 GMT
Lines: 24
NNTP-Posting-Host: a267d200.nr2.newsreader.com
X-Trace: DXC=QX4HE8W0XeHJKWBF7D@o;IOA8_@f\K_iB0V\?
8`j4eWK0BkJ8]9Qb5GNd7biGRhQTGYA@MLbHKH8MF;m:B>1l1MD
X-Complaints-To: abuse@newsreader.com
```

```
Xref: g2news1.google.com rec.radio.cb:587 rec.radio.amateur.equipment:187
rec.radio.amateur.homebrew:183

Ian Jackson <ianREMOVETHISjackson@g3ohx.demon.co.uk> wrote:
> In message
> <28149a87-09f2-4778-aece-7533b162308f@34g2000hsh.googlegroups.com>,
> Telstar Electronics <briangriffey@sbcglobal.net> writes
> >
> >> As I said. "Obviously they have to contain 'all the works'
> >> (oscillator, balanced modulator, compressor, clipper, filters,
> >> balanced demodulator etc)."
> >
> >That sounds very complex and expensive all right.
> >Another problem I see is that they only work on SSB.
> >My customers insist on something small that fits inside the radio and
> >processes in all modes. The VoiceMax does that with less than 1% THD.
> >Can't build them fast enough to keep them in stock...
>
> Why do you think that they only work on SSB? Stand-alone RF clippers
> like the Datong are independent of transmit mode. They are audio in -
> audio out (with a bit of RF magic in between). They should work even on
> an audio PA system.
>
Berhinger has consumed that nitch now, especially with ESSB.

--
                    http://NewsReader.Com/


From -3003756462305542033
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
z66g2000hsc.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Fri, 13 Jun 2008 05:44:37 -0700 (PDT)
Organization: http://groups.google.com
Lines: 6
Message-ID: <51fe3db0-9316-462e-88b7-5a32215a1905@z66g2000hsc.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
     <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
     <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
<zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
     <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
     <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <28149a87-09f2-4778-
aece-7533b162308f@34g2000hsh.googlegroups.com>
     <HPmzvkAHfWUIFw7X@g3ohx.demon.co.uk> <20080612234308.760$aU@newsreader.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213361077 19050 127.0.0.1 (13 Jun 2008 12:44:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 13 Jun 2008 12:44:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z66g2000hsc.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:589 rec.radio.amateur.equipment:188
rec.radio.amateur.homebrew:184
```

> Berhinger has consumed that nitch now, especially with ESSB.

LOL... a unit like that (http://www.nu9n.com/deq2496.html) would cost
you at least $300. That's more than your whole station is worth!
Come on... you know how frugal hams & cbers are. Get real.
www.telstar-electronics.com

```
From -1939330509634835969
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.251.MISMATCH!news-out.readnews.com!transit4.readnews.com!
news.infoave.net!not-for-mail
From: Right Nanger <fhdhHHhh@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Fri, 13 Jun 2008 08:45:07 -0400
Organization: Info Avenue Internet Services, LLC
Lines: 27
Message-ID: <mkq454liilg09v2o4ec48jlbp22vrb0ns8@4ax.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org>
NNTP-Posting-Host: 208.104.212.200
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news04.infoave.net 1213361088 18792 208.104.212.200 (13 Jun 2008 12:44:48
GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Fri, 13 Jun 2008 12:44:48 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:189

On Wed, 28 May 2008 16:00:50 -0700, "D. Stussy"
<spam@bde-arc.ampr.org> wrote:

>"Middle Aged Ham" <Middle-Timer.44444444446454554@hotmail.com> wrote in
>message news:o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com...
>>   Why are almost all the new HF ham radios so ugly?  HF Ham radios use
>> to be a thing of beauty, but now most of them are butt ugly!
>
>Because amateur radio operators who call themselves "hams" are ugly.
>


I've said for some time Hamfest should be called "Ham and Ugly Fest".

I'm not sure which has more ugly people.  A Hamfest or a CB Jamboree.

The IQ is higher at the hamfest, but so is the nerd factor.

Also hamfest are more likely to have the old guy walking around with
the oxygen tank and plastic tube up his nose.

When I was young the girls thought I was nice looking and my radio was
ugly.  Now my radio is nice looking, and I ain't what I use to be.






From 1602311730874549906
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!
textspool1.readnews.com!transit4.readnews.com!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: VoiceMax Speech Processor...
From: Steve <moparholic@hotmail.com>
Organization: wha?
Message-ID: <20080613090328.900$sv@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
<jZX1k.2010$nD3.912@newsfe15.lga> <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
<86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
<i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
<sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com> <zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
```

```
<c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
<CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <28149a87-09f2-4778-
aece-7533b162308f@34g2000hsh.googlegroups.com>
<HPmzvkAHfWUIFw7X@g3ohx.demon.co.uk> <20080612234308.760$aU@newsreader.com>
<51fe3db0-9316-462e-88b7-5a32215a1905@z66g2000hsc.googlegroups.com>
X-NRC-Trace: NewsReader.Com oLSP7LhH=wQURJoRsJqnL7iGfi_hApyOsMAoAJGo=Fn8h_QnF
Date: 13 Jun 2008 13:03:28 GMT
Lines: 17
NNTP-Posting-Host: 6a0acfea.nr2.newsreader.com
X-Trace: DXC=YGlWVHK7SB;f860oHUok?
=OA8_@f\K_i2mCe^_jV>WB8=7BkikUZjb<Nd7biGRhQT7<SVPgDF]AC4aHhgi;HU_^0
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:590 rec.radio.amateur.equipment:190
rec.radio.amateur.homebrew:185

Telstar Electronics <briangriffey@sbcglobal.net> wrote:
> > Berhinger has consumed that nitch now, especially with ESSB.
>
> LOL... a unit like that (http://www.nu9n.com/deq2496.html) would cost
> you at least $300. That's more than your whole station is worth!
>
Dream on, Brian. You can't touch my ts870 for less than $1000, more like
$1200 if you can find one.
>
> Come on... you know how frugal hams & cbers are. Get real.
> www.telstar-electronics.com
>
I'm hearing more and more voodoo audio these days so there are plenty of
stations running rack gear, try more listening and less spamming your junk.

--
                    http://NewsReader.Com/


From 8749099509122731873
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!27g2000hsf.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Fri, 13 Jun 2008 11:00:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <e8b50bfb-ce24-450c-aa8f-30cce054d9f4@27g2000hsf.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
     <i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
     <sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com>
<zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
     <c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
     <CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <28149a87-09f2-4778-
aece-7533b162308f@34g2000hsh.googlegroups.com>
     <HPmzvkAHfWUIFw7X@g3ohx.demon.co.uk> <20080612234308.760$aU@newsreader.com>
     <51fe3db0-9316-462e-88b7-5a32215a1905@z66g2000hsc.googlegroups.com>
     <20080613090328.900$sv@newsreader.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213380043 11144 127.0.0.1 (13 Jun 2008 18:00:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 13 Jun 2008 18:00:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 27g2000hsf.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:595 rec.radio.amateur.equipment:191
rec.radio.amateur.homebrew:187

> Dream on, Brian. You can't touch my ts870 for less than $1000, more like
> $1200 if you can find one.

You mean that old beat up one you got at the garage sale?
I didn't know you ever got that thing working since it was under water
and so rusty inside.
Kudos on your technician skills... fixing up that old dog.


From -8253145240644837435
X-Google-Thread: 108228,7184dfa8d84af5ff,start
X-Google-Thread: 1109af,7184dfa8d84af5ff,start
X-Google-Thread: 108122,7184dfa8d84af5ff,start
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feeder.erje.net!
newsfeed.xs4all.nl!newsfeed3.news.xs4all.nl!newsfeed2.news.xs4all.nl!
newsgate.cistron.nl!xs4all!news.wiretrip.org!news.dizum.com!sewer-output!
mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: ICOM IC-970A transceiver - new in box
Message-ID: <3a2a7920312ad1c5b5f1ff625acc1bbc@pseudo.borked.net>
Date: Fri, 13 Jun 2008 21:45:33 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:45 rec.radio.swap:186
```

```
rec.radio.amateur.equipment:192
```

http://easyurl.net/Icom_IC970A

```
From -1348588896587298637
X-Google-Thread: 108122,f2b56d004324e403,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!roadrunner.com!not-
for-mail
From: "MWH" <mwh1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ham Gear
Date: Sat, 14 Jun 2008 00:15:35 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Lines: 3
Message-ID: <485345e9$0$4241$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:193
```

http://members6.boardhost.com/theswapshoppe/

```
From 243116155053917554
X-Google-Thread: 108122,2718ff174351a2dc,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p25g2000pri.googlegroups.com!not-for-
mail
From: Jack <wan.wuhan@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Access Control Equipment
Date: Fri, 13 Jun 2008 22:29:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 110
Message-ID: <708039d9-da4c-49d5-b732-9547ed90808f@p25g2000pri.googlegroups.com>
NNTP-Posting-Host: 221.234.240.58
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213421368 29843 127.0.0.1 (14 Jun 2008 05:29:28 GMT)
```

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 14 Jun 2008 05:29:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p25g2000pri.googlegroups.com; posting-host=221.234.240.58;
     posting-account=9bncKQoAAACHlmMSMRTOp3JnABViUW_k
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     Embedded Web Browser from: http://bsalsa.com/; MAXTHON
2.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:194

Financial Access Controls
Are your daily business operations protecting you against fraud, theft and unfavorable audits? ExpenseWatch offers online solutions for your business' financial controls.
http://a.uuload.com/Access-Control.htm

Cut Security Costs - Access Control
Why pay more, when you can have quality products for less? At Badge Express, we're committed to passing low prices along to you. Casi-Rusco, Indala, Northern, HID and Many More.
http://a.uuload.com/Access-Control.htm

Access Control From Hayward Turnstiles
Hayward Turnstiles is a manufacturer of fine quality access control turnstiles and equipment.
http://a.uuload.com/Access-Control.htm

Cellular Based Access Control System
CellGate, small and affordable, cellular based remote access control. Open gates, doors, etc. using a regular/cellular phone (no charge for call). Worldwide distributors and partners needed.
http://a.uuload.com/Access-Control.htm

Web-based Software for Gated Communities
GateSure provides access control to gated communities for residents and visitors. Manage incidents, autos, phone numbers and much more. Web-based software allows secure access from any PC.
http://a.uuload.com/Access-Control.htm

Access Control at SecurityBase.com
Electronic, battery operated, weatherproof, digital locks. No software or programming modules needed. Includes scheduling, time clocks and audit trails. Wholesale pricing.
http://a.uuload.com/Access-Control.htm

Citrix Access Control Management
Reduce cost and increase agility. Integrated, secure, robust and resilient. Learn more today.
http://a.uuload.com/Access-Control.htm

Endpoint Security Software
Control the entry and exit of data via USB sticks, iPods, PDAs and

other devices with GFI EndPointSecurity. Download for free today.
http://a.uuload.com/Access-Control.htm

TEMPbadge Visitor Access Control
TEMPbadge visitor access control self-expiring badges change color in a day or week to prevent reuse. No need to collect used badges. Compatible with any lobby software.
http://a.uuload.com/Access-Control.htm

Access Control
High end security systems loaded with features for building and parking access control.
http://a.uuload.com/Access-Control.htm

Web-Based Access Control System - iCast
iCast harnesses the power of the Internet to redefine access control, allowing you to securely manage all locations from any computer, anytime. No dedicated computers or software required.
http://a.uuload.com/Access-Control.htm

Inter-Pacific: Access Control
Discount distributor of brand name CCTV/video surveillance, access control, and IP-based products. Excellent support and prices guaranteed.
http://a.uuload.com/Access-Control.htm

King Architectural Metal: Access Control
One of the leading selection of architectural and decorative metals: Hand forged steel or aluminum balusters, newel posts, railing panel, fence, gate decor, hardware, nails, hinges and more.
http://a.uuload.com/Access-Control.htm

Maglocks.com - Facility Access Control
Proximity card access control, powerful software and premium electronic locks. Optional dealer installation. Engineered, cost-effective systems.
http://a.uuload.com/Access-Control.htm

Data Access Security Tool
Comprehensive database auditing. Reduce the risk of data breach.
http://a.uuload.com/Access-Control.htm

Identity and Access Management Control
Library of case studies, Web-casts and white papers - visit RSA today.
http://a.uuload.com/Access-Control.htm

Home Access Control Systems
Single-door access control systems and apartment access control systems. Proximity readers and keypads.
http://a.uuload.com/Access-Control.htm

Access Control Systems - Free Quotes
Free quotes from multiple dealers - compare prices and features.

Complete a simple request form and get matched with multiple access control system dealers in your area.
http://a.uuload.com/Access-Control.htm

Access Control Equipment
Shop for access control equipment at Bass Burglar Alarms. We specialize in home theater, access control, fire and burglar alarms, metal detection and other security electronics.
http://a.uuload.com/Access-Control.htm

Access Control Systems from Cansec
Access control systems from Cansec, access control products including Biometrics, proximity readers, ATM access control systems, stand-alone and PC-based access control systems.
http://a.uuload.com/Access-Control.htm

```
From -273715298892006470
X-Google-Thread: 108122,35e8bd652503f055,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r37g2000prm.googlegroups.com!not-for-
mail
From: micahel <cnbbiz030@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: boots ugg boots   paypal payment $28/pairs   cnbbiz2008@hotmail.com
     (  http://photo.163.com/photos/zhanghuangqian0594/145846872/  )
Date: Sat, 14 Jun 2008 09:00:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 210
Message-ID: <63701ccd-bc8c-4f2a-bb86-a78b6f5d274e@r37g2000prm.googlegroups.com>
NNTP-Posting-Host: 59.58.105.200
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213459231 5768 127.0.0.1 (14 Jun 2008 16:00:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 14 Jun 2008 16:00:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r37g2000prm.googlegroups.com; posting-host=59.58.105.200;
     posting-account=KPCrJgoAAABSaB2pzzDl94_8arWANBiL
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; zh-CN; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:196
```

Please chat with me by cnbbiz2008@hotmail.com to get the price and more photos, we take paypal payment $28/pairs as payment. please see the photo album below for our product list.

boots lv boots   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yijing577/138536317/#p1)

boots chanel boots   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yijing577/138536317/#p1
)

boots dior boots   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yijing577/138536317/#p1)

boots prada boots   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yijing577/138536317/#p1)

boots ugg boots   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/zhanghuangqian0594/145846872/)

adidas T Mac shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904125/
)

adidas T Mac basketball shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904125/
)

adidas T Mac 1   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904125/)

adidas T Mac 2   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904125/)

adidas T Mac 4   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904125/)

adidas T Mac 4.5   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904125/)

adidas T Mac 5   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904125/)

adidas T Mac 6.5 paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904125/)

adidas T Mac 7   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904125/)

adidas T Mac 8   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/amin1678/112973229/)

nike zoom Lebron James 2 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom Lebron James 2.5 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom Lebron James 3 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom Lebron James 3.5 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom Lebron James IV 4 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom Lebron James 4.5 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom Lebron James V 5 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom Lebron James 5.5 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom Lebron James 6 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

fusion shoes   paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/huayuexiehang)

water shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904118/)

kevin garnett 1 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904094/
)

kevin garnett F4 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904094/
)

kevin garnett 2 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904094/
)

kevin garnett 3 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904094/
)

kevin garnett 3.5 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904094/

)

kevin garnett 4 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904094/
)

kevin garnett 5 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904094/
)

kevin garnett 2000 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904094/
)

nike zoom kobe 1 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom kobe 2K5 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/llz800728111/130680675/
)

nike zoom kobe 2k7 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904108/
)

nike zoom kobe 2K8 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904108/
)

nike zoom kobe 2K9 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904108/
)

nike zoom kobe 2 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904108/
)

nike zoom kobe 3 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904108/
)

nike zoom kobe 4 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904108/
)

nike zoom kobe 5 shoes   paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144904108/
)

Carter Ember shoes paypal payment $28/pairs   cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144903983/)

Carter Ember 3.5 shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144903983/)

Carter Ember 4.5 shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144903983/)

Carter Ember 5 shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144903983/)

Carter Ember 6 shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144903983/)

Carter Ember 6.3 shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144903983/)

Carter Ember 6.8 shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144903983/)

Carter Ember 6.5 shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144903983/)

Carter Ember 7 shoes paypal payment $28/pairs
cnbbiz2008@hotmail.com (http://photo.163.com/photos/yihao-169/144903983/)

iverson shoes paypal payment $28/pairs cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904073/)

arenas shoes paypal payment $28/pairs cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904037/)

parker shoes paypal payment $28/pairs cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904176/)

billups shoes paypal payment $28/pairs cnbbiz2008@hotmail.com
(http://photo.163.com/photos/yihao-169/144904025/)

```
From -8138217920512634344
X-Google-Thread: 10dafd,11379b0e030900b1,start
X-Google-Thread: 108228,11379b0e030900b1,start
X-Google-Thread: 108122,11379b0e030900b1,start
X-Google-Attributes: gid10dafd,gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!transit3.readnews.com!news-
out.readnews.com!transit4.readnews.com!207.99.111.53.MISMATCH!newspeer1.nac.net!
news.mv.net!bob
From: Bob <bob@blkjoiusoa.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment
Subject: FA: 1-Day-Left: HAM RADIO - Bencher BY-2 Iambic Paddle for Morse Code
Generation, Chrome Base, Perfect Condition
Date: Sat, 14 Jun 2008 13:49:00 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <140620081349003976%bob@blkjoiusoa.com>
NNTP-Posting-Host: c-75-67-218-138.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1213465740 43994 75.67.218.138 (14 Jun 2008 17:49:00 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 14 Jun 2008 17:49:00 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:11326 alt.ham-
radio.marketplace:46 rec.radio.amateur.equipment:197


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320261231714


From 2438566341511585677
X-Google-Thread: 10dafd,5b1e9d98864eb4f3,start
X-Google-Thread: 108228,5b1e9d98864eb4f3,start
X-Google-Thread: 108122,5b1e9d98864eb4f3,start
X-Google-Attributes: gid10dafd,gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.194.250.MISMATCH!news-xxxfer.readnews.com!news-
out.readnews.com!transit4.readnews.com!207.99.111.53.MISMATCH!newspeer1.nac.net!
news.mv.net!bob
From: Bob <bob@blkjoiusoa.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment
Subject: FA: 1-Day-Left: HAM RADIO Tigertronics Signalink SL-1+ Ham Radio - Sound
Card Interface
Date: Sat, 14 Jun 2008 13:49:15 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <140620081349154896%bob@blkjoiusoa.com>
NNTP-Posting-Host: c-75-67-218-138.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1213465755 43994 75.67.218.138 (14 Jun 2008 17:49:15 GMT)
```

```
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 14 Jun 2008 17:49:15 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:11327 alt.ham-
radio.marketplace:47 rec.radio.amateur.equipment:198


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320261231731



From -5006731357793608975
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!transit3.readnews.com!news-xxxfer.readnews.com!
transit4.readnews.com!textspool1.readnews.com!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: VoiceMax Speech Processor...
From: Steve <moparholic@hotmail.com>
Organization: wha?
Message-ID: <20080614150239.168$CE@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
<jZX1k.2010$nD3.912@newsfe15.lga> <57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
<86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
<i8lv44d54cbviahpbctun3h843r3467m3d@4ax.com> <75671283-a0ce-469c-
a9b0-37b1bc451672@m45g2000hsb.googlegroups.com>
<sl1154du7jqb1g99kin78cssmsods2dqjg@4ax.com> <zmhuVNIYhNUIFwPF@g3ohx.demon.co.uk>
<c2363b23-32a8-4578-b3f2-e9ee71eeb050@d1g2000hsg.googlegroups.com>
<CY6CqrA2ZRUIFwKg@g3ohx.demon.co.uk> <28149a87-09f2-4778-
aece-7533b162308f@34g2000hsh.googlegroups.com>
<HPmzvkAHfWUIFw7X@g3ohx.demon.co.uk> <20080612234308.760$aU@newsreader.com>
<51fe3db0-9316-462e-88b7-5a32215a1905@z66g2000hsc.googlegroups.com>
<20080613090328.900$sv@newsreader.com> <e8b50bfb-ce24-450c-
aa8f-30cce054d9f4@27g2000hsf.googlegroups.com>
X-NRC-Trace: NewsReader.Com fFVNQf09ZOjblFrd=Yg5=zkDs+0Ez5fk,e=gXk_AwAE6-2VwTM
Date: 14 Jun 2008 19:02:37 GMT
Lines: 13
NNTP-Posting-Host: cfabbefe.nr2.newsreader.com
X-Trace: DXC=f4LJ4]W>AYE54lN_WT@d4LOA8_@f\K_iB0V\?
8`j4eWKVo\MCe4<ChHNd7biGRhQTG<SVPgDF]ACDed<@?9?9QeM
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:606 rec.radio.amateur.equipment:199
rec.radio.amateur.homebrew:190

Telstar Electronics <briangriffey@sbcglobal.net> wrote:
> > Dream on, Brian. You can't touch my ts870 for less than $1000, more
> > like $1200 if you can find one.
>
```

```
> You mean that old beat up one you got at the garage sale?
> I didn't know you ever got that thing working since it was under water
> and so rusty inside.
> Kudos on your technician skills... fixing up that old dog.
>
What the hell are you smoking, Brian? I traded an ft-920 for this 870.

--
                    http://NewsReader.Com/


From 5341471887723510362
X-Google-Thread: 108122,bb9fee7d33bbef90
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
out02b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!
news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!roadrunner.com!not-
for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Best Place to Purchase equipment?
From: "Dave W." <phoenixNOSPAM@hotmail.com>
References: <Xns9AB786AC8D460noemailcom@66.250.146.128>
<KaKdnfcatpBJiNHVnZ2dnUVZ_sHinZ2d@earthlink.com>
<484c53dd$0$934$ba4acef3@news.orange.fr> <q-
SdnYc1euYpxtHVnZ2dnUVZ_u6dnZ2d@earthlink.com>
Organization: Your Company
Message-ID: <Xns9ABDC74C4A46Anoemailcom@66.250.146.128>
User-Agent: Xnews/L5
Date: 14 Jun 2008 23:35:13 GMT
Lines: 23
NNTP-Posting-Host: 65.186.212.236
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:200

"Ralph Mowery" <rmowery28146@earthlink.net> wrote in
news:q-SdnYc1euYpxtHVnZ2dnUVZ_u6dnZ2d@earthlink.com:

>
> "Runge12" <philsa@bigfoot.com> wrote in message
> news:484c53dd$0$934$ba4acef3@news.orange.fr...
>> R&L are cheaper and reliable.
>> HRO is getting out of range.
>>
>
> I ment to add Texas Towers instead of AES twice.
>
> It is always good to go to the 800 numbers and ask what it will cost
> including shiping.   One place I ordered a 50 amp DC supply from cost
> more for the supply , but the shipping was much greater at another
> place due to the thing being about 50 lb.
>
```

> It seems that some places are less expensive for differant items.
> Then some places just don't have items other places have.
>
>

Thanks for all the good information!

```
From 7760328665965609977
X-Google-Thread: 108122,d5d6a606987510da
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 14 Jun 2008 21:03:23 -0500
From: abcd815 <abcd815.29a2dbd@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HF interference from WiFi router
Date: Sun, 15 Jun 2008 01:12:40 +0100
Message-ID: <abcd815.29a2dbd@radiobanter.com>
Organization: RadioBanter.com
References: <Xns9AB46ED28C18CVeebleFetzer@216.250.184.7>
<HcGdndRrK6e3wtXVnZ2dnUVZ_gednZ2d@giganews.com> <484873B8.8040305@NETTALLY.COM>
<mk22k.17746$qP.9885@trnddc03> <Xns9AB559CAC966AVeebleFetzer@216.250.184.7>
<Xns9AB5CC4B5596FVeebleFetzer@216.250.184.7>
<484a09e5$0$5147$4c368faf@roadrunner.com>
<Xns9AB65A15AA5E2VeebleFetzer@216.250.184.7>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-DmJQvHJ/eZ3k/p850eY5lzUKMpyi/
pq98mEuvdNoJuvstrAuzsghRe7sObY9CbW6JT2VkD4hl2Tvdfq!
F6SAQLdu1p7mvMbbrrfCHBMXzsj2nKeE13PEDu651Qq72kX/CRBG3CejUZ/05vULfEW+HgKNzZ0N!zBvL
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:201
```

which is this very has foresight view in the building is braves? What
were you saying? '&#30041;&#23398;&#28595;&#22823;&#21033;&#20122;'
(http://
www.studymalay.com)'&#39532;&#26469;&#35199;&#20122;&#30041;&#23398;&#23448;&#26041;&#20449;&#24687;'
(http://www.studymalay.com)
'&#39532;&#26469;&#35199;&#20122;&#29702;&#31185;&#22823;&#23398;'
(http://
www.studymalay.com)'&#39532;&#26469;&#35199;&#20122;&#29702;&#24037;&#22823;&#23398;'
(http://www.studymalay.com)

'&#39532;&#26469;&#35199;&#20122;&#20844;&#31435;&#22823;&#23398;'
(http://www.studymalay.com/ukm/ukm.asp)

--
abcd815

```
From -3619360362657672368
X-Google-Thread: 108122,41715995e72f3206,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!lon-transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: Adrian <vk4tux@bigpond.com>
User-Agent: Thunderbird 2.0.0.14 (X11/20080421)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Rare Kenwood
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <nb45k.11169$IK1.1647@news-server.bigpond.net.au>
Date: Sun, 15 Jun 2008 08:14:11 GMT
NNTP-Posting-Host: 124.185.39.239
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1213517651 124.185.39.239 (Sun, 15 Jun 2008 18:14:11 EST)
NNTP-Posting-Date: Sun, 15 Jun 2008 18:14:11 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:202
```

You can see all here;

http://search.ebay.com.au/_W0QQsassZvk4tux

```
From -5073540156734830283
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!k13g2000hse.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Sun, 15 Jun 2008 07:09:53 -0700 (PDT)
Organization: http://groups.google.com
```

Lines: 7
Message-ID: <17c8be37-7531-42a2-b8e5-124dae1584cb@k13g2000hse.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
    <92419105-6fbe-4dbf-b971-7454304c514f@27g2000hsf.googlegroups.com>
NNTP-Posting-Host: 99.145.94.199
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1213538994 1009 127.0.0.1 (15 Jun 2008 14:09:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 15 Jun 2008 14:09:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k13g2000hse.googlegroups.com; posting-host=99.145.94.199;
    posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
    .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
    InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:615 rec.radio.amateur.equipment:203
rec.radio.amateur.homebrew:195

> Laura Halliday VE7LDH =A0 =A0 "Non sequitur. Your ACKS are
> Grid: CN89mg =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0 =A0uncoordinated."
> ICBM: 49 16.05 N 122 56.92 W =A0 =A0 =A0 - Nomad the Network Engineer

Good to hear from you Laura. You can see a photo of the Voicemax
speech processor in a radio... right before the radio was buttoned up
at http://tinyurl.com/2t2usu

From 6115323755594351879
X-Google-Thread: 108228,7184dfa8d84af5ff
X-Google-Thread: 1109af,7184dfa8d84af5ff
X-Google-Thread: 108122,7184dfa8d84af5ff
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!4440b6bb!
not-for-mail
Reply-To: "darrell huth" <darrellhuth@verizon.net>
From: "darrell huth" <darrellhuth@verizon.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
References: <3a2a7920312ad1c5b5f1ff625acc1bbc@pseudo.borked.net>
In-Reply-To: <3a2a7920312ad1c5b5f1ff625acc1bbc@pseudo.borked.net>
Subject: Re: ICOM IC-970A transceiver - new in box
Lines: 6
MIME-Version: 1.0
Content-Type: text/plain;
    format=flowed;
    charset="iso-8859-1";
    reply-type=original
Content-Transfer-Encoding: 7bit

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <pkg5k.15745$8q2.6639@trnddc02>
Date: Sun, 15 Jun 2008 22:03:01 GMT
NNTP-Posting-Host: 71.109.238.169
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1213567381 71.109.238.169 (Sun, 15 Jun 2008 18:03:01 EDT)
NNTP-Posting-Date: Sun, 15 Jun 2008 18:03:01 EDT
Xref: g2news1.google.com alt.ham-radio.marketplace:48 rec.radio.swap:196
rec.radio.amateur.equipment:204
X-Original-Bytes: 1425

This is Radio-Mart The crook of crooks!....Buyer beware!!!
"Ted" <nobody@pseudo.borked.net> wrote in message
news:3a2a7920312ad1c5b5f1ff625acc1bbc@pseudo.borked.net...
> http://easyurl.net/Icom_IC970A
>



From 2830244996087772424
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 16 Jun 2008 07:38:06 -0500
Message-ID: <48565EB4.4010800@qrparci.org>
Date: Mon, 16 Jun 2008 08:38:12 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 2.0.0.9 (X11/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
To: Telstar Electronics <briangriffey@sbcglobal.net>
Subject: Re: VoiceMax Speech Processor...
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <92419105-6fbe-4dbf-b971-7454304c514f@27g2000hsf.googlegroups.com>
<17c8be37-7531-42a2-b8e5-124dae1584cb@k13g2000hse.googlegroups.com>
In-Reply-To: <17c8be37-7531-42a2-b8e5-124dae1584cb@k13g2000hse.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.98.102.223
X-Trace: sv3-HUhKNA8ilou/2sENW6cz6fQIma489GlXIH4V/
JzsnHYZvgjp62kuKvWrHT846OVdCSoKxBJlIQLsq9C!
VG3+KhOpyelq0uKown1hWJGQ6rFZQ7pfv+5f4UVFTT/0NDrHkCddQH5oeV+9I/0+Hzi052GiAUwD!
PxBNB9bI
```

```
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.cb:621 rec.radio.amateur.equipment:205
rec.radio.amateur.homebrew:197

Telstar Electronics wrote:
>> Laura Halliday VE7LDH     "Non sequitur. Your ACKS are
>> Grid: CN89mg                    uncoordinated."
>> ICBM: 49 16.05 N 122 56.92 W       - Nomad the Network Engineer
>
> Good to hear from you Laura. You can see a photo of the Voicemax
> speech processor in a radio... right before the radio was buttoned up
> at http://tinyurl.com/2t2usu

Appropriately, a CB radio, illegally modified. Only a CBer would fall for this
"Speech Processor."



From 2066006611961336668
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!34g2000hsh.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Mon, 16 Jun 2008 05:47:07 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <931c7395-18c2-4037-a93e-a3225845e6ee@34g2000hsh.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <92419105-6fbe-4dbf-b971-7454304c514f@27g2000hsf.googlegroups.com>
     <17c8be37-7531-42a2-b8e5-124dae1584cb@k13g2000hse.googlegroups.com>
     <48565EB4.4010800@qrparci.org>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213620428 2400 127.0.0.1 (16 Jun 2008 12:47:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 16 Jun 2008 12:47:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000hsh.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:622 rec.radio.amateur.equipment:206
rec.radio.amateur.homebrew:198
```

> Appropriately, a CB radio, illegally modified. Only a CBer would fall for this
> "Speech Processor."

Laura,
Evidently there are many radio operators worldwide that don't share
your views...
Thanks for your comment anyway...

```
From 8599721882904925720
X-Google-Thread: 108122,973f0d9952df5210
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.posted.visi!news.posted.visi.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 16 Jun 2008 09:32:33 -0500
Reply-To: "Stan Shankman" <stantheman@visi.com>
From: "Stan Shankman" <stantheman@visi.com>
Newsgroups: rec.radio.amateur.equipment
References: <9a983dea-bdf1-4cac-90ea-c9258cc0d831@a1g2000hsb.googlegroups.com>
<NrWdnQ163dT6kafVnZ2dnUVZ_gqdnZ2d@comcast.com>
Subject: =?iso-8859-1?Q?Re:_Wanted:_Repair_Parts_for_JRC_NRD-91_-
_need_tuning_cont?=
     =?iso-8859-1?Q?rol_and_push_buttons_._._.?=
Date: Mon, 16 Jun 2008 07:32:20 -0700
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 12.0.1606
X-MimeOLE: Produced By Microsoft MimeOLE V12.0.1606
Message-ID: <6O-dnYqsV58c5MvVnZ2dnUVZ_sPinZ2d@posted.visi>
Lines: 63
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.110.206.169
X-Trace: sv3-aj1QZpD2u6a3URG8BC1RRxY7vqKQonXs77aRedLjra7msa8P/
0qUaoVuMrsI0x1SmlwmMYA2zZnZcmu!
Eq3ebrWJb4z0j5vbGTvARZEgQ4SDWWoyV2CmTAnKXITFH3ML8SZsZLLGCXcJXPZXqdutxysi6OEg!
Vhy1NnnAJFtsHet6
X-Complaints-To: abuse@visi.com
X-DMCA-Complaints-To: abuse@visi.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:207

Pete,
Thanks for the reply.
Knowing the names "Grayhill" and "Oak Grisby" (recently acquired by Electroswitch) makes it a lot easier to search eBay for replacement parts. I will keep looking.
I do have a schematic diagram for my NRD-91, but not the parts list. Do you have that? If so, would you please check and see what the manufacturer has for parts info?
I am not at all opposed to retrofitting in an optical encoder, but I would like to know how many "clicks" to the turn the original has. I may be able to remove the lid on mind and use magnification and just count them. Of course I need to remove the existing encoder first, so I can take reliable physical measurements. I defiantly want to reuse the original know and I think it would be nice to have the same number of counts per revolution (but who know? Maybe certain modern optical encoders with more or less counts per turn would work out to be more desirable.
So thanks again for what you told me, and I am still looking for that conductive epoxy.
:-)-
Stan (K7SJB)

"Pete KE9OA" <p.gianako@comcast.net> wrote in message
news:NrWdnQ163dT6kafVnZ2dnUVZ_gqdnZ2d@comcast.com...
> What you need is a simple Quadrature shaft encoder, not a gray code
> encoder. A Grayhill or an Oak Grisby unit will run you about 30 to 40
> dollars. Nothing special about the one in the JRC unit. I do have an
> NRD-91 myself...........good receiver.
> There is a fellow on eBay that has the manual, along with the schematics
> in PDF form for about 20 dollars with a "Buy it Now" option. I bought one
> from him a few months back.
>
> Pete
>
> Pete
> "Stan (K7SJB)" <stan.shankman@gmail.com> wrote in message
> news:9a983dea-bdf1-4cac-90ea-c9258cc0d831@a1g2000hsb.googlegroups.com...
> Wanted repair parts: JRC NRD-91 - need tuning control and push
> buttons . . .
>
> Greetings all,
>
> I am in the process of repairing an old JRC NRD-91 shortwave receiver.
>
> I found that the digital tuning control is bad.
>
> It is a digital "pulser" - I think they call it 2-bit gray code with
> 50 pulses to the turn. (Not sure about that.)

> I also need some of the buttons that are used on the front panel.
>
> Does anyone have any of these parts? Or, has anyone been successful in
> retrofitting with a part that I can find.
> I am going to try and fix the tuning control. It is cracked at the
> place where the leads leave the unit.
>
> I will try to bridge the broken circuit on the control with conductive
> epoxy. I will post back how well that works out. But first, I need to
> obtain some conductive epoxy.   :-)
>
> Thanks all,
>
> - Stan Shankman (K7SJB)
>

```
From 1448808022432227140
X-Google-Thread: 108122,ddb30bbc28d8dcf,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!newshub.sdsu.edu!
flpi089.ffdc.sbc.com!prodigy.net!flpi088.ffdc.sbc.com!prodigy.com!
flpi107.ffdc.sbc.com!nlpi070.nbdc.sbc.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Collins, Heath, Wadley, etc on eBay
Lines: 1
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Message-ID: <7xy5k.8443$xZ.5567@nlpi070.nbdc.sbc.com>
NNTP-Posting-Host: 70.128.125.193
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi070.nbdc.sbc.com 1213641923 ST000 70.128.125.193 (Mon, 16 Jun 2008
14:45:23 EDT)
NNTP-Posting-Date: Mon, 16 Jun 2008 14:45:23 EDT
Organization: at&t http://my.att.net/
X-UserInfo1:
[[PAPDON^ZUKRTD[@JIROFXBWR\HPCTL@XT^OBPLAH[\BPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Mon, 16 Jun 2008 13:45:22 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:209
```

http://shop.ebay.com/merchant/wd5jfr

From 2724472868582435083
X-Google-Thread: 108122,1e07352c7093af63,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!roadrunner.com!not-for-mail
Date: Mon, 16 Jun 2008 18:59:46 -0400
From: Usenet user<usenet_user@rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help us save usenet news for Time-Warner customers
X-Newsreader: BNews2004v20
Lines: 9
Message-ID: <4856f119$0$4268$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 66.67.8.228
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:210

Time-Warner corporate is dropping usenet news as of June 23, 2008.

Please help by asking them to keep it. The person to call works for the TW president:

Barbara Burroughs
phone 203-351-2281

email: barbara.burroughs@twcable.com

From 1546517550168171175
X-Google-Thread: 108122,1e07352c7093af63
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews9.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <4856f119$0$4268$4c368faf@roadrunner.com>
Subject: Re: Help us save usenet news for Time-Warner customers
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
X-RFC2646: Format=Flowed; Original
Message-ID: <ypD5k.7228$rW2.733@bignews9.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net

```
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
okjdhlmeenidhihjdbdpiflmbcekedmfhojhikkbagflhcbocopkgopjidkpiagbpohemacbphcocjhaif
eckepfagppmljiocldgelijbkakoodohbhljkoaljgpnjcdljphlodckioagmfcjjcpebhhghhpmli
NNTP-Posting-Date: Mon, 16 Jun 2008 20:18:38 EDT
Organization: BellSouth Internet Group
Date: Mon, 16 Jun 2008 20:21:26 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:211


"Usenet user" <usenet_user@rr.com> wrote in message
news:4856f119$0$4268$4c368faf@roadrunner.com...
> Time-Warner corporate is dropping usenet news as of June 23, 2008.
>
> Please help by asking them to keep it.  The person to call works for the
> TW president:
>
> Barbara Burroughs
> phone 203-351-2281
>
> email: barbara.burroughs@twcable.com
>

----------

You and others are spitting into the wind, but that is your privilege.

As someone else stated elsewhere, usenet is not a money maker. That is the
problem, lock, stock and barrel.

It was nice while it lasted and it lasted a whole lot longer than I dreamed
it would.


Ed Cregger





From 8019273780626095876
X-Google-Thread: 108122,2718ff174351a2dc
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 17 Jun 2008 09:03:05 -0500
From: lkky00245 <lkky00245.29d797a@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Access Control Equipment
Date: Tue, 17 Jun 2008 10:13:13 +0100
Message-ID: <lkky00245.29d797a@radiobanter.com>
Organization: RadioBanter.com
```

References: <708039d9-da4c-49d5-b732-9547ed90808f@p25g2000pri.googlegroups.com>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-sJm5PiDh1ZuJafgyAlKJ23GF/P8ZSQDYDzhISsfs92DXdo++4eO+mS/PMz//
OXq5vV4KvpnoFQzkciw!jSVV4dvCvc1HqOAEZ6S2zW/
4rDoIJ+xnBX65FpdaLnNVdVPBYUtCga0uRvjNDULBxeumUFCRyoF/!vuwimk4=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:212

For years now video 'AOC Gold' (http://www.usfine.com/Age-of-Conan-USA-c-151.html) gamers have been seeking assistance 'Age of Conan Gold' (http://www.usfine.com/Runescape-Powerleveling-c-90.html) in playing and conquering the games that they live for. This assistance is sometimes found online, from television shows, or printed cheat materials. 'Age of Conan Power Leveling' (http://www.usfine.com/Age-of-Conan-US-PL-c-146.html) Many of these items have successfully helped gamers achieve victory, but they cannot help with all games. 'AOC Power leveling' (http://www.usfine.com/Age-of-Conan-US-PL-c-146.html) Using weapons to conquer and efeat may not sound that difficult, but if you have played before than you may realize that it is not as easy as it sounds. The good and valuable weapons must be paid for with . The easiest way to find is to buy it. Similar to the above mentioned resources, purchasing is a great way for a player to enjoy and 'Age of Conan PowerLeveling' (http://www.usfine.com/Age-of-Conan-US-PL-c-146.html) conquer the game.

--
lkky00245

From 9216307510849389330
X-Google-Thread: 108122,2bd0f25a7f1f28d9,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!27g2000hsf.googlegroups.com!not-for-mail
From: kz3dx@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-703-PLUS For Sale - FREE SHIPPING
Date: Tue, 17 Jun 2008 15:58:49 -0700 (PDT)
Organization: http://groups.google.com
Lines: 28
Message-ID: <06d6fd3c-3dc4-44a3-897c-c120ab1c7e6b@27g2000hsf.googlegroups.com>

```
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213743529 11995 127.0.0.1 (17 Jun 2008 22:58:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 17 Jun 2008 22:58:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 27g2000hsf.googlegroups.com; posting-host=66.177.6.190;
     posting-account=45XJAgoAAAA05yZfLd6955vg-czIX97d
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:213
```

I have for sale a Like New IC-703-PLUS Transceiver.

It has the factory installed Antenna Tuner, DSP, 6 Meters, Low current consumption for Portable operation.

This unit is Like New and comes with the mic, power cord, Manual, Original ICOM box, etc.

There is not a mark on this unit anywhere.

FREE SHIPPING with a delivery confirmation number in the lower 48 states. Please email me for shipping rates to Alaska, Hawaii and International destinations.

Dealer price for the IC-703-PLUS is $764.95

My Price is $672.50 with FREE SHIPPING.

Postal or Wal-Mart Money Order is prefered. You can also pay using Money Gram at Wal-Mart stores.

For PayPal, please add 3% to help cover their fees.

For more pictures or information please email me at: kz3dx@yahoo.com
(kz3dx at yahoo dot com)

Thanks,
Bill

```
From -3067552937377782994
X-Google-Thread: 108122,a1a4dd86752d16bc,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!c58g2000hsc.googlegroups.com!not-for-
mail
From: Mike VE3MKX <mkx@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: HEATHKIT  ---   FS
Date: Tue, 17 Jun 2008 16:50:14 -0700 (PDT)
Organization: http://groups.google.com
Lines: 85
Message-ID: <6784cef5-eddb-4f17-a628-305139adfe2a@c58g2000hsc.googlegroups.com>
NNTP-Posting-Host: 64.231.210.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213746614 4607 127.0.0.1 (17 Jun 2008 23:50:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 17 Jun 2008 23:50:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c58g2000hsc.googlegroups.com; posting-host=64.231.210.248;
     posting-account=m2yR1goAAAAMi4ja5GYDqvs6T1Uo1WU8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:214
```

UNBUILT - still in the box - Capacitance checker IT-28 $195 US obo

Still in the bag, new Heathkit HW-9 front panel $25 US

Unused Heathkit HW-9 rear panel complete with connectors - never finished. never soldered. unmodified. $25 US

ORIGINAL HEATHKIT Manuals for sale - shipping included on manuals.

Hd-15 phone patch $10 US

HP-13 pwr supply $11 US

HW-12a hf rig $14 US

IT-18 trans checker $11 US'

IC-2108 calculator $9 US

SB-600 speaker $11 US

HW-32A hf rig $14 US

HM-11 swr meter $11 US

AM-2 reflected pwr meter $11 US

MP-10 pwr converter $11 US

RD-1 decade counter $11US

FM-3a FM tuner $11 US

HM-102 RF meter $11 US

HD-1234 switch $9 US

IDW-2090 barograph $11 US

PSA-9 pwr supply $11 US

FM-1 tuner $12 US

M-1 multitester $9 US

PM-2 mobile meter $ 9 US

HD-20 crystal cal $10 US

HRA-10-1 crystal cal $10 US

GD-600 photo switch $8 US

For further info, pls send me an Email

73 Mike VE3MKX

```
From -5920727064363443266
X-Google-Thread: 108122,f31c1d4cf1854bb3,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 17 Jun 2008 21:05:02 -0500
From: "Richard Knoppow" <dickburk@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Is this group dead?
Date: Tue, 17 Jun 2008 19:05:00 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <Kfqdnbznr5PS8MXVnZ2dnUVZ_obinZ2d@earthlink.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.231.174.58
X-Trace: sv3-
Q7EyR0bbiO6AQkUujN6AlG1hemvnUACA+Uh4yEAmx+dD1M0MobualMMLOHvIvHqJ+K+sJmWB2ekxpUU!
V2dyn2S0llqohyrfEz44y6FARqPK0IAW/2OP0Kytphg7tKKqZe5xhQJTyYoUNISK7VWJ6CZAo5ZV!
7aYQty3cd8ECEFjToPpH3DD1yViOrE+E
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:215

All messages seem to have been removed.


--
---
Richard Knoppow
Los Angeles, CA, USA
dickburk@ix.netcom.com




From 2191110070934696312
X-Google-Thread: 108122,f31c1d4cf1854bb3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 17 Jun 2008 21:12:32 -0500
From: "Richard Knoppow" <dickburk@ix.netcom.com>
```

```
Newsgroups: rec.radio.amateur.equipment
References: <Kfqdnbznr5PS8MXVnZ2dnUVZ_obinZ2d@earthlink.com>
Subject: Re: Is this group dead?
Date: Tue, 17 Jun 2008 19:12:30 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <QJydnUFIrLSN8sXVnZ2dnUVZ_vGdnZ2d@earthlink.com>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.231.174.58
X-Trace: sv3-
xgrrJfZWyb6QxhkIEIsZBga9OCMBFUztBed9rIQ6sRgZGAEj6wy7ZTOd+2L8Zg+JnZsV2x7J1hnKzgk!
rA6WpMKVhhXIwpl9X+D2ThoBIdJzfKf6bhjS0R3Dv2w+23HwE57DjIG2TQcE1o3efvmXybc3vvbm!
Skm3pqCjkdk4cCA7FT9rB03ZgHl73Qhq
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:216


"Richard Knoppow" <dickburk@ix.netcom.com> wrote in message
news:Kfqdnbznr5PS8MXVnZ2dnUVZ_obinZ2d@earthlink.com...
> All messages seem to have been removed.
>
>
> --
> ---
> Richard Knoppow
> Los Angeles, CA, USA
> dickburk@ix.netcom.com
     Sorry, some problem with my news reader. It was
displaying only very old messages. Fixed it.


--
---
Richard Knoppow
Los Angeles, CA, USA
dickburk@ix.netcom.com





From 4051637014107627603
X-Google-Thread: 108122,1e07352c7093af63
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.earthlink.com!
```

```
news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 17 Jun 2008 21:23:26 -0500
From: "Richard Knoppow" <dickburk@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
References: <4856f119$0$4268$4c368faf@roadrunner.com>
<ypD5k.7228$rW2.733@bignews9.bellsouth.net>
Subject: Re: Help us save usenet news for Time-Warner customers
Date: Tue, 17 Jun 2008 19:23:24 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <eYOdnYhCX7sC7MXVnZ2dnUVZ_vCdnZ2d@earthlink.com>
Lines: 65
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.231.174.58
X-Trace: sv3-
Vjh3ceXq4MPt4S6ElrN+iUSaygoArFyGtUCbEWnB6nqX4pRrVf4dEuIiOwHooYRSmPY9+HCKykrE00w!
NR27S9MIAr3s0ZyOOlvC6T3/zhL6s/zSwNUP/Hyg1lYaTEuBSNq3gWyVQpOL2MfcBz+8JxyJw7oy!
W0tCJkkc+DaU8ZSxwWJ0LIwPwT/sApP4
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:217


"Ed Cregger" <ecregger@bellsouff.net> wrote in message
news:ypD5k.7228$rW2.733@bignews9.bellsouth.net...
>
> "Usenet user" <usenet_user@rr.com> wrote in message
> news:4856f119$0$4268$4c368faf@roadrunner.com...
>> Time-Warner corporate is dropping usenet news as of June
>> 23, 2008.
>>
>> Please help by asking them to keep it.  The person to
>> call works for the TW president:
>>
>> Barbara Burroughs
>> phone 203-351-2281
>>
>> email: barbara.burroughs@twcable.com
>>
>
> ----------
>
> You and others are spitting into the wind, but that is
> your privilege.
>
> As someone else stated elsewhere, usenet is not a money
> maker. That is the problem, lock, stock and barrel.
>
```

> It was nice while it lasted and it lasted a whole lot
> longer than I dreamed it would.
>
>
> Ed Cregger

This is exactly the kind of defeatist attitude that prevents people from even trying to solve problems.

You are right that everything is about money now. Not just making money but making a lot of it. Unfortunately, the internet has become a commercial venture and with that change its becomming harder to maintain any of its former public service qualities. Nonetheless, Time-Warner should be told its getting at least a part of its customer base mad. Most corporate management has isolated itself from its customers to the degree that one can not even communicate with them at all. For instance, check out the Disney Company's corporate web site. Here, at least, is a name and phone number. Dun these idiots. Of course, it may have no effect but it _could_ stave off discontinuance for a time. Or, they may outsource Usenet in the same way that Earthlink has. As an Earthlink subscriber I can testify that the outsourced news servers are far better run than anything Earthlink, Mindspring, Netcom, whatever, ever had.

Usenet is a part of a full-service ISP. If TW doesn't want to continue it they should either offer a farmed-out service without raising their prices or lower their prices because they are offering a crippled service. Or, go elsewhere and drop them. Drop their cable service also, there are others or you can learn to live without television and save your brain.

--

Richard Knoppow
Los Angeles, CA, USA
dickburk@ix.netcom.com

From 1545712543526021528
X-Google-Thread: 108122,bb9fee7d33bbef90,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!
roadrunner.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Best Place to Purchase equipment?
From: "Dave W." <phoenixNOSPAM@hotmail.com>
Organization: Your Company

Message-ID: <Xns9AB786AC8D460noemailcom@66.250.146.128>
User-Agent: Xnews/L5
Date: 08 Jun 2008 17:14:15 GMT
Lines: 5
NNTP-Posting-Host: 65.186.212.236
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:151

I'm looking to get more into the hobby. Probably more on the listening side. I have had a small shortwave radio for years, and love listening to broadcasts from around the world. Where would be the best resource online to begin investigating what equipment is out there, and where I can learn more? Who do you all trust to buy from?? Thanks.

From -1170116600708531522
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix1.panix.com!arthures
From: A <arthures@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Sun, 25 May 2008 17:08:35 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 74
Message-ID: <Pine.NEB.4.64.0805251658220.10947@panix1.panix.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
NNTP-Posting-Host: panix1.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1211749716 25622 166.84.1.1 (25 May 2008 21:08:36 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 25 May 2008 21:08:36 +0000 (UTC)
In-Reply-To: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
X-Original-Bytes: 3564
Xref: g2news1.google.com rec.radio.amateur.equipment:77

On Fri, 23 May 2008, Middle Aged Ham wrote:

>
> Why are almost all the new HF ham radios so ugly?

Good question, but I agree. All black, lots of knobs & buttons, and you have to read the manual (thick, does it have mistakes & bugs?) before you can use it. I used to have a TS-520. I knew how to use it without reading the manual (just from basic principles), and readout which is too "busy".

HF Ham radios use
> to be a thing of beauty,

I always thougth the Colins S line (etc) to be the absolute tops in
esthetics. Old Halicrafters (SX-99, 101, 96, 100, etc., my next second
best).

> but now most of them are butt ugly!

Yeah, and I'd rather look at the Mona Lisa.

> Icom Radios all look like oversized Palm Pilots
>
> Kenwood HF Radios - What where they thinking?
> TS-480? - Yuck! I would not want that thing on my desk.
> TS-2000 - Deaf, poor selectivity, and ugly.

Technology evolution has all geared to _specification_ features and not
good common sense. Who needs 200 frequecy memories? What fraction of all
hams really "watch TV" on the spectrum analyzer readout on the blowout
rigs. How many of those knobs go "beep" when you push them?

More below...

> Ok. The Yaesu FT-2000 is nice looking, but according to EHam.net
> reviews there are issues with the AGC popping, and the 3 kHz roofing
> filter actually being wider than the 6 kHz roofing filter. I'm
> holding out for future fixes on this one.
>
> Yaesu FT-950 -mildly ugly
> Yaesu FT-897D - really ugly
> Yaesu FT-857D - compact and ugly
> Yaesu FT-817ND - Looks like it has warts on it's face
> Yaseu FT-450 - Pretty ugly
>
> TenTecOrion II and Omni VII - Oversized Palm Pilots.
>
> Now the Kenwood TS-940 was a good looking radio.
> The Drake TR-7 was nice looking.
> The Yaesu FT-980 was sharp looking.
> The Yaesu FT-1000d was nice looking
> The TenTec Omni VI was nice looking.
>
> The same thing happened to component stereo systems. In the 1970s and
> 1980s they were gorgeous, but now they are ugly black metal boxes.

If you think about all the sci-fi movies, high tech military movies, its
the same thing. Overdone details.

> What happened to the radio equipment that you could display proudly
> for everyone to see instead of something so ugly even the owner does
> not want to look at it?

You've got a tough life ahead of you: try to find those old boat anchors
and try to restore one (xcvr) or two (xmtr-rcvr), and use it.

Me, I'm building my own homebrew all tube gear, out of junk box parts.
Looks like hell (nobody would give me 50 cents for it) but I love it and
can fix it myself (and its worth a million bucks to me).

From -8655364826389032748
X-Google-Thread: 108122,bb9fee7d33bbef90
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.earthlink.com!
news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 08 Jun 2008 12:24:36 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns9AB786AC8D460noemailcom@66.250.146.128>
Subject: Re: Best Place to Purchase equipment?
Date: Sun, 8 Jun 2008 13:24:49 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <KaKdnfcatpBJiNHVnZ2dnUVZ_sHinZ2d@earthlink.com>
Lines: 30
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-0HClNRprM0hftkRP3U8hkK1SG/
WczpxQXW1R1GQ0d2uXy9ykPcQ9hzbQsPQfc1117EW8Gslno4OMsqD!
3EjaWLDnKwvkQGbMKO4neBriWqjRdfXf0uo3zP8XL63KSAUpB4qxodXpO3au9h6jintM4kMTFaZL!
31LMsMJTF1HhBOyhUoXTYFy4M+EW0BZe8nTT1A==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:152

I have bought from the places below and it depends on the price (make sure
you check the shipping charges) and if they have it in stock at the time.
They seem to be the biggest stores in the business.

http://www.aesham.com/

http://www.aesham.com/

http://www.hamradio.com/

I am sure there are other places but those are the ones I have had dealings
with that are still in business.

Hamfests are also a place to checkout for new and used gear.   Last year I
was able to buy an Icom for about $ 50 less at a show than I could order it
for.
This was on about a $ 1500 transceiver
.

"Dave W." <phoenixNOSPAM@hotmail.com> wrote in message
news:Xns9AB786AC8D460noemailcom@66.250.146.128...

> I'm looking to get more into the hobby. Probably more on the listening
> side. I have had a small shortwave radio for years, and love listening to
> broadcasts from around the world.   Where would be the best resource
> online to begin investigating what equipment is out there, and where I can
> learn more?   Who do you all trust to buy from?? Thanks.

```
From 6701254755534879673
X-Google-Thread: 108122,bb04a96f8f7d0c8c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 08 Jun 2008 15:59:33 -0500
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: HP 5354A Plug-In Wanted
Date: Sun, 08 Jun 2008 13:59:34 -0700
Reply-To: w1ksz@earthlink.net
Message-ID: <a0io44187sn6gdkvgsu5fm88srp0isp15l@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.164.70.60
X-Trace: sv3-HuCI+Gh1NkMtOHYIynkoD/
YfvGup0E3ktiAD+ggYzsoWkYku8TZKEfN59RE024RtRt7dIjR2/Cf3Mqy!jiPbOfjTCvxfPZ1/
mIE+3nkceJI5aPp8b33OKflKwqEGK2K+49QvkFl/zyMUdoDbC+vqcAKzdSBe!UB8xiS/2CsocP+kF
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:153
```

Anyone have one for sale ?

```
73, Dick, W1KSZ


From 1950755306816721986
X-Google-Thread: 108122,bb9fee7d33bbef90
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!fdn.fr!
news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Runge12" <philsa@bigfoot.com>
Newsgroups: rec.radio.amateur.equipment
References: <Xns9AB786AC8D460noemailcom@66.250.146.128>
<KaKdnfcatpBJiNHVnZ2dnUVZ_sHinZ2d@earthlink.com>
In-Reply-To: <KaKdnfcatpBJiNHVnZ2dnUVZ_sHinZ2d@earthlink.com>
Subject: Re: Best Place to Purchase equipment?
Date: Sun, 8 Jun 2008 23:49:05 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Lines: 38
Message-ID: <484c53dd$0$934$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 08 Jun 2008 23:49:18 CEST
NNTP-Posting-Host: 86.218.84.140
X-Trace: 1212961758 news.orange.fr 934 86.218.84.140:34241
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com rec.radio.amateur.equipment:154

R&L are cheaper and reliable.
HRO is getting out of range.

"Ralph Mowery" <rmowery28146@earthlink.net> a �crit dans le message de
news:KaKdnfcatpBJiNHVnZ2dnUVZ_sHinZ2d@earthlink.com...
>I have bought from the places below and it depends on the price (make sure
>you check the shipping charges) and if they have it in stock at the time.
>They seem to be the biggest stores in the business.
>
> http://www.aesham.com/
>
> http://www.aesham.com/
>
> http://www.hamradio.com/
>
> I am sure there are other places but those are the ones I have had
> dealings with that are still in business.
```

```
>
> Hamfests are also a place to checkout for new and used gear.   Last year I
> was able to buy an Icom for about $ 50 less at a show than I could order
> it for.
> This was on about a $ 1500 transceiver
> .
>
>
>
> "Dave W." <phoenixNOSPAM@hotmail.com> wrote in message
> news:Xns9AB786AC8D460noemailcom@66.250.146.128...
>> I'm looking to get more into the hobby.  Probably more on the listening
>> side.  I have had a small shortwave radio for years, and love listening
>> to
>> broadcasts from around the world.   Where  would be the best resource
>> online to begin investigating what equipment is out there, and where I
>> can
>> learn more?   Who do you all trust to buy from??  Thanks.
>
>



From -4421351707487485943
X-Google-Thread: 108122,bb9fee7d33bbef90
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.earthlink.com!news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 08 Jun 2008 17:22:44 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns9AB786AC8D460noemailcom@66.250.146.128>
<KaKdnfcatpBJiNHVnZ2dnUVZ_sHinZ2d@earthlink.com>
<484c53dd$0$934$ba4acef3@news.orange.fr>
Subject: Re: Best Place to Purchase equipment?
Date: Sun, 8 Jun 2008 18:22:58 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <q-SdnYc1euYpxtHVnZ2dnUVZ_u6dnZ2d@earthlink.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-d2zzeI6RLE4sJhe/LkMdPLlyl5CS+pPSp2sza8exdqzVOXM4n/
xjpw425FauaY0X6MOgM5gboxBZGIy!
dEaVifUScRVRr40eNDYaHEAUCDxTL2CWqshnyTUMceqhmspH1LIvh6geAdZz1aYb10NKhFNfeZgB!
ezoi9THDpbuMB/o/Kv8z3W0qWLL9UHmDyjYKpA==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:155

"Runge12" <philsa@bigfoot.com> wrote in message
news:484c53dd$0$934$ba4acef3@news.orange.fr...
> R&L are cheaper and reliable.
> HRO is getting out of range.
>

I ment to add Texas Towers instead of AES twice.

It is always good to go to the 800 numbers and ask what it will cost
including shiping.   One place I ordered a 50 amp DC supply from cost more
for the supply , but the shipping was much greater at another place due to
the thing being about 50 lb.

It seems that some places are less expensive for differant items. Then some
places just don't have items other places have.

From 5269316946218170094
X-Google-Thread: 10dafd,dcc1d5e16b837a27,start
X-Google-Thread: 112acb,dcc1d5e16b837a27,start
X-Google-Thread: 1113b0,dcc1d5e16b837a27,start
X-Google-Thread: 108228,dcc1d5e16b837a27,start
X-Google-Thread: 108122,dcc1d5e16b837a27,start
X-Google-Attributes:
gid10dafd,gid112acb,gid1113b0,gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!bob
From: Bob <bob@blkjoiusoa.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: FA: 4 Books: GPS, Global Positioning System, Geocaching, etc.
Date: Sun, 08 Jun 2008 21:54:07 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <08062008215407745O%bob@blkjoiusoa.com>
NNTP-Posting-Host: c-75-67-218-138.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1212976446 90816 75.67.218.138 (9 Jun 2008 01:54:06 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 9 Jun 2008 01:54:06 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:8104
alt.marketplace.books:518 rec.arts.books.marketplace:129 alt.ham-

radio.marketplace:34 rec.radio.amateur.equipment:156

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320261231562

From 1262335323334041131
X-Google-Thread: 108228,254e3669ba640126,start
X-Google-Thread: 108122,254e3669ba640126,start
X-Google-Attributes: gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-
xxxfer.readnews.com!207.99.111.53.MISMATCH!newspeer1.nac.net!news.mv.net!bob
From: Bob <bob@blkjoiusoa.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: FA: BENCHER BY-2 Iambic Paddle for Morse Code Generation, Chrome Base,
Perfect Condition
Date: Sun, 08 Jun 2008 21:55:42 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <08062008215542317%bob@blkjoiusoa.com>
NNTP-Posting-Host: c-75-67-218-138.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1212976542 90816 75.67.218.138 (9 Jun 2008 01:55:42 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 9 Jun 2008 01:55:42 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.ham-radio.marketplace:35
rec.radio.amateur.equipment:157

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320261231714

From 2524285702015868206
X-Google-Thread: 108228,cc9b685f20feea77,start
X-Google-Thread: 108122,cc9b685f20feea77,start
X-Google-Attributes: gid108228,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!bob
From: Bob <bob@blkjoiusoa.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: FA: Tigertronics Signalink SL-1+ Ham Radio - Sound Card Interface
Date: Sun, 08 Jun 2008 21:56:04 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <080620082156044516%bob@blkjoiusoa.com>
NNTP-Posting-Host: c-75-67-218-138.hsd1.nh.comcast.net
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1212976564 90816 75.67.218.138 (9 Jun 2008 01:56:04 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 9 Jun 2008 01:56:04 +0000 (UTC)
User-Agent: Thoth/1.8.4 (Carbon/OS X)
Xref: g2news1.google.com alt.ham-radio.marketplace:36
rec.radio.amateur.equipment:158
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320261231731

```
From 3600210111534343120
X-Google-Thread: 108122,bb9fee7d33bbef90
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <ALANBIDDLE70@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Best Place to Purchase equipment?
Organization: AMSAT-NA
Reply-To: ALANBIDDLE70@YAHOO.COM
Message-ID: <a7bq44tg4q3ljrpcl02iidm4ppha8fqsnm@4ax.com>
References: <Xns9AB786AC8D460noemailcom@66.250.146.128>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Host: 493efebaa4afd4e28df6e4fd146bffcc
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1213017801
493efebaa4afd4e28df6e4fd146bffcc (Mon, 09 Jun 2008 13:23:21 GMT)
NNTP-Posting-Date: Mon, 09 Jun 2008 13:23:21 GMT
Date: Mon, 09 Jun 2008 13:23:21 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:159
```

Always a good idea to check out Burghardt:

http://www.burghardt-amateur.com

They are often, but not always, a bit cheaper.

I have bought from them for years with only one minor problem. If they are out of something, or as often the case with MFJ products it is back ordered, they sometimes forget to offer that information if you order on line. Twice, both involving MFJ-owned companies, I have had to ask when the shipping date is, and finding that it may be a few weeks. Or more. I still do business with them, but via the 800 number where I can ask.

```
--
Alan
WA4SCA


From -5144765911413358585
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!w7g2000hsa.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Mon, 9 Jun 2008 06:25:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 34
Message-ID: <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1213017933 4976 127.0.0.1 (9 Jun 2008 13:25:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 9 Jun 2008 13:25:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w7g2000hsa.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:545 rec.radio.amateur.equipment:160
rec.radio.amateur.homebrew:147

On Jun 6, 4:17=A0pm, james <geo...@washington.edu> wrote:
> On Thu, 5 Jun 2008 16:25:44 -0400, "Tio Pedro"
>
> <radioconnect...@cox.net> wrote:
>
> ||"Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
>
> |news:c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com...
> |> VoiceMax is really gaining momentum!
> |> Radio operators all over the world are enjoying the Voicemax
> |> advantage.
> |> Since VoiceMax doesn't use audio "clipping"... your audio is loud AND
> |> clear.
> |> What a concept!
> |>
> |> See what VoiceMax can do for you at
> |>http://www.telstar-electronics.com/voicemax.htm
> |
> |What is the dB advantage of this vs. RF clipping for SSB?
> |
> |
> |---------------------
>
> RF Clipping is superior to audio compression in SSB transmission. RF
> clipping will provide about 6dB improvement over audio compression
> alone.
>
> james
```

James is correct... that the RF clipping technique is somewhat more
effective. What he fails to mention is that it's more complex... and
not easily installed into an existing radio. RF clipping also
exihibits substantially more distortion. The VoiceMax installs
easily... and provides tangible results.

```
From -6678361384520098437
X-Google-Thread: 108122,bb9fee7d33bbef90
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!transit3.readnews.com!
news-out.readnews.com!transit4.readnews.com!panix!panix2.panix.com!arthures
From: A <arthures@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Best Place to Purchase equipment?
Date: Mon, 9 Jun 2008 17:34:18 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 64
Message-ID: <Pine.NEB.4.64.0806091715560.5439@panix2.panix.com>
References: <Xns9AB786AC8D460noemailcom@66.250.146.128>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1213047259 25119 166.84.1.2 (9 Jun 2008 21:34:19 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 9 Jun 2008 21:34:19 +0000 (UTC)
In-Reply-To: <Xns9AB786AC8D460noemailcom@66.250.146.128>
Xref: g2news1.google.com rec.radio.amateur.equipment:161
```

On Sun, 8 Jun 2008, Dave W. wrote:

```
> I'm looking to get more into the hobby.  Probably more on the listening
> side.  I have had a small shortwave radio for years, and love listening to
> broadcasts from around the world.   Where  would be the best resource
```

> online to begin investigating what equipment is out there, and where I can
> learn more?

Ask for catalogs from the major gear makers (eg. Kenwood, Icom, Yeasu). There are SW receivers made by others (I think you need to check other SWL newsgroups, I don't have the names handy, for other makers eg. Eton, Grundig), and you didn't say whether your hobby is for SWLing or hamming.

> Who do you all trust to buy from?? Thanks.

Most people revolve around price and shipping charges as top priority. As far as I'm concerned, there is the hassle factor if trouble comes you way. You need to ask about return priviledges, proceedures, restocking charges ("tax" on you buying something and then finding that it does not work or you don't like it), and if you can find reviews of the equipments somewhere, and also ask for customer satisfaction reports (I think there is a website [someone who knows this, please step forward] where gear is rated by users, and maybe sellers/resellers, too.).

In my experience, the good stores will tell you if you open the box and the device is dead on arival, you bring the whole thing back and they give you another one. If you can do this AND on the second time around, get them to test the gear right there before you take it out of the store, you're doing even better (actually, I bought a transistor radio once and it was dead in the store, they got me a second one and it was dead, too, and then I was asking for my money back and then they showed me a sign on the wall "all sales final" and that means no refund, and they were willing to settle by giving me a more expensive radio for the same price).

You need to think about all this and remember your questions before you say "deal" and fork over the green.

It also helps to come out and ask the salesguy "what is the dirt" on particular units. I've heard that dead-out-of-the-box situations can be as low as 1-2% or as high as 7% or so, worse for real bad cases.

I'll also allege that a rumor I heard is that Yaesu is worse than average on reliability, but I'll leave it to others to give their opinion. If you want to get the dirt on the brands' relibility, then get on google and look for user groups, support groups, private mailing lists, etc.

I would invite anyone else with privy information about rig reliability to come forth with their opinion(s) on this because somewhre down the road, a given sample population of rigs will develop problems. Many of the early solid-state rigs (including the very expensive ones) can't be repaired at all because chips are no longer available. Then, you have to find someone who knows what they are doing and pray. One guy I know bought a lemon rig, and had to send it back three times to get fixed and it was big bucks, and after the third round he gave up and sold it to someone else for parts. If the rig has a CPU and the CMOS battery is user-replaceable, that is good. Or, if that battery goes dead, does your whole rig become unusable or does it default to a usable state on bootup?

Lots of questions, maybe some other guys can add to this?

73

From -7284564746415629457
X-Google-Thread: 108122,973f0d9952df5210
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 18 Jun 2008 09:13:44 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <9a983dea-bdf1-4cac-90ea-c9258cc0d831@a1g2000hsb.googlegroups.com>
<NrWdnQ163dT6kafVnZ2dnUVZ_gqdnZ2d@comcast.com> <6O-
dnYqsV58c5MvVnZ2dnUVZ_sPinZ2d@posted.visi>
Subject: Re: Wanted: Repair Parts for JRC NRD-91 - need tuning control and push buttons . . .
Date: Wed, 18 Jun 2008 09:13:50 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <Bbudnf8MYO6FhcTVnZ2dnUVZ_oTinZ2d@comcast.com>
Lines: 73
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.239.37.56
X-Trace: sv3-SUHw2wLENXXkDHJQRf09u1awPyPjLz9//
H6WkbwJWYnRVuCXp8HoT5GT3haTE1zPI9a5YTQpsDdzEBB!Bid6OVJqg19pIX11hvmLqDSJVwvOid7WO/
UnUqak77LcoHau9W8llsf/UaRpOD1ZJViOcLQjVg2T!cBHHHKpwEstH9LFZB9QMGcsHstcw
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:218

Hi Stan,

It appears that I have the same information that you do. A 64 pulse per revolution unit should do the trick, but I am not sure.

Pete

"Stan Shankman" <stantheman@visi.com> wrote in message
news:6O-dnYqsV58c5MvVnZ2dnUVZ_sPinZ2d@posted.visi...
> Pete,
> Thanks for the reply.

> Knowing the names "Grayhill" and "Oak Grisby" (recently acquired by
> Electroswitch) makes it a lot easier to search eBay for replacement parts.
> I will keep looking.
> I do have a schematic diagram for my NRD-91, but not the parts list. Do
> you have that? If so, would you please check and see what the manufacturer
> has for parts info?
> I am not at all opposed to retrofitting in an optical encoder, but I would
> like to know how many "clicks" to the turn the original has. I may be able
> to remove the lid on mind and use magnification and just count them. Of
> course I need to remove the existing encoder first, so I can take reliable
> physical measurements. I defiantly want to reuse the original know and I
> think it would be nice to have the same number of counts per revolution
> (but who know? Maybe certain modern optical encoders with more or less
> counts per turn would work out to be more desirable.
> So thanks again for what you told me, and I am still looking for that
> conductive epoxy.
> :-)- Stan (K7SJB)
>
>
> "Pete KE9OA" <p.gianako@comcast.net> wrote in message
> news:NrWdnQ163dT6kafVnZ2dnUVZ_gqdnZ2d@comcast.com...
>> What you need is a simple Quadrature shaft encoder, not a gray code
>> encoder. A Grayhill or an Oak Grisby unit will run you about 30 to 40
>> dollars. Nothing special about the one in the JRC unit. I do have an
>> NRD-91 myself...........good receiver.
>> There is a fellow on eBay that has the manual, along with the schematics
>> in PDF form for about 20 dollars with a "Buy it Now" option. I bought one
>> from him a few months back.
>>
>> Pete
>>
>> Pete
>> "Stan (K7SJB)" <stan.shankman@gmail.com> wrote in message
>> news:9a983dea-bdf1-4cac-90ea-c9258cc0d831@a1g2000hsb.googlegroups.com...
>> Wanted repair parts: JRC NRD-91 - need tuning control and push
>> buttons . . .
>>
>> Greetings all,
>>
>> I am in the process of repairing an old JRC NRD-91 shortwave receiver.
>>
>> I found that the digital tuning control is bad.
>>
>> It is a digital "pulser" - I think they call it 2-bit gray code with
>> 50 pulses to the turn. (Not sure about that.)
>> I also need some of the buttons that are used on the front panel.
>>
>> Does anyone have any of these parts? Or, has anyone been successful in
>> retrofitting with a part that I can find.
>> I am going to try and fix the tuning control. It is cracked at the
>> place where the leads leave the unit.
>>
>> I will try to bridge the broken circuit on the control with conductive

```
>> epoxy. I will post back how well that works out. But first, I need to
>> obtain some conductive epoxy.    :-)
>>
>> Thanks all,
>>
>> - Stan Shankman (K7SJB)
>>




From 1945394377237289391
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d45g2000hsc.googlegroups.com!not-for-
mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Mon, 9 Jun 2008 16:53:50 -0700 (PDT)
Organization: http://groups.google.com
Lines: 6
Message-ID: <a409a457-1ce2-44f9-99f7-c7328b8c1d55@d45g2000hsc.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
NNTP-Posting-Host: 97.112.140.28
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213055631 20445 127.0.0.1 (9 Jun 2008 23:53:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 9 Jun 2008 23:53:51 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d45g2000hsc.googlegroups.com; posting-host=97.112.140.28;
     posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.14)
     Gecko/20061201 Firefox/2.0.0.14 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:554 rec.radio.amateur.equipment:162
rec.radio.amateur.homebrew:151

On Jun 9, 7:25 am, Telstar Electronics <briangrif...@sbcglobal.net>
wrote:
> The VoiceMax installs
> easily... and provides tangible results.

Lots of splatter immediately upon installation.
```

From -4630792725141187156
X-Google-Thread: 108122,973f0d9952df5210
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 25 May 2008 20:03:35 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <9a983dea-bdf1-4cac-90ea-c9258cc0d831@a1g2000hsb.googlegroups.com>
Subject: Re: Wanted: Repair Parts for JRC NRD-91 � need tuning control and push
buttons . . .
Date: Sun, 25 May 2008 20:03:35 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
x-mimeole: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <NrWdnQ163dT6kafVnZ2dnUVZ_gqdnZ2d@comcast.com>
Lines: 40
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.239.37.56
X-Trace: sv3-G2bQD+eDnIWKSPdWYvSg/N/
e2Ehsf9eKXUDIZFkOK+tvbdSdQhefmzO5yZxiv+sCmKOYnz90KJvR3R5!N/EaQfpaC77T/
GHVlGob3v7mGlFj6jpeMTQA6+l9z6hX9esXenilmFvQXVHYRT0p09b0Z9LKxYio!
qdVKUKgCy7SLc0k7khYsGW9HgNi0
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:78

What you need is a simple Quadrature shaft encoder, not a gray code encoder.
A Grayhill or an Oak Grisby unit will run you about 30 to 40 dollars.
Nothing special about the one in the JRC unit. I do have an NRD-91
myself...........good receiver.
There is a fellow on eBay that has the manual, along with the schematics in
PDF form for about 20 dollars with a "Buy it Now" option. I bought one from
him a few months back.

Pete

Pete
"Stan (K7SJB)" <stan.shankman@gmail.com> wrote in message
news:9a983dea-bdf1-4cac-90ea-c9258cc0d831@a1g2000hsb.googlegroups.com...
Wanted repair parts: JRC NRD-91 � need tuning control and push
buttons . . .

Greetings all,

I am in the process of repairing an old JRC NRD-91 shortwave receiver.

I found that the digital tuning control is bad.

It is a digital �pulser� � I think they call it 2-bit gray code with
50 pulses to the turn. (Not sure about that.)
I also need some of the buttons that are used on the front panel.

Does anyone have any of these parts? Or, has anyone been successful in
retrofitting with a part that I can find.
I am going to try and fix the tuning control. It is cracked at the
place where the leads leave the unit.

I will try to bridge the broken circuit on the control with conductive
epoxy. I will post back how well that works out. But first, I need to
obtain some conductive epoxy.   :-)

Thanks all,

- Stan Shankman (K7SJB)

```
From 3199167299039826284
X-Google-Thread: 106d41,eaa82000c1ae5607
X-Google-Thread: 108122,eaa82000c1ae5607
X-Google-Thread: fc2a5,eaa82000c1ae5607
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!34g2000hsh.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Speech Processor...
Date: Tue, 10 Jun 2008 04:54:07 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <764dffe2-e6e0-46d4-9031-cd6ba5cf848e@34g2000hsh.googlegroups.com>
References: <c58546f7-aa2a-40eb-91fe-525a3acc53c9@34g2000hsh.googlegroups.com>
     <jZX1k.2010$nD3.912@newsfe15.lga>
<57aj44516jdqbjs8cte07430ojlqg9jsab@4ax.com>
     <86661d25-63a3-4c05-8938-a2beab33a577@w7g2000hsa.googlegroups.com>
     <a409a457-1ce2-44f9-99f7-c7328b8c1d55@d45g2000hsc.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1213098847 18493 127.0.0.1 (10 Jun 2008 11:54:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Jun 2008 11:54:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: 34g2000hsh.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:561 rec.radio.amateur.equipment:163
rec.radio.amateur.homebrew:152

On Jun 9, 6:53=A0pm, cmdr buzz corey <cmdr-buzz-co...@mailcity.com>
wrote:
> On Jun 9, 7:25 am, Telstar Electronics <briangrif...@sbcglobal.net>
> wrote:
>
> > The VoiceMax installs
> > easily... and provides tangible results.
>
> Lots of splatter immediately upon installation.

Actually, if adjusted correctly... no splatter... and 100% constant
modulation.
www.telstar-electronics.com



From -7618150979573194710
X-Google-Thread: 108122,7eab61feaab7d3b6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!2g2000hsn.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Remember the Galaxy Scout Deluxe?
Date: Tue, 10 Jun 2008 07:54:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 24
Message-ID: <26ffde02-61d7-43d1-b3ec-732ab0693cf7@2g2000hsn.googlegroups.com>
References: <119ac3d4-5313-42a5-9908-26eac2d0362e@m45g2000hsb.googlegroups.com>
     <4uol4416jerd92fi8vu020qskbgo226o3g@4ax.com>
<6b1ca35d-0ed1-40b9-8ad6-376c18d46e0f@34g2000hsh.googlegroups.com>
     <086d690d-05e0-4e41-ba4d-c9260717fb84@8g2000hse.googlegroups.com>
     <japn44df76p4g67se0gbt11qsmt4s9qi7b@4ax.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213109669 22067 127.0.0.1 (10 Jun 2008 14:54:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Jun 2008 14:54:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 2g2000hsn.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
```

```
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:164

On Jun 8, 10:02 am, Alan WA4SCA <ALANBIDDL...@YAHOO.COM> wrote:
> Rich,
>
> My first rig was a Globe Scout 680A.  The one in the picture is
> certainly fancier!
>
> BTW, I attended the Palm Desert QCWA meeting in January where they
> presented Leo with his certificate for 80 years as a ham.  His age is
> something like 97.  (It was certificate #34, so hams seem to have good
> longevity.)  Anyway, Leo is still sharp as a tack, though his hearing
> is poor.  Not so bad that he doesn't still get on the air a bit!
>
> --
> Alan
> WA4SCA

Hi Alan;
I think Leo opened up a museum in the city where WRL started.
I love looking thru the old monthly magazines just to lookit the ads,
hi!
Licensed in 1960, I remember most & still run vintage stuff which I am
again trying to set-up here in Paradise(florida), hi!
73.....
Rich WA2RQY/4


From 1209965203272468183
X-Google-Thread: 108122,7eab61feaab7d3b6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r66g2000hsg.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Remember the Galaxy Scout Deluxe?
Date: Tue, 10 Jun 2008 08:02:12 -0700 (PDT)
Organization: http://groups.google.com
Lines: 33
Message-ID: <88e4928b-2641-4665-aa70-cf1c3d459c26@r66g2000hsg.googlegroups.com>
References: <119ac3d4-5313-42a5-9908-26eac2d0362e@m45g2000hsb.googlegroups.com>
     <4uol4416jerd92fi8vu020qskbgo226o3g@4ax.com>
<6b1ca35d-0ed1-40b9-8ad6-376c18d46e0f@34g2000hsh.googlegroups.com>
     <086d690d-05e0-4e41-ba4d-c9260717fb84@8g2000hse.googlegroups.com>
     <japn44df76p4g67se0gbt11qsmt4s9qi7b@4ax.com> <26ffde02-61d7-43d1-
b3ec-732ab0693cf7@2g2000hsn.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213110132 20410 127.0.0.1 (10 Jun 2008 15:02:12 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Jun 2008 15:02:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r66g2000hsg.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:165

On Jun 10, 10:54 am, wa2rqy <rlucch2...@aol.com> wrote:
> On Jun 8, 10:02 am, Alan WA4SCA <ALANBIDDL...@YAHOO.COM> wrote:
>
> > Rich,
>
> > My first rig was a Globe Scout 680A.  The one in the picture is
> > certainly fancier!
>
> > BTW, I attended the Palm Desert QCWA meeting in January where they
> > presented Leo with his certificate for 80 years as a ham.  His age is
> > something like 97.  (It was certificate #34, so hams seem to have good
> > longevity.)  Anyway, Leo is still sharp as a tack, though his hearing
> > is poor.  Not so bad that he doesn't still get on the air a bit!
>
> > --
> > Alan
> > WA4SCA
>
> Hi Alan;
> I think Leo opened up a museum in the city where WRL started.
> I love looking thru the old monthly magazines just to lookit the ads,
> hi!
> Licensed in 1960, I remember most & still run vintage stuff which I am
> again trying to set-up here in Paradise(florida), hi!
> 73.....
> Rich WA2RQY/4

Here is a Nice site>
http://amfone.net/Tech/wrl/PhotoAlbum.htm

The Museum was called the Western Heritage Museum but I cannot find
it. Seems there are more then one museum with that name:-)
Rich WA2RQY/4


From 3130505355693467198
X-Google-Thread: 1109af,699cca9e5fea5ed3
X-Google-Thread: 108122,699cca9e5fea5ed3
X-Google-Thread: 108228,699cca9e5fea5ed3
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!8g2000hse.googlegroups.com!not-for-
mail
```

```
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: FA: Drake L-4B linear amplifier with L-4PS power supply
Date: Tue, 10 Jun 2008 08:03:43 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <3ebacace-d1ac-4afe-88ed-d060ce790286@8g2000hse.googlegroups.com>
References: <d73d17a7dd04a78fa83f325c7d700345@msgid.frell.theremailer.net>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1213110223 23845 127.0.0.1 (10 Jun 2008 15:03:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Jun 2008 15:03:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 8g2000hse.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:167 rec.radio.amateur.equipment:166
alt.ham-radio.marketplace:38

On Jun 6, 5:46 am, Ted
<fr...@spamexpire-200806.rodent.frell.theremailer.net> wrote:
> http://easyurl.net/DrakeL4B

Wow, I never thought they were worth that much but they are a great
amplifier & still have one:-)
Rich


From -3238499054979276747
X-Google-Thread: 108122,d2c7831e645f56e2,start
X-Google-Thread: 1109af,d2c7831e645f56e2,start
X-Google-Thread: 11480d,d2c7831e645f56e2,start
X-Google-Attributes: gid108122,gid1109af,gid11480d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KC8QJP" <KC8QJP@invalid.invalid>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.dx
Subject: FATBOY 900 watt Hi drive Linear Amplifier AM/FM NEW !
Date: Wed, 18 Jun 2008 16:17:47 -0400
Lines: 18
Organization: crisco in the can
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
NNTP-Posting-Host: $$-iwcqiimoj7q-.news.x-privat.org
Message-ID: <48596d73@news.x-privat.org>
X-Complaints-To: abuse@x-privat.org
```

Path: g2news1.google.com!news3.google.com!news4.google.com!feeder1-2.proxad.net!
proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!
feeder.news.tin.it!194.177.97.95.MISMATCH!x-privat.org!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:219 rec.radio.swap:205
rec.radio.amateur.dx:36

http://cgi.ebay.com/FATBOY-900-watt-Hi-drive-Linear-Amplifier-AM-FM-NEW_W0QQitemZ110261082969QQihZ001QQcategoryZ48700QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

Simply The Best !

Look inside any amp on the market

You WILL NOT find a cleaner, more organized box then a FATBOY !!

Precision engineering , Hands down !!

No variable with this amp. picture shows variable pot, But it is NOT with this unit.

If you want less power, turn your radio rf power down, or mic gain down.

From 2411433441655835364
X-Google-Thread: 108122,a4252409ba473214,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.posted.mediaglitch!
news.posted.mediaglitch.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 27 May 2008 15:41:32 -0500
From: "w9nto" <w9nto@netzero.com>
Newsgroups: rec.radio.amateur.equipment
Organization: www.talkaboutradio.com
X-Newsreader: www.talkaboutradio.com
X-Problems-To: info at talkaboutnetwork.com
X-Posted-By: USERID-114234
Subject: la6tja
Date: Tue, 27 May 2008 15:09:24 -0500
Content-Type: text/plain;
Message-ID: <ce609868daab5be5f33ada10aa20dbd2@localhost.talkaboutradio.com>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.125.99.146
X-Trace: sv3-
Fx5ow0vw9urI2LBn3Lhb5tvPZIXKN+iGx4n+LjnqkLNz2bl6EHFvha0NYVqBGfFFOfpxzA9ACWrjH6l!
JT9HhtaDAlaOqnnDFyaZ5KISyC76TVY9MnjCLy1BM33wym9Tn2H4E7u6054ogxcr326R6N+X5IBx!
BAjfVouLAC6JdVYa9N7EumN/9UfOhZTHfpI=

X-Complaints-To: infoattalkaboutnetwork.com replace at with @
X-DMCA-Complaints-To: infoattalkaboutnetwork.com replace at with @
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.38
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:80

i need his email address,any help?

--
Message posted using http://www.talkaboutradio.com/group/rec.radio.amateur.equipment/
More information at http://www.talkaboutradio.com/faq.html

From -3660795622922535526
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Wed, 28 May 2008 13:35:06 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 23
Message-ID: <g1k54a$1834$1@f04n12.cac.psu.edu>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1211996106 41060 128.118.40.78 (28 May 2008 17:35:06 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Wed, 28 May 2008 17:35:06 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:81

Middle Aged Ham wrote:
>
>   Why are almost all the new HF ham radios so ugly? HF Ham radios use
> to be a thing of beauty, but now most of them are butt ugly!

Radios will always go into different phases of how they "look. And it's
all in the eyes of the beerholder anyhow.

I just love the look of my IC-761. 50 or so pounds of real man's radio with a BIG freaking knob on it. Booyeah! I also do like the looks of the TS-480. I own one, and it looks and performs just fine.

What's your idea of a good looking radio, or do you just post about what you don't like?

OTOH, I know I'm spouting heresy here, but I don't like the way Collins radios, or HRO's or the old Johnson's look.

The neat thing is if we don't like the way radio's look, we don't have to buy those ones.

- 73 de Mike N3LI -

```
From 2271963246235416364
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Wed, 28 May 2008 16:00:50 -0700
Lines: 8
Message-ID: <g1ko71$p6m$1@snarked.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-118-49-180.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1212015649 25814 71.118.49.180 (28 May 2008 23:00:49 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Wed, 28 May 2008 23:00:49 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:82
X-Original-Bytes: 1237
```

"Middle Aged Ham" <Middle-Timer.44444444446454554@hotmail.com> wrote in message news:o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com...

> Why are almost all the new HF ham radios so ugly? HF Ham radios use
> to be a thing of beauty, but now most of them are butt ugly!

Because amateur radio operators who call themselves "hams" are ugly.

```
From 4789315348641672507
```

```
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!auth.news-1.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
From: Bert Hyman <bert@iphouse.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org>
Organization: Not so you'd notice
Message-ID: <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
User-Agent: Xnews/2006.08.24
Date: 29 May 2008 12:54:03 GMT
Lines: 17
NNTP-Posting-Date: 29 May 2008 07:54:03 CDT
NNTP-Posting-Host: 66088393.auth.newsreader.iphouse.com
X-Trace:
DXC=N=PSG;DCeLch3>5K4Xh:Nne=fFUe;FGEiFbE0<hKBJTojM<Dgo=TX;oD1kiRiW\QFdZgRhQGSTe:nh
6Q1TR0cFnfSm]9NbUV4Qg^9UG:bhkB6h
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:83

spam@bde-arc.ampr.org (D. Stussy) wrote in
news:g1ko71$p6m$1@snarked.org:

> "Middle Aged Ham" <Middle-Timer.44444444446454554@hotmail.com> wrote
> in message news:o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com...
>>   Why are almost all the new HF ham radios so ugly?  HF Ham radios
>>   use
>> to be a thing of beauty, but now most of them are butt ugly!
>
> Because amateur radio operators who call themselves "hams" are ugly.

You have a problem with the term "ham" in this context?

Please elaborate.

--
Bert Hyman | St. Paul, MN | bert@iphouse.com


From -7121640923215434904
X-Google-Thread: 108122,9686f7688dc1c1be
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 29 May 2008 09:04:19 -0500
From: usoowsin9 <usoowsin9.2846d27@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: PSE NO EQSL BLOG ACTION FROM ITALY
```

```
Date: Thu, 29 May 2008 10:55:59 +0100
Message-ID: <usoowsin9.2846d27@radiobanter.com>
Organization: RadioBanter.com
References:  <e596310c-1f8c-4c0a-a71c-b3943a9114c4@a1g2000hsb.googlegroups.com>
<gprunescaper.27d2cf7@radiobanter.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-1LfSZa1TFM1GgCI4YBPjKW6KaG/
YVcSByJzPWi6a1pH+ykZszlwZfX1zj2WArGSwzKoWy48Ou5DB9zN!
XxgA6Vom7b+Nx+qggsYEnnbePKoho8pvcgFFLGPnMI7XwUfd3EesuS9zICJIp2/wQmyY+SWd4yKU!
Qc4JDVY=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:84
```

Time to get DISH Network?Now is the time to order DISH Network.How do I order DISH Network fast and easy?Best Channels? Best Price? DISH NetworkThe best in TV entertainment? DISH NetworkHow does DISH Network offer so much?Ordering DISH Network, fast and easy.DISH Network - the best in television entertainmentAre you ready for DISH Network?DISH Network. Do you have yours?http://www.topdishnetwork.com

```
--
usoowsin9
```

```
From -3599016370610863395
X-Google-Thread: fc8b1,cb8e7554947a1fa
X-Google-Thread: 108228,cb8e7554947a1fa
X-Google-Thread: fc2a5,4c40e06a88e8ff2a,start
X-Google-Thread: 108122,4c40e06a88e8ff2a,start
X-Google-Attributes: gidfc8b1,gid108228,gidfc2a5,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!arthures
From: A <arthures@panix.com>
Newsgroups: rec.radio.amateur.boatanchors,alt.ham-
radio.marketplace,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Available: 6146s
Date: Thu, 29 May 2008 19:29:15 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 20
Message-ID: <Pine.NEB.4.64.0805291921310.11481@panix2.panix.com>
```

References: <0ba7a171-c56f-4d08-bfea-3b4b08171ade@c19g2000prf.googlegroups.com>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1212103756 23807 166.84.1.2 (29 May 2008 23:29:16 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 29 May 2008 23:29:16 +0000 (UTC)
In-Reply-To: <0ba7a171-c56f-4d08-bfea-3b4b08171ade@c19g2000prf.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.boatanchors:222 alt.ham-radio.marketplace:15 rec.radio.amateur.homebrew:92 rec.radio.amateur.equipment:85

I have a number of 6146s that I know I'll never use in the future and
would like to sell them to someone who will, or wants spares.

All used, many known to be good from prior use or users. Couple in
original boxes. Might be one 6146a, one 6146w. If this is important, let
me know.

$3.00 money order per each, plus postage (USPS).

$2.50 each for all to one buyer.

Respond to the given email address associated with this post (its live but
has spam assasin set up so don't talk too much commercialism or it might
get bombed to /dev/null). If I don't respond in a day, then make a post
responding to this and give your munged email address and I'll get back
to you.

Art

From 869924153144257326
X-Google-Thread: 108122,f70ecf5c80d8c8d6,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i18g2000prn.googlegroups.com!not-for-mail
From: archiduque <ilubay@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: diagrama
Date: Thu, 29 May 2008 18:47:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 2
Message-ID: <ceadf569-5308-4ee1-aaea-44aa6a194446@i18g2000prn.googlegroups.com>
NNTP-Posting-Host: 189.188.1.89
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212112048 23677 127.0.0.1 (30 May 2008 01:47:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 30 May 2008 01:47:28 +0000 (UTC)

Complaints-To: groups-abuse@google.com
Injection-Info: i18g2000prn.googlegroups.com; posting-host=189.188.1.89;
posting-account=4EgUKgoAAADQhc_0_XdSVpaK--2bkAMY
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727; WinuE v6; WinuE v6),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:86

i need squematic diagram for power supply pramid phaseIII 50
AMPS,,model PS50, can anyone lp me please, thanks a lot, sergio

From 6354347230512686610
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!news.linkpendium.com!
news.linkpendium.com!news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Thu, 29 May 2008 19:01:20 -0700
Lines: 40
Message-ID: <g1nn5i$jbp$1@snarked.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-118-49-180.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1212112883 19833 71.118.49.180 (30 May 2008 02:01:23 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Fri, 30 May 2008 02:01:23 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:87

"Bert Hyman" <bert@iphouse.com> wrote in message
news:Xns9AAD505F1F56CVeebleFetzer@127.0.0.1...
> spam@bde-arc.ampr.org (D. Stussy) wrote in
> news:g1ko71$p6m$1@snarked.org:
> > "Middle Aged Ham" <Middle-Timer.44444444446454554@hotmail.com> wrote
> > in message news:o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com...
> >>   Why are almost all the new HF ham radios so ugly? HF Ham radios
> >>   use
> >> to be a thing of beauty, but now most of them are butt ugly!
> >
> > Because amateur radio operators who call themselves "hams" are ugly.
>
> You have a problem with the term "ham" in this context?
>
> Please elaborate.

It is well known that "ham" is a derrogatory term meaning unprofessional (cf. "Mickey Mouse"). It comes from the definition of the word (as a verb) which means to excessively overexaggerate. Obviously, I'm not referring to the other meanings: Cuts of meat, or the given name of one of Noah's sons.

Granted that literally, amateur operators must serve without compensation for their services (and thus not reach "professional" status - i.e. paid), the derrogatory meaning doesn't source from that part of the definition. One dictionary (Random House) went further and listed an origin: "Short for 'hamfatter' - from 'The Hamfat Man', a negro minstrel song celebrating an awkward man." Awkward in the 18th Century and earlier is a nice way of what today we would call retarded. The definition came through the years to us today via theater, where "ham" was first applied to unprofessional and unconvincing actors on account of their exaggeration of expression - i.e. "they can't act."

So, basically, calling someone a "ham" is the same as calling them a retard at worst, and at best, acknowledging their irrelevant self-importance in thinking that they know what they're doing (whether they do or not).

--
You asked.

```
From 4476531630235537058
X-Google-Thread: 108228,6191e6f7c1215dd3,start
X-Google-Thread: 1109af,6191e6f7c1215dd3,start
X-Google-Thread: 108122,6191e6f7c1215dd3,start
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
DomainKey-Signature: a=rsa-sha1; q=dns; c=nofws; s=N1-0105; d=Safe-mail.net;
     b=K7tdV21bnv3uk2GUe0/F8BWbZRuMR8j71k/6nEcW2nhLTP57ypYmbGEz+DyAqb5P
     JVnX3ROmNmuykq8JlGbJgDDy806eA3LEErn3KBhaw1yLJbVAaBRGzUvA3yrDVQQ0
     1ZLe0gyk6mIdY6x/kKXFGimVGDEO0bheteEJxpe4T08=;
Subject: FA: Hallicrafters SX-115 receiver
Date: Fri, 30 May 2008 08:47:41 -0400
From: Ted <vgtmx@safe-mail.net>
X-SMType: Regular
X-SMRef: N1-KyETHj51Hu
Message-Id: <N1-KyETHj51Hu@Safe-mail.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-SMSignature: wn1lesDXyapPYOX1d758ldUb73uVEx9D0a2UvjL+ezdVTuU7eW/5xYsZmmKqITUQ
     5Cm6qFdy9N7Lqfh4fQZ2rUPS4VEulsJvbkflRSU3fsDmXs4XCKAsYC0MF7cOL7CP
     z3WG/YvmNXGKDHLckfiy9do74Ugapi32YuQAeArjp98=
Newsgroups: alt.ham-radio.marketplace, rec.radio.swap,
     rec.radio.amateur.equipment
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!news2.arglkargh.de!news.bananasplit.info!mail2news.mixmin.net
X-Abuse-Contact: abuse@mixmin.net
```

Xref: g2news1.google.com alt.ham-radio.marketplace:16 rec.radio.swap:115 rec.radio.amateur.equipment:88

http://easyurl.net/HallicraftersSX115

From -1940929842O9837643
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Fri, 30 May 2008 14:04:18 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 42
Message-ID: <g1pfj3$oua$1@f04n12.cac.psu.edu>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1212170659 25546 128.118.40.78 (30 May 2008 18:04:19 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Fri, 30 May 2008 18:04:19 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <g1nn5i$jbp$1@snarked.org>
Xref: g2news1.google.com rec.radio.amateur.equipment:89

D. Stussy wrote:
>
> So, basically, calling someone a "ham" is the same as calling them a retard
> at worst, and at best, acknowledging their irrelevant self-importance in
> thinking that they know what they're doing (whether they do or not).

I are a Ham!

Your interpretation of Ham is fine for you, but by no means universal.

Allow a similar case.

Navy Seal's are proud to call themselves Seals, but when some people think of seals, they think of the circus clown animals. Yet the Navy Seals are some of the roughest toughest guys around. If I were a seal, I'd be proud to be called one

I'm a Ham, I'm pleased as punch to be called a Ham.

It isn't a bad actor
It isn't a Piece of pork.

It is a licensed radio amateur.

While we are at it, there are those who find the term "Amateur"
demeaning, as if it is sub par relative of a radio professional. Or that
what we do is Amateurish. Amateur and Amateurish are two completely
different things, although apparently not to some.

How about a new reference name for the service

So what do *you* want to be called?

As for me, I am a Ham, and happy to be called one.

- 73 de Mike N3LI -

```
From -5724643078876973872
X-Google-Thread: 108228,6191e6f7c1215dd3
X-Google-Thread: 1109af,6191e6f7c1215dd3
X-Google-Thread: 108122,6191e6f7c1215dd3
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i76g2000hsf.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FA: Hallicrafters SX-115 receiver
Date: Fri, 30 May 2008 18:59:21 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <61485d79-3834-45d8-83e5-8ce762e744a6@i76g2000hsf.googlegroups.com>
References: <N1-KyETHj51Hu@Safe-mail.net>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212199161 11447 127.0.0.1 (31 May 2008 01:59:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 31 May 2008 01:59:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i76g2000hsf.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.marketplace:17 rec.radio.swap:124
rec.radio.amateur.equipment:90

On May 30, 8:47 am, Ted <vg...@safe-mail.net> wrote:
> http://easyurl.net/HallicraftersSX115

I don't know about "Rare, Rare" but it sure does look nice:-)
GL......
Rich
PS- I wish I had kept mine!



From -1526014637271607457
X-Google-Thread: fb049,ad4a878d398da36f
X-Google-Thread: 108122,ad4a878d398da36f
X-Google-Thread: 1109af,ad4a878d398da36f
X-Google-Attributes: gidfb049,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
34g2000hsf.googlegroups.com!not-for-mail
From: csigmoid@yahoo.com.sg
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: COOKIE BUILT CV350RS LINEAR BASE AMPLIFIER
Date: Fri, 30 May 2008 19:19:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <d92944f2-1467-4085-9688-e22d7bdc9194@34g2000hsf.googlegroups.com>
References: <48398a0a@news.x-privat.org>
NNTP-Posting-Host: 72.240.220.123
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1212200362 24356 127.0.0.1 (31 May 2008 02:19:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 31 May 2008 02:19:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000hsf.googlegroups.com; posting-host=72.240.220.123;
     posting-account=OktKAQoAAAC7j4bCtIoPkBopUOgfu2MK
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x 4.90;
     .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:62 rec.radio.amateur.equipment:91
rec.radio.swap:125

On May 25, 11:47=A0am, "KC8QJP" <KC8...@invalid.invalid> wrote:
> Unit has dual toshiba 1446's. my radio has a .5 watt dead key and the amp
> swings around 175-200 on am with the variable between 1/2 to 3/4 the way u=
p.
> max input is a 4 watt dead key. sure it can swing more but my radio likes =
it
> a little lower. it has seen over 300 on sideband. sorry the preamp doesn't=
```

> work, but i never cared for the extra noise anyway-
>
> http://cgi.ebay.com/COOKIE-BUILT-CV350RS-LINEAR-BASE-AMPLIFIER_W0QQit...

forged

From -1332510677512868679
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!news.linkpendium.com!news.linkpendium.com!
news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Fri, 30 May 2008 19:24:41 -0700
Lines: 53
Message-ID: <g1qct3$mb3$1@snarked.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-118-49-180.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1212200675 22883 71.118.49.180 (31 May 2008 02:24:35 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Sat, 31 May 2008 02:24:35 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:92

"Michael Coslo" <mjc5@psu.edu> wrote in message
news:g1pfj3$oua$1@f04n12.cac.psu.edu...
> D. Stussy wrote:
> > So, basically, calling someone a "ham" is the same as calling them a
retard
> > at worst, and at best, acknowledging their irrelevant self-importance in
> > thinking that they know what they're doing (whether they do or not).
>
>
> I are a Ham!
>
>
> Your interpretation of Ham is fine for you, but by no means universal.
>
> Allow a similar case.
>
> Navy Seal's are proud to call themselves Seals, but when some people
> think of seals, they think of the circus clown animals. Yet the Navy

> Seals are some of the roughest toughest guys around. If I were a seal,
> I'd be proud to be called one

That is the adoption of a mascot. Not quite the same thing.

> I'm a Ham, I'm pleased as punch to be called a Ham.
>
> It isn't a bad actor
> It isn't a Piece of pork.

Considering that many "hams" are grossly overweight (at least in my
geographic area), are you certain?

> It is a licensed radio amateur.
>
>
> While we are at it, there are those who find the term "Amateur"
> demeaning, as if it is sub par relative of a radio professional. Or that
> what we do is Amateurish. Amateur and Amateurish are two completely
> different things, although apparently not to some.

Amateur doesn't have the bad connotation (or as bad) as ham does.

> How about a new reference name for the service
>
>
> So what do *you* want to be called?
>
> As for me, I am a Ham, and happy to be called one.
>
> - 73 de Mike N3LI -

Your choice - as long as you recognize the other meanings....

From -4446800375829397744
X-Google-Thread: 108228,6191e6f7c1215dd3
X-Google-Thread: 1109af,6191e6f7c1215dd3
X-Google-Thread: 108122,6191e6f7c1215dd3
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!core-easynews!easynews.com!easynews!en-nntp-05.dc1.easynews.com.POSTED!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FA: Hallicrafters SX-115 receiver
Reply-To: pltrgyst@spamlessxhost.org
Message-ID: <i0h1445it7bpkq96oiojls6mkom1nvs5f4@4ax.com>
References: <N1-KyETHj51Hu@Safe-mail.net>
<61485d79-3834-45d8-83e5-8ce762e744a6@i76g2000hsf.googlegroups.com>

```
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc.  http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 30 May 2008 23:21:15 -0400
Xref: g2news1.google.com alt.ham-radio.marketplace:18 rec.radio.swap:126
rec.radio.amateur.equipment:93

On Fri, 30 May 2008 18:59:21 -0700 (PDT), wa2rqy <rlucch2098@aol.com> wrote:

>On May 30, 8:47 am, Ted <vg...@safe-mail.net> wrote:
>> http://easyurl.net/HallicraftersSX115
>
>I don't know about "Rare, Rare" but it sure does look nice:-)
>GL......
>Rich
>PS- I wish I had kept mine!

Me too. Best receiver I ever owned.

-- Larry (wa2qcm)


From -3648239289749527031
X-Google-Thread: 108122,8b282441f4049b63,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
j22g2000hsf.googlegroups.com!not-for-mail
From: kz3dx@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: SGC SG-2020 ADSP2 TRANSCEIVER - FREE SHIPPING
Date: Sat, 31 May 2008 08:07:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 32
Message-ID: <b0974089-c300-466d-a5b9-fbf2bcdd19c0@j22g2000hsf.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212246441 28486 127.0.0.1 (31 May 2008 15:07:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 31 May 2008 15:07:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j22g2000hsf.googlegroups.com; posting-host=66.177.6.190;
     posting-account=45XJAgoAAAA05yZfLd6955vg-czIX97d
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
```

Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:94

This is a very nice, like new SG-2020 HF transceiver with factory installed ADSP2.

It has CONTINUOUS transmit and receive coverage from 1.8 MHz to 30 MHz.

SSB and CW.

Adjustable power from 1 to 20 watts.

It comes with the protective rubber face liner. The SO-239 coax connector and the power plug are mounted on the chassis (Not on pigtails).

Comes with the Mini-Manual, mic and power cord. Like most of the 2020s this will drift a little when you first turn it on.

This unit has never been mobile. This rig is in Like new condition. There are a couple pin point paint chips on one side, but other then that, I don't think there is a scratch on it.

I am asking $535 with free shipping to the lower 48 states.

I will Guarantee the rig not to be DOA.

I will ship this Worldwide.

If you have any questions, please email me at: kz3dx@yahoo.com

Thanks,

Bill

From 7761659114978806341
X-Google-Thread: 108228,6191e6f7c1215dd3
X-Google-Thread: 1109af,6191e6f7c1215dd3
X-Google-Thread: 108122,6191e6f7c1215dd3
X-Google-Attributes: gid108228,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l64g2000hse.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FA: Hallicrafters SX-115 receiver
Date: Sat, 31 May 2008 18:54:15 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <1f1017d7-abcf-4aac-8012-feb14f015cbb@l64g2000hse.googlegroups.com>
References: <N1-KyETHj51Hu@Safe-mail.net>

```
<61485d79-3834-45d8-83e5-8ce762e744a6@i76g2000hsf.googlegroups.com>
     <i0h1445it7bpkq96oiojls6mkom1nvs5f4@4ax.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212285256 26130 127.0.0.1 (1 Jun 2008 01:54:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 1 Jun 2008 01:54:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l64g2000hse.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.marketplace:21 rec.radio.swap:133
rec.radio.amateur.equipment:96

On May 30, 11:21 pm, pltrgyst <pltrg...@spamlessxhost.org> wrote:
> On Fri, 30 May 2008 18:59:21 -0700 (PDT), wa2rqy <rlucch2...@aol.com> wrote:
> >On May 30, 8:47 am, Ted <vg...@safe-mail.net> wrote:
> >>http://easyurl.net/HallicraftersSX115
>
> >I don't know about "Rare, Rare" but it sure does look nice:-)
> >GL......
> >Rich
> >PS- I wish I had kept mine!
>
> Me too. Best receiver I ever owned.
>
> -- Larry (wa2qcm)

Yup Larry, they are nice recvrs.
I've had 2-3 over the years but at a time when most you cud get was
$300-$400 each(not that long ago either, hi!)
The Collins 75A-4 still runs rings around it IMHO.
I've got 3 of these still:-)
Rich WA2RQY/4



From -1154672221006220l2
X-Google-Thread: 108122,6e7c005fb33bf742,start
X-Google-Thread: 107ada,6e7c005fb33bf742,start
X-Google-Attributes: gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!
roadrunner.com!not-for-mail
From: "Fred Zimring" <w5htr@yahoo.com>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: FT-920 For Sale
Date: Sun, 1 Jun 2008 11:05:36 -0500
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 10
Message-ID: <4842c92c$0$3359$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 66.25.21.60
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:97 rec.radio.amateur.misc:152

I have a Yaesu FT-920 with the AM and CW filters installed for sale. I have owned the radio for about 10 years and am a non-smoker. It is in really nice condition and is currently on the air. Asking $875.

If you are interested, please either contact me via email at w5htr@yahoo.com or 'phone me at 972-231-7511.

Thanks, Fred Z.

From 39121692906564869
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org>
Subject: Re: What are almost all the new ham radios ugly?
Lines: 68
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <a9C0k.9059$vP5.2505@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcboicijofjcaoocckfeapcmoeddabenigfhif
eckepfagppmljibjkgebffbfaiiibjohbhljkoaljgpnjcakgjjbkfalpcpoocdpjdffkndkaaabno
NNTP-Posting-Date: Sun, 01 Jun 2008 14:47:34 EDT
Organization: BellSouth Internet Group
Date: Sun, 1 Jun 2008 14:48:21 -0400

Xref: g2news1.google.com rec.radio.amateur.equipment:98

"D. Stussy" <spam@bde-arc.ampr.org> wrote in message
news:g1qct3$mb3$1@snarked.org...
> "Michael Coslo" <mjc5@psu.edu> wrote in message
> news:g1pfj3$oua$1@f04n12.cac.psu.edu...
>> D. Stussy wrote:
>> > So, basically, calling someone a "ham" is the same as calling them a
> retard
>> > at worst, and at best, acknowledging their irrelevant self-importance
>> > in
>> > thinking that they know what they're doing (whether they do or not).
>>
>>
>> I are a Ham!
>>
>>
>> Your interpretation of Ham is fine for you, but by no means universal.
>>
>> Allow a similar case.
>>
>> Navy Seal's are proud to call themselves Seals, but when some people
>> think of seals, they think of the circus clown animals. Yet the Navy
>> Seals are some of the roughest toughest guys around. If I were a seal,
>> I'd be proud to be called one
>
> That is the adoption of a mascot. Not quite the same thing.
>
>> I'm a Ham, I'm pleased as punch to be called a Ham.
>>
>> It isn't a bad actor
>> It isn't a Piece of pork.
>
> Considering that many "hams" are grossly overweight (at least in my
> geographic area), are you certain?
>
>> It is a licensed radio amateur.
>>
>>
>> While we are at it, there are those who find the term "Amateur"
>> demeaning, as if it is sub par relative of a radio professional. Or that
>> what we do is Amateurish. Amateur and Amateurish are two completely
>> different things, although apparently not to some.
>
> Amateur doesn't have the bad connotation (or as bad) as ham does.
>
>> How about a new reference name for the service
>>
>>
>> So what do *you* want to be called?
>>
>> As for me, I am a Ham, and happy to be called one.

>>
>> - 73 de Mike N3LI -
>
> Your choice - as long as you recognize the other meanings....

I'd just as soon not be known at all. I love obscurity. I like to keep it that way in the neighborhood too. My antennas are mostly clandestine in appearance.

Besides, I don't base my self esteem upon what others think of me. At least not when I'm taking my meds.

Ed, NM2K

```
From 7489128721480532312
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
From: Bert Hyman <bert@iphouse.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org>
Organization: Not that you'd notice
Message-ID: <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 02 Jun 2008 13:44:56 GMT
Lines: 11
NNTP-Posting-Date: 02 Jun 2008 08:44:56 CDT
NNTP-Posting-Host: 9feb562c.newsreader.iphouse.net
X-Trace:
DXC=oAi3_4CPK\:YCMh3`jc]a8Vn\Tj8`^Bb;eHS>e[L>830X`ZT75GBa1<c230oU7d711X7@2h;nGb4=S
?1cIge6al4
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:99
```

In news:g1qct3$mb3$1@snarked.org "D. Stussy" <spam@bde-arc.ampr.org> wrote:

> Considering that many "hams" are grossly overweight (at least in my
> geographic area), are you certain?

It's pretty clear that you've picked the wrong hobby.

Good luck.

```
--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From 4823529621636771580
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.aset.psu.edu!not-
for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Mon, 02 Jun 2008 12:33:16 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 67
Message-ID: <g217cc$1jqm$1@f04n12.cac.psu.edu>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1212424396 53078 128.118.40.78 (2 Jun 2008 16:33:16
GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Mon, 2 Jun 2008 16:33:16 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <g1qct3$mb3$1@snarked.org>
Xref: g2news1.google.com rec.radio.amateur.equipment:100

D. Stussy wrote:
> "Michael Coslo" <mjc5@psu.edu> wrote in message
> news:g1pfj3$oua$1@f04n12.cac.psu.edu...
>> D. Stussy wrote:
>>> So, basically, calling someone a "ham" is the same as calling them a
> retard
>>> at worst, and at best, acknowledging their irrelevant self-importance in
>>> thinking that they know what they're doing (whether they do or not).
>>
>> I are a Ham!
>>
>>
>> Your interpretation of Ham is fine for you, but by no means universal.
>>
>> Allow a similar case.
>>
>> Navy Seal's are proud to call themselves Seals, but when some people
>> think of seals, they think of the circus clown animals. Yet the Navy
>> Seals are some of the roughest toughest guys around. If I were a seal,
```

>> I'd be proud to be called one
>
> That is the adoption of a mascot. Not quite the same thing.
>
>> I'm a Ham, I'm pleased as punch to be called a Ham.
>>
>> It isn't a bad actor
>> It isn't a Piece of pork.
>
> Considering that many "hams" are grossly overweight (at least in my
> geographic area), are you certain?

Lots of people are overweight. something like 60 percent of Americans
are. Interesting logic BTW. We're called Hams, not Pigs. And I'd rather
have an overweight Ham sitting beside me than a condescending one.

>> It is a licensed radio amateur.
>>
>>
>> While we are at it, there are those who find the term "Amateur"
>> demeaning, as if it is sub par relative of a radio professional. Or that
>> what we do is Amateurish. Amateur and Amateurish are two completely
>> different things, although apparently not to some.
>
> Amateur doesn't have the bad connotation (or as bad) as ham does.

Respectfully disagree. I've seen postings and have had many hams tell me
they consider the term amateur condescending. Even seen at least one QST
  mail that said that.

>> How about a new reference name for the service
>>
>>
>> So what do *you* want to be called?
>>
>> As for me, I am a Ham, and happy to be called one.
>>
>> - 73 de Mike N3LI -
>
> Your choice - as long as you recognize the other meanings....

Yup.

- 73 de Mike N3LI -

From -8587144658434721680
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Mon, 02 Jun 2008 12:37:07 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 18
Message-ID: <g217jj$17mc$1@f04n12.cac.psu.edu>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1212424627 40652 128.118.40.78 (2 Jun 2008 16:37:07 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Mon, 2 Jun 2008 16:37:07 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
Xref: g2news1.google.com rec.radio.amateur.equipment:101

Bert Hyman wrote:
> In news:g1qct3$mb3$1@snarked.org "D. Stussy" <spam@bde-arc.ampr.org> wrote:
>
>> Considering that many "hams" are grossly overweight (at least in my
>> geographic area), are you certain?
>
> It's pretty clear that you've picked the wrong hobby.

Maybe not. Could be similar to the Hamsexy stuff. Some folks just have insecurities that they have to feed, so they spend their time trying to make their brethern look bad.

Didn't see the Hamsexy folk at Dayton this year. Ya know, they looked just like any other Hams there, I was expecting kewl folk, but no, they were just like the rest of us....

- 73 de Mike N3LI -

From 5669146253390705691
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!t12g2000prg.googlegroups.com!not-for-mail
From: jangus@socal.rr.com

Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Mon, 2 Jun 2008 17:46:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 17
Message-ID: <2b1a322d-df4c-4b1b-9428-108725c88585@t12g2000prg.googlegroups.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org>
     <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1> <g1nn5i$jbp$1@snarked.org>
NNTP-Posting-Host: 64.183.19.52
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1212453990 16491 127.0.0.1 (3 Jun 2008 00:46:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Jun 2008 00:46:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t12g2000prg.googlegroups.com; posting-host=64.183.19.52;
     posting-account=TblaDQoAAABNGSdSla2TH9WULx46vEyc
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:102

On May 29, 6:01 pm, "D. Stussy" <s...@bde-arc.ampr.org> wrote:
> So, basically, calling someone a "ham" is the same as calling them a retard
> at worst, and at best, acknowledging their irrelevant self-importance in
> thinking that they know what they're doing (whether they do or not).
>
> --
> You asked.

Where DO you get your information from?

Try this on for size before you make a rant like this again.

http://www.arrl.org/whyham.html

Jeff

From -3053203653122922707
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.acm.uiuc.edu!
news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Tue, 3 Jun 2008 11:15:42 -0400

```
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 27
Sender: et472@72.0.192.100
Message-ID: <Pine.LNX.4.64.0806031114090.30366@darkstar.example.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org>
  <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1> <g1nn5i$jbp$1@snarked.org>
 <2b1a322d-df4c-4b1b-9428-108725c88585@t12g2000prg.googlegroups.com>
NNTP-Posting-Host: 72.0.192.100
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1212506398 22038 72.0.192.100 (3 Jun 2008 15:19:58 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 3 Jun 2008 15:19:58 GMT
In-Reply-To: <2b1a322d-df4c-4b1b-9428-108725c88585@t12g2000prg.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:103

On Mon, 2 Jun 2008, jangus@socal.rr.com wrote:

> On May 29, 6:01 pm, "D. Stussy" <s...@bde-arc.ampr.org> wrote:
>> So, basically, calling someone a "ham" is the same as calling them a retard
>> at worst, and at best, acknowledging their irrelevant self-importance in
>> thinking that they know what they're doing (whether they do or not).
>>
>> --
>> You asked.
>
> Where DO you get your information from?
>
> Try this on for size before you make a rant like this again.
>
> http://www.arrl.org/whyham.html
>
I wouldn't take that as definitive.

All the times I've seen people try to define where the term came from
have never come up with anything absolute.  It's too far back in time.
and nobody recorded the origins at the time.

The point is it doesn't matter, since it was so long ago that the name
ceases to have a connection to it.  It's used because it has been used.

   Michael VE2BVW




From 6814042352259551391
X-Google-Thread: 108122,c27ed2fab0e31fba,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!news-
out.octanews.net!indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
```

Subject: The smell of Teletypes in the morning ...
From: Bert Hyman <bert@iphouse.com>
Organization: Not that you'd notice
Message-ID: <Xns9AB289EE64152VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 03 Jun 2008 18:33:32 GMT
Lines: 10
NNTP-Posting-Date: 03 Jun 2008 13:33:32 CDT
NNTP-Posting-Host: b03e638a.newsreader.iphouse.net
X-Trace: DXC=ak=Y3^_Af60MG?
>FV[hEE2UU[C:R=]Mb:eHS>e[L>830EML9k0X\=f8c230oU7d711X7@2h;nGb4=6LGYNkLlVP0
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:104

My wife has an old IBM Selectric II typewriter which she keeps in
running condition. She recently had it overhauled and it now smells just
like the old teletype machines I used at the MARS station at Ft.
Monmouth (K2USA/AA2USA) in the late 1960s.

Anybody know the type and brand(s) of lubricants that have that
characteristic odor?

--
Bert Hyman   St. Paul, MN bert@iphouse.com

From 3781026526601962493
X-Google-Thread: 108122,c27ed2fab0e31fba
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.earthlink.com!
news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 03 Jun 2008 14:45:11 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The smell of Teletypes in the morning ...
References: <Xns9AB289EE64152VeebleFetzer@216.250.184.7>
Reply-To: jhaynes@alumni.uark.edu
Organization: University of Arkansas Alumni
X-Newsreader: trn 4.0-test72 (19 April 1999)
From: haynes@alumni.uark.edu (Jim Haynes)
Message-ID: <wqidnQgdeqTaAtjVnZ2dnUVZ_orinZ2d@earthlink.com>
Date: Tue, 03 Jun 2008 14:45:11 -0500
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.226.111.52
X-Trace: sv3-TvYQXuyKWPSBdzkn4dzXsm7oNiZi4ejRw7fnHvbz3P4+lv0g68pYNJg0LbbrHtJk/
VdUAO36I9Ncjs8!Y9Q/
CK5k8n+ek2FVUefpJYWYtOVHtlcWGfLmpFVA9chuvqu5cvBP1kI1iZrKNCusBmAWj/augbEJ!/
1V+2eMTFPucgoXZkldlRJZjNtdQoJTh
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly

```
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:105

In article <Xns9AB289EE64152VeebleFetzer@216.250.184.7>,
Bert Hyman  <bert@iphouse.com> wrote:
>My wife has an old IBM Selectric II typewriter which she keeps in
>running condition. She recently had it overhauled and it now smells just
>like the old teletype machines I used at the MARS station at Ft.
>Monmouth (K2USA/AA2USA) in the late 1960s.
>
>Anybody know the type and brand(s) of lubricants that have that
>characteristic odor?
>
No, but maybe if you ask the typewriter overhauler...  That stuff is
sweet perfume for some of us.




From 5951408801173948647
X-Google-Thread: 108122,c27ed2fab0e31fba
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The smell of Teletypes in the morning ...
From: Bert Hyman <bert@iphouse.com>
References: <Xns9AB289EE64152VeebleFetzer@216.250.184.7>
<wqidnQgdeqTaAtjVnZ2dnUVZ_orinZ2d@earthlink.com>
Organization: Not that you'd notice
Message-ID: <Xns9AB29B01B5D22VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 03 Jun 2008 20:14:16 GMT
Lines: 21
NNTP-Posting-Date: 03 Jun 2008 15:14:16 CDT
NNTP-Posting-Host: aea90543.newsreader.iphouse.net
X-Trace: DXC=DKZm;kTM:;21C\6T]e4k9?
UU[C:R=]Mb:eHS>e[L>830ThMkcY[ED^=c230oU7d711X7@2h;nGb4=e@KKaH3H^a2
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:106

In news:wqidnQgdeqTaAtjVnZ2dnUVZ_orinZ2d@earthlink.com
haynes@alumni.uark.edu (Jim Haynes) wrote:

> In article <Xns9AB289EE64152VeebleFetzer@216.250.184.7>,
> Bert Hyman  <bert@iphouse.com> wrote:
>>My wife has an old IBM Selectric II typewriter which she keeps in
>>running condition. She recently had it overhauled and it now smells
>>just like the old teletype machines I used at the MARS station at Ft.
>>Monmouth (K2USA/AA2USA) in the late 1960s.
>>
>>Anybody know the type and brand(s) of lubricants that have that
>>characteristic odor?
>>
> No, but maybe if you ask the typewriter overhauler...  That stuff is
> sweet perfume for some of us.

He's a bit of a recluse, so I thought I'd try to avoid annoying him if I
could :-)

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From 1814981660553421469
X-Google-Thread: 108122,c27ed2fab0e31fba
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.acm.uiuc.edu!
news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The smell of Teletypes in the morning ...
Date: Tue, 3 Jun 2008 18:08:50 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 16
Sender: et472@207-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0806031807530.31041@darkstar.example.org>
References: <Xns9AB289EE64152VeebleFetzer@216.250.184.7>
NNTP-Posting-Host: 207-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1212531185 4680 64.235.215.207 (3 Jun 2008 22:13:05 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 3 Jun 2008 22:13:05 GMT
In-Reply-To: <Xns9AB289EE64152VeebleFetzer@216.250.184.7>
Xref: g2news1.google.com rec.radio.amateur.equipment:107

On Tue, 3 Jun 2008, Bert Hyman wrote:

> My wife has an old IBM Selectric II typewriter which she keeps in
> running condition. She recently had it overhauled and it now smells just
> like the old teletype machines I used at the MARS station at Ft.
> Monmouth (K2USA/AA2USA) in the late 1960s.
>
> Anybody know the type and brand(s) of lubricants that have that
> characteristic odor?
>
Dab a little WD-40 behind your ear.

I thought the distinctive smell came from the ribbon.

   Michael VE2BVW
```

```
From 5640642492298239387
X-Google-Thread: 108122,c27ed2fab0e31fba
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.kjsl.com!news-
xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns9AB289EE64152VeebleFetzer@216.250.184.7>
<Pine.LNX.4.64.0806031807530.31041@darkstar.example.org>
Subject: Re: The smell of Teletypes in the morning ...
Date: Tue, 3 Jun 2008 18:07:43 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Lines: 31
Message-ID: <4845eae1$0$17204$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 04 Jun 2008 01:07:46 GMT
NNTP-Posting-Host: c6a81faf.news.sonic.net
X-Trace:
DXC=n=a<lh:=1aR2QIJL5b03;_m4K\QM1CV^P1OYf0H`?;XQ;;<6`dn:lH^Jd54f]<G4]ZBaT[1mOf7?^
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:108
```

I think Michael is correct. Much of the odor came from
the ribbon. Back in the day (loooong ago!) I'd use a
few drops of automotive AT fluid to get a few extra
months out of those ribbons, which were hard to find.

Still have a bunch of UPI and AP print outs from the
1970's made with those funky ribbons on my model 15.
Good times!

Steve

"Michael Black" <et472@ncf.ca> wrote in message
news:Pine.LNX.4.64.0806031807530.31041@darkstar.example.org...

> On Tue, 3 Jun 2008, Bert Hyman wrote:
>
>> My wife has an old IBM Selectric II typewriter which she keeps in
>> running condition. She recently had it overhauled and it now smells just
>> like the old teletype machines I used at the MARS station at Ft.
>> Monmouth (K2USA/AA2USA) in the late 1960s.
>>
>> Anybody know the type and brand(s) of lubricants that have that
>> characteristic odor?
>>
> Dab a little WD-40 behind your ear.
>

```
> I thought the distinctive smell came from the ribbon.
>
>   Michael VE2BVW
>




From 2668522994852756832
X-Google-Thread: 108122,91d57e0316081ad6,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news3.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!
roadrunner.com!not-for-mail
From: "MWH" <mwh1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ham Gear
Date: Tue, 3 Jun 2008 23:31:47 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Lines: 3
Message-ID: <48460c9d$0$20200$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:109

http://members6.boardhost.com/theswapshoppe/




From 5519262699114323428
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!news.linkpendium.com!
news.linkpendium.com!news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Tue, 3 Jun 2008 22:54:08 -0700
Lines: 14
Message-ID: <g25alr$bkg$1@snarked.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <2b1a322d-
df4c-4b1b-9428-108725c88585@t12g2000prg.googlegroups.com>
```

```
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-118-49-180.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1212558843 11920 71.118.49.180 (4 Jun 2008 05:54:03 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Wed, 4 Jun 2008 05:54:03 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:110

<jangus@socal.rr.com> wrote in message
news:2b1a322d-df4c-4b1b-9428-108725c88585@t12g2000prg.googlegroups.com...
> On May 29, 6:01 pm, "D. Stussy" <s...@bde-arc.ampr.org> wrote:
> > So, basically, calling someone a "ham" is the same as calling them a
retard
> > at worst, and at best, acknowledging their irrelevant self-importance in
> > thinking that they know what they're doing (whether they do or not).
>
> Where DO you get your information from?

Jeff, my citation was included.  Random House Dictionary; a 1960's version.
Since you know me personally, come over sometime and I'll show it to you.




From 5931101585240997345
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!news.linkpendium.com!
news.linkpendium.com!news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Tue, 3 Jun 2008 22:55:50 -0700
Lines: 8
Message-ID: <g25ap1$bkk$1@snarked.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <2b1a322d-
df4c-4b1b-9428-108725c88585@t12g2000prg.googlegroups.com>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-118-49-180.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1212558945 11924 71.118.49.180 (4 Jun 2008 05:55:45 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Wed, 4 Jun 2008 05:55:45 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:111
```

> Try this on for size before you make a rant like this again.
>
> http://www.arrl.org/whyham.html

PS: Substitute "retard" for "ham" and the line "X is jamming you" still has the same meaning. Not coincidence....

```
From 4906899593066051674
X-Google-Thread: 108122,94d4e3fe88ddd53c
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: DUTCH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 04 Jun 2008 09:03:22 -0500
From: nsk <nsk.28c5620@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: TRAC CMOS portable electronic keyer $25ppd
Date: Wed, 4 Jun 2008 10:59:17 +0100
Message-ID: <nsk.28c5620@radiobanter.com>
Organization: RadioBanter.com
References:  <6075aa54-4f42-4d08-b0b5-7a8a1199c0b4@z72g2000hsb.googlegroups.com>
<uuvbbz.288b5fd@radiobanter.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-04Fc/HL06M+oyDsL1nNdNG4T7uIcc4Qa81CZiACcL3aMNlyWbRMFJ0/
PkvSAdTa0NPnXkmUz34dkDw/!7EopRvjnTlasTCAD8LZjhLhF/
NyDXCHockPJcWoERkDZ9sKHkoN22F1ZGpT4/8VuVQHJITEOii8=
X-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:112
```

```
*O-K-.-.-*-*-w---w---w---.---9---n---s---k---.---c---n---.---*-'-n-t-n-'-
-(-h-t-t-p-:-/-/-w-w-w-.-9-n-s-k-.-c-n-/-)- -'-S-K-F-'-
-(-h-t-t-p-:-/-/-w-w-w-.-9-n-s-k-.-c-n-/-)- -'-F-A-G-'-
-(-h-t-t-p-:-/-/-w-w-w-.-9-n-s-k-.-c-n-/-)- -'-N-S-K-'-
-(-h-t-t-p-:-/-/-w-w-w-.-9-n-s-k-.-c-n-/-)- -'-t-i-m-k-e-n-'-
-(-h-t-t-p-:-/-/-w-w-w-.-9-n-s-k-.-c-n-/-)-[-i-m-a-g-e-:-
-h-t-t-p-:-/-/-w-w-w-.-t-j-n-r-z-c-.-c-n-/-i-m-a-g-e-s-/-h-t-t-p-_-i-m-g-l-o-a-
d-.-g-i-f-]-
```

```
--
nsk



From -2926942047504910З
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!
roadrunner.com!not-for-mail
From: Jiggly <jiggy@jiggy.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Overweight hams (Re: What are almost all the new ham radios ugly?)
Date: Wed, 04 Jun 2008 18:35:44 -0400
Message-ID: <um5e44thgq4emraafmdblt9kk39pf15g3p@4ax.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
<g1ko71$p6m$1@snarked.org> <Xns9AAD505F1F56CVeebleFetzer@127.0.0.1>
<g1nn5i$jbp$1@snarked.org> <g1pfj3$oua$1@f04n12.cac.psu.edu>
<g1qct3$mb3$1@snarked.org> <Xns9AB158FF89F71VeebleFetzer@216.250.184.7>
X-Newsreader: Forte Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 66.67.8.228
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:113

The hobby has lots of people who are morbidly obese.
(See http://en.wikipedia.org/wiki/Morbid_obesity for definition)

Sadly, many of them die from weight-related causes.  We lose a lot of
nice people and good operators that way.



On 02 Jun 2008 13:44:56 GMT, Bert Hyman <bert@iphouse.com> wrote:

>In news:g1qct3$mb3$1@snarked.org "D. Stussy" <spam@bde-arc.ampr.org> wrote:
>
>> Considering that many "hams" are grossly overweight (at least in my
>> geographic area), are you certain?
>
>It's pretty clear that you've picked the wrong hobby.
>
>Good luck.



From 2055348666262781794
X-Google-Thread: 108122,888e3c48fa052b27,start
X-Google-Attributes: gid108122,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!
roadrunner.com!not-for-mail
From: "Fred Zimring" <w5htr@yahoo.com>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FT-920 FS: Asking Price reduced
Date: Wed, 4 Jun 2008 22:32:29 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 10
Message-ID: <48475e38$0$7719$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 66.25.21.60
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:114

I have a really nice Yaesu FT-920 for sale with the AM and CW filters
installed . I  have owned the radio for about 10 years and am a non-smoker.
It is in really nice condition and is currently on the air. Asking $800.
Also, a Yaesu LL-7 phone patch included with the 920.

If you are interested, please either contact me via email at w5htr@yahoo.com
or 'phone me at 972-231-7511.
thanks, Fred Z.




From -16424389341880661
X-Google-Thread: 1109af,699cca9e5fea5ed3,start
X-Google-Thread: 108122,699cca9e5fea5ed3,start
X-Google-Thread: 108228,699cca9e5fea5ed3,start
X-Google-Attributes: gid1109af,gid108122,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!eweka.nl!lightspeed.eweka.nl!
newsfeed.xs4all.nl!newsfeed2.news.xs4all.nl!newsgate.cistron.nl!xs4all!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: FA: Drake L-4B linear amplifier with L-4PS power supply
Message-ID: <d73d17a7dd04a78fa83f325c7d700345@pseudo.borked.net>
Date: Thu,  5 Jun 2008 09:19:31 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:143 rec.radio.amateur.equipment:116
alt.ham-radio.marketplace:24

http://easyurl.net/DrakeL4B
```

```
From -4026338629936899916
X-Google-Thread: 108122,6a8339a0b470298,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:MORE COLLINS PARTS-3 DAY ONLY
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <KF3Oj.209800$cQ1.57686@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: ce8574d17eaa68fdca2db27708b11cb9
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1208534762
ce8574d17eaa68fdca2db27708b11cb9 (Fri, 18 Apr 2008 16:06:02 GMT)
NNTP-Posting-Date: Fri, 18 Apr 2008 16:06:02 GMT
Organization: AT&T Worldnet
Date: Fri, 18 Apr 2008 16:06:02 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14266

LISTED THE LAST OF MY COLLINS Mod Kit Parts + other stuff too; see at:


http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx, heytubeguy




From 2145738969467878028
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn12feed!
worldnet.att.net!199.45.49.37!cyclone1.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc01.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
```

```
<C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com> <fu8n91$sup$2@posting2.glorb.com>
<PxSNj.17229$DD2.4925@trndny04>
<slrng0gcoh.u14.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 33
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Eg4Oj.8$Ks1.0@trnddc01>
Date: Fri, 18 Apr 2008 16:47:32 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1208537252 68.236.31.9 (Fri, 18 Apr 2008 12:47:32 EDT)
NNTP-Posting-Date: Fri, 18 Apr 2008 12:47:32 EDT
Xref: g2news1.google.com rec.radio.swap:18923 rec.radio.amateur.equipment:14267
rec.audio.marketplace:10669


"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
news:slrng0gcoh.u14.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> On Fri, 18 Apr 2008 01:10:07 GMT, Bill Golden <shortwave1@verizon.net>
wrote:
>
> >So let's see, they charge you $ 18.52 for the meter, and $ 16.05 to ship
it
> >from SIngapore to the U.S., with delivery in 7 to 12 business days, with
no
> >mention anywhere of any package tracking from Singapore.
>
> >Seems to me your total cost from them is $ 34.57 .... which is $ 3.57
more
> >than your total cost would have been from me, with Priority Mail
shipping,
> >including Delivery Confirmation and a tracking number, and delivery to
any
> >U.S. address within 2 -3 business days.
>
> >Do the math, then let me know how many meters you'd like to order before
> >I place my next order.  With the sudden popularity of this meter, I'll
even
> >offer
>
> moron.  I wouldn't pay $5 for that piece of shit, and especially
> not from an asshole like you.

Where did you learn such an impressive vocablulary?
```

```
From -9126935576883006509
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-spur2.glorb.com!
homer.glorb.com!not-for-mail
From: "WindsorFox<SS>" <darkshado666@gmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Date: Fri, 18 Apr 2008 14:37:24 -0500
Organization: Glorb Internet Services, http://www.glorb.com
Lines: 56
Message-ID: <fuata1$3kl$1@posting2.glorb.com>
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com> <fu8n91$sup$2@posting2.glorb.com>
<PxSNj.17229$DD2.4925@trndny04>
NNTP-Posting-Host: +fBGygFP5P/ehKZN9PiAvg.user.posting2.glorb.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@glorb.com
NNTP-Posting-Date: Fri, 18 Apr 2008 19:37:37 +0000 (UTC)
X-Mailer: hidden
X-Notice: Scanned by Mr. Bill
X-Newsreader: hidden
User-Agent: hidden
Xref: g2news1.google.com rec.radio.swap:18924 rec.radio.amateur.equipment:14268
rec.audio.marketplace:10670

Bill Golden wrote:
> "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
> news:fu8n91$sup$2@posting2.glorb.com...
>> Ralph Mowery wrote:
>>> "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
>>> news:fu8185$ru9$1@posting2.glorb.com...
>>>> Bill Golden wrote:
>>>>> In order to formulate an informed opinion, rather than spewing forth
> an
>>>>> uninformed opinion as you have, the make of this meter is XILE, and
> the
>>>>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is it's
>>>>> price
>>>>> that of a Fluke or a Tektronix multimeter.
>>>>>
```

```
>>>>   " No results found for XILE XL830L"
>>>>
>>> Perhaps it was a typo and this is the meter:
>>>
>>> http://admin.pchub.com/uph/catf/SearchItem.aspx?ft=overload
>
>
>>     LOL And $6.48 less than his price.
>
>
> Thank you for generating so much interest; it looks like I'll now have to at
> least
> double my reorder for more of these multimeters.
>
> Did you happen to see what they charge to ship one multimeter from Singapore
> to the U.S.?  Their lowest shipping rate shown for that meter shipped to the
> U.S.
> is $ 16.05 for "Speedpost" Standard Air Courier, with delivery in 7 to 12
> business days.
>
> So let's see, they charge you $ 18.52 for the meter, and $ 16.05 to ship it
> from SIngapore to the U.S., with delivery in 7 to 12 business days, with no
> mention anywhere of any package tracking from Singapore.
>

    Same meter on eBay for $13.38 shipping included....
http://tinyurl.com/6qrnqk

Shipping does not have to be that high, I bought a cable tester off eBay
that was shipped to me from Hong Kong and the whole thing cost me $6

--





"Political Correctness is a doctrine, fostered by a delusional,
   illogical minority, and rabidly promoted by an unscrupulous
   mainstream media, which holds forth the proposition that it
   is entirely possible to pick up a turd by the clean end."




From 9176770724216088282
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
```

```
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com> <fu8n91$sup$2@posting2.glorb.com>
<PxSNj.17229$DD2.4925@trndny04> <fuata1$3kl$1@posting2.glorb.com>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 61
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <sU7Oj.16$wO1.10@trndny04>
Date: Fri, 18 Apr 2008 20:54:48 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1208552088 68.236.31.9 (Fri, 18 Apr 2008 16:54:48 EDT)
NNTP-Posting-Date: Fri, 18 Apr 2008 16:54:48 EDT
Xref: g2news1.google.com rec.radio.swap:18925 rec.radio.amateur.equipment:14269
rec.audio.marketplace:10672


"WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
news:fuata1$3kl$1@posting2.glorb.com...
> Bill Golden wrote:
> > "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
> > news:fu8n91$sup$2@posting2.glorb.com...
> >> Ralph Mowery wrote:
> >>> "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
> >>> news:fu8185$ru9$1@posting2.glorb.com...
> >>>> Bill Golden wrote:
> >>>>> In order to formulate an informed opinion, rather than spewing forth
> > an
> >>>>> uninformed opinion as you have, the make of this meter is XILE, and
> > the
> >>>>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is
it's
> >>>>> price
> >>>>> that of a Fluke or a Tektronix multimeter.
> >>>>>
> >>>>   " No results found for XILE XL830L"
> >>>>
> >>> Perhaps it was a typo and this is the meter:
> >>>
> >>> http://admin.pchub.com/uph/catf/SearchItem.aspx?ft=overload
> >
> >
> >>     LOL And $6.48 less than his price.
> >
> >
> > Thank you for generating so much interest; it looks like I'll now have
to at
> > least
> > double my reorder for more of these multimeters.
> >
> > Did you happen to see what they charge to ship one multimeter from
Singapore
> > to the U.S.?  Their lowest shipping rate shown for that meter shipped to
the
> > U.S.
> > is $ 16.05 for "Speedpost" Standard Air Courier, with delivery in 7 to
12
> > business days.
> >
> > So let's see, they charge you $ 18.52 for the meter, and $ 16.05 to ship
it
> > from SIngapore to the U.S., with delivery in 7 to 12 business days, with
no
> > mention anywhere of any package tracking from Singapore.
> >
>
>     Same meter on eBay for $13.38 shipping included....
> http://tinyurl.com/6qrnqk
>
> Shipping does not have to be that high, I bought a cable tester off eBay
> that was shipped to me from Hong Kong and the whole thing cost me $6

The picture of the meter he shows on eBay does not look the same as the
Model XL830L meters which I sold, but that does appear to be a very good
price with the shipping from Hong Hong included.




From -6389801646198545690
X-Google-Thread: 1109af,8d95f79778fac562
X-Google-Thread: 108122,8d95f79778fac562
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad!news.highwinds-media.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
References: <yYqNj.14209$bx3.8505@trnddc02>
Subject: Re: VHF Motorola Handheld 2- Way Radios ("HT's")
Lines: 86
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <hO8Oj.23$NK1.5@trndny05>
Date: Fri, 18 Apr 2008 21:56:29 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1208555789 68.236.31.9 (Fri, 18 Apr 2008 17:56:29 EDT)
NNTP-Posting-Date: Fri, 18 Apr 2008 17:56:29 EDT
Xref: g2news1.google.com rec.radio.swap:18926 rec.radio.amateur.equipment:14270


The Motorola "HT's" have been sold.
Thanks to all who expressed interest.

And special thanks go out to all the newsgroup "moaners and whiners",
who helped to promote the sale of these Motorola "HT's"!.

-Bill
KB3PT
Selbyville, Delaware



"Bill Golden" <shortwave1@verizon.net> wrote in message
news:yYqNj.14209$bx3.8505@trnddc02...
>
> For Sale:
>
> I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
> VHF "Handy-Talkies" ("HT's"), with two matching Motorola Desk Chargers
> for sale.  Seldom will you find any used Motorola equipment in such
"clean"
> condition as these VHF handheld units.
>
> Features include:
>
>     * Both are rugged and reliable Motorola 4 Channel VHF models;
>        both are 4 channel units, with channels easily programmed and
>        easily selected using the channel selector switch on the top of
>        each "HT".  No other equipment whatsoever is needed to program
>        the frquency or the "privacy tones" used by these units.
>
> *     Both units are "self-contained", with built-in microphones and
>       built-in speakers; nothing else is needed.  Units are "ready to go"
>       the moment you receive them.  Operation couldn't be simpler, so
>       even a young child can operate these units easily.  A copy of the
>       complete owner's guide, which includes all usage and programming
>       instructions in "non-technical" English, is included
>
> *     Other external controls include a volume and a squelch control,
>        as well as jacks for connection of an external microphone and
>        an external earphone, if desired
>
```

```
>      * Both units include their Motorola VHF "duckie" antennas
>
>      * Both units include good rechargeable NiMh battery packs
>
>      *  Additional rechargeable NiMh battery packs readily available
>         for these units at very reasonable prices
>
>      * Both units include their Motorola desktop "cradle" chargers
>        (with plug-in wall transformers and charging indicator lights)
>
>      * Each of the 4 channels allows selection of a user-programmable
>         tone for channel "privacy"
>
>      * Two of the 4 programmed frequencies in each of these two
>         "ht's" are "MURS" frequencies, which require no FCC license
>          whatsoever
>
>      *  These units are ideal fo personal and family communications,
>          sucn as for communicating from work or school to home, use
>          when shopping, camping, road trips, group trips, etc.  They're
>          also ideal units for emergency local communications use for
>          emergency preparedness use
>
> Very simple programming instructions are located on the inside of both
> unit's battery covers, making programming simple and convenient.  They
> can be programmed easily without the need for any other equipment;
> these "ht's" have a synthesized "voice" that tells you the frequencies as
> you step through each of them while programming frequency and "privacy"
> tone for each of the 4 channels.  The range of of these rugged and
reliable
> handheld units is approximately  5 miles (depending upon terrain).
>
> Will sell for $100.00 plus the actual shipping charges (to Cont'l U.S.),
> payable by USPS Postal Money Order only, please.
>
> Thanks & 73,
>
> -Bill
> KB3PT
> Selbyville, Delaware
>
> E-mail:  shortwave1@verizon.net




From -7326157776545170437
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-spur2.glorb.com!
```

```
homer.glorb.com!not-for-mail
From: "WindsorFox<SS>" <darkshado666@gmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Date: Fri, 18 Apr 2008 19:04:35 -0500
Organization: Glorb Internet Services, http://www.glorb.com
Lines: 71
Message-ID: <fubcv3$4f7$1@posting2.glorb.com>
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com> <fu8n91$sup$2@posting2.glorb.com>
<PxSNj.17229$DD2.4925@trndny04> <fuata1$3kl$1@posting2.glorb.com>
<sU7Oj.16$wO1.10@trndny04>
NNTP-Posting-Host: +fBGygFP5P/ehKZN9PiAvg.user.posting2.glorb.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@glorb.com
NNTP-Posting-Date: Sat, 19 Apr 2008 00:04:51 +0000 (UTC)
X-Mailer: hidden
X-Notice: Scanned by Mr. Bill
X-Newsreader: hidden
User-Agent: hidden
Xref: g2news1.google.com rec.radio.swap:18927 rec.radio.amateur.equipment:14271
rec.audio.marketplace:10674

Bill Golden wrote:
> "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
> news:fuata1$3kl$1@posting2.glorb.com...
>> Bill Golden wrote:
>>> "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
>>> news:fu8n91$sup$2@posting2.glorb.com...
>>>> Ralph Mowery wrote:
>>>>> "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
>>>>> news:fu8185$ru9$1@posting2.glorb.com...
>>>>>> Bill Golden wrote:
>>>>>>> In order to formulate an informed opinion, rather than spewing forth
>>> an
>>>>>>> uninformed opinion as you have, the make of this meter is XILE, and
>>> the
>>>>>>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is
> it's
>>>>>>> price
>>>>>>> that of a Fluke or a Tektronix multimeter.
>>>>>>>
>>>>>>   " No results found for XILE XL830L"
>>>>>>
>>>>> Perhaps it was a typo and this is the meter:
>>>>>
>>>>> http://admin.pchub.com/uph/catf/SearchItem.aspx?ft=overload
>>>
```

>>>>   LOL And $6.48 less than his price.
>>>
>>> Thank you for generating so much interest; it looks like I'll now have
> to at
>>> least
>>> double my reorder for more of these multimeters.
>>>
>>> Did you happen to see what they charge to ship one multimeter from
> Singapore
>>> to the U.S.? Their lowest shipping rate shown for that meter shipped to
> the
>>> U.S.
>>> is $ 16.05 for "Speedpost" Standard Air Courier, with delivery in 7 to
> 12
>>> business days.
>>>
>>> So let's see, they charge you $ 18.52 for the meter, and $ 16.05 to ship
> it
>>> from SIngapore to the U.S., with delivery in 7 to 12 business days, with
> no
>>> mention anywhere of any package tracking from Singapore.
>>>
>>   Same meter on eBay for $13.38 shipping included....
>> http://tinyurl.com/6qrnqk
>>
>> Shipping does not have to be that high, I bought a cable tester off eBay
>> that was shipped to me from Hong Kong and the whole thing cost me $6
>
> The picture of the meter he shows on eBay does not look the same as the
> Model XL830L meters which I sold, but that does appear to be a very good
> price with the shipping from Hong Hong included.
>
>

It looks identical to the picture on the pchub site.

--

"Political Correctness is a doctrine, fostered by a delusional,
illogical minority, and rabidly promoted by an unscrupulous
mainstream media, which holds forth the proposition that it
is entirely possible to pick up a turd by the clean end."

From -2824264598593849079
X-Google-Thread: 1109af,8d95f79778fac562
X-Google-Thread: 108122,8d95f79778fac562
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news4.google.com!news2.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews7.bellsouth.net.POSTED!725764fe!not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: VHF Motorola Handheld 2- Way Radios ("HT's")
References: <yYqNj.14209$bx3.8505@trnddc02> <hO8Oj.23$NK1.5@trndny05>
In-Reply-To: <hO8Oj.23$NK1.5@trndny05>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <5VaOj.26256$%15.25816@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcboijhedmffnhgjaefbeimfdfecjdfmmdjdon
deflmnieafpnkddjbogdekdfnimmlnapooffajmnbeopcapbliblcljnjlfamkejkeeegjeekggmck
NNTP-Posting-Date: Fri, 18 Apr 2008 20:20:17 EDT
Organization: BellSouth Internet Group
Date: Fri, 18 Apr 2008 19:21:17 -0500
Xref: g2news1.google.com rec.radio.swap:18928 rec.radio.amateur.equipment:14272

Bill Golden wrote:
> The Motorola "HT's" have been sold.
> Thanks to all who expressed interest.
>
Thank dog!

From 1544593619704461701
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
newsfeed.xs4all.nl!newsfeed2.news.xs4all.nl!xs4all!feeder5.cambrium.nl!
feed.tweaknews.nl!68.142.88.75.MISMATCH!hwmnpeer01.ams!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe02.lga.POSTED!53ab2750!not-for-mail
From: "PowerHouse Communications" <PowerHouseCom@privatebox.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<slrng0f7fs.7no.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<fu8n58$sup$1@posting2.glorb.com>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 3
MIME-Version: 1.0
Content-Type: text/plain;

```
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 12.0.1606
X-MimeOLE: Produced By Microsoft MimeOLE V12.0.1606
Message-ID: <qzdOj.127$yu3.97@newsfe02.lga>
NNTP-Posting-Host: ddjccmhnccckabnnkpplonnojdapibepb
X-Complaints-To: abuse@charter.net
X-Trace:
pdjoodfomhkjcoobgmoeimofopipoaimaanohlfgocgldmojddjccmhncckabnnkpneodbimobcmkaopgl
pfgcbmljinnenlfodnkejgdfcbcphebfgopmapoaekimdfegpecgcipnpnnhdg
NNTP-Posting-Date: Fri, 18 Apr 2008 20:21:58 MST
Date: Fri, 18 Apr 2008 22:22:15 -0500
Xref: g2news1.google.com rec.radio.swap:18929 rec.radio.amateur.equipment:14273
rec.audio.marketplace:10676



"WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
news:fu8n58$sup$1@posting2.glorb.com...
> AZ Nomad wrote:
>> On Thu, 17 Apr 2008 12:26:21 -0500, WindsorFox<SS>
>> <darkshado666@gmail.com> wrote:
>>> Bill Golden wrote:
>>>> "AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
>>>>> WHAT IS THE MAKE AND MODEL?  As long as you fail to include
>>>>> this minimal information, it is just a junk of chinese noname garbage.
>>>>>
>>>>> Hint:  we don't believe you when you say it is better than a fluke.
>>>>> And BTW, its specs suck.  1% to 6% accuracy?  Give me a break.  It
>>>>> might
>>>> as
>>>>> well be a 2 digit meter.  Reminds me a sinclair LED meter from the
>>>>> 70's.
>>>>> The last digit is just noise.
>>>> What you choose to believe appears to be based upon an uninformed
>>>> opinion (unless you've personally tested and evaluated this meter, and
>>>> compared features,quality, and price with either a Fluke or a Tektronix
>>>> multimeter).
>>>>
>>>> In order to formulate an informed opinion, rather than spewing forth an
>>>> uninformed opinion as you have, the make of this meter is XILE, and the
>>>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is it's
>>>> price
>>>> that of a Fluke or a Tektronix multimeter.
>>>>
>>
>>
>>>   " No results found for XILE XL830L"
```

>>
>> I got some hits for XILE on the chinese crap importation websites.
>> Nothing for that meter, unsurprisingly.
>>
>
>   He told me I needed a better search engine. There are no results on any
> search I used other than his posts.
>

Not to back up the OP, but a google search returned 331 pages of results...

http://www.google.com/search?
num=50&hl=en&safe=off&rlz=1B3GGGL_enUS214US214&q=XL830L&btnG=Search

```
From 297334256075598952
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.supernews.com!
news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 18 Apr 2008 22:48:22 -0500
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
From: AZ Nomad <aznomad.3@PremoveOBthisOX.COM>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<slrng0f7fs.7no.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<fu8n58$sup$1@posting2.glorb.com> <qzdOj.127$yu3.97@newsfe02.lga>
Message-ID: <slrng0iqs6.hll.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Date: Fri, 18 Apr 2008 22:48:22 -0500
Lines: 62
X-Trace: sv3-fSQt/j+ItqudrD9WXXEVzLYHp/OiVjzzBnRMVVN0yZHi5ou/
+3O4GC6nSECblvmgBLjYQGo1ux3kZtw!
+Gadw7bKXUtgPgaedU6bc4LtGVpfGM5/7hxYuL4EJLC2W13hq036NqkiZ2JwmjsDgdeTRWk9Tdz6!
AFEZN9/gPDIR394d5gE=
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:18930 rec.radio.amateur.equipment:14274
rec.audio.marketplace:10677
```

On Fri, 18 Apr 2008 22:22:15 -0500, PowerHouse Communications
<PowerHouseCom@privatebox.net> wrote:

>"WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
>news:fu8n58$sup$1@posting2.glorb.com...
>> AZ Nomad wrote:
>>> On Thu, 17 Apr 2008 12:26:21 -0500, WindsorFox<SS>
>>> <darkshado666@gmail.com> wrote:
>>>> Bill Golden wrote:
>>>>> "AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
>>>>>> WHAT IS THE MAKE AND MODEL? As long as you fail to include
>>>>>> this minimal information, it is just a junk of chinese noname garbage.
>>>>>>
>>>>>> Hint: we don't believe you when you say it is better than a fluke.
>>>>>> And BTW, its specs suck. 1% to 6% accuracy? Give me a break. It
>>>>>> might
>>>>> as
>>>>>> well be a 2 digit meter. Reminds me a sinclair LED meter from the
>>>>>> 70's.
>>>>>> The last digit is just noise.
>>>>> What you choose to believe appears to be based upon an uninformed
>>>>> opinion (unless you've personally tested and evaluated this meter, and
>>>>> compared features,quality, and price with either a Fluke or a Tektronix
>>>>> multimeter).
>>>>>
>>>>> In order to formulate an informed opinion, rather than spewing forth an
>>>>> uninformed opinion as you have, the make of this meter is XILE, and the
>>>>> Model is XL830L. It is not a Fluke or a Tektronix meter, nor is it's
>>>>> price
>>>>> that of a Fluke or a Tektronix multimeter.
>>>>>
>>>
>>>
>>>>   " No results found for XILE XL830L"
>>>
>>> I got some hits for XILE on the chinese crap importation websites.
>>> Nothing for that meter, unsurprisingly.
>>>
>>
>>   He told me I needed a better search engine. There are no results on any
>> search I used other than his posts.
>>

>Not to back up the OP, but a google search returned 331 pages of results...
>http://www.google.com/search?
num=50&hl=en&safe=off&rlz=1B3GGGL_enUS214US214&q=XL830L&btnG=Search

Google guesses at 299 hits, then returns 2 pages. It was 67 hits, actually,
2/3rds of them chinese. (your url includes a 50 hits/page specification)
(page 2 was hits 51-67)

I probably got no hits because the fucking idiot had misspelled the
manufacturer's name.

XILE != XIOLE

I had searched for "XILE XL830L" and unsurprisingly, got nothing but
the OP's advertisements.

BTW: when posting a google link, you can leave off all the crap except
for the ?q=<searchstring> part. For example, all you need is:
http://www.google.com/search?q=xl830l

```
From 5433055524335555507
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-spur2.glorb.com!
homer.glorb.com!not-for-mail
From: "WindsorFox<SS>" <darkshado666@gmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Date: Sat, 19 Apr 2008 10:49:34 -0500
Organization: Glorb Internet Services, http://www.glorb.com
Lines: 73
Message-ID: <fud4ap$ao9$3@posting2.glorb.com>
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<slrng0f7fs.7no.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<fu8n58$sup$1@posting2.glorb.com> <qzdOj.127$yu3.97@newsfe02.lga>
<slrng0iqs6.hll.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
NNTP-Posting-Host: +fBGygFP5P/ehKZN9PiAvg.user.posting2.glorb.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@glorb.com
NNTP-Posting-Date: Sat, 19 Apr 2008 15:49:45 +0000 (UTC)
X-Mailer: hidden
X-Notice: Scanned by Mr. Bill
X-Newsreader: hidden
User-Agent: hidden
Xref: g2news1.google.com rec.radio.swap:18931 rec.radio.amateur.equipment:14275
rec.audio.marketplace:10680
```

AZ Nomad wrote:
> On Fri, 18 Apr 2008 22:22:15 -0500, PowerHouse Communications
<PowerHouseCom@privatebox.net> wrote:
>

```
>
>> "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
>> news:fu8n58$sup$1@posting2.glorb.com...
>>> AZ Nomad wrote:
>>>> On Thu, 17 Apr 2008 12:26:21 -0500, WindsorFox<SS>
>>>> <darkshado666@gmail.com> wrote:
>>>>> Bill Golden wrote:
>>>>>> "AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
>>>>>>> WHAT IS THE MAKE AND MODEL?  As long as you fail to include
>>>>>>> this minimal information, it is just a junk of chinese noname garbage.
>>>>>>>
>>>>>>> Hint:  we don't believe you when you say it is better than a fluke.
>>>>>>> And BTW, its specs suck.  1% to 6% accuracy?  Give me a break.  It
>>>>>>> might
>>>>>> as
>>>>>>> well be a 2 digit meter.  Reminds me a sinclair LED meter from the
>>>>>>> 70's.
>>>>>>> The last digit is just noise.
>>>>>> What you choose to believe appears to be based upon an uninformed
>>>>>> opinion (unless you've personally tested and evaluated this meter, and
>>>>>> compared features,quality, and price with either a Fluke or a Tektronix
>>>>>> multimeter).
>>>>>>
>>>>>> In order to formulate an informed opinion, rather than spewing forth an
>>>>>> uninformed opinion as you have, the make of this meter is XILE, and the
>>>>>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is it's
>>>>>> price
>>>>>> that of a Fluke or a Tektronix multimeter.
>>>>>>
>>>>
>>>>>   " No results found for XILE XL830L"
>>>> I got some hits for XILE on the chinese crap importation websites.
>>>> Nothing for that meter, unsurprisingly.
>>>>
>>>    He told me I needed a better search engine. There are no results on any
>>> search I used other than his posts.
>>>
>
>> Not to back up the OP, but a google search returned 331 pages of results...
>> http://www.google.com/search?
num=50&hl=en&safe=off&rlz=1B3GGGL_enUS214US214&q=XL830L&btnG=Search
>
> Google guesses at 299 hits, then returns 2 pages.  It was 67 hits, actually,
> 2/3rds of them chinese.  (your url includes a 50 hits/page specification)
> (page 2 was hits 51-67)
>
> I probably got no hits because the fucking idiot had misspelled the
> manufacturer's name.
>
> XILE != XIOLE
>
> I had searched for "XILE XL830L" and unsurprisingly, got nothing but
> the OP's advertisements.
```

>
> BTW: when posting a google link, you can leave off all the crap except
> for the ?q=<searchstring> part. For example, all you need is:
> http://www.google.com/search?q=xl830l
>

Ding!

--

"Political Correctness is a doctrine, fostered by a delusional,
illogical minority, and rabidly promoted by an unscrupulous
mainstream media, which holds forth the proposition that it
is entirely possible to pick up a turd by the clean end."

From -5836241920990867407
X-Google-Thread: 108122,9289a282993c6a5,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q27g2000prf.googlegroups.com!not-for-mail
From: ebayshoe2@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: wholesale cheap price air force one air max 90 95 87 89 ltd shoes
Date: Sat, 19 Apr 2008 09:45:03 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <51cac60c-007a-47c0-980b-60f05ecf38f0@q27g2000prf.googlegroups.com>
NNTP-Posting-Host: 121.205.202.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208623504 3208 127.0.0.1 (19 Apr 2008 16:45:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 19 Apr 2008 16:45:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q27g2000prf.googlegroups.com; posting-host=121.205.202.248;
posting-account=y1r65goAAAAJOrGUmJffpOXska_wky2R
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14276

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan
Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan
Wholesale All of the Air Jordan sneakers have Nike Air in the shoes.
Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale

Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB,
Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta
from nike Wholesale china nike jordans gucci prada sneakers at cheap price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers
wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier
wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale
wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes
wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes
wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller
wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection

wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog
wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer
wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory
wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer
wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers
wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy
wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker
Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China
Wholesale Custom Jordans
Air China Jordans Wholesale

Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale
Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes
Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike
store,sale and Wholesale all of Nike stock Shoes,we have many type of
NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes
(Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball
Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports
Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike
women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike
women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount
Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air
Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china
wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY
SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

From -7267785909617539289
X-Google-Thread: 108228,9190572b5b4f233f,start
X-Google-Thread: 10ed5f,9190572b5b4f233f,start
X-Google-Thread: 108122,9190572b5b4f233f,start
X-Google-Attributes: gid108228,gid10ed5f,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio,rec.radio.amateur.equipment
Subject: eBay: ICOM IC-706 MKII HF/VHF transceiver
Message-ID: <b354e02168b95a4614efb2abce5f1984@pseudo.borked.net>
Date: Mon, 21 Apr 2008 11:33:08 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:3683 alt.ham-radio:3336
rec.radio.amateur.equipment:14277

http://snipr.com/Icom_IC706

From 5641698781368500404
X-Google-Thread: 108122,10753a3ccf1fd344,start

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!fd026114!not-for-mail
From: "John Walker" <Johnwalker11@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 3 - 8874
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <AacPj.8453$pH4.7236@trnddc06>
Date: Tue, 22 Apr 2008 02:36:16 GMT
NNTP-Posting-Host: 71.170.69.19
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1208831776 71.170.69.19 (Mon, 21 Apr 2008 22:36:16 EDT)
NNTP-Posting-Date: Mon, 21 Apr 2008 22:36:16 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:14278
X-Original-Bytes: 980
```

I have 3 - 8874 at 95% with chimneys

$400 each or 3 for $1000 or what is your best offer ??

I am setup on paypal also or a money order.

Thanks N1QXV @ arrl.net
John

```
From -4729580040163267907
X-Google-Thread: 1109af,8d95f79778fac562
X-Google-Thread: 108122,8d95f79778fac562
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad!news.highwinds-media.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!1bc6af47!
not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
References: <yYqNj.14209$bx3.8505@trnddc02>
<slrng0e1dm.9o1.gsm@cable.mendelson.com> <7VHNj.17181$DD2.13732@trndny04>
Subject: Re: FS: VHF Motorola Handheld 2- Way Radios ("HT's")
Lines: 49
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <OOpPj.5345$Ux4.745@trnddc07>
Date: Tue, 22 Apr 2008 18:06:38 GMT
NNTP-Posting-Host: 71.104.211.137
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1208887598 71.104.211.137 (Tue, 22 Apr 2008 14:06:38 EDT)
NNTP-Posting-Date: Tue, 22 Apr 2008 14:06:38 EDT
Xref: g2news1.google.com rec.radio.swap:18951 rec.radio.amateur.equipment:14279

It would be interesting to see how anyone could put these on 2 meters or any
other frequencies for that matter.

"Bill Golden" <shortwave1@verizon.net> wrote in message
news:7VHNj.17181$DD2.13732@trndny04...
>
> "Geoffrey S. Mendelson" <gsm@mendelson.com> wrote in message
> news:slrng0e1dm.9o1.gsm@cable.mendelson.com...
> > Bill Golden wrote:
> > >
> > > I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
> > > VHF "Handy-Talkies" ("HT's"), with two matching Motorola Desk Chargers
> > > for sale.  Seldom will you find any used Motorola equipment in such
> "clean"
> > > condition as these VHF handheld units.
> >
> > I've seen this ad for a long time now. I've ignored it because I am not
> > in the U.S. and therefore would not buy them, but I've wondered what
> > frequencies they operate on.
> >
> > IMHO if they operate on a ham band, then you should say so to stimulate
> > interest, and if they don't find a more appropriate group.
> >
> > Geoff.
> >
> > --
> > Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
>
> If you've read the ad you've seen that these "HT's" operate on VHF MURS
> frequencies, they are also capable of operation on the 2 meter ham band.
>
> If you've read the ad you've also seen that they are being offered for
sale
> only within the Continental United States (so this ad would be of no
> interest
> to you). This newsgroup is, IMHO, an appropriate place for this ad, Geoff.
> If you don't wish to see any particular item in any newsgroup, you may
wish
> to learn to use newsreader filters.
>
> 73,
>
> -Bill
> KB3PT
> Selbyville, Delaware
> USA
>




From 6865885572863168020
X-Google-Thread: 108122,543ca1dc4d7b2705,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f36g2000hsa.googlegroups.com!not-for-
mail
From: ebohnn@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale - - - German paddle / key
Date: Tue, 22 Apr 2008 21:20:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <06765203-6092-46e0-a13e-d06948ae4824@f36g2000hsa.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208924442 29663 127.0.0.1 (23 Apr 2008 04:20:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 Apr 2008 04:20:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f36g2000hsa.googlegroups.com; posting-host=66.177.6.190;
     posting-account=Xx-pBQoAAADiCoWBLs9Cz0bwNkswGSN1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14280

I have this German iambic paddle for sale on eBay.

Click on this link to see the pictures:
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=270230408145&ssPageName=STRK:MESE:IT&ih=017


Thank you for looking,

Bill


From -4734469660514466194
X-Google-Thread: 108122,91bc40a5cf89f646,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
```

```
spamkiller2.gnilink.net!gnilink.net!trndny07.POSTED!57e3ed27!not-for-mail
From: "JTB" <jerryjtb@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD: PYRAMID PHASE III REGULATED POWER SUPPLY Manual & Schematic
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <Y6HPj.3656$Mm1.163@trndny07>
Date: Wed, 23 Apr 2008 13:48:40 GMT
NNTP-Posting-Host: 209.158.41.234
X-Complaints-To: abuse@verizon.net
X-Trace: trndny07 1208958520 209.158.41.234 (Wed, 23 Apr 2008 09:48:40 EDT)
NNTP-Posting-Date: Wed, 23 Apr 2008 09:48:40 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:14281

Might anyone have a copy of a manual and/or schematic for a PYRAMID PHASE
III REGULATED POWER SUPPLY Model PS-25 -- 0-15VDC & 25 Amps?



Thanks,



Jerry





From 7589216968899061911
X-Google-Thread: 108122,5b6b2e92fcd89e0e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-
mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 4CX1500B
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <OKHPj.79169$TT4.21471@attbi_s22>
NNTP-Posting-Host: 12.219.130.17
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1208961070 12.219.130.17 (Wed, 23 Apr 2008 14:31:10 GMT)
NNTP-Posting-Date: Wed, 23 Apr 2008 14:31:10 GMT
```

Organization: AT&T ASP.att.net
Date: Wed, 23 Apr 2008 14:31:10 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14282

Would some kind soul that actually knows/uses one of these, please identify
the filament ring and the filament/cathode ring.

MNI Tnx

W4ZCB

From 4847425472359722896
X-Google-Thread: 108122,984df79fcbb0dd5b,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder.news-service.com!
news.astraweb.com!newsrouter-eu.astraweb.com!news.tele.dk!news.tele.dk!
small.news.tele.dk!lon-transit.news.telstra.net!pit-in1.telstra.net!
news.telstra.net!news-south.connect.com.au!not-for-mail
From: "Gary Smith" <vkthree@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: What the hell is this thing
Date: Thu, 24 Apr 2008 21:41:34 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 17
Message-ID: <fuprme$q3c$1@news-01.bur.connect.com.au>
NNTP-Posting-Host: c-61-68-171-254.bur.connect.net.au
Mime-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Trace: news-01.bur.connect.com.au 1209037326 26732 61.68.171.254 (24 Apr 2008
11:42:06 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Thu, 24 Apr 2008 11:42:06 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Xref: g2news1.google.com rec.radio.amateur.equipment:14283

Hi, anyone know what this thing is and what it's used for:

hakuyo simulator

Front: power "trigger" led, "speed" non calibrated dial (continuously
turns), "range" dial says 1-5

on the back: 3 pin power (flat like uhf cb) - round power 8 pin socket with pins

"200khz"

Any help appreciated

Gary
VK3LCD

From -7627394605923232475
X-Google-Thread: 108122,7b8282f48820ec58,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d1g2000hsg.googlegroups.com!not-for-mail
From: Ham it up <edsilverwing@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Mounting bracket with screws for it to fit a IC-F221/IC-F221S
Date: Thu, 24 Apr 2008 14:52:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 6
Message-ID: <9fce9b27-ed4a-4132-ab86-07c45db429d7@d1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 66.41.59.255
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1209073932 28477 127.0.0.1 (24 Apr 2008 21:52:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 24 Apr 2008 21:52:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d1g2000hsg.googlegroups.com; posting-host=66.41.59.255;
     posting-account=Ln0D_gkAAAD8lXl8EAVv2y3Pk47PNDIj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; .NET CLR
     1.1.4322; PeoplePal 6.6; InfoPath.1) w:PACBHO60,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14284

I am looking for the above bracket, could be a universal one, if it would fit.

Thanks,

Ed, KB0UKG

From 763072321427816279
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf

```
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!roadrunner.com!not-
for-mail
From: Listener <swl@somewhere.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Date: Thu, 24 Apr 2008 18:27:37 -0400
Message-ID: <092214dv6ki8jvk4ifj9d1teebop1a22gd@4ax.com>
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
X-Newsreader: Forte Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 71
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 66.67.8.228
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.swap:18960 rec.radio.amateur.equipment:14285
rec.audio.marketplace:10707

It's just cheap Chinese crap.

Go to Tools For Fools (Harbor Freight) and get their cheap $3.00 one.

On Wed, 16 Apr 2008 20:49:27 -0500, "PowerHouse Communications"
<PowerHouseCom@privatebox.net> wrote:

>
>
>"Bill Golden" <shortwave1@verizon.net> wrote in message
>news:qMsNj.9268$XF3.7391@trnddc04...
>>
>> I have one high quality Digital Multimeter, with easy-read blue backlight,
>> still left for sale.
>>
>> This is an excellent quality digital multimeter, brand new still in the
>> box,
>> with more features than most popular digital multimeters on the market
>> today!
>>
>> Specs are as follows:
>>
>> Handheld Digital Multimeter for measuring AC and DC voltage, DC current,
>> Resistance, Diode and PNP and NPN Transistor Tester
>> Bright Blue Backlight - very easy to read large digital display
>> Thick yellow rubber casing protects meter from splashes and bumps
>> Test Leads and 9V Battery are included
>> Low power requirement with automatic power off
>> Data hold function
>> Continuity beeper
```

```
>>
>> Measurement Specifications:
>>
>> DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
>> AC Voltage: 200V/600V �1.2%
>> DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
>> Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
>> Display: LCD, 1999 counts
>> Fuse protection: F-200mA/250V
>> Operating Temperature: -0C to 40C
>> Overrange Indication: Only figure "1" on the display
>> Polarity Indication: "-" displayed for negative polarity
>> Low Battery Indication: - /+ display
>> Flip-out stand angles meter for ease of use in any location
>> Battery: 9V, Included
>> Dimensions: 138mm x 69mm x 31mm
>> Weight: ~160g
>>
>> Meter is brand new in the box, and includes:
>>
>> 1 - Digital Multimeter with Backlight
>> 1 - Instruction Manual
>> 1 - Set of Test Leads
>> 1 - 9V Battery
>>
>> Photo (.jpg format) available upon request.
>>
>> This is an exceptional value in a high quality digital multimeter,
>> ideal for electronic troubleshooting and repair work, available
>> for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
>>
>> -Bill
>> KB3PT
>> Selbyville, Delaware
>> E-mail:  shortwave1@verizon.net
>>
>
>Makes me wonder.  I keep reading the words "high quality" and "exceptional
>value," but the fact that nowhere do you give a brand or a model, makes me
>REALLY skeptical...
>


From -8144719957361289672
X-Google-Thread: 108122,a9948edea3ab0c30,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e53g2000hsa.googlegroups.com!not-for-
mail
From: mrhaney <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: MF-100 tube
Date: Mon, 28 Apr 2008 13:31:59 -0700 (PDT)
```

```
Organization: http://groups.google.com
Lines: 4
Message-ID: <ceb1e16f-8b6f-4ac9-8f38-4b573e08f566@e53g2000hsa.googlegroups.com>
NNTP-Posting-Host: 72.216.40.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1209414719 8583 127.0.0.1 (28 Apr 2008 20:31:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 Apr 2008 20:31:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e53g2000hsa.googlegroups.com; posting-host=72.216.40.68;
     posting-account=iDa5ggkAAADrhtwpj3fwoB8ZHtIo_pzj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     FunWebProducts; .NET CLR 2.0.50727; .NET CLR 3.0.04506.648; .NET CLR
     3.5.21022),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14286

I have a pair of Heintz Kaufman  type MF-100 triode tubes ...They have
side cap grids and Plate caps on top . They were spares fpr an old 27
MHZ. Diathermy machine..Anyone have specs on this tube?Anyone need
such a tube? W4PQW



From 469980721057449485
X-Google-Thread: 108122,54913c4d3cdf07f7,start
X-Google-Thread: 1031e1,54913c4d3cdf07f7,start
X-Google-Attributes: gid108122,gid1031e1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x2!
mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,pa.forsale
Subject: eBay: TEN TEC Paragon 585 HF transceiver
Message-ID: <82a30eb3b1200d9b942919256bcf061c@pseudo.borked.net>
Date: Tue, 29 Apr 2008 07:26:30 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14287 pa.forsale:1723

http://snipr.com/Paragon585




From 6764684294110779633
X-Google-Thread: 108122,f01b5c0be6b6671d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!news.glorb.com!
wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: SK sale Repost
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <lrJRj.142156$yE1.15206@attbi_s21>
NNTP-Posting-Host: 12.219.130.17
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1209492305 12.219.130.17 (Tue, 29 Apr 2008 18:05:05 GMT)
NNTP-Posting-Date: Tue, 29 Apr 2008 18:05:05 GMT
Organization: AT&T ASP.att.net
Date: Tue, 29 Apr 2008 18:05:06 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14288

>Oak Hills Research OAR100A. 40 Meter QRP Transceiver    $75
> Acopian LD15-100 PSU    $20
> Hi-Q PSU Model PS-110A +/- 24 Volt, +5 and +15 Volt supply    $20
>> Radio Shack 600 Ohm Dynamic Microphone, Model 33-3004 with case.    $25
> Radio Shack PSU 22-504. 13 Volt/3 Amp supply..    $20
>
> Pictures on request., All tested and guaranteed, all very clean. Prices
> plus shipping. Put your call sign in the subject line so I don't discard
> it as spam.
>
> W4ZCB
>




From -8378727765669128830
X-Google-Thread: fc8b1,65f117f46b45c36a,start
X-Google-Thread: 108122,65f117f46b45c36a,start
X-Google-Thread: 1109af,65f117f46b45c36a,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feed.cgocable.net!
read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: Model: EK-2075  TONE ONLY  POCSAG  Pagers  CHEAP
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <GTORj.56343$612.50327@read1.cgocable.net>
Date: Tue, 29 Apr 2008 20:16:33 -0400
```

NNTP-Posting-Host: 24.141.130.191
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1209514598 24.141.130.191 (Tue, 29 Apr 2008 20:16:38 EDT)
NNTP-Posting-Date: Tue, 29 Apr 2008 20:16:38 EDT
Organization: Cogeco Cable
Xref: g2news1.google.com rec.radio.amateur.boatanchors:14577 rec.radio.amateur.equipment:14289 rec.radio.swap:18989

$10 for Lot or they go into the LandFill!   [PLUS SHIPPING]

>> I have a quantity of 147 Panasonic Model: EK-2075 TONE ONLY POCSAG
>> Pagers that are BRAND NEW. They are presently on 148.210 Mhz and are
>> still in the original Boxes. These units were purchased for a project
>> and the Paging Freq was changed, thus making the pagers useless and the
>> cost to change the frequency was not cost effective. These pagers were
>> made a number of years ago, but should you have the proper paging
>> encoder, they should be of value to you. A Service Manual is included.
>> Please contact me with any questions. Pictures: [Front View]   [Rear
>> View]   [Box of Pagers]

Also See more items and Manuals at: www.rodemi.com

Thank You for looking....Norm VE3CZI

From 4409537430931503863
X-Google-Thread: 108122,7fcf77139e8c2c25,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s50g2000hsb.googlegroups.com!not-for-mail
From: ebohnn@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: * * * * FS - ICOM IC-706MKII with Extras * * * *
Date: Wed, 30 Apr 2008 08:30:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <ffe0bf31-32a6-4381-a85f-af1a349f649f@s50g2000hsb.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1209569403 1352 127.0.0.1 (30 Apr 2008 15:30:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 30 Apr 2008 15:30:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s50g2000hsb.googlegroups.com; posting-host=66.177.6.190;
     posting-account=Xx-pBQoAAADiCoWBLs9Cz0bwNkswGSN1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)

Xref: g2news1.google.com rec.radio.amateur.equipment:14290

Hi,

I have listed my IC-706MKII on eBay. Included in the auction is an
Aluminum Case for it.

Click on this link to see the pictures:
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=270232687445&ssPageName=STRK:MESE:IT&ih=017

Thanks for looking.

Bill

From -1843708897193483041
X-Google-Thread: 108122,bf0bb023b0f2c04d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!8987383b!
not-for-mail
From: "Henry" <noone@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <1LsRj.100114$Cj7.7842@pd7urf2no> <fv5pei$m1m$1@snarked.org>
Subject: Re: ICOM IC-25A VHF RADIO -POWER PLUG HELP?? TECH PLSE...
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <hK7Sj.44861$%15.10415@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbodpkleincffaifkkedaohgpembgkpbichip
pnjfhanfponeomliffgolmkggehdfcagimhaemmmhpcphmpeppkholkndhnegbcaaibdilgclgdhoj
NNTP-Posting-Date: Wed, 30 Apr 2008 20:00:13 EDT
Organization: BellSouth Internet Group
Date: Wed, 30 Apr 2008 20:01:37 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:14292

"should be" ?

the correct board is the one where he can get an answer.

Henry
KI4QNR

From -4720717641733934010
X-Google-Thread: 108122,99de89b7f294f768,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e39g2000hsf.googlegroups.com!not-for-mail
From: ebohnn@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale - IC-706MKII - - - FREE SHIPPING
Date: Fri, 2 May 2008 09:03:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <a5ccb215-8e70-472e-8831-08fe7ffc6cb1@e39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1209744224 11945 127.0.0.1 (2 May 2008 16:03:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 2 May 2008 16:03:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e39g2000hsf.googlegroups.com; posting-host=66.177.6.190;
posting-account=Xx-pBQoAAADiCoWBLs9Cz0bwNkswGSN1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14293

Yes, FREE SHIPPING

I have listed my ICOM IC-706MKII for sale on eBay.

Click here to see the pictures:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=270232687445&ssPageName=STRK:MESE:IT&ih=017

Thanks,
Bill

From 3349215772931164934
X-Google-Thread: 108122,b01ab9999fe3ec0e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!news.cv.net!not-for-mail

Date: Fri, 02 May 2008 23:12:30 -0400
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: ICOM IC-PS35 AC POWER SUPPLY
Content-Type: multipart/alternative;
 boundary="------------070509040106090506020808"
Lines: 51
Message-ID: <481bd81e$0$25033$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:14294

This is a multi-part message in MIME format.
--------------070509040106090506020808
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Anybody have one they don't need???

. This is the internal switching PSU module designed for use in the IC-745, IC-751, IC-751A and IC-970 transceivers (13.8V DC/25A). A variant, with a finned cover, is used in the IC-761 and IC-765. The IC-PS35 has two pigtails; one terminated in an IEC 3-pin mains socket, and the other in a standard 6-pin Molex plug which is inserted in the radio's DC POWER socket. To avoid EMC problems, lead dress should be observed when installing an IC-PS35.

THANKS!!

--------------070509040106090506020808
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<b><a name="IC-PS35"></a></b><br>
Anybody have one they don't need???<br>
<br>
. This is the internal switching PSU module designed for use in the
<b>IC-745,</b> <b>IC-751</b>, <b>IC-751A</b> and <b> IC-970</b>
transceivers (13.8V DC/25A). A variant, with a finned cover, is used in
```

```
the <b>
IC-761</b> and <b>IC-765</b>. The IC-PS35 has two pigtails; one
terminated in an IEC 3-pin
mains socket, and the other in a standard 6-pin Molex plug which is
inserted in
the radio's DC POWER socket. To avoid EMC problems, lead dress should
be
observed when installing an IC-PS35.<br>
<br>
THANKS!!<br>
<br>
</body>
</html>

--------------070509040106090506020808--



From 3956580027506845645
X-Google-Thread: 108122,b01ab9999fe3ec0e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!aba369ab!
not-for-mail
Message-ID: <481BEC7E.8060305@NETTALLY.COM>
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED:  ICOM  IC-PS35  AC POWER SUPPLY
References: <481bd81e$0$25033$607ed4bc@cv.net>
In-Reply-To: <481bd81e$0$25033$607ed4bc@cv.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 26
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbofgnaebkcbeibfnclloepocgenbdneclapd
kkniakbmhaegdaebbdokmcigmdjfonahkdanodbajneomadphiinhiafolijchhdfoedalmmbdgipb
NNTP-Posting-Date: Sat, 03 May 2008 00:38:08 EDT
Organization: BellSouth Internet Group
Date: Sat, 03 May 2008 00:39:26 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:14295

Steve wrote:
> **
> Anybody have one they don't need???
>
> . This is the internal switching PSU module designed for use in the
> *IC-745,* *IC-751*, *IC-751A* and * IC-970* transceivers (13.8V DC/25A).
> A variant, with a finned cover, is used in the * IC-761* and *IC-765*.
> The IC-PS35 has two pigtails; one terminated in an IEC 3-pin mains
```

> socket, and the other in a standard 6-pin Molex plug which is inserted
> in the radio's DC POWER socket. To avoid EMC problems, lead dress should
> be observed when installing an IC-PS35.
>
> THANKS!!
>
I got one from e-bay for my spare IC-970. I am looking for the black
gasket that goes between the power supply and the radio chassis. Are
those available?

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From -1715255969333852820
X-Google-Thread: 108122,a5d67d38cb6f7278,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
newsfeed.freenet.de!news.buerger.net!news.bawue.net!not-for-mail
From: Bernd Maestling <dk5bm@darc.de>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: schematic / service manual Standard C710
Date: Sun, 04 May 2008 11:54:03 +0200
Organization: bawue.net - http://www.bawue.net
Lines: 12
Message-ID: <fvk139$sii$1@news.bawue.net>
NNTP-Posting-Host: dslb-084-056-141-232.pools.arcor-ip.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.bawue.net 1209894825 29266 84.56.141.232 (4 May 2008 09:53:45 GMT)
X-Complaints-To: abuse@news.bawue.net
NNTP-Posting-Date: Sun, 4 May 2008 09:53:45 +0000 (UTC)
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
Xref: g2news1.google.com rec.radio.amateur.equipment:14297

Hello,

I'm looking for the schematic or service-manual for
the 2m/70cm/23cm handheld Standard C710.

(The Standard C510 schematic / SM is not the same)

Any help would be appreciated.

73

Bernd
DK5BM

From 7065730595633160821
X-Google-Thread: 108122,d1d025911b17e95,start
X-Google-Thread: 10741d,d1d025911b17e95,start
X-Google-Attributes: gid108122,gid10741d,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: Fred <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,ks.misc
Subject: FA: TEN TEC Omni VI Plus transceiver
Message-ID: <47d5f7e3a262c8c33fb3ba2e33f9c9aa@pseudo.borked.net>
Date: Sun, 4 May 2008 06:36:18 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14298 ks.misc:62

http://xrl.us/Omni6

From 1227993039183576228
X-Google-Thread: 108122,4b72f71ae2914197,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!newsfeed01.sul.t-
online.de!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!
not-for-mail
From: Krizo <zgvacet@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: PLL CCI3001
Date: Sun, 4 May 2008 20:46:02 +0200
Organization: T-Com
Lines: 14
Message-ID: <10lhx2753edey$.1apgmu2id3not$.dlg@40tude.net>
Reply-To: zgvacet@gmail.com
NNTP-Posting-Host: 78-2-36-12.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1209926798 25676 78.2.36.12 (4 May 2008 18:46:38 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sun, 4 May 2008 18:46:38 +0000 (UTC)
User-Agent: 40tude_Dialog/2.0.15.1
Xref: g2news1.google.com rec.radio.amateur.equipment:14299

I need PLL CCI3001 if somone have ? Any info would be helpful because i
didn`t find the chip for sale on the net.

It is used in this radio stations:

Royce 639,582,651,642
Sommerkamp TS-340 ili TS-340 DX
Pace 8093,8193

Tnx

zgvacet@gmail.com

From 5689116963730957813
X-Google-Thread: 108122,b92035438bb55d9c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e39g2000hsf.googlegroups.com!not-for-mail
From: crgrill@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: CIR Astro 200 Manual
Date: Sun, 4 May 2008 17:26:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <20a25a74-698b-4df6-aad2-e28733d5774d@e39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 67.163.153.90
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1209947164 28375 127.0.0.1 (5 May 2008 00:26:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 May 2008 00:26:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e39g2000hsf.googlegroups.com; posting-host=67.163.153.90;
     posting-account=O4kUqwkAAABUlbIqxEuKwK6JbnOW2Zys
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.6)
     Gecko/20071008 Ubuntu/7.10 (gutsy) Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14300

Anyone have a manual in digital form? Thanks.
73
WB6CQA

From 8903867803105774963
X-Google-Thread: 108122,b92035438bb55d9c
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x35g2000hsb.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment

```
Subject: Re: WANTED: CIR Astro 200 Manual
Date: Sun, 4 May 2008 19:24:34 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <294da3cd-a6c9-4060-b682-3831d0b0af29@x35g2000hsb.googlegroups.com>
References: <20a25a74-698b-4df6-aad2-e28733d5774d@e39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1209954275 16941 127.0.0.1 (5 May 2008 02:24:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 May 2008 02:24:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000hsb.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14301

On May 4, 8:26 pm, crgr...@gmail.com wrote:
> Anyone have a manual in digital form? Thanks.
> 73
> WB6CQA

I don't think these were that numerous or popular enough for anyone to
have digitized the manual but will be interested to see, hi!
GL.......
Rich WA2RQY/4



From 5035827019553073026
X-Google-Thread: 108122,3d7add1e7cba9103,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!fdn.fr!
news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "D.K." <bla.bla@bla.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: narrow CW filters
Date: Mon, 5 May 2008 18:13:20 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 17
Message-ID: <481f31fd$0$902$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 05 May 2008 18:12:45 CEST
NNTP-Posting-Host: 86.220.27.126
```

X-Trace: 1210003965 news.orange.fr 902 86.220.27.126:1464
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com rec.radio.amateur.equipment:14302

Hi all,
I'm considering to upgrade my receiver ICOM R75 with narrow CW filters. My main interest is NDB listening in the LW band.
There are 2 possiblities:
a) ICOM FL101 (CW narrow 9mHz IF, 250Hz) + ICOM FL53A (CW narrow 455kHz, 250Hz)
b) INRAD 121 (CW narrow 9010.6kHz, 250Hz) + INRAD 122 (CW narrow 455kHz, 250Hz)
Which combination is the better one in terms of quality and efficiency.
Price does'nt matter.
Any advice is welcome!
Thanks in advance

D. Kremp
France

From 1597501181013085454
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03a.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: narrow CW filters
Date: Mon, 5 May 2008 16:39:02 +0000 (UTC)
Organization: MGT Consulting
Lines: 33
Message-ID: <slrng1udvr.7v4.gsm@cable.mendelson.com>
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-61-203.bb.netvision.net.il
X-Trace: max.inside.misty.com 1210005542 6555 89.138.61.203 (5 May 2008 16:39:02 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Mon, 5 May 2008 16:39:02 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:14303

D.K. wrote:
> I'm considering to upgrade my receiver ICOM R75 with narrow CW filters. My
> main interest is NDB listening in the LW band.
> There are 2 possiblities:
> a) ICOM FL101 (CW narrow 9mHz IF, 250Hz) + ICOM FL53A (CW narrow 455kHz,

> 250Hz)
> b) INRAD 121 (CW narrow 9010.6kHz, 250Hz) + INRAD 122 (CW narrow 455kHz,
> 250Hz)
> Which combination is the better one in terms of quality and efficiency.
> Price does'nt matter.
> Any advice is welcome!

Why? Do you hear more than one signal from adjacent frequencies? Or do you hear broad spectrum noise?

250Hz CW filters are designed to be used by ham radio operators in crowded bands. They often make listening difficult due to "ringing" (noise).

They won't filter out broad spectrum noise because it covers the same frequencies as the signal you want.

You might find that a DSP audio processor will give you better results. It's easy to test, there are lots of DSP audio programs around for PC's, you just record some signals and try it.

You could also ask around the local ham community and see if you can find someone with a similar filter in a receiver that covers the LF bands.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

From 5308311344281667042
X-Google-Thread: 108122,697b9f16c18952e0,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.birchtelecom!news.birchtelecom.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 06 May 2008 10:33:23 -0500
From: "bigter1" <tsm@electrosys.com>
Newsgroups: rec.radio.amateur.equipment
Subject: QST-VIEW
Date: Tue, 6 May 2008 10:33:15 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <jOGdnc2jpKXe573VnZ2dnUVZ_rqlnZ2d@birchtelecom>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.53.24.10
X-Trace: sv3-JqaPCGA6X/
J1ttNvFHiN5yfkPkKUa8xLe1Z8hnob+hYp2hSrHt+cjZt7uR8s1OFLAkrY5KcD1vI3oTG!

```
nRgLAcNegKTEWbA8p4Fvs26G7jm2MKJrBYXClZXDZSOiLec86Jbbq0ds8/u1v1GNrPfCORp2oDlN!
nxJR08b6C+mr
X-Complaints-To: abuse@birchtelecom
X-DMCA-Complaints-To: abuse@birchtelecom
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.38
Xref: g2news1.google.com rec.radio.amateur.equipment:14304
```

For those who are interested in the ARRL QST-VIEW publications that are no longer stocked by ARRL, be advised that all dates are IN STOCK by Radio Era Archives, the developer/producer of QST-VIEW. A direct link for ordering is below:
http://www.radioera.com/qst-view.asp

This is an informational notice since ARRL has many dates that are no longer available.

```
From -2078549928896836043
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k37g2000hsf.googlegroups.com!not-for-
mail
From: rmorton58@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: narrow CW filters
Date: Tue, 6 May 2008 21:19:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 24
Message-ID: <8683fb59-f697-4b13-b6d4-2fa024759160@k37g2000hsf.googlegroups.com>
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
NNTP-Posting-Host: 71.101.116.72
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1210133960 566 127.0.0.1 (7 May 2008 04:19:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 May 2008 04:19:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k37g2000hsf.googlegroups.com; posting-host=71.101.116.72;
     posting-account=F1htSwoAAADWFiN4Qt_cBi9UQTcr7xiV
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.13)
     Gecko/20080208 Mandriva/2.0.0.13-1mdv2008.1 (2008.1) Firefox/
2.0.0.13,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2363
```

On May 5, 12:13 pm, "D.K." <bla....@bla.fr> wrote:

> Hi all,
> I'm considering to upgrade my receiver ICOM R75 with narrow CW filters. My
> main interest is NDB listening in the LW band.
> There are 2 possiblities:
> a) ICOM FL101 (CW narrow 9mHz IF, 250Hz) + ICOM FL53A (CW narrow 455kHz,
> 250Hz)
> b) INRAD 121 (CW narrow 9010.6kHz, 250Hz) + INRAD 122 (CW narrow 455kHz,
> 250Hz)
> Which combination is the better one in terms of quality and efficiency.
> Price does'nt matter.
> Any advice is welcome!
> Thanks in advance
>
> D. Kremp
> France

You may want to try using a Timewave DSP Filter. The DSP-59+ can be
had for about $150 US or less and the DSP-599zx for about $300 US. I
had the 599zx for a long time and wish I still had had it. It was a
very good filter.

Rick KR4EY

```
From -2071659498920987289
X-Google-Thread: fcc6e,1ef6beef2a306b64,start
X-Google-Thread: 11480d,1ef6beef2a306b64,start
X-Google-Thread: 108122,1ef6beef2a306b64,start
X-Google-Thread: fc2a5,1ef6beef2a306b64,start
X-Google-Thread: 10b9c8,1ef6beef2a306b64,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.250.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
transit3.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1207548301@panix.com>
Followup-To: poster
Date: 7 May 2008 02:05:02 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Jun 2008 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1210140301@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
```

NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1210140302 2005 166.84.1.2 (7 May 2008 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 May 2008 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:16550 rec.radio.amateur.dx:485 rec.radio.amateur.equipment:2364 rec.radio.amateur.homebrew:2455 rec.radio.info:511

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -1794239516269059133
X-Google-Thread: 108122,5943f9bc7070c43a,start

X-Google-Thread: 1109af,5943f9bc7070c43a,start
X-Google-Thread: 10b9c8,5943f9bc7070c43a,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.249.MISMATCH!news-out.readnews.com!transit3.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1207548600@panix.com>
Followup-To: poster
Date: 7 May 2008 02:10:02 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Jun 2008 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1210140601@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1210140602 2517 166.84.1.2 (7 May 2008 06:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 May 2008 06:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.equipment:2365 rec.radio.swap:2884
rec.radio.info:512

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT

Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 7016170519365053359
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!novia!border2.nntp.dca.giganews.com!
nntp.giganews.com!newspeer1.nac.net!feedme.ziplink.net!petpeeve.ziplink.net!not-
for-mail
From: "dBc" <not_necessary@thanks.com>
Newsgroups: rec.radio.amateur.equipment
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
Subject: Re: narrow CW filters
Lines: 68
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <qdrUj.77$oJ4.3343842@petpeeve.ziplink.net>
Date: Wed, 07 May 2008 23:48:38 GMT
NNTP-Posting-Host: 72.251.17.133
X-Trace: petpeeve.ziplink.net 1210204118 72.251.17.133 (Wed, 07 May 2008 19:48:38
EDT)
NNTP-Posting-Date: Wed, 07 May 2008 19:48:38 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:2366
```

Greetings D. Kremp..

Typically, for very narrow CW work, 250 Hz IF filters are a reasonable choice. Many prefer 500 Hz however, if you frequent very crowded band conditions, you may have little alternative but to narrow up the IF as much as possible. Now days, this narrowing has somewhat been alleviated by Digital Signal Processing (DSP) within the IF. Through IF DSP, you [typically] have options to narrow the IF to whatever you desire. Short of DSP technology, IF filtering by way of a crystal filtering elements is the desired choice. An outboard DSP unit connected to your speaker output will not be as effective however, they are great at reducing heterodynes and general band noise. I relate this from using DSP units since their introduction to the amateur services.

A side note..

Regarding:
"a) ICOM FL101 (CW narrow 9mHz IF, 250Hz)"

Somehow, I doubt that they have a 9 millihertz IF. If you're just cutting and pasting this from another source, then be aware of:

Megahertz is defined as MHz, kilohertz as kHz and hertz as Hz. It is, in fact, ALWAYS a capital "H" to pay homage to Mr. Heinrich Hertz. Consider: http://www.ideafinder.com/history/inventors/hertz.htm or, http://searchnetworking.techtarget.com/sDefinition/0,,sid7_gci214263,00.html or, http://tf.nist.gov/timefreq/general/glossary.htm (click on "M" or "J-K" - these folks should know the difference)

Further proof? Take a look at www.fcc.gov and note their frequency references. In addition, simply take a look at a stereo dial, clock radio or even your transistor radio and notice how the manufacturers abbreviate frequency.

Cheers,
Mr. Mentor

"D.K." <bla.bla@bla.fr> wrote in message
news:481f31fd$0$902$ba4acef3@news.orange.fr...
| Hi all,
| I'm considering to upgrade my receiver ICOM R75 with narrow CW
filters. My
| main interest is NDB listening in the LW band.
| There are 2 possiblities:
| a) ICOM FL101 (CW narrow 9mHz IF, 250Hz) + ICOM FL53A (CW narrow
455kHz,
| 250Hz)
| b) INRAD 121 (CW narrow 9010.6kHz, 250Hz) + INRAD 122 (CW narrow
455kHz,
| 250Hz)
| Which combination is the better one in terms of quality and
efficiency.
| Price does'nt matter.
| Any advice is welcome!
| Thanks in advance

|
| D. Kremp
| France
|
|

From 3858077221859204219
X-Google-Thread: 108122,a926978f3c3b275e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l42g2000hsc.googlegroups.com!not-for-mail
From: Catweazel <francis.fuller@iee.org>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD: CTCSS module for ADI AR146
Date: Thu, 8 May 2008 03:54:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <b1e94825-8bd4-46cc-bc22-a957d151a61a@l42g2000hsc.googlegroups.com>
NNTP-Posting-Host: 20.133.0.8
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1210244080 24875 127.0.0.1 (8 May 2008 10:54:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 May 2008 10:54:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l42g2000hsc.googlegroups.com; posting-host=20.133.0.8;
posting-account=vJ_RWQoAAADgNUF-vgVOOvdTOhj4hoPh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2367

Something of a long shot, but someone somewhere might have one. They do not appear to be available from the usual UK sources. [I bought the AR146 without the CTCSS module quite a few years ago, before CTSCC became popular in the UK for repeaters. Due to changing circumstances it was confined to the attic, from where it's been re-discovered and I'd like to get it back into service.]

Alternatively, if someone knows the radio well enough, can anyone tell me the connector type used in the radio into which the CTCSS module is plugged? if I can get the 'other half' I can probably find an alternative CTCSS module to use.

TIA

From -1647078273452801036

X-Google-Thread: 108122,34922ea3f17d54c3,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!z16g2000prn.googlegroups.com!not-for-mail
From: mrpace@sfcn.org
Newsgroups: rec.radio.amateur.equipment
Subject: Repeater question
Date: Thu, 8 May 2008 12:39:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <47a35bcd-b833-4603-97bc-e80e96d38fa7@z16g2000prn.googlegroups.com>
NNTP-Posting-Host: 67.107.198.251
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1210275585 3272 127.0.0.1 (8 May 2008 19:39:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 May 2008 19:39:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z16g2000prn.googlegroups.com; posting-host=67.107.198.251;
     posting-account=kHNnAgkAAAA64ijV4Z1r1Cy-G0_ThKCU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 3.0.04506.648;
     .NET CLR 3.5.21022),gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2368

I'm totally new to amateur radio, so this may seem like a stupid question. Does the typical 2 meter or UHF repeater repeat DTMF tones?

ICOM radios have an optional DTMF Decoder to control squelch, and I was wondering if I could set the frequency to a local repeater and only hear messages when the correct DTMF signal is sent. That way I could use repeaters and still have the privacy like subtones, instead of listening to everything that comes accross the repeater.

But, this cool functionality won't work if repeaters don't repeat DTMF sent to them.

Thanks in advance for you help.

From -2911287385987678014
X-Google-Thread: 108122,34922ea3f17d54c3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII

Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews8.bellsouth.net.POSTED!aba369ab!not-for-mail
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Repeater question
References: <47a35bcd-b833-4603-97bc-e80e96d38fa7@z16g2000prn.googlegroups.com>
In-Reply-To: <47a35bcd-b833-4603-97bc-e80e96d38fa7@z16g2000prn.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 33
Message-ID: <7UJUj.688$255.680@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace: mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbookmlepfanhojadpfnofeapgepmhjmelepdkkniakbmhaegdaalpnflbapfokdkpeghfcdchdbapaaekhiohknjjmaepoifndclgclbkmcgnepegb
NNTP-Posting-Date: Thu, 08 May 2008 17:02:59 EDT
Organization: BellSouth Internet Group
Date: Thu, 08 May 2008 17:03:41 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:2369

mrpace@sfcn.org wrote:

> I'm totally new to amateur radio, so this may seem like a stupid
> question. Does the typical 2 meter or UHF repeater repeat DTMF
> tones?
>
> ICOM radios have an optional DTMF Decoder to control squelch, and I
> was wondering if I could set the frequency to a local repeater and
> only hear messages when the correct DTMF signal is sent. That way I
> could use repeaters and still have the privacy like subtones, instead
> of listening to everything that comes accross the repeater.
>
>
> But, this cool functionality won't work if repeaters don't repeat
> DTMF
> sent to them.
>
>
> Thanks in advance for you help.
>
>

It depends on the repeater controller, most will repeat the DTMF tones, some will regenerate the tones (improving the s/n ratio) and some will strip the tones out. Still others will repeat the tones if you know the correct digit(s) to add as a preamble.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From 7340434284978064051
X-Google-Thread: 108122,1d33b8f301dbd5f,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p25g2000hsf.googlegroups.com!not-for-
mail
From: crgrill@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: CIR Astro 200 Question
Date: Fri, 9 May 2008 07:44:26 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <7802a5ea-06ae-4221-9187-68aee04b26cd@p25g2000hsf.googlegroups.com>
NNTP-Posting-Host: 12.152.60.2
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1210344267 12492 127.0.0.1 (9 May 2008 14:44:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 May 2008 14:44:27 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p25g2000hsf.googlegroups.com; posting-host=12.152.60.2;
     posting-account=O4kUqwkAAABUlbIqxEuKwK6JbnOW2Zys
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.11)
     Gecko/20071204 Ubuntu/7.10 (gutsy) Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news2.google.com rec.radio.amateur.equipment:2370
```

Apparently it is hard to find a manual for these rigs. Maybe someone that has used one can answer my question. How do I power this thing? There is a cinch-jones type connector on the back. I have never used it, is it expecting a DC supply like my old Heathkit, or an AC plug? I guess I can open it up to see if it is converting ac/dc, but if someone has the answer I'd appreciate it.

73
WB6CQA

```
From 4831362201904824245
X-Google-Thread: 1109af,61abe36ef27ceebc,start
X-Google-Thread: 108122,61abe36ef27ceebc,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
```

```
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: TEN-TEC Corsair II transceiver
Message-ID: <b2683b97811a5de154d9d04c2f8caa0b@pseudo.borked.net>
Date: Fri,  9 May 2008 14:03:53 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.swap:2898 rec.radio.amateur.equipment:2371
```

http://xrl.us/CorsairII

```
From -2008343000767190587
X-Google-Thread: 108122,1d33b8f301dbd5f
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
i76g2000hsf.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CIR Astro 200 Question
Date: Sat, 10 May 2008 07:43:14 -0700 (PDT)
Organization: http://groups.google.com
Lines: 13
Message-ID: <99ca316b-dd1b-41da-a334-afa4d9a452f6@i76g2000hsf.googlegroups.com>
References: <7802a5ea-06ae-4221-9187-68aee04b26cd@p25g2000hsf.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1210430594 6872 127.0.0.1 (10 May 2008 14:43:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 May 2008 14:43:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i76g2000hsf.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:10
```

On May 9, 10:44 am, crgr...@gmail.com wrote:

> Apparently it is hard to find a manual for these rigs. Maybe someone
> that has used one can answer my question. How do I power this thing?
> There is a cinch-jones type connector on the back. I have never used
> it, is it expecting a DC supply like my old Heathkit, or an AC plug? I
> guess I can open it up to see if it is converting ac/dc, but if
> someone has the answer I'd appreciate it.
>
> 73
> WB6CQA

Oh, its for DC only OM!

Rich

```
From -5169998360988036715
X-Google-Thread: 114aac,2151eb6ea255823f,start
X-Google-Thread: 1109af,2151eb6ea255823f,start
X-Google-Thread: 108122,2151eb6ea255823f,start
X-Google-Attributes: gid114aac,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
k1g2000prb.googlegroups.com!not-for-mail
From: RHF <rhf-newsgroups@pacbell.net>
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiver
Date: Sat, 10 May 2008 09:58:44 -0700 (PDT)
Organization: http://groups.google.com
Lines: 81
Message-ID: <5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com>
NNTP-Posting-Host: 69.225.83.238
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1210438724 30056 127.0.0.1 (10 May 2008 16:58:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 May 2008 16:58:44 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k1g2000prb.googlegroups.com; posting-host=69.225.83.238;
     posting-account=sXdt0QkAAADnWX7qexSpwEu6RhprtPN6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; YPC
     3.2.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR
3.0.04506.648),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.shortwave:405 rec.radio.swap:20
rec.radio.amateur.equipment:11
```

For One and All,

Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiver
http://groups.yahoo.com/group/kenwood-r5000/message/2115

Also may Want-to-Buy [WTB] a YK-88S2 IF Filter -so-
Does Anyone Have a YK-88S2 IF Filter : For Sale ?

Background : There is another Kenwood IF Filter that
is design for one or more of the Kenwood Transcevers
that is Listed as a YK-88S2.

The YK-88S2 is a standard "Can" Solder-In type Filter
and -only- and needs to be mounted on the Dash-One (-1)
"Plug-In" Filter Circuit Boards used by Kenwood in some
of their Transcivers and the R-5000 Receiver.

The YK-88S2 Filter can be used by swapped-it-out with

an existing Filter that is mounted on the Circuit Board
of the Drop-In Filter for the Kenwood R-5000 Receiver.

IIRC - The YK-88S2 is designed to work on 8.83 MHz and
has the same size and circuit characteristis as the
other Filters designed for the Kenwood R-5000 Receiver.

Reference Link/URL for the YK-88S2 Filter
http://jg1xlv.jp-au.net/yk88s2.htm

My reading of the Numbers for the YK-88S2 Filter :
The -6 dB Bandwidth would be 3 kHz (2x1.5)
The -20 dB Bandwidth would be 3.8 kHz (2x1.9)
The -60 dB Bandwidth would be 5.5 kHz (2x2.75)
http://jg1xlv.jp-au.net/yk88s2-spec.htm

Now comparison this to the KY-88A-1 Filter
The -6 dB Bandwidth would be 6.0 kHz
The -20 dB Bandwidth would be ?.? kHz
The -60 dB Bandwidth would be 11 kHz

My Conclusion is that the Kenwood YK-88S2 (3.0 kHz)
would appear to be usable as a Very-Wide SSB IF Filter
-and/or- a Very-Narrow AM/MW IF Filter
http://jg1xlv.jp-au.net/yk88s2-spec.htm

The reason for this posting is -if- the Standard Solder-in
IF Filter Board Mounted of the Kenwood R-5000 Receiver
will take a Kenwood YK-88S2 IF Filter : It should -but-
has anyone had a problem ? ? ? ? ?

=IF= The Kenwood YK-88S2 IF Filter is a Drop-in-Fit
-then- I would like to configure a Kenwood R-5000
Receiver with the following Filters :
1st IF Filter = YK88-A1 - AM 6 kHz for Wide AM
2nd IF Filter = YK88S2 - AM 3 kHz for Narrow AM
3rd IF Filter = YK88S-1 - SSB 2.4 kHz for Very Narrow AM
This Receiver would be "Set-Up" specifically for Shortwave
Radio Broadcast Program Listening and not for Amateur
Radio SSB Reception.

Once Again - Two Questions :

1 - Has anyone any more information on the Kenwood
{ Trio } YK88S2 IF Filter ?

# 2 - Has anyone any used the Kenwood { Trio } YK88S2
IF Filter in any Rigs ?

some say - i would if i could . . .
-while- i simply say 'kenwood' ~ RHF
.
The Kenwood R-5000 Receiver Owners & User's Group

```
KENWOOD R-5000 RECEIVER => http://tinyurl.com/2o4z8k
Is your place on the WEB to use as a "Resource" for
General and Technical Information about the Kenwood
R-5000 Receiver and to Identifying Common Problems
and Simple Practical Solutions. http://tinyurl.com/2o4z8k
KWR5K => http://groups.yahoo.com/group/kenwood-r5000/
Shortwave Radio Listening Antennas "The Other" 55.5% of SWLing
SWL ANTENNA => http://tinyurl.com/ogvcf
- = 2O4Z8K = -
 .


From -7837995533364067314
X-Google-Thread: 108122,c2e1dbbc08b2d710,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe17.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Flea Market - Dayton
Message-ID: <g6dc24d16lo61jgf5geqc61gnktrj7e498@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
NNTP-Posting-Host: 70.161.108.232
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe17.lga 1210463461 70.161.108.232 (Sat, 10 May 2008 16:51:01 MST)
NNTP-Posting-Date: Sat, 10 May 2008 16:51:01 MST
Organization: Cox
Date: Sat, 10 May 2008 19:51:20 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:12

I asked for space #3246 back in Feb. But they lost the mail.  Will
pick up package Thursday AM and hope it is the one requested.  However
I will be there, somewhere with the following stuff:
     Kenwood  TS-820 HF Transceiver  w/ Operator & Service Manual
     Kenwood MC-50 Desk Microphone MFJ-941E  Antenna Tuner

     MFJ-941E  Antenna Tuner
     MFJ-1702B  Two Position Coax Switch
     PALOMAR 300A  Amateur Band Bi-Linear Amplifier
     Astatic D-104 microphone with Stand that has dual PTT bars
And other stuff        Sonny,  K4WYS


From -6416967244127313802
X-Google-Thread: 108122,dafe83d9cd1185a6,start
X-Google-Attributes: gid108122,domainid0,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 May 2008 21:04:15 -0500
From: James Chastain <James.Chastain.26c0996@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Midland/Maxon 70-201BD SD-125 programming
Date: Sun, 11 May 2008 01:30:51 +0100
Message-ID: <James.Chastain.26c0996@radiobanter.com>
Organization: RadioBanter.com
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-kIclATh7wLwW/aJDxGUB44RAKxogtRKN9HbqtCY1M2q++cD34Hi/AsGZspv6gu/
LOOkL1jBpePAdo+y!
H0P09BNFI1l1y1apYcp57V3FLDJpGEoksIZVG3j7+biAIQdoQik+cl7FakPIgMYvRnZge40H3Zfu!
BO+zb+QxYxUcqQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.38
X-Original-Lines: 11
Xref: g2news1.google.com rec.radio.amateur.equipment:13

Hi all,
I am looking for a QPA-4000 and ACC-2000 for programming the Maxon or
Midland data radio's.

If you have these for sell please contact me at.....

j.mail66 "at" verizon.net

Thanks,
Rod
KD0XX

--
James Chastain

From -4710651441358168078
X-Google-Thread: 106d41,7d2604617288092b
X-Google-Thread: 108122,7d2604617288092b
X-Google-Attributes: gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!news-xxxfer.readnews.com!

```
textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Latest Feedback on Ebay Regarding VoiceMax Speech Processor...
From: Steve <moparholic@hotmail.com>
Organization: wha?
Message-ID: <20080511022727.781$AU@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
References: <e52daa26-757d-4718-b6d6-5fc4db29c69d@c4g2000hsg.googlegroups.com>
<91fdb250-b7ae-4599-aa6d-ba571495a0c4@c4g2000hsg.googlegroups.com>
X-NRC-Trace: NewsReader.Com fd_@Ly_3TvIBJ7b3JzbcsyRmguJi/@DsHfqL@c@lxZfMg5
Date: 11 May 2008 06:27:23 GMT
Lines: 8
NNTP-Posting-Host: 9e1d90bf.nr2.newsreader.com
X-Trace:
DXC=F8\@UX1eNYmVdQ<gO1l>\fOA8_@f\K_ibaQ6g14UKj>jl]3VSA2b:JgNd7biGRhQTgYA@MLbHKH8mj
ijm;48]:ni
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:61 rec.radio.amateur.equipment:14

cmdr buzz corey <cmdr-buzz-corey@mailcity.com> wrote:
>> You are selling to cbers, what would they know about good audio
> quality. All they care about is swang.
>
Remember when your dad let you play with his radio, cmdr buzz dildo?

--
                    http://NewsReader.Com/


From 2894208013746773438
X-Google-Thread: 106d41,7d2604617288092b
X-Google-Thread: 108122,7d2604617288092b
X-Google-Attributes: gid106d41,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
j22g2000hsf.googlegroups.com!not-for-mail
From: an_old_friend <konstans@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: no problem here dloyd
Date: Sun, 11 May 2008 00:10:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <05cb9c15-51a3-48e4-b4da-cb3ba28feae9@j22g2000hsf.googlegroups.com>
References: <e52daa26-757d-4718-b6d6-5fc4db29c69d@c4g2000hsg.googlegroups.com>
     <91fdb250-b7ae-4599-aa6d-ba571495a0c4@c4g2000hsg.googlegroups.com>
     <20080511022727.781$AU@newsreader.com>
NNTP-Posting-Host: 66.82.9.57
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1210489858 21237 127.0.0.1 (11 May 2008 07:10:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 May 2008 07:10:58 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: j22g2000hsf.googlegroups.com; posting-host=66.82.9.57;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:73 rec.radio.amateur.equipment:15

On May 11, 2:27=A0am, Steve <moparho...@hotmail.com> wrote:
> cmdr buzz corey <cmdr-buzz-co...@mailcity.com> wrote:>> You are selling to=
 cbers, what would they know about good audio
> > quality. All they care about is swang.
>
> Remember when your dad let you play with his radio, cmdr buzz dildo?

get a life


From -2398562073642751894
X-Google-Thread: 114aac,2151eb6ea255823f
X-Google-Thread: 1109af,2151eb6ea255823f
X-Google-Thread: 108122,2151eb6ea255823f
X-Google-Attributes: gid114aac,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!DIALUPUSA.NET!
not-for-mail
From: "Homer J" <homerj@home.com>
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
References: <5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com>
In-Reply-To: <5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com>
Subject: Re: Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiver
Date: Sun, 11 May 2008 08:24:20 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6001.18000
Message-ID: <2e907$4826e579$4e1206c$9946@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 106
X-Trace: 2e9074826e579a14485c909946
Xref: g2news1.google.com rec.radio.shortwave:482 rec.radio.swap:26
rec.radio.amateur.equipment:16

I found Kenwood filters for my old TS-440S at International Radio 13620 Tyee
```

Road Umpqua OR for a reasonable price. I tried the more conventional sources such PartsStore.com but even though they listed the filters they were discontinued.

The old radios from the late 80s through the mid-90s are hard to get parts for sometimes.

The only draw back to ones from International were they were not direct replacement, they were mounted pn a circuit board mounted to my IF board with some double sticky foam tape. The orignal filters were hard to find without buying them off eBay as a used item for a premium price.

Good luck, the filter do make a big difference, my Kenwood is used as a beater radio for our club Field Day and other outdoor events. The operators last year raved at how clear the SSB signals were over the previous FD.

73,

Homer

"RHF" <rhf-newsgroups@pacbell.net> wrote in message
news:5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com...

> For One and All,
>
> Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiver
> http://groups.yahoo.com/group/kenwood-r5000/message/2115
>
> Also may Want-to-Buy [WTB] a YK-88S2 IF Filter -so-
> Does Anyone Have a YK-88S2 IF Filter : For Sale ?
>
> Background : There is another Kenwood IF Filter that
> is design for one or more of the Kenwood Transcevers
> that is Listed as a YK-88S2.
>
> The YK-88S2 is a standard "Can" Solder-In type Filter
> and -only- and needs to be mounted on the Dash-One (-1)
> "Plug-In" Filter Circuit Boards used by Kenwood in some
> of their Transcivers and the R-5000 Receiver.
>
> The YK-88S2 Filter can be used by swapped-it-out with
> an existing Filter that is mounted on the Circuit Board
> of the Drop-In Filter for the Kenwood R-5000 Receiver.
>
> IIRC - The YK-88S2 is designed to work on 8.83 MHz and
> has the same size and circuit characteristis as the
> other Filters designed for the Kenwood R-5000 Receiver.
>
> Reference Link/URL for the YK-88S2 Filter
> http://jg1xlv.jp-au.net/yk88s2.htm
>
> My reading of the Numbers for the YK-88S2 Filter :
> The -6 dB Bandwidth would be 3 kHz (2x1.5)

> The -20 dB Bandwidth would be 3.8 kHz (2x1.9)
> The -60 dB Bandwidth would be 5.5 kHz (2x2.75)
> http://jg1xlv.jp-au.net/yk88s2-spec.htm
>
> Now comparison this to the KY-88A-1 Filter
> The -6 dB Bandwidth would be 6.0 kHz
> The -20 dB Bandwidth would be ?.? kHz
> The -60 dB Bandwidth would be 11 kHz
>
> My Conclusion is that the Kenwood YK-88S2 (3.0 kHz)
> would appear to be usable as a Very-Wide SSB IF Filter
> -and/or- a Very-Narrow AM/MW IF Filter
> http://jg1xlv.jp-au.net/yk88s2-spec.htm
>
> The reason for this posting is -if- the Standard Solder-in
> IF Filter Board Mounted of the Kenwood R-5000 Receiver
> will take a Kenwood YK-88S2 IF Filter : It should -but-
> has anyone had a problem ? ? ? ? ?
>
> =IF= The Kenwood YK-88S2 IF Filter is a Drop-in-Fit
> -then- I would like to configure a Kenwood R-5000
> Receiver with the following Filters :
> 1st IF Filter = YK88-A1 - AM 6 kHz for Wide AM
> 2nd IF Filter = YK88S2 - AM 3 kHz for Narrow AM
> 3rd IF Filter = YK88S-1 - SSB 2.4 kHz for Very Narrow AM
> This Receiver would be "Set-Up" specifically for Shortwave
> Radio Broadcast Program Listening and not for Amateur
> Radio SSB Reception.
>
> Once Again - Two Questions :
>
> # 1 - Has anyone any more information on the Kenwood
> { Trio } YK88S2 IF Filter ?
>
> # 2 - Has anyone any used the Kenwood { Trio } YK88S2
> IF Filter in any Rigs ?
>
> some say - i would if i could . . .
> -while- i simply say 'kenwood' ~ RHF
> .
> The Kenwood R-5000 Receiver Owners & User's Group
> KENWOOD R-5000 RECEIVER => http://tinyurl.com/2o4z8k
> Is your place on the WEB to use as a "Resource" for
> General and Technical Information about the Kenwood
> R-5000 Receiver and to Identifying Common Problems
> and Simple Practical Solutions. http://tinyurl.com/2o4z8k
> KWR5K => http://groups.yahoo.com/group/kenwood-r5000/
> Shortwave Radio Listening Antennas "The Other" 55.5% of SWLing
> SWL ANTENNA => http://tinyurl.com/ogvcf
> - = 2O4Z8K = -
> .

```
From -1293009319010002263
X-Google-Thread: 114aac,2151eb6ea255823f
X-Google-Thread: 1109af,2151eb6ea255823f
X-Google-Thread: 108122,2151eb6ea255823f
X-Google-Attributes: gid114aac,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!q24g2000prf.googlegroups.com!not-for-
mail
From: RHF <rhf-newsgroups@pacbell.net>
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000
     Receiver
Date: Sun, 11 May 2008 09:18:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 120
Message-ID: <898bb00b-0844-4035-ab71-3745249655a1@q24g2000prf.googlegroups.com>
References: <5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com>
     <2e907$4826e579$4e1206c$9946@DIALUPUSA.NET>
NNTP-Posting-Host: 69.225.83.238
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1210522703 19509 127.0.0.1 (11 May 2008 16:18:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 May 2008 16:18:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q24g2000prf.googlegroups.com; posting-host=69.225.83.238;
     posting-account=sXdt0QkAAADnWX7qexSpwEu6RhprtPN6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; YPC
     3.2.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR
3.0.04506.648),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.shortwave:504 rec.radio.swap:27
rec.radio.amateur.equipment:17

On May 11, 5:24=A0am, "Homer J" <hom...@home.com> wrote:
> I found Kenwood filters for my old TS-440S at International Radio 13620 Ty=
ee
> Road Umpqua OR for a reasonable price. I tried the more conventional sourc=
es
> such PartsStore.com but even though they listed the filters they were
> discontinued.
>
> The old radios from the late 80s through the mid-90s are hard to get parts=

> for sometimes.
>
> The only draw back to ones from International were they were not direct
> replacement, they were mounted pn a circuit board mounted to my IF board
> with some double sticky foam tape. The orignal filters were hard to find
> without buying them off eBay as a used item for a premium price.
>
```

> Good luck, the filter do make a big difference, my Kenwood is used as a
> beater radio for our club Field Day and other outdoor events. The operator=
s
> last year raved at how clear the SSB signals were over the previous FD.
>
> 73,
>
> Homer

Homer J. - By ? beater radio ? You mean everyone Key-up
and Zero-Beat to it as a common FD Reference. ~ RHF
 .

> "RHF" <rhf-newsgro...@pacbell.net> wrote in message
>
> news:5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com...
>
>
>
> > For One and All,
>
> > Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiver
> >http://groups.yahoo.com/group/kenwood-r5000/message/2115
>
> > Also may Want-to-Buy [WTB] a YK-88S2 IF Filter -so-
> > Does Anyone Have a YK-88S2 IF Filter : For Sale ?
>
> > Background : There is another Kenwood IF Filter that
> > is design for one or more of the Kenwood Transcevers
> > that is Listed as a YK-88S2.
>
> > The YK-88S2 is a standard "Can" Solder-In type Filter
> > and -only- and needs to be mounted on the Dash-One (-1)
> > "Plug-In" Filter Circuit Boards used by Kenwood in some
> > of their Transcivers and the R-5000 Receiver.
>
> > The YK-88S2 Filter can be used by swapped-it-out with
> > an existing Filter that is mounted on the Circuit Board
> > of the Drop-In Filter for the Kenwood R-5000 Receiver.
>
> > IIRC - The YK-88S2 is designed to work on 8.83 MHz and
> > has the same size and circuit characteristis as the
> > other Filters designed for the Kenwood R-5000 Receiver.
>
> > Reference Link/URL for the YK-88S2 Filter
> >http://jg1xlv.jp-au.net/yk88s2.htm
>
> > My reading of the Numbers for the YK-88S2 Filter :
> > The -6 dB Bandwidth would be 3 kHz (2x1.5)
> > The -20 dB Bandwidth would be 3.8 kHz (2x1.9)
> > The -60 dB Bandwidth would be 5.5 kHz (2x2.75)
> >http://jg1xlv.jp-au.net/yk88s2-spec.htm
>

```
> > Now comparison this to the KY-88A-1 Filter
> > The -6 dB Bandwidth would be 6.0 kHz
> > The -20 dB Bandwidth would be ?.? kHz
> > The -60 dB Bandwidth would be 11 kHz
>
> > My Conclusion is that the Kenwood YK-88S2 (3.0 kHz)
> > would appear to be usable as a Very-Wide SSB IF Filter
> > -and/or- a Very-Narrow AM/MW IF Filter
> >http://jg1xlv.jp-au.net/yk88s2-spec.htm
>
> > The reason for this posting is -if- the Standard Solder-in
> > IF Filter Board Mounted of the Kenwood R-5000 Receiver
> > will take a Kenwood YK-88S2 IF Filter : It should -but-
> > has anyone had a problem ? ? ? ? ?
>
> > =3DIF=3D The Kenwood YK-88S2 IF Filter is a Drop-in-Fit
> > -then- I would like to configure a Kenwood R-5000
> > Receiver with the following Filters :
> > 1st IF Filter =3D YK88-A1 - AM 6 kHz for Wide AM
> > 2nd IF Filter =3D YK88S2 - AM 3 kHz for Narrow AM
> > 3rd IF Filter =3D YK88S-1 - SSB 2.4 kHz for Very Narrow AM
> > This Receiver would be "Set-Up" specifically for Shortwave
> > Radio Broadcast Program Listening and not for Amateur
> > Radio SSB Reception.
>
> > Once Again - Two Questions :
>
> > # 1 - Has anyone any more information on the Kenwood
> > { Trio } YK88S2 IF Filter ?
>
> > # 2 - Has anyone any used the Kenwood { Trio } YK88S2
> > IF Filter in any Rigs ?
>
> > some say - i would if i could . . .
> > -while- i simply say 'kenwood' ~ RHF
> > .
> > The Kenwood R-5000 Receiver Owners & User's Group
> > KENWOOD R-5000 RECEIVER =3D>http://tinyurl.com/2o4z8k
> > Is your place on the WEB to use as a "Resource" for
> > General and Technical Information about the Kenwood
> > R-5000 Receiver and to Identifying Common Problems
> > and Simple Practical Solutions.http://tinyurl.com/2o4z8k
> > KWR5K =3D>http://groups.yahoo.com/group/kenwood-r5000/
> > Shortwave Radio Listening Antennas "The Other" 55.5% of SWLing
> > SWL ANTENNA =3D>http://tinyurl.com/ogvcf
> > - =3D 2O4Z8K =3D -
> > .- Hide quoted text -
>
> - Show quoted text -


From -4995683975831971513
```

```
X-Google-Thread: 108122,dafe83d9cd1185a6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-
for-mail
From: Bruce in alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: Midland/Maxon 70-201BD SD-125 programming
Organization: Bruce's Trading Post
References: <James.Chastain.26c0996@radiobanter.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <fast-2F2B89.08494911052008@netnews.worldnet.att.net>
Lines: 21
Date: Sun, 11 May 2008 16:49:56 GMT
NNTP-Posting-Host: 12.12.208.64
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1210524596 12.12.208.64 (Sun, 11 May
2008 16:49:56 GMT)
NNTP-Posting-Date: Sun, 11 May 2008 16:49:56 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:18

In article <James.Chastain.26c0996@radiobanter.com>,
 James Chastain <James.Chastain.26c0996@radiobanter.com> wrote:

> Hi all,
> I am looking for a QPA-4000 and ACC-2000 for programming the Maxon or
> Midland data radio's.
>
> If you have these for sell please contact me at.....
>
> j.mail66 "at" verizon.net
>
> Thanks,
> Rod
> KD0XX

If you REALLY need one and can't find one anywhere else, I can
order a new one, and will sell it to you for List Price.

--
Bruce in alaska
add <path> after <fast> to reply


From -7654311635461529564
X-Google-Thread: 108122,34922ea3f17d54c3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer02.iad!news.highwinds-media.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!1bc6af47!
not-for-mail
Reply-To: "JB" <nospam@goofball.net>
```

```
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <47a35bcd-b833-4603-97bc-e80e96d38fa7@z16g2000prn.googlegroups.com>
Subject: Re: Repeater question
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <5LYVj.56213$5Y1.20280@trnddc04>
Date: Mon, 12 May 2008 14:46:25 GMT
NNTP-Posting-Host: 71.118.2.76
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1210603585 71.118.2.76 (Mon, 12 May 2008 10:46:25 EDT)
NNTP-Posting-Date: Mon, 12 May 2008 10:46:25 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:19
```

Most mute the transmitter audio when the first tone in the string is detected. This prevents the tone from being repeated and disturbing all the other users and for security. Some have a command option to allow tones to pass. You really need to be asking the system owner about this. It is normally not allowed except to those who know well the system capabilities and the issues to look out for.

You aren't the first to find that the repeater that works the best, often talks and talks and talks....

<mrpace@sfcn.org> wrote in message
news:47a35bcd-b833-4603-97bc-e80e96d38fa7@z16g2000prn.googlegroups.com...

> I'm totally new to amateur radio, so this may seem like a stupid
> question. Does the typical 2 meter or UHF repeater repeat DTMF
> tones?
>
> ICOM radios have an optional DTMF Decoder to control squelch, and I
> was wondering if I could set the frequency to a local repeater and
> only hear messages when the correct DTMF signal is sent. That way I
> could use repeaters and still have the privacy like subtones, instead
> of listening to everything that comes accross the repeater.
>
>
> But, this cool functionality won't work if repeaters don't repeat
> DTMF
> sent to them.
>
>
> Thanks in advance for you help.
>
>

From -6622749266109589458

X-Google-Thread: 108122,34922ea3f17d54c3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!npeer01.iad!npeer02.iad!news.highwinds-media.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!1bc6af47!not-for-mail
Reply-To: "JB" <nospam@goofball.net>
From: "JB" <nospam@goofball.net>
Newsgroups: rec.radio.amateur.equipment
References: <47a35bcd-b833-4603-97bc-e80e96d38fa7@z16g2000prn.googlegroups.com>
Subject: Re: Repeater question
Lines: 44
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <CkZVj.6020$T1.2620@trnddc01>
Date: Mon, 12 May 2008 15:26:26 GMT
NNTP-Posting-Host: 71.118.2.76
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1210605986 71.118.2.76 (Mon, 12 May 2008 11:26:26 EDT)
NNTP-Posting-Date: Mon, 12 May 2008 11:26:26 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:20

As an aside, the selective calling "features" are usually worthless for ham radio. They are there as sales gimmicks, and because these radios are sold in some countries for commercial radios. I have an idea that the engineers may not have as much operating experience. They often come up with neat ideas with glaring problems in actual operation. Ham radio is usually a poor substitute for other services. I.E. If you didn't get the call, was it because you weren't listening or because you were out of range of the extremely expensive wide area network? If you need selective calling, get a cell phone. If you need fleet dispatch, get radios that last all day on a charge and don't need to be within 6" of your ear to hear. If you like to mess around with radios and try different things, You ARE a ham. Have fun.

Thanks for asking the question. We need more like you. We should all seek to learn from the mistakes and triumphs of those who went before.

What were you trying to do?

http://techinfo.awardspace.com

<mrpace@sfcn.org> wrote in message
news:47a35bcd-b833-4603-97bc-e80e96d38fa7@z16g2000prn.googlegroups.com...
> I'm totally new to amateur radio, so this may seem like a stupid
> question. Does the typical 2 meter or UHF repeater repeat DTMF
> tones?
>
> ICOM radios have an optional DTMF Decoder to control squelch, and I
> was wondering if I could set the frequency to a local repeater and

> only hear messages when the correct DTMF signal is sent. That way I
> could use repeaters and still have the privacy like subtones, instead
> of listening to everything that comes accross the repeater.
>
>
> But, this cool functionality won't work if repeaters don't repeat
> DTMF
> sent to them.
>
>
> Thanks in advance for you help.
>
>

From 4060058940040525996
X-Google-Thread: 114aac,2151eb6ea255823f
X-Google-Thread: 1109af,2151eb6ea255823f
X-Google-Thread: 108122,2151eb6ea255823f
X-Google-Attributes: gid114aac,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!d45g2000hsc.googlegroups.com!not-for-mail
From: Radioguy <hjsjms@cs.com>
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000
     Receiver
Date: Mon, 12 May 2008 08:44:58 -0700 (PDT)
Organization: http://groups.google.com
Lines: 95
Message-ID: <549c54bb-e948-4004-9529-b764a6fe6f5b@d45g2000hsc.googlegroups.com>
References: <5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com>
NNTP-Posting-Host: 70.179.95.39
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1210607099 13658 127.0.0.1 (12 May 2008 15:44:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 May 2008 15:44:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d45g2000hsc.googlegroups.com; posting-host=70.179.95.39;
     posting-account=UEfEnwkAAAD0SSQJCdgWR3QJea-BdMq2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.shortwave:558 rec.radio.swap:31
rec.radio.amateur.equipment:21

On May 10, 12:58=A0pm, RHF <rhf-newsgro...@pacbell.net> wrote:
> For One and All,
>

```
> Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiverhttp://g=
roups.yahoo.com/group/kenwood-r5000/message/2115
>
> Also may Want-to-Buy [WTB] a YK-88S2 IF Filter -so-
> Does Anyone Have a YK-88S2 IF Filter : For Sale ?
>
> Background : There is another Kenwood IF Filter that
> is design for one or more of the Kenwood Transcevers
> that is Listed as a YK-88S2.
>
> The YK-88S2 is a standard "Can" Solder-In type Filter
> and -only- and needs to be mounted on the Dash-One (-1)
> "Plug-In" Filter Circuit Boards used by Kenwood in some
> of their Transcivers and the R-5000 Receiver.
>
> The YK-88S2 Filter can be used by swapped-it-out with
> an existing Filter that is mounted on the Circuit Board
> of the Drop-In Filter for the Kenwood R-5000 Receiver.
>
> IIRC - The YK-88S2 is designed to work on 8.83 MHz and
> has the same size and circuit characteristis as the
> other Filters designed for the Kenwood R-5000 Receiver.
>
> Reference Link/URL for the YK-88S2 Filterhttp://jg1xlv.jp-au.net/yk88s2.ht=
m
>
> My reading of the Numbers for the YK-88S2 Filter :
> The -6 dB Bandwidth would be 3 kHz (2x1.5)
> The -20 dB Bandwidth would be 3.8 kHz (2x1.9)
> The -60 dB Bandwidth would be 5.5 kHz (2x2.75)http://jg1xlv.jp-au.net/yk88=
s2-spec.htm
>
> Now comparison this to the KY-88A-1 Filter
> The -6 dB Bandwidth would be 6.0 kHz
> The -20 dB Bandwidth would be ?.? kHz
> The -60 dB Bandwidth would be 11 kHz
>
> My Conclusion is that the Kenwood YK-88S2 (3.0 kHz)
> would appear to be usable as a Very-Wide SSB IF Filter
> -and/or- a Very-Narrow AM/MW IF Filterhttp://jg1xlv.jp-au.net/yk88s2-spec.=
htm
>
> The reason for this posting is -if- the Standard Solder-in
> IF Filter Board Mounted of the Kenwood R-5000 Receiver
> will take a Kenwood YK-88S2 IF Filter : It should -but-
> has anyone had a problem ? ? ? ? ?
>
> =3DIF=3D The Kenwood YK-88S2 IF Filter is a Drop-in-Fit
> -then- I would like to configure a Kenwood R-5000
> Receiver with the following Filters :
> 1st IF Filter =3D YK88-A1 - AM 6 kHz for Wide AM
> 2nd IF Filter =3D YK88S2 - AM 3 kHz for Narrow AM
> 3rd IF Filter =3D YK88S-1 - SSB 2.4 kHz for Very Narrow AM
```

> This Receiver would be "Set-Up" specifically for Shortwave
> Radio Broadcast Program Listening and not for Amateur
> Radio SSB Reception.
>
> Once Again - Two Questions :
>
> # 1 - Has anyone any more information on the Kenwood
> { Trio } YK88S2 IF Filter ?
>
> # 2 - Has anyone any used the Kenwood { Trio } YK88S2
> IF Filter in any Rigs ?
>
> some say - i would if i could . . .
> -while- i simply say 'kenwood' ~ RHF
> =A0.
> The Kenwood R-5000 Receiver Owners & User's Group
> KENWOOD R-5000 RECEIVER =3D>http://tinyurl.com/2o4z8k
> Is your place on the WEB to use as a "Resource" for
> General and Technical Information about the Kenwood
> R-5000 Receiver and to Identifying Common Problems
> and Simple Practical Solutions.http://tinyurl.com/2o4z8k
> KWR5K =3D>http://groups.yahoo.com/group/kenwood-r5000/
> Shortwave Radio Listening Antennas "The Other" 55.5% of SWLing
> SWL ANTENNA =3D>http://tinyurl.com/ogvcf
> - =3D 2O4Z8K =3D -
> =A0.

The R-5000 has four filter slots with designated R5000 filters giving 6khz (YK88a optional), 4khz (YK88S), 1.8khz (YK88SN optional) and CW (two filters available).

YK88S2 might make sense in filter position 2 if it fits and if a really narrow AM filter was needed. YK88S1 would appear to largely duplicate the YK88SN filter and I doubt any noticable benefit would be gained in that swap.

I've got the full complement of optional R5000 filters and find them to be a good mix of widths. Nice to see that something else is available though.

From 7868784532859186720
X-Google-Thread: 114aac,2151eb6ea255823f
X-Google-Thread: 1109af,2151eb6ea255823f
X-Google-Thread: 108122,2151eb6ea255823f
X-Google-Attributes: gid114aac,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!postnews.google.com!k10g2000prm.googlegroups.com!not-for-mail
From: RHF <rhf-newsgroups@pacbell.net>
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiver

```
Date: Mon, 12 May 2008 11:23:25 -0700 (PDT)
Organization: http://groups.google.com
Lines: 125
Message-ID: <ff4d0a27-e94b-4654-b348-a55819a6ba8b@k10g2000prm.googlegroups.com>
References: <5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com>
     <549c54bb-e948-4004-9529-b764a6fe6f5b@d45g2000hsc.googlegroups.com>
NNTP-Posting-Host: 69.225.83.238
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1210616606 20244 127.0.0.1 (12 May 2008 18:23:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 May 2008 18:23:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k10g2000prm.googlegroups.com; posting-host=69.225.83.238;
     posting-account=sXdt0QkAAADnWX7qexSpwEu6RhprtPN6
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; YPC
     3.2.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR
3.0.04506.648),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.shortwave:563 rec.radio.swap:32
rec.radio.amateur.equipment:22

On May 12, 8:44=A0am, Radioguy <hjs...@cs.com> wrote:
> On May 10, 12:58=A0pm, RHF <rhf-newsgro...@pacbell.net> wrote:
>
>
>
>
>
> > For One and All,
>
> > Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiverhttp:/=
/groups.yahoo.com/group/kenwood-r5000/message/2115
>
> > Also may Want-to-Buy [WTB] a YK-88S2 IF Filter -so-
> > Does Anyone Have a YK-88S2 IF Filter : For Sale ?
>
> > Background : There is another Kenwood IF Filter that
> > is design for one or more of the Kenwood Transcevers
> > that is Listed as a YK-88S2.
>
> > The YK-88S2 is a standard "Can" Solder-In type Filter
> > and -only- and needs to be mounted on the Dash-One (-1)
> > "Plug-In" Filter Circuit Boards used by Kenwood in some
> > of their Transcivers and the R-5000 Receiver.
>
> > The YK-88S2 Filter can be used by swapped-it-out with
> > an existing Filter that is mounted on the Circuit Board
> > of the Drop-In Filter for the Kenwood R-5000 Receiver.
>
> > IIRC - The YK-88S2 is designed to work on 8.83 MHz and
> > has the same size and circuit characteristis as the
> > other Filters designed for the Kenwood R-5000 Receiver.
>
> > Reference Link/URL for the YK-88S2 Filterhttp://jg1xlv.jp-au.net/yk88s2.=
htm
>
> > My reading of the Numbers for the YK-88S2 Filter :
> > The -6 dB Bandwidth would be 3 kHz (2x1.5)
> > The -20 dB Bandwidth would be 3.8 kHz (2x1.9)
> > The -60 dB Bandwidth would be 5.5 kHz (2x2.75)http://jg1xlv.jp-au.net/yk=
88s2-spec.htm
>
> > Now comparison this to the KY-88A-1 Filter
> > The -6 dB Bandwidth would be 6.0 kHz
> > The -20 dB Bandwidth would be ?.? kHz
> > The -60 dB Bandwidth would be 11 kHz
>
> > My Conclusion is that the Kenwood YK-88S2 (3.0 kHz)
> > would appear to be usable as a Very-Wide SSB IF Filter
> > -and/or- a Very-Narrow AM/MW IF Filterhttp://jg1xlv.jp-au.net/yk88s2-spe=
c.htm
>
> > The reason for this posting is -if- the Standard Solder-in
> > IF Filter Board Mounted of the Kenwood R-5000 Receiver
> > will take a Kenwood YK-88S2 IF Filter : It should -but-
> > has anyone had a problem ? ? ? ? ?
>
> > =3DIF=3D The Kenwood YK-88S2 IF Filter is a Drop-in-Fit
> > -then- I would like to configure a Kenwood R-5000
> > Receiver with the following Filters :
> > 1st IF Filter =3D YK88-A1 - AM 6 kHz for Wide AM
> > 2nd IF Filter =3D YK88S2 - AM 3 kHz for Narrow AM
> > 3rd IF Filter =3D YK88S-1 - SSB 2.4 kHz for Very Narrow AM
> > This Receiver would be "Set-Up" specifically for Shortwave
> > Radio Broadcast Program Listening and not for Amateur
> > Radio SSB Reception.
>
> > Once Again - Two Questions :
>
> > # 1 - Has anyone any more information on the Kenwood
> > { Trio } YK88S2 IF Filter ?
>
> > # 2 - Has anyone any used the Kenwood { Trio } YK88S2
> > IF Filter in any Rigs ?
>
> > some say - i would if i could . . .
> > -while- i simply say 'kenwood' ~ RHF
> > =A0.
> > The Kenwood R-5000 Receiver Owners & User's Group
> > KENWOOD R-5000 RECEIVER =3D>http://tinyurl.com/2o4z8k
> > Is your place on the WEB to use as a "Resource" for
> > General and Technical Information about the Kenwood
> > R-5000 Receiver and to Identifying Common Problems
> > and Simple Practical Solutions.http://tinyurl.com/2o4z8k
```

> > KWR5K =3D>http://groups.yahoo.com/group/kenwood-r5000/
> > Shortwave Radio Listening Antennas "The Other" 55.5% of SWLing
> > SWL ANTENNA =3D>http://tinyurl.com/ogvcf
> > - =3D 2O4Z8K =3D -
> > =A0.
>
> The R-5000 has four filter slots with designated R5000 filters giving
> 6khz (YK88a optional), 4khz (YK88S), 1.8khz (YK88SN optional) and CW
> (two filters available).

? 4khz (YK88S) ? -isn't- the YK-88S a 2.4 kHz ?

> YK88S2 might make sense in filter position 2 if it fits and if a
> really narrow AM filter was needed. =A0YK88S1 would appear to largely
> duplicate the YK88SN filter and I doubt any noticable benefit would be
> gained in that swap.
>
> I've got the full complement of optional R5000 filters and find them
> to be a good mix of widths. =A0Nice to see that something else is
> available though.- Hide quoted text -
>
> - Show quoted text -

YK-88 =3D 10~12 kHz 'Stock' AM IF Filter - Plug-In

YK-88A-1 =3D 6 kHz "Optional" AM Filter - Plug-In
YK-88A =3D 6 kHz "Optional" AM Filter - Solder-In

YK-88S2 =3D 3.0 kHz SSB Wide / Narrow AM Filter - Solder-In

YK-88S =3D 2.4 kHz 'Stock' SSB Wide Filter - Solder-In
http://cgi.ebay.com/_W0QQitemZ300223545767

YK-88SN =3D 1.8 kHz SSB Narrow Filter - Solder-In
http://cgi.ebay.com/_W0QQitemZ350058257432

YK-88C =3D 500 Hz CW Filter - Solder-In
http://cgi.ebay.com/_W0QQitemZ380026934667

YK-88CN =3D 270 Hz CW Narrow Filter
http://cgi.ebay.com/_W0QQitemZ150245691934

From 4188275266968255680
X-Google-Thread: 114aac,2151eb6ea255823f
X-Google-Thread: 1109af,2151eb6ea255823f
X-Google-Thread: 108122,2151eb6ea255823f
X-Google-Attributes: gid114aac,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!postnews.google.com!
p25g2000hsf.googlegroups.com!not-for-mail
From: Radioguy <hjsjms@cs.com>

```
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000
     Receiver
Date: Mon, 12 May 2008 13:48:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 119
Message-ID: <edf30304-ea02-48d6-8b5c-cedf9164fb61@p25g2000hsf.googlegroups.com>
References: <5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com>
     <549c54bb-e948-4004-9529-b764a6fe6f5b@d45g2000hsc.googlegroups.com>
     <ff4d0a27-e94b-4654-b348-a55819a6ba8b@k10g2000prm.googlegroups.com>
NNTP-Posting-Host: 69.143.163.89
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1210625285 4656 127.0.0.1 (12 May 2008 20:48:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 May 2008 20:48:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p25g2000hsf.googlegroups.com; posting-host=69.143.163.89;
     posting-account=UEfEnwkAAAD0SSQJCdgWR3QJea-BdMq2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; Intel Mac OS X; en-US;
     rv:1.8.1.14) Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.shortwave:565 rec.radio.swap:33
rec.radio.amateur.equipment:23

On May 12, 2:23 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
> On May 12, 8:44 am, Radioguy <hjs...@cs.com> wrote:
>
>
>
> > On May 10, 12:58 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
>
> > > For One and All,
>
> > > Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiverhttp://
groups.yahoo.com/group/kenwood-r5000/message/2115
>
> > > Also may Want-to-Buy [WTB] a YK-88S2 IF Filter -so-
> > > Does Anyone Have a YK-88S2 IF Filter : For Sale ?
>
> > > Background : There is another Kenwood IF Filter that
> > > is design for one or more of the Kenwood Transcevers
> > > that is Listed as a YK-88S2.
>
> > > The YK-88S2 is a standard "Can" Solder-In type Filter
> > > and -only- and needs to be mounted on the Dash-One (-1)
> > > "Plug-In" Filter Circuit Boards used by Kenwood in some
> > > of their Transcivers and the R-5000 Receiver.
>
> > > The YK-88S2 Filter can be used by swapped-it-out with
> > > an existing Filter that is mounted on the Circuit Board
> > > of the Drop-In Filter for the Kenwood R-5000 Receiver.
```

>
> > > IIRC - The YK-88S2 is designed to work on 8.83 MHz and
> > > has the same size and circuit characteristis as the
> > > other Filters designed for the Kenwood R-5000 Receiver.
>
> > > Reference Link/URL for the YK-88S2 Filterhttp://jg1xlv.jp-au.net/yk88s2.htm
>
> > > My reading of the Numbers for the YK-88S2 Filter :
> > > The -6 dB Bandwidth would be 3 kHz (2x1.5)
> > > The -20 dB Bandwidth would be 3.8 kHz (2x1.9)
> > > The -60 dB Bandwidth would be 5.5 kHz (2x2.75)http://jg1xlv.jp-au.net/yk88s2-spec.htm
>
> > > Now comparison this to the KY-88A-1 Filter
> > > The -6 dB Bandwidth would be 6.0 kHz
> > > The -20 dB Bandwidth would be ?.? kHz
> > > The -60 dB Bandwidth would be 11 kHz
>
> > > My Conclusion is that the Kenwood YK-88S2 (3.0 kHz)
> > > would appear to be usable as a Very-Wide SSB IF Filter
> > > -and/or- a Very-Narrow AM/MW IF Filterhttp://jg1xlv.jp-au.net/yk88s2-spec.htm
>
> > > The reason for this posting is -if- the Standard Solder-in
> > > IF Filter Board Mounted of the Kenwood R-5000 Receiver
> > > will take a Kenwood YK-88S2 IF Filter : It should -but-
> > > has anyone had a problem ? ? ? ? ?
>
> > > =IF= The Kenwood YK-88S2 IF Filter is a Drop-in-Fit
> > > -then- I would like to configure a Kenwood R-5000
> > > Receiver with the following Filters :
> > > 1st IF Filter = YK88-A1 - AM 6 kHz for Wide AM
> > > 2nd IF Filter = YK88S2 - AM 3 kHz for Narrow AM
> > > 3rd IF Filter = YK88S-1 - SSB 2.4 kHz for Very Narrow AM
> > > This Receiver would be "Set-Up" specifically for Shortwave
> > > Radio Broadcast Program Listening and not for Amateur
> > > Radio SSB Reception.
>
> > > Once Again - Two Questions :
>
> > > # 1 - Has anyone any more information on the Kenwood
> > > { Trio } YK88S2 IF Filter ?
>
> > > # 2 - Has anyone any used the Kenwood { Trio } YK88S2
> > > IF Filter in any Rigs ?
>
> > > some say - i would if i could . . .
> > > -while- i simply say 'kenwood' ~ RHF
> > > .
> > > The Kenwood R-5000 Receiver Owners & User's Group
> > > KENWOOD R-5000 RECEIVER =>http://tinyurl.com/2o4z8k
> > > Is your place on the WEB to use as a "Resource" for
> > > General and Technical Information about the Kenwood

```
> > > R-5000 Receiver and to Identifying Common Problems
> > > and Simple Practical Solutions.http://tinyurl.com/2o4z8k
> > > KWR5K =>http://groups.yahoo.com/group/kenwood-r5000/
> > > Shortwave Radio Listening Antennas "The Other" 55.5% of SWLing
> > > SWL ANTENNA =>http://tinyurl.com/ogvcf
> > > - = 2O4Z8K = -
> > >  .
>
> > The R-5000 has four filter slots with designated R5000 filters giving
> > 6khz (YK88a optional), 4khz (YK88S), 1.8khz (YK88SN optional) and CW
> > (two filters available).
>
> ? 4khz (YK88S) ? -isn't- the YK-88S a 2.4 kHz ?
>
> > YK88S2 might make sense in filter position 2 if it fits and if a
> > really narrow AM filter was needed.  YK88S1 would appear to largely
> > duplicate the YK88SN filter and I doubt any noticable benefit would be
> > gained in that swap.
>
> > I've got the full complement of optional R5000 filters and find them
> > to be a good mix of widths.  Nice to see that something else is
> > available though.- Hide quoted text -
>
> > - Show quoted text -
>
> YK-88 = 10~12 kHz 'Stock' AM IF Filter - Plug-In
>
> YK-88A-1 = 6 kHz "Optional" AM Filter - Plug-In
> YK-88A = 6 kHz "Optional" AM Filter - Solder-In
>
> YK-88S2 =  3.0 kHz SSB Wide / Narrow AM Filter - Solder-In
>
> YK-88S = 2.4 kHz 'Stock' SSB Wide Filter - Solder-Inhttp://cgi.ebay.com/
_W0QQitemZ300223545767
>
> YK-88SN = 1.8 kHz SSB Narrow Filter - Solder-Inhttp://cgi.ebay.com/
_W0QQitemZ350058257432
>
> YK-88C = 500 Hz CW Filter - Solder-Inhttp://cgi.ebay.com/_W0QQitemZ380026934667
>
> YK-88CN = 270 Hz CW Narrow Filterhttp://cgi.ebay.com/_W0QQitemZ150245691934

Yes, you are right...meant to type 2.4 but only the 4 got transferred
to screen.


From 7827883608371567486
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!p25g2000hsf.googlegroups.com!not-for-
mail
From: Tim Shoppa <shoppa@trailing-edge.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: narrow CW filters
Date: Mon, 12 May 2008 13:59:53 -0700 (PDT)
Organization: http://groups.google.com
Lines: 26
Message-ID: <efd388e7-f668-4842-98f7-0100f4c12775@p25g2000hsf.googlegroups.com>
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
NNTP-Posting-Host: 170.121.15.44
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1210625994 15003 127.0.0.1 (12 May 2008 20:59:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 May 2008 20:59:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p25g2000hsf.googlegroups.com; posting-host=170.121.15.44;
    posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
    CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:24

On May 5, 12:13=A0pm, "D.K." <bla....@bla.fr> wrote:
> Hi all,
> I'm considering to upgrade my receiver ICOM R75 with narrow CW filters. My=
>
> main interest is NDB listening in the LW band.
> There are 2 possiblities:
> a) ICOM FL101 (CW narrow 9mHz IF, 250Hz) + ICOM FL53A (CW narrow 455kHz,
> 250Hz)
> b) INRAD 121 (CW narrow 9010.6kHz, 250Hz) + INRAD 122 (CW narrow 455kHz,
> 250Hz)
> Which combination is the better one =A0in terms of quality and efficiency.=
>
> Price does'nt matter.
> Any advice is welcome!
> Thanks in advance

You mention NDB's... note that NDB's are not the usual CW (carrier
interrupted), but are instead AM stations broadcasting the tones of
400 or 1020 Hz. To receive these in AM mode, you'd need bandwidths of
800 Hz and 2040 Hz respectively.

If you're really interested in NDB's and "true" LW activity, a PC
sound card and a waterfall-type graphical program will set you
furthest ahead.

N3QE

From 8183666087209667286
X-Google-Thread: 108122,dafe83d9cd1185a6
X-Google-Attributes: gid108122,domainid0,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 12 May 2008 21:04:45 -0500
From: James Chastain <James.Chastain.26eac95@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: Midland/Maxon 70-201BD SD-125 programming
Date: Mon, 12 May 2008 22:12:46 +0100
Message-ID: <James.Chastain.26eac95@radiobanter.com>
Organization: RadioBanter.com
References: <James.Chastain.26c0996@radiobanter.com>
<fast-2F2B89.08494911052008@netnews.worldnet.att.net>
Lines: 38
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-pSVtKlYv+UJNJb8UgcK/FZ/ZXO11qHSU6F2D/hZcBClsuAbtgtB/
bubSj19TwRY75508MiQVEbFg1UI!
UWZz6AoF5wXwBLMoSeH2NA9nuJopShSFjJqGKltvV5dUKDYMmrOhFr1HWvJm8vQQLdWr7Og3/UL2!
bLGOWM6bRmPZnw==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.38
X-Original-Lines: 30
Xref: g2news1.google.com rec.radio.amateur.equipment:25

Thanks Bruce. RFwiz.com has a cable for $43.00 but I don't
know if it will work with the DOS based software. (ACC900)
The software they sell is Windows based but I hate to buy the software
if
I don't really need it. Although it might be the cheaper route.
Let me know how much getting it from you would cost.

Thanks,
Rod

Bruce in alaska;630065 Wrote:
> In article James.Chastain.26c0996@radiobanter.com,
> James Chastain James.Chastain.26c0996@radiobanter.com wrote:
> -
> Hi all,
> I am looking for a QPA-4000 and ACC-2000 for programming the Maxon or
> Midland data radio's.
>
> If you have these for sell please contact me at.....
>
> j.mail66 "at" verizon.net
>
> Thanks,
> Rod

> KD0XX-
>
> If you REALLY need one and can't find one anywhere else, I can
> order a new one, and will sell it to you for List Price.
>
> --
> Bruce in alaska
> add path after fast to reply

--
James Chastain

```
From 7594725153265275862
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe08.phx.POSTED!53ab2750!not-for-mail
From: Bob Doyle <spamthisrealgood@gmail.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: narrow CW filters
References: <481f31fd$0$902$ba4acef3@news.orange.fr> <efd388e7-
f668-4842-98f7-0100f4c12775@p25g2000hsf.googlegroups.com>
In-Reply-To: <efd388e7-f668-4842-98f7-0100f4c12775@p25g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 38
Message-ID: <ne8Wj.9097$bX3.4578@newsfe08.phx>
NNTP-Posting-Host: 68.106.54.78
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe08.phx 1210650643 68.106.54.78 (Mon, 12 May 2008 20:50:43 MST)
NNTP-Posting-Date: Mon, 12 May 2008 20:50:43 MST
Organization: Cox
Date: Mon, 12 May 2008 20:50:55 -0700
Xref: g2news1.google.com rec.radio.amateur.equipment:26
```

Tim Shoppa wrote:
> On May 5, 12:13 pm, "D.K." <bla....@bla.fr> wrote:
>
>>Hi all,
>>I'm considering to upgrade my receiver ICOM R75 with narrow CW filters. My
>>main interest is NDB listening in the LW band.
>>There are 2 possiblities:
>>a) ICOM FL101 (CW narrow 9mHz IF, 250Hz) + ICOM FL53A (CW narrow 455kHz,

>>250Hz)
>>b) INRAD 121 (CW narrow 9010.6kHz, 250Hz) + INRAD 122 (CW narrow 455kHz,
>>250Hz)
>>Which combination is the better one in terms of quality and efficiency.
>>Price does'nt matter.
>>Any advice is welcome!
>>Thanks in advance
>
>
> You mention NDB's... note that NDB's are not the usual CW (carrier
> interrupted), but are instead AM stations broadcasting the tones of
> 400 or 1020 Hz. To receive these in AM mode, you'd need bandwidths of
> 800 Hz and 2040 Hz respectively.
>
> If you're really interested in NDB's and "true" LW activity, a PC
> sound card and a waterfall-type graphical program will set you
> furthest ahead.
>
> N3QE

You're correct about all US domestic NDBs.

There still are NDBs elsewhere that transmit a unmodulated carrier most
of the time and then switch to on/off keyed morse ident periodically.

Such systems require a BFO to hear the morse ident.

Even 'modern' airborne ADFs still have a BFO mode... some things never die.

Bob

From 1186417013584747198
X-Google-Thread: 108122,dafe83d9cd1185a6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-
for-mail
From: Bruce in alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: Midland/Maxon 70-201BD SD-125 programming
Organization: Bruce's Trading Post
References: <James.Chastain.26c0996@radiobanter.com>
<fast-2F2B89.08494911052008@netnews.worldnet.att.net>
<James.Chastain.26eac95@radiobanter.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <fast-67FF32.10151213052008@netnews.worldnet.att.net>
Lines: 42
Date: Tue, 13 May 2008 18:15:11 GMT
NNTP-Posting-Host: 12.12.208.4
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1210702511 12.12.208.4 (Tue, 13 May

```
2008 18:15:11 GMT)
NNTP-Posting-Date: Tue, 13 May 2008 18:15:11 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:27

In article <James.Chastain.26eac95@radiobanter.com>,
 James Chastain <James.Chastain.26eac95@radiobanter.com> wrote:

> Thanks Bruce. RFwiz.com has a cable for $43.00 but I don't
> know if it will work with the DOS based software. (ACC900)
> The software they sell is Windows based but I hate to buy the software
> if
> I don't really need it. Although it might be the cheaper route.
> Let me know how much getting it from you would cost.
>
> Thanks,
> Rod
>
> Bruce in alaska;630065 Wrote:
> > In article James.Chastain.26c0996@radiobanter.com,
> > James Chastain James.Chastain.26c0996@radiobanter.com wrote:
> > -
> > Hi all,
> > I am looking for a QPA-4000 and ACC-2000 for programming the Maxon or
> > Midland data radio's.
> >
> > If you have these for sell please contact me at.....
> >
> > j.mail66 "at" verizon.net
> >
> > Thanks,
> > Rod
> > KD0XX-
> >
> > If you REALLY need one and can't find one anywhere else, I can
> > order a new one, and will sell it to you for List Price.
> >
> > --
> > Bruce in alaska
> > add path after fast to reply

QPA-4000 List $50US
ACC-900  List $35

--
Bruce in alaska
add <path> after <fast> to reply


From -6460999952459966993
X-Google-Thread: 11480d,5ecaa2f390fb7595,start
X-Google-Thread: fcc6e,5ecaa2f390fb7595,start
X-Google-Thread: 108122,5ecaa2f390fb7595,start
X-Google-Thread: 107ada,5ecaa2f390fb7595,start
```

```
X-Google-Thread: 108228,5ecaa2f390fb7595,start
X-Google-Attributes:
gid11480d,gidfcc6e,gid108122,gid107ada,gid108228,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!postnews.google.com!
m45g2000hsb.googlegroups.com!not-for-mail
From: Jason Hsu <jason_hsu@my-deja.com>
Newsgroups:
rec.radio.amateur.dx,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.rad
io.amateur.misc,alt.ham-radio.marketplace
Subject: FS: MFJ-902 tiny Travel Tuner (eBay)
Date: Tue, 13 May 2008 16:31:57 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <cd932845-b60e-4942-baad-fca3d09f3473@m45g2000hsb.googlegroups.com>
NNTP-Posting-Host: 71.217.208.67
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1210721518 573 127.0.0.1 (13 May 2008 23:31:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 13 May 2008 23:31:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m45g2000hsb.googlegroups.com; posting-host=71.217.208.67;
     posting-account=u3SQ1wgAAACudFXFhAnY1rgNfncGH3_P
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.6)
     Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.dx:7 rec.radio.amateur.antenna:79
rec.radio.amateur.equipment:28 rec.radio.amateur.misc:27 alt.ham-
radio.marketplace:5

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=STRK:MESELX:IT&item=330236169416


From -4698442233646509384
X-Google-Thread: 108122,3f419b3fbb050d62,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: KLM Force5 HF xcvr.- Need Info
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <J%pWj.201044$D_3.52665@bgtnsc05-news.ops.worldnet.att.net>
```

Date: Wed, 14 May 2008 00:03:53 GMT
NNTP-Posting-Host: 12.64.222.244
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1210723433 12.64.222.244 (Wed, 14 May 2008 00:03:53 GMT)
NNTP-Posting-Date: Wed, 14 May 2008 00:03:53 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:29

After many years, my KLM Force5 HF transceiver has come home. Unfortinately,
the manual didn't come back.
Can anyone can tell me what year(s) these were manufactured? I have looked
for a manual copy from the usual sources but have yet to find one. If anyone
knows of a commercial reprint source for the manual or has a manual they
could copy, please let me know. Any help is greatly appreciated. Thanks -
Larrt

From -2082085039327120601
X-Google-Thread: 108122,3d2a2331b195253e,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!217.73.144.44.MISMATCH!ecngs!feeder.ecngs.de!130.59.10.21.MISMATCH!kanaga.switch.ch!switch.ch!newsserver.news.garr.it!newsserver.cilea.it!not-for-mail
From: Michele <noone@nowhere.it>
Newsgroups: rec.radio.amateur.equipment
Subject: New Yaesu VX-8R yahoogroup
Date: Wed, 14 May 2008 13:23:42 +0200
Organization: CILEA
Lines: 12
Message-ID: <g0ehvq$au2$1@newsserver.cilea.it>
Reply-To: noone@nowhere.it
NNTP-Posting-Host: damico.elet.polimi.it
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: newsserver.cilea.it 1210764090 11202 131.175.123.77 (14 May 2008 11:21:30 GMT)
X-Complaints-To: news@cilea.it
NNTP-Posting-Date: 14 May 2008 11:21:30 GMT
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
Xref: g2news1.google.com rec.radio.amateur.equipment:30

Hi everybody,
just a line to inform that a new yahoogroup has been created, devoted to
the new Yaesu VX-8R.. you can find it at:

http://groups.yahoo.com/group/VX_8R/

Please feel free to join !
73,

Mike

```
From -801943186728226272
X-Google-Thread: 108122,3f419b3fbb050d62
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!2g2000hsn.googlegroups.com!not-for-
mail
From: Tim Shoppa <shoppa@trailing-edge.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: KLM Force5 HF xcvr.- Need Info
Date: Wed, 14 May 2008 12:31:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <bd48128f-a304-4e0a-9061-346430e9a2cc@2g2000hsn.googlegroups.com>
References: <J%pWj.201044$D_3.52665@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 170.121.15.46
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1210793470 9743 127.0.0.1 (14 May 2008 19:31:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 14 May 2008 19:31:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 2g2000hsn.googlegroups.com; posting-host=170.121.15.46;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:31
```

On May 13, 8:03=A0pm, "Larry McGee" <lrma...@worldnet.att.net> wrote:

> After many years, my KLM Force5 HF transceiver has come home. Unfortinatel=
y,
> the manual didn't come back.
> Can anyone can tell me what year(s) these were manufactured? I have looked=
>
> for a manual copy from the usual sources but have yet to find one. If anyo=
ne
> knows of a commercial reprint source for the manual or has a manual they
> could copy, please let me know. Any help is greatly appreciated.

Out of curiosity, is this a marine SSB transceiver used that you've adapted for ham use? Is KLM the same company that made the 2-meter/10-meter OSCAR transceiver?

Tim N3QE

```
From -2875922121649176175
X-Google-Thread: 108122,3f419b3fbb050d62
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!news.kjsl.com!
ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: KLM Force5 HF xcvr.- Need Info
Date: Thu, 15 May 2008 12:13:13 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 62
Sender: et472@72.0.192.104
Message-ID: <Pine.LNX.4.64.0805151154140.3892@darkstar.example.org>
References: <J%pWj.201044$D_3.52665@bgtnsc05-news.ops.worldnet.att.net>
 <bd48128f-a304-4e0a-9061-346430e9a2cc@2g2000hsn.googlegroups.com>
NNTP-Posting-Host: 72.0.192.104
Mime-Version: 1.0
Content-Type: MULTIPART/MIXED; BOUNDARY="8323328-1710422591-1210867993=:3892"
X-Trace: theodyn.ncf.ca 1210868207 6620 72.0.192.104 (15 May 2008 16:16:47 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 15 May 2008 16:16:47 GMT
In-Reply-To: <bd48128f-a304-4e0a-9061-346430e9a2cc@2g2000hsn.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:32

  This message is in MIME format.  The first part should be readable text,
  while the remaining parts are likely unreadable without MIME-aware tools.

--8323328-1710422591-1210867993=:3892
Content-Type: TEXT/PLAIN; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: QUOTED-PRINTABLE

On Wed, 14 May 2008, Tim Shoppa wrote:

> On May 13, 8:03=A0pm, "Larry McGee" <lrma...@worldnet.att.net> wrote:
>> After many years, my KLM Force5 HF transceiver has come home. Unfortinat=
ely,
>> the manual didn't come back.
>> Can anyone can tell me what year(s) these were manufactured? I have look=
ed
>> for a manual copy from the usual sources but have yet to find one. If an=
yone
>> knows of a commercial reprint source for the manual or has a manual they
>> could copy, please let me know. Any help is greatly appreciated.
>
> Out of curiosity, is this a marine SSB transceiver used that you've
> adapted for ham use? Is KLM the same company that made the 2-meter/10-
> meter OSCAR transceiver?
>
I have a vague memory, now that it's been brought up, of a rig in the late
seventies or early eighties that came under the KLM label.  Kind of=20
```

squarish, and what I see in my mind isn't a photo, but a drawing.

It may turn out to be some other rig, if I felt like looking.

I always thought KLM was more of an importer, finding neat Japanese
equipment and putting their own badge on it. Not unlike what Drake did
when it brought over the TR-22, or when Henry Radio brought over Trio
equipment.

KLM was known for VHF and UHF antennas (and maybe preamps?) before
they started bringing over transceivers, and when they started
doing that, it seemed a logical extension, it being a period when
the US manufacturers were fading (so the VHF gear was gone or mostly
gone, all those Swan 250s and the Drake TR-6, and such) but before
the Japanese companies really took off in the US (the exception being
2m FM rigs, and the rigs made there but rebadged by US companies), so
they neither offered transverters or VHF transceivers.

At least the early offerings from KLM circa 1975 were odd little rigs.
Left you wondering why there was something so specific yet none of
the rigs seemed to come from an existing line of ham equipment. So SBE
had a six meter rig briefly circa 1972 or so, that seemed to be a modified
CB SSB set (I recall 23 channels and it was synthesized). I think=20
KLM later imported the 432 variant of that rig. Clegg had a
220 rig that had a tuneable receiver, and if I remember properly was
good for both FM and AM.

We never really heard anything about those rigs before they were
imported.

And later, they faded, instead all the Japanese manufacturers making
equipment that matched the rest of their line.

    Michael VE2BVW

--8323328-1710422591-1210867993=:3892--

```
From 4388312783234924452
X-Google-Thread: 108122,df4debcbd29df870,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!news.cv.net!not-for-
mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD: tk-981
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Date: Thu, 15 May 2008 18:47:52 -0400
Message-ID: <m-83A72E.18475215052008@news.optonline.net>
Lines: 15
```

Organization: Optimum Online
NNTP-Posting-Host: 69.119.128.117
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:33

i am looking for a near mint condition   kenwood tk 981 already
modified for amateur 900mhz use

ideally i'd also like the seller to be able to at least help me get
started by pre programmming a few   nyc area repeaters/simp freq
or at least 1 repeater/simp so i can test it fast

you can contact me at   myles justtake this out at   DTI   dot
net

tnx

From -5110836117122646848
X-Google-Thread: 108122,99a3970060e542e6,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!27g2000hsf.googlegroups.com!not-for-mail
From: larya <larya@rogers.com>
Newsgroups: rec.radio.amateur.equipment
Subject: kenwood desk power supply charger st-2...
Date: Fri, 16 May 2008 04:54:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 5
Message-ID: <430398f3-e9fb-49d2-954e-3e83317b70db@27g2000hsf.googlegroups.com>
NNTP-Posting-Host: 99.235.92.16
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1210938860 3767 127.0.0.1 (16 May 2008 11:54:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 16 May 2008 11:54:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 27g2000hsf.googlegroups.com; posting-host=99.235.92.16;
     posting-account=LBZmpwoAAACAZO9ii64L4iFqvdaJxylU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:34

Greetings....
Does anyone have the schematic diagram and/or pictorial diagram for
the circuit for the st-2 base charger...

I am trying to fix my uncles unit..
Larry ve3fxq

From 7534359732700922063
X-Google-Thread: 108122,a926978f3c3b275e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.pipex.net!news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 16 May 2008 16:37:56 -0500
Date: Fri, 16 May 2008 22:37:56 +0100
From: M0WYM <charlie@nospamwymsey.co.uk>
User-Agent: Thunderbird 2.0.0.14 (X11/20080505)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTD: CTCSS module for ADI AR146
References: <b1e94825-8bd4-46cc-bc22-a957d151a61a@l42g2000hsc.googlegroups.com>
In-Reply-To: <b1e94825-8bd4-46cc-bc22-a957d151a61a@l42g2000hsc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <x9qdnX7Pt70pY7DVnZ2dnUVZ8u6dnZ2d@pipex.net>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 85.210.75.101
X-Trace: sv3-IJNC6O5s4uSPn8XoaAW4Anq1X7mFScKZuKQtBximUyeO2YXWBoZ0d958FMIiV8q/
JUK3COgISRhvN0d!ZujE7sWjc6nsoRMM3aL/
vJRjvlVklw8nU7pU4kzsrUNoGT2KYaf5u1bLhpVDK+KgS4vuJERfe6Z8!
u2vZCf474Wqwg0NmgYPHKv95HQ==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.38
Xref: g2news1.google.com rec.radio.amateur.equipment:35

Catweazel wrote:
>
>
> Alternatively, if someone knows the radio well enough, can anyone tell
> me the connector type used in the radio into which the CTCSS module is
> plugged? if I can get the 'other half' I can probably find an
> alternative CTCSS module to use.
>
> TIA

Any use:
http://gb3jb.blogspot.com/2008/03/ctcss-encoders-for-old-rigs.html

--

M0WYM
www.radiowymsey.org

Wymsey - Ten years Old!
www.wymsey.co.uk

From 9179393997466806265
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!news.wiretrip.org!border1.nntp.ams.giganews.com!
nntp.giganews.com!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
<qdrUj.77$oJ4.3343842@petpeeve.ziplink.net>
Subject: Re: narrow CW filters
Date: Fri, 16 May 2008 23:48:37 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 21
Message-ID: <482e0125$0$40211$4fafbaef@reader5.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.37.15.14
X-Trace: 1210974501 reader5.news.tin.it 40211 79.37.15.14:11878
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news1.google.com rec.radio.amateur.equipment:36

> Megahertz is defined as MHz, kilohertz as kHz and hertz as Hz. It is,
> in fact, ALWAYS a capital "H" to pay homage to Mr. Heinrich Hertz.
> Consider: http://www.ideafinder.com/history/inventors/hertz.htm or,
> http://searchnetworking.techtarget.com/sDefinition/0,,sid7_gci214263,00.html
> or, http://tf.nist.gov/timefreq/general/glossary.htm (click on "M" or
> "J-K" - these folks should know the difference)

I have a different understanding. Hz is written with a capital H not to pay homage to Mr. Heinrich Hertz, but more simply because all measurement units begin with a capital letter.

Homage was instead paid to Mr Kelvin when they decided that the capital K is assigned to the temperature measurement unit (kelvin degree) instead than to the

1000 multiplier. This explains why kilohertz is written with a small k, an exception to the general rule that all multipliers have a capital lettere (kHz, MHz, GHz, THz).

73

Tony I0JX.

From 4433601744154156542
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews8.bellsouth.net.POSTED!5df67c19!not-for-mail
From: "Count Floyd" <CountFloyd@MonsterChillerHorrorTheater.com>
Message-ID: <BJ4mQCBKg9HM-pn2-Q1snNqUfcdnn@localhost>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: narrow CW filters
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
<qdrUj.77$oJ4.3343842@petpeeve.ziplink.net>
<482e0125$0$40211$4fafbaef@reader5.news.tin.it>
User-Agent: ProNews/2 V1.59.cp120
MIME-Version: 1.0
Content-Type: text/plain; charset=US-ASCII
Content-Transfer-Encoding: 8bit
Lines: 26
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbohkodgpjlgngohmkiiaoeoikljnmmniegme
idgcemiijodgeedjbogdekdfnimmlnelnnjkchaccofpbeafpgpmehhbmfefmlcakmpgcoaabdhllf
NNTP-Posting-Date: Fri, 16 May 2008 18:21:56 EDT
Organization: BellSouth Internet Group
Date: Fri, 16 May 2008 22:21:56 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:37

On Fri, 16 May 2008 21:48:37 UTC, "Antonio Vernucci" <vernucci@tin.it>
wrote:

> > Megahertz is defined as MHz, kilohertz as kHz and hertz as Hz. It is,
> > in fact, ALWAYS a capital "H" to pay homage to Mr. Heinrich Hertz.
> > Consider: http://www.ideafinder.com/history/inventors/hertz.htm or,
> > http://searchnetworking.techtarget.com/sDefinition/0,,sid7_gci214263,00.html
> > or, http://tf.nist.gov/timefreq/general/glossary.htm (click on "M" or
> > "J-K" - these folks should know the difference)
>
> I have a different understanding. Hz is written with a capital H not to pay
> homage to Mr. Heinrich Hertz, but more simply because all measurement units
> begin with a capital letter.

>
> Homage was instead paid to Mr Kelvin when they decided that the capital K is
> assigned to the temperature measurement unit (kelvin degree) instead than to the
> 1000 multiplier. This explains why kilohertz is written with a small k, an
> exception to the general rule that all multipliers have a capital lettere (kHz,
> MHz, GHz, THz).
>
> 73
>
> Tony I0JX.
 I still use kilocycles and megacycles, that is because my boatanchors
have the words on the dial faces!

From -4799164670168777360
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.acm.uiuc.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: narrow CW filters
Date: Fri, 16 May 2008 20:33:54 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 39
Sender: et472@199-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0805162031550.6009@darkstar.example.org>
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
<qdrUj.77$oJ4.3343842@petpeeve.ziplink.net>
 <482e0125$0$40211$4fafbaef@reader5.news.tin.it> <BJ4mQCBKg9HM-pn2-Q1snNqUfcdnn@localhost>
NNTP-Posting-Host: 199-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1210984651 4015 64.235.215.199 (17 May 2008 00:37:31 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 17 May 2008 00:37:31 GMT
In-Reply-To: <BJ4mQCBKg9HM-pn2-Q1snNqUfcdnn@localhost>
Xref: g2news1.google.com rec.radio.amateur.equipment:38

On Fri, 16 May 2008, Count Floyd wrote:

> On Fri, 16 May 2008 21:48:37 UTC, "Antonio Vernucci" <vernucci@tin.it>
> wrote:
>
>>> Megahertz is defined as MHz, kilohertz as kHz and hertz as Hz. It is,
>>> in fact, ALWAYS a capital "H" to pay homage to Mr. Heinrich Hertz.
>>> Consider: http://www.ideafinder.com/history/inventors/hertz.htm or,
>>> http://searchnetworking.techtarget.com/sDefinition/0,,sid7_gci214263,00.html
>>> or, http://tf.nist.gov/timefreq/general/glossary.htm (click on "M" or
>>> "J-K" - these folks should know the difference)

```
>>
>> I have a different understanding. Hz is written with a capital H not to pay
>> homage to Mr. Heinrich Hertz, but more simply because all measurement units
>> begin with a capital letter.
>>
>> Homage was instead paid to Mr Kelvin when they decided that the capital K is
>> assigned to the temperature measurement unit (kelvin degree) instead than to
the
>> 1000 multiplier. This explains why kilohertz is written with a small k, an
>> exception to the general rule that all multipliers have a capital lettere
(kHz,
>> MHz, GHz, THz).
>>
>> 73
>>
>> Tony I0JX.
> I still use kilocycles and megacycles, that is because my boatanchors
> have the words on the dial faces!
>
>
Of course, if we're nitpicking, there's no such thing as kilocycles and
megacycles.  They always needed the "per second" attached to them in order
to have meaning, since otherwise you'd not know what time period the
million or thousand cyles appeared in.

When Hertz was brought in as a replacement, the ambiguity went away
since Hertz mean "cycle per second".

   Michael  VE2BVW




From -2644430840580262344
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!uns-
out.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!
fe117.usenetserver.com.POSTED!53ab2750!not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Thunderbird 2.0.0.14 (Windows/20080421)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: narrow CW filters
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
<qdrUj.77$oJ4.3343842@petpeeve.ziplink.net>
<482e0125$0$40211$4fafbaef@reader5.news.tin.it>
In-Reply-To: <482e0125$0$40211$4fafbaef@reader5.news.tin.it>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 42
Message-ID: <PVBXj.352$og1.263@fe117.usenetserver.com>
```

Date: Sat, 17 May 2008 10:25:50 -0400
NNTP-Posting-Host: 70.100.192.249
X-Complaints-To: abuse-news@frontiernet.net
X-Trace: fe117.usenetserver.com 1211034351 70.100.192.249 (Sat, 17 May 2008 10:25:51 EDT)
NNTP-Posting-Date: Sat, 17 May 2008 10:25:51 EDT
Organization: Frontier
Xref: g2news1.google.com rec.radio.amateur.equipment:39

Antonio Vernucci wrote:
>> Megahertz is defined as MHz, kilohertz as kHz and hertz as Hz. It is,
>> in fact, ALWAYS a capital "H" to pay homage to Mr. Heinrich Hertz.
>> Consider: http://www.ideafinder.com/history/inventors/hertz.htm or,
>> http://searchnetworking.techtarget.com/sDefinition/0,,sid7_gci214263,00.html
>>
>> or, http://tf.nist.gov/timefreq/general/glossary.htm (click on "M" or
>> "J-K" - these folks should know the difference)
>
> I have a different understanding. Hz is written with a capital H not to
> pay homage to Mr. Heinrich Hertz, but more simply because all
> measurement units begin with a capital letter.

That contradicts units like the gram (g, kg, mg), the meter (m, cm, mm,
km) the liter/litre (l, ml), the second (sec, msec)... or at least how
they are presented in all my science texts, and...

> Homage was instead paid to Mr Kelvin when they decided that the capital
> K is assigned to the temperature measurement unit (kelvin degree)
> instead than to the 1000 multiplier.

...Fahrenheit (F), Rankin (R), Henry (H, mH), Farad (F, pF, nF), Volta
(V), Ampere (A), Gauss (G, mG), Tesla (T), Watt (W, mW, kW, MW)...

> This explains why kilohertz is
> written with a small k, an exception to the general rule that all
> multipliers have a capital lettere (kHz, MHz, GHz, THz).

...deci (d), centi (c), milli (m), nano (n), pico (p), femto (f), atto (a),

Am I missing your sarcasm?

Although, I frequently (almost always) see 'million' prefixed by 'm' by
the news media in headlines, like 'XYZ Liable for $10m' A liability of
ten cents isn't a big news item. In my opinion.

> 73
>
> Tony I0JX.

- W8LNA

```
From 6118082216745651836
X-Google-Thread: 114aac,2151eb6ea255823f
X-Google-Thread: 1109af,2151eb6ea255823f
X-Google-Thread: 108122,2151eb6ea255823f
X-Google-Attributes: gid114aac,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!
storethat.news.telefonica.de!telefonica.de!news.germany.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Need Info on the YK-88S2 IF Filter ? -for- Kenwood R-5000 Receiver
Date: Sat, 17 May 2008 15:00:05 -0400
Organization: Aioe.org NNTP Server
Lines: 18
Message-ID: <fmmck-3F427D.15000517052008@nntp.aioe.org>
References: <5bf0dfb4-424a-4eba-b617-96dcd19c7c83@k1g2000prb.googlegroups.com>
<549c54bb-e948-4004-9529-b764a6fe6f5b@d45g2000hsc.googlegroups.com> <ff4d0a27-
e94b-4654-b348-a55819a6ba8b@k10g2000prm.googlegroups.com>
NNTP-Posting-Host: qMYVZIwGY09fct7Rx6X0nA.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (PPC Mac OS X)
Xref: g2news1.google.com rec.radio.shortwave:1135 rec.radio.swap:69
rec.radio.amateur.equipment:40

In article
<ff4d0a27-e94b-4654-b348-a55819a6ba8b@k10g2000prm.googlegroups.com>,
 RHF <rhf-newsgroups@pacbell.net> wrote:

> YK-88A-1 = 6 kHz "Optional" AM Filter - Plug-In
> YK-88A = 6 kHz "Optional" AM Filter - Solder-In

My old TS430 had the solder-in filters.  The newer TS-690 (450) has
plug-in filters.  I understood that the only difference between older
and newer YK-88 series filters was the circuit board, denoted by the -1
suffix.

So, if you need a solder-in YK-88SN for example, you should be able to
unsolder the filter from the YK-88SN-1 circuit board and use that.  Are
there some matching components on the circuit board that I missed?

Fred
K4DII


From 4364254782598268488
X-Google-Thread: 108122,5cabb03a916b10aa,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 May 2008 14:27:17 -0500
```

From: "Bob Donahue" <bobmgtd@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WX alert on Yaesu VX-7R
Date: Sat, 17 May 2008 15:29:29 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <VtadnQZ9DIUIrLLVnZ2dnUVZ_gSdnZ2d@comcast.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 98.223.4.250
X-Trace: sv3-3mQBwYhXkB0+Z6FCgZQ5GVEoUAjim31aUGmJLJREIHdydL/
jZh9o3wgZKwEF+ggHdpm8JQSaUo3gp7o!kK8mPKWEBy+rDoMl2Gbe7tlbZtYJvC0/
mld3nxUZKAaA16JxTQeEvWfBHFrhIQg+xcoyp1b2hdMn!NNQ+v/Z66n/qqJvJLaNUJ7ZtyzL1
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.amateur.equipment:41

My Yaesu VX-7R can pick up the NOAA weather channels and has some kind of WX Alert in the set up menu. How do you use the "WX Alert"? It doesn't seem to make any difference whether it's on or off. The manual doesn't go into any detail about this feature.

I would like to have the WX audio muted until there is a warning. Can this be done????

--
Bob D. ND9B

From 2805434506655270580
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!
newsfeed01.sul.t-online.de!t-online.de!nntp.infostrada.it!feeder.news.tin.it!
spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
<qdrUj.77$oJ4.3343842@petpeeve.ziplink.net>
<482e0125$0$40211$4fafbaef@reader5.news.tin.it>
<PVBXj.352$og1.263@fe117.usenetserver.com>

```
Subject: Re: narrow CW filters
Date: Sat, 17 May 2008 22:20:19 +0200
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 47
Message-ID: <482f3df2$0$41658$4fafbaef@reader4.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.37.15.14
X-Trace: 1211055602 reader4.news.tin.it 41658 79.37.15.14:13827
X-Complaints-To: Please send abuse reports to abuse@retail.telecomitalia.it
Xref: g2news1.google.com rec.radio.amateur.equipment:42

>> I have a different understanding. Hz is written with a capital H not to pay
>> homage to Mr. Heinrich Hertz, but more simply because all measurement units
>> begin with a capital letter.
>
> That contradicts units like the gram (g, kg, mg), the meter (m, cm, mm, km)
> the liter/litre (l, ml), the second (sec, msec)... or at least how they are
> presented in all my science texts, and...

I was referring to all the measurement units that bear the name of a scientist.
Those units all begin with a capital letter


 >> Homage was instead paid to Mr Kelvin when they decided that the capital
>> K is assigned to the temperature measurement unit (kelvin degree) instead
>> than to the 1000 multiplier.
>
> ...Fahrenheit (F), Rankin (R), Henry (H, mH), Farad (F, pF, nF), Volta (V),
> Ampere (A), Gauss (G, mG), Tesla (T), Watt (W, mW, kW, MW)...

Your examples confirms that all measurement units bearing the name of a
scientist begin with a capital letter. The homage to Kelvin consists in the fact
that his name was given to the temperature measurement unit even though the
letter K had already been reserved for the 1,000 multiplier. So, the 1,000
multiplier was renamed from K to k, and the K was given to the temperature
measurement


>> This explains why kilohertz is written with a small k, an exception to the
>> general rule that all multipliers have a capital lettere  (kHz, MHz, GHz,
>> THz).
>
> ...deci (d), centi (c), milli (m), nano (n), pico (p), femto (f), atto (a),
>
The ones you mention are not multipliers (i.e. 1,000, 1,000,000, etc,) but
sub-multipliers (i.e. 0.001, 0.000001, etc) . The general rule is that
multipliers have a capital letter, the sub-multipliers have a small letter



> Am I missing your sarcasm?

You must have missed it, because I am always quite serious and never sarcastic.

73

Tony I0JX




From 8117054982815571614
X-Google-Thread: 108122,5cabb03a916b10aa
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k37g2000hsf.googlegroups.com!not-for-
mail
From: Clyde N1BHH <n1bhh.1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WX alert on Yaesu VX-7R
Date: Sun, 18 May 2008 06:56:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 14
Message-ID: <3b2237a0-374b-4785-93f7-7d1d5b41074d@k37g2000hsf.googlegroups.com>
References: <VtadnQZ9DIUIrLLVnZ2dnUVZ_gSdnZ2d@comcast.com>
NNTP-Posting-Host: 76.119.63.123
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1211118994 27752 127.0.0.1 (18 May 2008 13:56:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 18 May 2008 13:56:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k37g2000hsf.googlegroups.com; posting-host=76.119.63.123;
     posting-account=52axCAoAAADYCo6Kj7EgEtAau90kplcH
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:43

On May 17, 3:29 pm, "Bob Donahue" <bobm...@comcast.net> wrote:
> My Yaesu VX-7R can pick up the NOAA weather channels and has some kind of WX
> Alert in the set up menu. How do you use the "WX Alert"? It doesn't seem to
> make any difference whether it's on or off. The manual doesn't go into any
> detail about this feature.
>
> I would like to have the WX audio muted until there is a warning. Can this
```

> be done????
>
> --
> Bob D. ND9B

Page 22 of the manual, Menu Item #20 are where you make the adjustments.

From 781394732062577442
X-Google-Thread: 108122,9686f7688dc1c1be,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a1g2000hsb.googlegroups.com!not-for-mail
From: defaultsystem <docottodue@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: PSE NO EQSL BLOG ACTION FROM ITALY
Date: Sun, 18 May 2008 08:42:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <e596310c-1f8c-4c0a-a71c-b3943a9114c4@a1g2000hsb.googlegroups.com>
NNTP-Posting-Host: 87.20.37.204
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1211125372 30138 127.0.0.1 (18 May 2008 15:42:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 18 May 2008 15:42:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a1g2000hsb.googlegroups.com; posting-host=87.20.37.204;
     posting-account=HFY8WwoAAADcNAusdkgKXKq4DXIeeily
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; it; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:44

Pse no eqsl Blog Action more: http://www.cqradio.net/iw8zlb/please-no-eqsl.html

From -1363971450775378851
X-Google-Thread: 108122,f60a5950170c180e,start
X-Google-Thread: 114a57,f60a5950170c180e,start
X-Google-Attributes: gid108122,gid114a57,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.hf
Subject: FA: TEN-TEC Titan 425 linear amplifier
Message-ID: <70a330cff5dd3fe1c0d89369d2b203e8@pseudo.borked.net>
Date: Sun, 18 May 2008 10:34:57 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com

```
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:45 alt.ham-radio.hf:1
```

http://snipr.com/TenTecTitan

```
From -8979946407959220283
X-Google-Thread: 108122,7230d9ee2a2e4d40,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Identifying CW Key
From: none <""bram\"@(none)">
Date: Sun, 18 May 2008 23:28:21 +0200
Message-ID: <1211146122_5088@sicinfo3.epfl.ch>
Lines: 11
NNTP-Posting-Host: 89.217.141.209
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!kanaga.switch.ch!news-
zh.switch.ch!switch.ch!sicinfo3.epfl.ch!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Authenticated-User: mpbraend
X-Trace: sicinfo3.epfl.ch 1211146122 89.217.141.209 (18 May 2008 23:28:42 0200)
User-Agent: Thunderbird 2.0.0.12 (X11/20080302)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To:  news@news.epfl.ch
Xref: g2news1.google.com rec.radio.amateur.equipment:46
X-Original-Lines: 21
```

Hello group,

I'm looking for hints to identify the following CW key:

  http://hb9egm.bram.ch.eu.org/pub/key.png

It has no inscription, and I'm curious to know where it comes from. Has anyone seen something like that? Where could I look for information?

73

Matthias HB9EGM

```
From 4439252071794480609
X-Google-Thread: 108122,ebaa5a4bb703704c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn11feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
```

Subject: WTB: KLM Force5 Accessories.
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <Wa4Yj.355620$cQ1.7036@bgtnsc04-news.ops.worldnet.att.net>
Date: Mon, 19 May 2008 00:52:06 GMT
NNTP-Posting-Host: 12.64.158.177
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1211158326 12.64.158.177 (Mon, 19 May 2008 00:52:06 GMT)
NNTP-Posting-Date: Mon, 19 May 2008 00:52:06 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:47

Hello and thanks for the read.
KLM made this HF transceiver labelled Force5 in 1977; 10-80 meters, fully synthesized & all solid state. I found their ad on page 147 of December 1977 QST Magazine.
They offered the matching Power Supply/Speaker and also their Matching Base Station Console (PhonePatch/VU Meter/VOX/CW/24 HourDigitalClock/10minute timer). I would like to hear from anyone who has one or both of these units, especially if they would be for sale.
The only way to find 'em is to ask.
Larry

From -4103804744043401692
X-Google-Thread: 108122,a926978f3c3b275e
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!postnews.google.com!z72g2000hsb.googlegroups.com!not-for-mail
From: Catweazel <francis.fuller@iee.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTD: CTCSS module for ADI AR146
Date: Mon, 19 May 2008 06:16:18 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <707d86c7-b19a-4ca5-b3ec-a3ea7c819270@z72g2000hsb.googlegroups.com>
References: <b1e94825-8bd4-46cc-bc22-a957d151a61a@l42g2000hsc.googlegroups.com>
    <x9qdnX7Pt70pY7DVnZ2dnUVZ8u6dnZ2d@pipex.net>
NNTP-Posting-Host: 20.133.0.8
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1211202978 15941 127.0.0.1 (19 May 2008 13:16:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 May 2008 13:16:18 +0000 (UTC)

Complaints-To: groups-abuse@google.com
Injection-Info: z72g2000hsb.googlegroups.com; posting-host=20.133.0.8; posting-account=vJ_RWQoAAADgNUF-vgVOOvdTOhj4hoPh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:48

On May 16, 10:37=A0pm, M0WYM <char...@nospamwymsey.co.uk> wrote:
>
> Any use:http://gb3jb.blogspot.com/2008/03/ctcss-encoders-for-old-rigs.html=
>
>

Tnx OM, Already been there - G6FIB's CTCSS module will work fine, but
I need the ADI connector's mating half to interface it to the radio.
8-(

From 2648825931838711552
X-Google-Thread: 108122,ad96a57526e2d496,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a70g2000hsh.googlegroups.com!not-for-mail
From: Priz <dapriz6@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Laptop power supply noise getting transmitted
Date: Mon, 19 May 2008 08:06:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 28
Message-ID: <5f98db3b-8e3e-47f5-9fdb-40ae4328364c@a70g2000hsh.googlegroups.com>
NNTP-Posting-Host: 204.68.245.11
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1211209619 27438 127.0.0.1 (19 May 2008 15:06:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 May 2008 15:06:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a70g2000hsh.googlegroups.com; posting-host=204.68.245.11; posting-account=l-RlkgkAAACNqT3X8DfpoiwWt3w7osya
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:49

I'm running a Dell Latitude 2.8GHZ Laptop with 256MB RAM and Windows
XP PRO. My rig is a Kenwood TS-140S.

I purchased a Buxcomm Rascal interface to connect the laptop sound
card to the rig so I could try PSK31. Since the interface has a
serial connection, I use a USB to Serial interface in order to connect
it to the PC. It's connected to the rig via 13 pin DIN connection on

the back, with audio in/out through the headphone/MIC connectors on the laptop.

Here's the problem. When I transmit, there's alot of noise being transmitted which I think comes from the laptop power supply. I came to that conclusion because when I run the laptop on batteries, the noise isn't there. In fact, if I boot down the laptop and leave it plugged into an outlet, if I connect the serial connector from the interface to the USB/Serial adapter connected to the laptop and push either the Send or the PTT on the microphone, that noise is transmitted. I can tell by the way the ALC meter is moving. It's like the noise is being transmitted into the rig via the cable which connects the rig to the interface. This didn't happen the first day I used the interface, but it started happening the day after.

I'm interested in ideas of what could be causing this and possible remedies. All help is appreciated.

Thanks.

Priz

From 103426066189941686
X-Google-Thread: 108122,7230d9ee2a2e4d40
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!postnews.google.com!m36g2000hse.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Identifying CW Key
Date: Mon, 19 May 2008 08:30:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 20
Message-ID: <0410b7e6-de25-49d0-834c-d390add0ccc9@m36g2000hse.googlegroups.com>
References: <1211146122_5088@sicinfo3.epfl.ch>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1211211030 6009 127.0.0.1 (19 May 2008 15:30:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 May 2008 15:30:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m36g2000hse.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.14)
     Gecko/20080404 Firefox/2.0.0.14,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:50

On May 18, 5:28 pm, none <""bram\"@(none)"> wrote:

> Hello group,
>
> I'm looking for hints to identify the following CW key:
>
> http://hb9egm.bram.ch.eu.org/pub/key.png
>
> It has no inscription, and I'm curious to know where it comes from. Has anyone
> seen something like that? Where could I look for information?
>
> 73
>
> Matthias HB9EGM

Hi Matthias;
I cannot help but one of the most knowledgeable people involved with
CW keys is Tom, you can e-mail him at his web-site>
http://w1tp.com/
GL........
Rich WA2RQY/4

```
From -8184373192068223228
X-Google-Thread: 108122,973f0d9952df5210,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news2.google.com!postnews.google.com!
a1g2000hsb.googlegroups.com!not-for-mail
From: "Stan (K7SJB)" <stan.shankman@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: =?windows-1252?Q?
Wanted=3A_Repair_Parts_for_JRC_NRD=2D91_=96_need_tuning_?=
     =?windows-1252?Q?control_and_push_buttons_=2E_=2E_=2E?=
Date: Mon, 19 May 2008 14:31:17 -0700 (PDT)
Organization: http://groups.google.com
Lines: 25
Message-ID: <9a983dea-bdf1-4cac-90ea-c9258cc0d831@a1g2000hsb.googlegroups.com>
NNTP-Posting-Host: 67.110.206.169
Mime-Version: 1.0
Content-Type: text/plain; charset=windows-1252
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1211232678 29836 127.0.0.1 (19 May 2008 21:31:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 May 2008 21:31:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a1g2000hsb.googlegroups.com; posting-host=67.110.206.169;
     posting-account=haHL9woAAACP_BMBqbnzFAchSE2PHV4W
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 3.0.04506.648;
     .NET CLR 3.5.21022),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:51
```

Wanted repair parts: JRC NRD-91 =96 need tuning control and push buttons . . .

Greetings all,

I am in the process of repairing an old JRC NRD-91 shortwave receiver.

I found that the digital tuning control is bad.

It is a digital =93pulser=94 =96 I think they call it 2-bit gray code with
50 pulses to the turn. (Not sure about that.)
I also need some of the buttons that are used on the front panel.

Does anyone have any of these parts? Or, has anyone been successful in
retrofitting with a part that I can find.
I am going to try and fix the tuning control. It is cracked at the
place where the leads leave the unit.

I will try to bridge the broken circuit on the control with conductive
epoxy. I will post back how well that works out. But first, I need to
obtain some conductive epoxy.   :-)

Thanks all,

- Stan Shankman (K7SJB)

From -9059190547565133272
X-Google-Thread: 108122,7230d9ee2a2e4d40
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed.kamp.net!newsfeed.kamp.net!news.musoftware.de!wum.musoftware.de!
feeder.erje.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Identifying CW Key
Date: Tue, 20 May 2008 14:25:17 -0400
Organization: Aioe.org NNTP Server
Lines: 18
Message-ID: <fmmck-BE1ACB.14251720052008@nntp.aioe.org>
References: <1211146122_5088@sicinfo3.epfl.ch>
NNTP-Posting-Host: SL3yUo4vLcFXzW3AGMUAAQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:52

In article <1211146122_5088@sicinfo3.epfl.ch>, none <""bram\"@(none)">
wrote:

> I'm looking for hints to identify the following CW key:
>
>   http://hb9egm.bram.ch.eu.org/pub/key.png
>

```
> It has no inscription, and I'm curious to know where it comes from. Has anyone
> seen something like that? Where could I look for information?

Matthias-

It may be a home-made key.  If that is true, you aren't likely to find
any further information unless it was built from a magazine article.

73
Fred
K4DII



From 4921228289905615234
X-Google-Thread: 108122,34922ea3f17d54c3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Repeater question
Date: Tue, 20 May 2008 14:37:22 -0400
Organization: Aioe.org NNTP Server
Lines: 33
Message-ID: <fmmck-F68BA5.14372220052008@nntp.aioe.org>
References: <47a35bcd-b833-4603-97bc-e80e96d38fa7@z16g2000prn.googlegroups.com>
<5LYVj.56213$5Y1.20280@trnddc04>
NNTP-Posting-Host: SL3yUo4vLcFXzW3AGMUAAQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.3b2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:53

In article <5LYVj.56213$5Y1.20280@trnddc04>, "JB" <nospam@goofball.net>
wrote:

> <mrpace@sfcn.org> wrote in message
> news:47a35bcd-b833-4603-97bc-e80e96d38fa7@z16g2000prn.googlegroups.com...
> > I'm totally new to amateur radio, so this may seem like a stupid
> > question.  Does the typical 2 meter or UHF repeater repeat DTMF
> > tones?
> >
> > ICOM radios have an optional DTMF Decoder to control squelch, and I
> > was wondering if I could set the frequency to a local repeater and
> > only hear messages when the correct DTMF signal is sent.  That way I
> > could use repeaters and still have the privacy like subtones, instead
> > of listening to everything that comes accross the repeater.
> >
> >
> > But, this cool functionality won't work if repeaters don't repeat
> > DTMF
> > sent to them.
```

MrPace-

JB is correct. Although some may not, a repeater will commonly
filter-out received sub-audible tones. If a transmitted tone is needed,
it would normally be re-generated in the repeater transmitter.

This is the only way to ensure that the repeater transmits a good tone,
rather than repeating one that may be at the wrong level or slightly off
frequency. (It also provides an opportunity for the repeater to
transmit a different tone than it receives.)

Fred
K4DII

From -3319128777774025731
X-Google-Thread: 108122,3f4b0c014d642520,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z72g2000hsb.googlegroups.com!not-for-mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB PB200
Date: Wed, 21 May 2008 09:09:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <c1712c80-0125-4e9c-b804-5abd99348118@z72g2000hsb.googlegroups.com>
NNTP-Posting-Host: 213.202.119.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1211386178 20637 127.0.0.1 (21 May 2008 16:09:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 May 2008 16:09:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z72g2000hsb.googlegroups.com; posting-host=213.202.119.75;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:54

WTB this battery for IC T81A . . .. .

From 8471330076171129152
X-Google-Thread: 108122,e5ba76435a00f883,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!roadrunner.com!not-

for-mail
From: "MWH" <mwh1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ham Gear
Date: Wed, 21 May 2008 20:27:38 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.5512
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5512
Lines: 3
Message-ID: <4834bdf1$0$30490$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:55

http://members6.boardhost.com/theswapshoppe/

From 8156325854349394001
X-Google-Thread: 108122,8d588757703ed9ec,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t54g2000hsg.googlegroups.com!not-for-mail
From: "www.penuries.com" <penuries@penuries.com>
Newsgroups: rec.radio.amateur.equipment
Subject: We have in stock RD70HHF1 mitsubishi transistors
Date: Fri, 23 May 2008 01:48:53 -0700 (PDT)
Organization: http://groups.google.com
Lines: 10
Message-ID: <aae86df2-370f-43d0-9339-f11b8bccd36d@t54g2000hsg.googlegroups.com>
NNTP-Posting-Host: 82.235.163.94
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1211532533 31817 127.0.0.1 (23 May 2008 08:48:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 May 2008 08:48:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t54g2000hsg.googlegroups.com; posting-host=82.235.163.94;
     posting-account=krg0KwoAAADFKdQd9McRVUVUIwyAMsV3
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; fr; rv:1.9)
     Gecko/2008051206 Firefox/3.0,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:56

dear sir

1) We have in stock RD70HHF1 mitsubishi transistors

we are in france

br
www.penuries.com
www.rfq-hotstock.com

```
From -3882610251743155244
X-Google-Thread: 108122,d5a9a84ed61d116a,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!34g2000hsf.googlegroups.com!not-for-
mail
From: "www.penuries.com" <penuries@penuries.com>
Newsgroups: rec.radio.amateur.equipment
Subject: We have in stock RD70HVF1 mitsubishi transistors
Date: Fri, 23 May 2008 01:50:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <ff7d256d-fa97-46eb-876d-a5953507b693@34g2000hsf.googlegroups.com>
NNTP-Posting-Host: 82.235.163.94
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1211532652 32155 127.0.0.1 (23 May 2008 08:50:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 May 2008 08:50:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000hsf.googlegroups.com; posting-host=82.235.163.94;
     posting-account=krg0KwoAAADFKdQd9McRVUVUIwyAMsV3
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; fr; rv:1.9)
     Gecko/2008051206 Firefox/3.0,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:57
```

We have in stock RD70HVF1 mitsubishi transistors

we are in france

br
www.penuries.com
www.rfq-hotstock.com

```
From -602954813135920159
X-Google-Thread: 1109af,3c748288bd4063c4,start
X-Google-Thread: 108122,3c748288bd4063c4,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!feeder.erje.net!
newsfeed.straub-nv.de!feeds.phibee-telecom.net!newsfeed.xs4all.nl!
```

```
newsfeed2.news.xs4all.nl!newsgate.cistron.nl!xs4all!news.wiretrip.org!
news.dizum.com!sewer-output!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: ELECRAFT KX-1 transceiver
Message-ID: <25d7ef9f9a09ac107619db07ab85de51@pseudo.borked.net>
Date: Fri, 23 May 2008 09:30:07 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.swap:93 rec.radio.amateur.equipment:58

http://easyurl.net/ElecraftKX1




From -4120738237736742441
X-Google-Thread: 108122,d2ef116859ebb443,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.194.249.MISMATCH!news-out.readnews.com!
transit3.readnews.com!news.infoave.net!not-for-mail
From: Middle Aged Ham <Middle-Timer.44444444446454554@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: What are almost all the new ham radios ugly?
Date: Fri, 23 May 2008 13:02:30 -0400
Organization: Info Avenue Internet Services, LLC
Lines: 35
Message-ID: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
NNTP-Posting-Host: 208.104.212.200
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news04.infoave.net 1211562127 22738 208.104.212.200 (23 May 2008 17:02:07
GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Fri, 23 May 2008 17:02:07 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:59


  Why are almost all the new HF ham radios so ugly?  HF Ham radios use
to be a thing of beauty, but now most of them are butt ugly!

Icom Radios all look like oversized Palm Pilots

Kenwood HF Radios - What where they thinking?
  TS-480? - Yuck! I would not want that thing on my desk.
  TS-2000 - Deaf, poor selectivity, and ugly.

Ok.  The Yaesu FT-2000 is nice looking, but according to EHam.net
reviews there are issues with the AGC popping, and the 3 kHz roofing
```

filter actually being wider than the 6 kHz roofing filter. I'm
holding out for future fixes on this one.

Yaesu FT-950 -mildly ugly
Yaesu FT-897D - really ugly
Yaesu FT-857D - compact and ugly
Yaesu FT-817ND - Looks like it has warts on it's face
Yaseu FT-450 - Pretty ugly

TenTecOrion II and Omni VII - Oversized Palm Pilots.

Now the Kenwood TS-940 was a good looking radio.
The Drake TR-7 was nice looking.
The Yaesu FT-980 was sharp looking.
The Yaesu FT-1000d was nice looking
The TenTec Omni VI was nice looking.

The same thing happened to component stereo systems. In the 1970s and
1980s they were gorgeous, but now they are ugly black metal boxes.
What happened to the radio equipment that you could display proudly
for everyone to see instead of something so ugly even the owner does
not want to look at it?

From 8587976543087802981
X-Google-Thread: 108122,3d7add1e7cba9103
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!25g2000hsx.googlegroups.com!not-for-mail
From: Tim Shoppa <shoppa@trailing-edge.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: narrow CW filters
Date: Fri, 23 May 2008 10:06:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 44
Message-ID: <4098d61c-83da-46cd-908e-8904c712f6d3@25g2000hsx.googlegroups.com>
References: <481f31fd$0$902$ba4acef3@news.orange.fr>
<qdrUj.77$oJ4.3343842@petpeeve.ziplink.net>
     <482e0125$0$40211$4fafbaef@reader5.news.tin.it>
<PVBXj.352$og1.263@fe117.usenetserver.com>
     <482f3df2$0$41658$4fafbaef@reader4.news.tin.it>
NNTP-Posting-Host: 170.121.15.44
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1211562370 23227 127.0.0.1 (23 May 2008 17:06:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 May 2008 17:06:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 25g2000hsx.googlegroups.com; posting-host=170.121.15.44;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:60

On May 17, 4:20=A0pm, "Antonio Vernucci" <vernu...@tin.it> wrote:
> > That contradicts units like the gram (g, kg, mg), the meter (m, cm, mm, =
km)
> > the liter/litre (l, ml), the second (sec, msec)... or at least how they =
are
> > presented in all my science texts, and...
>
> I was referring to all the measurement units that bear the name of a scien=
tist.
> Those units all begin with a capital letter

fermi =3D fm (yeah, I know, a non-SI unit, but nuclear physicists never
talk about femtometers, they talk about fermis... and it just so
happens that a fermi is a femtometer.)

> >> This explains why kilohertz is written with a small k, an exception to =
the
> >> general rule that all multipliers have a capital lettere =A0(kHz, MHz, =
GHz,
> >> THz).
>
> > ...deci (d), centi (c), milli (m), nano (n), pico (p), femto (f), atto (=
a),
>
> The ones you mention are not multipliers (i.e. 1,000, 1,000,000, etc,) but=

> sub-multipliers (i.e. 0.001, 0.000001, etc) . The general rule is that
> multipliers have a capital letter, the sub-multipliers have a small letter=


General rule, but there's other exceptions too: h (hecto) for 100, da
(deca) for 10. In fact the multipliers for 10, 100, and 1000 all use
lowercase letters - how's that for another general rule for ya!

> > Am I missing your sarcasm?
>
> You must have missed it, because I am always quite serious and never sarca=
stic.

It's a little bombastic to come across setting up all sorts of rules
and then have those who work in industries point out all the
exceptions.

Tim.


From 5515606686839440542
X-Google-Thread: 108122,d2ef116859ebb443
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews1.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
Subject: Re: What are almost all the new ham radios ugly?
Lines: 45
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <eHDZj.47428$7a.4805@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcbodepacjmkejpokgmkpohemacbphcocjhaif
eckepfagppmljifjpepppfkpgfnbgmbkojilnahjifhnncagfdnliggkldgklpcjjcpebhhghhpmli
NNTP-Posting-Date: Fri, 23 May 2008 14:04:58 EDT
Organization: BellSouth Internet Group
Date: Fri, 23 May 2008 14:06:32 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:61


"Middle Aged Ham" <Middle-Timer.44444444446454554@hotmail.com> wrote in
message news:o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com...
>
>  Why are almost all the new HF ham radios so ugly?  HF Ham radios use
> to be a thing of beauty, but now most of them are butt ugly!
>
> Icom Radios all look like oversized Palm Pilots
>
> Kenwood HF Radios - What where they thinking?
>  TS-480? - Yuck! I would not want that thing on my desk.
>  TS-2000 - Deaf, poor selectivity, and ugly.
>
> Ok.  The Yaesu FT-2000 is nice looking, but according to EHam.net
> reviews there are issues with the AGC popping, and the 3 kHz roofing
> filter actually being wider than the 6 kHz roofing filter.  I'm
> holding out for future fixes on this one.
>
> Yaesu FT-950 -mildly ugly
> Yaesu FT-897D - really ugly
> Yaesu FT-857D - compact and ugly
> Yaesu FT-817ND - Looks like it has warts on it's face
> Yaseu FT-450 - Pretty ugly
>
> TenTecOrion II and Omni VII - Oversized Palm Pilots.
>
> Now the Kenwood TS-940 was a good looking radio.
```

> The Drake TR-7 was nice looking.
> The Yaesu FT-980 was sharp looking.
> The Yaesu FT-1000d was nice looking
> The TenTec Omni VI was nice looking.
>
> The same thing happened to component stereo systems. In the 1970s and
> 1980s they were gorgeous, but now they are ugly black metal boxes.
> What happened to the radio equipment that you could display proudly
> for everyone to see instead of something so ugly even the owner does
> not want to look at it?

Anime happened. That's what.

Ed, NM2K

```
From -3839095926972614627
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!f63g2000hsf.googlegroups.com!not-for-
mail
From: Tim Shoppa <shoppa@trailing-edge.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Fri, 23 May 2008 11:36:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <8e88f5b1-79d5-490c-86d4-7facdbe59850@f63g2000hsf.googlegroups.com>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
NNTP-Posting-Host: 170.121.15.44
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1211567781 6286 127.0.0.1 (23 May 2008 18:36:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 May 2008 18:36:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f63g2000hsf.googlegroups.com; posting-host=170.121.15.44;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:62
```

On May 23, 1:02=A0pm, Middle Aged Ham <Middle-Timer.
44444444446454...@hotmail.com> wrote:
> =A0 Why are almost all the new HF ham radios so ugly? =A0HF Ham radios use=

> to be a thing of beauty, but now most of them are butt ugly!

It's very possible to be a thing of beauty and be butt ugly.

I personally am not a big fan of the TR-7, FT-980, FT-1000D, other
"black" radios.

I actually like the HW-100, R-390A, etc., but I've always claimed
green to be my favorite color :-). Having a big metal panel up front
with knobs etc. is good.

But my favorite of all, by a very large margin, are the Heathkit
Mohawk and Marauder. Huge chrome knobs, big green panel.

You think "huge chrome knobs" will get filtered out by any anti-porn
filters? :-).

Tim.

From 7150038230585049769
X-Google-Thread: 108122,d2ef116859ebb443
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.acm.uiuc.edu!news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What are almost all the new ham radios ugly?
Date: Fri, 23 May 2008 15:32:33 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 33
Sender: et472@199-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0805231519520.14891@darkstar.example.org>
References: <o0td34pdegv8v2lgmeik2u4s069rhnopec@4ax.com>
 <8e88f5b1-79d5-490c-86d4-7facdbe59850@f63g2000hsf.googlegroups.com>
NNTP-Posting-Host: 199-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1211571385 6877 64.235.215.199 (23 May 2008 19:36:25 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 23 May 2008 19:36:25 GMT
In-Reply-To: <8e88f5b1-79d5-490c-86d4-7facdbe59850@f63g2000hsf.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:63

On Fri, 23 May 2008, Tim Shoppa wrote:

> I actually like the HW-100, R-390A, etc., but I've always claimed
> green to be my favorite color :-). Having a big metal panel up front
> with knobs etc. is good.
>
> But my favorite of all, by a very large margin, are the Heathkit
> Mohawk and Marauder. Huge chrome knobs, big green panel.

>
> You think "huge chrome knobs" will get filtered out by any anti-porn
> filters? :-).
>

But their whole line at that point had big chrome knobs. There was that VHF AM transceiver, I can't remember if it was only 2meters or included 6 meters, that had a tuneable reciver and tuneable transmitter. I remember one article decades later that basically said "this is a thing of beauty, it's also completely useless at this point" right before he described how to convert it to FM.

I seem to recall, but can't remember their names, that there was even a mobile pair for HF, though I'm sure it was AM.

There was also a six meter phasing SSB rig in that chrome era.

Even their first transistorized portable shorwave receiver, circa 1961, I think was part of the chrome wave.

Heath tended to redo their line every so many years, the technical specs not changing that much while the external looks did. The chrome SSB design was the same basic design for the SB line that followed.

Michael VE2BVW

```
From 8721695733136048709
X-Google-Thread: 1109af,8b22541fd166fc26,start
X-Google-Thread: 108122,8b22541fd166fc26,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny08.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Price Reduced!  Icom IC-28A  2 meter FM Transceiver
Lines: 103
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0099_01C8863C.9C3C0CC0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <BeJCj.2338$FK1.505@trndny08>
Date: Sat, 15 Mar 2008 05:35:29 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny08 1205559329 68.236.31.9 (Sat, 15 Mar 2008 01:35:29 EDT)
NNTP-Posting-Date: Sat, 15 Mar 2008 01:35:29 EDT
Xref: g2news1.google.com rec.radio.swap:18670 rec.radio.amateur.equipment:14116
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_0099_01C8863C.9C3C0CC0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


For Sale:

ICOM IC-28A   2 Meter FM Transceiver

Features include:

21 Memories
Automatic Dimmer
Compact=20
Simple Ergonomic Design
Subaudible (CTCSS) Tone Encoder
Dual Scanning (Frequency Scan & Memory Scan)
Backlit LCD
Sensitive & Selective Double-Conversion Receiver=20
Receives 138-174 MHz
Icom HM-14 Electret Condensor Hand Mic w/ scan, tt pad included=20
Output Power: 25 Watts High, 5 Watts Low

Includes the original Icom Manual
Rig is very clean, works very well
(an lcd display bulb is burned out)

Price is $ 65.00 plus $ 5.50 for USPS Priority Mail Insured Shipping
(to Cont'l U.S. address only), payable by USPS Postal Money Order=20
only.

Thank you.

-Bill
KB3PT
Selbyville, Delaware

E-mail:  shortwave1@verizon.net


------=_NextPart_000_0099_01C8863C.9C3C0CC0
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
```

```
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>&nbsp;</DIV>
<DIV>For Sale:</DIV>
<DIV>&nbsp;</DIV>
<DIV>ICOM IC-28A&nbsp;&nbsp; 2 Meter FM Transceiver</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>21 Memories</DIV>
<DIV>Automatic Dimmer</DIV>
<DIV>Compact </DIV>
<DIV>Simple Ergonomic Design</DIV>
<DIV>Subaudible (CTCSS) Tone Encoder</DIV>
<DIV>Dual Scanning (Frequency Scan &amp; Memory Scan)</DIV>
<DIV>Backlit LCD</DIV>
<DIV>Sensitive &amp; Selective&nbsp;Double-Conversion =
Receiver&nbsp;</DIV>
<DIV>Receives 138-174 MHz</DIV>
<DIV>Icom HM-14&nbsp;Electret Condensor Hand Mic&nbsp;w/ scan, tt pad =
included=20
</DIV></TD></TR>
<DIV>Output Power: 25 Watts High,&nbsp;5 Watts Low</DIV>
<DIV>&nbsp;</DIV>
<DIV>Includes the original Icom&nbsp;Manual</DIV>
<DIV>Rig is very clean, works very well</DIV>
<DIV>(an&nbsp;lcd display bulb is burned out)</DIV>
<DIV>&nbsp;</DIV>
<DIV>Price is $ 65.00&nbsp;plus&nbsp;$ 5.50 for&nbsp;USPS Priority Mail =
Insured=20
Shipping</DIV>
<DIV>(to Cont'l U.S. address only), payable by USPS Postal Money Order =
</DIV>
<DIV>only.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thank you.</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>&nbsp;</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_0099_01C8863C.9C3C0CC0--



From -6134755417535629064
```

```
X-Google-Thread: fc8b1,6553ff8c68055272
X-Google-Thread: 10c2ee,6553ff8c68055272
X-Google-Thread: 108122,6553ff8c68055272
X-Google-Thread: fb049,6553ff8c68055272
X-Google-Attributes: gidfc8b1,gid10c2ee,gid108122,gidfb049,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-
mail
From: Mike Burch <mburch46@mchsi.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.radio.amateur.equipment
,alt.ham-radio.vhf-uhf
Subject: Re: Heathkit sb101 Nylon Spiral Follower
References: <samantha-CED042.20095211032008@comcast.dca.giganews.com>
In-Reply-To: <samantha-CED042.20095211032008@comcast.dca.giganews.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <awQCj.23749$TT4.8743@attbi_s22>
NNTP-Posting-Host: 12.206.132.84
X-Complaints-To: abuse@asp.att.net
X-Trace: attbi_s22 1205589126 12.206.132.84 (Sat, 15 Mar 2008 13:52:06 GMT)
NNTP-Posting-Date: Sat, 15 Mar 2008 13:52:06 GMT
Organization: AT&T ASP.att.net
Date: Sat, 15 Mar 2008 13:52:06 GMT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:14316
rec.antiques.radio+phono:94666 rec.radio.amateur.equipment:14117 alt.ham-
radio.vhf-uhf:6731

Samantha wrote:
> Ref Nylon Spiral Follower pn 266-74
>
>
> I have a heathkit SB101 and the upper dial doesn't move.  It seems the
> Nylon Spiral Follower is worn out or broken.  Does anyone happen to have
> one of these followers or have any success in fabricating a replacement?
>
>
> Any help would be greatly appreciated!!!

I once fabricated one using a brass keeper from an RC airplane linkage
kit. It's the part that secures the cable to a servo arm.  You might
also subscribe to the yahoo heathkit newsgroup.  There are lots of posts
in there.   73's   Mike K8MB


From 1912590946759217646
X-Google-Thread: 1109af,fedb2315ef836b17,start
```

```
X-Google-Thread: 108122,fedb2315ef836b17,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Motorola VHF Handhelds ("HT's")
Lines: 118
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C886DD.432BD6A0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <I3_Cj.660$i54.60@trnddc05>
Date: Sun, 16 Mar 2008 00:44:24 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1205628264 68.236.31.9 (Sat, 15 Mar 2008 20:44:24 EDT)
NNTP-Posting-Date: Sat, 15 Mar 2008 20:44:24 EDT
Xref: g2news1.google.com rec.radio.swap:18676 rec.radio.amateur.equipment:14118
X-Original-Bytes: 4758
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0011_01C886DD.432BD6A0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable
```

For Sale ---

I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
VHF Handhelds ("HT's"), with the (2) Motorola Desk Chargers for sale.

Features of these reliable Motorola handheld units include:

- Both are 4 Channel VHF models - 4 channels easily switchable using channel selector switch on top of=20 each "HT". Other external controls include volume and squelch controls

- Both units include their Motorola VHF "duckie" antennas

- Both units include good NiMh battery packs=20

- Both units include their Motorola desktop "cradle" chargers=20 (with plug-in wall transformers and charging indicator lights)

Easy programming instructions are located on the inside of both=20
unit's battery covers, making programming simple and convenient.
Range of these rugged reliable handhelds is approximately 5 miles.

Will sell for $100.00 plus actual shipping and insurance charges=20
(Cont'l U.S.), payable by USPS Postal Money Order only.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

```
------=_NextPart_000_0011_01C886DD.432BD6A0
Content-Type: text/html;
	charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>&nbsp;</DIV>
<DIV>For Sale ---</DIV>
<DIV>&nbsp;</DIV>
<DIV>I have&nbsp;a pair of&nbsp;exceptionally&nbsp;clean&nbsp;Motorola =
Spirit=20
(Model MV24CVS)</DIV>
<DIV>VHF Handhelds&nbsp; ("HT's"),&nbsp;with the (2) Motorola Desk =
Chargers for=20
sale.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features of these&nbsp;reliable&nbsp;Motorola handheld units =
include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both are&nbsp;4 Channel&nbsp;VHF models - =
4=20
channels easily</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;switchable using channel selector =
switch on=20
top of </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; each "HT".&nbsp; Other external =
controls=20
include volume</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;and squelch controls</DIV>
```

```
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include their&nbsp;Motorola=20
VHF&nbsp;"duckie" antennas</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include&nbsp;good =
NiMh&nbsp;battery=20
packs&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;*&nbsp;Both units include&nbsp;their =
Motorola=20
desktop "cradle"&nbsp;chargers </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;(with plug-in wall transformers and=20
charging&nbsp;indicator lights)</DIV>
<DIV>&nbsp;</DIV>
<DIV>Easy&nbsp;programming&nbsp;instructions are&nbsp;located on the =
inside of=20
both </DIV>
<DIV>unit's battery covers, making programming&nbsp;simple and =
convenient.</DIV>
<DIV>Range&nbsp;of these rugged reliable handhelds is =
approximately&nbsp;&nbsp;5=20
miles.</DIV>
<DIV><BR>Will sell&nbsp; for $100.00&nbsp;plus&nbsp;actual shipping and=20
insurance charges </DIV>
<DIV>(Cont'l U.S.), payable by USPS Postal Money Order only.<BR></DIV>
<DIV>Thanks &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>&nbsp;</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_0011_01C886DD.432BD6A0--



From -3136403774469185995
X-Google-Thread: 108122,af201e0f67ece9a0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
newsfeed.straub-nv.de!aioe.org!not-for-mail
From: Alan Peake <adpeake@nosspam.activ8.net.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Power out Vs supply voltage
Date: Sun, 16 Mar 2008 14:42:30 +1000
Organization: Aioe.org NNTP Server
Lines: 11
Message-ID: <47DCA536.1080007@nosspam.activ8.net.au>
```

NNTP-Posting-Host: FIbVCnsNftFw+PGdDzm+Rg.user.aioe.org
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
X-Accept-Language: en-us, en
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.0.2) Gecko/20021120 Netscape/7.01
Xref: g2news1.google.com rec.radio.amateur.equipment:14119

Hi,
If a rig is being supplied from a DC source, what would you expect if that supply was only giving the minimum specified voltage for the rig. Would you expect full rated output power or would you only expect that at the nominal supply voltage?
E.g. the IC746PRO is rated at 100W. The nominal supply is 13.8V +/-15%
The manual does not state what the power out is at the lower limit.
What have others measured?

Alan

From -4398215682443653870
X-Google-Thread: 108122,af201e0f67ece9a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!usenet-fr.net!ircam.fr!freenix!sn-xt-sjc-05!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power out Vs supply voltage
Date: Sun, 16 Mar 2008 03:48:07 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13tpk5nsiqc1e3d@corp.supernews.com>
References: <47DCA536.1080007@nosspam.activ8.net.au>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news1.google.com rec.radio.amateur.equipment:14120

"Alan Peake" <adpeake@nosspam.activ8.net.au> wrote in message news:47DCA536.1080007@nosspam.activ8.net.au...
> Hi,
>   If a rig is being supplied from a DC source, what would you expect if
> that supply was only giving the minimum specified voltage for the rig.
> Would you expect full rated output power or would you only expect that at

> the nominal supply voltage?
> E.g. the IC746PRO is rated at 100W. The nominal supply is 13.8V +/-15%
> The manual does not state what the power out is at the lower limit.
> What have others measured?
>
> Alan
>

Most ham rigs (and many more "12 volt devices") are specified to put out
the designed power at 13.8 volts.   This is a nominal voltage of a car with
the moror running. Any less voltage and you usually get lower output and at
a higher voltage you may get slightly more output.

There are always minor virations in the power output at the same voltage
from differant rigs of the same type. Most have a way of adjusting the
power output to a small degree to bring them back to the nominal power.

From -5041069068306526162
X-Google-Thread: 1109af,95de96c85f59d09,start
X-Google-Thread: 108122,95de96c85f59d09,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Speaker, Optimus Pro-X44AV
Lines: 112
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000B_01C88727.0FF5CB20"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <4P5Dj.4788$rR1.951@trndny09>
Date: Sun, 16 Mar 2008 09:32:48 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1205659968 68.236.31.9 (Sun, 16 Mar 2008 05:32:48 EDT)
NNTP-Posting-Date: Sun, 16 Mar 2008 05:32:48 EDT
Xref: g2news1.google.com rec.radio.swap:18678 rec.radio.amateur.equipment:14121
X-Original-Bytes: 4839

This is a multi-part message in MIME format.

------=_NextPart_000_000B_01C88727.0FF5CB20
Content-Type: text/plain;
     charset="Windows-1252"

```
Content-Transfer-Encoding: quoted-printable


I have an Optimus PRO-X44AV Speaker for sale;
it's never been removed from it's original box and=20
original packing material.

Specs for this Speaker are:

Color:  Black
Frequency Response:  90 - 20,000 Hz
Power Handling:           50 Watts (RMS)
Maximum Power:         100 Watts
Impedance:                  8 Ohms
Speaker Complement:  4 Inch High Compliance Woofer and
                                   1 Inch Extended Range, High =
Compliance
                                   Soft Dome Tweeter
Dimensions (HWD):       7 7/8 x 4 1/2 x 4 3/8 Inches
Weight:                        4 lbs 14 oz

This speaker can be used as part of a home theatre system,
or as an excellent quality hamshack speaker.  It's heavy, so
figure shipping based upon the actual cost to ship 5 pounds.

Will sell this never opened, never used speaker for $ 20 plus
the actual cost of shipping a 5 pound package via USPS.

Thanks,

-Bill
KB3PT
E-mail:  shortwave1@verizon.net




------=_NextPart_000_000B_01C88727.0FF5CB20
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>I have an Optimus PRO-X44AV Speaker for sale;</DIV>
<DIV>it's never been removed from it's original box and </DIV>
```

```
<DIV>original packing material.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Specs for this Speaker are:</DIV>
<DIV>&nbsp;</DIV>
<DIV>Color:&nbsp; Black</DIV>
<DIV>Frequency Response:&nbsp; 90 - 20,000 Hz</DIV>
<DIV>Power =
Handling:&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;=20
50 Watts (RMS)</DIV>
<DIV>Maximum =
Power:&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;100=20
Watts</DIV>
<DIV>Impedance:&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbs=
p;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;=20
8 Ohms</DIV>
<DIV>Speaker Complement:&nbsp; 4 Inch High Compliance Woofer and</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&n=
bsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nb=
sp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;=20
1 Inch Extended Range, High Compliance</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&n=
bsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nb=
sp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;Soft=
=20
Dome Tweeter</DIV>
<DIV>Dimensions (HWD):&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; 7&nbsp;7/8 x =
4 1/2 x=20
4 3/8 Inches</DIV>
<DIV>Weight:&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&=
nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&n=
bsp;&nbsp;4=20
lbs 14 oz</DIV>
<DIV>&nbsp;</DIV>
<DIV>This speaker can be used as part of a home theatre system,</DIV>
<DIV>or as an excellent quality hamshack speaker.&nbsp; It's heavy, =
so</DIV>
<DIV>figure shipping based upon the actual cost to ship 5 pounds.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Will sell this never opened, never used speaker for $ 20 plus</DIV>
<DIV>the actual cost of shipping a 5 pound package&nbsp;via USPS.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thanks,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_000B_01C88727.0FF5CB20--
```

```
From -8354074568357892903
X-Google-Thread: 1109af,2528c088d5db5e3e,start
X-Google-Thread: 108122,2528c088d5db5e3e,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Fluke 23 Series III Digital Multi-Meter
Lines: 76
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0024_01C88728.82428BE0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <NY5Dj.5756$4q3.875@trndny02>
Date: Sun, 16 Mar 2008 09:43:09 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1205660589 68.236.31.9 (Sun, 16 Mar 2008 05:43:09 EDT)
NNTP-Posting-Date: Sun, 16 Mar 2008 05:43:09 EDT
Xref: g2news1.google.com rec.radio.swap:18679 rec.radio.amateur.equipment:14122

This is a multi-part message in MIME format.

------=_NextPart_000_0024_01C88728.82428BE0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


I have a very high quality Fluke Model 23 Series III Digital=20
Multi-Meter for sale.

This meter originally sold for over $200, and is in like-new=20
condition, complete with original, unopened Fluke manual. =20

Specs and further info about the Fluke Model 23 Series III
can be found at:

http://www.tequipment.net/FlukeDigital23Multimeter.html

Will sell for a USPS Postal Money Order for $ 80.00.
Price includes shipping via USPS Priority Mail, Insured,
to Continental U.S. address only.
```

Thank you,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

```
------=_NextPart_000_0024_01C88728.82428BE0
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>I have a very high quality Fluke Model 23 Series III Digital </DIV>
<DIV>Multi-Meter for sale.</DIV>
<DIV>&nbsp;</DIV>
<DIV>This meter originally sold for over $200, and is&nbsp;in like-new =
</DIV>
<DIV>condition, complete with original, unopened Fluke manual.&nbsp;=20
<BR><BR>Specs and further info about the Fluke Model 23 Series III</DIV>
<DIV>can be found at:</DIV>
<DIV>&nbsp;</DIV>
<DIV><A=20
href=3D"http://www.tequipment.net/FlukeDigital23Multimeter.html">http://w=
ww.tequipment.net/FlukeDigital23Multimeter.html</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>Will sell for a USPS Postal Money Order for $ 80.00.</DIV>
<DIV>Price includes shipping via USPS Priority Mail, Insured,</DIV>
<DIV>to Continental U.S. address only.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thank you,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>&nbsp;</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_0024_01C88728.82428BE0--
```

From -7381664833077072238
X-Google-Thread: 108122,af201e0f67ece9a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!
news.netcologne.de!newsfeed-fusi2.netcologne.de!newsfeed.straub-nv.de!aioe.org!
not-for-mail
From: Alan Peake <adpeake@nosspam.activ8.net.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power out Vs supply voltage
Date: Sun, 16 Mar 2008 19:52:39 +1000
Organization: Aioe.org NNTP Server
Lines: 27
Message-ID: <47DCEDE7.6020704@nosspam.activ8.net.au>
References: <47DCA536.1080007@nosspam.activ8.net.au>
<13tpk5nsiqc1e3d@corp.supernews.com>
NNTP-Posting-Host: FIbVCnsNftFw+PGdDzm+Rg.user.aioe.org
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
X-Accept-Language: en-us, en
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.0.2) Gecko/
20021120 Netscape/7.01
Xref: g2news1.google.com rec.radio.amateur.equipment:14123

Ralph Mowery wrote:

> Most ham rigs (and many more "12 volt devices") are specified to put out
> the designed power at 13.8 volts.   This is a nominal voltage of a car with
> the moror running. Any less voltage and you usually get lower output and at
> a higher voltage you may get slightly more output.
>
> There are always minor virations in the power output at the same voltage
> from differant rigs of the same type. Most have a way of adjusting the
> power output to a small degree to bring them back to the nominal power.
>
>

This is what I suspected but it was suggested to me that rigs are
designed with a good margin of power in mind so that they will give
rated output at the lower end of the supply voltage range.

I just fixed up an IC746PRO and found that at 13.2V, I only got 70W
instead of 100W. Then I found a drop of 1.3V in the factory supplied
leads (4m long). Shorter leads put this up to 80W but still short of the
rated output. I run all my radios on batteries and don't have a proper
13.8V supply so I don't know if the 746 is working to spec or not.

Alan

```
From 5957636847578755651
X-Google-Thread: 1109af,2528c088d5db5e3e
X-Google-Thread: 108122,2528c088d5db5e3e
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny07.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
References: <NY5Dj.5756$4q3.875@trndny02>
Subject: Re: Fluke 23 Series III Digital Multi-Meter
Lines: 121
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0028_01C88736.334E1C80"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Ko7Dj.10260$u62.1718@trndny07>
Date: Sun, 16 Mar 2008 11:21:14 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny07 1205666474 68.236.31.9 (Sun, 16 Mar 2008 07:21:14 EDT)
NNTP-Posting-Date: Sun, 16 Mar 2008 07:21:14 EDT
Xref: g2news1.google.com rec.radio.swap:18680 rec.radio.amateur.equipment:14124
X-Original-Bytes: 4598
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0028_01C88736.334E1C80
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable
```

The original Fluke test leads for this Fluke digital multi-meter are =
included
(and are in absolutely like-new condition, as is the meter itself!).

Thanks,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

```
  "Bill Golden" <shortwave1@verizon.net> wrote in message =
news:NY5Dj.5756$4q3.875@trndny02...

  I have a very high quality Fluke Model 23 Series III Digital=20
  Multi-Meter for sale.

  This meter originally sold for over $200, and is in like-new=20
  condition, complete with original, unopened Fluke manual. =20

  Specs and further info about the Fluke Model 23 Series III
  can be found at:

  http://www.tequipment.net/FlukeDigital23Multimeter.html

  Will sell for a USPS Postal Money Order for $ 80.00.
  Price includes shipping via USPS Priority Mail, Insured,
  to Continental U.S. address only.

  Thank you,

  -Bill
  KB3PT
  Selbyville, Delaware

  E-mail:  shortwave1@verizon.net

------=_NextPart_000_0028_01C88736.334E1C80
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>The original Fluke test leads for this Fluke digital multi-meter =
are=20
included</DIV>
<DIV>(and are in absolutely like-new condition, as is the meter =
itself!).</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thanks,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
```

```
<DIV>&nbsp;</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Bill Golden" &lt;<A=20
  href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A>&gt; =
wrote in=20
  message <A=20
  =
href=3D"news:NY5Dj.5756$4q3.875@trndny02">news:NY5Dj.5756$4q3.875@trndny0=
2</A>...</DIV>
  <DIV>&nbsp;</DIV>
  <DIV>I have a very high quality Fluke Model 23 Series III Digital =
</DIV>
  <DIV>Multi-Meter for sale.</DIV>
  <DIV>&nbsp;</DIV>
  <DIV>This meter originally sold for over $200, and is&nbsp;in like-new =
</DIV>
  <DIV>condition, complete with original, unopened Fluke manual.&nbsp;=20
  <BR><BR>Specs and further info about the Fluke Model 23 Series =
III</DIV>
  <DIV>can be found at:</DIV>
  <DIV>&nbsp;</DIV>
  <DIV><A=20
  =
href=3D"http://www.tequipment.net/FlukeDigital23Multimeter.html">http://w=
ww.tequipment.net/FlukeDigital23Multimeter.html</A></DIV>
  <DIV>&nbsp;</DIV>
  <DIV>Will sell for a USPS Postal Money Order for $ 80.00.</DIV>
  <DIV>Price includes shipping via USPS Priority Mail, Insured,</DIV>
  <DIV>to Continental U.S. address only.</DIV>
  <DIV>&nbsp;</DIV>
  <DIV>Thank you,</DIV>
  <DIV>&nbsp;</DIV>
  <DIV>-Bill</DIV>
  <DIV>KB3PT</DIV>
  <DIV>Selbyville, Delaware</DIV>
  <DIV>&nbsp;</DIV>
  <DIV>E-mail:&nbsp; <A=20
  =
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
  <DIV>&nbsp;</DIV></BLOCKQUOTE></BODY></HTML>

------=_NextPart_000_0028_01C88736.334E1C80--



From 6740980568614922974
X-Google-Thread: 108122,efbcb54f7ffdd88a,start
```

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s8g2000prg.googlegroups.com!not-for-
mail
From: usha <ms.shilpa1@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: jobs
Date: Mon, 17 Mar 2008 00:28:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <367f127e-5a46-4c01-8b68-949c9d19c131@s8g2000prg.googlegroups.com>
NNTP-Posting-Host: 117.193.97.50
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1205738900 2465 127.0.0.1 (17 Mar 2008 07:28:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Mar 2008 07:28:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s8g2000prg.googlegroups.com; posting-host=117.193.97.50;
     posting-account=3KEuEQoAAACpsbbrAJ8yvgBCI_gbkTfN
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; (R1 1.3);
     .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14125

Opportunity for Everyone


http://jobnowkirjoli.blogspot.com



From -6312070157437423414
X-Google-Thread: fb049,7fbc1aee359157ba
X-Google-Thread: fcc6e,7fbc1aee359157ba
X-Google-Thread: 10bf43,7fbc1aee359157ba
X-Google-Thread: 108122,e3ba62fce9be5b46,start
X-Google-Thread: 1109af,e3ba62fce9be5b46,start
X-Google-Attributes: gidfb049,gidfcc6e,gid10bf43,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.tornevall.net!
not-for-mail
From: "kb9rqz" <kb9rqz@punce.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.amateur.equipment
,rec.radio.swap
Subject: Re: The N8WWM archives
Date: Mon, 17 Mar 2008 11:14:49 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 36
Message-ID: <frm1t0$n3l$1@stable.tornevall.net>
References: <47dc27b8@news.x-privat.org> <47dc7332$0$4965$4c368faf@roadrunner.com>
```

<ee549f67-7d48-4e99-ace7-8900ef312737@m36g2000hse.googlegroups.com>
NNTP-Posting-Host: 36c0c3ba45535767b4e2667afcc1856b
X-Trace: c978d5f413fdd741ff5f6ba36f716633
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=c978d5f413fdd741ff5f6ba36f716633
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6736
rec.radio.amateur.antenna:55839 rec.radio.amateur.policy:111332
rec.radio.amateur.equipment:14126 rec.radio.swap:18690

"an_old_friend" <kb9rqz@gmail.com> wrote in message
news:ee549f67-7d48-4e99-ace7-8900ef312737@m36g2000hse.googlegroups.com...
On Mar 15, 9:09 pm, "WB2DBH" <wb2...@hotmail.com> wrote:
> YAWN....

you got that right

what how many years have the ng been dominated by those that insist
their sick and twisted views omust be made front and center

without any reply from the victums
>
>
you two is indeed my kind of homosexal and i is indeed a victum thank two
woger et al tis is indeed why i indeed moronatate teh blog i has sea four
youselve
http://ipunce.blogspot.com/

> "dougay patrol" <slapadou...@slapslap.com> wrote in message
>
> news:47dc27b8@news.x-privat.org...
>
>
>
> > Liten to Douglas the fool on the air:
>
> >http://media.putfile.com/dougayactsafooloncb
>
> >http://media.putfile.com/dougay-whines-again
>
> >http://media.putfile.com/dougay-whines- Hide quoted text -
>
> - Show quoted text -

```
From -1738799929567438801
X-Google-Thread: fb049,7fbc1aee359157ba
X-Google-Thread: fcc6e,7fbc1aee359157ba
X-Google-Thread: 10bf43,7fbc1aee359157ba
X-Google-Thread: 108122,e3ba62fce9be5b46
X-Google-Thread: 1109af,e3ba62fce9be5b46
X-Google-Attributes: gidfb049,gidfcc6e,gid10bf43,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!x41g2000hsb.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.amateur.equipment
,rec.radio.swap
Subject: stop the lies Dloyd
Date: Mon, 17 Mar 2008 12:57:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <c2f5a9b7-0e8c-4a4a-9310-47f7d51898a1@x41g2000hsb.googlegroups.com>
References: <47dc27b8@news.x-privat.org> <47dc7332$0$4965$4c368faf@roadrunner.com>
     <ee549f67-7d48-4e99-ace7-8900ef312737@m36g2000hse.googlegroups.com>
     <frm1t0$n3l$1@stable.tornevall.net>
NNTP-Posting-Host: 66.82.9.92
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1205783873 20472 127.0.0.1 (17 Mar 2008 19:57:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Mar 2008 19:57:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x41g2000hsb.googlegroups.com; posting-host=66.82.9.92;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6737
rec.radio.amateur.antenna:55851 rec.radio.amateur.policy:111351
rec.radio.amateur.equipment:14127 rec.radio.swap:18691

On Mar 17, 11:14=A0am, "kb9rqz" <kb9...@punce.com> wrote:
>
fake


From -5451616197292591589
X-Google-Thread: 108122,5c5977794b02fecb,start
X-Google-Thread: 10c2ee,5c5977794b02fecb,start
X-Google-Attributes: gid108122,gid10c2ee,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr19.news.prodigy.net.POSTED!c4667c2f!not-for-
```

```
mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups: rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: WTB Fluke 97 charger
Lines: 11
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <_IBDj.1591$LV5.1051@newssvr19.news.prodigy.net>
NNTP-Posting-Host: 70.128.122.130
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr19.news.prodigy.net 1205790650 ST000 70.128.122.130 (Mon, 17 Mar
2008 17:50:50 EDT)
NNTP-Posting-Date: Mon, 17 Mar 2008 17:50:50 EDT
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
T[OERYWDPZRORRDXN[O@_WH@YR_B@EXLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Mon, 17 Mar 2008 16:50:51 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:14128
rec.antiques.radio+phono:94846

Anyone have a adapter/charger for the Fluke 97 scopemeter that they want
to sell?  Or an optical output or other accessories?
Power adapter Part No. is PM8907/003, I assume that there are several
different
versions.
Thanks
--

73
Hank WD5JFR




From -815500168166284380
X-Google-Thread: 108122,6a67d3b7e3e80afa,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
b1g2000hsg.googlegroups.com!not-for-mail
From: Bill <ars_wa8mea@netzero.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: BatterySaver solar charger - MINT!
Date: Mon, 17 Mar 2008 15:35:25 -0700 (PDT)
```

```
Organization: http://groups.google.com
Lines: 15
Message-ID: <b05a5583-6212-43d5-aca7-1870fa016d8b@b1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 70.101.151.206
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1205793326 18366 127.0.0.1 (17 Mar 2008 22:35:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Mar 2008 22:35:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b1g2000hsg.googlegroups.com; posting-host=70.101.151.206;
     posting-account=g0rWlgoAAACweGpaLCzu8tkYVQgvxX73
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14129
```

For Sale: In MINT condition and never used, a BatterySaver solar panel charger. Solar Cell: Amorphous Silicon. 100 mA at 14.5 volts

Two adapters: one adapter plugs into the panel and connects to a car cigarette lighter. The other plugs into the panel and clips directly to the battery.

Blocking diode. Red indicator lamp tells you if improper connection has been made. (Light goes out upon proper connection.)

$24.95 and $7.95 shipping and Delivery Confirmation/USPS. Can do PayPal or can do a Visa/Mastercard through my ham radio business.

73, Bill Lauterbach - WA8MEA
http://HamRadioFun.com
wa8mea@hotmail.com
517.563.2784

Photo can be viewed at the ads posted at eham.net and qth.com. Tnx.

```
From 3018201709915912759
X-Google-Thread: 108122,8336a743760b80b1,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a1g2000hsb.googlegroups.com!not-for-
mail
From: ArcadeForever <Arcadeforever@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TECH: Icom 271A/E/H
Date: Tue, 18 Mar 2008 05:30:02 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <c4e83d82-ff28-4739-a863-9653450a58bb@a1g2000hsb.googlegroups.com>
NNTP-Posting-Host: 71.230.81.222
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1205843402 13100 127.0.0.1 (18 Mar 2008 12:30:02 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Mar 2008 12:30:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a1g2000hsb.googlegroups.com; posting-host=71.230.81.222;
     posting-account=JXvYewkAAAB0vC0-PbiE5UJGVnYxxoDX
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14130
```

does anyone know what allen wrench or torx key or whatever it is that
you need in order to remove the VFO knob from these radios? my whole
VFO assembly is loose and Im thinking that I will find out once I get
that knob off.

thanks
AF

```
From 4322031113495136189
X-Google-Thread: 108122,87dea743060c47da,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
attbi_s21.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SK sale
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <4tTDj.81443$yE1.54079@attbi_s21>
NNTP-Posting-Host: 12.219.130.17
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1205863360 12.219.130.17 (Tue, 18 Mar 2008 18:02:40 GMT)
NNTP-Posting-Date: Tue, 18 Mar 2008 18:02:40 GMT
Organization: AT&T ASP.att.net
Date: Tue, 18 Mar 2008 18:02:40 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14131
```

Oak Hills Research DD-1 Digital dial. 2 each	$25 each
Oak hills WM-2, QRP Wattmeter	$25
KA7EXM microWattmeter	$75
Astron RS-12A 13 Volt, 12 Amp supply	$50
Acopian LD15-100 PSU	$20
Lambda LP411, Metered 0-20 Volt/1.2 Amp supply	$40
Hi-Q PSU Model PS-110A +/- 24 Volt, +5 and +15 Volt supply	$20
ICOM-703, 160-10 Meter QRP transceiver (10 Watt) Like New	$250

```
LDG AT-100 pro Memory antenna tuner. IS new, in original box    $150
Radio Shack 600 Ohm Dynamic Microphone, Model 33-3004 with case.    $25
Radio Shack PSU 22-504. 13 Volt/3 Amp supply..    $20

Pictures on request., All tested and guartanteed, prices plus shipping. Put
your call sign in the subject line so I don't discard it as spam.

W4ZCB




From -7460018930382318046
X-Google-Thread: 108122,87dea743060c47da
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!a70g2000hsh.googlegroups.com!not-for-
mail
From: TimBob <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: SK sale
Date: Tue, 18 Mar 2008 12:50:39 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <9122b82f-300c-413e-ab14-7579fea723a4@a70g2000hsh.googlegroups.com>
References: <4tTDj.81443$yE1.54079@attbi_s21>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1205869840 3829 127.0.0.1 (18 Mar 2008 19:50:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Mar 2008 19:50:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a70g2000hsh.googlegroups.com; posting-host=64.216.97.21;
     posting-account=QanrjwoAAABmrK_pOucj8ub7ZL9ogeE8
User-Agent: G2/1.0
X-HTTP-Via: 1.0 ISA, 1.1 iwss:8080 (IWSS)
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14132

On Mar 18, 1:02=A0pm, "Harold E. Johnson" <W4...@mchsi.com> wrote:
> Oak Hills Research DD-1 Digital dial. 2 each =A0 =A0 $25 each
> Oak hills WM-2, QRP Wattmeter =A0 =A0 $25
> KA7EXM microWattmeter =A0 =A0$75
> Astron RS-12A 13 Volt, 12 Amp supply =A0 =A0$50
> Acopian LD15-100 PSU =A0 =A0$20
> Lambda LP411, Metered 0-20 Volt/1.2 Amp supply =A0 =A0$40
> Hi-Q PSU Model PS-110A +/- 24 Volt, +5 and +15 Volt supply =A0 =A0$20
> ICOM-703, 160-10 Meter QRP transceiver (10 Watt) Like New =A0 =A0$250
> LDG AT-100 pro Memory antenna tuner. IS new, in original box =A0 =A0$150
> Radio Shack 600 Ohm Dynamic Microphone, Model 33-3004 with case. =A0 =A0$2=
5
> Radio Shack PSU 22-504. 13 Volt/3 Amp supply.. =A0 =A0$20
>
> Pictures on request., All tested and guartanteed, prices plus shipping. Pu=
t
> your call sign in the subject line so I don't discard it as spam.
>
> W4ZCB

Should have put my email in the first message.  Tim Mize N7XAU
tmize57@juno.com


From -6946385267939557542
X-Google-Thread: 108122,c000f0d42d9a9a76,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
b64g2000hsa.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: VoiceMax Speech Processor...
Date: Wed, 19 Mar 2008 10:07:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 6
Message-ID: <85c7ce7c-d4b0-4e6b-b2ec-3b59073b8172@b64g2000hsa.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1205946472 12221 127.0.0.1 (19 Mar 2008 17:07:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Mar 2008 17:07:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b64g2000hsa.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14133

You may be interested in this product.
http://www.telstar-electronics.com/voicemax.htm

We welcome you to see what others have said about the VoiceMax
module.
http://feedback.ebay.com/ws/eBayISAPI.dll?ViewFeedback2&userid=telstar-
electronics&ftab=AllFeedback


From 8342312349326127481
X-Google-Thread: 108122,253be41bc8689cc4,start
X-Google-Attributes: gid108122,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
194.25.134.126.MISMATCH!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: 9A5 <hazarski@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: M57796Ma
Date: Wed, 19 Mar 2008 21:37:31 +0100
Organization: T-Com
Lines: 5
Message-ID: <p9u2u31u6o60n21vivg3aqg6k4jb8b805e@4ax.com>
NNTP-Posting-Host: 78-2-7-101.adsl.net.t-com.hr
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: ss408.t-com.hr 1205959049 8981 78.2.7.101 (19 Mar 2008 20:37:29 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Wed, 19 Mar 2008 20:37:29 +0000 (UTC)
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
Xref: g2news1.google.com rec.radio.amateur.equipment:14134

Hi,
Does anybody have RF power hybrid M57796MA for my FT23R transceiver
or replacement SC1025 from Icom.
Thanks.
Goran

From 2549253526969527741
X-Google-Thread: 108122,253be41bc8689cc4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!transit3.readnews.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!53ab2750!
not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: M57796Ma
References: <p9u2u31u6o60n21vivg3aqg6k4jb8b805e@4ax.com>
In-Reply-To: <p9u2u31u6o60n21vivg3aqg6k4jb8b805e@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <ftgEj.141$NU2.56@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d49562338789e262e14a45d2d0f003a80c38370c476b50e32a4ca5f56938c8d237602fa
cef86efb7d9a095a2bc093d01cef111a2fba0ae35fd7494988d790087c2a185a1c8dfed73048cff503
1fa739a7ac4550a1430162ebf6370d71d9198b9aefe27a7bd417cdce0c41

X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Wed, 19 Mar 2008 22:29:31 UTC
Date: Wed, 19 Mar 2008 22:29:31 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14135

9A5 wrote:
> Hi,
> Does anybody have RF power hybrid M57796MA for my FT23R transceiver
> or replacement SC1025 from Icom.
> Thanks.
> Goran

http://www.rfparts.com/module_m.html#m57774

From 4845453293589812302
X-Google-Thread: 1109af,8fd48fe469b1390e,start
X-Google-Thread: 108122,8fd48fe469b1390e,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: 40 (and 15) Meter Crystals
Lines: 85
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_00A8_01C88A07.54CBB6A0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <S%iEj.12366$dq2.3594@trndny05>
Date: Thu, 20 Mar 2008 01:22:58 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1205976178 68.236.31.9 (Wed, 19 Mar 2008 21:22:58 EDT)
NNTP-Posting-Date: Wed, 19 Mar 2008 21:22:58 EDT
Xref: g2news1.google.com rec.radio.swap:18706 rec.radio.amateur.equipment:14136

This is a multi-part message in MIME format.

------=_NextPart_000_00A8_01C88A07.54CBB6A0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

I have the following 40 meter crystals for sale.

All are in FT-243 holders.
Some can also be used on 15 meters (multiply frequency by 3).

1- 7073.333 Khz   JAN Crystal
1- 7075 Khz   JAN Crystal
1- 7093 Khz   Texas Crystal
1- 7094 Khz   Texas Crystal
1- 7100 Khz   JAN Crystal
1- 7125 Khz   JAN Crystal

$ 11.00 each, shipped to Cont'l U.S. address (only

Thanks,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

```
------=_NextPart_000_00A8_01C88A07.54CBB6A0
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>&nbsp;</DIV>
<DIV>I have the following 40&nbsp;meter crystals for sale.</DIV>
<DIV>All are in FT-243 holders.</DIV>
<DIV></DIV>
<DIV>Some can also be used on 15 meters (multiply&nbsp;frequency by =
3).</DIV>
<DIV><BR>1- 7073.333 Khz&nbsp;&nbsp;&nbsp; JAN Crystal</DIV>
<DIV>1-=20
7075&nbsp;Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;=
JAN=20
Crystal</DIV>
<DIV>1- 7093 Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; =
Texas=20
Crystal</DIV>
<DIV>1- 7094 Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; =
Texas=20
Crystal</DIV>
```

```
<DIV>1- 7100 =
Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;JAN=20
Crystal</DIV>
<DIV>1- 7125 Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; =
JAN=20
Crystal</DIV>
<DIV>&nbsp;</DIV>
<DIV>$ 11.00 each, shipped to Cont'l U.S. address (only</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thanks,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>&nbsp;</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_00A8_01C88A07.54CBB6A0--




From 8065791246398665871
X-Google-Thread: 108122,cb1956f1e086acac,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: NOS NATIONAL COIL FORMS + STUFF
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <hpFEj.27933$D_3.22563@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 433a0dbc3e38664f0b71223b160d2332
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1206067917
433a0dbc3e38664f0b71223b160d2332 (Fri, 21 Mar 2008 02:51:57 GMT)
NNTP-Posting-Date: Fri, 21 Mar 2008 02:51:57 GMT
Organization: AT&T Worldnet
Date: Fri, 21 Mar 2008 02:51:57 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14137

NOS NATIONAL RADIO COIL FORMS: XR 61, 70,  & 71 + OTHER CATALOGS &
THINGS: see at:
```

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

TNX Heytubeguy

From -5845465613394401248
X-Google-Thread: 108122,f70a1c493e476048,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder2-2.proxad.net!62.253.162.218.MISMATCH!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe1-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: Tom <web@lutonac.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Capacitor codes
Message-ID: <dpi8u39p928k9vqv6ric1s3tpgmn6rjknv@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 8
Date: Sat, 22 Mar 2008 00:07:00 GMT
NNTP-Posting-Host: 81.107.172.23
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe1-gui.ntli.net 1206144420 81.107.172.23 (Sat, 22 Mar 2008 00:07:00 GMT)
NNTP-Posting-Date: Sat, 22 Mar 2008 00:07:00 GMT
Organization: NTL
Xref: g2news1.google.com rec.radio.amateur.equipment:14138

I have a problem with xtal stability in a tune circuit. I know what
the fault is but I can not work out the faulty capacitor code no the
Sch diagram it is 10p/CH I know it is 10 pico farads or puff but I do
not understand the CH all I can find out is that C is possible �
0.25pF but what is the H for?

--
Tom

From 4050139738206219633
X-Google-Thread: 108122,8336a743760b80b1
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog2.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 21 Mar 2008 21:00:25 -0500
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment

```
Subject: Re: TECH: Icom 271A/E/H
Date: Fri, 21 Mar 2008 19:00:24 -0700
Reply-To: gfiber@comcast.net
Message-ID: <jup8u31mpcgor4fver80cik4its2bhoflo@4ax.com>
References: <c4e83d82-ff28-4739-a863-9653450a58bb@a1g2000hsb.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.227.164.201
X-Trace: sv3-noJj0mdCMyQzjE13MGuQQee81m8esXBfAV3QlUg7F8iCd0L8qAYZw/
eN+BuifMM3ecqWaTZAjXiFkk2!VSHJ4FeacUTul6xSlRG4nK+fvgwH1n7eRGJ5gg/
cRL7BLXOmxa31vQ0+0QOe3R9leh8LnBV4vJEp!SyTZqGe99hGHeWhsuaX/VRYcR02T
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:14139

On Tue, 18 Mar 2008 05:30:02 -0700 (PDT), ArcadeForever
<Arcadeforever@gmail.com> wrote:

>does anyone know what allen wrench or torx key or whatever it is that
>you need in order to remove the VFO knob from these radios? my whole
>VFO assembly is loose and Im thinking that I will find out once I get
>that knob off.
>
>
>thanks
>AF
Its a metric allen wrench. Sorry I don't remember the size but a
standard metric allen wrench set should have it.

Gary K8IZ



From 5573382066203155152
X-Google-Thread: 1109af,e8ce69a7cb7c37d7,start
X-Google-Thread: 108122,e8ce69a7cb7c37d7,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!news.bellsouth.net!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Motorola VHF Handhelds ("HT's") - Price Reduced!
```

Lines: 127
MIME-Version: 1.0
Content-Type: multipart/alternative;
    boundary="----=_NextPart_000_0019_01C88BCD.044EF8A0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <vD2Fj.1746$Yy2.391@trndny04>
Date: Sat, 22 Mar 2008 07:33:47 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1206171227 68.236.31.9 (Sat, 22 Mar 2008 03:33:47 EDT)
NNTP-Posting-Date: Sat, 22 Mar 2008 03:33:47 EDT
Xref: g2news1.google.com rec.radio.swap:18711 rec.radio.amateur.equipment:14140

This is a multi-part message in MIME format.

------=_NextPart_000_0019_01C88BCD.044EF8A0
Content-Type: text/plain;
    charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

For Sale ---

I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS) VHF Handhelds ("HT's"), with (2) Motorola Desk Chargers for sale.

Features of these reliable Motorola handheld units include:

- Both are 4 Channel VHF models - 4 channels easily switchable using channel selector switch on top of=20 each "HT". Other external controls include volume and squelch controls

- Both units include their Motorola VHF "duckie" antennas

- Both units include good NiMh battery packs=20

- Both units include their Motorola desktop "cradle" chargers=20 (with plug-in wall transformers and charging indicator lights)

Easy programming instructions are located on the inside of both=20 unit's battery covers, making programming simple and convenient. Range of these rugged handhelds is approximately 5 miles.

I've reduced the price for these exceptionally clean Motorola "HT's" to $ 100.00, and that includes shipping (Cont'l U.S. only). Excellent value, don't miss out on these great VHF "HT's" !

Payment by USPS Postal Money Order only, please, for immediate shipment.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

```
------=_NextPart_000_0019_01C88BCD.044EF8A0
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>&nbsp;</DIV>
<DIV>For Sale ---</DIV>
<DIV>&nbsp;</DIV>
<DIV>I have&nbsp;a pair of&nbsp;exceptionally&nbsp;clean&nbsp;Motorola =
Spirit=20
(Model MV24CVS)</DIV>
<DIV>VHF Handhelds&nbsp; ("HT's"),&nbsp;with&nbsp;(2) Motorola Desk =
Chargers for=20
sale.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features of these&nbsp;reliable&nbsp;Motorola handheld units =
include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both are&nbsp;4 Channel&nbsp;VHF models - =
4=20
channels easily</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;switchable using channel selector =
switch on=20
top of </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; each "HT".&nbsp; Other external =
controls=20
include volume</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;and squelch controls</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include their&nbsp;Motorola=20
VHF&nbsp;"duckie" antennas</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include&nbsp;good =
NiMh&nbsp;battery=20
```

```
packs&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;*&nbsp;Both units include&nbsp;their =
Motorola=20
desktop "cradle"&nbsp;chargers </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;(with plug-in wall transformers and=20
charging&nbsp;indicator lights)</DIV>
<DIV>&nbsp;</DIV>
<DIV>Easy&nbsp;programming&nbsp;instructions are&nbsp;located on the =
inside of=20
both </DIV>
<DIV>unit's battery covers, making programming&nbsp;simple and =
convenient.</DIV>
<DIV>Range&nbsp;of these rugged&nbsp;handhelds is approximately&nbsp;5=20
miles.</DIV>
<DIV><BR>I've reduced the price for these exceptionally clean Motorola=20
"HT's"</DIV>
<DIV>to&nbsp;$ 100.00, and that includes&nbsp;shipping (Cont'l U.S. =
only).=20
Excellent</DIV>
<DIV>value, don't miss out on these great VHF "HT's" !</DIV>
<DIV>&nbsp;</DIV>
<DIV>Payment&nbsp;by USPS&nbsp;Postal Money Order only, please, for=20
immediate</DIV>
<DIV>shipment.<BR></DIV>
<DIV>Thanks &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV><BR>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_0019_01C88BCD.044EF8A0--



From -2176580335554244093
X-Google-Thread: 1109af,fb98adb3c7e208f6,start
X-Google-Thread: 108122,fb98adb3c7e208f6,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny06.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: E-V Model 729SR Ceramic Desk Microphone
Lines: 66
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0015_01C88BE3.33442480"
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <MY4Fj.59$Pc2.49@trndny06>
Date: Sat, 22 Mar 2008 10:13:00 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny06 1206180780 68.236.31.9 (Sat, 22 Mar 2008 06:13:00 EDT)
NNTP-Posting-Date: Sat, 22 Mar 2008 06:13:00 EDT
Xref: g2news1.google.com rec.radio.swap:18712 rec.radio.amateur.equipment:14141

This is a multi-part message in MIME format.

------=_NextPart_000_0015_01C88BE3.33442480
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


I have an Electro-Voice Model 729 SR ceramic cardioid microphone,
with push-to-talk switch, and heavy-duty E-V desktop base for sale.

The mike is presently wired with a 3-conductor, 1/4" phone plug; the
color of the mike and base are both gray.  All in very good condition. =20

$ 17.50 plus $ 5.00 shipping (Cont'l U.S. only).

A picture (.jpg format) is available upon request.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware
E-mail:  shortwave1@verizon.net


------=_NextPart_000_0015_01C88BE3.33442480
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>I have an Electro-Voice Model 729 SR ceramic cardioid =
microphone,</DIV>
<DIV>with&nbsp;push-to-talk switch, and heavy-duty E-V desktop base for=20
sale.</DIV>
<DIV>&nbsp;</DIV>
<DIV>The mike is presently wired with a 3-conductor, 1/4" phone plug; =
the</DIV>
<DIV>color of the mike and base are both gray.&nbsp; All in very good=20
condition.&nbsp; </DIV>
<DIV>&nbsp;</DIV>
<DIV>$ 17.50 plus $ 5.00 shipping (Cont'l U.S. only).</DIV>
<DIV>&nbsp;</DIV>
<DIV>A picture (.jpg format) is available upon request.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thanks &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_0015_01C88BE3.33442480--



From -8737164322921988189
X-Google-Thread: 108122,8336a743760b80b1
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!13g2000hsb.googlegroups.com!not-for-
mail
From: ArcadeForever <Arcadeforever@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TECH: Icom 271A/E/H
Date: Sat, 22 Mar 2008 06:31:49 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <6ac40477-3eed-4b2f-8fc8-eb34259ccdc5@13g2000hsb.googlegroups.com>
References: <c4e83d82-ff28-4739-a863-9653450a58bb@a1g2000hsb.googlegroups.com>
     <jup8u31mpcgor4fver80cik4its2bhoflo@4ax.com>
NNTP-Posting-Host: 71.230.81.222
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1206192709 10380 127.0.0.1 (22 Mar 2008 13:31:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Mar 2008 13:31:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 13g2000hsb.googlegroups.com; posting-host=71.230.81.222;
     posting-account=JXvYewkAAAB0vC0-PbiE5UJGVnYxxoDX
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14142

On Mar 21, 10:00=A0pm, Gary P. Fiber <gfi...@comcast.net> wrote:
> On Tue, 18 Mar 2008 05:30:02 -0700 (PDT), ArcadeForever
>
> <Arcadefore...@gmail.com> wrote:
> >does anyone know what allen wrench or torx key or whatever it is that
> >you need in order to remove the VFO knob from these radios? my whole
> >VFO assembly is loose and Im thinking that I will find out once I get
> >that knob off.
>
> >thanks
> >AF
>
> Its a metric allen wrench. Sorry I don't remember the size but a
> standard metric allen wrench set should have it.
>
> Gary K8IZ

excellent! thanks Gary!! I just didnt want to stick the wrong type of
wrench in there and make things worse :)


AF


From -3342758058671174013
X-Google-Thread: 108122,4d7a266a071ec288,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Mar 2008 13:18:13 -0500
From: "Bob Donahue" <bobmgtd@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for 2 Meter Mobil Rig
Date: Sat, 22 Mar 2008 14:18:23 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <T9ednVkmioj40HjanZ2dnUVZ_qygnZ2d@comcast.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 98.223.4.250
X-Trace: sv3-YQzKdFB0zdK9mey6Ca6qeZEQy+
+TNcyMFlOCjrV74fZRyGJC796Us1ThsYl2ePVBzFjuTCmqsIMevAc!gqkG4Ksfzi3HK/
yAUsJHjbSmNnFm4UYav5jRJbFKC+GOXXrcPuJsCEmwr+tblOSZvn+DTaIbwaAZ!
+2TX8Lroocc3I9t7ISAKu2cHlqW6
```

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:14143

I'm looking for a 2 Meter mobile rig with the following features:

Will power down automatically when the car ignition is turned off.

Will power up automatically when the car ignition is turned back on.

If in Scan mode when ignition is turned off, will power back up in Scan mode when the ignition is turned back on.

BTW, this is for an old car that has a discrete ignition line.

Anything out there that will work like this?

--
Bob D. ND9B

From 6347646204780833488
X-Google-Thread: 108122,4d7a266a071ec288
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews9.bellsouth.net.POSTED!7d816c7a!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <T9ednVkmioj40HjanZ2dnUVZ_qygnZ2d@comcast.com>
Subject: Re: Looking for 2 Meter Mobil Rig
Lines: 44
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <9dgFj.8494$Q52.38@bignews9.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace: okjdhlmeenidhihjdbdpiflmbcekedmfhojhikkbagflhcbofenklkanbgnpfnmciidejjpfnajojdmlajpmdmdffejdahojobcmcjkhbgbpoobgaaijeefbmmnmcblddjkejhepfapecjljafglmkdbpcfidnol
NNTP-Posting-Date: Sat, 22 Mar 2008 19:01:25 EDT
Organization: BellSouth Internet Group

Date: Sat, 22 Mar 2008 18:01:08 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:14144

The icom 2720H mobile rig works in this manor but it is like most new
rigs....
full of menus   has 23 buttons on the handmic and dual speaker output for
external speakers but not enough info to connect them up and icom was
a bunch of Aholes when I ask for a drawing so I could connect the speakers.
Had to take apart the radio to figure out the wiring on a basic function.
the rig is a 2m 440 but I have no idea if the newer 2820 works that way.
Also it was not documented that the 2720 will do full crossband repeat
and in my case the power needs to remain on with the car off so I can
crossband from my handheld through the 2720 to a repeater for a
convenient longer distance contact while outside the car.
Good luck.   No particular recommendation. Just letting you know
it is out there. Will continue to scan after being off. But big gripe is
that there is no easy way to set a skip when the scan keeps locking up
on a frequency.   Have to wade through menus to get that done and
not practical driving down the road.

good .luck   73 K4TWO   Gary

ex Kokomo WB9SMX   cheers

"Bob Donahue" <bobmgtd@comcast.net> wrote in message
news:T9ednVkmioj40HjanZ2dnUVZ_qygnZ2d@comcast.com...
> I'm looking for a 2 Meter mobile rig with the following features:
>
> Will power down automatically when the car ignition is turned off.
>
> Will power up automatically when the car ignition is turned back on.
>
> If in Scan mode when ignition is turned off, will power back up in Scan
> mode when the ignition is turned back on.
>
> BTW, this is for an old car that has a discrete ignition line.
>
> Anything out there that will work like this?
>
> --
> Bob D. ND9B
>

From 5847907931480644571
X-Google-Thread: 108122,66fcce15b3a2657f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news2.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Kiron board for KWM-380
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <auiFj.64466$cQ1.30968@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 23 Mar 2008 01:36:06 GMT
NNTP-Posting-Host: 12.64.30.99
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1206236166 12.64.30.99 (Sun, 23 Mar 2008 01:36:06 GMT)
NNTP-Posting-Date: Sun, 23 Mar 2008 01:36:06 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:14145

Hello and thanks for the read.

My eBay special KWM-380 is close to being fixed after finding the finals were out because someone opened the ALC up and it was overdriven to 150 watts.

I would like to find a Kiron board for less than what Surplus Sales wants for theirs. Maybe someone bought one & never istalled it or??? If you can help, please contact me direct.

Larry KF9E

From -5180239296842743785
X-Google-Thread: 108122,db7902903715c4b2
X-Google-Thread: fc8b1,db7902903715c4b2
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i12g2000prf.googlegroups.com!not-for-mail
From: jbr-ebay@sbcglobal.net
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: FA: National HFS receiver, Hustler Mobile antenna, Curtis Keyer
with Vibroplex paddle
Date: Sun, 23 Mar 2008 07:43:28 -0700 (PDT)
Organization: http://groups.google.com
Lines: 22
Message-ID: <f50be9b7-0898-4aa9-82bc-fe7f7bcc6968@i12g2000prf.googlegroups.com>
References: <5a76ed36-ad0c-43e6-a872-7de6ab9d9521@s8g2000prg.googlegroups.com>
NNTP-Posting-Host: 75.5.198.143

Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1206283408 13489 127.0.0.1 (23 Mar 2008 14:43:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 23 Mar 2008 14:43:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i12g2000prf.googlegroups.com; posting-host=75.5.198.143;
posting-account=xjp8xAoAAACB53Z_7q7n38nVDCY1w3po
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14146
rec.radio.amateur.boatanchors:14371

All three auctions close today.

Thank you.

On Mar 14, 9:30 am, jbr-e...@sbcglobal.net wrote:
> Shack cleaning time!
>
> NationalHFSReceiver:
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=330219708489
>
> Hustler Mobile Antenna with resonators:
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=330219701641
>
> Curtis Lil' Bugger Keyer and Homebrew paddle made from Vibroplex Blue
> racer:
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=330219704829
>
> Thank you.

From 251651720346210624
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 23 Mar 2008 15:53:48 -0500
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in Emergencies.
From: "William O'Hara" <whoohara@yahoo.com>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<Xns9A4158750B46BKB1IUB223223n1eyLOCK@216.196.97.136>
<6bhjr3d4iq6ruvg9i8nu9ojh37570h08k9@4ax.com>
<gDluj.74327$vt2.44983@bignews8.bellsouth.net>
Organization: William H. O'Hara, III
Message-ID: <Xns9A6AABE321AD9KB1IUB223223n1eyLOCK@216.196.97.136>
Followup-To: poster
User-Agent: Xnews/5.04.25
Date: Sun, 23 Mar 2008 15:53:48 -0500
Lines: 22
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.67.2.30
X-Trace: sv3-HPqUFn9RCberD9mZZKCBL8D5yRMe/
yjO3ebI3SELPhyUMfvuUt8qaEpO0TUMN73MkY3h79+LvPBQV3M!
wsdqAuYihOqnq4leR2rIJqY+cIGu+oVU4hfHc157ww3+bsP1T804NS81/O9MkJM9pYGHEYII/YKW!
lORRZju8up8J/wTPAyTPU8jNG0/ZXuAi73Q=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.antenna:56084
rec.radio.amateur.digital.misc:1071 rec.radio.amateur.equipment:14147
rec.radio.amateur.misc:43332

"Ed Cregger" <ecregger@bellsouff.net> wrote in news:gDluj.74327$vt2.44983@bignews8.bellsouth.net:

> And 'We The People' dismissed Guvna Romney. Now we're even.
>
> Ed, NM2K
>
>
>

Unforunately, you have no idea of the situation on the ground here. It is petty to vote for someone other than Mr. Romney soley since he said that we do not need the hams. He is quite correct. He never made a disparaging remark about any hams. The Chronicle interviewer was unable to make any concrete point to challenge Mr. Romney's assertation.

--
---
William O'Hara
www.N1ey.com - Amateur Radio and Railfan Blog
www.yahoogroups.com/group/illinoiscentral - premier discussion list re: ICRR

```
From -5286566316591766794
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 23 Mar 2008 15:54:47 -0500
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
Emergencies.
From: "William O'Hara" <whoohara@yahoo.com>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<-62dnf5mEoR3KV7anZ2dnUVZ_uyinZ2d@mho.net>
Organization: William H. O'Hara, III
Message-ID: <Xns9A6AAC0D6302DKB1IUB223223n1eyLOCK@216.196.97.136>
Followup-To: poster
User-Agent: Xnews/5.04.25
Date: Sun, 23 Mar 2008 15:54:47 -0500
Lines: 132
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.67.2.30
X-Trace: sv3-hnZCK1X0SiV6ZBdSFQ1TvRJJkfPd3qXQfgNSfOC4lL/
JH4N1ubPskKEi42sTPiTvuOVMkhSCbq8IXS2!7+eOyVHE93AlnV23bmjAE5SLz3IBrJZOY61gcoUZRb/
XES5VUsH4g2flF4ELQ/IvdKRXtOJccHhV!rHi97gO4L2ZEDX+NWDswXpXpZ9WCm/KU6Y4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.antenna:56085
rec.radio.amateur.digital.misc:1072 rec.radio.amateur.equipment:14148
rec.radio.amateur.misc:43333
```

Mr. Romney never engaged in such vitrol.

I would caution you to refrain from making such statements.

"Eric Gordon" <egordon@mho.net> wrote in
news:-62dnf5mEoR3KV7anZ2dnUVZ_uyinZ2d@mho.net:

> WHAT A JACKASS. OOOPPPSSSSS SORRY, HE'S A REPUBLICAN.   SORRY, NO
> OFFENSE TO THE JACKASSES OF THE WORLD. HE'S AN INSULT TO HUMANITY,
> BUT NOT TOTALLY UNEXPECTED FROM A REPUBLICAN
> "laborkei" <laborkeiNOSPAM@hotmail.com> wrote in message
> news:I6sjj.51910$Mu4.41373@bignews7.bellsouth.net...
>> Attention all Amateur Operators.

>> Please Read, and send your comments to the ARRL and Romney Website.
>>
>>
>> Wednesday 16 November 2005 @ 15:48:10 | Eastern Massachusetts ARRL
>> Romney 'Disses' Amateur Radio In
>> Televised Town Meeting Posted on Wednesday16 November 2005 @
>> 15:48:10
>>
>> Governor Mitt Romney dismissed the role of Amateur Radio operators
>> in emergency communications
>> during a televised 'town meeting' program last night on WCVB's 'When
>> Disaster Strikes: Segment Two.'
>> The program featured public safety and volunteer organization
>> officials from
>> across Massachusetts
>> among its audience.
>>
>> Host and moderator Natalie Jacobson asked an increasingly-agitated
>> Governor
>> Romney questions about
>> communications interoperability, and communication without
>> commercial power.
>> Romney was next asked
>> by Jacobson, '...so does it come down to ham radio?...'
>>
>> The Governor replied in a disgusted tone, 'No, we don't need to deal
>> with ham radio operators...'
>>
>> Embarrassed public safety officials later tried to put in a good
>> word for Amateur Radio. National
>> Weather Service Warning Coordination Meteorologist Glenn Field was
>> prepared
>> to state the importance
>> of Amateur Radio, when Salvation Army Colonel Fred Van Brunt was
>> called upon. Van Brunt remarked
>> about his organization's quest to improve its communications
>> capabilities and how Amateur Radio has
>> aided his organization. 'The ham radio situation helps a great
>> deal,' he stated.
>>
>> 'I have already written and submitted a letter to the Governor's
>> Office,' wrote Eastern MA Section
>> Emergency Coordinator Rob Macedo, KD1CY. 'I have also written an
>> email to Natalie Jacobson.'
>>
>> ARRL Section Manager Mike Neilsen, W1MPN sent a section-wide email
>> today to
>> all Eastern MA ARRL
>> members describing the incident along with actions he and his staff
>> were taking to mitigate the
>> situation.
>>
>> '[Romney's] attitude about us sets an unfortunate tone within the

>> state's executive branch,' wrote
>> Neilsen. 'As a former military officer, I see this as a failure in
>> leadership. My immediate concern
>> is our working relationship within the [Massachusetts Emergency
>> Management
>> Team] environment.'
>> Neilsen intends to address the Governor's comments as 'an urgent
>> matter' at
>> a meeting on November 17
>> with Don Carlton from the Massachusetts Emergency Management Agency.
>>
>> 'I was very disturbed about what the Governor stated on the
>> program,' wrote
>> Ron Wood, W1PLW, the
>> section's Public Information Coordinator. 'It does show that more
>> work is needed by all hams in the
>> section. It's a great idea to write letters explaining the good we
>> do.' Wood
>> is attempting to
>> schedule a meeting with the Governor's office tomorrow so that EMA
>> ARRL staffers might discuss the
>> matter further.
>>
>> Tom Kinahan, N1CPE wrote that Governor Romney's comment has made 'a
>> PR problem' for Kinahan in his
>> role as MA State RACES Officer.
>>
>> 'I've got a roster of over 150 Amateur Radio operators that support
>> local communities, and those of
>> us that directly support the state government. There are at least
>> double that in terms of people
>> that are actually out there that I don't have formal paperwork on
>> that support Amateur Radio
>> emergency communications in some organized manner... The Governor has
>> said
>> that he 'certainly
>> doesn't need to rely on ham radio' -- where does that leave the
>> RACES program now?'
>>
>> 'I am ashamed tonight that I am a Republican!' remarked one ham
>> radio viewer. '[Romney] speaks in
>> derogatory tones about hams. He certainly shows an ignorance as to
>> what we
>> do and are capable of. I
>> suggest a grass roots campaign of local hams calling the State House
>> and The
>> Governor's Office to
>> protest.'
>>
>>
>> --
>>
>>

>>
>
>
>

--

William O'Hara
www.N1ey.com - Amateur Radio and Railfan Blog
www.yahoogroups.com/group/illinoiscentral - premier discussion list re:
ICRR

```
From -7798834800854149558
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!e67g2000hsa.googlegroups.com!not-for-
mail
From: an_old_friend <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
     Emergencies.
Date: Sun, 23 Mar 2008 14:13:27 -0700 (PDT)
Organization: http://groups.google.com
Lines: 7
Message-ID: <a39db2d2-a8aa-453e-9212-846b53889ca8@e67g2000hsa.googlegroups.com>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
     <-62dnf5mEoR3KV7anZ2dnUVZ_uyinZ2d@mho.net>
<Xns9A6AAC0D6302DKB1IUB223223n1eyLOCK@216.196.97.136>
NNTP-Posting-Host: 66.82.9.106
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1206306808 21722 127.0.0.1 (23 Mar 2008 21:13:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 23 Mar 2008 21:13:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e67g2000hsa.googlegroups.com; posting-host=66.82.9.106;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:56087
rec.radio.amateur.digital.misc:1073 rec.radio.amateur.equipment:14149
rec.radio.amateur.misc:43334
```

On Mar 23, 4:54=A0pm, "William O'Hara" <whooh...@yahoo.com> wrote:
> Mr. Romney never engaged in such vitrol. =A0
>
> I would caution you to refrain from making such statements.
>

play such games with redirects is normal the at of a poor USENET poster

From 5626342803762933039
X-Google-Thread: 108122,f70a1c493e476048
X-Google-Thread: 106d41,d54833052884a588,start
X-Google-Attributes: gid108122,gid106d41,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!z38g2000hsc.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: Capacitor codes
Date: Mon, 24 Mar 2008 04:23:51 -0700 (PDT)
Organization: http://groups.google.com
Lines: 15
Message-ID: <7f285b1f-b547-44b8-bbe6-2418a481c243@z38g2000hsc.googlegroups.com>
References: <dpi8u39p928k9vqv6ric1s3tpgmn6rjknv@4ax.com>
NNTP-Posting-Host: 99.141.15.85
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1206357832 17466 127.0.0.1 (24 Mar 2008 11:23:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 24 Mar 2008 11:23:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z38g2000hsc.googlegroups.com; posting-host=99.141.15.85;
posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
.NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14150 rec.radio.cb:43784

On Mar 21, 7:07=A0pm, Tom <w...@lutonac.org> wrote:
> I have a problem with xtal stability in a tune circuit. I know what
> the fault is but I can not work out the faulty capacitor code no the
> Sch diagram it is 10p/CH I know it is 10 pico farads or puff but I do
> not understand the CH all I can find out is that C is possible =B1
> 0.25pF but what is the H for?
>
> --
> Tom

I know of no valid reason they'd put CH on a capacitor value...
Are you sure the CH isn't HC... HC is a type of xtal package? Could

they be implying that the xtal involved requires a load capacitance of 10pF?
www.telstar-electronics.com

```
From 4611829880037991325
X-Google-Thread: 108228,a0e0f0deac33d68,start
X-Google-Thread: fc8b1,a0e0f0deac33d68,start
X-Google-Thread: 108122,a0e0f0deac33d68,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
nlpi069.nbdc.sbc.com.POSTED!fa2e97b0!not-for-mail
Reply-To: "W5IDX" <w5idx@sbcglobal.net>
From: "W5IDX" <w5idx@sbcglobal.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.swap
Subject: For Sale Harris RF-530A Receiver & Hallicrafters SX-73
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <ak_Fj.10409$qS5.8546@nlpi069.nbdc.sbc.com>
NNTP-Posting-Host: 69.151.147.221
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi069.nbdc.sbc.com 1206415750 ST000 69.151.147.221 (Mon, 24 Mar 2008
23:29:10 EDT)
NNTP-Posting-Date: Mon, 24 Mar 2008 23:29:10 EDT
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1: F[O]STBDQBPSP_@YMZJ\_Q\@TJ_ZTB\MV@BD]
\YIJYWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW
@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Mon, 24 Mar 2008 22:29:08 -0500
Xref: g2news1.google.com alt.ham-radio.marketplace:3659
rec.radio.amateur.boatanchors:14378 rec.radio.amateur.equipment:14151
```

In the Houston Area.

Harris RF-530A Receiver "one of the rare ones" a few broken plastic push buttons "changes frequency" and has an intermittent problem. "Acts like a cold solder joint." Taking offers Audio drops out and if you tap the case it pops back. In Cabinet with Handles and set up for Rack mount.

Comes with a copy of the manual.

Hallicrafters SX-73 Plays like a dream Taking Offers "No Cabinet- with rack mounting.

Pictures available

"prefer not ship"

W5IDX good on QRZ!

mycall at qsl.net

```
From -7372586947484794650
X-Google-Thread: 108122,4688b33f027d7195,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Kenwood TM-455E strange behaviour
From: none <""bram\"@(none)">
Date: Tue, 25 Mar 2008 20:13:10 +0100
Message-ID: <1206472472_1830@sicinfo3.epfl.ch>
Lines: 37
NNTP-Posting-Host: 81.62.48.138
Path: g2news1.google.com!news2.google.com!eweka.nl!lightspeed.eweka.nl!
txtfeed2.tudelft.nl!tudelft.nl!binfeed1.tudelft.nl!kanaga.switch.ch!news-
zh.switch.ch!switch.ch!sicinfo3.epfl.ch!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Authenticated-User: mpbraend
X-Trace: sicinfo3.epfl.ch 1206472472 81.62.48.138 (25 Mar 2008 20:14:32 0100)
User-Agent: Thunderbird 2.0.0.12 (X11/20080302)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To:  news@news.epfl.ch
Xref: g2news1.google.com rec.radio.amateur.equipment:14152
```

Hi,

the front panel of the TM-455E UHF transciever I have here sometimes shuts off, and the panel buttons stop working, but the transciever doesn't stop completely and all microphone buttons work (PTT, vfo-mr...). I even think it'd be possible to have a QSO.

The power button is on the front panel, so it's impossible to shut off or power on the TX when the panel fails.

I suppose there's a problem with the front panel, because sometimes the LCD displays an incomplete screen (I've seen it show the right frequency, but without punctuation nor other symbols, or nothing at all, or all segments half-on). Most of the time, it blanks completely.

Touching the PCB of the front panel has an influence on the behaviour (mainly creating the problem, seldom making it work again), but I couldn't find any specific component causing trouble. I've also checked for bad solder points, but couldn't find any.

At first, I suspected the cable between the TX and the front panel was at fault, but moving it doesn't change anything. I will have to check with another cable anyway.

I'd be thankful for any hints or advice.

Matthias HB9EGM

```
From 1775607933204635103
X-Google-Thread: 1109af,a7eb3d4854097cc5,start
X-Google-Thread: 108122,a7eb3d4854097cc5,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Micron A/C Adapter-Power Supply
Lines: 77
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_005F_01C88E92.A1993180"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <R0dGj.3643$Qv5.1411@trnddc03>
Date: Tue, 25 Mar 2008 20:12:33 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1206475953 68.236.31.9 (Tue, 25 Mar 2008 16:12:33 EDT)
NNTP-Posting-Date: Tue, 25 Mar 2008 16:12:33 EDT
Xref: g2news1.google.com rec.radio.swap:18729 rec.radio.amateur.equipment:14153
X-Original-Bytes: 3129
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_005F_01C88E92.A1993180
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


For Sale:

Micron A/C Adapter-Power Supply, U/L Listed, Fuse-protected. =20

Input:    110 / 240 Volts A/C, 50 - 60 Hz. with 5' A/C line cord
Output:   19 Volts D.C., 2.6 Amps, 50 Watts Max., with coaxial plug

This A/C Adapter - Power Supply was used to power a Micron laptop =
computer, and is in just like-new condition.  Size approximately 1" =
thick x 2" wide x 4" long; Color: black.

$ 10.00 plus actual shipping charges (Cont'l U.S. only).

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail:  shortwave1@verizon.net


------=_NextPart_000_005F_01C88E92.A1993180
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>For Sale:</DIV>
<DIV>&nbsp;</DIV>
<DIV>Micron A/C Adapter-Power Supply, U/L Listed, Fuse-protected.&nbsp; =
</DIV>
<DIV>&nbsp;</DIV>
<DIV>Input:&nbsp;&nbsp;&nbsp; 110 / 240 Volts A/C, 50 - 60 Hz. with 5' =
A/C line=20
cord</DIV>
```

```
<DIV>Output:&nbsp; &nbsp;19 Volts D.C., 2.6 Amps, 50 Watts Max., with =
coaxial=20
plug</DIV>
<DIV>&nbsp;</DIV>
<DIV>This A/C Adapter - Power Supply was used to power a Micron laptop =
computer,=20
and is in just like-new condition.&nbsp; Size approximately 1" thick x =
2" wide x=20
4" long; Color: black.</DIV>
<DIV>&nbsp;</DIV>
<DIV>$ 10.00 plus&nbsp;actual shipping charges (Cont'l U.S. only).</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thanks&nbsp;&amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>&nbsp;</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_005F_01C88E92.A1993180--



From -2462581858307315055
X-Google-Thread: 1109af,f7330e7d90178e7a,start
X-Google-Thread: 108122,f7330e7d90178e7a,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Microphones (ham, and other)
Lines: 124
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0080_01C88E95.7E579740"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <3kdGj.2374$Ew5.1605@trnddc04>
Date: Tue, 25 Mar 2008 20:33:03 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1206477183 68.236.31.9 (Tue, 25 Mar 2008 16:33:03 EDT)
NNTP-Posting-Date: Tue, 25 Mar 2008 16:33:03 EDT
Xref: g2news1.google.com rec.radio.swap:18731 rec.radio.amateur.equipment:14154
```

```
X-Original-Bytes: 5255

This is a multi-part message in MIME format.

------=_NextPart_000_0080_01C88E95.7E579740
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


I have the following microphones for sale:

1 -  Electro-Voice Model 729 SR Ceramic Cardioid microphone,
      with push-to-talk switch, and heavy-duty E-V desktop base.
      This was a very popular ham mike which was sold by such
      ham gear manufacturers as Drake and Ten Tec, for use with
      their various ham rigs. This mike is presently wired with a=20
      3-conductor, 1/4" phone plug; the color of the mike and base
      are gray. In very good condition. A picture (.jpg format) of the
      E-V Model 729SR mike is available upon request.=20
      $ 15.00 plus $ 5.00 shipping (Cont'l U.S. only).


1 -  Electro-Voice Model 631B Omnidirectional Dynamic microphone,
      with E-V holder for attachment to a desk or floor mike stand.=20
      Color: chrome. This mike uses a standard "XLR" type mike cable=20
      connector. In very good to excellent condition.=20
      $ 15.00 plus $ 5.00 shipping (Cont'l U.S. only)


1 -  Electro-Voice Model N/D 257 Cardioid Dynamic microphone,
      uses a standard "XLR" type mike cable connector.=20
      Color: black. In excellent condition.
      $ 15.00 plus $ 5.00 shipping (Cont'l U.S. only).


Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail:  shortwave1@verizon.net


------=_NextPart_000_0080_01C88E95.7E579740
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>I have the following microphones for sale:</DIV>
<DIV>&nbsp;</DIV>
<DIV>1 -&nbsp; Electro-Voice Model 729 SR Ceramic Cardioid microphone,
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; with&nbsp;push-to-talk switch, and=20
heavy-duty E-V desktop base.</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; This was a very popular ham mike =
which was=20
sold by such</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; ham gear manufacturers as Drake and =
Ten Tec,=20
for use with</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; their various ham rigs.&nbsp;This =
mike is=20
presently wired with a </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; 3-conductor, 1/4" phone =
plug;&nbsp;the color=20
of the mike and base</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;are&nbsp;gray.&nbsp;In very good=20
condition.&nbsp;A picture (.jpg format) of the</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;E-V Model 729SR mike&nbsp;is=20
available&nbsp;upon request.&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;$ 15.00 plus $ 5.00 shipping (Cont'l =
U.S.=20
only).</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>1 -&nbsp; Electro-Voice Model 631B Omnidirectional Dynamic=20
microphone,</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; with E-V holder for attachment to a =
desk or=20
floor mike stand.&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;Color: chrome.&nbsp;This mike uses a =

standard&nbsp;"XLR" type mike cable </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; connector.&nbsp;In very good to =
excellent=20
condition.&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;$ 15.00 plus $ 5.00 =
shipping&nbsp;(Cont'l=20
U.S. only)</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>1 -&nbsp; Electro-Voice Model N/D 257 Cardioid Dynamic =
microphone,</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;uses a standard "XLR" =
type&nbsp;mike=20
cable connector.&nbsp;</DIV>
```

```
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;Color: black.&nbsp;In excellent=20
condition.</DIV>
<DIV>&nbsp;&nbsp;&nbsp; &nbsp;&nbsp;$ 15.00 plus $ 5.00 shipping (Cont'l =
U.S.=20
only).</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thanks &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>&nbsp;</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_0080_01C88E95.7E579740--



From -8851365175998129345
X-Google-Thread: 108122,101cd6d992e6acf2,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wns14feed!
worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SK Sale Repost
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <DhiGj.92035$yE1.59074@attbi_s21>
NNTP-Posting-Host: 12.219.130.17
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1206497507 12.219.130.17 (Wed, 26 Mar 2008 02:11:47 GMT)
NNTP-Posting-Date: Wed, 26 Mar 2008 02:11:47 GMT
Organization: AT&T ASP.att.net
Date: Wed, 26 Mar 2008 02:11:48 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14155

Oak Hills Research DD-1 Digital dial. 2 each     $25 each
KA7EXM microWattmeter    (-70, +7 dBm) $75
Astron RS-12A 13 Volt, 12 Amp supply    $50
Acopian LD15-100 PSU    $20
Hi-Q PSU Model PS-110A +/- 24 Volt, +5 and +15 Volt supply    $20
LDG AT-100 pro Memory antenna tuner. IS new, in original box    $150
Radio Shack 600 Ohm Dynamic Microphone, Model 33-3004 with case.    $25
```

Radio Shack PSU 22-504. 13 Volt/3 Amp supply.. $20

Pictures on request., All tested and guartanteed, prices plus shipping. Put your call sign in the subject line so I don't discard it as spam.

W4ZCB

From -7023297565503124226
X-Google-Thread: 108122,4688b33f027d7195
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "robo tech" <robotech24@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <1206472472_1830@sicinfo3.epfl.ch>
Subject: Re: Kenwood TM-455E strange behaviour
Lines: 50
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <HhjGj.92099$yE1.1870@attbi_s21>
NNTP-Posting-Host: 12.210.162.166
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1206501607 12.210.162.166 (Wed, 26 Mar 2008 03:20:07 GMT)
NNTP-Posting-Date: Wed, 26 Mar 2008 03:20:07 GMT
Organization: AT&T ASP.att.net
Date: Wed, 26 Mar 2008 03:20:07 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14156

In copier work, this occurs sometimes. It's usually a cracked trace on the board, that when pressed or thermally expanded, it drops out. It can also happen when the board moves a bit, and touches a little of the metal frame, causing it to ground out. I hope that you find the problem without too much grief.
73's
Tim
KK5H
"none" <""bram\"@(none)"> wrote in message news:1206472472_1830@sicinfo3.epfl.ch...
> Hi,
>
> the front panel of the TM-455E UHF transciever I have here sometimes shuts
> off,
> and the panel buttons stop working, but the transciever doesn't stop
> completely

> and all microphone buttons work (PTT, vfo-mr...). I even think it'd be
> possible
> to have a QSO.
>
> The power button is on the front panel, so it's impossible to shut off or
> power
> on the TX when the panel fails.
>
> I suppose there's a problem with the front panel, because sometimes the
> LCD
> displays an incomplete screen (I've seen it show the right frequency, but
> without punctuation nor other symbols, or nothing at all, or all segments
> half-on). Most of the time, it blanks completely.
>
> Touching the PCB of the front panel has an influence on the behaviour
> (mainly
> creating the problem, seldom making it work again), but I couldn't find
> any
> specific component causing trouble. I've also checked for bad solder
> points, but
> couldn't find any.
>
> At first, I suspected the cable between the TX and the front panel was at
> fault,
> but moving it doesn't change anything. I will have to check with another
> cable
> anyway.
>
> I'd be thankful for any hints or advice.
>
> Matthias HB9EGM
>

From -3457730125116943023
X-Google-Thread: 108122,9b893e5c7a9f7b35,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e10g2000prf.googlegroups.com!not-for-mail
From: "dreamcashpoint@yahoo.co.in" <dreamcashpoint@yahoo.co.in>
Newsgroups: rec.radio.amateur.equipment
Subject: NO INVESTMENT ONLY EARNING
Date: Wed, 26 Mar 2008 04:17:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <1ff0eedb-9f45-443e-8c0b-b1be2123e50f@e10g2000prf.googlegroups.com>
NNTP-Posting-Host: 122.164.27.109
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit

```
X-Trace: posting.google.com 1206530258 7173 127.0.0.1 (26 Mar 2008 11:17:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 Mar 2008 11:17:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e10g2000prf.googlegroups.com; posting-host=122.164.27.109;
     posting-account=VTV5fgoAAAAa336aQi9tjK-QxrKHDSLg
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14157

FREE MLM BUSINESS .JUST SIGN UP EARN 50 $ AND EACH REFFRAL U WIL
EARNING 1 $ .
100% TRUE 100% PAYMENT .
www.suriyaram.dubaimlm.com


From 4408672062888521134
X-Google-Thread: 108122,6c1edfa33095d5b7,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i29g2000prf.googlegroups.com!not-for-
mail
From: "dreamcashpoint@yahoo.co.in" <dreamcashpoint@yahoo.co.in>
Newsgroups: rec.radio.amateur.equipment
Subject: HOME BASED ONLINE FREE BUSINESS
Date: Wed, 26 Mar 2008 04:18:01 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <c6655b3b-bc83-43c8-8eb6-fe1d268d109d@i29g2000prf.googlegroups.com>
NNTP-Posting-Host: 122.164.27.109
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1206530281 7212 127.0.0.1 (26 Mar 2008 11:18:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 Mar 2008 11:18:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i29g2000prf.googlegroups.com; posting-host=122.164.27.109;
     posting-account=VTV5fgoAAAAa336aQi9tjK-QxrKHDSLg
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14158

100 % FREE ONLINE HOME BUSINESS EASY EARNING .
MAKE MONEY WORKING AT HOME. No gimmicks, no pie in the sky, no bull.
Proven, 20-year track record: http://www.moreinfo247.com/10014868/CB.


From 4684860662455276677
X-Google-Thread: 108122,6c1edfa33095d5b7
X-Google-Attributes: gid108122,domainid0,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s12g2000prg.googlegroups.com!not-for-
mail
From: "dreamcashpoint@yahoo.co.in" <dreamcashpoint@yahoo.co.in>
Newsgroups: rec.radio.amateur.equipment
Subject: HOME BASED ONLINE FREE BUSINESS
Date: Wed, 26 Mar 2008 04:18:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 4
Message-ID: <20a6dd24-7e84-4742-9d4b-756d9a5d2929@s12g2000prg.googlegroups.com>
NNTP-Posting-Host: 122.164.27.109
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1206530292 7229 127.0.0.1 (26 Mar 2008 11:18:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 Mar 2008 11:18:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s12g2000prg.googlegroups.com; posting-host=122.164.27.109;
     posting-account=VTV5fgoAAAAa336aQi9tjK-QxrKHDSLg
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14159

FREE MLM BUSINESS .JUST SIGN UP EARN 50 $ AND EACH REFFRAL U WIL
EARNING 1 $ .
100% TRUE 100% PAYMENT .
www.suriyaram.dubaimlm.com


From -3713491138449558187
X-Google-Thread: 108122,4688b33f027d7195
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: Kenwood TM-455E strange behaviour
From: none <""bram\"@(none)">
Date: Wed, 26 Mar 2008 14:27:51 +0100
Message-ID: <1206538155_1876@sicinfo3.epfl.ch>
References: <1206472472_1830@sicinfo3.epfl.ch> <HhjGj.92099$yE1.1870@attbi_s21>
Lines: 27
NNTP-Posting-Host: 128.178.10.21
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
217.73.144.44.MISMATCH!ecngs!feeder.ecngs.de!solnet.ch!solnet.ch!news-
zh.switch.ch!switch.ch!sicinfo3.epfl.ch!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: sicinfo3.epfl.ch 1206538155 128.178.10.21 (26 Mar 2008 14:29:15 0100)
User-Agent: Thunderbird 2.0.0.12 (X11/20080302)
MIME-Version: 1.0
In-Reply-To: <HhjGj.92099$yE1.1870@attbi_s21>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To:  news@news.epfl.ch
```

Xref: g2news1.google.com rec.radio.amateur.equipment:14160

robo tech wrote:
> In copier work, this occurs sometimes. It's usually a cracked trace on the
> board, that when pressed or thermally expanded, it drops out. It can also
> happen when the board moves a bit, and touches a little of the metal frame,
> causing it to ground out. I hope that you find the problem without too much
> grief.
> 73's
> Tim
> KK5H

Hi Tim,

thanks for the info, that seems quite possible, but it's difficult to find
because it's difficult to see.

Matthias HB9EGM

From 2327670617103477877
X-Google-Thread: 1109af,e8cd83298730352d
X-Google-Thread: 114aac,e8cd83298730352d
X-Google-Thread: 108122,e8cd83298730352d
X-Google-Attributes: gid1109af,gid114aac,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!x41g2000hsb.googlegroups.com!not-for-mail
From: jae749@aol.com
Newsgroups: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: FS: Drake SW-2 Shortwave Receiver - PRICE REDUCED!
Date: Wed, 26 Mar 2008 13:35:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 39
Message-ID: <843148c1-b210-4203-963a-c714117cb07a@x41g2000hsb.googlegroups.com>
References: <IXZtj.6442$wG2.1338@trndny09>
NNTP-Posting-Host: 66.38.104.173
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1206563742 28264 127.0.0.1 (26 Mar 2008 20:35:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 Mar 2008 20:35:42 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x41g2000hsb.googlegroups.com; posting-host=66.38.104.173;
     posting-account=zN6pMQoAAADPw146kJKdJch20jUkTUkz
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:18737 rec.radio.shortwave:139041
rec.radio.amateur.equipment:14161

On Feb 17, 12:14=A0pm, "Bill Golden" <shortwa...@verizon.net> wrote:

> PRICE REDUCED!
>
> I have an excellent Drake SW-2 shortwave receiver for sale,
> at an excellent price. =A0Performs great and is in "just like new"
> condition.
>
> Features include:
>
> =A0* =A0Continuous frequency coverage from 100 Khz to 30 Mhz
> =A0* =A0Modes: AM, CW, USB, LSB
> =A0* =A0Tuning Steps 50 Hz or 5 Khz
> =A0* =A0Stores up to 100 Independent, programmable memories
> =A0* =A0Built-in Selectable Sideband Synchronous Detector (Sync Detector)
> =A0 =A0 =A0effectively reduces or eliminates distortion due to fading sign=
als
> =A0* =A0Front-panel mounted internal speaker
> =A0* =A01/8" headphone jack, 1/4" external speaker jack
> =A0* =A0Front-panel mounted RF gain control
> =A0* =A0Dual antenna input terminals (50 ohm feedline or wire antenna
> =A0* =A0Front-panel LED frequency display
> =A0* =A0LED Bar graph signal strength display
> =A0* =A0Includes Drake A/C Adaptor
> =A0* =A0Can also be run off of a 12 Volt DC power source
> =A0* =A0Size: 10 7/8" Wide =A0X =A04 3/8" H =A0X =A07 5/8" D
> =A0* =A0Weight: 5.8 lbs including A/C adaptor
>
> =A0* =A0Includes original Drake SW-2 Owners Manual
>
> Price is (lowered to) $ 200.00 plus actual cost of insured shipping
> (to Cont'l U.S. only). Payment by USPS Postal Money Order only,
> please. An excellent receiver offered at an excellent price.
>
> Tnx & 73,
>
> -Bill
> KB3PT

I suspose I'm too late for this deal, if not let me know. Thanks

From -8586722238635073871
X-Google-Thread: 108122,4688b33f027d7195
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!aba369ab!
not-for-mail
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TM-455E strange behaviour
References: <1206472472_1830@sicinfo3.epfl.ch>

In-Reply-To: <1206472472_1830@sicinfo3.epfl.ch>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 41
Message-ID: <qHyGj.36343$by3.15078@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcboogdlapilongfdijffgbjfmcjiplkjmhnpd
kkniakbmhaegdaekkjflfncmkmngeiohlgcoobogloebbefeaipjhdaendancgdkehkakpdiifjjea
NNTP-Posting-Date: Wed, 26 Mar 2008 16:51:34 EDT
Organization: BellSouth Internet Group
Date: Wed, 26 Mar 2008 16:51:51 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:14162

none wrote:
>(Snip)
> couldn't find any.
>
> At first, I suspected the cable between the TX and the front panel was
> at fault, but moving it doesn't change anything. I will have to check with another
> cable anyway.
>
> I'd be thankful for any hints or advice.
>
> Matthias HB9EGM
>

I am sure you will try the obvious to look with your eyes for broken or pinched parts, tighten grounds, re-seat plugs and clean off any oxidization.

From time to time I have had to troubleshoot equipment with partially intermittent components or circuits. Freeze spray is sometimes recommended, however I find freeze spray is not easily localized and instead causes moisture to short out other sensitive circuits leading to mis-diagnosis.

What you might first try, is to use artist's paint brushes of various stiffness to probe the various components until the intermittent one is found.

Secondly, if you do isolate an affected circuit schematically, but not physically, you can use a trick I have used which is to use a small AC coupled audio amplifier across the circuit to ground (biased either by operating voltage or Ohmmeter) and listen for a micro-phonic affect as you move the affected parts.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"©

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From 4716841527732138953
X-Google-Thread: 1109af,754582d6add34f17
X-Google-Thread: 1131b0,754582d6add34f17
X-Google-Thread: 115730,754582d6add34f17
X-Google-Thread: 108122,754582d6add34f17
X-Google-Thread: fc2a5,754582d6add34f17
X-Google-Attributes:
gid1109af,gid1131b0,gid115730,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 26 Mar 2008 17:12:11 -0500
From: "CP" <someone@nospam.com>
Newsgroups:
rec.radio.swap,sci.electronics.repair,sci.electronics.equipment,rec.radio.amateur.
equipment,rec.radio.amateur.homebrew
References: <43910B3C.4000905@worldnet.att.net>
Subject: Re: HP Function Generators: (2) HP 3310A  (1) HP 3311A
Date: Wed, 26 Mar 2008 18:12:04 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <z4qdnU-hvI-mV3fanZ2dnUVZ_sGvnZ2d@comcast.com>
Lines: 40
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.245.108.41
X-Trace: sv3-i3bsKBLewW3cwvdlk6V0WP4XCclcreAN6Rchq/
Vb7y16gdlQBTHRpcsgZNGepy4yVnsOV8hqn6aGOl9!
UXKaDO6kcF359Vvj5mGOHTlq9aYDixqx2hM9aTYLx/yLH6Xj6NslARj5eUGAUCCcsJyfALLA7zm2!
IsR55OKeoSP4OV/kSqIbBhySQ4v5ig==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.swap:18739 sci.electronics.repair:90757
sci.electronics.equipment:10602 rec.radio.amateur.equipment:14163
rec.radio.amateur.homebrew:15415
```

Your links don't work.

"Al Schapira" <a.d.schapira@worldnet.att.net> wrote in message

```
news:43910B3C.4000905@worldnet.att.net...
> The following equipment is offered for sale. Each is used, but
> in working condition, with a complete *original* operating and
> service manual and power cord. Shipping to a US address is
> *included*.
>
> Thanks for looking.
>
> -Al Schapira, KC2HRH, a.d.schapira@worldnet.att.net
> ============================================================
>
> HP 3310A Function Generator #1 (S/N #1151A08983)
> Sine/square/triangle/ramp/pulse 0.0005 Hz to 5 Mhz, and external
> VCO input. Working perfectly. Minor nicks and scrapes on the top
> of the case from being stacked. About 7 lbs.  $75.00.
> See
>   http://home.att.net/~a.schapira/pix/HP/HP-3310A_1.jpg
>   http://home.att.net/~a.schapira/pix/HP/HP-3310A_manual.jpg
>
> HP 3310A Function Generator #2 (S/N # 1151A08978)
> Sine/square/triangle/ramp/pulse 0.0005 Hz to 5 Mhz, and external
> VCO input. Working perfectly. Minor nicks and scrapes on the top
> of the case from being stacked.  Pilot lamp assembly has been
> replaced with round red led. About 7 lbs. $65.00.
> See
>   http://home.att.net/~a.schapira/pix/HP/HP-3310A_2.jpg
>   http://home.att.net/~a.schapira/pix/HP/HP-3310A_manual.jpg
>
> HP 3311A Function Generator (S/N #1244A29453)
> Sine/square/triangle to 0.1 Hz to 1 Mhz, and external VCO input.
> Working perfectly. About 4 lbs, $75.00.
> See
>   http://home.att.net/~a.schapira/pix/HP/HP-3311A.jpg
>   http://home.att.net/~a.schapira/pix/HP/HP-3311A_manual.jpg
```

```
From -3455929765957232928
X-Google-Thread: 1109af,754582d6add34f17
X-Google-Thread: 1131b0,754582d6add34f17
X-Google-Thread: 115730,754582d6add34f17
X-Google-Thread: 108122,754582d6add34f17
X-Google-Thread: fc2a5,754582d6add34f17
X-Google-Attributes:
gid1109af,gid1131b0,gid115730,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-
sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Newsgroups:
rec.radio.swap,sci.electronics.repair,sci.electronics.equipment,rec.radio.amateur.
equipment,rec.radio.amateur.homebrew
```

```
Subject: Re: HP Function Generators: (2) HP 3310A  (1) HP 3311A
Date: Wed, 26 Mar 2008 18:22:30 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13ulj5576787lc2@corp.supernews.com>
X-Mailer: Mozilla 4.76 [en]C-CCK-MCD   (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <43910B3C.4000905@worldnet.att.net> <z4qdnU-hvI-
mV3fanZ2dnUVZ_sGvnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-NewsProxy: 1.2.4
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news1.google.com rec.radio.swap:18740 sci.electronics.repair:90759
sci.electronics.equipment:10603 rec.radio.amateur.equipment:14164
rec.radio.amateur.homebrew:15416



CP wrote:
>
> Your links don't work.

   You are replying to spam that is over two years old.

--
aioe.org is home to cowards and terrorists

Add this line to your news proxy nfilter.dat file
* drop Path:*aioe.org!not-for-mail to drop all aioe.org traffic.

http://improve-usenet.org/index.html



From -7598456321536811042
X-Google-Thread: 108122,bfcceeea849599ce,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!aba369ab!
not-for-mail
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: IF Tuning Coils
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 15
Message-ID: <VHEGj.15180$%15.12286@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
```

enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcboenelmmdnmbmjclakoehfhppohfiobklkpd
kkniakbmhaegdaekkjflfncmkmngeiohlgcoobogloebbefccklkmkngbjcoejjkipblimlgopoinh
NNTP-Posting-Date: Wed, 26 Mar 2008 23:41:41 EDT
Organization: BellSouth Internet Group
Date: Wed, 26 Mar 2008 23:41:58 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:14165

I have a receiver with some ferrite tuning coils in the IF. In the process of retuning, attempting to peak the IF, I cracked coils in two cans and they are locked into place. They are in same position from original and the receiver seems fine, makes sensitivity etc. Is there any measurable change to the inductor Q or other parameter when this occurs? I did get replacements but the effort to replace seems difficult.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 6700013948922614053
X-Google-Thread: 1109af,e8ccb302b10366aa,start
X-Google-Thread: 108122,e8ccb302b10366aa,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Pair of VHF Motorola Handheld "HT's"
Lines: 116
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_01BA_01C88FA1.03EC8D00"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <elFGj.4295$N_5.2346@trnddc05>
Date: Thu, 27 Mar 2008 04:25:46 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1206591946 68.236.31.9 (Thu, 27 Mar 2008 00:25:46 EDT)
NNTP-Posting-Date: Thu, 27 Mar 2008 00:25:46 EDT
Xref: g2news1.google.com rec.radio.swap:18748 rec.radio.amateur.equipment:14166

This is a multi-part message in MIME format.

------=_NextPart_000_01BA_01C88FA1.03EC8D00

```
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


For Sale ---

I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
VHF Handhelds  ("HT's"), with the (2) Motorola Desk Chargers for sale.

Features of these reliable Motorola handheld units include:

    * Both are 4 Channel VHF models - 4 channels easily
      switchable using channel selector switch on top of=20
      each "HT".  Other external controls include volume
      and squelch controls

    * Both units include their Motorola VHF "duckie" antennas

    * Both units include good NiMh battery packs=20

    * Both units include their Motorola desktop "cradle" chargers=20
      (with plug-in wall transformers and charging indicator lights)

Easy programming instructions are located on the inside of both=20
unit's battery covers, making programming simple and convenient.
Range of these rugged reliable handhelds is approximately  5 miles.

Will sell for $100.00 plus the actual shipping charges (to Cont'l U.S.),
payable by USPS Postal Money Order only.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail:  shortwave1@verizon.net

------=_NextPart_000_01BA_01C88FA1.03EC8D00
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
```

```
<DIV>&nbsp;</DIV>
<DIV>For Sale ---</DIV>
<DIV>&nbsp;</DIV>
<DIV>I have&nbsp;a pair of&nbsp;exceptionally&nbsp;clean&nbsp;Motorola =
Spirit=20
(Model MV24CVS)</DIV>
<DIV>VHF Handhelds&nbsp; ("HT's"),&nbsp;with the (2) Motorola Desk =
Chargers for=20
sale.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features of these&nbsp;reliable&nbsp;Motorola handheld units =
include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both are&nbsp;4 Channel&nbsp;VHF models - =
4=20
channels easily</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;switchable using channel selector =
switch on=20
top of </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; each "HT".&nbsp; Other external =
controls=20
include volume</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;and squelch controls</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include their&nbsp;Motorola=20
VHF&nbsp;"duckie" antennas</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include&nbsp;good =
NiMh&nbsp;battery=20
packs&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;*&nbsp;Both units include&nbsp;their =
Motorola=20
desktop "cradle"&nbsp;chargers </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;(with plug-in wall transformers and=20
charging&nbsp;indicator lights)</DIV>
<DIV>&nbsp;</DIV>
<DIV>Easy&nbsp;programming&nbsp;instructions are&nbsp;located on the =
inside of=20
both </DIV>
<DIV>unit's battery covers, making programming&nbsp;simple and =
convenient.</DIV>
<DIV>Range&nbsp;of these rugged reliable handhelds is =
approximately&nbsp;&nbsp;5=20
miles.</DIV>
<DIV><BR>Will sell&nbsp;for $100.00&nbsp;plus the&nbsp;actual shipping=20
charges&nbsp;(to Cont'l U.S.),</DIV>
<DIV>payable by USPS Postal Money Order only.<BR></DIV>
<DIV>Thanks &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
```

```
<DIV>&nbsp;</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_01BA_01C88FA1.03EC8D00--



From 2663451490619545782
X-Google-Thread: 1109af,e8cd83298730352d
X-Google-Thread: 114aac,e8cd83298730352d
X-Google-Thread: 108122,e8cd83298730352d
X-Google-Attributes: gid1109af,gid114aac,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-05!sn-xt-sjc-09!sn-post-
sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dave <nothere@nowhere.com>
Newsgroups: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: FS: Drake SW-2 Shortwave Receiver - PRICE REDUCED!
Date: Thu, 27 Mar 2008 06:32:09 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13un8etbg6t8bf3@corp.supernews.com>
User-Agent: Thunderbird 2.0.0.12 (X11/20080227)
MIME-Version: 1.0
References: <IXZtj.6442$wG2.1338@trndny09> <843148c1-b210-4203-963a-
c714117cb07a@x41g2000hsb.googlegroups.com>
In-Reply-To: <843148c1-b210-4203-963a-c714117cb07a@x41g2000hsb.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 41
Xref: g2news1.google.com rec.radio.swap:18754 rec.radio.shortwave:139142
rec.radio.amateur.equipment:14167

jae749@aol.com wrote:
> On Feb 17, 12:14 pm, "Bill Golden" <shortwa...@verizon.net> wrote:
>> PRICE REDUCED!
>>
>> I have an excellent Drake SW-2 shortwave receiver for sale,
>> at an excellent price.  Performs great and is in "just like new"
>> condition.
>>
>> Features include:
>>
>>  *  Continuous frequency coverage from 100 Khz to 30 Mhz
>>  *  Modes: AM, CW, USB, LSB
>>  *  Tuning Steps 50 Hz or 5 Khz
>>  *  Stores up to 100 Independent, programmable memories
>>  *  Built-in Selectable Sideband Synchronous Detector (Sync Detector)
>>      effectively reduces or eliminates distortion due to fading signals
>>  *  Front-panel mounted internal speaker
>>  *  1/8" headphone jack, 1/4" external speaker jack
>>  *  Front-panel mounted RF gain control
>>  *  Dual antenna input terminals (50 ohm feedline or wire antenna
>>  *  Front-panel LED frequency display
>>  *  LED Bar graph signal strength display
>>  *  Includes Drake A/C Adaptor
>>  *  Can also be run off of a 12 Volt DC power source
>>  *  Size: 10 7/8" Wide  X  4 3/8" H  X  7 5/8" D
>>  *  Weight: 5.8 lbs including A/C adaptor
>>
>>  *  Includes original Drake SW-2 Owners Manual
>>
>> Price is (lowered to) $ 200.00 plus actual cost of insured shipping
>> (to Cont'l U.S. only). Payment by USPS Postal Money Order only,
>> please. An excellent receiver offered at an excellent price.
>>
>> Tnx & 73,
>>
>> -Bill
>> KB3PT
>
> I suspose I'm too late for this deal, if not let me know. Thanks

How's the rotary encoder?


From -8904866577778004539
X-Google-Thread: 108122,1ce83c17ed38f06d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!fdn.fr!
news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "D.K." <bla.bla@bla.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: KIWA Electronics closed for holidays?
Date: Thu, 27 Mar 2008 15:05:29 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 16
Message-ID: <47eba976$0$866$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 27 Mar 2008 15:04:38 CET
NNTP-Posting-Host: 86.220.87.20
X-Trace: 1206626678 news.orange.fr 866 86.220.87.20:1538
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com rec.radio.amateur.equipment:14168

Hi
 I've been trying to contact  Kiwa Electronics, http://www.kiwa.com/
 503 7th. Ave. N.E. ,Kasson, MN 55944  (kiwa@wolfenet.com)  for a couple of
```

days without any success.
Craig uses to answer the mails very rapidly. There is no information on his website abt holidays at the moment.
Did anybody get in contact with this company this week?
Dom
Normandy/France

From 4128339915262470918
X-Google-Thread: 1109af,e8cd83298730352d
X-Google-Thread: 114aac,e8cd83298730352d
X-Google-Thread: 108122,e8cd83298730352d
X-Google-Attributes: gid1109af,gid114aac,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny06.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment
References: <IXZtj.6442$wG2.1338@trndny09> <843148c1-b210-4203-963a-c714117cb07a@x41g2000hsb.googlegroups.com> <13un8etbg6t8bf3@corp.supernews.com>
Subject: Re: FS: Drake SW-2 Shortwave Receiver - PRICE REDUCED!
Lines: 54
MIME-Version: 1.0
Content-Type: text/plain;
    charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <LVTGj.5399$Pc2.2687@trndny06>
Date: Thu, 27 Mar 2008 21:00:27 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny06 1206651627 68.236.31.9 (Thu, 27 Mar 2008 17:00:27 EDT)
NNTP-Posting-Date: Thu, 27 Mar 2008 17:00:27 EDT
Xref: g2news1.google.com rec.radio.swap:18760 rec.radio.shortwave:139203 rec.radio.amateur.equipment:14169
X-Original-Bytes: 3010

The Drake SW-2 has been sold.
I never had a single problem with the receiver,
nor any problems with it's rotary encoder,

-Bill
KB3PT
Selbyville, Delaware

"dave" <nothere@nowhere.com> wrote in message
news:13un8etbg6t8bf3@corp.supernews.com...
> jae749@aol.com wrote:
> > On Feb 17, 12:14 pm, "Bill Golden" <shortwa...@verizon.net> wrote:
> >> PRICE REDUCED!
> >>
> >> I have an excellent Drake SW-2 shortwave receiver for sale,
> >> at an excellent price. Performs great and is in "just like new"
> >> condition.
> >>
> >> Features include:
> >>
> >> * Continuous frequency coverage from 100 Khz to 30 Mhz
> >> * Modes: AM, CW, USB, LSB
> >> * Tuning Steps 50 Hz or 5 Khz
> >> * Stores up to 100 Independent, programmable memories
> >> * Built-in Selectable Sideband Synchronous Detector (Sync Detector)
> >>   effectively reduces or eliminates distortion due to fading signals
> >> * Front-panel mounted internal speaker
> >> * 1/8" headphone jack, 1/4" external speaker jack
> >> * Front-panel mounted RF gain control
> >> * Dual antenna input terminals (50 ohm feedline or wire antenna
> >> * Front-panel LED frequency display
> >> * LED Bar graph signal strength display
> >> * Includes Drake A/C Adaptor
> >> * Can also be run off of a 12 Volt DC power source
> >> * Size: 10 7/8" Wide X 4 3/8" H X 7 5/8" D
> >> * Weight: 5.8 lbs including A/C adaptor
> >>
> >> * Includes original Drake SW-2 Owners Manual
> >>
> >> Price is (lowered to) $ 200.00 plus actual cost of insured shipping
> >> (to Cont'l U.S. only). Payment by USPS Postal Money Order only,
> >> please. An excellent receiver offered at an excellent price.
> >>
> >> Tnx & 73,
> >>
> >> -Bill
> >> KB3PT
> >
> > I suspose I'm too late for this deal, if not let me know. Thanks
>
> How's the rotary encoder?

From 8898966485247631705
X-Google-Thread: 108122,a51fcbfb59a13b85,start

X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f63g2000hsf.googlegroups.com!not-for-mail
From: brad2000@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: icom ic-w32a vs. others
Date: Thu, 27 Mar 2008 20:24:22 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <69c3669c-cdc2-4109-adfa-ee5139d050f8@f63g2000hsf.googlegroups.com>
NNTP-Posting-Host: 67.166.20.249
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1206674667 1196 127.0.0.1 (28 Mar 2008 03:24:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Mar 2008 03:24:27 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: f63g2000hsf.googlegroups.com; posting-host=67.166.20.249;
posting-account=RTOJGgoAAADcPtHh4i5Eb-WnkxsEWnqh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; SunOS sun4u; en-US; rv:1.8.1.11)
Gecko/20071205 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14170

This is my first radio purchase so I have a few questions. I have a friend that swears by the ICOM IC-w32a. I've looked at it and it does seem like a pretty robust radio. Heck, it must be if ICOM put it back into production after stopping once before.

But, I'm interested in knowing if there are others out there with the same capabilities. I'm really interested in the fact that it can xmit on 440MHz and received on 70 cm, at least I think it can, since I want to use this for talking over satellites.

Any ideas about other radios I should look at would be most appreciated.

Thanks.

-brad w.

From 607398636553764843
X-Google-Thread: 108122,a51fcbfb59a13b85
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!roadrunner.com!not-for-mail
Date: Thu, 27 Mar 2008 23:56:01 -0400
From: Ron in Radio Heaven <W4RON@Xcarolina.rr.com>

```
Organization: Ron, W4RON
                                  http://radioheaven.homestead.com/index.html
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom ic-w32a vs. others
References: <69c3669c-cdc2-4109-adfa-ee5139d050f8@f63g2000hsf.googlegroups.com>
In-Reply-To: <69c3669c-cdc2-4109-adfa-ee5139d050f8@f63g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <47ec6c84$0$1097$4c368faf@roadrunner.com>
NNTP-Posting-Host: 71.75.12.75
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14171

brad2000@gmail.com wrote:
> But, I'm interested in knowing if there are others out there with the
> same capabilities. I'm really interested in the fact that it can xmit
> on 440MHz and received on 70 cm, at least I think it can,

Isn't 440MHz and 70cm the same band? What's the big deal in that?

Ron W4RON


From 7903776343053813518
X-Google-Thread: 108122,a51fcbfb59a13b85
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l42g2000hsc.googlegroups.com!not-for-
mail
From: brad2000@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom ic-w32a vs. others
Date: Thu, 27 Mar 2008 21:56:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <06109ba5-8361-498d-aec5-57e18d85a5ab@l42g2000hsc.googlegroups.com>
References: <69c3669c-cdc2-4109-adfa-ee5139d050f8@f63g2000hsf.googlegroups.com>
     <47ec6c84$0$1097$4c368faf@roadrunner.com>
NNTP-Posting-Host: 67.166.20.249
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1206680203 17844 127.0.0.1 (28 Mar 2008 04:56:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Mar 2008 04:56:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l42g2000hsc.googlegroups.com; posting-host=67.166.20.249;
     posting-account=RTOJGgoAAADcPtHh4i5Eb-WnkxsEWnqh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; SunOS sun4u; en-US; rv:1.8.1.11)
```

```
     Gecko/20071205 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14172

On Mar 27, 9:56 pm, Ron in Radio Heaven <W4...@Xcarolina.rr.com>
wrote:
> brad2...@gmail.com wrote:
> > But, I'm interested in knowing if there are others out there with the
> > same capabilities. I'm really interested in the fact that it can xmit
> > on 440MHz and received on 70 cm, at least I think it can,
>
> Isn't 440MHz and 70cm the same band? What's the big deal in that?
>
> Ron W4RON

oops... you're right..

I meant to say 2m/440 MHz..

-brad w.



From -1019670937411698080
X-Google-Thread: 108122,68096cb136f0a957,start
X-Google-Thread: 114aac,68096cb136f0a957,start
X-Google-Thread: 10c2ee,68096cb136f0a957,start
X-Google-Attributes: gid108122,gid114aac,gid10c2ee,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Fri, 28 Mar 2008 04:16:25 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.antiques.radio+phono
Subject: Need wiring color codes for Merit A-3109 modulation transformer
Date: Fri, 28 Mar 2008 18:16:33 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <nfydnVf2LKf3KnHanZ2dnUVZ_sSlnZ2d@giganews.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
Syqar7G5iyUgYJPnpqCHo6sqNiXbJo+FVfTc2gJhLgRjK1PTpbJLEKywhpvWg6CCbmAmwkb+LMVkce3!
I7o7LqxSuIrvKSu9NjKQDIEyzPRZ4pLgdlkKHkTitWOPyCGMfWmM/Py66zB1TzB8PsOVa7Aw
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
```

Xref: g2news1.google.com rec.radio.amateur.equipment:14173
rec.radio.shortwave:139260 rec.antiques.radio+phono:95607

Does anyone have these, or can tell me where to find them? I find references to the transformer, but nothing about the wiring codes.

TIA

--
Say no to institutionalized interference.
Just say NO to HD/IBOC!

From 2347065892800576446
X-Google-Thread: 108122,94db32d069070744,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Silent Key sale
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Cd4Hj.42181$TT4.16686@attbi_s22>
NNTP-Posting-Host: 12.219.130.17
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1206702050 12.219.130.17 (Fri, 28 Mar 2008 11:00:50 GMT)
NNTP-Posting-Date: Fri, 28 Mar 2008 11:00:50 GMT
Organization: AT&T ASP.att.net
Date: Fri, 28 Mar 2008 11:00:50 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14174

KA7EXM microWattmeter   (-70, +7 dBm) $75
LDG AT-100 pro Memory antenna tuner. New, in original box $125
Radio Shack Dynamic Microphone, Model 33-3004 with case. $25
Radio Shack PSU 22-504. 13 Volt/3 Amp supply.. $20

> Pictures on request., All tested and guartanteed, prices plus shipping.
> Put
> your call sign in the subject line so I don't discard it as spam.
>
> W4ZCB

```
From -2526162665751409049
X-Google-Thread: 108122,68096cb136f0a957
X-Google-Thread: 114aac,68096cb136f0a957
X-Google-Thread: 10c2ee,68096cb136f0a957
X-Google-Attributes: gid108122,gid114aac,gid10c2ee,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dave <nothere@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.antiques.radio+phono
Subject: Re: Need wiring color codes for Merit A-3109 modulation transformer
Date: Fri, 28 Mar 2008 05:36:43 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13uppja8jg8r2ea@corp.supernews.com>
User-Agent: Thunderbird 2.0.0.12 (X11/20080227)
MIME-Version: 1.0
References: <nfydnVf2LKf3KnHanZ2dnUVZ_sSlnZ2d@giganews.com>
In-Reply-To: <nfydnVf2LKf3KnHanZ2dnUVZ_sSlnZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 7
Xref: g2news1.google.com rec.radio.amateur.equipment:14175
rec.radio.shortwave:139291 rec.antiques.radio+phono:95618

Brenda Ann wrote:
> Does anyone have these, or can tell me where to find them? I find references
> to the transformer, but nothing about the wiring codes.
>
> TIA

  Can't you measure?


From 1665974460940615637
X-Google-Thread: 108122,a51fcbfb59a13b85
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <ALANBIDDLE70@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom ic-w32a vs. others
Organization: AMSAT-NA
Reply-To: ALANBIDDLE70@YAHOO.COM
Message-ID: <8uspu3hvj10nqvnuj9ec96c800ulmr6tou@4ax.com>
References: <69c3669c-cdc2-4109-adfa-ee5139d050f8@f63g2000hsf.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: c0fac508ad2bc7abdd1661f7bb8c56f1
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1206711424
c0fac508ad2bc7abdd1661f7bb8c56f1 (Fri, 28 Mar 2008 13:37:04 GMT)
NNTP-Posting-Date: Fri, 28 Mar 2008 13:37:04 GMT
Date: Fri, 28 Mar 2008 13:37:04 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14176

They are very popular with satellite operators, due to the full duplex capability. Currently if you want full duplex, not just split band operation, your only real choice is the Kenwood TH-7, which has a lot of APRS functions as well.

--
Alan
WA4SCA

From -5168546582162412745
X-Google-Thread: 1109af,ad7711dff7181987,start
X-Google-Thread: 108122,ad7711dff7181987,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny07.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Crystals - 40 & 15 Meters - "Package Deal"
Lines: 26
MIME-Version: 1.0
Content-Type: text/plain;
    charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <66eHj.65$gS1.61@trndny07>
Date: Fri, 28 Mar 2008 22:15:30 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny07 1206742530 68.236.31.9 (Fri, 28 Mar 2008 18:15:30 EDT)
NNTP-Posting-Date: Fri, 28 Mar 2008 18:15:30 EDT
Xref: g2news1.google.com rec.radio.swap:18768 rec.radio.amateur.equipment:14177
X-Original-Bytes: 1443

For Sale:

40 Meter Crystals.

All 5 crystals are in FT-243 holders.
Some can also be used on 15 meters
(multiply frequency by 3).

1- 7073.333 Khz JAN Crystal
1- 7075 Khz JAN Crystal
1- 7094 Khz Texas Crystal
1- 7100 Khz JAN Crystal
1- 7125 Khz JAN Crystal

Buy all 5 of these crystals, shipped to your door via USPS Priority Mail
(Cont'l U.S. only) ... for only $ 37.50

Thanks & 73,

-Bill
KB3PT

E-mail: shortwave1@verizon.net

From -7687765995664713154
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: JD <ham@123.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in Emergencies.
Date: Fri, 28 Mar 2008 16:04:28 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <29uqu3dnm6rvkodgotb6qsu1uokc88mebn@4ax.com>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<-62dnf5mEoR3KV7anZ2dnUVZ_uyinZ2d@mho.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 125
Xref: g2news1.google.com rec.radio.amateur.antenna:56244
rec.radio.amateur.digital.misc:1075 rec.radio.amateur.equipment:14178

rec.radio.amateur.misc:43339

On Mon, 25 Feb 2008 23:42:34 -0700, "Eric Gordon" <egordon@mho.net>
wrote:

>WHAT A JACKASS. OOOPPPSSSSS SORRY, HE'S A REPUBLICAN.   SORRY, NO OFFENSE
>TO THE JACKASSES OF THE WORLD. HE'S AN INSULT TO HUMANITY, BUT NOT TOTALLY
>UNEXPECTED FROM A REPUBLICAN
>"laborkei" <laborkeiNOSPAM@hotmail.com> wrote in message
>news:I6sjj.51910$Mu4.41373@bignews7.bellsouth.net...
>> Attention all Amateur Operators.
>> Please Read, and send your comments to the ARRL and Romney Website.
>>
>>
>> Wednesday 16 November 2005 @ 15:48:10 | Eastern Massachusetts ARRL Romney
>> 'Disses' Amateur Radio In
>> Televised Town Meeting Posted on Wednesday16 November 2005 @ 15:48:10
>>
>> Governor Mitt Romney dismissed the role of Amateur Radio operators in
>> emergency communications
>> during a televised 'town meeting' program last night on WCVB's 'When
>> Disaster Strikes: Segment Two.'
>> The program featured public safety and volunteer organization officials
>> from
>> across Massachusetts
>> among its audience.
>>
>> Host and moderator Natalie Jacobson asked an increasingly-agitated
>> Governor
>> Romney questions about
>> communications interoperability, and communication without commercial
>> power.
>> Romney was next asked
>> by Jacobson, '...so does it come down to ham radio?...'
>>
>> The Governor replied in a disgusted tone, 'No, we don't need to deal with
>> ham radio operators...'
>>
>> Embarrassed public safety officials later tried to put in a good word for
>> Amateur Radio. National
>> Weather Service Warning Coordination Meteorologist Glenn Field was
>> prepared
>> to state the importance
>> of Amateur Radio, when Salvation Army Colonel Fred Van Brunt was called
>> upon. Van Brunt remarked
>> about his organization's quest to improve its communications capabilities
>> and how Amateur Radio has
>> aided his organization. 'The ham radio situation helps a great deal,' he
>> stated.
>>
>> 'I have already written and submitted a letter to the Governor's Office,'
>> wrote Eastern MA Section
>> Emergency Coordinator Rob Macedo, KD1CY. 'I have also written an email to

>> Natalie Jacobson.'
>>
>> ARRL Section Manager Mike Neilsen, W1MPN sent a section-wide email today
>> to
>> all Eastern MA ARRL
>> members describing the incident along with actions he and his staff were
>> taking to mitigate the
>> situation.
>>
>> '[Romney's] attitude about us sets an unfortunate tone within the state's
>> executive branch,' wrote
>> Neilsen. 'As a former military officer, I see this as a failure in
>> leadership. My immediate concern
>> is our working relationship within the [Massachusetts Emergency
>> Management
>> Team] environment.'
>> Neilsen intends to address the Governor's comments as 'an urgent matter'
>> at
>> a meeting on November 17
>> with Don Carlton from the Massachusetts Emergency Management Agency.
>>
>> 'I was very disturbed about what the Governor stated on the program,'
>> wrote
>> Ron Wood, W1PLW, the
>> section's Public Information Coordinator. 'It does show that more work is
>> needed by all hams in the
>> section. It's a great idea to write letters explaining the good we do.'
>> Wood
>> is attempting to
>> schedule a meeting with the Governor's office tomorrow so that EMA ARRL
>> staffers might discuss the
>> matter further.
>>
>> Tom Kinahan, N1CPE wrote that Governor Romney's comment has made 'a PR
>> problem' for Kinahan in his
>> role as MA State RACES Officer.
>>
>> 'I've got a roster of over 150 Amateur Radio operators that support local
>> communities, and those of
>> us that directly support the state government. There are at least double
>> that in terms of people
>> that are actually out there that I don't have formal paperwork on that
>> support Amateur Radio
>> emergency communications in some organized manner... The Governor has
>> said
>> that he 'certainly
>> doesn't need to rely on ham radio' -- where does that leave the RACES
>> program now?'
>>
>> 'I am ashamed tonight that I am a Republican!' remarked one ham radio
>> viewer. '[Romney] speaks in
>> derogatory tones about hams. He certainly shows an ignorance as to what
>> we

>> do and are capable of. I
>> suggest a grass roots campaign of local hams calling the State House and
>> The
>> Governor's Office to
>> protest.'
>>
>>
>> --
>>
>>
>>
>

Had to get your hateful (typical of liberal/socialist trolls), BDS
shots at anything Republican, huh?

$$$$$$$$$$$
Yours truly, Johnny Dollar!

From 6576952534383165861
X-Google-Thread: 108122,aacf62762613e9ab,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b1g2000hsg.googlegroups.com!not-for-mail
From: kz3dx@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS ICOM AH-4 Auto Antenna Tuner with Long Wire Kit
Date: Fri, 28 Mar 2008 18:22:13 -0700 (PDT)
Organization: http://groups.google.com
Lines: 27
Message-ID: <76c326c6-6226-456e-8d8b-d4ed080f9ab3@b1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1206753734 18490 127.0.0.1 (29 Mar 2008 01:22:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Mar 2008 01:22:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b1g2000hsg.googlegroups.com; posting-host=66.177.6.190;
     posting-account=45XJAgoAAAA05yZfLd6955vg-czIX97d
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.13)
     Gecko/20080311 Firefox/2.0.0.13,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14179

This is the ICOM AH-4 Auto Antenna Tuner with a 23 foot (minimum
recommended length) long wire antenna kit included.

The AH-4 is in excellent condition and comes with the stainless steel mounting brackets, instructions, and adapter sheet with instructions for using the AH-4 with any HF transceiver including Kenwood, Yaesu, TenTec, etc., as well as marine and commercial radios.

The frequency range of the Auto-Tuner is continuous from 3.5 MHz to 54 MHz. (80 meters through 6 meters)

The 23 foot long wire antenna kit has a little over 23 feet of #12 BLACK stranded wire, a crimp connector of the tuner and a real porcelain insulator for the far end of the long wire. THIS IS THE PERFECT SETUP FOR ANTENNA RESTRICTED AREAS.

The price is $222.50 plus $14.95 shipping

Money order or PayPal.

I have only one of these units.

If you are interested, please email me at: kz3dx at yahoo dot com

Thanks,

Bill

```
From 4210829662973952578
X-Google-Thread: 108122,a51fcbfb59a13b85
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h11g2000prf.googlegroups.com!not-for-
mail
From: brad2000@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom ic-w32a vs. others
Date: Fri, 28 Mar 2008 23:05:20 -0700 (PDT)
Organization: http://groups.google.com
Lines: 19
Message-ID: <298387fc-1638-4739-8217-b22dae73c703@h11g2000prf.googlegroups.com>
References: <69c3669c-cdc2-4109-adfa-ee5139d050f8@f63g2000hsf.googlegroups.com>
     <8uspu3hvj10nqvnuj9ec96c800ulmr6tou@4ax.com>
NNTP-Posting-Host: 67.166.20.249
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1206770720 31835 127.0.0.1 (29 Mar 2008 06:05:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Mar 2008 06:05:20 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h11g2000prf.googlegroups.com; posting-host=67.166.20.249;
     posting-account=RTOJGgoAAADcPtHh4i5Eb-WnkxsEWnqh
User-Agent: G2/1.0
```

X-HTTP-UserAgent: Mozilla/5.0 (X11; U; SunOS sun4u; en-US; rv:1.8.1.11)
     Gecko/20071205 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14180

On Mar 28, 7:37 am, Alan WA4SCA <ALANBIDDL...@YAHOO.COM> wrote:
> They are very popular with satellite operators, due to the full duplex
> capability. Currently if you want full duplex, not just split band
> operation, your only real choice is the Kenwood TH-7, which has a lot
> of APRS functions as well.

So I looked at the Kenwood Th-D7A like you mentioned. I noticed the
manual says it's not capable of doing less than 438 Mhz.

Is this a hard rule with this device? Because a lot of the satellites
that I want to work are a little bit less than this. Like AO-51 which
has a downlink of 435.300 MHz.

As I've said, this is my first radio purchase so I just want to make
sure it will do what I want.

Any help is most appreciated.

-brad w.

From 5914087022561659329
X-Google-Thread: 108122,c464e288d65bd7f9,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y21g2000hsf.googlegroups.com!not-for-mail
From: jennyjenny <meetjennyjenny@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: First Choice for Mobile World the Motorola Razr2 V8
Date: Sat, 29 Mar 2008 03:45:05 -0700 (PDT)
Organization: http://groups.google.com
Lines: 3
Message-ID: <d1db0fbe-6d3a-4b89-8394-1c3caf41c02c@y21g2000hsf.googlegroups.com>
NNTP-Posting-Host: 221.120.239.125
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1206787506 22844 127.0.0.1 (29 Mar 2008 10:45:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Mar 2008 10:45:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y21g2000hsf.googlegroups.com; posting-host=221.120.239.125;
     posting-account=spYSfwoAAAD0Xi52aR_PmCwg6q4zSZon
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3)
     Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 pxy.mgm.qau.edu.pk:3128 (squid/2.5.STABLE6)
Xref: g2news1.google.com rec.radio.amateur.equipment:14181

Motorola Razr2 V8 is eye-catching and ready for its close-up and has a
full suite of in demand features
http://knowmorearticles.googlepages.com/mobile_world_motorola_razr2_v8

```
From 580073376260913558
X-Google-Thread: 108122,a51fcbfb59a13b85
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!news2.euro.net!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom ic-w32a vs. others
Date: Sat, 29 Mar 2008 07:57:37 -0700
Message-ID: <90msu31hodj3ejhs4862c5c34fkf5lkdfb@4ax.com>
References: <69c3669c-cdc2-4109-adfa-ee5139d050f8@f63g2000hsf.googlegroups.com>
<8uspu3hvj10nqvnuj9ec96c800ulmr6tou@4ax.com> <298387fc-1638-4739-8217-
b22dae73c703@h11g2000prf.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
NNTP-Posting-Date: 29 Mar 2008 14:08:38 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14182
```

On Fri, 28 Mar 2008 23:05:20 -0700 (PDT), brad2000@gmail.com wrote:

>On Mar 28, 7:37 am, Alan WA4SCA <ALANBIDDL...@YAHOO.COM> wrote:
>> They are very popular with satellite operators, due to the full duplex
>> capability. Currently if you want full duplex, not just split band
>> operation, your only real choice is the Kenwood TH-7, which has a lot
>> of APRS functions as well.
>
>So I looked at the Kenwood Th-D7A like you mentioned. I noticed the
>manual says it's not capable of doing less than 438 Mhz.
>
>Is this a hard rule with this device? Because a lot of the satellites
>that I want to work are a little bit less than this. Like AO-51 which
>has a downlink of 435.300 MHz.
>
>As I've said, this is my first radio purchase so I just want to make
>sure it will do what I want.
>
>Any help is most appreciated.
>
>-brad w.

According the the QST reviews of both the TH-D7A (Aug 1999) and the

TH-D7A(G) (Apr 2008) the transmitter frequency coverage as measured in
their lab is 430-450 MHz. Kenwood shows 438-450 MHz for both of them.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

From -2682700463056038131
X-Google-Thread: 108122,c5d647befaab806a,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.16.185.51.MISMATCH!tmp-post01.iad!news.highwinds-media.com!roadrunner.com!not-for-mail
From: "MWH" <az1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Alinco DX-70TH
Date: Sat, 29 Mar 2008 11:55:14 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 5
Message-ID: <47ee665f$0$6154$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14183

One year old, $600. Click-on link below:

http://members6.boardhost.com/theswapshoppe/

From -980204764471983187
X-Google-Thread: 108122,a51fcbfb59a13b85
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!newsfeed.xs4all.nl!
newsfeed3.news.xs4all.nl!newsgate.cistron.nl!xs4all!news2.euro.net!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom ic-w32a vs. others
Date: Sat, 29 Mar 2008 10:17:57 -0700

Message-ID: <jdusu3hme1gsoaouqh8odufp00em1mhkt8@4ax.com>
References: <69c3669c-cdc2-4109-adfa-ee5139d050f8@f63g2000hsf.googlegroups.com>
<8uspu3hvj10nqvnuj9ec96c800ulmr6tou@4ax.com> <298387fc-1638-4739-8217-b22dae73c703@h11g2000prf.googlegroups.com>
<90msu31hodj3ejhs4862c5c34fkf5lkdfb@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 29 Mar 2008 16:28:58 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14184

On Sat, 29 Mar 2008 07:57:37 -0700, Dick <w6ccd@k7yca.org> wrote:

>On Fri, 28 Mar 2008 23:05:20 -0700 (PDT), brad2000@gmail.com wrote:
>
>>On Mar 28, 7:37 am, Alan WA4SCA <ALANBIDDL...@YAHOO.COM> wrote:
>>> They are very popular with satellite operators, due to the full duplex
>>> capability. Currently if you want full duplex, not just split band
>>> operation, your only real choice is the Kenwood TH-7, which has a lot
>>> of APRS functions as well.
>>
>>So I looked at the Kenwood Th-D7A like you mentioned. I noticed the
>>manual says it's not capable of doing less than 438 Mhz.
>>
>>Is this a hard rule with this device? Because a lot of the satellites
>>that I want to work are a little bit less than this. Like AO-51 which
>>has a downlink of 435.300 MHz.
>>
>>As I've said, this is my first radio purchase so I just want to make
>>sure it will do what I want.
>>
>>Any help is most appreciated.
>>
>>-brad w.
>
>According the the QST reviews of both the TH-D7A (Aug 1999) and the
>TH-D7A(G) (Apr 2008) the transmitter frequency coverage as measured in
>their lab is 430-450 MHz. Kenwood shows 438-450 MHz for both of them.
>
>Dick - W6CCD

Just to verify the above, I set my TH-D7A(G) at 430 MHz and checked
the output against my HP frequency counter. No problem transmitting
at that frequency. I also verified that 430 is the bottom of the
range.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

```
From -8618579473249632379
X-Google-Thread: 108122,6f5f4233ecac39c6
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.tornevall.net!
not-for-mail
From: "GARY R STEVENS" <wb2@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ham Gear
Date: Sat, 29 Mar 2008 17:51:05 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 8
Message-ID: <fsmdh7$v8k$1@stable.tornevall.net>
References: <47d9c7ae$0$12563$4c368faf@roadrunner.com>
NNTP-Posting-Host: 20ac5d64b82b12c88db195e3e7a079f4
X-Trace: 2760a77ba0eb6016aaebc70bbd9e3540
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=2760a77ba0eb6016aaebc70bbd9e3540
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:14185


"WB2DBH" <wb2dbh@hotmail.com> wrote in message
news:47d9c7ae$0$12563$4c368faf@roadrunner.com...
> http://members6.boardhost.com/theswapshoppe/
>
That website sucks as much as I do.
```

```
From 2041038941017676805
X-Google-Thread: 108122,a0e0f0deac33d68
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 29 Mar 2008 18:06:28 -0500
From: alandoss <alandoss.23480cd@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: For Sale Harris RF-530A Receiver & Hallicrafters SX-73
Date: Sat, 29 Mar 2008 21:24:58 +0000
```

```
Message-ID: <alandoss.23480cd@radiobanter.com>
Organization: RadioBanter.com
References:  <ak_Fj.10409$qS5.8546@nlpi069.nbdc.sbc.com>
Lines: 43
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 87.106.71.43
X-Trace: sv3-l0Wxtbyga3RZtj7+1kqfs5oPzfG5PV7khDSGfbjTBXMD9llL/
QWP0MF9XtZlxRxt9I1phQJIvm5QpMS!
m87hfKeIuPP80igotmihRG+Bxi98p3ic7Adbg38WtyjFblW7rFU5ExC4nx504n+AR8uDXjwfoKh1!
UskCnQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
X-Original-Lines: 31
Xref: g2news1.google.com rec.radio.amateur.equipment:14186


'W5IDX[_2_ Wrote:
> ;623743']In the Houston Area.
>
> Harris RF-530A Receiver "one of the rare ones" a few broken plastic
> push
> buttons "changes frequency" and has an intermittent problem. "Acts like
> a
> cold solder joint." Taking offers Audio drops out and if you tap the
> case it
> pops back. In Cabinet with Handles and set up for Rack mount.
>
> Comes with a copy of the manual.
>
>
>
>
>
> Hallicrafters SX-73 Plays like a dream Taking Offers  "No Cabinet- with
> rack
> mounting.
>
>
>
> Pictures available
>
>
>
> "prefer not ship"
>
>
>
> W5IDX good on QRZ!
>
```

```
> mycall at qsl.net

Hello, I'm curious as to what you would like to get out of the SX-73,
you can email me back at alandoss@hotmail.com  Thanks 73 Alan.




--
alandoss


From -9069821935205469448
X-Google-Thread: 108122,c5d647befaab806a
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!news.tornevall.net!not-
for-mail
From: "GARY R STEVENS" <wb2@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Alinco DX-70TH
Date: Sat, 29 Mar 2008 20:20:53 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 10
Message-ID: <fsmma2$91d$1@stable.tornevall.net>
References: <47ee665f$0$6154$4c368faf@roadrunner.com>
NNTP-Posting-Host: 037096748dd7267ab7a80a84ec994b44
X-Trace: 4a0e1fae4fb5e233353b9d41a094025e
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=4a0e1fae4fb5e233353b9d41a094025e
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:14187


"MWH" <az1@yahoo.com> wrote in message
news:47ee665f$0$6154$4c368faf@roadrunner.com...
> One year old, $600. Click-on link below:
>
>
The link goes to a website that sucks.
>




From 2808053357046629352
X-Google-Thread: 108122,d2fd6d8b192ae830,start
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
s8g2000prg.googlegroups.com!not-for-mail
From: kb9olm <kb9olm@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: JRC NRD-535D (NRD535) receiver parts & boards
Date: Sat, 29 Mar 2008 17:23:45 -0700 (PDT)
Organization: http://groups.google.com
Lines: 23
Message-ID: <823c7224-a3b3-4338-babc-d3610e79578c@s8g2000prg.googlegroups.com>
NNTP-Posting-Host: 75.36.146.128
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1206836625 10107 127.0.0.1 (30 Mar 2008 00:23:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Mar 2008 00:23:45 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s8g2000prg.googlegroups.com; posting-host=75.36.146.128;
     posting-account=TAYySQgAAACzmyBLoosOcf7OlPn558nk
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.13)
     Gecko/20080311 Firefox/2.0.0.13,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14188
```

The following parts, boards and pieces from my NRD-535D parts radio
(serial # 53XXX) are for sale :

MOTHER BOARD
METAL CASE FRAME
TOP AND BOTTOM METAL COVERS
BACKSIDE PANEL WITH ALL CONNECTORS & POWER SUPPLY CIRCUIT
INTERNAL 8-OHM SPEAKER (EAS-8P29S) W/CONNECTING CABLE & CONNECTOR

CAE-227,   (IF AMP BOARD)
CGA-145,   (LOOP1 BOARD)
CGK-127A,   (REF/DDS BOARD)
CDC-493AD,   (CPU BOARD)

Everything listed above is in good cosmetic and good working
condition.
Will ship US, Canada and EU.

Tnx & 73,
Vlad, kb9olm
SF Bay Area
kb9olm_AT_yahoo_DOT_com

```
From -1376765475233714790
X-Google-Thread: 108122,e111090ad5b524e3,start
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 30 Mar 2008 11:06:46 -0500
From: ad4vs <ad4vs.2356fdb@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ft-530, IC-T90A battery packs
Date: Sun, 30 Mar 2008 14:52:28 +0100
Message-ID: <ad4vs.2356fdb@radiobanter.com>
Organization: RadioBanter.com
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 87.106.71.43
X-Trace: sv3-
IOmKn8Ot6hliQ0Z+rTs2l0bF0m7dcgxJ0PSq9z1GJYg9wPN4YRMSgOS3JK3dO2LRIDBCVU2hZ75u6fS!
5PtRl2OJ/ilq7sJEOs7wH9JRTqBsyl3XQROZii85V+Y/gk+GhZzTrlFGmqIoJ3JpXVlST3EreqaA!Vw==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:14189
```

Does anyone have any experience with changing the batteries in a FT-530 pack? Mine are all FNB-27's 12v 1100mAh packs. Also has anyone seen any long lasting packs for the IC-T90A?

--
ad4vs

```
From -4840849346740013801
X-Google-Thread: 108122,a0e0f0deac33d68
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 31 Mar 2008 17:08:24 -0500
From: alandoss <alandoss.23715b8@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: For Sale Harris RF-530A Receiver & Hallicrafters SX-73
Date: Mon, 31 Mar 2008 18:48:52 +0100
Message-ID: <alandoss.23715b8@radiobanter.com>
Organization: RadioBanter.com
```

References: <ak_Fj.10409$qS5.8546@nlpi069.nbdc.sbc.com>
Lines: 44
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 87.106.71.43
X-Trace: sv3-pxlXECd6m4kRNZsCHiVnFV/
lQGVEPxUpJyKmTIdpknVJGXPWRgdyGCIPH4d60ViE6AKgFb4QkSKsrA4!Cabp3xqnXQ3CllHhV5/
btWVW+dTaiYpF2GUWqkFXBMuLTpq7g+e1dVkSbGUwkylmBLTctDPCJKRQ!WPh+0g==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.38
X-Original-Lines: 32
Xref: g2news1.google.com rec.radio.amateur.equipment:14190

Hello, this is my second email to yo, what would you like to get for the
SX-73, 73 Alan.

'W5IDX[_2_ Wrote:
> ;623743']In the Houston Area.
>
> Harris RF-530A Receiver "one of the rare ones" a few broken plastic
> push
> buttons "changes frequency" and has an intermittent problem. "Acts like
> a
> cold solder joint." Taking offers Audio drops out and if you tap the
> case it
> pops back. In Cabinet with Handles and set up for Rack mount.
>
> Comes with a copy of the manual.
>
>
>
>
>
> Hallicrafters SX-73 Plays like a dream Taking Offers "No Cabinet- with
> rack
> mounting.
>
>
>
> Pictures available
>
>
>
> "prefer not ship"
>
>
>
> W5IDX good on QRZ!

```
>
> mycall at qsl.net




--
alandoss


From -2996245919418221416
X-Google-Thread: 108122,cfb522d607485db7,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe20.lga.POSTED!53ab2750!not-for-mail
From: "George Folse III" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS
Lines: 72
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0006_01C8936C.FB95D1F0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <G7gIj.44099$QC.43625@newsfe20.lga>
NNTP-Posting-Host: 70.180.115.25
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe20.lga 1207012966 70.180.115.25 (Mon, 31 Mar 2008 18:22:46 MST)
NNTP-Posting-Date: Mon, 31 Mar 2008 18:22:46 MST
Organization: Cox
Date: Mon, 31 Mar 2008 20:22:46 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:14191

This is a multi-part message in MIME format.

------=_NextPart_000_0006_01C8936C.FB95D1F0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I have 2 rigs for sale.=20
FT 857D
FC 30 automatic tuner
Remote Face
Amplifier cable
All only 6 months old like new conditions, have all boxes and manuals
$800.00 + shipping from 70053
```

FT 890AT
FP 757HD power supply
MMB 20 mobile mounting bracket
Ex condition no scratches or dings
Mod was done for TX on all bands
Have all boxes and manuals
$600.00 + shipping from 70053

Can send photos if interested=20

George K5WWO

```
------=_NextPart_000_0006_01C8936C.FB95D1F0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16608" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I have 2 rigs for sale. </FONT></DIV>
<DIV><FONT face=3DArial size=3D2>FT 857D</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>FC 30 automatic tuner</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Remote Face</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Amplifier cable</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>All only 6 months old like new =
conditions, have all=20
boxes and manuals</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>$800.00 + shipping from =
70053</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>FT 890AT</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>FP 757HD power supply</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>MMB 20 mobile mounting =
bracket</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Ex condition no scratches or =
dings</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Mod was done for TX on all =
bands</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Have all boxes and manuals</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>$600.00 + shipping from =
70053</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>&nbsp;Can send photos if interested =
</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>George K5WWO</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2><BR></FONT>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_0006_01C8936C.FB95D1F0--




From -665550264090440965
X-Google-Thread: 108228,9a56bc0e03ecc01c,start
X-Google-Thread: 10ed5f,9a56bc0e03ecc01c,start
X-Google-Thread: 108122,9a56bc0e03ecc01c,start
X-Google-Thread: fc8b1,9a56bc0e03ecc01c,start
X-Google-Attributes:
gid108228,gid10ed5f,gid108122,gidfc8b1,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!
feeder.erje.net!news.ainex.net!news2.arglkargh.de!news.dizum.com!sewer-output!
mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,alt.ham-
radio,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: eBay: Hammarlund SP-600 JX28 receiver
Message-ID: <d87607d50f935e8d30b92c71078f0477@pseudo.borked.net>
Date: Tue,  1 Apr 2008 06:25:15 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:3670 alt.ham-radio:3312
rec.radio.amateur.equipment:14192 rec.radio.amateur.boatanchors:14421

http://starturl.com/Hammarlund




From -989419375152971611
X-Google-Thread: 108122,c550c6b218bda9e5
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s19g2000prg.googlegroups.com!not-for-
mail
From: EC7AAG <ec7aag@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Curtis Lil' Bugger Keyer Cable Color Code
Date: Tue, 1 Apr 2008 07:46:09 -0700 (PDT)
Organization: http://groups.google.com
Lines: 42
Message-ID: <bdc90bd5-c649-41a0-9120-e0a11f6dc9d3@s19g2000prg.googlegroups.com>
References: <9beec0de-55fb-4fc8-8cef-b26620008d43@h25g2000hsf.googlegroups.com>
     <1c3507fa-8f56-4c5e-988d-6cb8a67df553@34g2000hsz.googlegroups.com>
     <ykLvj.8393$097.4821@newsfe21.lga> <2310a939-2302-42a9-8576-
f8966051a52f@u69g2000hse.googlegroups.com>
NNTP-Posting-Host: 88.7.62.62
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
```

```
X-Trace: posting.google.com 1207061169 18624 127.0.0.1 (1 Apr 2008 14:46:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 1 Apr 2008 14:46:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s19g2000prg.googlegroups.com; posting-host=88.7.62.62;
     posting-account=JcNKuQoAAAABHIt1DMMHbRvwj30Rx1wp
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; es-ES; rv:1.8.1.13)
     Gecko/20080311 Firefox/2.0.0.13,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14193

On 24 feb, 18:23, the-dha...@sbcglobal.net wrote:
> Thanks for the tip Glenn OM.
>
> This manual seems to have everything BUT the connection information
> for connecting the thing to a paddle, which is what I need!
>
> Maybe I can look at the board and figure out what's going on...
>
> 73,
> Jeff
> N6MNI
>
> On Feb 22, 6:14 pm, "Glenn" <aa...@hotmail.com> wrote:
>
> > Here's the manual: <http://www.hamanuals.com/MMans/CURTIS.pdf>
> > 73 de Glenn AA5PK
>
> > <the-dha...@sbcglobal.net> wrote in message
>
> >news:1c3507fa-8f56-4c5e-988d-6cb8a67df553@34g2000hsz.googlegroups.com...
>
> > > C'mon -- *someone* must have the manual for this keyer...
>
> > > Give a guy a break <grin>!
>
> > > 73,
> > > Jeff
> > > N6MNI
>
> > > On Feb 19, 4:40 pm, the-dha...@sbcglobal.net wrote:
> > >> Can someone please provide the color code for theCurtisLil' Bugger
> > >> input cable ?
>
> > >> Thank you.
>
> > >> 73,
> > >> Jeff
> > >> N6MNI

ROJO --> PUNTO
NEGRO --> RAYA
GRIS --> COMUN
```

```
From 5336343708897758577
X-Google-Thread: 108122,6b3e15c54b779f43
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!news.solace.miun.se!
news.solace.miun.se!newspeer2.se.telia.net!se.telia.net!masternews.telia.net.!
newsb.telia.net.POSTED!not-for-mail
From: "Harry Lippitz" <johnsmith@micro$oft.com>
Newsgroups: rec.radio.amateur.equipment
References: <7351b7d4-2f77-4922-9fef-a03bbb65250b@b2g2000hsg.googlegroups.com>
Subject: Ref: Heathkit Mohican Receiver Manual or Schematics
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <pdtIj.5546$R_4.4641@newsb.telia.net>
Date: Tue, 01 Apr 2008 16:16:21 GMT
NNTP-Posting-Host: 81.227.200.86
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1207066581 81.227.200.86 (Tue, 01 Apr 2008 18:16:21 CEST)
NNTP-Posting-Date: Tue, 01 Apr 2008 18:16:21 CEST
Organization: Telia Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:14194

> Hi
>
> Does anyone have a scan or a pdf of the manual, assembly manual or
> schematic for the Heathkit Mohican from the mid '60s.
>
> Thanks Andy

Hi Andy, Did you get the data you wanted? If not then drop me a line and I
can forward the full circuit diagram and the alignment data (electrical and
mechanical) from the maunal.

Regards from Harry - SM0VPO
sm0vpo2008(at)telia(dot)com
http://web.telia.com/~u85920178/




From -7105305656502718679
X-Google-Thread: 108122,6b3e15c54b779f43
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!newspeer2.se.telia.net!se.telia.net!masternews.telia.net.!
newsb.telia.net.POSTED!not-for-mail
```

From: "Harry Lippitz" <johnsmith@micro$oft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ref: Heathkit Mohican Receiver Manual or Schematics
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <8ftIj.5547$R_4.4543@newsb.telia.net>
Date: Tue, 01 Apr 2008 16:18:12 GMT
NNTP-Posting-Host: 81.227.200.86
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1207066692 81.227.200.86 (Tue, 01 Apr 2008 18:18:12 CEST)
NNTP-Posting-Date: Tue, 01 Apr 2008 18:18:12 CEST
Organization: Telia Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:14195

> Hi
>
> Does anyone have a scan or a pdf of the manual, assembly manual or
> schematic for the Heathkit Mohican from the mid '60s.
>
> Thanks Andy

Hi Andy, Did you get the data you wanted? If not then drop me a line and I can forward the full circuit diagram and the alignment data (electrical and mechanical) from the maunal.

Regards from Harry - SM0VPO
sm0vpo2008(at)telia(dot)com
http://web.telia.com/~u85920178/

From 2029834875011919211
X-Google-Thread: 108122,bf0e86aaaa934793,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "MWH" <az1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ham Gear
Date: Tue, 1 Apr 2008 19:14:31 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 3

Message-ID: <47f2c1cf$0$11352$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14196

http://members6.boardhost.com/theswapshoppe/

From -1253275618107089720
X-Google-Thread: 1109af,6d2af1b290f37dd7,start
X-Google-Thread: 108122,6d2af1b290f37dd7,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Motorola - VHF "Handie-Talkies" ("HT's")
Lines: 47
MIME-Version: 1.0
Content-Type: text/plain;
charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <jBFIj.6243$s27.5761@trnddc02>
Date: Wed, 02 Apr 2008 06:21:03 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1207117263 68.236.31.9 (Wed, 02 Apr 2008 02:21:03 EDT)
NNTP-Posting-Date: Wed, 02 Apr 2008 02:21:03 EDT
Xref: g2news1.google.com rec.radio.swap:18820 rec.radio.amateur.equipment:14197

For Sale ---

I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
VHF Handhelds ("HT's"), with (2) Motorola Desk Chargers for sale.

Features of these reliable Motorola handheld units include:

* Both are 4 Channel VHF models - 4 channels easily switchable using channel selector switch on top of each "HT". Other external controls include volume and squelch controls

* Both units include their Motorola VHF "duckie" antennas

- Both units include good NiMh battery packs

- Both units include their Motorola desktop "cradle" chargers (with plug-in wall transformers and charging indicator lights)

Ideal for "point-to-point" communications use by anyone, or for emergency and emergency preparedness radio communications.

Easy programming instructions are located on the inside of both unit's battery covers, making programming simple and convenient.
Range of these rugged handhelds is approximately 5 miles.

Includes a complete copy of the Motorola "owners manual" for these radios (written in easy-to-understand, non-technical language).

$ 100.00 plus $ 7.50 for Insured Prioriity Mail shipping, with Delivery Confirmation (Cont'l U.S. only).

An excellent value ... don't miss out on these great VHF "HT's" !

Payment by USPS Postal Money Order only, please, for immediate shipment.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

From -2405103761369583756
X-Google-Thread: 108122,33e2ddf9d872f32b,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.wideopenwest.com!news.wideopenwest.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 03 Apr 2008 07:38:29 -0500
From: "Always Right" <AA8X@wowway.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MLA 2500 QST review
Date: Thu, 3 Apr 2008 07:38:29 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <Hs-dnQTK16dYUmnanZ2dnUVZ_gKdnZ2d@wideopenwest.com>

```
Lines: 5
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.149.52.237
X-Trace: sv3-8a9Hs7g8Zx8f/
Uize2DwlTdNE2OE7Nv0l1OOKBQHv58rqp80SzjMj95tb7TTC5VUzseMWxI5DEoO0hQ!
OMI5+WFNXwT4xZD1qRYtMPZGyqHRDSI03lUxZhdbToXxiZ5TAEwoUOc8mLQIrL7D7qIod4blSJaR!
1IsMIeZoXzuf8NXsTN8icp4AQhG6Fu5h
X-Complaints-To: abuse@wideopenwest.com
X-DMCA-Complaints-To: abuse@wideopenwest.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.38
Xref: g2news1.google.com rec.radio.amateur.equipment:14198
```

Anyone have a copy of the review done by QST for the Dentron MLA-2500
amplifier? I believe this was done in the late 70's.
Tnx, Bob AA8X

```
From -5787277946829466301
X-Google-Thread: fc8b1,8341521e01935dd7
X-Google-Thread: 108122,fed3cf122921aec1,start
X-Google-Thread: fc2a5,8341521e01935dd7
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.251.MISMATCH!news-out.readnews.com!transit4.readnews.com!panix!
panix3.panix.com!arthures
From: A <arthures@panix.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.amateur.equipment,r
ec.radio.amateur.homebrew
Subject: For sale: Johnson Ranger....
Date: Thu, 3 Apr 2008 09:35:56 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 68
Message-ID: <Pine.NEB.4.64.0804030930380.19782@panix3.panix.com>
References: <f%XCj.32304$J41.13043@newssvr14.news.prodigy.net>
 <47e47a97$0$11007$470ef3ce@news.pa.net> <13udr26kehk9g7a@corp.supernews.com>
 <wcOHj.30808$R84.6989@newssvr25.news.prodigy.net>
NNTP-Posting-Host: panix3.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1207229758 28544 166.84.1.3 (3 Apr 2008 13:35:58 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 3 Apr 2008 13:35:58 +0000 (UTC)
In-Reply-To: <wcOHj.30808$R84.6989@newssvr25.news.prodigy.net>
Xref: g2news1.google.com rec.radio.amateur.boatanchors:14428
rec.radio.amateur.equipment:14199 rec.radio.amateur.homebrew:15438
```

For sale: Viking Johnson Ranger

I bought it at a hamfest a number of years ago ('03?) when I was phasing into retirement and thinking of doing some kind of a restoration and had partial success with this. However, I have gravitated to a different kind of retirement ham hobby activity: total or almost total homebrewing. Thus, I'd like to find a new home for this Ranger.

Caveats: It has some major internal problems, The guy before the guy I bought it from had totally torn out all of the CW circuitry. Also, the modulator was converted from 2x1614s to a pair of 2E26s. The modulation transformer is unknown, hermetically sealed (black pot), and of a brand name I've never heard of, and larger than the original, AND located on the opposite side of the chassis. This guy also converted the speech amplifier to a big mess and a phase inverter driver for the 2E26s. Also, as part of this job, he tore out the 5V4 (?) and left the 5R4 thus making it all 500-550 vdc and no low voltage. To get low voltage (for VFO and 6CL6s) he used power resistors in series with low voltage load and connected the top to the high voltage supply. He also moved the VR tube to where the crystal socket was. The power transformer and large choke seem like the original.

At the time I aquired the rig, the electrolytic was dry (hum on carrier looke like 30% on a scope). I made a kludge repair on that and drove the 2E26s with an outboard hi-fi amp and actually had the rig on the air in several AM contacts on 160 and 75. The VFO does not jump frequency (I had this problem on an earlier Ranger many years ago) during or after warm-up, at least to the extent that I monitored this. I have observed a spur coming sometimes from the 6146 driver (in standby, swishing through the driver tune knob, get a herterodyne in a receiver).

My own mods included two mini-toggle switches near the function switch (which needs cleaning and oil). The meter is OK, but the meter switch needs cleaning, too. I added a DPDT relay run off the 110 vac as part of a plan to change the manner of control of standby to transmit and back. Off the back panel I've added banana jacks for certain outside "port" connections, and one of those European-type female chassis plugs (three prong) that you see everywhere now for AC-in. I also tore out the power line filter (caps to ground & series inductances [I've gotten mild shocks off all of this old gear that put those things in under the 'old ways' GMPs, but I think they are basically useless]). The cabinet cosmetics are probably, IIRC, closest to "very good" in terms of few scratches/wear and barely any rust or corrosion anywhere (except some on some surfaces of the transformers/chokes).

There may be some other minor issues but I can't think of them just now.

So, you could look at this as a restoration to a less-than-original state or a spare-parts source. I paid $200 for this, but I paid too much. I guess its worth $50, now, and I think I don't want to ship it. I'm in southern Delaware and not in a hurry to get rid of it but would like to free up some space in my hamshack and get it into someone's hands who is wants to do the restoration I was going for (just AM capability), or whatever. So, I'm willing to drive one way about up to one hour in any direction to some "half-way" point away from my home. Manual reproduction comes with. There is also a Georgetown, DE hamfest on April 12, here (at Sussex Tech HS), and could meet someone there, too.

If you are interested then email me and tell me your story (in case there is more than one person interested who can meet me within my one hour driving radius of Georgetown, DE). Respond to the email address originating from this post, but if I don't answer within 2 days, make a followup post and give your email address in that post (I have spam filters but simple email usually does get through).

W4PON

```
From 7948768180045805408
X-Google-Thread: 108122,e111090ad5b524e3
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!1bc6af47!not-for-mail
From: "JB" <ml43@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <ad4vs.2356fdb@radiobanter.com>
Subject: Re: ft-530, IC-T90A battery packs
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Pl7Jj.18731$bC6.16981@trnddc08>
Date: Thu, 03 Apr 2008 16:12:31 GMT
NNTP-Posting-Host: 71.118.2.23
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1207239151 71.118.2.23 (Thu, 03 Apr 2008 12:12:31 EDT)
NNTP-Posting-Date: Thu, 03 Apr 2008 12:12:31 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:14200
```

FNB-27   Carefully crack the weld all the way around, slit through the label, pry with screwdriver from the bottom between the pack inside and the plastic wall. beware of shorts and sparks. The pack is usually glued with silicon or monkey snot to the sides. If you don't screw up the top rails all should be well. New pack can be sandwiched with a little silicone cement to the sides. Don't worry about the cracked welds.

"ad4vs" <ad4vs.2356fdb@radiobanter.com> wrote in message
news:ad4vs.2356fdb@radiobanter.com...

>
> Does anyone have any experience with changing the batteries in a FT-530

```
> pack? Mine are all FNB-27's 12v 1100mAh packs. Also has anyone seen any
> long lasting packs for the IC-T90A?
>
>
>
>
> --
> ad4vs




From 484626173184471961
X-Google-Thread: 108122,754582d6add34f17
X-Google-Thread: fc2a5,754582d6add34f17
X-Google-Attributes: gid108122,gidfc2a5,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!6f8a92c4!not-for-mail
Message-ID: <47F59FE9.8030507@worldnet.att.net>
From: Al Schapira <a.schapira@worldnet.att.net>
User-Agent: Thunderbird 2.0.0.9 (X11/20071115)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: HP Function Generators: (2) HP 3310A  (1) HP 3311A
References: <43910B3C.4000905@worldnet.att.net> <z4qdnU-hvI-
mV3fanZ2dnUVZ_sGvnZ2d@comcast.com> <13ulj5576787lc2@corp.supernews.com>
In-Reply-To: <13ulj5576787lc2@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
NNTP-Posting-Host: d6ffc5d4c7270fb29826e7ac6a6af13e
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1207279908
d6ffc5d4c7270fb29826e7ac6a6af13e (Fri, 04 Apr 2008 03:31:48 GMT)
NNTP-Posting-Date: Fri, 04 Apr 2008 03:31:48 GMT
Organization: AT&T Worldnet
Date: Fri, 04 Apr 2008 03:31:48 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14201
rec.radio.amateur.homebrew:15444

Michael A. Terrell wrote:
> CP wrote:
>> Your links don't work.
>
>    You are replying to spam that is over two years old.
>


I removed the pictures when the units were sold (as you said, over two
years ago) but it wasn't spam.  -Al
```

From -8200258235047262463
X-Google-Thread: 1109af,c1325e0816aeff6f,start
X-Google-Thread: 108122,c1325e0816aeff6f,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Motorola "Spirit" VHF Handie-Talkies ("HT's")
Lines: 70
MIME-Version: 1.0
Content-Type: text/plain;
charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <TERJj.6007$lt2.549@trndny05>
Date: Sat, 05 Apr 2008 20:53:07 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1207428787 68.236.31.9 (Sat, 05 Apr 2008 16:53:07 EDT)
NNTP-Posting-Date: Sat, 05 Apr 2008 16:53:07 EDT
Xref: g2news1.google.com rec.radio.swap:18831 rec.radio.amateur.equipment:14202

For Sale:

I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS) VHF "Handy-Talkies" ("HT's"), with two matching Motorola Desk Chargers for sale. Seldom will you find any used Motorola equipment in such "clean" condition as these VHF handheld units are.

Features of these Motorola handheld VHF radios include:

* Both are rugged and reliable Motorola 4 Channel VHF models; both are 4 channel units, with channels easily programmed and easily selected using the channel selector switch on the top of each "HT". No other equipment whatsoever is needed to program the frquency or the "privacy tones" used by these units.

* Both units are "self-contained", with built-in microphones and built-in speakers; nothing else is needed. Units are "ready to go" the moment you receive them. Operation couldn't be simpler, so even a young child can operate these units easily. A copy of the complete owner's guide, which includes all usage and programming instructions in "non-technical" English, is included

* Other external controls include a volume and a squelch control, as well as jacks for connection of an external microphone and an external earphone, if desired

- Both units include their Motorola VHF "duckie" antennas

- Both units include good rechargeable NiMh battery packs

- Additional rechargeable NiMh battery packs readily available for these units at very reasonable prices

- Both units include their Motorola desktop "cradle" chargers (with plug-in wall transformers and charging indicator lights)

- Each of the 4 channels allows selection of a user-programmable tone for channel "privacy"

- Two of the 4 programmed frequencies in each of these two "ht's" are "MURS" frequencies, which require no FCC license whatsoever

- These units are ideal fo personal and family communications, sucn as for communicating from work or school to home, use when shopping, camping, road trips, group trips, etc. They're also ideal units for emergency local communications use for emergency preparedness use

Very simple programming instructions are located on the inside of both unit's battery covers, making programming simple and convenient. They can be programmed easily without the need for any other equipment; these "ht's" have a synthesized "voice" that tells you the frequencies as you step through each of them while programming frequency and "privacy" tone for each of the 4 channels. The range of of these rugged and reliable handheld units is approximately 5 miles (depending upon terrain).

Will sell for $100.00 plus the actual shipping charges (to Cont'l U.S.), payable by USPS Postal Money Order only.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

From -2509221523796667154
X-Google-Thread: 108122,2485d7bd898e8e8a,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s33g2000pri.googlegroups.com!not-for-mail
From: kb9olm <kb9olm@yahoo.com>

```
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood R-820 receiver service manual
Date: Sat, 5 Apr 2008 18:29:31 -0700 (PDT)
Organization: http://groups.google.com
Lines: 8
Message-ID: <06df76d3-2f68-41f1-a523-55b73b361186@s33g2000pri.googlegroups.com>
NNTP-Posting-Host: 75.36.146.128
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1207445371 24603 127.0.0.1 (6 Apr 2008 01:29:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 6 Apr 2008 01:29:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s33g2000pri.googlegroups.com; posting-host=75.36.146.128;
     posting-account=TAYySQgAAACzmyBLoosOcf7OlPn558nk
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.13)
     Gecko/20080311 Firefox/2.0.0.13,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14203

For sale: Hard to find service manual for ham radio receiver Kenwood
R-820 (R820, R 820) receiver.
VGC, $35. Will ship US only.

Sold the R-820 radio last year, but found the service manual today.

Vlad, kb9olm
reply to: kb9olm_AT_yahoo_DOT_com


From 8199955844334479830
X-Google-Thread: 1109af,ba45bcb2e17fd1b2,start
X-Google-Thread: 108122,ba45bcb2e17fd1b2,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny08.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: SMA to BNC Adaptors (for your "ht")
Lines: 24
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <519Kj.1289$XC1.711@trndny08>
Date: Sun, 06 Apr 2008 18:56:01 GMT
```

```
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny08 1207508161 68.236.31.9 (Sun, 06 Apr 2008 14:56:01 EDT)
NNTP-Posting-Date: Sun, 06 Apr 2008 14:56:01 EDT
Xref: g2news1.google.com rec.radio.swap:18834 rec.radio.amateur.equipment:14204
```

I have several brand new (still in their factory sealed packages) SMA male to BNC female adaptors. These are very high quality adaptors with gold-plated center conductor contacts.

Typically, these adaptors are used for adapting the small female SMA connector found on many modern handie-talkies, to a BNC female connection ... so that you can then connect any antenna that uses a BNC (male) connector to your "ht".

Digital photos (.jpg format) of these high quality SMA male to BNC female adaptors are available upon request.

$ 5.50 each, includes USPS First Class shipping to any U.S. address.

Thank you,

-Bill
KB3PT

E-mail: shortwave1@verizon.net

```
From -6638114721092318278
X-Google-Thread: 1109af,d8b44a7e12fd6cbd,start
X-Google-Thread: 108122,d8b44a7e12fd6cbd,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny07.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: 40 (and 15) Meter Crystals - Make your Best Offer!
Lines: 41
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <6t9Kj.2420$N62.655@trndny07>
```

Date: Sun, 06 Apr 2008 19:25:54 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny07 1207509954 68.236.31.9 (Sun, 06 Apr 2008 15:25:54 EDT)
NNTP-Posting-Date: Sun, 06 Apr 2008 15:25:54 EDT
Xref: g2news1.google.com rec.radio.swap:18836 rec.radio.amateur.equipment:14205
X-Original-Bytes: 2139

For Sale - Best Offer

*** 40 Meter Crystals ***

All 5 crystals are in FT-243 holders
Some can also be used on 15 meters
(multiply the crystal frequency by 3)

1-	7073.333 Khz	JAN Crystal
1-	7075 Khz	JAN Crystal
1-	7094 Khz	Texas Crystal
1-	7100 Khz	JAN Crystal
1-	7125 Khz	JAN Crystal

There is a modest "reserve" on these crystals, so they won't be given away for "peanuts". <g> But if you're interested in buying them, make a reasonable offer and they may be yours at a reasonable price if your offer is the best offer received by me in the next week.

Be sure to specify if you want First Class Mail or Priority Mail shipping (U.S. only). Your choice, so include shipping charges in your offer ... let me know how you want the crystals shipped.

Make your best offer (including shipping) on these 5 crystals today! Best offer (above the "reserve") received gets 'em; in case more than one identical offer is received within the next week, the first offer (above the reserve) received get's em.

So much for eBay! <g>

Thanks & 73,

-Bill
KB3PT

E-mail: shortwave1@verizon.net

From 3726931751711757088
X-Google-Thread: fcc6e,7a51964accdadcb,start

```
X-Google-Thread: 11480d,7a51964accdadcb,start
X-Google-Thread: 108122,7a51964accdadcb,start
X-Google-Thread: fc2a5,7a51964accdadcb,start
X-Google-Thread: 10b9c8,7a51964accdadcb,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!transit4.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1204873500@panix.com>
Followup-To: poster
Date: 7 Apr 2008 02:05:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 May 2008 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1207548301@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1207548302 19864 166.84.1.2 (7 Apr 2008 06:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Apr 2008 06:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:56521 rec.radio.amateur.dx:3952
rec.radio.amateur.equipment:14206 rec.radio.amateur.homebrew:15452
rec.radio.info:744
```

```
Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/
```

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 5946803608658053974
X-Google-Thread: 108122,54054e299f74bafe,start
X-Google-Thread: 1109af,54054e299f74bafe,start
X-Google-Thread: 10b9c8,54054e299f74bafe,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1204873800@panix.com>
Followup-To: poster
Date: 7 Apr 2008 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 May 2008 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1207548600@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1207548601 2152 166.84.1.2 (7 Apr 2008 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Apr 2008 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment

Xref: g2news1.google.com rec.radio.amateur.equipment:14207 rec.radio.swap:18838
rec.radio.info:745

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 5635021436400099007
X-Google-Thread: 100cf8,91ad84cabeabd8ee,start
X-Google-Thread: 10db18,91ad84cabeabd8ee,start
X-Google-Thread: 1109af,91ad84cabeabd8ee,start
X-Google-Thread: 108122,91ad84cabeabd8ee,start
X-Google-Attributes:
gid100cf8,gid10db18,gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!

border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups:
alt.audio.equipment,rec.audio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: E-V 664 Microphone, Base, Cable, Nice!
Lines: 41
MIME-Version: 1.0
Content-Type: text/plain;
charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <vjTKj.2079$bQ1.354@trndny09>
Date: Tue, 08 Apr 2008 23:35:55 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1207697755 68.236.31.9 (Tue, 08 Apr 2008 19:35:55 EDT)
NNTP-Posting-Date: Tue, 08 Apr 2008 19:35:55 EDT
Xref: g2news1.google.com alt.audio.equipment:7079 rec.audio.marketplace:10602
rec.radio.swap:18847 rec.radio.amateur.equipment:14208
X-Original-Bytes: 2586

I have an absolutely beautiful classic Electro-Voice Model 664 Microphone for sale.

This dynamic cardioid microphone can be used as either a high-impedance (Hi-Z) or a low impedance (Low-Z) microphone, and is the nicest E-V 664 I've ever seen! It's satin chrome finish is in excellent condition throughout;
the mike looks almost just like new, with no sign of any "pitting" or tarnishing
so commonly seen on many chrome microphones. This one is a true gem.

This mike was used in a small church which upgarded their sound system. It includes a nice cast Atlas Sound Corporation desk stand for the mike, and a 15 foot shielded microphone cable with a 4-pin connector on one end (which matches the 4-pin jack on the E-V 664 mike), and a standard 3-pin "XLR" connector on the other end.

If you've been looking for a really nice, really clean E-V 664 for your shack,
or for use with an auditorium sound system, you're not likely to find a nicer
one than this beautiful E-V 664 microphone.

I'll be glad to send you complete specs for the E-V 664 microphone (in Adobe .pdf file format) and pictures of the E-V 664 mike (in .jpg file format) upon request.

Price for this E-V 664 microphone, with the Atlas Sound desk stand and
the shielded mike cable with connectors, is a firm $ 100.00. plus $ 12.00
for Priority Mail Insured shipping to your door anywhere in the Continental
U.S. (only). Payment to be by USPS Postal Money Order only, please.

Thanks,

-Bill
KB3PT
Selbyville, Delaware
E-mail: shortwave1@verizon.net

From -5830999734264667793
X-Google-Thread: 108122,676b59d32087913,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: TAYLOR, BUD KOHNSON CATALOGS+32V-3 PART
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <4AdLj.163053$cQ1.46113@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: aacd6b8affb8f4213908ad33acbe8171
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1207788928
aacd6b8affb8f4213908ad33acbe8171 (Thu, 10 Apr 2008 00:55:28 GMT)
NNTP-Posting-Date: Thu, 10 Apr 2008 00:55:28 GMT
Organization: AT&T Worldnet
Date: Thu, 10 Apr 2008 00:55:28 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14209

JUST LISTED: ANTIQUE BUD, JOHNSON, AND TAYLOR TUBE CATALOGS + COLLINS
32V-3 AC POWER COVER; see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

MO COMING SOON: heytubeguy

From 5147095564273800722
X-Google-Thread: 108122,5250a7656bb90459,start

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q10g2000prf.googlegroups.com!not-for-mail
From: 12345678 <yongyingwen2008@163.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hip hop shirt At for sale Price (paypal accept)(www. top-saler.com)
     googi,jeans,jacket,hoody At for sale Price (paypal accept)(www. top-saler.com)
Date: Wed, 9 Apr 2008 18:35:04 -0700 (PDT)
Organization: http://groups.google.com
Lines: 360
Message-ID: <20701320-8e93-4411-ae0e-2cea7e13ddf9@q10g2000prf.googlegroups.com>
NNTP-Posting-Host: 218.64.38.79
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1207791305 5656 127.0.0.1 (10 Apr 2008 01:35:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Apr 2008 01:35:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q10g2000prf.googlegroups.com; posting-host=218.64.38.79;
     posting-account=tYR62QoAAACpb_-QD0ooTbUpybKpB-Yb
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14210

sneaker   for sale (paypal accept)(www.top-saler.com)
nike sneaker  for sale (paypal accept)(www.top-saler.com)
paypal sneaker for saler  for sale (paypal accept)(www.top-saler.com)
paypal nike sneaker for saler  for sale (paypal accept)(www.top-saler.com)
air jordan  for sale (paypal accept)(www.top-saler.com)
dunk  for sale (paypal accept)(www.top-saler.com)
gucci  for sale (paypal accept)(www.top-saler.com)
r3,r4,r5,shox  for sale (paypal accept)(www.top-saler.com)
adidas  for sale (paypal accept)(www.top-saler.com)
nike rift  for sale (paypal accept)(www.top-saler.com)
air force one  for sale (paypal accept)(www.top-saler.com)
air max,90,87  for sale (paypal accept)(www.top-saler.com)
air max 360,180,(paypal accept)(www. top-saler.com)
air max95  for sale (paypal accept)(www.top-saler.com)
vc,  for sale (paypal accept)(www.top-saler.com)
puma  for sale (paypal accept)(www.top-saler.com)
junior seri  for sale (paypal accept)(www.top-saler.com)
prada  for sale (paypal accept)(www.top-saler.com)
christan audiger shoes(paypal accept)(www. top-saler.com)
greedy genius  for sale (paypal accept)(www.top-saler.com)
versace shoes  for sale (paypal accept)(www.top-saler.com)
DG shoes  for sale (paypal accept)(www.top-saler.com)
boot  for sale (paypal accept)(www.top-saler.com)
evisu shoes  for sale (paypal accept)(www.top-saler.com)
```

sand shoes for sale (paypal accept)(www.top-saler.com)
lv shoes for sale (paypal accept)(www.top-saler.com)
NBA shoes for sale (paypal accept)(www.top-saler.com)
UGG shoes for sale (paypal accept)(www.top-saler.com)
nike for sale (paypal accept)(www.top-saler.com)
paypal whoelsale bape hoody for sale (paypal accept)(www.top-saler.com)
antick jeans for sale (paypal accept)(www.top-saler.com)
paypal whoelsale diesel jeans for sale (paypal accept)(www.top-saler.com)
artful dudger for sale (paypal accept)(www.top-saler.com)
bag for sale (paypal accept)(www.top-saler.com)
clothing for sale (paypal accept)(www.top-saler.com)
clothes for sale (paypal accept)(www.top-saler.com)
lrg,jeans,hoody,(paypal accept)(www. top-saler.com)
paypal whoelsale evisu jeans,hoody,shirt(paypal accept)(www. top-saler.com)
paypal whoelsale AF,jacket for sale (paypal accept)(www.top-saler.com)
paypal whoelsale g star,jeans,jacket(paypal accept)(www. top-saler.com)
soccer suit for sale (paypal accept)(www.top-saler.com)
hip hop shirt for sale (paypal accept)(www.top-saler.com)
googi,jeans,jacket,hoody(paypal accept)(www. top-saler.com)
F1 coat,jacket,shirt(paypal accept)(www. top-saler.com)
gucci bag,lv bag,dior,fendi(paypal accept)(www. top-saler.com)
watch,belt hat(paypal accept)(www. top-saler.com)
air jordan At for sale Price   for sale (paypal accept)(www.top-saler.com)
dunk At for sale Price for sale (paypal accept)(www.top-saler.com)
gucci At for sale Price   for sale (paypal accept)(www.top-saler.com)
r3,r4,r5,shox At for sale Price (paypal accept)(www. top-saler.com)
adidas At for sale Price   for sale (paypal accept)(www.top-saler.com)
nike rift At for sale Price   for sale (paypal accept)(www.top-saler.com)
air force one At for sale Price (paypal accept)(www. top-saler.com)
air max,90,87 At for sale Price (paypal accept)(www. top-saler.com)
air max 360,180,At for sale Price (paypal accept)(www. top-saler.com)
air max95 At for sale Price   for sale (paypal accept)(www.top-saler.com)
vc,At for sale Price   for sale (paypal accept)(www.top-saler.com)
puma At for sale Price   for sale (paypal accept)(www.top-saler.com)
junior series At for sale Price(paypal accept)(www. top-saler.com)
ice cream At for sale Price   for sale (paypal accept)(www.top-saler.com)
prada At for sale Price   for sale (paypal accept)(www.top-saler.com)
christan audiger shoes At for sale Price (paypal accept)(www. top-saler.com)
greedy genius At for sale Price (paypal accept)(www. top-saler.com)
versace shoes At for sale Price (paypal accept)(www. top-saler.com)
DG shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)

boot At for sale Price   for sale (paypal accept)(www.top-saler.com)
evisu shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
sand shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
lv shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
NBA shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
UGG shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
nike At for sale Price   for sale (paypal accept)(www.top-saler.com)
bape hoody paypal whoelsaler   for sale (paypal accept)(www.top-saler.com)
antick jeans At for sale Price (paypal accept)(www. top-saler.com)
diesel jeans paypal whoelsaler (paypal accept)(www. top-saler.com)
artful dudger At for sale Price (paypal accept)(www. top-saler.com)
bag At for sale Price for sale (paypal accept)(www.top-saler.com)
clothing At for sale Price   for sale (paypal accept)(www.top-saler.com)
clothes At for sale Price   for sale (paypal accept)(www.top-saler.com)
lrg,jeans,hoody, At for sale Price (paypal accept)(www. top-saler.com)
evisu jeans,hoody,shirt paypal whoelsaler (paypal accept)(www. top-saler.com)
AF,jacket paypal whoelsaler   for sale (paypal accept)(www.top-saler.com)
g star,jeans,jacket paypal whoelsaler (paypal accept)(www. top-saler.com)
soccer suit At for sale Price   for sale (paypal accept)(www.top-saler.com)
hip hop shirt At for sale Price (paypal accept)(www. top-saler.com)
googi,jeans,jacket,hoody At for sale Price (paypal accept)(www. top-saler.com)
F1 coat,jacket,shirt At for sale Price (paypal accept)(www. top-saler.com)
gucci bag,lv bag,dior,fendi At for sale Price (paypal accept) (www.top-saler.com)
watch,belt hat At for sale Price (paypal accept)(www. top-saler.com)
sneaker   for sale (paypal accept)(www.top-saler.com)
nike sneaker for sale (paypal accept)(www.top-saler.com)
paypal sneaker for saler for sale (paypal accept)(www.top-saler.com)
paypal nike sneaker for saler for sale (paypal accept)(www.top-saler.com)
air jordan for sale (paypal accept)(www.top-saler.com)
dunk for sale (paypal accept)(www.top-saler.com)
gucci for sale (paypal accept)(www.top-saler.com)
r3,r4,r5,shox for sale (paypal accept)(www.top-saler.com)
adidas for sale (paypal accept)(www.top-saler.com)
nike rift for sale (paypal accept)(www.top-saler.com)
air force one for sale (paypal accept)(www.top-saler.com)
air max,90,87 for sale (paypal accept)(www.top-saler.com)

air max 360,180,(paypal accept)(www. top-saler.com)
air max95 for sale (paypal accept)(www.top-saler.com)
vc, for sale (paypal accept)(www.top-saler.com)
puma for sale (paypal accept)(www.top-saler.com)
junior seri for sale (paypal accept)(www.top-saler.com)
prada for sale (paypal accept)(www.top-saler.com)
christan audiger shoes(paypal accept)(www. top-saler.com)
greedy genius for sale (paypal accept)(www.top-saler.com)
versace shoes for sale (paypal accept)(www.top-saler.com)
DG shoes for sale (paypal accept)(www.top-saler.com)
boot for sale (paypal accept)(www.top-saler.com)
evisu shoes for sale (paypal accept)(www.top-saler.com)
sand shoes for sale (paypal accept)(www.top-saler.com)
lv shoes for sale (paypal accept)(www.top-saler.com)
NBA shoes for sale (paypal accept)(www.top-saler.com)
UGG shoes for sale (paypal accept)(www.top-saler.com)
nike for sale (paypal accept)(www.top-saler.com)
paypal whoelsale bape hoody for sale (paypal accept)(www.top-saler.com)
antick jeans for sale (paypal accept)(www.top-saler.com)
paypal whoelsale diesel jeans for sale (paypal accept)(www.top-saler.com)
artful dudger for sale (paypal accept)(www.top-saler.com)
bag for sale (paypal accept)(www.top-saler.com)
clothing for sale (paypal accept)(www.top-saler.com)
clothes for sale (paypal accept)(www.top-saler.com)
lrg,jeans,hoody,(paypal accept)(www. top-saler.com)
paypal whoelsale evisu jeans,hoody,shirt(paypal accept)(www. top-saler.com)
paypal whoelsale AF,jacket for sale (paypal accept)(www.top-saler.com)
paypal whoelsale g star,jeans,jacket (paypal accept)(www. top-saler.com)
soccer suit for sale (paypal accept)(www.top-saler.com)
hip hop shirt for sale (paypal accept)(www.top-saler.com)
googi,jeans,jacket,hoody(paypal accept)(www. top-saler.com)
F1 coat,jacket,shirt(paypal accept)(www. top-saler.com)
gucci bag,lv bag,dior,fendi(paypal accept)(www. top-saler.com)
watch,belt hat(paypal accept)(www. top-saler.com)
air jordan At for sale Price   for sale (paypal accept)(www.top-saler.com)
dunk At for sale Price for sale (paypal accept)(www.top-saler.com)
gucci At for sale Price   for sale (paypal accept)(www.top-saler.com)
r3,r4,r5,shox At for sale Price (paypal accept)(www. top-saler.com)
adidas At for sale Price   for sale (paypal accept)(www.top-saler.com)
nike rift paypal for sale (paypal accept)(www.top-saler.com)

sneaker   for sale (paypal accept)(www.top-saler.com)
nike sneaker for sale (paypal accept)(www.top-saler.com)
paypal sneaker for saler for sale (paypal accept)(www.top-saler.com)
paypal nike sneaker for saler for sale (paypal accept)(www.top-

saler.com)
air jordan for sale (paypal accept)(www.top-saler.com)
dunk for sale (paypal accept)(www.top-saler.com)
gucci for sale (paypal accept)(www.top-saler.com)
r3,r4,r5,shox for sale (paypal accept)(www.top-saler.com)
adidas for sale (paypal accept)(www.top-saler.com)
nike rift for sale (paypal accept)(www.top-saler.com)
air force one for sale (paypal accept)(www.top-saler.com)
air max,90,87 for sale (paypal accept)(www.top-saler.com)
air max 360,180,(paypal accept)(www. top-saler.com)
air max95 for sale (paypal accept)(www.top-saler.com)
vc, for sale (paypal accept)(www.top-saler.com)
puma for sale (paypal accept)(www.top-saler.com)
junior seri for sale (paypal accept)(www.top-saler.com)
prada for sale (paypal accept)(www.top-saler.com)
christan audiger shoes(paypal accept)(www. top-saler.com)
greedy genius for sale (paypal accept)(www.top-saler.com)
versace shoes for sale (paypal accept)(www.top-saler.com)
DG shoes for sale (paypal accept)(www.top-saler.com)
boot for sale (paypal accept)(www.top-saler.com)
evisu shoes for sale (paypal accept)(www.top-saler.com)
sand shoes for sale (paypal accept)(www.top-saler.com)
lv shoes for sale (paypal accept)(www.top-saler.com)
NBA shoes for sale (paypal accept)(www.top-saler.com)
UGG shoes for sale (paypal accept)(www.top-saler.com)
nike for sale (paypal accept)(www.top-saler.com)
paypal whoelsale bape hoody for sale (paypal accept)(www.top-saler.com)
antick jeans for sale (paypal accept)(www.top-saler.com)
paypal whoelsale diesel jeans for sale (paypal accept)(www.top-saler.com)
artful dudger for sale (paypal accept)(www.top-saler.com)
bag for sale (paypal accept)(www.top-saler.com)
clothing for sale (paypal accept)(www.top-saler.com)
clothes for sale (paypal accept)(www.top-saler.com)
lrg,jeans,hoody,(paypal accept)(www. top-saler.com)
paypal whoelsale evisu jeans,hoody,shirt (paypal accept)(www. top-saler.com)
paypal whoelsale AF,jacket for sale (paypal accept)(www.top-saler.com)
paypal whoelsale g star,jeans,jacket (paypal accept)(www. top-saler.com)
soccer suit for sale (paypal accept)(www.top-saler.com)
hip hop shirt for sale (paypal accept)(www.top-saler.com)
googi,jeans,jacket,hoody(paypal accept)(www. top-saler.com)
F1 coat,jacket,shirt(paypal accept)(www. top-saler.com)
gucci bag,lv bag,dior,fendi(paypal accept)(www. top-saler.com)
watch,belt hat(paypal accept)(www. top-saler.com)
air jordan At for sale Price   for sale (paypal accept)(www.top-saler.com)
dunk At for sale Price for sale (paypal accept)(www.top-saler.com)
gucci At for sale Price   for sale (paypal accept)(www.top-saler.com)
r3,r4,r5,shox At for sale Price (paypal accept)(www. top-saler.com)

adidas At for sale Price   for sale (paypal accept)(www.top-saler.com)
nike rift At for sale Price   for sale (paypal accept)(www.top-saler.com)
air force one At for sale Price (paypal accept)(www. top-saler.com)
air max,90,87 At for sale Price (paypal accept)(www. top-saler.com)
air max 360,180,At for sale Price (paypal accept)(www. top-saler.com)
air max95 At for sale Price   for sale (paypal accept)(www.top-saler.com)
vc,At for sale Price   for sale (paypal accept)(www.top-saler.com)
puma At for sale Price   for sale (paypal accept)(www.top-saler.com)
junior series At for sale Price(paypal accept)(www. top-saler.com)
ice cream At for sale Price   for sale (paypal accept)(www.top-saler.com)
prada At for sale Price   for sale (paypal accept)(www.top-saler.com)
christan audiger shoes At for sale Price (paypal accept)(www. top-saler.com)
greedy genius At for sale Price (paypal accept)(www. top-saler.com)
versace shoes At for sale Price (paypal accept)(www. top-saler.com)
DG shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
boot At for sale Price   for sale (paypal accept)(www.top-saler.com)
evisu shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
sand shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
lv shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
NBA shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
UGG shoes At for sale Price   for sale (paypal accept)(www.top-saler.com)
nike At for sale Price   for sale (paypal accept)(www.top-saler.com)
bape hoody paypal whoelsaler   for sale (paypal accept)(www.top-saler.com)
antick jeans At for sale Price (paypal accept)(www. top-saler.com)
diesel jeans paypal whoelsaler (paypal accept)(www. top-saler.com)
artful dudger At for sale Price (paypal accept)(www. top-saler.com)
bag At for sale Price for sale (paypal accept)(www.top-saler.com)
clothing At for sale Price   for sale (paypal accept)(www.top-saler.com)
clothes At for sale Price   for sale (paypal accept)(www.top-saler.com)
lrg,jeans,hoody, At for sale Price (paypal accept)(www. top-saler.com)
evisu jeans,hoody,shirt paypal whoelsaler (paypal accept)(www. top-saler.com)
AF,jacket paypal whoelsaler   for sale (paypal accept)(www.top-saler.com)
g star,jeans,jacket paypal whoelsaler (paypal accept)(www. top-saler.com)
soccer suit At for sale Price   for sale (paypal accept)(www.top-saler.com)

hip hop shirt At for sale Price (paypal accept)(www. top-saler.com)
googi,jeans,jacket,hoody At for sale Price (paypal accept)(www. top-saler.com)
F1 coat,jacket,shirt At for sale Price (paypal accept)(www. top-saler.com)
gucci bag,lv bag,dior,fendi At for sale Price (paypal accept) (www.top-saler.com)
watch,belt hat At for sale Price (paypal accept)(www. top-saler.com)
sneaker   for sale (paypal accept)(www.top-saler.com)
nike sneaker for sale (paypal accept)(www.top-saler.com)
paypal sneaker for saler for sale (paypal accept)(www.top-saler.com)
paypal nike sneaker for saler for sale (paypal accept)(www.top-saler.com)
air jordan for sale (paypal accept)(www.top-saler.com)
dunk for sale (paypal accept)(www.top-saler.com)
gucci for sale (paypal accept)(www.top-saler.com)
r3,r4,r5,shox for sale (paypal accept)(www.top-saler.com)
adidas for sale (paypal accept)(www.top-saler.com)
nike rift for sale (paypal accept)(www.top-saler.com)
air force one for sale (paypal accept)(www.top-saler.com)
air max,90,87 for sale (paypal accept)(www.top-saler.com)
air max 360,180,(paypal accept)(www. top-saler.com)
air max95 for sale (paypal accept)(www.top-saler.com)
vc, for sale (paypal accept)(www.top-saler.com)
puma for sale (paypal accept)(www.top-saler.com)
junior seri for sale (paypal accept)(www.top-saler.com)
prada for sale (paypal accept)(www.top-saler.com)
christan audiger shoes (paypal accept)(www. top-saler.com)
greedy genius for sale (paypal accept)(www.top-saler.com)
versace shoes for sale (paypal accept)(www.top-saler.com)
DG shoes for sale (paypal accept)(www.top-saler.com)
boot for sale (paypal accept)(www.top-saler.com)
evisu shoes for sale (paypal accept)(www.top-saler.com)
sand shoes for sale (paypal accept)(www.top-saler.com)
lv shoes for sale (paypal accept)(www.top-saler.com)
NBA shoes for sale (paypal accept)(www.top-saler.com)
UGG shoes for sale (paypal accept)(www.top-saler.com)
nike for sale (paypal accept)(www.top-saler.com)
paypal whoelsale bape hoody for sale (paypal accept)(www.top-saler.com)
antick jeans for sale (paypal accept)(www.top-saler.com)
paypal whoelsale diesel jeans for sale (paypal accept)(www.top-saler.com)
artful dudger for sale (paypal accept)(www.top-saler.com)
bag for sale (paypal accept)(www.top-saler.com)
clothing for sale (paypal accept)(www.top-saler.com)
clothes for sale (paypal accept)(www.top-saler.com)
lrg,jeans,hoody,(paypal accept)(www. top-saler.com)
paypal whoelsale evisu jeans,hoody,shirt (paypal accept)(www. top-saler.com)
paypal whoelsale AF,jacket for sale (paypal accept)(www.top-saler.com)
paypal whoelsale g star,jeans,jacket(paypal accept)(www. top-

```
saler.com)
soccer suit  for sale (paypal accept)(www.top-saler.com)
hip hop shirt  for sale (paypal accept)(www.top-saler.com)
googi,jeans,jacket,hoody(paypal accept)(www. top-saler.com)
F1 coat,jacket,shirt(paypal accept)(www. top-saler.com)
gucci bag,lv bag,dior,fendi (paypal accept)(www. top-saler.com)
watch,belt hat (paypal accept)(www. top-saler.com)
air jordan At for sale Price   for sale (paypal accept)(www.top-
saler.com)
dunk At for sale Price  for sale (paypal accept)(www.top-saler.com)
gucci At for sale Price   for sale (paypal accept)(www.top-saler.com)
r3,r4,r5,shox At for sale Price (paypal accept)(www. top-saler.com)
adidas At for sale Price   for sale (paypal accept)(www.top-
saler.com)
nike rift paypal for sale (paypal accept)(www.top-saler.com)




From 6777414224509834705
X-Google-Thread: 108122,65166d97f970a857,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m44g2000hsc.googlegroups.com!not-for-
mail
From: "rs2atmink@yahoo.com" <rs2atmink@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Astatic D-104 microphone
Date: Wed, 9 Apr 2008 18:37:11 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <f8836c06-54f3-4f15-8b66-2b978ae31e25@m44g2000hsc.googlegroups.com>
NNTP-Posting-Host: 71.187.223.247
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1207791432 5937 127.0.0.1 (10 Apr 2008 01:37:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Apr 2008 01:37:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m44g2000hsc.googlegroups.com; posting-host=71.187.223.247;
     posting-account=5qw2FwkAAAAmXNzF65P5v1OSREk3HW2g
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.8.1.13)
     Gecko/20080313 SeaMonkey/1.1.9,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14211

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=150235001859&ssPageName=STRK:MESE:IT&ih=005


From 5851136904528825090
X-Google-Thread: 108122,1d8516f921d5dbb6,start
```

```
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k10g2000prm.googlegroups.com!not-for-
mail
From: 12345678 <yongyingwen2008@163.com>
Newsgroups: rec.radio.amateur.equipment
Subject: cheap NBA shoes seller  (paypal accept) ( www.top-saler.com)cheap UGG
     shoes seller  (paypal accept) ( www.top-saler.com)cheap nike seller  (paypal
     accept) ( www.top-saler.com)
Date: Wed, 9 Apr 2008 18:51:59 -0700 (PDT)
Organization: http://groups.google.com
Lines: 203
Message-ID: <c4dd6695-58cb-46c0-a7a8-9bfa165b8b51@k10g2000prm.googlegroups.com>
NNTP-Posting-Host: 218.64.38.79
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1207792320 12642 127.0.0.1 (10 Apr 2008 01:52:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Apr 2008 01:52:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k10g2000prm.googlegroups.com; posting-host=218.64.38.79;
     posting-account=tYR62QoAAACpb_-QD0ooTbUpybKpB-Yb
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14212

cheap sneaker  seller  (paypal accept) ( www.top-saler.com)
cheap nike sneaker seller  (paypal accept) ( www.top-saler.com)
cheap sneaker  seller  (paypal accept) ( www.top-saler.com)
cheap nike sneaker  seller  (paypal accept) ( www.top-saler.com)
cheap air jordan seller  (paypal accept) ( www.top-saler.com)
cheap dunk seller  (paypal accept) ( www.top-saler.com)
cheap gucci seller  (paypal accept) ( www.top-saler.com)
cheap r3,r4,r5,shox, seller  (paypal accept) ( www.top-saler.com)
cheap adidas seller  (paypal accept) ( www.top-saler.com)
cheap nike rift seller  (paypal accept) ( www.top-saler.com)
cheap air force one seller  (paypal accept) ( www.top-saler.com)
cheap air max,90,87 seller  (paypal accept) ( www.top-saler.com)
cheap air max 360,180,seller (paypal accept)(www. top-saler.com)
cheap air max95 seller  (paypal accept) ( www.top-saler.com)
cheap vc, seller  (paypal accept) ( www.top-saler.com)
cheap puma seller  (paypal accept) ( www.top-saler.com)
cheap junior seri seller  (paypal accept) ( www.top-saler.com)
cheap prada seller  (paypal accept) ( www.top-saler.com)
cheap christan audiger shoes(paypal accept)(www. top-saler.com)
cheap greedy genius seller  (paypal accept) ( www.top-saler.com)
cheap versace shoes seller  (paypal accept) ( www.top-saler.com)
cheap DG shoes seller  (paypal accept) ( www.top-saler.com)
cheap boot seller  (paypal accept) ( www.top-saler.com)
cheap evisu shoes seller  (paypal accept) ( www.top-saler.com)
cheap sand shoes seller  (paypal accept) ( www.top-saler.com)
```

cheap lv shoes seller (paypal accept) (www.top-saler.com)
cheap NBA shoes seller (paypal accept) (www.top-saler.com)
cheap UGG shoes seller (paypal accept) (www.top-saler.com)
cheap nike seller (paypal accept) (www.top-saler.com)
cheap bape hoody seller (paypal accept) (www.top-saler.com)
cheap antick jeans seller (paypal accept) (www.top-saler.com)
cheap diesel jeans seller (paypal accept) (www.top-saler.com)
cheap artful dudger seller (paypal accept) (www.top-saler.com)
cheap bag seller (paypal accept) (www.top-saler.com)
cheap clothing seller (paypal accept) (www.top-saler.com)
cheap clothes seller (paypal accept) (www.top-saler.com)
cheap lrg,jeans,hoody,seller (paypal accept)(www. top-saler.com)

cheap sneaker seller (paypal accept) (www.top-saler.com)
cheap nike sneaker seller (paypal accept) (www.top-saler.com)
cheap sneaker seller (paypal accept) (www.top-saler.com)
cheap nike sneaker seller (paypal accept) (www.top-saler.com)
cheap air jordan seller (paypal accept) (www.top-saler.com)
cheap dunk seller (paypal accept) (www.top-saler.com)
cheap gucci seller (paypal accept) (www.top-saler.com)
cheap r3,r4,r5,shox, seller (paypal accept) (www.top-saler.com)
cheap adidas seller (paypal accept) (www.top-saler.com)
cheap nike rift seller (paypal accept) (www.top-saler.com)
cheap air force one seller (paypal accept) (www.top-saler.com)
cheap air max,90,87 seller (paypal accept) (www.top-saler.com)
cheap air max 360,180,seller (paypal accept)(www. top-saler.com)
cheap air max95 seller (paypal accept) (www.top-saler.com)
cheap vc, seller (paypal accept) (www.top-saler.com)
cheap puma seller (paypal accept) (www.top-saler.com)
cheap junior seri seller (paypal accept) (www.top-saler.com)
cheap prada seller (paypal accept) (www.top-saler.com)
cheap christan audiger shoes(paypal accept)(www. top-saler.com)
cheap greedy genius seller (paypal accept) (www.top-saler.com)
cheap versace shoes seller (paypal accept) (www.top-saler.com)
cheap DG shoes seller (paypal accept) (www.top-saler.com)
cheap boot seller (paypal accept) (www.top-saler.com)
cheap evisu shoes seller (paypal accept) (www.top-saler.com)
cheap sand shoes seller (paypal accept) (www.top-saler.com)
cheap lv shoes seller (paypal accept) (www.top-saler.com)
cheap NBA shoes seller (paypal accept) (www.top-saler.com)
cheap UGG shoes seller (paypal accept) (www.top-saler.com)
cheap nike seller (paypal accept) (www.top-saler.com)
cheap bape hoody seller (paypal accept) (www.top-saler.com)
cheap antick jeans seller (paypal accept) (www.top-saler.com)
cheap diesel jeans seller (paypal accept) (www.top-saler.com)
cheap artful dudger seller (paypal accept) (www.top-saler.com)
cheap bag seller (paypal accept) (www.top-saler.com)
cheap clothing seller (paypal accept) (www.top-saler.com)
cheap clothes seller (paypal accept) (www.top-saler.com)
cheap lrg,jeans,hoody,seller (paypal accept)(www. top-saler.com)

cheap sneaker seller (paypal accept) (www.top-saler.com)
cheap nike sneaker seller (paypal accept) (www.top-saler.com)
cheap sneaker seller (paypal accept) (www.top-saler.com)
cheap nike sneaker seller (paypal accept) (www.top-saler.com)
cheap air jordan seller (paypal accept) (www.top-saler.com)
cheap dunk seller (paypal accept) (www.top-saler.com)
cheap gucci seller (paypal accept) (www.top-saler.com)
cheap r3,r4,r5,shox, seller (paypal accept) (www.top-saler.com)
cheap adidas seller (paypal accept) (www.top-saler.com)
cheap nike rift seller (paypal accept) (www.top-saler.com)
cheap air force one seller (paypal accept) (www.top-saler.com)
cheap air max,90,87 seller (paypal accept) (www.top-saler.com)
cheap air max 360,180,seller (paypal accept)(www. top-saler.com)
cheap air max95 seller (paypal accept) (www.top-saler.com)
cheap vc, seller (paypal accept) (www.top-saler.com)
cheap puma seller (paypal accept) (www.top-saler.com)
cheap junior seri seller (paypal accept) (www.top-saler.com)
cheap prada seller (paypal accept) (www.top-saler.com)
cheap christan audiger shoes(paypal accept)(www. top-saler.com)
cheap greedy genius seller (paypal accept) (www.top-saler.com)
cheap versace shoes seller (paypal accept) (www.top-saler.com)
cheap DG shoes seller (paypal accept) (www.top-saler.com)
cheap boot seller (paypal accept) (www.top-saler.com)
cheap evisu shoes seller (paypal accept) (www.top-saler.com)
cheap sand shoes seller (paypal accept) (www.top-saler.com)
cheap lv shoes seller (paypal accept) (www.top-saler.com)
cheap NBA shoes seller (paypal accept) (www.top-saler.com)
cheap UGG shoes seller (paypal accept) (www.top-saler.com)
cheap nike seller (paypal accept) (www.top-saler.com)
cheap bape hoody seller (paypal accept) (www.top-saler.com)
cheap antick jeans seller (paypal accept) (www.top-saler.com)
cheap diesel jeans seller (paypal accept) (www.top-saler.com)
cheap artful dudger seller (paypal accept) (www.top-saler.com)
cheap bag seller (paypal accept) (www.top-saler.com)
cheap clothing seller (paypal accept) (www.top-saler.com)
cheap clothes seller (paypal accept) (www.top-saler.com)
cheap lrg,jeans,hoody,seller (paypal accept)(www. top-saler.com)

cheap sneaker seller (paypal accept) (www.top-saler.com)
cheap nike sneaker seller (paypal accept) (www.top-saler.com)
cheap sneaker seller (paypal accept) (www.top-saler.com)
cheap nike sneaker seller (paypal accept) (www.top-saler.com)
cheap air jordan seller (paypal accept) (www.top-saler.com)
cheap dunk seller (paypal accept) (www.top-saler.com)
cheap gucci seller (paypal accept) (www.top-saler.com)
cheap r3,r4,r5,shox, seller (paypal accept) (www.top-saler.com)

cheap adidas seller (paypal accept) (www.top-saler.com)
cheap nike rift seller (paypal accept) (www.top-saler.com)
cheap air force one seller (paypal accept) (www.top-saler.com)
cheap air max,90,87 seller (paypal accept) (www.top-saler.com)
cheap air max 360,180,seller (paypal accept)(www. top-saler.com)
cheap air max95 seller (paypal accept) (www.top-saler.com)
cheap vc, seller (paypal accept) (www.top-saler.com)
cheap puma seller (paypal accept) (www.top-saler.com)
cheap junior seri seller (paypal accept) (www.top-saler.com)
cheap prada seller (paypal accept) (www.top-saler.com)
cheap christan audiger shoes(paypal accept)(www. top-saler.com)
cheap greedy genius seller (paypal accept) (www.top-saler.com)
cheap versace shoes seller (paypal accept) (www.top-saler.com)
cheap DG shoes seller (paypal accept) (www.top-saler.com)
cheap boot seller (paypal accept) (www.top-saler.com)
cheap evisu shoes seller (paypal accept) (www.top-saler.com)
cheap sand shoes seller (paypal accept) (www.top-saler.com)
cheap lv shoes seller (paypal accept) (www.top-saler.com)
cheap NBA shoes seller (paypal accept) (www.top-saler.com)
cheap UGG shoes seller (paypal accept) (www.top-saler.com)
cheap nike seller (paypal accept) (www.top-saler.com)
cheap bape hoody seller (paypal accept) (www.top-saler.com)
cheap antick jeans seller (paypal accept) (www.top-saler.com)
cheap diesel jeans seller (paypal accept) (www.top-saler.com)
cheap artful dudger seller (paypal accept) (www.top-saler.com)
cheap bag seller (paypal accept) (www.top-saler.com)
cheap clothing seller (paypal accept) (www.top-saler.com)
cheap clothes seller (paypal accept) (www.top-saler.com)
cheap lrg,jeans,hoody,seller (paypal accept)(www. top-saler.com)

cheap sneaker seller (paypal accept) (www.top-saler.com)
cheap nike sneaker seller (paypal accept) (www.top-saler.com)
cheap sneaker seller (paypal accept) (www.top-saler.com)
cheap nike sneaker seller (paypal accept) (www.top-saler.com)
cheap air jordan seller (paypal accept) (www.top-saler.com)
cheap dunk seller (paypal accept) (www.top-saler.com)
cheap gucci seller (paypal accept) (www.top-saler.com)
cheap r3,r4,r5,shox, seller (paypal accept) (www.top-saler.com)
cheap adidas seller (paypal accept) (www.top-saler.com)
cheap nike rift seller (paypal accept) (www.top-saler.com)
cheap air force one seller (paypal accept) (www.top-saler.com)
cheap air max,90,87 seller (paypal accept) (www.top-saler.com)
cheap air max 360,180,seller (paypal accept)(www. top-saler.com)
cheap air max95 seller (paypal accept) (www.top-saler.com)
cheap vc, seller (paypal accept) (www.top-saler.com)
cheap puma seller (paypal accept) (www.top-saler.com)
cheap junior seri seller (paypal accept) (www.top-saler.com)
cheap prada seller (paypal accept) (www.top-saler.com)
cheap christan audiger shoes(paypal accept)(www. top-saler.com)

cheap greedy genius seller (paypal accept) (www.top-saler.com)
cheap versace shoes seller (paypal accept) (www.top-saler.com)
cheap DG shoes seller (paypal accept) (www.top-saler.com)
cheap boot seller (paypal accept) (www.top-saler.com)
cheap evisu shoes seller (paypal accept) (www.top-saler.com)
cheap sand shoes seller (paypal accept) (www.top-saler.com)
cheap lv shoes seller (paypal accept) (www.top-saler.com)
cheap NBA shoes seller (paypal accept) (www.top-saler.com)cheap UGG
shoes seller (paypal accept) (www.top-saler.com)cheap nike seller
(paypal accept) (www.top-saler.com)
cheap bape hoody seller (paypal accept) (www.top-saler.com)
cheap antick jeans seller (paypal accept) (www.top-saler.com)
cheap diesel jeans seller (paypal accept) (www.top-saler.com)
cheap artful dudger seller (paypal accept) (www.top-saler.com)
cheap bag seller (paypal accept) (www.top-saler.com)
cheap clothing seller (paypal accept) (www.top-saler.com)
cheap clothes seller (paypal accept) (www.top-saler.com)
cheap lrg,jeans,hoody,seller (paypal accept)(www. top-saler.com)

```
From 4675384433562232149
X-Google-Thread: 108122,c2fc0c110734b02c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!8g2000hsu.googlegroups.com!not-for-
mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SAMS binder specs/schematics-early radio-TV-phono-turntable repair
     info-vol 10, 91-100
Date: Thu, 10 Apr 2008 03:44:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 1
Message-ID: <2a6c886e-fd82-4235-a068-d7293a22b70d@8g2000hsu.googlegroups.com>
NNTP-Posting-Host: 216.222.236.232
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1207824251 18266 127.0.0.1 (10 Apr 2008 10:44:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Apr 2008 10:44:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 8g2000hsu.googlegroups.com; posting-host=216.222.236.232;
     posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
     4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14213
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=140223173748&ssPageName=STRK:MESE:IT&ih=004

```
From 7656955944757450368
X-Google-Thread: 1109af,80e4cd9588d340d,start
X-Google-Thread: 108122,80e4cd9588d340d,start
X-Google-Thread: 10db18,80e4cd9588d340d,start
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news2.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny01.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
Subject: FS: Digital Multimeter with Backlight
Lines: 54
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
x-mimeole: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <jAqLj.9649$Ug4.3371@trndny01>
Date: Thu, 10 Apr 2008 15:43:11 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1207842191 68.236.31.9 (Thu, 10 Apr 2008 11:43:11 EDT)
NNTP-Posting-Date: Thu, 10 Apr 2008 11:43:11 EDT
Xref: g2news1.google.com rec.radio.swap:18852 rec.radio.amateur.equipment:14214
rec.audio.marketplace:10607
```

For Sale:

1- Digital Multimeter, with blue backlight, Brand New in the box

This is an excellent quality digital multimeter with more features than the most popular digital multimeters on the market today!

Specs are as follows:

Handheld Digital Multimeter for measuring AC and DC voltage, DC current,
Resistance, Diode and PNP and NPN Transistor Tester
Bright Blue Backlight - very easy to read large digital display
Thick yellow rubber casing protects meter from splashes and bumps
Test Leads and 9V Battery are included
Low power requirement with automatic power off
Data hold function
Continuity beeper

Measurement Specifications:

DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
AC Voltage: 200V/600V �1.2%

DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
Display: LCD, 1999 counts
Fuse protection: F-200mA/250V
Operating Temperature: -0C to 40C
Overrange Indication: Only figure "1" on the display
Polarity Indication: "-" displayed for negative polarity
Low Battery Indication: - /+ display
Flip-out stand angles meter for ease of use in any location
Battery: 9V, Included
Dimensions: 138mm x 69mm x 31mm
Weight: ~160g

Brand New in the box, includes:

1 - Digital Multimeter with Backlight
1 - Instruction Manual
1 - Set of Test Leads
1 - 9V Battery

Photo (.jpg format) available upon request.

$ 25.00 plus $ 6.00 shipping (Cont'l U.S. only)

-Bill
KB3PT
Selbyville, Delaware
E-mail: shortwave1@verizon.net

From -6907357918172910802
X-Google-Thread: 108122,1216bf871d1124ef,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: HAMMARLUND HF-50 SINGLE BEARING CAPACITOR.
Date: Thu, 10 Apr 2008 11:25:34 -0500
Organization: WebTV Subscriber
Lines: 6
Message-ID: <29869-47FE3F7E-182@storefull-3253.bay.webtv.net>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
     ETAsAhR+Ljcraac0aahOlUjM5bJkNQMa5gIUEytqMJTBfhw97///OOwj1QmGx8c=
Content-Disposition: Inline

Xref: g2news1.google.com rec.radio.amateur.equipment:14215

I'LL PAY $5.00 PLUS REGULAR MAIL SHIPPING. HOW MANY DO YOU HAVE?

CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse caps, short answers, stroke.

From -1104415295430609019
X-Google-Thread: fc8b1,958d6176e8d01d2c,start
X-Google-Thread: 108122,958d6176e8d01d2c,start
X-Google-Attributes: gidfc8b1,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 10 Apr 2008 16:52:27 -0500
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Remote Adapter Kits for Harriss RF-350K / RT-1446
From: "Ken Fowler" <ko6no@yahoo.com>
Reply-to: ko6no@yahoo.com
Organization: KO6NO
Date: Thu, 10 Apr 2008 21:52:29 GMT
X-Newsreader: News Rover 13.1.3 (http://www.NewsRover.com)
Message-ID: <gIydndyi7rWGEWPanZ2dnUVZ_gydnZ2d@comcast.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.180.153.122
X-Trace: sv3-
oVuXlCJP7FgiMX8HSM24DxZh8w34T0VOYrL1TYVcNiwPmuhUba6dc89BAUwaWhynJI2lku4LX6wN/ud!
3rKFisHaL49jO77VZE9+Q/jmmsdKL+W5ImUvcDCYpcN29n/2iG4KrrvddxiVt9jtK2OcOKABNZMe!
R7oBQyKOAMH7qUcdUPVjQ6jmDpxWUe4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.38
Xref: g2news1.google.com rec.radio.amateur.boatanchors:14481
rec.radio.amateur.equipment:14216

Hello All,

One year ago, I made the NB6GC / KO6NO Remote Adapters for the RF-350 and RT-1446 available. Thanks to all the RF-350 owners who purchased adapters and eproms during the year, I am down to only four assembled and tested units and don't plan to assemble any more. I am now going to offer the eleven remaining circuit boards and parts as kits. If you don't mind soldering, you can build your own adapter for $30. Visit my web page www.ko6no.com to place orders. Thank you all and 73.

```
Ken Fowler, KO6NO


From 6155271445795700025
X-Google-Thread: 108122,db9c2d031124f414,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d1g2000hsg.googlegroups.com!not-for-mail
From: kz3dx@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: - WANTED - BEGALI SIMPLEX "MONO" SINGLE PADDLE KEY
Date: Sat, 12 Apr 2008 10:31:03 -0700 (PDT)
Organization: http://groups.google.com
Lines: 11
Message-ID: <c4dcc2ee-a1ba-42f4-bd03-d5a79c7f6648@d1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208021463 4548 127.0.0.1 (12 Apr 2008 17:31:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Apr 2008 17:31:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d1g2000hsg.googlegroups.com; posting-host=66.177.6.190;
     posting-account=45XJAgoAAAA05yZfLd6955vg-czIX97d
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.13)
     Gecko/20080311 Firefox/2.0.0.13,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14217

I want to buy a Begali Simplex MONO Single Paddle Key.

This is the MONO Key...NOT THE IAMBIC.

I prefer the palladium plated base but will consider the gold.

If you have one available, please email me at - kz3dx at yahoo.com

Thanks,

Bill


From 6525630080739613530
X-Google-Thread: 108122,4e08304126f4a5ff,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v26g2000prm.googlegroups.com!not-for-mail
From: ebayshoe1@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: cheap wholesale prada shoes gucci shoes lacoste shoes dunk shoes puma
```

shoes air force one shoes
Date: Sun, 13 Apr 2008 07:33:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <d5a6828e-471b-49d6-861b-85b16a854097@v26g2000prm.googlegroups.com>
NNTP-Posting-Host: 121.205.201.240
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208097223 21117 127.0.0.1 (13 Apr 2008 14:33:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Apr 2008 14:33:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v26g2000prm.googlegroups.com; posting-host=121.205.201.240;
posting-account=1SLoKgoAAABXhZ-pRvmtHlTDDhdheuuC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14218

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan Wholesale All of the Air Jordan sneakers have Nike Air in the shoes. Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB,
Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta
from nike Wholesale china nike jordans gucci prada sneakers at cheap price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers
wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier
wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale
wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes

wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes
wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller
wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection
wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog
wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer
wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory
wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer
wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers
wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy

wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker
Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China
Wholesale Custom Jordans
Air China Jordans Wholesale
Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale
Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes
Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike store,sale and Wholesale all of Nike stock Shoes,we have many type of NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes (Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

```
From 393218035380620862
X-Google-Thread: 108122,469aec54d8528242,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!c19g2000prf.googlegroups.com!not-for-
mail
From: ebayshoe1@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: cheap wholesale jordan 23 & af1 jordan 12 & af1 jordan 5 & air force
     one
Date: Sun, 13 Apr 2008 07:43:42 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <77554b08-628e-4913-93ac-f85c316d1703@c19g2000prf.googlegroups.com>
NNTP-Posting-Host: 121.205.201.240
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208097823 22925 127.0.0.1 (13 Apr 2008 14:43:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Apr 2008 14:43:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c19g2000prf.googlegroups.com; posting-host=121.205.201.240;
     posting-account=1SLoKgoAAABXhZ-pRvmtHlTDDhdheuuC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14219
```

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan Wholesale All of the Air Jordan sneakers have Nike Air in the shoes. Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB,
Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta
from nike Wholesale china nike jordans gucci prada sneakers at cheap price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers

wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier
wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale
wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes
wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes
wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller
wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection
wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog
wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer
wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory

wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer
wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers
wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy
wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker
Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China
Wholesale Custom Jordans
Air China Jordans Wholesale
Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale
Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes
Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike store,sale and Wholesale all of Nike stock Shoes,we have many type of NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes (Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports

Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike
women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike
women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount
Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air
Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china
wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY
SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

```
From 4842364044521665383
X-Google-Thread: 108122,a05d4e0db612de12,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: RE-MOVING SALE:PARTS & RADIOS...
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <BqsMj.183211$cQ1.107850@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 1d36bbf97e963789eb5c20612cc453b9
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1208111905
1d36bbf97e963789eb5c20612cc453b9 (Sun, 13 Apr 2008 18:38:25 GMT)
NNTP-Posting-Date: Sun, 13 Apr 2008 18:38:25 GMT
Organization: AT&T Worldnet
Date: Sun, 13 Apr 2008 18:38:25 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14220
```

Have started to list many parts and some of my personal antique radios
(see Facebook: at
www.facebook.com/album.php?aid=2000463&l=c8e18&id=1110063202) for sale
before
moving orders come through:---IE: Atwater Kent #35 on Monday--

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking, Heytubeguy

```
From 4533551682917289846
X-Google-Thread: 108122,4e08304126f4a5ff
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!postnews.google.com!a9g2000prl.googlegroups.com!not-for-mail
From: ebayshoe1@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: cheap wholesale prada shoes gucci shoes lacoste shoes dunk shoes puma shoes air force one shoes
Date: Mon, 14 Apr 2008 07:10:29 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <24f5820c-d40a-47da-af1c-3aaed0492f14@a9g2000prl.googlegroups.com>
NNTP-Posting-Host: 121.205.202.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208182230 10345 127.0.0.1 (14 Apr 2008 14:10:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 14 Apr 2008 14:10:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a9g2000prl.googlegroups.com; posting-host=121.205.202.248; posting-account=1SLoKgoAAABXhZ-pRvmtHlTDDhdheuuC
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14221

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan Wholesale All of the Air Jordan sneakers have Nike Air in the shoes. Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB,
Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta
from nike Wholesale china nike jordans gucci prada sneakers at cheap price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers
wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier
wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale

wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes
wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes
wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller
wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection
wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog
wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer
wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory
wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer
wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers

wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy
wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker
Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China
Wholesale Custom Jordans
Air China Jordans Wholesale
Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale
Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes
Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike store,sale and Wholesale all of Nike stock Shoes,we have many type of NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes (Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air

Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china
wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY
SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

```
From -6779392297999508311
X-Google-Thread: 108122,4e08304126f4a5ff
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n1g2000prb.googlegroups.com!not-for-
mail
From: ebayshoe@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: cheap wholesale prada shoes gucci shoes lacoste shoes dunk shoes puma
     shoes air force one shoes
Date: Mon, 14 Apr 2008 07:13:47 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <53ad954b-e7ed-4f8e-b258-8461b8b72ed2@n1g2000prb.googlegroups.com>
NNTP-Posting-Host: 121.205.202.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208182427 3690 127.0.0.1 (14 Apr 2008 14:13:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 14 Apr 2008 14:13:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n1g2000prb.googlegroups.com; posting-host=121.205.202.248;
     posting-account=qS7DOAoAAADfT0mYW_2q3sz-ESwM9WNy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14222
```

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan
Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan
Wholesale All of the Air Jordan sneakers have Nike Air in the shoes.
Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale
Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG
DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We
sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks
SB,
Bape Sta from nike outlets and factory stores, also Nike wholesale -
Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball
Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan
Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new
Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape
Sta
from nike Wholesale china nike jordans gucci prada sneakers at cheap
price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers
wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier
wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale
wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes
wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes
wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller
wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection
wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog
wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer

wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory
wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer
wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers
wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy
wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker
Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China
Wholesale Custom Jordans
Air China Jordans Wholesale
Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale
Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes

Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike store,sale and Wholesale all of Nike stock Shoes,we have many type of NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes (Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

```
From -1965312138495134767
X-Google-Thread: 108122,4e08304126f4a5ff
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!1g2000prf.googlegroups.com!not-for-
mail
From: ebayshoe@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: cheap wholesale prada shoes gucci shoes lacoste shoes dunk shoes puma
     shoes air force one shoes
Date: Mon, 14 Apr 2008 07:14:36 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <ea2d8e35-6b03-4c5d-b663-01603a2cf24f@1g2000prf.googlegroups.com>
NNTP-Posting-Host: 121.205.202.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208182476 3987 127.0.0.1 (14 Apr 2008 14:14:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 14 Apr 2008 14:14:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 1g2000prf.googlegroups.com; posting-host=121.205.202.248;
     posting-account=qS7DOAoAAADfT0mYW_2q3sz-ESwM9WNy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14223
```

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan Wholesale All of the Air Jordan sneakers have Nike Air in the shoes. Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks

SB,
Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta
from nike Wholesale china nike jordans gucci prada sneakers at cheap price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers
wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier
wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale
wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes
wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes
wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller
wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection
wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog

wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer
wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory
wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer
wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers
wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy
wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker
Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China
Wholesale Custom Jordans
Air China Jordans Wholesale
Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale

Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes
Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike
store,sale and Wholesale all of Nike stock Shoes,we have many type of
NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes
(Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball
Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports
Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike
women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike
women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount
Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air
Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china
wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY
SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

```
From 8427290689919912922
X-Google-Thread: 1109af,883d624361f10b07,start
X-Google-Thread: 108122,883d624361f10b07,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Pair of Motorola VHF Handheld 2-Way Radios ("HT's")
Lines: 69
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <OlLMj.9253$DD2.5194@trndny04>
Date: Mon, 14 Apr 2008 16:10:22 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1208189422 68.236.31.9 (Mon, 14 Apr 2008 12:10:22 EDT)
NNTP-Posting-Date: Mon, 14 Apr 2008 12:10:22 EDT
Xref: g2news1.google.com rec.radio.swap:18881 rec.radio.amateur.equipment:14224
```

X-Original-Bytes: 3780

For Sale:

I have a pair of exceptionally nice Motorola Spirit (Model MV24CVS) VHF "Handy-Talkies" ("HT's") with 2 matching Motorola Desk Chargers for sale.

Seldom will you find any used Motorola equipment in such "clean" condition as these VHF handheld units.

Features of these Motorola handheld VHF radios include:

⋆ Both are rugged and reliable Motorola 4 Channel VHF models; Channels are easily programmed and easily selected using the channel selector switch on the top of each unit

⋆ Both units are "self-contained", with built-in microphones and built-in speakers; nothing else is needed. Units are "ready to go" the moment you receive them. Operation couldn't be simpler, so even a young child can operate these units easily. A copy of the complete owner's guide, which includes all usage and programming instructions in "non-technical" English, is included

⋆ Other external controls include a volume and a squelch control, as well as jacks for connection of an external microphone and an external earphone, if desired

⋆ Both units include their Motorola VHF "duckie" antennas

⋆ Both units include good rechargeable NiMh battery packs

⋆ Additional rechargeable NiMh battery packs are readily available for these units at very reasonable prices

⋆ Both units include their Motorola desktop "cradle" chargers (with plug-in wall transformers and charging indicator lights)

⋆ Each of the 4 channels allows selection of a user-programmable tone for channel "privacy"

⋆ Two of the 4 programmed frequencies in each of these two "ht's" are "MURS" frequencies, which require no FCC license whatsoever

⋆ These units are ideal fo personal and family communications, such as for communicating from work or school to home, use when shopping, camping, road trips, group trips, etc. They're also ideal units for emergency local communications use and for emergency preparedness use

Very simple programming instructions are located on the inside of both unit's battery covers, making programming simple and convenient. They

can be programmed easily without the need for any other equipment;
these "ht's" have a synthesized "voice" that tells you the frequencies as
you step through each of them while programming frequency and "privacy"
tone for each of the 4 channels. The range of of these rugged and reliable
handheld units is approximately 5 miles (depending upon terrain).

Will sell for $100.00 plus actual shipping charges (to Cont'l U.S.).
Payable by USPS Postal Money Order only, please.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

From -8761519171957259965
X-Google-Thread: 108122,971e74acd926261a,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: COLLINS NOW & USED PARTS + STUFF
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <MbSMj.98366$D_3.82095@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 974f4714e8c123e2f2ea4585d45d22c4
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1208217452
974f4714e8c123e2f2ea4585d45d22c4 (Mon, 14 Apr 2008 23:57:32 GMT)
NNTP-Posting-Date: Mon, 14 Apr 2008 23:57:32 GMT
Organization: AT&T Worldnet
Date: Mon, 14 Apr 2008 23:57:32 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14225

Take a look at the Collins radio NOS and some used radio parts at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Have a few others coming later as well. Need to get rid of this stuff
as

a move in the near future. 73 Heytubeguy

```
From -2717213343046476089
X-Google-Thread: 108122,c8026981fd97d535,start
X-Google-Thread: 1159e3,7993455e7d4e4e3b
X-Google-Thread: 114c14,c8026981fd97d535,start
X-Google-Thread: fbfb7,c8026981fd97d535,start
X-Google-Thread: 1faf9f,c8026981fd97d535,start
X-Google-Attributes:
gid108122,gid1159e3,gid114c14,gidfbfb7,gid1faf9f,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
m1g2000pre.googlegroups.com!not-for-mail
From: glow3@spankthedonkey.com
Newsgroups:
rec.radio.amateur.equipment,alt.home.repair,rec.music.gdead,alt.fan.letterman,alt.
tv.lost
Subject: For Sale: XBOX 360, PSP, NDS Lite, Wii Modded Consoles & Retro Stuff
Date: Tue, 15 Apr 2008 03:49:24 -0700 (PDT)
Organization: http://groups.google.com
Lines: 93
Message-ID: <86bfdde1-5eae-4381-b1f8-889f3102d7f5@m1g2000pre.googlegroups.com>
NNTP-Posting-Host: 60.48.163.191
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208256565 13257 127.0.0.1 (15 Apr 2008 10:49:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Apr 2008 10:49:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m1g2000pre.googlegroups.com; posting-host=60.48.163.191;
     posting-account=Wj7ssQoAAADix5tgc0Bmn2uzAxf0xERH
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90;
     ALEXA),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14226 alt.home.repair:332928
rec.music.gdead:234690 alt.fan.letterman:69702 alt.tv.lost:182840
```

We're a video game specialist and wholesaler for modded consoles, retro consoles and game backups, we ship worldwide. Below are some of our offerings at wholesale prices. For any enquiries, please feel free to contact us at gamersparadisemy@gmail.com

Sony Playstation 3 - 40GB Pack (NTSC/U & NTSC/J versions available)
comes with two dual shock 3 controllers and Hori cooling fan.
USD 350 (with worldwide shipping)

XBOX 360 Elite (with HDMI)
- 120GB Pack (NTSC/U & NTSC/J) comes with two controllers and Nyko
cooling fan.

Modded and able to run XBOX 360 backups, homebrew softwares and able to go online via XBOX Live.
USD 400 (with worldwide shipping)

XBOX 360 Premium (with HDMI, free 2 ori games, Forza 2 and Viva Pinata)
- 20GB Pack (NTSC/U & NTSC/J) comes with two controllers and Nyko cooling fan.

Modded and able to run XBOX 360 backups, homebrew softwares and able to go online via XBOX Live.
USD 330 (with worldwide shipping)

XBOX 360 Core (without HD cable, only composite video)
- 20GB Pack (NTSC/U & NTSC/J) comes with 1 controller.

Modded and able to run XBOX 360 backups, homebrew softwares and able to go online via XBOX Live.
USD 260 (with worldwide shipping)

Nintendo Wii - (NTSC/U & NTSC/J) comes with two controllers and Nyko cooling fan.
Modded and able to run Nintendo Wii backups and homebrew softwares.
USD290 (with worldwide shipping)

Sony PS2 - (NTSC/U & NTSC/J) comes with two controllers and Nyko cooling fan.
Modded and able to run PS2 backups and homebrew softwares.
USD130 (with worldwide shipping)

Sony PSP with 4GB MSPD
Able to run PSP backups and homebrew softwares.
USD180 (with worldwide shipping)

Nintendo NDS Lite with R4 (2GB MiniSD card included)
Able to run NDS backups and homebrew softwares
USD180 (with worldwide shipping)

*** Remarks: All modded consoles come with 5 backups of your choice whereas for portables, they will come with 5-10 preloaded games of your choice on the memory card.

XBOX 360 / Wii / PS2 Backups,
USD2 each (dvd-r), USD3 each (factory pressed gold disc) - minimum order of 10 games needed.

NDS / PSP Roms
USD2 per game, burnt on dvd-r, USD5 for any 3 games burnt on dvd-r

---

Used Retro Consoles, Original Games & Backups
(Please email us for the best price, we have many used retro consoles
and games in stock, all in perfect condition, sourced from Shibuya,
Japan)

Neo Geo Cart (Original Games Only)
Neo Geo CD
PSX
SNES (CD Backup Machine with complete SNES roms)
N64 (CD Backup Machines with complete N64 roms)
Sega Saturn
Sega Dreamcast
Sega Megadrive
Sega Game Gear (Original Games Only)
Sega 32X (Original Games only)
Panasonic 3DO
Atari Jaguar (Original Games Only)
PC Engine (Backups Only For CD Version)
XBOX
Gameboy Advance
Gameboy Micro
Atari Jaguar (Original Games Only)

Gamers Paradise Sdn. Bhd.
LG 148, Sungai Wang Plaza,
Jalan Bukit Bintang,
55100 Kuala Lumpur,
Malaysia
gamersparadisemy@gmail.com

```
From -6328082173072509157
X-Google-Thread: 108122,bff0ec55a5995697,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q24g2000prf.googlegroups.com!not-for-
mail
From: "www.3asneakers.cn wholesale nike gucci prada sneakers" <sneakers12@126.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Www.3Asneakers.cn  sell china cheap nike jordan1-23 af1&jordan dunk
     shox bally maxtn max87 max89 sneakers gucci prada timberland chanel mauri
     armani evisu hogan sneaker shoes wholesale lrg jeans bape jeans bbc jeand
     armani jeans redmonkey jeans seven jeans coogi jeans ect china cheapest
     wholesale
Date: Tue, 15 Apr 2008 05:28:52 -0700 (PDT)
Organization: http://groups.google.com
Lines: 61
Message-ID: <62a622f0-71e8-49d8-9501-4e224747a35d@q24g2000prf.googlegroups.com>
NNTP-Posting-Host: 220.191.116.141
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
```

```
X-Trace: posting.google.com 1208262532 4007 127.0.0.1 (15 Apr 2008 12:28:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Apr 2008 12:28:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q24g2000prf.googlegroups.com; posting-host=220.191.116.141;
     posting-account=681jcQoAAADlRL7AuE1mxZLOjslA5hwv
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14227

(www.3asneakers.cn) Discount Prada Sneakers china wholesale good.
(www.3asneakers.cn) wholesale china lacoste mens turbo low mix gucci
sneaker shoes for cheap.
(www.3asneakers.cn) Order Sneakers from China nike wholesale trainers
(www.3asneakers.cn) wholesale china cheap nike air jordan sneaker
shoes.
(www.3asneakers.cn) ordan key chain for air force 1 customized nike
jordan tennis shoes
(www.3asneakers.cn) wholesale bape t-shirt ED Hardy t-shirt wholesale
gucci shoes china
(www.3asneakers.cn) branded perfume wholesale china nike dunk sneakers
(www.3asneakers.cn) suppliers for sneakers wholesale shoes from
china
(www.3asneakers.cn) china wholesale nike jordan gucci prada sneakers
cheapest nike,nike dunk sneaker necklaces.
(www.3asneakers.cn) China Nike Factory Jordan Suppliers louis vuitton
bag
(www.3asneakers.cn) wholesale y3 trainers supplier wholesale cheapest
bape shoes wholesale jordans Nike Basketball Sneakers gucci sneakers
china china nike
wholesaler.
(www.3asneakers.cn) sneakers at wholesale women prada sneakers
suppliers of branded clothing sneaker wholesale chinese jordan
supplier wholesale jordans from china 2008 prada sneaker for men
(www.3asneakers.cn) wholesale china cheap evisu jeans jordans iphone
wholesale china lv women sandal  shoes wholesale
(www.3asneakers.cn) Nike Basketball Sneakers nike wholesale china
discoun chanel sandals china air jordans versace jeans china wholesale
coogi sweater china wholesale gucci sneakers wholesale
jordan.wholesale cheapest bape shoes,wholesale jordans.
(www.3asneakers.cn) wholesale china lacoste mens turbo low mix gucci
sneaker shoes for cheap.
(www.3asneakers.cn) wholesale china cheap evisu jeans
(www.3asneakers.cn) gucci men sneakers women gucci sneakers Nike
Sneaker discount
(www.3asneakers.cn) wholesale cheap authentic gucci prada sneakers
(www.3asneakers.cn) disquared2 chanel mauri discount sneaker shoes
bally sneakers wholesale china
(www.3asneakers.cn) wholesale cheap timberland Air force one boots
cheap ugg boots
(www.3asneakers.cn) wholesale men gucci prada sneakers women sneaker
from china supplier
```

www.3asneakers.cn china wholesale mauri sneakers wholesale gucci
sneakers sneakers wholesale cheap wholesale sneakers prada
sneakers.com lv sandals wholesale gucci sneakers on sale louis vuitton
sneakers mens gucci sneakers air jordans wholesale prada shop in usa
wholesale
www.3asneakers.cn china nike dunk nike wholesale shoes china wholesale
gucci sneakers evisu jeans jordan wholesale manufacturer in china buy
D&G shoes in usa stores CHINA sneaker wholesale jordan spikike.com
chanel sneakers Kid Prada Sneaker
www.3asneakers.cn sneakers wholesale prada sneakers website wholesale
mauri shoes lv women sandal shoes wholesale   prada americas cup
sneakers mens prada sneakers women prada sneakers nike dunk sneakers
authentic jordan sneakers jordan retro sneakers
www.3asneakers.cn discount nike sneakers nike sneakers retro nike air
force ones nike dunks sb nike air max

From 8463514198346464575
X-Google-Thread: 108122,87bd7b81ae722625,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a5g2000prg.googlegroups.com!not-for-mail
From: ebayshoe@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: cheap wholesale timberland boots ugg boots bbc jeans gucci handbag lv
     shoes
Date: Tue, 15 Apr 2008 10:18:01 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <a5f7f8b3-7781-49b2-aaad-4062f6021825@a5g2000prg.googlegroups.com>
NNTP-Posting-Host: 121.205.202.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208279881 22073 127.0.0.1 (15 Apr 2008 17:18:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Apr 2008 17:18:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a5g2000prg.googlegroups.com; posting-host=121.205.202.248;
     posting-account=qS7DOAoAAADfT0mYW_2q3sz-ESwM9WNy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14228

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan
Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan

Wholesale All of the Air Jordan sneakers have Nike Air in the shoes. Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB,
Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta
from nike Wholesale china nike jordans gucci prada sneakers at cheap price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers
wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier
wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale
wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes
wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes
wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller

wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection
wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog
wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer
wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory
wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer
wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers
wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy
wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker
Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China

Wholesale Custom Jordans
Air China Jordans Wholesale
Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale
Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes
Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike
store,sale and Wholesale all of Nike stock Shoes,we have many type of
NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes
(Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball
Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports
Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike
women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike
women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount
Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air
Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china
wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY
SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

```
From 5078756693469125263
X-Google-Thread: 108122,87bd7b81ae722625
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k10g2000prm.googlegroups.com!not-for-
mail
From: ebayshoe@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: cheap wholesale timberland boots ugg boots bbc jeans gucci handbag lv
     shoes
Date: Tue, 15 Apr 2008 10:18:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <e62d5740-1296-4f3a-b87b-b7ac2adc7b5b@k10g2000prm.googlegroups.com>
NNTP-Posting-Host: 121.205.202.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208279918 22163 127.0.0.1 (15 Apr 2008 17:18:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Apr 2008 17:18:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: k10g2000prm.googlegroups.com; posting-host=121.205.202.248;
     posting-account=qS7DOAoAAADfT0mYW_2q3sz-ESwM9WNy
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14229
```

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan Wholesale All of the Air Jordan sneakers have Nike Air in the shoes. Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB,
Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta
from nike Wholesale china nike jordans gucci prada sneakers at cheap price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers
wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier
wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale
wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes
wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes

wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller
wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection
wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog
wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer
wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory
wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer
wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers
wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy
wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker

Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China
Wholesale Custom Jordans
Air China Jordans Wholesale
Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale
Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes
Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike store,sale and Wholesale all of Nike stock Shoes,we have many type of NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes (Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

```
From 4971723042269167759
X-Google-Thread: 1109af,55c01731c667fbcb,start
X-Google-Thread: 108122,55c01731c667fbcb,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Ten Tec Scout Model 555 Transceiver, Nice!
Lines: 26
```

MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <0uaNj.4551$nT1.2099@trndny09>
Date: Tue, 15 Apr 2008 23:02:20 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1208300540 68.236.31.9 (Tue, 15 Apr 2008 19:02:20 EDT)
NNTP-Posting-Date: Tue, 15 Apr 2008 19:02:20 EDT
Xref: g2news1.google.com rec.radio.swap:18888 rec.radio.amateur.equipment:14230
X-Original-Bytes: 1555

I have a beautiful Ten Tec "Scout" (Model 555) HF ham transceiver
for sale. This 50 Watt SSB & CW transceiver includes the following:

20 Meter Band Module
40 Meter Band Module
Ten Tec Noise Blanker, Installed
Ten Tec Original PTT Hand Microphone
DC Power Cable

All in excellent condition.
Photos (.jpg format) are available upon request.

Price: $ 375.00 including USPS Priority Mail Insured Shipping, with
Delivery Confirmation, to U.S. addresses only.   Payment by USPS
Postal Money Order only, please.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

From 8991343969141262963
X-Google-Thread: 108122,33e2ddf9d872f32b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!24g2000hsh.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment

```
Subject: Re: MLA 2500 QST review
Date: Tue, 15 Apr 2008 19:36:40 -0700 (PDT)
Organization: http://groups.google.com
Lines: 15
Message-ID: <a9b2ef12-d5ec-465c-adb9-08b98d81b6d4@24g2000hsh.googlegroups.com>
References: <Hs-dnQTK16dYUmnanZ2dnUVZ_gKdnZ2d@wideopenwest.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208313400 29713 127.0.0.1 (16 Apr 2008 02:36:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 16 Apr 2008 02:36:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 24g2000hsh.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.13)
     Gecko/20080311 Firefox/2.0.0.13,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14231
```

On Apr 3, 8:38 am, "Always Right" <A...@wowway.com> wrote:
> Anyone have a copy of the review done by QST for the Dentron MLA-2500
> amplifier? I believe this was done in the late 70's.
> Tnx, Bob AA8X

I don't have the Article but I've had a few of these great amps.
Tube availability is a problem & expensive(8875 x 2)
Small footprint, easy to drive to legal limit+.
Early models covered 10 meters, the MLA-2500A did not & need heavy mod
to do so.
There are articles to change the tubes to russian, cheaper types.
Full metering, dual speed fan, a real nice amp IMHO.
GL.......
73.....es GL
Rich

```
From -4229718714163979613
X-Google-Thread: 1109af,8d95f79778fac562,start
X-Google-Thread: 108122,8d95f79778fac562,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!199.45.49.37!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: VHF Motorola Handheld 2- Way Radios ("HT's")
Lines: 71
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
```

Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <yYqNj.14209$bx3.8505@trnddc02>
Date: Wed, 16 Apr 2008 17:47:10 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1208368030 68.236.31.9 (Wed, 16 Apr 2008 13:47:10 EDT)
NNTP-Posting-Date: Wed, 16 Apr 2008 13:47:10 EDT
Xref: g2news1.google.com rec.radio.swap:18891 rec.radio.amateur.equipment:14232

For Sale:

I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS) VHF "Handy-Talkies" ("HT's"), with two matching Motorola Desk Chargers for sale. Seldom will you find any used Motorola equipment in such "clean" condition as these VHF handheld units.

Features include:

- Both are rugged and reliable Motorola 4 Channel VHF models; both are 4 channel units, with channels easily programmed and easily selected using the channel selector switch on the top of each "HT". No other equipment whatsoever is needed to program the frquency or the "privacy tones" used by these units.

- Both units are "self-contained", with built-in microphones and built-in speakers; nothing else is needed. Units are "ready to go" the moment you receive them. Operation couldn't be simpler, so even a young child can operate these units easily. A copy of the complete owner's guide, which includes all usage and programming instructions in "non-technical" English, is included

- Other external controls include a volume and a squelch control, as well as jacks for connection of an external microphone and an external earphone, if desired

- Both units include their Motorola VHF "duckie" antennas

- Both units include good rechargeable NiMh battery packs

- Additional rechargeable NiMh battery packs readily available for these units at very reasonable prices

- Both units include their Motorola desktop "cradle" chargers (with plug-in wall transformers and charging indicator lights)

- Each of the 4 channels allows selection of a user-programmable tone for channel "privacy"

* Two of the 4 programmed frequencies in each of these two
"ht's" are "MURS" frequencies, which require no FCC license
whatsoever

* These units are ideal fo personal and family communications,
sucn as for communicating from work or school to home, use
when shopping, camping, road trips, group trips, etc. They're
also ideal units for emergency local communications use for
emergency preparedness use

Very simple programming instructions are located on the inside of both
unit's battery covers, making programming simple and convenient. They
can be programmed easily without the need for any other equipment;
these "ht's" have a synthesized "voice" that tells you the frequencies as
you step through each of them while programming frequency and "privacy"
tone for each of the 4 channels. The range of of these rugged and reliable
handheld units is approximately 5 miles (depending upon terrain).

Will sell for $100.00 plus the actual shipping charges (to Cont'l U.S.),
payable by USPS Postal Money Order only, please.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

From 8479797241397521183
X-Google-Thread: 1109af,7659543f51d3711,start
X-Google-Thread: 108122,7659543f51d3711,start
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: SMA to BNC Adaptors for your "HT"
Lines: 25
MIME-Version: 1.0
Content-Type: text/plain;
charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409

Message-ID: <6wsNj.9267$XF3.8006@trnddc04>
Date: Wed, 16 Apr 2008 19:33:22 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1208374402 68.236.31.9 (Wed, 16 Apr 2008 15:33:22 EDT)
NNTP-Posting-Date: Wed, 16 Apr 2008 15:33:22 EDT
Xref: g2news1.google.com rec.radio.swap:18892 rec.radio.amateur.equipment:14233

I still have a few new (still in their factory sealed packages) SMA male to BNC female adaptors for sale. These high quality adaptors were made for Motorola. and have gold-plated center conductor contacts.

Typically, these adaptors are used for adapting the small female SMA connector found on many modern handheld "HT's", to a BNC female connection ... so that you can then connect any antenna using a BNC (male) connector to your "HT".

Photos (.jpg format) of these high quality SMA male to BNC female adaptors are available upon request.

$ 5.75 each, while they last, includes USPS First Class shipping to any U.S. address.

Thank you,

-Bill
KB3PT

E-mail: shortwave1@verizon.net

From 4993275855657819660
X-Google-Thread: 1109af,f86ed270752a0eaf,start
X-Google-Thread: 108122,f86ed270752a0eaf,start
X-Google-Thread: 10db18,f86ed270752a0eaf,start
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
Subject: FS: Digital Multimeter with Backlight, Nice!
Lines: 55
MIME-Version: 1.0
Content-Type: text/plain;
    charset="Windows-1252"
Content-Transfer-Encoding: 8bit
X-Priority: 3

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <qMsNj.9268$XF3.7391@trnddc04>
Date: Wed, 16 Apr 2008 19:50:46 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1208375446 68.236.31.9 (Wed, 16 Apr 2008 15:50:46 EDT)
NNTP-Posting-Date: Wed, 16 Apr 2008 15:50:46 EDT
Xref: g2news1.google.com rec.radio.swap:18893 rec.radio.amateur.equipment:14234 rec.audio.marketplace:10644
X-Original-Bytes: 2704

I have one high quality Digital Multimeter, with easy-read blue backlight, still left for sale.

This is an excellent quality digital multimeter, brand new still in the box, with more features than most popular digital multimeters on the market today!

Specs are as follows:

Handheld Digital Multimeter for measuring AC and DC voltage, DC current, Resistance, Diode and PNP and NPN Transistor Tester
Bright Blue Backlight - very easy to read large digital display
Thick yellow rubber casing protects meter from splashes and bumps
Test Leads and 9V Battery are included
Low power requirement with automatic power off
Data hold function
Continuity beeper

Measurement Specifications:

DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
AC Voltage: 200V/600V �1.2%
DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
Display: LCD, 1999 counts
Fuse protection: F-200mA/250V
Operating Temperature: -0C to 40C
Overrange Indication: Only figure "1" on the display
Polarity Indication: "-" displayed for negative polarity
Low Battery Indication: - /+ display
Flip-out stand angles meter for ease of use in any location
Battery: 9V, Included
Dimensions: 138mm x 69mm x 31mm
Weight: ~160g

Meter is brand new in the box, and includes:

1 - Digital Multimeter with Backlight
1 - Instruction Manual

1 - Set of Test Leads
1 - 9V Battery

Photo (.jpg format) available upon request.

This is an exceptional value in a high quality digital multimeter, ideal for electronic troubleshooting and repair work, available for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).

-Bill
KB3PT
Selbyville, Delaware
E-mail: shortwave1@verizon.net

```
From -5190578690489831716
X-Google-Thread: 108122,33e2ddf9d872f32b
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder.news-service.com!
newsfeed.kamp.net!newsfeed.kamp.net!eweka.nl!hq-usenetpeers.eweka.nl!
68.142.88.75.MISMATCH!hwmnpeer01.ams!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe19.lga.POSTED!53ab2750!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <Hs-dnQTK16dYUmnanZ2dnUVZ_gKdnZ2d@wideopenwest.com> <a9b2ef12-
d5ec-465c-adb9-08b98d81b6d4@24g2000hsh.googlegroups.com>
In-Reply-To: <a9b2ef12-d5ec-465c-adb9-08b98d81b6d4@24g2000hsh.googlegroups.com>
Subject: Re: MLA 2500 QST review
Lines: 14
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6001.18000
x-mimeole: Produced By Microsoft MimeOLE V6.0.6001.18000
Message-ID: <rDxNj.27962$KJ1.276@newsfe19.lga>
NNTP-Posting-Host: 74.195.53.175
X-Complaints-To: abuse@suddenlink.net
X-Trace: newsfe19.lga 1208395351 74.195.53.175 (Wed, 16 Apr 2008 18:22:31 MST)
NNTP-Posting-Date: Wed, 16 Apr 2008 18:22:31 MST
Organization: Suddenlink
Date: Wed, 16 Apr 2008 20:22:18 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:14235
```

"wa2rqy" <rlucch2098@aol.com> wrote in message

news:a9b2ef12-d5ec-465c-adb9-08b98d81b6d4@24g2000hsh.googlegroups.com...
> On Apr 3, 8:38 am, "Always Right" <A...@wowway.com> wrote:
>> Anyone have a copy of the review done by QST for the Dentron MLA-2500
>> amplifier? I believe this was done in the late 70's.
>> Tnx, Bob AA8X

It was in the March 1978 issue reviewed by Rusgrove, Jay, W1VD, if that
helps.
The ARRL's online archives go back only to 1980...

73 de Glenn AA5PK

```
From -1389393010824015746
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder5.cambrium.nl!
feed.tweaknews.nl!68.142.88.75.MISMATCH!hwmnpeer01.ams!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe02.lga.POSTED!53ab2750!not-for-mail
From: "PowerHouse Communications" <PowerHouseCom@privatebox.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 4
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="Windows-1252";
     reply-type=original
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
Importance: Normal
X-Newsreader: Microsoft Windows Live Mail 12.0.1606
X-MimeOLE: Produced By Microsoft MimeOLE V12.0.1606
Message-ID: <x0yNj.74$XZ.18@newsfe02.lga>
NNTP-Posting-Host: ddjccmhnccкabnnkpplonnojdapibepb
X-Complaints-To: abuse@charter.net
X-Trace:
pdjoodfomhkjcoobgmoeimofopipoaimhhenkopedknncmiaddjccmhnccкabnnkpneodbimobcmkaopga
hjmkhmmjcohpeifodnkejgdfcbcpheaaanocdhknammghoecpcfdalnnloobep
NNTP-Posting-Date: Wed, 16 Apr 2008 18:49:17 MST
Date: Wed, 16 Apr 2008 20:49:27 -0500
Xref: g2news1.google.com rec.radio.swap:18894 rec.radio.amateur.equipment:14236
rec.audio.marketplace:10645
```

"Bill Golden" <shortwave1@verizon.net> wrote in message

news:qMsNj.9268$XF3.7391@trnddc04...
>
> I have one high quality Digital Multimeter, with easy-read blue backlight,
> still left for sale.
>
> This is an excellent quality digital multimeter, brand new still in the
> box,
> with more features than most popular digital multimeters on the market
> today!
>
> Specs are as follows:
>
> Handheld Digital Multimeter for measuring AC and DC voltage, DC current,
> Resistance, Diode and PNP and NPN Transistor Tester
> Bright Blue Backlight - very easy to read large digital display
> Thick yellow rubber casing protects meter from splashes and bumps
> Test Leads and 9V Battery are included
> Low power requirement with automatic power off
> Data hold function
> Continuity beeper
>
> Measurement Specifications:
>
> DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
> AC Voltage: 200V/600V �1.2%
> DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
> Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
> Display: LCD, 1999 counts
> Fuse protection: F-200mA/250V
> Operating Temperature: -0C to 40C
> Overrange Indication: Only figure "1" on the display
> Polarity Indication: "-" displayed for negative polarity
> Low Battery Indication: - /+ display
> Flip-out stand angles meter for ease of use in any location
> Battery: 9V, Included
> Dimensions: 138mm x 69mm x 31mm
> Weight: ~160g
>
> Meter is brand new in the box, and includes:
>
> 1 - Digital Multimeter with Backlight
> 1 - Instruction Manual
> 1 - Set of Test Leads
> 1 - 9V Battery
>
> Photo (.jpg format) available upon request.
>
> This is an exceptional value in a high quality digital multimeter,
> ideal for electronic troubleshooting and repair work, available
> for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
>
> -Bill
> KB3PT

> Selbyville, Delaware
> E-mail: shortwave1@verizon.net
>

Makes me wonder. I keep reading the words "high quality" and "exceptional value," but the fact that nowhere do you give a brand or a model, makes me REALLY skeptical...

From -7421608994485612623
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Apr 2008 21:41:12 -0500
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
From: AZ Nomad <aznomad.3@PremoveOBthisOX.COM>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
Message-ID: <slrng0de68.k96.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Date: Wed, 16 Apr 2008 21:41:12 -0500
Lines: 19
X-Trace: sv3-55nXdxfw2obT+vv7Hl6v4QHjbYFNO00FG/5Ph+WNL1XhLq7nSLwjx/ziJrHoHsnaZR8O3CA+oXN7JBb!6YBI5fh5k0Cim374EwG6wBRbKiuzfDAGzcgUsOru6sklgaxRmQWvqEzx021hrfwLy+lQyv/D67O/!on47QOszBtjD043g3gU=
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:18895 rec.radio.amateur.equipment:14237 rec.audio.marketplace:10646

On Wed, 16 Apr 2008 20:49:27 -0500, PowerHouse Communications
<PowerHouseCom@privatebox.net> wrote:
>> ideal for electronic troubleshooting and repair work, available
>> for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
>>
>> -Bill
>> KB3PT
>> Selbyville, Delaware
>> E-mail: shortwave1@verizon.net
>>

>Makes me wonder. I keep reading the words "high quality" and "exceptional
>value," but the fact that nowhere do you give a brand or a model, makes me
>REALLY skeptical...
>

Here's a slightly better meter with all the same features for
$15. It has a 1000V range and data hold.
http://www.partsexpress.com/pe/showdetl.cfm?Partnumber=390-550

```
From -5819347073434564668
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news1.google.com!npeer03.iad!news.highwinds-media.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 77
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <%bANj.6799$nT1.2020@trndny09>
Date: Thu, 17 Apr 2008 04:18:03 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1208405883 68.236.31.9 (Thu, 17 Apr 2008 00:18:03 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 00:18:03 EDT
Xref: g2news1.google.com rec.radio.swap:18896 rec.radio.amateur.equipment:14238
rec.audio.marketplace:10647
```

"PowerHouse Communications" <PowerHouseCom@privatebox.net> wrote in message
news:x0yNj.74$XZ.18@newsfe02.lga...
>
>
> "Bill Golden" <shortwave1@verizon.net> wrote in message
> news:qMsNj.9268$XF3.7391@trnddc04...
> >
> > I have one high quality Digital Multimeter, with easy-read blue
backlight,
> > still left for sale.

> >
> > This is an excellent quality digital multimeter, brand new still in the
> > box,
> > with more features than most popular digital multimeters on the market
> > today!
> >
> > Specs are as follows:
> >
> > Handheld Digital Multimeter for measuring AC and DC voltage, DC current,
> > Resistance, Diode and PNP and NPN Transistor Tester
> > Bright Blue Backlight - very easy to read large digital display
> > Thick yellow rubber casing protects meter from splashes and bumps
> > Test Leads and 9V Battery are included
> > Low power requirement with automatic power off
> > Data hold function
> > Continuity beeper
> >
> > Measurement Specifications:
> >
> > DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
> > AC Voltage: 200V/600V �1.2%
> > DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
> > Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
> > Display: LCD, 1999 counts
> > Fuse protection: F-200mA/250V
> > Operating Temperature: -0C to 40C
> > Overrange Indication: Only figure "1" on the display
> > Polarity Indication: "-" displayed for negative polarity
> > Low Battery Indication: - /+ display
> > Flip-out stand angles meter for ease of use in any location
> > Battery: 9V, Included
> > Dimensions: 138mm x 69mm x 31mm
> > Weight: ~160g
> >
> > Meter is brand new in the box, and includes:
> >
> > 1 - Digital Multimeter with Backlight
> > 1 - Instruction Manual
> > 1 - Set of Test Leads
> > 1 - 9V Battery
> >
> > Photo (.jpg format) available upon request.
> >
> > This is an exceptional value in a high quality digital multimeter,
> > ideal for electronic troubleshooting and repair work, available
> > for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
> >
> > -Bill
> > KB3PT
> > Selbyville, Delaware
> > E-mail: shortwave1@verizon.net
> >
>

> Makes me wonder. I keep reading the words "high quality" and "exceptional
> value," but the fact that nowhere do you give a brand or a model, makes me
> REALLY skeptical...

I was also skeptical, until I used this meter and compared it's features,
it's quality, and it's measurement accuracy with my Fluke Model 23
Series III digital multimeter, and my Tektronix Model DMM247 digital
multimeter.

I'm no longer skeptical. You may wish to try one yourself in order to
form an informed opinion.

From 1431197644071519836
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.supernews.com!
news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Apr 2008 23:24:38 -0500
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
From: AZ Nomad <aznomad.3@PremoveOBthisOX.COM>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
Message-ID: <slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
User-Agent: slrn/0.9.8.1pl1 (Linux)
Date: Wed, 16 Apr 2008 23:24:38 -0500
Lines: 87
X-Trace: sv3-0KD3tnScd43/
JK5SUUqscpuqFtyAK0O9A876bxGngdn3yLm1S568oUcuTfvHWJTtQtZO4GgnYTUItU6!
jjLV4OIZuwL22AMCAN0toD3B+yYgi1SRK0r5jIDQc5fi9hCBo772vMPI1xhhxJX0bH5XQPLdDYnK!
qiShvD+EF7/ZlNDT9ro=
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.38
Xref: g2news1.google.com rec.radio.swap:18897 rec.radio.amateur.equipment:14239
rec.audio.marketplace:10648

On Thu, 17 Apr 2008 04:18:03 GMT, Bill Golden <shortwave1@verizon.net> wrote:

>"PowerHouse Communications" <PowerHouseCom@privatebox.net> wrote in message

>news:x0yNj.74$XZ.18@newsfe02.lga...
>>
>>
>> "Bill Golden" <shortwave1@verizon.net> wrote in message
>> news:qMsNj.9268$XF3.7391@trnddc04...
>> >
>> > I have one high quality Digital Multimeter, with easy-read blue
>backlight,
>> > still left for sale.
>> >
>> > This is an excellent quality digital multimeter, brand new still in the
>> > box,
>> > with more features than most popular digital multimeters on the market
>> > today!
>> >
>> > Specs are as follows:
>> >
>> > Handheld Digital Multimeter for measuring AC and DC voltage, DC current,
>> > Resistance, Diode and PNP and NPN Transistor Tester
>> > Bright Blue Backlight - very easy to read large digital display
>> > Thick yellow rubber casing protects meter from splashes and bumps
>> > Test Leads and 9V Battery are included
>> > Low power requirement with automatic power off
>> > Data hold function
>> > Continuity beeper
>> >
>> > Measurement Specifications:
>> >
>> > DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
>> > AC Voltage: 200V/600V �1.2%
>> > DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
>> > Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
>> > Display: LCD, 1999 counts
>> > Fuse protection: F-200mA/250V
>> > Operating Temperature: -0C to 40C
>> > Overrange Indication: Only figure "1" on the display
>> > Polarity Indication: "-" displayed for negative polarity
>> > Low Battery Indication: - /+ display
>> > Flip-out stand angles meter for ease of use in any location
>> > Battery: 9V, Included
>> > Dimensions: 138mm x 69mm x 31mm
>> > Weight: ~160g
>> >
>> > Meter is brand new in the box, and includes:
>> >
>> > 1 - Digital Multimeter with Backlight
>> > 1 - Instruction Manual
>> > 1 - Set of Test Leads
>> > 1 - 9V Battery
>> >
>> > Photo (.jpg format) available upon request.
>> >
>> > This is an exceptional value in a high quality digital multimeter,

>> > ideal for electronic troubleshooting and repair work, available
>> > for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
>> >
>> > -Bill
>> > KB3PT
>> > Selbyville, Delaware
>> > E-mail: shortwave1@verizon.net
>> >
>>
>> Makes me wonder. I keep reading the words "high quality" and "exceptional
>> value," but the fact that nowhere do you give a brand or a model, makes me
>> REALLY skeptical...

>I was also skeptical, until I used this meter and compared it's features,
WHAT METER?

>it's quality, and it's measurement accuracy with my Fluke Model 23
>Series III digital multimeter, and my Tektronix Model DMM247 digital
>multimeter.

>I'm no longer skeptical. You may wish to try one yourself in order to
>form an informed opinion.

WHAT IS THE MAKE AND MODEL? As long as you fail to include
this minimal information, it is just a junk of chinese noname garbage.

Hint: we don't believe you when you say it is better than a fluke.
And BTW, its specs suck. 1% to 6% accuracy? Give me a break. It might as
well be a 2 digit meter. Reminds me a sinclair LED meter from the 70's.
The last digit is just noise.

From 8194574894673365812
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 109
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 8bit

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <jvANj.14258$bx3.13308@trnddc02>
Date: Thu, 17 Apr 2008 04:38:39 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1208407119 68.236.31.9 (Thu, 17 Apr 2008 00:38:39 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 00:38:39 EDT
Xref: g2news1.google.com rec.radio.swap:18898 rec.radio.amateur.equipment:14240
rec.audio.marketplace:10649
X-Original-Bytes: 5169


"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
news:slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> On Thu, 17 Apr 2008 04:18:03 GMT, Bill Golden <shortwave1@verizon.net>
wrote:
>
> >"PowerHouse Communications" <PowerHouseCom@privatebox.net> wrote in
message
> >news:x0yNj.74$XZ.18@newsfe02.lga...
> >>
> >>
> >> "Bill Golden" <shortwave1@verizon.net> wrote in message
> >> news:qMsNj.9268$XF3.7391@trnddc04...
> >> >
> >> > I have one high quality Digital Multimeter, with easy-read blue
> >backlight,
> >> > still left for sale.
> >> >
> >> > This is an excellent quality digital multimeter, brand new still in
the
> >> > box,
> >> > with more features than most popular digital multimeters on the
market
> >> > today!
> >> >
> >> > Specs are as follows:
> >> >
> >> > Handheld Digital Multimeter for measuring AC and DC voltage, DC
current,
> >> > Resistance, Diode and PNP and NPN Transistor Tester
> >> > Bright Blue Backlight - very easy to read large digital display
> >> > Thick yellow rubber casing protects meter from splashes and bumps
> >> > Test Leads and 9V Battery are included
> >> > Low power requirement with automatic power off
> >> > Data hold function
> >> > Continuity beeper
> >> >
> >> > Measurement Specifications:
> >> >
```

> >> > DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
> >> > AC Voltage: 200V/600V �1.2%
> >> > DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
> >> > Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
> >> > Display: LCD, 1999 counts
> >> > Fuse protection: F-200mA/250V
> >> > Operating Temperature: -0C to 40C
> >> > Overrange Indication: Only figure "1" on the display
> >> > Polarity Indication: "-" displayed for negative polarity
> >> > Low Battery Indication: - /+ display
> >> > Flip-out stand angles meter for ease of use in any location
> >> > Battery: 9V, Included
> >> > Dimensions: 138mm x 69mm x 31mm
> >> > Weight: ~160g
> >> >
> >> > Meter is brand new in the box, and includes:
> >> >
> >> > 1 - Digital Multimeter with Backlight
> >> > 1 - Instruction Manual
> >> > 1 - Set of Test Leads
> >> > 1 - 9V Battery
> >> >
> >> > Photo (.jpg format) available upon request.
> >> >
> >> > This is an exceptional value in a high quality digital multimeter,
> >> > ideal for electronic troubleshooting and repair work, available
> >> > for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
> >> >
> >> > -Bill
> >> > KB3PT
> >> > Selbyville, Delaware
> >> > E-mail: shortwave1@verizon.net
> >> >
> >>
> >> Makes me wonder. I keep reading the words "high quality" and
"exceptional
> >> value," but the fact that nowhere do you give a brand or a model, makes
me
> >> REALLY skeptical...
>
> >I was also skeptical, until I used this meter and compared it's features,
> WHAT METER?
>
> >it's quality, and it's measurement accuracy with my Fluke Model 23
> >Series III digital multimeter, and my Tektronix Model DMM247 digital
> >multimeter.
>
> >I'm no longer skeptical. You may wish to try one yourself in order to
> >form an informed opinion.
>
>
> WHAT IS THE MAKE AND MODEL? As long as you fail to include
> this minimal information, it is just a junk of chinese noname garbage.

>
> Hint: we don't believe you when you say it is better than a fluke.
> And BTW, its specs suck. 1% to 6% accuracy? Give me a break. It might
as
> well be a 2 digit meter. Reminds me a sinclair LED meter from the 70's.
> The last digit is just noise.

What you choose to believe appears to be based upon an uninformed
opinion (unless you've personally tested and evaluated this meter, and
compared features,quality, and price with either a Fluke or a Tektronix
multimeter).

In order to formulate an informed opinion, rather than spewing forth an
uninformed opinion as you have, the make of this meter is XILE, and the
Model is XL830L. It is not a Fluke or a Tektronix meter, nor is it's price
that of a Fluke or a Tektronix multimeter.

From -5586299856599648836
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!novia!border2.nntp.dca.giganews.com!
nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc02.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 103
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <OFANj.14260$bx3.4842@trnddc02>
Date: Thu, 17 Apr 2008 04:49:50 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1208407790 68.236.31.9 (Thu, 17 Apr 2008 00:49:50 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 00:49:50 EDT
Xref: g2news1.google.com rec.radio.swap:18899 rec.radio.amateur.equipment:14241
rec.audio.marketplace:10650

"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
news:slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> On Thu, 17 Apr 2008 04:18:03 GMT, Bill Golden <shortwave1@verizon.net>
wrote:
>
> >"PowerHouse Communications" <PowerHouseCom@privatebox.net> wrote in
message
> >news:x0yNj.74$XZ.18@newsfe02.lga...
> >>
> >>
> >> "Bill Golden" <shortwave1@verizon.net> wrote in message
> >> news:qMsNj.9268$XF3.7391@trnddc04...
> >> >
> >> > I have one high quality Digital Multimeter, with easy-read blue
> >backlight,
> >> > still left for sale.
> >> >
> >> > This is an excellent quality digital multimeter, brand new still in
the
> >> > box,
> >> > with more features than most popular digital multimeters on the
market
> >> > today!
> >> >
> >> > Specs are as follows:
> >> >
> >> > Handheld Digital Multimeter for measuring AC and DC voltage, DC
current,
> >> > Resistance, Diode and PNP and NPN Transistor Tester
> >> > Bright Blue Backlight - very easy to read large digital display
> >> > Thick yellow rubber casing protects meter from splashes and bumps
> >> > Test Leads and 9V Battery are included
> >> > Low power requirement with automatic power off
> >> > Data hold function
> >> > Continuity beeper
> >> >
> >> > Measurement Specifications:
> >> >
> >> > DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
> >> > AC Voltage: 200V/600V �1.2%
> >> > DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
> >> > Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
> >> > Display: LCD, 1999 counts
> >> > Fuse protection: F-200mA/250V
> >> > Operating Temperature: -0C to 40C
> >> > Overrange Indication: Only figure "1" on the display
> >> > Polarity Indication: "-" displayed for negative polarity
> >> > Low Battery Indication: - /+ display
> >> > Flip-out stand angles meter for ease of use in any location
> >> > Battery: 9V, Included
> >> > Dimensions: 138mm x 69mm x 31mm

> >> > Weight: ~160g
> >> >
> >> > Meter is brand new in the box, and includes:
> >> >
> >> > 1 - Digital Multimeter with Backlight
> >> > 1 - Instruction Manual
> >> > 1 - Set of Test Leads
> >> > 1 - 9V Battery
> >> >
> >> > Photo (.jpg format) available upon request.
> >> >
> >> > This is an exceptional value in a high quality digital multimeter,
> >> > ideal for electronic troubleshooting and repair work, available
> >> > for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
> >> >
> >> > -Bill
> >> > KB3PT
> >> > Selbyville, Delaware
> >> > E-mail: shortwave1@verizon.net
> >> >
> >>
> >> Makes me wonder. I keep reading the words "high quality" and
"exceptional
> >> value," but the fact that nowhere do you give a brand or a model, makes
me
> >> REALLY skeptical...
>
> >I was also skeptical, until I used this meter and compared it's features,
> WHAT METER?
>
> >it's quality, and it's measurement accuracy with my Fluke Model 23
> >Series III digital multimeter, and my Tektronix Model DMM247 digital
> >multimeter.
>
> >I'm no longer skeptical. You may wish to try one yourself in order to
> >form an informed opinion.
>
>
> WHAT IS THE MAKE AND MODEL? As long as you fail to include
> this minimal information, it is just a junk of chinese noname garbage.
>
> Hint: we don't believe you when you say it is better than a fluke.
> And BTW, its specs suck. 1% to 6% accuracy? Give me a break. It might
as
> well be a 2 digit meter. Reminds me a sinclair LED meter from the 70's.
> The last digit is just noise.

Where do you see specs that say "1% to 6% accuracy"? Those were not
the specs given, as anyone with reasonable intelligence can clearly see.
What have you been smoking ... ? <g>

```
From 5004720454096494246
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04>
Subject: Sold: Digital Multimeter with Backlight, Nice!
Lines: 70
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <NPANj.14317$bx3.8494@trnddc02>
Date: Thu, 17 Apr 2008 05:00:29 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1208408429 68.236.31.9 (Thu, 17 Apr 2008 01:00:29 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 01:00:29 EDT
Xref: g2news1.google.com rec.radio.swap:18900 rec.radio.amateur.equipment:14242
rec.audio.marketplace:10651
X-Original-Bytes: 3211
```

The last of these multimeters has been sold.
Thank you to those who inquired about it.

I'd also like to thank "AZ Nomad" for your opinions
(uninformed and inaccurate as they may have been),
and for your help in the sale of this last meter.

-Bill
KB3PT

"Bill Golden" <shortwave1@verizon.net> wrote in message
news:qMsNj.9268$XF3.7391@trnddc04...

> I have one high quality Digital Multimeter, with easy-read blue backlight,
> still left for sale.
>
> This is an excellent quality digital multimeter, brand new still in the box,
> with more features than most popular digital multimeters on the market

```
> today!
>
> Specs are as follows:
>
> Handheld Digital Multimeter for measuring AC and DC voltage, DC current,
> Resistance, Diode and PNP and NPN Transistor Tester
> Bright Blue Backlight - very easy to read large digital display
> Thick yellow rubber casing protects meter from splashes and bumps
> Test Leads and 9V Battery are included
> Low power requirement with automatic power off
> Data hold function
> Continuity beeper
>
> Measurement Specifications:
>
> DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
> AC Voltage: 200V/600V �1.2%
> DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
> Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
> Display: LCD, 1999 counts
> Fuse protection: F-200mA/250V
> Operating Temperature: -0C to 40C
> Overrange Indication: Only figure "1" on the display
> Polarity Indication: "-" displayed for negative polarity
> Low Battery Indication: - /+ display
> Flip-out stand angles meter for ease of use in any location
> Battery: 9V, Included
> Dimensions: 138mm x 69mm x 31mm
> Weight: ~160g
>
> Meter is brand new in the box, and includes:
>
> 1 - Digital Multimeter with Backlight
> 1 - Instruction Manual
> 1 - Set of Test Leads
> 1 - 9V Battery
>
> Photo (.jpg format) available upon request.
>
> This is an exceptional value in a high quality digital multimeter,
> ideal for electronic troubleshooting and repair work, available
> for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
>
> -Bill
> KB3PT
> Selbyville, Delaware
> E-mail:  shortwave1@verizon.net



From 2068697148385574779
X-Google-Thread: 1109af,f86ed270752a0eaf
```

```
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<slrng0de68.k96.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 33
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <T1BNj.14320$bx3.8673@trnddc02>
Date: Thu, 17 Apr 2008 05:15:31 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1208409331 68.236.31.9 (Thu, 17 Apr 2008 01:15:31 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 01:15:31 EDT
Xref: g2news1.google.com rec.radio.swap:18901 rec.radio.amateur.equipment:14243
rec.audio.marketplace:10652


"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
news:slrng0de68.k96.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> On Wed, 16 Apr 2008 20:49:27 -0500, PowerHouse Communications
<PowerHouseCom@privatebox.net> wrote:
> >> ideal for electronic troubleshooting and repair work, available
> >> for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
> >>
> >> -Bill
> >> KB3PT
> >> Selbyville, Delaware
> >> E-mail:  shortwave1@verizon.net
> >>
>
> >Makes me wonder.  I keep reading the words "high quality" and
"exceptional
> >value," but the fact that nowhere do you give a brand or a model, makes
me
> >REALLY skeptical...
> >
>
>
```

> Here's a slightly better meter with all the same features for
> $15. It has a 1000V range and data hold.
> http://www.partsexpress.com/pe/showdetl.cfm?Partnumber=390-550

There don't appear to be any accuracy specs whatsoever given for this
"slightly better meter" which you cite. Have you compared the accuracy
of the two meters to substantiate your opinion ?

From -1913995226625367326
X-Google-Thread: 1109af,8d95f79778fac562
X-Google-Thread: 108122,8d95f79778fac562
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS: VHF Motorola Handheld 2- Way Radios ("HT's")
Date: Thu, 17 Apr 2008 08:14:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 18
Message-ID: <slrng0e1dm.9o1.gsm@cable.mendelson.com>
References: <yYqNj.14209$bx3.8505@trnddc02>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-61-203.bb.netvision.net.il
X-Trace: max.inside.misty.com 1208420043 28205 89.138.61.203 (17 Apr 2008 08:14:03 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 17 Apr 2008 08:14:03 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
X-Original-Bytes: 1517
Xref: g2news1.google.com rec.radio.swap:18902 rec.radio.amateur.equipment:14244

Bill Golden wrote:
>
> I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
> VHF "Handy-Talkies" ("HT's"), with two matching Motorola Desk Chargers
> for sale. Seldom will you find any used Motorola equipment in such "clean"
> condition as these VHF handheld units.

I've seen this ad for a long time now. I've ignored it because I am not
in the U.S. and therefore would not buy them, but I've wondered what
frequencies they operate on.

IMHO if they operate on a ham band, then you should say so to stimulate
interest, and if they don't find a more appropriate group.

```
Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM


From -7731281736076992073
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<slrng0de68.k96.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 44
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <NODNj.8226$nT1.407@trndny09>
Date: Thu, 17 Apr 2008 08:24:13 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1208420653 68.236.31.9 (Thu, 17 Apr 2008 04:24:13 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 04:24:13 EDT
Xref: g2news1.google.com rec.radio.swap:18903 rec.radio.amateur.equipment:14245
rec.audio.marketplace:10653
X-Original-Bytes: 2878


"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
news:slrng0de68.k96.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> On Wed, 16 Apr 2008 20:49:27 -0500, PowerHouse Communications
<PowerHouseCom@privatebox.net> wrote:
> >> ideal for electronic troubleshooting and repair work, available
> >> for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
> >>
> >> -Bill
> >> KB3PT1> >> Selbyville, Delaware
> >> E-mail:  shortwave1@verizon.net
> >>
>
```

> >Makes me wonder. I keep reading the words "high quality" and
"exceptional
> >value," but the fact that nowhere do you give a brand or a model, makes
me
> >REALLY skeptical...
> >
>
>
> Here's a slightly better meter with all the same features for
> $15. It has a 1000V range and data hold.
> http://www.partsexpress.com/pe/showdetl.cfm?Partnumber=390-550

It's specs say that this "slightly better meter" does not have auto
power-off.
The specs also show (at the bottom) that this "slightly better meter" has a
measurement range up to 600 Volts, both AC and DC. The specs for this
"slightly better meter" give no meter accuracy figures whatsoever.

So specifically what makes the meter you cite a "slightly better meter"
(other than you're saying it's a "slightly better meter")?   Have you tried
one of these "slightly better meters"? Does it's low cost (for fewer
features) make it a "slightly better meter" ?

Oh, when you add in the lowest shipping charges for that "slightly better
meter", it's actual delivered cost isn't all that much different from the
meter
(with more features) which you've never seen, never used, never tested,
know nothing about ... the meter which you're "really skeptical" of.

Back to whatever it is you're smoking ... <g>

From 2279470211172043533
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.supernews.com!
news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Apr 2008 07:56:40 -0500
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
From: AZ Nomad <aznomad.3@PremoveOBthisOX.COM>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02>
Message-ID: <slrng0ei88.ajb.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1

```
Content-Transfer-Encoding: 8bit
User-Agent: slrn/0.9.8.1pl1 (Linux)
Date: Thu, 17 Apr 2008 07:56:40 -0500
Lines: 115
X-Trace: sv3-
vPYbc2hFbhPOVlphLLSzL2OjoVrWqTbeclicVtiYAdYkwdtDxrPmFLQZc5HYjqnWxdnMxsr6QHr7d7u!
JLlPLAOJztwvAyuJz2/59gnuX11ay2kzXTdfiDAulbAw2pL1LbRwoLDJDIOdg0C4Lz+IJlP1+gDa!
7tWTljn0dH4C3SwaU5o=
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:18904 rec.radio.amateur.equipment:14246
rec.audio.marketplace:10654

On Thu, 17 Apr 2008 04:38:39 GMT, Bill Golden <shortwave1@verizon.net> wrote:

>"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
>news:slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
>> On Thu, 17 Apr 2008 04:18:03 GMT, Bill Golden <shortwave1@verizon.net>
>wrote:
>>
>> >"PowerHouse Communications" <PowerHouseCom@privatebox.net> wrote in
>message
>> >news:x0yNj.74$XZ.18@newsfe02.lga...
>> >>
>> >>
>> >> "Bill Golden" <shortwave1@verizon.net> wrote in message
>> >> news:qMsNj.9268$XF3.7391@trnddc04...
>> >> >
>> >> > I have one high quality Digital Multimeter, with easy-read blue
>> >backlight,
>> >> > still left for sale.
>> >> >
>> >> > This is an excellent quality digital multimeter, brand new still in
>the
>> >> > box,
>> >> > with more features than most popular digital multimeters on the
>market
>> >> > today!
>> >> >
>> >> > Specs are as follows:
>> >> >
>> >> > Handheld Digital Multimeter for measuring AC and DC voltage, DC
>current,
>> >> > Resistance, Diode and PNP and NPN Transistor Tester
>> >> > Bright Blue Backlight - very easy to read large digital display
>> >> > Thick yellow rubber casing protects meter from splashes and bumps
>> >> > Test Leads and 9V Battery are included
>> >> > Low power requirement with automatic power off
>> >> > Data hold function
>> >> > Continuity beeper
>> >> >
>> >> > Measurement Specifications:
>> >> >
>> >> > DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
>> >> > AC Voltage: 200V/600V �1.2%
>> >> > DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
>> >> > Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
>> >> > Display: LCD, 1999 counts
>> >> > Fuse protection: F-200mA/250V
>> >> > Operating Temperature: -0C to 40C
>> >> > Overrange Indication: Only figure "1" on the display
>> >> > Polarity Indication: "-" displayed for negative polarity
>> >> > Low Battery Indication: - /+ display
>> >> > Flip-out stand angles meter for ease of use in any location
>> >> > Battery: 9V, Included
>> >> > Dimensions: 138mm x 69mm x 31mm
>> >> > Weight: ~160g
>> >> >
>> >> > Meter is brand new in the box, and includes:
>> >> >
>> >> > 1 - Digital Multimeter with Backlight
>> >> > 1 - Instruction Manual
>> >> > 1 - Set of Test Leads
>> >> > 1 - 9V Battery
>> >> >
>> >> > Photo (.jpg format) available upon request.
>> >> >
>> >> > This is an exceptional value in a high quality digital multimeter,
>> >> > ideal for electronic troubleshooting and repair work, available
>> >> > for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
>> >> >
>> >> > -Bill
>> >> > KB3PT
>> >> > Selbyville, Delaware
>> >> > E-mail:  shortwave1@verizon.net
>> >> >
>> >>
>> >> Makes me wonder.  I keep reading the words "high quality" and
>"exceptional
>> >> value," but the fact that nowhere do you give a brand or a model, makes
>me
>> >> REALLY skeptical...
>>
>> >I was also skeptical, until I used this meter and compared it's features,
>> WHAT METER?
>>
>> >it's quality, and it's measurement accuracy with my Fluke Model 23
>> >Series III digital multimeter, and my Tektronix Model DMM247 digital
>> >multimeter.
>>
>> >I'm no longer skeptical. You may wish to try one yourself in order to
>> >form an informed opinion.
```

>>
>>
>> WHAT IS THE MAKE AND MODEL? As long as you fail to include
>> this minimal information, it is just a junk of chinese noname garbage.
>>
>> Hint: we don't believe you when you say it is better than a fluke.
>> And BTW, its specs suck. 1% to 6% accuracy? Give me a break. It might
>as
>> well be a 2 digit meter. Reminds me a sinclair LED meter from the 70's.
>> The last digit is just noise.

>What you choose to believe appears to be based upon an uninformed
>opinion (unless you've personally tested and evaluated this meter, and
>compared features,quality, and price with either a Fluke or a Tektronix
>multimeter).

oh, you poor poor baby.

>In order to formulate an informed opinion, rather than spewing forth an
>uninformed opinion as you have, the make of this meter is XILE, and the
>Model is XL830L. It is not a Fluke or a Tektronix meter, nor is it's price
>that of a Fluke or a Tektronix multimeter.

That wasn't so hard. Why did didn't you post it in the first place,
or in the second place, or in the third place?

```
From -3308252814866993214
X-Google-Thread: 1109af,8d95f79778fac562
X-Google-Thread: 108122,8d95f79778fac562
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!news.bellsouth.net!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
References: <yYqNj.14209$bx3.8505@trnddc02>
<slrng0e1dm.9o1.gsm@cable.mendelson.com>
Subject: Re: FS: VHF Motorola Handheld 2- Way Radios ("HT's")
Lines: 40
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <7VHNj.17181$DD2.13732@trndny04>
Date: Thu, 17 Apr 2008 13:04:03 GMT
NNTP-Posting-Host: 68.236.31.9
```

X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1208437443 68.236.31.9 (Thu, 17 Apr 2008 09:04:03 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 09:04:03 EDT
Xref: g2news1.google.com rec.radio.swap:18905 rec.radio.amateur.equipment:14247

"Geoffrey S. Mendelson" <gsm@mendelson.com> wrote in message
news:slrng0e1dm.9o1.gsm@cable.mendelson.com...
> Bill Golden wrote:
> >
> > I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
> > VHF "Handy-Talkies" ("HT's"), with two matching Motorola Desk Chargers
> > for sale. Seldom will you find any used Motorola equipment in such
"clean"
> > condition as these VHF handheld units.
>
> I've seen this ad for a long time now. I've ignored it because I am not
> in the U.S. and therefore would not buy them, but I've wondered what
> frequencies they operate on.
>
> IMHO if they operate on a ham band, then you should say so to stimulate
> interest, and if they don't find a more appropriate group.
>
> Geoff.
>
> --
> Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

If you've read the ad you've seen that these "HT's" operate on VHF MURS
frequencies, they are also capable of operation on the 2 meter ham band.

If you've read the ad you've also seen that they are being offered for sale
only within the Continental United States (so this ad would be of no
interest
to you). This newsgroup is, IMHO, an appropriate place for this ad, Geoff.
If you don't wish to see any particular item in any newsgroup, you may wish
to learn to use newsreader filters.

73,

-Bill
KB3PT
Selbyville, Delaware
USA

From 7040026920742908074
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII

```
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny06.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02>
<slrng0ei88.ajb.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 129
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <n3INj.6832$eg2.2165@trndny06>
Date: Thu, 17 Apr 2008 13:14:59 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny06 1208438099 68.236.31.9 (Thu, 17 Apr 2008 09:14:59 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 09:14:59 EDT
Xref: g2news1.google.com rec.radio.swap:18906 rec.radio.amateur.equipment:14248
rec.audio.marketplace:10655
X-Original-Bytes: 6133


"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
news:slrng0ei88.ajb.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> On Thu, 17 Apr 2008 04:38:39 GMT, Bill Golden <shortwave1@verizon.net>
wrote:
>
> >"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
> >news:slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> >> On Thu, 17 Apr 2008 04:18:03 GMT, Bill Golden <shortwave1@verizon.net>
> >wrote:
> >>
> >> >"PowerHouse Communications" <PowerHouseCom@privatebox.net> wrote in
> >message
> >> >news:x0yNj.74$XZ.18@newsfe02.lga...
> >> >>
> >> >>
> >> >> "Bill Golden" <shortwave1@verizon.net> wrote in message
> >> >> news:qMsNj.9268$XF3.7391@trnddc04...
> >> >> >
> >> >> > I have one high quality Digital Multimeter, with easy-read blue
> >> >backlight,
> >> >> > still left for sale.
> >> >> >
```

> >> >> > This is an excellent quality digital multimeter, brand new still
in
> >the
> >> >> > box,
> >> >> > with more features than most popular digital multimeters on the
> >market
> >> >> > today!
> >> >> >
> >> >> > Specs are as follows:
> >> >> >
> >> >> > Handheld Digital Multimeter for measuring AC and DC voltage, DC
> >current,
> >> >> > Resistance, Diode and PNP and NPN Transistor Tester
> >> >> > Bright Blue Backlight - very easy to read large digital display
> >> >> > Thick yellow rubber casing protects meter from splashes and bumps
> >> >> > Test Leads and 9V Battery are included
> >> >> > Low power requirement with automatic power off
> >> >> > Data hold function
> >> >> > Continuity beeper
> >> >> >
> >> >> > Measurement Specifications:
> >> >> >
> >> >> > DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
> >> >> > AC Voltage: 200V/600V �1.2%
> >> >> > DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
> >> >> > Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
> >> >> > Display: LCD, 1999 counts
> >> >> > Fuse protection: F-200mA/250V
> >> >> > Operating Temperature: -0C to 40C
> >> >> > Overrange Indication: Only figure "1" on the display
> >> >> > Polarity Indication: "-" displayed for negative polarity
> >> >> > Low Battery Indication: - /+ display
> >> >> > Flip-out stand angles meter for ease of use in any location
> >> >> > Battery: 9V, Included
> >> >> > Dimensions: 138mm x 69mm x 31mm
> >> >> > Weight: ~160g
> >> >> >
> >> >> > Meter is brand new in the box, and includes:
> >> >> >
> >> >> > 1 - Digital Multimeter with Backlight
> >> >> > 1 - Instruction Manual
> >> >> > 1 - Set of Test Leads
> >> >> > 1 - 9V Battery
> >> >> >
> >> >> > Photo (.jpg format) available upon request.
> >> >> >
> >> >> > This is an exceptional value in a high quality digital multimeter,
> >> >> > ideal for electronic troubleshooting and repair work, available
> >> >> > for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
> >> >> >
> >> >> > -Bill
> >> >> > KB3PT
> >> >> > Selbyville, Delaware

> >> >> > E-mail: shortwave1@verizon.net
> >> >> >
> >> >>
> >> >> Makes me wonder. I keep reading the words "high quality" and
> >"exceptional
> >> >> value," but the fact that nowhere do you give a brand or a model,
makes
> >me
> >> >> REALLY skeptical...
> >>
> >> >I was also skeptical, until I used this meter and compared it's
features,
> >> WHAT METER?
> >>
> >> >it's quality, and it's measurement accuracy with my Fluke Model 23
> >> >Series III digital multimeter, and my Tektronix Model DMM247 digital
> >> >multimeter.
> >>
> >> >I'm no longer skeptical. You may wish to try one yourself in order to
> >> >form an informed opinion.
> >>
> >>
> >> WHAT IS THE MAKE AND MODEL? As long as you fail to include
> >> this minimal information, it is just a junk of chinese noname garbage.
> >>
> >> Hint: we don't believe you when you say it is better than a fluke.
> >> And BTW, its specs suck. 1% to 6% accuracy? Give me a break. It
might
> >as
> >> well be a 2 digit meter. Reminds me a sinclair LED meter from the
70's.
> >> The last digit is just noise.
>
> >What you choose to believe appears to be based upon an uninformed
> >opinion (unless you've personally tested and evaluated this meter, and
> >compared features,quality, and price with either a Fluke or a Tektronix
> >multimeter).
>
> oh, you poor poor baby.
>
> >In order to formulate an informed opinion, rather than spewing forth an
> >uninformed opinion as you have, the make of this meter is XILE, and the
> >Model is XL830L. It is not a Fluke or a Tektronix meter, nor is it's
price
> >that of a Fluke or a Tektronix multimeter.
>
> That wasn't so hard. Why did didn't you post it in the first place,
> or in the second place, or in the third place?

I didn't realize that you were familiar with the brand "XILE", or with their
"XILE Model XL830L" multimeter. But since you asked, I answered your
question promptly, and properly.

```
From -7744940733492041291
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!npeer02.iad!npeer03.iad!news.highwinds-
media.com!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!
5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02>
<slrng0ei88.ajb.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 142
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 8bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <gGINj.14626$gT3.13693@trndny02>
Date: Thu, 17 Apr 2008 13:56:28 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1208440588 68.236.31.9 (Thu, 17 Apr 2008 09:56:28 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 09:56:28 EDT
Xref: g2news1.google.com rec.radio.swap:18907 rec.radio.amateur.equipment:14249
rec.audio.marketplace:10656


"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
news:slrng0ei88.ajb.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> On Thu, 17 Apr 2008 04:38:39 GMT, Bill Golden <shortwave1@verizon.net>
wrote:
>
> >"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
> >news:slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> >> On Thu, 17 Apr 2008 04:18:03 GMT, Bill Golden <shortwave1@verizon.net>
> >wrote:
> >>
> >> >"PowerHouse Communications" <PowerHouseCom@privatebox.net> wrote in
> >message
> >> >news:x0yNj.74$XZ.18@newsfe02.lga...
> >> >>
> >> >>
> >> >> "Bill Golden" <shortwave1@verizon.net> wrote in message
> >> >> news:qMsNj.9268$XF3.7391@trnddc04...
> >> >> >
> >> >> > I have one high quality Digital Multimeter, with easy-read blue
> >> >backlight,
> >> >> > still left for sale.
> >> >> >
> >> >> > This is an excellent quality digital multimeter, brand new still
in
> >the
> >> >> > box,
> >> >> > with more features than most popular digital multimeters on the
> >market
> >> >> > today!
> >> >> >
> >> >> > Specs are as follows:
> >> >> >
> >> >> > Handheld Digital Multimeter for measuring AC and DC voltage, DC
> >current,
> >> >> > Resistance, Diode and PNP and NPN Transistor Tester
> >> >> > Bright Blue Backlight - very easy to read large digital display
> >> >> > Thick yellow rubber casing protects meter from splashes and bumps
> >> >> > Test Leads and 9V Battery are included
> >> >> > Low power requirement with automatic power off
> >> >> > Data hold function
> >> >> > Continuity beeper
> >> >> >
> >> >> > Measurement Specifications:
> >> >> >
> >> >> > DC Voltage: 200mV/2V/20V/200V �0.5%, 600V �0.8%
> >> >> > AC Voltage: 200V/600V �1.2%
> >> >> > DC Current: 200?A/2mA/20mA �1%, 200mA �1.5%, 10A �3%
> >> >> > Resistance: 200?/2K?/20K?/200K?/2M? �0.8%
> >> >> > Display: LCD, 1999 counts
> >> >> > Fuse protection: F-200mA/250V
> >> >> > Operating Temperature: -0C to 40C
> >> >> > Overrange Indication: Only figure "1" on the display
> >> >> > Polarity Indication: "-" displayed for negative polarity
> >> >> > Low Battery Indication: - /+ display
> >> >> > Flip-out stand angles meter for ease of use in any location
> >> >> > Battery: 9V, Included
> >> >> > Dimensions: 138mm x 69mm x 31mm
> >> >> > Weight: ~160g
> >> >> >
> >> >> > Meter is brand new in the box, and includes:
> >> >> >
> >> >> > 1 - Digital Multimeter with Backlight
> >> >> > 1 - Instruction Manual
> >> >> > 1 - Set of Test Leads
> >> >> > 1 - 9V Battery
> >> >> >
> >> >> > Photo (.jpg format) available upon request.
> >> >> >
```

> >> >> > This is an exceptional value in a high quality digital multimeter,
> >> >> > ideal for electronic troubleshooting and repair work, available
> >> >> > for only $ 25.00 plus $ 6.00 shipping (Cont'l U.S. only).
> >> >> >
> >> >> > -Bill
> >> >> > KB3PT
> >> >> > Selbyville, Delaware
> >> >> > E-mail: shortwave1@verizon.net
> >> >> >
> >> >>
> >> >> Makes me wonder. I keep reading the words "high quality" and
> >"exceptional
> >> >> value," but the fact that nowhere do you give a brand or a model,
makes
> >me
> >> >> REALLY skeptical...
> >>
> >> >I was also skeptical, until I used this meter and compared it's
features,
> >> WHAT METER?
> >>
> >> >it's quality, and it's measurement accuracy with my Fluke Model 23
> >> >Series III digital multimeter, and my Tektronix Model DMM247 digital
> >> >multimeter.
> >>
> >> >I'm no longer skeptical. You may wish to try one yourself in order to
> >> >form an informed opinion.
> >>
> >>
> >> WHAT IS THE MAKE AND MODEL? As long as you fail to include
> >> this minimal information, it is just a junk of chinese noname garbage.
> >>
> >> Hint: we don't believe you when you say it is better than a fluke.
> >> And BTW, its specs suck. 1% to 6% accuracy? Give me a break. It
might
> >as
> >> well be a 2 digit meter. Reminds me a sinclair LED meter from the
70's.
> >> The last digit is just noise.
>
> >What you choose to believe appears to be based upon an uninformed
> >opinion (unless you've personally tested and evaluated this meter, and
> >compared features,quality, and price with either a Fluke or a Tektronix
> >multimeter).
>
> oh, you poor poor baby.
>
> >In order to formulate an informed opinion, rather than spewing forth an
> >uninformed opinion as you have, the make of this meter is XILE, and the
> >Model is XL830L. It is not a Fluke or a Tektronix meter, nor is it's
price
> >that of a Fluke or a Tektronix multimeter.
>

> That wasn't so hard. Why did didn't you post it in the first place,
> or in the second place, or in the third place?

Interestingly, the XILE Model XL830L multimeter is also "CE Certified".

"CE" stands for "Conformit� Europ�enne" which is French for "European Conformity". When the "CE" symbol is affixed to a product (as it is to the XILE Model XL830L multimeter) it is the manufacturer's declaration that the product conforms to the essential requirements of all European directives.
These essential requirements would include Safety, public health, Electro-magnetic Compatibility, and consumer protection, among other things.

But you're probably familiar enough with the XILE Model XL830L multimeter to have known that it's CE Certified.

```
From -7493869325500872743
X-Google-Thread: 108122,a65579c95b01144c,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Apr 2008 10:06:04 -0500
From: UsedRadio.com <UsedRadio.com.24d1ca1@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS:  MTX9250 Portables
Date: Thu, 17 Apr 2008 16:02:07 +0100
Message-ID: <UsedRadio.com.24d1ca1@radiobanter.com>
Organization: RadioBanter.com
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 87.106.71.43
X-Trace: sv3-xbLgq+Ubgzmjqx5Y6ohakY8qR3+llX/
AwhG9L64AqKhzmXcJo6l2myULGxtZGIDhEGV0TGwybrzEN50!
xdLea74Q7YGPspg0k74ccNU0dLUJvHNrGLoFzo+1GVQWWZl4MwsxnMLEfJ7I0Uk5WKmSFst/qB7O!
tUfeksNG+33U
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.38
X-Original-Lines: 2
Xref: g2news1.google.com rec.radio.amateur.equipment:14250
```

We just received another 40 Full Keypad models - very good shape.
Capable of operating in the Ham Band. $179 each with charger, antenna,
and new battery. Thanks
Kevin Demery Usedradio.com (866)944-8255

--
UsedRadio.com

From 5699925375039328885
X-Google-Thread: 1109af,8d95f79778fac562
X-Google-Thread: 108122,8d95f79778fac562
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!news.kjsl.com!
news.xcski.com!ncf.ca!not-for-mail
From: Michael Black <et472@ncf.ca>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS: VHF Motorola Handheld 2- Way Radios ("HT's")
Date: Thu, 17 Apr 2008 12:47:33 -0400
Organization: National Capital Freenet, Ottawa, Ontario, Canada
Lines: 52
Sender: et472@213-215-235-64-ppp.3menatwork.com
Message-ID: <Pine.LNX.4.64.0804171244310.25248@darkstar.example.org>
References: <yYqNj.14209$bx3.8505@trnddc02>
<slrng0e1dm.9o1.gsm@cable.mendelson.com>
 <7VHNj.17181$DD2.13732@trndny04>
NNTP-Posting-Host: 213-215-235-64-ppp.3menatwork.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: theodyn.ncf.ca 1208451014 423 64.235.215.213 (17 Apr 2008 16:50:14 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 17 Apr 2008 16:50:14 GMT
In-Reply-To: <7VHNj.17181$DD2.13732@trndny04>
Xref: g2news1.google.com rec.radio.swap:18908 rec.radio.amateur.equipment:14251

On Thu, 17 Apr 2008, Bill Golden wrote:

>
"Geoffrey S. Mendelson" <gsm@mendelson.com> wrote in message
> news:slrng0e1dm.9o1.gsm@cable.mendelson.com...
>> Bill Golden wrote:
>>>
>>> I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
>>> VHF "Handy-Talkies" ("HT's"), with two matching Motorola Desk Chargers
>>> for sale. Seldom will you find any used Motorola equipment in such
> "clean"
>>> condition as these VHF handheld units.
>>
>> I've seen this ad for a long time now. I've ignored it because I am not

```
>> in the U.S. and therefore would not buy them, but I've wondered what
>> frequencies they operate on.
>>
>> IMHO if they operate on a ham band, then you should say so to stimulate
>> interest, and if they don't find a more appropriate group.
>>
>> Geoff.
>>
>> --
>> Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
>
> If you've read the ad you've seen that these "HT's" operate on VHF MURS
> frequencies, they are also capable of operation on the 2 meter ham band.
>
> If you've read the ad you've also seen that they are being offered for sale
> only within the Continental United States (so this ad would be of no
> interest
> to you). This newsgroup is, IMHO, an appropriate place for this ad, Geoff.
> If you don't wish to see any particular item in any newsgroup, you may wish
> to learn to use newsreader filters.
>
Huh?

You posted this to rec.radio.swap, and to rec.radio.amateur.equipment.

The former is for buy and sell ads, the latter is for the discussion
of amateur radio equipment.

rec.radio.amateur.equipment is not for ads, it never was and still isn't.
Jut because some fools think it is does not make it so.

I don't recall seeing any mention of amateur radio in the original post,
so I certainly wondered why it was here, rec.radio.amateur.equipment,
not even simply because it was an ad but because it didn't really
seem to be even amateur radio related.

   Michael VE2BVW




From 4951263131365088155
X-Google-Thread: 1109af,8d95f79778fac562
X-Google-Thread: 108122,8d95f79778fac562
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!725764fe!
not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS: VHF Motorola Handheld 2- Way Radios ("HT's")
```

References: <yYqNj.14209$bx3.8505@trnddc02>
<slrng0e1dm.9o1.gsm@cable.mendelson.com> <7VHNj.17181$DD2.13732@trndny04>
In-Reply-To: <7VHNj.17181$DD2.13732@trndny04>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 56
Message-ID: <juLNj.25417$%15.12399@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbonkjcajeeabdnkpbpmjnhlmhmglmknhagon
deflmnieafpnkdbppiejolejcelckfdgpfbobilchpkeakomaahbefjefagbimpniggglkckfaiacl
NNTP-Posting-Date: Thu, 17 Apr 2008 13:08:31 EDT
Organization: BellSouth Internet Group
Date: Thu, 17 Apr 2008 12:09:24 -0500
Xref: g2news1.google.com rec.radio.swap:18909 rec.radio.amateur.equipment:14252

Bill Golden wrote:
> "Geoffrey S. Mendelson" <gsm@mendelson.com> wrote in message
> news:slrng0e1dm.9o1.gsm@cable.mendelson.com...
>> Bill Golden wrote:
>>> I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
>>> VHF "Handy-Talkies" ("HT's"), with two matching Motorola Desk Chargers
>>> for sale. Seldom will you find any used Motorola equipment in such
> "clean"
>>> condition as these VHF handheld units.
>> I've seen this ad for a long time now. I've ignored it because I am not
>> in the U.S. and therefore would not buy them, but I've wondered what
>> frequencies they operate on.
>>
>> IMHO if they operate on a ham band, then you should say so to stimulate
>> interest, and if they don't find a more appropriate group.
>>
>> Geoff.
>>
>> --
>> Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
>
> If you've read the ad you've seen that these "HT's" operate on VHF MURS
> frequencies, they are also capable of operation on the 2 meter ham band.
>
> If you've read the ad you've also seen that they are being offered for sale
> only within the Continental United States (so this ad would be of no
> interest
> to you). This newsgroup is, IMHO, an appropriate place for this ad, Geoff.
> If you don't wish to see any particular item in any newsgroup, you may wish
> to learn to use newsreader filters.
>
> 73,
>
> -Bill
> KB3PT
> Selbyville, Delaware

> USA
>

Uh...Bill. I've also seen the ad umpteen times. Certain authorities--as well as common knowledge--define insanity as doing the same thing over and over, expecting a different result. If they're the same set of radios, why don't you do something else to enhance their saleability.

If you have a whole slew of them, maybe offer a volume discount.

Either way, it is tiresome to see the same post time and time again (eight times, since December?). I've got a set of these--UHF, though--and while they're okay little boxes, they're a bit limited in flexibility. If I wanted to get rid of them I'd probably price them a bit lower...or put them on eBay, where they used to go for more than you're asking...but where a set with extra batteries, two headsets and two hand mics sold just last week for $103.50. eBay Item # 160226774548 -- and they take PayPal.

jak

```
From -5403485027664196842
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-spur2.glorb.com!
homer.glorb.com!not-for-mail
From: "WindsorFox<SS>" <darkshado666@gmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Date: Thu, 17 Apr 2008 12:26:21 -0500
Organization: Glorb Internet Services, http://www.glorb.com
Lines: 35
Message-ID: <fu8185$ru9$1@posting2.glorb.com>
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02>
NNTP-Posting-Host: +fBGygFP5P/ehKZN9PiAvg.user.posting2.glorb.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@glorb.com
NNTP-Posting-Date: Thu, 17 Apr 2008 17:26:29 +0000 (UTC)
X-Mailer: hidden
X-Notice: Scanned by Mr. Bill
X-Newsreader: hidden
User-Agent: hidden
Xref: g2news1.google.com rec.radio.swap:18910 rec.radio.amateur.equipment:14253
rec.audio.marketplace:10657
```

Bill Golden wrote:
> "AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
>> WHAT IS THE MAKE AND MODEL? As long as you fail to include
>> this minimal information, it is just a junk of chinese noname garbage.
>>
>> Hint: we don't believe you when you say it is better than a fluke.
>> And BTW, its specs suck. 1% to 6% accuracy? Give me a break. It might
> as
>> well be a 2 digit meter. Reminds me a sinclair LED meter from the 70's.
>> The last digit is just noise.
>
> What you choose to believe appears to be based upon an uninformed
> opinion (unless you've personally tested and evaluated this meter, and
> compared features,quality, and price with either a Fluke or a Tektronix
> multimeter).
>
> In order to formulate an informed opinion, rather than spewing forth an
> uninformed opinion as you have, the make of this meter is XILE, and the
> Model is XL830L. It is not a Fluke or a Tektronix meter, nor is it's price
> that of a Fluke or a Tektronix multimeter.
>

   " No results found for XILE XL830L"

--

"Political Correctness is a doctrine, fostered by a delusional,
   illogical minority, and rabidly promoted by an unscrupulous
   mainstream media, which holds forth the proposition that it
   is entirely possible to pick up a turd by the clean end."

From 3064334281262918606
X-Google-Thread: 1109af,8d95f79778fac562
X-Google-Thread: 108122,8d95f79778fac562
X-Google-Attributes: gid1109af,gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!npeer03.iad!news.highwinds-media.com!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
References: <yYqNj.14209$bx3.8505@trnddc02>
<slrng0e1dm.9o1.gsm@cable.mendelson.com> <7VHNj.17181$DD2.13732@trndny04>
<juLNj.25417$%15.12399@bignews7.bellsouth.net>
Subject: Re: FS: VHF Motorola Handheld 2- Way Radios ("HT's")
Lines: 87

```
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <bTLNj.8333$nT1.490@trndny09>
Date: Thu, 17 Apr 2008 17:35:03 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1208453703 68.236.31.9 (Thu, 17 Apr 2008 13:35:03 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 13:35:03 EDT
Xref: g2news1.google.com rec.radio.swap:18911 rec.radio.amateur.equipment:14254
```

Are you interested in buying these Motorola VHF radios, Jak, or is there some specific reason why you chose to add (yet another) message to two "rec.radio" newsgroups rather than simply send it via e-mail?

I believe I once saw a car just like yours sell somewhere for less than yours, Jak. Perhaps you too may benefit from learning to use filters in your newsreader client.

Sorry I must have missed the announcement that the Newsgroup Police appointed Newsgroup Policemen. Congratulations on your appointment, Sir.

The Motorola VHF Handhelds, by the way, remain for sale for the stated price. If you have some you'd like to get rid of, you may want to price them
a bit lower, or perhaps put them on eBay (where they're commonly seen to go in the $200 range, often with few if any accessories included).

Regards,

-Bill
KB3PT

```
"jakdedert" <jakdedert@bellsouth.net> wrote in message
news:juLNj.25417$%15.12399@bignews7.bellsouth.net...
> Bill Golden wrote:
> > "Geoffrey S. Mendelson" <gsm@mendelson.com> wrote in message
> > news:slrng0e1dm.9o1.gsm@cable.mendelson.com...
> >> Bill Golden wrote:
> >>> I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
> >>> VHF "Handy-Talkies" ("HT's"), with two matching Motorola Desk Chargers
> >>> for sale.  Seldom will you find any used Motorola equipment in such
> > "clean"
> >>> condition as these VHF handheld units.
> >> I've seen this ad for a long time now. I've ignored it because I am not
> >> in the U.S. and therefore would not buy them, but I've wondered what
> >> frequencies they operate on.
> >>
> >> IMHO if they operate on a ham band, then you should say so to stimulate
> >> interest, and if they don't find a more appropriate group.
> >>
> >> Geoff.
> >>
> >> --
> >> Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
> >
> > If you've read the ad you've seen that these "HT's" operate on VHF MURS
> > frequencies, they are also capable of operation on the 2 meter ham band.
> >
> > If you've read the ad you've also seen that they are being offered for
sale
> > only within the Continental United States (so this ad would be of no
> > interest
> > to you). This newsgroup is, IMHO, an appropriate place for this ad,
Geoff.
> > If you don't wish to see any particular item in any newsgroup, you may
wish
> > to learn to use newsreader filters.
> >
> > 73,
> >
> > -Bill
> > KB3PT
> > Selbyville, Delaware
> > USA
> >
> Uh...Bill.  I've also seen the ad umpteen times.  Certain
> authorities--as well as common knowledge--define insanity as doing the
> same thing over and over, expecting a different result.  If they're the
> same set of radios, why don't you do something else to enhance their
> saleability.
>
> If you have a whole slew of them, maybe offer a volume discount.
>
> Either way, it is tiresome to see the same post time and time again
> (eight times, since December?).  I've got a set of these--UHF,
> though--and while they're okay little boxes, they're a bit limited in
> flexibility.  If I wanted to get rid of them I'd probably price them a
> bit lower...or put them on eBay, where they used to go for more than
> you're asking...but where a set with extra batteries, two headsets and
> two hand mics sold just last week for $103.50.  eBay Item # 160226774548
> -- and they take PayPal.
>
> jak


From -1687752685966936015
```

X-Google-Thread: 108122,482fe5b1c9ceb37d,start
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!p25g2000hsf.googlegroups.com!not-for-mail
From: ebayshoe2@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: china cheap wholesale nike shox r3 r4 r5 r6 tn nz on tl3 air max 90 95 89 ltd shoes
Date: Thu, 17 Apr 2008 11:44:53 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <c5c49cdd-dc74-4445-9587-a2b0d115f73e@p25g2000hsf.googlegroups.com>
NNTP-Posting-Host: 121.205.202.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208457894 24781 127.0.0.1 (17 Apr 2008 18:44:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 17 Apr 2008 18:44:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p25g2000hsf.googlegroups.com; posting-host=121.205.202.248; posting-account=y1r65goAAAAJOrGUmJffpOXska_wky2R
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14255

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan Wholesale All of the Air Jordan sneakers have Nike Air in the shoes. Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB,
Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta
from nike Wholesale china nike jordans gucci prada sneakers at cheap price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers
wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier

wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale
wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes
wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes
wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller
wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection
wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog
wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer
wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory
wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer

wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers
wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy
wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker
Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China
Wholesale Custom Jordans
Air China Jordans Wholesale
Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale
Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes
Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike store,sale and Wholesale all of Nike stock Shoes,we have many type of NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes (Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike

women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount
Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air
Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china
wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY
SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

From 199795697761319078
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.supernews.com!news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Apr 2008 13:59:08 -0500
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
From: AZ Nomad <aznomad.3@PremoveOBthisOX.COM>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
Message-ID: <slrng0f7fs.7no.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Date: Thu, 17 Apr 2008 13:59:08 -0500
Lines: 29
X-Trace: sv3-BdNM0YivKfSW113xA/JMQzW2zLUBvmBgsKi7DBhyr3iDrdAtSrrHAluXYRk/
XfUagVQwtjN55jk7XqD!
Hut6gq2LyioylOR7eskKPT0E+yhGu5H5dqAfaJUqJM8sDuXMmFAi4RgdIT7Oof0qiYk/dohb5ART!
j0qG2X851GZ2JMTHNGU=
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:18912 rec.radio.amateur.equipment:14256
rec.audio.marketplace:10658

On Thu, 17 Apr 2008 12:26:21 -0500, WindsorFox<SS> <darkshado666@gmail.com> wrote:
>Bill Golden wrote:
>> "AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
>>> WHAT IS THE MAKE AND MODEL? As long as you fail to include
>>> this minimal information, it is just a junk of chinese noname garbage.
>>>
>>> Hint: we don't believe you when you say it is better than a fluke.
>>> And BTW, its specs suck. 1% to 6% accuracy? Give me a break. It might
>> as
>>> well be a 2 digit meter. Reminds me a sinclair LED meter from the 70's.

>>> The last digit is just noise.
>>
>> What you choose to believe appears to be based upon an uninformed
>> opinion (unless you've personally tested and evaluated this meter, and
>> compared features,quality, and price with either a Fluke or a Tektronix
>> multimeter).
>>
>> In order to formulate an informed opinion, rather than spewing forth an
>> uninformed opinion as you have, the make of this meter is XILE, and the
>> Model is XL830L. It is not a Fluke or a Tektronix meter, nor is it's price
>> that of a Fluke or a Tektronix multimeter.
>>

>   " No results found for XILE XL830L"

I got some hits for XILE on the chinese crap importation websites.
Nothing for that meter, unsurprisingly.

From 297843404517483260
X-Google-Thread: 108122,4e08304126f4a5ff
X-Google-Attributes: gid108122,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!59g2000hsb.googlegroups.com!not-for-mail
From: ebayshoe2@yahoo.cn
Newsgroups: rec.radio.amateur.equipment
Subject: cheap wholesale prada shoes gucci shoes lacoste shoes dunk shoes puma
     shoes air force one shoes
Date: Thu, 17 Apr 2008 12:18:06 -0700 (PDT)
Organization: http://groups.google.com
Lines: 138
Message-ID: <5cf69e3b-5118-4d9b-9408-267100dbc233@59g2000hsb.googlegroups.com>
NNTP-Posting-Host: 121.205.202.248
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208459887 27970 127.0.0.1 (17 Apr 2008 19:18:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 17 Apr 2008 19:18:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 59g2000hsb.googlegroups.com; posting-host=121.205.202.248;
     posting-account=y1r65goAAAAJOrGUmJffpOXska_wky2R
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     QQDownload 1.7),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14257

Welcome to visit www.china-sneakers.com
We Wholesale Cheap Jordan Shoes, Michael Jordan Shoes, Nike Jordan
Basketball shoes, ... Jordan Shoes, Air Jordan Sneakers, Air Jordan

Wholesale All of the Air Jordan sneakers have Nike Air in the shoes. Authentic quality Jordan Sneakers Custom Jordan Sneakers Wholesale Jordan Sneakers gucci sneakers prada sneakers,lv chanel coach dior DG DSQUARED2 DIESEL,miumiu handbags sneakers,t-shirts,jeans,jackets.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Basketball Shoes,prada,bapestar,Nike Shox,Dunks,Nike Flightposite ,Nike jordan Basketball ,K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta from nike Wholesale china nike jordans gucci prada sneakers at cheap price !!!

cheap gucci,prada dsquared2 sneakers wholesale

lacoste outlet
Max 90 Sneakers
wholesale Nike Air Max 91 Supplier
wholesale Nike Air Max 95 Shoes Supplier
wholesale Nike Air Max 97 Trainers
wholesale Nike Air Max 2003 Wholesale
wholesale Nike Air Max 2004 Shoes Wholesale
wholesale Nike Air Max 2005 Shop
wholesale Nike Air Max 2006 Shoes Shop
wholesale Nike Air Max 360 Catalogs
wholesale Nike Air Max Ltd Shoes Catalogs
wholesale Nike Air Max Tn Men's Shoes
wholesale Nike Air Max Tn 2 Women's Shoes
wholesale Nike Air Max Tn 3 Customize
wholesale Nike Air Max Tn 4 Shoes Customize
wholesale Nike Air Max Tn 6 Supply
wholesale Nike Shox NZ Shoes Supply
wholesale Nike Shox OZ Sale
wholesale Nike Shox TL Store
wholesale Nike Shox TL 2 Shoes Store
wholesale Nike Shox TL 3 Distributor
wholesale Nike Shox Bmw Shoes Distributor
wholesale Nike Shox Elite Shoes Manufacturer
wholesale Nike Shox Monster Manufacturer
wholesale Nike Shox R4 Running Shoes
wholesale Nike Shox R5 Mens Shoes
wholesale Nike Shox Ride Womens Shoes
wholesale Nike Shox Rival Shoes Wholesaler
wholesale Nike Shox Energia Wholesaler
wholesale Nike Shox LV Sneaker
wholesale Nike Shox Turbo Suppliers
wholesale Nike Shox Classic Shoes Suppliers
wholesale Nike Shox Dendara Trainer
wholesale Nike Air Jordan 1 Seller
wholesale Nike Air Jordan 2 Shoes Seller

wholesale Nike Air Jordan 3 Collection
wholesale Nike Air Jordan 4 Shoes Collection
wholesale Nike Air Jordan 5 Chaussure Shoes
wholesale Nike Air Jordan 6 Catalog
wholesale Nike Air Jordan 7 Shoes Catalog
wholesale Nike Air Jordan 8 Customized
wholesale Nike Air Jordan 9 Shoes Customized
wholesale Nike Air Jordan 10 Wholesalers
wholesale Nike Jordan 11 Shoes Wholesalers
wholesale Nike Air Jordan 12 Factory
wholesale Nike Air Jordan 13 Shoes Factory
wholesale Nike Air Jordan 14 Shoes Sell
wholesale Nike Air Jordan 16 Exporter
wholesale Nike Air Jordan 17 Shoes Exporter
wholesale Nike Air Jordan 18 Offer
wholesale Nike Air Jordan 19 Shoes Offer
wholesale Nike Air Jordan 20 Manufacture
wholesale Nike Jordan 21 Shoes Manufacture
wholesale Nike Air Force 1 Low Directory
wholesale Air Force 1 High Shoes Directory
wholesale Nike Air Force 1 Custom Importer
wholesale Air Force 1 Dollar Shoes Importer
wholesale Nike Air Force 1 Clear Sales
wholesale Air Force 1 Carving Shoes Sales
wholesale Timberland Boots High Offers
wholesale Timberland Boots Low Sell
wholesale Timberland Boots Mid Shoes Buyer
wholesale Timberland Boots Womens Buyer
wholesale Adidas Good Year Buy
wholesale Adidas Running Shoes Buy
wholesale Adidas Football Shoes Selection
wholesale Adidas Basketball Shoes Discount
wholesale Adidas 35 Years 35th Anniversary
wholesale Adidas T MAC 3.5 4.5 5 6
wholesale Adidas 35 Years 35th Anniversary
Jordans Wholesale
Cheap Jordans Wholesale
Jordans Retro Wholesale
Air Jordans Wholesale
Nike Shoes Wholesale China
Discount Jordans Price Wholesale
Wholesale Nike Distributor
Wholesale Nike Sneaker
Wholesale Nike Air Force 1
Air Clear Force One Wholesale
Nike Air Force Wholesale
Buy Jordans Wholesale
Wholesale Nike Tennis Shoes
Jordans Retro Wholesale
Wholesale Kid Jordans
Wholesale Nike Dunk
Authentic Jordans Wholesale
Nike Shoes Wholesale China

Wholesale Custom Jordans
Air China Jordans Wholesale
Jordans Retro Wholesale
Nike Air Jordan Wholesale
Nike Golf Wholesale
Wholesale Jordans
Wholesale Nike Shox
Wholesale Basketball Shoes Nike
Air Jordans Price Wholesale
Jordans Kid Wholesale
Wholesale Air Force One And Jordans
Jordans Shoes Wholesale
Wholesale Air Jordans
Air Jordans At Wholesale Price
Wholesale Nike Tennis Shoes
Wholesale NIKE Sneakers from our Nike factory to Nike shop & Nike store,sale and Wholesale all of Nike stock Shoes,we have many type of NIKE Sneakers :Nike discount Shoes,Nike cheap Shoes,Nike stock Shoes (Nike Trainers, Nike Sneakers,Nike Running Shoes,Nike Basketball Shoes,Nike Discount Shoes,Nike Cheap Shoes,footwear, Sports Shoes)Nike Shoes Wholesale sizes include:Nike men's Shoes,Nike women's Shoes,Nike mens Shoes,Nike womens Shoes, Nike men Shoes,Nike women Shoes,Nike kids Shoes, Nike child Shoes.Nike discount Shoes,Nike in www.china-sneakers.com
cheap Shoes,china Nike Shoes,Nike Shoes Wholesale,Jordan SHOES,Air Force one 1s,Nike Shox,Nike shoe Air max wholesale price.china wholesale sneakers Nike celebrates 25 birthday of Air Force Ones BUY SELL NIKE SHOX JORDAN MAX TIMBERLAND AIR FORCE PRADA TN PUMA.
in www.china-sneakers.com

```
From 703650793516012615
X-Google-Thread: 1109af,f86ed270752a0eaf
X-Google-Thread: 108122,f86ed270752a0eaf
X-Google-Thread: 10db18,f86ed270752a0eaf
X-Google-Attributes: gid1109af,gid108122,gid10db18,domainid0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.earthlink.com!
news.earthlink.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Apr 2008 17:48:06 -0500
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Date: Thu, 17 Apr 2008 18:48:18 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
```

```
X-RFC2646: Format=Flowed; Response
Message-ID: <C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.225.35.56
X-Trace: sv3-sQcjHDXuMDUh14+5y05GEKmdIIOaYzKG/
9+GWIYKweLEfGOkHCB1WRJKtiOslPnIIzoqE40K63Jdfyc!
DCfk31AWFXm3Tlr53P7K23vrSbAsY8LGbdoBhDoi3JTUOVzI1ZbvXIns7GFKVdk4Uaov9Bgl3aw/!
C6lo3OENMd9QFl8trYT63D1wMZ6Iom0ZG+MJ5A==
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:18913 rec.radio.amateur.equipment:14258
rec.audio.marketplace:10659


"WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
news:fu8185$ru9$1@posting2.glorb.com...
> Bill Golden wrote:
>> In order to formulate an informed opinion, rather than spewing forth an
>> uninformed opinion as you have, the make of this meter is XILE, and the
>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is it's
>> price
>> that of a Fluke or a Tektronix multimeter.
>>
>
>
>   " No results found for XILE XL830L"
>

Perhaps it was a typo and this is the meter:

http://admin.pchub.com/uph/catf/SearchItem.aspx?ft=overload





From -4003519735198180793
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-spur2.glorb.com!
homer.glorb.com!not-for-mail
From: "WindsorFox<SS>" <darkshado666@gmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Date: Thu, 17 Apr 2008 18:40:11 -0500
Organization: Glorb Internet Services, http://www.glorb.com
Lines: 43
Message-ID: <fu8n58$sup$1@posting2.glorb.com>
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
```

```
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<slrng0f7fs.7no.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
NNTP-Posting-Host: +fBGygFP5P/ehKZN9PiAvg.user.posting2.glorb.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@glorb.com
NNTP-Posting-Date: Thu, 17 Apr 2008 23:40:24 +0000 (UTC)
X-Mailer: hidden
X-Notice: Scanned by Mr. Bill
X-Newsreader: hidden
User-Agent: hidden
Xref: g2news1.google.com rec.radio.swap:18914 rec.radio.amateur.equipment:14259
rec.audio.marketplace:10660

AZ Nomad wrote:
> On Thu, 17 Apr 2008 12:26:21 -0500, WindsorFox<SS> <darkshado666@gmail.com>
wrote:
>> Bill Golden wrote:
>>> "AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
>>>> WHAT IS THE MAKE AND MODEL?  As long as you fail to include
>>>> this minimal information, it is just a junk of chinese noname garbage.
>>>>
>>>> Hint:  we don't believe you when you say it is better than a fluke.
>>>> And BTW, its specs suck.  1% to 6% accuracy?  Give me a break.  It might
>>> as
>>>> well be a 2 digit meter.  Reminds me a sinclair LED meter from the 70's.
>>>> The last digit is just noise.
>>> What you choose to believe appears to be based upon an uninformed
>>> opinion (unless you've personally tested and evaluated this meter, and
>>> compared features,quality, and price with either a Fluke or a Tektronix
>>> multimeter).
>>>
>>> In order to formulate an informed opinion, rather than spewing forth an
>>> uninformed opinion as you have, the make of this meter is XILE, and the
>>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is it's price
>>> that of a Fluke or a Tektronix multimeter.
>>>
>
>
>>    " No results found for XILE XL830L"
>
> I got some hits for XILE on the chinese crap importation websites.
> Nothing for that meter, unsurprisingly.
>

    He told me I needed a better search engine. There are no results on
any search I used other than his posts.

--
```

"Political Correctness is a doctrine, fostered by a delusional,
illogical minority, and rabidly promoted by an unscrupulous
mainstream media, which holds forth the proposition that it
is entirely possible to pick up a turd by the clean end."

```
From -6473630736645917022
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-spur2.glorb.com!
homer.glorb.com!not-for-mail
From: "WindsorFox<SS>" <darkshado666@gmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Date: Thu, 17 Apr 2008 18:42:12 -0500
Organization: Glorb Internet Services, http://www.glorb.com
Lines: 33
Message-ID: <fu8n91$sup$2@posting2.glorb.com>
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com>
NNTP-Posting-Host: +fBGygFP5P/ehKZN9PiAvg.user.posting2.glorb.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@glorb.com
NNTP-Posting-Date: Thu, 17 Apr 2008 23:42:25 +0000 (UTC)
X-Mailer: hidden
X-Notice: Scanned by Mr. Bill
X-Newsreader: hidden
User-Agent: hidden
Xref: g2news1.google.com rec.radio.swap:18915 rec.radio.amateur.equipment:14260
rec.audio.marketplace:10661

Ralph Mowery wrote:
> "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
> news:fu8185$ru9$1@posting2.glorb.com...
>> Bill Golden wrote:
>>> In order to formulate an informed opinion, rather than spewing forth an
>>> uninformed opinion as you have, the make of this meter is XILE, and the
>>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is it's
>>> price
>>> that of a Fluke or a Tektronix multimeter.
>>>
>>
>>   " No results found for XILE XL830L"
>>
>
> Perhaps it was a typo and this is the meter:
>
```

> http://admin.pchub.com/uph/catf/SearchItem.aspx?ft=overload
>
>
>

LOL And $6.48 less than his price.

--

"Political Correctness is a doctrine, fostered by a delusional,
illogical minority, and rabidly promoted by an unscrupulous
mainstream media, which holds forth the proposition that it
is entirely possible to pick up a turd by the clean end."

From 8811593725073833993
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.supernews.com!
news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Apr 2008 19:31:32 -0500
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
From: AZ Nomad <aznomad.3@PremoveOBthisOX.COM>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com>
Message-ID: <slrng0fqv4.7no.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Date: Thu, 17 Apr 2008 19:31:32 -0500
Lines: 27
X-Trace: sv3-p0B8kUNRmEhHDgeqjOphBBlXzw6A1AfIHS5osiJarJJRnDM/
9cUDcBhAkEbKgsWUvRUiUB2fDpCpUhy!wQ0osAA5KSj+XFzYf8+/HUC/
IYynvEb7VvGlwf16okgLM+6OiZYIx8HGJYQmy+RrD4PJue1BvPIs!BtVsp3LgzVf8q8jmgGY=
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:18916 rec.radio.amateur.equipment:14261
rec.audio.marketplace:10662

On Thu, 17 Apr 2008 18:48:18 -0500, Ralph Mowery <rmowery28146@earthlink.net>
wrote:

>"WindsorFox<SS>" <darkshado666@gmail.com> wrote in message

```
>news:fu8185$ru9$1@posting2.glorb.com...
>> Bill Golden wrote:
>>> In order to formulate an informed opinion, rather than spewing forth an
>>> uninformed opinion as you have, the make of this meter is XILE, and the
>>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is it's
>>> price
>>> that of a Fluke or a Tektronix multimeter.
>>>
>>
>>
>>   " No results found for XILE XL830L"
>>

>Perhaps it was a typo and this is the meter:

>http://admin.pchub.com/uph/catf/SearchItem.aspx?ft=overload
```

Selling for $18. I sure wish I could find somebody who could charge me
$25 instead. I'd be able to get that special feeling of pride that comes
from having spent too much.

```
From 7013323880282454032
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l64g2000hse.googlegroups.com!not-for-
mail
From: N0WQT <netgeak@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS or Trade Globe Chief 90a CW rig
Date: Thu, 17 Apr 2008 17:34:56 -0700 (PDT)
Organization: http://groups.google.com
Lines: 9
Message-ID: <78c3b2df-c9b8-4d94-9b75-254d72ccce6f@l64g2000hse.googlegroups.com>
NNTP-Posting-Host: 209.191.205.13
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1208478897 24826 127.0.0.1 (18 Apr 2008 00:34:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 18 Apr 2008 00:34:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l64g2000hse.googlegroups.com; posting-host=209.191.205.13;
     posting-account=pVJ8WAoAAADwYSiAOikPCTOxEiAONC1x
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.13)
     Gecko/20080311 Firefox/2.0.0.13,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14262
```

Up for sale is a Globe Chief 90a CW rig.

This rig was used by my father until he passed away and now I have it.
It is in good shape with some minor wear. It powers up but that's as
far as Ive been able to get into testing it.
I will accept all "Reasonable" offers.

Thank you all and god bless.

Carl.

```
From 3827048325459301457
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com> <fu8n91$sup$2@posting2.glorb.com>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 56
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <PxSNj.17229$DD2.4925@trndny04>
Date: Fri, 18 Apr 2008 01:10:07 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1208481007 68.236.31.9 (Thu, 17 Apr 2008 21:10:07 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 21:10:07 EDT
Xref: g2news1.google.com rec.radio.swap:18919 rec.radio.amateur.equipment:14263
rec.audio.marketplace:10663
X-Original-Bytes: 3325
```

"WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
news:fu8n91$sup$2@posting2.glorb.com...
> Ralph Mowery wrote:
> > "WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
> > news:fu8185$ru9$1@posting2.glorb.com...
> >> Bill Golden wrote:
> >>> In order to formulate an informed opinion, rather than spewing forth
an
> >>> uninformed opinion as you have, the make of this meter is XILE, and
the

> >>> Model is XL830L. It is not a Fluke or a Tektronix meter, nor is it's
> >>> price
> >>> that of a Fluke or a Tektronix multimeter.
> >>>
> >>
> >>   " No results found for XILE XL830L"
> >>
> >
> > Perhaps it was a typo and this is the meter:
> >
> > http://admin.pchub.com/uph/catf/SearchItem.aspx?ft=overload

>   LOL And $6.48 less than his price.

Thank you for generating so much interest; it looks like I'll now have to at least double my reorder for more of these multimeters.

Did you happen to see what they charge to ship one multimeter from Singapore to the U.S.? Their lowest shipping rate shown for that meter shipped to the U.S. is $ 16.05 for "Speedpost" Standard Air Courier, with delivery in 7 to 12 business days.

So let's see, they charge you $ 18.52 for the meter, and $ 16.05 to ship it from SIngapore to the U.S., with delivery in 7 to 12 business days, with no mention anywhere of any package tracking from Singapore.

Seems to me your total cost from them is $ 34.57 .... which is $ 3.57 more than your total cost would have been from me, with Priority Mail shipping, including Delivery Confirmation and a tracking number, and delivery to any U.S. address within 2 -3 business days.

Do the math, then let me know how many meters you'd like to order before I place my next order. With the sudden popularity of this meter, I'll even offer the very same percentage "quantity discount" they're offering, plus, I'll discount shipping charges on multiple units shipped to you at the same time.

How many would you like to order?

From -8670919342131696092
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>

```
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com>
<slrng0fqv4.7no.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
Lines: 39
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <_BSNj.15236$gT3.14732@trndny02>
Date: Fri, 18 Apr 2008 01:14:34 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1208481274 68.236.31.9 (Thu, 17 Apr 2008 21:14:34 EDT)
NNTP-Posting-Date: Thu, 17 Apr 2008 21:14:34 EDT
Xref: g2news1.google.com rec.radio.swap:18920 rec.radio.amateur.equipment:14264
rec.audio.marketplace:10664
X-Original-Bytes: 2603


"AZ Nomad" <aznomad.3@PremoveOBthisOX.COM> wrote in message
news:slrng0fqv4.7no.aznomad.3@ip70-176-155-130.ph.ph.cox.net...
> On Thu, 17 Apr 2008 18:48:18 -0500, Ralph Mowery
<rmowery28146@earthlink.net> wrote:
>
> >"WindsorFox<SS>" <darkshado666@gmail.com> wrote in message
> >news:fu8185$ru9$1@posting2.glorb.com...
> >> Bill Golden wrote:
> >>> In order to formulate an informed opinion, rather than spewing forth
an
> >>> uninformed opinion as you have, the make of this meter is XILE, and
the
> >>> Model is XL830L.  It is not a Fluke or a Tektronix meter, nor is it's
> >>> price
> >>> that of a Fluke or a Tektronix multimeter.
> >>>
> >>
> >>
> >>   " No results found for XILE XL830L"
> >>
>
> >Perhaps it was a typo and this is the meter:
>
> >http://admin.pchub.com/uph/catf/SearchItem.aspx?ft=overload
>
```

>
> Selling for $18. I sure wish I could find somebody who could charge me
> $25 instead. I'd be able to get that special feeling of pride that comes
> from having spent too much.

You've found somebody ... if you're able to read and do basic math (see
my previous post regarding the shipping charges they charge you to ship
that meter to you from Singapore) ... then tell us who's offering the lowest
delivered price.

From -7884274233518958724
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.supernews.com!
news.supernews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 18 Apr 2008 00:35:13 -0500
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.audio.marketplace
From: AZ Nomad <aznomad.3@PremoveOBthisOX.COM>
Subject: Re: FS: Digital Multimeter with Backlight, Nice!
References: <qMsNj.9268$XF3.7391@trnddc04> <x0yNj.74$XZ.18@newsfe02.lga>
<%bANj.6799$nT1.2020@trndny09>
<slrng0dk86.nav.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
<jvANj.14258$bx3.13308@trnddc02> <fu8185$ru9$1@posting2.glorb.com>
<C6GdnRxq3Ig7TprVnZ2dnUVZ_rCtnZ2d@earthlink.com> <fu8n91$sup$2@posting2.glorb.com>
<PxSNj.17229$DD2.4925@trndny04>
Message-ID: <slrng0gcoh.u14.aznomad.3@ip70-176-155-130.ph.ph.cox.net>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Date: Fri, 18 Apr 2008 00:35:13 -0500
Lines: 18
X-Trace: sv3-DwH/xrNRYC8SbRj9KHKKTO+2Oxg0o/D8qx/Zc6FEBHW0WedhahwWIX4j/
c5w1wBCBtMIM3mIZgdj7qq!
RTRIZFas5/1UAQWbUgqYegH66fWQ4QQnaylsCK76Ss45+X+sThfOTIBd9JU8C5cexQ9mAm3trR96!
bFFWD92OhTAyvKWu5Pg=
X-Complaints-To: www.supernews.com/docs/abuse.html
X-DMCA-Complaints-To: www.supernews.com/docs/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.39
Xref: g2news1.google.com rec.radio.swap:18922 rec.radio.amateur.equipment:14265
rec.audio.marketplace:10666

On Fri, 18 Apr 2008 01:10:07 GMT, Bill Golden <shortwave1@verizon.net> wrote:

>So let's see, they charge you $ 18.52 for the meter, and $ 16.05 to ship it
>from SIngapore to the U.S., with delivery in 7 to 12 business days, with no
>mention anywhere of any package tracking from Singapore.

>Seems to me your total cost from them is $ 34.57 .... which is $ 3.57 more
>than your total cost would have been from me, with Priority Mail shipping,
>including Delivery Confirmation and a tracking number, and delivery to any
>U.S. address within 2 -3 business days.

>Do the math, then let me know how many meters you'd like to order before
>I place my next order. With the sudden popularity of this meter, I'll even
>offer

moron. I wouldn't pay $5 for that piece of shit, and especially
not from an asshole like you.

From -1352837945047568157
X-Google-Thread: 108122,3824bfccacc948d2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 01 Mar 2008 10:48:17 -0600
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com>
Subject: Re: ICOM IC-22A crystals
Date: Sat, 1 Mar 2008 10:48:15 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3300
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3300
X-RFC2646: Format=Flowed; Response
Message-ID: <OaydnU2H1u5MFVTanZ2dnUVZ_jWdnZ2d@comcast.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-6GZZnarJKktrtLa/oMIrx7Z8C68wYHIVv3pQ1T//
61E2LZT7NzJW+HQbT60H2fj3xi6ORuQiLj8MIut!Wwcc6e/
M1eJLAZmxXiPPtFbZYIYYMr87CTOjqaZUQGr+6QDY+OgpHemXpR0RB02LLmPD94q8rGt9!
ZB0kR+edlDRpebF2f+xXUR68r97oGw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:14066

JUST tell ICM the final frequencies (Transmit or Receive) you need and the
Specific Radio ---
they have all of the mixing formulas on file!!!

Greg

w9gb

"Cecil Moore" <nospam@w5dxp.com> wrote in message
news:U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com...
>I just moved to Tyler, TX and need to re-crystal my
> IC-22A's for 147.0 receive and 146.4 transmit. Does
> anyone know of a crystal source for these old rigs?
> If I order one 18.3 MHz crystal and one 15.144 MHz
> crystal from International Crystal, will it work?
> My email address is Cecil@w5dxp.com
> --
> 73, Cecil http://www.w5dxp.com

From 6716474132212490068
X-Google-Thread: 108122,3824bfccacc948d2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-22A crystals
Date: Sat, 1 Mar 2008 12:10:46 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13sj3gm7nqb73d0@corp.supernews.com>
References: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news1.google.com rec.radio.amateur.equipment:14067

"Cecil Moore" <nospam@w5dxp.com> wrote in message
news:U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com...
>I just moved to Tyler, TX and need to re-crystal my
> IC-22A's for 147.0 receive and 146.4 transmit. Does
> anyone know of a crystal source for these old rigs?
> If I order one 18.3 MHz crystal and one 15.144 MHz
> crystal from International Crystal, will it work?
> My email address is Cecil@w5dxp.com
> --
> 73, Cecil http://www.w5dxp.com

I am thinking you need to order the receive crystals in the 45 mhz range.

```
They may be in the 15 mhz range, but operate on the third overtone.




From -1564562999344741626
X-Google-Thread: 108122,3824bfccacc948d2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
nlpi061.nbdc.sbc.com.POSTED!b893d748!not-for-mail
From: Cecil Moore <nospam@w5dxp.com>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-22A crystals
References: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com>
<OaydnU2H1u5MFVTanZ2dnUVZ_jWdnZ2d@comcast.com>
In-Reply-To: <OaydnU2H1u5MFVTanZ2dnUVZ_jWdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <5Fgyj.3371$fX7.2540@nlpi061.nbdc.sbc.com>
NNTP-Posting-Host: 70.242.229.110
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi061.nbdc.sbc.com 1204393665 ST000 70.242.229.110 (Sat, 01 Mar 2008
12:47:45 EST)
NNTP-Posting-Date: Sat, 01 Mar 2008 12:47:45 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
Q[R_@SJEPZVABPPPCZHZO_@@UC\NQOPDLXUNNHLHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Sat, 01 Mar 2008 11:47:44 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:14068

gb wrote:
> JUST tell ICM the final frequencies (Transmit or Receive) you need and the
> Specific Radio ---
> they have all of the mixing formulas on file!!!

I sent them an email and heard nothing.
--
73, Cecil  http://www.w5dxp.com


From 6648836372021652351
X-Google-Thread: 108122,3824bfccacc948d2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
```

```
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.net.POSTED!b893d748!not-for-mail
From: Cecil Moore <nospam@w5dxp.com>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-22A crystals
References: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com>
<13sj3gm7nqb73d0@corp.supernews.com>
In-Reply-To: <13sj3gm7nqb73d0@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <hKgyj.17040$J41.8821@newssvr14.news.prodigy.net>
NNTP-Posting-Host: 70.242.229.110
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.net 1204393997 ST000 70.242.229.110 (Sat, 01 Mar
2008 12:53:17 EST)
NNTP-Posting-Date: Sat, 01 Mar 2008 12:53:17 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
T[OUR\KE\BUOVPTXARONOFP@AJYZTB\MV@B@LWQHBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Sat, 01 Mar 2008 17:53:17 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14069

Ralph Mowery wrote:
> I am thinking you need to order the receive crystals in the 45 mhz range.
> They may be in the 15 mhz range, but operate on the third overtone.

They specify the frequency as (Frcv - 10.7)/9
Maybe the specified AT cut ensures the correct
third overtone.
--
73, Cecil  http://www.w5dxp.com


From -2440107519409542997
X-Google-Thread: 108122,121d15a627b85959,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d62g2000hsf.googlegroups.com!not-for-
mail
From: ronpriest <ronpriest@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MB8718
Date: Sat, 1 Mar 2008 11:52:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <c0196ee9-fc4c-4b1b-a868-5fe72dd89c41@d62g2000hsf.googlegroups.com>
NNTP-Posting-Host: 86.20.25.85
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1204401134 10103 127.0.0.1 (1 Mar 2008 19:52:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 1 Mar 2008 19:52:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d62g2000hsf.googlegroups.com; posting-host=86.20.25.85;
     posting-account=WF1z6AkAAAA-UQZQ9vIKiowNW4S6NuRF
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14070

Hi
Does anyone have any info pinout etc on the now defunct   synth chip
used in the the frg7700
MB8718 .I allready have full circuit diagrams for the frg7700 but need
more specific info on this chip
Regards
Ron Priest



From -4796875215816059503
X-Google-Thread: 108122,3824bfccacc948d2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-22A crystals
Date: 1 Mar 2008 20:50:21 GMT
Lines: 31
Message-ID: <slrnfsjgcd.tdj.bit-bucket@shell.config.com>
References: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com>
<OaydnU2H1u5MFVTanZ2dnUVZ_jWdnZ2d@comcast.com>
Reply-To: If you must, <Reply_to@my.sig.adr>
X-Trace: individual.net HyWfbFGH9AHS1ThY6lN8IQlynGQj1HiAmENA9+BdMzmFXP4dij
Cancel-Lock: sha1:1vCbs4LUE96SGhBb4cn05GUE5i0=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:14071

On Sat, 1 Mar 2008 10:48:15 -0600, gb wrote:
> "Cecil Moore" <nospam@w5dxp.com> wrote in message
> news:U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com...
>>I just moved to Tyler, TX and need to re-crystal my
>> IC-22A's for 147.0 receive and 146.4 transmit. Does
>> anyone know of a crystal source for these old rigs?
>> If I order one 18.3 MHz crystal and one 15.144 MHz
>> crystal from International Crystal, will it work?
>> My email address is Cecil@w5dxp.com
>> --
```

>> 73, Cecil http://www.w5dxp.com
>
> JUST tell ICM the final frequencies (Transmit or Receive) you need
> and the Specific Radio ---
> they have all of the mixing formulas on file!!!
>
> Greg
> w9gb

For an IC-22A they would be filed as clay tablets. HI!HI!

(I still have an IC-22A. Makes a good workshop monitor.)
(I even added an extra wafer to the switch and am using a 'progammable'
(tone encoder [replacing its DIP switchs] for various repeater pairs.

73
Jonesy
--
```
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    *** Killfiling google posts: <http://jonz.net/ng.htm>
```

From -3116787496588194370
X-Google-Thread: 108122,3824bfccacc948d2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-22A crystals
From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
References: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com> <OaydnU2H1u5MFVTanZ2dnUVZ_jWdnZ2d@comcast.com> <5Fgyj.3371$fX7.2540@nlpi061.nbdc.sbc.com>
Organization: Your Company
Message-ID: <Xns9A548C4FD5AD3Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 01 Mar 2008 21:47:35 GMT
Lines: 11
NNTP-Posting-Host: 5faac7e6.news.adtechcomputers.com
X-Trace: DXC=:`S]G2NJ[ggFIb7kc;d>TbgC4_A5:nI@a<<=aEgO;R8gnak8Zbim^P`4AC1>ena=OmQjo<[F9ZR]oAUjd2c3iP;c5RE?Mo2EmTf
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14072

>> JUST tell ICM the final frequencies (Transmit or Receive) you need
>> and the Specific Radio ---
>> they have all of the mixing formulas on file!!!

> I sent them an email and heard nothing.

Sometimes email gets back-logged.

They DO have an 800 number, 1-800-725-1426

From 7346390634592883416
X-Google-Thread: 108122,3824bfccacc948d2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews2.bellsouth.net.POSTED!aba369ab!not-for-mail
From: RFI-EMI-GUY <Rhyolite@NETTALLY.COM>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-22A crystals
References: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com>
In-Reply-To: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 17
Message-ID: <pflyj.1620$Fs5.95@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbocejkpmpejfcahjnjoehfhppohfiobklkpdkkniakbmhaegdaebbdokmcigmdjfonfkchgdklbiopcbmogliibfjagkmjaaegfhnnlojlkbmffbff
NNTP-Posting-Date: Sat, 01 Mar 2008 18:01:41 EST
Organization: BellSouth Internet Group
Date: Sat, 01 Mar 2008 18:02:09 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:14073

Cecil Moore wrote:
> I just moved to Tyler, TX and need to re-crystal my
> IC-22A's for 147.0 receive and 146.4 transmit. Does
> anyone know of a crystal source for these old rigs?
> If I order one 18.3 MHz crystal and one 15.144 MHz
> crystal from International Crystal, will it work?
> My email address is Cecil@w5dxp.com

I had one of those radios once. They do have excellent receivers.
--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From -8913874038014198833
X-Google-Thread: 108122,3824bfccacc948d2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Mar 2008 17:27:33 -0600
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com>
<OaydnU2H1u5MFVTanZ2dnUVZ_jWdnZ2d@comcast.com>
<5Fgyj.3371$fX7.2540@nlpi061.nbdc.sbc.com>
Subject: Re: ICOM IC-22A crystals
Date: Sun, 2 Mar 2008 17:27:31 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3300
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3300
Message-ID: <U6SdnS4Wtb94qlbanZ2dnUVZ_t-nnZ2d@comcast.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-UjIIBLg7ChxqXc1GQhM/AVear0FlVmWYR1wJ3s5qmIEfdDhCp/
nwuUoQgZKd45u1GBqrnA1cfA7fIJ3!WlUHigWDgCYRQPd16JUeHp+Tp5EUvYWAb+CQfA3/
NEqR+zddvnoPtaYj0JMdJEdJO3hOlFmN8THq!mwkGP0sr/VRJZqwHDPUFDRu7Oi1oqw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:14074
```

"Cecil Moore" <nospam@w5dxp.com> wrote in message
news:5Fgyj.3371$fX7.2540@nlpi061.nbdc.sbc.com...

> gb wrote:
>> JUST tell ICM the final frequencies (Transmit or Receive) you need and
>> the Specific Radio ---
>> they have all of the mixing formulas on file!!!
>
> I sent them an email and heard nothing.
> --
> 73, Cecil http://www.w5dxp.com

I always use the telephone !
I order from ICM at least 6 times each year -- friendly staff.

Due to the large volumes of junk mail thesse days --

not as relaible for quick busienss responses.

w9gb

From -6761603710980225234
X-Google-Thread: 1109af,e7f4c7c9cb554dca,start
X-Google-Thread: 108122,e7f4c7c9cb554dca,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Kenwood TH-25AT 2 Meter FM Handheld
Lines: 59
MIME-Version: 1.0
Content-Type: multipart/alternative;
boundary="----=_NextPart_000_00C6_01C87C97.55B9B940"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <gaHyj.9276$v47.8894@trnddc08>
Date: Sun, 02 Mar 2008 23:58:04 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1204502284 68.163.16.243 (Sun, 02 Mar 2008 18:58:04 EST)
NNTP-Posting-Date: Sun, 02 Mar 2008 18:58:04 EST
Xref: g2news1.google.com rec.radio.swap:18587 rec.radio.amateur.equipment:14075

This is a multi-part message in MIME format.

------=_NextPart_000_00C6_01C87C97.55B9B940
Content-Type: text/plain;
charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

I have a Kenwood TH-25AT 2 Meter FM Handheld Transceiver for sale.=20

This is a very well-built, rugged 2 meter "HT" which includes a NiCad=20
rechargeable 7.2 Volt 1200 maH battery, the Kenwood BC-9 battery=20
charger, the "rubber duckie" antenna, the original Kenwood box and
instruction manual. All in excellent condition, all working perfectly.=20

$ 45.00 plus $ 7.50 for Priority Mail Insured shipping=20
(Cont'l U.S. only).

-Bill
KB3PT

```
------=_NextPart_000_00C6_01C87C97.55B9B940
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>&nbsp;</DIV>
<DIV>I have a&nbsp;Kenwood&nbsp;TH-25AT&nbsp;2 Meter=20
FM&nbsp;Handheld&nbsp;Transceiver for sale.&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>This is a very well-built, rugged=20
2&nbsp;meter&nbsp;"HT"&nbsp;which&nbsp;includes&nbsp;a NiCad </DIV>
<DIV>rechargeable 7.2 Volt 1200 maH battery, the Kenwood BC-9 battery =
</DIV>
<DIV>charger, the "rubber duckie" antenna,&nbsp;the original Kenwood box =

and</DIV>
<DIV>instruction&nbsp;manual.&nbsp; All in excellent condition, all =
working=20
perfectly. </DIV>
<DIV>&nbsp;</DIV>
<DIV>$ 45.00 plus $ 7.50 for Priority Mail Insured shipping </DIV>
<DIV>(Cont'l U.S. only).</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_00C6_01C87C97.55B9B940--




From -8803695435474973015
X-Google-Thread: 1109af,2b87cb8b14267fe,start
X-Google-Thread: 108122,2b87cb8b14267fe,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Motorola Spirit VHF Handhelds ("HT's")
Lines: 107
MIME-Version: 1.0
```

```
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_00EF_01C87C99.E23ABD40"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <nrHyj.9440$C1.6526@trnddc07>
Date: Mon, 03 Mar 2008 00:16:19 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1204503379 68.163.16.243 (Sun, 02 Mar 2008 19:16:19 EST)
NNTP-Posting-Date: Sun, 02 Mar 2008 19:16:19 EST
Xref: g2news1.google.com rec.radio.swap:18588 rec.radio.amateur.equipment:14076

This is a multi-part message in MIME format.

------=_NextPart_000_00EF_01C87C99.E23ABD40
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
VHF Handhelds  ("HT's"), with the (2) Motorola Desk Chargers for sale.

Features of these reliable Motorola handheld units include:

    * Both are 4 Channel VHF models - 4 channels easily
      switchable using channel selector switch on top of=20
      each "HT".  Other external controls include volume
      and squelch controls

    * Both units include their Motorola VHF "duckie" antennas

    * Both units include good NiMh battery packs=20

    * Both units include their Motorola desktop "cradle" chargers=20
      (with plug-in wall transformers and charging indicator lights)

Easy programming instructions are located on the inside of both=20
unit's battery covers, making programming simple and convenient.
Range of these rugged handhelds is approximately 5 miles.

$100.00 plus actual shipping and insurance charges (Cont'l U.S.),=20
payable by USPS Postal Money Order only.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

------=_NextPart_000_00EF_01C87C99.E23ABD40
```

```
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>
<DIV>I have&nbsp;a pair of&nbsp;exceptionally&nbsp;clean&nbsp;Motorola =
Spirit=20
(Model MV24CVS)</DIV>
<DIV>VHF Handhelds&nbsp; ("HT's"),&nbsp;with the (2) Motorola Desk =
Chargers for=20
sale.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features of these&nbsp;reliable&nbsp;Motorola handheld units =
include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both are&nbsp;4 Channel&nbsp;VHF models - =
4=20
channels easily</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;switchable using channel selector =
switch on=20
top of </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; each "HT".&nbsp; Other external =
controls=20
include volume</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;and squelch controls</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include their&nbsp;Motorola=20
VHF&nbsp;"duckie" antennas</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include&nbsp;good =
NiMh&nbsp;battery=20
packs&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;*&nbsp;Both units include&nbsp;their =
Motorola=20
desktop "cradle"&nbsp;chargers </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;(with plug-in wall transformers and=20
charging&nbsp;indicator lights)</DIV>
<DIV>&nbsp;</DIV>
<DIV>Easy&nbsp;programming&nbsp;instructions are&nbsp;located on the =
inside of=20
both </DIV>
<DIV>unit's battery covers, making programming&nbsp;simple and =
convenient.</DIV>
```

```
<DIV>Range&nbsp;of these rugged&nbsp;handhelds is approximately&nbsp;5=20
miles.</DIV>
<DIV><BR>$100.00&nbsp;plus&nbsp;actual shipping and insurance charges =
(Cont'l=20
U.S.),&nbsp;</DIV>
<DIV>payable by USPS Postal Money Order only.<BR></DIV>
<DIV>Thanks &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_00EF_01C87C99.E23ABD40--
```

```
From -6772004351112791043
X-Google-Thread: 108122,2c458e33b6dd48a5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
d62g2000hsf.googlegroups.com!not-for-mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FOR SALE-EMERSON Bakelite-TELE-TONE mod.145-RCA VICTOR mod.45-1-2,
     all for $50 lot-fix/parts/restore
Date: Sun, 2 Mar 2008 19:01:34 -0800 (PST)
Organization: http://groups.google.com
Lines: 22
Message-ID: <05fa7430-7bab-4bb4-8536-3f5b8c3d97e3@d62g2000hsf.googlegroups.com>
NNTP-Posting-Host: 216.222.226.109
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1204513295 28916 127.0.0.1 (3 Mar 2008 03:01:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 3 Mar 2008 03:01:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d62g2000hsf.googlegroups.com; posting-host=216.222.226.109;
     posting-account=r8XCBQoAAABNhqpsAkZNbLs4uIwOFVFO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
     4.90),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14077
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=140212381570&ssPageName=ADME:L:LCA:US:1123

LOT OF (3) OLD AM TUBE RADIOS AND PHONOGRAPH-MONO-USE FOR PARTS OR
REPAIR- LIST:

EMERSON BAKELITE AM RADIO-CRACKED CASE (CAN BE GLUED), MISSING BACK PANEL, OTHERWISE COMPLETE WITH ALL TUBES, SPEAKER, ANTENNA, KNOBS, FRONT DIAL/GLASS

TELE-TONE MODEL 145 AC/DC PORTABLE TUBE RADIO-WORKED ON HOUSE WALL CURRENT OR BATTERIES- NO KNOBS- WOODEN CASE APART- OTHERWISE COMPLETE WITH FRONT PANEL, BACK PANEL, ALL TUBES, BATTERY CONNECTIONS

RCA VICTOR MODEL 45-1-2 PHONOGRAPH, PLAYED MONO 45 RPM 7" RECORDS, COMPLETE WITH RCA OUTPUT CORD

```
From -9213154250140745241
X-Google-Thread: 10dafd,b1cb8bba000fc9cf,start
X-Google-Thread: 1113b0,b1cb8bba000fc9cf,start
X-Google-Thread: 108228,b1cb8bba000fc9cf,start
X-Google-Thread: 108122,b1cb8bba000fc9cf,start
X-Google-Thread: 1062f2,b1cb8bba000fc9cf,start
X-Google-Attributes:
gid10dafd,gid1113b0,gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsfeed-00.mathworks.com!news.mv.net!dan
From: Dan <dan@sdjopqoax.com>
Newsgroups: alt.marketplace.online.ebay,rec.arts.books.marketplace,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: 8 Books: HAM RADIO: ARRL HANDBOOK, ARRL OPERATING MANUAL, REPEATER
DIRECTORIES, etc.
Date: Sun, 02 Mar 2008 22:47:43 -0500
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <020320082247434241%dan@sdjopqoax.com>
NNTP-Posting-Host: c-75-67-218-138.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1204516064 95219 75.67.218.138 (3 Mar 2008 03:47:44 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 3 Mar 2008 03:47:44 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:959299
rec.arts.books.marketplace:17324 alt.ham-radio.marketplace:3631
rec.radio.amateur.equipment:14078 misc.industry.electronics.marketplace:2071
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320224001674

```
From 5434503928218708032
X-Google-Thread: 10dafd,ec35bab640575a27,start
X-Google-Thread: 108228,ec35bab640575a27,start
X-Google-Thread: 108122,ec35bab640575a27,start
X-Google-Attributes: gid10dafd,gid108228,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
news.mv.net!dan
From: Dan <dan@sdjopqoax.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment
Subject: FA: Radio Shack PRO-83 200-Channel Scanner with Signal Stalker Search,
Lighted Keypad, etc.
Date: Sun, 02 Mar 2008 22:48:16 -0500
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <020320082248166184%dan@sdjopqoax.com>
NNTP-Posting-Host: c-75-67-218-138.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1204516096 95219 75.67.218.138 (3 Mar 2008 03:48:16 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 3 Mar 2008 03:48:16 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:959300 alt.ham-
radio.marketplace:3632 rec.radio.amateur.equipment:14079


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320224001719


From 6117355202950286032
X-Google-Thread: 1109af,10b0177ebe3319b6
X-Google-Thread: 108122,10b0177ebe3319b6
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny08.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Icom IC-28A  2 Meter FM Transceiver
Lines: 98
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_003E_01C87CCC.824FCE60"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
```

```
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <bLMyj.3026$Td2.28@trndny08>
Date: Mon, 03 Mar 2008 06:18:47 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trndny08 1204525127 68.163.16.243 (Mon, 03 Mar 2008 01:18:47 EST)
NNTP-Posting-Date: Mon, 03 Mar 2008 01:18:47 EST
Xref: g2news1.google.com rec.radio.swap:18589 rec.radio.amateur.equipment:14080

This is a multi-part message in MIME format.

------=_NextPart_000_003E_01C87CCC.824FCE60
Content-Type: text/plain;
	charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


I have an Icom IC-28A  2 Meter FM Transceiver for sale.

Features of the IC-28A include:

21 memories
Automatic lcd display dimming for ambient light conditions
Compact size, with simple-to-operate ergonomic design
Ideal for mobile or fixed station, simplex or repeater use
Subaudible (CTCSS) tone encoder built-in
Dual scanning (frequency scan or memory scan)
Backlit, easy-to-read lcd display
Sensitive & selective double-conversion receiver=20
Receives 138-174 Mhz
Icom HM-14 electret condensor hand mic w/ scan & tt pad included=20
Output power: 25 watts high, 5 watts low

Includes the original Icom manual
Rig is very clean, works very well
(an lcd display bulb is burned out)

Price is $ 75.00 (firm) plus $ 5.00 for USPS Priority Mail
Insured Shipping (to Cont'l U.S. addresses only), payable=20
by USPS Postal Money Order only.

Thank you.

-Bill
KB3PT
Selbyville, Delaware
E-mail:  shortwave1@verizon.net


------=_NextPart_000_003E_01C87CCC.824FCE60
Content-Type: text/html;
	charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV><BR>I have an Icom&nbsp;IC-28A&nbsp; 2 Meter FM Transceiver for =
sale.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features&nbsp;of the IC-28A include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>21 memories</DIV>
<DIV>Automatic&nbsp;lcd display dimming&nbsp;for ambient light =
conditions</DIV>
<DIV>Compact size, with simple-to-operate ergonomic design</DIV>
<DIV>Ideal&nbsp;for&nbsp;mobile&nbsp;or fixed station, simplex or=20
repeater&nbsp;use</DIV>
<DIV>Subaudible (CTCSS) tone encoder built-in</DIV>
<DIV>Dual scanning (frequency scan or memory scan)</DIV>
<DIV>Backlit, easy-to-read lcd display</DIV>
<DIV>Sensitive &amp; selective&nbsp;double-conversion =
receiver&nbsp;</DIV>
<DIV>Receives 138-174 Mhz</DIV>
<DIV>Icom HM-14&nbsp;electret condensor hand mic&nbsp;w/ scan &amp; tt =
pad=20
included </DIV></TD></TR>
<DIV>Output power: 25 watts high,&nbsp;5 watts low</DIV>
<DIV>&nbsp;</DIV>
<DIV>Includes the original Icom&nbsp;manual</DIV>
<DIV>Rig is very clean, works very well</DIV>
<DIV>(an&nbsp;lcd display bulb is burned out)</DIV>
<DIV>&nbsp;</DIV>
<DIV>Price is $ 75.00&nbsp;(firm) plus&nbsp;$ 5.00 for&nbsp;USPS =
Priority=20
Mail</DIV>
<DIV>Insured Shipping (to Cont'l U.S. addresses only), payable </DIV>
<DIV>by USPS Postal Money Order only.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thank you.</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_003E_01C87CCC.824FCE60--
```

```
From -7008077897876657676
X-Google-Thread: 108122,24cc6daea5f66596,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 Mar 2008 03:51:04 -0600
From: "Ken chattenton" <k.chattenton@btopenworld.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM SSB FILTERS FOR SALE.
Date: Mon, 3 Mar 2008 09:46:24 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <epWdnf8wB_KVV1banZ2dnUVZ8sWhnZ2d@bt.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 86.162.226.153
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-pxCPcb7jW1Dl/omXTE4vTn6MrB0ieHlsri0J4jU3RyFSURoWh/
GTsaE08kSdWbxX1Niznmf5dBFfKWV!GGvu1remLDyDdTZ16h6VyBSpwngef+vWnHT8zt4JeaiMuJ/
imFoG2jd3Imse+x2HCNRrVZVVHTvP
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:14081

Hi all from Ken, G4KIR,

I have both the 1.8KHz and 1.9KHz filters for sale.

Type No's are..............455khz if  1.8khz wide No....FL222
                                    9.0115khz 1.9khz wide No....FL223

These filters are only six months old ( bought for an ICOM-R75, but never
fitted ).

I will only sell as a pair.......PRICE for the two....�80.00

Please contact me direct, thank you for your time, 'cheers and beers', Ken,
G4KIR.
```

```
From 209359251422570250
X-Google-Thread: 106d41,7d2604617288092b
X-Google-Thread: 108122,7d2604617288092b
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!postnews.google.com!
p25g2000hsf.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: Latest Feedback on Ebay Regarding VoiceMax Speech Processor...
Date: Mon, 3 Mar 2008 06:59:36 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <8b483ff5-a1e6-4424-ab4a-fcf0b2b482df@p25g2000hsf.googlegroups.com>
References: <e52daa26-757d-4718-b6d6-5fc4db29c69d@c4g2000hsg.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1204556380 22821 127.0.0.1 (3 Mar 2008 14:59:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 3 Mar 2008 14:59:40 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p25g2000hsf.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:43432 rec.radio.amateur.equipment:14082

On Feb 13, 10:19=A0am, Telstar Electronics <briangrif...@sbcglobal.net>
wrote:
> See the latest feedback regarding the new VoiceMax speech processor
> for two-way radios...http://tinyurl.com/2q9lpu

And the great feedback just keeps on coming in...
http://tinyurl.com/2q9lpu



From -1601034951304423l7
X-Google-Thread: 108122,49a7983b2ef22dd5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!news.glorb.com!
wn13feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-
for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: MORE ANTIQUE CATALOGS/PAPER +
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <3YWyj.276340$MJ6.206200@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: db01e9119c4680ab63de1ee9685bc788
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1204566911
db01e9119c4680ab63de1ee9685bc788 (Mon, 03 Mar 2008 17:55:11 GMT)
NNTP-Posting-Date: Mon, 03 Mar 2008 17:55:11 GMT
Organization: AT&T Worldnet
Date: Mon, 03 Mar 2008 17:55:11 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14083

Just listed: SAM'S , THORDARSON (AMATEUR + XFMR), ALLIED, UTC, STANCOR,:
MORE ARE COMING IN THE NEXT FEW DAYS,

Why go for a copy when originals are available:??

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

How about a look at some of my antique radios I will be listing in the
furture: see at:


www.facebook.com/album.php?aid=2000463&l=c8e18&id=1110063202

Tnx,  Heytubeguy




From 5196301158869484249
X-Google-Thread: 108122,89f1e63e52f43553,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 Mar 2008 15:32:26 -0600
From: Norm - WA3KEY <norm@wa3key.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Motorola MRF-587 RF transistors
Date: Mon, 03 Mar 2008 16:32:15 -0500
Message-ID: <t4ros3psv5bkr5gbsn0fqime2mlat87o4i@4ax.com>
X-Newsreader: Forte Agent 1.8/32.548
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.80.109.35
X-Trace: sv3-cn4weika7MlOTt63I+Xm/dnJAd68Ogt7ksGM/
NZ2UVbnAFnjAY5HpoO79VtoohCOTyNmg8srAYh0pz5!
```

W7ZInsengrhGSNpiDLrvCe2oyXNIdll0Y20EMb4SgDJEq64rg8c6ER2uVTJNtTymTNor/MUiABWY!UKpsXnne3HOc/vPCQlBeheWieg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:14084

Anyone know where I can dig up at least three Motorola MRF-587 RF transistors? They are discontinued, so not available from the usual sources (Mouser, RF Parts, etc.). They're still out there, but the closest I've come is One Component Source at $27.50 each with a 25 piece minimum order. Any help would be greatly appreciated. They're for the preamplifier stage of an EIN 503L 3-Watt 40db broadband amplifier.

Norm - WA3KEY
norm@wa3key.com

From 1778444788436208143
X-Google-Thread: 108122,7f022a2c1fab9436,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e60g2000hsh.googlegroups.com!not-for-mail
From: AD5VJ BOB <rtnmi@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: test new member
Date: Mon, 3 Mar 2008 23:19:35 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <6bb49b4a-34eb-463a-a389-413180de07ab@e60g2000hsh.googlegroups.com>
NNTP-Posting-Host: 208.66.144.11
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1204615175 21787 127.0.0.1 (4 Mar 2008 07:19:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Mar 2008 07:19:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e60g2000hsh.googlegroups.com; posting-host=208.66.144.11;
     posting-account=Jx07IQoAAAC31N6wEjvdiqwD6Jw0w9ZN
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14085

testing subscription

```
AD5VJ


From -1889880616625301111
X-Google-Thread: 108122,edfd6c1b9ce5e820,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
v3g2000hsc.googlegroups.com!not-for-mail
From: roses.susan3@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: this is sooo funny.. har()
Date: Wed, 5 Mar 2008 06:21:26 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <da999352-f693-4d47-bfb0-1604cb8399cf@v3g2000hsc.googlegroups.com>
NNTP-Posting-Host: 91.121.102.64
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1204726887 30992 127.0.0.1 (5 Mar 2008 14:21:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Mar 2008 14:21:27 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v3g2000hsc.googlegroups.com; posting-host=91.121.102.64;
     posting-account=fD0_AwkAAAAFyntFgS47DGomppW7Prt2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14086

amazing site and all is free and a lot of goodies!

http://www.getaction4ever.com


From -9100500859341619732
X-Google-Thread: 108122,211822c04d879ce1,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q78g2000hsh.googlegroups.com!not-for-
mail
From: Bill <ars_wa8mea@netzero.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: MFJ-403P portable keyer; MINT
Date: Thu, 6 Mar 2008 05:18:47 -0800 (PST)
Organization: http://groups.google.com
Lines: 12
Message-ID: <3bee98d0-b4f6-44ec-81cb-8c23a0d8ea7d@q78g2000hsh.googlegroups.com>
NNTP-Posting-Host: 70.101.151.206
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
```

```
X-Trace: posting.google.com 1204809528 13862 127.0.0.1 (6 Mar 2008 13:18:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 6 Mar 2008 13:18:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q78g2000hsh.googlegroups.com; posting-host=70.101.151.206;
     posting-account=g0rWlgoAAACweGpaLCzu8tkYVQgvxX73
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.8)
     Gecko/20050511 Firefox/1.0.4,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14087

For Sale: MFJ-403P portable electronic keyer in MINT condition. Used
for only a half a dozen contacts, if that many. (I'm just a straight
key kinda guy.)
Half price. Retails for $79.95. I'll part with it for $39.95 plus
$5.95 towards the shipping and insurance.
Battery, original box and instructions. I can accept Paypal, M.O. or
credit card through my ham radio business. First e-mail gets it!
73, Bill Lauterbach - WA8MEA

1-517-563-2784
wa8mea@hotmail.com
http://HamRadioFun.com



From 1434522221428547419
X-Google-Thread: fcc6e,d3dc737fbeb9b98f,start
X-Google-Thread: 11480d,d3dc737fbeb9b98f,start
X-Google-Thread: 108122,d3dc737fbeb9b98f,start
X-Google-Thread: fc2a5,d3dc737fbeb9b98f,start
X-Google-Thread: 10b9c8,d3dc737fbeb9b98f,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1202367901@panix.com>
Followup-To: poster
Date: 7 Mar 2008 02:05:02 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Apr 2008 03:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1204873500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1204873503 22431 166.84.1.2 (7 Mar 2008 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
```

NNTP-Posting-Date: Fri, 7 Mar 2008 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:55435 rec.radio.amateur.dx:3923 rec.radio.amateur.equipment:14088 rec.radio.amateur.homebrew:15314 rec.radio.info:699

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -1015888392221492149
X-Google-Thread: 108122,e5298629ec78df76,start
X-Google-Thread: 1109af,e5298629ec78df76,start
X-Google-Thread: 10b9c8,e5298629ec78df76,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1202368200@panix.com>
Followup-To: poster
Date: 7 Mar 2008 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Apr 2008 03:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1204873800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1204873802 8168 166.84.1.2 (7 Mar 2008 07:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Mar 2008 07:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:14089 rec.radio.swap:18612 rec.radio.info:700

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for

any necessary permissions. We would prefer to seek a new, dedicated
maintainer at this time, rather than start auto-posting the original
article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From -4645536264650598758
X-Google-Thread: 108122,9d19ec561340f3ad,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: COLLINS RELAYS & DRAFT DRAWING
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <SbcAj.720459$kj1.259140@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 0b4fe5449b874a49f05bff85db66eeed
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1204899698
0b4fe5449b874a49f05bff85db66eeed (Fri, 07 Mar 2008 14:21:38 GMT)
NNTP-Posting-Date: Fri, 07 Mar 2008 14:21:38 GMT
Organization: AT&T Worldnet
Date: Fri, 07 Mar 2008 14:21:38 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14090

COLLINS REPLACEMENT RELAYS & DRAFT DRAWING: see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking, Heytubeguy

From 4735281480460467034
X-Google-Thread: 1109af,53c456d8bfd2f729,start
X-Google-Thread: 108122,53c456d8bfd2f729,start
X-Google-Attributes: gid1109af,gid108122,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny03.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Wm. Nye Co. Straight Key
Lines: 97
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0041_01C880B6.E7E1D780"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <2SpAj.61$dK3.54@trndny03>
Date: Sat, 08 Mar 2008 05:54:06 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny03 1204955646 68.236.31.9 (Sat, 08 Mar 2008 00:54:06 EST)
NNTP-Posting-Date: Sat, 08 Mar 2008 00:54:06 EST
Xref: g2news1.google.com rec.radio.swap:18618 rec.radio.amateur.equipment:14091
X-Original-Bytes: 4068
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0041_01C880B6.E7E1D780
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable
```

For Sale: Wm. M. Nye Co. high quality straight key.
It's never been used, so it's in just like new condition.

The key's description, from the Wm. N. Nye Co. website reads:

"The Classic Rectangular Speed-X Keys. These Speed-X keys feature a cast rectangular base with black crinkle finish, square section key lever, and a large "Navy" style knob. Contacts are gold-plated heavy silver, and the key action is fully adjustable."
* Model 320-001 Rectangular key, nickel hardware, $ 64.95

I'll sell this key for $ 25.00 plus $ 5.00 for shipping (U.S. only).

If interested, I can send you a (.jpg) picture of this high quality=20
straight key.

Tnx & 73,

-Bill
KB3PT
Selbyville, Delaware

```
E-mail:  shortwave1@verizon.net



------=_NextPart_000_0041_01C880B6.E7E1D780
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV><FONT color=3D#000099></FONT>&nbsp;</DIV>
<DIV><FONT color=3D#000099>For Sale:&nbsp;&nbsp;</FONT><FONT =
color=3D#000099>Wm. M.=20
Nye Co.&nbsp;high quality straight key</FONT><FONT =
color=3D#000099>.</FONT></DIV>
<DIV><FONT color=3D#000099>It's never been used, so it's in&nbsp;just =
like new=20
condition.</FONT></DIV>
<DIV><FONT color=3D#000099></FONT>&nbsp;</DIV>
<DIV><FONT color=3D#000099>The&nbsp;key's description,&nbsp;from the Wm. =
N. Nye=20
Co. website reads:</FONT></DIV>
<DIV><FONT color=3D#000099></FONT>&nbsp;</DIV>
<DIV><FONT color=3D#000099>"The Classic Rectangular Speed-X Keys.&nbsp; =
These=20
Speed-X keys</FONT></DIV>
<DIV><FONT color=3D#000099>feature a cast rectangular base with black =
crinkle=20
finish, square</FONT></DIV>
<DIV><FONT color=3D#000099>section key lever, and a large "Navy" style =
knob.&nbsp;=20
Contacts are</FONT></DIV>
<DIV><FONT color=3D#000099>gold-plated heavy silver, and the key action =
is fully=20
adjustable."</FONT></DIV>
<DIV><FONT color=3D#000099>* Model 320-001 Rectangular key, nickel =
hardware, $=20
64.95</FONT><FONT color=3D#000099><BR></FONT><FONT =
size=3D4></FONT></DIV>
<DIV>I'll&nbsp;sell this key for $ 25.00 plus $ 5.00=20
for&nbsp;shipping&nbsp;(U.S. only).</DIV>
<DIV>&nbsp;</DIV>
<DIV>If&nbsp;interested, I can send you a (.jpg) picture of =
this&nbsp;high=20
quality </DIV>
```

```
<DIV>straight&nbsp;key.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Tnx &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>E-mail: &nbsp;<A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_0041_01C880B6.E7E1D780--




From -9124939160194707598
X-Google-Thread: 10dafd,336d0ee6a6f8906d,start
X-Google-Thread: 108228,336d0ee6a6f8906d,start
X-Google-Thread: 108122,336d0ee6a6f8906d,start
X-Google-Thread: 107ada,336d0ee6a6f8906d,start
X-Google-Thread: 1062f2,336d0ee6a6f8906d,start
X-Google-Attributes:
gid10dafd,gid108228,gid108122,gid107ada,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.mv.net!dan
From: Dan <dan@sjkoiuouafc.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,misc.industry
.electronics.marketplace
Subject: FA: One-Day-Left: 8 Books: HAM RADIO: ARRL HANDBOOK, ARRL OPERATING
MANUAL, REPEATER DIRECTORIES, etc.
Date: Sat, 08 Mar 2008 09:49:52 -0500
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <080320080949524550%dan@sjkoiuouafc.com>
NNTP-Posting-Host: c-75-67-218-138.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1204987792 17816 75.67.218.138 (8 Mar 2008 14:49:52 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 8 Mar 2008 14:49:52 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:961872 alt.ham-
radio.marketplace:3638 rec.radio.amateur.equipment:14092
rec.radio.amateur.misc:43312 misc.industry.electronics.marketplace:2076


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320224001674
```

```
From 5470019818534636296
X-Google-Thread: 1109af,73c61d852f9571d9,start
X-Google-Thread: 108122,73c61d852f9571d9,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Kenwood 2 Meter FM Handheld  - Price Reduced!
Lines: 73
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0014_01C8812E.B64038C0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <cqCAj.2186$wM2.347@trnddc07>
Date: Sat, 08 Mar 2008 20:11:52 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1205007112 68.236.31.9 (Sat, 08 Mar 2008 15:11:52 EST)
NNTP-Posting-Date: Sat, 08 Mar 2008 15:11:52 EST
Xref: g2news1.google.com rec.radio.swap:18621 rec.radio.amateur.equipment:14093
X-Original-Bytes: 3369

This is a multi-part message in MIME format.

------=_NextPart_000_0014_01C8812E.B64038C0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


* For  Sale - Price Reduced *

Kenwood TH-25AT 2 meter fm handheld transceiver ("ht").=20

This is a very well-built, rugged 2 meter "ht" which includes a NiCad=20
rechargeable 7.2 Volt 1200 maH battery pack, the original Kenwood=20
BC-9 battery charger, the original Kenwood "rubber duckie" antenna,
and the original Kenwood box and instruction manual.  All in excellent=20
condition, all working perfectly.  A very reliable, very clean "ht".

New reduced price - Don't miss this one, which will sell to the first
buyer who wants it for $ 40.00 plus $ 7.50 for Priority Mail Insured=20
shipping (Cont'l U.S. only).

-Bill
KB3PT
```

```
E-mail:  shortwave1@verizon.net

------=_NextPart_000_0014_01C8812E.B64038C0
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>&nbsp;</DIV>
<DIV>* For&nbsp; Sale - Price Reduced *</DIV>
<DIV>&nbsp;</DIV>
<DIV>Kenwood TH-25AT 2 meter fm handheld transceiver ("ht"). </DIV>
<DIV>&nbsp;</DIV>
<DIV>This is a very well-built, rugged=20
2&nbsp;meter&nbsp;"ht"&nbsp;which&nbsp;includes&nbsp;a NiCad </DIV>
<DIV>rechargeable 7.2 Volt 1200 maH battery pack, the original Kenwood =
</DIV>
<DIV>BC-9 battery charger, the original Kenwood&nbsp;"rubber duckie"=20
antenna,</DIV>
<DIV>and the original Kenwood box and instruction&nbsp;manual.&nbsp; All =
in=20
excellent </DIV>
<DIV>condition, all working perfectly.&nbsp; A very reliable, very clean =

"ht".</DIV>
<DIV>&nbsp;</DIV>
<DIV>New reduced price - Don't miss this one, which will sell to the =
first</DIV>
<DIV>buyer who wants it for&nbsp;$ 40.00 plus $ 7.50 for Priority Mail =
Insured=20
</DIV>
<DIV>shipping (Cont'l U.S. only).</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_0014_01C8812E.B64038C0--



From 2084929038848118707
X-Google-Thread: 1109af,af3e6a482eaf3b4e,start
```

```
X-Google-Thread: 108122,af3e6a482eaf3b4e,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Motorola VHF Handhelds ("HT's")
Lines: 115
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0077_01C88134.D907AAE0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <m3DAj.629$Qy3.528@trnddc03>
Date: Sat, 08 Mar 2008 20:55:46 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1205009746 68.236.31.9 (Sat, 08 Mar 2008 15:55:46 EST)
NNTP-Posting-Date: Sat, 08 Mar 2008 15:55:46 EST
Xref: g2news1.google.com rec.radio.swap:18622 rec.radio.amateur.equipment:14094

This is a multi-part message in MIME format.

------=_NextPart_000_0077_01C88134.D907AAE0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

For Sale ---

I have a pair of exceptionally clean Motorola Spirit (Model MV24CVS)
VHF Handhelds  ("HT's"), with the (2) Motorola Desk Chargers for sale.

Features of these reliable Motorola handheld units include:

    * Both are 4 Channel VHF models - 4 channels easily
      switchable using channel selector switch on top of=20
      each "HT".  Other external controls include volume
      and squelch controls

    * Both units include their Motorola VHF "duckie" antennas

    * Both units include good NiMh battery packs=20

    * Both units include their Motorola desktop "cradle" chargers=20
      (with plug-in wall transformers and charging indicator lights)

Easy programming instructions are located on the inside of both=20
unit's battery covers, making programming simple and convenient.
Range of these rugged handhelds is approximately 5 miles.
```

Will sell for $100.00 plus actual shipping and insurance charges=20
(Cont'l U.S.), payable by USPS Postal Money Order only.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

E-mail: shortwave1@verizon.net

```
------=_NextPart_000_0077_01C88134.D907AAE0
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>
<DIV>For Sale ---</DIV>
<DIV>&nbsp;</DIV>
<DIV>I have&nbsp;a pair of&nbsp;exceptionally&nbsp;clean&nbsp;Motorola =
Spirit=20
(Model MV24CVS)</DIV>
<DIV>VHF Handhelds&nbsp; ("HT's"),&nbsp;with the (2) Motorola Desk =
Chargers for=20
sale.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features of these&nbsp;reliable&nbsp;Motorola handheld units =
include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both are&nbsp;4 Channel&nbsp;VHF models - =
4=20
channels easily</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;switchable using channel selector =
switch on=20
top of </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; each "HT".&nbsp; Other external =
controls=20
include volume</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;and squelch controls</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include their&nbsp;Motorola=20
VHF&nbsp;"duckie" antennas</DIV>
```

```
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include&nbsp;good =
NiMh&nbsp;battery=20
packs&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;*&nbsp;Both units include&nbsp;their =
Motorola=20
desktop "cradle"&nbsp;chargers </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;(with plug-in wall transformers and=20
charging&nbsp;indicator lights)</DIV>
<DIV>&nbsp;</DIV>
<DIV>Easy&nbsp;programming&nbsp;instructions are&nbsp;located on the =
inside of=20
both </DIV>
<DIV>unit's battery covers, making programming&nbsp;simple and =
convenient.</DIV>
<DIV>Range&nbsp;of these rugged&nbsp;handhelds is approximately&nbsp;5=20
miles.</DIV>
<DIV><BR>Will sell&nbsp; for $100.00&nbsp;plus&nbsp;actual shipping and=20
insurance charges </DIV>
<DIV>(Cont'l U.S.), payable by USPS Postal Money Order only.<BR></DIV>
<DIV>Thanks &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV><BR>E-mail:&nbsp; <A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></DIV></DIV></BODY></HTML>

------=_NextPart_000_0077_01C88134.D907AAE0--



From -1789826785520232220
X-Google-Thread: 108122,bf272d94868fb859,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e39g2000hsf.googlegroups.com!not-for-
mail
From: wmtell@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED - - ICOM AT-130 or AT-140 Antenna Tuner
Date: Sun, 9 Mar 2008 16:57:38 -0700 (PDT)
Organization: http://groups.google.com
Lines: 18
Message-ID: <26c8787e-abe1-45c5-9963-fd7e5ae41520@e39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1205107059 19157 127.0.0.1 (9 Mar 2008 23:57:39 GMT)
```

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Mar 2008 23:57:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e39g2000hsf.googlegroups.com; posting-host=66.177.6.190;
     posting-account=GgY-wAoAAAAn8zb8eC7I1Reg8IPLxGHh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14095

I am looking for an ICOM AT-130 or AT-140 automatic antenna tuner.

If you have one available, pleas email me at wmtell@gmail.com (wmtell
at gmail dot com)

Thanks,

Bill

http://RailPassSales.com
http://GlacierExpressTickets.com
http://SwissRailPasses.com

From 3725121497073427768
X-Google-Thread: 108228,b8a24b1946a0fec2,start
X-Google-Thread: 1109af,b8a24b1946a0fec2,start
X-Google-Thread: 108122,b8a24b1946a0fec2,start
X-Google-Attributes: gid108228,gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.ainex.net!
news2.arglkargh.de!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: eBay: Heathkit SB-220 HF Linear Amplifier
Message-ID: <a4c271e4f81f3728c07cf93a156f5ed4@pseudo.borked.net>
Date: Mon, 10 Mar 2008 07:10:00 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:3640 rec.radio.swap:18633
rec.radio.amateur.equipment:14096

http://xrl.us/SB220

From -4289690954220209713
X-Google-Thread: fc8b1,6553ff8c68055272,start
X-Google-Thread: 10c2ee,6553ff8c68055272,start
X-Google-Thread: 108122,6553ff8c68055272,start
X-Google-Thread: fb049,6553ff8c68055272,start
X-Google-Attributes: gidfc8b1,gid10c2ee,gid108122,gidfb049,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Mar 2008 20:09:53 -0500
From: Samantha <samantha@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.radio.amateur.equipment
,alt.ham-radio.vhf-uhf
Subject: Heathkit sb101 Nylon Spiral Follower
User-Agent: MT-NewsWatcher/3.5.2 (PPC Mac OS X)
Date: Tue, 11 Mar 2008 20:09:53 -0500
Message-ID: <samantha-CED042.20095211032008@comcast.dca.giganews.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.59.112.94
X-Trace: sv3-bSh2W6so/eaz/
fJrjlV41yASNkYB0BYQATlos8KRfz710fmgDSLD3I9D7CSsv4yLqAvu67As2EaLIaV!
XKYqBQyTKjkEfDtHBjDooy/rFs+nXTVkGQO65q+EX4YvyfnGIati9wMFfqB5egCI8vUqhtIULNxt!
0pyutqrvKkT3WPTMt/k5HyFcY4U2zA852nNigJutYYo=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.boatanchors:14288
rec.antiques.radio+phono:94449 rec.radio.amateur.equipment:14098 alt.ham-radio.vhf-uhf:6727

Ref Nylon Spiral Follower pn 266-74

I have a heathkit SB101 and the upper dial doesn't move. It seems the Nylon Spiral Follower is worn out or broken. Does anyone happen to have one of these followers or have any success in fabricating a replacement?

Any help would be greatly appreciated!!!

From 846283377309345468
X-Google-Thread: 108122,163fa4185667ba69,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s37g2000prg.googlegroups.com!not-for-mail

From: nflstore98@yahoo.com.cn
Newsgroups: rec.radio.amateur.equipment
Subject: china wholesale 2008 nfl pro jersey 's nhl jersey at factory cheap nba jersey 's mlb jersey
Date: Tue, 11 Mar 2008 18:33:00 -0700 (PDT)
Organization: http://groups.google.com
Lines: 107
Message-ID: <c036163b-0aa0-4e2e-a123-27da2f4f9d13@s37g2000prg.googlegroups.com>
NNTP-Posting-Host: 125.78.227.228
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1205285580 22073 127.0.0.1 (12 Mar 2008 01:33:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Mar 2008 01:33:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s37g2000prg.googlegroups.com; posting-host=125.78.227.228; posting-account=50taVQoAAAAhkaoLV_-N4n7Y2AgbZQWI
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14099

cheap wholesale Reebok super bowl NFL Jersey
wholesale NFL pro bowl jersey,NBA,MLB,NHL,Soccer,Soccer Jerseys Nike
brand,MLB Jerseys china supplier,MLB Jerseys china
wholesaler.wholesale MLB Jerseys.NFLshop,,NFL
NBA MLB NHL jerser wholesale,NFL NBA MLB NHL Jersey supplier,NFL NBA
MLB NHL Jersey korea supplier,nlf NBA Jersey
stock,alibaba,wholesale NFL NBA MLB NHL Jerseys.Soccer Jersey china
supplier,Soccer Jerseys china wholesale.wholesale
Soccer Jersey,supply Soccer Jerseys,NFL NBA MLB NHL copy Jersey,copy
Jerseys from china,NFL Jerseys from china.NBA shop at www.jerseynflstore.com
wholesale,jersey,supply,NFL,MLB,NBA,NHL,Soccer,Mitchell and Ness,Pro
Browl NFL Jersey
wholesale womens NBA Jersey ,NBA Jersey sale ,cheap authentic NBA
Jersey ,07 Jersey NBA star ,NBA Jersey numbers ,NBA vintage
Jersey ,NBA throw back Jersey ,NBA Jersey dress for woman ,Reebok NBA
Jersey ,NBA Jersey for toddler ,old NBA
Jersey ,youth NBA swingman Jersey ,NBA authentic basketball
Jersey ,basketball Jersey NBA new nwt ,NBA all star game
Jersey ,NBA new Jersey ,adidas NBA Jersey ,NBA Jersey for
dog ,official NBA Jersey ,classics hardwood Jersey NBA ,old
school NBA Jersey ,NBA Jersey for woman ,classic NBA Jersey at
jerseynflstore.com NFL Jersey korea supplier, mitchell and ness NBA
Jersey ,2007 game Jersey NBA star ,alternate Jersey
NBA ,best selling NBA Jersey ,NBA Jersey card
,authenic NBA Jersey ,discount NBA Jersey ,classic customized Jersey
NBA ,Nike NBA swingman Jersey ,custom NBA
basketball Jersey ,retired NBA Jersey ,adidas Jersey NBA
swingman ,infant NBA Jersey ,adidas authentic Jersey NBA ,NBA

new Jersey net ,NBA practice Jersey ,NBA rewind Jersey ,big kid NBA
Jersey ,youth NBA basketball Jersey ,womens NBA
Jersey dress ,2006 Jersey NBA star ,spalding NBA player Jersey
basketball ,5f1.blogspot.com Jersey NBA ,NBA Jersey size
,NBA soul Jersey ,black Jersey NBA ,buy NBA Jersey ,NBA pro cut
Jersey ,NBA and NFL Jersey ,adidas alternate Jersey man
NBA swingman ,NBA Reebok basketball Jersey ,half and half NBA
Jersey ,NBA player Jersey ,2003 NBA all star Jersey ,NBA
century Jersey ,lakers NBA Jersey ,baby NBA Jersey ,david Jersey lee
NBA ,NBA high school Jersey ,iverson NBA Jersey
wade NBA Jersey ,2006 Jersey NBA selling top ,gilbert arena NBA
Jersey ,cheap NBA throwback Jersey at www.jerseynflstore.com NBA
Jersey design your own ,Jersey jj NBA ,2k7
code Jersey NBA ,customize NBA Jersey ,free NBA
jersey ,NBA nuggets Jersey 102 autographed NFL Jersey ,NFL europe
Jersey ,NFL Jersey china supplier NFL Jersey shop
,54 Jersey NFL ,adult small NFL Jersey ,NFL authenic Jersey ,youth NFL
replica Jersey ,authentic item Jersey NFL other
,discounted Jersey NFL ,Jersey NFL pink Reebok ribbon
womens ,customize NFL Jersey ,stitched NFL Jersey ,NFL vintage
Jersey ,50 NFL Jersey ,NFL probowl Jersey ,NFL Jersey by Reebok ,free
NFL Jersey ,NFL man replica Jersey ,signed NFL
Jersey ,best selling NFL Jersey ,youth authentic NFL Jersey ,boy NFL
Jersey ,colt Jersey NFL womens ,Jersey man NFL
,clearance NFL Jersey ,eqt Jersey NFL ,Jerseys,Soccer Jerseys adidas
brand NFL Jersey for peyton manning ,buy NFL
Jersey ,cheap NFL replica Jersey ,NFL sports Jersey ,blank NFL
Jersey ,Jersey NFL sales ,darrent Jersey NFL williams
,NFL patriot Jersey ,adult Jersey NFL xl ,custom NFL football
Jersey ,NFL game used Jersey ,best best Jersey NFL source
,female NFL Jersey , frank gore Jersey NFL ,NFL alternate Jersey ,girl
NFL Jersey ,Jersey ,NFL Jersey ,new Jersey
lottery ,honda Jersey city new Jersey ,new Jersey real estate ,ford
monmouth new Jersey ,Jersey boy ,Jersey city
,hockey Jersey at www.jerseynflstore.com toyota Jersey city new
Jersey ,chevrolet monmouth new Jersey ,toyota monmouth
new Jersey sed car Jersey city new Jersey ,ford Jersey city new
Jersey , state of new Jersey at www.jerseynflstore.com
dodge monmouth new Jersey ,throwback Jersey NFL NBA MLB NHL Jerseys
wholesale,c hevrolet Jersey city new Jersey ,acura
Jersey city new Jersey ,lexus monmouth new Jersey ,newark nj ,jeep
monmouth new Jersey ,ford trenton new Jersey
,basketball Jersey ,Jersey girl , authentic Reebok NFL Jersey ,NFL
Jersey card ,NFL throw back Jersey ,top selling NFL
Jersey ,NFL Jersey numbers ,2007 bowl Jersey NFL pro ,NFL Jersey
store ,NFL Jersey chargers ,eagle NFL Jersey ,lady NFL
Jersey ,baby NFL Jersey698359 NFL ,NFL ticket ,2007 NFL mock
draft ,NFL football ticket ,2007 NFL draft ,NFL playoffs
,NFL draft ,2007 draft mock NFL updated ,NFL playoff schedule ,NFL
mock draft ,NFL Jersey ,NFL football ,NFL shop ,NFL
schedule ,NFL cheerleader at www.jerseynflstore.com NFL playoffs
2007 ,
NFL rumor ,NFL score ,NFL network , NFL playoff

```
bracket ,2007 agent free NFL NBA Jerseys wholesale 2007 draft NFL
order ,NFL apparel ,NFL odds ,07 draft mock NFL ,NFL
line ,NFL pick ,2007 NFL schedule ,NFL playoff ,2007 NFL playoff
schedule at jerseynflstore.com NFL super bowl ,NFL
playoff picture ,NFL draft 2007 prospect ,espn NFL ,2007 bracket NFL
playoff ,NFL logo ,NFL team , 104 bush Jersey NFL
reggiecolts Jersey ,NBA Jersey ,new Jersey basketball ,bear
Jersey ,new Jersey dmv craigslist new Jersey ,new Jersey
net ,mitsubishi Jersey city new Jersey ,city Jersey Jersey lexus
new ,Jersey journal ,mercedes benz trenton new Jersey
,cape may nj ,mazda monmouth new Jersey ,new Jersey mortgage ,peyton
manning Jersey ,mitsubishi monmouth new Jersey
miss new Jersey ,used car trenton new Jersey ,baseball Jersey ,honda
trenton new Jersey , nissan trenton new Jersey
,new Jersey hotel ,pontiac monmouth new Jersey ,new Jersey department
of correction ,new Jersey car insurance ,
chrysler monmouth new Jersey ,camden nj ,jeep Jersey city new
Jersey ,custom football Jersey ,Jersey mikes ,NHL Jersey
,dodge Jersey city new Jersey ,Reebok NFL Jersey made in
korea,infiniti Jersey city new Jersey ,chevrolet trenton new
Jersey ,ford atlantic new Jersey ,volkswagen Jersey city new
Jersey ,audi trenton new Jersey ,Jersey shore ,honda
atlantic new Jersey ,used car atlantic new Jersey7179 NFL game at
www.jerseynflstore.com 2007 NFL playoffs schedule
```

```
From -1602518213338164102
X-Google-Thread: 108122,955630cd722e355d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
i7g2000prf.googlegroups.com!not-for-mail
From: "sneakersea@yahoo.com.cn" <sneakersea@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: china cheap wholesale NFL NHL NBA  pro bowl Jersays nike jordan
     sneakers bape bbc hoodies red monkey jeans
Date: Wed, 12 Mar 2008 07:59:30 -0700 (PDT)
Organization: http://groups.google.com
Lines: 160
Message-ID: <7240d792-c13e-4106-b91f-f463b894a986@i7g2000prf.googlegroups.com>
NNTP-Posting-Host: 59.60.116.233
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1205333971 23632 127.0.0.1 (12 Mar 2008 14:59:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Mar 2008 14:59:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i7g2000prf.googlegroups.com; posting-host=59.60.116.233;
     posting-account=LjjbWwoAAADjhecRI9nbP1Aj4irymwok
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     WPS),gzip(gfe),gzip(gfe)
```

Xref: g2news1.google.com rec.radio.amateur.equipment:14100

We Wholesale Nike Sneakers , Jordan Sneakers,www.sneakersea.com
Wholesale Handbags
Sneakers, Wholesale Purses, Wholesale Sandals ..ordans,nike air
dunk,nike air dunks,Nike shox,Nike shocks,Nike shox tl,Nike shox
nz,Nike shox r4,Nike shox ride,Nike shox turbo,nike shox monster,nike
airmax, Nike Air max tn plus,Nike air max 90,Nike air max 95, Nike
air
max 97, Nike air max 2003,Nike air max 2004,Nike air max 2006,Nike
air
rift. China replica shoes factory and Nike factory wholesale and sale
replica nike shoes to your Nike shop & nike store. we wholesale new
nike sneakers air jordan sneakers at cheap price.cheap gucci prada
chanel fendi shoes sneakers handbag purse at wholesale price.china
wholesale louis vuitton gucci prada dg bathing ape bbc at wholesale
price.china wholesale sneakers Nike celebrates 25 birthday of Air
Force Ones.www.sneakersea.com wholesale basketball jerseys NBA NFL
jerseys
wholesale,football jerseys at cheap price,factory
wholesale.basketball
jersey, China Wholesale basketball jersey Suppliers basketball
jersey.....Wholesale fendi Handbags,Wholesale gucci Handbag,Wholesale
dior Purses,handbags wholesale, purses wholesale. Wholesale purse,
shoes wholesale, shoes wholesale,Wholesale sneakers,Wholesale Nike
Shoes,Nike Shoes Wholesale,Wholesale sunglasses,gucci shoes wholesale
www.sneakersea.com wholesale prada sneakers !!!
all the shoes is packed with original box,and the tags and style code
number is 100% correct;all the items listed in our website we have
got
them in stocks,small mini order and even drop ship is available
here .
All the products is in good quality with low price.
www.sneakersea.com

wholesale nfl jersey nba jersey mlb jersey,nhl jersey, hockey jersey ,
soccer jerseys ,made in korea ,Mitchell Ness jersey,throwback jersey ,
majestical jersey ,embroidery jersey ,made out of polyester ,
nfl super bowl jersey , nfl pro bowl jersey,nfl discount jerey,
boy??jersey,discounted jersey,customize??jersey,authentic jersey,
cheap jersey,stitched??jersey,reebok jerseysfootball jerey,basketball
jersey,
baseball jersey,super bowl jersey,pro bowl jersey,
embroidery jersey,soccer jersey,majestical jersey,
youth jersey,adult jerseys,kids jersey,hockey jersey,
throwback jersey,Mitchell Ness jersey,custom football jersey,
allstar jersey,official??jersey ,classics jersey ,
retired??jersey ,autographed??jersey lady??jersey ,
baby??jersey,vintage jersey,throw back jersey,womens jersey,,mitchell
and ness
We Wholesale China Cheap Nike Jordans Sneakers , Michael Jordan
Shoes,Nike Jordan Basketball shoes,... Jordan Shoes, Air Jordan

Sneakers , Air Jordan Wholesale All of the Air Jordan sneakers have Nike Air in the shoes. Authentic quality Jordans Sneakers Custom China Wholesale Jordan gucci sneakers prada gucci purse Handbag We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB,Bape Sta from nike outlets and factory stores, also Nike wholesale - Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Running Shoes , prada chanel dior gucci sandals,Nike Shox,Nike Flightposite ,Nike jordan Basketball shoes K1X Chiefglider wholesale suppliers factory.We sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks SB, Bape Sta from nike Wholesale china nike jordans gucci prada sneakers at cheap price Wholesale Nike Dunk,Authentic Jordans Wholesale,Nike Shoes Wholesale,Wholesale Nike Air Force 1 for wholesale and sale from our nike outlets ......Nike Shoes Wholesale, Jordan SHOES, Wholesale Handbags Sneakers, Wholesale Purses, Wholesale Sandals ...Nike wholesale - Nike shoes wholesale. Nike shoes: Nike shox air force1 jordan TL NZ R4 ... We sale wholesale Nike shoes(Nike trainers, Nike sneakers, Nike tn nike shox r3 nike shox r4 nike max 95 chinanike-wholesale com wholesale nike shoes tn shox r3 r4 nz oz jordans sneakers wholesale purses , Wholesale nike shoes: nike air force 1, Nike shoeair Dunk, Nike air jordan, Nike air dunks dunks, Nike shox kobe NIke air jordan(tl;nz;r4;turbo,monster), nike air maxtn shox (90;95;97;2003;2004;360;Tn;Plus).wholeale handbags jeanspls visit sneakersea com Nike shoes sale and wholesale: replica nike shoes of Nike trainers,Nike sneakers,nike running shoes,Nike Men"s shoes,nike women"s shoes,Nike mens shoes, nike womens shoes. sale nike shoes: Nike Air force 1, nike air force one, nike air jordan, nike air Wholesale Handbags Sneakers, Wholesale Purses, Wholesale Sandals Nike wholesale - Nike shoes wholesale. Nike shoes: Nike shox air force1 jordan TL NZ R4 ... We sale wholesale Nike shoes(Nike trainers, Nike sneakers, chinanike-wholesale.com wholesale nike handbag purse jeans fendi chanel gucci jordans,nike air dunk,nike air dunks,Nike shox,Nike shocks,Nike shox tl,Nike shox r4,Nike shox ride,Nike shox turbo,nike shox monster,nike airmax, Nike Air max tn plus,china wholesale Nike Air max 95 Nike Air max 97 Nike Air max 2003 Nike Air max 2004 Nike Air max 2005 Nike Air max 2006 ,Nike air rift. China replica shoes factory and Nike factory wholesale and sale replica nike shoes to your Nike shop & nike store. visitwww.sneakersea.com we wholesale new nike sneakers air jordan sneakers at cheap price.cheap gucci prada chanel fendi shoes sneakers handbag purse at wholesale price.china wholesale louis vuitton gucci prada dg bathing ape bbc at wholesale price.china wholesale sneakers Nike celebrates 25 birthday of Air Force Ones.wholesale chanel sandals gucci sandals prada sandals Dior sandals at cheap price on sale wholesale basketball jerseys nba nfl jerseys wholesale,football jerseys at cheap price,factory visit sneakersea com wholesale.basketball jersey, China Wholesale basketball jersey Suppliers basketball jersey.Many mobile phone sell

offers from China mobile phone wholesale and ... Wholesale
Handbags,Wholesale Handbag,Wholesale Purses,handbags wholesale,
purses
wholesale. Wholesale purse, shoes wholesale, shoe wholesale,Wholesale
sneakers,Wholesale Nike Shoes,Nike Shoes Wholesale,Wholesale
sunglasses,gucci shoes wholesale wholesale prada sneakers,nike shoes
china Nike Shox R3 Nike Shox R4 Nike Shoes TL Nike Shoes NZ Nike
Shoes
OZ Nike Shoes TN new styles models nike sneakers jordan sneakers at
factory wholesale handbag sneakers Many red monkey jeans evisu jeans
sell offers from China red monkey jeans evisu jeans true religion
jeans wholesale and manufacturers, easy to do red monkey jeans evisu
jeans true religion jeans business from www.sneakersea.com
discount price Gucci Sunglasses Prada Sunglasses Louis Vuitton
Sunglasses Chanel Sunglasses in china , wholesale chanel gucci armani
sunglasses at wholesale cheap price , supply Rolex Watches Bvlgair
Watches Omgea Watches IWC Watches cheap price and offering Tiffany
Earring Tiffany Bracelet Tiffany Necklace Tiffany Ring in
stock ......
We wholesale gucci purse louis vuitton fendi chanel prada miumiu bcbg
handbags bags purse purses offers from China purse handbags bags
purses wholesale,purse China Nike Shoes Gucci Prada Jordan TN SHOX
Puma sneakers ... manufacturers,purses factory handbags bags at
cheap.
China Manufacturer of wholesale lv bags , wholesale Gucci bags ,
wholesale ... Purses , Chanel Bags,purse & Wallets , Hermes Birkin
Bag,Handbag,Purses , China price,discount price.China wholesale
evisu ,
9t-shirt,Polo,Edhardy chanel,AF,bape,CD shirts t-shirts,
B.R.M,Dsquared,LRG,lacoste t-shirts,g-star,BBC,DG,burberry nike
handbags sneakers tshirts,shirt,COOGI,juicy,desquared,woman t-shirt,callaway-golf,baby woman t shirt,artfull,dodger,adidas,seven
jeans ,jersey wholesale,nfl jersey wholesale,nba jersey wholesale,nba
jerseys wholesale,nfl jersey china supplier,nfl jerseys china
supplier,nba jerseys china supplier,nba jersey china supplier.reebok
jerseys,nfl jersey made in korea,nfl jerseys china wholesaler,nba
jersey china wholesaler,wholesale nfl jerseys ,jerseys
wholesale,soccer jerseys,soccer jerseys,soccer jerseys china
wholesaler,soccer jersey china wholesaler,nfl,nba,mlb,nhl,soccer
jerseys,mlb jerseys,mlb jersey.nhl jersey.nhl jerseys,jerseys
wholesale.wholesale jerseys.jerseys china supplier,jersey china
supplier.jersey china wholesaler,jerseys china wholesaler,nfl jersey
reebok brand,nfl jersey made in korea,nfl jersey korea
supplier,soccer
jerseys adidas brand,soccer jerseys nike brand,mlb jerseys china
supplier,mlb jerseys china wholesaler.wholesale mlb jerseys.
nflshop,nfl nba mlb nhl jerseys wholesale,nfl nba mlb nhl jerser
wholesale,nfl nba mlb nhl jersey supplier,nfl nba mlb nhl jersey
china
supplier,nfl nba mlb nhl jersey korea supplier,nlf nba jersey
stock,alibaba,wholesale nfl nba mlb nhl jerseys.soccer jersey china
supplier,soccer jerseys china wholesale.wholesale soccer
jersey,supply

soccer jerseys,nfl nba mlb nhl copy jersey,copy jerseys from
china,nfl
jerseys from china.nba www.sneakersea.com

From 7965127321371821258
X-Google-Thread: 108122,27263a773033f99d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s37g2000prg.googlegroups.com!not-for-mail
From: "sneakersea@yahoo.com.cn" <sneakersea@yahoo.com.cn>
Newsgroups: rec.radio.amateur.equipment
Subject: china cheap wholesale NFL NHL NBA Jersays nike jordan sneakers bape
     bbc hoodies red monkey jeans
Date: Wed, 12 Mar 2008 08:00:10 -0700 (PDT)
Organization: http://groups.google.com
Lines: 160
Message-ID: <04aefa7f-d435-4750-816a-c2628193df2c@s37g2000prg.googlegroups.com>
NNTP-Posting-Host: 59.60.116.233
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1205334010 27524 127.0.0.1 (12 Mar 2008 15:00:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Mar 2008 15:00:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s37g2000prg.googlegroups.com; posting-host=59.60.116.233;
     posting-account=LjjbWwoAAADjhecRI9nbP1Aj4irymwok
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
     WPS),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14101

We Wholesale Nike Sneakers , Jordan Sneakers,www.sneakersea.com
Wholesale Handbags
Sneakers, Wholesale Purses, Wholesale Sandals ..ordans,nike air
dunk,nike air dunks,Nike shox,Nike shocks,Nike shox tl,Nike shox
nz,Nike shox r4,Nike shox ride,Nike shox turbo,nike shox monster,nike
airmax, Nike Air max tn plus,Nike air max 90,Nike air max 95, Nike
air
max 97, Nike air max 2003,Nike air max 2004,Nike air max 2006,Nike
air
rift. China replica shoes factory and Nike factory wholesale and sale
replica nike shoes to your Nike shop & nike store. we wholesale new
nike sneakers air jordan sneakers at cheap price.cheap gucci prada
chanel fendi shoes sneakers handbag purse at wholesale price.china
wholesale louis vuitton gucci prada dg bathing ape bbc at wholesale
price.china wholesale sneakers Nike celebrates 25 birthday of Air
Force Ones.www.sneakersea.com wholesale basketball jerseys NBA NFL
jerseys
wholesale,football jerseys at cheap price,factory

wholesale.basketball
jersey, China Wholesale basketball jersey Suppliers basketball
jersey.....Wholesale fendi Handbags,Wholesale gucci Handbag,Wholesale
dior Purses,handbags wholesale, purses wholesale. Wholesale purse,
shoes wholesale, shoes wholesale,Wholesale sneakers,Wholesale Nike
Shoes,Nike Shoes Wholesale,Wholesale sunglasses,gucci shoes wholesale
www.sneakersea.com wholesale prada sneakers !!!
all the shoes is packed with original box,and the tags and style code
number is 100% correct;all the items listed in our website we have
got
them in stocks,small mini order and even drop ship is available
here .
All the products is in good quality with low price.
www.sneakersea.com

wholesale nfl jersey nba jersey mlb jersey,nhl jersey, hockey jersey ,
soccer jerseys ,made in korea ,Mitchell Ness jersey,throwback jersey ,
majestical jersey ,embroidery jersey ,made out of polyester ,
nfl super bowl jersey , nfl pro bowl jersey,nfl discount jerey,
boy??jersey,discounted jersey,customize??jersey,authentic jersey,
cheap jersey,stitched??jersey,reebok jerseysfootball jerey,basketball
jersey,
baseball jersey,super bowl jersey,pro bowl jersey,
embroidery jersey,soccer jersey,majestical jersey,
youth jersey,adult jerseys,kids jersey,hockey jersey,
throwback jersey,Mitchell Ness jersey,custom football jersey,
allstar jersey,official??jersey ,classics jersey ,
retired??jersey ,autographed??jersey lady??jersey ,
baby??jersey,vintage jersey,throw back jersey,womens jersey,,mitchell
and ness
We Wholesale China Cheap Nike Jordans Sneakers , Michael Jordan
Shoes,Nike Jordan Basketball shoes,... Jordan Shoes, Air Jordan
Sneakers , Air Jordan Wholesale All of the Air Jordan sneakers have
Nike Air in the shoes. Authentic quality Jordans Sneakers Custom
China Wholesale Jordan gucci sneakers prada gucci purse Handbag We
sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks
SB,Bape Sta from nike outlets and factory stores, also Nike wholesale
- Jordan Shoes. Nike Shoes, sport Shoes, Reebok Shoes,Running Shoes ,
prada chanel dior gucci sandals,Nike Shox,Nike Flightposite ,Nike
jordan Basketball shoes K1X Chiefglider wholesale suppliers
factory.We
sale new Nike Sneakers,Air Jordan Sneakers,AIR FORCE 1S,Nike Dunks
SB,
Bape Sta from nike Wholesale china nike jordans gucci prada sneakers
at cheap price Wholesale Nike Dunk,Authentic Jordans Wholesale,Nike
Shoes Wholesale,Wholesale Nike Air Force 1 for wholesale and sale
from
our nike outlets ......Nike Shoes Wholesale, Jordan SHOES, Wholesale
Handbags Sneakers, Wholesale Purses, Wholesale Sandals ...Nike
wholesale - Nike shoes wholesale. Nike shoes: Nike shox air force1
jordan TL NZ R4 ... We sale wholesale Nike shoes(Nike trainers, Nike
sneakers, Nike tn nike shox r3 nike shox r4 nike max 95 chinanike-
wholesale com wholesale nike shoes tn shox r3 r4 nz oz jordans

sneakers wholesale purses , Wholesale nike shoes: nike air force 1, Nike shoeair Dunk, Nike air jordan, Nike air dunks dunks, Nike shox kobe NIke air jordan(tl;nz;r4;turbo,monster), nike air maxtn shox (90;95;97;2003;2004;360;Tn;Plus).wholeale handbags jeanspls visit sneakersea com Nike shoes sale and wholesale: replica nike shoes of Nike trainers,Nike sneakers,nike running shoes,Nike Men"s shoes,nike women"s shoes,Nike mens shoes, nike womens shoes. sale nike shoes: Nike Air force 1, nike air force one, nike air jordan, nike air Wholesale Handbags Sneakers, Wholesale Purses, Wholesale Sandals Nike wholesale - Nike shoes wholesale. Nike shoes: Nike shox air force1 jordan TL NZ R4 ... We sale wholesale Nike shoes(Nike trainers, Nike sneakers, chinanike-wholesale.com wholesale nike handbag purse jeans fendi chanel gucci jordans,nike air dunk,nike air dunks,Nike shox,Nike shocks,Nike shox tl,Nike shox r4,Nike shox ride,Nike shox turbo,nike shox monster,nike airmax, Nike Air max tn plus,china wholesale Nike Air max 95 Nike Air max 97 Nike Air max 2003 Nike Air max 2004 Nike Air max 2005 Nike Air max 2006 ,Nike air rift. China replica shoes factory and Nike factory wholesale and sale replica nike shoes to your Nike shop & nike store. visitwww.sneakersea.com we wholesale new nike sneakers air jordan sneakers at cheap price.cheap gucci prada chanel fendi shoes sneakers handbag purse at wholesale price.china wholesale louis vuitton gucci prada dg bathing ape bbc at wholesale price.china wholesale sneakers Nike celebrates 25 birthday of Air Force Ones.wholesale chanel sandals gucci sandals prada sandals Dior sandals at cheap price on sale wholesale basketball jerseys nba nfl jerseys wholesale,football jerseys at cheap price,factory visit sneakersea com wholesale.basketball jersey, China Wholesale basketball jersey Suppliers basketball jersey.Many mobile phone sell offers from China mobile phone wholesale and ... Wholesale Handbags,Wholesale Handbag,Wholesale Purses,handbags wholesale, purses wholesale. Wholesale purse, shoes wholesale, shoe wholesale,Wholesale sneakers,Wholesale Nike Shoes,Nike Shoes Wholesale,Wholesale sunglasses,gucci shoes wholesale wholesale prada sneakers,nike shoes china Nike Shox R3 Nike Shox R4 Nike Shoes TL Nike Shoes NZ Nike Shoes OZ Nike Shoes TN new styles models nike sneakers jordan sneakers at factory wholesale handbag sneakers Many red monkey jeans evisu jeans sell offers from China red monkey jeans evisu jeans true religion jeans wholesale and manufacturers, easy to do red monkey jeans evisu jeans true religion jeans business from www.sneakersea.com discount price Gucci Sunglasses Prada Sunglasses Louis Vuitton Sunglasses Chanel Sunglasses in china , wholesale chanel gucci armani sunglasses at wholesale cheap price , supply Rolex Watches Bvlgair Watches Omgea Watches IWC Watches cheap price and offering Tiffany Earring Tiffany Bracelet Tiffany Necklace Tiffany Ring in stock ......

We wholesale gucci purse louis vuitton fendi chanel prada miumiu bcbg handbags bags purse purses offers from China purse handbags bags

purses wholesale,purse China Nike Shoes Gucci Prada Jordan TN SHOX
Puma sneakers ... manufacturers,purses factory handbags bags at
cheap.
China Manufacturer of wholesale lv bags , wholesale Gucci bags ,
wholesale ... Purses , Chanel Bags,purse & Wallets , Hermes Birkin
Bag,Handbag,Purses , China price,discount price.China wholesale
evisu ,
9t-shirt,Polo,Edhardy chanel,AF,bape,CD shirts t-shirts,
B.R.M,Dsquared,LRG,lacoste t-shirts,g-star,BBC,DG,burberry nike
handbags sneakers tshirts,shirt,COOGI,juicy,desquared,woman t-shirt,callaway-golf,baby woman t shirt,artfull,dodger,adidas,seven
jeans ,jersey wholesale,nfl jersey wholesale,nba jersey wholesale,nba
jerseys wholesale,nfl jersey china supplier,nfl jerseys china
supplier,nba jerseys china supplier,nba jersey china supplier.reebok
jerseys,nfl jersey made in korea,nfl jerseys china wholesaler,nba
jersey china wholesaler,wholesale nfl jerseys ,jerseys
wholesale,soccer jerseys,soccer jerseys,soccer jerseys china
wholesaler,soccer jersey china wholesaler,nfl,nba,mlb,nhl,soccer
jerseys,mlb jerseys,mlb jersey.nhl jersey.nhl jerseys,jerseys
wholesale.wholesale jerseys.jerseys china supplier,jersey china
supplier.jersey china wholesaler,jerseys china wholesaler,nfl jersey
reebok brand,nfl jersey made in korea,nfl jersey korea
supplier,soccer
jerseys adidas brand,soccer jerseys nike brand,mlb jerseys china
supplier,mlb jerseys china wholesaler.wholesale mlb jerseys.
nflshop,nfl nba mlb nhl jerseys wholesale,nfl nba mlb nhl jerser
wholesale,nfl nba mlb nhl jersey supplier,nfl nba mlb nhl jersey
china
supplier,nfl nba mlb nhl jersey korea supplier,nlf nba jersey
stock,alibaba,wholesale nfl nba mlb nhl jerseys.soccer jersey china
supplier,soccer jerseys china wholesale.wholesale soccer
jersey,supply
soccer jerseys,nfl nba mlb nhl copy jersey,copy jerseys from
china,nfl
jerseys from china.nba www.sneakersea.com

From 1916263665210358566
X-Google-Thread: 108122,e45c75a31d3aa2f7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!7d816c7a!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <83f55586-d616-4036-940d-d94b5a7f5d84@n77g2000hse.googlegroups.com>
<uIfuj.75707$Mu4.46271@bignews7.bellsouth.net>
Subject: Re: ICOM IC-756 PRO repair WEB page LAST FOLLOW UP   BYE icom
Lines: 184

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <giWBj.6701$by3.5255@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbonboacakpbaiijnbphopeafddeienkmhjoa
flfnngobjdjamjpkcaemjhdfhghldeoapdjinoploeaipifilnbkffodccaicbnimnploccabjmioa
NNTP-Posting-Date: Wed, 12 Mar 2008 15:37:48 EDT
Organization: BellSouth Internet Group
Date: Wed, 12 Mar 2008 14:37:24 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:14102

Hey no problem with delay.

Just wanted to let you know I understand that some companies keep thier
heads up
thier rears, so it's ok with me if they leave them there.

Just wanted you to know I just completed an order for a KW amp and tuner
from another manufaturer and that any future purchases will not include any
icom equipment. And if any of my current icoms fail, I'll just run over them
with my car and haul them to the dump.

Have a nice day.   And shove your service manuals.

----- Original Message -----
From: Brian Tobin
To: Gary Lee Calvert
Cc: James Degagne
Sent: Wednesday, March 05, 2008 5:18 PM
Subject: RE: ICOM Technical Support Ticket # 82CG231165 K4TWO

Sir,

Sorry for the delay, I have discussed with my manager and my technical
support department and have decided that our policy for manuals will be
upheld. From the information I have gathered, it has been nearly 20 years
since we included schematic break downs with our radios. Unfortunately, if
you would like copies of the schematic breakdown from these new radios, you
will have to purchase the complete service manual at $32.00 each plus
shipping and handling. If you would like to order these items, please
contact us at 800-346-0495.

Thanks,

Brian Tobin

Parts Specialist

Icom America, Inc.

BRIANT@ICOMAMERICA.COM

425-454-8155

Important: This electronic mail message and any attached files contain information intended for the exclusive use of the individual or entity to whom it is addressed and may contain information that is proprietary, privileged, confidential and/or exempt from disclosure under applicable law. If you are not the intended recipient, you are hereby notified that any viewing, copying, disclosure or distribution of this information may be subject to legal restriction or sanction. Please notify the sender, by electronic mail or telephone, of any unintended recipients and delete the original message without making any copies.

From: Gary Lee Calvert [mailto:k4two@arrl.net]
Posted At: Tuesday, February 19, 2008 7:01 AM
Posted To: Inbox
Conversation: ICOM Technical Support Ticket # 82CG231165 K4TWO
Subject: Fw: ICOM Technical Support Ticket # 82CG231165 K4TWO

Am I being told I have to BUY a service manual to get the schematics for radios I bought?

If this is the case then I will NOT be purchasing a PW1 this year.

All I need are the schematics that should have been with the radios.

Please let me know if the schematics for the 91AD and the 2720H are available online.

My station is about done now except for the ground radials for my Hustler 5BTV.

I move slower these days but plan to just play radion when the radials and HF amp are in.

Read the original message please.   This has been most disapointing.

If I have to BUY the schematics, my HF amp will be a tube Ameritron that already has the

schematics online.

Thanks Gary Calvert 73 K4TWO

----- Original Message -----

From: amateur@icomamerica.com

To: k4two@arrl.net

Sent: Wednesday, February 13, 2008 12:28 PM

Subject: ICOM Technical Support Ticket # 82CG231165

Good Morning......

Thanks for your e-mail.

I have attached schematics for the PS-125 and the SM-20 to this e-mail, however, for the schematics for the 91AD and the 2720H, you will need to contact our parts department, because schematics are only available in the service manuals and our parts department handles those. Their e-mail address is: parts@icomamerica.com or their telephone number is: 800-306-1356. I hope that this will help.

Best Regards;

Mike Hilton
Technical Support Representative

ICOM America, Inc.
2380 116th Ave. NE
Bellevue, WA 98004
Ph. (425) 454-7619
Fax (425) 637-8417

Gary Calvert
k4two@arrl.net
Description

EMAIL SUBJECT: FW: Request from Icom America Website
BODY: Can you please assist this customer?

Thank you,

LORIE PHILLIPS
SERVICE ADMINISTRATOR

ICOM AMERICA
2380 116TH AVE NE
BELLEVUE, WA 98004

425-454-8155
FAX 425-451-1064

-----Original Message-----
From: Gary Calvert [mailto:K4TWO@arrl.net]
Posted At: Tuesday, February 12, 2008 2:01 PM
Posted To: Service
Conversation: Request from Icom America Website
Subject: Request from Icom America Website

This past year I have bought the Icom 91/AD sn 0502054 and Icom 2720 sn 0510376 Icom 756ProIII sn 3204248 Icom PS125 sn 0208384 and SM20 Desk mic sn 028004 all work fine with the following exceptions. The PS125 had plastic rattling around inside from capacitors but I never saw any damage... empty and put back together. The desk mic SM 20 intermitant ground or loose wire in plug. easier and cheaper to fix it myself. I was about to wire external speakers to the 2720 rig and did NOT find enough information to wire the 1/8th inch plugs which ever has 3 wire or both I don't know. The only products that had a schematic was the 756ProIII. Can I be e-mailed the schematics for all the other products or mailed by postal service to Gary Calvert K4TWO, 202 Clarksville TN 37042. I hope when I get the PW1 this summer to complete my new station that it will have a schematic with it. I buy through Ham Radio Outlet and they said not to send in the warrenty cards so they could make quick exchanges if needed.
I am disabled so these things take me a longer time to put into service and find problems.

Thanks Gary Calvert K4TWO

From 4852118979868895245
X-Google-Thread: fc8b1,6553ff8c68055272
X-Google-Thread: 108122,6553ff8c68055272
X-Google-Attributes: gidfc8b1,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!feeder.news-service.com!border1.nntp.ams.giganews.com!nntp.giganews.com!uio.no!newsfeeds.sol.net!posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Date: Wed, 12 Mar 2008 21:56:26 -0500

```
From: JaySeeBee <killroywashere@nowhere.com>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: Heathkit sb101 Nylon Spiral Follower
References: <samantha-CED042.20095211032008@comcast.dca.giganews.com>
In-Reply-To: <samantha-CED042.20095211032008@comcast.dca.giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <47d897a5$0$18425$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 13 Mar 2008 02:55:33 GMT
NNTP-Posting-Host: e9aea5c5.news.twtelecom.net
X-Trace: DXC=Xae5`3I<onF=i3iQd\;90CC_A=>8kQj6MY;@_o827nGCEPbeeFMFK`N8c@Xc5[XS^Chg?
oa1Z_[DG
X-Complaints-To: abuse@twtelecom.net
Xref: g2news1.google.com rec.radio.amateur.boatanchors:14298
rec.radio.amateur.equipment:14103
```

Samantha wrote:

> Ref Nylon Spiral Follower pn 266-74
>
>
> I have a heathkit SB101 and the upper dial doesn't move. It seems the
> Nylon Spiral Follower is worn out or broken. Does anyone happen to have
> one of these followers or have any success in fabricating a replacement?
> Any help would be greatly appreciated!!!

You might check with RTO Electronics. I have dealt with them in the past
for Heathkit transceiver repairs. Their website is located at this URL
http://www.rtoham.com/
There are also several other repair folks out there for Heathkit gear.

GL de Jack

```
From -9919452121632219288
X-Google-Thread: 108122,58fe20cc37537c11,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!62.216.30.27.MISMATCH!newsgate.cistron.nl!
transit.news.xs4all.nl!xs4all!border2.nntp.ams.giganews.com!nntp.giganews.com!
news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!
newspeer1-win.ntli.net!newsfe1-gui.ntli.net.POSTED!53ab2750!not-for-mail
Message-ID: <ZP9HV1e$1J2HFwkx@birchnet.demon.co.uk>
From: Bill <Bill@birchnet.demon.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Broad band folded HF dipoles
Lines: 12
MIME-Version: 1.0
```

```
Content-Type: text/plain;charset=us-ascii;format=flowed
User-Agent: Turnpike/6.02-U (<oCIlbY1IqXUXJ3uCGbC2EvBmBt>)
Date: Thu, 13 Mar 2008 03:21:35 GMT
NNTP-Posting-Host: 80.6.24.232
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe1-gui.ntli.net 1205378495 80.6.24.232 (Thu, 13 Mar 2008 03:21:35
GMT)
NNTP-Posting-Date: Thu, 13 Mar 2008 03:21:35 GMT
Organization: ntl Cablemodem News Service
Xref: g2news1.google.com rec.radio.amateur.equipment:14104
```

Hi,

does any one have constructive comments about this type of aerial?

http://www.bwantennas.com/ama/fdipole.ama.htm

How would it compare against a dipole dedicated to a specific frequency for instance? I assume not as well, but how much less?

All sensible replies much appreciated, thank you.

--
Bill

```
From -92495192087427363
X-Google-Thread: fc8b1,6553ff8c68055272
X-Google-Thread: 108122,6553ff8c68055272
X-Google-Attributes: gidfc8b1,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Wed, 12 Mar 2008 22:35:24 -0500
Date: Wed, 12 Mar 2008 23:35:24 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.11) Gecko/20071128
SeaMonkey/1.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: Heathkit sb101 Nylon Spiral Follower
References: <samantha-CED042.20095211032008@comcast.dca.giganews.com>
<47d897a5$0$18425$39cecf19@news.twtelecom.net>
In-Reply-To: <47d897a5$0$18425$39cecf19@news.twtelecom.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <lrydnTpiNKlhPUXanZ2dnUVZ_sednZ2d@rcn.net>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.178.251.80
X-Trace: sv3-kf0eEh5T/
MqJHvp1c0ICrU4QdwT+kKGUDOBB8znFtzYuQuHHtMkYMoK3hhlBmLUWNYsLPp4aZg6SCi+!
hCGkovNb5Ec0ULXF7wG4wz2Kd4Q7Furk7+cunV7EPUZ9dCC9V07WE+wHfTZUkyCHBHW1MldamONP!
```

```
ghL9O6nSOXYw
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.boatanchors:14299
rec.radio.amateur.equipment:14105

JaySeeBee wrote:
> Samantha wrote:
>> Ref Nylon Spiral Follower pn 266-74
>>
>>
>> I have a heathkit SB101 and the upper dial doesn't move.  It seems the
>> Nylon Spiral Follower is worn out or broken.  Does anyone happen to
>> have one of these followers or have any success in fabricating a
>> replacement?
>> Any help would be greatly appreciated!!!
>
>
> You might check with RTO Electronics. I have dealt with them in the past
> for Heathkit transceiver repairs. Their website is located at this URL
> http://www.rtoham.com/
> There are also several other repair folks out there for Heathkit gear.
>
> GL de Jack

But then you can make one with about 10 minutes of effort using a drill
press or a lathe.

-Chuck


From 3022399066075763095
X-Google-Thread: 108122,58fe20cc37537c11
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!newspeer.monmouth.com!
falcon.america.net!newspeer.tds.net!216.170.153.140.MISMATCH!
newsreading01.news.tds.net!53ab2750!not-for-mail
From: Mind Bender <nz9u@tds.net>
User-Agent: Thunderbird 2.0.0.12 (Windows/20080213)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Broad band folded HF dipoles
References: <ZP9HV1e$1J2HFwkx@birchnet.demon.co.uk>
In-Reply-To: <ZP9HV1e$1J2HFwkx@birchnet.demon.co.uk>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
```

Message-ID: <JlbCj.43601$G23.6883@newsreading01.news.tds.net>
Date: Thu, 13 Mar 2008 15:02:01 GMT
NNTP-Posting-Host: 69.11.211.251
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1205420521 69.11.211.251 (Thu, 13 Mar 2008 10:02:01 CDT)
NNTP-Posting-Date: Thu, 13 Mar 2008 10:02:01 CDT
Organization: tds.net
Xref: g2news1.google.com rec.radio.amateur.equipment:14106

Bill wrote:
> Hi,
>   does any one have constructive comments about this type of aerial?
>
> http://www.bwantennas.com/ama/fdipole.ama.htm
>
> How would it compare against a dipole dedicated to a specific frequency
> for instance? I assume not as well, but how much less?
>
> All sensible replies much appreciated, thank you.

I have used folded dipoles quite a bit in my QRP days. I used heavier
300 ohm TV twin-lead, and went through a 4-1 balun. The folded dipoles
have wider bandwidth. So you won't need to re-tune the antenna as often
if you are scanning from one side of the band to another.
I once had a 15 meter folded dipole that loaded up on all. 80-10 meter
bands. But the lose was too great on 40 and 80 meters. The long
feed-line is why it did load up on the bottom bands. Running QRP I did
work DX with it on 20 meters up to 10 meters.
The full wave loop, and the folded dipoles are my favorite antennas!
Jack
NZ9U

From -3268811621954679601
X-Google-Thread: 108122,58fe20cc37537c11
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 13 Mar 2008 13:33:11 -0500
From: No Spam <no@spam.com>
Subject: Re: Broad band folded HF dipoles
Newsgroups: rec.radio.amateur.equipment
References: <ZP9HV1e$1J2HFwkx@birchnet.demon.co.uk>
User-Agent: Pan/0.132 (Waxed in Black)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <mKednYshs5L67kTanZ2dnUVZ_hadnZ2d@comcast.com>
Date: Thu, 13 Mar 2008 13:33:11 -0500
Lines: 26
X-Usenet-Provider: http://www.giganews.com

NNTP-Posting-Host: 24.8.221.21
X-Trace: sv3-xhvbuwNbVa16YXOVyx1fbQ/
GjW3BAGEZigtebBTsAwsceb0sAT0+7U3yCXtmXuS2eKiXxsj9POdo6h1!
PGhDX3jFcIixXmjXrkFku5QeDqJ4Qy/JoIbcAxQUIvPy40YtryXuP/zmTBmk4twZ21F88ei3K5FV!
ed1jabSBZOS4uvgJaMufT2rz4Jg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:14107

On Thu, 13 Mar 2008 03:21:35 +0000, Bill wrote:

> Hi,
>   does any one have constructive comments about this type of
> aerial?
>
> http://www.bwantennas.com/ama/fdipole.ama.htm
>
> How would it compare against a dipole dedicated to a specific frequency
> for instance? I assume not as well, but how much less?
>
> All sensible replies much appreciated, thank you.

It's nice and quite. Great for urban hams. It matches very well on all bands if you have a radio with a built in tuner. I would recommend this antenna over anything else if you had but room for one antenna.

I use 1/4 fiberglass rods for the spreaders but the two end spreaders are 1/2 PVC. The flying terminating resistor was the hard part. I used 450ohm feed line at the feed point instead of flying the balum to keep the center of the antenna light as there was already too much weight in the center from the flying load resistor. If your not running more than 100 watts, you can use a smaller resistor.

hope this helps!

From 1769770088176694407
X-Google-Thread: 108122,58fe20cc37537c11
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!nx01.iad01.newshosting.com!newshosting.com!
post01.iad01!roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Broad band folded HF dipoles
Date: Thu, 13 Mar 2008 15:32:18 -0500
Message-ID: <6l2jt3tet7uld1ni5icj3ma09pamg8e2mi@4ax.com>

```
References: <ZP9HV1e$1J2HFwkx@birchnet.demon.co.uk>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14108

On Thu, 13 Mar 2008 03:21:35 GMT, Bill <Bill@birchnet.demon.co.uk>
wrote:

>Hi,
>         does any one have constructive comments about this type of
>aerial?
>
>http://www.bwantennas.com/ama/fdipole.ama.htm
>
>How would it compare against a dipole dedicated to a specific frequency
>for instance? I assume not as well,  but how much less?
>
>All sensible replies much appreciated, thank you.

From an old QST review, the 3-30 Mhz B&W terminated dipole was two
S-units down, on receiving, on 40 meters compared to a resonant 40
meter dipole. On 20 and 15 meters, the 40 meter dipole still worked
better. Only on 10 meters did the B&W design work better.

If you're an ARRL member, see:

http://www.arrl.org/members-only/prodrev/bymfg.html

bob
k5qwg


From -135989990628384983
X-Google-Thread: 108122,6f5f4233ecac39c6,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "WB2DBH" <wb2dbh@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ham Gear
Date: Thu, 13 Mar 2008 20:32:46 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 3
Message-ID: <47d9c7ae$0$12563$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14109

http://members6.boardhost.com/theswapshoppe/

From -8411054166952202312
X-Google-Thread: 108122,58fe20cc37537c11
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: haynes@alumni.uark.edu (Jim Haynes)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Broad band folded HF dipoles
Date: Fri, 14 Mar 2008 01:34:05 -0000
Organization: University of Arkansas Alumni
Message-ID: <13tjlgdehtu9v67@corp.supernews.com>
References: <ZP9HV1e$1J2HFwkx@birchnet.demon.co.uk>
Reply-To: jhaynes@alumni.uark.edu
X-Newsreader: trn 4.0-test72 (19 April 1999)
X-Complaints-To: abuse@supernews.com
Lines: 31
Xref: g2news1.google.com rec.radio.amateur.equipment:14110

In article <ZP9HV1e$1J2HFwkx@birchnet.demon.co.uk>,
Bill <Bill@birchnet.demon.co.uk> wrote:
>does any one have constructive comments about this type of >aerial?
>
>http://www.bwantennas.com/ama/fdipole.ama.htm
>
You can find more than you want to know about this kind of antenna, as well as comments about it good and evil, if you google for T2FD which means tilted, terminated folded dipole.

I use one of the B&W 90-foot antennas, not as high as I wish I had it, but we do what we can. I haven't compared it with a single band dipole, but compared with a Carolina Windom the latter gives about 2 or 3 S units stronger signal, pretty much on all bands. A recent posting I read says that the 180 foot antenna is substantially better than the 90 foot, as would be expected.

There are some similar antennas from some other manufacturers, Bushcomm for instance.

If you need frequency agility without retuning that is where this kind of antenna shines. You may have to fiddle with it to get the SWR as low as they claim. Locally one was put up at the county emergency operations center and at first the SWR was higher than advertised. They eventually decided this was because of all the metal in the roof and changed it from a sloper to a horizontal dipole and that made things much better.

Frequency agility is mostly of interest to the ALE (Automatic Link Establishment) folks, groups.yahoo.com/group/hflink where this kind of thing gets discussed a lot.

```
From -2679300654701205824
X-Google-Thread: 108122,58fe20cc37537c11
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.astraweb.com!
border1.a.newsrouter.astraweb.com!hwmnpeer01.ams!news-out.ntli.net!newsrout1-
gui.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe6-
win.ntli.net.POSTED!53ab2750!not-for-mail
Message-ID: <dk62v8AjTl2HFwmN@birchnet.demon.co.uk>
From: Bill <Bill@birchnet.demon.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Broad band folded HF dipoles
References: <ZP9HV1e$1J2HFwkx@birchnet.demon.co.uk>
Lines: 33
MIME-Version: 1.0
Content-Type: text/plain;charset=us-ascii
User-Agent: Turnpike/6.02-U (<oCIlbY1IqXUXJ3uCGbC2EvBmBt>)
Date: Fri, 14 Mar 2008 10:34:14 GMT
NNTP-Posting-Host: 80.6.24.232
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe6-win.ntli.net 1205490854 80.6.24.232 (Fri, 14 Mar 2008 10:34:14
GMT)
NNTP-Posting-Date: Fri, 14 Mar 2008 10:34:14 GMT
Organization: ntl Cablemodem News Service
Xref: g2news1.google.com rec.radio.amateur.equipment:14111
```

OK guys,
thanks for all the replies.

My main reason for asking about this type of aerial is that in a month or so I have a job for a few days in the Highlands of Scotland, miles from the nearest road and even further from habitation. This location should be nice and quiet for HF and has a very wet ground surface so should provide a reasonable earth. Also, and this is the good part, I will have a 100' trailer mast with me that only has a VHF collinear on top, this mast is just asking to have an HF aerial attached to it !!. Unfortunately once it is up in the air I don't think my customer would appreciate me raising and lowering it to tweak the HF aerial, hence looking for something broad band and pretty much "plug and play".

My original intention had been to make something similar but thanks to Chris G4BOH's offer I shall be using his aerial on the day.

http://www.cebik.com/
http://www.eham.net/reviews/?ehamsid=f601e514dcffc0f1adf1d9505a382115
http://www.arrl.org/members-only/prodrev/bymfg.html

all made for interesting reading. Ranging from "rubbish" to " brilliant" so we shall see. :-)

W4RNL's site managed to use up quite a few hours of my day yesterday, certainly made a good read, it is now well and truly book marked on my PC, thank you.

--
Bill
G8IAY
Bedford
UK

```
From -5957574181023448171
X-Google-Thread: 1109af,803072bdcfd12b3a
X-Google-Thread: 108122,803072bdcfd12b3a
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!8g2000hse.googlegroups.com!not-for-mail
From: jrefme@bellsouth.net
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS: J-38 Style CW Straight Key
Date: Fri, 14 Mar 2008 07:39:54 -0700 (PDT)
Organization: http://groups.google.com
Lines: 10
Message-ID: <9245328d-c661-4acc-9bf6-c09f73b88168@8g2000hse.googlegroups.com>
References: <Ifwwj.1899$RQ3.1383@trndny05>
NNTP-Posting-Host: 68.209.214.26
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1205505594 23342 127.0.0.1 (14 Mar 2008 14:39:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Mar 2008 14:39:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 8g2000hse.googlegroups.com; posting-host=68.209.214.26;
     posting-account=UTPexwoAAADRw129DebiElVBdlY09fcp
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727; eMusic DLM/4),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:18663 rec.radio.amateur.equipment:14112
```

On Feb 25, 5:54=A0am, "Bill Golden" <shortwa...@verizon.net> wrote:

> I have a J-38 style straight key, with a shorting bar, for sale.
> The key is in very good condition, and is stamped "Winslow 101".
>
> Will sell for $ 17.50 plus $ 7.50 for USPS Priority Mail shipping
> (Cont'l U.S. only).

Dear Sir: can you supply a picture of key. or otherwise does the key
have ballbearings for the center portion pivot pins or does it have
bevel fittings??? john k4zyf

From 6261896137500969O5
X-Google-Thread: 108122,db7902903715c4b2,start
X-Google-Thread: fc8b1,db7902903715c4b2,start
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s8g2000prg.googlegroups.com!not-for-mail
From: jbr-ebay@sbcglobal.net
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: National HFS receiver, Hustler Mobile antenna, Curtis Keyer with
     Vibroplex paddle
Date: Fri, 14 Mar 2008 09:30:49 -0700 (PDT)
Organization: http://groups.google.com
Lines: 16
Message-ID: <5a76ed36-ad0c-43e6-a872-7de6ab9d9521@s8g2000prg.googlegroups.com>
NNTP-Posting-Host: 192.12.16.48
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1205512249 18353 127.0.0.1 (14 Mar 2008 16:30:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Mar 2008 16:30:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s8g2000prg.googlegroups.com; posting-host=192.12.16.48;
     posting-account=xjp8xAoAAACB53Z_7q7n38nVDCY1w3po
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14113
rec.radio.amateur.boatanchors:14311

Shack cleaning time!

National HFS Receiver:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=330219708489

Hustler Mobile Antenna with resonators:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=330219701641

Curtis Lil' Bugger Keyer and Homebrew paddle made from Vibroplex Blue racer:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=330219704829

Thank you.

From 7285390278043980530
X-Google-Thread: 108122,58fe20cc37537c11
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!c33g2000hsd.googlegroups.com!not-for-mail
From: Tim Shoppa <shoppa@trailing-edge.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Broad band folded HF dipoles
Date: Fri, 14 Mar 2008 11:43:33 -0700 (PDT)
Organization: http://groups.google.com
Lines: 31
Message-ID: <372767f5-9b23-4afc-8f10-0f2f6a86cee5@c33g2000hsd.googlegroups.com>
References: <ZP9HV1e$1J2HFwkx@birchnet.demon.co.uk>
NNTP-Posting-Host: 170.121.15.46
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1205520214 10377 127.0.0.1 (14 Mar 2008 18:43:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Mar 2008 18:43:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c33g2000hsd.googlegroups.com; posting-host=170.121.15.46;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14114

On Mar 12, 11:21=A0pm, Bill <B...@birchnet.demon.co.uk> wrote:
> Hi,
> =A0 =A0 =A0 =A0 =A0does any one have constructive comments about this type=
 of
> aerial?
>
> http://www.bwantennas.com/ama/fdipole.ama.htm
>
> How would it compare against a dipole dedicated to a specific frequency
> for instance? I assume not as well, =A0but how much less?
>
> All sensible replies much appreciated, thank you.

Generically that antenna is a T2FD.

It has a power resistor in it. A certain amount of power (or, on
receiving, sensitivity) is lost in that resistor.

http://www.cebik.com/wire/t2fd.html has some detailed simulation results for T2FD's, showing SWR vs frequency and power dissipated in resistor for frequency.

Having tried some multi-band antennas in the past, I strongly feel that what the vast majority of hams actually want is an all-band doublet: http://www.cebik.com/wire/abd.html

I put an all-band doublet up a few months ago and am so, so, so happy with it that there are no words. It loads up easily on 80M all the way up to 10M and again I'm so so happy with how it works.

Tim.

```
From 8902573596727832004
X-Google-Thread: 1109af,93f30dca4bfd238d,start
X-Google-Thread: 108122,93f30dca4bfd238d,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Wm. Nye Co. CW Straight Key, Price Reduced!
Lines: 99
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0079_01C8863C.0F112240"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <WaJCj.1115$dq2.177@trndny05>
Date: Sat, 15 Mar 2008 05:31:34 GMT
NNTP-Posting-Host: 68.236.31.9
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1205559094 68.236.31.9 (Sat, 15 Mar 2008 01:31:34 EDT)
NNTP-Posting-Date: Sat, 15 Mar 2008 01:31:34 EDT
Xref: g2news1.google.com rec.radio.swap:18669 rec.radio.amateur.equipment:14115
X-Original-Bytes: 4121
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0079_01C8863C.0F112240
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable
```

For Sale: Wm. M. Nye Co. high quality straight key.

It's never been used, so it's in just like new condition.

The key's description, from the Wm. N. Nye Co. website reads:

"The Classic Rectangular Speed-X Keys. These Speed-X keys
feature a cast rectangular base with black crinkle finish, square
section key lever, and a large "Navy" style knob. Contacts are
gold-plated heavy silver, and the key action is fully adjustable."
* Model 320-001 Rectangular key, nickel hardware, $ 64.95

Price reduced to $ 20.00 plus $ 5.50 for shipping (U.S. only).

If interested, I can send you a (.jpg) picture of this very nice
high quality straight key.

Tnx & 73,

-Bill
KB3PT
Selbyville, Delaware
E-mail: shortwave1@verizon.net

```
------=_NextPart_000_0079_01C8863C.0F112240
Content-Type: text/html;
	charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV><FONT color=3D#000099></FONT>&nbsp;</DIV>
<DIV><FONT color=3D#000099>For Sale:&nbsp;&nbsp;</FONT><FONT =
color=3D#000099>Wm. M.=20
Nye Co.&nbsp;high quality straight key</FONT><FONT =
color=3D#000099>.</FONT></DIV>
<DIV><FONT color=3D#000099>It's never been used, so it's in&nbsp;just =
like new=20
condition.</FONT></DIV>
<DIV><FONT color=3D#000099></FONT>&nbsp;</DIV>
<DIV><FONT color=3D#000099>The&nbsp;key's description,&nbsp;from the Wm. =
N. Nye=20
Co. website reads:</FONT></DIV>
<DIV><FONT color=3D#000099></FONT>&nbsp;</DIV>
<DIV><FONT color=3D#000099>"The Classic Rectangular Speed-X Keys.&nbsp; =
These=20
Speed-X keys</FONT></DIV>
<DIV><FONT color=3D#000099>feature a cast rectangular base with black =
crinkle=20
finish, square</FONT></DIV>
<DIV><FONT color=3D#000099>section key lever, and a large "Navy" style =
knob.&nbsp;=20
Contacts are</FONT></DIV>
<DIV><FONT color=3D#000099>gold-plated heavy silver, and the key action =
is fully=20
adjustable."</FONT></DIV>
<DIV><FONT color=3D#000099>* Model 320-001 Rectangular key, nickel =
hardware, $=20
64.95</FONT></DIV>
<DIV><FONT color=3D#000099></FONT><FONT color=3D#000099><BR></FONT>Price =
reduced=20
to&nbsp;$ 20.00 plus $ 5.50 for&nbsp;shipping&nbsp;(U.S. only).</DIV>
<DIV>&nbsp;</DIV>
<DIV>If&nbsp;interested, I can send you a (.jpg) picture of =
this&nbsp;very=20
nice</DIV>
<DIV>high quality straight&nbsp;key.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Tnx &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>E-mail: &nbsp;<A=20
href=3D"mailto:shortwave1@verizon.net">shortwave1@verizon.net</A></DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_0079_01C8863C.0F112240--



From 465120387546299808
X-Google-Thread: 107ada,ab71838132373fd0
X-Google-Thread: 108122,ab71838132373fd0
X-Google-Attributes: gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!core-easynews!easynews.com!easynews!en-
nntp-09.dc1.easynews.com.POSTED!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: What's Going On With Softrock?
Message-ID: <dlbbr31n3oe2k2p4jjr4915083as5nuc9s@4ax.com>
References: <ffaf7515-0e4a-4526-9469-107416566eb2@z17g2000hsg.googlegroups.com>
```

<IR3tj.11083$J41.7063@newssvr14.news.prodigy.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
X-Complaints-To: abuse@easynews.com
Organization: Forte Inc. http://www.forteinc.com/apn/
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Fri, 15 Feb 2008 10:30:17 -0500
Xref: g2news1.google.com rec.radio.amateur.misc:43252 rec.radio.amateur.equipment:14016

On Thu, 14 Feb 2008 23:08:24 GMT, Reginald Beardsley
<pulaskite@yahoo.com> wrote:

>Swoozie Pellegrino wrote:
>> Hi, all.
>>
>> I'm hoping to start my amateur radio life with a QRP
>> Software-Defined Radio, and the Softrock 40 seems
>> like a great place to start. However, the guy, who
>> makes them (Tony) doesn't seem to respond to
>> emails, so I'm thinking they're not shipping right now.
>>
>> Does anyone know what I need to do to get some
>> kind of small, inexpensive transceiver that can be
>> controlled by Ham Radio Deluxe, PowerSDR, etc.?
>>
>> Thanks!
>>
>> ~swooz
>
>I've had similar questions, however, there's a note from Tony dated Dec
>24, 2007 indicating that kits will continue in 2008. Check the
>softrock40 yahoo group.
>
>Have Fun!
>Reg
No one is going to answer a lot of "what if" questions for you there
but if you will order something and build it you will find everyone
wants to help you make it work. I started with the SoftRock 40
receiver and have yet to be disappointed. Don't expect to be treated
like a customer, expect to be treated like one of the gang.

Now if I really understood HOW it works....

John Ferrell W8CCW
"Life is easier if you learn to
plow around the stumps"

```
From 2915385830442436720
X-Google-Thread: 108122,74b8d4e356c400bf,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!news2.euro.net!newsfeed.freenet.de!newsfeed2.scan-plus.net!
newsfeed.velia.net!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "Juka" <juraj.slat@ka.htnet.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: HAWK
Date: Sat, 16 Feb 2008 10:15:16 +0100
Organization: T-Com
Lines: 5
Message-ID: <fp69e6$gfh$2@ss408.t-com.hr>
NNTP-Posting-Host: 78-3-219-238.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1203153158 16881 78.3.219.238 (16 Feb 2008 09:12:38 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sat, 16 Feb 2008 09:12:38 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:14017

Need service manual for Rural Radio Telephone Link ,,,, Type  H A W K -
Exicom International .
9A7KSJ
```

```
From -3048365331477117951
X-Google-Thread: 108122,74b8d4e356c400bf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
nerim.net!club-internet.fr!feedme-small.clubint.net!newsfeed.freenet.de!fu-
berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HAWK
Date: 16 Feb 2008 16:38:50 GMT
Lines: 13
Message-ID: <slrnfre4cq.cfq.bit-bucket@shell.config.com>
References: <fp69e6$gfh$2@ss408.t-com.hr>
Reply-To: If you must, <Reply_to@my.sig.adr>
X-Trace: individual.net MZw0Ja0JFm/NH+NNAzVkoAO51dzhPswPpTSc2YkPPgaNe0njFJ
Cancel-Lock: sha1:a1oXuHVFDgo4bd3wCZ/peUAiFYs=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:14018
```

```
On Sat, 16 Feb 2008 10:15:16 +0100, Juka wrote:
> Need service manual for Rural Radio Telephone Link ,,,, Type  H A W K -
> Exicom International .
> 9A7KSJ

Also:  sci.electronics.repair

GL,
Jonesy
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    *** Killfiling google posts: <http://jonz.net/ng.htm>


From 8979398014458782548
X-Google-Thread: 1109af,e8cd83298730352d,start
X-Google-Thread: 114aac,e8cd83298730352d,start
X-Google-Thread: 108122,e8cd83298730352d,start
X-Google-Attributes: gid1109af,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny09.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: FS: Drake SW-2 Shortwave Receiver - PRICE REDUCED!
Lines: 116
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0015_01C8715E.85CC91A0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <IXZtj.6442$wG2.1338@trndny09>
Date: Sun, 17 Feb 2008 17:14:16 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1203268456 68.163.16.243 (Sun, 17 Feb 2008 12:14:16 EST)
NNTP-Posting-Date: Sun, 17 Feb 2008 12:14:16 EST
Xref: g2news1.google.com rec.radio.swap:18497 rec.radio.shortwave:134982
rec.radio.amateur.equipment:14019

This is a multi-part message in MIME format.

------=_NextPart_000_0015_01C8715E.85CC91A0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable
```

PRICE REDUCED!

I have an excellent Drake SW-2 shortwave receiver for sale, at an excellent price. Performs great and is in "just like new" condition.

Features include:

* Continuous frequency coverage from 100 Khz to 30 Mhz
* Modes: AM, CW, USB, LSB
* Tuning Steps 50 Hz or 5 Khz
* Stores up to 100 Independent, programmable memories
* Built-in Selectable Sideband Synchronous Detector (Sync Detector) effectively reduces or eliminates distortion due to fading signals=20
* Front-panel mounted internal speaker
* 1/8" headphone jack, 1/4" external speaker jack=20
* Front-panel mounted RF gain control
* Dual antenna input terminals (50 ohm feedline or wire antenna=20
* Front-panel LED frequency display
* LED Bar graph signal strength display
* Includes Drake A/C Adaptor
* Can also be run off of a 12 Volt DC power source
* Size: 10 7/8" Wide X 4 3/8" H X 7 5/8" D
* Weight: 5.8 lbs including A/C adaptor

* Includes original Drake SW-2 Owners Manual

Price is (lowered to) $ 200.00 plus actual cost of insured shipping=20
(to Cont'l U.S. only). Payment by USPS Postal Money Order only,
please. An excellent receiver offered at an excellent price.

Tnx & 73,

-Bill
KB3PT

```
------=_NextPart_000_0015_01C8715E.85CC91A0
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>&nbsp;</DIV>
<DIV>PRICE REDUCED!</DIV>
<DIV>&nbsp;</DIV>
```

```
<DIV>I have an excellent&nbsp;Drake SW-2 shortwave receiver for =
sale,</DIV>
<DIV>at an excellent price.&nbsp; Performs great and is in "just like =
new"</DIV>
<DIV>condition.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features&nbsp;include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>
<DIV>&nbsp;*&nbsp;&nbsp;Continuous frequency coverage from 100 Khz to 30 =

Mhz</DIV>
<DIV>&nbsp;*&nbsp; Modes: AM, CW, USB, LSB</DIV>
<DIV>&nbsp;*&nbsp; Tuning Steps 50 Hz or 5 Khz</DIV>
<DIV>&nbsp;*&nbsp; Stores up to 100 Independent, programmable =
memories</DIV>
<DIV>&nbsp;*&nbsp; Built-in Selectable Sideband Synchronous Detector =
(Sync=20
Detector)</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;effectively reduces or eliminates =
distortion=20
due to fading signals&nbsp;</DIV>
<DIV>&nbsp;*&nbsp;&nbsp;Front-panel mounted internal speaker</DIV>
<DIV>&nbsp;*&nbsp; 1/8" headphone jack, 1/4" external speaker =
jack&nbsp;</DIV>
<DIV>&nbsp;*&nbsp; Front-panel mounted RF gain control</DIV>
<DIV>&nbsp;*&nbsp; Dual antenna input&nbsp;terminals (50 ohm feedline or =
wire=20
antenna </DIV>
<DIV>&nbsp;*&nbsp; Front-panel LED frequency display</DIV>
<DIV>&nbsp;*&nbsp; LED Bar graph signal strength display</DIV>
<DIV>&nbsp;*&nbsp; Includes Drake A/C Adaptor</DIV>
<DIV>&nbsp;*&nbsp; Can also be run off of&nbsp;a 12 Volt DC&nbsp;power=20
source</DIV>
<DIV>&nbsp;*&nbsp; Size: 10 7/8" Wide &nbsp;X &nbsp;4 3/8" H&nbsp; =
X&nbsp; 7=20
5/8" D</DIV>
<DIV>&nbsp;*&nbsp; Weight: 5.8 lbs including A/C adaptor</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;*&nbsp; Includes&nbsp;original Drake SW-2 Owners Manual</DIV>
<DIV>&nbsp;</DIV>
<DIV>Price is&nbsp;(lowered to)&nbsp;$ 200.00&nbsp;plus actual cost=20
of&nbsp;insured&nbsp;shipping&nbsp;</DIV>
<DIV>(to Cont'l U.S. only). Payment&nbsp;by USPS Postal Money Order =
only,</DIV>
<DIV>please.&nbsp;An excellent receiver&nbsp;offered at an excellent=20
price.<BR></DIV>
<DIV>Tnx &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>&nbsp;</DIV></DIV></DIV></BODY></HTML>
```

```
------=_NextPart_000_0015_01C8715E.85CC91A0--



From 7778044241142719825
X-Google-Thread: 1109af,e8cd83298730352d
X-Google-Thread: 114aac,e8cd83298730352d
X-Google-Thread: 108122,e8cd83298730352d
X-Google-Attributes: gid1109af,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-
sjc-09!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dave <nothere@nowhere.com>
Newsgroups: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: FS: Drake SW-2 Shortwave Receiver - PRICE REDUCED!
Date: Sun, 17 Feb 2008 10:30:49 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13rgvb294qkkq6e@corp.supernews.com>
User-Agent: Thunderbird 2.0.0.6 (X11/20071022)
MIME-Version: 1.0
References: <IXZtj.6442$wG2.1338@trndny09>
In-Reply-To: <IXZtj.6442$wG2.1338@trndny09>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 39
Xref: g2news1.google.com rec.radio.swap:18499 rec.radio.shortwave:134988
rec.radio.amateur.equipment:14020

Bill Golden wrote:
>
> PRICE REDUCED!
>
> I have an excellent Drake SW-2 shortwave receiver for sale,
> at an excellent price.  Performs great and is in "just like new"
> condition.
>
> Features include:
>
>  *  Continuous frequency coverage from 100 Khz to 30 Mhz
>  *  Modes: AM, CW, USB, LSB
>  *  Tuning Steps 50 Hz or 5 Khz
>  *  Stores up to 100 Independent, programmable memories
>  *  Built-in Selectable Sideband Synchronous Detector (Sync Detector)
>      effectively reduces or eliminates distortion due to fading signals
>  *  Front-panel mounted internal speaker
>  *  1/8" headphone jack, 1/4" external speaker jack
>  *  Front-panel mounted RF gain control
>  *  Dual antenna input terminals (50 ohm feedline or wire antenna
>  *  Front-panel LED frequency display
>  *  LED Bar graph signal strength display
>  *  Includes Drake A/C Adaptor
>  *  Can also be run off of a 12 Volt DC power source
```

> * Size: 10 7/8" Wide X 4 3/8" H X 7 5/8" D
> * Weight: 5.8 lbs including A/C adaptor
>
> * Includes original Drake SW-2 Owners Manual
>
> Price is (lowered to) $ 200.00 plus actual cost of insured shipping
> (to Cont'l U.S. only). Payment by USPS Postal Money Order only,
> please. An excellent receiver offered at an excellent price.
> Tnx & 73,
>
> -Bill
> KB3PT
>

Good deal. I already have one.

```
From 1676343337839163256
X-Google-Thread: 1109af,e8cd83298730352d
X-Google-Thread: 114aac,e8cd83298730352d
X-Google-Thread: 108122,e8cd83298730352d
X-Google-Attributes: gid1109af,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment
References: <IXZtj.6442$wG2.1338@trndny09> <13rgvb294qkkq6e@corp.supernews.com>
Subject: Re: FS: Drake SW-2 Shortwave Receiver - PRICE REDUCED!
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <bh5uj.5766$fZ3.5663@trndny02>
Date: Mon, 18 Feb 2008 01:35:03 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1203298503 68.163.16.243 (Sun, 17 Feb 2008 20:35:03 EST)
NNTP-Posting-Date: Sun, 17 Feb 2008 20:35:03 EST
Xref: g2news1.google.com rec.radio.swap:18501 rec.radio.shortwave:135012
rec.radio.amateur.equipment:14021
X-Original-Bytes: 1195
```

> Good deal. I already have one.

Yes, I believe it's a very good deal on a nice, clean shortwave
receiver that really performs very well.

Would you like a second Drake SW-2, perhaps? <g>

A matched pair.

```
From 7284180740586227058
X-Google-Thread: 108122,e45c75a31d3aa2f7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n77g2000hse.googlegroups.com!not-for-
mail
From: EB5AGV <eb5agv@ctv.es>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-756 PRO repair WEB page
Date: Mon, 18 Feb 2008 02:05:35 -0800 (PST)
Organization: http://groups.google.com
Lines: 12
Message-ID: <83f55586-d616-4036-940d-d94b5a7f5d84@n77g2000hse.googlegroups.com>
NNTP-Posting-Host: 158.42.165.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1203329135 17729 127.0.0.1 (18 Feb 2008 10:05:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Feb 2008 10:05:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n77g2000hse.googlegroups.com; posting-host=158.42.165.18;
     posting-account=pMdsKAkAAAB9a_8I26UjgLpGiZ4zIdKd
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; es-ES; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14022
```

Hello!

I am glad to say that I got an unworking IC-756 PRO and fixed it :-)

I have put some comments and pictures in my WEB pages at:

http://jvgavila.com/wb9.htm

Hope you enjoy it!

73 JOSE EB5AGV
http://jvgavila.com

```
From 2171008637930272790
X-Google-Thread: 108122,e45c75a31d3aa2f7
X-Google-Attributes: gid108122,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!7d816c7a!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <83f55586-d616-4036-940d-d94b5a7f5d84@n77g2000hse.googlegroups.com>
Subject: Re: ICOM IC-756 PRO repair WEB page
Lines: 57
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <uIfuj.75707$Mu4.46271@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcboobcicofeipalalknabfkdgdcebgfjgjblandkffkfjailgdcdhfpkonoianenokinfealbidafnhbcfkooonbeahfoebbcgelemobjanioinhnnf
NNTP-Posting-Date: Mon, 18 Feb 2008 08:26:50 EST
Organization: BellSouth Internet Group
Date: Mon, 18 Feb 2008 07:26:52 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:14023

Congrat's.!!!

I got a 756proIII this last spring and a switching PS 125.. the PS had something rattling around inside so
I had to open it up. Turned out to be plastic from some caps but I didn't see any damaged caps.
I suppose is was left in after a fix at the factory or HRO,

I got the desk mic SM20 with it and it only lasted a few months. So I have to get into the plug that
is on the end of the mic... a soma problem ... soma the times it works and soma the time it don't.
easier to fix and more reliable if I do it myself.   Poor testimonies for these high dollar stations.

I got an icom 2720 and it had no schematic... the Users manual IS not satisfactory to connect
external speakers.   No connecter contact drawings.

I also got an icom 91AD and it also had no schemtic.

A person would think at least a schematic would be included. I guess they want MORE MONEY
for service manuals.   I was emailed drawings for the switching PS and

If they don't send me some schematics for these last 2 rigs... my HF amp won't be the PW1

The Ameritron tube amps I am considering has schematics already on thier web site.

By the way http://www.amateurlogic.com/downloads.htm had nice video tour of factory nice show

I'll post again later.

Good luck...73 Gary K4TWO

"EB5AGV" <eb5agv@ctv.es> wrote in message
news:83f55586-d616-4036-940d-d94b5a7f5d84@n77g2000hse.googlegroups.com...
> Hello!
>
> I am glad to say that I got an unworking IC-756 PRO and fixed it :-)
>
> I have put some comments and pictures in my WEB pages at:
>
> http://jvgavila.com/wb9.htm
>
> Hope you enjoy it!
>
> 73 JOSE EB5AGV
> http://jvgavila.com

From -7015093409134791670
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feed.xsnews.nl!border-1.ams.xsnews.nl!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-08!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Ask Me <bounce@127.5.254.1>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in Emergencies.
Date: Mon, 18 Feb 2008 09:50:39 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <6bhjr3d4iq6ruvg9i8nu9ojh37570h08k9@4ax.com>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>

```
<Xns9A4158750B46BKB1IUB223223n1eyLOCK@216.196.97.136>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news1.google.com rec.radio.amateur.antenna:54894
rec.radio.amateur.digital.misc:1051 rec.radio.amateur.equipment:14024
rec.radio.amateur.misc:43270

On Mon, 11 Feb 2008 07:41:38 -0600, "William O'Hara"
<whoohara@yahoo.com> wrote:

>I would like to point out as a former Assistant RACES Officer for a local
>community in Massachusetts, that Mr. Romney is absolutely correct.
>
>The current EMA-ARRL structure co-exists with the STATE RACES Officer and
>going nothing.
>
>ARES has nets that do NOTHING.  RACES does nothing.  85% of the
>communities south of Boston do not have any active participation in the
>RACES drills.

This seems to be true, there is an ARES net near me that does not do
any training but encourages parcipitants to do conversation after
everyone has checked in. In the course Emergency Communication I we
are discouraged from doing conversation during emergency communication
and encouraged to be brief and accurate with our communication.


John Ragland - KE6CQK


From 7767210017461765094
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews8.bellsouth.net.POSTED!baefb1e5!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<Xns9A4158750B46BKB1IUB223223n1eyLOCK@216.196.97.136>
<6bhjr3d4iq6ruvg9i8nu9ojh37570h08k9@4ax.com>
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
Emergencies.
```

Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <gDluj.74327$vt2.44983@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbofnfihojnokakllndgelbadjeaejgiflcif
eckepfagppmljidgejiekepafajloijamnjkpjmfbadfacjhehdeocojnkepmopallfhahjefbfekj
NNTP-Posting-Date: Mon, 18 Feb 2008 15:10:52 EST
Organization: BellSouth Internet Group
Date: Mon, 18 Feb 2008 15:11:00 -0500
Xref: g2news1.google.com rec.radio.amateur.antenna:54914
rec.radio.amateur.digital.misc:1052 rec.radio.amateur.equipment:14025
rec.radio.amateur.misc:43271

And 'We The People' dismissed Guvna Romney. Now we're even.

Ed, NM2K

From 1799781691833090450
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-xt-sjc-09!
sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
Date: Mon, 18 Feb 2008 10:12:05 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0802181008130.22874@malasada.lava.net>
In-Reply-To: <6bhjr3d4iq6ruvg9i8nu9ojh37570h08k9@4ax.com>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
 <Xns9A4158750B46BKB1IUB223223n1eyLOCK@216.196.97.136>
 <6bhjr3d4iq6ruvg9i8nu9ojh37570h08k9@4ax.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news1.google.com rec.radio.amateur.antenna:54915

```
rec.radio.amateur.digital.misc:1053 rec.radio.amateur.equipment:14026
rec.radio.amateur.misc:43272



On Mon, 18 Feb 2008, Ask Me wrote:

> On Mon, 11 Feb 2008 07:41:38 -0600, "William O'Hara"
> <whoohara@yahoo.com> wrote:
>
>> I would like to point out as a former Assistant RACES Officer for a local
>> community in Massachusetts, that Mr. Romney is absolutely correct.
>>
>> The current EMA-ARRL structure co-exists with the STATE RACES Officer and
>> going nothing.
>>
>> ARES has nets that do NOTHING.  RACES does nothing.  85% of the
>> communities south of Boston do not have any active participation in the
>> RACES drills.
>
> This seems to be true, there is an ARES net near me that does not do
> any training but encourages parcipitants to do conversation after
> everyone has checked in. In the course Emergency Communication I we
> are discouraged from doing conversation during emergency communication
> and encouraged to be brief and accurate with our communication.
>
>
> John Ragland - KE6CQK
>
Your all correct.  MARS is doing nothing either except checkin nets
every other Saturday where no training is done.    After 70 years
of AARS/MARS continuous service I droped out of it last year.
Only few people left on local nets, and mostly no training, just
idle conversation takes place.
                    Joe/KH6jF (formerly ABM6JF with MARS)




From -2904845764434656941
X-Google-Thread: 108122,ca9e3e91d41c991b,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe15.lga.POSTED!53ab2750!not-for-mail
From: Radio <radReMoVe@mts.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Link Comm RLC-3 RLC 3 Ham Radio Repeater Controller
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

Lines: 5
Message-ID: <8bpuj.57893$Ft5.29065@newsfe15.lga>
X-Complaints-To: http://support.highwinds-media.com
NNTP-Posting-Date: Mon, 18 Feb 2008 17:13:56 MST
Date: Mon, 18 Feb 2008 18:13:45 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:14027

Link Comm RLC-3 RLC 3 Ham Radio Repeater Controller

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=190199776090

From 6697163982067962901
X-Google-Thread: 107ada,ab71838132373fd0
X-Google-Thread: 108122,ab71838132373fd0
X-Google-Attributes: gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 19 Feb 2008 12:26:23 -0600
Date: Tue, 19 Feb 2008 12:26:40 -0600
From: JoAnne K9JKM <k9jkm_remove@comcast.net>
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: What's Going On With Softrock?
References: <ffaf7515-0e4a-4526-9469-107416566eb2@z17g2000hsg.googlegroups.com>
In-Reply-To: <ffaf7515-0e4a-4526-9469-107416566eb2@z17g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080218-0, 02/18/2008), Outbound message
X-Antivirus-Status: Clean
Message-ID: <5K6dnUB3meLSgibanZ2dnUVZ_rTinZ2d@comcast.com>
Lines: 4
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.184.209.179
X-Trace: sv3-
v3mgkyS6SvpxvWbtlVk9cy3tpB+VKEv7vxOjvWuQw+PHH7ITJgV6mC6ONgBP0ra1Grc2UAdRYjXJj/3!
hks1oSg3Nzw3qQjneQl7V15fysmpRhxDW2ReToWFxeWAoVasNYrHRt3tJh3mfrqrSUh8n0sg+NEw!
zvMjvZdPylXyr2Sm/JH8qPkpUl/ZXes=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.misc:43277
rec.radio.amateur.equipment:14028

> Softrock 40 seems like a great place to start.

This might give you some additional info:
http://www.softrockradio.org/g7nbp

```
From -8925572458676590722
X-Google-Thread: 108122,7c0e67c9c982e3af,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Collins HF-2050 Manual.
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <Q0Guj.628498$kj1.406087@bgtnsc04-news.ops.worldnet.att.net>
Date: Tue, 19 Feb 2008 19:23:28 GMT
NNTP-Posting-Host: 12.65.60.51
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1203449008 12.65.60.51 (Tue, 19 Feb
2008 19:23:28 GMT)
NNTP-Posting-Date: Tue, 19 Feb 2008 19:23:28 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:14029
```

Hello and thanks for the read.
I am looking to buy a reasonably priced Service manual for the Collins
HF-2050 receiver.
Larry

```
From -6645830006276470657
X-Google-Thread: 108122,c550c6b218bda9e5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h25g2000hsf.googlegroups.com!not-for-
mail
From: the-dharma@sbcglobal.net
Newsgroups: rec.radio.amateur.equipment
Subject: Need Curtis Lil' Bugger Keyer Cable Color Code
Date: Tue, 19 Feb 2008 16:40:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
Message-ID: <9beec0de-55fb-4fc8-8cef-b26620008d43@h25g2000hsf.googlegroups.com>
NNTP-Posting-Host: 192.12.16.48
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1203468022 23352 127.0.0.1 (20 Feb 2008 00:40:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Feb 2008 00:40:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h25g2000hsf.googlegroups.com; posting-host=192.12.16.48;
     posting-account=v05LSwoAAABPax2_PUEiqfiWvRJut--j
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14030

Can someone please provide the color code for the Curtis Lil' Bugger
input cable ?

Thank you.

73,
Jeff
N6MNI



From -6214310694368115185
X-Google-Thread: 114aac,c5aae9421fdf23cd,start
X-Google-Thread: 1009ad,c5aae9421fdf23cd,start
X-Google-Thread: f5341,c5aae9421fdf23cd,start
X-Google-Thread: 108122,c5aae9421fdf23cd,start
X-Google-Thread: fc2a5,c5aae9421fdf23cd,start
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
i29g2000prf.googlegroups.com!not-for-mail
From: Tom <holden_family@sympatico.ca>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
Subject: Radio Shack DX-394 Users Group - 1200+ Members
Followup-To: rec.radio.shortwave, alt.radio.scanner, alt.radio.scanner.uk,
     rec.radio.amateur.equipment, rec.radio.amateur.homebrew
Date: Wed, 20 Feb 2008 07:40:34 -0800 (PST)
Organization: http://groups.google.com
Lines: 33
Message-ID: <fd29d9b9-d7c1-4acd-85ca-f94ab7acc6b7@i29g2000prf.googlegroups.com>
NNTP-Posting-Host: 64.229.221.6
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1203522034 8079 127.0.0.1 (20 Feb 2008 15:40:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Feb 2008 15:40:34 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i29g2000prf.googlegroups.com; posting-host=64.229.221.6;
```

posting-account=dSeW1wgAAACmKsq9OPblBZ8hpo9AeSuQ
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.shortwave:135215 alt.radio.scanner:7173
alt.radio.scanner.uk:5111 rec.radio.amateur.equipment:14031
rec.radio.amateur.homebrew:15296

This group has the most complete collection of modifications, usage tips, links to related websites, documentation, and photos along with a user survey and a message forum (5000+ messages archived) to help you get the most fun and DX out of your Realistic / Radio Shack DX-394, DX394, DX 394 LW/MW/SW scanning receiver.

About 100 mods and tips now listed - more mods than for any other general coverage receiver! Thoroughly documented with a Master Index. If you like to tinker with radios, I know of no other recent model that lends itself to as much fun in this arena as the DX-394. Great platform for learning radio-electronics. Always 1 or more FA on eBay.

Active & friendly user community now with over 1200 members. Some members are
keen short wave listeners; some are hams; some are into MW/AM DXing and a few enjoy long wave. Many experiment with antennas and some are ardent modifiers - customising and souping up the rig as hot rodders would do with cars. You'll find lots to interest you and help get the most out of your radio as propagation improves over the coming years.

All here at:
http://groups.yahoo.com/group/=ADRADIOSHACKDX394/ <http://groups.yahoo.com/group/=ADRADIOSHACKDX394/>

Subscribe on line at the website (for full access privileges to the extensive collection of Files, Photos and Links),

or by email:
RADIOSHACKDX394-subscribe@yaho=ADogroups.com (for message posting/receipt only).

73, Tom

From -1893261458840639094
X-Google-Thread: 108122,a061bdff760c7fec,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!news.nask.org.pl!news.onet.pl!not-for-mail
From: MAc <mac_dx@tosiewytnie.poczta.onet.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-761 higher bands problem

```
Date: Thu, 21 Feb 2008 01:33:53 +0100
Organization: x
Lines: 8
Message-ID: <fpigtg$hk9$1@news.onet.pl>
Reply-To: mac_dx@tosiewytnie.poczta.onet.pl
NNTP-Posting-Host: gns26.internetdsl.tpnet.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.onet.pl 1203554046 18057 83.3.96.26 (21 Feb 2008 00:34:06 GMT)
X-Complaints-To: usenet@news.onet.pl
NNTP-Posting-Date: Thu, 21 Feb 2008 00:34:06 +0000 (UTC)
X-Sender: tziRau1SlJeRbF6OI/pJQplh44CxR6pL
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
Xref: g2news1.google.com rec.radio.amateur.equipment:14032

Hi, I have got a problem when transmitting on bands from 18MHz up.
Signal is distorted (on all power levels) and there is something like
"self-generations" - also on AM

Any ideas?

MAc
mrn



From -3016511339350714473
X-Google-Thread: 108122,a061bdff760c7fec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 20 Feb 2008 19:51:29 -0600
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 higher bands problem
Date: Wed, 20 Feb 2008 17:51:23 -0800
Reply-To: gfiber@comcast.net
Message-ID: <i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com>
References: <fpigtg$hk9$1@news.onet.pl>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.183.109.201
X-Trace: sv3-HHxwIRphxaGT5B+5Ctk3VK9i54UDA07/DIujdxRe5pLKJFQwvlIgbFR/85Xztazg3tA/
HOTIdwoKTyO!JbkhelUqzWdl3r+DoIynr0y+SINZogJjtng3A+JDKZxMhrU/uQsyxWF2f4rz/
r1qQAw4vIdATXBh!wtFP0R4F9jkH6oGkQ2ALZp8bYtRr
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:14033

On Thu, 21 Feb 2008 01:33:53 +0100, MAc
<mac_dx@tosiewytnie.poczta.onet.pl> wrote:

>Hi, I have got a problem when transmitting on bands from 18MHz up.
>Signal is distorted (on all power levels) and there is something like
>"self-generations" - also on AM
>
>Any ideas?
>
>MAc
>mrn

Yes most likely the VCO trimmer caps are in trouble. You may get some life out of them doing a HPL alignment where you just tune the 4 VCO trimmers. If not then they require replacing and generally all 4 are done at that time.

Gary K8IZ

From -3061866968190918141
X-Google-Thread: 108122,fc31fb8b2fe1c74d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p43g2000hsc.googlegroups.com!not-for-mail
From: WillWeav@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: 100 pages of videos
Date: Wed, 20 Feb 2008 19:19:00 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <ed83c1ce-9492-4abc-adf1-f8556223fe39@p43g2000hsc.googlegroups.com>
NNTP-Posting-Host: 70.142.43.94
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1203563941 2225 127.0.0.1 (21 Feb 2008 03:19:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Feb 2008 03:19:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p43g2000hsc.googlegroups.com; posting-host=70.142.43.94;
     posting-account=byj1rwoAAAAouXgSBYAfn74_uyVCtsDr
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)

Xref: g2news1.google.com rec.radio.amateur.equipment:14034

I posted a message earlier that I had added 100 pages of ham related videos to my website but failed to include the link to the website, anyway here is the link, come on by and visit:
http://www.amateurradios.info

Thanks to those that have already visited, come back for more.

73's everyone

Bill W5GRX

From -8664664139415958111
X-Google-Thread: 108122,a061bdff760c7fec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!news.nask.org.pl!news.onet.pl!not-for-mail
From: MAc <mac_dx@tosiewytnie.poczta.onet.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 higher bands problem
Date: Thu, 21 Feb 2008 11:16:12 +0100
Organization: x
Lines: 12
Message-ID: <fpjj1d$154$1@news.onet.pl>
References: <fpigtg$hk9$1@news.onet.pl>
<i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com>
Reply-To: mac_dx@tosiewytnie.poczta.onet.pl
NNTP-Posting-Host: gns26.internetdsl.tpnet.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.onet.pl 1203588981 1188 83.3.96.26 (21 Feb 2008 10:16:21 GMT)
X-Complaints-To: usenet@news.onet.pl
NNTP-Posting-Date: Thu, 21 Feb 2008 10:16:21 +0000 (UTC)
X-Sender: tziRau1SlJeRbF6OI/pJQplh44CxR6pL
In-Reply-To: <i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
Xref: g2news1.google.com rec.radio.amateur.equipment:14035

Gary P. Fiber pisze:

> Yes most likely the VCO trimmer caps are in trouble.
>

Even if RX is OK?

Of course thanks for help. I know, that work with trimmers is waiting for me....

MAc
sp9mrn

```
From 3523151075448551400
X-Google-Thread: 108122,a061bdff760c7fec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-
online.de!t-online.de!news.nask.pl!news.nask.org.pl!news.onet.pl!not-for-mail
From: MAc <mac_dx@tosiewytnie.poczta.onet.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 higher bands problem
Date: Fri, 22 Feb 2008 09:46:45 +0100
Organization: x
Lines: 7
Message-ID: <fpm25l$bkh$2@news.onet.pl>
References: <fpigtg$hk9$1@news.onet.pl>
<i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com>
Reply-To: mac_dx@tosiewytnie.poczta.onet.pl
NNTP-Posting-Host: gns26.internetdsl.tpnet.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.onet.pl 1203670022 11921 83.3.96.26 (22 Feb 2008 08:47:02 GMT)
X-Complaints-To: usenet@news.onet.pl
NNTP-Posting-Date: Fri, 22 Feb 2008 08:47:02 +0000 (UTC)
X-Sender: tziRau1SlJeRbF6OI/pJQplh44CxR6pL
In-Reply-To: <i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
Xref: g2news1.google.com rec.radio.amateur.equipment:14036
```

additional info:

on ssb i hear my distorted voice in headphones when transmitting
(monitor is off)

MAc

```
From 3631826771645715430
X-Google-Thread: 108122,a061bdff760c7fec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!news-feed01.roc.ny.frontiernet.net!
nntp.frontiernet.net!news02.roc.ny.POSTED!fd24bd7a!not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
```

MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 higher bands problem
References: <fpigtg$hk9$1@news.onet.pl>
<i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com> <fpm25l$bkh$2@news.onet.pl>
In-Reply-To: <fpm25l$bkh$2@news.onet.pl>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <scEvj.4704$Sa1.2676@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956446f3631ec51d5f48dcae6713b519a7aece69315d6f38e7a024d20fb774d855839
84e8a9789ec757c0122675b05dff31e90fb01e7047589848c9db35d7f7c6c34fbdb9cfa0c64267b36b
0572cf4eac1fe4569b8c359acad8e45c69205b93d8e0780ddd8f5fc94ff38a53518f6b8dda6a680165
da5f12c013
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Fri, 22 Feb 2008 18:08:24 UTC
Date: Fri, 22 Feb 2008 18:08:24 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14037

MAc wrote:
>
> additional info:
>
> on ssb i hear my distorted voice in headphones when transmitting
> (monitor is off)

This gets me thinking about grounding, how good, how old, how far, etc. is yours? I had similar problems feeding a long wire on 15m and up when grounded with a 2" wide copper strap to a 10' driven ground rod. Once I shortened the strap all the problems went away.

Good luck!
- Galen, W8LNA

From 4411737750158815800
X-Google-Thread: 108122,9b38015e9e2520a3
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!1bc6af47!not-for-mail
From: "JB" <ml43@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <5154783a-be81-4f39-9495-eea6de7ae768@i12g2000prf.googlegroups.com>
Subject: Re: Yeasu Portable Battery Schematics
Lines: 45
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409

Message-ID: <xwFvj.149$T8.73@trnddc03>
Date: Fri, 22 Feb 2008 19:38:05 GMT
NNTP-Posting-Host: 71.104.215.217
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1203709085 71.104.215.217 (Fri, 22 Feb 2008 14:38:05 EST)
NNTP-Posting-Date: Fri, 22 Feb 2008 14:38:05 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:14038

FT-530 is more easily powered from the top external power connector ~6-15Volts (likes 9-13v). It will also charge the radio battery while the radio operates. The radio battery wants to be above ground when charging, so there could be problems if using vehicle power to a fake battery.

The other radios are similar but have different batteries or voltages. Use the stock power kits or check the service manuals if you want to make a hard wired solution.

"No Spam" <spaminyourear@yahoo.com> wrote in message
news:5154783a-be81-4f39-9495-eea6de7ae768@i12g2000prf.googlegroups.com...
> Does anyone have/know the wiring configuration of the connections on
> Yaseu Portable battery packs?
>
> Specifically I would like to connect an external power source to one
> of my portables (FT-51r) and would like to look at a schematic before
> making connections incorrectly and cooking my radio.
>
> I also have the following Yaesu portable models FT-411, FT-530, and
> suspect the batteries have similar wiring configurations.
>
> I have checked the Internet, Yaesu, and after market battery outfits
> with little usable response.
>
> Thank you in advance for any assistance you may be able to provide.
>
> ******************************
>
> I am also looking for the following accessories to allow connecting
> external power to my Yaesu Ft 51r Ham radio.
>
> EDC-12 Allows connecting to a cigarette plug in a car or power supply.
>
> FBA-14 Allows operating the radio on four AA batteries.
>
> I would also like to buy a dead battery for the same radio to tear
> apart and build my own adapter.
>
> Depending on what you have I might also be interested in other
> accessories for my radio.
>
> Thank you.

```
From 2646464264555262009
X-Google-Thread: 108122,a061bdff760c7fec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!newsfeed.stanford.edu!
sn-xt-sjc-03!sn-xt-sjc-06!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!
corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 higher bands problem
Date: Fri, 22 Feb 2008 10:13:51 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0802221004360.22768@malasada.lava.net>
In-Reply-To: <fpm25l$bkh$2@news.onet.pl>
References: <fpigtg$hk9$1@news.onet.pl>
<i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com>
 <fpm25l$bkh$2@news.onet.pl>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news1.google.com rec.radio.amateur.equipment:14039



>
> additional info:
>
> on ssb i hear my distorted voice in headphones when transmitting (monitor is
> off)
>
> MAc
>
In my experience,  I had somewhat the same problem.   Once the
operating chip starts to fail, you will loose bands one by one starting
from the highest band like 10 meters.  Then you will loose 15 meters,
20 meters, then 40 meters one by one.   Send it to a authoized ICOM
repaid center and they will restore the missing bands as I did.
Later found a hame in Italy that was marketing a new ramboard that
would last forever and you would remobe the old ramboard and install
his.   After that you cant loose the operating system.   You could loose
the "memory" chnls as they are a seperate entity and require a good
backup long lasting to retain the "memory" chnls only.  So far I  have
had no further loss of bands. Nor have I lost any memory channels and its
been about 10 years now.  I dont remember the Italians name but think
it was Bernardo  and he was a ham operator and marketed those rplacement
RAM boards world wide.   Stictly for the ICOM751.
                             Joe KH6JF



From 3223275005059579604
```

```
X-Google-Thread: 108122,aabc0466eb4ff932,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-08!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Larry Snyder" <lsnyder@pacific.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Cheap Muscle Wire to turn antenna
Date: Fri, 22 Feb 2008 12:46:41 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13rud5kdrf0iaf4@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 3
Xref: g2news1.google.com rec.radio.amateur.equipment:14040

http://cgi.ebay.com:80/ws/eBayISAPI.dll?
ViewItem&item=330214235548&ssPageName=ADME:L:LCA:US:1123
```

```
From -7360910908347799585
X-Google-Thread: 108122,a061bdff760c7fec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.nask.pl!
news.nask.org.pl!news.onet.pl!not-for-mail
From: MAc <mac_dx@tosiewytnie.poczta.onet.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 higher bands problem
Date: Fri, 22 Feb 2008 21:58:01 +0100
Organization: x
Lines: 35
Message-ID: <fpnd0q$j21$1@news.onet.pl>
References: <fpigtg$hk9$1@news.onet.pl>
<i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com> <fpm25l$bkh$2@news.onet.pl>
<Pine.BSI.4.64.0802221004360.22768@malasada.lava.net>
Reply-To: mac_dx@tosiewytnie.poczta.onet.pl
NNTP-Posting-Host: gns26.internetdsl.tpnet.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.onet.pl 1203714028 19521 83.3.96.26 (22 Feb 2008 21:00:28 GMT)
X-Complaints-To: usenet@news.onet.pl
NNTP-Posting-Date: Fri, 22 Feb 2008 21:00:28 +0000 (UTC)
X-Sender: tziRau1SlJeRbF6OI/pJQplh44CxR6pL
In-Reply-To: <Pine.BSI.4.64.0802221004360.22768@malasada.lava.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
```

Xref: g2news1.google.com rec.radio.amateur.equipment:14041

Joseph Fenn pisze:

> In my experience, I had somewhat the same problem.   Once the
> operating chip starts to fail, you will loose bands one by one starting
> from the highest band like 10 meters. Then you will loose 15 meters,
> 20 meters, then 40 meters one by one.

brr, terrible future

   Send it to a authoized ICOM
> repaid center and they will restore the missing bands as I did.

The problem is, that I'm in Poland. The cost of sending 50pounds twice
across the ocean is higher, then value of IC761 :-)
So I have to do it myself.

> Later found a hame in Italy that was marketing a new ramboard that
> would last forever and you would remobe the old ramboard and install
> his.

I'll look for him

But - In IC761 maual they wrote, that the memory (known "battery
problem) does not affect 761 - only 751.
On the other hand - many hams told me, that 761 has THE SAME problem
like 751.

I dont know what to think

MAc
sp9mrn

Still graeat thanks for any possible help and ideas

From 286069777883261932
X-Google-Thread: 108122,a061bdff760c7fec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!news.nask.org.pl!news.onet.pl!not-for-mail
From: MAc <mac_dx@tosiewytnie.poczta.onet.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 higher bands problem
Date: Fri, 22 Feb 2008 21:59:27 +0100
Organization: x
Lines: 35
Message-ID: <fpnd3f$j82$1@news.onet.pl>

References: <fpigtg$hk9$1@news.onet.pl>
<i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com> <fpm25l$bkh$2@news.onet.pl>
<Pine.BSI.4.64.0802221004360.22768@malasada.lava.net>
Reply-To: mac_dx@tosiewytnie.poczta.onet.pl
NNTP-Posting-Host: gns26.internetdsl.tpnet.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.onet.pl 1203714128 19714 83.3.96.26 (22 Feb 2008 21:02:08 GMT)
X-Complaints-To: usenet@news.onet.pl
NNTP-Posting-Date: Fri, 22 Feb 2008 21:02:08 +0000 (UTC)
X-Sender: tziRau1SlJeRbF6OI/pJQplh44CxR6pL
In-Reply-To: <Pine.BSI.4.64.0802221004360.22768@malasada.lava.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
Xref: g2news1.google.com rec.radio.amateur.equipment:14042

Joseph Fenn pisze:

> In my experience, I had somewhat the same problem.   Once the
> operating chip starts to fail, you will loose bands one by one starting
> from the highest band like 10 meters. Then you will loose 15 meters,
> 20 meters, then 40 meters one by one.

brr, terrible future

Send it to a authoized ICOM
> repaid center and they will restore the missing bands as I did.

The problem is, that I'm in Poland. The cost of sending 50pounds twice
across the ocean is higher, then value of IC761 :-)
So I have to do it myself.

> Later found a hame in Italy that was marketing a new ramboard that
> would last forever and you would remobe the old ramboard and install
> his.

I'll look for him

But - In IC761 maual they wrote, that the memory (known "battery
problem) does not affect 761 - only 751.
On the other hand - many hams told me, that 761 has THE SAME problem
like 751.

I dont know what to think

MAc
sp9mrn

Still graeat thanks for any possible help and ideas

From -1784047381363058249
X-Google-Thread: 108122,a061bdff760c7fec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!news.nask.pl!news.nask.org.pl!news.onet.pl!not-for-mail
From: MAc <mac_dx@tosiewytnie.poczta.onet.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 higher bands problem
Date: Fri, 22 Feb 2008 22:03:40 +0100
Organization: x
Lines: 35
Message-ID: <fpndbd$jv3$1@news.onet.pl>
References: <fpigtg$hk9$1@news.onet.pl>
<i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com> <fpm25l$bkh$2@news.onet.pl>
<Pine.BSI.4.64.0802221004360.22768@malasada.lava.net>
Reply-To: mac_dx@tosiewytnie.poczta.onet.pl
NNTP-Posting-Host: gns26.internetdsl.tpnet.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.onet.pl 1203714304 20451 83.3.96.26 (22 Feb 2008 21:05:04 GMT)
X-Complaints-To: usenet@news.onet.pl
NNTP-Posting-Date: Fri, 22 Feb 2008 21:05:04 +0000 (UTC)
X-Sender: tziRau1SlJeRbF6OI/pJQplh44CxR6pL
In-Reply-To: <Pine.BSI.4.64.0802221004360.22768@malasada.lava.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
Xref: g2news1.google.com rec.radio.amateur.equipment:14043

Joseph Fenn pisze:

> In my experience, I had somewhat the same problem.   Once the
> operating chip starts to fail, you will loose bands one by one starting
> from the highest band like 10 meters. Then you will loose 15 meters,
> 20 meters, then 40 meters one by one.

brr, terrible future

   Send it to a authoized ICOM
> repaid center and they will restore the missing bands as I did.

The problem is, that I'm in Poland. The cost of sending 50pounds twice
across the ocean is higher, then value of IC761 :-)
So I have to do it myself.

> Later found a hame in Italy that was marketing a new ramboard that
> would last forever and you would remobe the old ramboard and install
> his.

I'll look for him

But - In IC761 maual they wrote, that the memory (known "battery
problem) does not affect 761 - only 751.
On the other hand - many hams told me, that 761 has THE SAME problem
like 751.

I dont know what to think

MAc
sp9mrn

Still graeat thanks for any possible help and ideas

```
From -8407851361698628476
X-Google-Thread: 108122,f01b3f9b8b8510cb,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "MWH" <mwh@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ham Gear
Date: Fri, 22 Feb 2008 16:43:31 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 3
Message-ID: <47bf4200$0$24099$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14044
```

http://tinyurl.com/23sy32

```
From 8545053524472857030
X-Google-Thread: 108122,c550c6b218bda9e5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
34g2000hsz.googlegroups.com!not-for-mail
From: the-dharma@sbcglobal.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Curtis Lil' Bugger Keyer Cable Color Code
Date: Fri, 22 Feb 2008 15:13:53 -0800 (PST)
Organization: http://groups.google.com
```

```
Lines: 19
Message-ID: <1c3507fa-8f56-4c5e-988d-6cb8a67df553@34g2000hsz.googlegroups.com>
References: <9beec0de-55fb-4fc8-8cef-b26620008d43@h25g2000hsf.googlegroups.com>
NNTP-Posting-Host: 192.12.16.48
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1203722034 18992 127.0.0.1 (22 Feb 2008 23:13:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Feb 2008 23:13:54 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 34g2000hsz.googlegroups.com; posting-host=192.12.16.48;
     posting-account=v05LSwoAAABPax2_PUEiqfiWvRJut--j
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14045
```

C'mon -- *someone* must have the manual for this keyer...

Give a guy a break <grin>!

73,
Jeff
N6MNI

On Feb 19, 4:40 pm, the-dha...@sbcglobal.net wrote:
> Can someone please provide the color code for the Curtis Lil' Bugger
> input cable ?
>
> Thank you.
>
> 73,
> Jeff
> N6MNI

```
From 6726638693357396005
X-Google-Thread: 108122,c550c6b218bda9e5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe21.lga.POSTED!
53ab2750!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <9beec0de-55fb-4fc8-8cef-b26620008d43@h25g2000hsf.googlegroups.com>
<1c3507fa-8f56-4c5e-988d-6cb8a67df553@34g2000hsz.googlegroups.com>
In-Reply-To: <1c3507fa-8f56-4c5e-988d-6cb8a67df553@34g2000hsz.googlegroups.com>
Subject: Re: Need Curtis Lil' Bugger Keyer Cable Color Code
Lines: 25
```

```
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <ykLvj.8393$097.4821@newsfe21.lga>
NNTP-Posting-Host: 74.195.53.175
X-Complaints-To: abuse@suddenlink.net
X-Trace: newsfe21.lga 1203732894 74.195.53.175 (Fri, 22 Feb 2008 19:14:54 MST)
NNTP-Posting-Date: Fri, 22 Feb 2008 19:14:54 MST
Organization: Suddenlink
Date: Fri, 22 Feb 2008 20:14:53 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:14046

Here's the manual: <http://www.hamanuals.com/MMans/CURTIS.pdf>
73 de Glenn AA5PK

<the-dharma@sbcglobal.net> wrote in message
news:1c3507fa-8f56-4c5e-988d-6cb8a67df553@34g2000hsz.googlegroups.com...
> C'mon -- *someone* must have the manual for this keyer...
>
> Give a guy a break <grin>!
>
> 73,
> Jeff
> N6MNI
>
>
> On Feb 19, 4:40 pm, the-dha...@sbcglobal.net wrote:
>> Can someone please provide the color code for the Curtis Lil' Bugger
>> input cable ?
>>
>> Thank you.
>>
>> 73,
>> Jeff
>> N6MNI
>




From 6786129762296000221
X-Google-Thread: 108122,a061bdff760c7fec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
```

```
NNTP-Posting-Date: Fri, 22 Feb 2008 20:42:44 -0600
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 higher bands problem
Date: Fri, 22 Feb 2008 18:42:44 -0800
Reply-To: gfiber@comcast.net
Message-ID: <rp1vr3h1eiepo44sulni2b3t8po5sbqjor@4ax.com>
References: <fpigtg$hk9$1@news.onet.pl>
<i4mpr3p2samq53ujkl445lao89vbp384g8@4ax.com> <fpjj1d$154$1@news.onet.pl>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.183.109.201
X-Trace: sv3-ozKRetO54/ar7Np/
QmSCetIBjwFa6SzHuhHC9Ok0vyeFijGp9K9m9C9s8xWLhD7Ch2GpQQf9nD1PzYV!bPjvOCHbp1I3/
MmsL59OGiZUgF3Q2jrg+zE+vpmSXWur05M5r5lEXBRr1b1DstqTj5L069PsODaI!
nZSDBDDYOnBfikvxxuAqy9Fahkx5
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:14047
```

On Thu, 21 Feb 2008 11:16:16:12 +0100, MAc
<mac_dx@tosiewytnie.poczta.onet.pl> wrote:

>Gary P. Fiber pisze:
>
>> Yes most likely the VCO trimmer caps are in trouble.
>>
>
>Even if RX is OK?
>
>Of course thanks for help. I know, that work with trimmers is waiting
>for me....
>
>MAc
>sp9mrn

The above 18 MHz made me think of the trimmer capacitors. Are you using the ACC 1 jack? anything attached to that jack? Could also be RFI getting into that jack for any wires connected to it.

If the trimmers the distortion can show up on either TX or RX but usually it shows in RX first.

log onto www.icomamerica.com under support, then knowledge base, choose amateur, then HF then the IC-761 from the radio choices. Then do not specify an article. You should get a whole listing of more commonly found faults found over the years with the IC-761.

Gary K8IZ

```
From 6944496806832034090
X-Google-Thread: 108122,1acd8e410059c59e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr19.news.prodigy.net.POSTED!ef855899!not-for-
mail
From: patrick jankowiak <eccm@swbell.net>
Reply-To:  recyclerREMOVE_THIS@swbell.net
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: SEA 112 radio advice / manual / schematic needed
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080222-0, 02/22/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 31
Message-ID: <46Nvj.7446$Ru4.6382@newssvr19.news.prodigy.net>
NNTP-Posting-Host: 208.190.133.204
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr19.news.prodigy.net 1203740160 ST000 208.190.133.204 (Fri, 22 Feb
2008 23:16:00 EST)
NNTP-Posting-Date: Fri, 22 Feb 2008 23:16:00 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
SCSYQNONPZVURPH]]ZN@_TDAYZOZ@GXOXJXNMRQIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Fri, 22 Feb 2008 22:16:01 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:14048
```

Hello,

I've got one Stephens Engineering Associates SEA 112 HF marine transceiver..

Yes, it's a crusty old radio, but I'd like to fix it up. I do repair radios from time to time, but I'm not familiar with this design at all.

1. How are the frequencies programmed in? I see no crystals or diode matrix for programming the channels as I would expect in an older set. I have not taken the sandwich of boards in the center of the radio apart.. the bandswitch seems to go through there and I'm not going to mess with it just yet. So, is this an EPROM-programmed set?

2. Has anyone managed to convert this model for ham radio use or is it best left as is? (I've read at least one case of a mariner throwing one away, so they must not be too valuable..) I've got no antenna tuner, just the set with microphone.

If anyone has the manual including schematic/service data, I might have an interest in it.

Thank you,
Patrick

If you would like to reply directly, please reply to the e-mail address, removing the "REMOVE_THIS".

```
From -1609643897046562092
X-Google-Thread: 108122,7aab8c06c17347d3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
n58g2000hsf.googlegroups.com!not-for-mail
From: coley@a1isp.co.uk
Newsgroups: rec.radio.amateur.equipment
Subject: HamBid.com and QRZsearch.com
Date: Sat, 23 Feb 2008 02:12:55 -0800 (PST)
Organization: http://groups.google.com
Lines: 14
Message-ID: <4e412367-ec30-4836-a953-f3a729620d07@n58g2000hsf.googlegroups.com>
NNTP-Posting-Host: 90.192.50.146
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1203761575 4498 127.0.0.1 (23 Feb 2008 10:12:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 23 Feb 2008 10:12:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n58g2000hsf.googlegroups.com; posting-host=90.192.50.146;
     posting-account=MhnYwgoAAAA8F5yKPp-BuqUO5pfcXAQm
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-GB; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14049
```

Two brand new sites hit the Internet for hams next month:

HamBid.com is an Auction, 'Fore Sale' and wanted posts site which is completely free to use.

QRZsearch.com is a ham focused search engines which provides only targeted results, no mush!

Give them a go.

www.HamBid.com
www.QRZsearch.com
www.Dstarforum.com

```
From -1657722378808591767
X-Google-Thread: 108122,1acd8e410059c59e
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: SEA 112 radio advice / manual / schematic needed
Organization: Bruce's Trading Post
References: <46Nvj.7446$Ru4.6382@newssvr19.news.prodigy.net>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <fast-C8A9EE.10081523022008@netnews.worldnet.att.net>
Lines: 47
Date: Sat, 23 Feb 2008 19:05:58 GMT
NNTP-Posting-Host: 12.12.208.29
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1203793558 12.12.208.29 (Sat, 23 Feb
2008 19:05:58 GMT)
NNTP-Posting-Date: Sat, 23 Feb 2008 19:05:58 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:14050
```

In article <46Nvj.7446$Ru4.6382@newssvr19.news.prodigy.net>,
patrick jankowiak <eccm@swbell.net> wrote:

> Hello,
>
> I've got one Stephens Engineering Associates SEA 112 HF marine
> transceiver..
>
> Yes, it's a crusty old radio, but I'd like to fix it up. I do repair
> radios from time to time, but I'm not familiar with this design at all.
>
> 1. How are the frequencies programmed in? I see no crystals or diode
> matrix for programming the channels as I would expect in an older set. I
> have not taken the sandwich of boards in the center of the radio apart..
> the bandswitch seems to go through there and I'm not going to mess with
> it just yet. So, is this an EPROM-programmed set?

Yes, it is Eprom Programmed

>
> 2. Has anyone managed to convert this model for ham radio use or is it

> best left as is? (I've read at least one case of a mariner throwing one
> away, so they must not be too valuable..) I've got no antenna tuner,
> just the set with microphone.

There wasn't a LSB Kit designed for this radio, but they have been run
on 20 and 15 meters USB.

>
> If anyone has the manual including schematic/service data, I might have
> an interest in it.

I am sure I have a Manual around somewhere. You may be able to get a copy
from SEA in Mountlake Terrace, Washington, USA, if you call Phil, and
ask nicely.....

>
> Thank you,
> Patrick
>
>
> If you would like to reply directly, please reply to the e-mail address,
> removing the "REMOVE_THIS".

--
Bruce in alaska
add <path> after <fast> to reply

```
From 4295046133974140745
X-Google-Thread: 108122,7b97cf41d7a127c0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Macjay MSR-8050 Manual
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <6l%vj.250655$MJ6.9014@bgtnsc05-news.ops.worldnet.att.net>
Date: Sat, 23 Feb 2008 20:27:46 GMT
NNTP-Posting-Host: 12.64.30.98
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1203798466 12.64.30.98 (Sat, 23 Feb
2008 20:27:46 GMT)
NNTP-Posting-Date: Sat, 23 Feb 2008 20:27:46 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:14051
```

No bids yet, few hours to go on eBay for a very good manual copy for this rig.
Larry

```
From 1242202853475431937
X-Google-Thread: 1109af,d2ff8edb4786d008,start
X-Google-Thread: 108122,d2ff8edb4786d008,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Motorola Spirit VHF Handhelds, Price Reduced!
Lines: 104
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_00D4_01C87634.67D13540"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <AK%vj.23544$v57.22101@trnddc05>
Date: Sat, 23 Feb 2008 20:54:56 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1203800096 68.163.16.243 (Sat, 23 Feb 2008 15:54:56 EST)
NNTP-Posting-Date: Sat, 23 Feb 2008 15:54:56 EST
Xref: g2news1.google.com rec.radio.swap:18534 rec.radio.amateur.equipment:14052
X-Original-Bytes: 4519
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_00D4_01C87634.67D13540
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable
```

I have a pair of very clean Motorola Spirit (Model MV24CVS) VHF=20
Handhelds ("HT's"), with the (2) Motorola Desk Chargers for sale.

Features of these reliable Motorola handheld units include:

    * Both are 4 Channel VHF models - 4 channels easily
      switchable using channel selector switch on top of=20
      each "ht". Other external controls include volume
      and squelch controls

```
    * Both units include their Motorola VHF "duckie" antennas
    * Both units include good NiMh battery packs=20
    * Both units include their Motorola desktop "cradle" chargers=20
      (with plug-in wall transformers and charging indicator lights)

Easy to use, with easy programming instructions located on the
inside of both unit's battery covers, making programming simple=20
and convenient. Range of these units is approximately 5 miles.

The price for both Motorola Spirit VHF Handy-Talkies is reduced
to $100.00 plus actual insured shipping charges, payable by USPS=20
Postal Money Order.

Thanks & 73,

-Bill
KB3PT
Selbyville, Delaware

------=_NextPart_000_00D4_01C87634.67D13540
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>&nbsp;</DIV>
<DIV>I have&nbsp;a pair of&nbsp;very clean&nbsp;Motorola Spirit (Model=20
MV24CVS)&nbsp;VHF </DIV>
<DIV>Handhelds&nbsp; ("HT's"),&nbsp;with the (2) Motorola Desk Chargers =
for=20
sale.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features of these&nbsp;reliable&nbsp;Motorola handheld units =
include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both are&nbsp;4 Channel&nbsp;VHF models - =
4=20
channels easily</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;switchable using channel selector =
switch on=20
top of </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; each "ht".&nbsp; Other external =
controls=20
include volume</DIV>
```

```
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;and squelch controls</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include their&nbsp;Motorola=20
VHF&nbsp;"duckie" antennas</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;* Both units include&nbsp;good =
NiMh&nbsp;battery=20
packs&nbsp;</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp;*&nbsp;Both units include&nbsp;their =
Motorola=20
desktop "cradle"&nbsp;chargers </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; &nbsp;(with plug-in wall transformers and=20
charging&nbsp;indicator lights)</DIV>
<DIV>&nbsp;</DIV>
<DIV>Easy to use, with&nbsp;easy programming instructions located on =
the</DIV>
<DIV>inside of both unit's battery covers, making =
programming&nbsp;simple </DIV>
<DIV>and convenient.&nbsp;Range&nbsp;of these&nbsp;units is =
approximately&nbsp;5=20
miles.</DIV>
<DIV><BR>The price for both Motorola Spirit VHF Handy-Talkies is =
reduced</DIV>
<DIV>to $100.00 plus actual insured shipping charges, payable by USPS =
</DIV>
<DIV>Postal Money Order.<BR></DIV>
<DIV>Thanks &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>Selbyville, Delaware</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_00D4_01C87634.67D13540--



From 6838266061072213784
X-Google-Thread: 108122,6578b75a69499aa,start
X-Google-Thread: 108228,6578b75a69499aa,start
X-Google-Thread: 10ed5f,6578b75a69499aa,start
X-Google-Attributes: gid108122,gid108228,gid10ed5f,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.65.235
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.side3.eu!zen.net.uk!dedekind.zen.co.uk!
news2.arglkargh.de!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio
Subject: eBay: Cosmophone 35 transceiver (1958)
Message-ID: <f4700fc62418685139c6bf688e8485b7@pseudo.borked.net>
Date: Sun, 24 Feb 2008 06:25:17 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:14053 alt.ham-radio.marketplace:3625 alt.ham-radio:3275
```

http://easyurl.net/Cosmophone35

```
From 6525160040808745982
X-Google-Thread: 108122,c550c6b218bda9e5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u69g2000hse.googlegroups.com!not-for-mail
From: the-dharma@sbcglobal.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Curtis Lil' Bugger Keyer Cable Color Code
Date: Sun, 24 Feb 2008 08:23:21 -0800 (PST)
Organization: http://groups.google.com
Lines: 39
Message-ID: <2310a939-2302-42a9-8576-f8966051a52f@u69g2000hse.googlegroups.com>
References: <9beec0de-55fb-4fc8-8cef-b26620008d43@h25g2000hsf.googlegroups.com>
     <1c3507fa-8f56-4c5e-988d-6cb8a67df553@34g2000hsz.googlegroups.com>
     <ykLvj.8393$097.4821@newsfe21.lga>
NNTP-Posting-Host: 75.15.131.90
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1203870202 5977 127.0.0.1 (24 Feb 2008 16:23:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Feb 2008 16:23:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: u69g2000hse.googlegroups.com; posting-host=75.15.131.90;
     posting-account=v05LSwoAAABPax2_PUEiqfiWvRJut--j
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14054
```

Thanks for the tip Glenn OM.

This manual seems to have everything BUT the connection information
for connecting the thing to a paddle, which is what I need!

Maybe I can look at the board and figure out what's going on...

73,
Jeff
N6MNI

On Feb 22, 6:14 pm, "Glenn" <aa...@hotmail.com> wrote:

> Here's the manual: <http://www.hamanuals.com/MMans/CURTIS.pdf>

```
> 73 de Glenn AA5PK
>
> <the-dha...@sbcglobal.net> wrote in message
>
> news:1c3507fa-8f56-4c5e-988d-6cb8a67df553@34g2000hsz.googlegroups.com...
>
> > C'mon -- *someone* must have the manual for this keyer...
>
> > Give a guy a break <grin>!
>
> > 73,
> > Jeff
> > N6MNI
>
> > On Feb 19, 4:40 pm, the-dha...@sbcglobal.net wrote:
> >> Can someone please provide the color code for the Curtis Lil' Bugger
> >> input cable ?
>
> >> Thank you.
>
> >> 73,
> >> Jeff
> >> N6MNI
```

```
From 8341423616868158952
X-Google-Thread: 108122,7d61c13f24eaae75,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.154.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!DIALUPUSA.NET!not-for-mail
Date: Sun, 24 Feb 2008 15:49:55 -0600
From: Emmett Bean <KZ5I@arrl.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu MD-100 Mark V Field Settings
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <98ad5$47c1e685$4e630c8$17125@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 14
X-Trace: 98ad547c1e685a143956d17125
Xref: g2news1.google.com rec.radio.amateur.equipment:14055
```

I was curious on good settings for a Yaesu MD-100 A8X mic
and a Mark V Field.

My voice is mid range and I am

curious as to the settings for
EDSP Menu 4-4
TFIL Menu 5-9
SSB XMIT Menu 7-7
XMITLSB Menu 8-9
PROCLSB Menu 8-9
XMIT USB Menu 8-9
PROCUSB Menu 8-9.

Thanks Emmett KZ5I

From -8130571099894624998
X-Google-Thread: 108122,e1ce128b277ed7d6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!1bc6af47!
not-for-mail
From: "JB" <ml43@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <fognh5$c82$1@aioe.org>
Subject: Re: Icom F-3 Problems
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <ZZqwj.3205$R_5.1886@trnddc08>
Date: Mon, 25 Feb 2008 03:54:33 GMT
NNTP-Posting-Host: 71.110.230.246
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1203911673 71.110.230.246 (Sun, 24 Feb 2008 22:54:33 EST)
NNTP-Posting-Date: Sun, 24 Feb 2008 22:54:33 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:14056

Send them here:
http://infotech.awardspace.com
Call or e-mail first

"Steve W." <csr684NOT@yahoo.com> wrote in message
news:fognh5$c82$1@aioe.org...
> Hello all, New to this newsgroup.
> I have a bunch of Icom F-3S radios for our local FD. They work OK but we
> would like to be able to reprogram them for some new channels. The guy
> we were having work on them takes about 2 months to do anything and even
> then they are usually not correct. So I got tagged for it.
> I found the software and the manuals online. Bought an OPC-478 cable. I
> have about 4 different PCs that I have tried it on so far. I tried the
> cable with WIN XP, Win ME, WIN 98. The cable I have is a USB unit and
> they included drivers so the machines all see the cable as port 2.
> I have the same problem on all the machines. I start the program, set it

```
> to LMR, Port 2 and turn on the radio. Then I select the option to read
> the programming from the radio. The program seems to start and pops up a
> message on the bottom that says "wait a moment". Then it seems to stop
> doing anything.
>
> So far I have tried changing the ports around, Tried 3 different radios
> and found a second software download as well. I have set the radios in
> Clone mode, normal operation mode and no change so far. Does anyone have
>   an idea? I may build an OPC-478 cable and try using an RS-232 port on
> a DOS machine next.
>
> Thanks for any help.
>
> --
> Steve W.
> VHFD




From -7492840265953979730
X-Google-Thread: 1109af,ffa5c0df89380df9,start
X-Google-Thread: 108122,ffa5c0df89380df9,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Crystals (40/15 Meters)
Lines: 66
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C87749.9D401640"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <TOswj.167$o23.31@trndny09>
Date: Mon, 25 Feb 2008 05:59:15 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1203919155 68.163.16.243 (Mon, 25 Feb 2008 00:59:15 EST)
NNTP-Posting-Date: Mon, 25 Feb 2008 00:59:15 EST
Xref: g2news1.google.com rec.radio.swap:18543 rec.radio.amateur.equipment:14057
X-Original-Bytes: 2930

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C87749.9D401640
Content-Type: text/plain;
     charset="Windows-1252"
```

```
Content-Transfer-Encoding: quoted-printable


I have the following 40 meter crystals for sale.
All are in FT-243 holders.
 =20
Some can also be used on 15 meters (multiply frequency by 3).

1- 7073.333 Khz    JAN Crystal
1- 7075 Khz          JAN Crystal
1- 7093 Khz          Texas Crystal
1- 7094 Khz          Texas Crystal
1- 7100 Khz          JAN Crystal
1- 7125 Khz          JAN Crystal

$ 11.00 each, shipped to Cont'l U.S. address (only),


------=_NextPart_000_000A_01C87749.9D401640
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>I have the following 40&nbsp;meter crystals for sale.</DIV>
<DIV>All are in FT-243 holders.</DIV>
<DIV>&nbsp; </DIV>
<DIV>Some can also be used on 15 meters (multiply&nbsp;frequency by =
3).</DIV>
<DIV><BR>1- 7073.333 Khz&nbsp;&nbsp;&nbsp; JAN Crystal</DIV>
<DIV>1-=20
7075&nbsp;Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;=
JAN=20
Crystal</DIV>
<DIV>1- 7093 Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; =
Texas=20
Crystal</DIV>
<DIV>1- 7094 Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; =
Texas=20
Crystal</DIV>
<DIV>1- 7100 =
Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;JAN=20
Crystal</DIV>
<DIV>1- 7125 Khz&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; =
JAN=20
```

```
Crystal</DIV>
<DIV>&nbsp;</DIV>
<DIV>$ 11.00 each, shipped to Cont'l U.S. address (only),</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_000A_01C87749.9D401640--




From 8323771233975570132
X-Google-Thread: 1109af,10b0177ebe3319b6,start
X-Google-Thread: 108122,10b0177ebe3319b6,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Icom IC-28A  2 Meter FM Transceiver
Lines: 91
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0035_01C8774A.841DF460"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <UUswj.933$JU3.657@trndny04>
Date: Mon, 25 Feb 2008 06:05:40 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1203919540 68.163.16.243 (Mon, 25 Feb 2008 01:05:40 EST)
NNTP-Posting-Date: Mon, 25 Feb 2008 01:05:40 EST
Xref: g2news1.google.com rec.radio.swap:18544 rec.radio.amateur.equipment:14058

This is a multi-part message in MIME format.

------=_NextPart_000_0035_01C8774A.841DF460
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


I have a very nice Icom IC-28A  2 Meter FM Transceiver for sale

Features include:

21 Memories
Automatic Dimmer
Compact=20
```

```
Simple Ergonomic Design
Subaudible (CTCSS) Tone Encoder
Dual Scanning (Frequency Scan & Memory Scan)
Backlit LCD
Sensitive & Selective Double-Conversion Receiver=20
Receives 138-174 MHz
Icom HM-14 Electret Condensor Hand Mic w/ scan, tt pad included=20
Output Power: 25 Watts High, 5 Watts Low

Includes original Icom Manual
Rig is very clean, works very well
 (one lcd display bulb is burned out,
  display is still very easily readable)

Price is $ 70.00 (firm) plus actual USPS Priority Mail Insured Shipping
charges (to Cont'l U.S. address) , by USPS Postal Money Order only.

Thank you.

-Bill
KB3PT

------=_NextPart_000_0035_01C8774A.841DF460
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV>&nbsp;</DIV>
<DIV>I have a very nice Icom IC-28A&nbsp; 2 Meter FM Transceiver for =
sale</DIV>
<DIV>&nbsp;</DIV>
<DIV>Features include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>21 Memories</DIV>
<DIV>Automatic Dimmer</DIV>
<DIV>Compact </DIV>
<DIV>Simple Ergonomic Design</DIV>
<DIV>Subaudible (CTCSS) Tone Encoder</DIV>
<DIV>Dual Scanning (Frequency Scan &amp; Memory Scan)</DIV>
<DIV>Backlit LCD</DIV>
<DIV>Sensitive &amp; Selective&nbsp;Double-Conversion =
Receiver&nbsp;</DIV>
<DIV>Receives 138-174 MHz</DIV>
<DIV>Icom HM-14&nbsp;Electret Condensor Hand Mic&nbsp;w/ scan, tt pad =
included=20
</DIV></TD></TR>
<DIV>Output Power: 25 Watts High,&nbsp;5 Watts Low</DIV>
<DIV>&nbsp;</DIV>
<DIV>Includes&nbsp;original Icom&nbsp;Manual</DIV>
<DIV>Rig is very clean, works very well</DIV>
<DIV>&nbsp;(one&nbsp;lcd display bulb is burned out,</DIV>
<DIV>&nbsp; display is still very easily readable)</DIV>
<DIV>&nbsp;</DIV>
<DIV>Price is $ 70.00&nbsp;(firm) plus&nbsp;actual USPS Priority Mail =
Insured=20
Shipping</DIV>
<DIV>charges (to Cont'l U.S. address) ,&nbsp;by USPS Postal Money Order=20
only.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Thank you.</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_0035_01C8774A.841DF460--




From 2687165907274899366
X-Google-Thread: 1109af,3b869c1a6bc6bc31,start
X-Google-Thread: 108122,3b869c1a6bc6bc31,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny01.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Nye Speed-X Key
Lines: 81
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C87768.409E9D20"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <p3wwj.3797$tH.3579@trndny01>
Date: Mon, 25 Feb 2008 09:41:41 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1203932501 68.163.16.243 (Mon, 25 Feb 2008 04:41:41 EST)
NNTP-Posting-Date: Mon, 25 Feb 2008 04:41:41 EST
Xref: g2news1.google.com rec.radio.swap:18546 rec.radio.amateur.equipment:14059
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C87768.409E9D20
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


I have for sale a high quality Wm. M. Nye Co. straight key,
never used, in like new condition.=20

Description and price of this key from the Wm. N. Nye Co. website reads:

The Classic Rectangular Speed-X Keys.  These Speed-X keys feature a cast =
rectangular base with black crinkle finish, square section key lever, =
and large "Navy" style knob.  Contacts are gold-plated heavy silver, and =
the key action is fully adjustable.=20

320-001 Rectangular key, nickel hardware  $ 64.95

Will sell for $ 35.00 plus $ 7.50 for USPS Priority Mail Insured
shipping (Cont'l U.S. only).  Upon request, can send you further
information and a picture.

Tnx & 73,

-Bill
KB3PT

------=_NextPart_000_000A_01C87768.409E9D20
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT color=3D#000099></FONT>&nbsp;</DIV>
<DIV><FONT color=3D#000099>I have for sale a&nbsp;high quality&nbsp;Wm. =
M. Nye=20
Co.&nbsp;straight key,</FONT></DIV>
<DIV><FONT color=3D#000099>never used, </FONT><FONT =
color=3D#000099>in&nbsp;like new=20
condition.&nbsp;</FONT></DIV>
<DIV><FONT color=3D#000099></FONT>&nbsp;</DIV>
<DIV><FONT color=3D#000099>Description and price of this key from the =
Wm. N. Nye=20
Co. website reads:</FONT></DIV>
```

```
<DIV><STRONG><FONT color=3D#000099 size=3D4></FONT></STRONG>&nbsp;</DIV>
<DIV><FONT color=3D#000099><STRONG><FONT size=3D4>The Classic =
Rectangular Speed-X=20
Keys</FONT></STRONG>.</FONT>&nbsp; <FONT size=3D+1>These Speed-X keys =
feature a=20
cast rectangular base with black crinkle finish, square section key =
lever, and=20
large "Navy" style knob.&nbsp; Contacts are gold-plated heavy silver, =
and the=20
key action is fully adjustable.</FONT>&nbsp;</DIV>
<DIV><FONT size=3D4></FONT>&nbsp;</DIV>
<DIV><FONT size=3D4>320-001 Rectangular key, nickel hardware&nbsp; $=20
64.95</FONT></DIV>
<DIV><FONT size=3D4></FONT>&nbsp;</DIV>
<DIV>Will sell for $ 35.00 plus $ 7.50 for USPS Priority Mail =
Insured</DIV>
<DIV>shipping (Cont'l U.S. only).&nbsp; Upon request,&nbsp;can send you=20
further</DIV>
<DIV>information and a picture.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Tnx &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_000A_01C87768.409E9D20--



From -5088225496591938353
X-Google-Thread: 1109af,803072bdcfd12b3a,start
X-Google-Thread: 108122,803072bdcfd12b3a,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny05.POSTED!5ddaa2d0!not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: J-38 Style CW Straight Key
Lines: 40
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0021_01C8776A.812CE160"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Ifwwj.1899$RQ3.1383@trndny05>
Date: Mon, 25 Feb 2008 09:54:48 GMT
NNTP-Posting-Host: 68.163.16.243
```

```
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1203933288 68.163.16.243 (Mon, 25 Feb 2008 04:54:48 EST)
NNTP-Posting-Date: Mon, 25 Feb 2008 04:54:48 EST
Xref: g2news1.google.com rec.radio.swap:18547 rec.radio.amateur.equipment:14060

This is a multi-part message in MIME format.

------=_NextPart_000_0021_01C8776A.812CE160
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


I have a J-38 style straight key, with a shorting bar, for sale.
The key is in very good condition, and is stamped "Winslow 101".

Will sell for $ 17.50 plus $ 7.50 for USPS Priority Mail shipping
(Cont'l U.S. only).

------=_NextPart_000_0021_01C8776A.812CE160
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>I have a J-38 style straight key, with a shorting bar, for =
sale.</DIV>
<DIV>The key is in very good condition, and&nbsp;is =
stamped&nbsp;"Winslow=20
101".</DIV>
<DIV><BR>Will sell for $ 17.50 plus $ 7.50 for USPS Priority Mail =
shipping</DIV>
<DIV>(Cont'l U.S. only).</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_0021_01C8776A.812CE160--




From 6337718796148568753
X-Google-Thread: 1109af,7b18fb72a4f8db32,start
X-Google-Thread: 108122,7b18fb72a4f8db32,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
```

```
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Kenwood TH-25AT  2 Meter Handheld
Lines: 53
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0044_01C8776F.CA567CC0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <dPwwj.936$JU3.104@trndny04>
Date: Mon, 25 Feb 2008 10:32:41 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1203935561 68.163.16.243 (Mon, 25 Feb 2008 05:32:41 EST)
NNTP-Posting-Date: Mon, 25 Feb 2008 05:32:41 EST
Xref: g2news1.google.com rec.radio.swap:18548 rec.radio.amateur.equipment:14061

This is a multi-part message in MIME format.

------=_NextPart_000_0044_01C8776F.CA567CC0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

I have a Kenwood  TH-25AT  2 Meter Handheld Transceiver for sale.=20
This is a very solid 2 meter "HT" which includes a NiCad rechargeable=20
7.2 Volt 1200 maH battery, the Kenwood BC-9 battery charger, the=20
"rubber duckie" antenna, and the original Kenwood box and manual.

All in excellent condition, all working perfectly.=20
$ 45.00 plus $ 7.50 for Priority Mail Insured shipping=20
(Cont'l U.S. only).

-Bill
KB3PT

------=_NextPart_000_0044_01C8776F.CA567CC0
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
```

```
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>I have a Kenwood&nbsp; TH-25AT&nbsp; 2 Meter Handheld Transceiver =
for=20
sale.&nbsp;</DIV>
<DIV>This is a very solid =
2&nbsp;meter&nbsp;"HT"&nbsp;which&nbsp;includes&nbsp;a=20
NiCad rechargeable </DIV>
<DIV>7.2 Volt 1200 maH battery, the Kenwood BC-9 battery charger, the =
</DIV>
<DIV>"rubber duckie" antenna, and the original Kenwood box=20
and&nbsp;manual.</DIV>
<DIV>&nbsp;</DIV>
<DIV>All in excellent condition, all working perfectly. </DIV>
<DIV>$ 45.00 plus $ 7.50 for Priority Mail Insured shipping </DIV>
<DIV>(Cont'l U.S. only).</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_0044_01C8776F.CA567CC0--




From 4166618797630947277
X-Google-Thread: 108122,3824bfccacc948d2,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!nlpi061.nbdc.sbc.com.POSTED!b893d748!not-for-mail
From: Cecil Moore <nospam@w5dxp.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-22A crystals
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <U6Fwj.2763$fX7.726@nlpi061.nbdc.sbc.com>
NNTP-Posting-Host: 75.23.32.127
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi061.nbdc.sbc.com 1203969588 ST000 75.23.32.127 (Mon, 25 Feb 2008
14:59:48 EST)
NNTP-Posting-Date: Mon, 25 Feb 2008 14:59:48 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
Q[R_@SJEPZVABPPPCZHZO_@@UC\NQOPDLXUNNHLHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
```

Date: Mon, 25 Feb 2008 13:59:50 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:14062

I just moved to Tyler, TX and need to re-crystal my
IC-22A's for 147.0 receive and 146.4 transmit. Does
anyone know of a crystal source for these old rigs?
If I order one 18.3 MHz crystal and one 15.144 MHz
crystal from International Crystal, will it work?
My email address is Cecil@w5dxp.com
--
73, Cecil http://www.w5dxp.com

From 3626775718470231024
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.mho.net!news.mho.net.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 26 Feb 2008 00:42:50 -0600
From: "Eric Gordon" <egordon@mho.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
Emergencies.
Date: Mon, 25 Feb 2008 23:42:34 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <-62dnf5mEoR3KV7anZ2dnUVZ_uyinZ2d@mho.net>
Lines: 114
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.58.10.177
X-Trace: sv3-
bBXjHTumo1HHmUETCN5FqzAA1+0qLhaSSfikbKaPlONWL9j2xnl7JhxqeTWugc6sYJ4T4Q2DIovb9/g!
TD1KfTe6anTh64hny+OCrAgwwEj1Md31wk3gklKAQtzVd+FrcgnWZAYd+FgJjei3bpHEHYadrtUD!
lve0UXvT
X-Complaints-To: abuse@mho.net
X-DMCA-Complaints-To: abuse@mho.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.antenna:55163
rec.radio.amateur.digital.misc:1059 rec.radio.amateur.equipment:14063

rec.radio.amateur.misc:43290

WHAT A JACKASS. OOOPPPSSSSS SORRY, HE'S A REPUBLICAN.   SORRY, NO OFFENSE
TO THE JACKASSES OF THE WORLD. HE'S AN INSULT TO HUMANITY, BUT NOT TOTALLY
UNEXPECTED FROM A REPUBLICAN
"laborkei" <laborkeiNOSPAM@hotmail.com> wrote in message
news:I6sjj.51910$Mu4.41373@bignews7.bellsouth.net...
> Attention all Amateur Operators.
> Please Read, and send your comments to the ARRL and Romney Website.
>
>
> Wednesday 16 November 2005 @ 15:48:10 | Eastern Massachusetts ARRL Romney
> 'Disses' Amateur Radio In
> Televised Town Meeting Posted on Wednesday16 November 2005 @ 15:48:10
>
> Governor Mitt Romney dismissed the role of Amateur Radio operators in
> emergency communications
> during a televised 'town meeting' program last night on WCVB's 'When
> Disaster Strikes: Segment Two.'
> The program featured public safety and volunteer organization officials
> from
> across Massachusetts
> among its audience.
>
> Host and moderator Natalie Jacobson asked an increasingly-agitated
> Governor
> Romney questions about
> communications interoperability, and communication without commercial
> power.
> Romney was next asked
> by Jacobson, '...so does it come down to ham radio?...'
>
> The Governor replied in a disgusted tone, 'No, we don't need to deal with
> ham radio operators...'
>
> Embarrassed public safety officials later tried to put in a good word for
> Amateur Radio. National
> Weather Service Warning Coordination Meteorologist Glenn Field was
> prepared
> to state the importance
> of Amateur Radio, when Salvation Army Colonel Fred Van Brunt was called
> upon. Van Brunt remarked
> about his organization's quest to improve its communications capabilities
> and how Amateur Radio has
> aided his organization. 'The ham radio situation helps a great deal,' he
> stated.
>
> 'I have already written and submitted a letter to the Governor's Office,'
> wrote Eastern MA Section
> Emergency Coordinator Rob Macedo, KD1CY. 'I have also written an email to
> Natalie Jacobson.'
>
> ARRL Section Manager Mike Neilsen, W1MPN sent a section-wide email today

> to
> all Eastern MA ARRL
> members describing the incident along with actions he and his staff were
> taking to mitigate the
> situation.
>
> '[Romney's] attitude about us sets an unfortunate tone within the state's
> executive branch,' wrote
> Neilsen. 'As a former military officer, I see this as a failure in
> leadership. My immediate concern
> is our working relationship within the [Massachusetts Emergency
> Management
> Team] environment.'
> Neilsen intends to address the Governor's comments as 'an urgent matter'
> at
> a meeting on November 17
> with Don Carlton from the Massachusetts Emergency Management Agency.
>
> 'I was very disturbed about what the Governor stated on the program,'
> wrote
> Ron Wood, W1PLW, the
> section's Public Information Coordinator. 'It does show that more work is
> needed by all hams in the
> section. It's a great idea to write letters explaining the good we do.'
> Wood
> is attempting to
> schedule a meeting with the Governor's office tomorrow so that EMA ARRL
> staffers might discuss the
> matter further.
>
> Tom Kinahan, N1CPE wrote that Governor Romney's comment has made 'a PR
> problem' for Kinahan in his
> role as MA State RACES Officer.
>
> 'I've got a roster of over 150 Amateur Radio operators that support local
> communities, and those of
> us that directly support the state government. There are at least double
> that in terms of people
> that are actually out there that I don't have formal paperwork on that
> support Amateur Radio
> emergency communications in some organized manner... The Governor has
> said
> that he 'certainly
> doesn't need to rely on ham radio' -- where does that leave the RACES
> program now?'
>
> 'I am ashamed tonight that I am a Republican!' remarked one ham radio
> viewer. '[Romney] speaks in
> derogatory tones about hams. He certainly shows an ignorance as to what
> we
> do and are capable of. I
> suggest a grass roots campaign of local hams calling the State House and
> The

```
> Governor's Office  to
> protest.'
>
>
> --
>
>
>




From 7577367773849090816
X-Google-Thread: 108122,6578b75a69499aa
X-Google-Thread: 108228,6578b75a69499aa
X-Google-Thread: 10ed5f,6578b75a69499aa
X-Google-Attributes: gid108122,gid108228,gid10ed5f,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.65.235
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.side3.eu!zen.net.uk!dedekind.zen.co.uk!
news2.arglkargh.de!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio
Subject: Re: eBay: Cosmophone 35 transceiver (1958)
References: <f4700fc62418685139c6bf688e8485b7@pseudo.borked.net>
Message-ID: <1999fdb29f0dd4ecc11999a4153e8c0b@pseudo.borked.net>
Date: Thu, 28 Feb 2008 14:59:57 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14064 alt.ham-
radio.marketplace:3628 alt.ham-radio:3281

In article <f4700fc62418685139c6bf688e8485b7@pseudo.borked.net>
Ted <nob...@pseudo.borked.net> wrote:
>
> http://easyurl.net/Cosmophone35

Winning bid $2,551




From 6665838995309707014
X-Google-Thread: 108122,248f191665cb38c7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h11g2000prf.googlegroups.com!not-for-
mail
From: EngineerEDGE <calculatoredge@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RF / Electronics Calculator Tool Online - FREE magazine subscription
     also
Date: Thu, 28 Feb 2008 23:22:47 -0800 (PST)
```

Organization: http://groups.google.com
Lines: 11
Message-ID: <fa8bdeca-054a-4a15-a48b-a9d5ff2ee3e7@h11g2000prf.googlegroups.com>
NNTP-Posting-Host: 61.11.126.61
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1204269767 2070 127.0.0.1 (29 Feb 2008 07:22:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 29 Feb 2008 07:22:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: h11g2000prf.googlegroups.com; posting-host=61.11.126.61;
     posting-account=yvlu1QkAAAAGhntrpyo0XnDCIMT13bpE
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14065

Hello Friends,

Check this website www.calculatoredge.com you will find several RF &
Microwave Calculator Tool, you do not need to learn the formula to
solve the equations, if you have inputs then you can just enter into
and get the equations solved.

You also get free magazine subscription on this website, I guess it is
useful

Tom

From 6737665493785712167
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!indigo.octanews.net!news-out.octanews.net!teal.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<Xns9A3B66633B27EHuckleberrybigvalley@198.186.192.196>
<slrnfqho3f.26d.blueboxthief@sanfermin.my.domain>
<Xns9A3BB82E24D4AHuckleberrybigvalley@198.186.192.196>
<slrnfqluml.jtk.blueboxthief@sanfermin.my.domain>
Organization: Your Company
Message-ID: <Xns9A3D64F2A70CFHuckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 07 Feb 2008 17:55:29 GMT
Lines: 16
NNTP-Posting-Host: 3800b392.news.adtechcomputers.com
X-Trace:

```
DXC=jMIK=iNBZcH<<h;Yk>G0KMgC4_A5:nI@A<<=aEgO;R8GEe5iNCdM1SB[lI7hgGoUcGQjo<[F9ZR]OA
Ujd2c3iP;C2Mc]AOL;U`L
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13964
```

> That is very good news. Very glad to hear it. So the 450, has a
> "better" menu system than the 817/57/97?

Menus are a rather "personal" interface between the operator and the hardware. I am rather old fashined and I like knobs and buttons with dedicated functions. Not much made like that now-a-days. While the FT-450 is a bit better in this regard compared to those other modern Yaesu radios, it is NOT even close to perfect by any means. In my opinion, yes, the FT-450 has a 'better' menu system but others may disagree.

Ed K7AAT

```
From -5234724751951671354
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<Xns9A3B66633B27EHuckleberrybigvalley@198.186.192.196>
<slrnfqho3f.26d.blueboxthief@sanfermin.my.domain>
<Xns9A3BB82E24D4AHuckleberrybigvalley@198.186.192.196>
<slrnfqluml.jtk.blueboxthief@sanfermin.my.domain>
<slrnfqlvib.jtk.blueboxthief@sanfermin.my.domain>
Organization: Your Company
Message-ID: <Xns9A3D65B408416Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 07 Feb 2008 17:59:57 GMT
Lines: 23
NNTP-Posting-Host: 3800b392.news.adtechcomputers.com
X-Trace:
DXC=6nlbQT\0=^AoV<7HGJPfoNgC4_A5:nI@A<<=aEgO;R8GEe5iNCdM1SB[lI7hgGoUcGQjo<[F9ZR]OA
Ujd2c3iP;C2Mc]AOL;U`L
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13965
```

> Oh, one more thing Ed. Have you ever carried the radio for a long
> distance? Is it heavy? I know its 2.xKg, but just wondering if its
> possible to carry the thing in a backpack?
>

No, I'm not much of a packer any more. If there was any significant reason for me to pack a radio on my body, I would get the FT-857... although more for size reason than weight. THe FT-450 is smallish, and far lighter and smaller than most of the radios aimed at use as a primary base station, but still, its a bit big compared to the smaller mobile type radios.

Yes, its is possible to carry the FT-450 but its size, in my opinion, would possibly preclude carrying some other desired stuff.... and of course batteries would be the biggest problem. If you really want to hoof it into the wilderness I'd recommend something like the FT-817... even though it is a QRP rig.

Ed K7AAT

From 9108262865859951141
X-Google-Thread: 108122,49fe6ff5fb30e6f0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!57e3ed27!not-for-mail
From: "JTB" <jerryjtb@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: FT-757 GX/GXII Parts Radio
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <UgKqj.110787$ds2.478@trnddc05>
Date: Thu, 07 Feb 2008 20:57:24 GMT
NNTP-Posting-Host: 141.151.118.70
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1202417844 141.151.118.70 (Thu, 07 Feb 2008 15:57:24 EST)
NNTP-Posting-Date: Thu, 07 Feb 2008 15:57:24 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:13966
X-Original-Bytes: 937

WTD: FT-757 -- PARTS RADIO
Looking for FT-757GX/GXII parts radio. Email me if you have one.

Jerry W0ZD

```
From 2732689798709505970
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!postnews.google.com!
c4g2000hsg.googlegroups.com!not-for-mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Thu, 7 Feb 2008 14:38:37 -0800 (PST)
Organization: http://groups.google.com
Lines: 25
Message-ID: <1e5fd13a-a131-401e-8835-64dfca54ac38@c4g2000hsg.googlegroups.com>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
     <acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com> <fod4fl$7e2$1@aioe.org>
     <0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com>
     <foen2q$tlm$1@aioe.org>
NNTP-Posting-Host: 86.131.85.40
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202423918 11030 127.0.0.1 (7 Feb 2008 22:38:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 7 Feb 2008 22:38:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c4g2000hsg.googlegroups.com; posting-host=86.131.85.40;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13967

On Feb 7, 10:38=A0am, "Anonymous." <m...@privacy.net> wrote:
> "Andiroo" <a.rich...@btinternet.com> wrote in message
>
> news:0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com...
> On Feb 6, 8:14 pm, "Anonymous." <m...@privacy.net> wrote:> > Andiroo wrote=
:
> > >> Hi
> > >> I have just purchased a Howes DCRX receiver which works on 80m and wa=
s
> > >> a kit made by CM Howes in the UK around the mid-1980s. Does anyone
> > >> know where i could find the instructions or does anyone have one of
> > >> these receivers?
> > Sorry, missed this first time round.
> > I've got one, made up into a qrp rig with the matching TX.
> > What info do you need?
>
```

> Thanks for the response. Couple of questions. I have the 80m version
> and wonder what it would take to run it on 40metres. Also just
> interested in the schematics to understand the construction. Lastly,
> how the TX matched it and worked etc.
>
> 1. Whereabouts in Britland are you?
> 2. Is your published email address true (It looks facetious)

M3ZLN.UK@googlemail.com - South East

From -104329504736389234
X-Google-Thread: 108122,2220d847cf82f8ac,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews2.bellsouth.net.POSTED!f0db3255!
not-for-mail
From: "KF4DNA" <kf4dna@kf4dna.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Extreme WebPage
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <U%Oqj.62884$k27.10119@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcboabbcpaelodeokfeljgdidmoiaignhcklde
djolgcgefnidhcjhghjenebfengbeecmdepfdmbbfeapjpmaadonmnfpkgdkjncnpdjnlfiihalnbd
NNTP-Posting-Date: Thu, 07 Feb 2008 21:20:36 EST
Organization: BellSouth Internet Group
Date: Thu, 7 Feb 2008 20:20:37 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:13970

Updated content to include data from the February 5, 2008 "Tornado Outbreak"
in the mid-south. Damage photos and radar images of the storms that roared
thru
several southern states.

http://www.kf4dna.net

From -1422849937875422911
X-Google-Thread: 108122,2220d847cf82f8ac
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!

```
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Date: Thu, 07 Feb 2008 20:45:40 -0600
From: Tom Ring <news0004@taring.org>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Extreme WebPage
References: <U%Oqj.62884$k27.10119@bignews2.bellsouth.net>
In-Reply-To: <U%Oqj.62884$k27.10119@bignews2.bellsouth.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <47abc254$0$93277$8046368a@newsreader.iphouse.net>
Organization: ipHouse - Welcome Home!
NNTP-Posting-Date: 07 Feb 2008 20:45:40 CST
NNTP-Posting-Host: c3194fd5.newsreader.iphouse.net
X-Trace: DXC=om:XjHV]fl1?
jel4nC`9B7Vn\Tj8`^Bb;eHS>e[L>8305AeXIaoIha5WX@ab@3=d:0Zn2>YI<c?B>4MbM<4c3YN4
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13971

KF4DNA wrote:
> Updated content to include data from the February 5, 2008 "Tornado Outbreak"
> in the mid-south. Damage photos and radar images of the storms that roared
> thru
> several southern states.
>
> http://www.kf4dna.net
>
>

This "gentleman" is spamming several amateur radio newsgroups.  If this
bothers you contact

webmaster@bellsouth-hosting.net

and include his web address.

tom
K0TAR


From 2546443331348264041
X-Google-Thread: 108122,f064955a3764c6fe
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Date: Thu, 07 Feb 2008 20:52:49 -0600
From: Tom Ring <news0004@taring.org>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: WebPage
References: <TjNpj.65978$vt2.22523@bignews8.bellsouth.net>
In-Reply-To: <TjNpj.65978$vt2.22523@bignews8.bellsouth.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <47abc401$0$1121$8046368a@newsreader.iphouse.net>
Organization: ipHouse - Welcome Home!
NNTP-Posting-Date: 07 Feb 2008 20:52:49 CST
NNTP-Posting-Host: c3194fd5.newsreader.iphouse.net
X-Trace: DXC=9\l0VUEnb4JU4cQkTNBa1NUU[C:R=]MbJeHS>e[L>83@mfhc^l2W`?
G7NPdkIDho0MYnnC_@WbdAIj=bdAH3hJaI
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13972

KF4DNA wrote:
> This webpage is dedicated to Everything that can be called EXTREME !
>
> Skydiving, Storm Chasing, Rocketry, WebPage Resources and Amateur Radio
>
> There is also a huge collection of resources for webpage development and
> promotion.
>
> http://www.kf4dna.net
>
>
>
>

This "gentleman" is spamming several amateur radio newsgroups. If this
bothers you contact

webmaster@bellsouth-hosting.net

and include his web page address.

tom
K0TAR

From 8854874196219247831
X-Google-Thread: 108122,e1ce128b277ed7d6,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!not-for-
mail
From: "Steve W." <csr684NOT@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom F-3 Problems
Date: Thu, 07 Feb 2008 23:58:37 -0500
Organization: Aioe.org NNTP Server
Lines: 26

Message-ID: <fognh5$c82$1@aioe.org>
NNTP-Posting-Host: FBoEUEkKSt/L5WqVgg5ocg.user.aioe.org
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
User-Agent: Thunderbird 2.0.0.0 (Windows/20070326)
Xref: g2news1.google.com rec.radio.amateur.equipment:13973

Hello all, New to this newsgroup.
I have a bunch of Icom F-3S radios for our local FD. They work OK but we would like to be able to reprogram them for some new channels. The guy we were having work on them takes about 2 months to do anything and even then they are usually not correct. So I got tagged for it.
I found the software and the manuals online. Bought an OPC-478 cable. I have about 4 different PCs that I have tried it on so far. I tried the cable with WIN XP, Win ME, WIN 98. The cable I have is a USB unit and they included drivers so the machines all see the cable as port 2.
I have the same problem on all the machines. I start the program, set it to LMR, Port 2 and turn on the radio. Then I select the option to read the programming from the radio. The program seems to start and pops up a message on the bottom that says "wait a moment". Then it seems to stop doing anything.

So far I have tried changing the ports around, Tried 3 different radios and found a second software download as well. I have set the radios in Clone mode, normal operation mode and no change so far. Does anyone have an idea? I may build an OPC-478 cable and try using an RS-232 port on a DOS machine next.

Thanks for any help.

--
Steve W.
VHFD

From -5262776166227195657
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!aioe.org!not-for-mail
From: "Anonymous." <me@privacy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Fri, 8 Feb 2008 09:04:37 -0000
Organization: Aioe.org NNTP Server
Lines: 18
Message-ID: <foh637$kuh$1@aioe.org>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
<acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com> <fod4fl$7e2$1@aioe.org>
<0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com>
<foen2q$tlm$1@aioe.org> <1e5fd13a-

```
a131-401e-8835-64dfca54ac38@c4g2000hsg.googlegroups.com>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13974

"Andiroo" <a.richman@btinternet.com> wrote in message
news:1e5fd13a-a131-401e-8835-64dfca54ac38@c4g2000hsg.googlegroups.com...
On Feb 7, 10:38 am, "Anonymous." <m...@privacy.net> wrote:
> news:0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com...
> > >> I have just purchased a Howes DCRX receiver which works on 80m and
> > >> was
> > >> a kit made by CM Howes in the UK around the mid-1980s. Does anyone
> > >> know where i could find the instructions or does anyone have one of
> > >> these receivers?
> 1. Whereabouts in Britland are you?
> 2. Is your published email address true (It looks facetious)
M3ZLN.UK@googlemail.com  - South East

Sorry, OM, I am  fundamentally opposed to supporting
in any way the gangrenous degeneration that is the
McM3/CB Fools' Licence scheme.




From 4807084994010642125
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!v17g2000hsa.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Fri, 8 Feb 2008 08:21:04 -0800 (PST)
Organization: http://groups.google.com
Lines: 23
Message-ID: <acff38fd-0820-4812-81e8-f431c03f56e0@v17g2000hsa.googlegroups.com>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
     <acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com> <fod4fl$7e2$1@aioe.org>
     <0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com>
     <foen2q$tlm$1@aioe.org> <1e5fd13a-
a131-401e-8835-64dfca54ac38@c4g2000hsg.googlegroups.com>
     <foh637$kuh$1@aioe.org>
NNTP-Posting-Host: 217.150.112.99
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
```

```
X-Trace: posting.google.com 1202487665 16182 127.0.0.1 (8 Feb 2008 16:21:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Feb 2008 16:21:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v17g2000hsa.googlegroups.com; posting-host=217.150.112.99;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13975

On Feb 8, 9:04=A0am, "Anonymous." <m...@privacy.net> wrote:
> "Andiroo" <a.rich...@btinternet.com> wrote in message
>
> news:1e5fd13a-a131-401e-8835-64dfca54ac38@c4g2000hsg.googlegroups.com...
> On Feb 7, 10:38 am, "Anonymous." <m...@privacy.net> wrote:>news:0dc0b827-7=
4b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com...
> > > >> I have just purchased a Howes DCRX receiver which works on 80m and
> > > >> was
> > > >> a kit made by CM Howes in the UK around the mid-1980s. Does anyone
> > > >> know where i could find the instructions or does anyone have one of=

> > > >> these receivers?
> > 1. Whereabouts in Britland are you?
> > 2. Is your published email address true (It looks facetious)
>
> M3ZLN...@googlemail.com =A0- South East
>
> Sorry, OM, I am =A0fundamentally opposed to supporting
> in any way the gangrenous degeneration that is the
> McM3/CB Fools' Licence scheme.

Another one who would rather have silent airwaves than keep the hobby
alive. Well gangrenous is the word !


From 4233515627924598908
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!
194.134.4.77.MISMATCH!news2.euro.net!newsfeed.freenet.de!news.newsland.it!
aioe.org!not-for-mail
From: "Anonymous." <me@privacy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Fri, 8 Feb 2008 16:33:30 -0000
Organization: Aioe.org NNTP Server
Lines: 226
Message-ID: <foi08t$ch7$1@aioe.org>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
<acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com> <fod4fl$7e2$1@aioe.org>
<0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com>
```

<foen2q$tlm$1@aioe.org> <1e5fd13a-a131-401e-8835-64dfca54ac38@c4g2000hsg.googlegroups.com> <foh637$kuh$1@aioe.org>
<acff38fd-0820-4812-81e8-f431c03f56e0@v17g2000hsa.googlegroups.com>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13976

"Andiroo" <a.richman@btinternet.com> wrote in message
news:acff38fd-0820-4812-81e8-f431c03f56e0@v17g2000hsa.googlegroups.com...
On Feb 8, 9:04 am, "Anonymous." <m...@privacy.net> wrote:

> Sorry, OM, I am fundamentally opposed to supporting
> in any way the gangrenous degeneration that is the
> McM3/CB Fools' Licence scheme.

> Another one who would rather have silent airwaves than keep the hobby
> alive. Well gangrenous is the word !

CB Radio is a hobby. Radio Hammery is more than that; it's a whole-life technical pursuit. I append a short FAQ to assist you in understanding the difference .....

Q. How many exams do I have to pass to qualify as a Radio Ham?

A. 6. The Fools' Licence practical, the Fools' Licence exam, the Fools' Licence Morse "Appreciation", the Idiots' Licence practical, the Idiots' Licence exam and the Advanced exam.

-----ooooo-----

Q. Did all those who are set in place as my examiners have to pass 6 exams?

A. No. The person in charge, The Lead Instructor, Amateur Radio (L.I.A.R.) who exhorts you to tackle all 6 was either too lazy or too stupid, or both, himself to be able to tackle and then pass the 12 WPM Morse test that otherwise-unqualified self-taught 14-year-olds were taking in their stride, despite that he had 25+ years available to him.

The L.I.A.R. only passed one exam.

-----ooooo-----

Q. Why didn't the L.I.A.R. tackle the 12WPM Morse Test if he had so many years in which to do it?

A. He said that he was opposed to the use of a Morse Test to control access to the HF bands. That is, until a no-fail test was brought in, the Fools' Licence Morse Appreciation, that even he could not fail.

-----ooooo-----

Q. Surely the L.I.A.R. took out a licence issued under the gangrenous degeneration that is the M3/CB Fools' Licence scheme precisely because he was the leading light in that scheme?

A. No. When the second class men, the Class B licensees, were given access to the HF bands, the L.I.A.R let his M3/CB licence lapse. When challenged as to whether he had renewed his M3/CB Fools' Licence, he retorted "Why would I?"

-----ooooo-----

Q. Do all countries require you to pass 6 exams?

A. No. The RSCB provide a single-stage exam to be used in some countries.

-----ooooo-----

Q. Does that mean that the RSCB and its directors are criminals who are guilty of racism?

A. Yes.

-----ooooo-----

Q. If I am already professionally qualified, do I gain exemption from the lower levels?

A. No.

-----ooooo-----

Q. Why is this?

A. It is for the express purpose of filling the coffers of the RSCB.

-----ooooo-----

Q. Can I sit all the exams at one sitting?

A. No. You have to prove that you have passed all the practical exams before even being allowed to register for the later stages.

-----ooooo-----

Q. Is that rule applied across the board?

A. No. if you are a buddy of the RSCB, then you can arrange to sit all the exams in one day in advance even though you have not produced any evidence of having fulfilled the practical requirements.

-----ooooo-----

Q. Doesn't that mean that those who make the rules for these national exams break the very same rules?

A. Yes.

-----ooooo-----

Q. That stinks of corruption. Doesn't that mean that the RSCB and all its directors are criminals?

A. Yes.

-----ooooo-----

Q. What is Ham Radio?

A. Ham Radio is a technical pursuit for those who are interested in the science of radio wave propagation and who are also interested in the way that their radios function. It has a long-standing tradition of providing a source of engineers who are born naturals.

Ham Radio awakens in its aficionados a whole-life fascination with all things technical and gives an all-abiding curiosity to improve one's scientific knowledge. It's a great swimming pool, please dive in!

This excitement causes a wish to share the experience with ones fellow man, and shows itself in the gentlemanly traditions of Ham Radio.

Radio Hams are in a unique privileged position in that they can construct and operate their own equipment! No-one else has this privilege. Users, such as broadcasters, the po lice and armed farces, CBers and mobile phone users have to purchase ready-made gear. Manufacturers are not licensed to operate their gear. Radio Hams are qualified to design, build and then operate their own pieces of equipment. They do this with gusto, and also repair and modify their own equipment. This is a privilege well worth the effort to gain, and one to be jealously guarded.

The excitement that drives a Radio Ham starts with relatively simple technologies at first, perhaps making his own Wimshurst machine and primary cells. Small pieces of test equipment follow, possibly multimeters and signal generators. Then comes receivers and transmitters. It is with the latter that communication with like-minded technically motivated people takes off. The scope for technical development grows with the years and now encompasses DSP and DDS. There is also a great deal of excitement in the areas of computer programming to be learnt and applied.

The technical excitement motivates Radio Hams to compete with each other to determine who has designed and manufactured the best-quality station. This competitiveness is found in DXing, competitions and fox-hunts.

-----OOOOO----

However, beware! A Ham Radio licence is such a desirable thing to have that there are large numbers of people who wish to be thought of as Radio Hams when, in fact, they are nothing of the kind! Usually such people are a variation of the CB Radio hobbyist; they buy their radios off the shelf and send them back to be repaired; they are not interested in technical discussion and sneer at those who are; they have no idea how their radios work inside and have no wish to find out; they are free with rather silly personal insults.

-----ooooo-----

One infallible way to disambiguate the CB Radio Hobbyist from the _REAL_ Radio Ham is to solicit their view of the difference between CB Radio and Ham Radio. A Radio Ham will perceive Ham Radio to be a technical pursuit and will perceive CB Radio to be a social communications facility no different in essence to a land-line telephone or a GSM mobile in the hands of a 6-year-old. Thus a Radio Ham could also use a CB set safe in the knowledge that such use says no more about him than having a land-line telephone, whilst continuing to regard Ham Radio as a separate technical pursuit.

A CB Radio hobbyist, on the other hand, sees no difference between Ham Radio and CB Radio. To him, they are sisters-under-the-skin. Wrongly, the CB Radio Hobbyist then tries to classify himself as the equal of the Radio Ham when, in fact, he is nothing of the kind.

Ham Radio is not CB Radio and has no common ground with it! Ham Radio is _THE_ technical pursuit for gentlemen; CB Radio is the name for the operating hobby for those who buy their rigs and equipment off the shelf.

-----ooooo-----

If you are the sort of person who is motivated by a technical interest in how things work; if you took apart malfunctioning clocks, toasters and the like and put them right despite never having seen them working, then a Ham Radio licence is your traditional route! There has never been a shortage of such people, and those who gravitate towards such an interest have always been welcomed into our shacks and their interests fostered. There is not today, nor has there ever been, a need to go out and encourage and press children, children who have never expressed an interest in Ham Radio, to come into our shacks. Such an activity should cause eyebrows to be raised - what normal well-adjusted adults seek the social acquaintance of children?!

-----ooooo-----

Please remember that this FAQ is a _POSITIVE EXHORTATION_ to you to exert yourselves to join our fraternity!

```
From -5149151166636602514
X-Google-Thread: 108122,77c54d306fbad29c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM 735
Date: Fri, 08 Feb 2008 12:34:48 -0600
Message-ID: <4k7pq315d08guleg5onakguvogihms61cv@4ax.com>
References: <5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13977
```

On Wed, 6 Feb 2008 15:36:18 -0800 (PST), Frank <outdrquest@aol.com> wrote:

>I am new to ham radio.
>
>I was given an Icom 735.
>
>Set up radio per owners manual. Using a wire antenna (set up for
>10meters), an MFJ tuner.
>
>I am not getting any signals at all. Double checked all connections
>and set per manual again.
>
>I could use a few suggestions.

If you are getting no signals whatsoever on any frequency or band, there is a set of small trimmer capacitors that can go bad on the 735. I had mine replaced after about 20 years. Check some of the other bands. You should get some signals, somewhere. And, yes, ten meters is sorta dead right now -- we're at the bottom of the sunspot cycle. Other bands will have much more activity. You should be able to at least hear it, even with a ten meter antenna.

There is also a small battery in the 735 that may need replacing, altho' mine is still okay after all this time.

If you hunt around on the Icom web pages, you should be able to find one with common 735 problems.

bob
k5qwg

From 1140764244668677308
X-Google-Thread: 108122,f9ad4ace193ac657,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: MY ANTIQUE RADIOS
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <8k1rj.568458$kj1.477013@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 1c79465a859d8d5f27224b77e9220914
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1202495876
1c79465a859d8d5f27224b77e9220914 (Fri, 08 Feb 2008 18:37:56 GMT)
NNTP-Posting-Date: Fri, 08 Feb 2008 18:37:56 GMT
Organization: AT&T Worldnet

```
Date: Fri, 08 Feb 2008 18:37:56 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13978
```

Check this site for pictures of my antique radios in house at this time,
but several will be offered on Ebay in the next few months.
Tnx for looking:

www.facebook.com/album.php?aid=2000463&l=c8e18&id=1110063202

Heytubeguy

```
From 6260206030041197317
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!m34g2000hsf.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Fri, 8 Feb 2008 13:38:47 -0800 (PST)
Organization: http://groups.google.com
Lines: 228
Message-ID: <bd1c4c86-12cb-471e-88f6-1bb11549453a@m34g2000hsf.googlegroups.com>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
     <acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com> <fod4fl$7e2$1@aioe.org>
     <0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com>
     <foen2q$tlm$1@aioe.org> <1e5fd13a-
a131-401e-8835-64dfca54ac38@c4g2000hsg.googlegroups.com>
     <foh637$kuh$1@aioe.org> <acff38fd-0820-4812-81e8-
f431c03f56e0@v17g2000hsa.googlegroups.com>
     <foi08t$ch7$1@aioe.org>
NNTP-Posting-Host: 86.131.85.40
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202506728 24913 127.0.0.1 (8 Feb 2008 21:38:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Feb 2008 21:38:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m34g2000hsf.googlegroups.com; posting-host=86.131.85.40;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13979
```

On Feb 8, 4:33=A0pm, "Anonymous." <m...@privacy.net> wrote:
> "Andiroo" <a.rich...@btinternet.com> wrote in message
>

> news:acff38fd-0820-4812-81e8-f431c03f56e0@v17g2000hsa.googlegroups.com...
> On Feb 8, 9:04 am, "Anonymous." <m...@privacy.net> wrote:
>
> > Sorry, OM, I am fundamentally opposed to supporting
> > in any way the gangrenous degeneration that is the
> > McM3/CB Fools' Licence scheme.
> > Another one who would rather have silent airwaves than keep the hobby
> > alive. Well gangrenous is the word !
>
> CB Radio is a hobby. Radio Hammery is more than that; it's a whole-life
> technical pursuit. I append a short FAQ to assist you in understanding the=

> difference .....
>
> Q. How many exams do I have to pass to qualify as a Radio Ham?
>
> A. 6. The Fools' Licence practical, the Fools' Licence exam,
> the Fools' Licence Morse "Appreciation", the Idiots' Licence
> practical, the Idiots' Licence exam and the Advanced exam.
>
> -----ooooo-----
>
> Q. Did all those who are set in place as my examiners have to pass 6 exams=
?
>
> A. No. The person in charge, The Lead Instructor, Amateur Radio
> (L.I.A.R.) who exhorts you to tackle all 6 was either too lazy or
> too stupid, or both, himself to be able to tackle and then pass the 12 WPM=

> Morse
> test that otherwise-unqualified self-taught 14-year-olds were
> taking in their stride, despite that he had 25+ years available
> to him.
>
> The L.I.A.R. only passed one exam.
>
> -----ooooo-----
>
> Q. Why didn't the L.I.A.R. tackle the 12WPM Morse Test if he had so
> many years in which to do it?
>
> A. He said that he was opposed to the use of a Morse Test to control
> access to the HF bands. That is, until a no-fail test was brought
> in, the Fools' Licence Morse Appreciation, that even he could not fail.
>
> -----ooooo-----
>
> Q. Surely the L.I.A.R. took out a licence issued under the gangrenous
> degeneration that is the M3/CB Fools' Licence scheme precisely because
> he was the leading light in that scheme?
>
> A. No. When the second class men, the Class B licensees, were given access=

> to the HF bands, the L.I.A.R let his M3/CB licence lapse. When challenged
> as to whether he had renewed his M3/CB Fools' Licence, he retorted "Why
> would I?"
>
> -----ooooo-----
>
> Q. Do all countries require you to pass 6 exams?
>
> A. No. The RSCB provide a single-stage exam to be used in
> some countries.
>
> -----ooooo-----
>
> Q. Does that mean that the RSCB and its directors are criminals
> who are guilty of racism?
>
> A. Yes.
>
> -----ooooo-----
>
> Q. If I am already professionally qualified, do I gain exemption
> from the lower levels?
>
> A. No.
>
> -----ooooo-----
>
> Q. Why is this?
>
> A. It is for the express purpose of filling the coffers of the RSCB.
>
> -----ooooo-----
>
> Q. Can I sit all the exams at one sitting?
>
> A. No. You have to prove that you have passed all the practical
> exams before even being allowed to register for the later stages.
>
> -----ooooo-----
>
> Q. Is that rule applied across the board?
>
> A. No. if you are a buddy of the RSCB, then you can arrange to
> sit all the exams in one day in advance even though you have
> not produced any evidence of having fulfilled the practical
> requirements.
>
> -----ooooo-----
>
> Q. Doesn't that mean that those who make the rules for these
> national exams break the very same rules?
>
> A. Yes.

>
> -----ooooo-----
>
> Q. That stinks of corruption. Doesn't that mean that the RSCB
> and all its directors are criminals?
>
> A. Yes.
>
> -----ooooo-----
>
> Q. What is Ham Radio?
>
> A. Ham Radio is a technical pursuit for those who
> are interested in the science of radio wave
> propagation and who are also interested in the
> way that their radios function. It has a long-standing
> tradition of providing a source of engineers who
> are born naturals.
>
> Ham Radio awakens in its aficionados a whole-life
> fascination with all things technical and gives
> an all-abiding curiosity to improve one's scientific
> knowledge. It's a great swimming pool, please dive in!
>
> This excitement causes a wish to share the experience
> with ones fellow man, and shows itself in the
> gentlemanly traditions of Ham Radio.
>
> Radio Hams are in a unique privileged position in that
> they can construct and operate their own equipment! No-one
> else has this privilege. Users, such as broadcasters,
> the po lice and armed farces, CBers and mobile phone
> users have to purchase ready-made gear. Manufacturers
> are not licensed to operate their gear. Radio Hams
> are qualified to design, build and then
> operate their own pieces of equipment. They do this
> with gusto, and also repair and modify their own
> equipment. This is a privilege well worth the effort
> to gain, and one to be jealously guarded.
>
> The excitement that drives a Radio Ham starts with
> relatively simple technologies at first, perhaps making
> his own Wimshurst machine and primary cells. Small pieces
> of test equipment follow, possibly multimeters and signal
> generators. Then comes receivers and transmitters. It is with
> the latter that communication with like-minded technically
> motivated people takes off. The scope for technical
> development grows with the years and now encompasses DSP
> and DDS. There is also a great deal
> of excitement in the areas of computer programming to
> be learnt and applied.
>
> The technical excitement motivates Radio Hams to compete

> with each other to determine who has designed and manufactured
> the best-quality station. This competitiveness is found in DXing,
> competitions and fox-hunts.
>
> -----OOOOO----
>
> However, beware! A Ham Radio licence is such a
> desirable thing to have that there are large
> numbers of people who wish to be thought of
> as Radio Hams when, in fact, they are nothing
> of the kind! Usually such people are a
> variation of the CB Radio hobbyist; they buy their
> radios off the shelf and send them back to be
> repaired; they are not interested in technical discussion
> and sneer at those who are; they have no idea how
> their radios work inside and have no wish to find out;
> they are free with rather silly personal insults.
>
> -----ooooo-----
>
> One infallible way to disambiguate the CB Radio Hobbyist
> from the _REAL_ Radio Ham is to solicit their view of the
> difference between CB Radio and Ham Radio. A Radio Ham will
> perceive Ham Radio to be a technical pursuit and will
> perceive CB Radio to be a social communications facility
> no different in essence to a land-line telephone or a
> GSM mobile in the hands of a 6-year-old. Thus a Radio Ham
> could also use a CB set safe in the knowledge that
> such use says no more about him than having a land-line
> telephone, whilst continuing to regard Ham Radio as a separate
> technical pursuit.
>
> A CB Radio hobbyist, on the other hand, sees no difference between
> Ham Radio and CB Radio. To him, they are
> sisters-under-the-skin. Wrongly, the CB Radio Hobbyist then
> tries to classify himself as the equal of the Radio
> Ham when, in fact, he is nothing of the kind.
>
> Ham Radio is not CB Radio and has no common ground with it!
> Ham Radio is _THE_ technical pursuit for gentlemen; CB Radio
> is the name for the operating hobby for those who buy their
> rigs and equipment off the shelf.
>
> -----ooooo-----
>
> If you are the sort of person who is motivated by
> a technical interest in how things work; if you took apart
> malfunctioning clocks, toasters and the like and put them
> right despite never having seen them working, then
> a Ham Radio licence is your traditional route! There has
> never =A0been a shortage of such people, and those who gravitate
> towards such an interest have always been welcomed into
> our shacks and their interests fostered. There is not today,

> nor has there ever been, a need to go out and encourage
> and press children, children who have never expressed an
> interest in Ham Radio, to come into our shacks. Such an
> activity should cause eyebrows to be raised - what
> normal well-adjusted adults seek the social acquaintance
> of children?!
>
> -----ooooo-----
>
> Please remember that this FAQ is a _POSITIVE EXHORTATION_
> to you to exert yourselves to join our fraternity!

YAWN..

```
From -2203304926680869452
X-Google-Thread: 108122,6b3e15c54b779f43,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b2g2000hsg.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Heathkit Mohican Receiver Manual or Schematics
Date: Fri, 8 Feb 2008 13:49:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <7351b7d4-2f77-4922-9fef-a03bbb65250b@b2g2000hsg.googlegroups.com>
NNTP-Posting-Host: 86.131.85.40
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202507354 26261 127.0.0.1 (8 Feb 2008 21:49:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Feb 2008 21:49:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b2g2000hsg.googlegroups.com; posting-host=86.131.85.40;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13980
```

Hi

Does anyone have a scan or a pdf of the manual, assembly manual or schematic for the Heathkit Mohican from the mid '60s.

Thanks

Andy

```
From -3933107937302213634
X-Google-Thread: 108122,77c54d306fbad29c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!p69g2000hsa.googlegroups.com!not-for-
mail
From: ve3wej <ve3wej@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM 735
Date: Fri, 8 Feb 2008 14:22:17 -0800 (PST)
Organization: http://groups.google.com
Lines: 16
Message-ID: <deca3d9f-2dc0-4765-97e0-06d2fbe7bef5@p69g2000hsa.googlegroups.com>
References: <5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 72.38.213.249
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202509338 22119 127.0.0.1 (8 Feb 2008 22:22:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Feb 2008 22:22:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p69g2000hsa.googlegroups.com; posting-host=72.38.213.249;
     posting-account=K-EArQoAAACJGDU06JLFWLr_KxqJ82MP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13981
```

On Feb 6, 6:36=A0pm, Frank <outdrqu...@aol.com> wrote:

> I am new to ham radio.
>
> I was given an Icom 735.
>
> Set up radio per owners manual. =A0Using a wire antenna (set up for
> 10meters), an MFJ tuner.
>
> I am not getting any signals at all. =A0Double checked all connections
> and set per manual again.
>
> I could use a few suggestions.

check online for beacons near your area. you might!!! be able hear
them.. maybe you could take the radio to a neighboring ham to test on
other bands. it may just be condition

```
From 6685220977462162417
X-Google-Thread: 108122,f9ad4ace193ac657
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!l1g2000hsa.googlegroups.com!not-for-
mail
From: jackfsanders@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MY ANTIQUE RADIOS
Date: Fri, 8 Feb 2008 15:06:17 -0800 (PST)
Organization: http://groups.google.com
Lines: 14
Message-ID: <050cfd7e-ce04-43e6-a859-c2239524435f@l1g2000hsa.googlegroups.com>
References: <8k1rj.568458$kj1.477013@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 76.255.11.148
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202511977 30064 127.0.0.1 (8 Feb 2008 23:06:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Feb 2008 23:06:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l1g2000hsa.googlegroups.com; posting-host=76.255.11.148;
     posting-account=-e_ClQoAAAAPXPFVem0yyGovCkpX5lp4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13982

What a wonderful collection of old gear! Thank you for sharing those
wonderful photos!
=Jack, K1IFJ


On Feb 8, 1:37 pm, "Heytubeguy" <heytube...@worldnet.att.net> wrote:
> Check this site for pictures of my antique radios in house at this time,
> but several will be offered on Ebay in the next few months.
> Tnx for looking:
>
> www.facebook.com/album.php?aid=2000463&l=c8e18&id=1110063202
>
> Heytubeguy




From -8204630841689604494
X-Google-Thread: 108122,6b3e15c54b779f43
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe15.lga.POSTED!53ab2750!not-for-mail
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <7351b7d4-2f77-4922-9fef-a03bbb65250b@b2g2000hsg.googlegroups.com>
In-Reply-To: <7351b7d4-2f77-4922-9fef-a03bbb65250b@b2g2000hsg.googlegroups.com>
```

Subject: Re: Heathkit Mohican Receiver Manual or Schematics
Lines: 12
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <JB8rj.39076$Ft5.19312@newsfe15.lga>
Date: Fri, 8 Feb 2008 20:54:28 -0600
NNTP-Posting-Host: 74.195.53.175
X-Complaints-To: abuse@suddenlink.net
X-Trace: newsfe15.lga 1202525673 74.195.53.175 (Fri, 08 Feb 2008 19:54:33 MST)
NNTP-Posting-Date: Fri, 08 Feb 2008 19:54:33 MST
Organization: Suddenlink
Xref: g2news1.google.com rec.radio.amateur.equipment:13983

"Andiroo" <a.richman@btinternet.com> wrote in message
news:7351b7d4-2f77-4922-9fef-a03bbb65250b@b2g2000hsg.googlegroups.com...
> Hi
> Does anyone have a scan or a pdf of the manual, assembly manual or
> schematic for the Heathkit Mohican from the mid '60s.
> Thanks
> Andy

Try here: <http://bama.sbc.edu/heath.htm>

Glenn AA5PK

From 3159459365753866553
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!not-for-mail
From: "Anonymous." <me@privacy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Sat, 9 Feb 2008 07:41:11 -0000
Organization: Aioe.org NNTP Server
Lines: 38
Message-ID: <fojlen$ehr$1@aioe.org>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
<acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com> <fod4fl$7e2$1@aioe.org>
<0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com>
<foen2q$tlm$1@aioe.org> <1e5fd13a-

```
a131-401e-8835-64dfca54ac38@c4g2000hsg.googlegroups.com> <foh637$kuh$1@aioe.org>
<acff38fd-0820-4812-81e8-f431c03f56e0@v17g2000hsa.googlegroups.com>
<foi08t$ch7$1@aioe.org>
<bd1c4c86-12cb-471e-88f6-1bb11549453a@m34g2000hsf.googlegroups.com>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13984

"Andiroo" <a.richman@btinternet.com> wrote in message
news:bd1c4c86-12cb-471e-88f6-1bb11549453a@m34g2000hsf.googlegroups.com...
On Feb 8, 4:33 pm, "Anonymous." <m...@privacy.net> wrote:
> "Andiroo" <a.rich...@btinternet.com> wrote in message
>
> news:acff38fd-0820-4812-81e8-f431c03f56e0@v17g2000hsa.googlegroups.com...
> On Feb 8, 9:04 am, "Anonymous." <m...@privacy.net> wrote:
> > Sorry, OM, I am fundamentally opposed to supporting
> > in any way the gangrenous degeneration that is the
> > McM3/CB Fools' Licence scheme.
> > Another one who would rather have silent airwaves than keep the hobby
> > alive. Well gangrenous is the word !
> CB Radio is a hobby. Radio Hammery is more than that; it's a whole-life
> technical pursuit. I append a short FAQ to assist you in understanding the
> difference .....
> -----ooooo-----
> Q. What is Ham Radio?
> A. Ham Radio is a technical pursuit for those who
> are interested in the science of radio wave
> propagation and who are also interested in the
> way that their radios function. It has a long-standing
> tradition of providing a source of engineers who
> are born naturals.
> YAWN..

When you remove the brain from a CBer, what then appears to be
a yawn is really the empty skull trying to suck back in some form of the
missing intelligence.

Those who hold, or have ever held, or are candidates for, or will
never achieve despite an interest going back decades, a licence issued
under the gangrenous degeneration that is the McM3/CB Fools' Licence
scheme will never make it into the ranks of _REAL_ Radio Hams with
their gentlemanly and technical traditions.

Your attitude proves this.
```

```
From -4919958884815593231
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!q21g2000hsa.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Sat, 9 Feb 2008 00:47:53 -0800 (PST)
Organization: http://groups.google.com
Lines: 49
Message-ID: <8c9aff4a-0365-4479-97a5-306cc97ee79b@q21g2000hsa.googlegroups.com>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
     <acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com> <fod4fl$7e2$1@aioe.org>
     <0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com>
     <foen2q$tlm$1@aioe.org> <1e5fd13a-
a131-401e-8835-64dfca54ac38@c4g2000hsg.googlegroups.com>
     <foh637$kuh$1@aioe.org> <acff38fd-0820-4812-81e8-
f431c03f56e0@v17g2000hsa.googlegroups.com>
     <foi08t$ch7$1@aioe.org>
<bd1c4c86-12cb-471e-88f6-1bb11549453a@m34g2000hsf.googlegroups.com>
     <fojlen$ehr$1@aioe.org>
NNTP-Posting-Host: 86.131.85.40
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202546873 32488 127.0.0.1 (9 Feb 2008 08:47:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Feb 2008 08:47:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q21g2000hsa.googlegroups.com; posting-host=86.131.85.40;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13985

On Feb 9, 7:41=A0am, "Anonymous." <m...@privacy.net> wrote:
> "Andiroo" <a.rich...@btinternet.com> wrote in message
>
> news:bd1c4c86-12cb-471e-88f6-1bb11549453a@m34g2000hsf.googlegroups.com...
> On Feb 8, 4:33 pm, "Anonymous." <m...@privacy.net> wrote:
>
>
>
>
>
> > "Andiroo" <a.rich...@btinternet.com> wrote in message
>
> >news:acff38fd-0820-4812-81e8-f431c03f56e0@v17g2000hsa.googlegroups.com...=

> > On Feb 8, 9:04 am, "Anonymous." <m...@privacy.net> wrote:
```

> > > Sorry, OM, I am fundamentally opposed to supporting
> > > in any way the gangrenous degeneration that is the
> > > McM3/CB Fools' Licence scheme.
> > > Another one who would rather have silent airwaves than keep the hobby
> > > alive. Well gangrenous is the word !
> > CB Radio is a hobby. Radio Hammery is more than that; it's a whole-life
> > technical pursuit. I append a short FAQ to assist you in understanding t=
he
> > difference .....
> > -----ooooo-----
> > Q. What is Ham Radio?
> > A. Ham Radio is a technical pursuit for those who
> > are interested in the science of radio wave
> > propagation and who are also interested in the
> > way that their radios function. It has a long-standing
> > tradition of providing a source of engineers who
> > are born naturals.
> > YAWN..
>
> When you remove the brain from a CBer, what then appears to be
> a yawn is really the empty skull trying to suck back in some form of the
> missing intelligence.
>
> Those who hold, or have ever held, or are candidates for, or will
> never achieve despite an interest going back decades, a licence issued
> under the gangrenous degeneration that is the McM3/CB Fools' Licence
> scheme will never make it into the ranks of _REAL_ Radio Hams with
> their gentlemanly and technical traditions.
>
> Your attitude proves this.- Hide quoted text -
>
> - Show quoted text -

I doff my hat to your 'gentlemanly' wisdom.....

From -3090832151255846193
X-Google-Thread: 108122,6e8b7b47606d9c86
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 09 Feb 2008 13:41:19 -0600
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <ljakq39nrfbsqsnhvq8vpsar7gd4nqomep@4ax.com>
Subject: Re: FS "Parts" HeathKit SSB Marauder HX-10
Date: Sat, 9 Feb 2008 13:41:17 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3205

X-RFC2646: Format=Flowed; Original
Message-ID: <RoWdnZPWlItCnDPanZ2dnUVZ_j-dnZ2d@comcast.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-hBla6y+7MPZaxskvnVxOjuJNp7ImtzBn1jqnPWGTw1xkPrH1rbnXJZa+d9vOP+xZy/
G+DYjHr0PJWr2!8OF6MQ31lyjVXYQlVtM/IRlpcuJfdOOKh7/
xGlWvyBl4T6HYh7YRFBbYzbZmJJjPxRV7UKsGvKH0!rK2FhVugkRfIG2DTmdWd5O060v9yIA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13986

"Sonny Hood" <wrhood@cox.net> wrote in message
news:ljakq39nrfbsqsnhvq8vpsar7gd4nqomep@4ax.com...
> Old rusty cabinet, knobs have corrosion, missing HV transformer &
> 5U4's. It has heterodyne crystals and SSB filter. Good for parts or a
> real heck of a restoration project. Too heavy to ship whole from
> 23323. Contact k4wys@cox.net

Sonny -

Definitely a candidate for restoration is the HV transformer is the only
item missing,
other than a 1 or 2 tubes.

Look at this 2004 restoration of a Heath kit HX-10
Murray State University (KY)!!!
K4QKY and KJ4W
http://campus.murraystate.edu/org/msuarc/marauder.htm

Transformer, # C54-113...$10.00
http://tubes_tubes_tubes.tripod.com/id88.html

gb

From -6886061214961049154
X-Google-Thread: 108122,77c54d306fbad29c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
m34g2000hsf.googlegroups.com!not-for-mail
From: DaveLG <RJTechnology@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM 735
Date: Sun, 10 Feb 2008 11:06:23 -0800 (PST)
Organization: http://groups.google.com

```
Lines: 14
Message-ID: <590a9ce9-38da-43bb-a4b5-80f0b966f9c5@m34g2000hsf.googlegroups.com>
References: <5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 71.116.80.127
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202670383 16170 127.0.0.1 (10 Feb 2008 19:06:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Feb 2008 19:06:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m34g2000hsf.googlegroups.com; posting-host=71.116.80.127;
     posting-account=xtv39woAAAAp-DjFpidASLGe0yN4UwRT
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.12)
     Gecko/20080201 Firefox/2.0.0.12,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13987

On Feb 6, 3:36 pm, Frank <outdrqu...@aol.com> wrote:
> I am new to ham radio.
>
> I was given an Icom 735.
>
> Set up radio per owners manual.  Using a wire antenna (set up for
> 10meters), an MFJ tuner.
>
> I am not getting any signals at all.  Double checked all connections
> and set per manual again.
>
> I could use a few suggestions.

Check out the WWV time signals. The 10MHz signal is pretty powerful


From -7617563438344350915
X-Google-Thread: 108122,77c54d306fbad29c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Feb 2008 16:44:50 -0600
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: rec.radio.amateur.equipment
References: <5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com>
<590a9ce9-38da-43bb-a4b5-80f0b966f9c5@m34g2000hsf.googlegroups.com>
Subject: Re: ICOM 735
Date: Sun, 10 Feb 2008 17:44:49 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <j7edndOioOX_4zLanZ2dnUVZ_g2dnZ2d@comcast.com>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.199.227.60
X-Trace: sv3-xlkjTUBybE2rZxccq222ikhpU9Y+oihKBUXz5QrVh/
PwoHiP4F2ojJbrgvPKCmpJgtgPy8ni+7dK2sg!woz55stkBzCLox0Uf+zihSKqG/
InkHhgYhja1vHY+dvBx3s17vK3fJEuiQmGhSfvRZLmQoXvLcOk!
MMs2I1uKpF7l5vIy6zBQhJkJ+LlCwg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13988

"DaveLG" <RJTechnology@gmail.com> wrote in message
news:590a9ce9-38da-43bb-a4b5-80f0b966f9c5@m34g2000hsf.googlegroups.com...
> On Feb 6, 3:36 pm, Frank <outdrqu...@aol.com> wrote:
>> I am new to ham radio.
>>
>> I was given an Icom 735.
>>
>> Set up radio per owners manual. Using a wire antenna (set up for
>> 10meters), an MFJ tuner.
>>
>> I am not getting any signals at all. Double checked all connections
>> and set per manual again.
>>
>> I could use a few suggestions.
>
> Check out the WWV time signals. The 10MHz signal is pretty powerful

Do you have, or can you borrow, a signal generator that covers the band(s)
you're trying to receive? If so, connect the generator to the antenna connector
on the radio, tune both to an in-band frequency, and see if the receiver works.
Could be that the radio had problems... that's why it was given away.

--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

"In theory, there isn't any difference between theory and practice. In
practice, there is." - Yogi Berra

From -8267942439332583842

```
X-Google-Thread: 108122,f3f699f2030dab8a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Dennis A. Homerick" <DHomerick@neo.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Packet equipment FS
Date: Sun, 10 Feb 2008 19:04:50 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 14
Message-ID: <47af913d$0$22820$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 71.64.127.148
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13989
```

Hello:

1)   I have for sale (3) Uniden AMU080 UHF
 radios. Great for high speed packet.

2) Two DRSI Packet AdApter PC cards with at least (1) extra TCM3505 modem chip, looking for the other two 3505's now.

3) If you need transformers or chokes drop me a line, I have many. House cleaning for my children? HIHI

Dennis, w8nw

```
From -4386426178832272471
X-Google-Thread: 108228,f8dfa75a136d1f40
X-Google-Thread: 10ed5f,f8dfa75a136d1f40
X-Google-Thread: fb049,f8dfa75a136d1f40
X-Google-Thread: 108122,f8dfa75a136d1f40
X-Google-Attributes: gid108228,gid10ed5f,gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!s37g2000prg.googlegroups.com!not-for-
mail
From: rickylupe@msn.com
Newsgroups: alt.ham-radio.marketplace, alt.ham-radio, alt.ham-radio.vhf-uhf,
     rec.radio.amateur.equipment
Subject: Re: eBay's most-watched Ham Radio Equipment
Date: Sun, 10 Feb 2008 18:38:30 -0800 (PST)
Organization: http://groups.google.com
```

```
Lines: 4
Message-ID: <8eaec63f-1b45-4c65-a2eb-dc61fa7b8025@s37g2000prg.googlegroups.com>
References: <b9150d23fd898453dc997eaccc00e167@pseudo.borked.net>
NNTP-Posting-Host: 71.103.177.170
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202697510 27353 127.0.0.1 (11 Feb 2008 02:38:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Feb 2008 02:38:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s37g2000prg.googlegroups.com; posting-host=71.103.177.170;
     posting-account=ZjgVJQoAAAA6zuCGIPs7EDwECG7736Zb
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; MSN 9.0;MSN 9.1; MSNbVZ02; MSNmen-us; MSNcOTH),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.marketplace:3600 alt.ham-radio:3224
alt.ham-radio.vhf-uhf:6655 rec.radio.amateur.equipment:13990

On Jan 16, 6:30=A0am, Ted <nob...@pseudo.borked.net> wrote:
> http://xrl.us/HamRadioEqp

http://ebays-most-watched.com/



From -7027263252699490062
X-Google-Thread: 108228,f8dfa75a136d1f40
X-Google-Thread: 10ed5f,f8dfa75a136d1f40
X-Google-Thread: fb049,f8dfa75a136d1f40
X-Google-Thread: 108122,f8dfa75a136d1f40
X-Google-Attributes: gid108228,gid10ed5f,gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!y5g2000hsf.googlegroups.com!not-for-
mail
From: rickylupe@msn.com
Newsgroups: alt.ham-radio.marketplace, alt.ham-radio, alt.ham-radio.vhf-uhf,
     rec.radio.amateur.equipment
Subject: Re: eBay's most-watched Ham Radio Equipment
Date: Sun, 10 Feb 2008 18:38:46 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <93117d20-e77a-4cf2-9bdc-e49ef88ea82d@y5g2000hsf.googlegroups.com>
References: <b9150d23fd898453dc997eaccc00e167@pseudo.borked.net>
     <478e3121$0$30674$4c368faf@roadrunner.com>
NNTP-Posting-Host: 71.103.177.170
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202697527 13902 127.0.0.1 (11 Feb 2008 02:38:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Feb 2008 02:38:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y5g2000hsf.googlegroups.com; posting-host=71.103.177.170;
```

```
     posting-account=ZjgVJQoAAAA6zuCGIPs7EDwECG7736Zb
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; MSN 9.0;MSN 9.1; MSNbVZ02; MSNmen-us; MSNcOTH),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.marketplace:3601 alt.ham-radio:3225
alt.ham-radio.vhf-uhf:6656 rec.radio.amateur.equipment:13991

On Jan 16, 8:30=A0am, Mike <kc2...@arrl.net> wrote:
> =A0 =A0 =A0 =A0 Why not just go to eBay? =A0These cryptic links are phishy=
.
>
>
>
> Ted wrote:
> >http://xrl.us/HamRadioEqp- Hide quoted text -
>
> - Show quoted text -
http://ebays-most-watched.com/



From -8021485340054224792
X-Google-Thread: 108228,f8dfa75a136d1f40
X-Google-Thread: 10ed5f,f8dfa75a136d1f40
X-Google-Thread: fb049,f8dfa75a136d1f40
X-Google-Thread: 108122,f8dfa75a136d1f40
X-Google-Attributes: gid108228,gid10ed5f,gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!l16g2000hsh.googlegroups.com!not-for-
mail
From: rickylupe@msn.com
Newsgroups: alt.ham-radio.marketplace, alt.ham-radio, alt.ham-radio.vhf-uhf,
     rec.radio.amateur.equipment
Subject: Re: eBay's most-watched Ham Radio Equipment
Date: Sun, 10 Feb 2008 18:40:17 -0800 (PST)
Organization: http://groups.google.com
Lines: 22
Message-ID: <2e2d775e-7451-44f2-979c-07db7106162c@l16g2000hsh.googlegroups.com>
References: <b9150d23fd898453dc997eaccc00e167@pseudo.borked.net>
     <478e3121$0$30674$4c368faf@roadrunner.com>
<478e8710$0$30693$4c368faf@roadrunner.com>
     <478ebeb2$0$1239$ecde5a14@news.coretel.net>
NNTP-Posting-Host: 71.103.177.170
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202697617 14064 127.0.0.1 (11 Feb 2008 02:40:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Feb 2008 02:40:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l16g2000hsh.googlegroups.com; posting-host=71.103.177.170;
     posting-account=ZjgVJQoAAAA6zuCGIPs7EDwECG7736Zb
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; MSN 9.0;MSN 9.1; MSNbVZ02; MSNmen-us; MSNcOTH),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com alt.ham-radio.marketplace:3602 alt.ham-radio:3226
alt.ham-radio.vhf-uhf:6657 rec.radio.amateur.equipment:13992

On Jan 16, 6:34=A0pm, "radiosrfun" <radiosr...@radiosrfun.com> wrote:
> "Pat" <W2...@arrl.net> wrote in message
>
> news:478e8710$0$30693$4c368faf@roadrunner.com...
>
> >I don't trust that phishey stuff either.
>
> > "Mike" <kc2...@arrl.net> wrote in message
> >news:478e3121$0$30674$4c368faf@roadrunner.com...
> >> Why not just go to eBay? =A0These cryptic links are phishy.
>
> >> Ted wrote:
> >>>http://xrl.us/HamRadioEqp
>
> If you're interested in "whatever" - it is much safer - to go to Ebay and
> punch in for example - 2 meter radio OR CB radio or whatever it is you're
> looking for. That way you know you're in their site - not some suspicious
> one. It might take a minute longer - but it is well worth the wait - inste=
ad
> of possibly handing out your financial future to some ass hole.

http://ebays-most-watched.com/


From -1340143366668983950
X-Google-Thread: 108122,77c54d306fbad29c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!fd24bd7a!
not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM 735
References: <5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com>
<590a9ce9-38da-43bb-a4b5-80f0b966f9c5@m34g2000hsf.googlegroups.com>
In-Reply-To: <590a9ce9-38da-43bb-a4b5-80f0b966f9c5@m34g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <idYrj.3844$Sa1.1323@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956446f3631ec51d5f48dcae6713b519a7aece69315d6f38e7a024d20fb774d855839
84e8a9789ec757c0122675b05dff31e90fb01e70475898aff60cbe398d8d49abce8208345b784feb27
```

```
cb5bb2fb44bd73aadc15ca8eb2199c322597f346a4a1c4332032db7bfc01eef6a10b415ae84331c27f
671eafeff4
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Mon, 11 Feb 2008 13:38:22 UTC
Date: Mon, 11 Feb 2008 13:38:22 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13993

DaveLG wrote:
> On Feb 6, 3:36 pm, Frank <outdrqu...@aol.com> wrote:
>
>>I am new to ham radio.
>>
>>I was given an Icom 735.
>>
>>Set up radio per owners manual.  Using a wire antenna (set up for
>>10meters), an MFJ tuner.
>>
>>I am not getting any signals at all.  Double checked all connections
>>and set per manual again.
>>
>>I could use a few suggestions.
>
>
> Check out the WWV time signals. The 10MHz signal is pretty powerful

Seconded, and try receiving without the tuner in line, just stick the
wire in the center of the antenna connector, making certain it doesn't
short to the ground, and do it with the radio on, there should be a jump
in the noise level when you make contact.

Let us know what happens!
- Galen, W8LNA




From 3217805982238714471
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 11 Feb 2008 07:41:38 -0600
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
Emergencies.
From: "William O'Hara" <whoohara@yahoo.com>
```

References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
Organization: William H. O'Hara, III
Message-ID: <Xns9A4158750B46BKB1IUB223223n1eyLOCK@216.196.97.136>
Followup-To: poster
User-Agent: Xnews/5.04.25
Date: Mon, 11 Feb 2008 07:41:38 -0600
Lines: 47
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 75.67.2.30
X-Trace: sv3-
mb2lGe8bOCAUnBqBwOrm3dttpYECSFZpb9TzWhtlXA8xZ5FYBpyBhCJhwwTLTOa0gkiL4jbgV1tq8KB!
G1e81mWaopxLcjdSJleuDBkf0N4hfUs+JkeSnHAprG25NtSWcE5791Uwx4p+J7Ia7+f1zYRFr6UW!
kXgGRMroL9RMud+EHIxqGLYzeDiZo2lW79s=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.antenna:54675 rec.radio.amateur.digital.misc:1049 rec.radio.amateur.equipment:13994 rec.radio.amateur.misc:43247

I would like to point out as a former Assistant RACES Officer for a local community in Massachusetts, that Mr. Romney is absolutely correct.

The current EMA-ARRL structure co-exists with the STATE RACES Officer and going nothing.

ARES has nets that do NOTHING. RACES does nothing. 85% of the communities south of Boston do not have any active participation in the RACES drills.

One of the studio engineers was a ham and threw out the question to Jacobsen as something to hit Mr. Romney.

Frankly, MEMA is much better organized than everyone would think. A total communications melt-down is impossible in Massachusetts due to MEMA, SP and SG preparations. The Air Wing is ready to roll out portable towers for cell phones. The SP has several rolling CC and backup towers for the 800 Mhz system. Each town has the 800 Mhz radios provided by the state.

Just so you know that some of those guys actually doing things are HAMs. They learned by being hams. Yet, we don't need hams as a massive fodder to materialize for the day of rescue. I would like to think Mr. Romney is right about this as we are paying our TAX DOLLARS for service!

"laborkei" <laborkeiNOSPAM@hotmail.com> wrote in news:I6sjj.51910$Mu4.41373@bignews7.bellsouth.net:

> Attention all Amateur Operators.
> Please Read, and send your comments to the ARRL and Romney Website.

```
>
>
> Wednesday 16 November 2005  @ 15:48:10 | Eastern Massachusetts ARRL
> Romney 'Disses' Amateur Radio  In
> Televised Town Meeting Posted on Wednesday16 November 2005 @  15:48:10







--
---
William O'Hara
www.N1ey.com - Amateur Radio and Railfan Blog
www.yahoogroups.com/group/illinoiscentral - premier discussion list re:
ICRR



From -2167163641768926330
X-Google-Thread: 108122,77c54d306fbad29c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews4.bellsouth.net.POSTED!baefb1e5!not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com>
<590a9ce9-38da-43bb-a4b5-80f0b966f9c5@m34g2000hsf.googlegroups.com>
<idYrj.3844$Sa1.1323@news02.roc.ny>
Subject: Re: ICOM 735
Lines: 49
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <cPYrj.79124$_m.9840@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbofkllecgjlhlcmghkpohemacbphcocjhaif
eckepfagppmljiflpahpnmodomkalijamnjkpjmfbadfacbkecleondcohkinkaenoggmapnngflle
NNTP-Posting-Date: Mon, 11 Feb 2008 09:18:48 EST
Organization: BellSouth Internet Group
Date: Mon, 11 Feb 2008 09:18:52 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13995


"gwatts" <gwatts@frontiernet.net> wrote in message
```

news:idYrj.3844$Sa1.1323@news02.roc.ny...
> DaveLG wrote:
>> On Feb 6, 3:36 pm, Frank <outdrqu...@aol.com> wrote:
>>
>>>I am new to ham radio.
>>>
>>>I was given an Icom 735.
>>>
>>>Set up radio per owners manual. Using a wire antenna (set up for
>>>10meters), an MFJ tuner.
>>>
>>>I am not getting any signals at all. Double checked all connections
>>>and set per manual again.
>>>
>>>I could use a few suggestions.
>>
>>
>> Check out the WWV time signals. The 10MHz signal is pretty powerful
>
> Seconded, and try receiving without the tuner in line, just stick the wire
> in the center of the antenna connector, making certain it doesn't short to
> the ground, and do it with the radio on, there should be a jump in the
> noise level when you make contact.
>
> Let us know what happens!
> - Galen, W8LNA
>

I worked part time for a ham dealership back in the mid eighties. You would be surprised (or maybe not), how many veteran hams would occasionally bring back a radio as defective when all that was wrong was that the RF gain was turned all the way down. Seriously. These hams had forgotten more about amateur radio than I would probably ever know. But new equipment, etc., can throw you a curve ball some times.

Look at the obvious stuff first. If you don't know what is obvious, give the ham club representative in your area a call. I'm sure that they will be glad to help. I hope you solve the problem before all of that becomes necessary.

Ed, NM2K

From -1903132810281290071
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077

```
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
l16g2000hsh.googlegroups.com!not-for-mail
From: an old friend <kb9rqz@yahoo.com>
Newsgroups: rec.radio.amateur.antenna, rec.radio.amateur.digital.misc,
     rec.radio.amateur.equipment, rec.radio.amateur.misc
Subject: get kelp
Date: Mon, 11 Feb 2008 08:39:04 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <9d1baf71-fbc4-4166-8a3e-237c0f553030@l16g2000hsh.googlegroups.com>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
     <4792D5DB.1080009@fuse.net> <D0Hkj.36804$JD.21672@newssvr21.news.prodigy.net>
     <you-E2E0B6.10074020012008@netnews.worldnet.att.net>
<PrPkj.40757$Pv2.26531@newssvr23.news.prodigy.net>
NNTP-Posting-Host: 69.19.14.21
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202747945 5973 127.0.0.1 (11 Feb 2008 16:39:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Feb 2008 16:39:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l16g2000hsh.googlegroups.com; posting-host=69.19.14.21;
     posting-account=KMtInQoAAADyqpyVogjjHvJnhcPWkrRh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:54685
rec.radio.amateur.digital.misc:1050 rec.radio.amateur.equipment:13996
rec.radio.amateur.misc:43248
```

On Jan 20, 4:55=A0pm, Carter-k8vt <k...@ameritech.net> wrote:

> Well, because he never retracted the statement. Presumably then, these
> are STILL his feelings towards hams.

please try to grow up the former goov is now unemplyeed and likely to
stay that way for some time

I at least can live with the fact various people dislike me for
various reasons

```
From 4533324439471677145
X-Google-Thread: 108122,66733f9197887a57,start
X-Google-Thread: fc8b1,66733f9197887a57,start
X-Google-Thread: 10c2ee,66733f9197887a57,start
X-Google-Thread: fc2a5,66733f9197887a57,start
X-Google-Attributes: gid108122,gidfc8b1,gid10c2ee,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr29.news.prodigy.net.POSTED!ef855899!not-for-mail
From: patrick jankowiak <eccm@swbell.net>
Reply-To: recyclerREMOVE_THIS@swbell.net
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.antiques.radio+phono
,rec.radio.amateur.homebrew
Subject: unusual manuals and focus coils
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080211-0, 02/11/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 67
Message-ID: <By6sj.11025$Ej5.6299@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 208.190.133.204
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1202779425 ST000 208.190.133.204 (Mon, 11 Feb
2008 20:23:45 EST)
NNTP-Posting-Date: Mon, 11 Feb 2008 20:23:45 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_@SREVZVIBFD[YRKNOPDA[X_LPO@FQQ]ZMVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Tue, 12 Feb 2008 01:23:45 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13997
rec.radio.amateur.boatanchors:14035 rec.antiques.radio+phono:92400
rec.radio.amateur.homebrew:15246

Hi,

looking for these things:

]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]

MANUALS:

1.)
T-408/URT-12, also called AN/URT-12
Military radio transmitter, Coast Guard

2.)
Conrac model CNA-8
8" black and white video monitor, tube kind

3.)
RCA model TM-9AN

8" black and white video monitor, tube kind

(#2 and #3 are very similar)

]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]

ITEMS:

4.)
50 degree to 110 degree yokes fitting electromagnetic deflected CRTs that have a "small-shell duodecal base"

5.)
focus coils and magnet assemblied from old TV set CRTs that have a "small-shell duodecal base"

Referring to the base type of the CRTs is the best I can do to to indicate the diameter of the tube neck, which is about 1.5" The base socket has 12 positions (pins) but not all are used. Usually 6 are used, or 5, in the case of a magnetic focus CRT.

All the yokes and focus devices I am looking for refer to those used on black and white TV sets with this kind of CRT neck diameter. This is really old junque and much has been pitched if the original TV chassis was unserviceable, etc.

These are for a project where I want to operate a 10" electromagnetic deflection, magnetic focus CRT. There are a number of NOS CRTs having interesting phosphors, being from radar sets. Basically I saved them from the landfill, and want to put together a few unusual monochrome video monitors. Why stare at the boxes on a shelf??

For me, driving a yoke is trivial, but finding ones for these CRTs is a challenge.

I have a few 10SP4, which are 50 degree deflection, one 10UP14B, and some 10VP15 and 10VP47's -FAA spares.

]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]

I can be reached at the reply-to (un-mung it..) or please find my contact info downscreen at www.bunkerofdoom.com

thanks,
Patrick

From -8823495583427152004
X-Google-Thread: 108122,d99a25c7b6d8ccec,start
X-Google-Attributes: gid108122,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!sn-xt-sjc-04!sn-xt-sjc-08!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Peter" <colleenpeter@westnet.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: C42 Radio Set
Date: Tue, 12 Feb 2008 19:08:28 +0900
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13r2s0tkpe4f3dc@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-Complaints-To: abuse@supernews.com
Lines: 12
X-Original-Bytes: 911
Xref: g2news1.google.com rec.radio.amateur.equipment:13998

I was hoping that some may be able email me a pdf copy of the C42 Radio Set manual and ideally a copy of the schematic. I know these things are bit rare!

Regards

--
Peter VK6YSF

http://members.optushome.com.au/vk6ysf/vk6ysf/main.htm

From -8788228372479282l9
X-Google-Thread: 108122,d99a25c7b6d8ccec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.247.MISMATCH!news-xxxfer.readnews.com!textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: C42 Radio Set
From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
References: <13r2s0tkpe4f3dc@corp.supernews.com>
Organization: Your Company
Message-ID: <Xns9A426CEB973CDHuckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 12 Feb 2008 18:42:28 GMT
Lines: 15
NNTP-Posting-Host: a7c1f413.news.adtechcomputers.com
X-Trace: DXC=NViT?[^=Dc0:XR=<ZU:87;gC4_A5:nI@1<<=aEgO;R87ClIT:_[G0b?

```
JWP\=:BO0_7Qjo<[F9ZR]?AUjd2c3iP;3oWO4e5H]K>6
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13999
```

> I was hoping that some may be able email me a pdf copy of the C42
> Radio Set manual and ideally a copy of the schematic. I know these
> things are bit rare!
>
> Regards
>

Have you tried Google search? I did and found some good info. While not in PDF format, there was one good source in .jpg format of the manual at: http://users.monash.edu.au/~ralphk/C42.html

Ed K7AAT

```
From -65715124416321055
X-Google-Thread: 108122,66733f9197887a57
X-Google-Thread: fc8b1,66733f9197887a57
X-Google-Thread: 10c2ee,66733f9197887a57
X-Google-Thread: fc2a5,66733f9197887a57
X-Google-Attributes: gid108122,gidfc8b1,gid10c2ee,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q77g2000hsh.googlegroups.com!not-for-
mail
From: jimmie68@gmail.com
Newsgroups: rec.radio.amateur.equipment, rec.radio.amateur.boatanchors,
     rec.antiques.radio+phono, rec.radio.amateur.homebrew
Subject: Re: unusual manuals and focus coils
Date: Tue, 12 Feb 2008 17:32:08 -0800 (PST)
Organization: http://groups.google.com
Lines: 23
Message-ID: <c076f774-6142-43ce-b88a-163120120c0d@q77g2000hsh.googlegroups.com>
References: <By6sj.11025$Ej5.6299@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 204.108.8.5
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202866328 12622 127.0.0.1 (13 Feb 2008 01:32:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Feb 2008 01:32:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q77g2000hsh.googlegroups.com; posting-host=204.108.8.5;
     posting-account=GlR3DwoAAAAic5TIBZ0eTX4vIIcIllQf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:14000
```

```
rec.radio.amateur.boatanchors:14049 rec.antiques.radio+phono:92465
rec.radio.amateur.homebrew:15257
```

patrick jankowiak wrote:
> Hi,
>
> looking for these things:
>
>]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]]
>
>
> MANUALS:
>
> 1.)
> T-408/URT-12, also called AN/URT-12
> Military radio transmitter, Coast Guard
>
> 2.)
> Conrac model CNA-8
> 8" black and white video monitor, tube kind

Just threw one out, You got a BRITE DISPLAY SYSTEM or something.

Jimmie

```
From -5393764639754582306
X-Google-Thread: 108122,a14a019b7817fcb1,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!post01.iad01!news.cv.net!not-for-mail
Date: Tue, 12 Feb 2008 22:51:13 -0500
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: off topic but you need to see this...................
Content-Type: multipart/alternative;
 boundary="------------000706040103020802040909"
Lines: 99
Message-ID: <47b26921$0$15160$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:14001
```

This is a multi-part message in MIME format.

```
--------------000706040103020802040909
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

WATCH THESE, THEY ARE SHORT..... PASS IT TO EVERYBODY!!!
EXXON / MOBILE......  F#@!  YOU!!

WATCH ALL OF THESE,  THEY ARE ONLY A FEW MINUTES EACH!!

> This is a great promo video for EV's-send it to your friends.
>
>  <>The use of an ultra-capacitor is their breakthrough:
>   <>
> http://www.youtube.com/watch?v=0jIaDv5qMaE&feature=user
> <http://www.youtube.com/watch?v=0jIaDv5qMaE&feature=user>
>   <>
> CBS Video
>   <>
> http://www.youtube.com/watch?v=ZhM70MnTIvk&feature=user
> <http://www.youtube.com/watch?v=ZhM70MnTIvk&feature=user>

CNN Video
http://uk.youtube.com/watch?v=v09_uTp08zg&NR=1

HX 150 animation, how it works!!

http://uk.youtube.com/watch?v=Fk7xbcnzxks&feature=related

http://uk.youtube.com/watch?v=k-cPHtQ0tTw&NR=1

--------------000706040103020802040909
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
WATCH THESE, THEY ARE SHORT.....<font color="#3333ff"><b> PASS IT TO
EVERYBODY!!!</b></font><br>
EXXON / MOBILE......&nbsp; <b>F#@!&nbsp; YOU!!</b><br>
<br>
<font color="#ff0000"><b>WATCH ALL OF THESE,&nbsp; THEY ARE ONLY A FEW
MINUTES EACH!!</b></font><br>
<blockquote cite="mid004201c86de8$69e33f80$8801a8c0@BOBAMD" type="cite">
<!--[if gte mso 9]><xml>
 <o:shapedefaults v:ext="edit" spidmax="1026" />
</xml><![endif]--><!--[if gte mso 9]><xml>
 <o:shapelayout v:ext="edit">
  <o:idmap v:ext="edit" data="1" />
 </o:shapelayout></xml><![endif]-->
  <div class="Section1">
  <div>
  <p class="MsoNormal"><b><font face="Arial" size="2"><span
 style="font-size: 10pt; font-family: Arial;">This is a great promo
video for EV's-send it to your
friends.</span></font><o:p></o:p></b></p>
  </div>
  <div>&nbsp;&lt;&gt;<b><font face="Arial" size="2"><span
 style="font-size: 10pt; font-family: Arial;">The use of an
ultra-capacitor is&nbsp;their breakthrough:</span></font></b><o:p></o:p> </div>
  <div> </div>
  <div>&nbsp; &lt;&gt;<font face="Arial" size="2"><span
 style="font-size: 10pt; font-family: Arial;"><br>
  <a href="http://www.youtube.com/watch?v=0jIaDv5qMaE&amp;feature=user">http://
www.youtube.com/watch?v=0jIaDv5qMaE&amp;feature=user</a></span></font><o:p></o:p>
  </div>
  <div> </div>
  <div>&nbsp; &lt;&gt;<font face="Times New Roman" size="3"><span
 style="font-size: 12pt;"></span></font><br>
  <b><font face="Arial" size="2"><span
 style="font-size: 10pt; font-family: Arial;">CBS Video</span></font></b><o:p></
o:p>
  </div>
  <div> </div>
  <div>&nbsp; &lt;&gt;<font face="Arial" size="2"><span
 style="font-size: 10pt; font-family: Arial;"><br>
  <a href="http://www.youtube.com/watch?v=ZhM70MnTIvk&amp;feature=user">http://
www.youtube.com/watch?v=ZhM70MnTIvk&amp;feature=user</a></span></font>
  </div>
  <div> </div>
  </div>
</blockquote>
<b>CNN Video<br>
</b><a class="moz-txt-link-freetext"
 href="http://uk.youtube.com/watch?v=v09_uTp08zg&amp;NR=1">http://uk.youtube.com/
watch?v=v09_uTp08zg&amp;NR=1</a><br>
<b><br>
HX 150 animation, how it works!!<br>
<br>
</b><a class="moz-txt-link-freetext"
 href="http://uk.youtube.com/watch?v=Fk7xbcnzxks&amp;feature=related">http://
uk.youtube.com/watch?v=Fk7xbcnzxks&amp;feature=related</a><br>
<br>
<a class="moz-txt-link-freetext"
 href="http://uk.youtube.com/watch?v=k-cPHtQ0tTw&amp;NR=1">http://uk.youtube.com/
watch?v=k-cPHtQ0tTw&amp;NR=1</a>
</body>
</html>

--------------000706040103020802040909--
```

```
From 3234624107334467414
X-Google-Thread: 108122,fdc630e8169d39f0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!meganewsservers.com!
feeder2.on.meganewsservers.com!nx02.iad01.newshosting.com!newshosting.com!
post01.iad01!post02.iad01!roadrunner.com!not-for-mail
From: "Pat" <wb2dbh@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Nice Drake Station
Date: Wed, 13 Feb 2008 09:01:23 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 3
Message-ID: <47b2f813$0$6516$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14002
```

http://members6.boardhost.com/theswapshoppe/

```
From -5396633867112198411
X-Google-Thread: 108122,f8d86632003360e7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: MFJ-9020/9040 S meter?
Date: Wed, 13 Feb 2008 14:34:08 +0000 (UTC)
Organization: MGT Consulting
Lines: 12
Message-ID: <slrnfr5vti.r7l.gsm@cable.mendelson.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-250-217.bb.netvision.net.il
X-Trace: max.inside.misty.com 1202913248 19565 89.138.250.217 (13 Feb 2008
14:34:08 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Wed, 13 Feb 2008 14:34:08 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:14003
```

I have both an MFJ-9020 and 9040. Neither has an S-meter and I miss it.

Is there any way to add one? I was thinking of putting a meter on the
AGC voltage test point (TP-1).

TIA,

Geoff.

```
--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
IL Voice: (07)-7424-1667 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/
```

```
From -3295868474502330357
X-Google-Thread: 106d41,7d2604617288092b,start
X-Google-Thread: 108122,7d2604617288092b,start
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
c4g2000hsg.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb, rec.radio.amateur.equipment
Subject: Latest Feedback on Ebay Regarding VoiceMax Speech Processor...
Date: Wed, 13 Feb 2008 08:19:22 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <e52daa26-757d-4718-b6d6-5fc4db29c69d@c4g2000hsg.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202919563 5621 127.0.0.1 (13 Feb 2008 16:19:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Feb 2008 16:19:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c4g2000hsg.googlegroups.com; posting-host=216.203.30.4;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:42882 rec.radio.amateur.equipment:14004
```

See the latest feedback regarding the new VoiceMax speech processor
for two-way radios...
http://tinyurl.com/2q9lpu

```
From -9144781872969927510
X-Google-Thread: 1109af,909602a7c6f809f8,start
X-Google-Thread: 108122,909602a7c6f809f8,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
```

```
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!5ddaa2d0!
not-for-mail
From: "Bill Golden" <shortwave1@verizon.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: MFJ Antenna Tuner - Price Reduced!
Lines: 74
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0035_01C86E69.1EA04320"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <owKsj.2601$YL3.2161@trndny05>
Date: Wed, 13 Feb 2008 22:52:04 GMT
NNTP-Posting-Host: 68.163.16.243
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1202943124 68.163.16.243 (Wed, 13 Feb 2008 17:52:04 EST)
NNTP-Posting-Date: Wed, 13 Feb 2008 17:52:04 EST
Xref: g2news1.google.com rec.radio.swap:18479 rec.radio.amateur.equipment:14005

This is a multi-part message in MIME format.

------=_NextPart_000_0035_01C86E69.1EA04320
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable


For Sale:

--- MFJ Model 941b (Versa-Tuner II) Antenna Tuner ---=20

Features include:

 *  Built-in 1:4 Balun=20
 *  Handles up to 300 Watts of RF, 10-160 Meters
 *  Monitor SWR or Transmitter RF Output Power
     in either the 300 Watt or the 30 Watt Range
 *  Antenna Selector Switch allows switching of=20
     one of the two coax fed antennas
 *  Balanced Line Antenna or Random Wire Antenna

In excellent condition.  Price is reduced to $ 25.00=20
plus $5.00 for shipping (Cont'l U.S. only). Payment=20
by USPS Postal Money Order only, please.

Tnx & 73,

-Bill
KB3PT
```

```
------=_NextPart_000_0035_01C86E69.1EA04320
Content-Type: text/html;
     charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3D"MSHTML 6.00.2800.1555" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<DIV>For Sale:</DIV>
<DIV>&nbsp;</DIV>
<DIV>--- MFJ Model 941b (Versa-Tuner II) Antenna Tuner ---&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>
<DIV>Features include:</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;*&nbsp; Built-in 1:4 Balun </DIV>
<DIV>&nbsp;* &nbsp;Handles up to 300 Watts of RF, 10-160 Meters</DIV>
<DIV>&nbsp;*&nbsp; Monitor SWR or Transmitter RF Output Power</DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; in either the 300 Watt or the 30 Watt =
Range</DIV>
<DIV>&nbsp;*&nbsp; Antenna Selector Switch allows switching of </DIV>
<DIV>&nbsp;&nbsp;&nbsp;&nbsp; one of the two coax fed antennas</DIV>
<DIV>&nbsp;*&nbsp; Balanced Line Antenna or Random Wire Antenna</DIV>
<DIV>&nbsp;</DIV>
<DIV>In excellent condition.&nbsp; Price&nbsp;is reduced to $ =
25.00&nbsp;</DIV>
<DIV>plus $5.00 for shipping (Cont'l U.S. only). Payment </DIV>
<DIV>by USPS Postal Money Order only, please.</DIV>
<DIV>&nbsp;</DIV>
<DIV>Tnx &amp; 73,</DIV>
<DIV>&nbsp;</DIV>
<DIV>-Bill</DIV>
<DIV>KB3PT</DIV>
<DIV>&nbsp;</DIV></DIV></BODY></HTML>

------=_NextPart_000_0035_01C86E69.1EA04320--



From 4435760459795227571
X-Google-Thread: 106d41,7d2604617288092b
X-Google-Thread: 108122,7d2604617288092b
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!c4g2000hsg.googlegroups.com!not-for-
mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
```

Newsgroups: rec.radio.cb, rec.radio.amateur.equipment
Subject: Re: Latest Feedback on Ebay Regarding VoiceMax Speech Processor...
Date: Wed, 13 Feb 2008 15:28:17 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <91fdb250-b7ae-4599-aa6d-ba571495a0c4@c4g2000hsg.googlegroups.com>
References: <e52daa26-757d-4718-b6d6-5fc4db29c69d@c4g2000hsg.googlegroups.com>
NNTP-Posting-Host: 75.163.232.6
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202945297 18898 127.0.0.1 (13 Feb 2008 23:28:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Feb 2008 23:28:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c4g2000hsg.googlegroups.com; posting-host=75.163.232.6;
     posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.12)
     Gecko/20061201 Firefox/2.0.0.12 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:42885 rec.radio.amateur.equipment:14006

On Feb 13, 9:19 am, Telstar Electronics <briangrif...@sbcglobal.net>
wrote:
> See the latest feedback regarding the new VoiceMax speech processor
> for two-way radios...http://tinyurl.com/2q9lpu

You are selling to cbers, what would they know about good audio
quality. All they care about is swang.

From -7645950150973977773
X-Google-Thread: 106d41,7d2604617288092b
X-Google-Thread: 108122,7d2604617288092b
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Vinnie S. <none@coldmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: Latest Feedback on Ebay Regarding VoiceMax Speech Processor...
Date: Wed, 13 Feb 2008 21:21:38 -0500
Lines: 6
Message-ID: <0d97r35casercnhe6chq2hod92i9ldj6do@4ax.com>
References: <e52daa26-757d-4718-b6d6-5fc4db29c69d@c4g2000hsg.googlegroups.com>
<91fdb250-b7ae-4599-aa6d-ba571495a0c4@c4g2000hsg.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net SiOa9vjlvLU/J8j809oejAMMmaOa74YtatV1PqwImoIBOwDVNe
Cancel-Lock: sha1:5zNdKBAVGhRfnT3D5G4lmklWyUc=
X-Newsreader: Forte Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.cb:42887 rec.radio.amateur.equipment:14007

> swang.

There is medication to help this !

Vinnie S.

```
From -7918436932646270280
X-Google-Thread: 106d41,7d2604617288092b
X-Google-Thread: 108122,7d2604617288092b
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Date: Wed, 13 Feb 2008 19:31:57 -0800
From: Jay in the Mojave <jay123a@qnet.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: Latest Feedback on Ebay Regarding VoiceMax Speech Processor...
References: <e52daa26-757d-4718-b6d6-5fc4db29c69d@c4g2000hsg.googlegroups.com>
<91fdb250-b7ae-4599-aa6d-ba571495a0c4@c4g2000hsg.googlegroups.com>
<0d97r35casercnhe6chq2hod92i9ldj6do@4ax.com>
In-Reply-To: <0d97r35casercnhe6chq2hod92i9ldj6do@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <47b3b62e$0$30687$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 76.167.63.235
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.cb:42889 rec.radio.amateur.equipment:14008
```

Vinnie S. wrote:
>> swang.
>
>
> There is medication to help this !
>
> Vinnie S.

Hello Vinnie:

Yeah I was thinking the same thing there,....

But CBC took it hook line and sinker, hehhehehee I'll bet Brian even got
a chuckle out that, he probably new that was going to get a response.

Funny

Jay in the Mojave

```
From 6452711554589785745
X-Google-Thread: 108122,81d6f4f8de6a970c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: WTD -  HAMMARLUND 50 uuF
Date: Wed, 13 Feb 2008 22:27:50 -0600
Organization: WebTV Subscriber
Lines: 6
Message-ID: <16749-47B3C346-245@storefull-3254.bay.webtv.net>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
     ETAsAhREISm+q+mmFlXVJBNjlwq9vxdJbwIUb01cOR5xh34lQYywmH4SY/Wi3kI=
Content-Disposition: Inline
Xref: g2news1.google.com rec.radio.amateur.equipment:14009
```

CAPACITORS.

CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse caps, short answers, stroke.

```
From 3063048872420009001
X-Google-Thread: 107ada,ab71838132373fd0,start
X-Google-Thread: 108122,ab71838132373fd0,start
X-Google-Attributes: gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z17g2000hsg.googlegroups.com!not-for-
mail
From: Swoozie Pellegrino <swooziep@yahoo.com>
Newsgroups: rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: What's Going On With Softrock?
Date: Thu, 14 Feb 2008 08:07:33 -0800 (PST)
Organization: http://groups.google.com
Lines: 15
Message-ID: <ffaf7515-0e4a-4526-9469-107416566eb2@z17g2000hsg.googlegroups.com>
NNTP-Posting-Host: 63.82.71.138
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1203005253 5325 127.0.0.1 (14 Feb 2008 16:07:33 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Thu, 14 Feb 2008 16:07:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z17g2000hsg.googlegroups.com; posting-host=63.82.71.138;
posting-account=MnuGLggAAACMp1dr2qZW9DkD4rFCY_wt
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.misc:43250
rec.radio.amateur.equipment:14010

Hi, all.

I'm hoping to start my amateur radio life with a QRP
Software-Defined Radio, and the Softrock 40 seems
like a great place to start. However, the guy, who
makes them (Tony) doesn't seem to respond to
emails, so I'm thinking they're not shipping right now.

Does anyone know what I need to do to get some
kind of small, inexpensive transceiver that can be
controlled by Ham Radio Deluxe, PowerSDR, etc.?

Thanks!

~swooz

From -6265687961023976459
X-Google-Thread: 108122,1a762f878faea6c0,start
X-Google-Thread: fc8b1,1a762f878faea6c0,start
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: RADIO SWAP <radio.swap@void.com>
Newsgroups:
rec.radio.amateur.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: YAESU FRT-7700 Antenna Tuner
Date: Thu, 14 Feb 2008 15:14:54 -0500
Message-ID: <l689r3l6qak430ehjqs0cp9lp4857p51ug@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 70.119.155.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:14011
rec.radio.amateur.boatanchors:14074

FOR SALE by Auction:

YAESU FRT-7700 Antenna Tuner

This is the YAESU Antenna Tuner for FRG7700 Receiver

This tuner is in mint condition. Uses SO-239 connector for
coax and has terminals for single/parallel feed antennas.

Curerently listed at $50.00

eBay Item number: 110224072975

Thanks for L@@KING!

```
From -3666764160074487566
X-Google-Thread: 108122,d99a25c7b6d8ccec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-xt-sjc-09!
sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Peter" <colleenpeter@westnet.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: C42 Radio Set
Date: Fri, 15 Feb 2008 06:50:36 +0900
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13r9dtf4bjgfb11@corp.supernews.com>
References: <13r2s0tkpe4f3dc@corp.supernews.com>
<Xns9A426CEB973CDHuckleberrybigvalley@198.186.192.196>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-Complaints-To: abuse@supernews.com
Lines: 32
Xref: g2news1.google.com rec.radio.amateur.equipment:14012
```

"Ed_G" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns9A426CEB973CDHuckleberrybigvalley@198.186.192.196...

>
>> I was hoping that some may be able email me a pdf copy of the C42
>> Radio Set manual and ideally a copy of the schematic. I know these
>> things are bit rare!
>>
>> Regards
>>
>
>
>   Have you tried Google search?   I did and found some good info.   While
> not in PDF format, there was one good source in .jpg format of the
> manual

> at: http://users.monash.edu.au/~ralphk/C42.html
>
>
>   Ed   K7AAT

Thanks Ed

Interesting site!

Cheers

--
Peter VK6YSF

http://members.optushome.com.au/vk6ysf/vk6ysf/main.htm

```
From -1144021836122582098
X-Google-Thread: 107ada,ab71838132373fd0
X-Google-Thread: 108122,ab71838132373fd0
X-Google-Attributes: gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.net.POSTED!63ce6563!not-for-mail
From: Reginald Beardsley <pulaskite@yahoo.com>
User-Agent: Mozilla/5.0 (X11; U; SunOS i86pc; en-US; rv:1.7) Gecko/20041221
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: What's Going On With Softrock?
References: <ffaf7515-0e4a-4526-9469-107416566eb2@z17g2000hsg.googlegroups.com>
In-Reply-To: <ffaf7515-0e4a-4526-9469-107416566eb2@z17g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <IR3tj.11083$J41.7063@newssvr14.news.prodigy.net>
NNTP-Posting-Host: 65.67.157.162
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.net 1203030504 ST000 65.67.157.162 (Thu, 14 Feb
2008 18:08:24 EST)
NNTP-Posting-Date: Thu, 14 Feb 2008 18:08:24 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJONEJSKRVD[EJIL^TTDFZ\@@FXLM@TDOCQDJ@_@FNXACNVOPCWZBL[\YUWHANGYZEFNHFZPNLOBUN
SS^_LGEVWEY\PHO@YJSSWBBDT\PFD^ESBTXVCCMTD]JCJLE\_IJMFNRY]SWE[S[D_CNB__ZK^VGVCKHA[S
@COB^[@ZQSDFQ\BPMS@DZVUKQTJL
Date: Thu, 14 Feb 2008 23:08:24 GMT
Xref: g2news1.google.com rec.radio.amateur.misc:43251
rec.radio.amateur.equipment:14013
```

Swoozie Pellegrino wrote:
> Hi, all.
>
> I'm hoping to start my amateur radio life with a QRP
> Software-Defined Radio, and the Softrock 40 seems
> like a great place to start. However, the guy, who
> makes them (Tony) doesn't seem to respond to
> emails, so I'm thinking they're not shipping right now.
>
> Does anyone know what I need to do to get some
> kind of small, inexpensive transceiver that can be
> controlled by Ham Radio Deluxe, PowerSDR, etc.?
>
> Thanks!
>
> ~swooz

I've had similar questions, however, there's a note from Tony dated Dec
24, 2007 indicating that kits will continue in 2008. Check the
softrock40 yahoo group.

Have Fun!
Reg

```
From 3224336025211414846
X-Google-Thread: 106d41,7d2604617288092b
X-Google-Thread: 108122,7d2604617288092b
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!postnews.google.com!
s13g2000prd.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: Latest Feedback on Ebay Regarding VoiceMax Speech Processor...
Date: Thu, 14 Feb 2008 16:37:26 -0800 (PST)
Organization: http://groups.google.com
Lines: 23
Message-ID: <71174e29-53b3-4aa1-8419-4a92c7fb78f2@s13g2000prd.googlegroups.com>
References: <e52daa26-757d-4718-b6d6-5fc4db29c69d@c4g2000hsg.googlegroups.com>
     <91fdb250-b7ae-4599-aa6d-ba571495a0c4@c4g2000hsg.googlegroups.com>
NNTP-Posting-Host: 99.140.254.152
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1203035846 1151 127.0.0.1 (15 Feb 2008 00:37:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Feb 2008 00:37:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000prd.googlegroups.com; posting-host=99.140.254.152;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
```

X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.cb:42891 rec.radio.amateur.equipment:14014

On Feb 13, 5:28=A0pm, cmdr buzz corey <cmdr-buzz-co...@mailcity.com>
wrote:
> On Feb 13, 9:19 am, Telstar Electronics <briangrif...@sbcglobal.net>
> wrote:
>
> > See the latest feedback regarding the new VoiceMax speech processor
> > for two-way radios...http://tinyurl.com/2q9lpu
>
> You are selling to cbers, what would they know about good audio
> quality. All they care about is swang.

Actually, the distribution is about 50/50 cbers and amateurs that own
the VoiceMax module. Yesterday, I received a very nice email from an
amateur in the UK. It reads:

Hi Brian, just to let you know the Voice Max arrived this morning.
I've stuffed it into my old Icom 735 and boy has it made a difference.
Using the standard HM-12 dynamic mic, used two tone to set the output
rig is peaking higher and audio reports are very complimentary, but
you know that already. Very impressive build quality, and easy
install. Fitting cascaded Inrad 2800 SSB filters so that should
further improve the audio quality. I've left positive feedback for you
on e-bay.

From -2482767394046961263
X-Google-Thread: 108122,1145d55012d9cf4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!newspeer.tds.net!
216.170.153.140.MISMATCH!newsreading01.news.tds.net!038640c9!not-for-mail
Reply-To: "steve carey" <scarey@tds.net>
From: "steve carey" <scarey@tds.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Heathkit Warrior
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <4tftj.42945$G23.32234@newsreading01.news.tds.net>
Date: Fri, 15 Feb 2008 12:21:20 GMT
NNTP-Posting-Host: 72.168.99.101
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1203078080 72.168.99.101 (Fri, 15 Feb 2008
06:21:20 CST)
NNTP-Posting-Date: Fri, 15 Feb 2008 06:21:20 CST

Organization: TDS.net
Xref: g2news1.google.com rec.radio.amateur.equipment:14015

Looking for HA 10 heathkit warrior any oout there I guy can buy thanks Steve k9yk

From -2022604992799818539
X-Google-Thread: 108122,80a669547558f414
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!roadrunner.com!not-for-mail
From: "Pat" <W2BDH@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>
Subject: Re: Icom in car won't turn on... amps?
Date: Tue, 29 Jan 2008 06:58:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 50
Message-ID: <479f14ee$0$30672$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13913

Does it power up when the car is running? Generally, when you hear just clicking, it usually means that not enough power is getting to the radio. Make sure the radio's getting at least 12 volts. It should only need about an amp or so to power up. Also, when starting or shutting off your ignition, make sure you shut the radio off first. This will prevent voltage spikes from damaging your radio.

"RJValenta" <rjvalenta@gmail.com> wrote in message
news:1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com...
>I just got my car back from the shop, and that Icom IC-208H I have
> wouldn't turn on... as I prepared for the long annoying battle with the
> dealership, I figured I should make sure it was definitely the radio...
> brought it to the basement and hooked it up to a 12v powersupply - it
> worked fine.
>
> Now - my 2002 Jeep Cherokee was getting the transmission replaced, and
> sat outside at the dealership during the 2 coldest weeks we've had in

> a while... so cold that when I took the radio out, it hurt to hold it
> for too long in my bare hand... but it still fired up in the basement
> even though it was obviously below the Icom operating temp of 14'...
> so, the problem must be with the car.
>
> So I get my battery tester (can't find my multi-meter), set it to 12v,
> hook the leads up to the connection in the car - 12v, no problem.
>
> This morning, I reconnect the radio to the power in the car, and I can
> hear it ticking... like its almost going to think about firing up, but...
> it doesn't happen.
>
> The setup is simple, its fed from the battery with a 30amp relay that
> trips off the fuse box when the car is turned on. 12v coming in... but
> it won't turn on, so I think to myself... 'no amps?'.
>
> At this point, my slowly decaying knowledge of electronics starts to
> flounder... but obviously its not the wiring because the current is
> getting there, and not the relay for the same reason. Any ideas?
> Could it be as simple as a bad connection somewhere? Thought I'd get
> more knowledgeable thoughts on it before I start to tear things apart
> out in the cold.
>
>
> Thanks for any input...
>
> Richard
> N0TZC

From 6831012051098071297
X-Google-Thread: 108122,2703ca26efbbe01b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 29 Jan 2008 07:23:58 -0600
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Intermittent raspy signals on ICOM 735 ?
Date: Tue, 29 Jan 2008 05:24:03 -0800
Reply-To: gfiber@comcast.net
Message-ID: <41aup3p0en8eu8c9543me2pp52nim8m43e@4ax.com>
References: <op.t5ngu3n2aiss39@localhost>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
X-Usenet-Provider: http://www.giganews.com

NNTP-Posting-Host: 67.168.57.155
X-Trace: sv3-U4FTgzm5AOmMAGe795puNhpzUJyu4oe5hGLzOGPdWqCK+D/
yfTaKB5vBaSs2x+2GL9QnOL3Zcj0TLDF!
zMWBmu77dwUw5BYK1C79GkOv7saOcR1MN6wLAFyC9no5huRXa0dYJKcQg1hytgAwJ24bmwAoYD1Z!
BICgPRYDMJU7zOPmGZFUwH4FGMk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13914

On Mon, 28 Jan 2008 09:14:53 -0800, "Larry Gagnon"
<lggagnon@fakeuniserve.com> wrote:

>I have a problem with my ICOM 735 transceiver. It has done me well for 23
>years now, but just recently I have noticed raspy CW and SSB signals on
>receive, on an intermittent basis. This problem comes and goes, often in
>long intervals and does not seem to be affected by temperature. It sounds
>simply like an unclean signal with a raspy note on top of it. I am so far
>unable to determine if this affects my transmit signal or not, I did get a
>poor report once during this condition, but during another transmission at
>another time I did not. I have the complete service manual for this rig,
>but am a bit unsure where to start.
>
>Any ideas appreciated.
>
>
>Larry VE7EA

Generally this is due to the VCO trimmer caps and may be localized to
one VCO currently. I forget the switching range of the VCO but that
should be written in the service manual likely in the theory of
operation section of the service manual.

If one trimmer cap is in trouble all will be soon. Icom has been
using some ceramic dieletric caps in place of the plastic dieelectric
caps. Changing out the caps generally cures the trouble.

Gary K8IZ

From -372883833314981664
X-Google-Thread: fcc6e,191b1bc6e301ca7a,start
X-Google-Thread: 108122,191b1bc6e301ca7a,start
X-Google-Attributes: gidfcc6e,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "KC8QJP" <kc8qjp@lycos.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment

Subject: WILSON 5000 HiPower TRUNK Mount CB Antenna NEW
Date: Tue, 29 Jan 2008 09:23:06 -0500
Organization: Crisco Kathy
Lines: 16
Message-ID: <fnncst$dhb$1@registered.motzarella.org>
X-Trace: feeder.motzarella.org U2FsdGVkX19pApy/M0FQcZ4MK1F/
ncrxysZMOAQG167QsuC0lhtvhCICxapzUXMQW3dRPyNvG71FXG664tRxZEyA4Md8qZB+Jyft+3T/
F7WLuRb4O2lCSg+NJ6yWKqaOJsk0mnCaDh97oZJRtN6naQ==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Tue, 29 Jan 2008 14:23:25 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Auth-Sender: U2FsdGVkX1//y8dBF8k1uSmfcvpVH4b2jaDkkEQQAHdeU1vUZaYVyA==
Cancel-Lock: sha1:JYR5uLcoBIgevEue3/NNW85gksI=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.antenna:54157
rec.radio.amateur.equipment:13915

http://cgi.ebay.com/WILSON-5000-HiPower-TRUNK-Mount-CB-Ham-Antenna-
NEW_W0QQitemZ120214276177QQihZ002QQcategoryZ48692QQssPageNameZWDVWQQrdZ1QQcmdZView
Item

--
the quack shack
http://thequackshack.com/forums/radio/index.php

From 6279625006134644291
X-Google-Thread: 108122,2703ca26efbbe01b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!news.osn.de!diablo1.news.osn.de!newsfeed.freenet.de!
border2.nntp.ams.giganews.com!nntp.giganews.com!sn-xt-ams-06!sn-xt-ams-08!sn-post-
ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Larry Gagnon" <lggagnon@fakeuniserve.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Intermittent raspy signals on ICOM 735 ?
Date: Tue, 29 Jan 2008 10:57:51 -0800
Organization: Posted via Supernews, http://www.supernews.com

Message-ID: <op.t5pgapd2aiss39@localhost>
Content-Type: text/plain; format=flowed; delsp=yes; charset=iso-8859-1
MIME-Version: 1.0
References: <op.t5ngu3n2aiss39@localhost>
 <41aup3p0en8eu8c9543me2pp52nim8m43e@4ax.com>
Content-Transfer-Encoding: 7bit
User-Agent: Opera Mail/9.50 (Linux)
X-Complaints-To: abuse@supernews.com
Lines: 9
Xref: g2news1.google.com rec.radio.amateur.equipment:13916

On Tue, 29 Jan 2008 05:24:03 -0800, Gary P. Fiber <gfiber@comcast.net>
wrote:

> Generally this is due to the VCO trimmer caps and may be localized to
> one VCO currently. I forget the switching range of the VCO but that

Gary: yes I think you've nailed it. I was pointed to the Icom knowledge
base at their website and it was there too. Thanks for your help!

From -2595914294522760620
X-Google-Thread: 108122,545e7c07744b446d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Larry McGee" <lrmagoo@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Mackay MSR8050 & Manual
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <IgMnj.177566$MJ6.37990@bgtnsc05-news.ops.worldnet.att.net>
Date: Tue, 29 Jan 2008 20:46:32 GMT
NNTP-Posting-Host: 12.64.198.175
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1201639592 12.64.198.175 (Tue, 29 Jan 2008 20:46:32 GMT)
NNTP-Posting-Date: Tue, 29 Jan 2008 20:46:32 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:13917

Now on eBay.

Copies of the Mackay MSR8050 Transceiver manual.

An incomplete MSR8050 Transceiver.

```
From -6092625699988154701
X-Google-Thread: 108122,b88e467748c3fb0d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe22.lga.POSTED!
53ab2750!not-for-mail
From: Radio <radReMoVe@mts.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: 5000 WATT FM BROADCAST TRANSMITTER CSI AMPLIFIER
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <XZOnj.23231$E01.4489@newsfe22.lga>
X-Complaints-To: http://support.highwinds-media.com
NNTP-Posting-Date: Tue, 29 Jan 2008 16:51:19 MST
Date: Tue, 29 Jan 2008 17:51:19 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:13918
```

5000 WATT FM BROADCAST TRANSMITTER CSI AMPLIFIER

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=190194880021

```
From -4976841730620846620
X-Google-Thread: 108122,838ae17544a19d17,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!57e3ed27!not-for-mail
From: "JTB" <jerryjtb@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WANT Corsair/Hercules II Band SW Knob
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <DiQnj.3986$1f.242@trndny02>
Date: Wed, 30 Jan 2008 01:21:39 GMT
NNTP-Posting-Host: 141.151.118.70
X-Complaints-To: abuse@verizon.net
```

```
X-Trace: trndny02 1201656099 141.151.118.70 (Tue, 29 Jan 2008 20:21:39 EST)
NNTP-Posting-Date: Tue, 29 Jan 2008 20:21:39 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:13919
X-Original-Bytes: 1093
```

 have a cracked band-switch knob on my TENTEC Hercules II amp. Does anyone have a mint knob from a parted out TENTEC corsair or Hercules II they would be willing to sell? TENTEC has the knob without the spun aluminum insert which is also damaged on my knob. Jerry W0ZD

```
From 4372717111113536759
X-Google-Thread: 108122,4f1daaf37590c450,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y5g2000hsf.googlegroups.com!not-for-mail
From: aztech@163.com
Newsgroups: rec.radio.amateur.equipment
Subject: 5 Sure Fire Ways To Get Radio Play For Your "Independent" Music!
Date: Tue, 29 Jan 2008 20:29:37 -0800 (PST)
Organization: http://groups.google.com
Lines: 45
Message-ID: <673d683a-3d8e-4041-b758-abd6da488966@y5g2000hsf.googlegroups.com>
NNTP-Posting-Host: 60.53.175.104
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201667378 27185 127.0.0.1 (30 Jan 2008 04:29:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 30 Jan 2008 04:29:38 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y5g2000hsf.googlegroups.com; posting-host=60.53.175.104;
     posting-account=5HPl2goAAADIu9Vt_dTvihizpeHMNeYW
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13920
```

You have to find radio airplay time if you're going to be heard and we're not just talking the local college campus. The trick is called promotion. Now that doesn't mean you just put your press kit in an envelope with a demo and hope they take pity on you. Perhaps you call a station and they give you the standard pitch of, "Send it and if we like it we'll put you in rotation." After a few months of never hearing your music, you automatically think you're not worthy.

First, don't buy that. You're one of hundreds, maybe even thousands depending on your city. Your disc will probably end up in the trash or, for more enterprising DJ's, on Ebay in a one-cent CD sale. If you want to be heard and make potential sales, you have to stand out from the crowd, and in this jewel of an article, I'll show you Five(5) Knock 'em Dead Ways to Do Just That!:

#1 - Get your CD into the right hands. The intern that's too busy to getting coffee or typing up a report for the station manager isn't going to be the one making the airplay decision. So find out who the head honcho is in that department and touch base with them. If the club you're playing at charges an admission or you have a show coming up offer to send the stations tickets to give away to listeners. Now keep in mind you can't give the tickets to the staff, since that's illegal and called payola, but you can offer free giveaway items to your potential audience.

#2 - If you've got one station in your pocket, then drop names. Let them know that WABC is playing your music and it's getting a great response.

#3 - Make genuine friends in the business. If you've got a disc jockey that's got you in rotation and really likes your sound, get to know them. Find out why they enjoy it and see if they've gotten any responses from listeners. If they haven't, ask if perhaps they might Q & A their callers about your music so you get a feel for your target audience. It's not a bad idea to ask them for a testimonial or quote if they're well known in your area if you know them personally. People help people. That's a fact so if you treat your area disc jockeys like a living and

http://www.dontplayplay.com/html/Entertainment/20060925/13992.html

---

```
From -6649317047527292095
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!postnews.google.com!
v67g2000hse.googlegroups.com!not-for-mail
From: michael.w.appenzeller@lmco.com
Newsgroups: rec.antiques.radio+phono, rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Tue, 29 Jan 2008 22:19:27 -0800 (PST)
Organization: http://groups.google.com
Lines: 30
Message-ID: <0cb0b86d-210f-43fb-b0dd-f914f7aa7f94@v67g2000hse.googlegroups.com>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
NNTP-Posting-Host: 192.91.147.35
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
```

```
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1201673968 10137 127.0.0.1 (30 Jan 2008 06:19:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 30 Jan 2008 06:19:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v67g2000hse.googlegroups.com; posting-host=192.91.147.35;
     posting-account=8hpBAQkAAADdXQFqwcPc8ox16_iJu5a_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; InfoPath.1; .NET CLR 1.0.3705; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.antiques.radio+phono:91474
rec.radio.amateur.equipment:13921

On Jan 25, 10:35=A0am, "sho...@trailing-edge.com" <sho...@trailing-
edge.com> wrote:
> I like listening to shortwave and ham stuff using biggish speakers.
> Little speakers like computer speakers sound chintzy to my ears.
>
> As examples, I have an old 50's Caliphone record player/PA system that
> has two remote 15" speakers and I just love the way my shortwave and
> ham stuff sounds through these speakers. I also have some Electovoice
> EV5's (again, big old mellow speakers) and I love the way things sound
> through these.
>
> But I don't want to undo my record player setup or stereo system setup
> to borrow the speakers. If I wanted a new speaker with similar
> qualities - nothing fancy, just a big speaker in a big wood box -
> where would I look? Would a guitar amp speaker (something I can buy at
> a guitar store?) be the right thing for me to buy?
>
> Going into Short Circuit City or Radio Shack I don't see anything that
> really seems like what I want. I did get a couple of Radio Shack patio
> speakers (5 inch drivers in a metal box) and those are better than
> anything else new I've found, but they still don't sound mellow enough
> and still a bit tinny. They're sort-of listenable and I've been using
> them for a while but their tinny is kinda grating after a while. I
> want big and mellow. Where do I go and what do I ask for?
>
> Tim.

Something like these?
http://cgi.ebay.com/Two-12-PM-speakers-in-cabinets_W0QQitemZ160201971576QQih=
Z006QQcategoryZ38034QQssPageNameZWDVWQQrdZ1QQcmdZViewItem


From 3600832041789915235
X-Google-Thread: fcc6e,191b1bc6e301ca7a
X-Google-Thread: 108122,191b1bc6e301ca7a
X-Google-Attributes: gidfcc6e,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!i7g2000prf.googlegroups.com!not-for-
mail
```

```
From: Anti-Keyclown <keyklownzrnutjobs@yahoo.com>
Newsgroups: rec.radio.amateur.antenna, rec.radio.amateur.equipment
Subject: Re: WILSON 5000 HiPower TRUNK Mount CB Antenna NEW
Date: Wed, 30 Jan 2008 00:49:27 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <1b8149ea-a05e-4e57-b25e-3038dbedacea@i7g2000prf.googlegroups.com>
References: <fnncst$dhb$1@registered.motzarella.org>
NNTP-Posting-Host: 72.240.160.136
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1201682967 8686 127.0.0.1 (30 Jan 2008 08:49:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 30 Jan 2008 08:49:27 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i7g2000prf.googlegroups.com; posting-host=72.240.160.136;
     posting-account=aZsLBwoAAAAEqiAHzjHH7cCB-1CGbkSv
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x 4.90;
     .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:54191
rec.radio.amateur.equipment:13922

On Jan 29, 9:23=A0am, "KC8QJP" <kc8...@lycos.com> wrote:
> http://cgi.ebay.com/WILSON-5000-HiPower-TRUNK-Mount-CB-Ham-Antenna-NE...
>
> --
> the quack shackhttp://thequackshack.com/forums/radio/index.php

forge by moparholic at hotmail dot com


From -256863958219176405
X-Google-Thread: 108122,80a669547558f414
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom in car won't turn on... amps?
Date: Mon, 28 Jan 2008 18:46:54 -0700
Message-ID: <d31tp3lulc7q3rhspq4asreott09j2vkon@4ax.com>
References: <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 49
NNTP-Posting-Date: 29 Jan 2008 00:57:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13923
```

Does it do it with the car warmed up and the engine charging the battery? With the engine running, what is the voltage at the radio feed to the nearest 1/10 of a volt? I assume you have decent gauge wiring from that relay to the radio. I would recommend 12-gauge as a minimum. I use 4-gauge to a feedpoint under the seat, then the stock Icom power cable from there.

Dick - W6CCD

On Mon, 28 Jan 2008 10:46:56 -0800 (PST), RJValenta
<rjvalenta@gmail.com> wrote:

>I just got my car back from the shop, and that Icom IC-208H I have
>wouldn't turn on... as I prepared for the long annoying battle with the
>dealership, I figured I should make sure it was definitely the radio...
>brought it to the basement and hooked it up to a 12v powersupply - it
>worked fine.
>
>Now - my 2002 Jeep Cherokee was getting the transmission replaced, and
>sat outside at the dealership during the 2 coldest weeks we've had in
>a while... so cold that when I took the radio out, it hurt to hold it
>for too long in my bare hand... but it still fired up in the basement
>even though it was obviously below the Icom operating temp of 14'...
>so, the problem must be with the car.
>
>So I get my battery tester (can't find my multi-meter), set it to 12v,
>hook the leads up to the connection in the car - 12v, no problem.
>
>This morning, I reconnect the radio to the power in the car, and I can
>hear it ticking... like its almost going to think about firing up, but...
>it doesn't happen.
>
>The setup is simple, its fed from the battery with a 30amp relay that
>trips off the fuse box when the car is turned on. 12v coming in... but
>it won't turn on, so I think to myself... 'no amps?'.
>
>At this point, my slowly decaying knowledge of electronics starts to
>flounder... but obviously its not the wiring because the current is
>getting there, and not the relay for the same reason. Any ideas?
>Could it be as simple as a bad connection somewhere? Thought I'd get
>more knowledgeable thoughts on it before I start to tear things apart
>out in the cold.
>
>
>Thanks for any input...
>
>Richard
>N0TZC

--

Posted via a free Usenet account from http://www.teranews.com

From 7384711118254835058
X-Google-Thread: 108122,2703ca26efbbe01b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Intermittent raspy signals on ICOM 735 ?
Date: Wed, 30 Jan 2008 10:10:50 -0600
Message-ID: <t581q3tv2q12ahefitidf83emb97h4m211@4ax.com>
References: <op.t5ngu3n2aiss39@localhost>
<41aup3p0en8eu8c9543me2pp52nim8m43e@4ax.com> <op.t5pgapd2aiss39@localhost>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13924

On Tue, 29 Jan 2008 10:57:51 -0800, "Larry Gagnon"
<lggagnon@fakeuniserve.com> wrote:

>On Tue, 29 Jan 2008 05:24:03 -0800, Gary P. Fiber <gfiber@comcast.net>
>wrote:
>
>
>> Generally this is due to the VCO trimmer caps and may be localized to
>> one VCO currently. I forget the switching range of the VCO but that
>
>Gary: yes I think you've nailed it. I was pointed to the Icom knowledge
>base at their website and it was there too. Thanks for your help!

Awhile back I had all the VCO trimmer caps replaced in my 735. Entire
frequency ranges will start to disappear as they go bad. Good idea to
replace them all at once. I believe there are five of them.

bob
k5qwg

From -2336415580951752461
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII

Path: g2news1.google.com!postnews.google.com!v67g2000hse.googlegroups.com!not-for-mail
From: "shoppa@trailing-edge.com" <shoppa@trailing-edge.com>
Newsgroups: rec.antiques.radio+phono, rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Thu, 31 Jan 2008 06:57:13 -0800 (PST)
Organization: http://groups.google.com
Lines: 40
Message-ID: <288db3ca-1a98-401e-9883-650ca8a9cd4c@v67g2000hse.googlegroups.com>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
NNTP-Posting-Host: 170.121.15.35
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1201791434 1038 127.0.0.1 (31 Jan 2008 14:57:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 31 Jan 2008 14:57:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v67g2000hse.googlegroups.com; posting-host=170.121.15.35;
posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.antiques.radio+phono:91561 rec.radio.amateur.equipment:13925

On Jan 25, 10:35=A0am, "sho...@trailing-edge.com" <sho...@trailing-edge.com> wrote:

> I like listening to shortwave and ham stuff using biggish speakers.
> Little speakers like computer speakers sound chintzy to my ears.
>
> As examples, I have an old 50's Caliphone record player/PA system that
> has two remote 15" speakers and I just love the way my shortwave and
> ham stuff sounds through these speakers. I also have some Electovoice
> EV5's (again, big old mellow speakers) and I love the way things sound
> through these.

A little bit more insight: I went shopping for speakers and found that almost all 12" speakers have a natural responsive range of a little under 100Hz to a little over 3kHz when installed in a simple box (no ports. etc.)

This is, through no strange coincidence, exactly the frequency range that I want to listen to :-).

I ended up picking a 12" Jensen musical instrument speaker which seemed to have a frequency response curve remarkably like all the other 12" speakers out there. There were some 12" PA speakers but those seemed to be aimed at power handling capabilities in the hundreds of watts (approaching a kilowatt!) and price kept me away from them (although it's very likely they would work as well and probably stand up to nearly infinite abuse.)

For non-hi-fi radio listening, I think there's a perfect match going
on there. I feel (no proof, just my ears) that hi-fi speakers that try
to go higher than a few kHz are reproducing stuff coming out of my
radio that I never wanted to hear to begin with.

Looking at it, I have a hard time seeing how chintzy little computer
speakers can legibly reproduce speach etc. at all! I'm guessing they
don't get any flat response at all over the fundamentals of male
speech and are only good on the harmonics. Maybe in a perfect world
that's you need for legible reproduction but with all the noise and
scratch on the HF bands it does not cut the mustard with my ears.

Tim N3QE

From -2370191478031888213
X-Google-Thread: 108122,ff41cd3a1179e443,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 31 Jan 2008 18:52:00 -0600
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need modulation transformer
Date: Fri, 1 Feb 2008 09:52:12 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <xrGdnVFJzYis8D_anZ2dnUVZ_qelnZ2d@giganews.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
Hc71rZPcQsPYZizOJ3ixSs9Gn3rEIzl7463knjKhkRvaS7G4C4BooyyQuPqWf+t34rJDOWB9RhY92Dh!
Xl82aiHDk0R5wKdYhjUaU1ZAFrIQ0UDncvS3E1p1yuDfcgOLKj/iXvGZZVRJeep76NPuaI49
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13926

I'm looking for a good modulation transformer, good for around 30 watts,
that matches fairly well a 6L6 modulator output to a 6L6 PA.

--
Say no to institutionalized interference.

Just say NO to HD/IBOC!

```
From -2754927761967363225
X-Google-Thread: 108122,5ff44373cbe78e99,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l1g2000hsa.googlegroups.com!not-for-
mail
From: ron42420@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FL-2100
Date: Thu, 31 Jan 2008 20:03:33 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <99b4f3be-a299-4d74-988d-4e2fc8bca128@l1g2000hsa.googlegroups.com>
NNTP-Posting-Host: 74.137.142.246
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201838613 24121 127.0.0.1 (1 Feb 2008 04:03:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 1 Feb 2008 04:03:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l1g2000hsa.googlegroups.com; posting-host=74.137.142.246;
     posting-account=uXUjJwoAAAAdJSZ0G8qVYid8Lao29JBA
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13927
```

Does anyone have a FL-2100 that they are parting out? I am in need of
a 20 meter input coil.
Any info or parts will be appreciated..

Ron Klutey, KD4ASX
ronklutey at insightbb.com

```
From 5893303654457053784
X-Google-Thread: 108122,90b5ffc52fbbcee7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p69g2000hsa.googlegroups.com!not-for-
mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Gonset GPP-1 Phone patch
Date: Fri, 1 Feb 2008 08:58:29 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
```

Message-ID: <9152de15-30ac-47bf-9c27-0ffae0a1aaf6@p69g2000hsa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201885112 1322 127.0.0.1 (1 Feb 2008 16:58:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 1 Feb 2008 16:58:32 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p69g2000hsa.googlegroups.com; posting-host=69.254.112.235;
posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13928

Hi All;
A real nice, no dents, scrapes Gonset GPP-1 fone patch with manual
copy for $30 + Postage from 33952.
Only mod, which is a good one is that there is now a 2 pin amphenol
female plug on on either side on the original "transmitter" & "Mike"
connectors on the back, nicely done.
Regards/73......
Rich WA2RQY/4

From -1746032389463610311
X-Google-Thread: 108122,adfef6372cf64dd3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b2g2000hsg.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 6-AA Battery Pack for Icom H/T's>Others?
Date: Fri, 1 Feb 2008 11:49:08 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <1fcd660f-cd88-43dc-9b23-0664fe879ae5@b2g2000hsg.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201895349 30282 127.0.0.1 (1 Feb 2008 19:49:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 1 Feb 2008 19:49:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b2g2000hsg.googlegroups.com; posting-host=69.254.112.235;
posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13929

```
Hi all;
I have an excellent AA battery pack for Icom H/T's, uses 6-"AA" cells.
Very Handy for emergencies, price is $15.00ppd
73.......
Rich WA2RQY/4


From 5414970088226697207
X-Google-Thread: 108122,80a669547558f414
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!1g2000hsl.googlegroups.com!not-for-
mail
From: ve3wej <ve3wej@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom in car won't turn on... amps?
Date: Fri, 1 Feb 2008 14:24:10 -0800 (PST)
Organization: http://groups.google.com
Lines: 12
Message-ID: <55aede90-1dda-4313-af52-57c7ffb6ad81@1g2000hsl.googlegroups.com>
References: <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>
NNTP-Posting-Host: 72.38.213.249
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1201904651 18087 127.0.0.1 (1 Feb 2008 22:24:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 1 Feb 2008 22:24:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 1g2000hsl.googlegroups.com; posting-host=72.38.213.249;
     posting-account=K-EArQoAAACJGDU06JLFWLr_KxqJ82MP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13930

>
> The setup is simple, its fed from the battery with a 30amp relay that
> trips off the fuse box when the car is turned on. =A012v coming in... but
> it won't turn on, so I think to myself... =A0'no amps?'.

no amps unless you can get the 13.8 volts.  I would check the voltage
when the radio is turned on. are you going into the cigar lighter???
direct feed.  sounds like an open ground lead somewhere.  check across
the radio terminals NOT positive to the car ground.


good luck


From -6989311951488290430
X-Google-Thread: 108122,e27fde5ec053d151,start
```

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
s19g2000prg.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: ICOM 740 Service & ICOM R10 Copies
Date: Sat, 2 Feb 2008 08:46:16 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <2f41d68f-72fd-470a-af79-8b9991d7ba65@s19g2000prg.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201970776 28397 127.0.0.1 (2 Feb 2008 16:46:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Feb 2008 16:46:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s19g2000prg.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13931

Hi All;
Fresh Manual copy for Icom 740 Service
Price is $18ppd
Fresh Manual copy for Icom R10 Op Manual
Price is $15ppd
73.....
Rich WA2RQY/4


From 8822843656269845767
X-Google-Thread: 108122,cd1c42ef2a2c8c0f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
j20g2000hsi.googlegroups.com!not-for-mail
From: wa2rqy <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTK: Mailing list info for DRAKE reflector?
Date: Sat, 2 Feb 2008 19:57:15 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <9acdd334-1a31-4463-843a-f92da9be801f@j20g2000hsi.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202011036 17278 127.0.0.1 (3 Feb 2008 03:57:16 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Feb 2008 03:57:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j20g2000hsi.googlegroups.com; posting-host=69.254.112.235;
     posting-account=teCHdAkAAADiA7mdK_5wT9MZS2G_a4v_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13932
```

Hi All;
Its been a while since I used the drake reflector(mailing list).
I wondered why I have not received anything from them?
I tried the Subscribe address on AC6V but that also is NG. Anyone know
if they still exist, thier new subscribe info?
Tnx in advance & 73,
Rich WA2RQY/4

```
From -8903025624728671444
X-Google-Thread: 108122,7b010a5c655e49e4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Feb 2008 05:45:13 -0600
Date: Sun, 03 Feb 2008 06:45:16 -0500
From: afcsman <afcsman@hotmail.com>
Reply-To: afcsman@hotmail.com
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11) Gecko/
20071128 SeaMonkey/1.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Knightkit X-10 100kHz Crystal Calibrator
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <G7KdnduQK4zUNDjanZ2dnUVZ_t_inZ2d@comcast.com>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.246.99.197
X-Trace: sv3-4QQroUEX4iCmv8cf44ON6NUSkiYys/ibfWLCUYh/
3CpmF5dUbmlRNh6hhgoRlZg+JD9EIAKKdod7ZRT!+L8PwRwzFDjm/LlXejQDjvm/
9OtOrhGTd863f5YRX9k5Frwa2HEAf/ryGOc6P/zZezLmN35InjLW!7O0FnX1jRPyOJAAjTTA3z/
S+kdpbSg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13933
```

Accessory for Allied-Knight R-100 And R-55A receivers

Works with any receiver that can provide its 6.3 vac
filament and 150-250 B+

Complete with a 6AU6 tube and HC13/U 100 kHz crystal.

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=STRK:MESEX:IT&item=200197297439&_trksid=p3984.cSELL.m315.lVI

From 8912681583750016647
X-Google-Thread: 108122,f064955a3764c6fe,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews8.bellsouth.net.POSTED!f0db3255!
not-for-mail
From: "KF4DNA" <kf4dna@kf4dna.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WebPage
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <TjNpj.65978$vt2.22523@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbojolopbhejodnffdmhpjgkneleeomndmoln
pemdeipijlmmlnhhpgngloblankoihiodmhfomcholcfglifpocknapenplomjhbfbbgdbemghfool
NNTP-Posting-Date: Mon, 04 Feb 2008 18:36:19 EST
Organization: BellSouth Internet Group
Date: Mon, 4 Feb 2008 17:36:21 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:13934

This webpage is dedicated to Everything that can be called EXTREME !

Skydiving, Storm Chasing, Rocketry, WebPage Resources and Amateur Radio

There is also a huge collection of resources for webpage development and promotion.

http://www.kf4dna.net

```
From -6758641012442285104
X-Google-Thread: 108122,478c00176d962121,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k2g2000hse.googlegroups.com!not-for-
mail
From: mrhaney <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted:Drake L4B fan
Date: Mon, 4 Feb 2008 18:39:10 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <0b5f9eb6-f2dc-4320-8156-561619b99bf4@k2g2000hse.googlegroups.com>
NNTP-Posting-Host: 72.216.40.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202179151 846 127.0.0.1 (5 Feb 2008 02:39:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Feb 2008 02:39:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k2g2000hse.googlegroups.com; posting-host=72.216.40.68;
     posting-account=iDa5ggkAAADrhtwpj3fwoB8ZHtIo_pzj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     FunWebProducts),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13936

Looking for the cooling fan for the Drake L4B amp..Info on locating
one will be appreciated .TNX  73   Harold


From 8742217543180116776
X-Google-Thread: 108122,478c00176d962121
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!postnews.google.com!
s19g2000prg.googlegroups.com!not-for-mail
From: mrhaney <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted:Drake L4B fan
Date: Mon, 4 Feb 2008 18:44:43 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <61aa0163-a96e-4186-a39d-ba1306d8c947@s19g2000prg.googlegroups.com>
References: <0b5f9eb6-f2dc-4320-8156-561619b99bf4@k2g2000hse.googlegroups.com>
NNTP-Posting-Host: 72.216.40.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202179484 9740 127.0.0.1 (5 Feb 2008 02:44:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Feb 2008 02:44:44 +0000 (UTC)
```

Complaints-To: groups-abuse@google.com
Injection-Info: s19g2000prg.googlegroups.com; posting-host=72.216.40.68;
     posting-account=iDa5ggkAAADrhtwpj3fwoB8ZHtIo_pzj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
     FunWebProducts),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13937

On Feb 4, 8:39=A0pm, mrhaney <w4...@cox.net> wrote:
> Looking for the cooling fan for the Drake L4B amp..Info on locating
> one will be appreciated .TNX =A073 =A0 Harold

  Ph. 850 476 8107   W4PQW@COX.NET

From -4715025987246825986
X-Google-Thread: 108122,b6d105e130700004,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Any opinions on Yaesu FT-450
Date: 5 Feb 2008 13:18:40 GMT
Lines: 30
Message-ID: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
X-Trace: individual.net NJGC3ewBUaM5P75h3/z7LgklW8sn3KIZsicst3fXQTZNoF09Tt
Cancel-Lock: sha1:HTWGHs5v6N9beSi1CWXmf1EU08A=
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:13938

Hi all,

I am in the market for a new radio, and have been looking at some
different radios from the point of view of:

output power
ATU (internal, optional)
general receive coverage (at least 0-30MHz full coverage)
receive quality
internal filters (optional filters also)
ability to run on emergency power (I wish to use it for RACES-emcomm
usage)
ability to run as a home station

I want to run this radio 80% of the time as home station, and 20% as emcomm
station.

I have been looking at the FT-450 and it seems to be very capable and fits
most of the above requirements.

I have also been looking at the Yaesu FT-897, which seems to be a more mobile radio.

I am still making the decision, but I was wondering if anyone has either radio (or ideally both) and could give some opinions (constructive please!).

thanks in advance,
bernard
ei8fdb

```
From 2355127842034566272
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
In-Reply-To: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
Subject: Re: Any opinions on Yaesu FT-450
Lines: 43
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <G40qj.7345$Nz7.6176@newsfe11.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe11.phx 1202228646 72.197.13.209 (Tue, 05 Feb 2008 09:24:06 MST)
NNTP-Posting-Date: Tue, 05 Feb 2008 09:24:06 MST
Organization: Cox
Date: Tue, 5 Feb 2008 08:24:03 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13939
```

"blue box thief" <"blue box thief"@runningwithbulls.com> wrote in message news:slrnfqgohv.f79.blueboxthief@sanfermin.my.domain...

> Hi all,
>
> I am in the market for a new radio, and have been looking at some
> different radios from the point of view of:
>
> output power

> ATU (internal, optional)
> general receive coverage (at least 0-30MHz full coverage)
> receive quality
> internal filters (optional filters also)
> ability to run on emergency power (I wish to use it for RACES-emcomm
> usage)
> ability to run as a home station
>
> I want to run this radio 80% of the time as home station, and 20% as
> emcomm
> station.
>
> I have been looking at the FT-450 and it seems to be very capable and fits
> most of the above requirements.
>
> I have also been looking at the Yaesu FT-897, which seems to be a more
> mobile radio.
>
> I am still making the decision, but I was wondering if anyone has either
> radio
> (or ideally both) and could give some opinions (constructive please!).
>
> thanks in advance,
> bernard
> ei8fdb

Over 227 reviews of the Yaesu FT-897 at URL:
http://www.eham.net/reviews/detail/2432

Over 37 reviews for the FT-450 at URL:
http://www.eham.net/reviews/detail/6583

Lamont

From 9096668332312567241
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
Date: 5 Feb 2008 16:44:37 GMT
Lines: 54
Message-ID: <slrnfqh4k4.f79.blueboxthief@sanfermin.my.domain>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<G40qj.7345$Nz7.6176@newsfe11.phx>
X-Trace: individual.net AtD6w688SdkMqeab2R3KqgrujH/dzlCKkx1oIae2Yvglt1xJtn
Cancel-Lock: sha1:5O+T5OVJLwE0eDAG9z//PlUqQ5U=
User-Agent: slrn/0.9.8.1 (OpenBSD)

Xref: g2news1.google.com rec.radio.amateur.equipment:13940

On 2008-02-05, The Shadow <Cranston@CobaltClub.com> wrote:
>
> "blue box thief" <"blue box thief"@runningwithbulls.com> wrote in message
> news:slrnfqgohv.f79.blueboxthief@sanfermin.my.domain...
>> Hi all,
>>
>> I am in the market for a new radio, and have been looking at some
>> different radios from the point of view of:
>>
>> output power
>> ATU (internal, optional)
>> general receive coverage (at least 0-30MHz full coverage)
>> receive quality
>> internal filters (optional filters also)
>> ability to run on emergency power (I wish to use it for RACES-emcomm
>> usage)
>> ability to run as a home station
>>
>> I want to run this radio 80% of the time as home station, and 20% as
>> emcomm
>> station.
>>
>> I have been looking at the FT-450 and it seems to be very capable and fits
>> most of the above requirements.
>>
>> I have also been looking at the Yaesu FT-897, which seems to be a more
>> mobile radio.
>>
>> I am still making the decision, but I was wondering if anyone has either
>> radio
>> (or ideally both) and could give some opinions (constructive please!).
>>
>> thanks in advance,
>> bernard
>> ei8fdb
>
> Over 227 reviews of the Yaesu FT-897 at URL:
> http://www.eham.net/reviews/detail/2432
>
> Over 37 reviews for the FT-450 at URL:
> http://www.eham.net/reviews/detail/6583

Hi lamont,

Yes, I have read both sets of reviews from eham (also looked at QST, and, I think,
the PW review).

The most logical reason for the more 897 reviews is that radio has been out alot
longer
(4-5 more years?) than the 450 (it was released sometime last year).

Does anyone have any first hand experience/opinions of either of these radios?

thanks

```
From -7999369739821953054
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Tue, 05 Feb 2008 11:05:26 -0600
From: MTV <NoSpam_mtvew@netscape.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<G40qj.7345$Nz7.6176@newsfe11.phx>
<slrnfqh4k4.f79.blueboxthief@sanfermin.my.domain>
In-Reply-To: <slrnfqh4k4.f79.blueboxthief@sanfermin.my.domain>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 61
Message-ID: <47a89761$0$1105$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 76.31.29.49
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13941
```

```
blue box thief wrote:
> On 2008-02-05, The Shadow <Cranston@CobaltClub.com> wrote:
>> "blue box thief" <"blue box thief"@runningwithbulls.com> wrote in message
>> news:slrnfqgohv.f79.blueboxthief@sanfermin.my.domain...
>>> Hi all,
>>>
>>> I am in the market for a new radio, and have been looking at some
>>> different radios from the point of view of:
>>>
>>> output power
>>> ATU (internal, optional)
>>> general receive coverage (at least 0-30MHz full coverage)
>>> receive quality
>>> internal filters (optional filters also)
>>> ability to run on emergency power (I wish to use it for RACES-emcomm
>>> usage)
>>> ability to run as a home station
>>>
>>> I want to run this radio 80% of the time as home station, and 20% as
>>> emcomm
>>> station.
```

```
>>>
>>> I have been looking at the FT-450 and it seems to be very capable and fits
>>> most of the above requirements.
>>>
>>> I have also been looking at the Yaesu FT-897, which seems to be a more
>>> mobile radio.
>>>
>>> I am still making the decision, but I was wondering if anyone has either
>>> radio
>>> (or ideally both) and could give some opinions (constructive please!).
>>>
>>> thanks in advance,
>>> bernard
>>> ei8fdb
>> Over 227 reviews of the Yaesu FT-897  at URL:
>> http://www.eham.net/reviews/detail/2432
>>
>> Over 37 reviews for the FT-450 at URL:
>> http://www.eham.net/reviews/detail/6583
>
> Hi lamont,
>
> Yes, I have read both sets of reviews from eham (also looked at QST, and, I
think,
> the PW review).
>
> The most logical reason for the more 897 reviews is that radio has been out alot
longer
> (4-5 more years?) than the 450 (it was released sometime last year).
>
> Does anyone have any first hand experience/opinions of either of these radios?
>
> thanks
>

How many more opinions do you want? 264 not enough?
MTV

--
This mail checked and found to be free of any virus.
      Mozilla Thunderbird mail & Firefox browser
       GO ASTROS!!!!! Yeh Dynamo MLS Champions!


From 2372563636745645347
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
out03a.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!
news.usenetserver.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
```

From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
Organization: Your Company
Message-ID: <Xns9A3B66633B27EHuckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 05 Feb 2008 18:04:03 GMT
Lines: 24
NNTP-Posting-Host: 2f7150ad.news.adtechcomputers.com
X-Trace: DXC=k0TNbQW<6Ni7K1c^S9NfYdgC4_A5:nI@a<<=aEgO;R8gClIT:_[G0bo?
n]5m0D`Y_bQjo<[F9ZR]o[Ei0XIIAYZm3k0mTl[o[Gb
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13942

> I have been looking at the FT-450 and it seems to be very capable and
> fits most of the above requirements.
>
> I have also been looking at the Yaesu FT-897, which seems to be a more
> mobile radio.
>
> I am still making the decision, but I was wondering if anyone has
> either radio (or ideally both) and could give some opinions
> (constructive please!).

I made the same decision between those two radios over a year ago and have no regrets in chosing the FT-450.. The receiver is definitaly superior to the Rx in the Ft-897. The IF DSP features are well worth it. I use mine primarily as the HF station in my motorhome, as well as a backup to my IC-746 in the home station.

In addition to the hundreds of reviews already suggested to you, you can also check out the Yahoo Groups for each of those models of radios you are looking at.

Ed K7AAT

From -4095899443002838438
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
Date: 5 Feb 2008 22:12:03 GMT
Lines: 5
Message-ID: <slrnfqhnq0.26d.blueboxthief@sanfermin.my.domain>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<G40qj.7345$Nz7.6176@newsfe11.phx>

<slrnfqh4k4.f79.blueboxthief@sanfermin.my.domain>
<47a89761$0$1105$4c368faf@roadrunner.com>
X-Trace: individual.net SpN2XYCH0FtLF7bDDr6o9wx0qVMg9r5EfIGC6Rn+tJSqTdej8I
Cancel-Lock: sha1:XWXrBptqBuo750pEnflasevuFgo=
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:13943

On 2008-02-05, MTV <NoSpam_mtvew@netscape.net> wrote:
> How many more opinions do you want? 264 not enough?
> MTV

No.

From 5396300713694328989
X-Google-Thread: 108122,259690e20691706d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b2g2000hsg.googlegroups.com!not-for-mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Howes DCRX Receiver - Kit from 1980s-
Date: Tue, 5 Feb 2008 14:15:47 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
NNTP-Posting-Host: 217.150.112.99
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202249748 18421 127.0.0.1 (5 Feb 2008 22:15:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Feb 2008 22:15:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b2g2000hsg.googlegroups.com; posting-host=217.150.112.99;
posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13944

Hi

I have just purchased a Howes DCRX receiver which works on 80m and was a kit made by CM Howes in the UK around the mid-1980s. Does anyone know where i could find the instructions or does anyone have one of these receivers?

Thanks

Andy

```
From -1951792886751836819
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
Date: 5 Feb 2008 22:17:06 GMT
Lines: 36
Message-ID: <slrnfqho3f.26d.blueboxthief@sanfermin.my.domain>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<Xns9A3B66633B27EHuckleberrybigvalley@198.186.192.196>
X-Trace: individual.net eAVrfxNB+uFb4ukyHDW2QgBuSWs3Abm5fs4vrJ3oqwQmgKUF+N
Cancel-Lock: sha1:baAPXO/1nNEwPRzoH6FKBuPRoZs=
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:13945
```

Hi Ed,

Thank you for the reply, and comments.

On 2008-02-05, Ed_G <Huckleberry_REMOVE_@bigvalley.net> wrote:

> I made the same decision between those two radios over a year ago
> and have no regrets in chosing the FT-450..   The receiver is
> definitaly superior to the Rx in the Ft-897. The IF DSP features are
> well worth it. I use mine primarily as the HF station in my motorhome,
> as well as a backup to my IC-746 in the home station.

One question: what are the menuing systems like? I have no real problem with getting to grips with menus, but some reviews seemed highly critical of them.

From POV of something like filtering, how easy are they to use?

> In addition to the hundreds of reviews already suggested to you,
> you can also check out the Yahoo Groups for each of those models of
> radios you are looking at.

Yep, I am a member of both the FT-450 and FT-897 Yahoo groups.

I was looking for another opinion on either/both radios.

Are there anythings you hate/love about the radio?

What antenna are you using with it?

Did you spring for the DTMF microphone? If so did it make frequency entry easier?

Also, did you get any other options (ATU, etc?)

thanks for your comments and help.
b

```
From -5191397515683785702
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!out03a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<Xns9A3B66633B27EHuckleberrybigvalley@198.186.192.196>
<slrnfqho3f.26d.blueboxthief@sanfermin.my.domain>
Organization: Your Company
Message-ID: <Xns9A3BB82E24D4AHuckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 06 Feb 2008 02:06:28 GMT
Lines: 53
NNTP-Posting-Host: e13d7706.news.adtechcomputers.com
X-Trace: DXC=5^;Il]MG`S;`QH7QS>[O[0gC4_A5:nI@1<<=aEgO;R87ClIT:_[G0b?
Icb=C[\nF<3Qjo<[F9ZR]?[Ei0XIIAYZ=KbiW151m\J1
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13946
```

>
> One question: what are the menuing systems like? I have no real
> problem with getting to grips with menus, but some reviews seemed
> highly critical of them.

If I were to fault Yaesu for anything, it would be their menu system. Of the big three, I find Yaesu's menu system to be the least intuitive. That said, I will say that I find the menu system for the FT-450 "different", and perhaps more straight forward than that of the FT-897 system. I have an FT-817 which is similar to the FT-897 and FT-857 type radios and It is not nearly as easy to use as the FT-450.

>
> From POV of something like filtering, how easy are they to use?

Not as easy at the IC=746, but still better than the other Yaesu radios to which I already referred.

>
> Are there anythings you hate/love about the radio?

No hate, nothing particular that I love, either.

>
> What antenna are you using with it?

A 23' base loaded vertical on the back of my motorhome. Works superbly, but I always adjust my loading coil assy for a good 50 ohm match for the radio.

>
> Did you spring for the DTMF microphone? If so did it make frequency
> entry easier?

I had no need for the DTMF microphone. I am pleased with the stock mic.

>
> Also, did you get any other options (ATU, etc?)

Since my home brew antennas always are designed for a 50 ohm match, I had no need to get the matching unit.

Ed K7AAT

From 5701819515146394323
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 06 Feb 2008 11:21:08 -0600
Date: Wed, 06 Feb 2008 12:21:12 -0500
From: afcsman <afcsman@hotmail.com>
Reply-To: afcsman@hotmail.com
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11) Gecko/20071128 SeaMonkey/1.1.7
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
In-Reply-To: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com>

Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.246.99.197
X-Trace: sv3-VIg+Q4QtRg/
4ERlluNJKBHAtgvWg+gtplK0hNOzwaY8JzxARMXRVu12p+3LInQ8bHfWMPnOKgVMmwKD!
N7261+RV3+2Yu2/+GGZRRzUWyfgj+JDobCgAnScmjpe+pAfZU+BZWsoqcLhBO3DWK67CPlQI0n0A!
1f3ik3cfbfaklu+E0LpAvZqMk+ZjYg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13947

Andiroo wrote:
> Hi
>
> I have just purchased a Howes DCRX receiver which works on 80m and was
> a kit made by CM Howes in the UK around the mid-1980s. Does anyone
> know where i could find the instructions or does anyone have one of
> these receivers?
>
> Thanks
>
> Andy
>
Nothing in BAMA, but try this:

http://www.hamradiomanuals.com/view_manual.php?m=304

It'll cost you, but if you google, you'll find some
favorable opinions on the receiver and some tips, esp in the
eHam.net reviews.

good luck!

--W9NPI

From -2583857243743122840
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!not-for-mail
From: "Anonymous." <me@privacy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Wed, 6 Feb 2008 20:14:39 -0000
Organization: Aioe.org NNTP Server
Lines: 23

```
Message-ID: <fod4fl$7e2$1@aioe.org>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
<acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13948

"afcsman" <afcsman@hotmail.com> wrote in message
news:acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com...
> Andiroo wrote:
>> Hi
>>
>> I have just purchased a Howes DCRX receiver which works on 80m and was
>> a kit made by CM Howes in the UK around the mid-1980s. Does anyone
>> know where i could find the instructions or does anyone have one of
>> these receivers?
>> Thanks
>> Andy
> Nothing in BAMA, but try this:
> http://www.hamradiomanuals.com/view_manual.php?m=304
> It'll cost you, but if you google, you'll find some favorable opinions on
> the receiver and some tips, esp in the eHam.net reviews.

Sorry, missed this first time round.

I've got one, made up into a qrp rig with the matching TX.

What info do you need?




From 3521199957973244964
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!c4g2000hsg.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Wed, 6 Feb 2008 13:36:13 -0800 (PST)
Organization: http://groups.google.com
Lines: 36
Message-ID: <0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
     <acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com> <fod4fl$7e2$1@aioe.org>
NNTP-Posting-Host: 86.131.85.40
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202333774 13724 127.0.0.1 (6 Feb 2008 21:36:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Feb 2008 21:36:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: c4g2000hsg.googlegroups.com; posting-host=86.131.85.40;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13949

On Feb 6, 8:14=A0pm, "Anonymous." <m...@privacy.net> wrote:
> "afcsman" <afcs...@hotmail.com> wrote in message
>
> news:acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com...
>
> > Andiroo wrote:
> >> Hi
>
> >> I have just purchased a Howes DCRX receiver which works on 80m and was
> >> a kit made by CM Howes in the UK around the mid-1980s. Does anyone
> >> know where i could find the instructions or does anyone have one of
> >> these receivers?
> >> Thanks
> >> Andy
> > Nothing in BAMA, but try this:
> >http://www.hamradiomanuals.com/view_manual.php?m=3D304
> > It'll cost you, but if you google, you'll find some favorable opinions o=
n
> > the receiver and some tips, esp in the eHam.net reviews.
>
> Sorry, missed this first time round.
>
> I've got one, made up into a qrp rig with the matching TX.
>
> What info do you need?

Hi

Thanks for the response. Couple of questions. I have the 80m version
and wonder what it would take to run it on 40metres. Also just
interested in the schematics to understand the construction. Lastly,
how the TX matched it and worked etc.

Thanks

A


From 679236952566293302
```

```
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!y5g2000hsf.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Wed, 6 Feb 2008 13:37:29 -0800 (PST)
Organization: http://groups.google.com
Lines: 31
Message-ID: <cc7bec70-1c2b-4bd5-9c11-9d2d6a490288@y5g2000hsf.googlegroups.com>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com>
     <acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com>
NNTP-Posting-Host: 86.131.85.40
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1202333849 12453 127.0.0.1 (6 Feb 2008 21:37:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Feb 2008 21:37:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y5g2000hsf.googlegroups.com; posting-host=86.131.85.40;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13950

On Feb 6, 5:21=A0pm, afcsman <afcs...@hotmail.com> wrote:
> Andiroo wrote:
> > Hi
>
> > I have just purchased a Howes DCRX receiver which works on 80m and was
> > a kit made by CM Howes in the UK around the mid-1980s. Does anyone
> > know where i could find the instructions or does anyone have one of
> > these receivers?
>
> > Thanks
>
> > Andy
>
> Nothing in BAMA, but try this:
>
> http://www.hamradiomanuals.com/view_manual.php?m=3D304
>
> It'll cost you, but if you google, you'll find some
> favorable opinions on the receiver and some tips, esp in the
> eHam.net reviews.
>
> good luck!
>
> --W9NPI
```

Thanks - i was hoping to get away with no paying for the download -
guess i am a cheapskate.

Thanks

A

From 2053569940678266477
X-Google-Thread: 108122,6e8b7b47606d9c86,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe21.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS "Parts" HeathKit SSB Marauder HX-10
Message-ID: <ljakq39nrfbsqsnhvq8vpsar7gd4nqomep@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe21.lga 1202334335 70.161.108.207 (Wed, 06 Feb 2008 14:45:35 MST)
NNTP-Posting-Date: Wed, 06 Feb 2008 14:45:35 MST
Organization: Cox
Date: Wed, 06 Feb 2008 16:45:51 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13951

Old rusty cabinet, knobs have corrosion, missing HV transformer &
5U4's. It has heterodyne crystals and SSB filter. Good for parts or a
real heck of a restoration project. Too heavy to ship whole from
23323. Contact k4wys@cox.net

From 8360940836281213402
X-Google-Thread: 108122,849176b4a53f241c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!53ab2750!not-for-mail
From: Radio <radReMoVe@mts.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: HAMMARLUND HX-FIFTY HX-50
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

```
Lines: 5
Message-ID: <ggqqj.3458$5M1.2995@newsfe23.lga>
X-Complaints-To: http://support.highwinds-media.com
NNTP-Posting-Date: Wed, 06 Feb 2008 15:11:24 MST
Date: Wed, 06 Feb 2008 16:11:11 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:13952
```

HAMMARLUND HX-FIFTY HX-50

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=200198298043

```
From -2361418908512665601
X-Google-Thread: 108122,77c54d306fbad29c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
k39g2000hsf.googlegroups.com!not-for-mail
From: Frank <outdrquest@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM 735
Date: Wed, 6 Feb 2008 15:36:18 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 207.200.116.134
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1202340978 1880 127.0.0.1 (6 Feb 2008 23:36:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Feb 2008 23:36:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k39g2000hsf.googlegroups.com; posting-host=207.200.116.134;
     posting-account=NPgbhQoAAAB7E7_7EUr7axHXL1rikM-q
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.1; AOLBuild
     4334.34; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/3.1.1.5 [uScMs f p eN:t cCMp s ]), HTTP/1.1
     spider-ntc-tc06.proxy.aol.com[CFC87046] (Prism/1.2.1), HTTP/1.1
     cache-ntc-ac05.proxy.aol.com[CFC87486] (Traffic-Server/6.1.5 [uScM])
Xref: g2news1.google.com rec.radio.amateur.equipment:13953
```

I am new to ham radio.

I was given an Icom 735.

Set up radio per owners manual. Using a wire antenna (set up for 10meters), an MFJ tuner.

I am not getting any signals at all. Double checked all connections

```
and set per manual again.

I could use a few suggestions.



From -1397367604957930582
X-Google-Thread: 108122,77c54d306fbad29c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.phx!newsfe06.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com>
In-Reply-To: <5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com>
Subject: Re: ICOM 735
Lines: 34
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <4ptqj.11$xK4.7@newsfe06.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe06.phx 1202348736 72.197.13.209 (Wed, 06 Feb 2008 18:45:36 MST)
NNTP-Posting-Date: Wed, 06 Feb 2008 18:45:36 MST
Organization: Cox
Date: Wed, 6 Feb 2008 17:45:32 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13954



"Frank" <outdrquest@aol.com> wrote in message
news:5a16d201-d9e3-4c05-988c-47547f4a48b3@k39g2000hsf.googlegroups.com...
>I am new to ham radio.
>
> I was given an Icom 735.
>
> Set up radio per owners manual.  Using a wire antenna (set up for
> 10meters), an MFJ tuner.
>
> I am not getting any signals at all.  Double checked all connections
> and set per manual again.
>
> I could use a few suggestions.

We are
at the low end of the solar cycle, thus 10M propagation is very very poor -
```

pretty much limited to line of sight.
and not many operating there.

See a neat propagation primer at URL:
http://www.ae4rv.com/tn/propflash.htm

Try tuning the other Ham bands, 20, 40, 80 meters, the latter at night.
The Icom 735 receiver tunes 0.1-30 MHz, so you should be able to hear the AM
Broadcast band and some shortwave stations
The solar cycle will start peaking up in a few years -- see URL:
http://www.dxlc.com/solar/solcycle.html

Then 10M will yield world wide DX.

Lamont

From -1626330517525293608
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Date: Wed, 06 Feb 2008 21:23:18 -0600
From: Tom Ring <news0004@taring.org>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<G40qj.7345$Nz7.6176@newsfe11.phx>
<slrnfqh4k4.f79.blueboxthief@sanfermin.my.domain>
In-Reply-To: <slrnfqh4k4.f79.blueboxthief@sanfermin.my.domain>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 48
Message-ID: <47aa79a6$0$93283$8046368a@newsreader.iphouse.net>
Organization: ipHouse - Welcome Home!
NNTP-Posting-Date: 06 Feb 2008 21:23:18 CST
NNTP-Posting-Host: 2a7321c8.newsreader.iphouse.net
X-Trace: DXC=eegN@JlMOU_n@6@2jf]AAYVn\Tj8`^Bb[eHS>e[L>83P4KoYm?
Nj57[WX@ab@3=d:PZn2>YI<c?B^jJ_ab@6LLH[
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13955

blue box thief wrote:

>
> Hi lamont,
>
> Yes, I have read both sets of reviews from eham (also looked at QST, and, I

think,
> the PW review).
>
> The most logical reason for the more 897 reviews is that radio has been out alot
longer
> (4-5 more years?) than the 450 (it was released sometime last year).
>
> Does anyone have any first hand experience/opinions of either of these radios?
>
> thanks
>

Just one, do NOT buy the D model of this radio, or its twin, the 857.
The only real change was they made it impossible to do the software mods
on it. To put it another way, if you have the 897 instead of the 897D,
you can easily add the 60m "channels" to normal memory locations after
doing the software mod.

That being said, both the D and non-D models have some serious hardware
issues, all of which are fixable. The processor isn't one, it's simply
a 100 gain op amp that starts to clip as you turn it up, no filtering,
no nothing. Fixable with 4 or 5 resistors and caps as I remember. The
finals bias currents are normally not set properly at the factory.
Simple to fix. The drivers, which are the FT817 finals, have the same
problem they did in the 817, they tend to blow up under certain
conditions. To be fair, it's very rare, and fixable with a voltage
regulator. The ALC time constant is way to fast, which causes dropouts
in during portions of words. This one is very easy to fix with a single
cap. There are some others that are less of a problem.

I own an 897 and an 857D, and they do not work at all alike on transmit,
though they are theoretically virtually identical. Both are very good on
receive for the design, and essentially the same. The 897 is great on
transmit, and the 857D is, to put it bluntly, absolute crap. I am
fairly certain that this is due to the bias on the finals, but will not
be able to confirm that until I can take it in for realignment. I will
do that, and then have the other mods done one at a time to see how the
transmit audio changes.

For more information on the 897/857, see the DG2IAQ document. I found a
copy on mods.dk. It may be available other places. It is very well done.

tom
K0TAR

From 5725777211895072810
X-Google-Thread: fcc6e,77720cd15c812a76,start
X-Google-Thread: 11480d,77720cd15c812a76,start
X-Google-Thread: 108122,77720cd15c812a76,start
X-Google-Thread: fc2a5,77720cd15c812a76,start
X-Google-Thread: 10b9c8,77720cd15c812a76,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!news-out.readnews.com!
transit4.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1199689500@panix.com>
Followup-To: poster
Date: 7 Feb 2008 02:05:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 11 Mar 2008 03:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1202367901@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1202367902 4893 166.84.1.2 (7 Feb 2008 07:05:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Feb 2008 07:05:02 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:54583 rec.radio.amateur.dx:3883
rec.radio.amateur.equipment:13956 rec.radio.amateur.homebrew:15229
rec.radio.info:670

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 6166458185557219428
X-Google-Thread: 108122,8b27433281cd1c70,start
X-Google-Thread: 1109af,8b27433281cd1c70,start
X-Google-Thread: 10b9c8,8b27433281cd1c70,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1199689800@panix.com>
Followup-To: poster
Date: 7 Feb 2008 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 11 Mar 2008 03:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1202368200@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1202368201 12590 166.84.1.2 (7 Feb 2008 07:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 7 Feb 2008 07:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:13957 rec.radio.swap:18407 rec.radio.info:671

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From 5101573210153336739
X-Google-Thread: 108122,259690e20691706d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!aioe.org!not-for-mail
From: "Anonymous." <me@privacy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Howes DCRX Receiver - Kit from 1980s-
Date: Thu, 7 Feb 2008 10:38:08 -0000
Organization: Aioe.org NNTP Server
Lines: 21
Message-ID: <foen2q$tlm$1@aioe.org>
References: <305f1efb-0250-4607-beec-d6d0f5034a23@b2g2000hsg.googlegroups.com> <acCdndAiC4oZcTTanZ2dnUVZ_rvinZ2d@comcast.com> <fod4fl$7e2$1@aioe.org> <0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13958

"Andiroo" <a.richman@btinternet.com> wrote in message
news:0dc0b827-74b4-44ed-916a-6578001536fe@c4g2000hsg.googlegroups.com...
On Feb 6, 8:14 pm, "Anonymous." <m...@privacy.net> wrote:
> > Andiroo wrote:
> >> Hi
> >> I have just purchased a Howes DCRX receiver which works on 80m and was
> >> a kit made by CM Howes in the UK around the mid-1980s. Does anyone
> >> know where i could find the instructions or does anyone have one of
> >> these receivers?
> Sorry, missed this first time round.
> I've got one, made up into a qrp rig with the matching TX.
> What info do you need?

Thanks for the response. Couple of questions. I have the 80m version
and wonder what it would take to run it on 40metres. Also just
interested in the schematics to understand the construction. Lastly,
how the TX matched it and worked etc.

1. Whereabouts in Britland are you?
2. Is your published email address true (It looks facetious)

From -647699476509341669
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
Date: 7 Feb 2008 12:34:19 GMT
Lines: 41
Message-ID: <slrnfqluml.jtk.blueboxthief@sanfermin.my.domain>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<Xns9A3B66633B27EHuckleberrybigvalley@198.186.192.196>
<slrnfqho3f.26d.blueboxthief@sanfermin.my.domain>
<Xns9A3BB82E24D4AHuckleberrybigvalley@198.186.192.196>
X-Trace: individual.net LqY0QInO3nsq0kDeFPaVTQIApI3TAY6T7+FkfZKACoiVinRuMN
Cancel-Lock: sha1:N7NJqvkkcUpK7JhgbcVLPoqceJ4=
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:13959

Hi Ed,

Thanks for the reply.

On 2008-02-06, Ed_G <Huckleberry_REMOVE_@bigvalley.net> wrote:
>
> If I were to fault Yaesu for anything, it would be their menu system.
> Of the big three, I find Yaesu's menu system to be the least intuitive.
> That said, I will say that I find the menu system for the FT-450
> "different", and perhaps more straight forward than that of the FT-897
> system. I have an FT-817 which is similar to the FT-897 and FT-857
> type radios and It is not nearly as easy to use as the FT-450.

That is very good news. Very glad to hear it. So the 450, has a
"better" menu system than the 817/57/97?

>> From POV of something like filtering, how easy are they to use?
>
> Not as easy at the IC=746, but still better than the other Yaesu
> radios to which I already referred.

> No hate, nothing particular that I love, either.

> A 23' base loaded vertical on the back of my motorhome. Works
> superbly, but I always adjust my loading coil assy for a good 50 ohm
> match for the radio.

With all these average, or "positive" comments, I don't understand how the radio
has received bad reviews.

Thank you very much for your comments Ed. You'd helped me alot.

much appreciated.

b
ei8fdb

From -1000291641675937794
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
Date: 7 Feb 2008 12:47:01 GMT
Lines: 33
Message-ID: <slrnfqlvee.jtk.blueboxthief@sanfermin.my.domain>

```
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<G40qj.7345$Nz7.6176@newsfe11.phx>
<slrnfqh4k4.f79.blueboxthief@sanfermin.my.domain>
<47aa79a6$0$93283$8046368a@newsreader.iphouse.net>
X-Trace: individual.net OABtkPInGJVbyGDHrVQOJwO/bnUWOZIuAfQY95H7ap+olt2Wh6
Cancel-Lock: sha1:OkjzAAXCi6psHa3vQ13vOP4Q8xE=
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:13960

On 2008-02-07, Tom Ring <news0004@taring.org> wrote:
>> Does anyone have any first hand experience/opinions of either of these radios?
>
> Just one, do NOT buy the D model of this radio, or its twin, the 857.
> The only real change was they made it impossible to do the software mods
> on it.  To put it another way, if you have the 897 instead of the 897D,
> you can easily add the 60m "channels" to normal memory locations after
> doing the software mod.

I like software mods, once you don't brick the thing :)

> That being said, both the D and non-D models have some serious hardware

<SNIP>

Ok, thanks for the information regarding the D/non-D models. Note made.

>
> I own an 897 and an 857D, and they do not work at all alike on transmit,
> though they are theoretically virtually identical. Both are very good on
> receive for the design, and essentially the same.  The 897 is great on
> transmit, and the 857D is, to put it bluntly, absolute crap.  I am

Interesting Tom. I have heard bad results from the 857D, but not anything
about the 857, as it is discontinued I think.

Have you any experience of the 817? I had thought about picking one up for
SOTA type stuff. The dollar is a good price for me at the moment :)

> For more information on the 897/857, see the DG2IAQ document.  I found a
> copy on mods.dk.  It may be available other places.  It is very well done.

Yup, I have used mods.dk before. It is a good website.


From -9052051155581980081
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!
newsfeed.freenet.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: Any opinions on Yaesu FT-450
Date: 7 Feb 2008 12:49:05 GMT
Lines: 15
Message-ID: <slrnfqlvib.jtk.blueboxthief@sanfermin.my.domain>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<Xns9A3B66633B27EHuckleberrybigvalley@198.186.192.196>
<slrnfqho3f.26d.blueboxthief@sanfermin.my.domain>
<Xns9A3BB82E24D4AHuckleberrybigvalley@198.186.192.196>
<slrnfqluml.jtk.blueboxthief@sanfermin.my.domain>
X-Trace: individual.net xJZCm3iKo0ZCUGKv6HhEtAYtzZBb02zmoFwmoWPYrISRIvNFcp
Cancel-Lock: sha1:dP+R6mbULmmpyMJpgNiAGfXDtJc=
User-Agent: slrn/0.9.8.1 (OpenBSD)
X-Original-Bytes: 1309
Xref: g2news1.google.com rec.radio.amateur.equipment:13961

On 2008-02-07, blue box thief <"blue box thief"@runningwithbulls.com> wrote:
>
>>     A 23' base loaded vertical on the back of my motorhome.  Works
>> superbly,  but I always adjust my loading coil assy for a good 50 ohm
>> match for the radio.

Oh, one more thing Ed. Have you ever carried the radio for a long distance?
Is it heavy? I know its 2.xKg, but just wondering if its possible to carry
the thing in a backpack?

Just curious..

thanks
b
ei8fdb



From 3631304386498991018
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Date: Thu, 07 Feb 2008 08:23:54 -0600
From: Tom Ring <news0004@taring.org>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<G40qj.7345$Nz7.6176@newsfe11.phx>
<slrnfqh4k4.f79.blueboxthief@sanfermin.my.domain>
<47aa79a6$0$93283$8046368a@newsreader.iphouse.net>
<slrnfqlvee.jtk.blueboxthief@sanfermin.my.domain>
In-Reply-To: <slrnfqlvee.jtk.blueboxthief@sanfermin.my.domain>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
```

Message-ID: <47ab147a$0$1124$8046368a@newsreader.iphouse.net>
Organization: ipHouse - Welcome Home!
NNTP-Posting-Date: 07 Feb 2008 08:23:54 CST
NNTP-Posting-Host: 422488c3.newsreader.iphouse.net
X-Trace:
DXC=3kECL17IeY^VagYK68c<M]UU[C:R=]MbZeHS>e[L>83P<:EKUba>94Z7NPdkIDho0]NOlP4OH3DYVL
MYH7J>04b_
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13962

blue box thief wrote:
>
> Have you any experience of the 817? I had thought about picking one up for
> SOTA type stuff. The dollar is a good price for me at the moment :)
>

I owned an 817 for about 2 years, and wish I still had it. I used it
for PSK31 a lot. I had a Z11 tuner velcro'd to the top and they were a
good pair. It got traded in when I purchased the 897.

tom
K0TAR

From -6324862411739338966
X-Google-Thread: 108122,b6d105e130700004
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any opinions on Yaesu FT-450
Date: 7 Feb 2008 16:35:19 GMT
Lines: 12
Message-ID: <slrnfqmcqg.jtk.blueboxthief@sanfermin.my.domain>
References: <slrnfqgohv.f79.blueboxthief@sanfermin.my.domain>
<G40qj.7345$Nz7.6176@newsfe11.phx>
<slrnfqh4k4.f79.blueboxthief@sanfermin.my.domain>
<47aa79a6$0$93283$8046368a@newsreader.iphouse.net>
<slrnfqlvee.jtk.blueboxthief@sanfermin.my.domain>
<47ab147a$0$1124$8046368a@newsreader.iphouse.net>
X-Trace: individual.net 6gkQ7q7CeEuY5f8L4U+8Aw5QKmSHBZ/MnU33p6Gbrz52+OU6iP
Cancel-Lock: sha1:U5bpDICqzr0vpTZcpfWSrDrenp4=
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:13963

On 2008-02-07, Tom Ring <news0004@taring.org> wrote:
> I owned an 817 for about 2 years, and wish I still had it. I used it
> for PSK31 a lot. I had a Z11 tuner velcro'd to the top and they were a
> good pair. It got traded in when I purchased the 897.

Yes I have read about the combination of the Z11 and the 817.

I might have a look and see if I can get an 817 as well as the 450.

thanks very much for your help.

b
ei8fdb

From -212043754495354З2
X-Google-Thread: 108122,c2d5a07fdfaa4fa7
X-Google-Thread: 107ada,c2d5a07fdfaa4fa7
X-Google-Thread: 1109af,c2d5a07fdfaa4fa7
X-Google-Attributes: gid108122,gid107ada,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!roadrunner.com!not-for-mail
From: "Just4Me" <no@nono.noway>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap
References: <4gzlj.1015$uE.19@newssvr22.news.prodigy.net>
<47981274$0$1491$4c368faf@roadrunner.com>
<lCUlj.315$xq2.143@newssvr21.news.prodigy.net>
Subject: Re: A little off topic, RE: Buying from a government auction
Date: Wed, 23 Jan 2008 23:58:07 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 29
Message-ID: <47981a6f$0$31770$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 70.118.91.205
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13863
rec.radio.amateur.misc:43145 rec.radio.swap:18293

It is obviously a stupid policy and it is especially stupid when they go
back over a year ago. The first one I got was for some multimeters!

What is so secret about multimeters???? Waiting for more letters as I bought
scopes and other great stuff that is god knows where!

Same question you had with the IFR. Since then I have talked to others and
they are getting the same letters.

If you get a EUC you would think all is fine but no longer true. Just means
that the items are now going for scrap prices.

Good Luck.. Didn't mean to be off topic..

--

Please do not use or circulate this e-mail transmission in the absence of explicit written permission from the original sender. Its contents are privileged and confidential, and are meant for use only by the named addressee(s) or entity. If the reader is not an intended recipient, then dissemination, in whole or in part, of these materials is strictly prohibited. If you have received this communication in error, please notify the sender by reply transmission, and kindly delete the message without copying or disclosing it.

```
From -4906990722569911784
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!
63.218.45.10!nx01.iad01.newshosting.com!newshosting.com!newspeer.monmouth.com!
falcon.america.net!eagle.america.net.POSTED!not-for-mail
From: BillJ <w3fi@nwboronet.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 29
Message-ID: <XK1mj.24$9l1.182@eagle.america.net>
Date: Thu, 24 Jan 2008 10:01:54 -0500
NNTP-Posting-Host: 147.72.105.97
X-Trace: eagle.america.net 1201186871 147.72.105.97 (Thu, 24 Jan 2008 10:01:11
EST)
NNTP-Posting-Date: Thu, 24 Jan 2008 10:01:11 EST
Organization: 24hoursupport.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13864
```

Joseph Fenn wrote:

> I know this is an off topic info msg but thought might be of interest
> to some of you. I just bought the latest Radio Shack AT&T house
> phone.   It is progrmable and uses no batteriest to hold the settings
> in tack. It had features like 4 pre programale instant memories

```
> M1 M2 M3 that you can put in things lile "911"  or 10-10-220
> or Time check nr etc.  You can set announcement after 2 rings then
> it can store up to 19 incoming msgs or 29 minutes of calls.
> I was bale to setup most of the features myself except the
> Annoncement after 2 rings. I went back to radio schack and told
> them I could'nt change the nr of rings to 2 followed by my
> announcement.   they said bring the phone in and they would do it
> for me.  I thought   "oh no if I unplug the AC adapter I'll loose
> all the stuff I had set up.  But they said no "it has a batteryless
> chip in it that retains the set up features without power of any
> kind!!!  In fact the box it came in says "battery less" phone.
> So I took it down and the guy did it for me so fast I could'nt see
> which keys he was pokeing.  Now its set for 2 rings only instead of
> 7 rings prior to the automatic announcement. he said the phone reqjuires
> no battery power to retain the "setup" contents. I wonder what kind
>
> of chip can do this:: ROM or RAM??? ROM CHIP requires a burner
> RAM chip reqyures some kind of battery backup lithium or whatever.
> But this Home Ph had neither. It says right on the box that it came
> in "batteryless phone"...
> How can this be????????
>                         Joe
>
It gets powered off the phone line's D.C.  ??


From -8364504092907332687
X-Google-Thread: 108122,1a112b9d1acdbe57
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder5.cambrium.nl!
feed.tweaknews.nl!68.142.88.75.MISMATCH!hwmnpeer01.ams!news.highwinds-media.com!
news.astraweb.com!border1.a.newsrouter.astraweb.com!club-internet.fr!feedme-
small.clubint.net!aioe.org!not-for-mail
From: Steve H <g0lmv@yahoo.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Broke down and bought one ...
Date: Thu, 24 Jan 2008 17:22:06 +0000
Organization: Aioe.org NNTP Server
Lines: 36
Message-ID: <fnahfo$h2s$1@aioe.org>
References: <fn4aiu$opl$1@news.albasani.net> <jerseyj69-
DBA080.13410123012008@newsgroups.comcast.net> <fn82jr$sls$1@news.albasani.net>
Reply-To: g0lmv@yahoo.co.uk
NNTP-Posting-Host: FtQYT6MQ4tbvETABDYeHwg.user.aioe.org
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
Xref: g2news1.google.com rec.radio.amateur.equipment:13865

John Smith wrote:
```

```
> Jerseyj wrote:
>
>> ...
>> Mmmmm...given how long I own my radios, and given how quickly pc
>> hardware improves, I'd probably go for the model that doesn't include
>> the integrated PC.
>>
>> Jerry
>
> The firmware is upgradeable, they promise to allow you access to any new
> versions of the SDR software.
>
> The CPU is an intel dual core;  Just how much processing power do you
> need to run a radio?  But then, you can cruise the web on this "radio!",
> run other apps (think EZNEC here), etc.
>
> Also, if you need to control it remotely, you can still do so from
> another computer via firewire (say put the transceiver in your trunk and
> run it from a laptop in your passenger compartment), LAN, or
> WAN--wireless-ly.  Indeed, you can control this rig from anywhere in the
> world using VOIP!
>
> Personally, I thought it time to buy.  Will certainly beat anything I
> can homebrew here ... your mileage may vary.
>
> Regards,
> JS
As a short term investment in a radio it may not be bad value but in
this fast changing market that has not yet had any of the big 4 players
make a move the resale value in 5 years may be rather lower than you
would expect for a conventional radio - think of the value of a 2002
computer with a then state of the art sound card.


Steve H (Luddite)



From -7943479727935237434
X-Google-Thread: 108122,1a112b9d1acdbe57
X-Google-Thread: fcc6e,1a112b9d1acdbe57
X-Google-Thread: fc2a5,1a112b9d1acdbe57
X-Google-Attributes: gid108122,gidfcc6e,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!newsfeed01.sul.t-
online.de!newsfeed00.sul.t-online.de!t-online.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.antenna,rec.radio.amateur.homebrew
Subject: Re: Broke down and bought one ...
Date: Thu, 24 Jan 2008 11:37:16 -0800
Organization: albasani.net
Lines: 30
Message-ID: <fnapd7$gv5$2@news.albasani.net>
```

```
References: <fn4aiu$opl$1@news.albasani.net> <jerseyj69-
DBA080.13410123012008@newsgroups.comcast.net> <fn82jr$sls$1@news.albasani.net>
<fnahfo$h2s$1@aioe.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net l18yUEb+tk0QwWLcHMsR4r/
Y9+m7UnyyTwiUz1wG7uK8DeGV8sgUSjl1UeV0dr0WrVuYda74BxJU12FZCSdrsoBFr+
+kZdjqY7K6PVKqZANq91Ed7xSzIIoHG/3fawPw
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Thu, 24 Jan 2008 19:37:11 +0000 (UTC)
X-User-ID: jmBEeS/tRxA77fxZT8e5w0/Rq20QS1SSzy0x/RKva7Q=
In-Reply-To: <fnahfo$h2s$1@aioe.org>
Cancel-Lock: sha1:zpRl92PYOEP0MjpC27rikL+2YGI=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: ueeCnBcwxUKMgF6Dk/3KFnjatJNK4IEJUq2yF/ZqwHs=
Xref: g2news1.google.com rec.radio.amateur.equipment:13866
rec.radio.amateur.antenna:53954 rec.radio.amateur.homebrew:15166

Steve H wrote:

 >> ...
> As a short term investment in a radio it may not be bad value but in
> this fast changing market that has not yet had any of the big 4 players
> make a move the resale value in 5 years may be rather lower than you
> would expect for a conventional radio - think of the value of a 2002
> computer with a then state of the art sound card.
>
>
> Steve H (Luddite)

Steve:

You know I can hardly wait to lay hands on the darn thing; and, you know
it will live with me for a day and, THEN, I will have the case off it.

You did see the sentence which acknowledges it has an ITX board in it (a
miniature motherboard!)  In effect, I am just buying a computer which
knows how to be a radio ...

I tell you, I think it is enough.  I do believe I will be happy with it.
  It is NOT like buying gold, I know it has a life expectancy and one
day that will be $0.01 USD.

Still, I will be happy for a bit ... as I said, you mileage may vary.  I
walked into this deal with my eyes wide open ...

Warm regards,
JS


From 24691561067469564
X-Google-Thread: 108122,3e4f7b8513d84e1c
```

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
Date: Thu, 24 Jan 2008 16:12:39 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
In-Reply-To: <XK1mj.24$9l1.182@eagle.america.net>
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
 <XK1mj.24$9l1.182@eagle.america.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 40
Xref: g2news1.google.com rec.radio.amateur.equipment:13867

On Thu, 24 Jan 2008, BillJ wrote:

> Joseph Fenn wrote:
>> I know this is an off topic info msg but thought might be of interest
>> to some of you. I just bought the latest Radio Shack AT&T house
>> phone.   It is progrmable and uses no batteriest to hold the settings
>> in tack. It had features like 4 pre programale instant memories
>> M1 M2 M3 that you can put in things lile "911" or 10-10-220
>> or Time check nr etc. You can set announcement after 2 rings then
>> it can store up to 19 incoming msgs or 29 minutes of calls.
>> I was bale to setup most of the features myself except the
>> Annoncement after 2 rings. I went back to radio schack and told
>> them I could'nt change the nr of rings to 2 followed by my
>> announcement.   they said bring the phone in and they would do it
>> for me. I thought   "oh no if I unplug the AC adapter I'll loose
>> all the stuff I had set up. But they said no "it has a batteryless
>> chip in it that retains the set up features without power of any
>> kind!!! In fact the box it came in says "battery less" phone.
>> So I took it down and the guy did it for me so fast I could'nt see
>> which keys he was pokeing. Now its set for 2 rings only instead of
>> 7 rings prior to the automatic announcement. he said the phone reqjuires
>> no battery power to retain the "setup" contents. I wonder what kind
>>
>> of chip can do this:: ROM or RAM??? ROM CHIP requires a burner
>> RAM chip reqyures some kind of battery backup lithium or whatever.
>> But this Home Ph had neither. It says right on the box that it came
>> in "batteryless phone"...
>> How can this be????????
>>   Joe
>>
> It gets powered off the phone line's D.C. ??

Negative its not powered by the AC adaptor. It contains no batteries
in the phone either.   In fact on the box it says No battery Phone.
Others tell me its a "flash rom chip" whatever that is, and it does
retain the "setup" features in tact even with the ac adaptor unplugged.
                              Joe

From -7832036315988611215
X-Google-Thread: 108122,283a34f4aa2ad0e5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
wn12feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: BIRD COALSWITCH:NOS: AVAILABLE SOON
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <nBbmj.487216$kj1.114282@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: dacfbcc627a2d5e7bd08484eb7f7e75a
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1201227219
dacfbcc627a2d5e7bd08484eb7f7e75a (Fri, 25 Jan 2008 02:13:39 GMT)
NNTP-Posting-Date: Fri, 25 Jan 2008 02:13:39 GMT
Organization: AT&T Worldnet
Date: Fri, 25 Jan 2008 02:13:39 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13868

A NOS COAXSWITCH SERIES #74 will be on Ebay soon at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Have seen used ones for $495! Mine will not be, hi : stay tuned, tnx
Heytubeguy

From -109964009999103447
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!
newspeer.monmouth.com!falcon.america.net!eagle.america.net.POSTED!not-for-mail
From: BillJ <w3fi@nwboronet.com>

User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
<XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 46
Message-ID: <mXkmj.53$9l1.38@eagle.america.net>
Date: Fri, 25 Jan 2008 07:52:03 -0500
NNTP-Posting-Host: 147.72.105.97
X-Trace: eagle.america.net 1201265490 147.72.105.97 (Fri, 25 Jan 2008 07:51:30
EST)
NNTP-Posting-Date: Fri, 25 Jan 2008 07:51:30 EST
Organization: 24hoursupport.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13869
X-Original-Bytes: 3414

Joseph Fenn wrote:
>
>
> On Thu, 24 Jan 2008, BillJ wrote:
>
>> Joseph Fenn wrote:
>>
>>> I know this is an off topic info msg but thought might be of interest
>>> to some of you. I just bought the latest Radio Shack AT&T house
>>> phone.   It is progrmable and uses no batteriest to hold the settings
>>> in tack. It had features like 4 pre programale instant memories
>>> M1 M2 M3 that you can put in things lile "911" or 10-10-220
>>> or Time check nr etc. You can set announcement after 2 rings then
>>> it can store up to 19 incoming msgs or 29 minutes of calls.
>>> I was bale to setup most of the features myself except the
>>> Annoncement after 2 rings. I went back to radio schack and told
>>> them I could'nt change the nr of rings to 2 followed by my
>>> announcement.   they said bring the phone in and they would do it
>>> for me. I thought   "oh no if I unplug the AC adapter I'll loose
>>> all the stuff I had set up. But they said no "it has a batteryless
>>> chip in it that retains the set up features without power of any
>>> kind!!! In fact the box it came in says "battery less" phone.
>>> So I took it down and the guy did it for me so fast I could'nt see
>>> which keys he was pokeing. Now its set for 2 rings only instead of
>>> 7 rings prior to the automatic announcement. he said the phone reqjuires
>>> no battery power to retain the "setup" contents. I wonder what kind
>>>
>>> of chip can do this:: ROM or RAM??? ROM CHIP requires a burner
>>> RAM chip reqyures some kind of battery backup lithium or whatever.
>>> But this Home Ph had neither. It says right on the box that it came

```
>>> in "batteryless phone"...
>>> How can this be????????
>>>                         Joe
>>>
>> It gets powered off the phone line's D.C.  ??
>
>
> Negative its not powered by the AC adaptor.  It contains no batteries
> in the phone either.    In fact on the box it says No battery Phone.
> Others tell me its a "flash rom chip" whatever that is, and it does
> retain the "setup" features in tact even with the ac adaptor unplugged.
>                                Joe
>
Right, no AC adaptor needed. If it is plugged in the phone line, there
is power there, on the line. Maybe that is where it gets it power, then
stores setup info to an EEPROM.


From -8850195444067340039
X-Google-Thread: 10c2ee,f042cf2f38e51180,start
X-Google-Thread: 108122,f042cf2f38e51180,start
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m34g2000hsb.googlegroups.com!not-for-
mail
From: "shoppa@trailing-edge.com" <shoppa@trailing-edge.com>
Newsgroups: rec.antiques.radio+phono, rec.radio.amateur.equipment
Subject: Biggish speaker in wood box wanted
Date: Fri, 25 Jan 2008 07:35:17 -0800 (PST)
Organization: http://groups.google.com
Lines: 24
Message-ID: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
NNTP-Posting-Host: 170.121.15.35
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201275319 19588 127.0.0.1 (25 Jan 2008 15:35:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 25 Jan 2008 15:35:19 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: m34g2000hsb.googlegroups.com; posting-host=170.121.15.35;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.antiques.radio+phono:91181
rec.radio.amateur.equipment:13870

I like listening to shortwave and ham stuff using biggish speakers.
Little speakers like computer speakers sound chintzy to my ears.

As examples, I have an old 50's Caliphone record player/PA system that
has two remote 15" speakers and I just love the way my shortwave and
```

ham stuff sounds through these speakers. I also have some Electovoice EV5's (again, big old mellow speakers) and I love the way things sound through these.

But I don't want to undo my record player setup or stereo system setup to borrow the speakers. If I wanted a new speaker with similar qualities - nothing fancy, just a big speaker in a big wood box - where would I look? Would a guitar amp speaker (something I can buy at a guitar store?) be the right thing for me to buy?

Going into Short Circuit City or Radio Shack I don't see anything that really seems like what I want. I did get a couple of Radio Shack patio speakers (5 inch drivers in a metal box) and those are better than anything else new I've found, but they still don't sound mellow enough and still a bit tinny. They're sort-of listenable and I've been using them for a while but their tinny is kinda grating after a while. I want big and mellow. Where do I go and what do I ask for?

Tim.

From -297857904930130772
X-Google-Thread: 108122,1a112b9d1acdbe57
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!post02.iad01!roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Broke down and bought one ...
Date: Fri, 25 Jan 2008 10:10:55 -0600
Message-ID: <j92kp3d0m1pevttl3o2qpv7ocolmuogmg5@4ax.com>
References: <fn4aiu$opl$1@news.albasani.net> <jerseyj69-DBA080.13410123012008@newsgroups.comcast.net> <fn82jr$sls$1@news.albasani.net> <fnahfo$h2s$1@aioe.org> <fnapd7$gv5$2@news.albasani.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 46
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13871

On Thu, 24 Jan 2008 11:37:16 -0800, John Smith <assemblywizard@gmail.com> wrote:

>Steve H wrote:
>
> >> ...
>> As a short term investment in a radio it may not be bad value but in

>> this fast changing market that has not yet had any of the big 4 players
>> make a move the resale value in 5 years may be rather lower than you
>> would expect for a conventional radio - think of the value of a 2002
>> computer with a then state of the art sound card.
>>
>>
>> Steve H (Luddite)
>
>Steve:
>
>You know I can hardly wait to lay hands on the darn thing; and, you know
>it will live with me for a day and, THEN, I will have the case off it.
>
>You did see the sentence which acknowledges it has an ITX board in it (a
>miniature motherboard!) In effect, I am just buying a computer which
>knows how to be a radio ...
>
>I tell you, I think it is enough. I do believe I will be happy with it.
> It is NOT like buying gold, I know it has a life expectancy and one
>day that will be $0.01 USD.
>
>Still, I will be happy for a bit ... as I said, you mileage may vary. I
>walked into this deal with my eyes wide open ...
>
>Warm regards,
>JS

Hell, I used Windows 95 (purchased in Aug. of '94) till about 2006.
One can always stretch things out...

The Flexradios I've heard on the air, they sound great, and the guys
seem to swear by 'em.

Brave new world, out there... will miss the knobs & glowing meters,
tho'

bob
k5qwg

From 2365674973005100038
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!fd24bd7a!not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0

Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
In-Reply-To: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <35omj.2856$7d1.2488@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956f9d2364c65fcb534333b9fee5749f73d7baa172ae783d4ecaaf9aec2e3381943bb
3e7e73ada4c7219402bf672170dbed4466c456a8ade859a3c7232e571ecd273dddd7ba41c8da6ae551
e5790282458fdbadca171db36b7a8292259b1b3fed907c5a85dc9518c66216aa689080bd54e5bcaa51
f1c3459c66
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Fri, 25 Jan 2008 16:26:39 UTC
Date: Fri, 25 Jan 2008 16:26:39 GMT
Xref: g2news1.google.com rec.antiques.radio+phono:91184
rec.radio.amateur.equipment:13872

shoppa@trailing-edge.com wrote:
> I like listening to shortwave and ham stuff using biggish speakers.
> Little speakers like computer speakers sound chintzy to my ears.

I know what you mean, my station extension speakers are some 8" stereo speakers I found at a thrift store. No tweeters, just an 8" cone driver and I like how they sound.

> ... Would a guitar amp speaker (something I can buy at
> a guitar store?) be the right thing for me to buy?

It would probably get the sound you're after but it would be expensive and big.

> ... Where do I go and what do I ask for?

I've had success in thrift stores like Good Will, pawn shops, etc. I look for old stereo speakers with wood cabinets, not plastic.

In my van I use an old GE land mobile extension speaker. It sounds great for voice communications, not tinny, not boomy. There's usually someone at a hamfest selling old land mobile radios, they might have speakers.

Happy Hunting!
- Galen, W8LNA

From -1400395033293923700
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x69g2000hsx.googlegroups.com!not-for-
mail
From: AB9GO <randallr@healthall.com>
Newsgroups: rec.antiques.radio+phono, rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Fri, 25 Jan 2008 08:42:38 -0800 (PST)
Organization: http://groups.google.com
Lines: 40
Message-ID: <dcbdc230-a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
     <35omj.2856$7d1.2488@news01.roc.ny>
NNTP-Posting-Host: 198.246.246.251
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201279359 31907 127.0.0.1 (25 Jan 2008 16:42:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 25 Jan 2008 16:42:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x69g2000hsx.googlegroups.com; posting-host=198.246.246.251;
     posting-account=C73F2gkAAACabu1cxp3hd7zPfjwtCrZx
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.11)
     Gecko/20071204 Ubuntu/7.10 (gutsy) Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.antiques.radio+phono:91187
rec.radio.amateur.equipment:13873

Speaker designed for use with amateur and two-way radio, shortwave and
scanner listening.

http://www.soundssweet.com

Look at how it is constructed and buy the parts from www.partsexpress.com
.
Here are reviews from hams that own this speaker:
http://www.eham.net/reviews/detail/2754

Randy AB9GO

On Jan 25, 11:26 am, gwatts <gwa...@frontiernet.net> wrote:
> sho...@trailing-edge.com wrote:
> > I like listening to shortwave and ham stuff using biggish speakers.
> > Little speakers like computer speakers sound chintzy to my ears.
>
> I know what you mean, my station extension speakers are some 8" stereo
> speakers I found at a thrift store.  No tweeters, just an 8" cone driver
> and I like how they sound.
>
> > ... Would a guitar amp speaker (something I can buy at
> > a guitar store?) be the right thing for me to buy?
>
> It would probably get the sound you're after but it would be expensive
> and big.
>
> > ... Where do I go and what do I ask for?
>
> I've had success in thrift stores like Good Will, pawn shops, etc.  I
> look for old stereo speakers with wood cabinets, not plastic.
>
> In my van I use an old GE land mobile extension speaker.  It sounds
> great for voice communications, not tinny, not boomy.  There's usually
> someone at a hamfest selling old land mobile radios, they might have
> speakers.
>
> Happy Hunting!
> - Galen, W8LNA



From -1627683236506683925
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
solaris.cc.vt.edu!news.vt.edu!elk.ncren.net!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Fri, 25 Jan 2008 17:01:06 GMT
Organization: Perhaps
Lines: 35
Message-ID: <fnd4kf$eqf$1@usenet01.srv.cis.pitt.edu>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
<35omj.2856$7d1.2488@news01.roc.ny>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1201280463 15183 136.142.52.90 (25 Jan 2008
17:01:03 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Fri, 25 Jan 2008 17:01:03 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.antiques.radio+phono:91190
rec.radio.amateur.equipment:13874

In article <35omj.2856$7d1.2488@news01.roc.ny>, gwatts <gwatts@frontiernet.net>
wrote:
>shoppa@trailing-edge.com wrote:
>> I like listening to shortwave and ham stuff using biggish speakers.
>> Little speakers like computer speakers sound chintzy to my ears.
>
>I know what you mean, my station extension speakers are some 8" stereo
>speakers I found at a thrift store.  No tweeters, just an 8" cone driver
>and I like how they sound.
>
>> ... Would a guitar amp speaker (something I can buy at
```

>> a guitar store?) be the right thing for me to buy?
>
>It would probably get the sound you're after but it would be expensive
>and big.
>
>> ... Where do I go and what do I ask for?
>
>I've had success in thrift stores like Good Will, pawn shops, etc. I
>look for old stereo speakers with wood cabinets, not plastic.
>
>In my van I use an old GE land mobile extension speaker. It sounds
>great for voice communications, not tinny, not boomy. There's usually
>someone at a hamfest selling old land mobile radios, they might have
>speakers.
>
>Happy Hunting!
>- Galen, W8LNA

Cheap autosound speakers, 6 X 9. etc, tend to have high Qts giving a nice low
mellow boom, when mounted right. One without a tweeter would be best.
Listening on communication speakers like 4 inch types, give little
excitement to music and speech. Of course most of the older radios had
the "big" sound.

greg

From -5622672877291867780
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr23.news.prodigy.net.POSTED!c57ba9df!not-for-mail
From: John Byrns <byrnsj@sbcglobal.net>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Organization: KAOS
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
<35omj.2856$7d1.2488@news01.roc.ny> <dcbdc230-a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <byrnsj-30701C.11311625012008@newsclstr03.news.prodigy.net>
Lines: 27
NNTP-Posting-Host: 76.214.197.53
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr23.news.prodigy.net 1201282276 ST000 76.214.197.53 (Fri, 25 Jan 2008 12:31:16 EST)
NNTP-Posting-Date: Fri, 25 Jan 2008 12:31:16 EST

X-UserInfo1:
FKPGG_CFGRUUCSH]]RKB_UDAZZ\DPCPDLXUNNH\KMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Fri, 25 Jan 2008 11:31:16 -0600
Xref: g2news1.google.com rec.antiques.radio+phono:91191
rec.radio.amateur.equipment:13875

In article
<dcbdc230-a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>,
AB9GO <randallr@healthall.com> wrote:

> Speaker designed for use with amateur and two-way radio, shortwave and
> scanner listening.
>
> http://www.soundssweet.com
>
> Look at how it is constructed and buy the parts from www.partsexpress.com
> .
> Here are reviews from hams that own this speaker:
> http://www.eham.net/reviews/detail/2754

I don't know if I would trust that speaker to "sound sweet", it is a "tuned port, bass reflex speaker", and those tend to have a peaky resonant bass, not a sweet bass sound. They probably used the "tuned port, bass reflex" because the box would have had to be larger than their target size otherwise.

Regards,

John Byrns

--
Surf my web pages at, http://fmamradios.com/

From -5939565702314321194
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!x69g2000hsx.googlegroups.com!not-for-mail
From: "shoppa@trailing-edge.com" <shoppa@trailing-edge.com>
Newsgroups: rec.antiques.radio+phono, rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Fri, 25 Jan 2008 09:38:09 -0800 (PST)
Organization: http://groups.google.com
Lines: 43
Message-ID: <98e6b22d-1003-4571-bf27-6560cc9b0e79@x69g2000hsx.googlegroups.com>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>

```
     <35omj.2856$7d1.2488@news01.roc.ny> <dcbdc230-
a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>
     <byrnsj-30701C.11311625012008@newsclstr03.news.prodigy.net>
NNTP-Posting-Host: 170.121.15.35
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1201282689 25961 127.0.0.1 (25 Jan 2008 17:38:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 25 Jan 2008 17:38:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x69g2000hsx.googlegroups.com; posting-host=170.121.15.35;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.antiques.radio+phono:91192
rec.radio.amateur.equipment:13876

On Jan 25, 12:31=A0pm, John Byrns <byr...@sbcglobal.net> wrote:
> In article
> <dcbdc230-a29f-4eae-816d-52476227b...@x69g2000hsx.googlegroups.com>,
>
> =A0AB9GO <randa...@healthall.com> wrote:
> > Speaker designed for use with amateur and two-way radio, shortwave and
> > scanner listening.
>
> >http://www.soundssweet.com
>
> > Look at how it is constructed and buy the parts fromwww.partsexpress.com=

> > .
> > Here are reviews from hams that own this speaker:
> >http://www.eham.net/reviews/detail/2754
>
> I don't know if I would trust that speaker to "sound sweet", it is a
> "tuned port, bass reflex speaker", and those tend to have a peaky
> resonant bass, not a sweet bass sound. =A0They probably used the "tuned
> port, bass reflex" because the box would have had to be larger than
> their target size otherwise.
>
> Regards,
>
> John Byrns

I think you've got a good point John. The speakers I like
(Electrovoice EV5, Califone PA speakers) are not reflex or tuned port
speakers. They're just big speakers in big boxes.

I have been consistently disappointed by "multimedia" speakers with
subwoofers. In fact I'm pretty uniformly disappointed with what I've
heard in Short Circuit City et al lately. Loud and shiny is not my
current taste. Maybe 20 years ago it would've been my taste!
```

The Radio Shack patio speakers (metal box) aren't awful. But if I've
got them on for hours, it's a big relief to my ears to switch to a
mellow speaker instead.

I'm thinking about taking AB9GO's advice, just buy a big speaker and
put it in a big box.

Tim.

```
From -2968404074983600524
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
news.aset.psu.edu!news.cse.psu.edu!elk.ncren.net!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Fri, 25 Jan 2008 17:51:04 GMT
Organization: Perhaps
Lines: 33
Message-ID: <fnd7i5$fj5$1@usenet01.srv.cis.pitt.edu>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
<35omj.2856$7d1.2488@news01.roc.ny> <dcbdc230-
a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>
<byrnsj-30701C.11311625012008@newsclstr03.news.prodigy.net>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1201283461 15973 136.142.52.90 (25 Jan 2008
17:51:01 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Fri, 25 Jan 2008 17:51:01 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.antiques.radio+phono:91194
rec.radio.amateur.equipment:13877
```

```
In article <byrnsj-30701C.11311625012008@newsclstr03.news.prodigy.net>, John Byrns
<byrnsj@sbcglobal.net> wrote:
>In article
><dcbdc230-a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>,
> AB9GO <randallr@healthall.com> wrote:
>
>> Speaker designed for use with amateur and two-way radio, shortwave and
>> scanner listening.
>>
>> http://www.soundssweet.com
>>
>> Look at how it is constructed and buy the parts from www.partsexpress.com
>> .
>> Here are reviews from hams that own this speaker:
>> http://www.eham.net/reviews/detail/2754
```

>
>I don't know if I would trust that speaker to "sound sweet", it is a
>"tuned port, bass reflex speaker", and those tend to have a peaky
>resonant bass, not a sweet bass sound. They probably used the "tuned
>port, bass reflex" because the box would have had to be larger than
>their target size otherwise.
>

A properly tunned box will sound pretty good and not boom.
The decision of ported vs open or closed depends greatly
on the driver itself, dictating which enclosure is best
suited for itself. Higher Qts is a closed box, and higher still is
open box. Lower Q must be ported to get the bass back from the higher
damping.

The box no doubt goes too low. You need a roll off
above 50 Hz. A larger computer system also goes too low.

grge

From -6639010947077279671
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!l32g2000hse.googlegroups.com!not-for-mail
From: Peter Wieck <pfjw@aol.com>
Newsgroups: rec.antiques.radio+phono, rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Fri, 25 Jan 2008 10:43:54 -0800 (PST)
Organization: http://groups.google.com
Lines: 42
Message-ID: <f085a728-0151-4371-bf0a-11c68b83896c@l32g2000hse.googlegroups.com>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
     <35omj.2856$7d1.2488@news01.roc.ny> <dcbdc230-a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>
     <byrnsj-30701C.11311625012008@newsclstr03.news.prodigy.net>
NNTP-Posting-Host: 71.245.47.145
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1201286635 1898 127.0.0.1 (25 Jan 2008 18:43:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 25 Jan 2008 18:43:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l32g2000hse.googlegroups.com; posting-host=71.245.47.145;
     posting-account=tQE80AoAAACYibCqNWmwmvQ2q1XctZSS
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.antiques.radio+phono:91198

```
rec.radio.amateur.equipment:13878

On Jan 25, 12:31=A0pm, John Byrns <byr...@sbcglobal.net> wrote:
> In article
> <dcbdc230-a29f-4eae-816d-52476227b...@x69g2000hsx.googlegroups.com>,
>
> =A0AB9GO <randa...@healthall.com> wrote:
> > Speaker designed for use with amateur and two-way radio, shortwave and
> > scanner listening.
>
> >http://www.soundssweet.com
>
> > Look at how it is constructed and buy the parts fromwww.partsexpress.com=

> > .
> > Here are reviews from hams that own this speaker:
> >http://www.eham.net/reviews/detail/2754
>
> I don't know if I would trust that speaker to "sound sweet", it is a
> "tuned port, bass reflex speaker", and those tend to have a peaky
> resonant bass, not a sweet bass sound. =A0They probably used the "tuned
> port, bass reflex" because the box would have had to be larger than
> their target size otherwise.


How much bandwidth would a "Ham" speaker be expected to cover? Perhaps
the same as that required by basic telephony (300 - 3400hz)? Less?
Wiki gives:

Soprano (240 - 1170 Hz)
Mezzo-soprano (220 - 900 Hz)
Contralto (130 - 700 Hz)
Tenor (130 - 440 Hz)
Baritone (110 - 350 Hz)
Bass (80 - 330 Hz)

And Ham Radio ain't nohow opera... harmonics and overtones are
certainly less of an issue, perhaps? And no need at all to reproduce
basso-profundo notes for sure.

Looking at that information, things get a bit easier, perhaps?

Peter Wieck
Wyncote, PA


From -4450746135302452122
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!q77g2000hsh.googlegroups.com!not-for-
mail
```

```
From: "shoppa@trailing-edge.com" <shoppa@trailing-edge.com>
Newsgroups: rec.antiques.radio+phono, rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Fri, 25 Jan 2008 10:58:26 -0800 (PST)
Organization: http://groups.google.com
Lines: 64
Message-ID: <367c81cd-05d1-436e-b7cf-546c2b702f4b@q77g2000hsh.googlegroups.com>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
     <35omj.2856$7d1.2488@news01.roc.ny> <dcbdc230-
a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>
     <byrnsj-30701C.11311625012008@newsclstr03.news.prodigy.net>
     <f085a728-0151-4371-bf0a-11c68b83896c@l32g2000hse.googlegroups.com>
NNTP-Posting-Host: 170.121.15.35
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1201287506 3823 127.0.0.1 (25 Jan 2008 18:58:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 25 Jan 2008 18:58:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q77g2000hsh.googlegroups.com; posting-host=170.121.15.35;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.antiques.radio+phono:91199
rec.radio.amateur.equipment:13879

On Jan 25, 1:43=A0pm, Peter Wieck <p...@aol.com> wrote:
> On Jan 25, 12:31=A0pm, John Byrns <byr...@sbcglobal.net> wrote:
>
>
>
>
>
> > In article
> > <dcbdc230-a29f-4eae-816d-52476227b...@x69g2000hsx.googlegroups.com>,
>
> > =A0AB9GO <randa...@healthall.com> wrote:
> > > Speaker designed for use with amateur and two-way radio, shortwave and=

> > > scanner listening.
>
> > >http://www.soundssweet.com
>
> > > Look at how it is constructed and buy the parts fromwww.partsexpress.c=
om
> > > .
> > > Here are reviews from hams that own this speaker:
> > >http://www.eham.net/reviews/detail/2754
>
> > I don't know if I would trust that speaker to "sound sweet", it is a
> > "tuned port, bass reflex speaker", and those tend to have a peaky
```

> > resonant bass, not a sweet bass sound. =A0They probably used the "tuned
> > port, bass reflex" because the box would have had to be larger than
> > their target size otherwise.
>
> How much bandwidth would a "Ham" speaker be expected to cover? Perhaps
> the same as that required by basic telephony (300 - 3400hz)? Less?
> Wiki gives:
>
> Soprano (240 - 1170 Hz)
> Mezzo-soprano (220 - 900 Hz)
> Contralto (130 - 700 Hz)
> Tenor (130 - 440 Hz)
> Baritone (110 - 350 Hz)
> Bass (80 - 330 Hz)
>
> And Ham Radio ain't nohow opera... harmonics and overtones are
> certainly less of an issue, perhaps? And no need at all to reproduce
> basso-profundo notes for sure.
>
> Looking at that information, things get a bit easier, perhaps?

Most communications speakers are rated at something like 100Hz to many kHz. The oft-quoted number needed for voice communication (at least male voice communication) is 300 to 3000 Hz.

The frequency ranges you posted were, I believe, fundamentals; a certain amount of voice comprehension requires accurate reproduction of the the harmonics, and I think I've read that for the lowest male-voice frequencies, having the harmonics is more important for comprehension than having the fundamental. (Makes sense... otherwise the 300Hz to 3000Hz would exclude all the voice ranges you give, in particular nearly ALL of the bass range!)

I have an unfounded belief that for voice communications, any resonance or substantial variation in response in the 300 to 3kHz range is in large part responsible for the "tinny" sound that I ascribe to small speakers.

Tim.

From -1407817545888292363
X-Google-Thread: 108122,e4d09be4d1d07be1,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: ATWATER-KENT MOD #32 + STUFF
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <Hksmj.491715$kj1.68767@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 7473892f68ce8396f71acc27969197c0
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1201295783
7473892f68ce8396f71acc27969197c0 (Fri, 25 Jan 2008 21:16:23 GMT)
NNTP-Posting-Date: Fri, 25 Jan 2008 21:16:23 GMT
Organization: AT&T Worldnet
Date: Fri, 25 Jan 2008 21:16:23 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13880

A very nice AK #32 less tubes + Collins, Military TM's, Halli manuals
can be see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

I have additional antique radios (about 20 or so) that need new homes as
a possible move

is in the very near future. Larger units will require something like UPS
Store to do packing

and shipping.  Stop by and take a look.  Heytubeguy




From -1566373384420552683
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!3b5fc0bf!
not-for-mail
From: "Paul P" <REMOVE paul @ REMOVE ppinyot . REMOVEcom>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
In-Reply-To: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
Subject: Re: Biggish speaker in wood box wanted
Lines: 10
Organization: www.ppinyot.com
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <tqtmj.35$e46.20@trnddc04>
Date: Fri, 25 Jan 2008 22:30:49 GMT
NNTP-Posting-Host: 71.240.80.181
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1201300249 71.240.80.181 (Fri, 25 Jan 2008 17:30:49 EST)
NNTP-Posting-Date: Fri, 25 Jan 2008 17:30:49 EST
Xref: g2news1.google.com rec.antiques.radio+phono:91205
rec.radio.amateur.equipment:13881
X-Original-Bytes: 1421

Save your $160  and stop in at your local Hamfest:
http://www.arrl.org/hamfests.html
and look for a communications speaker that appieals to you.  Those old
Motorola police car type speakers are great for voice.

Paul P.







From -210692776092252429
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-
xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Knoppow" <dickburk@ix.netcom.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Fri, 25 Jan 2008 17:55:10 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13pl4o7quh5089c@corp.supernews.com>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
<35omj.2856$7d1.2488@news01.roc.ny> <dcbdc230-
a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>
<byrnsj-30701C.11311625012008@newsclstr03.news.prodigy.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 58
Xref: g2news1.google.com rec.antiques.radio+phono:91222
rec.radio.amateur.equipment:13882


"John Byrns" <byrnsj@sbcglobal.net> wrote in message
```

news:byrnsj-30701C.11311625012008@newsclstr03.news.prodigy.net...
> In article
> <dcbdc230-a29f-4eae-816d-52476227b778@x69g2000hsx.googlegroups.com>,
> AB9GO <randallr@healthall.com> wrote:
>
>> Speaker designed for use with amateur and two-way radio,
>> shortwave and
>> scanner listening.
>>
>> http://www.soundssweet.com
>>
>> Look at how it is constructed and buy the parts from
>> www.partsexpress.com
>> .
>> Here are reviews from hams that own this speaker:
>> http://www.eham.net/reviews/detail/2754
>
> I don't know if I would trust that speaker to "sound
> sweet", it is a
> "tuned port, bass reflex speaker", and those tend to have
> a peaky
> resonant bass, not a sweet bass sound. They probably used
> the "tuned
> port, bass reflex" because the box would have had to be
> larger than
> their target size otherwise.
>
>
> Regards,
>
> John Byrns
>

Bass reflex cabinets are capabl of excellent non-resonant bass but the cabinet and speaker must be matched. A bass reflex cabinet is the acoustic equivalent of a lumped constant impedance matching network of the L type. At system resonance most of the output comes from the port. If the loudspeaker Q is too low or if the system tuning isn't right there will be a ringing at some bass frequency. Properly designed the system is flat and has low distortion.

A lot of commercial ported enclosures are not really bass reflex cabinets, just resonant boxes meant to give some impression of bass where there really isn't any.

Speakers can be _too_ efficient for a bass reflex. However, the cabinet can still extend the bass and reduce bass distortion, however an electronic equalizing filter is needed. All this stuff is in the literature.

--

Richard Knoppow
Los Angeles, CA, USA

dickburk@ix.netcom.com

From 5327692831502522305
X-Google-Thread: 108122,208d8833a63d50e3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 25 Jan 2008 20:46:15 -0600
Date: Fri, 25 Jan 2008 20:46:14 -0600
From: baw <me@nomail4me.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: ICOM UT-85 Tone Squelch Unit
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Lfqdnc47vv5qAwfanZ2dnUVZ_qrinZ2d@giganews.com>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-2w8ZGXkv7cZTdwO5G02XJx58ZBaMS4EAPfMDoV9WE/
QUcRiy2G13J9FA+8Sx+WGzNh0NaaWU2TGeHgy!iZllz6l07UnGvJQ6FNoqdr/
zxoN6hdb+jgnH0OLa0HM1J832TQgKEauyuRGnWw+9FEglfZxJHxyw
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13883

Looking to buy the ICOM UT-85 Tone Squelch Unit for the IC-2000 2 meter
rig. If anyone has one they want to sell, please reply here or send email to

BAW [at] GMX [dot] COM

Thank you

From -3232230734425041257
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Don" <diffrentl00k@a0l.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment

```
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
Subject: Re: Biggish speaker in wood box wanted
Date: Sat, 26 Jan 2008 01:49:10 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 080125-3, 01/25/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 44
Message-ID: <479ad7e6$0$30686$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 74.72.97.114
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.antiques.radio+phono:91238
rec.radio.amateur.equipment:13884
```

<shoppa@trailing-edge.com> wrote in message
news:463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com...

> I like listening to shortwave and ham stuff using biggish speakers.
> Little speakers like computer speakers sound chintzy to my ears.
>
> As examples, I have an old 50's Caliphone record player/PA system that
> has two remote 15" speakers and I just love the way my shortwave and
> ham stuff sounds through these speakers. I also have some Electovoice
> EV5's (again, big old mellow speakers) and I love the way things sound
> through these.
>
> But I don't want to undo my record player setup or stereo system setup
> to borrow the speakers. If I wanted a new speaker with similar
> qualities - nothing fancy, just a big speaker in a big wood box -
> where would I look? Would a guitar amp speaker (something I can buy at
> a guitar store?) be the right thing for me to buy?
>
> Going into Short Circuit City or Radio Shack I don't see anything that
> really seems like what I want. I did get a couple of Radio Shack patio
> speakers (5 inch drivers in a metal box) and those are better than
> anything else new I've found, but they still don't sound mellow enough
> and still a bit tinny. They're sort-of listenable and I've been using
> them for a while but their tinny is kinda grating after a while. I
> want big and mellow. Where do I go and what do I ask for?
>
> Tim.

Remember the old Bogen 30-watt tube public address systems that had a big "clamshell" box that separated into two 12" speakers, with the amplifier stored in the bottom? I am still using one from the 1960's, and it is a pleasure to listen to during long civic meetings, no headaches. Many people say the Alnico magnets give better sound than ceramic magnets, so look for that. Since each speaker only gets 15 watts, they are designed for efficiency instead of long throw, and fill an auditorium or basketball court

with ease. I added piezo tweeters to extend the response, no crossover needed. Old 16MM sound movie projectors had separate speaker boxes as well. One of the joys of this hobby is bringing an antique tube sound system to an event and having musicians and DJs and the audience amazed by the clear natural sound. When the sound is "alive" the audience really pays attention and applauds more enthusiastically.
Don

```
From -4910080398870467333
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 26 Jan 2008 07:41:18 -0600
User-Agent: Microsoft-Entourage/11.3.6.070618
Date: Sat, 26 Jan 2008 07:41:12 -0600
Subject: Re: Biggish speaker in wood box wanted
From: John Stone <jmsent2@comcast.net>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment
Message-ID: <C3C09498.89819%jmsent2@comcast.net>
Thread-Topic: Biggish speaker in wood box wanted
Thread-Index: AchgIR0xW73VSMwUEdy23gAX8sn94Q==
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
<479ad7e6$0$30686$4c368faf@roadrunner.com>
Mime-version: 1.0
Content-type: text/plain;
     charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.12.226.195
X-Trace: sv3-99AIA0GERMhyPuDaQcOv7uun55LvRs2UUGcDXikuM8z9E/m1+WevCu/
d02CD3YraxUqNmO16wiavzX9!9ZOIZ19iR+S7PbEyTSXX0gfRqtgs7fxh+TM/
PyOHwjDOFqKDHGneOh5anpHZ8b8QNyAfycDxelBj!i8AXyN/g8afQWXvA
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.antiques.radio+phono:91245
rec.radio.amateur.equipment:13885
```

On 1/26/08 12:49 AM, in article 479ad7e6$0$30686$4c368faf@roadrunner.com, "Don" <diffrentl00k@a0l.com> wrote:

> Many people
> say the Alnico magnets give better sound than ceramic magnets, so look for
> that. Since each speaker only gets 15 watts, they are designed for
> efficiency instead of long throw, and fill an auditorium or basketball court
> with ease.

Many people say a lot of things that have little basis in fact. There's nothing in an alnico magnet that will make a speaker sound better. This myth probably came from the fact that the early speakers with ceramic magnets were cheap junk. They had no clue how to design a proper motor system using ceramic, so the drivers were lousy. But by the late 70's, alnico got so expensive that virtually everyone stopped using it and everyone went to ceramic. Once they figured out how to properly use the magnets, the performance was at least as good, if not better, than the alnico systems they replaced. And even if alnico magnets have slightly better immunity to flux modulation, a modern ceramic magnet system can be designed to work just as well. Alnico also has the distinct disadvantage of being susceptible to demagnetization from the voice coil. By any objective standard, today's speakers with ceramic magnets absolutely trounce anything made with alnico back then. And btw, today the Chinese have a monopoly on alnico, and it's more expensive than ever.

```
From 5862585333231321292
X-Google-Thread: 108122,c9b2c43eec06b307,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e10g2000prf.googlegroups.com!not-for-
mail
From: W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED.....MOTOROLA VHF Saber III
Date: Sat, 26 Jan 2008 15:10:50 -0800 (PST)
Organization: http://groups.google.com
Lines: 21
Message-ID: <ba7672d6-895b-43ce-803d-7bb58c50e880@e10g2000prf.googlegroups.com>
NNTP-Posting-Host: 66.177.6.190
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201389059 2631 127.0.0.1 (26 Jan 2008 23:10:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 26 Jan 2008 23:10:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e10g2000prf.googlegroups.com; posting-host=66.177.6.190;
     posting-account=l4eURwoAAADMTMh97FnPcgNXhmF7KeXG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13886
```

WANTED:....... MOTOROLA Saber III VHF

I am looking for a Motorola Saber III (or MX3000), 144 to 162 MHz
split, 2.5 -6 watts, with desk charger, one or two GOOD MOTOROLA
batteries (prefer 2700 Mah) and maybe a speaker-mic.

Or, maybe with programming hardware and software for an XP system.

The Unit should be clean and in good condition. I will need you to
program it for HAM use and a few Marine channels.

Please send info and photo(s) to me at w7gsa@yahoo.com

I will be at the Orlando HamFest on February 9th if you have one I
could pick-up there.

Thanks,

Bill
W7GSA
w7gsa@yahoo.com

From -4849974733501377256
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-05!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
Date: Sat, 26 Jan 2008 14:13:53 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0801261403590.1712@malasada.lava.net>
In-Reply-To: <mXkmj.53$9l1.38@eagle.america.net>
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
<XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
<mXkmj.53$9l1.38@eagle.america.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news1.google.com rec.radio.amateur.equipment:13887

Last responder said it gets power from the phone line itself.
That is a negative.   If true then when I unplugged both the
AC adapter and the ph line plug it would have lost all its
SET-UP info instantly. I had to unplug the ph plug and the
adapter, take it down to the local Radio-Shack and they then
Pluged it into the Ph line and plugged in the AC adapter.

All my settings and stored memories stayed in tack as I had set them. So your assumption that the Ph line power keeps the setup chip active is wrong. Also removing the AC adapter did not loose the SET-UP settings. Only thing I wanted to change was "change rings to 2, then announcement to leave a msg after tone goes out. The guy at Radio Shack did replug it in to his ph line, replugged the ac adapter in, and proceeded to change the nr of rings to 2 rings then announce. He did it so fast I could'nt even see which setup key he changed the rings from 7 down to 2. So obviously some kind of chip in the phone does'nt rely on any external power source to keep its setup info active.

Joe

(someone suggested it might be Flash chip whatever that is.)

From 3698302456232963329
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
Date: 27 Jan 2008 02:20:27 GMT
Lines: 18
Message-ID: <slrnfpnqjb.2il2.bit-bucket@shell.config.com>
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
<XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
<mXkmj.53$9l1.38@eagle.america.net>
<Pine.BSI.4.64.0801261403590.1712@malasada.lava.net>
Reply-To: If you must, <Reply_to@my.sig.adr>
X-Trace: individual.net ctPLOY+87pLVd1ykRvIQGwbnggsEFWqM7h2dPBMarSKENlPu9S
Cancel-Lock: sha1:VHhSYTvmbwhpfb6QE7m2fBSUwTM=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:13888

On Sat, 26 Jan 2008 14:13:53 -1000, Joseph Fenn wrote:

> (someone suggested it might be Flash chip whatever that is.)

Flash memory is fairly ubiquitous now-a-days. The most common form is seen in digital cameras:

http://en.wikipedia.org/wiki/CompactFlash

But, it is found in MP3 players, cell phones, and ... AT&T Home phones, any any other device that needs to retain semi-dynamic data across a powered-down state.

Jonesy

```
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    *** Killfiling google posts: <http://jonz.net/ng.htm>
```

```
From -7473813364500595919
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
Date: Sat, 26 Jan 2008 17:11:42 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0801261708160.24936@malasada.lava.net>
In-Reply-To: <slrnfpnqjb.2il2.bit-bucket@shell.config.com>
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
 <XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
 <mXkmj.53$9l1.38@eagle.america.net>
<Pine.BSI.4.64.0801261403590.1712@malasada.lava.net>
 <slrnfpnqjb.2il2.bit-bucket@shell.config.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 6
Xref: g2news1.google.com rec.radio.amateur.equipment:13889
```

Thanks much Jonesy! My brother-in-law was a electronic service man
till he retired about 5 years ago. His explanation mirrored yours!
I still dont understand the intra stucture of such a chip but he
made it clear that such devices do exist.

Joe

```
From 7498758227605354347
X-Google-Thread: 108122,60d3c31ab12097c6,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z17g2000hsg.googlegroups.com!not-for-
mail
From: Ham it up <edsilverwing@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB:  Icom-F21S or F21
Date: Sat, 26 Jan 2008 20:31:56 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
```

```
Message-ID: <516ca7db-a2fc-4dc3-80de-00fbc7197167@z17g2000hsg.googlegroups.com>
NNTP-Posting-Host: 69.180.173.102
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201408317 30650 127.0.0.1 (27 Jan 2008 04:31:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Jan 2008 04:31:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z17g2000hsg.googlegroups.com; posting-host=69.180.173.102;
     posting-account=Ln0D_gkAAAD8lXl8EAVv2y3Pk47PNDIj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30;
InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13890

I am looking for the above radios in good condition.

Thanks,

Ed



From -4223007338895053229
X-Google-Thread: 108122,60d3c31ab12097c6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!i29g2000prf.googlegroups.com!not-for-
mail
From: Ham it up <edsilverwing@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: Icom-F21S or F21
Date: Sat, 26 Jan 2008 20:39:37 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
Message-ID: <95bc6fc8-655d-462a-9131-3b202caf0469@i29g2000prf.googlegroups.com>
References: <516ca7db-a2fc-4dc3-80de-00fbc7197167@z17g2000hsg.googlegroups.com>
NNTP-Posting-Host: 69.180.173.102
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1201408777 31537 127.0.0.1 (27 Jan 2008 04:39:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Jan 2008 04:39:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i29g2000prf.googlegroups.com; posting-host=69.180.173.102;
     posting-account=Ln0D_gkAAAD8lXl8EAVv2y3Pk47PNDIj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30;
InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13891
```

On Jan 26, 10:31=A0pm, Ham it up <edsilverw...@gmail.com> wrote:
> I am looking for the above radios in good condition.
>
> Thanks,
>
> Ed

testing

```
From 3875369376344778377
X-Google-Thread: 108122,df9c72647967f97d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t1g2000pra.googlegroups.com!not-for-
mail
From: tss212 <tim@timslover.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MCM Shortwave Radio
Date: Sat, 26 Jan 2008 21:02:30 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <3f0eb0a8-c5e5-4995-adc8-0166f2036781@t1g2000pra.googlegroups.com>
NNTP-Posting-Host: 65.255.147.12
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201410151 2037 127.0.0.1 (27 Jan 2008 05:02:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Jan 2008 05:02:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t1g2000pra.googlegroups.com; posting-host=65.255.147.12;
     posting-account=FtrmnQoAAAD0g4qHRn5oCIutgsfEz--A
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.6)
     Gecko/20070208 Mandriva/2.0.0.6-4mdv2007.0 (2007.0) Firefox/
2.0.0.6,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13892
```

from around 96 to 98 i had purchased a shortwave radio from mcm
electronics. It had dual cassettes, am/fm radio, shortwave. It had 2
removable speakers. Does anybody know what the model number was, and
if anybody has one for sales. Pictures would help also. I miss it.

```
From -2692898407894038796
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
```

```
postmaster.news.prodigy.com!nlpi069.nbdc.sbc.com.POSTED!b107fa9c!not-for-mail
From: "HiTech RedNeck" <hitechCOLOR-OF-BLOODneck@ameritech.net>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
Subject: Re: Biggish speaker in wood box wanted
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <mKUmj.3394$nK5.206@nlpi069.nbdc.sbc.com>
NNTP-Posting-Host: 70.131.93.34
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi069.nbdc.sbc.com 1201412114 ST000 70.131.93.34 (Sun, 27 Jan 2008
00:35:14 EST)
NNTP-Posting-Date: Sun, 27 Jan 2008 00:35:14 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
OH[ABTSEVBTWSTXY@JJB_STDTB_LPLLLVXU@OAQDJ@_@FNTBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Sat, 26 Jan 2008 23:35:20 -0600
Xref: g2news1.google.com rec.antiques.radio+phono:91302
rec.radio.amateur.equipment:13893


<shoppa@trailing-edge.com> wrote in message
news:463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com...
> I like listening to shortwave and ham stuff using biggish speakers.
> Little speakers like computer speakers sound chintzy to my ears.
>
> As examples, I have an old 50's Caliphone record player/PA system that
> has two remote 15" speakers and I just love the way my shortwave and
> ham stuff sounds through these speakers. I also have some Electovoice
> EV5's (again, big old mellow speakers) and I love the way things sound
> through these.

If you want to build your own baffle or case, maybe you'd like to try a Quam
8C10FEPAXB.  8" coaxial (i.e. has whizzer cone), 40-20,000 Hz, 97 dB spl
(1w/1m), 8 ohms.  $14.16 from http://www.tselectronic.com




From -2743767248234298177
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: New AT&T Home phone
Date: 27 Jan 2008 16:35:01 GMT
Lines: 11
Message-ID: <slrnfppcll.190e.bit-bucket@shell.config.com>
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
<XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
<mXkmj.53$9l1.38@eagle.america.net>
<Pine.BSI.4.64.0801261403590.1712@malasada.lava.net> <slrnfpnqjb.2il2.bit-
bucket@shell.config.com> <Pine.BSI.4.64.0801261708160.24936@malasada.lava.net>
X-Trace: individual.net 8yVrIWgDdhKQi99GX8IHMwe63kBmHNB3v/VWUbkhrl8k1CILjT
Cancel-Lock: sha1:esOfMJgSeNcIxmPFj2MYUSdlcmA=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:13894

On Sat, 26 Jan 2008 17:11:42 -1000, Joseph Fenn wrote:
> Thanks much Jonesy!  My brother-in-law was a electronic service man
> till he retired about 5 years ago.  His explanation mirrored yours!
> I still dont understand the intra stucture of such a chip but he
> made it clear that such devices do exist.
>                     Joe

Yep.  It's a shame flash memory could not have been built into the
Azden PCS-4000....   HI!HI!

Jonesy



From -6548780315592588O8
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <you@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
Organization: Shadow.orgs
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
<XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
<mXkmj.53$9l1.38@eagle.america.net>
<Pine.BSI.4.64.0801261403590.1712@malasada.lava.net>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <you-C90B4A.10305627012008@netnews.worldnet.att.net>
Lines: 29
Date: Sun, 27 Jan 2008 19:29:15 GMT
NNTP-Posting-Host: 12.12.208.86
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1201462155 12.12.208.86 (Sun, 27 Jan
2008 19:29:15 GMT)
NNTP-Posting-Date: Sun, 27 Jan 2008 19:29:15 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13895
```

```
In article <Pine.BSI.4.64.0801261403590.1712@malasada.lava.net>,
 Joseph Fenn <jfenn@lava.net> wrote:

> Last responder said it gets power from the phone line itself.
> That is a negative.   If true then when I unplugged both the
> AC  adapter and the ph line plug it would have lost all its
> SET-UP info instantly.  I had to unplug the ph plug and the
> adapter, take it down to the local Radio-Shack and they then
> Pluged it into the Ph line and plugged in the AC adapter.
> All my settings and stored memories stayed in tack as I had set
> them.    So your assumption that the Ph line power keeps the
> setup chip active is wrong.  Also removing the AC adapter
> did not loose the SET-UP settings.   Only thing I wanted to
> change was "change rings to 2, then announcement to leave
> a msg after tone goes out.  The guy at Radio Shack did replug it in
> to his ph line, replugged the ac adapter in, and proceeded to
> change the nr of rings to 2 rings then announce.  He did it so
> fast I could'nt even see which setup key he changed  the rings
> from 7 down to 2.  So  obviously some kind of chip in the phone
> does'nt rely on any external power source to keep its setup info
> active.
>                    Joe
> (someone suggested it might be Flash chip whatever that is.)

Bzzzt, Wrong Assumption.....would you like to try for what's behind
Door #2....   it would only take a couple "Kbytes" to hold ALL your
settings, in EEProm or Flash Memory..... Google is your Friend if
you need to get yourself up to speed on what Flash Memory is.......
Seems like technology has passed you by, sonny.....



From -5305553702474210816
X-Google-Thread: fc2a5,86528631f0b2e452
X-Google-Thread: fc8b1,86528631f0b2e452
X-Google-Thread: f4535,86528631f0b2e452
X-Google-Thread: 108122,86528631f0b2e452
X-Google-Thread: 107ada,86528631f0b2e452
X-Google-Attributes: gidfc2a5,gidfc8b1,gidf4535,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsgroup-binaries.com!not-for-mail
From: "Ron H" <rnharsh@nospam.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.audio.tubes,rec.radio
.amateur.equipment,rec.radio.amateur.misc
References: <44a74c69-c119-40cf-9ca0-e4103e71187f@q39g2000hsf.googlegroups.com>
Subject: Re: RCA Receiving Tube Manual download links
Date: Sun, 27 Jan 2008 13:53:13 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 14
Message-ID: <479cdf3a$0$24816$8d2e0cab@news.newsgroup-binaries.com>
Organization: newsgroup-binaries.com
X-Complaints-To: abuse@newsgroup-binaries.com
X-Original-Lines: 11
Xref: g2news1.google.com rec.radio.amateur.homebrew:15179
rec.radio.amateur.boatanchors:13867 rec.audio.tubes:49747
rec.radio.amateur.equipment:13896 rec.radio.amateur.misc:43174

So who gets the money?

--

Ron H
--
This outgoing email was scanned by
Norton Antivirus Corp. Edition
and found to be virus free!

----
www.Newsgroup-Binaries.com - *Completion*Retention*Speed*
Access your favorite newsgroups from home or on the road

From -3094400790003584354
X-Google-Thread: 108122,fa4817f107ad301a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 27 Jan 2008 17:48:15 -0600
From: Samuel Severs Jr. <sam@severs.com>
Newsgroups: rec.radio.amateur.equipment
Date: Sun, 27 Jan 2008 15:48:15 -0800
Message-ID: <2008012715481516807-sam@severscom>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: WTB: Ten-Tec Century Calibrator Model 276
User-Agent: Unison/1.7.9
Lines: 8
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
nh2KS+fU6X86zTqNOgLdo+a2r1JmjITARpY5sVzJCNiHj9FqGk46JMks3sBbo9q1IntEQFNRchwIbAX!
AUdCkuTsvRj1TOZ1ry3Op6V78BEH8oCXsCZr5jJi1hOopX+nEjV4zpmxeKA=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13897

Wanted: One Ten-Tec Century model 276 calibrator.  Must be in good
working shape and have good appearance.  Email ws6s@arrl.net with
description & reasonable price.

Thanks in advance.

73, Sam Severs  WS6S




From 2138728628564846498
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-
sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
Date: Sun, 27 Jan 2008 16:09:55 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0801271557570.11116@malasada.lava.net>
In-Reply-To: <slrnfppcll.190e.bit-bucket@shell.config.com>
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
 <XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
 <mXkmj.53$9l1.38@eagle.america.net>
<Pine.BSI.4.64.0801261403590.1712@malasada.lava.net>
 <slrnfpnqjb.2il2.bit-bucket@shell.config.com>
<Pine.BSI.4.64.0801261708160.24936@malasada.lava.net>
 <slrnfppcll.190e.bit-bucket@shell.config.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 40
Xref: g2news1.google.com rec.radio.amateur.equipment:13898


On Sun, 27 Jan 2008, Allodoxaphobia wrote:

> On Sat, 26 Jan 2008 17:11:42 -1000, Joseph Fenn wrote:
>> Thanks much Jonesy!  My brother-in-law was a electronic service man
>> till he retired about 5 years ago.  His explanation mirrored yours!
>> I still dont understand the intra stucture of such a chip but he
>> made it clear that such devices do exist.
>>                     Joe
>
> Yep.  It's a shame flash memory could not have been built into the
```

> Azden PCS-4000....   HI!HI!
>
> Jonesy
>

Yep it sure is a shame
Also my ICOM751 oughta have something like that too for the 32
memory channels instead of a backup battery. Years back I started
loosing stuff like the 10 meter band, then the 15 meter band dissappeared,
then 20 meters and finally all I had left was 40 meter band. I had heard
of a guy in Italy that made a replacement board for the IC751, and once
installed you would never loose any operting system bands.
I ordered the board from him and sure enuff it was as hugeas the original
and I figured I'll never get this thing plugged in right so I sent
the Rig up to an ICOM repair center I thing was in Oregon ot Washn STate.
I asked them to fix the rig and at same time install that ram board I
bought. They did it and now I will never loose the operating system
again although the Italian I bought the Ramboard from said your safe
now as far as the operating system is concerned, but the one backup
battery when it goes down you will loose the 32 memory chmls only.
YOu sill still be able to tune up on any freqcy you like however.
So thats where I am now.   What a relief.
Joe

From -6534479296051137606
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
Date: Sun, 27 Jan 2008 16:18:34 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0801271611430.11116@malasada.lava.net>
In-Reply-To: <you-C90B4A.10305627012008@netnews.worldnet.att.net>
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
<XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
<mXkmj.53$9l1.38@eagle.america.net>
<Pine.BSI.4.64.0801261403590.1712@malasada.lava.net>
<you-C90B4A.10305627012008@netnews.worldnet.att.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com

Lines: 17
Xref: g2news1.google.com rec.radio.amateur.equipment:13899

>
> Bzzzt, Wrong Assumption.....would you like to try for what's behind
> Door #2....   it would only take a couple "Kbytes" to hold ALL your
> settings, in EEProm or Flash Memory..... Google is your Friend if
> you need to get yourself up to speed on what Flash Memory is.......
> Seems like technology has passed you by, sonny.....
>

Yep technology has passed me up for sure. I use to burn my
own rom chip in the old C64 commodore computer and understood how to
do that, but at 87 I am a little befuddled on these recent things
like "flash memory" chips. I also takeing Namenda pills for
AD (alzheimers deficit). Can remember things way back but
for past 24 hours I have to write everything down then forget
where I put the notes to myself. What a miserable life.
Joe

From -8949077095847263299
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
Date: Sun, 27 Jan 2008 16:26:22 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0801271620070.11116@malasada.lava.net>
In-Reply-To: <slrnfppcll.190e.bit-bucket@shell.config.com>
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
 <XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
 <mXkmj.53$9l1.38@eagle.america.net>
<Pine.BSI.4.64.0801261403590.1712@malasada.lava.net>
 <slrnfpnqjb.2il2.bit-bucket@shell.config.com>
<Pine.BSI.4.64.0801261708160.24936@malasada.lava.net>
 <slrnfppcll.190e.bit-bucket@shell.config.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news1.google.com rec.radio.amateur.equipment:13900

On Sun, 27 Jan 2008, Allodoxaphobia wrote:

> On Sat, 26 Jan 2008 17:11:42 -1000, Joseph Fenn wrote:
>> Thanks much Jonesy! My brother-in-law was a electronic service man

>> till he retired about 5 years ago. His explanation mirrored yours!
>> I still dont understand the intra stucture of such a chip but he
>> made it clear that such devices do exist.
>>   Joe
>
> Yep. It's a shame flash memory could not have been built into the
> Azden PCS-4000....   HI!HI!
>
> Jonesy
>
Jonesy,

That Azden PCS-4000 I removed the internal battery which was supposed
to hold the memory chnls in place and ran the 2 leads out the back
of the rig and tied em to a little "AAA" battery holder to replace
the one I removed from inside. It still dont hold the memories
I crank up so that was time wasted. I tried both the rechargeable
external aaa's and then tried two AAA's regular kind but still no
way to keep the memory chnls after setting them up.
                            Joe

From 5622545126974983520
X-Google-Thread: 108122,d78ccd113b3203f2,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.net.POSTED!cd1175e6!not-for-mail
From: "Chuck James" <C456James@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: RF Power settings on FT-857D
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <KDdnj.827$5K1.433@newssvr12.news.prodigy.net>
NNTP-Posting-Host: 70.244.136.26
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.net 1201497706 ST000 70.244.136.26 (Mon, 28 Jan
2008 00:21:46 EST)
NNTP-Posting-Date: Mon, 28 Jan 2008 00:21:46 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PA@SJEAHC_GSLYCJJBNFXBWR\HPCTL@XT^OBPLAH[\BQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 28 Jan 2008 05:21:46 GMT

Xref: g2news1.google.com rec.radio.amateur.equipment:13901

Just got my new FT-857D which I love, but I haven't found a menu option for reducing the RF power while tuning antennas. Currently I only have a G5RV HF antenna, and an MFJ-901 Tuner for it. Will transmitting at full power (100 watts) while using the antenna tuner, for a few seconds harm this radio any, or am I too worried about nothing?

From 50606957050124776
X-Google-Thread: 108122,d78ccd113b3203f2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-sjc-01!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RF Power settings on FT-857D
Date: Sun, 27 Jan 2008 22:51:38 -0800
Organization: Home for Obscure Mythical Beings
Message-ID: <qka075-dgs.ln1@radagast.org>
References: <KDdnj.827$5K1.433@newssvr12.news.prodigy.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 40
Xref: g2news1.google.com rec.radio.amateur.equipment:13902

>Just got my new FT-857D which I love, but I haven't found a menu option for
>reducing the RF power while tuning antennas. Currently I only have a G5RV
>HF antenna, and an MFJ-901 Tuner for it. Will transmitting at full power
>(100 watts) while using the antenna tuner, for a few seconds harm this radio
>any, or am I too worried about nothing?

The radio is going to go into high-SWR foldback, almost certainly, if it sees an SWR over 1.5:1 or so. The manual doesn't seem to say whether this situation puts an undue strain on the finals.

There are a couple of ways to reduce power when tuning. To do it manually, just adjust menu #75 before tuning and then turn it back up afterwards.

The Yaesu FC-30 autotuner supports this radio directly (it plug into the CAT port), Similarly, the Yaesu ATAS antenna can be connected to the radio. For both of these, once you set up the radio, you can turn to multi-function row K, press TUNE once to enable the tuner, then press and hold TUNE for a second - the radio will then transmit a low-power carrier and activate the FC-30 autotune sequence or tune the ATAS position. When done tuning it returns to whatever power level you've set in menu 75.

There are aftermarket products which permit automatic low-power tuning of one sort or another with non-Yaesu antennas. BetterRF sells a "Yaesu Tune Control" which plugs into the CAT port... it makes the radio "think" that it's connected to an FC-30 autotuner, and enables the low-power TUNE feature of row K. You can use this with a manually-controlled screwdriver antenna and adjust the antenna position via a separate toggle switch (that's the approach I use). The tune-controller also has a 4-pin Molex jack into which one can plug an Icom AH-3 or AH-4 or compatible autotuner... the tune-controller in effect translates the Yaesu autotuner control protocol into an Icom-compatible protocol.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From 3804865731086962888
X-Google-Thread: 108122,d78ccd113b3203f2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr22.news.prodigy.net.POSTED!cd1175e6!not-for-mail
From: "Chuck James" <C456James@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
References: <KDdnj.827$5K1.433@newssvr12.news.prodigy.net> <qka075-dgs.ln1@radagast.org>
Subject: Re: RF Power settings on FT-857D
Lines: 53
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <yAgnj.1636$uE.446@newssvr22.news.prodigy.net>
NNTP-Posting-Host: 70.244.136.26
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr22.news.prodigy.net 1201509790 ST000 70.244.136.26 (Mon, 28 Jan 2008 03:43:10 EST)
NNTP-Posting-Date: Mon, 28 Jan 2008 03:43:10 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1: [[PAPDCAOXV[W\QSDJK^_TXBUSXB@DTMNHWB_EYLJZ]BGIELCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUVSA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Mon, 28 Jan 2008 02:43:10 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:13903

"Dave Platt" <dplatt@radagast.org> wrote in message
news:qka075-dgs.ln1@radagast.org...
> >Just got my new FT-857D which I love, but I haven't found a menu option
> >for
>>reducing the RF power while tuning antennas. Currently I only have a G5RV
>>HF antenna, and an MFJ-901 Tuner for it. Will transmitting at full power
>>(100 watts) while using the antenna tuner, for a few seconds harm this
>>radio
>>any, or am I too worried about nothing?
>
> The radio is going to go into high-SWR foldback, almost certainly, if
> it sees an SWR over 1.5:1 or so. The manual doesn't seem to say
> whether this situation puts an undue strain on the finals.
>
> There are a couple of ways to reduce power when tuning. To do it
> manually, just adjust menu #75 before tuning and then turn it back up
> afterwards.
>
> The Yaesu FC-30 autotuner supports this radio directly (it plug into
> the CAT port), Similarly, the Yaesu ATAS antenna can be connected to
> the radio. For both of these, once you set up the radio, you can turn
> to multi-function row K, press TUNE once to enable the tuner, then
> press and hold TUNE for a second - the radio will then transmit a
> low-power carrier and activate the FC-30 autotune sequence or tune the
> ATAS position. When done tuning it returns to whatever power level
> you've set in menu 75.
>
> There are aftermarket products which permit automatic low-power tuning
> of one sort or another with non-Yaesu antennas. BetterRF sells a
> "Yaesu Tune Control" which plugs into the CAT port... it makes the
> radio "think" that it's connected to an FC-30 autotuner, and enables
> the low-power TUNE feature of row K. You can use this with a
> manually-controlled screwdriver antenna and adjust the antenna
> position via a separate toggle switch (that's the approach I use). The
> tune-controller also has a 4-pin Molex jack into which one can plug an
> Icom AH-3 or AH-4 or compatible autotuner... the tune-controller in
> effect translates the Yaesu autotuner control protocol into an
> Icom-compatible protocol.
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

Exactly the information I was looking for! Thanks! I don't know why it
wasn't given a little more prominence in the manual. I downloaded the .PDF
version of the operating manual and did several searches for "power level",
"power" and other keywords, but never noticed that menu item. Now that you
told me which menu option to look for, it seems obvious, but somehow, I
overlooked it. Thanks again! I feel MUCH better tuning the antenna now!

From -1593733678215053866
X-Google-Thread: 108122,2703ca26efbbe01b,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!news.level3.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Larry Gagnon" <lggagnon@fakeuniserve.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Intermittent raspy signals on ICOM 735 ?
Date: Mon, 28 Jan 2008 09:14:53 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <op.t5ngu3n2aiss39@localhost>
Content-Type: text/plain; format=flowed; delsp=yes; charset=iso-8859-1
MIME-Version: 1.0
Content-Transfer-Encoding: 7bit
User-Agent: Opera Mail/9.50 (Linux)
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news1.google.com rec.radio.amateur.equipment:13904

I have a problem with my ICOM 735 transceiver. It has done me well for 23 years now, but just recently I have noticed raspy CW and SSB signals on receive, on an intermittent basis. This problem comes and goes, often in long intervals and does not seem to be affected by temperature. It sounds simply like an unclean signal with a raspy note on top of it. I am so far unable to determine if this affects my transmit signal or not, I did get a poor report once during this condition, but during another transmission at another time I did not. I have the complete service manual for this rig, but am a bit unsure where to start.

Any ideas appreciated.

Larry VE7EA

From -5797933076303926976
X-Google-Thread: 108122,80a669547558f414,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d70g2000hsb.googlegroups.com!not-for-mail
From: RJValenta <rjvalenta@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom in car won't turn on... amps?
Date: Mon, 28 Jan 2008 10:46:56 -0800 (PST)
Organization: http://groups.google.com
Lines: 36
Message-ID: <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>
NNTP-Posting-Host: 68.167.90.138

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1201546016 17508 127.0.0.1 (28 Jan 2008 18:46:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 Jan 2008 18:46:56 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d70g2000hsb.googlegroups.com; posting-host=68.167.90.138;
     posting-account=G0KnFQoAAABlcUkl3x5e79DidDdJTCvP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13905
```

I just got my car back from the shop, and that Icom IC-208H I have wouldn't turn on... as I prepared for the long annoying battle with the dealership, I figured I should make sure it was definitely the radio... brought it to the basement and hooked it up to a 12v powersupply - it worked fine.

Now - my 2002 Jeep Cherokee was getting the transmission replaced, and sat outside at the dealership during the 2 coldest weeks we've had in a while... so cold that when I took the radio out, it hurt to hold it for too long in my bare hand... but it still fired up in the basement even though it was obviously below the Icom operating temp of 14'... so, the problem must be with the car.

So I get my battery tester (can't find my multi-meter), set it to 12v, hook the leads up to the connection in the car - 12v, no problem.

This morning, I reconnect the radio to the power in the car, and I can hear it ticking... like its almost going to think about firing up, but... it doesn't happen.

The setup is simple, its fed from the battery with a 30amp relay that trips off the fuse box when the car is turned on. 12v coming in... but it won't turn on, so I think to myself... 'no amps?'.

At this point, my slowly decaying knowledge of electronics starts to flounder... but obviously its not the wiring because the current is getting there, and not the relay for the same reason. Any ideas? Could it be as simple as a bad connection somewhere? Thought I'd get more knowledgeable thoughts on it before I start to tear things apart out in the cold.

Thanks for any input...

Richard
N0TZC

From 6128046887292263976

```
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <you@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New AT&T Home phone
Organization: Shadow.orgs
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
<XK1mj.24$9l1.182@eagle.america.net>
<Pine.BSI.4.64.0801241609010.28151@malasada.lava.net>
<mXkmj.53$9l1.38@eagle.america.net>
<Pine.BSI.4.64.0801261403590.1712@malasada.lava.net> <you-
C90B4A.10305627012008@netnews.worldnet.att.net>
<Pine.BSI.4.64.0801271611430.11116@malasada.lava.net>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <you-13EC79.10092728012008@netnews.worldnet.att.net>
Lines: 22
Date: Mon, 28 Jan 2008 19:07:37 GMT
NNTP-Posting-Host: 12.12.208.125
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1201547257 12.12.208.125 (Mon, 28 Jan
2008 19:07:37 GMT)
NNTP-Posting-Date: Mon, 28 Jan 2008 19:07:37 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13906

In article <Pine.BSI.4.64.0801271611430.11116@malasada.lava.net>,
 Joseph Fenn <jfenn@lava.net> wrote:

> >
> > Bzzzt, Wrong Assumption.....would you like to try for what's behind
> > Door #2....   it would only take a couple "Kbytes" to hold ALL your
> > settings, in EEProm or Flash Memory..... Google is your Friend if
> > you need to get yourself up to speed on what Flash Memory is.......
> > Seems like technology has passed you by, sonny.....
> >
> ------------------------------------------------------------
> Yep technology has passed me up for sure.  I use to burn my
> own rom chip in the old C64 commodore computer and understood how to
> do that, but at 87 I am a little befuddled on these recent things
> like "flash memory" chips.  I also takeing Namenda pills for
> AD (alzheimers deficit).  Can remember things way back but
> for past 24 hours I have to write everything down then forget
> where I put the notes to myself.  What a miserable life.
>                      Joe

Well don't feel alone, I am right behind you....but I can still
read the journals, and try and keep up.....


From 2709702779091307376
X-Google-Thread: 108122,80a669547558f414
```

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.aset.psu.edu!
news.cse.psu.edu!elk.ncren.net!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom in car won't turn on... amps?
Date: Mon, 28 Jan 2008 19:12:40 GMT
Organization: Perhaps
Lines: 44
Message-ID: <fnl9f8$db1$1@usenet01.srv.cis.pitt.edu>
References: <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1201547560 13665 136.142.52.90 (28 Jan 2008
19:12:40 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Mon, 28 Jan 2008 19:12:40 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:13907

In article <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>,
RJValenta <rjvalenta@gmail.com> wrote:
>I just got my car back from the shop, and that Icom IC-208H I have
>wouldn't turn on... as I prepared for the long annoying battle with the
>dealership, I figured I should make sure it was definitely the radio...
>brought it to the basement and hooked it up to a 12v powersupply - it
>worked fine.
>
>Now - my 2002 Jeep Cherokee was getting the transmission replaced, and
>sat outside at the dealership during the 2 coldest weeks we've had in
>a while... so cold that when I took the radio out, it hurt to hold it
>for too long in my bare hand... but it still fired up in the basement
>even though it was obviously below the Icom operating temp of 14'...
>so, the problem must be with the car.
>
>So I get my battery tester (can't find my multi-meter), set it to 12v,
>hook the leads up to the connection in the car - 12v, no problem.
>
>This morning, I reconnect the radio to the power in the car, and I can
>hear it ticking... like its almost going to think about firing up, but...
>it doesn't happen.
>
>The setup is simple, its fed from the battery with a 30amp relay that
>trips off the fuse box when the car is turned on. 12v coming in... but
>it won't turn on, so I think to myself... 'no amps?'.
>
>At this point, my slowly decaying knowledge of electronics starts to
>flounder... but obviously its not the wiring because the current is
>getting there, and not the relay for the same reason. Any ideas?
>Could it be as simple as a bad connection somewhere? Thought I'd get
>more knowledgeable thoughts on it before I start to tear things apart
>out in the cold.
>

>
>Thanks for any input...
>
>Richard
>N0TZC

You would have to measure the voltage with the radio fired up. See if you can measure somewhere
with everything connected. I am suspecting the relay, it might also have a voltage issue
feeding the coil. If the relay is handy, try bridging the contacts.

greg

```
From 4182437850256517842
X-Google-Thread: 108122,80a669547558f414
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!transit4.readnews.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Date: Mon, 28 Jan 2008 13:55:01 -0700
From: hayseed <hayseed@rainmaker.com>
User-Agent: Mozilla Thunderbird 0.7.3 (Windows/20040803)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom in car won't turn on... amps?
References: <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>
In-Reply-To: <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <479e4111$0$9101$a82e2bb9@reader.athenanews.com>
NNTP-Posting-Host: 9a34e639.reader.athenanews.com
X-Trace:
DXC=kh_>k9@Z7AW1enGa=FMohTaTHcV2NR;j[:LKFL\Y2OoZ`fI0@FNECVXIYLe5@PUA:RCnYfiV:^7TS8
JlPLl8S;O\
X-Complaints-To: abuse@athenanews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13908
```

The ground.
Check the grounding of the radio.
If you have 12V at the radio try sticking the meter ground probe right
on the radio and measure the 12V again.

Good luck and good hunting.

-Bob
AD7OT

From -8216931565861007720
X-Google-Thread: 108122,80a669547558f414
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe13.lga.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom in car won't turn on... amps?
References: <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>
In-Reply-To: <1aacbe51-ba40-4393-b64f-af1cdb290d45@d70g2000hsb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 63
Message-ID: <ALrnj.28052$R55.5770@newsfe13.lga>
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe13.lga 1201555552 24.254.177.70 (Mon, 28 Jan 2008 14:25:52 MST)
NNTP-Posting-Date: Mon, 28 Jan 2008 14:25:52 MST
Organization: Cox
Date: Mon, 28 Jan 2008 16:25:52 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13909

RJValenta wrote:
> I just got my car back from the shop, and that Icom IC-208H I have
> wouldn't turn on... as I prepared for the long annoying battle with the
> dealership, I figured I should make sure it was definitely the radio...
> brought it to the basement and hooked it up to a 12v powersupply - it
> worked fine.
>
> Now - my 2002 Jeep Cherokee was getting the transmission replaced, and
> sat outside at the dealership during the 2 coldest weeks we've had in
> a while... so cold that when I took the radio out, it hurt to hold it
> for too long in my bare hand... but it still fired up in the basement
> even though it was obviously below the Icom operating temp of 14'...
> so, the problem must be with the car.
>
> So I get my battery tester (can't find my multi-meter), set it to 12v,
> hook the leads up to the connection in the car - 12v, no problem.
>
> This morning, I reconnect the radio to the power in the car, and I can
> hear it ticking... like its almost going to think about firing up, but...
> it doesn't happen.
>
> The setup is simple, its fed from the battery with a 30amp relay that
> trips off the fuse box when the car is turned on. 12v coming in... but

> it won't turn on, so I think to myself... 'no amps?'.
>
> At this point, my slowly decaying knowledge of electronics starts to
> flounder... but obviously its not the wiring because the current is
> getting there, and not the relay for the same reason. Any ideas?
> Could it be as simple as a bad connection somewhere? Thought I'd get
> more knowledgeable thoughts on it before I start to tear things apart
> out in the cold.
>
>
> Thanks for any input...
>
> Richard
> N0TZC

I see some others have already answered but here is my $.02 worth-

1- First place I would check is the relay. Possibility the contacts have become corroded. Check voltage on both sides of the contacts under load. If you can access the contacts, clean them with fine grit sandpaper or a jewelers file (be sure to disconnect the circuit from the power source when doing this).

2- Check your ground to the radio. The radio should NOT be getting its ground for power via the antenna shield. The ground lead to the power connection should have a good clean connection with the vehicle chassis.

3- Check any fuses that are directly inline with the radio. Check the fuse contacts as well as the fuse itself. I have seen some glass fuses that appeared intact, but were open near one of the metal ends. I have also seen some the ATC and ATO type fuses get oxidation and gunk built up on the contacts. They would read "normal" voltage with a VOM until you put the circuit under load.

4-Check the contact point where the high current line ties into the battery. Make certain there is no oxidation or sulphation built up at this point.

Andy
WD4KDN

```
From -4370953133785341435
X-Google-Thread: 10c2ee,f042cf2f38e51180
X-Google-Thread: 108122,f042cf2f38e51180
X-Google-Attributes: gid10c2ee,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
e10g2000prf.googlegroups.com!not-for-mail
From: philsvintageradios <philsvintageradios@yahoo.ca>
Newsgroups: rec.antiques.radio+phono, rec.radio.amateur.equipment
Subject: Re: Biggish speaker in wood box wanted
Date: Mon, 28 Jan 2008 18:28:20 -0800 (PST)
```

Organization: http://groups.google.com
Lines: 26
Message-ID: <a18e7bbc-2183-4dd3-b525-1e4b0ebee88b@e10g2000prf.googlegroups.com>
References: <463fd74f-62ff-4c1e-8d71-d0c2a8d39573@m34g2000hsb.googlegroups.com>
NNTP-Posting-Host: 204.174.12.18
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1201573717 4261 127.0.0.1 (29 Jan 2008 02:28:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 29 Jan 2008 02:28:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e10g2000prf.googlegroups.com; posting-host=204.174.12.18;
posting-account=3bp80woAAAA9oB13zNDY5hFp37Zsd5Oe
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.antiques.radio+phono:91427
rec.radio.amateur.equipment:13910

On Jan 25, 7:35=A0am, "sho...@trailing-edge.com" <sho...@trailing-edge.com> wrote:
> I like listening to shortwave and ham stuff using biggish speakers.
> Little speakers like computer speakers sound chintzy to my ears.
>

I seem to come across lots of good deals on radio-phono combinations -
the typical late 40's or 50's radio phono in a squarish cabinet.
Passed one up lat weekend , 20 dollars , complete, with eye tube.
this is typical of them because no collector needs yet another one of
these. even the 60's transistor sets- same thing - can't give them
away.

but for parts, lots of good transformers, tubes, large speakers can be
had for a reasonable price usually.
you could buy one of these and modify the cabinet to suit your need
for a box to put it in, just re-use the speaker and cloth and cut the
box down to suit.

I hate destroying these things, because lots of enjoyment can be had
with them, but for large speakers, I dont' see why there is much
demand for those..

smaller speakers , like one would find in a tombstone or cathedral,
now that is a different story..
Phil

From 8224905159517232652
X-Google-Thread: 108122,2703ca26efbbe01b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!

bignumber.bellsouth.net!news.bellsouth.net!bignews8.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <op.t5ngu3n2aiss39@localhost>
Subject: Re: Intermittent raspy signals on ICOM 735 ?
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <2Dynj.61996$vt2.59304@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbohcbbienkmbhfgabgpohemacbphcocjhaif
eckepfagppmljifnlfjboihjdnfabbkoknpaliiihkpablcebabakbfcmdoenoaenoggmapnngflle
NNTP-Posting-Date: Tue, 29 Jan 2008 00:14:38 EST
Organization: BellSouth Internet Group
Date: Tue, 29 Jan 2008 00:14:52 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13911

"Larry Gagnon" <lggagnon@fakeuniserve.com> wrote in message
news:op.t5ngu3n2aiss39@localhost...
>I have a problem with my ICOM 735 transceiver. It has done
>me well for 23 years now, but just recently I have noticed
>raspy CW and SSB signals on receive, on an intermittent
>basis. This problem comes and goes, often in long
>intervals and does not seem to be affected by temperature.
>It sounds simply like an unclean signal with a raspy note
>on top of it. I am so far unable to determine if this
>affects my transmit signal or not, I did get a poor report
>once during this condition, but during another transmission
>at another time I did not. I have the complete service
>manual for this rig, but am a bit unsure where to start.
>
> Any ideas appreciated.
>
>
> Larry VE7EA

Maybe your receiver is being desensed by a nearby and new
source of strong RF energy?

Could it be that you left the noise blanker on and are
noticing its effects on strong signals?

```
Ed, NM2K




From 8685115485192627863
X-Google-Thread: 108122,2703ca26efbbe01b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Larry Gagnon" <lggagnon@fakeuniserve.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Intermittent raspy signals on ICOM 735 ?
Date: Mon, 28 Jan 2008 22:49:22 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <op.t5oikkefaiss39@localhost>
Content-Type: text/plain; format=flowed; delsp=yes; charset=iso-8859-1
MIME-Version: 1.0
References: <op.t5ngu3n2aiss39@localhost>
 <2Dynj.61996$vt2.59304@bignews8.bellsouth.net>
Content-Transfer-Encoding: 7bit
User-Agent: Opera Mail/9.50 (Linux)
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news1.google.com rec.radio.amateur.equipment:13912

On Mon, 28 Jan 2008 21:14:52 -0800, Ed Cregger <ecregger@bellsouff.net>
wrote:


> Maybe your receiver is being desensed by a nearby and new
> source of strong RF energy?

No, I thought of that. Another rx nearby not being desensed.
>
> Could it be that you left the noise blanker on and are
> noticing its effects on strong signals?

No, but thanks anyways - I've been through all the obvious stuff...


Larry



From 4672101668549679584
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "AI4QJ" <nospam@yahoo.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net> <478fd37a$0$22615$4c368faf@roadrunner.com> <dvQjj.328$uE.238@newssvr22.news.prodigy.net>
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in Emergencies.
Date: Thu, 17 Jan 2008 19:04:22 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 12
Message-ID: <478fed05$0$7172$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 75.177.185.137
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.antenna:53520 rec.radio.amateur.digital.misc:1036 rec.radio.amateur.equipment:13809 rec.radio.amateur.misc:43099

"Cecil Moore" <nospam@w5dxp.com> wrote in message news:dvQjj.328$uE.238@newssvr22.news.prodigy.net...
> Mr. Jim wrote:
>> Romney just lost my VOTE.
>
> I suspect any rational vote would go to Ron Paul.

Absolutely.I am proud of my son who acquainted me with Ron Paul's material.
I used to be Constitution Party but in this case I am Republican...Ron Paul.

From -5634925538439641963
X-Google-Thread: 108122,b02edd3bde93daf7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!53ab2750!not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Noise reduction boxes

```
References: <66Qjj.39892$Ux2.26995@attbi_s22> <SyQjj.2244$Sa1.2184@news02.roc.ny>
<C1Rjj.52775$Mu4.17122@bignews7.bellsouth.net>
In-Reply-To: <C1Rjj.52775$Mu4.17122@bignews7.bellsouth.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <NiSjj.2367$7d1.853@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956f9d2364c65fcb53488b86c88493bed719aa3ababc62e432e82ab917937e6bab9f0
dfccdd4b48f8fc82d49deeb8ee27d6afd4986adee8003631a6415cc57167351a6755b0b3f732d4ac35
c4ffb90fc0222654ed6758e16acffdd5a48ae857bf32d7f8b89a03b62bba
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Fri, 18 Jan 2008 00:22:05 UTC
Date: Fri, 18 Jan 2008 00:22:05 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13810

**THE-RFI-EMI-GUY** wrote:
> There is also the: JPS ANC-4 Noise Canceller
> http://www.jps.com/downloads/support/anc4man.pdf
> gwatts wrote:
...
>> I have a Timewave ANC-4,
>> http://www.timewave.com/support/ANC-4/anc4.html

They're the same, from
http://www.universal-radio.com/catalog/preamps/0094.html
'The ANC-4 was originally developed by JPS, but is now being
manufactured exclusively by Timewave.'

I got mine on eBay.


From 6256751519977269067
X-Google-Thread: 108122,b02edd3bde93daf7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-
mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <66Qjj.39892$Ux2.26995@attbi_s22>
<o6ovo355pje7thst4glleah1508sn2ooq7@4ax.com>
Subject: Re: Noise reduction boxes
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <abTjj.304449$Fc.38265@attbi_s21>
```

```
NNTP-Posting-Host: 12.219.135.201
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1200619334 12.219.135.201 (Fri, 18 Jan 2008 01:22:14 GMT)
NNTP-Posting-Date: Fri, 18 Jan 2008 01:22:14 GMT
Organization: AT&T ASP.att.net
Date: Fri, 18 Jan 2008 01:22:14 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13811


>>If anyone can tell me their part number of that unit, I'd be forever
>>indebted, and would venture forth and try to locate one to give to a
>>friend
>>in Wales who is currently suffering the demise of his top band operation
>>due
>>to local interference. Better yet, if anyone reading this has one that
>>they'd like to part with for money, I'd like to be introduced.
>>
>>Regards
>>W4ZCB
>>
>
>
> you didn't say what freqs you wanted it for ........... the  JPS ANC-4
> works between  500 khz to 80 mhz.
>
> I 've used several of these from time to time and they work only "
> somewhat " OK.  when tuned to eliminate severe noise , they will
> reduce or clip the signal as well.   I think you will feel they are a
> bit pricy for what they deliver .........
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=250206796968
>
>
> just my experience with these ...........

Well, "Top Band" is usually considered to be 1.8-2.0 MHz . I too have used
them before, (Made one of DeMaws) and for the need will work just fine.

Tnx the URL.

W4ZCB





From -8393228963895636154
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
```

```
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr12.news.prodigy.net.POSTED!0d06e27e!not-for-
mail
From: "Tom Donaly" <dtdonaly@sbcglobal.net>
User-Agent: Thunderbird 1.5.0.14 (Windows/20071210)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<478fd37a$0$22615$4c368faf@roadrunner.com>
<dvQjj.328$uE.238@newssvr22.news.prodigy.net>
<478fed05$0$7172$4c368faf@roadrunner.com>
In-Reply-To: <478fed05$0$7172$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <LoTjj.89800$Um6.16289@newssvr12.news.prodigy.net>
NNTP-Posting-Host: 12.72.159.48
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.net 1200620203 ST000 12.72.159.48 (Thu, 17 Jan
2008 20:36:43 EST)
NNTP-Posting-Date: Thu, 17 Jan 2008 20:36:43 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDONQBS[RQPXOBHVNFXBWR\HPCTL@XT^OBPLAH[\BQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Fri, 18 Jan 2008 01:36:43 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:53524
rec.radio.amateur.digital.misc:1037 rec.radio.amateur.equipment:13812
rec.radio.amateur.misc:43100
```

AI4QJ wrote:
> "Cecil Moore" <nospam@w5dxp.com> wrote in message
> news:dvQjj.328$uE.238@newssvr22.news.prodigy.net...
>> Mr. Jim wrote:
>>> Romney just lost my VOTE.
>> I suspect any rational vote would go to Ron Paul.
>
> Absolutely.I am proud of my son who acquainted me with Ron Paul's material.
> I used to be Constitution Party but in this case I am Republican...Ron Paul.
>
>

Yes, the Klan likes him, too.
73,
Tom Donaly, KA6RUH

```
From -7580171438607740382
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "AI4QJ" <nospam@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<478fd37a$0$22615$4c368faf@roadrunner.com>
<dvQjj.328$uE.238@newssvr22.news.prodigy.net>
<478fed05$0$7172$4c368faf@roadrunner.com>
<LoTjj.89800$Um6.16289@newssvr12.news.prodigy.net>
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
Emergencies.
Date: Thu, 17 Jan 2008 21:52:49 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 24
Message-ID: <47901480$0$18428$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 75.177.185.137
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.antenna:53534
rec.radio.amateur.digital.misc:1038 rec.radio.amateur.equipment:13813
rec.radio.amateur.misc:43101


"Tom Donaly" <dtdonaly@sbcglobal.net> wrote in message
news:LoTjj.89800$Um6.16289@newssvr12.news.prodigy.net...
> AI4QJ wrote:
>> "Cecil Moore" <nospam@w5dxp.com> wrote in message
>> news:dvQjj.328$uE.238@newssvr22.news.prodigy.net...
>>> Mr. Jim wrote:
>>>> Romney just lost my VOTE.
>>> I suspect any rational vote would go to Ron Paul.
>>
>> Absolutely.I am proud of my son who acquainted me with Ron Paul's
>> material. I used to be Constitution Party but in this case I am
>> Republican...Ron Paul.
>
> Yes, the Klan likes him, too.
> 73,
> Tom Donaly, KA6RUH

Cites?

73,
Dan Finn,  AI4QJ




From 2748047723812655541
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!i72g2000hsd.googlegroups.com!not-for-
mail
From: Tim Shoppa <shoppa@trailing-edge.com>
Newsgroups: rec.radio.amateur.antenna, rec.radio.amateur.digital.misc,
     rec.radio.amateur.equipment, rec.radio.amateur.misc
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
     Emergencies.
Date: Fri, 18 Jan 2008 05:57:10 -0800 (PST)
Organization: http://groups.google.com
Lines: 23
Message-ID: <a5c979f0-ee7b-4529-951c-12de28513e24@i72g2000hsd.googlegroups.com>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
NNTP-Posting-Host: 170.121.15.35
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1200664631 9163 127.0.0.1 (18 Jan 2008 13:57:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 18 Jan 2008 13:57:11 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i72g2000hsd.googlegroups.com; posting-host=170.121.15.35;
     posting-account=ejVFEQkAAACbZJGL2-mJUQ4KdeDSH0i2
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:53570
rec.radio.amateur.digital.misc:1039 rec.radio.amateur.equipment:13814
rec.radio.amateur.misc:43102

On Jan 16, 1:34=A0pm, "laborkei" <laborkeiNOS...@hotmail.com> wrote:
> 'I am ashamed tonight that I am a =A0Republican!' remarked one ham radio
> viewer. '[Romney] speaks in
> derogatory =A0tones about hams. He certainly shows an ignorance as to what=
 we
> do and are =A0capable of. I
```

> suggest a grass roots campaign of local hams calling the State =A0House an=
d
> The
> Governor's Office =A0to
> protest.'

It's not ignorance - he's clearly in Motorola's back pocket, to take
away whatever ham spectrum he can to give to the big communications
cartels. All in the name of "emergency response", of course, but
anyone who can add up a couple bandwidths knows that the real need is
to give it to the cellphone companies.

The ARRL has to kind of pussyfoot around these issues because you
can't have hams being against the communications cartels as long as
"emergency responder radio" spectrum is their trump card.

Tim N3QE

```
From 2813187756337562582
X-Google-Thread: 108122,810f93ca60b99367,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newspeer1.asbnva01.us.to.verio.net!129.250.35.102.MISMATCH!
newsread1.mlpsca01.us.to.verio.net!53ab2750!not-for-mail
From: "CyberScan357" <CyberScan357@mail.anonymizer.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Project 25 Digital (P-25 digital) Equepm
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <Fq2kj.681$lU5.422@newsread1.mlpsca01.us.to.verio.net>
Date: Fri, 18 Jan 2008 08:09:29 -0600
NNTP-Posting-Host: 168.143.113.120
X-Complaints-To: abuse@verio.net
X-Trace: newsread1.mlpsca01.us.to.verio.net 1200665381 168.143.113.120 (Fri, 18
Jan 2008 14:09:41 GMT)
NNTP-Posting-Date: Fri, 18 Jan 2008 14:09:41 GMT
Organization: NTT/VERIO
Xref: g2news1.google.com rec.radio.amateur.equipment:13815
```

There is a local Amateur repeater in my area that is Project 25 digital
(P-25 digital). I would like to talk on this Amateur P-25 digital repeater,
but also listen to the local Sheriff Office and Highway Patrol who are also
operating P-25 digital. I am looking for an Amateur Radio mobile or
handheld that is Project 25 digital (P-25 digital) capable, but I do not see
any such Amateur mobile or handheld equipment.

My question is what do you fellow Amateur Radio Operator use for P-25 digital?

Steve

From -1525667962478531150
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in Emergencies.
Date: Fri, 18 Jan 2008 12:15:43 -0800
Organization: albasani.net
Lines: 17
Message-ID: <fmr1da$pte$4@news.albasani.net>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net> <a5c979f0-ee7b-4529-951c-12de28513e24@i72g2000hsd.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net Hrqov9oGW2cnGx8WB5ONIM7RxE8MZE/0q2ruF7C3DPRyotwgRw3Srjq1KD+F8J6D5BpDTZ4DBP4elhgDQjztlbZ/x5Q0eik18wzRzRr2ssSEXYQ7aXu0O1PrgsXC+p3N
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 18 Jan 2008 20:15:39 +0000 (UTC)
X-User-ID: nalcLtPOjMG6J5s3IScFbsp5xLvOcNYdHoVHldEPxGg=
In-Reply-To: <a5c979f0-ee7b-4529-951c-12de28513e24@i72g2000hsd.googlegroups.com>
Cancel-Lock: sha1:7zX9bYWd6UcN1+DQMkI4op6pKI0=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: zmKuiYuogJoH8/i80IyWOwTsaoBngDxhtlgD4zjwc8s=
Xref: g2news1.google.com rec.radio.amateur.antenna:53616 rec.radio.amateur.digital.misc:1040 rec.radio.amateur.equipment:13816 rec.radio.amateur.misc:43103

Tim Shoppa wrote:

 >> ...
> The ARRL has to kind of pussyfoot around these issues because you

> can't have hams being against the communications cartels as long as
> "emergency responder radio" spectrum is their trump card.
>
> Tim N3QE

Everyone I know, who is "cutting edge", is ~1Ghz+. My 100W Ghz amp is unbelievable--I am now constructing the 1KW (and I am telling you, there ARE major design/construction problems to deal with!)--dreaming about 4KW!

HF is just too-too ...

Regards,
JS

```
From 1060148627157783688
X-Google-Thread: 10b9c8,f2145bd89250b2f1,start
X-Google-Thread: fc8b1,f2145bd89250b2f1,start
X-Google-Thread: 108122,f2145bd89250b2f1,start
X-Google-Thread: 1109af,f2145bd89250b2f1,start
X-Google-Thread: f7796,f2145bd89250b2f1,start
X-Google-Attributes: gid10b9c8,gidfc8b1,gid108122,gid1109af,gidf7796,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!bloom-
beacon.mit.edu!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph - February 2008 - FREE subscription
Followup-To: poster
Date: Sat, 19 Jan 2008 12:28:11 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 33
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <nqqkj.66224$eY.50402@newssvr13.news.prodigy.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1200763690 2950 166.84.1.2 (19 Jan 2008 17:28:10 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 19 Jan 2008 17:28:10 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-VirusChecked: Checked
X-Env-Sender: news@newssvr13.news.prodigy.net
```

X-Msg-Ref: server-9.tower-120.messagelabs.com!1200763672!30228035!1
X-StarScan-Version: 5.5.12.14.2; banners=-,-,-
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-UserInfo1:
SCSYQNON[J@WRQ@[N[O@_WH@YR_B@EXLLBWLOOAFBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Xref: g2news1.google.com rec.radio.info:656 rec.radio.amateur.boatanchors:13807
rec.radio.amateur.equipment:13817 rec.radio.swap:18236 alt.ham-radio.morse:429

Subscribe FREE to the K9YA Telegraph.
It's FREE! It's FUN, It's ALL ABOUT HAM RADIO!

The February 2008 issue includes:
Lightning Strikes Twice By Philip Cala-Lazar, K9PL

I Love CW, But... By Mitch Gill, YI9TU/NA7US

Serving Our Country By Scott Laughlin, N7NET

"Ionospheric Communicator" By Dean Lewis, WA3WGV

Gildersleeve's Restless Ghost By Rod Newkirk, VA3ZBB/W9BRD

Typing in Radio School By Jim Davis, NW5F

Ham History By Dick Sylvan, W9CBT

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by hams in more than 100 countries. The Telegraph is a full-color e-Zine providing the stories and features most wanted by our subscribers because our subscribers write it. Check it out; we think you'll like it too.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

From -2532564587962134017
X-Google-Thread: 108122,2fed0c2ea4987d98
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-

media.com!hw-filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <MPG.21fc4955451c70f8989830@News.Individual.NET>
In-Reply-To: <MPG.21fc4955451c70f8989830@News.Individual.NET>
Subject: Re: Icom PCR1500
Lines: 27
MIME-Version: 1.0
Content-Type: text/plain;
format=flowed;
charset="iso-8859-15";
reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <HUqkj.4016$GS1.2411@newsfe11.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe11.phx 1200765607 72.197.13.209 (Sat, 19 Jan 2008 11:00:07 MST)
NNTP-Posting-Date: Sat, 19 Jan 2008 11:00:07 MST
Organization: Cox
Date: Sat, 19 Jan 2008 10:00:06 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13819

"/Tx2" <noreplies.usenet@googlemail.com> wrote in message
news:MPG.21fc4955451c70f8989830@News.Individual.NET...
> I'm rekindling an old hobby of radio (SWL) I used to have, now i'm
> generally getting bored of surfing the Internet et al.
>
> However, I am very keen to utilise my laptop to control a receiver, and
> have been looking closely at the Icom PCR1500.
>
> Does anyone have a view on this type of equipment? Does it work well?
> I would be using an external antenna for reception, probably a discone
> in the loft.
>
> (Sorry if this is horribly off-topic for you licenced folk, but I really
> enjoy listening more than talking, which is why I've never gone for a
> licence myself, and would like some guidance on modern day kit before I
> take the plunge)
>
> --
> My reply address is valid, but incoming mail is set to 'auto-delete'
> so will not be seen. Please post replies to the group.

Have you seen the three Icom PCR1500 reviews at E-Ham URL:
http://www.eham.net/reviews/detail/6040

Lamont

```
From 7229909650052382406
X-Google-Thread: 108228,f8dfa75a136d1f40
X-Google-Thread: 10ed5f,f8dfa75a136d1f40
X-Google-Thread: fb049,f8dfa75a136d1f40
X-Google-Thread: 108122,f8dfa75a136d1f40
X-Google-Attributes: gid108228,gid10ed5f,gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews9.bellsouth.net.POSTED!8987383b!
not-for-mail
From: "Henry" <noone@nowhere.com>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
References: <b9150d23fd898453dc997eaccc00e167@pseudo.borked.net>
Subject: Re: eBay's most-watched Ham Radio Equipment
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <Bntkj.2606$1f.1032@bignews9.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
okjdhlmeenidhihjdbdpiflmbcekedmfhojhikkbagflhcboebmkdmejfklllimahiojjaefjlkpciholc
chfoogohhoimmbdddckcnfabckjofmakngmmneimggmmdkgfpcckmebhhdfajjjongdjiejjbilnml
NNTP-Posting-Date: Sat, 19 Jan 2008 15:49:37 EST
Organization: BellSouth Internet Group
Date: Sat, 19 Jan 2008 15:47:46 -0500
Xref: g2news1.google.com alt.ham-radio.marketplace:3560 alt.ham-radio:3136
alt.ham-radio.vhf-uhf:6506 rec.radio.amateur.equipment:13821
```

thanks for link...I browse there, copy description to clip board and go to
my yahoo,paste in search andstudy product. its safe and secure and provides
me with shopping visuals !

Henry

```
From -7952565885753287046
X-Google-Thread: 108122,ffb90227e340ba71,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 19 Jan 2008 15:11:25 -0600
```

```
Date: Sat, 19 Jan 2008 21:11:25 +0000
From: Charlie <charlieno@spam.radiowymsey.org>
User-Agent: Thunderbird 2.0.0.6 (X11/20071022)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood 751 Dual Concentric Pot
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <I5GdndAx-ufg-g_anZ2dnUVZ8uqdnZ2d@pipex.net>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 81.178.212.248
X-Trace: sv3-q5odlFt9b+C2m3N0HvozRt5AHCfGuRPcTwNrjzwxQbCDbB4ICDHLH/
D+LO7JcP+imvucBIQAElW3l0z!
DV9FGbsggfOBhp5+FmHU+zfwiNDPISV87AmETFpqFiUThn1Uhwv665/2fshKro8hoFabmpBUnzC1!
eLI91RELG7n0DRLKx/de7XzM6uc=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13822

A club member has just bought a 751E which needs the
volume/squelch dual concentric pot replaced. The volume
control is more like an max volume on/off switch! (It's 10k AF
& 50K SQL jobby.)

I just wondered if anyone knows where he might pick one up.

TIA

Charlie,

--
M0WYM
www.radiowymsey.co.uk


From -1397371258574892328
X-Google-Thread: 108122,11db57e13d327f60,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e6g2000prf.googlegroups.com!not-for-
mail
From: Mike VE3MKX <mkx@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: wanted - microphone
Date: Sat, 19 Jan 2008 13:48:09 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <a8c64a8d-de67-4c26-b1a6-971206bad645@e6g2000prf.googlegroups.com>
```

```
NNTP-Posting-Host: 67.70.95.117
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1200779289 24817 127.0.0.1 (19 Jan 2008 21:48:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 19 Jan 2008 21:48:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e6g2000prf.googlegroups.com; posting-host=67.70.95.117;
     posting-account=m2yR1goAAAAMi4ja5GYDqvs6T1Uo1WU8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13823

Wanted....  Im looking for any Television paraphernalia, mic flags,
old desk  microphones, etc.  If you have anything that might interest
me, pls send me an Email.
MkxATsympatico.ca

Mike



From -4214756630039444668
X-Google-Thread: 108122,810f93ca60b99367
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 19 Jan 2008 22:44:18 -0600
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <Fq2kj.681$lU5.422@newsread1.mlpsca01.us.to.verio.net>
Subject: Re: Project 25 Digital (P-25 digital) Equepm
Date: Sat, 19 Jan 2008 22:44:08 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Response
Message-ID: <95ydnbgQu70_TA_anZ2dnUVZ_u6rnZ2d@comcast.com>
Lines: 34
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-wrnYyuIBCrS5GTb5QRWcx0Zyey/
BNKyQc1WzkzFZqi2zmYrsZD2SsGRbaCTEUy+FQycQlTeLorI8C/5!
4PDTKwZIETo+FadXKL3zC3O60r3UnQLQ1bG8ugNEpp3HBrqA8Q5iFI7EIjtuNu0vWX0QIBUNg564!
yO91RPQnYMYqZZlSKPRDez1HAsYP+A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13824

"CyberScan357" <CyberScan357@mail.anonymizer.com> wrote in message
news:Fq2kj.681$lU5.422@newsread1.mlpsca01.us.to.verio.net...
> There is a local Amateur repeater in my area that is Project 25 digital
> (P-25 digital). I would like to talk on this Amateur P-25 digital
> repeater, but also listen to the local Sheriff Office and Highway Patrol
> who are also operating P-25 digital. I am looking for an Amateur Radio
> mobile or handheld that is Project 25 digital (P-25 digital) capable, but
> I do not see any such Amateur mobile or handheld equipment.
>
> My question is what do you fellow Amateur Radio Operator use for P-25
> digital?
>
> Steve
>

Steve -

I attended Illinois Repeater Council technical presentation at our local
club meeting last month -- about various modes (P-25, D-Star, etc).

P-25 amateur radio repeaters do NOT widely exist (You may have one in your
area -- from a wealthy ham or a tech with access to P-25 equipment).

You will not find P-25 "off the shelf" radios from amateur radio mfg. ---
Look for Motorola or Kenwood LAND MOBILE RADIO (LMR) resellers for mobile
units --
same dealers that sell to local public service agencies (Sheriff and Highway
Patrol).

IF you just want scan capability --- check out new Uniden scanners, etc.

gb

From 8204438226941919741
X-Google-Thread: 108122,810f93ca60b99367
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 19 Jan 2008 22:46:58 -0600
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <Fq2kj.681$lU5.422@newsread1.mlpsca01.us.to.verio.net>
Subject: Re: Project 25 Digital (P-25 digital) Equepm
Date: Sat, 19 Jan 2008 22:46:48 -0600

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Response
Message-ID: <2JydndYFivTfTw_anZ2dnUVZ_gadnZ2d@comcast.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-
SsRGdDt0gyQfuGpHZNHXF6dgTScJjFxbfNrG6uCuEKAYtcx+6P8GXtWVL7vyGxC6GzrUejpG3Rg60Vf!
n24DZowdDE6e+3GkkjBuey4mIPHg8MwrflWLcvWL3QvRw8mwYh87M3vBCI5uTY9JkoJjoNXSwGWf!
To8ujlSmOjm1kBseGWf7GqgEuoM7AQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13825

"CyberScan357" <CyberScan357@mail.anonymizer.com> wrote in message
news:Fq2kj.681$lU5.422@newsread1.mlpsca01.us.to.verio.net...
> There is a local Amateur repeater in my area that is Project 25 digital
> (P-25 digital). I would like to talk on this Amateur P-25 digital
> repeater, but also listen to the local Sheriff Office and Highway Patrol
> who are also operating P-25 digital. I am looking for an Amateur Radio
> mobile or handheld that is Project 25 digital (P-25 digital) capable, but
> I do not see any such Amateur mobile or handheld equipment.
>
> My question is what do you fellow Amateur Radio Operator use for P-25
> digital?
>
> Steve

.. as a follow-up D-Star (JARL standard) is a cheaper digital approach used
in Japan and being sold by Icom today in USA.

P-25 will likely never be adopted or widely used in amateur radio --
until significant cost reductions in P-25 digital technology and equipment
occur.

gb

From -6112893209334734999
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!uns-
out.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <4792D5DB.1080009@fuse.net>
Date: Sun, 20 Jan 2008 00:02:19 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
  Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
In-Reply-To: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 11
X-Trace: 94f6a4792d72c75c3133214033
Xref: g2news1.google.com rec.radio.amateur.antenna:53691
rec.radio.amateur.digital.misc:1041 rec.radio.amateur.equipment:13826
rec.radio.amateur.misc:43110

I am a Democrat. Even I can tell this is a smear job. Lots of
operatives out there with their "eyes on the prize". Don't be misled by
these emails. The gloves are off. Internet dispatches are ALL suspect.

We are all sailing in rough seas. In the end, each of us can pick the
candidate we are most comfortable with.

73,

John
AB8O

From 9117891597490769493
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.net.POSTED!42a86eec!not-for-
mail
From: Carter-k8vt <k8vt@ameritech.net>

```
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<4792D5DB.1080009@fuse.net>
In-Reply-To: <4792D5DB.1080009@fuse.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080120-0, 01/20/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 17
Message-ID: <D0Hkj.36804$JD.21672@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 69.216.122.25
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1200831651 ST000 69.216.122.25 (Sun, 20 Jan
2008 07:20:51 EST)
NNTP-Posting-Date: Sun, 20 Jan 2008 07:20:51 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@OXTCG]X[NKK^_T\B\JYL@DHLLBWLOOAFJYWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Sun, 20 Jan 2008 12:20:51 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:53699
rec.radio.amateur.digital.misc:1042 rec.radio.amateur.equipment:13827
rec.radio.amateur.misc:43112

jawod wrote:
> I am a Democrat.  Even I can tell this is a smear job.  Lots of
> operatives out there with their "eyes on the prize".  Don't be misled by
> these emails.  The gloves are off.  Internet dispatches are ALL suspect.
>
> We are all sailing in rough seas.  In the end, each of us can pick the
> candidate we are most comfortable with.
>
> 73,
>
> John
> AB8O

John,
I would respectfully beg to differ with you. This incident actually
happened a couple of years ago, -long- before he threw is hat in the
ring; no reason to 'smear' him back then...


From 2961546926200942618
X-Google-Thread: fc2a5,86528631f0b2e452,start
X-Google-Thread: fc8b1,86528631f0b2e452,start
```

```
X-Google-Thread: f4535,86528631f0b2e452,start
X-Google-Thread: 108122,86528631f0b2e452,start
X-Google-Thread: 107ada,86528631f0b2e452,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gidf4535,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q39g2000hsf.googlegroups.com!not-for-
mail
From: Toadd6@gmail.com
Newsgroups: rec.radio.amateur.homebrew, rec.radio.amateur.boatanchors,
     rec.audio.tubes, rec.radio.amateur.equipment, rec.radio.amateur.misc
Subject: RCA Receiving Tube Manual download links
Date: Sun, 20 Jan 2008 09:55:04 -0800 (PST)
Organization: http://groups.google.com
Lines: 25
Message-ID: <44a74c69-c119-40cf-9ca0-e4103e71187f@q39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 68.63.248.87
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1200851704 14277 127.0.0.1 (20 Jan 2008 17:55:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 20 Jan 2008 17:55:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q39g2000hsf.googlegroups.com; posting-host=68.63.248.87;
     posting-account=Xce_-AoAAADb1bkYHmJHEn1aL6mKy6sj
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:15126
rec.radio.amateur.boatanchors:13817 rec.audio.tubes:49285
rec.radio.amateur.equipment:13828 rec.radio.amateur.misc:43113
```

RCA Receiving Tube Manuals

RC-30 1975 edition
http://rapidshare.com/files/75244077/RC30.pdf.html

RC-26 1968 edition
http://rapidshare.com/files/85192789/RC26.pdf.html

RC-23 1964 edition
http://rapidshare.com/files/85190496/RC23.pdf.html

RC-20 1960 edition
http://rapidshare.com/files/85188444/RC20.pdf.html

RC-18 1956 edition
http://rapidshare.com/files/85184343/RC18.pdf.html

RC-17 1954 edition
http://rapidshare.com/files/85194596/RC17.pdf.html

RC-16 1950 edition

http://rapidshare.com/files/85196176/RC16.pdf.html

RC-15 1947 edition
http://rapidshare.com/files/85197151/RC15.pdf.html

From -110170273765345271
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <you@shadow.orgs>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
Emergencies.
Organization: Shadow.orgs
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<4792D5DB.1080009@fuse.net> <D0Hkj.36804$JD.21672@newssvr21.news.prodigy.net>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <you-E2E0B6.10074020012008@netnews.worldnet.att.net>
Lines: 23
Date: Sun, 20 Jan 2008 19:06:08 GMT
NNTP-Posting-Host: 12.12.208.45
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1200855968 12.12.208.45 (Sun, 20 Jan
2008 19:06:08 GMT)
NNTP-Posting-Date: Sun, 20 Jan 2008 19:06:08 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:53710
rec.radio.amateur.digital.misc:1043 rec.radio.amateur.equipment:13829
rec.radio.amateur.misc:43114

In article <D0Hkj.36804$JD.21672@newssvr21.news.prodigy.net>,
 Carter-k8vt <k8vt@ameritech.net> wrote:

> jawod wrote:
> > I am a Democrat. Even I can tell this is a smear job. Lots of
> > operatives out there with their "eyes on the prize". Don't be misled by
> > these emails. The gloves are off. Internet dispatches are ALL suspect.
> >
> > We are all sailing in rough seas. In the end, each of us can pick the
> > candidate we are most comfortable with.
> >
> > 73,
> >
> > John
> > AB8O

>
> John,
> I would respectfully beg to differ with you. This incident actually
> happened a couple of years ago, -long- before he threw is hat in the
> ring; no reason to 'smear' him back then...

You miss the point, the smear is NOW. Why bring up comments that are
two years OLD, NOW? To smear the guy, is the only reason.....

From 7155101338520339478
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Jimmie D" <GFENDER@carolina.rr.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<4792D5DB.1080009@fuse.net> <D0Hkj.36804$JD.21672@newssvr21.news.prodigy.net>
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
Emergencies.
Date: Sun, 20 Jan 2008 14:06:16 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 34
Message-ID: <47939c18$0$30687$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 75.191.181.199
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.antenna:53712
rec.radio.amateur.digital.misc:1044 rec.radio.amateur.equipment:13830
rec.radio.amateur.misc:43115

"Carter-k8vt" <k8vt@ameritech.net> wrote in message
news:D0Hkj.36804$JD.21672@newssvr21.news.prodigy.net...
> jawod wrote:
>> I am a Democrat. Even I can tell this is a smear job. Lots of
>> operatives out there with their "eyes on the prize". Don't be misled by
>> these emails. The gloves are off. Internet dispatches are ALL suspect.
>>
>> We are all sailing in rough seas. In the end, each of us can pick the
>> candidate we are most comfortable with.

>>
>> 73,
>>
>> John
>> AB8O
>
> John,
> I would respectfully beg to differ with you. This incident actually
> happened a couple of years ago, -long- before he threw is hat in the ring;
> no reason to 'smear' him back then...

It was my understanding when it was first brought up that what he meant was
they the government agencies were fully able to handle there own comm needs.
It would have truly been udder stupidity on his part for him to have meant
anything else. It is true that the amateur radio community is needed less
and less even though we are more than willing and able to fill the need. A
very small case in point: A charity walk/run used to be handled by the
local ham radio clubs providing emergency communication and coordination
via handheld radios and the local repeaters. This past year it was handled
by the Girl Scouts using cell phones.

Jimmie

From 4027334933233990312
X-Google-Thread: 108122,810f93ca60b99367
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newspeer1.asbnva01.us.to.verio.net!129.250.35.102.MISMATCH!
newsread1.mlpsca01.us.to.verio.net!53ab2750!not-for-mail
From: "CyberScan357" <CyberScan357@mail.anonymizer.com>
Newsgroups: rec.radio.amateur.equipment
References: <Fq2kj.681$lU5.422@newsread1.mlpsca01.us.to.verio.net>
<2JydndYFivTfTw_anZ2dnUVZ_gadnZ2d@comcast.com>
Subject: Re: Project 25 Digital (P-25 digital) Equepm
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <A9Pkj.748$lU5.553@newsread1.mlpsca01.us.to.verio.net>
Date: Sun, 20 Jan 2008 15:36:38 -0600
NNTP-Posting-Host: 168.143.113.120
X-Complaints-To: abuse@verio.net
X-Trace: newsread1.mlpsca01.us.to.verio.net 1200864992 168.143.113.120 (Sun, 20
Jan 2008 21:36:32 GMT)
NNTP-Posting-Date: Sun, 20 Jan 2008 21:36:32 GMT
Organization: NTT/VERIO
Xref: g2news1.google.com rec.radio.amateur.equipment:13831

Thanks GB.

"gb" <w9nogbspam@arrlspamno.net> wrote in message
news:2JydndYFivTfTw_anZ2dnUVZ_gadnZ2d@comcast.com...
> "CyberScan357" <CyberScan357@mail.anonymizer.com> wrote in message
> news:Fq2kj.681$lU5.422@newsread1.mlpsca01.us.to.verio.net...
>> There is a local Amateur repeater in my area that is Project 25 digital
>> (P-25 digital). I would like to talk on this Amateur P-25 digital
>> repeater, but also listen to the local Sheriff Office and Highway Patrol
>> who are also operating P-25 digital. I am looking for an Amateur Radio
>> mobile or handheld that is Project 25 digital (P-25 digital) capable, but
>> I do not see any such Amateur mobile or handheld equipment.
>>
>> My question is what do you fellow Amateur Radio Operator use for P-25
>> digital?
>>
>> Steve
>
> .. as a follow-up D-Star (JARL standard) is a cheaper digital approach
> used in Japan and being sold by Icom today in USA.
>
> P-25 will likely never be adopted or widely used in amateur radio --
> until significant cost reductions in P-25 digital technology and equipment
> occur.
>
> gb
>

From 7990145206300391822
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr23.news.prodigy.net.POSTED!42a86eec!not-for-mail
From: Carter-k8vt <k8vt@ameritech.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>

```
<4792D5DB.1080009@fuse.net> <D0Hkj.36804$JD.21672@newssvr21.news.prodigy.net>
<you-E2E0B6.10074020012008@netnews.worldnet.att.net>
In-Reply-To: <you-E2E0B6.10074020012008@netnews.worldnet.att.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080120-1, 01/20/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 42
Message-ID: <PrPkj.40757$Pv2.26531@newssvr23.news.prodigy.net>
NNTP-Posting-Host: 69.216.122.25
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr23.news.prodigy.net 1200866159 ST000 69.216.122.25 (Sun, 20 Jan
2008 16:55:59 EST)
NNTP-Posting-Date: Sun, 20 Jan 2008 16:55:59 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
Q[R_@SJDMPS[CFLYCJJ@^RDBPR\VPBQLGPQRJVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Sun, 20 Jan 2008 16:55:59 -0500
Xref: g2news1.google.com rec.radio.amateur.antenna:53719
rec.radio.amateur.digital.misc:1045 rec.radio.amateur.equipment:13832
rec.radio.amateur.misc:43117
```

> In article <D0Hkj.36804$JD.21672@newssvr21.news.prodigy.net>,
> Carter-k8vt <k8vt@ameritech.net> wrote:
>
>> jawod wrote:
>>> I am a Democrat. Even I can tell this is a smear job. Lots of
>>> operatives out there with their "eyes on the prize". Don't be misled by
>>> these emails. The gloves are off. Internet dispatches are ALL suspect.
>>>
>>> We are all sailing in rough seas. In the end, each of us can pick the
>>> candidate we are most comfortable with.
>>>
>>> 73,
>>>
>>> John
>>> AB8O
>> John,
>> I would respectfully beg to differ with you. This incident actually
>> happened a couple of years ago, -long- before he threw is hat in the
>> ring; no reason to 'smear' him back then...

You wrote:

> You miss the point, the smear is NOW.

No, 'You', I believe YOU miss the point. *Romney* said he did not like
ham radio operators. Words from *his* own mouth. Period.

Please tell me why -quoting- what HE ACTUALLY SAID is a smear...and if by some stretch of the imagination, you manage to twist a direct quote around as a being a smear, well then, Romney smeared himself. Finally, are we to give him a free pass just because he said it 'x' number of (years) (weeks) (days) ago?

> Why bring up comments that are
> two years OLD, NOW?

Well, because he never retracted the statement. Presumably then, these are STILL his feelings towards hams. Again, does a negative statement he makes just 'time out' and shouldn't be quoted after a certain period of time even though he still stands by the statement? What period of time would you suggest that after which, we just ignore what he said?

```
From 625373651475257886
X-Google-Thread: 108122,a888da571b5160df,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny08.POSTED!57e3ed27!not-for-mail
From: "JTB" <jerryjtb@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WANT Corsair/Hercules II Band SW Knob
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <PCTkj.8809$4b6.8331@trndny08>
Date: Mon, 21 Jan 2008 02:40:47 GMT
NNTP-Posting-Host: 141.151.118.70
X-Complaints-To: abuse@verizon.net
X-Trace: trndny08 1200883247 141.151.118.70 (Sun, 20 Jan 2008 21:40:47 EST)
NNTP-Posting-Date: Sun, 20 Jan 2008 21:40:47 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:13833
```

have a cracked band-switch knob on my TENTEC Hercules II amp. Does anyone have a mint knob from a parted out TENTEC Corsair or Hercules II they would be willing to sell? TENTEC has the knob without the spun aluminum insert which is also damaged on my knob.

Jerry W0ZD

```
From 8027388097088586028
X-Google-Thread: fc2a5,86528631f0b2e452
X-Google-Thread: fc8b1,86528631f0b2e452
X-Google-Thread: f4535,86528631f0b2e452
```

```
X-Google-Thread: 108122,86528631f0b2e452
X-Google-Thread: 107ada,86528631f0b2e452
X-Google-Attributes: gidfc2a5,gidfc8b1,gidf4535,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 20 Jan 2008 22:31:28 -0600
Date: Sun, 20 Jan 2008 23:30:17 -0500
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.5) Gecko/20070716
SeaMonkey/1.1.3
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.audio.tubes,rec.radio
.amateur.equipment,rec.radio.amateur.misc
Subject: Re: RCA Receiving Tube Manual download links
References: <44a74c69-c119-40cf-9ca0-e4103e71187f@q39g2000hsf.googlegroups.com>
In-Reply-To: <44a74c69-c119-40cf-9ca0-e4103e71187f@q39g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <b5qdnYpBp9G9vQnanZ2dnUVZ_uXinZ2d@rcn.net>
Lines: 37
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.178.251.80
X-Trace: sv3-t6mVImUpsSv1sN3TvtvtUEFqgpS9pRlv9+s2IvOY/3S3WyuBS1c7LrNNPK4M/
n6542vaad6oiIbawza!r7f1zjV/
k+cElNtPzAAKgjoIIhyV0FXdUO7fvg1HhqMkG6dkAf1Sb3ZN1DB3y5qOlgqQXITx8cbH!VVUe0SKYRVZV
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.homebrew:15135
rec.radio.amateur.boatanchors:13822 rec.audio.tubes:49335
rec.radio.amateur.equipment:13834 rec.radio.amateur.misc:43119
```

Toadd6@gmail.com wrote:

> RCA Receiving Tube Manuals
>
> RC-30 1975 edition
> http://rapidshare.com/files/75244077/RC30.pdf.html
>
> RC-26 1968 edition
> http://rapidshare.com/files/85192789/RC26.pdf.html
>
> RC-23 1964 edition
> http://rapidshare.com/files/85190496/RC23.pdf.html
>
> RC-20 1960 edition
> http://rapidshare.com/files/85188444/RC20.pdf.html
>

> RC-18 1956 edition
> http://rapidshare.com/files/85184343/RC18.pdf.html
>
> RC-17 1954 edition
> http://rapidshare.com/files/85194596/RC17.pdf.html
>
> RC-16 1950 edition
> http://rapidshare.com/files/85196176/RC16.pdf.html
>
> RC-15 1947 edition
> http://rapidshare.com/files/85197151/RC15.pdf.html

Thanks for making the databooks available, but boy
Rapidshare.com is sure a pain in the a$$!

20 minutes minimum between downloads, and a 2 minute
timer to make sure you sit and stare at the screen before
entering a code you read off of the screen.

Bah!

-Chuck

From 3698388822059377722
X-Google-Thread: 108122,ffb90227e340ba71
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
Date: Mon, 21 Jan 2008 08:07:16 -0600
From: MTV <NoSpam_mtvew@netscape.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood 751 Dual Concentric Pot
References: <I5GdndAx-ufg-g_anZ2dnUVZ8uqdnZ2d@pipex.net>
In-Reply-To: <I5GdndAx-ufg-g_anZ2dnUVZ8uqdnZ2d@pipex.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <4794a71c$0$18416$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 76.31.29.49
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13835

Mine also went out (in 751A) and the local ham shop said the
replacements with the push on-off are no longer available from Kenwood,
or anyplace else he checked. He ended up replacing the vol-squelch pot,
but then put a little on-off toggle switch on the side.

Marv
W5MTV in Houston

Charlie wrote:
> A club member has just bought a 751E which needs the volume/squelch dual
> concentric pot replaced. The volume control is more like an max volume
> on/off switch! (It's 10k AF & 50K SQL jobby.)
>
> I just wondered if anyone knows where he might pick one up.
>
> TIA
>
> Charlie,
>

From -1337387540696243149
X-Google-Thread: 108122,3671bfcf368b148a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!post01.iad01!news.cv.net!not-for-mail
Date: Mon, 21 Jan 2008 09:50:40 -0500
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: THIS IS A MUST MUST MUST SEE!!!   Red Skelton's Pledge of Allegiance
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <4794b12f$0$6371$607ed4bc@cv.net>
NNTP-Posting-Host: 69.122.56.126
X-Complaints-To: abuse@cv.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13836

I know this is not related to this group but it needs to be watched
and passed on!!

PLEASE LOOK AT WHAT RED SKELTON SAID IN 1969.
IF YOU AGREE WITH IT (and you will!!) SEND TO EVERYONE YOU CAN.

> Click here: YouTube - Red Skelton's Pledge of Allegiance
> <http://www.youtube.com/watch?v=Kfz2XDXaeqc>

http://www.youtube.com/watch?v=Kfz2XDXaeqc

From 6635214354268693842
X-Google-Thread: 108122,86eab72270862cf4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.metrocastcablevision.com!
news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 21 Jan 2008 08:51:19 -0600
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: HP-608E,F OPERATING & SERVICE MANUAL
Date: Mon, 21 Jan 2008 09:51:22 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <VPWdneg3cOP6LAnanZ2dnUVZ_jadnZ2d@metrocastcablevision.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.9.4.229
X-Trace: sv3-WttqlzwbmN2Q2Ety2q9TGZf/
3xkVoDFmnf5X28JjUQY5U7tt988qKa0oOCBv7Vu9ZpWjs+1jG9DNoOu!HbC8Vl61e4i8SVzD97CjB/
QwOy7DPVyiatgkG5TA8jNkgkKLe5LSgAVNjHMbFx0yX/fkxYzL4QaF!rcXrQLviHPdbgExTo/
lUUmavqLUWjNJ/TPCqPzWDw/s=
X-Complaints-To: abuse@metrocastcablevision.com
X-DMCA-Complaints-To: abuse@metrocastcablevision.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13837

FOR SALE

Item: HP-608E/F VHF Signal Generator Operating & Service Manual
Part Number: 00608-90024
Printed: FEB 1970
Qty: 1
Applies To: S/N 833- above 02720 (608E) and 832- above 01500 (608F)
Remarks: Original manual with original errata sheets. Front/rear
covers slightly shelfworn. Errata sheets and manual pages as new/
unused.
Price: $10.00
Shipping: At buyer expense. US addressees only.
Pay By: US Postal Money Order
Return Policy: No returns on this item.
Contact: BOB - W5BTC

EMAIL: dc2light(at)md(dot)metrocast(dot)net

```
From -5934293018771942430
X-Google-Thread: fc2a5,86528631f0b2e452
X-Google-Thread: fc8b1,86528631f0b2e452
X-Google-Thread: f4535,86528631f0b2e452
X-Google-Thread: 108122,86528631f0b2e452
X-Google-Thread: 107ada,86528631f0b2e452
X-Google-Attributes: gidfc2a5,gidfc8b1,gidf4535,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in alaska <fast@btpost.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.audio.tubes,rec.radio
.amateur.equipment,rec.radio.amateur.misc
Subject: Re: RCA Receiving Tube Manual download links
Organization: Bruce's Trading Post
References: <44a74c69-c119-40cf-9ca0-e4103e71187f@q39g2000hsf.googlegroups.com>
<b5qdnYpBp9G9vQnanZ2dnUVZ_uXinZ2d@rcn.net>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <fast-60215A.09293521012008@netnews.worldnet.att.net>
Lines: 49
Date: Mon, 21 Jan 2008 18:27:56 GMT
NNTP-Posting-Host: 12.12.208.6
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1200940076 12.12.208.6 (Mon, 21 Jan
2008 18:27:56 GMT)
NNTP-Posting-Date: Mon, 21 Jan 2008 18:27:56 GMT
Xref: g2news1.google.com rec.radio.amateur.homebrew:15139
rec.radio.amateur.boatanchors:13825 rec.audio.tubes:49371
rec.radio.amateur.equipment:13838 rec.radio.amateur.misc:43125

In article <b5qdnYpBp9G9vQnanZ2dnUVZ_uXinZ2d@rcn.net>,
 Chuck Harris <cf-NO-SPAM-harris@erols.com> wrote:

> Toadd6@gmail.com wrote:
> > RCA Receiving Tube Manuals
> >
> > RC-30  1975 edition
> > http://rapidshare.com/files/75244077/RC30.pdf.html
> >
> > RC-26 1968 edition
> > http://rapidshare.com/files/85192789/RC26.pdf.html
> >
> > RC-23 1964 edition
> > http://rapidshare.com/files/85190496/RC23.pdf.html
> >
> > RC-20 1960 edition
> > http://rapidshare.com/files/85188444/RC20.pdf.html
```

> >
> > RC-18 1956 edition
> > http://rapidshare.com/files/85184343/RC18.pdf.html
> >
> > RC-17 1954 edition
> > http://rapidshare.com/files/85194596/RC17.pdf.html
> >
> > RC-16 1950 edition
> > http://rapidshare.com/files/85196176/RC16.pdf.html
> >
> > RC-15 1947 edition
> > http://rapidshare.com/files/85197151/RC15.pdf.html
>
> Thanks for making the databooks available, but boy
> Rapidshare.com is sure a pain in the a$$!
>
> 20 minutes minimum between downloads, and a 2 minute
> timer to make sure you sit and stare at the screen before
> entering a code you read off of the screen.
>
> Bah!
>
> -Chuck

Now if only someone would post the RCA Transmitting Tube Manual
I could get ride of my, very ragged copy, that is Thumbed to death.

Bruce in alaska

--
Bruce in alaska
add <path> after <fast> to reply

From 196809577990623652
X-Google-Thread: 108122,ff494538598b3267,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q77g2000hsh.googlegroups.com!not-for-mail
From: jaialai technology <jaialai.technology@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: harris an/prc 150(hf radio)
Date: Mon, 21 Jan 2008 12:08:13 -0800 (PST)
Organization: http://groups.google.com
Lines: 12
Message-ID: <f1ed0abd-9feb-407d-9fcf-4f3a96a42623@q77g2000hsh.googlegroups.com>
NNTP-Posting-Host: 205.56.210.195
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1200946094 367 127.0.0.1 (21 Jan 2008 20:08:14 GMT)
X-Complaints-To: groups-abuse@google.com

NNTP-Posting-Date: Mon, 21 Jan 2008 20:08:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q77g2000hsh.googlegroups.com; posting-host=205.56.210.195;
     posting-account=oE8TowoAAADegjiSEJ86LpJ8MH-tmq_J
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727; IEMB3; IEMB3),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 webc2.ior.navy.mil:80 (squid/2.5.STABLE3)
Xref: g2news1.google.com rec.radio.amateur.equipment:13840

These are used by the military but can be found for sale to the
general public.
My question is this...and I know there are many many variables at play
here...what
would be a general ball park range for one of these radios
transmitting at 100 watts on a 16 foor vertical whip antenna?
My answer is "pretty much anywhere in the world" but I am wondering
what the real answer is and what sorts of considerations someone takes
into account?
At what point would someone use ALE mode versus a fixed frequency in
order to increase range?
And, do they peple here consider such a radio a good "starter" radio?

From 7058705681599898216
X-Google-Thread: 108122,ffb90227e340ba71
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 21 Jan 2008 15:05:53 -0600
Date: Mon, 21 Jan 2008 21:05:53 +0000
From: Charlie <charlieno@spam.radiowymsey.org>
User-Agent: Thunderbird 2.0.0.6 (X11/20071022)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood 751 Dual Concentric Pot
References: <I5GdndAx-ufg-g_anZ2dnUVZ8uqdnZ2d@pipex.net>
<4794a71c$0$18416$4c368faf@roadrunner.com>
In-Reply-To: <4794a71c$0$18416$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <bK2dnQILD9qvlAjanZ2dnUVZ8hmdnZ2d@pipex.net>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 81.178.104.196
X-Trace: sv3-
t7M9+m3Sg6FWQROE3OHbd+Hzg8PNvaI4LlkGRd05Ixj44Jf+ptpqOaPRLK5FinXU1nF2K9iZ+QFEG3g!
oRZtCKhLY34Aapmutz6z7JtZhNFREOJyZ/RACmpd6FyJ+9b9+If38nSVNCM4RaGQzidXs2bpCMXh!
jJ1qmU2TjmaP8KUAmsCrAw5D1jk=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13841

MTV wrote:
> Mine also went out (in 751A) and the local ham shop said the
> replacements with the push on-off are no longer available from Kenwood,
> or anyplace else he checked. He ended up replacing the vol-squelch pot,
> but then put a little on-off toggle switch on the side.
>
> Marv
> W5MTV in Houston
>

MTV,

Thanks, he may have to get the same thing done. Someone in the
UKAR newsgroup managed to get one a couple of years ago but
the dealer sent to Japan for that one.

Charlie.

--
M0WYM
www.radiowymsey.co.uk

From 6537896550605173660
X-Google-Thread: 108122,70c64d162d1cd4e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 21 Jan 2008 17:44:49 -0600
From: dusty <k4nlz>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood   dual band TH-G71 programming software ???
Date: Mon, 21 Jan 2008 15:44:54 -0800
Message-ID: <ccbap39n0hm8rci5cbjbeiefgj8tqngdc6@4ax.com>
X-Newsreader: Forte Agent 1.8/32.553
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.182.63.30
X-Trace: sv3-OmtjqNSm+n+EcED4qED4D7KlhWzfPS20fiItN+DKjJWDbXLQA1JTmsQRW4DOehcWnktUYYsxnoTOSRX!WDQ06Lu/ylnBWJa2PswhXfGXJd4EjCyvxZNY8VCRs5cveDaysfYRmZ1B/NojMTAaRrDu5k+CJzU5!

```
i0m35X/yBt+owOjHJ9jYU2wSOA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13842
```

does anyone know where I can download a copy of the programming
software for the Kenwood TH-G71 dual band HT ??

thanks in advance

dusty
k4nlz
_   ·· _

```
From 6826012712740053530
X-Google-Thread: 108122,3671bfcf368b148a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 21 Jan 2008 17:56:32 -0600
Date: Mon, 21 Jan 2008 15:56:34 -0800
From: Charles & Mambo Duckman <duckman@gfy.slf>
Organization: Cornfed Detective Agency
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: THIS IS A MUST MUST MUST SEE!!!      Red Skelton's Pledge of
 Allegiance
References: <4794b12f$0$6371$607ed4bc@cv.net>
In-Reply-To: <4794b12f$0$6371$607ed4bc@cv.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <RPSdnaUVmIStrAjanZ2dnUVZ_gKdnZ2d@comcast.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.244.152
X-Trace: sv3-e9ecKWoIjR8yH5YXJyhKUCzWT/
jo5ywUgjAzR4wPpawmkGNW5RN5Gm9LffvrHrrwtV5Ys4kbuPPWRm9!
```

```
kh71HWHRcXIdVaTfxiAiauYvcgGkcyOgfE3FFGTGCO3NwLoWRT7n9z1DbkkndGKMMwsQY4LiVTJZ!
ovqLfiBkfVuqeooz1rwm+IV08rNY4Ks=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13843

Steve wrote:
> I know this is not related to this group but it needs to be watched
> and passed on!!
>
> PLEASE LOOK AT WHAT RED SKELTON SAID IN 1969.
> IF YOU AGREE WITH IT (and you will!!) SEND TO EVERYONE YOU CAN.

What an empty insipid platitude designed to keep the easily impressed idiots
all warm and fuzzy.




--
Come down off the cross
We can use the wood

Tom Waits, Come On Up To The House


From 7655949573606092196
X-Google-Thread: 108122,70c64d162d1cd4e
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-08!sn-xt-sjc-09!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood   dual band  TH-G71  programming software ???
Date: Mon, 21 Jan 2008 16:17:44 -0800
Organization: Home for Obscure Mythical Beings
Message-ID: <8apf65-ui1.ln1@radagast.org>
References: <ccbap39n0hm8rci5cbjbeiefgj8tqngdc6@4ax.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news1.google.com rec.radio.amateur.equipment:13844

>does anyone know where I can download a copy of the programming
>software  for the  Kenwood TH-G71 dual band HT ??

www.kenwoodusa.com
```

Mouse over "Support", choose "Amateur radio" from the resulting
pop-up, then clock on "Amateur Radio Files Download".

http://www.kenwoodusa.com/Support/AMA_Radios/ gets you there more
directly, I think.

http://inform3.kenwoodusa.com/Resources/AMA_SoftwareRCPMCP/MG71210.exe
appears to be the file you want.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 8774668453859001628
X-Google-Thread: 108122,a019443c4dcabe11,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.metrocastcablevision.com!
news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 21 Jan 2008 19:11:18 -0600
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: VIBROPLEX BRASS RACER SQUARE PADDLE
Date: Mon, 21 Jan 2008 20:11:18 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <W9udnVqBDO0r3wjanZ2dnUVZ_gCdnZ2d@metrocastcablevision.com>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.9.4.229
X-Trace: sv3-p29hx3Wwsbyoo30wiEKJU/
GnXHeVggoVi+eSd0sQ5wNoMjj46sMq2GOmG1rqa6FyYzZOS8COu3Ms8Uq!AIbxUm0H/
0NyRwwV2Rq3zNtuL+2ZnbGWHhnvGteYN3eRgagtrVNcD1+Kgh0f1qFgyqyDLoQuZrV7!
zNSacCJtC4x3Y17y04jqjyVkhTTDR0ajvqQVl2gojxw=
X-Complaints-To: abuse@metrocastcablevision.com
X-DMCA-Complaints-To: abuse@metrocastcablevision.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13845

FOR SALE

Vibroplex Brass Racer Square Paddle

S/N 101240

Description: Brushed lacquered brass mounted on polished hardwood. Tension on the paddle is infinitely adjustable through the use of magnets. Includes cord with 3-conductor 1/4" phone plug. Original owner, good condition.

Price: $65.00 (new price is $149.95)

Other details: Sale to US addressees only. Shipping at buyer expense. Pay by cash or US Postal Money Order. No returns on this item.

Contact: BOB W5BTC dc2light(at)md(dot)metrocast(dot)net

From 2896053007457733306
X-Google-Thread: 108122,70c64d162d1cd4e
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 21 Jan 2008 19:42:25 -0600
From: dusty <k4nlz>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood   dual band TH-G71 programming software ???
Date: Mon, 21 Jan 2008 17:42:30 -0800
Message-ID: <5eiap3l2ukem5d4rd22g43uunnqj1kpmq3@4ax.com>
References: <ccbap39n0hm8rci5cbjbeiefgj8tqngdc6@4ax.com> <8apf65-ui1.ln1@radagast.org>
X-Newsreader: Forte Agent 1.8/32.553
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.182.63.30
X-Trace: sv3-DxuKdKIzdyrrH2hI3c8fxjEP7+aEMXiwD7fPp8NZnWiHwqAczipTi0ZwnLbQ0o7YeisVn6N3gyTi5dB!Y3Pq4fdNaJ5gCbn6dBZ3Ts3M+Vi+EK/IGn4ODARIehZ2PootJQF7cq5Eve1el3Hl6yJ5zjLHkPtZ!rivEz41TW/EHZU6NY3I0VZWg/g==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13846

On Mon, 21 Jan 2008 16:17:44 -0800, dplatt@radagast.org (Dave Platt)

wrote:

>>does anyone know where I can download a copy of the programming
>>software for the Kenwood TH-G71 dual band HT ??
>
>www.kenwoodusa.com
>
>Mouse over "Support", choose "Amateur radio" from the resulting
>pop-up, then clock on "Amateur Radio Files Download".
>
>http://www.kenwoodusa.com/Support/AMA_Radios/ gets you there more
>directly, I think.
>
>http://inform3.kenwoodusa.com/Resources/AMA_SoftwareRCPMCP/MG71210.exe
>appears to be the file you want.

Perfect , thanks so much Dave , I appreciate it !

best wishes
dusty
k4nlz

_ .. _

From 2981478266308069848
X-Google-Thread: fcc6e,1a112b9d1acdbe57,start
X-Google-Thread: 108122,1a112b9d1acdbe57,start
X-Google-Thread: fc2a5,1a112b9d1acdbe57,start
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!newsfeed0.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Broke down and bought one ...
Date: Tue, 22 Jan 2008 00:47:34 -0800
Organization: albasani.net
Lines: 8
Message-ID: <fn4aiu$opl$1@news.albasani.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net 8PyvY41K28vZ+n4rEsosKEwVg5S39Z2f0qFstM5736f1IHzdFSH8Ij3B2CF0VIOWKqq71pdUxmuyxoyGmx6Z9G/ZAL8TthAzBHX8p5KtLuG5Uat/+tM5GoV2tM9eVZCp
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Tue, 22 Jan 2008 08:47:26 +0000 (UTC)

X-User-ID: 0137XGkY+NWbF4LYEquxh/nxFAj/ozRHwiVJ0iSpQJI=
Cancel-Lock: sha1:ZR/bxJTvecwVptphJ38NZ0jkAJ4=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: klUnhMzhogHeZn2TxmJyeVxKa9Wd20OPGjcu+FfNNbo=
Xref: g2news1.google.com rec.radio.amateur.antenna:53782
rec.radio.amateur.equipment:13847 rec.radio.amateur.homebrew:15143

After varying success with homebrew SDRs' (software defined radios)
built on PCI breadboards stuck into old PCs', I made the jump into a
commercial one--bit "pricey" though--a little under five grand for the
Flex-5000C ... I am as anxious as a kid waiting his order from the back
of a comic book! (they still do that, don't they?) :-)

Regards,
JS

From 7592401338043046582
X-Google-Thread: fcc6e,1a112b9d1acdbe57
X-Google-Thread: 108122,1a112b9d1acdbe57
X-Google-Thread: fc2a5,1a112b9d1acdbe57
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Broke down and bought one ...
Date: Tue, 22 Jan 2008 00:52:54 -0800
Organization: albasani.net
Lines: 16
Message-ID: <fn4asu$opl$2@news.albasani.net>
References: <fn4aiu$opl$1@news.albasani.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net y8omEgF3qCWqarouEyieDDENh/80YkcooY6g+qx7/6COac/
Rg4efbbQno3QOb4kDay5BcxbMPvYGGDR3nDj0FQ5GucDpUOzftOSQBJ1AyJ4VipygVuTofE7p1zsMKGV9
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Tue, 22 Jan 2008 08:52:46 +0000 (UTC)
X-User-ID: sCul7M2oqXyPjrurghlFVw3/9ofySIAAk/9j5g8Qygs=
In-Reply-To: <fn4aiu$opl$1@news.albasani.net>
Cancel-Lock: sha1:wBJt23KI4FEZG1Wj7wuk/IwcNvE=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: zaFPhlApOjr4mY6KOeoBMrt0uBm0K4Yd75t/9IO3GCM=
Xref: g2news1.google.com rec.radio.amateur.antenna:53783
rec.radio.amateur.equipment:13848 rec.radio.amateur.homebrew:15144

John Smith wrote:
> After varying success with homebrew SDRs' (software defined radios)
> built on PCI breadboards stuck into old PCs', I made the jump into a
> commercial one--bit "pricey" though--a little under five grand for the

> Flex-5000C ... I am as anxious as a kid waiting his order from the back
> of a comic book! (they still do that, don't they?) :-)
>
> Regards,
> JS

Forgot to include the URL, in case anyone else is interested:

http://www.flex-radio.com/Products.aspx?topic=f5k_features

Regards,
JS

From -1582487403705004550
X-Google-Thread: 108122,3183d7eef036cbd8,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!
attbi_s22.POSTED!53ab2750!not-for-mail
From: "AK" <nomail@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Interfacing ICpro3 with DigiPan
Lines: 38
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <moqlj.47209$Ux2.15271@attbi_s22>
NNTP-Posting-Host: 12.214.210.130
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1201025682 12.214.210.130 (Tue, 22 Jan 2008 18:14:42 GMT)
NNTP-Posting-Date: Tue, 22 Jan 2008 18:14:42 GMT
Organization: AT&T ASP.att.net
Date: Tue, 22 Jan 2008 18:14:42 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13849

Need some DigiPan guru help.

Using DigiPan v 2.0 with my Icom 756pro3.

For CI-V operation with my Icom, I can set the 756 address to 5C (for a
756pro) and the DigiPan software will control the transceiver frequency.

My other logging programs (CT, EQF, and MixW) all use the standard 6E CI-V code for my rig.

It would be really great if I could modify the DigiPan software to accept the usual 6E code for the Pro3, even if the additional features of the Pro3 are not handled by the DigPan 2.0 software.

Does anyone know how to change DigiPan to recognize 6E as the rig code for the 756pro? (Or is there a newer version of DigiPan that can be set for the Pro3?)

For PSK31, I much prefer DigiPan over MixW, even though MixW can select the Pro3 with the 6E code.

All suggestions appreciated! 73, Andy K4YKZ

```
From -8011663954845075212
X-Google-Thread: fc2a5,86528631f0b2e452
X-Google-Thread: fc8b1,86528631f0b2e452
X-Google-Thread: f4535,86528631f0b2e452
X-Google-Thread: 108122,86528631f0b2e452
X-Google-Thread: 107ada,86528631f0b2e452
X-Google-Attributes: gidfc2a5,gidfc8b1,gidf4535,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in alaska <fast@btpost.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.audio.tubes,rec.radio
.amateur.equipment,rec.radio.amateur.misc
Subject: Re: RCA Receiving Tube Manual download links
Organization: Bruce's Trading Post
References: <44a74c69-c119-40cf-9ca0-e4103e71187f@q39g2000hsf.googlegroups.com>
<b5qdnYpBp9G9vQnanZ2dnUVZ_uXinZ2d@rcn.net>
<fast-60215A.09293521012008@netnews.worldnet.att.net>
<i8s9p3tl1fi4mjkos5i363gssrutjbh9m2@4ax.com>
User-Agent: MT-NewsWatcher/3.5.3b2 (PPC Mac OS X)
Message-ID: <fast-273D61.10143922012008@netnews.worldnet.att.net>
Lines: 17
Date: Tue, 22 Jan 2008 19:13:05 GMT
NNTP-Posting-Host: 12.12.208.47
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1201029185 12.12.208.47 (Tue, 22 Jan
2008 19:13:05 GMT)
NNTP-Posting-Date: Tue, 22 Jan 2008 19:13:05 GMT
Xref: g2news1.google.com rec.radio.amateur.homebrew:15146
rec.radio.amateur.boatanchors:13834 rec.audio.tubes:49477
rec.radio.amateur.equipment:13850 rec.radio.amateur.misc:43129

In article <i8s9p3tl1fi4mjkos5i363gssrutjbh9m2@4ax.com>,
 flipper <flipper@fish.net> wrote:

> >Now if only someone would post the RCA Transmitting Tube Manual
> >I could get ride of my, very ragged copy, that is Thumbed to death.
> >
> >Bruce in alaska
>
> 1938 and 1956 editions here
>
> http://www.pmillett.com/tube_data.htm

thanks a lot...I appreciate the Link....

--
Bruce in alaska
add <path> after <fast> to reply


From 6814003322417439691
X-Google-Thread: 108122,1a112b9d1acdbe57
X-Google-Thread: fc2a5,1a112b9d1acdbe57
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!53ab2750!not-for-mail
From: "Tio Pedro" <radioconnection@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <fn4aiu$opl$1@news.albasani.net> <fn4asu$opl$2@news.albasani.net>
Subject: Re: Broke down and bought one ...
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <j8tlj.25640$3b7.19684@newsfe23.lga>
NNTP-Posting-Host: 72.209.25.33
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe23.lga 1201036943 72.209.25.33 (Tue, 22 Jan 2008 14:22:23 MST)
NNTP-Posting-Date: Tue, 22 Jan 2008 14:22:23 MST
Organization: Cox
Date: Tue, 22 Jan 2008 16:22:22 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13851
rec.radio.amateur.homebrew:15147
```

"John Smith" <assemblywizard@gmail.com> wrote in message
news:fn4asu$opl$2@news.albasani.net...

> John Smith wrote:
>> After varying success with homebrew SDRs' (software defined radios) built
>> on PCI breadboards stuck into old PCs', I made the jump into a commercial
>> one--bit "pricey" though--a little under five grand for the Flex-5000C
>> ... I am as anxious as a kid waiting his order from the back of a comic
>> book! (they still do that, don't they?) :-)
>>
>> Regards,

Too rich for my pockets, but the specs are eye openers!! Let us know
how it plays!

```
From -7820202264304208216
X-Google-Thread: 108122,1a112b9d1acdbe57
X-Google-Thread: fc2a5,1a112b9d1acdbe57
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!nuzba.szn.dk!
pnx.dk!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Broke down and bought one ...
Date: Tue, 22 Jan 2008 18:21:09 -0800
Organization: albasani.net
Lines: 21
Message-ID: <fn68ak$31n$2@news.albasani.net>
References: <fn4aiu$opl$1@news.albasani.net> <fn4asu$opl$2@news.albasani.net>
<j8tlj.25640$3b7.19684@newsfe23.lga>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net qX9tNSIk0HA/
ACuk+ZRtOnG9YTZbnpnP0F09fKzzNys5l+AzjnocRJZVwgiben0HuhDGI1kGIaQpsl4AMoyFiXjkspU7mu
eN3f4j9VAFsA9vy3CC0khyEokZmffegKFS
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Wed, 23 Jan 2008 02:21:08 +0000 (UTC)
X-User-ID: 2Pj2PCWJ/CqmLbblEKX+1wFNAFtecTyxMTiXDC6dDLs=
In-Reply-To: <j8tlj.25640$3b7.19684@newsfe23.lga>
Cancel-Lock: sha1:ivW2ZRYhMvS7en5CUfzSrSk8AGk=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: B7rPtBFHLz2JiqraSY4PoPpLOM2esNNqrLg7qSlELdI=
Xref: g2news1.google.com rec.radio.amateur.equipment:13853
rec.radio.amateur.homebrew:15152
```

Tio Pedro wrote:

> ...
> Too rich for my pockets, but the specs are eye openers!! Let us know
> how it plays!
>
>
>

I picked up an extra contract which only took a portion of the man hours
I had alloted--the wife needed a new car, this made that possible--got
that for her, she said, "I feel guilty, what would you like?"
MUHAHAHAHAHAHA!!!!

The rest is history ... I have downloaded the manual offline and will be
ready to put it to work as soon as I have it from the box!

Will let 'ya know!

Regards,
JS

```
From -3632189162170467229
X-Google-Thread: 108122,c2d5a07fdfaa4fa7,start
X-Google-Thread: 107ada,c2d5a07fdfaa4fa7,start
X-Google-Thread: 1109af,c2d5a07fdfaa4fa7,start
X-Google-Attributes: gid108122,gid107ada,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr22.news.prodigy.net.POSTED!60181760!not-for-mail
From: "George Csahanin" <george@dyb.com>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.ama
teur.swap,rec.radio.swap
Subject: A little off topic, RE: Buying from a government auction
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <4gzlj.1015$uE.19@newssvr22.news.prodigy.net>
NNTP-Posting-Host: 65.68.232.25
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr22.news.prodigy.net 1201062016 ST000 65.68.232.25 (Tue, 22 Jan
2008 23:20:16 EST)
NNTP-Posting-Date: Tue, 22 Jan 2008 23:20:16 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1: OP\WBWVELRVSP_T[LJJ\OPLI[B]NQHMHWY\Z]
\YIBATBDTICYFW[QB[YHL\DHWWIDFCGZAZLUNYZ_J_A[NVC^PPFINVOIPXHDPX@BQ[@J\RJADL^GSF\X\W
@@\BQJJFNB\ZMKHRLZY^MFKSSDL^GOIW^GSY@FRWHMQ[GPBGACCFLAQ@F\L@J\\LGY^TUAVBM
Date: Tue, 22 Jan 2008 22:19:37 -0600
```

Xref: g2news1.google.com rec.radio.amateur.equipment:13854 rec.radio.amateur.misc:43132 rec.radio.swap:18281

I know thiss is a swap forum, but this seems to be the best place to seek info for me.

I was successful bidder in October on a IFR FM/AM-1100S. First had to wait for approval of my End User Certificate, which was in mid December. I made the transaction, paid the "UPS Store" to pick it up and ship it to me. It didn't work, naturally. Spent about 15 hours making it work. So far so good.

I get an e-mail today. The Government has changed its core to require "demilitarization", meaning they want me to ship it back, it is to be destroyed. AN IFR! ??? Its part of the fine print. And I guess if I bought a surplus h-bomb I can understand it, but this is such benign equipment. It can be bought on Ebay almost constanty one is available.

Does anyone have any experience with somehting like this? And if so, is it possible to talk some sense into their head? As my first purchase like this I certainly will never bid on anything again with them. There's always scopes being sold, etc. And if an IFR can be called back, anything can, so be warned there as well.

Thanks for listening.

GeorgeC W2DB
george at dyb dot com

From 6653453768485319611
X-Google-Thread: 108122,c2d5a07fdfaa4fa7
X-Google-Thread: 107ada,c2d5a07fdfaa4fa7
X-Google-Thread: 1109af,c2d5a07fdfaa4fa7
X-Google-Attributes: gid108122,gid107ada,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn12feed!worldnet.att.net!216.168.1.165!sn-xt-sjc-05!sn-xt-sjc-07!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap
Subject: Re: A little off topic, RE: Buying from a government auction
Date: Wed, 23 Jan 2008 00:06:50 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <5pidp39mvs8de202q03k0pgsne0l2r4sap@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <4gzlj.1015$uE.19@newssvr22.news.prodigy.net>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news1.google.com rec.radio.amateur.equipment:13855
rec.radio.amateur.misc:43133 rec.radio.swap:18282

On Tue, 22 Jan 2008 22:19:37 -0600, "George Csahanin" <george@dyb.com> wrote:

>I get an e-mail today. The Government has changed its core to require
>"demilitarization", meaning they want me to ship it back, it is to be
>destroyed. AN IFR! ??? Its part of the fine print. And I guess if I bought a
>surplus h-bomb I can understand it, but this is such benign equipment. It
>can be bought on Ebay almost constanty one is available.
>
>Does anyone have any experience with somehting like this? And if so, is it
>possible to talk some sense into their head?...

This is what your local Congressman is for -- call his district office and ask
for help.

-- Larry


From 3553492256966637027
X-Google-Thread: fcc6e,1a112b9d1acdbe57
X-Google-Thread: 108122,1a112b9d1acdbe57
X-Google-Thread: fc2a5,1a112b9d1acdbe57
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 23 Jan 2008 12:41:00 -0600
From: Jerseyj <jerseyj69@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Broke down and bought one ...
References: <fn4aiu$opl$1@news.albasani.net>
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Date: Wed, 23 Jan 2008 13:41:01 -0500
Message-ID: <jerseyj69-DBA080.13410123012008@newsgroups.comcast.net>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.38.21.122
X-Trace: sv3-
pnkB+JpbLJ9sfv1s1ARTwiomlxwtvbcDoajxTr3hOGf5a812OH7YwVkSAGm0yd0iv94UmeD6m4WttcJ!
towU4YtJKdQ8yYd1/igIpwV/+vb7TzXyjA2SshLPI4/eE5NO8GbH1I9F9Td0hM7q/bAomb22a6fh!fV9I/
2KtkGDePdjwaCErUMlNN9iqjRjfjEnlwiGnTg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.antenna:53862
rec.radio.amateur.equipment:13856 rec.radio.amateur.homebrew:15156

In article <fn4aiu$opl$1@news.albasani.net>,
John Smith <assemblywizard@gmail.com> wrote:

> After varying success with homebrew SDRs' (software defined radios)
> built on PCI breadboards stuck into old PCs', I made the jump into a
> commercial one--bit "pricey" though--a little under five grand for the
> Flex-5000C ... I am as anxious as a kid waiting his order from the back
> of a comic book! (they still do that, don't they?) :-)
>
> Regards,
> JS

Mmmmm...given how long I own my radios, and given how quickly pc
hardware improves, I'd probably go for the model that doesn't include
the integrated PC.

Jerry

From -5141977481605959899
X-Google-Thread: fcc6e,1a112b9d1acdbe57
X-Google-Thread: 108122,1a112b9d1acdbe57
X-Google-Thread: fc2a5,1a112b9d1acdbe57
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Broke down and bought one ...
Date: Wed, 23 Jan 2008 10:55:58 -0800
Organization: albasani.net
Lines: 27
Message-ID: <fn82jr$sls$1@news.albasani.net>
References: <fn4aiu$opl$1@news.albasani.net> <jerseyj69-DBA080.13410123012008@newsgroups.comcast.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
baqpDw2n+uoTPOBe5GPe7OqvPhRuYOaYaOybyBpb2LQsI2M3fyqBIgJzmFHKQWgrrkc4VhMjIEaQwjxZ/pXfoPhk6kEC9Mp8EDLJvH1lS4ChhR6K+eIJpKaDFyEPUWDH
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Wed, 23 Jan 2008 18:55:56 +0000 (UTC)
X-User-ID: IJ40Q6f8sWjqyDfNgMShriO6jtDsmSlmclqy/0/WfYc=
In-Reply-To: <jerseyj69-DBA080.13410123012008@newsgroups.comcast.net>
Cancel-Lock: sha1:tS4TKpAc0MPYERSFVFcC65Qs00U=

```
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: tO/QXwstlcUMKqEBQCtOvU+Seg4ebe70fh7cV/QJdMs=
Xref: g2news1.google.com rec.radio.amateur.antenna:53867
rec.radio.amateur.equipment:13857 rec.radio.amateur.homebrew:15157

Jerseyj wrote:

> ...
> Mmmmm...given how long I own my radios, and given how quickly pc
> hardware improves, I'd probably go for the model that doesn't include
> the integrated PC.
>
> Jerry

The firmware is upgradeable, they promise to allow you access to any new
versions of the SDR software.

The CPU is an intel dual core;  Just how much processing power do you
need to run a radio?  But then, you can cruise the web on this "radio!",
run other apps (think EZNEC here), etc.

Also, if you need to control it remotely, you can still do so from
another computer via firewire (say put the transceiver in your trunk and
run it from a laptop in your passenger compartment), LAN, or
WAN--wireless-ly.  Indeed, you can control this rig from anywhere in the
world using VOIP!

Personally, I thought it time to buy.  Will certainly beat anything I
can homebrew here ... your mileage may vary.

Regards,
JS


From -3828403293974598863
X-Google-Thread: 108122,3e4f7b8513d84e1c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!spln!
extra.newsguy.com!sn-xt-sjc-02!sn-xt-sjc-09!sn-xt-sjc-06!sn-post-sjc-01!
supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: New AT&T Home phone
Date: Wed, 23 Jan 2008 13:06:37 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news1.google.com rec.radio.amateur.equipment:13858
```

I know this is an off topic info msg but thought might be of interest
to some of you. I just bought the latest Radio Shack AT&T house
phone.   It is progrmable and uses no batteriest to hold the settings
in tack. It had features like 4 pre programale instant memories
M1 M2 M3 that you can put in things lile "911" or 10-10-220
or Time check nr etc. You can set announcement after 2 rings then
it can store up to 19 incoming msgs or 29 minutes of calls.
I was bale to setup most of the features myself except the
Annoncement after 2 rings. I went back to radio schack and told
them I could'nt change the nr of rings to 2 followed by my
announcement.   they said bring the phone in and they would do it
for me. I thought   "oh no if I unplug the AC adapter I'll loose
all the stuff I had set up. But they said no "it has a batteryless
chip in it that retains the set up features without power of any
kind!!! In fact the box it came in says "battery less" phone.
So I took it down and the guy did it for me so fast I could'nt see
which keys he was pokeing. Now its set for 2 rings only instead of
7 rings prior to the automatic announcement. he said the phone reqjuires
no battery power to retain the "setup" contents. I wonder what kind

of chip can do this:: ROM or RAM??? ROM CHIP requires a burner
RAM chip reqyures some kind of battery backup lithium or whatever.
But this Home Ph had neither. It says right on the box that it came
in "batteryless phone"...
How can this be????????
Joe

From -3983902398996208530
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 23 Jan 2008 18:57:16 -0600
From: "Topaz305RK" <k7sam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
Subject: Re: New AT&T Home phone
Date: Wed, 23 Jan 2008 17:57:17 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 080123-2, 01/23/2008), Outbound message
X-Antivirus-Status: Not-Tested
Message-ID: <PI2dne4gnMvwfwranZ2dnUVZWhednZ2d@vnet-inc.com>
Lines: 33
X-Usenet-Provider: http://www.giganews.com

```
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-
VpqqR6r7f0T9Pt7GtZzbZY+znh9KoIdMjOAnfdBclVQD9Kxz+z3iA89yd2cd8aUVXMha5lhpiq4fB2b!
k0I3h1+Zj6IUin8QGeUSjtfSixF5q52Yp+wU7LZvuRwpikvBilboIvaq7asdXZOYFE8goCfptsaG!
NCl2OO5S8CbyBY/Ov7GkL5IclLk=
X-Complaints-To: abuse@vnet-inc.com
X-DMCA-Complaints-To: abuse@vnet-inc.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13859


"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.64.0801231241230.314@malasada.lava.net...
>I know this is an off topic info msg but thought might be of interest
> to some of you.  I just bought the latest Radio Shack AT&T house
> phone.   It is progrmable and uses no batteriest to hold the settings
> in tack.  It had features like 4 pre programale instant memories
> M1 M2 M3 that you can put in things lile "911"  or 10-10-220
> or Time check nr etc.  You can set announcement after 2 rings then
> it can store up to 19 incoming msgs or 29 minutes of calls.
> I was bale to setup most of the features myself except the
> Annoncement after 2 rings. I went back to radio schack and told
> them I could'nt change the nr of rings to 2 followed by my
> announcement.   they said bring the phone in and they would do it
> for me.  I thought   "oh no if I unplug the AC adapter I'll loose
> all the stuff I had set up.  But they said no "it has a batteryless
> chip in it that retains the set up features without power of any
> kind!!!  In fact the box it came in says "battery less" phone.
> So I took it down and the guy did it for me so fast I could'nt see
> which keys he was pokeing.  Now its set for 2 rings only instead of
> 7 rings prior to the automatic announcement. he said the phone reqjuires
> no battery power to retain the "setup" contents. I wonder what kind
>
> of chip can do this:: ROM or RAM??? ROM CHIP requires a burner
> RAM chip reqyures some kind of battery backup lithium or whatever.
> But this Home Ph had neither. It says right on the box that it came
> in "batteryless phone"...
> How can this be????????
>                         Joe

EPROM




From 8265214885088458258
X-Google-Thread: 108122,3e4f7b8513d84e1c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 23 Jan 2008 20:41:21 -0600
From: "John" <noaddress@noaddress.invalid>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.64.0801231241230.314@malasada.lava.net>
<PI2dne4gnMvwfwranZ2dnUVZWhednZ2d@vnet-inc.com>
Subject: Re: New AT&T Home phone
Date: Wed, 23 Jan 2008 21:41:19 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <guydnQgk4MNMZwranZ2dnUVZ_hCdnZ2d@comcast.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.136.76.249
X-Trace: sv3-rNWXixN7fiuhNsofDJOCuzF64XzY6/w6lQNYIIG4b1rBBkJW/
Nxaqv1xZoguJW6BL5m2//4SLFCocQQ!
CfbThq2bDNd581NOsghOSYjKNAizkeaL1jrxTNgPZQGJutzJ7W0bBrgLCC5aPgI0Ma2ybXcyxrgR!
EpaaLHA1SnWPC+0U+CFlMfEv96pbcA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13860

"Topaz305RK" <k7sam@arrl.net> wrote in message
news:PI2dne4gnMvwfwranZ2dnUVZWhednZ2d@vnet-inc.com...
>
> "Joseph Fenn" <jfenn@lava.net> wrote in message
> news:Pine.BSI.4.64.0801231241230.314@malasada.lava.net...
>>
>> snip
>>
>> of chip can do this:: ROM or RAM??? ROM CHIP requires a burner
>> RAM chip reqyures some kind of battery backup lithium or whatever.
>> But this Home Ph had neither. It says right on the box that it came
>> in "batteryless phone"...
>> How can this be????????
>> Joe
>
> EPROM
>

EPROM can only be erased with ultraviolet light.

EEPROM or more likely flash memory like is used
in thumb drives or camera memory cards.

From -1041647491793484183
X-Google-Thread: 108122,c2d5a07fdfaa4fa7
X-Google-Thread: 107ada,c2d5a07fdfaa4fa7
X-Google-Thread: 1109af,c2d5a07fdfaa4fa7
X-Google-Attributes: gid108122,gid107ada,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Just4Me" <no@nono.noway>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap
References: <4gzlj.1015$uE.19@newssvr22.news.prodigy.net>
Subject: Re: A little off topic, RE: Buying from a government auction
Date: Wed, 23 Jan 2008 23:24:01 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 22
Message-ID: <47981274$0$1491$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 70.118.91.205
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13861 rec.radio.amateur.misc:43142 rec.radio.swap:18291

You can also simply say you no longer have possession of it as it was sold somewhere but since you have it that is a problem.

I received the same letter for equipment I bought in the past (over a year ago) and I sent them a nasty letter back to the effect that I had no idea where it was and since I trade all the time at hamfests so they are out of luck.

They accepted it.

For some unknown reason there has been a change in Govt. Policy and they have made it retroactive. They have been starting to do that on many electronic auction items over the past year or so and it is a stupid policy which means they will cost you and I the tax payer large amounts of money because we will no longer buy from Govt. auctions.

I must also say that a number of us have ceased buying at that auction because of the same problem you are having. Many more can expect to get those letters in the future I was told.
GUD Luck!

```
From -3229180154267492339
X-Google-Thread: 108122,c2d5a07fdfaa4fa7
X-Google-Thread: 107ada,c2d5a07fdfaa4fa7
X-Google-Thread: 1109af,c2d5a07fdfaa4fa7
X-Google-Attributes: gid108122,gid107ada,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.net.POSTED!60181760!not-for-
mail
From: "George Csahanin" <george@dyb.com>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.ama
teur.swap,rec.radio.swap
References: <4gzlj.1015$uE.19@newssvr22.news.prodigy.net>
<47981274$0$1491$4c368faf@roadrunner.com>
Subject: Re: A little off topic, RE: Buying from a government auction
Lines: 49
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <lCUlj.315$xq2.143@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 65.68.232.25
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1201149457 ST000 65.68.232.25 (Wed, 23 Jan
2008 23:37:37 EST)
NNTP-Posting-Date: Wed, 23 Jan 2008 23:37:37 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: FKPO@MONBRVWGTLZLBCB^]
\@PJ_^PBQLGPQRJWQHBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRVVMOSPFHNSYXVDIE@X\BUC@
GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]@CCB\[@LATPD\L@J\
\PF]VR[QPJN
Date: Thu, 24 Jan 2008 04:37:37 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13862
rec.radio.amateur.misc:43144 rec.radio.swap:18292
```

The thing that gets me is that it just makes no sense. Its equipment available anywhere, no big secrets, etc.

And yeah, I won't ever bid again, which I will convey to Govt Liquidation, who I bid through. If they do enough business they can maybe exert some pressure, as a matter of protecting their cut.

And all this after I waited 3 months for the EUC to be approved, which I tought was for this purpose, make sure it was not going to the wrong hands, etc. Makes the EUC pointless.

Oh well, I found another on Ebay for same price. The only down side is that they won't pay the shipping from them to me.

And I called, they guy said pretty much what you said, if I don't have it, note it on the return letter and that's the end of it. So...why bother...It just makes no sense...

Well, thanks for the understanding ear.

-GeorgeC

"Just4Me" <no@nono.noway> wrote in message news:47981274$0$1491$4c368faf@roadrunner.com...
> You can also simply say you no longer have possession of it as it was sold
> somewhere but since you have it that is a problem.
>
> I received the same letter for equipment I bought in the past (over a year
> ago) and I sent them a nasty letter back to the effect that I had no idea
> where it was and since I trade all the time at hamfests so they are out of
> luck.
>
> They accepted it.
>
> For some unknown reason there has been a change in Govt. Policy and they
> have made it retroactive. They have been starting to do that on many
> electronic auction items over the past year or so and it is a stupid
> policy which means they will cost you and I the tax payer large amounts of
> money because we will no longer buy from Govt. auctions.
>
> I must also say that a number of us have ceased buying at that auction
> because of the same problem you are having. Many more can expect to get
> those letters in the future I was told.
> GUD Luck!
>
>

```
From -8916408756660208724
X-Google-Thread: 108122,23fd5006afb90fe7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!v67g2000hse.googlegroups.com!not-for-
mail
From: ve3wej <ve3wej@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ham Radio Deluxe "IC-R20, COM4, 4800, failed to Read Frequency."
Date: Fri, 11 Jan 2008 16:55:04 -0800 (PST)
Organization: http://groups.google.com
Lines: 13
```

```
Message-ID: <d44e63b5-127f-4b3d-81b6-a76022b7cdfb@v67g2000hse.googlegroups.com>
References: <4783e375$0$25625$426a74cc@news.free.fr>
NNTP-Posting-Host: 72.38.213.249
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1200099305 28436 127.0.0.1 (12 Jan 2008 00:55:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Jan 2008 00:55:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v67g2000hse.googlegroups.com; posting-host=72.38.213.249;
     posting-account=K-EArQoAAACJGDU06JLFWLr_KxqJ82MP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13759

On Jan 8, 3:56=A0pm, ORCINES <no_m...@spam.com> wrote:
> Help !
>
> I have an ICOM IC-R20 is I was unable to run the program
> HAM RADIO DELUXE 3.4
>
> http://img223.imageshack.us/img223/9822/20080108214730su0.png
>
> Thank you

i noticed you are running at a fixed 4800 baud..   have you verified
that the radio is indeed set to 4800??? by default???   does any other
software work at this setting



From 6660189633971929300
X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!f47g2000hsd.googlegroups.com!not-for-
mail
From: ve3wej <ve3wej@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
Date: Fri, 11 Jan 2008 16:57:40 -0800 (PST)
Organization: http://groups.google.com
Lines: 22
Message-ID: <67815f7e-a66d-42eb-9919-f45cb3b89ab2@f47g2000hsd.googlegroups.com>
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 72.38.213.249
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1200099461 17921 127.0.0.1 (12 Jan 2008 00:57:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Jan 2008 00:57:41 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: f47g2000hsd.googlegroups.com; posting-host=72.38.213.249;
     posting-account=K-EArQoAAACJGDU06JLFWLr_KxqJ82MP
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13760

On Jan 5, 4:00=A0am, Andiroo <a.rich...@btinternet.com> wrote:
> All
>
> I have managed to get my signalink box working very well with the
> 706MkIIG but have found that it causes a weird side effect in that
> when
> the cable is plugged in the back of the rig it heavily attenuates my
> voice so that people struggle to hear me when i am speaking on the
> mic.
> To be heard i need to turn up AGC to 10. When unplugged the lead i can
> leave at normal setting of 5. Since everything else is working ok has
> anyone else experienced this problem or got any ideas.
>
> Many thanks
>
> Andy

are you wired to the mike jack on the rear....dont..manual states do
NOT run both .


if you are wired into the 13 pin acc plug, double check your wiring..


From -3719359164244415344
X-Google-Thread: fb049,b87ea5bee8895b10,start
X-Google-Thread: 108122,b87ea5bee8895b10,start
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!0c4dd59f!
not-for-mail
Message-ID: <47885145.30603@veriqrmzon.net>
Disposition-Notification-To: Tom Horne <hornetd@veriqrmzon.net>
From: Tom Horne <hornetd@veriqrmzon.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: ICOM IC-2820H vs ICOM ID-800H
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Sat, 12 Jan 2008 05:33:54 GMT
```

NNTP-Posting-Host: 71.255.243.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1200116034 71.255.243.27 (Sat, 12 Jan 2008 00:33:54 EST)
NNTP-Posting-Date: Sat, 12 Jan 2008 00:33:54 EST
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6454
rec.radio.amateur.equipment:13761

Is there anyone here who can explain to me why the ICOM IC-2820H costing
$649.95 with the UT-123 D-Star DV Digital Voice / GPS Unit $269.95 for
a total of $919.90 can be worth so much more than the Icom ID-800H
costing only $559.99 with the Dstar all ready installed. I would really
like to know because at first look the ID-800H looks like a fantastic
bargain. What am I missing. I'm not trying to start an argument I just
cannot understand what makes the one worth $920 and the other $560. Any
insights would be welcome.
--
Tom Horne

"This alternating current stuff is just a fad. It is much too dangerous
for general use." Thomas Alva Edison

From 1992742532343571153
X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k2g2000hse.googlegroups.com!not-for-mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
Date: Sat, 12 Jan 2008 03:49:48 -0800 (PST)
Organization: http://groups.google.com
Lines: 35
Message-ID: <a4aadc77-7b83-4275-abad-e0c4d1c440fa@k2g2000hse.googlegroups.com>
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
     <67815f7e-a66d-42eb-9919-f45cb3b89ab2@f47g2000hsd.googlegroups.com>
NNTP-Posting-Host: 86.131.100.116
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1200138590 12203 127.0.0.1 (12 Jan 2008 11:49:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 12 Jan 2008 11:49:50 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k2g2000hse.googlegroups.com; posting-host=86.131.100.116;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13762

All

I have now had an official repsone from the Tigertronics Support Team.
Intresting answer..

Thank you for your email. Regarding your question about the SignaLink USB, we have heard of this issue before with a few IC-706 units. The problem is with the radio (not the SignaLink) and is caused by a lack of isolation between the radio's Mic and Accy jacks. Normally the ACCY Port is fully isolated from the mic jack and whatever you attach there will not affect the Mic audio. However, on some 706 radios, they seem to be lacking in isolation, and the ACCY Port loads down the Mic circuitry which results in weak Mic audio until you turn up the Mic gain.

You can most likely resolve this issue by adding some isolation inside the SignaLink. This can easily be done by simply replacing the SignaLink's "Mic" jumper wire that you installed in JP1 with a standard
1/4 watt resistor (this will simply plug-in in place of the regular jumper wire). We suggest starting with a 2.7K value and go up from there until you find a value that adds enough isolation to let you keep the Mic gain control set normally (try 2.7K, 4.7K, 10K, 18K, etc. - standard value).

Note that you need to use a 1/4 watt size resistor (nothing larger or you'll damage the JP1 socket). Also, during digital operation you may need to turn up the software volume controls (or the SignaLink's TX knob if you have the USB version) to offset the additional attenuation from the resistor. Please let us know if you have any further questions.
Thank you.

--

From 964535651997024987
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 12 Jan 2008 07:31:15 -0600
Date: Sat, 12 Jan 2008 08:31:08 -0500
From: Julie Altswitch <spitnsam@swbell.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
References: <47885145.30603@veriqrmzon.net>

```
In-Reply-To: <47885145.30603@veriqrmzon.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <XaudnedMlsq-XBXanZ2dnUVZ_v2pnZ2d@comcast.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.243.43.50
X-Trace: sv3-
Ht8ouUNf2hOmioEzwmCEZdloTDHtLEVCg9bKvtf0DH0P12DRTzTwMcDwrXHZjzq1mWyyfKoKi/GQk54!
s6OdijsboNRJMAU4FxlPU//n3A6mTrUSge87xqEyh2VaJk6f6hlED2qcctd7ZF5uwZDWz3mSVjEc!
dlFBYlxzVa20hGJj8IvuBW743AQS
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6455
rec.radio.amateur.equipment:13763
```

If you buy a whole complete car (in this example) it will cost you $20,000.
If you buy a whole car - part by part - it will cost you $300,000.

The same theory applies here. So buyer beware. If you know you want
D-star, don't buy it as an add on, buy it built-in, else it is going to
cost you.

-Julie

Tom Horne wrote:
> Is there anyone here who can explain to me why the ICOM IC-2820H
> costing $649.95 with the UT-123 D-Star DV Digital Voice / GPS Unit
> $269.95 for a total of $919.90 can be worth so much more than the Icom
> ID-800H costing only $559.99 with the Dstar all ready installed. I
> would really like to know because at first look the ID-800H looks like
> a fantastic bargain. What am I missing. I'm not trying to start an
> argument I just cannot understand what makes the one worth $920 and
> the other $560. Any insights would be welcome.
> --
> Tom Horne
>
> "This alternating current stuff is just a fad. It is much too
> dangerous for general use." Thomas Alva Edison

```
From 5392253936975164727
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
```

```
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 12 Jan 2008 07:50:51 -0600
From: "James" <jnipperxxx@nospamfdn.com>
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
References: <47885145.30603@veriqrmzon.net> <XaudnedMlsq-
XBXanZ2dnUVZ_v2pnZ2d@comcast.com>
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
Date: Sat, 12 Jan 2008 08:50:52 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <5-KdnfE1Y80mWBXanZ2dnUVZ_uevnZ2d@comcast.com>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.129.100.131
X-Trace: sv3-
HECYA7aDA790XiUuLEIKZqe3pjcjzBZxUsKfD9qvNcTNrqk9A8tHnImXcSKozvnrrDv8nGQNMFGAudD!
YM6ldjQNE2xRsOxEmO9FcOUYfKF62kmAus5Vv0gjKcGBnWRTqEWT3jGNXd7qI00LTVgFa16R6KaE!
4irOtCsR3nBEkW4FBkz2UYH/0Yrr0p0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6456
rec.radio.amateur.equipment:13764
```

Julie, I don't believe that you understood or answered his question.

One unit without the gps costs more than another brand which includes the gps.   His question is WHY ?

James

If you buy a whole complete car (in this example) it will cost you $20,000.

If you buy a whole car - part by part - it will cost you $300,000.

The same theory applies here. So buyer beware. If you know you want D-star, don't buy it as an add on, buy it built-in, else it is going to cost you.

-Julie

```
From -8840510457963393799
X-Google-Thread: fb049,b87ea5bee8895b10
```

```
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 12 Jan 2008 12:29:43 -0600
From: tomtone <>
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
Date: Sat, 12 Jan 2008 10:29:45 -0800
Message-ID: <9k1io35tq77fcjdcgdph2jq043ciqacjc9@4ax.com>
References: <47885145.30603@veriqrmzon.net> <XaudnedMlsq-
XBXanZ2dnUVZ_v2pnZ2d@comcast.com> <5-KdnfE1Y80mWBXanZ2dnUVZ_uevnZ2d@comcast.com>
X-Newsreader: Forte Agent 1.8/32.553
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.182.63.30
X-Trace: sv3-H2LhNPf9af443P1p/
Sg6o5U+RQhIo7opp6LjyWuXyz5WeU5JbM6YkhznUuqnMZitGPazPi/WWZuusfj!
kDW1N1u1tt4XdCIRsG0wUQzyP9lXJPdI1tsR9EXKSCPcPQ7r0FQ7x6aZw2VvQA6D9oidttOfaOcH!yMx5/
OzOQMzHc+OIaBlKRF8g7Q==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6459
rec.radio.amateur.equipment:13765
```

hey james .... you need to put down the crack pipe and step away. worse you need to get back on your meds and quit ignoring your doctor's advice. either your vision is blurred or your mind is muddled. sad ....

....

On Sat, 12 Jan 2008 08:50:52 -0500, "James" <jnipperxxx@nospamfdn.com> wrote:

>Julie, I don't believe that you understood or answered his question.
>
>One unit without the gps costs more than another brand which includes the
>gps. His question is WHY ?
>

```
>James
>----------------------------
>If you buy a whole complete car (in this example) it will cost you $20,000.
>
>If you buy a whole car - part by part - it will cost you $300,000.
>
>
>The same theory applies here.  So buyer beware.  If you know you want
>D-star, don't buy it as an add on, buy it built-in, else it is going to
>cost you.
>
>-Julie
>



From -3657609723438029091
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!news.linkpendium.com!
news.linkpendium.com!news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
Date: Sat, 12 Jan 2008 00:52:25 -0800
Lines: 19
Message-ID: <fmb6v9$7e8$1@snarked.org>
References: <47885145.30603@veriqrmzon.net>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-72-67-126-162.lsanca.dsl-w.verizon.net
X-Trace: snarked.org 1200168745 7624 72.67.126.162 (12 Jan 2008 20:12:25 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Sat, 12 Jan 2008 20:12:25 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6460
rec.radio.amateur.equipment:13766

"Tom Horne" <hornetd@veriqrmzon.net> wrote in message
news:47885145.30603@veriqrmzon.net...
> Is there anyone here who can explain to me why the ICOM IC-2820H costing
>   $649.95 with the UT-123 D-Star DV Digital Voice / GPS Unit $269.95 for
> a total of $919.90 can be worth so much more than the Icom ID-800H
> costing only $559.99 with the Dstar all ready installed.  I would really
> like to know because at first look the ID-800H looks like a fantastic
> bargain.  What am I missing.  I'm not trying to start an argument I just
> cannot understand what makes the one worth $920 and the other $560.  Any
> insights would be welcome.
```

1) Dual Receive (The 800 can only receive one frequency at a time)
2) GPS (The 800 doesn't have this).
3) Remote head.

The manuals can be downloaded from http://www.dstar.ca/docs.html as PDF files. There are probably more differences.

```
From -6329169477935439310
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 12 Jan 2008 20:11:42 -0600
Date: Sat, 12 Jan 2008 21:11:29 -0500
From: Julie Altswitch <spitnsam@swbell.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
References: <47885145.30603@veriqrmzon.net> <XaudnedMlsq-
XBXanZ2dnUVZ_v2pnZ2d@comcast.com> <5-KdnfE1Y80mWBXanZ2dnUVZ_uevnZ2d@comcast.com>
In-Reply-To: <5-KdnfE1Y80mWBXanZ2dnUVZ_uevnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <SaKdnSSZNJbD7hTanZ2dnUVZ_jGdnZ2d@comcast.com>
Lines: 33
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.243.43.50
X-Trace:
sv3-0DYTZZ9jPwi65dmfMJGSM4Ds3xQR79Te+gYi1HLyQjDxjUOOQvMTCnEmDjqj2VPaWtLqZ6Ka/
nZoCkA!
CQJlEr32nM4SGGFNqbexZgahvk39ngB73bpDLiLqvlIuNxhvXdlzjyWOqGVpBh5Ma32SrD7cTQDS!
u5vpW6YuxDeCrwziPKP6yRN5YWhQ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6463
rec.radio.amateur.equipment:13767
```

Greetings James,
The point is if you buy in pieces and add ons, it will cost you more.
I believe I made that point clearly.

Plus, if you compare the specs you will see that all things are Not Equal.

Please review the label on your bottle of Lithium, and follow your doctor's orders.

Love,
Julie

James wrote:
> Julie, I don't believe that you understood or answered his question.
>
> One unit without the gps costs more than another brand which includes the
> gps.   His question is WHY ?
>
> James
> ----------------------------
> If you buy a whole complete car (in this example) it will cost you $20,000.
>
> If you buy a whole car - part by part - it will cost you $300,000.
>
>
> The same theory applies here. So buyer beware. If you know you want
> D-star, don't buy it as an add on, buy it built-in, else it is going to
> cost you.
>
> -Julie
>
>
>

From 4977428873731803425
X-Google-Thread: 108122,a236343dc4a61206,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j20g2000hsi.googlegroups.com!not-for-mail
From: "DavisEK@gmail.com" <DavisEK@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Clone IC-W32A to IC-91A
Date: Sat, 12 Jan 2008 18:41:28 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <4f7728ed-3105-4d15-97ab-a7cacecded84@j20g2000hsi.googlegroups.com>
NNTP-Posting-Host: 71.226.39.113
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1200192088 736 127.0.0.1 (13 Jan 2008 02:41:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Jan 2008 02:41:28 +0000 (UTC)
Complaints-To: groups-abuse@google.com

```
Injection-Info: j20g2000hsi.googlegroups.com; posting-host=71.226.39.113;
     posting-account=5loaPAoAAABQYrLXtT9sZ5rZMOq0Gww5
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13768
```

Has anyone tried to clone a W32A to a new 91A?

-Thanks

```
From -1576421044829727007
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 12 Jan 2008 20:42:20 -0600
From: "James" <jnipperxxx@nospamfdn.com>
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
References: <47885145.30603@veriqrmzon.net> <XaudnedMlsq-
XBXanZ2dnUVZ_v2pnZ2d@comcast.com> <5-KdnfE1Y80mWBXanZ2dnUVZ_uevnZ2d@comcast.com>
<SaKdnSSZNJbD7hTanZ2dnUVZ_jGdnZ2d@comcast.com>
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
Date: Sat, 12 Jan 2008 21:42:21 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <qridnZuaVbYR5xTanZ2dnUVZ_tSknZ2d@comcast.com>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.129.100.131
X-Trace: sv3-dFrjf8+FKS4E6GYKK5SGvlz+/DVR9V6U/Tcqrl6x4IO5WRdUwmjcYozDTTgkZ3/uc00l/
I+1CmEkfct!yeHmZhmG/
G7b39hN+mIVYExTAqaZKp5nNkqXFWTn5MSiPkFKkWdE5SR7vAYaJOlMWgnhQekk9BVC!
OhSJ+cP51BbYQ5/wb1oFrIx0w2UpOq0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6464
rec.radio.amateur.equipment:13769
```

Julie, I don't believe that you understood or answered his question.
>
> One unit without the gps costs more than another brand which includes the

> gps.   His question is WHY ?
>
> James

From 1828769761181110039
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 12 Jan 2008 21:00:47 -0600
Date: Sat, 12 Jan 2008 22:00:29 -0500
From: Julie Altswitch <spitnsam@swbell.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
References: <47885145.30603@veriqrmzon.net> <XaudnedMlsq-
XBXanZ2dnUVZ_v2pnZ2d@comcast.com> <5-KdnfE1Y80mWBXanZ2dnUVZ_uevnZ2d@comcast.com>
<SaKdnSSZNJbD7hTanZ2dnUVZ_jGdnZ2d@comcast.com>
<qridnZuaVbYR5xTanZ2dnUVZ_tSknZ2d@comcast.com>
In-Reply-To: <qridnZuaVbYR5xTanZ2dnUVZ_tSknZ2d@comcast.com>
Content-Type: multipart/alternative;
 boundary="------------010604030704050409070304"
Message-ID: <s5WdnWKqLpNC4xTanZ2dnUVZ_ternZ2d@comcast.com>
Lines: 76
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.243.43.50
X-Trace: sv3-0fqqLM1GIPcB0dMg5xf0NxlsjNXpKPpfQC7Ydap9Q4HtlhW++NDoWFt4J2MccD/
OliBB8e04T4WPYSw!
Tj1k4TQU5r+Re+yS3YqZwcdUWW4bpUrYPgXUKx8NCwYsy56fcsGQ+8uj5J5sreHnWsYPeY5urEBh!
Cp0msl71lLC9Gr7afanFmHPHXehV
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6465
rec.radio.amateur.equipment:13770

This is a multi-part message in MIME format.
--------------010604030704050409070304
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Okay,

Now that I have had my fun at James's expense, and he has been such a
good sport and a gentlemen,
let me say - Thank you James for taking the jokes.

Tom's question seemed to me to center on the D-star aspect more than the
GPS.
The bottom line Tom is to be a good shopper, like you appear to be doing,
know what is important to you, and buy yhe best deal you can find.

Let the Buyer beware.

-Julie

James wrote:

```
> Julie, I don't believe that you understood or answered his question.
>
>> One unit without the gps costs more than another brand which includes the
>> gps.   His question is WHY  ?
>>
>> James
>>
>
>
>
```

```
--------------010604030704050409070304
Content-Type: text/html; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
</head>
<body bgcolor="#ffffff" text="#000000">
Okay,<br>
Now that I have had my fun at James's expense, and he has been such a
good sport and a gentlemen,<br>
let me say - Thank you James for taking the jokes.<br>
<br>
Tom's question seemed to me to center on the D-star aspect more than
the GPS.<br>
The bottom line Tom is to be a good shopper, like you appear to be
doing,<br>
know what is important to you, and buy yhe best deal you can find.<br>
<br>
Let the Buyer beware.<br>
<br>
-Julie<br>
<br>
James wrote:
<blockquote cite="mid:qridnZuaVbYR5xTanZ2dnUVZ_tSknZ2d@comcast.com"
 type="cite">
```

```
  <pre wrap="">Julie, I don't believe that you understood or answered his
question.
  </pre>
  <blockquote type="cite">
    <pre wrap="">One unit without the gps costs more than another brand which
includes the
gps.   His question is WHY  ?

James
    </pre>
  </blockquote>
  <pre wrap=""><!---->

  </pre>
</blockquote>
</body>
</html>

--------------010604030704050409070304--



From 9216151425694133252
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!53ab2750!
not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
References: <47885145.30603@veriqrmzon.net> <XaudnedMlsq-
XBXanZ2dnUVZ_v2pnZ2d@comcast.com> <5-KdnfE1Y80mWBXanZ2dnUVZ_uevnZ2d@comcast.com>
<SaKdnSSZNJbD7hTanZ2dnUVZ_jGdnZ2d@comcast.com>
<qridnZuaVbYR5xTanZ2dnUVZ_tSknZ2d@comcast.com>
In-Reply-To: <qridnZuaVbYR5xTanZ2dnUVZ_tSknZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <Srfij.1927$Sa1.1477@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956446f3631ec51d5f4041287b94bca955e280ac092937d7bb3e58b9febc382e14f96
5bcbb38a9c831e539a180a34d22b04df7557f3cb945e71044ab3418ca1992c709a98e1df1a3cda7877
442ec71c2cae36fe6c4601f7e68b8742e9157fa00276e3a0e23517b9288d
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Sun, 13 Jan 2008 03:20:18 UTC
Date: Sun, 13 Jan 2008 03:20:18 GMT
```

Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6466
rec.radio.amateur.equipment:13771

James wrote:
> Julie, I don't believe that you understood or answered his question.
>> One unit without the gps costs more than another brand which includes the
>> gps.   His question is WHY ?
>>
>> James

James, you haven't answered his question either, which puts a great deal of doubt on the matter of you understanding his question as well. At this point Julie has at least attempted to answer his question, a bit more useful than being critical of someone's attempt to help, YMMV.

Tom, the more expensive choice is that way because instead of engineering and manufacturing as a unit it has to be designed to work with and without the options as well as having more production runs to build each of the options in addition to building the initial unit. Add to that the difference in features and the difference in when they were designed, later models benefit from previous engineering, better predictions of how long it takes to get to market, parts supply times, etc etc.

Not to mention Icom prices as they see fit for their own purposes, be they numbers of units in stock, how big the production runs were, what the exchange rates were at the times of import and sale, which units they really want in use...

From 2061921895585623871
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!0c4dd59f!
not-for-mail
From: Tom Horne <hornetd@veriqrmzon.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
References: <47885145.30603@veriqrmzon.net> <fmb6v9$7e8$1@snarked.org>
In-Reply-To: <fmb6v9$7e8$1@snarked.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 35
Message-ID: <73hij.1181$UX2.547@trnddc08>
Date: Sun, 13 Jan 2008 05:10:27 GMT
NNTP-Posting-Host: 71.255.243.27

```
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1200201027 71.255.243.27 (Sun, 13 Jan 2008 00:10:27 EST)
NNTP-Posting-Date: Sun, 13 Jan 2008 00:10:27 EST
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6467
rec.radio.amateur.equipment:13772

D. Stussy wrote:
> "Tom Horne" <hornetd@veriqrmzon.net> wrote in message
> news:47885145.30603@veriqrmzon.net...
>> Is there anyone here who can explain to me why the ICOM IC-2820H costing
>>   $649.95 with the UT-123 D-Star DV Digital Voice / GPS Unit $269.95 for
>> a total of $919.90 can be worth so much more than the Icom ID-800H
>> costing only $559.99 with the Dstar all ready installed.  I would really
>> like to know because at first look the ID-800H looks like a fantastic
>> bargain.  What am I missing.  I'm not trying to start an argument I just
>> cannot understand what makes the one worth $920 and the other $560.  Any
>> insights would be welcome.
>
> 1)  Dual Receive  (The 800 can only receive one frequency at a time)
> 2)  GPS  (The 800 doesn't have this).
> 3)  Remote head.
>
> The manuals can be downloaded from http://www.dstar.ca/docs.html as PDF
> files.  There are probably more differences.
>
>


So the dual VFOs and the built in GPS is worth $360 more?  The ID 800H
also has a removable control head so that one I left alone.   I guess I
would have thought that the additional features and utility justified
$200 additional tops but $360?  Since the Kenwood TM-D710A testing has
shown that it's built in TNC is just as robust as most external ones
I'll probably go that route given that the Packet infrastructure is
already built out.  My primary interest being in EMCOMM that makes more
sense to me right now.
--
Tom Horne

"This alternating current stuff is just a fad.  It is much too dangerous
for general use."  Thomas Alva Edison


From -2138898144381817l2
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 13 Jan 2008 10:17:19 -0600
From: "James" <jnipperxxx@nospamfdn.com>
```

Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment
References: <47885145.30603@veriqrmzon.net> <fmb6v9$7e8$1@snarked.org>
<73hij.1181$UX2.547@trnddc08>
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
Date: Sun, 13 Jan 2008 11:17:21 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <vYadnUoAUegSpBfanZ2dnUVZ_hCdnZ2d@comcast.com>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.129.100.131
X-Trace: sv3-tSbr9yxaoOtWj8b/
PXkMQqdV9SZEu97im8me7RVh9bdIl1huQd813fMDD8Pitg5AquQ8bIAxvgmP4OZ!
owBSVPQW6M+WB4Gf8xEP4kAxhXmv8FuFeBd2VJfuAQrxQlyOaWfutUzFo+ncHelebakjJdHT7gpu!FzCb/
1WsRuIgdkXtNz1rebGRIDGXwIg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6469
rec.radio.amateur.equipment:13773

Ok , Julie, you win !!   You and others have provided some informative answers.

Good luck to all.

James

From 2880104301531154785
X-Google-Thread: 108122,325421f018355f81,start
X-Google-Thread: 1109af,325421f018355f81,start
X-Google-Attributes: gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i72g2000hsd.googlegroups.com!not-for-mail
From: Nobody <rock_sci@hotmail.com>
Newsgroups: rec.radio.amateur.equipment, rec.radio.swap
Subject: FS: Icom IC-1271
Date: Sun, 13 Jan 2008 12:04:23 -0800 (PST)
Organization: http://groups.google.com
Lines: 22
Message-ID: <8fa339e2-40ea-4dfb-94cf-30f44a62cdf6@i72g2000hsd.googlegroups.com>
NNTP-Posting-Host: 75.31.210.127
Mime-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1200254665 28539 127.0.0.1 (13 Jan 2008 20:04:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Jan 2008 20:04:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i72g2000hsd.googlegroups.com; posting-host=75.31.210.127;
     posting-account=DBpLOQkAAAAyJ2bNpsPSyDO0l5fiqlX5
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13774 rec.radio.swap:18191
```

I have an IC-1271 1.2 ghz all mode transceiver for sale with the following:

HM-12 mic
PL
Original Manual
Original Service Manual
ROM replacement board for CPU RAM board

Note - the ICOM 271,471,1271 all had the CPU operating program stored in battery backed up RAM. When the battery died, the CPU RAM board had to be sent to ICOM to be reprogrammed. The ROM replacement board eliminates this problem while still providing battery backed RAM for storing Channel and VFO frequency information.

$500 plus shipping and insurance from 92886

email for pictures

Tim AA6DQ
rock_sci@hotmail.com

```
From 281769759470444205
X-Google-Thread: fc8b1,2b9aab1be8c8c1d8,start
X-Google-Thread: 108228,2b9aab1be8c8c1d8,start
X-Google-Thread: 108122,2b9aab1be8c8c1d8,start
X-Google-Attributes: gidfc8b1,gid108228,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 13 Jan 2008 15:38:26 -0600
Date: Sun, 13 Jan 2008 16:38:24 -0500
From: afcsman <afcsman@hotmail.com>
Reply-To: afcsman@hotmail.com
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11) Gecko/
20071128 SeaMonkey/1.1.7
MIME-Version: 1.0
```

Newsgroups: rec.radio.amateur.boatanchors,alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: Hazel Park (MI) ARC Swap, Jan 20
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <86qdnVu3xZRPGRfanZ2dnUVZ_qygnZ2d@comcast.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.246.99.197
X-Trace: sv3-jqdE/88R8jju6atQ8+uwBuf0mb/I2qn11Hq7/KXV4s2hIQQul2oPZj/oWrpRqgcxSPJ36D4vvsjbReT!F1da47bz0qp1rAVto/IzSEJtVq/G0THX/GtPjxeAe49qtkdxFY2R+3SjWP6ydFMdW3cG+bpnpqTf!q4h/2NbMGmy01C6pd7Go6s/H10buxA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.boatanchors:13725 alt.ham-radio.marketplace:3553 rec.radio.amateur.equipment:13775

The Hazel Park ARC will hold their 42nd Annual Swap on January 20,2008
commencing 8:00 AM to 12:00 Noon.at
Hazel Park High School
23400 Hughes
Hazel Park ,Michigan --about 1/2 mile east of I-75 and North of 9 Mile
Road. Admission is $5.00 at door, tables $14 (admission not included).

Talk-in is on 146.64Mhz with 100 Hz PL tone.

As of 1-9-2008, there were 142 tables sold--this should be a good one!

flier: http://www.hparc.org/Swapflier2008.pdf

From 8396090013699398186
X-Google-Thread: fb049,b87ea5bee8895b10
X-Google-Thread: 108122,b87ea5bee8895b10
X-Google-Attributes: gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 13 Jan 2008 21:39:40 -0600
Date: Sun, 13 Jan 2008 22:39:20 -0500
From: Julie Altswitch <spitnsam@swbell.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.digital,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment
Subject: Re: ICOM IC-2820H vs ICOM ID-800H
References: <47885145.30603@veriqrmzon.net> <fmb6v9$7e8$1@snarked.org> <73hij.1181$UX2.547@trnddc08> <vYadnUoAUegSpBfanZ2dnUVZ_hCdnZ2d@comcast.com>

```
In-Reply-To: <vYadnUoAUegSpBfanZ2dnUVZ_hCdnZ2d@comcast.com>
Content-Type: multipart/alternative;
 boundary="------------070306050505040401040905"
Message-ID: <xdudnZf2XJjjRBfanZ2dnUVZ_jidnZ2d@comcast.com>
Lines: 57
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.243.43.50
X-Trace: sv3-
BwqkJm7GfdiTa63HJRG28fHYOwMd7cuoWCWf410m4x6R1bbvUC26yDa8E1Fcbhudfv5Lz47FfCKkM0t!s/
S15DizLCIFBuRRbhD0fYWRfTcYwaT0Qjh9Y7bIgmu0E7yv7i12IQVnDSaw75awNlPs+urvX3H1!
+W5E3YIN/xs6Z33UKJSooHuSazAa
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6471
rec.radio.amateur.equipment:13776

This is a multi-part message in MIME format.
--------------070306050505040401040905
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

For all you currently married guys, or someday to be married guys:

The correct answer to give your wife after an intense exchange of
opinions is:  *"Yes Dear". ;-) *
-Julie

James wrote:
> Ok , Julie, you win  !!     You and others have provided some informative
> answers.
>
> Good luck to all.
>
> James
>
>
>

--------------070306050505040401040905
Content-Type: text/html; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
```

```
For all you currently married guys, or someday to be married guys:<br>
<br>
The correct answer to give your wife after an intense exchange of <br>
opinions is:&nbsp; <big><b>"Yes Dear". <span class="moz-smiley-s3"><span>
;-) </span></span></b></big><br>
-Julie<br>
<br>
James wrote:
<blockquote cite="mid:vYadnUoAUegSpBfanZ2dnUVZ_hCdnZ2d@comcast.com"
 type="cite">
  <pre wrap="">Ok , Julie, you win  !!     You and others have provided some 
informative
answers.

Good luck to all.

James



  </pre>
</blockquote>
</body>
</html>

--------------070306050505040401040905--



From 4396441885017350688
X-Google-Thread: 108122,2b29553db7715ac0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!newspeer1.se.telia.net!
se.telia.net!masternews.telia.net.!newsb.telia.net.POSTED!not-for-mail
From: "Harry - SM0VPO" <oeieio@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <flm14u$ae5$1@news.albasani.net>
Subject: Re: How about amateur radio without the "radio?"
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <%TMij.2790$R_4.1991@newsb.telia.net>
Date: Mon, 14 Jan 2008 17:23:07 GMT
NNTP-Posting-Host: 81.227.196.38
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1200331387 81.227.196.38 (Mon, 14 Jan 2008 18:23:07 CET)
NNTP-Posting-Date: Mon, 14 Jan 2008 18:23:07 CET
Organization: Telia Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:13777

>A virtual rig which communicates over the internet, interesting--90 days
```

```
>free ...

You mean like SKYPE, or ECHOLINK ?




From -7926155555476015731
X-Google-Thread: 1109af,4379041c05db1422,start
X-Google-Thread: 108122,4379041c05db1422,start
X-Google-Thread: fc8b1,4379041c05db1422,start
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.65.235
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!nntpfeed.proxad.net!news.side3.eu!news.motzarella.org!
motzarella.org!not-for-mail
From: "KC8QJP" <kc8qjp@lycos.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA DEMCO CB/HAM RF POWER AMPLIFIER MODULATOR
Date: Mon, 14 Jan 2008 17:14:19 -0500
Organization: Crisco Kathy
Lines: 5
Message-ID: <fmgms5$ks1$1@registered.motzarella.org>
X-Trace: feeder.motzarella.org U2FsdGVkX18q0SLHju2d4sORvSSsSpP1pPj3d/
0MFqv5ddwGUxQkunXhwHNEA3Uz2ssmPZRZHE32/
bCgKAO6hFGbh5gaqMWR1GNBxMcYbhtSVQO9nEr7oXALueBuLCnsMVrl2EXGiP/B82/dfWLTgg==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Mon, 14 Jan 2008 22:14:29 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Auth-Sender: U2FsdGVkX18272ScJwjt8wwI8XV62u5cXUmJhmRYLt0mhWnwMulu6A==
Cancel-Lock: sha1:KAI3wsYXxkIU2XmHP3hLOKZ05EE=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.swap:18204 rec.radio.amateur.equipment:13778
rec.radio.amateur.boatanchors:13743

NO RESERVE!!! DON'T MISS THIS ONE!!!

http://cgi.ebay.com/DEMCO-CB-HAM-RF-POWER-AMPLIFIER-
MODULATOR_W0QQitemZ200191582325QQihZ010QQcategoryZ48696QQssPageNameZWDVWQQrdZ1QQcm
dZViewItem




From 1298407126278845748
X-Google-Thread: 108122,feb881a444114908
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 14 Jan 2008 21:48:52 -0600
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <5uKdncs757XeO-vanZ2dnUVZ_s-pnZ2d@comcast.com> <NaqdnSi55-
_d3uXanZ2dnUVZ_oWdnZ2d@comcast.com> <477b10fd$0$22640$4c368faf@roadrunner.com>
Subject: Re: Weller WCC100 Soldering Station
Date: Mon, 14 Jan 2008 21:48:46 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Response
Message-ID: <qumdnSFbKPC5sBHanZ2dnUVZ_jKdnZ2d@comcast.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-IIanTXqeDxutpDgv8tpajdPBEuC/
qmeYVUIwoYRt+P4HfiA3mn3brfQTXJ1pKCkMv3Ww15RlynjZGMp!
91ZBuLI4j3NGS7zcUMH1Amq7qc5+7arWaacP5uWufsfd8hx152w3bYOJaXUwhba0YPveDlgzAz8/!
nUexezdI3/+Rbuhu3jlHPRu72t2SNQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13779
```

gwatts -

Why the hide and seek with this "Ch19" id ??

gb

>"Ch19" <19@tx.rr.com> wrote in message
>news:477b10fd$0$22640$4c368faf@roadrunner.com...
>
> I threw out all of my Weller irons, all a bunch of crap.
>

```
From 4873349736258715452
X-Google-Thread: 108122,f94356a29759cc95,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.doubleslash.org!
open-news-network.org!news.stack.nl!feeds.news.ox.ac.uk!news.ox.ac.uk!not-for-mail
From: Z J Laczik at laczik dot org <nospam@laczik.org>
```

Newsgroups: rec.radio.amateur.equipment
Subject: schematics for Icom IC-M87 or IC-M88
Date: Tue, 15 Jan 2008 21:45:49 +0000
Organization: University Of Oxford, England
Lines: 6
Message-ID: <fmj9id$nmm$1@frank-exchange-of-views.oucs.ox.ac.uk>
Reply-To: nospam@laczik.org
NNTP-Posting-Host: csusza.eng.ox.ac.uk
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-Trace: frank-exchange-of-views.oucs.ox.ac.uk 1200433549 24278 163.1.6.154 (15 Jan 2008 21:45:49 GMT)
X-Complaints-To: newsmaster@ox.ac.uk
NNTP-Posting-Date: Tue, 15 Jan 2008 21:45:49 +0000 (UTC)
User-Agent: KNode/0.10.5
Xref: g2news1.google.com rec.radio.amateur.equipment:13780

I am looking for schematics and / or service manual for an Icom IC-M87.

Thanks,

John
M0PGG

From -8862828154346524341
X-Google-Thread: 108122,540ccb5c24f0996a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: MATCH BOX BAND SW + OTHER STUFF
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <1yejj.138322$MJ6.31620@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 928f97efe1453d16bfbc3fbd301e3952
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1200452861 928f97efe1453d16bfbc3fbd301e3952 (Wed, 16 Jan 2008 03:07:41 GMT)
NNTP-Posting-Date: Wed, 16 Jan 2008 03:07:41 GMT
Organization: AT&T Worldnet
Date: Wed, 16 Jan 2008 03:07:41 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13781

I have a NIB Johnson 275 Watt Match Box Band Switch + manuals and other stuff too:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

73 Heytubeguy

```
From -3897210092601254623
X-Google-Thread: 108228,f8dfa75a136d1f40,start
X-Google-Thread: 10ed5f,f8dfa75a136d1f40,start
X-Google-Thread: fb049,f8dfa75a136d1f40,start
X-Google-Thread: 108122,f8dfa75a136d1f40,start
X-Google-Attributes: gid108228,gid10ed5f,gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.65.235
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.side3.eu!zen.net.uk!dedekind.zen.co.uk!
news2.arglkargh.de!news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!
mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: eBay's most-watched Ham Radio Equipment
Message-ID: <b9150d23fd898453dc997eaccc00e167@pseudo.borked.net>
Date: Wed, 16 Jan 2008 07:30:02 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio.marketplace:3556 alt.ham-radio:3127
alt.ham-radio.vhf-uhf:6481 rec.radio.amateur.equipment:13782
```

http://xrl.us/HamRadioEqp

```
From 3548323705949983836
X-Google-Thread: 108228,f8dfa75a136d1f40
X-Google-Thread: 10ed5f,f8dfa75a136d1f40
X-Google-Thread: fb049,f8dfa75a136d1f40
X-Google-Thread: 108122,f8dfa75a136d1f40
X-Google-Attributes: gid108228,gid10ed5f,gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
post01.iad01!roadrunner.com!not-for-mail
Date: Wed, 16 Jan 2008 11:30:22 -0500
From: Mike <kc2ftn@arrl.net>
Organization: http://www.hamwave.com
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
```

```
Subject: Re: eBay's most-watched Ham Radio Equipment
References: <b9150d23fd898453dc997eaccc00e167@pseudo.borked.net>
In-Reply-To: <b9150d23fd898453dc997eaccc00e167@pseudo.borked.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <478e3121$0$30674$4c368faf@roadrunner.com>
NNTP-Posting-Host: 66.67.167.208
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com alt.ham-radio.marketplace:3557 alt.ham-radio:3128
alt.ham-radio.vhf-uhf:6482 rec.radio.amateur.equipment:13783

     Why not just go to eBay?  These cryptic links are phishy.


Ted wrote:
> http://xrl.us/HamRadioEqp
>



From -2996283527515324604
X-Google-Thread: fcc6e,43bd80f4d0eba077,start
X-Google-Thread: f7653,43bd80f4d0eba077,start
X-Google-Thread: 108122,43bd80f4d0eba077,start
X-Google-Thread: 107ada,43bd80f4d0eba077,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews7.bellsouth.net.POSTED!8ed1fb9b!not-for-mail
Reply-To: "laborkei" <laborkeiNOSPAM@hotmail.com>
From: "laborkei" <laborkeiNOSPAM@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Governor Romney dismissed role of Amateur Radio Operators in Emergencies.
Lines: 99
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbohbcomaabeafaonoinchpcpnnhmlafccfpp
nchbphajojdippanelimgnnfokhfbdokeafahknjjfigbilbfemmdlffhchjbfhbfbbgdbemghfool
NNTP-Posting-Date: Wed, 16 Jan 2008 13:34:16 EST
Organization: BellSouth Internet Group
Date: Wed, 16 Jan 2008 13:34:24 -0500
```

Xref: g2news1.google.com rec.radio.amateur.antenna:53452
rec.radio.amateur.digital.misc:1022 rec.radio.amateur.equipment:13784
rec.radio.amateur.misc:43079

Attention all Amateur Operators.
Please Read, and send your comments to the ARRL and Romney Website.

Wednesday 16 November 2005 @ 15:48:10 | Eastern Massachusetts ARRL Romney
'Disses' Amateur Radio In
Televised Town Meeting Posted on Wednesday16 November 2005 @ 15:48:10

Governor Mitt Romney dismissed the role of Amateur Radio operators in
emergency communications
during a televised 'town meeting' program last night on WCVB's 'When
Disaster Strikes: Segment Two.'
The program featured public safety and volunteer organization officials
from
across Massachusetts
among its audience.

Host and moderator Natalie Jacobson asked an increasingly-agitated Governor
Romney questions about
communications interoperability, and communication without commercial
power.
Romney was next asked
by Jacobson, '...so does it come down to ham radio?...'

The Governor replied in a disgusted tone, 'No, we don't need to deal with
ham radio operators...'

Embarrassed public safety officials later tried to put in a good word for
Amateur Radio. National
Weather Service Warning Coordination Meteorologist Glenn Field was prepared
to state the importance
of Amateur Radio, when Salvation Army Colonel Fred Van Brunt was called
upon. Van Brunt remarked
about his organization's quest to improve its communications capabilities
and how Amateur Radio has
aided his organization. 'The ham radio situation helps a great deal,' he
stated.

'I have already written and submitted a letter to the Governor's Office,'
wrote Eastern MA Section
Emergency Coordinator Rob Macedo, KD1CY. 'I have also written an email to
Natalie Jacobson.'

ARRL Section Manager Mike Neilsen, W1MPN sent a section-wide email today to
all Eastern MA ARRL
members describing the incident along with actions he and his staff were
taking to mitigate the
situation.

'[Romney's] attitude about us sets an unfortunate tone within the state's executive branch,' wrote Neilsen. 'As a former military officer, I see this as a failure in leadership. My immediate concern is our working relationship within the [Massachusetts Emergency Management Team] environment.' Neilsen intends to address the Governor's comments as 'an urgent matter' at a meeting on November 17 with Don Carlton from the Massachusetts Emergency Management Agency.

'I was very disturbed about what the Governor stated on the program,' wrote Ron Wood, W1PLW, the section's Public Information Coordinator. 'It does show that more work is needed by all hams in the section. It's a great idea to write letters explaining the good we do.' Wood is attempting to schedule a meeting with the Governor's office tomorrow so that EMA ARRL staffers might discuss the matter further.

Tom Kinahan, N1CPE wrote that Governor Romney's comment has made 'a PR problem' for Kinahan in his role as MA State RACES Officer.

'I've got a roster of over 150 Amateur Radio operators that support local communities, and those of us that directly support the state government. There are at least double that in terms of people that are actually out there that I don't have formal paperwork on that support Amateur Radio emergency communications in some organized manner... The Governor has said that he 'certainly doesn't need to rely on ham radio' -- where does that leave the RACES program now?'

'I am ashamed tonight that I am a Republican!' remarked one ham radio viewer. '[Romney] speaks in derogatory tones about hams. He certainly shows an ignorance as to what we do and are capable of. I suggest a grass roots campaign of local hams calling the State House and The Governor's Office to protest.'

--

From 5737267283788333665

```
X-Google-Thread: 1109af,4379041c05db1422
X-Google-Thread: 108122,4379041c05db1422
X-Google-Thread: fc8b1,4379041c05db1422
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l32g2000hse.googlegroups.com!not-for-
mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.swap, rec.radio.amateur.equipment,
rec.radio.amateur.boatanchors
Subject: Re: FA DEMCO CB/HAM RF POWER AMPLIFIER MODULATOR
Date: Wed, 16 Jan 2008 10:53:30 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <e1e2e542-318d-4e07-a80e-afb8e2252589@l32g2000hse.googlegroups.com>
References: <fmgms5$ks1$1@registered.motzarella.org>
NNTP-Posting-Host: 75.163.233.137
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1200509611 20535 127.0.0.1 (16 Jan 2008 18:53:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 16 Jan 2008 18:53:31 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l32g2000hse.googlegroups.com; posting-host=75.163.233.137;
     posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.11)
     Gecko/20061201 Firefox/2.0.0.11 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:18215 rec.radio.amateur.equipment:13785
rec.radio.amateur.boatanchors:13770

On Jan 14, 3:14 pm, "KC8QJP" <kc8...@lycos.com> wrote:
> NO RESERVE!!! DON'T MISS THIS ONE!!!
>
> http://cgi.ebay.com/DEMCO-CB-HAM-RF-POWER-AMPLIFIER-MODULATOR_W0QQite...

ebay killed it.


From -3125743468198356803
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!42a86eec!not-for-mail
From: Clara Peller <clara@TheGreatBeyond.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
```

```
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
In-Reply-To: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 080116-0, 01/16/2008), Outbound message
X-Antivirus-Status: Clean
Lines: 102
Message-ID: <CAtjj.38665$lD6.218@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 69.216.122.25
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1200514466 ST000 69.216.122.25 (Wed, 16 Jan
2008 15:14:26 EST)
NNTP-Posting-Date: Wed, 16 Jan 2008 15:14:26 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJON^B@_C\H]OJHNO_PAAB]@PAPDLXUNNHPIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Wed, 16 Jan 2008 20:14:26 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:53454
rec.radio.amateur.digital.misc:1023 rec.radio.amateur.equipment:13786
rec.radio.amateur.misc:43081
```

laborkei wrote:

> Attention all Amateur Operators.
> Please Read, and send your comments to the ARRL and Romney Website.
>
>
> Wednesday 16 November 2005 @ 15:48:10 | Eastern Massachusetts ARRL Romney
> 'Disses' Amateur Radio In
> Televised Town Meeting Posted on Wednesday16 November 2005 @ 15:48:10
>
> Governor Mitt Romney dismissed the role of Amateur Radio operators in
> emergency communications
> during a televised 'town meeting' program last night on WCVB's 'When
> Disaster Strikes: Segment Two.'
> The program featured public safety and volunteer organization officials
> from
> across Massachusetts
> among its audience.
>
> Host and moderator Natalie Jacobson asked an increasingly-agitated Governor
> Romney questions about
> communications interoperability, and communication without commercial
> power.
> Romney was next asked
> by Jacobson, '...so does it come down to ham radio?...'

>
> The Governor replied in a disgusted tone, 'No, we don't need to deal with
> ham radio operators...'
>
> Embarrassed public safety officials later tried to put in a good word for
> Amateur Radio. National
> Weather Service Warning Coordination Meteorologist Glenn Field was prepared
> to state the importance
> of Amateur Radio, when Salvation Army Colonel Fred Van Brunt was called
> upon. Van Brunt remarked
> about his organization's quest to improve its communications capabilities
> and how Amateur Radio has
> aided his organization. 'The ham radio situation helps a great deal,' he
> stated.
>
> 'I have already written and submitted a letter to the Governor's Office,'
> wrote Eastern MA Section
> Emergency Coordinator Rob Macedo, KD1CY. 'I have also written an email to
> Natalie Jacobson.'
>
> ARRL Section Manager Mike Neilsen, W1MPN sent a section-wide email today to
> all Eastern MA ARRL
> members describing the incident along with actions he and his staff were
> taking to mitigate the
> situation.
>
> '[Romney's] attitude about us sets an unfortunate tone within the state's
> executive branch,' wrote
> Neilsen. 'As a former military officer, I see this as a failure in
> leadership. My immediate concern
> is our working relationship within the [Massachusetts Emergency Management
> Team] environment.'
> Neilsen intends to address the Governor's comments as 'an urgent matter' at
> a meeting on November 17
> with Don Carlton from the Massachusetts Emergency Management Agency.
>
> 'I was very disturbed about what the Governor stated on the program,' wrote
> Ron Wood, W1PLW, the
> section's Public Information Coordinator. 'It does show that more work is
> needed by all hams in the
> section. It's a great idea to write letters explaining the good we do.'
> Wood
> is attempting to
> schedule a meeting with the Governor's office tomorrow so that EMA ARRL
> staffers might discuss the
> matter further.
>
> Tom Kinahan, N1CPE wrote that Governor Romney's comment has made 'a PR
> problem' for Kinahan in his
> role as MA State RACES Officer.
>
> 'I've got a roster of over 150 Amateur Radio operators that support local
> communities, and those of

> us that directly support the state government. There are at least double
> that in terms of people
> that are actually out there that I don't have formal paperwork on that
> support Amateur Radio
> emergency communications in some organized manner... The Governor has said
> that he 'certainly
> doesn't need to rely on ham radio' -- where does that leave the RACES
> program now?'
>
> 'I am ashamed tonight that I am a Republican!' remarked one ham radio
> viewer. '[Romney] speaks in
> derogatory tones about hams. He certainly shows an ignorance as to what we
> do and are capable of. I
> suggest a grass roots campaign of local hams calling the State House and
> The
> Governor's Office to
> protest.'

One more good reason not to vote for him...but look at the bright side:
This will give him a chance to flip-flop again and say how much he likes
hams.   ;-)

P.S. Even though I'm not a resident of the state of Massachusetts, I
wrote a letter of protest at the time. As a non-resident, you can
imagine how far it got.

```
From 4582846404530713135
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed.kamp.net!newsfeed.kamp.net!news.unit0.net!news.szaf.org!
news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
Date: Wed, 16 Jan 2008 12:25:32 -0800
Organization: albasani.net
Lines: 24
Message-ID: <fmlp7q$6it$1@news.albasani.net>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<CAtjj.38665$lD6.218@newssvr27.news.prodigy.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
```

PCOhmE8X34PEUEa5wJATfNcAbMwN4QMfLSvjkXUXuD37V6I2QbkbgqOZ34i/uim/
CPI7OaLIrxNsJd4vHAeM8Q3FMTgtJGaSn3NVNLQGSrP5sKL4OJyYi3EFmbHZNMis
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Wed, 16 Jan 2008 20:25:30 +0000 (UTC)
X-User-ID: 4e0HVYFNF8EIUNEF5u9HsRe7OhfZvT6mXD1mHP2+GbU=
In-Reply-To: <CAtjj.38665$lD6.218@newssvr27.news.prodigy.net>
Cancel-Lock: sha1:3BOYIUPVgfc6qyeKnnq4iPfqJiY=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: /+jpmek29UeBmc6dYk+5rYgd7BzaIL65pwbYDpqlZVM=
Xref: g2news1.google.com rec.radio.amateur.antenna:53455
rec.radio.amateur.digital.misc:1024 rec.radio.amateur.equipment:13787
rec.radio.amateur.misc:43082

Clara Peller wrote:

> ...
> One more good reason not to vote for him...but look at the bright side:
> This will give him a chance to flip-flop again and say how much he likes
> hams.   ;-)
>
> P.S. Even though I'm not a resident of the state of Massachusetts, I
> wrote a letter of protest at the time. As a non-resident, you can
> imagine how far it got.

That is certainly one avenue to pursue; however, some roads lead to better places than others.

How about a re-evaluation of us, our plans, our equip., etc. and instead of finding fault with other--why they do not find our services desirable, we ask the question, "What can we do to become up-to-date-current and make our services desirable--to the point they can't ignore us?"

But then, that stands a fat chance ...

Regards,
JS

From -9045116198761376426
X-Google-Thread: 1109af,4379041c05db1422
X-Google-Thread: 108122,4379041c05db1422
X-Google-Thread: fc8b1,4379041c05db1422
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!
news.motzarella.org!motzarella.org!not-for-mail
From: "KC8QJP" <kc8qjp@lycos.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: FA DEMCO CB/HAM RF POWER AMPLIFIER MODULATOR
Date: Wed, 16 Jan 2008 16:19:35 -0500

Organization: Crisco Kathy
Lines: 13
Message-ID: <fmlsdb$d0b$1@registered.motzarella.org>
References: <fmgms5$ks1$1@registered.motzarella.org> <e1e2e542-318d-4e07-a80e-
afb8e2252589@l32g2000hse.googlegroups.com>
X-Trace: feeder.motzarella.org U2FsdGVkX18R/
360ybXZzFYFo9s1uhkm1xRSOJuFKAGCl6jptoEp/
aViYbz7XcZgs80zy4X20zwuFd9JPwuTlElE2WKgbb6x/
u2+q8/5uNzWjQIrN5XKfGlMoKEX6i+u+8DDxao6jXSWmwEv51V88w==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 16 Jan 2008 21:19:39 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Auth-Sender: U2FsdGVkX1+ZTjeuDNFOaMwpIzxYXO7CjN+PU7a6y7PfzjUPWYVWbw==
Cancel-Lock: sha1:QZJStC7awmpbmes8dPmGbLIkGzM=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.swap:18216 rec.radio.amateur.equipment:13788
rec.radio.amateur.boatanchors:13772

"cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in message
news:e1e2e542-318d-4e07-a80e-afb8e2252589@l32g2000hse.googlegroups.com...
> On Jan 14, 3:14 pm, "KC8QJP" <kc8...@lycos.com> wrote:
>> NO RESERVE!!! DON'T MISS THIS ONE!!!
>>
>> http://cgi.ebay.com/DEMCO-CB-HAM-RF-POWER-AMPLIFIER-MODULATOR_W0QQite...
>
> ebay killed it.
>

Sold!

From 8900787235230437952
X-Google-Thread: 1109af,dc0511d79aa4105a,start
X-Google-Thread: 108122,dc0511d79aa4105a,start
X-Google-Thread: fc8b1,dc0511d79aa4105a,start
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "KC8QJP" <kc8qjp@lycos.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA Elkin 4 tube with remote and cooling fan
Date: Wed, 16 Jan 2008 16:20:50 -0500
Organization: Crisco Kathy
Lines: 3
Message-ID: <fmlsfk$djr$1@registered.motzarella.org>
X-Trace: feeder.motzarella.org

U2FsdGVkX1+FfKPVO3VRCKfVnzsmeqRltDVFP4iZJs1xIoWhzHM2a5dRSkFvpNOP+FPD/
+f0opPbwpvu7eZ9lpi+/hBEkmf+9BL04WDnIsbI8Ap2Ykb0/
B1LW4V6UzoEIQ+pKjB0eEy5ZzlfGchJUw==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 16 Jan 2008 21:20:52 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Auth-Sender: U2FsdGVkX1/Ej73jFJY9UbR0xgrWVogwQJPU74xfD0Mw388g7YJuag==
Cancel-Lock: sha1:dJ8ljw2SHz7YgwdoN+1S04m1g6c=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.swap:18217 rec.radio.amateur.equipment:13789
rec.radio.amateur.boatanchors:13773

http://cgi.ebay.com/cb-linear_W0QQitemZ220192634897QQihZ012QQcategoryZ296QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

From -5246603035540098138
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr13.news.prodigy.net.POSTED!a6387dc4!not-for-mail
From: Cecil Moore <nospam@w5dxp.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<CAtjj.38665$lD6.218@newssvr27.news.prodigy.net> <fmlp7q$6it$1@news.albasani.net>
In-Reply-To: <fmlp7q$6it$1@news.albasani.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <IJujj.63657$eY.3552@newssvr13.news.prodigy.net>
NNTP-Posting-Host: 75.23.47.215
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.net 1200519144 ST000 75.23.47.215 (Wed, 16 Jan 2008 16:32:24 EST)
NNTP-Posting-Date: Wed, 16 Jan 2008 16:32:24 EST

```
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
S[OUR\KE\BUOVPTXARONOFP@AJYZTB\MV@BJ]Q]KEYUNDQUCCNSUAACY@L[ZX__HGFD]JBJNSFXTOOGA_V
WY^_HG@FW_HUTHOH]TBPGCO\P^PLP^@[GLHUK@WLECKFVL^TYG[@RMWQXIWM[SDDYWNLG_G[_BWUCHFY_Y
@AS@Q[B\APPF@DCZM_PG_VSCPQZM
Date: Wed, 16 Jan 2008 21:32:24 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:53463
rec.radio.amateur.digital.misc:1025 rec.radio.amateur.equipment:13790
rec.radio.amateur.misc:43084

John Smith wrote:
> But then, that stands a fat chance ...

Where is Barry Goldwater when we need him?
--
73, Cecil  http://www.w5dxp.com



From -6792469095334841064
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr22.news.prodigy.net.POSTED!0d06e27e!not-for-mail
From: "Tom Donaly" <dtdonaly@sbcglobal.net>
User-Agent: Thunderbird 1.5.0.14 (Windows/20071210)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<CAtjj.38665$lD6.218@newssvr27.news.prodigy.net> <fmlp7q$6it$1@news.albasani.net>
<IJujj.63657$eY.3552@newssvr13.news.prodigy.net>
In-Reply-To: <IJujj.63657$eY.3552@newssvr13.news.prodigy.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <4pvjj.208$uE.195@newssvr22.news.prodigy.net>
NNTP-Posting-Host: 12.72.158.9
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr22.news.prodigy.net 1200521920 ST000 12.72.158.9 (Wed, 16 Jan 2008
17:18:40 EST)
NNTP-Posting-Date: Wed, 16 Jan 2008 17:18:40 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
Q[O[BTWEZRUQBPLZN[O@_WH@YR_B@EXLLBWLOOAFMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
```

WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Wed, 16 Jan 2008 14:18:39 -0800
Xref: g2news1.google.com rec.radio.amateur.antenna:53465
rec.radio.amateur.digital.misc:1026 rec.radio.amateur.equipment:13791
rec.radio.amateur.misc:43085

Cecil Moore wrote:
> John Smith wrote:
>> But then, that stands a fat chance ...
>
> Where is Barry Goldwater when we need him?

Right where he should be.
73,
Tom Donaly, KA6RUH

From -870926484080454815
X-Google-Thread: 108228,f8dfa75a136d1f40
X-Google-Thread: 10ed5f,f8dfa75a136d1f40
X-Google-Thread: fb049,f8dfa75a136d1f40
X-Google-Thread: 108122,f8dfa75a136d1f40
X-Google-Attributes: gid108228,gid10ed5f,gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!roadrunner.com!not-for-mail
From: "Pat" <W2BDH@arrl.net>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
References: <b9150d23fd898453dc997eaccc00e167@pseudo.borked.net>
<478e3121$0$30674$4c368faf@roadrunner.com>
Subject: Re: eBay's most-watched Ham Radio Equipment
Date: Wed, 16 Jan 2008 17:37:15 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 14
Message-ID: <478e8710$0$30693$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com alt.ham-radio.marketplace:3558 alt.ham-radio:3129
alt.ham-radio.vhf-uhf:6483 rec.radio.amateur.equipment:13792

I don't trust that phishey stuff either.

"Mike" <kc2ftn@arrl.net> wrote in message
news:478e3121$0$30674$4c368faf@roadrunner.com...

> Why not just go to eBay? These cryptic links are phishy.
>
>
> Ted wrote:
>> http://xrl.us/HamRadioEqp
>>

```
From 114517620459372582
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.albasani.net!not-
for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
Date: Wed, 16 Jan 2008 15:20:20 -0800
Organization: albasani.net
Lines: 11
Message-ID: <fmm3fh$ub8$1@news.albasani.net>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<CAtjj.38665$lD6.218@newssvr27.news.prodigy.net> <fmlp7q$6it$1@news.albasani.net>
<IJujj.63657$eY.3552@newssvr13.news.prodigy.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net cmt8TqNk3xaC3iWE7PQ3uFdbNdNtL3O5HidxWFTELyooXHn/
GjeABMHkeCifc5dKKYBgAVxzUO0iBsrbw+n6m+ER83SLlQo9j4itjuhoarAvvSwqg+HvbJho15+cr7pV
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Wed, 16 Jan 2008 23:20:17 +0000 (UTC)
X-User-ID: ZG3SodslkxbwNMyvUWAuBPoE+jGmWSbzYFaLNwNZsIU=
In-Reply-To: <IJujj.63657$eY.3552@newssvr13.news.prodigy.net>
Cancel-Lock: sha1:BLKoQcp0bXpavbh/U38GhF+zyoI=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: cG5xlX4hbpsFIkG9+f+v4IWnPz9e+O9cpbMIZJCJHBU=
Xref: g2news1.google.com rec.radio.amateur.antenna:53473
rec.radio.amateur.digital.misc:1027 rec.radio.amateur.equipment:13793
rec.radio.amateur.misc:43086
```

Cecil Moore wrote:

> John Smith wrote:

```
>> But then, that stands a fat chance ...
>
> Where is Barry Goldwater when we need him?

Yeah, butt; Remember JFK, "Ask not what your country can do for you; Ask
what you can do for your country ..." (paraphrased, of course)

Regards,
JS


From -3262494672504183147
X-Google-Thread: 108228,f8dfa75a136d1f40
X-Google-Thread: 10ed5f,f8dfa75a136d1f40
X-Google-Thread: fb049,f8dfa75a136d1f40
X-Google-Thread: 108122,f8dfa75a136d1f40
X-Google-Attributes: gid108228,gid10ed5f,gidfb049,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.251.MISMATCH!transit3.readnews.com!transit4.readnews.com!news-
xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!news.coretel.net!
not-for-mail
From: "radiosrfun" <radiosrfun@radiosrfun.com>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
References: <b9150d23fd898453dc997eaccc00e167@pseudo.borked.net>
<478e3121$0$30674$4c368faf@roadrunner.com>
<478e8710$0$30693$4c368faf@roadrunner.com>
Subject: Re: eBay's most-watched Ham Radio Equipment
Date: Wed, 16 Jan 2008 21:34:33 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 23
Message-ID: <478ebeb2$0$1239$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 0424be3d.news.coretel.net
X-Trace:
DXC=kS`^n20>Jhk:WeZ3[0gD0gcYX6N<OEXQk7BnZgLIiLij^j5K<hfY`aiYWLLOR`ZBMo[BCXf2Od1gk
X-Complaints-To: abuse@coretel.net
Xref: g2news1.google.com alt.ham-radio.marketplace:3559 alt.ham-radio:3130
alt.ham-radio.vhf-uhf:6484 rec.radio.amateur.equipment:13794

"Pat" <W2BDH@arrl.net> wrote in message
news:478e8710$0$30693$4c368faf@roadrunner.com...
>I don't trust that phishey stuff either.
>
>
>
> "Mike" <kc2ftn@arrl.net> wrote in message
```

> news:478e3121$0$30674$4c368faf@roadrunner.com...
>> Why not just go to eBay? These cryptic links are phishy.
>>
>>
>> Ted wrote:
>>> http://xrl.us/HamRadioEqp
>>>
>

If you're interested in "whatever" - it is much safer - to go to Ebay and punch in for example - 2 meter radio OR CB radio or whatever it is you're looking for. That way you know you're in their site - not some suspicious one. It might take a minute longer - but it is well worth the wait - instead of possibly handing out your financial future to some ass hole.

```
From -3200723531938382226
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i29g2000prf.googlegroups.com!not-for-
mail
From: Captkumstainof20 <auntkrebes5@yahoo.com>
Newsgroups: rec.radio.amateur.antenna, rec.radio.amateur.digital.misc,
     rec.radio.amateur.equipment, rec.radio.amateur.misc
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
     Emergencies.
Date: Wed, 16 Jan 2008 20:40:00 -0800 (PST)
Organization: http://groups.google.com
Lines: 16
Message-ID: <01e8c33a-6386-4cae-aea9-0d5af0633ff9@i29g2000prf.googlegroups.com>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
NNTP-Posting-Host: 71.168.236.133
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1200544801 29748 127.0.0.1 (17 Jan 2008 04:40:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 17 Jan 2008 04:40:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i29g2000prf.googlegroups.com; posting-host=71.168.236.133;
     posting-account=yDJhCAoAAABoUXwBsVuZmCHvBjgj8W_S
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.antenna:53478
rec.radio.amateur.digital.misc:1028 rec.radio.amateur.equipment:13795
rec.radio.amateur.misc:43088
```

Ummmmm...did you guys see the date on that "news release".

It was Nov of 2005. (2 years and 1 month ago)

Then again this seems to not be an issue with most hams.
Being several days late and $25 short is standard operating
procedure.
Heck most of the hams I hear on 75 Meters on a nightly basis
at night in 4 and 5 land still sound like their stuck in the 1940's
and 50's with all their
use of the N-word and racial tirades against Obama and Hillary and all
the other assorted
obsolete BS spewed out each evening. What else is new folks ?

From -8502698256225655614
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!newsfeed.datemas.de!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
  Emergencies.
Date: Wed, 16 Jan 2008 20:45:58 -0800
Organization: albasani.net
Lines: 19
Message-ID: <fmmmi3$ub8$5@news.albasani.net>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net> <01e8c33a-6386-4cae-aea9-0d5af0633ff9@i29g2000prf.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net c9ztIvlF/
owq4TfR3mCqGBB6g6V6EhC66WTJ3MUMS0zhgCkuukgI7a3TBitmnnV08hPWKQJY4ttHCpT/
yZMRFp0ivqq1ya9aAWpc+IF5iUhNQRt9ud0bo7AMeq4NYG9q
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Thu, 17 Jan 2008 04:45:55 +0000 (UTC)
X-User-ID: wGoJDFQOQfGFsS16aVHVBxTCyvrAp7wKs5BkrCPaZc8=
In-Reply-To: <01e8c33a-6386-4cae-aea9-0d5af0633ff9@i29g2000prf.googlegroups.com>
Cancel-Lock: sha1:Mjp/Z8iijfmeZU9V9KQuv+JnnTw=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: B4ETschRycigyBJadetElfetYINUXzp6FPNQR/ce9UA=

Xref: g2news1.google.com rec.radio.amateur.antenna:53479
rec.radio.amateur.digital.misc:1029 rec.radio.amateur.equipment:13796
rec.radio.amateur.misc:43089

Captkumstainof20 wrote:
> Ummmmm...did you guys see the date on that "news release".
>
> It was Nov of 2005. (2 years and 1 month ago)
>
> Then again this seems to not be an issue with most hams.
> Being several days late and $25 short is standard operating
> procedure.
> Heck most of the hams I hear on 75 Meters on a nightly basis
> at night in 4 and 5 land still sound like their stuck in the 1940's
> and 50's with all their
> use of the N-word and racial tirades against Obama and Hillary and all
> the other assorted
> obsolete BS spewed out each evening. What else is new folks ?

What planet do you live on, I'll check it out--but, mind you, I am leery
... say, are you of a humanoid life-form? <ROFLOL>

JS

From -6191304075087650793
X-Google-Thread: 108122,e173300943ef12e1,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola acquires Vertex Standard (Yaesu?)
Date: Thu, 17 Jan 2008 13:59:06 -0600
Message-ID: <pqcvo3d89rvkh143qfmgji6sqntntooasr@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13797

see:

http://money.cnn.com/news/newsfeeds/articles/newstex/AFX-0013-22300975.htm

bob
k5qwg

From 2668112798042056805
X-Google-Thread: 108122,b02edd3bde93daf7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Noise reduction boxes
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <66Qjj.39892$Ux2.26995@attbi_s22>
NNTP-Posting-Host: 12.219.135.201
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1200606722 12.219.135.201 (Thu, 17 Jan 2008 21:52:02 GMT)
NNTP-Posting-Date: Thu, 17 Jan 2008 21:52:02 GMT
Organization: AT&T ASP.att.net
Date: Thu, 17 Jan 2008 21:52:02 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13798

In the beginning, long long ago, there was a guy living on the Isle of Man who designed a noise reduction box that worked by using a small sense antenna to pick up more noise than signal and phasing it to cancel the noise coming in on the "real" antenna.

This was reverse engineered by Doug DeMaw, who wound up making a little PC Board to do this job and selling a few of them. Coming into the present century, MFJ made a similar package and marketed it, but apparently no longer does. (Or else they hide it in their catalog very well).

If anyone can tell me their part number of that unit, I'd be forever indebted, and would venture forth and try to locate one to give to a friend in Wales who is currently suffering the demise of his top band operation due to local interference. Better yet, if anyone reading this has one that they'd like to part with for money, I'd like to be introduced.

Regards
W4ZCB

From -1154056721487476767
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077

X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Mr. Jim" <Mr.Jim@USA.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in Emergencies.
Date: Thu, 17 Jan 2008 17:15:22 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 118
Message-ID: <478fd37a$0$22615$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 75.182.22.195
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.antenna:53511 rec.radio.amateur.digital.misc:1030 rec.radio.amateur.equipment:13799 rec.radio.amateur.misc:43093

With getting all the politics.

Romney just lost my VOTE. I have been a ham for 35+ years and working in emergency services for over 45 years he is a looser. NO, I will not vote for McCain either, and I'm a proud VETERAN.

"laborkei" <laborkeiNOSPAM@hotmail.com> wrote in message news:I6sjj.51910$Mu4.41373@bignews7.bellsouth.net...
> Attention all Amateur Operators.
> Please Read, and send your comments to the ARRL and Romney Website.
>
>
> Wednesday 16 November 2005 @ 15:48:10 | Eastern Massachusetts ARRL Romney
> 'Disses' Amateur Radio In
> Televised Town Meeting Posted on Wednesday16 November 2005 @ 15:48:10
>
> Governor Mitt Romney dismissed the role of Amateur Radio operators in
> emergency communications
> during a televised 'town meeting' program last night on WCVB's 'When
> Disaster Strikes: Segment Two.'
> The program featured public safety and volunteer organization officials
> from
> across Massachusetts
> among its audience.

>
> Host and moderator Natalie Jacobson asked an increasingly-agitated
> Governor
> Romney questions about
> communications interoperability, and communication without commercial
> power.
> Romney was next asked
> by Jacobson, '...so does it come down to ham radio?...'
>
> The Governor replied in a disgusted tone, 'No, we don't need to deal with
> ham radio operators...'
>
> Embarrassed public safety officials later tried to put in a good word for
> Amateur Radio. National
> Weather Service Warning Coordination Meteorologist Glenn Field was
> prepared
> to state the importance
> of Amateur Radio, when Salvation Army Colonel Fred Van Brunt was called
> upon. Van Brunt remarked
> about his organization's quest to improve its communications capabilities
> and how Amateur Radio has
> aided his organization. 'The ham radio situation helps a great deal,' he
> stated.
>
> 'I have already written and submitted a letter to the Governor's Office,'
> wrote Eastern MA Section
> Emergency Coordinator Rob Macedo, KD1CY. 'I have also written an email to
> Natalie Jacobson.'
>
> ARRL Section Manager Mike Neilsen, W1MPN sent a section-wide email today
> to
> all Eastern MA ARRL
> members describing the incident along with actions he and his staff were
> taking to mitigate the
> situation.
>
> '[Romney's] attitude about us sets an unfortunate tone within the state's
> executive branch,' wrote
> Neilsen. 'As a former military officer, I see this as a failure in
> leadership. My immediate concern
> is our working relationship within the [Massachusetts Emergency
> Management
> Team] environment.'
> Neilsen intends to address the Governor's comments as 'an urgent matter'
> at
> a meeting on November 17
> with Don Carlton from the Massachusetts Emergency Management Agency.
>
> 'I was very disturbed about what the Governor stated on the program,'
> wrote
> Ron Wood, W1PLW, the
> section's Public Information Coordinator. 'It does show that more work is
> needed by all hams in the

```
> section. It's a great idea to write letters  explaining the good we do.'
> Wood
> is attempting to
> schedule a meeting with the  Governor's office tomorrow so that EMA ARRL
> staffers might discuss the
> matter  further.
>
> Tom Kinahan, N1CPE wrote that Governor Romney's comment has made  'a PR
> problem' for Kinahan in his
> role as MA State RACES  Officer.
>
> 'I've got a roster of over 150 Amateur Radio operators that  support local
> communities, and those of
> us that directly support the state  government. There are at least double
> that in terms of people
> that are  actually out there that I don't have formal paperwork on that
> support Amateur  Radio
> emergency communications in some organized manner... The Governor has
> said
> that he 'certainly
> doesn't need to rely on ham radio' -- where does that  leave the RACES
> program now?'
>
> 'I am ashamed tonight that I am a  Republican!' remarked one ham radio
> viewer. '[Romney] speaks in
> derogatory  tones about hams. He certainly shows an ignorance as to what
> we
> do and are  capable of. I
> suggest a grass roots campaign of local hams calling the State  House and
> The
> Governor's Office  to
> protest.'
>
>
> --
>
>
>
```

```
From -2283426220738118055
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr22.news.prodigy.net.POSTED!a6387dc4!not-for-
mail
```

```
From: Cecil Moore <nospam@w5dxp.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<478fd37a$0$22615$4c368faf@roadrunner.com>
In-Reply-To: <478fd37a$0$22615$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <dvQjj.328$uE.238@newssvr22.news.prodigy.net>
NNTP-Posting-Host: 70.242.230.133
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr22.news.prodigy.net 1200608329 ST000 70.242.230.133 (Thu, 17 Jan
2008 17:18:49 EST)
NNTP-Posting-Date: Thu, 17 Jan 2008 17:18:49 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
Q[RGW_SEVJTKBQ]XAZH@^TTDTJYNQBQLGPQRZQMIWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Thu, 17 Jan 2008 16:18:50 -0600
Xref: g2news1.google.com rec.radio.amateur.antenna:53512
rec.radio.amateur.digital.misc:1031 rec.radio.amateur.equipment:13800
rec.radio.amateur.misc:43094

Mr. Jim wrote:
> Romney just lost my VOTE.

I suspect any rational vote would go to Ron Paul.
--
73, Cecil  http://www.w5dxp.com


From 4341285507829105758
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
```

```
Date: Thu, 17 Jan 2008 14:21:41 -0800
Organization: albasani.net
Lines: 13
Message-ID: <fmokdh$38g$5@news.albasani.net>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<478fd37a$0$22615$4c368faf@roadrunner.com>
<dvQjj.328$uE.238@newssvr22.news.prodigy.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
OlvW5SUoCuUXXMQglfGBnBGxgjpggqf3sZDDCGu3iNEbp+wAPGS6etWR10+eMNchMO7AeO1D+Go34sion7
n0kOqj7226iTzwtkoxWXDYSIjLBEHWyHmTfX3Ru4TF8Q49
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Thu, 17 Jan 2008 22:21:37 +0000 (UTC)
X-User-ID: Bd0Chuv3Ep/myddsU8GeRMaO/2ZJFTtks7kerq1oxVo=
In-Reply-To: <dvQjj.328$uE.238@newssvr22.news.prodigy.net>
Cancel-Lock: sha1:pXqv37AnyiW8ljZhtJvgWubLdu0=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: KV1Ib3B/Qb7qduJ3aNldK2kEgfdoqdhqoh5HXfbvKWA=
Xref: g2news1.google.com rec.radio.amateur.antenna:53513
rec.radio.amateur.digital.misc:1032 rec.radio.amateur.equipment:13801
rec.radio.amateur.misc:43095
```

Cecil Moore wrote:
> Mr. Jim wrote:
>> Romney just lost my VOTE.
>
> I suspect any rational vote would go to Ron Paul.

I suspect any rational mind would go with Ron Paul. He IS my hero,
'yanno? <LOL>

Too bad he ain't a ham.

Regards,
JS

```
From 4991369970458298360
X-Google-Thread: 108122,b02edd3bde93daf7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!53ab2750!
not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Noise reduction boxes
References: <66Qjj.39892$Ux2.26995@attbi_s22>
In-Reply-To: <66Qjj.39892$Ux2.26995@attbi_s22>
```

Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 35
Message-ID: <SyQjj.2244$Sa1.2184@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956446f3631ec51d5f4041287b94bca955e280ac092937d7bb3e58b9febc382e14f96
5bcbb38a9c831e7c15b227a36ac3214759bf98bc5d7a7df4c2cdde5e60a6bf9e007097dcdf4996d1f3
420a4cc50008aa7aca6912e93c75ca60a9f495b3ec8882c8e958c0c7feb0
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Thu, 17 Jan 2008 22:22:42 UTC
Date: Thu, 17 Jan 2008 22:22:42 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13802

Harold E. Johnson wrote:
> In the beginning, long long ago, there was a guy living on the Isle of Man
> who designed a noise reduction box that worked by using a small sense
> antenna to pick up more noise than signal and phasing it to cancel the noise
> coming in on the "real" antenna.
>
> This was reverse engineered by Doug DeMaw, who wound up making a little PC
> Board to do this job and selling a few of them. Coming into the present
> century, MFJ made a similar package and marketed it, but apparently no
> longer does. (Or else they hide it in their catalog very well).
>
> If anyone can tell me their part number of that unit, I'd be forever
> indebted, and would venture forth and try to locate one to give to a friend
> in Wales who is currently suffering the demise of his top band operation due
> to local interference. Better yet, if anyone reading this has one that
> they'd like to part with for money, I'd like to be introduced.
>
> Regards
> W4ZCB
>
>

Here's an MFJ version,
http://www.mfjenterprises.com/Product.php?productid=MFJ-1026

I have a Timewave ANC-4,
http://www.timewave.com/support/ANC-4/anc4.html

I don't know how the two compare but I'm satisfied with the ANC-4, it
doesn't completely null the noise but it makes a big difference in how
well I can copy. I use a 20' piece of wire for the sense antenna.

Good luck to your friend, best wishes to you,
Galen, W8LNA

From 1383353956664671822

X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder2-2.proxad.net!nntpfeed.proxad.net!news.netfinity.fr!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
Date: Thu, 17 Jan 2008 14:28:37 -0800
Organization: albasani.net
Lines: 20
Message-ID: <fmokqh$38g$6@news.albasani.net>
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<478fd37a$0$22615$4c368faf@roadrunner.com>
<dvQjj.328$uE.238@newssvr22.news.prodigy.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net 2G/yiU6x6ksgjaKpZ+Cz4PMzGtz6sdW3qEAc3c8GO/arG9ee+t4Sswu2h1UMFCgGO2qYIvS6xulyV1zQE0B9SGT5bF6IT6onYquEitGQ+nH+LJhMn4yOybenKCSt6kxD
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Thu, 17 Jan 2008 22:28:34 +0000 (UTC)
X-User-ID: YxfVEFURvXPS0sIrwsprHNJRALEmix3dcF/zfIdah5k=
In-Reply-To: <dvQjj.328$uE.238@newssvr22.news.prodigy.net>
Cancel-Lock: sha1:gnEPj6jZsypYkFTbm81aVIDh2BA=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: lb51fvGjZ8Q4vC3e+aKwYu6t9V5UZo53m5uDcSzStHk=
Xref: g2news1.google.com rec.radio.amateur.antenna:53514
rec.radio.amateur.digital.misc:1033 rec.radio.amateur.equipment:13803
rec.radio.amateur.misc:43096

Cecil Moore wrote:
> Mr. Jim wrote:
>> Romney just lost my VOTE.
>
> I suspect any rational vote would go to Ron Paul.

Cecil:

If you do nothing else, check out this youtube link:

http://youtube.com/watch?v=s08RJ2_o_MM

A man with a rational mind does much to restore faith in America. He speaks of the "insanity" running rampant in America ...

Better yet, use the search on the youtube page and search for all the
vid clips on Ron Paul.

Regards,
JS

From 152957508194655810
X-Google-Thread: 1109af,4379041c05db1422
X-Google-Thread: 108122,4379041c05db1422
X-Google-Thread: fc8b1,4379041c05db1422
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
x69g2000hsx.googlegroups.com!not-for-mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.swap, rec.radio.amateur.equipment,
rec.radio.amateur.boatanchors
Subject: Re: FA DEMCO CB/HAM RF POWER AMPLIFIER MODULATOR
Date: Thu, 17 Jan 2008 14:28:55 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <cc581090-8a84-4776-a545-60db7571c15d@x69g2000hsx.googlegroups.com>
References: <fmgms5$ks1$1@registered.motzarella.org> <e1e2e542-318d-4e07-a80e-afb8e2252589@l32g2000hse.googlegroups.com>
 <fmlsdb$d0b$1@registered.motzarella.org>
NNTP-Posting-Host: 75.163.233.137
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1200608935 29918 127.0.0.1 (17 Jan 2008 22:28:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 17 Jan 2008 22:28:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: x69g2000hsx.googlegroups.com; posting-host=75.163.233.137;
 posting-account=HJ9iyAoAAAAfGCc0rQlblmrdTKl_8J7N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.11)
 Gecko/20061201 Firefox/2.0.0.11 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.swap:18228 rec.radio.amateur.equipment:13804
rec.radio.amateur.boatanchors:13787

On Jan 16, 2:19 pm, "KC8QJP" <kc8...@lycos.com> wrote:
> "cmdr buzz corey" <cmdr-buzz-co...@mailcity.com> wrote in
messagenews:e1e2e542-318d-4e07-a80e-afb8e2252589@l32g2000hse.googlegroups.com...>
On Jan 14, 3:14 pm, "KC8QJP" <kc8...@lycos.com> wrote:
> >> NO RESERVE!!! DON'T MISS THIS ONE!!!
>
> >>http://cgi.ebay.com/DEMCO-CB-HAM-RF-POWER-AMPLIFIER-MODULATOR_W0QQite...
>
> > ebay killed it.

```
>
> Sold!

The listing should still be there.


From 3454789438035522329
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.net.POSTED!a6387dc4!not-for-
mail
From: Cecil Moore <nospam@w5dxp.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<478fd37a$0$22615$4c368faf@roadrunner.com>
<dvQjj.328$uE.238@newssvr22.news.prodigy.net> <fmokdh$38g$5@news.albasani.net>
In-Reply-To: <fmokdh$38g$5@news.albasani.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <wFQjj.36502$JD.1738@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 70.242.230.133
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1200608988 ST000 70.242.230.133 (Thu, 17 Jan
2008 17:29:48 EST)
NNTP-Posting-Date: Thu, 17 Jan 2008 17:29:48 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@FS@URTDYGBHX[PHAZZXLPULMVPQZKB]MPXHTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Thu, 17 Jan 2008 22:29:48 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:53515
rec.radio.amateur.digital.misc:1034 rec.radio.amateur.equipment:13805
rec.radio.amateur.misc:43097

John Smith wrote:
> I suspect any rational mind would go with Ron Paul.  He IS my hero,
> 'yanno?  <LOL> Too bad he ain't a ham.

It's not too late.
```

--
73, Cecil http://www.w5dxp.com

```
From 6863943882834761719
X-Google-Thread: fcc6e,43bd80f4d0eba077
X-Google-Thread: f7653,43bd80f4d0eba077
X-Google-Thread: 108122,43bd80f4d0eba077
X-Google-Thread: 107ada,43bd80f4d0eba077
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr22.news.prodigy.net.POSTED!a6387dc4!not-for-
mail
From: Cecil Moore <nospam@w5dxp.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: Governor Romney dismissed role of Amateur Radio Operators in
 Emergencies.
References: <I6sjj.51910$Mu4.41373@bignews7.bellsouth.net>
<478fd37a$0$22615$4c368faf@roadrunner.com>
<dvQjj.328$uE.238@newssvr22.news.prodigy.net> <fmokqh$38g$6@news.albasani.net>
In-Reply-To: <fmokqh$38g$6@news.albasani.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <POQjj.332$uE.318@newssvr22.news.prodigy.net>
NNTP-Posting-Host: 70.242.230.133
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr22.news.prodigy.net 1200609583 ST000 70.242.230.133 (Thu, 17 Jan
2008 17:39:43 EST)
NNTP-Posting-Date: Thu, 17 Jan 2008 17:39:43 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJSCOXVYRWLXBRX^_QHAGB]FBEXOV@GZ_GYO^BTJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Thu, 17 Jan 2008 16:39:44 -0600
Xref: g2news1.google.com rec.radio.amateur.antenna:53517
rec.radio.amateur.digital.misc:1035 rec.radio.amateur.equipment:13806
rec.radio.amateur.misc:43098
```

John Smith wrote:
> If you do nothing else, check out this youtube link:

John, you are preaching to the choir. I've been a
"Libertarian" since before the Libertarian party
was created.
--

73, Cecil http://www.w5dxp.com

From -8260656188799858954
X-Google-Thread: 108122,b02edd3bde93daf7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!aba369ab!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Noise reduction boxes
References: <66Qjj.39892$Ux2.26995@attbi_s22> <SyQjj.2244$Sa1.2184@news02.roc.ny>
In-Reply-To: <SyQjj.2244$Sa1.2184@news02.roc.ny>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 52
Message-ID: <C1Rjj.52775$Mu4.17122@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace: enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcboegldpdiabopjjepaniiafngkoplnndbopdkkniakbmhaegdabppiejolejcelckfgibfakmlhmoebdljmkhdobedgpjedfhiljnomfdgfmeepaip
NNTP-Posting-Date: Thu, 17 Jan 2008 17:55:30 EST
Date: Thu, 17 Jan 2008 18:03:46 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13807

There is also the: JPS ANC-4 Noise Canceller
http://www.jps.com/downloads/support/anc4man.pdf
gwatts wrote:

> Harold E. Johnson wrote:
>
>> In the beginning, long long ago, there was a guy living on the Isle
>> of Man who designed a noise reduction box that worked by using a
>> small sense antenna to pick up more noise than signal and phasing it
>> to cancel the noise coming in on the "real" antenna.
>>
>> This was reverse engineered by Doug DeMaw, who wound up making a
>> little PC Board to do this job and selling a few of them. Coming into
>> the present century, MFJ made a similar package and marketed it, but
>> apparently no longer does. (Or else they hide it in their catalog
>> very well).
>>
>> If anyone can tell me their part number of that unit, I'd be forever
>> indebted, and would venture forth and try to locate one to give to a
>> friend in Wales who is currently suffering the demise of his top band

```
>> operation due to local interference. Better yet, if anyone reading
>> this has one that they'd like to part with for money, I'd like to be
>> introduced.
>>
>> Regards
>> W4ZCB
>>
>
> Here's an MFJ version,
> http://www.mfjenterprises.com/Product.php?productid=MFJ-1026
>
> I have a Timewave ANC-4,
> http://www.timewave.com/support/ANC-4/anc4.html
>
> I don't know how the two compare but I'm satisfied with the ANC-4, it
> doesn't completely null the noise but it makes a big difference in how
> well I can copy.  I use a 20' piece of wire for the sense antenna.
>
>
> Good luck to your friend, best wishes to you,
> Galen, W8LNA



--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P




From 3445060451065178220
X-Google-Thread: 108122,b02edd3bde93daf7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Jan 2008 17:16:22 -0600
From: tomtone <>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Noise reduction boxes
Date: Thu, 17 Jan 2008 15:16:30 -0800
Message-ID: <o6ovo355pje7thst4glleah1508sn2ooq7@4ax.com>
References: <66Qjj.39892$Ux2.26995@attbi_s22>
X-Newsreader: Forte Agent 1.8/32.553
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
```

```
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.182.63.30
X-Trace: sv3-AluyIWxMSWVDQCfYkTYEo/
RixAVY1zZTYXvhmjHLffD2Z+oPhgzbd6DewBKLAsUAkvvWZIBco43HD+0!r2RzCn27Kg1vEBVi/
gudXj3LQVCOIDw0lBRndJJsT2PqMYpLkapWxOx/LUvA3+ZfV3612T/9yyT4!
G6GM9CM5NXRVp+wLbFBbHboJYQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13808
```

On Thu, 17 Jan 2008 21:52:02 GMT, "Harold E. Johnson"
<W4ZCB@mchsi.com> wrote:

>In the beginning, long long ago, there was a guy living on the Isle of Man
>who designed a noise reduction box that worked by using a small sense
>antenna to pick up more noise than signal and phasing it to cancel the noise
>coming in on the "real" antenna.
>
>This was reverse engineered by Doug DeMaw, who wound up making a little PC
>Board to do this job and selling a few of them. Coming into the present
>century, MFJ made a similar package and marketed it, but apparently no
>longer does. (Or else they hide it in their catalog very well).
>
>If anyone can tell me their part number of that unit, I'd be forever
>indebted, and would venture forth and try to locate one to give to a friend
>in Wales who is currently suffering the demise of his top band operation due
>to local interference. Better yet, if anyone reading this has one that
>they'd like to part with for money, I'd like to be introduced.
>
>Regards
>W4ZCB
>

you didn't say what freqs you wanted it for .... the JPS ANC-4
works between 500 khz to 80 mhz.

I 've used several of these from time to time and they work only "
somewhat " OK. when tuned to eliminate severe noise , they will
reduce or clip the signal as well. I think you will feel they are a
bit pricy for what they deliver ....

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=250206796968

just my experience with these ....

From -1108872829590256406

```
X-Google-Thread: fcc6e,680f4f6bfee339c7,start
X-Google-Thread: f7653,680f4f6bfee339c7,start
X-Google-Thread: 108122,680f4f6bfee339c7,start
X-Google-Thread: fc2a5,680f4f6bfee339c7,start
X-Google-Thread: 107ada,680f4f6bfee339c7,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: fevfefefm@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M'I`5 Persecution  , wh y w on't th e Bri tish polic e do t heir jo b an
d pu t a st op to it ?
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 13:45:09 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 33
Message-ID: <zw0800011345082554@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52530
rec.radio.amateur.digital.misc:1011 rec.radio.amateur.equipment:13709
rec.radio.amateur.homebrew:14964 rec.radio.amateur.misc:42934
```

```
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
-= why won't the British police do their job and put a stop. to it? -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
```

The British police. obviously do know what is taking place. Besides my interpretations of what individual officers have said. which forces that conclusion, it would be inconceivable for them to. be unaware of something on this. scale.

If they know, then they. will know that the abusers have broken laws in the UK and. abroad. Recently the UK introduced laws against electronic spying which carry a penalty of several years jail if caught.. If the police know illegal harassment is taking place, and do nothing about it, then they. are failing in. their responsibilities.

Last Easter (1995) I went into the. local police station in London and spoke to an officer. about the harassment against me. But I couldn't provide tangible evidence; what people. said, in many cases years ago, is beyond proof, and without something to support my. statements I cannot expect a police officer to take. the complaint seriously.

The current situation with regard to the. police is not one which allows a breakthrough in dealing with the problem.. On the one hand, most individual officers at a local police station may not know. about the ongoing assaults, so a complaint at that level will not yield results. Yet the. police as an organisation do know of the harassment, and. they must be aware that a complaint has. been made at a police station. So it is clearly their duty to take preventative action against the. continuing molestation, but because the criminals are operating on. behalf of a state agency, the police are not carrying. out their duty.

553

```
From 6800902804934749739
X-Google-Thread: fcc6e,775db0caef452e91,start
X-Google-Thread: f7653,775db0caef452e91,start
X-Google-Thread: 108122,775db0caef452e91,start
X-Google-Thread: fc2a5,775db0caef452e91,start
X-Google-Thread: 107ada,775db0caef452e91,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.alt.net
From: ifvmifivi@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M I.5'Pers ecution , wh y won 't t he British  pol ice do t heir job  an
d p ut a st op to it ?
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 14:11:37 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 33
Message-ID: <no0800011411367738@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52531
rec.radio.amateur.digital.misc:1012 rec.radio.amateur.equipment:13710
rec.radio.amateur.homebrew:14965 rec.radio.amateur.misc:42935
```

```
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
-= why won't the. British police do their job and put a stop to it? -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
```

The British. police obviously do know what is taking place. Besides my interpretations of. what individual officers have said which forces that conclusion, it would be inconceivable for them. to be unaware of something on this. scale.

If they know, then they. will know that the abusers have broken laws in the UK and. abroad. Recently the UK introduced laws against electronic spying which carry a penalty of several years jail if caught.. If the police know illegal harassment is taking place, and do nothing. about it, then they are failing in. their responsibilities.

Last Easter (1995) I went into the local. police station in London and spoke to an officer about the harassment against me. But I couldn't. provide tangible evidence; what people said, in. many cases years ago, is beyond proof, and without something. to support my statements I cannot expect a police officer. to take the complaint seriously.

The current situation with regard to the police is not. one which allows a breakthrough in dealing with the problem. On the. one hand, most individual officers at a local police. station may not know about the ongoing assaults, so a complaint at that level will not yield results.. Yet the police as an organisation do know of the harassment, and they must be aware. that a complaint has been made. at a police station. So it is clearly their duty to take preventative action against the. continuing molestation, but because the criminals are operating on behalf of a state agency,. the police are not carrying. out their duty.

553

```
From -4027594284108970507
X-Google-Thread: fcc6e,13330e3ab471ff1d,start
X-Google-Thread: f7653,13330e3ab471ff1d,start
X-Google-Thread: 108122,13330e3ab471ff1d,start
X-Google-Thread: fc2a5,13330e3ab471ff1d,start
X-Google-Thread: 107ada,13330e3ab471ff1d,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.alt.net
From: mifmfivi@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M-I'5-Per secution . abu se in set-u p situatio ns and  in publ ic
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 14:40:09 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 106
Message-ID: <xq08000114400821900@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52533
rec.radio.amateur.digital.misc:1013 rec.radio.amateur.equipment:13711
rec.radio.amateur.homebrew:14966 rec.radio.amateur.misc:42936
```

-=-
-= abuse in set-up situations and in. public -=
-=-

Strangers in the street. have recognized me on sight many times, and shown awareness. of the current thread of abuse. To give you one example, in 1992 I was seriously ill, and a manager at work somewhat. humorously said that "it wasn't. fair" that people were bullying me. A few days later, I attended for the first time a clinic in London as an outpatient,. and on my way out was accosted by someone. who asked if "they had paid my fare", with emphasis on the. word "fare". He repeated the word several times in this different context; that they should have paid my "fare", each time. emphasizing the word.

For two and a half years from the time their harassment started. until November. 1992 I refused to see a psychiatrist, because I reasoned that I was not. ill of my own action or fault, but through the stress caused by harassment, and that. a lessening of the illness would have to be consequent to a removal of its immediate cause, in other words a cessation. of harassment. I also reasoned that. since they were taunting me with jokes about mental illness, if I were. to seek treatment then the abusers would think that they had "won" and been proved "right". Remember,. the constant theme of any persecution is, "we must destroy you because. you're X", whether X is. a racial or other attribute. In this case the X was "we persecute. you because you have brain disease". The similarity of this logic to Nazi attitudes. to the mentally ill is striking.

The same. manager who'd said "it wasn't fair" asked me in winter 1992 why I didn't seek help from a. psychiatrist; was it, he asked, because "they would think they. had won" if I sought treatment? That was something I'd never said at work... again, taken separately it proves. nothing, but many such things over. a period of months proves conclusively that people in the company knew what was going on, and in quite. a lot of detail.

Usually harassment. in public lacks the level of finesse of "paying your fare". Most people's imagination does. not go beyond moronic parroting of the. current term of denigration. That is not surprising given the average level of the abusers; if they do not have. the intelligence to distinguish wrong from right then neither will they have the. capacity for anything other. than mindless repetition of a monosyllabic term calculated to fit into their. minds.

The first incidents of verbal assault. in public were in again in the summer of 1990, although they increased in frequency and venom with. time. In July 1990 the first public incident occurred on. a tube train on the Northern line. Two men and their girlfriends recognised me; the women sprang to. my defence,. saying "He looks perfectly normal, he doesn't look ill". Their boyfriends of course knew better, and followed the party line;. one of them made reference to. an "operation", apparently to work at the tube station but implicitly to a visit that I had. made to hospital a couple of weeks previously.

In August 1990 going home from college, soon after getting on. a tube train at Gloucester Road I was followed. by a group of four youths, who started a chant of abuse. That they were targeting me was confirmed by. other people in the carriage, one of whom asked the. other "who are they going on at, is it the bloke who just got on?" to which the second replied "yes,. I think so". I was tempted to reply, but as. in every other instance the abusers are enabled. in their cowardice by physically outnumbering the abused; any confrontation would result in my being beaten up, followed by. a complaint to the police that "he. attacked us", and of course he's ill, so he must have been imagining that we were getting at him. Shitty,. aren't they?

But the shittiness of the four youths on the tube train is. as nothing compared to the episode on the National Express. coach to Dover in the summer of 1992.. While going on holiday to the Continent I was verbally set upon by a couple. travelling sitting a few rows behind. The boy did the talking, his female companion contributing only a continuous. empty giggling noise. He spoke loudly to ensure other people. on the coach heard, always about "they" and "this bloke". but never naming either the abusers or the person he was talking about. He. said "they" had "found somebody from his school, and he was always really stressed. at school". They must have dug deep to find enemies there; perhaps someone who dropped. out of school, someone who didn't do too well later, who was jealous and. keen to get their own back? The boy also said "he was in. a bed and breakfast for only one night and they got him".. By a not unexpected coincidence I had been in a B&B in Oxford a week previously, which had been booked from work;. other things lead me to the conclusion that the company's. offices were bugged for most of the 2 1/2 years. that I was there, so "they" would have known a room in the. B&B had been booked. (But I'll bet "they" didn't tell the company's managers their offices were. bugged, did they?).

After a few minutes of this I went back. to where they were sitting and asked where. they were travelling. The boy named a village in France, and the. girl's giggling suddenly ceased; presumably it permeated to her brain cell what the purpose of the boy's abuse. was.

This and other set-up situations are obviously calculated to. provoke a direct confrontation. which would bring in the police, with the abusers claiming that they were the. ones attacked. Again in 1992, outside the house where I was living in Oxford I was physically. attacked by someone - not punched, just grabbed by the coat, with some verbals. thrown in for good measure. That was something the people at work. shouldn't have known about... but. soon after a couple of people were talking right in front of me about, "I heard he was attacked". The. UK police have a responsibility for preventing assault occurring, but they do not seem. to take any interest in meeting that responsibility.. I suppose their attitude is that harassment does not come within their remit unless it involves physical assault,. and they will only become involved once that happens. That is of course. quite the wrong attitude for them to take, but. as I now understand, the police investigate only the crime they wish to investigate; if they. do not take your complaints seriously then there is nothing you can do to. make them take. action.

2983

```
From -2729734909916082142
X-Google-Thread: fcc6e,908117ce9bec47,start
X-Google-Thread: f7653,908117ce9bec47,start
X-Google-Thread: 108122,908117ce9bec47,start
X-Google-Thread: fc2a5,908117ce9bec47,start
X-Google-Thread: 107ada,908117ce9bec47,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.alt.net
From: mefimvm@gmail.com
```

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M I-5 Persecution ' pu rpose in pu blicizing it ; cens orship in u k.* news groups
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 15:12:28 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 45
Message-ID: <ot0800011512275431@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52535
rec.radio.amateur.digital.misc:1014 rec.radio.amateur.equipment:13712
rec.radio.amateur.homebrew:14967 rec.radio.amateur.misc:42937

-=-
-= purpose in publicizing it; censorship. in uk.* newsgroups -=
-=-

The postings to uk.misc newsgroup generated a very. defensive reaction from Usenet readers in the UK.. So much so, that they tried strenuously to suppress what was being said, both by breaking the rules. of netiquette in their responses on. the forum, and directly by action to revoke the account from which the. postings were issued.

Yet the postings were within the normal. boundaries of behaviour for uk.misc, and other less. partisan spectators did not see justice in the censorship which was. effected, as the following excerpt shows;

:Karen Lofstrom. (lofstrom@lava.net) wrote
:>It does seem that the frequency and the size. of his posts are
:>approaching net. abuse. However, IMHO, they aren't quite there yet. If
:>his postmaster were to act in this. instance, it would raise troubling
:>censorship. issues.

The inescapable conclusion. of the censorship effected on the uk.* newsgroups is that the British are. intent on their wrongdoing remaining concealed,. and therefore seek to subvert and suppress freedom of speech, not only in their. own country where the media shows xenophobic bias and bile against all perceived enemies. within and without, but also in other countries which have their own statutes to guarantee the. basic human right of. free speech.

It is absolutely necessary. to bring their hate campaign out into the open where it can be placed under scrutiny and the harassers seen for. what they are.. That is the only way of making it impossible for the security services to carry it out. There is a wider. dimension, though. Xenophobia as demonstrated by British people and institutions over the last few. years belongs to the same stable as racial hatred. In. one case, two youths on a Tube train made that racism explicit by referring to their. victim as a "soft. toy, not up to British Standards". Doubtless others victimize partly on the. basis of race (isn�t it odd that they chose to torment someone who is not ethnically English?) while. expressing their abuse in terms of another genetic attribute, namely mental illness.. All xenophobia on a genetic basis is wrong, but while racial insults are. illegal, abusing the mentally ill is neither against the law nor subject. to similar condemnation when it is. exposed.

5413

```
From -429165157048615004
X-Google-Thread: fcc6e,5a94779155a5118,start
X-Google-Thread: f7653,5a94779155a5118,start
X-Google-Thread: 108122,5a94779155a5118,start
X-Google-Thread: fc2a5,5a94779155a5118,start
X-Google-Thread: 107ada,5a94779155a5118,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.alt.net
From: vfvmfvfe@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M,I`5,Pe rsecution ' my respons e to th e h arassment
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 15:40:10 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 46
Message-ID: <yl0800011540093875@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52536
rec.radio.amateur.digital.misc:1015 rec.radio.amateur.equipment:13713
rec.radio.amateur.homebrew:14968 rec.radio.amateur.misc:42939
```

-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-

-= my response to the harassment. -=

-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-

My first reaction in. 1990/91 was to assume that if I broke contact then they would not be able to follow and would lose interest. So. I did the things that have been. suggested by other people; I sold my television, stopped listening to the radio and tried to withdraw away. from the sources of abuse as much as possible.. I reasoned that they must have more important things to. deal with and that normal people would simply leave me alone if it were made difficult for them. to continue their harassment.

I reckoned without the sheer vindictiveness of. the abusers. They did not let. up but instead "got to" people around me, mainly people at work, to do their dirty work for them. I went to see my GP, who refused to believe. what he was being told, and. refused to direct me on to anyone who could be of practical assistance.. It was not until three years had passed that the GP admitted the matter was outside his competence and. suggested going to the police.

In the summer of 1994. we called in counter-surveillance experts from a private detective agency. to sweep our house and telephone for bugging devices. They conducted a thorough search and found nothing; but. as noted above, since the existence of surveillance was. being forced in my face by the harassers, you would expect them to have. taken the possibility of a counter-surveillance sweep into account. when planning the type of devices to be. employed.

In Easter 1995 I made. a complaint to my local Police station in London, but the police have. not expressed any intention to do anything about the continuing harassment ("we're not saying. it's happening and we're not saying it isn't happening" were the. words used). I think the officer I spoke to at. Easter wasn't aware of it happening, although other members of the police. force obviously do know.

From April. 1995 until the present time the matter has been discussed in a lot of detail on the Usenet (Internet) "uk.misc" newsgroup. That. discussion has given birth to the article which you. are now reading. My hopes in posting to Usenet were. that wider publicizing would discourage the security services from continuing. their harassment, and "draw people out" into concurring with the truth of what was being said. Neither. of those have followed, but the. discussion has served a purpose in allowing this structured report to be. created.

7843

```
From 5371944716879009070
X-Google-Thread: fcc6e,a7ac163b6113970f,start
X-Google-Thread: f7653,a7ac163b6113970f,start
X-Google-Thread: 108122,a7ac163b6113970f,start
X-Google-Thread: fc2a5,a7ac163b6113970f,start
X-Google-Thread: 107ada,a7ac163b6113970f,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.alt.net
From: ievimi@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M.I,5.Persecu tion - t heir metho ds an d tactics
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 16:07:56 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 33
Message-ID: <qb0800011607557617@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52539
rec.radio.amateur.digital.misc:1016 rec.radio.amateur.equipment:13714
```

rec.radio.amateur.homebrew:14969 rec.radio.amateur.misc:42943

-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
-=. MI5: methods and tactics -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=

They deliberately set out to harass in a way. that would resemble the symptoms of schizophrenia, so that any report of. the harassment would be taken as indicating. mental illness and "treated" accordingly. They never show their own faces; they only work through. proxies, in the media, among the public, and by manipulating people in the workplace.. Since they do not declare their identity there. is no evidence to initiate legal action against the security services or anyone else.. The only people you can prosecute are the. proxies and they will deny knowledge of any conspiracy.

By repeatedly humiliating and abusing the. victim, they induced mental illness. This is the worst. form of human rights violation: making any statement of. the harassment appear to be symptomatic of the illness which they cause through the. harassment. That this can happen, and people collude by. silence, is absolutely horrifying.

From the beginning in June 1990 they set a. pattern of harassment which they have followed without. change for the last six years. They paint me as a "threat" to which people. must "react" (shades of Nazi persecution methods), while simultaneously. portraying their hate campaign on which they have spent over a million. pounds of taxpayers� money as a "joke".

The. MI5 that breaks the law with the silent complicity of the police is the same agency that is. now seeking a role in the fight against crime. Perhaps the real joke is the proposed involvement in the. implementation of justice of an. organisation which commits criminal acts with secrecy and disinterest for. the legal process.

10273

From -6355053996556206479
X-Google-Thread: 108122,2a4594e0d044b6fa,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Manuals: Collins, Halli, etc +
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <CQvej.358222$kj1.186006@bgtnsc04-news.ops.worldnet.att.net>

NNTP-Posting-Host: f3721ad858862cec62c3d3c165642eb6
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1199212962
f3721ad858862cec62c3d3c165642eb6 (Tue, 01 Jan 2008 18:42:42 GMT)
NNTP-Posting-Date: Tue, 01 Jan 2008 18:42:42 GMT
Organization: AT&T Worldnet
Date: Tue, 01 Jan 2008 18:42:43 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13715

Take a look at original and used manuals: COLLINS, HALLICRAFTERS,
MILITARY TM'S + other stuff too:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

73, Happy New Year,   Heytubeguy

From 5027991612887790668
X-Google-Thread: 108122,feb881a444114908
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Ch19" <19@tx.rr.com>
Newsgroups: rec.radio.amateur.equipment
References: <5uKdncs757XeO-vanZ2dnUVZ_s-pnZ2d@comcast.com> <NaqdnSi55-
_d3uXanZ2dnUVZ_oWdnZ2d@comcast.com>
Subject: Re: Weller WCC100 Soldering Station
Date: Tue, 1 Jan 2008 22:20:10 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 47
Message-ID: <477b10fd$0$22640$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 76.183.130.108
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13716

I threw out all of my Weller irons, all a bunch of crap.

"gb" <w9nogbspam@arrlspamno.net> wrote in message
news:NaqdnSi55-_d3uXanZ2dnUVZ_oWdnZ2d@comcast.com...
> The Weller WCC103 temperature sensor is actually an iron-constantan
> thermocouple (possibly Type J), although Weller used Type K thermocouples
> for its EC station series .
> Sensitivity believed to be about 50 �V/�C

```
> The relationship between temperature and voltage produced is NON-Linear.
>
> What is a thermocouple sensor?
> A thermocouple is a sensor for measuring temperature. It consists of two
> dissimilar metals, joined together at one end. When the junction of the
> two metals is heated or cooled a voltage is produced that can be
> correlated back to the temperature. The thermocouple alloys are commonly
> available as wire.
>
> When replacing the WCC103 sensor the leads MUST be correctly installed or
> the iron stays on continuously and eventually overheats.
> The Iron (magnetic) lead connects to the RED wire
> The Constantan (copper-nickel alloy/non-magnetic) lead connects to the
> YELLOW wire
>
> gb
>
> "gb" <w9nogbspam@arrlspamno.net> wrote in message
> news:5uKdncs757XeO-vanZ2dnUVZ_s-pnZ2d@comcast.com...
>> This is an informational post for owners of the Weller WCC100 soldering
>> station.
>> Some Elecraft builders have used this soldering station for building
>> their kits.
>>
>> This is the BLUE colored station that was sold by Weller until 1999, when
>> it was discontinued
>>
>> The Weller WLC100, which is an ORANGE colored station, is a totally
>> DIFFERENT station.
>> The WLC100 is NOT temepratture controller uses an OEM light dimemr module)
>> and uses the Weller "ST" series of soldering tips.  Information on the
>> WLC100 model, can be found here:
>> http://www.uoguelph.ca/~antoon/circ/wlc100.html
>> ===============
>
>




From -4067117817323259085
X-Google-Thread: fcc6e,ef3a4e811da24953,start
X-Google-Thread: f7653,ef3a4e811da24953,start
X-Google-Thread: 108122,ef3a4e811da24953,start
X-Google-Thread: fc2a5,ef3a4e811da24953,start
X-Google-Thread: 107ada,ef3a4e811da24953,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: emfmf@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
```

nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M.I 5-Per secution ` thei r m ethods and tactics
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Wed, 2 Jan 2008 08:11:48 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 33
Message-ID: <sz0800020811463621@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52593
rec.radio.amateur.digital.misc:1018 rec.radio.amateur.equipment:13717
rec.radio.amateur.homebrew:14972 rec.radio.amateur.misc:42947

-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
-= MI5: methods and. tactics -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=

They deliberately set out to harass in. a way that would resemble the symptoms of schizophrenia, so that any report of the. harassment would be taken as indicating. mental illness and "treated" accordingly. They never show their. own faces; they only work through proxies, in the media, among the public, and by manipulating people in the workplace. Since they. do not declare their identity there is no evidence to. initiate legal action against. the security services or anyone else. The only people you can prosecute are the proxies and they will deny knowledge. of any conspiracy.

By repeatedly humiliating and. abusing the victim, they induced mental illness. This is the worst form of human rights violation: making. any statement of the harassment appear to. be symptomatic of the illness which they cause through the harassment. That this can. happen, and people collude by silence, is. absolutely horrifying.

From the beginning. in June 1990 they set a pattern of harassment which they have. followed without change for the last six years. They paint me as a "threat" to which people. must "react" (shades of Nazi persecution methods), while simultaneously portraying their hate campaign on. which they have spent over a million. pounds of taxpayers� money as a "joke".

The. MI5 that breaks the law with the silent complicity of the police is the same agency that is now seeking a role in. the fight against crime. Perhaps the real joke is the proposed involvement in the. implementation of justice of an organisation which commits criminal acts with secrecy and. disinterest for. the legal process.

552

From -5564631124770089424
X-Google-Thread: fcc6e,5a759b1475f83b8,start
X-Google-Thread: f7653,5a759b1475f83b8,start
X-Google-Thread: 108122,5a759b1475f83b8,start
X-Google-Thread: fc2a5,5a759b1475f83b8,start

```
X-Google-Thread: 107ada,5a759b1475f83b8,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: efiefmfmf@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M-I 5-Persecut ion - w hy the  secu rity servi ces?
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Wed, 2 Jan 2008 09:31:07 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 65
Message-ID: <ad0800020931030073@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52596
rec.radio.amateur.digital.misc:1019 rec.radio.amateur.equipment:13718
rec.radio.amateur.homebrew:14973 rec.radio.amateur.misc:42948
```

```
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
-= why. the security services? -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
```

You may ask,. why do I think the "they" referred to are the security services? Is there any evidence that there is. a single source, as opposed to a loosely based "whispering. campaign" amongst many people? Even if there is a single source, is there any evidence that "they". are professional "buggers" as opposed. to amateurs, or perhaps people working for a privately funded. organization?

a) As to the question of a single source. versus something more fragmented; it is quite obvious that there is a single source. from the way the campaign has been carried. out. Since things have been repeated verbatim which were said in my home, there. must be one group which does the watching and listening. Since. on several occasions (mainly during travel) people have been planted. in close proximity and rehearsed in what they were to say, it follows that someone. must have done the planning for that, and again a single source is. indicated.

b) So why couldn't it be amateurs? Why couldn't. it be a private organisation, for example a private detective agency paid. to manage the campaign and undertake the. technical aspects? Some detective agencies are unscrupulous as has been proved on the occasions. in the past when they've been exposed or caught; they. too can have access to the bugging technology deployed; and there are reported cases. of MI5 paying private eyes to do their dirty work (against peace campaigners and. similar enemies of the state) on the understanding that if they were caught then they could. deny all knowledge. Why. couldn't that be the case?

The main. factor pointing to direct security service involvement (as opposed to amateurs or MI5 proxies). is the breadth of their access to the media in particular, and the fact that the television companies are. so involved in the campaign. The. BBC would not directly invade someone's home themselves, since it would not be within. their remit to allocate personnel or financial resources to do so. An organisation of their stature would not. take part in a campaign set up by private sources. The. only people they would take material. from would be the security services, presumably on the assumption that if. the cat ever flew out of the bag yowling it would be MI5 who would take. the consequences.

State. sponsorship for these acts of psychological terrorism is also indicated by duration; support for over. six years for a team of three or four people would be beyond the. means and will of most private sources. The viciousness of the slanders and personal denigration also. points to MI5; they traditionally "protect". the British state from politicians of the wrong hue by character assassination, and in this case. are using their tried and. tested methods to murder with words an enemy they have invented for. themselves.

And there are precedents.. Diana and Hewitt were alleged to have been filmed "at it" by an Army intelligence team which had. operated in Northern Ireland, these allegations were made by someone called Jones. who had been on. the team. His statements were denied by the defence establishment who tried to character-assassinate by. describing him as the "Jones twins". Funny how if. you tell the truth, then you must be ill, isn't it? Thought only communists. behaved like that?

Hewitt later said that he'd been. spoken to by someone in the army who revealed the existence of videotapes of him and. Diana, and that the tapes would be published if any. attempt was made by them to resume their association.

552

```
From -3255889478207369212
X-Google-Thread: fcc6e,3d690397b50287b9,start
X-Google-Thread: f7653,3d690397b50287b9,start
X-Google-Thread: 108122,3d690397b50287b9,start
X-Google-Thread: fc2a5,3d690397b50287b9,start
X-Google-Thread: 107ada,3d690397b50287b9,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: mfimfv@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M-I,5-Persecutio n . wh y the  security  services ?
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
```

Date: Wed, 2 Jan 2008 10:02:34 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 65
Message-ID: <lk0800021002321702@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52597
rec.radio.amateur.digital.misc:1020 rec.radio.amateur.equipment:13719
rec.radio.amateur.homebrew:14974 rec.radio.amateur.misc:42949

-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
-= why the. security services? -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=

You may ask, why do. I think the "they" referred to are the security services? Is there any evidence that there is. a single source, as opposed to a. loosely based "whispering campaign" amongst many people? Even if there is a single source, is there any evidence. that "they" are professional "buggers" as opposed to amateurs, or perhaps. people working for a privately funded. organization?

a) As to the question. of a single source versus something more fragmented; it is quite obvious that there is a single source from the way the. campaign has been carried out.. Since things have been repeated verbatim which were said in my home, there must be one group which. does the watching and listening. Since on. several occasions (mainly during travel) people have been planted. in close proximity and rehearsed in what they were to say, it follows that someone must have done the. planning for that, and again a single. source is indicated.

b) So why couldn't it be amateurs? Why couldn't. it be a private organisation, for. example a private detective agency paid to manage the campaign and undertake the technical aspects?. Some detective agencies are unscrupulous as has been proved on the occasions in the past when. they've been exposed or caught; they too can have access. to the bugging technology deployed; and. there are reported cases of MI5 paying private eyes to do their. dirty work (against peace campaigners and similar enemies of the state) on the understanding. that if they were caught then they could deny all knowledge. Why couldn't that be. the case?

The main factor pointing to direct. security service involvement (as opposed to amateurs or. MI5 proxies) is the breadth of their access to the media in particular,. and the fact that the television companies are so involved in the campaign. The BBC would not directly. invade someone's home themselves, since it would not be within their remit to allocate. personnel or financial resources to do so. An organisation. of their stature would not take part in a campaign set up by private sources. The only people they would. take material from would. be the security services, presumably on the assumption that if the cat ever flew out of the bag yowling it would be. MI5 who would take. the consequences.

State sponsorship for these acts of. psychological terrorism is also indicated by duration; support for over six years. for a team of three or four people would be beyond the. means and will of most private sources. The viciousness of. the slanders and personal denigration also points to

MI5; they. traditionally "protect" the British state from politicians of the wrong hue by character assassination, and in this case are using. their tried and tested methods to murder. with words an enemy they have invented for. themselves.

And there are precedents. Diana and Hewitt were alleged to have been. filmed "at it" by an. Army intelligence team which had operated in Northern Ireland, these allegations were. made by someone called Jones who had been on the team. His statements were denied by the. defence establishment who tried. to character-assassinate by describing him as the "Jones twins". Funny. how if you tell the truth, then you must be ill, isn't it? Thought only communists. behaved like that?

Hewitt later said that he'd been spoken to by someone in the. army who revealed the existence of videotapes of him and. Diana, and that the tapes would be published if any attempt was made by. them to resume their association.

552

```
From -5404229460168005092
X-Google-Thread: fcc6e,f44f0a44694dd11f,start
X-Google-Thread: f7653,f44f0a44694dd11f,start
X-Google-Thread: 108122,f44f0a44694dd11f,start
X-Google-Thread: fc2a5,f44f0a44694dd11f,start
X-Google-Thread: 107ada,f44f0a44694dd11f,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.alt.net
From: imfvm@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M,I-5'Pe rsecution ' harassm ent at wo rk
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Wed, 2 Jan 2008 10:45:12 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 41
Message-ID: <ih0800021045097463@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52599
rec.radio.amateur.digital.misc:1021 rec.radio.amateur.equipment:13720
rec.radio.amateur.homebrew:14975 rec.radio.amateur.misc:42950
```

-=-=-=-=-=-=-=-=-=-=-=-=-=
-= harassment at. work -=
-=-=-=-=-=-=-=-=-=-=-=-=-=

Once I stopped watching television and listening to the. radio at the end of 1990, "they" had to find other ways of. committing abuses. So they took what must. be for them a tried and tested route; they get at you by subversion of those around you. Since they wouldn't be able to do that with my. family or friends, that meant getting at people in the workplace to be. their mouthpieces. and do their dirty work for them.

They supplied my employers in Oxford with details from what was. going on in my. private life, and what I and other people had said at my home and accommodation in Oxford. So people at. work repeated verbatim words which had been said. in my home, and repeated what I'd been doing recently. Often the most trivial things, the ones from your domestic life,. are the ones which hurt most. One manager in particular at Oxford continuously. abused me for ten months with verbal sexual abuse, swearing, and. threats to terminate my. employment. After ten months I was forced to seek psychiatric help and start taking medication, and was away from work for two. months. I spoke later with a solicitor about what had happened at that company;. he advised it. was only possible to take action if you had left the company as a result of harassment, and such an action would have to. be started very soon after leaving.

Over a year later. the same manager picked on another new worker, with even more serious results;. that employee tried to commit suicide with an overdose as a result of the ill-treatment, and was forced to leave. his job. But he didn't take action against the company, either.. Abuse at work is comparable to that elsewhere in that. tangible evidence is difficult to produce, and the. abusers will always have their denials ready when challenged. And even if a court accepts what you say happened, it. still remains to prove. that abuse causes the type of breakdown I had at the end of 1992. In a recent case before a British court,. a former member of the Army brought a case against others who had. maltreated him ten years previously. Although the court accepted. that abuse had occurred, it did not agree that depressive illness necessarily followed,. and denied justice to the. plaintiff.

2973

From -4414613763003317237
X-Google-Thread: fc2a5,1ad2a933e5c01039,start
X-Google-Thread: fc8b1,1ad2a933e5c01039,start
X-Google-Thread: 108122,1ad2a933e5c01039,start
X-Google-Thread: 111d0a,1ad2a933e5c01039,start
X-Google-Thread: 113975,1ad2a933e5c01039,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!21g2000hsj.googlegroups.com!not-for-mail
From: "bill.meara@gmail.com" <bill.meara@gmail.com>
Newsgroups: rec.radio.amateur.homebrew, rec.radio.amateur.boatanchors, rec.radio.amateur.equipment, sci.electronics.basics, sci.astro.amateur
Subject: Podcast: SolderSmoke #73 Special New Year's edition
Date: Wed, 2 Jan 2008 03:29:42 -0800 (PST)
Organization: http://groups.google.com

```
Lines: 55
Message-ID: <2434535c-355b-420a-bad4-e5a63aeaa228@21g2000hsj.googlegroups.com>
NNTP-Posting-Host: 81.208.83.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1199273383 3462 127.0.0.1 (2 Jan 2008 11:29:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Jan 2008 11:29:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 21g2000hsj.googlegroups.com; posting-host=81.208.83.208;
     posting-account=ePxsiwkAAACeKyenV1cL73nSaGPyDy3Q
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:14976
rec.radio.amateur.boatanchors:13630 rec.radio.amateur.equipment:13721
sci.electronics.basics:67371 sci.astro.amateur:97901
```

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke #73

January 2, 2008
SPECIAL NEW YEAR'S EDITION
AA1TJ's circuitry and poetry.
Homemade tubes.
Book Review: "Early Radio" by Peter Jensen.
The Vatican's antennas.
Google Earth flight simulator.
Mixer madness continues (now in LTSpice).
Mars-asteroid collision? Bollywood: The BITX-20 connection.
BANDSWEEP: Straight Key Night at WA6ARA (40 meters).
ECHO-GUEST: Andy, ZS6ADY, South African Boatanchor fan.
MAILBAG:Jake N4UY(NOVA QRP),
Steve G0FUE (Bath Build-a-thon),
Nigel M0NDE

Tired of listening to U-2 or VOA on your I-Pod? Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack? Tune in to SolderSmoke!

RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to

them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.soldersmoke.com

All the programs are available here.

I hope you enjoy the program. Please send us feedback.

73 from Rome
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

```
From -8606679789321517470
X-Google-Thread: 108122,feb881a444114908
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!fd24bd7a!
not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Weller WCC100 Soldering Station
References: <5uKdncs757XeO-vanZ2dnUVZ_s-pnZ2d@comcast.com> <NaqdnSi55-
_d3uXanZ2dnUVZ_oWdnZ2d@comcast.com> <477b10fd$0$22640$4c368faf@roadrunner.com>
In-Reply-To: <477b10fd$0$22640$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 66
Message-ID: <BQLej.1283$Sa1.366@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956446f3631ec51d5f48dcae6713b519a7aece69315d6f38e7a024d20fb774d855839
84e8a9789ec757c0122675b05dff31e90fb01e70475898eb5c771480a2cf99b741e8393b98af11d6cb
a38f8d3949a10e4244fae65aeb1f7b73922df2c16a57ea1102ea362e7799860c7af4c50c84cef09b1f
04e1f4cbb5
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Wed, 02 Jan 2008 12:54:57 UTC
Date: Wed, 02 Jan 2008 12:54:57 GMT
```

Xref: g2news1.google.com rec.radio.amateur.equipment:13722

Ch19 wrote:
> I threw out all of my Weller irons, all a bunch of crap.

I've had two WCC100's in my shop since they came out, probably more than ten years now. I've never had any problems with them, running them each 10-20 hours/week, doing stuff from tiny surface mount to some jewelry soldering to the occasional connector pin with #12 wire. I don't expect them to last forever but I do take care of them and don't leave them on longer than I need to.

Commercial outfits I've worked for have had similar experiences with the more expensive Weller irons, usually running them 40+ hours/week. I've seen them last for years this way, and yes, I've seen a few fail but the former well overshadows the latter.

Wellers are probably no better or worse overall than anything else.

- Galen, W8LNA

> "gb" <w9nogbspam@arrlspamno.net> wrote in message
> news:NaqdnSi55-_d3uXanZ2dnUVZ_oWdnZ2d@comcast.com...
>
>>The Weller WCC103 temperature sensor is actually an iron-constantan
>>thermocouple (possibly Type J), although Weller used Type K thermocouples
>>for its EC station series .
>>Sensitivity believed to be about 50 �V/�C
>>The relationship between temperature and voltage produced is NON-Linear.
>>
>>What is a thermocouple sensor?
>>A thermocouple is a sensor for measuring temperature. It consists of two
>>dissimilar metals, joined together at one end. When the junction of the
>>two metals is heated or cooled a voltage is produced that can be
>>correlated back to the temperature. The thermocouple alloys are commonly
>>available as wire.
>>
>>When replacing the WCC103 sensor the leads MUST be correctly installed or
>>the iron stays on continuously and eventually overheats.
>>The Iron (magnetic) lead connects to the RED wire
>>The Constantan (copper-nickel alloy/non-magnetic) lead connects to the
>>YELLOW wire
>>
>>gb
>>
>>"gb" <w9nogbspam@arrlspamno.net> wrote in message
>>news:5uKdncs757XeO-vanZ2dnUVZ_s-pnZ2d@comcast.com...
>>
>>>This is an informational post for owners of the Weller WCC100 soldering
>>>station.
>>>Some Elecraft builders have used this soldering station for building
>>>their kits.

```
>>>
>>>This is the BLUE colored station that was sold by Weller until 1999, when
>>>it was discontinued
>>>
>>>The Weller WLC100, which is an ORANGE colored station, is a totally
>>>DIFFERENT station.
>>>The WLC100 is NOT temeprature controller uses an OEM light dimemr module)
>>>and uses the Weller "ST" series of soldering tips.  Information on the
>>>WLC100 model, can be found here:
>>>http://www.uoguelph.ca/~antoon/circ/wlc100.html
>>>===============
>>
>>
>
>


From 365044376125532181
X-Google-Thread: 108122,2b29553db7715ac0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.tiscali.fr!club-internet.fr!feedme-small.clubint.net!newsfeed.freenet.de!
news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: How about amateur radio without the "radio?"
Date: Fri, 04 Jan 2008 11:24:20 -0800
Organization: albasani.net
Lines: 5
Message-ID: <flm14u$ae5$1@news.albasani.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net dqWvCVHHr/
gh2U5NBKc0R+M59rtKnST4QhHAf+B2V7/3OfoX7ax0y+ucs6LJEhEr4l/
54mTAAlvQMDoIy0B5YaiDx9a9g7d33/79TEJcGd1WIOSJUuy5T3dIHMClZxit
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 4 Jan 2008 19:24:14 +0000 (UTC)
X-User-ID: 4ozvfP4oPChQ44rvia/nMhLxe+tICEFuTxNms2y391U=
Cancel-Lock: sha1:+tzpda9q/upHKiZOuL1LOaTfW9E=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: 7Kk9FGoBPzbiU/zT+wP2jrXSrSVxk7tLRZTYhZg8Egg=
Xref: g2news1.google.com rec.radio.amateur.equipment:13723

A virtual rig which communicates over the internet, interesting--90 days
free ...

Regards,
JS


From 6424068243953821469
```

```
X-Google-Thread: 108122,2b29553db7715ac0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!auth.news-2.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How about amateur radio without the "radio?"
From: Bert Hyman <bert@iphouse.com>
References: <flm14u$ae5$1@news.albasani.net>
Organization: Not so you'd notice
Message-ID: <Xns9A1B8B910115CVeebleFetzer@127.0.0.1>
User-Agent: Xnews/2006.08.24
Date: 04 Jan 2008 19:43:10 GMT
Lines: 12
NNTP-Posting-Date: 04 Jan 2008 13:43:10 CST
NNTP-Posting-Host: 4a6f8c12.auth.newsreader.iphouse.com
X-Trace: DXC=Dhc@5^<K;IVSKHVFU=m96]_6RIS\>jRcSFbE0<hKBJT_\
[>Wc7h3IhVD1kiRiW\QFTZgRhQGSTe:^h6Q1TR0cFnVSm]9NbUV4QWB;;\gaE`C7Z
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13724

assemblywizard@gmail.com (John Smith) wrote in
news:flm14u$ae5$1@news.albasani.net:

> A virtual rig which communicates over the internet, interesting--90
> days free ...

That's a telephone, isn't it?

And, "amateur radio" without the radio is just "amateur."

--
Bert Hyman | St. Paul, MN | bert@iphouse.com


From 5766672205336867576
X-Google-Thread: 108122,2b29553db7715ac0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!novia!
newsfeed.yul.equant.net!nntp1.roc.gblx.net!nntp.gblx.net!nntp.gblx.net!
news.xcski.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How about amateur radio without the "radio?"
Date: 4 Jan 2008 20:27:37 GMT
Organization: The National Capital FreeNet
Lines: 23
Message-ID: <flm4rp$am1$1@theodyn.ncf.ca>
References: <flm14u$ae5$1@news.albasani.net>
<Xns9A1B8B910115CVeebleFetzer@127.0.0.1>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
```

NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1199478457 10945 134.117.136.48 (4 Jan 2008 20:27:37 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 4 Jan 2008 20:27:37 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13725

Bert Hyman (bert@iphouse.com) writes:

> assemblywizard@gmail.com (John Smith) wrote in
> news:flm14u$ae5$1@news.albasani.net:
>
>> A virtual rig which communicates over the internet, interesting--90
>> days free ...
>
> That's a telephone, isn't it?
>
> And, "amateur radio" without the radio is just "amateur."
>

The funny thing is that in the sixties, there was an article
in "CQ" about DXing with a telephone. Showed photos of DXpeditions
in exotic places. I seem to recall there was a followup. I can't
remember if it was portrayed as an alternative, or what to do
after amateur radio was eliminated.

The punch line is that the article(s) were in the April issue.

  Michael VE2BVW

From -8872353692031588110
X-Google-Thread: 108122,2b29553db7715ac0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.netfinity.fr!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How about amateur radio without the "radio?"
Date: Fri, 04 Jan 2008 12:45:32 -0800
Organization: albasani.net
Lines: 13
Message-ID: <flm5t6$ae5$2@news.albasani.net>
References: <flm14u$ae5$1@news.albasani.net>
<Xns9A1B8B910115CVeebleFetzer@127.0.0.1>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net SQBtZPXsdA/
mY9CQNWH4+zckZcx0t97xwj4Socgsi3BX5FlduGnLzrwhXcEiKutmkvqudqVgY/
PZf1BqhGjVj+4y3/13O5kkiluwRLOuFLWBflbhQK0K+qo4D6awyJnK

X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 4 Jan 2008 20:45:27 +0000 (UTC)
X-User-ID: 8BHnAByCFjhXq+DWNIj+LQ5cfjnOYHOh2hWJ2plav5I=
In-Reply-To: <Xns9A1B8B910115CVeebleFetzer@127.0.0.1>
Cancel-Lock: sha1:lm8jmDRIZVqYGvjBK5shBYCWtqk=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: zUAiruweT0StW2vG0zVPAgh6ZBo13t/0gDZbJLa991Y=
Xref: g2news1.google.com rec.radio.amateur.equipment:13726

Bert Hyman wrote:

> ...
> That's a telephone, isn't it?
>
> And, "amateur radio" without the radio is just "amateur."
>

Frankly, I don't think a REAL amateur cares what frequency he makes
contacts on, anything from DC to X-Rays sounds OK with me ... but then,
I don't suffer opium dreams ...

JS

From -3711946406367846770
X-Google-Thread: 108122,2b29553db7715ac0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!auth.news-1.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How about amateur radio without the "radio?"
From: Bert Hyman <bert@iphouse.com>
References: <flm14u$ae5$1@news.albasani.net>
<Xns9A1B8B910115CVeebleFetzer@127.0.0.1> <flm5t6$ae5$2@news.albasani.net>
Organization: Not so you'd notice
Message-ID: <Xns9A1B971B45C1FVeebleFetzer@127.0.0.1>
User-Agent: Xnews/2006.08.24
Date: 04 Jan 2008 20:51:09 GMT
Lines: 22
NNTP-Posting-Date: 04 Jan 2008 14:51:09 CST
NNTP-Posting-Host: 3d82e3c2.auth.newsreader.iphouse.com
X-Trace:
DXC=;aYKN6Fo5CLHa@DWLW936Oe=fFUe;FGEIFbE0<hKBJTO9lj9A]`jaNGMmZPm0oj^`BU7fAo\A5l_HB
G8d1`76?XC\FJ;Tn^SelF9h;E?E<<D[E
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13727

assemblywizard@gmail.com (John Smith) wrote in
news:flm5t6$ae5$2@news.albasani.net:

> Bert Hyman wrote:
>

>> ...
>> That's a telephone, isn't it?
>>
>> And, "amateur radio" without the radio is just "amateur."
>>
>
> Frankly, I don't think a REAL amateur cares what frequency he makes
> contacts on, anything from DC to X-Rays sounds OK with me

It's not a "contact" when there's a wire connecting the two ends.

> ... but then, I don't suffer opium dreams ...

Are you sure?

--
Bert Hyman | St. Paul, MN | bert@iphouse.com

From 4315088964068209434
X-Google-Thread: 108122,2b29553db7715ac0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.netfinity.fr!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How about amateur radio without the "radio?"
Date: Fri, 04 Jan 2008 13:02:05 -0800
Organization: albasani.net
Lines: 17
Message-ID: <flm6s7$th8$1@news.albasani.net>
References: <flm14u$ae5$1@news.albasani.net>
<Xns9A1B8B910115CVeebleFetzer@127.0.0.1> <flm5t6$ae5$2@news.albasani.net>
<Xns9A1B971B45C1FVeebleFetzer@127.0.0.1>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
g+ftTqMPLpKd7QDesAGiIvoYMjpuKVOEKRkxnSggWINCB22MHtHY+I+IXrqxdXfLAx75MQhTLn9DH6Y1NK
Dk6s7Zn9IoRMQaA2RsCKIwK/xyqL4MmuqSSj/xk88lP3HQ
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 4 Jan 2008 21:01:59 +0000 (UTC)
X-User-ID: 14L6M+sXCn8alHTOKokEtS61I/52nPutp04lbEgxVWs=
In-Reply-To: <Xns9A1B971B45C1FVeebleFetzer@127.0.0.1>
Cancel-Lock: sha1:es+CaJvXcrwxSV7jJXE6xYzYBhg=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: 8HjtlUv0ho9RrMr4JbvtAK6cBktsTMOZZaYyXXPLmbc=
Xref: g2news1.google.com rec.radio.amateur.equipment:13728

Bert Hyman wrote:

> ...
> It's not a "contact" when there's a wire connecting the two ends.
> ...

Yeah, pretty much--telegraph immediately springs to mind, those conversations were REAL.

>> ... but then, I don't suffer opium dreams ...
>
> Are you sure?
>

Well, wise men told have told me, "Never say never."

JS

From 3262053198032883732
X-Google-Thread: 108122,2b29553db7715ac0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out1.kabelfoon.nl!newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!feeder.news-
service.com!feeder.news-service.com!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How about amateur radio without the "radio?"
Date: Fri, 04 Jan 2008 14:34:45 -0800
Organization: albasani.net
Lines: 8
Message-ID: <flmc9v$7g3$1@news.albasani.net>
References: <flm14u$ae5$1@news.albasani.net>
<Xns9A1B8B910115CVeebleFetzer@127.0.0.1> <flm5t6$ae5$2@news.albasani.net>
<Xns9A1B971B45C1FVeebleFetzer@127.0.0.1>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net YhUjlQyjV2gjEsVpyB8nyKHyfZXHl6ffnH/
XuKimkJQmtQ9q5kodys3nmXRjfbsYFeMHWkmS/WTrhU4nXnsNXJa8x5KOIRwGJOvBm0YHQ/
5XkhUOloQoUhZ2KlFnFHWA
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Fri, 4 Jan 2008 22:34:39 +0000 (UTC)
X-User-ID: O4ao9hJvC+TckJFhu6FVj4OjP+rxGG5fbCBYwbs4pbk=
In-Reply-To: <Xns9A1B971B45C1FVeebleFetzer@127.0.0.1>
Cancel-Lock: sha1:XmGSaNwBZ0BOWPJ76DHZtuITLa8=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: jlwy2IQQxGW4bkOktlI+XHr/Ivqe8WFbQ9FF+ss6c9o=
Xref: g2news1.google.com rec.radio.amateur.equipment:13729

Bert Hyman wrote:

[...]

But then, if it makes you feel any better, somewhere along the line your
signal is going over fiber optic cable, cellular network, etc. ...

JS

From 4266752395581776291
X-Google-Thread: 108122,74df036e181889a0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k39g2000hsf.googlegroups.com!not-for-mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom 706 MkIIG Problems with Signalink USB Box
Date: Sat, 5 Jan 2008 01:00:20 -0800 (PST)
Organization: http://groups.google.com
Lines: 15
Message-ID: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 86.131.100.116
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1199523621 1533 127.0.0.1 (5 Jan 2008 09:00:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 Jan 2008 09:00:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k39g2000hsf.googlegroups.com; posting-host=86.131.100.116;
posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13730

All

I have managed to get my signalink box working very well with the
706MkIIG but have found that it causes a weird side effect in that
when
the cable is plugged in the back of the rig it heavily attenuates my
voice so that people struggle to hear me when i am speaking on the
mic.
To be heard i need to turn up AGC to 10. When unplugged the lead i can
leave at normal setting of 5. Since everything else is working ok has
anyone else experienced this problem or got any ideas.

Many thanks

Andy

From -2679321943842570259

X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews4.bellsouth.net.POSTED!baefb1e5!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <5TOfj.45748$_m.21493@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcboboefmlgbcljifgndpnnlgomjdphhjaapif
eckepfagppmljigdegfploeeeibcmmkoknpaliiihkpablnogmkjcikgpjgaggpiemmhgefmiapjod
NNTP-Posting-Date: Sat, 05 Jan 2008 12:11:29 EST
Organization: BellSouth Internet Group
Date: Sat, 5 Jan 2008 12:11:25 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13731

"Andiroo" <a.richman@btinternet.com> wrote in message
news:8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com...
> All
>
> I have managed to get my signalink box working very well with the
> 706MkIIG but have found that it causes a weird side effect in that
> when
> the cable is plugged in the back of the rig it heavily attenuates my
> voice so that people struggle to hear me when i am speaking on the
> mic.
> To be heard i need to turn up AGC to 10. When unplugged the lead i can
> leave at normal setting of 5. Since everything else is working ok has
> anyone else experienced this problem or got any ideas.
>
> Many thanks
>
> Andy

What is a Signalink USB Box?

Ed, NM2K

```
From 1244900880355636116
X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!y5g2000hsf.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
Date: Sat, 5 Jan 2008 09:19:09 -0800 (PST)
Organization: http://groups.google.com
Lines: 35
Message-ID: <c33c78db-7e0c-4bd3-bd9f-af1045cf437e@y5g2000hsf.googlegroups.com>
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
     <5TOfj.45748$_m.21493@bignews4.bellsouth.net>
NNTP-Posting-Host: 86.131.100.116
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1199553549 5054 127.0.0.1 (5 Jan 2008 17:19:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 Jan 2008 17:19:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y5g2000hsf.googlegroups.com; posting-host=86.131.100.116;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13732

On Jan 5, 5:11=A0pm, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
> "Andiroo" <a.rich...@btinternet.com> wrote in message
>
> news:8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com...
>
> > All
>
> > I have managed to get my signalink box working very well with the
> > 706MkIIG but have found that it causes a weird side effect in that
> > when
> > the cable is plugged in the back of the rig it heavily attenuates my
> > voice so that people struggle to hear me when i am speaking on the
> > mic.
> > To be heard i need to turn up AGC to 10. When unplugged the lead i can
> > leave at normal setting of 5. Since everything else is working ok has
> > anyone else experienced this problem or got any ideas.
>
> > Many thanks
```

>
> > Andy
>
> ---------------
>
> What is a Signalink USB Box?
>
> Ed, NM2K

Ed

Its a box that connects to via TNC and allows digital modes to be
used. See www.tigertronics.com/slusbmain.htm

Thanks

Andy

From -5952746427161056240
X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
Date: Sat, 05 Jan 2008 09:25:14 -0800
Organization: albasani.net
Lines: 23
Message-ID: <floehi$j8p$1@news.albasani.net>
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
dZdy2YonF5nrKrQ3IF9luOxsKFLcrDUVSl7a0pBm5Hiq9oVpGt4i59ZofSruwF2Vxzhe6KRU2DV0kVNfIh
1W6J+4+JN6pYU0yuucBkRMZH3DpFK7POCFKgrUinzAKX/O
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Sat, 5 Jan 2008 17:25:06 +0000 (UTC)
X-User-ID: xAmYEfN2WGgwr9pLnq4FNEswWxrw+B6muMPtdik31cg=
In-Reply-To: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
Cancel-Lock: sha1:rZWgDdWS5eK+/hKzCU+tXskdnWI=
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
X-NNTP-Posting-Host: zB6gGxBtq+lGggzgCvlRjtvrq4FK4nDxpr5jujAJp1w=
Xref: g2news1.google.com rec.radio.amateur.equipment:13733

Andiroo wrote:
> All
>
> I have managed to get my signalink box working very well with the

```
> 706MkIIG but have found that it causes a weird side effect in that
> when
> the cable is plugged in the back of the rig it heavily attenuates my
> voice so that people struggle to hear me when i am speaking on the
> mic.
> To be heard i need to turn up AGC to 10. When unplugged the lead i can
> leave at normal setting of 5. Since everything else is working ok has
> anyone else experienced this problem or got any ideas.
>
> Many thanks
>
> Andy

You tried an email to them?

http://www.tigertronics.com/tech.htm

Regards,
JS



From 4021997158667097699
X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!d4g2000prg.googlegroups.com!not-for-
mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
Date: Sat, 5 Jan 2008 12:15:10 -0800 (PST)
Organization: http://groups.google.com
Lines: 35
Message-ID: <00667686-f18e-4760-8dee-8a2358f6e7f4@d4g2000prg.googlegroups.com>
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
     <floehi$j8p$1@news.albasani.net>
NNTP-Posting-Host: 217.150.112.99
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1199564110 22283 127.0.0.1 (5 Jan 2008 20:15:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 Jan 2008 20:15:10 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d4g2000prg.googlegroups.com; posting-host=217.150.112.99;
     posting-account=wwnpSQoAAAAgXXCuNAGzJjfCfhBnFQLf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13734

On Jan 5, 5:25=A0pm, John Smith <assemblywiz...@gmail.com> wrote:
> Andiroo wrote:
```

```
> > All
>
> > I have managed to get my signalink box working very well with the
> > 706MkIIG but have found that it causes a weird side effect in that
> > when
> > the cable is plugged in the back of the rig it heavily attenuates my
> > voice so that people struggle to hear me when i am speaking on the
> > mic.
> > To be heard i need to turn up AGC to 10. When unplugged the lead i can
> > leave at normal setting of 5. Since everything else is working ok has
> > anyone else experienced this problem or got any ideas.
>
> > Many thanks
>
> > Andy
>
> You tried an email to them?
>
> http://www.tigertronics.com/tech.htm
>
> Regards,
> JS- Hide quoted text -
>
> - Show quoted text -

Yup - sure have but no response yet so tried asking here - this
message board in 99 out of 100 times finds me an answer to the lastest
of my ongoing radio problems. Why is it that the life of the radio
amateur is going from one technical problem to the next? I guess its
because we get easily bored and have to fiddle or add new kit. Still
keeps me out of trouble.

Andy


From -7139687976694979243
X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-
mail
From: Erich <n6fd@mchsi.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
In-Reply-To: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <iRUfj.22929$Ux2.5442@attbi_s22>
```

NNTP-Posting-Host: 12.219.245.122
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1199577550 12.219.245.122 (Sat, 05 Jan 2008 23:59:10 GMT)
NNTP-Posting-Date: Sat, 05 Jan 2008 23:59:10 GMT
Organization: AT&T ASP.att.net
Date: Sat, 05 Jan 2008 23:59:10 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13735

Andiroo wrote:
> All
>
> I have managed to get my signalink box working very well with the
> 706MkIIG but have found that it causes a weird side effect in that
> when
> the cable is plugged in the back of the rig it heavily attenuates my
> voice so that people struggle to hear me when i am speaking on the
> mic.
> To be heard i need to turn up AGC to 10. When unplugged the lead i can
> leave at normal setting of 5. Since everything else is working ok has
> anyone else experienced this problem or got any ideas.
>
> Many thanks
>
> Andy
Andy,
It sounds like attaching the signallink box double terminates the
microphone. I don't know if there is a way to adjust the output
impedance on the signalink box, but you might try raising it. That
means that you will also probably have to raise its output level as
well. I have one of the signalink boxes on order and will let you know
how I interfaced it to my 706 when I get it.

Erich, N6FD

From -3794964724853672290
X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
Message-ID: <4780A132.9020207@bellsouff.net>
From: Ed Cregger <ecregger@bellsouff.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
     <5TOfj.45748$_m.21493@bignews4.bellsouth.net> <c33c78db-7e0c-4bd3-bd9f-
af1045cf437e@y5g2000hsf.googlegroups.com>
In-Reply-To: <c33c78db-7e0c-4bd3-bd9f-af1045cf437e@y5g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed

```
Content-Transfer-Encoding: 7bit
Lines: 38
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbommmgckocnfmabhoefdiaobddcilimldhif
eckepfagppmljieclcoiaglbjpaiapkoknpaliiihkpabljfiehpkgkpemfibckckonbdakjeedbgi
NNTP-Posting-Date: Sun, 06 Jan 2008 04:36:47 EST
Organization: BellSouth Internet Group
Date: Sun, 06 Jan 2008 04:36:50 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13736

Andiroo wrote:
> On Jan 5, 5:11 pm, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
>> "Andiroo" <a.rich...@btinternet.com> wrote in message
>>
>> news:8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com...
>>
>>> All
>>> I have managed to get my signalink box working very well with the
>>> 706MkIIG but have found that it causes a weird side effect in that
>>> when
>>> the cable is plugged in the back of the rig it heavily attenuates my
>>> voice so that people struggle to hear me when i am speaking on the
>>> mic.
>>> To be heard i need to turn up AGC to 10. When unplugged the lead i can
>>> leave at normal setting of 5. Since everything else is working ok has
>>> anyone else experienced this problem or got any ideas.
>>> Many thanks
>>> Andy
>> ---------------
>>
>> What is a Signalink USB Box?
>>
>> Ed, NM2K
>
> Ed
>
> Its a box that connects to via TNC and allows digital modes to be
> used. See  www.tigertronics.com/slusbmain.htm
>
> Thanks
>
> Andy


Thanks, Andy.


Ed, NM2K


From 8105746769144803143
```

```
X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
From: Ed Cregger <ecregger@bellsouff.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
     <5TOfj.45748$_m.21493@bignews4.bellsouth.net> <c33c78db-7e0c-4bd3-bd9f-
af1045cf437e@y5g2000hsf.googlegroups.com>
In-Reply-To: <c33c78db-7e0c-4bd3-bd9f-af1045cf437e@y5g2000hsf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 38
Message-ID: <0j1gj.62982$K27.9226@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcboknlnblcmbfeojpjbdknlhmpjmkpbopnoif
eckepfagppmljieclcoiaglbjpaiapkoknpaliiihkpablnliflbobpkdcakeoekfngodfappodfma
NNTP-Posting-Date: Sun, 06 Jan 2008 04:37:00 EST
Organization: BellSouth Internet Group
Date: Sun, 06 Jan 2008 04:37:02 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13737

Andiroo wrote:
> On Jan 5, 5:11 pm, "Ed Cregger" <ecreg...@bellsouff.net> wrote:
>> "Andiroo" <a.rich...@btinternet.com> wrote in message
>>
>> news:8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com...
>>
>>> All
>>> I have managed to get my signalink box working very well with the
>>> 706MkIIG but have found that it causes a weird side effect in that
>>> when
>>> the cable is plugged in the back of the rig it heavily attenuates my
>>> voice so that people struggle to hear me when i am speaking on the
>>> mic.
>>> To be heard i need to turn up AGC to 10. When unplugged the lead i can
>>> leave at normal setting of 5. Since everything else is working ok has
>>> anyone else experienced this problem or got any ideas.
>>> Many thanks
>>> Andy
>> ---------------
>>
>> What is a Signalink USB Box?
>>
>> Ed, NM2K
>
```

> Ed
>
> Its a box that connects to via TNC and allows digital modes to be
> used. See www.tigertronics.com/slusbmain.htm
>
> Thanks
>
> Andy

Thanks, Andy.

Ed, NM2K

From 6270829466633182370
X-Google-Thread: 108122,74df036e181889a0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <ALANBIDDLE70@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 706 MkIIG Problems with Signalink USB Box
Organization: AMSAT-NA
Reply-To: ALANBIDDLE70@YAHOO.COM
Message-ID: <m4l1o3944nctrt4f7qtumga4vvp0djmlvs@4ax.com>
References: <8de8263b-5665-413b-b373-8355e8b2d8b0@k39g2000hsf.googlegroups.com>
<iRUfj.22929$Ux2.5442@attbi_s22>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Host: 36feb52c9d8f2dfe0a5e53895089c35d
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1199625918
36feb52c9d8f2dfe0a5e53895089c35d (Sun, 06 Jan 2008 13:25:18 GMT)
NNTP-Posting-Date: Sun, 06 Jan 2008 13:25:18 GMT
Date: Sun, 06 Jan 2008 13:25:18 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13738

Andy,

I also have a SignaLink USB, and find it works well with my Yaesu.
However, compared with 3 other sound card or external units I have
used, it seems to have a much lower impedance. The result is that it
loads down both the input and output. Obviously, how much depends on
your rig, and where you are connecting it.

I have an external switching box which I built up to allow the use of
some other devices with the rig, which of course includes an OFF

```
position.  In your case, probably something as simple as a double pole
toggle switch built into a small box would work.  It wouldn't hurt to
switch both the RX and TX audio.



--
Alan
WA4SCA



From 8055154573222450083
X-Google-Thread: 108122,2b29553db7715ac0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!bloom-
beacon.mit.edu!panix!panix3.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How about amateur radio without the "radio?"
Date: Sun, 6 Jan 2008 15:04:45 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 31
Message-ID: <Pine.NEB.4.64.0801061504260.25868@panix3.panix.com>
References: <flm14u$ae5$1@news.albasani.net>
<Xns9A1B8B910115CVeebleFetzer@127.0.0.1>
 <flm4rp$am1$1@theodyn.ncf.ca>
NNTP-Posting-Host: panix3.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1199649886 8155 166.84.1.3 (6 Jan 2008 20:04:46 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 6 Jan 2008 20:04:46 +0000 (UTC)
In-Reply-To: <flm4rp$am1$1@theodyn.ncf.ca>
Xref: g2news1.google.com rec.radio.amateur.equipment:13739




On Fri, 4 Jan 2008, Michael Black wrote:

> Bert Hyman (bert@iphouse.com) writes:
>> assemblywizard@gmail.com (John Smith) wrote in
>> news:flm14u$ae5$1@news.albasani.net:
>>
>>> A virtual rig which communicates over the internet, interesting--90
>>> days free ...
>>
>> That's a telephone, isn't it?
>>
>> And, "amateur radio" without the radio is just "amateur."
>>
> The funny thing is that in the sixties, there was an article
> in "CQ" about DXing with a telephone.  Showed photos of DXpeditions
> in exotic places.  I seem to recall there was a followup.  I can't
> remember if it was portrayed as an alternative, or what to do
> after amateur radio was eliminated.
>
>
> The punch line is that the article(s) were in the April issue.
>
>  Michael  VE2BVW
>
>
>

Most of the April issues had a spoof article.



From 8138349355644301502
X-Google-Thread: 108122,2b29553db7715ac0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix3.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How about amateur radio without the "radio?"
Date: Sun, 6 Jan 2008 15:06:18 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 12
Message-ID: <Pine.NEB.4.64.0801061505160.25868@panix3.panix.com>
References: <flm14u$ae5$1@news.albasani.net>
NNTP-Posting-Host: panix3.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1199649980 25407 166.84.1.3 (6 Jan 2008 20:06:20 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 6 Jan 2008 20:06:20 +0000 (UTC)
In-Reply-To: <flm14u$ae5$1@news.albasani.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:13740


I'd rather have a real rig that uses radio waves and once I have the real
rig, its free (except for electricity) for a long long time.

On Fri, 4 Jan 2008, John Smith wrote:

> A virtual rig which communicates over the internet, interesting--90 days free
> ...
>
> Regards,
> JS
>


From -1261110034043962735
```

```
X-Google-Thread: 108122,62a94a104ee80d6a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 06 Jan 2008 21:26:53 -0600
From: giltay <giltay@ebay.com>
Newsgroups: rec.radio.amateur.equipment
Date: Sun, 6 Jan 2008 22:26:53 -0500
Message-ID: <2008010622265375249-giltay@ebaycom>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: FA: Micronta VHF/UHF SWR Power Meter
User-Agent: Unison/1.7.7
Lines: 7
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-dCB+NjVB8156vjy9cwnCWmpHKt4X2Szjeo94B6n1vHcUPMUYEGeovEn4LmTcF/
VreVSKI9ktXpKp1Dn!WzjPH49zJOu0Rq9nq6men451IHzqIvk5vQRLOt6xGh8WVbz8X4wow6enF9cS
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13741

Micronta VHF/UHF SWR Power Meter

http://tinyurl.com/297lsw

Thanks for looking!




From 8909288349078927102
X-Google-Thread: fcc6e,8e72df5e84e891fb,start
X-Google-Thread: 11480d,8e72df5e84e891fb,start
X-Google-Thread: 108122,8e72df5e84e891fb,start
X-Google-Thread: fc2a5,8e72df5e84e891fb,start
X-Google-Thread: 10b9c8,8e72df5e84e891fb,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1197011100@panix.com>
```

Followup-To: poster
Date: 7 Jan 2008 02:05:02 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Feb 2008 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1199689500@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1199689503 8411 166.84.1.2 (7 Jan 2008 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Jan 2008 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:52959 rec.radio.amateur.dx:3844 rec.radio.amateur.equipment:13742 rec.radio.amateur.homebrew:15009 rec.radio.info:647

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From -4311732650769509497
X-Google-Thread: 108122,9ab8dc182db4c9e5,start
X-Google-Thread: 1109af,9ab8dc182db4c9e5,start
X-Google-Thread: 10b9c8,9ab8dc182db4c9e5,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1197011401@panix.com>
Followup-To: poster
Date: 7 Jan 2008 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Feb 2008 02:10:00 -0000
Message-ID: <radio/swap/recruitment-1-1199689800@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1199689802 23960 166.84.1.2 (7 Jan 2008 07:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 Jan 2008 07:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:13743 rec.radio.swap:18161
rec.radio.info:648

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -7522167762186416165
X-Google-Thread: 108122,62a94a104ee80d6a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.aset.psu.edu!
news.cse.psu.edu!elk.ncren.net!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: Micronta VHF/UHF SWR Power Meter
Date: Mon, 07 Jan 2008 14:07:54 GMT
Organization: Perhaps
Lines: 14
Message-ID: <fltbnq$fmu$1@usenet01.srv.cis.pitt.edu>
References: <2008010622265375249-giltay@ebaycom>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1199714874 16094 136.142.52.90 (7 Jan 2008
14:07:54 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Mon, 7 Jan 2008 14:07:54 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:13744
```

In article <2008010622265375249-giltay@ebaycom>, giltay <giltay@ebay.com> wrote:

```
>Micronta VHF/UHF SWR Power Meter
>
```

>http://tinyurl.com/297lsw
>
>Thanks for looking!

Strange what RS came up with to try and make money, except how many of these would you need to sell to make money...except really neat things makes you come into the store to look around.

Neat meter though.

greg

```
From -5193547346155770474
X-Google-Thread: 108122,23fd5006afb90fe7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
cleanfeed3-b.proxad.net!nnrp6-2.free.fr!not-for-mail
Date: Tue, 08 Jan 2008 21:56:21 +0100
From: ORCINES <no_mail@spam.com>
Reply-To: no_mail@spam.com
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Ham Radio Deluxe "IC-R20, COM4, 4800, failed to Read Frequency."
X-Priority: 1 (Highest)
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <4783e375$0$25625$426a74cc@news.free.fr>
Organization: Guest of ProXad - France
NNTP-Posting-Date: 08 Jan 2008 21:56:22 MET
NNTP-Posting-Host: 82.253.163.130
X-Trace: 1199825782 news-2.free.fr 25625 82.253.163.130:49542
X-Complaints-To: abuse@proxad.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13745
```

Help !

I have an ICOM IC-R20 is I was unable to run the program
HAM RADIO DELUXE 3.4

http://img223.imageshack.us/img223/9822/20080108214730su0.png

Thank you

```
From 8895340170545417434
X-Google-Thread: 108122,23fd5006afb90fe7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
```

wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <ALANBIDDLE70@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ham Radio Deluxe "IC-R20, COM4, 4800, failed to Read Frequency."
Organization: AMSAT-NA
Reply-To: ALANBIDDLE70@YAHOO.COM
Message-ID: <9rt7o3h4r88t6e5m4bnmqd6qp9elrtniac@4ax.com>
References: <4783e375$0$25625$426a74cc@news.free.fr>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
NNTP-Posting-Host: 0ead46fd52cea183b066c58e47c55d3b
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1199831187
0ead46fd52cea183b066c58e47c55d3b (Tue, 08 Jan 2008 22:26:27 GMT)
NNTP-Posting-Date: Tue, 08 Jan 2008 22:26:27 GMT
Date: Tue, 08 Jan 2008 22:26:27 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13746

Hi,

I would strongly suggest that you ask at the official forum here:

http://forums.ham-radio.ch/

Also, while version 3.4 is the official production release, it is really very old. Try the current beta, which despite the name is effectively the production release. You can download that here:

http://www.ham-radio.ch/kits/beta/3.5/

The latest version, 1682, is solid, and has several fixes over the 3.4 version. Generally, when you have a problem, one of the first suggestions is to upgrade to the latest version.

--
Alan
WA4SCA

From -2260353753306020722
X-Google-Thread: 108122,23fd5006afb90fe7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!news.germany.com!news.netfinity.fr!
nntpfeed.proxad.net!proxad.net!feeder1-2.proxad.net!cleanfeed2-b.proxad.net!
nnrp7-1.free.fr!not-for-mail
Date: Tue, 08 Jan 2008 23:55:22 +0100

```
From: ORCINES <no_mail@spam.com>
Reply-To: no_mail@spam.com
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ham Radio Deluxe "IC-R20, COM4, 4800, failed to Read Frequency."
References: <4783e375$0$25625$426a74cc@news.free.fr>
<9rt7o3h4r88t6e5m4bnmqd6qp9elrtniac@4ax.com>
In-Reply-To: <9rt7o3h4r88t6e5m4bnmqd6qp9elrtniac@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 26
Message-ID: <4783ff5a$0$28926$426a74cc@news.free.fr>
Organization: Guest of ProXad - France
NNTP-Posting-Date: 08 Jan 2008 23:55:22 MET
NNTP-Posting-Host: 82.253.163.130
X-Trace: 1199832922 news-2.free.fr 28926 82.253.163.130:50393
X-Complaints-To: abuse@proxad.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13747

Alan WA4SCA a �crit :
> Hi,
>
> I would strongly suggest that you ask at the official forum here:
>
>  http://forums.ham-radio.ch/
>
> Also, while version 3.4 is the official production release, it is
> really very old.  Try the current beta, which despite the name is
> effectively the production release.  You can download that here:
>
> http://www.ham-radio.ch/kits/beta/3.5/
>
> The latest version, 1682, is solid, and has several fixes over the 3.4
> version.  Generally, when you have a problem, one of the first
> suggestions is to upgrade to the latest version.
>
>
>
> --
> Alan
> WA4SCA


I have the same problems with the 3.5 v.1686
:-(


From -375980970157446989
X-Google-Thread: 108122,58d2cb40d7c2c9e3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v4g2000hsf.googlegroups.com!not-for-
```

mail
From: goldman <cheapgold@126.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Maple Story Mesos Promotion !
Date: Tue, 8 Jan 2008 17:28:57 -0800 (PST)
Organization: http://groups.google.com
Lines: 63
Message-ID: <eba79207-5551-4539-be76-38b618220218@v4g2000hsf.googlegroups.com>
NNTP-Posting-Host: 218.8.67.152
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1199842137 30923 127.0.0.1 (9 Jan 2008 01:28:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 9 Jan 2008 01:28:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v4g2000hsf.googlegroups.com; posting-host=218.8.67.152; posting-account=lutzXQoAAAAmOna63IBwj_hqKyTu4NyI
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; Maxthon),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13748

Cheap Maplestory Mesos   Maple Story Mesos   Buy Mesos   Cheap Mesos   Buy Maplestory Mesos

Maple Story Mesos Promotion !
Maple Story Mesos Promotion ! Check out our great prices on Maple Story Mesos! We guarantee the we have the lowest prices on Maple Mesos on the market, contact our live support for further details.

Prices of Mesos are Slashed again! OGEWORLD has unbeatable price on Maple Story Mesos. You are buying Mesos directly from our production team, not from resellers, without hacking, and without cheating!

Delivery in minutes!
No Waiting, No Bidding. OGEWORLD,COM - Direct Sale Service offers you the best and fastest way to buy Maple Mesos. You will have the best Maple Story Mesos money can buy at the lowest prices.

Lowest price, live customers support, flexible payment methods and instant delivery are the reasons that make us different from other Maple Mesos supplier.

If:
* You don't want to talk to somebody who doesn't understand you.
* You don't want to wait for email reply.
* You don't want to make payments through only paypal.
* You don't want to be ripped off.

We are here to help!

Due to increasing number of fraudulent orders, we will no longer accept payments made through echecks, unconfirmed addresses, or unverified accounts with paypal. However, understanding the constant needs of our customers, we are working to add direct credit card payment and money order payment methods. As a reminder, we still accept all moneybookers transactions. In addition, for those customers who can't find another method of payment except for echeck, we are willing to work with you through subjecting the transaction to OGEWORLD's Higher Security Processing. However, this may take longer than usual processing time, and would require that the echeck is cleared before any delivery can be made.

We are now creating a trust list. All customers who had bought Mesos and/or services from us without payment issues will receive priority service.

Mesos Bulk Order?
We offer discounts for larger Maple Mesos purchases, contact us at for further details. We guarantee OGEWORLD has the lowest prices on Maple Story Mesos!

Speedy Delivery!
We will deliver Maple Story Mesos to you as soon as possible.

http://www.ogeworld.com

http://cheapmesos.ttsite.com/htm_data/1850686/0801/6568157.html

http://mybbs.tts8.com/a/a-1-207825-wowgold.html

```
From -4871228899685964З2
X-Google-Thread: 108122,e1ffcf9b860f6d23
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!j78g2000hsd.googlegroups.com!not-for-
mail
From: gassyandgray <gassyandgray@live.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Kenwood TS-830S + Accessories
Date: Wed, 9 Jan 2008 11:32:46 -0800 (PST)
Organization: http://groups.google.com
Lines: 90
Message-ID: <d45f8304-d487-4428-b1f5-d3ad7cb9da66@j78g2000hsd.googlegroups.com>
References: <T4M8j.180$JW4.148@trnddc05>
NNTP-Posting-Host: 64.47.47.2
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
```

```
X-Trace: posting.google.com 1199907169 32516 127.0.0.1 (9 Jan 2008 19:32:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 9 Jan 2008 19:32:49 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j78g2000hsd.googlegroups.com; posting-host=64.47.47.2;
     posting-account=AHQBmAkAAABTCSOE5I0ykNZrTCGe95O_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13749
```

On Dec 15 2007, 3:17=A0am, "West" <nos...@gte.net> wrote:

> References provided upon request.

1

FEDERAL COMMUNICATIONS COMMISSION

Enforcement Bureau

Spectrum Enforcement Division

1270 Fairfield Road

Gettysburg, Pennsylvania 17325-7245

VIA CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 1, 2007

William E. Westley, Jr.

10451 Maverick Street

New Port Richey, FL 34654

RE: Warning Notice: Amateur Radio License AF4GC; Case #EB-2007-3050

Dear Mr. Westley:

The licensee of the W4FLG repeater system has requested in writing that you refrain from use of the repeater. The letter was issued as a result of your failure to follow operational rules set forth by the licensee/ control operators of the repeater system for their users. You were previously requested verbally to refrain from using the system, but have apparently ignored both verbal and written requests.

The Commission requires that repeaters be under the supervision of a control operator and not only expects, but requires, such control operators and licensees to be responsible for the proper operation of the repeater system. Control operators may take whatever steps are appropriate to ensure compliance with the repeater rules, including limiting the repeater use to certain users, converting the repeater to a closed repeater or taking it off the air entirely.

Please be advised that we expect you to abide by the request to stay off the W4FLG repeater and any other such request by a repeater licensee, control operator or trustee. If you use the repeater again after receipt of this letter, we will initiate enforcement action against your license, which may include revocation, monetary forfeiture (fine) or a modification proceeding to restrict the frequencies on which you may operate AF4GC. Also please be advised that use of the output frequency of the repeaters to interfere with their operation would be considered deliberate interference. There are numerous frequencies available to you for simplex operation.

We note that your license expires October 21, 2007. You are advised that renewal will not be routinely granted unless this matter is resolved.

Please call me at 717-338-2502 if you have any questions about this matter.

Sincerely,

W. Riley Hollingsworth

Special Counsel

cc: FCC South Central Regional Director

From 8381801108790771024
X-Google-Thread: 108122,e1ffcf9b860f6d23
X-Google-Thread: 10bf43,a2e5479ecde0b92c,start

X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!newsfeed.datemas.de!
news.datemas.de!not-for-mail
From: "Mark Morgan" <markmorgan@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: FS Kenwood TS-830S + Accessories
Date: Wed, 9 Jan 2008 16:25:52 -0500
Organization: he wonder
Lines: 97
Message-ID: <fm3e53$eki$1@news.datemas.de>
References: <T4M8j.180$JW4.148@trnddc05> <d45f8304-d487-4428-b1f5-
d3ad7cb9da66@j78g2000hsd.googlegroups.com>
X-Trace: news.datemas.de c/
A5CjR1kg1JhXWxpRVKR4xxAwPPF7WMnCQAuaaTQbvLYevj10MLziWW1GIhmAT1QrK0dIOdPpuLsY91H4ud
h6wAPX5YYUncAMTTFw4F7SIFSE9O0GqqGrV0T32+MQThUFxiIvkwpMGU1fptp7R5a/
GBtWp6AN3eJ+HR00NaQUE=
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Wed, 9 Jan 2008 21:25:55 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13750
rec.radio.amateur.policy:107798

"gassyandgray" <gassyandgray@live.com> wrote in message
news:d45f8304-d487-4428-b1f5-d3ad7cb9da66@j78g2000hsd.googlegroups.com...
On Dec 15 2007, 3:17 am, "West" <nos...@gte.net> wrote:

> References provided upon request.

1

FEDERAL COMMUNICATIONS COMMISSION

Enforcement Bureau

Spectrum Enforcement Division

1270 Fairfield Road

Gettysburg, Pennsylvania 17325-7245

VIA CERTIFIED MAIL - RETURN RECEIPT REQUESTED

June 1, 2007

William E. Westley, Jr.

10451 Maverick Street

New Port Richey, FL 34654

RE: Warning Notice: Amateur Radio License AF4GC; Case #EB-2007-3050

Dear Mr. Westley:

The licensee of the W4FLG repeater system has requested in writing that you refrain from use of the repeater. The letter was issued as a result of your failure to follow operational rules set forth by the licensee/control operators of the repeater system for their users. You were previously requested verbally to refrain from using the system, but have apparently ignored both verbal and written requests.

The Commission requires that repeaters be under the supervision of a control operator and not only expects, but requires, such control operators and licensees to be responsible for the proper operation of the repeater system. Control operators may take whatever steps are appropriate to ensure compliance with the repeater rules, including limiting the repeater use to certain users, converting the repeater to a closed repeater or taking it off the air entirely.

Please be advised that we expect you to abide by the request to stay off the W4FLG repeater and any other such request by a repeater licensee, control operator or trustee. If you use the repeater again after receipt of this letter, we will initiate enforcement action against your license, which may include revocation, monetary forfeiture (fine) or a modification proceeding to restrict the frequencies on which you may operate AF4GC. Also please be advised that use of the output frequency of the repeaters to interfere with their operation would be considered deliberate interference. There are numerous frequencies available to you for simplex operation.

We note that your license expires October 21, 2007. You are advised that renewal will not be routinely granted unless this matter is resolved.

Please call me at 717-338-2502 if you have any questions about this matter.

Sincerely,

W. Riley Hollingsworth

Special Counsel

cc: FCC South Central Regional Director
>
>
INDEED!!!

From -7823353721076746198
X-Google-Thread: 108122,e1ffcf9b860f6d23
X-Google-Thread: 10bf43,a2e5479ecde0b92c
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!k39g2000hsf.googlegroups.com!not-for-mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.equipment, rec.radio.amateur.policy
Subject: get kelp
Date: Wed, 9 Jan 2008 14:22:00 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <325bce56-8987-49f4-bf4b-998cca78c2ba@k39g2000hsf.googlegroups.com>
References: <T4M8j.180$JW4.148@trnddc05> <d45f8304-d487-4428-b1f5-d3ad7cb9da66@j78g2000hsd.googlegroups.com>
<fm3e53$eki$1@news.datemas.de>
NNTP-Posting-Host: 66.82.9.103
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1199917322 31021 127.0.0.1 (9 Jan 2008 22:22:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 9 Jan 2008 22:22:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k39g2000hsf.googlegroups.com; posting-host=66.82.9.103;
posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13751 rec.radio.amateur.policy:107799

```
On Jan 9, 4:25=A0pm, "Mark Morgan" <markmor...@hotmail.com> wrote:
>
pity you hav e to comit forgery



From -7889885571386765748
X-Google-Thread: 108122,e1ffcf9b860f6d23
X-Google-Thread: 10bf43,a2e5479ecde0b92c
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!k2g2000hse.googlegroups.com!not-for-
mail
From: gassyandgray <gassyandgray@live.com>
Newsgroups: rec.radio.amateur.equipment, rec.radio.amateur.policy
Subject: Re: get kelp
Date: Wed, 9 Jan 2008 19:13:46 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <8cf42ad7-2708-49aa-b8ff-7f00e80ec566@k2g2000hse.googlegroups.com>
References: <T4M8j.180$JW4.148@trnddc05> <d45f8304-d487-4428-b1f5-
d3ad7cb9da66@j78g2000hsd.googlegroups.com>
     <fm3e53$eki$1@news.datemas.de> <325bce56-8987-49f4-
bf4b-998cca78c2ba@k39g2000hsf.googlegroups.com>
NNTP-Posting-Host: 68.236.49.136
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1199934827 18574 127.0.0.1 (10 Jan 2008 03:13:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Jan 2008 03:13:47 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: k2g2000hse.googlegroups.com; posting-host=68.236.49.136;
     posting-account=AHQBmAkAAABTCSOE5I0ykNZrTCGe95O_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13752
rec.radio.amateur.policy:107807

On Jan 9, 5:22=A0pm, an_old_friend <kb9...@gmail.com> wrote:
> On Jan 9, 4:25=A0pm, "Mark Morgan" <markmor...@hotmail.com> wrote:
>
> pity you hav e to comit forgery

Search on AF4GC

http://www.fcc.gov/eb/AmateurActions/files/WESTL07_06_29_1096.html

http://groups.yahoo.com/group/64repeatergroup/message/1098


From -2864585334976834766
X-Google-Thread: 108122,e1ffcf9b860f6d23
```

```
X-Google-Thread: 10bf43,a2e5479ecde0b92c
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!z17g2000hsg.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.equipment, rec.radio.amateur.policy
Subject: Re: get kelp
Date: Thu, 10 Jan 2008 06:45:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <9a4dfd0b-8033-425d-894e-2a5f1ad741f1@z17g2000hsg.googlegroups.com>
References: <T4M8j.180$JW4.148@trnddc05> <d45f8304-d487-4428-b1f5-
d3ad7cb9da66@j78g2000hsd.googlegroups.com>
     <fm3e53$eki$1@news.datemas.de> <325bce56-8987-49f4-
bf4b-998cca78c2ba@k39g2000hsf.googlegroups.com>
     <8cf42ad7-2708-49aa-b8ff-7f00e80ec566@k2g2000hse.googlegroups.com>
NNTP-Posting-Host: 69.19.14.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1199976315 25525 127.0.0.1 (10 Jan 2008 14:45:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 10 Jan 2008 14:45:15 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: z17g2000hsg.googlegroups.com; posting-host=69.19.14.22;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13753
rec.radio.amateur.policy:107808

On Jan 9, 10:13=A0pm, gassyandgray <gassyandg...@live.com> wrote:
> On Jan 9, 5:22=A0pm, an_old_friend <kb9...@gmail.com> wrote:
>
> > On Jan 9, 4:25=A0pm, "Mark Morgan" <markmor...@hotmail.com> wrote:
>
> > pity you hav e to comit forgery
>
> Search on AF4GC

you point?


From 2076509374778672762
X-Google-Thread: 108228,a52780c98351f054,start
X-Google-Thread: fc8b1,a52780c98351f054,start
X-Google-Thread: 108122,a52780c98351f054,start
X-Google-Thread: fc2a5,a52780c98351f054,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
```

news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!53ab2750!not-for-mail
From: "KC0EH" <cvest@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: WTB: R-14 Headphones
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <6gwhj.17612$3b7.10635@newsfe23.lga>
NNTP-Posting-Host: 72.205.229.11
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe23.lga 1200001154 72.205.229.11 (Thu, 10 Jan 2008 14:39:14 MST)
NNTP-Posting-Date: Thu, 10 Jan 2008 14:39:14 MST
Organization: Cox
Date: Thu, 10 Jan 2008 15:40:19 -0600
Xref: g2news1.google.com alt.ham-radio.marketplace:3551 rec.radio.amateur.boatanchors:13696 rec.radio.amateur.equipment:13754 rec.radio.amateur.homebrew:15034

A friend of mine (W0ILJ) , lost everything he owned , except the clothes on his back and his car , in July 2007 , due to a flood and chemical spill DR # 1711 , in Coffeyville , KS. No insurance , since he was in a 500 year flood plain.

He is wanting to replace a few key items and the top of his list is a set of R-14 phones.

Please state condition , price and method of payment .

THANKS ,
73 ,
Charlie (W5COV)

From -7446837971940552334
X-Google-Thread: 108228,a52780c98351f054
X-Google-Thread: fc8b1,a52780c98351f054
X-Google-Thread: 108122,a52780c98351f054
X-Google-Thread: fc2a5,a52780c98351f054
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 10 Jan 2008 17:06:24 -0600
Date: Thu, 10 Jan 2008 18:06:26 -0500
From: K3HVG <jeepp@comcast.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: alt.ham-

```
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.homebrew
Subject: Re: WTB: R-14 Headphones
References: <6gwhj.17612$3b7.10635@newsfe23.lga>
In-Reply-To: <6gwhj.17612$3b7.10635@newsfe23.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_fmdnUVBfbNtORvanZ2dnUVZ_vbinZ2d@comcast.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.33.111.19
X-Trace: sv3-PPvU4P1pPx0KkWB7c8ZZUfpDpGxKTjjkXqdhxGmdUh52fUnldoC9DSKqTnYEuC5wJdok/
q9HGmcn1vQ!ePLko4j3TkqEH7T2dh86vVdXvS/
YekEWO+mzApWpxbSIj4LrmYZxWhtoIcfEJ7Nh8AJmLCsMzYPY!yV05P9PnDJFS2TIPrTdxykDFnpMe
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com alt.ham-radio.marketplace:3552
rec.radio.amateur.boatanchors:13697 rec.radio.amateur.equipment:13755
rec.radio.amateur.homebrew:15035

KC0EH wrote:
>    A friend of mine ( W0ILJ ) , lost everything he owned , except the
> clothes on his back and his car , in July 2007 , due to a flood and chemical
> spill DR # 1711 , in Coffeyville , KS. No insurance , since he was in a 500
> year flood plain.
>    He is wanting to replace a few key items and the top of his list is a set
> of R-14 phones.
>    Please state condition , price and method of payment .
> THANKS ,
> 73 ,
> Charlie (W5COV )
>
>
>
When you say R-14 phones, do you mean an HS-23 or HS-33 headset?  The
R-14's (and ANB's)are just the elements for these typical headsets.  The
R-14 was also used in cloth flight caps, etc.  I may be able to assist.



From 447468796741098788
X-Google-Thread: 108122,e1ffcf9b860f6d23
X-Google-Thread: 10bf43,a2e5479ecde0b92c
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!newsfeed.datemas.de!
news.datemas.de!not-for-mail
From: "Mark Morgan" <markmorgan@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
```

```
Subject: Re: get kelp
Date: Thu, 10 Jan 2008 18:30:32 -0500
Organization: he wonder
Lines: 17
Message-ID: <fm69qt$k32$1@news.datemas.de>
References: <T4M8j.180$JW4.148@trnddc05> <d45f8304-d487-4428-b1f5-
d3ad7cb9da66@j78g2000hsd.googlegroups.com> <fm3e53$eki$1@news.datemas.de>
<325bce56-8987-49f4-bf4b-998cca78c2ba@k39g2000hsf.googlegroups.com>
<8cf42ad7-2708-49aa-b8ff-7f00e80ec566@k2g2000hse.googlegroups.com>
X-Trace: news.datemas.de
VUtwaE8Y2VcZ6bCkvXSIQwXG7YtfxFKuAKVfkbk3gvwV1LaVyZUwbaJomOlftj/
xK63ES3dkpsraYRszLF+iyKdswv5AA2W1qVwOJQzMUByvMKRoLlmeYODBFpMugh0HqVLZ8tK5uyv43xFX7
hO/qawARSluIs567GmU0o2Rny4=
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Thu, 10 Jan 2008 23:30:37 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13756
rec.radio.amateur.policy:107816


"gassyandgray" <gassyandgray@live.com> wrote in message
news:8cf42ad7-2708-49aa-b8ff-7f00e80ec566@k2g2000hse.googlegroups.com...
On Jan 9, 5:22 pm, an_old_friend <kb9...@gmail.com> wrote:
> On Jan 9, 4:25 pm, "Mark Morgan" <markmor...@hotmail.com> wrote:
>
> pity you hav e to comit forgery

Search on AF4GC

http://www.fcc.gov/eb/AmateurActions/files/WESTL07_06_29_1096.html

http://groups.yahoo.com/group/64repeatergroup/message/1098

He wonder why i simple




From 8925263273302077505
X-Google-Thread: 108122,db00acc329cb9c91,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 11 Jan 2008 02:24:06 -0600
From: "Mwin35" <Mwin35@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wtb  YAESU FT 920 SERVICE MANUAL
```

Date: Fri, 11 Jan 2008 02:24:04 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <2JGdnZdc3eQ7uhranZ2dnUVZ_hGdnZ2d@comcast.com>
Lines: 5
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.118.221.249
X-Trace: sv3-8J5OgNto43F3nk+OqGHVXROxEObOAtx+5Mb8gywKsu6jB6MoGzkdB9zAKuHPP/
QfuSEo38DxAQSPgWu!
dyChfFMyenO9gdmJywU1+cXgwcWEuG7ntF+cSSt+4ysQHBs3cEWuLjzr8K8DHFtUZT5fJmBx5Ncu!
ogFK2aRybO70Kxqd9H6NEzTVBjQs8xg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13757

I'am looking for a yaesu ft920 service manual.
Please e-mail me.
Thanks

From 3444184613818511642
X-Google-Thread: 108122,e1ffcf9b860f6d23
X-Google-Thread: 10bf43,a2e5479ecde0b92c
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!s8g2000prg.googlegroups.com!not-for-mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.equipment, rec.radio.amateur.policy
Subject: Re: get kelp
Date: Fri, 11 Jan 2008 06:18:53 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <c3db208a-4218-49bc-b020-e642f5fefada@s8g2000prg.googlegroups.com>
References: <T4M8j.180$JW4.148@trnddc05> <d45f8304-d487-4428-b1f5-d3ad7cb9da66@j78g2000hsd.googlegroups.com>
     <fm3e53$eki$1@news.datemas.de> <325bce56-8987-49f4-bf4b-998cca78c2ba@k39g2000hsf.googlegroups.com>
     <8cf42ad7-2708-49aa-b8ff-7f00e80ec566@k2g2000hse.googlegroups.com>
     <fm69qt$k32$1@news.datemas.de>
NNTP-Posting-Host: 69.19.14.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable

X-Trace: posting.google.com 1200061133 9209 127.0.0.1 (11 Jan 2008 14:18:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 11 Jan 2008 14:18:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s8g2000prg.googlegroups.com; posting-host=69.19.14.22;
posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13758
rec.radio.amateur.policy:107819

On Jan 10, 6:30=A0pm, "Mark Morgan" <markmor...@hotmail.com> wrote:
>
you prove who is harrassing whom

and it is you harrassing me

From 5655695806094983202
X-Google-Thread: 108122,f0eb8b7f4ed6321,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l6g2000prm.googlegroups.com!not-for-mail
From: TheComputerBrother <Marlin_Ronald@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Scholarship Program
Date: Fri, 28 Dec 2007 22:48:15 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <316ef9ed-33a9-4f9e-a3ba-7af3d64cb742@l6g2000prm.googlegroups.com>
NNTP-Posting-Host: 172.166.171.102
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1198910896 14281 127.0.0.1 (29 Dec 2007 06:48:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Dec 2007 06:48:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: l6g2000prm.googlegroups.com; posting-host=172.166.171.102;
posting-account=nzTcvAoAAACUBzbMjI2D6t-m89ut0w0K
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.5)
Gecko/20060912 Netscape/8.1.2,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13658

I just wanted to let everyone know that I just posted some information
about a scholarship program that is open to apply for if you are a
licensed ham radio operator and you want to continue your studies

http://hamming-it-up.blogspot.com/2007/12/scholarship-program-for-amateur-radio.html

```
From -2960475175499885067
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:11:19 -0500
Message-ID: <mp3cn3p6baf5mslgcmbs1h2gjs0si4lvd4@4ax.com>
References: <fjfp8r$vv8$1@registered.motzarella.org>
<fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
<v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
<orlpl39gb4d1p0dggo38adukcip7trrdds@4ax.com>
<0hmql3phnod3405u2ff0t0li6ridvl6gn9@4ax.com>
<0rnql3llgut3kequ7q13e8dd3ur3baqsqd@4ax.com>
<huoql3993bi096rnbbblvajq6afta57t7t@4ax.com>
<kjdrl3p3e92kgbu0hkut0u8cp8sbarbbrj@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 166
NNTP-Posting-Date: 29 Dec 2007 08:21:21 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:104997
rec.radio.amateur.antenna:52270 rec.radio.amateur.misc:42472
rec.radio.amateur.equipment:13659

On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
```

>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>>>
>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>
>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>> why do you try o dloyd
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G

>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>

>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and

noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 3961426614036707773
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:11:12 -0500
Message-ID: <fp3cn39d9651si12ih31qpo81tlsk8i96d@4ax.com>
References: <o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
<2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
<534ol3ht4vlrh404sss82sb939nplfqapp@4ax.com>
<n66ol394na0l4e9jsvurtuu1l69e4knf0k@4ax.com>
<irlpl3d1vn2jiaosp2cblvm9d2kooc3olf@4ax.com>
<qgmql3pnmrjenejn53st19qo0ul81b25pm@4ax.com>
<tqnql3dg667i9e45cmbci1oir8utrabvhf@4ax.com>
<cuoql3hbsn74ve8vgn4tbpmolf3srqfdsm@4ax.com>
<ejdrl390f6bob2fg2o7f7epgql19logi87@4ax.com>
<mbqrl3pcogqdujpp50tobn33brnt327mpp@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 215
NNTP-Posting-Date: 29 Dec 2007 08:21:14 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:105008
rec.radio.amateur.antenna:52271 rec.radio.amateur.misc:42478
rec.radio.amateur.equipment:13660

On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>wrote:
>>>>>>>>>>>
>>>>>>>>>>>>
>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>>>>>>>
>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>>>>citizen should
>>>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G

>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a

congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head

>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -9170191888975543711
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:10:26 -0500
Message-ID: <0o3cn3t8sbe7i81n073bjafm50mr582ou1@4ax.com>
References: <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
<td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
<ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
<t6qml3tmvvmon9jqa5le4cm66m63aglkor@4ax.com>
<otsml35ofgh1qfrcjjsdevdvqvgef7samb@4ax.com>

<t04ol3p9ac83ihaihkju6l67r2nsbleqt4@4ax.com>
<ur4ol3tk4esu9ejsarvajmmvc1anev8s28@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 172
NNTP-Posting-Date: 29 Dec 2007 08:20:27 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:105018
rec.radio.amateur.antenna:52273 rec.radio.amateur.misc:42484
rec.radio.amateur.equipment:13661

On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:51:19 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 07 Dec 2007 18:44:53 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 02 Dec 2007 06:11:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 28 Nov 2007 21:30:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>>>>>>>>><DloydLavies@gmail.com> wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>

>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams

>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ

```
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -5257296950568157665
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:11:50 -0500
Message-ID: <kq3cn3le1vp80fi0he7usd3hm8t7nrdmqi@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<tplpl3hnrntk9vstn1jc2vai9fdvs6om8d@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
NNTP-Posting-Date: 29 Dec 2007 08:21:51 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:105070
rec.radio.amateur.antenna:52274 rec.radio.amateur.misc:42507
rec.radio.amateur.equipment:13662

On Mon, 10 Dec 2007 10:17:02 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>
>>> Mark, why do you keep trying to cover up your misdeed
>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>citizen should
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
```

>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -4027288574127652317
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:11:45 -0500
Message-ID: <gq3cn3hdp5esmqo6o5a9654u1lp4j4t8qd@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
NNTP-Posting-Date: 29 Dec 2007 08:21:47 GMT
X-Complaints-To: abuse@teranews.com

Xref: g2news1.google.com rec.radio.amateur.policy:105136
rec.radio.amateur.antenna:52275 rec.radio.amateur.misc:42542
rec.radio.amateur.equipment:13663

On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>
>>> Mark, why do you keep trying to cover up your misdeed
>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>citizen should
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--

Posted via a free Usenet account from http://www.teranews.com

---

```
From -7214876150149165721
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:11:24 -0500
Message-ID: <rp3cn3tnqcm6bu8d6212gjnd5s85mmi02f@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<fjihio$m4n$1@registered.motzarella.org>
<trlpl31luai00ajid3e9ajbvb327ah3uc7@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 112
NNTP-Posting-Date: 29 Dec 2007 08:21:26 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 109
Xref: g2news1.google.com rec.radio.amateur.policy:105146
rec.radio.amateur.antenna:52277 rec.radio.amateur.misc:42545
rec.radio.amateur.equipment:13664

On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 00:07:31 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>><kb9rqz@hotmail.com> wrote in message
>>news:cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com...
>>> On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
```

```
>>>>
>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>
>>>>>>> Why keep burying the truth in your flood?
>>>>>>why do you try o dloyd
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
>>>>>congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>>google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
>>>>congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>> congress"
>>> adams
>>>
>>> woger you are a Congress all in your own head
>>>
```

>>> http://kb9rqz.bravejournal.com/
>>> altopia is never used by KB9RQZ
>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>> google and noow motezrella
>>>
>>> posts from these sorucees are fakes
>>>
>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>> G
>>>
>>> --
>>> Posted via a free Usenet account from http://www.teranews.com
>>>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -8507023140051783463
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:11:17 -0500
Message-ID: <jp3cn3djdujlt8prpodng6s2gh6oem64kg@4ax.com>
References: <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<8u4ol31v5c7ln8or70ljd45l60f3h2o2sf@4ax.com>
<s66ol3pk754grpk7g8egmu2s6rbqd607to@4ax.com>
<rrlpl3p2v308oido6qhfijnt3oo4r2dahg@4ax.com>
<ugmql3hqljaau16t6ud1fb0kvuig0ejqdo@4ax.com>
<2rnql35m4v0vu5k0mhgm77ll7p2nsqp0at@4ax.com>
<juoql3pjho9vf7dakctq3bbp4bcvrrsadd@4ax.com>
<mjdrl3h1e69bfvemef9avn16mfef6qurf7@4ax.com>
<tbqrl31fea35r1t294483ugbocv6r694ve@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 183
NNTP-Posting-Date: 29 Dec 2007 08:21:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:105207
rec.radio.amateur.antenna:52279 rec.radio.amateur.misc:42571
rec.radio.amateur.equipment:13665

On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
```

```
>>>>>>>
>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>>>>
>>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>> news:3c920296-f133-4bd7-a698-
bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>
>>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>>> why do you try o dloyd
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
```

>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams

>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ

>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 6713102432261952962
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:11:22 -0500
Message-ID: <op3cn3pca8scl7pk18p92mv82o7sf8j2on@4ax.com>
References: <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
<v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
<orlpl39gb4d1p0dggo38adukcip7trrdds@4ax.com>
<0hmql3phnod3405u2ff0t0li6ridvl6gn9@4ax.com>

```
<0rnql3llgut3kequ7q13e8dd3ur3baqsqd@4ax.com>
<huoql3993bi096rnbbblvajq6afta57t7t@4ax.com>
<kjdrl3p3e92kgbu0hkut0u8cp8sbarbbrj@4ax.com>
<rbqrl3pkhuc2ol4cmsufaaouv6rrfkiuvs@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 183
NNTP-Posting-Date: 29 Dec 2007 08:21:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:105245
rec.radio.amateur.antenna:52280 rec.radio.amateur.misc:42587
rec.radio.amateur.equipment:13666

On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>>>>
>>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>> news:3c920296-f133-4bd7-a698-
bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>
>>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>>> why do you try o dloyd
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
```

>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head

>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 6605377931118146878
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:11:27 -0500
Message-ID: <up3cn392lj6acmm23okg86ddi8vku0fp41@4ax.com>
References: <fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
<0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
<3hmql3lqodhmeqartv8kaihj1u1bgss9tp@4ax.com>
<5rnql39vi7q6nvbfl2evm25g956mafnksd@4ax.com>
<luoql3lj3dg93l0db875phssh3hf159qau@4ax.com>
<pjdrl3d48vh2erdg257164asu6mbrb31nq@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 182
NNTP-Posting-Date: 29 Dec 2007 08:21:29 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 179
Xref: g2news1.google.com rec.radio.amateur.policy:105274
rec.radio.amateur.antenna:52283 rec.radio.amateur.misc:42597
rec.radio.amateur.equipment:13667

On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>

```
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>
>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>>why do you try o dloyd
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
```

>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>

>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>

>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -4860735375223768917
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 04:11:29 -0500
Message-ID: <0q3cn3p31lrhob26fb4b89do1boh08iail@4ax.com>
References: <fjcjv0$720$1@registered.motzarella.org>

```
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 184
NNTP-Posting-Date: 29 Dec 2007 08:21:32 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 181
Xref: g2news1.google.com rec.radio.amateur.policy:105293
rec.radio.amateur.antenna:52284 rec.radio.amateur.misc:42609
rec.radio.amateur.equipment:13668

On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>>
>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>citizen should
>>>>>>>>>>
```

>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a

```
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
```

>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 6444011507884885602
X-Google-Thread: 108122,9eddf6d457b9bdf5
X-Google-Thread: 108228,9eddf6d457b9bdf5
X-Google-Thread: fb049,9eddf6d457b9bdf5
X-Google-Thread: fcc6e,9eddf6d457b9bdf5
X-Google-Thread: 10bf43,6db222f300e8593
X-Google-Attributes: gid108122,gid108228,gidfb049,gidfcc6e,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.policy
Subject: Re: why do you claim child molesting is laughing matter Dloyd?
Date: Sat, 29 Dec 2007 04:06:30 -0500
Message-ID: <lg3cn3pk77jap3qv6dsg6mg5qkgk0ng8cl@4ax.com>
References: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
<c0daf03508876d541475d10ea0de7261@pseudo.borked.net>
<474eea47$0$26082$88260bb3@free.teranews.com>
<fin5np$oc5$1@registered.motzarella.org>
<_OKdnRUexsvrrdLanZ2dnUVZ_sOrnZ2d@adelphia.com>
<finbmg$hro$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
NNTP-Posting-Date: 29 Dec 2007 08:18:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13669 alt.ham-radio.marketplace:3511 alt.ham-radio.vhf-uhf:6345 rec.radio.amateur.antenna:52285
rec.radio.amateur.policy:105344

On Thu, 29 Nov 2007 16:41:30 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"John Doe" <hgorden@adelphia.net> wrote in message
>news:_OKdnRUexsvrrdLanZ2dnUVZ_sOrnZ2d@adelphia.com...
>>

>
>>>WHY DO YOU XPOST THIS GARBAGE TO EVERYONE????
>
>who?>
>>
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 5729589376229775811
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 14:25:11 -0500
Message-ID: <l27dn31v0fitqcv32mfpbhsp2ga03q33e7@4ax.com>
References: <3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
<td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
<ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
<t6qml3tmvvmon9jqa5le4cm66m63aglkor@4ax.com>
<otsml35ofgh1qfrcjjsdevdvqvgef7samb@4ax.com>
<t04ol3p9ac83ihaihkju6l67r2nsbleqt4@4ax.com>
```

```
<ur4ol3tk4esu9ejsarvajmmvc1anev8s28@4ax.com>
<0o3cn3t8sbe7i81n073bjafm50mr582ou1@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 189
NNTP-Posting-Date: 29 Dec 2007 18:35:46 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:105403
rec.radio.amateur.antenna:52291 rec.radio.amateur.misc:42659
rec.radio.amateur.equipment:13670

On Sat, 29 Dec 2007 04:10:26 -0500, kb9rqz@yahool.com wrote:

>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:51:19 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Fri, 07 Dec 2007 18:44:53 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 02 Dec 2007 06:11:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 28 Nov 2007 21:30:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>>>>>>>>>><DloydLavies@gmail.com> wrote:
>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
```

>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>

>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head

>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 7382036966950245903
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 29 Dec 2007 14:25:11 -0500
Message-ID: <u27dn35pf9vklj0ii1dfa85eo5lbf1eeac@4ax.com>
References: <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
<v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
<orlpl39gb4d1p0dggo38adukcip7trrdds@4ax.com>
<0hmql3phnod3405u2ff0t0li6ridvl6gn9@4ax.com>
<0rnql3llgut3kequ7q13e8dd3ur3baqsqd@4ax.com>
<huoql3993bi096rnbbblvajq6afta57t7t@4ax.com>
<kjdrl3p3e92kgbu0hkut0u8cp8sbarbbrj@4ax.com>
<mp3cn3p6baf5mslgcmbs1h2gjs0si4lvd4@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 183
NNTP-Posting-Date: 29 Dec 2007 18:35:57 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:105405 rec.radio.amateur.antenna:52292 rec.radio.amateur.misc:42660 rec.radio.amateur.equipment:13671

On Sat, 29 Dec 2007 04:11:19 -0500, kb9rqz@yahool.com wrote:

>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

```
>
>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>>>>
>>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>> news:3c920296-f133-4bd7-a698-
bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>
>>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>>> why do you try o dloyd
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
```

>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/

>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes

>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -4039513871532341957
X-Google-Thread: 108122,feb881a444114908,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 29 Dec 2007 13:55:47 -0600
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Weller WCC100 Soldering Station

```
Date: Sat, 29 Dec 2007 13:55:42 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Original
Message-ID: <5uKdncs757XeO-vanZ2dnUVZ_s-pnZ2d@comcast.com>
Lines: 100
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-RsmB+jBrIaOO+0cPQHgF0xX9pSs873uueDfUtdhyBk2AhBiFriBY+/
mMjvmahI1j4Zb2JYsrOBDjl29!
wZt0o84s4SI1+w6rAdGAPvGjLk62wx4KNJbN7dW56MWHdRTaUf9Tn0Ptmfh6cE6CU5rqgzeFJ529!
fgJq47kZqF49n0gCGgBREvoWrwxluA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13672
```

This is an informational post for owners of the Weller WCC100 soldering station.
Some Elecraft builders have used this soldering station for building their kits.

This is the BLUE colored station that was sold by Weller until 1999, when it was discontinued

The Weller WLC100, which is an ORANGE colored station, is a totally DIFFERENT station.
The WLC100 is NOT temeprature controller uses an OEM light dimemr module) and uses the Weller "ST" series of soldering tips. Information on the WLC100 model, can be found here:
http://www.uoguelph.ca/~antoon/circ/wlc100.html
===============

The Weller WCC100 is a temperature controlled soldering station that Weller sold in 1990s,
until it was discontinued by Weller in 1999. I have found some vendors that still have a few of these stations in stock. The WES51 soldering station, introduced in 2002 replaced the WCC100 model.
The WCC100 station uses the Weller "ET" series soldering tips, which are readily available and used on a number of current Weller soldering stations (WES51, EC series, Silver Series).

I am collecting pertinent documentation for this Weller station (including the Tech Sheet) that will eventually be available electronically (likely through BAMA).

The WCC100 soldering station is a line voltage (120 VAC) station.
This station has NO isolation transformer and the control board is connected

directly to line voltage (no fuse, surge protection or safety capacitor).
The control board monitors the thermocouple (temperature sensor) and 120 VAC heater.

Parts numbers for Weller WCC100 solder station

WCC101 - Replacement Iron w/ETA tip
WCC102 - Replacement Heater (120 V)
WCC103 - Temperature Sensor w/Spring
WCC104 - Sponge
WCC105 - Spring and Funnel Assembly
WCC106 - Control Board
WCC108 - Weller Barrel Nut
SW120 - Switch (Carling LRA series illuminated rocker)
ET series tips - widely available and used in Weller WES51, "EC" and Silver Series stations
====

WCC102 heater has a resistance of about 348 to 350 ohms at room temperature (27 C)

WCC103 temperature sensor has a resistance of about 1 to 2 ohms at room temperature (27 C)
This resistance increases (thermocouple) as the temperature rises -- the control board then compares this to the temperature set by the user (potentiometer). A "zero-crossing" circuit then turns off the heater (usually via a Triac or transistor switch) -- when the temperature is reached and turns the heater back on, when the temperature drops below this point.

I acquired a WCC100 soldering station, via eBay, that was non-functional in December 2007.
The temperature sensor (WCC103) had failed (open - infinite resistance) in this station's iron. Some parts are becoming more difficult to obtain for this station, since Weller discontinued it over 8 years ago.

IF you have a dead WCC100 station, now is the time to get it repaired, unless you are scrapping it
(I will accept these donations).

These Distributors have Weller WCC100 parts "in stock", as of December 2007

Allied Electronics
http://www.alliedelec.com/default.asp

WCC103 Temperature Sensor (115 units in stock)
Allied part number: 984-2267, price: $ 7.30
==
Santa Cruz Electronics
http://www.santacruzelectronics.com/forms/Query.cfm?q_class=TOOLS%20

WCC102 - Replacement Heater (120 V) - $ 21.34
WCC104 - Replacement Sponge - $ 1.50

WCC106 - Control Board - $ 5.74
WCC108 - Weller Barrel Nut - $ 7.52
==
GC Electronics (available at any GC Electronics reseller or retailer)
SW120 - Replacement Illuminated Rocker switch
GC Electronics part number 35-3740 - $ 3.00

Carling Curvette LRA series - LRA211C.
LRA211: 125V Neon Lamp; 16A 125VAC; .250 QC Tabs;
OFF-NONE-ON (SPST); Red Transparent, Black bezel.

==
Greg
W9GB

```
From 5826789292513927751
X-Google-Thread: 108122,9b38015e9e2520a3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i12g2000prf.googlegroups.com!not-for-
mail
From: No Spam <spaminyourear@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yeasu Portable Battery Schematics
Date: Sat, 29 Dec 2007 16:14:21 -0800 (PST)
Organization: http://groups.google.com
Lines: 31
Message-ID: <5154783a-be81-4f39-9495-eea6de7ae768@i12g2000prf.googlegroups.com>
NNTP-Posting-Host: 71.38.151.230
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1198973661 22205 127.0.0.1 (30 Dec 2007 00:14:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Dec 2007 00:14:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i12g2000prf.googlegroups.com; posting-host=71.38.151.230;
     posting-account=CBb5hgkAAAAsS0e87Y_7r1voSj9VqCuu
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13674
```

Does anyone have/know the wiring configuration of the connections on
Yaseu Portable battery packs?

Specifically I would like to connect an external power source to one
of my portables (FT-51r) and would like to look at a schematic before
making connections incorrectly and cooking my radio.

I also have the following Yaesu portable models FT-411, FT-530, and suspect the batteries have similar wiring configurations.

I have checked the Internet, Yaesu, and after market battery outfits with little usable response.

Thank you in advance for any assistance you may be able to provide.

****

I am also looking for the following accessories to allow connecting external power to my Yaesu Ft 51r Ham radio.

EDC-12 Allows connecting to a cigarette plug in a car or power supply.

FBA-14 Allows operating the radio on four AA batteries.

I would also like to buy a dead battery for the same radio to tear apart and build my own adapter.

Depending on what you have I might also be interested in other accessories for my radio.

Thank you.

From 4036180073174555263
X-Google-Thread: 108122,c77d95c5f4a8da77,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Pat" <W2BDH@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Radio stuff for sale
Date: Sat, 29 Dec 2007 22:53:20 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 3
Message-ID: <4777161b$0$8799$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13675

http://members6.boardhost.com/theswapshoppe/

```
From -5297076952331545516
X-Google-Thread: 108122,da1c881853eb9b17,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews4.bellsouth.net.POSTED!aba369ab!
not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: test ignore
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 11
Message-ID: <FDHdj.34631$_m.12836@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbojkcommldhgloliieoehfhppohfiobklkpd
kkniakbmhaegdabdgkdkhmojmbbfpillceooghalkmahkgcifncdophfjfaaemkajlpckgmehklioh
NNTP-Posting-Date: Sun, 30 Dec 2007 02:19:01 EST
Date: Sun, 30 Dec 2007 02:26:39 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13676

test

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P




From -2509597649582859480
X-Google-Thread: 10bf43,a36e254fe15cae18
X-Google-Thread: fb049,a36e254fe15cae18
X-Google-Thread: 107ada,a36e254fe15cae18
X-Google-Thread: 114aac,a36e254fe15cae18
X-Google-Thread: 108122,a36e254fe15cae18
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!news2.euro.net!nntpserver.com!
```

```
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: : cease and desist your harrassment  dloyd Lavies.
Date: Sun, 30 Dec 2007 17:25:37 -0500
Message-ID: <pm6gn3t7loniea02f392mgta7q4i6ialbm@4ax.com>
References: <4746ead5$0$26105$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Date: 30 Dec 2007 21:35:39 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:106517 alt.ham-radio.vhf-
uhf:6362 rec.radio.amateur.misc:42807 rec.radio.shortwave:130551
rec.radio.amateur.equipment:13677
```

On Fri, 23 Nov 2007 10:49:57 -0500, "Marqueer Mark Morgan"
<mrakmrogan@hotmale.com> wrote:

: cease and desist your harrassment dloyd Lavies.

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com

```
From 3976087292007296268
X-Google-Thread: 108122,feb881a444114908
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 30 Dec 2007 19:17:52 -0600
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
```

References: <5uKdncs757XeO-vanZ2dnUVZ_s-pnZ2d@comcast.com>
Subject: Re: Weller WCC100 Soldering Station
Date: Sun, 30 Dec 2007 19:17:46 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Response
Message-ID: <NaqdnSi55-_d3uXanZ2dnUVZ_oWdnZ2d@comcast.com>
Lines: 39
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-XTw7mXnyr29NJoDPwnzGpA0ld/ssl6RorYrMqolLKM5jZofYw1X+K94FJ20NPCB/
zljbMiXwD9hcac/!pSteoDi7FzlPiwi4YUlP+tZe9+mT6JSDsH/Aisg29G+zSov0NfkwQ+/
QH62yT8GS5tSu4AzzYSIv!hjVkzhSy9Pt2TPtnC/JMgzu1iaxE6Q==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13678

The Weller WCC103 temperature sensor is actually an iron-constantan thermocouple (possibly Type J), although Weller used Type K thermocouples for its EC station series .
Sensitivity believed to be about 50 �V/�C
The relationship between temperature and voltage produced is NON-Linear.

What is a thermocouple sensor?
A thermocouple is a sensor for measuring temperature. It consists of two dissimilar metals, joined together at one end. When the junction of the two metals is heated or cooled a voltage is produced that can be correlated back to the temperature. The thermocouple alloys are commonly available as wire.

When replacing the WCC103 sensor the leads MUST be correctly installed or the iron stays on continuously and eventually overheats.
The Iron (magnetic) lead connects to the RED wire
The Constantan (copper-nickel alloy/non-magnetic) lead connects to the YELLOW wire

gb

"gb" <w9nogbspam@arrlspamno.net> wrote in message
news:5uKdncs757XeO-vanZ2dnUVZ_s-pnZ2d@comcast.com...
> This is an informational post for owners of the Weller WCC100 soldering
> station.
> Some Elecraft builders have used this soldering station for building their
> kits.
>
> This is the BLUE colored station that was sold by Weller until 1999, when
> it was discontinued
>

> The Weller WLC100, which is an ORANGE colored station, is a totally
> DIFFERENT station.
> The WLC100 is NOT temeprature controller uses an OEM light dimemr module)
> and uses the Weller "ST" series of soldering tips. Information on the
> WLC100 model, can be found here:
> http://www.uoguelph.ca/~antoon/circ/wlc100.html
> ===============

From -1988639350698688106
X-Google-Thread: 10a148,e7738c9fbaa0cdc,start
X-Google-Thread: f704f,e7738c9fbaa0cdc,start
X-Google-Thread: 10499d,e7738c9fbaa0cdc,start
X-Google-Thread: 108122,e7738c9fbaa0cdc,start
X-Google-Attributes: gid10a148,gidf704f,gid10499d,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <wj0711310823260611@4ax.com>
Subject: M`I,5.Persecution - Molest ation d uring Travel
Newsgroups: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
Followup-To: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,uk.misc
From: evmfeivm@yahoo.com
Date: 31 Dec 2007 08:23:29 GMT
Lines: 295
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 292
Xref: g2news1.google.com sci.space.shuttle:34111 alt.internet.search-engines:49734 alt.sex.algore.lick.the.wet.toad:1853 alt.sex.boys:39368 rec.radio.amateur.equipment:13679

MI5 Persecution: Molestation. during Travel

MI5s persecution of me varies in intensity. Since. 1990 it has been steady for. perhaps 80% of the time; there was a notable quiet period in 1993, and another quiet. period in Jan-Feb 1995, as well as a hiatus in the first two months of 1999. It puzzles me that. they cease and restart, seemingly without any logic or reason. But one aspect. of MI5s activities against me which is relatively predictable is this weeks articles topic,. which is Molestation during Travel. Almost every time I cross the. Atlantic, go to the. Continent or even try to enjoy a holiday in this country, you can bet that MI5 will be there doing their. utmost to wreck it all.

This aspect. of the harassment is particularly relevant as I will be travelling. to Europe again in a months time, with naturally the Minidisc recorder in tow; so it will be interesting to see if I can. record the abuse which will almost certainly take place, either on the Tube going. to the airport, at the airport, on the flight, in the terminal building. - MI5 have previously. instituted instances of abuse at each of these locations, so well see how much taxpayers money they waste. this time, and whether it will prove possible to capture their abuse on. minidisc.

Read about. the MI5 Persecution on the Web

June 1992. in Polands mountain resort of Zakopane

The persecution started. in June 1990, and for the first two years I stayed in the UK apart from a couple of brief day. trips to Calais. By the summer of 1992 Id had enough of being cooped up in England. with abusive fellow employees egged on by an abusive secret police service, and decided. to spend 10 days in southern Poland, on what was intended to be a. holiday at the mountain resort. town of Zakopane.

Unfortunately the psychopaths of the Security Service. were not willing to allow me. to enjoy a holiday in peace and quiet. The journey to Zakopane was. by coach from the meeting point at Londons Victoria coach station (National Express) followed by ferry followed by another. coach across Europe. As we left Victoria. a youth and his girlfriend started a loud tirade. of abuse directed at "this bloke", where the "bloke" was never named, but it was very clear that the "bloke" was myself. The. youth said "they" had "found somebody from his. school, and he was always really stressed at school, a real psycho". Again, the label "they" was. not elaborated on,. but it was clear that "they" = the persecutors from MI5. The boy also said, "he was in. a bed and breakfast for only one night and they got him". By a not unexpected. coincidence I had been in a B&B in Oxford a. week previously, which had been booked from work; other things lead me to the conclusion that. the company's offices were bugged for most of the 2 1/2 years that I. was there, so "they" would have known a room in the B&B had. been booked. After a few minutes of this I went back to where they. were sitting and asked where they were travelling. The boy named a village in France, and the girl's giggling suddenly ceased; presumably. it permeated to her brain cell what the. purpose of the boy's abuse was.

It is now very clear to me that. MI5 were trying to have me incarcerated, assaulted or killed on this trip across. Europe. The degree of verbal violence inescapably leads to this conclusion. When we arrived at. our destination, it became clear that many people, both in our tour. group and its guide, and among. the ordinary residents of the town, knew there was a movement under. way to "get" me. MI5 employed many people and significant resources for an action. which they knew would only take a maximum of ten days.. A commercial operation would never have felt able to waste such resources on such an unproductive. and temporary action; only a state-sponsored,. taxpayer-funded entity like the Security Service would be able to. be so wasteful.

To give some examples of what happened in those ten days;. I was walking in some. woods outside the town, when a Polish woman, looking at me, said the English "shit" in a strongly Polish-accented voice. For the. first three years 1990-92. MI5 had been trying to force this word on me. Another example; I was. walking near my "hotel" when a mother said laughing to her child,. "a wiesz ze to prawdziwy wariat" which means "you know hes a real madman". And the "TV reacting" happened there too; on. Polish TV, a bemused looking journalist. said to another, "to jest sprawa Anglikow", which means "its the concern of the English", in. other words, none of our business, despite what. the English are trying to force down our throats.

Just before we left for. home, I went with some others from our group to a nearby bar. There a man shouted at me the. same sexual obscenity which MI5 have constantly thrown at. me these last three years. I think MI5 try to justify their various terms of abuse by repeating them at. me until I say them, either while conscious or. while talking in my sleep; and then they seize on my saying those words. to "prove" that the obscenities are "my fault", et cetera. This rather stupid. reasoning of theirs can actually be seen as indicative of the psychopathic condition attributed to them in. a previous. article; blaming the victim for the crime you inflict on him is how psychopaths. think.

Nor did the persecutors let up during the return trip. Returning. on the ferry over the channel, a rather. insalubrious-looking guy talked to his mates about "and you know this bloke, hes really mad you. know, hes really mad". On the National Express return coach to London, a group. of five or six young people started shouting at me. I slumped in my. seat and tried to avoid presenting a target, so they got ever more strident - "whats. the matter with you,. cant you hear us?" One of the other people who had been on the trip to. Poland asked them why they were shouting at me, and they said, "hes been to. Cambridge", to which the co-holidayer asked them, "have you been to Cambridge?" presumably thinking they. were aggrieved fellow students, but they answered "no". Even after I left. the coach at Elephant and Castle abuse continued; in the tube. station, two kids started throwing abuse at me; one of them said to the other, "and you. know he works?" to which the other answered. "yes".

Immediate. Aftermath of November 1992

As you. will know from previous articles, my manager at OCG - ARIS/Oxford, Mr Mitchell, induced. a mental breakdown in me in the months leading up to Nov/92. The. diagnosis was regarded by the persecutors as a victory for them, because few if any people give credence. to allegations of harassment when they are. made by somebody suffering from schizophrenia. There is also a. bias against the mentally ill, an "institutionalised bigotry" in society comparable to the institutionalised. racism against blacks.

However, MI5. did not let up on persecuting me following Nov/92. In December 1992 I flew by charter jet to Alicante in Spain. for two weeks recuperation. MI5 planted one of their people on the flight, a. youth who tried to start some noises that "hes a nutter". One of the. other passengers replied,. "oh hes a nutter is he? oh well!" and the youth shut up and said nothing for the. rest of the flight. I think it would be fair to say that the youth on the flight was embarrassed by what he. had been asked to do. in making the flight "uncomfortable" for me; he sounded defensive rather. than aggressive.

My first trip to Canada in. June 1993

Ive already covered. this in a previous article so Ill just give a brief summary here. On 10 June 1993 I flew British Airways from Heathrow. to Torontos Pearson Airport. On de-planing. from the aircraft, one of a group of four fellow passengers looked at me and said, laughing,. "if he tries to run away well find him".. It was quite obvious that these four men were the ones who had. been harassing me since 1990.

I did nothing to. apprehend them or bring this incident to the attention of the airport authorities, mostly because this was my very first visit. to Canada, and the last thing I wanted. was to get into a dispute before I had even finished disembarking. In retrospect, I. can see this was a terrible mistake; I should have made every effort to detain. and identify these people.

Subsequently. I have made numerous attempts to obtain the names of these people from British Airways. passenger lists, by talking to BA, through a lawyer in Ontario, through a solicitor in England, through. the UK police, and also through private detectives in the UK. But. all my efforts have come to nothing. BA. have told me they keep passenger lists for a period of seven. years, so they will still have the list for this 1993 flight. I did not see or hear. anything during the rest of my visit to Ontario in 1993 which would have lead me to believe that I. was being watched or followed.

Journey across Canada in. summer 1994

As I think Ive already said in previous articles I. emigrated to Canada in late May 1994. For six weeks between late May 1994 and early. July 1994 I travelled. across Canada from coast to coast, starting in Toronto, visiting various cities and ending up in British Columbia. I saw. this both as something of a holiday, and the chance. to get to know a little better my adopted. country.

As you can guess, MI5. followed me everywhere I went during these six weeks. In Toronto, where I started. this trip in late May, I was spoken about by one youth to another with. the words "hes an idiot", to which the other replied, laughing sympathetically,. "good luck to him".

A couple of days later I went to Montreal and stayed at the. YMCA downtown. As you can guess (this. is all so predictable, isnt it?) MI5 followed me there and bugged my room at the YMCA. Not. only that, but they managed to. set-up an instance of "newscaster reaction" from a local television station; while I was watching. a Vermont TV news programme on the set in my room, the. woman reporter said, "well theyre just tired and they want to. go home", which sounds like a pretty unprofessional thing to say until you realise she was trying to say of me that I was the one. that was supposed to be tired, and they (ie MI5). wanted me to go home to the UK.

On the. bus journey across the North American continent, it was quite clear that MI5 were following me every step on the way. For the first. part of the journey they actually put someone on the bus with me, a youth who. said at me "that guys paranoid". and tried to incite other passengers to attack me. I stopped for a couple of days in Winnipeg in central Canada, and. on leaving the town heard on the radio a female. presenter ranting about "insanity! insanity!". It is. very tiring travelling such a long distance by bus; I took the. journey in two steps, each of about 36 hours; and it is especially tiring when you know MI5 are watching you. and harassing you every step of. the way.

When I finally got to Vancouver, MI5. instituted the usual harassment, in very short order. I was surprised how quickly they. were able to induce hatred towards me in elements of. the general populace; the Security Service must have employed a number of. agents and serious resources in a very short period of time; and for no real gain,. because I havent been back to BC for almost five years, so all their "work" appears to. be for nothing. In downtown Vancouver a street person said in front of. me, "theyre all talking about him". For a few days I. was staying at Pauls Guest House. (345 W.14th Ave); on the day I left, the owner Paul shouted at no-one in particular, "hes. going to Victoria" - which was quite accurate, I was indeed going to the. provincial capital Victoria on Vancouver Island. But I had not told anyone at the guest house. where I was going; I had only. mentioned to my parents back in England on the phone that I was going away from Vancouver. for a few days. Which leads me to suppose that MI5s bugging. of the phone in my parents house yielded the "intelligence" that. I intended to visit Victoria, and they had passed the information. on to Paul.

When I got to Victoria it was again obvious. that the persecutors were "doing their stuff" there as well. On the street I was identified. as being English, although I had not said anything so my accent hadnt. given me away; and. returning by ferry to the mainland, I was abused by a Canadian woman who said, "hes a. nutter! you can run but you cant hide". During my years in Canada I have never. heard the word "nutter" on any other occasion; I do not think it is. part of Canadians vocabulary; so the Canadian woman on the ferry, who was obviously talking about me, must. have been supplied with this word. by the English persecutors. And once I got back to Vancouver, staying at the Austin Hotel on Granville. St, I listened to a conversation in the apartment block directly opposite, and a. man saying, "hes paranoid, so thats as bad as it can be, so why are they. doing this. to him?".

Holiday in the States,. August 1995

By 1995 I was living in Canada, and in. August I went down the eastern seaboard to Florida and as far as Key West by car. As you can guess. (this is all so boring and predictable, isnt it?). MI5 followed me every step of the way. I can see in. retrospect that this must have been quite easy for them as they had my car bugged,. both on the inside to listen to anything that was said and what radio station I. was listening to, as well as what must have. been a tracker device installed to track it across long distances.

The first city I visited was. Philadelphia. In the old Congress Hall where the first US Congress assembled, the woman guide started referring. to my situation, saying that "all these people in Europe were watching. it", and they were "a little paranoid" at this 18th-century experiment. in democracy. Also I. had recently written a newsgroup post where Id described a (female) poster as "wet-nosed" (implying. "canine"), and a young girl in Philadelphia remarked, "so he. thinks were dogs?" There were two or three more incidents during this holiday in the. eastern States, including a radio station down near Miami, showing. "they" had tracked me all the way there, and were bugging. the inside of my car; but I didnt record the details and Ive. forgotten some of it now. Also down in Miami Beach a French tourist in a lift expressed support for me. with the words, "cest incroyable" ie.. its incredible, meaning that MI5s well-known actions against me were. beyond belief.

To go back a bit, in. about May/June 1995 Id visited New York, again by car, and was insulted several. times by people using the same words that had been used against me. in England. In Central Park, and elderly Englishman (not a real gentleman - but. then the Engish view of themselves as "gentlemen" etc is quite laughable) looked at. me and said "idiot". And while I was eating in. a streetside restaurant a New York youth started laughing and. said something like, "I cant believe it, hes actually here" - I think that was because I had. had an expressed wish to visit New York for some years before this,. although after this visit I wont be going there again for a. very long time.

Visit to Poland December. 1995/January 1996

In December 1995 I flew (BA again, unfortunately - every time Ive flown. BA one of these incidents has happened, presumably MI5 is happier. setting up harassment. on British-domiciled carrier) from Montreal to Berlin and travelled on to Poland to visit family. MI5. naturally harassed me in Poland during my brief stay. They followed me around and got. Polish people to. take part in the harassment. In one case two Polish youths talked in front of me saying in English (with. marked Polish accents), "fucked up men, fuck. you". There were also other incidents which I dont remember too clearly since it was some. time ago.

The return. flight connected through Heathrow, and in the transit lounge MI5 again set-up harassment against me. In Poland. they were talking their abuse in English, and in London. they set Polish people after me to speak in Polish; they. heard me on the phone to my father, and said "a wiesz ze to Polski wariat", in an almost sympathetic, inclusive. fashion (translation.. "you know hes a Polish nutter"). Once on the flight to Montreal I was again set upon by two English youths, one of. whom spoke and the other listened. The aggressive "fat bastard" youth said, "if he. wants to be a wanker" (its my fault theyre harassing. me, you see), self-justification that "hes a nutter". (so we have to keep on abusing him, because hes ill), as well as talking about the town in Poland. where I had been staying. He. also said, "he doesnt know who we are", but as already remarked. in a previous article, that was at best a half-denial of my guess expressed in internet newsgroups that the people after me. were MI5 - if anything its. a half-confirmation rather than a half-denial.

These incidents are still going on. You can hear digitised audio. files of abuse on a BA flight to Berlin in. 1998 on the Web at address

On this flight they were again attacking. my mental health; "paranoid, hes paranoid" and "nutter" are discernable. The last "during. travel" contact was at Ottawa Airport on. 21 July 1998, when "Alan Holdsworth" the psychopath MI5 agent, dressed as a vagrant, was. pacing aggressively in the departure. area. In three weeks I will again be travelling to Europe; we will see what. fresh acts of molestation MI5 perpetrate during this trip.

357

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDem

```
From -2602439591826367801
X-Google-Thread: 10a148,12b13f2e7720fd4b,start
X-Google-Thread: f704f,12b13f2e7720fd4b,start
X-Google-Thread: 10499d,12b13f2e7720fd4b,start
X-Google-Thread: 108122,12b13f2e7720fd4b,start
X-Google-Attributes: gid10a148,gidf704f,gid10499d,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <ot0711310844257209@4ax.com>
Subject: M,I`5'Perse cution ' MI5  are  A fraid to A dmit T heyre Behind  t he Per
secution
Newsgroups: sci.space.shuttle,alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
Followup-To: sci.space.shuttle,alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,
uk.misc
From: ifeieiei@lycos.com
Date: 31 Dec 2007 08:44:28 GMT
Lines: 190
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 187
Xref: g2news1.google.com sci.space.shuttle:34112 alt.internet.search-engines:49735
alt.sex.algore.lick.the.wet.toad:1854 alt.sex.boys:39369
rec.radio.amateur.equipment:13680
```

MI5 are Afraid. to Admit They're Behind the Persecution

MI5 have issued a formal denial. of any involvement in my life to the Security Service Tribunal,. as you might expect them to; but, more importantly, the. persecutors have never denied that theyre from the Security Service, despite. several years of accusations from my corner on usenet and in faxed articles. I am not surprised that the Security. Service Tribunal found "no determination in your. favour". I am however a little surprised that the persecutors have refused to. confirm my identification of them; by doing so, they implicitly. admit that my guess was right.

"No determination in your favour" says the. Security Service Tribunal

In. 1997, I made a complaint to the Security Service Tribunal, giving only the bare outlines of my case. I do not think it would have made. very much difference if Id made a much more. detailed complaint, since the Tribunal has no ability to perform investigatory functions. It can only ask MI5. if they have an interest in a subject,. to which MI5 are of course free to be "economical with the truth". A couple of months after my. complaint the Tribunal. replied that;

The. Security Service Tribunal have now investigated your complaint and have asked me to inform you that no determination. in your favour has been made. on your complaint.

Needless. to say this reply didnt surprise me in the slightest. It is a well established fact that the. secret service are a den of liars and the Tribunal. a toothless watchdog, so to see them conforming to these stereotypes might be disappointing. but unsurprising.

It. is noteworthy that the Tribunal never gives the plaintiff information on whether the "no determination in your favour" is because MI5 claims. to have no interest in him, or whether. they claim their interest is "justified". In the 1997 report of the Security. Service Commissioner he writes that "The. ambiguity of the terms in which the notification of the Tribunals decision. is expressed is intentional", since a less ambiguous answer would. indicate to the plaintiff whether he were indeed under MI5 surveillance. But I note that the ambiguity also allows MI5. to get away with lying to the question. of their interest in me; they can claim to the Tribunal that they have no interest, but at a future date, when it. becomes clear that they did indeed. place me under surveillance and harassment, they can claim their interest was "justified". - and the Tribunal will presumably not admit that in their previous reply MI5 claimed to. have no interest.

"He doesnt. know who we are"

In early. January 1996 I flew on a British Airways jet from London to Montreal; also present on the plane, about three or four. rows behind me, were two young men, one. of them fat and voluble, the other silent. It was quite. clear that these two had been planted on the aircraft to "wind me up". The fat youth described the town in Poland. where I had spent Christmas, and made some unpleasant personal. slurs against me. Most interestingly,. he said the words, "he doesnt know who we are".

Now I find this particular form of words very interesting, because. while it is not a clear. admission, it is only a half-hearted attempt at denial of my guess that "they" = "MI5". Had my guess been wrong, the fat. youth would surely have said so more clearly. What he was trying to do. was to half-deny something he knew. to be true, and he was limited to making statements which he. knew to be not false; so he made a lukewarm denial which on the face of it means nothing, but in. fact acts as a confirmation of my guess. of who "they" are.

On one. of the other occasions when I saw the persecutors in person, on the BA flight to Toronto in June 1993, one of the group of four. men said, "if he tries to run away well find him". But the other. three stayed totally quiet and avoided eye contact. They did so to avoid being. apprehended and identified - since if they were. identified, their employers would have been revealed, and it would. become known that it was the secret services who were. behind the persecution.

Why are MI5 So Afraid to admit. their involvement?

If you think about. it, what has been going on in Britain for the last nine years. is simply beyond belief. The British declare themselves to be "decent" by definition, so when they engage in indecent activities such. as the persecution of a mentally ill person, their decency. "because were British" is still in the forefront of their minds, and a process. of mental doublethink. kicks in, where their antisocial and indecent activities are blamed on the victim "because its his fault were. persecuting him", and their self-regard and self-image of decency remains. untarnished. As remarked in. another article some time ago, this process is basically the same as a large number. of Germans employed fifty years ago against Slavic "untermenschen" and the Jewish "threat" - the Germans. declared, "Germans are known to be decent and the minorities are at. fault for what we do to them" - so they were able to. retain the view of themselves as being "decent".

Now suppose this entire episode had. happened in some other country. The British have a poor view. of the French, so lets say it had all happened in France. Suppose there. was a Frenchman, of non-French extraction, who was targeted by the French internal security apparatus, for. the dubious amusement of French television newscasters,. and tortured for 9 years with various sexual. and other verbal abuse and taunts of "suicide". Suppose this all came out into the open. Naturally,. the French authorities would try hard to place the blame. on their victim - and in their own country, through the same state-controlled. media which the authorities employ as instruments of torture, their view might prevail - but what. on earth would people overseas make of their actions? Where would their. "decency" be then?

This is why. MI5 are so afraid to admit theyre behind the persecution. Because if they did. admit responsibility, then they would be admitting that there was an action against me - and if the. truth came out, then the walls. would come tumbling down. And if the persecutors were to admit. they were from MI5, then you can be sure I would report the fact;. and the persecutors support would fall away, among the mass media as well as among the general public.. When I started identifying MI5 as the persecutors in 1995 and 1996 there was a sharp reduction. in media harassment, since people read my internet newsgroup. posts and knew I was telling the truth. The persecutors. cannot deny my claim that theyre MI5, because then I would report their denial and. they would be seen as liars - but they cannot admit it either, as that would puncture. their campaign against me. So they are forced to maintain a ridiculous silence on. the issue. of their identity, in the face of vociferous accusations on internet newsgroups and faxed. articles.

Have. MI5 lied to the Home Secretary?

In order for. the Security Services to bug my home, they would either have needed a warrant from the Home. Secretary, or they might have instituted the bugging without a warrant. Personally I think it is. more likely that they. didnt apply for a warrant - I cannot see any Home Secretary giving MI5 authority to bug a residence to allow. television newscasters to satisfy. their rather voyeuristic needs vis-a-vis one of their audience. But it is possible that the Security Service presented a. warrant in. some form before a home secretary at some point in the last nine years, for telephone tapping or surveillance of my residence, or interception. of postal. service.

So the possibility presents itself that a Home Secretary. might have signed a warrant presented to him based on. MI5 lies. Just as MI5 lie to the Security. Service Tribunal, so they might have lied to a Home Secretray himself.. MI5 and MI6 are naturally secretive services former home secretary Roy. Jenkins said, they have a "secretive atmosphere ... secretive vis-a-vis the government. as well as [enemies]". Jenkins also said he "did. not form a very high regard for how they discharged their. duties".

It was only a few years ago that MI5 was brought into. any sot the extraordinary thing is that British media. organisations like the state- and taxpayer-funded BBC take. such an active part in the MI5-inspired campaign of harassment. We have. after all heard of MI5 trying to bribe broadcast journalists;. but surely there must be a substantial number who are not bought. or blackmailed by the Security Services, and who take part in the "abuse by. newscasters" of their own volition? The BBC is supposed to be independent of the. government of the day as well as the Establishment in general. While. perhaps it is childish to think that the BBC is. anything other than effectively state-controlled, the degree of collusion between the BBC and the. British Secret Police MI5 is something you would not find in. many countries. Individual tele-journalists in other countries would have enough self-esteem not to allow themselves to. be controlled by their secret police - seemingly, BBC. broadcasters like Martyn Lewis and Nicholas Witchell have such a low. opinion of their employing organisation that they see. no wrong in dragging the BBCs no-longer-good name through yet more mud, at the mere request. (whether supported by financial. or other inducements) of the British secret Police, MI5.

And when challenged, these broadcasters LIE. about their involvement, with just as little shame as MI5 themselves. The. BBCs Information dept have said. that;

"I can assure you that the BBC would never engage in any. form of surveillance. activity such as you describe"

which is an out-and-out lie. Buerk and Lewis have. themselves lied to their colleagues in the BBCs Information department. over the "newscaster watching", but unsurprisingly they refuse to put these. denials in writing. Doubtless. if the "newscaster watching" ever comes to light, Buerk and. Lewis will then continue to lie by lying about these denials. So much for the "impartial". BBC, a nest of liars bought and paid for by the Security. Services!

It is obvious that the persecution is at. the instigation of MI5 themselves - they have read my. post, and only they have the surveillance technology and media/political access. Yet they have lied outright to the. Security Service Tribunal. Similarly,. BBC newscasters Michael Buerk and Martyn Lewis have lied to members of. their own organisation. The continuing harassment indicates they. are all petrified of this business coming out into the. open. I will continue to do everything possible to ensure that their. wrongdoing is exposed.

2019

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDem

From 2072460065449259709
X-Google-Thread: 10a148,f94e29b48c1daf3e,start
X-Google-Thread: f704f,f94e29b48c1daf3e,start
X-Google-Thread: 10499d,f94e29b48c1daf3e,start
X-Google-Thread: 108122,f94e29b48c1daf3e,start
X-Google-Attributes: gid10a148,gidf704f,gid10499d,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <qt0711310903406615@4ax.com>
Subject: M.I,5.Persecution . No Jus tice fo r th e Vic tims of MI5
Newsgroups: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
Followup-To: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,
uk.misc
From: mfmei@bigfoot.com
Date: 31 Dec 2007 09:03:43 GMT
Lines: 260
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 257
Xref: g2news1.google.com sci.space.shuttle:34113 alt.internet.search-engines:49736
alt.sex.algore.lick.the.wet.toad:1855 alt.sex.boys:39370
rec.radio.amateur.equipment:13681

MI5 Persecution Update:. Friday 11 June, 1999

Harassment. in a pub in Clapham, Tuesday lunchtime

Once. a month, or once every other month, I meet a Polish friends of mine who lives in Clapham. North, and sometimes we go to a particular pub near where he lives. The last time was some two months. ago; I did not have my minidisc-walkman with. me, and consequently was seriously harassed by people MI5. had instructed to harass me, in the pub.

This Tuesday, 8 June 1999, we again went to the same pub for a. pre-meal drink. This time I did have my minidisc-walkman. with me. As you can guess, we were followed into the pub. by a couple of young people (Im getting older and older - isnt. it funny how the MI5 agents all look young these days?). They started talking. about my situation, in particular some travel I had booked the previous. day. Unfortunately, they were talking fairly quietly, and. my minidisc didnt pick up their speech.

MI5s. schizophrenic reasoning is that simultaneously I am very important and worthy of their acts of persecution, and. I am also totally unimportant and their abuse of me "doesnt. matter". Perhaps they should test their agents and. managers for obsessive personalities or psychotic features in the same way as employees are drug-tested. MI5 might. lose their "worst cases" employees if some psychological testing were applied. to their recruitment. procedure.

Toothless Watchdogs.. What a Surprise.

Recently I have. been engaging in communications with two watchdogs, the Security Service Tribunal which deals with complaints. against the security service (and always clears MI5 of any wrongdoing), and the. Data Protection Registrar, which is mandated to investigate. misuse of personal data held on. computer.

In. a letter to Nick Brooks, Security Service Tribunal secretary, dated 20 April,. I asked him if the Tribunal, as an allegedly independent body, had the means to investigate complaints against MI5 other than asking. MI5 to themselves investigate complaints. To my disappointment, his. reply two weeks later answered the question only indirectly, in. the negative. Whatever the reader might think of the merits of the case. I have been putting before you in faxed. articles this last year and half, you will surely recognise. that it is a significant anomaly for the Tribunal to have no independent means. of investigating complaints, particularly given the view expressed even by previous home secretaries that. the security services are. untrustworthy.

MI5 Persecution: No Justice for the Victims. of MI5

In a previous article I detailed the similarities between. the current MI5

Persecution in England, and other. historical instances of similar persecution, notably. that by the Nazi Germans in the thirties and forties. The Germans persecuted first the mentally ill, the. epileptics and those suffering from schizophrenia, then moved on to. racial groups; in todays Britain the persecution is again directed. at those with mental illness, which the British in their. cowardice find easier than taking on racial groups as the Germans did. But. just as in Thirties Germany there was no recourse against a malign and omnipotent. state, so the MI5 Secret Police in the modern. British Fascist State allow no justice for their victims.

No Recourse Against the Security Services. Illegal Harassment

It has become apparent to me over the last. nine years just how loaded the dice are. in todays Britain, a fundamentally fascist country which masquerades as a democracy. Britain is a democracy in name. only; the Establishment, the defence and. MI5 secret police are always there, regardless of which party has been voted into power most recently. - and from "New Labours" conduct. in office one finds it difficult to tell them apart from Old Tories, in. their crackdowns on the sick and vulnerable in society.

In thirties Germany the victims of the Nazi regime had. no legal recourse against their State oppressors; and in todays. Fascist British state, the victims of the Establishment and its MI5 Secret Police similarly have. no recourse. against the illegal state-funded and organised oppression. There is supposed. to be a mechanism for dealing with MI5 crimes, in the shape of the. Security Service Tribunal and Commissioner; yet these have never found favour of a. plaintiff. One might as well ask the Nazi SS to investigate crimes against epileptics. or Jews as ask the Security Service Tribunal to investigate MI5 crimes against British citizens;. it is quite obvious what the. answer is going to be, regardless of what you say to them, and what evidence you. provide. The Tribunal and Commissioner are a mere formality, a whitewashing body to give the. Secret Services a veneer beneath which they hide. their shabby criminality.

"Institutional Racism" and. Bigotry in the Metropolitan Police

The. recent inquiry into the racist murder of Stephen Lawrence found clear evidence of systematic and deliberate racism in. the Metropolitan Police, which cannot have surprised anyone. Commissioner. Sir Paul Condon accepted a somewhat lukewarm. definition of institutional racism as being "unconscious". In truth, and this truth must surely. be obvious to anyone who has any familiarity or encountered the great British. police, the Met has not just "unconscious". racism, but very clearly "conscious" and deliberate racism, of. the kind that would have done Thirties Germans proud. And it. is a bastion of such open racism - when many other parts of society are learning. to live in a multicultural environment, the Met is still living. in the past in its attitude to the minorities.

But in addition. to the systematic racism confirmed by the Lawrence inquiry, there is also. something much more relevant to this case, which is systematic. police bigotry against the physically and mentally disabled, which I personally. have experienced in my dealings with the police over the years. You. cannot expect equal treatment if you are mentally disabled. I tried. to make a complaint to the police in 1995 about the harassment I had been subjected to for several years.. As soon as they found out I had mental illness, they refused. to even talk to me. I tried again in March. 1999; the police made various threats to me, while ranting about "your paranoid rubbish" in reference to the. complaints expressed to them.

The police refusal to do the job they are employed and paid to. do is extremely serious, particularly as this. case is highly important, indeed key to the whole issue of British. self-perception at the end of the 20th century and the beginning of the 21st century.. Britain has lost much in the last fifty years - it has lost an. empire, it has lost its self-respect and. its identity as a people. If the MI5 persecution finally makes it into the light and. the Security Services are seen for the rather cheap bullies their behaviour indicates, it will have a massive and harmful effect. on British self-perception. in the new century.

Security Service. Tribunal - Blatant Whitewashing

A. few weeks ago I spoke on the phone to Nick Brooks, the Secretary of the Security Service Tribunal, which is supposed. to deal with cases of MI5 transgression. I. asked him if the Tribunal had ever found in favour of a plaintiff and against the Security Service. He answered that as. far as he knew, it had. not.

I also asked Mr. Brooks if the Tribunal had any means of investigating allegations. of criminal activity by MI5, other than asking MI5 themselves if they had engaged in such activity. His. rather circuitous written reply states that the 1989 Security Service Act provides that "it shall. be the duty of every member of the Service. to disclose or give to the Tribunal such documents or. information as they may require for the purpose of enabling them to carry out their functions under this Act".. Which is a very round-about way of saying - "No" - the Tribunal has no. way of investigating MI5 crimes -. None At All.

Setting up. the S.S. Tribunal, and creating a Security Service Commissioner, was really an act of falsehood by. the government. It is generally recognised that MI5 are out of reach of the normal. criminal justice system -. the police, as we have seen, have no intesot answer to the. government; in a previous article I quoted Roy Jenkins speaking of "a secretive atmosphere.... secretive vis-a-vis the government. as well as [enemies]", and a "lack of frankness" from. MI5.

If the government wanted to,. it could reform the secret services and ensure they acted in conformance with the laws which. have been enacted for them in the last ten years. But apparently the present. government does not see any need. to ensure security service compliance with the law. As noted above, the. regulatory machinery for MI5 is deliberately weak; the Tribunal has no independent means of. investigation, and it is simply a waste of time complaining to the Tribunal or. Commissioner.

Every. so often, fresh revelations come to light of secret service transgressions. We. have heard from Shayler that MI5 bugged Jack Straw and Peter Mandelson; we have heard. from Peter Wright that MI5 plotted to see Wilson ejected from office; yet so. closed is the system of government that the law is never enforced against MI5 when they "bug and. burgle" everyone from politicians to ordinary. citizens.

No Justice from the Legal. System, either

Britain has a civil and criminal. justice system which effectively limits many complaints from. being heard. For a civil complaint to be brought before a court, you need a solicitor willing to act on. your behalf.. Supposedly it is possible to represent yourself as a Litigant-in-Pthe basis. of being "frivolous and vexatious" or "disclosing no cause for. action in law". This is exactly what happened to me in 1997 when I twice tried to take the BBC to court for spying on me in my. living room at home; my case was twice struck out, and on. the second occasion an order was made against me that. I could not bring further civil litigation against the BBC without leave of. the court.

As the reader can. guess it is quite impossible for a person with schizophrenia,. who complains about the secret services and media interfering in his life, to find a solicitor willing to. represent him in legal action against the persecutors. I have. quite a lot of evidence of the continuing persecution which. I have posted on the website, even if the evidence is quite tentative and. perhaps open to varying interpretations. But I have tried several firms of solicitors; some. of them have acted unprofessionally and abused me; all of them have. refused to represent me. My psychiatrist gave me. the name of the firm of Bindman and. Partners in central London, and I have approached them twice. On each occasion they refused to accept my instructions. Plainly. the problem with Bindmans, which they have admitted, is. their bigotry against mentally disabled people; yet this is not. just something that is wrong with Bindmans, it is. something that is wrong with the legal system as a whole, since the legal system necessitates. finding a solicitor willing to represent you in order to bring a case to court, but it does. not have a mechanism for providing a. lawyer in the case where no solicitor is willing to take on. your case. So the British legal system is such as to prevent cases such as mine from. ever receiving an airing in a court.

So much for the civil courts. But. the criminal justice system is no better. Two years ago the Protection from Harassment Act came. into force. But again,. while the Act is all very well on paper, in practice it is unenforceable in my case, since it would require Police. action to see the law implemented, and if the police. cannot even be trusted to conduct a murder investigation competently (in the Lawrence case),. then what chance is. there of their investigating complaints against the Security Service? Of course, it would be possible for me. to personally issue proceedings through a private prosecution either against. MI5 themselves, or against one or. more of their media tools; but here we see the same problems as with the civil courts, because first of all I would have. to find a. lawyer willing to act on my behalf. Litigants-in-person do exist in the criminal courts, but the Attorney General can bring such. a prosecution to an end by. taking it over and entering a plea of "nolle prossequi"; and I suspect that. if I were to bring a private prosecution against either MI5 or one of their media tools,. then this is exactly what would happen.

So much for British justice. But if. anything the wrongs that have been perpetrated on me by the British justice system. are quite mild to what others have suffered. Others have been wrongly. convicted based on police evasions and lies, and spent many years in jail based on false charges.. I should count myself lucky that despite the. best efforts of the MI5 secret police, I have not acquired any. criminal charges or convictions; which shows that for all their resources and. influence, and the clear imperfections in the British legal system, there. are still limits on how much subversion MI5. can achieve.

The latest in a long. line of injustices

A comment I heard during. the recent scandal of the police mishandling of the Lawrence murder investigation is. that "its not as if the police themselves murdered him". This is not a. particularly wise statement to make about the case,. since it could be argued that the four alleged murderers were aided. in their crime by the expectation that the police would deliberately. botch the investigation - which of course is exactly what the. police did.

But in. my case, this would be a completely inaccurate thing to say - since the MI5 secret-police have expressly been trying to nine. years now to see an end put to my life, either by having me incarcerated and. my liberty ended, or by forcing self-termination on me.. It is exactly as if the secret police "themselves murdered [me]", since that. is what their aim is in. their campaign against me.

The public. has heard of instances of police mishandling of cases, of police manufacturing evidence, lying in. court, extracting false confessions to clear up crimes, et. cetera. Various instances of extra-legal. activity by the secret services have also come to light in the last few years. The unhappy truth. is that what MI5 have been doing to me for the last nine years is really nothing out of the. ordinary for them. To me it seems unbelievable that this sort of. systematic campaign of harassment, which thousands and thousands of people in this. country and abroad are well aware of, could exist for such a long period of time. with the media maintaining. "omerta". But my case is not the first such instance of persecution by the. "British secret police", and judging by the lack of any real controls on MI5, I. very much doubt it will be the last.

3681

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDem

From -1589395648665954874

X-Google-Thread: 10a148,ecc0a2bc59ebb515,start
X-Google-Thread: f704f,ecc0a2bc59ebb515,start
X-Google-Thread: 10499d,ecc0a2bc59ebb515,start
X-Google-Thread: 108122,ecc0a2bc59ebb515,start
X-Google-Attributes: gid10a148,gidf704f,gid10499d,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <wz0711310926163297@4ax.com>
Subject: M,I-5,Pe rsecution ' MI 5 Ha ve Systematica lly Destr oyed My L ife
Newsgroups: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
Followup-To: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,uk.misc
From: ieivi@gmail.com
Date: 31 Dec 2007 09:26:21 GMT
Lines: 279
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 276
Xref: g2news1.google.com sci.space.shuttle:34114 alt.internet.search-engines:49737 alt.sex.algore.lick.the.wet.toad:1856 alt.sex.boys:39371 rec.radio.amateur.equipment:13682

MI5 Have Systematically Destroyed. My Life

This. is getting depressing. From the feedback Ive received, the recipients of these faxes are tired of hearing my complaints, and in truth I am. tired of sending them. The reason I havent. yet ceased sending faxes is because I cannot think of any other effective means. of replying to MI5s actions against me, and I feel. I have to do something to try to defend myself. Three/four years ago. I got the MI5 harassment out of my system by posting about it on Internet. newsgroups, and for a few months this tactic was quite. effective - I received (and indeed still do today) support from newsgroup regulars, and felt I could make my voice heard and break the. MI5 monopoly on access to the British media. But that was years ago, and. today nobody gives a. tinkers cuss about my internet posts - so I have sought to escalate matters. by communicating directly with the politicians who allegedly say how this country is supposed to be. run.

Of course, its quite expensive to keep. up a campaign of fax messages for many weeks. Each set of faxes takes approx 50 hours. to send over the weekend, and costs perhaps 35. My. phone bill for the last quarter was 350.. These figures are naturally insignificant compared to what MI5 have been spending against. me over a similar period. It also takes a lot of time and energy to create a new. article every week, and try and find new and fresh aspects and viewpoints on MI5s persecution of me.. I am beginning to run out. of both new topics and energy to write these articles.

So I have a suggestion to put before the. MI5 persecutors who have been wrecking my life since 1990. In. a few days time I will be going on holiday to Poland. and Germany, for a couple of weeks. Previously, almost every time I have travelled by plane, or gone anywhere on holiday,. the MI5 "wreckers". have been most assiduous in destroying these trips. My suggestion is; if. MI5 leave me alone on this next trip, I will cease transmitting these articles. If, however, there are any. clear instances of harassment (and I. am very capable of recognising MI5 harassment when I see it), then I will make public these instances. and publish any recordings I may. make of them, and, unwillingly and unhappily, continue the articles.

Read about the MI5. Persecution on the Web

Keith Hill MP (Labour - Streatham), my. elected representative, as ever refuses to. help.

MI5 Refuse to Allow me to have a. Normal Life

Its kind of difficult to. contemplate having a normal existence when you know your entire house is bugged from top to. bottom, for audio and, very unpleasantly, video; when your employment. is systematically destroyed, over and over again;. when every time you leave the country your travel is disrupted by MI5 plants on the plane yelling abuse at you..... you. get the idea. I would like to have some. semblance of a normal life, like my Polish and English friends do. But MI5 have made this impossible, and they. have leached massive resources from the. taxpayer to institute a life not worthy of the. name on me.

A few years ago MI5 were very. open about their aims in persecuting me. They were shouting "suicide" at me, both in Canada where I. lived at the time, and during my occasional visits to London.. You cant get much clearer than. that. There have been instances as recently as a few weeks ago of this intention being voiced. by their side; on 15 April 1999, a woman at the next ticket counter at the. Royal Festival Hall said;

"it would kill it, you know, it would. just be overkill... they can't stop can. they"

meaning that "they". were trying to "kill it" i.e. me and they "cant stop". The audio file is. at;

I wonder why. they "cant stop". Nobody (who doesnt know already) believes my claims - so what difference. would it make, if they were to "stop" persecuting me? Perhaps what this persons. remarks indicates, is the depth of the obsession MI5 have with this case. They have. chosen at random a. person from the general population, and done their worst to ruin my life. What. is wrong with these people, that they persecute a national of the country whose citizens they are supposed. to protect?

No Chance of. a Harassment-Free Job

Since the harassment started in 1990 I. have had three jobs, the first near

Guildford, the second in Oxford, and the third overseas. in Canada. All three jobs have been systematically destroyed by. MI5. It is so ironic that MI5 employs a team of agents, each well. compensated for their efforts, to persecute just one person paid a mere fraction. of what they get for their "work". In fact,. it is a joke that MI5 is allocated resources for this sort of effort. If this area of. government were run along commercial lines then MI5 would be very rapidly closed down,. they produce nothing of any value, instead spending. their time obsessed with the bugging and surveillance of their former employees like. Shayler, dangerous subversives like Straw and. Mandelson, and "threats to national security" like yours truly.

Applying for. my first post university job

When I was applying for. my first post-university job in the closing months of 1990, I found at two. or three job interviews that MI5 had got there ahead of me. Interviewers knew what words to repeat from what. had been said at my home recently; MI5 had supplied them with. words to hurt me, and the "British secret police" were. trying to wreck my job search and discourage me from joining the world of. work. This and the continuing harassment in the media and by the public meant. that the search for a job took very much. longer than it would ordinarily be expected to take for a person with. my qualifications.

With my. first job near Guildford came the knowledge that MI5 were doing everything. possible to make me lose the job. Despite their efforts I managed to stay in. work for ten unhappy months, during which they made very. clear to me that they were bugging my workplace, my accomodation in Woking, my car, my home..... and they also. made clear that they had "got to" my employer. in Guildford.

Employment with. Oxford

I was able. to find a new job, with Oxford Computer Training Services (now ARIS/Oxford), quite quickly. But it became. very clear, very quickly, that MI5 were treating this job. the same as the first; they tried to get the other. employees and in particular the managers to attack me. It was plainly MI5s intention that I be sacked fro this job. But I. was not sacked; instead, after almost a year of abuse from OCTS. managers, I was forced to seek medical help, and had to take two months. off for medical leave. OCTS MD Hugh. Simpson-Wells was motivated in keeping me on by the fear that if he sacked me, then. I would take him to court for the treatment OCTS managers had meted. out to me during 1992.

Emigration. to Canada

When I emigrated. to Canada in 1994, I did think that perhaps MI5 would leave me alone, given that I had made the effort. to leave the UK and try to find a new life overseas.. I could not see any reason why they would continue to harass. me over in Canada. But clearly the MI5 agents had their salaries to. think about, since continue to harass me they most certainly did, at my home in. Ottawa, and by getting fellow employees to speak against me, as had happened with. previous jobs in the UK.

MI5 are denying me. a future in work

Former Chief Constable of. Devon and Cornwall John Alderson had this to say regarding. MI5's activities;

"MI5 is not under the same restraints. as the police. They infiltrate organisations, people's. jobs and lives. They operate almost like a cancer."

Currently I am on. disability, and I can see that MI5 are denying me a future in work. It would be an insult to. logic for me to return to work and find a job, in the knowledge that an entire team of. MI5 agents, paid in total many times what I would be earning, would. have the objective of seeing me "done down" in the employment, and. ejected from the place of work. This situation. is completely wrong and nonsensical - I would very much like to have a job, but MI5 are preventing. me from even thinking about returning to. work. The culture of secrecy in MI5/MI6 means there is no objective oversight of their. expenditure, when external oversight and greater transparency might lead to wasteful and illogical operations. such as that. against me being shelved.

Watched. and Harassed at my Home and Accommodation

As you will know. if you have been reading these articles, MI5 have watched and harassed me at my home, and at every. accommodation Ive had since 1990. Theyve also watched me at neighbours houses. in London, and at short-term accommodation such. as hotels and bed-and-breakfasts. They have used the. "words" gained from these watching activities against me, by passing these words on to other. people such as OCTS managers for them to make clear that I am. being watched where I live.

Harassed at rented rooms in. Oxford in 1992

This was at its worst in 1992 in Oxford, where during the week I. lived at rented accommodation in. Oxford, and at weekends returned to my parents home in. London. I was being severely harassed by managers at my place of work, OCTS; and it was clear from the things they. said that they were being supplied by MI5 with details of my home life, that they were. being supplied with words. to repeat at me.

In 1992 I moved house in Oxford many times, living. at a total of five rented accommodations in ten months. In January. I started off living in a rented room at Headington near the ring road / A40 intersection; then. when it became clear that. house was being bugged, moved to a rented room in Botley, some miles away. It was. at the house in Botley that I had an "interactive watching" experience. with Martyn Lewis while he was reading the news; I. threw a term of abuse at him; he first flinched, then gave a gsult of what I. had just said, he was no longer "on my side".

So I moved house again. This time to a place in Cowley, near. the Rover car works, where I stayed for a few. weeks. Because of continuing harassment at work, I soon moved from this accommodation, to. yet another rented room on

Iffley Road. By this time. I was very ill and being abused continuously at work. Again, MI5 followed me to the rented room on. Iffley Road, and created. new instances of "newscaster watching". There was a television in the room. which I watched, and as you can guess the newscasters got at me when I was watching the television. Also once I. was assaulted, if thats the word for what happened, on leaving the house;. a youth grabbed me by the coat lapels, roughed me up a. bit with various terms of abuse. I did not report this assault to the police, because what was happening to me. at work was very much worse, and nobody seemed to. think that that was worthy of being reported to the police. Later that. day at work, Alex G, a fellow employee, said "I heard he was assaulted".... I had not told. anyone at work about the incident that morning..... so once again it was made. very clear that MI5. were watching my rented accommodation and giving information about. what was going on there to managers at work.

So I moved house. yet again in late autumn 1992, this time to a rented room in a. large house on Woodstock Road. I stayed there for several weeks as the. situation at work deteriorated due to OCTS managers abuse, until I was forced to take sick leave from work for. two months and attend hospital as an outpatient; at which. point I gave notice on the room, and returned to London.

MI5 continued. to harass me after the diagnosis of serious illness was made. As reported previously, they harassed me on a. flight to Spain in December 1992; and in 1993, when I returned to live and work. in Oxford, they again bugged my rooms,. as well as my workplace, although the intensity of the harassment. was very much less than in 1992.

Watched, followed and harassed. in Canada

It dismayed me to find that. MI5 would not leave me alone after I had settled in Canada. In January 1995 I. rented an apartment at the Bayshore complex in Ottawas west end. For some weeks there was no sign. of the "buggers". But then it started. all over again. They first bugged my car, which had. a car alarm installed - the alarm went off two or three times in a single evening, and the following day gave a. signal that the car had been broken into. Then they bugged. my apartment, and in particular they installed bugs on the phone. line in my apartment.

In September. 1995 I moved to a new apartment in Ottawas Bytown Market area,. the restaurant and entertainment heart of Canadas capital. This proved a serious mistake. In the west end. I had been fairly distant from the centre of town where MI5 concentrated their. efforts at turning people against me. In the Market area. it was much easier for the persecutors to motivate people to harass. me, and over the next couple of years there were frequent instances of harassment by the general. public.

From 1995 I had some. Polish friends in Ottawa, and as the reader can guess, MI5 have spent much effort. trying to break up this friendship. They supplied. various things about my home life to these friends, for example where I was living. in the Market, directly over the road were the studios of a music radio station, which you had to "look up" to see; and MI5. told these friends that I was "looking. up" to see the radio station; so the friends then. replayed these words back to me, that I was "looking up". MI5 have. also made various sexual slanders against me, and these friends also unwittingly. replayed some of the words they had been imprinted with by the MI5. persecutors.

MI5 Will. Never Allow Me to have a Normal Life

I have heard many. excuses as to why MI5 continuously prevent me from having. a normal life. We are told that MI5 are defending the country against a. tere to zero.

When I have. travelled abroad, they always put their people on the flights, on the journeys I undertake, to continue the harassment, so that I am. put off further overseas travel, and chained to my home. in London. Yet even this is illogical, because when I lived in Canada, they. would still put people on flights. back to the UK.... and what possible reason would they have for doing that? Perhaps the truest words to describe. the MI5 persecution. is that reason has nothing to do with their activities - sane people do not behave in the. way the MI5 British Secret Police have been doing.

Summer 1999 - more. MI5 harassment?

In only a few days time I will be going to Europe again. This time I. have deliberately chosen to travel by a non-UK. airline; so we will see if they put their paid agents on this foreign carrier, we will see if. they try to harass. me on this non-British flight.

If they do harass me on. this trip to Europe, or if they resume the harassment. in London after I return home, then I will continue to report their activities in these faxes. As I said at the. beginning of this article,. I would very much like to not have to send these articles any more, but that is not my decision to. make - it is entirely up to MI5 to cease their. pointless persecution of me, once and for all.

5343

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDem

```
From -8629413537554592286
X-Google-Thread: 10a148,4f53dd8cb4fd767e,start
X-Google-Thread: f704f,4f53dd8cb4fd767e,start
X-Google-Thread: 10499d,4f53dd8cb4fd767e,start
X-Google-Thread: 108122,4f53dd8cb4fd767e,start
X-Google-Attributes: gid10a148,gidf704f,gid10499d,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
```

Message-Id: <ze0711310949497318@4ax.com>
Subject: M I-5,P ersecution , Haras sment thr ough t he Radio
Newsgroups: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
Followup-To: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,uk.misc
From: efmvieie@hotmail.com
Date: 31 Dec 2007 09:49:52 GMT
Lines: 280
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 277
Xref: g2news1.google.com sci.space.shuttle:34115 alt.internet.search-engines:49738 alt.sex.algore.lick.the.wet.toad:1857 alt.sex.boys:39372 rec.radio.amateur.equipment:13683

MI5. Persecution Update: Friday 9 July, 1999

Harassment in. Poland, July 1999

And still it continues.... in my last fax I said that. provided MI5 made no attempts at harassment. during my two-week holiday this summer, or after I returned to England,. then I would discontinue these faxes. Unfortunately MI5 have. continued to harass me, both during the holiday and after my return to London. I really dont want. to continue these articles, since they take up so much time and effort,. not to mention expense; but the Security Service wont even let me have a holiday in peace. and quiet, so I have to. make further efforts to bring their activities out into the open.

In. early July I visited my aunt and her family in Poland. On Saturday 3 July 1999, I went. to a family barbecue at an allotment outside the city. One of my aunts family has. previously shown himself to be in the "enemy" camp, by saying the Polish equivalent of "something wrong. with him", and various other unprovoked insults. It. is disappointing that one of my family could forsake the. usual ties of blood and take part in the actions against me,. but thats the way it is. This guy turned up at the barbecue, and started making insults against me. In. particular, he started to say something about the video camera which I. had brought along on the trip, and the relevance of the video-camera to my fight against. the persecution.. It seemed pretty obvious to me that my enemies had told him to turn up to this occasion,. and most likely schooled him in precisely what words to say; since hes an unintelligent person. and would not be able to think for himself what insults to make against. me.

Harassment in London, week ending. Friday 9 July 1999

Got back. to London Wednesay afternoon. Two incidents on the Underground returning from the airport. Unfortunately I wasnt recording because. I wasnt expecting trouble, so these slipped through the net. One of. these was verbal sexual abuse, of the type Ive heard. many, many times before these last three-and-a-half. years.

Yesterday, Thursday 8/July/1999, I switched. on Heart FM which had never "got at" me before.... and the presenter started. making jokes about "mad, crazy" etc.. Again, wasnt recording this because Id never had any trouble from this radio station. and wasnt expecting any.

Also. yesterday, on a bus (155?) from Balham to Clapham, a couple of girls started harassing me with taunts of. "crazy". By now I was expecting trouble and recorded an audio file of this instance. of abuse, at web URL;

The cynical. reader might think my demeanour or behaviour had given rise to the taunts of "crazy" recorded above.. But I assure you my behaviour on the bus would not have. made anyone think I was ill; and the taunts the previous day were the same. sexual words as previously; so I'm quite sure that these incidents are either deliberately. staged, or indicative of an overall. high level of awareness among the London public, particularly in the part. of London where I live.

Keith Hill MP (Labour - Streatham), my elected representative,. as ever refuses to. help.

MI5 Persecution: Harassment through the. Radio

One of the aspects. of the MI5 persecution has been harassment through the broadcast and print media;. and one of the aspects of harassment through the broadcast. media is being "got at" by radio presenters. This being "got at" from the radio takes various forms, the. most obvious form being through. overt or hidden words and insults. But there are other, subtler forms. In Canada. a couple of years ago, I used to listen to the local radio stations every. morning driving to work, and listened to the music only,. switching between radio station presets rapidly as soon as a presenters voice came on, so that. I would not be subjected to any verbal harassment. by the D.J.s. But they found a way around this; they kept on playing the same song, every bl**dy morning at the same. time, which had the words "all coming back to me"; the perceptive reader. will remember that the words "coming. back" have special meaning (see the Private Eye cover at. web URL; for the hidden. meaning).

And thats not the only time theyve allowed the. songs themselves to be used as abuse against. me; many years ago Radio-1 in the UK did exactly the same,. and the DJ even made it explicitly clear by saying, "dont you sometimes feel as if the songs. were made just for you".

"We should be done for. attempted manslaughter" says Chris Tarrant

Capital Radio DJs have been "in on it" from the start. One. of the first things I heard in the summer of. 1990 was from a Capital DJ who said, "If he. listens to Capital then he can't be all bad" (supportive, you see. We're not bastards). Much of what came over the radio in 1990. is now so far away the precise details have been. obliterated by time. No diary was kept of the details,. and although archives if they exist may give pointers, the ambiguity of what broadcasters said. would leave that open to re-interpretation.

In spring. 1994, Chris Tarrant on his Capital morning show made an aside to someone else in the. studio, about a person he didn't identify. He said, "You. know this bloke? He says we're trying to kill him. We should be done for attempted. manslaughter".

That mirrored something I. had said a day or two before. What Tarrant said was understood by the staff member in the studio he. was saying it to; they said, "Oh no, don't say that". to Tarrant. If any archives exist of the morning show (probably unlikely) then it could be found there; what. he said was so out of context that he would be very. hard put to find an explanation. A couple of days later, someone at. the site where I was working repeated the. remark although in a different way; they said there had been people in a computer room when. automatic fire extinguishers went off and those people were "thinking of. suing for attempted manslaughter".

Pirate Radio "gets at". me

In another incident in 1990/91, Id been listening to a. pirate radio station in South London for half an hour, when there was an. audible phone call in the background, then total silence. for a few moments, followed by shrieks of laughter. "So. what are we supposed to say now? Deadly torture? Hes going to talk to us now, isnt he?" which meant that. they could hear what I. would say in my room. Note the word "deadly" - they give away. their purpose.

It constantly surprised me that MI5 are. so easily able to subvert broadcasters,. and, in this case of the pirate station, to do so, so quickly. I think. the answer to this question is that they must have very wide contacts in the broadcast media; presumably some or in fact. many of those contacts are literally. "bought". In the same way as they tried to buy Jon Snow of Channel Four news, they must. have bought many broadcasters and use them both directly to make insults against me, and. promulgate their points of view; but also, they must use these "bought". broadcasters to influence other television and radio presenters, who might not. even be aware. that it was on MI5s behalf that they were being influenced to "get at". me.

BBC-Radio-1 D.J.s celebrate. my job termination in November 1991

This is another one. from the "early years". At the beginning of November 1991 my employment in Woking, Surrey was. terminated. Chris Tarrant of Capital-FM had already made nasty remarks about both my. work for the company, and the. managers of the company themselves - "so theyre not really a serious company, well theyd have to. be to employ you wouldnt they".

So. when I was terminated, as you can expect, BBC Radio 1 D.J.s celebrated. On the Saturday. afternoon (either 9/Nov/1991 or 16/Nov/1991 - I cannot remember precisely) I briefly listened to Radio-1. and heard the disc jockeys loudly proclaiming "youre useless,. you should be sacked". On the same day, I went down to the Kwik-Fit in Tooting to get. my cars tyres replaced, and in the office ran into a couple of. their staff, one of them with an Australian accent, who said "what do you think about it then?. Its getting killed on the. radio."

Plainly,. if a random car-repair shop in Tooting knew about the persecution, then many thousands of other people across. the capital and all over the country must have known.. And the phrase "getting killed" shows very clear awareness of what the. MI5 Persecutors intentions towards me were in 1991,. and judging by the continuing harassment, still remain. today.

Recent. Feedback from Virgin-Radio

As readers will know, from mid-March 1999 for. some four months, every weekend, I have. bombarded Westminster MPs with faxes about the terrible, all-encompassing MI5 Persecution. (Jesting aside, it. really is terrible and all-encompassing, in the UK anyway.) In June 1999, after I'd. been at it some three months,. I started getting "covert" feedback from Virgin Radio.

The first feedback I got was. from Danny Baker, on Sunday 13th June. That weekend. I was sending an article which contained biting criticism of the police inaction in this case. Danny Baker on his Virgin radio. show started an angry. rant that "he knows it's rubbish", ie. he was rubbishing what I'd said in that weekend's faxed article. Unfortunately I. wasn't recording this. programme.

The next possible Virgin-Radio feedback was a. week later on 19th June 1999. This is contained in the. audio file above, in which Johnny Boy on his "Wheels of Steel". programme says;

"and if you would like to put a triple play. together, ahhh.... because quite. frankly Hipster and me are running out of ideas...."

He goes on to counter Hipster's "how. dare you" with a protestation that he is "only joking". You can listen to this. incident on my website at URL;

What I reckon is that my article faxed to MPs. that weekend was forwarded by one of the recipients to Virgin Radio. My article had. included the words;

"I am beginning to. run out of both new topics and energy to write these articles."

So what I reckon is that Johnny Boy read the article.... and rephrased. the above line "run out of ... new topics" to "running out of ideas".. I recognise that this is a pretty. tenuous inference to make.... but do listen to the audio file, from. the "ahhh...." pause in JB's speech you can guess he is. about to say something "risky" and at someone's expense. Anyway, I listen. to the Wheels of Steel regularly and will continue to do so, recording it as I always do - so any. future funny remarks will get immortalised on my website! (There was a. previous incident from August 1998. which is preserved at web URL;

but I am sufficiently uncertain about it that I have. not included it in this. article.)

First Ever Radio Reference - Alan Freeman of. BBC-Radio-1

The first time I was ever. referred to on the radio was sometime in May or June of 1990, by Alan Freeman. of BBC-Radio-1. Note that this isnt an "interactive listening" episode,. its different, this was Freeman reading out a letter from one of my. "real life" enemies.

Id acrimoniously broken. up with some former friends in January of 1990, and I. think they were still trying to cause me trouble in June of that year. Freeman on his rock show read. out a letter from an "Andrew Turner"; one of my acquaintances from January 1990 had. been called Andy Turner, so I think its the same guy. Freeman. quoted Turner as saying various things about me, in particular Freeman said "thats a. hell of a letter you wrote. there Andy", "with a schizophrenic you're never alone", and something about the "one who wore. out his welcome with random precision". (from the words of the Pink Floyd song).

When I. was looking for primary causes of the MI5 persecution, this letter which Freeman had read out on his. programme struck me as being potentially one of the sources of the persecution. I. know Turner and various others in that group were very bitter at what they saw as. their failure and my undeserved success, and they were quite determined to upset. the applecart. Of course several. other primary causes are possible; I do not know why MI5 chose me as opposed to someone else, and MI5. are hardly likely. to tell me.

"Absolute Obscene". David Hepworth of GLR

This one Ive assigned a 100% rating on the website.. There are actually two separate incidents, which are linked. through the D.J.s choice of words.. The first incident can be heard in computer audio at web URL;

On 21/Feb/1997, I was listening to BBC GLR, by stealth. Back in 1990. I used to have Capital blaring out of the speakers all over. the garden ("if he listens to Capital. then he can't be all bad", thanks ever so much). But now. I listen on my walkman on headphones with the volume turned right down. It could not. possibly be overheard by any listening device, no matter how sensitive,. because sound does not carry from the phones.

Yet somehow they are still able to tell which station. I am listening to on the. walkman. And last night, I bravely tuned to GLR 94.9FM at around 8.45pm. Everything went well for the. first half hour or so. Around 9.10pm, Hepworth. said the following after the song "Come Around" by the Muttonbirds.

"coming up after this, we got the rock-and-roll. A-level, we have, I assume, Brian do. we have an embarrassment of prizes in there, we do, don't we, absolute obscene amounts of prizes, there. will no doubt be a riot at the back door, and that's, er, A-level. coming up after this"

The key phrases in. what he said are, "EMBARRASSMENT of prizes", and what he himself emphasized. verbally, "ABSOLUTE OBSCENE amount of prizes". It is my belief (based on content and tone of. voice) that when he spoke these phrases he knew I was listening, and. that the phrases refer directly to my situation. The "EMBARRASSMENT" is the embarrassment. he and other media people would feel at having their wrongdoing exposed; the. "ABSOLUTE OBSCENE" (which. he verbally emphasized) described the disgusting sexual abuse which the harassers have been throwing. at me.

There was a second. incident, on 9/May/1997, which may be found on the web (with. computer audio) at URL;

This incident again contains the. words "absolute embarrassment of prizes", with the same emphasis as the first. instance, and laughter following the phrase. So theyre aware of the complaint. I made on Usenet after the first incident; and they are. so arrogant that they do exactly the same again. They. are so arrogant, they know they are being recorded and that what they say will be published on the web, but. they dont care. What corrupt media, and what a corrupt country to. have such corruption in its media.

7005

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDem

From 2805682475074916490
X-Google-Thread: 10a148,e74d95a6b8d432,start
X-Google-Thread: f704f,e74d95a6b8d432,start
X-Google-Thread: 10499d,e74d95a6b8d432,start
X-Google-Thread: 108122,e74d95a6b8d432,start
X-Google-Attributes: gid10a148,gidf704f,gid10499d,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <ov0711311015560057@4ax.com>
Subject: M`I,5.Perse cution ` Th ree Years of M I5 Persecutio n Faxe s
Newsgroups: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
Followup-To: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,
uk.misc
From: vmveieim@yahoo.com

Date: 31 Dec 2007 10:15:59 GMT
Lines: 207
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 204
Xref: g2news1.google.com sci.space.shuttle:34116 alt.internet.search-engines:49739 alt.sex.algore.lick.the.wet.toad:1858 alt.sex.boys:39373 rec.radio.amateur.equipment:13684

Three Years of "MI5. Persecution" Faxes

Ten Thousand. Faxes, and Still No Breakthrough

In. the last three years I have sent at least 5,301 faxes directly from my computer, and 4,478 faxes through Demons. extremely useful TPC.INT service, to politicians and. the media, in the subject of the "MI5 Persecution". This has obviously cost me quite a lot of money, not. to mention. time and effort. The aim of all this communication has been to try to put discussion of the "MI5 persecution". into the public arena; unfortunately, this. aim has not been achieved, yet.

This fax will be my last transmission. for the time being, since the summer recess. is almost upon us. Depending on what the persecutors do between now and the autumn, I. may or may not resume faxing later this year. In the article dated 18/6/99. I said Id stop the articles if MI5 left me alone; but they seem to have no fear of these articles, since. they kept pursuing me in Poland and after my return to. the UK. Again, if they leave me alone this summer. then I wont have to resume the articles in the autumn; but I think its fairly. obvious that MI5 have nothing better to do with their time than. to go after me, and its almost pointless to make this offer. when I know they wont cease harassing me.

TPC.INT 1996, 1997,. 1998.....

Three years ago I was living in Canada, and. the only economic way of sending faxes to the UK was. through the international email-to-fax gateway TPC.INT. This highly useful and. totally free service converts emails (which may have Postscript-formatted attachments) into. faxes which it delivers. to any number within the UK. Using the telephone book, I constructed a computer database. of M.P.s fax numbers, and used this database to deliver copies of. the "FAQ - frequently asked questions" article which Id. written some time earlier.

This service is still operational, but given that I have resided. in London for the last year, I do not need to use Demons. service when I can send articles directly from my own computer using. its fax/modem, which is what I have. been doing since 1998. However, instead of just sending the FAQ article, Ive been composing articles. on various aspects of MI5s treatment of me. Since. their activities have been going on for nine years now, and there have been various aspects to their actions; they. have harassed me at work, at home, through the media, etc; I have so far not run out. of things to say, particularly since their harassment of. me is still ongoing, and I have been able to record the actual words. used by their paid agents on my minidisc-walkman. Since mid-March 1999 I. have been sending these articles pretty much every. weekend.

Anyway, as. mentioned above, I intend this to be the final transmission before the summer recess, and it would be. nice not to have to continue these articles in. the autumn. But thats something that depends on them, not. me, and their attitude is unfortunately clear.

Why am I. sending these articles?

Because I want the harassment to stop. The cynical reader might think. from these. articles that I "thrive on adversity" and would be lost without the harassment to complain about; but that is not the case.. In a perfect world I. would like to return to work, in a job unsullied by MI5s attempts to ruin it; I would like to live in a house which. wasnt bugged, with my words being repeated at me wherever. I go; I would like a normal life. I do not particularly thrive on adversity;. I am beaten down by adversity; the purpose of these. faxes is to try to bring the whole matter out into the public arena, where the. rights and wrongs would be visible to all, and once that were to happen,. the adversity might cease. I have had something approaching a normal life a couple of. times in the last nine years, but always, in the end, MI5 turn up and ruin it. I just want these people. out of my life, permanently, and the only way of doing. that is to kick this business into the public arena,. and shame MI5 so that they are incapable of doing. me further damage.

Having said that, unfortunately it seems. fairly obvious by now that these faxed articles are not going to achieve that aim. Some of the. recipients know what I am saying is true; but they. choose to stay quiet - wisely, because if they. were to admit the truth of these articles, then they would bring the wrath of MI5 down on their heads. Presumably most. recipients do not know these articles are true; their reaction. to me is the same as my reaction. to the other apparently deluded people who have sent me email after reading my webpage to tell me it happened to them too; the. reaction being, "leave me alone, I dont want to know". Its sad that many. M.P.s have given me this reaction,. because my case genuinely is different; I genuinely am telling the truth, and the. harassment genuinely is happening to me, and some recipients of this fax know this. to be true.

"Write to your. own M.P."

My local M.P. is Mr Keith. Hill, Labour-Streatham. He refuses to have anything to do with me. He refuses. to represent me, he refuses to talk to me, he has told me not to. communicate with him. He has done absolutely nothing to help me, and he has told me he will do absolutely. nothing to help. me.

Other. M.P.s, recipients of these faxes, have for quite some time been telling me, "write to your own M.P.". On 23 March. 1998, Paul Burstow M.P. wrote to me; "Whilst I take. the issues that you raise seriously, there is a strict Parliamentary convention. that one Member of Parliament does not take up anothers casework. Can I. suggest that you write to your own M.P. at the House of Commons?" Hopefully the. above paragraph will make clear that I have written to. my own M.P. and he has proved unhelpful.

Other M.P.s have told me the same thing. On 21. May 1998, John McFall M.P. told me, "... there. is a parliamentary convention that M.P.s do not take. up cases of people not in their constituency..... therefore can I suggest that you write to your. local M.P. who will be better able to assist you." And on 8 June 1998, Michael Foster M.P. wrote to me. that "M.P.s are inundated with unsolicited faxes .... M.P.s have. a considerable amount of constituent work to deal with, thus. other M.P.s constituents cease to be. of concern in so far as they should have a voice and representation".

Simon Hughes M.P. wrote to me on 5 November 1998,. "There is a strict parliamentary convention which states that. I am not able to represent individuals who are not constituents of mine. My advice is. that you find out who your own Member of Parliament. is rather than circulating your story to all M.P.s.". To my suggestion that Keith Hill M.P. was. doing nothing to help me, George. Foulkes M.P. sent the following faxed response; "If Keith Hill your own. M.P. cannot help no-one else in the House of Commons can." But it is clearly not. a case of "cannot" help, but "will not" help. I have. detailed in letters to Mr Hill specific ways in which he could help me, first of all. by finding a lawyer to represent me. It is Mr. Hills job as a Member of Parliament to represent his constituents; if he chooses not to do so, then it reflects badly. on him.

Kate Hoey Sympathises, but. says, "Write to your own M.P."

Here is part of a. letter Ms Hoey sent to me on 15 June 1999.

I appreciate that you have concerns about the persecution and. harassment that. you feel you are experiencing but I note that your MP is in fact Keith Hill. There is a very. strict Parliamentary code which means that M.P.s can only take action on matters that. relate to their own constituents. I. am aware that you are not happy with the fact that you do not feel Mr Hill will assist you but. I am afraid that I cannot take any action on. your behalf.

Ms Hoey plainly belongs in the camp of people who do not know. about the reality of the "MI5. Persecution". She doubts its existence; "the harassment you feel you are experiencing". She. urges me to see Mr Hills assistance, as have other. M.P.s detailed above.

Really, the fact that I. am unable to obtain assistance from any other M.P., if my own. alleged "representative" Mr Hill chooses not to represent me, is a very basic. weakness in the Parliamentary system. Beinggmainly events at my former. employers in Oxford during 1992, when I was harassed constantly. by manager Steve Mitchell for most of 1992, and was forced to begin attending hospital as an outpatient. as a result. This harassment was obviously of Mitchells own volition,. since I observed him harass similarly another new worker two. years later; but it was also at MI5s instigation, since they kept providing. him with words from my home life which he then proceeded to abuse me with. Yet this is not the only. employment that MI5 have destroyed; the MI5 persecution has lasted. from the end of my student days until the present time, during. which I have had three jobs, all of which have been in various. ways destroyed by MI5s deliberate actions.

In. March 1999 I decided to try to force the issue once and for all. Ever weekend for the. last four months, apart from two weeks when I was on holiday, I have sent original articles by fax directly from my computer. to Westminster politicians. Here is a summary. of the articles of the last four. months;

How to Identify. the Persecutors

Their use of Schizophrenia to discredit. my claims
Comparing the MI5. Persecution with German "Final Solution"
MI5 are. Plainly Trying to Kill Me
MI5 Waste Taxpayer Millions on. Pointless Hate-Campaign
Four Years of "MI5 Persecution" Posts on Internet. Newsgroups
MI5. Agents are Clinical Psychopaths
BBC Newscasters. Lior the Victims of MI5
MI5 Have Systematically Destroyed. My Life
Harassment through. the Radio

To my deep worry these fourteen faxed articles have. still not achieved the objective of kicking the matter out into the public arena. and forcing an admission either from the persecutors, or from those. "in the know", which includes some. M.P.s.

I dont really know what else to do to try. to bring the "MI5 persecution" out into the open. I would have expected that. these weekly faxed articles would. have had some effect, but the only result has been M.P.s telling me to contact my own representative Mr Hill who refuses. to talk to me. I understand the convention that M.P.s. deal with their own constituents and not those of other M.P.s, but there seems to be a gap. in the process since it allows your own M.P. to. refuse to deal with you, and then you are totally denied any representation at. all.

Conclusion

The. only conclusion I can inform the readership of these articles of, is that there is no conclusion to this matter, yet! Three years. of intermittent. articles, and four months of faxes every weekend, have been absorbed by some of the most powerful. people in the country, to no effect.

Whether these articles continue in the Autumn. is entirely up to the "opposition". I. offered them a cessation of complaints if they would leave me alone on holiday in June/July, and. they went right ahead and harassed me anyway, on holiday and after I returned to London. If. MI5 cease their activities now, then I wont have. to continue these faxes in the autumn; but. I suspect they wont cease, which means youre in for more articles later this. year. "There will be no conclusion."

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDem

```
From 7956432980293364278
X-Google-Thread: 10a148,58e915a7a801a864,start
X-Google-Thread: f704f,58e915a7a801a864,start
X-Google-Thread: 10499d,58e915a7a801a864,start
X-Google-Thread: 108122,58e915a7a801a864,start
X-Google-Attributes: gid10a148,gidf704f,gid10499d,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <fo0711311054274776@4ax.com>
Subject: M,I.5'Per secution   MI5  Wa nt Me to Sen d You  these  Fax es
Newsgroups: sci.space.shuttle,alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
Followup-To: sci.space.shuttle,alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,
uk.misc
From: vemiefi@lycos.com
Date: 31 Dec 2007 10:54:30 GMT
Lines: 280
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 277
Xref: g2news1.google.com sci.space.shuttle:34117 alt.internet.search-engines:49740
alt.sex.algore.lick.the.wet.toad:1859 alt.sex.boys:39374
rec.radio.amateur.equipment:13685
```

MI5 Want. Me to Send You these Faxes

MI5. seem to Want to Spin this Business out for as Long as Possible

The. MI5 persecution has now been going on, starting from June 1990, for well over nine years. If I knew. how to put an end to it then I would do so. Of course MI5 have indicated how they wish to finish the matter,. by finishing me off; they indicated this very. clearly years ago when they were. shouting "suicide" at me.

But a deeper truth is that. the MI5 agents carrying out the persecution rely on it. for their income and their livelihood. They have absolutely no interest in anything other than spinning out the. whole business, because that is how they will. maximise their earnings from their employer for the "work" they. do against me.

A vital part of the fantasy structure MI5 have created about me is. that I am somehow a worthwhile. target. If you bother to read these faxes, if you browse my website, or perhaps read my posts on. the uk.misc newsgroup, you will have by now. twigged that I am a totally insignificant person who in a proper dictatorship like East Germany. would not merit five minutes of Stasi time. But Britain is improper in the. methods of its corruption, and the Security Service seeks to present me as being a an evil fascist,. an evil communist, an evil something-else, and. even a "national institution".

It. occurs to me that to some extent I am playing into their hands, into their scheme of things, by writing. these articles and sending these faxes. By doing these things,. I elevate my profile, and fuel MI5s paranoid obsession with me. But to stop sending faxes would be to give up the. only hope. I have of seeing their campaign "outed" and justice done. Certainly there is no point going to the police. again; and as remarked in a previous article, the Security Service Tribunal routinely. whitewashes every complaint that is placed. before it.

So although MI5. seems to want me to continue sending these faxes, doing this is the only. real chance of getting this business out into the open. And so Ill continue trying. to kick down their house of cards. At least my situation is less serious than that of some other. victims of the secret services; unlike Shayler I am not broke and exiled; unlike. Fayed I have not. lost a son to the posited activities of the secret services. All I. have lost is some of my health, some of my life, and some of my possible career.

MI5s Abuse. of me is without Cause or Reason

It constantly puzzles me that MI5 refuse. to leave me alone, wherever I go and whatever I do, or rather, whatever I dont do, since Im not a. very socially or otherwise active person.. When I am in England, they chase me all over the place, and once theyve found me, they pay people to. shout rude words at me. When I am in. Europe, they again chase me all over the place, and as usual pay people to shout. obscenities at me. When I am in Canada. or visiting the States, they faithfully chase me all over the place, and when they find me,. pay people to shout obscenities at me.

It is. hard to avoid the conclusion that these MI5 operatives who chase me are total. lunatics. You will remember from a previous articles the assessment "MI5 Agents are Clinical Psychopaths". They have tried. to blame me for what they do and. what they say; yet their lies have been wafer-thin, and are. clearly seen to be oiled by the money which they acquire from the Government,. and ultimately from the taxpayer.

They have tried various lies to put the. blame on me; "we have to abuse him because hes. a nutter", as if there werent many tens of thousands of other people with schizophrenia. in the United Kingdom. Their choice of abuse words is telling; subconsciously perhaps they. realise that it is they who are. the "nutters", and they try to project their own illness onto their target.

MI5 Operatives have Nothing Else to Do With. Their Time

Ive seen the. same "Alan Holdsworth" person three or four times over a period of several years. I saw him at the Civic Hospital in. Ottawa in the Emergency Ward, where he falsely declared his name to. be "Tad"; at Ottawa airport in summer 1998; and on board another flight in. 1995.

So what we see. from the above paragraph is, the same people are delegated to watch me. for many years. Without me, they wouldnt have a job. They literally have. nothing else to do with their time, except indulge their voyeurism against me. With this observation,. we come to the core of MI5s campaign. against me; these people are not fit for any job other than the exercise of voyeurism against me, and if sanity were to land on. MI5 then they would be out of a job.. If sanity were truly to land then these people and their employers would be prosecuted. for offences under the Protection from Harassment legislation, which they are clearly. breaking.

It is. one of the ironies of their campaign that MI5 have been trying to make. me an object of ridicule for completely trivial things I have done, while. MI5 themselves have simply not mentioned how ridiculous is their own behaviour and that of broadcast media. journalists, in spying on me while they read the news. for example. If the whole truth of this business is ever exposed, and despite all my efforts it still. seems there is a block on its exposure in Britain, then the rights and wrongs will. be clear to all, and no amount of MI5 lies will be able to. change that. MI5 presumably do. realise just how damaging such a revelation would be both to themselves, and to broadcast media such as the BBC. and ITN, because there has not been even the slightest chink in. the armour, despite four and a half. years of my complaints on internet newsgroups and by fax to politicians. and the media.

MI5s Final Kick. in the Teeth to the British State

For someone like myself born in the late sixties it. seems peculiar to think that Great Britain once. used to have a say in the destiny of foreign peoples in far-off sections of the globe. Modern. Britons tacitly accept the lowering of their country to a third-rate power. reliant on the United States for what. little say it has in the world. A third-rate power, now "reverse-colonised" by third world peoples it once. ruled and riven with internal. problems so severe the government hardly dares acknowledge them.

To this third-rate power the MI5. secret police are delivering the final kick in the teeth through a campaign of persecution which. is guaranteed to hold the state up to ridicule throughout the world when it. is finally exposed. As a "thought experiment" suppose the French or the. Spanish security service. had done to one of their own born citizens what MI5 has done in. this country. Suppose say the Spanish had planted hidden cameras in his home,. for the perverted pleasure of their state television newscasters, just as hidden cameras have been placed in my home for. the perverted pleasure of Martyn Lewis,. Nicholas Witchell et al. Suppose the Spanish service. had for nine years been trying to force suicide on their target; at times, so blatantly. that they shouted the word "suicide".

Now suppose they were. caught.

Of course, as long as MI5 arent caught, theyre laughing.. The psychopathic security service agents gets their kicks from shouting. abuse at me; the newscasters, Lewis, Witchell etc get their jollies, "it was so. funny", we were watching this bloke and he couldnt do anything about. it.

But once theyre caught, the sky falls. in. Of course, the "patriotic" MI5-funded media in Britain will. try to put the best spin on the MI5/media activities; it was the targets fault, of course. But. most of the world bears no allegiance to Britain. If this business is ever. exposed then a weakened Britain will. become the laughing-stock of the world. And I promise. you, the security services persecution of me will be exposed. MI5 has delivered a final kick in the. teeth to the British state, and I will do everything I can to ensure. the world hears about what they have done.

Metropolitan Police Refuse. to Investigate the MI5 persecution

I have on a couple of. occasions tried to motivate the police to investigate MI5s. actions against me. On each occasion they have refused to do so. In 1995 I went to my local police station and spoke to. an officer there;. he refused to accept my complaint, and seemed interested only in seeing me leave the station as. quickly as possible.

Earlier this year I had some communications. with Det.Sgt.Richards of Charing Cross police. Again I asked him to. deal with MI5s actions against me. Unfortunately DS. Richards conformed to the negative stereotype of the bigoted, ignorant "copper"; he said, "I have read your various. bits on the internet. I'm afraid there is no substance or credence to it.. It's an absolute load of. rubbish. I don't investigate rubbish. I can't be more blunt. or to the point than that."

You have. to wonder at the state of law enforcement in Britain. If the victim of a murder is. black, as happened in the Lawrence case, the police deliberately botch the investigation. If. the victim of a crime is mentally ill, and the perpetrators are the. secret services, as in my case, then the police refuse. to even begin to investigate the crimes committed.. Politically Britain is a third-rate country, but from the point of view. of obtaining justice, Britain ranks down there with third-world countries. You almost feel that. MI5 and their media buddies would not even have any shame if their activities. against me were exposed; after all, why should they? they. have the money, they have the control, OK so perhaps theyve broken. a few dozen laws, but doesnt the fact that the police are too. corrupt to investigate these crimes, doesnt that prove that in fact no crimes have been. committed?

I should say again what I have said earlier in this article.. My losses over the. last nine years have not been as great as those of other victims of British Secret Police malefaction. Fayed lost. his son to their murderous activities; in my occasional communications. with former MI5/MI6 employees. I have been informed that a "permanent solution" is not uncommon for. opponents of the British secret police. I have lost health and financially, but am obviously well enough to. keep fighting my case. Others have lost much more than I. If the joke which. is British "law enforcement" refuses to enforce laws against the. security services then that is something that is recognised in other countries and Britains. stock correspondingly falls. Not that it has very far to. fall; the days when England had any say in the. world are long gone.

MI5 Want These Faxes to. Continue

Before the. holiday, I said that if MI5s harassment of me stopped, then I would. cease my complaints. They have known very well that if they continued to. harass me then I would resume the fax campaign in the autumn.. Yet they have not stopped persecuting me. Recently a woman outside my domicile screamed her head off with abuse. in the direction of my window; and on Saturday 2 October, when I was. shopping at a nearby supermarket, a man shouted the particularly vile. sexual swear word which I have heard many times before over the last few. years.

MI5s attitude shows complete arrogance. Yet it also. shows that they want the faxes to continue and deliberately. try to provoke me into sending further faxes. The reasons for this. are given in the first paragraphs of this article; the MI5 operatives who persecute. me have nothing else to do with their time; to make their campaign, against an apparently. unreacting target,. have some value, they have to force me to react in some way against their actions; and by. reacting in this way, by bringing their campaign to. the attention of British politicians, I play into their hands, by giving their campaign the attention. and importance which they feel it deserves.

In. the short term, by sending these faxes, perhaps I am doing something they want me to do, but in the. longer term it is undoubtedly more in my interest than theirs for their activities to be exposed.. If their operatives truly do wish to see these faxes continued. then they are committing a serious mistake, because it. significantly increases the risk if M.P.s (some of whom already. know about MI5s activities against me) are advised of my. side of the story.

I will continue to monitor and record the. secret services activities against me over the next few weeks. If they diminish and cease, as. I hope they will, then I may be able to call a. halt to these faxes; but that it something which. is entirely up to them; recently their continued harassment makes clear that they do wish. the faxes to continue, and in all sincerity I do think they will continue their. activities and make it impossible for me to cease these. faxes. It may trouble you to receive these articles, but it troubles. me much more to be on the receiving end of a national persecution campaign; and while. Britain does not have free speech provisions as does Canada in the. Charter of Rights and Freedoms, and the US in the first amendment. to the constitution, in practice I do not think anyone is going. to try to have me locked up for speaking the truth. I still cherish. the hope that the veracity I express will be shown for what it is, and that the truth. will prevail and make me free.

Removing the Mask of Anonymity from. the MI5 Operatives

Undoubtedly one factor. encouraging the MI5 agents actions against me has been the fact that they can shelter behind a. mask of anonymity while they carry out their abuse. This. is both a sign of their realisation that their actions are. criminal; for crimes are harder to pin down and make a coherent complaint. about when their perpetrators are unknown; and it is a sign of. their cowardice, since they lack the backbone to say things to my face themselves; instead they almost always. rely on third parties to carry out the. actual acts of abuse.

On a. few occasions I have seen the perpetrators, but on each occasion they have managed. to preserve their anonymity. They travelled on the same British Airways flight as me in 1994; but BA have ever. since refused to give up the passenger list for the flight, and the. police and lawyers have proved useless in obtaining their identities from the. list. Also one of them followed me into A&E department of Ottawas. Civic Hospital a couple of years ago, and gave his name as (if I heard. correctly) "Alan Holdsworth"; but the doctor refused to. give out his identity when I later tried to speak. to him.

If only we knew the identities of the individual operatives, then it. would be possible to find. out the identity of their employing organisation. But I think we know the latter. already, since I have been accusing them on internet newsgroups for. four and a half years now, and they have never denied my guess. Indeed, when I was travelling in January 1996 back. to Ottawa, two youths on the (British Airways. again, unfortunately) flight made a lot of noise at. me, one of them saying to the other that I "didnt know who we. are". That is a wafer-thin denial; I had been saying for a year that they were MI5, so a stronger denial. would be necessary if my guess were truly mistaken. I think the lukewarm denial. was worse than no denial at all, since it confirmed. my guess that the employing agency was indeed. MI5.

Conclusion

It has. been suggested to me that by sending these faxes I could be making trouble for myself; but I dont think. so. My psychiatrist knows what I am doing; indeed I have given him a couple of these articles for. him to cast an. eye over.

I dont want to have to send faxes for the next year, or. the year after that. But that is entirely up to MI5.. If they continue to persecute me then I am forced into defending. myself. The ball is in their court, and it is entirely up to them what they do. If as. I suspect it is their intention that these faxes continue,. if that is what they insist will happen then so be. it.

10329

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDem

From -8616596149610138898

```
X-Google-Thread: 10a148,a596981a5714177c,start
X-Google-Thread: f704f,a596981a5714177c,start
X-Google-Thread: 10499d,a596981a5714177c,start
X-Google-Thread: 108122,a596981a5714177c,start
X-Google-Attributes: gid10a148,gidf704f,gid10499d,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!nx02.iad01.newshosting.com!
newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <cj0711311141369843@4ax.com>
Subject: M I-5'Per secution , M I5 Insi st t hat th ese Fa xes must  C ontinue
Newsgroups: sci.space.shuttle,alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
Followup-To: sci.space.shuttle,alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,
uk.misc
From: mevmvfm@bigfoot.com
Date: 31 Dec 2007 11:41:39 GMT
Lines: 70
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 67
X-Original-Bytes: 4555
Xref: g2news1.google.com sci.space.shuttle:34118 alt.internet.search-engines:49741
alt.sex.algore.lick.the.wet.toad:1860 alt.sex.boys:39375
rec.radio.amateur.equipment:13686
```

MI5 Persecution. Update: Friday 31 March, 2000

22,544 Faxes Delivered in Three Years, and. Still No Breakthrough

In the. last three years I have sent at least 22,544 faxes to recipients in the. UK, of which at least 13,974 have gone to Westminster. Last weekend alone I sent 832 completed faxes. to politicians, the media and various others, on the subject of MI5s mistreatment. of me these last ten years.

I believe some of. the recipients know of MI5s actions against me in the last decade; yet they maintain strict "omerta". in fear of the security services persecution. actions being made public.

MI5 Insist that these Faxes. must Continue

Between. September 1999 and mid-January 2000, the persecutors, whoever they might be, mostly left me. alone. I counted only three incidents in almost five months - which is a lower rate than. at any time since June 1990, when this. business started.

By leaving me alone for several months, the "oppressors". were making an implicit assurance that they would continue to leave. me alone in the future. On. 11 January I posted to an internet newsgroup accepting what I saw as their assurance of no further harassment, stating that I. would cease sending these faxes - which is the only. thing I do in my defence -

if they continued to. leave me alone. And for two weeks I did indeed refrain from. distributing these articles.

But MI5 acted. in bad faith. From the last week of January until the beginning of. March, they resumed their hate campaign against me with a vengeance. They even put people in my road three. times in February, one instance of which I. recorded. They resumed their normal behaviour of bugging my phone and house, listening to where I would go,. and then placing. people in that location to "aggravate and annoy" me.

What MI5 did in February is plainly a contravention. of the Protection from Harassment Act 1997, since it has caused. me "alarm and distress" as specified in the. Act. But it is a waste of time going to the police with a complaint, since the police have. done, and will do, absolutely nothing. I complained. to the Metropolitan Police in 1995, and they refused to take my complaint. When I complained. again in 1999, the detective sergeant laughed at my complaint, with the words, "It's an absolute load of. rubbish. I don't investigate rubbish. I can't be more blunt or to the point. than that." It is useful to remember that the. Met also treated Stephen Lawrences parents with similar discourtesy; police. prejudices are similar in my case, so I can take some comfort from. that case and hope that one day I will get a fair. hearing.

MI5 acted in bad. faith, but they also acted with arrogance. They do not care if I send 800 faxes every weekend,. since they know I cannot prove my claims, and the recent Shayler case. shows how weak external oversight is of the secret services. But they. acted with more than arrogance - the MI5 agents actually want my faxes. to continue, they insist that these faxes continue, since my communications give them an excuse. to continue their activities, and continue in the. paid employ of the secret service. Despite their use of diverse proxies over. the last ten years, it is the same MI5 officers. behind the campaign all the time - I have seen one of them on three occasions. in Canada over a period of years, and it is a safe belief that that same. person continues to be paid for his "work" in harassing me in London now. The average cost of an MI5 employee is some 75,000. per annum, so one may infer that their. officers are amply compensated; their insistence that "hostilities" are maintained is. understandable when placed in. this light.

11991

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDem

From -6618934398677759090
X-Google-Thread: 10a148,a7ac721d90353c15,start
X-Google-Thread: f704f,a7ac721d90353c15,start
X-Google-Thread: 10499d,a7ac721d90353c15,start
X-Google-Thread: 108122,a7ac721d90353c15,start
X-Google-Attributes: gid10a148,gidf704f,gid10499d,gid108122,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <nw0711311205337782@4ax.com>
Subject: M I-5'Pers ecution , 22, 544 + 837  = 23, 381
Newsgroups: sci.space.shuttle,alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
Followup-To: sci.space.shuttle,alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,
uk.misc
From: mfemivmev@gmail.com
Date: 31 Dec 2007 12:05:36 GMT
Lines: 67
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 64
Xref: g2news1.google.com sci.space.shuttle:34119 alt.internet.search-engines:49742
alt.sex.algore.lick.the.wet.toad:1861 alt.sex.boys:39376
rec.radio.amateur.equipment:13687
```

MI5 Persecution. Update: Friday 7 April, 2000

22,544 + 837. = 23,381

Last weekend I delivered another 837 faxes to. politicians and the media on the. subject of the security service conspiracy which has destroyed my life. This brings the total in. the last three years to at least 23,381. These totals. do not include partially delivered faxes.

Some of. the recipients of these faxes must know that what I say is true;. and I hope to motivate those people to acknowledge the reality of the harassment which has followed me for. ten years. It takes much time to transmit these articles, but as OCG MD. Simpson-Wells said to me in 1992, you have to be a good. communicator if you are to succeeed.

Harassment. in February 2000

Following a quiet period of almost five months,. the persecution resumed with a vengeance in late January/February 2000. At this time I was. at home in Clapham, London and was a relatively easy. target for the persecutors.. They have my house bugged, for audio and I believe video in some rooms as well; so they can find out easily. where I will be going on a particular day, and place people in that location to mouth words. of abuse at me. (I know the last sentence sounds like classic paranoia, but. it happens to be true, and. some of the people reading this know it to be true.)

On Friday 11 February 2000 I went shopping in Croydon,. to buy a watch at H. Samuels jewellers in the Whitgift Centre.. While I was there two youths came into the. shop, one of them quietly uttered an obscenity at me, and they immediately walked. out. They showed no interest in the shop.

That Sunday I met with a. friend in Clapham, who started needling me about "do you know anything. about the CIA and FBI?". Rather unsubtle, and worrying considering Ive known this guy for 20. years. From the words and demeanour of. this "friend" and others in February, I saw that the persecutors have again been trying to. separate from me what remains of my social. life.

Incidents. in my Road in February

MI5 very rarely place people in my. home road to harass me, but such was their persecutory fervour in February that. they did so on three separate occasions. On the first such occasion, I. was met my two youths who, grinning, said a deeply offensive sexual obscenity at. me - at which I coughed. at them, so they called me a "wanker". This incident is safely recorded on minidisc-walkman, but because of. the offensive nature of their abuse the recording. will not be made public.

Another incident very early in the morning of Sunday 20/Feb/2000. occurred outside. my home, following an evening in Croydon with some schoolfriends. Again there were. two youths - for some reason the persecutors always travel in twos or threes, very rarely is there. just one of them - perhaps they need a group. to bolster their courage, perhaps just one of. them wouldnt have the guts to say something unpleasant. One of the youths said quietly, and. bitterly, "shitty, very shitty".

Anyway, in March. there were no further incidents near my house in in my road, and our. neighbours are very well disposed towards us, so let us hope that. the current quiet continues.

13653

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDem

From 785280484946284540
X-Google-Thread: 10a148,a7ac721d90353c15
X-Google-Thread: f704f,a7ac721d90353c15
X-Google-Thread: 10499d,a7ac721d90353c15
X-Google-Thread: 108122,a7ac721d90353c15
X-Google-Thread: 10b88a,cabdd8efba7e4db1,start
X-Google-Attributes:
gid10a148,gidf704f,gid10499d,gid108122,gid10b88a,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: M I-5'Pers ecution , 22, 544 + 837 = 23, 381
From: The Gobbling Goblin <customerservices@houstoncrafts.com>
Date: Mon, 31 Dec 2007 12:31:51 +0000
Message-ID: <p8ohn3hlv5lgecfdco3f1a4u08h6uh7vhh@4ax.com>
References: <nw0711311205337782@4ax.com>
Lines: 33

Path: g2news1.google.com!news3.google.com!out03a.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!out.nntp.be!sp12lax.superfeed.net!not-for-mail
Newsgroups: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,uk.misc
Reply-to: webmaster@houstoncrafts.com
X-Proxy-User: $$l_z6wszqg2
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Report: Please report illegal or inappropriate use to <abuse@newsabusereporting.org>. Forward a copy of ALL headers INCLUDING the body. (DO NOT SEND ATTACHMENTS)
X-Comments2: IMPORTANT: Superfeed.net does not condone,support,nor tolerate spam or any illegal or copyrighted postings.
X-Comments: This message was posted through Superfeed.net
Organization: Superfeed.net
Xref: g2news1.google.com sci.space.shuttle:34120 alt.internet.search-engines:49743 alt.sex.algore.lick.the.wet.toad:1862 alt.sex.boys:39377 rec.radio.amateur.equipment:13688 uk.misc:144821

On 31 Dec 2007 12:05:36 GMT, mfemivmev@gmail.com wrote:

>Subject: M I-5'Pers ecution , 22, 544 + 837 = 23, 381
>From: mfemivmev@gmail.com
>Date: 31 Dec 2007 12:05:36 GMT
>Message-ID: <nw0711311205337782@4ax.com>
>Bytes: 3963
>Lines: 64
>Organization: news.newsdemon.com
>Path: sp6iad.superfeed.net!in1.nntp.be!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
>Newsgroups: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment
>Followup-To: sci.space.shuttle,alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,rec.radio.amateur.equipment,uk.misc
>X-Complaints-To: abuse@newsdemon.com
>Xref: sp6iad.superfeed.net sci.space.shuttle:248682 alt.internet.search-engines:133860 alt.sex.algore.lick.the.wet.toad:5863 alt.sex.boys:267138 rec.radio.amateur.equipment:186011

http://www.newsdemon.com/abuse.php

----== Posted via Newsfeeds.Com - Unlimited-Unrestricted-Secure Usenet News==----
http://www.newsfeeds.com The #1 Newsgroup Service in the World! 120,000+ Newsgroups
----= East and West-Coast Server Farms - Total Privacy via Encryption =----

From -7454322653589517271

X-Google-Thread: 10bf43,a36e254fe15cae18
X-Google-Thread: fb049,a36e254fe15cae18
X-Google-Thread: 107ada,a36e254fe15cae18
X-Google-Thread: 114aac,a36e254fe15cae18
X-Google-Thread: 108122,a36e254fe15cae18
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:04 -0500
Message-ID: <gklin39m7a7h28hqnjbif0hjubh9q0c1rc@4ax.com>
References: <4746ead5$0$26105$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Date: 31 Dec 2007 21:18:56 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 22
Xref: g2news1.google.com rec.radio.amateur.policy:106824 alt.ham-radio.vhf-uhf:6382 rec.radio.amateur.misc:42857 rec.radio.shortwave:130643
rec.radio.amateur.equipment:13689

On Fri, 23 Nov 2007 10:49:57 -0500, "Marqueer Mark Morgan"
<mrakmrogan@hotmale.com> wrote:

> you too can be part of the work of the kosher ham
> male you article to this adess and perhap you seeyou name for all time (or
> at least as long as as blogger last
>
> http://ipunce.blogspot.com/

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

```
--
Posted via a free Usenet account from http://www.teranews.com




From 6767989801159210529
X-Google-Thread: 1082f5,711d56d3a3309580
X-Google-Thread: 108122,39802d3430474684
X-Google-Thread: 10bf43,39802d3430474684
X-Google-Thread: 114aac,39802d3430474684
X-Google-Attributes: gid1082f5,gid108122,gid10bf43,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups:
soc.men,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:04 -0500
Message-ID: <2llin35pjhmsl5nl4vtmaai1kie0tprkfn@4ax.com>
References: <kgiYi.94633$vI1.7233@fe1.news.blueyonder.co.uk>
<4731e9ce$0$26391$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
NNTP-Posting-Date: 31 Dec 2007 21:19:02 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 30
Xref: g2news1.google.com soc.men:327384 rec.radio.amateur.equipment:13690
rec.radio.amateur.policy:106839 rec.radio.shortwave:130644

On Wed, 7 Nov 2007 12:27:53 -0500, "kb9rqz" <kb9rqz@homomale.net>
wrote:

>my wife indeed considar blogging himself two.
>
>my blogs four you veiwing plasures can be veiwed below
>
>http://markcmorganusenetmoron.blogspot.com/
>
>http://ipunce.blogspot.com/
>
>http://www.gavmorgan.blogspot.com/
>
>http://kd8ctl.blogspot.com/
>
>http://kb9rqz.blogspot.com/

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams
```

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com

From 7948547430296521246
X-Google-Thread: 1082f5,711d56d3a3309580
X-Google-Thread: 108122,39802d3430474684
X-Google-Thread: 10bf43,39802d3430474684
X-Google-Thread: 114aac,39802d3430474684
X-Google-Attributes: gid1082f5,gid108122,gid10bf43,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups:
soc.men,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:04 -0500
Message-ID: <cllin3plu3h1mfikqs2kls71ecg6gma1c4@4ax.com>
References: <kgiYi.94633$vI1.7233@fe1.news.blueyonder.co.uk>
<4731eb85$0$26436$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 53
NNTP-Posting-Date: 31 Dec 2007 21:19:06 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com soc.men:327385 rec.radio.amateur.equipment:13691
rec.radio.amateur.policy:106842 rec.radio.shortwave:130645

On Wed, 7 Nov 2007 12:35:13 -0500, "kb9rqz" <kb9rqz@homomale.net>
wrote:

>this blog be will be now be accept articles to be publshed after indeed
>being reveiwe and monretated buy me i indeed mronoate eveyting now.
>
>http://ipunce.blogspot.com/
>"MCP" <gf010w5035@blueyonder.co.uk> wrote in message
>news:kgiYi.94633$vI1.7233@fe1.news.blueyonder.co.uk...

```
>> http://whatmenthinkofwomen.blogspot.com/2007/11/bloggers-choice-awardsan-
enigma.html
>>
>> Bloggers Choice Awards seems to be just an enigma. I am really pissed off
>> by the fact that this site has deemed it correct to include a male-hating
>> feminist site in the winning circle knowingly that Harry kick those
>> bitches arses by at least 100 votes.
>>
>> So now we have the perceived image that the male-haters were on par which
>> they definately were not..
>>
>> And I told them so. I will remove that link from this blog as it just
>> smacks too much of bias..
>>
>> --
>> ~ A man needs a woman like a lion needs a stove. ~
>>
>> ~ Women deserve only equal opportunity, not equal outcomes. ~
>>
>> ~ Men are not collectively "guilty" of anything. ~
>>
>> ~ Never needing to be pregnant is a blessing. ~
>>
>> ~ Feminist ideology "men have to respect women, but women have no reason
>> to respect men" ~
>>
>> ~ Everybody makes choices, and nobody should be entitled to special
>> treatment because of those choices.
>> Equal results based on unequal treatment amounts to no kind of equality at
>> all. ~
>>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com



From -7643391427208174283
X-Google-Thread: 10bf43,6bc67e32e753f4f9
```

X-Google-Thread: fcc6e,6bc67e32e753f4f9
X-Google-Thread: 108122,6bc67e32e753f4f9
X-Google-Thread: fa029,6bc67e32e753f4f9
X-Google-Thread: fb049,6bc67e32e753f4f9
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:05 -0500
Message-ID: <d2min3ll85hb6mpgjs2lrv97df7a5epae4@4ax.com>
References: <4734ab89$0$26451$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 31 Dec 2007 21:20:59 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:106867
rec.radio.amateur.antenna:52502 rec.radio.amateur.equipment:13692
rec.radio.scanner:13191 alt.ham-radio.vhf-uhf:6385

On Fri, 9 Nov 2007 14:38:57 -0500, "kb9rqz" <kb9rqz@homomale.net>
wrote:

> ok I back four anoter tuff day on the news grupes it my job tis tis waht I
> do so bringit on you loosers

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com

From 3975663462258045514

```
X-Google-Thread: 108122,56ee6174ed9f5b10
X-Google-Thread: 10bf43,56ee6174ed9f5b10
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:09 -0500
Message-ID: <79nin3p3du7v2ogkuuhmfus67n3v5chrm6@4ax.com>
References: <47432cf9$0$26112$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 31 Dec 2007 21:24:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13693
rec.radio.amateur.policy:106937

On Tue, 20 Nov 2007 14:42:36 -0500, "kb9rqz" <kb9rqz@hotmale.com>
wrote:

>Haves a techical blog for radio hints ant tips tips
> http://techkb9rqz.blogspot.com/

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com



From 4268170310141471415
X-Google-Thread: 108122,9eddf6d457b9bdf5
X-Google-Thread: 108228,9eddf6d457b9bdf5
X-Google-Thread: fb049,9eddf6d457b9bdf5
X-Google-Thread: fcc6e,9eddf6d457b9bdf5
X-Google-Thread: 10bf43,6db222f300e8593
```

X-Google-Attributes: gid108122,gid108228,gidfb049,gidfcc6e,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.policy
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:12 -0500
Message-ID: <n8oin315sf6aavfm4h6j5ie5fq6dchh1lb@4ax.com>
References: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
<c0daf03508876d541475d10ea0de7261@pseudo.borked.net>
<474eea47$0$26082$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
NNTP-Posting-Date: 31 Dec 2007 21:27:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13695 alt.ham-radio.marketplace:3524 alt.ham-radio.vhf-uhf:6388 rec.radio.amateur.antenna:52505 rec.radio.amateur.policy:106988

On Thu, 29 Nov 2007 12:25:29 -0500, "mark mrogan"
<kb9rqueer@hotmale.com> wrote:

>
>"Ted" <nobody@pseudo.borked.net> wrote in message
>news:c0daf03508876d541475d10ea0de7261@pseudo.borked.net...
>> In article <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
>> Ted <nob...@pseudo.borked.net> wrote:
>>>
>>> http://snipr.com/YaesuFT1000D
>>
>> Sorry, bad link. Try http://301url.com/YaesuFT1000D
>>
>>
>Radiomart blows goats

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com

From -190764021375991681
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:12 -0500
Message-ID: <h9oin3lmin020giepd97km5s1fi8u1i0po@4ax.com>
References: <4752cced$0$26053$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
NNTP-Posting-Date: 31 Dec 2007 21:27:56 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 24
Xref: g2news1.google.com rec.radio.amateur.policy:106986 alt.ham-radio.vhf-uhf:6387 rec.radio.amateur.misc:42902 rec.radio.shortwave:130651
rec.radio.amateur.equipment:13694

On Sun, 2 Dec 2007 11:09:14 -0500, "kb9rqz" <kb9rqueer@homale.com>
wrote:

> you too can be part of the work of the kosher ham
> male you article to this adess and perhap you seeyou name for all time (or
>at least as long as as blogger last
>
> http://ipunce.blogspot.com/
>
>do U hav anyting cognet two say?

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com

From 4445127302689292980
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:12 -0500
Message-ID: <a9oin35o0etp7ju9dti5kbolsg5j829gtv@4ax.com>
References: <474f1de4$0$25994$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Date: 31 Dec 2007 21:27:52 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 22
Xref: g2news1.google.com rec.radio.amateur.policy:106992 alt.ham-radio.vhf-
uhf:6389 rec.radio.amateur.misc:42905 rec.radio.shortwave:130652
rec.radio.amateur.equipment:13696

On Thu, 29 Nov 2007 16:05:42 -0500, "mark mrogan"
<kb9rqueer@hotmale.com> wrote:

> you too can be part of the work of the kosher ham
> male you article to this adess and perhap you seeyou name for all time (or
>at least as long as as blogger last

>
> http://ipunce.blogspot.com/

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com

From -5591674925660190409
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes: gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahoo.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:12 -0500
Message-ID: <t9oin3t5ok8bsbp4s3n9gpvc1279bj0qsg@4ax.com>
References: <4752facc$0$26048$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 38
NNTP-Posting-Date: 31 Dec 2007 21:28:01 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 35
Xref: g2news1.google.com rec.radio.amateur.policy:106993 alt.ham-radio.vhf-uhf:6390 rec.radio.amateur.misc:42906 rec.radio.shortwave:130653 rec.radio.amateur.equipment:13697

```
On Sun, 2 Dec 2007 14:24:59 -0500, "kb9rqz" <kb9rqueer@homale.com>
wrote:

>You <You@shadow.orgs> wrote:
>> In article <4752cced$0$26053$88260bb3@free.teranews.com>,
>>  "kb9rqz" <kb9rqueer@homale.com> wrote:
>>
>> > kosher ham
>>
>> Isn't that a contradiction in terms????????
>>
>>
>do you hav anyting cogent two say?
>
>
>
>
>
>
>
>http://ipunce.blogspot.com/

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com




From -1843431751544707851
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
```

```
From: kb9rqz@yahoo.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: forgery
Date: Mon, 31 Dec 2007 17:04:12 -0500
Message-ID: <4aoin3pengi7qvtl82jfpimnf74dfmp1t9@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Date: 31 Dec 2007 21:28:04 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:106994 alt.ham-radio.vhf-
uhf:6391 rec.radio.amateur.misc:42907 rec.radio.shortwave:130654
rec.radio.amateur.equipment:13698

On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
<kb9rqueer@hotmail.com> wrote:

>you too can be part of the work of the kosher ham
>  male you article to this adess and perhap you seeyou name for all time (or
>at least as long as as blogger last
>
> http://ipunce.blogspot.com/
>
> do U hav anyting cognet two say?

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever
btw i can be found at
17366 N River Rd
Chassel Mi

but the cowards asking lack the gut to act

--
Posted via a free Usenet account from http://www.teranews.com



From -2816335989068594243
X-Google-Thread: fcc6e,c9957deeee093675,start
X-Google-Thread: f7653,c9957deeee093675,start
X-Google-Thread: 108122,c9957deeee093675,start
X-Google-Thread: fc2a5,c9957deeee093675,start
```

X-Google-Thread: 107ada,c9957deeee093675,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.alt.net
From: vmvfvei@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M.I,5-Persecution ` th e B BC, television a nd radio
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 08:28:11 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 62
Message-ID: <dy0800010828106348@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52518
rec.radio.amateur.digital.misc:1001 rec.radio.amateur.equipment:13699
rec.radio.amateur.homebrew:14954 rec.radio.amateur.misc:42923

-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
-= the BBC, television and. radio -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=

The first incident in June 1990 was when. a BBC newsreader made what seemed to be a reaction to something which had happened in my. home, and out of context. of what they were reading. My first reaction was disbelief; nothing of the sort had. ever happened before, the idea that such a thing could occur had not crossed. my mind, yet there was no doubt of what had just taken place. My disbelief eroded. as this recurred time after time. Besides the news, offenders included. shows such as Crimewatch (!), Newsnight, and "entertainment" shows. There seems to be very. little moral understanding among the people who make these programmes; they just. assume they will never be caught, so they carry on without. a thought for the illegality or amorality of what they do. The only time I ever. heard a word raised in doubt was by Paxman being. interviewed by someone else (I think by Clive Anderson). back in 1990; referring to the "watching" he said it troubled him, and when asked by the host. what you could do about it, replied "Well, you could just switch. it off" (meaning the surveillance monitor in the studio).. He clearly didn't let his doubts stand in the way of continued surreptitious. spying from his own or other people's shows, though.

Now you're convinced this is a troll, aren't you?. This story has been the subject. of much debate on the uk.* Usenet newsgroups for over a year, and some readers believe it. to be an invention (it has even been suggested that a group of psychology students. are responsible!), others think it symptomatic of a. derangement of the author, and a few give it credence. Quite a few people. do know part or all of the story already, so this text will fill in the gaps in their knowledge. For. the rest, what may persuade you of the third possibility is that some of the. incidents detailed are checkable against any archives of radio and TV. programmes that exist; that the incidents involve named people (even if. those hiding in the shadows have. not made their identity or affiliations evident), and those people may be persuaded to come out with the truth; and that. the campaign of harassment is continuing today both in the. UK and on the American continent, in a none-too-secret fashion; by. its nature the significant risk of. exposure increases with time.

On several occasions people. said to my face that harassment from the TV was happening. On the first day I worked in Oxford, I spent the evening. in the local pub with the. company's technical director Ian, and Phil, another employee. Ian made a few references to me and said to Phil,. as if in an aside, "Is he the bloke who's been on TV?" to. which Phil replied, "Yes, I think. so".

I made a number of efforts to find the bugs,. without success; last year we employed. professional counter-surveillance people to scan for bugs (see later) again. without result. In autumn 1990 I disposed of my TV and watched virtually no television for the. next three years. But harassment from TV stations has gone on for over. six years and continues to this day. This is something that many people. obviously know is happening; yet the TV staff have. the morality of paedophiles, that because they're getting away with it they feel no. wrong.

Other people who were involved in the abuse. in 1990 were DJs on BBC radio stations, notably disc jockeys from Radio 1 and other. stations (see the following section). Again, since they. don't have sense in the first place they can't be. expect to have the moral sense not to be part of criminal harassment.

553

```
From 2849488036709730242
X-Google-Thread: fcc6e,73110f6c125b0766,start
X-Google-Thread: f7653,73110f6c125b0766,start
X-Google-Thread: 108122,73110f6c125b0766,start
X-Google-Thread: fc2a5,73110f6c125b0766,start
X-Google-Thread: 107ada,73110f6c125b0766,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: emfvm@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M'I`5'Persecutio n , bugging  and  count er-surveillance
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 08:55:10 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 46
Message-ID: <wr0800010855093205@4ax.com>
```

Xref: g2news1.google.com rec.radio.amateur.antenna:52519
rec.radio.amateur.digital.misc:1002 rec.radio.amateur.equipment:13700
rec.radio.amateur.homebrew:14955 rec.radio.amateur.misc:42924

-=-
-= MI5: bugging and. counter-surveillance -=
-=-

PO: >Did you ever look for the bugs in your house ? If not, why not ? I. mean if
PO: >I thought that was happening. to me, I'd search the place from top to bottom,
PO: >I mean I live there I would know if anything. was out of place. If I was
PO: >really suspicious, I would call in one of those bug. detection teams which
PO: >have those machines that pick up the transmitted. radio waves. This
PO: >reminds me of. BUGS, that new programme on BBC1 on

That's exactly what we did. We went to a competent, professional. detective agency in London, paid them over 400 quid to debug our. house. They used scanner devices which go to over 1 GHz and would pick. up any nearby transmitter in that range, they also checked the. phones and found nothing... but if the tap was at the exchange,. then they wouldn't find anything, would. they?

CS: >Doesn't this suggest to you that. there are, in fact, no bugs to be found?

You can assume that they've done this sort. of thing to other people in more "serious" cases, where. they would know the targets would suspect the presence of electronic surveillance. So. they will have developed techniques and devices which are. not readily detectable either by visual inspection or by electronic means. What those techniques might be, I couldn't. guess.

In this case, the existence of. bugging devices was clear from the beginning, and they "rubbed it in" with what was said. by the boy on the coach. It was almost as if they. wanted counter-surveillance people to be called in, who they. knew would fail to detect the bugging devices, causing loss of credibility. to the other things I would have to say relating to the harassment.

I did all the things someone in my situation would do to try to. find the bugs.. In addition to calling in professional help using electronic counter-surveillance, I made a. close visual inspection of electrical equipment,. plus any points where audio or video surveillance devices might have been concealed. Of. course, I found nothing. Normal surveillance "mini-cameras" are quite noticeable and. require visible supporting circuitry. It seems to me the best. place to put a small video surveillance device would be additional to a piece of electronic equipment. such as a TV or video. It would be necessary. to physically break in to a property to fit such. a device.

2983

From -2995789116266959925

X-Google-Thread: fcc6e,ed3d8c53d13340df,start
X-Google-Thread: f7653,ed3d8c53d13340df,start
X-Google-Thread: 108122,ed3d8c53d13340df,start
X-Google-Thread: fc2a5,ed3d8c53d13340df,start
X-Google-Thread: 107ada,ed3d8c53d13340df,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: evmvfe@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M I-5 P ersecution ' Capit al Ra dio - Chr is Tar rant
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 09:21:39 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 37
Message-ID: <yb0800010921394481@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52520
rec.radio.amateur.digital.misc:1003 rec.radio.amateur.equipment:13701
rec.radio.amateur.homebrew:14956 rec.radio.amateur.misc:42925

-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
-= Capital Radio. - Chris Tarrant -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=

Capital Radio. DJs have been "in on it" from the start. One of the first things I heard in the summer of 1990 was from a Capital DJ who said,. "If he listens to Capital then he can't be all. bad" (supportive, you see. We're not bastards). Much of what came over the radio in 1990 is now. so far away the precise details have been obliterated by time.. No diary was kept of the details, and although archives if. they exist may give pointers, the ambiguity of. what broadcasters said would leave that open to re-interpretation.

In spring 1994, Chris Tarrant. on his Capital morning show made an aside to someone else in the. studio, about a person he didn't identify. He said, "You know this bloke? He. says we're trying to kill him. We should be done for attempted. manslaughter".

That mirrored something I had said. a day or two before. What Tarrant said was understood by the staff member. in the studio he was saying it to; they said, "Oh no,. don't say that" to Tarrant. If any archives exist of the morning show (probably unlikely) then it. could be found there; what he said was. so out of context that he would be very hard put to find an explanation. A couple of days later, someone at the site where I was working repeated. the remark although in a different way; they said there. had been people in a computer room when automatic. fire extinguishers went off and those people were "thinking of suing for. attempted manslaughter".

Finally, this isn't confined to the established radio stations. In. 1990 after I had listened to a pirate radio station in South. London for about half an hour, there was an. audible phone call in the background, followed by total silence for a few moments, then shrieks of. laughter. "So what are we supposed to say now? Deadly. torture? He's going to talk to us now, isn't he?", which meant that they. could hear what I would say in my room.

5413

```
From -7081066615861878522
X-Google-Thread: fcc6e,2b8c708d33646d59,start
X-Google-Thread: f7653,2b8c708d33646d59,start
X-Google-Thread: 108122,2b8c708d33646d59,start
X-Google-Thread: fc2a5,2b8c708d33646d59,start
X-Google-Thread: 107ada,2b8c708d33646d59,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: imivei@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M.I 5`Pers ecution - cost  of th e oper ation
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 09:47:47 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 48
Message-ID: <sb0800010947461431@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52521
rec.radio.amateur.digital.misc:1004 rec.radio.amateur.equipment:13702
rec.radio.amateur.homebrew:14957 rec.radio.amateur.misc:42926
```

```
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
-=. MI5: cost of the operation -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
```

Here's what a couple of other people on. Usenet (uk.misc) had to say regarding the cost of. running such an operation...

PO: >Have some sense, grow up and smell reality. What you are. talking about
PO: >would take loads of planning, tens of thousands of pounds and. lots of
PO: >people involved in the planning, execution and. maintenance of it. You
PO: >must have. a very high opinion of yourself to think you are worth it.

PM: >But why? And why you? Do you realize. how much it would cost to keep
PM:. >one person under continuous surveillance for five years? Think about
PM: >all. the man/hours. Say they _just_ allocated a two man team and a
PM: >supervisor. OK., Supervisor's salary, say, #30,000. a year. Two men,

PM: >#20,000 a year each. But they'd need to work in shifts --. so it would
PM:. >be six men at #20,000 (which with on-costs would work out at more like
PM: >#30,000 to the. employer.)
PM:. >
PM: >So, we're talking #30,000 x. 6. #180,000. plus say, #40,000 for the
PM: >supervisor. #220,000. Then you've got the. hardware involved. And
PM: >any transcription that needs doing. You don't. think the 'Big Boss'
PM:. >would listen to hours and hours of tapes, do you.
PM:. >
PM:. >So, all in all, you couldn't actually do the job for much less than
PM: >a quarter million a year. Over five years. What are you doing that. makes
PM: >it worth. the while of the state to spend over one and a quarter million
PM: >on. you?

Those are pretty. much the sort of calculations that went through my head once I stopped to consider what. it must be costing them to run this operation.. The partial answer is, there have been periods when the intensity has. been greater, and times when little has happened. In fact, for much of. 1993 and the first half of 1994, very little happened. Although I don't think that was. for reasons of money - if they can tap into the taxpayer they're not going to. be short of resources, are they?

The more. complete answer is in the enormity of what they're doing. Relative to the cost. to British pride of seeing their country humiliated for the persecution of their own citizens, isn't is worth the cost of. four or five people to try to bring things to a close in. the manner they would wish? To the government a million or two is quite honestly. nothing - if they can convince. themselves of the necessity of what they're doing, resources will not be the limiting. factor.

7843

From 8918860641657003781
X-Google-Thread: fcc6e,9bca369c75e4ea0f,start
X-Google-Thread: f7653,9bca369c75e4ea0f,start
X-Google-Thread: 108122,9bca369c75e4ea0f,start
X-Google-Thread: fc2a5,9bca369c75e4ea0f,start
X-Google-Thread: 107ada,9bca369c75e4ea0f,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: fievmemfm@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M,I`5 Persecu tion   h ow an d w hy di d it s tart?
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 10:17:43 +0000 (UTC)

Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 46
Message-ID: <pk0800011017424756@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52522
rec.radio.amateur.digital.misc:1005 rec.radio.amateur.equipment:13703
rec.radio.amateur.homebrew:14958 rec.radio.amateur.misc:42927

-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
-= how. and why did it start? -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-

The. harassment didn't start by itself, so someone must have been there at the outset to give it a firm push and set the "animals" after me. It. looks as if I was set. up in June 1990, and the timing indicates someone from university was. responsible.

>One thing which has been missing from. this discussion is this simple
>prognosis: that maybe he. is right and that, despite his admitted
>mental condition, there really is a campaign against him. organised by
>now-influential ex-students of his. university.

In May or. June 1990, Alan Freeman on Radio 1 read out a letter from someone who had. known me for a few years, who wrote of the one who "wore out his welcome with random precision" (from the. Pink Floyd song). Freeman went on to say to the writer "that's. a hell of a letter you wrote there". The indication. is strongly that people I had parted from soon before nursed a grudge against me and were trying to cause trouble for. me.

The suggestion is. that Freeman might have shown the letter to other people, and things could have snowballed from there. Right. from the start the real source. (security services presumed) didn't announce themselves as the origin, but let the "talkers", the radio DJs, believe that. they were the originators. Think about it; if you announce,. "we're MI5 and we have a campaign against this bloke" then people. might not go along with it; but if you say, "everyone else is. getting at this bloke because he 'deserves' it" then people will join in. with fewer qualms.

>Why would "they" wish to. assassinate your character?

It's the classic case of hitting a cripple to prove you're stronger.. Why would the security. services expend hundreds of thousands of pounds and more than six years of manpower to try to kill. a British citizen? Because they are motivated by people who knew me at university. and feel personal animosity; because they knew me to be emotionally. weak, and it is in the nature of bullies to prey on those. known to be weak; and because they can rely on the complicity of the. establishment, which the security services manipulate and derive funding from. This. is England's biggest humiliation today, and the British security services are intent on preventing. their humiliation. becoming reality by continuing their campaign of attempted murder to suppress the truth from. becoming public.

From -1144448012897871777
X-Google-Thread: fcc6e,51faf121d63304a3,start
X-Google-Thread: f7653,51faf121d63304a3,start
X-Google-Thread: 108122,51faf121d63304a3,start
X-Google-Thread: fc2a5,51faf121d63304a3,start
X-Google-Thread: 107ada,51faf121d63304a3,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: fimfefiev@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M I`5'Persec ution , ho w a nd wh y did it start ?
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 10:48:19 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 46
Message-ID: <an0800011048182219@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52523
rec.radio.amateur.digital.misc:1006 rec.radio.amateur.equipment:13704
rec.radio.amateur.homebrew:14959 rec.radio.amateur.misc:42928

-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
-= how and why did it. start? -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-

The. harassment didn't start by itself, so someone must have been there at the outset to give it a firm push. and set the "animals" after me. It looks as if I was set up in June 1990, and the. timing indicates someone from university was. responsible.

>One thing which has. been missing from this discussion is this simple
>prognosis: that maybe he is right and that, despite his. admitted
>mental. condition, there really is a campaign against him organised by
>now-influential ex-students of his. university.

In May or June 1990, Alan Freeman on Radio. 1 read out a letter from someone who had known me for a few years, who wrote. of the one who "wore out his welcome with random precision" (from the Pink Floyd. song). Freeman went on to say to the writer "that's. a hell of a letter you wrote there". The indication is strongly that people I had parted from. soon before nursed a grudge against me and were trying. to cause trouble for me.

The suggestion is that Freeman might have. shown the letter to other people, and things could have snowballed from there. Right from the start the. real source. (security services presumed) didn't announce themselves as the origin, but. let the "talkers", the radio DJs, believe that they were the originators. Think about. it; if you announce, "we're MI5 and we have a campaign against this bloke" then people might not go along with it;. but if you. say, "everyone else is getting at this bloke because he 'deserves' it" then people will. join in with fewer qualms.

>Why would "they" wish. to assassinate your character?

It's the classic case of hitting a cripple. to prove you're stronger. Why would the security services expend hundreds of thousands of. pounds and more than six years. of manpower to try to kill a British citizen? Because they are motivated by people. who knew me at university and feel personal animosity; because they knew me to be emotionally weak, and. it is in the nature of bullies to prey on those. known to be weak; and because they can rely on the complicity of the. establishment, which the security services manipulate and derive funding from. This is England's. biggest humiliation today, and the British. security services are intent on preventing their humiliation. becoming reality by continuing their campaign of attempted murder to suppress the truth. from becoming public.

553

```
From -5294593833202077429
X-Google-Thread: fcc6e,339d72a5c96f4d2b,start
X-Google-Thread: f7653,339d72a5c96f4d2b,start
X-Google-Thread: 108122,339d72a5c96f4d2b,start
X-Google-Thread: fc2a5,339d72a5c96f4d2b,start
X-Google-Thread: 107ada,339d72a5c96f4d2b,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: vfeimvevi@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M-I 5`Persec ution . wh o kno ws abo ut it?
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 11:44:28 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 28
Message-ID: <xo0800011144277988@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52524
rec.radio.amateur.digital.misc:1007 rec.radio.amateur.equipment:13705
rec.radio.amateur.homebrew:14960 rec.radio.amateur.misc:42929
```

-=-=-=-=-=-=-=-=-=-=-=-=-
-= who knows. about it? =-

-=-=-=-=-=-=-=-=-=-=-=-=-

Many people know, both in the. establishment and media, and among the general public. Despite an absence of its target from the. UK for more than two. years, the echoes of paranoia can still be heard loud and clear from across the water. When it started in 1990,. the only people who knew were those. in BBC television who were spying on my home, and a few radio broadcasters. There were a few cases of public harassment, but. very little compared to the situation that developed a. couple of years later.

The list today includes BBC TV staff (newsreaders such as. Martyn Lewis, Michael Buerk, Nicholas Witchell), people from radio stations. such as Chris Tarrant of Capital and. Radio 1 DJs, people in the print media, but also many people in the general public. All united. in a conspiracy which breaks the laws which the UK does have regarding. harassment, and all completely uncaring for any semblance of. decency or elementary respect for individual. rights.

The. British police (obviously) do know the nature of the harassment and in all probability the identity of those behind it.. Some time ago I made a complaint to my local police station in London, without. positive result. The UK police are failing in their duty to see the law enforced in. not checking. the abuse.

2983

From -811863155980756804
X-Google-Thread: fcc6e,81214b91ce284900,start
X-Google-Thread: f7653,81214b91ce284900,start
X-Google-Thread: 108122,81214b91ce284900,start
X-Google-Thread: fc2a5,81214b91ce284900,start
X-Google-Thread: 107ada,81214b91ce284900,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!out03a.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: iveifmviv@gmail.com
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M.I'5`Persecu tion ` B ernard L evin expres ses hi s vi ews
Followup-To: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 12:15:56 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 96
Message-ID: <fu0800011215556388@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52527 rec.radio.amateur.digital.misc:1008 rec.radio.amateur.equipment:13706 rec.radio.amateur.homebrew:14961 rec.radio.amateur.misc:42930

The article of which part is reproduced below was penned by. Bernard Levin for the. Features section of the Times on 21 September 1991. To my mind, it described the situation at the time and in particular. a recent meeting with a. friend, during which I for the first time admitted to someone other than my GP that I had been subjected to a conspiracy of harassment. over the previous year and a. half.

>There is a madman running. loose about London, called David Campbell; I have no reason to believe that he. is violent, but he should certainly be approached with caution.. You may know him by the curious glitter in his eyes and a persistent trembling of his hands; if. that does not suffice, you will find him attempting to thrust no fewer than. 48 books into your arms, all hardbacks, with a promise that, if you should return. to the same meeting-place next year, he will heave. another 80 at you.
>
>If, by now, the. police have arrived and are keeping a close watch on him, you may feel sufficiently emboldened to examine the. books. The jackets are a model of. uncluttered typography, elegantly and simply laid out; there is an unobtrusive colophon of a rising sun, probably not picked. at random. Gaining confidence - the. lunatic is smiling by now, and the policemen, who know about such things, have significantly removed their helmets. - you could do worse than take the jacket off. the first book in the pile. The only word possible to describe the binding. is sumptuous; real cloth in a glorious shade of dark green, with. the title and author in black and gold on. the spine.
>
>Look at it more closely; your eyes do not deceive you -. it truly does have real top-bands and tail-bands, in. yellow, and, for good measure, a silk marker ribbon in a lighter green. The paper is cream-wove. and acid-free, and. the book is sewn, not glued.
>
>Throughout the encounter, I should have. mentioned, our loony has been chattering away, although. what he is trying to say is almost impossible to understand; after a time,. however, he becomes sufficiently coherent to make clear that he. is trying to sell the books to you. Well, now, such quality in bookmaking today can only be for. collectors' limited editions at a fearsome. price - #30, #40, #50?
>
>No,. no, he says, the glitter more powerful than ever and the trembling of his hands rapidly spreading throughout his entire body; no,. no - the books are priced variously at #7, #8 or #9, with the. top price #12.
>
>At this, the policemen understandably put their helmets back on;. one of them draws his truncheon and the other can be heard. summoning reinforcements on his walkie-talkie. The madman bursts into tears,. and swears it. is all true.
>
>And. it is.
>
>David Campbell has acquired the entire rights to the whole. of the Everyman's Library, which died a lingering. and shameful death a decade or

>so ago, and he proposes to start it. all over again - 48 volumes this
>September and 80 more next year, in. editions I have described, at the
>prices specified. He proposes to launch his. amazing venture simultaneously
>in Britain and the United States, with. the massive firepower of Random
>Century at. his back in this country, and the dashing cavalry of Knopf
>across the water, and no one who loves literature and courage. will forbear
>to. cheer.

At the time this article. was written I had believed for some time that columnists in the Times and other journalists. had been making references to my situation. Nothing unusual about this you may think, plenty of. people have the same sort of ideas and obviously the papers aren't writing. about them,. so why should my beliefs not be as false as those of others?

What. makes this article so extraordinary is that three or four days immediately. preceding its publication, I had a meeting with a friend, during the course of which we discussed. the media persecution, and in particular that by Times columnists. It seemed to me,. reading the article by Levin. in Saturday�s paper, that he was describing in some detail his "artist�s impression" of that meeting. Most. telling are the final sentences, when he writes, "The madman bursts into. tears, and swears it is all true. And it is." Although I did. not "burst into tears" (he seems to be using a bit of poetic licence. and exaggerating) I did try hard to convince my friend that it was. all true; and I am able to concur with Mr Levin, because, of course, it. is.

At the beginning of the piece Levin reveals a fear of being attacked. by the "irrational" subject of his story, saying. "I have no reason to believe that he is violent,. but he should certainly be approached with caution". This goes back to the xenophobic propaganda. of "defence" against a "threat" which was seen at the very beginning of the harassment. The. impression of a "madman running loose" who needs to. be controlled through an agency which assigns to itself the. mantle of the "police" is also one which had been expressed. elsewhere.

In the. final paragraph of this extract, his reference to Everyman�s Library as. having "died a lingering and shameful death a decade or so ago" shows clearly what sort of conclusion they wish to their campaign. They. want a permanent solution, and as. they are prevented from achieving that solution directly, they waste. significant resources on methods which have been repeatedly shown. to be ineffective for such a purpose.

5413

```
From 4063098756406798595
X-Google-Thread: fcc6e,a3ed4c2f12391738,start
X-Google-Thread: f7653,a3ed4c2f12391738,start
X-Google-Thread: 108122,a3ed4c2f12391738,start
X-Google-Thread: fc2a5,a3ed4c2f12391738,start
X-Google-Thread: 107ada,a3ed4c2f12391738,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
```

X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: memfvfmi@gmail.com
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M`I'5`Persecut ion . Be rnard Lev in expresse s his views
Followup-To: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 12:59:29 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 96
Message-ID: <vk0800011259285188@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52528 rec.radio.amateur.digital.misc:1009 rec.radio.amateur.equipment:13707 rec.radio.amateur.homebrew:14962 rec.radio.amateur.misc:42932

The. article of which part is reproduced below was penned by Bernard Levin for the Features section of the Times on 21 September 1991. To. my mind, it described the situation. at the time and in particular a recent meeting with a friend, during. which I for the first time admitted to someone other than my GP that I had. been subjected to a conspiracy of harassment over the previous year. and a half.

>There is a madman running loose about. London, called David Campbell; I have
>no reason to believe that he is violent,. but he should certainly be
>approached with caution. You may know him by the. curious glitter in his
>eyes and a persistent trembling of his hands; if that. does not suffice, you
>will find him attempting to thrust no fewer. than 48 books into your arms,
>all hardbacks, with a promise that, if you should return to the. same
>meeting-place next year, he will. heave another 80 at you.
>
>If, by now, the. police have arrived and are keeping a close watch on him,
>you. may feel sufficiently emboldened to examine the books. The jackets are
>a. model of uncluttered typography, elegantly and simply laid out; there is
>an unobtrusive colophon of a rising sun,. probably not picked at random.
>Gaining confidence - the lunatic is. smiling by now, and the policemen, who
>know about such things, have. significantly removed their helmets - you
>could do worse than take the jacket off. the first book in the pile. The
>only word possible to describe the binding is sumptuous;. real cloth in a
>glorious shade of dark green,. with the title and author in black and gold
>on. the spine.
>
>Look. at it more closely; your eyes do not deceive you - it truly does have
>real top-bands and tail-bands, in yellow, and, for good measure,. a silk
>marker. ribbon in a lighter green. The paper is cream-wove and acid-free,
>and the book. is sewn, not glued.
>
>Throughout the. encounter, I should have mentioned, our loony has been
>chattering away, although what he is trying to say. is almost impossible to

>understand; after a time, however, he. becomes sufficiently coherent to make clear that he is trying to sell the books. to you. Well, now, such quality in bookmaking today can only be for collectors' limited editions. at a fearsome price - #30, #40,. #50?
>
>No, no, he says, the glitter more. powerful than ever and the trembling of his hands rapidly. spreading throughout his entire body; no, no - the books are priced variously at #7, #8 or #9,. with the top price #12.
>
>At this,. the policemen understandably put their helmets back on; one of them draws his truncheon and the. other can be heard summoning reinforcements on his walkie-talkie. The madman bursts into. tears, and swears it is all. true.
>
>And. it is.
>
>David. Campbell has acquired the entire rights to the whole of the Everyman's Library, which died a lingering and shameful. death a decade or so ago, and he proposes to start it all over again - 48 volumes. this September and 80 more next. year, in editions I have described, at the prices specified. He proposes to launch his. amazing venture simultaneously in Britain and the United States,. with the massive firepower of Random Century at his back in this country, and the dashing cavalry of. Knopf across. the water, and no one who loves literature and courage will forbear to. cheer.

At the time this. article was written I had believed for some time that columnists in the Times. and other journalists had been making references to my situation. Nothing unusual about this you may think,. plenty of people have the. same sort of ideas and obviously the papers aren't writing about them, so why should my beliefs not be as. false as those of others?

What makes this article so extraordinary is that. three or four days immediately preceding its. publication, I had a meeting with a friend, during the course of. which we discussed the media persecution, and in particular that by Times columnists. It seemed to me, reading the. article by Levin in Saturday�s paper, that he was. describing in some detail his "artist�s impression" of that meeting.. Most telling are the final sentences, when he writes, "The madman. bursts into tears, and swears it is all true. And it is." Although I did. not "burst into tears" (he seems to be using a bit. of poetic licence and exaggerating) I did try hard to convince my friend that it. was all true; and I am able to concur with Mr Levin, because, of. course, it is.

At the beginning of the piece Levin reveals a fear of. being attacked by the "irrational" subject of his story, saying "I have. no reason to believe that he is violent, but he should certainly be. approached with caution". This goes back to the. xenophobic propaganda of "defence" against a "threat" which was seen at the very. beginning of the harassment. The impression of a "madman running loose" who needs to be controlled through an. agency which assigns to itself. the mantle of the "police" is also one which had been expressed. elsewhere.

In the final paragraph of this extract, his reference to. Everyman�s Library as having. "died a lingering and shameful death a decade or so ago" shows clearly what sort of conclusion. they wish to their campaign. They want a permanent solution, and as they are. prevented from achieving that solution directly, they. waste significant resources on methods which have been repeatedly shown to be ineffective for such a. purpose.

553

```
From 1396937090952340872
X-Google-Thread: fcc6e,2f9c0cf31549cdeb,start
X-Google-Thread: f7653,2f9c0cf31549cdeb,start
X-Google-Thread: 108122,2f9c0cf31549cdeb,start
X-Google-Thread: fc2a5,2f9c0cf31549cdeb,start
X-Google-Thread: 107ada,2f9c0cf31549cdeb,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news.alt.net
From: feieifm@gmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: M I.5 Persecution    w hy won't  th e Britis h p olice do thei r j ob and
pu t a stop  to i t?
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 1 Jan 2008 13:34:08 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 33
Message-ID: <kd0800011334074829@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.antenna:52529
rec.radio.amateur.digital.misc:1010 rec.radio.amateur.equipment:13708
rec.radio.amateur.homebrew:14963 rec.radio.amateur.misc:42933
```

```
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
-=. why won't the British police do their job and put a stop to it? -=
-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-
```

The. British police obviously do know what is taking place. Besides my interpretations of what individual. officers have said which forces that conclusion, it would be. inconceivable for them to be unaware of something on this. scale.

If they know, then they will know that the. abusers have broken laws in the UK and abroad. Recently the UK. introduced laws against electronic spying which carry a penalty of several years jail if. caught. If the police know illegal harassment. is taking place, and do nothing about it, then they are failing in. their responsibilities.

Last Easter (1995) I went into the. local police station in London and spoke to an officer about. the harassment against me. But I couldn't provide tangible. evidence; what people said, in many cases years ago, is beyond proof, and without something to support my statements I cannot. expect a police officer to take the complaint. seriously.

The current situation with regard to the police is not. one which allows a breakthrough in dealing with the. problem. On the one hand, most individual officers at a local police station may. not know about the ongoing assaults, so a complaint at that level will not yield results.. Yet the police as an organisation do know of the harassment, and they must. be aware that a complaint has been made at a police station. So it. is clearly their duty to take preventative action. against the continuing molestation, but because the criminals are operating on. behalf of a state agency, the police are not carrying. out their duty.

2983

```
From 3963253087779661107
X-Google-Thread: 1084e2,35facbd0c582680c,start
X-Google-Thread: 108122,35facbd0c582680c,start
X-Google-Thread: fe027,35facbd0c582680c,start
X-Google-Thread: f734f,35facbd0c582680c,start
X-Google-Thread: fcc51,35facbd0c582680c,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07111613041183@4ax.com>
Subject: MI5-Persecution: BBC Newscasters Spying on my Home (9221)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 13:04:14 GMT
Lines: 259
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 255
Xref: g2news1.google.com alt.testing.it:719 rec.radio.amateur.equipment:13607
de.comp.os.unix.x11:3166 finet.sex:260 free.uk.talk.edinburgh:1403
```

MI5 Persecution Update: Friday 13 November, 1998

If You Intend To Reply, Please Read This

If you have any questions or observations you would like to share with me, then you are very welcome to reply to my fax number 0171-681-1190. But please.... keep your response to one page if you can! I have had several people faxing my article back to me, including one MP faxing back twenty pages. I do not know if he had anything intelligent to say in his 20-page fax because I applied judicious use of the "Delete" key on my computer. Faxes over a page or two will be deleted without being read.

MI5 Resume Hostilities in Response to these Faxes

When I wrote last weeks "MI5 Persecution Update" I remarked how quiet my life had become. No longer! MI5 have restarted hostilities with a vengeance the past week, in response I believe to the faxes I have been sending to members of the House of Commons.

On Saturday 7 November I went to Clapham Picture House cinema to see the film "Antz" (a very enjoyable film). At the cinema, I was verbally assaulted by a group of teenagers with the words "still crazy", repeated about ten times. There was a film with that name showing at the cinema, but it was clear their abuse was directed at me. I do not look ill, so why would they pick on me? answer, the incident was set-up by the persecutors. One of the teenagers also said to another, "I don't know what we're laughing at".

The following day, Sunday 8/11/98, I was on my way to play squash when I was verbally assaulted by a youth who said "it was so funny", without the slightest trace of humour. What he meant by this phrase was that was funny, and they were trying to humiliate me. I have heard this phrase "it was so funny" used at me before many, many times over the last eight and half years.

Please Encourage Keith Hill MP to Help Me

I live in a bugged house, bugged both for audio and video. My movements are monitored by MI5. The Security Service have followed me to Canada, to Poland and the Continent, to the States. I cannot work anywhere, not in England, not in Canada, because MI5 will destroy whatever employment I am able to obtain. I have asked Keith Hill MP to help me, and he has refused.

The situation is intolerable. It is Mr Hills job to help me out of this mess. So, please, as I said in the last fax a week ago: Do not waste your time returning multiple copies of my faxes to my fax mailbox, as some of you have done. Instead;

Please encourage Keith Hill M.P. to help me.

I am sorry to be using this device to encourage Mr Hill to help, but I think eight and half years are quite enough and it is time something was done to bring this matter to a close.

MI5 Persecution : BBC Newscasters Spying on my Home

This week's topic is the quite extraordinary claim that BBC newscasters such as Martyn Lewis and Michael Buerk have spied on my living room while they read the news. I currently have an advert running for the next six months in Private Eye's "Eye Say" column (at a cost of over #200) which says,"MI5 Persecution - BBC Newscasters Spying on my Home"; the story of my campaign in the Eye is on my Website at; http://www.pair.com/spook/evidence/plaint/priveye.htm

BBCs staff magazine Ariel also ran my advert "BBC Newsreaders Spying on my home" for one issue in the Personal category on 8/July/1997 before it was spotted and axed by editor Robin Reynolds; please see webpage; http://www.pair.com/spook/evidence/plaint/ariel.htm

Beginnings

The very first incident in the "MI5/BBC Persecution" occurred in June of 1990, when a newsreader reacted to what she saw in my living room at home as she read the news. My mother had brought an apple for me into the room, whereupon the newsreader smirked and giggled, apparently finding this funny. I couldn't believe what I was seeing. I carried on watching news and other television programmes to see if presenters would show signs of "interactive watching"; to my surprise, this happened again and again. Unfortunately, I did not have my wits sufficiently about me to videotape these programmes, and it is now almost impossible to obtain recordings dating back to 1990.

Most of the "TV watching" has occurred on the news, and most of it in summer 1990, although some as late as autumn 1993. My website has a few extracts of what might be politicians "getting at" me, in particular John Major and interviewer Dimbleby sharing a joke about the "Knutsford Guardian" which is almost certainly about me.

I sold my portable TV in autumn 1990 and stopped watching television regularly. I realise now that this may have been a mistake. What I should have done was to watch TV and listen to the radio, but tape-record everything and make a note of what each excerpt meant to me. I would then be in a much stronger position as regards to evidence that I am now. That is what I am trying to do now, but unsurprisingly the TV/radio presenters have stopped getting at me, now they know they are being recorded.

Examples of Media Harassment

Here are a few examples which I can still remember of media harassment;

In early 1992 I was watching the BBC news with Martyn Lewis on a small black-and-white portable television at my then home in Oxford. I threw a term of abuse at Lewis; he flinched, then gave a grin and made a comment from which I understood that he had been on my side, but might have changed his mind as a result of what Id just said to him.

Victor Lewis Smith in his TV (BBC2?) program at the end of 1993, had a taxi-driver saying, "theyre all out to get me", to which VLS replied, "but you're quite intelligent aren't you?" (what a nice chap VLS is, compliments no less!)

Paul Daniels the TV magician, sometime in 1990-92 (sorry I can't be more precise but it was so long ago), made a "crying face" and put his face in his hands, which was his way of expressing that I was frequently crying in 1990-92, and that he and other media people found my crying funny.

Kenny Everett (deceased) on some talk show, compared me to a "huge ape" who "scratches himself"; he made some other remarks about what the "ape" got up to which unfortunately I cant remember. (I remember that Everetts comments were quite sympathetic and human, but were obviously about me.)

Stephen Fry on another talkshow (Wogan I think) talking about "masturbatory fantasies", he then referred to me with the words "you prat"; I wonder if the studio audience knew what he was talking about and to whom his comments were directed?

Griff Rhys Jones on Clive James' TV show, made a "lunatic face" (wide fixed grin) to which I said to the TV that he had a "face like a horse's arse", to which Clive James said to GRJ "did you hear that?"

Crimestoppers summer 1990, remarks by a Midlands police officer on the programme, while Nick Ross was presenter (as far as I can remember). The officer talked about "in car entertainment". Nick Ross said to officer, "why don't you stop doing it?" to which he replied, "we can't while he's like this".

BBC2 Newsnight in autumn 1993 had a piece on football hooliganism. A black interviewee said apparently of the hooligans, but in fact of me; "they're just idiots, carry on with the surveillance".

There was an incident with Jonathan Ross which I remember clearly; he was on both BBC and ITV television at the same time, one (ITV I think) was recorded, the other channel was live. Ross has a speech impediment which causes him to pronounce his "r"s as "w". I sarcastically said something about "Mr Woss" to the recorded channel, then turned over to where he was live, and he repeated "Woss" with heavy emphasis and sarcasm.

On the radio, in spring 1994, Chris Tarrant made a sarcastic remark in his morning show, saying "he says were trying to kill him, we should be done for attempted manslaughter", to which another of the studio staff said, "oh no, dont say that". His comment was in reply to a comparison Id made the previous evening between my persecutors and the Polish secret police who murdered dissidents.

Martyn Lewis Denies & Lies, But Wont in Writing

In February 1997 I wrote to BBC Viewer & Listener Correspondence and asked them to investigate the claim that their newscasters had engaged in "interactive watching". They replied that they had asked Martyn Lewis and Michael Buerk whether they had engaged in such practices, and that they had both made verbal denials to VLC, but were refusing to put their denials in writing.

I can understand that they might think that if they were to make written denials to me, then many other people with my condition might write to them with similar questions. But Ive asked a couple of journalists if theyve been writing about me, theyve made written denials, Ive believed them, and I have not put their denials on my website because, since I believe their denials, it would not be relevant to publish them.

To me it looks as if Lewis and Buerk are happy to lie verbally but not in writing, because written falsehoods would place them unambiguously in the wrong, whereas they can try to talk their way out of verbal lies if they are ever caught, or perhaps even deny the verbal lies completely? If they lie without shame, then why would they have any shame about future lies about lying?

One of the strangest aspects of "TV watching" is that Buerk and Lewis have convinced themselves that their "interactive spying" is reasonable behaviour. Martyn Lewis thinks of himself as a "gentleman". He expressed in 1992 that he was "on my side". If this matter ever comes out into the open, I wonder what these newscasters will have to say for themselves, and what the British public will make of their behaviour?

Media Persecution Evidence on my Website

You may directly access the Evidence section on my website at URL;

The category currently contains four video segments, a number of audio files and three published articles. The first video of ITN's John Suchet is unfortunately a mistake - after looking at it again it is obviously not about me. The two Ken Clarke excerpts may or may not be about me; it is funny that he should keep on harping about "paranoia" and "madness", but I have given these ratings of only 30% certainty, as it is more likely that they are not about me in particular, and Clarke is simply displaying the normal prejudices against the mentally ill found in much of society.

The piece I find most interesting is the Dimbleby/John Major interview from April 1997. I have assigned this a 90% rating. Dimbleby starts by emphasising a report from the "Knutsford Guardian". Major recognizes what's going on and joins in with a falsely apologetic "heaven forfend". The emphasis is on the first syllable pronounced "nuts" in "Knutsford", which is repeated three times. Of course this is hardly anywhere near convincing evidence; the really clear items were all in 1990-92, and they are basically unobtainable now.

If you're reading the website, have a look at the two files from David Hepworth's programme on GLR radio. The first one from 21/Feb/1997 has him talking about an "embarassment" of prizes and "absolute obscene", in reference I believe to the verbal sexual abuse that was being used against me at the time (and which unfortunately is still current). In the second file dated 9/May/1997 he again talks about "absolute embarrassment" of prizes, followed by laughter. To my mind he knows I am listening to his programme, and deliberately makes these remarks for my benefit, with very little attempt to disguise their purpose.

Bernard Levin - "Fanatic's Fare for the Common Man"

On 21 September 1991 this article by Bernard Levin appeared in The Times. It is reproduced in the Evidence section of the website, or may be accessed directly at URL;

To my mind, Levin's article described the situation at the time and in particular a recent meeting with a friend, during which I for the first time admitted to someone other than my GP that I had been subjected to a conspiracy of harassment over the previous year and a half.

Levin writes about a "madman running loose about London" who "bursts into tears, and swears it is all true. And it is." I am pleased to agree with his assertion that "it is all true" because the truth is what I presented to my friend in September 1991 and it is what is being presented to the readership of these articles now.

Conclusion

The harassment, in particular media persecution, was at its strongest in 1990-92. Today, I am recording everything I watch, read and listen, and the media have pretty much given up. It is now incidents "in public" which make up what there is of MI5s persecution. But much of the material from 1990-92 still exists in archives, although the organisations which have those archives generally wont make the material available to the public, for copyright and other reasons.

MI5 can no longer employ the media to persecute me, partly because journalists now know who is behind the persecution, and also because I would publish any instances. My mistake during 1990-92 was to not record instances as they happened; Ive learned from that mistake, and know better now.

9221

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -5516561888660027758
X-Google-Thread: 1084e2,18852b8ad40327dc,start
X-Google-Thread: 108122,18852b8ad40327dc,start
X-Google-Thread: fe027,18852b8ad40327dc,start
X-Google-Thread: f734f,18852b8ad40327dc,start
X-Google-Thread: fcc51,18852b8ad40327dc,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07111613271227@4ax.com>
Subject: MI5-Persecution: How to Identify the Persecutors (11404)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 13:27:15 GMT
Lines: 146
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 142
Xref: g2news1.google.com alt.testing.it:720 rec.radio.amateur.equipment:13608 de.comp.os.unix.x11:3167 finet.sex:261 free.uk.talk.edinburgh:1404

MI5 Persecution Update: Friday 19 March, 1999

If You Intend To Reply, Please Read This

Please.... keep your response to one page if you can! I have had several people faxing my article back to me, including one MP faxing back twenty pages. Faxes over a page or two will be deleted without being read.

Theyve started again. Why? I have no idea.

Unhappily, the persecutors, whoever they might be, have started their activities again over the last two weeks. Usually they try to blame their activities on their victim, but this time they have stopped even pretending that the persecution is my fault. Their verbal abuse appears as gratuitous as it is vicious.

Last Sunday 14 March, I went for a meal in Londons Chinatown with some friends. As we were walking down Gerrard St, a man shouted loudly, twice, the obscenity which has been directed at me for some three years now. This followed previous incidents where the same words had been used. It is very upsetting to be verbally abused in this way and to know that the cowardly abusers are guaranteed to "get away with it" because if you report it then it will be assumed to be part of your illness.

Keith Hill MP (Labour - Streatham), my elected representative, as ever refuses to help.

MI5 Persecution : How to Identify the Persecutors

Usually delusional thinking does not allow the perpetrators to be identified, or the alleged persecution to be proved. My so-called "delusions" are different, because I have several times over a period of some nine years seen the same people, in widely varying places. Most importantly, their names have been recorded, on aircraft passenger lists and hospital register; and if only the police would do their job conscientiously then the persecutors could be identified and this unhappy story brought to a final conclusion.

BA93 Heathrow->Toronto, 10 June 1993

In 1993 I flew to Toronto for a holiday. On disembarking from the aircraft, a group of four men who travelled together looked in my direction, and one of them said, laughing, "If he tries to run away well find him".

I was absolutely stunned when I heard this. I wasnt surprised that they had followed me to Canada, but it shocked me that they had been on the same flight, and that one of them had foolishly given their group away. Unfortunately I was so stunned that I made no attempt to stop them as they got off the flight and proceeded into the terminal. I did not see these people again during my visit to Toronto. I do not know whether they followed me, or whether they were only part of a larger group, some of whom may have already been on the ground and awaiting my arrival.

Over the next few years I made a number of attempts, all unsuccessful, to obtain the passenger list for this flight. British Airways keeps passenger flight coupons for each flight; so if only the police would do the job that is being asked if them, then these four persecutors could be identified, and thus their employing organisation, which is very likely to be the Security Service, determined.

These four men were, apart from the joker who looked the odd man out in the pack, very serious individuals. They appeared to be in their forties or fifties, and my impression on seeing them was that they might have been former soldiers. Their campaign against me concentrates on how "funny" their abuse is; but in this they are plainly lying, because they realise how awful will be the damage to the establishment of which they form part, if the truth about the persecution ever sees the light of day.

The riddle of "Alan Holdsworth"

During Oct/Nov 1996 I saw a doctor several times about an infection, and on 2 Nov 1996 I went to Emergency at the Ottawa Civic Hospital and saw Dr Worthington, who was then Chief of Emergency Medicine. I had to wait several hours before being seen, and several people jumped ahead of me in the queue. One of these was a grey-haired man in his forties or fifties. This may have been one of the men on the BA flight in 1993; I cannot be sure. When Dr Worthington asked his name, he loudly said, "Tad", which is the common abbreviation of my name. Dr Worthington looked puzzled, glanced at the sheet in front of him, and said, "but your name is Alan Holdsworth isnt it?". (I am pretty sure his Christian name was Alan; I cannot be sure of the surname). The man looked put out, and said quietly, "yes".

Unfortunately, I did not follow up this incident immediately. Some time later, I wrote to Dr Worthington to ask the name of this patient, but he refused to give the name out.

I saw this person again two and a half years later, at Ottawa Airport, just as I was about to leave for England. In the warm weather, he was wearing a coat and woolly cap, and pacing up and down in a menacing and aggressive manner. Presumably he thought he was pretending to be a "nutter" and in this way was getting at me; my impression is that he doesnt need to pretend, Holdsworth or whatever his name is is clearly a psychopath and in a healthy society such a person would be locked up, instead of being paid public money to exercise his psychopathic instincts. But todays Britain, a country where the MI5 secret police are given free rein and nobody dares raise a voice in protest, is not a healthy society.

"He doesnt know who we are"

For some reason, whenever I take a British Airways flight, I get hassled by the "persecutors who wont admit theyre MI5". Since this business started, I have travelled BA three times; once in June 1993 BA93 (see above), once to/from Europe during Dec 95/Jan 96, and once in June 1998 with my mother to visit her family. The last journey, I was abused by two "plants" who kept repeating, loudly, "paranoid" (I have this recorded on minidisc). Presumably British Airways gives MI5 the seating plans for their flights, which allows MI5 to position their agents of abuse three rows behind me, so I cant face them, and they are throwing abuse at the back of my head. I have travelled BA as infrequently as possible; to Canada, I usually travel Air Canada.

Anyway, lets return to the second of the three BA trips, and in particular to the flight on 2 January 1996 from Berlin Tegel, to Heathrow, and onwards to Montreal Mirabel. Id waited all night at Tegel for the flight, and was very tired on reaching Heathrow. On the plane to Montreal, two youths sat about three/four rows behind me and to the right, in the window seats. One of them, a rather fat "asshole" to use the Americanism (it fits), kept on going on about "this bloke", saying among many other things, "he doesnt know who we are".

Now that form of words is particularly interesting, because from May 1995, some 8 months previously, I had been vigorously denouncing the "MI5 Persecution" on Usenet. So if Id guessed wrong, then you might expect the harassers to crow about it; which they have not done. If I had guessed right, and the persecutors have been silent before and since this flight, then they could either admit they were MI5, which would be a very serious thing for them to own up to, or they could brazenly lie, in which case I would report their lie, and since many people must surely know who they are, they would lose all credibility. So they have remained silent; apart from this one phrase on the BA flight, where one of their agents said, "he doesnt know who we are". Note carefully that this phrase is NOT a denial, it only appears to be a denial; since it does not say that my guess was wrong; it only states the objective fact that I do not know the identity of the persecutors, without giving any information as to the validity of my guess. Which leads me to posit that my guess was correct.

11404

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -441254565428366115
X-Google-Thread: 1084e2,332b4c31c7756b62,start
X-Google-Thread: 108122,332b4c31c7756b62,start
X-Google-Thread: fe027,332b4c31c7756b62,start
X-Google-Thread: f734f,332b4c31c7756b62,start
X-Google-Thread: fcc51,332b4c31c7756b62,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-
for-mail
Message-Id: <m07111613540642@4ax.com>
Subject: MI5-Persecution: Browse the Website (13587)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 13:54:09 GMT
Lines: 208
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:721 rec.radio.amateur.equipment:13609
de.comp.os.unix.x11:3168 finet.sex:262 free.uk.talk.edinburgh:1405
X-Original-Lines: 204
X-Original-Bytes: 11248
```

MI5 Persecution Update: Friday 25 March, 1999

If You Intend To Reply, Please Read This
Please.... keep your response to one page if you can!. Faxes over a page or two will be deleted without being read.

The Usual Words

The persecutors-who-wont-admit-theyre-MI5 have been active again this week. On Saturday 20/3/99 I visited Ravenscourt Park in west London, and was verbally assaulted with the usual words, "something wrong with him". This audio file is on the web at URL;

This afternoon (Friday 26/March) I was again verbally assaulted while travelling by bus. The same sexual obscenity was thrown at me, and the incident was recorded on my minidisc-walkman. Because of the deeply offensive nature of the slander, I will not be posting this on the website.

Keith Hill MP (Labour - Streatham), my elected representative, as ever refuses to help.

MI5 Persecution : Browse Website

The March 1998 issue (number 42) of .net Magazine reviews the website describing it as an "excellent site". Since August 11, 1996 over 50,000 people have browsed this website.

You are encouraged to read the web pages which include

a FAQ (frequently asked questions) section outlining the nature of the persecutors, their methods of harassment through the media, people at work and among the general public

an evidence section, which carries audio and video clips of media and workplace harassment, rated according to how directly I think they refer to me

objective descriptions of the state security agencies involved

scanned texts of the complaints I have made to media and state security agencies involved

posts which have been made to netnews over the last four years on this topic

This article outlines what is to be found on the webpages, which you are encouraged to browse for the complete story.

Frequently Asked Questions

Your excursion through the website starts with the "FAQ - Frequently Asked Questions" portion. MI5s campaign of harassment against me has been going on for almost 9 years, and its longevity and breadth is reflected in the FAQ. Many thousands of people in Britain and abroad, including some recipients of this fax, have known for many years of MI5s activities against me. The FAQ describes the mass "Omerta suppressing its publication"; we pretend Britain is part of the "Free World", yet the British Secret Police, which is what MI5 are, carry on for many years a campaign which politicians and the media know about, and rely on the silent complicity of so many thousands of people.

The FAQs introductory article names those who are "in the know"; media figures like Martyn Lewis, Michael Buerk, entertainment figures like Chris Tarrant, politicians and many in the general public, "all united in a conspiracy which breaks the laws which the UK does have regarding harassment, and all completely uncaring for any semblance of decency or elementary respect for individual rights.

Broadcast media play a key role in the harassment. The very first incident in June 1990 was when a television newsreader reacted to what she saw happen in my living room at home; such incidents of "interactive television" are still happening in 1999. The same goes for radio stations such as Capital FM. In spring 1994, Chris Tarrant on his Capital morning show made an aside to someone else in the studio, about a person he didn't identify. He said, "You know this bloke? He says we're trying to kill him. We should be done for attempted manslaughter". Tarrant and Capital have made strenuous efforts to avoid answering this charge.

Perhaps worst of all, MI5 have deliberately set-up many incidents in public places such as tube stations, shops, cinemas, where they have paid people to throw abuse at me. Since MI5 obtains funds to the tune of 160 million a year to fund its criminal activities, it has funds both to pay its operatives and to "buy" media figures and members of the public to take part in its campaign of persecution.

The Security Service are professional liars. They throw slanderous abuse, yet they refuse to admit out loud that they are doing so. When challenged about their activities through the Security Service Tribunal they lie and deny their activities. They induce other workers and managers at places of employment to take part in their campaign of abuse, presumably by buying them in the same way they buy media figures.

Complaints, and Press Coverage (BBC Lies, MI5 Lies)

As you might expect I have challenged both the Security Service, through the Security Service Tribunal, and offending broadcasters, to own up to what they have been doing. And as you might also expect, all of these people have lied through their teeth. Still worse, they have refused to commit unambiguous lies on paper; they have couched their lies in bureaucratic language, and allowed others to make false assurances and tell lies on their behalf. So when their lies are exposed, they will then tell further Clintonesque lies about how they werent really telling lies in the first place!

On 6/Feb/1997 the BBC told me they would "never engage in any form of surveillance activity such as you describe". The BBC told me Buerk and Lewis had refused to put their lies in writing, but had stated verbal falsehoods denying my accusations of "interactive watching" during news broadcasts. Clearly Buerk and Lewis fear being caught and exposed, so they hide behind their Viewer Correspondence department.

In March 1997 I issued a summons against the BBC to try to "smoke them out". This summons was struck out as "disclosing no reasonable cause of action", because I had acted as a Litigant-in-Person and most LiP summons are treated thus. My case was arguable in law, so the striking out was unjust.

In June 1997 the Security Service Tribunal wrote to me regarding the complaint I had brought against MI5 in February. They say, "The Security Service Tribunal have now investigated your complaint and have asked me to inform you that no determination in your favour has been made on your complaint." I think you can guess the contempt which I feel for the Security Service Tribunal, who have never made a determination against MI5, and act as merely a whitewashing body for the Security Service. Unsurprisingly in May 1997 the Interception of Communications Tribunal gave the same result.

The last few items of "Press Coverage" give details of mentions of the MI5 Persecution in various magazines and newspapers such as BBCs Ariel, the Observer and .net magazine.

Evidence

Some audio and video clips of evidence have been recorded. My weakness in this area is because most of the really unambiguous evidence would have been obtainable in 1990-92, but I wasnt taping anything at the time, and its very difficult to now obtain recordings from that period.

The audio clip "Life is so Hard" relates to harassment at my workplace in Canada. In the latter half of 1996, I was sitting near to co-worker Mark Lee, who kept coming out with words and phrases which showed MI5 were supplying him with data from my home life. For example, I would say something on the telephone at home, and the following day he would repeat verbatim what I had said. When Mark Lee saw I was recording what he was saying, he started to make his remarks more ambiguous, or make the obvious ones out of earshot of the recorder.

However, during the evening of 12 November 1996, at home in my apartment (flat to you UK-ers), I said "life is so hard, and then you die". A nihilistic, negative thing to say, but quite distinctive. The following day, 13 November, Mark said loudly, "life is so hard eh, and then you die" followed by loud laughter. I captured this on my tape-walkman and the computer-audio file is posted on the website.

There are a number of other audio files in the websites "Evidence" area demonstrating the abuse to which MI5 subject me to through their paid agents.

Also in this section is a very interesting article by journalist Bernard Levin, which followed a meeting I had with a friend in 1991, and to my mind describes in some details Levins "artists impression" of the meeting. He talks about a "madman" who "bursts into tears, and swears it is all true. And it is."

Internet Newsgroup (Usenet) archive

From May 1995 until the present day, this matter has been discussed exhaustively on internet newsgroups. The most interesting articles from the first two years of posts are documented here. This area is worth reading since most of the questions which the reader would ask, have been asked at some time or another by someone on usenet. Perhaps the very first article posted sums it all up so succinctly;

Date: Thu May 4 18:27:24 1995
Newsgroups: alt.conspiracy
Subject: BBC's Hidden Shame

Remember the two-way televisions in George Orwell's 1984? The ones which watched you back? Which you could never get rid of, only the sound could be turned down?

Well the country which brought Orwell into the world has made his nightmare follow into the world after him. Since 1990 the British have been waging war against one of their own citizens using surveillance to invade privacy and a campaign of abuse in the transmitted media in their efforts to humiliate their victim.

And the most remarkable thing about it is that what they do is not even illegal - the UK has no laws to protect the privacy of its citizens, nor does it proscribe harassment or abuse except in the case of racial abuse.

A lot of people in England know this to be going on, yet so far they have maintained perfect "omerta"; not a sound, not a squeak has escaped into the English press, and for all the covert harassment absolutely nothing has come out into the public domain.

Have the British gone mad? I think we should be told.

So how much deeper will the persecutors-who-wont-admit-theyre-MI5 sink in their campaign of lies and intimidation? Each time I thought they could sink no lower, they have managed to surprise me. You thought it could never happen here? When the MI5 British Secret Police make their smears against me, it is the corruption of the Establishment, which they are part of, that is demonstrated.

13587

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -2019840209271197942
X-Google-Thread: 1084e2,e256c4dd3cf24f2f,start
X-Google-Thread: 108122,e256c4dd3cf24f2f,start
X-Google-Thread: fe027,e256c4dd3cf24f2f,start
X-Google-Thread: f734f,e256c4dd3cf24f2f,start
X-Google-Thread: fcc51,e256c4dd3cf24f2f,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07111614210913@4ax.com>
Subject: MI5-Persecution: Comparing the MI5 Persecution with German Final Solution

(15770)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 14:21:12 GMT
Lines: 211
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 207
Xref: g2news1.google.com alt.testing.it:722 rec.radio.amateur.equipment:13610
de.comp.os.unix.x11:3169 finet.sex:263 free.uk.talk.edinburgh:1406

MI5 Persecution Update: Friday 16 April, 1999

If You Intend To Reply, Please Read This
Please.... keep your response to one page!. Faxes over a page or two will be deleted without being read.

BBC newscaster Nicholas Witchell cant stop himself laughing

During 1990-91 there were very many instances of "interactive television" where newscasters and other TV presenters saw on a screen before them what was happening in my home, and reacted, frequently by laughing at me. During this period I unfortunately did not record these programmes. For the last year or two, I have been recording everything I watch, and there has been a drastic decrease in such incidents.

However, on occasion, television presenters do still engage in "interactive watching" and react to what they see. This has been evident with Jon Snow of Channel Four News recently - a particularly interesting case, since it has been established that he cannot be corrupted by money (it is well-documented that MI5 offered him a tax-free salary and he turned them down). I wonder what device MI5 are using to encourage him to do the "interactive watching"?

On Saturday 10 April 1999 at 7pm, Nicholas Witchell on BBC2 News reacted when he saw that I was watching the programme, and I have his reactions stored safely on videotape. I have watched this tape several times and I am entirely confident that my evaluation of his reactions is correct. For several minutes his upper lip quivered in mirth as he attempted to keep a straight face. Then finally his self-control evaporated through the excuse of a weak joke and his face collapsed into a grin.

The strange thing is that I dont know why he was laughing at me, what I had done recently to "deserve" to be laughed at. The MI5 persecutors usually manage to invent some justification as to why people should laugh at and/or abuse me ("hes an X", "it was so funny" etc), so Mr Witchell could have been laughing for any number of reasons. Perhaps he found the views I have been expressing in these articles amusing? I suppose if youre paid enough money and ordered to laugh then even the most innocuous thing becomes funny.

Jon Snow of Channel Four News cant stop himself smirking, either.

On 12 February 1999 I was watching Channel Four News presented by Jon Snow. As usual, I was recording the programme, so that if anything out of the ordinary happened, Id be able to go back and watch it again.

Now, Jon Snow, by his own claim, is uncorruptible. He says he turned down an offer of a substantial tax-free salary from MI5 - they wanted to make him their mouthpiece, and he told them where to get off.

So you will be most surprised to learn that Jon Snow "interactively watched" me that evening, and on many other evenings. Approximately fifteen minutes into the programme, he announced that the US President would be making a live appearance at about 7.30pm; I looked at the clock on the mantelpiece; and Snow saw me looking at the clock, and visibly tried to suppress a smirk.

Uncorruptible, are you, Mister Snow? If not money, then why are you watching me, Mister Snow? Are they forcing you to watch me? Cant you turn the monitor off, Mister Snow?

Keith Hill MP (Labour - Streatham), my elected representative, as ever refuses to help.

Comparing the MI5 Persecution with German "Final Solution"

It might seem offensive to compare the mass murder of millions of civilians in wartime with the peacetime persecution of merely one person. Yet the comparison has been coursing through my mind for several years now, because the brutality of German intent to "sub-humans" is very much comparable to the brutality of British intent to someone they vituperate and term "not up to British standards". The methods may differ, but the persecutors mindset is the same.

The Germans first targeted the mentally disabled, too

During WW2 millions of ethnic Russians, Poles, Jews, mentally ill, gypsies and other minorities were rounded up and murdered in purpose-built camps by the German regime, in the name of "racial superiority". Fifty years on, the British Secret Police, MI5, instituted a campaign of mass hysteria; but in their cowardice, limited their activities to one single victim.

It is instructive to note that the early German "cleansing" effort was directed primarily not at Jews, but at the mentally ill. The Nazis set up the T4 project in the thirties to "cleanse" away 70,000 mentally disabled people, including schizophrenics and epileptics. After WW2 the Jews with their media influence used the reaction from the holocaust to roll back anti-semitism in the Western countries; however, the mentally ill are today still a persecuted group in the modern Western world as they were under the Nazis (the current Jewish home secretary in the UK intends to bring in laws for incarceration without any criminal charge for some mentally ill people - he protects his own minority, but does nothing for the other minorities in todays society), and this continuing bias forms a central cause for the current acts of persecution in the UK.

Widespread knowledge of what is happening to the "un-British" minority

In both the German persecution of the thirties and early forties, and the current British persecution, many, many people are well aware of whats happening. There is widespread complicity through inaction of populace; and in a substantial proportion of the mainstread population, the persecution had/has widespread enthusiastic support; yet in both the German case in the 1940s and the British today, the existence of persecution is a mass secret which must be never admitted out loud. In the recent Lawrence case this "secret bigotry" has been termed "institutionalised racism", and that is a very good word for what the British are doing today The persecutory attitudes and omerta regarding them are so deeply ingrained in the national psyche that they define the national mood

During WW2 many Germans knew minorities were disappearing, and through inaction quietly condoned their government's mass murder of "un-German" minorities and inferior "foreigners"; and in the 1990s, similarly, many English people know what the MI5 British Secret Police have been doing, and not only condone it, but actively take part, because of xenophobia against the "un-British" unit minority that is the target of "British" actions. This attitude by the British persecutors has been made explicit through the words "he's not up to British standards"; the British seem to have found their very own "untermenschen" to victimise.

Why these obsessive "holy wars" happen

This type of aggression occurs when the majority is threatened or humiliated in some way, economically, militarily or culturally. In pre-WW2 Germany the threat was primarily economic and military, following Germany's humiliating defeat in the first world war and the reparations it was forced to pay. In modern Britain, one might guess that the majority English who are behind the persecution feel pressured by the swiftly diminishing status of Britain in the world, and the rapidly increasing coloured colonisation of their country, which in time will see the ethnic English a minority in their own land, and their more antisocial elements, unable to reply to the obvious threat, instead project their aggression onto another, weaker, unit minority

In both cases there is a whiff of "holy war" or irrational obsession with the persecution. Certainly the German behaviour fifty years ago bordered on the not-quite-sane, and the current British behaviour towards their chosen victim is strongly tinged with a leave-taking of reason. And the choices open to the victims are the same, since MI5 will never allow me to escape them, "if he tries to run away we'll find him", just like the commandant of Auschwitz telling the new arrivals, "the only escape is through the chimney".

The Victim Will Destroy Us if We Dont Destroy Him First

The persecutors propaganda is the same. Fifty years ago the Germans said, "if we don't do it to the Jews then the Jews will do it to us"; and MI5's propaganda in the early nineties concentrated on their victim as a "monster" aesome "untermenschen" minority.

"We are decent fellows" say the Brutal Persecutors

During the course of researching this article I read part of the very interesting book, "Hitler - A Study in Tyranny", by Alan Bullock. This volume contains a quote from Himmler on the "Final Solution";

> "Most of you know what it means when a hundred corpses are lying side by side, or five hundred or one thousand. To have stuck it out, and at the same time .... to have remained decent fellows, that is what has made us hard. This is a page of glory in our history which has never been written and is never to be written."

In the MI5 persecution, too, there is a thread of deliberate brutality to the sick and vulnerable, while the persecutors maintain that "we are decent fellows". There is almost a conscious schizophrenia in the self-attitudes of the Security Service operatives and those in the public who they employ against me, which reflects the contradiction evident in the German attitude above. On the one hand, they stoop to the lowest and most base behaviour; yet at the same time, the MI5 operatives tell themselves that since they are civilised British people, then surely they must by definition be "decent fellows". Any indecency is made the fault of the victim; "hes making us persecute him, so we need feel no guilt".

Yet the conduct is atypical of the way these peoples see their normal modes of behaviour. Befslaughter was not typical of normal German behaviour up to that point. Similarly, the current MI5 abuse goes against the grain of British self-image as being "reserved" and "decent", since they are using terms of abuse which are common among blacks and other supposedly less-developed races, but not among the English.

Conclusion

The ultimate aim of both persecutions is the humiliation and physical extinction of the persecuted group. The Germans did this in a very direct way; the British Secret Police MI5 are acting indirectly and relying on self-extinction of their target, because in peacetime and in the current somewhat false climate of "political correctness" more direct methods are impossible. If MI5 undertook more direct action the mass "omerta" would be broken.

I have written this article with sincerity to show how a historically recent persecution in another country parallels what is being done in this country today. In both cases, the evil-doers are of their countries establishments, and rely on widespread tacit support to maintain the persecution and omerta around it. While the holocaust was undoubtedly the greater evil, it is important to be aware of the fact that had the Germans not been defeated fifty years ago, their plans would have gone through to total completion. In Britain today no force threatens the "permanent government" of which the Security Service forms a part; and it looks very unlikely that the wrongs perpetrated by the MI5 secret police will ever be revealed to public view, and the British secret state brought to justice for its evil actions.

15770

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 6038367790005791448
X-Google-Thread: 1084e2,ddb20d975c54b6ac,start
X-Google-Thread: 108122,ddb20d975c54b6ac,start
X-Google-Thread: fe027,ddb20d975c54b6ac,start
X-Google-Thread: f734f,ddb20d975c54b6ac,start
X-Google-Thread: fcc51,ddb20d975c54b6ac,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07111614501481@4ax.com>
Subject: MI5-Persecution: MI5 Waste Taxpayer Millions on Pointless Hate-Campaign
(17953)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 14:50:18 GMT
Lines: 251
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 247
Xref: g2news1.google.com alt.testing.it:723 rec.radio.amateur.equipment:13611
de.comp.os.unix.x11:3170 finet.sex:264 free.uk.talk.edinburgh:1407

MI5 Persecution Update: Friday 30 April, 1999

If You Intend To Reply, Please Read This
Please.... keep your response to one page!. Faxes over a page or two will be deleted without being read.

Somewhere between 0 and 100%

The last few days there have been no clear recordable instances of abuse. However, while travelling on the Underground, while walking around near my home and going to friends homes, I am constantly troubled by thoughts that those people over there might be about to get at me; that the couple sitting in the opposite seats laughing are in fact laughing at me; et cetera, et cetera.

A comment by a scientist to the BSE inquiry sticks in my mind. He described the possible scale of the epidemic as "between 0% and 100%". It might not be happening, it might not happen at all, to any discernable degree.... or it might be total. Without clear recording, which seems to have become impossible the last couple of weeks, there is no way of knowing whether the harassment really is continuing, whether we have entered a temporary hiatus, or whether perhaps it has perhaps stopped for now.

But for the time being I think there arent any reasons to dicontinue these faxes. I only re-started them six weeks ago in response to a resumption of MI5 harassment; and I think I will need to be more convinced of absence of persecution before I discontinue my complaints.

The Newscasters are still watching

In the last few weeks there have been at least a couple of fairly overt instances of "interactive watching" by newscasters. I reported this in a previous "MI5 Persecution Update".

These instances are really very rare compared to 1990-91, when there were many dozens of such occurrences. Undoubtedly the reduction is due to my practice of videotaping everything I see. Recently I had the opportunity of showing this years "happenings" (Jon Snow/Nicholas Witchell) to my psychiatrist, and he agreed that in both cases the newscasters were expressing merriment without visible cause, and that objectively it might be possible for my claims to be true - although of course other people reported similar thoughts to him, and this thinking is usually a symptom of illness.

Read About the MI5 Persecution on the World Wide Web

The March 1998 issue (number 42) of .net Magazine reviews the website describing it as an "excellent site". Since August 11, 1996 over 50,000 people have browsed this website.

You are encouraged to read the web pages which include

a FAQ (frequently asked questions) section outlining the nature of the persecutors, their methods of harassment through the media, people at work and among the general public

an evidence section, which carries audio and video clips of media and workplace harassment, rated according to how directly I think they refer to me

objective descriptions of the state security agencies involved

scanned texts of the complaints I have made to media and state security agencies involved

posts which have been made to netnews over the last four years on this topic

Keith Hill MP (Labour - Streatham), my elected representative, as ever refuses to help.

MI5 Waste Taxpayer Millions on Pointless Hate-Campaign

Recently I was talking to an independent observer about the nature and purpose of the perceived campaign of persecution against me. The person I spoke to, a highly intelligent man, said he was struck by the utter pointlessness of the perceived campaign against me. He also said that, if my theories were in fact true, many people would have to be involved, in the surveillance itself, and in the technical side of the delivery of information from my home to TV studios for example, if the "interactive watching" were happening as described. He voiced these thoughts without any prompting from me; but both I and other observers had arrived at pretty much the same conclusions, some years ago.

I saw a team of four men at Toronto Airport in 1993

To carry out the surveillance alone, full-time, would employ four or five men, or their equivalent in terms of man-hours. Each man would "work" an eight-hour shift, so you would need at least three men doing the surveillance, plus a connecting link / manager. An indicator that this estimate is correct arrived in 1993, when I was accosted by one of a group of four men at Toronto Airport; he said, laughing, "if he tries to run away well find him". Plainly these were the men who had been involved in the intrusive surveillance of me for the preceding three years.

On other occasions, I have seen the same man on two or three occasions. On one such occasion, at Ottawas Civic Hospital in November 1996; he gave his name to the doctor as "Alan Holdsworth" or some such; my hearing is not very good sometimes and I am not sure of the surname, although I am sure "Alan" was his first name. I saw exactly the same man again in Ottawa, at the airport, in July 1998. Obviously, other people must be "working" with this person; he would not be the sole agent employed in this case.

Usenet readers views on the Cost to MI5 of Running the Campaign

Here's what a couple of other people on internet newsgroups / Usenet (uk.misc) had to say regarding the cost of running such an operation...

PO: >Have some sense, grow up and smell reality. What you are talking about
PO: >would take loads of planning, tens of thousands of pounds and lots of
PO: >people involved in the planning, execution and maintenance of it. You
PO: >must have a very high opinion of yourself to think you are worth it.

and......

PM: >But why? And why you? Do you realize how much it would cost to keep
PM: >one person under continuous surveillance for five years? Think about
PM: >all the man/hours. Say they _just_ allocated a two man team and a
PM: >supervisor. OK., Supervisor's salary, say, #30,000 a year. Two men,
PM: >#20,000 a year each. But they'd need to work in shifts -- so it would
PM: >be six men at #20,000 (which with on-costs would work out at more
like
PM: >#30,000 to the employer.)
PM: >
PM: >So, we're talking #30,000 x 6. #180,000. plus say, #40,000 for the
PM: >supervisor. #220,000. Then you've got the hardware involved. And
PM: >any transcription that needs doing. You don't think the 'Big Boss'
PM: >would listen to hours and hours of tapes, do you.
PM: >
PM: >So, all in all, you couldn't actually do the job for much less than
PM: >a quarter million a year. Over five years. What are you doing that makes
PM: >it worth the while of the state to spend over one and a quarter million
PM: >on you?

Those are pretty much the sort of calculations that went through my head once I stopped to consider what it must be costing them to run this operation. At the very least, a quarter million a year - and probably much more, given the intrusive and human-resource-intensive methods employed. Times nine years. Equals well over two million pounds - and probably much, much more.

Its wasteful for someone with my skills to be unemployed

The wastefulness of the MI5 campaign against me is not just that of futile expenditure on their side. It is also extremely wasteful for someone with my talents to be unemployed and on a disability pension. I am highly qualified in numerate disciplines, yet am unable to work, specifically because of the MI5 hate-campaign against me. It is a terrible waste of resources for a supposedly efficient economy like that of the UK to be squandering the talents of a skilled and capable worker.

I made every effort to remain in employment for as long as I could, but ultimately I was defeated by MI5s employment of massive resources specifically targeted on my workplaces with the sole aim of seeing me evicted from those workplaces. You might expect this sort of behaviour from the Stasi or some other secret police force in a communist country where labour is cheap, and the governments aim on seeing its citizens confined; but for a supposedly free and efficient economy like Britains, the wastefulness resulting both directly and indirectly from the Security Services activities is simply criminal, and should never be allowed.

The international dimension means the costs are multiplied many times overoer had any sense, then they have surely taken leave of them over the last nine years.

Four years of persecution in Canada

The persecution re-started within less than five minutes of my arrival in Canada, as documented above, and in the "frequently asked questions" article on the website. The words, "if he tries to run away well find him" spoken by one of the harassers at Toronto Airport are now imprinted on my mind.

A year later I emigrated to Canada, intending to find a job and settle there, hoping that MI5s interest in me might dim with time. I did manage to find work there, but my hopes of avoiding Security Service interest were ground into dust. As detailed above, I saw the same man in November 1996 and July 1998, both times in Ottawa. Apart from these encounters, there were numerous incidents between 1994 and 1998 of harassment, of an identical nature and in most cases using identical words to what had occurred in the UK. It became quite clear to me that the permanent surveillance and harassment operation which MI5 had subjected me to in England was being continued.

For a team of four or five men to be employed overseas must cost a lot more than if they operate in their home country. And for MI5 to continue the operation for a period of over four years, continuously, must cost many hundreds of thousands of pounds. This confirms my belief that the state is funding the campaign against mehat the Security Service receives current annual funding of #160M. Divided by 1850 staff, works out at #86,000. But the unit annual cost of each "watcher" must be much higher than this, especially given the frequently mobile and overseas nature of their actions of the last few years. A very conservative figure might be a little over #100,000 pa for each of a team of five people, or half a million pounds per year. For nine years, so far. So the most conservative estimate of the surveillance element alone is perhaps four or five million pounds since 1990.

This guesstimate is of course theoretical - I am not privy to inside details of how MI5 split their funding. But to take some other examples, the cost of a US counter-surveillance specialist per day is USD 5,000. Even if the agents permanently assigned to me are not of this calibre - even if they employ specialists when difficult work planting bugs etc is encountered - their salary and support costs must still be very high. The individual agents are doing well for themselves as they are well-paid to exercise psychopathic instincts which in any sane society would see them in prison; but the taxpayers who must fund this terribly wasteful exercise are being "done" out of hundreds of thousands of pounds each year.

It must be emphasised that the above estimates are highly conservative. Besides the surveillance operation, it must carry a high cost in man-hours to propagate covert slanders through the population; to setup and maintain the "interactive watching" links to TV and radio stations, which these organisations continue desparately to "lie and deny"; and to induce antipathy in co-workers which would not otherwise exist.

Why they are wasting Millions of Pounds on a "Nobody from South London"

As remarked in the prologue to this article, it is really most extraordinary that the Security Service spends a chunk of its budget, every year for nine years so far, on a meaningless campaign against a "nobody from South London". That they are spending such a large amount of money has been confirmed to me on several occasions, usually by oblique references to "its costing this country millions". The supposed "logic" behind the persecution is that MI5 wish to avoid their harassment of me, and the involvement of the UK media, to be made public; yet as the reader will appreciate that is a circular argument, "theyre doing it because they want to keep it secret and avoid humiliation for themselves and their country" begs the question, "why did they start doing it in the first place?", to which in truth I myself do not know the answer.

Plainly MI5 with its rich budget can afford half a million pounds a year to waste on a "nobody from South London". Some time ago I was talking to a British surveillance professional on Compuserve who told me "this work costs a lot of money and is usally because the person I am following has done something (usually criminal) to warrant all this money and time being spent." Yet in this particular case it is plainly not the "victims fault" that the harassment is taking place. The hate-campaign against me is completely the creation of the obsessive psychologies of the MI5 agents who have made themselves my persecutors; it is obviously a "personal" campaign for them, and for years they misuse taxpayer funding to feed their insane, unnatural and fixated fantasies.

17953

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 4486355106338091851
X-Google-Thread: 1084e2,e0899cba256f9601,start
X-Google-Thread: 108122,e0899cba256f9601,start
X-Google-Thread: fe027,e0899cba256f9601,start
X-Google-Thread: f734f,e0899cba256f9601,start
X-Google-Thread: fcc51,e0899cba256f9601,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07111615181896@4ax.com>
Subject: MI5-Persecution: Four Years of MI5 Persecution Posts on Internet Newsgroups (20136)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh

Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 15:18:21 GMT
Lines: 283
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 279
Xref: g2news1.google.com alt.testing.it:724 rec.radio.amateur.equipment:13612
de.comp.os.unix.x11:3171 finet.sex:265 free.uk.talk.edinburgh:1408

Four Years of "MI5 Persecution" Posts on Internet Newsgroups

For approximately the first three years of the MI5 persecution, from June 1990 until late 1992, I kept as quiet as possible, in the hope that by not reacting, MI5s interest in me would decrease and they would simply go away of their own accord. This is the sort of behaviour some people employ against bullies; if the bullies arent getting a reaction, then they might simply go away and victimize someone else.

Unfortunately, this tactic didnt work. The quieter I became, the more shrill and hysterical the noise from the Security Service operatives. For about two years I didnt watch TV news at all. Yet this only heightened their obsessed fixation; they continued to follow me wherever I went, they continued to induce harassment at work by managers and fellow workers, and they continued to encourage me to commit suicide. They seemed to regard my refusal to react as a crime which they would have to "put right" by ever more extreme forms of abuse.

Finally, in 1995, I changed tactics radically. Since late 1994 I had had accounts with internet providers in Ontario, Canada. I discovered the cornucopia of internet newsgroups, on every topic from consumer electronics, to politics and legal topics, and I discovered online services such as Compuserve and AOL. In May 1995, I made the first posting to the conspiracy newsgroup, on the subject of "BBCs Hidden Shame".

BBC's Hidden Shame

The internet newsgroup discussion, which has now reached its fourth anniversary, started with an article in alt.conspiracy, which I reproduce here.

Date: Thu May 4 18:27:24 1995
Newsgroups: alt.conspiracy
Subject: BBC's Hidden Shame

Remember the two-way televisions in George Orwell's 1984? The ones which watched you back? Which you could never get rid of, only the sound could be turned down?

Well the country which brought Orwell into the world has made his nightmare follow into the world after him. Since 1990 the British have been waging war against one of their own citizens using surveillance to invade privacy and a campaign of abuse in the transmitted media in their efforts to humiliate their "victim".

And the most remarkable thing about it is that what they do is not even illegal - the UK has no laws to protect the privacy of its citizens, nor does it proscribe harassment or abuse except in the case of racial abuse.

A lot of people in England know this to be going on, yet so far they have maintained perfect "omerta"; not a sound, not a squeak has escaped into the English press, and for all the covert harassment absolutely nothing has come out into the public domain.

Have the British gone mad? I think we should be told

At this point, I did not name MI5 as my persecutors. I was still unsure that they were the ones responsible for the "psychological terrorism". In followup posts however I did name them; and the persecutors have never denied the claim; so I think my guess is valid. (The Security Service Tribunal in 1997 have said "no determination in your favour was made", but it is a well established fact that MI5 lies routinely to the Tribunal which has never found in favour of a plaintiff, so no conclusions can be drawn from this.)

This first post was made to alt.conspiracy, but further posts were made to the UK-local newsgroups, in particular uk.misc but also uk.legal and uk.politics (which is now called uk.politics.misc). Some time ago I tried to take the battle to the Compuserve forums, UKPOLITICS (which is now called UKCURRENT - current affairs), but my articles were censored by the forum operators. Such censorship is impossible on the internet newsgroups.

Police Refuse to Act

I have complained several times to the Metropolitan Police, who have each time refused to help.

From: Green <Green@guidion.demon.co.uk>
Newsgroups: uk.misc,uk.politics,alt.politics.british,soc.culture.british
Subject: Re: MI5 Persecution: Why Aren't the British Police Doing Their Job?
Reply-To: Green@guidion.demon.co.uk
Date: Sun Apr 7 21:13:30 1996

In article <DpIE0r.736.0.bloor@torfree.net>
bu765@torfree.net "Mike Corley" writes:

>Last Easter (1995) I went into the local police station in London and spoke to
>an officer about the harassment against me. But I couldn't provide tangible

>evidence; what people said, in many cases years ago, is beyond proof, and
>without something to support my statements I cannot expect a police officer to
>take the complaint seriously.

This in itself dos not suggest that the police have it in for you. The old bill operates on extremely tight spending limits forced on them by that pillock Michael Howard, and without evidence, they often have higher priorities than chasing something that cannot go to court.

I doubt that the police are actually being leant on, but they probably realise that if they looked into this, they would be leant on hard. The met always stays away from anything that looks like it has Defence, Security or secret service interest already, because they realise that they are below these government agencies in the general pecking order.

If I walked into my local nick and complained that MI5 were snooping on me, they would show me the door without even looking at my evidence, because that bored desk seargant with only five years to go before he retires doesn't want to start fucking about with somebody who has incurred the wrath of Stella Rimington. He would rather deal with the lost dogs and driving licence producers, eat his cheese and pickle sandwiches and piss off home at the end of his shift than have some high ranking spook having a go at his boss and getting him a bollocking.

In short, you have earned much sympathy but little surprise. Just remember that saying about the enemy of your enemies.

Most recently, I wrote in March 1999 to Charing Cross Police Station CID. They did not acknowledge or reply to my letter. When I phoned them up, the detective Id written to treated me to a sadly not unusual display of police bigotry, with an uneducated rant about "your paranoid rubbish".

It would be nice to think that such uneducated bigotry is something other than wholly typical of police behaviour, but unfortunately that is an illusion that is rapidly dispelled.

Uncorruptible Jon Snow of Channel Four News

From previous articles the reader will know what I think Jon Snow has recently been watching me while he reads Channel Four News in the evening. Recently I digitized a few moments of one such broadcast, where his face twists into a smile, without there being anything in the news broadcast to cause merriment. Here is a usenet post from some time ago on MI5s "bought and paid for" tools in the so-called "free" press.

Peter Harding (harding@ermine.ox.ac.uk) wrote:
: I was at speakers' corner on Sunday. There was one chap who was bellowing
: about something or other, I don't know what, but one thing he said to
: someone caught my ear:

: "BBC, MI5, same thing."

Can't disagree with that sentiment.

Wasn't it documented that MI5 sometimes "bought" journalists and broadcasters?
I remember reading a report by some jouralist who had been offered an extra
tax-free income by MI5 to become their covert mouthpiece, and had refused.
....
> : >mouthpiece, and had refused.
> :
> : It was Jon Snow of Channel 4.
>
> Was it reported in any of the papers?

It has been reported several times. The most recent was in Private Eye,
a few months back. As I recall they also wanted information from him;
journalists would be a natural choice for members of the Security Service
and the Secret Intelligence Service for information sources.

> It might be interesting to see what he had to say regarding their
> attempt to recruit him.

He was most concerned that many others would have accepted such an
offer. However, we can probably make an educated guess as to some of
those who accepted: Nigel West (Rupert Allason, MP) and Chapman Pincher
would come near to the top of the list.

--
\/ David Boothroyd. Socialist and election analyst. Omne ignotum pro
magnifico.
British Elections and Politics at
http://www.qmw.ac.uk/~laws/election/home.html
I wish I was in North Dakota. Next General Election must be before 22nd May '97
The House of Commons now : C 324, Lab 272, L Dem 25, UU 9, PC 4, SDLP 4, SNP 4,
UDUP 3, Ind 1, Ind UU 1, Spkrs 4. Government majority = 1. Telephone Tate 6125.

Corrupt Security Service agents steal millions from taxpayers

Money is of course a factor in the grand equation which is the MI5
persecution. It costs money for the Security Service to "buy" people in
the media etc. But that is only a small part of their expenditure of
taxpayers resources. Most of the expenditure is directly on the salaries
if the agents involved; and in this post I put forward the theory that MI5
are trying to draw out their involvement for as long as possible, very
cynically, to maximise their income and line their own pockets.

At each stage they have tried to pretend that I am something out of the ordinary. Either I was very stupid ("he's an idiot") or very clever ("he's like a genius"). Either I was a threat to Western civilization (Levin once referred to me as the next Hitler) or I was completely defenceless ("a soft toy").

Now, it should be obvious to any person with common-sense that I am not out of the ordinary in any way. I have an IQ which is average for the Web, I am racially white European, and there are plenty of other people with schizophrenia or epilepsy out there who haven't been targeted for MI5 attention, so why me?

I think the answer is that the MI5 agents who harass me have cynically exploited the situation by painting me as extraordinary in order to assure themselves of well-paid employment funded by the ordinary British taxpayer. To put it bluntly, they are stealing millions of pounds from the taxpayer to feed their own pockets.

This assertion is supported by the observation that it's the same agents who are doing the harassment. Six months ago in a local hospital I was harassed by someone whose face I had seen (he had stared straight at me aggressively, at the time I just thought it was some nutter but it turns out he was one of "them") aboard a KLM flight a couple of years ago. It's presumably been the same people most of the time. I've seen the way contractors act when they don't want their positions terminated. Would these agents really want to lose their well-paid employment harassing me? Presumably they are promising their bosses a "breakthrough" (ie my demise) real-soon-now and have been for the last seven years, while all the while these MI5 agents skim millions off the taxpayer.

I wouldn't mind a job like that. Perhaps if I persecute myself a little bit, like standing in front of a mirror and shouting mindless obscenities, do you reckon I'd get a slice of the caky Service Tribunal. This year Nick Brooks, current Tribunal Secretary, confirmed to me that he could not think of a single case where the Tribunal had found in favour of a complainant. Here is my usenet post from two years ago.

Subject: MI5: "It wasn't us"
Newsgroups: uk.misc,uk.legal
Organization: Toronto Free-Net

"The Security Service Tribunal have now investigated your complaint and have asked me to inform you that no determination in your favour has been made on your complaint."

Signed ER Wilson, Tribunal Secretary

Well that's a relief then. All that spamming for nothing eh. Gaw blimey, if they say they're not doing it then it can't be them, can it?

In a recent letter to Mr Brooks I expressed the opinion that the Tribunal were unable to fulfil their responsibilities in the face of MI5 falsehoods. Nevertheless, I do intend to make another complaint to the Tribunal in the near future, despite the Tribunal appearing to be a toothless watchdog.

Discrimination against a Unit Minority

MI5 have been very clear in their instructions as to what I should do. They have openly shouted at me the word "suicide", and also from the other abuse it is clear that they want my existence terminated.

This point is covered in more detail in a previous article. The following post describes the xenophobic nature of MI5s campaign against me. They have refined their bigotry down to a unit minority, yet they make use of the discrimination against the mentally ill which is a feature of current British society.

Subject: Re: MI5 says "Kill Yourself"
Newsgroups: uk.misc,uk.legal,uk.politics.misc,uk.media
References: <zlsiida.4248.3258FE24@fs1.mcc.ac.uk>
<53eeev$cmg@axalotl.demon.co.uk>
Organization: Toronto Free-Net
Distribution:

iain@hotch.demon.co.uk (Iain L M Hotchkies) wrote:
>Indeed. If you've ever had a 'conversation' with someone suffering
>from florid schizophrenia, you'll know how difficult it can be to
>'argue' with them.

I don't have florid symptoms. But I'm in a difficult situation, because those people who don't know, aren't going to believe, and those who do, they just go along with the crowd. It's never a good idea to go against the grain, and the grain here is defined by interests in the establishment and the media. Even people who could say out loud what was happening won't, because then there's a risk that they'll be seen as traitors and ostracised.

Usually this type of 'hidden abuse' is racial and targetted at a racial minority within a country. You keep the minorities out of the good jobs, but you don't admit discrimination exists. It happens everywhere, not just in Britain. The persecution that is going on now is in reality a refined form of racism. Instead of "nigger" it's "nutter", and abusing the mentally ill is still socially acceptable today. In 50 years it might not be, but today there isn't any social or legal sanction against it.

So really they've refined racial harassment down to a minority of one. The words may be different, but the methods are the same.

20136

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -5354239940458154144
X-Google-Thread: 1084e2,ad2d5f31905834f9,start
X-Google-Thread: 108122,ad2d5f31905834f9,start
X-Google-Thread: fe027,ad2d5f31905834f9,start
X-Google-Thread: f734f,ad2d5f31905834f9,start
X-Google-Thread: fcc51,ad2d5f31905834f9,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07111615474088@4ax.com>
Subject: MI5-Persecution: BBC Newscasters Lie & Deny Theyre Watching Me (22319)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 15:47:44 GMT
Lines: 306
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 302
Xref: g2news1.google.com alt.testing.it:725 rec.radio.amateur.equipment:13613
de.comp.os.unix.x11:3173 finet.sex:266 free.uk.talk.edinburgh:1409
```

MI5 Persecution: BBC Newscasters Lie & Deny They're Watching Me

Central to the persecution campaign waged against me for some nine years now by the Security Service is their use of the media, and in particular the broadcast media, to make clear to me that I am under surveillance and being watched within my own home, even by BBC newscasters while they read the news. This is really an act of arrogance; MI5 and their tools in the television and radio are so sure that they can never be caught, that they have many times made explicity clear on broadcast programmes that they are as capable of seeing me as I am of seeing the broadcast pictures. Even when they have known I am taping the programmes they still carry on this practice; for examples of TVand radio presenters caught "in action", see the Evidence area of my website.

If you wish to reply to this article......
then please include your name and fax number! I provide the means for recipients to send me their thoughts on the topics discussed, but ask that you provide me with your fax number or email address if you require a response. Also would you please send not more than one or two pages, if by fax. Thank-you!

It started with a Newscaster, and it continues with Newscasters today

The very first incident in the story started with a reaction by an ITN newscaster, Sue Carpenter, in June of 1990, almost nine years ago now. She reacted to what she saw in my living room at home as she read the news. My mother had brought an apple for me into the room, whereupon the newsreader smirked and giggled, apparently finding this funny. I couldn't believe what I was seeing. I carried on watching news and other television programmes to see if presenters would show signs of "interactive watching"; to my surprise, this happened again and again. Unfortunately, I did not have my wits sufficiently about me to videotape these programmes, and it is now almost impossible to obtain recordings dating back to 1990.

However, I have been busy recording everything Ive watched the last couple of years, and the taping has yielded some nuggets, which you will find if you point your Web browser at the "evidence" area of my website, whose URL address is given above. Strangely it is not particularly the BBC who are "after me" at the moment (with the exception of occasional fire from Nicholas Witchell), but that supposed paragon of virtue and decency Jon Snow of Channel Four TV News (he actually works for ITN), who once claimed hed turned down MI5s offer of a tax-free salary. I will cover Snows recent actions in a future article.

BBCs Hidden Shame

The first ever Usenet post (internet newsgroup article) on the subject of the MI5 bugging / BBC watching occurred, as stated in a previous article, in early May 1995. It is reproduced here;

Date: Thu May 4 18:27:24 1995
Newsgroups: alt.conspiracy
Subject: BBC's Hidden Shame

Remember the two-way televisions in George Orwell's 1984? The ones which watched you back? Which you could never get rid of, only the sound could be turned down?

Well the country which brought Orwell into the world has made his nightmare follow into the world after him. Since 1990 the British have been waging war against one of their own citizens using surveillance to invade privacy and a campaign of abuse in the transmitted media in their efforts to humiliate their "victim".

I suppose "BBCs Hidden Shame" is more of a wish than a fact. It may be hidden, but the BBC and other media and security organisations seem to have no shame whatever in their anti-social, not to say criminal, actions. Nor do the general public, who seem quite happy to parrot the vilest obscenities without much hesitation or apparently thought.

Martyn Lewis, Nicholas Witchell and the rest

Most of the harassment occurred in 1990-92, when I wasnt making any recordings, and the BBC wont release copies of current affairs programmes from that period.... so although I can remember there were many incidents in that time, even many specifics, I cant dig up the actual programmes to flesh out the bones.

This year, there has been at least one incident with Nicholas Witchell as newsreader, which I have successfully recorded and digitized, i.e. converted into a computer Quicktime movie file. This has not yet found its way onto my website (Im a busy man, dontcha know) but you can be sure I will let the readership of these articles know when that clip makes it onto the web. The Witchell clip was recorded on Saturday 10 April 1999 at 7pm, and shows Witchell trying to restrain his features from collapsing into a smirk. First his upper lip quivers for several minutes, then with the non-excuse of a non-joke his entire face twists into a grin. It looks as if he finds me so funny, that he allows himself to submerge any pretence at professionalism in a sea of MI5-inspired sarcasm and harassment.

The two BBC newscasters whose reactions to me I can remember most vividly over the years are Martyn Lewis and Nicholas Witchell. I can remember thinking years ago that Michael Buerk was also seeing me at home; and if the other two are watching then there would be no reason why he wouldnt be doing the same; but in all honesty I cannot remember a single clear instance of his reacting through facial or verbal expression to me.

I can remember several instances of Martyn Lewis reacting to what he saw of me, however. In early 1992 I was watching the BBC news with Lewis on a small black-and-white portable TV at my then home in Oxford. I threw a term of abuse at Lewis; he flinched, then gave a grin and made a comment from which I understood that he had been on my side, but might have changed his mind as a result of what Id just said to him.

And in spring 1991 I remember Martyn Lewis clearly reacting to what he saw of me at my then accommodation in Woking, Surrey, by continuing to stare at some fixed point near the camera after the news had finished - presumably this is where the monitor interactively showing pictures of my room was located.

Why would BBC and other Newscasters Watch and Harass Me, Watching Them?

This is a very difficult question, and I dont actually know the answer. It is a matter of record that the Secret Services are very much part of the Establishment. The recent exposure of the "MI6 Agent List" on the internet, and its coverage in the newspapers, reveals how much MI5 and MI6 are recruited from the ranks of the Establishment. Obviously the relationship is bi-directional; the Establishment influences MI5/MI6, but the secret services (well, perhaps not so secret now we know who works for MI6!!!) also influence the machinery of power and information dissemination i.e. media in this country. So they must have a lot of covert leverage with the BBC and ITN.

Some of this leverage is obviously through bribery. It is a matter of record that MI5 tried some years ago to "buy" Jon Snow of Channel Four TV. He turned them down - obviously they must have approached other media people as well, and from the lack of other reports of people turning them down, it may be presumed that some other journalists will have accepted the sugared carrots put before them. Ironically, Jon Snow has been taking part in the recent "watching" actions against me - but why he has allowed himself to be used by the secret services is something which I do not know.

Perhaps the Security Service uses blackmail to twist arms of journalists into co-operating with them? I have always thought there was something slightly odd about Martyn Lewiss demeanour. At the time of the Ron Davies "rough trade" scandal it was reported that MI5 had known all about Davies predilections and the sham of his pretence to be a happily married man. Perhaps MI5 have been able to dig something up from Martyn Lewiss private life to blackmail him into acting on their behalf? And if there wasnt anything before the "newscaster watching" started then there most certainly is something now.... once theyve started watching, the newscasters will surely wish their activities to remain covered-up, and co-operate with the security service.

"Newscaster Watching" Deliberately Constructed to Mimic Schizophrenia

Presumably this is the first case in history of television journalists actually taking part in acts of real-time, live spying and reacting against one of their viewers. What you have to understand, though, is that I was quite mentally healthy in June 1990, certainly relative to November 1992, when after two and a half years of harassment I was finally admitted to hospital as an out-patient. MI5 decided from the outset that they would make me mad; they constructed the media harassment to resemble what would be reported by a person with mental illness; and then they carried on years of abuse to inflict on me the condition which they wished to use as an excuse to cover up their abuses.

I sold my portable TV in autumn 1990 and stopped watching television regularly. I realise now that this may have been a mistake. What I should have done was to watch TV and listen to the radio, but tape-record everything and make a note of what each excerpt meant to me. I would then be in a much stronger position as regards to evidence that I am now. That is what I am trying to do now, but unsurprisingly the TV/radio presenters have stopped getting at me, now they know they are being recorded.

When I started publicising my case on internet newsgroups in 1995, I was met with the disbelief one might expect to be accorded to a mentally ill person who talks about "newscaster watching" and media persecution. Some newsgroup participants thought I had started a "troll", an invention made to obtain a reaction; one bright spark even suggested a group of psychology students were behind the articles. But most people thought the articles were symptomatic of derangement - and that is exactly what MI5 want people to think. MI5 chose me as a target because I was mildly mentally ill at the outset in 1990, although I stress my illness then was very mild in comparison with November 1992, and because they knew that enough abuse would (a) make me much more seriously ill, and (b) once I was more ill, they would "get away" with a harassment deliberately constructed to look like the symptoms of paranoid schizophrenia.

Martyn Lewis Denies & Lies, But Wont in Writing

In February 1997 I wrote to BBC Viewer & Listener Correspondence and asked them to investigate the claim that their newscasters had engaged in "real-time spying" on me. They replied that they had asked Martyn Lewis and Michael Buerk whether they had engaged in such practices, and that they had both made verbal denials to VLC, but were refusing to put their denials in writing.

To me it looks as if Lewis and Buerk are happy to lie verbally but not in writing, because written falsehoods would place them unambiguously in the wrong, whereas they can try to talk their way out of verbal lies if they are ever caught, or perhaps even deny the verbal lies completely? If they lie without shame, then why would they have any shame about future lies about lying?

BBC-VLC also said that the BBC "would never engage in any form of surveillance activity" such as that described. Clearly Martyn Lewis and the rest have lied to their own organisations personnel about their criminal actions. So much for the "objective", "truthful" BBC, a nest of shabby liars.

Summons against the BBC, for Nuisance caused by Newscaster Spying

In March 1997 I issued a civil summons against the BBC, seeking injunction against further "newscaster spying", and token damages for what the BBC had done to me until that date. The purpose of the summons was to try to "smoke out" the BBC, since obviously I did not have good evidence which would be necessary for either a civil or criminal case to be made against them. My summons was worded as follows;

1. The plaintiff is and was at all material times residing at [home address]. At some time prior to or during June 1990, persons of unknown identity entered Plaintiff's premises and installed concealed television equipment in said premises.

2. A campaign of harassment was launched against the Plaintiff by the persons of unknown identity, which in part took the form of instigating harassment by BBC TV newscasters (including specifically Michael Buerk and Martyn Lewis) as they read news bulletins, by making direct and personal comments to Plaintiff.

3. The campaigns purpose was to subject Plaintiff to great mental stress and induce mental breakdown. As a result of it Plaintiff did indeed suffer

from severe mental strain in 1990-97.

4. In order to avoid the mental strain being caused to him the Plaintiff has been compelled to stop watching BBC TV news. Defendant therefore committed the tort of private nuisance, since normal use of home was interfered with.

5. Plaintiff claims a permanent injunction prohibiting further nuisance, and damages for nuisance suffered limited to 5,000.

Naturally, my attempt to smoke-out the BBC and its lying newscasters failed. The BBCs litigation department sought to have my summons struck out; and they succeeded in doing so, on the grounds of my action "disclosing no reasonable cause of action". I was also prevented from issuing further civil claims against the BBC without leave of the Court. Apparently litigants-in-person frequently / usually have their claims struck out with this wording, regardless of the merit of their claims.

BBC Suppresses my Claims of "Watching by Newscasters"

BBCs staff magazine Ariel ran my advert "BBC Newsreaders Spying on my home" for one issue in the Personal category on 8/July/1997 before it was spotted and axed by editor Robin Reynolds; please see webpage; http://www.pair.com/spook/evidence/plaint/ariel.htm
Clearly the BBC will not allow claims of its wrongdoing to be made public in the media channels it controls.

On several occasions people said to my face that harassment from the TV was happening. On the first day I worked in Oxford, I spent the evening in the local pub the Rose and Crown with the company's technical director Ian, and Phil, another employee. Ian made a few references to me and said to Phil, as if in an aside, "Is he the bloke who's been on TV?" to which Phil replied, "Yes, I think so".

The reader might think that mere "watching" by newscasters etc might be a relatively benign happening. But it is not; it is part of MI5s framework of harassment and lies. On many occasions the reactions of the BBCs newscasters to me has been in the nature of sarcasm, implicit contempt and abuse. This is visible in Witchells news programme mentioned above, where he engages in abuse by laughing at me during his newsreading. It was particularly visible in the early period of 1990-92, and as late as Autumn 1993, when during a Newsnight broadcast Jeremy Paxman interviewed a football person about soccer hooliganism, and the interviewee gave vent to an unsubtle rant about "theyre idiots, theyre just idiots, keep up the surveillance". Paxman started grinning, showing he understood and was taking part in the abuse being perpetrated on that programme.

Conclusion

The MI5 Persecution started with harassment by television newscasters, and today harassment by TV and radio presenters still forms a key part of MI5s activities against me. When this business started in June 1990 I was in relatively good health of mind. Years of persecution by the secret police and their mouthpieces in the state-run BBC and other media eroded my health until MI5 achieved their aim of seeing me rendered mentally ill in November 1992. The diagnosis which was forced on me unfortunately and ironically meant that my reports of the harassment are disregarded, because the mentally ill are second-class citizens in todays Britain.

Yet TV and radio harassment continues, albeit in a reduced form, despite my taping all the programmes I watch, resulting in my being able to obtain and demonstrate objectively on the website instances of media presenters attacking me. Unfortunately these recorded instances are quite tenuous; I might understand them, the presenters understand what it is theyre doing, but despite many thousands of people knowing the truth of the "newscaster watching", the omerta continues and they continue to refuse to admit the truth of the matter. It is a terrible indictment of British society that there is not even one decent person willing to speak out. I look forward to the day when the truth does finally emerge, and the mass corruption which has allowed the MI5 persecution to take place is finally purged and the Establishment criminals caught and appropriately punished.

22319

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 1510186328533208244
X-Google-Thread: 1084e2,1cb870f43407ff5a,start
X-Google-Thread: 108122,1cb870f43407ff5a,start
X-Google-Thread: fe027,1cb870f43407ff5a,start
X-Google-Thread: f734f,1cb870f43407ff5a,start
X-Google-Thread: fcc51,1cb870f43407ff5a,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07111616171764@4ax.com>
Subject: MI5-Persecution: Molestation during Travel (24502)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 16:17:20 GMT
Lines: 296
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
```

```
X-Original-Lines: 292
Xref: g2news1.google.com alt.testing.it:726 rec.radio.amateur.equipment:13614
de.comp.os.unix.x11:3174 finet.sex:267 free.uk.talk.edinburgh:1410
```

MI5 Persecution: Molestation during Travel

MI5s persecution of me varies in intensity. Since 1990 it has been steady for perhaps 80% of the time; there was a notable quiet period in 1993, and another quiet period in Jan-Feb 1995, as well as a hiatus in the first two months of 1999. It puzzles me that they cease and restart, seemingly without any logic or reason. But one aspect of MI5s activities against me which is relatively predictable is this weeks articles topic, which is Molestation during Travel. Almost every time I cross the Atlantic, go to the Continent or even try to enjoy a holiday in this country, you can bet that MI5 will be there doing their utmost to wreck it all.

This aspect of the harassment is particularly relevant as I will be travelling to Europe again in a months time, with naturally the Minidisc recorder in tow; so it will be interesting to see if I can record the abuse which will almost certainly take place, either on the Tube going to the airport, at the airport, on the flight, in the terminal building - MI5 have previously instituted instances of abuse at each of these locations, so well see how much taxpayers money they waste this time, and whether it will prove possible to capture their abuse on minidisc.

Read about the MI5 Persecution on the Web

June 1992 in Polands mountain resort of Zakopane

The persecution started in June 1990, and for the first two years I stayed in the UK apart from a couple of brief day trips to Calais. By the summer of 1992 Id had enough of being cooped up in England with abusive fellow employees egged on by an abusive secret police service, and decided to spend 10 days in southern Poland, on what was intended to be a holiday at the mountain resort town of Zakopane.

Unfortunately the psychopaths of the Security Service were not willing to allow me to enjoy a holiday in peace and quiet. The journey to Zakopane was by coach from the meeting point at Londons Victoria coach station (National Express) followed by ferry followed by another coach across Europe. As we left Victoria a youth and his girlfriend started a loud tirade of abuse directed at "this bloke", where the "bloke" was never named, but it was very clear that the "bloke" was myself. The youth said "they" had "found somebody from his school, and he was always really stressed at school, a real psycho". Again, the label "they" was not elaborated on, but it was clear that "they" = the persecutors from MI5. The boy also said, "he was in a bed and breakfast for only one night and they got him". By a not unexpected coincidence I had been in a B&B in Oxford a week previously, which had been booked from work; other things lead me to the conclusion that the company's offices were bugged for most of the 2 1/2 years that I was there, so "they" would have known a room in the B&B had been booked. After a few minutes of this I went back to where they were sitting and asked where they were travelling. The boy named a village in France, and the girl's giggling suddenly ceased; presumably it permeated to her brain cell what the purpose of the boy's abuse was.

It is now very clear to me that MI5 were trying to have me incarcerated, assaulted or killed on this trip across Europe. The degree of verbal violence inescapably leads to this conclusion. When we arrived at our destination, it became clear that many people, both in our tour group and its guide, and among the ordinary residents of the town, knew there was a movement under way to "get" me. MI5 employed many people and significant resources for an action which they knew would only take a maximum of ten days. A commercial operation would never have felt able to waste such resources on such an unproductive and temporary action; only a state-sponsored, taxpayer-funded entity like the Security Service would be able to be so wasteful.

To give some examples of what happened in those ten days; I was walking in some woods outside the town, when a Polish woman, looking at me, said the English "shit" in a strongly Polish-accented voice. For the first three years 1990-92 MI5 had been trying to force this word on me. Another example; I was walking near my "hotel" when a mother said laughing to her child, "a wiesz ze to prawdziwy wariat" which means "you know hes a real madman". And the "TV reacting" happened there too; on Polish TV, a bemused looking journalist said to another, "to jest sprawa Anglikow", which means "its the concern of the English", in other words, none of our business, despite what the English are trying to force down our throats.

Just before we left for home, I went with some others from our group to a nearby bar. There a man shouted at me the same sexual obscenity which MI5 have constantly thrown at me these last three years. I think MI5 try to justify their various terms of abuse by repeating them at me until I say them, either while conscious or while talking in my sleep; and then they seize on my saying those words to "prove" that the obscenities are "my fault", et cetera. This rather stupid reasoning of theirs can actually be seen as indicative of the psychopathic condition attributed to them in a previous article; blaming the victim for the crime you inflict on him is how psychopaths think.

Nor did the persecutors let up during the return trip. Returning on the ferry over the channel, a rather insalubrious-looking guy talked to his mates about "and you know this bloke, hes really mad you know, hes really mad". On the National Express return coach to London, a group of five or six young people started shouting at me. I slumped in my seat and tried to avoid presenting a target, so they got ever more strident - "whats the matter with you, cant you hear us?" One of the other people who had been on the trip to Poland asked them why they were shouting at me, and they said, "hes been to Cambridge", to which the co-holidayer asked them, "have you been to Cambridge?" presumably thinking they were aggrieved fellow students, but they answered "no". Even after I left the coach at Elephant and Castle abuse continued; in the tube station, two kids started throwing abuse at me; one of them said to the other, "and you know he works?" to which the other answered "yes".

Immediate Aftermath of November 1992

As you will know from previous articles, my manager at OCG - ARIS/Oxford, Mr Mitchell, induced a mental breakdown in me in the months leading up to Nov/92. The diagnosis was regarded by the persecutors as a victory for them, because few if any people give credence to allegations of harassment when they are made by somebody suffering from schizophrenia. There is also a bias against the mentally ill, an "institutionalised bigotry" in society comparable to the institutionalised racism against blacks.

However, MI5 did not let up on persecuting me following Nov/92. In December 1992 I flew by charter jet to Alicante in Spain for two weeks recuperation. MI5 planted one of their people on the flight, a youth who tried to start some noises that "hes a nutter". One of the other passengers replied, "oh hes a nutter is he? oh well!" and the youth shut up and said nothing for the rest of the flight. I think it would be fair to say that the youth on the flight was embarrassed by what he had been asked to do in making the flight "uncomfortable" for me; he sounded defensive rather than aggressive.

My first trip to Canada in June 1993

Ive already covered this in a previous article so Ill just give a brief summary here. On 10 June 1993 I flew British Airways from Heathrow to Torontos Pearson Airport. On de-planing from the aircraft, one of a group of four fellow passengers looked at me and said, laughing, "if he tries to run away well find him". It was quite obvious that these four men were the ones who had been harassing me since 1990.

I did nothing to apprehend them or bring this incident to the attention of the airport authorities, mostly because this was my very first visit to Canada, and the last thing I wanted was to get into a dispute before I had even finished disembarking. In retrospect, I can see this was a terrible mistake; I should have made every effort to detain and identify these people.

Subsequently I have made numerous attempts to obtain the names of these people from British Airways passenger lists, by talking to BA, through a lawyer in Ontario, through a solicitor in England, through the UK police, and also through private detectives in the UK. But all my efforts have come to nothing. BA have told me they keep passenger lists for a period of seven years, so they will still have the list for this 1993 flight. I did not see or hear anything during the rest of my visit to Ontario in 1993 which would have lead me to believe that I was being watched or followed.

Journey across Canada in summer 1994

As I think Ive already said in previous articles I emigrated to Canada in late May 1994. For six weeks between late May 1994 and early July 1994 I travelled across Canada from coast to coast, starting in Toronto, visiting various cities and ending up in British Columbia. I saw this both as something of a holiday, and the chance to get to know a little better my adopted country.

As you can guess, MI5 followed me everywhere I went during these six weeks. In Toronto, where I started this trip in late May, I was spoken about by one youth to another with the words "hes an idiot", to which the other replied, laughing sympathetically, "good luck to him".

A couple of days later I went to Montreal and stayed at the YMCA downtown. As you can guess (this is all so predictable, isnt it?) MI5 followed me there and bugged my room at the YMCA. Not only that, but they managed to set-up an instance of "newscaster reaction" from a local television station; while I was watching a Vermont TV news programme on the set in my room, the woman reporter said, "well theyre just tired and they want to go home", which sounds like a pretty unprofessional thing to say until you realise she was trying to say of me that I was the one that was supposed to be tired, and they (ie MI5) wanted me to go home to the UK.

On the bus journey across the North American continent, it was quite clear that MI5 were following me every step on the way. For the first part of the journey they actually put someone on the bus with me, a youth who said at me "that guys paranoid" and tried to incite other passengers to attack me. I stopped for a couple of days in Winnipeg in central Canada, and on leaving the town heard on the radio a female presenter ranting about "insanity! insanity!". It is very tiring travelling such a long distance by bus; I took the journey in two steps, each of about 36 hours; and it is especially tiring when you know MI5 are watching you and harassing you every step of the way.

When I finally got to Vancouver, MI5 instituted the usual harassment, in very short order. I was surprised how quickly they were able to induce hatred towards me in elements of the general populace; the Security Service must have employed a number of agents and serious resources in a very short period of time; and for no real gain, because I havent been back to BC for almost five years, so all their "work" appears to be for nothing. In downtown Vancouver a street person said in front of me, "theyre all talking about him". For a few days I was staying at Pauls Guest House (345 W.14th Ave); on the day I left, the owner Paul shouted at no-one in particular, "hes going to Victoria" - which was quite accurate, I was indeed going to the provincial capital Victoria on Vancouver Island. But I had not told anyone at the guest house where I was going; I had only mentioned to my parents back in England on the phone that I was going away from Vancouver for a few days. Which leads me to suppose that MI5s bugging of the phone in my parents house yielded the "intelligence" that I intended to visit Victoria, and they had passed the information on to Paul.

When I got to Victoria it was again obvious that the persecutors were "doing their stuff" there as well. On the street I was identified as being English, although I had not said anything so my accent hadnt given me away; and returning by ferry to the mainland, I was abused by a Canadian woman who said, "hes a nutter! you can run but you cant hide". During my years in Canada I have never heard the word "nutter" on any other occasion; I do not think it is part of Canadians vocabulary; so the

Canadian woman on the ferry, who was obviously talking about me, must have been supplied with this word by the English persecutors. And once I got back to Vancouver, staying at the Austin Hotel on Granville St, I listened to a conversation in the apartment block directly opposite, and a man saying, "hes paranoid, so thats as bad as it can be, so why are they doing this to him?".

Holiday in the States, August 1995

By 1995 I was living in Canada, and in August I went down the eastern seaboard to Florida and as far as Key West by car. As you can guess (this is all so boring and predictable, isnt it?) MI5 followed me every step of the way. I can see in retrospect that this must have been quite easy for them as they had my car bugged, both on the inside to listen to anything that was said and what radio station I was listening to, as well as what must have been a tracker device installed to track it across long distances.

The first city I visited was Philadelphia. In the old Congress Hall where the first US Congress assembled, the woman guide started referring to my situation, saying that "all these people in Europe were watching it", and they were "a little paranoid" at this 18th-century experiment in democracy. Also I had recently written a newsgroup post where Id described a (female) poster as "wet-nosed" (implying "canine"), and a young girl in Philadelphia remarked, "so he thinks were dogs?" There were two or three more incidents during this holiday in the eastern States, including a radio station down near Miami, showing "they" had tracked me all the way there, and were bugging the inside of my car; but I didnt record the details and Ive forgotten some of it now. Also down in Miami Beach a French tourist in a lift expressed support for me with the words, "cest incroyable" ie. its incredible, meaning that MI5s well-known actions against me were beyond belief.

To go back a bit, in about May/June 1995 Id visited New York, again by car, and was insulted several times by people using the same words that had been used against me in England. In Central Park, and elderly Englishman (not a real gentleman - but then the Engish view of themselves as "gentlemen" etc is quite laughable) looked at me and said "idiot". And while I was eating in a streetside restaurant a New York youth started laughing and said something like, "I cant believe it, hes actually here" - I think that was because I had had an expressed wish to visit New York for some years before this, although after this visit I wont be going there again for a very long time.

Visit to Poland December 1995/January 1996

In December 1995 I flew (BA again, unfortunately - every time Ive flown BA one of these incidents has happened, presumably MI5 is happier setting up harassment on British-domiciled carrier) from Montreal to Berlin and travelled on to Poland to visit family. MI5 naturally harassed me in Poland during my brief stay. They followed me around and got Polish people to take part in the harassment. In one case two Polish youths talked in front of me saying in English (with marked Polish accents), "fucked up men, fuck you". There were also other incidents which I dont remember too clearly since it was some time ago.

The return flight connected through Heathrow, and in the transit lounge MI5 again set-up harassment against me. In Poland they were talking their abuse in English, and in London they set Polish people after me to speak in Polish; they heard me on the phone to my father, and said "a wiesz ze to Polski wariat", in an almost sympathetic, inclusive fashion (translation. "you know hes a Polish nutter"). Once on the flight to Montreal I was again set upon by two English youths, one of whom spoke and the other listened. The aggressive "fat bastard" youth said, "if he wants to be a wanker" (its my fault theyre harassing me, you see), self-justification that "hes a nutter" (so we have to keep on abusing him, because hes ill), as well as talking about the town in Poland where I had been staying. He also said, "he doesnt know who we are", but as already remarked in a previous article, that was at best a half-denial of my guess expressed in internet newsgroups that the people after me were MI5 - if anything its a half-confirmation rather than a half-denial.

These incidents are still going on. You can hear digitised audio files of abuse on a BA flight to Berlin in 1998 on the Web at address

On this flight they were again attacking my mental health; "paranoid, hes paranoid" and "nutter" are discernable. The last "during travel" contact was at Ottawa Airport on 21 July 1998, when "Alan Holdsworth" the psychopath MI5 agent, dressed as a vagrant, was pacing aggressively in the departure area. In three weeks I will again be travelling to Europe; we will see what fresh acts of molestation MI5 perpetrate during this trip.

24502

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 3636703715854667634
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an chance to explain himself he choose instead to make more false accastion anmaginst

```
me and my family so i made the report
Date: Sun, 16 Dec 2007 11:28:00 -0500
Message-ID: <agh8m39m2q7s5q0ee1ubhtu4jejf4q4s5a@4ax.com>
References: <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<fjqald$ppi$1@registered.motzarella.org>
<7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com>
<93c1m358s9ff8pk9bq7299sdsothnok2bp@4ax.com>
<cgh5m3pr6q1ujf15qqh1atn805lhr09aco@4ax.com>
<sui5m3lr9u8r1jbc674ch73cgrj4iogo60@4ax.com>
<2nk6m3tfedrcf5tppebflh0ocbfrog416r@4ax.com>
<vq68m3hh161i759q2uurl93coi6mud4qtk@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 145
NNTP-Posting-Date: 16 Dec 2007 15:38:07 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103343
rec.radio.amateur.antenna:51543 rec.radio.amateur.misc:41460
rec.radio.amateur.equipment:13615

On Sat, 15 Dec 2007 16:06:42 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 11:07:48 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 22:59:41 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Thu, 13 Dec 2007 12:36:19 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>><kb9rqz@hotmail.com> wrote in message
>>>>>>>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>>>>>>>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>>>>>>> <DloydLavies@gmail.com> wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>>>>>>> congress"
>>>>>>>> adams
>>>>>>>>
>>>>>>>> woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>> http://kb9rqz.bravejournal.com/
```

>>>>>>>> altopia is never used by KB9RQZ
>>>>>>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>>>>> google and noow motezrella
>>>>>>>>
>>>>>>>> posts from these sorucees are fakes
>>>>>>>>
>>>>>>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>> G
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>

>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 1005546296724618328
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
dlod  why are trying to escalate thing even further
Date: Sun, 16 Dec 2007 11:28:01 -0500
Message-ID: <5hh8m3ls4fjr3hpq0ube35634p2oklpqst@4ax.com>
References: <2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
<fiiian$2pf$1@registered.motzarella.org> <fjsjp0$c8v$1@registered.motzarella.org>
<bok3m3ptuqnartlk60g9higjdndgndgtav@4ax.com>
<ehh5m3dq9utdkihrflg19s505aedomkbd3@4ax.com>
<rvi5m3dtqqktuvp2amcr0rj779at95u23l@4ax.com>
<vnk6m3pl4gel2raaicvfgh7n49vtu3qcp3@4ax.com>
<vr68m3ta95uhub6hj0kpvvhmeokae732ja@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
Lines: 115
NNTP-Posting-Date: 16 Dec 2007 15:38:52 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103349
rec.radio.amateur.antenna:51544 rec.radio.amateur.misc:41466
rec.radio.amateur.equipment:13616

On Sat, 15 Dec 2007 16:06:42 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 11:07:48 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 22:59:42 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Thu, 13 Dec 2007 19:49:18 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Thu, 13 Dec 2007 19:46:20 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>news:fiiian$2pf$1@registered.motzarella.org...
>>>>>>>
>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>> news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
>>>>>>>> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
```

>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and

noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 3973642956105488047
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!
newshub2.home.nl!home.nl!news-out1.kabelfoon.nl!newsfeed.kabelfoon.nl!
xindi.nntp.kabelfoon.nl!newsfeed.freenet.de!newsfeed00.sul.t-online.de!t-online.de!storethat.news.telefonica.de!telefonica.de!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 16 Dec 2007 11:28:01 -0500
Message-ID: <dih8m3hv1rh897k7l0bolu2khalg42otvm@4ax.com>
References: <7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
<jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
<9nrul3hovcfcfmq2q8j22rqpenumc8hpbf@4ax.com>
<ju30m390mt1jdvvp8ecj43udhkscpbdq9q@4ax.com>

```
<alk0m35f7dvhpjqg6ohi94c6g3pjshue2l@4ax.com>
<t7c1m3lkb0iv4cudtktfs8e31q68i92rnm@4ax.com>
<tih5m3dqufoejvik6rci9kkrbmq6h6d8pg@4ax.com>
<91j5m3h93hbd3d40fhtso08npsquk9rdvo@4ax.com>
<8sk6m31ri6g00arnffbqlok4vnjt9qd2hi@4ax.com>
<dt68m3p45q274l5ch64od3eed1dio5bltl@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 368
NNTP-Posting-Date: 16 Dec 2007 15:39:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103370
rec.radio.amateur.antenna:51545 rec.radio.amateur.misc:41488
rec.radio.amateur.equipment:13617

On Sat, 15 Dec 2007 16:06:42 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 11:07:50 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 22:59:43 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 13:14:58 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>>
```

```
>>>>>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com>
wrote:
>>>>>>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize
his reasoning
>>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr
Crow as a good
>>>>>>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more
become a congress"
>>>>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from
anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more
become a congress"
>>>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from
anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>>>
```

>>>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>

>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>

>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>

>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 2307966730757146039
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!newsfeed00.sul.t-online.de!t-online.de!storethat.news.telefonica.de!telefonica.de!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 16 Dec 2007 11:28:02 -0500
Message-ID: <fih8m3db1bvu7rrbuvtmha8n1d0lnel4b7@4ax.com>
References: <cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
<nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
<enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
<lu30m39gh6vj1rd12685nr5f2jdf5q6qob@4ax.com>
<dlk0m39o2vciub7k5k6jjq8cpums39jn96@4ax.com>
<v7c1m35iffn4jks6i5gprbficivu9dkiub@4ax.com>
<0jh5m3tb999brqd46fpgenf8eglc59k0a4@4ax.com>
<b1j5m35ulc20icjhlu91t252keupttm94a@4ax.com>
<3pk6m3l88rq8b8o466kjs2ufn28g7uomop@4ax.com>
<gt68m396g9ma6k0otse10gkf81p1o3cqf8@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 334
NNTP-Posting-Date: 16 Dec 2007 15:39:47 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103372
rec.radio.amateur.antenna:51546 rec.radio.amateur.misc:41490
rec.radio.amateur.equipment:13618

On Sat, 15 Dec 2007 16:06:42 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 11:07:49 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 22:59:43 -0500, kb9rqz@hotmail.com wrote:
>>

```
>>>On Fri, 14 Dec 2007 13:14:58 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com>
wrote:
>>>>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow
as a good
>>>>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more
become a congress"
>>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>>
```

```
>>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
```

>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ

>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes

>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>

>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 4972851858308207729
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felonies
everyfday
Date: Sun, 16 Dec 2007 11:28:02 -0500
Message-ID: <hph8m35tehh7veuv9na98p6f2abahjh1jc@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<fjpkgj$1sb$1@registered.motzarella.org>
<2fo0m3tv9p7v4ekevao2143f4jntsup0sj@4ax.com>
<3rq2m3di845isqrhovuo4023g21s2bb88d@4ax.com>
<loh5m3pn5fl1t6sdem4eq9da11saragk6b@4ax.com>
<f5j5m3l31ts425cc81a1nv4knuqvo96dmc@4ax.com>
<ntk6m35vef5dosdatst9qtum3uej8sqg7v@4ax.com>
<g378m3lf9q6mbh2o8dck5j72husjanq2d8@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 126
NNTP-Posting-Date: 16 Dec 2007 15:42:37 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103415
rec.radio.amateur.antenna:51547 rec.radio.amateur.misc:41533
rec.radio.amateur.equipment:13620

On Sat, 15 Dec 2007 16:06:43 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 11:07:51 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 13:15:00 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 16:40:28 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
```

>>>>>>>"kb9rqz" <kb9rqueer@hotmail.com> wrote in message
>>>>>>>news:4760478c$0$26083$88260bb3@free.teranews.com...
>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>

>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 9034533952627362317
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felones all
the time
Date: Sun, 16 Dec 2007 11:28:02 -0500
Message-ID: <vnh8m3lrop8bjun9ht4lkkm2dqub2gmji4@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
<c6d1m31ff36ucanijjfnffpt17n2vclako@4ax.com>
<onh5m31am5ovpkf3l9l4ls5copom6ctbgc@4ax.com>
<95j5m3takmi5umg6ahg6tsjbk9bg55elm4@4ax.com>
<etk6m3931luagvd8qjnlq38eimhvvtqcqk@4ax.com>
<l278m3d1k0cl3q1gao7poanpllld7q574i@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 127
NNTP-Posting-Date: 16 Dec 2007 15:42:18 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103409 alt.ham-radio.vhf-
uhf:6241 rec.radio.amateur.misc:41527 rec.radio.shortwave:129663
```

rec.radio.amateur.equipment:13619

On Sat, 15 Dec 2007 16:06:43 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 11:07:51 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 13:14:59 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Thu, 13 Dec 2007 12:36:22 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
>>>>>><kb9rqueer@hotmail.com> wrote:
>>>>>>
>>>>>>>you too can be part of the work of the kosher ham
>>>>>>> male you article to this adess and perhap you seeyou name for all time (or
>>>>>>>at least as long as as blogger last
>>>>>>>
>>>>>>> http://ipunce.blogspot.com/
>>>>>>>
>>>>>>> do U hav anyting cognet two say?
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>

>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G

>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 2404588198793560123
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies

```
everyfday
Date: Sun, 16 Dec 2007 11:28:02 -0500
Message-ID: <oph8m3pq2ih770vj8a651sprlcfpp0pq7v@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com>
<arq2m3d5sd5pa1u6opb5en4gk5vialkhk3@4ax.com>
<1ph5m3ltt7dhlg80jp2l26gg369c7d45tc@4ax.com>
<o5j5m3pqkkittj1c55d5baog8u0666lrso@4ax.com>
<3uk6m39urjqr4f098k73m528qlpd3hrq6q@4ax.com>
<q378m3l18otospvl5tmthjhu8obumbuaon@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 122
NNTP-Posting-Date: 16 Dec 2007 15:42:47 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103421
rec.radio.amateur.antenna:51548 rec.radio.amateur.misc:41538
rec.radio.amateur.equipment:13621

On Sat, 15 Dec 2007 16:06:43 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 11:07:52 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 13:15:00 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 16:31:59 -0500, "kb9rqz" <kb9rqueer@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams

```
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From -5226328600966412705
X-Google-Thread: 1084e2,1bbf8c9184651eff,start
```

X-Google-Thread: 108122,1bbf8c9184651eff,start
X-Google-Thread: fe027,1bbf8c9184651eff,start
X-Google-Thread: f734f,1bbf8c9184651eff,start
X-Google-Thread: fcc51,1bbf8c9184651eff,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07111616491599@4ax.com>
Subject: MI5-Persecution: MI5 are Afraid to Admit Theyre Behind the Persecution (26685)
Newsgroups: alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh
Followup-To: alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 16:49:19 GMT
Lines: 191
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 187
Xref: g2news1.google.com alt.testing.it:727 rec.radio.amateur.equipment:13622 de.comp.os.unix.x11:3175 finet.sex:268 free.uk.talk.edinburgh:1411

MI5 are Afraid to Admit They're Behind the Persecution

MI5 have issued a formal denial of any involvement in my life to the Security Service Tribunal, as you might expect them to; but, more importantly, the persecutors have never denied that theyre from the Security Service, despite several years of accusations from my corner on usenet and in faxed articles. I am not surprised that the Security Service Tribunal found "no determination in your favour". I am however a little surprised that the persecutors have refused to confirm my identification of them; by doing so, they implicitly admit that my guess was right.

"No determination in your favour" says the Security Service Tribunal

In 1997, I made a complaint to the Security Service Tribunal, giving only the bare outlines of my case. I do not think it would have made very much difference if Id made a much more detailed complaint, since the Tribunal has no ability to perform investigatory functions. It can only ask MI5 if they have an interest in a subject, to which MI5 are of course free to be "economical with the truth". A couple of months after my complaint the Tribunal replied that;

The Security Service Tribunal have now investigated your complaint and have asked me to inform you that no determination in your favour has been made on your complaint.

Needless to say this reply didnt surprise me in the slightest. It is a well established fact that the secret service are a den of liars and the Tribunal a toothless watchdog, so to see them conforming to these stereotypes might be disappointing but unsurprising.

It is noteworthy that the Tribunal never gives the plaintiff information on whether the "no determination in your favour" is because MI5 claims to have no interest in him, or whether they claim their interest is "justified". In the 1997 report of the Security Service Commissioner he writes that "The ambiguity of the terms in which the notification of the Tribunals decision is expressed is intentional", since a less ambiguous answer would indicate to the plaintiff whether he were indeed under MI5 surveillance. But I note that the ambiguity also allows MI5 to get away with lying to the question of their interest in me; they can claim to the Tribunal that they have no interest, but at a future date, when it becomes clear that they did indeed place me under surveillance and harassment, they can claim their interest was "justified" - and the Tribunal will presumably not admit that in their previous reply MI5 claimed to have no interest.

"He doesnt know who we are"

In early January 1996 I flew on a British Airways jet from London to Montreal; also present on the plane, about three or four rows behind me, were two young men, one of them fat and voluble, the other silent. It was quite clear that these two had been planted on the aircraft to "wind me up". The fat youth described the town in Poland where I had spent Christmas, and made some unpleasant personal slurs against me. Most interestingly, he said the words, "he doesnt know who we are".

Now I find this particular form of words very interesting, because while it is not a clear admission, it is only a half-hearted attempt at denial of my guess that "they" = "MI5". Had my guess been wrong, the fat youth would surely have said so more clearly. What he was trying to do was to half-deny something he knew to be true, and he was limited to making statements which he knew to be not false; so he made a lukewarm denial which on the face of it means nothing, but in fact acts as a confirmation of my guess of who "they" are.

On one of the other occasions when I saw the persecutors in person, on the BA flight to Toronto in June 1993, one of the group of four men said, "if he tries to run away well find him". But the other three stayed totally quiet and avoided eye contact. They did so to avoid being apprehended and identified - since if they were identified, their employers would have been revealed, and it would become known that it was the secret services who were behind the persecution.

Why are MI5 So Afraid to admit their involvement?

If you think about it, what has been going on in Britain for the last nine years is simply beyond belief. The British declare themselves to be "decent" by definition, so when they engage in indecent activities such as the persecution of a mentally ill person, their decency "because were

British" is still in the forefront of their minds, and a process of mental doublethink kicks in, where their antisocial and indecent activities are blamed on the victim "because its his fault were persecuting him", and their self-regard and self-image of decency remains untarnished. As remarked in another article some time ago, this process is basically the same as a large number of Germans employed fifty years ago against Slavic "untermenschen" and the Jewish "threat" - the Germans declared, "Germans are known to be decent and the minorities are at fault for what we do to them" - so they were able to retain the view of themselves as being "decent".

Now suppose this entire episode had happened in some other country. The British have a poor view of the French, so lets say it had all happened in France. Suppose there was a Frenchman, of non-French extraction, who was targeted by the French internal security apparatus, for the dubious amusement of French television newscasters, and tortured for 9 years with various sexual and other verbal abuse and taunts of "suicide". Suppose this all came out into the open. Naturally, the French authorities would try hard to place the blame on their victim - and in their own country, through the same state-controlled media which the authorities employ as instruments of torture, their view might prevail - but what on earth would people overseas make of their actions? Where would their "decency" be then?

This is why MI5 are so afraid to admit theyre behind the persecution. Because if they did admit responsibility, then they would be admitting that there was an action against me - and if the truth came out, then the walls would come tumbling down. And if the persecutors were to admit they were from MI5, then you can be sure I would report the fact; and the persecutors support would fall away, among the mass media as well as among the general public. When I started identifying MI5 as the persecutors in 1995 and 1996 there was a sharp reduction in media harassment, since people read my internet newsgroup posts and knew I was telling the truth. The persecutors cannot deny my claim that theyre MI5, because then I would report their denial and they would be seen as liars - but they cannot admit it either, as that would puncture their campaign against me. So they are forced to maintain a ridiculous silence on the issue of their identity, in the face of vociferous accusations on internet newsgroups and faxed articles.

Have MI5 lied to the Home Secretary?

In order for the Security Services to bug my home, they would either have needed a warrant from the Home Secretary, or they might have instituted the bugging without a warrant. Personally I think it is more likely that they didnt apply for a warrant - I cannot see any Home Secretary giving MI5 authority to bug a residence to allow television newscasters to satisfy their rather voyeuristic needs vis-a-vis one of their audience. But it is possible that the Security Service presented a warrant in some form before a home secretary at some point in the last nine years, for telephone tapping or surveillance of my residence, or interception of postal service.

So the possibility presents itself that a Home Secretary might have signed a warrant presented to him based on MI5 lies. Just as MI5 lie to the Security Service Tribunal, so they might have lied to a Home Secretray himself. MI5 and MI6 are naturally secretive services former home secretary Roy Jenkins said, they have a "secretive atmosphere ... secretive vis-a-vis the government as well as [enemies]". Jenkins also said he "did not form a very high regard for how they discharged their duties".

It was only a few years ago that MI5 was brought into any sot the extraordinary thing is that British media organisations like the state- and taxpayer-funded BBC take such an active part in the MI5-inspired campaign of harassment. We have after all heard of MI5 trying to bribe broadcast journalists; but surely there must be a substantial number who are not bought or blackmailed by the Security Services, and who take part in the "abuse by newscasters" of their own volition? The BBC is supposed to be independent of the government of the day as well as the Establishment in general. While perhaps it is childish to think that the BBC is anything other than effectively state-controlled, the degree of collusion between the BBC and the British Secret Police MI5 is something you would not find in many countries. Individual tele-journalists in other countries would have enough self-esteem not to allow themselves to be controlled by their secret police - seemingly, BBC broadcasters like Martyn Lewis and Nicholas Witchell have such a low opinion of their employing organisation that they see no wrong in dragging the BBCs no-longer-good name through yet more mud, at the mere request (whether supported by financial or other inducements) of the British secret Police, MI5.

And when challenged, these broadcasters LIE about their involvement, with just as little shame as MI5 themselves. The BBCs Information dept have said that;

"I can assure you that the BBC would never engage in any form of surveillance activity such as you describe"

which is an out-and-out lie. Buerk and Lewis have themselves lied to their colleagues in the BBCs Information department over the "newscaster watching", but unsurprisingly they refuse to put these denials in writing. Doubtless if the "newscaster watching" ever comes to light, Buerk and Lewis will then continue to lie by lying about these denials. So much for the "impartial" BBC, a nest of liars bought and paid for by the Security Services!

It is obvious that the persecution is at the instigation of MI5 themselves - they have read my post, and only they have the surveillance technology and media/political access. Yet they have lied outright to the Security Service Tribunal. Similarly, BBC newscasters Michael Buerk and Martyn Lewis have lied to members of their own organisation. The continuing harassment indicates they are all petrified of this business coming out into the open. I will continue to do everything possible to ensure that their wrongdoing is exposed.

26685

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 6145422696686092438
X-Google-Thread: 1084e2,191fcd58d0afafac,start
X-Google-Thread: 108122,191fcd58d0afafac,start
X-Google-Thread: fe027,191fcd58d0afafac,start
X-Google-Thread: f734f,191fcd58d0afafac,start
X-Google-Thread: fcc51,191fcd58d0afafac,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07111617165082@4ax.com>
Subject: MI5-Persecution: No Justice for the Victims of MI5 (28868)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 17:16:53 GMT
Lines: 261
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 257
Xref: g2news1.google.com alt.testing.it:728 rec.radio.amateur.equipment:13623
de.comp.os.unix.x11:3176 finet.sex:269 free.uk.talk.edinburgh:1412
```

MI5 Persecution Update: Friday 11 June, 1999

Harassment in a pub in Clapham, Tuesday lunchtime

Once a month, or once every other month, I meet a Polish friends of mine who lives in Clapham North, and sometimes we go to a particular pub near where he lives. The last time was some two months ago; I did not have my minidisc-walkman with me, and consequently was seriously harassed by people MI5 had instructed to harass me, in the pub.

This Tuesday, 8 June 1999, we again went to the same pub for a pre-meal drink. This time I did have my minidisc-walkman with me. As you can guess, we were followed into the pub by a couple of young people (Im getting older and older - isnt it funny how the MI5 agents all look young these days?). They started talking about my situation, in particular some travel

I had booked the previous day. Unfortunately, they were talking fairly quietly, and my minidisc didnt pick up their speech.

MI5s schizophrenic reasoning is that simultaneously I am very important and worthy of their acts of persecution, and I am also totally unimportant and their abuse of me "doesnt matter". Perhaps they should test their agents and managers for obsessive personalities or psychotic features in the same way as employees are drug-tested. MI5 might lose their "worst cases" employees if some psychological testing were applied to their recruitment procedure.

Toothless Watchdogs. What a Surprise.

Recently I have been engaging in communications with two watchdogs, the Security Service Tribunal which deals with complaints against the security service (and always clears MI5 of any wrongdoing), and the Data Protection Registrar, which is mandated to investigate misuse of personal data held on computer.

In a letter to Nick Brooks, Security Service Tribunal secretary, dated 20 April, I asked him if the Tribunal, as an allegedly independent body, had the means to investigate complaints against MI5 other than asking MI5 to themselves investigate complaints. To my disappointment, his reply two weeks later answered the question only indirectly, in the negative. Whatever the reader might think of the merits of the case I have been putting before you in faxed articles this last year and half, you will surely recognise that it is a significant anomaly for the Tribunal to have no independent means of investigating complaints, particularly given the view expressed even by previous home secretaries that the security services are untrustworthy.

MI5 Persecution: No Justice for the Victims of MI5

In a previous article I detailed the similarities between the current MI5 Persecution in England, and other historical instances of similar persecution, notably that by the Nazi Germans in the thirties and forties. The Germans persecuted first the mentally ill, the epileptics and those suffering from schizophrenia, then moved on to racial groups; in todays Britain the persecution is again directed at those with mental illness, which the British in their cowardice find easier than taking on racial groups as the Germans did. But just as in Thirties Germany there was no recourse against a malign and omnipotent state, so the MI5 Secret Police in the modern British Fascist State allow no justice for their victims.

No Recourse Against the Security Services Illegal Harassment

It has become apparent to me over the last nine years just how loaded the dice are in todays Britain, a fundamentally fascist country which masquerades as a democracy. Britain is a democracy in name only; the Establishment, the defence and MI5 secret police are always there, regardless of which party has been voted into power most recently - and from "New Labours" conduct in office one finds it difficult to tell them apart from Old Tories, in their crackdowns on the sick and vulnerable in society.

In thirties Germany the victims of the Nazi regime had no legal recourse against their State oppressors; and in todays Fascist British state, the victims of the Establishment and its MI5 Secret Police similarly have no recourse against the illegal state-funded and organised oppression. There is supposed to be a mechanism for dealing with MI5 crimes, in the shape of the Security Service Tribunal and Commissioner; yet these have never found favour of a plaintiff. One might as well ask the Nazi SS to investigate crimes against epileptics or Jews as ask the Security Service Tribunal to investigate MI5 crimes against British citizens; it is quite obvious what the answer is going to be, regardless of what you say to them, and what evidence you provide. The Tribunal and Commissioner are a mere formality, a whitewashing body to give the Secret Services a veneer beneath which they hide their shabby criminality.

"Institutional Racism" and Bigotry in the Metropolitan Police

The recent inquiry into the racist murder of Stephen Lawrence found clear evidence of systematic and deliberate racism in the Metropolitan Police, which cannot have surprised anyone. Commissioner Sir Paul Condon accepted a somewhat lukewarm definition of institutional racism as being "unconscious". In truth, and this truth must surely be obvious to anyone who has any familiarity or encountered the great British police, the Met has not just "unconscious" racism, but very clearly "conscious" and deliberate racism, of the kind that would have done Thirties Germans proud. And it is a bastion of such open racism - when many other parts of society are learning to live in a multicultural environment, the Met is still living in the past in its attitude to the minorities.

But in addition to the systematic racism confirmed by the Lawrence inquiry, there is also something much more relevant to this case, which is systematic police bigotry against the physically and mentally disabled, which I personally have experienced in my dealings with the police over the years. You cannot expect equal treatment if you are mentally disabled. I tried to make a complaint to the police in 1995 about the harassment I had been subjected to for several years. As soon as they found out I had mental illness, they refused to even talk to me. I tried again in March 1999; the police made various threats to me, while ranting about "your paranoid rubbish" in reference to the complaints expressed to them.

The police refusal to do the job they are employed and paid to do is extremely serious, particularly as this case is highly important, indeed key to the whole issue of British self-perception at the end of the 20th century and the beginning of the 21st century. Britain has lost much in the last fifty years - it has lost an empire, it has lost its self-respect and its identity as a people. If the MI5 persecution finally makes it into the light and the Security Services are seen for the rather cheap bullies their behaviour indicates, it will have a massive and harmful effect on

British self-perception in the new century.

Security Service Tribunal - Blatant Whitewashing

A few weeks ago I spoke on the phone to Nick Brooks, the Secretary of the Security Service Tribunal, which is supposed to deal with cases of MI5 transgression. I asked him if the Tribunal had ever found in favour of a plaintiff and against the Security Service. He answered that as far as he knew, it had not.

I also asked Mr Brooks if the Tribunal had any means of investigating allegations of criminal activity by MI5, other than asking MI5 themselves if they had engaged in such activity. His rather circuitous written reply states that the 1989 Security Service Act provides that "it shall be the duty of every member of the Service to disclose or give to the Tribunal such documents or information as they may require for the purpose of enabling them to carry out their functions under this Act". Which is a very round-about way of saying - "No" - the Tribunal has no way of investigating MI5 crimes - None At All.

Setting up the S.S. Tribunal, and creating a Security Service Commissioner, was really an act of falsehood by the government. It is generally recognised that MI5 are out of reach of the normal criminal justice system - the police, as we have seen, have no intesot answer to the government; in a previous article I quoted Roy Jenkins speaking of "a secretive atmosphere.... secretive vis-a-vis the government as well as [enemies]", and a "lack of frankness" from MI5.

If the government wanted to, it could reform the secret services and ensure they acted in conformance with the laws which have been enacted for them in the last ten years. But apparently the present government does not see any need to ensure security service compliance with the law. As noted above, the regulatory machinery for MI5 is deliberately weak; the Tribunal has no independent means of investigation, and it is simply a waste of time complaining to the Tribunal or Commissioner.

Every so often, fresh revelations come to light of secret service transgressions. We have heard from Shayler that MI5 bugged Jack Straw and Peter Mandelson; we have heard from Peter Wright that MI5 plotted to see Wilson ejected from office; yet so closed is the system of government that the law is never enforced against MI5 when they "bug and burgle" everyone from politicians to ordinary citizens.

No Justice from the Legal System, either

Britain has a civil and criminal justice system which effectively limits many complaints from being heard. For a civil complaint to be brought before a court, you need a solicitor willing to act on your behalf. Supposedly it is possible to represent yourself as a Litigant-in-Pthe basis of being "frivolous and vexatious" or "disclosing no cause for action in law". This is exactly what happened to me in 1997 when I twice tried to take the BBC to court for spying on me in my living room at home; my case was twice struck out, and on the second occasion an order was made against me that I could not bring further civil litigation against the BBC without leave of the court.

As the reader can guess it is quite impossible for a person with schizophrenia, who complains about the secret services and media interfering in his life, to find a solicitor willing to represent him in legal action against the persecutors. I have quite a lot of evidence of the continuing persecution which I have posted on the website, even if the evidence is quite tentative and perhaps open to varying interpretations. But I have tried several firms of solicitors; some of them have acted unprofessionally and abused me; all of them have refused to represent me. My psychiatrist gave me the name of the firm of Bindman and Partners in central London, and I have approached them twice. On each occasion they refused to accept my instructions. Plainly the problem with Bindmans, which they have admitted, is their bigotry against mentally disabled people; yet this is not just something that is wrong with Bindmans, it is something that is wrong with the legal system as a whole, since the legal system necessitates finding a solicitor willing to represent you in order to bring a case to court, but it does not have a mechanism for providing a lawyer in the case where no solicitor is willing to take on your case. So the British legal system is such as to prevent cases such as mine from ever receiving an airing in a court.

So much for the civil courts. But the criminal justice system is no better. Two years ago the Protection from Harassment Act came into force. But again, while the Act is all very well on paper, in practice it is unenforceable in my case, since it would require Police action to see the law implemented, and if the police cannot even be trusted to conduct a murder investigation competently (in the Lawrence case), then what chance is there of their investigating complaints against the Security Service? Of course, it would be possible for me to personally issue proceedings through a private prosecution either against MI5 themselves, or against one or more of their media tools; but here we see the same problems as with the civil courts, because first of all I would have to find a lawyer willing to act on my behalf. Litigants-in-person do exist in the criminal courts, but the Attorney General can bring such a prosecution to an end by taking it over and entering a plea of "nolle prossequi"; and I suspect that if I were to bring a private prosecution against either MI5 or one of their media tools, then this is exactly what would happen.

So much for British justice. But if anything the wrongs that have been perpetrated on me by the British justice system are quite mild to what others have suffered. Others have been wrongly convicted based on police evasions and lies, and spent many years in jail based on false charges. I should count myself lucky that despite the best efforts of the MI5 secret police, I have not acquired any criminal charges or convictions; which shows that for all their resources and influence, and the clear imperfections in the British legal system, there are still limits on how much subversion MI5 can achieve.

The latest in a long line of injustices

A comment I heard during the recent scandal of the police mishandling of the Lawrence murder investigation is that "its not as if the police themselves murdered him". This is not a particularly wise statement to make about the case, since it could be argued that the four alleged murderers were aided in their crime by the expectation that the police would deliberately botch the investigation - which of course is exactly what the police did.

But in my case, this would be a completely inaccurate thing to say - since the MI5 secret-police have expressly been trying to nine years now to see an end put to my life, either by having me incarcerated and my liberty ended, or by forcing self-termination on me. It is exactly as if the secret police "themselves murdered [me]", since that is what their aim is in their campaign against me.

The public has heard of instances of police mishandling of cases, of police manufacturing evidence, lying in court, extracting false confessions to clear up crimes, et cetera. Various instances of extra-legal activity by the secret services have also come to light in the last few years. The unhappy truth is that what MI5 have been doing to me for the last nine years is really nothing out of the ordinary for them. To me it seems unbelievable that this sort of systematic campaign of harassment, which thousands and thousands of people in this country and abroad are well aware of, could exist for such a long period of time with the media maintaining "omerta". But my case is not the first such instance of persecution by the "British secret police", and judging by the lack of any real controls on MI5, I very much doubt it will be the last.

28868

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 3974658064304819929
X-Google-Thread: 1084e2,de8e73d781179879,start
X-Google-Thread: 108122,de8e73d781179879,start
X-Google-Thread: fe027,de8e73d781179879,start
X-Google-Thread: f734f,de8e73d781179879,start
X-Google-Thread: fcc51,de8e73d781179879,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07111617533029@4ax.com>
Subject: MI5-Persecution: MI5 Have Systematically Destroyed My Life (31051)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh
Followup-To:
```

alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 17:53:33 GMT
Lines: 280
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 276
Xref: g2news1.google.com alt.testing.it:729 rec.radio.amateur.equipment:13624 de.comp.os.unix.x11:3177 finet.sex:270 free.uk.talk.edinburgh:1413

MI5 Have Systematically Destroyed My Life

This is getting depressing. From the feedback Ive received, the recipients of these faxes are tired of hearing my complaints, and in truth I am tired of sending them. The reason I havent yet ceased sending faxes is because I cannot think of any other effective means of replying to MI5s actions against me, and I feel I have to do something to try to defend myself. Three/four years ago I got the MI5 harassment out of my system by posting about it on Internet newsgroups, and for a few months this tactic was quite effective - I received (and indeed still do today) support from newsgroup regulars, and felt I could make my voice heard and break the MI5 monopoly on access to the British media. But that was years ago, and today nobody gives a tinkers cuss about my internet posts - so I have sought to escalate matters by communicating directly with the politicians who allegedly say how this country is supposed to be run.

Of course, its quite expensive to keep up a campaign of fax messages for many weeks. Each set of faxes takes approx 50 hours to send over the weekend, and costs perhaps 35. My phone bill for the last quarter was 350. These figures are naturally insignificant compared to what MI5 have been spending against me over a similar period. It also takes a lot of time and energy to create a new article every week, and try and find new and fresh aspects and viewpoints on MI5s persecution of me. I am beginning to run out of both new topics and energy to write these articles.

So I have a suggestion to put before the MI5 persecutors who have been wrecking my life since 1990. In a few days time I will be going on holiday to Poland and Germany, for a couple of weeks. Previously, almost every time I have travelled by plane, or gone anywhere on holiday, the MI5 "wreckers" have been most assiduous in destroying these trips. My suggestion is; if MI5 leave me alone on this next trip, I will cease transmitting these articles. If, however, there are any clear instances of harassment (and I am very capable of recognising MI5 harassment when I see it), then I will make public these instances and publish any recordings I may make of them, and, unwillingly and unhappily, continue the articles.

Read about the MI5 Persecution on the Web

Keith Hill MP (Labour - Streatham), my elected representative, as ever refuses to help.

MI5 Refuse to Allow me to have a Normal Life

Its kind of difficult to contemplate having a normal existence when you know your entire house is bugged from top to bottom, for audio and, very unpleasantly, video; when your employment is systematically destroyed, over and over again; when every time you leave the country your travel is disrupted by MI5 plants on the plane yelling abuse at you..... you get the idea. I would like to have some semblance of a normal life, like my Polish and English friends do. But MI5 have made this impossible, and they have leached massive resources from the taxpayer to institute a life not worthy of the name on me.

A few years ago MI5 were very open about their aims in persecuting me. They were shouting "suicide" at me, both in Canada where I lived at the time, and during my occasional visits to London. You cant get much clearer than that. There have been instances as recently as a few weeks ago of this intention being voiced by their side; on 15 April 1999, a woman at the next ticket counter at the Royal Festival Hall said;

"it would kill it, you know, it would just be overkill... they can't stop can they"

meaning that "they" were trying to "kill it" i.e. me and they "cant stop". The audio file is at;

I wonder why they "cant stop". Nobody (who doesnt know already) believes my claims - so what difference would it make, if they were to "stop" persecuting me? Perhaps what this persons remarks indicates, is the depth of the obsession MI5 have with this case. They have chosen at random a person from the general population, and done their worst to ruin my life. What is wrong with these people, that they persecute a national of the country whose citizens they are supposed to protect?

No Chance of a Harassment-Free Job

Since the harassment started in 1990 I have had three jobs, the first near Guildford, the second in Oxford, and the third overseas in Canada. All three jobs have been systematically destroyed by MI5. It is so ironic that MI5 employs a team of agents, each well compensated for their efforts, to persecute just one person paid a mere fraction of what they get for their "work". In fact, it is a joke that MI5 is allocated resources for this sort of effort. If this area of government were run along commercial lines then MI5 would be very rapidly closed down, they produce nothing of any value, instead spending their time obsessed with the bugging and surveillance of their former employees like Shayler, dangerous subversives like Straw and Mandelson, and "threats to national security" like yours truly.

Applying for my first post university job

When I was applying for my first post-university job in the closing months of 1990, I found at two or three job interviews that MI5 had got there ahead of me. Interviewers knew what words to repeat from what had been said at my home recently; MI5 had supplied them with words to hurt me, and the "British secret police" were trying to wreck my job search and discourage me from joining the world of work. This and the continuing harassment in the media and by the public meant that the search for a job took very much longer than it would ordinarily be expected to take for a person with my qualifications.

With my first job near Guildford came the knowledge that MI5 were doing everything possible to make me lose the job. Despite their efforts I managed to stay in work for ten unhappy months, during which they made very clear to me that they were bugging my workplace, my accomodation in Woking, my car, my home..... and they also made clear that they had "got to" my employer in Guildford.

Employment with Oxford

I was able to find a new job, with Oxford Computer Training Services (now ARIS/Oxford), quite quickly. But it became very clear, very quickly, that MI5 were treating this job the same as the first; they tried to get the other employees and in particular the managers to attack me. It was plainly MI5s intention that I be sacked fro this job. But I was not sacked; instead, after almost a year of abuse from OCTS managers, I was forced to seek medical help, and had to take two months off for medical leave. OCTS MD Hugh Simpson-Wells was motivated in keeping me on by the fear that if he sacked me, then I would take him to court for the treatment OCTS managers had meted out to me during 1992.

Emigration to Canada

When I emigrated to Canada in 1994, I did think that perhaps MI5 would leave me alone, given that I had made the effort to leave the UK and try to find a new life overseas. I could not see any reason why they would continue to harass me over in Canada. But clearly the MI5 agents had their salaries to think about, since continue to harass me they most certainly did, at my home in Ottawa, and by getting fellow employees to speak against me, as had happened with previous jobs in the UK.

MI5 are denying me a future in work

Former Chief Constable of Devon and Cornwall John Alderson had this to say regarding MI5's activities;

"MI5 is not under the same restraints as the police. They infiltrate organisations, people's jobs and lives. They operate almost like a cancer."

Currently I am on disability, and I can see that MI5 are denying me a future in work. It would be an insult to logic for me to return to work and find a job, in the knowledge that an entire team of MI5 agents, paid in total many times what I would be earning, would have the objective of seeing me "done down" in the employment, and ejected from the place of work. This situation is completely wrong and nonsensical - I would very much like to have a job, but MI5 are preventing me from even thinking about returning to work. The culture of secrecy in MI5/MI6 means there is no objective oversight of their expenditure, when external oversight and greater transparency might lead to wasteful and illogical operations such as that against me being shelved.

Watched and Harassed at my Home and Accommodation

As you will know if you have been reading these articles, MI5 have watched and harassed me at my home, and at every accommodation Ive had since 1990. Theyve also watched me at neighbours houses in London, and at short-term accommodation such as hotels and bed-and-breakfasts. They have used the "words" gained from these watching activities against me, by passing these words on to other people such as OCTS managers for them to make clear that I am being watched where I live.

Harassed at rented rooms in Oxford in 1992

This was at its worst in 1992 in Oxford, where during the week I lived at rented accommodation in Oxford, and at weekends returned to my parents home in London. I was being severely harassed by managers at my place of work, OCTS; and it was clear from the things they said that they were being supplied by MI5 with details of my home life, that they were being supplied with words to repeat at me.

In 1992 I moved house in Oxford many times, living at a total of five rented accommodations in ten months. In January I started off living in a rented room at Headington near the ring road / A40 intersection; then when it became clear that house was being bugged, moved to a rented room in Botley, some miles away. It was at the house in Botley that I had an "interactive watching" experience with Martyn Lewis while he was reading the news; I threw a term of abuse at him; he first flinched, then gave a gsult of what I had just said, he was no longer "on my side".

So I moved house again. This time to a place in Cowley, near the Rover car works, where I stayed for a few weeks. Because of continuing harassment at work, I soon moved from this accommodation, to yet another rented room on Iffley Road. By this time I was very ill and being abused continuously at work. Again, MI5 followed me to the rented room on Iffley Road, and created new instances of "newscaster watching". There was a television in the room which I watched, and as you can guess the newscasters got at me when I was watching the television. Also once I was assaulted, if thats the word for what happened, on leaving the house; a youth grabbed me by the coat lapels, roughed me up a bit with various terms of abuse. I did not report this assault to the police, because what was happening to me at work was very much worse, and nobody seemed to think that that was worthy of being reported to the police. Later that day at work, Alex G, a fellow employee, said "I heard he was assaulted".... I had not told anyone at work about the incident that morning..... so once again it was made very clear that MI5 were watching my rented accommodation and giving information about what was going on there to managers at work.

So I moved house yet again in late autumn 1992, this time to a rented room in a large house on Woodstock Road. I stayed there for several weeks as the situation at work deteriorated due to OCTS managers abuse, until I was forced to take sick leave from work for two months and attend hospital as an outpatient; at which point I gave notice on the room, and returned to London.

MI5 continued to harass me after the diagnosis of serious illness was made. As reported previously, they harassed me on a flight to Spain in December 1992; and in 1993, when I returned to live and work in Oxford, they again bugged my rooms, as well as my workplace, although the intensity of the harassment was very much less than in 1992.

Watched, followed and harassed in Canada

It dismayed me to find that MI5 would not leave me alone after I had settled in Canada. In January 1995 I rented an apartment at the Bayshore complex in Ottawas west end. For some weeks there was no sign of the "buggers". But then it started all over again. They first bugged my car, which had a car alarm installed - the alarm went off two or three times in a single evening, and the following day gave a signal that the car had been broken into. Then they bugged my apartment, and in particular they installed bugs on the phone line in my apartment.

In September 1995 I moved to a new apartment in Ottawas Bytown Market area, the restaurant and entertainment heart of Canadas capital. This proved a serious mistake. In the west end I had been fairly distant from the centre of town where MI5 concentrated their efforts at turning people against me. In the Market area it was much easier for the persecutors to motivate people to harass me, and over the next couple of years there were frequent instances of harassment by the general public.

From 1995 I had some Polish friends in Ottawa, and as the reader can guess, MI5 have spent much effort trying to break up this friendship. They supplied various things about my home life to these friends, for example where I was living in the Market, directly over the road were the studios of a music radio station, which you had to "look up" to see; and MI5 told these friends that I was "looking up" to see the radio station; so the friends then replayed these words back to me, that I was "looking up". MI5 have also made various sexual slanders against me, and these friends also unwittingly replayed some of the words they had been imprinted with by the MI5 persecutors.

MI5 Will Never Allow Me to have a Normal Life

I have heard many excuses as to why MI5 continuously prevent me from having a normal life. We are told that MI5 are defending the country against a tere to zero.

When I have travelled abroad, they always put their people on the flights, on the journeys I undertake, to continue the harassment, so that I am put off further overseas travel, and chained to my home in London. Yet even this is illogical, because when I lived in Canada, they would still put people on flights back to the UK.... and what possible reason would they have for doing that? Perhaps the truest words to describe the MI5 persecution is that reason has nothing to do with their activities - sane people do not behave in the way the MI5 British Secret Police have been doing.

Summer 1999 - more MI5 harassment?

In only a few days time I will be going to Europe again. This time I have deliberately chosen to travel by a non-UK airline; so we will see if they put their paid agents on this foreign carrier, we will see if they try to harass me on this non-British flight.

If they do harass me on this trip to Europe, or if they resume the harassment in London after I return home, then I will continue to report their activities in these faxes. As I said at the beginning of this article, I would very much like to not have to send these articles any more, but that is not my decision to make - it is entirely up to MI5 to cease their pointless persecution of me, once and for all.

31051

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -6974743197321744850
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an chance to explain himself he choose instead to make more false accastion anmaginst me and my family so i made the report
Date: Sun, 16 Dec 2007 19:43:44 -0500
Message-ID: <m4mam3t5rs2gjli38hirf4ukjfnea2q1i4@4ax.com>
References: <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<fjqald$ppi$1@registered.motzarella.org>
<7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com>
<93c1m358s9ff8pk9bq7299sdsothnok2bp@4ax.com>
<cgh5m3pr6q1ujf15qqh1atn805lhr09aco@4ax.com>

```
<sui5m3lr9u8r1jbc674ch73cgrj4iogo60@4ax.com>
<2nk6m3tfedrcf5tppebflh0ocbfrog416r@4ax.com>
<vq68m3hh161i759q2uurl93coi6mud4qtk@4ax.com>
<agh8m39m2q7s5q0ee1ubhtu4jejf4q4s5a@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 162
NNTP-Posting-Date: 16 Dec 2007 23:53:53 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103568
rec.radio.amateur.antenna:51559 rec.radio.amateur.misc:41675
rec.radio.amateur.equipment:13625

On Sun, 16 Dec 2007 11:28:00 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 16:06:42 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 15 Dec 2007 11:07:48 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 22:59:41 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Thu, 13 Dec 2007 12:36:19 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>><kb9rqz@hotmail.com> wrote in message
>>>>>>>>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>>>>>>>>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>>>>>>>> <DloydLavies@gmail.com> wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>>>>>>>> congress"
>>>>>>>>> adams
>>>>>>>>>
>>>>>>>>> woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>> http://kb9rqz.bravejournal.com/
>>>>>>>>> altopia is never used by KB9RQZ
>>>>>>>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>>>>>> google and noow motezrella
>>>>>>>>>
>>>>>>>>> posts from these sorucees are fakes
>>>>>>>>>
```

>>>>>>>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>> G
>>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>

>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>

```
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -8243135785030823747
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
dlod  why are trying to escalate thing even further
Date: Sun, 16 Dec 2007 19:43:44 -0500
Message-ID: <r5mam35ci6sh15k1uiaj5bk6m7j0fl8sg6@4ax.com>
References: <8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
<fiiian$2pf$1@registered.motzarella.org> <fjsjp0$c8v$1@registered.motzarella.org>
```

```
<bok3m3ptuqnartlk60g9higjdndgndgtav@4ax.com>
<ehh5m3dq9utdkihrflg19s505aedomkbd3@4ax.com>
<rvi5m3dtqqktuvp2amcr0rj779at95u23l@4ax.com>
<vnk6m3pl4gel2raaicvfgh7n49vtu3qcp3@4ax.com>
<vr68m3ta95uhub6hj0kpvvhmeokae732ja@4ax.com>
<5hh8m3ls4fjr3hpq0ube35634p2oklpqst@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 132
NNTP-Posting-Date: 16 Dec 2007 23:54:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103576
rec.radio.amateur.antenna:51560 rec.radio.amateur.misc:41683
rec.radio.amateur.equipment:13626

On Sun, 16 Dec 2007 11:28:01 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 16:06:42 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 15 Dec 2007 11:07:48 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 22:59:42 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Thu, 13 Dec 2007 19:49:18 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Thu, 13 Dec 2007 19:46:20 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>news:fiiian$2pf$1@registered.motzarella.org...
>>>>>>>>
>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>> news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
>>>>>>>>> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
```

>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>

>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--

Posted via a free Usenet account from http://www.teranews.com

```
From 3678103214187047354
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!
194.134.4.77.MISMATCH!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 16 Dec 2007 19:43:45 -0500
Message-ID: <q6mam31hgdg5qt1puv1kae4t9i76ud1dki@4ax.com>
References: <nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
<enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
<lu30m39gh6vj1rd12685nr5f2jdf5q6qob@4ax.com>
<dlk0m39o2vciub7k5k6jjq8cpums39jn96@4ax.com>
<v7c1m35iffn4jks6i5gprbficivu9dkiub@4ax.com>
<0jh5m3tb999brqd46fpgenf8eglc59k0a4@4ax.com>
<b1j5m35ulc20icjhlu91t252keupttm94a@4ax.com>
<3pk6m3l88rq8b8o466kjs2ufn28g7uomop@4ax.com>
<gt68m396g9ma6k0otse10gkf81p1o3cqf8@4ax.com>
<fih8m3db1bvu7rrbuvtmha8n1d0lnel4b7@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 351
NNTP-Posting-Date: 16 Dec 2007 23:55:21 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103595
rec.radio.amateur.antenna:51561 rec.radio.amateur.misc:41702
rec.radio.amateur.equipment:13627
```

```
On Sun, 16 Dec 2007 11:28:02 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 16:06:42 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 15 Dec 2007 11:07:49 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 22:59:43 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 14 Dec 2007 13:14:58 -0500, kb9rqz@hotmail.com wrote:
>>>>
```

>>>>>On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com>
wrote:
>>>>>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his
reasoning
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr
Crow as a good
>>>>>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more
become a congress"
>>>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>>>

>>>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ

>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes

>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well

>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -1193175420946323435
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!feeder.news-service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Sun, 16 Dec 2007 19:43:47 -0500
Message-ID: <aamam31i0oom3s85ndh2gigjhnj68lt19v@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com>
<arq2m3d5sd5pa1u6opb5en4gk5vialkhk3@4ax.com>
<1ph5m3ltt7dhlg80jp2l26gg369c7d45tc@4ax.com>
<o5j5m3pqkkittj1c55d5baog8u0666lrso@4ax.com>
<3uk6m39urjqr4f098k73m528qlpd3hrq6q@4ax.com>
<q378m3l18otospvl5tmthjhu8obumbuaon@4ax.com>
<oph8m3pq2ih770vj8a651sprlcfpp0pq7v@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 139
NNTP-Posting-Date: 16 Dec 2007 23:58:03 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103625
rec.radio.amateur.antenna:51562 rec.radio.amateur.misc:41732
rec.radio.amateur.equipment:13628

On Sun, 16 Dec 2007 11:28:02 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 15 Dec 2007 16:06:43 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 15 Dec 2007 11:07:52 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 14 Dec 2007 13:15:00 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 12 Dec 2007 16:31:59 -0500, "kb9rqz" <kb9rqueer@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G

>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head

```
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From 5246897523591162331
X-Google-Thread: 108122,bd99514687581d8a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news1.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!news-out.readnews.com!postnews3.readnews.com!
not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Yahoo Groups
From: Ed G <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns9A09BFFCFCBEFHuckleberryREMOVEbig@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 18 Dec 2007 02:52:23 GMT
Lines: 10
NNTP-Posting-Host: ab828303.news.adtechcomputers.com
X-Trace:
DXC=V9^ZXS<0;jb7K1c^S9NfYdgC4_A5:nI@a<<=aEgO;R8gjEEL3Ihn[cfD15T<E563mcQjo<[F9ZR]o\
W1Nj_TfkOoYQd=SW\Dj8j
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13629
```

Its currently Monday evening, Dec. 17, and I have received absolutely no postings from my various email discussion groups I am subscribed to in the past 24 hours. Nothing on Yahoo groups indicates there are any problems with my account.

Is anyone else experiencing this?

Ed

```
From 8591774519610106514
X-Google-Thread: 108122,3cc8c5c987064707,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny01.POSTED!edc3196c!not-for-mail
From: me <vze3mjrg@verizon.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu VX7R ???
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <at_9j.8405$qv1.5204@trndny01>
Date: Wed, 19 Dec 2007 01:28:38 GMT
NNTP-Posting-Host: 71.174.60.102
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1198027718 71.174.60.102 (Tue, 18 Dec 2007 20:28:38 EST)
NNTP-Posting-Date: Tue, 18 Dec 2007 20:28:38 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:13630
X-Original-Bytes: 952
```

Problem: I accidentally set a freq. to Priority. [F]-[DW]

Question: Short of reseting the memory, and having to re-enter ALL those
repeaters, how do I turn it off?

Steve Evans
K9PUG

From 5635167519781488689
X-Google-Thread: 108122,3cc8c5c987064707
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Dec 2007 21:23:15 -0600
From: "John" <noaddress@noaddress.invalid>
Newsgroups: rec.radio.amateur.equipment
References: <at_9j.8405$qv1.5204@trndny01>
Subject: Re: Yaesu VX7R ???
Date: Tue, 18 Dec 2007 22:23:15 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <15ydnS_d4_4-E_XanZ2dnUVZ_u6rnZ2d@comcast.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.136.76.249
X-Trace: sv3-
PIZqUvUuJa+1a65bdrrujlngHHPEeKjKeJpfi0nvM8ovNxEjx6VSE5HNZcOt5Ld3LNUwrJA5Osv8KSU!
yGEyGo8ewe6wij85M2jMTGN+NwoQxbT/9Z1CPrGbOvv9K+akjguWptCTcVIPBoYlCznnzMg1gS9k!
hojw0gYDmbyjsZkOgDpnyPpdKrXFrw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13631

"me" <vze3mjrg@verizon.net> wrote in message
news:at_9j.8405$qv1.5204@trndny01...
> Problem: I accidentally set a freq. to Priority. [F]-[DW]
>
> Question: Short of reseting the memory, and having to re-enter ALL those
> repeaters, how do I turn it off?
>
> Steve Evans

> K9PUG

Press the V/M key

Write it in your manual under dual watch.

From 7837765564468271215
X-Google-Thread: 108122,4cfe60f31ab5e922,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.ptd.net!news.ptd.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Dec 2007 17:00:03 -0600
From: "KB3DNZ" <kb3dnz@p1s.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Any Hy-gain Tailtwister guru's lurking about?
Date: Wed, 19 Dec 2007 18:00:03 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.15.137.88
X-Trace: sv3-rd9ZRrDumd7LKzbUZKUVa+Mf5Nz5r+cPy++1ZZnbL158L5n/KvB3CFRUxzZG+nRCTjrVGnnhsYe1cho!ClikP37kawmj7jy8uw+sjRFjWSEeO3xIXoAir1gTXgd1jrU6KRwv2s3Jono7NwlEtEcPk2+UiSpd!11n/41E=
X-Complaints-To: abuse@ptd.net
X-DMCA-Complaints-To: abuse@ptd.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13632

My meter doesn't display direction any more and I'm trying to figure out where I should be looking--control box or inside rotator. Everything else works fine; rotator turns; break works; lights light; etc. The fuse inside the control box was blown. I replaced it--still no meter indication. Anyone have any ideas?

tnx

```
From 9204107642121912120
X-Google-Thread: 108122,4cfe60f31ab5e922
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-
mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net>
Subject: Re: Any Hy-gain Tailtwister guru's lurking about?
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <cqiaj.242221$Xa3.173865@attbi_s22>
NNTP-Posting-Host: 12.219.135.201
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1198109448 12.219.135.201 (Thu, 20 Dec 2007 00:10:48 GMT)
NNTP-Posting-Date: Thu, 20 Dec 2007 00:10:48 GMT
Organization: AT&T ASP.att.net
Date: Thu, 20 Dec 2007 00:10:49 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13633


"KB3DNZ" <kb3dnz@p1s.com> wrote in message
news:FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net...
> My meter doesn't display direction any more and I'm trying to figure out
> where I should be looking--control box or inside rotator. Everything else
> works fine; rotator turns; break works; lights light; etc. The fuse inside
> the control box was blown. I replaced it--still no meter indication.
> Anyone have any ideas?
>
> tnx
>Well, is the meter open?

W4ZCB
```

```
From -4107814165068724498
X-Google-Thread: 108122,4cfe60f31ab5e922
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!novia!border2.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.ptd.net!news.ptd.net.POSTED!
not-for-mail
NNTP-Posting-Date: Wed, 19 Dec 2007 19:27:31 -0600
```

From: "KB3DNZ" <kb3dnz@p1s.com>
Newsgroups: rec.radio.amateur.equipment
References: <FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net>
<cqiaj.242221$Xa3.173865@attbi_s22>
Subject: Re: Any Hy-gain Tailtwister guru's lurking about?
Date: Wed, 19 Dec 2007 20:27:29 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <5emdnWVeXe-eWPTanZ2dnUVZ_q2hnZ2d@ptd.net>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.15.137.88
X-Trace: sv3-MwvMDgLeImXgm1p58JqLNCXnIMrc/Sj4x2LQL4Yl/
gYWHwlBVu+nv3dxSUseJQUJZQVZ9AQl93NhfVt!fvKfPoGvv8dCDhvQ4JP1zdL2CUzsZPDFt2/
GY05yoaSVhtNmNJletIa6MLKKYPpss8rpQoVKpPR4!L9/HTi8=
X-Complaints-To: abuse@ptd.net
X-DMCA-Complaints-To: abuse@ptd.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.equipment:13634

If you mean does it indicate at all: When I turn the contol box on the needle moves to the extreme right position and then falls back slightly. If I turn the calibration adjustment the needle moves. It just won't track with the rotator.

"Harold E. Johnson" <W4ZCB@mchsi.com> wrote in message
news:cqiaj.242221$Xa3.173865@attbi_s22...
>
> "KB3DNZ" <kb3dnz@p1s.com> wrote in message
> news:FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net...
>> My meter doesn't display direction any more and I'm trying to figure out
>> where I should be looking--control box or inside rotator. Everything else
>> works fine; rotator turns; break works; lights light; etc. The fuse
>> inside the control box was blown. I replaced it--still no meter
>> indication. Anyone have any ideas?
>>
>> tnx
>>Well, is the meter open?
>
> W4ZCB
>

From -4205087358191366624
X-Google-Thread: 108122,4cfe60f31ab5e922
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wns14feed!
worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net>
<cqiaj.242221$Xa3.173865@attbi_s22> <5emdnWVeXe-eWPTanZ2dnUVZ_q2hnZ2d@ptd.net>
Subject: Re: Any Hy-gain Tailtwister guru's lurking about?
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <oUjaj.258436$Fc.192857@attbi_s21>
NNTP-Posting-Host: 12.219.135.201
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1198115476 12.219.135.201 (Thu, 20 Dec 2007 01:51:16 GMT)
NNTP-Posting-Date: Thu, 20 Dec 2007 01:51:16 GMT
Organization: AT&T ASP.att.net
Date: Thu, 20 Dec 2007 01:51:16 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13635

"KB3DNZ" <kb3dnz@p1s.com> wrote in message
news:5emdnWVeXe-eWPTanZ2dnUVZ_q2hnZ2d@ptd.net...
> If you mean does it indicate at all: When I turn the contol box on the
> needle moves to the extreme right position and then falls back slightly.
> If I turn the calibration adjustment the needle moves. It just won't track
> with the rotator.
>

Open pot in the rotator or open lead in the cable.

W4ZCB

From -7876849557093170436
X-Google-Thread: 108122,3cc8c5c987064707
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!edc3196c!not-for-mail
From: K9PUG <k9pug@verizon.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX7R ???

```
References: <at_9j.8405$qv1.5204@trndny01> <15ydnS_d4_4-
E_XanZ2dnUVZ_u6rnZ2d@comcast.com>
In-Reply-To: <15ydnS_d4_4-E_XanZ2dnUVZ_u6rnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <mrkaj.5049$Vg1.1756@trndny04>
Date: Thu, 20 Dec 2007 02:28:34 GMT
NNTP-Posting-Host: 71.174.60.102
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1198117714 71.174.60.102 (Wed, 19 Dec 2007 21:28:34 EST)
NNTP-Posting-Date: Wed, 19 Dec 2007 21:28:34 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:13636
X-Original-Bytes: 1141

John wrote:
> "me" <vze3mjrg@verizon.net> wrote in message
> news:at_9j.8405$qv1.5204@trndny01...
>> Problem: I accidentally set a freq. to Priority.  [F]-[DW]

>
> Press the V/M key
>
>
Thanks.

Steve
K9PUG



From 6631590392945252337
X-Google-Thread: fc2a5,2bd916c5fd7f2270,start
X-Google-Thread: fc8b1,2bd916c5fd7f2270,start
X-Google-Thread: 108122,2bd916c5fd7f2270,start
X-Google-Thread: 111d0a,2bd916c5fd7f2270,start
X-Google-Thread: 113975,2bd916c5fd7f2270,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e6g2000prf.googlegroups.com!not-for-
mail
From: "bill.meara@gmail.com" <bill.meara@gmail.com>
Newsgroups: rec.radio.amateur.homebrew, rec.radio.amateur.boatanchors,
     rec.radio.amateur.equipment, sci.electronics.basics, sci.astro.amateur
Subject: New issue of SolderSmoke
Date: Wed, 19 Dec 2007 21:17:51 -0800 (PST)
Organization: http://groups.google.com
Lines: 54
Message-ID: <66bc71ac-9e90-4556-b2c0-3b6ee3bab378@e6g2000prf.googlegroups.com>
NNTP-Posting-Host: 81.208.83.208
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1198127872 18237 127.0.0.1 (20 Dec 2007 05:17:52 GMT)
```

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Dec 2007 05:17:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e6g2000prf.googlegroups.com; posting-host=81.208.83.208;
posting-account=ePxsiwkAAACeKyenV1cL73nSaGPyDy3Q
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.homebrew:14880
rec.radio.amateur.boatanchors:13470 rec.radio.amateur.equipment:13637
sci.electronics.basics:66757 sci.astro.amateur:96439

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke #72

December 19, 2007
M0HBR's Bollywood debut.
Alien hams.
Blackboxophobia.
Solar power (in Rome and on Mars).
TechShop.
South Pole IT.
Mixer madness.
The Radio Club of America.
200 Meters Index.
Peter Dahl.
MAILBAG: Al on audio quality,
WB2REW on Yogi Berra,
W9ILF's tube type mp3 amp,
G8SEQ's bad case of "The Knack",
N8XMS's "Curiosity Curse."

Tired of listening to the Alicia Keys or the BBC on your I-Pod?
Wouldn't you like to be able to carry with
you the kinds of ham radio conversations that you
listen to while in your radio shack? Tune in to SolderSmoke!

RSS FEED: You can subscribe to the program, have
them downloaded to your MP-3 player, and listen to
them at your convenience. To subscribe, just cut and
paste this URL into your I-poder (or similar)
software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the
site below and listen to the latest program (and
earlier editions) using the audio software on your

```
computer.

http://www.soldersmoke.com

All the programs are available here.

I hope you enjoy the program.  Please send us
feedback.

73 from Rome
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us




From 7992593567022378
X-Google-Thread: 108122,1c33bb12f95ea124,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i12g2000prf.googlegroups.com!not-for-
mail
From: "ingeragustin@gmail.com" <ingeragustin@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Hi to all
Date: Wed, 19 Dec 2007 21:38:00 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <83b8bfec-a6a3-45d7-a816-1f186463f59e@i12g2000prf.googlegroups.com>
NNTP-Posting-Host: 67.123.18.160
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1198129080 22095 127.0.0.1 (20 Dec 2007 05:38:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Dec 2007 05:38:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i12g2000prf.googlegroups.com; posting-host=67.123.18.160;
     posting-account=Jdyo6QoAAAD_nxRtiM1bVtC6kIFkbRm_
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13638

Take a look at this sites
 http://hentai-sex.hentai4you.info/hentai-sex-doll.html hentai sex
doll
 http://hentai-sex.hentai4you.info/hentai-monster-sex.html hentai
monster sex
 http://hentai-sex.hentai4you.info/hentai--sex-kyohei.html hentai  sex
kyohei
 http://hentai-sex.hentai4you.info/hentai-animal-sex.html hentai
animal sex
 http://hentai-sex.hentai4you.info/sex-taxi-hentai.html sex taxi
```

```
From -922009877172066251
```

```
X-Google-Thread: 108122,1c33bb12f95ea124
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e4g2000hsg.googlegroups.com!not-for-
mail
From: "roxannakelly@gmail.com" <roxannakelly@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Hi to all
Date: Thu, 20 Dec 2007 03:41:16 -0800 (PST)
Organization: http://groups.google.com
Lines: 11
Message-ID: <b55c669a-f40d-4e77-b90a-7e402213d8ab@e4g2000hsg.googlegroups.com>
NNTP-Posting-Host: 75.36.41.174
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1198150877 30012 127.0.0.1 (20 Dec 2007 11:41:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Dec 2007 11:41:17 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e4g2000hsg.googlegroups.com; posting-host=75.36.41.174;
     posting-account=TzM_IgoAAADMNmjwFa3M4lFYSaBFfO9N
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13639

Take a look at this sites
 http://sonic-hentai.hentai4you.info/sonic-hentai-gif.html sonic
hentai gif
 http://sonic-hentai.hentai4you.info/amy-from-sonic-hentai.html amy
from sonic hentai
 http://sonic-hentai.hentai4you.info/amy-from-sonic-hentai.html amy
from sonic hentai
 http://sonic-hentai.hentai4you.info/sonic-hentai-comic-downloads.html
sonic hentai comic downloads
 http://sonic-hentai.hentai4you.info/sonic-hentai-links.html sonic
hentai links


From -9156644173802229722
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
```

```
newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-
v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an
chance to explain himself he choose instead to make more false accastion anmaginst
me and my family so i made the report
Date: Wed, 19 Dec 2007 15:53:17 -0500
Message-ID: <dfjbm319mkdc9c9nlr4gfor47r5bht44pq@4ax.com>
References: <kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<fjqald$ppi$1@registered.motzarella.org>
<7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com>
<93c1m358s9ff8pk9bq7299sdsothnok2bp@4ax.com>
<cgh5m3pr6q1ujf15qqh1atn805lhr09aco@4ax.com>
<sui5m3lr9u8r1jbc674ch73cgrj4iogo60@4ax.com>
<2nk6m3tfedrcf5tppebflh0ocbfrog416r@4ax.com>
<vq68m3hh161i759q2uurl93coi6mud4qtk@4ax.com>
<agh8m39m2q7s5q0ee1ubhtu4jejf4q4s5a@4ax.com>
<m4mam3t5rs2gjli38hirf4ukjfnea2q1i4@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 182
NNTP-Posting-Date: 19 Dec 2007 20:06:31 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 179
Xref: g2news1.google.com rec.radio.amateur.policy:103913
rec.radio.amateur.antenna:51681 rec.radio.amateur.misc:41936
rec.radio.amateur.equipment:13640

On Sun, 16 Dec 2007 19:43:44 -0500, kb9rqz@yahool.com wrote:

>On Sun, 16 Dec 2007 11:28:00 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 15 Dec 2007 16:06:42 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 15 Dec 2007 11:07:48 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 14 Dec 2007 22:59:41 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Thu, 13 Dec 2007 12:36:19 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
```

```
>>>>>>>>><kb9rqz@hotmail.com> wrote in message
>>>>>>>>>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>>>>>>>>>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>>>>>>>>> <DloydLavies@gmail.com> wrote:
>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>>>>>>>>> congress"
>>>>>>>>>> adams
>>>>>>>>>>
>>>>>>>>>> woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>> http://kb9rqz.bravejournal.com/
>>>>>>>>>> altopia is never used by KB9RQZ
>>>>>>>>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>>>>>>> google and noow motezrella
>>>>>>>>>>
>>>>>>>>>> posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>> G
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
```

>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>

>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 3239259738412678134
X-Google-Thread: 108122,4cfe60f31ab5e922
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Any Hy-gain Tailtwister guru's lurking about?
Organization: You and my shadow
References: <FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net> <cqiaj.242221$Xa3.173865@attbi_s22> <5emdnWVeXe-eWPTanZ2dnUVZ_q2hnZ2d@ptd.net>
User-Agent: MT-NewsWatcher/3.4 (PPC Classic)
Message-ID: <You-49B608.09210220122007@netnews.worldnet.att.net>
Lines: 28
Date: Thu, 20 Dec 2007 18:20:04 GMT
NNTP-Posting-Host: 12.12.208.3
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1198174804 12.12.208.3 (Thu, 20 Dec 2007 18:20:04 GMT)
NNTP-Posting-Date: Thu, 20 Dec 2007 18:20:04 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13641

In article <5emdnWVeXe-eWPTanZ2dnUVZ_q2hnZ2d@ptd.net>,
"KB3DNZ" <kb3dnz@p1s.com> wrote:

> If you mean does it indicate at all: When I turn the contol box on the
> needle moves to the extreme right position and then falls back slightly. If
> I turn the calibration adjustment the needle moves. It just won't track with
> the rotator.
>
>
>
> "Harold E. Johnson" <W4ZCB@mchsi.com> wrote in message

```
> news:cqiaj.242221$Xa3.173865@attbi_s22...
> >
> > "KB3DNZ" <kb3dnz@p1s.com> wrote in message
> > news:FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net...
> >> My meter doesn't display direction any more and I'm trying to figure out
> >> where I should be looking--control box or inside rotator. Everything else
> >> works fine; rotator turns; break works; lights light; etc. The fuse
> >> inside the control box was blown. I replaced it--still no meter
> >> indication. Anyone have any ideas?
> >>
> >> tnx
> >>Well, is the meter open?
> >
> > W4ZCB
> >
```

Open wire, or blown Dashpot up in the rotator.......

```
From -2680990868777269438
X-Google-Thread: 108122,4cfe60f31ab5e922
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.ptd.net!news.ptd.net.POSTED!
not-for-mail
NNTP-Posting-Date: Thu, 20 Dec 2007 17:47:22 -0600
From: "KB3DNZ" <kb3dnz@p1s.com>
Newsgroups: rec.radio.amateur.equipment
References: <FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net>
<cqiaj.242221$Xa3.173865@attbi_s22> <5emdnWVeXe-eWPTanZ2dnUVZ_q2hnZ2d@ptd.net>
<You-49B608.09210220122007@netnews.worldnet.att.net>
Subject: Re: Any Hy-gain Tailtwister guru's lurking about?
Date: Thu, 20 Dec 2007 18:47:22 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <RP2dnUp3wZmWYvfanZ2dnUVZ_gmdnZ2d@ptd.net>
Lines: 41
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.15.137.88
X-Trace: sv3-
mjR7V3XS5GCX3ysVpytABANkFN0xDxz0HWBlfEpSzvpIpnpD7ti98FKNfx7btwsALqm0csoAnm7VjbC!
rkSV/DiuAfpoiCMX1FerLxiuHQkd2AwZnzjd1BUsHayEv7L56kPJex6icxBqxDuKNuDmJPmnZ+vt!
M2LWvpI=
X-Complaints-To: abuse@ptd.net
X-DMCA-Complaints-To: abuse@ptd.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
```

Xref: g2news1.google.com rec.radio.amateur.equipment:13642

Can I test for either one of these conditions from shack-end of the control
cable?

"You" <You@shadow.orgs> wrote in message
news:You-49B608.09210220122007@netnews.worldnet.att.net...
> In article <5emdnWVeXe-eWPTanZ2dnUVZ_q2hnZ2d@ptd.net>,
> "KB3DNZ" <kb3dnz@p1s.com> wrote:
>
>> If you mean does it indicate at all: When I turn the contol box on the
>> needle moves to the extreme right position and then falls back slightly.
>> If
>> I turn the calibration adjustment the needle moves. It just won't track
>> with
>> the rotator.
>>
>>
>>
>> "Harold E. Johnson" <W4ZCB@mchsi.com> wrote in message
>> news:cqiaj.242221$Xa3.173865@attbi_s22...
>> >
>> > "KB3DNZ" <kb3dnz@p1s.com> wrote in message
>> > news:FeGdnWUvlKHuP_TanZ2dnUVZ_t6onZ2d@ptd.net...
>> >> My meter doesn't display direction any more and I'm trying to figure
>> >> out
>> >> where I should be looking--control box or inside rotator. Everything
>> >> else
>> >> works fine; rotator turns; break works; lights light; etc. The fuse
>> >> inside the control box was blown. I replaced it--still no meter
>> >> indication. Anyone have any ideas?
>> >>
>> >> tnx
>> >>Well, is the meter open?
>> >
>> > W4ZCB
>> >
>
> Open wire, or blown Dashpot up in the rotator.......

From 5550309852725080790
X-Google-Thread: 108122,c608e5ec1bae9ebb,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.phx!newsfe06.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment

Subject: FYI: Lightning Protection
Lines: 5
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <DITaj.37875$Rw3.12621@newsfe06.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe06.phx 1198262179 72.197.13.209 (Fri, 21 Dec 2007 11:36:19 MST)
NNTP-Posting-Date: Fri, 21 Dec 2007 11:36:19 MST
Organization: Cox
Date: Fri, 21 Dec 2007 10:36:18 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13643

Four very informative articles on Lightning Protection

http://ac6v.com/techref.htm#GR

Lamont

From -1211434821062902740
X-Google-Thread: 108122,329a13fb5fd64671,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: LOTS OF TUBES ETC. . . . .
Date: Fri, 21 Dec 2007 12:44:59 -0600
Organization: WebTV Subscriber
Lines: 8
Message-ID: <2484-476C09AB-250@storefull-3252.bay.webtv.net>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
     ETAtAhUAuY+Bk31lsmFOKAe77HLvobUlPmwCFE63cM9VxlztzgBNN1xsj0E1jk15
Content-Disposition: Inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13644

'O1A, IL6, 1T4, 6L6GB, 45, 50, ETC. DIAL COVERS, ELECTROLYTICS, ZENITH
TRANSOCEANIC BATTERIES, PERIKON DETECTORS, JACKSON BROS. 410uuF TUNING
CAPS., AND MANY, MANY OTHER THINGS. SEE MY WEBSITE.

CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse caps, short answers, stroke.

From -5517328636627625690
X-Google-Thread: 108122,5730a8448d1d9d66,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsgroup-binaries.com!not-for-mail
From: "Ron H" <rnharsh@nospam.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FYI - MI5Victim@mi5.gov.uk
Date: Fri, 21 Dec 2007 14:48:16 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 35
Message-ID: <476c2614$0$26634$8d2e0cab@news.newsgroup-binaries.com>
Organization: newsgroup-binaries.com
X-Complaints-To: abuse@newsgroup-binaries.com
X-Original-Lines: 32
Xref: g2news1.google.com rec.radio.amateur.equipment:13645

I sent off a note to the mail server that the jerk calling himself MI5Victim@mi5.gov.uk used for numerous postings. Here is the reply:

----- Original Message -----
From: Newsdemon Abuse
To: removed
Sent: Friday, December 21, 2007 1:14 PM
Subject: Newsdemon Abuse Department Response Re: Fw: MI5-Persecution: MI5 Have Systematically Destroyed My Life (31033)

We have received a large number of complaints regarding one of our former customers flooding various newsgroups with "MI5 Persecution" posts. We have removed this customer from our active database and he will no longer be allowed to use our servers.

We appreciate your role in helping us to locate this user.

--
Newsdemon.com Support Team
http://www.newsdemon.com

--

Ron H
--
This outgoing email was scanned by
Norton Antivirus Corp. Edition
and found to be virus free

----
www.Newsgroup-Binaries.com - *Completion*Retention*Speed*
Access your favorite newsgroups from home or on the road

```
From -5892111290285595589
X-Google-Thread: 108122,c608e5ec1bae9ebb
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Lightning Protection
From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
References: <DITaj.37875$Rw3.12621@newsfe06.phx>
Organization: Your Company
Message-ID: <Xns9A0D9F9522796Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 21 Dec 2007 23:41:14 GMT
Lines: 18
NNTP-Posting-Host: c7f9b79d.news.adtechcomputers.com
X-Trace: DXC=SYZ4h:K<EG\54WfImF>H4_gC4_A5:nI@Q<<=aEgO;R8W?
eV]l]BiBaZ<2UXKGQ6iLUQjo<[F9ZR]_mECT\Z7R9=[ihT?lm>g:6R
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13646
```

"The Shadow" <Cranston@CobaltClub.com> wrote in news:DITaj.37875$Rw3.12621@newsfe06.phx:

> Four very informative articles on Lightning Protection
>
> http://ac6v.com/techref.htm#GR
>
> Lamont
>

... and if you want the absolute best professional info, read the series of Tech. Notes at:

http://www.polyphaser.com/technical_notes.aspx

Ed

```
From -6342390611344964443
X-Google-Thread: 108122,c608e5ec1bae9ebb
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmpeer03.lga!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.phx!newsfe13.phx.POSTED!
53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <DITaj.37875$Rw3.12621@newsfe06.phx>
<Xns9A0D9F9522796Huckleberrybigvalley@198.186.192.196>
In-Reply-To: <Xns9A0D9F9522796Huckleberrybigvalley@198.186.192.196>
Subject: Re: FYI: Lightning Protection
Lines: 26
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <%_Yaj.17872$Rf5.9689@newsfe13.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe13.phx 1198283835 72.197.13.209 (Fri, 21 Dec 2007 17:37:15 MST)
NNTP-Posting-Date: Fri, 21 Dec 2007 17:37:15 MST
Organization: Cox
Date: Fri, 21 Dec 2007 16:37:14 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13647
```

"Ed_G" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns9A0D9F9522796Huckleberrybigvalley@198.186.192.196...

```
> "The Shadow" <Cranston@CobaltClub.com> wrote in news:DITaj.37875$Rw3.12621
> @newsfe06.phx:
>
>> Four very informative articles on Lightning Protection
>>
>> http://ac6v.com/techref.htm#GR
>>
>> Lamont
>>
>
```

```
>
>   ... and if you want the absolute best professional info, read the series
> of Tech. Notes at:
>
>          http://www.polyphaser.com/technical_notes.aspx
>
>
>    Ed
```

Yep agree -- one of the four mentioned in the original post was:

PolyPhaser

```
From -4445753495589249590
X-Google-Thread: 108122,834faf3cf9f4edae,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n20g2000hsh.googlegroups.com!not-for-
mail
From: Mike VE3MKX <mkx@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: W A N T E D ! ! ! !  ! !  microphone
Date: Sat, 22 Dec 2007 15:33:55 -0800 (PST)
Organization: http://groups.google.com
Lines: 13
Message-ID: <b416de81-b8dc-4092-aa70-5d2298408da6@n20g2000hsh.googlegroups.com>
NNTP-Posting-Host: 64.231.189.230
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1198366435 13495 127.0.0.1 (22 Dec 2007 23:33:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Dec 2007 23:33:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n20g2000hsh.googlegroups.com; posting-host=64.231.189.230;
     posting-account=m2yR1goAAAAMi4ja5GYDqvs6T1Uo1WU8
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13648
```

Hi Im looking for the following Any Microphone flags

Any old or vintage desk microphones

Or any television station paraphernalia

If you have anything that might interest me, pls send me an Email

mkx@@sympatico.ca

Remove one fo the @ signs.

Thanks again 73 Mike

```
From 8243662124055785698
X-Google-Thread: 108122,f3b03a485398ed51,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
nx02.iad01.newshosting.com!newshosting.com!198.186.194.247.MISMATCH!news-
xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Ham Radio Bluetooth Interface
From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns9A0EDB3E543C5Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 23 Dec 2007 05:33:07 GMT
Lines: 13
NNTP-Posting-Host: f098fcd0.news.adtechcomputers.com
X-Trace: DXC=Q\
[LaSX;WIoDe2A4;`E`CjgC4_A5:nI@a<<=aEgO;R8g14nbo\4h`[ol[SOmoko6EcQjo<[F9ZR]omECT\Z7
R9=k0:g;>V>25ko
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13649
```

Sometime in the past couple months I saw a small descriptive product article on a Bluetooth interface device designed and marketed for ham radio usage. I saw this writing in either CQ Magazine or QST, but I am unable to find it again.

Does this ring any bells with anyone here? Can someone point out where I saw this?

Thanks.

Ed K7AAT

```
From 1603063260396212271
X-Google-Thread: fc8b1,e622e27b37dbfa5f,start
X-Google-Thread: 108122,e622e27b37dbfa5f,start
X-Google-Attributes: gidfc8b1,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 23 Dec 2007 21:08:23 -0600
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
```

```
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA:  HP 5328A counter w. DVM option
Date: Sun, 23 Dec 2007 22:08:26 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <rMOdnXazYIA6v_LanZ2dnUVZ_qainZ2d@comcast.com>
Lines: 5
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.0.64.111
X-Trace: sv3-k5YuVFo3eth5Gu9Olr5yuGfTLk0iVPJcZE9IPQSra+byGi6lg55/
NWkfqCF6KO+eDYDKuoijm4cmJej!
tJjhXKic1TRX4DyGp5ubu+cIjME7e9+eA5Za9g5uFERLnONTLGika2hkbhNB+zuMrhpHrw884P1Z!
m5CFecaoZKGRfEroylp5RYFx/yE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.37
Xref: g2news1.google.com rec.radio.amateur.boatanchors:13505
rec.radio.amateur.equipment:13650

Check it out here....works 100%

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=290193441422&ssPageName=STRK:MESE:IT&ih=019




From -6137016639755958787
X-Google-Thread: 108122,f3b03a485398ed51
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!q77g2000hsh.googlegroups.com!not-for-
mail
From: Dloydlavies@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ham Radio Bluetooth Interface
Date: Sun, 23 Dec 2007 19:17:18 -0800 (PST)
Organization: http://groups.google.com
Lines: 21
Message-ID: <591ca7f4-2ec3-4175-8239-7cb49f8eebb7@q77g2000hsh.googlegroups.com>
References: <Xns9A0EDB3E543C5Huckleberrybigvalley@198.186.192.196>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1198466238 12638 127.0.0.1 (24 Dec 2007 03:17:18 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Mon, 24 Dec 2007 03:17:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q77g2000hsh.googlegroups.com; posting-host=71.48.131.227;
     posting-account=yR01LwoAAAAMG7oUtKJ-m_pV4Mugmhf0
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13651

On Dec 23, 12:33=A0am, "Ed_G" <Huckleberry_REMO...@bigvalley.net> wrote:
> =A0 =A0Sometime in the past couple months I saw a small descriptive produc=
t
> article on a Bluetooth interface device designed and marketed for ham radi=
o
> usage. =A0I saw this writing in either CQ Magazine or QST, but I am unable=
 to
> find it again.
>
> =A0 =A0Does this ring any bells with anyone here? =A0Can someone point out=
 where
> I saw this?
>
> =A0 =A0Thanks.
>
> =A0 =A0 Ed =A0 K7AAT

There was an article in February 2007 QST, pages 66-69, not sure if
this is whaat you are looking for.

73


From -1232843023712921670
X-Google-Thread: 108122,f3b03a485398ed51
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ham Radio Bluetooth Interface
From: "Ed_G" <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9A0EDB3E543C5Huckleberrybigvalley@198.186.192.196>
<591ca7f4-2ec3-4175-8239-7cb49f8eebb7@q77g2000hsh.googlegroups.com>
Organization: Your Company
Message-ID: <Xns9A106B2C6F546Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 24 Dec 2007 18:32:09 GMT
Lines: 35
NNTP-Posting-Host: f9867339.news.adtechcomputers.com
X-Trace:
DXC=eI^a1WNVKmH<<h;Yk>G0KMgC4_A5:nI@A<<=aEgO;R8G]eHMFokO6aJOobGgd8LHZNQjo<[F9ZR]Om
ECT\Z7R9=KP3VE_Znol`D
```

```
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13653

Dloydlavies@hotmail.com wrote in
news:591ca7f4-2ec3-4175-8239-7cb49f8eebb7@q77g2000hsh.googlegroups.com:

> On Dec 23, 12:33�am, "Ed_G" <Huckleberry_REMO...@bigvalley.net> wrote:
>> � �Sometime in the past couple months I saw a small descriptive
>> produc
> t
>> article on a Bluetooth interface device designed and marketed for ham
>> radi
> o
>> usage. �I saw this writing in either CQ Magazine or QST, but I am
>> unable
>  to
>> find it again.
>>
>> � �Does this ring any bells with anyone here? �Can someone point out
>  where
>> I saw this?
>>
>> � �Thanks.
>>
>> � � Ed � K7AAT
>
> There was an article in February 2007 QST, pages 66-69, not sure if
> this is whaat you are looking for.
>
> 73

    Nope,  but thanks anyway.,  The item I saw was more on the lines of
a small "New Products"  Ad....  still can't remember if it was CQ or
QST, but it was definitely October or later issue.

    Ed




From 6059238246982375728
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@yahool.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
```

```
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an
chance to explain himself he choose instead to make more false accastion anmaginst
me and my family so i made the report
Date: Fri, 21 Dec 2007 23:05:29 -0500
Message-ID: <niclm3581jbc2a5ihiq5ihrekqb1qrp2fb@4ax.com>
References: <fjqald$ppi$1@registered.motzarella.org>
<7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com>
<93c1m358s9ff8pk9bq7299sdsothnok2bp@4ax.com>
<cgh5m3pr6q1ujf15qqh1atn805lhr09aco@4ax.com>
<sui5m3lr9u8r1jbc674ch73cgrj4iogo60@4ax.com>
<2nk6m3tfedrcf5tppebflh0ocbfrog416r@4ax.com>
<vq68m3hh161i759q2uurl93coi6mud4qtk@4ax.com>
<agh8m39m2q7s5q0ee1ubhtu4jejf4q4s5a@4ax.com>
<m4mam3t5rs2gjli38hirf4ukjfnea2q1i4@4ax.com>
<dfjbm319mkdc9c9nlr4gfor47r5bht44pq@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 196
NNTP-Posting-Date: 22 Dec 2007 03:15:38 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:104248
rec.radio.amateur.antenna:51943 rec.radio.amateur.misc:42098
rec.radio.amateur.equipment:13654

On Wed, 19 Dec 2007 15:53:17 -0500, kb9rqz@yahool.com wrote:

>On Sun, 16 Dec 2007 19:43:44 -0500, kb9rqz@yahool.com wrote:
>
>>On Sun, 16 Dec 2007 11:28:00 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 15 Dec 2007 16:06:42 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 15 Dec 2007 11:07:48 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Fri, 14 Dec 2007 22:59:41 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Thu, 13 Dec 2007 12:36:19 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>><kb9rqz@hotmail.com> wrote in message
>>>>>>>>>>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>>>>>>>>>>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>>>>>>>>>> <DloydLavies@gmail.com> wrote:
>>>>>>>>>>>
```

```
>>>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>>>>>>>>>> congress"
>>>>>>>>>>> adams
>>>>>>>>>>>
>>>>>>>>>>> woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>> http://kb9rqz.bravejournal.com/
>>>>>>>>>>> altopia is never used by KB9RQZ
>>>>>>>>>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>>>>>>>> google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>> posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>> G
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
```

>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams

>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ

>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 3668917163701415950
X-Google-Thread: 108122,7db58521bfd9b495,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.aliant.net!not-for-mail
Date: Wed, 26 Dec 2007 21:43:41 -0400
From: frank <larrj@ns.sympatico.ca>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: buy my amp. its a cb amp
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <47730350$0$5286$9a566e8b@news.aliant.net>
NNTP-Posting-Host: 142.167.221.15
X-Complaints-To: abuse@aliant.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13655
```

I put it forsale as a ham amp but it will work for cb

```
http://cgi.ebay.com/Messenger-350-Ham-Amplifier-
LOOK_W0QQitemZ190185592546QQihZ009QQcategoryZ48700QQs


From 4048189616179730301
X-Google-Thread: 108122,c48a7ce154952fc,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i12g2000prf.googlegroups.com!not-for-
mail
From: secretquiet.423@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: mini shop(mobile)
Date: Thu, 27 Dec 2007 03:10:21 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <8a68966d-a2dc-4487-89b2-ce45be6dcc0f@i12g2000prf.googlegroups.com>
NNTP-Posting-Host: 59.96.22.212
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1198753821 28953 127.0.0.1 (27 Dec 2007 11:10:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 27 Dec 2007 11:10:21 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i12g2000prf.googlegroups.com; posting-host=59.96.22.212;
     posting-account=4TWYMAoAAACcJDmgbl1kK1lU8YcdwQ8K
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13656

mini shop(mobile)
you have mobile shop loan
please contect below link
u freely goto egypth tour
please fill the researvation form
any 1000 member's whill select to enjoy tour
fill the reservation form freely
********************************************
http://www.geocities.com/lordsnile
********************************************


From 4276063367925105366
X-Google-Thread: 108122,350ec3aa6869fab2,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!1g2000hsl.googlegroups.com!not-for-
mail
From: M42 <mannytopper@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood Two Tone Encode
```

```
Date: Thu, 27 Dec 2007 19:56:57 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <6cacee84-928a-4a58-9921-14578a241d39@1g2000hsl.googlegroups.com>
NNTP-Posting-Host: 71.166.123.61
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1198814217 672 127.0.0.1 (28 Dec 2007 03:56:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Dec 2007 03:56:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 1g2000hsl.googlegroups.com; posting-host=71.166.123.61;
     posting-account=bah91woAAAA9FjaksfXI3cPMjZubVmBY
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13657
```

Is there a way to enable the two tone encode without having to hold
down the ptt and Aux button the entire time?

```
From 7224201070590356102
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d21g2000prf.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Thu, 13 Dec 2007 16:47:59 -0800 (PST)
Organization: http://groups.google.com
Lines: 52
Message-ID: <291a5729-fe2c-4aed-9030-f00201a15dc8@d21g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
     <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
     <87820e66-c431-4780-9ee1-0ccf80487269@e25g2000prg.googlegroups.com>
     <1d2aa946-3ba9-44e4-88f5-1eab4928faef@e6g2000prf.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197593280 18653 127.0.0.1 (14 Dec 2007 00:48:00 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Fri, 14 Dec 2007 00:48:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d21g2000prf.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:102419
rec.radio.amateur.antenna:51372 rec.radio.amateur.misc:40660
rec.radio.amateur.equipment:13557

On Dec 13, 7:43 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Dec 12, 7:48 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
> > On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Nov 25, 2:34 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > > No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
> > > > > for his actions, there is no excuse for the false reporting of lies
> > > > > about another person because he suspects something through his twisted
> > > > > logic and suspects that a certain person is the author of messages on
> > > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> > > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > > he called the hotline for the Florida Department of Child Protective
> > > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > > conversations with a 7 year old child concerning sex.
>
> > > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > > persue/attack other hams who he thinks criticize his netique by taking
> > > > > his disputes off of the net and trying to affect someone's freedom and
> > > > > livelyhood by lauding false charges against anyone he deems is
> > > > > deserving of his tirade of revenge.
>
> > > > Mark get help for your obsession with me, why allege that you are
> > > > being harrassed, then flood the group with questions for me. What do
> > > > you want Mark. You can't ask me questions, then when I respond to
> > > > your buffonery, allege that I am harrassing you. Why do you keep
> > > > stalking me, find someone else to dream about, your are mentally ill,
> > > > seek help.- Hide quoted text -
>
> > > > - Show quoted text -
>
> > > Seek help Mr. Morgan, why do you laud false charges at an innocent
> > > ham, and then allege someone made you do it. Take responsibility for
> > > your actions, I'm sure that if you cause any harm, your victim will
> > > ensure that you face up to your misdeed.- Hide quoted text -

```
>
> > > - Show quoted text -
>
> > Still waiting for LE Mark. Glad to see that LE can see right through
> > your fairy tales- Hide quoted text -
>
> > - Show quoted text -- Hide quoted text -
>
> - Show quoted text -
```

```
From -545991165203271473
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b40g2000prf.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: why i slugs it out on teh usenet
Date: Thu, 13 Dec 2007 16:52:16 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <326c4cd0-0ed5-441d-bfd8-4487598d77be@b40g2000prf.googlegroups.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197593536 19416 127.0.0.1 (14 Dec 2007 00:52:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Dec 2007 00:52:16 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b40g2000prf.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:102433
rec.radio.amateur.antenna:51373 rec.radio.amateur.misc:40665
rec.radio.amateur.equipment:13558
```

On Dec 12, 4:31 pm, "kb9rqz" <kb9rqu...@hotmail.com> wrote:

```
>  http://khkb9rqz.blogspot.com/2007/12/why-do-i-slug-it-out-on-on-usene...
>
> --
> Posted via a free Usenet account fromhttp://www.teranews.com
```

Bwahahaha!

From 6328014155331278201
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Thu, 13 Dec 2007 19:55:05 -0500
Organization: A noiseless patient Spider
Lines: 31
Message-ID: <fjsk9f$dr4$1@registered.motzarella.org>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com>
X-Trace: feeder.motzarella.org U2FsdGVkX1/BHjtOtL55iIiSVnPbZ6OKESqU+KOjrALlWda/l1r6hGTmG9GwhLIxRAjC5ecbEqANx5AFli/nKetLpuO1Qnauf/efR8JJ9EC4WOCyY6udhQHpIln02p0F1NdGADrYmKllGHD8BZ/8RA==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Fri, 14 Dec 2007 00:55:12 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX19T9S1eoPdaH6E2DAgotZfXEekXjzIFtuw59XxeioCSxw==
Cancel-Lock: sha1:JWA+N5uS1yqkK3kPEF8ChwLnIK8=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:102435
rec.radio.amateur.antenna:51374 rec.radio.amateur.misc:40666
rec.radio.amateur.equipment:13559

<kb9rqz@hotmail.com> wrote in message
news:efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com...
> On Wed, 12 Dec 2007 16:31:59 -0500, "kb9rqz" <kb9rqueer@hotmail.com>
> wrote:
>
>>
>
>
> "one useless man is disgrace 2 become a law firm 3 or more become a
> congress"
> adams

```
>
> woger you are a Congress all in your own head
>
> http://kb9rqz.bravejournal.com/
> altopia is never used by KB9RQZ
> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
> google and noow motezrella
>
> posts from these sorucees are fakes
>
> and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> G
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>
```

```
From -7115163172275147302
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.netfinity.fr!news.motzarella.org!motzarella.org!not-for-
mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why dloyd advocated not working with LE as they request, I guess because
he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Thu, 13 Dec 2007 19:55:31 -0500
Organization: A noiseless patient Spider
Lines: 9
Message-ID: <fjska6$e5b$1@registered.motzarella.org>
References: <4760478c$0$26083$88260bb3@free.teranews.com> <326c4cd0-0ed5-441d-
bfd8-4487598d77be@b40g2000prf.googlegroups.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX1+TdiNacZ4E5CFU49HTysa2zN2aN4nPSKr0g8YfhzT4U2+pnHFon6zzS9zygjlyYHLO+UTlSR
OdBrVrYHKioDgSV9XabtzhSPGIX6iy+MaoMvuDkxa9osTaiyPdn2aTA8pK8Ashx+fNdg==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Fri, 14 Dec 2007 00:55:36 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1+sFS82vGVxeg4I/VogKaOltLKXpREIh173+2qHRjjVfw==
Cancel-Lock: sha1:3UBvCN/0DpnCSfCCuFt8OuRlhdE=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:102436
rec.radio.amateur.antenna:51375 rec.radio.amateur.misc:40667
rec.radio.amateur.equipment:13560


"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
news:326c4cd0-0ed5-441d-bfd8-4487598d77be@b40g2000prf.googlegroups.com...

> Bwahahaha!

all you do is whine dloyd





From 8441005812523756095
X-Google-Thread: 108122,7fba7366ed689aed,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e10g2000prf.googlegroups.com!not-for-
mail
From: nbysv3hu <clubhealthbk2k@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Hot Christmas Shopping,Travel,And Entertainment Marketplace
Date: Thu, 13 Dec 2007 19:36:28 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <dcef481b-d0ca-4de7-949b-58085e1af2a0@e10g2000prf.googlegroups.com>
NNTP-Posting-Host: 38.96.193.68
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197603389 19603 127.0.0.1 (14 Dec 2007 03:36:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Dec 2007 03:36:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e10g2000prf.googlegroups.com; posting-host=38.96.193.68;
     posting-account=VWHF3woAAADr_eu_Xs8MSU9QNeufF8YV
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13561

 Nice site for Christmas deals.Discover key deals and specials at a
site that had tons of  retailers and services at http://www.christmasplayland.com
.There is also a nice job search section as well that really helped me.


From -4884043498508374761
X-Google-Thread: 108122,300182aa8c00aa26
```

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-mail
From: Erich <n6fd@mchsi.com>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: SSB IF Filter
References: <5f0ee7bb-6d7e-428c-8dc9-d4c6ddc3b366@e25g2000prg.googlegroups.com>
In-Reply-To: <5f0ee7bb-6d7e-428c-8dc9-d4c6ddc3b366@e25g2000prg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <mOo8j.231931$Xa3.39224@attbi_s22>
NNTP-Posting-Host: 12.219.245.122
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1197611282 12.219.245.122 (Fri, 14 Dec 2007 05:48:02 GMT)
NNTP-Posting-Date: Fri, 14 Dec 2007 05:48:02 GMT
Organization: AT&T ASP.att.net
Date: Fri, 14 Dec 2007 05:48:02 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13562

pinkpink@telkom.net wrote:
> Dear all,
> I need help where to find/buy SSB IF Crystal filter 8 poles or more ?
> Pink Pink
> East Java - Indonesia

KVG is the one I remember right now. They are at the following address:
KVG
2240 Woolbright Rd, Ste 320-A
Boynton Beach, FL 33426-6325
407-734-9007
fax 407-734-9008

I don't think they have a web site.

73, Erich

From 693584635623739869
X-Google-Thread: fb049,bc699c373e2627e5
X-Google-Thread: fcc6e,a9f86fe8cdd0e2ca,start
X-Google-Thread: 108122,a9f86fe8cdd0e2ca,start
X-Google-Attributes: gidfb049,gidfcc6e,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!feeder.news-service.com!news.motzarella.org!motzarella.org!not-for-mail
From: "KC8QJP" <kc8qjp@lycos.net>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.equipment

```
Subject: Re: Interesting
Date: Fri, 14 Dec 2007 10:04:09 -0500
Organization: crisco in the can
Lines: 114
Message-ID: <fju61f$7h0$1@registered.motzarella.org>
References: <475ddaa7$0$9833$4c368faf@roadrunner.com>
X-Trace: feeder.motzarella.org U2FsdGVkX19bk/
W2qDwgIp8ndmxSA5he+xUtyhIWh7ZY6fbnEr1BvPl5wDs8GqJ25ESKDaMMUBTtHdySGo2hcGwv2hkkbAuD
tq1XlGsjp5sLTbX0aJk1+oekPNbb8FZpmLfVqkO0QlQK8wbbQttB2Q==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Fri, 14 Dec 2007 15:04:15 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Auth-Sender: U2FsdGVkX1/SL6UohwHHEai48wyE+QMPFj0yakR9DwQXB+uOhmr6Cg==
Cancel-Lock: sha1:mGKDInlW9/o4QMkFhSac4PakSiE=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:6212
rec.radio.amateur.antenna:51395 rec.radio.amateur.equipment:13563

As long as we are off topic.....need your taxes done?


"Pat" <wb2dbh@arrl.net> wrote in message
news:475ddaa7$0$9833$4c368faf@roadrunner.com...
> Customer: Yes, I want to cancel my account. I don't want to do business
> with you any longer.
>
> The Bank: Why?
>
> Customer: You're giving credit to illegal immigrants and I don't think
> it's right. I'm taking my business elsewhere.
>
> The Bank: Well, Mr. Customer, we don't want to see you do that, but we
> can't stop you. I'll help you close the account. What is your account
> number?
>
> Customer:
> (gives account number)
>
> The Bank: For security purposes and for your protection, can you please
> give me the last four digits of your social security number?
>
> Customer: No
>
> The Bank: Mr. Customer, I need to verify your information, but in order to
> help you, I'll need verification of who you are.
>
> Customer: Why should I give you my social security number? The reason I'm
> closing my account is that your bank is issuing credit cards to illegal
> immigrants who don't have social security numbers. You are targ eting that
> audience and want their business. Let's say I'm an illegal immigrant and
```

> you've given me a credit card. I have a question about it and call for
> assistance. You wouldn't be asking me for a Social Security number, would
> you?
>
> The Bank: No sir, I wouldn't
>
>
> Customer: Why not?
>
> The Bank: Because you would have pressed '2' to speak in Spanish. We don't
> ask for that information when calling in on the Spanish line.
> PLEASE READ ON:
>
>
> I provided 'snopes' for doubters:
> http://www.snopes.com/politics/immigration/bankofamerica.asp
>
>
> Now . I hope the following 14 reasons are forwarded over and over again
> until they are read so many times that the reader gets sick of reading
> them. I have included the URL's for verification of the following facts.
>
> 1. $11 Billion to $22 billion is spent on welfare to illegal aliens each
> year. http://tinyurl.com/zob77
>
> 2. $2.2 Billion dollars a year is spent on food assistance programs such
> as food stamps, WIC, and free school lunches for illegal aliens.
> http://www.cis.org/articles/2004/fiscalexec.html
>
> 3. $2.5 Billion dollars a year is spent on Medicaid for illegal aliens.
> http://www.cis.org/articles/2004/fiscalexec.html
>
> 4. $12 Billion dollars a year is spent on primary and secondary school
> education for children here illegally and they cannot speak a word of
> English! http://transcripts.cnn.com/TRANSCRIPTS/0604/01/ldt.0.html
>
> 5. $17 Billion dollars a year is spent for education for the American-born
> children of illegal aliens, known as anchor babies.
> http://transcripts.cnn.com/TRANSCRIPTS/0604/01/ldt.01.html
>
> 6. $3 Million Dollars a DAY is spent to incarcerate illegal aliens
> http://transcripts.cnn .com/TRANSCRIPTS/0604/01/ldt.01.html
>
>
> 7. 30% percent of all Federal Prison inmates are illegal aliens.
> http://transcripts.cnn.com/TRANSCRIPTS/0604/01/ldt.01.html
>
> 8. $90 Billion Dollars a year is spent on illegal aliens for Welfare &
> social services by the American taxpayers.
> http://premium.cnn.com/TRANSCIPTS/0610/29/ldt.01.html
>
> 9. $200 Billion Dollars a year in suppressed American wages are caused by
> the illegal aliens.

```
> http://transcripts.cnn.com/TRANSCRIPTS/0604/01/ldt.01.html
>
> 10. The illegal aliens in the United States have a crime rate that's two
> and a half times that of white non-illegal aliens. In particular, their
> children, are going to make a huge additional crime problem in the US
> http://transcripts.cnn.com/TRANSCRIPTS/0606/12/ldt.01.html
>
> 11. During the year of 2005 there were 4 to 10 MILLION illegal aliens that
> crossed our Southern Border also, as many as 19,500 illegal aliens from
> Terrorist Countries. Millions of pounds of drugs, cocaine, meth, heroine
> and marijuana, crossed into the U. S from the Southern border. Homeland
> Security Report: http://tinyurl.com/t9sht
>
> 12. The National Policy Institute, 'estimated that the total cost of mass
> deportation would be between $206 and $230 billion or an average cost of
> between $41 and $46 billion annually over a five year period.'
> http://www.nationalpolicyinstitute.org/pdf/deportation.pdf
>
> 13. In 2006 illegal aliens sent home $45 BILLION in remittances back to
> their countries of origin. http://www.rense.com/general75/niht.htm
>
> 14. 'The Dark Side of Illegal Immigration: Nearly One Million Sex Crimes
> Committed by Illegal Immigrants In The United States '.
> http://www.drdsk.com/articleshtml
>
> The total cost is a whopping $ 338.3 BILLION DOLLARS A YEAR!
>




From -7229543583911151973
X-Google-Thread: 108122,300182aa8c00aa26
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Dec 2007 10:00:48 -0600
From: "Edward Feustel" <efeustel@hughes.net>
Newsgroups: rec.radio.amateur.equipment
References: <5f0ee7bb-6d7e-428c-8dc9-d4c6ddc3b366@e25g2000prg.googlegroups.com>
Subject: Re: SSB IF Filter
Date: Fri, 14 Dec 2007 06:32:20 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <pOGdne5QGLwsNf_anZ2dnUVZ_gednZ2d@giganews.com>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
```

uuBYHuq94ATVOVa9rVaWEStHbztFTQUMi1TKANG6LvO9jWUI7YMuv01QX4sgdcEPjukh633Dc62ftMP!
GrFV8MopUIrIFF+HSSHMffC6R6ee/NCDVw+pf7h+AYUX+TqGW3W4QuUyqKh1br2sDQydG5LtUA==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13564

<pinkpink@telkom.net> wrote in message
news:5f0ee7bb-6d7e-428c-8dc9-d4c6ddc3b366@e25g2000prg.googlegroups.com...
> Dear all,
> I need help where to find/buy SSB IF Crystal filter 8 poles or more ?
> Pink Pink
> East Java - Indonesia

What frequency do you want the filter at?
Ten Tec,
Icom,
Yaesu,
and
Kenwood
all use different intermediate frequencies.
INRAD supplies a variety.
Are you looking for one at high frequencies or low?
Are you building your own system?

Ed, N5EI

From -6373281395658569578
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns11feed!worldnet.att.net!
64.192.187.27!news.glorb.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Thu, 13 Dec 2007 12:36:21 -0500
Message-ID: <v7c1m35iffn4jks6i5gprbficivu9dkiub@4ax.com>
References: <fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>

```
<n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
<02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>
<8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
<gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
<cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
<nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
<enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
<lu30m39gh6vj1rd12685nr5f2jdf5q6qob@4ax.com>
<dlk0m39o2vciub7k5k6jjq8cpums39jn96@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 252
NNTP-Posting-Date: 13 Dec 2007 16:47:48 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 249
Xref: g2news1.google.com rec.radio.amateur.policy:102528
rec.radio.amateur.antenna:51403 rec.radio.amateur.misc:40706
rec.radio.amateur.equipment:13565

On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
```

bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ

>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>

```
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
```

```
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From 7452792890508667835
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Thu, 13 Dec 2007 12:36:21 -0500
Message-ID: <t7c1m3lkb0iv4cudtktfs8e31q68i92rnm@4ax.com>
```

```
References: <5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
<3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
<7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
<jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
<9nrul3hovcfcfmq2q8j22rqpenumc8hpbf@4ax.com>
<ju30m390mt1jdvvp8ecj43udhkscpbdq9q@4ax.com>
<alk0m35f7dvhpjqg6ohi94c6g3pjshue2l@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 283
NNTP-Posting-Date: 13 Dec 2007 16:47:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102536
rec.radio.amateur.antenna:51404 rec.radio.amateur.misc:40715
rec.radio.amateur.equipment:13566

On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
```

>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his
reasoning
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as
a good
>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>adams

>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head

```
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
```

>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>

```
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G
```

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 2394312102021896
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!newsfeeds.sol.net!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an chance to explain himself he choose instead to make more false accastion anmaginst me and my family so i made the report
Date: Thu, 13 Dec 2007 12:36:19 -0500
Message-ID: <93c1m358s9ff8pk9bq7299sdsothnok2bp@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<fjqald$ppi$1@registered.motzarella.org>
<7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 60
NNTP-Posting-Date: 13 Dec 2007 16:46:12 GMT

```
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102543
rec.radio.amateur.antenna:51405 rec.radio.amateur.misc:40722
rec.radio.amateur.equipment:13567

On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>><kb9rqz@hotmail.com> wrote in message
>>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>> <DloydLavies@gmail.com> wrote:
>>>
>>>>
>>>
>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>> congress"
>>> adams
>>>
>>> woger you are a Congress all in your own head
>>>
>>> http://kb9rqz.bravejournal.com/
>>> altopia is never used by KB9RQZ
>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>> google and noow motezrella
>>>
>>> posts from these sorucees are fakes
>>>
>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>> G
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
```

adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -1821566733019718894
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns11feed!worldnet.att.net!64.192.187.27!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now? dlod why are trying to escalate thing even further
Date: Thu, 13 Dec 2007 19:49:18 -0500
Message-ID: <bok3m3ptuqnartlk60g9higjdndgndgtav@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com> <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com> <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com> <2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com> <8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com> <fiiian$2pf$1@registered.motzarella.org> <fjsjp0$c8v$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
NNTP-Posting-Date: 13 Dec 2007 23:59:12 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 30

```
Xref: g2news1.google.com rec.radio.amateur.policy:102581
rec.radio.amateur.antenna:51406 rec.radio.amateur.misc:40764
rec.radio.amateur.equipment:13568

On Thu, 13 Dec 2007 19:46:20 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"konstans" <konstans@hotmail.com> wrote in message
>news:fiiian$2pf$1@registered.motzarella.org...
>>
>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>> news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
>>> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>
>>
>>
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From -6444059972764484 28
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
```

Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Thu, 13 Dec 2007 12:36:23 -0500
Message-ID: <arq2m3d5sd5pa1u6opb5en4gk5vialkhk3@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
NNTP-Posting-Date: 13 Dec 2007 16:50:59 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102597
rec.radio.amateur.antenna:51407 rec.radio.amateur.misc:40781
rec.radio.amateur.equipment:13570

On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 16:31:59 -0500, "kb9rqz" <kb9rqueer@hotmail.com>
>wrote:
>
>>
>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and

```
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From 5695969471045904100
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felones all
the time
Date: Thu, 13 Dec 2007 12:36:22 -0500
Message-ID: <c6d1m31ff36ucanijjfnffpt17n2vclako@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 42
NNTP-Posting-Date: 13 Dec 2007 16:49:41 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102596 alt.ham-radio.vhf-
uhf:6213 rec.radio.amateur.misc:40780 rec.radio.shortwave:129549
rec.radio.amateur.equipment:13569

On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
><kb9rqueer@hotmail.com> wrote:
>
>>you too can be part of the work of the kosher ham
>>  male you article to this adess and perhap you seeyou name for all time (or
>>at least as long as as blogger last
```

```
>>
>> http://ipunce.blogspot.com/
>>
>> do U hav anyting cognet two say?
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -5175061815208133303
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
```

Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Thu, 13 Dec 2007 12:36:23 -0500
Message-ID: <3rq2m3di845isqrhovuo4023g21s2bb88d@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<fjpkgj$1sb$1@registered.motzarella.org>
<2fo0m3tv9p7v4ekevao2143f4jntsup0sj@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
NNTP-Posting-Date: 13 Dec 2007 16:50:51 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102598
rec.radio.amateur.antenna:51408 rec.radio.amateur.misc:40782
rec.radio.amateur.equipment:13571
X-Original-Lines: 41

On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 16:40:28 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"kb9rqz" <kb9rqueer@hotmail.com> wrote in message
>>news:4760478c$0$26083$88260bb3@free.teranews.com...
>>>
>>>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 5890359268160335377
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an chance to explain himself he choose instead to make more false accastion anmaginst me and my family so i made the report
Date: Fri, 14 Dec 2007 13:14:57 -0500
Message-ID: <cgh5m3pr6q1ujf15qqh1atn805lhr09aco@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com> <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com> <kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com> <fjqald$ppi$1@registered.motzarella.org> <7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com> <93c1m358s9ff8pk9bq7299sdsothnok2bp@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 77
NNTP-Posting-Date: 14 Dec 2007 17:26:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102627 rec.radio.amateur.antenna:51416 rec.radio.amateur.misc:40811 rec.radio.amateur.equipment:13572

```
On Thu, 13 Dec 2007 12:36:19 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>><kb9rqz@hotmail.com> wrote in message
>>>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>>>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>>> <DloydLavies@gmail.com> wrote:
>>>>
>>>>>
>>>>
>>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>>> congress"
>>>> adams
>>>>
>>>> woger you are a Congress all in your own head
>>>>
>>>> http://kb9rqz.bravejournal.com/
>>>> altopia is never used by KB9RQZ
>>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>> google and noow motezrella
>>>>
>>>> posts from these sorucees are fakes
>>>>
>>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>> G
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
```

>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -8169676005970607419
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now? dlod why are trying to escalate thing even further
Date: Fri, 14 Dec 2007 13:14:57 -0500
Message-ID: <ehh5m3dq9utdkihrflg19s505aedomkbd3@4ax.com>

```
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
<fiiian$2pf$1@registered.motzarella.org> <fjsjp0$c8v$1@registered.motzarella.org>
<bok3m3ptuqnartlk60g9higjdndgndgtav@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 50
NNTP-Posting-Date: 14 Dec 2007 17:27:14 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 47
Xref: g2news1.google.com rec.radio.amateur.policy:102640
rec.radio.amateur.antenna:51417 rec.radio.amateur.misc:40824
rec.radio.amateur.equipment:13573

On Thu, 13 Dec 2007 19:49:18 -0500, kb9rqz@hotmail.com wrote:

>On Thu, 13 Dec 2007 19:46:20 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"konstans" <konstans@hotmail.com> wrote in message
>>news:fiiian$2pf$1@registered.motzarella.org...
>>>
>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>> news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
>>>> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>
>>>
>>>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G
```

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 2445426611760981746
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Fri, 14 Dec 2007 13:14:58 -0500
Message-ID: <tih5m3dqufoejvik6rci9kkrbmq6h6d8pg@4ax.com>
References: <6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
<3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
<7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
<jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
<9nrul3hovcfcfmq2q8j22rqpenumc8hpbf@4ax.com>
<ju30m390mt1jdvvp8ecj43udhkscpbdq9q@4ax.com>
<alk0m35f7dvhpjqg6ohi94c6g3pjshue2l@4ax.com>
<t7c1m3lkb0iv4cudtktfs8e31q68i92rnm@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 300

```
NNTP-Posting-Date: 14 Dec 2007 17:28:07 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102641
rec.radio.amateur.antenna:51418 rec.radio.amateur.misc:40825
rec.radio.amateur.equipment:13574

On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com>
wrote:
>>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow
```

as a good
>>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>

```
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
```

>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>

>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>

>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -758568138464928320
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Fri, 14 Dec 2007 13:14:58 -0500
Message-ID: <0jh5m3tb999brqd46fpgenf8eglc59k0a4@4ax.com>
References: <n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
<02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>
<8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
<gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
<cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
<nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
<enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
<lu30m39gh6vj1rd12685nr5f2jdf5q6qob@4ax.com>
<dlk0m39o2vciub7k5k6jjq8cpums39jn96@4ax.com>

```
<v7c1m35iffn4jks6i5gprbficivu9dkiub@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 266
NNTP-Posting-Date: 14 Dec 2007 17:28:09 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102659
rec.radio.amateur.antenna:51419 rec.radio.amateur.misc:40845
rec.radio.amateur.equipment:13575

On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as
```

a good
>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>

>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>

>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams

>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ

```
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -7912460129836659266
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
```

```
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felones all
the time
Date: Fri, 14 Dec 2007 13:14:59 -0500
Message-ID: <onh5m31am5ovpkf3l9l4ls5copom6ctbgc@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
<c6d1m31ff36ucanijjfnffpt17n2vclako@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 59
NNTP-Posting-Date: 14 Dec 2007 17:30:29 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102690 alt.ham-radio.vhf-
uhf:6215 rec.radio.amateur.misc:40880 rec.radio.shortwave:129552
rec.radio.amateur.equipment:13576

On Thu, 13 Dec 2007 12:36:22 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>
>>On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
>><kb9rqueer@hotmail.com> wrote:
>>
>>>you too can be part of the work of the kosher ham
>>>  male you article to this adess and perhap you seeyou name for all time (or
>>>at least as long as as blogger last
>>>
>>> http://ipunce.blogspot.com/
>>>
>>> do U hav anyting cognet two say?
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
```

```
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From 5371426558209009068
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
```

```
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felonies
everyfday
Date: Fri, 14 Dec 2007 13:15:00 -0500
Message-ID: <1ph5m3ltt7dhlg80jp2l26gg369c7d45tc@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com>
<arq2m3d5sd5pa1u6opb5en4gk5vialkhk3@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 57
NNTP-Posting-Date: 14 Dec 2007 17:31:13 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 54
Xref: g2news1.google.com rec.radio.amateur.policy:102699
rec.radio.amateur.antenna:51420 rec.radio.amateur.misc:40889
rec.radio.amateur.equipment:13577

On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 16:31:59 -0500, "kb9rqz" <kb9rqueer@hotmail.com>
>>wrote:
>>
>>>
>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
```

>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -3054819808539599685
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Fri, 14 Dec 2007 13:15:00 -0500
Message-ID: <loh5m3pn5fl1t6sdem4eq9da11saragk6b@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com> <fjpkgj$1sb$1@registered.motzarella.org>

```
<2fo0m3tv9p7v4ekevao2143f4jntsup0sj@4ax.com>
<3rq2m3di845isqrhovuo4023g21s2bb88d@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 58
NNTP-Posting-Date: 14 Dec 2007 17:31:02 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102705
rec.radio.amateur.antenna:51421 rec.radio.amateur.misc:40895
rec.radio.amateur.equipment:13578

On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 16:40:28 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>>"kb9rqz" <kb9rqueer@hotmail.com> wrote in message
>>>news:4760478c$0$26083$88260bb3@free.teranews.com...
>>>>
>>>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
```

>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -8820550076966851316
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.tiscali.fr!club-internet.fr!feedme-small.clubint.net!news.astraweb.com!
border2.a.newsrouter.astraweb.com!hwmnpeer01.ams!news.highwinds-media.com!
feeder1.cambrium.nl!feed.tweaknews.nl!news2.euro.net!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an
chance to explain himself he choose instead to make more false accastion anmaginst
me and my family so i made the report
Date: Fri, 14 Dec 2007 22:59:41 -0500
Message-ID: <sui5m3lr9u8r1jbc674ch73cgrj4iogo60@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<fjqald$ppi$1@registered.motzarella.org>
<7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com>

```
<93c1m358s9ff8pk9bq7299sdsothnok2bp@4ax.com>
<cgh5m3pr6q1ujf15qqh1atn805lhr09aco@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 94
NNTP-Posting-Date: 15 Dec 2007 03:09:39 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102778
rec.radio.amateur.antenna:51452 rec.radio.amateur.misc:40941
rec.radio.amateur.equipment:13579

On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:

>On Thu, 13 Dec 2007 12:36:19 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>><kb9rqz@hotmail.com> wrote in message
>>>>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>>>>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>>>> <DloydLavies@gmail.com> wrote:
>>>>>
>>>>>>
>>>>>
>>>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>>>> congress"
>>>>> adams
>>>>>
>>>>> woger you are a Congress all in your own head
>>>>>
>>>>> http://kb9rqz.bravejournal.com/
>>>>> altopia is never used by KB9RQZ
>>>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>> google and noow motezrella
>>>>>
>>>>> posts from these sorucees are fakes
>>>>>
>>>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>> G
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
```

>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 7819970720083516320
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
dlod  why are trying to escalate thing even further
Date: Fri, 14 Dec 2007 22:59:42 -0500
Message-ID: <rvi5m3dtqqktuvp2amcr0rj779at95u23l@4ax.com>
References: <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
<fiiian$2pf$1@registered.motzarella.org> <fjsjp0$c8v$1@registered.motzarella.org>
<bok3m3ptuqnartlk60g9higjdndgndgtav@4ax.com>
<ehh5m3dq9utdkihrflg19s505aedomkbd3@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 64
NNTP-Posting-Date: 15 Dec 2007 03:10:14 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102785
rec.radio.amateur.antenna:51453 rec.radio.amateur.misc:40950
rec.radio.amateur.equipment:13580

On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:

>On Thu, 13 Dec 2007 19:49:18 -0500, kb9rqz@hotmail.com wrote:
>
>>On Thu, 13 Dec 2007 19:46:20 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
```

```
>>>
>>>"konstans" <konstans@hotmail.com> wrote in message
>>>news:fiiian$2pf$1@registered.motzarella.org...
>>>>
>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>> news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
>>>>> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>
>>>>
>>>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
```

noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 8515837358781287243
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Fri, 14 Dec 2007 22:59:43 -0500
Message-ID: <b1j5m35ulc20icjhlu91t252keupttm94a@4ax.com>
References: <02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>
<8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
<gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
<cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
<nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
<enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
<lu30m39gh6vj1rd12685nr5f2jdf5q6qob@4ax.com>
<dlk0m39o2vciub7k5k6jjq8cpums39jn96@4ax.com>
<v7c1m35iffn4jks6i5gprbficivu9dkiub@4ax.com>
<0jh5m3tb999brqd46fpgenf8eglc59k0a4@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 283
NNTP-Posting-Date: 15 Dec 2007 03:11:06 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102790
rec.radio.amateur.antenna:51454 rec.radio.amateur.misc:40955
rec.radio.amateur.equipment:13581
```

```
On Fri, 14 Dec 2007 13:14:58 -0500, kb9rqz@hotmail.com wrote:

>On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as
a good
>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
```

```
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
```

>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but

google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>

>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G

>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -1148116460588484011
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Fri, 14 Dec 2007 22:59:43 -0500
Message-ID: <91j5m3h93hbd3d40fhtso08npsquk9rdvo@4ax.com>
References: <ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
<3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
<7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
<jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
<9nrul3hovcfcfmq2q8j22rqpenumc8hpbf@4ax.com>
<ju30m390mt1jdvvp8ecj43udhkscpbdq9q@4ax.com>
<alk0m35f7dvhpjqg6ohi94c6g3pjshue2l@4ax.com>
<t7c1m3lkb0iv4cudtktfs8e31q68i92rnm@4ax.com>
<tih5m3dqufoejvik6rci9kkrbmq6h6d8pg@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 317
NNTP-Posting-Date: 15 Dec 2007 03:11:04 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102791
rec.radio.amateur.antenna:51455 rec.radio.amateur.misc:40956
rec.radio.amateur.equipment:13582

On Fri, 14 Dec 2007 13:14:58 -0500, kb9rqz@hotmail.com wrote:

>On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
```

```
>>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com>
wrote:
>>>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow
as a good
>>>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become
a congress"
>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from
anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G

>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a

congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams

```
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
```

>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes

>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 6075311046331183292
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!news2.euro.net!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felones all
the time
Date: Fri, 14 Dec 2007 22:59:45 -0500
Message-ID: <95j5m3takmi5umg6ahg6tsjbk9bg55elm4@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
<c6d1m31ff36ucanijjfnffpt17n2vclako@4ax.com>
<onh5m31am5ovpkf3l9l4ls5copom6ctbgc@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

```
Content-Transfer-Encoding: 7bit
Lines: 76
NNTP-Posting-Date: 15 Dec 2007 03:13:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102839 alt.ham-radio.vhf-
uhf:6217 rec.radio.amateur.misc:41008 rec.radio.shortwave:129572
rec.radio.amateur.equipment:13583

On Fri, 14 Dec 2007 13:14:59 -0500, kb9rqz@hotmail.com wrote:

>On Thu, 13 Dec 2007 12:36:22 -0500, kb9rqz@hotmail.com wrote:
>
>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
>>><kb9rqueer@hotmail.com> wrote:
>>>
>>>>you too can be part of the work of the kosher ham
>>>>  male you article to this adess and perhap you seeyou name for all time (or
>>>>at least as long as as blogger last
>>>>
>>>> http://ipunce.blogspot.com/
>>>>
>>>> do U hav anyting cognet two say?
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
```

>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -2109569269869619537
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder5.cambrium.nl!feeder1.cambrium.nl!feed.tweaknews.nl!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:

rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Fri, 14 Dec 2007 22:59:45 -0500
Message-ID: <f5j5m3l31ts425cc81a1nv4knuqvo96dmc@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<fjpkgj$1sb$1@registered.motzarella.org>
<2fo0m3tv9p7v4ekevao2143f4jntsup0sj@4ax.com>
<3rq2m3di845isqrhovuo4023g21s2bb88d@4ax.com>
<loh5m3pn5fl1t6sdem4eq9da11saragk6b@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 75
NNTP-Posting-Date: 15 Dec 2007 03:13:35 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102861
rec.radio.amateur.antenna:51457 rec.radio.amateur.misc:41030
rec.radio.amateur.equipment:13585

On Fri, 14 Dec 2007 13:15:00 -0500, kb9rqz@hotmail.com wrote:

>On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 16:40:28 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"kb9rqz" <kb9rqueer@hotmail.com> wrote in message
>>>>news:4760478c$0$26083$88260bb3@free.teranews.com...
>>>>>
>>>>>
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>

>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -3929752256901180424
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!newsfeed.arcor.de!newsfeed.freenet.de!multikabel.net!
feed20.multikabel.net!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felonies
everyfday
Date: Fri, 14 Dec 2007 22:59:45 -0500
Message-ID: <o5j5m3pqkkittj1c55d5baog8u0666lrso@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com>
<arq2m3d5sd5pa1u6opb5en4gk5vialkhk3@4ax.com>
<1ph5m3ltt7dhlg80jp2l26gg369c7d45tc@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 71
NNTP-Posting-Date: 15 Dec 2007 03:13:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102854
rec.radio.amateur.antenna:51456 rec.radio.amateur.misc:41023
rec.radio.amateur.equipment:13584

On Fri, 14 Dec 2007 13:15:00 -0500, kb9rqz@hotmail.com wrote:

>On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 16:31:59 -0500, "kb9rqz" <kb9rqueer@hotmail.com>
>>>wrote:
>>>
>>>>
>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
```

>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 2506654633991967430
X-Google-Thread: 108122,e1ffcf9b860f6d23,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!4837022d!not-for-mail
From: "West" <nospam@gte.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TS-830S + Accessories
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <T4M8j.180$JW4.148@trnddc05>
Date: Sat, 15 Dec 2007 08:17:55 GMT
NNTP-Posting-Host: 71.98.169.242
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1197706675 71.98.169.242 (Sat, 15 Dec 2007 03:17:55 EST)
NNTP-Posting-Date: Sat, 15 Dec 2007 03:17:55 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:13586
X-Original-Bytes: 1281

FS: Absolutely beautiful cosmetic and functional condition Kenwood TS-830S.
Late s/n from non-smoking home, well cared for. More than full output with
recently replaced final tubes. System cleaned and calibrated to
manufacturer's specs.

Comes with Matching Antenna Tuner, matching External Speaker with 3 filters
and 2 inputs and Kenwood MC-50 matching Desk Mic, with owner's and service
manuals. Pixs provided for only serious buyers.

References provided upon request.

Good Luck,
west
AF4GC

```
From 4256962633513640614
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an
chance to explain himself he choose instead to make more false accastion anmaginst
me and my family so i made the report
Date: Sat, 15 Dec 2007 11:07:48 -0500
Message-ID: <2nk6m3tfedrcf5tppebflh0ocbfrog416r@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<fjqald$ppi$1@registered.motzarella.org>
<7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com>
<93c1m358s9ff8pk9bq7299sdsothnok2bp@4ax.com>
<cgh5m3pr6q1ujf15qqh1atn805lhr09aco@4ax.com>
<sui5m3lr9u8r1jbc674ch73cgrj4iogo60@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 114
NNTP-Posting-Date: 15 Dec 2007 15:17:51 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 111
Xref: g2news1.google.com rec.radio.amateur.policy:102914
rec.radio.amateur.antenna:51487 rec.radio.amateur.misc:41073
rec.radio.amateur.equipment:13587

On Fri, 14 Dec 2007 22:59:41 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>
>>On Thu, 13 Dec 2007 12:36:19 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>><kb9rqz@hotmail.com> wrote in message
```

>>>>>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>>>>>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>>>>> <DloydLavies@gmail.com> wrote:
>>>>>>
>>>>>>>
>>>>>>
>>>>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>>>>> congress"
>>>>>> adams
>>>>>>
>>>>>> woger you are a Congress all in your own head
>>>>>>
>>>>>> http://kb9rqz.bravejournal.com/
>>>>>> altopia is never used by KB9RQZ
>>>>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>>> google and noow motezrella
>>>>>>
>>>>>> posts from these sorucees are fakes
>>>>>>
>>>>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>> G
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well

>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 6190475578461093251
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
dlod  why are trying to escalate thing even further
Date: Sat, 15 Dec 2007 11:07:48 -0500
Message-ID: <vnk6m3pl4gel2raaicvfgh7n49vtu3qcp3@4ax.com>
References: <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
<fiiian$2pf$1@registered.motzarella.org> <fjsjp0$c8v$1@registered.motzarella.org>
<bok3m3ptuqnartlk60g9higjdndgndgtav@4ax.com>
<ehh5m3dq9utdkihrflg19s505aedomkbd3@4ax.com>
<rvi5m3dtqqktuvp2amcr0rj779at95u23l@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 84
NNTP-Posting-Date: 15 Dec 2007 15:18:28 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 81
Xref: g2news1.google.com rec.radio.amateur.policy:102917
rec.radio.amateur.antenna:51488 rec.radio.amateur.misc:41076
rec.radio.amateur.equipment:13588

On Fri, 14 Dec 2007 22:59:42 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>
>>On Thu, 13 Dec 2007 19:49:18 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Thu, 13 Dec 2007 19:46:20 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>news:fiiian$2pf$1@registered.motzarella.org...
>>>>>
```

>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>> news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
>>>>>> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>
>>>>>
>>>>>
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>

>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 160876256319741166
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 15 Dec 2007 11:07:49 -0500
Message-ID: <3pk6m3l88rq8b8o466kjs2ufn28g7uomop@4ax.com>
References: <8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
<gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
<cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
<nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
<enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
<lu30m39gh6vj1rd12685nr5f2jdf5q6qob@4ax.com>
<dlk0m39o2vciub7k5k6jjq8cpums39jn96@4ax.com>
<v7c1m35iffn4jks6i5gprbficivu9dkiub@4ax.com>
<0jh5m3tb999brqd46fpgenf8eglc59k0a4@4ax.com>
<b1j5m35ulc20icjhlu91t252keupttm94a@4ax.com>

```
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 303
NNTP-Posting-Date: 15 Dec 2007 15:19:06 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 300
Xref: g2news1.google.com rec.radio.amateur.policy:102928
rec.radio.amateur.antenna:51489 rec.radio.amateur.misc:41088
rec.radio.amateur.equipment:13589

On Fri, 14 Dec 2007 22:59:43 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 13:14:58 -0500, kb9rqz@hotmail.com wrote:
>
>>On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com>
```

wrote:
>>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere

but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>

>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>

>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G

>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head

>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 4422041991197770886
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 15 Dec 2007 11:07:50 -0500
Message-ID: <8sk6m31ri6g00arnffbqlok4vnjt9qd2hi@4ax.com>
References: <rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
<3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
<7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>

```
<jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
<9nrul3hovcfcfmq2q8j22rqpenumc8hpbf@4ax.com>
<ju30m390mt1jdvvp8ecj43udhkscpbdq9q@4ax.com>
<alk0m35f7dvhpjqg6ohi94c6g3pjshue2l@4ax.com>
<t7c1m3lkb0iv4cudtktfs8e31q68i92rnm@4ax.com>
<tih5m3dqufoejvik6rci9kkrbmq6h6d8pg@4ax.com>
<91j5m3h93hbd3d40fhtso08npsquk9rdvo@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 334
NNTP-Posting-Date: 15 Dec 2007 15:21:08 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102964
rec.radio.amateur.antenna:51490 rec.radio.amateur.misc:41128
rec.radio.amateur.equipment:13590

On Fri, 14 Dec 2007 22:59:43 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 13:14:58 -0500, kb9rqz@hotmail.com wrote:
>
>>On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
```

```
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com>
wrote:
>>>>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow
as a good
>>>>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more
become a congress"
>>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from
anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become
a congress"
>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from
anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>G
```

>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a

congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams

>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head

>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well

>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -1446570457277936O4
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Sat, 15 Dec 2007 11:07:51 -0500
Message-ID: <ntk6m35vef5dosdatst9qtum3uej8sqg7v@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<fjpkgj$1sb$1@registered.motzarella.org>
<2fo0m3tv9p7v4ekevao2143f4jntsup0sj@4ax.com>
<3rq2m3di845isqrhovuo4023g21s2bb88d@4ax.com>
<loh5m3pn5fl1t6sdem4eq9da11saragk6b@4ax.com>
<f5j5m3l31ts425cc81a1nv4knuqvo96dmc@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

```
Content-Transfer-Encoding: 7bit
Lines: 92
NNTP-Posting-Date: 15 Dec 2007 15:22:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102984
rec.radio.amateur.antenna:51491 rec.radio.amateur.misc:41148
rec.radio.amateur.equipment:13591

On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 13:15:00 -0500, kb9rqz@hotmail.com wrote:
>
>>On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 16:40:28 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"kb9rqz" <kb9rqueer@hotmail.com> wrote in message
>>>>>news:4760478c$0$26083$88260bb3@free.teranews.com...
>>>>>>
>>>>>>
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
```

>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

```
--
Posted via a free Usenet account from http://www.teranews.com




From 1441673253776668632
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!news1.google.com!
news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!
not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felones all
the time
Date: Sat, 15 Dec 2007 11:07:51 -0500
Message-ID: <etk6m3931luagvd8qjnlq38eimhvvtqcqk@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
<c6d1m31ff36ucanijjfnffpt17n2vclako@4ax.com>
<onh5m31am5ovpkf3l9l4ls5copom6ctbgc@4ax.com>
<95j5m3takmi5umg6ahg6tsjbk9bg55elm4@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 93
NNTP-Posting-Date: 15 Dec 2007 15:21:58 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102986 alt.ham-radio.vhf-
uhf:6220 rec.radio.amateur.misc:41150 rec.radio.shortwave:129597
rec.radio.amateur.equipment:13592

On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 13:14:59 -0500, kb9rqz@hotmail.com wrote:
>
>>On Thu, 13 Dec 2007 12:36:22 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
>>>><kb9rqueer@hotmail.com> wrote:
>>>>
>>>>>you too can be part of the work of the kosher ham
```

```
>>>>>  male you article to this adess and perhap you seeyou name for all time (or
>>>>>at least as long as as blogger last
>>>>>
>>>>> http://ipunce.blogspot.com/
>>>>>
>>>>> do U hav anyting cognet two say?
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
```

>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 7617642203898195148
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
```

```
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felonies
everyfday
Date: Sat, 15 Dec 2007 11:07:52 -0500
Message-ID: <3uk6m39urjqr4f098k73m528qlpd3hrq6q@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com>
<arq2m3d5sd5pa1u6opb5en4gk5vialkhk3@4ax.com>
<1ph5m3ltt7dhlg80jp2l26gg369c7d45tc@4ax.com>
<o5j5m3pqkkittj1c55d5baog8u0666lrso@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 88
NNTP-Posting-Date: 15 Dec 2007 15:22:25 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102995
rec.radio.amateur.antenna:51492 rec.radio.amateur.misc:41159
rec.radio.amateur.equipment:13593

On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 13:15:00 -0500, kb9rqz@hotmail.com wrote:
>
>>On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 16:31:59 -0500, "kb9rqz" <kb9rqueer@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
```

>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 7476204824594378173
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I
     gues...
Date: Sat, 15 Dec 2007 12:57:58 -0600
Organization: WebTV Subscriber
Lines: 6
Message-ID: <14101-476423B6-562@storefull-3251.bay.webtv.net>
References: <mgmql39komb6dk0i7nl23lio37e1elr0tl@4ax.com>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
     ETAtAhQmjp8jLQipoX5ToZfrF7eVLeJ8vgIVALSghqnceiZ6182ZkvnjfxlD+s2z
Content-Disposition: Inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13594
```

WHAT DOES KB9RQZ THINK HE IS DOING ?

CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse caps, short answers, stroke.

```
From -1195754021819565617
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an
chance to explain himself he choose instead to make more false accastion anmaginst
me and my family so i made the report
Date: Sat, 15 Dec 2007 16:06:42 -0500
Message-ID: <vq68m3hh161i759q2uurl93coi6mud4qtk@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<fjqald$ppi$1@registered.motzarella.org>
<7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com>
<93c1m358s9ff8pk9bq7299sdsothnok2bp@4ax.com>
<cgh5m3pr6q1ujf15qqh1atn805lhr09aco@4ax.com>
<sui5m3lr9u8r1jbc674ch73cgrj4iogo60@4ax.com>
<2nk6m3tfedrcf5tppebflh0ocbfrog416r@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 128
NNTP-Posting-Date: 15 Dec 2007 20:16:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103079
rec.radio.amateur.antenna:51509 rec.radio.amateur.misc:41221
rec.radio.amateur.equipment:13595

On Sat, 15 Dec 2007 11:07:48 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 22:59:41 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Thu, 13 Dec 2007 12:36:19 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>><kb9rqz@hotmail.com> wrote in message
>>>>>>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>>>>>>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>>>>>>> <DloydLavies@gmail.com> wrote:
>>>>>>>
>>>>>>>>
>>>>>>>
```

>>>>>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>>>>>> congress"
>>>>>>> adams
>>>>>>>
>>>>>>> woger you are a Congress all in your own head
>>>>>>>
>>>>>>> http://kb9rqz.bravejournal.com/
>>>>>>> altopia is never used by KB9RQZ
>>>>>>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>>>> google and noow motezrella
>>>>>>>
>>>>>>> posts from these sorucees are fakes
>>>>>>>
>>>>>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>> G
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>

>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and

noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -5861735417502768505
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
dlod why are trying to escalate thing even further
Date: Sat, 15 Dec 2007 16:06:42 -0500
Message-ID: <vr68m3ta95uhub6hj0kpvvhmeokae732ja@4ax.com>
References: <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
<fiiian$2pf$1@registered.motzarella.org> <fjsjp0$c8v$1@registered.motzarella.org>
<bok3m3ptuqnartlk60g9higjdndgndgtav@4ax.com>
<ehh5m3dq9utdkihrflg19s505aedomkbd3@4ax.com>
<rvi5m3dtqqktuvp2amcr0rj779at95u23l@4ax.com>
<vnk6m3pl4gel2raaicvfgh7n49vtu3qcp3@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 98
NNTP-Posting-Date: 15 Dec 2007 20:17:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103081
rec.radio.amateur.antenna:51510 rec.radio.amateur.misc:41223
rec.radio.amateur.equipment:13596

On Sat, 15 Dec 2007 11:07:48 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 22:59:42 -0500, kb9rqz@hotmail.com wrote:
>

>>On Fri, 14 Dec 2007 13:14:57 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Thu, 13 Dec 2007 19:49:18 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Thu, 13 Dec 2007 19:46:20 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>news:fiiian$2pf$1@registered.motzarella.org...
>>>>>>
>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>> news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
>>>>>>> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>
>>>>>>
>>>>>>
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 5585725053855438069

X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!newsfeed.freenet.de!multikabel.net!
feed20.multikabel.net!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 15 Dec 2007 16:06:42 -0500
Message-ID: <gt68m396g9ma6k0otse10gkf81p1o3cqf8@4ax.com>
References: <gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
<cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
<nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
<enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
<lu30m39gh6vj1rd12685nr5f2jdf5q6qob@4ax.com>
<dlk0m39o2vciub7k5k6jjq8cpums39jn96@4ax.com>
<v7c1m35iffn4jks6i5gprbficivu9dkiub@4ax.com>
<0jh5m3tb999brqd46fpgenf8eglc59k0a4@4ax.com>
<b1j5m35ulc20icjhlu91t252keupttm94a@4ax.com>
<3pk6m3l88rq8b8o466kjs2ufn28g7uomop@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 317
NNTP-Posting-Date: 15 Dec 2007 20:18:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103098
rec.radio.amateur.antenna:51511 rec.radio.amateur.misc:41240
rec.radio.amateur.equipment:13597

On Sat, 15 Dec 2007 11:07:49 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 22:59:43 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 13:14:58 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>>>>

```
>>>>>>>On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com>
wrote:
>>>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow
as a good
>>>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become
a congress"
>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from
anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

```
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become
a congress"
>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
```

>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a

congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams

```
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
```

>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes

>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 421510928161892430
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 15 Dec 2007 16:06:42 -0500
Message-ID: <dt68m3p45q274l5ch64od3eed1dio5bltl@4ax.com>
References: <3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
<7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
<jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
<9nrul3hovcfcfmq2q8j22rqpenumc8hpbf@4ax.com>
<ju30m390mt1jdvvp8ecj43udhkscpbdq9q@4ax.com>
<alk0m35f7dvhpjqg6ohi94c6g3pjshue2l@4ax.com>
<t7c1m3lkb0iv4cudtktfs8e31q68i92rnm@4ax.com>
<tih5m3dqufoejvik6rci9kkrbmq6h6d8pg@4ax.com>
<91j5m3h93hbd3d40fhtso08npsquk9rdvo@4ax.com>
<8sk6m31ri6g00arnffbqlok4vnjt9qd2hi@4ax.com>

```
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 351
NNTP-Posting-Date: 15 Dec 2007 20:18:18 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103102
rec.radio.amateur.antenna:51512 rec.radio.amateur.misc:41244
rec.radio.amateur.equipment:13598

On Sat, 15 Dec 2007 11:07:50 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 22:59:43 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 13:14:58 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Thu, 13 Dec 2007 12:36:21 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 23:02:19 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans"
<konstans@hotmail.com>
>>>>>>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>>>>>>
```

>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>>

>>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>G
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>

>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ

```
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
```

>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>

```
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
```

>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 2850192666207937213
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes: gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felones all the time

Date: Sat, 15 Dec 2007 16:06:43 -0500
Message-ID: <l278m3d1k0cl3q1gao7poanpllld7q574i@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
<c6d1m31ff36ucanijjfnffpt17n2vclako@4ax.com>
<onh5m31am5ovpkf3l9l4ls5copom6ctbgc@4ax.com>
<95j5m3takmi5umg6ahg6tsjbk9bg55elm4@4ax.com>
<etk6m3931luagvd8qjnlq38eimhvvtqcqk@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 110
NNTP-Posting-Date: 15 Dec 2007 20:20:51 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103148 alt.ham-radio.vhf-uhf:6224 rec.radio.amateur.misc:41291 rec.radio.shortwave:129613 rec.radio.amateur.equipment:13599

On Sat, 15 Dec 2007 11:07:51 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 13:14:59 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Thu, 13 Dec 2007 12:36:22 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
>>>>><kb9rqueer@hotmail.com> wrote:
>>>>>
>>>>>>you too can be part of the work of the kosher ham
>>>>>> male you article to this adess and perhap you seeyou name for all time (or
>>>>>>at least as long as as blogger last
>>>>>>
>>>>>> http://ipunce.blogspot.com/
>>>>>>
>>>>>> do U hav anyting cognet two say?
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well

>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams

```
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From -8296650896868673044
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felonies
everyfday
Date: Sat, 15 Dec 2007 16:06:43 -0500
```

Message-ID: <g378m3lf9q6mbh2o8dck5j72husjanq2d8@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<fjpkgj$1sb$1@registered.motzarella.org>
<2fo0m3tv9p7v4ekevao2143f4jntsup0sj@4ax.com>
<3rq2m3di845isqrhovuo4023g21s2bb88d@4ax.com>
<loh5m3pn5fl1t6sdem4eq9da11saragk6b@4ax.com>
<f5j5m3l31ts425cc81a1nv4knuqvo96dmc@4ax.com>
<ntk6m35vef5dosdatst9qtum3uej8sqg7v@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 109
NNTP-Posting-Date: 15 Dec 2007 20:21:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:103158
rec.radio.amateur.antenna:51513 rec.radio.amateur.misc:41301
rec.radio.amateur.equipment:13600

On Sat, 15 Dec 2007 11:07:51 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 13:15:00 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 16:40:28 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"kb9rqz" <kb9rqueer@hotmail.com> wrote in message
>>>>>>news:4760478c$0$26083$88260bb3@free.teranews.com...
>>>>>>>
>>>>>>>
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>

```
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
```

>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 7917099014469062021
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!syros.belnet.be!news.belnet.be!news-hub.siol.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Sat, 15 Dec 2007 16:06:43 -0500

```
Message-ID: <q378m3l18otospvl5tmthjhu8obumbuaon@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com>
<arq2m3d5sd5pa1u6opb5en4gk5vialkhk3@4ax.com>
<1ph5m3ltt7dhlg80jp2l26gg369c7d45tc@4ax.com>
<o5j5m3pqkkittj1c55d5baog8u0666lrso@4ax.com>
<3uk6m39urjqr4f098k73m528qlpd3hrq6q@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 108
NNTP-Posting-Date: 15 Dec 2007 20:21:36 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 105
Xref: g2news1.google.com rec.radio.amateur.policy:103172
rec.radio.amateur.antenna:51514 rec.radio.amateur.misc:41315
rec.radio.amateur.equipment:13601

On Sat, 15 Dec 2007 11:07:52 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 14 Dec 2007 22:59:45 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 14 Dec 2007 13:15:00 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Thu, 13 Dec 2007 12:36:23 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 12 Dec 2007 23:02:20 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 12 Dec 2007 16:31:59 -0500, "kb9rqz" <kb9rqueer@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
```

>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ

>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -4870444576514934817
X-Google-Thread: 108122,470d53fa162cfea,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!d4g2000prg.googlegroups.com!not-for-mail
From: Mike VE3MKX <mkx@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED - Radio Shack
Date: Sat, 15 Dec 2007 20:01:53 -0800 (PST)
Organization: http://groups.google.com
Lines: 17
Message-ID: <7030c9cc-da61-48ba-9d4b-ad32b631cfc0@d4g2000prg.googlegroups.com>
NNTP-Posting-Host: 69.156.106.134
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197777713 11787 127.0.0.1 (16 Dec 2007 04:01:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Dec 2007 04:01:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d4g2000prg.googlegroups.com; posting-host=69.156.106.134;
     posting-account=m2yR1goAAAAMi4ja5GYDqvs6T1Uo1WU8
```

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13602

Hi , Im looking for the following Radio Shack items...

wanted - Radio Shack novelty radio model 12-465 - itsa red radio
shaped in the word 'Radio Shack"

wanted - Radio Shack garbage can - must be in good condition ;)

wanted - Radio shack weather station

Or, any other Radio Shack paraphernalia wanted

if you have anything that might interest me pls send me an Email

mkxATsympatico.ca

From -3747084786054092712
X-Google-Thread: 1084e2,504019c2a462fe9f,start
X-Google-Thread: 108122,504019c2a462fe9f,start
X-Google-Thread: fe027,504019c2a462fe9f,start
X-Google-Thread: f734f,504019c2a462fe9f,start
X-Google-Thread: fcc51,504019c2a462fe9f,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07111610430976@4ax.com>
Subject: MI5-Persecution: How Could It Be True? (489)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 10:43:12 GMT
Lines: 145
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 141
Xref: g2news1.google.com alt.testing.it:715 rec.radio.amateur.equipment:13603
de.comp.os.unix.x11:3159 finet.sex:256 free.uk.talk.edinburgh:1399

MI5 Persecution: How Could It Be True?

If you have the patience to read these articles you will be struck by how apparently fantastic the claims being put forward are. You may ask yourself why such seemingly nonsensical assertions are made. This matter has been discussed on the Internets UK-local newsgroups for three years now, and the denizens of the uk.misc newsgroup (the so-called "miscreants") have come up with a number of theories to explain these posts; it has been variously suggested that they are a troll (an artificial creation for the amusement of its author), that they are made by MI5 themselves with the purpose of discrediting other conspiracy theories, and that the poster is mentally ill and the articles are symptomatic of the illness (the view held by most miscreants).

Are these claims the product of mental illness, or is that just a cover?

The most obvious explanation, that the claims made result from the admitted mental illness of the author, is the one which the persecutors intend be the one accepted without consideration being given to the possibility of the claims being true. The persecutors have actually been very clever about this, both in selecting as their target someone who was known from school or university as being borderline schizophrenic, and in ensuring the nature of their persecution corresponds to what often features in the delusions of a schizophrenic.

The very first incident of the persecution occurred in June 1990, when I was still a student at university in London. It consisted of a reaction (giggling) from the newsreader, Sue Carpenter of ITN, to what she saw happening in my living-room at my parents home where I was living. Before your imagination gets the better of you I should make clear that what the newsreader was reacting to was not too embarrassing in nature; my mother had brought an apple for me into the the room, and Sue Carpenter found this amusing.

I recognized that Carpenter had reacted to what she had seen in my living-room, yet this idea still seemed completely fantastic to me. My reaction was to continue watching television, particularly the news, to see if this incident would be repeated. It was, many times, both on BBC and ITV. An intelligent person would have thought to obtain a video recorder and capture some of these incidents in order to try to explain to an observer what he saw in these broadcasts. Unfortunately, I failed this test of intelligence, since I did not record these programmes. I have recently attempted to obtain from ITN tapes of their news programmes dating back to summer 1990, but, unhappily, they have advised me that they do not have complete programmes including newsreaders comments dating back to that period.

From the outset, the persecutors structured their actions to ensure that any complaint would be met with disbelief, and dismissed as delusional. This is why they chose as their target someone who was known at school and university to be borderline mentally ill; and it is why they fired the first shots of their campaign through the broadcast media. Schizophrenics commonly believe the media harass them; it would be exceptional for "full-duplex television" to exist in reality. Those with schizophrenia also commonly believe people are talking about them; again, the persecutors have shown themselves very rarely, but act through intermediaries, both in the workplace, and in public and during travel.

Mental illness is not the cause of these claims, but the simulation of its symptoms is a cover used by the persecutors to deny their victim the ability to have his compaints believed.

What evidence exists to support these claims of "interactive television/radio";?

Quite frankly, I have very little evidence to support my claims. You may examine the "Evidence" area of my website to see such evidence as I have been able to gather. None of it is remotely conclusive. The "smoking guns" all date back to 1990/91, and it is really rather late now to start trying to look for material dating back seven or eight years. In 1997 I started tape-recording every programme I watched or listened to. I also started carrying with me a high-fidelity minidisc-recorder with good quality microphone to catch incidents of public harassment, but this also has not been as successful or conclusive as I had hoped.

Perhaps the best item in the "Evidence" section is the audio file "Life is so hard" (it is labelled with Garfield the cartoon character on the site), which I have given a certainty level of 100%. This item relates to harassment at my workplace in Canada in 1996. A co-worker called Mark was coming up with phrases and expressions which were repeating things being said at my Canadian residence, consequently leading me to believe that my apartment and home phone were bugged, and that the persecutors were passing their gathered information on to Mark. On one particular evening I said in my apartment, "life is so hard, and then you die". The following day I was able to record Mark saying exactly the same phrase at work.

Unfortunately when "they" know you are recording them, they simply dont say things which would unambiguously show harassment. When Mark the co-worker knew he was being recorded, he only made his remarks out of range of the recorder, for example outside the building. When the TV newscasters or radio disc jockeys know they are being taped, they limit themselves to saying things which are ambiguous, which even in my mind may or may not be personally directed against me.

Who knows about this persecution?

Surprisingly many people know. People in the media, such as BBC and ITN newscasters including Martyn Lewis and Michael Buerk, and radio disc jockeys such as Chris Tarrant of Capital Radio, know what is going on, and take part in it. Some co-workers at my former workplaces in England and Canada have known about the harassment. Quite a few people in the general public are also included. I believe the police are aware of the persecution, but, unfortunately, have chosen not to take any action to stop it. I have complained at my local police station in London several years ago, and I have stated on the internet newsgroups that I have done so, hence the police will be well aware of my wish to see the matter resolved. I believe their inaction denotes a dereliction of duty, but without good evidence, I am powerless to compel them to take steps to prevent further harassment, or deal with what has already taken place.

What is the purpose of sending these faxes?

These faxes are being sent to three distinct groups of people, namely Members of Parliament, the media, and diplomats & legal people. As you will have observed I am making use of the email-to-fax gateway at Demon Internet to send these faxes. I am forced to use this gateway since I currently live in North America, and cannot afford the high cost of direct phone calls to the UK.

My purpose in publicising my claims is firstly to discourage the persecutors from continuing their campaign, and also to attempt to bring their campaign out into the open, and thus perhaps identify the persecutors. Neither aim has been achieved yet, but I hope that with sufficient stimulation these aims may yet be accomplished.

The problem with the second aim is that those who read this article will fall into two groups, those who dont know anything about the persecution and consequently will disbelieve my claims as delusional, and those who do know about the harassment and may have some idea of who is behind it, but realise that if the harassers are exposed and the truth brought out into the open, then powerful British institutions will substantially lose prestige, and be exposed to ridicule.

It would give me hope to believe that these faxes will create a third group of people, those who find out that I am telling the truth, and who follow their consciences in standing up and seeing justice done. Only time will tell if this hope will be realized.

489

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
-------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -797350019985852094
X-Google-Thread: 1084e2,da1be5e4ed883ac5,start
X-Google-Thread: 108122,da1be5e4ed883ac5,start
X-Google-Thread: fe027,da1be5e4ed883ac5,start
X-Google-Thread: f734f,da1be5e4ed883ac5,start
X-Google-Thread: fcc51,da1be5e4ed883ac5,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07111611421187@4ax.com>

Subject: MI5-Persecution: Why do you think MI5 are responsible? (2672)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 11:42:14 GMT
Lines: 210
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 206
Xref: g2news1.google.com alt.testing.it:716 rec.radio.amateur.equipment:13604 de.comp.os.unix.x11:3161 finet.sex:257 free.uk.talk.edinburgh:1400

Why do you think MI5 are responsible?

The question of who is ultimately responsible for this eight-year harassment is one which is very difficult to answer, as the persecutors have never clearly made their identities known to the persecutee. However, I believe I am correct in attributing the continuing victimisation to elements of the British Security Service MI5, and in this article, I will try to explain the reasons for this belief.

The British internet magazine ".net" featured my website on page 17 of their March 1998 issue (number 42). Their review kindly describes it as an "excellent site" and gives some details of what the net surfer will find there. Should you wish to reply to this article you can do so;

"When did you first suspect MI5 were responsible?"

Over Easter 1995 I went to see a local solicitor in London with a view to talking to the police about the harassment. Soon afterwards I did go to my local police station in Clapham and spoke to an officer there. The solicitor made a comment which suggested to me that the persecution I had been experiencing may have been organised by an intelligence service.

Up to this point, I did not have any clear idea as to who was behind the harassment. Only their agents were visible, in the media, on television news programmes, and on the radio; in the workplace, where things said at my home were repeated verbatim; and in some cases abuse in public and during travel, for example on the trip to Poland in June 1992 which I have already described.

Both from the fact that widely disparate individuals and organisations were employed as agents in the campaign against me, and from the fact that an entity would be required to marshal their resources in the areas of spying on my home and giving gathered information to their agents, it was clear to me that a single entity was responsible for carrying out the campaign. Yet from June 1990 until Easter 1995 I did not have a clear idea of who might be responsible. I guessed that perhaps some private individual or group of persons who saw themselves as my enemies had perhaps paid private detectives to organise the harassment. Alternatively, since the campaign had started in the media, I made a far-fetched supposition that perhaps it was an ad-hoc group of media people who had set themselves up in opposition to me. After Easter 1995 I saw that these guesses were wrong, and I made an I believe much more accurate estimate as to who my enemies really are.

"Why couldn't a private group be behind the persecution?"

There are several reasons why a private individual or group would not be behind this campaign.

Quantity of resources / Money. Here is what one Usenet (internet newsgroup) participant had to say (several years ago) on the topic of how much money it would cost just to keep the surveillance going.

PM: >But why? And why you? Do you realize how much it would cost to keep
PM: >one person under continuous surveillance for five years? Think about
PM: >all the man/hours. Say they _just_ allocated a two man team and a
PM: >supervisor. OK., Supervisor's salary, say, #30,000 a year. Two men,
PM: >#20,000 a year each. But they'd need to work in shifts -- so it would
PM: >be six men at #20,000 (which with on-costs would work out at more
like
PM: >#30,000 to the employer.)
PM: >
PM: >So, we're talking #30,000 x 6. #180,000. plus say, #40,000 for the
PM: >supervisor. #220,000. Then you've got the hardware involved. And
PM: >any transcription that needs doing. You don't think the 'Big Boss'
PM: >would listen to hours and hours of tapes, do you.
PM: >
PM: >So, all in all, you couldn't actually do the job for much less than
PM: >a quarter million a year. Over five years. What are you doing that
makes
PM: >it worth the while of the state to spend over one and a quarter
million
PM: >on you?

A private individual or group would not spend over a million pounds to verbally torture a victim without some financial motive or gain. Private industry is driven by the profit motive, and there is no financial profit to be had from carrying out a campaign in this way. If a private enterprise were behind it then they would have taken direct physical action a long time ago.

State enterprises, on the other hand, can afford to be wasteful, since they are funded by the taxpayer. They do not have to show a money profit. The employees or contractors employed by a state organisation such as MI5 are driven by their own personal profit motives, to make the most money out of their employers for the longest period of time. MI5 is funded to the tune of #150M p.a.; even a few hundred thousand a year would to them be affordable if their managers could convince themselves of the necessity of what they were doing.

Quality of resources / Technical resources - electronic and other surveillance. In summer 1994 a reputable and competent private detective agency was employed to conduct a counter-surveillance sweep of my home in London. They charged us over #400 for this, conducted a thorough search for radio transmitting devices, hard-wired "probe" microphones and also tested the telephone line. They found nothing. This was not altogether surprising, since it had been made very clear to me that there were bugs in my home; the "buggers" would not have made this clear unless they had felt their bugs were of sufficient sophistication as to be safe from detection.

But there is another lesson to be gained from the failure of the private detectives to find anything. The agency employed was one of the most reputable in London. They were employed on the principle of "setting a thief to catch a thief", for if the harassment were being carried out by private detectives, as I then believed, then surely another set of private detectives would be able to find the bugs that they had planted. That these "private eyes" were unable to find anything, and that the harassers were confident that they would not be able to find any bugs, points to the harassers being an order of sophistication above a private agency, and leads me again to believe that a state intelligence service is responsible for the surveillance and harassment.

Quality of resources / Technical resources - Interception of Postal service. In summer 1994 when I emigrated to Canada to try to escape the harassment, I wrote letters home to my family and friends in London. Quite soon after my arrival in Canada, the harassers were able to find precisely where I was staying. The only way I can see of "their" being able to find out my new address was by interception of my letters to the UK.

Later in 1994, I conducted an experiment to see if my letters home were indeed being read. In a letter home I wrote of being depressed and talked in vague terms of suicide. I deliberately chose this topic, since I believed it was the outcome my harassers were trying to achieve, and that if they read the letter, they would "echo" its contents. Sure enough, soon afterwards there were two incidents of people shouting "suicide" at me in public places in Canada.

It is inconceivable for a private agency to have the ability to intercept postal mail. The state security service on the other hand is well known to engage in these activities.

Quality of resources / Access to Media. One of the strangest aspects of this case is the access "they" have to the broadcast and print media. I still do not understand what could persuade newscasters such as Martyn Lewis and Michael Buerk, who consider themselves "gentlemen", to behave in an almost voyeuristic way by "peeking" into the living room of one of their viewers. A year ago I wrote to the BBC asking if these newscasters would confirm or deny the accusations made against them. The BBC replied that their newscasters had denied the accusations, but refused to do so in writing.

It is well known that MI5 have the ability to plant stories in certain newspapers, but convincing television newscasters to "watch" a viewer while they read the news would surely be very difficult for them to accomplish, unless they presented themselves to these journalists as being, for example, a group in the media who were seeing to it that I got my "deserved" treatment. MI5 has a history of manipulating the media, so it might not be too difficult for them to accomplish such a trick, whereas a private group would not have this ability.

"Have they ever denied that they are the Security Service?"

No. Never. This is in fact the main reason why I believe "they" are MI5 and not a privately funded group. If my guess had been wrong then I am sure that "they" would have crowed over my mistake, but they have never admitted nor denied that they are employees of MI5.

In early January 1996 I flew on a British Airways jet from London to Montreal; also present on the plane, about three or four rows behind me, were two young men, one of them fat and voluble, the other silent. It was quite clear that these two had been planted on the aircraft to "wind me up". The fat youth described the town in Poland where I had spent Christmas, and made some unpleasant personal slurs against me. Most interestingly, he said the words, "he doesnt know who we are".

Now I find this particular form of words very interesting, because while it is not a clear admission, it is only a half-hearted attempt at denial of my guess that "they" = "MI5". Had my guess been wrong, the fat youth would surely have said so more clearly.

"If MI5 were behind it, why would they wish to mask their involvement?"

I have heard a number of times a belief from people in the media that it is they, the media people, who are behind the abuse. In spring 1994 Chris Tarrant the Capital Radio D.J. said sarcastically on his breakfast show, "You know this bloke? he says were trying to kill him. We should be done for attempted manslaughter". We, we, we. Tarrant thought it was a media conspiracy.

Returning to the question of "interactive watching" by television newscasters, it would again be much easier for them to take part in that sort of activity if they convinced themselves that the surveillance and abuse were organised by "their own", by media people. It must be second nature to MI5 to mask their involvement in the matters they deal with; in this case, they pretend the campaign is organised by a group in the media, and any journalists who suspect otherwise keep their silence.

Conclusion

Over the last three years I have stated with some force my belief that MI5 are responsible for my misfortunes. I have done so on Internet newsgroups, in letters and faxes to people in politics and the media in the UK, and in 1997 I made a formal complaint to MI5 regarding their activities; the Security Service Tribunal replied in June 1997 that "no determination in your favour has been made on your complaint". (I believe the statement by the Security Service Tribunal can be disregarded, as they have never, ever made a ruling in favour of a complainant.) In three years of naming MI5 as my oppressor "they" have never denied the charge. To me, their silence on this point indicates that my guess was accurate. I believe my persecutors stand identified. The question of why they should carry out this campaign is one I will try to answer in a future article.

2672

```
--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access
```

```
From 4698699442796388862
X-Google-Thread: 1084e2,e4489bec6a09b2c6,start
X-Google-Thread: 108122,e4489bec6a09b2c6,start
X-Google-Thread: fe027,e4489bec6a09b2c6,start
X-Google-Thread: f734f,e4489bec6a09b2c6,start
X-Google-Thread: fcc51,e4489bec6a09b2c6,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07111612121223@4ax.com>
Subject: MI5-Persecution: Why would they be doing this to you, sir? (4855)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.t
alk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 12:12:14 GMT
Lines: 203
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 199
Xref: g2news1.google.com alt.testing.it:717 rec.radio.amateur.equipment:13605
de.comp.os.unix.x11:3162 finet.sex:258 free.uk.talk.edinburgh:1401
```

MI5 Persecution Update: Friday 15 May, 1998

The persecution has been quite severe for the last week. It appears that my enemies are reacting to the steady stream of faxes making their way over the Atlantic to the fax machines of Westminster politicians and the media. Here is whats happened in the last few days;

The week started off with an incident in the cafeteria at a local shopping centre where I habitually drink my morning coffee. My enemies have concentrated since winter 1995/96 on throwing a particularly horrible sexual slander against me. They "put people up" to repeat this slander against me, and this is what happened again here.

On Thursday morning (yesterday), instead of going to the usual cafeteria I went to a nearby convenience store for coffee. The same horrible sexual slander was shouted at me very loudly by a member of staff as I walked into the store. This was the first time I had ever bought morning coffee in that shop. The other staff obviously knew what was going on, one of them said, "they screwed up my life".

The fax gateway I use to send these faxes to the UK has been working hard these last few days to shut down my access by barring the accounts I use to send these faxes.

I have received an anonymous threat from fax number 0171-219-6101 (the machine gave its name as "ETRA-HoC") which said, "Stop sending to this fax no 0171-219-6101 or else" (the consequences of continued transmission were unspecified). I invited the sender to apologise for his threat, but received no response.

This all adds up to quite a severe reaction to my faxes of the last few weeks. I actually find this quite heartening since it shows that my faxes are finding the mark and there may yet be a breakthrough in my efforts to expose the Security Service conpiracy of abuse against me which has now been going on for eight years.

MI5 Persecution: "Why would they be doing this to you, sir?"

This article will concentrate on the difficult question of "Why". The question which forms the title of this piece was asked of me by the police officer I spoke to in Easter 1995, when I went to make my complaint.

There are really two sides to this question. Firstly, why should MI5 be harassing anybody in this fashion? Secondly, if they choose to behave in this way, why should they have selected me in particular, and not somebody else? Alternatively, why did the persecution start, and why is it continuing?

I do not have definite answers to either side of this question, since my persecutors have usually kept themselves hidden and only acted through other parties. To know "why", one would have to know who the persecutors are, and something of their personalities, since their abuse is almost certainly symptomatic of a personality disorder of the abusers. Certain things however can be deduced about the abusers from the nature of their behaviour, and I will talk about this later in the article.

Why did it start?

It is clear that the persecution must have been initiated by someone who knew me personally, either at school, or at university, or socially, and knew that I was borderline mentally ill, since this is what makes me a target for the persecutors. Unfortunately, the originators have never been identified, and there are several possible candidates. Neither has the link from the originators of the persecution, to the persecutors themselves, ever been made clear. So who are the originators?

University Staff

The identity of the originators may lie in the timing of the persecution. It started in June 1990, while I was finishing a course at Imperial College in London, and a year after I graduated from Cambridge, where I received a degree in computer science. At Cambridge I had achieved some notoriety in the computer lab from various nefarious exploits. Roger Needham attacked me by saying that "there were great hopes for it, but it failed terribly". When I started at Imperial I found that my reputation had preceded me; Cambridge computer lab had spoken to I.C. lecturers about me. I.C. lecturer Frank McCabe summed up commenting about "setting up a straw man so you can tear him down". (Despite being "torn down" by the Cambridge computer labs lecturers, I still achieved a good first degree and a Masters degree at Imperial.)

Other students at university

So, the originators may have been university staff who knew me from my student days. But there are other possibilities. I had other enemies at university, including some fellow students. At my Cambridge college it was common knowledge that my mental health was dubious, and it was known that I talked to myself in my sleep - the floor and walls were quite permeable to noise, so other students heard. I was given the nickname "gibber" because of this habit. Sometime later, I managed to catch myself talking in my sleep when I woke up in the middle of the night.

Here is a quote from a participant in the internet newsgroup where I have been posting for the last three years;

>One thing which has been missing from this discussion is this simple
>prognosis: that maybe he is right and that, despite his admitted
>mental condition, there really is a campaign against him organised by
>now-influential ex-students of his university.

People I knew socially

I had yet other enemies in 1990 (I am a man of many enemies!). In January 1990 I broke up with some people I had been going out with socially. One of them, by the name of Andy Turner, wrote a letter to Alan Freeman, who at the time was a Radio 1 DJ. Freeman read part of the letter out on his Rock Show, about the "one who wore out his welcome with random precision", saying "thats a hell of a letter you wrote there Andy", and "with a schizophrenic youre never alone".

It is my belief that Andy Turner and his friends were trying to make trouble for me, and Turner wrote to Freeman with this in mind. Freeman may have discussed the letter with others, and things may have snowballed from there. This is, of course, pure supposition. The fact is that I do not know who the originators are, and can only guess.

Once it started, why is it continuing?

The answer to this question is obvious. It is unacceptable to the "powers that be" in the UK to have somebody running around who knows he has been targeted by the Security Service and media organizations, and who is in a position to embarrass British institutions. This has become particularly evident in the last week; as I send more faxes to UK politicians and media, so the pressure on me grows, and the volume of abuse increases.

Part of the reason the persecution continues is in the personalities of the abusers, and it is this subject to which I will turn to next, since the key to understanding the persecution lies in understanding those who carry it out, as much as we can.

The Security Service operatives, the persecutors, are they psychopaths?

Let us first examine the definition of the term "psychopath". DSM-IV defines "anti-social personality disorder" as a "pattern of disregard for and violation of the rights of others ... deceitfulness, irritability and aggressiveness ... consistent irresponsibility and lack of remorse". The Harvard Mental Health Letter of Sept 1995 describes these people as using "charm, manipulation, intimidation and violence to control others and satisfy their own needs. Lacking in conscience and in feelings for others, they cold-bloodedly take what they want and do as they please", having "no guilt or regret".

I must say, reading this description of the condition, that it fits the persecutors perfectly. The persecutors have never shown the slightest remorse or guilt. Even when I was severely ill, they continued to abuse me. They have repeatedly blamed their actions on me, which is another trait common amongst psychopaths. They have no respect for my legal or personal rights, and they use intimidation and verbal violence.

If the MI5 operatives are psychopaths then it would explain both why the persecution started, and the degree of verbal violence. Psychopaths by definition damage other people; here, the MI5 operatives find an outlet for their personality disorder, through "cripple-kicking".

Xenophobia on the basis of mental illness, and race

My enemies have made clear many times that one of the reasons they are persecuting me is because of my admitted mental illness. However, it is my belief that they are also persecuting me because I am not of ethnic English origin, and the fact that there have been several incidents of an overtly racist nature reinforces this view.

In one case, two youths on a tube train in London made openly racist references to me as a "soft toy, not up to British Standards". Another person near my home made remarks about "Polish people". In yet another incident in Croydon, a youth made comments about "foreigners".

But the main thrust of their xenophobia is because of my mental illness. I should make clear that I do not look ill; if you met me, you would not know that I had the illness. I take a relatively low dose of medication, and feel quite well. But the persecutors have repeatedly harped on about my supposed serious mental illness; they have called me a "nutter", a "schizophrenic", etc. They have also persuaded other people to use these terms of abuse. They are able to get away with this because abusing the mentally ill is still something which is mostly acceptable in Britain; the media do it, "nutter" is not taboo in the way that "nigger" is.

Conclusion

There are several groups of people who might have wished to cause me trouble, and I still do not know who originated the persecution. Nor do I know how the originators came to be in contact with the (presumed) Security Service operatives who have been carrying out the campaign. To know conclusively why it started, we would have to know who started it, and this information is not available.

However, we can infer some things about the personalities of the persecutors from their methods, and from the degree of verbal violence they employ. It is clear that a main reason for the continuing harassment is the psychopathic disorder of the MI5 agents who carry it out. That they have never been "brought to book" for their misdeeds reinforces their belief that they do no wrong; and, unhappily, until they are brought to book, their persecution campaign looks set to continue.

4855

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -7983578188424353548
X-Google-Thread: 1084e2,3245871ea135b30d,start
X-Google-Thread: 108122,3245871ea135b30d,start
X-Google-Thread: fe027,3245871ea135b30d,start
X-Google-Thread: f734f,3245871ea135b30d,start
X-Google-Thread: fcc51,3245871ea135b30d,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidf734f,gidfcc51,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07111612391213@4ax.com>
Subject: MI5-Persecution: .net Magazine Applauds my Website (7038)
Newsgroups:
```

alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,finet.sex,free.uk.talk.edinburgh,uk.misc
From: MI5-Victim@mi5.gov.uk
Date: 16 Dec 2007 12:39:15 GMT
Lines: 26
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 22
Xref: g2news1.google.com alt.testing.it:718 rec.radio.amateur.equipment:13606
de.comp.os.unix.x11:3164 finet.sex:259 free.uk.talk.edinburgh:1402

MI5 Persecution: .net Magazine Applauds my Website

The March 1998 issue (number 42) of .net Magazine reviews the MI5 Persecution website describing it as an "excellent site". The webpages describe in detail the nature of my persecution since 1990 by what are believed to be elements of the UK security service.

(snip image)

You are encouraged to read the web pages which include

o a FAQ section outlining the nature of the persecutors, their methods of harassment through the media, people at work and among the general public
o an evidence section, which carries audio and video clips of media and workplace harassment, rated according to how directly I think they refer to me
o factual descriptions of the state security agencies involved
o scanned texts of the complaints I have made to media and state security agencies involved
o posts which have been made to netnews over the last three years on this topic

7038

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 3288937693509769761
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail

From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 21:48:39 -0500
Message-ID: <mbqrl3pcogqdujpp50tobn33brnt327mpp@4ax.com>
References: <hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
<o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
<2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
<534ol3ht4vlrh404sss82sb939nplfqapp@4ax.com>
<n66ol394na0l4e9jsvurtuu1l69e4knf0k@4ax.com>
<irlpl3d1vn2jiaosp2cblvm9d2kooc3olf@4ax.com>
<qgmql3pnmrjenejn53st19qo0ul81b25pm@4ax.com>
<tqnql3dg667i9e45cmbci1oir8utrabvhf@4ax.com>
<cuoql3hbsn74ve8vgn4tbpmolf3srqfdsm@4ax.com>
<ejdrl390f6bob2fg2o7f7epgql19logi87@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 198
NNTP-Posting-Date: 11 Dec 2007 02:00:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101771
rec.radio.amateur.antenna:51153 rec.radio.amateur.misc:40212
rec.radio.amateur.equipment:13508

On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>wrote:
>>>>>>>>>>
>>>>>>>>>>>

>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>>>>>>
>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>>>citizen should
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>

>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

```
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 5131006462374564868
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment

```
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 21:48:39 -0500
Message-ID: <tbqrl31fea35r1t294483ugbocv6r694ve@4ax.com>
References: <fjfp8r$vv8$1@registered.motzarella.org>
<fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<8u4ol31v5c7ln8or70ljd45l60f3h2o2sf@4ax.com>
<s66ol3pk754grpk7g8egmu2s6rbqd607to@4ax.com>
<rrlpl3p2v308oido6qhfijnt3oo4r2dahg@4ax.com>
<ugmql3hqljaau16t6ud1fb0kvuig0ejqdo@4ax.com>
<2rnql35m4v0vu5k0mhgm77ll7p2nsqp0at@4ax.com>
<juoql3pjho9vf7dakctq3bbp4bcvrrsadd@4ax.com>
<mjdrl3h1e69bfvemef9avn16mfef6qurf7@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 166
NNTP-Posting-Date: 11 Dec 2007 02:00:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101774
rec.radio.amateur.antenna:51154 rec.radio.amateur.misc:40215
rec.radio.amateur.equipment:13509

On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>>>
>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>> news:3c920296-f133-4bd7-a698-
bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>
```

>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>> why do you try o dloyd
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well

>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams

>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 673127093767142496
X-Google-Thread: 10bf43,32ee90dfeea614e7

```
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 21:48:39 -0500
Message-ID: <rbqrl3pkhuc2ol4cmsufaaouv6rrfkiuvs@4ax.com>
References: <fjfp8r$vv8$1@registered.motzarella.org>
<fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
<v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
<orlpl39gb4d1p0dggo38adukcip7trrdds@4ax.com>
<0hmql3phnod3405u2ff0t0li6ridvl6gn9@4ax.com>
<0rnql3llgut3kequ7q13e8dd3ur3baqsqd@4ax.com>
<huoql3993bi096rnbbblvajq6afta57t7t@4ax.com>
<kjdrl3p3e92kgbu0hkut0u8cp8sbarbbrj@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 166
NNTP-Posting-Date: 11 Dec 2007 02:00:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101768
rec.radio.amateur.antenna:51151 rec.radio.amateur.misc:40209
rec.radio.amateur.equipment:13506

On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
```

>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>>>
>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>> news:3c920296-f133-4bd7-a698-
bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>
>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>> why do you try o dloyd
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams

>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ

>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 3374190521814256285
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 21:48:39 -0500
Message-ID: <0cqrl31rfjeghrecmnad0ojmd40bmot3r3@4ax.com>
References: <fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
<0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
<3hmql3lqodhmeqartv8kaihj1u1bgss9tp@4ax.com>
<5rnql39vi7q6nvbfl2evm25g956mafnksd@4ax.com>
<luoql3lj3dg93l0db875phssh3hf159qau@4ax.com>
<pjdrl3d48vh2erdg257164asu6mbrb31nq@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 179
NNTP-Posting-Date: 11 Dec 2007 02:00:39 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101775
rec.radio.amateur.antenna:51155 rec.radio.amateur.misc:40216
rec.radio.amateur.equipment:13510

On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>

```
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>
>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>>why do you try o dloyd
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
```

>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>

>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>

>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -1486422318129088768
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 21:48:39 -0500
Message-ID: <3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
References: <fjcjv0$720$1@registered.motzarella.org>

```
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 181
NNTP-Posting-Date: 11 Dec 2007 02:00:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101780
rec.radio.amateur.antenna:51157 rec.radio.amateur.misc:40221
rec.radio.amateur.equipment:13512

On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>>
>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>citizen should
>>>>>>>>>>
>>>>>>>>>
```

>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/

>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 8095289318133127009
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 21:48:39 -0500
Message-ID: <gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
References: <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
<g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
<hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
<fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>
<n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
<02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>
<8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 147
NNTP-Posting-Date: 11 Dec 2007 02:01:07 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101779
rec.radio.amateur.antenna:51156 rec.radio.amateur.misc:40220
rec.radio.amateur.equipment:13511

On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>

```
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>
>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>citizen should
>>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams

>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 6868581668741956980
X-Google-Thread: 108122,f0cdf8a76b4b6641,start

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!news.nask.org.pl!news.onet.pl!not-for-mail
From: "cadder" <twysWYTNIJ@pocztaTO.onet.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: UHF Handheld..
Date: Tue, 11 Dec 2007 12:58:12 +0900
Organization: Onet.pl
Lines: 9
Message-ID: <fjl1so$9l0$1@news.onet.pl>
NNTP-Posting-Host: 125.135.214.140
X-Trace: news.onet.pl 1197345497 9888 125.135.214.140 (11 Dec 2007 03:58:17 GMT)
X-Complaints-To: usenet@news.onet.pl
NNTP-Posting-Date: Tue, 11 Dec 2007 03:58:17 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-Sender: wrdhbDnFNVGwxYPSwH0emtm3s4dMLTZP
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13513

Hello..

I have to choose good UHF Handheld for resonable price of'course..It will be used for communication in the shipyard,onboard of the vessel..Problem is the range..Every steel bulkhead or insulated wall will have a big influence on it..What's your experience and proposition regarding this matter? Any suggestion will be appreciated..

From -5249823596667895937
X-Google-Thread: 108122,f0cdf8a76b4b6641
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
Date: Tue, 11 Dec 2007 00:26:05 -0500
From: Ron in Radio Heaven <W4RON@Xcarolina.rr.com>
Organization: Ron, W4RON
http://radioheaven.homestead.com/index.html
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: UHF Handheld..
References: <fjl1so$9l0$1@news.onet.pl>
In-Reply-To: <fjl1so$9l0$1@news.onet.pl>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed

```
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <475e1f57$0$8867$4c368faf@roadrunner.com>
NNTP-Posting-Host: 71.75.12.75
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13514

cadder wrote:
> Hello..
>
> I have to choose good UHF Handheld for resonable price of'course..It will be
> used for communication in the shipyard,onboard of the vessel..Problem is the
> range..Every steel bulkhead or insulated wall will have a big influence on
> it..What's your experience and proposition regarding this matter? Any
> suggestion will be appreciated..
>
>

I use a Kenwood TK370 UHF HT that works great.
It's tough, the battery pack has good life.
I use mine on commercial and amateur everyday.
They're on ebay all the time for good prices.

73, Ron, W4RON


From -6599417153706249722
X-Google-Thread: 108122,dedb2d249f1935be,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t1g2000pra.googlegroups.com!not-for-
mail
From: jenny <madamenihao@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Edlite Slim Light Box/ / www.edlite.hk
Date: Mon, 10 Dec 2007 23:11:38 -0800 (PST)
Organization: http://groups.google.com
Lines: 55
Message-ID: <4ac0ce37-8232-4ce2-baf5-736d3995d808@t1g2000pra.googlegroups.com>
NNTP-Posting-Host: 116.21.80.162
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197357099 31369 127.0.0.1 (11 Dec 2007 07:11:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Dec 2007 07:11:39 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t1g2000pra.googlegroups.com; posting-host=116.21.80.162;
     posting-account=P4q_BQoAAACzcPQhnPg_iyBeCLhsTC9W
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50215),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13515
```

Dear Sir / Madame,

Have a nice day!

This is Jenny form Edlite Company Limited.

Edlite Company Limited is a professional advertising solution provider developer and manufacturer located in Guangzhou, China. We've worked in this industry for nearly ten years, and with a full experience, we cooperated with more than 30 company in different countries and areas of the world.

Slim light box is a unique new advertising concept and medium. Using high power LED technology, which allows low heat generation, low power consumption, long lamp life span and even illumination across the viewing area. Due to the ultra slim size of the lamp.

What are the advantages?

A. Super slim,only 11~20mm thickness;

B. Single and double sides are available;

C. Flip frame design ,very convenient to fix and change the picture inside.

We look forward to the opportunity to provide you most competitive products as well as best service from China. PLS feel free to be in touch should there be any intretsing item.

Sample is available upon yr request.

** Welcom yr any inquiry mails or to be online MSN for further details and discussion **

Thanks & Best regards,

Jenny

Edlite Company Limited
Website:www.edlite.hk
Tel:0086 20 84352833
Fax:0086 20 84348881
4/F,4th bldg,NO.168 NanTai Road,Haizhu District,Guangzhou China
Email:jenny@edlite.hk
MSN: madamenihao@hotmail.com
Skype:madamenihao
Web: www.edlite.hk

E-catalogue: http://www.edlite.hk/Catalog.rar

```
From -8878576417392946507
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d,start
X-Google-Thread: fb049,a95f3a40ba1cbd1d,start
X-Google-Thread: 107ada,a95f3a40ba1cbd1d,start
X-Google-Thread: 114aac,a95f3a40ba1cbd1d,start
X-Google-Thread: 108122,a95f3a40ba1cbd1d,start
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "an_old_freind" <kb9rqueer@hotmail.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: do you part two hlep with techical blog
Date: Tue, 11 Dec 2007 14:39:24 -0500
Organization: punceorama
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 10
Message-ID: <475edbaf$0$30390$88260bb3@free.teranews.com>
NNTP-Posting-Date: 11 Dec 2007 18:49:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101839 alt.ham-radio.vhf-
uhf:6184 rec.radio.amateur.misc:40257 rec.radio.shortwave:129374
rec.radio.amateur.equipment:13516
```

you too can be part of the work of the kosher ham
male you article to this adess and perhap you seeyou name for all time (or at least as long as as blogger last

http://ipunce.blogspot.com/

do U hav anyting cognet two say?

--
Posted via a free Usenet account from http://www.teranews.com

```
From 8401326149632171932
X-Google-Thread: 10bf43,c8cde6af381b78fe
```

```
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Dloyd why are you so intent on trying t bury that you tried to pimp
your own gs
Date: Tue, 11 Dec 2007 19:08:37 -0500
Organization: A noiseless patient Spider
Lines: 14
Message-ID: <fjn8r4$oj3$2@registered.motzarella.org>
References: <4752cced$0$26053$88260bb3@free.teranews.com>
<You-4E1DAD.09335602122007@netnews.worldnet.att.net> <13af4571-07d2-452d-
b8f2-1b34d4df67af@w34g2000hsg.googlegroups.com>
X-Trace: feeder.motzarella.org U2FsdGVkX1/pEuakzLDIWuHY7x/
pStWhQXy95iURotoudzH7hzYZD2YHCX6lhHZIZ+Qq7Hb55uhBrGdGRKsxrDmhHnp62mJkdUoDHLD8ABhZK
HUjpDbvIa0qNwFFtoTWrYDu+OQlVKxpzqXsJfDMig==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 12 Dec 2007 00:09:11 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1+e8MJpsdlz8onLt9Vg46l48Bd081g7oIQxoiMsuaW1Ag==
Cancel-Lock: sha1:dOjwICdEr5HPQTxY4jd3d9TAWgE=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:101865 alt.ham-radio.vhf-
uhf:6185 rec.radio.amateur.misc:40263 rec.radio.shortwave:129382
rec.radio.amateur.equipment:13517


"an_old_friend" <kb9rqz@gmail.com> wrote in message
news:13af4571-07d2-452d-b8f2-1b34d4df67af@w34g2000hsg.googlegroups.com...
> On Dec 2, 1:33 pm, You <Y...@shadow.orgs> wrote:
>> In article <4752cced$0$26053$88260...@free.teranews.com>,
>>
>>  "kb9rqz" <kb9rqu...@homale.com> wrote:
>> > kosher ham
>>
>> Isn't that a contradiction in terms????????
>
> not in this context
```

```
From -1921575173706778535
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
Date: Tue, 11 Dec 2007 19:12:57 -0500
Message-ID: <jkvrl316dj2sl6qk5q9nrn5qon65djktra@4ax.com>
References: <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<fiihm0$vhk$1@registered.motzarella.org>
<dplpl3tjf6o5np2eir9jf2j81r997kkflj@4ax.com>
<hfmql31pb0g4ijv8rv3d0jnaerj75a223n@4ax.com>
<fpnql31kh3p2tn3igfmta9sd7g9nop91vc@4ax.com>
<rsoql3p8gfqv2rtdbd8g1sf74hbk5mh1fk@4ax.com>
<shdrl394csocrv56qvt8dv7i514he17tq3@4ax.com>
<g8qrl3l019gpluvhtq4450benjhiqrm74r@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 125
NNTP-Posting-Date: 11 Dec 2007 23:23:02 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101883
rec.radio.amateur.antenna:51193 rec.radio.amateur.misc:40272
rec.radio.amateur.equipment:13518

On Mon, 10 Dec 2007 21:48:38 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 20:06:58 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 16:48:08 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:40:53 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:17:02 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Tue, 27 Nov 2007 20:52:56 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
```

>>>>>>>news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>>>>>>>>
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>

>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -5495257870678568812
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!feeder.news-service.com!border1.nntp.ams.giganews.com!nntp.giganews.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Tue, 11 Dec 2007 19:12:58 -0500
Message-ID: <5mvrl3paudtjfqppfuqjhrnt07tbotrlbd@4ax.com>
References: <8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
<0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
<3hmql3lqodhmeqartv8kaihj1u1bgss9tp@4ax.com>
<5rnql39vi7q6nvbfl2evm25g956mafnksd@4ax.com>
<luoql3lj3dg93l0db875phssh3hf159qau@4ax.com>
<pjdrl3d48vh2erdg257164asu6mbrb31nq@4ax.com>
<0cqrl31rfjeghrecmnad0ojmd40bmot3r3@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 199
NNTP-Posting-Date: 11 Dec 2007 23:24:18 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 196

```
Xref: g2news1.google.com rec.radio.amateur.policy:101896
rec.radio.amateur.antenna:51194 rec.radio.amateur.misc:40284
rec.radio.amateur.equipment:13519

On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>wrote:
>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>news:3c920296-f133-4bd7-a698-
bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>
>>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>>>why do you try o dloyd
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
```

>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a

congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>

>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -7324717229325951498
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-hub.siol.net!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Tue, 11 Dec 2007 19:12:58 -0500
Message-ID: <7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
References: <55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
<3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 201
NNTP-Posting-Date: 11 Dec 2007 23:24:22 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 198
X-Original-Bytes: 8040
Xref: g2news1.google.com rec.radio.amateur.policy:101901
rec.radio.amateur.antenna:51196 rec.radio.amateur.misc:40289
rec.radio.amateur.equipment:13521

On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>wrote:
>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his
reasoning
>>>>>>>>>>>
>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>>citizen should
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>

>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/

>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 771647564263141662
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!feeder.news-service.com!
newsfeed.freenet.de!multikabel.net!feed20.multikabel.net!news2.euro.net!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Tue, 11 Dec 2007 19:12:58 -0500
Message-ID: <tlvrl35hrru6b6evgrfdo64v0e06fubg3h@4ax.com>
References: <rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
<u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
<pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
<h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
<erlpl3ph6atp3knslhbapm8ajelmaet61b@4ax.com>
<mgmql39komb6dk0i7nl23lio37e1elr0tl@4ax.com>
<oqnql395nnu5svm9tt46td6ruihl3c63cf@4ax.com>
<7uoql35d9dqbjh62lq2bi7ci42dq7ms4rg@4ax.com>
<9jdrl314neevv175lfa2pvhpkvi818nsfu@4ax.com>
<hbqrl3du2f1ont8513bpdinlgs3ilbk8li@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 222
NNTP-Posting-Date: 11 Dec 2007 23:24:07 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 219
X-Original-Bytes: 8958
Xref: g2news1.google.com rec.radio.amateur.policy:101898
rec.radio.amateur.antenna:51195 rec.radio.amateur.misc:40286
rec.radio.amateur.equipment:13520

On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:

```
>On Mon, 10 Dec 2007 20:06:59 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>wrote:
>>>>>>>>>>>
>>>>>>>>>>>>
>>>>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>>>>>>>>
>>>>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>> news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>
>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>>>> citizen should
>>>>>>>>>>>>>
>>>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>>
```

>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>

>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G

>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head

>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 8346595735091318416
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Tue, 11 Dec 2007 19:12:58 -0500
Message-ID: <cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
References: <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>

```
<g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
<hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
<fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>
<n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
<02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>
<8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
<gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 164
NNTP-Posting-Date: 11 Dec 2007 23:24:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101909
rec.radio.amateur.antenna:51197 rec.radio.amateur.misc:40297
rec.radio.amateur.equipment:13522

On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>
>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>citizen should
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
```

>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ

>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>

```
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -6435889367561364251
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
```

Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felones all the time
Date: Tue, 11 Dec 2007 19:12:58 -0500
Message-ID: <7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Date: 11 Dec 2007 23:26:36 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101933 alt.ham-radio.vhf-uhf:6186 rec.radio.amateur.misc:40321 rec.radio.shortwave:129383 rec.radio.amateur.equipment:13523

On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
<kb9rqueer@hotmail.com> wrote:

>you too can be part of the work of the kosher ham
> male you article to this adess and perhap you seeyou name for all time (or
>at least as long as as blogger last
>
> http://ipunce.blogspot.com/
>
> do U hav anyting cognet two say?

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 8863943192097750298
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d

```
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Dec 2007 19:22:27 -0600
Date: Tue, 11 Dec 2007 17:22:27 -0800
From: Charles & Mambo Duckman <duckman@gfy.slf>
Organization: Cornfed Detective Agency
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
 because he likels illgealy offering kids for sex after al he admits to felones
 all the time
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
In-Reply-To: <7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <w4CdneMPFtFOqsLanZ2dnUVZ_r3inZ2d@comcast.com>
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.244.152
X-Trace: sv3-
XpYDuYfQs64G5MQMvn4IJOHHJoDqFTQx7vi+pbWmgJhojTE6kTWEqmkMHqjMgN2+a10fFe8GwlEuyk8!
+wre4nv/5+u/Fy+s8ul8WTp5la3VIe6gJ0KxdnfeoRMrHwdLx9CRCBNuubLs9nLwTfE/q6/jzgBi!M/B/
AE54RS3NSnMt00iHpsCfihuee9g=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.policy:101962 alt.ham-radio.vhf-
uhf:6188 rec.radio.amateur.misc:40338 rec.radio.shortwave:129385
rec.radio.amateur.equipment:13524
```

kb9rqz@hotmail.com wrote:

> and get ou the newly recovered KB9RQZ.blogspot.com as well

Will you shut the fuck up already, fucking psycho?

Take your medication or go jump of a cliff. Or both.

From -9150859498495436357
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felones all
the time
Date: Tue, 11 Dec 2007 20:25:27 -0500
Organization: A noiseless patient Spider
Lines: 21
Message-ID: <fjndag$9ke$1@registered.motzarella.org>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
<w4CdneMPFtFOqsLanZ2dnUVZ_r3inZ2d@comcast.com>
X-Trace: feeder.motzarella.org U2FsdGVkX189gox2VffgcqNekRNe7LRN/
5gT959LFAnKCZAt+0P044w7vuB689zYCGCl9gS6MfXpBlmH0DCs2/BmJFru5Zm/fCDL3Q48GhF+/
Zijqnl9GFcSV6OzFNJShqoqM6Ii55I=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 12 Dec 2007 01:25:38 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1/fec5OzYvyxrzyd+K8UM4yIZeT79ocgoAUyPyxtC/z9A==
Cancel-Lock: sha1:6483kEp/OJHl9JUezIt9sCctj1c=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:101965 alt.ham-radio.vhf-
uhf:6189 rec.radio.amateur.misc:40340 rec.radio.shortwave:129386
rec.radio.amateur.equipment:13525

"Charles & Mambo Duckman" <duckman@gfy.slf> wrote in message
news:w4CdneMPFtFOqsLanZ2dnUVZ_r3inZ2d@comcast.com...
> kb9rqz@hotmail.com wrote:
>
>
>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>

>
>
> Will you shut the fuck up already, fucking psycho?

no psycho here

andbut in any event I hav e no intention on shuting our anytime soon
>
> Take your medication or go jump of a cliff. Or both.

No get used to it

From 7340068503466680492
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
Date: Tue, 11 Dec 2007 23:56:44 -0500
Message-ID: <uoaul39i63a5varkuj6kgldcr6kcpkvdm6@4ax.com>
References: <2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<fiihm0$vhk$1@registered.motzarella.org>
<dplpl3tjf6o5np2eir9jf2j81r997kkflj@4ax.com>
<hfmql31pb0g4ijv8rv3d0jnaerj75a223n@4ax.com>
<fpnql31kh3p2tn3igfmta9sd7g9nop91vc@4ax.com>
<rsoql3p8gfqv2rtdbd8g1sf74hbk5mh1fk@4ax.com>
<shdrl394csocrv56qvt8dv7i514he17tq3@4ax.com>
<g8qrl3l019gpluvhtq4450benjhiqrm74r@4ax.com>
<jkvrl316dj2sl6qk5q9nrn5qon65djktra@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 142
NNTP-Posting-Date: 12 Dec 2007 04:06:46 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101988
rec.radio.amateur.antenna:51218 rec.radio.amateur.misc:40350
rec.radio.amateur.equipment:13526

On Tue, 11 Dec 2007 19:12:57 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 21:48:38 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 20:06:58 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 16:48:08 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:40:53 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:17:02 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Tue, 27 Nov 2007 20:52:56 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>

>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>

>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -5517106248598404186
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7

```
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!tudelft.nl!
txtfeed1.tudelft.nl!feeder.news-service.com!news2.euro.net!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Tue, 11 Dec 2007 23:56:44 -0500
Message-ID: <jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
References: <cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
<3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
<7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 215
NNTP-Posting-Date: 12 Dec 2007 04:07:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102000
rec.radio.amateur.antenna:51219 rec.radio.amateur.misc:40362
rec.radio.amateur.equipment:13527

On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
```

```
>>>>>>>>
>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>wrote:
>>>>>>>>>>>
>>>>>>>>>>>>
>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>>>>
>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>>>>citizen should
>>>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G

>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>

>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and

noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -7597776687033595141
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!aotearoa.belnet.be!news.belnet.be!newsgate.cistron.nl!xs4all!
feeder.news-service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Tue, 11 Dec 2007 23:56:44 -0500
Message-ID: <gqaul3t9buc5vj44sth4ct5dtoiuj1ntrj@4ax.com>
References: <h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
<0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
<3hmql3lqodhmeqartv8kaihj1u1bgss9tp@4ax.com>
<5rnql39vi7q6nvbfl2evm25g956mafnksd@4ax.com>
<luoql3lj3dg93l0db875phssh3hf159qau@4ax.com>
<pjdrl3d48vh2erdg257164asu6mbrb31nq@4ax.com>
<0cqrl31rfjeghrecmnad0ojmd40bmot3r3@4ax.com>
<5mvrl3paudtjfqppfuqjhrnt07tbotrlbd@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 216
NNTP-Posting-Date: 12 Dec 2007 04:07:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102002
rec.radio.amateur.antenna:51220 rec.radio.amateur.misc:40364
rec.radio.amateur.equipment:13528
X-Original-Lines: 213

On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>wrote:
>>>>>>>>>>>
>>>>>>>>>>>>
>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>news:3c920296-f133-4bd7-a698-
bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>>>>why do you try o dloyd
>>>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>

```
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
```

>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>

>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>

>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 1299529039612342530
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-in-02.newsfeed.easynews.com!easynews.com!easynews!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Tue, 11 Dec 2007 23:56:45 -0500
Message-ID: <nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
References: <fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
<g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
<hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
<fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>
<n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
<02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>

```
<8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
<gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
<cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 181
NNTP-Posting-Date: 12 Dec 2007 04:07:50 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102009
rec.radio.amateur.antenna:51222 rec.radio.amateur.misc:40371
rec.radio.amateur.equipment:13530

On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>>
>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>citizen should
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
```

>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ

>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>

>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--

Posted via a free Usenet account from http://www.teranews.com

```
From -3924207032386756221
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Tue, 11 Dec 2007 23:56:44 -0500
Message-ID: <aqaul3hvojvrrnm28csos0qlbs4uked4e0@4ax.com>
References: <u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
<pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
<h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
<erlpl3ph6atp3knslhbapm8ajelmaet61b@4ax.com>
<mgmql39komb6dk0i7nl23lio37e1elr0tl@4ax.com>
<oqnql395nnu5svm9tt46td6ruihl3c63cf@4ax.com>
<7uoql35d9dqbjh62lq2bi7ci42dq7ms4rg@4ax.com>
<9jdrl314neevv175lfa2pvhpkvi818nsfu@4ax.com>
<hbqrl3du2f1ont8513bpdinlgs3ilbk8li@4ax.com>
<tlvrl35hrru6b6evgrfdo64v0e06fubg3h@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 236
NNTP-Posting-Date: 12 Dec 2007 04:07:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102008
rec.radio.amateur.antenna:51221 rec.radio.amateur.misc:40370
rec.radio.amateur.equipment:13529

On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 20:06:59 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
```

```
>>>>
>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>>wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>
>>>>>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>>>>>>>>>
>>>>>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>> news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as
a good
>>>>>>>>>>>>>> citizen should
>>>>>>>>>>>>>>
>>>>>>>>>>>>>
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
```

>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head

```
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
```

```
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From 7664621424123971274
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felones all
the time
Date: Tue, 11 Dec 2007 23:56:45 -0500
Message-ID: <btaul3dbtp77un2qbpdd5sq3b5g4u9mqhk@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 42
NNTP-Posting-Date: 12 Dec 2007 04:09:17 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102038 alt.ham-radio.vhf-
uhf:6191 rec.radio.amateur.misc:40400 rec.radio.shortwave:129398
rec.radio.amateur.equipment:13531

On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
><kb9rqueer@hotmail.com> wrote:
>
>>you too can be part of the work of the kosher ham
>>  male you article to this adess and perhap you seeyou name for all time (or
>>at least as long as as blogger last
>>
>> http://ipunce.blogspot.com/
>>
>> do U hav anyting cognet two say?
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
```

adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -2505688124483372454
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
Date: Wed, 12 Dec 2007 11:34:24 -0500
Message-ID: <loqul3p9mgt87scfa08qv5au9o1v2bqmp6@4ax.com>
References: <2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<fiihm0$vhk$1@registered.motzarella.org>
<dplpl3tjf6o5np2eir9jf2j81r997kkflj@4ax.com>
<hfmql31pb0g4ijv8rv3d0jnaerj75a223n@4ax.com>
<fpnql31kh3p2tn3igfmta9sd7g9nop91vc@4ax.com>
<rsoql3p8gfqv2rtdbd8g1sf74hbk5mh1fk@4ax.com>
<shdrl394csocrv56qvt8dv7i514he17tq3@4ax.com>
<g8qrl3l019gpluvhtq4450benjhiqrm74r@4ax.com>
<jkvrl316dj2sl6qk5q9nrn5qon65djktra@4ax.com>
<uoaul39i63a5varkuj6kgldcr6kcpkvdm6@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 159
NNTP-Posting-Date: 12 Dec 2007 15:44:40 GMT
X-Complaints-To: abuse@teranews.com
```

Xref: g2news1.google.com rec.radio.amateur.policy:102071 rec.radio.amateur.antenna:51260 rec.radio.amateur.misc:40423 rec.radio.amateur.equipment:13532

On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 19:12:57 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 21:48:38 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 20:06:58 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 16:48:08 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:40:53 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 10:17:02 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Tue, 27 Nov 2007 20:52:56 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/

>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>

>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -4693843507690151482
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder5.cambrium.nl!
feeder1.cambrium.nl!feed.tweaknews.nl!news2.euro.net!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Wed, 12 Dec 2007 11:34:26 -0500
Message-ID: <0nrul3tdn26t6ne7un41ncb8nhvqoc2j28@4ax.com>
References: <pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
<h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
<erlpl3ph6atp3knslhbapm8ajelmaet61b@4ax.com>
<mgmql39komb6dk0i7nl23lio37e1elr0tl@4ax.com>
<oqnql395nnu5svm9tt46td6ruihl3c63cf@4ax.com>
<7uoql35d9dqbjh62lq2bi7ci42dq7ms4rg@4ax.com>
<9jdrl314neevv175lfa2pvhpkvi818nsfu@4ax.com>
<hbqrl3du2f1ont8513bpdinlgs3ilbk8li@4ax.com>
<tlvrl35hrru6b6evgrfdo64v0e06fubg3h@4ax.com>
<aqaul3hvojvrrnm28csos0qlbs4uked4e0@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
Lines: 253
NNTP-Posting-Date: 12 Dec 2007 15:46:25 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102092
rec.radio.amateur.antenna:51261 rec.radio.amateur.misc:40444
rec.radio.amateur.equipment:13533

On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 20:06:59 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>> news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as
a good
>>>>>>>>>>>>>>> citizen should
>>>>>>>>>>>>>>>
```

>>>>>>>>>>>>>>
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>

>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

```
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
```

>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>

>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -7901266446525439318
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.freenet.de!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Wed, 12 Dec 2007 11:34:26 -0500
Message-ID: <7nrul35jtbs2oa7cci83jr3spmadk7kuvp@4ax.com>
References: <cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
<0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
<3hmql3lqodhmeqartv8kaihj1u1bgss9tp@4ax.com>
<5rnql39vi7q6nvbfl2evm25g956mafnksd@4ax.com>
<luoql3lj3dg93l0db875phssh3hf159qau@4ax.com>

```
<pjdrl3d48vh2erdg257164asu6mbrb31nq@4ax.com>
<0cqrl31rfjeghrecmnad0ojmd40bmot3r3@4ax.com>
<5mvrl3paudtjfqppfuqjhrnt07tbotrlbd@4ax.com>
<gqaul3t9buc5vj44sth4ct5dtoiuj1ntrj@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 233
NNTP-Posting-Date: 12 Dec 2007 15:46:35 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 230
Xref: g2news1.google.com rec.radio.amateur.policy:102095
rec.radio.amateur.antenna:51262 rec.radio.amateur.misc:40447
rec.radio.amateur.equipment:13535

On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>>wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>
>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>news:3c920296-f133-4bd7-a698-
bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>
>>>>>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>>>>>why do you try o dloyd
>>>>>>>>>>>>>
>>>>>>>>>>>>
```

>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>

>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

```
G

--
Posted via a free Usenet account from http://www.teranews.com



From -4194759022398618880
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!feeder.news-service.com!
news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!
not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felones all
the time
Date: Wed, 12 Dec 2007 11:34:26 -0500
Message-ID: <lqqul31e99474o5s31r62a9vfr05fd89sl@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
<w4CdneMPFtFOqsLanZ2dnUVZ_r3inZ2d@comcast.com>
<fjndag$9ke$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 38
NNTP-Posting-Date: 12 Dec 2007 15:46:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102096 alt.ham-radio.vhf-
uhf:6196 rec.radio.amateur.misc:40448 rec.radio.shortwave:129424
rec.radio.amateur.equipment:13536

On Tue, 11 Dec 2007 20:25:27 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"Charles & Mambo Duckman" <duckman@gfy.slf> wrote in message
>news:w4CdneMPFtFOqsLanZ2dnUVZ_r3inZ2d@comcast.com...
>> kb9rqz@hotmail.com wrote:
>>
>>
```

```
>>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>
>>
>> Will you shut the fuck up already, fucking psycho?
>
>no psycho here
>
>andbut in any event I hav e no intention on shuting our anytime soon
>>
>> Take your medication or go jump of a cliff. Or both.
>
>No get used to it
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -1287022293809031478
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!feeder.news-service.com!
news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!
not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
```

because he likels illgealy offering kids for sex after al he admits to felones all the time
Date: Wed, 12 Dec 2007 11:34:26 -0500
Message-ID: <iqqul3p67g40ohjp3plrg49s8uhtq03v84@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
<w4CdneMPFtFOqsLanZ2dnUVZ_r3inZ2d@comcast.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
NNTP-Posting-Date: 12 Dec 2007 15:46:11 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102093 alt.ham-radio.vhf-uhf:6195 rec.radio.amateur.misc:40445 rec.radio.shortwave:129423 rec.radio.amateur.equipment:13534

On Tue, 11 Dec 2007 17:22:27 -0800, Charles & Mambo Duckman
<duckman@gfy.slf> wrote:

>kb9rqz@hotmail.com wrote:
>
>
>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>
>
>Will you shut the fuck up already, fucking psycho?
>
>Take your medication or go jump of a cliff. Or both.

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -2723453124304620447
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Wed, 12 Dec 2007 11:34:26 -0500
Message-ID: <enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
References: <8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
<g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
<hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
<fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>
<n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
<02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>
<8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
<gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
<cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
<nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 198
NNTP-Posting-Date: 12 Dec 2007 15:46:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102106
rec.radio.amateur.antenna:51263 rec.radio.amateur.misc:40458
rec.radio.amateur.equipment:13537

On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
```

```
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>wrote:
>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>
>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>>citizen should
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G

>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head

```
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From 7195619942021102251
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
```

```
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Wed, 12 Dec 2007 11:34:26 -0500
Message-ID: <9nrul3hovcfcfmq2q8j22rqpenumc8hpbf@4ax.com>
References: <l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
<3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
<7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
<jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 232
NNTP-Posting-Date: 12 Dec 2007 15:46:38 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102109
rec.radio.amateur.antenna:51264 rec.radio.amateur.misc:40461
rec.radio.amateur.equipment:13538

On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
```

```
>>>>>>>>>
>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>>wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>
>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>
>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G

>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams

>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ

>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -52782730203509905
X-Google-Thread: 10bf43,a95f3a40ba1cbd1d
X-Google-Thread: fb049,a95f3a40ba1cbd1d
X-Google-Thread: 107ada,a95f3a40ba1cbd1d
X-Google-Thread: 114aac,a95f3a40ba1cbd1d
X-Google-Thread: 108122,a95f3a40ba1cbd1d
X-Google-Attributes: gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felones all the time
Date: Wed, 12 Dec 2007 11:34:27 -0500
Message-ID: <pprul3lf3l177rg48dsu8mpo277sh3ldft@4ax.com>
References: <475edbaf$0$30390$88260bb3@free.teranews.com>
<7r9ul3deao4ar0d58pqpttkajm8e4cidq6@4ax.com>
<btaul3dbtp77un2qbpdd5sq3b5g4u9mqhk@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846

MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 59
NNTP-Posting-Date: 12 Dec 2007 15:48:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102137 alt.ham-radio.vhf-uhf:6197 rec.radio.amateur.misc:40489 rec.radio.shortwave:129425 rec.radio.amateur.equipment:13539

On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>
>>On Tue, 11 Dec 2007 14:39:24 -0500, "an_old_freind"
>><kb9rqueer@hotmail.com> wrote:
>>
>>>you too can be part of the work of the kosher ham
>>> male you article to this adess and perhap you seeyou name for all time (or
>>>at least as long as as blogger last
>>>
>>> http://ipunce.blogspot.com/
>>>
>>> do U hav anyting cognet two say?
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>

>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 7584316812191584943
X-Google-Thread: 108122,aed72996682dc764,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: MORE MANUALS: TM'S,HALLI, NAT., GONSET...
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <a0V7j.40591$MJ6.10458@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: b78e9302aa109e5a2ae8c8e5768a3752
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1197481094 b78e9302aa109e5a2ae8c8e5768a3752 (Wed, 12 Dec 2007 17:38:14 GMT)
NNTP-Posting-Date: Wed, 12 Dec 2007 17:38:14 GMT
Organization: AT&T Worldnet
Date: Wed, 12 Dec 2007 17:38:14 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13540

Just added more manuals for Hallicrafters, National, Gonset, HQ, & Mil
TM's: Trying to clen out the files: ORIGINAL & COPIES:

See at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx , Heytubeguy

```
From 6188607265833502627
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: 
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess 
because he likels illgealy offering kids for sex after al he admits to
Date: Wed, 12 Dec 2007 16:13:29 -0500
Message-ID: <lu30m39gh6vj1rd12685nr5f2jdf5q6qob@4ax.com>
References: <g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com> 
<hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com> 
<fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com> 
<n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com> 
<02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com> 
<8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com> 
<gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com> 
<cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com> 
<nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com> 
<enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 215
NNTP-Posting-Date: 12 Dec 2007 20:24:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102201 
rec.radio.amateur.antenna:51287 rec.radio.amateur.misc:40520 
rec.radio.amateur.equipment:13542
```

On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:
>
>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>

```
>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>wrote:
>>>>>>>>>>>
>>>>>>>>>>>>
>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>
>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>>>citizen should
>>>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>adams
```

>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head

>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well

>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 3450227029907995195
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Wed, 12 Dec 2007 16:13:29 -0500
Message-ID: <ju30m390mt1jdvvp8ecj43udhkscpbdq9q@4ax.com>
References: <476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
<3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
<7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
<jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
<9nrul3hovcfcfmq2q8j22rqpenumc8hpbf@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 249
NNTP-Posting-Date: 12 Dec 2007 20:24:27 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102194
rec.radio.amateur.antenna:51286 rec.radio.amateur.misc:40513
rec.radio.amateur.equipment:13541

On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:

>On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:
>
>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
```

```
congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>adams
```

```
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
```

>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well

>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 2154568395869356867
X-Google-Thread: 10bf43,a8a5b95661bd62f4,start
X-Google-Thread: fcc6e,a8a5b95661bd62f4,start
X-Google-Thread: 107ada,a8a5b95661bd62f4,start
X-Google-Thread: 108122,a8a5b95661bd62f4,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqueer@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: why i slugs it out on teh usenet
Date: Wed, 12 Dec 2007 16:31:59 -0500
Organization: punceorama
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 7
Message-ID: <4760478c$0$26083$88260bb3@free.teranews.com>
NNTP-Posting-Date: 12 Dec 2007 20:41:48 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 4
Xref: g2news1.google.com rec.radio.amateur.policy:102241 rec.radio.amateur.antenna:51291 rec.radio.amateur.misc:40557

rec.radio.amateur.equipment:13543

http://khkb9rqz.blogspot.com/2007/12/why-do-i-slug-it-out-on-on-usenet-this.html

--
Posted via a free Usenet account from http://www.teranews.com

From 2531050192950795092
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!newsfeed0.kamp.net!newsfeed.kamp.net!news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Wed, 12 Dec 2007 16:40:28 -0500
Organization: A noiseless patient Spider
Lines: 7
Message-ID: <fjpkgj$1sb$1@registered.motzarella.org>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
X-Trace: feeder.motzarella.org U2FsdGVkX19/Spa9uoHpwES+pMDEiH7t76XXDNpuPNwxX+p321eWT9nIdXLFSQGW5ZCLx8AiekEdYoLWiMFhw58PXQjC0KehyKCb0fapnCpCplVPRoD7ZY4ZNp45Oqg3pm2Vrmq0+Xk=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 12 Dec 2007 21:40:37 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX18TrhC36FHKUUq+u8ut639TPEN4nIW6MNlQcadWxy670g==
Cancel-Lock: sha1:fGPVwxlSlkvYpNUrPcmD5AfjfOI=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:102243
rec.radio.amateur.antenna:51292 rec.radio.amateur.misc:40558
rec.radio.amateur.equipment:13544

"kb9rqz" <kb9rqueer@hotmail.com> wrote in message
news:4760478c$0$26083$88260bb3@free.teranews.com...
>

```
>



From 8384255313253937345
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e25g2000prg.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Wed, 12 Dec 2007 16:48:50 -0800 (PST)
Organization: http://groups.google.com
Lines: 45
Message-ID: <87820e66-c431-4780-9ee1-0ccf80487269@e25g2000prg.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
     <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197506930 19930 127.0.0.1 (13 Dec 2007 00:48:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Dec 2007 00:48:50 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e25g2000prg.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:102264
rec.radio.amateur.antenna:51305 rec.radio.amateur.misc:40563
rec.radio.amateur.equipment:13545

On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 25, 2:34 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
```

> > > No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
> > > for his actions, there is no excuse for the false reporting of lies
> > > about another person because he suspects something through his twisted
> > > logic and suspects that a certain person is the author of messages on
> > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > he called the hotline for the Florida Department of Child Protective
> > > Services and falsely reported that Mr. Crow has had inappropriate
> > > conversations with a 7 year old child concerning sex.
>
> > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > dispicable, but shows the great length that Mr. Morgan will go to
> > > persue/attack other hams who he thinks criticize his netique by taking
> > > his disputes off of the net and trying to affect someone's freedom and
> > > livelyhood by lauding false charges against anyone he deems is
> > > deserving of his tirade of revenge.
>
> > Mark get help for your obsession with me, why allege that you are
> > being harrassed, then flood the group with questions for me. What do
> > you want Mark. You can't ask me questions, then when I respond to
> > your buffonery, allege that I am harrassing you. Why do you keep
> > stalking me, find someone else to dream about, your are mentally ill,
> > seek help.- Hide quoted text -
>
> > - Show quoted text -
>
> Seek help Mr. Morgan, why do you laud false charges at an innocent
> ham, and then allege someone made you do it. Take responsibility for
> your actions, I'm sure that if you cause any harm, your victim will
> ensure that you face up to your misdeed.- Hide quoted text -
>
> - Show quoted text -

Still waiting for LE Mark. Glad to see that LE can see right through
your fairy tales

From -8601866705708399608
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an
chance to explain himself he choose instead to make more false accastion anmaginst

```
me and my family so i made the report
Date: Wed, 12 Dec 2007 22:58:30 -0500
Organization: A noiseless patient Spider
Lines: 26
Message-ID: <fjqald$ppi$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX19vlsMBSotTFjCOYzvnB4qKbm7H189eMivBWKI0Plx0mCgdQaaehTVhAms5UX65QK1aHpFBXn
PoO8juklq/C6iA++Tc2x09+3AlGiKBirfmqVPuTg1SpBWVQObn6yJJkBcUwc8V3w67xg==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 13 Dec 2007 03:58:39 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1/x4pPLAcKvUkC7p2yU+xP7Zl3PUT4tf3gH/lykvXbgOg==
Cancel-Lock: sha1:7MoNb00Ln2Eq5VKLHM/FQulKeWU=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:102283
rec.radio.amateur.antenna:51315 rec.radio.amateur.misc:40565
rec.radio.amateur.equipment:13546
```

<kb9rqz@hotmail.com> wrote in message
news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...

> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
> <DloydLavies@gmail.com> wrote:
>
>>
>
> "one useless man is disgrace 2 become a law firm 3 or more become a
> congress"
> adams
>
> woger you are a Congress all in your own head
>
> http://kb9rqz.bravejournal.com/
> altopia is never used by KB9RQZ
> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
> google and noow motezrella
>
> posts from these sorucees are fakes
>
> and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> G

From 4153424307872894799

```
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!
nx02.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Wed, 12 Dec 2007 23:02:19 -0500
Message-ID: <dlk0m39o2vciub7k5k6jjq8cpums39jn96@4ax.com>
References: <hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
<fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>
<n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
<02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>
<8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
<gcqrl3podvkq9ifrut1ek96djmssm2md11@4ax.com>
<cmvrl3lap0dvpbale3u44ck592b00i0jr6@4ax.com>
<nqaul39veso08jt7qvqplatojfuskf2pab@4ax.com>
<enrul3htnm8rt95pob1dv66juui6ht5a5j@4ax.com>
<lu30m39gh6vj1rd12685nr5f2jdf5q6qob@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 232
NNTP-Posting-Date: 13 Dec 2007 03:13:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102313
rec.radio.amateur.antenna:51316 rec.radio.amateur.misc:40592
rec.radio.amateur.equipment:13547

On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>
>>On Tue, 11 Dec 2007 23:56:45 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
```

>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>>wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>
>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>>>>>>>>
>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

```
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
```

```
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
```

>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>

```
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -1000050184254611630
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
nx02.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Wed, 12 Dec 2007 23:02:19 -0500
```

```
Message-ID: <alk0m35f7dvhpjqg6ohi94c6g3pjshue2l@4ax.com>
References: <3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
<rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
<3cqrl3129a8ulbe80513jrgfqh1de7885r@4ax.com>
<7mvrl3pdlrbv9gg61la4l13qkg2blltpjv@4ax.com>
<jqaul3pp1lvspkah5kgggqdptsqn5pkj95@4ax.com>
<9nrul3hovcfcfmq2q8j22rqpenumc8hpbf@4ax.com>
<ju30m390mt1jdvvp8ecj43udhkscpbdq9q@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 266
NNTP-Posting-Date: 13 Dec 2007 03:13:17 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102317
rec.radio.amateur.antenna:51317 rec.radio.amateur.misc:40596
rec.radio.amateur.equipment:13548

On Wed, 12 Dec 2007 16:13:29 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 12 Dec 2007 11:34:26 -0500, kb9rqz@hotmail.com wrote:
>
>>On Tue, 11 Dec 2007 23:56:44 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Tue, 11 Dec 2007 19:12:58 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 21:48:39 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 20:07:00 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>
>>>>>>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>
>>>>>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>
>>>>>>>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>>>>>
>>>>>>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>>>>>wrote:
>>>>>>>>>>>>>>
```

```
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>>>>>news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as
a good
>>>>>>>>>>>>>>>citizen should
>>>>>>>>>>>>>>>
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>>adams
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>G
>>>>>>>>>>>>>
>>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>>adams
>>>>>>>>>>>>>
>>>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>>>
>>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere
but google and noow motezrella
>>>>>>>>>>>>>
>>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>>
>>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>>
>>>>>>>>>>>>>G
>>>>>>>>>>>>
>>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>>>adams
>>>>>>>>>>>>
>>>>>>>>>>>>woger you are a Congress all in your own head
```

```
>>>>>>>>>>>>
>>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>>
>>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>>
>>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>>
>>>>>>>>>>>>G
>>>>>>>>>>>
>>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>>adams
>>>>>>>>>>>
>>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>>
>>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>>
>>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>>
>>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>>
>>>>>>>>>>>G
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
```

>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but

```
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 5433380360574128992
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. the deed is doe he was given an
chance to explain himself he choose instead to make more false accastion anmaginst
me and my family so i made the report
Date: Wed, 12 Dec 2007 23:02:20 -0500
Message-ID: <7kb1m35p11e7fr7tvn7it954g3kpitr9s0@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<fjqald$ppi$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 43
NNTP-Posting-Date: 13 Dec 2007 03:15:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102354
rec.radio.amateur.antenna:51319 rec.radio.amateur.misc:40632
rec.radio.amateur.equipment:13550

On Wed, 12 Dec 2007 22:58:30 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
><kb9rqz@hotmail.com> wrote in message
>news:kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com...
>> On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>> <DloydLavies@gmail.com> wrote:
>>
>>>
>>
>> "one useless man is disgrace 2 become a law firm 3 or more become a
>> congress"
>> adams
>>
>> woger you are a Congress all in your own head
>>
```

```
>> http://kb9rqz.bravejournal.com/
>> altopia is never used by KB9RQZ
>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>> google and noow motezrella
>>
>> posts from these sorucees are fakes
>>
>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>> G
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From -7816917914880429024
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to felonies
everyfday
Date: Wed, 12 Dec 2007 23:02:20 -0500
Message-ID: <2fo0m3tv9p7v4ekevao2143f4jntsup0sj@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
<fjpkgj$1sb$1@registered.motzarella.org>
```

X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Date: 13 Dec 2007 03:15:04 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102356
rec.radio.amateur.antenna:51320 rec.radio.amateur.misc:40634
rec.radio.amateur.equipment:13551

On Wed, 12 Dec 2007 16:40:28 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"kb9rqz" <kb9rqueer@hotmail.com> wrote in message
>news:4760478c$0$26083$88260bb3@free.teranews.com...
>>
>>
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -9216255618355825912
X-Google-Thread: 10bf43,a8a5b95661bd62f4
X-Google-Thread: fcc6e,a8a5b95661bd62f4
X-Google-Thread: 107ada,a8a5b95661bd62f4
X-Google-Thread: 108122,a8a5b95661bd62f4
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:

```
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why dloyd advocated not working with LE as they request, I guess because
he likels illgealy offering kids for sex after al he admits to felonies everyfday
Date: Wed, 12 Dec 2007 23:02:20 -0500
Message-ID: <efo0m3hradn5p8v3vv31341mgf039cb29l@4ax.com>
References: <4760478c$0$26083$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 13 Dec 2007 03:15:06 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:102351
rec.radio.amateur.antenna:51318 rec.radio.amateur.misc:40630
rec.radio.amateur.equipment:13549

On Wed, 12 Dec 2007 16:31:59 -0500, "kb9rqz" <kb9rqueer@hotmail.com>
wrote:

>


"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -1600467000529971003
X-Google-Thread: 108122,300182aa8c00aa26,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e25g2000prg.googlegroups.com!not-for-
mail
From: pinkpink@telkom.net
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: SSB IF Filter
Date: Thu, 13 Dec 2007 07:08:03 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <5f0ee7bb-6d7e-428c-8dc9-d4c6ddc3b366@e25g2000prg.googlegroups.com>
NNTP-Posting-Host: 125.164.243.152
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197558483 28225 127.0.0.1 (13 Dec 2007 15:08:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Dec 2007 15:08:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e25g2000prg.googlegroups.com; posting-host=125.164.243.152;
     posting-account=Gr5oUgoAAAChcfrcsAnVv3nhIgdV7ztw
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1)
     Gecko/20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.equipment:13552

Dear all,
I need help where to find/buy SSB IF Crystal filter 8 poles or more ?
Pink Pink
East Java - Indonesia



From -293978845657360392
X-Google-Thread: 10b9c8,bb98f232c2b9455d,start
X-Google-Thread: fc8b1,bb98f232c2b9455d,start
X-Google-Thread: 108122,bb98f232c2b9455d,start
X-Google-Thread: 1109af,bb98f232c2b9455d,start
X-Google-Thread: f7796,bb98f232c2b9455d,start
X-Google-Attributes: gid10b9c8,gidfc8b1,gid108122,gid1109af,gidf7796,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.info,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.swap,alt.ham-radio.morse
Subject: K9YA Telegraph - 5th Anniversary - FREE subscription
Followup-To: poster
Date: Thu, 13 Dec 2007 10:38:38 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 58
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <Alc8j.7739$4q5.3168@nlpi069.nbdc.sbc.com>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1197560318 22558 166.84.1.6 (13 Dec 2007 15:38:38 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 13 Dec 2007 15:38:38 +0000 (UTC)
```

```
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to            rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-VirusChecked: Checked
X-Env-Sender: news@nlpi069.nbdc.sbc.com
X-Msg-Ref: server-9.tower-203.messagelabs.com!1197560301!738895!1
X-StarScan-Version: 5.5.12.14.2; banners=-,-,-
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
S[OORRNEZRRSP_@YMZJ\_Q\@TJ_ZTB\MV@BT]UEK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Xref: g2news1.google.com rec.radio.info:628 rec.radio.amateur.boatanchors:13403
rec.radio.amateur.equipment:13553 rec.radio.swap:17979 alt.ham-radio.morse:424
```

K9YA Telegraph
Fifth Anniversary For The Good News About Amateur Radio

It's been another great year at the K9YA Telegraph. Thanks to your strong and continued support we're looking forward to celebrating our fifth anniversary in January 2008.

There's a definite buzz on the 'Net with the Telegraph earning enthusiastic comments from bloggers, reviewers and in discussion list threads. As we wrote at the completion of our first year: "Our success derives from you, our large, enthusiastic and devoted subscriber base worldwide, and to the writers whose contribution of personal stories-at once fascinating, humorous, enlightening and compelling-made the Telegraph staff's inaugural year one of consistent joy and fulfillment." That truth remains unchanged, but ever more encompassing as more of you, drawn from the international ham community, have joined the Telegraph readership and lent your experience to enlighten, evoke and entertain.

The Telegraph staff continues in its fifth year-as in our first-ebullient. Thank you for your messages of praise and encouragement, and remember: we're always on the lookout for your good story, or two.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by hams in more than 100 countries. The Telegraph is a full-color e-Zine providing the stories and features most wanted by our subscribers because our subscribers write it. Check it out; we think you'll like it too.

http://www.k9ya.org

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT
HAM RADIO!

The January 2008 issue includes:

A Scholar's View... By Philip Cala-Lazar, K9PL

The Race with Obstacles By Francisc Gr�nberg, YO4PX

Lincolnwood Pack 74's First JOTA By Joel Byron, WD9ICL

There Were Angels Dining at the Ritz By Rod Newkirk, VA3ZBB/W9BRD

Hog Morse By K9YA Telegraph Staff

Ham Quips By Dick Sylvan, W9CBT

If you're in the mood for Morse, hankering for history, gluttonous for gear,
ravished for a review, needing nostalgia, or just plain famished for fun,
you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA
Telegraph Web site. http://www.k9ya.org

```
From -8228966740624682277
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e6g2000prf.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Thu, 13 Dec 2007 16:43:37 -0800 (PST)
Organization: http://groups.google.com
Lines: 50
Message-ID: <1d2aa946-3ba9-44e4-88f5-1eab4928faef@e6g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
     <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
     <87820e66-c431-4780-9ee1-0ccf80487269@e25g2000prg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197593017 17568 127.0.0.1 (14 Dec 2007 00:43:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Dec 2007 00:43:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e6g2000prf.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:102412
rec.radio.amateur.antenna:51368 rec.radio.amateur.misc:40655
rec.radio.amateur.equipment:13554

On Dec 12, 7:48 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Nov 25, 2:34 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > > for his actions, there is no excuse for the false reporting of lies
> > > > about another person because he suspects something through his twisted
> > > > logic and suspects that a certain person is the author of messages on
> > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > he called the hotline for the Florida Department of Child Protective
> > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > conversations with a 7 year old child concerning sex.
>
> > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > persue/attack other hams who he thinks criticize his netique by taking
> > > > his disputes off of the net and trying to affect someone's freedom and
> > > > livelyhood by lauding false charges against anyone he deems is
> > > > deserving of his tirade of revenge.
>
> > > Mark get help for your obsession with me, why allege that you are
> > > being harrassed, then flood the group with questions for me.  What do
> > > you want Mark.  You can't ask me questions, then when I respond to
> > > your buffonery, allege that I am harrassing you.  Why do you keep
> > > stalking me, find someone else to dream about, your are mentally ill,
> > > seek help.- Hide quoted text -
```

```
>
> > > - Show quoted text -
>
> > Seek help Mr. Morgan, why do you laud false charges at an innocent
> > ham, and then allege someone made you do it. Take responsibility for
> > your actions, I'm sure that if you cause any harm, your victim will
> > ensure that you face up to your misdeed.- Hide quoted text -
>
> > - Show quoted text -
>
> Still waiting for LE Mark. Glad to see that LE can see right through
> your fairy tales- Hide quoted text -
>
> - Show quoted text -



From -5422843254090862454
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
dlod  why are trying to escalate thing even further
Date: Thu, 13 Dec 2007 19:46:20 -0500
Organization: A noiseless patient Spider
Lines: 13
Message-ID: <fjsjp0$c8v$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
<fiiian$2pf$1@registered.motzarella.org>
X-Trace: feeder.motzarella.org
U2FsdGVkX18ENLG+brEaGojkZgoqnVzXjbM26j3g1jfU1P+x5yu4WEi0XvTzU4oeULoHgUCUWnn49Ghc4v
z82+m3NKdDmr5mB5i+8TVJ1x95fOTOHv8E5yUg2dhUNE1bKAMy95RV16iXCA0uoIhmJA==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Fri, 14 Dec 2007 00:46:26 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX18xtR80sJXGtixmCRPXChcnirAynvpPbnlYTXpyfUQaAg==
Cancel-Lock: sha1:+oANuhlS9TOMLJ1jcSdU2JWjhXc=
X-Priority: 3
```

```
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:102416
rec.radio.amateur.antenna:51370 rec.radio.amateur.misc:40657
rec.radio.amateur.equipment:13555


"konstans" <konstans@hotmail.com> wrote in message
news:fiiian$2pf$1@registered.motzarella.org...
>
> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
> news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
>> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>




From 9219834444734063870
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed0.kamp.net!newsfeed.kamp.net!news.motzarella.org!motzarella.org!not-for-
mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
dlod  why are trying to escalate thing even further
Date: Thu, 13 Dec 2007 19:46:30 -0500
Organization: A noiseless patient Spider
Lines: 13
Message-ID: <fjsjr4$ccp$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
<fiiian$2pf$1@registered.motzarella.org>
X-Trace: feeder.motzarella.org
U2FsdGVkX197y2eqtAXafpcNVyBEn6N97gioi6T6IwMqEvnoqLJwWw0hi6fwpI2s9aoUBRis3cjiZaX7i+
C4MvjxgHq7uYrJVGrRdyqEbJ4OfB+SqkjWx893ju3taVO4cMMlcbSK0eJ/3RPRFtpczw==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Fri, 14 Dec 2007 00:47:35 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1+Duuc+8qnc25FHbRN1NRi+72THDQkUQhwSSXc7y/amIg==
Cancel-Lock: sha1:RdcpC4xPGZ7jSRtGG/VoV+exN+M=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:102417
rec.radio.amateur.antenna:51371 rec.radio.amateur.misc:40658
rec.radio.amateur.equipment:13556


"konstans" <konstans@hotmail.com> wrote in message
news:fiiian$2pf$1@registered.motzarella.org...
>
> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
> news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
>> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
```

```
From -7041986081716862532
X-Google-Thread: 108122,43c0407a83cc1ed4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe13.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <1uy5j.2173$mF1.1802@newsfe08.phx>
<13ljvrjfj4lo5b4@corp.supernews.com>
In-Reply-To: <13ljvrjfj4lo5b4@corp.supernews.com>
Subject: Re: Need computer program to read my paddle code
Lines: 57
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <Uln6j.1570$Rf5.1318@newsfe13.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe13.phx 1197081076 72.197.13.209 (Fri, 07 Dec 2007 19:31:16 MST)
NNTP-Posting-Date: Fri, 07 Dec 2007 19:31:16 MST
```

Organization: Cox
Date: Fri, 7 Dec 2007 18:31:13 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13407

Thanks Richard for the response, I'll pass it back to my friend
73 Lamont

"Richard Knoppow" <dickburk@ix.netcom.com> wrote in message
news:13ljvrjfj4lo5b4@corp.supernews.com...
>
> "The Shadow" <Cranston@CobaltClub.com> wrote in message
> news:1uy5j.2173$mF1.1802@newsfe08.phx...
>>I received this message from a friend and am not sure what to recommend.
>>
>> Message is:
>> " I need a program that I can use to receive code sent by me to the
>> computer in hopes of mastering my paddles. I have a keyer so I would
>> assume something that would use my sound card would be the easiest but if
>> a program that connects to one of the computer ports would be better that
>> would not be a problem.what program would you recommend for this?"
>>
>> Any ideas? Post here please. Thanks
>>
>> Lamont
>   There are many freeware code reading programs on the web. All work
> through the sound card and will read code from a receiver or from a local
> source. Most will also send code from the keyboard.
>   I don't think this is helpful for learning code. I suggest using a
> code sending program, I like the G4FON "Kotch" trainer, a Google search
> will find it. This program can be set to send code from any text file.
>   Another good source of practice material is the W1AW web page on the
> ARRL site. This has on line MP3 files at several speeds. Can't vary the
> tone but its good machine sent code. I think this is important to use for
> learning because it gives you a standard for sending.
>   I may be very old fashioned (but so is Morse) but I still think a
> beginner should start with a straight hand key. Using a keyer requires
> learning a couple of things at once. After getting pretty good with a hand
> key one can move on to a keyer or bug.
>   BTW, code reading programs will generally tollerate a reasonable
> amount of bad sending so the fact that one can read your sending may not
> mean much in terms of quality. Probably a plain sound recording of the
> sending is more revealing. If you can read your own a couple of days later
> you are probably doing OK.
>   BTW, the G4FON program allows setting the code for some common
> variations like dithered timing and can introduce QRM and QSB.
>   Back in the bad old days, when much wire and radio traffic was handled
> by hand the ability of an operator to read bad fists was important. This
> is pretty much like being able to decipher bad handwriting. I think you
> have to get pretty darn good to be able to do it. Code is also something
> like learning shorthand: it becomes a life-time avocation, provided you
> like it. I learned code in my teens, back when dinosaurs roamed the
> streets, and am still working on it.
>

```
>
> --
> ---
> Richard Knoppow
> Los Angeles, CA, USA
> dickburk@ix.netcom.com
>



From 2378390996447992013
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e67g2000hsc.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Fri, 7 Dec 2007 19:09:08 -0800 (PST)
Organization: http://groups.google.com
Lines: 31
Message-ID: <a41b5b23-a4a5-4a4f-93fd-8a7336d259b5@e67g2000hsc.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197083348 24519 127.0.0.1 (8 Dec 2007 03:09:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Dec 2007 03:09:08 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e67g2000hsc.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:100811
rec.radio.amateur.antenna:50807 rec.radio.amateur.misc:39535
rec.radio.amateur.equipment:13408

On Dec 7, 6:01 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
```

```
>
>
> > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > for his actions, there is no excuse for the false reporting of lies
> > about another person because he suspects something through his twisted
> > logic and suspects that a certain person is the author of messages on
> > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > he called the hotline for the Florida Department of Child Protective
> > Services and falsely reported that Mr. Crow has had inappropriate
> > conversations with a 7 year old child concerning sex.
>
> > IMO this behavior on the part of Mr. Morgan and his actions are
> > dispicable, but shows the great length that Mr. Morgan will go to
> > persue/attack other hams who he thinks criticize his netique by taking
> > his disputes off of the net and trying to affect someone's freedom and
> > livelyhood by lauding false charges against anyone he deems is
> > deserving of his tirade of revenge.
>
> Mark, why do you keep trying to cover up your misdeed with your
> flooding based on your own forged email to yourself.- Hide quoted text -
>
> - Show quoted text -

why cover up your misdeed, what do you have against Mr. Crow?


From 3503206541100480433
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e23g2000prf.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
     because he likels illgealy offering kids for sex after al he admits to
Date: Fri, 7 Dec 2007 19:18:52 -0800 (PST)
Organization: http://groups.google.com
Lines: 91
Message-ID: <a81c89f5-91f2-4042-aa25-562ada945ce1@e23g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
     <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
     <3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
     <td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
```

```
     <ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
NNTP-Posting-Host: 69.19.14.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197083933 26539 127.0.0.1 (8 Dec 2007 03:18:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Dec 2007 03:18:53 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e23g2000prf.googlegroups.com; posting-host=69.19.14.22;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:100831
rec.radio.amateur.antenna:50809 rec.radio.amateur.misc:39536
rec.radio.amateur.equipment:13409

On Dec 7, 6:44 pm, kb9...@hotmail.com wrote:
> On Sun, 02 Dec 2007 06:11:39 -0500, kb9...@hotmail.com wrote:
> >On Wed, 28 Nov 2007 21:30:03 -0500, kb9...@hotmail.com wrote:
>
> >>On Wed, 21 Nov 2007 23:20:49 -0500, kb9...@hotmail.com wrote:
>
> >>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9...@hotmail.com wrote:
>
> >>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
> >>>><DloydLav...@gmail.com> wrote:
>
> >>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
> >>>>adams
>
> >>>>woger you are a Congress all in your own head
>
> >>>>http://kb9rqz.bravejournal.com/
> >>>>altopia is never used by KB9RQZ
> >>>>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>
> >>>>posts from these sorucees are fakes
>
> >>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >>>>G
>
> >>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >>>adams
>
> >>>woger you are a Congress all in your own head
>
> >>>http://kb9rqz.bravejournal.com/
> >>>altopia is never used by KB9RQZ
```

> >>>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> >>>posts from these sorucees are fakes
>
> >>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >>>G
>
> >>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >>adams
>
> >>woger you are a Congress all in your own head
>
> >>http://kb9rqz.bravejournal.com/
> >>altopia is never used by KB9RQZ
> >>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> >>posts from these sorucees are fakes
>
> >>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >>G
>
> >"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >adams
>
> >woger you are a Congress all in your own head
>
> >http://kb9rqz.bravejournal.com/
> >altopia is never used by KB9RQZ
> >nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> >posts from these sorucees are fakes
>
> >and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >G
>
> "one useless man is disgrace 2 become a law firm 3 or more become a congress"
> adams
>
> woger you are a Congress all in your own head
>
> http://kb9rqz.bravejournal.com/
> altopia is never used by KB9RQZ
> nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> posts from these sorucees are fakes
>

> and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> G
>
> --
> Posted via a free Usenet account fromhttp://www.teranews.com- Hide quoted text -
>
> - Show quoted text -

From -603746851142237630
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o6g2000hsd.googlegroups.com!not-for-mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
Florida Child Protective Services...
Date: Fri, 7 Dec 2007 19:21:02 -0800 (PST)
Organization: http://groups.google.com
Lines: 37
Message-ID: <3a03c5f2-5a23-495f-b564-87f79a37d609@o6g2000hsd.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<a41b5b23-a4a5-4a4f-93fd-8a7336d259b5@e67g2000hsc.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197084063 26943 127.0.0.1 (8 Dec 2007 03:21:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Dec 2007 03:21:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o6g2000hsd.googlegroups.com; posting-host=71.48.131.227;
posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:100835
rec.radio.amateur.antenna:50810 rec.radio.amateur.misc:39537
rec.radio.amateur.equipment:13410

On Dec 7, 10:09 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Dec 7, 6:01 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>

```
>
>
>
>
> > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > for his actions, there is no excuse for the false reporting of lies
> > > about another person because he suspects something through his twisted
> > > logic and suspects that a certain person is the author of messages on
> > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > he called the hotline for the Florida Department of Child Protective
> > > Services and falsely reported that Mr. Crow has had inappropriate
> > > conversations with a 7 year old child concerning sex.
>
> > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > dispicable, but shows the great length that Mr. Morgan will go to
> > > persue/attack other hams who he thinks criticize his netique by taking
> > > his disputes off of the net and trying to affect someone's freedom and
> > > livelyhood by lauding false charges against anyone he deems is
> > > deserving of his tirade of revenge.
>
> > Mark, why do you keep trying to cover up your misdeed with your
> > flooding based on your own forged email to yourself.- Hide quoted text -
>
> > - Show quoted text -
>
> why cover up your misdeed, what do you have against Mr. Crow?- Hide quoted text
-
>
> - Show quoted text -

Well


From 6417765879604565407
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o42g2000hsc.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
     because he likels illgealy offering kids for sex after al he admits to
Date: Fri, 7 Dec 2007 19:24:04 -0800 (PST)
Organization: http://groups.google.com
```

```
Lines: 97
Message-ID: <29717d0f-6862-4032-a43d-03845294cbd9@o42g2000hsc.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
     <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
     <3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
     <td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
     <ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com> <a81c89f5-91f2-4042-
aa25-562ada945ce1@e23g2000prf.googlegroups.com>
NNTP-Posting-Host: 69.19.14.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197084244 27550 127.0.0.1 (8 Dec 2007 03:24:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Dec 2007 03:24:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o42g2000hsc.googlegroups.com; posting-host=69.19.14.22;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:100838
rec.radio.amateur.antenna:50811 rec.radio.amateur.misc:39538
rec.radio.amateur.equipment:13411

On Dec 7, 10:18 pm, an_old_friend <kb9...@gmail.com> wrote:
> On Dec 7, 6:44 pm, kb9...@hotmail.com wrote:
>
>
>
> > On Sun, 02 Dec 2007 06:11:39 -0500, kb9...@hotmail.com wrote:
> > >On Wed, 28 Nov 2007 21:30:03 -0500, kb9...@hotmail.com wrote:
>
> > >>On Wed, 21 Nov 2007 23:20:49 -0500, kb9...@hotmail.com wrote:
>
> > >>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9...@hotmail.com wrote:
>
> > >>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
> > >>>><DloydLav...@gmail.com> wrote:
>
> > >>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
> > >>>>adams
>
> > >>>>woger you are a Congress all in your own head
>
> > >>>>http://kb9rqz.bravejournal.com/
> > >>>>altopia is never used by KB9RQZ
> > >>>>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
```

>
> > >>>>posts from these sorucees are fakes
>
> > >>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> > >>>>G
>
> > >>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
> > >>>adams
>
> > >>>woger you are a Congress all in your own head
>
> > >>>http://kb9rqz.bravejournal.com/
> > >>>altopia is never used by KB9RQZ
> > >>>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>
> > >>>posts from these sorucees are fakes
>
> > >>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> > >>>G
>
> > >>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
> > >>adams
>
> > >>woger you are a Congress all in your own head
>
> > >>http://kb9rqz.bravejournal.com/
> > >>altopia is never used by KB9RQZ
> > >>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>
> > >>posts from these sorucees are fakes
>
> > >>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> > >>G
>
> > >"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> > >adams
>
> > >woger you are a Congress all in your own head
>
> > >http://kb9rqz.bravejournal.com/
> > >altopia is never used by KB9RQZ
> > >nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>
> > >posts from these sorucees are fakes
>

```
> > >and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> > >G
>
> > "one useless man is disgrace 2 become a law firm 3 or more become a congress"
> > adams
>
> > woger you are a Congress all in your own head
>
> >http://kb9rqz.bravejournal.com/
> > altopia is never used by KB9RQZ
> > nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>
> > posts from these sorucees are fakes
>
> > and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> > G
>
> > --
> > Posted via a free Usenet account fromhttp://www.teranews.com-Hide quoted text
-
>
> > - Show quoted text -- Hide quoted text -
>
> - Show quoted text -



From 3960369491725082118
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.netfinity.fr!news.motzarella.org!motzarella.org!not-for-
mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Fri, 7 Dec 2007 22:30:35 -0500
Organization: A noiseless patient Spider
Lines: 15
Message-ID: <fjd351$t3h$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
```

```
<fjcjv0$720$1@registered.motzarella.org>
X-Trace: feeder.motzarella.org
U2FsdGVkX19rCYre2RnwFA92uVdnDVYAyY8NFkUCHKme+sC3UYLfuUw4cy7b3/
oFZ1j4v4QfRFbzyvwTbrDG/Tt6ay2siN1zawJJOChxfJPAhSP5pr49y7I5yJnVxg99gzIJV/nM1rI=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sat, 8 Dec 2007 03:30:42 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX19aELVVsQe/URv93Yu/1nocYoGu/2KnspU5zpAQdEFi8w==
Cancel-Lock: sha1:dVDMSR3qsF90UoYhmZMOUiVAdeI=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100846
rec.radio.amateur.antenna:50812 rec.radio.amateur.misc:39539
rec.radio.amateur.equipment:13412


"konstans" <konstans@hotmail.com> wrote in message
news:fjcjv0$720$1@registered.motzarella.org...
>
> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>
>> Mark, why do you keep trying to cover up your misdeed
> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
> citizen should
>




From 2823888650754312042
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 02:50:34 -0500
Message-ID: <hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
```

```
<fjcjv0$720$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
NNTP-Posting-Date: 08 Dec 2007 07:00:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100893
rec.radio.amateur.antenna:50825 rec.radio.amateur.misc:39560
rec.radio.amateur.equipment:13413

On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>
>> Mark, why do you keep trying to cover up your misdeed
>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>citizen should
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From 3777977962961710659
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 02:50:35 -0500
Message-ID: <40jkl39st7lhjejfejm3g7pmc24cqf0p6k@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org> <fjd351$t3h$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
NNTP-Posting-Date: 08 Dec 2007 07:01:08 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100904
rec.radio.amateur.antenna:50826 rec.radio.amateur.misc:39571
rec.radio.amateur.equipment:13414

On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"konstans" <konstans@hotmail.com> wrote in message
>news:fjcjv0$720$1@registered.motzarella.org...
>>
>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>
>>> Mark, why do you keep trying to cover up your misdeed
>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>> citizen should
>>
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -1385055012531667678
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 02:50:35 -0500
Message-ID: <avikl39lndnidbchcgskj4ksi75mbqvqq6@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
<td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
<ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 104
NNTP-Posting-Date: 08 Dec 2007 07:00:58 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100916
rec.radio.amateur.antenna:50827 rec.radio.amateur.misc:39583
rec.radio.amateur.equipment:13415

On Fri, 07 Dec 2007 18:44:53 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 02 Dec 2007 06:11:39 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 28 Nov 2007 21:30:03 -0500, kb9rqz@hotmail.com wrote:
>>

>>>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>>>>><DloydLavies@gmail.com> wrote:
>>>>>
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>

>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--

Posted via a free Usenet account from http://www.teranews.com

```
From -3052656803643757892
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v4g2000hsf.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Sat, 8 Dec 2007 16:03:08 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197158589 14546 127.0.0.1 (9 Dec 2007 00:03:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Dec 2007 00:03:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: v4g2000hsf.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:100949
rec.radio.amateur.antenna:50892 rec.radio.amateur.misc:39599
rec.radio.amateur.equipment:13416
```

On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:

> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
> for his actions, there is no excuse for the false reporting of lies
> about another person because he suspects something through his twisted
> logic and suspects that a certain person is the author of messages on
> a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> Morgan KB9RQZ, has alleged on thewww.nimbusters.comham board, that
> he called the hotline for the Florida Department of Child Protective
> Services and falsely reported that Mr. Crow has had inappropriate
> conversations with a 7 year old child concerning sex.
>

> IMO this behavior on the part of Mr. Morgan and his actions are
> dispicable, but shows the great length that Mr. Morgan will go to
> persue/attack other hams who he thinks criticize his netique by taking
> his disputes off of the net and trying to affect someone's freedom and
> livelyhood by lauding false charges against anyone he deems is
> deserving of his tirade of revenge.

Why keep burying the truth in your flood? Mr. Useful Idiot, KB9RQZ

From -2091884346459480612
X-Google-Thread: 108122,b174110af9f5715a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe13.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS - Estate Items
Message-ID: <18iml35r3cnnbtm2klns5lbtbi6170ena9@4ax.com>
References: <gh9gl3l17bo5qqs1c85f88eo6p79702hgu@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe13.lga 1197164817 70.161.108.207 (Sat, 08 Dec 2007 18:46:57 MST)
NNTP-Posting-Date: Sat, 08 Dec 2007 18:46:57 MST
Organization: Cox
Date: Sat, 08 Dec 2007 20:47:05 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13417

On Thu, 06 Dec 2007 11:42:42 -0500, Sonny Hood <wrhood@cox.net> wrote:
Collins 30L1 is SOLD
>Collins 30L1 Amplifier, wired for 115 VAC, 4 boxed 811A's found in a
>bag. Estate as-is $500 plus shipping & handling from 23323.
>
>"Bird" Mod. 43 Watt Meter, Estate as-is $150 plus shipping & handling
>from 23323.
>
>"Bird" RF element "25C" (25 watt, 100-250 MHz), Estate as-is $50 plus
>shipping & handling from 23323.
>
>Midland SWR & Field Strength Meter #23-126, Estate as-is $10 plus
>shipping & handling from 23323.
>
>National XCU-50, Plug-in Crystal Calibrator for HRO, NC-300 or NC-303.
>Estate as-is $75 plus shipping & handling from 23323. <k4wys@cox.net>

From -257578873940270438
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why dloyd advocated not working with LE as they request, I guess because
he likels illgealy offering kids for sex after al he admits to
Date: Sat, 8 Dec 2007 23:00:14 -0500
Organization: A noiseless patient Spider
Lines: 9
Message-ID: <fjfp8r$vv8$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
X-Trace: feeder.motzarella.org U2FsdGVkX19OAcC7J+QBgRiFVwiCaSBFemq6sJfCswzN/
nsdRLCwNEPjW8biurUuVqzwWEjHXCxwgbJ+JAUSz1hpFhkYOUMT7M6jfo9YjUvRePewt9YNIL86bE9IhUG
1BcojqnzQwsU=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sun, 9 Dec 2007 04:00:28 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1/fc1Rt06xWMyOARwKRri+XrxF5wN+vE3myIrOrhZGMFA==
Cancel-Lock: sha1:JYsnJu4wwoyc3L1LWp9kuezJlTk=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100962
rec.radio.amateur.antenna:50906 rec.radio.amateur.misc:39602
rec.radio.amateur.equipment:13418

"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> Why keep burying the truth in your flood?

why do you try o dloyd

From -377029273865876228
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7

X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 23:04:43 -0500
Message-ID: <55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
NNTP-Posting-Date: 09 Dec 2007 03:14:35 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100966
rec.radio.amateur.antenna:50908 rec.radio.amateur.misc:39604
rec.radio.amateur.equipment:13419

On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>
>> Mark, why do you keep trying to cover up your misdeed
>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>citizen should
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 3323823462000323484
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 23:04:43 -0500
Message-ID: <t6qml3tmvvmon9jqa5le4cm66m63aglkor@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
<td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
<ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 104
NNTP-Posting-Date: 09 Dec 2007 03:15:06 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100975
rec.radio.amateur.antenna:50910 rec.radio.amateur.misc:39613
rec.radio.amateur.equipment:13420

On Fri, 07 Dec 2007 18:44:53 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 02 Dec 2007 06:11:39 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 28 Nov 2007 21:30:03 -0500, kb9rqz@hotmail.com wrote:
>>

>>>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>>>>><DloydLavies@gmail.com> wrote:
>>>>>
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>

>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--

Posted via a free Usenet account from http://www.teranews.com

```
From 1462448679004300484
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!news.glorb.com!
newsgate.cistron.nl!xs4all!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 23:04:44 -0500
Message-ID: <g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org> <fjd351$t3h$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
NNTP-Posting-Date: 09 Dec 2007 03:15:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100982
rec.radio.amateur.antenna:50912 rec.radio.amateur.misc:39620
rec.radio.amateur.equipment:13421

On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"konstans" <konstans@hotmail.com> wrote in message
>news:fjcjv0$720$1@registered.motzarella.org...
>>
>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>
>>> Mark, why do you keep trying to cover up your misdeed
>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>> citizen should
>>
>
```

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -6114018116302648813
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!
storethat.news.telefonica.de!telefonica.de!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 23:04:44 -0500
Message-ID: <o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
NNTP-Posting-Date: 09 Dec 2007 03:15:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100989
rec.radio.amateur.antenna:50913 rec.radio.amateur.misc:39627

rec.radio.amateur.equipment:13422

On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>
>>> Mark, why do you keep trying to cover up your misdeed
>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>citizen should
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 8011938829752391661
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q3g2000hsg.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Sat, 8 Dec 2007 20:44:09 -0800 (PST)
Organization: http://groups.google.com
Lines: 30
Message-ID: <5b6e858c-89f8-41bf-b7a1-a40e23a6464b@q3g2000hsg.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197175449 5026 127.0.0.1 (9 Dec 2007 04:44:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Dec 2007 04:44:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: q3g2000hsg.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:101013
rec.radio.amateur.antenna:50917 rec.radio.amateur.misc:39643
rec.radio.amateur.equipment:13423
```

On Dec 8, 7:03 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
> > for his actions, there is no excuse for the false reporting of lies
> > about another person because he suspects something through his twisted
> > logic and suspects that a certain person is the author of messages on
> > a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> > reading this knows Mr. Crow, they should inform him that Mr. Mark C.

```
> > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > he called the hotline for the Florida Department of Child Protective
> > Services and falsely reported that Mr. Crow has had inappropriate
> > conversations with a 7 year old child concerning sex.
>
> > IMO this behavior on the part of Mr. Morgan and his actions are
> > dispicable, but shows the great length that Mr. Morgan will go to
> > persue/attack other hams who he thinks criticize his netique by taking
> > his disputes off of the net and trying to affect someone's freedom and
> > livelyhood by lauding false charges against anyone he deems is
> > deserving of his tirade of revenge.
>
> Why keep burying the truth in your flood? Mr. Useful Idiot, KB9RQZ- Hide quoted
text -
>
> - Show quoted text -

Why Mr. Useful Idiot


From -4046010803318119498
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!nntpfeed.proxad.net!news.netfinity.fr!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 8 Dec 2007 23:47:06 -0500
Organization: A noiseless patient Spider
Lines: 13
Message-ID: <fjfs0f$8o6$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
X-Trace: feeder.motzarella.org U2FsdGVkX1+maXSP1oykcOcPPT/6bB5mpyZP5hNJ1/
DBK0j2Di+vopSZ3RuISc1dDMFb/4hFIHWxZXxM7r0adsnt/24Uu9aWSwGPyq5vJqVJGPx8HAIkqpoCqWb/
3FfM3vSx6yjFwwM=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sun, 9 Dec 2007 04:47:13 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1+mDdeB1WYkqa4D2ZPkT7VPXAISqRRpaoXoDn41/hitpg==
Cancel-Lock: sha1:DfEQrD4uXWjWmcs5rBGP9MX2kS4=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:101019
rec.radio.amateur.antenna:50918 rec.radio.amateur.misc:39644
rec.radio.amateur.equipment:13424


"konstans" <konstans@hotmail.com> wrote in message
news:fjfp8r$vv8$1@registered.motzarella.org...
>
> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>
>> Why keep burying the truth in your flood?
> why do you try o dloyd
>




From 1543371959957551297
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j20g2000hsi.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Sat, 8 Dec 2007 20:47:45 -0800 (PST)
Organization: http://groups.google.com
Lines: 30
Message-ID: <a7df56fc-a0ce-406e-9dcf-2acfde09954e@j20g2000hsi.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197175666 5980 127.0.0.1 (9 Dec 2007 04:47:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Dec 2007 04:47:46 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: j20g2000hsi.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:101022
rec.radio.amateur.antenna:50919 rec.radio.amateur.misc:39645
rec.radio.amateur.equipment:13425

On Dec 7, 6:01 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > for his actions, there is no excuse for the false reporting of lies
> > about another person because he suspects something through his twisted
> > logic and suspects that a certain person is the author of messages on
> > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > he called the hotline for the Florida Department of Child Protective
> > Services and falsely reported that Mr. Crow has had inappropriate
> > conversations with a 7 year old child concerning sex.
>
> > IMO this behavior on the part of Mr. Morgan and his actions are
> > dispicable, but shows the great length that Mr. Morgan will go to
> > persue/attack other hams who he thinks criticize his netique by taking
> > his disputes off of the net and trying to affect someone's freedom and
> > livelyhood by lauding false charges against anyone he deems is
> > deserving of his tirade of revenge.
>
> Mark, why do you keep trying to cover up your misdeed with your
> flooding based on your own forged email to yourself.- Hide quoted text -
>
> - Show quoted text -



From 5605817460804985755
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
```

Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 23:51:19 -0500
Message-ID: <otsml35ofgh1qfrcjjsdevdvqvgef7samb@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
<td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
<ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
<t6qml3tmvvmon9jqa5le4cm66m63aglkor@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 121
NNTP-Posting-Date: 09 Dec 2007 04:01:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101037
rec.radio.amateur.antenna:50920 rec.radio.amateur.misc:39657
rec.radio.amateur.equipment:13426

On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 07 Dec 2007 18:44:53 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 02 Dec 2007 06:11:39 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 28 Nov 2007 21:30:03 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>>>>>><DloydLavies@gmail.com> wrote:
>>>>>>
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes

>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>

>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 9183889984215182720
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 23:51:20 -0500
Message-ID: <rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org> <fjd351$t3h$1@registered.motzarella.org>
<g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 49
NNTP-Posting-Date: 09 Dec 2007 04:02:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101054
rec.radio.amateur.antenna:50925 rec.radio.amateur.misc:39674
rec.radio.amateur.equipment:13430

On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"konstans" <konstans@hotmail.com> wrote in message
>>news:fjcjv0$720$1@registered.motzarella.org...
>>>
>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>
>>>> Mark, why do you keep trying to cover up your misdeed
>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>> citizen should
>>>
>>
>
```

>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -5122306101749927407
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to

```
Date: Sat, 08 Dec 2007 23:51:20 -0500
Message-ID: <2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
<o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 65
NNTP-Posting-Date: 09 Dec 2007 04:02:14 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 62
Xref: g2news1.google.com rec.radio.amateur.policy:101048
rec.radio.amateur.antenna:50923 rec.radio.amateur.misc:39668
rec.radio.amateur.equipment:13428

On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>
>>>> Mark, why do you keep trying to cover up your misdeed
>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>citizen should
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
```

```
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From -4974777805280487019
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
```

Date: Sat, 08 Dec 2007 23:51:20 -0500
Message-ID: <8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
NNTP-Posting-Date: 09 Dec 2007 04:02:19 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 26
Xref: g2news1.google.com rec.radio.amateur.policy:101046
rec.radio.amateur.antenna:50922 rec.radio.amateur.misc:39666
rec.radio.amateur.equipment:13427

On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>
>> Why keep burying the truth in your flood?
>why do you try o dloyd
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -8418931479878446486
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7

```
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 08 Dec 2007 23:51:20 -0500
Message-ID: <cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
NNTP-Posting-Date: 09 Dec 2007 04:02:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101053
rec.radio.amateur.antenna:50924 rec.radio.amateur.misc:39673
rec.radio.amateur.equipment:13429

On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>
>>> Mark, why do you keep trying to cover up your misdeed
>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>citizen should
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
```

```
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From 5606335863637130986
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b1g2000pra.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Sat, 8 Dec 2007 20:54:34 -0800 (PST)
Organization: http://groups.google.com
Lines: 35
Message-ID: <ecdbe9ca-0cd8-461e-9e94-6cb02c23c1e5@b1g2000pra.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
     <5b6e858c-89f8-41bf-b7a1-a40e23a6464b@q3g2000hsg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197176075 7249 127.0.0.1 (9 Dec 2007 04:54:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Dec 2007 04:54:35 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b1g2000pra.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:101074
rec.radio.amateur.antenna:50927 rec.radio.amateur.misc:39692
rec.radio.amateur.equipment:13431

On Dec 8, 11:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Dec 8, 7:03 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > for his actions, there is no excuse for the false reporting of lies
> > > about another person because he suspects something through his twisted
> > > logic and suspects that a certain person is the author of messages on
> > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > he called the hotline for the Florida Department of Child Protective
> > > Services and falsely reported that Mr. Crow has had inappropriate
> > > conversations with a 7 year old child concerning sex.
>
> > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > dispicable, but shows the great length that Mr. Morgan will go to
> > > persue/attack other hams who he thinks criticize his netique by taking
> > > his disputes off of the net and trying to affect someone's freedom and
> > > livelyhood by lauding false charges against anyone he deems is
> > > deserving of his tirade of revenge.
>
> > Why keep burying the truth in your flood? Mr. Useful Idiot, KB9RQZ- Hide
quoted text -
>
> > - Show quoted text -
>
> Why Mr. Useful Idiot- Hide quoted text -
>
> - Show quoted text -
```

```
From -2304599243122960227
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b40g2000prf.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
     because he likels illgealy offering kids for sex after al he admits to
Date: Sat, 8 Dec 2007 20:58:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 9
Message-ID: <f4afe5ad-4e84-404f-b9e1-b7f4c1df1493@b40g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
     <fjfp8r$vv8$1@registered.motzarella.org>
NNTP-Posting-Host: 69.19.14.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197176294 7887 127.0.0.1 (9 Dec 2007 04:58:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Dec 2007 04:58:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b40g2000prf.googlegroups.com; posting-host=69.19.14.22;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:101080
rec.radio.amateur.antenna:50929 rec.radio.amateur.misc:39693
rec.radio.amateur.equipment:13432

On Dec 8, 11:00 pm, "konstans" <konst...@hotmail.com> wrote:
> "Dloyd Lavies" <DloydLav...@gmail.com> wrote in message
>
> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...> On Nov
21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > Why keep burying the truth in your flood?
>
> why do you try o dloyd



From 5959062123773411617
X-Google-Thread: 108122,260113f753289e1f,start
```

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!feeder.news-service.com!newsfeed.kamp.net!newsfeed.kamp.net!feed.xsnews.nl!border-1.ams.xsnews.nl!sn-xt-ams-06!sn-xt-ams-10!sn-xt-ams-08!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Alan Peake <adpeake@killspam.internode.on.net>
Newsgroups: rec.radio.amateur.equipment
Subject: IC706IIG warm-up problem
Date: Sun, 09 Dec 2007 18:45:47 +0000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <475C37DB.2010202@killspam.internode.on.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.0.2) Gecko/20021120 Netscape/7.01
X-Accept-Language: en-us, en
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news1.google.com rec.radio.amateur.equipment:13433

Hello all,
Looking for a few clues on a problem that two of us are having with the IC706IIG. On a cool day - say about 15C - both sets are fine at switch-on but about 15-30 minutes later, the transmitted and received audio becomes very noisy. Then, as the sets warm up, the problem disappears. It only seems to happen on frequencies above 60 MHz and looking at the audio out for a single input frequency, the spectrum appears to be smeared all over the audio bandwidth. I feel that a PLL is dropping out of lock somewhere but haven't managed to track it down yet.
If anyone has had a similar experience or knows what the problem is, I'd be most grateful for any help.
73 de Alan
VK2ADB

From -7552875946201874832
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess

```
because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:03:43 -0500
Message-ID: <t04ol3p9ac83ihaihkju6l67r2nsbleqt4@4ax.com>
References: <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
<td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
<ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
<t6qml3tmvvmon9jqa5le4cm66m63aglkor@4ax.com>
<otsml35ofgh1qfrcjjsdevdvqvgef7samb@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 138
NNTP-Posting-Date: 09 Dec 2007 15:13:55 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101101
rec.radio.amateur.antenna:50967 rec.radio.amateur.misc:39704
rec.radio.amateur.equipment:13434

On Sat, 08 Dec 2007 23:51:19 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 07 Dec 2007 18:44:53 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 02 Dec 2007 06:11:39 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 28 Nov 2007 21:30:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>>>>>>><DloydLavies@gmail.com> wrote:
>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
```

```
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
```

>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -1219831845757082395
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:03:43 -0500
Message-ID: <534ol3ht4vlrh404sss82sb939nplfqapp@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
<o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
<2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 79
NNTP-Posting-Date: 09 Dec 2007 15:14:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101110
rec.radio.amateur.antenna:50969 rec.radio.amateur.misc:39713
rec.radio.amateur.equipment:13435

On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>
>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>citizen should
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -2207215849753505095
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:03:43 -0500

```
Message-ID: <u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org> <fjd351$t3h$1@registered.motzarella.org>
<g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
<rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 66
NNTP-Posting-Date: 09 Dec 2007 15:14:35 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101115
rec.radio.amateur.antenna:50970 rec.radio.amateur.misc:39718
rec.radio.amateur.equipment:13436

On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>>"konstans" <konstans@hotmail.com> wrote in message
>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>
>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>
>>>>> Mark, why do you keep trying to cover up your misdeed
>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>> citizen should
>>>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
```

>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -7870252062297287595
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess

because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:03:44 -0500
Message-ID: <d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
NNTP-Posting-Date: 09 Dec 2007 15:14:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101118
rec.radio.amateur.antenna:50971 rec.radio.amateur.misc:39721
rec.radio.amateur.equipment:13437

On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"konstans" <konstans@hotmail.com> wrote in message
>news:fjfp8r$vv8$1@registered.motzarella.org...
>>
>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>
>>> Why keep burying the truth in your flood?
>> why do you try o dloyd
>>
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 4052204579453540385
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!18g2000hsf.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Sun, 9 Dec 2007 08:05:23 -0800 (PST)
Organization: http://groups.google.com
Lines: 37
Message-ID: <f4aa6e92-d928-40a9-b19b-bd3b3ae02376@18g2000hsf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
     <5b6e858c-89f8-41bf-b7a1-a40e23a6464b@q3g2000hsg.googlegroups.com>
     <ecdbe9ca-0cd8-461e-9e94-6cb02c23c1e5@b1g2000pra.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197216323 10926 127.0.0.1 (9 Dec 2007 16:05:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Dec 2007 16:05:23 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 18g2000hsf.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:101121
rec.radio.amateur.antenna:50972 rec.radio.amateur.misc:39724
rec.radio.amateur.equipment:13438

On Dec 8, 11:54 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Dec 8, 11:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
> > On Dec 8, 7:03 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > > for his actions, there is no excuse for the false reporting of lies
> > > > about another person because he suspects something through his twisted
```

> > > > logic and suspects that a certain person is the author of messages on
> > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > he called the hotline for the Florida Department of Child Protective
> > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > conversations with a 7 year old child concerning sex.
>
> > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > persue/attack other hams who he thinks criticize his netique by taking
> > > > his disputes off of the net and trying to affect someone's freedom and
> > > > livelyhood by lauding false charges against anyone he deems is
> > > > deserving of his tirade of revenge.
>
> > > Why keep burying the truth in your flood? Mr. Useful Idiot, KB9RQZ- Hide
quoted text -
>
> > > - Show quoted text -
>
> > Why Mr. Useful Idiot- Hide quoted text -
>
> > - Show quoted text -- Hide quoted text -
>
> - Show quoted text -

From 258580413562458850
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:03:44 -0500
Message-ID: <h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 43
NNTP-Posting-Date: 09 Dec 2007 15:14:47 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101131
rec.radio.amateur.antenna:50973 rec.radio.amateur.misc:39734
rec.radio.amateur.equipment:13439

On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>
>>> Why keep burying the truth in your flood?
>>why do you try o dloyd
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

```
--
Posted via a free Usenet account from http://www.teranews.com



From 8072592076916752551
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:03:44 -0500
Message-ID: <l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 62
NNTP-Posting-Date: 09 Dec 2007 15:14:50 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101132
rec.radio.amateur.antenna:50974 rec.radio.amateur.misc:39735
rec.radio.amateur.equipment:13440

On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>
>>>> Mark, why do you keep trying to cover up your misdeed
>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
```

>>>citizen should
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 2047258559629513711
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!18g2000hsf.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Sun, 9 Dec 2007 08:09:13 -0800 (PST)
Organization: http://groups.google.com
Lines: 42
Message-ID: <8531390a-39e9-415c-8c48-c2b7722b3b83@18g2000hsf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
     <5b6e858c-89f8-41bf-b7a1-a40e23a6464b@q3g2000hsg.googlegroups.com>
     <ecdbe9ca-0cd8-461e-9e94-6cb02c23c1e5@b1g2000pra.googlegroups.com>
     <f4aa6e92-d928-40a9-b19b-bd3b3ae02376@18g2000hsf.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197216553 11572 127.0.0.1 (9 Dec 2007 16:09:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Dec 2007 16:09:13 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: 18g2000hsf.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:101143
rec.radio.amateur.antenna:50975 rec.radio.amateur.misc:39744
rec.radio.amateur.equipment:13441

On Dec 9, 11:05 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Dec 8, 11:54 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
> > On Dec 8, 11:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Dec 8, 7:03 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
```

```
> > > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > > > for his actions, there is no excuse for the false reporting of lies
> > > > > about another person because he suspects something through his twisted
> > > > > logic and suspects that a certain person is the author of messages on
> > > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > > he called the hotline for the Florida Department of Child Protective
> > > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > > conversations with a 7 year old child concerning sex.
>
> > > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > > persue/attack other hams who he thinks criticize his netique by taking
> > > > > his disputes off of the net and trying to affect someone's freedom and
> > > > > livelyhood by lauding false charges against anyone he deems is
> > > > > deserving of his tirade of revenge.
>
> > > > Why keep burying the truth in your flood? Mr. Useful Idiot, KB9RQZ- Hide
quoted text -
>
> > > > - Show quoted text -
>
> > > Why Mr. Useful Idiot- Hide quoted text -
>
> > > - Show quoted text -- Hide quoted text -
>
> > - Show quoted text -- Hide quoted text -
>
> - Show quoted text -

Why hide your fuckup Mark?


From -5177399031099640700
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w56g2000hsf.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
     because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 9 Dec 2007 08:15:26 -0800 (PST)
Organization: http://groups.google.com
Lines: 142
```

```
Message-ID: <ab49f5f3-493a-4053-a84e-d0858a2f5ca9@w56g2000hsf.googlegroups.com>
References: <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
     <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
     <3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
     <td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
     <ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
<t6qml3tmvvmon9jqa5le4cm66m63aglkor@4ax.com>
     <otsml35ofgh1qfrcjjsdevdvqvgef7samb@4ax.com>
<t04ol3p9ac83ihaihkju6l67r2nsbleqt4@4ax.com>
NNTP-Posting-Host: 69.19.14.22
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197216926 12970 127.0.0.1 (9 Dec 2007 16:15:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Dec 2007 16:15:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w56g2000hsf.googlegroups.com; posting-host=69.19.14.22;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:101147
rec.radio.amateur.antenna:50976 rec.radio.amateur.misc:39746
rec.radio.amateur.equipment:13442

On Dec 9, 11:03 am, kb9...@hotmail.com wrote:
> On Sat, 08 Dec 2007 23:51:19 -0500, kb9...@hotmail.com wrote:
> >On Sat, 08 Dec 2007 23:04:43 -0500, kb9...@hotmail.com wrote:
>
> >>On Fri, 07 Dec 2007 18:44:53 -0500, kb9...@hotmail.com wrote:
>
> >>>On Sun, 02 Dec 2007 06:11:39 -0500, kb9...@hotmail.com wrote:
>
> >>>>On Wed, 28 Nov 2007 21:30:03 -0500, kb9...@hotmail.com wrote:
>
> >>>>>On Wed, 21 Nov 2007 23:20:49 -0500, kb9...@hotmail.com wrote:
>
> >>>>>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9...@hotmail.com wrote:
>
> >>>>>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
> >>>>>>><DloydLav...@gmail.com> wrote:
>
> >>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
> >>>>>>>adams
>
> >>>>>>>woger you are a Congress all in your own head
>
> >>>>>>>http://kb9rqz.bravejournal.com/
> >>>>>>>altopia is never used by KB9RQZ
```

> >>>>>>>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> >>>>>>>posts from these sorucees are fakes
>
> >>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >>>>>>>G
>
> >>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >>>>>>adams
>
> >>>>>>woger you are a Congress all in your own head
>
> >>>>>>http://kb9rqz.bravejournal.com/
> >>>>>>altopia is never used by KB9RQZ
> >>>>>>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> >>>>>>posts from these sorucees are fakes
>
> >>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >>>>>>G
>
> >>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >>>>>adams
>
> >>>>>woger you are a Congress all in your own head
>
> >>>>>http://kb9rqz.bravejournal.com/
> >>>>>altopia is never used by KB9RQZ
> >>>>>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> >>>>>posts from these sorucees are fakes
>
> >>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >>>>>G
>
> >>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >>>>adams
>
> >>>>woger you are a Congress all in your own head
>
> >>>>http://kb9rqz.bravejournal.com/
> >>>>altopia is never used by KB9RQZ
> >>>>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>
> >>>>posts from these sorucees are fakes
>
> >>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >>>>G
>
> >>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >>>adams
>
> >>>woger you are a Congress all in your own head
>
> >>>http://kb9rqz.bravejournal.com/
> >>>altopia is never used by KB9RQZ
> >>>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> >>>posts from these sorucees are fakes
>
> >>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >>>G
>
> >>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >>adams
>
> >>woger you are a Congress all in your own head
>
> >>http://kb9rqz.bravejournal.com/
> >>altopia is never used by KB9RQZ
> >>nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> >>posts from these sorucees are fakes
>
> >>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >>G
>
> >"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >adams
>
> >woger you are a Congress all in your own head
>
> >http://kb9rqz.bravejournal.com/
> >altopia is never used by KB9RQZ
> >nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
> >posts from these sorucees are fakes
>
> >and get ou the newly recovered KB9RQZ.blogspot.com as well
>

```
> >G
>
> "one useless man is disgrace 2 become a law firm 3 or more become a congress"
> adams
>
> woger you are a Congress all in your own head
>
> http://kb9rqz.bravejournal.com/
> altopia is never used by KB9RQZ
> nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>
> posts from these sorucees are fakes
>
> and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> G
>
> --
> Posted via a free Usenet account fromhttp://www.teranews.com- Hide quoted text -
>
> - Show quoted text -
```

```
From 5967123889921242711
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:22:52 -0500
Message-ID: <8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
NNTP-Posting-Date: 09 Dec 2007 15:32:47 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101154
```

```
rec.radio.amateur.antenna:50977 rec.radio.amateur.misc:39749
rec.radio.amateur.equipment:13443

On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>
>> Mark, why do you keep trying to cover up your misdeed
>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>citizen should
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From 3311471694452742464
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
```

Date: Sun, 09 Dec 2007 11:22:52 -0500
Message-ID: <ur4ol3tk4esu9ejsarvajmmvc1anev8s28@4ax.com>
References: <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
<td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
<ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
<t6qml3tmvvmon9jqa5le4cm66m63aglkor@4ax.com>
<otsml35ofgh1qfrcjjsdevdvqvgef7samb@4ax.com>
<t04ol3p9ac83ihaihkju6l67r2nsbleqt4@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 155
NNTP-Posting-Date: 09 Dec 2007 15:33:05 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101161
rec.radio.amateur.antenna:50978 rec.radio.amateur.misc:39754
rec.radio.amateur.equipment:13444

On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 23:51:19 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 07 Dec 2007 18:44:53 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 02 Dec 2007 06:11:39 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Wed, 28 Nov 2007 21:30:03 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>>>>>>>><DloydLavies@gmail.com> wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>

>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"

```
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From -9178078557031407994
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newsfeed.gamma.ru!Gamma.RU!
newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.freenet.de!feeder.news-service.com!
news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!
not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
```

Date: Sun, 09 Dec 2007 11:22:52 -0500
Message-ID: <cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 60
NNTP-Posting-Date: 09 Dec 2007 15:33:58 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101173
rec.radio.amateur.antenna:50979 rec.radio.amateur.misc:39766
rec.radio.amateur.equipment:13445

On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>
>>>> Why keep burying the truth in your flood?
>>>why do you try o dloyd
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>

>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -2685031492389990918
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newsfeed.gamma.ru!Gamma.RU!newsfeed.icl.net!newsfeed.fjserv.net!colt.net!feeder.news-service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:22:52 -0500
Message-ID: <8u4ol31v5c7ln8or70ljd45l60f3h2o2sf@4ax.com>

```
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 47
NNTP-Posting-Date: 09 Dec 2007 15:33:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101174
rec.radio.amateur.antenna:50980 rec.radio.amateur.misc:39767
rec.radio.amateur.equipment:13446

On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"konstans" <konstans@hotmail.com> wrote in message
>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>
>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>
>>>> Why keep burying the truth in your flood?
>>> why do you try o dloyd
>>>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head
```

```
http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -6151317107928227329
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!eweka.nl!lightspeed.eweka.nl!
194.134.4.77.MISMATCH!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:22:52 -0500
Message-ID: <5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 47
NNTP-Posting-Date: 09 Dec 2007 15:33:53 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101178
rec.radio.amateur.antenna:50981 rec.radio.amateur.misc:39771
rec.radio.amateur.equipment:13447

On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
```

>wrote:
>
>>
>>"konstans" <konstans@hotmail.com> wrote in message
>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>
>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>
>>>> Why keep burying the truth in your flood?
>>> why do you try o dloyd
>>>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -3555155525648934870

```
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!fdn.fr!
club-internet.fr!feedme-small.clubint.net!feeder.news-service.com!news2.euro.net!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Sun, 09 Dec 2007 11:22:52 -0500
Message-ID: <pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org> <fjd351$t3h$1@registered.motzarella.org>
<g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
<rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
<u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 83
NNTP-Posting-Date: 09 Dec 2007 15:33:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101182
rec.radio.amateur.antenna:50983 rec.radio.amateur.misc:39775
rec.radio.amateur.equipment:13448

On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>
>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>
>>>>>> Mark, why do you keep trying to cover up your misdeed
```

>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>> citizen should
>>>>>
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -8226507532391117237
X-Google-Thread: 108122,bbe0e580fd396e87
X-Google-Thread: 107ada,bbe0e580fd396e87
X-Google-Attributes: gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <02cad958-7c9c-40ca-a622-67d7835ded9a@w34g2000hsg.googlegroups.com>
Subject: Re: Best first HT
Lines: 16
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <joV6j.61282$_H4.35392@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 09 Dec 2007 17:14:55 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13449
rec.radio.amateur.misc:39797

"marc" <amarcpassy@gmail.com> wrote in message
news:02cad958-7c9c-40ca-a622-67d7835ded9a@w34g2000hsg.googlegroups.com...
> At the risk of setting off a war, I'd like the groups opinion of the
> "best" first HT. I want a 2m/70 cm unit, super compact is nice but
> not a priority. I think I want a full keypad, and I'm not sure on

```
> power.
>
> Specific models?  Brands?  Power? Other must- or should-have features?

Kenwood TH-G71A with the optional 6-cell alkaline battery pack.  Long
battery life, high power, use AA-rechargeable or alkaline, your choice.

http://www.eham.net/reviews/detail/162
https://01836cd.netsolstores.com/index.asp?PageAction=VIEWPROD&ProdID=473




From 5790660907324704991
X-Google-Thread: 108122,c88935d8aa7b1147,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny02.POSTED!57e3ed27!not-for-mail
From: "JTB" <jerryjtb@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD: Ten-Tec Model 311 and/or schematic
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <FwV6j.1478$CJ.429@trndny02>
Date: Sun, 09 Dec 2007 17:23:49 GMT
NNTP-Posting-Host: 71.245.17.90
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1197221029 71.245.17.90 (Sun, 09 Dec 2007 12:23:49 EST)
NNTP-Posting-Date: Sun, 09 Dec 2007 12:23:49 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:13450

WANTED: Ten-Tec Model 311 or Techincal Info
      Looking for as TEN-TEC model 311 Band Decoder. Anyone have one they
might part with? Does anyone have a schematic of the unit that they could
send me?

      Jerry W0ZD

      Phone: None entered   Email: jerryjtb@verizon.net




From 6846183315743040289
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
```

```
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e1g2000hsh.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Sun, 9 Dec 2007 15:44:12 -0800 (PST)
Organization: http://groups.google.com
Lines: 50
Message-ID: <2518dc16-7551-4e66-a345-e1871afb668b@e1g2000hsh.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
     <5b6e858c-89f8-41bf-b7a1-a40e23a6464b@q3g2000hsg.googlegroups.com>
     <ecdbe9ca-0cd8-461e-9e94-6cb02c23c1e5@b1g2000pra.googlegroups.com>
     <f4aa6e92-d928-40a9-b19b-bd3b3ae02376@18g2000hsf.googlegroups.com>
     <8531390a-39e9-415c-8c48-c2b7722b3b83@18g2000hsf.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197243852 6256 127.0.0.1 (9 Dec 2007 23:44:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Dec 2007 23:44:12 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e1g2000hsh.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:101223
rec.radio.amateur.antenna:51010 rec.radio.amateur.misc:39805
rec.radio.amateur.equipment:13451

On Dec 9, 11:09 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Dec 9, 11:05 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Dec 8, 11:54 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Dec 8, 11:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > On Dec 8, 7:03 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
```

```
> > > > > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > > > > for his actions, there is no excuse for the false reporting of lies
> > > > > > about another person because he suspects something through his twisted
> > > > > > logic and suspects that a certain person is the author of messages on
> > > > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > > > he called the hotline for the Florida Department of Child Protective
> > > > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > > > conversations with a 7 year old child concerning sex.
>
> > > > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > > > persue/attack other hams who he thinks criticize his netique by taking
> > > > > > his disputes off of the net and trying to affect someone's freedom and
> > > > > > livelyhood by lauding false charges against anyone he deems is
> > > > > > deserving of his tirade of revenge.
>
> > > > > Why keep burying the truth in your flood? Mr. Useful Idiot, KB9RQZ- Hide
quoted text -
>
> > > > > - Show quoted text -
>
> > > > Why Mr. Useful Idiot- Hide quoted text -
>
> > > > - Show quoted text -- Hide quoted text -
>
> > > - Show quoted text -- Hide quoted text -
>
> > - Show quoted text -
>
> Why hide your fuckup Mark?- Hide quoted text -
>
> - Show quoted text -

Still trying to hide you false claims against K3VR I see.


From 4562020644740930895
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
```

```
Date: Mon, 10 Dec 2007 00:07:31 -0500
Organization: A noiseless patient Spider
Lines: 75
Message-ID: <fjihio$m4n$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
X-Trace: feeder.motzarella.org U2FsdGVkX1+JEtrhdzuWijnSTM1oRR+pka1nJeSw/U4JFjh3tC/
7vcCel51w/zF1JrjYpWPpryd1kzrOo7ZxGhJ5cYx/
RNpyOAyfpH66bnUfU0X+t+k+ef1djkXotm4Hg6DDQas/4EEeBrmjkTixkA==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Mon, 10 Dec 2007 05:07:38 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX19/VVY7613FbQI+QVVhjLZ99pTNvmUDgD3buhYGnjQZxA==
Cancel-Lock: sha1:1Yc3Ilamq8pulQHQkVqalAddIiI=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:101232
rec.radio.amateur.antenna:51042 rec.radio.amateur.misc:39810
rec.radio.amateur.equipment:13452


<kb9rqz@hotmail.com> wrote in message
news:cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com...
> On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>
>>>>> Why keep burying the truth in your flood?
>>>>why do you try o dloyd
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a
>>>congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
```

```
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a
>>congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
> "one useless man is disgrace 2 become a law firm 3 or more become a
> congress"
> adams
>
> woger you are a Congress all in your own head
>
> http://kb9rqz.bravejournal.com/
> altopia is never used by KB9RQZ
> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
> google and noow motezrella
>
> posts from these sorucees are fakes
>
> and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> G
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>
```

```
From -4470797648733816552
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
```

```
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 00:12:28 -0500
Message-ID: <h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org> <fjd351$t3h$1@registered.motzarella.org>
<g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
<rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
<u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
<pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 103
NNTP-Posting-Date: 10 Dec 2007 04:23:14 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 100
Xref: g2news1.google.com rec.radio.amateur.policy:101258
rec.radio.amateur.antenna:51044 rec.radio.amateur.misc:39829
rec.radio.amateur.equipment:13453

On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>
>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
```

>>>>>>
>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>> citizen should
>>>>>>
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>

>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 804288644152339117
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!feeder.news-service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment

```
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 00:12:28 -0500
Message-ID: <n66ol394na0l4e9jsvurtuu1l69e4knf0k@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
<o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
<2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
<534ol3ht4vlrh404sss82sb939nplfqapp@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 96
NNTP-Posting-Date: 10 Dec 2007 04:23:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101264
rec.radio.amateur.antenna:51046 rec.radio.amateur.misc:39835
rec.radio.amateur.equipment:13455

On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>
>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>citizen should
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
```

>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>

>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 6145890052914014601
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!feeder.news-service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 00:12:29 -0500
Message-ID: <v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 64
NNTP-Posting-Date: 10 Dec 2007 04:23:27 GMT
X-Complaints-To: abuse@teranews.com

Xref: g2news1.google.com rec.radio.amateur.policy:101263
rec.radio.amateur.antenna:51045 rec.radio.amateur.misc:39834
rec.radio.amateur.equipment:13454

On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>>"konstans" <konstans@hotmail.com> wrote in message
>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>
>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>
>>>>> Why keep burying the truth in your flood?
>>>> why do you try o dloyd
>>>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well

>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 1983733684614851147
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 00:12:29 -0500
Message-ID: <g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 48
NNTP-Posting-Date: 10 Dec 2007 04:23:45 GMT
X-Complaints-To: abuse@teranews.com

X-Original-Lines: 45
Xref: g2news1.google.com rec.radio.amateur.policy:101271
rec.radio.amateur.antenna:51050 rec.radio.amateur.misc:39842
rec.radio.amateur.equipment:13459

On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:

>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>
>>> Mark, why do you keep trying to cover up your misdeed
>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>citizen should
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

```
--
Posted via a free Usenet account from http://www.teranews.com



From -5065641290181908100
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 00:12:29 -0500
Message-ID: <476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 82
NNTP-Posting-Date: 10 Dec 2007 04:23:33 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 79
Xref: g2news1.google.com rec.radio.amateur.policy:101270
rec.radio.amateur.antenna:51049 rec.radio.amateur.misc:39841
rec.radio.amateur.equipment:13458

On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:

>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
```

>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>
>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>citizen should
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well

>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 567730166594263548
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 00:12:29 -0500
Message-ID: <176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 80

```
NNTP-Posting-Date: 10 Dec 2007 04:23:30 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 77
Xref: g2news1.google.com rec.radio.amateur.policy:101267
rec.radio.amateur.antenna:51047 rec.radio.amateur.misc:39838
rec.radio.amateur.equipment:13456

On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>
>>>>> Why keep burying the truth in your flood?
>>>>why do you try o dloyd
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
```

```
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From -7502796058627067250
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
```

```
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 00:12:28 -0500
Message-ID: <s66ol3pk754grpk7g8egmu2s6rbqd607to@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<8u4ol31v5c7ln8or70ljd45l60f3h2o2sf@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 67
NNTP-Posting-Date: 10 Dec 2007 04:23:24 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 64
Xref: g2news1.google.com rec.radio.amateur.policy:101268
rec.radio.amateur.antenna:51048 rec.radio.amateur.misc:39839
rec.radio.amateur.equipment:13457

On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>>"konstans" <konstans@hotmail.com> wrote in message
>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>
>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>
>>>>> Why keep burying the truth in your flood?
>>>> why do you try o dloyd
>>>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
```

>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 6483062045889682721
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d27g2000prf.googlegroups.com!not-for-mail
From: Dloyd Lavies <DloydLavies@gmail.com>

Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
Florida Child Protective Services...
Date: Mon, 10 Dec 2007 07:15:24 -0800 (PST)
Organization: http://groups.google.com
Lines: 56
Message-ID: <89fd35c7-2f9d-4c60-b408-b69b24e526e9@d27g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<5b6e858c-89f8-41bf-b7a1-a40e23a6464b@q3g2000hsg.googlegroups.com>
<ecdbe9ca-0cd8-461e-9e94-6cb02c23c1e5@b1g2000pra.googlegroups.com>
<f4aa6e92-d928-40a9-b19b-bd3b3ae02376@18g2000hsf.googlegroups.com>
<8531390a-39e9-415c-8c48-c2b7722b3b83@18g2000hsf.googlegroups.com>
<2518dc16-7551-4e66-a345-e1871afb668b@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197299724 31360 127.0.0.1 (10 Dec 2007 15:15:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Dec 2007 15:15:24 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d27g2000prf.googlegroups.com; posting-host=71.48.131.227;
posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:101306
rec.radio.amateur.antenna:51062 rec.radio.amateur.misc:39861
rec.radio.amateur.equipment:13460

On Dec 9, 6:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Dec 9, 11:09 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Dec 9, 11:05 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Dec 8, 11:54 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > On Dec 8, 11:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > > On Dec 8, 7:03 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > > > > No matter how Mark Morgan, KB9RQZ tries to rationalize his
reasoning
> > > > > > > for his actions, there is no excuse for the false reporting of lies

```
> > > > > > > about another person because he suspects something through his
twisted
> > > > > > > logic and suspects that a certain person is the author of messages
on
> > > > > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > > > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > > > > he called the hotline for the Florida Department of Child Protective
> > > > > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > > > > conversations with a 7 year old child concerning sex.
>
> > > > > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > > > > persue/attack other hams who he thinks criticize his netique by
taking
> > > > > > > his disputes off of the net and trying to affect someone's freedom
and
> > > > > > > livelyhood by lauding false charges against anyone he deems is
> > > > > > > deserving of his tirade of revenge.
>
> > > > > > Why keep burying the truth in your flood? Mr. Useful Idiot, KB9RQZ-
Hide quoted text -
>
> > > > > > - Show quoted text -
>
> > > > > Why Mr. Useful Idiot- Hide quoted text -
>
> > > > > - Show quoted text -- Hide quoted text -
>
> > > > - Show quoted text -- Hide quoted text -
>
> > > - Show quoted text -
>
> > Why hide your fuckup Mark?- Hide quoted text -
>
> > - Show quoted text -
>
> Still trying to hide you false claims against K3VR I see.- Hide quoted text -
>
> - Show quoted text -

Stop hiding my truthful post.


From 5199381433515258457
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
```

From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:17:02 -0500
Message-ID: <tplpl3hnrntk9vstn1jc2vai9fdvs6om8d@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
NNTP-Posting-Date: 10 Dec 2007 14:27:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101316
rec.radio.amateur.antenna:51064 rec.radio.amateur.misc:39872
rec.radio.amateur.equipment:13462

On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>
>> Mark, why do you keep trying to cover up your misdeed
>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>citizen should
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--

Posted via a free Usenet account from http://www.teranews.com

From 7619705199581000262
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
Date: Mon, 10 Dec 2007 10:17:02 -0500
Message-ID: <dplpl3tjf6o5np2eir9jf2j81r997kkflj@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<fiihm0$vhk$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Date: 10 Dec 2007 14:27:21 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101312
rec.radio.amateur.antenna:51063 rec.radio.amateur.misc:39867
rec.radio.amateur.equipment:13461

On Tue, 27 Nov 2007 20:52:56 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>>
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and

noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 5593036712441148546
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!newsgate.cistron.nl!
xs4all!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!
pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:17:03 -0500
Message-ID: <rrlpl3p2v308oido6qhfijnt3oo4r2dahg@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<8u4ol31v5c7ln8or70ljd45l60f3h2o2sf@4ax.com>
<s66ol3pk754grpk7g8egmu2s6rbqd607to@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 81
NNTP-Posting-Date: 10 Dec 2007 14:28:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101331
rec.radio.amateur.antenna:51065 rec.radio.amateur.misc:39887
rec.radio.amateur.equipment:13463

On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:

>>
>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>
>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>
>>>>>> Why keep burying the truth in your flood?
>>>>> why do you try o dloyd
>>>>>
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head

```
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From -8774899648253321791
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!
194.134.4.77.MISMATCH!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:17:03 -0500
Message-ID: <erlpl3ph6atp3knslhbapm8ajelmaet61b@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
```

```
<fjcjv0$720$1@registered.motzarella.org> <fjd351$t3h$1@registered.motzarella.org>
<g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
<rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
<u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
<pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
<h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 117
NNTP-Posting-Date: 10 Dec 2007 14:28:09 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101340
rec.radio.amateur.antenna:51069 rec.radio.amateur.misc:39896
rec.radio.amateur.equipment:13466

On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>>
>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>
>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>> citizen should
>>>>>>>
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
```

and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well

>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 8110025095410144467
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!tudelft.nl!txtfeed1.tudelft.nl!feeder.news-service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi

```
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:17:03 -0500
Message-ID: <orlpl39gb4d1p0dggo38adukcip7trrdds@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
<v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 81
NNTP-Posting-Date: 10 Dec 2007 14:28:21 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101334
rec.radio.amateur.antenna:51067 rec.radio.amateur.misc:39890
rec.radio.amateur.equipment:13465

On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>
>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>
>>>>>> Why keep burying the truth in your flood?
>>>>> why do you try o dloyd
>>>>>
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
```

>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

```
G

--
Posted via a free Usenet account from http://www.teranews.com




From -8768043781731000555
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!feeder.news-
service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!
pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:17:03 -0500
Message-ID: <irlpl3d1vn2jiaosp2cblvm9d2kooc3olf@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
<o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
<2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
<534ol3ht4vlrh404sss82sb939nplfqapp@4ax.com>
<n66ol394na0l4e9jsvurtuu1l69e4knf0k@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 113
NNTP-Posting-Date: 10 Dec 2007 14:28:16 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101332
rec.radio.amateur.antenna:51066 rec.radio.amateur.misc:39888
rec.radio.amateur.equipment:13464

On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:
```

>>>>
>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>
>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>citizen should
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/

>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 469331820895215908
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
62.111.101.3.MISMATCH!news.germany.com!storethat.news.telefonica.de!telefonica.de!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:17:03 -0500
Message-ID: <0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 94
NNTP-Posting-Date: 10 Dec 2007 14:28:29 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101341
rec.radio.amateur.antenna:51070 rec.radio.amateur.misc:39897
rec.radio.amateur.equipment:13467

On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:

>>>
>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>
>>>>>> Why keep burying the truth in your flood?
>>>>>why do you try o dloyd
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 6576106119356517251
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!

```
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:17:03 -0500
Message-ID: <3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 96
NNTP-Posting-Date: 10 Dec 2007 14:28:31 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101343
rec.radio.amateur.antenna:51071 rec.radio.amateur.misc:39899
rec.radio.amateur.equipment:13468

On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>
>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>citizen should
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
```

>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and

```
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -2420630097218824262
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!newsfeed.freenet.de!
news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!
not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:17:03 -0500
Message-ID: <trlpl31luai00ajid3e9ajbvb327ah3uc7@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
```

<fjihio$m4n$1@registered.motzarella.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 92
NNTP-Posting-Date: 10 Dec 2007 14:28:27 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101346
rec.radio.amateur.antenna:51072 rec.radio.amateur.misc:39902
rec.radio.amateur.equipment:13469

On Mon, 10 Dec 2007 00:07:31 -0500, "konstans" <konstans@hotmail.com>
wrote:

>
><kb9rqz@hotmail.com> wrote in message
>news:cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com...
>> On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>
>>>>>> Why keep burying the truth in your flood?
>>>>>why do you try o dloyd
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
>>>>congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>>google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a
>>>congress"

>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>>>google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>> "one useless man is disgrace 2 become a law firm 3 or more become a
>> congress"
>> adams
>>
>> woger you are a Congress all in your own head
>>
>> http://kb9rqz.bravejournal.com/
>> altopia is never used by KB9RQZ
>> nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
>> google and noow motezrella
>>
>> posts from these sorucees are fakes
>>
>> and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>> G
>>
>> --
>> Posted via a free Usenet account from http://www.teranews.com
>>
>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

```
--
Posted via a free Usenet account from http://www.teranews.com




From 6917057267101698257
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:17:03 -0500
Message-ID: <hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
<g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 62
NNTP-Posting-Date: 10 Dec 2007 14:28:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101350
rec.radio.amateur.antenna:51073 rec.radio.amateur.misc:39906
rec.radio.amateur.equipment:13470

On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:

>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>
>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>
>>>> Mark, why do you keep trying to cover up your misdeed
>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
```

>>>citizen should
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -8830597326131319917
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
Date: Mon, 10 Dec 2007 10:40:53 -0500
Message-ID: <hfmql31pb0g4ijv8rv3d0jnaerj75a223n@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<fiihm0$vhk$1@registered.motzarella.org>
<dplpl3tjf6o5np2eir9jf2j81r997kkflj@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 40
NNTP-Posting-Date: 10 Dec 2007 14:51:08 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101388
rec.radio.amateur.antenna:51075 rec.radio.amateur.misc:39930
rec.radio.amateur.equipment:13471
```

On Mon, 10 Dec 2007 10:17:02 -0500, kb9rqz@hotmail.com wrote:

```
>On Tue, 27 Nov 2007 20:52:56 -0500, "konstans" <konstans@hotmail.com>
>wrote:
>
>>
>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>>>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
```

>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 762330291067220730
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder6.cambrium.nl!
feed.tweaknews.nl!feed.xsnews.nl!border-2.ams.xsnews.nl!feeder.news-service.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!multikabel.net!
feed20.multikabel.net!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:40:54 -0500
Message-ID: <ugmql3hqljaau16t6ud1fb0kvuig0ejqdo@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>

```
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<8u4ol31v5c7ln8or70ljd45l60f3h2o2sf@4ax.com>
<s66ol3pk754grpk7g8egmu2s6rbqd607to@4ax.com>
<rrlpl3p2v308oido6qhfijnt3oo4r2dahg@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 101
NNTP-Posting-Date: 10 Dec 2007 14:52:11 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 98
Xref: g2news1.google.com rec.radio.amateur.policy:101405
rec.radio.amateur.antenna:51077 rec.radio.amateur.misc:39945
rec.radio.amateur.equipment:13472

On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>
>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>
>>>>>>> Why keep burying the truth in your flood?
>>>>>> why do you try o dloyd
>>>>>>
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
```

>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"

adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 8063867531188851823
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!fdn.fr!
club-internet.fr!feedme-small.clubint.net!newsfeed.freenet.de!multikabel.net!
feed20.multikabel.net!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:40:54 -0500
Message-ID: <0hmql3phnod3405u2ff0t0li6ridvl6gn9@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
<v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
<orlpl39gb4d1p0dggo38adukcip7trrdds@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 98
NNTP-Posting-Date: 10 Dec 2007 14:52:14 GMT
X-Complaints-To: abuse@teranews.com

Xref: g2news1.google.com rec.radio.amateur.policy:101406 rec.radio.amateur.antenna:51078 rec.radio.amateur.misc:39946 rec.radio.amateur.equipment:13473

On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>
>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>
>>>>>>> Why keep burying the truth in your flood?
>>>>>> why do you try o dloyd
>>>>>>
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

```
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well
```

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 4584938213895945635
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder6.cambrium.nl!
feed.tweaknews.nl!xlned.com!feeder1.xlned.com!newshub2.home.nl!home.nl!
news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!
not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:40:54 -0500
Message-ID: <5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 113
NNTP-Posting-Date: 10 Dec 2007 14:52:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101410
rec.radio.amateur.antenna:51080 rec.radio.amateur.misc:39950
rec.radio.amateur.equipment:13475
```

On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>

```
>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>
>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>citizen should
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
```

>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -4468039032778028019
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!feed.tweaknews.nl!62.216.30.27.MISMATCH!newsgate.cistron.nl!xs4all!feeder.news-service.com!border1.nntp.ams.giganews.com!nntp.giganews.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:40:54 -0500
Message-ID: <mgmql39komb6dk0i7nl23lio37e1elr0tl@4ax.com>
References: <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org> <fjd351$t3h$1@registered.motzarella.org>
<g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
<rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
<u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
<pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
<h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
<erlpl3ph6atp3knslhbapm8ajelmaet61b@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 137
NNTP-Posting-Date: 10 Dec 2007 14:52:00 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 134
Xref: g2news1.google.com rec.radio.amateur.policy:101409
rec.radio.amateur.antenna:51079 rec.radio.amateur.misc:39949
rec.radio.amateur.equipment:13474

On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:

>
>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>>>
>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>>>
>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>> citizen should
>>>>>>>>
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella

>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>

```
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From 7839363357492094231
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder6.cambrium.nl!feed.tweaknews.nl!xlned.com!feeder1.xlned.com!newsfeed.freenet.de!multikabel.net!feed20.multikabel.net!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
```

```
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:40:54 -0500
Message-ID: <qgmql3pnmrjenejn53st19qo0ul81b25pm@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
<o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
<2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
<534ol3ht4vlrh404sss82sb939nplfqapp@4ax.com>
<n66ol394na0l4e9jsvurtuu1l69e4knf0k@4ax.com>
<irlpl3d1vn2jiaosp2cblvm9d2kooc3olf@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 130
NNTP-Posting-Date: 10 Dec 2007 14:52:05 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101411
rec.radio.amateur.antenna:51081 rec.radio.amateur.misc:39951
rec.radio.amateur.equipment:13476

On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>
>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>citizen should
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
```

>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/

>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -3237976448536122362
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news2.euro.net!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:40:54 -0500
Message-ID: <3hmql3lqodhmeqartv8kaihj1u1bgss9tp@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
<0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 111
NNTP-Posting-Date: 10 Dec 2007 14:52:17 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101414
rec.radio.amateur.antenna:51082 rec.radio.amateur.misc:39954
rec.radio.amateur.equipment:13477
```

On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:

```
>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
```

```
>>>
>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>
>>>>>>> Why keep burying the truth in your flood?
>>>>>>why do you try o dloyd
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
```

>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 7716370494804019500
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:40:54 -0500
Message-ID: <fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
<g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
<hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 79
NNTP-Posting-Date: 10 Dec 2007 14:52:32 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101423
rec.radio.amateur.antenna:51083 rec.radio.amateur.misc:39963
rec.radio.amateur.equipment:13478
```

On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:

```
>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>
>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
```

>>>>
>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>
>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>citizen should
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>

>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 6182894172165364029
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
Date: Mon, 10 Dec 2007 10:52:28 -0500
Message-ID: <fpnql31kh3p2tn3igfmta9sd7g9nop91vc@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<fiihm0$vhk$1@registered.motzarella.org>
<dplpl3tjf6o5np2eir9jf2j81r997kkflj@4ax.com>
<hfmql31pb0g4ijv8rv3d0jnaerj75a223n@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit
Lines: 57
NNTP-Posting-Date: 10 Dec 2007 15:02:58 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101448 rec.radio.amateur.antenna:51084 rec.radio.amateur.misc:39981 rec.radio.amateur.equipment:13479

On Mon, 10 Dec 2007 10:40:53 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:17:02 -0500, kb9rqz@hotmail.com wrote:
>
>>On Tue, 27 Nov 2007 20:52:56 -0500, "konstans" <konstans@hotmail.com>
>>wrote:
>>
>>>
>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>>>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -542600082362480190
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:52:28 -0500
Message-ID: <0rnql3llgut3kequ7q13e8dd3ur3baqsqd@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
<v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
<orlpl39gb4d1p0dggo38adukcip7trrdds@4ax.com>
<0hmql3phnod3405u2ff0t0li6ridvl6gn9@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 118
NNTP-Posting-Date: 10 Dec 2007 15:04:01 GMT

```
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 115
Xref: g2news1.google.com rec.radio.amateur.policy:101464
rec.radio.amateur.antenna:51088 rec.radio.amateur.misc:39997
rec.radio.amateur.equipment:13482

On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>
>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>
>>>>>>>> Why keep burying the truth in your flood?
>>>>>>> why do you try o dloyd
>>>>>>>
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
```

```
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
```

>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 1464757466594197678
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder2.cambrium.nl!feed.tweaknews.nl!193.201.147.68.MISMATCH!feeder.news-service.com!feeder.news-service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:52:28 -0500
Message-ID: <5rnql39vi7q6nvbfl2evm25g956mafnksd@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>

```
<0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
<3hmql3lqodhmeqartv8kaihj1u1bgss9tp@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 128
NNTP-Posting-Date: 10 Dec 2007 15:04:06 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101465
rec.radio.amateur.antenna:51089 rec.radio.amateur.misc:39998
rec.radio.amateur.equipment:13483

On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>
>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>why do you try o dloyd
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
```

```
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
```

>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 4704202924147501444
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7

```
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder2.cambrium.nl!
feed.tweaknews.nl!193.201.147.68.MISMATCH!feeder.news-service.com!feeder.news-
service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!
pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:52:28 -0500
Message-ID: <2rnql35m4v0vu5k0mhgm77ll7p2nsqp0at@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<8u4ol31v5c7ln8or70ljd45l60f3h2o2sf@4ax.com>
<s66ol3pk754grpk7g8egmu2s6rbqd607to@4ax.com>
<rrlpl3p2v308oido6qhfijnt3oo4r2dahg@4ax.com>
<ugmql3hqljaau16t6ud1fb0kvuig0ejqdo@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 115
NNTP-Posting-Date: 10 Dec 2007 15:04:03 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101466
rec.radio.amateur.antenna:51090 rec.radio.amateur.misc:39999
rec.radio.amateur.equipment:13484

On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>
>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
```

>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>
>>>>>>>> Why keep burying the truth in your flood?
>>>>>>> why do you try o dloyd
>>>>>>>
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>

>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -7870226829995790389
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:52:28 -0500
Message-ID: <tqnql3dg667i9e45cmbci1oir8utrabvhf@4ax.com>
References: <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
<o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
<2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
<534ol3ht4vlrh404sss82sb939nplfqapp@4ax.com>
<n66ol394na0l4e9jsvurtuu1l69e4knf0k@4ax.com>
<irlpl3d1vn2jiaosp2cblvm9d2kooc3olf@4ax.com>
<qgmql3pnmrjenejn53st19qo0ul81b25pm@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 147
NNTP-Posting-Date: 10 Dec 2007 15:03:55 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101462
rec.radio.amateur.antenna:51086 rec.radio.amateur.misc:39995
rec.radio.amateur.equipment:13480

On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:

>>>>>>
>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>>>
>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>citizen should
>>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head

>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -8936700780236723185
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!feeder.news-service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!

```
pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:52:28 -0500
Message-ID: <oqnql395nnu5svm9tt46td6ruihl3c63cf@4ax.com>
References: <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org> <fjd351$t3h$1@registered.motzarella.org>
<g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
<rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
<u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
<pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
<h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
<erlpl3ph6atp3knslhbapm8ajelmaet61b@4ax.com>
<mgmql39komb6dk0i7nl23lio37e1elr0tl@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 151
NNTP-Posting-Date: 10 Dec 2007 15:03:48 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101463
rec.radio.amateur.antenna:51087 rec.radio.amateur.misc:39996
rec.radio.amateur.equipment:13481

On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>>>>
>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
```

```
>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>
>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>> citizen should
>>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
```

>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G

```
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -2181638143239187505
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!62.216.30.27.MISMATCH!newsgate.cistron.nl!xs4all!news2.euro.net!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
```

```
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:52:28 -0500
Message-ID: <6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 130
NNTP-Posting-Date: 10 Dec 2007 15:04:09 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101468
rec.radio.amateur.antenna:51091 rec.radio.amateur.misc:40001
rec.radio.amateur.equipment:13485

On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>
>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>citizen should
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
```

>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

```
G

--
Posted via a free Usenet account from http://www.teranews.com




From -2147358468923036655
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 10:52:29 -0500
Message-ID: <n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
<g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
<hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
<fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 96
NNTP-Posting-Date: 10 Dec 2007 15:04:51 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101482
rec.radio.amateur.antenna:51092 rec.radio.amateur.misc:40015
rec.radio.amateur.equipment:13486

On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
```

>>>>
>>>>>
>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>
>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>citizen should
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella

>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 8171536538974252984
X-Google-Thread: 108122,d9a25a095dea2b6e,start
X-Google-Thread: 10f7a7,d9a25a095dea2b6e,start
X-Google-Thread: fcc6e,d9a25a095dea2b6e,start
X-Google-Thread: 106d41,d9a25a095dea2b6e,start
X-Google-Thread: 1135a8,d9a25a095dea2b6e,start
X-Google-Thread: 10bf43,d9a25a095dea2b6e,start
X-Google-Thread: 115842,d9a25a095dea2b6e,start
X-Google-Thread: 114aac,d9a25a095dea2b6e,start

X-Google-Attributes:
gid108122,gid10f7a7,gidfcc6e,gid106d41,gid1135a8,gid10bf43,gid115842,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
Date: Mon, 10 Dec 2007 10:49:06 -0600
From: "N9QRX@n9qrx.org" <N9QRX@n9qrx.org>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,alt.usenet.kooks,rec.radio.amateur.antenna,rec.radio.cb,alt.autos.mini,rec.radio.amateur.policy,alt.personals.gay,rec.radio.shortwave
Subject: google really is a great tool!
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 127
Message-ID: <475d62a1$0$26043$88260bb3@free.teranews.com>
NNTP-Posting-Date: 10 Dec 2007 16:00:36 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13487 alt.usenet.kooks:616925
rec.radio.amateur.antenna:51095 rec.radio.cb:41203 alt.autos.mini:10459
rec.radio.amateur.policy:101504 alt.personals.gay:42340 rec.radio.shortwave:129300

Advanced Groups Search
Preferences
Groups   View all web results �   Results 1 - 10 of about 14,800 for
an_old_friend.
Sorted by relevance   Sort by date
why dloyd advocated not working with LE as they request, I ...
Group: rec.radio.amateur.policy
an_old_friend kb9...@gmail.com rec radio amateur policy rec radio amateur
antenna rec radio amateur misc rec radio amateur equipment On Dec 7,
10:18 pm,
an_old_friend <kb9...@gmail.com> wrote: On Dec 7, 6:44 pm,
kb9...@hotmail.com wrote:
On Sun, 02 Dec 2007 06:11:39 -0500, kb9...@hotmail.com wrote: On Wed, ...
Dec 7 by an_old_friend - 133 messages - 5 authors

an_old_friend" <konstans@hotmail.com> comes clean ...   Group:
rec.radio.amateur.policy
an Old friend an_Old_fri...@msn.com rec radio amateur policy
an_old_friend" <konst...@hotmail.com> I admit it. I have lied I have.
been stalking
everyone please let it stop my birthday is the 21 of feb 9i'll be 34
then) i live near
Springfield IL, and 33 white unmarried, Bisexual, switch (tend to be aa
bit more sub ...
Nov 30 2005 by an Old friend - 2 messages - 2 authors

an_old_friend is truly one fucked up individual ...   Group: rec.radio.cb

SECWET_WOGER_BEHIND_THE_CURTAINS rec radio cb rec radio amateur
policy glendale woger is more fucked up On Thu, 23 Mar 2006 23:25:24
GMT, "U-Know-Who" <no-...@nowhere.com> wrote: "an_old_friend"
<konst...@hotmail.com>
wrote in message
news:1143154381.047091.294950@g10g2000cwb.googlegroups.com. ...
Mar 25 2006 by - 139 messages - 26 authors

PING: an_old_friend   Group: rec.radio.cb
an_old_friend konst...@hotmail.com alt politics nationalism white rec radio
cb rec radio amateur policy rec radio swap Tony Roma wrote: On 9 May 2006
12:50:23 -0700, "an_old_friend" <konst...@hotmail.com> wrote: Fred
wrote: On 9
May 2006 09:31:43 -0700, "an_old_friend" <konst...@hotmail.com> wrote:
no probadly ...
May 10 2006 by an_old_friend - 17 messages - 8 authors

ping: an_old_friend--->An Alliance   Group: rec.radio.amateur.policy
Slow Code my.m...@no.spam rec radio amateur policy rec radio
cb "DrDeath" <drdeath555...@yahoo.com> wrote in news:12f4l0a78nrk981@corp.
supernews.com: "an_old_friend" <konst...@hotmail.com> wrote in message
news:1156698181.172334.220290@74g2000cwt.googlegroups.com... DrDeath
wrote: "an
old freind" <kb9...@amsat.org> ...
Aug 29 2006 by Slow Code - 28 messages - 11 authors

an_old_friend is truly one fucked up individual   Group: rec.radio.cb
U-Know-Who wrote: "an_old_friend" <konst...@hotmail.com> wrote in message
news:1143154381.047091.294950@g10g2000cwb.googlegroups.com... but you
mind is
obviously very vulerwable you are threatened by the mere existance of people
different from yourself that you can't "defend" yourself with mere
force, ...
Mar 24 2006 by Dr.Death - 139 messages - 26 authors

Why can't Dloyd face the truth...why are you talking about sex ...
Group: rec.radio.amateur.policy
an_old_friend konst...@hotmail.com rec radio amateur policy rec radio
amateur
misc On Nov 21, 1:51 pm, an_old_friend <konst...@hotmail.com> wrote: On Nov
21, 1:47 pm, an_old_friend <konst...@hotmail.com> wrote: On Nov 21,
12:08 pm,
kb9...@hotmail.com wrote: On Wed, 21 Nov 2007 09:05:06 -0800 (PST),
Dloyd Lavies ...
Nov 21 by an_old_friend - 21 messages - 7 authors

an_old_friend is truly one fucked up individual   Group: rec.radio.cb
U-Know-Who no-...@nowhere.com rec radio cb rec radio amateur
policy "an_old_friend" <konst...@hotmail.com> wrote in message
news:1143154381.047091.294950@g10g2000cwb.googlegroups.com...
Dr.Death wrote: "an_old_friend" <konst...@hotmail.com> wrote in message
news:1143148572.212236.85440@t31g2000cwb.googlegroups.com. ...
Mar 24 2006 by U-Know-Who - 139 messages - 26 authors

: why dloyd advocated not working with LE as they request, I guess ...
Group: rec.radio.amateur.policy
an_old_friend kb9...@gmail.com rec radio amateur policy soc men alt
recovery fundamentalism alt fan art-bell On Dec 5, 8:37 pm, <n9qrt.org>
wrote: "Truth" <TruthIsUnknownToCh...@ThisTime.org> wrote in message
news:dc5dl391cenjfatia05h8e0mf6hoo5ssqs@4ax.com... On Wed, 28 Nov 2007
20:43:29 -0800 (PST), ...
Dec 6 by an_old_friend - 2 messages - 2 authors

an_old_friend, Nude Tanned Blond Tranny Assfucks Outdoor Group:
alt.usenet.kooks
an_old_friend konst...@h0tmail.cum alt usenet kooks rec radio amateur policy
an_old_friend <konst...@hotmail.com> wrote in message <1144537622.332182.
301...@g10g2000cwb.googlegroups.com>... Tentacled whoops boy with
gigantic hairy
scary and the two bald men and tattered Hershey-highway wants to meet
long one-eyed ...
Apr 9 2006 by an_old_friend - 25 messages - 16 authors

Get the latest messages on an_old_friend emailed to you with Google Alerts.

Result Page:
1
2
3
4
5
6
7
8
9
10
Next

Create a group - Google Groups - Google Home - Terms of Service -
Privacy Policy
�2007 Google

--
Posted via a free Usenet account from http://www.teranews.com

From -1207325385980587782
X-Google-Thread: 108122,d9a25a095dea2b6e

```
X-Google-Thread: fcc6e,d9a25a095dea2b6e
X-Google-Thread: 106d41,d9a25a095dea2b6e
X-Google-Thread: 114aac,d9a25a095dea2b6e
X-Google-Attributes: gid108122,gidfcc6e,gid106d41,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed0.kamp.net!newsfeed.kamp.net!news.motzarella.org!motzarella.org!not-for-
mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.antenna,rec.radio.cb,rec.radio.short
wave
Subject: why dloyd advocated not working with LE as they request, I guess because
he likels illgealy offering kids for sex after al he admits to felones all the
time
Date: Mon, 10 Dec 2007 16:46:24 -0500
Organization: A noiseless patient Spider
Lines: 9
Message-ID: <fjkc3o$5qi$1@registered.motzarella.org>
References: <475d62a1$0$26043$88260bb3@free.teranews.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX1+aq4RqYbuu3uIdIHlvBMuKrijAf3gahyw5TMcCsppKUa2fuyS/
kSpPoLw4RTtBhapquZm49Vk5mggIqbxCKgp3qsAEQ7c/oyr1nKYpjAHsNSqZgrtU8/9DIZT3Wz7xXaI=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Mon, 10 Dec 2007 21:46:34 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX184YeE2H+5WDmsbLMO8FlHocwk/j/N54v6oXLGyatkBAg==
Cancel-Lock: sha1:Oof9Q0Tbaa+C7t3ouXpaDWkw+Kc=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13488
rec.radio.amateur.antenna:51101 rec.radio.cb:41205 rec.radio.shortwave:129305


<N9QRX@n9qrx.org> wrote in message
news:475d62a1$0$26043$88260bb3@free.teranews.com...
>
>    Advanced Groups Search

what is you point?





From -1787749520271612758
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
Date: Mon, 10 Dec 2007 16:48:08 -0500
Message-ID: <rsoql3p8gfqv2rtdbd8g1sf74hbk5mh1fk@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<fiihm0$vhk$1@registered.motzarella.org>
<dplpl3tjf6o5np2eir9jf2j81r997kkflj@4ax.com>
<hfmql31pb0g4ijv8rv3d0jnaerj75a223n@4ax.com>
<fpnql31kh3p2tn3igfmta9sd7g9nop91vc@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 74
NNTP-Posting-Date: 10 Dec 2007 20:58:31 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101521
rec.radio.amateur.antenna:51102 rec.radio.amateur.misc:40044
rec.radio.amateur.equipment:13489

On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:40:53 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:17:02 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Tue, 27 Nov 2007 20:52:56 -0500, "konstans" <konstans@hotmail.com>
>>>wrote:
>>>
>>>>
>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>>>>>
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
```

>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

```
--
Posted via a free Usenet account from http://www.teranews.com




From -8560856085915656132
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed.kamp.net!newsfeed.kamp.net!news.germany.com!newsfeed.utanet.at!news-
hub.siol.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!
not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 16:48:09 -0500
Message-ID: <7uoql35d9dqbjh62lq2bi7ci42dq7ms4rg@4ax.com>
References: <fjcjv0$720$1@registered.motzarella.org>
<fjd351$t3h$1@registered.motzarella.org>
<g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
<rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
<u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
<pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
<h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
<erlpl3ph6atp3knslhbapm8ajelmaet61b@4ax.com>
<mgmql39komb6dk0i7nl23lio37e1elr0tl@4ax.com>
<oqnql395nnu5svm9tt46td6ruihl3c63cf@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 168
NNTP-Posting-Date: 10 Dec 2007 20:59:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101534
rec.radio.amateur.antenna:51104 rec.radio.amateur.misc:40057
rec.radio.amateur.equipment:13490

On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
```

```
>>>
>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>>>>>
>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>> news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>>
>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>> citizen should
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
```

>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>

>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 3171567853916895338
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!newsfeed.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!newsfeed1.eu.ignite.net!news-hub.siol.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 16:48:09 -0500
Message-ID: <cuoql3hbsn74ve8vgn4tbpmolf3srqfdsm@4ax.com>
References: <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
<o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
<2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
<534ol3ht4vlrh404sss82sb939nplfqapp@4ax.com>
<n66ol394na0l4e9jsvurtuu1l69e4knf0k@4ax.com>
<irlpl3d1vn2jiaosp2cblvm9d2kooc3olf@4ax.com>
<qgmql3pnmrjenejn53st19qo0ul81b25pm@4ax.com>
<tqnql3dg667i9e45cmbci1oir8utrabvhf@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 164
NNTP-Posting-Date: 10 Dec 2007 20:59:47 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101537
rec.radio.amateur.antenna:51105 rec.radio.amateur.misc:40060
rec.radio.amateur.equipment:13491

On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>
>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>citizen should
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>

>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>

>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -8005863460092423679
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!newsfeed.utanet.at!news-hub.siol.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 16:48:09 -0500
Message-ID: <ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
References: <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>

```
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 147
NNTP-Posting-Date: 10 Dec 2007 21:00:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101541
rec.radio.amateur.antenna:51106 rec.radio.amateur.misc:40064
rec.radio.amateur.equipment:13492

On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>
>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>citizen should
>>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
```

>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes

>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -1569351765348509270
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!newsfeed.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!newsfeed1.eu.ignite.net!news-hub.siol.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 16:48:09 -0500
Message-ID: <juoql3pjho9vf7dakctq3bbp4bcvrrsadd@4ax.com>
References: <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com> <fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org> <d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com> <8u4ol31v5c7ln8or70ljd45l60f3h2o2sf@4ax.com> <s66ol3pk754grpk7g8egmu2s6rbqd607to@4ax.com> <rrlpl3p2v308oido6qhfijnt3oo4r2dahg@4ax.com> <ugmql3hqljaau16t6ud1fb0kvuig0ejqdo@4ax.com> <2rnql35m4v0vu5k0mhgm77ll7p2nsqp0at@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 132

```
NNTP-Posting-Date: 10 Dec 2007 21:00:03 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101543
rec.radio.amateur.antenna:51108 rec.radio.amateur.misc:40066
rec.radio.amateur.equipment:13494

On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>
>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>
>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>> why do you try o dloyd
>>>>>>>>
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
```

>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ

```
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -1295260825952569991
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!newsfeed.kamp.net!newsfeed.kamp.net!news.germany.com!newsfeed.utanet.at!news-hub.siol.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 16:48:09 -0500
Message-ID: <luoql3lj3dg93l0db875phssh3hf159qau@4ax.com>
References: <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
<0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
<3hmql3lqodhmeqartv8kaihj1u1bgss9tp@4ax.com>
<5rnql39vi7q6nvbfl2evm25g956mafnksd@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 145
NNTP-Posting-Date: 10 Dec 2007 21:00:09 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101546 rec.radio.amateur.antenna:51109 rec.radio.amateur.misc:40069 rec.radio.amateur.equipment:13495

On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:

>>>>>>>>>
>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>why do you try o dloyd
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>

```
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
```

>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -707119322589417253
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!newsfeed.utanet.at!news-hub.siol.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 16:48:09 -0500
Message-ID: <huoql3993bi096rnbbblvajq6afta57t7t@4ax.com>
References: <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>

```
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>
<v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
<orlpl39gb4d1p0dggo38adukcip7trrdds@4ax.com>
<0hmql3phnod3405u2ff0t0li6ridvl6gn9@4ax.com>
<0rnql3llgut3kequ7q13e8dd3ur3baqsqd@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 132
NNTP-Posting-Date: 10 Dec 2007 20:59:57 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101542
rec.radio.amateur.antenna:51107 rec.radio.amateur.misc:40065
rec.radio.amateur.equipment:13493

On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>
>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>
>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>> why do you try o dloyd
>>>>>>>>
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
```

```
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
```

>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

```
--
Posted via a free Usenet account from http://www.teranews.com




From -5303542960858354096
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!feeder.news-
service.com!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!
pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 16:48:10 -0500
Message-ID: <02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
<g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
<hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
<fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>
<n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 113
NNTP-Posting-Date: 10 Dec 2007 21:01:43 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101562
rec.radio.amateur.antenna:51110 rec.radio.amateur.misc:40084
rec.radio.amateur.equipment:13496

On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
```

```
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>
>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>citizen should
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
```

and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -6787854950033201508
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
Date: Mon, 10 Dec 2007 20:06:58 -0500
Message-ID: <shdrl394csocrv56qvt8dv7i514he17tq3@4ax.com>
References: <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<fiihm0$vhk$1@registered.motzarella.org>
<dplpl3tjf6o5np2eir9jf2j81r997kkflj@4ax.com>
<hfmql31pb0g4ijv8rv3d0jnaerj75a223n@4ax.com>
<fpnql31kh3p2tn3igfmta9sd7g9nop91vc@4ax.com>
<rsoql3p8gfqv2rtdbd8g1sf74hbk5mh1fk@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 91
NNTP-Posting-Date: 11 Dec 2007 00:17:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101628
rec.radio.amateur.antenna:51125 rec.radio.amateur.misc:40122
rec.radio.amateur.equipment:13497
```

On Mon, 10 Dec 2007 16:48:08 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:40:53 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:17:02 -0500, kb9rqz@hotmail.com wrote:
>>>

>>>>On Tue, 27 Nov 2007 20:52:56 -0500, "konstans" <konstans@hotmail.com>
>>>>wrote:
>>>>
>>>>>
>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>>>>>>
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>

```
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From 6544093405642365137
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
```

```
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 20:06:59 -0500
Message-ID: <9jdrl314neevv175lfa2pvhpkvi818nsfu@4ax.com>
References: <fjd351$t3h$1@registered.motzarella.org>
<g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
<rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
<u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
<pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
<h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
<erlpl3ph6atp3knslhbapm8ajelmaet61b@4ax.com>
<mgmql39komb6dk0i7nl23lio37e1elr0tl@4ax.com>
<oqnql395nnu5svm9tt46td6ruihl3c63cf@4ax.com>
<7uoql35d9dqbjh62lq2bi7ci42dq7ms4rg@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 188
NNTP-Posting-Date: 11 Dec 2007 00:18:32 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 185
Xref: g2news1.google.com rec.radio.amateur.policy:101640
rec.radio.amateur.antenna:51126 rec.radio.amateur.misc:40134
rec.radio.amateur.equipment:13498

On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>>>>>>
```

>>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>> news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
>>>>>>>>>>>
>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>>> citizen should
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head

>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well

>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 5032635329054660081
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 20:07:00 -0500
Message-ID: <rjdrl3tuugju5o90pvnbb8hcjp7qgg3pjf@4ax.com>
References: <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<55qml3tnrq4o58p194b4dvuolcj43qs2v7@4ax.com>
<cvsml3dvemnqi8s30ds97q9rn5f58cuv2v@4ax.com>
<l34ol3l7b7dmfftq4h4489ske0ufa1hg9o@4ax.com>
<476ol3d1kirgv0jvon8n6btapa47jkgqpl@4ax.com>
<3slpl3d0m91kfv22ijfiubhet4k8g7dauh@4ax.com>
<5hmql35nlokboh8ign16eaj869kul0g7rc@4ax.com>
<6rnql3dvp3vemo5sgm08v02s2h900d48rs@4ax.com>
<ouoql3dief9ftkdno62bndlpbr2mh7o3mg@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 164
NNTP-Posting-Date: 11 Dec 2007 00:19:05 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101646
rec.radio.amateur.antenna:51128 rec.radio.amateur.misc:40140
rec.radio.amateur.equipment:13499

On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 08 Dec 2007 23:04:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>
>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>>>citizen should
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
```

>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>

>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>

>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 394447676857363943
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 20:07:00 -0500
Message-ID: <kjdrl3p3e92kgbu0hkut0u8cp8sbarbbrj@4ax.com>
References: <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com> <fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org> <d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com> <5u4ol3he8s03qj6e8q72lca0en4aklo4dn@4ax.com>

```
<v66ol39mimgj40jun7cho7uiqok0lvvbjf@4ax.com>
<orlpl39gb4d1p0dggo38adukcip7trrdds@4ax.com>
<0hmql3phnod3405u2ff0t0li6ridvl6gn9@4ax.com>
<0rnql3llgut3kequ7q13e8dd3ur3baqsqd@4ax.com>
<huoql3993bi096rnbbblvajq6afta57t7t@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 149
NNTP-Posting-Date: 11 Dec 2007 00:18:50 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101649
rec.radio.amateur.antenna:51129 rec.radio.amateur.misc:40143
rec.radio.amateur.equipment:13500

On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>>
>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>
>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>> why do you try o dloyd
>>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
```

>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>

>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -1180797657355231770
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 20:07:00 -0500
Message-ID: <pjdrl3d48vh2erdg257164asu6mbrb31nq@4ax.com>
References: <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org>
<8vsml31m3fpem3o7uq1vta7fs302o2qnk0@4ax.com>
<h34ol319tjb6hchaarub1sfe7qcfvtc9jj@4ax.com>
<cu4ol31fm20mghr5a6spuib9iih690vlqg@4ax.com>
<176ol3pjeinbhv8hdh4ciht3vrfrpu8dh2@4ax.com>
<0slpl39krl6r5js36s6a31vnllbnt4eodr@4ax.com>
<3hmql3lqodhmeqartv8kaihj1u1bgss9tp@4ax.com>
<5rnql39vi7q6nvbfl2evm25g956mafnksd@4ax.com>
<luoql3lj3dg93l0db875phssh3hf159qau@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
Lines: 162
NNTP-Posting-Date: 11 Dec 2007 00:19:01 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101650
rec.radio.amateur.antenna:51130 rec.radio.amateur.misc:40144
rec.radio.amateur.equipment:13501

On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 8 Dec 2007 23:00:14 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>wrote:
>>>>>>>>
>>>>>>>>>
>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>
>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>>why do you try o dloyd
>>>>>>>>>
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
```

congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head

>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 9038118255948790233
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 20:07:00 -0500
Message-ID: <mjdrl3h1e69bfvemef9avn16mfef6qurf7@4ax.com>
References: <3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com>
<fjfp8r$vv8$1@registered.motzarella.org> <fjfs0f$8o6$1@registered.motzarella.org>
<d34ol35hu8me4egkj72pepdnuhjl5nbrfl@4ax.com>
<8u4ol31v5c7ln8or70ljd45l60f3h2o2sf@4ax.com>
<s66ol3pk754grpk7g8egmu2s6rbqd607to@4ax.com>
<rrlpl3p2v308oido6qhfijnt3oo4r2dahg@4ax.com>
<ugmql3hqljaau16t6ud1fb0kvuig0ejqdo@4ax.com>
<2rnql35m4v0vu5k0mhgm77ll7p2nsqp0at@4ax.com>

```
<juoql3pjho9vf7dakctq3bbp4bcvrrsadd@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 149
NNTP-Posting-Date: 11 Dec 2007 00:18:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101651
rec.radio.amateur.antenna:51131 rec.radio.amateur.misc:40145
rec.radio.amateur.equipment:13502

On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:03:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 8 Dec 2007 23:47:06 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>wrote:
>>>>>>>
>>>>>>>>
>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>news:fjfp8r$vv8$1@registered.motzarella.org...
>>>>>>>>>
>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>> news:3c920296-f133-4bd7-a698-bf18bdd6b65f@v4g2000hsf.googlegroups.com...
>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>
>>>>>>>>>> Why keep burying the truth in your flood?
>>>>>>>>> why do you try o dloyd
>>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
```

>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>

>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -1243531434825013496
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 20:07:00 -0500
Message-ID: <ejdrl390f6bob2fg2o7f7epgql19logi87@4ax.com>
References: <fjcjv0$720$1@registered.motzarella.org>
<hsikl35s0q830vjb956luf9s8eutte3vvj@4ax.com>
<o8qml3lg4agm0p05sho8rjc2528ar9p2ra@4ax.com>
<2vsml3p5174vi3419lpp46cdp1r9kpleof@4ax.com>
<534ol3ht4vlrh404sss82sb939nplfqapp@4ax.com>
<n66ol394na0l4e9jsvurtuu1l69e4knf0k@4ax.com>
<irlpl3d1vn2jiaosp2cblvm9d2kooc3olf@4ax.com>
<qgmql3pnmrjenejn53st19qo0ul81b25pm@4ax.com>
<tqnql3dg667i9e45cmbci1oir8utrabvhf@4ax.com>
<cuoql3hbsn74ve8vgn4tbpmolf3srqfdsm@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 181
NNTP-Posting-Date: 11 Dec 2007 00:18:41 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101652
```

```
rec.radio.amateur.antenna:51132 rec.radio.amateur.misc:40146
rec.radio.amateur.equipment:13503

On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 02:50:34 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>wrote:
>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>>>>
>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>citizen should
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
```

>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams

```
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
```

>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 5830364305318601017
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess
because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 20:07:00 -0500
Message-ID: <8kdrl3pvqc5s6fmlcplea16aa525smjjrg@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
<fjcjv0$720$1@registered.motzarella.org>
<8r4ol3d96nd7kj2m8aokh9ejcp68s38tc2@4ax.com>
<g76ol399i8qhqqlf73otllbueqsbl11h0q@4ax.com>
<hslpl3dg8c5eesf8nsrhdl8njmck83ergt@4ax.com>
<fhmql3ptqbti3t3hn8da12cu4ds4lum3ou@4ax.com>
<n3oql3do08crj1mio1nsh5qe43n55fs3qh@4ax.com>
<02pql3d359at9h3630hbu2q6sjcj0k712u@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 133
NNTP-Posting-Date: 11 Dec 2007 00:19:28 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 130
Xref: g2news1.google.com rec.radio.amateur.policy:101656
rec.radio.amateur.antenna:51133 rec.radio.amateur.misc:40150
rec.radio.amateur.equipment:13504

On Mon, 10 Dec 2007 16:48:10 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 10:52:29 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 00:12:29 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Fri, 7 Dec 2007 18:10:50 -0500, "konstans" <konstans@hotmail.com>
>>>>>>wrote:
>>>>>>
>>>>>>>
>>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
>>>>>>>
```

>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
>>>>>>>citizen should
>>>>>>>
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G

>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -8448378636868858494
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
Date: Mon, 10 Dec 2007 21:48:38 -0500
Message-ID: <g8qrl3l019gpluvhtq4450benjhiqrm74r@4ax.com>
References: <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<fiihm0$vhk$1@registered.motzarella.org>
<dplpl3tjf6o5np2eir9jf2j81r997kkflj@4ax.com>
<hfmql31pb0g4ijv8rv3d0jnaerj75a223n@4ax.com>
<fpnql31kh3p2tn3igfmta9sd7g9nop91vc@4ax.com>
<rsoql3p8gfqv2rtdbd8g1sf74hbk5mh1fk@4ax.com>
<shdrl394csocrv56qvt8dv7i514he17tq3@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 108
NNTP-Posting-Date: 11 Dec 2007 01:58:52 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101748
rec.radio.amateur.antenna:51149 rec.radio.amateur.misc:40189
rec.radio.amateur.equipment:13505

On Mon, 10 Dec 2007 20:06:58 -0500, kb9rqz@hotmail.com wrote:

>On Mon, 10 Dec 2007 16:48:08 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:40:53 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:02 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Tue, 27 Nov 2007 20:52:56 -0500, "konstans" <konstans@hotmail.com>
>>>>>wrote:
>>>>>
>>>>>>
>>>>>>"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>>>>>>>
>>>>>>
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams

>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ

nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -2755065347805099920
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why dloyd advocated not working with LE as they request, I guess because he likels illgealy offering kids for sex after al he admits to
Date: Mon, 10 Dec 2007 21:48:39 -0500
Message-ID: <hbqrl3du2f1ont8513bpdinlgs3ilbk8li@4ax.com>
References: <g8qml39nljdkr0vjllv0r7dso8qkaro976@4ax.com>
<rusml35qlbe6i45874g6a5irbtbobfgb3s@4ax.com>
<u24ol3pi4h51nkajhh7hsjrfmq52gg10u2@4ax.com>
<pt4ol3dbk9fqub9oijf2au7ald1ctj8ufn@4ax.com>
<h66ol3hrgjl6vig2p2tpl6d04s2moips56@4ax.com>
<erlpl3ph6atp3knslhbapm8ajelmaet61b@4ax.com>
<mgmql39komb6dk0i7nl23lio37e1elr0tl@4ax.com>
<oqnql395nnu5svm9tt46td6ruihl3c63cf@4ax.com>
<7uoql35d9dqbjh62lq2bi7ci42dq7ms4rg@4ax.com>
<9jdrl314neevv175lfa2pvhpkvi818nsfu@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 202
NNTP-Posting-Date: 11 Dec 2007 02:00:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:101769
rec.radio.amateur.antenna:51152 rec.radio.amateur.misc:40210
rec.radio.amateur.equipment:13507

On Mon, 10 Dec 2007 20:06:59 -0500, kb9rqz@hotmail.com wrote:

```
>On Mon, 10 Dec 2007 16:48:09 -0500, kb9rqz@hotmail.com wrote:
>
>>On Mon, 10 Dec 2007 10:52:28 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Mon, 10 Dec 2007 10:40:54 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Mon, 10 Dec 2007 10:17:03 -0500, kb9rqz@hotmail.com wrote:
>>>>
>>>>>On Mon, 10 Dec 2007 00:12:28 -0500, kb9rqz@hotmail.com wrote:
>>>>>
>>>>>>On Sun, 09 Dec 2007 11:22:52 -0500, kb9rqz@hotmail.com wrote:
>>>>>>
>>>>>>>On Sun, 09 Dec 2007 11:03:43 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>
>>>>>>>>On Sat, 08 Dec 2007 23:51:20 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>
>>>>>>>>>On Sat, 08 Dec 2007 23:04:44 -0500, kb9rqz@hotmail.com wrote:
>>>>>>>>>
>>>>>>>>>>On Fri, 7 Dec 2007 22:30:35 -0500, "konstans" <konstans@hotmail.com>
>>>>>>>>>>wrote:
>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>>"konstans" <konstans@hotmail.com> wrote in message
>>>>>>>>>>>news:fjcjv0$720$1@registered.motzarella.org...
>>>>>>>>>>>>
>>>>>>>>>>>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>>>>>>>>>>>> news:31ed7470-4fb0-40de-
bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
>>>>>>>>>>>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>>>>>>>>>>>>> No matter how Mark Morgan, KB9RQZ  tries to rationalize his
reasoning
>>>>>>>>>>>>
>>>>>>>>>>>>> Mark, why do you keep trying to cover up your misdeed
>>>>>>>>>>>> what misdeed I reported to Fala ndPa my suspision about Mr Crow as a
good
>>>>>>>>>>>> citizen should
>>>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>>adams
>>>>>>>>>>
>>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>>
>>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>>
>>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>>
```

```
>>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>>
>>>>>>>>>>G
>>>>>>>>>
>>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>>adams
>>>>>>>>>
>>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>>
>>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>>
>>>>>>>>>posts from these sorucees are fakes
>>>>>>>>>
>>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>>
>>>>>>>>>G
>>>>>>>>
>>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>>adams
>>>>>>>>
>>>>>>>>woger you are a Congress all in your own head
>>>>>>>>
>>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>>altopia is never used by KB9RQZ
>>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>>
>>>>>>>>posts from these sorucees are fakes
>>>>>>>>
>>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>>
>>>>>>>>G
>>>>>>>
>>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a
congress"
>>>>>>>adams
>>>>>>>
>>>>>>>woger you are a Congress all in your own head
>>>>>>>
>>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>>altopia is never used by KB9RQZ
>>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but
google and noow motezrella
>>>>>>>
>>>>>>>posts from these sorucees are fakes
>>>>>>>
>>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>>
```

>>>>>>>G
>>>>>>
>>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>>adams
>>>>>>
>>>>>>woger you are a Congress all in your own head
>>>>>>
>>>>>>http://kb9rqz.bravejournal.com/
>>>>>>altopia is never used by KB9RQZ
>>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>>
>>>>>>posts from these sorucees are fakes
>>>>>>
>>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>>
>>>>>>G
>>>>>
>>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>>adams
>>>>>
>>>>>woger you are a Congress all in your own head
>>>>>
>>>>>http://kb9rqz.bravejournal.com/
>>>>>altopia is never used by KB9RQZ
>>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>>
>>>>>posts from these sorucees are fakes
>>>>>
>>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>>
>>>>>G
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams

>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ

nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -4898513694010896712
X-Google-Thread: 1108d7,96cda17c3445d808,start
X-Google-Thread: 10944c,96cda17c3445d808,start
X-Google-Thread: fcc6e,96cda17c3445d808,start
X-Google-Thread: fc8b1,96cda17c3445d808,start
X-Google-Thread: 108122,96cda17c3445d808,start
X-Google-Attributes: gid1108d7,gid10944c,gidfcc6e,gidfc8b1,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
out02a.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!spln!
extra.newsguy.com!newsp.newsguy.com!news1
From: MI5Victim@mi5.gov.uk
Newsgroups:
rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.antenna,rec.radio.amateu
r.boatanchors,rec.radio.amateur.equipment
Subject: MI5 Persecution: BBC Newscasters Spying on my Home (1240)
Followup-To:
rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.antenna,rec.radio.amateu
r.boatanchors,rec.radio.amateur.equipment,uk.misc
Date: 1 Dec 2007 11:08:27 GMT
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 255
Message-ID: <m07110111081791@4ax.com>
NNTP-Posting-Host: p928107bfff000000bc397ae09043c8fcfe9ed7672b22a653.newsdawg.com
Xref: g2news1.google.com rec.puzzles.crosswords:14180 rec.pyrotechnics:47328
rec.radio.amateur.antenna:50045 rec.radio.amateur.boatanchors:13287
rec.radio.amateur.equipment:13357

MI5 Persecution Update: Friday 13 November, 1998

If You Intend To Reply, Please Read This

If you have any questions or observations you would like to share with me,
then you are very welcome to reply to my fax number 0171-681-1190. But
please.... keep your response to one page if you can! I have had several
people faxing my article back to me, including one MP faxing back twenty
pages. I do not know if he had anything intelligent to say in his 20-page

fax because I applied judicious use of the "Delete" key on my computer. Faxes over a page or two will be deleted without being read.

MI5 Resume Hostilities in Response to these Faxes

When I wrote last weeks "MI5 Persecution Update" I remarked how quiet my life had become. No longer! MI5 have restarted hostilities with a vengeance the past week, in response I believe to the faxes I have been sending to members of the House of Commons.

On Saturday 7 November I went to Clapham Picture House cinema to see the film "Antz" (a very enjoyable film). At the cinema, I was verbally assaulted by a group of teenagers with the words "still crazy", repeated about ten times. There was a film with that name showing at the cinema, but it was clear their abuse was directed at me. I do not look ill, so why would they pick on me? answer, the incident was set-up by the persecutors. One of the teenagers also said to another, "I don't know what we're laughing at".

The following day, Sunday 8/11/98, I was on my way to play squash when I was verbally assaulted by a youth who said "it was so funny", without the slightest trace of humour. What he meant by this phrase was that was funny, and they were trying to humiliate me. I have heard this phrase "it was so funny" used at me before many, many times over the last eight and half years.

Please Encourage Keith Hill MP to Help Me

I live in a bugged house, bugged both for audio and video. My movements are monitored by MI5. The Security Service have followed me to Canada, to Poland and the Continent, to the States. I cannot work anywhere, not in England, not in Canada, because MI5 will destroy whatever employment I am able to obtain. I have asked Keith Hill MP to help me, and he has refused.

The situation is intolerable. It is Mr Hills job to help me out of this mess. So, please, as I said in the last fax a week ago: Do not waste your time returning multiple copies of my faxes to my fax mailbox, as some of you have done. Instead;

Please encourage Keith Hill M.P. to help me.

I am sorry to be using this device to encourage Mr Hill to help, but I think eight and half years are quite enough and it is time something was done to bring this matter to a close.

MI5 Persecution : BBC Newscasters Spying on my Home

This week's topic is the quite extraordinary claim that BBC newscasters such as Martyn Lewis and Michael Buerk have spied on my living room while they read the news. I currently have an advert running for the next six months in Private Eye's "Eye Say" column (at a cost of over #200) which says,"MI5 Persecution - BBC Newscasters Spying on my Home"; the story of my campaign in the Eye is on my Website at; http://www.pair.com/spook/evidence/plaint/priveye.htm

BBCs staff magazine Ariel also ran my advert "BBC Newsreaders Spying on my home" for one issue in the Personal category on 8/July/1997 before it was spotted and axed by editor Robin Reynolds; please see webpage; http://www.pair.com/spook/evidence/plaint/ariel.htm

Beginnings

The very first incident in the "MI5/BBC Persecution" occurred in June of 1990, when a newsreader reacted to what she saw in my living room at home as she read the news. My mother had brought an apple for me into the room, whereupon the newsreader smirked and giggled, apparently finding this funny. I couldn't believe what I was seeing. I carried on watching news and other television programmes to see if presenters would show signs of "interactive watching"; to my surprise, this happened again and again. Unfortunately, I did not have my wits sufficiently about me to videotape these programmes, and it is now almost impossible to obtain recordings dating back to 1990.

Most of the "TV watching" has occurred on the news, and most of it in summer 1990, although some as late as autumn 1993. My website has a few extracts of what might be politicians "getting at" me, in particular John Major and interviewer Dimbleby sharing a joke about the "Knutsford Guardian" which is almost certainly about me.

I sold my portable TV in autumn 1990 and stopped watching television regularly. I realise now that this may have been a mistake. What I should have done was to watch TV and listen to the radio, but tape-record everything and make a note of what each excerpt meant to me. I would then be in a much stronger position as regards to evidence that I am now. That is what I am trying to do now, but unsurprisingly the TV/radio presenters have stopped getting at me, now they know they are being recorded.

Examples of Media Harassment

Here are a few examples which I can still remember of media harassment;

In early 1992 I was watching the BBC news with Martyn Lewis on a small black-and-white portable television at my then home in Oxford. I threw a term of abuse at Lewis; he flinched, then gave a grin and made a comment from which I understood that he had been on my side, but might have changed his mind as a result of what Id just said to him.

Victor Lewis Smith in his TV (BBC2?) program at the end of 1993, had a taxi-driver saying, "theyre all out to get me", to which VLS replied, "but you're quite intelligent aren't you?" (what a nice chap VLS is, compliments no less!)

Paul Daniels the TV magician, sometime in 1990-92 (sorry I can't be more precise but it was so long ago), made a "crying face" and put his face in his hands, which was his way of expressing that I was frequently crying in

1990-92, and that he and other media people found my crying funny.

Kenny Everett (deceased) on some talk show, compared me to a "huge ape" who "scratches himself"; he made some other remarks about what the "ape" got up to which unfortunately I cant remember. (I remember that Everetts comments were quite sympathetic and human, but were obviously about me.)

Stephen Fry on another talkshow (Wogan I think) talking about "masturbatory fantasies", he then referred to me with the words "you prat"; I wonder if the studio audience knew what he was talking about and to whom his comments were directed?

Griff Rhys Jones on Clive James' TV show, made a "lunatic face" (wide fixed grin) to which I said to the TV that he had a "face like a horse's arse", to which Clive James said to GRJ "did you hear that?"

Crimestoppers summer 1990, remarks by a Midlands police officer on the programme, while Nick Ross was presenter (as far as I can remember). The officer talked about "in car entertainment". Nick Ross said to officer, "why don't you stop doing it?" to which he replied, "we can't while he's like this".

BBC2 Newsnight in autumn 1993 had a piece on football hooliganism. A black interviewee said apparently of the hooligans, but in fact of me; "they're just idiots, carry on with the surveillance".

There was an incident with Jonathan Ross which I remember clearly; he was on both BBC and ITV television at the same time, one (ITV I think) was recorded, the other channel was live. Ross has a speech impediment which causes him to pronounce his "r"s as "w". I sarcastically said something about "Mr Woss" to the recorded channel, then turned over to where he was live, and he repeated "Woss" with heavy emphasis and sarcasm.

On the radio, in spring 1994, Chris Tarrant made a sarcastic remark in his morning show, saying "he says were trying to kill him, we should be done for attempted manslaughter", to which another of the studio staff said, "oh no, dont say that". His comment was in reply to a comparison Id made the previous evening between my persecutors and the Polish secret police who murdered dissidents.

Martyn Lewis Denies & Lies, But Wont in Writing

In February 1997 I wrote to BBC Viewer & Listener Correspondence and asked them to investigate the claim that their newscasters had engaged in "interactive watching". They replied that they had asked Martyn Lewis and Michael Buerk whether they had engaged in such practices, and that they had both made verbal denials to VLC, but were refusing to put their denials in writing.

I can understand that they might think that if they were to make written denials to me, then many other people with my condition might write to them with similar questions. But Ive asked a couple of journalists if theyve been writing about me, theyve made written denials, Ive believed them, and I have not put their denials on my website because, since I believe their denials, it would not be relevant to publish them.

To me it looks as if Lewis and Buerk are happy to lie verbally but not in writing, because written falsehoods would place them unambiguously in the wrong, whereas they can try to talk their way out of verbal lies if they are ever caught, or perhaps even deny the verbal lies completely? If they lie without shame, then why would they have any shame about future lies about lying?

One of the strangest aspects of "TV watching" is that Buerk and Lewis have convinced themselves that their "interactive spying" is reasonable behaviour. Martyn Lewis thinks of himself as a "gentleman". He expressed in 1992 that he was "on my side". If this matter ever comes out into the open, I wonder what these newscasters will have to say for themselves, and what the British public will make of their behaviour?

Media Persecution Evidence on my Website

You may directly access the Evidence section on my website at URL;

The category currently contains four video segments, a number of audio files and three published articles. The first video of ITN's John Suchet is unfortunately a mistake - after looking at it again it is obviously not about me. The two Ken Clarke excerpts may or may not be about me; it is funny that he should keep on harping about "paranoia" and "madness", but I have given these ratings of only 30% certainty, as it is more likely that they are not about me in particular, and Clarke is simply displaying the normal prejudices against the mentally ill found in much of society.

The piece I find most interesting is the Dimbleby/John Major interview from April 1997. I have assigned this a 90% rating. Dimbleby starts by emphasising a report from the "Knutsford Guardian". Major recognizes what's going on and joins in with a falsely apologetic "heaven forfend". The emphasis is on the first syllable pronounced "nuts" in "Knutsford", which is repeated three times. Of course this is hardly anywhere near convincing evidence; the really clear items were all in 1990-92, and they are basically unobtainable now.

If you're reading the website, have a look at the two files from David Hepworth's programme on GLR radio. The first one from 21/Feb/1997 has him talking about an "embarassment" of prizes and "absolute obscene", in reference I believe to the verbal sexual abuse that was being used against me at the time (and which unfortunately is still current). In the second file dated 9/May/1997 he again talks about "absolute embarrassment" of prizes, followed by laughter. To my mind he knows I am listening to his programme, and deliberately makes these remarks for my benefit, with very little attempt to disguise their purpose.

Bernard Levin - "Fanatic's Fare for the Common Man"

On 21 September 1991 this article by Bernard Levin appeared in The Times. It is reproduced in the Evidence section of the website, or may be accessed directly at URL;

To my mind, Levin's article described the situation at the time and in particular a recent meeting with a friend, during which I for the first time admitted to someone other than my GP that I had been subjected to a conspiracy of harassment over the previous year and a half.

Levin writes about a "madman running loose about London" who "bursts into tears, and swears it is all true. And it is." I am pleased to agree with his assertion that "it is all true" because the truth is what I presented to my friend in September 1991 and it is what is being presented to the readership of these articles now.

Conclusion

The harassment, in particular media persecution, was at its strongest in 1990-92. Today, I am recording everything I watch, read and listen, and the media have pretty much given up. It is now incidents "in public" which make up what there is of MI5s persecution. But much of the material from 1990-92 still exists in archives, although the organisations which have those archives generally wont make the material available to the public, for copyright and other reasons.

MI5 can no longer employ the media to persecute me, partly because journalists now know who is behind the persecution, and also because I would publish any instances. My mistake during 1990-92 was to not record instances as they happened; Ive learned from that mistake, and know better now.

1240

From 2908904079540440394
X-Google-Thread: 1108d7,6b55b5c9a6bc7481,start
X-Google-Thread: 10944c,6b55b5c9a6bc7481,start
X-Google-Thread: fcc6e,6b55b5c9a6bc7481,start
X-Google-Thread: fc8b1,6b55b5c9a6bc7481,start
X-Google-Thread: 108122,6b55b5c9a6bc7481,start
X-Google-Attributes: gid1108d7,gid10944c,gidfcc6e,gidfc8b1,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!spln!extra.newsguy.com!
newsp.newsguy.com!news2
From: MI5Victim@mi5.gov.uk
Newsgroups:
rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: MI5 Persecution: Comparing the MI5 Persecution with German Final Solution (5653)

Followup-To:
rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,uk.misc
Date: 1 Dec 2007 12:26:00 GMT
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 207
Message-ID: <m07110112255016@4ax.com>
NNTP-Posting-Host: p62c638bfff0000003563fa47cb69460c246a5fae4cbeaad1.newsdawg.com
Xref: g2news1.google.com rec.puzzles.crosswords:14183 rec.pyrotechnics:47329
rec.radio.amateur.antenna:50047 rec.radio.amateur.boatanchors:13288
rec.radio.amateur.equipment:13358

MI5 Persecution Update: Friday 16 April, 1999

If You Intend To Reply, Please Read This
Please.... keep your response to one page!. Faxes over a page or two will be deleted without being read.

BBC newscaster Nicholas Witchell cant stop himself laughing

During 1990-91 there were very many instances of "interactive television" where newscasters and other TV presenters saw on a screen before them what was happening in my home, and reacted, frequently by laughing at me. During this period I unfortunately did not record these programmes. For the last year or two, I have been recording everything I watch, and there has been a drastic decrease in such incidents.

However, on occasion, television presenters do still engage in "interactive watching" and react to what they see. This has been evident with Jon Snow of Channel Four News recently - a particularly interesting case, since it has been established that he cannot be corrupted by money (it is well-documented that MI5 offered him a tax-free salary and he turned them down). I wonder what device MI5 are using to encourage him to do the "interactive watching"?

On Saturday 10 April 1999 at 7pm, Nicholas Witchell on BBC2 News reacted when he saw that I was watching the programme, and I have his reactions stored safely on videotape. I have watched this tape several times and I am entirely confident that my evaluation of his reactions is correct. For several minutes his upper lip quivered in mirth as he attempted to keep a straight face. Then finally his self-control evaporated through the excuse of a weak joke and his face collapsed into a grin.

The strange thing is that I dont know why he was laughing at me, what I had done recently to "deserve" to be laughed at. The MI5 persecutors usually manage to invent some justification as to why people should laugh at and/or abuse me ("hes an X", "it was so funny" etc), so Mr Witchell could have been laughing for any number of reasons. Perhaps he found the views I have been expressing in these articles amusing? I suppose if youre paid enough money and ordered to laugh then even the most innocuous thing becomes funny.

Jon Snow of Channel Four News cant stop himself smirking, either.

On 12 February 1999 I was watching Channel Four News presented by Jon Snow. As usual, I was recording the programme, so that if anything out of the ordinary happened, Id be able to go back and watch it again.

Now, Jon Snow, by his own claim, is uncorruptible. He says he turned down an offer of a substantial tax-free salary from MI5 - they wanted to make him their mouthpiece, and he told them where to get off.

So you will be most surprised to learn that Jon Snow "interactively watched" me that evening, and on many other evenings. Approximately fifteen minutes into the programme, he announced that the US President would be making a live appearance at about 7.30pm; I looked at the clock on the mantelpiece; and Snow saw me looking at the clock, and visibly tried to suppress a smirk.

Uncorruptible, are you, Mister Snow? If not money, then why are you watching me, Mister Snow? Are they forcing you to watch me? Cant you turn the monitor off, Mister Snow?

Keith Hill MP (Labour - Streatham), my elected representative, as ever refuses to help.

Comparing the MI5 Persecution with German "Final Solution"

It might seem offensive to compare the mass murder of millions of civilians in wartime with the peacetime persecution of merely one person. Yet the comparison has been coursing through my mind for several years now, because the brutality of German intent to "sub-humans" is very much comparable to the brutality of British intent to someone they vituperate and term "not up to British standards". The methods may differ, but the persecutors mindset is the same.

The Germans first targeted the mentally disabled, too

During WW2 millions of ethnic Russians, Poles, Jews, mentally ill, gypsies and other minorities were rounded up and murdered in purpose-built camps by the German regime, in the name of "racial superiority". Fifty years on, the British Secret Police, MI5, instituted a campaign of mass hysteria; but in their cowardice, limited their activities to one single victim.

It is instructive to note that the early German "cleansing" effort was directed primarily not at Jews, but at the mentally ill. The Nazis set up the T4 project in the thirties to "cleanse" away 70,000 mentally disabled people, including schizophrenics and epileptics. After WW2 the Jews with their media influence used the reaction from the holocaust to roll back anti-semitism in the Western countries; however, the mentally ill are today still a persecuted group in the modern Western world as they were under the Nazis (the current Jewish home secretary in the UK intends to bring in laws for incarceration without any criminal charge for some mentally ill people - he protects his own minority, but does nothing for the other minorities in todays society), and this continuing bias forms a central cause for the current acts of persecution in the UK.

Widespread knowledge of what is happening to the "un-British" minority

In both the German persecution of the thirties and early forties, and the current British persecution, many, many people are well aware of whats happening. There is widespread complicity through inaction of populace; and in a substantial proportion of the mainstread population, the persecution had/has widespread enthusiastic support; yet in both the German case in the 1940s and the British today, the existence of persecution is a mass secret which must be never admitted out loud. In the recent Lawrence case this "secret bigotry" has been termed "institutionalised racism", and that is a very good word for what the British are doing today The persecutory attitudes and omerta regarding them are so deeply ingrained in the national psyche that they define the national mood

During WW2 many Germans knew minorities were disappearing, and through inaction quietly condoned their government's mass murder of "un-German" minorities and inferior "foreigners"; and in the 1990s, similarly, many English people know what the MI5 British Secret Police have been doing, and not only condone it, but actively take part, because of xenophobia against the "un-British" unit minority that is the target of "British" actions. This attitude by the British persecutors has been made explicit through the words "he's not up to British standards"; the British seem to have found their very own "untermenschen" to victimise.

Why these obsessive "holy wars" happen

This type of aggression occurs when the majority is threatened or humiliated in some way, economically, militarily or culturally. In pre-WW2 Germany the threat was primarily economic and military, following Germany's humiliating defeat in the first world war and the reparations it was forced to pay. In modern Britain, one might guess that the majority English who are behind the persecution feel pressured by the swiftly diminishing status of Britain in the world, and the rapidly increasing coloured colonisation of their country, which in time will see the ethnic English a minority in their own land, and their more antisocial elements, unable to reply to the obvious threat, instead project their aggression onto another, weaker, unit minority

In both cases there is a whiff of "holy war" or irrational obsession with the persecution. Certainly the German behaviour fifty years ago bordered on the not-quite-sane, and the current British behaviour towards their chosen victim is strongly tinged with a leave-taking of reason. And the choices open to the victims are the same, since MI5 will never allow me to escape them, "if he tries to run away we'll find him", just like the commandant of Auschwitz telling the new arrivals, "the only escape is through the chimney".

The Victim Will Destroy Us if We Dont Destroy Him First

The persecutors propaganda is the same. Fifty years ago the Germans said, "if we don't do it to the Jews then the Jews will do it to us"; and MI5's propaganda in the early nineties concentrated on their victim as a "monster" aesome "untermenschen" minority.

"We are decent fellows" say the Brutal Persecutors

During the course of researching this article I read part of the very interesting book, "Hitler - A Study in Tyranny", by Alan Bullock. This volume contains a quote from Himmler on the "Final Solution";

"Most of you know what it means when a hundred corpses are lying side by side, or five hundred or one thousand. To have stuck it out, and at the same time .... to have remained decent fellows, that is what has made us hard. This is a page of glory in our history which has never been written and is never to be written."

In the MI5 persecution, too, there is a thread of deliberate brutality to the sick and vulnerable, while the persecutors maintain that "we are decent fellows". There is almost a conscious schizophrenia in the self-attitudes of the Security Service operatives and those in the public who they employ against me, which reflects the contradiction evident in the German attitude above. On the one hand, they stoop to the lowest and most base behaviour; yet at the same time, the MI5 operatives tell themselves that since they are civilised British people, then surely they must by definition be "decent fellows". Any indecency is made the fault of the victim; "hes making us persecute him, so we need feel no guilt".

Yet the conduct is atypical of the way these peoples see their normal modes of behaviour. Befslaughter was not typical of normal German behaviour up to that point. Similarly, the current MI5 abuse goes against the grain of British self-image as being "reserved" and "decent", since they are using terms of abuse which are common among blacks and other supposedly less-developed races, but not among the English.

Conclusion

The ultimate aim of both persecutions is the humiliation and physical extinction of the persecuted group. The Germans did this in a very direct way; the British Secret Police MI5 are acting indirectly and relying on self-extinction of their target, because in peacetime and in the current somewhat false climate of "political correctness" more direct methods are impossible. If MI5 undertook more direct action the mass "omerta" would be broken.

I have written this article with sincerity to show how a historically recent persecution in another country parallels what is being done in this country today. In both cases, the evil-doers are of their countries establishments, and rely on widespread tacit support to maintain the persecution and omerta around it. While the holocaust was undoubtedly the greater evil, it is important to be aware of the fact that had the Germans not been defeated fifty years ago, their plans would have gone through to total completion. In Britain today no force threatens the "permanent government" of which the Security Service forms a part; and it looks very unlikely that the wrongs perpetrated by the MI5 secret police will ever be revealed to public view, and the British secret state brought to justice for its evil actions.

5653

```
From -7067478083824991152
X-Google-Thread: 1108d7,4bf66aa195a587f6,start
X-Google-Thread: 10944c,4bf66aa195a587f6,start
X-Google-Thread: fcc6e,4bf66aa195a587f6,start
X-Google-Thread: fc8b1,4bf66aa195a587f6,start
X-Google-Thread: 108122,4bf66aa195a587f6,start
X-Google-Attributes: gid1108d7,gid10944c,gidfcc6e,gidfc8b1,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!spln!extra.newsguy.com!
newsp.newsguy.com!news5
From: MI5Victim@mi5.gov.uk
Newsgroups:
rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.antenna,rec.radio.amateu
r.boatanchors,rec.radio.amateur.equipment
Subject: MI5 Persecution: MI5 Waste Taxpayer Millions on Pointless Hate-Campaign
(7124)
Followup-To:
rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.antenna,rec.radio.amateu
r.boatanchors,rec.radio.amateur.equipment,uk.misc
Date: 1 Dec 2007 12:44:43 GMT
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 247
Message-ID: <m07110112443290@4ax.com>
NNTP-Posting-Host: p0cd840bfff000000aa3f7fa732a3a387f2bdc895638006b3.newsdawg.com
Xref: g2news1.google.com rec.puzzles.crosswords:14184 rec.pyrotechnics:47330
rec.radio.amateur.antenna:50048 rec.radio.amateur.boatanchors:13289
rec.radio.amateur.equipment:13359
X-Original-Bytes: 14248
```

MI5 Persecution Update: Friday 30 April, 1999

If You Intend To Reply, Please Read This
Please.... keep your response to one page!. Faxes over a page or two will be deleted without being read.

Somewhere between 0 and 100%

The last few days there have been no clear recordable instances of abuse. However, while travelling on the Underground, while walking around near my home and going to friends homes, I am constantly troubled by thoughts that those people over there might be about to get at me; that the couple sitting in the opposite seats laughing are in fact laughing at me; et cetera, et cetera.

A comment by a scientist to the BSE inquiry sticks in my mind. He described the possible scale of the epidemic as "between 0% and 100%". It might not be happening, it might not happen at all, to any discernable degree.... or it might be total. Without clear recording, which seems to have become impossible the last couple of weeks, there is no way of knowing whether the harassment really is continuing, whether we have entered a temporary hiatus, or whether perhaps it has perhaps stopped for now.

But for the time being I think there arent any reasons to dicontinue these faxes. I only re-started them six weeks ago in response to a resumption of MI5 harassment; and I think I will need to be more convinced of absence of persecution before I discontinue my complaints.

The Newscasters are still watching

In the last few weeks there have been at least a couple of fairly overt instances of "interactive watching" by newscasters. I reported this in a previous "MI5 Persecution Update".

These instances are really very rare compared to 1990-91, when there were many dozens of such occurrences. Undoubtedly the reduction is due to my practice of videotaping everything I see. Recently I had the opportunity of showing this years "happenings" (Jon Snow/Nicholas Witchell) to my psychiatrist, and he agreed that in both cases the newscasters were expressing merriment without visible cause, and that objectively it might be possible for my claims to be true - although of course other people reported similar thoughts to him, and this thinking is usually a symptom of illness.

Read About the MI5 Persecution on the World Wide Web

The March 1998 issue (number 42) of .net Magazine reviews the website describing it as an "excellent site". Since August 11, 1996 over 50,000 people have browsed this website.

You are encouraged to read the web pages which include

a FAQ (frequently asked questions) section outlining the nature of the persecutors, their methods of harassment through the media, people at work and among the general public

an evidence section, which carries audio and video clips of media and workplace harassment, rated according to how directly I think they refer to me

objective descriptions of the state security agencies involved

scanned texts of the complaints I have made to media and state security agencies involved posts which have been made to netnews over the last four years on this topic

Keith Hill MP (Labour - Streatham), my elected representative, as ever refuses to help.

MI5 Waste Taxpayer Millions on Pointless Hate-Campaign

Recently I was talking to an independent observer about the nature and purpose of the perceived campaign of persecution against me. The person I spoke to, a highly intelligent man, said he was struck by the utter pointlessness of the perceived campaign against me. He also said that, if my theories were in fact true, many people would have to be involved, in the surveillance itself, and in the technical side of the delivery of information from my home to TV studios for example, if the "interactive watching" were happening as described. He voiced these thoughts without any prompting from me; but both I and other observers had arrived at pretty much the same conclusions, some years ago.

I saw a team of four men at Toronto Airport in 1993

To carry out the surveillance alone, full-time, would employ four or five men, or their equivalent in terms of man-hours. Each man would "work" an eight-hour shift, so you would need at least three men doing the surveillance, plus a connecting link / manager. An indicator that this estimate is correct arrived in 1993, when I was accosted by one of a group of four men at Toronto Airport; he said, laughing, "if he tries to run away well find him". Plainly these were the men who had been involved in the intrusive surveillance of me for the preceding three years.

On other occasions, I have seen the same man on two or three occasions. On one such occasion, at Ottawas Civic Hospital in November 1996; he gave his name to the doctor as "Alan Holdsworth" or some such; my hearing is not very good sometimes and I am not sure of the surname, although I am sure "Alan" was his first name. I saw exactly the same man again in Ottawa, at the airport, in July 1998. Obviously, other people must be "working" with this person; he would not be the sole agent employed in this case.

Usenet readers views on the Cost to MI5 of Running the Campaign

Here's what a couple of other people on internet newsgroups / Usenet (uk.misc) had to say regarding the cost of running such an operation...

PO: >Have some sense, grow up and smell reality. What you are talking about
PO: >would take loads of planning, tens of thousands of pounds and lots of
PO: >people involved in the planning, execution and maintenance of it. You
PO: >must have a very high opinion of yourself to think you are worth it.

and......

PM: >But why? And why you? Do you realize how much it would cost to keep
PM: >one person under continuous surveillance for five years? Think about
PM: >all the man/hours. Say they _just_ allocated a two man team and a

PM: >supervisor. OK., Supervisor's salary, say, #30,000 a year. Two men,
PM: >#20,000 a year each. But they'd need to work in shifts -- so it would
PM: >be six men at #20,000 (which with on-costs would work out at more
like
PM: >#30,000 to the employer.)
PM: >
PM: >So, we're talking #30,000 x 6. #180,000. plus say, #40,000 for the
PM: >supervisor. #220,000. Then you've got the hardware involved. And
PM: >any transcription that needs doing. You don't think the 'Big Boss'
PM: >would listen to hours and hours of tapes, do you.
PM: >
PM: >So, all in all, you couldn't actually do the job for much less than
PM: >a quarter million a year. Over five years. What are you doing that makes
PM: >it worth the while of the state to spend over one and a quarter million
PM: >on you?

Those are pretty much the sort of calculations that went through my head once I stopped to consider what it must be costing them to run this operation. At the very least, a quarter million a year - and probably much more, given the intrusive and human-resource-intensive methods employed. Times nine years. Equals well over two million pounds - and probably much, much more.

Its wasteful for someone with my skills to be unemployed

The wastefulness of the MI5 campaign against me is not just that of futile expenditure on their side. It is also extremely wasteful for someone with my talents to be unemployed and on a disability pension. I am highly qualified in numerate disciplines, yet am unable to work, specifically because of the MI5 hate-campaign against me. It is a terrible waste of resources for a supposedly efficient economy like that of the UK to be squandering the talents of a skilled and capable worker.

I made every effort to remain in employment for as long as I could, but ultimately I was defeated by MI5s employment of massive resources specifically targeted on my workplaces with the sole aim of seeing me evicted from those workplaces. You might expect this sort of behaviour from the Stasi or some other secret police force in a communist country where labour is cheap, and the governments aim on seeing its citizens confined; but for a supposedly free and efficient economy like Britains, the wastefulness resulting both directly and indirectly from the Security Services activities is simply criminal, and should never be allowed.

The international dimension means the costs are multiplied many times overoer had any sense, then they have surely taken leave of them over the last nine years.

Four years of persecution in Canada

The persecution re-started within less than five minutes of my arrival in Canada, as documented above, and in the "frequently asked questions" article on the website. The words, "if he tries to run away well find him" spoken by one of the harassers at Toronto Airport are now imprinted on my mind.

A year later I emigrated to Canada, intending to find a job and settle there, hoping that MI5s interest in me might dim with time. I did manage to find work there, but my hopes of avoiding Security Service interest were ground into dust. As detailed above, I saw the same man in November 1996 and July 1998, both times in Ottawa. Apart from these encounters, there were numerous incidents between 1994 and 1998 of harassment, of an identical nature and in most cases using identical words to what had occurred in the UK. It became quite clear to me that the permanent surveillance and harassment operation which MI5 had subjected me to in England was being continued.

For a team of four or five men to be employed overseas must cost a lot more than if they operate in their home country. And for MI5 to continue the operation for a period of over four years, continuously, must cost many hundreds of thousands of pounds. This confirms my belief that the state is funding the campaign against mehat the Security Service receives current annual funding of #160M. Divided by 1850 staff, works out at #86,000. But the unit annual cost of each "watcher" must be much higher than this, especially given the frequently mobile and overseas nature of their actions of the last few years. A very conservative figure might be a little over #100,000 pa for each of a team of five people, or half a million pounds per year. For nine years, so far. So the most conservative estimate of the surveillance element alone is perhaps four or five million pounds since 1990.

This guesstimate is of course theoretical - I am not privy to inside details of how MI5 split their funding. But to take some other examples, the cost of a US counter-surveillance specialist per day is USD 5,000. Even if the agents permanently assigned to me are not of this calibre - even if they employ specialists when difficult work planting bugs etc is encountered - their salary and support costs must still be very high. The individual agents are doing well for themselves as they are well-paid to exercise psychopathic instincts which in any sane society would see them in prison; but the taxpayers who must fund this terribly wasteful exercise are being "done" out of hundreds of thousands of pounds each year.

It must be emphasised that the above estimates are highly conservative. Besides the surveillance operation, it must carry a high cost in man-hours to propagate covert slanders through the population; to setup and maintain the "interactive watching" links to TV and radio stations, which these organisations continue desparately to "lie and deny"; and to induce antipathy in co-workers which would not otherwise exist.

Why they are wasting Millions of Pounds on a "Nobody from South London"

As remarked in the prologue to this article, it is really most extraordinary that the Security Service spends a chunk of its budget, every year for nine years so far, on a meaningless campaign against a "nobody from South London". That they are spending such a large amount of money has been confirmed to me on several occasions, usually by oblique references to "its costing this country millions". The supposed "logic" behind the persecution is that MI5 wish to avoid their harassment of me, and the involvement of the UK media, to be made public; yet as the reader will appreciate that is a circular argument, "theyre doing it because they want to keep it secret and avoid humiliation for themselves and their country" begs the question, "why did they start doing it in the first place?", to which in truth I myself do not know the answer.

Plainly MI5 with its rich budget can afford half a million pounds a year to waste on a "nobody from South London". Some time ago I was talking to a British surveillance professional on Compuserve who told me "this work costs a lot of money and is usally because the person I am following has done something (usually criminal) to warrant all this money and time being spent." Yet in this particular case it is plainly not the "victims fault" that the harassment is taking place. The hate-campaign against me is completely the creation of the obsessive psychologies of the MI5 agents who have made themselves my persecutors; it is obviously a "personal" campaign for them, and for years they misuse taxpayer funding to feed their insane, unnatural and fixated fantasies.

7124

```
From -4033841483443104396
X-Google-Thread: 108122,46e49b31b2b1617e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-05!sn-xt-sjc-06!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Stuart" <n5lbz@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Harris RT-1642B info needed
Date: Sat, 1 Dec 2007 10:45:08 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13l3460g8pq8d28@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news1.google.com rec.radio.amateur.equipment:13360
```

Anyone have any info on this radio?

Stuart

--

Outgoing mail is certified Virus Free

Checked by McAFEE on-Line subscription
Anti-Virus.
Only two defining forces have ever offered
to die for you, Jesus Christ and the American G.I.
One died for you soul; ~ the other for your freedom.

```
From 3535345347966773808
X-Google-Thread: 1108d7,e483d85bb0083e74,start
X-Google-Thread: 10944c,e483d85bb0083e74,start
X-Google-Thread: fcc6e,e483d85bb0083e74,start
X-Google-Thread: fc8b1,e483d85bb0083e74,start
X-Google-Thread: 108122,e483d85bb0083e74,start
X-Google-Thread: 10b88a,e483d85bb0083e74,start
X-Google-Attributes:
gid1108d7,gid10944c,gidfcc6e,gidfc8b1,gid108122,gid10b88a,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "K" <K@spam.net>
Newsgroups:
rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.antenna,rec.radio.amateu
r.boatanchors,rec.radio.amateur.equipment,uk.misc
References: <m07110113033458@4ax.com>
In-Reply-To: <m07110113033458@4ax.com>
Subject: Re: MI5 Persecution: Four Years of MI5 Persecution Posts on Internet
Newsgroups (8595)
Date: Sat, 1 Dec 2007 15:08:55 -0800
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Lines: 347
Message-ID: <4751e9a8$0$8823$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 65.28.142.199
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.puzzles.crosswords:14194 rec.pyrotechnics:47356
rec.radio.amateur.antenna:50095 rec.radio.amateur.boatanchors:13297
rec.radio.amateur.equipment:13361 uk.misc:140998
```

Who gives a rat fuck!
K

<MI5Victim@mi5.gov.uk> wrote in message news:m07110113033458@4ax.com...
>

> Four Years of "MI5 Persecution" Posts on Internet Newsgroups
>
> For approximately the first three years of the MI5 persecution, from June 1990 until late 1992, I kept as quiet as possible, in the hope that by not reacting, MI5s interest in me would decrease and they would simply go away of their own accord. This is the sort of behaviour some people employ against bullies; if the bullies arent getting a reaction, then they might simply go away and victimize someone else.
>
> Unfortunately, this tactic didnt work. The quieter I became, the more shrill and hysterical the noise from the Security Service operatives. For about two years I didnt watch TV news at all. Yet this only heightened their obsessed fixation; they continued to follow me wherever I went, they continued to induce harassment at work by managers and fellow workers, and they continued to encourage me to commit suicide. They seemed to regard my refusal to react as a crime which they would have to "put right" by ever more extreme forms of abuse.
>
> Finally, in 1995, I changed tactics radically. Since late 1994 I had had accounts with internet providers in Ontario, Canada. I discovered the cornucopia of internet newsgroups, on every topic from consumer electronics, to politics and legal topics, and I discovered online services such as Compuserve and AOL. In May 1995, I made the first posting to the conspiracy newsgroup, on the subject of "BBCs Hidden Shame".
>
> BBC's Hidden Shame
>
> The internet newsgroup discussion, which has now reached its fourth anniversary, started with an article in alt.conspiracy, which I reproduce here.
>
> Date: Thu May 4 18:27:24 1995
> Newsgroups: alt.conspiracy
> Subject: BBC's Hidden Shame
>
> Remember the two-way televisions in George Orwell's 1984? The ones which watched you back? Which you could never get rid of, only the sound could be turned down?
>
> Well the country which brought Orwell into the world has made his nightmare follow into the world after him. Since 1990 the British have been waging war against one of their own citizens using surveillance to invade privacy and a campaign of abuse in the transmitted media in their efforts to humiliate their "victim".
>
> And the most remarkable thing about it is that what they do is not even illegal - the UK has no laws to protect the privacy of its citizens, nor does it proscribe harassment or abuse except in the case of racial abuse.

>
> A lot of people in England know this to be going on, yet so far they have
> maintained
> perfect "omerta"; not a sound, not a squeak has escaped into the English
> press, and for
> all the covert harassment absolutely nothing has come out into the public
> domain.
>
> Have the British gone mad? I think we should be told
>
> At this point, I did not name MI5 as my persecutors. I was still unsure
> that they were the ones responsible for the "psychological terrorism". In
> followup posts however I did name them; and the persecutors have never
> denied the claim; so I think my guess is valid. (The Security Service
> Tribunal in 1997 have said "no determination in your favour was made", but
> it is a well established fact that MI5 lies routinely to the Tribunal
> which has never found in favour of a plaintiff, so no conclusions can be
> drawn from this.)
>
> This first post was made to alt.conspiracy, but further posts were made to
> the UK-local newsgroups, in particular uk.misc but also uk.legal and
> uk.politics (which is now called uk.politics.misc). Some time ago I tried
> to take the battle to the Compuserve forums, UKPOLITICS (which is now
> called UKCURRENT - current affairs), but my articles were censored by the
> forum operators. Such censorship is impossible on the internet newsgroups.
>
> Police Refuse to Act
>
> I have complained several times to the Metropolitan Police, who have each
> time refused to help.
>
> From: Green <Green@guidion.demon.co.uk>
> Newsgroups: uk.misc,uk.politics,alt.politics.british,soc.culture.british
> Subject: Re: MI5 Persecution: Why Aren't the British Police Doing Their
> Job?
> Reply-To: Green@guidion.demon.co.uk
> Date: Sun Apr 7 21:13:30 1996
>
> In article <DpIE0r.736.0.bloor@torfree.net>
>   bu765@torfree.net "Mike Corley" writes:
>
>>Last Easter (1995) I went into the local police station in London and
>>spoke to
>>an officer about the harassment against me. But I couldn't provide
>>tangible
>>evidence; what people said, in many cases years ago, is beyond proof, and
>>without something to support my statements I cannot expect a police
>>officer to
>>take the complaint seriously.
>
> This in itself dos not suggest that the police have it in for you. The old
> bill
> operates on extremely tight spending limits forced on them by that pillock

> Michael
> Howard, and without evidence, they often have higher priorities than
> chasing something
> that cannot go to court.
>
> I doubt that the police are actually being leant on, but they probably
> realise that if
> they looked into this, they would be leant on hard. The met always stays
> away from
> anything that looks like it has Defence, Security or secret service
> interest already,
> because they realise that they are below these government agencies in the
> general
> pecking order.
>
> If I walked into my local nick and complained that MI5 were snooping on
> me, they would
> show me the door without even looking at my evidence, because that bored
> desk seargant
> with only five years to go before he retires doesn't want to start fucking
> about with
> somebody who has incurred the wrath of Stella Rimington. He would rather
> deal with the
> lost dogs and driving licence producers, eat his cheese and pickle
> sandwiches and piss
> off home at the end of his shift than have some high ranking spook having
> a go at his
> boss and getting him a bollocking.
>
> In short, you have earned much sympathy but little surprise. Just
> remember that saying
> about the enemy of your enemies.
>
> Most recently, I wrote in March 1999 to Charing Cross Police Station
> CID. They did not acknowledge or reply to my letter. When I phoned them
> up, the detective Id written to treated me to a sadly not unusual display
> of police bigotry, with an uneducated rant about "your paranoid rubbish".
>
> It would be nice to think that such uneducated bigotry is something other
> than wholly typical of police behaviour, but unfortunately that is an
> illusion that is rapidly dispelled.
>
> Uncorruptible Jon Snow of Channel Four News
>
> From previous articles the reader will know what I think Jon Snow has
> recently been watching me while he reads Channel Four News in the
> evening. Recently I digitized a few moments of one such broadcast, where
> his face twists into a smile, without there being anything in the news
> broadcast to cause merriment. Here is a usenet post from some time ago on
> MI5s "bought and paid for" tools in the so-called "free" press.
>
>
> Peter Harding (harding@ermine.ox.ac.uk) wrote:

> : I was at speakers' corner on Sunday. There was one chap who was
> bellowing
> : about something or other, I don't know what, but one thing he said to
> : someone caught my ear:
>
> : "BBC, MI5, same thing."
>
> Can't disagree with that sentiment.
>
> Wasn't it documented that MI5 sometimes "bought" journalists and
> broadcasters?
> I remember reading a report by some jouralist who had been offered an
> extra
> tax-free income by MI5 to become their covert mouthpiece, and had refused.
> ....
>> : >mouthpiece, and had refused.
>> :
>> : It was Jon Snow of Channel 4.
>>
>> Was it reported in any of the papers?
>
> It has been reported several times. The most recent was in Private Eye,
> a few months back. As I recall they also wanted information from him;
> journalists would be a natural choice for members of the Security Service
> and the Secret Intelligence Service for information sources.
>
>> It might be interesting to see what he had to say regarding their
>> attempt to recruit him.
>
> He was most concerned that many others would have accepted such an
> offer. However, we can probably make an educated guess as to some of
> those who accepted: Nigel West (Rupert Allason, MP) and Chapman Pincher
> would come near to the top of the list.
>
> --
> \/ David Boothroyd. Socialist and election analyst. Omne ignotum pro
> magnifico.
> British Elections and Politics at
> http://www.qmw.ac.uk/~laws/election/home.html
> I wish I was in North Dakota. Next General Election must be before 22nd
> May '97
> The House of Commons now : C 324, Lab 272, L Dem 25, UU 9, PC 4, SDLP 4,
> SNP 4,
> UDUP 3, Ind 1, Ind UU 1, Spkrs 4. Government majority = 1. Telephone Tate
> 6125.
>
> Corrupt Security Service agents steal millions from taxpayers
>
> Money is of course a factor in the grand equation which is the MI5
> persecution. It costs money for the Security Service to "buy" people in
> the media etc. But that is only a small part of their expenditure of
> taxpayers resources. Most of the expenditure is directly on the salaries
> if the agents involved; and in this post I put forward the theory that MI5

> are trying to draw out their involvement for as long as possible, very
> cynically, to maximise their income and line their own pockets.
>
> At each stage they have tried to pretend that I am something out of the
> ordinary.
> Either I was very stupid ("he's an idiot") or very clever ("he's like a
> genius").
> Either I was a threat to Western civilization (Levin once referred to me
> as the next
> Hitler) or I was completely defenceless ("a soft toy").
>
> Now, it should be obvious to any person with common-sense that I am not
> out of the
> ordinary in any way. I have an IQ which is average for the Web, I am
> racially white
> European, and there are plenty of other people with schizophrenia or
> epilepsy out there
> who haven't been targeted for MI5 attention, so why me?
>
> I think the answer is that the MI5 agents who harass me have cynically
> exploited the
> situation by painting me as extraordinary in order to assure themselves of
> well-paid
> employment funded by the ordinary British taxpayer. To put it bluntly,
> they are
> stealing millions of pounds from the taxpayer to feed their own pockets.
>
> This assertion is supported by the observation that it's the same agents
> who are doing
> the harassment. Six months ago in a local hospital I was harassed by
> someone whose face
> I had seen (he had stared straight at me aggressively, at the time I just
> thought it
> was some nutter but it turns out he was one of "them") aboard a KLM flight
> a couple of
> years ago. It's presumably been the same people most of the time. I've
> seen the way
> contractors act when they don't want their positions terminated. Would
> these agents
> really want to lose their well-paid employment harassing me? Presumably
> they are
> promising their bosses a "breakthrough" (ie my demise) real-soon-now and
> have been for
> the last seven years, while all the while these MI5 agents skim millions
> off the taxpayer.
>
> I wouldn't mind a job like that. Perhaps if I persecute myself a little
> bit, like
> standing in front of a mirror and shouting mindless obscenities, do you
> reckon I'd get
> a slice of the caky Service Tribunal. This year Nick Brooks, current
> Tribunal Secretary, confirmed to me that he could not think of a single
> case where the Tribunal had found in favour of a complainant. Here is my

> usenet post from two years ago.
>
> Subject: MI5: "It wasn't us"
> Newsgroups: uk.misc,uk.legal
> Organization: Toronto Free-Net
>
> "The Security Service Tribunal have now investigated your complaint and
> have
> asked me to inform you that no determination in your favour has been made
> on
> your complaint."
>
> Signed ER Wilson, Tribunal Secretary
>
> Well that's a relief then. All that spamming for nothing eh. Gaw blimey,
> if
> they say they're not doing it then it can't be them, can it?
>
> In a recent letter to Mr Brooks I expressed the opinion that the Tribunal
> were unable to fulfil their responsibilities in the face of MI5
> falsehoods. Nevertheless, I do intend to make another complaint to the
> Tribunal in the near future, despite the Tribunal appearing to be a
> toothless watchdog.
>
> Discrimination against a Unit Minority
>
> MI5 have been very clear in their instructions as to what I should
> do. They have openly shouted at me the word "suicide", and also from the
> other abuse it is clear that they want my existence terminated.
>
> This point is covered in more detail in a previous article. The following
> post describes the xenophobic nature of MI5s campaign against me. They
> have refined their bigotry down to a unit minority, yet they make use of
> the discrimination against the mentally ill which is a feature of current
> British society.
>
> Subject: Re: MI5 says "Kill Yourself"
> Newsgroups: uk.misc,uk.legal,uk.politics.misc,uk.media
> References: <zlsiida.4248.3258FE24@fs1.mcc.ac.uk>
> <53eeev$cmg@axalotl.demon.co.uk>
> Organization: Toronto Free-Net
> Distribution:
>
> iain@hotch.demon.co.uk (Iain L M Hotchkies) wrote:
>>Indeed. If you've ever had a 'conversation' with someone suffering
>>from florid schizophrenia, you'll know how difficult it can be to
>>'argue' with them.
>
> I don't have florid symptoms. But I'm in a difficult situation, because
> those
> people who don't know, aren't going to believe, and those who do, they
> just go
> along with the crowd. It's never a good idea to go against the grain, and

```
> the
> grain here is defined by interests in the establishment and the media.
> Even
> people who could say out loud what was happening won't, because then
> there's a
> risk that they'll be seen as traitors and ostracised.
>
> Usually this type of 'hidden abuse' is racial and targetted at a racial
> minority within a country. You keep the minorities out of the good jobs,
> but
> you don't admit discrimination exists. It happens everywhere, not just in
> Britain. The persecution that is going on now is in reality a refined form
> of
> racism. Instead of "nigger" it's "nutter", and abusing the mentally ill is
> still socially acceptable today. In 50 years it might not be, but today
> there
> isn't any social or legal sanction against it.
>
> So really they've refined racial harassment down to a minority of one. The
> words may be different, but the methods are the same.
>
> 8595
>



From -1629781743178926664
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Dloyd why are you so intent on trying t bury that you tried to pimp your
own gs
Date: Sun, 02 Dec 2007 06:11:39 -0500
Message-ID: <3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
<td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
Lines: 70
NNTP-Posting-Date: 02 Dec 2007 10:21:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100207
rec.radio.amateur.antenna:50143 rec.radio.amateur.misc:39349
rec.radio.amateur.equipment:13362

On Wed, 28 Nov 2007 21:30:03 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>>><DloydLavies@gmail.com> wrote:
>>>
>>>>
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
```

>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 2038350988950284259
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!newsgate.cistron.nl!xs4all!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqueer@homale.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: do you part two hlep with techical blog
Date: Sun, 2 Dec 2007 11:09:14 -0500
Organization: punce dunce

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 9
Message-ID: <4752cced$0$26053$88260bb3@free.teranews.com>
NNTP-Posting-Date: 02 Dec 2007 15:19:09 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100222 alt.ham-radio.vhf-
uhf:6093 rec.radio.amateur.misc:39361 rec.radio.shortwave:128657
rec.radio.amateur.equipment:13363

 you too can be part of the work of the kosher ham
  male you article to this adess and perhap you seeyou name for all time (or
at least as long as as blogger last

 http://ipunce.blogspot.com/

do U hav anyting cognet two say?




--
Posted via a free Usenet account from http://www.teranews.com




From 8400696170617656431
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Dloyd why are you so intent on trying t bury that you tried to pimp your
own gs
Date: Sun, 2 Dec 2007 13:01:11 -0500
Organization: A noiseless patient Spider
Lines: 6
Message-ID: <fiurtd$tli$1@registered.motzarella.org>
References: <4752cced$0$26053$88260bb3@free.teranews.com>
X-Trace: feeder.motzarella.org U2FsdGVkX19Q0mQ7sucFbrx6rSPKuMAcuTSSz+aOr/
apShuE8GjpgjpV/0N1mMqJg+musDMyEZgkqkU7h7Lh8iET+37fymj+lc3H+5ChIIV3cyV3xv/f+s7fsxF/
TtWEFE63kPneZ88=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
```

```
NNTP-Posting-Date: Sun, 2 Dec 2007 18:01:18 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX18DLqaEMRPhvGSwKflo+Pr7t/WbWtruL93Uo2Ewv8D3Qg==
Cancel-Lock: sha1:EZxcWJVaXH31+b8Oimc0gt291Jo=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100237 alt.ham-radio.vhf-
uhf:6094 rec.radio.amateur.misc:39365 rec.radio.shortwave:128663
rec.radio.amateur.equipment:13364
```

"kb9rqz" <kb9rqueer@homale.com> wrote in message
news:4752cced$0$26053$88260bb3@free.teranews.com...
>

```
From -1150185317223823340
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: do you part two hlep with techical blog
Organization: You and my shadow
References: <4752cced$0$26053$88260bb3@free.teranews.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-4E1DAD.09335602122007@netnews.worldnet.att.net>
Lines: 6
Date: Sun, 02 Dec 2007 18:33:22 GMT
NNTP-Posting-Host: 12.12.208.22
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1196620402 12.12.208.22 (Sun, 02 Dec
2007 18:33:22 GMT)
NNTP-Posting-Date: Sun, 02 Dec 2007 18:33:22 GMT
Xref: g2news1.google.com rec.radio.amateur.policy:100245 alt.ham-radio.vhf-
uhf:6095 rec.radio.amateur.misc:39368 rec.radio.shortwave:128666
rec.radio.amateur.equipment:13365
```

In article <4752cced$0$26053$88260bb3@free.teranews.com>,
"kb9rqz" <kb9rqueer@homale.com> wrote:

> kosher ham

Isn't that a contradiction in terms????????

```
From 809292881074395638
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w34g2000hsg.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.policy, alt.ham-radio.vhf-uhf,
     rec.radio.amateur.misc, rec.radio.shortwave, rec.radio.amateur.equipment
Subject: Dloyd why are you so intent on trying t bury that you tried to pimp
     your own gs
Date: Sun, 2 Dec 2007 10:46:36 -0800 (PST)
Organization: http://groups.google.com
Lines: 9
Message-ID: <13af4571-07d2-452d-b8f2-1b34d4df67af@w34g2000hsg.googlegroups.com>
References: <4752cced$0$26053$88260bb3@free.teranews.com>
<You-4E1DAD.09335602122007@netnews.worldnet.att.net>
NNTP-Posting-Host: 69.19.14.42
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196621196 21193 127.0.0.1 (2 Dec 2007 18:46:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Dec 2007 18:46:36 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w34g2000hsg.googlegroups.com; posting-host=69.19.14.42;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:100246 alt.ham-radio.vhf-
uhf:6096 rec.radio.amateur.misc:39369 rec.radio.shortwave:128668
rec.radio.amateur.equipment:13366
```

On Dec 2, 1:33 pm, You <Y...@shadow.orgs> wrote:

> In article <4752cced$0$26053$88260...@free.teranews.com>,
>
> "kb9rqz" <kb9rqu...@homale.com> wrote:
> > kosher ham
>
> Isn't that a contradiction in terms????????

not in this context

From -8105306356289000067
X-Google-Thread: 10bf43,4bce244259a36c0,start
X-Google-Thread: fb049,4bce244259a36c0,start
X-Google-Thread: 107ada,4bce244259a36c0,start
X-Google-Thread: 114aac,4bce244259a36c0,start
X-Google-Thread: 108122,4bce244259a36c0,start
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqueer@homale.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: best blog yet
Date: Sun, 2 Dec 2007 14:17:38 -0500
Organization: punce dunce
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 8
Message-ID: <4752f914$0$25985$88260bb3@free.teranews.com>
NNTP-Posting-Date: 02 Dec 2007 18:27:32 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 5
Xref: g2news1.google.com rec.radio.amateur.policy:100247 alt.ham-radio.vhf-uhf:6097 rec.radio.amateur.misc:39370 rec.radio.shortwave:128673
rec.radio.amateur.equipment:13367

tish is indeed won of teh best blog about me yet.

http://ipunce.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -8731229369148233555
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe

X-Google-Attributes: gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqueer@homale.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: do you part two hlep with techical blog
Date: Sun, 2 Dec 2007 14:24:59 -0500
Organization: punce dunce
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 21
Message-ID: <4752facc$0$26048$88260bb3@free.teranews.com>
NNTP-Posting-Date: 02 Dec 2007 18:34:52 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100248 alt.ham-radio.vhf-uhf:6098 rec.radio.amateur.misc:39371 rec.radio.shortwave:128675 rec.radio.amateur.equipment:13368

You <You@shadow.orgs> wrote:
> In article <4752cced$0$26053$88260bb3@free.teranews.com>,
> "kb9rqz" <kb9rqueer@homale.com> wrote:
>
> > kosher ham
>
> Isn't that a contradiction in terms????????
>
>

do you hav anyting cogent two say?

http://ipunce.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -3656528132611421216
X-Google-Thread: 1108d7,e483d85bb0083e74

```
X-Google-Thread: 10944c,e483d85bb0083e74
X-Google-Thread: fcc6e,e483d85bb0083e74
X-Google-Thread: 108122,e483d85bb0083e74
X-Google-Thread: 10b88a,e483d85bb0083e74
X-Google-Attributes:
gid1108d7,gid10944c,gidfcc6e,gid108122,gid10b88a,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e23g2000prf.googlegroups.com!not-for-
mail
From: Offramp <alaneobrien@gmail.com>
Newsgroups: rec.puzzles.crosswords, rec.pyrotechnics, rec.radio.amateur.antenna,
     rec.radio.amateur.equipment, uk.misc
Subject: Re: MI5 Persecution: Four Years of MI5 Persecution Posts on Internet
     Newsgroups (8595)
Date: Sun, 2 Dec 2007 11:27:52 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <b43c07e0-6ea7-4c81-a34c-44c3ef2296d3@e23g2000prf.googlegroups.com>
References: <m07110113033458@4ax.com> <4751e9a8$0$8823$4c368faf@roadrunner.com>
NNTP-Posting-Host: 81.1.102.195
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196623672 29414 127.0.0.1 (2 Dec 2007 19:27:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Dec 2007 19:27:52 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e23g2000prf.googlegroups.com; posting-host=81.1.102.195;
     posting-account=ijRv2AoAAAAwiFdiMFMffXUHwCWIQM7X
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.puzzles.crosswords:14232 rec.pyrotechnics:47409
rec.radio.amateur.antenna:50157 rec.radio.amateur.equipment:13369 uk.misc:141051

On Dec 1, 11:08 pm, "K" <K...@spam.net> wrote:

> Who gives a rat fuck!
> K

LOROL!


From 1151595138302069877
X-Google-Thread: 10bf43,4bce244259a36c0
X-Google-Thread: fb049,4bce244259a36c0
X-Google-Thread: 107ada,4bce244259a36c0
X-Google-Thread: 114aac,4bce244259a36c0
X-Google-Thread: 108122,4bce244259a36c0
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news1.google.com!news.glorb.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: 71.48.131.227
Date: Sun, 2 Dec 2007 16:15:26 -0500
Organization: A noiseless patient Spider
Lines: 6
Message-ID: <fiv79j$riv$1@registered.motzarella.org>
References: <4752f914$0$25985$88260bb3@free.teranews.com>
X-Trace: feeder.motzarella.org U2FsdGVkX19H9zKNn0V3iY086C2sY0F5MmaHuKgDX2erdO2r/
2irmZ67JUC92d4FVt6iJm7/
jS46u786l6uH5aI5wtBP7s7nch0JFh8PyUp7yn2Wnjlu0myGDZU59sC7Quh7ro4f7sI=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sun, 2 Dec 2007 21:15:33 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX19BQ9DYwsHCgza5mRQbJazjrRZtpTrOjgzG49eks70tRA==
Cancel-Lock: sha1:aC+c/YaSp62zPCyrmzwdb+M5of0=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100253 alt.ham-radio.vhf-uhf:6099 rec.radio.amateur.misc:39375 rec.radio.shortwave:128682
rec.radio.amateur.equipment:13370

"kb9rqz" <kb9rqueer@homale.com> wrote in message
news:4752f914$0$25985$88260bb3@free.teranews.com...
>

From 2293964281686297612
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!
news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Dloyd why are you so intent on trying t bury that you tried to pimp
your own gs
Date: Sun, 2 Dec 2007 16:16:36 -0500

```
Organization: A noiseless patient Spider
Lines: 14
Message-ID: <fiv7bp$s13$1@registered.motzarella.org>
References: <4752cced$0$26053$88260bb3@free.teranews.com>
<You-4E1DAD.09335602122007@netnews.worldnet.att.net> <13af4571-07d2-452d-
b8f2-1b34d4df67af@w34g2000hsg.googlegroups.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX19veoc3jmyiyBGnRDHNDmnztSQk68wXrqe5VRHZFLJAcmPPmNweX5p+LOmQgr3YYSh7f5PLqs
LsMG5wFkJFrEzwh7O5todFRjNwen1CdWQNN7F22Wv9hn5MN96z1HlHljw=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sun, 2 Dec 2007 21:16:43 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX18K1bsGhVIT0Ayd/molOxI5vXpNGyQAvulxvTrjQLbEQA==
Cancel-Lock: sha1:HEYjiwCuWaFnZaDUn89qDa0nJHM=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100255 alt.ham-radio.vhf-
uhf:6100 rec.radio.amateur.misc:39376 rec.radio.shortwave:128683
rec.radio.amateur.equipment:13371


"an_old_friend" <kb9rqz@gmail.com> wrote in message
news:13af4571-07d2-452d-b8f2-1b34d4df67af@w34g2000hsg.googlegroups.com...
> On Dec 2, 1:33 pm, You <Y...@shadow.orgs> wrote:
>> In article <4752cced$0$26053$88260...@free.teranews.com>,
>>
>>  "kb9rqz" <kb9rqu...@homale.com> wrote:
>> > kosher ham
>>
>> Isn't that a contradiction in terms????????
>
> not in this context




From -1973142807432715281
X-Google-Thread: 10bf43,4bce244259a36c0
X-Google-Thread: fb049,4bce244259a36c0
X-Google-Thread: 107ada,4bce244259a36c0
X-Google-Thread: 114aac,4bce244259a36c0
X-Google-Thread: 108122,4bce244259a36c0
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!
news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
```

```
Subject: Dloyd why are you so intent on trying t bury that you tried
Date: Sun, 2 Dec 2007 16:17:35 -0500
Organization: A noiseless patient Spider
Lines: 13
Message-ID: <fiv7dk$sa4$1@registered.motzarella.org>
References: <4752f914$0$25985$88260bb3@free.teranews.com>
X-Trace: feeder.motzarella.org U2FsdGVkX18TFy6vMhw/
setwwKdrtBeNJpgw8Spp89SteODGjqh7XlC0LIzrpc0vnR52+6X/
JlS4RGIWtP5bSFKhhLCeaW6Ru3nvKB6Ms03SKaRWILU/0F+EuqwrleajP5deqXYx3L8=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Sun, 2 Dec 2007 21:17:42 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX18b39gU/UzaTLudtX3iasSa+uVYVx3p1m4/z/4OOffpDA==
Cancel-Lock: sha1:YFlzzfd3mZUm9kw3P5/H9TlfPY4=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100256 alt.ham-radio.vhf-
uhf:6101 rec.radio.amateur.misc:39377 rec.radio.shortwave:128684
rec.radio.amateur.equipment:13372


"kb9rqz" <kb9rqueer@homale.com> wrote in message
news:4752f914$0$25985$88260bb3@free.teranews.com...
> tish is indeed won of teh best blog about me yet.
>
> http://ipunce.blogspot.com/
>
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>




From -3893290460256333111
X-Google-Thread: 10bf43,4bce244259a36c0
X-Google-Thread: fb049,4bce244259a36c0
X-Google-Thread: 107ada,4bce244259a36c0
X-Google-Thread: 114aac,4bce244259a36c0
X-Google-Thread: 108122,4bce244259a36c0
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n20g2000hsh.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.policy, alt.ham-radio.vhf-uhf,
     rec.radio.amateur.misc, rec.radio.shortwave, rec.radio.amateur.equipment
Subject: Re: Dloyd why are you so intent on trying t bury that you tried to
     pimp your own grandson
```

```
Date: Sun, 2 Dec 2007 13:22:06 -0800 (PST)
Organization: http://groups.google.com
Lines: 16
Message-ID: <33283721-4b10-476d-a8b0-9a163338cfa6@n20g2000hsh.googlegroups.com>
References: <4752f914$0$25985$88260bb3@free.teranews.com>
<fiv7dk$sa4$1@registered.motzarella.org>
NNTP-Posting-Host: 69.19.14.42
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196630527 20096 127.0.0.1 (2 Dec 2007 21:22:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Dec 2007 21:22:07 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: n20g2000hsh.googlegroups.com; posting-host=69.19.14.42;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:100257 alt.ham-radio.vhf-
uhf:6102 rec.radio.amateur.misc:39378 rec.radio.shortwave:128686
rec.radio.amateur.equipment:13373

On Dec 2, 4:17 pm, "konstans" <konst...@hotmail.com> wrote:
> "kb9rqz" <kb9rqu...@homale.com> wrote in message
>
> news:4752f914$0$25985$88260bb3@free.teranews.com...
>
>
>
> > tish is indeed won of teh best blog about me yet.
>
> >http://ipunce.blogspot.com/
>
> > --
> > Posted via a free Usenet account fromhttp://www.teranews.com- Hide quoted text
-
>
> - Show quoted text -



From 7354955567308460177
X-Google-Thread: 108122,9eddf6d457b9bdf5
X-Google-Thread: 108228,9eddf6d457b9bdf5
X-Google-Thread: fb049,9eddf6d457b9bdf5
X-Google-Thread: fcc6e,9eddf6d457b9bdf5
X-Google-Attributes: gid108122,gid108228,gidfb049,gidfcc6e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
```

NNTP-Posting-Date: Sun, 02 Dec 2007 22:00:38 -0600
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna
Subject: Re: eBay: Yaesu FT-1000D transceiver
From: Mike Coslo <mcoslo@youknow.comcast.net>
References: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
<c0daf03508876d541475d10ea0de7261@pseudo.borked.net>
Organization: Your Company
Message-ID: <Xns99FAEA61F78D2mcoslocomcastnet@216.196.97.136>
Followup-To: rec.radio.amateur.equipment,alt.ham-radio.marketplace
User-Agent: Xnews/5.04.25
Date: Sun, 02 Dec 2007 22:00:38 -0600
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.58.71.232
X-Trace: sv3-oCIgJb8PgNhJg79F04U8xE1W5AW2ZaJrFJExhpa4qgTsMROzIMajsuIsf+0ITfHkPFr2aibp4PTYvW8!7U6X7hehXKtqbIeJaN6GdZmEbe8TexiV7LCVd9ETB4FGmveWaz+611eIIo/2URYbq9gLiKNW6xwE!PyGOoMQAEnzgEbzJ1PDe1iKi0OUF/c5N
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13374 alt.ham-radio.marketplace:3469 alt.ham-radio.vhf-uhf:6105 rec.radio.amateur.antenna:50228

Ted <nobody@pseudo.borked.net> wrote in
news:c0daf03508876d541475d10ea0de7261@pseudo.borked.net:

> In article <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
> Ted <nob...@pseudo.borked.net> wrote:
>>
>> http://snipr.com/YaesuFT1000D
>
> Sorry, bad link. Try http://301url.com/YaesuFT1000D
>
>

Hey Ted.

How about not posting Ebay ads to an antenna group?

Much appreciated, and it saves a complaint to Ebay.

Thanks for the consideration.

- Mike -

From 8265930570322533394
X-Google-Thread: 108122,dd3067d4ecf4b26b,start

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!news.mixmin.net!news.bananasplit.info!mail2news
Subject: save batteries: AM or FM?
Newsgroups: rec.radio.amateur.equipment
From: jidanni@jidanni.org
Message-ID: <87zzzzzjfzs.fsf@jidanni.org>
Date: Sun, 2 Dec 2007 20:02:42 -0800 (PST)
X-Abuse-Contact: abuse@bananasplit.info
Organization: Bananasplit - Mail2News
Xref: g2news1.google.com rec.radio.amateur.equipment:13375

Gentlemen, which uses less power, AM or FM?

It's hurricane season and power is out and all one has is a pocket AM/FM(mono) $3 radio, receive-only of course.

Let's say the same network news program can be listened to on an AM station or an FM station and we want to save battery power. So of course we use the earplug instead of the speaker, but which should we select, the AM or FM station? (If power use is equal then we will listen to FM as it sounds a little better.)

From -7533578632489592349
X-Google-Thread: 108122,dd3067d4ecf4b26b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e23g2000prf.googlegroups.com!not-for-mail
From: dathak512@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: save batteries: AM or FM?
Date: Sun, 2 Dec 2007 22:13:08 -0800 (PST)
Organization: http://groups.google.com
Lines: 28
Message-ID: <a701f97f-2708-48e9-8d4e-843601a7a29f@e23g2000prf.googlegroups.com>
References: <87zzzzzjfzs.fsf@jidanni.org>
NNTP-Posting-Host: 132.161.139.170
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196662389 29174 127.0.0.1 (3 Dec 2007 06:13:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 3 Dec 2007 06:13:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e23g2000prf.googlegroups.com; posting-host=132.161.139.170;
     posting-account=NOAL2woAAAA9mJEm8LwoMK_UM7FOfOzq
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
     rv:1.8.1.11) Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)

Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13376

On Dec 2, 10:02 pm, jida...@jidanni.org wrote:
> Gentlemen, which uses less power, AM or FM?
>
> It's hurricane season and power is out and all one has is a pocket
> AM/FM(mono) $3 radio, receive-only of course.
>
> Let's say the same network news program can be listened to on an AM
> station or an FM station and we want to save battery power. So of
> course we use the earplug instead of the speaker, but which should we
> select, the AM or FM station? (If power use is equal then we will
> listen to FM as it sounds a little better.)

According to Horowitz & Hill's "The Art of Electronics" it seems that FM demodulation typically employs the use of one or two more op-amps than does AM modulation. (pg. 894) Of course, there are gobs of different receiver designs out there, and there's nothing preventing your radio's AM receiver from being less efficient than your FM receiver. So all things equal, AM is probably more efficient, and your biggest concern is simply how loudly you listen to your broadcast. I'd guess that even a small adjustment to your AF amplification will offset the current draw difference between the two modes. Your $3 receiver probably uses the cheapest circuits and components available, but i'm not experienced enough to say how that might change the game. It might be fun to get one of those kit AM radios that uses nothing but the broadcast energy to power a small ear piece - no batteries required. Hope that helps!

Nick, KI4YSP

From -1440207246901290910
X-Google-Thread: 108122,dd3067d4ecf4b26b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!newsfeed.utanet.at!newsfeed01.chello.at!newsfeed.arcor.de!newsspool2.arcor-online.net!news.arcor.de.POSTED!not-for-mail
From: "Ralf Ballis" <rb.news@arcor.de>
Newsgroups: rec.radio.amateur.equipment
References: <87zzzzzjfzs.fsf@jidanni.org>
Subject: Re: save batteries: AM or FM?
Date: Mon, 3 Dec 2007 09:30:32 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 14
Message-ID: <4753beac$0$13111$9b4e6d93@newsspool2.arcor-online.net>
Organization: Arcor

```
NNTP-Posting-Date: 03 Dec 2007 09:30:37 CET
NNTP-Posting-Host: 87ffbcba.newsspool2.arcor-online.net
X-Trace:
DXC=73A\]I<6cSFlU`@c^jLCbJA9EHlD;3YcB4Fo<]lROoRA4nDHegD_]RESSa_k8e1beK[6fPGO]?
5UCM[fIGYYe@\Al;C0[CR8UiI
X-Complaints-To: usenet-abuse@arcor.de
Xref: g2news1.google.com rec.radio.amateur.equipment:13377


<jidanni@jidanni.org> schrieb im Newsbeitrag
news:87zzzzzjfzs.fsf@jidanni.org...
> Gentlemen, which uses less power, AM or FM?
>
> It's hurricane season and power is out and all one has is a pocket
> AM/FM(mono) $3 radio, receive-only of course.

A detector runs without extern batteries and power in the AM band and it
could by a good backup in such situations.

73 Ralf, DL2MRB





From 254569047061995085
X-Google-Thread: 108122,bbe0e580fd396e87,start
X-Google-Thread: 107ada,bbe0e580fd396e87,start
X-Google-Attributes: gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w34g2000hsg.googlegroups.com!not-for-
mail
From: marc <amarcpassy@gmail.com>
Newsgroups: rec.radio.amateur.equipment, rec.radio.amateur.misc
Subject: Best first HT
Date: Mon, 3 Dec 2007 14:41:28 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
Message-ID: <02cad958-7c9c-40ca-a622-67d7835ded9a@w34g2000hsg.googlegroups.com>
NNTP-Posting-Host: 69.7.162.154
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196721690 2716 127.0.0.1 (3 Dec 2007 22:41:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 3 Dec 2007 22:41:30 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w34g2000hsg.googlegroups.com; posting-host=69.7.162.154;
     posting-account=IrA18QoAAADxlMOUdZef_MTZ8pTCy3cf
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.11)
     Gecko/20071127 Firefox/2.0.0.11,gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13378
```

rec.radio.amateur.misc:39395

At the risk of setting off a war, I'd like the groups opinion of the "best" first HT. I want a 2m/70 cm unit, super compact is nice but not a priority. I think I want a full keypad, and I'm not sure on power.

Specific models? Brands? Power? Other must- or should-have features?

Please, replies to the group.

```
From 4355125242220099112
X-Google-Thread: 108122,9eddf6d457b9bdf5
X-Google-Thread: 108228,9eddf6d457b9bdf5
X-Google-Attributes: gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Mon, 03 Dec 2007 22:55:00 +0000
From: Dave <nowhere@nowhere.com>
User-Agent: Thunderbird 2.0.0.4 (X11/20070622)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: eBay: Yaesu FT-1000D transceiver
References: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
<c0daf03508876d541475d10ea0de7261@pseudo.borked.net>
<Xns99FAEA61F78D2mcoslocomcastnet@216.196.97.136>
In-Reply-To: <Xns99FAEA61F78D2mcoslocomcastnet@216.196.97.136>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 213.78.42.15
Message-ID: <47548944@212.67.96.135>
X-Trace: 3 Dec 2007 22:55:00 GMT, 213.78.42.15
Lines: 9
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!140.99.99.194.MISMATCH!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!news.he.net!chekhov.conxion.net!
212.67.96.135!213.78.42.15
Xref: g2news1.google.com rec.radio.amateur.equipment:13379 alt.ham-
radio.marketplace:3470
```

Mike Coslo wrote:

> How about not posting Ebay ads to an antenna group?
>
> Much appreciated, and it saves a complaint to Ebay.

And you think eBay would care less? It would not harm their profits and that is the only thing they think of.

From 8105627647585688129

```
X-Google-Thread: 108122,bbe0e580fd396e87
X-Google-Thread: 107ada,bbe0e580fd396e87
X-Google-Attributes: gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <02cad958-7c9c-40ca-a622-67d7835ded9a@w34g2000hsg.googlegroups.com>
In-Reply-To: <02cad958-7c9c-40ca-a622-67d7835ded9a@w34g2000hsg.googlegroups.com>
Subject: Re: Best first HT
Lines: 31
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <ck05j.1112$mF1.413@newsfe08.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1196724616 72.197.13.209 (Mon, 03 Dec 2007 16:30:16 MST)
NNTP-Posting-Date: Mon, 03 Dec 2007 16:30:16 MST
Organization: Cox
Date: Mon, 3 Dec 2007 15:27:49 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13380
rec.radio.amateur.misc:39396
```

"marc" <amarcpassy@gmail.com> wrote in message
news:02cad958-7c9c-40ca-a622-67d7835ded9a@w34g2000hsg.googlegroups.com...

> At the risk of setting off a war, I'd like the groups opinion of the
> "best" first HT. I want a 2m/70 cm unit, super compact is nice but
> not a priority. I think I want a full keypad, and I'm not sure on
> power.
>
> Specific models? Brands? Power? Other must- or should-have features?
>
> Please, replies to the group.

Wouldn't even take a guess as to the best.
But I have the Kenwood TH-F6A

Very compact tri-band 144/220/440MHz

0.01~ 1300 MHz RX (widest transceiver in the industry)

See Kenwood site
http://www.kenwoodusa.com/Communications/Amateur_Radio/Portables/TH-F6A

And see what users think of their HT's at URL:
http://www.eham.net/reviews/products/49

Lamont

From 7000701132393056629
X-Google-Thread: 108122,dd3067d4ecf4b26b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix3.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: save batteries: AM or FM?
Date: Mon, 3 Dec 2007 21:37:57 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 29
Message-ID: <Pine.NEB.4.64.0712032134220.21689@panix3.panix.com>
References: <87zzzzzjfzs.fsf@jidanni.org>
NNTP-Posting-Host: panix3.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader1.panix.com 1196735880 11645 166.84.1.3 (4 Dec 2007 02:38:00 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 4 Dec 2007 02:38:00 +0000 (UTC)
In-Reply-To: <87zzzzzjfzs.fsf@jidanni.org>
Xref: g2news1.google.com rec.radio.amateur.equipment:13381

On Sun, 2 Dec 2007, jidanni@jidanni.org wrote:

> Gentlemen, which uses less power, AM or FM?
>
> It's hurricane season and power is out and all one has is a pocket
> AM/FM(mono) $3 radio, receive-only of course.
>
> Let's say the same network news program can be listened to on an AM
> station or an FM station and we want to save battery power. So of
> course we use the earplug instead of the speaker, but which should we
> select, the AM or FM station? (If power use is equal then we will
> listen to FM as it sounds a little better.)

The answer might depend most on what kind of receiver you have. Most that

I am aware of used (pretty much) the same transistors on AM as FM. You can use a VOM meter to measure battery current drain on AM and FM at a given volume level to be more definitive, but I think it will not be much different.

What is wrong with just having a set or two of spare batteries? Alkaline would be my preference.

$3 radio? Must be a very el-cheapo, no?

From -4203099096013080030
X-Google-Thread: 108122,dd3067d4ecf4b26b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 04 Dec 2007 01:09:19 -0600
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
References: <87zzzzzjfzs.fsf@jidanni.org>
<Pine.NEB.4.64.0712032134220.21689@panix3.panix.com>
Subject: Re: save batteries: AM or FM?
Date: Tue, 4 Dec 2007 16:09:25 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <nJOdndB7T6GCYMnanZ2dnUVZ_qygnZ2d@giganews.com>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-9q2UoNT6s+3v1vpqay3u2f/TuyZHpN0TCphoN1EFf/heVWY6rkEKMlz52FWzmGTNsQ7/TtlJvOzq9FN!Rnj1rU6yItfAVpRNG9gtpxXbJd9QubhfCeqAa5B5Pc650T/PvsYRdGj5U6+loWmgq0NEjY6i
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13382

"Straydog" <asd@panix.com> wrote in message
news:Pine.NEB.4.64.0712032134220.21689@panix3.panix.com...
>
>

> On Sun, 2 Dec 2007, jidanni@jidanni.org wrote:
>
>> Gentlemen, which uses less power, AM or FM?
>>
>> It's hurricane season and power is out and all one has is a pocket
>> AM/FM(mono) $3 radio, receive-only of course.
>>
>> Let's say the same network news program can be listened to on an AM
>> station or an FM station and we want to save battery power. So of
>> course we use the earplug instead of the speaker, but which should we
>> select, the AM or FM station? (If power use is equal then we will
>> listen to FM as it sounds a little better.)
>
> The answer might depend most on what kind of receiver you have. Most that
> I am aware of used (pretty much) the same transistors on AM as FM. You can
> use a VOM meter to measure battery current drain on AM and FM at a given
> volume level to be more definitive, but I think it will not be much
> different.
>

FM tends to fail before AM, mainly due to the fact that once the gain in the IF stages drops far enough for it to no longer limit, the signal starts getting AM noise in it. Also, FM detectors don't work as well at lower signal levels.

From -5766796585418750498
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now? dlod why are trying to escalate thing even further
Date: Tue, 4 Dec 2007 16:49:50 -0500
Organization: A noiseless patient Spider
Lines: 13
Message-ID: <fj4i2h$smk$2@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<02284882-c26f-448f-a286-79737dc9571d@o42g2000hsc.googlegroups.com>
<fikbe6$r0r$1@registered.motzarella.org>
X-Trace: feeder.motzarella.org
U2FsdGVkX1+jjOzYwpGaKEHW08zj9Q5A5t5VNiZKYS6Hn2LA+dApDHbI5cf6A3KVSQKQmJd1u17les72wT

```
6xaa08Q70IbWqK4SxCyMSW4ltRlOP1umHccHR1QqfmErWG1kDK/UTsMUs=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Tue, 4 Dec 2007 21:50:11 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1/TlwxtrdGWqwq2Uyz+kYbDGt3QWfb3IjbemVRuja2Fdw==
Cancel-Lock: sha1:1MAqh8SAeGZwMvFViBMqrFavMoQ=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100468
rec.radio.amateur.antenna:50432 rec.radio.amateur.misc:39418
rec.radio.amateur.equipment:13383


"konstans" <konstans@hotmail.com> wrote in message
news:fikbe6$r0r$1@registered.motzarella.org...
>
> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
> news:02284882-c26f-448f-a286-79737dc9571d@o42g2000hsc.googlegroups.com...
>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> why do you expand your attacks and threats to iclude my father now?dlod
> why are trying to escalate thing even further
>




From 1985534275563599
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
62.111.101.3.MISMATCH!news.germany.com!news.motzarella.org!motzarella.org!not-for-
mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why do you expand your attacks and threats to iclude my father now?
dlod  why are trying to escalate thing even further
Date: Tue, 4 Dec 2007 16:57:09 -0500
Organization: A noiseless patient Spider
Lines: 18
Message-ID: <fj4ifq$ump$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<02284882-c26f-448f-a286-79737dc9571d@o42g2000hsc.googlegroups.com>
<fikbe6$r0r$1@registered.motzarella.org> <fj4i2h$smk$2@registered.motzarella.org>
X-Trace: feeder.motzarella.org
```

```
U2FsdGVkX19p8LlZZ+w+XnrrgbCTLruqa0oCGE8u1b2rXIdSd56l8iZGX+FFtCr/
NJRydzGLREUZBu67QNI8az6Xq+MDL/PqTEG+GA/UBc4I04j1jhkxu+uIFA3BefCKowVGyOOFZbM=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Tue, 4 Dec 2007 21:57:16 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1+8Yqq7cLbJelTXedM5XK6sFNX4kLnvX6b9MkdqmqLIFg==
Cancel-Lock: sha1:QF1iIXpmOTohrdBQP1BMuxHlsgA=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100481
rec.radio.amateur.antenna:50434 rec.radio.amateur.misc:39426
rec.radio.amateur.equipment:13384


"konstans" <konstans@hotmail.com> wrote in message
news:fj4i2h$smk$2@registered.motzarella.org...
>
> "konstans" <konstans@hotmail.com> wrote in message
> news:fikbe6$r0r$1@registered.motzarella.org...
>>
>> "Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
>> news:02284882-c26f-448f-a286-79737dc9571d@o42g2000hsc.googlegroups.com...
>>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>>
>> why do you expand your attacks and threats to iclude my father now?dlod
>> why are trying to escalate thing even further
>>
>
>




From 2585507453609082414
X-Google-Thread: 10bf43,4bce244259a36c0
X-Google-Thread: fb049,4bce244259a36c0
X-Google-Thread: 107ada,4bce244259a36c0
X-Google-Thread: 114aac,4bce244259a36c0
X-Google-Thread: 108122,4bce244259a36c0
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!
news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Dloyd why are you so intent on trying t bury that you tried
Date: Tue, 4 Dec 2007 17:01:04 -0500
Organization: A noiseless patient Spider
```

```
Lines: 18
Message-ID: <fj4ipc$g1$1@registered.motzarella.org>
References: <4752f914$0$25985$88260bb3@free.teranews.com>
<fiv7dk$sa4$1@registered.motzarella.org>
X-Trace: feeder.motzarella.org U2FsdGVkX1/
huwwEgfgzx18Ir5eMxoCM4DKHNrN3iPJEnKUnEQLsv+Zmb9aNriJReVnDsvBVPt7t051qH0Vy6pdcgFD5O
KkZhWYUQiZE9g/0CXhvdeWVGXsCAl9qWPthIaEThdKm2gs=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Tue, 4 Dec 2007 22:02:22 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1++qCp7nLCciXcbmmMLgttxc+vFzwlqaAJXR4T0Sz93mw==
Cancel-Lock: sha1:3kKy9HaK3+GNqjGRpjd8cvFivNQ=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100493 alt.ham-radio.vhf-
uhf:6107 rec.radio.amateur.misc:39427 rec.radio.shortwave:128814
rec.radio.amateur.equipment:13385


"konstans" <konstans@hotmail.com> wrote in message
news:fiv7dk$sa4$1@registered.motzarella.org...
>
> "kb9rqz" <kb9rqueer@homale.com> wrote in message
> news:4752f914$0$25985$88260bb3@free.teranews.com...
>> tish is indeed won of teh best blog about me yet.
>>
>> http://ipunce.blogspot.com/
>>
>>
>> --
>> Posted via a free Usenet account from http://www.teranews.com
>>
>
>




From 3403137613016390714
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o42g2000hsc.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
```

```
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Wed, 5 Dec 2007 05:49:04 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <44d89038-d83d-4565-b14d-c318f1b6ad76@o42g2000hsc.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196862545 24869 127.0.0.1 (5 Dec 2007 13:49:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Dec 2007 13:49:05 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o42g2000hsc.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:100520
rec.radio.amateur.antenna:50483 rec.radio.amateur.misc:39435
rec.radio.amateur.equipment:13386

On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> for his actions, there is no excuse for the false reporting of lies
> about another person because he suspects something through his twisted
> logic and suspects that a certain person is the author of messages on
> a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> Morgan KB9RQZ, has alleged on thewww.nimbusters.comham board, that
> he called the hotline for the Florida Department of Child Protective
> Services and falsely reported that Mr. Crow has had inappropriate
> conversations with a 7 year old child concerning sex.
>
> IMO this behavior on the part of Mr. Morgan and his actions are
> dispicable, but shows the great length that Mr. Morgan will go to
> persue/attack other hams who he thinks criticize his netique by taking
> his disputes off of the net and trying to affect someone's freedom and
> livelyhood by lauding false charges against anyone he deems is
> deserving of his tirade of revenge.

No answer from KB9RQZ I see?


From 8349755074753556181
X-Google-Thread: 108122,43c0407a83cc1ed4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in04.usenetserver.com!news.usenetserver.com!news-in-02.newsfeed.easynews.com!
```

easynews.com!easynews!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need computer program to read my paddle code
Lines: 13
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <1uy5j.2173$mF1.1802@newsfe08.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1196864509 72.197.13.209 (Wed, 05 Dec 2007 07:21:49 MST)
NNTP-Posting-Date: Wed, 05 Dec 2007 07:21:49 MST
Organization: Cox
Date: Wed, 5 Dec 2007 06:20:51 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13387

I received this message from a friend and am not sure what to recommend.

Message is:
" I need a program that I can use to receive code sent by me to the computer
in hopes of mastering my paddles. I have a keyer so I would assume something
that would use my sound card would be the easiest but if a program that
connects to one of the computer ports would be better that would not be a
problem.what program would you recommend for this?"

Any ideas? Post here please. Thanks

Lamont

From -8718725272459768202
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d21g2000prf.googlegroups.com!not-for-mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his

actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
Florida Child Protective Services...
Date: Wed, 5 Dec 2007 11:48:26 -0800 (PST)
Organization: http://groups.google.com
Lines: 33
Message-ID: <e48510a0-b983-4ad4-a31f-dfb51cd1e89c@d21g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<44d89038-d83d-4565-b14d-c318f1b6ad76@o42g2000hsc.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196884106 2378 127.0.0.1 (5 Dec 2007 19:48:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Dec 2007 19:48:26 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d21g2000prf.googlegroups.com; posting-host=71.48.131.227;
posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:100533
rec.radio.amateur.antenna:50527 rec.radio.amateur.misc:39442
rec.radio.amateur.equipment:13388

On Dec 5, 8:49 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
> > for his actions, there is no excuse for the false reporting of lies
> > about another person because he suspects something through his twisted
> > logic and suspects that a certain person is the author of messages on
> > a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > he called the hotline for the Florida Department of Child Protective
> > Services and falsely reported that Mr. Crow has had inappropriate
> > conversations with a 7 year old child concerning sex.
>
> > IMO this behavior on the part of Mr. Morgan and his actions are
> > dispicable, but shows the great length that Mr. Morgan will go to
> > persue/attack other hams who he thinks criticize his netique by taking
> > his disputes off of the net and trying to affect someone's freedom and
> > livelyhood by lauding false charges against anyone he deems is
> > deserving of his tirade of revenge.
>
> No answer from KB9RQZ I see?- Hide quoted text -
>
> - Show quoted text -

and still no answer...

"another uselss post from Mark is expected"

From -2655353961810648384
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why do you brazen your efforts at using your 9 yo gradson as a weapon
anaginstan inocetnt man
Date: Wed, 5 Dec 2007 14:54:11 -0500
Organization: A noiseless patient Spider
Lines: 12
Message-ID: <fj6vl9$u5$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<44d89038-d83d-4565-b14d-c318f1b6ad76@o42g2000hsc.googlegroups.com> <e48510a0-
b983-4ad4-a31f-dfb51cd1e89c@d21g2000prf.googlegroups.com>
X-Trace: feeder.motzarella.org U2FsdGVkX19eivxJTe1WTxi9i/
16IcyPdXa2WGGh9yaqfumEtSCjxLun4HGCwQ/Treb8cl7acXC6EiuHZoqExDBVli9DacLkS131/
hwjeyv0GJ7GPNW5sZwL06YyfHnmIwtsc/0RKe4=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 5 Dec 2007 19:54:19 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1/Vtaw3AtoAxIA89lY6cDpfzFHlU+Z08UiTuEYZM8PYeA==
Cancel-Lock: sha1:r5s/Xp44HPdwDd6+S3VyNjj1WUY=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100544
rec.radio.amateur.antenna:50529 rec.radio.amateur.misc:39447
rec.radio.amateur.equipment:13389

"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
news:e48510a0-b983-4ad4-a31f-dfb51cd1e89c@d21g2000prf.googlegroups.com...
> On Dec 5, 8:49 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
> "another uselss post from Mark is expected"

not ussless but the the count will be 3

```
From -7413079428286182418
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: Re: why can't Dloyd face the facts.. that being crow or not I am
convinced he abused a 7 yo kid
Date: Wed, 05 Dec 2007 15:28:08 -0500
Message-ID: <9u1el3tf154batg7b964cu88f5ip639krp@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<ro0ak31el1h50rf53vvk825o5eksql02e1@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 53
NNTP-Posting-Date: 05 Dec 2007 19:39:11 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100668
rec.radio.amateur.antenna:50535 rec.radio.amateur.misc:39494
rec.radio.amateur.equipment:13390

On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 22:58:22 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>><DloydLavies@gmail.com> wrote:
>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
```

>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -8090491127843071243
X-Google-Thread: 108122,dd3067d4ecf4b26b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!

```
nx02.iad01.newshosting.com!newshosting.com!198.186.194.247.MISMATCH!news-
out.readnews.com!news-xxxfer.readnews.com!panix!panix1.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: save batteries: AM or FM?
Date: Wed, 5 Dec 2007 22:18:10 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 54
Message-ID: <Pine.NEB.4.64.0712052207070.25389@panix1.panix.com>
References: <87zzzzzjfzs.fsf@jidanni.org>
<Pine.NEB.4.64.0712032134220.21689@panix3.panix.com>
 <nJOdndB7T6GCYMnanZ2dnUVZ_qygnZ2d@giganews.com>
NNTP-Posting-Host: panix1.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader1.panix.com 1196911091 17684 166.84.1.1 (6 Dec 2007 03:18:11 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 6 Dec 2007 03:18:11 +0000 (UTC)
In-Reply-To: <nJOdndB7T6GCYMnanZ2dnUVZ_qygnZ2d@giganews.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:13391
```

On Tue, 4 Dec 2007, Brenda Ann wrote:

```
>
> "Straydog" <asd@panix.com> wrote in message
> news:Pine.NEB.4.64.0712032134220.21689@panix3.panix.com...
>>
>>
>> On Sun, 2 Dec 2007, jidanni@jidanni.org wrote:
>>
>>> Gentlemen, which uses less power, AM or FM?
>>>
>>> It's hurricane season and power is out and all one has is a pocket
>>> AM/FM(mono) $3 radio, receive-only of course.
>>>
>>> Let's say the same network news program can be listened to on an AM
>>> station or an FM station and we want to save battery power. So of
>>> course we use the earplug instead of the speaker, but which should we
>>> select, the AM or FM station? (If power use is equal then we will
>>> listen to FM as it sounds a little better.)
>>
>> The answer might depend most on what kind of receiver you have. Most that
>> I am aware of used (pretty much) the same transistors on AM as FM. You can
>> use a VOM meter to measure battery current drain on AM and FM at a given
>> volume level to be more definitive, but I think it will not be much
>> different.
>>
>
> FM tends to fail before AM, mainly due to the fact that once the gain in the
> IF stages drops far enough for it to no longer limit, the signal starts
> getting AM noise in it.
```

The original question was about "which uses less power, AM or FM" and I'll stand by my speculation that it will depend on the receiver (and his discussion was about a $3 radio, but did not specify transistor or what). Some radios have switches that alter the circuitry slightly and without knowing exactly how that is accomplished, we can't say whether one mode draws more battery current than another. Most dual band radios that I've seen use the same IF strip but alter the local oscilator frequency range.

The context of the question suggests he wants to know if the battery will last longer on one mode or the other. Without more details, he would do best to actually measure current drain with a VOM than to rely on speculative arguments.

> Also, FM detectors don't work as well at lower
> signal levels.
>

A lot of FM stations have more ERP, too.

>
>

From -7325544254220794775
X-Google-Thread: 108122,67b3ec4951a369b8,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newscon02.news.prodigy.net!prodigy.net!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: 3B28 Tubes
Message-ID: <o79gl3l3v3blloas7ssp15nht7aooogerq@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe16.lga 1196959001 70.161.108.207 (Thu, 06 Dec 2007 09:36:41 MST)
NNTP-Posting-Date: Thu, 06 Dec 2007 09:36:41 MST
Organization: Cox
Date: Thu, 06 Dec 2007 11:36:43 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13392

Replacement for those old 866 mercury vapor tubes in HV power supplies in many old transmitters. NOS found in warehouse sale, US Made "CENTRON". Have three (3)and one (1) pull-out. Not tested. All for $35 or $12 each plus shipping from 23323.   <k4wys@cox.net>

```
From -4622178550761597184
X-Google-Thread: 108122,b174110af9f5715a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe16.lga.POSTED!
53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Estate Items
Message-ID: <gh9gl3l17bo5qqs1c85f88eo6p79702hgu@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: newsmaster@cox.net
X-Trace: newsfe16.lga 1196959360 70.161.108.207 (Thu, 06 Dec 2007 09:42:40 MST)
NNTP-Posting-Date: Thu, 06 Dec 2007 09:42:40 MST
Organization: Cox
Date: Thu, 06 Dec 2007 11:42:42 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13393

Collins 30L1 Amplifier, wired for 115 VAC, 4 boxed 811A's found in a
bag. Estate as-is $500 plus shipping & handling from 23323.

"Bird" Mod. 43 Watt Meter, Estate as-is $150 plus shipping & handling
from 23323.

"Bird" RF element "25C" (25 watt, 100-250 MHz), Estate as-is $50 plus
shipping & handling from 23323.

Midland SWR & Field Strength Meter #23-126, Estate as-is $10 plus
shipping & handling from 23323.

National XCU-50, Plug-in Crystal Calibrator for HRO, NC-300 or NC-303.
Estate as-is $75 plus shipping & handling from 23323. <k4wys@cox.net>


From 6779116893506570625
X-Google-Thread: 108122,f75933a19f96dca3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 06 Dec 2007 11:09:47 -0600
Date: Thu, 06 Dec 2007 09:19:16 -0800
From: Fred <wa7uhr@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/
```

20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: SB-110A and SB-500
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Ov-dnQh_A85GscXanZ2dnUVZ_vzinZ2d@comcast.com>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.16.235.109
X-Trace: sv3-
MVnZDU4g2FqI0sbIvhaDt0wMyKPUpbE8Vz7oavzykwD5hXjrrnzWhgzU3tflamGUgnVz1D/RHe1FaX9!
IHeQkgWUWSTtb1PYy7EE8PWRPtlJLKYMF7Dac/cKMC5F2K68bUbJX7WEN7HmzCxzrUxJ7kpHU+jl!
8gBOQIvTK9n50iqQy09Da6BTTxZhhQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13394

Check out these hard to find Heathkit ham items at:

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=200179952902&ssPageName=STRK:MESE:IT&ih=010

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=200179956468&ssPageName=STRK:MESE:IT&ih=010

From 4037302705292453626
X-Google-Thread: 108122,dd3067d4ecf4b26b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder2.cambrium.nl!
feed.tweaknews.nl!193.201.147.68.MISMATCH!feeder.news-service.com!xlned.com!
feeder1.xlned.com!border2.nntp.ams.giganews.com!nntp.giganews.com!fu-berlin.de!
uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: save batteries: AM or FM?
Date: 6 Dec 2007 17:44:41 GMT
Lines: 55
Message-ID: <slrnflgd89.2mfg.bit-bucket@shell.config.com>
References: <87zzzzzjfzs.fsf@jidanni.org>
<Pine.NEB.4.64.0712032134220.21689@panix3.panix.com>
<nJOdndB7T6GCYMnanZ2dnUVZ_qygnZ2d@giganews.com>
<Pine.NEB.4.64.0712052207070.25389@panix1.panix.com>
X-Trace: individual.net UwmsjsIze1wRJ5Pfn9aBlAnX6e94SlW39xBX13xa+Bkc/Pz5Ex
Cancel-Lock: sha1:Na5GNOENPdjxcfP1xWgVc2JAKpc=

User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:13395

On Wed, 5 Dec 2007 22:18:10 -0500, Straydog wrote:
> On Tue, 4 Dec 2007, Brenda Ann wrote:
>> "Straydog" <asd@panix.com> wrote:
>>> On Sun, 2 Dec 2007, jidanni@jidanni.org wrote:
>>>
>>>> Gentlemen, which uses less power, AM or FM?
>>>>
>>>> It's hurricane season and power is out and all one has is a pocket
>>>> AM/FM(mono) $3 radio, receive-only of course.
>>>>
>>>> Let's say the same network news program can be listened to on an AM
>>>> station or an FM station and we want to save battery power. So of
>>>> course we use the earplug instead of the speaker, but which should we
>>>> select, the AM or FM station? (If power use is equal then we will
>>>> listen to FM as it sounds a little better.)
>>>
>>> The answer might depend most on what kind of receiver you have. Most that
>>> I am aware of used (pretty much) the same transistors on AM as FM. You can
>>> use a VOM meter to measure battery current drain on AM and FM at a given
>>> volume level to be more definitive, but I think it will not be much
>>> different.
>>
>> FM tends to fail before AM, mainly due to the fact that once the gain in the
>> IF stages drops far enough for it to no longer limit, the signal starts
>> getting AM noise in it.
>
> The original question was about "which uses less power, AM or FM" and I'll
> stand by my speculation that it will depend on the receiver (and his
> discussion was about a $3 radio, but did not specify transistor or what).
> Some radios have switches that alter the circuitry slightly and without
> knowing exactly how that is accomplished, we can't say whether one mode
> draws more battery current than another. Most dual band radios that I've
> seen use the same IF strip but alter the local oscilator frequency range.
>
> The context of the question suggests he wants to know if the battery will
> last longer on one mode or the other. Without more details, he would do
> best to actually measure current drain with a VOM than to rely on
> speculative arguments.
>
>> Also, FM detectors don't work as well at lower
>> signal levels.
>
> A lot of FM stations have more ERP, too.

An AM radio station can be monitored FOREVER with a crystal receiver
using a reasonably sized long wire antenna, a good ground, and no
STEENKIN' batteries.

But, maybe that's not `sexy` enough for the OP.

Jonesy
--
```
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    *** Killfiling google posts: <http://jonz.net/ng.htm>
```

From 2924373522273294471
X-Google-Thread: 108122,dd3067d4ecf4b26b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: save batteries: AM or FM?
Date: Thu, 6 Dec 2007 19:44:25 +0000 (UTC)
Organization: MGT Consulting
Lines: 20
Message-ID: <slrnflgk3k.nqu.gsm@cable.mendelson.com>
References: <87zzzzzjfzs.fsf@jidanni.org>
<Pine.NEB.4.64.0712032134220.21689@panix3.panix.com>
<nJOdndB7T6GCYMnanZ2dnUVZ_qygnZ2d@giganews.com>
<Pine.NEB.4.64.0712052207070.25389@panix1.panix.com> <slrnflgd89.2mfg.bit-bucket@shell.config.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-183-20.bb.netvision.net.il
X-Trace: marvin.inside.misty.com 1196970265 22177 89.138.183.20 (6 Dec 2007 19:44:25 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 6 Dec 2007 19:44:25 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:13396

Allodoxaphobia wrote:
> An AM radio station can be monitored FOREVER with a crystal receiver
> using a reasonably sized long wire antenna, a good ground, and no
> STEENKIN' batteries.
>
> But, maybe that's not `sexy` enough for the OP.
>
> Jonesy

http://comtrolauto.netfirms.com/untitled2.jpg

A simple radio using a single specialized IC and a high impedance
earphone. Said to run for a year of continous useage on one AA battery.

Geoff.

--

```
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
IL Voice: (07)-7424-1667 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/
```

```
From 1179627597070144707
X-Google-Thread: 108122,bbe0e580fd396e87
X-Google-Thread: 107ada,bbe0e580fd396e87
X-Google-Attributes: gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!newsfeed.stanford.edu!
sn-xt-sjc-03!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-
mail
From: haynes@alumni.uark.edu (Jim Haynes)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Best first HT
Date: Fri, 07 Dec 2007 02:05:55 -0000
Organization: University of Arkansas Alumni
Message-ID: <13lhak33v6hrb60@corp.supernews.com>
References: <02cad958-7c9c-40ca-a622-67d7835ded9a@w34g2000hsg.googlegroups.com>
Reply-To: jhaynes@alumni.uark.edu
X-Newsreader: trn 4.0-test72 (19 April 1999)
X-Complaints-To: abuse@supernews.com
Lines: 2
Xref: g2news1.google.com rec.radio.amateur.equipment:13397
rec.radio.amateur.misc:39506
```

The Yaesu FT-60R is very popular around here.

```
From 5564793742626672988
X-Google-Thread: 108122,a2cea5040935b010,start
X-Google-Thread: 114aac,a2cea5040935b010,start
X-Google-Attributes: gid108122,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 07 Dec 2007 00:26:32 -0600
From: "Guy Atkins" <dxnospam@guyatkins.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
Subject: Perseus SDR Receiver Blog
Date: Thu, 6 Dec 2007 22:26:25 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <D_qdnaodppAFesXanZ2dnUVZ_t2inZ2d@comcast.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 98.203.200.38
```

X-Trace: sv3-iO7xs8z4xPva2nW3yvV/
z+VCQX4mb4UwM6PZbev3eHO+bz6xKkSTWHO4sWHrsK3C4hOQ0YJZ+W+700S!
7XthNNqgsQwGkpfwzm+RbP7X2xiaESF0iiTzByK1uaGteaf0U7LCZWB+ghwQvDtlbOxkScFGtSU4!
suawlaCLmLvZbjjk89TGYiefwUIjaw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13398
rec.radio.shortwave:129004

I have restarted my former SDR-1000 blog and it now focuses on
Perseus, which has become my main receiver. If you wish to follow my
discoveries and comments, please check out:

http://www.perseus-sdr.blogspot.com/

There seems to be little hands-on information in the English language
about Perseus currently, other than the Perseus_SDR Yahoogroup. As Perseus
begins to appear in more and more DXers' shacks, I hope this blog will
help tropical band and medium wave DXers in particular share their findings
on this unique SDR.

73,

Guy Atkins KE7MAV
Puyallup, WA

From 3833861085206740614
X-Google-Thread: fcc6e,72b70a03b6c1ab13,start
X-Google-Thread: 11480d,72b70a03b6c1ab13,start
X-Google-Thread: 108122,72b70a03b6c1ab13,start
X-Google-Thread: fc2a5,72b70a03b6c1ab13,start
X-Google-Thread: 10b9c8,72b70a03b6c1ab13,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1194419101@panix.com>
Followup-To: poster
Date: 7 Dec 2007 02:05:01 -0500

Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Jan 2008 02:05:00 -0000
Message-ID: <radio/ham-radio/recruitment-1-1197011100@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1197011103 23417 166.84.1.2 (7 Dec 2007 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Dec 2007 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:50733 rec.radio.amateur.dx:3775 rec.radio.amateur.equipment:13399 rec.radio.amateur.homebrew:14796 rec.radio.info:624

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to

rec-radio-info-request@panix.com.

From 2076151858209106420
X-Google-Thread: 108122,4246bde2ffce6f01,start
X-Google-Thread: 1109af,4246bde2ffce6f01,start
X-Google-Thread: 10b9c8,4246bde2ffce6f01,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1194419401@panix.com>
Followup-To: poster
Date: 7 Dec 2007 02:10:01 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Jan 2008 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1197011401@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1197011402 2481 166.84.1.2 (7 Dec 2007 07:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 7 Dec 2007 07:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:13400 rec.radio.swap:17927 rec.radio.info:625

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information

bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

```
 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly
```

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From -3607596037339816060
X-Google-Thread: 108122,264987c52220b650,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.bananasplit.info!news.dizum.com!sewer-output!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment
Subject: eBay: Alpha 89 HF linear amplifier
Message-ID: <a056bb9ba9ccf18cceb17e4a6f891776@pseudo.borked.net>
Date: Fri,  7 Dec 2007 07:37:47 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13401
```

http://xrl.us/Alpha89

```
From -3155100148740191342
X-Google-Thread: 108122,9b9453ea4b1da800
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!sn-xt-sjc-05!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Roger (K8RI)" <validaddress@my.com>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: Rotor Grease
Date: Fri, 07 Dec 2007 14:47:52 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <tm8jl39gvj0honr8fn608n543ot9kpe43m@4ax.com>
References: <Rv2dnZDJbv5REdDanZ2dnUVZ_t6onZ2d@ptd.net>
<g17rk3ldlpo2h2vbvn6po6kf3jhflttk36@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news1.google.com rec.radio.amateur.equipment:13402

On Wed, 28 Nov 2007 16:57:52 GMT, Alan WA4SCA <ALANBIDDLE70@YAHOO.COM>
wrote:

>Ron,
>
>Check with a farm supply such as Tractor Supply or even a good local
>hardware for grease which works well at low temps.  Lithium grease is
>good, both for that and for general use.  I am in a moderate climate,

I use a PST-63 turning a large array. I drained out the gear lube and
packed the thing full of white Lithium grease.  Works just fine down
into sub zero temps although it's rare to see below zero around here
now days.

Roger (K8RI)

>but those who live in extremes report it does the job.  This topic
>comes up on bulletin board I subscribe to, and this is a recent
>comment from someone who would probably regard New England winters are
>balmy.
>
>==============================================================
>Having often operated from the eastern part of Norway for many years
>with as daily temperature of minus 35 degrees in February - I have a
>little 'experience' from cold climates.
>
>The long term solution is to change the grease to one that can
>tolerate the temperature and to mount a "motor warmer".
>
>I used the heating element from a kettle. It keeps the rotor nice and
>warm in the winter ... but increases your electricity bill ...
>horses for courses ...
>
>73 John.   <la2qaa@amsat.org>
>==============================================================


From 7947204702093448217
X-Google-Thread: 10bf43,32ee90dfeea614e7
```

X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!postnews.google.com!s8g2000prg.googlegroups.com!not-for-mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Fri, 7 Dec 2007 15:01:48 -0800 (PST)
Organization: http://groups.google.com
Lines: 21
Message-ID: <31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1197068508 7504 127.0.0.1 (7 Dec 2007 23:01:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Dec 2007 23:01:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: s8g2000prg.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Xref: g2news1.google.com rec.radio.amateur.policy:100751
rec.radio.amateur.antenna:50791 rec.radio.amateur.misc:39509
rec.radio.amateur.equipment:13403

On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
> for his actions, there is no excuse for the false reporting of lies
> about another person because he suspects something through his twisted
> logic and suspects that a certain person is the author of messages on
> a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> Morgan KB9RQZ, has alleged on thewww.nimbusters.comham board, that
> he called the hotline for the Florida Department of Child Protective
> Services and falsely reported that Mr. Crow has had inappropriate
> conversations with a 7 year old child concerning sex.
>
> IMO this behavior on the part of Mr. Morgan and his actions are
> dispicable, but shows the great length that Mr. Morgan will go to
> persue/attack other hams who he thinks criticize his netique by taking
> his disputes off of the net and trying to affect someone's freedom and
> livelyhood by lauding false charges against anyone he deems is
> deserving of his tirade of revenge.

Mark, why do you keep trying to cover up your misdeed with your
flooding based on your own forged email to yourself.

```
From 5970808108758676506
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!nntpfeed.proxad.net!news.netfinity.fr!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why dloyd advocated not working with LE as they request, I guess because
he likels illgealy offering kids for sex after al he admits to
Date: Fri, 7 Dec 2007 18:10:50 -0500
Organization: A noiseless patient Spider
Lines: 11
Message-ID: <fjcjv0$720$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX18JO1pX0FnEcJUJRxsTuTur2Apoy2Zpz2M+SrRGDD+IoKIadUkoSIvPXirP/
aSvAzNW5ztd1qyvdl5m8+e7A0teG4Q4/6VdTuqIxngyuBPHM1m16qBqIw0RPRH8+YUlgbY=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Fri, 7 Dec 2007 23:11:30 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1+e0wMtmccFm4XQeZkvxtRxAyKE/zjNyjWgh8MCVCCJhA==
Cancel-Lock: sha1:v4g6e+RKEdeZEDSCMzUEyajHs6U=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:100756
rec.radio.amateur.antenna:50792 rec.radio.amateur.misc:39510
rec.radio.amateur.equipment:13404
```

"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
news:31ed7470-4fb0-40de-bf7b-69471d4e9e4b@s8g2000prg.googlegroups.com...
> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning

> Mark, why do you keep trying to cover up your misdeed

what misdeed I reported to Fala ndPa my suspision about Mr Crow as a good
citizen should

```
From -2042523620234235913
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why dloyd advocated not working with LE as they request, I guess because
he likels illgealy offering kids for sex after al he admits to
Date: Fri, 07 Dec 2007 18:44:53 -0500
Message-ID: <ejljl35le4dp1fulfb5aavucqpes7hpjog@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
<td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
<3n45l3hkm6a6ukothgotefl9u1r14iegkt@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 87
NNTP-Posting-Date: 07 Dec 2007 22:54:58 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:100776
rec.radio.amateur.antenna:50794 rec.radio.amateur.misc:39512
rec.radio.amateur.equipment:13405

On Sun, 02 Dec 2007 06:11:39 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 28 Nov 2007 21:30:03 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:
>>
>>>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>>>
>>>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>>>><DloydLavies@gmail.com> wrote:
>>>>
>>>>>
>>>>
>>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
```

>>>>adams
>>>>
>>>>woger you are a Congress all in your own head
>>>>
>>>>http://kb9rqz.bravejournal.com/
>>>>altopia is never used by KB9RQZ
>>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>>
>>>>posts from these sorucees are fakes
>>>>
>>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>>
>>>>G
>>>
>>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>>adams
>>>
>>>woger you are a Congress all in your own head
>>>
>>>http://kb9rqz.bravejournal.com/
>>>altopia is never used by KB9RQZ
>>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>>
>>>posts from these sorucees are fakes
>>>
>>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>>
>>>G
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/

```
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -6704948501152178 70
X-Google-Thread: 108122,43c0407a83cc1ed4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-04!sn-post-ams-02!
sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Knoppow" <dickburk@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need computer program to read my paddle code
Date: Fri, 7 Dec 2007 18:20:27 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13ljvrjfj4lo5b4@corp.supernews.com>
References: <1uy5j.2173$mF1.1802@newsfe08.phx>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 62
Xref: g2news1.google.com rec.radio.amateur.equipment:13406
```

"The Shadow" <Cranston@CobaltClub.com> wrote in message
news:1uy5j.2173$mF1.1802@newsfe08.phx...
>I received this message from a friend and am not sure what
>to recommend.
>
> Message is:
> " I need a program that I can use to receive code sent by
> me to the computer in hopes of mastering my paddles. I
> have a keyer so I would assume something that would use my
> sound card would be the easiest but if a program that
> connects to one of the computer ports would be better that
> would not be a problem.what program would you recommend
> for this?"
>
> Any ideas? Post here please. Thanks
>
> Lamont

There are many freeware code reading programs on the web. All work through the sound card and will read code from a receiver or from a local source. Most will also send code from the keyboard.

I don't think this is helpful for learning code. I suggest using a code sending program, I like the G4FON "Kotch" trainer, a Google search will find it. This program can be set to send code from any text file.

Another good source of practice material is the W1AW web page on the ARRL site. This has on line MP3 files at several speeds. Can't vary the tone but its good machine sent code. I think this is important to use for learning because it gives you a standard for sending.

I may be very old fashioned (but so is Morse) but I still think a beginner should start with a straight hand key. Using a keyer requires learning a couple of things at once. After getting pretty good with a hand key one can move on to a keyer or bug.

BTW, code reading programs will generally tollerate a reasonable amount of bad sending so the fact that one can read your sending may not mean much in terms of quality. Probably a plain sound recording of the sending is more revealing. If you can read your own a couple of days later you are probably doing OK.

BTW, the G4FON program allows setting the code for some common variations like dithered timing and can introduce QRM and QSB.

Back in the bad old days, when much wire and radio traffic was handled by hand the ability of an operator to read bad fists was important. This is pretty much like being able to decipher bad handwriting. I think you have to get pretty darn good to be able to do it. Code is also something like learning shorthand: it becomes a life-time avocation, provided you like it. I learned code in my teens, back when dinosaurs roamed the streets, and am still working on it.

--

Richard Knoppow
Los Angeles, CA, USA
dickburk@ix.netcom.com

From -8277346878241358271
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!news.linkpendium.com!news.linkpendium.com!
news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Fri, 23 Nov 2007 21:31:18 -0800
Lines: 34
Message-ID: <fi8d3j$3ku$1@snarked.org>
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <fi4veq$ldh$1@snarked.org>
<RPB1j.26440$L15.25451@newsfe08.phx> <9fudk31mbb0jkotiv1tn253cv01b3n7flb@4ax.com>
<2n6ek35frrkbmhhaj5ru2irb2rf8ff7l21@4ax.com>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-106-213-91.lsanca.dsl-w.verizon.net
Mime-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Trace: snarked.org 1195882419 3742 71.106.213.91 (24 Nov 2007 05:33:39 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Sat, 24 Nov 2007 05:33:39 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:13306

"Dick" <w6ccd@k7yca.org> wrote in message
news:2n6ek35frrkbmhhaj5ru2irb2rf8ff7l21@4ax.com...
> On Fri, 23 Nov 2007 08:04:44 -0800, Evan Platt
> <evan@theobvious.espphotography.com> wrote:
>
> >On Fri, 23 Nov 2007 06:53:37 -0800, "The Shadow"
> ><Cranston@CobaltClub.com> wrote:
> >
> >>Au Contraire please read the Wikipedia description

```
> >>http://en.wikipedia.org/wiki/Cb_radio
> >>
> >>Quote
> >>"Citizens' Band radio (CB) is, in most countries, a system of
> >>short-distance, simplex[1] radio communications between individuals on a
> >>selection of 40 channels within the 27 MHz (11 meter) band. The CB radio
> >>service should not be confused with FRS, GMRS, MURS, or amateur ("ham")
> >>radio. "
> >>
> >>Part 95 of the FCC Rules does not state that CB = GMRS
> >>Should I believe Wikipedia, the FCC, or you?
> >
> >The problem with Wiki is anyone can modify / create it.
> >
> ><sarcasm> Give me a minute and I'll go change the Wiki to say that 490
> >-510 mhz is open game for anyone. </sarcasm>
>
> There are several radio services covered under 47 C.F.R Part 95.  The
> FCC describes three of them as being part of the Citizen Band Radio
> Services (CB, FRS and MURS.)  The GMRS radio service is not described
> by the FCC as being part of Citizen Band Radio Services.

I shall agree - not CURRENTLY is it called a CB service.  GMRS is historically
"Class A CB."  What is normally called "CB" today is historically "Class D CB."




From -6189025350810289717
X-Google-Thread: 1084e2,6b8dd1f27b839d7a,start
X-Google-Thread: 108122,6b8dd1f27b839d7a,start
X-Google-Thread: fe027,6b8dd1f27b839d7a,start
X-Google-Thread: fcc51,6b8dd1f27b839d7a,start
X-Google-Thread: 110431,6b8dd1f27b839d7a,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07102406245627@4ax.com>
Subject: MI5 Persecution: Faxes Sent to Parliament1 (483)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 24 Nov 2007 06:25:09 GMT
Lines: 230
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 226
Xref: g2news1.google.com alt.testing.it:700 rec.radio.amateur.equipment:13307
```

de.comp.os.unix.x11:3090 free.uk.talk.edinburgh:1374
no.it.tjenester.nettilbydere:3706

Faxes Sent to British Parliament logs

During the 1998-2000 period my records indicate that I sent at least 14,480 faxes to the British Parliament in Westminster, of which 9,138 went via TPC's email-to-fax service and 5,342 were sent via fax-modem direct from my computer. The actual figure is obviously much higher since, for most of this period, whenever a recipient asked to be deleted from my mailing list, I totally wiped all entries including that from the logfile.

In the records "Y" indicates successful transmission from fax-modem, "N" indicates failed transmission from fax-modem.
"E" indicates an error occurred while transmitting via fax-modem and a fax may have been only partly transmitted.
"y" and "n" indicate success or failure via TPC.

In April 2000 I changed the method of operation by recording "R" when a recipient requested removal, rather than wiping their details from my mailing list and records; and keeping "B" records for when TPC actioned a ban on a recipient's fax-number, but the recipient did not write to ask me to cease faxing. The purpose of these changes was to keep more accurate and complete records, but the intention was thwarted by the police complaint.

```
441712190076  nnnnnynnEnnnnnnYYNNYYYYNENNNNNynynnnnnnnnnNnnnnnnnn
441712190179  yyyynnyyyYnyyyyynYYYNYYYYYYEYEEEyyyyyyynyyyynyyyyy
441712190189  yyynyyyyyYyyyyyyyYYYEYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712190243  yyyyyyyyyYnnnnnnnYYYYYYYYYYYYYYYnynnnnnnnnnNnnnnnnnn
441712190246  ynnnyyyyyYnyyynyyYYYYYYYYYYYYYYYynyyyynyyyyyyyyyy
441712190253  yynnnnnnnNnnnnnnnNNNNNNNNENNYNNNnnnnnnnnnnnNnnynnnnn
441712190254  yyyyyyyyYnynynyyYYEEEYYEEYYEYEYyyynyynyynynyyyyyn
441712190266  yyyyyyyyYyyyyyyYYYYYEYYYYYNYYYyyynyyyynyyyyyyyyyy
441712190300  yyyyyyyynYyyyynnYYYYYYYYYYYYYYYnnyyyyyyyyyyyyyyyyy
441712190301  yyyyyyyyyYnnyyyyYYYYYYYYENNYYYYnyyyynynyynyyynnnB
441712190305  yyynnynyYynnyynYYEYYYEEYYYYEYYynyynyyyynyNnyyynyyy
441712190309  ynyyyyyyYynynnYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712190317  yyyyyyyyYyyyyyyYYYNNYYYYYYYYYEyyynnnyyyyynynnnynn
441712190319  nyyyynnnNnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnNnnnnnnnn
441712190323  nyyyyyyYyyyyyyNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnnn
441712190329  yyyyyyyyYyyyyyyYYYYYEYYYYYYYYYyyyyyynyyyyyyyyyyy
441712190331  ynyynnnnYyynnnnYYNYYYYYYNNYYYYynynnnnnnnnNnnnnnn
441712190332  nnynnynyYyyynyyYNYYYYYYYYYYYYYynynynnnnnnNnnnnnnn
441712190337  ynyyyyyyYyyyyyyYYYYEYYEYYYYYYYyyyyyyynyyyyyyyyy
441712190350  yyyyyyyyYyyyyyyNNNNNNNNNNNYYYYynyyyyyyyyyyyyyyyyy
441712190371  yyynnnnnNnynyyyYNNNNNYYNNNNNNNnnnnnnnnnnnnnnnnnn
441712190390  yyyynyynYynyynyYYYYYYYYYYYYYYYyyyyyyynnynyyyyyy
441712190409  nnyyyynyYyyyyyyYYYYYYYYYYENYYYyyyyyyyyyyyyynnyyy
```

```
441712190438  yyynnnnnNyyynyyYYYYYYEYYYEYYYYyyynynyyyyyyyyyyyyy
441712190446  yynnnnnnYyynynyYYYYYEYYYYEYYYYyyyyyyyyyynyyyyyyyyn
441712190448  yyyyyyyyYyyyyyyYYYYYYYYEYYEYYYyyyyyynnynnyyyyyyyy
441712190461  nynnnnyyYynnnnnYYYYYYYYYEYYEEYyyyynyyynynynnyyyyy
441712190475  yynnnnnnNnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnNnnnnnnnn
441712190492  yyyyyyyyYyyyyyyEYYYYYYYYYYYYEYyyyyyyyyyyyyyyyyyyyy
441712190495  ynnnnnnNyyyyyyYYEYYYYEYYYYYYEyyyyyyyyyyyyyyyyyy
441712190511  yyynnyynYynnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnn
441712190514  yyyyyyyyYnyynyyYYYNYYNYNEYYYYYyyyynynnnynyynnnnyy
441712190536  yyyyyyyyYyyyyyyYYYEYYEYYYYYEEYyyyyyynynnnYnnnnnnB
441712190559  yyyyyyyyYyyyyyyYYYEYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712190573  nyyyyyyyYyyynnnYYYYYYYYYYYYYYNnnyyyyyyyyynnnnnyy
441712190598  nyyyyyyYynynyyYYYYYYEYYYYNNNNyyyynyyyyyyyyyyynyy
441712190612  ynnnnyyyYnynnyyYYYYYYYYYYYEYYYyyyyynnynyyyyyyyyy
441712190620  yyyyyyyyYyyyyyyEYEYYYYYYYYYYYEyyyyyyyyyyyyyyyyyny
441712190622  yyyyyyyyYyynyyyYYYYYNYYNYYYYYYyyyyyyynyyyyyyyyyy
441712190628  yyyyyyyyYynyyyYYYYYYEYYYYEYYEyyyyynyynnNnnnnnnnn
441712190638  yynnyyyyYnyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyyy
441712190643  ynyyyyyYnynyyyYYYYYYYNYYYYYYYyynyyynyyyynnnnnB
441712190645  yyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712190662  nynnnnnnYnnynnnNYNNYNYNNNNNYNNnnnnnnnnnnnNnnnnnnn
441712190663  nnnnnnnnYnnynyyNNNNNNENNNNNNNNnnnnnnnnnnNnnnnnnn
441712190664  nnnnnnnnYnnynnnNYNNYNYNYYNNYNYnnnyynnyynNnynnnnny
441712190682  yyyyyyyYyyyyyyYYYYYYYYYYYYYNYYnyyyyyynynyyynyyy
441712190685  ynyyyyyyYyyyynyYYYYYEYYYYNYEYYyyyyynyyyNnyyyynyyy
441712190696  yynnnyyEnnyyyYEYEYYYYEEEYYYYyyyyyyyyyyyyyyyyyy
441712190698  yyyyyyyyYyyyyyEYYYYNNNNNNNNNNnyynnyynyyynyyynnnnn
441712190770  yyyyyyyyYynnyyyYYYYYYEYYYYYYYYyyyyyyynyyyyynyynyy
441712190783  yyyyyyyyYyyyyyyYYYYYYYYYYNEYYYyyyynyyyyyyNnyyyyyyy
441712190789  nnyyyynyYnnnnyyEYNYYYYEYENYYEEyyyyyyyynyyyynyyyyn
441712190790  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYnnnyyyyyyyyyyyyyyyy
441712190904  yyyyyyyyYyyyyyyYYEEYYYYEYYEYYYyyyyyyyyyyyyyyyyy
441712190912  yyyyyyyyYyynyyYYYYYYYYYYYYYEYynyynyyyyyyyyyynyyy
441712190913  yynyyyyyYyyyyyyYYYEENYYEYYYYYYyyyyynnyyyyyyyynyyy
441712190919  yynnnnnnYynnnnnNYYYEYNYYYEYYNEyyynnyyynyynnyyyny
441712190923  yyyyyyyyYyyyyyyYYYYEYYYEYYYYYYyyyyyyynnyyyyyyyyyy
441712190926  yyyyyyyYynyyyyYYEENYYEYYEYYYYynyyyyyyyyyyyyyynyyy
441712190928  yynyyyyyYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712190931  yynynyyyYyyyyyYYYYYYYYYYYYYYYNnnyyyyyyyyyNnnyyyyyy
441712190938  yyyyyyyyYyyyyyNYYYENYYNYNEEYYyyyynnnnnynNnnnnnnnn
441712190943  yyyyyyyyYynnnnYYYEYYYYYENNYEEnnyyynnynyyyyyyyyyyn
441712190946  ynyyyyyyYyynyyYYYYYYYYYYYYYYEyynnnnnnnnynnnnnyn
441712190949  yyyyyyyyYynnyyYYEEEYYYNEYNYYYnyynnyyyyyyyyyynnnB
441712190952  yyyyyyyYyyyyyYYYEYYYYYYYYEYYyyyyyyynyyyyyyyyyy
441712190957  yyyyyyyYynnyyYYYYYYYYYYYYYYYyyyyyyyyyyyynyyyn
441712190961  nyynnyyYynynyYEEYYYEYYYYYYYYyyyyyynnyyyyyyyynyn
441712190965  nnyynnnnYnnnnnYYYYYYYNYYYYYYYnynnnnnnyyNnyyyyyyy
441712190971  yyyyynyYynyyyYYYYYYYYYYYYYNYyyyyyyyyyyyyyyyynyy
441712190972  yyyyyyyyYyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712190976  nyynnynyYyynnnYYYEYYYYYYYEYYYyynnyyyyyyyynnnnynyn
441712190978  yyyyyyyyYyyyyyYYYYYYYYYYYEYEYyyyyyyyyyyyyyyyB
441712190979  yyyyyyyyYyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712190981  ynyyyyyyYyyyyyYYEYYYYYEYYYYEYyyyyyyyyyyyyyyyyy
```

441712190986	yyyyyyyyYyyyyyYYYYYYYYYEYYYYYyyyyyyyyyyyyyyynyyy
441712190987	yyyynyyyYyyynyYYYYYYNYNNNNEYYynnnyyyyyyyyyyyyyy
441712190994	yyyyyyyyEyyyyyYYYYEEEYNNNNNNNnnnnnnnnnnNnnnnnnnn
441712191131	yyyynyyyEynnyyEYYEEEEYEEENEYYyyyyyyyyyyNnyyynyyy
441712191137	yyyyyyyyYyyyyyYYYYYYYYYYYYYNYnyynyyyyyyyyyyyyyy
441712191145	nnynnyyyNynnnnnYYYYYNNNNNYYENNyyyynnnyyyNnnynnynn
441712191154	yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyynynyyynyynyyyyyy
441712191158	ynnnnnnnYyynnnnYYYYYYYYYYYYYYYynnnnnnnnnnnnnnnnn
441712191161	yyyyyynyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712191162	yyyynyyyYnnnnnnYYYYYYYYYYYYYYYyyyyyyyyyynyyyyyyy
441712191163	yyyyyyyyYynyynyYYYEYYYYYYYYYYEyyyyyyyyynyynyyyyynR
441712191174	ynnnnnynYyyynynYEYYYYYYYYYYNNNyyyyyyyyyyyyyyynyyyy
441712191177	yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyynyyyyyyy
441712191179	nyyyyyyyYynyyyyYYYYYYYYYYYYYYYyyynyynnnynyyynynnn
441712191184	ynyyyyyyYynyyyyNNNNNYNYYYYYYNNyyynynynnyyyyyyyyn
441712191185	nyyyyyyyYnnnyyyYYYEYYYYYYYYEYYyynnnnnnyyynnnyyyny
441712191198	yyyyyyyyYnnyyyyEYYYYYEEYYYYYYYynyyyyyyynyynyyyny
441712191227	yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyynyyyyyyNnnnyyyyny
441712191236	nnnnynynYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712191263	yyyyyyyyYyyyyyyYYYNYYYYYNNNNYNyyynynynyyynnynynn
441712191268	yynyyyyyYnyyyyyYYYYYYYYYYYYYYYnyyynnyyyyyNnyyyynyy
441712191279	yyyyyyyyYyyyyyyYYYYYEYYYYYYYEYyyyyyyyyynEnnnnnnB
441712191280	nnnnnnnnYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnny
441712191395	yyyyyyyyYyyyyyyYYYYEYYYYYYYYYYyyynnyyyyyyyyyyyyn
441712192008	yyyyyyyyYyyynnnYYNNENNNNNNNNNNnnyyyyyyyyyyyyyyyy
441712192031	yynyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyynyynyyyyyyyy
441712192051	yyyyyyyyYynnnnnYYYYYYYYNYYYYYYyyyyyyyyyyyyyyyynyn
441712192054	yyyyynyyYyyyyyyYEYEYYYYYYYYYYYyyyyyynyyyyEnyyyyyny
441712192064	ynyyyyyyYyyynnnYYYYYYYYYYYYYYYyyyyyyyynyyyyyyyyynn
441712192075	yyyyyyyyYyyyyyyYYEYYYYEYYYYNYYyyyyyyyyyyyyyyyyyyy
441712192082	yyyyyyyyYynyyyyYYYYYYEEYYYYYNYyyyyyyynyyyyyyyynyy
441712192112	yyyyyyyyNyyyyyyYYYYYYYYYNNEYYYyyyyyyyyyyyyyyyyyy
441712192117	ynyyyyyyNnynyyyYYNYYYYYYYNYYYYyyyyyyyyyyyyyyyynny
441712192130	ynnnnnnnYyynnnYYYYYYYYYYYYYYYynnnnnnnnnnnnnnnnnn
441712192148	ynyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyynyyynyyyyyyynyy
441712192170	yyyyyyyyYynnnnnNYYYYYYNYYYYYYYyyyyyyyyyyyyyyyyyn
441712192212	yyyyyyyyYynnnnnNNNNNNNNNNNNNNNnnnnnnnnnnNnnynnnnn
441712192220	yyyyyyyyYynyyyyYYYYYYYEYYYNYYYyyyyyyyyynnyyyyyny
441712192221	ynyyynyyYyyynnnYYYYYEEEYYYNYYYyyynyyynyynyyyyyny
441712192233	yyynnyyyYyyyyyyYYYYYEEYEEYYYYYnnnyyyynyyynyynynyn
441712192252	yyyyyyyyYyyyyyyNYYYYYYYYYYNYEYyyynyyyyyyyyyyyyyny
441712192262	yynnnyyyYynnyyyNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712192269	yyyyyyyyYyyyyyyYYYYYYYYYEYYYYYyyyyyyyyyyyyyyyyyy
441712192288	yyyynnnnEnnnnnnYEYYYENNNNNNNYEyyyyyyyyyyyyyyyyyyy
441712192289	yyyyyyyyYyyyyyyYYYYYYYYNYYYYYYyyyyyyyyyyynyyynny
441712192302	yyynnyyyEnnyyyyEYYYYYNYYYYYYYYyyynynynnnyyynynnyn
441712192328	yyyyyyyyYyynyyyYNYYYYYEYYEYYYYyyynyyyyyynyyyyyyny
441712192329	yyyyyyyyYyyyyyyYYYYYYYYYYYEYYEnyyyyyyyyyyyyyyyyyy
441712192331	yynyyynyYnnnnnnYYEEYEEYEENNYNNynnnnnnnynnNnynyynny
441712192334	ynyyyyynNyyyyyyYYEEYYEEYYYYEEYyyyynyynynnynyyynyy
441712192338	ynnnnnnnYyynnnnYYEYYYYEYEYYYYYynnnnnynnnnnnnnnnnn
441712192357	yyynyyyyYyyyyynYEYYNYYYYYYYYYYyyyyyyynyyyynynyB
441712192359	yyyynyyyYyyyyyyYYYYYYYYYYEYYYYyyynyyyyyyyyynyyyy

```
441712192364  nnnnnnnyEynnnnYYNYYYYEYENNNNNnyyyyyyyynnNnnnnnnn
441712192377  yyyyyyyyYyyyyyyYYYYYYYEYYYYYYYyyyyyyyyyyyyyyyyy
441712192404  yyyyyyyyYyyyyyyNYYYEYYYYYYYYYYyynyynyyyyyyyyyyyyy
441712192412  yyynyyyyYyyyyyyYEEYEYNEYNYYYYYnyynynnynnnynyyynyn
441712192413  yyyyyyyyEyynyyyYYYYYYYEYYYYEYYyyyyyyyyyyyyyyyyyyy
441712192417  yyyyyynyYyynynnNYNYYYYYYYYYYYYyyyynyyynnNnnyyyyyy
441712192418  ynyynnyYyynnnnNNNNNNNNNNNNNNNnnnnnnnnnnnNnnnnnnnn
441712192423  yynnnynyYyyyyyyYYYYYYYYEYYYEYYyyyyyynnnnyynyyynyn
441712192425  nnyyyyyyNnnnnnnNYYYYYYEYYYEYYNyyynnynnynnynynnnnn
441712192428  yyynnyyyYnnynnyYYNYNYEEEYYYYYYynnnynynynyyynnnyy
441712192433  yyyynyyyYyyynyyYYYYYYYYYYYYYYYynyyyyyyyyynyyyyyyyny
441712192450  nnynyyyYynnnnnYYNYYYYYNYYYEYYnyyynnyynnyNnnnnnyB
441712192451  yyynyyyYyyynyyYYYYYYNEYYNYYYYyyyyynynyyyNnnnyynny
441712192455  yyyyyyyyYnyyyyyNYYYYYYYYYYYYYYyyyyyyyyyynyyyyyyyyy
441712192461  yyyyynyyYyyyyyYEYYYYYYYYYYYYYynyyynyyyyyyyyyyyyy
441712192476  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712192477  yyyyyyyYynnnnnEYYYYYYYYYYYYYYyyyyyyyyyyyyyyynyyy
441712192479  yynyyyyyYyyyyyyYYYYYYYYYEYYYYEyyynyynyyyyyyyyyny
441712192485  yyyynynnNnnnnnnNYYYYYYYYYENNYYnnnnnnnnnnnnnnnnnnn
441712192494  yyynyyynyYnnnnnnNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712192495  yynyyyyYyyyyyYYYYYYYYYYYYYYYyyyyyyyyyynnyynnnnB
441712192496  ynyyyyyyYyyyyyyYYYEYYYYYYYYYYYyyyyyyyyyyyyyynyynyy
441712192500  yyyyyyyyYyyyyyyYYYYYYEYYYYYYYYyyyyyyyyyyynynyyynyn
441712192503  yyynyyyyYnnynyYYNNNNNNNNNNNNNnnnnnnnnnnnnnnnnn
441712192516  ynnnnnnnNyyyyyyNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnn
441712192518  yyyyyyyYyyyyyyYYYYYYYYYEYYYYYyyyyyyyyyyyyyyyyyyy
441712192521  nyyyyyyyYynnyyyYEYYYYYYYEYNYYYyyyyyyyyyynyNnnnyyyyy
441712192529  ynyyyyyYynnyyYYYEEEEYEYYENEYynyyynyyyyyyyyyyyy
441712192536  nyyyyyyyYynyyyyyYYYYYYYYEYNYYYYnyynyyyynyyynyyyyy
441712192539  yyyyyyyyYnyyyyyEEYYYYYYYYYYYYYyyyyyyyyyyyyyyyyy
441712192541  yyyyyyynYynnnnnYYNYYNNEYYYYYYNnnnnyyyyyyyNnnyynnny
441712192545  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyynyy
441712192557  nyyyyyyyYynnnnnYEYYEYYYYEYYYNYyyyynnnynynNnnnnnnn
441712192564  yyyyyyyyYnyyyyyYYYEYYYYYYYNYYYyyynyyyynyyyyyyyyyn
441712192567  nynyyyynYynyyyyYYNYYYNEYEYYYYYyyyyyyyyyyyyyyyyynn
441712192570  yyyyynyyYyyyyyYYYYYYYYYYYYYYYyyyyyynyyyyyyyynyyyy
441712192571  yyyyyyyyYyyyyynYYYYYYYYYYYYYYYyyyyyyyyynynyyyyyyy
441712192573  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyynyyyyy
441712192586  yyyyyyyyYnyynyyYYYYYYYYYYYYYYYyyyynyyyyyyyyyynyyy
441712192608  yyyyyyyyYyynyyyYYYYYEEYYEYEYEYyyynyynyyyyyyyyyyyy
441712192619  yyyynynyYnynyyyYYYYYYYNYYEYYYEnnyyynynynnYnnnnnB
441712192621  ynnnnnnnYynnnnnNYNYNNYYYYEENNNnnnnnnnnnnnnNnnnnnnn
441712192622  yyyyyyynYyyyyyyYYEYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712192629  nnnnnnnnEnnnnnnEEEEEEEEEEEEEEEnnnnnnnnnnnnnnnnnnn
441712192630  nnnnnnnnYnnnnnnEYYYNYEYEYNYYYYnyynynnynynNnyyyyyy
441712192643  ynyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyNnynyyyyy
441712192651  yyyyyynnYyynyyyYYYYYYYYYYNNYYYyyyynnyyyyynnnyyn
441712192665  yyyyyyyyNynyyyyYYYYYYYYYYYYYYYnnynnnnnnnnnyyyyny
441712192671  yyynyyyyYynyyyyYYYNNNNYYYYYYYYnnyyyyyyyyynyyyyyy
441712192684  yyyyyyyyYnnynyyYYENYYYYNEEYYYYyyynnyynyynyyyyyyn
441712192690  yyyyyyyYyyyyyyYYYYYNNYYYYYYYYyyyyyyyyyyyyyyyyy
441712192694  nnyyyyyYyyynyyEENYYYYYYYYYYEEnnyyyyyyyyyyyyyy
441712192697  yynynnnNnnnnnnNNYNYYYYNNYNYYYyyynnnyyyyyNnyynyyy
```

```
441712192698  yynnnnnYnnnnnnNNEYYYEYYYNNNYYnyyyyyyyyyyyynynnn
441712192706  nynnnnnYyyyyyyYYYYYYYYYYYYYEYyyyynyyyyyyyynyyy
441712192707  nnyyyyyYyyyyyyYYYYYYEYYYYENYnnyyyyynnnyyyyyynB
441712192708  ynyyyyyYnnynyyYYYYYYYYEYEYYYYnnynnnynnnnynnynnnn
441712192710  yyyyyyyYyyyyyyYYYYYYYYYYYNYYYyyyyyyyyyyyyyyynyn
441712192711  ynnnnnnYynyyyyYYYYYYYYYYYYYEYnnnnnnnnyyyyyyyny
441712192731  nnyyyynYyyyyyyYYYNYYYYYYNYEYYyyyyyyyyyyyyyyyyyy
441712192738  yyyyyyyEynyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyyy
441712192747  ynyyyyyYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnnn
441712192749  yyyyyyyNyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyyy
441712192763  yyyyyyyYnnnnyyYEEEEEEEEEEEYNYyyyyyyyyyynnnyyyyyyy
441712192771  yyyyyyyYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnnn
441712192772  yyyyyyyYyyyyyyYYYYEYYYEYYYYEYyyyyyyyyyynyynynyynn
441712192782  yyyyynYyyyynyYNNYEYYYYEYYYYYynynnyyyyynyyynynyy
441712192795  yyyyyyYyyyyyyYYYYNYYYYYYYYYYyyyyyyyyyyyyyyyynyy
441712192797  yyyyyyYnnnnnnYYYYYYYEYYYYYYEyyyyyyyyynyyyyyyyyy
441712192798  yyyyyyYyyynnnYYYYYYYYYNYYYYYnynyynnnynynyyyynyy
441712192799  yyyyyyYyyyynyEYEYYYYYYYYYYYYyynnnyyyyyyyyyyynyy
441712192804  yyyynyYyyynyyYYYYYYYYYYYYYNYynyyynyyynnynynyyn
441712192810  yyyyyyYynnyyyYEYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712192814  yyyyyyYyyyyyyYYYYYYYYYNNYYYYnnnnnnnnnnnnnnnnnnn
441712192820  yynnnnYnyynyyYYYYYYYYYYYNNYYnyyyyyynynnNnynynynn
441712192834  nynnnnNynnnnnEEYYYENYYNNEYYYyynnyyynnnnnnnnnny
441712192849  yyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyny

483



--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access



From 5269338427200147646
X-Google-Thread: 1084e2,4521155fdb642f3e,start
X-Google-Thread: 108122,4521155fdb642f3e,start
X-Google-Thread: fe027,4521155fdb642f3e,start
X-Google-Thread: fcc51,4521155fdb642f3e,start
X-Google-Thread: 110431,4521155fdb642f3e,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: FINNISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07102407023108@4ax.com>
Subject: MI5 Persecution: Faxes Sent to Parliament2 (2658)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
```

From: MI5Victim@mi5.gov.uk
Date: 24 Nov 2007 07:02:44 GMT
Lines: 233
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 229
Xref: g2news1.google.com alt.testing.it:701 rec.radio.amateur.equipment:13308
de.comp.os.unix.x11:3091 free.uk.talk.edinburgh:1375
no.it.tjenester.nettilbydere:3707

```
441712192872  nyyyyyYnnnnnYYYEYYYYYYYYYYYnyyynyynnynyynyyyyy
441712192873  yyyyyyYyyyyyyNNNNNNNNNNNNNNNnnnnnnnnnnnNnnnnnnnn
441712192879  yyyyyyYnyyyyyYYYYYEYYYYYYYYYyyyyyyyyyyyyyyynyny
441712192905  yyyyyyYyyyynnYYYYNNNNNYYNYEYynyyynyyyyyyynyyyyy
441712192912  yyyyyyYyyyyyyYYEYYEEYYYYYYEYyyyyynyyyyyyyynyyyy
441712192921  nyyyyyYyynyynEYYYYYYYYYEEYNYynnnnnynnynynyyyyyy
441712192949  yyyyyyYyyynynYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyynn
441712192957  yyyyyyYyyyyynYYYEYYYYYYYYYEYyyyyyyyyyyyyyyyyyyy
441712192965  ynyyyyYyyyyyyYYYYYYYYYNYYYYYyynynyyynynyyyyyyyy
441712192969  ynnnnnYnnyyyyYNEEYYNYNEYEYNYnnnynyyyynNnyynnyny
441712192991  ynnyyyYyyyyynYYEEYYYYYYYEYYYynyyyynynnnEnnnnnnB
441712193000  nnynynNynnnnnNNNNYNNNNNNNNNNnnnnnnnnnnnNnnnnnnnn
441712193010  yyyyyyYyynynyNYYEYEYYYYEYYNYyyynnnnyynNnynnnyny
441712193047  yyyyyyYynyyyyYYYYYYEYYYYYYYEyyyynyyyyyyyyyyyyyy
441712193085  yyyyyyNyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712193373  yyyyyyEyyyyyyYYYYYYYYYYYYYEYyyyyynyyynnYnnnnnnB
441712193382  yyyyyyYyyyynyYYEYYYYYYYYEYEYnnnyynnyyyyyynnnyy
441712193398  yyyyyyYyyyyyyYYYYYYEYYYEYYYYyyyyyyynyyyyyyynyyy
441712193434  nyyyyyYyynyyyYYYYYEYNYYYYYYYynyyynnnyyyyyyyynyy
441712193496  ynyyyyYnnnynnNYEYNYEYYYYYYYEyyyynnnnnnyynnyyyyy
441712193541  nyyyynNyyyynyYYNYYYYYYYEYYYYnnnnnnnnnnnNnnnnnn
441712193552  nyyyyyYynnnynNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnn
441712193637  yyyyyyYnynyyyYYYYEYYYYYYYYYYnnnnnnnnnnnnnnnnnnn
441712193640  yyyyyyYnyyynyYYNYYYYYYYYENEYnnnnnnnnnnnEnnnnnnnn
441712193665  nyynyyEyyyyyyYYEENYYYYYNYYEYyyyyyyyyynyyyyyyyy
441712193690  yyyyyYyyyyyyYEYYYYYYYEYYYYYyyyyyyyyyyyyyyyyyyy
441712193709  nnnnnnYnnnnnyYYYYYYYYYYYYEYYnyyynyyynyynynnnyy
441712193727  yyyynYyyyynnYYYYEEYNYYYNYNNyyyynyynnnNnnyynnyn
441712193801  yyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyynyyyyyyyyyy
441712193806  yyyyyyYyyyyyyEYYEYYYYYYYYYEEyyyyyyyyyyyyyyyy
441712193816  yyyyyyYyyyyyyYYYYYYYEEYYYYYYyyyyynyyynyyyynnyn
441712193819  ynnnnnYyyyyynYYYYYYYYNNNNNNNnnnnnnnnnnnnnnnnnnn
441712193823  nnnnnnNnynyyyNYYYNYEYEEYYEYYyyynnyynnyyynyyynyR
441712193824  yyyynyYyynyyyYYYYYYYYYYYYYYYyyyyyynyynyynnnyyn
441712193827  ynnnnnYyyyyyyYYEYYYYYYYYYYYEnnyyynnnynyyyyyyny
441712193829  yyyyyyYnnnnnnYYNYYYYYYYYYYYYnnnnnnnnnnnnnnnnnn
441712193847  yyyyyYnyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyy
441712193849  yyyyyyYyyynyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712193866  yyyyyyYyyyyyyYNYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712193870  yyyyyyNnnyynyEYYYEEEEYYYYEYYnnyynyyyyyyyynyyy
441712193889  yyyynyNynnnnnNNYNNNNNNNNNYNNnnnnnnnnnnnNnnnnnnyn
441712193895  yynyyyYyyyyyyYYYYEYYYYYYYEYNyyyyyyynyyynyyyyn
441712193899  yyyyyyYyyyyynYYYYYEYEEENYYYYynyynyyyyyyynynny
```

```
441712193921  yyyyyyYyyyyyyYYEYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712193931  yynnnnYyynnnnEYYYYEYYYYYYYYYynnnnnnnnnnnnnyyy
441712193935  ynnyynYyynyyyYYYYYYYYYEYEYYEyyynnnnyyyyyyynyyyy
441712193952  yyyyyyEnyyynyYYYYYYYYEYYYYEYyynnnnnnnnnnnnnnnnn
441712193957  yyynyyYyyyyyyYYYYYYEYYNNNYEEnnyyyynyyynyyyyyyy
441712193967  yyyyyyNynnnnnYYYYYYYYYYYYYEYyyyyyyyyyyyNnyyyyyyy
441712193980  nyyyyyYynynyyYYYYYYYYYYYYYYYyyynnynnnnnnnnnnnnn
441712193983  ynnyyyYnnnnnnYYEEYYYYYYYYYYEnynnnnnnnnnNnnnnnnnn
441712193987  nynyyyYnnnnnnNYYYYYYYYYENYNYnnynnnynnnnNnnnnnnnn
441712193998  ynnyyyYyyynyyYYYEEYYEYEYYYYYynyyyyyyyynyNnyyynnyn
441712193999  yyyyyyYnyyyyyYYEEYYEYEYYYYYYyyyyyyyyyyyyynyynnn
441712194013  nnnnnnNynnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnnn
441712194042  nnnnnnNynnnnnNNNNNNNNNNNNNNNnnnnnynnnnnNnnnnnnn
441712194064  nnnnnnNnynnnnNNNNNNNNNNNNNNNynnnnnnnynnnnnnnnnn
441712194166  yyyyyyNyyynyyYYYYYYYYYYEYYNYyyynyynnyyNnyyyyyyy
441712194262  yyyyyyYyyyyyyYYYYYYYYEYYYYYYyynyynnnnnNnnnnnnnn
441712194279  nyyyyyYnnyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyny
441712194285  yyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712194293  nyyyyyYnnnnnnYYYYYYYYYYYYYYNnnnnnnnnnnnnnnnnnnn
441712194303  yyyyyyYynyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712194308  yyyyyyYynnnnnYYYYYYYEYYYYYYYyyyyyyyyyyyyyyyyyy
441712194352  yyyyynYnnnnnnYYNNNYNNYNNNNNNnynnynnynyyyyyyyny
441712194357  yyyynYynyyyyYYYYYYEEYYYEEENyyyyyyyyyyynynynyy
441712194358  yyyyyyYynnnnnYNYYYNYYYYYYYYYyyynyyynnyyyyyyyyy
441712194397  yyynyYyyyyyyYYYYYYYEYYYYYYYyyyyyyynyyynyyyyy
441712194403  yyyyyyYyyyyynYYYNYNYYYYYYYYYynynyyyyyyNnnynyn
441712194466  yyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyynyyyyyyyyyy
441712194479  yyyyyyYyyyyyyYYYYYYYYYEYNNYYnnnnnnnnnnnnnnnn
441712194499  yyyyyyYyyyyyyYYYYYYYYYYEYYYYyyyyyyyyyyyyyyyyy
441712194518  yyyyynYnyyynyYYNYYYYEYYYYYYYnnnnnnnnnnnnnnnnnn
441712194525  yyyyyyYyyyyyyYEYYYEEEYYYEYYYyyyynyynyyNnynynyy
441712194536  yyyyynNnnnyyyYYYEENYYYEYYYYEnnyyyyynyyynnnnnnn
441712194711  yyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712194727  yyyyyYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnn
441712194759  yyyyyyYyyyyynYYNYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712194780  yyyyyyYyynyyyYYYYEYYYEYYYYYYynyyyyyyyyyNnyyynyy
441712194800  yyyyyyYyyyyyyYYYYYYYYYYYYYYYnyyyyyyyyyyyyyyyy
441712194801  yyyyyyYynyyyyYYYYYYYEYYYYYYYnyyyynyyyyyyyyyyyy
441712194803  ynyyynYynnnnnYYYYEYYEYYNYEYYyyyyyyyyyyyyyyyyyy
441712194815  yynyyyYyyyyyyYYYYYYYYYYYYYYYyyyynyyyyyyyyyyyyn
441712194828  yyyyyyYyynyyyYEYYYYYYYNYYYNYnyynnynnnyyNnyyyyyy
441712194830  nyyyynEnnnnnnEEEEEEEEEEEEEEEnnnnnnnnnnnnnnnnnn
441712194831  nyyyyyYnnnnnnYYEYYYYNNNNNNNNynnnnnnnnnnNnnyyyyy
441712194836  yyyyyyYyyyyyYYYNYYYYYYYYYYYYyyyyyyyyyyyyyyyyy
441712194837  ynyyyyNyyyyyYYYEYYEYYYYYYYEYynyyyyyyyyyyyyyyy
441712194841  yyyyyyYyyyyyEYYYYYYYNYYYYYYYyyyyyyyyyyyyyyyyyy
441712194843  ynyyyyYyyynyEYYYYYYYYYYNYYYYyyyyyyynyyyyynnyy
441712194844  yyyyyyYyyyyyyYYYYEYEYYYYNEYYEynyyyynynnyYnnnnnB
441712194846  yyyyyyYyyyyyyYYYYYNNNYYYYYYYYyyyyyyynyyyyyyyynn
441712194855  yyyyyyYyyyyyyYEYYYYEEYYYYNNNNynnnnynnnynNnyyynnn
441712194864  yyyyyyYyyyyyyYYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712194867  yyyyyEyyyyyyYYYYYYYYYYYYYYYYyyynyyyyyyyyyyyyyy
441712194868  yyyyyyYyyyyyyYYYYYYYYYEEYYYYYnyyyyynyyyyynnyyn
```

```
441712194873  yyyyyyYnyyyyyYNYYYYYYYEYYYNYYyyynynyyyyyyyyynB
441712194877  yyyyyyYyynyyyYYYYYYYYYYNYNNYYyyynyynyyyyNnyynyyn
441712194878  nyyyyyYynnnnnYYYYYYYYYYYNYYYyyyyyyyyyyyyyyyyy
441712194880  yyyyyyYyyyyyyYYYYYEENYYEYYYYEnynynnnynynyynnB
441712194881  yyyyyyNnyyyyyYYYYYYYYYYEYYYYYyyyyyyyyyyyyyyyy
441712194884  yyyyyyYyyyyyyYYYYNYYYYEYYYYYYyyyyyyyyyyyyynyyy
441712194894  ynnnnnYyynnnnNYEYEYEYYYYYEEYEyyynnnynyynnNnynyyy
441712194899  yyyyyyYyynyyyYYYYYNYYYYYYYYEYyyyyyyyyyynynynnyy
441712194901  yyyyyyYyyyyyyYEYYYYYYYYYYYYEYyyynyyyyyyyNnynyyyy
441712194903  yyyyyyYyyyyyyYYYYYEYYYYYYYYYYyyyyyyyyyyynyyyy
441712194924  nyyynyYyynnnnNYYYYEEYYYYEYYYEyynnnynyyyyyyyyy
441712194931  ynyyyyYyyyynyYYYYYYEYYYYYYNYYyyyyyyynyyyyyyyyy
441712194939  yyyyyyYyyyyyyYNYYYYYYEEYYYYYEyyyyyynyyyyyynyyyy
441712194964  yyyyyyYnynyyyYYYYYYYYYYYYYYNYynynyyynynnynynnyn
441712194970  yyyyyyYyyyyyyYYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712194979  yyyyyyYnyyyyyYYYYYYYYYYEYYYYYyyyyyyyyynnNnynnyyn
441712194983  yyyyyyYnnnnnnEEYYYYYEYYEEEYEYnynynnnnnnnynyyy
441712194992  yyyyyyYyynyyyYYYYYYYYYYEYEYEYyyyynnyyyyyyyynyy
441712194996  yyyyyyEyyyyyyYYEYYEYYYYYYYENNnnnnnnnnnnNnnnnn
441712195106  yynyyyNnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712195127  yyyyyyYnnyyyyYYEYYYYYYYYYYYYNyyyyynnnnnnyyynynn
441712195136  yyyyyyYynnnnnNYEEYEYYYYYYEYYYynynnnnynyynynnnnn
441712195165  nnynnyNnnynnnYNYNNNNNNNNNNYNYnynnnnnnnynNnynnnn
441712195233  nyyynnNnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnNnnnnnn
441712195241  nnynyNnnnnnnNNNNNNNNNNNNNYNYnynnnnnnnynnynynnn
441712195275  yyyyyyYyyyyyYYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyn
441712195322  nyyyyyYnyyyyYEYEYYYYYYYYYYYYyyyyyyyyyyyynyyyny
441712195333  yyyyyyYyyyyyyYYYYEYEYYEYYYYYYyyyyyyyynyyyynyyny
441712195371  yyyyyyYynyyynYYENYEYYYYYYYYYYyynyyynnyyynynnynn
441712195381  yyyyyyYynyyyyYYEYYYYYYYYYYYYYyyyynnyyynyyyyynyy
441712195418  nnynnyNnnnnnnNNYNNNNNNNNNNNNNnnnnnnnnnynnnnnnnn
441712195452  nnnnnyNnnnnnNNNNNNNNNNNNNNNYnynnnnnnynnnnynnn
441712195461  yyyyyyYyyyyyyYYYYYYEYYEYYYEYYyyyyyynynyyyyyyyy
441712195482  nyyynnNnnnnnnNNNNNNNNNNNNNNNnnnnnnnynnnnynnnn
441712195502  yyyyyYynnnnnNNNEYYYYYYYYYYYYyyyyyynyyyyyynnnyy
441712195568  yyyyyyYyyyyyyYYYYYYYYEYYYYYYYyyyyyyyyyyyyyyyyy
441712195581  yyyyyyYyyyynyyYEYNYYYYNYYYYNYYyynyynyynynyynyny
441712195604  yyyyyyYyyyyyyYYYYYYYYYYYYYYENnnnnnnnnnyyyyyyyyn
441712195650  yyynnnYyyyyyYYYEYYYYYYNNYEYNynnnnnnnnnnnnnnnn
441712195687  ynnnnnNnynnnNYYNYNENYYYYYNYYyyyyyynyyyyyyyyyyy
441712195713  yynnnnYyynnnYNNNNNNNNNNNNNYYynnnnnnnnnnnyyyyyy
441712195725  yyyyyyYynynyyYYYYEYYYYYYYYYYYyyyyynyyyyyyyyyyyy
441712195728  yyyyyyYnyyyynYYYYYYYNYYYYYYYYyyyyyyyyyyyyyyyynn
441712195734  yyyyyyYyyyynyEYYYYYYYYYYYYYYYyyyyyyyyyyyyyynyyy
441712195743  yyyyynYyyyyyyYYYYYYYYYYYYEYYYyyyyyyyyyyyyyyyyyy
441712195814  yyyyyyYnyyyyyEYYYYYYYEYYYYYYYyyyyyyyyyyyyyyyyyy
441712195820  yyyyyyYyyyyyyYYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyy
441712195826  yyyyyyYynyyyyYYYYEEYYEEEYYYYYyyyyyyyyyyyyyyyyy
441712195834  nyyyyyYynnnnnYNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnn
441712195839  yyyyyyYyyyyyyYNYYYYYYYYYYYYYYyyyyyyyyyyyyyyyy
441712195847  yyyyyyYynnnnnYYYYYYYYYYYYYYYYnyyyyyyyyyyynyyny
441712195853  yyyynyYyyyyyyYNEYNYEYYYYYYYYYyynnyyyyyyyyyyyyy
441712195854  yyyynyYyyyyynYYYYYYYYYNYYYYYYnyyyyyyyyyyyyyyyyy
```

```
441712195856  yyynyyYynyynyNYYYYYYYYYEYYYEYyynnnnnnyynnynnn
441712195890  yyyyyyYyyyyyyYYYYYNYYYEYYEYYYyyyyyyyyyynyyyyyy
441712195892  yynynnYnyyyyYYYYYNYNEYYEYNNNnnnnnnnnnnnnnnnn
441712195894  nyyyyyYyynynyYYYYYYYYYNYEYYYYyyyynyynyyyynnnB
441712195897  yyyyyyYyynyyyYYYYYYYYYYYYYYYEyyyyyyyyyyyyyyyyy
441712195898  ynnnnnYynyyyyYYYYYYYEYYYYNYYYyyyyyyyyyyynyyyy
441712195903  yyyyyyYyyyyyyYYYYEYYYYYYYYYYYyyyyyyyyyyyyyyyyy
441712195906  yyyyynYyynynEYNEYNEEYEYYEYYEnynyyyyynnnynyynyy
441712195910  yyyyyyYynyyyyEYYYYYEYYEYYYEYYyyyyyyyyyyyyyyyyy
441712195919  yyyyyyYynyyyEYYYYYYYEYEYYYYYyyyynynyyyyyyyyyny
441712195930  ynnnnnYyyyyyyyYYYYYYYYYYYYYYYYynnnnnnnnnnnnnnnn
441712195933  yyyyyyYynnnyyYYEYYYYYYYYYEYYYyyyyyyyyyyyyyyyyyy
441712195939  ynnnyyYyynyynYYYYYYEYYYYYEYYYyyynyyyynyynynnyny
441712195942  yyyyyyYynnnnNNNNNYYNYNNNNNYYnynnnnnnnynnynyyyy
441712195944  yynnnnYynnnnnYYYYYYYYYYYYYNYYyynynnyyynyyyyyyy
441712195945  yyyyyyYnyyyyyYYEYYYYYYYYYYYEYyyyyyyyyyyyyyyyyny
441712195951  yynynnYyynnnnYYYYYYEYYYYYYYYYYynnnnnnynnnnnnnnn
441712195959  yyyyyyYnnnnnnNNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712195962  nyyyyyYyyyyynYYEYYYYYYEYYYYYYyyynyyynynnyyyyyyy
441712195969  yyyyyyYnyynyYYYYYYYYYYYYYYYYYyyyyyyyyyyyynyyyny
441712195982  yyyyyyYynyyyYYYYEYYEYYYYYYEYYyyynyyyyyyyyyynyny
441712195997  yyyyyyYyyyyyYYYYYYYYYYYYYYYYYyyyyyyyyynnnnnnnn
441712195999  nyyyyyYyyynnNNYNNNNNNNYYYYYYYnnnnnnnnnnnnnnnnn
441712196045  yyyyynYyyyyyYYYYYYYYYYYEYYEYYyyyyyyyyyynyyyyyyy
441712196050  yyyyyyYnyyyyYYYYYYYYEEYYYYNEYynynynnyyyyyyyyyy
441712196052  yynnnnYynnnnYYYEYYYYYYYYYYYYYYynnnnnnnnnnnnnnnn
441712196059  nyyyyyYyyyyyEEYYYEEENYYYYYEYYyyyyyyyyyyynyyynyn
441712196126  nyyynyYyyyyyYYYYYYYYYYYYEYNNNNnnnnnnnnnnnnnnnn
441712196156  nyyyyyYyyynnYYEEYYYEEYEYEEYYYyyyyynnyyyyynyyynn
441712196201  nyyyyyYynnnnYYYYYYYYYYYYYYYYYyyyyyyyyynyyyyynyy
441712196261  yyynyyYyyyyyYYYYYYYYYYYYYYYYYyyyyyynynyyyyynyy
441712196279  nnyyyyYyyyyyYYYYYYYYYYYYYYYYYyyyyyyyyyynyyyyny
441712196290  yynyyyYynnnnNYYYYYYYYYEYYYYYYnyyyyyynyyyyyynnyy
441712196362  yyyyyyYyyyyyEYYYEYYYYYEYYYEYYyyyynyyyyyyyyynyy
441712196386  ynnynnYnynyyYYYYYYYYYYNEYYYYYyyyyyyyyyyyyyyyyyyy
441712196396  yyyyyyEyyyyyYYYYYYYYYEYYYEYYYyyyyyyyyynyyyyynyy
441712196398  yyyyyyYynnnnEYNYENYYYYYYNNYYNnnyynnnnnnnnnnnnn
441712196409  yyyyyyYynyyyYEYYYYYYYYYYYYYYNYyyyyyyyyyyyyyyyy
441712196488  nnynnnnYnnynnNNNNNNNNNNNNNNNNnnnnnnnnnnnnynnnnn
441712196498  nnnnnnEnnynnNNNNNNNNNNNNNNNNnnnynnnnnnnnnnnnn
441712196567  yyyyyYyynnYYYYYYYYYYYEENYYYyynyynynynnynnnB
441712196586  yyyyyYyyyyYYYYYYYYYYYYYYYYYyyynyyyynyyyyynyy
441712196606  yyyyyYynyyYYYYYYYYYYYYNYYYEyyyyyyyyyyyyyyyy
441712196607  nyyyyYyyyyYYYYYYYYYYYYYYYYYyynyyyyyyyyyyyyyy
441712196618  yyyyyYyyyyyYYYYYYYYYYYEYYYYyyyyyyyyyyyyyyyyy
441712196623  yyyyyYyynyyYYYYYYYYYYYYYYYYyyynynynnnnynnynn
441712196660  yyyyyYyyynyYEYYEYYYYYYYYEYEYynynyyyyyyyynyyyyy
441712196716  ynnnnYynynyEYYYYNNYYYEYEYYYYnyyyyynnynyynynnyy
441712196726  yyyyyYnyyyyYYYYYYYYYYYEEYYYYyyynyyyyyyyyyyyyy
441712196732  yyyyyYyyynyNNYYNENNYYYNENYEYyyyyyyyyyyyyyynny
441712196760  yyyyyYyyynyYYYYYYYYYYYYYYYYyynyyyyyyyyyyyyyyy
441712196791  yyyyyYyyyyyYYYYEYENYYYYYYYYYynnyyyyyyyyyyyyyy
441712196793  yyyyyYyyyyyYYYYEYYYYYEYYYYEYyyyyyyyyyyyyyyyynnyy
```

```
441712196818  yyyyyYynnnnYYYYYYYEYYYEYYENNnnnnnnnnnnyyyynnnyy
441712196820  yyyyyYyyyyyYEYYYYNYYEYYYYYEYyynyyyynynnnnnnnn
441712196825  yyyyyYyyyyyYYYYYYYYYYYYYYYYYYyyyyyyyyynyyyyyyyy
441712196826  ynnnnYyyyyyYYYYYYEYYYYYYYYYEyyyyyyyyyyyyyyyyyy
441712196828  yyyyyNyynnnYYNYNYYNNNNNNYEYNnnnnnynnyynyyy
441712196835  yyyyyYyynnnENYYEYYYYYYYYYYEYynyyyyyynnnyyynyyn
441712196837  yyyyyYyyyyyYYYYYYEEYYYYYYYYEynnnnynnnnnnnnnyn
441712196838  yyyyyYnnnnnYYYYYYYYYYNYYYYYNnnnnnnnnnnnnnnnnn
441712196839  yyyyyYyynnyYYYYYYYYYYYYYYYYYyyynyyyyyyyynnyyy
441712196848  yyyyyYyyyyyYYYYYYYYYYEYYYYYYyyyyyynyyyyyyyyyyy
441712196864  yyyyyYyyyyyYYYYYEYYEYEEEYYYYyynyyyyyyyyyyyyyy
441712196867  yyyyyYyyyyyNYYYYYYYYYYYYYYNYynynyyyyyyyynnyyy
441712196877  nyyyyYyyyyyYEYYYYYEEYYYYYYEEyyyynynyyyyyyyyyyy
441712196884  yyyyyYyyyyyYYYYYYYYEYYYYYYYYyyyyyynyyyyyyyyn
441712196886  yyyyyYyyyyyYYYYYYYYYYYYYYYYYyyynnyyyyyyyyyyyyR
441712196898  ynnnnYynyyyYYYYNYYYYEYENNYYYyyyyyyynyynyyynnny
441712196938  yyyyyYynnnnEEYYYYYYYYYYYYYYYynyyyyynnnnnnnnnnn
441712196943  yyyyyYyyyyyEYYYYYYYYEYEYYYEYyyyyyyyyynyyyyyynn
441712196956  nyyyyYyyyyyYYYYEYYYYYYYYYYEYyyyyyyynyyyyyyyyy
441712196974  yyyyyYyynynENYYNYNYYYYYYYEYYyyyyyyyyyyyynyyyn
441712196977  yyyyyYyyyyyYYYYNNNNNYYYYNNEYnyyynynnyynynnnnnn
441712196979  nynynYnnyyyYYYYYYYYYYYYYYYYYnnnnyynnnnnnnnynnn
```

No faxes were sent after April 2000.

2658

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -3153162197627578634
X-Google-Thread: 1084e2,3aa51eaff68bb078,start
X-Google-Thread: 108122,3aa51eaff68bb078,start
X-Google-Thread: fe027,3aa51eaff68bb078,start
X-Google-Thread: fcc51,3aa51eaff68bb078,start
X-Google-Thread: 110431,3aa51eaff68bb078,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-
for-mail
Message-Id: <m07102407394461@4ax.com>
Subject: MI5 Persecution: How Could It Be True? (4833)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
```

rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 24 Nov 2007 07:39:57 GMT
Lines: 141
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:702 rec.radio.amateur.equipment:13309
de.comp.os.unix.x11:3092 free.uk.talk.edinburgh:1376
no.it.tjenester.nettilbydere:3708

MI5 Persecution: How Could It Be True?

If you have the patience to read these articles you will be struck by how apparently fantastic the claims being put forward are. You may ask yourself why such seemingly nonsensical assertions are made. This matter has been discussed on the Internets UK-local newsgroups for three years now, and the denizens of the uk.misc newsgroup (the so-called "miscreants") have come up with a number of theories to explain these posts; it has been variously suggested that they are a troll (an artificial creation for the amusement of its author), that they are made by MI5 themselves with the purpose of discrediting other conspiracy theories, and that the poster is mentally ill and the articles are symptomatic of the illness (the view held by most miscreants).

Are these claims the product of mental illness, or is that just a cover?

The most obvious explanation, that the claims made result from the admitted mental illness of the author, is the one which the persecutors intend be the one accepted without consideration being given to the possibility of the claims being true. The persecutors have actually been very clever about this, both in selecting as their target someone who was known from school or university as being borderline schizophrenic, and in ensuring the nature of their persecution corresponds to what often features in the delusions of a schizophrenic.

The very first incident of the persecution occurred in June 1990, when I was still a student at university in London. It consisted of a reaction (giggling) from the newsreader, Sue Carpenter of ITN, to what she saw happening in my living-room at my parents home where I was living. Before your imagination gets the better of you I should make clear that what the newsreader was reacting to was not too embarrassing in nature; my mother had brought an apple for me into the the room, and Sue Carpenter found this amusing.

I recognized that Carpenter had reacted to what she had seen in my living-room, yet this idea still seemed completely fantastic to me. My reaction was to continue watching television, particularly the news, to see if this incident would be repeated. It was, many times, both on BBC and ITV. An intelligent person would have thought to obtain a video recorder and capture some of these incidents in order to try to explain to an observer what he saw in these broadcasts. Unfortunately, I failed this test of intelligence, since I did not record these programmes. I have recently attempted to obtain from ITN tapes of their news programmes dating back to summer 1990, but, unhappily, they have advised me that they do not have complete programmes including newsreaders comments dating back to that period.

From the outset, the persecutors structured their actions to ensure that any complaint would be met with disbelief, and dismissed as delusional. This is why they chose as their target someone who was known at school and university to be borderline mentally ill; and it is why they fired the first shots of their campaign through the broadcast media. Schizophrenics commonly believe the media harass them; it would be exceptional for "full-duplex television" to exist in reality. Those with schizophrenia also commonly believe people are talking about them; again, the persecutors have shown themselves very rarely, but act through intermediaries, both in the workplace, and in public and during travel.

Mental illness is not the cause of these claims, but the simulation of its symptoms is a cover used by the persecutors to deny their victim the ability to have his compaints believed.

What evidence exists to support these claims of "interactive television/radio";?

Quite frankly, I have very little evidence to support my claims. You may examine the "Evidence" area of my website to see such evidence as I have been able to gather. None of it is remotely conclusive. The "smoking guns" all date back to 1990/91, and it is really rather late now to start trying to look for material dating back seven or eight years. In 1997 I started tape-recording every programme I watched or listened to. I also started carrying with me a high-fidelity minidisc-recorder with good quality microphone to catch incidents of public harassment, but this also has not been as successful or conclusive as I had hoped.

Perhaps the best item in the "Evidence" section is the audio file "Life is so hard" (it is labelled with Garfield the cartoon character on the site), which I have given a certainty level of 100%. This item relates to harassment at my workplace in Canada in 1996. A co-worker called Mark was coming up with phrases and expressions which were repeating things being said at my Canadian residence, consequently leading me to believe that my apartment and home phone were bugged, and that the persecutors were passing their gathered information on to Mark. On one particular evening I said in my apartment, "life is so hard, and then you die". The following day I was able to record Mark saying exactly the same phrase at work.

Unfortunately when "they" know you are recording them, they simply dont say things which would unambiguously show harassment. When Mark the co-worker knew he was being recorded, he only made his remarks out of range of the recorder, for example outside the building. When the TV newscasters or radio disc jockeys know they are being taped, they limit themselves to saying things which are ambiguous, which even in my mind may or may not be personally directed against me.

Who knows about this persecution?

Surprisingly many people know. People in the media, such as BBC and ITN newscasters including Martyn Lewis and Michael Buerk, and radio disc jockeys such as Chris Tarrant of Capital Radio, know what is going on, and take part in it. Some co-workers at my former workplaces in England and Canada have known about the harassment. Quite a few people in the general public are also included. I believe the police are aware of the persecution, but, unfortunately, have chosen not to take any action to stop it. I have complained at my local police station in London several years ago, and I have stated on the internet newsgroups that I have done so, hence the police will be well aware of my wish to see the matter resolved. I believe their inaction denotes a dereliction of duty, but without good evidence, I am powerless to compel them to take steps to prevent further harassment, or deal with what has already taken place.

What is the purpose of sending these faxes?

These faxes are being sent to three distinct groups of people, namely Members of Parliament, the media, and diplomats & legal people. As you will have observed I am making use of the email-to-fax gateway at Demon Internet to send these faxes. I am forced to use this gateway since I currently live in North America, and cannot afford the high cost of direct phone calls to the UK.

My purpose in publicising my claims is firstly to discourage the persecutors from continuing their campaign, and also to attempt to bring their campaign out into the open, and thus perhaps identify the persecutors. Neither aim has been achieved yet, but I hope that with sufficient stimulation these aims may yet be accomplished.

The problem with the second aim is that those who read this article will fall into two groups, those who dont know anything about the persecution and consequently will disbelieve my claims as delusional, and those who do know about the harassment and may have some idea of who is behind it, but realise that if the harassers are exposed and the truth brought out into the open, then powerful British institutions will substantially lose prestige, and be exposed to ridicule.

It would give me hope to believe that these faxes will create a third group of people, those who find out that I am telling the truth, and who follow their consciences in standing up and seeing justice done. Only time will tell if this hope will be realized.

4833

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 8604423011413009097

```
X-Google-Thread: 1084e2,e834e36c7e5d7d4b,start
X-Google-Thread: 108122,e834e36c7e5d7d4b,start
X-Google-Thread: fe027,e834e36c7e5d7d4b,start
X-Google-Thread: fcc51,e834e36c7e5d7d4b,start
X-Google-Thread: 110431,e834e36c7e5d7d4b,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07102408092790@4ax.com>
Subject: MI5 Persecution: Why do you think MI5 are responsible? (7008)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 24 Nov 2007 08:09:40 GMT
Lines: 210
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 206
Xref: g2news1.google.com alt.testing.it:703 rec.radio.amateur.equipment:13310
de.comp.os.unix.x11:3093 free.uk.talk.edinburgh:1377
no.it.tjenester.nettilbydere:3709
```

Why do you think MI5 are responsible?

The question of who is ultimately responsible for this eight-year harassment is one which is very difficult to answer, as the persecutors have never clearly made their identities known to the persecutee. However, I believe I am correct in attributing the continuing victimisation to elements of the British Security Service MI5, and in this article, I will try to explain the reasons for this belief.

The British internet magazine ".net" featured my website on page 17 of their March 1998 issue (number 42). Their review kindly describes it as an "excellent site" and gives some details of what the net surfer will find there. Should you wish to reply to this article you can do so;

"When did you first suspect MI5 were responsible?"

Over Easter 1995 I went to see a local solicitor in London with a view to talking to the police about the harassment. Soon afterwards I did go to my local police station in Clapham and spoke to an officer there. The solicitor made a comment which suggested to me that the persecution I had been experiencing may have been organised by an intelligence service.

Up to this point, I did not have any clear idea as to who was behind the harassment. Only their agents were visible, in the media, on television news programmes, and on the radio; in the workplace, where things said at my home were repeated verbatim; and in some cases abuse in public and during travel, for example on the trip to Poland in June 1992 which I have already described.

Both from the fact that widely disparate individuals and organisations were employed as agents in the campaign against me, and from the fact that an entity would be required to marshal their resources in the areas of spying on my home and giving gathered information to their agents, it was clear to me that a single entity was responsible for carrying out the campaign. Yet from June 1990 until Easter 1995 I did not have a clear idea of who might be responsible. I guessed that perhaps some private individual or group of persons who saw themselves as my enemies had perhaps paid private detectives to organise the harassment. Alternatively, since the campaign had started in the media, I made a far-fetched supposition that perhaps it was an ad-hoc group of media people who had set themselves up in opposition to me. After Easter 1995 I saw that these guesses were wrong, and I made an I believe much more accurate estimate as to who my enemies really are.

"Why couldn't a private group be behind the persecution?"

There are several reasons why a private individual or group would not be behind this campaign.

Quantity of resources / Money. Here is what one Usenet (internet newsgroup) participant had to say (several years ago) on the topic of how much money it would cost just to keep the surveillance going.

```
PM: >But why? And why you? Do you realize how much it would cost to keep
PM: >one person under continuous surveillance for five years? Think about
PM: >all the man/hours. Say they _just_ allocated a two man team and a
PM: >supervisor. OK., Supervisor's salary, say, #30,000 a year. Two men,
PM: >#20,000 a year each. But they'd need to work in shifts -- so it would
PM: >be six men at #20,000 (which with on-costs would work out at more
like
PM: >#30,000 to the employer.)
PM: >
PM: >So, we're talking #30,000 x 6. #180,000. plus say, #40,000 for the
PM: >supervisor. #220,000. Then you've got the hardware involved. And
PM: >any transcription that needs doing. You don't think the 'Big Boss'
PM: >would listen to hours and hours of tapes, do you.
PM: >
PM: >So, all in all, you couldn't actually do the job for much less than
PM: >a quarter million a year. Over five years. What are you doing that
makes
PM: >it worth the while of the state to spend over one and a quarter
million
PM: >on you?
```

A private individual or group would not spend over a million pounds to verbally torture a victim without some financial motive or gain. Private industry is driven by the profit motive, and there is no financial profit to be had from carrying out a campaign in this way. If a private enterprise were behind it then they would have taken direct physical action a long time ago.

State enterprises, on the other hand, can afford to be wasteful, since they are funded by the taxpayer. They do not have to show a money profit. The employees or contractors employed by a state organisation such as MI5 are driven by their own personal profit motives, to make the most money out of their employers for the longest period of time. MI5 is funded to the tune of #150M p.a.; even a few hundred thousand a year would to them be affordable if their managers could convince themselves of the necessity of what they were doing.

Quality of resources / Technical resources - electronic and other surveillance. In summer 1994 a reputable and competent private detective agency was employed to conduct a counter-surveillance sweep of my home in London. They charged us over #400 for this, conducted a thorough search for radio transmitting devices, hard-wired "probe" microphones and also tested the telephone line. They found nothing. This was not altogether surprising, since it had been made very clear to me that there were bugs in my home; the "buggers" would not have made this clear unless they had felt their bugs were of sufficient sophistication as to be safe from detection.

But there is another lesson to be gained from the failure of the private detectives to find anything. The agency employed was one of the most reputable in London. They were employed on the principle of "setting a thief to catch a thief", for if the harassment were being carried out by private detectives, as I then believed, then surely another set of private detectives would be able to find the bugs that they had planted. That these "private eyes" were unable to find anything, and that the harassers were confident that they would not be able to find any bugs, points to the harassers being an order of sophistication above a private agency, and leads me again to believe that a state intelligence service is responsible for the surveillance and harassment.

Quality of resources / Technical resources - Interception of Postal service. In summer 1994 when I emigrated to Canada to try to escape the harassment, I wrote letters home to my family and friends in London. Quite soon after my arrival in Canada, the harassers were able to find precisely where I was staying. The only way I can see of "their" being able to find out my new address was by interception of my letters to the UK.

Later in 1994, I conducted an experiment to see if my letters home were indeed being read. In a letter home I wrote of being depressed and talked in vague terms of suicide. I deliberately chose this topic, since I believed it was the outcome my harassers were trying to achieve, and that if they read the letter, they would "echo" its contents. Sure enough, soon afterwards there were two incidents of people shouting "suicide" at me in public places in Canada.

It is inconceivable for a private agency to have the ability to intercept postal mail. The state security service on the other hand is well known to engage in these activities.

Quality of resources / Access to Media. One of the strangest aspects of this case is the access "they" have to the broadcast and print media. I still do not understand what could persuade newscasters such as Martyn Lewis and Michael Buerk, who consider themselves "gentlemen", to behave in an almost voyeuristic way by "peeking" into the living room of one of their viewers. A year ago I wrote to the BBC asking if these newscasters would confirm or deny the accusations made against them. The BBC replied that their newscasters had denied the accusations, but refused to do so in writing.

It is well known that MI5 have the ability to plant stories in certain newspapers, but convincing television newscasters to "watch" a viewer while they read the news would surely be very difficult for them to accomplish, unless they presented themselves to these journalists as being, for example, a group in the media who were seeing to it that I got my "deserved" treatment. MI5 has a history of manipulating the media, so it might not be too difficult for them to accomplish such a trick, whereas a private group would not have this ability.

"Have they ever denied that they are the Security Service?"

No. Never. This is in fact the main reason why I believe "they" are MI5 and not a privately funded group. If my guess had been wrong then I am sure that "they" would have crowed over my mistake, but they have never admitted nor denied that they are employees of MI5.

In early January 1996 I flew on a British Airways jet from London to Montreal; also present on the plane, about three or four rows behind me, were two young men, one of them fat and voluble, the other silent. It was quite clear that these two had been planted on the aircraft to "wind me up". The fat youth described the town in Poland where I had spent Christmas, and made some unpleasant personal slurs against me. Most interestingly, he said the words, "he doesnt know who we are".

Now I find this particular form of words very interesting, because while it is not a clear admission, it is only a half-hearted attempt at denial of my guess that "they" = "MI5". Had my guess been wrong, the fat youth would surely have said so more clearly.

"If MI5 were behind it, why would they wish to mask their involvement?"

I have heard a number of times a belief from people in the media that it is they, the media people, who are behind the abuse. In spring 1994 Chris Tarrant the Capital Radio D.J. said sarcastically on his breakfast show, "You know this bloke? he says were trying to kill him. We should be done for attempted manslaughter". We, we, we. Tarrant thought it was a media conspiracy.

Returning to the question of "interactive watching" by television newscasters, it would again be much easier for them to take part in that sort of activity if they convinced themselves that the surveillance and abuse were organised by "their own", by media people. It must be second nature to MI5 to mask their involvement in the matters they deal with; in this case, they pretend the campaign is organised by a group in the media, and any journalists who suspect otherwise keep their silence.

Conclusion

Over the last three years I have stated with some force my belief that MI5 are responsible for my misfortunes. I have done so on Internet newsgroups, in letters and faxes to people in politics and the media in the UK, and in 1997 I made a formal complaint to MI5 regarding their activities; the Security Service Tribunal replied in June 1997 that "no determination in your favour has been made on your complaint". (I believe the statement by the Security Service Tribunal can be disregarded, as they have never, ever made a ruling in favour of a complainant.) In three years of naming MI5 as my oppressor "they" have never denied the charge. To me, their silence on this point indicates that my guess was accurate. I believe my persecutors stand identified. The question of why they should carry out this campaign is one I will try to answer in a future article.

7008

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -2279462215962347555
X-Google-Thread: 1084e2,888321a44dafab3d,start
X-Google-Thread: 108122,888321a44dafab3d,start
X-Google-Thread: fe027,888321a44dafab3d,start
X-Google-Thread: fcc51,888321a44dafab3d,start
X-Google-Thread: 110431,888321a44dafab3d,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07102408361722@4ax.com>
Subject: MI5 Persecution: Why would they be doing this to you, sir? (9183)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 24 Nov 2007 08:36:30 GMT
Lines: 203
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com

X-Original-Lines: 199
Xref: g2news1.google.com alt.testing.it:704 rec.radio.amateur.equipment:13311 de.comp.os.unix.x11:3094 free.uk.talk.edinburgh:1378 no.it.tjenester.nettilbydere:3710

MI5 Persecution Update: Friday 15 May, 1998

The persecution has been quite severe for the last week. It appears that my enemies are reacting to the steady stream of faxes making their way over the Atlantic to the fax machines of Westminster politicians and the media. Here is whats happened in the last few days;

The week started off with an incident in the cafeteria at a local shopping centre where I habitually drink my morning coffee. My enemies have concentrated since winter 1995/96 on throwing a particularly horrible sexual slander against me. They "put people up" to repeat this slander against me, and this is what happened again here.

On Thursday morning (yesterday), instead of going to the usual cafeteria I went to a nearby convenience store for coffee. The same horrible sexual slander was shouted at me very loudly by a member of staff as I walked into the store. This was the first time I had ever bought morning coffee in that shop. The other staff obviously knew what was going on, one of them said, "they screwed up my life".

The fax gateway I use to send these faxes to the UK has been working hard these last few days to shut down my access by barring the accounts I use to send these faxes.

I have received an anonymous threat from fax number 0171-219-6101 (the machine gave its name as "ETRA-HoC") which said, "Stop sending to this fax no 0171-219-6101 or else" (the consequences of continued transmission were unspecified). I invited the sender to apologise for his threat, but received no response.

This all adds up to quite a severe reaction to my faxes of the last few weeks. I actually find this quite heartening since it shows that my faxes are finding the mark and there may yet be a breakthrough in my efforts to expose the Security Service conpiracy of abuse against me which has now been going on for eight years.

MI5 Persecution: "Why would they be doing this to you, sir?"

This article will concentrate on the difficult question of "Why". The question which forms the title of this piece was asked of me by the police officer I spoke to in Easter 1995, when I went to make my complaint.

There are really two sides to this question. Firstly, why should MI5 be harassing anybody in this fashion? Secondly, if they choose to behave in this way, why should they have selected me in particular, and not somebody else? Alternatively, why did the persecution start, and why is it continuing?

I do not have definite answers to either side of this question, since my persecutors have usually kept themselves hidden and only acted through other parties. To know "why", one would have to know who the persecutors are, and something of their personalities, since their abuse is almost certainly symptomatic of a personality disorder of the abusers. Certain things however can be deduced about the abusers from the nature of their behaviour, and I will talk about this later in the article.

Why did it start?

It is clear that the persecution must have been initiated by someone who knew me personally, either at school, or at university, or socially, and knew that I was borderline mentally ill, since this is what makes me a target for the persecutors. Unfortunately, the originators have never been identified, and there are several possible candidates. Neither has the link from the originators of the persecution, to the persecutors themselves, ever been made clear. So who are the originators?

University Staff

The identity of the originators may lie in the timing of the persecution. It started in June 1990, while I was finishing a course at Imperial College in London, and a year after I graduated from Cambridge, where I received a degree in computer science. At Cambridge I had achieved some notoriety in the computer lab from various nefarious exploits. Roger Needham attacked me by saying that "there were great hopes for it, but it failed terribly". When I started at Imperial I found that my reputation had preceded me; Cambridge computer lab had spoken to I.C. lecturers about me. I.C. lecturer Frank McCabe summed up commenting about "setting up a straw man so you can tear him down". (Despite being "torn down" by the Cambridge computer labs lecturers, I still achieved a good first degree and a Masters degree at Imperial.)

Other students at university

So, the originators may have been university staff who knew me from my student days. But there are other possibilities. I had other enemies at university, including some fellow students. At my Cambridge college it was common knowledge that my mental health was dubious, and it was known that I talked to myself in my sleep - the floor and walls were quite permeable to noise, so other students heard. I was given the nickname "gibber" because of this habit. Sometime later, I managed to catch myself talking in my sleep when I woke up in the middle of the night.

Here is a quote from a participant in the internet newsgroup where I have been posting for the last three years;

>One thing which has been missing from this discussion is this simple
>prognosis: that maybe he is right and that, despite his admitted
>mental condition, there really is a campaign against him organised by

>now-influential ex-students of his university.

People I knew socially

I had yet other enemies in 1990 (I am a man of many enemies!). In January 1990 I broke up with some people I had been going out with socially. One of them, by the name of Andy Turner, wrote a letter to Alan Freeman, who at the time was a Radio 1 DJ. Freeman read part of the letter out on his Rock Show, about the "one who wore out his welcome with random precision", saying "thats a hell of a letter you wrote there Andy", and "with a schizophrenic youre never alone".

It is my belief that Andy Turner and his friends were trying to make trouble for me, and Turner wrote to Freeman with this in mind. Freeman may have discussed the letter with others, and things may have snowballed from there. This is, of course, pure supposition. The fact is that I do not know who the originators are, and can only guess.

Once it started, why is it continuing?

The answer to this question is obvious. It is unacceptable to the "powers that be" in the UK to have somebody running around who knows he has been targeted by the Security Service and media organizations, and who is in a position to embarrass British institutions. This has become particularly evident in the last week; as I send more faxes to UK politicians and media, so the pressure on me grows, and the volume of abuse increases.

Part of the reason the persecution continues is in the personalities of the abusers, and it is this subject to which I will turn to next, since the key to understanding the persecution lies in understanding those who carry it out, as much as we can.

The Security Service operatives, the persecutors, are they psychopaths?

Let us first examine the definition of the term "psychopath". DSM-IV defines "anti-social personality disorder" as a "pattern of disregard for and violation of the rights of others ... deceitfulness, irritability and aggressiveness ... consistent irresponsibility and lack of remorse". The Harvard Mental Health Letter of Sept 1995 describes these people as using "charm, manipulation, intimidation and violence to control others and satisfy their own needs. Lacking in conscience and in feelings for others, they cold-bloodedly take what they want and do as they please", having "no guilt or regret".

I must say, reading this description of the condition, that it fits the persecutors perfectly. The persecutors have never shown the slightest remorse or guilt. Even when I was severely ill, they continued to abuse me. They have repeatedly blamed their actions on me, which is another trait common amongst psychopaths. They have no respect for my legal or personal rights, and they use intimidation and verbal violence.

If the MI5 operatives are psychopaths then it would explain both why the persecution started, and the degree of verbal violence. Psychopaths by definition damage other people; here, the MI5 operatives find an outlet for their personality disorder, through "cripple-kicking".

Xenophobia on the basis of mental illness, and race

My enemies have made clear many times that one of the reasons they are persecuting me is because of my admitted mental illness. However, it is my belief that they are also persecuting me because I am not of ethnic English origin, and the fact that there have been several incidents of an overtly racist nature reinforces this view.

In one case, two youths on a tube train in London made openly racist references to me as a "soft toy, not up to British Standards". Another person near my home made remarks about "Polish people". In yet another incident in Croydon, a youth made comments about "foreigners".

But the main thrust of their xenophobia is because of my mental illness. I should make clear that I do not look ill; if you met me, you would not know that I had the illness. I take a relatively low dose of medication, and feel quite well. But the persecutors have repeatedly harped on about my supposed serious mental illness; they have called me a "nutter", a "schizophrenic", etc. They have also persuaded other people to use these terms of abuse. They are able to get away with this because abusing the mentally ill is still something which is mostly acceptable in Britain; the media do it, "nutter" is not taboo in the way that "nigger" is.

Conclusion

There are several groups of people who might have wished to cause me trouble, and I still do not know who originated the persecution. Nor do I know how the originators came to be in contact with the (presumed) Security Service operatives who have been carrying out the campaign. To know conclusively why it started, we would have to know who started it, and this information is not available.

However, we can infer some things about the personalities of the persecutors from their methods, and from the degree of verbal violence they employ. It is clear that a main reason for the continuing harassment is the psychopathic disorder of the MI5 agents who carry it out. That they have never been "brought to book" for their misdeeds reinforces their belief that they do no wrong; and, unhappily, until they are brought to book, their persecution campaign looks set to continue.

9183

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -5284691809472602051

```
X-Google-Thread: 1084e2,a84c342dc947bccd,start
X-Google-Thread: 108122,a84c342dc947bccd,start
X-Google-Thread: fe027,a84c342dc947bccd,start
X-Google-Thread: fcc51,a84c342dc947bccd,start
X-Google-Thread: 110431,a84c342dc947bccd,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07102409054862@4ax.com>
Subject: MI5 Persecution: .net Magazine Applauds my Website (11358)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 24 Nov 2007 09:06:01 GMT
Lines: 26
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 22
Xref: g2news1.google.com alt.testing.it:705 rec.radio.amateur.equipment:13312
de.comp.os.unix.x11:3095 free.uk.talk.edinburgh:1379
no.it.tjenester.nettilbydere:3711
```

MI5 Persecution: .net Magazine Applauds my Website

The March 1998 issue (number 42) of .net Magazine reviews the MI5 Persecution website describing it as an "excellent site". The webpages describe in detail the nature of my persecution since 1990 by what are believed to be elements of the UK security service.

(snip image)

You are encouraged to read the web pages which include

- a FAQ section outlining the nature of the persecutors, their methods of harassment through the media, people at work and among the general public
- an evidence section, which carries audio and video clips of media and workplace harassment, rated according to how directly I think they refer to me
- factual descriptions of the state security agencies involved
- scanned texts of the complaints I have made to media and state security agencies involved
- posts which have been made to netnews over the last three years on this topic

11358

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 6167020641321611572
X-Google-Thread: 1084e2,f80cc19454a6b3c9,start
X-Google-Thread: 108122,f80cc19454a6b3c9,start
X-Google-Thread: fe027,f80cc19454a6b3c9,start
X-Google-Thread: fcc51,f80cc19454a6b3c9,start
X-Google-Thread: 110431,f80cc19454a6b3c9,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07102410085831@4ax.com>
Subject: MI5 Persecution: BBC Newscasters Spying on my Home (13533)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 24 Nov 2007 10:09:11 GMT
Lines: 259
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 255
Xref: g2news1.google.com alt.testing.it:706 rec.radio.amateur.equipment:13313
de.comp.os.unix.x11:3096 free.uk.talk.edinburgh:1380
no.it.tjenester.nettilbydere:3712
```

MI5 Persecution Update: Friday 13 November, 1998

If You Intend To Reply, Please Read This

If you have any questions or observations you would like to share with me, then you are very welcome to reply to my fax number 0171-681-1190. But please.... keep your response to one page if you can! I have had several people faxing my article back to me, including one MP faxing back twenty pages. I do not know if he had anything intelligent to say in his 20-page fax because I applied judicious use of the "Delete" key on my computer. Faxes over a page or two will be deleted without being read.

MI5 Resume Hostilities in Response to these Faxes

When I wrote last weeks "MI5 Persecution Update" I remarked how quiet my life had become. No longer! MI5 have restarted hostilities with a vengeance the past week, in response I believe to the faxes I have been sending to members of the House of Commons.

On Saturday 7 November I went to Clapham Picture House cinema to see the film "Antz" (a very enjoyable film). At the cinema, I was verbally assaulted by a group of teenagers with the words "still crazy", repeated about ten times. There was a film with that name showing at the cinema, but it was clear their abuse was directed at me. I do not look ill, so why would they pick on me? answer, the incident was set-up by the persecutors. One of the teenagers also said to another, "I don't know what we're laughing at".

The following day, Sunday 8/11/98, I was on my way to play squash when I was verbally assaulted by a youth who said "it was so funny", without the slightest trace of humour. What he meant by this phrase was that was funny, and they were trying to humiliate me. I have heard this phrase "it was so funny" used at me before many, many times over the last eight and half years.

Please Encourage Keith Hill MP to Help Me

I live in a bugged house, bugged both for audio and video. My movements are monitored by MI5. The Security Service have followed me to Canada, to Poland and the Continent, to the States. I cannot work anywhere, not in England, not in Canada, because MI5 will destroy whatever employment I am able to obtain. I have asked Keith Hill MP to help me, and he has refused.

The situation is intolerable. It is Mr Hills job to help me out of this mess. So, please, as I said in the last fax a week ago: Do not waste your time returning multiple copies of my faxes to my fax mailbox, as some of you have done. Instead;

Please encourage Keith Hill M.P. to help me.

I am sorry to be using this device to encourage Mr Hill to help, but I think eight and half years are quite enough and it is time something was done to bring this matter to a close.

MI5 Persecution : BBC Newscasters Spying on my Home

This week's topic is the quite extraordinary claim that BBC newscasters such as Martyn Lewis and Michael Buerk have spied on my living room while they read the news. I currently have an advert running for the next six months in Private Eye's "Eye Say" column (at a cost of over #200) which says,"MI5 Persecution - BBC Newscasters Spying on my Home"; the story of my campaign in the Eye is on my Website at; http://www.pair.com/spook/evidence/plaint/priveye.htm

BBCs staff magazine Ariel also ran my advert "BBC Newsreaders Spying on my home" for one issue in the Personal category on 8/July/1997 before it was spotted and axed by editor Robin Reynolds; please see webpage; http://www.pair.com/spook/evidence/plaint/ariel.htm

Beginnings

The very first incident in the "MI5/BBC Persecution" occurred in June of 1990, when a newsreader reacted to what she saw in my living room at home as she read the news. My mother had brought an apple for me into the room, whereupon the newsreader smirked and giggled, apparently finding this funny. I couldn't believe what I was seeing. I carried on watching news and other television programmes to see if presenters would show signs of "interactive watching"; to my surprise, this happened again and again. Unfortunately, I did not have my wits sufficiently about me to videotape these programmes, and it is now almost impossible to obtain recordings dating back to 1990.

Most of the "TV watching" has occurred on the news, and most of it in summer 1990, although some as late as autumn 1993. My website has a few extracts of what might be politicians "getting at" me, in particular John Major and interviewer Dimbleby sharing a joke about the "Knutsford Guardian" which is almost certainly about me.

I sold my portable TV in autumn 1990 and stopped watching television regularly. I realise now that this may have been a mistake. What I should have done was to watch TV and listen to the radio, but tape-record everything and make a note of what each excerpt meant to me. I would then be in a much stronger position as regards to evidence that I am now. That is what I am trying to do now, but unsurprisingly the TV/radio presenters have stopped getting at me, now they know they are being recorded.

Examples of Media Harassment

Here are a few examples which I can still remember of media harassment;

In early 1992 I was watching the BBC news with Martyn Lewis on a small black-and-white portable television at my then home in Oxford. I threw a term of abuse at Lewis; he flinched, then gave a grin and made a comment from which I understood that he had been on my side, but might have changed his mind as a result of what Id just said to him.

Victor Lewis Smith in his TV (BBC2?) program at the end of 1993, had a taxi-driver saying, "theyre all out to get me", to which VLS replied, "but you're quite intelligent aren't you?" (what a nice chap VLS is, compliments no less!)

Paul Daniels the TV magician, sometime in 1990-92 (sorry I can't be more precise but it was so long ago), made a "crying face" and put his face in his hands, which was his way of expressing that I was frequently crying in 1990-92, and that he and other media people found my crying funny.

Kenny Everett (deceased) on some talk show, compared me to a "huge ape" who "scratches himself"; he made some other remarks about what the "ape" got up to which unfortunately I cant remember. (I remember that Everetts comments were quite sympathetic and human, but were obviously about me.)

Stephen Fry on another talkshow (Wogan I think) talking about "masturbatory fantasies", he then referred to me with the words "you prat"; I wonder if the studio audience knew what he was talking about and to whom his comments were directed?

Griff Rhys Jones on Clive James' TV show, made a "lunatic face" (wide fixed grin) to which I said to the TV that he had a "face like a horse's arse", to which Clive James said to GRJ "did you hear that?"

Crimestoppers summer 1990, remarks by a Midlands police officer on the programme, while Nick Ross was presenter (as far as I can remember). The officer talked about "in car entertainment". Nick Ross said to officer, "why don't you stop doing it?" to which he replied, "we can't while he's like this".

BBC2 Newsnight in autumn 1993 had a piece on football hooliganism. A black interviewee said apparently of the hooligans, but in fact of me; "they're just idiots, carry on with the surveillance".

There was an incident with Jonathan Ross which I remember clearly; he was on both BBC and ITV television at the same time, one (ITV I think) was recorded, the other channel was live. Ross has a speech impediment which causes him to pronounce his "r"s as "w". I sarcastically said something about "Mr Woss" to the recorded channel, then turned over to where he was live, and he repeated "Woss" with heavy emphasis and sarcasm.

On the radio, in spring 1994, Chris Tarrant made a sarcastic remark in his morning show, saying "he says were trying to kill him, we should be done for attempted manslaughter", to which another of the studio staff said, "oh no, dont say that". His comment was in reply to a comparison Id made the previous evening between my persecutors and the Polish secret police who murdered dissidents.

Martyn Lewis Denies & Lies, But Wont in Writing

In February 1997 I wrote to BBC Viewer & Listener Correspondence and asked them to investigate the claim that their newscasters had engaged in "interactive watching". They replied that they had asked Martyn Lewis and Michael Buerk whether they had engaged in such practices, and that they had both made verbal denials to VLC, but were refusing to put their denials in writing.

I can understand that they might think that if they were to make written denials to me, then many other people with my condition might write to them with similar questions. But Ive asked a couple of journalists if theyve been writing about me, theyve made written denials, Ive believed them, and I have not put their denials on my website because, since I believe their denials, it would not be relevant to publish them.

To me it looks as if Lewis and Buerk are happy to lie verbally but not in writing, because written falsehoods would place them unambiguously in the wrong, whereas they can try to talk their way out of verbal lies if they are ever caught, or perhaps even deny the verbal lies completely? If they lie without shame, then why would they have any shame about future lies about lying?

One of the strangest aspects of "TV watching" is that Buerk and Lewis have convinced themselves that their "interactive spying" is reasonable behaviour. Martyn Lewis thinks of himself as a "gentleman". He expressed in 1992 that he was "on my side". If this matter ever comes out into the open, I wonder what these newscasters will have to say for themselves, and what the British public will make of their behaviour?

Media Persecution Evidence on my Website

You may directly access the Evidence section on my website at URL;

The category currently contains four video segments, a number of audio files and three published articles. The first video of ITN's John Suchet is unfortunately a mistake - after looking at it again it is obviously not about me. The two Ken Clarke excerpts may or may not be about me; it is funny that he should keep on harping about "paranoia" and "madness", but I have given these ratings of only 30% certainty, as it is more likely that they are not about me in particular, and Clarke is simply displaying the normal prejudices against the mentally ill found in much of society.

The piece I find most interesting is the Dimbleby/John Major interview from April 1997. I have assigned this a 90% rating. Dimbleby starts by emphasising a report from the "Knutsford Guardian". Major recognizes what's going on and joins in with a falsely apologetic "heaven forfend". The emphasis is on the first syllable pronounced "nuts" in "Knutsford", which is repeated three times. Of course this is hardly anywhere near convincing evidence; the really clear items were all in 1990-92, and they are basically unobtainable now.

If you're reading the website, have a look at the two files from David Hepworth's programme on GLR radio. The first one from 21/Feb/1997 has him talking about an "embarassment" of prizes and "absolute obscene", in reference I believe to the verbal sexual abuse that was being used against me at the time (and which unfortunately is still current). In the second file dated 9/May/1997 he again talks about "absolute embarrassment" of prizes, followed by laughter. To my mind he knows I am listening to his programme, and deliberately makes these remarks for my benefit, with very little attempt to disguise their purpose.

Bernard Levin - "Fanatic's Fare for the Common Man"

On 21 September 1991 this article by Bernard Levin appeared in The Times. It is reproduced in the Evidence section of the website, or may be accessed directly at URL;

To my mind, Levin's article described the situation at the time and in particular a recent meeting with a friend, during which I for the first time admitted to someone other than my GP that I had been subjected to a conspiracy of harassment over the previous year and a half.

Levin writes about a "madman running loose about London" who "bursts into tears, and swears it is all true. And it is." I am pleased to agree with his assertion that "it is all true" because the truth is what I presented to my friend in September 1991 and it is what is being presented to the readership of these articles now.

Conclusion

The harassment, in particular media persecution, was at its strongest in 1990-92. Today, I am recording everything I watch, read and listen, and the media have pretty much given up. It is now incidents "in public" which make up what there is of MI5s persecution. But much of the material from 1990-92 still exists in archives, although the organisations which have those archives generally wont make the material available to the public, for copyright and other reasons.

MI5 can no longer employ the media to persecute me, partly because journalists now know who is behind the persecution, and also because I would publish any instances. My mistake during 1990-92 was to not record instances as they happened; Ive learned from that mistake, and know better now.

13533

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 7725236544484688683
X-Google-Thread: 10ed5f,f57792868a90fa1a,start
X-Google-Thread: 108228,f57792868a90fa1a,start
X-Google-Thread: 108122,f57792868a90fa1a,start
X-Google-Attributes: gid10ed5f,gid108228,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.bananasplit.info!
news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio,alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: Kenwood TS-950 SDX transceiver
Message-ID: <2afe9886214be9db7c99075a5e6e2d3c@pseudo.borked.net>
Date: Sat, 24 Nov 2007 07:40:10 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio:2996 alt.ham-radio.marketplace:3453
rec.radio.amateur.equipment:13314
```

eBay: http://xrl.us/Kenwood

```
From 5639999571166379310
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w40g2000hsb.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Sat, 24 Nov 2007 07:01:57 -0800 (PST)
Organization: http://groups.google.com
Lines: 31
Message-ID: <6dcf81c4-6b30-44fc-b6f3-86d90f4bd65a@w40g2000hsb.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <9cb1e7f0-3e75-4147-a35d-0a3bcd2fd398@d21g2000prf.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195916517 13640 127.0.0.1 (24 Nov 2007 15:01:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Nov 2007 15:01:57 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w40g2000hsb.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99340
rec.radio.amateur.antenna:49675 rec.radio.amateur.misc:39188
rec.radio.amateur.equipment:13315

On Nov 23, 5:05 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > for his actions, there is no excuse for the false reporting of lies
> > about another person because he suspects something through his twisted
> > logic and suspects that a certain person is the author of messages on
> > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
```

> > he called the hotline for the Florida Department of Child Protective
> > Services and falsely reported that Mr. Crow has had inappropriate
> > conversations with a 7 year old child concerning sex.
>
> > IMO this behavior on the part of Mr. Morgan and his actions are
> > dispicable, but shows the great length that Mr. Morgan will go to
> > persue/attack other hams who he thinks criticize his netique by taking
> > his disputes off of the net and trying to affect someone's freedom and
> > livelyhood by lauding false charges against anyone he deems is
> > deserving of his tirade of revenge.
>
> Why did you go after Mr. Crow, Mark with your false charges based on
> your twisted psyche- Hide quoted text -
>
> - Show quoted text -

Mark, why do you persecute other hams with no proof?

From 948949793643940714
X-Google-Thread: 108122,fb9884016b551cea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HW-8 Question
Date: Sat, 24 Nov 2007 12:46:00 -0500
Organization: Aioe.org NNTP Server
Lines: 20
Message-ID: <fmmck-0053F6.12460024112007@nntp.aioe.org>
References: <5q5qhdFu6s99U2@mid.individual.net>
NNTP-Posting-Host: FY1L6D2V4XPg5O3KampMUQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (PPC Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:13316

In article <5q5qhdFu6s99U2@mid.individual.net>,
billg999@cs.uofs.edu (Bill Gunshannon) wrote:

> Is there anyone who sells replacement semiconductors kits for the HW-8?

Bill-

Parts used by Heath may not have been so obscure back then! However
they did mark them with their own proprietary numbers. Therefore you
need a cross reference before you can see how common they are.

I found such a cross reference at
http://www.d8apro.com/heath3.htm which has quite a long list of Heath
part numbers.

```
That web site has additional Heath information at
http://www.d8apro.com/heath1.htm .

Fred
K4DII



From 6049731637020920837
X-Google-Thread: 108122,d975249aaf5dfa89
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-05!sn-xt-sjc-09!sn-post-
sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS
Date: Sat, 24 Nov 2007 16:14:20 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0711241605030.16568@malasada.lava.net>
In-Reply-To: <k98fk3dojoa9katoid6sp10ksoao13r4b5@4ax.com>
References: <Pine.BSI.4.64.0711221054500.28931@malasada.lava.net>
 <6f1ck35vjjq1bdl1s5pppscvqul8os013e@4ax.com>
<Pine.BSI.4.64.0711230914260.9666@malasada.lava.net>
 <k98fk3dojoa9katoid6sp10ksoao13r4b5@4ax.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news1.google.com rec.radio.amateur.equipment:13317

`
>
> Dick
> --
> Posted via a free Usenet account from http://www.teranews.com
>
>
Dick I think direct question to FCC via phone is enuff unless we got
liars at the FCC.  Its $100 bux not $85.  And as I said these are
sold at Radio Shack and chnls 1-thru 7 require the license.
You dare not open you mouth on those.  Chnl 11 is free and clear
and about 4 others also and require no call sines nor charges of
any kind.  No ID, nothing.   I have mine locked to my wifes on
chnl 11 and though I listen to the licensed chnls some times,
they sound like they are breaking all the rules in the ID.
"hey frank did you finish your job yet"? "Answer no I'm about
to finish shortly"   Those are mot even up to CB standards!!!
                    Joe



From 4832494091932562528
X-Google-Thread: 108122,d975249aaf5dfa89
```

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS
Date: Sat, 24 Nov 2007 22:53:38 -0700
Message-ID: <s50ik39914t57eth1h76ef1s7vs0uocarg@4ax.com>
References: <Pine.BSI.4.64.0711221054500.28931@malasada.lava.net>
<6f1ck35vjjq1bdl1s5pppscvqul8os013e@4ax.com>
<Pine.BSI.4.64.0711230914260.9666@malasada.lava.net>
<k98fk3dojoa9katoid6sp10ksoao13r4b5@4ax.com>
<Pine.BSI.4.64.0711241605030.16568@malasada.lava.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 86
NNTP-Posting-Date: 25 Nov 2007 05:03:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13318

On Sat, 24 Nov 2007 16:14:20 -1000, Joseph Fenn <jfenn@lava.net>
wrote:

>`
>>
>> Dick
>> --
>> Posted via a free Usenet account from http://www.teranews.com
>>
>>
>Dick I think direct question to FCC via phone is enuff unless we got
>liars at the FCC. Its $100 bux not $85. And as I said these are
>sold at Radio Shack and chnls 1-thru 7 require the license.
>You dare not open you mouth on those. Chnl 11 is free and clear
>and about 4 others also and require no call sines nor charges of
>any kind. No ID, nothing.   I have mine locked to my wifes on
>chnl 11 and though I listen to the licensed chnls some times,
>they sound like they are breaking all the rules in the ID.
>"hey frank did you finish your job yet"? "Answer no I'm about
>to finish shortly"   Those are mot even up to CB standards!!!
>   Joe

Joe -

What am I going to do with you? You are the classic case of you can
lead a horse to water, but you can't make him drink. Here is the
EXACT wording from the latest FCC fee schedule.

****

Part 95 General Mobile Radio Service

The instructions that follow are for filing applications. Select the purpose of filing and follow the instructions below:
New, Renewal or Renewal/Modification
� FCC 605
� FCC 159
� Payment/Fee Type Code: PAZR - $85.00 Fee

****

I cut and pasted that from the URL leading to the FCC PDF file on fees that I listed for you in the previous message. I assure you the $85 fee is correct for a GMRS license.

I think the problem you are having is that you either asked the wrong question, or didn't understand what the FCC person told you. If you want to make sure there is no misunderstanding between you and the FCC, call them again and say these exact words, "I have a 25-watt GMRS radio in my car, and an antenna mounted on the roof. What are the channels that I can operate on without a license?" I guarantee you that they will say NONE!

I will try to explain this to you one more time, then I give up.

When you buy one of the 22-channel FRS/GMRS radios from Radio Shack, etc. these are primarily FRS radios. To meet the FRS specifications the must transmit with less than 1/2-watt and the antenna cannot be removeable. I.E. you cannot use any other antenna with it. They also have to meet a certain frequency tolerance.

Normally, an FRS radio has 14 channels. But in these hybrid radios there are 7 channels that are called the interstitial channels. These are channels use by both FRS and GMRS. Then there are 7 channels that are FRS only, and 7 channels that are GMRS only. There is also an emergency channel of 462.675 MHz for the 22nd channel. This is sometimes channel 0 in a GMRS radio.

You can operate on any of the first 14 channels without a license because they are FRS channels. However, you must have a license to operate on the 7 (8) channels that are GMRS only. The important thing to understand here is that, on the 7 interstitial channels (combination FRS and GMRS) they are only designated that way so you can talk to a GMRS operator and they to you on their 7 channels. However, when you talk to a GMRS operator on one of those 7 channels you are operating as FRS not GMRS. I don't know how I can make that concept any more clear. THERE ARE NO FREE GMRS channels, just free FRS channels. They just happen to be the same frequency. When I say GMRS operator, I'm talking about someone using a true GMRS radio up to 25-watts with a removable antenna, not one of these hybrid toy radios.

You're on your own now Joe. I have other things to do besides trying to teach you something useful when you won't listen.

```
Dick - W6CCD
Extra Class ARRL Volunteer Examiner

--
Posted via a free Usenet account from http://www.teranews.com




From -9127336234492791026
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i29g2000prf.googlegroups.com!not-for-
mail
From: an old friend <kb9rqz@yahoo.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: doyd are you nuts why did you start a 2 year tirade over seeig the
     wrod "bisexaul"
Date: Sun, 25 Nov 2007 08:51:06 -0800 (PST)
Organization: http://groups.google.com
Lines: 36
Message-ID: <c541c589-7ee8-4f58-8a7e-309797fd6348@i29g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <9cb1e7f0-3e75-4147-a35d-0a3bcd2fd398@d21g2000prf.googlegroups.com>
     <6dcf81c4-6b30-44fc-b6f3-86d90f4bd65a@w40g2000hsb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.29
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196009466 24004 127.0.0.1 (25 Nov 2007 16:51:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Nov 2007 16:51:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i29g2000prf.googlegroups.com; posting-host=69.19.14.29;
     posting-account=KMtInQoAAADyqpyVogjjHvJnhcPWkrRh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99357
rec.radio.amateur.antenna:49686 rec.radio.amateur.misc:39191
rec.radio.amateur.equipment:13319

On Nov 24, 10:01 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 23, 5:05 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
```

```
>
>
> > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > for his actions, there is no excuse for the false reporting of lies
> > > about another person because he suspects something through his twisted
> > > logic and suspects that a certain person is the author of messages on
> > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > he called the hotline for the Florida Department of Child Protective
> > > Services and falsely reported that Mr. Crow has had inappropriate
> > > conversations with a 7 year old child concerning sex.
>
> > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > dispicable, but shows the great length that Mr. Morgan will go to
> > > persue/attack other hams who he thinks criticize his netique by taking
> > > his disputes off of the net and trying to affect someone's freedom and
> > > livelyhood by lauding false charges against anyone he deems is
> > > deserving of his tirade of revenge.
>
> > Why did you go after Mr. Crow, Mark with your false charges based on
> > your twisted psyche- Hide quoted text -
>
> > - Show quoted text -
>
> Mark, why do you persecute other hams with no proof?- Hide quoted text -
>
> - Show quoted text -



From -2651286087976595867
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d21g2000prf.googlegroups.com!not-for-
mail
From: an old friend <kb9rqz@yahoo.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: doyd are you nuts why did you start a 2 year tirade over seeig the
     wrod "bisexaul"
Date: Sun, 25 Nov 2007 08:52:32 -0800 (PST)
Organization: http://groups.google.com
Lines: 4
Message-ID: <f23f11e5-03f0-4048-b4be-bc930be9f20f@d21g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <9cb1e7f0-3e75-4147-a35d-0a3bcd2fd398@d21g2000prf.googlegroups.com>
     <6dcf81c4-6b30-44fc-b6f3-86d90f4bd65a@w40g2000hsb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.29
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196009553 24264 127.0.0.1 (25 Nov 2007 16:52:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Nov 2007 16:52:33 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d21g2000prf.googlegroups.com; posting-host=69.19.14.29;
     posting-account=KMtInQoAAADyqpyVogjjHvJnhcPWkrRh
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99360
rec.radio.amateur.antenna:49687 rec.radio.amateur.misc:39192
rec.radio.amateur.equipment:13320

On Nov 24, 10:01 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 23, 5:05 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:




From 4923163932504752O6
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e25g2000prg.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Sun, 25 Nov 2007 11:34:50 -0800 (PST)
Organization: http://groups.google.com
Lines: 25
Message-ID: <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196019291 28056 127.0.0.1 (25 Nov 2007 19:34:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Nov 2007 19:34:51 +0000 (UTC)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: e25g2000prg.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99387
rec.radio.amateur.antenna:49690 rec.radio.amateur.misc:39212
rec.radio.amateur.equipment:13321

On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> for his actions, there is no excuse for the false reporting of lies
> about another person because he suspects something through his twisted
> logic and suspects that a certain person is the author of messages on
> a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> Morgan KB9RQZ, has alleged on thewww.nimbusters.comham board, that
> he called the hotline for the Florida Department of Child Protective
> Services and falsely reported that Mr. Crow has had inappropriate
> conversations with a 7 year old child concerning sex.
>
> IMO this behavior on the part of Mr. Morgan and his actions are
> dispicable, but shows the great length that Mr. Morgan will go to
> persue/attack other hams who he thinks criticize his netique by taking
> his disputes off of the net and trying to affect someone's freedom and
> livelyhood by lauding false charges against anyone he deems is
> deserving of his tirade of revenge.

Mark get help for your obsession with me, why allege that you are
being harrassed, then flood the group with questions for me.  What do
you want Mark.  You can't ask me questions, then when I respond to
your buffonery, allege that I am harrassing you.  Why do you keep
stalking me, find someone else to dream about, your are mentally ill,
seek help.



From -1848631701224217360
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e6g2000prf.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: doyd are you nuts why did you start a 2 year tirade over seeig
     the wrod "bisexaul"
Date: Sun, 25 Nov 2007 11:36:29 -0800 (PST)
Organization: http://groups.google.com
```

```
Lines: 38
Message-ID: <efa890dc-4e61-4da1-90cd-2824170892ff@e6g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <9cb1e7f0-3e75-4147-a35d-0a3bcd2fd398@d21g2000prf.googlegroups.com>
     <6dcf81c4-6b30-44fc-b6f3-86d90f4bd65a@w40g2000hsb.googlegroups.com>
     <c541c589-7ee8-4f58-8a7e-309797fd6348@i29g2000prf.googlegroups.com>
NNTP-Posting-Host: 69.19.14.29
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196019389 28334 127.0.0.1 (25 Nov 2007 19:36:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Nov 2007 19:36:29 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e6g2000prf.googlegroups.com; posting-host=69.19.14.29;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99389
rec.radio.amateur.antenna:49691 rec.radio.amateur.misc:39213
rec.radio.amateur.equipment:13322

On Nov 25, 11:51 am, an old friend <kb9...@yahoo.com> wrote:
> On Nov 24, 10:01 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
> > On Nov 23, 5:05 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > > for his actions, there is no excuse for the false reporting of lies
> > > > about another person because he suspects something through his twisted
> > > > logic and suspects that a certain person is the author of messages on
> > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > he called the hotline for the Florida Department of Child Protective
> > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > conversations with a 7 year old child concerning sex.
>
> > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > persue/attack other hams who he thinks criticize his netique by taking
> > > > his disputes off of the net and trying to affect someone's freedom and
> > > > livelyhood by lauding false charges against anyone he deems is
> > > > deserving of his tirade of revenge.
>
> > > Why did you go after Mr. Crow, Mark with your false charges based on
> > > your twisted psyche- Hide quoted text -
```

>
> > > - Show quoted text -
>
> > Mark, why do you persecute other hams with no proof?- Hide quoted text -
>
> > - Show quoted text -- Hide quoted text -
>
> - Show quoted text -

From 2699197655077542591
X-Google-Thread: 108122,1f613f9c8e3afbe3
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newsfeed.ksu.edu!nntp.ksu.edu!not-for-mail
From: mcalhoun@ksu.edu
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ or other ant anlalizer
Date: 25 Nov 2007 16:34:02 -0600
Organization: Kansas State University
Lines: 19
Message-ID: <fict8q$k2b@unix1.cc.ksu.edu>
References: <24af6c5f-4264-4fbc-b3e2-4d71a0218a9f@b40g2000prf.googlegroups.com>
<016615-f1q.ln1@radagast.org>
NNTP-Posting-Host: unix1.cc.ksu.edu
X-Trace: cnn.cns.ksu.edu 1196030044 15738 129.130.12.3 (25 Nov 2007 22:34:04 GMT)
X-Complaints-To: abuse@ksu.edu
NNTP-Posting-Date: Sun, 25 Nov 2007 22:34:04 +0000 (UTC)
X-Newsreader: NN version 6.5.0 #2 (NOV)
Xref: g2news1.google.com rec.radio.amateur.equipment:13323

>Both the MFJ 259 and 269 cover the 2-meter band....

>Autek Research makes a series of competing analyzers, one of which
>....[snip]....
>Reports on eHam.net seem to indicate that Autek
>has a build-quality problem even worse than MFJ's, and serious
>problems with customer support and satisfaction.

I purchased an Autek VA-1 which "measured" the Autek-supplied precision resistors with a 10-15% error and it drifted terribily, but after I complained by email and returned the unit (at my expense), they sent me another (at their expense) which seems to work fine, so while they had a build-quality problem, I have no complaints on their customer support..
--
--Myron A. Calhoun.
Five boxes preserve our freedoms: soap, ballot, witness, jury, and cartridge
NRA Life Member & Certified Instructor for Rifle, Pistol, & Home Firearm Safety
Also Certified Instructor for the Kansas Concealed-Carry Handgun (CCH) license

```
From -8421858673062225877
X-Google-Thread: 108122,d975249aaf5dfa89
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-
sjc-07!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS
Date: Sun, 25 Nov 2007 16:19:16 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0711251613550.13485@malasada.lava.net>
In-Reply-To: <s50ik39914t57eth1h76ef1s7vs0uocarg@4ax.com>
References: <Pine.BSI.4.64.0711221054500.28931@malasada.lava.net>
 <6f1ck35vjjq1bdl1s5pppscvqul8os013e@4ax.com>
<Pine.BSI.4.64.0711230914260.9666@malasada.lava.net>
 <k98fk3dojoa9katoid6sp10ksoao13r4b5@4ax.com>
<Pine.BSI.4.64.0711241605030.16568@malasada.lava.net>
 <s50ik39914t57eth1h76ef1s7vs0uocarg@4ax.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news1.google.com rec.radio.amateur.equipment:13324


>
> Joe -
>
> What am I going to do with you?  You are the classic case of you can
> lead a horse to water, but you can't make him drink.  Here is the
> EXACT wording from the latest FCC fee schedule.
>
> *****************************************************************
Well you got it all wrong. I dont have no  25 watts nor an external
antenna of any kind, just the 3 " rubber duck on top of the handheld.
You can lead me to beer but not water. Also am not a horse nor
a horses ass as you might think!!!!!!.
                      Joe




From -3207623546894084789
X-Google-Thread: 108122,d975249aaf5dfa89
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!
53ab2750!not-for-mail
From: Steve Calvin <calvins@optonline.net>
```

User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS
References: <Pine.BSI.4.64.0711221054500.28931@malasada.lava.net>
<6f1ck35vjjq1bdl1s5pppscvqul8os013e@4ax.com>
<Pine.BSI.4.64.0711230914260.9666@malasada.lava.net>
<k98fk3dojoa9katoid6sp10ksoao13r4b5@4ax.com>
<Pine.BSI.4.64.0711241605030.16568@malasada.lava.net>
<s50ik39914t57eth1h76ef1s7vs0uocarg@4ax.com>
<Pine.BSI.4.64.0711251613550.13485@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.64.0711251613550.13485@malasada.lava.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <69q2j.105$eI2.94@newsfe08.lga>
NNTP-Posting-Host: 69.121.98.27
X-Complaints-To: abuse@cv.net
X-Trace: newsfe08.lga 1196043970 69.121.98.27 (Sun, 25 Nov 2007 19:26:10 MST)
NNTP-Posting-Date: Sun, 25 Nov 2007 19:26:10 MST
Organization: Optimum Online
Date: Sun, 25 Nov 2007 21:26:06 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13325
X-Original-Bytes: 1388

Joseph Fenn wrote:

> You can lead me to beer but not water.

Now *there's* something I can relate to! ;-D

--
Steve

From 4779224963013702371
X-Google-Thread: 108122,4cb4666ca110e6e8,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e23g2000prf.googlegroups.com!not-for-mail
From: michelle.sallina@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Top Three Best Electric Cars
Date: Sun, 25 Nov 2007 19:00:24 -0800 (PST)
Organization: http://groups.google.com
Lines: 7
Message-ID: <9e7be95d-2887-4c8d-8434-95ae8d977013@e23g2000prf.googlegroups.com>
NNTP-Posting-Host: 202.152.240.197
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit

```
X-Trace: posting.google.com 1196046024 9754 127.0.0.1 (26 Nov 2007 03:00:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 26 Nov 2007 03:00:24 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e23g2000prf.googlegroups.com; posting-host=202.152.240.197;
     posting-account=-B5NDQoAAABGWWLuxoHpY428DJm2vwk1
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13326

We all know that one of the most growing environmental problems that
we are facing today is global warming and this is due to a lot of
reasons that only points directly to our neglect to Mother Earth.  And
aside from those environmental problems that we are facing, the price
of the petroleum gas are also skyrocketing day by day that it seems
unstoppable and that it leaves the people feeling that they would have
to pay for it with their arm and leg. Discount Auto Parts http://www.behot.us


From 5070048340581071737
X-Google-Thread: 108122,fb9884016b551cea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: billg999@cs.uofs.edu (Bill Gunshannon)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HW-8 Question
Date: 26 Nov 2007 14:03:27 GMT
Organization: Computing Sciences Dept., University of Scranton
Lines: 42
Message-ID: <5r021fF126q9jU2@mid.individual.net>
References: <5q5qhdFu6s99U2@mid.individual.net>
    <fmmck-0053F6.12460024112007@nntp.aioe.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
X-Trace: individual.net m/CM1xbmShcRTNMia/jjcAWKhabsK/fRdLVnIoGF3jXkxJ70qG
Cancel-Lock: sha1:WihzQ9MwDvf4fXQJHd9zMF/1ny0=
X-Newsreader: knews 1.0b.1
Xref: g2news1.google.com rec.radio.amateur.equipment:13327

In article <fmmck-0053F6.12460024112007@nntp.aioe.org>,
     Fred McKenzie <fmmck@aol.com> writes:
> In article <5q5qhdFu6s99U2@mid.individual.net>,
>  billg999@cs.uofs.edu (Bill Gunshannon) wrote:
>
>> Is there anyone who sells replacement semiconductors kits for the HW-8?
>
> Bill-
>
> Parts used by Heath may not have been so obscure back then!
```

Having built many Heathkits, I can assure you they were. :-)
Knowing how common 12v power supplies were/are, just look at the regulator
used in the PS for the Heath 2meter rig.

> However
> they did mark them with their own proprietary numbers. Therefore you
> need a cross reference before you can see how common they are.
>
> I found such a cross reference at
> http://www.d8apro.com/heath3.htm which has quite a long list of Heath
> part numbers.
>
> That web site has additional Heath information at
> http://www.d8apro.com/heath1.htm .

I will check out both of these. I still have a lot of Heath stuff. I mean, when you are talking obscure, I even built the "Digital Clock" for my wife. You know the one that stood 6' tall and used light bulbs stuck into plastic segments for the display. Try to find any kind of bulb suitable for replacing them!! The clock has languished in my attic for years. I have recently given thought to changing the driver board and just using LEDs. It's campy, but I still like that clock.

bill
KB3YV

```
--
Bill Gunshannon          |  de-moc-ra-cy (di mok' ra see) n.  Three wolves
bill@cs.scranton.edu     |  and a sheep voting on what's for dinner.
University of Scranton   |
Scranton, Pennsylvania   |         #include <std.disclaimer.h>
```

```
From 5586616252906586736
X-Google-Thread: 108122,fb9884016b551cea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HW-8 Question
Date: Mon, 26 Nov 2007 09:33:10 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <53mlk3pdmhrcrk3h50qddoubnm6ncreojn@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <5q5qhdFu6s99U2@mid.individual.net>
<fmmck-0053F6.12460024112007@nntp.aioe.org> <5r021fF126q9jU2@mid.individual.net>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news1.google.com rec.radio.amateur.equipment:13328

On 26 Nov 2007 14:03:27 GMT, billg999@cs.uofs.edu (Bill Gunshannon) wrote:

>I will check out both of these.  I still have a lot of Heath stuff.  I
>mean, when you are talking obscure, I even built the "Digital Clock" for
>my wife. You know the one that stood 6' tall and used light bulbs stuck
>into plastic segments for the display....

I still have a pair of monster Heathkit AS-1341 speakers in the living room --
in daily use since I built them in 1977, and still sound great.

15" slot-loaded woofer, two five-inch mid-range, and an array of three
dome-dispersion tweeters. Still the original drivers (Altec Lansing or JBL, I
forget...)

There is still no substitute for size.  8;)

-- Larry
.



From -7550652548544680093
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s8g2000prg.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Mon, 26 Nov 2007 17:19:29 -0800 (PST)
Organization: http://groups.google.com
Lines: 38
Message-ID: <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196126369 27646 127.0.0.1 (27 Nov 2007 01:19:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Nov 2007 01:19:29 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: s8g2000prg.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99485
rec.radio.amateur.antenna:49747 rec.radio.amateur.misc:39224
rec.radio.amateur.equipment:13329

On Nov 25, 2:34 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > for his actions, there is no excuse for the false reporting of lies
> > about another person because he suspects something through his twisted
> > logic and suspects that a certain person is the author of messages on
> > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > he called the hotline for the Florida Department of Child Protective
> > Services and falsely reported that Mr. Crow has had inappropriate
> > conversations with a 7 year old child concerning sex.
>
> > IMO this behavior on the part of Mr. Morgan and his actions are
> > dispicable, but shows the great length that Mr. Morgan will go to
> > persue/attack other hams who he thinks criticize his netique by taking
> > his disputes off of the net and trying to affect someone's freedom and
> > livelyhood by lauding false charges against anyone he deems is
> > deserving of his tirade of revenge.
>
> Mark get help for your obsession with me, why allege that you are
> being harrassed, then flood the group with questions for me.  What do
> you want Mark.  You can't ask me questions, then when I respond to
> your buffonery, allege that I am harrassing you.  Why do you keep
> stalking me, find someone else to dream about, your are mentally ill,
> seek help.- Hide quoted text -
>
> - Show quoted text -

Seek help Mr. Morgan, why do you laud false charges at an innocent
ham, and then allege someone made you do it. Take responsibility for
your actions, I'm sure that if you cause any harm, your victim will
ensure that you face up to your misdeed.


From 7957393416569841319
X-Google-Thread: 10bf43,32ee90dfeea614e7
```

```
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d61g2000hsa.googlegroups.com!not-for-
mail
From: an_old_friend <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: doyd are you nuts why did you start a 2 year tirade over seeig
     the wrod "bisexaul"
Date: Mon, 26 Nov 2007 17:38:03 -0800 (PST)
Organization: http://groups.google.com
Lines: 42
Message-ID: <7827ee7a-97c9-45bf-a9ef-32453c0eecd9@d61g2000hsa.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <9cb1e7f0-3e75-4147-a35d-0a3bcd2fd398@d21g2000prf.googlegroups.com>
     <6dcf81c4-6b30-44fc-b6f3-86d90f4bd65a@w40g2000hsb.googlegroups.com>
     <c541c589-7ee8-4f58-8a7e-309797fd6348@i29g2000prf.googlegroups.com>
     <efa890dc-4e61-4da1-90cd-2824170892ff@e6g2000prf.googlegroups.com>
NNTP-Posting-Host: 69.19.14.29
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196127483 31007 127.0.0.1 (27 Nov 2007 01:38:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Nov 2007 01:38:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d61g2000hsa.googlegroups.com; posting-host=69.19.14.29;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99491
rec.radio.amateur.antenna:49749 rec.radio.amateur.misc:39225
rec.radio.amateur.equipment:13330

On Nov 25, 2:36 pm, an_old_friend <kb9...@gmail.com> wrote:
> On Nov 25, 11:51 am, an old friend <kb9...@yahoo.com> wrote:
>
>
>
> > On Nov 24, 10:01 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Nov 23, 5:05 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > > > for his actions, there is no excuse for the false reporting of lies
> > > > > about another person because he suspects something through his twisted
```

> > > > > logic and suspects that a certain person is the author of messages on
> > > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> > > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > > he called the hotline for the Florida Department of Child Protective
> > > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > > conversations with a 7 year old child concerning sex.
>
> > > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > > persue/attack other hams who he thinks criticize his netique by taking
> > > > > his disputes off of the net and trying to affect someone's freedom and
> > > > > livelyhood by lauding false charges against anyone he deems is
> > > > > deserving of his tirade of revenge.
>
> > > > Why did you go after Mr. Crow, Mark with your false charges based on
> > > > your twisted psyche- Hide quoted text -
>
> > > > - Show quoted text -
>
> > > Mark, why do you persecute other hams with no proof?- Hide quoted text -
>
> > > - Show quoted text -- Hide quoted text -
>
> > - Show quoted text -- Hide quoted text -
>
> - Show quoted text -

From 7622330151977304617
X-Google-Thread: 108122,d975249aaf5dfa89
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr22.news.prodigy.net.POSTED!52c7127f!not-for-
mail
From: uncut10504 <uncut10504@aol.com>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS
References: <Pine.BSI.4.64.0711221054500.28931@malasada.lava.net>
<6f1ck35vjjq1bdl1s5pppscvqul8os013e@4ax.com>
<Pine.BSI.4.64.0711230914260.9666@malasada.lava.net>
<k98fk3dojoa9katoid6sp10ksoao13r4b5@4ax.com>
<Pine.BSI.4.64.0711241605030.16568@malasada.lava.net>
<s50ik39914t57eth1h76ef1s7vs0uocarg@4ax.com>
<Pine.BSI.4.64.0711251613550.13485@malasada.lava.net>
<840nk3pfc7a9dc2bj2pscki9nqef3qgi82@4ax.com>
In-Reply-To: <840nk3pfc7a9dc2bj2pscki9nqef3qgi82@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed

```
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <5%M2j.3247$fl7.1123@newssvr22.news.prodigy.net>
NNTP-Posting-Host: 4.227.114.190
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr22.news.prodigy.net 1196137537 ST000 4.227.114.190 (Mon, 26 Nov
2007 23:25:37 EST)
NNTP-Posting-Date: Mon, 26 Nov 2007 23:25:37 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
[[PA@SRG[ZVYC\LS^H^DJ\UDTJYNQBQLGPQRJRQIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Mon, 26 Nov 2007 22:25:34 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:13332

JRS wrote:
> On Sun, 25 Nov 2007 16:19:16 -1000, Joseph Fenn <jfenn@lava.net>
> wrote:
>
>
>> You can lead me to beer but not water.
>
>>                      Joe
>
>
> Lead the way, Joe.  I'm right behind you and I'll buy the first round.
>
> John
>
paid 75 for my license last year and the guy that quoted the part 95 is
100% correct.


From -3426559887909243123
X-Google-Thread: 108122,96e920e3a759144c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!a39g2000pre.googlegroups.com!not-for-
mail
From: TimBob <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need LA1600 AM Radio IC
Date: Tue, 27 Nov 2007 06:05:59 -0800 (PST)
Organization: http://groups.google.com
Lines: 6
Message-ID: <490d1089-765e-4595-9331-d5daf82b126f@a39g2000pre.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196172359 17959 127.0.0.1 (27 Nov 2007 14:05:59 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Tue, 27 Nov 2007 14:05:59 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: a39g2000pre.googlegroups.com; posting-host=64.216.97.21;
     posting-account=QanrjwoAAABmrK_pOucj8ub7ZL9ogeE8
User-Agent: G2/1.0
X-HTTP-Via: 1.0 ISA, 1.1 iwss:8080 (IWSS)
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13333
```

I am in need of the LA1600 AM radio IC for a scanner that I'm working on. I need one right now but would purchase several if someone has that many. Please email me with your price!
Thanks
Tim Mize

```
From -6247746595525001611
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y43g2000hsy.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Tue, 27 Nov 2007 17:44:08 -0800 (PST)
Organization: http://groups.google.com
Lines: 45
Message-ID: <2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
     <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196214249 2197 127.0.0.1 (28 Nov 2007 01:44:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 28 Nov 2007 01:44:09 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000hsy.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99546
rec.radio.amateur.antenna:49817 rec.radio.amateur.misc:39230
rec.radio.amateur.equipment:13334

On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 25, 2:34 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > for his actions, there is no excuse for the false reporting of lies
> > > about another person because he suspects something through his twisted
> > > logic and suspects that a certain person is the author of messages on
> > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > he called the hotline for the Florida Department of Child Protective
> > > Services and falsely reported that Mr. Crow has had inappropriate
> > > conversations with a 7 year old child concerning sex.
>
> > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > dispicable, but shows the great length that Mr. Morgan will go to
> > > persue/attack other hams who he thinks criticize his netique by taking
> > > his disputes off of the net and trying to affect someone's freedom and
> > > livelyhood by lauding false charges against anyone he deems is
> > > deserving of his tirade of revenge.
>
> > Mark get help for your obsession with me, why allege that you are
> > being harrassed, then flood the group with questions for me.  What do
> > you want Mark.  You can't ask me questions, then when I respond to
> > your buffonery, allege that I am harrassing you.  Why do you keep
> > stalking me, find someone else to dream about, your are mentally ill,
> > seek help.- Hide quoted text -
>
> > - Show quoted text -
>
> Seek help Mr. Morgan, why do you laud false charges at an innocent
> ham, and then allege someone made you do it. Take responsibility for
> your actions, I'm sure that if you cause any harm, your victim will
> ensure that you face up to your misdeed.- Hide quoted text -
>
> - Show quoted text -

Why Mark, why not face up to your stalking of Mr. Crow? Why thread
jack the annoucement of your misdeed?
```

```
From -4252121159871799O7
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why do you expand your attacks and threats to iclude my father now?
Date: Tue, 27 Nov 2007 20:52:56 -0500
Organization: A noiseless patient Spider
Lines: 6
Message-ID: <fiihm0$vhk$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX19R1VJnY3tdr0gEyHmAYG8xpuZTK8VzBmXfVweKni+oZsCpJVpLcIFue3HnaVs7iaZZBOuAMf
ewBQ/4YDa9ZkGY+HRZEope3MwgZzBIoHa2ZlNdUAia4of2sz2I2CnZbddkh7m//aNmJQ==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 28 Nov 2007 01:53:07 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX19ZrL6ck29M5jx+p13OJshKxI/izo4GXCI7sOmdgFCyIQ==
Cancel-Lock: sha1:wjUAnTlHmW9JftKcyAZTIgaw9/M=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:99551
rec.radio.amateur.antenna:49818 rec.radio.amateur.misc:39231
rec.radio.amateur.equipment:13335


"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
news:2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com...
>





From 6630358197664603554
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!e25g2000prg.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Tue, 27 Nov 2007 17:58:59 -0800 (PST)
Organization: http://groups.google.com
Lines: 50
Message-ID: <8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
     <7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
     <2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196215140 4814 127.0.0.1 (28 Nov 2007 01:59:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 28 Nov 2007 01:59:00 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e25g2000prg.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99553
rec.radio.amateur.antenna:49819 rec.radio.amateur.misc:39232
rec.radio.amateur.equipment:13336

On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Nov 25, 2:34 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > > for his actions, there is no excuse for the false reporting of lies
> > > > about another person because he suspects something through his twisted
> > > > logic and suspects that a certain person is the author of messages on
> > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > he called the hotline for the Florida Department of Child Protective
> > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > conversations with a 7 year old child concerning sex.
>
> > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > persue/attack other hams who he thinks criticize his netique by taking
> > > > his disputes off of the net and trying to affect someone's freedom and
> > > > livelyhood by lauding false charges against anyone he deems is
> > > > deserving of his tirade of revenge.
>
> > > Mark get help for your obsession with me, why allege that you are
> > > being harrassed, then flood the group with questions for me.  What do
> > > you want Mark.  You can't ask me questions, then when I respond to
> > > your buffonery, allege that I am harrassing you.  Why do you keep
> > > stalking me, find someone else to dream about, your are mentally ill,
> > > seek help.- Hide quoted text -
>
> > > - Show quoted text -
>
> > Seek help Mr. Morgan, why do you laud false charges at an innocent
> > ham, and then allege someone made you do it. Take responsibility for
> > your actions, I'm sure that if you cause any harm, your victim will
> > ensure that you face up to your misdeed.- Hide quoted text -
>
> > - Show quoted text -
>
> Why Mark, why not face up to your stalking of Mr. Crow? Why thread
> jack the annoucement of your misdeed?- Hide quoted text -
>
> - Show quoted text -



From 6494210012913531659
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.motzarella.org!
motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why do you expand your attacks and threats to iclude my father now?dlod
why are trying to escalate thing even further
Date: Tue, 27 Nov 2007 21:03:59 -0500
Organization: A noiseless patient Spider
Lines: 8
Message-ID: <fiiian$2pf$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
```

```
<a86f3945-e07c-4357-8224-6a41cc34ff6b@e25g2000prg.googlegroups.com>
<7d29a2a7-72b5-4e45-a008-cdfcbd4e6319@s8g2000prg.googlegroups.com>
<2f09d9b0-320b-4cab-94f1-5b806e5d3193@y43g2000hsy.googlegroups.com>
<8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com>
X-Trace: feeder.motzarella.org U2FsdGVkX1/p3moeUI/7pyyvpuY7MoSQ/
xrP1pa4oufEfIERQJDgL7CGGGflB9foUctju6v9wsex4QGMqflU3dPualHBx21jRlHYPpz7yWwTcPwOXZY
lk1Y71mdJseSounqohJF2vws=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 28 Nov 2007 02:04:09 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX19oJYsJAgZN+NGW3a/yZXtog6cKQP7AVPIKtcpF3fuL4w==
Cancel-Lock: sha1:JcDTDEp7whQibv2tGdiUIngAmWg=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:99575
rec.radio.amateur.antenna:49822 rec.radio.amateur.misc:39249
rec.radio.amateur.equipment:13337


"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
news:8163ecae-7d56-4386-b48a-3cb647c3a728@e25g2000prg.googlegroups.com...
> On Nov 27, 8:44 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>> On Nov 26, 8:19 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:





From 5679209912202699510
X-Google-Thread: 108122,9eddf6d457b9bdf5,start
X-Google-Thread: 108228,9eddf6d457b9bdf5,start
X-Google-Thread: fb049,9eddf6d457b9bdf5,start
X-Google-Thread: fcc6e,9eddf6d457b9bdf5,start
X-Google-Attributes: gid108122,gid108228,gidfb049,gidfcc6e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.alt.net!
news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-
radio.vhf-uhf,rec.radio.amateur.antenna
Subject: eBay: Yaesu FT-1000D transceiver
Message-ID: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
Date: Wed, 28 Nov 2007 07:33:35 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13338 alt.ham-
radio.marketplace:3458 alt.ham-radio.vhf-uhf:6078 rec.radio.amateur.antenna:49836

http://snipr.com/YaesuFT1000D
```

```
From 3552092223752644178
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o42g2000hsc.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Wed, 28 Nov 2007 07:00:51 -0800 (PST)
Organization: http://groups.google.com
Lines: 19
Message-ID: <02284882-c26f-448f-a286-79737dc9571d@o42g2000hsc.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196262051 16020 127.0.0.1 (28 Nov 2007 15:00:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 28 Nov 2007 15:00:51 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: o42g2000hsc.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99593
rec.radio.amateur.antenna:49837 rec.radio.amateur.misc:39250
rec.radio.amateur.equipment:13339
```

On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:

> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
> for his actions, there is no excuse for the false reporting of lies
> about another person because he suspects something through his twisted
> logic and suspects that a certain person is the author of messages on
> a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> Morgan KB9RQZ, has alleged on thewww.nimbusters.comham board, that
> he called the hotline for the Florida Department of Child Protective
> Services and falsely reported that Mr. Crow has had inappropriate
> conversations with a 7 year old child concerning sex.
>
> IMO this behavior on the part of Mr. Morgan and his actions are
> dispicable, but shows the great length that Mr. Morgan will go to

> persue/attack other hams who he thinks criticize his netique by taking
> his disputes off of the net and trying to affect someone's freedom and
> livelyhood by lauding false charges against anyone he deems is
> deserving of his tirade of revenge.

From 3967730193803447521
X-Google-Thread: 108122,9b9453ea4b1da800,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.ptd.net!news.ptd.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 28 Nov 2007 09:44:12 -0600
Date: Wed, 28 Nov 2007 10:44:17 -0500
From: Ron <rons533@ptd.net>
Reply-To: rons533@ptd.net
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Rotor Grease
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Rv2dnZDJbv5REdDanZ2dnUVZ_t6onZ2d@ptd.net>
Lines: 4
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.152.204.183
X-Trace: sv3-
TpVcQWK7vYjfXwdN5TpvZfs6MyHH1jDwO8Vsrjd92tasjBzfRiH+pjFCLXEcJCTNpSo5cGFNYnW788c!
EeQz7N+VvaBsvWgUAOpy0x+sEuYWfQjgbDB2chtYVXiDyluzhTKFGDv/K1AGVShO5Iw6VxQrBr5s!
7hwcrYD6Xg==
X-Complaints-To: abuse@ptd.net
X-DMCA-Complaints-To: abuse@ptd.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13340

I want to regrease my HD73 rotor. Since I am in the N/E I need to use a
grease that will not gum up in cold weather. What is a good grease to
use? Instruction manual has nothing on this subject.
Thanks

From 8417610557225006462
X-Google-Thread: 108122,9eddf6d457b9bdf5
X-Google-Thread: 108228,9eddf6d457b9bdf5
X-Google-Thread: fb049,9eddf6d457b9bdf5
X-Google-Thread: fcc6e,9eddf6d457b9bdf5

```
X-Google-Attributes: gid108122,gid108228,gidfb049,gidfcc6e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.alt.net!
news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-
radio.vhf-uhf,rec.radio.amateur.antenna
Subject: Re: eBay: Yaesu FT-1000D transceiver
References: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
Message-ID: <c0daf03508876d541475d10ea0de7261@pseudo.borked.net>
Date: Wed, 28 Nov 2007 09:43:29 -0700 (MST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13341 alt.ham-
radio.marketplace:3459 alt.ham-radio.vhf-uhf:6079 rec.radio.amateur.antenna:49843
```

In article <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
Ted <nob...@pseudo.borked.net> wrote:
>
> http://snipr.com/YaesuFT1000D

Sorry, bad link. Try http://301url.com/YaesuFT1000D

```
From 880274787595134172
X-Google-Thread: 108122,9b9453ea4b1da800
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <ALANBIDDLE70@YAHOO.COM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Rotor Grease
Organization: AMSAT-NA
Reply-To: ALANBIDDLE70@YAHOO.COM
Message-ID: <g17rk3ldlpo2h2vbvn6po6kf3jhflttk36@4ax.com>
References: <Rv2dnZDJbv5REdDanZ2dnUVZ_t6onZ2d@ptd.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
NNTP-Posting-Host: 38def476afa30c3146e3f0b90d0e56c7
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1196269072
38def476afa30c3146e3f0b90d0e56c7 (Wed, 28 Nov 2007 16:57:52 GMT)
NNTP-Posting-Date: Wed, 28 Nov 2007 16:57:52 GMT
Date: Wed, 28 Nov 2007 16:57:52 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13342
```

Ron,

Check with a farm supply such as Tractor Supply or even a good local hardware for grease which works well at low temps. Lithium grease is good, both for that and for general use. I am in a moderate climate, but those who live in extremes report it does the job. This topic comes up on bulletin board I subscribe to, and this is a recent comment from someone who would probably regard New England winters are balmy.

==
Having often operated from the eastern part of Norway for many years with as daily temperature of minus 35 degrees in February - I have a little 'experience' from cold climates.

The long term solution is to change the grease to one that can tolerate the temperature and to mount a "motor warmer".

I used the heating element from a kettle. It keeps the rotor nice and warm in the winter ... but increases your electricity bill ...
horses for courses ...

73 John.   <la2qaa@amsat.org>
==

--
Alan
WA4SCA

```
From 2463208022397868933
X-Google-Thread: 108122,9b9453ea4b1da800
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.phx!newsfe12.phx.POSTED!
53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Rv2dnZDJbv5REdDanZ2dnUVZ_t6onZ2d@ptd.net>
<g17rk3ldlpo2h2vbvn6po6kf3jhflttk36@4ax.com>
In-Reply-To: <g17rk3ldlpo2h2vbvn6po6kf3jhflttk36@4ax.com>
Subject: Re: Rotor Grease
Lines: 18
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
```

Message-ID: <Wch3j.27410$aN3.23729@newsfe12.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1196269494 72.197.13.209 (Wed, 28 Nov 2007 10:04:54 MST)
NNTP-Posting-Date: Wed, 28 Nov 2007 10:04:54 MST
Organization: Cox
Date: Wed, 28 Nov 2007 09:04:53 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13343

Maybe check with the Rotor Repair Shops
a.. Rotor Doctor -- Now C.A.T.S. -- CDE/Hygain, Channel Master, and Alliance, both new and used.

a.. Rotor Service - Norm's Complete Service and Repairs

a.. FX Rotor Works - sells rebuilt, and does rebuilding of your CDE, HyGain, and MFJ/HyGain rotors.

URL:

http://ac6v.com/dealers.htm#REPAIR

Lamont

From 1016894387381612455
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: why do you expand your attacks and threats to iclude my father now?dlod why are trying to escalate thing even further
Date: Wed, 28 Nov 2007 13:18:39 -0500
Organization: A noiseless patient Spider
Lines: 9
Message-ID: <fikbe6$r0r$1@registered.motzarella.org>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<02284882-c26f-448f-a286-79737dc9571d@o42g2000hsc.googlegroups.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX18DYOK6+BgeEqwCEm6xRl8SVylW9r2PbyxpEp2RfyjAx5FtEfRodLHL+vos/

```
KAebFLTqo7QwXYJv3uY6fD/
sZjWrkuFlfzrfUDPWbV6zSlVbGGcW01jY7Vm4vZxMESCPvEw83E30TAGCw==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 28 Nov 2007 18:18:48 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1/kBVORv+eKn7/CPPB6XngVl995pxc2JBLvOwfCZa/1+A==
Cancel-Lock: sha1:PjCiO5GnunY1agR8ZkjzlfRXwAo=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:99603
rec.radio.amateur.antenna:49848 rec.radio.amateur.misc:39252
rec.radio.amateur.equipment:13344
```

"Dloyd Lavies" <DloydLavies@gmail.com> wrote in message
news:02284882-c26f-448f-a286-79737dc9571d@o42g2000hsc.googlegroups.com...

> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:

why do you expand your attacks and threats to iclude my father now?dlod
why are trying to escalate thing even further

```
From -5549290631306201150
X-Google-Thread: 108122,9b9453ea4b1da800
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Wed, 28 Nov 2007 18:41:16 -0500
From: "Paul E. Cater" <paulcater@roadrunner.com>
Organization: Cater Enterprise
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Rotor Grease
References: <Rv2dnZDJbv5REdDanZ2dnUVZ_t6onZ2d@ptd.net>
In-Reply-To: <Rv2dnZDJbv5REdDanZ2dnUVZ_t6onZ2d@ptd.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <474dfc8c$0$2364$4c368faf@roadrunner.com>
NNTP-Posting-Host: 76.181.221.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13345
```

I have had very good luck using the synthetic grease you can find in any auto parts store. It keeps it's viscosity over a very wide range of temperatures and works well in Ohio summer & winter. It's more expensive and a little goes a long way.

Ron wrote:
> I want to regrease my HD73 rotor. Since I am in the N/E I need to use a
> grease that will not gum up in cold weather. What is a good grease to
> use? Instruction manual has nothing on this subject.
> Thanks

From 3836939869544032603
X-Google-Thread: 108122,f121145d89657840,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Pat" <wb2dbh@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Ham stuff for sale
Date: Wed, 28 Nov 2007 19:07:50 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 3
Message-ID: <474e02d3$0$9564$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13346

http://members6.boardhost.com/theswapshoppe/

From 2849170771621466401
X-Google-Thread: 108122,7480d92abf8357de,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i12g2000prf.googlegroups.com!not-for-mail
From: "jrsinglesli@gmail.com" <jrsinglesli@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale - Homebrew Balanced Line tuner - Twin Roller Inductor
Date: Wed, 28 Nov 2007 16:48:03 -0800 (PST)
Organization: http://groups.google.com
Lines: 41
Message-ID: <8be0cc58-c4a8-4dd2-b1ca-9c81ecd948e0@i12g2000prf.googlegroups.com>

```
NNTP-Posting-Host: 162.84.198.84
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1196297283 26969 127.0.0.1 (29 Nov 2007 00:48:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 29 Nov 2007 00:48:03 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: i12g2000prf.googlegroups.com; posting-host=162.84.198.84;
     posting-account=9UzSrAoAAAD8nJeamJIXUUHOKU_0yXQL
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
     SV1),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13347
```

Item is for sale on e-bay, auction ends Sunday 12-2 at 1900Z

To view item, copy and paste link below :

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=290185692713&ssPageName=STRK:MESE:IT&ih=019

A magnificently built, balanced output antenna tuner for use with ladder line, open wire line.

Highlights & Features of this tuner:

The twin inductor/current balun design provides a truly balanced output.

(2) 14 uH roller inductors, coupled to a WW II vintage dial with 25 turns, 1/100 turn markings.

High/Low Impedance Switching: Switches the capacitor bank to tuner's input or output. "HI" position is used for impedances above 50 ohms; "LO" is used for impedances below 50 ohms.

Variable and fixed capacitance controls - continuous range is from 25 to 1250pf @ 4500 Vpk.

Variable capacitor dial is the classic 4-inch National Velvet Vernier.

Beautiful, real wood venier over aluminum front panel.

Dimensions: H,W,D = 8 X 19 x 15 inches, approximate weight = 30 lbs

Good luck with the bidding,

Bob WB2ICQ

```
From -344819489581168081
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why do you claim child molesting is laughing matter Dloyd?
Date: Wed, 28 Nov 2007 21:30:03 -0500
Message-ID: <td8sk3hj0ekn2kpa3d8denrvtruk3dfh1j@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
<6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 56
NNTP-Posting-Date: 29 Nov 2007 01:39:58 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 53
Xref: g2news1.google.com rec.radio.amateur.policy:99690
rec.radio.amateur.antenna:49858 rec.radio.amateur.misc:39275
rec.radio.amateur.equipment:13348

On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
>><DloydLavies@gmail.com> wrote:
>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
```

```
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From 4693355003316258647
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
```

```
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why do you claim child molesting is laughing matter Dloyd?
Date: Wed, 28 Nov 2007 21:30:03 -0500
Message-ID: <tj8sk35tod7besqevukd7r0m43aj4e1vfe@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
<ro0ak31el1h50rf53vvk825o5eksql02e1@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 53
NNTP-Posting-Date: 29 Nov 2007 01:40:07 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:99698
rec.radio.amateur.antenna:49859 rec.radio.amateur.misc:39283
rec.radio.amateur.equipment:13349

On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 22:58:22 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
>><DloydLavies@gmail.com> wrote:
>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
```

```
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From -6363668303067834413
X-Google-Thread: 108122,9eddf6d457b9bdf5
X-Google-Thread: 108228,9eddf6d457b9bdf5
X-Google-Thread: fb049,9eddf6d457b9bdf5
X-Google-Thread: fcc6e,9eddf6d457b9bdf5
X-Google-Thread: 10bf43,6db222f300e8593,start
X-Google-Attributes: gid108122,gid108228,gidfb049,gidfcc6e,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wns11feed!
worldnet.att.net!63.218.45.10!nx01.iad01.newshosting.com!newshosting.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "mark mrogan" <kb9rqueer@hotmale.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-
radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.policy
References: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
<c0daf03508876d541475d10ea0de7261@pseudo.borked.net>
```

```
Subject: RADIOMART Re: eBay: Yaesu FT-1000D transceiver
Date: Thu, 29 Nov 2007 12:25:29 -0500
Organization: kb9rqueer
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 14
Message-ID: <474eea47$0$26082$88260bb3@free.teranews.com>
NNTP-Posting-Date: 29 Nov 2007 16:35:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13350 alt.ham-
radio.marketplace:3461 alt.ham-radio.vhf-uhf:6082 rec.radio.amateur.antenna:49890
rec.radio.amateur.policy:99762


"Ted" <nobody@pseudo.borked.net> wrote in message
news:c0daf03508876d541475d10ea0de7261@pseudo.borked.net...
> In article <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
> Ted <nob...@pseudo.borked.net> wrote:
>>
>> http://snipr.com/YaesuFT1000D
>
> Sorry, bad link. Try http://301url.com/YaesuFT1000D
>
>
Radiomart blows goats



--
Posted via a free Usenet account from http://www.teranews.com



From -1464790884378622090
X-Google-Thread: 108122,9eddf6d457b9bdf5
X-Google-Thread: 108228,9eddf6d457b9bdf5
X-Google-Thread: fb049,9eddf6d457b9bdf5
X-Google-Thread: fcc6e,9eddf6d457b9bdf5
X-Google-Thread: 10bf43,6db222f300e8593
X-Google-Attributes: gid108122,gid108228,gidfb049,gidfcc6e,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!
news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-
radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.policy
Subject: why do you claim child molesting is laughing matter Dloyd?
Date: Thu, 29 Nov 2007 14:59:46 -0500
Organization: A noiseless patient Spider
```

```
Lines: 22
Message-ID: <fin5np$oc5$1@registered.motzarella.org>
References: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
<c0daf03508876d541475d10ea0de7261@pseudo.borked.net>
<474eea47$0$26082$88260bb3@free.teranews.com>
X-Trace: feeder.motzarella.org
U2FsdGVkX19y7zDvLUie5nvhK4xccmELCwQSDbC2cJHVS2yA1ioJMgHZj1L9tLELjedxjpUkyXHR8YcFTe
/mlmV3/1EIzSHZDPMcVE4/gj8rAgzAykInI7d44nh2bh/UJgYTmXng8ZgO2+lsGNd36A==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 29 Nov 2007 19:59:55 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1+CZStkR18KFiRVrko3BSgFzlSbgBC4/5qIcteDcYxFMw==
Cancel-Lock: sha1:ZGn9FuCFLh4JwqMmF8fJPXO+BZ0=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13351 alt.ham-
radio.marketplace:3462 alt.ham-radio.vhf-uhf:6083 rec.radio.amateur.antenna:49908
rec.radio.amateur.policy:99773


"mark mrogan" <kb9rqueer@hotmale.com> wrote in message
news:474eea47$0$26082$88260bb3@free.teranews.com...
>
> "Ted" <nobody@pseudo.borked.net> wrote in message
> news:c0daf03508876d541475d10ea0de7261@pseudo.borked.net...
>> In article <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
>> Ted <nob...@pseudo.borked.net> wrote:
>>>
>>> http://snipr.com/YaesuFT1000D
>>
>> Sorry, bad link. Try http://301url.com/YaesuFT1000D
>>
>>
> Radiomart blows goats
>
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>




From 7908833740734355496
X-Google-Thread: 10bf43,c8cde6af381b78fe,start
X-Google-Thread: fb049,c8cde6af381b78fe,start
X-Google-Thread: 107ada,c8cde6af381b78fe,start
X-Google-Thread: 114aac,c8cde6af381b78fe,start
X-Google-Thread: 108122,c8cde6af381b78fe,start
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!newsfeed.freenet.de!
xlned.com!feeder1.xlned.com!feeder.news-service.com!feeder.news-service.com!
news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!
not-for-mail
From: "mark mrogan" <kb9rqueer@hotmale.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: do you part two hlep with techical blog
Date: Thu, 29 Nov 2007 16:05:42 -0500
Organization: kb9rqueer
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 11
Message-ID: <474f1de4$0$25994$88260bb3@free.teranews.com>
NNTP-Posting-Date: 29 Nov 2007 20:15:32 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:99782 alt.ham-radio.vhf-uhf:6084
rec.radio.amateur.misc:39328 rec.radio.shortwave:128454
rec.radio.amateur.equipment:13352

 you too can be part of the work of the kosher ham
  male you article to this adess and perhap you seeyou name for all time (or
at least as long as as blogger last

 http://ipunce.blogspot.com/







--
Posted via a free Usenet account from http://www.teranews.com




From 333150301829859674
X-Google-Thread: 108122,9eddf6d457b9bdf5
X-Google-Thread: 108228,9eddf6d457b9bdf5
X-Google-Thread: fb049,9eddf6d457b9bdf5
X-Google-Thread: fcc6e,9eddf6d457b9bdf5
X-Google-Thread: 10bf43,6db222f300e8593
X-Google-Attributes: gid108122,gid108228,gidfb049,gidfcc6e,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 29 Nov 2007 15:34:46 -0600
```

```
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-
radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.policy
References: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
<c0daf03508876d541475d10ea0de7261@pseudo.borked.net>
<474eea47$0$26082$88260bb3@free.teranews.com>
<fin5np$oc5$1@registered.motzarella.org>
Subject: Re: why do you claim child molesting is laughing matter Dloyd?
Date: Thu, 29 Nov 2007 16:34:56 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <_OKdnRUexsvrrdLanZ2dnUVZ_sOrnZ2d@adelphia.com>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-1GeXrka7SLVDcIqt+wC7Xy5Iuavlj+XLhmBj7UM8cEQsqVl7y/
12Y7WoHpAxyHhxFXYGvS3NnAyh2FZ!L4vL5Ql07fc6rDopyT+i25YRWHciXvci/
iJkkQJuDIwcVGXocv1MSEviWQsS4S6K3//0yWgW4vh5!avpK6Ax2QXK/9yFG8ZVHYjY=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13353 alt.ham-
radio.marketplace:3463 alt.ham-radio.vhf-uhf:6085 rec.radio.amateur.antenna:49924
rec.radio.amateur.policy:99785


"konstans" <konstans@hotmail.com> wrote in message
news:fin5np$oc5$1@registered.motzarella.org...
>
> "mark mrogan" <kb9rqueer@hotmale.com> wrote in message
> news:474eea47$0$26082$88260bb3@free.teranews.com...
>>
>> "Ted" <nobody@pseudo.borked.net> wrote in message
>> news:c0daf03508876d541475d10ea0de7261@pseudo.borked.net...
>>> In article <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
>>> Ted <nob...@pseudo.borked.net> wrote:
>>>>
>>>> http://snipr.com/YaesuFT1000D
>>>
>>> Sorry, bad link. Try http://301url.com/YaesuFT1000D
>>>
>>>
>> Radiomart blows goats
>>
>>
>> --
>> Posted via a free Usenet account from http://www.teranews.com
```

>>
>
>WHY DO YOU XPOST THIS GARBAGE TO EVERYONE????

```
From -1490885981380889926
X-Google-Thread: 10bf43,c8cde6af381b78fe
X-Google-Thread: fb049,c8cde6af381b78fe
X-Google-Thread: 107ada,c8cde6af381b78fe
X-Google-Thread: 114aac,c8cde6af381b78fe
X-Google-Thread: 108122,c8cde6af381b78fe
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed.kamp.net!newsfeed.kamp.net!news.motzarella.org!motzarella.org!not-for-
mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: why do you claim child molesting is laughing matter Dloyd?
Date: Thu, 29 Nov 2007 16:39:59 -0500
Organization: A noiseless patient Spider
Lines: 6
Message-ID: <finbjp$h8d$1@registered.motzarella.org>
References: <474f1de4$0$25994$88260bb3@free.teranews.com>
X-Trace: feeder.motzarella.org U2FsdGVkX1+qmeJiwu9QBcYQ9aKM84DLIMb+z/
Kl30MZkMiQqMfukXQPvz2z1Iar46eFUkOoK4Qh4ZENpGRf3Yjyk5McFpfKU8Rdow7fKiis8DSy25ngUZP8
xL4xy90fBDyabxqGcssb0D98BFOLgA==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 29 Nov 2007 21:40:11 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1+//88ztpIpnCdGWKxcQpG0kOYTpn10MeHWEMadtp/N8A==
Cancel-Lock: sha1:btMYUy3tF4KwQQ9/2zY37S6SYNU=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.policy:99786 alt.ham-radio.vhf-uhf:6086
rec.radio.amateur.misc:39329 rec.radio.shortwave:128455
rec.radio.amateur.equipment:13354
```

"mark mrogan" <kb9rqueer@hotmale.com> wrote in message
news:474f1de4$0$25994$88260bb3@free.teranews.com...

>

```
From -990535089156154856
```

```
X-Google-Thread: 108122,9eddf6d457b9bdf5
X-Google-Thread: 108228,9eddf6d457b9bdf5
X-Google-Thread: fb049,9eddf6d457b9bdf5
X-Google-Thread: fcc6e,9eddf6d457b9bdf5
X-Google-Thread: 10bf43,6db222f300e8593
X-Google-Attributes: gid108122,gid108228,gidfb049,gidfcc6e,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!
news.motzarella.org!motzarella.org!not-for-mail
From: "konstans" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,alt.ham-
radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateur.policy
Subject: Re: why do you claim child molesting is laughing matter Dloyd?
Date: Thu, 29 Nov 2007 16:41:30 -0500
Organization: A noiseless patient Spider
Lines: 11
Message-ID: <finbmg$hro$1@registered.motzarella.org>
References: <7ef8607cffbdf4b8547b616452466190@pseudo.borked.net>
<c0daf03508876d541475d10ea0de7261@pseudo.borked.net>
<474eea47$0$26082$88260bb3@free.teranews.com>
<fin5np$oc5$1@registered.motzarella.org>
<_OKdnRUexsvrrdLanZ2dnUVZ_sOrnZ2d@adelphia.com>
X-Trace: feeder.motzarella.org U2FsdGVkX18RCqUB6pibs9JaCOJKTCGdhQvE04Q3tz/
QlhADjRCZK0dI68NmEdoTLUu9ah4rhQboRc7HzR3Uw8Lfy9oUgcC6BQMU286PiRgS+mKAv8QuQfyms+p0J
mIXdOF+3kr38jayjXNt6MmifA==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 29 Nov 2007 21:41:38 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Auth-Sender: U2FsdGVkX1/7VyE0wqnNSMeCeCrO8ONdhygzn/aH3iW/5phl9hJNmA==
Cancel-Lock: sha1:Bk483Ha1pOIIooeYPMq5wbX6p3w=
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:13355 alt.ham-
radio.marketplace:3464 alt.ham-radio.vhf-uhf:6087 rec.radio.amateur.antenna:49925
rec.radio.amateur.policy:99790


"John Doe" <hgorden@adelphia.net> wrote in message
news:_OKdnRUexsvrrdLanZ2dnUVZ_sOrnZ2d@adelphia.com...
>

>>WHY DO YOU XPOST THIS GARBAGE TO EVERYONE????

who?>
>




From -5522634796439475839
```

```
X-Google-Thread: 108122,5f117d8e770fd226,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: MANUALS: HEATH, HALLI, MFJ + STUFF
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <VU%3j.179227$kj1.78665@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 07507ed1355743df528f5b0f2c593e0a
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1196460725
07507ed1355743df528f5b0f2c593e0a (Fri, 30 Nov 2007 22:12:05 GMT)
NNTP-Posting-Date: Fri, 30 Nov 2007 22:12:05 GMT
Organization: AT&T Worldnet
Date: Fri, 30 Nov 2007 22:12:05 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13356
```

Manuals : copies and originals for Heathkit, Hallicrafters, MFJ, others
to come, and other stuff: clearing out:

See at :   http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx Heytubeguy

```
From -2123651698448430492
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
From: Steve Calvin <calvins@optonline.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
References: <Z6L0j.991$V51.83@newsfe10.lga>
<bl09k39tmv907ppa5flb2alf8qpsdm741o@4ax.com>
In-Reply-To: <bl09k39tmv907ppa5flb2alf8qpsdm741o@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

Lines: 29
Message-ID: <e321j.286$352.226@newsfe08.lga>
NNTP-Posting-Host: 69.121.98.27
X-Complaints-To: abuse@cv.net
X-Trace: newsfe08.lga 1195683146 69.121.98.27 (Wed, 21 Nov 2007 15:12:26 MST)
NNTP-Posting-Date: Wed, 21 Nov 2007 15:12:26 MST
Organization: Optimum Online
Date: Wed, 21 Nov 2007 17:12:14 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13254

iwouldntknow wrote:

>
> With the "right" kind of propagation even .5W will do way over 100 miles but
under normal
> circumstances count on line-of-sight but no more than 1 mile when in build-up or
bushy
> areas. Your mileage may vary.
>
> Repeater distances are usually line of sight (a repeater at 4.000 ft has a
horizon of abt
> 80 miles if no obstructions in between. Draw an 80 mile circle around the
repeater and
> you'll get the area you can reach.
>
> Note: There usually are obstructions (hilly terrain) and without any special
propagation
> signal strength at long distance will be less. Most FM type radio's do not have
very
> sensitive receiving stages and if squelch is on sensitivity becomes even less.
Solution:
> Use narrow band modulation such as SSB. Instead of spraeding your .5W over
15kHz put it
> in 3kHz. You'll be stronger on the other end - however now we're talking how it
works for
> ham-radio: Do a lot with little power.....

Thanks. I'm familiar with SSB, skip, etc. But I can't talk
others into going that route.

We use these for hunting in the northeast and I was just
perplexed how with the same power and what looks like
basically the same specs. then got a theoretical 8 mile
gain. I say theoretical because they *may* end up working a
mile in the woods but that would surprise me.

--
Steve

From -2267812184825939407
X-Google-Thread: 1084e2,e6f843db16244330
X-Google-Thread: 108122,e6f843db16244330

```
X-Google-Thread: fe027,e6f843db16244330
X-Google-Thread: fcc51,e6f843db16244330
X-Google-Thread: 110431,e6f843db16244330
X-Google-Thread: 10b88a,172b4abad45f544e,start
X-Google-Attributes:
gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,gid10b88a,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.eclipse.net.uk!
news.eclipse.net.uk.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 21 Nov 2007 20:41:42 -0600
From: "Mr darron thomson" <daz@dazzza.eclipse.co.uk>
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
References: <m07101803133661@4ax.com>
Subject: Re: MI5 Persecution: Post Office 14/11/02 (24408)
Date: Thu, 22 Nov 2007 02:41:37 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <Cc6dnVFVyJv7cdnaRVnyvgA@eclipse.net.uk>
Lines: 67
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 82.152.213.47
X-Trace: sv3-
bDFjYgvARZEzp5vyNfiWArPoPn8LawUHoAYqnjIqsy6pdGghDb0Nq6VBWqzQdqhaVC7ReyZd3AvoeyT!
+HGjTqk6GAmtXBxWegEMOpsE9d7PUnAHhMi0DP/F3SAaZmRpShhP5KX5/m0ycf94UnZxMK94zDtR!
0vOcdAk9
X-Complaints-To: abuse@eclipse.net.uk
X-DMCA-Complaints-To: abuse@eclipse.net.uk
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com alt.testing.it:699 rec.radio.amateur.equipment:13255
de.comp.os.unix.x11:3086 free.uk.talk.edinburgh:1373
no.it.tjenester.nettilbydere:3705 uk.misc:139948

has anyone ever told you you are a nutter and you talk shit do you think you
might be able to stop posting these redicolous fucking posts or are you
going to just accuse me of being mi5 aswell????????????????
<MI5Victim@mi5.gov.uk> wrote in message news:m07101803133661@4ax.com...
>
> Balham Hill Post Office (14/Nov/2002)
>
> Certainty level: 80%
>
> By mid-November 2002 the persecution had again dwindled, as happens
> sometimes, when along came this item.
> I spent most of my time at home, going occasionally to the shops in
```

> Clapham South, or into town to meet people. On this particular
> Thursday I only left the house once, for less than fifteen minutes to post
> a letter (special delivery, because my ordinary and
> recorded delivery letters had been disappearing en route for some time -
> not that anyone would accuse MI5 of such petty harassment).
> At the post office counter there was an Asian guy talking into his mobile
> phone and grinning away. There is a probability that
> his comments were directed at me, as I will explain further. The second
> segment of audio closely follows the first segment.
>
> "you'll do it today? let's meet about 3 o'clock and have some lunch. I got
> stuff to do and I'll go to the bank,
> get this sh.. fucking moving yeah. Even just a little bit do something. He
> doesn't understand, you know what it is,
> I don't want to tell him again cause then he might, he thinks we're having
> a go at him, I'm not having a go at him,
> I'm explain to him"
>
> Explanation: The guy is talking about some bloke who is unnamed, however
> it might be interpreted as being in code about me.
> "I'll go to the bank"... variously interpretable, either literally, or as
> sounds-like "wank" which has been a consistent
> theme in MI5's abuse. "get this shit fucking moving"... abuse... could be
> interpreted as MI5's criticism of my inertness.
> The state spends hundreds of thousands of pounds a year - they want to see
> some result, not just neutrality and ordinariness.
> "he doesn't understand"... MI5 claim I'm stupid... but the numbers and
> bits of paper prove otherwise, so perhaps what that
> is really about is their agents' subconscious perception of themselves.
>
> "having a go at him"... sounds like they're having a go at me, doesn't it?
> You might take the audio at face value and assume
> it's about some other guy, but it's normal MI5 procedure to pretend to be
> talking about someone else, and make the content of
> the message very relevant to me, or their perception of me.
>
> "for some reason it doesn't get into his head, I don't know why... he's
> lost it completely, hasn't he"
>
> What reason is there for it not getting into his (my) head? Stupidity is
> implied. Also implied is that it does get into his head;
> we're intentionally causing him damage. He's lost it completely... for
> some time I have suffered from OCD... lost it completely
> is the persecutors' observation of my illness, which they see through the
> surveillance on my home, which they caused.
>
> 24408
>
>
> --

> Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
>   ------->>>>>>http://www.NewsDemon.com<<<<<<------
> Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 3647421569363324592
X-Google-Thread: 10bf43,32ee90dfeea614e7,start
X-Google-Thread: fcc6e,32ee90dfeea614e7,start
X-Google-Thread: 107ada,32ee90dfeea614e7,start
X-Google-Thread: 108122,32ee90dfeea614e7,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e1g2000hsh.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Why doesn't Mark want to bare the sole responsibility of his actions
     of lauding false charges against an innocent ham (Brian Crow) K3VR to Florida
     Child Protective Services...
Date: Wed, 21 Nov 2007 19:22:17 -0800 (PST)
Organization: http://groups.google.com
Lines: 18
Message-ID: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195701738 20770 127.0.0.1 (22 Nov 2007 03:22:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Nov 2007 03:22:18 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e1g2000hsh.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99027
rec.radio.amateur.antenna:49583 rec.radio.amateur.misc:39013
rec.radio.amateur.equipment:13256
```

No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
for his actions, there is no excuse for the false reporting of lies
about another person because he suspects something through his twisted
logic and suspects that a certain person is the author of messages on
a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
reading this knows Mr. Crow, they should inform him that Mr. Mark C.
Morgan KB9RQZ, has alleged on the www.nimbusters.com ham board, that
he called the hotline for the Florida Department of Child Protective
Services and falsely reported that Mr. Crow has had inappropriate
conversations with a 7 year old child concerning sex.

IMO this behavior on the part of Mr. Morgan and his actions are dispicable, but shows the great length that Mr. Morgan will go to persue/attack other hams who he thinks criticize his netique by taking his disputes off of the net and trying to affect someone's freedom and livelyhood by lauding false charges against anyone he deems is deserving of his tirade of revenge.

```
From -5208725749576898551
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w40g2000hsb.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Wed, 21 Nov 2007 19:27:37 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195702057 2493 127.0.0.1 (22 Nov 2007 03:27:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Nov 2007 03:27:37 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w40g2000hsb.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99029
rec.radio.amateur.antenna:49585 rec.radio.amateur.misc:39015
rec.radio.amateur.equipment:13257
```

On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:

> No matter how Mark Morgan, KB9RQZ tries to rationalize his reasoning
> for his actions, there is no excuse for the false reporting of lies
> about another person because he suspects something through his twisted
> logic and suspects that a certain person is the author of messages on
> a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> reading this knows Mr. Crow, they should inform him that Mr. Mark C.

> Morgan KB9RQZ, has alleged on thewww.nimbusters.comham board, that
> he called the hotline for the Florida Department of Child Protective
> Services and falsely reported that Mr. Crow has had inappropriate
> conversations with a 7 year old child concerning sex.
>
> IMO this behavior on the part of Mr. Morgan and his actions are
> dispicable, but shows the great length that Mr. Morgan will go to
> persue/attack other hams who he thinks criticize his netique by taking
> his disputes off of the net and trying to affect someone's freedom and
> livelyhood by lauding false charges against anyone he deems is
> deserving of his tirade of revenge.

I apologize for the broken link, http://nimbusters.org/forum/forum.php?board=1

```
From -5187776251904556582
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e4g2000hsg.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Wed, 21 Nov 2007 19:32:05 -0800 (PST)
Organization: http://groups.google.com
Lines: 31
Message-ID: <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195702326 22600 127.0.0.1 (22 Nov 2007 03:32:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Nov 2007 03:32:06 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e4g2000hsg.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99030
rec.radio.amateur.antenna:49587 rec.radio.amateur.misc:39016
rec.radio.amateur.equipment:13258
```

```
On Nov 21, 10:27 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > for his actions, there is no excuse for the false reporting of lies
> > about another person because he suspects something through his twisted
> > logic and suspects that a certain person is the author of messages on
> > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > he called the hotline for the Florida Department of Child Protective
> > Services and falsely reported that Mr. Crow has had inappropriate
> > conversations with a 7 year old child concerning sex.
>
> > IMO this behavior on the part of Mr. Morgan and his actions are
> > dispicable, but shows the great length that Mr. Morgan will go to
> > persue/attack other hams who he thinks criticize his netique by taking
> > his disputes off of the net and trying to affect someone's freedom and
> > livelyhood by lauding false charges against anyone he deems is
> > deserving of his tirade of revenge.
>
> I apologize for the broken link,http://nimbusters.org/forum/forum.php?board=1-
Hide quoted text -
>
> - Show quoted text -

here is the link to the exact post by Mr. Morgan
http://nimbusters.org/forum/read.php?board=1&id=412818


From -2550374300822277533
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
feeder.erje.net!news.motzarella.org!motzarella.org!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why can't Dloyd face the facts.. the deed is doe he was given an chance
to explain himself he choose instead to make more false accastion anmaginst me and
my family so i made the report
Date: Wed, 21 Nov 2007 22:58:04 -0500
Organization: A noiseless patient Spider
```

```
Lines: 19
Message-ID: <uhv9k31jtn022e101v6skomdv7o3o2p4o5@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: feeder.motzarella.org
U2FsdGVkX18Jg77broWTuaoX05VMtFAZqvNOms0frMFt8FPxEXRg2ap3x7RLDqup3Q3Fo7RtNPDd2z9mJB
bLoz4KfE2UtaIMyp2CHb8fNPG4smoE8/5htoUi4UufSTk21lE0mi6+0uCmM8tvgcP3HQ==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 22 Nov 2007 03:58:05 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
X-Auth-Sender: U2FsdGVkX1/M4HUu69XKop0hanOaVmTWHmtAW4uRPSqm1PtPuNQCTA==
Cancel-Lock: sha1:sMYuO3fzaVveWqbTqUASIeAu8oc=
Xref: g2news1.google.com rec.radio.amateur.policy:99035
rec.radio.amateur.antenna:49590 rec.radio.amateur.misc:39020
rec.radio.amateur.equipment:13259

On Wed, 21 Nov 2007 19:22:17 -0800 (PST), Dloyd Lavies
<DloydLavies@gmail.com> wrote:

>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G



From 4355919554291179136
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!eweka.nl!lightspeed.eweka.nl!
195.114.231.69.MISMATCH!feeder.news-service.com!news.motzarella.org!
motzarella.org!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
```

o.amateur.equipment
Subject: why can't Dloyd face the facts.. the deed is doe he was given an chance to explain himself he choose instead to make more false accastion anmaginst me and my family so i made the report
Date: Wed, 21 Nov 2007 22:58:22 -0500
Organization: A noiseless patient Spider
Lines: 19
Message-ID: <kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com> <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: feeder.motzarella.org U2FsdGVkX1+a/WlJKgs2Y55Gowg/DIK8YdsR5QihUPuQ0F2GvROCh3DffeNgrqe4M5KLTjZIln3vgcPuHlJpZFUWLS91spqf38RClbDD5+VifdQA8FZGhc+xfzxAN5apKkepzO6270ptDbBgeL9PjQ==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 22 Nov 2007 03:58:22 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
X-Auth-Sender: U2FsdGVkX19Y6PpFB7BMUvklaK4iDpKCCMHSMtp7v8Dm+Rndst+JJw==
Cancel-Lock: sha1:HyGEHE5SSN/t0meBfUN2wEvQXfY=
Xref: g2news1.google.com rec.radio.amateur.policy:99036 rec.radio.amateur.antenna:49591 rec.radio.amateur.misc:39021 rec.radio.amateur.equipment:13260

On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies <DloydLavies@gmail.com> wrote:

>

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

From -4223808786548668425
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.netfinity.fr!news.motzarella.org!motzarella.org!not-for-
mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why can't Dloyd face the facts.. the deed is doe he was given an chance
to explain himself he choose instead to make more false accastion anmaginst me and
my family so i made the report
Date: Wed, 21 Nov 2007 22:58:41 -0500
Organization: A noiseless patient Spider
Lines: 19
Message-ID: <3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: feeder.motzarella.org U2FsdGVkX19f0vQfUgbvJDWNx/RUXiFLEjkU8TlaAB/p17/
GKU+H0RyAeSfPJR6jVpdJUFRlhy05LMvrpwP6TNPRYrmYRFUSFS6ZgMBBClMTrWF5JN640F62YpeXAjfC7
D0pe0pXo8y8JHVRSvM7mQ==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 22 Nov 2007 03:58:42 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
X-Auth-Sender: U2FsdGVkX1+Zpnv1vvH5PqGEZ7+x9gksgcRHy7pYw0bsCG/SUdR8OA==
Cancel-Lock: sha1:t+cnsbpqa/4KT6rMf9xnXbz1xoE=
Xref: g2news1.google.com rec.radio.amateur.policy:99037
rec.radio.amateur.antenna:49592 rec.radio.amateur.misc:39022
rec.radio.amateur.equipment:13261

On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
<DloydLavies@gmail.com> wrote:

>

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

```
From -5116031957080561536
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t47g2000hsc.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Wed, 21 Nov 2007 20:04:25 -0800 (PST)
Organization: http://groups.google.com
Lines: 37
Message-ID: <7e2c9e7c-c342-4a43-88f1-2511b2fc13c8@t47g2000hsc.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
     <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195704265 28363 127.0.0.1 (22 Nov 2007 04:04:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Nov 2007 04:04:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: t47g2000hsc.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99042
rec.radio.amateur.antenna:49593 rec.radio.amateur.misc:39025
rec.radio.amateur.equipment:13262

On Nov 21, 10:32 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:27 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
```

> > > for his actions, there is no excuse for the false reporting of lies
> > > about another person because he suspects something through his twisted
> > > logic and suspects that a certain person is the author of messages on
> > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER . If anyone
> > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > he called the hotline for the Florida Department of Child Protective
> > > Services and falsely reported that Mr. Crow has had inappropriate
> > > conversations with a 7 year old child concerning sex.
>
> > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > dispicable, but shows the great length that Mr. Morgan will go to
> > > persue/attack other hams who he thinks criticize his netique by taking
> > > his disputes off of the net and trying to affect someone's freedom and
> > > livelyhood by lauding false charges against anyone he deems is
> > > deserving of his tirade of revenge.
>
> > I apologize for the broken link,http://nimbusters.org/forum/forum.php?board=1-
Hide quoted text -
>
> > - Show quoted text -
>
> here is the link to the exact post by Mr. Morganhttp://nimbusters.org/forum/
read.php?board=1&id=412818- Hide quoted text -
>
> - Show quoted text -

Why hijack my thread Mark? Why can't you face your malice against Mr.
Crow?

From -7686799057652836O4
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why can't Dloyd face the facts.. that being crow or not I am convinced he
abused a 7 yo kid
Date: Wed, 21 Nov 2007 23:20:49 -0500
Message-ID: <ro0ak31el1h50rf53vvk825o5eksql02e1@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>

X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 22 Nov 2007 03:32:17 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:99075
rec.radio.amateur.antenna:49598 rec.radio.amateur.misc:39055
rec.radio.amateur.equipment:13264

On Wed, 21 Nov 2007 22:58:22 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
><DloydLavies@gmail.com> wrote:
>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -2470613921029124580
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: why can't Dloyd face the facts.. that being crow or not I am convinced he
abused a 7 yo kid
Date: Wed, 21 Nov 2007 23:20:49 -0500
Message-ID: <go0ak3teugopho74ugrsie5v4lhriet29f@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<uhv9k31jtn022e101v6skomdv7o3o2p4o5@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 22 Nov 2007 03:32:15 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:99073
rec.radio.amateur.antenna:49597 rec.radio.amateur.misc:39053
rec.radio.amateur.equipment:13263

On Wed, 21 Nov 2007 22:58:04 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 19:22:17 -0800 (PST), Dloyd Lavies
><DloydLavies@gmail.com> wrote:
>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
```

>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -6635688082397617851
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: why can't Dloyd face the facts.. that being crow or not I am convinced he abused a 7 yo kid
Date: Wed, 21 Nov 2007 23:20:49 -0500
Message-ID: <6p0ak39mej5savi3ufrs3bcmog6jn4v6jk@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 22 Nov 2007 03:32:21 GMT
X-Complaints-To: abuse@teranews.com

Xref: g2news1.google.com rec.radio.amateur.policy:99082
rec.radio.amateur.antenna:49599 rec.radio.amateur.misc:39062
rec.radio.amateur.equipment:13265

On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
><DloydLavies@gmail.com> wrote:
>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 890605179068408044
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11

Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!nntpfeed.proxad.net!news.netfinity.fr!news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Wed, 21 Nov 2007 13:54:24 -0800
Lines: 30
Message-ID: <fi29f5$uii$2@snarked.org>
References: <Z6L0j.991$V51.83@newsfe10.lga>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-106-213-91.lsanca.dsl-w.verizon.net
Mime-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Trace: snarked.org 1195682085 31314 71.106.213.91 (21 Nov 2007 21:54:45 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Wed, 21 Nov 2007 21:54:45 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:13266

"Steve Calvin" <calvins@optonline.net> wrote in message
news:Z6L0j.991$V51.83@newsfe10.lga...

> Sorry if this isn't the right group to ask this, if not and
> someone know of a more appropriate group I'd appreciate a
> pointer.
>
> I currently have GMRS radios that are rated at "16 miles"
> (yeah, maybe on the salt flats or over water, ok, we all
> know about that). The are rated at 2W on the GMRS freq's
> and .5w on FRS.
>
> Why are the new "25 mile" units still rated at 2W? What's
> the difference in the two radios to justify the increased
> distance claims?
>
> Can't be frequency or a change to the privacy codes or they
> wouldn't work with older radios.
>
> Increased sensitivity/filtering? Hype?

Hype and poor/deceptive advertising. Probably the advertising dept. is clueless as to actual specs.

2W on a unity gain antenna should have a maximum range of 1.4km (or 0.878 miles) given the standard receive sensitivity of 0.2u.

GMRS is CB, and therefore, your better group by topic would have been "rec.rado.cb." However, I agree with other responses that you would probably get a better quality response here.

```
From -4252749217241439430
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
From: Steve Calvin <calvins@optonline.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
In-Reply-To: <fi29f5$uii$2@snarked.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 22
Message-ID: <Nuf1j.11$ZD6.8@newsfe10.lga>
NNTP-Posting-Host: 69.121.98.27
X-Complaints-To: abuse@cv.net
X-Trace: newsfe10.lga 1195738157 69.121.98.27 (Thu, 22 Nov 2007 06:29:17 MST)
NNTP-Posting-Date: Thu, 22 Nov 2007 06:29:17 MST
Organization: Optimum Online
Date: Thu, 22 Nov 2007 08:29:04 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13267

D. Stussy wrote:
> "Steve Calvin" <calvins@optonline.net> wrote in message
>>
>> Increased sensitivity/filtering?  Hype?
>
> Hype and poor/deceptive advertising.  Probably the advertising dept. is clueless
> as to actual specs.
>
> 2W on a unity gain antenna should have a maximum range of 1.4km (or 0.878 miles)
> given the standard receive sensitivity of 0.2u.
>
> GMRS is CB, and therefore, your better group by topic would have been
> "rec.rado.cb."  However, I agree with other responses that you would probably
> get a better quality response here.
>

Thanks again to you all (with one notable exception ;-) ).
You've confirmed what I suspected all along but didn't
have/know the technical details enough to debunk the claims.

--
Steve
```

```
From 4347035016236960244
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p69g2000hsa.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Thu, 22 Nov 2007 05:47:21 -0800 (PST)
Organization: http://groups.google.com
Lines: 37
Message-ID: <0b94acea-2df6-4fba-8e3a-d23617e7d2c8@p69g2000hsa.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
     <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195739242 9767 127.0.0.1 (22 Nov 2007 13:47:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Nov 2007 13:47:22 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p69g2000hsa.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99108
rec.radio.amateur.antenna:49611 rec.radio.amateur.misc:39076
rec.radio.amateur.equipment:13268

On Nov 21, 10:32 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:27 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > for his actions, there is no excuse for the false reporting of lies
> > > about another person because he suspects something through his twisted
> > > logic and suspects that a certain person is the author of messages on
> > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > he called the hotline for the Florida Department of Child Protective
> > > Services and falsely reported that Mr. Crow has had inappropriate
> > > conversations with a 7 year old child concerning sex.
>
> > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > dispicable, but shows the great length that Mr. Morgan will go to
> > > persue/attack other hams who he thinks criticize his netique by taking
> > > his disputes off of the net and trying to affect someone's freedom and
> > > livelyhood by lauding false charges against anyone he deems is
> > > deserving of his tirade of revenge.
>
> > I apologize for the broken link,http://nimbusters.org/forum/forum.php?board=1-
Hide quoted text -
>
> > - Show quoted text -
>
> here is the link to the exact post by Mr. Morganhttp://nimbusters.org/forum/
read.php?board=1&id=412818- Hide quoted text -
>
> - Show quoted text -

here is a link where Mark states that as bi-sexual it is his
responsibility to warp the minds of children.



From 2189294132054827962
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r31g2000hsg.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Thu, 22 Nov 2007 05:47:41 -0800 (PST)
Organization: http://groups.google.com
Lines: 36
Message-ID: <1c6cf5bc-c2d1-4538-8a7e-39f94a98624b@r31g2000hsg.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
     <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195739263 9814 127.0.0.1 (22 Nov 2007 13:47:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Nov 2007 13:47:43 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: r31g2000hsg.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99109
rec.radio.amateur.antenna:49612 rec.radio.amateur.misc:39077
rec.radio.amateur.equipment:13269

On Nov 21, 10:32 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:27 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > for his actions, there is no excuse for the false reporting of lies
> > > about another person because he suspects something through his twisted
> > > logic and suspects that a certain person is the author of messages on
> > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > he called the hotline for the Florida Department of Child Protective
> > > Services and falsely reported that Mr. Crow has had inappropriate
> > > conversations with a 7 year old child concerning sex.
>
> > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > dispicable, but shows the great length that Mr. Morgan will go to
> > > persue/attack other hams who he thinks criticize his netique by taking
> > > his disputes off of the net and trying to affect someone's freedom and
> > > livelyhood by lauding false charges against anyone he deems is
> > > deserving of his tirade of revenge.
>
> > I apologize for the broken link,http://nimbusters.org/forum/forum.php?board=1-
Hide quoted text -
>
> > - Show quoted text -
>
> here is the link to the exact post by Mr. Morganhttp://nimbusters.org/forum/
read.php?board=1&id=412818- Hide quoted text -
>
> - Show quoted text -
```

http://nimbusters.org/forum/read.php?board=1&id=412336

```
From -5038631707265443301
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe06.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
In-Reply-To: <fi29f5$uii$2@snarked.org>
Subject: Re: GMRS Watts v Distance?
Lines: 49
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <mfh1j.9100$Rw3.1772@newsfe06.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe06.phx 1195745362 72.197.13.209 (Thu, 22 Nov 2007 08:29:22 MST)
NNTP-Posting-Date: Thu, 22 Nov 2007 08:29:22 MST
Organization: Cox
Date: Thu, 22 Nov 2007 07:29:22 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13270
```

"D. Stussy" <spam@bde-arc.ampr.org> wrote in message
news:fi29f5$uii$2@snarked.org...
> "Steve Calvin" <calvins@optonline.net> wrote in message
> news:Z6L0j.991$V51.83@newsfe10.lga...
>> Sorry if this isn't the right group to ask this, if not and
>> someone know of a more appropriate group I'd appreciate a
>> pointer.
>>
>> I currently have GMRS radios that are rated at "16 miles"
>> (yeah, maybe on the salt flats or over water, ok, we all
>> know about that). The are rated at 2W on the GMRS freq's
>> and .5w on FRS.
>>
>> Why are the new "25 mile" units still rated at 2W? What's
>> the difference in the two radios to justify the increased
>> distance claims?

```
>>
>> Can't be frequency or a change to the privacy codes or they
>> wouldn't work with older radios.
>>
>> Increased sensitivity/filtering?  Hype?
>
> Hype and poor/deceptive advertising.  Probably the advertising dept. is
> clueless
> as to actual specs.
>
> 2W on a unity gain antenna should have a maximum range of 1.4km (or 0.878
> miles)
> given the standard receive sensitivity of 0.2u.
>
> GMRS is CB, and therefore, your better group by topic would have been
> "rec.rado.cb."  However, I agree with other responses that you would
> probably
> get a better quality response here.
>

GMRS is NOT CB. See URL:
http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile

GMRS frequencies are UHF- FM  and requires a license and a fee for
application (~ $75 ?). Use is sharply defined. Repeater operation is
permitted. There are severe penalties for non-licensed users.

Lots of details at URL:
http://www.provide.net/~prsg/wi-gmrs.htm

Lamont




From -8132174351035733944
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
exabot.com!freenix!sn-xt-sjc-04!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Thu, 22 Nov 2007 08:20:50 -0800
Organization: Home for Obscure Mythical Beings
Message-ID: <2smg15-p4m.ln1@radagast.org>
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 25
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:13271

In article <mfh1j.9100$Rw3.1772@newsfe06.phx>,
The Shadow <Cranston@CobaltClub.com> wrote:

>GMRS is NOT CB. See URL:
>http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile
>
>GMRS frequencies are UHF- FM  and requires a license and a fee for
>application (~ $75 ?). Use is sharply defined. Repeater operation is
>permitted. There are severe penalties for non-licensed users.

Out of curiosity - are you aware of any actual enforcement actions
in the past few years, taken against people using GMRS frequencies
without a license?

From what I can see, GMRS licensees are receiving next to no support
from the FCC in this regard.  The GMRS-only frequencies seem to be
suffering from widespread interference from owners of the dual-mode
(FRS/GMRS) radios, using the GMRS frequencies without bothering to (or
even being aware of the legal requirement to) get a license.

--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From 8262245063703492590
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmpeer03.lga!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!
53ab2750!not-for-mail
From: Steve Calvin <calvins@optonline.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <2smg15-p4m.ln1@radagast.org>
In-Reply-To: <2smg15-p4m.ln1@radagast.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <8pi1j.38$LM3.13@newsfe08.lga>
NNTP-Posting-Host: 69.121.98.27
X-Complaints-To: abuse@cv.net
X-Trace: newsfe08.lga 1195750084 69.121.98.27 (Thu, 22 Nov 2007 09:48:04 MST)
```

```
NNTP-Posting-Date: Thu, 22 Nov 2007 09:48:04 MST
Organization: Optimum Online
Date: Thu, 22 Nov 2007 11:47:50 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13272
```

Dave Platt wrote:
<snip>
> From what I can see, GMRS licensees are receiving next to no support
> from the FCC in this regard. The GMRS-only frequencies seem to be
> suffering from widespread interference from owners of the dual-mode
> (FRS/GMRS) radios, using the GMRS frequencies without bothering to (or
> even being aware of the legal requirement to) get a license.

I believe you are correct. They seem to be going the way CB
licenses. They finally realized that no one was getting the
license due to the inability or desire to track non-licensed
users. Except in some extreme cases, where the operator had
a stationary base station and was running high power.

--
Steve

```
From -1306592767992556908
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <2smg15-p4m.ln1@radagast.org>
In-Reply-To: <2smg15-p4m.ln1@radagast.org>
Subject: Re: GMRS Watts v Distance?
Lines: 25
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <jdj1j.15323$1R.2255@newsfe07.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1195753423 72.197.13.209 (Thu, 22 Nov 2007 10:43:43 MST)
```

```
NNTP-Posting-Date: Thu, 22 Nov 2007 10:43:43 MST
Organization: Cox
Date: Thu, 22 Nov 2007 09:43:41 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13273
```

snip>
> Out of curiosity - are you aware of any actual enforcement actions
> in the past few years, taken against people using GMRS frequencies
> without a license?
>

snip

Google shows several violations

Example
http://www.fcc.gov/eb/FieldNotices/2003/DOC-238457A1.html

The point is -- it is the law. If you are aware of that and ignore it - you were forwarned.

The FCC has its hands full - monitoring for idiots jamming Marine and Aircraft frequencies and causing ship or air collisions.

But non-licensed GMRSers do occaisionally get caught -- do you really want to be one of them???

Lamont

```
From 8409189959845410679
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <2smg15-p4m.ln1@radagast.org>
<jdj1j.15323$1R.2255@newsfe07.phx>
In-Reply-To: <jdj1j.15323$1R.2255@newsfe07.phx>
Subject: Re: GMRS Watts v Distance?
Lines: 32
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <0kj1j.15324$1R.12860@newsfe07.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1195753852 72.197.13.209 (Thu, 22 Nov 2007 10:50:52 MST)
NNTP-Posting-Date: Thu, 22 Nov 2007 10:50:52 MST
Organization: Cox
Date: Thu, 22 Nov 2007 09:50:51 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13274

"The Shadow" <Cranston@CobaltClub.com> wrote in message
news:jdj1j.15323$1R.2255@newsfe07.phx...
>
> snip>
>> Out of curiosity - are you aware of any actual enforcement actions
>> in the past few years, taken against people using GMRS frequencies
>> without a license?
>>
> snip
>
> Google shows several violations
>
> Example
> http://www.fcc.gov/eb/FieldNotices/2003/DOC-238457A1.html
>
> The point is -- it is the law. If you are aware of that and ignore it -
> you were forwarned.
>
> The FCC has its hands full - monitoring for idiots jamming Marine and
> Aircraft frequencies and causing ship or air collisions.
>
> But non-licensed GMRSers do occaisionally get caught -- do you really
> want to be one of them???
>
> Lamont
>
>

also see
http://www.fcc.gov/eb/FieldNotices/2003/DOC-257949A1.html

From 4637645160349125500
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail

From: Bruce in Alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Organization: Bruce's Trading Post
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org> <mfh1j.9100$Rw3.1772@newsfe06.phx>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <fast-6FB15F.10021222112007@netnews.worldnet.att.net>
Lines: 27
Date: Thu, 22 Nov 2007 19:01:52 GMT
NNTP-Posting-Host: 12.12.208.116
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1195758112 12.12.208.116 (Thu, 22 Nov 2007 19:01:52 GMT)
NNTP-Posting-Date: Thu, 22 Nov 2007 19:01:52 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13275

In article <mfh1j.9100$Rw3.1772@newsfe06.phx>,
 "The Shadow" <Cranston@CobaltClub.com> wrote:

> GMRS is NOT CB. See URL:
> http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile
>
> GMRS frequencies are UHF- FM and requires a license and a fee for
> application (~ $75 ?). Use is sharply defined. Repeater operation is
> permitted. There are severe penalties for non-licensed users.
>
> Lots of details at URL:
> http://www.provide.net/~prsg/wi-gmrs.htm
>
> Lamont

Actually, GMRS has it's roots in Citizens Band, as it started out life as Citizens Band Class A, when Citizens Band was Created in the 1960's. It was changed to GMRS much more recently by Commission Action. At one time ALL Citizen Band Radios were licensed, and required a License Fee be paid, and in truth, all Citizens Band Radios are still Licensed by the Commission, under a General Nationwide Blanket License created when the Commission dropped the Individual Licenses, and Fees, for those particular Radio Services.

Bruce in alaska
--
add <path> before @

From 6656426184335824143
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail

From: Bruce in Alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Organization: Bruce's Trading Post
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <2smg15-p4m.ln1@radagast.org>
<jdj1j.15323$1R.2255@newsfe07.phx>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <fast-7E180A.10064122112007@netnews.worldnet.att.net>
Lines: 22
Date: Thu, 22 Nov 2007 19:06:20 GMT
NNTP-Posting-Host: 12.12.208.116
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1195758380 12.12.208.116 (Thu, 22 Nov 2007 19:06:20 GMT)
NNTP-Posting-Date: Thu, 22 Nov 2007 19:06:20 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13276

In article <jdj1j.15323$1R.2255@newsfe07.phx>,
 "The Shadow" <Cranston@CobaltClub.com> wrote:

> The FCC has its hands full - monitoring for idiots jamming Marine and
> Aircraft frequencies and causing ship or air collisions.
>
>
> Lamont

Can you document a single case, where the FCC was involved in monitoring
Marine, and, or, Aircraft Frequencies for Jammers, that caused a
collision of a ship or aircraft?   No, Really? Duh, I wonder why?

Lamont, you have no clue what the FCC, does, and what it has been doing,
since the ALGORE Bloodletting.

Maybe you should get a "Clue" before you make any more Foolish
Statements......

Bruce in alaska
--
add <path> before @

From 2929391231251612375
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>

```
<mfh1j.9100$Rw3.1772@newsfe06.phx>
<fast-6FB15F.10021222112007@netnews.worldnet.att.net>
In-Reply-To: <fast-6FB15F.10021222112007@netnews.worldnet.att.net>
Subject: Re: GMRS Watts v Distance?
Lines: 39
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <f0l1j.20162$4k.14553@newsfe11.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe11.phx 1195760779 72.197.13.209 (Thu, 22 Nov 2007 12:46:19 MST)
NNTP-Posting-Date: Thu, 22 Nov 2007 12:46:19 MST
Organization: Cox
Date: Thu, 22 Nov 2007 11:46:17 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13277


"Bruce in Alaska" <fast@btpost.net> wrote in message
news:fast-6FB15F.10021222112007@netnews.worldnet.att.net...
> In article <mfh1j.9100$Rw3.1772@newsfe06.phx>,
> "The Shadow" <Cranston@CobaltClub.com> wrote:
>
>> GMRS is NOT CB. See URL:
>> http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile
>>
>> GMRS frequencies are UHF- FM  and requires a license and a fee for
>> application (~ $75 ?). Use is sharply defined. Repeater operation is
>> permitted. There are severe penalties for non-licensed users.
>>
>> Lots of details at URL:
>> http://www.provide.net/~prsg/wi-gmrs.htm
>>
>> Lamont
>
> Actually, GMRS has it's roots in Citizens Band, as it started out life
> as Citizens Band Class A, when Citizens Band was Created in the 1960's.
> It was changed to GMRS much more recently by Commission Action. At one
> time ALL Citizen Band Radios were licensed, and required a License Fee
> be paid, and in truth, all Citizens Band Radios are still Licensed by
> the Commission, under a General Nationwide Blanket License created
> when the Commission dropped the Individual Licenses, and Fees, for
> those particular Radio Services.
>
> Bruce in alaska
```

Indeed Bruce all that is true but today CB is
http://wireless.fcc.gov/services/index.htm?job=service_home&id=cb

GMRS is
http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile

Lot of differences, frequencies, modulation, useage, etc

Lamont

```
From 4857326020653865448
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <2smg15-p4m.ln1@radagast.org>
<jdj1j.15323$1R.2255@newsfe07.phx>
<fast-7E180A.10064122112007@netnews.worldnet.att.net>
In-Reply-To: <fast-7E180A.10064122112007@netnews.worldnet.att.net>
Subject: Re: GMRS Watts v Distance?
Lines: 48
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <Sil1j.20164$4k.11388@newsfe11.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe11.phx 1195761970 72.197.13.209 (Thu, 22 Nov 2007 13:06:10 MST)
NNTP-Posting-Date: Thu, 22 Nov 2007 13:06:10 MST
Organization: Cox
Date: Thu, 22 Nov 2007 12:06:08 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13278
```

"Bruce in Alaska" <fast@btpost.net> wrote in message
news:fast-7E180A.10064122112007@netnews.worldnet.att.net...

> In article <jdj1j.15323$1R.2255@newsfe07.phx>,
> "The Shadow" <Cranston@CobaltClub.com> wrote:

>
>> The FCC has its hands full - monitoring for idiots jamming Marine and
>> Aircraft frequencies and causing ship or air collisions.
>>
>>
>> Lamont
>
> Can you document a single case, where the FCC was involved in monitoring
> Marine, and, or, Aircraft Frequencies for Jammers, that caused a
> collision of a ship or aircraft?   No, Really? Duh, I wonder why?
>
> Lamont, you have no clue what the FCC, does, and what it has been doing,
> since the ALGORE Bloodletting.
>
> Maybe you should get a "Clue" before you make any more Foolish
> Statements......
>
> Bruce in alaska
> --
> add <path> before @

We recently had a FCC spokesperson at our Ham Club and he stated the above.
I stand by my statements.

Jammers or any interfering frequency --- spurs, harmonics, intermod can
cause communication problems.

I refer you to URL:
http://www2.arrl.org/news/enforcement_logs/2003/0614.html

http://www2.arrl.org/news/enforcement_logs/2003/0712.html

http://w6yra.bol.ucla.edu/interest.htm

http://209.85.173.104/search?q=cache:XZFFaZ3BepkJ:www.fcc.gov/eb/Orders/2001/
fcc01018.doc+fcc+violation+aircraft+frequency&hl=en&ct=clnk&cd=2&gl=us

http://www.fcc.gov/eb/Orders/

Lots more if you get a clue and use Goggle

Lamont

From -2242496127140201513
X-Google-Thread: 108122,d975249aaf5dfa89,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-09!sn-xt-sjc-06!
sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>

```
Newsgroups: rec.radio.amateur.equipment
Subject: GMRS
Date: Thu, 22 Nov 2007 10:59:07 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0711221054500.28931@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news1.google.com rec.radio.amateur.equipment:13279

AS someone on here said, GMRS is similar to CB (chicken bandits)
in that not all the GMRS chnls require any fee of any kind.  I think
chnl 1 thru 7 do require a license from the FCC and its
$100 not $75 as someone said.  If you stick to the "open chnls"
Chnl 11 is on of them you dont need call signs nor anything, just
use it like a telephone.  I call sign, no identification required.
                        Joe


**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
**************************************************************************





From -3374541851480925983
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Thu, 22 Nov 2007 14:09:28 -0700
Message-ID: <6prbk3dth1ncs9vdkdgoqict2nqcfqk1ri@4ax.com>
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx>
<fast-6FB15F.10021222112007@netnews.worldnet.att.net>
<f0l1j.20162$4k.14553@newsfe11.phx>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Date: 22 Nov 2007 20:19:01 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13280
```

On Thu, 22 Nov 2007 11:46:17 -0800, "The Shadow"
<Cranston@CobaltClub.com> wrote:

>> Actually, GMRS has it's roots in Citizens Band, as it started out life
>> as Citizens Band Class A, when Citizens Band was Created in the 1960's.
>> It was changed to GMRS much more recently by Commission Action. At one
>> time ALL Citizen Band Radios were licensed, and required a License Fee
>> be paid, and in truth, all Citizens Band Radios are still Licensed by
>> the Commission, under a General Nationwide Blanket License created
>> when the Commission dropped the Individual Licenses, and Fees, for
>> those particular Radio Services.
>>
>> Bruce in alaska
>
>Indeed Bruce all that is true but today CB is
>http://wireless.fcc.gov/services/index.htm?job=service_home&id=cb
>
>GMRS is
>http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile
>
>Lot of differences, frequencies, modulation, useage, etc
>
>Lamont

I will have to side with Bruce on this one. The GMRS band (formerly
Class A Citizen's Band) FRS and CB all fall under Part 95, Personal
Radio Services. Each has its own characteristics, but they are all
related to radio services for the general public as opposed to the
Amateur Radio Service under Part 97.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

```
From -8553095466995632897
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx>
<fast-6FB15F.10021222112007@netnews.worldnet.att.net>
<f0l1j.20162$4k.14553@newsfe11.phx> <6prbk3dth1ncs9vdkdgoqict2nqcfqk1ri@4ax.com>
In-Reply-To: <6prbk3dth1ncs9vdkdgoqict2nqcfqk1ri@4ax.com>
Subject: Re: GMRS Watts v Distance?
Lines: 40
```

```
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <zlm1j.15337$1R.3277@newsfe07.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1195766239 72.197.13.209 (Thu, 22 Nov 2007 14:17:19 MST)
NNTP-Posting-Date: Thu, 22 Nov 2007 14:17:19 MST
Organization: Cox
Date: Thu, 22 Nov 2007 13:17:17 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13281


"Dick" <w6ccd@k7yca.org> wrote in message
news:6prbk3dth1ncs9vdkdgoqict2nqcfqk1ri@4ax.com...
> On Thu, 22 Nov 2007 11:46:17 -0800, "The Shadow"
> <Cranston@CobaltClub.com> wrote:
>
>>> Actually, GMRS has it's roots in Citizens Band, as it started out life
>>> as Citizens Band Class A, when Citizens Band was Created in the 1960's.
>>> It was changed to GMRS much more recently by Commission Action. At one
>>> time ALL Citizen Band Radios were licensed, and required a License Fee
>>> be paid, and in truth, all Citizens Band Radios are still Licensed by
>>> the Commission, under a General Nationwide Blanket License created
>>> when the Commission dropped the Individual Licenses, and Fees, for
>>> those particular Radio Services.
>>>
>>> Bruce in alaska
>>
>>Indeed Bruce all that is true but today CB is
>>http://wireless.fcc.gov/services/index.htm?job=service_home&id=cb
>>
>>GMRS is
>>http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile
>>
>>Lot of differences, frequencies, modulation, useage, etc
>>
>>Lamont
>
> I will have to side with Bruce on this one.  The GMRS band (formerly
> Class A Citizen's Band) FRS and CB all fall under Part 95, Personal
> Radio Services.  Each has its own characteristics, but they are all
> related to radio services for the general public as opposed to the
> Amateur Radio Service under Part 97.
>
> Dick - W6CCD
```

Agree but hopefully some readers are now aware of the differences between
the CB and GMRS.
One poster stated that GMRS is CB simply not true.
Lamont

```
From 8279060588784004219
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
news.linkpendium.com!news.linkpendium.com!news.snarked.org!not-for-mail
From: "D. Stussy" <spam@bde-arc.ampr.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Thu, 22 Nov 2007 14:22:13 -0800
Lines: 53
Message-ID: <fi4veq$ldh$1@snarked.org>
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx>
Reply-To: "D. Stussy" <replies@newsgroups.kd6lvw.ampr.org>
NNTP-Posting-Host: pool-71-106-213-91.lsanca.dsl-w.verizon.net
Mime-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Trace: snarked.org 1195770138 21937 71.106.213.91 (22 Nov 2007 22:22:18 GMT)
X-Complaints-To: newsmaster@snarked.org
NNTP-Posting-Date: Thu, 22 Nov 2007 22:22:18 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:13283
```

"The Shadow" <Cranston@CobaltClub.com> wrote in message
news:mfh1j.9100$Rw3.1772@newsfe06.phx...
>
> "D. Stussy" <spam@bde-arc.ampr.org> wrote in message
> news:fi29f5$uii$2@snarked.org...
> > "Steve Calvin" <calvins@optonline.net> wrote in message
> > news:Z6L0j.991$V51.83@newsfe10.lga...
> >> Sorry if this isn't the right group to ask this, if not and
> >> someone know of a more appropriate group I'd appreciate a
> >> pointer.
> >>
> >> I currently have GMRS radios that are rated at "16 miles"
> >> (yeah, maybe on the salt flats or over water, ok, we all
> >> know about that). The are rated at 2W on the GMRS freq's
> >> and .5w on FRS.

> >>
> >> Why are the new "25 mile" units still rated at 2W? What's
> >> the difference in the two radios to justify the increased
> >> distance claims?
> >>
> >> Can't be frequency or a change to the privacy codes or they
> >> wouldn't work with older radios.
> >>
> >> Increased sensitivity/filtering? Hype?
> >
> > Hype and poor/deceptive advertising. Probably the advertising dept. is
> > clueless
> > as to actual specs.
> >
> > 2W on a unity gain antenna should have a maximum range of 1.4km (or 0.878
> > miles)
> > given the standard receive sensitivity of 0.2u.
> >
> > GMRS is CB, and therefore, your better group by topic would have been
> > "rec.rado.cb." However, I agree with other responses that you would
> > probably
> > get a better quality response here.
> >
>
> GMRS is NOT CB. See URL:
> http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile

WRONG! GMRS is CB. It's defined in part 95, subpart A. All of part 95 is CB.
What you're thinking of is only the 27MHz allocation - part 95, subpart D. FRS
and MURS are also in part 95, and if you read the FCC's page on each, the FCC
indicates that each is part of CB, but neither operates on 27MHz.

> GMRS frequencies are UHF- FM and requires a license and a fee for
> application (~ $75 ?). Use is sharply defined. Repeater operation is
> permitted. There are severe penalties for non-licensed users.

It's still CB and you know it.

From 4225334431532641808
X-Google-Thread: 108122,d975249aaf5dfa89
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS
Date: Thu, 22 Nov 2007 16:00:56 -0700
Message-ID: <6f1ck35vjjq1bdl1s5pppscvqul8os013e@4ax.com>
References: <Pine.BSI.4.64.0711221054500.28931@malasada.lava.net>
X-Newsreader: Forte Agent 2.0/32.652

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Date: 22 Nov 2007 22:10:29 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13284
```

On Thu, 22 Nov 2007 10:59:07 -1000, Joseph Fenn <jfenn@lava.net>
wrote:

```
>AS someone on here said, GMRS is similar to CB (chicken bandits)
>in that not all the GMRS chnls require any fee of any kind.  I think
>chnl 1 thru 7 do require a license from the FCC and its
>$100 not $75 as someone said.  If you stick to the "open chnls"
>Chnl 11 is on of them you dont need call signs nor anything, just
>use it like a telephone.  I call sign, no identification required.
>                        Joe
>
>
>***************************************************************************
>* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
>* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
>***************************************************************************
>
```

I know a lot of people are under that mis-conception because of the combination FRS/GMRS radios sold at Wal-Mart, etc., but in actuality, ALL GMRS channels require a license if operated as GMRS (over 1/2-watt, detachable antenna.) If you operate on one of the interstial channels (FRS channels 1 thru 7), where FRS and GMRS channels are the same, and you operate under the FRS rules (1/2-watt maximum, non-detacheable antenna), then yes, you can operate one of those channels without a license. But only as FRS, and not GMRS.

The latest fee for GMRS is $85.
http://www.fcc.gov/Forms/Form1070/2006/1070y101706.pdf

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

```
From 1297656606825965293
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe09.phx.POSTED!53ab2750!not-for-mail
```

```
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <2smg15-p4m.ln1@radagast.org>
<jdj1j.15323$1R.2255@newsfe07.phx>
<fast-7E180A.10064122112007@netnews.worldnet.att.net>
<Sil1j.20164$4k.11388@newsfe11.phx> <j30ck3phcd429l9vpk4e1fbq35fp6gbmms@4ax.com>
In-Reply-To: <j30ck3phcd429l9vpk4e1fbq35fp6gbmms@4ax.com>
Subject: Re: GMRS Watts v Distance?
Lines: 19
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <A8o1j.21182$ck5.4375@newsfe09.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe09.phx 1195773600 72.197.13.209 (Thu, 22 Nov 2007 16:20:00 MST)
NNTP-Posting-Date: Thu, 22 Nov 2007 16:20:00 MST
Organization: Cox
Date: Thu, 22 Nov 2007 15:19:57 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13285
```

"Ty" <typrcf@aol.com> wrote in message
news:j30ck3phcd429l9vpk4e1fbq35fp6gbmms@4ax.com...

> Lamont,
>
> Tell us how to "Goggle"
>
> We need a clue.
>
> ROTFLMAO at the stupidity.

NWOAR Tie NWOAR

Just kidding Tei

Try googling goggle

Lamont

```
From 1481394263041497600
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
```

```
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e4g2000hsg.googlegroups.com!not-for-
mail
From: an_old_friend <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: when willdloyd face facts... fakig a post on nibuster is not evidence
Date: Thu, 22 Nov 2007 19:21:03 -0800 (PST)
Organization: http://groups.google.com
Lines: 8
Message-ID: <4271646e-1934-4638-9b63-9b2813bfdc95@e4g2000hsg.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
     <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
     <1c6cf5bc-c2d1-4538-8a7e-39f94a98624b@r31g2000hsg.googlegroups.com>
NNTP-Posting-Host: 66.82.9.79
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195788064 10094 127.0.0.1 (23 Nov 2007 03:21:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Nov 2007 03:21:04 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: e4g2000hsg.googlegroups.com; posting-host=66.82.9.79;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99141
rec.radio.amateur.antenna:49635 rec.radio.amateur.misc:39085
rec.radio.amateur.equipment:13286

On Nov 22, 8:47 am, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:32 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>

> http://nimbusters.org/forum/read.php?board=1&id=412336- Hide quoted text -
>
> - Show quoted text -




From -3549187020496050878
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: when willdloyd face facts... his bizare views on sexaulity and he
statement that he had a converasation about them with a & yo concinced that he has
abused a 7 yo
Date: Thu, 22 Nov 2007 22:26:19 -0500
Message-ID: <1uhck3hla42rl54tqbuob63uasam397sqi@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<uhv9k31jtn022e101v6skomdv7o3o2p4o5@4ax.com>
<go0ak3teugopho74ugrsie5v4lhriet29f@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 53
NNTP-Posting-Date: 23 Nov 2007 02:36:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:99145
rec.radio.amateur.antenna:49636 rec.radio.amateur.misc:39089
rec.radio.amateur.equipment:13287

On Wed, 21 Nov 2007 23:20:49 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 22:58:04 -0500, kb9rqz@hotmail.com wrote:
>
>>On Wed, 21 Nov 2007 19:22:17 -0800 (PST), Dloyd Lavies
>><DloydLavies@gmail.com> wrote:
>>
>>>
>>
>>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>>adams
>>
>>woger you are a Congress all in your own head
>>
>>http://kb9rqz.bravejournal.com/
>>altopia is never used by KB9RQZ
>>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>>
>>posts from these sorucees are fakes
>>
>>and get ou the newly recovered KB9RQZ.blogspot.com as well
>>
>>G
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
```

>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From 2643482093400431639
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!news.netcologne.de!newsfeed-fusi2.netcologne.de!newsfeed01.chello.at!newsfeed.utanet.at!news-hub.siol.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: when willdloyd face facts... his bizare views on sexaulity and he statement that he had a converasation about them with a & yo concinced that he has abused a 7 yo
Date: Thu, 22 Nov 2007 22:37:58 -0500

Message-ID: <pmick31gqgoos3bd4aimuvf2ivmc2b8bto@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
<3jv9k3tj53ale6mpsvcac50cotjgbob7k7@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 23 Nov 2007 02:47:37 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:99153
rec.radio.amateur.antenna:49637 rec.radio.amateur.misc:39096
rec.radio.amateur.equipment:13288

On Wed, 21 Nov 2007 22:58:41 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 19:32:05 -0800 (PST), Dloyd Lavies
><DloydLavies@gmail.com> wrote:
>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 7062715310882985275
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!news2.euro.net!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: when willdloyd face facts... his bizare views on sexaulity and he
statement that he had a converasation about them with a & yo concinced that he has
abused a 7 yo
Date: Thu, 22 Nov 2007 22:37:58 -0500
Message-ID: <3nick3tfedvqqfdfr724orlj9hmvig21j6@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
<kiv9k35jootcgdfa1f9t2qsmfdhgj8es0g@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 23 Nov 2007 02:47:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:99154
rec.radio.amateur.antenna:49638 rec.radio.amateur.misc:39097
rec.radio.amateur.equipment:13289
```

On Wed, 21 Nov 2007 22:58:22 -0500, kb9rqz@hotmail.com wrote:

```
>On Wed, 21 Nov 2007 19:27:37 -0800 (PST), Dloyd Lavies
><DloydLavies@gmail.com> wrote:
>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
```

```
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From 23401082482520638
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!newsfeed01.chello.at!
newsfeed.utanet.at!news-hub.siol.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radi
o.amateur.equipment
Subject: when willdloyd face facts... his bizare views on sexaulity and he
statement that he had a converasation about them with a & yo concinced that he has
abused a 7 yo
Date: Thu, 22 Nov 2007 22:37:58 -0500
Message-ID: <enick393d5f6ponuh30vjhpalra64fe6j2@4ax.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
<uhv9k31jtn022e101v6skomdv7o3o2p4o5@4ax.com>
```

X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 23 Nov 2007 02:47:51 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:99156
rec.radio.amateur.antenna:49639 rec.radio.amateur.misc:39099
rec.radio.amateur.equipment:13290

On Wed, 21 Nov 2007 22:58:04 -0500, kb9rqz@hotmail.com wrote:

>On Wed, 21 Nov 2007 19:22:17 -0800 (PST), Dloyd Lavies
><DloydLavies@gmail.com> wrote:
>
>>
>
>"one useless man is disgrace 2 become a law firm 3 or more become a congress"
>adams
>
>woger you are a Congress all in your own head
>
>http://kb9rqz.bravejournal.com/
>altopia is never used by KB9RQZ
>nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella
>
>posts from these sorucees are fakes
>
>and get ou the newly recovered KB9RQZ.blogspot.com as well
>
>G

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From -6164896665000450988
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <fi4veq$ldh$1@snarked.org>
In-Reply-To: <fi4veq$ldh$1@snarked.org>
Subject: Re: GMRS Watts v Distance?
Lines: 34
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <RPB1j.26440$L15.25451@newsfe08.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1195829617 72.197.13.209 (Fri, 23 Nov 2007 07:53:37 MST)
NNTP-Posting-Date: Fri, 23 Nov 2007 07:53:37 MST
Organization: Cox
Date: Fri, 23 Nov 2007 06:53:37 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13291
```

```
>>
>> GMRS is NOT CB. See URL:
>> http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile
>
> WRONG!  GMRS is CB.  It's defined in part 95, subpart A.  All of part 95
> is CB.
> What you're thinking of is only the 27MHz allocation - part 95, subpart D.
> FRS
> and MURS are also in part 95, and if you read the FCC's page on each, the
> FCC
> indicates that each is part of CB, but neither operates on 27MHz.
>
>> GMRS frequencies are UHF- FM  and requires a license and a fee for
>> application (~ $75 ?). Use is sharply defined. Repeater operation is
>> permitted. There are severe penalties for non-licensed users.
```

>
> It's still CB and you know it.

Au Contraire please read the Wikipedia description
http://en.wikipedia.org/wiki/Cb_radio

Quote
"Citizens' Band radio (CB) is, in most countries, a system of
short-distance, simplex[1] radio communications between individuals on a
selection of 40 channels within the 27 MHz (11 meter) band. The CB radio
service should not be confused with FRS, GMRS, MURS, or amateur ("ham")
radio. "

Part 95 of the FCC Rules does not state that CB = GMRS
Should I believe Wikipedia, the FCC, or you?

```
From 1256435812150937435
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g21g2000hsh.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Fri, 23 Nov 2007 07:02:01 -0800 (PST)
Organization: http://groups.google.com
Lines: 43
Message-ID: <d95240e1-ac95-4f86-8305-aee9be885c56@g21g2000hsh.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <1fc0357c-5f94-4812-a86e-4ddd07f4eb45@w40g2000hsb.googlegroups.com>
     <e904f1bd-0b8e-4b54-b0b4-286352840c1c@e4g2000hsg.googlegroups.com>
     <7e2c9e7c-c342-4a43-88f1-2511b2fc13c8@t47g2000hsc.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195830121 16255 127.0.0.1 (23 Nov 2007 15:02:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Nov 2007 15:02:01 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g21g2000hsh.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99194
rec.radio.amateur.antenna:49645 rec.radio.amateur.misc:39103
rec.radio.amateur.equipment:13292

On Nov 21, 11:04 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> On Nov 21, 10:32 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
>
>
>
>
> > On Nov 21, 10:27 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
>
> > > > No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> > > > for his actions, there is no excuse for the false reporting of lies
> > > > about another person because he suspects something through his twisted
> > > > logic and suspects that a certain person is the author of messages on
> > > > a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> > > > reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> > > > Morgan KB9RQZ, has alleged on thewww.nimbusters.comhamboard, that
> > > > he called the hotline for the Florida Department of Child Protective
> > > > Services and falsely reported that Mr. Crow has had inappropriate
> > > > conversations with a 7 year old child concerning sex.
>
> > > > IMO this behavior on the part of Mr. Morgan and his actions are
> > > > dispicable, but shows the great length that Mr. Morgan will go to
> > > > persue/attack other hams who he thinks criticize his netique by taking
> > > > his disputes off of the net and trying to affect someone's freedom and
> > > > livelyhood by lauding false charges against anyone he deems is
> > > > deserving of his tirade of revenge.
>
> > > I apologize for the broken link,http://nimbusters.org/forum/forum.php?
board=1-Hidequoted text -
>
> > > - Show quoted text -
>
> > here is the link to the exact post by Mr. Morganhttp://nimbusters.org/forum/
read.php?board=1&id=412818-Hide quoted text -
>
> > - Show quoted text -
>
> Why hijack my thread Mark? Why can't you face your malice against Mr.
> Crow?- Hide quoted text -
>
> - Show quoted text -

Why Mark?
```

```
From 5060977795448561197
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w28g2000hsf.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: when willdloyd face facts... his bizare views on sexaulity and he
     statement that he had a converasation about them with a & yo concinced that
he
     has abused a 7 yo
Date: Fri, 23 Nov 2007 07:11:02 -0800 (PST)
Organization: http://groups.google.com
Lines: 40
Message-ID: <d63adfb2-5963-4e1c-8884-a34d234df222@w28g2000hsf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
     <uhv9k31jtn022e101v6skomdv7o3o2p4o5@4ax.com>
<enick393d5f6ponuh30vjhpalra64fe6j2@4ax.com>
NNTP-Posting-Host: 66.82.9.79
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195830662 17808 127.0.0.1 (23 Nov 2007 15:11:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Nov 2007 15:11:02 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w28g2000hsf.googlegroups.com; posting-host=66.82.9.79;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99199
rec.radio.amateur.antenna:49647 rec.radio.amateur.misc:39106
rec.radio.amateur.equipment:13293

On Nov 22, 10:37 pm, kb9...@hotmail.com wrote:
> On Wed, 21 Nov 2007 22:58:04 -0500, kb9...@hotmail.com wrote:
> >On Wed, 21 Nov 2007 19:22:17 -0800 (PST), Dloyd Lavies
> ><DloydLav...@gmail.com> wrote:
>
> >"one useless man is disgrace 2 become a law firm 3 or more become a congress"
> >adams
>
> >woger you are a Congress all in your own head
>
> >http://kb9rqz.bravejournal.com/
> >altopia is never used by KB9RQZ
> >nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>
> >posts from these sorucees are fakes
>
> >and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> >G
>
> "one useless man is disgrace 2 become a law firm 3 or more become a congress"
> adams
>
> woger you are a Congress all in your own head
>
> http://kb9rqz.bravejournal.com/
> altopia is never used by KB9RQZ
> nor is Konst...@hotmail.com ever udsed on the usenet from anywhere but google
and noow motezrella
>
> posts from these sorucees are fakes
>
> and get ou the newly recovered KB9RQZ.blogspot.com as well
>
> G
>
> --
> Posted via a free Usenet account fromhttp://www.teranews.com- Hide quoted text -
>
> - Show quoted text -



From -7140086659720025938
X-Google-Thread: 108122,9f511799a6dc00b9,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d21g2000prf.googlegroups.com!not-for-
mail
From: Ham1Guy@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Radio repair in S.NH/N.MA
Date: Fri, 23 Nov 2007 07:13:43 -0800 (PST)
Organization: http://groups.google.com
Lines: 5
Message-ID: <9ebf8a4d-fa5b-44c1-b8cb-9cfa7534514e@d21g2000prf.googlegroups.com>
NNTP-Posting-Host: 66.31.104.56
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195830824 20267 127.0.0.1 (23 Nov 2007 15:13:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Nov 2007 15:13:44 +0000 (UTC)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: d21g2000prf.googlegroups.com; posting-host=66.31.104.56;
     posting-account=tAyi7QoAAADuqeNMcMf5G2Sy5REjTQQ4
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET
     CLR 2.0.50727),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13294
```

Can anyone tell me if ther is any local repair places in Southern NH
or Northern MA to fix a Emperor TS-5010? Any suggestions would be
great.

Thanks

```
From 2934756418653107791
X-Google-Thread: 10bf43,a36e254fe15cae18,start
X-Google-Thread: fb049,a36e254fe15cae18,start
X-Google-Thread: 107ada,a36e254fe15cae18,start
X-Google-Thread: 114aac,a36e254fe15cae18,start
X-Google-Thread: 108122,a36e254fe15cae18,start
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Marqueer Mark Morgan" <mrakmrogan@hotmale.com>
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject:  do you part two hlep
Date: Fri, 23 Nov 2007 10:49:57 -0500
Organization: no laws against beers in the butt is there?
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 14
Message-ID: <4746ead5$0$26105$88260bb3@free.teranews.com>
NNTP-Posting-Date: 23 Nov 2007 14:59:33 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 11
Xref: g2news1.google.com rec.radio.amateur.policy:99220 alt.ham-radio.vhf-uhf:6057
rec.radio.amateur.misc:39119 rec.radio.shortwave:128070
rec.radio.amateur.equipment:13295
```

you too can be part of the work of the kosher ham
male you article to this adess and perhap you seeyou name for all time (or
at least as long as as blogger last

http://ipunce.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From 507001124323329970
X-Google-Thread: 10bf43,a36e254fe15cae18
X-Google-Thread: fb049,a36e254fe15cae18
X-Google-Thread: 107ada,a36e254fe15cae18
X-Google-Thread: 114aac,a36e254fe15cae18
X-Google-Thread: 108122,a36e254fe15cae18
X-Google-Attributes:
gid10bf43,gidfb049,gid107ada,gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.misc,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: why do yuo use your gsin your sick sexaul stalking dloyd/crow
Date: Fri, 23 Nov 2007 10:52:49 -0500
Message-ID: <8qtdk31ql4n4japm3t5j09ci4upll23ia7@4ax.com>
References: <4746ead5$0$26105$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 23 Nov 2007 15:02:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:99223 alt.ham-radio.vhf-uhf:6058
rec.radio.amateur.misc:39120 rec.radio.shortwave:128072
rec.radio.amateur.equipment:13296
```

On Fri, 23 Nov 2007 10:49:57 -0500, "Marqueer Mark Morgan"
<mrakmrogan@hotmale.com> wrote:

> y

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

```
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -3311857105292545524
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Fri, 23 Nov 2007 11:27:46 -0700
Message-ID: <2n6ek35frrkbmhhaj5ru2irb2rf8ff7l21@4ax.com>
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <fi4veq$ldh$1@snarked.org>
<RPB1j.26440$L15.25451@newsfe08.phx> <9fudk31mbb0jkotiv1tn253cv01b3n7flb@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
NNTP-Posting-Date: 23 Nov 2007 17:37:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13298

On Fri, 23 Nov 2007 08:04:44 -0800, Evan Platt
<evan@theobvious.espphotography.com> wrote:

>On Fri, 23 Nov 2007 06:53:37 -0800, "The Shadow"
><Cranston@CobaltClub.com> wrote:
>
>>Au Contraire  please read the Wikipedia description
>>http://en.wikipedia.org/wiki/Cb_radio
>>
>>Quote
>>"Citizens' Band radio (CB) is, in most countries, a system of
>>short-distance, simplex[1] radio communications between individuals on a
>>selection of 40 channels within the 27 MHz (11 meter) band. The CB radio
```

>>service should not be confused with FRS, GMRS, MURS, or amateur ("ham")
>>radio. "
>>
>>Part 95 of the FCC Rules does not state that CB = GMRS
>>Should I believe Wikipedia, the FCC, or you?
>
>The problem with Wiki is anyone can modify / create it.
>
><sarcasm> Give me a minute and I'll go change the Wiki to say that 490
>-510 mhz is open game for anyone. </sarcasm>

There are several radio services covered under 47 C.F.R Part 95. The
FCC describes three of them as being part of the Citizen Band Radio
Services (CB, FRS and MURS.) The GMRS radio service is not described
by the FCC as being part of Citizen Band Radio Services.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

From -8660373765820200322
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <fi4veq$ldh$1@snarked.org>
<RPB1j.26440$L15.25451@newsfe08.phx> <9fudk31mbb0jkotiv1tn253cv01b3n7flb@4ax.com>
<2n6ek35frrkbmhhaj5ru2irb2rf8ff7l21@4ax.com>
In-Reply-To: <2n6ek35frrkbmhhaj5ru2irb2rf8ff7l21@4ax.com>
Subject: Re: GMRS Watts v Distance?
Lines: 38
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <r4F1j.20231$4k.3884@newsfe11.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net

```
X-Trace: newsfe11.phx 1195842967 72.197.13.209 (Fri, 23 Nov 2007 11:36:07 MST)
NNTP-Posting-Date: Fri, 23 Nov 2007 11:36:07 MST
Organization: Cox
Date: Fri, 23 Nov 2007 10:36:05 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13299


"Dick" <w6ccd@k7yca.org> wrote in message
news:2n6ek35frrkbmhhaj5ru2irb2rf8ff7l21@4ax.com...
> On Fri, 23 Nov 2007 08:04:44 -0800, Evan Platt
> <evan@theobvious.espphotography.com> wrote:
>
>>On Fri, 23 Nov 2007 06:53:37 -0800, "The Shadow"
>><Cranston@CobaltClub.com> wrote:
>>
>>>Au Contraire  please read the Wikipedia description
>>>http://en.wikipedia.org/wiki/Cb_radio
>>>
>>>Quote
>>>"Citizens' Band radio (CB) is, in most countries, a system of
>>>short-distance, simplex[1] radio communications between individuals on a
>>>selection of 40 channels within the 27 MHz (11 meter) band. The CB radio
>>>service should not be confused with FRS, GMRS, MURS, or amateur ("ham")
>>>radio. "
>>>
>>>Part 95 of the FCC Rules does not state that CB = GMRS
>>>Should I believe Wikipedia, the FCC, or you?
>>
>>The problem with Wiki is anyone can modify / create it.
>>
>><sarcasm> Give me a minute and I'll go change the Wiki to say that 490
>>-510 mhz is open game for anyone. </sarcasm>
>
> There are several radio services covered under 47 C.F.R Part 95.  The
> FCC describes three of them as being part of the Citizen Band Radio
> Services (CB, FRS and MURS.)  The GMRS radio service is not described
> by the FCC as being part of Citizen Band Radio Services.
>
> Dick - W6CCD

Thanks Dick
Lamont - another 30 year+  Extra Class Ham
>




From 240474932382180541
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
```

```
From: Bruce  in Alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Organization: Bruce's Trading Post
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <2smg15-p4m.ln1@radagast.org>
<jdj1j.15323$1R.2255@newsfe07.phx>
<fast-7E180A.10064122112007@netnews.worldnet.att.net>
<Sil1j.20164$4k.11388@newsfe11.phx>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <fast-391A2E.09523723112007@netnews.worldnet.att.net>
Lines: 69
Date: Fri, 23 Nov 2007 18:52:16 GMT
NNTP-Posting-Host: 12.12.208.74
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1195843936 12.12.208.74 (Fri, 23 Nov
2007 18:52:16 GMT)
NNTP-Posting-Date: Fri, 23 Nov 2007 18:52:16 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13300

In article <Sil1j.20164$4k.11388@newsfe11.phx>,
 "The Shadow" <Cranston@CobaltClub.com> wrote:

> "Bruce in Alaska" <fast@btpost.net> wrote in message
> news:fast-7E180A.10064122112007@netnews.worldnet.att.net...
> > In article <jdj1j.15323$1R.2255@newsfe07.phx>,
> > "The Shadow" <Cranston@CobaltClub.com> wrote:
> >
> >> The FCC has its hands full -  monitoring for idiots jamming Marine and
> >> Aircraft frequencies and causing ship or air collisions.
> >>
> >>
> >> Lamont
> >
> > Can you document a single case, where the FCC was involved in monitoring
> > Marine, and, or, Aircraft Frequencies for Jammers, that caused a
> > collision of a ship or aircraft?   No, Really? Duh, I wonder why?
> >
> > Lamont, you have no clue what the FCC, does, and what it has been doing,
> > since the ALGORE Bloodletting.
> >
> > Maybe you should get a "Clue" before you make any more Foolish
> > Statements......
> >
> > Bruce in alaska
> > --
> > add <path> before @
>
> We recently had a FCC spokesperson at our Ham Club and he stated the above.
> I stand by my statements.
>
> Jammers or any interfering frequency --- spurs, harmonics, intermod can
> cause communication problems.
```

>
> I refer you to URL:
> http://www2.arrl.org/news/enforcement_logs/2003/0614.html
>
> http://www2.arrl.org/news/enforcement_logs/2003/0712.html
>
> http://w6yra.bol.ucla.edu/interest.htm
>
> http://209.85.173.104/search?q=cache:XZFFaZ3BepkJ:www.fcc.gov/eb/Orders/2001/f
> cc01018.doc+fcc+violation+aircraft+frequency&hl=en&ct=clnk&cd=2&gl=us
>
> http://www.fcc.gov/eb/Orders/
>
> Lots more if you get a clue and use Goggle
>
>
> Lamont
>

Lamont, you have not shown ANY connection between your socalled FCC
Monitoring of Marine and or Aviation Frequenices, and ANY collision
of a Vessel or Aircraft. FYI, the FCC has very limited Fixed Monitoring
Capability on VHF and UHF Marine and Aircraft Frequencies due to the
LACK of Monitoring Stations. 99% of the Marine and Aviation Frequency
Monitoring is done by the US Coast Guard, for Marine, and the FAA for
Aviation. What little monitoring the FCC does, is done from Mobile
Units, that are used for Specific Case Investigation, and is done by
the local Field Office Engineers and Techs, of which there are 75%
fewer of, since the ALGORE lead Bloodletting in the early 90's. The
FCC just doesn't have the staff, to do what you are tallking about.
They barely have enough staff, at each Field Office, to do the REQUIRED
Paperwork to keep the Office OPEN.

Bruce in alaska   who use to be one of those FCC Field Agents......
--
add <path> before @

From 6634260758743191535
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi29f5$uii$2@snarked.org>
<mfh1j.9100$Rw3.1772@newsfe06.phx> <2smg15-p4m.ln1@radagast.org>
<jdj1j.15323$1R.2255@newsfe07.phx>
<fast-7E180A.10064122112007@netnews.worldnet.att.net>
<Sil1j.20164$4k.11388@newsfe11.phx>

```
<fast-391A2E.09523723112007@netnews.worldnet.att.net>
In-Reply-To: <fast-391A2E.09523723112007@netnews.worldnet.att.net>
Subject: Re: GMRS Watts v Distance?
Lines: 79
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <UAF1j.15481$1R.3513@newsfe07.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1195845044 72.197.13.209 (Fri, 23 Nov 2007 12:10:44 MST)
NNTP-Posting-Date: Fri, 23 Nov 2007 12:10:44 MST
Organization: Cox
Date: Fri, 23 Nov 2007 11:10:42 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13301


"Bruce in Alaska" <fast@btpost.net> wrote in message
news:fast-391A2E.09523723112007@netnews.worldnet.att.net...
> In article <Sil1j.20164$4k.11388@newsfe11.phx>,
> "The Shadow" <Cranston@CobaltClub.com> wrote:
>
>> "Bruce in Alaska" <fast@btpost.net> wrote in message
>> news:fast-7E180A.10064122112007@netnews.worldnet.att.net...
>> > In article <jdj1j.15323$1R.2255@newsfe07.phx>,
>> > "The Shadow" <Cranston@CobaltClub.com> wrote:
>> >
>> >> The FCC has its hands full -  monitoring for idiots jamming Marine and
>> >> Aircraft frequencies and causing ship or air collisions.
>> >>
>> >>
>> >> Lamont
>> >
>> > Can you document a single case, where the FCC was involved in
>> > monitoring
>> > Marine, and, or, Aircraft Frequencies for Jammers, that caused a
>> > collision of a ship or aircraft?   No, Really? Duh, I wonder why?
>> >
>> > Lamont, you have no clue what the FCC, does, and what it has been
>> > doing,
>> > since the ALGORE Bloodletting.
>> >
>> > Maybe you should get a "Clue" before you make any more Foolish
>> > Statements......
>> >
>> > Bruce in alaska
```

>> > --
>> > add <path> before @
>>
>> We recently had a FCC spokesperson at our Ham Club and he stated the
>> above.
>> I stand by my statements.
>>
>> Jammers or any interfering frequency --- spurs, harmonics, intermod can
>> cause communication problems.
>>
>> I refer you to URL:
>> http://www2.arrl.org/news/enforcement_logs/2003/0614.html
>>
>> http://www2.arrl.org/news/enforcement_logs/2003/0712.html
>>
>> http://w6yra.bol.ucla.edu/interest.htm
>>
>> http://209.85.173.104/search?q=cache:XZFFaZ3BepkJ:www.fcc.gov/eb/Orders/2001/f
>> cc01018.doc+fcc+violation+aircraft+frequency&hl=en&ct=clnk&cd=2&gl=us
>>
>> http://www.fcc.gov/eb/Orders/
>>
>> Lots more if you get a clue and use Goggle
>>
>>
>> Lamont
>>
>
> Lamont, you have not shown ANY connection between your socalled FCC
> Monitoring of Marine and or Aviation Frequenices, and ANY collision
> of a Vessel or Aircraft. FYI, the FCC has very limited Fixed Monitoring
> Capability on VHF and UHF Marine and Aircraft Frequencies due to the
> LACK of Monitoring Stations. 99% of the Marine and Aviation Frequency
> Monitoring is done by the US Coast Guard, for Marine, and the FAA for
> Aviation. What little monitoring the FCC does, is done from Mobile
> Units, that are used for Specific Case Investigation, and is done by
> the local Field Office Engineers and Techs, of which there are 75%
> fewer of, since the ALGORE lead Bloodletting in the early 90's. The
> FCC just doesn't have the staff, to do what you are tallking about.
> They barely have enough staff, at each Field Office, to do the REQUIRED
> Paperwork to keep the Office OPEN.
>
> Bruce in alaska   who use to be one of those FCC Field Agents......
> --
> add <path> before @

Thanks Bruce I stand corrected.
Lamont

From -5490502752657917670
X-Google-Thread: 108122,d975249aaf5dfa89

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS
Date: Fri, 23 Nov 2007 09:17:30 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0711230914260.9666@malasada.lava.net>
In-Reply-To: <6f1ck35vjjq1bdl1s5pppscvqul8os013e@4ax.com>
References: <Pine.BSI.4.64.0711221054500.28931@malasada.lava.net>
 <6f1ck35vjjq1bdl1s5pppscvqul8os013e@4ax.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news1.google.com rec.radio.amateur.equipment:13302

On Thu, 22 Nov 2007, Dick wrote:

> On Thu, 22 Nov 2007 10:59:07 -1000, Joseph Fenn <jfenn@lava.net>
> wrote:
>
>> AS someone on here said, GMRS is similar to CB (chicken bandits)
>> in that not all the GMRS chnls require any fee of any kind. I think
>> chnl 1 thru 7 do require a license from the FCC and its
>> $100 not $75 as someone said. If you stick to the "open chnls"
>> Chnl 11 is on of them you dont need call signs nor anything, just
>> use it like a telephone. I call sign, no identification required.
>>   Joe
>>
>>
>
> I know a lot of people are under that mis-conception because of the
> combination FRS/GMRS radios sold at Wal-Mart, etc., but in actuality,
> ALL GMRS channels require a license if operated as GMRS (over
> 1/2-watt, detachable antenna.) If you operate on one of the
> interstial channels (FRS channels 1 thru 7), where FRS and GMRS
> channels are the same, and you operate under the FRS rules (1/2-watt
> maximum, non-detacheable antenna), then yes, you can operate one of
> those channels without a license. But only as FRS, and not GMRS.
>
> The latest fee for GMRS is $85.
> http://www.fcc.gov/Forms/Form1070/2006/1070y101706.pdf
>
> Dick - W6CCD

Wrong again Dick.   I called the FCC and asked what chnls are "free"
and what chnls require a license. They told me and the ones
that the ones requiring a license cost $100 (not 75 as you claimed)..
              Joe

```
From 2082145967796808827
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d21g2000prf.googlegroups.com!not-for-
mail
From: Dloyd Lavies <DloydLavies@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: Re: Why doesn't Mark want to bare the sole responsibility of his
     actions of lauding false charges against an innocent ham (Brian Crow) K3VR to
     Florida Child Protective Services...
Date: Fri, 23 Nov 2007 14:05:47 -0800 (PST)
Organization: http://groups.google.com
Lines: 21
Message-ID: <9cb1e7f0-3e75-4147-a35d-0a3bcd2fd398@d21g2000prf.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.48.131.227
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195855548 1099 127.0.0.1 (23 Nov 2007 22:05:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Nov 2007 22:05:48 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: d21g2000prf.googlegroups.com; posting-host=71.48.131.227;
     posting-account=xTA70wkAAAAMj-rpC5gYQxsc61pL7KyU
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99241
rec.radio.amateur.antenna:49659 rec.radio.amateur.misc:39127
rec.radio.amateur.equipment:13303

On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> for his actions, there is no excuse for the false reporting of lies
> about another person because he suspects something through his twisted
> logic and suspects that a certain person is the author of messages on
> a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> Morgan KB9RQZ, has alleged on thewww.nimbusters.comham board, that
> he called the hotline for the Florida Department of Child Protective
> Services and falsely reported that Mr. Crow has had inappropriate
> conversations with a 7 year old child concerning sex.
>
> IMO this behavior on the part of Mr. Morgan and his actions are
> dispicable, but shows the great length that Mr. Morgan will go to
> persue/attack other hams who he thinks criticize his netique by taking
> his disputes off of the net and trying to affect someone's freedom and
> livelyhood by lauding false charges against anyone he deems is
> deserving of his tirade of revenge.

Why did you go after Mr. Crow, Mark with your false charges based on
your twisted psyche



From 1802241515868293940
X-Google-Thread: 10bf43,32ee90dfeea614e7
X-Google-Thread: fcc6e,32ee90dfeea614e7
X-Google-Thread: 107ada,32ee90dfeea614e7
X-Google-Thread: 108122,32ee90dfeea614e7
X-Google-Attributes: gid10bf43,gidfcc6e,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g21g2000hsh.googlegroups.com!not-for-
mail
From: an_old_friend <kb9rqz@gmail.com>
Newsgroups: rec.radio.amateur.policy, rec.radio.amateur.antenna,
     rec.radio.amateur.misc, rec.radio.amateur.equipment
Subject: why the lie? you boasted of exposing your gs to me
Date: Fri, 23 Nov 2007 17:29:58 -0800 (PST)
Organization: http://groups.google.com
Lines: 19
Message-ID: <d4178ae9-8052-4c1c-adfa-5f58855c8478@g21g2000hsh.googlegroups.com>
References: <7c2d0982-8d7b-4476-9af7-1f1f30268d5d@e1g2000hsh.googlegroups.com>
NNTP-Posting-Host: 66.82.9.79
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195867798 6690 127.0.0.1 (24 Nov 2007 01:29:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Nov 2007 01:29:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: g21g2000hsh.googlegroups.com; posting-host=66.82.9.79;
     posting-account=10Pv3QoAAAAjTC9fwUuRD-bApJtUG_pO
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
     1.1.4322),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.policy:99244
rec.radio.amateur.antenna:49661 rec.radio.amateur.misc:39128
rec.radio.amateur.equipment:13304

On Nov 21, 10:22 pm, Dloyd Lavies <DloydLav...@gmail.com> wrote:
> No matter how Mark Morgan, KB9RQZ  tries to rationalize his reasoning
> for his actions, there is no excuse for the false reporting of lies
> about another person because he suspects something through his twisted
> logic and suspects that a certain person is the author of messages on
> a ham radio message board WITHOUT ANY PROOF WHATSOEVER .  If anyone
> reading this knows Mr. Crow, they should inform him that Mr. Mark C.
> Morgan KB9RQZ, has alleged on thewww.nimbusters.comham board, that
> he called the hotline for the Florida Department of Child Protective
> Services and falsely reported that Mr. Crow has had inappropriate
> conversations with a 7 year old child concerning sex.
>
> IMO this behavior on the part of Mr. Morgan and his actions are
> dispicable, but shows the great length that Mr. Morgan will go to
> persue/attack other hams who he thinks criticize his netique by taking
> his disputes off of the net and trying to affect someone's freedom and
> livelyhood by lauding false charges against anyone he deems is
> deserving of his tirade of revenge.



From -5691089345702680223
X-Google-Thread: 108122,d975249aaf5dfa89
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS
Date: Fri, 23 Nov 2007 21:13:36 -0700
Message-ID: <k98fk3dojoa9katoid6sp10ksoao13r4b5@4ax.com>
References: <Pine.BSI.4.64.0711221054500.28931@malasada.lava.net>
<6f1ck35vjjq1bdl1s5pppscvqul8os013e@4ax.com>
<Pine.BSI.4.64.0711230914260.9666@malasada.lava.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 73
NNTP-Posting-Date: 24 Nov 2007 03:23:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13305

On Fri, 23 Nov 2007 09:17:30 -1000, Joseph Fenn <jfenn@lava.net>
wrote:

>
>On Thu, 22 Nov 2007, Dick wrote:
>
>> On Thu, 22 Nov 2007 10:59:07 -1000, Joseph Fenn <jfenn@lava.net>
>> wrote:
>>
>>> AS someone on here said, GMRS is similar to CB (chicken bandits)
>>> in that not all the GMRS chnls require any fee of any kind.  I think
>>> chnl 1 thru 7 do require a license from the FCC and its
>>> $100 not $75 as someone said.  If you stick to the "open chnls"
>>> Chnl 11 is on of them you dont need call signs nor anything, just
>>> use it like a telephone.  I call sign, no identification required.
>>>                         Joe
>>>
```

>>>
>>
>> I know a lot of people are under that mis-conception because of the
>> combination FRS/GMRS radios sold at Wal-Mart, etc., but in actuality,
>> ALL GMRS channels require a license if operated as GMRS (over
>> 1/2-watt, detachable antenna.) If you operate on one of the
>> interstial channels (FRS channels 1 thru 7), where FRS and GMRS
>> channels are the same, and you operate under the FRS rules (1/2-watt
>> maximum, non-detacheable antenna), then yes, you can operate one of
>> those channels without a license. But only as FRS, and not GMRS.
>>
>> The latest fee for GMRS is $85.
>> http://www.fcc.gov/Forms/Form1070/2006/1070y101706.pdf
>>
>> Dick - W6CCD
>Wrong again Dick.   I called the FCC and asked what chnls are "free"
>and what chnls require a license. They told me and the ones
>that the ones requiring a license cost $100 (not 75 as you claimed)..
>   Joe

I don't care who you talked to Joe, there are no "free" channels when you use a GMRS radio that transmits with over 1/2-watt and has a removeable antenna. They are only "free" if you transmit on one of the interstitial channels with an FRS radio. When you transmit on one of the "free" channels you are using FRS, even though the radio can also transmit on one of the true GMRS channels. You really need to read Part 95. If you transmit under the GMRS rules, you MUST have a GMRS license. If you transmit under the FRS rules, you don't.

Did you even read the FCC document I referred to above? It clearly shows the fee to be $85. I recently renewed my GMRS license, and guess what? The fee was $85 just like the fee schedule shows.

Here is the latest version of the fee schedule, dated September 18, 2007.
http://wireless.fcc.gov/feesforms/feeguide/2007%20FEE%20FILING%20GUIDE%20Effective%2009.18.07.pdf

Dick

Dick

--
Posted via a free Usenet account from http://www.teranews.com

```
From 1168537484752300496
X-Google-Thread: 10ed5f,905b8a520f690755,start
X-Google-Thread: 108122,905b8a520f690755,start
X-Google-Thread: fcc6e,905b8a520f690755,start
X-Google-Thread: 107ada,905b8a520f690755,start
X-Google-Attributes: gid10ed5f,gid108122,gidfcc6e,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.mixmin.net!news.bananasplit.info!news.dizum.com!sewer-output!mail2news-x4!
mail2news-x3!mail2news-x2!mail2news
From: Ted <fritz@spamexpire-200711.rodent.frell.theremailer.net>
Newsgroups: alt.ham-
radio,rec.radio.amateur.equipment,rec.radio.amateur.antenna,rec.radio.amateur.misc
Subject: eBay: Military trailer-mounted AB1309 radio antenna
Message-ID: <3ee5fdf1906fc1fb306d550a12b84ae5@msgid.frell.theremailer.net>
Date: Sun, 04 Nov 2007 23:53:09 +0100
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com alt.ham-radio:2935 rec.radio.amateur.equipment:13152
rec.radio.amateur.antenna:48257 rec.radio.amateur.misc:38433
```

http://301url.com/AB1309

```
From 6656511224605353055
X-Google-Thread: 108122,901ad80293b5a72c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o3g2000hsb.googlegroups.com!not-for-
mail
From:  Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Two transceivers one power supply
Date: Sun, 04 Nov 2007 15:03:06 -0800
Organization: http://groups.google.com
Lines: 20
Message-ID: <1194217386.972465.230100@o3g2000hsb.googlegroups.com>
NNTP-Posting-Host: 86.132.248.156
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1194217387 20259 127.0.0.1 (4 Nov 2007 23:03:07 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Sun, 4 Nov 2007 23:03:07 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o3g2000hsb.googlegroups.com; posting-host=86.132.248.156;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:13153

All

I have just purchased a second radio - an old Icom IC-751 to sit next
to my modern Icom 706 MkIIG.

I was powering my Icom 706 with a SEC-1223 power supply which is a 23A
13.8V Switch Mode Power Supply (Input 230V AC, Output 13.8V DC,
Output current 23A continuous (25A peak) Thermostatic Fan cooled).

The new radio looks like it needs a power supply that can provide 20A
peak.

The question is can i run both radios off the same power supply
provided i dont transmit on both at the same time or will i need to
buy a second power supply for the new radio?

Thanks

Andy

From -5731973011680047979
X-Google-Thread: 108122,901ad80293b5a72c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!sn-xt-sjc-05!sn-xt-sjc-01!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Two transceivers one power supply
Date: Sun, 4 Nov 2007 18:27:04 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13islajclo45e55@corp.supernews.com>
References: <1194217386.972465.230100@o3g2000hsb.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 32
Xref: g2news1.google.com rec.radio.amateur.equipment:13154

"Andiroo" <a.richman@btinternet.com> wrote in message
news:1194217386.972465.230100@o3g2000hsb.googlegroups.com...
> All
>
> I have just purchased a second radio - an old Icom IC-751 to sit next
> to my modern Icom 706 MkIIG.
>
> I was powering my Icom 706 with a SEC-1223 power supply which is a 23A
> 13.8V Switch Mode Power Supply (Input 230V AC, Output 13.8V DC,
> Output current 23A continuous (25A peak) Thermostatic Fan cooled).
>
> The new radio looks like it needs a power supply that can provide 20A
> peak.
>
> The question is can i run both radios off the same power supply
> provided i dont transmit on both at the same time or will i need to
> buy a second power supply for the new radio?
>
> Thanks
>
> Andy
>

As long as the radios do not draw more current than the power supply can put out there is no reason not to.

I have an Astron 50 amp supply and have a 706, 746 and a couple of vhf/uhf rigs hooked to it.
As I have plenty of current reserve I have even transmitted on two of them at one time.

From -3954104013385370779
X-Google-Thread: 108122,901ad80293b5a72c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Two transceivers one power supply
Date: Sun, 04 Nov 2007 17:29:16 -0700
Message-ID: <vrosi3dasu22b9abiuu2qpn0clplufajhe@4ax.com>
References: <1194217386.972465.230100@o3g2000hsb.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
NNTP-Posting-Date: 04 Nov 2007 23:38:37 GMT
X-Complaints-To: abuse@teranews.com

Xref: g2news1.google.com rec.radio.amateur.equipment:13155

The receiver current on the 706 is 2-amps. Assuming the 751 is somewhere around there you should be fine having them both on at the same time for receiving. Just be sure you don't accidently transmit with both at the same time.

Dick

On Sun, 04 Nov 2007 15:03:06 -0800, Andiroo <a.richman@btinternet.com> wrote:

>All
>
>I have just purchased a second radio - an old Icom IC-751 to sit next
>to my modern Icom 706 MkIIG.
>
>I was powering my Icom 706 with a SEC-1223 power supply which is a 23A
>13.8V Switch Mode Power Supply (Input 230V AC, Output 13.8V DC,
>Output current 23A continuous (25A peak) Thermostatic Fan cooled).
>
>The new radio looks like it needs a power supply that can provide 20A
>peak.
>
>The question is can i run both radios off the same power supply
>provided i dont transmit on both at the same time or will i need to
>buy a second power supply for the new radio?
>
>Thanks
>
>Andy

--
Posted via a free Usenet account from http://www.teranews.com

From 603634347103203833
X-Google-Thread: 108122,6b589cfe0de7f8ef,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z24g2000prh.googlegroups.com!not-for-mail
From: jrlawson.sr@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Need advice
Date: Mon, 05 Nov 2007 01:28:45 -0000
Organization: http://groups.google.com
Lines: 5
Message-ID: <1194226125.595831.206650@z24g2000prh.googlegroups.com>
NNTP-Posting-Host: 72.234.58.141
Mime-Version: 1.0

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1194226126 16191 127.0.0.1 (5 Nov 2007 01:28:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Nov 2007 01:28:46 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; .NET CLR 3.0.04506),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z24g2000prh.googlegroups.com; posting-host=72.234.58.141;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:13156
```

New to ham radio. Need advice on first purchace. Was looking at Icom
706MKII as a base/mobile. Would appreciate opinions and reasons why

Many thanks

```
From -1753137007295l5879
X-Google-Thread: 108122,6b589cfe0de7f8ef
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v29g2000prd.googlegroups.com!not-for-
mail
From:  jrlawson.sr@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Need advice
Date: Mon, 05 Nov 2007 01:28:46 -0000
Organization: http://groups.google.com
Lines: 5
Message-ID: <1194226126.237339.285560@v29g2000prd.googlegroups.com>
NNTP-Posting-Host: 72.234.58.141
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1194226126 3544 127.0.0.1 (5 Nov 2007 01:28:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Nov 2007 01:28:46 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; .NET CLR 3.0.04506),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v29g2000prd.googlegroups.com; posting-host=72.234.58.141;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:13157
```

New to ham radio. Need advice on first purchace. Was looking at Icom
706MKII as a base/mobile. Would appreciate opinions and reasons why

Many thanks

```
From -3895032504390598204
X-Google-Thread: 108122,6b589cfe0de7f8ef
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need advice
From: Ed G <Huckleberry_REMOVE_@bigvalley.net>
References: <1194226126.237339.285560@v29g2000prd.googlegroups.com>
Organization: Your Company
Message-ID: <Xns99DEB2AA631B2HuckleberryREMOVEbig@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 05 Nov 2007 01:33:46 GMT
Lines: 14
NNTP-Posting-Host: f4876559.news.adtechcomputers.com
X-Trace: DXC=3GL9hHS6aC\l16o?
<1FD6TgC4_A5:nI@Q<<=aEgO;R8WfglV:Zj4kKYc0oW_Y0@>1ZQjo<[F9ZR]_J4iD3U<K_l]_0n8<`YNoH
Q
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13158


> New to ham radio.  Need advice on first purchace.  Was looking at Icom
> 706MKII as a base/mobile.  Would appreciate opinions and reasons why
>
> Many thanks
>
>

     Damn good choice.  This radio has a very good history.  I don't think
you will go wrong with it.

    Ed   K7AAT
```

```
From 4372994216611352713
X-Google-Thread: 108122,c11fa5b7d1e841f8,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe24.lga.POSTED!53ab2750!not-for-mail
From: "George Folse III" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0062_01C81F31.89D81F00"
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <yWwXi.2875$Gy4.1318@newsfe24.lga>
X-Complaints-To: admin@cox.net
NNTP-Posting-Date: Sun, 04 Nov 2007 21:25:02 MST
Organization: Cox
Date: Sun, 4 Nov 2007 22:25:00 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:13159

This is a multi-part message in MIME format.

------=_NextPart_000_0062_01C81F31.89D81F00
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I have a Kenwood TM 255A all mode 2 meter rig 50 watt output with =
Kenwood desk mic MC 80. Have all boxes and manuals like new condition. =
$350 plus shipping from 70053

--=20
George K5WWO
------=_NextPart_000_0062_01C81F31.89D81F00
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16544" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I have a Kenwood TM 255A all mode 2 =
meter rig 50=20
watt output&nbsp;with Kenwood desk mic MC 80. Have all boxes and manuals =
like=20
new condition. $350 plus shipping from 70053</FONT></DIV>
<DIV><FONT face=3DArial size=3D2><BR>-- <BR>George =
K5WWO</FONT></DIV></BODY></HTML>

------=_NextPart_000_0062_01C81F31.89D81F00--




From -6784734008568856 71
X-Google-Thread: 108122,901ad80293b5a72c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!z9g2000hsf.googlegroups.com!not-for-
mail
From:  Greg <hawkdome@copper.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Two transceivers one power supply
Date: Mon, 05 Nov 2007 00:15:21 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1194250521.094149.78370@z9g2000hsf.googlegroups.com>
References: <1194217386.972465.230100@o3g2000hsb.googlegroups.com>
NNTP-Posting-Host: 208.252.179.21
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1194250521 21513 127.0.0.1 (5 Nov 2007 08:15:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Nov 2007 08:15:21 +0000 (UTC)
In-Reply-To: <1194217386.972465.230100@o3g2000hsb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.9)
Gecko/20071025 Firefox/2.0.0.9,gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 nocwebrun001.cisp.com:3128 (squid/2.5.STABLE11)
Complaints-To: groups-abuse@google.com
Injection-Info: z9g2000hsf.googlegroups.com; posting-host=208.252.179.21;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:13160
```

I have a 718 and a Yaesu 897D fed into an Aston 35M as we speak. As
long as I do not transmit simultaneously, everythng has been working
fine. The two separately on transmit pull on 22 amps each. I have
had no problems.

```
From -5471543808801850781
X-Google-Thread: 108122,6b589cfe0de7f8ef
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need advice
References: <1194226126.237339.285560@v29g2000prd.googlegroups.com>
In-Reply-To: <1194226126.237339.285560@v29g2000prd.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <zVDXi.1479$Od.467@newsfe16.lga>
X-Complaints-To: admin@cox.net
```

NNTP-Posting-Date: Mon, 05 Nov 2007 05:21:51 MST
Organization: Cox
Date: Mon, 05 Nov 2007 07:21:45 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13161

jrlawson.sr@gmail.com wrote:
> New to ham radio. Need advice on first purchace. Was looking at Icom
> 706MKII as a base/mobile. Would appreciate opinions and reasons why
>
> Many thanks
>
I own a 706MKII and am happy with it. Just to give you a "FWIW". Icom first came out with the "706". From what I am told, it was an "OK" radio although I have not used one. Icom then came out with the 706MKII which has a vastly superior receiver over its predecessor. I have used mine mobile and have taken it out of the country and operated DX portable. The current version is of the 706 is the 706MKIIG. This version offers UHF capabilities and from what I am told has a receiver superior to the 706MKII.

Andy
WD4KDN

From -1367630503166488796
X-Google-Thread: 108122,901ad80293b5a72c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Pat" <wb2dbh@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1194217386.972465.230100@o3g2000hsb.googlegroups.com> <1194250521.094149.78370@z9g2000hsf.googlegroups.com>
Subject: Re: Two transceivers one power supply
Date: Mon, 5 Nov 2007 07:47:44 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 16
Message-ID: <472f10dd$0$32548$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13162

I have an Icom IC-706MKIIG, an Icom IC-736, and a Mirage B-5016G amplifier all connected to the same Astron 35 amp supply. I can transmit on 2-meters with the 706 and the amp doing 150 watts, and still receive HF with the 736 without any problems at all. My total current draw doing this is about 21-22 amps.

"Greg" <hawkdome@copper.net> wrote in message
news:1194250521.094149.78370@z9g2000hsf.googlegroups.com...
>I have a 718 and a Yaesu 897D fed into an Aston 35M as we speak. As
> long as I do not transmit simultaneously, everythng has been working
> fine. The two separately on transmit pull on 22 amps each. I have
> had no problems.
>

From 1351594052278934953
X-Google-Thread: 108122,60844285db50bce5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola buys Yaesu
From: Ed G <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns99DFA33975EB8HuckleberryREMOVEbig@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 06 Nov 2007 00:02:41 GMT
Lines: 15
NNTP-Posting-Host: 068eb732.news.adtechcomputers.com
X-Trace: DXC=?
mL61I\VVKIY2OmIRT>9jNgC4_A5:nI@A<<=aEgO;R8GfglV:Zj4kKIX8eF;f=^@7LQjo<[F9ZR]OJ4iD3U
<K_lM=V<hgdPV_4N
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13163

For those of you who have not yet seen the ARRL bulletin:

Motorola USA has announced its intention to launch a tender offer to acquire a controlling interest in Vertex Standard Co, Ltd. Vertex Standard is the parent company of Yaesu. Motorola will own 80 percent of Vertex Standard; Tokogiken, a privately held Japanese company, controlled by current president and CEO of Vertex Standard Jun Hasegawa, will retain 20 percent, forming a joint venture. The total purchase price for 80 percent of the outstanding shares on a fully diluted basis will be approximately US $108 million.

Ed K7AAT

From -4541044128528795098
X-Google-Thread: 108122,5598fe45f5bcf45e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
v3g2000hsg.googlegroups.com!not-for-mail
From: Bill <ars_wa8mea@netzero.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: RadioShack Pro-2052 Scanner
Date: Mon, 05 Nov 2007 16:40:11 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1194309611.560946.276050@v3g2000hsg.googlegroups.com>
NNTP-Posting-Host: 70.101.151.206
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1194309611 12788 127.0.0.1 (6 Nov 2007 00:40:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Nov 2007 00:40:11 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.8) Gecko/
20050511 Firefox/1.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v3g2000hsg.googlegroups.com; posting-host=70.101.151.206;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:13164

FS: RadioShack Pro-2052 Scanner
Trunking scanner. EXCELLENT condition. Comes with POLICE CALL 2005,
and two original sets of instructions/manuals and original box. DC
"wall-wart". I am totally surprised at the sensitivity of this
scanner. Does well with just the radio's whip but extraordinary with a
basic outdoor ground plane. Christmas is coming! Makes a nice gift!
$179 and I will pay for shipping and insurance in U.S.
Prefer PayPal or Postal Money Order. First e-mail gets it!
(Photo available at QTH.com. Search under for the ad using my call.)
73, Bill - WA8MEA
ars_wa8mea@netzero.com
517-563-2784
http://HamRadioFun.com

From -2464870566679706065
X-Google-Thread: 108122,3240825d72d269ce
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
19g2000hsx.googlegroups.com!not-for-mail
From: frankxfg@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: DSO 2150 USB Oscilloscope

```
Date: Tue, 06 Nov 2007 03:50:53 -0000
Organization: http://groups.google.com
Lines: 23
Message-ID: <1194321053.935249.127900@19g2000hsx.googlegroups.com>
References: <1193945052.001460.99930@v3g2000hsg.googlegroups.com>
NNTP-Posting-Host: 76.69.69.71
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1194321054 3466 127.0.0.1 (6 Nov 2007 03:50:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Nov 2007 03:50:54 +0000 (UTC)
In-Reply-To: <1193945052.001460.99930@v3g2000hsg.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 19g2000hsx.googlegroups.com; posting-host=76.69.69.71;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:13165
```

On Nov 1, 2:24 pm, WB5RVZ <rrrob...@gmail.com> wrote:

> Anyone have any experience with or knowledge of the DSO 2150 USB
> Oscilloscope. I see it on Ebay and the price looks too good to be
> true (Chinese-made).
>
> I am just getting into homebrewing and can see a scope would be a good
> addition to my DVM to help me troubleshoot projects.
>
> I'd appreciate any feedback. All I can find on the web is the ebay
> listings for this product.
> tx es 73 de robby wb5rvz

We carry this model on our website, www.partsforhdtv.com. Honestly, I haven't used it for more than 20 minutes but I can tell it works like a charm. I worked in a navigation center (ACC) for almost ten years, where I used handful of very expensive measurement tools. I think this one is comparable in terms of functionality. Moreover, saving waveform on screen in varies format really helps. I like this feature most. We had an R/S spectrum analysis which features a FDD years ago and it save me many times. We caught many intermittent problems which could not be recreated. And we always had many remote helpers handy for help.......

```
From -4828265777392890439
X-Google-Thread: 108122,99f9e7a1f6223982,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe09.lga.POSTED!53ab2750!not-for-mail
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
```

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: fa: KANTRONICS PACKET COMMUNICATOR **** (KPC-3)****
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <c2YXi.3$o41.2@newsfe09.lga>
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe09.lga 1194347784 69.122.55.64 (Tue, 06 Nov 2007 04:16:24 MST)
NNTP-Posting-Date: Tue, 06 Nov 2007 04:16:24 MST
Date: Tue, 06 Nov 2007 06:17:23 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13166

Posting for Barry!

If you need one of these, take a look.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130169101045&ssPageName=ADME:L:LCA:US:1123

From 5764978733942054051
X-Google-Thread: 108122,faab6c14d1ca0046,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: ORIGINAL/USED MANUALS:COLLINS,HALLI
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <kg2Yi.57965$kj1.52160@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 1230f890075dc9f0925476b043da3562
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1194373264 1230f890075dc9f0925476b043da3562 (Tue, 06 Nov 2007 18:21:04 GMT)
NNTP-Posting-Date: Tue, 06 Nov 2007 18:21:04 GMT
Organization: AT&T Worldnet
Date: Tue, 06 Nov 2007 18:21:04 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13167

Have just listed several original and used COLLINS/ROCKWELL,
HALLICRAFTERS MANUALS AT:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for stopping by; heytubeguy

From -8259140949008807778
X-Google-Thread: fcc6e,8047621cefff1173,start
X-Google-Thread: 11480d,8047621cefff1173,start
X-Google-Thread: 108122,8047621cefff1173,start
X-Google-Thread: fc2a5,8047621cefff1173,start
X-Google-Thread: 10b9c8,8047621cefff1173,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.251.MISMATCH!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Supersedes: <radio/ham-radio/recruitment-1-1191737101@panix.com>
Followup-To: poster
Date: 7 Nov 2007 02:05:02 -0500
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Dec 2007 02:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1194419101@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1194419103 1127 166.84.1.2 (7 Nov 2007 07:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Nov 2007 07:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.antenna:48439 rec.radio.amateur.dx:3715
rec.radio.amateur.equipment:13170 rec.radio.amateur.homebrew:14603
rec.radio.info:601

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -754493369699036524
X-Google-Thread: 108122,d78f35d4bbc5b99c,start
X-Google-Thread: 1109af,d78f35d4bbc5b99c,start
X-Google-Thread: 10b9c8,d78f35d4bbc5b99c,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.251.MISMATCH!news-out.readnews.com!transit4.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Supersedes: <radio/swap/recruitment-1-1191737401@panix.com>
Followup-To: poster
Date: 7 Nov 2007 02:10:01 -0500
Organization: rec.radio.info Moderation Team

Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 10 Dec 2007 02:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1194419401@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1194419402 7715 166.84.1.2 (7 Nov 2007 07:10:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Nov 2007 07:10:02 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap, buy, sell, trade, recruit, recruitment
Xref: g2news1.google.com rec.radio.amateur.equipment:13171 rec.radio.swap:17722 rec.radio.info:602

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -7591411712818503784
X-Google-Thread: 108122,901ad80293b5a72c
X-Google-Thread: 107ada,8cf5ae745bdba042,start
X-Google-Thread: 10bf43,8cf5ae745bdba042,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqz@punce.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <1194217386.972465.230100@o3g2000hsb.googlegroups.com>
Subject: Re: Two transceivers one power supply
Date: Wed, 7 Nov 2007 10:30:45 -0500
Organization: one punce over teh line
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 34
Message-ID: <4731ce5a$0$11241$88260bb3@free.teranews.com>
NNTP-Posting-Date: 07 Nov 2007 14:40:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13172
rec.radio.amateur.misc:38476 rec.radio.amateur.policy:98030

"Andiroo" <a.richman@btinternet.com> wrote in message
news:1194217386.972465.230100@o3g2000hsb.googlegroups.com...
> All
>
> I have just purchased a second radio - an old Icom IC-751 to sit next
> to my modern Icom 706 MkIIG.
>
> I was powering my Icom 706 with a SEC-1223 power supply which is a 23A
> 13.8V Switch Mode Power Supply (Input 230V AC, Output 13.8V DC,
> Output current 23A continuous (25A peak) Thermostatic Fan cooled).
>
> The new radio looks like it needs a power supply that can provide 20A
> peak.
>
> The question is can i run both radios off the same power supply
> provided i dont transmit on both at the same time or will i need to
> buy a second power supply for the new radio?
>
> Thanks

```
>
> Andy
>
>
 Haves my techical blog for radio hints ant tips tips
http://techkb9rqz.blogspot.com/




--
reads my blog hear (woger steel it four a wile but what mine is mine mine)
http://ipunce.blogspot.com/




--
Posted via a free Usenet account from http://www.teranews.com




From 8850454493880851519
X-Google-Thread: 108122,6b589cfe0de7f8ef
X-Google-Thread: 10bf43,82490c02e4be36eb,start
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!feed.cgocable.net!
meganewsservers.com!feeder2.on.meganewsservers.com!nx01.iad01.newshosting.com!
newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-
v0.1!not-for-mail
From: "kb9rqz" <kb9rqz@punce.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
References: <1194226125.595831.206650@z24g2000prh.googlegroups.com>
Subject: Re: Need advice
Date: Wed, 7 Nov 2007 10:33:44 -0500
Organization: one punce over teh line
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 19
Message-ID: <4731cf0c$0$18339$88260bb3@free.teranews.com>
NNTP-Posting-Date: 07 Nov 2007 14:43:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13173
rec.radio.amateur.policy:98031


<jrlawson.sr@gmail.com> wrote in message
news:1194226125.595831.206650@z24g2000prh.googlegroups.com...
> New to ham radio.  Need advice on first purchace.  Was looking at Icom
> 706MKII as a base/mobile.  Would appreciate opinions and reasons why
>
```

> Many thanks
>
>
Haves my techical blog for radio hints ant tips tips
http://techkb9rqz.blogspot.com/

--
reads my blog hear (woger steel it four a wile but what mine is mine mine)
http://ipunce.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 5863195438135573255
X-Google-Thread: 108122,d6cfb3d96d5193bf
X-Google-Thread: 10bf43,e4f6ff91bc1ded71,start
X-Google-Thread: 114aac,e4f6ff91bc1ded71,start
X-Google-Attributes: gid108122,gid10bf43,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqz@punce.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave
References: <R8E.en.France.173b2d5@radiobanter.com>
Subject: Re: ITT Mackay MSR 5050 bite test
Date: Wed, 7 Nov 2007 10:39:24 -0500
Organization: one punce over teh line
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 30
Message-ID: <4731d060$0$26371$88260bb3@free.teranews.com>
NNTP-Posting-Date: 07 Nov 2007 14:49:04 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13174
rec.radio.amateur.policy:98032 rec.radio.shortwave:126934

"R8E en France" <R8E.en.France.173b2d5@radiobanter.com> wrote in message
news:R8E.en.France.173b2d5@radiobanter.com...
>
> Does anybody knows how to BITE-test a receiver ITT Mackay MSR 5050 ?

>
>
>
>
> --
> R8E en France
>
>

I is aware thatfolks have said everything needs a chassis goround OTOH many
of the same folks also said everyone needs to learn Mors e Code in order to
be a sucfessfull ham and everyone must suffer forthier licenses etc in case
i point point out they did get it right for a change do try gounding your hf
rigs esp if are indeed are having any kind of noice problems

Haves my techical blog for radio hints ant tips tips
http://techkb9rqz.blogspot.com/

--
reads my blog hear (woger steel it four a wile but what mine is mine mine)
http://ipunce.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 4803918864085592306
X-Google-Thread: 108122,901ad80293b5a72c
X-Google-Thread: 107ada,8cf5ae745bdba042
X-Google-Thread: 10bf43,8cf5ae745bdba042
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Two transceivers one power supply
Date: Wed, 07 Nov 2007 11:31:01 -0500
Message-ID: <r1q3j3lg83h0e436s5mc7omsip46ifjocq@4ax.com>
References: <1194217386.972465.230100@o3g2000hsb.googlegroups.com>
<4731ce5a$0$11241$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 07 Nov 2007 15:40:26 GMT

X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13175 rec.radio.amateur.misc:38480 rec.radio.amateur.policy:98035

On Wed, 7 Nov 2007 10:30:45 -0500, "kb9rqz" <kb9rqz@punce.net> wrote:

>

fake

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -4681228180205848247
X-Google-Thread: 108122,6b589cfe0de7f8ef
X-Google-Thread: 10bf43,82490c02e4be36eb
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!nntpfeed.proxad.net!news.netfinity.fr!news.motzarella.org!motzarella.org!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Need advice
Date: Wed, 07 Nov 2007 11:31:17 -0500
Organization: A noiseless patient Spider
Lines: 19
Message-ID: <f2q3j351urif5j03vpd0dndvp2j2kbi0qf@4ax.com>
References: <1194226125.595831.206650@z24g2000prh.googlegroups.com> <4731cf0c$0$18339$88260bb3@free.teranews.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: tomate.motzarella.org U2FsdGVkX19GRQe/

WWtwXeHaYdIOrSoEoyOwqMr+mZVs4LBFWR46D2h5QnYJmAH4sjQmAHOXiGuJzwO5VnBR8gKMLbTQiWv9aU
sii3B8ktkIB35Dl+cWC2JwcLDjjreI4DqnRVqgLLY=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 7 Nov 2007 16:31:26 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
X-Auth-Sender: U2FsdGVkX19C7ldlJYILXkZNvIeadbxsTetPRVaN9GFJEXpOfEyMFA==
Cancel-Lock: sha1:SxUnNcBoX+lInjySYYsrHW5Jeko=
Xref: g2news1.google.com rec.radio.amateur.equipment:13176
rec.radio.amateur.policy:98036

On Wed, 7 Nov 2007 10:33:44 -0500, "kb9rqz" <kb9rqz@punce.net> wrote:

>
fake

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

From -9213515644288775118
X-Google-Thread: 108122,d6cfb3d96d5193bf
X-Google-Thread: 10bf43,e4f6ff91bc1ded71
X-Google-Thread: 114aac,e4f6ff91bc1ded71
X-Google-Attributes: gid108122,gid10bf43,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/abuse.pl feeded by 88.191.71.11
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!nntpfeed.proxad.net!news.netfinity.fr!news.motzarella.org!
motzarella.org!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: ITT Mackay MSR 5050 bite test
Date: Wed, 07 Nov 2007 11:31:31 -0500
Organization: A noiseless patient Spider
Lines: 20
Message-ID: <s2q3j31mcb83dikm7mbd102b6ot8mul5rr@4ax.com>
References: <R8E.en.France.173b2d5@radiobanter.com>
<4731d060$0$26371$88260bb3@free.teranews.com>
Mime-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: tomate.motzarella.org U2FsdGVkX18UtaoM22CA/
skLasrFH3WQY1JWtYIOwrCyvXB17GEZyYR0LMgaq5BQUxidwmRfWbymMGPUzp2FV9GKoIGWhXBhmQEtGLb
4q2R6I5aEj4CT42tG0Pdd3ZuIK2+eY1wGJ+Y=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Wed, 7 Nov 2007 16:31:33 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
X-Auth-Sender: U2FsdGVkX1/MFM5k8WWpP7v+pdyRI7AZ5ZlqAtXzm4Tl+xRCnobHVw==
Cancel-Lock: sha1:wNmhyE0riDh7SB/11nftf9XHVWA=
Xref: g2news1.google.com rec.radio.amateur.equipment:13177
rec.radio.amateur.policy:98037 rec.radio.shortwave:126935

On Wed, 7 Nov 2007 10:39:24 -0500, "kb9rqz" <kb9rqz@punce.net> wrote:

>
>"R8E en France" <R8E.en.France.173b2d5@radiobanter.com> wrote in message
fake

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G


From 2053162825566652861
X-Google-Thread: 1082f5,711d56d3a3309580
X-Google-Thread: 108122,39802d3430474684,start
X-Google-Thread: 10bf43,39802d3430474684,start
X-Google-Thread: 114aac,39802d3430474684,start
X-Google-Attributes: gid1082f5,gid108122,gid10bf43,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!nx01.iad01.newshosting.com!newshosting.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqz@homomale.net>
Newsgroups:
soc.men,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave
References: <kgiYi.94633$vI1.7233@fe1.news.blueyonder.co.uk>
Subject: Re: Bloggers Choice Awards...an enigma.
Date: Wed, 7 Nov 2007 12:27:53 -0500
Organization: one punce over teh line
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Lines: 15
Message-ID: <4731e9ce$0$26391$88260bb3@free.teranews.com>
NNTP-Posting-Date: 07 Nov 2007 16:37:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com soc.men:316221 rec.radio.amateur.equipment:13178
rec.radio.amateur.policy:98042 rec.radio.shortwave:126936
```

my wife indeed considar blogging himself two.

my blogs four you veiwing plasures can be veiwed below

http://markcmorganusenetmoron.blogspot.com/

http://ipunce.blogspot.com/

http://www.gavmorgan.blogspot.com/

http://kd8ctl.blogspot.com/

http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From 4692031455378618191
X-Google-Thread: 1082f5,711d56d3a3309580
X-Google-Thread: 108122,39802d3430474684
X-Google-Thread: 10bf43,39802d3430474684
X-Google-Thread: 114aac,39802d3430474684
X-Google-Attributes: gid1082f5,gid108122,gid10bf43,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!newshub.sdsu.edu!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqz@homomale.net>
Newsgroups:
soc.men,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave
References: <kgiYi.94633$vI1.7233@fe1.news.blueyonder.co.uk>
Subject: Re: Bloggers Choice Awards...an enigma.
Date: Wed, 7 Nov 2007 12:35:13 -0500
Organization: one punce over teh line
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
```

X-RFC2646: Format=Flowed; Response
Lines: 38
Message-ID: <4731eb85$0$26436$88260bb3@free.teranews.com>
NNTP-Posting-Date: 07 Nov 2007 16:44:53 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com soc.men:316223 rec.radio.amateur.equipment:13179
rec.radio.amateur.policy:98043 rec.radio.shortwave:126937

this blog be will be now be accept articles to be publshed after indeed
being reveiwe and monretated buy me i indeed mronoate eveyting now.

http://ipunce.blogspot.com/
"MCP" <gf010w5035@blueyonder.co.uk> wrote in message
news:kgiYi.94633$vI1.7233@fe1.news.blueyonder.co.uk...
> http://whatmenthinkofwomen.blogspot.com/2007/11/bloggers-choice-awardsan-
enigma.html
>
> Bloggers Choice Awards seems to be just an enigma. I am really pissed off
> by the fact that this site has deemed it correct to include a male-hating
> feminist site in the winning circle knowingly that Harry kick those
> bitches arses by at least 100 votes.
>
> So now we have the perceived image that the male-haters were on par which
> they definately were not..
>
> And I told them so. I will remove that link from this blog as it just
> smacks too much of bias..
>
> --
> ~ A man needs a woman like a lion needs a stove. ~
>
> ~ Women deserve only equal opportunity, not equal outcomes. ~
>
> ~ Men are not collectively "guilty" of anything. ~
>
> ~ Never needing to be pregnant is a blessing. ~
>
> ~ Feminist ideology "men have to respect women, but women have no reason
> to respect men" ~
>
> ~ Everybody makes choices, and nobody should be entitled to special
> treatment because of those choices.
> Equal results based on unequal treatment amounts to no kind of equality at
> all. ~
>

--
Posted via a free Usenet account from http://www.teranews.com

```
From 7648064690374222260
X-Google-Thread: 1082f5,711d56d3a3309580
X-Google-Thread: 108122,39802d3430474684
X-Google-Thread: 10bf43,39802d3430474684
X-Google-Thread: 114aac,39802d3430474684
X-Google-Attributes: gid1082f5,gid108122,gid10bf43,gid114aac,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
wns14feed!worldnet.att.net!63.218.45.10!nx01.iad01.newshosting.com!
newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-
v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
soc.men,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave
Subject: get kelp
Date: Wed, 07 Nov 2007 12:43:35 -0500
Message-ID: <r9u3j397jov166v4bg9g8oqhls3dq5djv4@4ax.com>
References: <kgiYi.94633$vI1.7233@fe1.news.blueyonder.co.uk>
<4731e9ce$0$26391$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 07 Nov 2007 16:53:00 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com soc.men:316226 rec.radio.amateur.equipment:13180
rec.radio.amateur.policy:98044 rec.radio.shortwave:126938
```

On Wed, 7 Nov 2007 12:27:53 -0500, "kb9rqz" <kb9rqz@homomale.net> wrote:

>
fake

"one useless man is disgrace 2 become a law firm 3 or more become a congress" adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

```
From 2901252198745450418
X-Google-Thread: fc8b1,84cf052c152491d0,start
X-Google-Thread: 108122,84cf052c152491d0,start
X-Google-Thread: 1109af,84cf052c152491d0,start
X-Google-Thread: f7796,84cf052c152491d0,start
X-Google-Thread: 10b9c8,84cf052c152491d0,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gidf7796,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-
radio.morse,rec.radio.info
Subject: K9YA Telegraph - December 2007  (Subscribe FREE)
Followup-To: poster
Date: Thu, 8 Nov 2007 11:20:07 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 26
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <iDEYi.1191$0Q5.328@nlpi070.nbdc.sbc.com>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1194538807 14274 166.84.1.6 (8 Nov 2007 16:20:07 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 8 Nov 2007 16:20:07 +0000 (UTC)
Keywords: K9YA Telegraph, ham radio, amateur radio, SWL, CW, nostalgia, ham
history, Morse code, W9BRD, N9BOR, K9PL, W9CBT, e-Zine
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
TSU[@S^DLPVMB_H]]RKB_UDAZZ\DPCPDLXUNNHPIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Xref: g2news1.google.com rec.radio.amateur.boatanchors:13078
rec.radio.amateur.equipment:13181 rec.radio.swap:17726 alt.ham-radio.morse:420
rec.radio.info:603
```

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT HAM RADIO!

December Issue Includes:

Beyond the Blue Horizon By Philip Cala-Lazar, K9PL

Underwood By Vern Weiss, WPEGHF/W9STB

When Martin Met Al By Rod Newkirk, VA3ZBB/W9BRD

Ham Quips By Dick Sylvan, W9CBT

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly to your e-mail inbox as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

From -6236255155301517191
X-Google-Thread: fc8b1,84cf052c152491d0
X-Google-Thread: 108122,84cf052c152491d0
X-Google-Thread: 1109af,84cf052c152491d0
X-Google-Thread: f7796,84cf052c152491d0
X-Google-Thread: 10b9c8,84cf052c152491d0
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gidf7796,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.251.MISMATCH!news-out.readnews.com!transit4.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.morse,rec.radio.info
Subject: K9YA Telegraph - December 2007 (Subscribe FREE)
Followup-To: poster
Date: Thu, 8 Nov 2007 14:54:08 EST
Organization: Robert F. Heytow Memorial Radio Club
Lines: 27
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <T0FYi.1192$0Q5.363@nlpi070.nbdc.sbc.com>
NNTP-Posting-Host: panix3.panix.com
X-Trace: reader1.panix.com 1194551648 11636 166.84.1.3 (8 Nov 2007 19:54:08 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 8 Nov 2007 19:54:08 +0000 (UTC)

```
Keywords: K9YA Telegraph, ham radio, amateur radio, SWL, CW, nostalgia, ham
history, Morse code, W9BRD, N9BOR, K9PL, W9CBT, W9STB, e-Zine
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
TSUGGYCNWZUWCFD[LZKJOPHAWB\^PBQLGPQRJVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Xref: g2news1.google.com rec.radio.amateur.boatanchors:13081
rec.radio.amateur.equipment:13182 rec.radio.swap:17727 alt.ham-radio.morse:422
rec.radio.info:604
```

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT HAM RADIO!

December Issue Includes:

Beyond the Blue Horizon By Philip Cala-Lazar, K9PL

Underwood By Vern Weiss, WPEGHF/W9STB

When Martin Met Al By Rod Newkirk, VA3ZBB/W9BRD

Ham Quips By Dick Sylvan, W9CBT

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly to your e-mail inbox as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

From 65282864757400181

X-Google-Thread: 108122,cb2ac58f84171bfc,start
X-Google-Thread: 10066c,cb2ac58f84171bfc,start
X-Google-Attributes: gid108122,gid10066c,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.suddenlink.net!not-for-mail
From: Norbert J. Rieben <ppearson@spamcop.net>
Message-ID: <epaDmFGcZikn9vPvvSBNxh@eagle.sd.us>
Newsgroups: rec.radio.amateur.equipment,alt.games.megazeux,euro.support.isdn,alt.fr.misc.engeulades
Subject: Allahdad ibn Kasim should draft her depending on the contrast
Date: Fri, 8 Nov 2007 18:15:50 GMT
Organization: Susie's tap
Followup-To: news.admin.net-abuse.policy
User-Agent: slrn/0.9.8.1pl1 (Debian)
Lines: 59
NNTP-Posting-Host: 74.195.33.146
X-Complaints-To: abuse@suddenlink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13183 alt.fr.misc.engeulades:9537

Reply by email, filling out this form and emailing it to me.
Trimming off the rest of this post is unnecessary.

I will guarantee anonymity except in cases of blatant abuse.
I will achieve anonymity by tallying the results in
uncorrelated tabulations and then deleting the emails.
(I know this loses interesting correlation data, but if
resondents want anonymity it's hard to avoid.)
I know that this anonymity promise depends on trust and that
you have no particular reason to trust me. Someday, I hope.
I will post results Saturday.

```
 xxxxxxxx  beginning of survey  xxxxxxxx

 yes( )   ( )no Should RoadRunner be subjected to some kind of UDP?
 yes( )   ( )no ... active UDP (cancels) ?
 yes( )   ( )no ... passive UDP (drop messages) ?
 yes( )   ( )no ... all-groups UDP? (as opposed to specific groups)
 yes( )   ( )no Are you a Usenet sysadmin? How big:_   How long:_
 yes( )   ( )no Should another server be subjected to UDP? Who:_
 yes( )   ( )no Should UDPs be used more often?
 yes( )   ( )no Should UDPs be used less often?
 yes( )   ( )no Would you have answered this survey without anonymity?

 xxxxxxxx  end of survey  xxxxxxxx
```

--
staff, getting what help I could from other

patients, and suffering agonies when they could not or would not attend to my needs. At the end of two weeks the stony-faced woman doctor came, accompanied by the heavyweight nurse. Roughly they tore the plaster off my left arm and left leg. I had never seen any patient treated like this before, and when I showed signs of falling, the stalwart nurse supported me by my damaged left arm.

During the next week I hobbled round, helping patients as best I could. All I had to wear was a blanket, and I was wondering how I would get clothing. On the twenty-second day of my stay in the hospital two policemen came to the ward. Ripping off my blanket, they shoved a suit of clothes at me, and shouted, "Hurry, you are being deported. You should have left three weeks ago."

"But how could I leave when I was unconscious through no fault of mine?" I argued.

A blow across the face was the only answer. The second policeman loosened his revolver in its holster suggestively. They hustled me down the stairs and into the office of the Political Commissar.

"You did not tell us, when you were admitted, that you were being deported," he said angrily. "You have had treatment under false pretences and now you must pay for it."

From -2890536536468900893
X-Google-Thread: 108122,a6c92dac12494cde,start
X-Google-Thread: 10e8ad,a6c92dac12494cde,start
X-Google-Attributes: gid108122,gid10e8ad,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.suddenlink.net!not-for-mail
From: Private Evan U. Petrash, C.S.C. <ppearson@spamcop.net>
Message-ID: <3zKG1KpbarqnXY4CUSBsBK@legend.edu>
Newsgroups: rec.radio.amateur.equipment,msen.reuters.advisory,alt.christnet.eucharist.eat-me,rec.radio.amateur.space
Subject: Saad Haji Bin Zamid should rely her no doubt the candle
Date: Fri, 8 Nov 2007 20:23:02 GMT
Organization: Jeremy's decree
Followup-To: news.admin.net-abuse.policy
User-Agent: slrn/0.9.8.1pl1 (Debian)
Lines: 51
NNTP-Posting-Host: 74.195.33.146

X-Complaints-To: abuse@suddenlink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:13184
rec.radio.amateur.space:1173

Reply by email, filling out this form and emailing it to me.
Trimming off the rest of this post is unnecessary.

I will guarantee anonymity except in cases of blatant abuse.
I will achieve anonymity by tallying the results in
uncorrelated tabulations and then deleting the emails.
(I know this loses interesting correlation data, but if
resondents want anonymity it's hard to avoid.)
I know that this anonymity promise depends on trust and that
you have no particular reason to trust me. Someday, I hope.
I will post results Saturday.

```
 xxxxxxxx  beginning of survey  xxxxxxxx

 yes( )   ( )no Should RoadRunner be subjected to some kind of UDP?
 yes( )   ( )no ... active UDP (cancels) ?
 yes( )   ( )no ... passive UDP (drop messages) ?
 yes( )   ( )no ... all-groups UDP? (as opposed to specific groups)
 yes( )   ( )no Are you a Usenet sysadmin? How big:_   How long:_
 yes( )   ( )no Should another server be subjected to UDP? Who:_
 yes( )   ( )no Should UDPs be used more often?
 yes( )   ( )no Should UDPs be used less often?
 yes( )   ( )no Would you have answered this survey without anonymity?

 xxxxxxxx  end of survey  xxxxxxxx
```

--
My only difficulties have been when I had a perfectly legitimate passport. Passports merely inconvenience the innocent traveler, causing him to be subjected to ridiculous red tape. Lack of a passport has never hindered a person who had to cross frontiers. However, presumably there have to be passports in order to harass harmless travelers and give work to hordes of often very unpleasant officials. This is not a treatise on how to cross frontiers illegally, so I will just say that without difficulty the three of us entered Czechoslovakia. The guard went his way, and we went ours.

"My home is at Levice," said Jozef, "I want to go home. You can stay with me as long as you like."

Together we made our way to Kosice, Zvolen, and on to Levice, walking, getting lifts, and riding on trains. Jozef knew the country well, knew where to get potatoes or beets or anything which could be eaten.

At long last, we walked up a mean street in Levice to a small house. Jozef knocked, and as there was no reply, knocked again. With extreme cau

From 4918997327788876832
X-Google-Thread: 108122,95401f58c8ba4f5f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need Info: Pure Sine Wave Inverters and Radio Noise
Date: Fri, 09 Nov 2007 06:11:21 -0500
Organization: MV Communications, Inc.
Lines: 28
Message-ID: <pan.2007.11.09.11.11.19.207512@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1194606681 23794 207.22.49.17 (9 Nov 2007 11:11:21 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Fri, 9 Nov 2007 11:11:21 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news1.google.com rec.radio.amateur.equipment:13185

I have a cheap Wal Mart so-called "modified sine wave" inverter that puts out hash and noise all across the HF band. I would like to replace it with a pure sine wave inverter that supposedly solves that problem. However I have read some stories about pure sine wave inverters that still put out noise across the HF band, even if they are located 30 feet away from the operating position (mine will be located on another floor and about 25 feet away).

I really can't afford to spend the money on a pure sine wave inverter only to find out later that it's unacceptably noisy (meaning, anything above about S2 or so). So, I'm hoping that one of you has been there and done that and knows of a good pure sine wave inverter that's quiet.

The inverter will be located in the middle of the house, in the basement, connected to a 220 amp hour battery. I have wired an AC outlet in the shack, down at one end of the house, to a 110V plug down near the inverter.

Equipment I plan to run from this includes: Hammarlund HQ-180A receiver, Heath Marauder transmitter, Kenwood TS-940S, Yaesu FT-1000, and a 60-watt table lamp. Rarely if ever will all of that be running at once (and never will more than one transmitter be transmitting at the same time) but if I want to run it all at once for a while it needs to be able to handle it. So, I figured maybe a 1000-watt inverter.

Any info gratefully appreciated...

From -5146242164753127183
X-Google-Thread: 108122,e2d90b37f36b7de3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
22g2000hsm.googlegroups.com!not-for-mail
From: Secure Aspects Group <frank@secureaspects.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for South Texas Hams
Date: Fri, 09 Nov 2007 03:23:22 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1194607402.187660.92300@22g2000hsm.googlegroups.com>
NNTP-Posting-Host: 208.117.4.50
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1194607402 4474 127.0.0.1 (9 Nov 2007 11:23:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Nov 2007 11:23:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.9)
Gecko/20071025 Firefox/2.0.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=208.117.4.50;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:13186

Just wanted to let everyone know about the new DX Association Centered
in the Canyon Lake area about 30 miles north of San Antonio Texas.
Please stop by the Hill Country DX Association website and have a
look, this is turning into something good with a membership of 21 in
only 15 days. http://www.hillcountrydx.com

Frank Sellers
N6AQ

From 8757235072600753693
X-Google-Thread: 108122,95401f58c8ba4f5f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in Alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Info: Pure Sine Wave Inverters and Radio Noise
Organization: Bruce's Trading Post
References: <pan.2007.11.09.11.11.19.207512@from.qrz.com>

User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <fast-C31DC8.10134609112007@netnews.worldnet.att.net>
Lines: 68
Date: Fri, 09 Nov 2007 19:13:44 GMT
NNTP-Posting-Host: 12.12.208.46
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1194635624 12.12.208.46 (Fri, 09 Nov 2007 19:13:44 GMT)
NNTP-Posting-Date: Fri, 09 Nov 2007 19:13:44 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13187

In article <pan.2007.11.09.11.11.19.207512@from.qrz.com>,
"Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote:

> I have a cheap Wal Mart so-called "modified sine wave" inverter that puts
> out hash and noise all across the HF band. I would like to replace it
> with a pure sine wave inverter that supposedly solves that problem.
> However I have read some stories about pure sine wave inverters that still
> put out noise across the HF band, even if they are located 30 feet away
> from the operating position (mine will be located on another floor and
> about 25 feet away).
>
> I really can't afford to spend the money on a pure sine wave inverter only
> to find out later that it's unacceptably noisy (meaning, anything above
> about S2 or so). So, I'm hoping that one of you has been there and done
> that and knows of a good pure sine wave inverter that's quiet.
>
> The inverter will be located in the middle of the house, in the basement,
> connected to a 220 amp hour battery. I have wired an AC outlet in the
> shack, down at one end of the house, to a 110V plug down near the inverter.
>
> Equipment I plan to run from this includes: Hammarlund HQ-180A receiver,
> Heath Marauder transmitter, Kenwood TS-940S, Yaesu FT-1000, and a 60-watt
> table lamp. Rarely if ever will all of that be running at once (and never
> will more than one transmitter be transmitting at the same time) but if I
> want to run it all at once for a while it needs to be able to handle it.
> So, I figured maybe a 1000-watt inverter.
>
> Any info gratefully appreciated...
>
>

As I live out in the Alaskan Bush, generate ALL my own power, run
my cabin off a Battery/Inverter System when the genset is not running,
and have been in the MF/HF Radio Business more than 40 Years, I have
a Realtime prospective on this question.

I started out with a Trace 2624 Inverter powering my cabin 20 years ago.
It was at the time one of the more expensive MSW Inverter/Charger systems
and served me very well for about 5 years. The Inverer/Battery is
located about 25 Ft from the cabin, in the Powerhousse, which also
houses the twin 20Kw Diesel Gensets, that are the Primary Power for
my operation. The Trace 2624 did raise the noise level, on MF/HF

about 1.5 S-Units, on my twin Kenwood TS-690's, from 1.2 S-Units
to 2.7 S-Units. As you can imagine the local noise is rarely a problem,
when compared with the Atmospheric Noise here, and compared to our
City Dwelling Friends, it doesn't even get in their BallPark.

When the Trace SW Series Inverters were first introduced, I purchased
one of the first SW-4024's, with the idea to lower my local noise,
and get back that 1.5 S-Units of Dynamic Range. After the installation
was completed, it turned out that I regained about .9 S-Units, which
I felt was respecable, considering that all the Power wires from the
PowerHouse to the Cabin, are overhead, and not buried, and are directly
under the MF/HF Antenna Farm.

I think you should PLAN on buying one of the Higher End, SineWave
inverter Systems, as these seem to have a much lower ambinat noise
output than the cheaper units. Trace still builds the SW Series
Inverters, and I have seen some impressive OutBack Power Systems
that other MF/HF Operators have installed with very little locally
generated noise. You could also build a Faraday Cage for you
Inverter/Battery Encloser, and use Noise Filters on the Input and Output
Power Lines from the Encloser, which would greatly reduce any locally
generated noise from your Power system.

Bruce in alaska   who still uses the 2624 and the 4024 20 years later
--
add <path> before @

From 1303126316506728307
X-Google-Thread: 10bf43,6bc67e32e753f4f9,start
X-Google-Thread: fcc6e,6bc67e32e753f4f9,start
X-Google-Thread: 108122,6bc67e32e753f4f9,start
X-Google-Thread: fa029,6bc67e32e753f4f9,start
X-Google-Thread: fb049,6bc67e32e753f4f9,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqz@homomale.net>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: I punch in agian
Date: Fri, 9 Nov 2007 14:38:57 -0500
Organization: one punce over teh line
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 4
Message-ID: <4734ab89$0$26451$88260bb3@free.teranews.com>
NNTP-Posting-Date: 09 Nov 2007 18:48:41 GMT

X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:98108
rec.radio.amateur.antenna:48601 rec.radio.amateur.equipment:13188
rec.radio.scanner:12842 alt.ham-radio.vhf-uhf:5981

ok I back four anoter tuff day on the news grupes it my job tis tis waht I
do so bringit on you loosers

--
Posted via a free Usenet account from http://www.teranews.com

From 8110794648276244323
X-Google-Thread: 10bf43,6bc67e32e753f4f9
X-Google-Thread: fcc6e,6bc67e32e753f4f9
X-Google-Thread: 108122,6bc67e32e753f4f9
X-Google-Thread: fa029,6bc67e32e753f4f9
X-Google-Thread: fb049,6bc67e32e753f4f9
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: get kelp
Date: Fri, 09 Nov 2007 15:26:57 -0500
Message-ID: <6kg9j3p81tkkgh983tb3cmgnehqretj3eh@4ax.com>
References: <4734ab89$0$26451$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 09 Nov 2007 19:36:23 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.policy:98111
rec.radio.amateur.antenna:48605 rec.radio.amateur.equipment:13189
rec.radio.scanner:12845 alt.ham-radio.vhf-uhf:5982

On Fri, 9 Nov 2007 14:38:57 -0500, "kb9rqz" <kb9rqz@homomale.net>
wrote:

>
fake

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com

From -1116920398982965077
X-Google-Thread: 108122,982bace79c069236,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From: W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TRADE? My Jupiter plus CASH - for your Orion I
Date: Sat, 10 Nov 2007 21:54:44 -0000
Organization: http://groups.google.com
Lines: 16
Message-ID: <1194731684.478479.276310@d55g2000hsg.googlegroups.com>
NNTP-Posting-Host: 66.177.5.12
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1194731684 18754 127.0.0.1 (10 Nov 2007 21:54:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Nov 2007 21:54:44 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.9) Gecko/20071025 Firefox/2.0.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=66.177.5.12;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:13190

Want to TRADE...Your Orion I for my Jupiter plus CASH?

Are you downsizing your shack?

Or, if the Orion is just more radio then you need, I may be interested in trading my Jupiter with the factory installed antenna tuner and CASH; for your Orion I with (or without) the factory installed antenna tuner.

If you are interested in talking about it, please email me at w7gsa@yahoo.com (w7gsa at yahoo dot com)

Thanks,

Bill

```
From -6533782185264725458
X-Google-Thread: 108122,fe9f182ae7c941c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Nov 2007 21:45:49 -0600
Date: Sat, 10 Nov 2007 22:45:53 -0500
From: afcsman <afcsman@hotmail.com>
Reply-To: afcsman@hotmail.com
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.9) Gecko/
20071030 SeaMonkey/1.1.6
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for  TM11-1140 manual for AN/PPN-1 "Eureka" Radar Beacon
 Set
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <mcednZZ6__pw56vanZ2dnUVZ_qiinZ2d@comcast.com>
Lines: 5
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.246.99.197
X-Trace: sv3-mIEY1ZEbBVdebvKalquvrRCl9vb+mKinlwjsZtU8cIzOasHTzHTgx06R/
FYibTihDqsQ1v+598VS1R2!
Tw17LjWqXvHNuZLuwyTa2R5uzFW3DSChXl3dHPgv61WX52Y6cYba7Uagh7+wmL+LOiJDgm5KibPY!
yvpvOvkhzlmXwUnr0i4dkJyc+TaL9Q==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:13191
```

Planning to auction this equipment, and am looking for an original, copy, or pdf that I can offer with the equipment. Please email condition and price.

--afcsman

```
From 9196202384742516091
```

X-Google-Thread: f704f,e1aa003c51330272,start
X-Google-Thread: 10499d,e1aa003c51330272,start
X-Google-Thread: 1084e2,e1aa003c51330272,start
X-Google-Thread: 108122,e1aa003c51330272,start
X-Google-Attributes: gidf704f,gid10499d,gid1084e2,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101107195193@4ax.com>
Subject: MI5 Persecution: Neil Fox (Nov/1998) (480)
Newsgroups: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment
Followup-To: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 11 Nov 2007 03:23:21 GMT
Lines: 54
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 50
Xref: g2news1.google.com alt.internet.search-engines:48921 alt.sex.algore.lick.the.wet.toad:1786 alt.sex.boys:39234 alt.testing.it:668 rec.radio.amateur.equipment:13192

Foxy's Showtime on Capital FM 25/11/98 7.35pm

Certainty level: 100%

This one, I can say with absolute certainty, is about me. It was recorded on my Sony Recording Walkman on the evening of Wednesday 25 November 1998. It doesn't mention me by name, so the objective observer might have trouble understanding why I'm so sure it's about me. I'm sure, because the harassment had restarted over the period when this piece was broadcast, and what Capital transmitted would have been in context with events at the time. (Sorry if that explanation is somewhat opaque, but I don't really want to embarrass myself by giving an explanation in detail, and an intelligent reader should be able to work it out for him/her self.)

This isn't the first time Capital have "got at" me; they were doing so right at the very beginning in summer 1990, when they said, "if he listens to Capital then he can't be all bad"; and Tarrant made remarks about me in his breakfast show in spring 1994, when he said, "you know this bloke? he says we're trying to kill him. We should be done for attempted manslaughter."

Unfortunately I didn't record those previous, much more conclusive instances of harassment by Capital DJs, and Capital Radio tells me they only keep recordings for three months. But lately I've been recording everything, and here is one product of that recording.

Neil Fox was introducing some petite Swedish songstress, sounded like Amelia, when he said something about her petite-ness ;

"she's a big big girl, actually she's really about tiny, she's this big, would you say what less than....."

then one of his studio staff shouted, "six inches"

then Fox laughed and said, "less than a meter tall, definitely"

What I think the "six inches" referred to should be obvious. I think it's sexual abuse directed at me.

Also there were a lot of words like "crazy", "mad" etc on this programme, which reinforced my belief that this was on purpose directed at myself.

I think Fox may be something of an unwilling participant in this abuse, he doesn't want to be an abuser but the persecutors are using his show and his staff to get at me. This is not the first time this sort of thing has happened from his show; and my guess is that it won't be the last

480

```
--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access
```

```
From -5427060555525559930
X-Google-Thread: f704f,2c26dd4f15ba49b8,start
X-Google-Thread: 10499d,2c26dd4f15ba49b8,start
X-Google-Thread: 1084e2,2c26dd4f15ba49b8,start
X-Google-Thread: 108122,2c26dd4f15ba49b8,start
X-Google-Attributes: gidf704f,gid10499d,gid1084e2,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101108401706@4ax.com>
Subject: MI5 Persecution: Flying Eye (Mar/1999) (2654)
Newsgroups: alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.ama
teur.equipment
Followup-To: alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.ama
teur.equipment,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 11 Nov 2007 04:43:47 GMT
Lines: 31
Organization: news.newsdemon.com
```

X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 27
Xref: g2news1.google.com alt.internet.search-engines:48922
alt.sex.algore.lick.the.wet.toad:1787 alt.sex.boys:39235 alt.testing.it:669
rec.radio.amateur.equipment:13193

Jackie King from the Flying Eye 14/3/99

Certainty level: 40%

In early March 1999, Capital Radio alleged they had received some emails, one of which was forwarded to me. It contained the words, "you know this bloke, he says we're trying to kill him, we should be done for attempted manslaughter!" which Chris Tarrant had said in 1994.

Following these emails there was an explosion in abuse activity, both from Capital Radio, and from MI5 themselves. MI5 followed me around and hurled abuse at me. The following audio file contains what may be abuse from the radio station.

Jackie King from the Flying Eye made these remarks on Sunday (14/3/99) lunchtime 12.24pm; "gas main work being, er, HANDLED if you like (laughs, embarrassed) outside Madame Tussauds, Euston Road obviously feeling the backlash of that".

The key word is "handled", which she sounds embarrassed to be saying; to me it looks like an attempt at a sexual slander. Capital Radio aren't even pretending not to get at me any more. I asked Chris Tarrant several times about his remark from 1994, and he has consistently avoided answering.

2654

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -6794504919126231721
X-Google-Thread: f704f,66896d5dc3223df9,start
X-Google-Thread: 10499d,66896d5dc3223df9,start
X-Google-Thread: 1084e2,66896d5dc3223df9,start
X-Google-Thread: 108122,66896d5dc3223df9,start
X-Google-Attributes: gidf704f,gid10499d,gid1084e2,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101110282945@4ax.com>
Subject: MI5 Persecution: Johnny Boy (21/Aug/1998) (4828)

Newsgroups: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment
Followup-To: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 11 Nov 2007 06:32:00 GMT
Lines: 49
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.internet.search-engines:48923 alt.sex.algore.lick.the.wet.toad:1788 alt.sex.boys:39236 alt.testing.it:670 rec.radio.amateur.equipment:13194

Virgin Radio-Johnny Boy (21/August/1998)

Certainty level: 60%

On Saturday 15 August 1998 I attended a gathering of contributors to newsgroup uk.misc at London's Victoria railway station. Also present was Simon G, who had previously given this description of what he would be wearing;

At 06:36 AM 13/8/98 GMT, Simon wrote:
>further clarification to aid recognition, i'll be wearing
>a t shirt, a brown suede waistcoat, a brown suede miniskirt,
>& a pair of patchwork leggings (& may have a widebrimmed straw
>hat, too).

It is my belief that my persecutors, who monitor my home telephone line (and consequently read all modem communications including email), were aware of this meeting, and may even have observed the "meat" taking place.

Following the "meat" it seemed to me that one or two attempts were made by my persecutors to portray me as "gay", on the basis of Simon's suede miniskirt, which in their inventiveness my persecutors attributed to me, not Simon. (Just for the record, Simon is hetero, and has agreed to the above email extract being published.) The following item from Johnny Boy's Wheels of Steel (between 7pm-11pm, Friday 21/8/98) is one such attempt.

(conversation) (J=Johnny-Boy, H=Hipster)

J: Texas of course part of V98 this weekend enjoy it if you're going. Keep your eyes out on Sunday in Chelmsford for Hipster, because he's going to be there. What are you going to be wearing?

H: I'll be wearing my, er, my suede shorts.
(sycophantic laughter)

J: and believe me he ain't joking, he ain't joking. OK coming next at Virgin on the Wheels of Steel...

Why do I think Hipster's "suede shorts" refers to Simon's mini-skirt? Because "suede" in both cases (obvious!); because "suede shorts" indicates "gay" which they were trying to pin on me; because "shorts" = something short, such as a "mini"-skirt; and because the two DJs both laughed as soon as Hipster said "suede shorts", they knew what the joke was, they knew that they were meant (and probably paid) to find it funny.

4828

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
-------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -1793474190865578888
X-Google-Thread: f704f,fe15d15b475d4ba5,start
X-Google-Thread: 10499d,fe15d15b475d4ba5,start
X-Google-Thread: 1084e2,fe15d15b475d4ba5,start
X-Google-Thread: 108122,fe15d15b475d4ba5,start
X-Google-Attributes: gidf704f,gid10499d,gid1084e2,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101111272808@4ax.com>
Subject: MI5 Persecution: Johnny Boy (19/June/1999) (7002)
Newsgroups: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment
Followup-To: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 11 Nov 2007 07:30:59 GMT
Lines: 51
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 47
Xref: g2news1.google.com alt.internet.search-engines:48924 alt.sex.algore.lick.the.wet.toad:1789 alt.sex.boys:39237 alt.testing.it:671 rec.radio.amateur.equipment:13195

Virgin Radio-Johnny Boy (19/June/1999)

Certainty level: 30%

I'm not quite sure about this one, so I've given it a one in three chance of being about me. First the background.... from mid-March 1999 for some three or four months, every weekend, I bombarded Westminster MPs with faxes about the terrible, all-encompassing MI5 Persecution. (Jesting aside, it really is terrible and all-encompassing, in the UK anyway.) Of course each week some MPs replied; but in June 1999, after I'd been at it some three months, I started getting "covert" feedback from Virgin Radio.

The first feedback I got was from Danny Baker, on Sunday 13th June. That weekend I was sending an article which contained biting criticism of the police inaction in this case. Danny Baker on his Virgin radio show started an angry rant that "he knows it's rubbish", ie. he was rubbishing what I'd said in that weekend's faxed article. Unfortunately I wasn't recording this programme.

The next possible Virgin-Radio feedback was a week later on 19th June 1999. This is contained in the audio file above, in which Johnny Boy on his "Wheels of Steel" programme says;

"and if you would like to put a triple play together, ahhh.... because quite frankly Hipster and me are running out of ideas...."

He goes on to counter Hipster's "how dare you" with a protestation that he is "only joking".

What I reckon is that my article faxed to MPs that weekend was forwarded by one of the recipients to Virgin Radio. My article had included the words;

"I am beginning to run out of both new topics and energy to write these articles."

So what I reckon is that Johnny Boy read the article.... and rephrased the above line "run out of ... new topics" to "running out of ideas".
I recognise that this is a pretty tenuous inference to make.... but do listen to the audio file, from the "ahhh...." pause in JB's speech you can guess he is about to say something "risky" and at someone's expense.
Anyway, I listen to the Wheels of Steel regularly and will continue to do so, recording it as I always do - so any future funny remarks will get immortalised on these pages!

7002

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 6688437713812132324
X-Google-Thread: f704f,63bde1d44d786520,start
X-Google-Thread: 10499d,63bde1d44d786520,start
X-Google-Thread: 1084e2,63bde1d44d786520,start
X-Google-Thread: 108122,63bde1d44d786520,start
X-Google-Attributes: gidf704f,gid10499d,gid1084e2,gid108122,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101112321937@4ax.com>
Subject: MI5 Persecution: Brighton 24/9/98 (9176)
Newsgroups: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment
Followup-To: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 11 Nov 2007 08:35:50 GMT
Lines: 30
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 26
Xref: g2news1.google.com alt.internet.search-engines:48925 alt.sex.algore.lick.the.wet.toad:1790 alt.sex.boys:39238 alt.testing.it:672 rec.radio.amateur.equipment:13196

Brighton Day Trip - 24/Sept/1998

Certainty level: 5%

On a day trip to Brighton, carrying a minidisc recorder, I managed to collect several indistinct instances of what I think were people swearing at me. Between the 0.5 and 1.5 second marks of the above recording is something that sounds like "nutter". I recorded at least three other much more obscene sexual words on the same day.

I don't honestly think the "nutter" recorded here is part of the conspiracy against me. I've been called similar things elsewhere, where it's been blindingly clear that the insult does form part of the conspiracy - but not in this case. This illustrates quite a worrying point - as a result of the many years of abuse "in public", I now sometimes simply don't know whether somebody is insulting me because they think I look like a dweeb, or whether the conspiracy is in action. Sometimes, due to background noise and people talking quietly relative to ambient noise, I can't be sure of what's being said, even after listening to it again on my minidisc. Or put another way, I now have a mild form of what I recognise to be occasional auditory delusions - but these are fuelled by the many years of actual verbal abuse.

9176

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -4348455835595755204
X-Google-Thread: f704f,160ad6adfbf9082a,start
X-Google-Thread: 10499d,160ad6adfbf9082a,start
X-Google-Thread: 1084e2,160ad6adfbf9082a,start
X-Google-Thread: 108122,160ad6adfbf9082a,start
X-Google-Attributes: gidf704f,gid10499d,gid1084e2,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101113272802@4ax.com>
Subject: MI5 Persecution: POSK 2/2/98 (11350)
Newsgroups: alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.ama
teur.equipment
Followup-To: alt.internet.search-
engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.ama
teur.equipment,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 11 Nov 2007 09:30:59 GMT
Lines: 28
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 24
Xref: g2news1.google.com alt.internet.search-engines:48926
alt.sex.algore.lick.the.wet.toad:1791 alt.sex.boys:39239 alt.testing.it:673
rec.radio.amateur.equipment:13197
```

POSK Cafe - 2/Feb/1998

Here are two independent segments, both of which occurred in London on the same day, the first at a Polish cafe, the second on the Tube.

Certainty level: 100%

POSK is the Polish Social-Cultural Centre in Hammersmith, London. It has quite a nice cafe which does pierogi, golabki etc. I went there with my mother early in 1998. Seated at the window table were three Polish men talking amongst themselves. One of them let rip with a sexual obscenity which was clearly directed at me (it's the same one that's been heard again and again since about November 1995), and which was recorded on my minidisc walkman. I have not included it in the above excerpt, which shows the reaction of another of the trio to the first man's swearing - namely, "jestes swinia jednak" which in English is "nevertheless you're a swine".

Certainty level: 20%

Somewhere on the London Underground. "Psycho" (I think - a little unclear).

11350

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -8545228331137225O2
X-Google-Thread: f704f,365380dff1fe71a9,start
X-Google-Thread: 10499d,365380dff1fe71a9,start
X-Google-Thread: 1084e2,365380dff1fe71a9,start
X-Google-Thread: 108122,365380dff1fe71a9,start
X-Google-Attributes: gidf704f,gid10499d,gid1084e2,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101114324719@4ax.com>
Subject: MI5 Persecution: Leicester Square 9/2/98 (13524)
Newsgroups: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment
Followup-To: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 11 Nov 2007 10:36:19 GMT
Lines: 47
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 43
Xref: g2news1.google.com alt.internet.search-engines:48927 alt.sex.algore.lick.the.wet.toad:1792 alt.sex.boys:39241 alt.testing.it:674 rec.radio.amateur.equipment:13198

Leicester Square - 9/Feb/1998

In February 1998 I spent some time in Leicester Square, in the West End of London. This is a very busy area of London, and one which can be relied on to produce "contacts". Capital Radio's offices and their cafe are located here, the Trocadero is nearby, and the place is full of cinemas and entertainment venues.

Certainty level: 100%

A young girl is heard to say, "Alright I'm going to talk to myself" to her friends, followed by all of them laughing together, as I passed by.

Believe me, I do not look mad in real life, these young people would not have directed their comments and laughter at me unless they had already been told by others that I was ill. I am absolutely certain that their behaviour was directed at me, and this audio file is particularly clear.

Certainty level: 60%

This one was recorded in a cafe in Green Park. Two women are talking to each other, one of them says to the other, "something wrong with him", with an emphasis on the "wrong".

The words "something wrong with him" have been repeated at me dozens of times, at my former workplace in Canada, in England, etc. The words are quite deliberately chosen to have two meanings; they obviously imply that I am ill, without forcing the abusers to demean themselves by using more pejorative terms, although they have shown that they have no compunction in that area; and secondly, the words "wrong ... him" make me at fault, and place the guilt for the abusers' wrongdoing on my shoulders.

Certainty level: 30%

Recorded on a Victoria line tube train leaving Green Park station.
If you listen carefully you can pick up the word "hunchback". The speaker had emitted a swear word immediately before this excerpt; both the swear word, and the "hunchback", were (I believe) directed at me.

13524

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 2850814264821655l9
X-Google-Thread: f704f,e31e60e1ff102539,start
X-Google-Thread: 10499d,e31e60e1ff102539,start
X-Google-Thread: 1084e2,e31e60e1ff102539,start
X-Google-Thread: 108122,e31e60e1ff102539,start
X-Google-Attributes: gidf704f,gid10499d,gid1084e2,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101115374464@4ax.com>
Subject: MI5 Persecution: BA984 LHR->TXL 13/6/98 (15698)
Newsgroups: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment
Followup-To: alt.internet.search-engines,alt.sex.algore.lick.the.wet.toad,alt.sex.boys,alt.testing.it,rec.radio.amateur.equipment,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 11 Nov 2007 11:41:15 GMT

Lines: 39
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 35
Xref: g2news1.google.com alt.internet.search-engines:48928
alt.sex.algore.lick.the.wet.toad:1793 alt.sex.boys:39242 alt.testing.it:675
rec.radio.amateur.equipment:13199

BA984 LHR->TXL 13/June/1998

Certainty level: 100%

In June 1998 I travelled on the above British Airways flight to Berlin with my mother, to visit her family. There were two women in seats 30D/E, about 4/5 rows behind us. It was quite obvious from the torrent of abuse during these flight that these women had been instructed to harass me and attempt to obtain a reaction.

I did manage to record much of the flight, but unfortunately much of the recording is unclear because of high background noise on the aircraft. The following three excerpts from the recording are the best I can do.

The segment at position 11:34 minutes on my recording contains a fairly quiet word "paranoid", followed immediately by a much louder "yeah, he's paranoid, yeah". During the flight the abuse was not sexual, as it so often is elsewhere, but attacking my mental health.

One of the women in seats 30D/E said "paranoid" very clearly towards the end of the flight, but unfortunately I had run out of minidisc space and stopped recording by then. There is absolutely no doubt in my mind that these women were directed to harass me. This harassment happens without fail on British Airways flights; I've been on something like three or four BA flights in the last 5 years and it's happened each time. Presumably this is because of international law which says incidents on aircraft during flight are actionable in the airline's country of origin - so my persecutors want a reaction from me, and they want to see me "done" in the UK where they can influence the justice system.

These incidents never happen on foreign-domiciled carriers.

15698

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

---

From -2527571320873003751
X-Google-Thread: 108122,22fee29a08352b2f,start
X-Google-Attributes: gid108122,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!newsfeed00.sul.t-
online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "Lex-Lutor" <lutor-lexBEZ-ovoga@post.t-com.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for manuals Duplexer 21-37-88218
Date: Sun, 11 Nov 2007 22:56:07 +0100
Organization: T-Com
Lines: 8
Message-ID: <fh7tuk$g7o$1@ss408.t-com.hr>
NNTP-Posting-Host: ar5-m92.net.t-com.hr
X-Trace: ss408.t-com.hr 1194818324 16632 195.29.68.92 (11 Nov 2007 21:58:44 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sun, 11 Nov 2007 21:58:44 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Xref: g2news1.google.com rec.radio.amateur.equipment:13200
```

We are lookong for tech.manuals about TX RX System duplexer type
21-37-88218. System is based with four 10" cavity BP type, but there is no
any connecting cables or Tee parts.

TNX..

```
From 4228243294693182524
X-Google-Thread: 108228,5f07543027997870,start
X-Google-Thread: 108122,5f07543027997870,start
X-Google-Thread: 1109af,5f07543027997870,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr23.news.prodigy.net.POSTED!8b6c9613!not-for-
mail
From: "CSFD" <csfd@hotmail.com>
Newsgroups: alt.ham-radio.marketplace,rec.ham-
radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: WTB: ICOM IC-725 / IC-726 PARTS
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <QQMZi.20461$Pv2.15536@newssvr23.news.prodigy.net>
NNTP-Posting-Host: 70.143.35.204
X-Complaints-To: abuse@prodigy.net
```

X-Trace: newssvr23.news.prodigy.net 1194826160 ST000 70.143.35.204 (Sun, 11 Nov 2007 19:09:20 EST)
NNTP-Posting-Date: Sun, 11 Nov 2007 19:09:20 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
Q[R_@SZD@ZRMRQPXKROHZZAJGHT@QDDMEPWXODMMHXMTWA]EPUW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZFWGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Sun, 11 Nov 2007 18:08:55 -0600
Xref: g2news1.google.com alt.ham-radio.marketplace:3410 rec.radio.amateur.equipment:13201 rec.radio.swap:17747

I am looking for at least 2 of the 4 push buttons that push in for the NB,
ATT, PRE, AGC buttons that are mounted below the volume control knob on
either a Icom IC-725 or Icom IC-726 H.F. transceiver.
Please e-mail me at:
jackson17@cox.net

Thanks in advance!

From 5142475951682517755
X-Google-Thread: 10ed5f,c594275afbbcfc0c,start
X-Google-Thread: 108122,c594275afbbcfc0c,start
X-Google-Thread: fcc6e,c594275afbbcfc0c,start
X-Google-Thread: 107ada,c594275afbbcfc0c,start
X-Google-Attributes: gid10ed5f,gid108122,gidfcc6e,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!feeder.erje.net!zen.net.uk!dedekind.zen.co.uk!news-peer-lilac.gradwell.net!not-for-mail
Sender: Borked Pseudo Mailed <nobody@pseudo.borked.net>
Comments: This message did not originate from the Sender address above.
     It was remailed automatically by anonymizing remailer software.
     Please report problems or inappropriate use to the
     remailer administrator at <admin@pseudo.borked.net>.
From: Ted <nobody@pseudo.borked.net>
Newsgroups: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.antenna,rec.radio.amateur.misc
Subject: eBay: Collins 820D-2 AM broadcast transmitter (circa 1975)
Message-ID: <0fe6812702d9df95e4357d2c01d5ac08@pseudo.borked.net>
Date: Wed, 14 Nov 2007 14:29:35 -0700 (MST)
X-Mail2News-Path: mail2news.gradwell.net!pseudo.borked.net!remailer
Lines: 2
NNTP-Posting-Host: 193.111.200.92
X-Trace: 1195075780 news.gradwell.net 516 mail2news/193.111.200.92:60274
X-Complaints-To: news-abuse@gradwell.net
Xref: g2news1.google.com alt.ham-radio:2958 rec.radio.amateur.equipment:13202 rec.radio.amateur.antenna:48983 rec.radio.amateur.misc:38599

http://snipr.com/CollinsXmtr

```
From 2683580110428229627
X-Google-Thread: 108122,39192fb9ff7884ab,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
o3g2000hsb.googlegroups.com!not-for-mail
From:  "erfurth@gmail.com" <erfurth@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TRADE - My Ten-Tec Jupiter for your Icom IC-781
Date: Wed, 14 Nov 2007 23:58:14 -0000
Organization: http://groups.google.com
Lines: 17
Message-ID: <1195084694.319459.229360@o3g2000hsb.googlegroups.com>
NNTP-Posting-Host: 66.177.5.12
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1195084694 15365 127.0.0.1 (14 Nov 2007 23:58:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 14 Nov 2007 23:58:14 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.9)
Gecko/20071025 Firefox/2.0.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o3g2000hsb.googlegroups.com; posting-host=66.177.5.12;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:13203
```

Want to TRADE? - Your Icom IC-781 for my Ten-Tec Jupiter PLUS CASH.

Are you downsizing your shack?

Or, if the IC-781 is just more radio then you need, I would be interested in trading my Jupiter, with the factory installed antenna tuner, and CASH for your Icon IC-781.

I will give it a good home in Jacksonville, FL.

If you are interested in talking about it, please email me at w7gsa@yahoo.com (w7gsa at yahoo dot com)

Thanks,

Bill

```
From -7634606850351574191
X-Google-Thread: 108122,cc5e800debaea5ea,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe19.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - 3B28's
Message-ID: <icioj3to6e6cs1er4heo7ft4mv38g7kh1d@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe19.lga 1195133351 70.161.108.207 (Thu, 15 Nov 2007 06:29:11 MST)
NNTP-Posting-Date: Thu, 15 Nov 2007 06:29:11 MST
Organization: Cox
Date: Thu, 15 Nov 2007 08:29:16 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13204

Replacement for those old 866 mercury vapor tubes in HV power supplies
in many old transmitters. NOS  found in warehouse sale, US Made
"CENTRON".  Have three (3)and one (1) pull-out. Not tested.  All for
$35 or $12 each plus
shipping from 23323.                    <k4wys@cox.net>


From -3872801654189444955
X-Google-Thread: 108122,f4fb5bb9442f7176,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe02.lga.POSTED!53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WBT: 100 KC XTAL TUBE - HALLICRAFTERS
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <cJh%i.23$ug7.6@newsfe02.lga>
NNTP-Posting-Host: hmmbjiemoibppncilooddndlcgfkaodp
X-Trace:
pdjoodfomhkjcooblbdnpiohcfhaihogikjoclhneakcmdbehmmbjiemoibppnciaamkpnhfllmeehajdi
nfcndfiihpimhmaoipngmcobfidhepmemmahjccmdidnhkgmigicagmhckjgnm
NNTP-Posting-Date: Fri, 16 Nov 2007 07:23:04 MST
Date: Fri, 16 Nov 2007 08:22:52 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:13205
```

I am looking for the vacuum tube type 100 kc xtal for the Hallicrafters
calibrator with the 8 pin octal plug

W9CAR

From 1103025264788595575
X-Google-Thread: 108122,5d9177f8a9361b2f
X-Google-Thread: fc2a5,5d9177f8a9361b2f
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: billg999@cs.uofs.edu (Bill Gunshannon)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Help with H89/H19
Date: 16 Nov 2007 15:10:10 GMT
Organization: Computing Sciences Dept., University of Scranton
Lines: 27
Message-ID: <5q5q6iFu6s99U1@mid.individual.net>
References: <l6xLi.4096$Ww5.1473@trnddc03>
    <13ft8esi0adnl43@corp.supernews.com> <xzELi.223$n92.109@trnddc06>
    <13fvcuna9rccf3e@corp.supernews.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
X-Trace: individual.net BAWn+RLkQBllvLxWoOezfQy/1HP01dg2KzEeAVXcGRdQ0BwiMD
Cancel-Lock: sha1:v2EN2mT1IRbMJCc6rdO7D9v1Nsg=
X-Newsreader: knews 1.0b.1
Xref: g2news1.google.com rec.radio.amateur.equipment:13206
rec.radio.amateur.homebrew:14675

In article <13fvcuna9rccf3e@corp.supernews.com>,
     msg <msg@_cybertheque.org_> writes:
> Wes Groleau wrote:
>
> <snip>
>
>> Plus, without a floppy drive, the H89 is useless, so this gets
>> something out of it.
>>
>
> Indeed, using the terminal portion has merit, but why not also
> add the missing floppy (I presume it is just the 5 1/4" drive
> that you lack)? Look in dumpsters, curbside, surplus and
> thrift stores for any old XT-clone to rescue a full-height
> floppy ;)

Not likely to find one as the Heathkit computers prior to the
PC world (other than the H8) used hard sectored disks. I can
not remember the last time I saw a 5 1/4" hard sectored drive!!

```
bill

--
Bill Gunshannon          |  de-moc-ra-cy (di mok' ra see) n.  Three wolves
bill@cs.scranton.edu     |  and a sheep voting on what's for dinner.
University of Scranton   |
Scranton, Pennsylvania   |         #include <std.disclaimer.h>


From -3905026367383359220
X-Google-Thread: 108122,fb9884016b551cea,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: billg999@cs.uofs.edu (Bill Gunshannon)
Newsgroups: rec.radio.amateur.equipment
Subject: HW-8 Question
Date: 16 Nov 2007 15:15:57 GMT
Organization: Computing Sciences Dept., University of Scranton
Lines: 15
Message-ID: <5q5qhdFu6s99U2@mid.individual.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
X-Trace: individual.net OYlRI4FnptC0dq3rVSC7TQOdhDL7Q0hFyHDCPOXpGRO1MOPH4P
Cancel-Lock: sha1:3foS6OV/WiR9SDANXOKxFTs3Uw0=
X-Newsreader: knews 1.0b.1
Xref: g2news1.google.com rec.radio.amateur.equipment:13207

Is there anyone who sells replacement semiconductors kits for the HW-8?
I have one that my father bought at a hamfest a couple decades ago. It
has never worked, since the day it was built and I suspect the builder
fried the delicate parts with his soldering iron.  Heath had this bad
habit of using obscure parts but if it's possibl;e I would really like
to fix this so I can use it.

bill
KB3YV

--
Bill Gunshannon          |  de-moc-ra-cy (di mok' ra see) n.  Three wolves
bill@cs.scranton.edu     |  and a sheep voting on what's for dinner.
University of Scranton   |
Scranton, Pennsylvania   |         #include <std.disclaimer.h>


From 7458069496726687067
X-Google-Thread: 108122,e17e361824a047a3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
w34g2000hsg.googlegroups.com!not-for-mail
```

```
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB parts for Yaesu 817 ND
Date: Fri, 16 Nov 2007 07:38:25 -0800 (PST)
Organization: http://groups.google.com
Lines: 3
Message-ID: <8130f072-ad0b-4091-af28-5248e34e8c33@w34g2000hsg.googlegroups.com>
NNTP-Posting-Host: 213.202.119.75
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195227505 2904 127.0.0.1 (16 Nov 2007 15:38:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 16 Nov 2007 15:38:25 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: w34g2000hsg.googlegroups.com; posting-host=213.202.119.75;
     posting-account=Ed8lUAkAAACLnn0GtcJh9RKZP5UOYLVB
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
     5.1),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13208
```

WTB Panel unit for Yaesu FT 817ND, version B2, or no working 817 . . .

```
         TNX and 73                          9A7PJT
```

```
From -7495424121409154057
X-Google-Thread: 108122,5d9177f8a9361b2f
X-Google-Thread: fc2a5,5d9177f8a9361b2f
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: msg <msg@_cybertheque.org_>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Help with H89/H19
Date: Fri, 16 Nov 2007 13:24:44 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13jrre0j2itck2d@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, ja, zh, fi, de, el, undefined, ru
MIME-Version: 1.0
References: <l6xLi.4096$Ww5.1473@trnddc03>    <13ft8esi0adnl43@corp.supernews.com>
<xzELi.223$n92.109@trnddc06>    <13fvcuna9rccf3e@corp.supernews.com>
<5q5q6iFu6s99U1@mid.individual.net>
In-Reply-To: <5q5q6iFu6s99U1@mid.individual.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 72
```

Xref: g2news1.google.com rec.radio.amateur.equipment:13209
rec.radio.amateur.homebrew:14678

Bill Gunshannon wrote:

> In article <13fvcuna9rccf3e@corp.supernews.com>,
>   msg <msg@_cybertheque.org_> writes:
>
>>Wes Groleau wrote:
>>
>><snip>
>>
>>>Plus, without a floppy drive, the H89 is useless, so this gets
>>>something out of it.
>>>
>>
>>Indeed, using the terminal portion has merit, but why not also
>>add the missing floppy (I presume it is just the 5 1/4" drive
>>that you lack)? Look in dumpsters, curbside, surplus and
>>thrift stores for any old XT-clone to rescue a full-height
>>floppy ;)
>
>
> Not likely to find one as the Heathkit computers prior to the
> PC world (other than the H8) used hard sectored disks. I can
> not remember the last time I saw a 5 1/4" hard sectored drive!!
>
> bill
>

I cannot remember any differences in the drives, only the media.
The sector holes and index hole were all on the same circle.

I used to use a cheap punch to make hard sectored
media and IIRC, I just lined up the punch on the index hole
and then rotated the media a certain number of degrees, punched,
repeated, until done.

Here is an excerpt from a website that describes drive and media
specifications (http://www.retrotechnology.com/herbs_stuff/drive.html):

> Facts on hard sectored diskettes and "drives"
>
> 1) Hard sector means that the DISKETTE (not the drive) has multiple holes,
> one for each sector. Normal (soft sectored) diskettes have only ONE hole
> to mark the "index" or beginning of a track. There is a small hole in
> the envelope (8-inch, 5.25-inch) which exposes this hole to the disk
> drive. For hard sectored disks, there are additional holes to mark the
> beginning of each sector. The index hole is an additional hole between
> two sector holes.
>
> 2) 5.25 inch hard sector diskettes came with 10 sector (11 holes) and
> rarely 16 sector (17 holes). To count holes, grab a diskette. Rotate
> the "doughnut" inside the diskette's envelope and count the holes.

```
 > Remember the index hole is in between two sector holes (so a smaller
 > spacing). Classic systems which used 5.25 inch hard sectored diskettes
 > include Heath H89 (10 sector), NorthStar (10 sector).
>
> 3)For 8-inch diskettes, hard sectored diskettes came with 32 sectors
 > (33 holes). These disks were otherwise identical to soft-sectored 8-inch
 > diskettes. But, there was another, even older hard-sectored scheme, where
 > the index hole was near the outer edge of the envelope and far offset
 > from center.
>
> 4)While in most cases, it's the MEDIA not the DRIVE which determines
 > hard-sectored operation, there were some 8-inch drives (Shugart 800
 > and 801) which provided circuitry to generate hard sector pulses from
 > soft sectored diskettes. (Or was that to filter hard sector pulses OUT
> from hard sectored diskettes? Check with the Shugart 800/801 manual...

Regards,

Michael





From 5338063633905950935
X-Google-Thread: 108122,84e58a1bd5eb8408,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
b36g2000hsa.googlegroups.com!not-for-mail
From: W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: I Will Pay CASH for your Ten-Tec Orion
Date: Fri, 16 Nov 2007 15:05:14 -0800 (PST)
Organization: http://groups.google.com
Lines: 20
Message-ID: <1576fb6b-ce65-43d2-b3dd-3d1baec2e73a@b36g2000hsa.googlegroups.com>
NNTP-Posting-Host: 66.177.5.12
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195254314 1364 127.0.0.1 (16 Nov 2007 23:05:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 16 Nov 2007 23:05:14 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b36g2000hsa.googlegroups.com; posting-host=66.177.5.12;
     posting-account=l4eURwoAAADMTMh97FnPcgNXhmF7KeXG
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.9)
     Gecko/20071025 Firefox/2.0.0.9,gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13210
```

I am looking for an Orion I.

I would like to have the built-in
antenna tuner, but I will consider one without it. It should have
Rev. 2 done.

If possible I would prefer to pick the rig up rather
then having it shipped, I live in Jacksonville, Florida, so anywhere
with in a 100 miles or so would be great.

Please let me know what you
have available. My email address is: w7gsa@... w7gsa at gmail
dot com)

Thanks,

Bill

From 8998099568648544594
X-Google-Thread: 1084e2,99cd695efd498608,start
X-Google-Thread: 108122,99cd695efd498608,start
X-Google-Thread: fe027,99cd695efd498608,start
X-Google-Thread: fcc51,99cd695efd498608,start
X-Google-Thread: 110431,99cd695efd498608,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in04.usenetserver.com!news.usenetserver.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101706252627@4ax.com>
Subject: MI5 Persecution: BA984 LHR->TXL 13/6/98 (483)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 02:29:06 GMT
Lines: 35
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:676 rec.radio.amateur.equipment:13211
de.comp.os.unix.x11:3055 free.uk.talk.edinburgh:1351
no.it.tjenester.nettilbydere:3683

BA984 LHR->TXL 13/June/1998

Certainty level: 100%

In June 1998 I travelled on the above British Airways flight to Berlin with my mother, to visit her family. There were two women in seats 30D/E, about 4/5 rows behind us. It was quite obvious from the torrent of abuse during these flight that these women had been instructed to harass me and attempt to obtain a reaction.

I did manage to record much of the flight, but unfortunately much of the recording is unclear because of high background noise on the aircraft. The following three excerpts from the recording are the best I can do.

The segment at position 11:34 minutes on my recording contains a fairly quiet word "paranoid", followed immediately by a much louder "yeah, he's paranoid, yeah". During the flight the abuse was not sexual, as it so often is elsewhere, but attacking my mental health.

One of the women in seats 30D/E said "paranoid" very clearly towards the end of the flight, but unfortunately I had run out of minidisc space and stopped recording by then. There is absolutely no doubt in my mind that these women were directed to harass me. This harassment happens without fail on British Airways flights; I've been on something like three or four BA flights in the last 5 years and it's happened each time. Presumably this is because of international law which says incidents on aircraft during flight are actionable in the airline's country of origin - so my persecutors want a reaction from me, and they want to see me "done" in the UK where they can influence the justice system.

These incidents never happen on foreign-domiciled carriers.

483

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -1443940073212296260
X-Google-Thread: 1084e2,47f3d047700710ee,start
X-Google-Thread: 108122,47f3d047700710ee,start
X-Google-Thread: fe027,47f3d047700710ee,start
X-Google-Thread: fcc51,47f3d047700710ee,start
X-Google-Thread: 110431,47f3d047700710ee,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101707440914@4ax.com>
Subject: MI5 Persecution: BHS Croydon 18/12/98 (2658)
```

Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 03:47:48 GMT
Lines: 29
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 25
Xref: g2news1.google.com alt.testing.it:677 rec.radio.amateur.equipment:13212 de.comp.os.unix.x11:3056 free.uk.talk.edinburgh:1352 no.it.tjenester.nettilbydere:3684

Evil old bat in BHS 18/12/98

Certainty level: 40%

Not quite sure how sure I am about this one. I went down to Croydon (Surrey) with my mother to buy her a beret. After doing the shopping, we went to the BHS store restaurant to lunch on fish and chips.

You can guess the rest. Auditory hallucinations my shrink calls them, faithfully recorded on Sony minidisc. Some old cow going on about "see that chap, the one over there, something's wrong with him".

It is quite tiring being attacked by random idiots in the street, or as in this case, by some random, evil old bat in a restaurant. Fortunately it is only a sporadic occurrence. My enemies seem of late reluctant to waste resources in my direction. Should I take this as an insult? Am I not worth the millions of taxpayers money which has been wasted on me? Are the obsessives of MI5 themselves the "nutters" and "really mad" which they accuse me of being? Interestingly this suggestion as to the psychological profiles of Security Service personnel has been made by others... it does lead one to wonder, doesn't it?

2658

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 1548285882859751162
X-Google-Thread: 1084e2,ca5c85739a1c474e,start
X-Google-Thread: 108122,ca5c85739a1c474e,start
X-Google-Thread: fe027,ca5c85739a1c474e,start
X-Google-Thread: fcc51,ca5c85739a1c474e,start

```
X-Google-Thread: 110431,ca5c85739a1c474e,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!meganewsservers.com!
feeder2.on.meganewsservers.com!nx01.iad01.newshosting.com!newshosting.com!
post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101709004564@4ax.com>
Subject: MI5 Persecution: Ravenscourt Park 20/3/99 (4833)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 05:04:25 GMT
Lines: 26
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:678 rec.radio.amateur.equipment:13213
de.comp.os.unix.x11:3057 free.uk.talk.edinburgh:1353
no.it.tjenester.nettilbydere:3685
```

Ravenscourt Park 20/3/99

Certainty level: 70%

On Saturday I went to Hammersmith, specifically Ravenscourt Park. There had recently been a resurgence of persecution activity, following the Capital spams. I went to the cafe in the park and had a cup of coffee outside, with my mother. As I went inside the cafe to return the cups, a woman shouted a sexual obscenity (not present on this audio file - don't ask), and she said loudly "something's wrong with him". You can just about hear it in the audio file; listen very carefully, several times; it is distinguishable.

Much less subtle is the male voice shouting "take care he's a nutter" immediately after the woman's voice. As on the other recordings there's a lot of noise, but what the people say can be clearly heard.

Given that I take medication and look and behave quite sanely, and that there had been increased abuse over the last couple of weeks, it seems pretty unlikely that this incident was just spontaneous.... of course, you couldn't prove otherwise, but then that's the way MI5 mean their abuse to look.

4833

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------

Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 4152102136857905969
X-Google-Thread: 1084e2,a64172f87b70d168,start
X-Google-Thread: 108122,a64172f87b70d168,start
X-Google-Thread: fe027,a64172f87b70d168,start
X-Google-Thread: fcc51,a64172f87b70d168,start
X-Google-Thread: 110431,a64172f87b70d168,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-
for-mail
Message-Id: <m07101710413172@4ax.com>
Subject: MI5 Persecution: Battersea Library 29/3/99 (7008)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 06:45:10 GMT
Lines: 18
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:679 rec.radio.amateur.equipment:13214
de.comp.os.unix.x11:3058 free.uk.talk.edinburgh:1354
no.it.tjenester.nettilbydere:3686
```

Battersea Library 29/3/99

Certainty level: 60%

This one is quite dull. During the month of March 1999, MI5 made another determined attempt to "get" me, substantially through radio programmes, through Jon Snow on Channel Four News, and through abuse in public, of which this is one example.

Recorded on my minidisc-walkman on Monday 29 March 1999, this audio file consists of two girls talking. One says to the other, "he's got something wrong with him." The usual words. How many millions a year do the Security Service waste on this? But they've denied it - how silly of me to forget. And they're not liars either, are they?

7008

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service

------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -5687626296943335439
X-Google-Thread: 1084e2,bc288f37013199c5,start
X-Google-Thread: 108122,bc288f37013199c5,start
X-Google-Thread: fe027,bc288f37013199c5,start
X-Google-Thread: fcc51,bc288f37013199c5,start
X-Google-Thread: 110431,bc288f37013199c5,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101713025525@4ax.com>
Subject: MI5 Persecution: Royal Festival Hall 15/4/99 (9183)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 09:06:35 GMT
Lines: 27
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:680 rec.radio.amateur.equipment:13215 de.comp.os.unix.x11:3059 free.uk.talk.edinburgh:1355 no.it.tjenester.nettilbydere:3687

Royal Festival Hall 15/4/99

Certainty level: 100%

Another "day in the life of", this one. January and February were quiet; in March it all started again; by the middle of April the resurgence of abuse had been going on for over a month. And this, with 100% certainty, is one manifestation of the abuse.

On Thursday 15 April 1999, 1pm lunchtime, I was at the booking office at the Royal Festival Hall near Waterloo Station in London, buying a ticket for a friend. A woman was at the counter next to me. She said;

"it would kill it, you know, it would just be overkill...
.. they can't stop can they"

It was obvious to everyone, the ticket agents included, that her comments were directed at me, and that "they" (ie. MI5) were "killing" me.

I've heard similar things said at various other times, but rarely have their intentions been expressed as clearly as this. The woman also expressed the obsessive nature of MI5's preoccupation with me, by saying, "they can't stop can they".

9183

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -6232165996272164180
X-Google-Thread: 108122,fb9884016b551cea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Nov 2007 07:49:40 -0600
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <5q5qhdFu6s99U2@mid.individual.net>
Subject: Re: HW-8 Question
Date: Sat, 17 Nov 2007 07:49:36 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Original
Message-ID: <6MudnSasA8XpbKPanZ2dnUVZ_jWdnZ2d@comcast.com>
Lines: 53
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-uyFnZzP8evsyUCHHGL0yiyJAZ2Gxr/
XeWGjySGgLJZ4px2kxy5hiu1imOjDMtjuthtocovn1BQZgMyH!
8Q78IBbo9FlIOZ4lMXqETW+x6+lqrjr6ubCXNC6Z/GNwL/fFchqbNLWr1MKF8DtzlO+6BCdjtYSf!
BjzrxUftFtkxBTAw27XD6+KuJSXbXg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13216
```

"Bill Gunshannon" <billg999@cs.uofs.edu> wrote in message news:5q5qhdFu6s99U2@mid.individual.net...

> Is there anyone who sells replacement semiconductors kits for the HW-8?
> I have one that my father bought at a hamfest a couple decades ago. It
> has never worked, since the day it was built and I suspect the builder

> fried the delicate parts with his soldering iron. Heath had this bad
> habit of using obscure parts but if it's possibl;e I would really like
> to fix this so I can use it.
>
> bill
> KB3YV
>

Bill -

PARTS?

Mouser
http://www.mouser.com/

as well as DigiKey, RadioDaze, Allied Radio, Newark
All these distributors have the complement that you will need

Some web page suggestions for your HW-8 restoration:

Mike Bryce, WB8VGE of the TheHeathKitShop
http://www.theheathkitshop.com/

His notes on HW-8
http://www.theheathkitshop.com/hw-8.html

He also complied the HW-8 Handbook, now in second edition
Great reference inone book -- especially for those Heath technical
bulletings that many builders did
not get or read
http://www.theheathkitshop.com/hw8handbook.html

KK4KF's HW-7/8/9 web page
http://www.qsl.net/kk4kf/heathkit.html

WB6FZH HW-8 Modifications, Repairs and Recollections
http://members.aol.com/greg6fzh/hw8hints.htm

WB9DLC HW-8
http://wb9dlc.com/HW-8Mods.htm

HW-8 parts for building
http://members.aol.com/w3dx/HW8Parts.html

Looking for a quality used soldering iron -- or reapir parts for that Weller
TCP series, send me an e-mail --- W9GB
w9gb

From 8272506011913494818
X-Google-Thread: 1084e2,a94e4fde6300f3a8,start
X-Google-Thread: 108122,a94e4fde6300f3a8,start

X-Google-Thread: fe027,a94e4fde6300f3a8,start
X-Google-Thread: fcc51,a94e4fde6300f3a8,start
X-Google-Thread: 110431,a94e4fde6300f3a8,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101714331248@4ax.com>
Subject: MI5 Persecution: Balham Bus 8/7/99 (11358)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 10:36:52 GMT
Lines: 26
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 22
Xref: g2news1.google.com alt.testing.it:681 rec.radio.amateur.equipment:13217
de.comp.os.unix.x11:3060 free.uk.talk.edinburgh:1356
no.it.tjenester.nettilbydere:3688

Balham - LT bus (8/July/1999)

Certainty level: 90%

I am very sure about this one. I got back from holidays on Wednesday. There were two incidents, both on the tube, on the way back from the airport. There was a further incident the following day, Thursday, on the bus (the 155 I think) in Balham, where two girls started spouting abuse about "crazy", etc. Naturally I had my minidisc with me and was able to record their words.

The cynical reader might think my demeanour or behaviour had given rise to the taunts of "crazy" recorded above. But I assure you my behaviour on the bus would not have made anyone think I was ill; and the taunts the previous day were the same sexual words as previously; so I'm quite sure that these incidents are either deliberately staged, or indicative of an overall high level of awareness among the London public, particularly in the part of London where I live.

11358

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 2440822739748407884
X-Google-Thread: 1084e2,aad778a91f5f70fd,start
X-Google-Thread: 108122,aad778a91f5f70fd,start
X-Google-Thread: fe027,aad778a91f5f70fd,start
X-Google-Thread: fcc51,aad778a91f5f70fd,start
X-Google-Thread: 110431,aad778a91f5f70fd,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-
for-mail
Message-Id: <m07101715570140@4ax.com>
Subject: MI5 Persecution: Clapham South 17/2/00 (13533)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 12:00:41 GMT
Lines: 32
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:682 rec.radio.amateur.equipment:13218
de.comp.os.unix.x11:3061 free.uk.talk.edinburgh:1357
no.it.tjenester.nettilbydere:3689
```

Clapham South (17/Feb/2000)

Certainty level: 100%

In February 2000, MI5's hate campaign against me was in full swing. They sent people into the road where I live in south London, to swear at me and abuse me as I was leaving or returning home. One such instance is recorded on the above audio file.

On Thursday 17 February 2000, I had just left my home, en route for Croydon, when two youths approached, going in the other direction. One of them said with a smile on his face something which I didn't recognize, and still don't understand despite it being on this audio clip. His demeanour made it clear his statement was directed at me. I coughed, and in response to that, he continued his insult, calling me a "wanker", which is very clearly recorded on this audio clip.

Two days later, in the very early morning of Sunday 20 February 2000, MI5 inflicted another insult against me just outside my house, when, returning from Croydon, two youths approached (MI5 agents always go in packs of at least two - they're too cowardly to go anywhere on their own) and one of them said quietly and bitterly to the other that "he's shitty, very shitty".

It is still comparatively rare for MI5 to send people to my house, or to my road, to harass me. Usually they know where I'm going to, since they have bugs on my phone and in each room of my house; and they send people to that location, or on the train or tube getting there.

13533

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 6908039250260986179
X-Google-Thread: 1084e2,187f7aa209123270,start
X-Google-Thread: 108122,187f7aa209123270,start
X-Google-Thread: fe027,187f7aa209123270,start
X-Google-Thread: fcc51,187f7aa209123270,start
X-Google-Thread: 110431,187f7aa209123270,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101717303942@4ax.com>
Subject: MI5 Persecution: Clapham Junction 6/5/00 (15708)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 13:34:19 GMT
Lines: 42
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:683 rec.radio.amateur.equipment:13219
de.comp.os.unix.x11:3062 free.uk.talk.edinburgh:1358
no.it.tjenester.nettilbydere:3690

Clapham Junction (6/May/2000)

Certainty level: 60%

On Saturday 6 May 2000, I was in Clapham Junction, shopping and visiting the library. At precisely 12:29pm, the above audio clip was recorded, in front of Arding and Hobbs department store. One girl was saying to her friend,

"He's a homosexual, they can say whatever they want."

There are several reasons why I think this comment might be about me. Firstly, temporal proximity to other such incidents. The persecution had restarted about two to three days before this clip was recorded. Cause of restart unknown. Personally I think it's because I was going on holiday to France the following Monday - MI5 do like to take holidays abroad at the taxpayer's expense, and inventing reasons to resurrect their hate campaign just before I go on holiday is something they've done before.

Secondly, although I am not gay, they have used such references against me before. At Oxford Computer Group in 1994, manager Steve Mitchell simultaneously abused me and another employee but saying we were "of a similar bent". Such insults show latent or quite overt homosexuality on the part of the abuser.

Thirdly, the sort of people who abuse on the basis of mental illness are the same people who abuse others on the basis of sexuality, race, religion, etc. If they can abuse a disabled man, then they will surely do so based on the other criteria mentioned.

There is still some room for doubt, though, which is why I have assigned this recording a certainty level of only slightly above evens. But "they can say whatever they want" is what gives the game away; they just choose a differentiating feature on which to base their abuse; and if one such feature gets too boring ("we've called him a nutter for the last ten years so now we'll call him something else") then they invent a different lie to throw at me.

15708

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -7098477872923620010
X-Google-Thread: 1084e2,2fe5eb2f69718b97,start
X-Google-Thread: 108122,2fe5eb2f69718b97,start
X-Google-Thread: fe027,2fe5eb2f69718b97,start
X-Google-Thread: fcc51,2fe5eb2f69718b97,start
X-Google-Thread: 110431,2fe5eb2f69718b97,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
```

Message-Id: <m07101719134761@4ax.com>
Subject: MI5 Persecution: he's an idiot you know 3/11/00 (17883)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 15:17:28 GMT
Lines: 24
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 20
Xref: g2news1.google.com alt.testing.it:684 rec.radio.amateur.equipment:13220 de.comp.os.unix.x11:3063 free.uk.talk.edinburgh:1359 no.it.tjenester.nettilbydere:3691

Balham High Road (3/Nov/2000)

Certainty level: 60%

On 3 November 2000, I had just got off the bus in Balham High Road, when I heard a group of schoolgirls shouting and laughing. One of them yelled;

"He's an idiot you know."

You can hear this on the above clip; it is followed by laughter. I am not quite sure this is about me, which is why I have only given it a two in three probability. I have been attacked many times with the word "idiot", which seems to be a favourite with intellectual lightweights who want to bring down bigger game. (Back in 1992 I was so worried by the attacks on my intelligence that I took the test and joined Mensa...... does that make me a *clever* idiot? Never mind.)

17883

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 2197179628193854139
X-Google-Thread: 1084e2,f30c92e1e9f73ecf,start
X-Google-Thread: 108122,f30c92e1e9f73ecf,start
X-Google-Thread: fe027,f30c92e1e9f73ecf,start
X-Google-Thread: fcc51,f30c92e1e9f73ecf,start
X-Google-Thread: 110431,f30c92e1e9f73ecf,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII

```
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101721564046@4ax.com>
Subject: MI5 Persecution: tinker tailor wanker thief 2/12/00 (20058)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 18:00:22 GMT
Lines: 71
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 67
Xref: g2news1.google.com alt.testing.it:685 rec.radio.amateur.equipment:13221
de.comp.os.unix.x11:3064 free.uk.talk.edinburgh:1360
no.it.tjenester.nettilbydere:3692
```

Crescent Grove, Clapham Common (2/Dec/2000)

Certainty level: 100%

This is one of those clips where I am absolutely, 100% certain it's inflicted by MI5 on me, because of background, context. On Saturday 2 December 2000, I was walking from my home to a pub on Clapham Common, and on the way was in proximity to a group of three English youths who were walking the other way. They turned from the main road into a private estate called Crescent Grove. Here is what they said;

(first youth) "He masturbates!"
(his mate responds) "Yeah, he masturbates!"
(and again) "Thief!"

There is a lot of context associated with this incident, which I will now relate.

Firstly, the verbal sexual abuse is a popular one with MI5, and as a statement about me is currently mostly in their imaginations. The accusation has to be seen relative to MI5's persecutory actions in late November and early December 2000, and in fact for some months leading up to this. Their relevant activities in June 2000 are documented in a message in this evidence item;
following from that, they sent someone to simulate an act in front of my window, which was captured on film.

It is the publication of the video of their agent performing the act on himself which caused MI5 to restart this thread of harassment in the first few days of December 2000. But there are some subtleties; I uploaded the digitised video to this website on 26/November/2000; but I did not announce its existence on the newsgroups until Sunday 3/December/2000. These youths' slur was made the previous day, on Saturday 2/Dec. That tells us quite a lot. According to my website logs, there were no accesses to the video file before Sunday 3/Dec. So why did MI5 restart this particular thread of abuse, before their agent's activities were published on the newsgroup? The conclusion we reach is that they were watching my internet connection, either decoding the telephone line, or at the ISP; and/or they may be able to physically see what is on my notebook computer's screen, from RF transmissions from its VGA circuitry. I do not know whether the latter is technically feasible, but the former certainly is, and I have known for years that MI5 bugs my internet activities and phone calls. It is from their observation of my internet connection that they were able to tell, without accessing the video file over the net, that it was of their agent in a compromising position; and it was from that observation that their shouted slur on 2/Dec emanates.

The second accusation, "Thief!", is even more interesting. It relates to occurrences from June of 2000, some six months before these youths threw the word at me. It shows just how wide in reach geographically and temporally the MI5 persecution is; they react to something which happened half a year previously.

In the first half of 2000, MI5 made a determined assault on my friendships. In one particular case, that of A. whom I had known for virtually all my life, they partly succeeded. This person made pointed references to me which made it clear he knew what was happening; at one point he started asking "do you know anything about the FBI and the CIA". In June 2000, we went to see a film in the West End. I paid for both of us, and then asked him to return what I had paid for his ticket, some �7.50. He was reluctant to do so. Eventually he returned �5, settling for the lesser gain of �2.50.

I did not call him a thief to his face, but I may have spoken the word while I was at home, either conscious or in my sleep. MI5 have very tight control over everything I do and say in my home through their bugs; if I say anything against someone in "their" camp, they turn round the accusation against me. So, from the fact that A. tried to garner a few pounds at my expense, MI5 create the accusation, six months later..... "thief!".

20058

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 1880911720064140550
X-Google-Thread: 1084e2,760b2448db9158de,start
X-Google-Thread: 108122,760b2448db9158de,start

X-Google-Thread: fe027,760b2448db9158de,start
X-Google-Thread: fcc51,760b2448db9158de,start
X-Google-Thread: 110431,760b2448db9158de,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101800301717@4ax.com>
Subject: MI5 Persecution: Jon Holmes (4-5/Jan/2002) (22233)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 20:33:51 GMT
Lines: 50
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:686 rec.radio.amateur.equipment:13222
de.comp.os.unix.x11:3065 free.uk.talk.edinburgh:1361
no.it.tjenester.nettilbydere:3693

Virgin Radio-Jon Holmes (4-5/Jan/2002)

Here are two segments from Virgin FM, one on Friday, the other on Saturday, both from the Jon Holmes evening show.

Certainty level: 80%

In early January 2002 I listened for the first time in some months to Virgin Radio, specifically to the Jon Holmes evening show on Friday 4 January 2002. They promptly attacked me verbally. Again, context is relevant. There are three instances in the space of two minutes on this extract;

00:18 "are you lying?"
00:22 "it's not fair"
01:24 "everyone at the amateur c+ turbo programmers club found it hilarious"

The first phrase is a straight slander. MI5 were trying to portray me as a liar at around this time; I have other audio with the same accusation. "are you lying?"; unsophisticated.

It's closely followed by the words "it's not fair". Note carefully the way he says it, quickly, as if to deny what he says. The phrase "not fair" was first created by OCTS MD

H S.-W. in Nov/1992, and picked up on my first visit to hospital soon after "they should have paid your fare").
Again, unsophisticated parrotting of a key phrase.

The third phrase is explicable through contemporaneous context. That morning I had phoned about a C++ course. "c+ turbo programmers club"... again, somewhat brazen we're-listening-to-what-he-says-on-the-phone, and he-can't-prove-it. Something got lost in translation from MI5's watchers to Virgin, because "c+ turbo" means nothing.... there is no C+ turbo language, only C++, of which Turbo C++ is one implementation.

Certainty level: 80%

I wasn't entirely convinced from Friday's programme, but the following evening's show confirmed it. It contained a number of references to my condition, of which the following excerpt is one such;

00:09 "I'm not well, and no-one cares"
00:24 "my voice sounds all funny"
01:01 "do you mean people that aren't mad"
01:05 "medical problem is it"

"I'm not well" doesn't mean he has a cold; it means he is being sarcastic about my mental illness. "my voice sounds all funny" refers to the change in nature of my voice when acute illness hits. "do you mean people that aren't mad" is obvious. "medical problem is it"..... rubbing salt into the wound.

22233

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 7400663063668655686
X-Google-Thread: 1084e2,e6f843db16244330,start
X-Google-Thread: 108122,e6f843db16244330,start
X-Google-Thread: fe027,e6f843db16244330,start
X-Google-Thread: fcc51,e6f843db16244330,start
X-Google-Thread: 110431,e6f843db16244330,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101803133661@4ax.com>
Subject: MI5 Persecution: Post Office 14/11/02 (24408)
Newsgroups:

alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 17 Nov 2007 23:17:08 GMT
Lines: 36
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:687 rec.radio.amateur.equipment:13223 de.comp.os.unix.x11:3066 free.uk.talk.edinburgh:1362 no.it.tjenester.nettilbydere:3694

Balham Hill Post Office (14/Nov/2002)

Certainty level: 80%

By mid-November 2002 the persecution had again dwindled, as happens sometimes, when along came this item.
I spent most of my time at home, going occasionally to the shops in Clapham South, or into town to meet people. On this particular
Thursday I only left the house once, for less than fifteen minutes to post a letter (special delivery, because my ordinary and
recorded delivery letters had been disappearing en route for some time - not that anyone would accuse MI5 of such petty harassment).
At the post office counter there was an Asian guy talking into his mobile phone and grinning away. There is a probability that
his comments were directed at me, as I will explain further. The second segment of audio closely follows the first segment.

"you'll do it today? let's meet about 3 o'clock and have some lunch. I got stuff to do and I'll go to the bank,
get this sh.. fucking moving yeah. Even just a little bit do something. He doesn't understand, you know what it is,
I don't want to tell him again cause then he might, he thinks we're having a go at him, I'm not having a go at him,
I'm explain to him"

Explanation: The guy is talking about some bloke who is unnamed, however it might be interpreted as being in code about me.
"I'll go to the bank"... variously interpretable, either literally, or as sounds-like "wank" which has been a consistent
theme in MI5's abuse. "get this shit fucking moving"... abuse... could be interpreted as MI5's criticism of my inertness.
The state spends hundreds of thousands of pounds a year - they want to see some result, not just neutrality and ordinariness.
"he doesn't understand"... MI5 claim I'm stupid... but the numbers and bits of paper prove otherwise, so perhaps what that
is really about is their agents' subconscious perception of themselves.

"having a go at him"... sounds like they're having a go at me, doesn't it? You

might take the audio at face value and assume
it's about some other guy, but it's normal MI5 procedure to pretend to be talking about someone else, and make the content of
the message very relevant to me, or their perception of me.

"for some reason it doesn't get into his head, I don't know why... he's lost it completely, hasn't he"

What reason is there for it not getting into his (my) head? Stupidity is implied. Also implied is that it does get into his head;
we're intentionally causing him damage. He's lost it completely... for some time I have suffered from OCD... lost it completely
is the persecutors' observation of my illness, which they see through the surveillance on my home, which they caused.

24408

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 4548040770460769145
X-Google-Thread: 1084e2,eee91e0c00947175,start
X-Google-Thread: 108122,eee91e0c00947175,start
X-Google-Thread: fe027,eee91e0c00947175,start
X-Google-Thread: fcc51,eee91e0c00947175,start
X-Google-Thread: 110431,eee91e0c00947175,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101805402179@4ax.com>
Subject: MI5 Persecution: Eclipse pub 20/12/02 (26583)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Nov 2007 01:43:53 GMT
Lines: 26
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 22
Xref: g2news1.google.com alt.testing.it:688 rec.radio.amateur.equipment:13224 de.comp.os.unix.x11:3067 free.uk.talk.edinburgh:1363 no.it.tjenester.nettilbydere:3695

Eclipse pub in Balham (20/Dec/2002)

Certainty level: 70%

On Friday 20/December/2002 I went to Balham to do some shopping and eating. When I went into the Eclipse pub for a meal there were two girls already at the bar being server, I ordered and sat down near the window. They sat down at the opposite window seat, out of sight. After a few minutes they started screaming repetitively "section, section". They were reading something and were trying to pretend that they were just repeating from what they were reading, but in reality it was quite obvious they were talking about me, specifically to confinement under mental health.

As you can guess the behaviour of these unwise young things shows them to be from the underprivileged category which due to the natural laws of society is seldom seen in the better classes of restaurant - the McDonald's next door is their more usual habitat. My guess is that these two females were deliberately placed in the Eclipse with orders to be offensive to me personally. The alternative would be that no-one had ordered them and they were just being rude on their own account, but that is improbable, for two reasons; first, I was out of sight of them and one does not usually "pick on" a person one cannot see; secondly, there had that afternoon in Balham been other, less distinct incidents immediately preceding this, and it is inferable that MI5 were making quite a serious effort to create a physical incident, as they have done on numerous occasions previously. I give my interpretation a two in three chance of validity.

26583

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -8800275237283570l
X-Google-Thread: 1084e2,ca495f06f497e21a,start
X-Google-Thread: 108122,ca495f06f497e21a,start
X-Google-Thread: fe027,ca495f06f497e21a,start
X-Google-Thread: fcc51,ca495f06f497e21a,start
X-Google-Thread: 110431,ca495f06f497e21a,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-
```

for-mail
Message-Id: <m07101808213391@4ax.com>
Subject: MI5 Persecution: Barbican Library 6/2/2003 (28758)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Nov 2007 04:25:05 GMT
Lines: 31
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:689 rec.radio.amateur.equipment:13225
de.comp.os.unix.x11:3068 free.uk.talk.edinburgh:1364
no.it.tjenester.nettilbydere:3696

Barbican Library - 6/Feb/2003

Certainty level: 100%

Here's an item from early February 2003, at which time Security Service were re-igniting hostilities against me, a direct result of my appeal for a legal hearing against their organisation. On Thursday 6/Feb/2003 I went to the Barbican in central London with my mother to visit the library and have a meal. Security Service naturally knew about it because it had been mentioned the previous day in our house which is under constant surveillance on grounds of "National Security", so they may have been able to inform staff there to say something to me, as has been done elsewhere. Two of the people at the Enquiries desk in the library obviously knew of my circumstances, I spoke to one of them who was very polite, and while I was waiting I heard the other speaking with a little less politeness, as recorded on this audio file. He said, "I spy", to start a game of guess what "I spy"; unsubtle, MI5 Spy. Then, at the 34 second mark on this clip he said;

"So obvious you couldn't even get that. I shall have to kill you. ha, ha, ha"

The words "I shall have to kill you" are interesting because such overt expression is rarely heard. Security Service wish me extinct. Some years ago they were openly shouting "suicide" at me, so that is established. But there is an element of doublethink in their attitude; they use people's natural prejudice against mentally ill, who are popularly painted by media as being aggressive, to try to tinge the group's view of me and MI5's actions against me. The Security Service religion is that the country's enemies are deadly, and must therefore be extinguished. Hence, we must seize eagerly upon the disabled schizophrenic from Clapham, and throttle him, because who knows what'll happen if we don't.

There may be a subtle agenda of population control in what the Security Service have been doing in this country since 1990. In the current issue

of 2600 Magazine (the Hacker quarterly, which I read from time to time) there is a quote from Hermann Goering on page 2; "the people can always be brought to the bidding of the leaders. All you have to do is tell them they are being attacked. It works the same in any country".
2600 printed the quote as a comment on the projected war against Iraq, which does not appear to pose any threat to the territory of those countries which wish to invade it. However the quote is somewhat relevant to my case, which is widely known about within Britain;
the security service instructs all right thinking citizens to do MI5's bidding and band together against a common enemy, while at the same time there is a suggestion of "look what'll happen to you if you don't obey us".

28758

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -8424422757342517125
X-Google-Thread: 1084e2,7dc172f94558616e,start
X-Google-Thread: 108122,7dc172f94558616e,start
X-Google-Thread: fe027,7dc172f94558616e,start
X-Google-Thread: fcc51,7dc172f94558616e,start
X-Google-Thread: 110431,7dc172f94558616e,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101811321095@4ax.com>
Subject: MI5 Persecution: Bernard Levin - The Times (30933)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Nov 2007 07:35:42 GMT
Lines: 104
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 100
Xref: g2news1.google.com alt.testing.it:690 rec.radio.amateur.equipment:13226
de.comp.os.unix.x11:3069 free.uk.talk.edinburgh:1365
no.it.tjenester.nettilbydere:3697
```

Fanatic's Fare for the Common Man

Certainty level: 90%

The article reproduced below was penned by Bernard Levin for the Features section of the Times on 21 September 1991. To my mind, it described the situation at the time and in particular a recent meeting with a friend, during which I for the first time admitted to someone other than my GP that I had been subjected to a conspiracy of harassment over the previous year and a half.

There is a madman running loose about London, called David Campbell; I have no reason to believe that he is violent, but he should certainly be approached with caution. You may know him by the curious glitter in his eyes and a persistent trembling of his hands; if that does not suffice, you will find him attempting to thrust no fewer than 48 books into your arms, all hardbacks, with a promise that, if you should return to the same meeting-place next year, he will heave another 80 at you.

If, by now, the police have arrived and are keeping a close watch on him, you may feel sufficiently emboldened to examine the books. The jackets are a model of uncluttered typography, elegantly and simply laid out; there is an unobtrusive colophon of a rising sun, probably not picked at random. Gaining confidence - the lunatic is smiling by now, and the policemen, who know about such things, have significantly removed their helmets - you could do worse than take the jacket off the first book in the pile. The only word possible to describe the binding is sumptuous; real cloth in a glorious shade of dark green, with the title and author in black and gold on the spine.

Look at it more closely; your eyes do not deceive you - it truly does have real top-bands and tail-bands, in yellow, and, for good measure, a silk marker ribbon in a lighter green. The paper is cream-wove and acid-free, and the book is sewn, not glued.

Throughout the encounter, I should have mentioned, our loony has been chattering away, although what he is trying to say is almost impossible to understand; after a time, however, he becomes sufficiently coherent to make clear that he is trying to sell the books to you. Well, now, such quality in bookmaking today can only be for collectors' limited editions at a fearsome price - �30, �40, �50?

No, no, he says, the glitter more powerful than ever and the trembling of his hands rapidly spreading throughout his entire body; no, no - the books are priced variously at �7, �8 or �9, with the top price �12.

At this, the policemen understandably put their helmets back on; one of them draws his truncheon and the other can be heard summoning reinforcements on his walkie-talkie. The madman bursts into tears, and swears it is all true.

And it is.

David Campbell has acquired the entire rights to the whole of the Everyman's Library, which died a lingering and shameful death a decade or so ago, and he proposes to start it all over again - 48 volumes this September and 80 more next year, in editions I have described, at the prices specified. He proposes to launch his amazing venture simultaneously in Britain and the United States, with the massive firepower of Random Century at his back in this country, and the dashing cavalry of Knopf across the water, and no one who loves literature and courage will forbear to cheer.

At the time this article was written I had believed for some time that columnists in the Times and other journalists had been making references to my situation. Nothing unusual about this you may think, plenty of people have the same sort of ideas and obviously the papers aren't writing about them, so why should my beliefs not be as false as those of others?

What makes this article so extraordinary is that three or four days immediately preceding its publication, I had a meeting with a friend, during the course of which we discussed the media persecution, and in particular that by Times columnists. It seemed to me, reading the article by Levin in Saturday�s paper, that he was describing in some detail his "artist�s impression" of that meeting. Most telling are the final sentences, when he writes, "The madman bursts into tears, and swears it is all true. And it is." Although I did not "burst into tears" (he seems to be using a bit of poetic licence and exaggerating) I did try hard to convince my friend that it was all true; and I am able to concur with Mr Levin, because, of course, it is.

At the beginning of the piece Levin reveals a fear of being attacked by the "irrational" subject of his story, saying "I have no reason to believe that he is violent, but he should certainly be approached with caution". This goes back to the xenophobic propaganda of "defence" against a "threat" which was seen at the very beginning of the harassment. The impression of a "madman running loose" who needs to be controlled through an agency which assigns to itself the mantle of the "police" is also one which had been expressed elsewhere.

In the final paragraph of this extract, his reference to Everyman�s Library as having "died a lingering and shameful death a decade or so ago" shows clearly what sort of conclusion they wish to their campaign. They want a permanent solution, and as they are prevented from achieving that solution directly, they waste significant resources on methods which have been repeatedly shown to be ineffective for such a purpose.

30933

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

---

```
From 2323686652779370212
X-Google-Thread: 1084e2,451e80e91f0363c1,start
```

```
X-Google-Thread: 108122,451e80e91f0363c1,start
X-Google-Thread: fe027,451e80e91f0363c1,start
X-Google-Thread: fcc51,451e80e91f0363c1,start
X-Google-Thread: 110431,451e80e91f0363c1,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101813294773@4ax.com>
Subject: MI5 Persecution: Come back, Norma! (33108)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Nov 2007 09:33:19 GMT
Lines: 42
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 38
Xref: g2news1.google.com alt.testing.it:691 rec.radio.amateur.equipment:13227
de.comp.os.unix.x11:3070 free.uk.talk.edinburgh:1366
no.it.tjenester.nettilbydere:3698
```

Private Eye, 23 Oct 1992

Certainty level: 25%

I'm not really sure whether this cover was intended to get at me, or whether it was re-interpreted after publication to be about me. This issue of Private Eye came out in October 1992, by which time I had been under severe continuous pressure at work and from the general population in Oxford for many months. It had John Major saying to his wife, "Come back, Norma!" under the title "Major's support lowest ever".

There's a story behind this. In late October I was in the local pub (the Rose and Crown, nice traditional name eh) with two people from work, Simon and Phil. Phil had with him a copy of the current Private Eye. These are both "nice people" and on my side, I hasten to add. Simon pointed out the message on the magazine's cover to Phil, and asked "what do you think about that". Phil answered, "Well usually they [Private Eye] get it right". This exchange happened in front of me. Although I was ill at the time (this was before I'd started taking medicines) I hadn't read anything into the Eye cover until these guys pointed it out to me.

Sometime later, again in the same road, a student shouted to one of his friends, "so when are you COMING BACK?", again in front of me.

What I realised Phil thought it meant was a double-entendre, the "coming" referring to the act of ejaculation, the "back" referring to the human back-side. So in a play on words you get a person who is referred to as a back-side ejaculating. Charming.

Of course, Phil could have been wrong. Perhaps there was no such meaning intended by Private Eye. Perhaps he saw meaning which wasn't there. Perhaps the moon is made from green cheese. Who knows?

33108

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -5898730872253173939
X-Google-Thread: 1084e2,8f455f1924601f12,start
X-Google-Thread: 108122,8f455f1924601f12,start
X-Google-Thread: fe027,8f455f1924601f12,start
X-Google-Thread: fcc51,8f455f1924601f12,start
X-Google-Thread: 110431,8f455f1924601f12,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post02.iad01!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101814331206@4ax.com>
Subject: MI5 Persecution: Victor Lewis-Smith (35283)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Nov 2007 10:36:45 GMT
Lines: 29
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news1.google.com alt.testing.it:692 rec.radio.amateur.equipment:13228
de.comp.os.unix.x11:3071 free.uk.talk.edinburgh:1367
no.it.tjenester.nettilbydere:3699
```

Victor Lewis-Smith

Certainty level: 10%

Victor Lewis-Smith has issued a denial through his webmaster
John Hayward-Warburton regarding this article; he says quite categorically
it's not written about me. I kind-of sort-of believe him, but I think
the conspiracy is so wide that the phrase "Eventually, I had to leave
because they were all trying to kill me" could have been intended to be
as if from any paranoid person, but could have been influenced by my
case in the particular. So the influence could have been sort-of
subconscious.

This article is from the Evening Standard of Thursday May 8, 1997.
It is titled "Goon, and best forgotten" and may be found on page 31.

I think VLS has written/produced stuff specifically about me in the past,
both in his Evening Standard column, one of which is reproduced below
(in another case, he was talking about computer hacking, and I think that
was directed at me), and a television programme in around late 1993
when he has a taxi driver who says "they're all trying to kill me guv"
and VLS responds "you're supposed to be quite intelligent aren't you".

However, his webmaster has issued a formal denial on his behalf, so it
is not for me to oppose what he has stated categorically.

35283

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 7321509284212795087
X-Google-Thread: 108122,1f613f9c8e3afbe3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b40g2000prf.googlegroups.com!not-for-
mail
From: Karl in Spokane <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MFJ or other ant anlalizer
Date: Sun, 18 Nov 2007 08:04:55 -0800 (PST)
Organization: http://groups.google.com
Lines: 2
Message-ID: <24af6c5f-4264-4fbc-b3e2-4d71a0218a9f@b40g2000prf.googlegroups.com>
NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195401895 22949 127.0.0.1 (18 Nov 2007 16:04:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 18 Nov 2007 16:04:55 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: b40g2000prf.googlegroups.com; posting-host=199.164.167.176;
```

```
     posting-account=bQbFuAkAAAB_7SMvb-dBBqPIRhE7jh5C
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
     Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.amateur.equipment:13229
```

Anyone have good luck with this unit? Looking for coverage in the 2, 1 1/4 meter bands.

```
From 5683201932943810831
X-Google-Thread: 1084e2,a9b5171720d70dbc,start
X-Google-Thread: 108122,a9b5171720d70dbc,start
X-Google-Thread: fe027,a9b5171720d70dbc,start
X-Google-Thread: fcc51,a9b5171720d70dbc,start
X-Google-Thread: 110431,a9b5171720d70dbc,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101816252711@4ax.com>
Subject: MI5 Persecution: Introduction to Sent Faxes (483)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Nov 2007 12:29:00 GMT
Lines: 52
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 48
Xref: g2news1.google.com alt.testing.it:693 rec.radio.amateur.equipment:13230
de.comp.os.unix.x11:3072 free.uk.talk.edinburgh:1368
no.it.tjenester.nettilbydere:3700
```

Introduction to the Sent Faxes webpages

Between 1998 and April/2000 I sent some thirty articles on the subject of the MI5 Persecution to British politicians, media, legal and diplomatic entities in the UK. Of those articles 24 are reproduced on this part of the website. They were originally composed as Microsoft Word documents, and saved to HTML form for publication here. A few of them were slightly edited in format for readability.

You will see that these articles cover quite comprehensively what has been going on since 1990, there being quite a lot of material to cover, since it is a rare week that goes by without MI5 making some harassing or threatening action against me. "How could it be True?"... they use the mental illness which they induced in me as a ready explanation for my complaints. Who started it, why did it start, why it continues... these faxed articles provide examination in more depth of the treatment in the Frequently Asked Questions webpages. The sheer meaninglessness of the Secret Police actions is highlighted; their operatives make their livelihoods by cynically exploiting the taxpayers, when in a more responsible country they would be looking at the inside of prison cells.

The validity of this observation is proven by their reaction to my several suggestions in the articles that I would cease sending faxes if MI5's agents (and it's always the same people doing the persecution) desisted from continually harassing me. A number of times, you will see in the faxed articles, I have suggested that we come to a "peace of mind agreement" where I cease complaining and they cease harassing. On one occasion, I wrote to Hugh S.-W., the director of OCTS where I was employed in 1992-94 and who is aware of the circumstances, asking that he intercede to bring this matter to a close, by initiating a meeting between myself and the persecutors to mutually settle our differences; he didn't reply, but MI5 did soon after - they said "This is what you wanted, wasn't it?, some sort of confrontation?". The reality is the people stalking me are not interested in any settlement; for them crime pays, and pays handsomely; moreover it is State-approved crime; the Police will never investigate or take action; it is corruption on an incredible level and scale, and it has gone on for over a decade.

You will see that the articles contain three elements; firstly, there are original written articles, many in the first half of 1999 when I was writing new articles every week and sending them by email and fax during the weekend; then there are "MI5 Persecution Update" articles, which list happenings recent to a particular transmission; and finally there is the "old faithful" Frequently Asked Questions article which was sent on a few occasions during the three year period. These articles generated a number of interesting responses from politicians and other recipients, many of which are documented in the "received faxes" area of these webpages.

I hope you enjoy reading these articles. I'm not as angry as these articles necessarily make out, only sometimes, usually soon after the persecutors have said something unpleasant at me; the purpose of putting lots of fire and ire into the mix is to try to chuck it into the public domain which might lead to MI5 being forced to curb their actions. Unfortunately that aim was not achieved, despite many, many thousands of faxes being sent. Also, if any policemen are reading this, then I'm (a bit) sorry about the rude things I said about "the Bill" in one or two of the articles; the police have never done me any harm (yet) by commission, only by omission of doing anything to investigate my complaints or treat them seriously.

483

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -7150593715304681316
X-Google-Thread: 108122,1f613f9c8e3afbe3
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!sn-xt-ams-06!sn-xt-ams-05!sn-ams!sn-
feed-ams-03!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-
for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ or other ant anlalizer
Date: Sun, 18 Nov 2007 08:32:00 -0800
Organization: Home for Obscure Mythical Beings
Message-ID: <016615-f1q.ln1@radagast.org>
References: <24af6c5f-4264-4fbc-b3e2-4d71a0218a9f@b40g2000prf.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 39
Xref: g2news1.google.com rec.radio.amateur.equipment:13231
```

>Anyone have good luck with this unit? Looking for coverage in the 2,
>1 1/4 meter bands.

Both the MFJ 259 and 269 cover the 2-meter band. The 269 also covers the 70 cm band. Neither covers the 1.25 meter band. As far as I know, MFJ has no analyzer which handles this range.

Both of the MFJ products work decently well within their limitations.

Neither can display the sign of the reactive component of the impedance... you have to deduce whether it's inductive or capacitive by changing the analysis frequency slightly and seeing what happens to the reactance. Neither will work well if the antenna is picking up strong RF from another transmitter nearby - the voltage- and current-sensing diodes can't distinguish between RF from the analyzer, RF reflected back from the load impedance, and RF being picked up by the antenna. Both analyzers can actually be damaged by strong-enough RF picked up by the antenna - the zero-bias sensing diodes are somewhat fragile. The 269 is apparently vulnerable to diode damage if you switch the "UHF" mode on or off in ways which violate the warnings in the manual. The build quality of MFJ products isn't sterling.

However, these products are the de facto standard and "must have" in the ham radio community, and I think they work well enough to justify this reputation.

Autek Research makes a series of competing analyzers, one of which covers the VHF range (37-75 and 138-500+ MHz). They don't read out the reactive component of the impedance directly - they show the total Z, and the SWR, and you must compute R and X yourself (instructions are in the manual). Reports on eHam.net seem to indicate that Autek has a build-quality problem even worse than MFJ's, and serious problems with customer support and satisfaction.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -749410622120435249
X-Google-Thread: 1084e2,df3eded4e86bc83b,start
X-Google-Thread: 108122,df3eded4e86bc83b,start
X-Google-Thread: fe027,df3eded4e86bc83b,start
X-Google-Thread: fcc51,df3eded4e86bc83b,start
X-Google-Thread: 110431,df3eded4e86bc83b,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07101817305770@4ax.com>
Subject: MI5 Persecution: Faxes Sent to Diplomatic/Legal (2658)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinburgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk

Date: 18 Nov 2007 13:34:30 GMT
Lines: 352
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 348
Xref: g2news1.google.com alt.testing.it:694 rec.radio.amateur.equipment:13232 de.comp.os.unix.x11:3073 free.uk.talk.edinburgh:1369 no.it.tjenester.nettilbydere:3701

Faxes Sent to British Diplomatic/Legal logs

During the 1998-2000 period my records indicate that I sent at least 3,642 faxes to diplomatic and legal offices located in the British isles, of which 3,345 went via TPC's email-to-fax service and 297 were sent via fax-modem direct from my computer. The actual figure is somewhat higher since, for most of this period, whenever a recipient asked to be deleted from my mailing list, I totally wiped all entries including that from the logfile.

In the records "Y" indicates successful transmission from fax-modem, "N" indicates failed transmission from fax-modem.
"E" indicates an error occurred while transmitting via fax-modem and a fax may have been only partly transmitted.
"y" and "n" indicate success or failure via TPC.

In April 2000 I changed the method of operation by recording "R" when a recipient requested removal, rather than wiping their details from my mailing list and records; and keeping "B" records for when TPC actioned a ban on a recipient's fax-number, but the recipient did not write to ask me to cease faxing. The purpose of these changes was to keep more accurate and complete records, but the intention was thwarted by the police complaint.

```
441712011004  yyyyYyynyyyyyny
441712210448  yyynYnynyyyyy
441712212818  yyyyYyyyyyyyy
441712215685  yyyyYyyyyyyyy
441712250947  nynnYyynyyyyy
441712252130  nnnnYynnyyyyn
441712253024  ynyyYyyyyyyyy
441712253862  yyyyEyyyyyyny
441712275503  yyyyYyyyyyyyy
441712293215  yyyyYyyyyyyyy
441712330174  nynyYnnnnnnnn
441712331612  yyyyYyyyyyyyy
441712343222  yyynYyyyyyyyy
441712351286  nyyyYnyyyyyyy
441712352263  yyyyYyyyynyyyy
441712353680  yynnYyynyyyyy
441712354463  yyyyYyyyyyyyy
```

441712354557	yynnYnynyyyyy
441712354621	yyyyYyyynyyyy
441712355161	ynnnYyyyyyyyy
441712355684	yyyyEyyyyyyyy
441712359048	yynyYnyynnnnn
441712359717	nyyyYyyyyyyyn
441712359734	nnyyNnynynyny
441712359905	nyyyYyyyyyyyn
441712405333	yyyyYyyyyyyyy
441712407722	yyyyYyyyyyyyy
441712421447	yyyyYyyyyyyyy
441712422511	yyyyYyyyyyyyy
441712424221	yyyyYyyyyynny
441712424282	yyyyYyyyyyyyy
441712425434	yyyyYynnyyyyy
441712427803	yyyyYyyyyyyyy
441712428502	yynyYyynynnny
441712431699	yyyyYyyyynyyy
441712451287	yyyyEyyyyyyyn
441712456583	yyyyYyyyyyyyy
441712456961	nyyyYnynyyyyy
441712456993	ynnnYynnynnnn
441712459552	yyyyYyyyyyyyy
441712485735	yyyyYyyynyyyy
441712553760	yyyyYyyyynyyy
441712569992	yyyyYyyynnnnn
441712586333	yyyyYyyyyyyyy
441712595392	yyyyYynynyyyy
441712596213	yyyyYyynyyyyy
441712596487	ynnnYyyynnnyn
441712627970	yynnYnnnynnnn
441713060095	yyyyYyyyyyyyy
441713181301	yyyyYynyyyyny
441713181349	yyyyYyyyyyyyy
441713236717	nnnnYnnnyyyyy
441713321493	nnnnYyynyyyny
441713330270	yyyyYyyyyyyyy
441713338831	yynnYyynnnnnn
441713340242	yyynYnyyyyyy
441713440292	yyyyYyyyyyyyy
441713530075	yyyyYyyyyyyyy
441713530329	yyyyYyyyyyyyy
441713530339	yynnYyynynnnn
441713530425	yyyyYyyyynyy
441713530464	yyyyYyynnynny
441713530652	yyyyYyyyyyyyy
441713530659	yyyyYyyyyyyyy
441713530667	yyyyYyyyyyyyy
441713530937	yyyyYyyynnnnn
441713530998	yyyyYyyyyyyyy
441713531261	yyyyYyyynyyyy
441713531344	yynnYyyyyyyy
441713531488	yyyyYyyyyyyyy

441713531699	yyyyYyyynyyyy
441713531724	yyyyYyyyyyyyy
441713531726	yynyYyyyyyyyy
441713531794	yynnNnnnnnnnn
441713532144	yyyyYyynyyyyn
441713532221	yyyyYyyyyyyyy
441713532647	yyyyYynnnnnnn
441713532911	yyyyEyyyyyyyy
441713533319	yyyyYyynynnnn
441713533383	yynnNyynynnnn
441713533929	yyyyYyyynnnnn
441713533978	yyyyYyyyyyyy
441713534170	yyyyNyyyyyyy
441713534410	yynYyynynnnn
441713534637	yyyyYyyyynyyy
441713534979	yyyyYyyyynnyy
441713535319	yyyyYyyyyyyyy
441713535422	ynyYyyyyyyyy
441713535778	yyyYyyyyyyyy
441713536271	yyyyYyyyyyyyy
441713537622	nynyYyyyyyyyy
441713537741	yyyyYnyynnnnn
441713537772	yynnYyynynnn
441713537943	yyyyYyyyyyyyy
441713538188	yyyyYyyyyyyyy
441713538339	yyyyYyyyyyyyy
441713538791	yyyyYyyyyyyyy
441713538815	nyyyNnnnnnnnn
441713539292	yyyyYyyyyyyyy
441713539439	yyyyYyyyyyyyy
441713539924	yyyyYyyyyyyyy
441713539949	yyyyYyyyyyyyy
441713541166	yyyyYyyynnnyy
441713553568	yyyyYyyyyyynn
441713610005	yyyyYnnnyyyyy
441713703838	yyyyYyyyyyyny
441713707773	yyyyYyyyyynyy
441713711222	nnnnNnnnnnnnnn
441713738743	yyyyYyyyyyyyyy
441713780712	nynyYyynnnnnnn
441713795634	nnynNynnnnnnnn
441713870310	yyyyNyyyyynnyn
441713873289	yyyyYyyyyynyyy
441714040445	yyyyYyyyyyyyyy
441714041405	yyyyYyyyyyyny
441714042283	yyyyYyyyyyyyyy
441714043139	yyyyYnyyyyyyy
441714043900	yyynYyyyynyyyy
441714044812	yyyyYyyyyyynyy
441714045032	yyyyYyyyyyyyyy
441714046659	yyyyYyyynnnnnnnn
441714048089	yyyyNyyynnnnnnnn
441714050001	yyyyYyyyyyyyyyy

441714050798	yynnYyynynnnnnn
441714051166	yyyyYyyyyyyyyny
441714051360	yyyyYyyyyyyyyyy
441714051387	yyyyYyyyyyyyyyy
441714052084	ynnnYyyyyyyyyyyy
441714053082	ynnnYyynyyynnn
441714053896	yyyyYyyyyyyyyyn
441714054078	yyyyYyyyyyyyyy
441714054267	yyyyYyyyyyynyy
441714054934	yyyyYyyyyyyyB
441714056680	yyyyYyyyyyyyyyy
441714057028	yyyyEyyyyyyyyy
441714057456	yyyyYyyynyyyyyy
441714059955	yyyyYyyyyyyyyyy
441714130374	yyyyYnyyyyyyyyy
441714300502	yyyyYyyynnnnnnn
441714301522	yyyyYyyyyyyyyy
441714301677	yynnYyynynnnnnn
441714309171	yyyyYnnyyyyyynn
441714360319	yynnNnnnnnnnnn
441714364517	ynnnNnnnnnnnnnn
441714365204	yyyyYnyyyyyyyyy
441714368181	yyyyYyyyyyyyyyy
441714517284	yyyyYyyyyyyyyyn
441714531297	yyyyYyyyyyyyyyy
441714821018	yyyyYyyyyyyyy
441714866403	yyyyYynnyyyyyyy
441714869970	yyyyYyyyyyyyyyy
441714905613	yyyyYyyyyyyyynn
441714910691	yyyyYyyyyyynyyy
441714911542	yyyyYyyyyyyyyyy
441714914139	yyyyYyyyyyynyyy
441714914993	yynyYyyyyyyyyyy
441714919347	nynnYyynyyyyyyy
441714919348	yyyyYyyyyyyyyyy
441714934333	yyyyYyyyyyyyyn
441714935105	yyyYyyynnnnnn
441714937456	yyyyYyyyyyyyyn
441714941868	nyynYyynynnnnn
441714951635	yyyyYyyyyyyyyy
441714954035	yyyyYyyyynyynn
441714954441	nyyyYyyynnnnnn
441714957776	yynyYyynynynn
441714958595	yyyyYyyyyyyyyn
441714992283	yynnYyynynnnnn
441714997948	yyyyYynnyyyynn
441714999937	yyyyYyyyyyyyyy
441715227300	nyyyYnnnnyyyyy
441715810053	yyyyYyynyyyyyy
441715811829	yyyyYyyyynyyyy
441715813452	yyyyYyyyyyyyy
441715819585	yyyyYyyyyyyyyy
441715830090	yynyYyyyyyyyyy

441715830118	yynnYyynynnnnn
441715830579	yyyyYyyyyyyyyy
441715830950	yyyyYyyyyyyyyy
441715831341	yyyyYyyyyyyyyy
441715831491	yyyyYyyynnnnnn
441715831606	yyyyYyyyyyyyy
441715831672	nnyyYnnyyyyyyy
441715831723	yyyyYyyyyyyyyy
441715831786	yyyyYyyyyyyyyy
441715831926	yyyyYyyyyyyynn
441715832030	yyyyYyyyyyyynn
441715832033	yynnYyynynnnnn
441715832036	yyyyYyyyyyyyyy
441715832044	yyyyYyyyyyyyyn
441715832051	yynnYyynynnnnn
441715832094	yyyYyynnyyyyy
441715832254	yyyyYyyynnnnnn
441715832257	yyyyYyyyyyyyyy
441715832686	yynyYyynynyyyy
441715832823	yyyyYyyyyyynyy
441715833423	yyyyYyyyyyyyyy
441715834928	yyyyYyyyyyyyyn
441715835106	yyyyYyyyynyynn
441715835885	yyyyYyyyyyyyyy
441715837228	yyyyYyyyyyyyyy
441715839123	yyyyYyyyyynyyy
441715839127	yyyyYyyyyyyyyy
441715839144	yynnEyyyyyyyyy
441715839178	yyyyYnyynyyynn
441715839269	yynnYynnnnnnnn
441715844948	yyyyYyyyyyyyyy
441715846354	yyyyYyyynyynnn
441715847716	yyyyYyynyyyyyy
441715892505	nyyyYyyyyyyyyy
441715893430	yyyyYyyynyynyn
441715894440	yyyyYyyyyyyyyy
441715895154	yyyyNyyynyyyyy
441715897725	nyyyEynynyynyy
441716000289	yyyyYyyyyyyyyy
441716001455	yyyyYyyyyyyyyy
441716021820	ynnnYyyyyyyyyy
441716075158	yyyyYyyynnnnnn
441716083746	yyyyYyyynnnnnn
441716294169	yyyyYynyyynyyy
441716647714	yyyyYyynyyyyyyy
441716969911	ynyyYyyyyyyyyy
441717083318	yyyyYyyynnnnnn
441717244174	yyyyYynyyyyyyy
441717247001	yyyyYynyyyynyy
441717249884	yynyYyyyyyyyyy
441717273693	yyyyYnyyyynB
441717275824	yyyyEynyyyyyyy
441717278625	yyyyYynnyyyyyy

441717278960	yyyyYyyyyyyyyy
441717279654	yyyyYyyyyyyyyy
441717279934	yyyyYyyyyyyyyn
441717301683	yyyyYyyyyyyyyy
441717305747	yyyyYyyynnnnnn
441717358147	yyyyYyyynnyynn
441717921708	nyyyYyyyyyyyyy
441717977100	yyyyYyyynnnnnn
441717977435	yyyyYyyynyyyyy
441717977550	yynnYyyyyyyyyy
441717977700	yyyyYyyyyyyyyy
441717977929	yynnYyynyyyyyy
441717978001	ynnnYyynyyyyyy
441717978101	yyyyYyyyyyyynn
441717978308	yyyyYyyyyynyyy
441717978401	yynnYnynynnnnn
441717978699	yyyyEyyyyyyyyy
441717978801	yyyyYyyyyyyyyy
441717978929	yyyyYyyyyyyyy
441718138080	yyyyYyyyyyyyy
441718231348	yyyyYynyyyyyyy
441718231712	yyyyYyyyyynyyy
441718237926	yyynYyyyyyyyyy
441718239695	yyynYyyynyyynn
441718239701	yyyyYyyyyyynyy
441718241435	yyyyYyyyyyyyyy
441718241566	yyyyYyyyyyyyyy
441718310125	ynnnYyynyyyyyy
441718310626	yyyyYnyyyyyyyy
441718312239	yyyyYyyyyyyyyy
441718312430	yyyyYyyyyyyyy
441718312469	yyyyYyyyyyyyyy
441718312575	yyyyYyyyyyyyy
441718314885	yyyyYyyyyyyyy
441718316016	yynyNyyyyyyyy
441718316109	yyyyYyyyyyyR
441718316112	yyyyYyyyyyyynn
441718316968	yynnYyynynnnnn
441718317107	yyyyEyyyyyyyyy
441718317907	yyyyYyyyyyyyyy
441718318102	ynyyYyyynyyynn
441718318129	yyyyYyyyyyyyyy
441718318237	yyyyYyyyyyyyy
441718318479	yyyyNyyyyyyyyy
441718319188	yyyyYyyyyyyyyy
441718362602	yyyyYyyyyyyyy
441718364331	yynyYyyyyyyyyy
441718374526	nyynNynnyyyyn
441718382001	yynnYyyyyyyyy
441718382046	yyynYyyyyyyyy
441718394580	yyyyYyyyyyyyy
441718398746	yyyyYyyyyyyyy
441718398958	yyyyYyyyyyyyy

```
441719175014  nynnYyyyyyyyy
441719175026  nyyyYyyyyyyy
441719225815  yyyyYyyyyyyyy
441719242704  yyyYyyynnnnn
441719308401  yyyYnnynyyyy
441719350034  yyyyYyyyynyyy
441719366709  yyyyYnyyyyyyy
441719366802  yynyYyyyyyyny
441719366810  yyyYyyyyyyyn
441719367230  yyyYnyyyyyyy
441719367428  yyyYyyyyyyyy
441719371783  yyyYyyyyyyyn
441719372925  yyyYyyyyyyy
441719375402  yyyYyyyyyyyy
441719375687  yyyyYynyyyyyn
441719376108  yyyyYyyyyyyyy
441719376741  nyyyYynnnyyyy
441719377505  yyyyYyyyyyyy
441719377918  yyyyEyyynnnnn
441719378069  yyyyYyynyyyyy
441719378795  yyyyYnyyyyyyy
441719381615  yyyyYynyyyyyy
441719382595  yyyyYynnnnny
441719579555  yyyyYyyyyyyy
441813127078  yyyyYyyyyyy
441813139624  yyyyYnyynnnn
441813164842  yyyyYnyyyyyy
441813165190  yyynNnnnnnnn
441813431324  yyyyYnynyyny
441814242209  yyyyYyynyyyy
441814530946  nyyyYnyynnyy
441815031152  yyynNnyyyyyn
441815532824  yyyyYyyyyyy
441815682401  yynyYyyyyyny
441815685368  yyyyYnynyyy
441816809801  yyyyYyyyyyyy
441816923910  yyyyYyyynnnn
441817600432  yyyyYyyyyyyn
441817811007  yyyyYyyyyy
441818030564  yyyyYyyyyyyy
441818779854  yyyyYyyynyyn
441818814802  yyyyYyyyyyyy
441819800670  yyyyYyyynnnn
441819891371  yyyyEyyyyyyy
```

No faxes were sent after April 2000.

2658

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------

Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -8071274246535792856
X-Google-Thread: 1084e2,fba812748d4f13ef,start
X-Google-Thread: 108122,fba812748d4f13ef,start
X-Google-Thread: fe027,fba812748d4f13ef,start
X-Google-Thread: fcc51,fba812748d4f13ef,start
X-Google-Thread: 110431,fba812748d4f13ef,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101819110824@4ax.com>
Subject: MI5 Persecution: Faxes Sent to Media1 (4833)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Nov 2007 15:14:41 GMT
Lines: 455
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 451
Xref: g2news1.google.com alt.testing.it:695 rec.radio.amateur.equipment:13233
de.comp.os.unix.x11:3074 free.uk.talk.edinburgh:1370
no.it.tjenester.nettilbydere:3702
```

Faxes Sent to British Media logs

During the 1998-2000 period my records indicate that I sent at least 6,137 faxes to the British media,
of which 5,775 went via TPC's email-to-fax service and 362 were sent via fax-modem direct from my computer.
The actual figure is obviously higher since, for most of this period, whenever a recipient asked to be deleted
from my mailing list, I totally wiped all entries including that from the logfile.

In the records "Y" indicates successful transmission from fax-modem, "N" indicates failed transmission from fax-modem.
"E" indicates an error occurred while transmitting via fax-modem and a fax may have been only partly transmitted.
"y" and "n" indicate success or failure via TPC.

In April 2000 I changed the method of operation by recording "R" when a recipient requested removal, rather than
wiping their details from my mailing list and records; and keeping "B" records for when TPC actioned a ban on a

recipient's fax-number, but the recipient did not write to ask me to cease faxing. The purpose of these changes
was to keep more accurate and complete records, but the intention was thwarted by the police complaint.
Also in April 2000, I added some further fax numbers to my media mailing list and records, which is why some of the
faxnumbers below have only a single entry, and some indeed have none.

441132420652	yyyyyYyyyyyyyyyyyyy
441132439387	yyyyyYyyynyyyyyyyy
441132445107	yyyyyYyyyyyynyyyyyy
441132455139	n
441132460037	yyyyyYyyyyyyyyyyyyy
441132461105	yyyyyYyyynyyynnnnnn
441132836586	yyyyyYynyyyyyyyyyyy
441142664375	nnyyyyYyyyyyyyyyyyy
441142769089	yyyyyyYyyyynnnyyyyyy
441142853159	yyyyyYyyynyynyyyyy
441159012850	y
441159363497	n
441159420433	ynnnnYyynnyyyyyyyyy
441159455243	n
441159527001	ynyyyYynnyyynnyynny
441159550552	yyyyyYyyyyyyynnnnn
441159822568	n
441162311123	y
441162511463	yyyyyYyyyyyyyyyyyyy
441162512151	yyyyyYyyyyyyyyyyyyy
441162512979	n
441162561303	yyyyyYyyyyyyyyyynB
441162640948	yyyyyYyyyyyyyyyyyyn
441162667776	yyyyyyyYyyyyyyyyyyyyy
441179226744	n
441179238323	yyyyyNynyyyyyyyyyy
441179279568	n
441179298612	yyyynYyyyyyynnnnnn
441179317463	y
441179722400	yyyyyyyYyyyyyyyyyyyyyy
441179732549	yyyyyyyYyyyyynyyyyyy
441179741537	yyyyyyyYnnynyyyyyyyyy
441179744114	yyyyyyyYyyyyyynyyyyy
441179843202	yyyyynYynynyyyyynyyy
441202297904	n
441203407129	n
441203551744	yyyyyyYyyyynyyyyyyyy
441203695110	y
441203696867	n
441203868202	nyyyyYyyyyyyyyyyyyy
441203868205	yyyyyYynyyynyyyyyyy
441206561199	yyyyyYynyyyyyyyyyyn
441209314345	yyyyyYyyyyyyyyyyyy
441212330173	n
441212331465	y

441212367220	y
441212434536	y
441213591117	yyynyNyynyyyyyynnyn
441214141120	y
441214148181	yyyyyYnnnnnnnnnnnnn
441214148241	yyyyyEnnnnnnnnnnnnn
441214148634	yyyyyYnnnnnnnnnnnnn
441214148847	yyyyyNnnnnnnnnnnnn
441214148900	nyyyyYnnnnnnnnnnnnn
441214155026	n
441214547622	n
441214723174	yyyyyYyyyyyyyyyyyyy
441216161011	yyyyyYynyyyyynnnnnn
441216251346	y
441216262041	yyyyyYyyyyyyyyyyyyy
441216344766	yyyyyYyyyyyyyyyyyyy
441216437239	y
441216666370	yyyyyYyyyyyynnnnnn
441216932753	yyyyyYyyyynyynnnnnn
441216961007	yyyyyYyyynyyyyyyyy
441217066210	yyyyyYyyyyyynnnnB
441217090205	y
441217115824	y
441217533111	nyynnYnyyyynyyyyyyy
441222223157	yyyyyYyyyyyyyyyyyyy
441222224947	y
441222229326	y
441222384014	yyyyyYyyyynyyyyyy
441222498151	n
441222552973	yyyyyNyyyyyyyyyyyyy
441222555286	yyyyyYyyyyyyyyyyyyy
441222555960	yyyyyYyyyyyyyyyyyyn
441222597183	ynyyyYyyyyyyyyynyyy
441222615966	y
441222665650	n
441222798555	n
441223235161	yyyyyNyyyyyyyyyyyyy
441223315052	nnnnnYnnnnnnnynyyyy
441223361508	yyyyyYyyyyyyyyyyyyy
441223460832	yyyyyYyyyyyyyyyyyy
441223467106	yyyyyYyyyyyyyyynyy
441224212163	y
441224633282	nyyyyYyynyyyyyyyyyy
441224637289	yyyynYynynnyyyyynyy
441224846800	yyyyyYyyyyyyyyyyyyy
441225448688	n
441225460709	y
441225775198	y
441227771558	nyyyyYyyyyyyynnnnnn
441228511195	nyynnYyyynyyyyyyyyy
441228810453	yyyyyYyynyyyyyyyyyy
441228818444	yyyyyYyyyyyyyynyyyy
441228819444	yyyyyYyyyyyyyyyyyyy

441229870008	ynnyyEyyyyyyyyyyyyy
441232246695	yyyyyYyyyyyyynyyyny
441232311740	y
441232338800	yyyyyYyyyynyyyyyyyy
441232338801	yyyyyYyyyyyyyyynyyy
441232381915	yyyyyYyyyyynynnnnyn
441232454406	n
441232541550	n
441232682111	y
441232682757	y
441232700029	y
441233641816	y
441233812707	n
441234218580	nyyynEyynyynnyyyyyn
441234270580	y
441235436899	y
441235524024	yyyyyYyyyyynyyyyyy
441235822746	y
441235835163	n
441237423333	yyyyyYyyyyyyyyyyyyy
441242255671	n
441242584270	y
441242621343	y
441242699666	yyynyYyyyyyyyyyyyyy
441243576456	yyyyyYyyyyynnnnnB
441243775878	y
441243786464	yyyyyyyyYyyyyyyyyyyyy
441244341677	n
441244678749	y
441245267228	yynnyynnYynyyyyyyyynyy
441245492983	nyyyyynEyyyyyyynnyyyy
441246582227	n
441247814974	yyyyyyyYnyyyyyyyyyny
441247818913	yyyyyyyYyyyyyyyyyyyyy
441248351443	yyynyyynYynyyyyyyynyyy
441252725007	n
441253301965	yyynyynyYyyynyyynyyyyy
441254680821	nyyyEyyyyyyyyyyyy
441256492599	y
441257450036	n
441273404280	yyyyyYyyyyyynyyynyy
441273430098	yyynyYyyyyyynyyyyyy
441273440229	y
441273486852	y
441274720375	n
441274728534	yynnnYnnnnnnnnnnnyn
441274771680	yyyyyYnyynynnynynB
441274828555	y
441279430009	n
441279431059	y
441279445289	yynnyYynnnnnyyyyy
441285647247	y
441292283665	nyynyYyyyyyyyynyyyy

```
441293560927  ynyyyYynnnnyyyyyyyy
441293565663  yyyyyYnyyyyyyyyynny
441293820517  n
441295270659  n
441296398988  yyyyyEyyyyyyyyyyyyy
441303272292  yyyyyNyyyyyyyyyyyyy
441303283874  yyyyyNyynyyyyyyyyyy
441305250052  yyyyyYyynyyyyyyyyyy
441305250910  yyyyyYyyyyyyyynyyy
441312202443  yynyyyNyyyyyyyyyyyynn
441312204344  yyyyyyYyyyyyyyyyyyyy
441312204819  y
441312254580  y
441312267420  yynyyyYyyynyyyyyyyyy
441312283220  n
441312284293  y
441312284333  n
441312285462  n
441312442674  n
441312444785  n
441313152906  y
441313177202  y
441313344473  y
441314462279  y
441315552869  n
441315575881  y
441315579699  y
441315583277  yyyyyYyyyynyyyyyyyy
441316621323  y
441316648001  n
441316688741  y
441322550553  nyyyyYyyyynyyyyyyyy
441322667633  y
441324630515  y
441325368824  n
441327361514  y
441332290794  yyyyyYyyyyyyyyyyyy
441332292229  yyyyyYyynynnnnnnnnn
441332386036  y
441334762661  n
441342850244  y
441343540142  nnnnnYynyyyyyyyyyyy
441344770990  y
441352759009  y
441352759821  yyyyyYnnnnnnnnnnnnn
441355262626  y
441372377526  y
441372465041  n
441373452888  y
441376521222  y
441382202188  yyyyyYynyyynyyyyyyn
441382454590  y
441382480230  yyyynNnnnnnnnnnnnnn
```

441382593252	yyyyyYyyyyyyynnnnnn
441387251121	y
441387265629	yyynyYnyyyyyynnynyn
441392425570	nyyyYyyyyyyyyyyyyy
441392428048	y
441392444433	yyyyyYyyyyyyyyyyyny
441392444644	yyyyyYyyyyyyyyyyyy
441397701007	yyyyEyyyyyyyyyyyy
441403234714	y
441412210283	yyyyyNyyyyyynyyyny
441412213595	n
441412264541	n
441412272090	n
441412481099	y
441412482362	yyyyyYyyynnnnnnnB
441412482470	n
441413003030	yyyyyYyyyyyyyynyyy
441413062265	yyyyyYyyyyyyyyyyy
441413062266	nynnnYynnnnnynnnnn
441413062322	yyyyyYyyyyynyynnnn
441413312126	yyyyyYyyyynyyyyyyy
441413325448	yyyyyNynnyyyyyyyny
441413327990	y
441413340614	ynnnnYyyyynyynyyyy
441413373031	y
441413382937	yyyyyYnyyynnnnnnB
441413382955	yyyyyYyyyyyyyyyyny
441413533292	yyyyyYyyyyyynnnnnn
441415322562	yyyyyYnyyynyyyyyyn
441415521344	yyyyyNyyyyyyyyyyyy
441418870963	nynyyYnyyyyyyyyyyy
441420475831	y
441420544044	yyyyyYyynyyyyyyyyy
441423522922	yyyyyYyyyyynyyyyyy
441423526294	n
441424870877	nnnyyYnnnnnnnnnnB
441428658971	yyyyyYyyyyyyyyyyyn
441428751057	y
441442877407	nnnynYyyyyyyyyyyyy
441442877409	nyyyyEyyyyyyyyyyyy
441443226500	n
441452300581	y
441452309491	yynyyYyyyyyyyyynyyy
441452423008	yyyyyYyyyyyynnnnnnn
441452529446	yyyyyYnyyynnnnnnnnn
441452652750	y
441453759311	n
441453890827	y
441454281094	y
441463243224	yyyyyYyyynyyyyyyyyy
441463715384	yyyyyYyynynyyynyyyy
441467632969	yyyyyYyyyyyyyyyyyyy
441472341967	yyyyyYyyyyyynynyyn

441473210887	yyyyyYyyyyyyyyyyyyyy
441473218447	n
441473233279	yyynyYyyyyyyyyyyyny
441473741200	yyyyyYynyyyyyyyyyyy
441477535756	y
44148149676	yyyyyYyyyyynnnnnnB
441481496768	yyyyyYyynyyyyyyyyyy
441481713557	yyynnEynyyyyyyyyyyy
441482226409	nyyyyEyyynyyyyyyyyy
441482586028	yyyyyYnyyyyyyyyyyyn
441482587067	yynyyEyyyynyyynyyy
441482848833	n
441483203378	n
441483304952	yyyyyYyyyyyyyyyyyyy
441483454443	yyyynYyyyyyyynynyn
441483506331	y
441483573686	y
441483764895	nyynyNnnnnnnnnnnnB
441484530604	n
441485600672	y
441488686900	n
441489589453	yyyyyYnnnyyyyyyyyyn
441491571635	y
441492535248	yyyyyYyynyyyynyynnn
441492543226	y
441494445400	yyyyyNyyyyyyyyyyyyy
441504260067	yyyyyYyyyyyyyynnnnn
441504269048	nyynyYyyynnnnnnnnB
441504311177	yyyyyEyyyyyyyyyyyyy
441505702333	yyyyyYyyyyyyyyyyyyy
441512362180	y
441514710330	yyyynNnnyyynnnynyyy
441514710333	yyyyyYyyyyyyynyyyyy
441516321698	y
441516325484	n
441517093389	yyyyyYyyyyyyyyynnny
441522511058	yyyyyYnyynyyyyyyyyy
441522511616	n
441522514162	yyyyyEyyyyynyyyynyn
441522549911	yyyyyYyyyyyyyyyyyyy
441524848787	yyyyyYyyyyyyyyyyyyy
441532443430	
44153432569	yyynyYyynyyyyyyyny
441534816817	yyyyyYyyyyynyyyyyy
441534887799	yyyyyYyyyyyyyyyyyyy
441536517390	yyyyYyyynyyyyyyny
441539445128	y
441543417154	y
441552560589	
441553617137	n
441553766453	yyyyyYyyyyyyyyyyyny
441553767200	nyyyyYnyyyyynynnnyy
441582401214	yyynyYnnnnyyyyyyyn

441582401467	nyyyyYyyyyyyyyyyyyy
441582493486	y
441582746978	y
441584875900	yyyyyYnyynynnynyyyy
441590612624	y
441595695696	yyyyyYyyyynnnnnnnB
441603222602	y
441603415781	n
441603507723	y
441603612930	y
441603613483	nyyyyYnyyyyyynnnnnn
441603615494	yyyyyYyyyyyyyyyyyyy
441603630892	yyyyyYynyyyyyyyyyny
441603631032	yyyynYyyyyyyyyyyyyy
441603633631	yyynnYyyyyyyyyyyyyy
441603633692	yyyyyYyyyyyyyyyyyyy
441603666252	yyyyyYynyynyyyynynn
441603666353	yyyyyYyyyyyyyyyyyyy
441603667865	yyyyyYyyyyyyyyyyyyy
441603761245	yyyyyEyyyyyyyyyyyyy
441604230709	yyyyyYyyyyyyyyyyyyy
441604670635	y
441604795601	ynnnyYyyyyynynyyyny
441612281020	yyyyyYyyyyyyyyyyyyy
441612362427	n
441612364535	nyyyyYyyyyyyynyyynn
441612365804	yyyyyYyynyyyyyyyyny
441612369443	yyyyyYyyyyyynyyyyny
441612375353	y
441612889000	yyyyyNnynnnnnnyynny
441616836065	yyyyyYyyyyyyyyyyyyy
441618272029	yyyyyYyyyyyyyyyyyyy
441618320788	yyyyyYynynyyyyyyyyy
441618325351	y
441618328809	yyyyYyyyyyyyyyyyny
441618392066	n
441618398048	n
441618487824	yyyyyYyyyynyyyyyyy
441618720206	yyyyYyyyynyyyyyyyn
441618771005	yyyyYnnnnyyyynyyyy
441619692709	n
441622714000	yyyyyYyyyyyyyyyyyyy
441623427316	y
441624661411	yyyyyYyynyyyyyyyyyy
441625524510	y
441625583537	n
441625584344	yynnyYnnnnnnnnnnnnn
441631570057	yyyyyYyyyyyyyyynnyn
441634264701	n
441634830573	yyyyyYyyyyyyyyyyyyy
441634830930	n
441638665789	n
441642211356	yyyyyYyyyyyyyyyyyny

441642244595	n
441642566560	yyyyyYyyyyyynyyyyyy
441648763828	nyyyyYnnyyyyynnnnnn
441686623666	yyyyyYnyyyyyynnyny
441702345224	yyyyyYyyyyyyyyyyyy
441702556248	n
441703223388	yyyyyYyyyyynnnnB
441703232983	n
441703329404	y
441703335050	nyyyyYyyyyynyyyyyy
441703339648	yyyyyYyyyyyyyyyyy
441703339931	nyyyyYnnnnyyyyyyyy
441703630289	n
441705291709	y
441705358863	yyyyyYyynyyyynyyyy
441708727305	n
441708865870	n
441712097484	yyyyyYyynyyynyyyyy
441712110507	nyyyyYyyyynnnyyyyy
441712116270	y
441712174907	n
441712185857	yyyyyYyyyyyyyyyyy
441712186460	y
441712216341	nynnnYynnnnnnynnnn
441712220792	y
441712220832	yyyyyEyyyyyynnnnnn
441712221555	n
441712223172	nyyynYyyyyyyyyyy
441712225889	yyyyyYyynyyynnnnB
441712235631	nyyyyYnnnnnnnnnnB
441712241868	y
441712244452	y
441712272005	y
441712290352	yyyyyYyyyyyyyyyyyn
441712293395	yR
441712302691	n
441712302818	y
441712322302	ynyyyYyyynnnnnnnB
441712330335	n
441712330397	yyyyyYyyyyyyyyyyyy
441712332065	yyyyyYyyyyyyynnnnn
441712333161	n
441712333534	yyyyyYyyyyyyyyyyyy
441712333686	y
441712336706	yyyyyYynyyynyyyyyy
441712337899	y
441712343300	n
441712368136	nnnnnYnnnnnnnnnnB
441712388446	y
441712401153	y
441712402254	n
441712404171	yyyyyYnnnnnnnyyyyy
441712404399	n

```
441712405518  y
441712407517  y
441712428961  n
441712430542  n
441712447875  yyyyyYyyyyyyyyyyyy
441712478979  y
441712480133  y
441712492751  n
441712500212  y
441712500966  y
441712501204  n
441712512725  y
441712537406  n

4833



--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access



From 7046578658227840302
X-Google-Thread: 1084e2,7dc11858d58f5086,start
X-Google-Thread: 108122,7dc11858d58f5086,start
X-Google-Thread: fe027,7dc11858d58f5086,start
X-Google-Thread: fcc51,7dc11858d58f5086,start
X-Google-Thread: 110431,7dc11858d58f5086,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: UKRAINIAN,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101820391765@4ax.com>
Subject: MI5 Persecution: Faxes Sent to Media2 (7008)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Nov 2007 16:42:52 GMT
Lines: 487
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 483
Xref: g2news1.google.com alt.testing.it:696 rec.radio.amateur.equipment:13234
de.comp.os.unix.x11:3075 free.uk.talk.edinburgh:1371
no.it.tjenester.nettilbydere:3703

441712545950  yynyyEyynnnyyyynnn
```

441712565326	yyyyyYyyyyyyynnnnn
441712611290	yyyyyYyyyyyyyyyyyy
441712613250	yyyyyNyyyyyyynyyyy
441712616023	y
441712626199	y
441712662563	y
441712671396	y
441712700618	y
441712706079	n
441712726653	n
441712734660	y
441712736421	y
441712748994	y
441712749630	y
441712765179	n
441712768633	n
441712780345	y
441712780504	n
441712784425	ynyyyYyyyyyyyyyyyn
441712786232	y
441712786941	yyyyyYyyyyyyyyyyyy
441712788480	ynnnnYynnynnnnnnB
441712822040	y
441712837037	n
441712842835	yynyYyyyyyyynnnnn
441712843374	yyyyyYnnnnnnnnnnB
441712843641	n
441712844494	n
441712847788	yyyyyEynnnnnnyynyy
441712896392	n
441712932435	yyyyyYyynnyyyyyynn
441712933098	y
441712933405	yyyyyYyynyyyyyyyy
441712933517	y
441712933587	y
441713066011	
441713067737	y
441713067800	yyyyyYynyyyyyyyyyy
441713068116	yyyyyYyyyyyyynyyyy
441713068357	yyyyyYnyyyyyyyyyny
441713122601	n
441713128470	nnyyyYyyyynnnynyyy
441713169003	n
441713231582	y
441713241407	n
441713298377	n
441713313108	n
441713317382	y
441713331690	n
441713347411	n
441713386690	y
441713402019	n
441713446400	n

441713510220	y
441713518290	y
441713532310	nynynNnnnnnnnnnynn
441713536867	n
441713537526	n
441713538118	yyynyYnnyyyyyyyyyy
441713538355	yyyyyYyyyyyyyyyyy
441713538359	yyyyyYynyyyyyyyyyy
441713543728	n
441713548264	y
441713577458	y
441713592228	n
441713735768	y
441713740645	n
441713748741	yyyyyYyyyyyyyyyyyy
441713776103	yyyyyYyyyyynyyyyyy
441713790543	y
441713793866	n
441713794204	n
441713797707	y
441713816903	n
441713825905	n
441713830044	y
441713830273	y
441713830448	n
441713834855	n
441713841781	n
441713853708	n
441713865002	yyyyyYyynyyyyyyyny
441713872764	n
441713883737	yyyyyYyyyyyyynnnnn
441713888172	nnnnnEnnnnnnnnnnnn
441713889958	yyyyyYyyyyyyyyyyyy
441713919111	y
441713932099	y
441713937461	y
441713966466	y
441714001428	y
441714012537	n
441714030668	n
441714044167	y
441714052332	y
441714057062	yyyyyYnnnnyyyyyyyy
441714057064	y
441714057163	yyyyyYyyynyyynnnnn
441714057784	y
441714075700	yyyyyYyyyyynyyyyyy
441714100906	y
441714100966	yyyyyYyyyyyyynyyyy
441714127379	y
441714127771	y
441714130340	n
441714138302	nyyyyYyyyyyynyyyyy

441714138303	yyyyyYyyyyyyynnnn
441714140262	n
441714165379	y
441714216006	yyyyyYyyyyyyyyyyyy
441714216522	y
441714300924	ynnnnYyyyyyyyyyyyy
441714301384	y
441714301779	n
441714341197	yyyyyYyyyyyynyyyny
441714361425	n
441714362665	y
441714363562	n
441714363986	n
441714365290	n
441714367218	y
441714376886	y
441714384512	n
441714397318	n
441714700062	yyyyyYyynyyynyynny
441714701062	yyyyyYyyyyyyyyyyyy
441714807662	y
441714822293	y
441714822441	n
441714861132	ynyyyYyyyyyynyyyyy
441714866565	n
441714872908	yyyyYyyyyyyyyyyyy
441714900436	y
441714901255	yyyyyYyyyyyyyyyyy
441714904706	
441714918212	
441714946652	
441714999377	
441714999751	
441715058220	
441715229623	
441715372661	
441715376004	
441715376721	
441715381330	ynnyNnnnnnnnnnnn
441715386242	yyynYyyyyyyyyyyy
441715387872	
441715388625	
441715427921	yyyyyYyyyyyyyyyyy
441715802338	
441715805455	nnnnnYyyyyyyynnnn
441715805547	yyyyyEyyynyyyynyy
441715807725	nyyyyNnnnnnnnnnnn
441715814431	yyynyYyyyyyyyyyyy
441715817000	yynynYnnnnnnnnnnn
441715828240	
441715830519	yyyyyYyyyyyyyyyyy
441715830701	
441715831519	

441715833441	
441715833563	
441715833769	ynyyyYyynyyyynyyn
441715835901	
441715836608	yyyyyYynynyyyyyyy
441715836868	yyyyyYyyyyyynyyyy
441715837073	
441715838353	
441715839504	yyyyYyyyyyyyyyyn
441715844381	
441715867187	
441715946700	
441716001058	
441716030095	
441716080020	
441716080114	
441716083757	
441716118577	
441716201594	
441716305509	
441716309934	
441716311070	
441716313214	
441716315084	yyyyyYyyyyyyynnnn
441716315119	yyyyyYyyyyyyyyyny
441716330244	yyyyyYyyynnynynyy
441716348842	
441716360632	
441716361053	nyyyyYnnnnnnnnnnn
441716362628	yyyyyYnyyyyyynnnn
441716365375	
441716365668	
441716371439	
441716371630	yyyyyYyynynnnnnnn
441716372127	
441716372748	nyyyyYyyyyyyynnn
441716373925	yyyyyYnyynyyyyyyy
441716376868	yyyyyNyynyyyyyyyn
441716539393	yyyyyYyyyynynyyyy
441716643349	
441716968996	
441717003752	yyyynYyyyyyynnnnn
441717003979	nnyyyYynnnnnnyyn
441717040313	
441717053030	yyyyyYyyyyyyyyyny
441717131840	yyyyyYyyyyyyynnn
441717136161	
441717228512	
441717238585	yynyyYynnnnnnnnnn
441717239742	yyyyyYyyyyyyyyyy
441717240404	yyyyyYyyyyyyynnnn
441717276268	
441717295098	

```
441717305851
441717340561
441717341792  yyyyyNyyyyyyyyyy
441717345030
441717385509
441717386619  yyyyyYnnynyynnnnn
441717471414
441717650612  yyyyyYyyyyyyyyyy
441717653774  yyyyyNyyyyyyynnnn
441717654409  yyyyyYyyyyyyyyyyy
441717655838  yynyyYyynyyynyyyy
441717666100  nyyynYnnnynyyyyyy
441717673959
441717823252
441717825658  yyyynNyynyyyyynyy
441717829902  ynnnnYyyyyynyyyyy
441717920259
441717946584
441717987710
441718136001
441718149899
441718151177  yyyyyYyyyyyynyyyy
441718215387
441718219352  yyyyyYyyyyyyyyyy
441718231621
441718277001  ynnnnYynynnnnyyyy
441718277002  yyyyyYyyynyyyyyyy
441718277710  yyynyNnnnnynyyyyy
441718277721  yyynyYnyyyyynyyyy
441718287269  yyyyyYyynnnnnnnnB
441718288692
441718306220
441718311746  yyyyYyyyyyyyyyny
441718312035
441718312483
441718314468
441718317477
441718317991
441718330381
441718331383
441718339136
441718370211
441718371173
441718371192  yyyyyYyyyyyyyyyyy
441718374812
441718374942
441718375118  yyynyYyyyyyyyyyyy
441718377171
441718378143  yyyyyYyyyyyyyyyyy
441718395805
441718738200  yyyyyNnnnnnnyyyyy
441718959020  yyyyyYyyyyyyyyyyy
441718969007  yyyyyYyyyyyynnnnB
```

441719161509	
441719170523	
441719226545	
441719227288	
441719227966	yyyyyYyyyyynyyyny
441719250469	yyyyyYyyyyyyyyyyy
441719250795	
441719282067	yyyyYyyyyyyyyyyy
441719282728	
441719285037	yyyyyYyyynyyyyyyy
441719285440	
441719286974	
441719288144	
441719288405	yyyyyYyyynyyyyyyy
441719288476	yyyyyYyyyyyyynnnn
441719303092	
441719308499	yynyyYyyyyyyyyyn
441719310429	
441719351546	
441719356510	
441719362229	yyyyyYyyyyyyyyy
441719362689	yyyyyNynyyynyny
441719371479	
441719371767	
441719372849	
441719373745	yyyyyYnnyyyyyyy
441719375287	
441719377896	yyyyYynyynyyyyy
441719383165	yyyyyYyyyyyyynnB
441719389066	
441719389751	
441719550110	
441719561435	
441719561469	
441719637192	yyyyyEyyyyyyyyyy
441719733252	
441719736380	yyyyyYyyyynyyyyn
441719737355	
441719766478	
441722415102	yyyynYyyyynyyyyyy
441723500117	
441723500254	
441727834456	yyyyyYyyyyynyyyyy
441732350570	
441732362541	
441732369201	yyyyyYyyyyyyyyyyn
441732463918	
441732763285	
441732770049	
441732771160	
441733269424	yyyyyYyyyyyyyyyyn
441733281445	yyyynYnyyyynnyyny
441733464222	

```
441733897629
441734351232
441734504340
441734568211
441737373848
441743247701
441743271702  yyyyyYyyyyyyyyyyy
441745815903
441745855534
441747855722  ynnnnYnyyyyyyyyny
441752222778
441752234595  yyyyyYyyyyyyyyyyy
441752255962  yyyyyYyyyyyyyyyyy
441752333444  ynnnnNyyyyyyyyynn
441752670730  yyyyyYyyyyyyyyyyy
441753512277  yyyyyYyyyyyyyyyyy
441753571617
441762391896  ynnnnYyyyynyynnnn
441766762734
441767692365
441772201917  yyyynNyyyyyyyyyyy
441772618356  yyyyyNyyyyyyyyyyy
441782289115  yyyyyNyyyyyyyyyyy
441782641121  yynnnYynnnnnnnynn
441782744110  yyyyYyynyyyynyny
441782747777  nnnnYnnnnnnyyyy
441782812428
441789263102  yyyyyYyyyyyyyyyny
441792468194  yyynYnnnnnyyynnn
441792475264
441792511171  yyyyYnyyyyynyyyy
441792511965  nnnnYnynyyyynnnn
441793411510
441793414606
441793513650  yyyyyYyyyyyynyyyy
441793524318
441793886182
441796474007  yyyyyYyynyyyyyyyy
441812001751
441812034067
441812245769
441812450845
441813121930  ynnnnYnnnnynnnyyy
441813126632
441813320495  nynnnYynnnnnnyyyy
441814134503
441814403159
441814442313  yyyyyYyyyyyynnnB
441814467695
441814794040  yyyyyYnynyyyynyyy
441815093190
441815633029
441815670605
```

441815762782	yyyyyYyyynnyynnnn
441815764284	yyyyyYynyyynynynn
441815767624	yyyyyYyyyyyynnyy
441815990984	yyyyyEyyyyyyynyyy
441815990989	
441816006119	yyynyNnnnnnnnnnn
441816524005	
441816528932	
441816592409	yyyynYynyyyyyyyyy
441816711722	
441816813937	nnnnnEnnnnnnnynnn
441816874309	
441817401741	
441817404622	yyyyyYyyyyyyyyyyy
441817413819	yyyyyYyyynyynnnnB
441817491647	nnnnnEnnnnnnnnnnn
441817492831	yyyyyYynnnnnnnnnB
441817496734	yynyyYnnnnyynyyyy
441817496972	ynnnnYyynnyyyyyyy
441817497520	nnyyyYnyyyyyynnnn
441817497554	yyyyyYyyyyyyyyyyy
441817497872	nyynYyyyyyyynyyy
441817498622	yyyyNnnnnnnnnnnn
441817499016	yyyyNnnnnnnnnnnn
441817499259	yyyyYyyyyyyyyyny
441817524398	yyyyYyyyyyynyyyy
441817525915	yyyyYyynnnyyyyy
441817597739	
441817600588	
441817600973	
441817611502	
441817819794	
441818008005	yyyyYyyyyyynyyyn
441818139700	nnnyYnyyyyynyyyn
441818339215	
441818527211	
441818547476	
441818582049	
441818788905	
441818815151	yyyyYyyyyyyyyny
441818839215	
441819000705	
441819059729	
441819070073	
441819431198	
441819802041	
441819813779	yyyyNynnnnnnnnnB
441819833846	
441822614405	nyyyYnnnynnynnnB
441823321044	yyyyYyyynyyyyyyn
441823332539	yyyyYyyyyynyyyny
441823332862	
441851704270	

441865716418	
441865791347	yyyyYyyynyynyyyn
441865843971	
441889590588	
441892518028	
441896759494	yyyyYyyyyyyyyyyy
441902755163	yyyyYyyyyyyynnnn
441902772415	
441902838266	yyyyYyyyyyyynnnn
441904488878	yynyYyynyynynyy
441904523698	
441904610067	nyyyYnnnnnnnnnn
441904610937	nyyyYyyyyyyyyyyy
441904611112	
441904651642	
441905748006	ynyyYyynyyyyyyyyy
441905766293	
441908564893	yyyyYyyyyyyyyyyy
441908694008	yyyyYyyyyyyynnnn
441912210112	yyyyYyyyyyyyyyy
441912220013	
441912321710	
441912325082	yyyyYyyyyyynyyyy
441912612302	yyyyYyyyyyyyyyyy
441912618571	yyyyYynyyyyyyyyn
441914775660	yyyyYyyyyyynyyny
441914880933	yyyyYyyyyyyyynnn
441914888611	nyyyYyyyyyyyyyyy
441914889222	yyyyYyyyyyyyyyyy
441915670888	nnnnNnnnnnnnnnnn
441920487056	
441923425457	
441923664606	
441924466522	
441926403958	
441926424760	yyyyYyyyyyyyyyyy
441926831532	
441932832532	
441932854750	
441932859661	yyyyYyyyyyyyyyy
441942884397	yyyyNyyyyyyyyyyy
441946724889	
441949836583	
441952291035	
441962713134	
441962861186	
441962861646	
441970627206	ynnnYnnyynyynnnB
441978758565	yyyyYyyyyyyyyyyy
441978759701	yyyYyyyyyyyyyn
441983821690	yyyYyyyyyyyyyyn
441984623901	yynYyyyynyynnnn
441992555647	

No faxes were sent after April 2000.

7008

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 8898697327013904027
X-Google-Thread: 1084e2,f8952a7b2a84f0a7,start
X-Google-Thread: 108122,f8952a7b2a84f0a7,start
X-Google-Thread: fe027,f8952a7b2a84f0a7,start
X-Google-Thread: fcc51,f8952a7b2a84f0a7,start
X-Google-Thread: 110431,f8952a7b2a84f0a7,start
X-Google-Attributes: gid1084e2,gid108122,gidfe027,gidfcc51,gid110431,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07101822153972@4ax.com>
Subject: MI5 Persecution: Faxes Sent to Parliament1 (9183)
Newsgroups:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere
Followup-To:
alt.testing.it,rec.radio.amateur.equipment,de.comp.os.unix.x11,free.uk.talk.edinbu
rgh,no.it.tjenester.nettilbydere,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Nov 2007 18:19:15 GMT
Lines: 230
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 226
Xref: g2news1.google.com alt.testing.it:697 rec.radio.amateur.equipment:13235
de.comp.os.unix.x11:3076 free.uk.talk.edinburgh:1372
no.it.tjenester.nettilbydere:3704
```

Faxes Sent to British Parliament logs

During the 1998-2000 period my records indicate that I sent at least 14,480 faxes to the British Parliament in Westminster, of which 9,138 went via TPC's email-to-fax service and 5,342 were sent via fax-modem direct from my computer. The actual figure is obviously much higher since, for most of this period, whenever a recipient asked to be deleted from my mailing list, I totally wiped all entries including that from the logfile.

In the records "Y" indicates successful transmission from fax-modem, "N" indicates failed transmission from fax-modem.
"E" indicates an error occurred while transmitting via fax-modem and a fax may have been only partly transmitted.
"y" and "n" indicate success or failure via TPC.

In April 2000 I changed the method of operation by recording "R" when a recipient requested removal, rather than wiping their details from my mailing list and records; and keeping "B" records for when TPC actioned a ban on a recipient's fax-number, but the recipient did not write to ask me to cease faxing. The purpose of these changes was to keep more accurate and complete records, but the intention was thwarted by the police complaint.

```
441712190076  nnnnynnEnnnnnnYYNNYYYYNENNNNNynynnnnnnnnnNnnnnnnnn
441712190179  yyyynnyyyYnyyyyynYYYNYYYYYYEYEEEyyyyyyynyyyynyyyyy
441712190189  yyynyyyyyYyyyyyyyYYYEYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712190243  yyyyyyyyyYnnnnnnnYYYYYYYYYYYYYYYnynnnnnnnnnNnnnnnnnn
441712190246  ynnnyyyyyYnyyynyyYYYYYYYYYYYYYYYynyyyynyyyyyyyyyy
441712190253  yynnnnnnnNnnnnnnnNNNNNNNNENNYNNNnnnnnnnnnnnNnnynnnnn
441712190254  yyyyyyyyYnynynyyYYEEEYYEEYYEYEYyyynyynyynynyyyyyn
441712190266  yyyyyyyyYyyyyyyYYYYYEYYYYYNYYYyyynyyyynyyyyyyyyyy
441712190300  yyyyyyyynYyyyynnYYYYYYYYYYYYYYYnnyyyyyyyyyyyyyyyyy
441712190301  yyyyyyyyyYnnyyyyYYYYYYYYENNYYYYnyyyynynyynyyynnnB
441712190305  yyynnynyYynnyynYYEYYYEEYYYYEYYynyynyyyynyNnyyynyyy
441712190309  ynyyyyyyYynynnYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712190317  yyyyyyyyYyyyyyyYYYNNYYYYYYYYYEyyynnnyyyyynynnnynn
441712190319  nyyyynnnNnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnNnnnnnnnn
441712190323  nyyyyyyYyyyyyyNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnn
441712190329  yyyyyyyyYyyyyyyYYYYYEYYYYYYYYYYyyyyyynyyyyyyyyyyy
441712190331  ynyynnnnYyynnnnYYNYYYYYYNNYYYYynynnnnnnnnnNnnnnnn
441712190332  nnynnynyYyyynyyYNYYYYYYYYYYYYYynynynnnnnnNnnnnnnn
441712190337  ynyyyyyyYyyyyyyYYYYEYYEYYYYYYYyyyyyyynyyyyyyyyy
441712190350  yyyyyyyyYyyyyyyNNNNNNNNNNNYYYYynyyyyyyyyyyyyyyyyy
441712190371  yyynnnnnNnynyyyYNNNNNYYNNNNNNNnnnnnnnnnnnnnnnnnn
441712190390  yyyynyynYynyynyYYYYYYYYYYYYYYYyyyyyyynnynyyyyyy
441712190409  nnyyyynyYyyyyyyYYYYYYYYYYENYYYyyyyyyyyyyyyynnyyy
441712190438  yyynnnnnNyyynyyYYYYYYEYYYEYYYYyyynynyyyyyyyyyyyyy
441712190446  yynnnnnnYyynynyYYYYYEYYYYEYYYYyyyyyyyyynyyyyyyyyn
441712190448  yyyyyyyyYyyyyyyYYYYYYYYEYYEYYYyyyyyynnynnyyyyyyyy
441712190461  nynnnnyyYynnnnnYYYYYYYYYEYYEEYyyyynyyynynynnyyyyy
441712190475  yynnnnnnNnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnNnnnnnnnn
441712190492  yyyyyyyyYyyyyyyEYYYYYYYYYYYYEYyyyyyyyyyyyyyyyyyyyy
441712190495  ynnnnnnNyyyyyyYYEYYYYEYYYYYYEyyyyyyyyyyyyyyyyyy
441712190511  yyynnyynYynnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnn
441712190514  yyyyyyyyYnyynyyYYYNYYNYNEYYYYYyyyynynnnynyynnnnyy
441712190536  yyyyyyyyYyyyyyyYYYEYYEYYYYYEEYyyyyyynynnnYnnnnnB
441712190559  yyyyyyyyYyyyyyyYYYEYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712190573  nyyyyyyyYyyynnnYYYYYYYYYYYYYYNnnyyyyyyyyynnnnnyy
441712190598  nyyyyyyYynynyyYYYYYYEYYYYNNNNyyyynyyyyyyyyyyynyy
441712190612  ynnnnyyyYnynnyyYYYYYYYYYYYEYYYyyyyynnynyyyyyyyyy
441712190620  yyyyyyyyYyyyyyyEYEYYYYYYYYYYYEyyyyyyyyyyyyyyyyyyny
```

```
441712190622  yyyyyyyyYyynyyyYYYYYNYYNYYYYYYyyyyyyynyyyyyyyyyy
441712190628  yyyyyyyyYynyyyYYYYYEYYYYEYYEyyyyynyynnNnnnnnnnn
441712190638  yynnyyyyYnyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712190643  ynyyyyyYnynyyyYYYYYYYNYYYYYYYyynyyynyyyynnnnnB
441712190645  yyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712190662  nynnnnnnYnnynnnNYNNYNYNNNNNYNNnnnnnnnnnnnNnnnnnnn
441712190663  nnnnnnnnYnnynyyNNNNNENNNNNNNNnnnnnnnnnnNnnnnnnn
441712190664  nnnnnnnnYnnynnnNYNNYNYNYYNNYNYnnnyynnyynNnynnnnny
441712190682  yyyyyyyYyyyyyyYYYYYYYYYYYNYYnyyyyyynynyyynyyy
441712190685  ynyyyyyyYyyyynyYYYYYEYYYYNYEYYyyyyynyyyNnyyyynyyy
441712190696  yynnnyyEnnyyyYEYEYYYYEEEYYYYyyyyyyyyyyyyyyyyy
441712190698  yyyyyyyyYyyyyyEYYYYNNNNNNNNNNnyynnyynyyynyyynnnnn
441712190770  yyyyyyyyYynnyyyYYYYYYEYYYYYYYYyyyyyyynyyyyynyynyy
441712190783  yyyyyyyyYyyyyyyYYYYYYYYYYNEYYYyyyynyyyyyyNnyyyyyyy
441712190789  nnyyyyynyYnnnnyyEYNYYYYEYENYYEEyyyyyyyynyyyynyyyyn
441712190790  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYnnnyyyyyyyyyyyyyyyy
441712190904  yyyyyyyyYyyyyyyYYEEYYYYEYYEYYYyyyyyyyyyyyyyyyyy
441712190912  yyyyyyyyYyynyyYYYYYYYYYYYYYYEYynyynyyyyyyyyyyynyyy
441712190913  yynyyyyyYyyyyyyYYYEENYYEYYYYYYyyyyynnyyyyyyyyynyyy
441712190919  yynnnnnnYynnnnnNYYYEYNYYYEYYNEyyynnyyynyynnyyyny
441712190923  yyyyyyyyYyyyyyyYYYYEYYYEYYYYYYyyyyyyynnyyyyyyyyyy
441712190926  yyyyyyyYynyyyyYYEENYYEYYEYYYYynyyyyyyyyyyyyyynyyy
441712190928  yynyyyyyYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712190931  yynynyyyYyyyyyYYYYYYYYYYYYYYNnnyyyyyyyyyNnnyyyyyy
441712190938  yyyyyyyyYyyyyyNYYYENYYNYNEEYYyyyynnnnnynNnnnnnnnn
441712190943  yyyyyyyyYynnnnYYYEYYYYYENNYEEnnyyynnynyyyyyyyyyyn
441712190946  ynyyyyyyYyynyyYYYYYYYYYYYYYYEyynnnnnnnnynnnnnyn
441712190949  yyyyyyyyYynnyyYYEEEYYYNEYNYYYnyynnyyyyyyyyyynnnB
441712190952  yyyyyyyYyyyyyYYYEYYYYYYYYEYYyyyyyyynyyyyyyyyyyy
441712190957  yyyyyyyYynnyyYYYYYYYYYYYYYYYyyyyyyyyyyyynyyyn
441712190961  nyynnyyYynynyYEEYYYEYYYYYYYYyyyyyynnyyyyyyyynyn
441712190965  nnyynnnnYnnnnnYYYYYYYNYYYYYYYnynnnnnnyyNnyyyyyyy
441712190971  yyyyynyYynyyyYYYYYYYYYYYYYNYyyyyyyyyyyyyyyyynyy
441712190972  yyyyyyyyYyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712190976  nyynnynyYyynnnYYYEYYYYYYYEYYYyynnyyyyyyyynnnnynyn
441712190978  yyyyyyyyYyyyyyYYYYYYYYYYYEYEYyyyyyyyyyyyyyyyyB
441712190979  yyyyyyyyYyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712190981  ynyyyyyyYyyyyyYYEYYYYYEYYYYEYyyyyyyyyyyyyyyyyy
441712190986  yyyyyyyyYyyyyyYYYYYYYYYEYYYYYyyyyyyyyyyyyyyyynyyy
441712190987  yyyynyyyYyyynyYYYYYYNYNNNNEYYynnnyyyyyyyyyyyyyy
441712190994  yyyyyyyyEyyyyyYYYYEEEYNNNNNNNnnnnnnnnnnNnnnnnnnn
441712191131  yyyynyyyEynnyyEYYEEEEYEEENEYYyyyyyyyyyyNnyyynyyy
441712191137  yyyyyyyyYyyyyyYYYYYYYYYYYYYNYnyynyyyyyyyyyyyyyy
441712191145  nnynnyyyNnynnnnYYYYYNNNNNYYENNyyyynnnyyyNnnynnynn
441712191154  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyynynyyynyynyyyyyy
441712191158  ynnnnnnnYyynnnnYYYYYYYYYYYYYYYynnnnnnnnnnnnnnnnn
441712191161  yyyyyynyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712191162  yyyynyyyYnnnnnnYYYYYYYYYYYYYYYyyyyyyyyyynyyyyyyy
441712191163  yyyyyyyyYynyynyYYYEYYYYYYYYYYEyyyyyyyyynyynyyyyynR
441712191174  ynnnnnynYyyynynYEYYYYYYYYYYNNNyyyyyyyyyyyyyyynyyyy
441712191177  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyynyyyyyyy
441712191179  nyyyyyyyYynyyyyYYYYYYYYYYYYYYYyyynyynnnynyyynynnn
441712191184  ynyyyyyyYynyyyyNNNNNYNYYYYYYNNyyynynynnyyyyyyyyn
```

```
441712191185  nyyyyyyyYnnnyyyYYYEYYYYYYYYEYYyynnnnnnyyynnnyyyny
441712191198  yyyyyyyyYnnyyyyEYYYYEEYYYYYYYynyyyyyyyynyynyyyny
441712191227  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyynyyyyyyNnnnyyyyny
441712191236  nnnnynynYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712191263  yyyyyyyyYyyyyyyYYYNYYYYYNNNNYNyyynynynyyynnynynn
441712191268  yynyyyyyYnyyyyyYYYYYYYYYYYYYYYnyyynnyyyyyNnyyyynyy
441712191279  yyyyyyyyYyyyyyyYYYYYEYYYYYYYEYyyyyyyyyynEnnnnnnB
441712191280  nnnnnnnnYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnny
441712191395  yyyyyyyyYyyyyyyYYYYEYYYYYYYYYYyyynnyyyyyyyyyyyyn
441712192008  yyyyyyyyYyyynnnYYNNENNNNNNNNNNnnyyyyyyyyyyyyyyyy
441712192031  yynyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyynyynyyyyyyyy
441712192051  yyyyyyyyYynnnnnYYYYYYYYNYYYYYYyyyyyyyyyyyyyyyynyn
441712192054  yyyyynyyYyyyyyyYEYEYYYYYYYYYYYyyyyyynyyyyEnyyyyyny
441712192064  ynyyyyyyYyyynnnYYYYYYYYYYYYYYYyyyyyyyynyyyyyyyyynn
441712192075  yyyyyyyyYyyyyyyYYEYYYYEYYYYNYYyyyyyyyyyyyyyyyyyyy
441712192082  yyyyyyyyYynyyyyYYYYYYEEYYYYYNYyyyyyyynyyyyyyyynyy
441712192112  yyyyyyyyNyyyyyyYYYYYYYYYNNEYYYyyyyyyyyyyyyyyyyyy
441712192117  ynyyyyyyNnynyyyYYNYYYYYYYNYYYYyyyyyyyyyyyyyyyynny
441712192130  ynnnnnnnYyynnnYYYYYYYYYYYYYYYynnnnnnnnnnnnnnnnnn
441712192148  ynyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyynyyynyyyyyyynyy
441712192170  yyyyyyyyYynnnnnNYYYYYYNYYYYYYYyyyyyyyyyyyyyyyyyn
441712192212  yyyyyyyyYynnnnnNNNNNNNNNNNNNNNnnnnnnnnnnNnnynnnnn
441712192220  yyyyyyyyYynyyyyYYYYYYYEYYYNYYYyyyyyyyyynnyyyyyny
441712192221  ynyyynyyYyyynnnYYYYYEEEYYYNYYYyyynyyynyynyyyyyny
441712192233  yyynnyyyYyyyyyyYYYYYEEYEEYYYYYnnnyyyynyyynyynynyn
441712192252  yyyyyyyyYyyyyyyNYYYYYYYYYYNYEYyyynyyyyyyyyyyyyyny
441712192262  yynnnyyyYynnyyyNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712192269  yyyyyyyyYyyyyyyYYYYYYYYYEYYYYYyyyyyyyyyyyyyyyyyy
441712192288  yyyynnnnEnnnnnnYEYYYENNNNNNNYEyyyyyyyyyyyyyyyyyyy
441712192289  yyyyyyyyYyyyyyyYYYYYYYYNYYYYYYyyyyyyyyyyyynyyynny
441712192302  yyynnyyyEnnyyyyEYYYYYNYYYYYYYYyyynynynnnyyynynnyn
441712192328  yyyyyyyyYyynyyyYNYYYYYEYYEYYYYyyynyyyyyynyyyyyyny
441712192329  yyyyyyyyYyyyyyyYYYYYYYYYYYEYYEnyyyyyyyyyyyyyyyyyy
441712192331  yynyyynyYnnnnnnYYEEYEEYEENNYNNynnnnnnnynnNnynyynny
441712192334  ynyyyyynNyyyyyyYYEEYYEEYYYYEEYyyyynyynynnynyyynyy
441712192338  ynnnnnnnYyynnnnYYEYYYYEYEYYYYYynnnnnynnnnnnnnnnnn
441712192357  yyynyyyyYyyyyynYEYYNYYYYYYYYYYyyyyyyynyyyynynyB
441712192359  yyyynyyyYyyyyyyYYYYYYYYYYEYYYYyyynyyyyyyyyynyyyy
441712192364  nnnnnnnyEynnnnYYNYYYYEYENNNNNnyyyyyyyynnNnnnnnnn
441712192377  yyyyyyyyYyyyyyyYYYYYYYEYYYYYYYyyyyyyyyyyyyyyyyy
441712192404  yyyyyyyyYyyyyyyNYYYEYYYYYYYYYYyynyynyyyyyyyyyyyyy
441712192412  yyynyyyyYyyyyyyYEEYEYNEYNYYYYYnyynynnynnnynyyynyn
441712192413  yyyyyyyyEyynyyyYYYYYYYEYYYYEYYyyyyyyyyyyyyyyyyyyy
441712192417  yyyyyynyYyynynnNYNYYYYYYYYYYYYyyyynyyynnNnnyyyyyy
441712192418  ynyynnyYyynnnnNNNNNNNNNNNNNNNnnnnnnnnnnnNnnnnnnnn
441712192423  yynnnynyYyyyyyyYYYYYYYYEYYYEYYyyyyyynnnnyynyyynyn
441712192425  nnyyyyyyNnnnnnnNYYYYYYEYYYEYYNyyynnynnynnynynnnnn
441712192428  yyynnyyyYnnynnyYYNYNYEEEYYYYYYynnnynynynyyynnnyy
441712192433  yyyynyyyYyyynyyYYYYYYYYYYYYYYYynyyyyyyyynyyyyyyyny
441712192450  nnynyyyYynnnnnYYNYYYYYNYYYEYYnyyynnyynnyNnnnnnyB
441712192451  yyynyyyYyyynyyYYYYYYNEYYNYYYYyyyyynynyyyNnnnyynny
441712192455  yyyyyyyyYnyyyyyNYYYYYYYYYYYYYYyyyyyyyyynyyyyyyyyy
441712192461  yyyyynyyYyyyyyYEYYYYYYYYYYYYYynyyynyyyyyyyyyyyy
```

```
441712192476  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712192477  yyyyyyyYynnnnnEYYYYYYYYYYYYYYyyyyyyyyyyyyyyynyyy
441712192479  yynyyyyyYyyyyyyYYYYYYYYYEYYYYEyyynyynyyyyyyyyyyny
441712192485  yyyynynnNnnnnnnNYYYYYYYYYENNYYnnnnnnnnnnnnnnnnnnn
441712192494  yyynyynyYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712192495  yynyyyyYyyyyyYYYYYYYYYYYYYYYyyyyyyyyynnyynnnnB
441712192496  ynyyyyyyYyyyyyyYYYEYYYYYYYYYYYyyyyyyyyyyyyynyynyy
441712192500  yyyyyyyyYyyyyyyYYYYYYEYYYYYYYYyyyyyyyyyynynyynyn
441712192503  yyynyyyyYnnynyYYNNNNNNNNNNNNNnnnnnnnnnnnnnnnnn
441712192516  ynnnnnnnNyyyyyyNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnn
441712192518  yyyyyyyYyyyyyyYYYYYYYYYEYYYYYyyyyyyyyyyyyyyyyyyy
441712192521  nyyyyyyyYynnyyyYEYYYYYYYEYNYYYyyyyyyyyynyNnnnyyyyy
441712192529  ynyyyyyYynnyyYYYEEEEYEYYENEYynyyynyyyyyyyyyyyy
441712192536  nyyyyyyyYynyyyyyYYYYYYYYEYNYYYYnyynyyyynyyynyyyyy
441712192539  yyyyyyyyYnyyyyyEEYYYYYYYYYYYYYyyyyyyyyyyyyyyyyy
441712192541  yyyyyyynYynnnnnYYNYYNNEYYYYYYNnnnnyyyyyyyNnnyynnny
441712192545  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyynyy
441712192557  nyyyyyyyYynnnnnYEYYEYYYYEYYYNYyyyynnnynynNnnnnnnn
441712192564  yyyyyyyyYnyyyyyYYYEYYYYYYYNYYYyyynyyyynyyyyyyyyyn
441712192567  nynyyyynYynyyyyYYNYYYNEYEYYYYYyyyyyyyyyyyyyyyynn
441712192570  yyyyynyyYyyyyyYYYYYYYYYYYYYYYyyyyyynyyyyyyynyyyy
441712192571  yyyyyyyyYyyyyynYYYYYYYYYYYYYYYyyyyyyyynynyyyyyyy
441712192573  yyyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyynyyyyy
441712192586  yyyyyyyyYnyynyyYYYYYYYYYYYYYYYyyyynyyyyyyyyyynyyy
441712192608  yyyyyyyyYyynyyyYYYYYEEYYEYEYEYyyynyynyyyyyyyyyyyy
441712192619  yyyynynyYnynyyyYYYYYYYNYYEYYYEnnyyynynynnYnnnnnB
441712192621  ynnnnnnnYynnnnnNYNYNNYYYYEENNNnnnnnnnnnnnNnnnnnnn
441712192622  yyyyyyynYyyyyyyYYEYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyy
441712192629  nnnnnnnnEnnnnnnEEEEEEEEEEEEEEEnnnnnnnnnnnnnnnnnnn
441712192630  nnnnnnnnYnnnnnnEYYYNYEYEYNYYYYnyynynnynynNnyyyyyy
441712192643  ynyyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyNnynyyyyy
441712192651  yyyyyynnYyynyyyYYYYYYYYYYNNYYYyyyynnyyyyynnnyyn
441712192665  yyyyyyyyNynyyyyYYYYYYYYYYYYYYYnnynnnnnnnnnyyyyny
441712192671  yyynyyyyYynyyyyYYYNNNNYYYYYYYYnnyyyyyyyynyyyyyy
441712192684  yyyyyyyyYnnynyyYYENYYYYNEEYYYYyyynnyynyynyyyyyyn
441712192690  yyyyyyyYyyyyyyYYYYYNNYYYYYYYYyyyyyyyyyyyyyyyyyy
441712192694  nnyyyyyYyyynyyEENYYYYYYYYYYEEnnyyyyyyyyyyyyyy
441712192697  yynynnnNnnnnnnNNYNYYYYNNYNYYYyyynnnyyyyyNnyynyyy
441712192698  yynnnnnYnnnnnnNNEYYYEYYYNNNYYnyyyyyyyyyyyynynnn
441712192706  nynnnnnYyyyyyyYYYYYYYYYYYYYEYyyyynyyyyyyyynyyy
441712192707  nnyyyyyYyyyyyYYYYYYEYYYYYENYnnyyyyynnnyyyyyynB
441712192708  ynyyyyyYnnynyyYYYYYYYYEYEYYYYnnynnnynnnnynnynnnn
441712192710  yyyyyyyYyyyyyyYYYYYYYYYYYNYYYyyyyyyyyyyyyyyynyn
441712192711  ynnnnnnYynyyyyYYYYYYYYYYYYYEYnnnnnnnyyyyyyyyny
441712192731  nnyyyynYyyyyyyYYYNYYYYYYNYEYYyyyyyyyyyyyyyyyyyy
441712192738  yyyyyyyEynyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyyy
441712192747  ynyyyyyYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnnn
441712192749  yyyyyyyNyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyyyy
441712192763  yyyyyyyYnnnnyyYEEEEEEEEEEEYNYyyyyyyyyyynnnyyyyyyy
441712192771  yyyyyyyYnnnnnnNNNNNNNNNNNNNNNnnnnnnnnnnnnnnnnnnn
441712192772  yyyyyyyYyyyyyyYYYYEYYYEYYYYEYyyyyyyyyyynyynynyynn
441712192782  yyyyynYyyyynyYNNYEYYYYEYYYYYynynnyyyyynyyynynyy
441712192795  yyyyyyYyyyyyyYYYYNYYYYYYYYYYyyyyyyyyyyyyyyyynyy
```

```
441712192797  yyyyyyYnnnnnnYYYYYYYEYYYYYYEyyyyyyyyynyyyyyyyyy
441712192798  yyyyyyYyyynnnYYYYYYYYYNYYYYYnynyynnnynynyyyynyy
441712192799  yyyyyyYyyyynyEYEYYYYYYYYYYYYyynnnyyyyyyyyyyynyy
441712192804  yyyynyYyyynyyYYYYYYYYYYYYYNYynyyynyyynnynynyyn
441712192810  yyyyyyYynnyyyYEYYYYYYYYYYYYYyyyyyyyyyyyyyyyyyy
441712192814  yyyyyyYyyyyyyYYYYYYYYYNNYYYYnnnnnnnnnnnnnnnnnnn
441712192820  yynnnnYnyynyyYYYYYYYYYYYNNYYnyyyyyynynnNnynynynn
441712192834  nynnnnNynnnnnnEEYYYENYYNNEYYYyynnyyynnnnnnnnnny
441712192849  yyyyyyYyyyyyyYYYYYYYYYYYYYYYyyyyyyyyyyyyyyyyny

9183
```

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

---

From -7023054528132459463
X-Google-Thread: 108122,1f613f9c8e3afbe3
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ or other ant anlalizer
Date: Sun, 18 Nov 2007 15:47:21 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0711181543120.10421@malasada.lava.net>
In-Reply-To: <24af6c5f-4264-4fbc-b3e2-4d71a0218a9f@b40g2000prf.googlegroups.com>
References: <24af6c5f-4264-4fbc-b3e2-4d71a0218a9f@b40g2000prf.googlegroups.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news1.google.com rec.radio.amateur.equipment:13236

```
*************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
*************************************************************************
```

On Sun, 18 Nov 2007, Karl in Spokane wrote:

> Anyone have good luck with this unit? Looking for coverage in the 2,
> 1 1/4 meter bands.

>
I have the MFJ Differential T tuner with the roller inductor.
I had to use DEOXIT to clean the roller conductor as it gets crud
on the roller wire after extensive use.   I still use it now after
5 years. MFJ augmented this tuner which is belt driven to a
gear driven upgrade which would be a heck of a lot more accurate
than my early version.   It still works okay, but needs a cleaning
as you can work around the corroded spots on the roller inductor.
                            Joe

```
From 1907545559860250249
X-Google-Thread: 106d41,5bbb4f6dac17507f
X-Google-Thread: 108122,bd57e44c29deac9,start
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p69g2000hsa.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb, rec.radio.amateur.equipment
Subject: Re: VoiceMax
Date: Tue, 20 Nov 2007 02:42:57 -0800 (PST)
Organization: http://groups.google.com
Lines: 10
Message-ID: <85efdc54-61cf-40e8-aff1-519794c66c54@p69g2000hsa.googlegroups.com>
References: <ac48764e-9163-4e6b-b68c-2db2fea53085@b36g2000hsa.googlegroups.com>
NNTP-Posting-Host: 76.197.206.121
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
X-Trace: posting.google.com 1195555378 23592 127.0.0.1 (20 Nov 2007 10:42:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Nov 2007 10:42:58 +0000 (UTC)
Complaints-To: groups-abuse@google.com
Injection-Info: p69g2000hsa.googlegroups.com; posting-host=76.197.206.121;
     posting-account=CR5XAQoAAAC1S1Z7lBc-jLwjpA9oeUtM
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1;
     .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
     InfoPath.2),gzip(gfe),gzip(gfe)
Content-Disposition: inline
Xref: g2news1.google.com rec.radio.cb:40720 rec.radio.amateur.equipment:13237
```

VoiceMax speech processor is not for everyone...
It's only for radio operators that want maximum range from their rig.
VoiceMax is no gimmick... it uses proven AGC technology to produce
tangible results. Want to know more?
http://tinyurl.com/2ac9r5

P.S.
Stop by Ebay and see what others have said about this revolutionary
new product.

http://tinyurl.com/2q9lpu

From -5319497933412137137
X-Google-Thread: 108122,56ee6174ed9f5b10,start
X-Google-Thread: 10bf43,56ee6174ed9f5b10,start
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "kb9rqz" <kb9rqz@hotmale.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: techical blog
Date: Tue, 20 Nov 2007 14:42:36 -0500
Organization: he wonder why i simple
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Lines: 4
Message-ID: <47432cf9$0$26112$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 Nov 2007 18:52:41 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13238
rec.radio.amateur.policy:98740

Haves a techical blog for radio hints ant tips tips
http://techkb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -6268291308009442647
X-Google-Thread: 108122,56ee6174ed9f5b10
X-Google-Thread: 10bf43,56ee6174ed9f5b10
X-Google-Attributes: gid108122,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.mixmin.net!news.motzarella.org!motzarella.org!not-for-mail
From: kb9rqz@hotmail.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: techical blog
Date: Tue, 20 Nov 2007 14:47:44 -0500
Organization: A noiseless patient Spider
Lines: 22
Message-ID: <eee6k3dq8a40q7fambagjkttt9s0itlerp@4ax.com>
References: <47432cf9$0$26112$88260bb3@free.teranews.com>
Mime-Version: 1.0

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: feeder.motzarella.org
U2FsdGVkX19B2wTPK6na19YnGEYm0ctV2Cl1EDf3TmrDEGIqs8ucncH+t5Mhi/
GecU0giDRQvixQjiRITBpT+YTLgzgPB6l3dQJYwUOmzf7JUoi4fnmZidRdQoOv7aI8RUE+GAGLOco=
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Tue, 20 Nov 2007 19:47:49 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
X-Auth-Sender: U2FsdGVkX18iLSsWGMO/h47k97cw0eJuPl3DyUz2Oaa+4ERUdZ3RxQ==
Cancel-Lock: sha1:asbHOm2jDGCgEaVI5UcvwRPha9Y=
Xref: g2news1.google.com rec.radio.amateur.equipment:13239
rec.radio.amateur.policy:98744

On Tue, 20 Nov 2007 14:42:36 -0500, "kb9rqz" <kb9rqz@hotmale.com>
wrote:
stil you are a fake

>Haves a techical blog for radio hints ant tips tips
> http://techkb9rqz.blogspot.com/
but you got that right

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google and
noow motezrella

posts from these sorucees are fakes

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

From 3226939648477519213
X-Google-Thread: 108122,e56529fa075cd65a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
From: Steve Calvin <calvins@optonline.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: GMRS Watts v Distance?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Lines: 20
Message-ID: <Z6L0j.991$V51.83@newsfe10.lga>
NNTP-Posting-Host: 69.121.98.27
X-Complaints-To: abuse@cv.net
X-Trace: newsfe10.lga 1195605561 69.121.98.27 (Tue, 20 Nov 2007 17:39:21 MST)
NNTP-Posting-Date: Tue, 20 Nov 2007 17:39:21 MST
Organization: Optimum Online
Date: Tue, 20 Nov 2007 19:39:12 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13240

Sorry if this isn't the right group to ask this, if not and
someone know of a more appropriate group I'd appreciate a
pointer.

I currently have GMRS radios that are rated at "16 miles"
(yeah, maybe on the salt flats or over water, ok, we all
know about that). The are rated at 2W on the GMRS freq's
and .5w on FRS.

Why are the new "25 mile" units still rated at 2W? What's
the difference in the two radios to justify the increased
distance claims?

Can't be frequency or a change to the privacy codes or they
wouldn't work with older radios.

Increased sensitivity/filtering? Hype?

--
Steve

From -8024092216904160055
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!news.tiscali.de!
newsfeed.freenet.de!news-out1.kabelfoon.nl!newsfeed.kabelfoon.nl!
xindi.nntp.kabelfoon.nl!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Tue, 20 Nov 2007 17:55:44 -0700
Message-ID: <3607k3d5tnq2m159vdqg3tneic1d5obj6g@4ax.com>
References: <Z6L0j.991$V51.83@newsfe10.lga>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
NNTP-Posting-Date: 21 Nov 2007 00:05:16 GMT

X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:13241

It's just marketing hype Steve. Next thing you know they will be
50-mile units. A 2-watt HT would be lucky to get one mile let alone
25. Even 5-watt GMRS commercial units (like I have) are only useable
over a couple of miles unless you are line-of-sight. The ONLY way you
are going to get reliable communications over that kind of distance is
through a repeater.

Dick   - W6CCD

On Tue, 20 Nov 2007 19:39:12 -0500, Steve Calvin
<calvins@optonline.net> wrote:

>Sorry if this isn't the right group to ask this, if not and
>someone know of a more appropriate group I'd appreciate a
>pointer.
>
>I currently have GMRS radios that are rated at "16 miles"
>(yeah, maybe on the salt flats or over water, ok, we all
>know about that). The are rated at 2W on the GMRS freq's
>and .5w on FRS.
>
>Why are the new "25 mile" units still rated at 2W? What's
>the difference in the two radios to justify the increased
>distance claims?
>
>Can't be frequency or a change to the privacy codes or they
>wouldn't work with older radios.
>
>Increased sensitivity/filtering? Hype?

--
Posted via a free Usenet account from http://www.teranews.com

From 8204168422149468024
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
From: Steve Calvin <calvins@optonline.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
References: <Z6L0j.991$V51.83@newsfe10.lga>

<3607k3d5tnq2m159vdqg3tneic1d5obj6g@4ax.com>
In-Reply-To: <3607k3d5tnq2m159vdqg3tneic1d5obj6g@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <%CL0j.42$bQ2.7@newsfe08.lga>
NNTP-Posting-Host: 69.121.98.27
X-Complaints-To: abuse@cv.net
X-Trace: newsfe08.lga 1195607611 69.121.98.27 (Tue, 20 Nov 2007 18:13:31 MST)
NNTP-Posting-Date: Tue, 20 Nov 2007 18:13:31 MST
Organization: Optimum Online
Date: Tue, 20 Nov 2007 20:13:21 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13242

Dick wrote:
> It's just marketing hype Steve. Next thing you know they will be
> 50-mile units. A 2-watt HT would be lucky to get one mile let alone
> 25. Even 5-watt GMRS commercial units (like I have) are only useable
> over a couple of miles unless you are line-of-sight. The ONLY way you
> are going to get reliable communications over that kind of distance is
> through a repeater.
>
> Dick   - W6CCD
>

Thanks Dick. I suspected it was just marketing but thought
that they may have come up with some great new antennae or
something in the receiver that I hadn't heard about.

--
Steve

From -4517921734867683767
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Tue, 20 Nov 2007 17:22:57 -0800
Organization: Home for Obscure Mythical Beings
Message-ID: <hsdc15-fpc.ln1@radagast.org>
References: <Z6L0j.991$V51.83@newsfe10.lga>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 61
Xref: g2news1.google.com rec.radio.amateur.equipment:13243

In article <Z6L0j.991$V51.83@newsfe10.lga>,
Steve Calvin <calvins@optonline.net> wrote:

>Sorry if this isn't the right group to ask this, if not and
>someone know of a more appropriate group I'd appreciate a
>pointer.
>
>I currently have GMRS radios that are rated at "16 miles"
>(yeah, maybe on the salt flats or over water, ok, we all
>know about that). The are rated at 2W on the GMRS freq's
>and .5w on FRS.
>
>Why are the new "25 mile" units still rated at 2W?

The most probable reason is that this is pure marketing hyperbole. The radios aren't better... they're just being quoted using more optimistic (and typically unrealistic) test conditions, so that they sound better than the old radios, so that they'll sell better.

>   What's
>the difference in the two radios to justify the increased
>distance claims?
>
>Can't be frequency or a change to the privacy codes or they
>wouldn't work with older radios.

They *might* have more sensitive receivers, perhaps with a low-noise front-end preamplifier.

I rather doubt it, though.

>Increased sensitivity/filtering? Hype?

Probably hype.

I've read some reports that indicate (based on buyers' experiences) that there can be some very real different in useful range between FMS/GMRS radios of different types. This might be due to actual (vs. quoted) transmitter power, or to better receiver sensitivity, or to the use of less-lossy rubber-duck antennas, or to the presence of a more effective counterpoise within the radio.

I doubt, though, that all of these quality improvements, lumped together, would come anywhere near extending the range of a 2-watt handheld from 2 miles to 25 miles, under the same usage conditions. A 12:1 distance improvement would seem to require a 144:1 power or sensitivity improvement... over 20 dB.

25 miles, on 2 watts of UHF, pretty much requires that both transceivers be up on hilltops or high buildings, with a fairly clear line-of-sight between. You aren't going to get that sort of distance from ground-level to ground-level, unless you're lucky enough to catch a very fortunate reflection from something high up... the horizon will

cut off line-of-sight. Similarly, you won't get that sort of range
amidst city building clutter.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -1168086621667985371
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 20 Nov 2007 20:47:31 -0600
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga>
<3607k3d5tnq2m159vdqg3tneic1d5obj6g@4ax.com>
Subject: Re: GMRS Watts v Distance?
Date: Wed, 21 Nov 2007 11:47:40 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <cYydnVzPfOTeAd7anZ2dnUVZ_rignZ2d@giganews.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-KfzjknR6BuszPcbx7IbcuDETz5DjiCanRTJjHU5HYsN308504MMd0EWdw/
UjAq6ImWGbgp3dXWEmwti!
zv7cMhP6lB6McKhuKFFttnlDxX8iqZpeUh+88+2L96WWI0jqBIh7uzqlFa8NRsHAsUXz8Yyr
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13244

"Dick" <w6ccd@k7yca.org> wrote in message
news:3607k3d5tnq2m159vdqg3tneic1d5obj6g@4ax.com...
> It's just marketing hype Steve. Next thing you know they will be
> 50-mile units. A 2-watt HT would be lucky to get one mile let alone
> 25. Even 5-watt GMRS commercial units (like I have) are only useable
> over a couple of miles unless you are line-of-sight. The ONLY way you
> are going to get reliable communications over that kind of distance is
> through a repeater.

Ah, yes, but those repeaters do miracles. I've personally hit a repeater in Camas, WA from Salem, OR (about 60 miles) with an Icom IC-2. My best haul so far into a repeater though took 30 watts, from the top of Coxcomb Hill in Astoria, OR to a repeater on Mt. Scott in Portland, around 100 miles. But that was still not as good a trick as the other.

From -2551858821697008447
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newsfeed.yul.equant.net!nntp1.roc.gblx.net!nntp.gblx.net!nntp.gblx.net!
news.xcski.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: 21 Nov 2007 04:18:34 GMT
Organization: The National Capital FreeNet
Lines: 23
Message-ID: <fi0biq$3h0$1@theodyn.ncf.ca>
References: <Z6L0j.991$V51.83@newsfe10.lga>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1195618714 3616 134.117.136.48 (21 Nov 2007 04:18:34 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 21 Nov 2007 04:18:34 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:13245

Steve Calvin (calvins@optonline.net) writes:
> Sorry if this isn't the right group to ask this, if not and
> someone know of a more appropriate group I'd appreciate a
> pointer.
>

GMRS, FRS, CB and whatever are not amateur radio.

It amazes me that people can't grasp that, and continue to post such questions here.

Doing a decent search on the newsgroups would find appropriate newsgroups. Clearly you didn't, since you found this one and not the proper ones.

Doing a decent search would have found the same question asked, and answered, many times before. Chances are really good if you "chose" this newsgroup because you found discussion of GMRS in old posts here, the very posts that made you think the question was "on topic" was the same question, and if you'd just looked at the replies you would have had the answer without adding yet another off-topic question to the newsgroup.

Michael VE2BVW

```
From 3266075706024296913
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Wed, 21 Nov 2007 03:50:50 -0600
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi0biq$3h0$1@theodyn.ncf.ca>
Subject: Re: GMRS Watts v Distance?
Date: Wed, 21 Nov 2007 18:51:00 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <sL2dnZHujd_mYt7anZ2dnUVZ_r-vnZ2d@giganews.com>
Lines: 35
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-KdSYHNcnWCZA4+nQA03/71HTk/HxEAI+ZTbvNPaurmOvsZ0sDf5q/7OJT7UNMXuBkg/
jEVu8M8xE87P!uFjIp8bCjpLoGit1t7y5zM5q+l9unBlQC5BW9+uz3e7AV+SSaziLvMa3/
adSUxS9h6QzcEwt
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13246
```

"Michael Black" <et472@FreeNet.Carleton.CA> wrote in message
news:fi0biq$3h0$1@theodyn.ncf.ca...

> Steve Calvin (calvins@optonline.net) writes:
>> Sorry if this isn't the right group to ask this, if not and
>> someone know of a more appropriate group I'd appreciate a
>> pointer.
>>
> GMRS, FRS, CB and whatever are not amateur radio.
>
> It amazes me that people can't grasp that, and continue to
> post such questions here.
>
> Doing a decent search on the newsgroups would find appropriate
> newsgroups. Clearly you didn't, since you found this one
> and not the proper ones.
>

> Doing a decent search would have found the same question asked,
> and answered, many times before. Chances are really good if
> you "chose" this newsgroup because you found discussion of
> GMRS in old posts here, the very posts that made you think
> the question was "on topic" was the same question, and if you'd
> just looked at the replies you would have had the answer without
> adding yet another off-topic question to the newsgroup.
>

Micheal,

Lighten up. They're more likely to get ACCURATE information from a ham NG than from anything devoted to those particular forms of two way radio, simply because there are many more hams that actually know the way things work and can give real life stats on what they're likely to do.

```
From 3507736181646103787
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 21 Nov 2007 05:24:40 -0600
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi0biq$3h0$1@theodyn.ncf.ca>
<sL2dnZHujd_mYt7anZ2dnUVZ_r-vnZ2d@giganews.com>
Subject: Re: GMRS Watts v Distance?
Date: Wed, 21 Nov 2007 20:24:50 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <sOCdnexBguzkiNnanZ2dnUVZ_gadnZ2d@giganews.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-0BbM0OVMvhhAUhF/vWAJ3W5abZdSBE2ngTIE/
hFiBM0aQ7yuyNuTa72ALH0LpUjTir1Sk0APbCP2dNP!
Iy1E0oLQ3E7GWYgLraj1auKMX8QOhLmO1nZ2GRvuNbdumxDm/VwxJmWL8zrZAFU1oWoV3kRh
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news1.google.com rec.radio.amateur.equipment:13247
```

```
"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:sL2dnZHujd_mYt7anZ2dnUVZ_r-vnZ2d@giganews.com...
>
> Micheal,
>
> Lighten up.  They're more likely to get ACCURATE information from a ham NG
> than from anything devoted to those particular forms of two way radio,
> simply because there are many more hams that actually know the way things
> work and can give real life stats on what they're likely to do.
>
>
>

Michael... sorry about the typo..





From 4603755188376483569
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe09.lga.POSTED!
53ab2750!not-for-mail
From: Steve Calvin <calvins@optonline.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi0biq$3h0$1@theodyn.ncf.ca>
In-Reply-To: <fi0biq$3h0$1@theodyn.ncf.ca>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 45
Message-ID: <CJX0j.7$lz.6@newsfe09.lga>
NNTP-Posting-Host: 69.121.98.27
X-Complaints-To: abuse@cv.net
X-Trace: newsfe09.lga 1195657186 69.121.98.27 (Wed, 21 Nov 2007 07:59:46 MST)
NNTP-Posting-Date: Wed, 21 Nov 2007 07:59:46 MST
Organization: Optimum Online
Date: Wed, 21 Nov 2007 09:59:35 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13248

Michael Black wrote:
> Steve Calvin (calvins@optonline.net) writes:
>> Sorry if this isn't the right group to ask this, if not and
>> someone know of a more appropriate group I'd appreciate a
>> pointer.
>>
> GMRS, FRS, CB  and whatever are not amateur radio.
>
```

> It amazes me that people can't grasp that, and continue to
> post such questions here.
>
> Doing a decent search on the newsgroups would find appropriate
> newsgroups. Clearly you didn't, since you found this one
> and not the proper ones.
>
> Doing a decent search would have found the same question asked,
> and answered, many times before. Chances are really good if
> you "chose" this newsgroup because you found discussion of
> GMRS in old posts here, the very posts that made you think
> the question was "on topic" was the same question, and if you'd
> just looked at the replies you would have had the answer without
> adding yet another off-topic question to the newsgroup.
>
>   Michael VE2BVW

Well, EXCUSE ME Mr. High and Mighty Ham Operator.... woooooo
I'm just shaking here!

For your information asshole, I've been involved with
computers for the last 34 years and use DOS, WindoZe, AIX,
Unix, Solaris, HP, and pretty much any flavor of Linux you
can think of.

Searches are subjective and if you don't happen to enter the
right arguments you ain't gonna get the right answer. Shoot me.

I sincerely <choke> apologize for monopolizing your valuable
time.

To all of the other reasonable and helpful replies I
received, I thank you all very much.

Mr. Black can kiss my ass
--
Steve

From -618778799245222033
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Z6L0j.991$V51.83@newsfe10.lga>
<3607k3d5tnq2m159vdqg3tneic1d5obj6g@4ax.com>
<cYydnVzPfOTeAd7anZ2dnUVZ_rignZ2d@giganews.com>
In-Reply-To: <cYydnVzPfOTeAd7anZ2dnUVZ_rignZ2d@giganews.com>

```
Subject: Re: GMRS Watts v Distance?
Lines: 22
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <aSX0j.26747$aN3.25495@newsfe12.phx>
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1195657734 72.197.13.209 (Wed, 21 Nov 2007 08:08:54 MST)
NNTP-Posting-Date: Wed, 21 Nov 2007 08:08:54 MST
Organization: Cox
Date: Wed, 21 Nov 2007 07:08:58 -0800
Xref: g2news1.google.com rec.radio.amateur.equipment:13249
```

The range of these units is dependant on:
1. Altitude of the transmitting and receiving units
2. Power
3. Frequency
4. Obstructions
5. Antenna Gain
6. Receiver Sensitivity

For a Handy chart to estimate range-- See URL:
http://www.artscipub.com/simpleton/simp.range.html

I have transmitted over a 50 Mile range with 5 Watts - but was on top of a mountain (like most repeaters)

At ground level for both units with standard antennas, range is a few miles.
Anything else is hype.
Pretty much the distance to the horizon -- see URL:
http://www.boatsafe.com/tools/horizon.htm

The Shadow
Lamont

```
From 5312818775112336654
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.aset.psu.edu!
news.cse.psu.edu!elk.ncren.net!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: GMRS Watts v Distance?
Date: Wed, 21 Nov 2007 17:43:07 GMT
Organization: Perhaps
Lines: 39
Message-ID: <fi1qn9$hib$1@usenet01.srv.cis.pitt.edu>
References: <Z6L0j.991$V51.83@newsfe10.lga>
<3607k3d5tnq2m159vdqg3tneic1d5obj6g@4ax.com>
<cYydnVzPfOTeAd7anZ2dnUVZ_rignZ2d@giganews.com>
<aSX0j.26747$aN3.25495@newsfe12.phx>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1195666985 17995 136.142.52.90 (21 Nov 2007
17:43:05 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Wed, 21 Nov 2007 17:43:05 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:13250
```

In article <aSX0j.26747$aN3.25495@newsfe12.phx>, "The Shadow"
<Cranston@CobaltClub.com> wrote:

>The range of these units is dependant on:
>1. Altitude of the transmitting and receiving units
>2. Power
>3. Frequency
>4. Obstructions
>5. Antenna Gain
>6. Receiver Sensitivity
>
>For a Handy chart to estimate range-- See URL:
>http://www.artscipub.com/simpleton/simp.range.html
>
>I have transmitted over a 50 Mile range with 5 Watts - but was on top of a
>mountain (like most repeaters)
>
>At ground level for both units with standard antennas, range is a few miles.
>Anything else is hype.
>Pretty much the distance to the horizon -- see URL:
>http://www.boatsafe.com/tools/horizon.htm
>
>The Shadow
>Lamont

Power buys little extra range for unobstructed distance. Obstacles
is where power is inportant. I am not sure that 2 watts is maximum.
I was doing a test of a .5 watt Icom and a ~ 16 mi Midland. It
seemed to me the field strength was more than double. I
would think quadrupling power would double field voltage and I was
getting more than double field strength. .5 watt FRS have been reports of ~100
miles
between mountain tops. Nuts & Volts reported something like a 160 mi
skip of some sort in their FRS articles a long time ago. Ground level on boats
is normally about 3 mi., but air effects can increase that a whole bunch.
I don't know what mode of transmission I used to get when i
used my old 300 mw analog cell phone up around Lake Erie.

I used to go through a Canadian site in London from Astabula Ohio, about 70 mi.
That used to come in better than the US sites along the water at times.

greg

From -7058012598817046151
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.aset.psu.edu!
news.cse.psu.edu!elk.ncren.net!newsflash.concordia.ca!pitt.edu!Q
From: zekfrivo@zekfrivolous.com (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Wed, 21 Nov 2007 19:03:13 GMT
Organization: Perhaps
Lines: 62
Message-ID: <fi1vdf$irv$1@usenet01.srv.cis.pitt.edu>
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi0biq$3h0$1@theodyn.ncf.ca>
<CJX0j.7$lz.6@newsfe09.lga>
NNTP-Posting-Host: q.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1195671791 19327 136.142.52.90 (21 Nov 2007
19:03:11 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Wed, 21 Nov 2007 19:03:11 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:13251

In article <CJX0j.7$lz.6@newsfe09.lga>, Steve Calvin <calvins@optonline.net>
wrote:
>Michael Black wrote:
>> Steve Calvin (calvins@optonline.net) writes:
>>> Sorry if this isn't the right group to ask this, if not and
>>> someone know of a more appropriate group I'd appreciate a
>>> pointer.
>>>
>> GMRS, FRS, CB and whatever are not amateur radio.
>>
>> It amazes me that people can't grasp that, and continue to
>> post such questions here.
>>
>> Doing a decent search on the newsgroups would find appropriate
>> newsgroups. Clearly you didn't, since you found this one
>> and not the proper ones.

Right now there are probably a high percentage of hams using
FRS, perhaps not GMRS. There used to be a GMRS and FRS forum
which is gone, but the ham groups is probably the best informed and
also the boating people. Sometimes people post to a group they are familiar
with, and not necessarily the best for answering the question.
They may respect the answers with people they

are familiar with. Perhaps they also are looking for another channel in case
normal
inspecting does not come up with results in a given time.
As always, your going to get all kinds of answers, but on Usenet, you
tend to get corrected in a short interval.

>> Doing a decent search would have found the same question asked,
>> and answered, many times before. Chances are really good if
>> you "chose" this newsgroup because you found discussion of
>> GMRS in old posts here, the very posts that made you think
>> the question was "on topic" was the same question, and if you'd
>> just looked at the replies you would have had the answer without
>> adding yet another off-topic question to the newsgroup.
>>
>>   Michael VE2BVW
>
>Well, EXCUSE ME Mr. High and Mighty Ham Operator.... woooooo
> I'm just shaking here!
>
>For your information asshole, I've been involved with
>computers for the last 34 years and use DOS, WindoZe, AIX,
>Unix, Solaris, HP, and pretty much any flavor of Linux you
>can think of.
>
>Searches are subjective and if you don't happen to enter the
>right arguments you ain't gonna get the right answer. Shoot me.
>
>I sincerely <choke> apologize for monopolizing your valuable
>time.
>
>To all of the other reasonable and helpful replies I
>received, I thank you all very much.
>
>Mr. Black can kiss my ass

A person can search with any method they choose. Using search engines,
especially Google, is getting more difficult do to extreme advertising.
I'm not sure where computers came into the discussion, but I worked for Digital in
1969.

greg
N6GS

From -3406701936549668079
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.tiscali.fr!club-internet.fr!feedme-small.clubint.net!feeder.news-service.com!
newsgate.cistron.nl!xs4all!transit3.news.xs4all.nl!post2.news.xs4all.nl!
newszilla.xs4all.nl!not-for-mail
From: iwouldntknow <iwouldntknow@iwouldntknow.nospam.no>

Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
Date: Wed, 21 Nov 2007 19:18:54 +0000
Reply-To: iwouldntknow@iwouldntknow.nospam.no
Message-ID: <bl09k39tmv907ppa5flb2alf8qpsdm741o@4ax.com>
References: <Z6L0j.991$V51.83@newsfe10.lga>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 34
NNTP-Posting-Host: 82.92.74.203
X-Trace: 1195672734 dreader20.news.xs4all.nl 8024 82.92.74.203:62774
Xref: g2news1.google.com rec.radio.amateur.equipment:13252

On Tue, 20 Nov 2007 19:39:12 -0500, Steve Calvin <calvins@optonline.net> wrote:

>Sorry if this isn't the right group to ask this, if not and
>someone know of a more appropriate group I'd appreciate a
>pointer.
>
>I currently have GMRS radios that are rated at "16 miles"
>(yeah, maybe on the salt flats or over water, ok, we all
>know about that). The are rated at 2W on the GMRS freq's
>and .5w on FRS.
>
>Why are the new "25 mile" units still rated at 2W? What's
>the difference in the two radios to justify the increased
>distance claims?
>
>Can't be frequency or a change to the privacy codes or they
>wouldn't work with older radios.
>
>Increased sensitivity/filtering? Hype?

With the "right" kind of propagation even .5W will do way over 100 miles but under normal
circumstances count on line-of-sight but no more than 1 mile when in build-up or bushy
areas. Your mileage may vary.

Repeater distances are usually line of sight (a repeater at 4.000 ft has a horizon of abt
80 miles if no obstructions in between. Draw an 80 mile circle around the repeater and
you'll get the area you can reach.

Note: There usually are obstructions (hilly terrain) and without any special propagation
signal strength at long distance will be less. Most FM type radio's do not have very
sensitive receiving stages and if squelch is on sensitivity becomes even less.
Solution:

Use narrow band modulation such as SSB. Instead of spraeding your .5W over 15kHz put it in 3kHz. You'll be stronger on the other end - however now we're talking how it works for ham-radio: Do a lot with little power.....

From -1186265136332227070
X-Google-Thread: 108122,e56529fa075cd65a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
From: Steve Calvin <calvins@optonline.net>
User-Agent: Thunderbird 2.0.0.9 (Windows/20071031)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GMRS Watts v Distance?
References: <Z6L0j.991$V51.83@newsfe10.lga> <fi0biq$3h0$1@theodyn.ncf.ca> <CJX0j.7$lz.6@newsfe09.lga> <fi1vdf$irv$1@usenet01.srv.cis.pitt.edu>
In-Reply-To: <fi1vdf$irv$1@usenet01.srv.cis.pitt.edu>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <J%11j.285$352.41@newsfe08.lga>
NNTP-Posting-Host: 69.121.98.27
X-Complaints-To: abuse@cv.net
X-Trace: newsfe08.lga 1195682921 69.121.98.27 (Wed, 21 Nov 2007 15:08:41 MST)
NNTP-Posting-Date: Wed, 21 Nov 2007 15:08:41 MST
Organization: Optimum Online
Date: Wed, 21 Nov 2007 17:08:29 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:13253

GregS wrote:

> I'm not sure where computers came into the discussion, but I worked for Digital in 1969.
>
> greg
> N6GS

I dunno, he just ticked me off with the "holier than thou"
attitude. I was trying to convey that I'm not a computer
dummy. I'm very well versed in most software. I use
Micro$oft programs when necessary but try to avoil them. ;-)

IBM since '74

--
Steve

From -3362411410335744328

X-Google-Thread: 108122,e089783dd209e0d5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!1856ccae!not-for-mail
From: "Richard" <richard.smardzewski@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <jIWdnWgsx7dTe4LanZ2dnUVZ_qKgnZ2d@comcast.com>
Subject: Re: A decent amateur receiver/transmitter setup
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1914
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1914
Message-ID: <8dSTi.5458$uE4.606@trnddc07>
Date: Thu, 25 Oct 2007 01:22:12 GMT
NNTP-Posting-Host: 71.179.113.232
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1193275332 71.179.113.232 (Wed, 24 Oct 2007 21:22:12 EDT)
NNTP-Posting-Date: Wed, 24 Oct 2007 21:22:12 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1162
X-Original-Bytes: 1019

I'm somewhat of a novice myself but check out the following link for receivers...

http://www.amfone.net/ECSound/JNRECS.html

I found it helpful.

From 229421565999160679
X-Google-Thread: 108122,e089783dd209e0d5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!sn-xt-sjc-04!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A decent amateur receiver/transmitter setup
Date: Wed, 24 Oct 2007 18:34:08 -0700
Organization: Home for Obscure Mythical Beings
Message-ID: <gd85v4-r9o.ln1@radagast.org>
References: <jIWdnWgsx7dTe4LanZ2dnUVZ_qKgnZ2d@comcast.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 75

X-Original-Bytes: 4613
Xref: g2news2.google.com rec.radio.amateur.equipment:1163

> Thanks for taking the time to read this. I know next to nothing about this topic, however, the radio is not for me. It's for my dad. He was very active in radios from around WWII thru the 50s. His job and family came first though, so I guess he had to let some of his hobbies go. Since he's retired and doesn't get around as well as he used to, he's thinking about getting back into radio.
>
> I think he got "sticker shock" when he looked at a trade magazine recently. I tried to tell him we aren't in the 50s anymore and he said "Yea, but dam they're high."

Based on articles, I've seen, the prices for a typical HF rig these days isn't all that much different from the prices for rigs back in the 1950s, once you adjust for inflation.

> My question is: How much should an 80 meter radio w/antenna sell for?

The cost for a usable antenna should be very modest, if your dad has room to put up a simple wire dipole in the back yard. You can make a serviceable antenna using wire and insulators available from any decent hardware or homebuilding store. $25-$50 in materials ought to do it, if everything is bought new, and the cost can be brought down to next to nothing if you have leftover wire from another project and/or are good at scrounging.

As for a radio... $750 would get an FT-857D compact (HF/VHF/UHF all-mode). $870 would get the FT-897D - essentially the same radio in a larger, base-type package. Other 100-watt HF rigs seem to start in the same basic price range... around $1000 is a common price point.

CW-only or lower-power radios are somewhat less. If by "80 meters" you literally mean the CW end of the band only - if your dad isn't a phone guy - then something like this might do? If he wants sideband and/or AM as well, then a full-function radio would probably be called for. The least-expensive new 75-meter LSB-only transceiver I know of at the moment is the MFJ-9475X, at $270, and it might not have the power or reliability that your dad would want.

>We're not talking top of the line here, but quality and reliability are important (as is cost).

In your place (and his) I'd seriously consider going with a used radio. They're not hard to come by, as active hams upgrade to newer radios and as old radios become available through silent-key sales and auctions.

Hooking up with a local ham-club would probably be a good idea. Putting the word out at a meeting or two that he's looking for a serviceable-but-not-fancy HF rig might very well turn up a few that people have sitting on their shelves. I'd expect that he'd probably be able to get something decent (maybe 5-10 years old) for perhaps half the price of a new radio of similar basic capabilities. Some of the ham-radio dealers have used equipment for sale (either radios they have accepted for tradein, or as consignment sales).

Local ham-radio fleamarkets, auctions on eBay, and online swapmeet sales on QRZ.COM are all possibilities. One has to be careful, though, to make sure that one is being sold a radio which actually works properly and hasn't had all of the Magic Blue Smoke escape. That's one reason I suggest a local (hamclub) acquisition - you'll at least know where the seller hangs out :-). Test the radio carefully before buying, or get an iron-clad right-of-return-within-30-days guarantee.

A few years ago I got somewhat lucky, and managed to buy a Ten-Tec 555 Scout with a bunch of band modules and a power supply for only $300. This is a 50-watt sideband radio with individual plug-in modules for the bands - a bit quirky but very usable - it was my HF-mobile radio for about three years.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 7852919328704047636
X-Google-Thread: 108122,e089783dd209e0d5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A decent amateur receiver/transmitter setup
Date: Wed, 24 Oct 2007 22:27:03 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13hvvnmoieft1aa@corp.supernews.com>
References: <jIWdnWgsx7dTe4LanZ2dnUVZ_qKgnZ2d@comcast.com> <gd85v4-
r9o.ln1@radagast.org>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 39
Xref: g2news2.google.com rec.radio.amateur.equipment:1164

"Dave Platt" <dplatt@radagast.org> wrote in message

news:gd85v4-r9o.ln1@radagast.org...
>>   Thanks for taking the time to read this. I know next to nothing about
>>this topic, however, the radio is not for me. It's for my dad. He was very
>>active in radios from around WWII thru the 50s. His job and family came
>>first though, so I guess he had to let some of his hobbies go. Since he's
>>retired and doesn't get around as well as he used to, he's thinking about
>>getting back into radio.
>>
>>   I think he got "sticker shock" when he looked at a trade magazine
>>recently. I tried to tell him we aren't in the 50s anymore and he said
>>"Yea,
>>but dam they're high."
>
> Based on articles, I've seen, the prices for a typical HF rig these
> days isn't all that much different from the prices for rigs back in
> the 1950s, once you adjust for inflation.
>

If you adjust for inflation, the rigs of today are dirt cheep.

A typical Johnson Viking would be around $ 300 and a receiver would be around $ 150 to $ 200. That is around $ 450 to $ 500 in 1955. I was not aroung those years, and don't know what the typical wages were, but they probably were under $ 1.00 an hour. For around $ 1500 you can get an Icom 746 Pro that will do things only dreamed about in the 50's. I bought one in March for $ 1400 after the rebate and free shipping with the matching power supply. The Icom 706 is a lot less than that. There are several lowband transceivers out now that are about half that .   That would only be 4 to 5 times the cost of the 50's station. The wages now are probably 10 times that or more.

To top it all off most have more money left over now to buy things than they did in the 50's. I grew up then and many were lucky to have a used car about 5 or 6 years old. Now lots have atleast two cars and not too many are that old.

From 2567043835598819599
X-Google-Thread: 108122,b60a4a62a0767b52,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 24 Oct 2007 22:14:49 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: No Anti-vox on the Kenwood TS-570
Date: Wed, 24 Oct 2007 23:14:45 -0400
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <XbCdnYGqbIC0l73anZ2dnUVZ_r-vnZ2d@insightbb.com>
Lines: 7
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-
qJV2pCDIZIpQ4f0it3zJfDpD5GQHViCYWDQEIcUkUx1KWRyBx2IzfpU8V0ELx61fZsYhhrjKl9y7bh6!
eubcjCCeQOWecTIkVKN21tVM/vd5OzNNp9OFHKKTuAQ9IEY2uq1e8kmZtDlkRE6D/Yq/nULZbaNS!
PnvH9/oi6Z0mf0EUAw==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1165
```

How come the Kenwood TS-570 does not have an anti-vox control? I'm having trouble with the speaker triggering the vox.

--
Bob D. ND9B

```
From 7056565502325870807
X-Google-Thread: 108122,b9a19db0d62999d7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!62.216.30.27.MISMATCH!newsgate.cistron.nl!xs4all!feeder.news-
service.com!news.motzarella.org!motzarella.org!not-for-mail
From: nembo kid <user@localhost.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Rig to start
Date: Thu, 25 Oct 2007 13:03:54 +0200
Organization: A noiseless patient Spider
Lines: 10
Message-ID: <ffpt5p$ril$2@registered.motzarella.org>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: tomate.motzarella.org
U2FsdGVkX1+npugryylQKeTqace6F0d0AZ72135LNvHD7fV3Q2R815iCWd+jipeQj7XlhXnxFsfS9gDVRu
mcGOpijLH+YMfpBCN6LpaYNsGwRM+rdMPOHo4C2tEp4TgwtNBkaY688RihFplci9WU0Q==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 25 Oct 2007 11:03:21 +0000 (UTC)
X-Auth-Sender: U2FsdGVkX18lZo2QOXrfiQqvoK+VjNMnCrVwcrGbXAdzKdG78cRuOpkWibZ/Wu6u
Cancel-Lock: sha1:jZIfD94WfN7/F2yeCRx9txgIfMw=
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
```

Xref: g2news2.google.com rec.radio.amateur.equipment:1166

A rig to start (under/about 200$) for an absolute novice.

At the moment, no antenna is installed yet (I can't install it)
so I was thinking to something about mobile or a HT.

What do you suggest to get?

A VX-3R is a right choice?

Thanks in advance

From 6570282369099237685
X-Google-Thread: 108122,b60a4a62a0767b52
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 25 Oct 2007 17:19:27 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <XbCdnYGqbIC0l73anZ2dnUVZ_r-vnZ2d@insightbb.com>
Subject: Re: No Anti-vox on the Kenwood TS-570
Date: Thu, 25 Oct 2007 18:19:04 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <X6KdndODGqvyi7zanZ2dnUVZ_rignZ2d@comcast.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-
Jdz7mXTvN78+v66NuHVNOobkadX1WBMOUgxExZQRSVoKCJkjMutNraEEQsM5ZET8rceFlJ7af5aHt2e!
qXpYpN532rG9BAU9fVQvaWcAejc8zo55CcxLovpHR5oOzr0VKD/lNnUs9VIwMs/z4usvHw5diI4S!
xXBpEUiig0lG3h7Yz3sFZrjI+v/u
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1167

"Bob D." <bobmgtd@insightbb.com> wrote in message
news:XbCdnYGqbIC0l73anZ2dnUVZ_r-vnZ2d@insightbb.com...
> How come the Kenwood TS-570 does not have an anti-vox control? I'm having
> trouble with the speaker triggering the vox.

>
> --
> Bob D. ND9B
>

Manual says adjust menu item 15 (mic gain).

From -5018309094463730517
X-Google-Thread: 108122,b9a19db0d62999d7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 25 Oct 2007 21:17:43 -0500
Date: Thu, 25 Oct 2007 22:18:33 -0400
From: James Barrett <xucaen@comcast.net>
User-Agent: Thunderbird 2.0.0.6 (X11/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Rig to start
References: <ffpt5p$ril$2@registered.motzarella.org>
In-Reply-To: <ffpt5p$ril$2@registered.motzarella.org>
X-Enigmail-Version: 0.95.3
Content-Type: text/plain; charset=ISO-8859-15
Content-Transfer-Encoding: 7bit
Message-ID: <846dnUtBauPa07zanZ2dnUVZ_t2inZ2d@comcast.com>
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 66.30.129.113
X-Trace: sv3-
XUtm4rwI+0OLmCPq3rlGVqGwI3pm9h3BoaH8PSjGIwVKOdsb0U89SLoT7F4i4l+D9n3QWyj7a8PWq/T!
Dk0logm4u+mVbmebbFHOhQq70D1bBAo5orf6YV3UcEwr1Ygw6dqAuwCkITSfk/te/bHcF/ZG9SK8!
cxISSGe20k+unIKLnvhCvv8NJxgS6A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1168

-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

nembo kid wrote:
> A rig to start (under/about 200$) for an absolute novice.
>
> At the moment, no antenna is installed yet (I can't install it)
> so I was thinking to something about mobile or a HT.

>
> What do you suggest to get?
>
> A VX-3R is a right choice?
>
> Thanks in advance

Hi, My first radio is a Kenwood K2AT 2 meter HT. In my area 2 meters is where the local action is. Check with some of your local radio clubs and see which band is used most frequently.

Jim

```
-----BEGIN PGP SIGNATURE-----
Version: GnuPG v1.4.6 (GNU/Linux)

iD8DBQFHIU55QuDJiZ/QrH0RAg8wAKDIJcvf2FwT7PX50WwkkVSrjYLrnACgwX/j
MGN37btdmsJ4Ef+UeER7pxY=
=Pw1B
-----END PGP SIGNATURE-----
```

```
From 5456084488597584797
X-Google-Thread: 108122,e089783dd209e0d5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 26 Oct 2007 11:12:40 -0500
From: "None" <None@none.com>
Newsgroups: rec.radio.amateur.equipment
References: <jIWdnWgsx7dTe4LanZ2dnUVZ_qKgnZ2d@comcast.com> <gd85v4-
r9o.ln1@radagast.org> <13hvvnmoieft1aa@corp.supernews.com>
In-Reply-To: <13hvvnmoieft1aa@corp.supernews.com>
Subject: Re: A decent amateur receiver/transmitter setup
Date: Fri, 26 Oct 2007 09:12:05 -0700
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <i8GdnYtB_p9ljL_anZ2dnUVZ_vmlnZ2d@comcast.com>
Lines: 67
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.231.249.190
X-Trace: sv3-BC476JvY524CCPZ/z7f81mr9rc4FXD0/jOdhVgKaRG0L4vH/
lHNBzxryiJ+b37Djvl+noGCWCWLp43l!DTuTDEDYp8hUYafbgWfoBodTz+Sxi9Cq0L2nd2siTqt/
```

tBJAf2qKplPu1u9FwIudHPBBhkJAtbGw!PE+0SC4N2TfFptyzRISeOCsworflLnY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1169

For very accurate calculations of inflation, go here:

http://www.westegg.com/inflation/

What cost $300 in 1955 would cost $2173 in 2006 (the calculator
is based on the last completed year).

So a radio that costs $1400 today would have cost $193 in 1955
That Heathkit AT-1 transmitter that sold for $29.50 would cost $213
today - which actually sounds just about right to me - I would pay
that for an AT-1 'modern' kit were it available.

So all in all, things haven't changed all that much really in price terms.
But performance? Not even on the table - things we can do today in
a tiny space were not even science fiction in 1955, much less on the
radio store shelf.

But imagine if you could go back and order 2 or 3 of every Heathkit
from 1955 and stash them away until today. THAT would take care
of the inflation issue in a heartbeat on eBay! An unbuilt AT-1 today
would probably fetch $4000 or more...
--

"Ralph Mowery" <rmowery28146@earthlink.net> wrote in message
news:13hvvnmoieft1aa@corp.supernews.com...
>
> "Dave Platt" <dplatt@radagast.org> wrote in message
> news:gd85v4-r9o.ln1@radagast.org...
>>>   Thanks for taking the time to read this. I know next to nothing about
>>>this topic, however, the radio is not for me. It's for my dad. He was
>>>very
>>>active in radios from around WWII thru the 50s. His job and family came
>>>first though, so I guess he had to let some of his hobbies go. Since he's
>>>retired and doesn't get around as well as he used to, he's thinking about
>>>getting back into radio.
>>>
>>>   I think he got "sticker shock" when he looked at a trade magazine
>>>recently. I tried to tell him we aren't in the 50s anymore and he said
>>>"Yea,
>>>but dam they're high."
>>
>> Based on articles, I've seen, the prices for a typical HF rig these
>> days isn't all that much different from the prices for rigs back in

>> the 1950s, once you adjust for inflation.
>>
>
> If you adjust for inflation, the rigs of today are dirt cheep.
>
> A typical Johnson Viking would be around $ 300 and a receiver would be
> around $ 150 to $ 200. That is around $ 450 to $ 500 in 1955. I was not
> aroung those years, and don't know what the typical wages were, but they
> probably were under $ 1.00 an hour. For around $ 1500 you can get an Icom
> 746 Pro that will do things only dreamed about in the 50's. I bought one
> in March for $ 1400 after the rebate and free shipping with the matching
> power supply. The Icom 706 is a lot less than that. There are several
> lowband transceivers out now that are about half that .   That would only
> be 4 to 5 times the cost of the 50's station. The wages now are probably
> 10 times that or more.
>
> To top it all off most have more money left over now to buy things than
> they did in the 50's. I grew up then and many were lucky to have a used
> car about 5 or 6 years old. Now lots have atleast two cars and not too
> many are that old.
>
>

From -1644028323416307764
X-Google-Thread: 108122,e089783dd209e0d5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!feeder.news-service.com!ramfeed2.eweka.nl!eweka.nl!lightspeed.eweka.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-05!sn-ams!sn-feed-ams-01!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A decent amateur receiver/transmitter setup
Date: Fri, 26 Oct 2007 13:09:27 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13i47q7dd6bimae@corp.supernews.com>
References: <jIWdnWgsx7dTe4LanZ2dnUVZ_qKgnZ2d@comcast.com> <gd85v4-r9o.ln1@radagast.org> <13hvvnmoieft1aa@corp.supernews.com> <i8GdnYtB_p9ljL_anZ2dnUVZ_vmlnZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 44
Xref: g2news2.google.com rec.radio.amateur.equipment:1170

"None" <None@none.com> wrote in message
news:i8GdnYtB_p9ljL_anZ2dnUVZ_vmlnZ2d@comcast.com...
>
> For very accurate calculations of inflation, go here:
>
> http://www.westegg.com/inflation/
>
> What cost $300 in 1955 would cost $2173 in 2006 (the calculator
> is based on the last completed year).
>
> So a radio that costs $1400 today would have cost $193 in 1955
> That Heathkit AT-1 transmitter that sold for $29.50 would cost $213
> today - which actually sounds just about right to me - I would pay
> that for an AT-1 'modern' kit were it available.
>
> So all in all, things haven't changed all that much really in price terms.
> But performance? Not even on the table - things we can do today in
> a tiny space were not even science fiction in 1955, much less on the
> radio store shelf.
>
>

Thanks for the inflation calculator. I was just guessing on the wages in the middle 50's.

That shows I was in the ballpark. Now about the least expensive transceiver is an Icom at $ 550. Add about $ 150 for a power supply and you have $ 700 in a rig that would probalby out do the Collins rigs of the 50's that could cost from $ 1200 to almost $ 2000.   The Icom 7800 at $ 10,000 would maybe equal the best Collins in terms of the adjusted inflation. As you said that rig would almost be science fiction in the 50's.

As far as the AT-1 , I was given one that was in a bad state of repair about 15 years ago. Didn't do anything with it, but about 5 years later I gave it to a friend that wanted one to restore. He did a very good job of it, even had the chassie replated. Hard to tell what e-bay would get for an unbuilt kit. If it is like some of the others, I could retire and lead a good life if I had a couple of each of the unbuilt Heathkits. Around 1973 I did put together some of their low end test equipment. Still have the VTVM. In the 80's I bought a SB-101 from a ham that had put it together in the late 60's. For what it was, it was a very nice rig. Wish I had that one back.

From 8555514323738676341
X-Google-Thread: 10bf43,e4a67462e8285389
X-Google-Thread: fcc6e,12903e86f4493c31,start
X-Google-Thread: 108122,12903e86f4493c31,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!not-for-

mail
From: konstans@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: get kelp
Date: Fri, 26 Oct 2007 18:29:08 -0400
Organization: Aioe.org NNTP Server
Lines: 21
Message-ID: <9hq4i3l58d6q28s5gemvq4uj9b87pvtvvv@4ax.com>
References: <47223ff2$0$26420$88260bb3@free.teranews.com>
NNTP-Posting-Host: TmHJwZBlfsFb4PTyNysrcw.user.aioe.org
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
X-Newsreader: Forte Free Agent 3.3/32.846
Xref: g2news2.google.com rec.radio.amateur.policy:9527
rec.radio.amateur.antenna:7086 rec.radio.amateur.equipment:1171

On Fri, 26 Oct 2007 16:19:32 -0400, "an_old_friend"
<kornstains@hotmail.com> wrote:

>
the same old tired graphics

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/
altopia is never used by KB9RQZ
nor is Konstans@hotmail.com ever udsed on the usenet from anywhere but google

posts from these sorucees are fakes
but till at least terranews is back running well I might use anyserver that comes to hand

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

From -5588783634982295741
X-Google-Thread: 108122,7e3783fafeb52e83,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe21.lga.POSTED!53ab2750!not-for-mail
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)

```
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA :  LAFAYETTE DYNA-COM 23, 98% MINT, *COLLECTORS QUALITY*
Content-Type: multipart/alternative;
 boundary="------------040106090609030204000907"
Lines: 54
Message-ID: <dawUi.3429$uk.1405@newsfe21.lga>
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe21.lga 1193447177 69.122.55.64 (Fri, 26 Oct 2007 18:06:17 MST)
NNTP-Posting-Date: Fri, 26 Oct 2007 18:06:17 MST
Date: Fri, 26 Oct 2007 21:06:55 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1172

This is a multi-part message in MIME format.
--------------040106090609030204000907
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Hello, posting another radio for a friend.

Take a look is you like.

Thank you


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=130165510750
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=130165510750&ssPageName=STRK:MESE:IT&ih=003







--------------040106090609030204000907
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Hello, posting another radio for a friend.
<br>
<br>
Take a look is you like.
<br>
<br>
```

Thank you

```
<br>
<br>
<br>
<font size="+1"><font face="Arial"><a class="moz-txt-link-freetext" href="http://
cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=130165510750">http://
cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=1&amp;item=130165510750</a></font></
font><br>
<font size="+1"><font face="Arial"><a class="moz-txt-link-freetext" href="http://
cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=130165510750&ssPageName=STRK:MESE:IT&ih=003">http://
cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;rd=1&amp;item=130165510750&amp;ssPageName=STRK:MESE:IT&amp;ih=003</
a><br>
<br>
</font></font><span class="ebay"></span>
<h1 class="itemTitle"><small><small><small><br>
</small></small></small></h1>
<br>
<font size="+1"><font face="Arial"><br>
</font></font>
</body>
</html>

--------------040106090609030204000907--
```

```
From 1882375682454755822
X-Google-Thread: 10c2ee,ffcb546cf6e901a9,start
X-Google-Thread: 10ed5f,ffcb546cf6e901a9,start
X-Google-Thread: 108122,ffcb546cf6e901a9,start
X-Google-Thread: fc8b1,ffcb546cf6e901a9,start
X-Google-Attributes: gid10c2ee,gid10ed5f,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed0.kamp.net!newsfeed.kamp.net!newsfeed.freenet.de!feed.xsnews.nl!
border-2.ams.xsnews.nl!news.mixmin.net!news.bananasplit.info!news.dizum.com!sewer-
output!mail2news-x4!mail2news-x3!mail2news-x2!mail2news
From: Ted <nobody@pseudo.borked.net>
Newsgroups: rec.antiques.radio+phono,alt.ham-
radio,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: eBay: US Army Signal Corps BC-9 transceiver (1929)
Message-ID: <1189a286fea31bb27b34e25a6d10bb00@pseudo.borked.net>
Date: Fri, 26 Oct 2007 19:52:26 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.antiques.radio+phono:12769 alt.ham-radio:295
rec.radio.amateur.equipment:1173 rec.radio.amateur.boatanchors:1475
```

http://301url.com/BC9transceiver

```
From 8472366157298813415
X-Google-Thread: 108122,678876802980817a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,GB
Path: g2news2.google.com!postnews.google.com!y27g2000pre.googlegroups.com!not-for-
mail
From:  xjx588 <xjx_588@126.com>
Newsgroups: rec.radio.amateur.equipment
Subject: =?gb2312?B?ucW2raOoMTkxMi0xOTQ5o6nD8bn6tMmy6Lr4NTI4sNGhorTJxvc0MDC8/
qOsQW50aXF1ZSAxOTEyLTE5NDkgUG9yY2VsYWluIHRlYXBvdCA1MjggY2hpbmF3YXJlIDQwMCBpbnZpdGF
0aW9uIHZpc2l0?=
Date: Sat, 27 Oct 2007 00:13:49 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1193469229.049202.158320@y27g2000pre.googlegroups.com>
NNTP-Posting-Host: 60.187.185.93
Mime-Version: 1.0
Content-Type: text/plain; charset="gb2312"
Content-Transfer-Encoding: base64
X-Trace: posting.google.com 1193469232 27563 127.0.0.1 (27 Oct 2007 07:13:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 Oct 2007 07:13:52 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y27g2000pre.googlegroups.com; posting-host=60.187.185.93;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1174
```

```
QW50aXF1ZSAxOTEyLTE5NDkgUG9yY2VsYWluIHRlYXBvdCA1MjggY2hpbmF3YXJlIDQwMCBpbnZp
dGF0aW9uIHZpc2l0CndvcmxkIE9ubHkgcHVyZSB2YXJpZXR5IHRoZSBhbnRpcXVlIGNoaW5hd2Fy
ZSBzZXJpZXMgYmlnIGNvbGxlY3Rpb24KaGFzIHRoZSB2ZXJ5IGJpZyBjb2xsZWN0aW9uIHZhbHVl
IGFuZCB0aGUgZGV2ZWxvcG1lbnQgZ29vZApvcHBvcnR1bml0eSEhIQpXZWJzaXRlIGh0dHA6Ly93
d3cueGp4NTg4LmNvbQpFLW1haWwgeGp4XzU4OEB0b20uY29tCnhqeF81ODhAMTI2LmNvbQpBbnRp
cXVlIGNvbGxlY3Rpb24gbWV0cm9wb2xpcwpDaXR5IFNoZW5nemhvdSBaaGVqaWFuZyBDaGluYQpU
aGFua3MgIQpKaWFueGlvbmcgWHUKCgoKucW2raOoMTkxMi0xOTQ5o6nD8bn6tMmy6Lr4NTI4sNGh
orTJxvc0MDC8/qOsCsirsaPV5tbQu6rD8bn6tMmy6Lr4NTI4sNGhorTJxvc0MDC8/sfrudvJzaGj
Csfrz+nUxM7SzfjVvs28xqyhosu1w/ejrLKix+vBqs+1ztKjrNC70LujoQrQ7L2o0NsKucXS1dD5
ucW2rcrVstjWrra8Cs341b6jumh0dHA6Ly93d3cueGp4NTg4LmNvbQq159PKo7p4anhfNTg4QHRv
bS5jb20KICAgICAgeGp4XzU4OEAxMjYuY29tCrXnu7CjujA1NzUtODMxMDM3MzEKyta7+qO6MTMw
MDI2MzI3ODIK
```

```
From -923001151430354287
X-Google-Thread: 108122,9c61ab20f9db5d95,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny07.POSTED!dfc6e646!not-for-mail
```

From: geek <wpapps@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Clemens SG 83C FS on ebay #290175082850
Message-ID: <4d86i31c1rtek92btbod8s8eb02escqm77@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
Date: Sat, 27 Oct 2007 11:31:54 GMT
NNTP-Posting-Host: 71.190.199.92
X-Complaints-To: abuse@verizon.net
X-Trace: trndny07 1193484714 71.190.199.92 (Sat, 27 Oct 2007 07:31:54 EDT)
NNTP-Posting-Date: Sat, 27 Oct 2007 07:31:54 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1175

From 4954779015440507193
X-Google-Thread: 108122,de59426544c76707,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: TUBES + OTHER STUFF
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <%VFUi.284071$ax1.133641@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 1890850a694a9f68dc529bc9faa16363
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1193487099
1890850a694a9f68dc529bc9faa16363 (Sat, 27 Oct 2007 12:11:39 GMT)
NNTP-Posting-Date: Sat, 27 Oct 2007 12:11:39 GMT
Organization: AT&T Worldnet
Date: Sat, 27 Oct 2007 12:11:39 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1176

Have the current tubes listed at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

12AT7WA, 12BH7A, 12BY7
71A CERAMIC BASE
5691, 5692, 5693

Check back often:

Heytubeguy

```
From -8513661906040649444
X-Google-Thread: 10dafd,75cf1ee77f050924,start
X-Google-Thread: 1113b0,75cf1ee77f050924,start
X-Google-Thread: 108228,75cf1ee77f050924,start
X-Google-Thread: 108122,75cf1ee77f050924,start
X-Google-Thread: 1062f2,75cf1ee77f050924,start
X-Google-Attributes:
gid10dafd,gid1113b0,gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!fred
From: Fred <fred@sajkpqqf.com>
Newsgroups: alt.marketplace.online.ebay,rec.arts.books.marketplace,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: 1-Day-Left: 5 Books: DIGITAL LOGIC, DIGITAL ELECTRONICS,
MICROPROCESSORS, SYSTEM TECHNOLOGY, etc.
Date: Sat, 27 Oct 2007 10:12:10 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <271020071012100755%fred@sajkpqqf.com>
NNTP-Posting-Host: c-75-69-186-166.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1193494330 68107 75.69.186.166 (27 Oct 2007 14:12:10 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 27 Oct 2007 14:12:10 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:507759
rec.arts.books.marketplace:1866 alt.ham-radio.marketplace:329
rec.radio.amateur.equipment:1177 misc.industry.electronics.marketplace:130
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320173185057

```
From 3467525560333522108
X-Google-Thread: 10dafd,eb6b8a30bf3eceb9,start
X-Google-Thread: 1113b0,eb6b8a30bf3eceb9,start
X-Google-Thread: 108228,eb6b8a30bf3eceb9,start
X-Google-Thread: 108122,eb6b8a30bf3eceb9,start
X-Google-Thread: 1062f2,eb6b8a30bf3eceb9,start
X-Google-Attributes:
gid10dafd,gid1113b0,gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!fred
From: Fred <fred@sajkpqqf.com>
```

```
Newsgroups: alt.marketplace.online.ebay,rec.arts.books.marketplace,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: 1-Day-Left: 5 Books: ELECTRONICS, INTEGRATED CIRCUITS, SILICON
SEMICONDUCTORS, TI, Motorola, etc.
Date: Sat, 27 Oct 2007 10:12:29 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <2710200710122919O6%fred@sajkpqqf.com>
NNTP-Posting-Host: c-75-69-186-166.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1193494349 68107 75.69.186.166 (27 Oct 2007 14:12:29 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 27 Oct 2007 14:12:29 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:507760
rec.arts.books.marketplace:1867 alt.ham-radio.marketplace:330
rec.radio.amateur.equipment:1178 misc.industry.electronics.marketplace:131


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320173185071


From -2669362079078669972
X-Google-Thread: 10dafd,fa46bafc41296ea6,start
X-Google-Thread: 1113b0,fa46bafc41296ea6,start
X-Google-Thread: 108228,fa46bafc41296ea6,start
X-Google-Thread: 108122,fa46bafc41296ea6,start
X-Google-Thread: 1062f2,fa46bafc41296ea6,start
X-Google-Attributes:
gid10dafd,gid1113b0,gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!fred
From: Fred <fred@sajkpqqf.com>
Newsgroups: alt.marketplace.online.ebay,rec.arts.books.marketplace,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: 1-Day-Left: 6 Books: HAM RADIO, VACUUM TUBE and TRANSISTOR
ELECTRONICS, TUBES, AMATEUR RADIO, etc.
Date: Sat, 27 Oct 2007 10:12:48 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <27102007101248307 4%fred@sajkpqqf.com>
NNTP-Posting-Host: c-75-69-186-166.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1193494369 68107 75.69.186.166 (27 Oct 2007 14:12:49 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 27 Oct 2007 14:12:49 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
```

Xref: g2news2.google.com alt.marketplace.online.ebay:507761
rec.arts.books.marketplace:1868 alt.ham-radio.marketplace:331
rec.radio.amateur.equipment:1179 misc.industry.electronics.marketplace:132

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320173185107

From -2852767503211598479
X-Google-Thread: 108122,fa7895860f6ea864,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-sjc-01!
supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: AZDEN PCS 4000
Date: Sat, 27 Oct 2007 15:03:40 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0710271500090.10284@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 8
Xref: g2news2.google.com rec.radio.amateur.equipment:1180

Does anyone out there know how to store the memory chnls so they stay stored. I use the M "WRITE" button and poke in the chnl # hopeing that 2 external AAA batteries will keep the stuff locked in, but next time pwr up again all the Memories I had stored are right back to nothing at all.

Joe

From -5753167952868690683
X-Google-Thread: 108122,fa7895860f6ea864
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 27 Oct 2007 21:32:13 -0500
Reply-To: "Long time Ham" <s_p_a_m@comcast.net>
From: "Long time Ham" <s_p_a_m@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.64.0710271500090.10284@malasada.lava.net>
Subject: Re: AZDEN PCS 4000
Date: Sat, 27 Oct 2007 19:31:51 -0700
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198

```
X-RFC2646: Format=Flowed; Response
Message-ID: <P8OdnYH8CcIwab7anZ2dnUVZ_jKdnZ2d@comcast.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.161.24.55
X-Trace: sv3-jXL7flIzhLR6V6LD/pan6SZMMQV243tBVfmT82z+0pNQf2LcxxGnQtf4J8RBcbzi59fH/
rHklggWao7!4qf4b9XWViP/Ax/
5+yMLEEkACJ4+Z3y4vqFz0UV564fGhsRWJLNYslyB3pxRVrqs0PlosRHwJvis!
rJlIcZA1OR2fpmx0LOktfg7zv8X0
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1181

Read this thread and note that a ham is offering to copy the manual to some
who were inquiring.

http://www.eham.net/forums/BoatAnchors/1724


"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.64.0710271500090.10284@malasada.lava.net...
> Does anyone out there know how to store the memory chnls so they
> stay stored.  I use the M "WRITE" button and poke in the chnl  #
> hopeing that 2 external AAA batteries will keep the stuff locked
> in, but next time pwr up again all the Memories I had stored are
> right back to nothing at all.
>                             Joe
>
>




From 8910767934846859266
X-Google-Thread: fc2a5,9dbcba2913d85ee3,start
X-Google-Thread: 108228,9dbcba2913d85ee3,start
X-Google-Thread: 108122,9dbcba2913d85ee3,start
X-Google-Thread: fc8b1,9dbcba2913d85ee3,start
X-Google-Thread: 1109af,9dbcba2913d85ee3,start
X-Google-Attributes: gidfc2a5,gid108228,gid108122,gidfc8b1,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!dfc6e646!not-for-mail
From: geek <wpapps@verizon.net>
Newsgroups: rec.radio.amateur.homebrew,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.ra
dio.swap
Subject: FS: New Clemens SG 83C Signal Generator 50 KHz - 54 MHz
Message-ID: <4e09i39jjphh713rk08bugn67hs9kufv7t@4ax.com>
```

```
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Sun, 28 Oct 2007 12:40:37 GMT
NNTP-Posting-Host: 71.190.199.92
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1193575237 71.190.199.92 (Sun, 28 Oct 2007 08:40:37 EDT)
NNTP-Posting-Date: Sun, 28 Oct 2007 08:40:37 EDT
Xref: g2news2.google.com rec.radio.amateur.homebrew:1329 alt.ham-
radio.marketplace:332 rec.radio.amateur.equipment:1182
rec.radio.amateur.boatanchors:1484 rec.radio.swap:1511
```

See Ebay item # 290175082850   Auction ends Nov 2 2007

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=290175082850&ssPageName=STRK:MESE:IT&ih=019

```
From 8046046635112526478
X-Google-Thread: fc8b1,958794cf6f5e99ba,start
X-Google-Thread: 108122,958794cf6f5e99ba,start
X-Google-Thread: 106d41,958794cf6f5e99ba,start
X-Google-Thread: 114aac,958794cf6f5e99ba,start
X-Google-Thread: 1109af,958794cf6f5e99ba,start
X-Google-Attributes:
gidfc8b1,gid108122,gid106d41,gid114aac,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
nlpi069.nbdc.sbc.com.POSTED!62e3725b!not-for-mail
Reply-To: "Mike" <revellm@sbcglobal.net>
From: "Mike" <revellm@sbcglobal.net>
Newsgroups: rec.ham-
radio.swap,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equip
ment,rec.radio.cb,rec.radio.shortwave,rec.radio.swap
Subject: FA: Collins radio 51S HF Receiver - final days
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <pY0Vi.3109$Vx3.1744@nlpi069.nbdc.sbc.com>
NNTP-Posting-Host: 75.2.37.230
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi069.nbdc.sbc.com 1193581461 ST000 75.2.37.230 (Sun, 28 Oct 2007
10:24:21 EDT)
NNTP-Posting-Date: Sun, 28 Oct 2007 10:24:21 EDT
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
```

[[PGGWSECJWKBP\XN[O@_WH@YR_B@EXLLBWLOOAFBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Sun, 28 Oct 2007 10:23:13 -0500
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1487
rec.radio.amateur.equipment:1183 rec.radio.cb:4702 rec.radio.shortwave:15523
rec.radio.swap:1512

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&Item=140169962076&Category=4673&_trksid=p3907.m29

Thanks for looking

Mike
KF9QP

From 395567861239325001
X-Google-Thread: 1062f2,f0c30feb49dc6746,start
X-Google-Thread: 108122,f0c30feb49dc6746,start
X-Google-Thread: fc2a5,f0c30feb49dc6746,start
X-Google-Thread: 1109af,f0c30feb49dc6746,start
X-Google-Thread: 1131b0,f0c30feb49dc6746,start
X-Google-Attributes:
gid1062f2,gid108122,gidfc2a5,gid1109af,gid1131b0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!dfc6e646!not-for-mail
From: geek <wpapps@verizon.net>
Newsgroups:
misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.amateu
r.homebrew,rec.radio.swap,sci.electronics.repair
Subject: FA: New Clemens SG 83C Rare Vintage Signal Generator
Message-ID: <9rg9i3lotapt3ht140u15nj785467oekje@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Sun, 28 Oct 2007 17:16:55 GMT
NNTP-Posting-Host: 71.190.199.92
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1193591815 71.190.199.92 (Sun, 28 Oct 2007 13:16:55 EDT)
NNTP-Posting-Date: Sun, 28 Oct 2007 13:16:55 EDT
Xref: g2news2.google.com misc.industry.electronics.marketplace:133
rec.radio.amateur.equipment:1184 rec.radio.amateur.homebrew:1333
rec.radio.swap:1514 sci.electronics.repair:13101
X-Original-Bytes: 1146

Ebay auction ends Nov 2, 2007

```
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=290175082850&ssPageName=STRK:MESE:IT&ih=019


From 4134916766382285533
X-Google-Thread: 108122,d2f5fa6310b317c4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!news-
xxxfer.readnews.com!textspool1.readnews.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Best Ham Radio Web site?
From: Ed G <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 28 Oct 2007 17:55:21 GMT
Lines: 10
NNTP-Posting-Host: e41cb5e0.news.adtechcomputers.com
X-Trace:
DXC=NW;>4^^D2XO2@mA_I0]WTDgC4_A5:nI@A<<=aEgO;R8GZLA_RImZkFJ20_aA`]^k@LL0>e9mMFY6Cm
Y]T[clT;PA=ORl29:0b]I
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1185



   Although I frequently look for other sites,  I find EHam to be the best
over-all ham radio web site to browse regularly.   ( http://www.eham.com ).

   Does anyone else here suggest any other site with comparible quality and
breadth of topics?


   Ed   K7AAT


From -8366480511555555266
X-Google-Thread: 108122,d2f5fa6310b317c4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196>
In-Reply-To: <Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196>
Subject: Re: Best Ham Radio Web site?
Lines: 35
MIME-Version: 1.0
Content-Type: text/plain;
```

```
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <Rm4Vi.25743$1_2.24151@newsfe12.phx>
X-Complaints-To: admin@cox.net
NNTP-Posting-Date: Sun, 28 Oct 2007 11:17:21 MST
Organization: Cox
Date: Sun, 28 Oct 2007 11:17:17 -0700
Xref: g2news2.google.com rec.radio.amateur.equipment:1186


"Ed G" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196...
>
>
>   Although I frequently look for other sites,  I find EHam to be the best
> over-all ham radio web site to browse regularly.   (
> http://www.eham.com ).
>
>   Does anyone else here suggest any other site with comparible quality and
> breadth of topics?
>
>
>   Ed   K7AAT

See Alexa for Ham Site Ratings  - The most visited sites in all 'Amateur'
categories.
http://www.alexa.com/browse?&CategoryID=236
Best browse thru 30 or 40 of them and bookmark those that suit you.

Mega Sites with wide breadth of topics:
QSL.NET
EHAM.NET
QRZ.COM
ARRL.ORG
DXZONE.COM
N0HR.COM
AC6V.COM

Others in Alexa are specific such as DXing, Contesting, AMSAT, Data Sheets,
BoatAnchors, Manuals, Mods, RigPix, Ham News etc. Bookmark according to your
interests

73 Lamont



From 5491800942417491420
```

```
X-Google-Thread: 108122,d2f5fa6310b317c4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196>
In-Reply-To: <Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196>
Subject: Re: Best Ham Radio Web site?
Lines: 23
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <kJ4Vi.56086$054.2620@newsfe14.phx>
X-Complaints-To: admin@cox.net
NNTP-Posting-Date: Sun, 28 Oct 2007 11:41:20 MST
Organization: Cox
Date: Sun, 28 Oct 2007 11:41:16 -0700
Xref: g2news2.google.com rec.radio.amateur.equipment:1187
```

"Ed G" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196...

> Although I frequently look for other sites, I find EHam to be the best
> over-all ham radio web site to browse regularly. (
> http://www.eham.com).
>
> Does anyone else here suggest any other site with comparible quality and
> breadth of topics?
>
> Ed K7AAT

Minor correction ED it is eham.net -- not dot com i.e,
http://www.eham.net/

BUT http://www.eham.com MY BROWSER WILL TAKE U TO http://www.eham.net/

Lamont

From -5362958534588643219
X-Google-Thread: fb049,cfaa7119526dd4b3,start
X-Google-Thread: 108122,cfaa7119526dd4b3,start
X-Google-Thread: 1109af,cfaa7119526dd4b3,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!4f97008e!not-for-mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Kenwood TH25/45 rapid charger and battery
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <rE5Vi.173$gl1.137@trndny09>
Date: Sun, 28 Oct 2007 19:44:23 GMT
NNTP-Posting-Host: 71.162.167.144
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1193600663 71.162.167.144 (Sun, 28 Oct 2007 15:44:23 EDT)
NNTP-Posting-Date: Sun, 28 Oct 2007 15:44:23 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:558 rec.radio.amateur.equipment:1188 rec.radio.swap:1517

Low starting bid, low reserve, don't miss out.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=330181668464&ssPageName=STRK:MESE:IT&ih=014

From -2561601448188413659
X-Google-Thread: 10dafd,4849e8cf09c1ef48,start
X-Google-Thread: 108228,4849e8cf09c1ef48,start
X-Google-Thread: 108122,4849e8cf09c1ef48,start
X-Google-Thread: 1062f2,4849e8cf09c1ef48,start
X-Google-Attributes: gid10dafd,gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!jeff
From: Jeff <jeff@sjkpoiua.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplace
Subject: FA: Experimenter's 0-15 VOLT POWER SUPPLY, BREADBOARD, LABORATORY, MANUAL, etc.

```
Date: Sun, 28 Oct 2007 21:23:51 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <281020072123519506%jeff@sjkpoiua.com>
NNTP-Posting-Host: c-75-69-186-166.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1193621031 8801 75.69.186.166 (29 Oct 2007 01:23:51 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 29 Oct 2007 01:23:51 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:511756 alt.ham-
radio.marketplace:335 rec.radio.amateur.equipment:1189
misc.industry.electronics.marketplace:135


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320175879525


From -7909987874936852335
X-Google-Thread: 108122,56400c6290649d37,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Jeff James <w2nbc@optonline.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Buy and Sell your Tube Gear!
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <E0cVi.11950$U07.9217@newsfe12.lga>
Date: Sun, 28 Oct 2007 22:59:48 -0400
NNTP-Posting-Host: 68.196.6.3
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1193626788 68.196.6.3 (Sun, 28 Oct 2007 19:59:48 MST)
NNTP-Posting-Date: Sun, 28 Oct 2007 19:59:48 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:1190

The Boatanchor Classifieds..
Free classifieds dedicated to vintage Amateur Radio..

http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi

Thanks for your support


From 7629417170191329735
X-Google-Thread: 108122,d2f5fa6310b317c4
```

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Pat" <wb2dbh@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196>
Subject: Re: Best Ham Radio Web site?
Date: Mon, 29 Oct 2007 17:04:46 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Lines: 19
Message-ID: <47264aff$0$16452$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1191

I like www.hamwave.com



"Ed G" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196...
>
>
>   Although I frequently look for other sites,  I find EHam to be the best
> over-all ham radio web site to browse regularly.   (
> http://www.eham.com ).
>
>   Does anyone else here suggest any other site with comparible quality and
> breadth of topics?
>
>
>   Ed   K7AAT




From -3660923825348464827
X-Google-Thread: 108122,cea30d465f95d645,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!z9g2000hsf.googlegroups.com!not-for-
mail
From:  djdubuque@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: 10m/6m Club
Date: Mon, 29 Oct 2007 15:28:53 -0700
```

```
Organization: http://groups.google.com
Lines: 10
Message-ID: <1193696933.793154.281470@z9g2000hsf.googlegroups.com>
NNTP-Posting-Host: 98.204.15.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1193696934 16223 127.0.0.1 (29 Oct 2007 22:28:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 29 Oct 2007 22:28:54 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z9g2000hsf.googlegroups.com; posting-host=98.204.15.2;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1192
```

Club has been on the web for over 3 months now and is growing at a
alarming rate. If you are into 10m or 6m ham operations then come
visit the clubs website. We are looking for writers and
photographers. We just had our first contest and conditions were
poor. But we did have a winner.

73

www.10-6-club.com

```
From 5622684202000480240
X-Google-Thread: 108122,c4782f170c147d68,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!19g2000hsx.googlegroups.com!not-for-
mail
From:  michael.white@charter.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Motorola Astro Spectra VHF mobiles
Date: Mon, 29 Oct 2007 18:17:28 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1193707048.376473.306960@19g2000hsx.googlegroups.com>
NNTP-Posting-Host: 71.14.140.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1193707048 10398 127.0.0.1 (30 Oct 2007 01:17:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 Oct 2007 01:17:28 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686 (x86_64); en-US; rv:1.8.1.6)
Gecko/20070809 Fedora/2.0.0.6-2.fc8 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 19g2000hsx.googlegroups.com; posting-host=71.14.140.78;
```

posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1193

Hi all,

I picked up five Motorola Astro Spectra VHF mobile radios at a Motorola employee auction here in Ft. Worth, Texas. I guess they were stuffed in the corner some where in the factory, because they're all still in their boxes. All have cables, speakers, microphones, manuals, and of course the radio itself, model D04KKH9PW7AN (see http://www.batlabs.com/astromob.html for what this means). All but one includes the trunnion mounting bracket. They include options G806AA (Astro Digital ?), G51AA (Enhanced Smartnet), W797AP (Encryption DVP-?), W544AK (3 db Gain Antenna), G133AB, and G239AC (internal options).

I've powered them all up and done some basic tests (buttons all work, PTT seems to work, speaker works, etc...). I don't have RSS or a RIB, so I can't program them, but there's no reason why they shouldn't work.

All are in new or like new condition: no scratches, plastic still covering the display, most accessories still in bubble wrap or plastic bags, etc.... The boxes are the original boxes, with serial and model numbers matching the radios.

Is there any interest in these before I plop them on E-bay? Previous E-bay sales have these going for $400-$500 each, but usually in an obviously used condition.

Email or call me at 817-231-7384.

Thanks,
Michael White
michael.white@charter.net

From -8760736183422773834
X-Google-Thread: 108122,d2f5fa6310b317c4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 Oct 2007 06:04:58 -0500
Date: Tue, 30 Oct 2007 07:05:56 -0400
From: James Barrett <xucaen@comcast.net>
User-Agent: Thunderbird 2.0.0.6 (X11/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Best Ham Radio Web site?
References: <Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196>

```
In-Reply-To: <Xns99D76F1E8FC3EHuckleberryREMOVEbig@198.186.192.196>
X-Enigmail-Version: 0.95.3
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <bPOdnTyEwoVHkrranZ2dnUVZ_rHinZ2d@comcast.com>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 66.30.129.113
X-Trace: sv3-
FLI08fkLGLJpJnisqeJ8zS9ngdmEUt4zDn1gipKanezD44OLocLEhkqyjWHUf7qYWf8slqIPJ5cx6wF!
o+NJHCnTnxF95Zzvw6sJM0t0ZxBoo42UTN1K4pyCb6ef+QVIsK4aa+PPWLaQh32Nr7NAD5sCzHp8!
laPKo6Hss7G8lGX2xCf+n4nrid4XGg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1194

-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

Ed G wrote:
>    Although I frequently look for other sites,  I find EHam to be the best
> over-all ham radio web site to browse regularly.   ( http://www.eham.com ).
>
>    Does anyone else here suggest any other site with comparible quality and
> breadth of topics?
>
>
>    Ed   K7AAT


I recently discovered http://www.hamuniverse.com/


Jim
-----BEGIN PGP SIGNATURE-----
Version: GnuPG v1.4.6 (GNU/Linux)

iD8DBQFHJxAUQuDJiZ/QrH0RAvGNAJ99CxB6efZ6TY/HQoMn60kOhyFF4wCcDILL
iopHGLzE6xOmz9igllyylj4=
=7tW5
-----END PGP SIGNATURE-----


From 1782437637531147021
X-Google-Thread: 108122,b69458400e8c01fe,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!lon-
transit.news.telstra.net!lon-spool.news.telstra.net!lon-in.news.telstra.net!
```

news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
Reply-To: "David" <dwhuisman@bigpond.com>
From: "David" <dwhuisman@bigpond.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help with Vector Voltmeter measurements
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <7XWVi.7101$CN4.3598@news-server.bigpond.net.au>
Date: Wed, 31 Oct 2007 08:22:27 GMT
NNTP-Posting-Host: 121.217.214.116
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1193818947 121.217.214.116 (Wed, 31 Oct 2007 19:22:27 EST)
NNTP-Posting-Date: Wed, 31 Oct 2007 19:22:27 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.equipment:1195

I recently purchased an older model HP8753 Vector network analyzer. It came with the reflection test set and calibration standards.

I have looked for some time on the net and cannot find any documents that describe how to make practical measurements.

Initially I want to characterise some passive components (caps etc) and I also want to be able to measure the unput impedance of an active device.

Can someone please point me in the right direction or maybe explain how I set up a test. I have seen responses in books showing the impedance of a capacitor and the self resonant response but when I connect a Cap to the test port on the reflection test set I can see the correct capacitance curve on the Smith chart display but when I switch to mag, the line is flat acorss the band. I cannot tell from the Smith Chart where it is self responant.

Thanks in advance for any help

Regards

David

From -4362571172515807695
X-Google-Thread: 108122,ec254c696713d96d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!

```
nx01.iad01.newshosting.com!newshosting.com!198.186.194.247.MISMATCH!news-
out.readnews.com!news-xxxfer.readnews.com!newspeer1.nwr.nac.net!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 31 Oct 2007 20:53:53 -0500
Date: Wed, 31 Oct 2007 21:53:54 -0400
From: afcsman <afcsman@hotmail.com>
Reply-To: afcsman@hotmail.com
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.8) Gecko/
20071009 SeaMonkey/1.1.5
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  MFJ-974 Balanced Line Tuner
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <8bOdnRU-UOQsrLTanZ2dnUVZ_tjinZ2d@comcast.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 69.246.99.197
X-Trace: sv3-
AlbiQTIrQZYushZY6eyBfdTVNzF165J71LUy5EAcef5K1FSwIqXJ771+LviobvEuS2OhrFOj93ttPUl!
NnbY/wIhdsffaAJmMViooSn+xkI8StZ5ZgkeN9qN84B0J73r5ItO5Lzt7w6rJiC3Q/KsG5DB2E6p!
ja7G45vQ4cHv1lKNywaVCDWwwZUl6g==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1196
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=200168425941&ssPageName=STRK:MESE:IT&ih=010

Continuous 3.5-30 MHz, good for Amateur bands and serious SWL.

Rated 300 watts PEP, 150 watts CW, built-in Cross-Needle SWR/Power meter with 0-30 and 0-300 watt scales, measuring Average and Peak Power.

This tuner uses a T-network that is advertised to match 20-2000 ohm loads. Designed for Balanced Lines, it can also be configured for Coax lines and random long wires.

It might not "load the bedsprings," but should make your Xcvr happy in most other situations.

--W9NPI

```
From 4574152246703021315
X-Google-Thread: 108122,ec254c696713d96d
X-Google-Attributes: gid108122,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 01 Nov 2007 10:58:08 -0500
Date: Thu, 01 Nov 2007 11:58:08 -0400
From: Deek <david.shrader@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: MFJ-974 Balanced Line Tuner
References: <8bOdnRU-UOQsrLTanZ2dnUVZ_tjinZ2d@comcast.com>
In-Reply-To: <8bOdnRU-UOQsrLTanZ2dnUVZ_tjinZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <TbOdnQrlx7cNarTanZ2dnUVZ_rignZ2d@comcast.com>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.62.151.30
X-Trace: sv3-LB9pADvDUUu/
XP0+RUqYvftI0c3O6VqPS1F3Nw9Hk6HWQPWRPgoLlaZSF6Oqf8h0ajNLwK5jQv7SBle!/
7H+N+i2O88Zv3hUujgTRloNmmJJr9MaaebSU7YbsG+xyDG4aEysLB574vxQ7KW4omgRQCCUjUTI!
ONTcOTA2MygklEHZUdAFZMMscGMg
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1197

afcsman wrote:

> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=200168425941&ssPageName=STRK:MESE:IT&ih=010
>
>
>
> Continuous 3.5-30 MHz, good for Amateur bands and serious SWL.
>
> Rated 300 watts PEP, 150 watts CW, built-in Cross-Needle SWR/Power meter
> with 0-30 and 0-300 watt scales, measuring Average and Peak Power.
>
> This tuner uses a T-network that is advertised to match 20-2000 ohm
> loads. Designed for Balanced Lines, it can also be configured for Coax
> lines and random long wires.
>
> It might not "load the bedsprings," but should make your Xcvr happy in
> most other situations.
>
> --W9NPI

A decent 'TRUE' balanced line tuner. I own one and have it dedicated to my
IC-746 with a balanced feedline to a CF Doublet.

Not interested in buying this one, just posting an endorsement.

From -8063689609704774892
X-Google-Thread: 108122,49de90127f549df7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!posts.news.usenetmonster.com!
nnrp3.asbnva.usenetmonster.com!not-for-mail
From: "JimL" <jimbethladd@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help with Kenwood TS 830S
Date: Thu, 1 Nov 2007 12:51:00 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 4
Message-ID: <472a1079$0$2614$ec3e2dad@news.usenetmonster.com>
Organization: Usenet Monster - http://www.usenetmonster.com
NNTP-Posting-Host: ed7a6a12.news.usenetmonster.com
X-Trace: DXC=X9De?NW`UYRgQ1kI:0j?
GQm>XX`Id5knX`IohDjb_78\YG8>OJZkm0RS@nCFQNo27TV]UnmY7I`F^GdkLWN=Z0@UaAWFA]14o<Xo\o
2L1mGZUZE60@:lB74JQ
X-Complaints-To: killthespammer@usenetmonster.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1198

Greetings - my TS 830S will not transmit CW in the vox delay mode. Works
fine in the 'normal' CW mode. Any suggestions. Tnx Jim

From -4621789469394157711
X-Google-Thread: 108122,ec254c696713d96d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.251.MISMATCH!transit4.readnews.com!news-xxxfer.readnews.com!
textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: MFJ-974 Balanced Line Tuner
From: Ed G <Huckleberry_REMOVE_@bigvalley.net>
References: <8bOdnRU-UOQsrLTanZ2dnUVZ_tjinZ2d@comcast.com>

<TbOdnQrlx7cNarTanZ2dnUVZ_rignZ2d@comcast.com>
Organization: Your Company
Message-ID: <Xns99DB7D02C98C2HuckleberryREMOVEbig@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 01 Nov 2007 19:17:18 GMT
Lines: 15
NNTP-Posting-Host: b7545d05.news.adtechcomputers.com
X-Trace:
DXC=V;Xb1DKf=G\8KWe<nmWO6[gC4_A5:nI@Q<<=aEgO;R8WjEEL3Ihn[cV9;i^g9;e40WQjo<[F9ZR]_J
4iD3U<K_l]C<dcd0Z\Q`V
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1199

> A decent 'TRUE' balanced line tuner. I own one and have it dedicated
> to my IC-746 with a balanced feedline to a CF Doublet.
>
> Not interested in buying this one, just posting an endorsement.
>

I'll second that endoresement - I, too have been using the MFJ-974H to feed my W7FG 80M Dipole with ladder line and it has been the best over-all antenna system I've had in decades.

Ed   K7AAT

From 6779653011498256831
X-Google-Thread: 108122,3240825d72d269ce,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v3g2000hsg.googlegroups.com!not-for-mail
From: WB5RVZ <rrrobson@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: DSO 2150 USB Oscilloscope
Date: Thu, 01 Nov 2007 19:24:12 -0000
Organization: http://groups.google.com
Lines: 11
Message-ID: <1193945052.001460.99930@v3g2000hsg.googlegroups.com>
NNTP-Posting-Host: 69.149.81.217
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1193945052 8507 127.0.0.1 (1 Nov 2007 19:24:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 1 Nov 2007 19:24:12 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)

```
Complaints-To: groups-abuse@google.com
Injection-Info: v3g2000hsg.googlegroups.com; posting-host=69.149.81.217;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1200
```

Anyone have any experience with or knowledge of the DSO 2150 USB
Oscilloscope. I see it on Ebay and the price looks too good to be
true (Chinese-made).

I am just getting into homebrewing and can see a scope would be a good
addition to my DVM to help me troubleshoot projects.

I'd appreciate any feedback. All I can find on the web is the ebay
listings for this product.
tx es 73 de robby wb5rvz

```
From 7669345622510340896
X-Google-Thread: 108122,3240825d72d269ce
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: DSO 2150 USB Oscilloscope
From: Ed G <Huckleberry_REMOVE_@bigvalley.net>
References: <1193945052.001460.99930@v3g2000hsg.googlegroups.com>
Organization: Your Company
Message-ID: <Xns99DB92D2AF00DHuckleberryREMOVEbig@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 01 Nov 2007 21:25:56 GMT
Lines: 20
NNTP-Posting-Host: a05ee0b2.news.adtechcomputers.com
X-Trace:
DXC=Q[fHSG4m_]8[oSJ=8Q]]P1gC4_A5:nI@1<<=aEgO;R872d2T^;`N>485RhaQEP=M6>Qjo<[F9ZR]?
J4iD3U<K_l=7FJ04I`mi>9
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1201
```

> Anyone have any experience with or knowledge of the DSO 2150 USB
> Oscilloscope. I see it on Ebay and the price looks too good to be
> true (Chinese-made).
>
> I am just getting into homebrewing and can see a scope would be a good
> addition to my DVM to help me troubleshoot projects.
>
> I'd appreciate any feedback. All I can find on the web is the ebay
> listings for this product.
> tx es 73 de robby wb5rvz
>

>

I'm a little leery on this, but really am not familiar with this type of modern scope apparatus to offer any valid opinion on it. Personally, I prefer the older high quality units you can find on EBay for about the same price, such as a Tektronics 465.

Ed K7AAT

From -575043826974662473
X-Google-Thread: 108122,4d35835706dcbb5e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder2-2.proxad.net!62.253.162.218.MISMATCH!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe6-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "m0pkz" <kesux@mail.ru>
Newsgroups: rec.radio.amateur.equipment
Subject: For sell:Kenwood TS-450SAT + MC-60 + VHF DJ-190 + Pic keyer!!!
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <63sWi.119465$j16.36905@newsfe6-gui.ntli.net>
Date: Thu, 01 Nov 2007 22:03:46 GMT
NNTP-Posting-Host: 86.14.201.127
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe6-gui.ntli.net 1193954626 86.14.201.127 (Thu, 01 Nov 2007 22:03:46 GMT)
NNTP-Posting-Date: Thu, 01 Nov 2007 22:03:46 GMT
Organization: ntl Cablemodem News Service
Xref: g2news2.google.com rec.radio.amateur.equipment:1202

On eBay: http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=320177560839

Check bellow what you are getting for one price!!!

Kenwood TS-450SAT Review at eHam : http://www.eham.net/reviews/detail/989
Lovely Kenwood. Superb condition. Tunes any antenna. Covering 160 through 10 meters including the WARC bands with 100 watts output. From Non-smoking environment.
---> with YK-88C1 CW Filter 500 Hz [8.83 MHz IF !!!
---> Power Cord
---> Instruction, external control & Service manual's!!!

Kenwood MC-60 desk mic Review at eHam :
http://www.eham.net/reviews/detail/1112
The Kenwood MC-60A has been a popular desk mic among Kenwood owners for many years. It has a communication type dynamic unidirectional moving coil type

mic element. It features UP-DOWN tuning plus a built-in pre-amp. There is a switch for PTT (push to talk) and also a lock feature. The mic impedance may be set for 50K ohms or 500 ohms. The frequency response is 150 Hz to 10 kHz (-6dB) with the Preamp off and 200 Hz to 7 kHz (-6 dB) with the Preamp on. The heavy zinc die-cast base provides extra stability. The mic terminates to a standard 8 pin mic plug. The preamp requires two AA cells which are mounted through the bottom of the base.

VHF Alinco DJ 190 Review at eHam : http://www.eham.net/reviews/detail/3076
Alinco DJ-191 Hand-Held 2m Transceiver with extra battery and antenna. Fully working condition!!!

DL4YHF Pic Keyer with memory!!! More info at:
http://freenet-homepage.de/dl4yhf/pic_key.html
Record & Play up to 2 cw messages. The Speed range from 20 to 300 letters per minute. With full manual and schematic.

From -7605580493619032262
X-Google-Thread: 108122,3240825d72d269ce
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!transit4.readnews.com!panix!panix1.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: DSO 2150 USB Oscilloscope
Date: Thu, 1 Nov 2007 19:19:50 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 62
Message-ID: <Pine.NEB.4.64.0711011858030.20735@panix1.panix.com>
References: <1193945052.001460.99930@v3g2000hsg.googlegroups.com>
NNTP-Posting-Host: panix1.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader1.panix.com 1193959192 26565 166.84.1.1 (1 Nov 2007 23:19:52 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 1 Nov 2007 23:19:52 +0000 (UTC)
In-Reply-To: <1193945052.001460.99930@v3g2000hsg.googlegroups.com>
X-Original-Bytes: 4345
Xref: g2news2.google.com rec.radio.amateur.equipment:1203

On Thu, 1 Nov 2007, WB5RVZ wrote:

> Anyone have any experience with or knowledge of the DSO 2150 USB
> Oscilloscope. I see it on Ebay and the price looks too good to be
> true (Chinese-made).
>

> I am just getting into homebrewing and can see a scope would be a good
> addition to my DVM to help me troubleshoot projects.

I've been homebrewing for a couple of years now and have bought several scopes at hamfests for exactly that reason: they give you invaluable information.

If you can develop the patience, get your scopes at a hamfest (or see below) and be prepared to go to several spread out over at least a year.

Know what you want before you go. My work is all at low HF frequencies (below 5 mHz) so I didn't need high spec high bandwidth. You need to be able to ask the guys selling the stuff what the history is and be wary of vague answers. Some guys have inverters and will be glad to offer to show you that it works (go for it). A hint on bandwidth is what the time base will go down to. One microsecond per division means a megacycle (Hz to the newtimers), so the rolloff will decrease sensitivity at progressively higher freq. Be wary of dust level, loose knobs and shafts, a stickyness on the surface of the outside (as if it was in a restaurant oil frying kitchen for 20 years), etc. The problems I have run into with old used scopes is that they have not been turned on for 20-30 years, and within an hour or two of being on, burns out something and then its dead. Another problem I've had is jitter/intermittents (and not due to dirty switches, but you can have that problem, too). Be wary of scopes with a limited vertical sensitivity range (such as one Heathkit scope that goes 1x, 10x, and 100x). The older tecktronix scopes are excellent. I have the notion that the newer ones (being much more complicated) are hard to fix (and I've been inside some of mine). Look for manuals (particularly if you might think you will someday be fixing it) and that you might need a second scope to fix the first, or vice-versa. I remember the 564 series which had parts (and tubes) all spread out like crazy, but easy to find everything, easy to get a soldering iron in, etc. But, they can develop problems that are hard to trace, etc. If you have a chance to buy two, then you can use the second one for spare parts or signal clues when tring to fix the first one. I'd also consider, preferably, to see you do a google search for used oscilloscope dealers who will give you something like a 30 day warranty as a normal feature of the sale. You scope arrives busted, or craps out within the warranty, then you have a fallback.

This year I went to a bunch of hamfests. First hamfest, I bought two, one not so good and the other one crapped out on me. After several more hamfests and nothing or nothing I wanted, the last fest yielded five scopes for me, one old RCA (tube) and four Tektronix 5100 (three) and 922 (one) boxes and paid about $100, total, for all of them. Walk around and get interested
near the end; you will find guys who _really_ want to not take them home again and are lowing the price every 10-15 minutes. One of the five had serious problems and I'm saving it for spare parts, spare scope tube.

I also like analog VOMs better than DVMs.

> I'd appreciate any feedback. All I can find on the web is the ebay
> listings for this product.
> tx es 73 de robby wb5rvz

>
>

From 2510262341295981850
X-Google-Thread: 108122,c0218a3169846e1a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!208.49.83.146.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
Date: Fri, 02 Nov 2007 06:25:11 -0500
From: charlie <charlie79329@yahoo.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.13) Gecko/20060414
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Stuff for sale
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <36a41$472b073f$cf9b2d12$2258@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 6
X-Trace: 36a41472b073f6a3e88b702258
Xref: g2news2.google.com rec.radio.amateur.equipment:1204

I have several Motorola Syntors, Micors, with control heads, cables and all stuff. Let me know what you need and if you will pay shipping it is yours. I am cleaning out my shop and need the room. I will try and make a list.

Charlie Brown

From 555493001768361327
X-Google-Thread: 108122,b69458400e8c01fe
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-mail
From: frequencyhopper@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help with Vector Voltmeter measurements
Date: Sat, 03 Nov 2007 03:52:16 -0000
Organization: http://groups.google.com
Lines: 23
Message-ID: <1194061936.326668.105750@22g2000hsm.googlegroups.com>
References: <7XWVi.7101$CN4.3598@news-server.bigpond.net.au>
NNTP-Posting-Host: 24.8.135.4
Mime-Version: 1.0

Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1194061936 6346 127.0.0.1 (3 Nov 2007 03:52:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 3 Nov 2007 03:52:16 +0000 (UTC)
In-Reply-To: <7XWVi.7101$CN4.3598@news-server.bigpond.net.au>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; .NET CLR 3.0.04506),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=24.8.135.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1205

Hi David,

You wrote:

> Initially I want to characterise some passive components (caps etc) and I
> also want to be able to measure the unput impedance of an active device.

When you measure a passive component, you may want to measure the
capacitor shunted on the transmission line. Consider, in your mind,
what will happen at DC and at infinite frequency when these two
different signals see this network. At DC, the capactitor is an open,
so we should have full power transfer, and at infinite freq, the
"ideal" capacitor is a short, so we should have zero transfer of
power. Obviously, this is not the case of a real capacitor. It acts
like a capacitor up until it hits it's self resonant frequency (SRF)
then it starts becoming more inductive as you increase in frequency.
You should see this on your log plot when you measure S21 insertion
loss with the capacitor shunted on a transmission line between ports 1
and 2.

FH

From -7331734382444256696
X-Google-Thread: 108122,e547dcd6daeb3778,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!z9g2000hsf.googlegroups.com!not-for-mail
From: frequencyhopper@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: RF Filter PCBs
Date: Sat, 03 Nov 2007 03:54:22 -0000
Organization: http://groups.google.com
Lines: 5
Message-ID: <1194062062.825168.312070@z9g2000hsf.googlegroups.com>
NNTP-Posting-Host: 24.8.135.4
Mime-Version: 1.0

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1194062063 16429 127.0.0.1 (3 Nov 2007 03:54:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 3 Nov 2007 03:54:23 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; .NET CLR 3.0.04506),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z9g2000hsf.googlegroups.com; posting-host=24.8.135.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1206
```

If you need to build up a lumped element filter, check out RF Filter
PCBs sold at RF Bites.

http://www.rfbites.com

```
From -8646440281391348458
X-Google-Thread: 10dafd,8ec4a999ef9e5d96,start
X-Google-Thread: 108228,8ec4a999ef9e5d96,start
X-Google-Thread: 108122,8ec4a999ef9e5d96,start
X-Google-Thread: 1062f2,8ec4a999ef9e5d96,start
X-Google-Attributes: gid10dafd,gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!milton
From: Milton <milton@mklpoiusa.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: 1-Day-Left: Experimenter's 0-15 VOLT POWER SUPPLY, BREADBOARD,
LABORATORY, MANUAL, etc.
Date: Sat, 03 Nov 2007 09:58:34 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <0311200709583463O3%milton@mklpoiusa.com>
NNTP-Posting-Host: c-75-69-186-166.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1194098311 65133 75.69.186.166 (3 Nov 2007 13:58:31 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 3 Nov 2007 13:58:31 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:522086 alt.ham-
radio.marketplace:339 rec.radio.amateur.equipment:1207
misc.industry.electronics.marketplace:142
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320175879525

```
From -7237343564992055 65
X-Google-Thread: 108122,e7eebcd58816fc03,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!
53ab2750!not-for-mail
From: Steve <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA :  LAFAYETTE DYNA-COM 23  ***COLLECTORS QUALITY***
Content-Type: multipart/alternative;
 boundary="------------080205090905010707020606"
Lines: 38
Message-ID: <4I1Xi.32$2v7.9@newsfe08.lga>
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe08.lga 1194108800 69.122.55.64 (Sat, 03 Nov 2007 09:53:20 MST)
NNTP-Posting-Date: Sat, 03 Nov 2007 09:53:20 MST
Date: Sat, 03 Nov 2007 12:54:09 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1208
X-Original-Bytes: 2138

This is a multi-part message in MIME format.
--------------080205090905010707020606
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Posting for Barry.

Take a look if you desire.


http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=003&sspagename=STRK%3AMESE%3AIT&viewitem=&item=130167999763&rd=1




--------------080205090905010707020606
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
```

```
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial">Posting for Barry.<br>
<br>
Take a look if you desire.<br>
<br>
<br>
<a class="moz-txt-link-freetext" href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=003&sspagename=STRK%3AMESE%3AIT&viewitem=&item=130167999763&rd=1">http
://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;ih=003&amp;sspagename=STRK%3AMESE%3AIT&amp;viewitem=&amp;item=1301679
99763&amp;rd=1</a><br>
<br>
<br>
</font></font>
</body>
</html>

--------------080205090905010707020606--
```

```
From -8989904882802832386
X-Google-Thread: 108122,5823721ea88c6f5a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o38g2000hse.googlegroups.com!not-for-
mail
From:  martywittrock@juno.com
Newsgroups: rec.radio.amateur.equipment
Subject: Running Multimode Appllication (MixW) with SW-only headset audio break-
in...?
Date: Sat, 03 Nov 2007 16:22:01 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1194132121.139666.251380@o38g2000hse.googlegroups.com>
NNTP-Posting-Host: 69.66.36.174
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1194132121 6214 127.0.0.1 (3 Nov 2007 23:22:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 3 Nov 2007 23:22:01 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.8.1.8)
Gecko/20071008 Firefox/2.0.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o38g2000hse.googlegroups.com; posting-host=69.66.36.174;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1209
```

Looking for an application (or applications running concurrently) or an approach to use a internet headset on my desktop or laptop for voice, while doing MixW (2.18) for Multimode operations. Ideally I'd like to use the soundcard output from the desktop or laptop for the multimode operation and be able to break-in with voice when needed - -

or for that matter use it as my default mode for voice ops (software
only - no rigblaster or similar hardware). Ideally I'd like to use
the line out as the method for input mic audio to my Kenwood 140S
(I'll trim the input for correct audio level with a potentiometer).

Has anyone done this with software apps only? And preferably using
MixW?

Thanks es 73's - KN0CK
Marty

From -8966943958321510520
X-Google-Thread: 108122,d6cfb3d96d5193bf,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 04 Nov 2007 11:13:00 -0600
From: R8E en France <R8E.en.France.173b2d5@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ITT Mackay MSR 5050 bite test
Date: Sun, 4 Nov 2007 14:40:57 +0000
Message-ID: <R8E.en.France.173b2d5@radiobanter.com>
Organization: RadioBanter.com
Lines: 7
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 87.106.71.43
X-Trace: sv3-R78YvtW5I6a2yf9f54cVx5zqfljQxewHe+I594B3O4BpGtJ23zKx1/
mprzJ9pq6btxB8rB/+D9nDZBj!
kUhTlWNeqphmoARHWs3BfThZL1kezVuMcT+H6xwKIKsIx0XlAN3DiGwQdmYvhEq8aULiyo3VbQVw!
j4gkTibViONF
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
X-Original-Lines: 1
Xref: g2news1.google.com rec.radio.amateur.equipment:13150

Does anybody knows how to BITE-test a receiver ITT Mackay MSR 5050 ?

--
R8E en France

```
From 4466794866725958032
X-Google-Thread: 108122,6e9a430abfe91bab,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.metrocastcablevision.com!news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 04 Nov 2007 11:53:58 -0600
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: GE PORTA-MOBILE I MICROPHONE
Date: Sun, 4 Nov 2007 12:54:04 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <EZidnRCFSe6rmrPanZ2dnUVZ_sytnZ2d@metrocastcablevision.com>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.9.4.229
X-Trace: sv3-JBas3vqH05jwlbdjR1458X0n9uMFv2u9pNRwEIUMT7YyUBZtpvwDCOLOQWSJj/
VG4fciReJYaR7POb/!8BMLPUfGUMWthKL+wW39kgNLXpmSEq2wx/
dNDdzcphpFhHKpZcvPD0UHwAf9j0Fy5OdJGaDI1Yv7!RhQPUY/sRs+dItpfSEvpakmHR/uBQJO/
PUnKUSV3cFk=
X-Complaints-To: abuse@metrocastcablevision.com
X-DMCA-Complaints-To: abuse@metrocastcablevision.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:13151
```

FOR SALE

GE PORTA-MOBILE I MICROPHONE: Model EM33D hand microphone (Shure),
color GE blue-gray, 4-pin connector, good condition.
Price:$10, Shipping: Buyer Expense, Pay By: US Postal Money Order
Return Policy: No Returns, Contact: BOB, W5BTC,
Email: dc2light(at)md(dot)metrocast(dot)net .

```
From -7002826871053847236
X-Google-Thread: 108122,ac27e47011d8ac4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!uns-
out.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!VERMONTEL.NET-
a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ham Radio Stores in Washington DC Metro Area ???
Date: Thu, 04 Oct 2007 21:36:47 -0400
Message-ID: <m75bg3hj5lel497obhbu9rc3el1rl9munr@4ax.com>
References: <1191183723.605472.265660@k79g2000hse.googlegroups.com>
<dab1g3lsidhlkkqc4iu68ktrpk8j8il935@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-46-138.vermontel.net
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
X-Complaints-To: abuse@usenetserver.com
Lines: 25
X-Trace: 3c895470595297de7c94b10180
Xref: g2news2.google.com rec.radio.amateur.equipment:1061

On Mon, 01 Oct 2007 08:32:16 +0000, iwouldntknow
<iwouldntknow@iwouldntknow.nospam.no> wrote:

>On Sun, 30 Sep 2007 13:22:03 -0700, Andiroo <a.richman@btinternet.com> wrote:
>
>>All
>>
>>I am visiting Bethesda Maryland later this year and wondered what
>>amateur radio stores there are (if any) in the locality i.e. Northern
>>Virginia, DC, MD, Baltimore etc?
>>
>>Interested in picking up a bit of kit to make use of current �1=$2
>>
>>Thanks
>>
>>Andy
>
>Check www.hamradio.com for their store in Woodbridge VA.  What you may consider
is going
>to the store, ordering and have it shipped to an out-of-state address (like to
your hotel
>in MD or DC).  There is no sales-tax on out-of-state shipments but there is on
store
>delivery.  Sales tax rate 5%.

While it is a longer ride, HRO in New Castle Delaware is in a tax free
state.
>


From 3124359794361972712
X-Google-Thread: 108122,db532ee2de59b9e5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 04 Oct 2007 21:34:06 -0500
From: Barnard Peters <one@two.com>
Organization: well
Subject: Re: VoiceMax Speech Processor - Special Auction Units
Date: Thu, 04 Oct 2007 20:34:05 -0600
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Message-Id: <pan.2007.10.05.02.34.01.365245@blueplanet>
Newsgroups: rec.radio.amateur.equipment
References: <1191243299.557951.238770@g4g2000hsf.googlegroups.com>
<1191473082.029473.239270@d55g2000hsg.googlegroups.com>
<fe39nm$67q$1@stable.tornevall.net>
Reply-To: three@four.com
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 33
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.8.221.21
X-Trace: sv3-44xUgHtK6yc8M/
bu4ruT3C7OopVdZN0FuqWpV0beBUcgVKoKHlKQcxWUvW8BXZgVs9D3ibvdhVFDAwn!sXxk8fN2zvFWhTR/
6YhgG2t4ALhNZKoi/9J+ahOuTtjJ0J8ktmeo5x7U0hXupodEk7AzMjSkYzs7!R5/
RBcw6J7mSGVD7i0vuTvU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1062

On Thu, 04 Oct 2007 14:15:13 -0400, Radioisfun wrote:

>
> "cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in message
> news:1191473082.029473.239270@d55g2000hsg.googlegroups.com...
>> On Oct 1, 6:54 am, Telstar Electronics <briangrif...@sbcglobal.net>
>> wrote:
>>> Customers that paid $39.99 are overjoyed with VoiceMax Speech
>>> Processor... see for yourself
>>> athttp://feedback.ebay.com/ws/eBayISAPI.dll?ViewFeedback2&userid=telsta...
>>>
>>> But... we want to spread the word about VoiceMax faster. So we are
>>> offering some units on Ebay at auction. Don't miss your chance to
>>> significantly increase the range of your radio with this revolutionary
>>> new device. We are so sure you will love VoiceMax... we offer a money-
>>> back guarantee. Don't waste your money on power mics... when VoicMax
>>> will outperform ANY power mic on the
>>> planet!http://search.ebay.com/search/search.dll?
from=R40&_trksid=m37&satitle...
>>>
>>> Not sure if you have the ability to install VoiceMax? Check out the

>>> installation/operation manual
>>> athttp://www.telstar-electronics.com/VoiceMax%20B.pdf
>>>
>>> Have additional questions? See the most frequently asked questions
>>> athttp://www.telstar-electronics.com/voicemax.htm
>>
>> Business is that bad huh?
>>
>>
> The fool has ONE BID!

What's the deal on VoiceMax? Was thinking of getting one myself for the noise gate.

From 6260605439463300203
X-Google-Thread: 108122,e7dee0081f62f15a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Oct 2007 02:05:13 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1191378089.924986.25950@d55g2000hsg.googlegroups.com>
Subject: Re: Yaesu FT-212 S meter question
Date: Fri, 5 Oct 2007 02:05:33 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <SPWdnV0PzY-0f5janZ2dnUVZ_vOlnZ2d@comcast.com>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 98.193.11.151
X-Trace:
sv3-9spx2hLnbPjHlkKCZnPqqyms6AnRT0HvFT8SFSNKbDwhXE79VzEVbuzyHiNW1I2RqKnIPWzNaOo5dx
Y!1Bb1bMv6AjFDpoDR/sp6t3jJvAjklZJMVEKBZVdPyGkTOM5I5/c9wdjau8ahJs1oIWNrfgc5sn2G!
MdWoBMz3XE50AKRnRZmmAZo2W06gsA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1063

I would hook it up to a signal generator with a calibrated attenuator first, just to make sure that you don't have a blown front end device. Also, you will be able to see how many microvolts are required to "move the meter". You should be able to easily hear a 0.1uV signal from the generator.

Pete

"Craig" <dxer@aol.com> wrote in message
news:1191378089.924986.25950@d55g2000hsg.googlegroups.com...
>   I recently bought a used Yaesu FT-212RH, in very good condition,
> everything seems to work fine.
> Though the S-meter is a somewhat odd or very, very stingy.
>
> When talking to people simplex, the s-meter (bars) either dont show
> any signal strength at all or very little, even when the simplex
> station is strong. When listening to repeaters the s-meter bar lights
> show up in varying signal strengths, so I know the S-meter does work.
>
> Does someone have a service manual or know how to adjust this S-
> meter.
>
> Thank You
>

From -3152313790825360322
X-Google-Thread: 108122,a3a4cbf010d2b7a3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-mail
From: bluehyhena@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: HP 8594E Cal question
Date: Fri, 05 Oct 2007 03:33:45 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1191580425.115336.223120@22g2000hsm.googlegroups.com>
NNTP-Posting-Host: 121.219.132.168
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191580425 28153 127.0.0.1 (5 Oct 2007 10:33:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 5 Oct 2007 10:33:45 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Suise,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=121.219.132.168;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1064

I am having difficulty getting my HP8594 to zero the trace at -80dbm on the screen. Even after i run the self calibration routine the trace is about 2 db above the bottom. Does anyone know how to zero the trace line so it sits on the bottom of the screen or do i have a problem

```
with my unit?

Greg



From 2727588974749289226
X-Google-Thread: 108122,80cf9aeaaee30851,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: "Kenneth Grimm, K4XL" <grimm@sbc.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: GPS gurus please read
Message-ID: <kfjcg31ic23bhrtp3f0qa3bjj85rqjsidm@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Fri, 05 Oct 2007 10:49:47 -0400
NNTP-Posting-Host: 75.105.242.141
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1191595802 75.105.242.141 (Fri, 05 Oct 2007 08:50:02 MDT)
NNTP-Posting-Date: Fri, 05 Oct 2007 08:50:02 MDT
Organization: Internet News Service
X-Received-Date: Fri, 05 Oct 2007 08:50:02 MDT (news.sisna.com)
Xref: g2news2.google.com rec.radio.amateur.equipment:1066

I'm in the market for a GPS gadget, but I can't seem to find one that
does everything that I want.  The new whizbang "turn left in 100
ft....50 ft....turn now" kind don't seem to have a Latitude and
Longitude readout for exact positioning.   What I know about APRS
would fill a book, but for the time being I'm mainly interested in
getting directions through some large cities and also being able to
report my exact position for HFTA antenna system purposes.  Does such
a gadget exist? Thanks for any leads.

Ken K4XL
k4xl@arrl.net

*** BoatAnchor Manual Archive ***
On the web at http://bama.sbc.edu and http://bama.edebris.com
FTP site info: bama.sbc.edu login: anonymous p/w: youremailadr


From -1271229472715452264
X-Google-Thread: 108122,ea10bbfb45829c87,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g4g2000hsf.googlegroups.com!not-for-
```

mail
From: W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: SG-2000 ADSP2 150 watt DSP HF Marine SSB Transceiver
Date: Fri, 05 Oct 2007 12:05:37 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1191611137.956088.188270@g4g2000hsf.googlegroups.com>
NNTP-Posting-Host: 66.177.9.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191611138 26098 127.0.0.1 (5 Oct 2007 19:05:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 5 Oct 2007 19:05:38 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.7)
Gecko/20070914 Firefox/2.0.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g4g2000hsf.googlegroups.com; posting-host=66.177.9.35;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1067

I have For Sale aN SG-2000 ADSP2 (Digital Singal Processing) 150 watt HF transceiver.

This Unit is for both Amateur radio and Marine radio use.

It transmitts and receives CONTINUOUSLY from 1.8 Mhz to 30 Mhz with no gaps. USB, LSB, CW & AM.

The unit is electronically perfect, the front panel is perfect. There are a few scratches on the top of the case.

It comes with the mic, DC power cord, all metal base and quick start card. Updated manual is available for Free online.
I will ship internationally.

The price is $1,050 plus actual shipping charges.

You can email me at: w7gsa@yahoo.com (w7gsa at yahoo.com) or you can phone me at 904-821-5055 9am to 9pm eastern time.

For more detailed information go to: - - http://sgcworld.com/Publications/Manuals/ADSP2Head.pdf

Please email me for pictures.

I will also consider a trade for a 400 to 600 watt HF amp, like an SG-500 or similar.

Bill
W7GSA

```
From 5832086762819495856
X-Google-Thread: 108122,ea10bbfb45829c87
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!news-
xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: FS: SG-2000 ADSP2 150 watt DSP HF Marine SSB Transceiver
From: Steveo <moparholic@hotmail.com>
Organization:                      even not
Message-ID: <20071005180540.594$P0@newsreader.com>
Newsgroups: rec.radio.amateur.equipment
References: <1191611137.956088.188270@g4g2000hsf.googlegroups.com>
X-NRC-Trace: NewsReader.Com X1SezsitrNw9C.sYjvx=IuvLfRFjtYkvBlr-sURxj3XXVn
Date: 05 Oct 2007 22:05:37 GMT
Lines: 36
NNTP-Posting-Host: 67f1434f.nr2.newsreader.com
X-Trace: DXC=[jHa0E]N50HQ6>0R@;>e\@OA8_@f\K_iBaQ6g14UKj>JgFFdFHe2\
\MiJ;iV2YAoGE;7<d]m1Z1BKoL0o5IKddRA
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1068

W7GSA <iamw7gsa@gmail.com> wrote:
> I have For Sale aN SG-2000 ADSP2 (Digital Singal Processing) 150 watt
> HF transceiver.
>
> This Unit is for both Amateur radio and Marine radio use.
>
> It transmitts and receives CONTINUOUSLY from 1.8 Mhz to 30 Mhz with no
> gaps. USB, LSB, CW & AM.
>
> The unit is electronically perfect, the front panel is perfect. There
> are a few scratches on the top of the case.
>
> It comes with the mic, DC power cord, all metal base and quick start
> card.  Updated manual is available for Free online.
> I will ship internationally.
>
> The price is $1,050 plus actual shipping charges.
>
> You can email me at: w7gsa@yahoo.com ( w7gsa at yahoo.com) or you can
> phone me at 904-821-5055 9am to 9pm eastern time.
>
> For more detailed information go to: - -
> http://sgcworld.com/Publications/Manuals/ADSP2Head.pdf
>
> Please email me for pictures.
>
> I will also consider a trade for a 400 to 600 watt HF amp, like an
> SG-500 or similar.
>
```

```
> Bill
> W7GSA
>
How about an eagle 515?

--
                     http://NewsReader.Com/


From -1801471026333348692
X-Google-Thread: 108122,ac27e47011d8ac4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!novia!border2.nntp.dca.giganews.com!
nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc08.POSTED!0c4dd59f!not-for-mail
From: Tom Horne <hornetd@veriqrmzon.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ham Radio Stores in Washington DC Metro Area ???
References: <1191183723.605472.265660@k79g2000hse.googlegroups.com>
<dab1g3lsidhlkkqc4iu68ktrpk8j8il935@4ax.com>
<m75bg3hj5lel497obhbu9rc3el1rl9munr@4ax.com>
In-Reply-To: <m75bg3hj5lel497obhbu9rc3el1rl9munr@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 32
Message-ID: <IqANi.674$d2.359@trnddc08>
Date: Sat, 06 Oct 2007 00:13:28 GMT
NNTP-Posting-Host: 71.251.48.146
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1191629608 71.251.48.146 (Fri, 05 Oct 2007 20:13:28 EDT)
NNTP-Posting-Date: Fri, 05 Oct 2007 20:13:28 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1069

X-rated Vermonter wrote:
> On Mon, 01 Oct 2007 08:32:16 +0000, iwouldntknow
> <iwouldntknow@iwouldntknow.nospam.no> wrote:
>
>> On Sun, 30 Sep 2007 13:22:03 -0700, Andiroo <a.richman@btinternet.com> wrote:
>>
>>> All
>>>
>>> I am visiting Bethesda Maryland later this year and wondered what
>>> amateur radio stores there are (if any) in the locality i.e. Northern
>>> Virginia, DC, MD, Baltimore etc?
>>>
>>> Interested in picking up a bit of kit to make use of current �1=$2
>>>
>>> Thanks
```

>>>
>>> Andy
>> Check www.hamradio.com for their store in Woodbridge VA. What you may consider is going
>> to the store, ordering and have it shipped to an out-of-state address (like to your hotel
>> in MD or DC). There is no sales-tax on out-of-state shipments but there is on store
>> delivery. Sales tax rate 5%.
>
> While it is a longer ride, HRO in New Castle Delaware is in a tax free
> state.

Since I'm on the north side of Washington DC anyway that is a useful bit
of info. Trouble is I can't get there without paying a toll and driving
an extra hour. So it would have to be a really big ticket item to make
it worth while. But if I order on line into Maryland were HRO does not
have a brick and mortar store I can duck the sales tax and the toll.
--
Tom Horne, W3TDH

From -7096523113577391650
X-Google-Thread: 108122,80cf9aeaaee30851
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GPS gurus please read
From: Bert Hyman <bert@iphouse.com>
References: <kfjcg31ic23bhrtp3f0qa3bjj85rqjsidm@4ax.com>
Organization: Not that you'd notice
Message-ID: <Xns99C0CCA7B8942VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 06 Oct 2007 01:06:48 GMT
Lines: 28
NNTP-Posting-Date: 05 Oct 2007 20:06:48 CDT
NNTP-Posting-Host: 416eb3fd.newsreader.iphouse.net
X-Trace:
DXC=k:0T_CDdZ11CI:;NBhEB\8Vn\Tj8`^Bb;eHS>e[L>830IgJaHEJ7GM8c230oU7d711X7@2h;nGb4=Q]kP<Cj:UA0
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1070

In news:kfjcg31ic23bhrtp3f0qa3bjj85rqjsidm@4ax.com "Kenneth Grimm, K4XL"
<grimm@sbc.edu> wrote:

> ... but for the time being I'm mainly interested in
> getting directions through some large cities and also being able to
> report my exact position for HFTA antenna system purposes. Does such
> a gadget exist?

All of the current Garmin mapping handhelds will do that.

For US buyers, out of the box, they have a crude "basemap" of the US with Interstates and major roads within cities, but you can buy detailed maps of north America for navigation.

https://buy.garmin.com/shop/shop.do?cID=145
http://www.garmin.com/cartography/

Even without extra-cost maps, they all show latitude and longitude and most have NMEA outputs for connecting to external devices.

I have a 76CSx that I'm quite happy with.

https://buy.garmin.com/shop/shop.do?cID=145&pID=351

I'm sure the other makers have essentially similar products.

--
Bert Hyman   St. Paul, MN bert@iphouse.com

```
From 3245058195987265461
X-Google-Thread: 108122,4ffd400b51d9f5a9,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o80g2000hse.googlegroups.com!not-for-
mail
From:  DeserTBob's Futile Efforts <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RCA SOUNDTAPE MAG LOADED CARTRIDGE RECORDER W/REEL ADAPTER-FOR SALE
Date: Sat, 06 Oct 2007 04:24:07 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1191669847.017022.46450@o80g2000hse.googlegroups.com>
NNTP-Posting-Host: 209.74.17.125
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191669847 27421 127.0.0.1 (6 Oct 2007 11:24:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 Oct 2007 11:24:07 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o80g2000hse.googlegroups.com; posting-host=209.74.17.125;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1071
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=140163935255&ssPageName=STRK:MESE:IT&ih=004

http://cgi.ebay.com/ws/eBayISAPI.dll?

ViewItem&rd=1&item=140163931717&ssPageName=STRK:MESE:IT&ih=004

```
From -7113501879989219444
X-Google-Thread: 108122,1daa530e8bd2dcc8
X-Google-Thread: fc8b1,1daa530e8bd2dcc8
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Reply-To: "Larry" <lama1@highstream.ent>
From: "Larry" <lama1@highstream.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <fdb432$mqo@unix1.cc.ksu.edu>
<sddKi.79675$Lu.62240@bignews8.bellsouth.net>
Subject: Re: My Simpson 260 won't zero on Rx1 scale even with new batteries...
Date: Sat, 6 Oct 2007 14:40:46 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 26
Message-ID: <4707d6da$0$20600$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.209.10.147
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1072
rec.radio.amateur.boatanchors:1284
```

That 11.2 ohm is what happened to mine.That will keep it from zeroing. Those precision wire wound resistores for that meter were a little hard to find.
Good luck.
"Randy or Sherry Guttery" <comcents@bellsouth.net> wrote in message
news:sddKi.79675$Lu.62240@bignews8.bellsouth.net...

```
> mcalhoun@ksu.edu wrote:
>> NOTE:  Crossposted to r.r.amateur.equipment AND r.r.a.boatanchors
>>
>> The Rx100 scale on my old Simpson 260 VOM zeroes nicely, but the Rx1
>> scale won't zero even with new batteries.  I haven't looked inside,
>> but is there an internal pot or something I can tweak so it can be
>> zeroed on the Rx1 scale?
>
> No, it's either a (very) bad connection - or quite possibly a cooked R16 -
> check it - it takes a beating in 260s (should be 11.2 ohms)...
>
>
> regards,
> --
> Sherry
>
```

```
> A Tender Tale - a page dedicated to those Ships and Crews
> so vital to the United States Silent Service:
> http://tendertale.com




From -3915960794954248473
X-Google-Thread: 108122,1daa530e8bd2dcc8
X-Google-Thread: fc8b1,1daa530e8bd2dcc8
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: My Simpson 260 won't zero on Rx1 scale even with new batteries...
From: Ed G <Huckleberry_REMOVE_@bigvalley.net>
References: <fdb432$mqo@unix1.cc.ksu.edu>
<sddKi.79675$Lu.62240@bignews8.bellsouth.net>
<4707d6da$0$20600$4c368faf@roadrunner.com>
Organization: Your Company
Message-ID: <Xns99C17AF814C32HuckleberryREMOVEbig@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 06 Oct 2007 19:05:15 GMT
Lines: 12
NNTP-Posting-Host: 2db9a7a9.news.adtechcomputers.com
X-Trace:
DXC=PbP_eQWiZ1maYllZHZcXVggC4_A5:nI@a<<=aEgO;R8g\YdNkHgdG0fl0hLmGa:NIdQjo<[F9ZR]o<
M;h8?0`0maGgQhE7`?P1a
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1073
rec.radio.amateur.boatanchors:1285


> That 11.2 ohm is what happened to mine.That will keep it from zeroing.
> Those precision wire wound resistores for that meter were a little
> hard to find. Good luck.

   I would suppose that if one used some fairly high resistance wire, and
had the resistance / foot data for that wire,  that they could "wind"
their own 11.2 ohm resistor.   I may do that with my 260 some time.


   Ed




From 8855580909500904110
X-Google-Thread: 108122,ace1cbfdd19c0b8c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-
```

mail
From: ebohnn@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: Solid State 300 to 600 watt HF Amplifier
Date: Sun, 07 Oct 2007 00:13:51 -0000
Organization: http://groups.google.com
Lines: 18
Message-ID: <1191716031.567511.327500@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 66.177.9.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191716031 30640 127.0.0.1 (7 Oct 2007 00:13:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 7 Oct 2007 00:13:51 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.7)
Gecko/20070914 Firefox/2.0.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=66.177.9.35;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1074

I would like to buy a good quality solid state 300 to 600 watt HF amp,
like an SG-500 or similar.

The amp should be in good to excellent condition both physically and
electronically, with full output power.

The amp can operate off of 110vac or 13.8 vdc.

I can pay you with a cashier's check, post office money order or
PayPal...which ever you prefer.

If you have one available, please email me at w7gsa@yahoo.com

Thanks,

Bill
W7GSA

From -5900883958564813490
X-Google-Thread: fcc6e,a8543ded9617f3,start
X-Google-Thread: 11480d,a8543ded9617f3,start
X-Google-Thread: 108122,a8543ded9617f3,start
X-Google-Thread: fc2a5,a8543ded9617f3,start
X-Google-Thread: 10b9c8,a8543ded9617f3,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.251.MISMATCH!news-out.readnews.com!transit4.readnews.com!panix!

panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Followup-To: poster
Date: 7 Oct 2007 02:05:02 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Nov 2007 01:05:01 -0000
Message-ID: <radio/ham-radio/recruitment-1-1191737101@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1191737103 17465 166.84.1.2 (7 Oct 2007 06:05:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Oct 2007 06:05:03 +0000 (UTC)
Summary: Recruitment announcement for ham-radio-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, radio, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.antenna:6364 rec.radio.amateur.dx:210
rec.radio.amateur.equipment:1075 rec.radio.amateur.homebrew:1195
rec.radio.info:293

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/ham-radio/recruitment
Revision: 1.1 2007/09/29 18:42:47
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/personal-intro/

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

 radio/personal-intro
 Subject: Guide to the rec.radio Newsgroups
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 9 Nov 2001 06:18:17 GMT
 Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated

maintainer at this time, rather than start auto-posting the original
article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

From -8685660438168000074
X-Google-Thread: 108122,81cd9fd7876afb0d,start
X-Google-Thread: 1109af,81cd9fd7876afb0d,start
X-Google-Thread: 10b9c8,81cd9fd7876afb0d,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix2.panix.com!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Followup-To: poster
Date: 7 Oct 2007 02:10:01 -0400
Organization: rec.radio.info Moderation Team
Lines: 39
Approved: rec-radio-info@panix.com
Distribution: world
Expires: 09 Nov 2007 01:10:01 -0000
Message-ID: <radio/swap/recruitment-1-1191737401@panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1191737401 28867 166.84.1.2 (7 Oct 2007 06:10:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 7 Oct 2007 06:10:01 +0000 (UTC)
Summary: Recruitment announcement for radio-swap-related FAQ articles
Keywords: FAQ, Intro, amateur, ham, shortwave, scanner, monitoring,radio, swap,
buy, sell, trade, recruit, recruitment
Xref: g2news2.google.com rec.radio.amateur.equipment:1076 rec.radio.swap:1362
rec.radio.info:294

Posted-By: auto-faq 3.3.2 beta (PGPMoose V2.0, Perl 5.005)
Archive-name: radio/swap/recruitment
Revision: 1.1 2007/09/29 18:42:57
Posting-Frequency: posted monthly
URL: http://www.faqs.org/faqs/radio/swap-guide

Changes followed by "|".

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

 radio/swap-guide
 Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
 Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
 Last Posted: 6 Nov 2001 19:25:51 GMT
 Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

```
From 8985133887157392585
X-Google-Thread: 108122,1323a0af04c45b0b,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Realistic Pro-2006 Scanner
Date: Sun, 07 Oct 2007 08:40:49 -0500
Organization: netINS InterNetNews site
Lines: 2
Message-ID: <p6ohg31ooodis728u6pfqof02nnev6ale5@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1191764432 30750 67.55.159.6 (7 Oct 2007 13:40:32 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 7 Oct 2007 13:40:32 +0000 (UTC)
```

```
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:1077

Please take a look. Thanks
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=170156529749



From 8575138755418433896
X-Google-Thread: 108122,2f04aeebfcc9e54f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Garmin GPS 3 Plus
Date: Sun, 07 Oct 2007 08:43:42 -0500
Organization: netINS InterNetNews site
Lines: 2
Message-ID: <0iohg31tgv039ukmche66d39mq0f7tn64q@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1191764605 30750 67.55.159.6 (7 Oct 2007 13:43:25 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 7 Oct 2007 13:43:25 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:1078

Please take a look. Thanks
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=170156535200



From 8880927018651368986
X-Google-Thread: 108122,8cc1d89f42a990cf,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o3g2000hsb.googlegroups.com!not-for-
mail
From:  matrixknowledge@googlemail.com
Newsgroups: rec.radio.amateur.equipment
Subject: HandHeld  2M/70cms for use in USA / UK
Date: Sun, 07 Oct 2007 12:02:16 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1191783736.276626.235370@o3g2000hsb.googlegroups.com>
NNTP-Posting-Host: 217.150.112.99
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191783736 15844 127.0.0.1 (7 Oct 2007 19:02:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 7 Oct 2007 19:02:16 +0000 (UTC)
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o3g2000hsb.googlegroups.com; posting-host=217.150.112.99;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1079
```

All

If i were to purchase a hand held 2m / 70cms transceiver would it have
the same transmit coverage as those i can buy in the UK?

Many thanks

Andy
M3ZLN

```
From 3731399000760196962
X-Google-Thread: 108122,a3de8404fef648da,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 Oct 2007 14:45:41 -0500
Date: Sun, 07 Oct 2007 15:50:57 -0400
From: James Barrett <xucaen@comcast.net>
User-Agent: Thunderbird 2.0.0.6 (X11/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood K2AT power supply
X-Enigmail-Version: 0.95.3
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <xb6dnSUJBMH4qpTanZ2dnUVZ_rSinZ2d@comcast.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 66.30.129.113
X-Trace: sv3-M8nb4lQovkv+AMDSgdSantpwqfWlIxKATYRdTn/
9n5kiBSPHBzLMmYoL1bafiI3bL5rUbYYNOs+7gfJ!
pEnsZV5LwgAAR9ejexu8Mub4uI1UQStKGSgvzxJtI+Wkomf9NmgNV/wSwhxxomBfQcTG9cbZgSUs!
wlS5ycFsyNq0A9zUygHYFKJfTeVkNw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1080
```

-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

I have a question for anyone who owns a Kenwood K2AT hand held and uses an external DC Power supply. Page 9 of the owner's manual says that the voltage must be between 12.0v and 16.0v (page 9) but does not say what the amps should be. I read somewhere out there that 1.8A should be used. However, the picture in the owner's manual shows a DC cable (the PG-2W) with 4A fuses. Other radio's use 3A, so I am wondering if the K2AT can handle 3A, especially considering that the PG-2W has 4A fuses in it.

Is 3A safe for my K2AT?

thanks,

Jim

-----BEGIN PGP SIGNATURE-----
Version: GnuPG v1.4.6 (GNU/Linux)

iD8DBQFHCTihQuDJiZ/QrH0RAj7cAKDHIrgF3E0lJtL5FnLivwrbVkIwVgCdGuTx
d0/0A8Z1H0ORBBP6eH1FZ2U=
=d7TJ
-----END PGP SIGNATURE-----

```
From 2617943226542194387
X-Google-Thread: 108122,a3de8404fef648da
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!news.astraweb.com!
border1.a.newsrouter.astraweb.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
sn-xt-ams-06!sn-xt-ams-05!sn-ams!sn-feed-ams-02!sn-ams!sn-feed-ams-03!sn-post-
ams-02!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood K2AT power supply
Date: Sun, 7 Oct 2007 20:17:25 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13gitof8scbed73@corp.supernews.com>
References: <xb6dnSUJBMH4qpTanZ2dnUVZ_rSinZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news2.google.com rec.radio.amateur.equipment:1081
```

"James Barrett" <xucaen@comcast.net> wrote in message

news:xb6dnSUJBMH4qpTanZ2dnUVZ_rSinZ2d@comcast.com...
> -----BEGIN PGP SIGNED MESSAGE-----
> Hash: SHA1
>
> I have a question for anyone who owns a Kenwood K2AT hand held and uses
> an external DC Power supply. Page 9 of the owner's manual says that the
> voltage must be between 12.0v and 16.0v (page 9) but does not say what
> the amps should be. I read somewhere out there that 1.8A should be used.
> However, the picture in the owner's manual shows a DC cable (the PG-2W)
> with 4A fuses. Other radio's use 3A, so I am wondering if the K2AT can
> handle 3A, especially considering that the PG-2W has 4A fuses in it.
>
> Is 3A safe for my K2AT?
>
> thanks,
>

You are not the only one to ask the same question.

The radio will only draw as much current as it needs. It is only the voltage that maters and it must be what the rig is rated for. The power supply must be able to put out the ammount of current needed or more. As long as the voltage is within the correct range, you could hook it up to a 100 amp supply if that is what you have.
You should have a fuse in the line rated at whatever the manufactor says. This will reduce the damage and save the wiring and power supply if something does gowrong with the Kenwood.

Think of it as hooking up somethin to the 120 volt AC outlet in your house. As long as the device is rated around 120 volts AC it will only take what it needs, be it a 5 watt night light or a 1200 watt heater or hair dryer.

From -419739096901015590
X-Google-Thread: 108122,8cc1d89f42a990cf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-03!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HandHeld 2M/70cms for use in USA / UK
Date: Sun, 7 Oct 2007 20:22:17 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13giu1k7lf4i2bd@corp.supernews.com>
References: <1191783736.276626.235370@o3g2000hsb.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original

```
X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news2.google.com rec.radio.amateur.equipment:1082


<matrixknowledge@googlemail.com> wrote in message
news:1191783736.276626.235370@o3g2000hsb.googlegroups.com...
> All
>
> If i were to purchase a hand held 2m / 70cms transceiver would it have
> the same transmit coverage as those i can buy in the UK?
>
> Many thanks
>
> Andy
> M3ZLN
>
Probably not with out some modifications.  The USA bands are usually wider
than other countries.  Many rigs will have a jumper or two that can be cut
or added to change the frequency coverage , especially the transmittter.

I don't know if it is permitted in other countries, but in the USA we can
cut the wires so it will cover more than we are licened to transmitt on.
Just can not transmitt there.  Other countries may be differant.




From 1019767516515442455
X-Google-Thread: 108122,8cc1d89f42a990cf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!news-out.readnews.com!
news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HandHeld  2M/70cms for use in USA / UK
Date: Mon, 8 Oct 2007 01:25:48 +0000 (UTC)
Organization: MGT Consulting
Lines: 35
Message-ID: <slrnfgj1l8.7ta.gsm@cable.mendelson.com>
References: <1191783736.276626.235370@o3g2000hsb.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89.138.228.62
X-Trace: marvin.inside.misty.com 1191806748 23203 89.138.228.62 (8 Oct 2007
01:25:48 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Mon, 8 Oct 2007 01:25:48 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:1083

 matrixknowledge@googlemail.com wrote:
> If i were to purchase a hand held 2m / 70cms transceiver would it have
```

> the same transmit coverage as those i can buy in the UK?

Possibly. The U.S. 2m band is 144-148 mHz, the U.K. is 144-146. Most radios sold in the U.S. are able to transmit on the entire band. It would work in the U.K., but there may be legal restrictions on importing them. At one time didn't the police use channels in 146-148 mHz?

70CM is different. The FM portion of the band in the U.S. is 440 mHz, in the U.K. 430. Some handhelds will transmit on both, some won't. Again there may be legal issues about importing a radio that transmits "out of band".

The other issue is repeaters. At one time all Euopean repeaters used a 1750 Hz tone to "unlock" them. This was transmitted to bring the repeater out of standby and during normal usage it was not needed once "unlocked".

U.S. repeaters never used the tone, if they used anything (and by now probably all do), they used subuadible continuous tones (CTCSS or the Motorola trademark PL). From what I understand the U.K. is moving over to CTCSS also, but you may encounter a repeater that uses the 1750Hz tone.

Just as an aside, check about 6m and 220mHz. Here 6m is not available for FM, and there is no 220mHz band at all.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

```
From 5285414845577246484
X-Google-Thread: 108122,2dbfb187d9bb8b98,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny06.POSTED!dfc6e646!not-for-mail
From: geek <wpapps@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: NEW CLEMENS SG 83C Signal Generator on EBay
Message-ID: <jf9jg3dje7m0bd3dt7pqh0r9pert7r9cjv@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Mon, 08 Oct 2007 03:38:44 GMT
NNTP-Posting-Host: 71.190.199.92
```

```
X-Complaints-To: abuse@verizon.net
X-Trace: trndny06 1191814724 71.190.199.92 (Sun, 07 Oct 2007 23:38:44 EDT)
NNTP-Posting-Date: Sun, 07 Oct 2007 23:38:44 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1084
X-Original-Bytes: 867

Brand New 1971 Clemens Signal Generator  very  rare.

Check out      Item number: 290168256325


From 5493959628191160008
X-Google-Thread: 108122,dd0d3a89f0e83d6a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: fs kenwood tm-d700a
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-80F2A1.06320308102007@news.verizon.net>
Lines: 8
Date: Mon, 08 Oct 2007 10:32:02 GMT
NNTP-Posting-Host: 71.247.9.244
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1191839522 71.247.9.244 (Mon, 08 Oct 2007 06:32:02 EDT)
NNTP-Posting-Date: Mon, 08 Oct 2007 06:32:02 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1085
X-Original-Bytes: 796



fs
http://cgi.ebay.com/MINT-Kenwood-TM-D700a_W0QQitemZ160166114362QQihZ006QQ
categoryZ40067QQssPageNameZWDVWQQrdZ1QQcmdZViewItem


relisted



From 8776231386946554799
X-Google-Thread: 108122,4f57ac0a8d95e993,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newsfeed.ksu.edu!nntp.ksu.edu!not-for-mail
From: mcalhoun@ksu.edu
Newsgroups: rec.radio.amateur.equipment
Subject: Help identify a desk-type microphone?
Date: 8 Oct 2007 13:07:31 -0500
Organization: Kansas State University
```

```
Lines: 33
Message-ID: <fedrl3$1ul@unix1.cc.ksu.edu>
NNTP-Posting-Host: unix1.cc.ksu.edu
X-Trace: cnn.cns.ksu.edu 1191866854 14318 129.130.12.3 (8 Oct 2007 18:07:34 GMT)
X-Complaints-To: abuse@ksu.edu
NNTP-Posting-Date: Mon, 8 Oct 2007 18:07:34 +0000 (UTC)
X-Newsreader: NN version 6.5.0 #2 (NOV)
Xref: g2news2.google.com rec.radio.amateur.equipment:1086

While sorting through my "collection" of junque microphones,
I found a desk-type mic with
 * a fairly thick and heavy base with
 * a four-wire cable,
 * an RCA logo on the front, below and to the left of
 * a plastic horizontal TRANSMIT bar, and
 * a sticker on the bottom which says (and sorta looks like):

        SHURE BROTHERS INC.
   Controlled magnetic microphone
        Model #MI-559156-1
   Made in Evanston, ILL., U.S.A.
      U.S. Patent D-198,850

In addition to the expected switch, the base also hides a one-transistor
something (presumably an amplifier).  By treating the "amplifier" as a
three-terminal device, the wiring was simple enough to trace:
 * two wires for PTT and
 * two for audio
and it did work with my HF radio, although the mike did NOT seem very
sensitive.

Does anyone have any information about this mike and/or the radio it
might have originally accompanied?  Since there is no provision for
an internal battery, I wonder if its radio supplied a voltage on one
of the audio wires?

--W0PBV.
--
--Myron A. Calhoun.
Five boxes preserve our freedoms:  soap, ballot, witness, jury, and cartridge
NRA Life Member & Certified Instructor for Rifle, Pistol, & Home Firearm Safety
Also Certified Instructor for the Kansas Concealed-Carry Handgun (CCH) license


From -153385174607540253
X-Google-Thread: 108122,4f57ac0a8d95e993
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!bigfeed2.bellsouth.net!news.bellsouth.net!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
```

```
Newsgroups: rec.radio.amateur.equipment
References: <fedrl3$1ul@unix1.cc.ksu.edu>
In-Reply-To: <fedrl3$1ul@unix1.cc.ksu.edu>
Subject: Re: Help identify a desk-type microphone?
Lines: 38
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <8fv0i.4902$054.14@newsfe14.phx>
Date: Mon, 8 Oct 2007 12:08:42 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.phx 1191870532 72.197.13.209 (Mon, 08 Oct 2007 12:08:52 MST)
NNTP-Posting-Date: Mon, 08 Oct 2007 12:08:52 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:1087


<mcalhoun@ksu.edu> wrote in message news:fedrl3$1ul@unix1.cc.ksu.edu...
> While sorting through my "collection" of junque microphones,
> I found a desk-type mic with
> * a fairly thick and heavy base with
> * a four-wire cable,
> * an RCA logo on the front, below and to the left of
> * a plastic horizontal TRANSMIT bar, and
> * a sticker on the bottom which says (and sorta looks like):
>
>         SHURE BROTHERS INC.
>   Controlled magnetic microphone
>         Model #MI-559156-1
>   Made in Evanston, ILL., U.S.A.
>      U.S. Patent D-198,850
>
> In addition to the expected switch, the base also hides a one-transistor
> something (presumably an amplifier).  By treating the "amplifier" as a
> three-terminal device, the wiring was simple enough to trace:
> * two wires for PTT and
> * two for audio
> and it did work with my HF radio, although the mike did NOT seem very
> sensitive.
>
> Does anyone have any information about this mike and/or the radio it
> might have originally accompanied?  Since there is no provision for
> an internal battery, I wonder if its radio supplied a voltage on one
> of the audio wires?
>
```

> --W0PBV.
> --
> --Myron A. Calhoun.

Try browsing thru K9TOA collection of Ham Mics URL:
http://k9toa.net/index.html

The Shadow Knows

From -5367496087706495534
X-Google-Thread: 108122,8cc1d89f42a990cf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!o3g2000hsb.googlegroups.com!not-for-mail
From: matrixknowledge@googlemail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HandHeld 2M/70cms for use in USA / UK
Date: Mon, 08 Oct 2007 13:21:14 -0700
Organization: http://groups.google.com
Lines: 53
Message-ID: <1191874874.080383.49620@o3g2000hsb.googlegroups.com>
References: <1191783736.276626.235370@o3g2000hsb.googlegroups.com>
   <slrnfgj1l8.7ta.gsm@cable.mendelson.com>
NNTP-Posting-Host: 86.149.212.90
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1191874875 1074 127.0.0.1 (8 Oct 2007 20:21:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 Oct 2007 20:21:15 +0000 (UTC)
In-Reply-To: <slrnfgj1l8.7ta.gsm@cable.mendelson.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o3g2000hsb.googlegroups.com; posting-host=86.149.212.90;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1088

On Oct 8, 2:25 am, g...@mendelson.com (Geoffrey S. Mendelson) wrote:
> matrixknowle...@googlemail.com wrote:
> > If i were to purchase a hand held 2m / 70cms transceiver would it have
> > the same transmit coverage as those i can buy in the UK?
>
> Possibly. The U.S. 2m band is 144-148 mHz, the U.K. is 144-146. Most
> radios sold in the U.S. are able to transmit on the entire band. It
> would work in the U.K., but there may be legal restrictions on importing
> them. At one time didn't the police use channels in 146-148 mHz?
>
> 70CM is different. The FM portion of the band in the U.S. is 440 mHz,

> in the U.K. 430. Some handhelds will transmit on both, some won't.
> Again there may be legal issues about importing a radio that transmits
> "out of band".
>
> The other issue is repeaters. At one time all Euopean repeaters used a 17=
50 Hz
> tone to "unlock" them. This was transmitted to bring the repeater out of =
standby
> and during normal usage it was not needed once "unlocked".
>
> U.S. repeaters never used the tone, if they used anything (and by now pro=
bably
> all do), they used subuadible continuous tones (CTCSS or the Motorola tra=
demark
> PL). From what I understand the U.K. is moving over to CTCSS also, but you
> may encounter a repeater that uses the 1750Hz tone.
>
> Just as an aside, check about 6m and 220mHz. Here 6m is not available for
> FM, and there is no 220mHz band at all.
>
> Geoff.
>
> --
> Geoffrey S. Mendelson, Jerusalem, Israel g...@mendelson.com N3OWJ/4X1GM
> IL Voice: (07)-7424-1667 U.S. Voice: 1-215-821-1838
> Visit my 'blog athttp://geoffstechno.livejournal.com/

All

I thinki take it from the responses that i might be better off not
buying a handheld in the USA for use in the UK. Given that most will
come with only 110v chargers and i will need to use an adaptor, the
lack of toneburst (albeit most repeaters now use CTCSS) and the
differential 70cms frequencies. The =A31=3D$2 makes the prices VERY
tempting and i could buy a top of the range handheld for the same cost
as a run of the mill one in the UK. Lastly, most of the warranties
would mean i had to ship it back if it went wrong.

Any other thoughts.

Andy

From -882958957862628795
X-Google-Thread: 108122,80cf9aeaaee30851
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 Oct 2007 18:03:18 -0500
Date: Mon, 08 Oct 2007 19:03:21 -0400

From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GPS gurus please read
References: <kfjcg31ic23bhrtp3f0qa3bjj85rqjsidm@4ax.com>
In-Reply-To: <kfjcg31ic23bhrtp3f0qa3bjj85rqjsidm@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <nNqdnWcwC_yrKpfanZ2dnUVZ_rignZ2d@comcast.com>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.62.151.30
X-Trace: sv3-Vgbkf9AFc7o+/
roS9qixNf+zuzuaWGeAYer+IlS8ts6Oec7qQTqOkZJdjaKUQBPhVIjqrIg9jbHa9XU!
dsSvroIFJFjf2KHW63wej0XqSvohCijqfZamPX7hbpOD0me8aB+9AouQzj3sXYiCZDwO+EfjUoMB!
Jd0qxkeEAFro7TOTC9YSTCwNa7Oz
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1089

The Garmin NUVI 350 has a thorough street mapping system, voice prompts, and a mode where I am looking at my QTH right now as N43D 07'10.1" and W071D 26'58.8"

It sounds like it could meet your needs. It is pricey though.

Kenneth Grimm, K4XL wrote:

> I'm in the market for a GPS gadget, but I can't seem to find one that
> does everything that I want. The new whizbang "turn left in 100
> ft....50 ft....turn now" kind don't seem to have a Latitude and
> Longitude readout for exact positioning.   What I know about APRS
> would fill a book, but for the time being I'm mainly interested in
> getting directions through some large cities and also being able to
> report my exact position for HFTA antenna system purposes. Does such
> a gadget exist? Thanks for any leads.
>
> Ken K4XL
> k4xl@arrl.net
>
> *** BoatAnchor Manual Archive ***
> On the web at http://bama.sbc.edu and http://bama.edebris.com
> FTP site info: bama.sbc.edu login: anonymous p/w: youremailadr

From -2276436165565948794

X-Google-Thread: 108122,4f57ac0a8d95e993
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help identify a desk-type microphone?
Date: Mon, 08 Oct 2007 19:38:27 -0400
Organization: Aioe.org NNTP Server
Lines: 45
Message-ID: <fmmck-CA8723.19382608102007@nntp.aioe.org>
References: <fedrl3$1ul@unix1.cc.ksu.edu>
NNTP-Posting-Host: +WM5zrPYDXTU0zDDhK16qA.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:1090

In article <fedrl3$1ul@unix1.cc.ksu.edu>, mcalhoun@ksu.edu wrote:

> While sorting through my "collection" of junque microphones,
> I found a desk-type mic with
> * a fairly thick and heavy base with
> * a four-wire cable,
> * an RCA logo on the front, below and to the left of
> * a plastic horizontal TRANSMIT bar, and
> * a sticker on the bottom which says (and sorta looks like):
>
>   SHURE BROTHERS INC.
>   Controlled magnetic microphone
>   Model #MI-559156-1
>   Made in Evanston, ILL., U.S.A.
>   U.S. Patent D-198,850
>
> In addition to the expected switch, the base also hides a one-transistor
> something (presumably an amplifier).

W0PBV-

RCA used to make VHF/UHF NBFM two-way radio systems. I would guess that this microphone was used for dispatching with an older model base station.

You might check the Shure web site and see if they have any information on the model number. However, it may be a proprietary number for RCA.

The Shure Controlled Magnetic or Controlled Reluctance microphone elements came in both high and low impedances. You might do a simple 1 KHz impedance test on the element to determine which yours is. It could most likely be used without the transistor amplifier if it matched a radio's requirements. For example, the low impedance elements are about 200 Ohms, and work OK with Kenwood radios such as the TS-450.

The transistor amplifier is most likely to use a relatively low-output microphone element with a radio originally designed for use with a high-output carbon microphone. You didn't mention what HF radio you used it with, but some recent Icom transceivers use a similar arrangement with an amplified electret element. The low sensitivity you experienced may be due to the old amplifier requiring a higher bias level than the modern transceiver can provide.

Fred
K4DII

From -4843551344532475229
X-Google-Thread: 108122,4f57ac0a8d95e993
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 Oct 2007 19:05:38 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <fedrl3$1ul@unix1.cc.ksu.edu>
Subject: Re: Help identify a desk-type microphone?
Date: Mon, 8 Oct 2007 19:05:36 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Original
Message-ID: <p_Cdndm_tMpPWJfanZ2dnUVZ_tmhnZ2d@comcast.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-2hwfzeqL/qO4UZgpgxtEaRZtwZJsGAfuT04j1dgMDbwKhSFTn/bE39AJvqbxBJgoUfI1Nt3jR6XpDc4!y5PDKeatdkC/347nrBNcClgslBIRPY8XMERCx1FzlciO/C1GWLHGCfoup87AQ4e/ZN7CEhAuo6CX!l3HihTfPZg0nx2pxcqH+j528S+0RaQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1091

<mcalhoun@ksu.edu> wrote in message news:fedrl3$1ul@unix1.cc.ksu.edu...
> While sorting through my "collection" of junque microphones,
> I found a desk-type mic with
> * a fairly thick and heavy base with
> * a four-wire cable,
> * an RCA logo on the front, below and to the left of
> * a plastic horizontal TRANSMIT bar, and
> * a sticker on the bottom which says (and sorta looks like):

```
>
>        SHURE BROTHERS INC.
>   Controlled magnetic microphone
>        Model #MI-559156-1
>   Made in Evanston, ILL., U.S.A.
>      U.S. Patent D-198,850
>
> --W0PBV.

This sounds like an RCA Land Mobile microphone made by Shure

Shure - User Guides and Spec Sheets Discontinued Microphones
http://www.shure.com/ProAudio/Downloads/UserGuidesAndTechSpecs/index.htm
http://www.shure.com/ProAudio/Downloads/UserGuidesAndTechSpecs/
us_pro_ug_disc_mics_content




From 2699778636970765484
X-Google-Thread: 108122,4058b4a6d5aaf6ca,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Spectrum analyzer that feeds oscilloscope
Date: Tue, 09 Oct 2007 10:01:27 -0400
Organization: MV Communications, Inc.
Lines: 4
Message-ID: <pan.2007.10.09.14.01.27.480483@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1191938487 75527 207.22.49.17 (9 Oct 2007 14:01:27 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Tue, 9 Oct 2007 14:01:27 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:1092


Is there such a thing as a spectrum analyzer that feeds an oscilloscope
for its display, rather than having its own CRT display?




From -4589712222602250502
X-Google-Thread: 108122,4058b4a6d5aaf6ca
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn11feed!worldnet.att.net!bgtnsc05-
```

```
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce  in Alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum analyzer that feeds oscilloscope
Organization: Bruce's Trading Post
References: <pan.2007.10.09.14.01.27.480483@from.qrz.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <fast-2D601F.08521809102007@netnews.worldnet.att.net>
Lines: 12
Date: Tue, 09 Oct 2007 16:50:21 GMT
NNTP-Posting-Host: 12.12.208.27
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1191948621 12.12.208.27 (Tue, 09 Oct
2007 16:50:21 GMT)
NNTP-Posting-Date: Tue, 09 Oct 2007 16:50:21 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1093

In article <pan.2007.10.09.14.01.27.480483@from.qrz.com>,
 "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote:

> Is there such a thing as a spectrum analyzer that feeds an oscilloscope
> for its display, rather than having its own CRT display?
>

Yep, Tektronix marketed one built by Sony 15 years ago......

Bruce in alaska
--
add <path> before @


From -1317748778919771628
X-Google-Thread: 108122,4058b4a6d5aaf6ca
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!fdn.fr!
club-internet.fr!feedme-small.clubint.net!feeder.news-service.com!news2.euro.net!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum analyzer that feeds oscilloscope
Date: Tue, 09 Oct 2007 10:20:41 -0700
Message-ID: <g1eng3hcgc35a5lhs318b1bu57chit306p@4ax.com>
References: <pan.2007.10.09.14.01.27.480483@from.qrz.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
NNTP-Posting-Date: 09 Oct 2007 16:29:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1094
```

On Tue, 09 Oct 2007 10:01:27 -0400, "Rick (W-A-one-R-K-T)"
<get.my.email@from.qrz.com> wrote:

>
>Is there such a thing as a spectrum analyzer that feeds an oscilloscope
>for its display, rather than having its own CRT display?

There are plans for one you can build in the August 1998 issue of QST.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

```
From -7943245541432319575
X-Google-Thread: 108122,8cc1d89f42a990cf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!r29g2000hsg.googlegroups.com!not-for-
mail
From:  charrid <richfur@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HandHeld 2M/70cms for use in USA / UK
Date: Tue, 09 Oct 2007 19:28:51 -0000
Organization: http://groups.google.com
Lines: 68
Message-ID: <1191958131.286360.50380@r29g2000hsg.googlegroups.com>
References: <1191783736.276626.235370@o3g2000hsb.googlegroups.com>
   <slrnfgj1l8.7ta.gsm@cable.mendelson.com>
   <1191874874.080383.49620@o3g2000hsb.googlegroups.com>
NNTP-Posting-Host: 88.102.154.241
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1191958131 16345 127.0.0.1 (9 Oct 2007 19:28:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 Oct 2007 19:28:51 +0000 (UTC)
In-Reply-To: <1191874874.080383.49620@o3g2000hsb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.7)
Gecko/20070914 Firefox/2.0.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r29g2000hsg.googlegroups.com; posting-host=88.102.154.241;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1095
```

On Oct 8, 10:21 pm, matrixknowle...@googlemail.com wrote:
> On Oct 8, 2:25 am, g...@mendelson.com (Geoffrey S. Mendelson) wrote:
>
>
>

> > matrixknowle...@googlemail.com wrote:
> > > If i were to purchase a hand held 2m / 70cms transceiver would it have
> > > the same transmit coverage as those i can buy in the UK?
>
> > Possibly. The U.S. 2m band is 144-148 mHz, the U.K. is 144-146. Most
> > radios sold in the U.S. are able to transmit on the entire band. It
> > would work in the U.K., but there may be legal restrictions on importing
> > them. At one time didn't the police use channels in 146-148 mHz?
>
> > 70CM is different. The FM portion of the band in the U.S. is 440 mHz,
> > in the U.K. 430. Some handhelds will transmit on both, some won't.
> > Again there may be legal issues about importing a radio that transmits
> > "out of band".
>
> > The other issue is repeaters. At one time all Euopean repeaters used a =
1750 Hz
> > tone to "unlock" them. This was transmitted to bring the repeater out o=
f standby
> > and during normal usage it was not needed once "unlocked".
>
> > U.S. repeaters never used the tone, if they used anything (and by now p=
robably
> > all do), they used subuadible continuous tones (CTCSS or the Motorola t=
rademark
> > PL). From what I understand the U.K. is moving over to CTCSS also, but =
you
> > may encounter a repeater that uses the 1750Hz tone.
>
> > Just as an aside, check about 6m and 220mHz. Here 6m is not available f=
or
> > FM, and there is no 220mHz band at all.
>
> > Geoff.
>
> > --
> > Geoffrey S. Mendelson, Jerusalem, Israel g...@mendelson.com N3OWJ/4X1GM
> > IL Voice: (07)-7424-1667 U.S. Voice: 1-215-821-1838
> > Visit my 'blog athttp://geoffstechno.livejournal.com/
>
> All
>
> I thinki take it from the responses that i might be better off not
> buying a handheld in the USA for use in the UK. Given that most will
> come with only 110v chargers and i will need to use an adaptor, the
> lack of toneburst (albeit most repeaters now use CTCSS) and the
> differential 70cms frequencies. The =A31=3D$2 makes the prices VERY
> tempting and i could buy a top of the range handheld for the same cost
> as a run of the mill one in the UK. Lastly, most of the warranties
> would mean i had to ship it back if it went wrong.
>
> Any other thoughts.
>
> Andy

Year and a half ago I bought Yaesu VX2R in the US - works fine in EU. Has 90-240V charger (just needs the pwr socket adapter), toneburst and switchable deviation. Warranty of course only 1 year, but at the US prices it's worth the gamble. If it died today, I would just pitch it and get the new VX3.

Rich
OK8RF

From -4071342668865991011
X-Google-Thread: 108122,c0899d3c25c39bbe,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood Speakers, SP-930 vs SP-940
Date: Tue, 09 Oct 2007 15:32:52 -0400
Organization: MV Communications, Inc.
Lines: 12
Message-ID: <pan.2007.10.09.19.32.51.401282@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1191958372 81954 207.22.49.17 (9 Oct 2007 19:32:52 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Tue, 9 Oct 2007 19:32:52 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:1096

Have any of you seen the Kenwood SP-930 and SP-940 speakers side by side, and can you tell me the difference in appearance?

I'm just trying to determine if an SP-930 would be a good cosmetic match for my TS-940S, or should I look for an SP-940.

Also, do you know if there is any difference in the way they perform e.g. the filters?

Thanks...

From -590099196225727723
X-Google-Thread: 108122,8cc1d89f42a990cf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-

```
mail
From:  matrixknowledge@googlemail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HandHeld 2M/70cms for use in USA / UK
Date: Tue, 09 Oct 2007 14:17:01 -0700
Organization: http://groups.google.com
Lines: 88
Message-ID: <1191964621.110027.132780@22g2000hsm.googlegroups.com>
References: <1191783736.276626.235370@o3g2000hsb.googlegroups.com>
   <slrnfgj1l8.7ta.gsm@cable.mendelson.com>
   <1191874874.080383.49620@o3g2000hsb.googlegroups.com>
   <1191958131.286360.50380@r29g2000hsg.googlegroups.com>
NNTP-Posting-Host: 86.149.212.90
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1191964622 5318 127.0.0.1 (9 Oct 2007 21:17:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 Oct 2007 21:17:02 +0000 (UTC)
In-Reply-To: <1191958131.286360.50380@r29g2000hsg.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=86.149.212.90;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1097

On Oct 9, 8:28 pm, charrid <rich...@gmail.com> wrote:
> On Oct 8, 10:21 pm, matrixknowle...@googlemail.com wrote:
>
>
>
>
>
> > On Oct 8, 2:25 am, g...@mendelson.com (Geoffrey S. Mendelson) wrote:
>
> > >  matrixknowle...@googlemail.com wrote:
> > > > If i were to purchase a hand held 2m / 70cms transceiver would it h=
ave
> > > > the same transmit coverage as those i can buy in the UK?
>
> > > Possibly. The U.S. 2m band is 144-148 mHz, the U.K. is 144-146. Most
> > > radios sold in the U.S. are able to transmit on the entire band. It
> > > would work in the U.K., but there may be legal restrictions on import=
ing
> > > them. At one time didn't the police use channels in 146-148 mHz?
>
> > > 70CM is different. The FM portion of the band in the U.S. is 440 mHz,
> > > in the U.K. 430. Some handhelds will transmit on both, some won't.
> > > Again there may be legal issues about importing a radio that transmits
> > > "out of band".
>
```

> > > The other issue is repeaters. At one time all Euopean repeaters used =
a 1750 Hz
> > > tone to "unlock" them. This was transmitted to bring the repeater out=
 of standby
> > > and during normal usage it was not needed once "unlocked".
>
> > > U.S. repeaters never used the tone, if they used anything (and by now=
 probably
> > > all do), they used subuadible continuous tones (CTCSS or the Motorola=
 trademark
> > > PL). From what I understand the U.K. is moving over to CTCSS also, bu=
t you
> > > may encounter a repeater that uses the 1750Hz tone.
>
> > > Just as an aside, check about 6m and 220mHz. Here 6m is not available=
 for
> > > FM, and there is no 220mHz band at all.
>
> > > Geoff.
>
> > > --
> > > Geoffrey S. Mendelson, Jerusalem, Israel g...@mendelson.com N3OWJ/4X=
1GM
> > > IL Voice: (07)-7424-1667 U.S. Voice: 1-215-821-1838
> > > Visit my 'blog athttp://geoffstechno.livejournal.com/
>
> > All
>
> > I thinki take it from the responses that i might be better off not
> > buying a handheld in the USA for use in the UK. Given that most will
> > come with only 110v chargers and i will need to use an adaptor, the
> > lack of toneburst (albeit most repeaters now use CTCSS) and the
> > differential 70cms frequencies. The =A31=3D$2 makes the prices VERY
> > tempting and i could buy a top of the range handheld for the same cost
> > as a run of the mill one in the UK. Lastly, most of the warranties
> > would mean i had to ship it back if it went wrong.
>
> > Any other thoughts.
>
> > Andy
>
> Year and a half ago I bought Yaesu VX2R in the US - works fine in EU.
> Has 90-240V charger (just needs the pwr socket adapter), toneburst and
> switchable deviation. Warranty of course only 1 year, but at the US
> prices it's worth the gamble. If it died today, I would just pitch it
> and get the new VX3.
>
> Rich
> OK8RF- Hide quoted text -
>
> - Show quoted text -

Rich

If i could find a similar spec handheld BUT with a higher output than
3 watts that would be ideal. I was looking for something with 5-7
watts output and a decent battery life.

Thanks

Andy

From -2169263237402760l0
X-Google-Thread: 108122,4058b4a6d5aaf6ca
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!53ab2750!not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum analyzer that feeds oscilloscope
References: <pan.2007.10.09.14.01.27.480483@from.qrz.com>
<fast-2D601F.08521809102007@netnews.worldnet.att.net>
In-Reply-To: <fast-2D601F.08521809102007@netnews.worldnet.att.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <bvTOi.18698$B25.16330@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace: 52616e646f6d4956aa8b238aa2f708cbb34fb346320b3dec7e72a8441ef2a49a773b7ac1fca3434f1a62dd37d01b0533517263f894e313ee9294502d35a854b685ece6f87a2a53f9d54e6224bc4edfcdd6b1a60bde40626f28bc744f381b4f3f01e7a14890b2381a5340f14811b66ff7
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Tue, 09 Oct 2007 22:44:23 UTC
Date: Tue, 09 Oct 2007 22:44:23 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1098

Bruce in Alaska wrote:
> In article <pan.2007.10.09.14.01.27.480483@from.qrz.com>,
> "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote:
>
>> Is there such a thing as a spectrum analyzer that feeds an oscilloscope
>> for its display, rather than having its own CRT display?
>>
>
> Yep, Tektronix marketed one built by Sony 15 years ago......
>
> Bruce in alaska

....it attached to a Tek/Sony 323 portable o'scope. I have the scope but not the spec an. Cute lil' bugger, has a 1.5 x 2.7 inch screen and will run off of 12 volts.

Cheers,
W8LNA

From 959574216259553387
X-Google-Thread: 108122,4058b4a6d5aaf6ca
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!colt.net!feeder.news-service.com!news-out1.kabelfoon.nl!newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!kramikske.telenet-ops.be!nntp.telenet.be!news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe5-win.ntli.net.POSTED!53ab2750!not-for-mail
Message-ID: <EKpQUgv79ADHFwf7@birchnet.demon.co.uk>
From: Bill <Bill@birchnet.demon.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum analyzer that feeds oscilloscope
References: <pan.2007.10.09.14.01.27.480483@from.qrz.com>
Lines: 18
MIME-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
User-Agent: Turnpike/6.02-U (<oCIlbY1IqXUXJ3uCGbC2EvBmBt>)
Date: Tue, 09 Oct 2007 23:29:35 GMT
NNTP-Posting-Host: 80.6.24.232
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe5-win.ntli.net 1191972575 80.6.24.232 (Wed, 10 Oct 2007 00:29:35 BST)
NNTP-Posting-Date: Wed, 10 Oct 2007 00:29:35 BST
Organization: ntl Cablemodem News Service
Xref: g2news2.google.com rec.radio.amateur.equipment:1099

In message <pan.2007.10.09.14.01.27.480483@from.qrz.com>, "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> writes

>
>Is there such a thing as a spectrum analyzer that feeds an oscilloscope
>for its display, rather than having its own CRT display?
>

Something like this maybe?

http://www.tti-test.com/products-tti/pdf-brochure/prec-tsa-2p.pdf

I had one for a while and although it did not have all the bells and whistles of its more expensive relations it was great to get a general idea of what was happening.

--

Bill
G8IAY

From -2055034912962901065
X-Google-Thread: 108122,4058b4a6d5aaf6ca
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!
transit4.readnews.com!newspump.sol.net!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum analyzer that feeds oscilloscope
Date: Tue, 09 Oct 2007 20:44:41 -0400
Organization: MV Communications, Inc.
Lines: 6
Message-ID: <pan.2007.10.10.00.44.41.498947@from.qrz.com>
References: <pan.2007.10.09.14.01.27.480483@from.qrz.com>
<EKpQUgv79ADHFwf7@birchnet.demon.co.uk>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1191977081 87837 207.22.49.17 (10 Oct 2007 00:44:41 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 10 Oct 2007 00:44:41 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
X-Original-Bytes: 1024
Xref: g2news2.google.com rec.radio.amateur.equipment:1100

On Tue, 09 Oct 2007 23:29:35 +0000, Bill wrote:

> Something like this maybe?

Yes, exactly! Thanks!!

From -5438711315875613916
X-Google-Thread: 108122,4058b4a6d5aaf6ca
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!news.germany.com!newsfeed01.sul.t-
online.de!t-online.de!news.csl-gmbh.net!feeder.news-service.com!news.astraweb.com!
border2.a.newsrouter.astraweb.com!border2.nntp.ams.giganews.com!nntp.giganews.com!
newsfeeder.wxs.nl!kramikske.telenet-ops.be!nntp.telenet.be!news-out.ntli.net!
newsrout1-gui.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!
newsfe6-gui.ntli.net.POSTED!53ab2750!not-for-mail
Message-ID: <tO2alD2HMCDHFwap@birchnet.demon.co.uk>
From: Bill <Bill@birchnet.demon.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum analyzer that feeds oscilloscope

```
References: <pan.2007.10.09.14.01.27.480483@from.qrz.com>
 <EKpQUgv79ADHFwf7@birchnet.demon.co.uk>
 <pan.2007.10.10.00.44.41.498947@from.qrz.com>
Lines: 18
MIME-Version: 1.0
Content-Type: text/plain;charset=iso-8859-1;format=flowed
Content-Transfer-Encoding: 8bit
User-Agent: Turnpike/6.02-U (<oCIlbY1IqXUXJ3uCGbC2EvBmBt>)
Date: Wed, 10 Oct 2007 00:56:42 GMT
NNTP-Posting-Host: 80.6.24.232
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe6-gui.ntli.net 1191977802 80.6.24.232 (Wed, 10 Oct 2007 01:56:42
BST)
NNTP-Posting-Date: Wed, 10 Oct 2007 01:56:42 BST
Organization: ntl Cablemodem News Service
Xref: g2news2.google.com rec.radio.amateur.equipment:1101

In message <pan.2007.10.10.00.44.41.498947@from.qrz.com>, "Rick
(W-A-one-R-K-T)" <get.my.email@from.qrz.com> writes
>On Tue, 09 Oct 2007 23:29:35 +0000, Bill wrote:
>
>> Something like this maybe?
>
>Yes, exactly!  Thanks!!

Next problem is that they are no longer produced but I have seen two on
Ebay in the UK in the last year, one was me selling mine, I recall it
went for about $250:00  �125:00

Good luck.
>

--
Bill
G8IAY


From -5835016462316274660
X-Google-Thread: 1109af,4af0e4e31b2c2ede,start
X-Google-Thread: 108122,4af0e4e31b2c2ede,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!sn-xt-sjc-05!sn-xt-sjc-10!sn-xt-sjc-07!
sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Murray Neece <radioranch@qth.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Lots of good gauranteed HF  FS.....
Date: Wed, 10 Oct 2007 12:09:35 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13gq1qieou448bc@corp.supernews.com>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
```

```
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 000780-0, 10/09/2007), Outbound message
X-Antivirus-Status: Clean
X-Complaints-To: abuse@supernews.com
Lines: 7
Xref: g2news2.google.com rec.radio.swap:1397 rec.radio.amateur.equipment:1102

For those of you who dont watch QTH.COM,  please take a look at my
website....:  www.myradioranch.com    : for lots of good guaranteed top
of the line HF equipment.  No hassles, no worries , long and strong
reputation in the positive!  Thanks, Hope Yall are going to the Paris,
Texas hamfest this weekend.  Murray Neece K5MDM Odessa, Tx

Google my name and call for references or I can send you more!


From -324454977546952987
X-Google-Thread: 108122,4058b4a6d5aaf6ca
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce  in Alaska <fast@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spectrum analyzer that feeds oscilloscope
Organization: Bruce's Trading Post
References: <pan.2007.10.09.14.01.27.480483@from.qrz.com>
<fast-2D601F.08521809102007@netnews.worldnet.att.net>
<bvTOi.18698$B25.16330@news01.roc.ny>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <fast-02EA17.09272710102007@netnews.att.net>
Lines: 29
Date: Wed, 10 Oct 2007 17:25:29 GMT
NNTP-Posting-Host: 12.12.208.34
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1192037129 12.12.208.34 (Wed, 10 Oct
2007 17:25:29 GMT)
NNTP-Posting-Date: Wed, 10 Oct 2007 17:25:29 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1103

In article <bvTOi.18698$B25.16330@news01.roc.ny>,
 gwatts <gwatts@frontiernet.net> wrote:

> Bruce in Alaska wrote:
> > In article <pan.2007.10.09.14.01.27.480483@from.qrz.com>,
> >  "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote:
> >
> >> Is there such a thing as a spectrum analyzer that feeds an oscilloscope
> >> for its display, rather than having its own CRT display?
> >>
> >
> > Yep, Tektronix marketed one built by Sony 15 years ago......
> >
```

> > Bruce in alaska
>
> ....it attached to a Tek/Sony 323 portable o'scope. I have the scope
> but not the spec an. Cute lil' bugger, has a 1.5 x 2.7 inch screen and
> will run off of 12 volts.
>
> Cheers,
> W8LNA

I have the Sony SA, but used a Tek 475 for a display. Works well for
simple stuff like Cable Tv and DBS/Sat Work, but if I need real Data
there is nothing quite as Good as a Good HP SA.......

Bruce in alaska
--
add <path> before @

From -3849863155204860861
X-Google-Thread: 108122,15a3de3f4dc66656,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-mail
From: "Dwight D. Eisenhower" <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 2 vintage RCA Victor monoblock amps-6v6's-$25
Date: Wed, 10 Oct 2007 13:55:19 -0700
Organization: http://groups.google.com
Lines: 46
Message-ID: <1192049719.586410.14220@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 216.222.237.123
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1192049719 26852 127.0.0.1 (10 Oct 2007 20:55:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 Oct 2007 20:55:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=216.222.237.123;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1104

In earlier periods of my hi fi experience the issue of soundstaging
depth and precision[or good stereo effect] was never really an
essential part of my enjoyment of a system.

The more I have experienced though the more I have come to value this
as an absolute necessity iin terms of enjoyment and engagement.The
ability to hear all the instruments and voices as distinct entities
within a three dimensional sonic picture is enthralling stuff.Voices

and instuments should have a shape,not just a suggestion of a shape.

A recent experience with a friends ME 550 power amp trialled in my
system was a really interesting confirmation of just how getting one
component wrong in a system can completely destroy this illusion.This
despite all the other components being strong in this area.

Like very many transistor power amps the ME has absolutely no depth
to
the soundstage.I have been told that this is typical of amplifiers
which use lots of negative feedback and have high damping
factors.Many
CD players are like this too although they seem to have improved in
this area a great deal.The ME sounded remarkably like a cheap
Kenwood
power amp I used to run woofers with.Great bass but no imaging.Rotel
power amps I have used sound like this too.
Many of the digital type amps sound like this too although again they
seem to be improving.The latest Nuforce amps are quite good for
imaging precision and depth.

Amplifiers like the Supratek Malbec and Monduese [Wolcotts too I
believe] have variable feedback and damping factors.With these it is
very easy to fiddle with these adjustments to hear for yourself how
too much feedback and,to a lesser extent too much damping,can cause
the 3D imaging to collapse from something approximating a pyramid on
its side[pointy bit in front of your face] to a sausage with a
squashed middle section.

I think the tragedy is that many people never get to hear how
involving a stereo system can be when the imaging is right.This was
certainly the case with me until somebody sat me down in an front of
such a system.

From -2453693352342128922
X-Google-Thread: 108122,848293317d9e286a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!19g2000hsx.googlegroups.com!not-for-mail
From: gil <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Heathkit HP-23B works good
Date: Wed, 10 Oct 2007 18:09:06 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1192064946.403882.200980@19g2000hsx.googlegroups.com>

NNTP-Posting-Host: 24.149.231.253
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1192064946 9101 127.0.0.1 (11 Oct 2007 01:09:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 Oct 2007 01:09:06 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.7)
Gecko/20070914 Firefox/2.0.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 19g2000hsx.googlegroups.com; posting-host=24.149.231.253;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1105

http://cgi.ebay.com/Heathkit-HP-23B-for-HW-101-SB100-SB-101-SB-102-
nice_W0QQitemZ170156112923QQihZ007QQcategoryZ48708QQssPageNameZWDVWQQrdZ1QQcmdZVie
wItem

From 5485525341416628089
X-Google-Thread: 108122,a46cdb7cfdc6546e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr27.news.prodigy.net.POSTED!c74934b2!not-for-
mail
From: homeboy <local.homeboy@localhost.localdomain>
Subject: FS: GAP Verticle Titan DX
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))
Message-ID: <pan.2007.10.11.02.20.10.512096@localhost.localdomain>
Newsgroups: rec.radio.amateur.equipment
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 5
NNTP-Posting-Host: 70.241.65.88
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1192069183 ST000 70.241.65.88 (Wed, 10 Oct
2007 22:19:43 EDT)
NNTP-Posting-Date: Wed, 10 Oct 2007 22:19:43 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: Q[R_PJONFBSYB]
\YLJIB^_@@YJ_FBL@MAHU^_BAMEH]TCDYG^WHUQBKZQLYJX_ITFD_KFVLUN[DOM_A_NSYNWPFWNS[XV\I
]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXGQCOA_SAH@TPD^\
AL\RLGRFWEARBM
Date: Thu, 11 Oct 2007 02:19:43 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1106

I've got a Titan DX in Very good condition for sale. I've had it up about three years with no problems. Manual included $175 plus shipping or pick up in the Houston Tx area. Please reply to kc5tfl@sbcglobal.net .

Thanks
Steve KC5TFL

From -139512013030791632
X-Google-Thread: 108122,39c6714dc488a8e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny03.POSTED!dfc6e646!not-for-mail
From: geek <wpapps@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Clemens SG-83C signal generator on ebay
Message-ID: <mp5sg39cpfpv8gls07ai6sifgmp0424dob@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
Date: Thu, 11 Oct 2007 12:30:16 GMT
NNTP-Posting-Host: 71.190.199.92
X-Complaints-To: abuse@verizon.net
X-Trace: trndny03 1192105816 71.190.199.92 (Thu, 11 Oct 2007 08:30:16 EDT)
NNTP-Posting-Date: Thu, 11 Oct 2007 08:30:16 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1107

See   Item number: 290168256325

From 8594060488714411808
X-Google-Thread: 108122,5c15d173a556eb0c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!50g2000hsm.googlegroups.com!not-for-
mail
From: Tom Horne <hornetd@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT 857 Mic Adapter
Date: Thu, 11 Oct 2007 08:56:37 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1192118197.845971.4650@50g2000hsm.googlegroups.com>
References: <1189881436.364241.3730@y42g2000hsy.googlegroups.com>
NNTP-Posting-Host: 71.251.48.146
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1192118198 4270 127.0.0.1 (11 Oct 2007 15:56:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 Oct 2007 15:56:38 +0000 (UTC)
Cc: n9vu@yahoo.com
In-Reply-To: <1189881436.364241.3730@y42g2000hsy.googlegroups.com>

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.7)
Gecko/20070914 Firefox/2.0.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 50g2000hsm.googlegroups.com; posting-host=71.251.48.146;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1108

On Sep 15, 2:37 pm, Radiola <n9...@yahoo.com> wrote:
> Has anyone used an 8 pin mic on the Yaesu FT857 in place of the
> standard stock microphone.  Obviously you have to get around the RJ45
> by doing this.   Are there adapters available, or do you pretty much
> have to hack off the connector on another microphone to do this?
>
> Please EMAIL me responses to n9vu at yahoo dot com
>
> Thanks,
>
> GB

There are indeed adapters for that purpose.  Try
<http://www.radioinc.com/oscmax/catalog/product_info.php?
name=OPC-589%20%20ADAPTER%20CABLE%208%20PIN%20MICROPHONE%20-
%20RJ45&products_id=758>
--
Tom Horne



From -464634587045174840
X-Google-Thread: 108122,a301d178bc93f5ee,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
out01b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!
53ab2750!not-for-mail
From: Sky <kenwood1701@hotmail.com>
Organization: Flying Crown Ranch, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: WOW, check this out!!
Content-Type: multipart/alternative;
 boundary="------------090100050600090409080904"
Lines: 23
Message-ID: <DlyPi.2995$Yb2.672@newsfe12.lga>
Date: Thu, 11 Oct 2007 19:30:00 -0400
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
```

```
X-Trace: newsfe12.lga 1192145379 69.122.55.64 (Thu, 11 Oct 2007 16:29:39 MST)
NNTP-Posting-Date: Thu, 11 Oct 2007 16:29:39 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:1109

This is a multi-part message in MIME format.
--------------090100050600090409080904
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

http://www.youtube.com/watch?v=vBGIdf0VjQ4

--------------090100050600090409080904
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial"><a class="moz-txt-link-freetext" href="http://
www.youtube.com/watch?v=vBGIdf0VjQ4">http://www.youtube.com/watch?v=vBGIdf0VjQ4</
a></font></font><br>
</body>
</html>

--------------090100050600090409080904--


From -7493326465674072441
X-Google-Thread: 108122,ba36be3d86d6a19c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: LRE Electro <kenwood1701@hotmail.com>
Organization: Radioguy 15
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA :  LAFAYETTE DNYA-COM 23 WALKIE TA
     FA :  LAFAYETTE DNYA-COM
 23 WALKIE TALKIE,   98% MINT!!

     LKIE,   9
     FA :  LAFAYETTE DNYA-COM
 23 WALKIE TALKIE,   98% MINT!!8% MINT!!
Lines: 14
Message-ID: <ZELPi.9$5Y5.2@newsfe12.lga>
```

```
Date: Fri, 12 Oct 2007 10:37:46 -0400
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1192199865 69.122.55.64 (Fri, 12 Oct 2007 07:37:45 MST)
NNTP-Posting-Date: Fri, 12 Oct 2007 07:37:45 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:1110

Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Hello, posting this for a friend.

Take a look is you like.

Thank you

FA :  LAFAYETTE DNYA-COM 23 WALKIE TALKIE,   98% MINT!!


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130162283347
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=130162283347&ssPageName=ADME:L:LCA:US:1123


From -5303038978416174614
X-Google-Thread: 108122,d0aa2dfcfb45d81c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: LRE Electro <kenwood1701@hotmail.com>
Organization: Radioguy 15
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA :  LAFAYETTE DNYA-COM 23 WALKIE TALKIE,   98% MINT!!
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <BGLPi.12$5Y5.9@newsfe12.lga>
Date: Fri, 12 Oct 2007 10:39:30 -0400
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1192199969 69.122.55.64 (Fri, 12 Oct 2007 07:39:29 MST)
NNTP-Posting-Date: Fri, 12 Oct 2007 07:39:29 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:1111

Hello, posting this for a friend.

Take a look is you like.
```

Thank you

FA : LAFAYETTE DNYA-COM 23 WALKIE TALKIE,   98% MINT!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130162283347
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130162283347&ssPageName=ADME:L:LCA:US:1123

From 3948317584171390289
X-Google-Thread: 108122,7014340c17a289b8,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i13g2000prf.googlegroups.com!not-for-mail
From: matrixknowledge@googlemail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Best Multiband HF Vertical on a roof
Date: Fri, 12 Oct 2007 14:12:39 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1192223559.328916.64940@i13g2000prf.googlegroups.com>
NNTP-Posting-Host: 217.44.126.214
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1192223559 21568 127.0.0.1 (12 Oct 2007 21:12:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 12 Oct 2007 21:12:39 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i13g2000prf.googlegroups.com; posting-host=217.44.126.214;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1112

All

Can anyone recommend a verical antenna that i can mount on the roof of my 3 story house that works from 80m upwards and wont upset the nighbours (too much). I have looked at various Butternuts etc but it seems like they only work well when ground mounted. Also keen to get one that is not to noisy as in a relativly built up area. I would not operate with more than 100W

I have looked at reviews on EHAM but they all seem to be mixed.

Thanks

Andiroo

From 4267983187530539802
X-Google-Thread: 108122,7014340c17a289b8
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!195.208.113.2.MISMATCH!goblin2!goblin.stu.neva.ru!newsfeed.sovam.com!mtu.ru!sn-xt-sjc-04!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Best Multiband HF Vertical on a roof
Date: Fri, 12 Oct 2007 11:42:22 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0710121121420.7942@malasada.lava.net>
In-Reply-To: <1192223559.328916.64940@i13g2000prf.googlegroups.com>
References: <1192223559.328916.64940@i13g2000prf.googlegroups.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 49
Xref: g2news2.google.com rec.radio.amateur.equipment:1113

On Fri, 12 Oct 2007, matrixknowledge@googlemail.com wrote:

> All
>
> Can anyone recommend a verical antenna that i can mount on the roof of
> my 3 story house that works from 80m upwards and wont upset the
> nighbours (too much). I have looked at various Butternuts etc but it
> seems like they only work well when ground mounted. Also keen to get
> one that is not to noisy as in a relativly built up area. I would not
> operate with more than 100W
>
> I have looked at reviews on EHAM but they all seem to be mixed.
>
> Thanks
>
> Andiroo

Andiroo,
I had a bunch of very strong cable donated to me by the local NAVAL raedio stn. It was about 1/4" in diameter and included Ceramic bar insulaters etc. I had a 4" vertical aluminum pipe imbeded in concrete at the base. It was about 30' long and another slightly slightly smaller aluminum pipe which telescoped into the lower one. Total height was about 50 feet when fully raised. At the top I had a thick very tough plastic ring with wholes around the edges so I caould anchor the antenna wires to the insluating ring and then had 3 inverted vertical antennas all fed by RG8U Coax into a will insulated box. In other words 3 inverted V's you might call it.

They opposite end of the antennas were 1/4 " bronze braid wire.
One set was cut for 40 meters, one for 80 meters, and the last
for 15 meters. Coax feeders were cut to proper lengths for
best matching and lowest loss. The antenna worked fantastically.
All 3 bands and stood up with no breakage even during near hits
from several hurricanes and Kona storams.   Results were excellent.
I also had a 3KW roller coil tuner in the shack which permitted
tuneing to zero swr on all bands 80/40/20/15/10 meters.
As I said this material from NM0 site was real tough stuff.
The aluminum mast that supported it all was about 4" in diameter
and set in concrete block. Hole in side to put all the feed line
inside the vertical aluminum pipe. At top of the 4" pipe had another
3" pipe interleaved into the 4" pipe so could raise and lower the
upper section easily.   On the air results were fantastic.
The antennas faned out at the roof tie point insulators.
               If your lot is at least 50' by 100' its just
about what I have.
                    Joe/KH6JF (Honolulu, Hi)

From 5910423526749254465
X-Google-Thread: 108122,a301d178bc93f5ee
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
204.153.247.120.MISMATCH!teal.octanews.net!news-out.octanews.net!
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WOW, check this out!!
From: Bert Hyman <bert@iphouse.com>
References: <DlyPi.2995$Yb2.672@newsfe12.lga>
Organization: Not that you'd notice
Message-ID: <Xns99C7B6F88F4E2VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 12 Oct 2007 22:58:44 GMT
Lines: 15
NNTP-Posting-Date: 12 Oct 2007 17:58:44 CDT
NNTP-Posting-Host: 6079b0e0.newsreader.iphouse.net
X-Trace: DXC=Y^UiQW4;09=JSL2>3cHDd6Vn\Tj8`^Bb;eHS>e[L>830CjofF34TAk?
c230oU7d711X7@2h;nGb4=?XZ]EVOX6h3
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:1114

In news:DlyPi.2995$Yb2.672@newsfe12.lga Sky <kenwood1701@hotmail.com>
wrote:

```
><!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
><html>
><head>
>  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
>  <title></title>
```

```
></head>
><body bgcolor="#ffffff" text="#000000">
```

What?

```
--
Bert Hyman    St. Paul, MN  bert@iphouse.com
```

```
From 8720797990645034840
X-Google-Thread: fc2a5,eb580653365a913c,start
X-Google-Thread: fc8b1,eb580653365a913c,start
X-Google-Thread: 108122,eb580653365a913c,start
X-Google-Thread: 111d0a,eb580653365a913c,start
X-Google-Thread: 113975,eb580653365a913c,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v29g2000prd.googlegroups.com!not-for-
mail
From:  "bill.meara@gmail.com" <bill.meara@gmail.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,sci.electronics.basics,sci.astro.amateur
Subject: SolderSmoke... now from Rome
Date: Sat, 13 Oct 2007 06:39:50 -0000
Organization: http://groups.google.com
Lines: 55
Message-ID: <1192257590.924038.137870@v29g2000prd.googlegroups.com>
NNTP-Posting-Host: 81.208.83.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1192257591 32123 127.0.0.1 (13 Oct 2007 06:39:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 Oct 2007 06:39:51 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v29g2000prd.googlegroups.com; posting-host=81.208.83.208;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.homebrew:1236
rec.radio.amateur.boatanchors:1382 rec.radio.amateur.equipment:1115
sci.electronics.basics:10742 sci.astro.amateur:12863
```

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke #66

October 13, 2007
FROM ROME!
Getting settled.
Summer adventures.
New shack.
Meeting W7ZOI in San Diego.
The speed of dark?
Iron Pyrite.
Wireless kids.
Noise cancelling headphones.
MAILBAG: Dennis OX3UR listening from Greenland,
Gary VK2KYP,
Paolo F5VMJ on NASA and tin whiskers,
Mike WA6ARA listening (with Zen)in
the high Sierras.

Tired of listening to the Arctic Monkeys or NPR on your I-Pod? Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack? Tune in to SolderSmoke!

RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.soldersmoke.com

All the programs are available here.

I hope you enjoy the program. Please send us feedback.

73 from ROME
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

```
From -9025421087005335558
X-Google-Thread: fc8b1,85c6bf64aaf81359,start
X-Google-Thread: 108122,85c6bf64aaf81359,start
X-Google-Thread: 1109af,85c6bf64aaf81359,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 Oct 2007 08:01:24 -0500
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: RCA Senior VoltOhmyst Beauty!!!
Date: Sat, 13 Oct 2007 09:01:43 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <iu2dnW7n46Q4XI3anZ2dnUVZ_s-pnZ2d@comcast.com>
Lines: 4
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.0.64.111
X-Trace: sv3-
NI6RzOSl6A+NNITCPFSg8L6ibN7UTXH5VS96sNG8jz5C4LcPRwn1ytNValsOuSABYeIAV9tTI0b106Q!
t8B86XSy8PsvBNh+Kh20hwNlhWlDS9NcHJUMfG1kzTCb3PRg3ni9LocFRxgfIXYotxwFXXMCjPqQ!
8D8jgFDlCvf6aaVfBqeBz5v/1Kk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1384
rec.radio.amateur.equipment:1116 rec.radio.swap:1414

To see, click here......
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=290168602330&ssPageName=STRK:MESE:IT&ih=019

From -6170262721374995143
X-Google-Thread: 108122,b616b64fbfd92412,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!roadrunner.com!not-for-mail
Date: Sat, 13 Oct 2007 14:16:08 -0400
From: Ron in Radio Heaven <W4RON@Xcarolina.rr.com>
Organization: Ron, W4RON
http://radioheaven.homestead.com/index.html
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0

Newsgroups: rec.radio.amateur.equipment
Subject: new email address
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <47110b88$0$28873$4c368faf@roadrunner.com>
NNTP-Posting-Host: 71.75.12.75
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1117

I've changed my amateur call sign to W4RON.

I have a new email address to go with it,
which is W4RON@SPAMcarolina.rr.com

Remove the SPAM to use this address.

73, Ron, W4RON

From 2826122502812687034
X-Google-Thread: 108122,a3de8404fef648da
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 Oct 2007 13:48:19 -0500
Date: Sat, 13 Oct 2007 14:49:02 -0400
From: James Barrett <xucaen@comcast.net>
User-Agent: Thunderbird 2.0.0.6 (X11/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood K2AT power supply
References: <xb6dnSUJBMH4qpTanZ2dnUVZ_rSinZ2d@comcast.com>
<13gitof8scbed73@corp.supernews.com>
In-Reply-To: <13gitof8scbed73@corp.supernews.com>
X-Enigmail-Version: 0.95.3
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <lZCdnZnBzeluj4zanZ2dnUVZ_judnZ2d@comcast.com>
Lines: 53
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 66.30.129.113
X-Trace: sv3-Vpdagmemtcx0IuzvixzDTXLwXlTSLxjjWqQN1lZXiokhE66MfyE+s7m+O+s1/
hwtjj8zKjsnJvqgcav!
uDD1rysZAisFJ4jX0V5niEUwkknB2OFSj+wyKHlIucaR+8Z85w8KIjlklGNvHXUcfhlneGb9QDpF!iR/
PZuzPenW79PNz48tmO6ajobh/WQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly

X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1118

-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

Ralph Mowery wrote:
> "James Barrett" <xucaen@comcast.net> wrote in message
> news:xb6dnSUJBMH4qpTanZ2dnUVZ_rSinZ2d@comcast.com...
>> -----BEGIN PGP SIGNED MESSAGE-----
>> Hash: SHA1
>>
>> I have a question for anyone who owns a Kenwood K2AT hand held and uses
>> an external DC Power supply. Page 9 of the owner's manual says that the
>> voltage must be between 12.0v and 16.0v (page 9) but does not say what
>> the amps should be. I read somewhere out there that 1.8A should be used.
>> However, the picture in the owner's manual shows a DC cable (the PG-2W)
>> with 4A fuses. Other radio's use 3A, so I am wondering if the K2AT can
>> handle 3A, especially considering that the PG-2W has 4A fuses in it.
>>
>> Is 3A safe for my K2AT?
>>
>> thanks,
>>
> You are not the only one to ask the same question.
>
> The radio will only draw as much current as it needs. It is only the
> voltage that maters and it must be what the rig is rated for. The power
> supply must be able to put out the ammount of current needed or more. As
> long as the voltage is within the correct range, you could hook it up to a
> 100 amp supply if that is what you have.
> You should have a fuse in the line rated at whatever the manufactor says.
> This will reduce the damage and save the wiring and power supply if
> something does gowrong with the Kenwood.
>
> Think of it as hooking up somethin to the 120 volt AC outlet in your house.
> As long as the device is rated around 120 volts AC it will only take what it
> needs, be it a 5 watt night light or a 1200 watt heater or hair dryer.
>
>
>

Would it be safe to connect my HT directly to a 12v car battery? If the
HT will only draw the amperage it needs, and the voltage is within the
specs, it should be safe, right?

Thanks,

-----BEGIN PGP SIGNATURE-----
Version: GnuPG v1.4.6 (GNU/Linux)

iD8DBQFHERMeQuDJiZ/QrH0RAqnIAJ95g5Aq+b/0sb+3JpYmhVRp+Wy0vwCbBUkj

CXvmVsZUyeAKzvBN02HcPME=
=IgyR
-----END PGP SIGNATURE-----

From -4244401419134154980
X-Google-Thread: 108122,a3de8404fef648da
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 Oct 2007 14:44:17 -0500
Date: Sat, 13 Oct 2007 15:49:32 -0400
From: James Barrett <xucaen@comcast.net>
User-Agent: Thunderbird 2.0.0.6 (X11/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood K2AT power supply
References: <xb6dnSUJBMH4qpTanZ2dnUVZ_rSinZ2d@comcast.com>
<13gitof8scbed73@corp.supernews.com>
<lZCdnZnBzeluj4zanZ2dnUVZ_judnZ2d@comcast.com>
In-Reply-To: <lZCdnZnBzeluj4zanZ2dnUVZ_judnZ2d@comcast.com>
X-Enigmail-Version: 0.95.3
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <POadnboou4uMvYzanZ2dnUVZ_oPinZ2d@comcast.com>
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 66.30.129.113
X-Trace:
sv3-2D5C1XzUMbU+KHbloLwgQVxf8h2tscP8zyLHJg5S1acAxDD+2eHxOILGNq32FnJdSpvW+SAOYyLe36
7!SwkZYgZ0h0TmBxmXBvnI+tVStyDzKi61r3JvJJevmhNrM/hqC0p+RusBcSXw8+vD6Efi40Vl7nIH!
K6nytln8uWJtVKNKQNVJkJT+0WIZxg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1119

-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

James Barrett wrote:

>
>
>
> Would it be safe to connect my HT directly to a 12v car battery? If the
> HT will only draw the amperage it needs, and the voltage is within the
> specs, it should be safe, right?

>
> Thanks,
>
>

I answered my own question. car batteries tend to have voltage spikes,
which would damage the HT. Just wanted to throw this out in case anyone
else ever has the same question.

-----BEGIN PGP SIGNATURE-----
Version: GnuPG v1.4.6 (GNU/Linux)

iD8DBQFHESFLQuDJiZ/QrH0RAtNRAJ9/zK/mdGwtCdRmvA6tOWCM5VYbrQCguY/V
C42ZBryce7TmcYUZPRa18O0=
=LOk1
-----END PGP SIGNATURE-----

From -2856300496024558373
X-Google-Thread: 108122,cf1af2b3a35e7c14,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t8g2000prg.googlegroups.com!not-for-mail
From: Mike VE3MKX <mkx@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-301 - INFO wanted
Date: Sat, 13 Oct 2007 17:52:24 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1192323144.580354.114230@t8g2000prg.googlegroups.com>
NNTP-Posting-Host: 67.70.95.222
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1192323145 10438 127.0.0.1 (14 Oct 2007 00:52:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 14 Oct 2007 00:52:25 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t8g2000prg.googlegroups.com; posting-host=67.70.95.222;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1120

Hi, I have a Yaesu FT-301D - digital hf rig.

Here is the problem... the rig works great but the digital display
does not work properly.
The display will only read out the following when on... example. 80m
reads 3.000.0, 40m 7.000.0   20m, 14.000.0 and so on When I turn the
dial the frequency displayed stays the same. No change or any attempt
to change its reading.

Ive checked the connections to the display boards, all looks ok.. As
I mentioend the rig works fine except for this.
Any suggestions ?

73 Mike
VE3MKX

From -2790236554831913002
X-Google-Thread: 115730,b4a39fe4420015d5,start
X-Google-Thread: 10c2ee,b4a39fe4420015d5,start
X-Google-Thread: 101046,b4a39fe4420015d5,start
X-Google-Thread: 108122,b4a39fe4420015d5,start
X-Google-Attributes: gid115730,gid10c2ee,gid101046,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k35g2000prh.googlegroups.com!not-for-mail
From: William Miller <prototech@usa.net>
Newsgroups:
sci.electronics.equipment,rec.antiques.radio+phono,alt.radio,rec.radio.amateur.equipment
Subject: LINK: Conar 250 Oscillioscope Info Page - Schematics Wiring Diagram Layout Brochure
Date: Sat, 13 Oct 2007 18:56:01 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1192326961.972246.261920@k35g2000prh.googlegroups.com>
NNTP-Posting-Host: 68.73.155.18
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1192326962 22524 127.0.0.1 (14 Oct 2007 01:56:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 14 Oct 2007 01:56:02 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k35g2000prh.googlegroups.com; posting-host=68.73.155.18;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com sci.electronics.equipment:1072
rec.antiques.radio+phono:11759 alt.radio:73 rec.radio.amateur.equipment:1121

Conar 250 Oscillioscope Information Page
Download Conar 250 Oscillioscope Schematics Wiring Diagram Layout
Brochure
http://www.microwavedisplay.com/conar_250_scope_info.htm

- representative photo
- letter to the original owner
- download PDF of original brochure
- download PDF of original schematic

Full specifications are in the brochure, but here are some highlights: .023Vrms sensitivity; vertical amplifier response flat 13Hz to 2.5MHz down 1.5dB at 3.58MHz; sweep range 10Hz to 500kHz; horizontal sensitivity 1Vrms; frequency response flat from 20Hz to 90kHz, down .8dB at 12Hz, down 3dB at 250kHz.

additional keywords: V rms volts cycles kc kilocycles mc megacycles scope o'scope o-scope oscope wide band tv oscilloscope National Radio Institute NRI N.R.I. N. R. I. kit

```
From 2828179680829198217
X-Google-Thread: 108122,cf1af2b3a35e7c14
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 Oct 2007 22:05:55 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <1192323144.580354.114230@t8g2000prg.googlegroups.com>
Subject: Re: Yaesu FT-301 - INFO wanted
Date: Sat, 13 Oct 2007 22:05:48 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Original
Message-ID: <LcidnU8ZG4QOGozanZ2dnUVZ_gadnZ2d@comcast.com>
Lines: 29
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-nOef4WXOfZfL4R/ghZqXTlYDHNYkjiT2M3iwPZPeC06/oXP8PmJanZu/
rOmDx2gU2aiw9yTnJtRedM/!MZj9aBtwfI/WiHvYihPL9GTVXAKqODP0kdOwwHn8nZnKOLWY9AHqFS59/
Mp0qsaFUfLkiML/BSFm!FXk+LIC2mhX4l9M2F9zT/atnXGfoTw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1122
```

The FT-301D had a few issues with the digital display -- one which was overheating.

Post at Fox Tango (Yaesu User's Group)
http://foxtango.org/foxtango001.htm

Carol Maher is moderator and likely has the troubleshooting info you need.

gb

"Mike VE3MKX" <mkx@sympatico.ca> wrote in message
news:1192323144.580354.114230@t8g2000prg.googlegroups.com...
> Hi, I have a Yaesu FT-301D - digital hf rig.
>
> Here is the problem... the rig works great but the digital display
> does not work properly.
> The display will only read out the following when on... example. 80m
> reads 3.000.0, 40m 7.000.0   20m, 14.000.0 and so on When I turn the
> dial the frequency displayed stays the same. No change or any attempt
> to change its reading.
> Ive checked the connections to the display boards, all looks ok.. As
> I mentioend the rig works fine except for this.
> Any suggestions ?
>
> 73 Mike
> VE3MKX
>

From 7183552181249535571
X-Google-Thread: 108122,a3de8404fef648da
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood K2AT power supply
Date: Sat, 13 Oct 2007 19:28:23 -0700
Organization: Home for Obscure Mythical Beings
Message-ID: <7fb8u4-5u2.ln1@radagast.org>
References: <xb6dnSUJBMH4qpTanZ2dnUVZ_rSinZ2d@comcast.com>
<13gitof8scbed73@corp.supernews.com>
<lZCdnZnBzeluj4zanZ2dnUVZ_judnZ2d@comcast.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com rec.radio.amateur.equipment:1123

In article <lZCdnZnBzeluj4zanZ2dnUVZ_judnZ2d@comcast.com>,
James Barrett <xucaen@comcast.net> wrote:

>Would it be safe to connect my HT directly to a 12v car battery? If the
>HT will only draw the amperage it needs, and the voltage is within the
>specs, it should be safe, right?

Maybe yes, maybe no.

Some HTs require _less_ than 12 volts, and will be damaged by the higher voltage. This should be clear in the manual.

A car's electrical system as a whole is a less safe thing to connect an HT to than an isolated car battery, if the vehicle is being operated. A vehicle's voltage distribution system is subject to voltage spikes and surges (in particular, due to a phenomenon called "load dump" e.g. turning the lights off while the engine is running). Car electronics usually requires that the device be able to withstand a load-dump spike of up to 50 volts. Many HTs won't survive this.

The manufacturer-recommended "plug into cigarette-lighter outlet" adapters for HTs often include some filtering and spike suppression circuitry.

```
--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From -5258117858234118807
X-Google-Thread: 108122,b1599798e112393,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 14 Oct 2007 06:24:12 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Drake 1KW Dry Dummy Load
Date: Sun, 14 Oct 2007 07:24:29 -0400
Reply-To: wz1u@comcast.net
Message-ID: <k2v3h3tiqgqadcm8pvl1q688q6a6h2paau@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.60.230.66
X-Trace: sv3-jmINgiBZXsR2yJaTnKMjkgU0ympEpHX/
bTd+jzk5PaCoHv8HtXtl7jMtASaEeai5XeeqbDVtqELIPfo!Tyj6/dDvwOXW+eQ/RW5OpnWdnxSGvLYO/
+OxdF1bWGJcm/qES8nbIhkrKLZoZH9UJHmi0ZNS7ll8!Jr3o1oAHpogiDF/xsG5ocWYGkw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1124

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=130163237103&ssPageName=STRK:MESE:IT&ih=003

From 6161217025211759471
X-Google-Thread: fc8b1,1832f500cfd76561,start
X-Google-Thread: 108122,1832f500cfd76561,start
X-Google-Attributes: gidfc8b1,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr11.news.prodigy.net.POSTED!ef855899!not-for-mail
From: patrick jankowiak <eccm@swbell.net>
Reply-To: recyclerREMOVE_THIS@swbell.net
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.antiques.radio
+phono
Subject: Need Schematic + Manual for T-408 AN/URT-12 transmitter please. (rig
 pictures online).
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 000781-1, 10/14/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 31
Message-ID: <jMpQi.44069$RX.23771@newssvr11.news.prodigy.net>
NNTP-Posting-Host: 208.190.133.204
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.net 1192372367 ST000 208.190.133.204 (Sun, 14 Oct
2007 10:32:47 EDT)
NNTP-Posting-Date: Sun, 14 Oct 2007 10:32:47 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: T[OYR_KEXB^US]@YKBH\OQMAPJYRUVLHWY\Z]
\YIBATBDTICYFW[QB[YHL\DHWWIDFCGZAZLUNYZ_J_A[NVC^PPFINVOIPXHDPX@BQ[@J\RJADL^GSF\X\W
@@\BQJJFNB\ZMKHRLZY^MFKSSDL^GOIW^GSY@FRWHMQ[GPBGACCFLAQ@F\L@J\\LGY^TUAVBM
Date: Sun, 14 Oct 2007 14:32:47 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1392
rec.radio.amateur.equipment:1125

Hello,

I recently found this great transmitter, and went to great lengths to
get it out from the back of a huge old warehouse.

Unfortunately, the manual seems scarce.

I would like to buy, borrow, copy, etc.. the manual so I can fix the set. Usually a manual wouldn't be strictly necessary, but the set is difficult to service since when you slide any of the drawers out, it's instantly disconnected from the frame wiring! ha!

(Anyone got a "service cable" for it? Other owners of the URT-12?)

So, if anyone is kind enough to make available a manual I would appreciate it greatly.

Pictures of the set (I have not had time to clean the cabinet, sorry) are here:

http://www.bunkerofdoom.com/mil/urt12/index.html

I think it's a good piece of Coast Guard history, I'd like to restore it. - and get it on the air!

Thank you,

Patrick Jankowiak
KD5OEI
(contact info is at my 'top' website page bunkerofdoom.com, or, see and un-mung the sender address)

From 9150301372108960265
X-Google-Thread: 108122,86e36c6b56345d10,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!not-for-mail
From: iam acat <iamacat@meow.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Nortex Electronics
Date: Sun, 14 Oct 2007 14:11:33 -0400
Organization: Aioe.org NNTP Server
Lines: 41
Message-ID: <fetm0q$sli$5@aioe.org>
NNTP-Posting-Host: E8gIPF6Em9uqad5or5mVfg.user.aioe.org
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
Xref: g2news2.google.com rec.radio.amateur.equipment:1126

Nortex Electronics
In Memory of Lewis E. Cearly Jr., Proprietor
Lewis Cearley, 84, passed away Friday, Oct. 5, 2007, at a local hospital. Funeral: 1:30 p.m. Tuesday in Greenwood Chapel. Interment: Greenwood Memorial Park. Visitation: 6 to 8 p.m. Monday at Greenwood

Funeral Home. Pallbearers: Gordon Callaway, Ed Forrester, Bob Martin, Ken McAllister, Mike Stroud, Jimmy Waters. Honorary pallbearers: Bob Carr, Bryan Goulette, Perry Hale, Steve Haney, Jerry McKinney, Robert Plum, Pete Pratt, Mark Rosso. Lewis was born July 21, 1923, to Lewis E. Cearley and Ina Carson Cearley in Childress. His family moved to Fort Worth in 1936. He graduated from Tech High School and joined the Navy in 1942. He served on the aircraft carrier, Tulagi, in the South Pacific, participating in three invasions, plus always dodging the kamikaze. Lewis enjoyed participating in squadron reunions. Lewis developed an intense interest in electronics at an early age; for example, he wired an entire house when he was 14. He started the Cearley Co. on Pennsylvania Avenue in 1954. In 1976, he established Nortex Electronics on West Vickery Boulevard, passing out advice, spare parts and good cheer until a month before his death. Lewis and Joy Cearley were married in 1967, putting an end to his happy bachelor days. They celebrated their 40th anniversary on Aug. 12, 2007. His stepson, John Watson, died in 2001. Survivors: Wife, Joy; sister, Sylvia Cearley of Fort Worth; stepdaughter, Kay Haddaway and husband, Richard of Santa Fe; stepdaughter-in-law, Brenda Watson of College Station; stepgrandsons, James Haddaway and wife, Shannon of Fort Worth, Keith Watson of College Station; stepgranddaughter, Dr. Kimberly Hill and husband, Jeff of Georgetown; and stepgreat-grandchildren, George Haddaway, Vivian Haddaway, Ethan Hill and Avery Hill. Published in the Star-Telegram on 10/7/2007.
Lewis was a great friend to many electroncs and photography enthusiasts and is sorely missed. Lewis was my very good friend. During the week of Monday OCT 15 through Saturday OCT 20, 2007, the store will be open to the public to make any final purchases.
It is strongly recommended to do so, as after this, the store will be closed and all goods will be recycled.
NOTE: Thursday-Saturday of the above week is a special and very final "garage sale" also open to the public.

http://www.montagar.com/~PATJ/nortex.htm
http://www.bunkerofdoom.com/nortex/index.html

From 1549257415864921054
X-Google-Thread: 108122,6a7b20fa7c7e334d,start
X-Google-Thread: fcc6e,6a7b20fa7c7e334d,start
X-Google-Attributes: gid108122,gidfcc6e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v23g2000prn.googlegroups.com!not-for-mail
From: Wimpie <wimtel@tetech.nl>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Circuit diagram EA 3011 12V/10A power supply
Date: Mon, 15 Oct 2007 03:12:24 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1192443144.491269.149950@v23g2000prn.googlegroups.com>
NNTP-Posting-Host: 83.83.102.22

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1192443145 14878 127.0.0.1 (15 Oct 2007 10:12:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 Oct 2007 10:12:25 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; es-ES; rv:1.8.1.7)
Gecko/20070914 Firefox/2.0.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v23g2000prn.googlegroups.com; posting-host=83.83.102.22;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1127
rec.radio.amateur.antenna:6674

Hello,

I have some problems with an Elektro-Automatik EA 3011 12V/10A power
supply. Does somebody own the circuit diagram of this power supply?
It saves me a lot of time from extracting it from the PCB.

Best regards,

Wim
PA3DJS
www.tetech.nl

From 3971608200454753672
X-Google-Thread: 108122,d61ca149308a8549,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 15 Oct 2007 09:39:56 -0500
From: "Denis Sharon" <denis.sharon@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Tripolett Sig Gen at nearFest
Date: Mon, 15 Oct 2007 10:39:29 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <7YydneJipqoh5o7anZ2dnUVZ_j6dnZ2d@comcast.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.234.35.59
X-Trace: sv3-ziER1YnOFt3n9HOCWMqbXmLuuFTKRmGGEn0BjdPnKV/2RfxVzo9Xkv0G/
oxWscCOFZAoq2HdIAbFO7Z!
qN5RAoTpzK1TYsQPRINLjWSEstWIXWoSQGZ4mQhSFmxTRSigNKdMNTcuMTXJHDBvRQV2miSNaDZF!
nDV2AExlc17QnMBfI3IHl0BhYlqd

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1128

To the gentleman who bought my Tripolett signal generator at NearFest (NH)
this weekend,

I found the manual and will be happy to send it to you. Please send me your
mailing addresat W1AOK@att.net.

Regards,

Denis Sharon W1AOK
Ridgefield, CT

From -4720867100710869424
X-Google-Thread: 108122,4051b688a7915b68,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v23g2000prn.googlegroups.com!not-for-mail
From: EFIE <efie_r@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TS820 TRANSMIT PROBLEM
Date: Mon, 15 Oct 2007 15:25:31 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1192487131.497857.173280@v23g2000prn.googlegroups.com>
NNTP-Posting-Host: 89.1.169.209
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-8-i"
X-Trace: posting.google.com 1192487132 24699 127.0.0.1 (15 Oct 2007 22:25:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 Oct 2007 22:25:32 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v23g2000prn.googlegroups.com; posting-host=89.1.169.209;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1129

HI
AFTER MANY YAER I TRY TO GET MY TS820 TO TRANSMIT AND IT WONT DO
H.V. IS OK
FILAMENT IS OK

TR REALY IS OK TUBES ARE OK
THAT WAS CHACKED WITHOUT THE TUBES
AND THE TUBES WERE CHACKED IN ENOTHER RIG
WITH THE TUBES INSTALED AT THE RIG DURING RX EVERY THING IS OK
AS I AM TRYING TO TRANSMIT IT IS BLOWING THE MAIN FUSE
WEN THE TUBES ARE IN AND THE HV IS DISCONCT FROM THE ANODS AND TR
SWICH IS ON, NO PROBLEM
DO TO THIS PROBLEM I INSTALL A 8 AMP FUSE JUST TO SEE IF I CAN LOCATE
THE PROBLEM
RESALT: TUBES ARE GETTING RED AND NO OUTPUT. IT IS LIKE A VERY BAD SWR
SO SUM HAW THE POWER IS STACK IN THE FINAL BORD
WEN I POOLED THE RF CHOKE FROM THE ANTENNA REALY I DID NOT DISCOVER
ANY GRAUND SHORT JUST THE 10K+1K OMS (R8+R1
DOES ANY ONE HADE A SIMILAR PROBLEM WICH WAS SOLVED
IS SOMEBODY CEN GIVE ME A SULUTION
73
4Z4TI
EFI

```
From 1739711691531964181
X-Google-Thread: 108122,a3de8404fef648da
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 15 Oct 2007 20:20:49 -0500
Date: Mon, 15 Oct 2007 18:20:48 -0700
From: ZB <...WA7AA...@get.lost>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood K2AT power supply
References: <xb6dnSUJBMH4qpTanZ2dnUVZ_rSinZ2d@comcast.com>
<13gitof8scbed73@corp.supernews.com>
<lZCdnZnBzeluj4zanZ2dnUVZ_judnZ2d@comcast.com>
<POadnboou4uMvYzanZ2dnUVZ_oPinZ2d@comcast.com>
In-Reply-To: <POadnboou4uMvYzanZ2dnUVZ_oPinZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <kpqdneSck59sjInanZ2dnUVZ_jSdnZ2d@comcast.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.244.152
X-Trace: sv3-7Oda7SVxcM/3cGodc7t8TyC76kIatur02Lu+xqt2J9nmMqemyLOY6hOipf5lXRyQZLc/
4HHEGKBflYm!hgG2h8y90VpkrGTD2eLeMhX0Fwv/mMlZXmlVUVU+kjz0nlOlOUaL5umMCREOLYQioPz/
cbZLkQjb!nS9VJnzMYa7+oZPRWtNSQZFrkcnzs1k=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1130

James Barrett wrote:

> I answered my own question. car batteries tend to have voltage spikes,
> which would damage the HT.

They tend to have what now?

73 ..... WA7AA

From 5132786063057597436
X-Google-Thread: 108122,a5848b51ccc14a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 16 Oct 2007 07:17:29 -0500
From: "Topaz305RK" <k7sam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood HC-10
Date: Tue, 16 Oct 2007 06:19:25 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <nfCdnVULUshGNonanZ2dnUVZ_qCgnZ2d@vnet-inc.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-E9X45x9ZrwPaiRasLdt/TEdbRtmV59S0R7CXFBOqEaKBk4cuUVhTH158mRIfGSK+iTDz11mft2CP51Q!9OMv3Jb8QK7JGGMi8rGcpIGytpQJWo6exTItipuoGnOg4kwTKXFfRGESzCDrcazByXu6nm2gpXMm!PEDug0oOH8ZjTWOlSJHTDc2Kxfo=
X-Complaints-To: abuse@vnet-inc.com
X-DMCA-Complaints-To: abuse@vnet-inc.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly

X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1131

Have searched high and low for an operators manual, no luck.
Service manuals are easy to find, but, not what I need.
Anyone have an operators manual?

I have most of it sorted out just playing with it but am not sure about a couple of things.
Found it at a hamfest last weekend. Nice little clock but would like to set it up correctly.
If anyone can help it would be appreciated.

Sam - K7SAM

From 7526947076567011878
X-Google-Thread: 108122,cd6c16e874240bec,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny07.POSTED!57e3ed27!not-for-mail
From: "JTB" <jerryjtb@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: YAESU FT-757GX II Service manual
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <k06Ri.1097$HU1.708@trndny07>
Date: Tue, 16 Oct 2007 16:53:36 GMT
NNTP-Posting-Host: 71.245.40.70
X-Complaints-To: abuse@verizon.net
X-Trace: trndny07 1192553616 71.245.40.70 (Tue, 16 Oct 2007 12:53:36 EDT)
NNTP-Posting-Date: Tue, 16 Oct 2007 12:53:36 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1132
X-Original-Bytes: 922

Anyone have a FT-757GX II service manual that is excess their needs. I am looking for one.

Jerry W0ZD

From -6256656576471482794

```
X-Google-Thread: 108122,cd6c16e874240bec
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambrium.nl!feeder2.cambrium.nl!
feed.tweaknews.nl!193.201.147.84.MISMATCH!xlned.com!feeder1.xlned.com!
newsfeed.freenet.de!newsfeed00.sul.t-online.de!newsmm00.sul.t-online.de!t-
online.de!news.t-online.com!not-for-mail
From: Wolfgang <ham@quantentunnel.de>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: YAESU FT-757GX II Service manual
Date: Tue, 16 Oct 2007 19:51:38 +0200
Organization: T-Online
Lines: 7
Message-ID: <orj8mb3xb31y.5xdpw18dry9v$.dlg@40tude.net>
References: <k06Ri.1097$HU1.708@trndny07>
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: news.t-online.com 1192557093 01 15051 UzMB1S-1tnlrSQ2i 071016 17:51:33
X-Complaints-To: usenet-abuse@t-online.de
X-ID: XHC9aBZGQeAMARnPP5GLJYZGzRMCLiuUKhAZudiFj3SlrYwXWPMx41
User-Agent: 40tude_Dialog/2.0.15.1de
X-Antivirus: avast! (VPS 000781-2, 15.10.2007), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com rec.radio.amateur.equipment:1133

Am Tue, 16 Oct 2007 16:53:36 GMT schrieb JTB:

> Anyone have a FT-757GX II service manual that is excess their needs. I am
> looking for one.
Hello Jerry,
have a look on www.mods.dk , you can download the manual there.
73 de Wolfgang


From -5509194430972127894
X-Google-Thread: 108122,5c77146f0e4a5230,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i13g2000prf.googlegroups.com!not-for-
mail
From:  k5ubm <k5ubm@hotpop.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood tk-3200 Microphone
Date: Wed, 17 Oct 2007 06:13:15 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1192626795.487243.170100@i13g2000prf.googlegroups.com>
NNTP-Posting-Host: 70.247.242.52
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1192626796 2821 127.0.0.1 (17 Oct 2007 13:13:16 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Wed, 17 Oct 2007 13:13:16 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.7)
Gecko/20070914 Firefox/2.0.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i13g2000prf.googlegroups.com; posting-host=70.247.242.52;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1134

Does anyone know how to wire an electret mic to this radio?

From -2561852373361593380
X-Google-Thread: 108122,59a960519a57f19,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: LRE ELECTRO <kenwood1701@hotmail.com>
Organization: dyna industries
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA : last call....LAFAYETTE DNYA-COM 23 WALKIE TALKIE,   98% MINT!!

Content-Type: multipart/alternative;
 boundary="------------080601080300020005040505"
Lines: 54
Message-ID: <aapRi.23$V76.9@newsfe12.lga>
Date: Wed, 17 Oct 2007 10:41:27 -0400
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1192632070 69.122.55.64 (Wed, 17 Oct 2007 07:41:10 MST)
NNTP-Posting-Date: Wed, 17 Oct 2007 07:41:10 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:1135

This is a multi-part message in MIME format.
--------------080601080300020005040505
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Hello, posting this for a friend.

Take a look is you like.

Thank you

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130162283347
http://cgi.ebay.com/ws/eBayISAPI.dll?

```
ViewItem&item=130162283347&ssPageName=ADME:L:LCA:US:1123



FA :  LAFAYETTE DNYA-COM 23 WALKIE TALKIE,   98% MINT!!

--------------080601080300020005040505
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Hello, posting this for a friend.
<br>
<br>
Take a look is you like.
<br>
<br>
Thank you
<br>
<br>
<br>
<a class="moz-txt-link-freetext"
 href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130162283347">http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130162283347</a>
<br>
<a class="moz-txt-link-freetext"
 href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130162283347&amp;ssPageName=ADME:L:LCA:US:1123">http://
cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130162283347&amp;ssPageName=ADME:L:LCA:US:1123</a><br>
<font size="+1"><font face="Arial"><br>
<br>
<br>
FA :&nbsp; LAFAYETTE DNYA-COM 23 WALKIE TALKIE,&nbsp;&nbsp; 98% MINT!!<br>
</font></font>
</body>
</html>

--------------080601080300020005040505--


From 2371098975250924642
X-Google-Thread: 108122,677d005e45085194,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 Oct 2007 00:48:40 -0500
From: "Willis" <kennjd@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Ham Auction FRIDAY Santa Ana, California
Date: Wed, 17 Oct 2007 22:49:03 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <lp6dnR8Ie6clbovanZ2dnUVZ_r2nnZ2d@adelphia.com>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.81.107.101
X-Trace: sv3-ujAot1ZLBecEa45xl1Dxj8x5QPdhwWM6BOG3zHWOIYkfLJsg01rIBkzaUAHR7FnjB8USkVrg0UKwshO!
p5/uqLtKX05KZ+uOuqnacIMfslT1tT5hiRPhIRtyOGElOrp5P74EdwqadWfIUfBj02NGJYRd1N8+!
FaAPPxLbtrI7KKM=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1136

The Orange county Amateur Radio club is hosting
its popular annual Auction this Friday, October 19th at 7PM.
Located at the Red Cross building 2nd floor at 600 park center drive, Santa Ana, California.
Enter the building on the WEST side.
Set-up begins at 6PM. Talk-in 146.550 Mhz simplex.
Bring your Ham Gear and electronic equipment.
Bring cash to aquire your auction winnings.
Your Ham Gear and electronic equipment will be auctioned to and from the general public and club members.
First time Visitors welcome!
Sellers will be charged a fee of ten percent of the selling price for items sold. Items not sold will not be assesed a fee.
Please see the driving map and read the auction rules here:
.
http://www.w6ze.org/Auction_Rules_2007.pdf
.

From -7497974154088415388
X-Google-Thread: 108122,9d0c02fd87820ef9,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y27g2000pre.googlegroups.com!not-for-

```
mail
From:  James Barrett <xucaen@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: History of the Icom IC-735
Date: Thu, 18 Oct 2007 18:56:02 -0000
Organization: http://groups.google.com
Lines: 10
Message-ID: <1192733762.968456.73720@y27g2000pre.googlegroups.com>
NNTP-Posting-Host: 170.40.160.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1192733766 18865 127.0.0.1 (18 Oct 2007 18:56:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 18 Oct 2007 18:56:06 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.6)
Gecko/20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y27g2000pre.googlegroups.com; posting-host=170.40.160.25;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1137
```

Hi, I am trying to track down some history about this radio. I was hoping someone here may know something about it. I wanted to know what years Icom produced this radio and sold it new. And what was the retail price for new? I'd also like to hear opinions about the 735 as compared to other radios being sold new during the same time.

Thanks!

Jim

```
From -8270971253949635173
X-Google-Thread: 108122,9d0c02fd87820ef9
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <1192733762.968456.73720@y27g2000pre.googlegroups.com>
In-Reply-To: <1192733762.968456.73720@y27g2000pre.googlegroups.com>
Subject: Re: History of the Icom IC-735
Lines: 22
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <JDQRi.30195$054.1942@newsfe14.phx>
Date: Thu, 18 Oct 2007 14:55:46 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.phx 1192744553 72.197.13.209 (Thu, 18 Oct 2007 14:55:53 MST)
NNTP-Posting-Date: Thu, 18 Oct 2007 14:55:53 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:1138

"James Barrett" <xucaen@gmail.com> wrote in message
news:1192733762.968456.73720@y27g2000pre.googlegroups.com...
> Hi, I am trying to track down some history about this radio. I was
> hoping someone here may know something about it. I wanted to know what
> years Icom produced this radio and sold it new. And what was the
> retail price for new? I'd also like to hear opinions about the 735 as
> compared to other radios being sold new during the same time.
>
> Thanks!
>
> Jim
>

See rigpix for mfg dates
http://www.rigpix.com/icom/ic735.htm

See E-Ham for 68 User Reviews
http://www.eham.net/reviews/detail/381

Lamont

From 6618942917453140162
X-Google-Thread: 108122,9d0c02fd87820ef9
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out02a.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <1192733762.968456.73720@y27g2000pre.googlegroups.com>
<JDQRi.30195$054.1942@newsfe14.phx>
In-Reply-To: <JDQRi.30195$054.1942@newsfe14.phx>
Subject: Re: History of the Icom IC-735
Lines: 28
MIME-Version: 1.0

```
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16545
Message-ID: <7kRRi.9926$oC3.3520@newsfe08.phx>
Date: Thu, 18 Oct 2007 15:42:59 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1192747395 72.197.13.209 (Thu, 18 Oct 2007 15:43:15 MST)
NNTP-Posting-Date: Thu, 18 Oct 2007 15:43:15 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:1139


"The Shadow" <Cranston@CobaltClub.com> wrote in message
news:JDQRi.30195$054.1942@newsfe14.phx...
>
> "James Barrett" <xucaen@gmail.com> wrote in message
> news:1192733762.968456.73720@y27g2000pre.googlegroups.com...
>> Hi, I am trying to track down some history about this radio. I was
>> hoping someone here may know something about it. I wanted to know what
>> years Icom produced this radio and sold it new. And what was the
>> retail price for new? I'd also like to hear opinions about the 735 as
>> compared to other radios being sold new during the same time.
>>
>> Thanks!
>>
>> Jim
>>
>
> See rigpix for mfg dates
> http://www.rigpix.com/icom/ic735.htm
Sez Manufactured: Japan, 1985-19xx

>
> See E-Ham for 68 User Reviews
Sez MSRP: $849.95
> http://www.eham.net/reviews/detail/381
>
> Lamont




From -1876694842980231061
X-Google-Thread: 108122,5c77146f0e4a5230
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 Oct 2007 21:31:46 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <1192626795.487243.170100@i13g2000prf.googlegroups.com>
Subject: Re: Kenwood tk-3200 Microphone
Date: Thu, 18 Oct 2007 21:31:44 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Original
Message-ID: <TbydnWk20u2PioXanZ2dnUVZ_tqtnZ2d@comcast.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-Cj2++1AehfEvFjIfIhhuH89BXwXZdOvTUMicoKlzqDPtn+ofaC23/
sQpYKulkeJpVWdd3vL1pdmKJWt!
J4K1N28CfhN38xTkq2MMacEgXIFV3yp1xQEvrm0Zxjzh016kbKEjWimrF7MwxCSuIPJGaZsr4ZHX!
bocXWJfYq/Bgtejd7XsG/C0jhH+GIw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1140
```

Go to Bob Heil's Heil Sound web site (under Amateur Radio) for diagrams on how to wire elecret elements to radios -- such as the Kenwood -- that do not have "phantom power" on the microphone audio line from radio to microphone.

gb

"k5ubm" <k5ubm@hotpop.com> wrote in message
news:1192626795.487243.170100@i13g2000prf.googlegroups.com...

> Does anyone know how to wire an electret mic to this radio?
>

```
From 6983846537922290160
X-Google-Thread: 108122,4051b688a7915b68
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 Oct 2007 21:34:15 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
```

```
References: <1192487131.497857.173280@v23g2000prn.googlegroups.com>
Subject: Re: TS820 TRANSMIT PROBLEM
Date: Thu, 18 Oct 2007 21:34:14 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Original
Message-ID: <rZidnQKiscQ1ioXanZ2dnUVZ_jCdnZ2d@comcast.com>
Lines: 37
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-
vGkEU8WAexOFLPM5bI90mke24A0ziyzDMHiPNYuJJ402bRZU6L8+vOdWLPQXY5Ny4XkOpVyYjAZC5jl!
Yp80j11okyDWJbmkTnK7tvJyEH1m6mCfWtaww/D2mylD8DnGeGCJblxjLgmfieCtWY++TonXcY0t!
YD5JGnxvBsp4ORNoGLFqjcCszk6Qqg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1141
```

GO TO Ken's web site (K4EAA)
http://www.k4eaa.com/

Read FAW And common problems cuased by former owners or users who did not read the manuals ---

A "soft" or bad Driver tube is a common problem.

gb

"EFIE" <efie_r@hotmail.com> wrote in message
news:1192487131.497857.173280@v23g2000prn.googlegroups.com...

> HI
> AFTER MANY YAER I TRY TO GET MY TS820 TO TRANSMIT AND IT WONT DO
> H.V. IS OK
> FILAMENT IS OK
> TR REALY IS OK TUBES ARE OK
> THAT WAS CHACKED WITHOUT THE TUBES
> AND THE TUBES WERE CHACKED IN ENOTHER RIG
> WITH THE TUBES INSTALED AT THE RIG DURING RX EVERY THING IS OK
> AS I AM TRYING TO TRANSMIT IT IS BLOWING THE MAIN FUSE
> WEN THE TUBES ARE IN AND THE HV IS DISCONCT FROM THE ANODS AND TR
> SWICH IS ON, NO PROBLEM
> DO TO THIS PROBLEM I INSTALL A 8 AMP FUSE JUST TO SEE IF I CAN LOCATE
> THE PROBLEM
> RESALT: TUBES ARE GETTING RED AND NO OUTPUT. IT IS LIKE A VERY BAD SWR
> SO SUM HAW THE POWER IS STACK IN THE FINAL BORD
> WEN I POOLED THE RF CHOKE FROM THE ANTENNA REALY I DID NOT DISCOVER
> ANY GRAUND SHORT JUST THE 10K+1K OMS (R8+R1

> DOES ANY ONE HADE A SIMILAR PROBLEM WICH WAS SOLVED
> IS SOMEBODY CEN GIVE ME A SULUTION
> 73
> 4Z4TI
> EFI
>

```
From -5765200777789051629
X-Google-Thread: 108122,a5848b51ccc14a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 Oct 2007 21:35:06 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <nfCdnVULUshGNonanZ2dnUVZ_qCgnZ2d@vnet-inc.com>
Subject: Re: Kenwood HC-10
Date: Thu, 18 Oct 2007 21:35:05 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3205
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3205
X-RFC2646: Format=Flowed; Response
Message-ID: <xZudnURkLeZHioXanZ2dnUVZ_j-dnZ2d@comcast.com>
Lines: 22
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-Uyu2f2gZb9Y/
oMTQiUfwg7MgPXqjLs4kAdXAFvYt6wfVYj9rGXqP4zokbLUsFtbjMcfvGsF9jrJGuI8!lIBfSlMsby9/
ygzz6JJ4Y2NMjVXePqU7LNWsnN9pKNc9MwnazsdoRG671UC59mFiRc/U9C14zJ8s!
kktRhCnh3mtE8YZluzJuUmQvs+X9wg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1142
```

There are a couple of repair services on Internet for this clock.

gb

"Topaz305RK" <k7sam@arrl.net> wrote in message
news:nfCdnVULUshGNonanZ2dnUVZ_qCgnZ2d@vnet-inc.com...

> Have searched high and low for an operators manual, no luck.
> Service manuals are easy to find, but, not what I need.

> Anyone have an operators manual?
>
> I have most of it sorted out just playing with it but am not sure about a
> couple of things.
> Found it at a hamfest last weekend. Nice little clock but would like to
> set it up correctly.
> If anyone can help it would be appreciated.
>
> Sam - K7SAM
>
>

From -5673899280144001015
X-Google-Thread: 108122,9d0c02fd87820ef9
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: History of the Icom IC-735
Date: Fri, 19 Oct 2007 10:12:14 -0500
Message-ID: <n1hhh39g9r8afhhhoidnb4gf7pi9dk3enu@4ax.com>
References: <1192733762.968456.73720@y27g2000pre.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 39
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1143

On Thu, 18 Oct 2007 18:56:02 -0000, James Barrett <xucaen@gmail.com>
wrote:

>Hi, I am trying to track down some history about this radio. I was
>hoping someone here may know something about it. I wanted to know what
>years Icom produced this radio and sold it new. And what was the
>retail price for new? I'd also like to hear opinions about the 735 as
>compared to other radios being sold new during the same time.
>
>Thanks!
>
>Jim

QST normally reviews rigs shortly after they come out, and their 735 review (it's online at the ARRL website) is dated January, 1986. I bought my 735 around that date and still have it, although I'm using an Icom 7000 nowadays.

The 735 has a fairly "hot" receiver by yesterday's or today's standards. A good noise blanker. It's an excellent CW rig. If it's missing the CW filter the passband tuning will narrow the bandwidth to about 800 cycles. Limited memories, about 11. Two VFOs. All HF bands, including WARC bands.

Like all older radios, some of the proprietary parts are no longer made, and may be hard to locate anywhere. The optical encoder for the main tuning knob, for instance. Mine went bad; one technician couldn't fix it; another one did -- lucked out.

On the back of the radio, you can hook up a separate receiving antenna and a transverter.

It sold new in the $800 range -- it was considered to be a medium-level rig -- better than the cheapest, but below the big rigs of the time, like the Kenwood 930, 940, etc. I think it was discontinued in the early or mid 1990s.

Bob
k5qwg

```
From -5511371961157950088
X-Google-Thread: 108122,eb55d1fa0200376c,start
X-Google-Thread: 107ada,eb55d1fa0200376c,start
X-Google-Thread: 10ed5f,eb55d1fa0200376c,start
X-Google-Thread: 108228,eb55d1fa0200376c,start
X-Google-Attributes: gid108122,gid107ada,gid10ed5f,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.germany.com!
storethat.news.telefonica.de!telefonica.de!news-fra1.dfn.de!news0.de.colt.net!
colt.net!peer-uk.news.demon.net!kibo.news.demon.net!news.demon.co.uk!demon!
frell.theremailer.net!fritz-bounce
From: fritz@spamexpire-200710.rodent.frell.theremailer.net (D.S.)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-
radio,alt.ham-radio.marketplace
Subject: Ameritron AL-80A linear amp
Date: Fri, 19 Oct 2007 18:17:03 +0200
Lines: 2
Sender: mail2news@demon.net
Message-ID: <437b5141308711fd03bef57419e5ee21@msgid.frell.theremailer.net>
NNTP-Posting-Host: news.news.demon.net
X-Trace: news.demon.co.uk 1192810748 29716 158.152.254.254 (19 Oct 2007 16:19:08
GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Fri, 19 Oct 2007 16:19:08 +0000 (UTC)
X-To: mail2news@dizum.com
X-Precedence: anon
X-Comments: This message did not originate from the Sender address above.
```

It was remailed automatically by anonymizing remailer software.
Please report problems or inappropriate use to the
remailer administrator at <abuse@frell.theremailer.net>.
Identifying the real sender is technically impossible.
X-Received: by frell.theremailer.net with local (Exim)
id 1IiuX1-00075D-O9
envelope-sender fritz-bounce@frell.theremailer.net; Fri, 19 Oct 2007 18:17:03 +0200
X-Cc: mail2news@news.demon.co.uk
X-Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio,alt.ham-radio.marketplace
Xref: g2news2.google.com rec.radio.amateur.equipment:1144
rec.radio.amateur.misc:2285 alt.ham-radio:291 alt.ham-radio.marketplace:314

eBay: http://301url.com/Ameritron

From -6000938750634509503
X-Google-Thread: fc8b1,851fc6a4f29fe818,start
X-Google-Thread: 108122,851fc6a4f29fe818,start
X-Google-Thread: 1109af,851fc6a4f29fe818,start
X-Google-Thread: f7796,851fc6a4f29fe818,start
X-Google-Thread: 10b9c8,851fc6a4f29fe818,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gidf7796,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.251.MISMATCH!news-out.readnews.com!transit4.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.morse,rec.radio.info
Subject: K9YA Telegraph - November 2007
Followup-To: poster
Date: Sat, 20 Oct 2007 18:32:05 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 33
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <qlvSi.15509$JD.4705@newssvr21.news.prodigy.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1192919524 10981 166.84.1.2 (20 Oct 2007 22:32:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 20 Oct 2007 22:32:04 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.

X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
Q[R_PJSCTS@ORZAYAROD]_\@VR]^@B@MCPWZKB]MPXH@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1445
rec.radio.amateur.equipment:1145 rec.radio.swap:1443 alt.ham-radio.morse:23
rec.radio.info:315

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT
HAM RADIO!

November Issue Includes:

QSSS By Philip Cala-Lazar, K9PL

High-Voltage Capacitor Input Filter By Hal Mandel, W4HBM

Pikes Peak Pre-Field Day Operation By Paul Signorelli, W�RW/PM

Global Warming Down Under By Rod Newkirk, VA3ZBB/W9BRD

The "Good Old Days" By Duke Wahl, WA9WJB

Ham Quips By Dick Sylvan, W9CBT

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly to your e-mail inbox as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

From -9297183032095447855
X-Google-Thread: 108122,8e59f61aab1e5876,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v23g2000prn.googlegroups.com!not-for-

mail
From: shenwen810908@126.com
Newsgroups: rec.radio.amateur.equipment
Subject: sale FUJI,TOSHIBA,MIT, EUPEC,SANKEN,SEMIKON, ST and so on module.
Date: Sun, 21 Oct 2007 09:13:24 -0700
Organization: http://groups.google.com
Lines: 181
Message-ID: <1192983204.245867.256970@v23g2000prn.googlegroups.com>
NNTP-Posting-Host: 121.46.212.235
Mime-Version: 1.0
Content-Type: text/plain; charset="gb2312"
X-Trace: posting.google.com 1192983204 15370 127.0.0.1 (21 Oct 2007 16:13:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Oct 2007 16:13:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v23g2000prn.googlegroups.com; posting-host=121.46.212.235;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1146

Please check your module list to shenwen810908@126.com
or add my MSN: keith.shen@hotmail.com
EVL31-055
2DI150MA-050
UM100CDY-10
UM150CDY-10
EVM32-050
2RI250E-080
2RI250E-060
PM600DSA060
1MBI600NP-060
1MBI400NN-060
MG25Q6ES43
MG50J2YS50
MG50J2YS40
MG75Q2YS50
CM200DY-24H
MG400Q1S41
2MBI600NT-060
1DI480A-055
QM300HA-2H
QM30HA-H
DF75BA80
DF40BA80
DF60AA160
PT7512
PGH758AM
ESAG32-08T
1D500A-030
MBM100GR12
W-35719

CM400HU-24F
VUO62-1207
2DI200A-050
ETN31-055
DFA200AA80
DFA200AA160
PDT308
PDT1008
MG50Q6ES40
PDT2510
PDT3016
PDT2512
PDT258
PDT3012
PDT908
PM50502C
PK55GB80
EVG31-050
TM55DZ-H
PDT1508
PDT1308
PDT2008
PDT15013A
PDT20016
PVC75-16
PDT150126K28
CM400HA-24H
MBM400CS6AW
CVM75CD80
EMGD31-08
ETN35-030
ETN81-055
ESAG01-01D
MG400U10S51
MG600Q10S59A
SBA500AA80
SBA500AA160
2DI100Z-100
2DI150BZ-120
2MBI200L-060
2MBI150L-060
QM300HA-2H
CM300DY-24H
1D500A-030
1D600A-030
CM50DU24F
CM100DU24F
CM50E3Y-24
CM50E3Y-24E
CM200E3Y-24E
CM400HA-24E
2MBI100N-120
2DI150M-120

6DI100M-050
6DI150A-060
2DI150MA-050
TM25DZ-H
2MBI75N-100
2MBI75N-060
RM100DZ-2H
FM100E2Y-10
FM75E2Y-10
FM30E2Y-10
FM100HY-10
FM30DY-10
FM50DY-10
CM400HA-24
CM50E3Y-24
MG400J1US1
MG400J1US2
MG50Q6ES40
TM90DZ-H
PDT6016
RM60DZ-H
TM25DZ-20
MSG100L41
PK25F-80
PDT308
6DI30A-120
EVM1234M
PM100DHA060
PM200DHA060
PM300DHA060
PM400DSA060
PM600DSA060
PM300DSA060
6R6D10A-050AHX
6MBI15F-120
6MBI15L-120
1DI400A-120
2DI200MC-050
PM200CSA-060
MG300N1FK2
MG400H1FL1
QM50TB-H
QM50E3Y-H
QM30E3Y-H
QM75E2Y-H
QM50E3Y-12H
2MBI150N-060
2MBI15OC-060
FM75E3Y-9
2MBI150L-060
PM75DHA120
PM100DHA120
7MBI75N-060

7MBI75N-100
MIG400J101H
MIG300J101H
MIG50J101H
6MBP75RS060
6MBP100RS060
PM150RRA060
PM50RHA120
PM50RVA120
PM25RA120
7MBR30JC060
7MBR15SD060
7MBR50SG060
7MBR50SA060
6MBR50UA060
CM30E3Y-24
CM50E3Y-24
CM100E3Y-12
CM50E3Y-12G
CM75E3Y-12
CM300E3Y-12H
EVF32T-040
2RI250E-080
2RI250E-060
UM75CDY-10
R355CH12FLO
D315CH33
R400CH12FJO
N280CH12
NEC50P3SP
SSG300C120
50P3SP
CR400EL-6
CR400EL-12
350SS3ST
T508N14TOF
T588N16TOF
T323N02TOF
T828N02TOF
T583N18TOF
1MBI300F-120
MG75Q2YS41
MG75J2YS50

From 1400001037880399631
X-Google-Thread: 108122,8e59f61aab1e5876
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e34g2000pro.googlegroups.com!not-for-mail
From: shenwen810908@126.com

Newsgroups: rec.radio.amateur.equipment
Subject: sale FUJI,TOSHIBA,MIT, EUPEC,SANKEN,SEMIKON, ST and so on module.
Date: Sun, 21 Oct 2007 09:14:16 -0700
Organization: http://groups.google.com
Lines: 181
Message-ID: <1192983256.748790.134760@e34g2000pro.googlegroups.com>
NNTP-Posting-Host: 121.46.212.235
Mime-Version: 1.0
Content-Type: text/plain; charset="gb2312"
X-Trace: posting.google.com 1192983257 15515 127.0.0.1 (21 Oct 2007 16:14:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Oct 2007 16:14:17 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e34g2000pro.googlegroups.com; posting-host=121.46.212.235;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1147

Please check your module list to shenwen810908@126.com
or add my MSN: keith.shen@hotmail.com
EVL31-055
2DI150MA-050
UM100CDY-10
UM150CDY-10
EVM32-050
2RI250E-080
2RI250E-060
PM600DSA060
1MBI600NP-060
1MBI400NN-060
MG25Q6ES43
MG50J2YS50
MG50J2YS40
MG75Q2YS50
CM200DY-24H
MG400Q1S41
2MBI600NT-060
1DI480A-055
QM300HA-2H
QM30HA-H
DF75BA80
DF40BA80
DF60AA160
PT7512
PGH758AM
ESAG32-08T
1D500A-030
MBM100GR12
W-35719
CM400HU-24F
VUO62-1207

2DI200A-050
ETN31-055
DFA200AA80
DFA200AA160
PDT308
PDT1008
MG50Q6ES40
PDT2510
PDT3016
PDT2512
PDT258
PDT3012
PDT908
PM50502C
PK55GB80
EVG31-050
TM55DZ-H
PDT1508
PDT1308
PDT2008
PDT15013A
PDT20016
PVC75-16
PDT150126K28
CM400HA-24H
MBM400CS6AW
CVM75CD80
EMGD31-08
ETN35-030
ETN81-055
ESAG01-01D
MG400U10S51
MG600Q10S59A
SBA500AA80
SBA500AA160
2DI100Z-100
2DI150BZ-120
2MBI200L-060
2MBI150L-060
QM300HA-2H
CM300DY-24H
1D500A-030
1D600A-030
CM50DU24F
CM100DU24F
CM50E3Y-24
CM50E3Y-24E
CM200E3Y-24E
CM400HA-24E
2MBI100N-120
2DI150M-120
6DI100M-050
6DI150A-060

2DI150MA-050
TM25DZ-H
2MBI75N-100
2MBI75N-060
RM100DZ-2H
FM100E2Y-10
FM75E2Y-10
FM30E2Y-10
FM100HY-10
FM30DY-10
FM50DY-10
CM400HA-24
CM50E3Y-24
MG400J1US1
MG400J1US2
MG50Q6ES40
TM90DZ-H
PDT6016
RM60DZ-H
TM25DZ-20
MSG100L41
PK25F-80
PDT308
6DI30A-120
EVM1234M
PM100DHA060
PM200DHA060
PM300DHA060
PM400DSA060
PM600DSA060
PM300DSA060
6R6D10A-050AHX
6MBI15F-120
6MBI15L-120
1DI400A-120
2DI200MC-050
PM200CSA-060
MG300N1FK2
MG400H1FL1
QM50TB-H
QM50E3Y-H
QM30E3Y-H
QM75E2Y-H
QM50E3Y-12H
2MBI150N-060
2MBI15OC-060
FM75E3Y-9
2MBI150L-060
PM75DHA120
PM100DHA120
7MBI75N-060
7MBI75N-100
MIG400J101H

MIG300J101H
MIG50J101H
6MBP75RS060
6MBP100RS060
PM150RRA060
PM50RHA120
PM50RVA120
PM25RA120
7MBR30JC060
7MBR15SD060
7MBR50SG060
7MBR50SA060
6MBR50UA060
CM30E3Y-24
CM50E3Y-24
CM100E3Y-12
CM50E3Y-12G
CM75E3Y-12
CM300E3Y-12H
EVF32T-040
2RI250E-080
2RI250E-060
UM75CDY-10
R355CH12FLO
D315CH33
R400CH12FJO
N280CH12
NEC50P3SP
SSG300C120
50P3SP
CR400EL-6
CR400EL-12
350SS3ST
T508N14TOF
T588N16TOF
T323N02TOF
T828N02TOF
T583N18TOF
1MBI300F-120
MG75Q2YS41
MG75J2YS50

```
From 4990983870872257760
X-Google-Thread: 108228,b6e027172de4b423,start
X-Google-Thread: 108122,b6e027172de4b423,start
X-Google-Thread: 1062f2,b6e027172de4b423,start
X-Google-Attributes: gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!pete
From: Pete <pete@plupaopopa.com>
Newsgroups: alt.ham-
```

```
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: 5 Books: DIGITAL LOGIC, DIGITAL ELECTRONICS, MICROPROCESSORS, SYSTEM
TECHNOLOGY, etc.
Date: Sun, 21 Oct 2007 21:53:10 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <21102007215310313l%pete@plupaopopa.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1193017990 20121 75.67.219.196 (22 Oct 2007 01:53:10 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 22 Oct 2007 01:53:10 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.ham-radio.marketplace:316
rec.radio.amateur.equipment:1148 misc.industry.electronics.marketplace:124


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320173185057


From 5638638829772935240
X-Google-Thread: 108228,33f0b7f816c2d8af,start
X-Google-Thread: 108122,33f0b7f816c2d8af,start
X-Google-Thread: 1062f2,33f0b7f816c2d8af,start
X-Google-Attributes: gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!pete
From: Pete <pete@plupaopopa.com>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: 5 Books: ELECTRONICS, INTEGRATED CIRCUITS, SILICON SEMICONDUCTORS,
TI, Motorola, etc.
Date: Sun, 21 Oct 2007 21:53:28 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <21102007215328422 9%pete@plupaopopa.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1193018008 20121 75.67.219.196 (22 Oct 2007 01:53:28 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 22 Oct 2007 01:53:28 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.ham-radio.marketplace:317
rec.radio.amateur.equipment:1149 misc.industry.electronics.marketplace:125


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320173185071
```

```
From -8880630633830765473
X-Google-Thread: 108228,868615bc6eeae896,start
X-Google-Thread: 108122,868615bc6eeae896,start
X-Google-Thread: 1062f2,868615bc6eeae896,start
X-Google-Attributes: gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!pete
From: Pete <pete@plupaopopa.com>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: 6 Books: HAM RADIO, VACUUM TUBE and TRANSISTOR ELECTRONICS, TUBES,
AMATEUR RADIO, etc.
Date: Sun, 21 Oct 2007 21:54:23 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <211020072154237542%pete@plupaopopa.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1193018064 20121 75.67.219.196 (22 Oct 2007 01:54:24 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 22 Oct 2007 01:54:24 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.ham-radio.marketplace:318
rec.radio.amateur.equipment:1150 misc.industry.electronics.marketplace:126


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320173185107


From -5459219527576196392
X-Google-Thread: 108122,ca6d726bad0f13f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y27g2000pre.googlegroups.com!not-for-
mail
From:  chris <chris_inos@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: portable repeater
Date: Mon, 22 Oct 2007 00:31:33 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1193038293.168318.308590@y27g2000pre.googlegroups.com>
NNTP-Posting-Host: 66.91.213.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1193038293 9609 127.0.0.1 (22 Oct 2007 07:31:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 Oct 2007 07:31:33 +0000 (UTC)
```

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y27g2000pre.googlegroups.com; posting-host=66.91.213.82;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1151

looking for anyone who has time to put together portables and make a repeater....3-5 watts tx. outside battery source,..
thanks

chris

From 3003058289181949687
X-Google-Thread: 108122,cdd434387413b8e6,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.metrocastcablevision.com!news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Oct 2007 16:26:33 -0500
From: "Harry Leiser" <hleiser@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: D-104 with Drake
Date: Mon, 22 Oct 2007 17:26:28 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <IfudnWpPidkUiIDanZ2dnUVZ_hWdnZ2d@metrocastcablevision.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 206.53.76.10
X-Trace: sv3-AZy673Wzij5sjC0CnbJKukJXORsr7QITungGV9gtWk5UvW2BRkYAu17MXTZ6JVlpee3J5IdhPG4eI5g!BFMPfcRVrbF+BiGz0CyWvht0HnVW06I3/AL3hDOztkwk9TE9DYUzSHW6VKcy7SNWgU7ZsFgYxwdM!UzhFEvvviv3ESuz0cp2TJm3a7AT772Q+Bf5FSm+VhyOYDA==
X-Complaints-To: abuse@metrocastcablevision.com
X-DMCA-Complaints-To: abuse@metrocastcablevision.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1152

Does anybody know if the Astatic D-104 will work with an old Drake T4X-C?
What are your thoughts on amplified vs. unamplified D-104 for this use.
Thanks, K1HL

--
HARRY LEISER
Leiser Realty
62 Mott Avenue
New London, CT 06320

ph. (860)447-1122 cell. (860)334-7733 FAX (860)442-7900
hleiser@hotmail.com

```
From -815445571888345147
X-Google-Thread: fc8b1,e284d8fa6e87a544,start
X-Google-Thread: 108122,e284d8fa6e87a544,start
X-Google-Thread: 114aac,e284d8fa6e87a544,start
X-Google-Thread: 1109af,e284d8fa6e87a544,start
X-Google-Attributes: gidfc8b1,gid108122,gid114aac,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!62e3725b!not-for-mail
Reply-To: "Mike" <revellm@sbcglobal.net>
From: "Mike" <revellm@sbcglobal.net>
Newsgroups: 
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.shortwave,rec.
radio.swap
Subject: FA: HP86222A
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
Message-ID: <DIbTi.61889$YL5.11767@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 75.2.37.230
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1193101219 ST000 75.2.37.230 (Mon, 22 Oct 2007 
21:00:19 EDT)
NNTP-Posting-Date: Mon, 22 Oct 2007 21:00:19 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: 
[[PGGWSECJWKBP\XN[O@_WH@YR_B@EXLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Tue, 23 Oct 2007 01:00:19 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1455 
rec.radio.amateur.equipment:1153 rec.radio.shortwave:15112 rec.radio.swap:1472
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&Item=140169966964&Category=1504&_trksid=p3907.m29

Thanks for looking

Mike
KF9QP

From -2706843436812210445
X-Google-Thread: 108122,cdd434387413b8e6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newsfeed.yul.equant.net!nntp1.roc.gblx.net!nntp.gblx.net!nntp.gblx.net!
news.xcski.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: D-104 with Drake
Date: 23 Oct 2007 03:20:41 GMT
Organization: The National Capital FreeNet
Lines: 20
Message-ID: <ffjpa9$s75$1@theodyn.ncf.ca>
References: <IfudnWpPidkUiIDanZ2dnUVZ_hWdnZ2d@metrocastcablevision.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1193109641 28901 134.117.136.48 (23 Oct 2007 03:20:41 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 23 Oct 2007 03:20:41 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1154

"Harry Leiser" (hleiser@hotmail.com) writes:
> Does anybody know if the Astatic D-104 will work with an old Drake T4X-C?
> What are your thoughts on amplified vs. unamplified D-104 for this use.
> Thanks, K1HL
>

The issue is whether the microphone output impedance matches the rig's input impedance. The D-104 is high impedance, it had a crystal cartridge though I don't know if that changed with time; I don't know what the input of the Drake is.

A lot of those built in preamps were about adapting to different rigs. If the rig has low(er) impedance, then a single transistor is one way to give the microphone a high impedance load while a low impedance output for the rig.

If you simply load down a high impedance microphone, you'll end up little output and a distorted frequency response.

Michael VE2BVW

From -6015464015225831720
X-Google-Thread: 108122,cdd434387413b8e6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!198.186.194.247.MISMATCH!news-
out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: D-104 with Drake
Date: Tue, 23 Oct 2007 08:14:02 +0000 (UTC)
Organization: MGT Consulting
Lines: 45
Message-ID: <slrnfhrb4r.ptb.gsm@cable.mendelson.com>
References: <IfudnWpPidkUiIDanZ2dnUVZ_hWdnZ2d@metrocastcablevision.com>
<ffjpa9$s75$1@theodyn.ncf.ca>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-138-79-186.bb.netvision.net.il
X-Trace: marvin.inside.misty.com 1193127242 2713 89.138.79.186 (23 Oct 2007
08:14:02 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 23 Oct 2007 08:14:02 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:1155

> The issue is whether the microphone output impedance matches the rig's
> input impedance. The D-104 is high impedance, it had a crystal cartridge
> though I don't know if that changed with time;

There were two versions of the D-104. The most common one used a crystal
element. The other was a ceramic element. I once called Astatic and asked
if I should be using the ceramic instead of the crystal ones because
of my voice (lots of bass). The engineer I spoke to told me that
the expression "crystal clear" also applied to their microphones.

The ceramic elements were used in high noise environments and were
relatively rare.

I also have their 10-DA microphone, which uses the same stand but
has a dynamic element. They have been called the "best SSB" microphone
by many people.

> I don't know what the input of the Drake is.

You should probably ask on the Drake list, but AFAIK they are
high impedence and should work fine.

Lots of things can go wrong with microphones, the elements can age,
there may be hidden damage (or incompetent repairs), etc. It would
be a good idea to check to see if there is an amp in the base, and

if so, you might as well use it.

If not, I would try it without one.

Obviously before you use it for that once in a lifetime contact,
try it out on the air and see what people say.

You may not like the way it performs. I find they have too
much high frequency response and not enough low. My wife, who
has a much higher voice, has far better results.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

```
From -2079683063755385492
X-Google-Thread: 108122,a366a877d323403c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i38g2000prf.googlegroups.com!not-for-
mail
From:  Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Yaesu FT-101 in UK
Date: Tue, 23 Oct 2007 15:38:17 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1193179097.398186.140690@i38g2000prf.googlegroups.com>
NNTP-Posting-Host: 81.159.100.183
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1193179098 23986 127.0.0.1 (23 Oct 2007 22:38:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 Oct 2007 22:38:18 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i38g2000prf.googlegroups.com; posting-host=81.159.100.183;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1156
```

All

I am after a FT-101 (one of the later versions would be most
desirable) from someone in the UK. Ideally it will have been well
maintained but no over modified / butchered. Any accessories also
needed. I fancy an alternative to my super slick Icom rig.

Email me if you have such surplus kit.

Regards

Andy

From 2652781007131848373
X-Google-Thread: 108122,238b2157705aae2d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i38g2000prf.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: VoiceMax... Transceiver Speech Processor
Date: Tue, 23 Oct 2007 16:25:08 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1193181908.212629.11540@i38g2000prf.googlegroups.com>
NNTP-Posting-Host: 76.197.231.213
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1193181908 949 127.0.0.1 (23 Oct 2007 23:25:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 Oct 2007 23:25:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i38g2000prf.googlegroups.com; posting-host=76.197.231.213;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1157

VoiceMax speech processor is not for everyone...
It's only for radio operators that want maximum range from their rig.
VoiceMax is no gimmick... it uses proven AGC technology to produce
tangible results. Want to know more?
http://tinyurl.com/2ac9r5

P.S.
Stop by Ebay and see what others have said about this revolutionary
new product.
http://tinyurl.com/2q9lpu

From 1034340669826886818
X-Google-Thread: 108122,dcd4502c3fadb815,start
X-Google-Attributes: gid108122,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe14.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - 3B28 Tubes
Message-ID: <0h0vh3pu0s7k5csvjuq7ab24ccsovb6o69@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
X-Complaints-To: admin@cox.net
NNTP-Posting-Date: Wed, 24 Oct 2007 10:34:35 MST
Organization: Cox
Date: Wed, 24 Oct 2007 13:34:53 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1158

Replacement for those old 866 mercury vapor tubes in HV power supplies
in many old transmitters. NOS  found in warehouse sale, US Made
"CENTRON".  Have five (5). Not tested.  All for $50 or $12 each plus
shipping from 23323.                     <k4wys@cox.net>


From -5852546739801448785
X-Google-Thread: 108122,c0602f9bdff4fcd3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!news-out1.kabelfoon.nl!
newsfeed.kabelfoon.nl!bandi.nntp.kabelfoon.nl!kramikske.telenet-ops.be!
nntp.telenet.be!kwabbernoot.telenet-ops.be!phobos.telenet-ops.be.POSTED!not-for-
mail
From: "Osinnov" <osinnov@nospam.be>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-857 microphone function problems
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000783-1, 22/10/2007), Outbound message
X-Antivirus-Status: Clean
Message-ID: <eZNTi.172497$xI4.8779839@phobos.telenet-ops.be>
Date: Wed, 24 Oct 2007 20:32:10 GMT
NNTP-Posting-Host: 213.118.152.210
X-Complaints-To: abuse@telenet.be
X-Trace: phobos.telenet-ops.be 1193257930 213.118.152.210 (Wed, 24 Oct 2007
22:32:10 MEST)
NNTP-Posting-Date: Wed, 24 Oct 2007 22:32:10 MEST
Organization: Telenet Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:1159
```

Hi folks,
I switch after a couple weeks back from standard to remote MH-59 microphone on my FT-857D.
The functions on this remote mike don't work exept the red button to switch te set on and off.No DTMF,no light.
I change in menu 59 from normal to RMT but no luck.
Otherwise the standard mike do also not every function.
Up works,but FST will put set on and off and DWN does nothing.
Very strange.A couple weeks ago it will work.
At least same and both microphones works with all functions on my FT-897D.
Someone a sugestion?
tnx

From 9060208185348687182
X-Google-Thread: 108122,e089783dd209e0d5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 24 Oct 2007 19:43:58 -0500
From: "Jay" <anyone@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: A decent amateur receiver/transmitter setup
Date: Wed, 24 Oct 2007 19:44:01 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Original
Message-ID: <jIWdnWgsx7dTe4LanZ2dnUVZ_qKgnZ2d@comcast.com>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 98.198.169.122
X-Trace: sv3-gUOQJ7tvxTQNGDeecCRp+5DKKHzuVZ/HO3EsgnnZkNT8BQ2jAy7TBOEnvFDEpxCpWNjxxHRXtLEYt+d!2BkhYPZOvHrKJrRr6ziKxDdg1Mgq15+o62/5/HJ+NVI9Rl/c45AjErELGeDOovv7eT+2Vc5xbtU+!t07L7KVlOMTzGpkCphMxt0hLfFiMW8w=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1160

Thanks for taking the time to read this. I know next to nothing about this topic, however, the radio is not for me. It's for my dad. He was very active in radios from around WWII thru the 50s. His job and family came first though, so I guess he had to let some of his hobbies go. Since he's retired and doesn't get around as well as he used to, he's thinking about getting back into radio.

I think he got "sticker shock" when he looked at a trade magazine recently. I tried to tell him we aren't in the 50s anymore and he said "Yea, but dam they're high."

My question is: How much should an 80 meter radio w/antenna sell for? We're not talking top of the line here, but quality and reliability are important (as is cost).

Any information, links, suggestions, opinions, etc. will be most welcome. Thank You in advance. TC.

From 8106136252133105588
X-Google-Thread: 108122,e089783dd209e0d5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews3.bellsouth.net.POSTED!baefb1e5!not-for-mail
From: "ecregger" <ecregger@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <jIWdnWgsx7dTe4LanZ2dnUVZ_qKgnZ2d@comcast.com>
Subject: Re: A decent amateur receiver/transmitter setup
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3198
X-RFC2646: Format=Flowed; Response
Message-ID: <O4STi.5583$q7.3200@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcboobfhiifgkfgiegjkpohemacbphcocjhaif
eckepfagppmljijiahhkfegmgiglhpaonbjampaedogkckmjlanlnbfbhofhdecjjcpebhhghhpmli
NNTP-Posting-Date: Wed, 24 Oct 2007 21:13:18 EDT
Organization: BellSouth Internet Group
Date: Wed, 24 Oct 2007 21:13:45 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:1161
X-Original-Bytes: 2835

As you said, it isn't the fifties anymore. No one sells rigs just for a single HF band, unless they are oddball, low power rigs without enough power to be useful.

Icom makes a low end rig, the IC-718, that offers 100 watts output that performs reliably and is very useable. Yaesu and Kenwood probably offer rigs in the same performance class at similar prices.

Today's currency (USD) is worth ten times less than the same currency in the fifties. Multiply old prices by ten to see what they would cost today. You will find that you are getting much more radio capability and reliability for your dollar today than you ever could have dreamed of in the fifties.

Ed, NM2K

"Jay" <anyone@comcast.net> wrote in message
news:jIWdnWgsx7dTe4LanZ2dnUVZ_qKgnZ2d@comcast.com...

> Thanks for taking the time to read this. I know next to nothing about this topic, however, the radio is not for me. It's for my dad. He was very active in radios from around WWII thru the 50s. His job and family came first though, so I guess he had to let some of his hobbies go. Since he's retired and doesn't get around as well as he used to, he's thinking about getting back into radio.
>
> I think he got "sticker shock" when he looked at a trade magazine recently. I tried to tell him we aren't in the 50s anymore and he said "Yea, but dam they're high."
>
> My question is: How much should an 80 meter radio w/antenna sell for? We're not talking top of the line here, but quality and reliability are important (as is cost).
>
> Any information, links, suggestions, opinions, etc. will be most welcome. Thank You in advance. TC.

From -6637793936005182933
X-Google-Thread: 108122,11f311c5eb7ec916,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr25.news.prodigy.net.POSTED!035a4456!not-for-mail
From: <jimnlacy@pacbell.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Starter Rigs
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138

X-RFC2646: Format=Flowed; Original
Message-ID: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 76.102.223.69
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1190398697 ST000 76.102.223.69 (Fri, 21 Sep 2007 14:18:17 EDT)
NNTP-Posting-Date: Fri, 21 Sep 2007 14:18:17 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: SCSYQN_@OPTARPPXBJKB_ZTDEB\@PD\MNPWZKB]MPXH@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUVSA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Fri, 21 Sep 2007 18:18:17 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:961

I am a newly licensed technician, study for the general exam. I plan to purchase an HF rig soon and would appreciate suggestions on a good starter rig. I am budgeting $800 for a rig and antenna. I would be happy with a good used rig but I am not sure where to start looking for information.

Thanks,

Jim KI6ISQ

From 5893038299540192264
X-Google-Thread: 108122,11f311c5eb7ec916
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Ham1" <j@tx.rr.com>
Newsgroups: rec.radio.amateur.equipment
References: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
Subject: Re: Starter Rigs
Date: Fri, 21 Sep 2007 15:12:32 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 27
Message-ID: <46f425c0$0$18994$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:962

<jimnlacy@pacbell.net> wrote in message news:JVTIi.797$6p6.385@newssvr25.news.prodigy.net...
>I am a newly licensed technician, study for the general exam. I plan to

>purchase an HF rig soon and would appreciate suggestions on a good starter
>rig. I am budgeting $800 for a rig and antenna. I would be happy with a
>good used rig but I am not sure where to start looking for information.
>
> Thanks,
>
> Jim KI6ISQ
>

If base is what you like a good small rig without too much cost could be a
Icom 718.
Big Readout, front fire speaker, built in DSP. Find one that has had the
AGC mod done to it if possible.
There is a recent Mod that is much better than the ones out there now.

Its not a bad unit without it.
Good TS50s Kenwoods are also a great rig base or Mobile. In fact its Noise
blanker is hard to beet.

Some used solid-state Heathkits are also very good.

Just a few.

From 7111292525356662025
X-Google-Thread: 108122,11f311c5eb7ec916
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.net.POSTED!035a4456!not-for-mail
Reply-To: "Wazzo" <jimnlacy@yahoo.com>
From: "Wazzo" <jimnlacy@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
References: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
<46f425c0$0$18994$4c368faf@roadrunner.com>
Subject: Re: Starter Rigs
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <GqWIi.8321$JD.1051@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 76.102.223.69
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1190408998 ST000 76.102.223.69 (Fri, 21 Sep
2007 17:09:58 EDT)
NNTP-Posting-Date: Fri, 21 Sep 2007 17:09:58 EDT
Organization: SBC http://yahoo.sbc.com

```
X-UserInfo1:
FKPGG[CDXRUKRVDYWBCD^VX@WB]^PCPDLXUNNHLHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Fri, 21 Sep 2007 21:09:58 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:963


"Ham1" <j@tx.rr.com> wrote in message
news:46f425c0$0$18994$4c368faf@roadrunner.com...
> <jimnlacy@pacbell.net> wrote in message
> news:JVTIi.797$6p6.385@newssvr25.news.prodigy.net...
>>I am a newly licensed technician, study for the general exam. I plan to
>>purchase an HF rig soon and would appreciate suggestions on a good starter
>>rig. I am budgeting $800 for a rig and antenna. I would be happy with a
>>good used rig but I am not sure where to start looking for information.
>>
>> Thanks,
>>
>> Jim KI6ISQ
>>
>
> If base is what you like a good small rig without too much cost could be a
> Icom 718.
>  Big Readout, front fire speaker, built in DSP. Find one that has had the
> AGC mod done to it if possible.
> There is a recent Mod that is much better than the ones out there now.
>
> Its not a bad unit without it.
> Good TS50s Kenwoods are also a great rig  base or Mobile. In fact its
> Noise blanker is hard to beet.
>
> Some used solid-state Heathkits are also very good.
>
> Just a few.

Thanks for the solid advice. I went eHam and checked the reviews and these
are great suggestions.

Jim





From -7250689962472702265
X-Google-Thread: 108122,11f311c5eb7ec916
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.phx!newsfe16.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
References: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
```

```
In-Reply-To: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
Subject: Re: Starter Rigs
Lines: 53
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <wXWIi.38487$L_7.12805@newsfe16.phx>
Date: Fri, 21 Sep 2007 14:44:37 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.phx 1190411100 72.197.13.209 (Fri, 21 Sep 2007 14:45:00 MST)
NNTP-Posting-Date: Fri, 21 Sep 2007 14:45:00 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:964
```

<jimnlacy@pacbell.net> wrote in message
news:JVTIi.797$6p6.385@newssvr25.news.prodigy.net...

>I am a newly licensed technician, study for the general exam. I plan to
>purchase an HF rig soon and would appreciate suggestions on a good starter
>rig. I am budgeting $800 for a rig and antenna. I would be happy with a
>good used rig but I am not sure where to start looking for information.
>
> Thanks,
>
> Jim KI6ISQ
>

Jim if it were me, I would first decide on whether your station will be base
or mobile or possibly both.
The same rig can be used for base and mobile - but in this case it narrows
your choice of rigs to the smaller compact ones.
If mobile and base, then two separate antennas are needed- one for the
vehicle - other for base use.

Decide whether you want an all solid state rig or can tolrate one with
vacuum tubes

Be aware that most recent rigs require a 12V power supply which for your
vehicle is simply wiring to the car 12V system, preferrbly directly to the
car battery. But for base use, a 12V power supply is needed i.e., 117V to
12V. Current requirements vary, but 12V at 25 Amps works for many rigs. So
another expense is a power supply for base use.

Next decide if you want to make your own antennas, saves lotsa money. Use
Google to look up "Homebrew Ham antennas"

If you opt for a commercial antenna, consider a used one and refurbish it.
Incude the cost of coax and maybe an SWR meter

After the antenna with the money left over, perhaps check e-bay and swap
listings for rigs in your price range.

Then check E-Ham reviews for what users have to say about the various ones
URL:
http://www.eham.net/reviews/products/14

So you need to make some decisions before anyone can recommend a rig and
antenna and keep into the $800 range
Base? Mobile?, Both?,
{Antenna, Homebrew , used, or new)????
Solid state or tubed, or hybrid??

Then repost

73 Lamont

From -4310227290848287809
X-Google-Thread: 108122,11f311c5eb7ec916
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Starter Rigs
Date: Fri, 21 Sep 2007 14:49:15 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1190411355.411914.264810@57g2000hsv.googlegroups.com>
References: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 81.155.186.146
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190411355 17671 127.0.0.1 (21 Sep 2007 21:49:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 21 Sep 2007 21:49:15 +0000 (UTC)
In-Reply-To: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; InfoPath.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=81.155.186.146;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:965

On Sep 21, 7:18 pm, <jimnl...@pacbell.net> wrote:
> I am a newly licensed technician, study for the general exam. I plan to
> purchase an HF rig soon and would appreciate suggestions on a good starter
> rig. I am budgeting $800 for a rig and antenna. I would be happy with a good
> used rig but I am not sure where to start looking for information.
>
> Thanks,
>
> Jim KI6ISQ

Jim

I am a newly licensed amaateur in the UK. I had similar budget to you
and looked around for a while. The Icom 706MkIIG was recommended and
is perfect. Its small, easy to slot in the car but performs
brilliantly from home even with a simple low cost half size G5RV and a
coliner for 2m.

A

```
From -3311530165054945394
X-Google-Thread: 108122,11f311c5eb7ec916
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Starter Rigs
From: Ed G <Huckleberry_REMOVE_@bigvalley.net>
References: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
Organization: Your Company
Message-ID: <Xns99B2A51B3EE5HuckleberryREMOVEbig@198.186.192.196>
User-Agent: Xnews/2006.08.24
Date: 21 Sep 2007 23:13:45 GMT
Lines: 22
NNTP-Posting-Host: e9cf6224.news.adtechcomputers.com
X-Trace:
DXC=0k90]T8_PNR0gYVRhloIORgC4_A5:nI@Q<<=aEgO;R8WEj>D]lP5VUU3PPOXG]@OLTQjo<[F9ZR]_6
nf1>dKPgAYTM[FlW:TYjP
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:966
```

> I am a newly licensed technician, study for the general exam. I plan
> to purchase an HF rig soon and would appreciate suggestions on a good
> starter rig. I am budgeting $800 for a rig and antenna. I would be
> happy with a good used rig but I am not sure where to start looking
> for information.

Jim, I'm going to let you and the others here come up with a good solution for your HF rig....

My only comment is to spend your money on the radio and minimize the expenditure on an antenna. There is no reason you can not make a very good performing dipole, or inverted V type antenna with spending hardly any money on it.

73,

Ed K7AAT

```
From 8142033676112601990
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-
mail
From:  cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Telstar Electronics VoiceMax IS GARBAGE!
Date: Fri, 21 Sep 2007 20:28:26 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1190431706.725205.256030@57g2000hsv.googlegroups.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
   <fc6koh$dv9$1@stable.tornevall.net>
   <1189704966.569281.313610@22g2000hsm.googlegroups.com>
   <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <46f05178$0$18942$4c368faf@roadrunner.com>
   <1P6dncbkOq8HwmzbnZ2dnUVZ_ualnZ2d@comcast.com>
NNTP-Posting-Host: 71.221.102.162
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190431706 24957 127.0.0.1 (22 Sep 2007 03:28:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Sep 2007 03:28:26 +0000 (UTC)
In-Reply-To: <1P6dncbkOq8HwmzbnZ2dnUVZ_ualnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.6) Gecko/
20061201 Firefox/2.0.0.6 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=71.221.102.162;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
```

Xref: g2news2.google.com rec.radio.cb:3873 rec.radio.amateur.equipment:967
rec.radio.amateur.homebrew:1061

On Sep 19, 11:42 am, Deek <D...@comcast.net> wrote:
> I conclude that the VOICEMAX issue has died, has had the funeral and now should
> be buried.
>
> Those who advocate high distortion levels and poor quality signals can spend
> their $$$ and buy it.

That's just what the average cber wants. Makes em think they got a
"BIG RADIO".

From -8178415890666703705
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Fri, 21 Sep 2007 21:45:48 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <h369f3h51mdgp1k048bv82qt38bi0r4s23@4ax.com>
References: <fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com> <46f05178$0$18942$4c368faf@roadrunner.com>
<1190206510.490666.56380@y42g2000hsy.googlegroups.com>
<3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
<1190282073.743844.219280@22g2000hsm.googlegroups.com>
<k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
<1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190385474.321161.279250@n39g2000hsh.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 63
Xref: g2news2.google.com rec.radio.cb:3875 rec.radio.amateur.equipment:968
rec.radio.amateur.homebrew:1062

On Fri, 21 Sep 2007 07:37:54 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1190385474.321161.279250@n39g2000hsh.googlegroups.com>:

>On Sep 20, 10:48 pm, Frank Gilliland <w�renut@NOSPAM�cehouse.net>
>wrote:

>> On Thu, 20 Sep 2007 17:08:23 -0700, Telstar Electronics
>> <briangrif...@sbcglobal.net> wrote in
>> <1190333303.832852.219...@50g2000hsm.googlegroups.com>:
>>
>> >On Sep 20, 3:03 pm, t...@mucks.net wrote:
>> >> Oh...your bias is magical? It uses no components for compensation?
>> >> I always suspected your design to be that of an imaginary nature.
>>
>> >Not magical... it used the base-emitter voltage drop of an MJE3055T
>> >(mounted directly to heat sink) to track with the 2SC2879 power
>> >transistors. Since it used a transistor with gain... it worked so much
>> >better than just a plain old diode on the sink for tracking. It worked
>> >fantastic...
>>
>> How well it works depends on how well you hacked the design from this
>> link I posted (while pointing out some of the many problems with your
>> earlier splatterbox):
>>
>> http://www.ifwtech.co.uk/g3sek/tr-bias/tr-bias1.htm
>>
>> > I was able to set set class AB bias (I chose about
>> >200Ma) on the power transistors... and hold +/-5% collector current
>> >changes from -40 to +100C heat sink temp during amp operation.
>>
>> That's interesting. Previously you said your bias scheme can "hold the
>> 500mA bias to 10% from -30 to +85C". It's funny how many times you
>> have changed the specs. I especially enjoyed the time when you changed
>> the power output specs three times in one week after you were caught
>> fabricating them instead of actually measuring them. Oh well, such is
>> the life of an internet-educated hack.
>>
>> But alas, there's still one unresolved issue here, Brian.... where's
>> the schematic?
>
>Glad you're back Frank...

I never left, Brian.

> your always good for a laugh.

I'm glad you're amused. But don't you think it's time for you to get a
job and relieve the financial burden on your parents and the Illinois
welfare system? If I lived in that state I would be outraged that you
are leeching my hard-earned tax dollars, but I don't. I guess people
over there prefer to coddle malingering basement-dwellers. You are
certainly lucky to live in a place with such generous folks, Brian.
Over here on the left coast you would have to support yourself with
gainful employment. And I hope that gives you something else to laugh
about, cause the thought of you actually working for your keep sure
leaves -me- ROTFLMMFAO!!!

BTW, where's that schematic?

From 972571233619875939
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Sat, 22 Sep 2007 08:26:46 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1190474806.897421.57770@57g2000hsv.googlegroups.com>
References: <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <46f05178$0$18942$4c368faf@roadrunner.com>
   <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
   <3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
   <1190282073.743844.219280@22g2000hsm.googlegroups.com>
   <k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
   <1190333303.832852.219920@50g2000hsm.googlegroups.com>
   <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
NNTP-Posting-Host: 76.197.194.70
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1190474807 13070 127.0.0.1 (22 Sep 2007 15:26:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Sep 2007 15:26:47 +0000 (UTC)
In-Reply-To: <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=76.197.194.70;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3881 rec.radio.amateur.equipment:970 rec.radio.amateur.homebrew:1067

On Sep 20, 10:48 pm, Frank Gilliland <w=EFrenut@NOSPAM=EFcehouse.net> wrote:
>> How well it works depends on how well you hacked the design from this

> link I posted (while pointing out some of the many problems with your
> earlier splatterbox):
> http://www.ifwtech.co.uk/g3sek/tr-bias/tr-bias1.htm

This is the first time I've been to that link. The circuit he shows
with the two transistors is similar to mine. My feeling is that his is
needlessly more complex, but I'm sure it works. I also agree with his
statements about the diode method used for tracking. That method works
a little better than no tracking and is not worth the effort. This is
because putting two diodes in parallel never works right. One always
has a lower drop... and hogs.
www.telstar-electronics.com

From -2800593406713996662
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!hwmnpeer03.ams!news.highwinds-
media.com!transit5.hitnews.eu!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Sat, 22 Sep 2007 13:16:56 -0700
Organization: albasani.net
Lines: 19
Message-ID: <fd3t7n$skc$2@news.albasani.net>
References: <fcot1n$e72$1@stable.tornevall.net>   <46f045dc$1_3@mk-
nntp-2.news.uk.tiscali.com>   <46f05178$0$18942$4c368faf@roadrunner.com>
<1190206510.490666.56380@y42g2000hsy.googlegroups.com>
<3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
<1190282073.743844.219280@22g2000hsm.googlegroups.com>
<k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
<1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190385474.321161.279250@n39g2000hsh.googlegroups.com>
<h369f3h51mdgp1k048bv82qt38bi0r4s23@4ax.com>
<1190467989.410056.192450@19g2000hsx.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net pRZ14ZJ9eRWjd7NN1em/
hB+ZQ6Sf3ZUnOgYj9SyxHLw6+il4S2ettqqX+TMIGzpI0jDC3g1H7ps/
O1sPEHaSG5fSwewiLV+dBfW31EXPFa7ZMPV9UOwodNfb4Wuz4o6X
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Sat, 22 Sep 2007 20:16:56 +0000 (UTC)
X-User-ID: j0MGn54b14tfutEnSsUzf08pcG0X2zgZPHoukGz+SFo=
In-Reply-To: <1190467989.410056.192450@19g2000hsx.googlegroups.com>
Cancel-Lock: sha1:2MKb4nHY9ZeTonkoo5ityFhSLy0=

User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
X-NNTP-Posting-Host: E/
t8PDpzzkAtHdK45wVHoSCcdqrhHTQzkZiW7DOjxWQzpZzxR7NJ1gfSrf2BboPIa2pZocxBvvggkWOSqQCU
Wg==
Xref: g2news2.google.com rec.radio.cb:3883 rec.radio.amateur.equipment:971
rec.radio.amateur.homebrew:1072

Telstar Electronics wrote:

 > ...
> Keep up the amusing posts Frank...
> www.telstar-electronics.com
>
>

Personally, I run a speech compressor. I doubt many of these idiots
could install one; apparently, they can't afford to have the local "cb
tweak" install if for them either.

Local, I kill the speech compressor, it is only for DX. Frankly, it
doesn't hurt my feelings they don't have one! <evil grin>

Keep up the sales pitch--few will be disappointed if they purchase one ...

Regards,
JS

From -9194529629782066568
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-
online.de!newsfeed01.sul.t-online.de!t-online.de!newsfeed.velia.net!
newsfeeder.dynfx.net!news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Telstar Electronics VoiceMax IS GARBAGE!
Date: Sat, 22 Sep 2007 13:19:16 -0700
Organization: albasani.net
Lines: 12
Message-ID: <fd3tc4$skc$3@news.albasani.net>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net>   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<46f05178$0$18942$4c368faf@roadrunner.com>
<1P6dncbkOq8HwmzbnZ2dnUVZ_ualnZ2d@comcast.com>

```
<1190431706.725205.256030@57g2000hsv.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net caG1NFXqHTnfqlvBLnpzIm+/
HEnhAvyghexFJqHaTQm4Us+avSCej7XNBA2Xi+PjxtaItl02x4osb9fYaiFy7LyPHWp4sUFspWihVUUvzz
9aUZbcSwbekxHPmaOck5ar
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Sat, 22 Sep 2007 20:19:16 +0000 (UTC)
X-User-ID: cuKv+XShs9OJBUhykG5tsRy6JhNqEwKAdVsUd6ltROg=
In-Reply-To: <1190431706.725205.256030@57g2000hsv.googlegroups.com>
Cancel-Lock: sha1:1Dpk029eAwaAkK/HIx00nmyvpgw=
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
X-NNTP-Posting-Host: 0i7boQR1ParLAA6wszU9HXcik/
RpeEPr+mUFnIqOb3i3fXOMMQrQ4za2hkc7ObBEral1pRXU98nS9G51ik9HgQ==
Xref: g2news2.google.com rec.radio.cb:3884 rec.radio.amateur.equipment:972
rec.radio.amateur.homebrew:1073

cmdr buzz corey wrote:

 > ...
> That's just what the average cber wants. Makes em think they got a
> "BIG RADIO".
>

Well, that is certainly better than a "Big-Headed-Amateur-Wannabe!"

Get mental help, the opportunity is still open to 'ya!

JS



From -4984147320099820352
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Sat, 22 Sep 2007 13:22:39 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1190492559.044083.248450@22g2000hsm.googlegroups.com>
References: <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <46f05178$0$18942$4c368faf@roadrunner.com>
   <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
   <3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
   <1190282073.743844.219280@22g2000hsm.googlegroups.com>
   <k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
   <1190333303.832852.219920@50g2000hsm.googlegroups.com>
   <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
   <1190385474.321161.279250@n39g2000hsh.googlegroups.com>
   <h369f3h51mdgp1k048bv82qt38bi0r4s23@4ax.com>
   <1190467989.410056.192450@19g2000hsx.googlegroups.com>
   <fd3t7n$skc$2@news.albasani.net>
NNTP-Posting-Host: 76.197.194.70
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190492559 11778 127.0.0.1 (22 Sep 2007 20:22:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Sep 2007 20:22:39 +0000 (UTC)
In-Reply-To: <fd3t7n$skc$2@news.albasani.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=76.197.194.70;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3885 rec.radio.amateur.equipment:973
rec.radio.amateur.homebrew:1074
```

On Sep 22, 3:16 pm, John Smith <assemblywiz...@gmail.com> wrote:

> Personally, I run a speech compressor. I doubt many of these idiots
> could install one; apparently, they can't afford to have the local "cb
> tweak" install if for them either.
> Local, I kill the speech compressor, it is only for DX. Frankly, it
> doesn't hurt my feelings they don't have one! <evil grin>
> Keep up the sales pitch--few will be disappointed if they purchase one ...

John... good to hear from someone who has some experience with
processors.
I'm curious about the one you have. Can you tell me about it?
www.telstar-electrnoics.com

```
From -7460392157419320233
X-Google-Thread: 108122,84de5bdf4e4cbb7f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!news.astraweb.com!router1.astraweb.com!jumlers.com!not-for-
mail
From: Bill MacLane <ai4wm@user.jumlers.com>
Subject: Re: Info needed on Icom IC-735 internal keyer option
Message-ID: <9qshp7ndxyg0v32j@jumlers.com>
Remarks-Start: ------------ ABUSE DETAILS ------------
Abuse-Complaints-To: abuse@jumlers.com
Jumlers-poster-ip: 65.33.76.84
Remarks-end-h: ---------------------------------------
```

```
Organization: Jumlers.com
Content-Type: text/plain; charset="utf-8"; format=flowed
References: <pan.2007.08.12.16.13.26.156257@from.qrz.com>
In-Reply-To: <pan.2007.08.12.16.13.26.156257@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Date: 23 Sep 2007 00:05:01 GMT
Lines: 10
NNTP-Posting-Host: 77.232.77.100
X-Trace: 1190505901  2953 77.232.77.100:39310
X-Complaints-To: abuse@jumlers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:974

I built a pico keyer for my IC-735.  The kit costs about $15.00
73
Bill
AI4WM


--
Via: http://www.jumlers.com/rec.radio.amateur.equipment/




From 4722420140033262862
X-Google-Thread: 108122,aff49f43437b64ab,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-06!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: ryesnake@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood R-2000 receiver
Date: Sat, 22 Sep 2007 22:04:24 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <cosbf3l18mlq0tvjulogr4i9h8qjuefptf@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news2.google.com rec.radio.amateur.equipment:975

Have an R-2000 in great shape - asking 250 plus shipping.

Only reason for sellingis upgrade to JRC

Great receiver for the price - works great with no propblems

reply to:

ryesnake@yahoo.com
```

Dover, Delaware 19904

USA mainland only

From -9021032524672826936
X-Google-Thread: 108122,e88782c8ee2c11a6,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!50g2000hsm.googlegroups.com!not-for-mail
From: tv692@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: FREE-I just found this great website where you can get a FREE Plasma TV This Is NOT a Scam See for Yourself.
Date: Sat, 22 Sep 2007 20:41:20 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1190518880.310822.66580@50g2000hsm.googlegroups.com>
NNTP-Posting-Host: 207.237.192.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1190518880 7602 127.0.0.1 (23 Sep 2007 03:41:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 23 Sep 2007 03:41:20 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 50g2000hsm.googlegroups.com; posting-host=207.237.192.89;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:976

Get a free TV with no credit card. Follow this link and sign up where
it says Start Here. Then sign up for an offer I recommend ebay (or
FastWeb if it works on your computer) because you don't need to give
them your credit card # or pay anything. If you choose ebay create a
new account and bid 99 cents on something very expensive like an
iphone or ps3 so you are guaranteed to lose.
http://www.plasmas4free.com/default.aspx?r=908393

From -4400740251162169030
X-Google-Thread: 108122,84de5bdf4e4cbb7f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Info needed on Icom IC-735 internal keyer option
Date: Sat, 22 Sep 2007 23:52:58 -0400

Organization: MV Communications, Inc.
Lines: 9
Message-ID: <pan.2007.09.23.03.52.58.853057@from.qrz.com>
References: <pan.2007.08.12.16.13.26.156257@from.qrz.com>
<9qshp7ndxyg0v32j@jumlers.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1190519579 32357 207.22.49.17 (23 Sep 2007 03:52:59 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 23 Sep 2007 03:52:59 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:977

On Sun, 23 Sep 2007 00:05:01 +0000, Bill MacLane wrote:

> I built a pico keyer for my IC-735. The kit costs about $15.00

Good evening, Bill.

Is that a drop-in replacement for the Icom keyer board? That would be an
ideal solution... where can I buy the kit?

From -5564954469508341107
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!sn-xt-ams-06!sn-xt-ams-03!sn-ams!sn-
feed-ams-01!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-
for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Sun, 23 Sep 2007 02:34:10 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
References: <fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-
nntp-2.news.uk.tiscali.com> <46f05178$0$18942$4c368faf@roadrunner.com>
<1190206510.490666.56380@y42g2000hsy.googlegroups.com>
<3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
<1190282073.743844.219280@22g2000hsm.googlegroups.com>
<k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
<1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190474806.897421.57770@57g2000hsv.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0

Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 51
Xref: g2news2.google.com rec.radio.cb:3897 rec.radio.amateur.equipment:978
rec.radio.amateur.homebrew:1078

On Sat, 22 Sep 2007 08:26:46 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote in
<1190474806.897421.57770@57g2000hsv.googlegroups.com>:

>On Sep 20, 10:48 pm, Frank Gilliland <w�renut@NOSPAM�cehouse.net>
>wrote:
>>> How well it works depends on how well you hacked the design from this
>> link I posted (while pointing out some of the many problems with your
>> earlier splatterbox):
>> http://www.ifwtech.co.uk/g3sek/tr-bias/tr-bias1.htm
>
>This is the first time I've been to that link.

Yeah, bullshit. I've posted it four times over the years, and I'm sure
you've run across it in your quest for hackable designs.

> The circuit he shows
>with the two transistors is similar to mine.

Gee, what a suprise.

> My feeling is that his is
>needlessly more complex, but I'm sure it works.

Let's see -your- design, Brian.

> I also agree with his
>statements about the diode method used for tracking. That method works
>a little better than no tracking and is not worth the effort.

Yet you used it in your previous amps. You even defended the design,
which is when I posted the link above. It wasn't long afterwards that
you came up with your last hack job.

> This is
>because putting two diodes in parallel never works right. One always
>has a lower drop... and hogs.

I don't see two diodes in parallel. Time to lay off the sauce, Brian.

```
From -2266345308869172514
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!w3g2000hsg.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Sun, 23 Sep 2007 06:06:02 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1190552762.386910.283020@w3g2000hsg.googlegroups.com>
References: <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <46f05178$0$18942$4c368faf@roadrunner.com>
   <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
   <3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
   <1190282073.743844.219280@22g2000hsm.googlegroups.com>
   <k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
   <1190333303.832852.219920@50g2000hsm.googlegroups.com>
   <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
   <1190474806.897421.57770@57g2000hsv.googlegroups.com>
   <h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
NNTP-Posting-Host: 76.197.194.70
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1190552762 27593 127.0.0.1 (23 Sep 2007 13:06:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 23 Sep 2007 13:06:02 +0000 (UTC)
In-Reply-To: <h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w3g2000hsg.googlegroups.com; posting-host=76.197.194.70;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3900 rec.radio.amateur.equipment:979
rec.radio.amateur.homebrew:1079
```

On Sep 23, 4:34 am, Frank Gilliland <w=EFrenut@NOSPAM=EFcehouse.net>
wrote:

> > I also agree with his
> >statements about the diode method used for tracking. That method works
> >a little better than no tracking and is not worth the effort.
> Yet you used it in your previous amps. You even defended the design,
> which is when I posted the link above. It wasn't long afterwards that
> you came up with your last hack job.
> > This is
> >because putting two diodes in parallel never works right. One always
> >has a lower drop... and hogs.
> I don't see two diodes in parallel. Time to lay off the sauce, Brian.

Frank... I didn't say the diode scheme didn't work... I said it didn't
work well. Actaually, the Motorola RF Data Manual shows this scheme in
many of their designs... so maybe you give them a call and let them
know how foolish they are... lol
But seriously, the diode thing isn't worth the trouble unless you are
willing to hand-select components that go alaong with that circuit.
Even then, it's certainly not the best method. By the way... the diode
tracking scheme does try and use two diodes in parallel. Sorry you
don't see that... but that's how it is... and why it doesn't work
well.
www.telstar-electronics.com

From 1259011304839843458
X-Google-Thread: 108122,d201726cdc38b384,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe19.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS-Heil Cord
Message-ID: <agtcf39d3rcfpnnq1nm0hp5sbjro836cu6@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
Date: Sun, 23 Sep 2007 10:20:25 -0400
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe19.lga 1190557169 70.161.108.207 (Sun, 23 Sep 2007 07:19:29 MST)
NNTP-Posting-Date: Sun, 23 Sep 2007 07:19:29 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:980

Heil Sound "CC-1-XLR-XLR" 6 foot cord with 3 pin male to 3 pin female.
New price $35.00. $25.00 plus shipping from 23323 <k4wys@cox.net>

```
From 1248961439448812227
X-Google-Thread: 108122,93482976ba7a1a4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe19.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS-Heil Riser
Message-ID: <hktcf3dbb9aidj78e3kf4luu923dgse5n6@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Sun, 23 Sep 2007 10:22:32 -0400
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe19.lga 1190557297 70.161.108.207 (Sun, 23 Sep 2007 07:21:37 MST)
NNTP-Posting-Date: Sun, 23 Sep 2007 07:21:37 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:981

Heil Sound "HS-1" 12 inch riser for the PL2T boom. W/ brass insert
& lock screw.  To raise boom above radios on desk.  New Price $25.00.
$20.00 plus shipping from 23323               <k4wys@cox.net>



From -865523191965351256
X-Google-Thread: 108122,95615b2bb97712e5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-
mail
From:  DeserTBob's Futile Efforts <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RCA model SCP-2 Sound Tape Magazine Loaded large cassette recorder- c.
1960- stereo single ended tube amped- serviced- $200 opener- or BIN $350
Date: Sun, 23 Sep 2007 09:16:50 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1190564210.453422.104670@57g2000hsv.googlegroups.com>
NNTP-Posting-Host: 216.222.230.156
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1190564210 3701 127.0.0.1 (23 Sep 2007 16:16:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 23 Sep 2007 16:16:50 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=216.222.230.156;
```

```
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:982
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=140160125185&ssPageName=STRK:MESE:IT&ih=004

will ship anywhere in the world

```
From 3689913263030913533
X-Google-Thread: 108122,d201726cdc38b384
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr14.news.prodigy.net.POSTED!758ec0cd!not-for-
mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <agtcf39d3rcfpnnq1nm0hp5sbjro836cu6@4ax.com>
Subject: Re: FS-Heil Cord
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <HbxJi.37$4V6.30@newssvr14.news.prodigy.net>
NNTP-Posting-Host: 69.235.20.137
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.net 1190567783 ST000 69.235.20.137 (Sun, 23 Sep
2007 13:16:23 EDT)
NNTP-Posting-Date: Sun, 23 Sep 2007 13:16:23 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDCA[S@]CWPSKZJ@NFXBWR\HPCTL@XT^OBPLAH[\BTUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Sun, 23 Sep 2007 17:16:23 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:983
```

"Sonny Hood" <wrhood@cox.net> wrote in message
news:agtcf39d3rcfpnnq1nm0hp5sbjro836cu6@4ax.com...

> Heil Sound "CC-1-XLR-XLR" 6 foot cord with 3 pin male to 3 pin female.
> New price $35.00. $25.00 plus shipping from 23323 <k4wys@cox.net>

TWENTY FIVE dollars for a 6 foot piece of mic cord and a pair of XLR's?
Are you fucking crazy?

```
From 7687623718046516722
X-Google-Thread: 10db18,47dfa6f597dece3e,start
X-Google-Thread: 108122,47dfa6f597dece3e,start
X-Google-Thread: 1109af,47dfa6f597dece3e,start
X-Google-Attributes: gid10db18,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
nlpi068.nbdc.sbc.com.POSTED!8b6c9613!not-for-mail
From: "CSFD" <csfd@hotmail.com>
Newsgroups: rec.audio.marketplace,rec.ham-
radio.swap,rec.radio.amateur.equipment,rec.radio.swap
Subject: WTB: ICOM IC-725/ OC-726 PARTS
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <6sFJi.214$ih1.27@nlpi068.nbdc.sbc.com>
NNTP-Posting-Host: 70.142.45.56
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi068.nbdc.sbc.com 1190601602 ST000 70.142.45.56 (Sun, 23 Sep 2007
22:40:02 EDT)
NNTP-Posting-Date: Sun, 23 Sep 2007 22:40:02 EDT
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJSCTS@MR\D[AZHX_T\BC@JLULIIQ@T@_FYLKX^JGEUNDO_AR\V[ML\THRCKV^GGZKJMGV^^_JSCFF
UA_QXFGVSCYRPILH]TRVKC^LSN@DX_HCAFX__@J\DAJBVMY\ZWZCZLPA^MVH_P@\
\EOMW\YSXHG__IJQY_@M[A[[AXQ_XDSTAR]\PG]NVAQUVM
Date: Sun, 23 Sep 2007 21:39:24 -0500
Xref: g2news2.google.com rec.audio.marketplace:973 rec.radio.amateur.equipment:984
rec.radio.swap:1274

I am looking for at least 2 of the 4 push buttons that push in for the NB,
ATT, PRE, AGC buttons that are mounted below the volume control knob on
either a Icom IC-725 or Icom IC-726 H.F. transceiver.
Please e-mail me at:
jackson17@cox.net

Thank you in advance.




From -458153671564413649
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
```

```
Path: g2news2.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Mon, 24 Sep 2007 02:35:57 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
References: <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
<3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
<1190282073.743844.219280@22g2000hsm.googlegroups.com>
<k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
<1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news2.google.com rec.radio.cb:3913 rec.radio.amateur.equipment:985
rec.radio.amateur.homebrew:1091

On Sun, 23 Sep 2007 06:06:02 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>:

>On Sep 23, 4:34 am, Frank Gilliland <w�renut@NOSPAM�cehouse.net>
>wrote:
>> > I also agree with his
>> >statements about the diode method used for tracking. That method works
>> >a little better than no tracking and is not worth the effort.
>> Yet you used it in your previous amps. You even defended the design,
>> which is when I posted the link above. It wasn't long afterwards that
>> you came up with your last hack job.
>> > This is
>> >because putting two diodes in parallel never works right. One always
>> >has a lower drop... and hogs.
>> I don't see two diodes in parallel. Time to lay off the sauce, Brian.
>
>Frank... I didn't say the diode scheme didn't work... I said it didn't
>work well. Actaually, the Motorola RF Data Manual shows this scheme in
>many of their designs... so maybe you give them a call and let them
>know how foolish they are... lol
>But seriously, the diode thing isn't worth the trouble unless you are
>willing to hand-select components that go alaong with that circuit.
>Even then, it's certainly not the best method. By the way... the diode
>tracking scheme does try and use two diodes in parallel. Sorry you
>don't see that... but that's how it is... and why it doesn't work
>well.
```

I checked the page again thinking maybe it changed, but I still don't
see two diodes. Just one. What two diodes are -you- seeing, Brian?

From 2954634025111157965
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Mon, 24 Sep 2007 02:52:47 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1190627567.146982.197680@d55g2000hsg.googlegroups.com>
References: <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
   <3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
   <1190282073.743844.219280@22g2000hsm.googlegroups.com>
   <k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
   <1190333303.832852.219920@50g2000hsm.googlegroups.com>
   <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
   <1190474806.897421.57770@57g2000hsv.googlegroups.com>
   <h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
   <1190552762.386910.283020@w3g2000hsg.googlegroups.com>
   <e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
NNTP-Posting-Host: 76.197.194.70
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1190627567 1415 127.0.0.1 (24 Sep 2007 09:52:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 24 Sep 2007 09:52:47 +0000 (UTC)
In-Reply-To: <e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=76.197.194.70;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3914 rec.radio.amateur.equipment:986
rec.radio.amateur.homebrew:1092

On Sep 24, 4:35 am, Frank Gilliland <w=EFrenut@NOSPAM=EFcehouse.net>
wrote:

> I checked the page again thinking maybe it changed, but I still don't
> see two diodes. Just one. What two diodes are -you- seeing, Brian?- Hide =
quoted text -

You're kidding me right?... the external tracking diode (one) and the
base-emitter diode of the power transistor (two). Got it?
www.telstar-electronics.com

```
From 3717953000232647766
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 24 Sep 2007 06:23:35 -0500
Date: Mon, 24 Sep 2007 12:25:30 +0100
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Thunderbird 2.0.0.4 (X11/20070620)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
References: <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
<3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
<1190282073.743844.219280@22g2000hsm.googlegroups.com>
<k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
<1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
In-Reply-To: <1190627567.146982.197680@d55g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Message-ID: <9bmdnTZHGYCqA2rbRVnyggA@pipex.net>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 81.178.103.211
X-Trace:
sv3-0uDWXdLp9jZAtXX1kbKga8sawKGvlz5TW6ytdyztS0+nIW14qUsQNFUNEXNG+YJE42HvBjkCuE5B0O
v!02XTTnj2CrEDr7avib9/yF/Oc519N458iLS7gDYroioLeuDP/zPQyZ0m29x4MXASLCBtTV2xo5N4!
TbN0c2M7MNs/HWw=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

```
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.cb:3916 rec.radio.amateur.equipment:987
rec.radio.amateur.homebrew:1094

Telstar Electronics wrote:
> On Sep 24, 4:35 am, Frank Gilliland <w�renut@NOSPAM�cehouse.net>
> wrote:
>> I checked the page again thinking maybe it changed, but I still don't
>> see two diodes. Just one. What two diodes are -you- seeing, Brian?- Hide quoted
text -
>
> You're kidding me right?... the external tracking diode (one) and the
> base-emitter diode of the power transistor (two). Got it?
> www.telstar-electronics.com
>
====================================
What a totally useless dialogue on a topic not relevant to this NG

Would you please find another outlet for your egos.

Frank   GM0CSZ / KN6WH



From -6782156044329496769
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r29g2000hsg.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Mon, 24 Sep 2007 04:38:02 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1190633882.923389.279770@r29g2000hsg.googlegroups.com>
References: <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
   <3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
   <1190282073.743844.219280@22g2000hsm.googlegroups.com>
   <k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
   <1190333303.832852.219920@50g2000hsm.googlegroups.com>
   <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
   <1190474806.897421.57770@57g2000hsv.googlegroups.com>
   <h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
   <1190552762.386910.283020@w3g2000hsg.googlegroups.com>
   <e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
   <1190627567.146982.197680@d55g2000hsg.googlegroups.com>
   <9bmdnTZHGYCqA2rbRVnyggA@pipex.net>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
```

X-Trace: posting.google.com 1190633883 23956 127.0.0.1 (24 Sep 2007 11:38:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 24 Sep 2007 11:38:03 +0000 (UTC)
In-Reply-To: <9bmdnTZHGYCqA2rbRVnyggA@pipex.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r29g2000hsg.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3917 rec.radio.amateur.equipment:988 rec.radio.amateur.homebrew:1095

On Sep 24, 6:25 am, Highland Ham <abcgm0csz.kn6wh...@dsl.pipex.com>
wrote:
> What a totally useless dialogue on a topic not relevant to this NG
> Would you please find another outlet for your egos.
> Frank   GM0CSZ / KN6WH

Hmmm... a discussion about the biasing of an RF amplifier is not relevant to this NG huh?
Find another outlet for your complaints... lol

From -6737093150005608629
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.germany.com!feed.xsnews.nl!border-1.ams.xsnews.nl!sn-xt-ams-06!sn-xt-ams-08!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: msg <msg@_cybertheque.org_>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Mon, 24 Sep 2007 09:05:00 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13ffh0b9tcaq80f@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, ja, zh, fi, de, el, undefined, ru
MIME-Version: 1.0
References: <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
<3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
<1190282073.743844.219280@22g2000hsm.googlegroups.com>
<k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
<1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>

```
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
<9bmdnTZHGYCqA2rbRVnyggA@pipex.net>
<1190633882.923389.279770@r29g2000hsg.googlegroups.com>
In-Reply-To: <1190633882.923389.279770@r29g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news2.google.com rec.radio.cb:3920 rec.radio.amateur.equipment:989
rec.radio.amateur.homebrew:1096

Telstar Electronics wrote:

> On Sep 24, 6:25 am, Highland Ham <abcgm0csz.kn6wh...@dsl.pipex.com>
> wrote:
>
>>What a totally useless dialogue on a topic not relevant to this NG
>>Would you please find another outlet for your egos.
>>Frank   GM0CSZ / KN6WH
>
>
>
> Hmmm... a discussion about the biasing of an RF amplifier is not
> relevant to this NG huh?
> Find another outlet for your complaints... lol
>
Please quit cross posting this to 'rec.radio.amateur.homebrew';
this _clearly_ is not a homebrewing discussion.

Regards,

Michael


From -7385303477694495894
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!newsfeed.freenet.de!
news.albasani.net!not-for-mail
From: John Smith <assemblywizard@gmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Mon, 24 Sep 2007 08:34:28 -0700
Organization: albasani.net
Lines: 21
Message-ID: <fd8le4$vbb$1@news.albasani.net>
References: <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
```

```
<3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
<1190282073.743844.219280@22g2000hsm.googlegroups.com>
<k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
<1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
<9bmdnTZHGYCqA2rbRVnyggA@pipex.net>
<1190633882.923389.279770@r29g2000hsg.googlegroups.com>
<13ffh0b9tcaq80f@corp.supernews.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.albasani.net
ha0jWazuq3DK0HVIdhgLCflVW9WNFPvdn30CEEM6ePHRCexmF+u23zcd1b2CTRj+TVEd+YHz9pnBLLEy4e
zBb02jyjxIpejTQ91RZVV6D82F4AV+9/a3k4kKOkK9XzHT
X-Complaints-To: abuse@albasani.net
NNTP-Posting-Date: Mon, 24 Sep 2007 15:34:29 +0000 (UTC)
X-User-ID: nm096dq1nII9WS1aiEA/RdiqS01cJCWCpF4+A8RN2rQ=
In-Reply-To: <13ffh0b9tcaq80f@corp.supernews.com>
Cancel-Lock: sha1:ipmL3e226ZJ0bso8x3Ui38Rho1E=
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
X-NNTP-Posting-Host:
Ufy57L5hzJsCaypqcFbqLzMg8Vm7z2bATcJjpaj4DlXZHtGteaGfibG9ngrXabwIG7O/
6sIevnp1UKhiHKcO+g==
Xref: g2news2.google.com rec.radio.cb:3922 rec.radio.amateur.equipment:990
rec.radio.amateur.homebrew:1097
```

msg wrote:

 > ...
>> Hmmm... a discussion about the biasing of an RF amplifier is not
>> relevant to this NG huh?
>> Find another outlet for your complaints... lol
>>
> Please quit cross posting this to 'rec.radio.amateur.homebrew';
> this _clearly_ is not a homebrewing discussion.
>
> Regards,
>
> Michael

Strange!

Have you guys now taken up knitting and crocheting?

Hmmm. I liked it better when you actually discussed electronic circuits!

JS

From -4837951994009756478
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Mon, 24 Sep 2007 12:42:57 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
References: <1190282073.743844.219280@22g2000hsm.googlegroups.com>
<k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
<1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news2.google.com rec.radio.cb:3926 rec.radio.amateur.equipment:991 rec.radio.amateur.homebrew:1099

On Mon, 24 Sep 2007 02:52:47 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>:

>On Sep 24, 4:35 am, Frank Gilliland <w�renut@NOSPAM�cehouse.net>
>wrote:
>> I checked the page again thinking maybe it changed, but I still don't
>> see two diodes. Just one. What two diodes are -you- seeing, Brian?- Hide quoted text -
>
>You're kidding me right?... the external tracking diode (one) and the
>base-emitter diode of the power transistor (two). Got it?

So you claim it doesn't work because one diode will "hog" the current?
Well, that's the point! D1 "hogs" the current and establishes a fixed
voltage for the base of TR1!!! But alas, it only works if your ground
plane is 9 square feet.......

So where's that schematic, Brian?

From 3397328890121641298
X-Google-Thread: 108122,a4a69134e4f844d2,start
X-Google-Thread: fc2a5,a4a69134e4f844d2,start
X-Google-Thread: 1109af,a4a69134e4f844d2,start
X-Google-Attributes: gid108122,gidfc2a5,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!feed.cgocable.net!read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: FS: Amateur & Commercial & Test Equipment Service Manuals
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <gkXJi.4182$tx1.3721@read1.cgocable.net>
Date: Mon, 24 Sep 2007 19:00:05 -0400
NNTP-Posting-Host: 24.141.130.191
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1190674828 24.141.130.191 (Mon, 24 Sep 2007 19:00:28 EDT)
NNTP-Posting-Date: Mon, 24 Sep 2007 19:00:28 EDT
Organization: Cogeco Cable
Xref: g2news2.google.com rec.radio.amateur.equipment:992 rec.radio.amateur.homebrew:1100 rec.radio.swap:1277

Have a quantity of Test Equipment and Radio Communications Service Manuals, both Commercial & Amateur
Most of them are in Like New Condition.
Prices are reasonable...mailing may more than the manuals..depending where you live!

Please check my site: www.rodemi.com   for what is available.
Click on the MANUALS Heading.
I am updating the site as time allows.
> Just added a MAXON List...more to come <
I recently retired from the Commercial 2-way radio business and would like these useful manuals to find a good home.

Thanks for looking....Norm VE3CZI
Email me Directly: <insert Call Sign> at arrl.net ....<call sign> is ve3czi

```
From 4676769576147150766
X-Google-Thread: 108122,11f311c5eb7ec916
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 24 Sep 2007 18:37:24 -0500
Date: Mon, 24 Sep 2007 16:37:35 -0700
From: KD6EVM <nelsonca@comcast.net>
Reply-To:  nelsonca@comcast.net
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Starter Rigs
References: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
In-Reply-To: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <TpCdnUHwybCp12XbnZ2dnUVZ_remnZ2d@comcast.com>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.166.131.124
X-Trace: sv3-
DgxoH4bX2i2HHPtu16lf4+MpS5yJxrujnZaAMgFgxN+tB7u9Ka3Fi8UJ+ll4HoQwIUoaV7sfzzxdqOu!
FKtrAbcdqSUOEL6ymvvlau+b6JftEdfINlK/WP3D4Sm1J/o2sYpRZwcvbslw6AavQbNy/juULyes!
OcZ7upyLPkFDopUpCTEThu3zzh7sgLQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:993
```

jimnlacy@pacbell.net wrote:

> I am a newly licensed technician, study for the general exam. I plan to
> purchase an HF rig soon and would appreciate suggestions on a good starter
> rig. I am budgeting $800 for a rig and antenna. I would be happy with a good
> used rig but I am not sure where to start looking for information.
>
> Thanks,
>
> Jim KI6ISQ

You have received a lot of good advice. The icom 817 with dsp is a safe bet, but I would set some money aside for an antenna tuner and a power supply. A manual tuner with a cross needle meter is a good learning tool for someone new to HF that will also tune a variety of wire antennas which you can make (not buy.) Scout around for a used power supply. $800 should get you on the air.

What you really need is an "Elmer" in the Ukiah area. I am near Chico, but may be able to offer some help via email. Please contact me off-list.

Tom KD6EVM

From -4504610801301659225
X-Google-Thread: 108122,ba2b0fc35f6f96e5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe13.lga.POSTED!
53ab2750!not-for-mail
From: "C.Andrews Lavarre" <alavarre@ids.net>
User-Agent: Thunderbird 1.5.0.8 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-746PRO FM VSWR meter performance?
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <E3YJi.50466$hP1.7364@newsfe13.lga>
Date: Mon, 24 Sep 2007 19:50:32 -0400
NNTP-Posting-Host: 70.172.221.107
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.lga 1190677860 70.172.221.107 (Mon, 24 Sep 2007 16:51:00 MST)
NNTP-Posting-Date: Mon, 24 Sep 2007 16:51:00 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:994

How does the VSWR reading work on 2M FM?

I've had this rig for about five years, but never ventured into 2M-land with it until today, although I've used an IC-W32A HT with a rubber ducky for about the last ten years.

Yesterday built the dual band Jpole vertical from

http://www.arrl.org/qst/2007/03/fong.pdf

It works wonders with both the 746 and HT. I can hit all kinds of repeaters I could not with the HT and rubber ducky alone.

That's the good news.

The bad news is that despite good performance and reports, the VSWR reading on the 746 goes off the scale to infinity.

I know the antenna tuner only works at HF and 50MHz but find no such caveat for the VSWR sensor. Does it work at 2 meters?

73

Andy
WA6VCT

```
From -282578549261199951
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Tue, 25 Sep 2007 05:43:22 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1190724202.475589.288030@d55g2000hsg.googlegroups.com>
References: <1190282073.743844.219280@22g2000hsm.googlegroups.com>
   <k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
   <1190333303.832852.219920@50g2000hsm.googlegroups.com>
   <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
   <1190474806.897421.57770@57g2000hsv.googlegroups.com>
   <h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
   <1190552762.386910.283020@w3g2000hsg.googlegroups.com>
   <e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
   <1190627567.146982.197680@d55g2000hsg.googlegroups.com>
   <n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1190724202 27348 127.0.0.1 (25 Sep 2007 12:43:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 25 Sep 2007 12:43:22 +0000 (UTC)
In-Reply-To: <n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:4012 rec.radio.amateur.equipment:995
rec.radio.amateur.homebrew:1103
```

On Sep 24, 2:42 pm, Frank Gilliland <w=EFrenut@NOSPAM=EFcehouse.net>
wrote:
> So you claim it doesn't work because one diode will "hog" the current?
> Well, that's the point! D1 "hogs" the current and establishes a fixed
> voltage for the base of TR1!!!

As usual Frank you are missing the important point here. That point
being that you can't simply parallel two diodes... and have them share
currents. This would have to be done in order for any tracking between
the two. The problem is that one diode will always turn on before the
other... and take all current. Now I ask you... where is the sharing/
tracking in that scenario? The answer is: there is no sharing/
tracking... because one diode with the lowest drop will hog the entire
current... and the other diode will be off. this is why the gentleman
on the web page link that YOU provided says it that scheme works like
crap. He's absolutely right!
www.telstar-electronics.com

From -3071505584594013190
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Tue, 25 Sep 2007 06:42:13 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <4e3if35g91qv880m9fauokf8knuagpmpqr@4ax.com>
References: <1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
<n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
<1190724202.475589.288030@d55g2000hsg.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news2.google.com rec.radio.cb:4013 rec.radio.amateur.equipment:996
rec.radio.amateur.homebrew:1104

On Tue, 25 Sep 2007 05:43:22 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1190724202.475589.288030@d55g2000hsg.googlegroups.com>:

>On Sep 24, 2:42 pm, Frank Gilliland <w�renut@NOSPAM�cehouse.net>
>wrote:

>> So you claim it doesn't work because one diode will "hog" the current?
>> Well, that's the point! D1 "hogs" the current and establishes a fixed
>> voltage for the base of TR1!!!
>
>As usual Frank you are missing the important point here. That point
>being that you can't simply parallel two diodes... and have them share
>currents. This would have to be done in order for any tracking between
>the two. The problem is that one diode will always turn on before the
>other... and take all current. Now I ask you... where is the sharing/
>tracking in that scenario? The answer is: there is no sharing/
>tracking... because one diode with the lowest drop will hog the entire
>current... and the other diode will be off.

Amazing. Two major bungles within one month. First you couldn't
recognize a simple voltage multiplier, and now you show that you can't
even understand the basic principle of diode biasing of a transistor.

> this is why the gentleman
>on the web page link that YOU provided says it that scheme works like
>crap. He's absolutely right!

Funny..... he gives a different explanation.

BTW, where's that schematic, Brian?

From -1558432895612464272
X-Google-Thread: 108122,1daa530e8bd2dcc8,start
X-Google-Thread: fc8b1,1daa530e8bd2dcc8,start
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newsfeed.ksu.edu!nntp.ksu.edu!not-for-mail
From: mcalhoun@ksu.edu
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: My Simpson 260 won't zero on Rx1 scale even with new batteries...
Date: 25 Sep 2007 08:56:50 -0500
Organization: Kansas State University
Lines: 12
Message-ID: <fdb432$mqo@unix1.cc.ksu.edu>
NNTP-Posting-Host: unix1.cc.ksu.edu
X-Trace: cnn.cns.ksu.edu 1190728612 21246 129.130.12.3 (25 Sep 2007 13:56:52 GMT)
X-Complaints-To: abuse@ksu.edu
NNTP-Posting-Date: Tue, 25 Sep 2007 13:56:52 +0000 (UTC)
X-Newsreader: NN version 6.5.0 #2 (NOV)
Xref: g2news2.google.com rec.radio.amateur.equipment:997
rec.radio.amateur.boatanchors:1193

NOTE: Crossposted to r.r.amateur.equipment AND r.r.a.boatanchors

The Rx100 scale on my old Simpson 260 VOM zeroes nicely, but the Rx1 scale won't zero even with new batteries. I haven't looked inside, but is there an internal pot or something I can tweak so it can be zeroed on the Rx1 scale?

--
--Myron A. Calhoun.
Five boxes preserve our freedoms: soap, ballot, witness, jury, and cartridge
NRA Life Member & Certified Instructor for Rifle, Pistol, & Home Firearm Safety
Also Certified Instructor for the Kansas Concealed-Carry Handgun (CCH) license

```
From 3476552227419489855
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!19g2000hsx.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Tue, 25 Sep 2007 07:08:51 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1190729331.333021.97310@19g2000hsx.googlegroups.com>
References: <1190333303.832852.219920@50g2000hsm.googlegroups.com>
   <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
   <1190474806.897421.57770@57g2000hsv.googlegroups.com>
   <h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
   <1190552762.386910.283020@w3g2000hsg.googlegroups.com>
   <e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
   <1190627567.146982.197680@d55g2000hsg.googlegroups.com>
   <n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
   <1190724202.475589.288030@d55g2000hsg.googlegroups.com>
   <4e3if35g91qv880m9fauokf8knuagpmpqr@4ax.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1190729331 14323 127.0.0.1 (25 Sep 2007 14:08:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 25 Sep 2007 14:08:51 +0000 (UTC)
In-Reply-To: <4e3if35g91qv880m9fauokf8knuagpmpqr@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 19g2000hsx.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
```

```
Xref: g2news2.google.com rec.radio.cb:4018 rec.radio.amateur.equipment:998
rec.radio.amateur.homebrew:1105

On Sep 25, 8:42 am, Frank Gilliland <w=EFrenut@NOSPAM=EFcehouse.net>
wrote:
> Amazing. Two major bungles within one month. First you couldn't
> recognize a simple voltage multiplier, and now you show that you can't
> even understand the basic principle of diode biasing of a transistor.

Frank, again you resort to degrading statements in an attempt to shift
the focus and avoid the topic.
You have suceeded... end of conversation with you.
www.telstar-electronics.com




From -5529901658951214319
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!news.glorb.com!newshub.sdsu.edu!sn-xt-
sjc-02!sn-xt-sjc-06!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!
not-for-mail
From: james <george@washington.edu>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Tue, 25 Sep 2007 10:37:33 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <707if3hnfqh0aih7c7sg1n3mav2p4o81hl@4ax.com>
Reply-To: beerkeg@budu.edu
References: <1190333303.832852.219920@50g2000hsm.googlegroups.com>
<tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
<1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
<n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
<1190724202.475589.288030@d55g2000hsg.googlegroups.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com rec.radio.cb:4020 rec.radio.amateur.equipment:999
rec.radio.amateur.homebrew:1107

On Tue, 25 Sep 2007 05:43:22 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:
```

|On Sep 24, 2:42 pm, Frank Gilliland <w�renut@NOSPAM�cehouse.net>
|wrote:
|> So you claim it doesn't work because one diode will "hog" the current?
|> Well, that's the point! D1 "hogs" the current and establishes a fixed
|> voltage for the base of TR1!!!
|
|As usual Frank you are missing the important point here. That point
|being that you can't simply parallel two diodes... and have them share
|currents. This would have to be done in order for any tracking between
|the two. The problem is that one diode will always turn on before the
|other... and take all current. Now I ask you... where is the sharing/
|tracking in that scenario? The answer is: there is no sharing/
|tracking... because one diode with the lowest drop will hog the entire
|current... and the other diode will be off. this is why the gentleman
|on the web page link that YOU provided says it that scheme works like
|crap. He's absolutely right!
|www.telstar-electronics.com
|
|-------------

Bovine excrement. Ever heard of equalizing of current through a series
resistance? Often called a ballast resistor. Used quite often in power
transistors where there are several base/emiter pn jumctions.

james

From 2442068825411848402
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-03!sn-ams!sn-feed-
ams-02!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: james <george@washington.edu>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Tue, 25 Sep 2007 10:40:01 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <ea7if3t4a78kvfmdv69mvilbv8inmppdja@4ax.com>
Reply-To: beerkeg@budu.edu
References: <1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
<n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
<1190724202.475589.288030@d55g2000hsg.googlegroups.com>
<4e3if35g91qv880m9fauokf8knuagpmpqr@4ax.com>
<1190729331.333021.97310@19g2000hsx.googlegroups.com>

```
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news2.google.com rec.radio.cb:4021 rec.radio.amateur.equipment:1000
rec.radio.amateur.homebrew:1108

On Tue, 25 Sep 2007 07:08:51 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

|On Sep 25, 8:42 am, Frank Gilliland <w�renut@NOSPAM�cehouse.net>
|wrote:
|> Amazing. Two major bungles within one month. First you couldn't
|> recognize a simple voltage multiplier, and now you show that you can't
|> even understand the basic principle of diode biasing of a transistor.
|
|Frank, again you resort to degrading statements in an attempt to shift
|the focus and avoid the topic.
|You have suceeded... end of conversation with you.
|www.telstar-electronics.com
|-------------

No Brian

He is quite on topic. You are failing to comprehend a very simple
basic understanding of the biasing of a transistor.

james


From -5767894632042913191
X-Google-Thread: 108122,1daa530e8bd2dcc8
X-Google-Thread: fc8b1,1daa530e8bd2dcc8
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 25 Sep 2007 09:46:40 -0500
Date: Tue, 25 Sep 2007 10:44:09 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.5) Gecko/20070716
SeaMonkey/1.1.3
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: My Simpson 260 won't zero on Rx1 scale even with new batteries...
References: <fdb432$mqo@unix1.cc.ksu.edu>
In-Reply-To: <fdb432$mqo@unix1.cc.ksu.edu>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <7OGdnRZecvrMgmTbnZ2dnUVZWhednZ2d@rcn.net>
```

```
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.178.4.38
X-Trace: sv3-
GRLCXcTYApZ4fpZJXz0OS+UWVX4pCNczXepsNPBelykNKy7P2l48oblkAlF7YUDic9UqoA2j/Px0dM0!
CBG24Z0XjQLiRk1sgxIFDAp6mQGbqCgdeSIXnOlowwDmHeFfzFIKv6Eb0XCD+Ll82yxpHMO0bQZv!
kcIVLBFqew==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1001
rec.radio.amateur.boatanchors:1194
```

mcalhoun@ksu.edu wrote:

> NOTE: Crossposted to r.r.amateur.equipment AND r.r.a.boatanchors
>
> The Rx100 scale on my old Simpson 260 VOM zeroes nicely, but the Rx1
> scale won't zero even with new batteries. I haven't looked inside,
> but is there an internal pot or something I can tweak so it can be
> zeroed on the Rx1 scale?

Check the resistance of your test leads. They may be more resistive
than the meter has zeroing range.

Also check the battery terminals, sometimes if a battery is allowed to
leak it will wreck the low resistance contact that is necessary for the
Rx1 range to work. The battery is sourcing pretty high current in
this range.

-Chuck

```
From -4048260379263289260
X-Google-Thread: 108122,1daa530e8bd2dcc8
X-Google-Thread: fc8b1,1daa530e8bd2dcc8
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.phx!
newsfe16.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <fdb432$mqo@unix1.cc.ksu.edu>
In-Reply-To: <fdb432$mqo@unix1.cc.ksu.edu>
Subject: Re: My Simpson 260 won't zero on Rx1 scale even with new batteries...
Lines: 14
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <Nb9Ki.50270$L_7.48870@newsfe16.phx>
Date: Tue, 25 Sep 2007 07:46:30 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.phx 1190731629 72.197.13.209 (Tue, 25 Sep 2007 07:47:09 MST)
NNTP-Posting-Date: Tue, 25 Sep 2007 07:47:09 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:1002
rec.radio.amateur.boatanchors:1195


<mcalhoun@ksu.edu> wrote in message news:fdb432$mqo@unix1.cc.ksu.edu...
> NOTE:  Crossposted to r.r.amateur.equipment AND r.r.a.boatanchors
>
> The Rx100 scale on my old Simpson 260 VOM zeroes nicely, but the Rx1
> scale won't zero even with new batteries.  I haven't looked inside,
> but is there an internal pot or something I can tweak so it can be
> zeroed on the Rx1 scale?
>
> --
There are schematics and calibration procedures at URL:
http://www.simpson260.com/downloads/downloads.htm

Lamont


From 6125480256119956037
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!news.glorb.com!newsgate.cistron.nl!
xs4all!feeder.news-service.com!feeder1.cambrium.nl!feed.tweaknews.nl!
138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-08!sn-ams!sn-feed-ams-01!sn-post-
ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Tue, 25 Sep 2007 07:54:32 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <ap6if3tfmso8a6a1s010j6b8qdhq1huht7@4ax.com>
References: <1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
```

<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
<n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
<1190724202.475589.288030@d55g2000hsg.googlegroups.com>
<4e3if35g91qv880m9fauokf8knuagpmpqr@4ax.com>
<1190729331.333021.97310@19g2000hsx.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 34
Xref: g2news2.google.com rec.radio.cb:4022 rec.radio.amateur.equipment:1003
rec.radio.amateur.homebrew:1109

On Tue, 25 Sep 2007 07:08:51 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1190729331.333021.97310@19g2000hsx.googlegroups.com>:

>On Sep 25, 8:42 am, Frank Gilliland <w�renut@NOSPAM�cehouse.net>
>wrote:
>> Amazing. Two major bungles within one month. First you couldn't
>> recognize a simple voltage multiplier, and now you show that you can't
>> even understand the basic principle of diode biasing of a transistor.
>
>Frank, again you resort to degrading statements in an attempt to shift
>the focus and avoid the topic.

The topic is the concept of using a diode to bias a transistor, a
concept understood by any first-year electronics student.

But not you.

The BE junction stays at or above quiescient current BECAUSE the diode
is hogging the current. It even says that in the article (that you
obviously didn't understand).

Two diodes..... sheesh..... I'll bet you've never seen a Vbe curve,
either.

>You have suceeded... end of conversation with you.

Well, since that's the closest thing to an admission of ignorance that
you are capable of, I'll take all nine square feet...... ROTFLMMFAO!!!

From 7488763393411565756
X-Google-Thread: 108122,1daa530e8bd2dcc8
X-Google-Thread: fc8b1,1daa530e8bd2dcc8

```
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 25 Sep 2007 09:52:44 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: My Simpson 260 won't zero on Rx1 scale even with new batteries...
Date: Tue, 25 Sep 2007 07:54:03 -0700
Message-ID: <688if3p498e5vkppuv1ovtha0okkmscl5j@4ax.com>
References: <fdb432$mqo@unix1.cc.ksu.edu>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.241.233
X-Trace: sv3-
WDoiYx+DnPc0s8sNx9lOA9ji8KORrEW5TnY5oU1TU7nL0I22hhwaXazrCwOaTpg98zWrP+q+dHfu8ze!
JGsSXuNhurr3W+zhlWps5ONsuMImFxvw85B7i9keJeDt0VxN+QnLRy1mTdNZRKhqqHUqH9rMSv4v!
aDWHuEX11PaBjConR6VqZmKBHjaQAw==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:1004
rec.radio.amateur.boatanchors:1196

On 25 Sep 2007 08:56:50 -0500, mcalhoun@ksu.edu wrote:

>NOTE:  Crossposted to r.r.amateur.equipment AND r.r.a.boatanchors
>
>The Rx100 scale on my old Simpson 260 VOM zeroes nicely, but the Rx1
>scale won't zero even with new batteries.  I haven't looked inside,
>but is there an internal pot or something I can tweak so it can be
>zeroed on the Rx1 scale?

Put a really good short right across the banana sockets and see what
happens.



From 4897239267391725083
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r29g2000hsg.googlegroups.com!not-for-
```

mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Tue, 25 Sep 2007 08:09:50 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1190732990.399464.59430@r29g2000hsg.googlegroups.com>
References: <1190333303.832852.219920@50g2000hsm.googlegroups.com>
   <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
   <1190474806.897421.57770@57g2000hsv.googlegroups.com>
   <h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
   <1190552762.386910.283020@w3g2000hsg.googlegroups.com>
   <e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
   <1190627567.146982.197680@d55g2000hsg.googlegroups.com>
   <n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
   <1190724202.475589.288030@d55g2000hsg.googlegroups.com>
   <707if3hnfqh0aih7c7sg1n3mav2p4o81hl@4ax.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190732990 28039 127.0.0.1 (25 Sep 2007 15:09:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 25 Sep 2007 15:09:50 +0000 (UTC)
In-Reply-To: <707if3hnfqh0aih7c7sg1n3mav2p4o81hl@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r29g2000hsg.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:4023 rec.radio.amateur.equipment:1005
rec.radio.amateur.homebrew:1111

On Sep 25, 9:37 am, james <geo...@washington.edu> wrote:
> Bovine excrement. Ever heard of equalizing of current through a series
> resistance? Often called a ballast resistor. Used quite often in power
> transistors where there are several base/emiter pn jumctions.

OK James... less not discuss ballasting... because that has no bearing
in this particular discussion. Maybe you can tell us how the diode
method of biasing shown at http://www.ifwtech.co.uk/g3sek/tr-bias/tr-bias1.htm
(bad circuits section) works. And since you think that circuit works
well. Please tell us why.
www.telstar-electronics.com

From -7721916216872141377
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!multikabel.net!
feed20.multikabel.net!sn-xt-ams-06!sn-xt-ams-05!sn-post-ams-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Tue, 25 Sep 2007 08:20:48 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <no9if3tg0a534i2sgo08bpu9s2ttrjntuj@4ax.com>
References: <1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
<n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
<1190724202.475589.288030@d55g2000hsg.googlegroups.com>
<707if3hnfqh0aih7c7sg1n3mav2p4o81hl@4ax.com>
<1190732990.399464.59430@r29g2000hsg.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.cb:4026 rec.radio.amateur.equipment:1006
rec.radio.amateur.homebrew:1112

On Tue, 25 Sep 2007 08:09:50 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1190732990.399464.59430@r29g2000hsg.googlegroups.com>:

>On Sep 25, 9:37 am, james <geo...@washington.edu> wrote:
>> Bovine excrement. Ever heard of equalizing of current through a series
>> resistance? Often called a ballast resistor. Used quite often in power
>> transistors where there are several base/emiter pn jumctions.
>
>OK James... less not discuss ballasting... because that has no bearing
>in this particular discussion. Maybe you can tell us how the diode
>method of biasing shown at http://www.ifwtech.co.uk/g3sek/tr-bias/tr-bias1.htm
>(bad circuits section) works.


Holy shit..... Brian flunked first-year techie school!!!!





From -8760365669624891397
X-Google-Thread: fc8b1,1daa530e8bd2dcc8
X-Google-Thread: 108122,1daa530e8bd2dcc8
X-Google-Attributes: gidfc8b1,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 25 Sep 2007 11:55:07 -0500
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: My Simpson 260 won't zero on Rx1 scale even with new batteries...
From: "Ken Fowler" <ko6no@yahoo.com>
Reply-to: ko6no@yahoo.com
References: <fdb432$mqo@unix1.cc.ksu.edu>
Organization: KO6NO
Date: Tue, 25 Sep 2007 16:55:06 GMT
X-Newsreader: News Rover 11.3.2 (http://www.NewsRover.com)
Message-ID: <x7Kdne9bm5_2oGTbnZ2dnUVZ_veinZ2d@comcast.com>
Lines: 40
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.180.153.122
X-Trace: sv3-gdm/pajCQ9/Fo/p4a4+3r20JW7/IpkNJuWlunI/TbhQkpLst6/peaSdn9/
W9TfLyZv5iLOvHRuJ+8I+!
jzy0VXEwmCjN42ly+xFy+xuNXDcwsbHiagLPNOys0p2rXBLJ6r8dqCWxfBgiweS+VI1VDQoU05Uk!
c5FK6FJbmhgC9qYBBzQM3rMf1Ec//0o=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1198
rec.radio.amateur.equipment:1007
```

On 25-Sep-2007, mcalhoun@ksu.edu wrote:

```
> Path:
> border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
headwall.stanford.edu!newsfeed.ksu.edu!nntp.ksu.edu!not-for-mail
> From: mcalhoun@ksu.edu
> Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
> Subject: My Simpson 260 won't zero on Rx1 scale even with new batteries...
> Date: 25 Sep 2007 08:56:50 -0500
> Organization: Kansas State University
> Lines: 12
> Message-ID: <fdb432$mqo@unix1.cc.ksu.edu>
> NNTP-Posting-Host: unix1.cc.ksu.edu
> X-Trace: cnn.cns.ksu.edu 1190728612 21246 129.130.12.3 (25 Sep 2007 13:56:52
GMT)
> X-Complaints-To: abuse@ksu.edu
> NNTP-Posting-Date: Tue, 25 Sep 2007 13:56:52 +0000 (UTC)
> X-Newsreader: NN version 6.5.0 #2 (NOV)
> Bytes: 1352
> Xref: number1.nntp.dca.giganews.com rec.radio.amateur.equipment:218466
> rec.radio.amateur.boatanchors:130854
>
> NOTE:  Crossposted to r.r.amateur.equipment AND r.r.a.boatanchors
```

>
> The Rx100 scale on my old Simpson 260 VOM zeroes nicely, but the Rx1
> scale won't zero even with new batteries. I haven't looked inside,
> but is there an internal pot or something I can tweak so it can be
> zeroed on the Rx1 scale?
>
> --
> --Myron A. Calhoun.
> Five boxes preserve our freedoms: soap, ballot, witness, jury, and cartridge
> NRA Life Member & Certified Instructor for Rifle, Pistol, & Home Firearm Safety
> Also Certified Instructor for the Kansas Concealed-Carry Handgun (CCH) license

It could be a bad contact on the battery holder or the range switch. R X 1 uses a lot more battery
current than R X 100 so that small internal resistances matter. The usual case is that someone
attempted to measure voltage on the R X 1 setting. There are probably burned resistors in the
ohmeter circuit. There is no internal adjustment for R X 1, AFAIK.

Ken Fowler, KO6NO

```
From -4475961877874326121
X-Google-Thread: 108122,1daa530e8bd2dcc8
X-Google-Thread: fc8b1,1daa530e8bd2dcc8
X-Google-Attributes: gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews8.bellsouth.net.POSTED!cd3bd447!
not-for-mail
From: Randy or Sherry Guttery <comcents@bellsouth.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: My Simpson 260 won't zero on Rx1 scale even with new batteries...
References: <fdb432$mqo@unix1.cc.ksu.edu>
In-Reply-To: <fdb432$mqo@unix1.cc.ksu.edu>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <sddKi.79675$Lu.62240@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbonfmgciefepdbfekpandgjlkjoabkleenee
ehdimoccdhhaegfimhbmiadodnidkmbnmimkflfnmnjhokbkipcnigkaeejbkbomlgcccebcdfdbbm
NNTP-Posting-Date: Tue, 25 Sep 2007 15:22:00 EDT
Organization: BellSouth Internet Group
Date: Tue, 25 Sep 2007 14:21:48 -0500
```

Xref: g2news2.google.com rec.radio.amateur.equipment:1008
rec.radio.amateur.boatanchors:1201

mcalhoun@ksu.edu wrote:
> NOTE: Crossposted to r.r.amateur.equipment AND r.r.a.boatanchors
>
> The Rx100 scale on my old Simpson 260 VOM zeroes nicely, but the Rx1
> scale won't zero even with new batteries. I haven't looked inside,
> but is there an internal pot or something I can tweak so it can be
> zeroed on the Rx1 scale?

No, it's either a (very) bad connection - or quite possibly a cooked R16
- check it - it takes a beating in 260s (should be 11.2 ohms)...

regards,
--
Sherry

A Tender Tale - a page dedicated to those Ships and Crews
so vital to the United States Silent Service:
http://tendertale.com

From -1285821984644684938
X-Google-Thread: 108122,8c2a3e9cad38a7b3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Tue, 25 Sep 2007 22:21:28 +0200
From: none <""bram\"@(none)">
User-Agent: Thunderbird 2.0.0.6 (X11/20070810)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: identify 10GHz cavity with diode in it
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 81.62.56.53
X-Original-NNTP-Posting-Host: 81.62.56.53
Message-ID: <46f96dc9$1_5@news.bluewin.ch>
X-Trace: news.bluewin.ch 1190751689 81.62.56.53 (25 Sep 2007 22:21:29 +0200)
Organization: Bluewin AG
Lines: 29
Complaints-To: abuse@bluewin.ch
X-Original-NNTP-Posting-Host: 127.0.0.1
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.in2p3.fr!in2p3.fr!kanaga.switch.ch!news-zh.switch.ch!switch.ch!news.ip-
plus.net!newsfeed.ip-plus.net!news.bluewin.ch!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:1009

Hello everyone,

I have found two devices which look like gunnplexers, but without a mixer diode.
Well, actually, it only looks like a diode in a cavity to me, because I do not

have sufficient experience in microwaves. If anyone could tell me more about it, like what it could be used for, I'd be glad to know.

Pictures of that 'thing' are on the following website:
http://bram.ch.eu.org/galleries/?gn=gunn

On the fourth picture, you can see the diode symbol printed on the white cylinder, at the left.

The two diodes on the top are presumably zener diodes, and they have an orange marking on the edge, followed by a brown and a violet one.

Dimensions are:
- cavity: 1.9cm x 1cm
- depth (exterior): 4,2cm
- wall thickness seems to be around 2mm, but I have no way to measure right now

I'm looking forward to becoming active on 10GHz, and have found some nice websites explaining the basics of Gunnplexers and the like, with needed circuitry to get them working. But all of them are more complex than this device.

Thanks in advance,

kind regards, 73's
de HB9EGM, Matthias

From -5766821520734665518
X-Google-Thread: 108122,11f311c5eb7ec916
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Starter Rigs
Date: Tue, 25 Sep 2007 18:48:02 -0500
Message-ID: <ou6jf3160ncahg0v5n3dd753sd5a4oq8no@4ax.com>
References: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1010

On Fri, 21 Sep 2007 18:18:17 GMT, <jimnlacy@pacbell.net> wrote:

>I am a newly licensed technician, study for the general exam. I plan to

>purchase an HF rig soon and would appreciate suggestions on a good starter
>rig. I am budgeting $800 for a rig and antenna. I would be happy with a good
>used rig but I am not sure where to start looking for information.
>
>Thanks,
>
>Jim KI6ISQ
>

For an HF beginner, I'd recommend staying away from low-power QRP or
used rigs.

A good 100-watt all-band rig, brand new, would be something like the
Icom 718, a little over $500. Add a 25-amp Astron switching power
supply for about $130-150. That leaves you about $150 for a soldering
iron, the ARRL antenna handbook, some wire and coax, and a few other
odds and ends. Wouldn't hurt to get an inexpensive MFJ antenna tuner
with a cross-needle SWR meter. Build a dipole and you're on the air.

Bob
k5qwg

From -4977625179417234239
X-Google-Thread: 108122,11f311c5eb7ec916
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newsfeed.ksu.edu!nntp.ksu.edu!not-for-mail
From: mcalhoun@ksu.edu
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Starter Rigs
Date: 25 Sep 2007 22:30:19 -0500
Organization: Kansas State University
Lines: 25
Message-ID: <fdcjob$ecj@unix1.cc.ksu.edu>
References: <JVTIi.797$6p6.385@newssvr25.news.prodigy.net>
<ou6jf3160ncahg0v5n3dd753sd5a4oq8no@4ax.com>
NNTP-Posting-Host: unix1.cc.ksu.edu
X-Trace: cnn.cns.ksu.edu 1190777422 22836 129.130.12.3 (26 Sep 2007 03:30:22 GMT)
X-Complaints-To: abuse@ksu.edu
NNTP-Posting-Date: Wed, 26 Sep 2007 03:30:22 +0000 (UTC)
X-Newsreader: NN version 6.5.0 #2 (NOV)
Xref: g2news2.google.com rec.radio.amateur.equipment:1011

>>I am a newly licensed technician, study for the general exam. I plan to
>>purchase an HF rig soon and would appreciate suggestions on a good starter
>>rig. I am budgeting $800 for a rig and antenna.....

>A good 100-watt all-band rig, brand new, would be something like the
>Icom 718, a little over $500. Add ....

Or get a TenTec Triton IV (aka 540 w/ analog dial or 544 w/ digital dial) and TenTec power supply; maybe $250 for the pair? Mid-70's "no tune" (that means you must have a "tuner"!) transistorized radio made in the USA. Or run the radio from a 12-volt battery with a $10 float charger from Harbor Freight; instant emergency power! Get a good crossed-needle SWR meter but make your own "tuner" (a homebrew inductor, a capacitor from an old radio, and two alligator clips). A 100-150 watt soldering GUN (irons are usually too small for soldering PL-259 connectors) will be handy (although you COULD buy ready-made coax). Throw some wire into the air (or connect to something metallic, preferably high and long), and you should have several hundred dollars left over.

--Myron Calhoun, W0PBV.
--
--Myron A. Calhoun.
Five boxes preserve our freedoms: soap, ballot, witness, jury, and cartridge
NRA Life Member & Certified Instructor for Rifle, Pistol, & Home Firearm Safety
Also Certified Instructor for the Kansas Concealed-Carry Handgun (CCH) license

```
From -2804572070871852993
X-Google-Thread: 108122,1daa530e8bd2dcc8
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newsfeed.ksu.edu!nntp.ksu.edu!not-for-mail
From: mcalhoun@ksu.edu
Newsgroups: rec.radio.amateur.equipment
Subject: Re: My Simpson 260 won't zero on Rx1 scale even with new batteries...
Date: 26 Sep 2007 09:21:40 -0500
Organization: Kansas State University
Lines: 23
Message-ID: <fddptk$hfg@unix1.cc.ksu.edu>
References: <fdb432$mqo@unix1.cc.ksu.edu>
NNTP-Posting-Host: unix1.cc.ksu.edu
X-Trace: cnn.cns.ksu.edu 1190816501 15307 129.130.12.3 (26 Sep 2007 14:21:41 GMT)
X-Complaints-To: abuse@ksu.edu
NNTP-Posting-Date: Wed, 26 Sep 2007 14:21:41 +0000 (UTC)
X-Newsreader: NN version 6.5.0 #2 (NOV)
Xref: g2news2.google.com rec.radio.amateur.equipment:1012
```

>>The Rx100 scale on my old Simpson 260 VOM zeroes nicely,
>>but the Rx1 scale won't zero even with new batteries....

Randy or Sherry said:
>No, it's either a (very) bad connection - or quite possibly a cooked
>R16 - check it - it takes a beating in 260s (should be 11.2 ohms)...

Several others also mentioned the need for really-clean connections.

The Shadow said:
>There are schematics and calibration procedures at URL:

```
>http://www.simpson260.com/downloads/downloads.htm

Unfortunately, half of the first PDF schematic on that page is UNreadable,
but the SEARS repair manual has a very-readable schematic!

Thanks to all who replied for the help!

--
--Myron A. Calhoun.
Five boxes preserve our freedoms:  soap, ballot, witness, jury, and cartridge
NRA Life Member & Certified Instructor for Rifle, Pistol, & Home Firearm Safety
Also Certified Instructor for the Kansas Concealed-Carry Handgun (CCH) license


From -8599372471292211050
X-Google-Thread: 108122,25315e0a38e2dba4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newsfeed.ksu.edu!nntp.ksu.edu!not-for-mail
From: mcalhoun@ksu.edu
Newsgroups: rec.radio.amateur.equipment
Subject: Where find schematic for the Simpson 650 add-a-tester?
Date: 26 Sep 2007 09:48:24 -0500
Organization: Kansas State University
Lines: 9
Message-ID: <fddrfo$ngr@unix1.cc.ksu.edu>
NNTP-Posting-Host: unix1.cc.ksu.edu
X-Trace: cnn.cns.ksu.edu 1190818106 16350 129.130.12.3 (26 Sep 2007 14:48:26 GMT)
X-Complaints-To: abuse@ksu.edu
NNTP-Posting-Date: Wed, 26 Sep 2007 14:48:26 +0000 (UTC)
X-Newsreader: NN version 6.5.0 #2 (NOV)
Xref: g2news2.google.com rec.radio.amateur.equipment:1013

Does anyone know where I might find a schematic and instruction manual
for the Simpson 650 add-a-tester (transistor testor) for the Simpson 260
VOM?  <http://www.simpson260.com> had only a picture of the 650, but no
schematic or instruction manual.
--
--Myron A. Calhoun.
Five boxes preserve our freedoms:  soap, ballot, witness, jury, and cartridge
NRA Life Member & Certified Instructor for Rifle, Pistol, & Home Firearm Safety
Also Certified Instructor for the Kansas Concealed-Carry Handgun (CCH) license


From 4805128594550679995
X-Google-Thread: 108122,25315e0a38e2dba4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
```

Newsgroups: rec.radio.amateur.equipment
References: <fddrfo$ngr@unix1.cc.ksu.edu>
In-Reply-To: <fddrfo$ngr@unix1.cc.ksu.edu>
Subject: Re: Where find schematic for the Simpson 650 add-a-tester?
Lines: 19
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <rHuKi.115152$Vk6.20027@newsfe07.phx>
Date: Wed, 26 Sep 2007 08:13:50 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1190819671 72.197.13.209 (Wed, 26 Sep 2007 08:14:31 MST)
NNTP-Posting-Date: Wed, 26 Sep 2007 08:14:31 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:1014

<mcalhoun@ksu.edu> wrote in message news:fddrfo$ngr@unix1.cc.ksu.edu...
> Does anyone know where I might find a schematic and instruction manual
> for the Simpson 650 add-a-tester (transistor testor) for the Simpson 260
> VOM? <http://www.simpson260.com> had only a picture of the 650, but no
> schematic or instruction manual.
> --
> --Myron A. Calhoun.

W7FG has it
http://www.w7fg.com/manuals.php?manufacturer=Simpson&center=

Also A.G. Tannenbaum, LLC
http://www.agtannenbaum.com/s_cat.html

Doesn't specify if includes schematics -- ask them

The Shadow Knows

From -5821720220462138299
X-Google-Thread: 108122,8c2a3e9cad38a7b3
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>

Newsgroups: rec.radio.amateur.equipment
Subject: Re: identify 10GHz cavity with diode in it
Organization: You and my shadow
References: <46f96dc9$1_5@news.bluewin.ch>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-F063FF.09530526092007@netnews.worldnet.att.net>
Lines: 41
Date: Wed, 26 Sep 2007 17:51:25 GMT
NNTP-Posting-Host: 12.12.208.58
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1190829085 12.12.208.58 (Wed, 26 Sep 2007 17:51:25 GMT)
NNTP-Posting-Date: Wed, 26 Sep 2007 17:51:25 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1015

In article <46f96dc9$1_5@news.bluewin.ch>, none <""bram\"@(none)"> wrote:

> Hello everyone,
>
> I have found two devices which look like gunnplexers, but without a mixer
> diode.
> Well, actually, it only looks like a diode in a cavity to me, because I do
> not
> have sufficient experience in microwaves. If anyone could tell me more about
> it,
> like what it could be used for, I'd be glad to know.
>
> Pictures of that 'thing' are on the following website:
> http://bram.ch.eu.org/galleries/?gn=gunn
>
> On the fourth picture, you can see the diode symbol printed on the white
> cylinder, at the left.
>
> The two diodes on the top are presumably zener diodes, and they have an
> orange
> marking on the edge, followed by a brown and a violet one.
>
> Dimensions are:
> - cavity: 1.9cm x 1cm
> - depth (exterior): 4,2cm
> - wall thickness seems to be around 2mm, but I have no way to measure right
> now
>
> I'm looking forward to becoming active on 10GHz, and have found some nice
> websites explaining the basics of Gunnplexers and the like, with needed
> circuitry to get them working. But all of them are more complex than this
> device.
>
> Thanks in advance,
>
> kind regards, 73's
> de HB9EGM, Matthias

Very likey what you have is a Gunn Diode Cavity Oscilator, used as a Local Osc. in an Xband Radar and like equipment.

From -8031840199922355311
X-Google-Thread: 108122,9e92861564073830,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!nntp.kreonet.re.kr!kreonet.re.kr!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom IC-756 Original HF Radio
Date: Wed, 26 Sep 2007 15:38:23 -0500
Organization: netINS InterNetNews site
Lines: 9
Message-ID: <04glf31ps8g0l052p7np160iqltfv4must@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1190839090 299 67.55.159.6 (26 Sep 2007 20:38:10 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 26 Sep 2007 20:38:10 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:1016

Hello, I have for sale a IC-756 Original. It is in perfect shape and works flawless but has the horizontal lines in the display which is a common problem with this model. I am the original owner and a non smoker. The only problem I have had with this radio is a motor in the antenna tuner quit and it was easily replaced. The radio has full output and works great. It comes with the stock mic. If you are interested or would like me to email you some pictures please let me know. The price is $600 plus $10 for shipping. Please remove NOSPAM from my email address. Thanks, Mike

From -6748303499880985722
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: james <george@washington.edu>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Wed, 26 Sep 2007 16:51:26 -0400
Organization: Posted via Supernews, http://www.supernews.com

Message-ID: <jgglf3hkhi83lgg513gs1i958ol96hk4pd@4ax.com>
Reply-To: beerkeg@budu.edu
References: <1190474806.897421.57770@57g2000hsv.googlegroups.com>
<h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
<n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
<1190724202.475589.288030@d55g2000hsg.googlegroups.com>
<707if3hnfqh0aih7c7sg1n3mav2p4o81hl@4ax.com>
<1190732990.399464.59430@r29g2000hsg.googlegroups.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 43
Xref: g2news2.google.com rec.radio.cb:4114 rec.radio.amateur.equipment:1017
rec.radio.amateur.homebrew:1135

On Tue, 25 Sep 2007 08:09:50 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

|On Sep 25, 9:37 am, james <geo...@washington.edu> wrote:
|> Bovine excrement. Ever heard of equalizing of current through a series
|> resistance? Often called a ballast resistor. Used quite often in power
|> transistors where there are several base/emiter pn jumctions.
|
|OK James... less not discuss ballasting... because that has no bearing
|in this particular discussion. Maybe you can tell us how the diode
|method of biasing shown at http://www.ifwtech.co.uk/g3sek/tr-bias/tr-bias1.htm
|(bad circuits section) works. And since you think that circuit works
|well. Please tell us why.
|www.telstar-electronics.com
|------------

Actually quite simple if you understand nodal analysis. Per Kirchoff's Laws the total current leaving a node must equal the current entering a node. The particular node that is of interest is in bad circuit A, is the junction of VRI, D1 and the base of the transisitor. For DC analysis the cap is an open circuit and the RFC is essentially a short. The current through D1 is set by the value of VR1, the supply voltage and the internal pn junction of the diode. The voltage drop across D1 is determined by the current flowing through the diode. In turn this sets the Vbe voltage of the base/emmitter PN junction. The instantaineous base/emmiter current varies with RF drive level. Should this current exceed 1/10th the current through D1, then D1 starts to loose regulation. This is the basic workings of a shunt regulator. Any good first year tech should know this.

For either circuits, bad A and B, to work properly, the D1 diode current should be ten times the peak instantaineous base current of the RF power transistor. This type of biasing is good for low power RF devices. When dealing with large power devices, ie in the 100W and more class, this is not a good bias as the wasted heat in VR1 and D1 is very inefficient and prone to failure. Also there is no protection should a voltage spike on the DC supply propogate through. Most bipolar RF device do not like more than about 4 VDC base/emmiter voltage. Both circuits have no provisions for limiting the bias voltage in such a manner to cause permanent damage to the base/emitter junction.

james

From -899655673782330269
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-10!sn-xt-sjc-01!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: james <george@washington.edu>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Wed, 26 Sep 2007 16:55:13 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <7lhlf313cchnabnl0ebocs6torj5njbddn@4ax.com>
Reply-To: beerkeg@budu.edu
References: <h5ccf3lp35k2v547gqmjhthrs1d71ep8km@4ax.com>
<1190552762.386910.283020@w3g2000hsg.googlegroups.com>
<e41ff3t3om9477tdp41btn41vc4lsuk4fd@4ax.com>
<1190627567.146982.197680@d55g2000hsg.googlegroups.com>
<n94gf3lt0ic06brupousmnb15lea2cgk5b@4ax.com>
<1190724202.475589.288030@d55g2000hsg.googlegroups.com>
<707if3hnfqh0aih7c7sg1n3mav2p4o81hl@4ax.com>
<1190732990.399464.59430@r29g2000hsg.googlegroups.com>
<no9if3tg0a534i2sgo08bpu9s2ttrjntuj@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news2.google.com rec.radio.cb:4115 rec.radio.amateur.equipment:1018 rec.radio.amateur.homebrew:1136

On Tue, 25 Sep 2007 08:20:48 -0700, Frank Gilliland
<w�renut@NOSPAM�cehouse.net> wrote:

|On Tue, 25 Sep 2007 08:09:50 -0700, Telspam Electronics
|<briangriffey@sbcglobal.net> wrote in
|<1190732990.399464.59430@r29g2000hsg.googlegroups.com>:
|

```
|>On Sep 25, 9:37 am, james <geo...@washington.edu> wrote:
|>> Bovine excrement. Ever heard of equalizing of current through a series
|>> resistance? Often called a ballast resistor. Used quite often in power
|>> transistors where there are several base/emiter pn jumctions.
|>
|>OK James... less not discuss ballasting... because that has no bearing
|>in this particular discussion. Maybe you can tell us how the diode
|>method of biasing shown at http://www.ifwtech.co.uk/g3sek/tr-bias/tr-bias1.htm
|>(bad circuits section) works.
|
|
|Holy shit..... Brian flunked first-year techie school!!!!
|
|-------------

I am not sure he got far enough to flunk first year. Maybe after teh
first half of the first year. Yes he seems to not understand a basic
shunt regulator circuit or Kirchoff's laws.


james



From 6847078160308043654
X-Google-Thread: fb049,dd1cf64ced22e96d,start
X-Google-Thread: 1031e1,dd1cf64ced22e96d,start
X-Google-Thread: 108122,dd1cf64ced22e96d,start
X-Google-Thread: 1109af,dd1cf64ced22e96d,start
X-Google-Attributes: gidfb049,gid1031e1,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny01.POSTED!4f97008e!not-for-mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-
uhf,pa.forsale,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Kenwood TH25/45 battery and charger like new
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <ptBKi.1839$yh3.75@trndny01>
Date: Wed, 26 Sep 2007 22:57:25 GMT
NNTP-Posting-Host: 71.162.184.16
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1190847445 71.162.184.16 (Wed, 26 Sep 2007 18:57:25 EDT)
NNTP-Posting-Date: Wed, 26 Sep 2007 18:57:25 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:485 pa.forsale:108
rec.radio.amateur.equipment:1019 rec.radio.swap:1287
```

Great deal, battery and charger for Kenwood TH25/45, W&W rapid charger and battery 1200mah.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=330170242116

From -6769839974723487260
X-Google-Thread: 108122,9e92861564073830
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Icom IC-756 Original HF Radio
Date: Fri, 28 Sep 2007 06:22:28 -0500
Organization: netINS InterNetNews site
Lines: 16
Message-ID: <7uopf3hg58ias71332l8b6gsqoatkk8njj@4ax.com>
References: <04glf31ps8g0l052p7np160iqltfv4must@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1190978533 32473 67.55.159.6 (28 Sep 2007 11:22:13 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Fri, 28 Sep 2007 11:22:13 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:1020

I have lowered the price to $525 plus shipping. Thanks, Mike

On Wed, 26 Sep 2007 15:38:23 -0500, mike <mikeNOSPAM@L2Speed.net>
wrote:

>Hello, I have for sale a IC-756 Original. It is in perfect shape and
>works flawless but has the horizontal lines in the display which is a
>common problem with this model. I am the original owner and a non
>smoker. The only problem I have had with this radio is a motor in the
>antenna tuner quit and it was easily replaced. The radio has full
>output and works great. It comes with the stock mic. If you are
>interested or would like me to email you some pictures please let me
>know. The price is $600 plus $10 for shipping. Please remove NOSPAM
>from my email address. Thanks, Mike

From 6767822604572443797
X-Google-Thread: 108122,b2c12e97e36662c2,start

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o80g2000hse.googlegroups.com!not-for-mail
From: W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: SG-2000 ADSP2 150 watt DSP HF Transceiver for Ham & Marine use
Date: Fri, 28 Sep 2007 17:54:17 -0000
Organization: http://groups.google.com
Lines: 23
Message-ID: <1191002057.390587.3320@o80g2000hse.googlegroups.com>
NNTP-Posting-Host: 66.177.9.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191002057 32699 127.0.0.1 (28 Sep 2007 17:54:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Sep 2007 17:54:17 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.7) Gecko/20070914 Firefox/2.0.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o80g2000hse.googlegroups.com; posting-host=66.177.9.35;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1021

I have for sale an SGC SG-2000 ADSP2 (Digital Singal Processing) 150 watt HF transceiver.

This Unit is for both Amateur radio and Marine radio use.

It transmitts and receives CONTINUOUSLY from 1.8 Mhz to 30 Mhz with no gaps. USB, LSB, CW & AM.

The unit is electronically perfect, the front panel is perfect. There are a few scratches on the top of the case.

It comes with the mic, DC power cord, all metal base and quick start card.

I will ship internationally.

The price is $1,150 plus actual shipping charges.

You can email me at: w7gsa@yahoo.com (w7gsa at gmail.com) or you can phone me at 904-821-5055 9am to 9pm eastern time.

For more detailed information go to: - - http://sgcworld.com/Publications/Manuals/ADSP2Head.pdf

From -7712105305451729793
X-Google-Thread: 108122,b13cbba3af12f19,start

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Pat" <ssb4me@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ameritron AL-80B Amp
Date: Sat, 29 Sep 2007 12:38:02 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Lines: 3
Message-ID: <46fe7f68$0$15327$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1022
```

http://members6.boardhost.com/theswapshoppe/

```
From -4807390680749461O6
X-Google-Thread: 108122,5d9177f8a9361b2f,start
X-Google-Thread: fc2a5,5d9177f8a9361b2f,start
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!ae6a6c4b!not-for-mail
From: Wes Groleau <groleau+news@freeshell.org>
Reply-To:  groleau+nntp@freeshell.org
Organization: Ain't No Organization Here!
User-Agent: Thunderbird 2.0.0.6 (Macintosh/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Help with H89/H19
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <l6xLi.4096$Ww5.1473@trnddc03>
Date: Sat, 29 Sep 2007 18:48:49 GMT
NNTP-Posting-Host: 72.86.109.157
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1191091729 72.86.109.157 (Sat, 29 Sep 2007 14:48:49 EDT)
NNTP-Posting-Date: Sat, 29 Sep 2007 14:48:49 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1023
rec.radio.amateur.homebrew:1162
X-Original-Bytes: 1535
```

Sorry for being off-topic, but the heath/zenith NG seems to have died.
Does it help if I have an expired ham license? :-)

I have need of an RS-232 terminal, and I know that
my H89 (with no floppy--boat anchor!) contains one.

Can anyone point me to details for disconnecting the
H19 board from the CPU board and connecting it instead
to the DB-25 on the back?

(Even better, connecting it directly to a DB-9 which I'd have to buy)

I need it to configure a Sun Ultra, since I don't have a Sun monitor.

Thanks

--
Wes Groleau

Free speech has its limits
http://Ideas.Lang-Learn.us/WWW?itemid=99

From -84020665257457747
X-Google-Thread: 108122,5d9177f8a9361b2f
X-Google-Thread: fc2a5,5d9177f8a9361b2f
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: msg <msg@_cybertheque.org_>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Help with H89/H19
Date: Sat, 29 Sep 2007 14:05:46 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13ft8esi0adnl43@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, ja, zh, fi, de, el, undefined, ru
MIME-Version: 1.0
References: <l6xLi.4096$Ww5.1473@trnddc03>
In-Reply-To: <l6xLi.4096$Ww5.1473@trnddc03>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news2.google.com rec.radio.amateur.equipment:1024 rec.radio.amateur.homebrew:1164

Wes Groleau wrote:

<snip>

>
> Can anyone point me to details for disconnecting the
> H19 board from the CPU board and connecting it instead
> to the DB-25 on the back?
>
> (Even better, connecting it directly to a DB-9 which I'd have to buy)
>
> I need it to configure a Sun Ultra, since I don't have a Sun monitor.
>
> Thanks
>

What is preventing you from using a PC (desktop or laptop) or a Mac running a terminal emulator as your console terminal for the Sun WS? That would involve somewhat less work than converting the H89 and you would have the benefit of emulating a terminal type appropriate for the Sun serial console.

Regards,

Michael

```
From -361046056593900383
X-Google-Thread: 108122,5d9177f8a9361b2f
X-Google-Thread: fc2a5,5d9177f8a9361b2f
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!ae6a6c4b!not-for-mail
From: Wes Groleau <groleau+news@freeshell.org>
Reply-To:  groleau+nntp@freeshell.org
Organization: Ain't No Organization Here!
User-Agent: Thunderbird 2.0.0.6 (Macintosh/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Help with H89/H19
References: <l6xLi.4096$Ww5.1473@trnddc03> <13ft8esi0adnl43@corp.supernews.com>
In-Reply-To: <13ft8esi0adnl43@corp.supernews.com>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 31
Message-ID: <xzELi.223$n92.109@trnddc06>
Date: Sun, 30 Sep 2007 03:17:49 GMT
NNTP-Posting-Host: 72.86.109.157
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1191122269 72.86.109.157 (Sat, 29 Sep 2007 23:17:49 EDT)
NNTP-Posting-Date: Sat, 29 Sep 2007 23:17:49 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1025
rec.radio.amateur.homebrew:1168
X-Original-Bytes: 2250
```

msg wrote:
> Wes Groleau wrote:
>> Can anyone point me to details for disconnecting the
>> H19 board from the CPU board and connecting it instead
>> to the DB-25 on the back?
>>
>> (Even better, connecting it directly to a DB-9 which I'd have to buy)
>>
>> I need it to configure a Sun Ultra, since I don't have a Sun monitor.
>
> What is preventing you from using a PC (desktop or laptop) or a Mac
> running a terminal emulator as your console terminal for the Sun WS?
> That would involve somewhat less work than converting the H89 and
> you would have the benefit of emulating a terminal type appropriate
> for the Sun serial console.

None of my Macs have RS-232 (though of course I can get a USB converter)
But I do have a Kubuntu box with RS-232 which I could hook up with a
crossover. However, if it didn't work, I wouldn't know whether to blame
the Sun or my emulator config.

Plus, without a floppy drive, the H89 is useless, so this gets
something out of it.

--
Wes Groleau
   "Grant me the serenity to accept those I cannot change;
    the courage to change the one I can;
    and the wisdom to know it's me."
                                -- unknown

From 7857490893324741087
X-Google-Thread: 108122,5d9177f8a9361b2f
X-Google-Thread: fc2a5,5d9177f8a9361b2f
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Help with H89/H19
Date: Sun, 30 Sep 2007 04:35:38 +0000 (UTC)
Organization: MGT Consulting
Lines: 16
Message-ID: <slrnffu9lc.pao.gsm@cable.mendelson.com>
References: <l6xLi.4096$Ww5.1473@trnddc03> <13ft8esi0adnl43@corp.supernews.com> <xzELi.223$n92.109@trnddc06>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89.138.216.152

X-Trace: marvin.inside.misty.com 1191126938 8716 89.138.216.152 (30 Sep 2007 04:35:38 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sun, 30 Sep 2007 04:35:38 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:1026
rec.radio.amateur.homebrew:1169

Wes Groleau wrote:
> None of my Macs have RS-232 (though of course I can get a USB converter)
> But I do have a Kubuntu box with RS-232 which I could hook up with a
> crossover. However, if it didn't work, I wouldn't know whether to blame
> the Sun or my emulator config.

Ask this on the "Sun Rescue" mailing list.

www.sunhelp.org

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

From -8323477580957372762
X-Google-Thread: 108122,5d9177f8a9361b2f
X-Google-Thread: fc2a5,5d9177f8a9361b2f
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 30 Sep 2007 09:04:21 -0500
Date: Sun, 30 Sep 2007 07:04:05 -0700
From: Dana Myers <dana.myers@gmail.com>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Help with H89/H19
References: <l6xLi.4096$Ww5.1473@trnddc03>
In-Reply-To: <l6xLi.4096$Ww5.1473@trnddc03>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <HMWdnZfs6N54MWLbnZ2dnUVZ_rWtnZ2d@comcast.com>
Lines: 34
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.180.22.170
X-Trace: sv3-W7akyHDLyv34vQUrPhKEWadE0QZOHxFe/1fO7GxQRxvG+xxm1Z/
O270X+I+BUI1wtgvN8Jh0SBDqll2!
yYuPwDDUYecr74YMgWzed+oI5gvnPKH1GO5Hi4BdPbJJcqGmckNLaM6ANfVcUmmGuKKtJ6u5hEgv!
e3H0Sa3aj5a5eC7tCqZ5RglttMdnMA==

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1027 rec.radio.amateur.homebrew:1171

Wes Groleau wrote:
> Sorry for being off-topic, but the heath/zenith NG seems to have died.
> Does it help if I have an expired ham license? :-)
>
> I have need of an RS-232 terminal, and I know that
> my H89 (with no floppy--boat anchor!) contains one.
>
> Can anyone point me to details for disconnecting the
> H19 board from the CPU board and connecting it instead
> to the DB-25 on the back?

This is from vague, 27-year-old recollection.
There are two boards in the H89. One of the boards
is the computer, the other is a terminal. The terminal
board is the one attached to the actual CRT, the computer
is attached to the (100KB, hard-sectored) diskette drive.

The computer and terminal are attached with a single
cable with perhaps 5-7 lines using standard RS-232
levels. You just need to pull that cable off, figure
out the pinning on it, and make a replacement cable to
connect to the DB-25. I can't remember well, and I advise
proceeding with caution, but I very vaguely recall that
maybe you could move the cable that connects the computer
to the DB-25 to the terminal board, after removing the
cable that connects the two boards together.

> (Even better, connecting it directly to a DB-9 which I'd have to buy)
>
> I need it to configure a Sun Ultra, since I don't have a Sun monitor.

You've got some vintage hardware there ;-)

Dana K6JQ

From -7690414185428032667
X-Google-Thread: 108122,5d9177f8a9361b2f
X-Google-Thread: fc2a5,5d9177f8a9361b2f
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: msg <msg@_cybertheque.org_>

```
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Help with H89/H19
Date: Sun, 30 Sep 2007 09:34:46 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13fvcuna9rccf3e@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, ja, zh, fi, de, el, undefined, ru
MIME-Version: 1.0
References: <l6xLi.4096$Ww5.1473@trnddc03> <13ft8esi0adnl43@corp.supernews.com>
<xzELi.223$n92.109@trnddc06>
In-Reply-To: <xzELi.223$n92.109@trnddc06>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news2.google.com rec.radio.amateur.equipment:1028
rec.radio.amateur.homebrew:1172
```

Wes Groleau wrote:

<snip>

> Plus, without a floppy drive, the H89 is useless, so this gets
> something out of it.
>

Indeed, using the terminal portion has merit, but why not also add the missing floppy (I presume it is just the 5 1/4" drive that you lack)? Look in dumpsters, curbside, surplus and thrift stores for any old XT-clone to rescue a full-height floppy ;)

Regards,

Michael

```
From -3648374373498942194
X-Google-Thread: 108122,9b5654a9664fe5db,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r29g2000hsg.googlegroups.com!not-for-
mail
From:  impercettibile@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Power Oscillator
Date: Sun, 30 Sep 2007 07:43:57 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1191163437.721151.121820@r29g2000hsg.googlegroups.com>
NNTP-Posting-Host: 82.48.128.244
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191163437 11923 127.0.0.1 (30 Sep 2007 14:43:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Sep 2007 14:43:57 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r29g2000hsg.googlegroups.com; posting-host=82.48.128.244;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1029
```

I'm trying to realize a simple RF power oscillator to experiment RF
induction for educational goal. I found a lot of amateur radio
transmitter schematics but my goal is something of more easy because
I don't need of modulation, antenna matching and so on. My ideal
scheme
is an equivalent of "one tube Colpitts oscillator" but using a power
mosfet ot transistor. My friend told me that there are "4 watts RFID
reader working at 13.56MHz" scheme, but I found nothing in the web.
Someone can help me?
Thanks in advance for your attention,
Antonio

```
From -6141412378085709793
X-Google-Thread: 108122,5d9177f8a9361b2f
X-Google-Thread: fc2a5,5d9177f8a9361b2f
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wns11feed!
worldnet.att.net!199.45.49.37!cyclone1.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc05.POSTED!ae6a6c4b!not-for-mail
From: Wes Groleau <groleau+news@freeshell.org>
Reply-To:  groleau+nntp@freeshell.org
Organization: Ain't No Organization Here!
User-Agent: Thunderbird 2.0.0.6 (Macintosh/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Help with H89/H19
References: <l6xLi.4096$Ww5.1473@trnddc03> <13ft8esi0adnl43@corp.supernews.com>
<xzELi.223$n92.109@trnddc06> <13fvcuna9rccf3e@corp.supernews.com>
In-Reply-To: <13fvcuna9rccf3e@corp.supernews.com>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 32
Message-ID: <gWRLi.736$P06.280@trnddc05>
Date: Sun, 30 Sep 2007 18:29:32 GMT
NNTP-Posting-Host: 72.86.109.157
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1191176972 72.86.109.157 (Sun, 30 Sep 2007 14:29:32 EDT)
```

NNTP-Posting-Date: Sun, 30 Sep 2007 14:29:32 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1030
rec.radio.amateur.homebrew:1174

msg wrote:
> Indeed, using the terminal portion has merit, but why not also
> add the missing floppy (I presume it is just the 5 1/4" drive
> that you lack)? Look in dumpsters, curbside, surplus and
> thrift stores for any old XT-clone to rescue a full-height
> floppy ;)

All the software is gone--damaged by two many years of garage and basement storage, and I finally got up the courage to discard the remains.

Also, the "hard-sector" disks these things used are not as easy to find. I actually have some old Wintel boxes with soft-sector drives.

My H89 drive is not actually missing--it is "out-of-alignment" and I don't have the tools to fix that.

There's anyway no particular value to me any more in running HDOS or CP/M. It's been too long--I grew accustomed to AmigaDOS, and then to MacOS 9, and now Mac OS X (with Solaris, Linux, and FreeBSD for off-loading non-user-interface tasks)

Hey, an alternate idea: Anyone in northeast Indiana want to bring over a serial terminal long enough to reinstall and configure Solaris and Kubuntu, and take what's left of the Heathkit as my inadequate "thank you" ?   :-)

--
Wes Groleau

"There ain't nothin' in this world that's worth being a snot over."
-- Larry Wall

From 6212409144684984778
X-Google-Thread: 108122,5d9177f8a9361b2f
X-Google-Thread: fc2a5,5d9177f8a9361b2f
X-Google-Attributes: gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!ae6a6c4b!not-for-mail
From: Wes Groleau <groleau+news@freeshell.org>
Reply-To: groleau+nntp@freeshell.org
Organization: Ain't No Organization Here!
User-Agent: Thunderbird 2.0.0.6 (Macintosh/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Help with H89/H19

References: <l6xLi.4096$Ww5.1473@trnddc03>
<HMWdnZfs6N54MWLbnZ2dnUVZ_rWtnZ2d@comcast.com>
In-Reply-To: <HMWdnZfs6N54MWLbnZ2dnUVZ_rWtnZ2d@comcast.com>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <k_RLi.737$P06.409@trnddc05>
Date: Sun, 30 Sep 2007 18:33:52 GMT
NNTP-Posting-Host: 72.86.109.157
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1191177232 72.86.109.157 (Sun, 30 Sep 2007 14:33:52 EDT)
NNTP-Posting-Date: Sun, 30 Sep 2007 14:33:52 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1031
rec.radio.amateur.homebrew:1175
X-Original-Bytes: 1665

Dana Myers wrote:
> maybe you could move the cable that connects the computer
> to the DB-25 to the terminal board, after removing the
> cable that connects the two boards together.

Hmmm. That's probably correct! In fact, if I recall correctly,
there are both DCE and DTE connectors on the back.

Thanks, I will definitely look into that!

> You've got some vintage hardware there ;-)

Just call me cheap. The vast majority of the computers
I've had cost less than fifty dollars each.

--
Wes Groleau

Measure with a micrometer, mark with chalk, and cut with an axe.

From -6341197279186214991
X-Google-Thread: 108122,74b038c4d6836899,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Garmin GPS III Plus GPS Receiver and Mapsource Software
Date: Sun, 30 Sep 2007 13:42:58 -0500
Organization: netINS InterNetNews site
Lines: 4
Message-ID: <l5rvf396ftlmqhup9srku4sfbi7kckjjgo@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1191177763 23662 67.55.159.6 (30 Sep 2007 18:42:43 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 30 Sep 2007 18:42:43 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:1032

Hello, I have a very nice Garmin GPS III Plus GPS Receiver with
Garmin Mapsource US Roads and Recreation CD, Magmount external antenna
and cable to plug into the PC. The price is $170 shipped for all.
Please email me if interested or for pictures. Thanks, Mike

From 8031469102161992147
X-Google-Thread: 108122,ac27e47011d8ac4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ham Radio Stores in Washington DC Metro Area ???
Date: Sun, 30 Sep 2007 13:22:03 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1191183723.605472.265660@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 217.150.112.99
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1191183723 20771 127.0.0.1 (30 Sep 2007 20:22:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Sep 2007 20:22:03 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=217.150.112.99;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1033

All

I am visiting Bethesda Maryland later this year and wondered what
amateur radio stores there are (if any) in the locality i.e. Northern
Virginia, DC, MD, Baltimore etc?

Interested in picking up a bit of kit to make use of current =A31=3D$2

Thanks

Andy

```
From -5414100993438612101
X-Google-Thread: fb049,abb0a97ecd0606c5,start
X-Google-Thread: 108122,abb0a97ecd0606c5,start
X-Google-Thread: 1109af,abb0a97ecd0606c5,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!4f97008e!not-for-mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 1 day left TH25/45 battery & charger $9.99
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <F_TLi.9898$1d2.5723@trndny05>
Date: Sun, 30 Sep 2007 20:50:45 GMT
NNTP-Posting-Host: 71.162.169.199
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1191185445 71.162.169.199 (Sun, 30 Sep 2007 16:50:45 EDT)
NNTP-Posting-Date: Sun, 30 Sep 2007 16:50:45 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:492
rec.radio.amateur.equipment:1034 rec.radio.swap:1319
X-Original-Bytes: 1033

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=330170242116
```

```
From 4096853960908458402
X-Google-Thread: 108122,4daadffbf7bf0f0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!7a5d3c59!not-for-mail
From: Jerry Franks <w4rf@att.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Ten Tec Scout
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <7JXLi.620071$p47.231863@bgtnsc04-news.ops.worldnet.att.net>
```

```
NNTP-Posting-Host: a751b5e98192097c69bda20a83b9260b
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1191200707
a751b5e98192097c69bda20a83b9260b (Mon, 01 Oct 2007 01:05:07 GMT)
NNTP-Posting-Date: Mon, 01 Oct 2007 01:05:07 GMT
Organization: AT&T Worldnet
Date: Mon, 01 Oct 2007 01:05:07 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:1035

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220155720859&ssPageName=STRK:MESE:IT&ih=012


From 583248843491493192
X-Google-Thread: 108122,df4c0cd2d2ddbf97,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-01!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Does anyone Remember the Howard?????
Date: Sun, 30 Sep 2007 16:44:22 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0709301642310.20514@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news2.google.com rec.radio.amateur.equipment:1036

In 1939/40 I had a ham radio called the "HOWARD".  It was a
store bought receiver and quite good at the time.
                   Joe/KH6JF


**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
**************************************************************************







From 5005811944711565326
X-Google-Thread: 108122,df4c0cd2d2ddbf97
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
```

```
Date: Mon, 01 Oct 2007 00:06:20 -0400
From: Ron in Radio Heaven <kc4yoy@Xcarolina.rr.com>
Organization: Ron, kc4yoy
                                      http://radioheaven.homestead.com/index.html
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Does anyone Remember the Howard?????
References: <Pine.BSI.4.64.0709301642310.20514@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.64.0709301642310.20514@malasada.lava.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <47007245$0$11093$4c368faf@roadrunner.com>
NNTP-Posting-Host: 71.75.12.75
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:1037

Joseph Fenn wrote:
> In 1939/40 I had a ham radio called the "HOWARD".  It was a
> store bought receiver and quite good at the time.
>                   Joe/KH6JF
>

You'll find lots of Howards here,
http://members.cox.net/n7rk/howard.htm

Ron



From 7225099419256171881
X-Google-Thread: 108122,ac27e47011d8ac4
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!newsgate.cistron.nl!xs4all!
transit1.news.xs4all.nl!post2.news.xs4all.nl!newszilla.xs4all.nl!not-for-mail
From: iwouldntknow <iwouldntknow@iwouldntknow.nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ham Radio Stores in Washington DC Metro Area ???
Date: Mon, 01 Oct 2007 08:32:16 +0000
Reply-To: iwouldntknow@iwouldntknow.nospam.no
Message-ID: <dab1g3lsidhlkkqc4iu68ktrpk8j8il935@4ax.com>
References: <1191183723.605472.265660@k79g2000hse.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 20
NNTP-Posting-Host: 82.92.74.203
X-Trace: 1191227536 dreader12.news.xs4all.nl 14790 82.92.74.203:62768
Xref: g2news2.google.com rec.radio.amateur.equipment:1038
```

On Sun, 30 Sep 2007 13:22:03 -0700, Andiroo <a.richman@btinternet.com> wrote:

>All
>
>I am visiting Bethesda Maryland later this year and wondered what
>amateur radio stores there are (if any) in the locality i.e. Northern
>Virginia, DC, MD, Baltimore etc?
>
>Interested in picking up a bit of kit to make use of current �1=$2
>
>Thanks
>
>Andy

Check www.hamradio.com for their store in Woodbridge VA. What you may consider is going
to the store, ordering and have it shipped to an out-of-state address (like to your hotel
in MD or DC). There is no sales-tax on out-of-state shipments but there is on store
delivery. Sales tax rate 5%.

From 5841322823159374021
X-Google-Thread: 106d41,db532ee2de59b9e5,start
X-Google-Thread: 108122,db532ee2de59b9e5,start
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g4g2000hsf.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: VoiceMax Speech Processor - Special Auction Units
Date: Mon, 01 Oct 2007 05:54:59 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1191243299.557951.238770@g4g2000hsf.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191243299 2609 127.0.0.1 (1 Oct 2007 12:54:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 1 Oct 2007 12:54:59 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g4g2000hsf.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:4288 rec.radio.amateur.equipment:1039

Customers that paid $39.99 are overjoyed with VoiceMax Speech Processor... see for yourself at
http://feedback.ebay.com/ws/eBayISAPI.dll?ViewFeedback2&userid=telstar-electronics&&ftab=FeedbackAsSeller&sspagename=VIP:feedback:3:us

But... we want to spread the word about VoiceMax faster. So we are offering some units on Ebay at auction. Don't miss your chance to significantly increase the range of your radio with this revolutionary new device. We are so sure you will love VoiceMax... we offer a money-back guarantee. Don't waste your money on power mics... when VoicMax will outperform ANY power mic on the planet!
http://search.ebay.com/search/search.dll?from=R40&_trksid=m37&satitle=voicemax

Not sure if you have the ability to install VoiceMax? Check out the installation/operation manual at
http://www.telstar-electronics.com/VoiceMax%20B.pdf

Have additional questions? See the most frequently asked questions at
http://www.telstar-electronics.com/voicemax.htm

```
From 5113429985566669772
X-Google-Thread: 106d41,db532ee2de59b9e5
X-Google-Thread: 108122,db532ee2de59b9e5
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!63.218.45.10!
nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@k4yzRobesin.org
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor - Special Auction Units
Date: Mon, 01 Oct 2007 09:50:32 -0400
Message-ID: <2ou1g31lknt2auckn9ude84m7j33j0fsan@4ax.com>
References: <1191243299.557951.238770@g4g2000hsf.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 39
NNTP-Posting-Date: 01 Oct 2007 12:59:31 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 36
Xref: g2news2.google.com rec.radio.cb:4290 rec.radio.amateur.equipment:1040
```

On Mon, 01 Oct 2007 05:54:59 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

>Customers that paid $39.99 are overjoyed with VoiceMax Speech
>Processor... see for yourself at
>http://feedback.ebay.com/ws/eBayISAPI.dll?ViewFeedback2&userid=telstar-

```
electronics&&ftab=FeedbackAsSeller&sspagename=VIP:feedback:3:us
>
>But... we want to spread the word about VoiceMax faster. So we are
>offering some units on Ebay at auction. Don't miss your chance to
>significantly increase the range of your radio with this revolutionary
>new device. We are so sure you will love VoiceMax... we offer a money-
>back guarantee. Don't waste your money on power mics... when VoicMax
>will outperform ANY power mic on the planet!
>http://search.ebay.com/search/search.dll?from=R40&_trksid=m37&satitle=voicemax
>
>Not sure if you have the ability to install VoiceMax? Check out the
>installation/operation manual at
>http://www.telstar-electronics.com/VoiceMax%20B.pdf
>
>Have additional questions? See the most frequently asked questions at
>http://www.telstar-electronics.com/voicemax.htm
ah you tease these guys so

tell me ever thought of offering your detractors specail rates on your
stuff

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com




From -1237243872850332709
X-Google-Thread: 106d41,db532ee2de59b9e5
X-Google-Thread: 108122,db532ee2de59b9e5
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor - Special Auction Units
Date: Mon, 01 Oct 2007 09:07:31 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <v262g3t5hvtn6h8lhi6ggeg128p93q9vq9@4ax.com>
References: <1191243299.557951.238770@g4g2000hsf.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
```

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news2.google.com rec.radio.cb:4295 rec.radio.amateur.equipment:1041

On Mon, 01 Oct 2007 05:54:59 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1191243299.557951.238770@g4g2000hsf.googlegroups.com>:

>Customers that paid $39.99 are overjoyed with VoiceMax Speech
>Processor... see for yourself at
>http://feedback.ebay.com/ws/eBayISAPI.dll?ViewFeedback2&userid=telstar-
electronics&&ftab=FeedbackAsSeller&sspagename=VIP:feedback:3:us
>
>But... we want to spread the word about VoiceMax faster. So we are
>offering some units on Ebay at auction. Don't miss your chance to
>significantly increase the range of your radio with this revolutionary
>new device. We are so sure you will love VoiceMax... we offer a money-
>back guarantee. Don't waste your money on power mics... when VoicMax
>will outperform ANY power mic on the planet!
>http://search.ebay.com/search/search.dll?from=R40&_trksid=m37&satitle=voicemax

I see the SplatterMax is going down the same path as your amp; drop
the price bit by bit until you finally accept the fact that nobody
wants your junk, justify it as some sort of economic viability issue,
then beg the groups for new ideas.

Maybe you should just start the brain-picking now. That way you could
have your next magical CB accessory on the market before you run out
of "buyers" for your current entrepreneurial fiasco.

From 324939348006075419
X-Google-Thread: 108122,7ee013ddff0924c5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns11feed!worldnet.att.net!199.45.49.37!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: fs: kenwood tmd700a
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-C79425.18240201102007@news.verizon.net>
Lines: 2
Date: Mon, 01 Oct 2007 22:24:09 GMT
NNTP-Posting-Host: 151.205.97.125
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1191277449 151.205.97.125 (Mon, 01 Oct 2007 18:24:09 EDT)

```
NNTP-Posting-Date: Mon, 01 Oct 2007 18:24:09 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1042

http://cgi.ebay.com/MINT-Kenwood-TM-D700a_W0QQitemZ160164016050QQihZ006QQ
categoryZ40067QQssPageNameZWDVWQQrdZ1QQcmdZViewItem


From 8640481416412261136
X-Google-Thread: 108122,a4a440a5d2b73880
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Emergency Generators That Interfere
References: <fmmck-3905A5.20193619092007@nntp.aioe.org>
<Pine.NEB.4.64.0709192027190.12996@panix1.panix.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-3395DF.18393201102007@news.verizon.net>
Lines: 74
Date: Mon, 01 Oct 2007 22:39:35 GMT
NNTP-Posting-Host: 151.205.97.125
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1191278375 151.205.97.125 (Mon, 01 Oct 2007 18:39:35 EDT)
NNTP-Posting-Date: Mon, 01 Oct 2007 18:39:35 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:1043
X-Original-Bytes: 4393

not too scientifically i cured a noisy gen   i read some articles i
think in qst about a ham that tried to do same w/a noisy car

i took rfshielding tape around all the wires  made a 'rf' proof can  to
shield stuff i thought  would radiate  super grounded everything
properly including the gen frame  and i also made some rfabsorbing
sheetmetal like plates to cover the gen   execpt for air/exaust which
had a little copper screen hinged door flap  the shielding was mostly
scrap  so it didn't cost much  and kept the basic weight and size of the
gen same since it had a pipe like frame  and the shielding i hung inside
that

you can try to see if there is a particular 'thing' in the gen that
radiates   , spark plug?  it's cable?  the inverter?  if it's mostly one
item perhaps you can just shield that/??

best of luck

In article <Pine.NEB.4.64.0709192027190.12996@panix1.panix.com>,
 Straydog <asd@panix.com> wrote:

> On Wed, 19 Sep 2007, Fred McKenzie wrote:
>
```

> > Ignition noise is not the only way a generator can interfere with radio
> > reception.
> >
> > A Honda "inverter" generator was used at this year's Field Day, but it
> > caused a broad-band noise on the HF bands. Locating the generator as
> > far as possible from antennas helped.
> >
> > An inverter generator produces 3-phase AC power, rectifies it and drives
> > a DC-to-AC inverter that produces 60 Hz power. Result is a
> > lighter-weight generator, and greater efficiency can be achieved by
> > reducing engine speed when less power is used. Honda's also have
> > extremely low acoustic noise levels.
> >
> > A call from the Honda dealer to Honda Technical Support received a reply
> > that you have to use a LONG extension cord because inverters generate
> > radio interference! I have since used a portable AM/Short-wave radio to
> > check the Honda generator as well as one from Yamaha. Both wiped-out
> > reception up to the 18 MHz range of the radio, when the radio was within
> > several feet of the generator.
> >
> > Does anyone have experience cleaning-up the interference from the
> > inverter in one of these generators?
> >
> > Fred
> > K4DII
> >
>
> I don't know, but short of a lot of filtering (and figure X db power
> losses from the filter) and sheilding might help.
>
> I was annoyed by these lightweight inverters that are basically souped up
> switching power suplies (even the ones in computers are cleaner), but I
> finally bought an old dynamotor from Fair Radio Sales (Lima, Ohio) that
> ran 24 volts in (two deep cycle marine batteries in series, here) and
> nameplate output is 117 VAC at 60 cps, max 300+ watts continuous duty and
> about 600 watts input, DC at 24 v, and 25 amps. It is very very clean and
> I can hook up radios and just about hear no RF noise. It even runs at 12
> vdc input and reduced output voltage, maybe 50-60 volts ac, but sounds
> like a lower speed, too, so maybe like 40 cycles per second.
>
> If you get one (they are about $75 now), you need to spin the commutator a
> few times to wipe off the copper oxide build up, then it takes off like it
> should.
>
> So, if you have 90-95% efficiency in a inverter-generator, and build a RF
> filter that causes--assuming--3 db insertion loss, you're ending up at 50%
> efficiency anyway and you still have to worry about resonances,
> impedances, power handling, inductances, capacitances, etc.
>
> Your other option is just run all solid state gear off batteries (and
> solar cells?) if you want no noise and simplicity.

```
From 4914384130269730491
X-Google-Thread: 108122,9f2666d43f2ddd10,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n39g2000hsh.googlegroups.com!not-for-
mail
From:  mrsparkle48045 <mrsparkle48045@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Electron Tubes/ Vacuum Tubes/ radiotron/ RCA, GE, Tung-Sol , Vintage
Date: Mon, 01 Oct 2007 17:26:55 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1191284815.111497.11190@n39g2000hsh.googlegroups.com>
NNTP-Posting-Host: 69.47.85.165
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191284815 27543 127.0.0.1 (2 Oct 2007 00:26:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 2 Oct 2007 00:26:55 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n39g2000hsh.googlegroups.com; posting-host=69.47.85.165;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1044
```

Lot of vintage electron/ vacuum tubes:

RCA #6AU6 x2 (1 in orig. box)
RCA #6HZ6
RCA #6JC6A
RCA #6GH8A x4
RCA #6AQ5A
RCA #6SN7 GT
RCA #5Y3 GT
RCA #3A3A
RCA #5U4 G
GE #3A3C/ 3AW3 (in orig. box)
GE #6GH8A
Tung-Sol #12AU7
Sylvania #6BQ7A
I don't have a tester, so I haven't tested them.
All 17 tubes for $15
Please email me at mrsparkle48045@yahoo.com
thanks!

```
From 1785472988863755933
X-Google-Thread: 106d41,db532ee2de59b9e5
X-Google-Thread: 108122,db532ee2de59b9e5
X-Google-Attributes: gid106d41,gid108122,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe14.lga.POSTED!53ab2750!not-for-mail
From: N7ZZT - Eric Oyen <n7zzt@127.0.0.1>
Subject: Re: VoiceMax Speech Processor - Special Auction Units
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Followup-To: rec.radio.cb
References: <1191243299.557951.238770@g4g2000hsf.googlegroups.com>
Lines: 27
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <ZwlMi.3669$pX5.2972@newsfe14.lga>
Date: Mon, 01 Oct 2007 23:27:39 -0700
NNTP-Posting-Host: 70.190.57.237
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.lga 1191306425 70.190.57.237 (Mon, 01 Oct 2007 23:27:05 MST)
NNTP-Posting-Date: Mon, 01 Oct 2007 23:27:05 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.cb:4315 rec.radio.amateur.equipment:1045

you *still* haven't responded to my query about acquiring a test unit to
compare to other manufacturer's brands.....
btw, that feedback number looks rather low for someone "making a profit".

Telstar Electronics wrote:

> Customers that paid $39.99 are overjoyed with VoiceMax Speech
> Processor... see for yourself at
>
http://feedback.ebay.com/ws/eBayISAPI.dll?ViewFeedback2&userid=telstar-
electronics&&ftab=FeedbackAsSeller&sspagename=VIP:feedback:3:us
>
> But... we want to spread the word about VoiceMax faster. So we are
> offering some units on Ebay at auction. Don't miss your chance to
> significantly increase the range of your radio with this revolutionary
> new device. We are so sure you will love VoiceMax... we offer a money-
> back guarantee. Don't waste your money on power mics... when VoicMax
> will outperform ANY power mic on the planet!
>
http://search.ebay.com/search/search.dll?from=R40&_trksid=m37&satitle=voicemax
>
> Not sure if you have the ability to install VoiceMax? Check out the
> installation/operation manual at
> http://www.telstar-electronics.com/VoiceMax%20B.pdf
>
> Have additional questions? See the most frequently asked questions at
> http://www.telstar-electronics.com/voicemax.htm



From 7574107497946981823
X-Google-Thread: 108122,5ce4777ce7292bff,start
```

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From: Tom Corker <tomcorker@bluebottle.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Manual for FDK Multi 700E
Date: Mon, 01 Oct 2007 23:38:51 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1191307131.805329.220090@d55g2000hsg.googlegroups.com>
NNTP-Posting-Host: 90.198.118.203
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191307132 10106 127.0.0.1 (2 Oct 2007 06:38:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 2 Oct 2007 06:38:52 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.3) Gecko/20061201 Firefox/2.0.0.3 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=90.198.118.203;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1046

I've acquired a second hand FDK multi 700 E 2m FM transceiver, and I
am having problems with TX. RX works fine, but I've received reports
that the radio is just sending an unmodulated carrier with no audio.
As I'm new to radio, I was wondering if anyone has a copy of the
manual or circuit diagrams for this radio so that I can check I am
using it correctly, and if the mic I have is compatible.

From 6055797534664027851
X-Google-Thread: 108122,ae794c120cb3afa2,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 02 Oct 2007 01:55:41 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Galaxy R-1530 / R-530 PLL alignment
Date: Tue, 2 Oct 2007 01:55:58 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <HpSdnUBp97XwdpzanZ2dnUVZ_uKpnZ2d@comcast.com>
Lines: 9

X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.29.104.96
X-Trace: sv3-prrsPJq5044LYg9tlzBoH4OYcykfDtWVcocxl/Mp+TuWNqhk0Jx0CnbevML3Q+z2GOmE0Qf8rfNEVLc!+JXE6cRvF6/iZYTKsbRFAuaRYldmPLG4Qvb/xEVaAivVmGKdlf9xnRhqdDFJIcyHcM1CsZCqpjHz!2pxUk8pqzj5mTAH340WnpK/k8GrW
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1047

A few years back, I ran into a fellow who was familiar (he figured it out)
with this procedure. I think he was from Texas.
Is there anybody who knows how to do this? Unfortunately, the service manual
doesn't explain the adjustment sequence.
Thanks!

Pete

From -4022855330840188474
X-Google-Thread: 108122,8ceed03c7a2f9ff3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!w3g2000hsg.googlegroups.com!not-for-mail
From: DeserTBob's Futile Efforts <rottedHonda@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RCA SoundTape Magazine Loaded Cartridge-large cassette recorder FOR SALE-with rare REEL TO REEL attachment
Date: Tue, 02 Oct 2007 03:51:09 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1191322269.683048.10340@w3g2000hsg.googlegroups.com>
NNTP-Posting-Host: 205.238.250.250
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191322269 27683 127.0.0.1 (2 Oct 2007 10:51:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 2 Oct 2007 10:51:09 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w3g2000hsg.googlegroups.com; posting-host=205.238.250.250;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1048

the large tube-amped stereo unit has been sold- now up for sale is a

solid-state recorder, along with RARE reel to reel attachment, allows
using open reels on an RCA Sound Tape recorder

see auctions below

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=140163931717&ssPageName=STRK:MESE:IT&ih=004

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=140163935255&ssPageName=STRK:MESE:IT&ih=004

From 7257860744879411853
X-Google-Thread: 108122,1a14f97a4c6f5798,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe18.lga.POSTED!53ab2750!not-for-mail
From: "genev" <genev2000@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Selling gear
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <qSCMi.9350$Bq3.1896@newsfe18.lga>
Date: Tue, 2 Oct 2007 22:10:29 -0400
NNTP-Posting-Host: 72.209.6.132
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1191377430 72.209.6.132 (Tue, 02 Oct 2007 19:10:30 MST)
NNTP-Posting-Date: Tue, 02 Oct 2007 19:10:30 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:1049

selling some classics and some modern radios and equipment.
K1TAV@arrl.net for list.

From -7498492869285396372
X-Google-Thread: 108122,e7dee0081f62f15a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From: Craig <dxer@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-212 S meter question

Date: Tue, 02 Oct 2007 19:21:29 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1191378089.924986.25950@d55g2000hsg.googlegroups.com>
NNTP-Posting-Host: 70.59.28.118
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1191378090 7267 127.0.0.1 (3 Oct 2007 02:21:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Oct 2007 02:21:30 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0; MSN 9.0;MSN 9.1; MSNbQ002; MSNmen-us; MSNcOTH),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=70.59.28.118;
posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:1050

I recently bought a used Yaesu FT-212RH, in very good condition, everything seems to work fine.
Though the S-meter is a somewhat odd or very, very stingy.

When talking to people simplex, the s-meter (bars) either dont show any signal strength at all or very little, even when the simplex station is strong. When listening to repeaters the s-meter bar lights show up in varying signal strengths, so I know the S-meter does work.

Does someone have a service manual or know how to adjust this S-meter.

Thank You

From -1782860209484886294
X-Google-Thread: 108122,45b0290e10b84ea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!draco.tiscalinet.it!news-f1.tiscali.it!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WSE WL-2770D
From: Ste <ssartorio@tiscali.it>
References: <46f0190a_3@news.bluewin.ch>
Message-ID: <Xns99BEAA48CACE5Ste@213.205.37.205>
User-Agent: Xnews/5.04.25
Date: 03 Oct 2007 14:44:14 GMT
Lines: 20
Organization: Tiscali SpA
NNTP-Posting-Host: 84.223.79.5
X-Trace: 1191422654 news.tiscali.it 16036 84.223.79.5:1423

X-Complaints-To: abuse@tiscali.it
Xref: g2news2.google.com rec.radio.amateur.equipment:1051

none <""bram\"@(none)"> wrote in news:46f0190a_3@news.bluewin.ch:

> Hello group,
>
> I have a VHF/UHF power amplifier, model WSE WL-2770D and am strugging
> to find any details. I couldn't find any references through google.
>
> Thankful for any hint
>
> 73
> Matthias, HB9EGM
>

i'm also an owner of that amplifier and i also didn't find any reference
in the web.

Please send to me any info you will find, i will do the same....

73 Stefano, IK2QED

From -3049997167722310453
X-Google-Thread: 108122,48b3e9ae41679db7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!draco.tiscalinet.it!news-f1.tiscali.it!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: AM7911
From: Ste <ssartorio@tiscali.it>
Message-ID: <Xns99BEAB552C9E6Ste@213.205.37.205>
User-Agent: Xnews/5.04.25
Date: 03 Oct 2007 14:50:25 GMT
Lines: 4
Organization: Tiscali SpA
NNTP-Posting-Host: 84.223.79.5
X-Trace: 1191423025 news.tiscali.it 16036 84.223.79.5:1423
X-Complaints-To: abuse@tiscali.it
Xref: g2news2.google.com rec.radio.amateur.equipment:1052

Available 15 of this AFSK modem IC's useful for baycom
modem.....

From 1577944431163112583
X-Google-Thread: 106d41,db532ee2de59b9e5

X-Google-Thread: 108122,db532ee2de59b9e5
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From: cmdr buzz corey <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor - Special Auction Units
Date: Wed, 03 Oct 2007 21:44:42 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1191473082.029473.239270@d55g2000hsg.googlegroups.com>
References: <1191243299.557951.238770@g4g2000hsf.googlegroups.com>
NNTP-Posting-Host: 63.231.103.132
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1191473082 10916 127.0.0.1 (4 Oct 2007 04:44:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 4 Oct 2007 04:44:42 +0000 (UTC)
In-Reply-To: <1191243299.557951.238770@g4g2000hsf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.6) Gecko/20061201 Firefox/2.0.0.6 (Ubuntu-feisty),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=63.231.103.132;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:4341 rec.radio.amateur.equipment:1053

On Oct 1, 6:54 am, Telstar Electronics <briangrif...@sbcglobal.net> wrote:
> Customers that paid $39.99 are overjoyed with VoiceMax Speech
> Processor... see for yourself athttp://feedback.ebay.com/ws/eBayISAPI.dll?ViewFeedback2&userid=telsta...
>
> But... we want to spread the word about VoiceMax faster. So we are
> offering some units on Ebay at auction. Don't miss your chance to
> significantly increase the range of your radio with this revolutionary
> new device. We are so sure you will love VoiceMax... we offer a money-
> back guarantee. Don't waste your money on power mics... when VoicMax
> will outperform ANY power mic on the planet!http://search.ebay.com/search/search.dll?from=R40&_trksid=m37&satitle...
>
> Not sure if you have the ability to install VoiceMax? Check out the
> installation/operation manual athttp://www.telstar-electronics.com/VoiceMax%20B.pdf
>
> Have additional questions? See the most frequently asked questions athttp://www.telstar-electronics.com/voicemax.htm

Business is that bad huh?

From -815986967351648306
X-Google-Thread: 108122,ae794c120cb3afa2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 04 Oct 2007 03:16:58 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <HpSdnUBp97XwdpzanZ2dnUVZ_uKpnZ2d@comcast.com>
Subject: Re: Galaxy R-1530 / R-530 PLL alignment
Date: Thu, 4 Oct 2007 03:17:17 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <z_adnVa298LnPJnanZ2dnUVZ_gudnZ2d@comcast.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.29.104.96
X-Trace: sv3-GI5KjYmF4SCIH2GZbK0LokN/
9rRGyHTIpY9QUNvXxlrtcMQSSXfhXVDm5o1BbDUyOPEa8bsg986pA0o!4iq/
hoEJZT8tp6t7kmk9pryHKRFod0A4OmJ5LEZet5i4KONYf5A+JYoknptsrb9sz/5nJeYcFH7o!
4+tNjrI97oO0Z7MTccfhWOQC5Mm3
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:1054

I have repaired the receiver..........if anybody needs any help with their unit, feel free to e-mail me directly. I think I will post the alignment procedure up on the WRL website once I get everything aligned.The actual problem turned out to be a broken connection from the bifilar wound RF output transformer.
"Pete KE9OA" <p.gianako@comcast.net> wrote in message
news:HpSdnUBp97XwdpzanZ2dnUVZ_uKpnZ2d@comcast.com...
>A few years back, I ran into a fellow who was familiar (he figured it out)
>with this procedure. I think he was from Texas.
> Is there anybody who knows how to do this? Unfortunately, the service
> manual doesn't explain the adjustment sequence.
> Thanks!
>
> Pete
>

```
From 4268861474746112470
X-Google-Thread: 108122,74b038c4d6836899
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!nntp.kreonet.re.kr!kreonet.re.kr!news.netins.net!
not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Garmin GPS III Plus GPS Receiver and Mapsource Software
Date: Thu, 04 Oct 2007 07:19:26 -0500
Organization: netINS InterNetNews site
Lines: 11
Message-ID: <4hm9g3hnj0me537m2gu61ugme196akpp35@4ax.com>
References: <l5rvf396ftlmqhup9srku4sfbi7kckjjgo@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1191500349 11325 67.55.159.6 (4 Oct 2007 12:19:09 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Thu, 4 Oct 2007 12:19:09 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:1055

Price reduced to $150 shipped. Thanks, Mike


On Sun, 30 Sep 2007 13:42:58 -0500, mike <mikeNOSPAM@L2Speed.net>
wrote:

>Hello, I have a very nice  Garmin GPS III Plus GPS Receiver with
>Garmin Mapsource US Roads and Recreation CD, Magmount external antenna
>and cable to plug into the PC. The price is $170 shipped for all.
>Please email me if interested or for pictures. Thanks, Mike




From -4078628420227458561
X-Google-Thread: 106d41,db532ee2de59b9e5
X-Google-Thread: 108122,db532ee2de59b9e5
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.mixmin.net!news.tornevall.net!not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor - Special Auction Units
Date: Thu, 4 Oct 2007 14:15:13 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 32
Message-ID: <fe39nm$67q$1@stable.tornevall.net>
References: <1191243299.557951.238770@g4g2000hsf.googlegroups.com>
```

```
<1191473082.029473.239270@d55g2000hsg.googlegroups.com>
NNTP-Posting-Host: faa46da6488ea66e1bc06c2f3bc74b51
X-Trace: f1ccba24a4964ff8121b948547cb6e85
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=f1ccba24a4964ff8121b948547cb6e85
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:4349 rec.radio.amateur.equipment:1056


"cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in message
news:1191473082.029473.239270@d55g2000hsg.googlegroups.com...
> On Oct 1, 6:54 am, Telstar Electronics <briangrif...@sbcglobal.net>
> wrote:
>> Customers that paid $39.99 are overjoyed with VoiceMax Speech
>> Processor... see for yourself
>> athttp://feedback.ebay.com/ws/eBayISAPI.dll?ViewFeedback2&userid=telsta...
>>
>> But... we want to spread the word about VoiceMax faster. So we are
>> offering some units on Ebay at auction. Don't miss your chance to
>> significantly increase the range of your radio with this revolutionary
>> new device. We are so sure you will love VoiceMax... we offer a money-
>> back guarantee. Don't waste your money on power mics... when VoicMax
>> will outperform ANY power mic on the
>> planet!http://search.ebay.com/search/search.dll?from=R40&_trksid=m37&satitle...
>>
>> Not sure if you have the ability to install VoiceMax? Check out the
>> installation/operation manual
>> athttp://www.telstar-electronics.com/VoiceMax%20B.pdf
>>
>> Have additional questions? See the most frequently asked questions
>> athttp://www.telstar-electronics.com/voicemax.htm
>
> Business is that bad huh?
>
>
The fool has ONE BID!

BWAHAHAHAHAHAHA!!!




From 5476999047097685469
X-Google-Thread: 10ed5f,70f6a038c077b74,start
X-Google-Thread: 114aac,70f6a038c077b74,start
X-Google-Thread: 108122,70f6a038c077b74,start
X-Google-Thread: fc8b1,70f6a038c077b74,start
```

```
X-Google-Attributes: gid10ed5f,gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
195.208.113.67.MISMATCH!goblin1!goblin.stu.neva.ru!news.ett.com.ua!
news2.arglkargh.de!news.dizum.com!sewer-output!mail2news-x4!mail2news-x3!
mail2news-x2!mail2news
From: D.S. <nobody@pseudo.borked.net>
Newsgroups: alt.ham-
radio,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchor
s
Subject: FA: Ten-Tec SP-325 military receiver
Message-ID: <0a91c81a475536315c231ffb6b52d7f0@pseudo.borked.net>
Date: Thu,  4 Oct 2007 13:31:36 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com alt.ham-radio:275 rec.radio.shortwave:13364
rec.radio.amateur.equipment:1057 rec.radio.amateur.boatanchors:1254

http://301url.com/SP325rcvr




From 13486427801307183
X-Google-Thread: 10ed5f,70f6a038c077b74
X-Google-Thread: 114aac,70f6a038c077b74
X-Google-Thread: 108122,70f6a038c077b74
X-Google-Thread: fc8b1,70f6a038c077b74
X-Google-Attributes: gid10ed5f,gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: GERMAN,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.buckeye-express.com!
news.buckeye-express.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 04 Oct 2007 14:54:10 -0500
From: BDK <BDK@magicsteel.com>
Newsgroups: alt.ham-
radio,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchor
s
Subject: Re: FA: Ten-Tec SP-325 military receiver
Date: Thu, 4 Oct 2007 15:54:30 -0400
Message-ID: <MPG.216f0f0479bc6f8198bbe8@news.buckeye-express.com>
References: <0a91c81a475536315c231ffb6b52d7f0@pseudo.borked.net>
Organization: Dicks, INC.
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
User-Agent: MicroPlanet-Gravity/2.60.2060
X-Antivirus: avast! (VPS 000778-3, 10/04/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 72.240.242.6
X-AuthenticatedUsername: news.23637@buckeye-express.com
X-Trace: sv3-hsrKJpKMob5UU/uLW9AMS/
```

fT1gBaGYV1Fvihlbyh2SJsLv5FL1ZpedNuw02woYpbOj3RNEVkYOXneP8!
qSoJFLoMsuFPG+wUNYVR4NYJ5cUvCUYmbtCj4bn/IleNmxMn+0vsZ/kBU9Zik4VVDWTD+iOEErbb!
vAmFJA7wiTmgq3CQ20+jTsLcc9hhRo4v5EPVJu8whN4qKssauM0MxlkB7Q==
X-Complaints-To: abuse@buckeye-express.com
X-DMCA-Complaints-To: ip-admin@cablesystem.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com alt.ham-radio:276 rec.radio.shortwave:13367 rec.radio.amateur.equipment:1058 rec.radio.amateur.boatanchors:1255

In article <0a91c81a475536315c231ffb6b52d7f0@pseudo.borked.net>,
nobody@pseudo.borked.net says...
> http://301url.com/SP325rcvr
>
>

Arf Arf!!!

ARF ARF!!

BDK

From 795985246793653359
X-Google-Thread: 10ed5f,70f6a038c077b74
X-Google-Thread: 114aac,70f6a038c077b74
X-Google-Thread: 108122,70f6a038c077b74
X-Google-Thread: fc8b1,70f6a038c077b74
X-Google-Attributes: gid10ed5f,gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.wideopenwest.com!
news.wideopenwest.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 04 Oct 2007 15:36:50 -0500
From: "Rachael Caldwell" <nospam@aol.com>
Newsgroups: alt.ham-radio,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <0a91c81a475536315c231ffb6b52d7f0@pseudo.borked.net>
Subject: Re: Ten-Tec SP-325 military receiver
Date: Thu, 4 Oct 2007 16:36:53 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <k4KdnYxS0Yl_05janZ2dnUVZ_rmjnZ2d@wideopenwest.com>
Lines: 8
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.149.206.101
X-Trace: sv3-WYmKJlmkZoGOf+LKwsb117UPGrd+mjgJx+7mhwTmFa5NtxwdYvOzbo/
zdDuX7ABWfSP5ojuDmyJv7FL!5RHqXstj7EOTMf3/

```
CG1PDoJiKqZHDK0+gDXYYWcX5PPJKeNchE0BLBJ1wA/tSA6HnY+T3NR0Vfla!
GdzxjVvidVJB+guE1p+xNiUgRqOvYVsQ8K7g7NJtcsfZ
X-Complaints-To: abuse@wideopenwest.com
X-DMCA-Complaints-To: abuse@wideopenwest.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com alt.ham-radio:277 rec.radio.shortwave:13374
rec.radio.amateur.equipment:1059 rec.radio.amateur.boatanchors:1256
```

Stunning? From RadioMart?

"D.S." <nobody@pseudo.borked.net> wrote in message
news:0a91c81a475536315c231ffb6b52d7f0@pseudo.borked.net...

> http://301url.com/SP325rcvr
>

```
From -3694834532268780654
X-Google-Thread: 10ed5f,70f6a038c077b74
X-Google-Thread: 114aac,70f6a038c077b74
X-Google-Thread: 108122,70f6a038c077b74
X-Google-Thread: fc8b1,70f6a038c077b74
X-Google-Attributes: gid10ed5f,gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 04 Oct 2007 15:42:19 -0500
Date: Thu, 04 Oct 2007 16:42:20 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.ham-
radio,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchor
s
Subject: Re: FA: Ten-Tec SP-325 military receiver
References: <0a91c81a475536315c231ffb6b52d7f0@pseudo.borked.net>
In-Reply-To: <0a91c81a475536315c231ffb6b52d7f0@pseudo.borked.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <tYmdnSm_lMK2zZjanZ2dnUVZ_rLinZ2d@comcast.com>
Lines: 7
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.62.151.30
X-Trace: sv3-sVorXQ99KK+1Tn1AVSyvstAF2s0ncpxIQqDh5WGIOmFNwXVr/
OSHgeLwFNZibb4HZXC3mGfkm/69UMJ!GGe4um4BIxaWglqxSahC96/
JkixBvtV+TTlFB97kSenkiEAXpPz1B5ijm7uN893a8gCi6P3sax9c!XiMJwBhpJ5ZWOJjaXhRQ8aJxEoIy
```

```
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com alt.ham-radio:278 rec.radio.shortwave:13376
rec.radio.amateur.equipment:1060 rec.radio.amateur.boatanchors:1257

eBay!!!

D.S. wrote:

> http://301url.com/SP325rcvr
>




From 7517478868866263082
X-Google-Thread: 108122,25ee5b6c42b62d80
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-
mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for GOOD general coverage receiver with DSP IF
Date: Mon, 17 Sep 2007 18:49:24 -0500
Message-ID: <ga4ue39tamupd7af0ioplqfn2s3kk3o1vq@4ax.com>
References: <pan.2007.09.08.19.54.59.782078@from.qrz.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:906

On Sat, 08 Sep 2007 15:55:01 -0400, "Rick (W-A-one-R-K-T)"
<get.my.email@from.qrz.com> wrote:

>
>Trying to participate in the Maritime Mobile Service Net on 14.300 this
>weekend with that contest on has convinced me I need a better receiver.
>
>Any suggestions for a good general-coverage receiver with a good IF DSP?
>
>I like the transceivers I have (FT-1000 and TS-940S) and don't want to get
>rid of them or trade them in for one of the new megabuck rigs but I do
```

>need a better receiver for times like this weekend.
>
>Any suggestions would be most appreciated...

I really like my Icom 7000 -- variable digital filters and noise
reduction and auto notch etcetera makes listening a lot better than on
my older gear. And, of course, it transmits, too :-)

bob
k5qwg

From -7367832382896023883
X-Google-Thread: 108122,61c845b831e4599d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 17 Sep 2007 20:03:08 -0500
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Can u Identigfy??
Date: Mon, 17 Sep 2007 21:03:59 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <V8SdnZNOv41RvnLbnZ2dnUVZ_sOrnZ2d@comcast.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-
fzcISwGyx3zCKd1wZi66OwpQvaP3ZO5CBx54WHxxrVNrb+emPoFloQfCkHll4eBNI5RccmV5zouqYuP!
O7M538gCrYxOfUXRYi1l8W1MCeoCDf36XmkfGYpILcRkq5d1kJjbpT+Ah5Kofm6gYTh1Oji+QgwB!
ccp+NWeSBnocc1vk9p5J0qKEy2P1RgM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:907

Chesapeake Microwave
MDL: 86-0142
Freq: 4 - 8 Ghz

SMA connector on 1 side of box & 4 SMA connectors on the other side of the
aluminum box.

I think that it might be some kind of combiner or single input and

```
multi-output device.

73's




From 5157568937053761339
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,ac7ab302c0e63249,start
X-Google-Thread: fc2a5,ac7ab302c0e63249,start
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.arglkargh.de!
news.tornevall.net!not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re:Telstar Electronics VoiceMax IS GARBAGE!
Date: Tue, 18 Sep 2007 12:15:56 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 6
Message-ID: <fcoss0$e31$1@stable.tornevall.net>
References: <1190121132.973423.125160@d55g2000hsg.googlegroups.com>
NNTP-Posting-Host: 8a5b3737e9d870ce9755c7d78b0cd2b4
X-Trace: 9b6e6df3fa24f4bb56a0deccf0e31e7f
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=9b6e6df3fa24f4bb56a0deccf0e31e7f
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:3775 rec.radio.amateur.equipment:910
rec.radio.amateur.homebrew:1023

IDIOT!
"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1190121132.973423.125160@d55g2000hsg.googlegroups.com...
> Don't waste any more money




From 8124683928765532447
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.tornevall.net!
```

```
not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Telstar Electronics VoiceMax IS GARBAGE!
Date: Tue, 18 Sep 2007 12:19:00 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 6
Message-ID: <fcot1n$e72$1@stable.tornevall.net>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
NNTP-Posting-Host: 29600dcba38f64502d7f7f4b7dfa1c90
X-Trace: e4280f00c75095f0590ffb0de14a4d60
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=e4280f00c75095f0590ffb0de14a4d60
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:3776 rec.radio.amateur.equipment:911
rec.radio.amateur.homebrew:1024
```

IDIOT!

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1190119260.907695.198810@g4g2000hsf.googlegroups.com...

```
From -3319289151510869926
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Sep 2007 11:52:10 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
Date: Tue, 18 Sep 2007 09:53:23 -0700
Message-ID: <qtrve3dnrprjpbs3j7u5o396l653p5r5k7@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190120441.051868.308570@g4g2000hsf.googlegroups.com>
```

X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 69
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.245.66
X-Trace: sv3-G41ayCvXqnMCVx2CDkyjdYGvSrnidCTdNiwDGPOszxejR/
6HqnQNNXIpg+kLZnV3aQ6GYP6HkI8VIR3!
UE5sEt1cPSg0v0gn+lYJx5d8IIuBbW81Uw8ppY+0b+E0xxA6+NgqwbHwtoh3lvwxSVKxtb19vP4Y!
PNhZnljDhYKDuwDzR0agnLQfkY+m
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:912

On Tue, 18 Sep 2007 06:00:41 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

>On Sep 14, 4:48 pm, Wes Stewart <n7ws*@*yahoo.com> wrote:
>> On Thu, 13 Sep 2007 10:36:06 -0700, Telstar Electronics
>>
>> <briangrif...@sbcglobal.net> wrote:
>>
>> I'm hesitant to reply to this crap but I can't help myself.
>>
>> >Other Processors Have a Problem...
>> >Other speech processors use a low-cost "audio clipping" approach to
>> >achieve compression. While this method is economical for the
>> >manufacturer, clipping distorts the original signal and sounds fuzzy
>> >on the air.
>>
>> Bafflegab.
>>
>> http://k6mhe.com/n7ws/
>>
>> Note 5.
>
>Wes... the link you provided about the clipping type processor... on
>the first
>page of the article states a distortion of 10% THD. That's awful...
>LOL

Laugh all you want but clearly you don't understand what you think you understand.

We are talking "communication" systems here not hi-fi. If the intelligibility improves faster than the distortion due to instantaneous peak clipping then that is a net positive.

As an aside, I actually did myself a disservice by defining the onset of clipping at the point where a 3 dB input change gave a 2 dB output change. This is actually quite a bit of clipping, which means that my "15 dB" clipping is considerably higher.

At the usual operating level, distortion is much lower. Furthermore, following publication Schureuer offered some justified criticism over my use of the Plessey IC. This device was a source of some of the distortion, which is actually multiplied by the subsequent clipping process.

I later built a discrete compressor using a linearized FET as the gain control element and also incorporated noise gating. Operationally, the distortion was negligible and the performance was phenomenal.

But back to you.

Your (actually Analog Device's) circuit is an AGC system and cannot limit instantaneous peaks. So following compression of a big peak, the amplitude of subsequent signals is reduced. This is helpful in preventing overdrive of subsequent stages and provides a marginal improvement in "talk power" but it is nowhere as effective as true peak clipping.

Sorry, those are the facts.

BTW, the Kenwood TS-870 (which I use) is widely acclaimed for its audio quality and is arguably the most sought after rig by the "hi-fi" SSB garglers.   It uses split-band speech clipping.

From 2405217319895432307
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: msg <msg@_cybertheque.org_>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: Telstar Electronics VoiceMax IS GARBAGE!
Date: Tue, 18 Sep 2007 12:36:34 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13f03549o7u3314@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, ja, zh, fi, de, el, undefined, ru

MIME-Version: 1.0
References: <1190121132.973423.125160@d55g2000hsg.googlegroups.com>
<fcoss0$e31$1@stable.tornevall.net>
In-Reply-To: <fcoss0$e31$1@stable.tornevall.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.cb:3778 rec.radio.amateur.equipment:913

Radioisfun wrote:

> IDIOT!

<snip>

Please remove rec.radio.amateur.homebrew from replies to this thread.

Regards,

Michael

From -2900433421130685415
X-Google-Thread: 108122,45b0290e10b84ea,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Tue, 18 Sep 2007 20:29:28 +0200
From: none <""bram\"@(none)">
User-Agent: Thunderbird 2.0.0.6 (X11/20070810)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: WSE WL-2770D
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 81.62.38.62
X-Original-NNTP-Posting-Host: 81.62.38.62
Message-ID: <46f0190a_3@news.bluewin.ch>
X-Trace: news.bluewin.ch 1190140170 81.62.38.62 (18 Sep 2007 20:29:30 +0200)
Organization: Bluewin AG
Lines: 9
Complaints-To: abuse@bluewin.ch
X-Original-NNTP-Posting-Host: 127.0.0.1
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!212.101.4.254.MISMATCH!solnet.ch!solnet.ch!news-zh.switch.ch!switch.ch!news.ip-plus.net!newsfeed.ip-plus.net!news.bluewin.ch!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:915

Hello group,

I have a VHF/UHF power amplifier, model WSE WL-2770D and am strugging to find any details. I couldn't find any references through google.

Thankful for any hint

73
Matthias, HB9EGM

```
From -5427550533817222648
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "john lyon" <john.lyon@nospamhere.co.uk>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net>
Subject: Re: Telstar Electronics VoiceMax IS GARBAGE!
Date: Tue, 18 Sep 2007 22:40:24 +0100
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
X-Original-NNTP-Posting-Host: 79.73.72.30
NNTP-Posting-Host: mk-nntp-2.news.uk.tiscali.com
X-Trace: 18 Sep 2007 22:40:48 +0100, mk-nntp-2.news.uk.tiscali.com
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed1.ip.tiscali.net!
tiscali!newsfeed2.ip.tiscali.net!212.74.112.120.MISMATCH!mk-
nntp-1.news.uk.tiscali.com!mk-nntp-2.news.uk.tiscali.com
Xref: g2news2.google.com rec.radio.cb:3788 rec.radio.amateur.equipment:916
rec.radio.amateur.homebrew:1026
```

"Radioisfun" <radioisfun@home.com> wrote in message
news:fcot1n$e72$1@stable.tornevall.net...
> IDIOT!
>
> "Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
> news:1190119260.907695.198810@g4g2000hsf.googlegroups.com...
>

We know, it has been ripped apart on this newsgroup a few times. It's not a good product. If fitted without using the correct alignment procedures and test equipment it will ruin performance and cause splattering over the bands and generate harmonics. Not many people who have the "really loud = really far" mentality will know how to use test equipment, they tend to be the ones with a lack of knowledge. Maybe the type who believe polishing the aerial will lower the VSWR!

The circuit has no RF filtering for a start, it is not screened in any way, it has a light that you will never see once the radio is put back together and it will have no benefit over the microphone that was designed to operate with the radio. It will cause distortion and harmonics unless the radio is realigned using test gear. If you use that on AM/SSB you will sound terrible, it is a waste of time. There is no way that the circuit differentiates between a voice and background noises, so raising the level many times and keeping it at 100% will mean that the sound will just be a "noise". Compare that to a normal mic, audio nearer to it such as the operator voice will be louder than what is in the background.

The product is out of date, has no market and probably would have been better 20+ years ago.

I certainly wouldn't recommend it, from a radio engineers point of view.

```
From -4201137133084691511
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!
nx02.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-
mail
From: "AUUDDIIOOO" <j@tx.rr.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
Subject: Re: Telstar Electronics VoiceMax IS GARBAGE!
Date: Tue, 18 Sep 2007 17:30:03 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 44
Message-ID: <46f05178$0$18942$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.cb:3789 rec.radio.amateur.equipment:917
rec.radio.amateur.homebrew:1027
```

```
"john lyon" <john.lyon@nospamhere.co.uk> wrote in message
news:46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com...
>
> "Radioisfun" <radioisfun@home.com> wrote in message
> news:fcot1n$e72$1@stable.tornevall.net...
>> IDIOT!
>>
>> "Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
>> news:1190119260.907695.198810@g4g2000hsf.googlegroups.com...
>>
>
> We know, it has been ripped apart on this newsgroup a few times.  It's not
> a good product.  If fitted without using the correct alignment procedures
> and test equipment it will ruin performance and cause splattering over the
> bands and generate harmonics.  Not many people who have the "really loud =
> really far" mentality will know how to use test equipment, they tend to be
> the ones with a lack of knowledge.  Maybe the type who believe polishing
> the aerial will lower the VSWR!
> The circuit has no RF filtering for a start, it is not screened in any
> way, it has a light that you will never see once the radio is put back
> together and it will have no benefit over the microphone that was designed
> to operate with the radio.  It will cause distortion and harmonics unless
> the radio is realigned using test gear.  If you use that on AM/SSB you
> will sound terrible, it is a waste of time.  There is no way that the
> circuit differentiates between a voice and background noises, so raising
> the level many times and keeping it at 100% will mean that the sound will
> just be a "noise".  Compare that to a normal mic, audio nearer to it such
> as the operator voice will be louder than what is in the background.
> The product is out of date, has no market and probably would have been
> better 20+ years ago.
>
> I certainly wouldn't recommend it, from a radio engineers point of view.
>
>
>
>
  Just like so called Engineers, your a dumb ass John.
Your are an Engineer? What a Trash truck radio Engineer?

There is a noise gate built in. Read his Good web site.
 Just wondered on what happened to the Power amp He had.





From 3761760760219870650
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y42g2000hsy.googlegroups.com!not-for-
```

```
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: What happened to the SkyWave 2879ABTC?
Date: Wed, 19 Sep 2007 05:55:10 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
   <fc6koh$dv9$1@stable.tornevall.net>
   <1189704966.569281.313610@22g2000hsm.googlegroups.com>
   <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <46f05178$0$18942$4c368faf@roadrunner.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190206510 20151 127.0.0.1 (19 Sep 2007 12:55:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Sep 2007 12:55:10 +0000 (UTC)
In-Reply-To: <46f05178$0$18942$4c368faf@roadrunner.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y42g2000hsy.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3806 rec.radio.amateur.equipment:918
rec.radio.amateur.homebrew:1028
```

On Sep 18, 5:30 pm, "AUUDDIIOOO" <j...@tx.rr.com> wrote:

> Just wondered on what happened to the Power amp He had.

The SkyWave 2879ABTC was discontinued because of a poor profit margin. We hated to do it... but with the temperature compensating biasing... and all the premium components and chassis... it was just too costly to manufacture. Unlike other companies, we will discontinue a product before we will cost reduce it to a point that sacrafices quality and reliability. Sometimes I just go back and look at the photos... just for old times sake... http://www.telstar-electronics.com/default_files/SkyWave2879ABTCPhoto.htm
www.telstar-electronics.com

```
From -6194930451950250111
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2007 09:04:21 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Telstar Electronics VoiceMax IS GARBAGE!
Date: Wed, 19 Sep 2007 07:05:35 -0700
Message-ID: <uja2f31pgreo56o3gtn1gtfrs42t2f3g0q@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 48
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.244.88
X-Trace: sv3-I25bkIB3NOcCmnzgpgYbbn3Z757aGi3yrGFBpe95AKFPS5hwZCM9tpWb8Nj/
Y1f+X7HLQFc9vA2ObPD!
Sn4oZk1WZdNPcP68gPHGT83tmtcuxFPC+DBUAV9lAy8r37jzrBbkWjc0PiHU94dSSIS1Zx11fewE!
BXcvqBjDuGm9RaEoHnqaIE0zhidm
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.cb:3811 rec.radio.amateur.equipment:919
rec.radio.amateur.homebrew:1029

On Tue, 18 Sep 2007 22:40:24 +0100, "john lyon"
<john.lyon@nospamhere.co.uk> wrote:

>
>"Radioisfun" <radioisfun@home.com> wrote in message
>news:fcot1n$e72$1@stable.tornevall.net...
>> IDIOT!
>>
>> "Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
>> news:1190119260.907695.198810@g4g2000hsf.googlegroups.com...
>>
>
>We know, it has been ripped apart on this newsgroup a few times. It's not a
>good product. If fitted without using the correct alignment procedures and
>test equipment it will ruin performance and cause splattering over the bands
>and generate harmonics. Not many people who have the "really loud = really
>far" mentality will know how to use test equipment, they tend to be the ones
>with a lack of knowledge. Maybe the type who believe polishing the aerial

>will lower the VSWR!
>The circuit has no RF filtering for a start, it is not screened in any way,
>it has a light that you will never see once the radio is put back together
>and it will have no benefit over the microphone that was designed to operate
>with the radio. It will cause distortion and harmonics unless the radio is
>realigned using test gear. If you use that on AM/SSB you will sound
>terrible, it is a waste of time. There is no way that the circuit
>differentiates between a voice and background noises, so raising the level
>many times and keeping it at 100% will mean that the sound will just be a
>"noise". Compare that to a normal mic, audio nearer to it such as the
>operator voice will be louder than what is in the background.
>The product is out of date, has no market and probably would have been
>better 20+ years ago.
>
>I certainly wouldn't recommend it, from a radio engineers point of view.

I was composing a point-by-point response to this when I had a power
failure and lost it. I'm not about to redo it, but let me summarize.

I am no fan of Telstar and his spam marketing on these groups and many
of his claims are BS.

That said, you seem to know little more about the subject than does
he.

BTW, to see the performance of this thing without the hype:

http://www.analog.com/en/prod/0,2877,SSM2167,00.html

From 1326932444053650830
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r29g2000hsg.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Telstar Electronics VoiceMax
Date: Wed, 19 Sep 2007 08:28:58 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1190215738.351609.256920@r29g2000hsg.googlegroups.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
   <fc6koh$dv9$1@stable.tornevall.net>
   <1189704966.569281.313610@22g2000hsm.googlegroups.com>
   <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>

```
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <uja2f31pgreo56o3gtn1gtfrs42t2f3g0q@4ax.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190215738 21908 127.0.0.1 (19 Sep 2007 15:28:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Sep 2007 15:28:58 +0000 (UTC)
In-Reply-To: <uja2f31pgreo56o3gtn1gtfrs42t2f3g0q@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r29g2000hsg.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3812 rec.radio.amateur.equipment:920
rec.radio.amateur.homebrew:1030

On Sep 19, 9:05 am, Wes Stewart <n7ws*@*yahoo.com> wrote:
> I am no fan of Telstar and his spam marketing on these groups and many
> of his claims are BS.
> That said, you seem to know little more about the subject than does
> he.
> BTW, to see the performance of this thing without the hype:

Wes, I'm curious... what is this "hype" you are talking about? I would
like to address that directly.
www.telstar-electronics.com




From 6703949316504317665
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.tornevall.net!
not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Telstar Electronics VoiceMax IS GARBAGE!
Date: Wed, 19 Sep 2007 11:36:27 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 6
Message-ID: <fcreto$eb7$1@stable.tornevall.net>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net>   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
```

```
<uja2f31pgreo56o3gtn1gtfrs42t2f3g0q@4ax.com>
<1190215738.351609.256920@r29g2000hsg.googlegroups.com>
NNTP-Posting-Host: 1cb0ca2bcf23da1ebf850efc6c8eea57
X-Trace: 444ddaf348635e81839282e94bf03bd2
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=444ddaf348635e81839282e94bf03bd2
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:3813 rec.radio.amateur.equipment:921
rec.radio.amateur.homebrew:1031
```

IDIOT!

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1190215738.351609.256920@r29g2000hsg.googlegroups.com...

```
From 6845427018429341955
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.tornevall.net!
not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the Telstar Electronics SkyWave 2879ABTC CB
Amplifier? IT WAS GARBAGE TOO!
Date: Wed, 19 Sep 2007 11:38:10 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 5
Message-ID: <fcrf10$egt$1@stable.tornevall.net>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net>   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<46f05178$0$18942$4c368faf@roadrunner.com>
<1190206510.490666.56380@y42g2000hsy.googlegroups.com>
NNTP-Posting-Host: fdaca2513d0ea578056c93ee41a44ad5
X-Trace: 5397ca022b916ba305a7097c51e9ee51
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
```

X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=5397ca022b916ba305a7097c51e9ee51
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:3814 rec.radio.amateur.equipment:922
rec.radio.amateur.homebrew:1032

IDIOT
"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1190206510.490666.56380@y42g2000hsy.googlegroups.com...

From -5202632795257278436
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "AUUDDIIOOO" <j@tx.rr.com>
Newsgroups: rec.radio.amateur.equipment
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189590604.238474.154600@r29g2000hsg.googlegroups.com>
Subject: Re: VoiceMax
Date: Wed, 19 Sep 2007 11:42:15 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 23
Message-ID: <46f1516d$0$11026$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 76.183.130.108
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:923

John Doe and Deek are full of shit,Deek is saying that if you compress audio its distorted, He is full of it.
Deek if you run a 300 or 1000, or 3000 Hz signal into a good compressor, since the circuit its only a controlled gain amp, the sinewave will come out not distorted. Thats like saying that a volume control will distort the audio. This is why I dislike EE, they think everybody should bend over to them because the got a degree. Hell I have seen some EE that could not tie their own shoes. You said you served as Chief Engineer on a major Military System, does that make you special, it that why most programs are full of the blind leading the blind, costing us Millions.
I have seen many like you and notice if they ever brag about how smart they

are usally means that they are full of shit trying to impress the
one without brains.

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1189590604.238474.154600@r29g2000hsg.googlegroups.com...
> http://www.telstar-electronics.com/default_files/NewProductDevelopment.htm
>

```
From 4794734545985891791
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2007 12:42:50 -0500
Date: Wed, 19 Sep 2007 13:42:51 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Telstar Electronics VoiceMax IS GARBAGE!
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<46f05178$0$18942$4c368faf@roadrunner.com>
In-Reply-To: <46f05178$0$18942$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <1P6dncbkOq8HwmzbnZ2dnUVZ_ualnZ2d@comcast.com>
Lines: 60
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.128.231.189
X-Trace: sv3-RsMNw+TFNHheWvjJzyoUvz5l2l+E1tX1HmgfeF3EmbTp4p9jymF/
P3lvCIgH5+DJrsv6LxQXv9oK1NT!sC5/
LAzcfVIG0mTsEUtnsLZtjLunlpkPuDcXO8G8UQC+nmpBXa5LrhwhC2fdxPuFU31KaqZetcn1!
AGfCVl1FelqGl2MJhd+M0rEdGs78tG8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.cb:3820 rec.radio.amateur.equipment:924 rec.radio.amateur.homebrew:1033

I conclude that the VOICEMAX issue has died, has had the funeral and now should be buried.

Those who advocate high distortion levels and poor quality signals can spend their $$$ and buy it.

Those who prefer low distortion and clean sounding signals won't.

Let the trip to the cemetery begin.

/s/ Deek

AUUDDIIOOO wrote:

> "john lyon" <john.lyon@nospamhere.co.uk> wrote in message
> news:46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com...
>
>>"Radioisfun" <radioisfun@home.com> wrote in message
>>news:fcot1n$e72$1@stable.tornevall.net...
>>
>>>IDIOT!
>>>
>>>"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
>>>news:1190119260.907695.198810@g4g2000hsf.googlegroups.com...
>>>
>>
>>We know, it has been ripped apart on this newsgroup a few times. It's not
>>a good product. If fitted without using the correct alignment procedures
>>and test equipment it will ruin performance and cause splattering over the
>>bands and generate harmonics. Not many people who have the "really loud =
>>really far" mentality will know how to use test equipment, they tend to be
>>the ones with a lack of knowledge. Maybe the type who believe polishing
>>the aerial will lower the VSWR!
>>The circuit has no RF filtering for a start, it is not screened in any
>>way, it has a light that you will never see once the radio is put back
>>together and it will have no benefit over the microphone that was designed
>>to operate with the radio. It will cause distortion and harmonics unless
>>the radio is realigned using test gear. If you use that on AM/SSB you
>>will sound terrible, it is a waste of time. There is no way that the
>>circuit differentiates between a voice and background noises, so raising
>>the level many times and keeping it at 100% will mean that the sound will
>>just be a "noise". Compare that to a normal mic, audio nearer to it such
>>as the operator voice will be louder than what is in the background.
>>The product is out of date, has no market and probably would have been
>>better 20+ years ago.
>>
>>I certainly wouldn't recommend it, from a radio engineers point of view.

```
>>
>>
>>
>>
>
>   Just like so called Engineers, your a dumb ass John.
> Your are an Engineer? What a Trash truck radio Engineer?
>
> There is a noise gate built in. Read his Good web site.
>  Just wondered on what happened to the Power amp He had.
>
>
```

```
From 6889601653610204386
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y42g2000hsy.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Transceiver Speech Processor
Date: Wed, 19 Sep 2007 10:51:23 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1190224283.719440.248950@y42g2000hsy.googlegroups.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
   <fc6koh$dv9$1@stable.tornevall.net>
   <1189704966.569281.313610@22g2000hsm.googlegroups.com>
   <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <46f05178$0$18942$4c368faf@roadrunner.com>
   <1P6dncbkOq8HwmzbnZ2dnUVZ_ualnZ2d@comcast.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190224283 21898 127.0.0.1 (19 Sep 2007 17:51:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Sep 2007 17:51:23 +0000 (UTC)
In-Reply-To: <1P6dncbkOq8HwmzbnZ2dnUVZ_ualnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y42g2000hsy.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3821 rec.radio.amateur.equipment:925
```

rec.radio.amateur.homebrew:1034

On Sep 19, 12:42 pm, Deek <D...@comcast.net> wrote:
> I conclude that the VOICEMAX issue has died, has had the funeral and now should
> be buried.
> Those who advocate high distortion levels and poor quality signals can spend
> their $$$ and buy it.
> Those who prefer low distortion and clean sounding signals won't.
> Let the trip to the cemetery begin.

Thanks for your conclusion. Maybe you should contact the engineers at
Analog Devices and explain to them that their SSM2166 chip is just
plain no good. I'm sure they'd be happy to hear from you... lol
www.telstar-electonics.com

```
From -4061668079702083O1
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2007 12:57:44 -0500
Date: Wed, 19 Sep 2007 13:57:45 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189590604.238474.154600@r29g2000hsg.googlegroups.com>
<46f1516d$0$11026$4c368faf@roadrunner.com>
In-Reply-To: <46f1516d$0$11026$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <rrudnWMGeOCF_mzbnZ2dnUVZ_sytnZ2d@comcast.com>
Lines: 36
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.128.231.189
X-Trace: sv3-EO15OXkmEYdPc2m7RnWuz1dakvFQuD5Np5FI5WJifBIkkL19DjCbtGd/
Fr7SyX9Ed1pnt9hU2DZRuRC!
CTHxZqXGsFEIK068+9ViiFVImLHej9oGLkG+CeE6FkCqY5RKdPQyBMHUwvn7zLnmCKZP37WBhr+k!
8Gquh5Pjnyk5MZFOOVRTetlVrW0A/B4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
```

Xref: g2news2.google.com rec.radio.amateur.equipment:926

AUUDDIIOOO wrote:

> John Doe and Deek are full of shit,Deek is saying that if you compress audio
> its distorted, He is full of it.
>   Deek if you run a 300 or 1000, or 3000 Hz signal into a good compressor,
> since the circuit its only a controlled gain amp, the sinewave will come
> out not distorted.

Simple test. Use a dual channel oscilloscope.

Display the input signal on one channel.

Display the output signal on the other.

Normalize the gain at one frequency, and don't touch the gain for the duration of the test.

Adjust both traces to overlap each other.

Insert a swept frequency audio signal into the device. If the two traces are not identical, the circuit introduces DISTORTION.

A brief course in Fourier transforms will convince you that a distorted sine wave signal is still a series of sine waves, the fundamental, the 2nd, 3rd, 4th harmonic, etc. The existence of those harmonics is by definition DISTORTION.

Your choice of expletives indicates either: you are losing the discussion and have decided to shout louder; or, you are still in need of further intellectual development. I recommend you spend 4 or 5 years earning an EE degree from an accredited university.

You may desire distortion for some purpose, but it is still distortion.

/s/ Deek

From -5909509753130763423
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2007 12:58:53 -0500
Date: Wed, 19 Sep 2007 13:58:54 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624

```
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Transceiver Speech Processor
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net>   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<46f05178$0$18942$4c368faf@roadrunner.com>
<1P6dncbkOq8HwmzbnZ2dnUVZ_ualnZ2d@comcast.com>
<1190224283.719440.248950@y42g2000hsy.googlegroups.com>
In-Reply-To: <1190224283.719440.248950@y42g2000hsy.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <rrudnWIGeODA_mzbnZ2dnUVZ_szinZ2d@comcast.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.128.231.189
X-Trace: sv3-
SqXEK9KyEMLFfIUGRMpSIT3Jw+NXcKIp1OnN+Ba96UZ94gJhL2JAMPV9GzS+s0loPEODXPtI6xWS+JA!
sw/dG92onpM22f3AEiInlOGNN/BnYDWuXpcdkLotJPSzPzWlDxIy40p0EcxQ3BCtS3u+3mzIneyx!
SxO7vDyKOC/E4PeMsxXITI8/opv5fTo=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.cb:3824 rec.radio.amateur.equipment:927
rec.radio.amateur.homebrew:1035
```

Telstar Electronics wrote:

> On Sep 19, 12:42 pm, Deek <D...@comcast.net> wrote:
>
>>I conclude that the VOICEMAX issue has died, has had the funeral and now should
>>be buried.
>>Those who advocate high distortion levels and poor quality signals can spend
>>their $$$ and buy it.
>>Those who prefer low distortion and clean sounding signals won't.
>>Let the trip to the cemetery begin.
>
>
> Thanks for your conclusion. Maybe you should contact the engineers at
> Analog Devices and explain to them that their SSM2166 chip is just
> plain no good. I'm sure they'd be happy to hear from you... lol
> www.telstar-electonics.com
>

I'm sure they will acknowledge that it introduces controlled distortion.

From -9091734641909522510
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!19g2000hsx.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Transceiver Speech Processor
Date: Wed, 19 Sep 2007 11:12:37 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1190225557.606406.42120@19g2000hsx.googlegroups.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
   <fc6koh$dv9$1@stable.tornevall.net>
   <1189704966.569281.313610@22g2000hsm.googlegroups.com>
   <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <46f05178$0$18942$4c368faf@roadrunner.com>
   <1P6dncbkOq8HwmzbnZ2dnUVZ_ualnZ2d@comcast.com>
   <1190224283.719440.248950@y42g2000hsy.googlegroups.com>
   <rrudnWIGeODA_mzbnZ2dnUVZ_szinZ2d@comcast.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190225557 26504 127.0.0.1 (19 Sep 2007 18:12:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Sep 2007 18:12:37 +0000 (UTC)
In-Reply-To: <rrudnWIGeODA_mzbnZ2dnUVZ_szinZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 19g2000hsx.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3825 rec.radio.amateur.equipment:928 rec.radio.amateur.homebrew:1036

On Sep 19, 12:58 pm, Deek <D...@comcast.net> wrote:
> I'm sure they will acknowledge that it introduces controlled distortion.

I'm surprised at you... being a chief engineer and all... you should realize that in this audio application we're talking strictly about harmonic distortion. After all, that's what you can hear. In the Analog Devices datasheet (page2)... this is given for the SSM2166 as "Total Harmonic Distortion including internal chip noise" of typical

0.25%... and a maximum of 0.5%. These figures rival the finest audio equipment!
www.telstar-electronics.com

```
From 836903373213313777
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2007 13:19:34 -0500
Date: Wed, 19 Sep 2007 19:21:15 +0100
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Thunderbird 2.0.0.4 (X11/20070620)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax Transceiver Speech Processor
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net>   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<46f05178$0$18942$4c368faf@roadrunner.com>
<1P6dncbkOq8HwmzbnZ2dnUVZ_ualnZ2d@comcast.com>
<1190224283.719440.248950@y42g2000hsy.googlegroups.com>
<rrudnWIGeODA_mzbnZ2dnUVZ_szinZ2d@comcast.com>
In-Reply-To: <rrudnWIGeODA_mzbnZ2dnUVZ_szinZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_-GdnUimqNKr9WzbnZ2dnUVZ8sqjnZ2d@pipex.net>
Lines: 26
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 81.178.103.211
X-Trace: sv3-MdiMysco6b14gEJettf20f/
Agp+Cw7mBaLuWUxzDjzIUpV+Q+d5KCzMIznJMPQVyzFCZafQ5b8w2suU!
J+YDnKp2mkYQqJroQSTtZeCi99V1Ak9KA92Aq5ZqfuD+A9o2KPQ2+ay4gl0Oh5dxe3nY5s6MiVgO!
GxZZWk7KqQyDN3ud4+S0sSmCf/g=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.cb:3826 rec.radio.amateur.equipment:929
rec.radio.amateur.homebrew:1037
```

```
Deek wrote:
> Telstar Electronics wrote:
>
>> On Sep 19, 12:42 pm, Deek <D...@comcast.net> wrote:
>>
>>> I conclude that the VOICEMAX issue has died, has had the funeral and
>>> now should
>>> be buried.
>>> Those who advocate high distortion levels and poor quality signals
>>> can spend
>>> their $$$ and buy it.
>>> Those who prefer low distortion and clean sounding signals won't.
>>> Let the trip to the cemetery begin.
>>
>>
>> Thanks for your conclusion. Maybe you should contact the engineers at
>> Analog Devices and explain to them that their SSM2166 chip is just
>> plain no good. I'm sure they'd be happy to hear from you... lol
>> www.telstar-electonics.com
>>
>
> I'm sure they will acknowledge that it introduces controlled distortion.
=====================================
Which for radio voice comms does not matter all that much.

Frank     GM0CSZ / KN6WH


From -5036813579885374O9
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2007 13:28:26 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Telstar Electronics VoiceMax
Date: Wed, 19 Sep 2007 11:29:40 -0700
Message-ID: <ijp2f391j6700hm9jpmouprhaui8odifvu@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<uja2f31pgreo56o3gtn1gtfrs42t2f3g0q@4ax.com>
<1190215738.351609.256920@r29g2000hsg.googlegroups.com>
X-Newsreader: Forte Free Agent 1.92/32.572
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.186.148
X-Trace: sv3-lGt92mykFcGZzbwPFsZZ/
aEcnFzCtR0bUx006kINuBOhbJslkDPFYdUl1VyJ+RXzwBE5EtPzjQy7oy6!
5eJiLGCyXyCoLZY3MWUqP9GGdywY/eNJkqFrZ1qDcwzbPQ7T8sEWGIYFJQiOtyhQNBXpKr8tknk/!
OmtXQGIPJCJvteMYgEu5TJ5PuEpK4Q==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.cb:3827 rec.radio.amateur.equipment:930
rec.radio.amateur.homebrew:1038

On Wed, 19 Sep 2007 08:28:58 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

>On Sep 19, 9:05 am, Wes Stewart <n7ws*@*yahoo.com> wrote:
>> I am no fan of Telstar and his spam marketing on these groups and many
>> of his claims are BS.
>> That said, you seem to know little more about the subject than does
>> he.
>> BTW, to see the performance of this thing without the hype:
>
>Wes, I'm curious... what is this "hype" you are talking about? I would
>like to address that directly.


First why don't you address the spam marketing part?

Then you can simply look the word "hype" up in a dictionary.  It's a
simple word with a more precise meaning than "fuzzy audio", for
example.



From -7354937911467943711
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.trueband.net!news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2007 13:37:55 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
```

```
Date: Wed, 19 Sep 2007 11:39:09 -0700
Message-ID: <dpq2f3hsts1pr6lesd7onpfge4m83jpskl@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189590604.238474.154600@r29g2000hsg.googlegroups.com>
<46f1516d$0$11026$4c368faf@roadrunner.com>
<rrudnWMGeOCF_mzbnZ2dnUVZ_sytnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.186.148
X-Trace: sv3-dyk61zF0HF7HBZ+0kxCR3N/ngXVbxhBUyUNl5jZhjr4FtCHLaPG+PbTE5SM9EL6L/
WmYPiTwM0k3aRx!GYVs4zWb3ttCjWnlHb5uhzWaEcX0nj01WKjlZ624f/
4WmCgZOUWz21TUFqRLOGC8iQIA+VfeQRIW!8vc4QwxrrH6+jx3Drl6XiIG256RmYA==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:931

On Wed, 19 Sep 2007 13:57:45 -0400, Deek <Deek@comcast.net> wrote:

>AUUDDIIOOO wrote:
>
>> John Doe and Deek are full of shit,Deek is saying that if you compress audio
>> its distorted, He is full of it.
>>   Deek if you run a 300 or 1000, or 3000 Hz signal into a good compressor,
>> since the circuit  its only a controlled gain amp, the sinewave will come
>> out not distorted.
>
>Simple test. Use a dual channel oscilloscope.
>
>Display the input signal on one channel.
>
>Display the output signal on the other.
>
>Normalize the gain at one frequency, and don't touch the gain for the duration
>of the test.
>
>Adjust both traces to overlap each other.
>
>Insert a swept frequency audio signal into the device. If the two traces are not
>identical, the circuit introduces DISTORTION.

So a bandpass filter for example is a distortion generator?  Better
tip off all of those BC stations and recording studios that are using
equalizers.

>
```

>A brief course in Fourier transforms will convince you that a distorted sine
>wave signal is still a series of sine waves, the fundamental, the 2nd, 3rd, 4th
>harmonic, etc. The existence of those harmonics is by definition DISTORTION.

I see. So a perfect sine wave run through a perfect clipper will
generate a 2nd harmonic?

From 3623298121123987184
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g4g2000hsf.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Telstar Electronics VoiceMax
Date: Wed, 19 Sep 2007 11:40:43 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1190227243.841922.129620@g4g2000hsf.googlegroups.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
   <fc6koh$dv9$1@stable.tornevall.net>
   <1189704966.569281.313610@22g2000hsm.googlegroups.com>
   <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <uja2f31pgreo56o3gtn1gtfrs42t2f3g0q@4ax.com>
   <1190215738.351609.256920@r29g2000hsg.googlegroups.com>
   <ijp2f391j6700hm9jpmouprhaui8odifvu@4ax.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190227244 32703 127.0.0.1 (19 Sep 2007 18:40:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Sep 2007 18:40:44 +0000 (UTC)
In-Reply-To: <ijp2f391j6700hm9jpmouprhaui8odifvu@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g4g2000hsf.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3828 rec.radio.amateur.equipment:932
rec.radio.amateur.homebrew:1039

On Sep 19, 1:29 pm, Wes Stewart <n7ws*@*yahoo.com> wrote:
> First why don't you address the spam marketing part?

> Then you can simply look the word "hype" up in a dictionary. It's a
> simple word with a more precise meaning than "fuzzy audio", for
> example.

OK... just as I suspected... you have no legitimate concern.
www.telstar-electronics.com

From -7917878798667664970
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!auth.beige.octanews.com.POSTED!not-for-mail
From: geek <geek@localhost.localdomain>
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Wed, 19 Sep 2007 13:01:14 -0700
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))
Message-Id: <pan.2007.09.19.20.01.14.754637@localhost.localdomain>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<46f05178$0$18942$4c368faf@roadrunner.com>
<1190206510.490666.56380@y42g2000hsy.googlegroups.com>
Followup-To: rec.radio.amateur.homebrew
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 11
Organization: Octanews
NNTP-Posting-Date: 19 Sep 2007 15:01:16 CDT
X-Complaints-To: abuse@octanews.net
Xref: g2news2.google.com rec.radio.cb:3831 rec.radio.amateur.equipment:933
rec.radio.amateur.homebrew:1040

Hi,

On Wed, 19 Sep 2007 05:55:10 -0700, Telstar Electronics wrote:

> The SkyWave 2879ABTC was discontinued because of a poor profit margin.

Raising the price was not an option?

Cheers,
--

```
Gregg


From -3875854984757951670
X-Google-Thread: 108122,2bbc75269212fe66,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!aioe.org!
news.newsland.it!nntp.infostrada.it!twister2.libero.it.POSTED!not-for-mail
From: "mauri" <maREMOVEBEFOREREPLYurinot@libero.it>
Newsgroups: rec.radio.amateur.equipment
Subject: GPS Garmin OEM 25 LVS, 12 ch, HIGH-PERFORMANCE...........
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000775-2, 18/09/2007), Outbound message
X-Antivirus-Status: Clean
Message-ID: <ZqfIi.115903$%k.261896@twister2.libero.it>
Date: Wed, 19 Sep 2007 20:14:49 GMT
NNTP-Posting-Host: 151.46.165.206
X-Complaints-To: abuse@libero.it
X-Trace: twister2.libero.it 1190232889 151.46.165.206 (Wed, 19 Sep 2007 22:14:49
MET DST)
NNTP-Posting-Date: Wed, 19 Sep 2007 22:14:49 MET DST
Organization: [Infostrada]
Xref: g2news2.google.com rec.radio.amateur.equipment:934

GPS Garmin OEM 25 LVS , 12 ch, HIGH-PERFORMANCE DGPS !!
APRS - Tracking - 1 PPS - Time and Frequency Standard

http://cgi.ebay.it/ws/eBayISAPI.dll?
ViewItem&item=320160463174&ssPageName=ADME:L:LCA:IT:11






From 4241265235534908959
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "AUUDDIIOOO" <j@tx.rr.com>
Newsgroups: rec.radio.amateur.equipment
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189590604.238474.154600@r29g2000hsg.googlegroups.com>
<46f1516d$0$11026$4c368faf@roadrunner.com>
```

<rrudnWMGeOCF_mzbnZ2dnUVZ_sytnZ2d@comcast.com>
<dpq2f3hsts1pr6lesd7onpfge4m83jpskl@4ax.com>
Subject: Re: VoiceMax
Date: Wed, 19 Sep 2007 16:27:39 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 54
Message-ID: <46f19459$0$32559$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 76.183.130.108
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:935

Like I said Deek needs to tech first graders.
He can BS them, not us EEers.

Wes Stewart" <n7ws*@*yahoo.com> wrote in message
news:dpq2f3hsts1pr6lesd7onpfge4m83jpskl@4ax.com...
> On Wed, 19 Sep 2007 13:57:45 -0400, Deek <Deek@comcast.net> wrote:
>
>>AUUDDIIOOO wrote:
>>
>>> John Doe and Deek are full of shit,Deek is saying that if you compress
>>> audio
>>> its distorted, He is full of it.
>>>   Deek if you run a 300 or 1000, or 3000 Hz signal into a good
>>> compressor,
>>> since the circuit its only a controlled gain amp, the sinewave will
>>> come
>>> out not distorted.
>>
>>Simple test. Use a dual channel oscilloscope.
>>
>>Display the input signal on one channel.
>>
>>Display the output signal on the other.
>>
>>Normalize the gain at one frequency, and don't touch the gain for the
>>duration
>>of the test.
>>
>>Adjust both traces to overlap each other.
>>
>>Insert a swept frequency audio signal into the device. If the two traces
>>are not
>>identical, the circuit introduces DISTORTION.
>
> So a bandpass filter for example is a distortion generator? Better

> tip off all of those BC stations and recording studios that are using
> equalizers.
>
>>
>>A brief course in Fourier transforms will convince you that a distorted
>>sine
>>wave signal is still a series of sine waves, the fundamental, the 2nd,
>>3rd, 4th
>>harmonic, etc. The existence of those harmonics is by definition
>>DISTORTION.
>
> I see. So a perfect sine wave run through a perfect clipper will
> generate a 2nd harmonic?
>
>

From 6184779681194872225
X-Google-Thread: 108122,a4a440a5d2b73880,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.germany.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Emergency Generators That Interfere
Date: Wed, 19 Sep 2007 20:19:37 -0400
Organization: Aioe.org NNTP Server
Lines: 25
Message-ID: <fmmck-3905A5.20193619092007@nntp.aioe.org>
NNTP-Posting-Host: /GFQ9CK0XOx2y9oSSOaOfw.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:936

Ignition noise is not the only way a generator can interfere with radio reception.

A Honda "inverter" generator was used at this year's Field Day, but it caused a broad-band noise on the HF bands. Locating the generator as far as possible from antennas helped.

An inverter generator produces 3-phase AC power, rectifies it and drives a DC-to-AC inverter that produces 60 Hz power. Result is a lighter-weight generator, and greater efficiency can be achieved by reducing engine speed when less power is used. Honda's also have extremely low acoustic noise levels.

A call from the Honda dealer to Honda Technical Support received a reply that you have to use a LONG extension cord because inverters generate radio interference! I have since used a portable AM/Short-wave radio to check the Honda generator as well as one from Yamaha. Both wiped-out reception up to the 18 MHz range of the radio, when the radio was within several feet of the generator.

Does anyone have experience cleaning-up the interference from the inverter in one of these generators?

Fred
K4DII

From -5058646354553926028
X-Google-Thread: 108122,a4a440a5d2b73880
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.251.MISMATCH!transit4.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!panix!panix1.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Emergency Generators That Interfere
Date: Wed, 19 Sep 2007 20:36:52 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 55
Message-ID: <Pine.NEB.4.64.0709192027190.12996@panix1.panix.com>
References: <fmmck-3905A5.20193619092007@nntp.aioe.org>
NNTP-Posting-Host: panix1.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader1.panix.com 1190248612 13600 166.84.1.1 (20 Sep 2007 00:36:52 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 20 Sep 2007 00:36:52 +0000 (UTC)
In-Reply-To: <fmmck-3905A5.20193619092007@nntp.aioe.org>
Xref: g2news2.google.com rec.radio.amateur.equipment:937

On Wed, 19 Sep 2007, Fred McKenzie wrote:

> Ignition noise is not the only way a generator can interfere with radio reception.
>
> A Honda "inverter" generator was used at this year's Field Day, but it caused a broad-band noise on the HF bands. Locating the generator as far as possible from antennas helped.
>
> An inverter generator produces 3-phase AC power, rectifies it and drives a DC-to-AC inverter that produces 60 Hz power. Result is a lighter-weight generator, and greater efficiency can be achieved by reducing engine speed when less power is used. Honda's also have extremely low acoustic noise levels.
>
> A call from the Honda dealer to Honda Technical Support received a reply

> that you have to use a LONG extension cord because inverters generate
> radio interference! I have since used a portable AM/Short-wave radio to
> check the Honda generator as well as one from Yamaha. Both wiped-out
> reception up to the 18 MHz range of the radio, when the radio was within
> several feet of the generator.
>
> Does anyone have experience cleaning-up the interference from the
> inverter in one of these generators?
>
> Fred
> K4DII
>

I don't know, but short of a lot of filtering (and figure X db power losses from the filter) and sheilding might help.

I was annoyed by these lightweight inverters that are basically souped up switching power suplies (even the ones in computers are cleaner), but I finally bought an old dynamotor from Fair Radio Sales (Lima, Ohio) that ran 24 volts in (two deep cycle marine batteries in series, here) and nameplate output is 117 VAC at 60 cps, max 300+ watts continuous duty and about 600 watts input, DC at 24 v, and 25 amps. It is very very clean and I can hook up radios and just about hear no RF noise. It even runs at 12 vdc input and reduced output voltage, maybe 50-60 volts ac, but sounds like a lower speed, too, so maybe like 40 cycles per second.

If you get one (they are about $75 now), you need to spin the commutator a few times to wipe off the copper oxide build up, then it takes off like it should.

So, if you have 90-95% efficiency in a inverter-generator, and build a RF filter that causes--assuming--3 db insertion loss, you're ending up at 50% efficiency anyway and you still have to worry about resonances, impedances, power handling, inductances, capacitances, etc.

Your other option is just run all solid state gear off batteries (and solar cells?) if you want no noise and simplicity.

From -5318839080366655396
X-Google-Thread: 108122,4749ab861292bc66,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-mail
From: W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: SGC Automatic HF Antenna Tuner - MAC-200
Date: Wed, 19 Sep 2007 17:42:17 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1190248937.972788.326460@57g2000hsv.googlegroups.com>
NNTP-Posting-Host: 66.177.9.35

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1190248938 14006 127.0.0.1 (20 Sep 2007 00:42:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Sep 2007 00:42:18 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.7)
Gecko/20070914 Firefox/2.0.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=66.177.9.35;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:938

I have a Brand NEW SGC MAC-200 200 watt Automatic Antenna Tuner I
bought for a project a couple months ago. The project was canceled and
the tuner was never used.

This is a 200 watt Automatic Antenna Tuner that has inputs for 5
antennas. The tuner will either automatically find the best antenna or
you can switch the antennas manually. The unit is about two months old
and the one year warranty is still in effect. The unit requires a
small 13.8 vdc power source. I will find one and include it at no
extra cost.

This is a great companion for the SG-2000 or the SG-2020
transceivers. Click on this link for more information on this unit -
http://sgcworld.com/MACProductPage.html - .

I paid about $269 for it and I will sell it for $239 plus 9.85
shipping in the lower 48 states. Alaska, Hawaii and International
shipping is more. It comes in the original box with the manual.
Please contact me at: - iamw7gsa@gmail.com - .

Thanks, Bill.

From 2101417044829495552
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.arglkargh.de!
noris.net!storethat.news.telefonica.de!telefonica.de!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@TayleorRobesin.org
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Telstar Electronics VoiceMax
Date: Wed, 19 Sep 2007 13:22:21 -0400
Message-ID: <ilm2f3tgl9ovhq5p497777q8lqoe7p14fv@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>

```
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<uja2f31pgreo56o3gtn1gtfrs42t2f3g0q@4ax.com>
<1190215738.351609.256920@r29g2000hsg.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
NNTP-Posting-Date: 19 Sep 2007 16:31:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.cb:3838 rec.radio.amateur.equipment:940
rec.radio.amateur.homebrew:1045

On Wed, 19 Sep 2007 08:28:58 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

>On Sep 19, 9:05 am, Wes Stewart <n7ws*@*yahoo.com> wrote:
>> I am no fan of Telstar and his spam marketing on these groups and many
>> of his claims are BS.
>> That said, you seem to know little more about the subject than does
>> he.
>> BTW, to see the performance of this thing without the hype:
>
>Wes, I'm curious... what is this "hype" you are talking about? I would
>like to address that directly.
>www.telstar-electronics.com
i do truly admire the way you have these clowns helpsing advertise
your product

My hat is off to you

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

and get ou the newly recovered KB9RQZ.blogspot.com as well

G

--
Posted via a free Usenet account from http://www.teranews.com



From 5025710135423092282
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
```

```
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Wed, 19 Sep 2007 20:54:18 -0500
From: tnom@mucks.net
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Wed, 19 Sep 2007 21:53:59 -0400
Organization: Group One News Network
Message-ID: <3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<46f05178$0$18942$4c368faf@roadrunner.com>
<1190206510.490666.56380@y42g2000hsy.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-8D6HNb7WQ4o8oc2bI2ooLfaLFAqENV6bqtWmr5ctTvUtMOhplyc/
Yj+A14n7b3zpTOYi+3f5mZ9j+le!
ECSG90Qw2ZJboY4wqRhQbEcFRd+J226rcQMFJXSUWXtwa+qmVDR2ThgJX0gkry/+he9Rqg==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.cb:3839 rec.radio.amateur.equipment:941
rec.radio.amateur.homebrew:1046


>The SkyWave 2879ABTC was discontinued because of a poor profit margin.
>We hated to do it... but with the temperature compensating biasing...
>and all the premium components and chassis... it was just too costly
>to manufacture.

Why on earth would you put temperature compensating components
into this product. As far as I know no other doorstop on the market
uses them.


From 2826866982123364487
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2007 21:00:32 -0500
Date: Wed, 19 Sep 2007 22:00:37 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189590604.238474.154600@r29g2000hsg.googlegroups.com>
<46f1516d$0$11026$4c368faf@roadrunner.com>
<rrudnWMGeOCF_mzbnZ2dnUVZ_sytnZ2d@comcast.com>
<dpq2f3hsts1pr6lesd7onpfge4m83jpskl@4ax.com>
In-Reply-To: <dpq2f3hsts1pr6lesd7onpfge4m83jpskl@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <NIGdnXURzZzdSWzbnZ2dnUVZ_tSknZ2d@comcast.com>
Lines: 44
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.128.231.189
X-Trace: sv3-kDxJo+mVyEsblFMYKff/nYe7Hs0KYy9JbjhQvhdX3j8GfrORhRlaJMOxOe9HSJLKC1X/
bcrPomy2SlE!o1ZDdryzigrBy/eQi5f2SHIh6x/3MRBQpaam/gPZfRAVxGFqN/UFHkqeFFRrn/
MJ4vNWlprpRVFz!jRYciaskL9myKstHfZgceKfPWQGswgE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:942
```

Wes Stewart wrote:

>SNIPPED
>
> So a bandpass filter for example is a distortion generator?

Absolutely! The output does NOT replicate the input. That is distortion!

Your definition of distortion is limited to harmonic distortion. There are other forms of distortion that have been used throughout the industry for years.

When the output does not faithfully replicate the input, including any gain factor, it is distortion. So, a bandpass filter absolutely introduces distortion when it is used to exclude components of a broad band of signals.

Better
> tip off all of those BC stations and recording studios that are using

> equalizers.

recording studios know exactly what they are doing. they are selectively distorting the audio to achieve a desired effect. See my other post on this topic.

>
>
>>A brief course in Fourier transforms will convince you that a distorted sine
>>wave signal is still a series of sine waves, the fundamental, the 2nd, 3rd, 4th
>>harmonic, etc. The existence of those harmonics is by definition DISTORTION.
>
>
> I see. So a perfect sine wave run through a perfect clipper will
> generate a 2nd harmonic?
>
>

In the general cse the distortion products for all frequency components have to be considered in the analysis. The coefficients for any one or more frequency components can have a zero value.

A perfect sine wave running through a perfect clipper will produce a square wave that is harmonically an infinite series of odd valued frequency components.

A device that cause an amplitude variation as a function of frequency does not replicate the input signal. By definition that is distortion [I naver stated that it is harmonic distortion. Your definition of distortion is incomplete.]

From -7690844856479777878
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Sep 2007 22:22:26 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
Date: Wed, 19 Sep 2007 20:23:40 -0700
Message-ID: <dao3f35bini352uf57e4lcgdcng7lo75dd@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189590604.238474.154600@r29g2000hsg.googlegroups.com>
<46f1516d$0$11026$4c368faf@roadrunner.com>
<rrudnWMGeOCF_mzbnZ2dnUVZ_sytnZ2d@comcast.com>
<dpq2f3hsts1pr6lesd7onpfge4m83jpskl@4ax.com>
<NIGdnXURzZzdSWzbnZ2dnUVZ_tSknZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 77

```
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.246.41
X-Trace: sv3-dirSzeWFNSM99RulNZsnRKcB4aG7MEIXQJfVEM6Y4Vf/
3xueLsLXGpRjxAw58oUYHPUeBZSrkaSzaAG!
gCMMywzQxRvlz0Yw5FuCoMR5H29fzaTtxm6uCIAQfgt+lLC1fjoZJGVOr/A3Xrx82C34af38AeWB!
9bgEkD5FLeeHmACtPJYNlPW6sGTH
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:943

On Wed, 19 Sep 2007 22:00:37 -0400, Deek <Deek@comcast.net> wrote:

>Wes Stewart wrote:
>
>>SNIPPED
>>
>> So a bandpass filter for example is a distortion generator?
>
>Absolutely!  The output does NOT replicate the input. That is distortion!
>
>Your definition of distortion is limited to harmonic distortion. There are other
>forms of distortion that have been used throughout the industry for years.

Don't put words in my mouth.  I asked *you* whether *you* thought a
BPF was a distortion generator.  Now we know your position.  Any
device that doesn't have DC to daylight frequency response and a
perfect, infinite headroom, linear transfer function causes
distortion.  Gotcha.

>
>When the output does not faithfully replicate the input, including any gain
>factor, it is distortion. So, a bandpass filter absolutely introduces distortion
>when it is used to exclude components of a broad band of signals.
>
>Better
>> tip off all of those BC stations and recording studios that are using
>> equalizers.
>
>recording studios know exactly what they are doing. they are selectively
>distorting the audio to achieve a desired effect. See my other post on this
topic.

Uh huh.  So recording studio personnel know what they are doing, but
when I said earlier:

"Since the purpose of a communication system (unless you're just
peddling hardware) is to communicate, then one has to look at the
trade-off between distortion and intelligibility.  If purposefully
"distorting" the signal by frequency shaping, compression, clipping or
```

any combination thereof improves the intelligibility at the other end
of the circuit then "distortion" is a good thing, semantics aside."

I didn't know what I'm talking about. Right?

>>>A brief course in Fourier transforms will convince you that a distorted sine
>>>wave signal is still a series of sine waves, the fundamental, the 2nd, 3rd, 4th
>>>harmonic, etc. The existence of those harmonics is by definition DISTORTION.

And of course you believe that you are the only one in this discussion
that understands Fourier transforms.

>>
>>
>> I see. So a perfect sine wave run through a perfect clipper will
>> generate a 2nd harmonic?
>>
>>
>In the general cse the distortion products for all frequency components have to
>be considered in the analysis. The coefficients for any one or more frequency
>components can have a zero value.

Why are you slipping into the "general case" when everything else you
have put forth is in absolute terms?

>
>A perfect sine wave running through a perfect clipper will produce a square wave
>that is harmonically an infinite series of odd valued frequency components.

Which is different from "a series of sine waves, the fundamental, the
2nd, 3rd, 4th harmonic, etc."

>
>A device that cause an amplitude variation as a function of frequency does not
>replicate the input signal. By definition that is distortion [I naver stated
>that it is harmonic distortion. Your definition of distortion is incomplete.]

You are "distorting" what I said, I never offered any definitions.

From -4984224158361090656
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "AUUDDIIOOO" <j@tx.rr.com>
Newsgroups: rec.radio.amateur.equipment
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189590604.238474.154600@r29g2000hsg.googlegroups.com>
<46f1516d$0$11026$4c368faf@roadrunner.com>

```
<rrudnWMGeOCF_mzbnZ2dnUVZ_sytnZ2d@comcast.com>
<dpq2f3hsts1pr6lesd7onpfge4m83jpskl@4ax.com>
<NIGdnXURzZzdSWzbnZ2dnUVZ_tSknZ2d@comcast.com>
<dao3f35bini352uf57e4lcgdcng7lo75dd@4ax.com>
Subject: Re: VoiceMax
Date: Wed, 19 Sep 2007 22:49:33 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 100
Message-ID: <46f1eddb$0$28886$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 76.183.130.108
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:944

Deeks Mind is distorted.
Is he a Ham operator, I hope Not, it gives the rest of us a bad rap.



"Wes Stewart" <n7ws*@*yahoo.com> wrote in message
news:dao3f35bini352uf57e4lcgdcng7lo75dd@4ax.com...
> On Wed, 19 Sep 2007 22:00:37 -0400, Deek <Deek@comcast.net> wrote:
>
>>Wes Stewart wrote:
>>
>>>SNIPPED
>>>
>>> So a bring filter for example is a distortion generator?
>>
>>Absolutely!  The output does NOT replicate the input. That is distortion!
>>
>>Your definition of distortion is limited to harmonic distortion. There are
>>other
>>forms of distortion that have been used throughout the industry for years.
>
> Don't put words in my mouth.  I asked *you* whether *you* thought a
> BPF was a distortion generator.  Now we know your position.  Any
> device that doesn't have DC to daylight frequency response and a
> perfect, infinite headroom, linear transfer function causes
> distortion.  Gotcha.
>
>>
>>When the output does not faithfully replicate the input, including any
>>gain
>>factor, it is distortion. So, a bandpass filter absolutely introduces
>>distortion
>>when it is used to exclude components of a broad band of signals.
>>
>>Better
```

```
>>> tip off all of those BC stations and recording studios that are using
>>> equalizers.
>>
>>recording studios know exactly what they are doing. they are selectively
>>distorting the audio to achieve a desired effect. See my other post on
>>this topic.
>
> Uh huh.  So recording studio personnel know what they are doing, but
> when I said earlier:
>
> "Since the purpose of a communication system (unless you're just
> peddling hardware) is to communicate, then one has to look at the
> trade-off between distortion and intelligibility.  If purposefully
> "distorting" the signal by frequency shaping, compression, clipping or
> any combination thereof improves the intelligibility at the other end
> of the circuit then "distortion" is a good thing, semantics aside."
>
> I didn't know what I'm talking about.  Right?
>
>
>>>>A brief course in Fourier transforms will convince you that a distorted
>>>>sine
>>>>wave signal is still a series of sine waves, the fundamental, the 2nd,
>>>>3rd, 4th
>>>>harmonic, etc. The existence of those harmonics is by definition
>>>>DISTORTION.
>
> And of course you believe that you are the only one in this discussion
> that understands Fourier transforms.
>
>>>
>>>
>>> I see.  So a perfect sine wave run through a perfect clipper will
>>> generate a 2nd harmonic?
>>>
>>>
>>In the general cse the distortion products for all frequency components
>>have to
>>be considered in the analysis. The coefficients for any one or more
>>frequency
>>components can have a zero value.
>
> Why are you slipping into the "general case" when everything else you
> have put forth is in absolute terms?
>
>>
>>A perfect sine wave running through a perfect clipper will produce a
>>square wave
>>that is harmonically an infinite series of odd valued frequency
>>components.
>
> Which is different from "a series of sine waves, the fundamental, the
> 2nd, 3rd, 4th harmonic, etc."
```

>
>>
>>A device that cause an amplitude variation as a function of frequency does
>>not
>>replicate the input signal. By definition that is distortion [I naver
>>stated
>>that it is harmonic distortion. Your definition of distortion is
>>incomplete.]
>
> You are "distorting" what I said, I never offered any definitions.

```
From 1765896093026244520
X-Google-Thread: 108122,377f74ce1b0582cd,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-
online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "9A4QV" <adam9a4qv(remove)@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: LT-2S transverter power module problem
Date: Thu, 20 Sep 2007 08:57:46 +0200
Organization: T-Com
Lines: 15
Message-ID: <fct5k8$r6b$1@ss408.t-com.hr>
NNTP-Posting-Host: 78-2-37-114.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1190271432 27851 78.2.37.114 (20 Sep 2007 06:57:12 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Thu, 20 Sep 2007 06:57:12 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Antivirus: avast! (VPS 000775-3, 19.09.2007), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com rec.radio.amateur.equipment:945
```

Hello,

I have LT-2S (first model) not working properly, somebody "repair" power
module and insert some odd power transistors.

There is no information on manual, which original power transistors are
used, so anybody knows, please let me know.

What I found inside is: BLY87A and 2N6080???.

Thanks, Adam

```
From -2502189839112O5786
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Thu, 20 Sep 2007 02:54:33 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1190282073.743844.219280@22g2000hsm.googlegroups.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
   <fc6koh$dv9$1@stable.tornevall.net>
   <1189704966.569281.313610@22g2000hsm.googlegroups.com>
   <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <46f05178$0$18942$4c368faf@roadrunner.com>
   <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
   <3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
NNTP-Posting-Host: 76.197.200.102
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190282074 1674 127.0.0.1 (20 Sep 2007 09:54:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Sep 2007 09:54:34 +0000 (UTC)
In-Reply-To: <3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=76.197.200.102;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3842 rec.radio.amateur.equipment:946
rec.radio.amateur.homebrew:1048
```

On Sep 19, 8:53 pm, t...@mucks.net wrote:

> Why on earth would you put temperature compensating components
> into this product. As far as I know no other doorstop on the market
> uses them.

Not temp compensating components... temp compensating bias.

www.telstar-electronics.com

```
From -4705376548259232474
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o80g2000hse.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax
Date: Thu, 20 Sep 2007 04:26:40 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1190287600.052111.284040@o80g2000hse.googlegroups.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
   <fc6koh$dv9$1@stable.tornevall.net>
   <1189704966.569281.313610@22g2000hsm.googlegroups.com>
   <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <uja2f31pgreo56o3gtn1gtfrs42t2f3g0q@4ax.com>
   <1190215738.351609.256920@r29g2000hsg.googlegroups.com>
   <ilm2f3tgl9ovhq5p497777q8lqoe7p14fv@4ax.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190287600 21765 127.0.0.1 (20 Sep 2007 11:26:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Sep 2007 11:26:40 +0000 (UTC)
In-Reply-To: <ilm2f3tgl9ovhq5p497777q8lqoe7p14fv@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o80g2000hse.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3846 rec.radio.amateur.equipment:947
rec.radio.amateur.homebrew:1050
```

On Sep 19, 12:22 pm, M...@TayleorRobesin.org wrote:

> i do truly admire the way you have these clowns helpsing advertise
> your product
> My hat is off to you.

Funny how it works that way... lol
www.telstar-electronics.com

From 4953313427136596907
X-Google-Thread: 108122,a4a440a5d2b73880
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!fd24bd7a!not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Emergency Generators That Interfere
References: <fmmck-3905A5.20193619092007@nntp.aioe.org>
<1190288856.112672.117430@d55g2000hsg.googlegroups.com>
In-Reply-To: <1190288856.112672.117430@d55g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 37
Message-ID: <DHtIi.16720$B25.11106@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956aa8b238aa2f708cb2686041980b0253511fad036c8c738af1efbe444ff8267d2a3e396299639a601745a32cf2bc766a40800fb1b4bdc195b5848172bdfed195fccca5d136467c9c7e9f2d73948b561946090e8a5665b184e99f1fdbcbc40bc592024b78a08aa220007c4e827bffbe80d6e9b8291a1cb885b
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Thu, 20 Sep 2007 12:28:19 UTC
Date: Thu, 20 Sep 2007 12:28:19 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:949

Telstar Electronics wrote:
> On Sep 19, 7:19 pm, Fred McKenzie <fm...@aol.com> wrote:
>
>>...
>>A Honda "inverter" generator was used at this year's Field Day, but it
>>caused a broad-band noise on the HF bands...wiped-out
>>reception up to the 18 MHz range of the radio, when the radio was within
>>several feet of the generator.
>>
>>Does anyone have experience cleaning-up the interference from the
>>inverter in one of these generators?
>>
>>Fred
>>K4DII
>
>
> How about a shielded enclosure. Attention would have to be given to

> routing the exhaust and heat from the enclosure. Just a thought...
> www.telstar-electronics.com

Not only exhaust, heat and fresh air for combustion, you'll need to bypass/lowpass any electrical conductor going in or out of the enclosure, and those cheap clip on ferrites won't do much good, you need pi networks on the conductor itself. You might start with the inverter section of the generator, make sure it's in a well sealed (electrically) enclosure, bypass/lowpass the conductors coming out of it and as long as you don't cause problems with circuit cooling put some RF absorber inside the enclosure, if it gets absorbed inside it won't get out, and don't be dissuaded by the absorber specs, they work quite well in the HF range. You can also get free samples.

http://www.specemc.com/emipower.asp
http://www.cumingmw.com/micro_rf_pc.html
http://www.eccosorb.com/pages/89/Product+Index

Been there, Good luck,
W8LNA

```
From 1771519131352941144
X-Google-Thread: 108122,377f74ce1b0582cd
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 20 Sep 2007 08:47:57 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: LT-2S transverter power module problem
Date: Thu, 20 Sep 2007 06:49:12 -0700
Message-ID: <jhu4f3tuu9c0ua53g37sgjtkvfuu1vp5c8@4ax.com>
References: <fct5k8$r6b$1@ss408.t-com.hr>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.242.241
X-Trace: sv3-y3sZUlkoI8Cvab1p1Z3/wKpLK34qvg/Wakuc3imsEziE3N1j3SYS/
KHsUumk625qLBvttrOyuZzcEkw!l+PNl3jeKFt4TL14liAObleWs7gwdU8BzW20/
TUk0BjmV+VVY56y4NGsbI1dxw/wz8kdEFnEQR1J!VCiEIHfG/GZglLHfp7Q4VatXPMt3Kw==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:950
```

On Thu, 20 Sep 2007 08:57:46 +0200, "9A4QV"
<adam9a4qv(remove)@yahoo.com> wrote:

>Hello,
>
>I have LT-2S (first model) not working properly, somebody "repair" power
>module and insert some odd power transistors.
>
>There is no information on manual, which original power transistors are
>used, so anybody knows, please let me know.
>
>What I found inside is: BLY87A and 2N6080???.
>
>Thanks, Adam

Adam,

I don't have the LT-2s but I do have what I believe are the two major
units inside, the TV28-144 transverter and the PA-1441 amplifier.

The PA-1441 uses a 2N6080 driver and 2N6081 final.

I've put the schematic here of you need it:

www.k6mhe.com/n7ws/PA1441.pdf

Hope this helps.

ps. These units are now surplus to me, so I offer them for sale for
$225 USD.

Wes N7WS

From 3923216404544399O7
X-Google-Thread: 108122,a4a440a5d2b73880
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 20 Sep 2007 09:19:08 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Emergency Generators That Interfere
Date: Thu, 20 Sep 2007 07:20:22 -0700
Message-ID: <bvu4f39erk6b63u0stna4f46lbvrv82pnj@4ax.com>
References: <fmmck-3905A5.20193619092007@nntp.aioe.org>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 75
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.242.241
X-Trace: sv3-a1DJgxqai0/
sM2d8max1DBa+2hcXaJNgirtqW0yv6UXz9x8+nYHglajTHAmV0HyBxEz2NT3YHOU/10/!
mIJ1F7NWKXddXGj0TvaeP/u8E2BfIWem7BEVLDC1JdxCqnwmqrkygjCJltzrPWfYQPKi+RBG1Fr0!
4aSZIY6txbKF9S/ic2etoSlCOeUzRQ==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:951

On Wed, 19 Sep 2007 20:19:37 -0400, Fred McKenzie <fmmck@aol.com> wrote:

>Ignition noise is not the only way a generator can interfere with radio
>reception.
>
>A Honda "inverter" generator was used at this year's Field Day, but it
>caused a broad-band noise on the HF bands. Locating the generator as
>far as possible from antennas helped.
>
>An inverter generator produces 3-phase AC power, rectifies it and drives
>a DC-to-AC inverter that produces 60 Hz power. Result is a
>lighter-weight generator, and greater efficiency can be achieved by
>reducing engine speed when less power is used. Honda's also have
>extremely low acoustic noise levels.
>
>A call from the Honda dealer to Honda Technical Support received a reply
>that you have to use a LONG extension cord because inverters generate
>radio interference! I have since used a portable AM/Short-wave radio to
>check the Honda generator as well as one from Yamaha. Both wiped-out
>reception up to the 18 MHz range of the radio, when the radio was within
>several feet of the generator.
>
>Does anyone have experience cleaning-up the interference from the
>inverter in one of these generators?

Fred,

I have an EU2000 that I use for charging the batteries in my 5th wheel trailer. I have limited experience with operating the radio equipment from this "QTH" but here is what I have observed.

First I found that the major noise source was the switch-mode battery charger built into the trailer. In fact the original one acually interferred with home OTA TV while the trailer was parked beside my house! I replaced it with an IOTA unit that supposedly meets FCC requirements but is still a noise source.

I finally built an analog "smart charger" using an Astron PS for the raw DC and pass transistors and a UC3906 IC.

Once this was cleaned up I could hear the noise from the Honda. I should back up and say that in my earlier attempts to clean up the charger noise I determined that a lot of it was conducted on the AC side, so I had previously installed an industrial grade brute force line filter at the trailer's AC distribution panel.

So from that respect, the AC side is pretty well filtered, although the filter isn't necessarily installed in an optimum location. But I don't think this matters because my further experience is that most of the remaining noise is radiated.

Shielding is of course out of the question as a practical matter. This leaves the physical separation between the generator and the antenna as the best remedy.

I also operate Field Day from home in Class 1E. The Honda sits right outside the shack and powers the Astron PS that runs the radio. I float a deep cycle battery across the 13.8 V. The generator runs in Econo throttle mode and runs for hours like this. I'm hard put to even know that it's run out of gas unless I keep my eye on the battery voltage.

I mostly run only 20-meters and the antenna is a 3-element beam located about 100' away. Even pointing at the shack I cannot hear any RFI from the generator. When I slip down to 40 or 80-meters any RFI is buried in atmospheric noise.

So I think Honda is right; get a long extension cord and move the generator away from the antenna.

Regards,

Wes N7WS

From 3433172392232680321
X-Google-Thread: fc8b1,cc5580e3c7c55d0e,start
X-Google-Thread: 108122,cc5580e3c7c55d0e,start
X-Google-Thread: 1109af,cc5580e3c7c55d0e,start
X-Google-Thread: f7796,cc5580e3c7c55d0e,start
X-Google-Thread: 10b9c8,cc5580e3c7c55d0e,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gidf7796,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!newsfeed2.dallas1.level3.net!news.level3.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.morse,rec.radio.info

Subject: Subscribe FREE to the K9YA Telegraph - October 2007
Followup-To: poster
Date: Thu, 20 Sep 2007 10:39:58 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 31
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <_zvIi.51084$Um6.21822@newssvr12.news.prodigy.net>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1190299198 17004 166.84.1.6 (20 Sep 2007 14:39:58 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 20 Sep 2007 14:39:58 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to   rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to   rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
TSU[@ION[J@WRQ@[N[O@_WH@YR_B@EXLLBWLOOAFMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1167 rec.radio.amateur.equipment:952 rec.radio.swap:1239 alt.ham-radio.morse:18 rec.radio.info:258

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT HAM RADIO!

October Issue Includes:

Ready Reckoners By Philip Cala-Lazar, K9PL

Disaster in the High Arctic By Mark Solomon, KQ�A, & Philip Cala-Lazar, K9PL

'6XT's Flying Ford By John Kirk, VK4TJ/VE6XT

Tom Swift and his Magic Umbrella By Rod Newkirk, VA3ZBB/W9BRD

The Lighter Side of Ham Radio By Rick Hiller, W5RH

Ham Quips By Dick Sylvan, W9CBT

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA

Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly to your e-mail inbox as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

From 5264438144893256719
X-Google-Thread: 108122,377f74ce1b0582cd
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "9A4QV, Adam" <aalicaj@pfri.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: LT-2S transverter power module problem
Date: Thu, 20 Sep 2007 17:04:09 +0200
Organization: T-Com
Lines: 49
Message-ID: <fcu272$g4l$1@ss408.t-com.hr>
References: <fct5k8$r6b$1@ss408.t-com.hr> <jhu4f3tuu9c0ua53g37sgjtkvfuu1vp5c8@4ax.com>
NNTP-Posting-Host: 78-2-21-107.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1190300707 16533 78.2.21.107 (20 Sep 2007 15:05:07 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Thu, 20 Sep 2007 15:05:07 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
X-Antivirus: avast! (VPS 0712-4, 11.02.2007), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com rec.radio.amateur.equipment:953

Hello Wes,

This help a lot, the diagram is alomust the same.
I got the reply from ssb Germany, and they say that the final was 2n4046 or blw60c.
Both parts obsolete now,

Anyhow, any 25-30w 175mhz transistor will do the job, of course capable AB class.

Thanks for help,
Adam

"Wes Stewart" <n7ws*@*yahoo.com> wrote in message
news:jhu4f3tuu9c0ua53g37sgjtkvfuu1vp5c8@4ax.com...
> On Thu, 20 Sep 2007 08:57:46 +0200, "9A4QV"
> <adam9a4qv(remove)@yahoo.com> wrote:
>
> >Hello,
> >
> >I have LT-2S (first model) not working properly, somebody "repair" power
> >module and insert some odd power transistors.
> >
> >There is no information on manual, which original power transistors are
> >used, so anybody knows, please let me know.
> >
> >What I found inside is: BLY87A and 2N6080???.
> >
> >Thanks, Adam
>
> Adam,
>
> I don't have the LT-2s but I do have what I believe are the two major
> units inside, the TV28-144 transverter and the PA-1441 amplifier.
>
> The PA-1441 uses a 2N6080 driver and 2N6081 final.
>
> I've put the schematic here of you need it:
>
> www.k6mhe.com/n7ws/PA1441.pdf
>
> Hope this helps.
>
> ps. These units are now surplus to me, so I offer them for sale for
> $225 USD.
>
> Wes N7WS

From -6663576170344099670
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Thu, 20 Sep 2007 15:04:06 -0500
From: tnom@mucks.net
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Thu, 20 Sep 2007 16:03:45 -0400

```
Organization: Group One News Network
Message-ID: <k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
References: <fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<46f05178$0$18942$4c368faf@roadrunner.com>
<1190206510.490666.56380@y42g2000hsy.googlegroups.com>
<3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
<1190282073.743844.219280@22g2000hsm.googlegroups.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-EG0V6utuFPaYKJlqONY+vuHEve9AqFqzoW5rExwV6mc0ZtZpl5SPrFm9JDbpmn2UL/
aN07/klw7eRN9!
9qN8yc8rksLKzICKRGY6IuM4P9E1VPVvrIkERdzudv3t4DUWTC0mYf4QeeXqzi3Q4AW7ww==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.cb:3851 rec.radio.amateur.equipment:954
rec.radio.amateur.homebrew:1054

On Thu, 20 Sep 2007 02:54:33 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

>On Sep 19, 8:53 pm, t...@mucks.net wrote:
>> Why on earth would you put temperature compensating components
>> into this product. As far as I know no other doorstop on the market
>> uses them.
>
>Not temp compensating components... temp compensating bias.
>www.telstar-electronics.com
>
Oh...your bias is magical? It uses no components for compensation?

I always suspected your design to be that of an imaginary nature.


From 5690715403789423
X-Google-Thread: 108122,61c845b831e4599d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews7.bellsouth.net.POSTED!7eee1d3b!
not-for-mail
Message-ID: <46F2DAC3.7040400@bellsouff.net>
```

```
From: Ed Cregger <ecregger@bellsouff.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can u Identigfy??
References: <V8SdnZNOv41RvnLbnZ2dnUVZ_sOrnZ2d@comcast.com>
<1190137527.173754.69810@k79g2000hse.googlegroups.com>
In-Reply-To: <1190137527.173754.69810@k79g2000hse.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbodkmaoigncfchlbdmgelbadjeaejgiflcif
eckepfagppmljiahmndliljabefbonbhdmbebeimpemgfghanmidppbgiioffcfhhchnhocjabfggo
NNTP-Posting-Date: Thu, 20 Sep 2007 16:35:12 EDT
Organization: BellSouth Internet Group
Date: Thu, 20 Sep 2007 16:40:35 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:955

I can identify a hell of a lot better than you can type and spell. <G>

Ed, NM2K


From 5758500797901951913
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!50g2000hsm.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Thu, 20 Sep 2007 17:08:23 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1190333303.832852.219920@50g2000hsm.googlegroups.com>
References: <fc6koh$dv9$1@stable.tornevall.net>
   <1189704966.569281.313610@22g2000hsm.googlegroups.com>
   <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
   <1190119260.907695.198810@g4g2000hsf.googlegroups.com>
   <fcot1n$e72$1@stable.tornevall.net>
   <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
   <46f05178$0$18942$4c368faf@roadrunner.com>
   <1190206510.490666.56380@y42g2000hsy.googlegroups.com>
   <3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
   <1190282073.743844.219280@22g2000hsm.googlegroups.com>
   <k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
NNTP-Posting-Host: 76.193.183.70
```

Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1190333304 30348 127.0.0.1 (21 Sep 2007 00:08:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 21 Sep 2007 00:08:24 +0000 (UTC)
In-Reply-To: <k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 50g2000hsm.googlegroups.com; posting-host=76.193.183.70;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:3855 rec.radio.amateur.equipment:956 rec.radio.amateur.homebrew:1056

On Sep 20, 3:03 pm, t...@mucks.net wrote:
> Oh...your bias is magical? It uses no components for compensation?
> I always suspected your design to be that of an imaginary nature.

Not magical... it used the base-emitter voltage drop of an MJE3055T (mounted directly to heat sink) to track with the 2SC2879 power transistors. Since it used a transistor with gain... it worked so much better than just a plain old diode on the sink for tracking. It worked fantastic... I was able to set set class AB bias (I chose about 200Ma) on the power transistors... and hold +/-5% collector current changes from -40 to +100C heat sink temp during amp operation.
www.telstar-electronics.com

From -7861866108589025414
X-Google-Thread: 108122,2f25d9fc20c690ce,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Heathkit SB-301 Power Cord
From: "Jim Barnard" <jbarnard@ftc-i.net>
Date: Fri, 21 Sep 2007 21:28:45 -0400
Message-ID: <fcv6oh$c2j$1@news04.infoave.net>
Lines: 5
NNTP-Posting-Host: 216.218.127.111
Organization: Info Avenue Internet Services, LLC
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!news-out.newsgroups.com!sp12lax.superfeed.net!news-in1.superfeed.net!news.infoave.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news04.infoave.net 1190338129 12371 216.218.127.111 (21 Sep 2007 01:28:49 GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Fri, 21 Sep 2007 01:28:49 +0000 (UTC)
X-Priority: 3

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:957
X-Original-Bytes: 1074

Does anyone have a suitable power cord for a Heathkit SB-301 receiver?
Please contact me a service@transistor-repairs.com
Tnx Jim WA4BRX




From 3272608538394814207
X-Google-Thread: 106d41,ef16ea9c8c5f2617
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: fc2a5,ac7ab302c0e63249
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: What happened to the SkyWave 2879ABTC?
Date: Thu, 20 Sep 2007 20:48:33 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <tue6f3pf6m0c8gnl5lmgj1n8gikakceucd@4ax.com>
References: <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
<1190119260.907695.198810@g4g2000hsf.googlegroups.com>
<fcot1n$e72$1@stable.tornevall.net> <46f045dc$1_3@mk-nntp-2.news.uk.tiscali.com>
<46f05178$0$18942$4c368faf@roadrunner.com>
<1190206510.490666.56380@y42g2000hsy.googlegroups.com>
<3fk3f353f85ilbilajm43r5asv4qooj9ta@4ax.com>
<1190282073.743844.219280@22g2000hsm.googlegroups.com>
<k5k5f31e17jd2blt19ofcp2piuv3vh1o7s@4ax.com>
<1190333303.832852.219920@50g2000hsm.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 39
Xref: g2news2.google.com rec.radio.cb:3858 rec.radio.amateur.equipment:958
rec.radio.amateur.homebrew:1057

On Thu, 20 Sep 2007 17:08:23 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote in
<1190333303.832852.219920@50g2000hsm.googlegroups.com>:

>On Sep 20, 3:03 pm, t...@mucks.net wrote:
>> Oh...your bias is magical? It uses no components for compensation?
>> I always suspected your design to be that of an imaginary nature.
```

>
>Not magical... it used the base-emitter voltage drop of an MJE3055T
>(mounted directly to heat sink) to track with the 2SC2879 power
>transistors. Since it used a transistor with gain... it worked so much
>better than just a plain old diode on the sink for tracking. It worked
>fantastic...

How well it works depends on how well you hacked the design from this link I posted (while pointing out some of the many problems with your earlier splatterbox):

http://www.ifwtech.co.uk/g3sek/tr-bias/tr-bias1.htm

> I was able to set set class AB bias (I chose about
>200Ma) on the power transistors... and hold +/-5% collector current
>changes from -40 to +100C heat sink temp during amp operation.

That's interesting. Previously you said your bias scheme can "hold the 500mA bias to 10% from -30 to +85C". It's funny how many times you have changed the specs. I especially enjoyed the time when you changed the power output specs three times in one week after you were caught fabricating them instead of actually measuring them. Oh well, such is the life of an internet-educated hack.

But alas, there's still one unresolved issue here, Brian.... where's the schematic?

From -8506077445639987819
X-Google-Thread: 108122,61c845b831e4599d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!7eee1d3b!not-for-mail
From: Ed Cregger <ecregger@bellsouff.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can u Identigfy??
References: <V8SdnZNOv41RvnLbnZ2dnUVZ_sOrnZ2d@comcast.com>
<1190137527.173754.69810@k79g2000hse.googlegroups.com>
<46F2DAC3.7040400@bellsouff.net>
In-Reply-To: <46F2DAC3.7040400@bellsouff.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10

Message-ID: <qEJIi.99976$jH3.67511@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbodahnjbngkmnndfondknlhmpjmkpbopnoif
eckepfagppmljilelheolfaeibjiapbhdmbebeimpemgfgohnhhjellfmmogfkggmpilneogppkimn
NNTP-Posting-Date: Fri, 21 Sep 2007 02:37:10 EDT
Organization: BellSouth Internet Group
Date: Fri, 21 Sep 2007 02:39:52 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:959

Ed Cregger wrote:
> I can identify a hell of a lot better than you can type and spell. <G>
>
> Ed, NM2K

My apologies. It seemed funny to me when I wrote it, but obnoxious when
I read it. No offense intended.

Ed, NM2K

From 5025157096283541111
X-Google-Thread: 108122,84357427370ba892,start
X-Google-Thread: 10a575,84357427370ba892,start
X-Google-Thread: 115a8f,84357427370ba892,start
X-Google-Thread: 10f77e,84357427370ba892,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!newshosting.com!
post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072506143201@4ax.com>
Subject: MI5 Persecution: Nicholas Witchell - 10/April/1999 (1458)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 06:14:26 GMT
Lines: 15
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:800 alt.fan.elton-john:387
sci.engr.color:346 it.comp.giochi.action:8729

Nicholas Witchell - 10/April/1999

Certainty level: 100%

This clip is of Nicholas Witchell reading the BBC2 evening news at 7pm on Saturday 10 April 1999. You have to understand that the psychopaths of the Security Service consider their abuse of me to be "so funny"; and central to their persecution of me is their inducement of their "bought journalists" like the BBC's Nicholas Witchell to laugh at me on television.

So in this clip we see Witchell smirking and grinning while he reads the news. Only part of the news broadcast is shown in the clip; preceding it, Witchell's upper lip quivers in mirth for several minutes, until his entire mouth twists into the uncontrollable smile shown in this clip, through the excuse of a weak non-joke about sports fixtures.

1458

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -6682079560075994521
X-Google-Thread: 108122,f178557efa8a501f,start
X-Google-Thread: 10a575,f178557efa8a501f,start
X-Google-Thread: 115a8f,f178557efa8a501f,start
X-Google-Thread: 10f77e,f178557efa8a501f,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!wns13feed!worldnet.att.net!
63.218.45.10!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07072506411280@4ax.com>
Subject: MI5 Persecution: England expects every man to do his duty (2681)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 06:41:05 GMT
Lines: 44
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:801 alt.fan.elton-john:389
sci.engr.color:347 it.comp.giochi.action:8730

"England expects every man to do his duty"

Certainty level: 90%

This video clip portrays a fairly-certain case of unpleasant MI5 harassment; because of context, surrounding events, not just this one happening. It's the first time an MI5 agent has been caught on video, and, presumably to their chagrin, their paid agent is either engaging in an onanistic practice, or, more probably, pretending to do so, in order to carry out an act of harassment.

The background is as follows. In late June 2000 I had posted the following message to Usenet, about MI5's making obscene noises at me on several recent occasions;

>From: bu765@torfree.net (Mike Corley)
>Subject: relax, don't do it (mi5 again)
>Date: 22 Jun 2000 00:00:00 GMT
>
>you will recall that a couple of weeks ago I was supposing what MI5 were
>doing with their 'single'handed' posting antics at 2am
>
>exciting stuff
>
>so about a week ago someone rings me up at home.... 'is that Emmanuel
>Goldstein?' then he phones back the following day and goes 'huaaaagh' on
>the phone before dropping the handset in excitement
>
>and a day or two later, just coming out of our house to put something in
>the rubbish bin, a pair of blokes over the other side of the road, again
>start making orgasmic noises
>
>I'm not paranoid enough to record minidisc when I pop out for a few
>seconds...... but perhaps I should be

The video clip, which was captured on 1/September/2000, is the culmination of that thread of harassment. You have to understand that MI5's abuse is in threads; they choose a topic, and then continue with it for months and years. Sometimes they drop a topic, usually to be replaced by a worse one, and you never hear of it again.

If the person in the video clip were not an MI5 agent, then he would deserve privacy, despite carrying out a real or feigned act in a public place. But I am almost 100% sure, because of context, that this man was one of their operatives, which removes any consideration of privacy from his act. He is facing away and cannot be clearly identified from this clip. I've never seen this man before or since, but that is true of most other such incidents.

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -6809690241307911520
X-Google-Thread: 108122,7dc343531988d78a,start
X-Google-Thread: 10a575,7dc343531988d78a,start
X-Google-Thread: 115a8f,7dc343531988d78a,start
X-Google-Thread: 10f77e,7dc343531988d78a,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!elnk-atl-nf1!elnk-atl-nf2!
newsfeed.earthlink.net!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07072507122805@4ax.com>
Subject: MI5 Persecution: C4 SnowMail - January/2001 (3904)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 07:12:21 GMT
Lines: 156
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:802 alt.fan.elton-john:390
sci.engr.color:348 it.comp.giochi.action:8731
```

C4 SnowMail - January/2001

Certainty level: 50%

In January 2001 I signed up for Channel 4 TV News's email service SnowMail, under an anonymous email address.
Quite soon Jon Snow and others started getting at me in the SnowMail bulletins, so I promptly unsubscribed.
Here are three distributed messages which may be intended to be against me; I have given these items a joint
probability of 50% only, since it is quite difficult to be sure these are against me, although I think they
may well be.

First item is from 5 January 2001. "Back passage contacts" might genuinely be about Labour were communicating
in a shielded way with ITN; but it may be about Snow's covert communications with me on his programme and in

this bulletin; and it's a slightly strange thing for him to say, it suggests the human body's back passage.
"I wish they'd come and talk on our website".... Snow knows I'm subscribed to his mailing list, and he may be encouraging me to talk to him by email; again, if that comment were genuinely about Labour, then it would be a strange thing to say, since the politicians talk to Snow by phone and on his programme, so they wouldn't talk to him by email; my suspicion at the time is that he was trying to persuade me to talk to him by email, so he could decently lie that my thoughts of reference were incorrect.

From: "Snow C4N, Jon"
Subject: Channel 4 News briefing
Date: Fri, 5 Jan 2001 17:15:06 -0000
MIME-Version: 1.0

January 5, 2000

Good afternoon dear viewer,

Well the 'snowmail' drew a little ire from Labour HQ yesterday. A sensitive call at 6.35pm from my friendly mentor there sought to correct the impression I gave in yesterday's missive that in some way Labour was bounced into naming these latest millionaire donors. Well I'm afraid they were...rest assured Paul Hamlyn would not have been named without the diligent sleuthing of my colleagues, and had HE not been named neither would these latest two.

The only serious inaccuracy I must plead to was the promise that we would put these matters to a 'senior Labour person'...alas none was forthcoming...I shall make no such rash promise again. My same mentor was on the phone again during last night's Channel 4 News urging us to 'get some reality into the programme'. I fear we may have touched a sensitive nerve...and the election campaign has not even started, or has it? I shall try to keep you posted with these 'back passage contacts' as the campaign unfolds..from all sides. I do wish they'd come and talk things over with all of us on the web site...here's an open invitation...

So to today:

Harold Shipman murdered as many as 250 people it now turns out. But he is never to be tried and relatives who seek closure to their uncertainties will never reap satisfaction..we have the DPP, the Chief Medical Officer and a solicitor for aggrieved and bereaved families on the programme..the world's second-worst mass murderer..can he be allowed to escape further action?

Sending private/sexy emails in company time gets workers the sack..Big Brother spies on office premises..is electronic
life in the work place getting out of hand? We explore what we can...and if you are not sure what you can and can't
send, our site spells out the legal dos and don'ts and gives you the chance to put your views to us.

The CIA publishes its risk assessment for the world in the coming years..beyond the CIA itself, what's the biggest
threat to life and liberty? Find out on Channel 4 News..and a major encounter with a man expected to take a top job
in the Bush administration...

And a sumptuous piece from Nicholas Glass in Valencia..a city transformed by a brilliant young architect for half
the price of what the Dome cost us.

Lots moving, see you at 7.00,best as ever,

Jon Snow

The next contact was on 11 January, with the unsubtle words "the lunatics have taken over the newsroom"
from Krishnan GM. The phrase needs no explanation as to why it might be a dig at me.

From: "Guru-Murthy C4N, Krishnan"
Subject: Channel 4 News briefing
Date: Thu, 11 Jan 2001 16:56:25 -0000
MIME-Version: 1.0

January 11, 2001

Good Afternoon. Jon's away so the lunatics have taken over the newsroom. I am joined by Samira for tonight's show.

The Depleted Uranium confusion deepens. What did Ministers and senior officers know about the risks to soldiers?
What did they tell others? And why the lack of candour over the recent documents that have surfaced? Having
dismissed the army report leaked yesterday warning of the dangers of exposure to DU as written by a trainee and
littered with mistakes, the Ministry of Defence now accepts it was written by an experienced officer.
But they won't say who. More awkwardly it emerges that senior officers decided a month after it was written that
the report should be circulated to all personnel likely to come into contact with DU. But was it? Nobody seems to
know. Our Science Correspondent Andrew Veitch has also visited the lab in Oxford that could begin testing
veterans for Depleted Uranium within six months, but they have had no contact from

the government as yet. From
the Tories, Mr Duncan Smith is likely to join us. And we have Defence Secretary Hoon coming into the studio to
answer the obvious (and not so obvious) questions.

No interest rate cut today from the Bank of England, but could it be next month? As real fears are raised about
the likelihood of recession in the US how could it affect us over here? There's been a recent consensus that
Britain could weather the storm instead of falling into the usual pattern of shadowing American trends. But how
realistic is that? And what about all that inward investment we rely on from the States? Liam Halligan has been
looking at just what impact economic downturn across the water would have on us.

The former Bosnian Serb President Biljana Plavsic pleaded not guilty to charges of warcrimes including genocide
today. She was number two to Karazdic and a reputed hardliner during the "ethnic cleansing" of Bosnia.
But has a deal been done on her sentence if found guilty? Just why did she get on a plane and give herself up
to the Hague War Crimes Tribunal? Nobody seems to have any explanation. Her lawyers are asking for special
accommodation and even the possibility of bail. Gaby Rado is there and joining us live is the first Prosecutor
in the Hague Judge Goldstone to discuss whether plea bargains and deals are the only way to get the real villains.

Also the astonishing news that scientists in America have bred the first genetically engineered monkey. What will
they be used for and what's the next step? Does anybody really believe they won't do it to humans before too
long? Julian Rush will have details.

All that and loads more at seven. See you then, I hope. Krishnan.

The third and final item is from 24 January, shortly after which I unsubscribed from SnowMail. Again, it is difficult
to be sure if this item refers to me; it may do, it may not do, 50% captures the possibility. Snow refers to
"third leg of [Blair's] political footstool". In English culture "third leg" indicates one's male member;
Snow's phrase may be a sexual reference, of which there were others around that time.

From: "Snow C4N, Jon"
Subject: Channel 4 News briefing
Date: Wed, 24 Jan 2001 16:37:36 -0000
MIME-Version: 1.0

January 24, 2001

Good evening dear Channel 4 News viewer,

There are times in this business when you suffer severe attacks of deja vu...haven't I already said "Mandelson Resigns!"...I'm afraid I have, and tonight I shall say it again. He's gone, the fat lady has not only sung but died completely and utterly on his career...that is the end of the former Northern Ireland Secretary's political career.

It's a body blow against Blair for whom Mandelson was a mentor, manipulator, calculator, friend, brother and the third leg of his political footstool.
It's a body blow for a Prime Minister who has had to have him resign not once but twice. It calls into question Tony Blair's judgement. Mandy, probably one of the most brilliant spirits in politics, flew too close to the sun...suffering finally at the hand of his own diabolical flaw.
Amazingly it's a flaw Blair understood more keenly than anyone...

And then there are the Hindujas who have compromised every political party with ridiculous photographed party poses..who are they and how do they work?
Masses moving on all fronts on this story tonight. We have the resignation speech in full on our site www.channel4.com/news; if you want to see how Mandelson bowed out.

There are other developments:

The cancer tragedy at Nottingham Queens medical centre..the wrong drug going into the spinal column of an eighteen-year-old Leukemia victim who's now in intensive care, dangerously ill...it's happened before..why has it happened again?

And a moving interview with Sharon Sage who's mother Lorna Sage wrote a spell binding memoir highly rated in last night's Whitbread Prize. An exceptional piece....

A highly political night....see you at seven on four...best, as ever, Jon

After this email I unsubscribed from SnowMail. I could not be sure that these items were or were not about me, but it's an unpleasant feeling that Mr Snow might be getting at me in writing, as he certainly was when he watched me while presenting the news; so I cut my losses, so to speak, and bailed out.

3904

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -3827245341751976950
X-Google-Thread: 108122,6185f731d4f66e51,start
X-Google-Thread: 10a575,6185f731d4f66e51,start
X-Google-Thread: 115a8f,6185f731d4f66e51,start
X-Google-Thread: 10f77e,6185f731d4f66e51,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!
nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072507483501@4ax.com>
Subject: MI5 Persecution: BBC-TV See You, See Me - 7/Dec/2001 (5127)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 07:48:29 GMT
Lines: 23
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:803 alt.fan.elton-john:391
sci.engr.color:349 it.comp.giochi.action:8732

BBC-TV "See You, See Me" - 7/Dec/2001

Certainty level: 80%

On Friday 7 December 2001, BBC Schools aired a TV programme from their "See You, See Me" series.
The series was based in Scotland, with Grant Stott and Wilma Kennedy trying to find some stolen jewels.
Its web home is www.bbc.co.uk/scotland/education/seeyouseeme/

The programme appeared to make some "subtext" references to my situation. Kennedy refers to "it's not fair",
which is a key phrase; its existence started with OCTS MD Hugh S.-W. who humorously referred to my treatment
with the same phrase.
The subtle statement is that it is fair, because we're doing it, and we're always right, even when we're wrong.

The phrase "useless idiot" from the police chief is a clear insult directed at me, and needs no explanation.

But it is the third item in this clip which is most telling. Stott says the words, "humiliating in front of
the whole public, it would crucify us" if the investigation were called off.

That's the phrase that assures
this clip of an 80% probability rating. MI5 are trying to humiliate me "in front of the whole public",
and their strategy is a mixture of ambiguous covert, such as this very programme, and clear overt.

5127

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -6336978966717955852
X-Google-Thread: 108122,926f3f4574c6321e,start
X-Google-Thread: 10a575,926f3f4574c6321e,start
X-Google-Thread: 115a8f,926f3f4574c6321e,start
X-Google-Thread: 10f77e,926f3f4574c6321e,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072508142153@4ax.com>
Subject: MI5 Persecution: Channel Four TV News - 10/April/2002 (6350)
Newsgroups: rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To: rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 08:14:15 GMT
Lines: 37
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:804 alt.fan.elton-john:392 sci.engr.color:350 it.comp.giochi.action:8734

Channel Four TV News - 10/April/2002

Certainty level: 80%

I was watching Jon Snow on Channel Four TV News on Wednesday 10 April, and he again reacted on seeing me
watching his programme. At 7.25pm he was reading an item on atrocities during the Balkan war;

JS: "It was Europe's worst massacre since the Second World War, and Dutch army officers [cough] and the

United Nations should share the blame. So says the first authoritative report into the murder of thousands of Muslim men in Srebrenice at the height of the Bosnian war in 1995. The 7,500 page document took Dutch Government researchers six years to prepare, and it condemns military and political leaders for sending peacekeepers on a mission impossible. Our Foreign Affairs correspondent Gaby Rado, who went to Srebrenice very soon after the massacre, is with us now. Gaby, how damning is this report?"

GR: "Well it is very severe. It accuses the Dutch Government of sending badly armed and badly briefed Dutch soldiers into a very dangerous space out of a sense of national arrogance basically. It accuses the United Nations basically of..."

There are two incidents in this one recording. The first (80% certainty) is when Jon Snow develops a frog in his throat in the first sentence, shortly after reading the text "Europe's worst massacre". There is both verbal expression and facial expression at that point; he is laughing at me, which is at odds with the serious material he is reading. His eyebrows twitch upwards, and he is smirking at the phrase "Europe's worst massacre", and its application to the Security Service's actions against me. Another aspect is that when Snow said "Europe's worst massacre", I facially reacted; in return, Snow would have seen my change of expression, and followed it with his own reaction. He almost says "United States" instead of "United Nations"; he isn't looking at his autocue, his mind is off what he is reading, instead he is looking at me in the little monitor where he sees me through the television.

The first incident I'm fairly sure about, but the second I only give a 20% certainty to; it's when Gaby Rado talks of a "sense of national arrogance", supposedly about the Dutch, but perhaps the English actions against me for over a decade. If Rado's statement were about me, then it would be condemnatory of MI5 as being "arrogant"; but I cannot be reasonably certain it's about me, or much less so that Snow's reaction in the first instance, anyway.

6350

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -6402193533405177204
X-Google-Thread: 108122,4562def8d6bcf406,start
X-Google-Thread: 10a575,4562def8d6bcf406,start
X-Google-Thread: 115a8f,4562def8d6bcf406,start
X-Google-Thread: 10f77e,4562def8d6bcf406,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072508451257@4ax.com>
Subject: MI5 Persecution: BBC1 TV News - 18/Dec/2002 (7573)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 08:45:06 GMT
Lines: 27
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:805 alt.fan.elton-john:393 sci.engr.color:351 it.comp.giochi.action:8737

BBC1 TV News - 18/Dec/2002

Certainty level: 30%

This item occurred on Wednesday 18/December/2002, on BBC1 TV News shortly after 6pm. It is one of the "coincidence"
category of happenings, where people by supposed coincidence repeat exactly the words I have said or thought very recently.
In this case, the BBC's New York correspondent Stephen Evans, live from NYC, says the words "airy fairy language",
during a piece on Britain's entry in the competition for a successor to the WTC after 9/11.

I had been thinking the words "airy fairy" a day or two previously and may have spoken them in my sleep. I did not speak them awake.
The TV practice in 1990-92 had been to repeat on TV/radio (or at work) words which I had either spoken while awake, or words I had
thought but not said consciously - since I know that I sometimes say things in my sleep, but cannot later recall saying them,
obviously since I was unconscious at the time. The TV news reader or reporter then finds a context in which to drop a particular phrase;
this practice has a famous exemplar in the "Phil the Greek" item relating to the Duke of Edinburgh - who had been called Phil the Greek
in Private Eye, then a TV reporter managed to structure his report to include the words "fill the Greek community with alarm".

It might appear funny, but when such "intentional coincidence" happens a lot, as in 1990-92, and when it supports other methods of obscenity, then the amusement value wanes.

The choice of words appears to form a homosexual reference - the way it works is that the Security Service are blokes fantasising continually about another bloke, so to avert the obvious observation of their being gay see here for another instance of unwholesome MI5 fantasising in public), they try to assign the attribute to the victim - they do this sort of thing all the time, with all sorts of attributes. However, in this particular case I give it only a one in three probability, since this incident seems to have been a one-off at that particular time.

7573

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 4020130794263570540
X-Google-Thread: 108122,89ee2e8e40da7cee,start
X-Google-Thread: 10a575,89ee2e8e40da7cee,start
X-Google-Thread: 115a8f,89ee2e8e40da7cee,start
X-Google-Thread: 10f77e,89ee2e8e40da7cee,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out04a.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!wns13feed!worldnet.att.net!63.218.45.10!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072509482767@4ax.com>
Subject: MI5 Persecution: Life is so hard (235)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 09:48:21 GMT
Lines: 35
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:806 alt.fan.elton-john:394 sci.engr.color:352 it.comp.giochi.action:8739

Life is so hard

Certainty level: 100%

This relates to harassment at my workplace in Canada. Yes, "they" had their claws into my employers in North America, it doesn't just happen in England, it happens here as well.

During the second half of 1996, at work, I was sitting near a co-worker whom we shall call Mark (we can, because that's his name). This guy occasionally came out with words and phrases that made me think that "they" had got to him and were supplying him with information about my home life (not social life please note, because of course I don't actually have a social life here).

During November 1996 I tried to catch him in the act of saying something "meaningful", a difficult exercise because as soon as he saw a tape recorder, he shut up completely, except for times when he knew he would be out of range of the walkman. (Note that the quality of this recording is not very good; I was just using a four-year-old tape walkman with a cheap microphone, quite low-tech).

During the evening of 12 November 1996, at home in my apartment (flat to you UK-ers), I said "life is so hard, and then you die". A nihilistic, negative thing to say, but quite distinctive. The following day, 13 November, Mark said loudly, "life is so hard eh, and then you die" followed by loud laughter.

In my book the precise repetition of the words makes this incident a 100% certainty. You, the reader, may differ, but then living in a free country allows each of us to have our own opinions, doesn't it?

235

```
--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access
```

```
From -1830488447271885896
X-Google-Thread: 108122,dcd9c1f76653dd7,start
X-Google-Thread: 10a575,dcd9c1f76653dd7,start
X-Google-Thread: 115a8f,dcd9c1f76653dd7,start
X-Google-Thread: 10f77e,dcd9c1f76653dd7,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx02.iad01.newshosting.com!
newshosting.com!post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072510202188@4ax.com>
Subject: MI5 Persecution: GLR: David Hepworth (21/Feb/1997) (1458)
Newsgroups:
```

rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 10:20:15 GMT
Lines: 31
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:807 alt.fan.elton-john:395 sci.engr.color:353 it.comp.giochi.action:8743

GLR-David Hepworth (21/Feb/1997)

Certainty level: 80%

I was listening to BBC Greater London Radio (GLR) by stealth, ie. on my walkman with headphones, with the sound turned right down, to prevent anyone from hearing what I was listening to. Yet somehow "they" are still able to tell what station I am listening to on the walkman. After half an hour or so listening to GLR, DJ David Hepworth came out with this;

"I assume Brian, do we have an embarrassment of prizes in there, we do, don't we, absolute obscene amounts of prizes, there will no doubt be a riot at the back door, and that's A-level coming up after this"

The key phrases in what he said are, "EMBARRASSMENT of prizes", and what he himself emphasised verbally, "ABSOLUTE OBSCENE amount of prizes". It is my belief (based on content and tone of voice) that when he spoke these phrases he knew I was listening, and that the phrases refer directly to my situation. The "EMBARRASSMENT" is the embarrassment he and other media people would feel at having their wrongdoing exposed; the "ABSOLUTE OBSCENE" (which he verbally emphasised) described the disgusting sexual abuse which the harassers have been throwing at me.

Of course, I can't prove that this is what he meant, although this has happened enough times that it's hard not to recognise it when you see it. I sent David Hepworth a copy of this explanation, with the results listed in a subsequent item (David Hepworth 9/May/1997).

1458

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -8674424109841067038
X-Google-Thread: 108122,53bb39ce70dcdc42,start

```
X-Google-Thread: 10a575,53bb39ce70dcdc42,start
X-Google-Thread: 115a8f,53bb39ce70dcdc42,start
X-Google-Thread: 10f77e,53bb39ce70dcdc42,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newscon02.news.prodigy.net!prodigy.net!nx02.iad01.newshosting.com!newshosting.com!
post02.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072510571641@4ax.com>
Subject: MI5 Persecution: GLR: David Hepworth (9/May/1997) (2681)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 10:57:10 GMT
Lines: 36
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:808 alt.fan.elton-john:396
sci.engr.color:354 it.comp.giochi.action:8747
```

GLR-David Hepworth (9/May/1997)

Certainty level: 100%

This time I deliberately listened to Hepworth with the sound turned up on the radio, to try to get a reaction. Sure enough, he and his cronies reacted;

David: "we have executive drivetime, and we have Brian in charge of the prize cupboard. Brian it's not a bad prize cupboard this week is it?"

Brian: "no David in fact it's an absolute (EMPHASIS) embarrassment (END-EMPHASIS) of prizes this evening" (laughter)

David: "what have we got?"

Brian: "well in my left hand alone we've got that .... Gary Clale, I don't know if you remember him obviously still alive and kicking.... and that's just in my left hand"

David: "So it's certainly worth competing. Rock and roll spelling test is your first opportunity to take advantage of this embarrassment of prizes"

What I "read into" this item should again be quite obvious. Remember, I sent off a letter of complaint to Hepworth after his spying activity during the previous show. Here the emphasis on "absolute embarrassment" of prizes shows he knows this is a "key" phrase.

It might be interesting to try to talk to DJs like Hepworth and ask them what they get out of abusing their listeners. But if you challenge them directly, they show their true colour (yellow) by either not answering the challenge, or by denying that harassment has taken place.

2681

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -5468900430615472897
X-Google-Thread: 108122,d3ec15dbe671bc33,start
X-Google-Thread: 10a575,d3ec15dbe671bc33,start
X-Google-Thread: 115a8f,d3ec15dbe671bc33,start
X-Google-Thread: 10f77e,d3ec15dbe671bc33,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!
nx01.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-
for-mail
Message-Id: <m07072511301932@4ax.com>
Subject: MI5 Persecution: Capital Radio (11/April/1997) (3904)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 11:30:13 GMT
Lines: 17
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:809 alt.fan.elton-john:397
sci.engr.color:355 it.comp.giochi.action:8750
```

Capital Radio (11/April/1997)

Certainty level: 10%

A nice easy one here. The DJ is heard to say (around 8.30pm);

"Jacko in town, what a gig it's going to be, that guy is amazing, and psychotic, but amazing on stage, 0171-420-0958, on stage he's a madman but he's wonderful"

I was listening to Capital loud and clear, trying to get a reaction.

The above may have been a reaction. I'm not sure if it was, and I'm not sure that it wasn't.

3904

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -3955824277363318115
X-Google-Thread: 108122,c37e08f416cb32eb,start
X-Google-Thread: 10a575,c37e08f416cb32eb,start
X-Google-Thread: 115a8f,c37e08f416cb32eb,start
X-Google-Thread: 10f77e,c37e08f416cb32eb,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newsfeed.yul.equant.net!newspeer.monmouth.com!newspeer1.nwr.nac.net!
border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
nx02.iad01.newshosting.com!newshosting.com!post02.iad01!news.newsdemon.com!not-
for-mail
Message-ID: <m07072512054798@4ax.com>
Subject: MI5 Persecution: Neil Fox (March/1998) (5127)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 12:05:41 GMT
Lines: 129
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 125
X-Original-Bytes: 6695
Xref: g2news2.google.com rec.radio.amateur.equipment:810 alt.fan.elton-john:398
sci.engr.color:356 it.comp.giochi.action:8752
```

Neil Fox's Juke Box on Capital Radio (week ending 15/March/1998)

Certainty level: 70%

Here is an excerpt from Neil Fox's show on Capital Radio 95.8FM, sometime during the week ending Sunday 15/March/1998 (probably during the weekend, but I don't remember).

First I will give the text of the conversation between Neil Fox and telephone caller Martin, then I will state my interpretation.

(conversation) (F=Dr Fox, M=Martin the caller)

F: coming up on the jukebox, the hotline's 0171-4848-958, just a quick shout here and so who's this going to be then Mr Producer?
(staff, shouting) MARTIN!
F: Couldn't quite hear you, it's going to be?
(staff, normal voice) Martin.
F: Thank you. Martin, hello.
M: Hello, Foxy.
F: How are you Martin.
M: Er, knackered.
F: Why?
M: Didn't get much sleep last night. Party down the road.
F: What time did you go to bed?
M: Four o'clock this morning.
F: Well that sounds quite a reasonable Saturday night if you ask me.
M: I was up at eight.
F: You were up at eight this morning?
M: Yeah.
F: That's sick. Why? What on earth made you get out of bed at eight this morning?
M: My father.
F: Well that's no good. Why is he being sicko, is he being a sadist?
M: No, he out there, sort of clearing room.
F: Listen, is your dad there?
M: No, he's downstairs.
F: Oh mate, can you get him?
M: No.
F: Does he not let you on the phone? The only reason is that I wouldn't mind having a chat with someone who makes anyone get up at eight o'clock on a Sunday morning. I'm sorry, that's ill isn't it, that's out of order.
M: It's sick.
F: I'm just going to ask around here. What do you think then, eight o'clock Sunday morning? That's out of order isn't it, for any father?
(staff) Yeah, definitely.
F: Is he like victimising you or something, is there any reason why he wanted you up at eight o'clock? To clean your room?
M: Well as I say I got up at eight this morning to clean my room and it looks worse that it did yesterday.
F: Well I should have just left it and stayed in there until eleven o'clock if I was you.
M: Well I was up, I didn't get out of bed.
F: What, you didn't get out of bed at eight o'clock? No, he woke you up at eight o'clock. Did you do any cleaning at all?
M: I haven't touched my bedroom.
F: Top man. Boy you're going to get your arse kicked later aren't you. Now a song for you, what can we play?
M: Guns and Roses, "Sweet Child of Mine".
F: And we're going to dedicate this to your father?
M: No we're not, we'll dedicate this to my good mate Jamie, who's sitting on the bed now.

F: Right, hello Jamie. And anyone else? Any top totty in your life at the moment?
M: Unfortunately no.
F: The totty factor is quite low at the moment is it?
M: It's dead.
F: It's dead? What, nothing?
M: Nothing.
F: What, zero? Well, that's pathetic. No wonder you're down. You stay out til four o'clock and nothing. We'd better have words when we're off the radio I think. We need to give you a team talk. You have a good night tonight.
M: And you.
F: Take care.
(song starts)
F: Actually something was going through my mind. I think I'll leave it.

I'm not really sure whether this is in any way about me. It probably isn't. Probably it's just my nasty suspicious mind finding links where none exist. However, here is an explanation of why it might, possibly, be about me.

Throughout this interview, I was throwing abuse at the radio, and to my mind, Neil Fox was hearing the abuse, and responding interactively. This explains why he sounds so stressed when talking to telephone caller Martin, and the general violence of his words including "Boy you're going to get your arse kicked later aren't you".

The piece starts of with the producer shouting the name of the caller, which might be related to my loud vocalisations at the radio. The trouble starts off with Fox saying "That's sick". "Sick" might be taken as a reference to my condition. Then Fox says, "Why is he being sicko, is he being a sadist?", again sick = my illness, "sadist" = attitude of my oppressors towards me. "that's ill isn't it" = further comment on my illness. "Is he like victimising you or something" = again what my enemies are doing to me.

Fox sounds quite happy when he gets Martin to say "It's sick"; as you would expect him to, if the comment were directed at me. It is a constant feature of my enemies' harassment of me that they get intermediaries to verbalise the abuse. Immediately after saying "victimising you" Fox gives a little laugh, to show he thinks the victimisation (of me, not Martin) is funny.

Fox gets increasingly nasty as the piece progresses. "Boy you're going to get your arse kicked later aren't you" is not really what you would expect him to say if he were just talking to Martin. Fox is on the same side as Martin, so why would he be so verbally aggressive to him? On the other hand, if the piece is about me, then his strong words start to make sense.

Fox's jubilation at finding that Martin's "totty factor" is "dead" again doesn't make much sense unless you think that he might not be considering Martin's totty factor, but mine, since it's a fairly well known fact that my "totty factor" is not significantly above zero.

To round off the 135 second interchange, just as the next track is starting, Fox says, "Actually something was going through my mind. I think I'll leave it". Given that I was chucking abuse at Fox throughout, it is only natural for him have thought up a reply that he would have wished to have made, except that such a reply would (a) probably not be suitable for a family show, and (b) have given the game away completely.

So there you are. You the jury, what say you in the case of plaintiff vs. Neil Fox's Juke Box, guilty or not guilty?

5127

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -7768413602490145715
X-Google-Thread: 108122,b81e9a2711ff3ecf,start
X-Google-Thread: 10a575,b81e9a2711ff3ecf,start
X-Google-Thread: 115a8f,b81e9a2711ff3ecf,start
X-Google-Thread: 10f77e,b81e9a2711ff3ecf,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!wns13feed!worldnet.att.net!
63.218.45.11!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07072512404955@4ax.com>
Subject: MI5 Persecution: Neil Fox (Nov/1998) (6350)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 12:40:56 GMT
Lines: 50
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:811 alt.fan.elton-john:399
sci.engr.color:357 it.comp.giochi.action:8761

Foxy's Showtime on Capital FM 25/11/98 7.35pm

Certainty level: 100%

This one, I can say with absolute certainty, is about me. It was recorded on my Sony Recording Walkman on the evening of Wednesday 25 November 1998. It doesn't mention me by name, so the objective observer might have trouble understanding why I'm so sure it's about me. I'm sure, because the harassment had restarted over the period when this piece was broadcast, and what Capital transmitted would have been in context with events at the time. (Sorry if that explanation is somewhat opaque, but I don't really want to embarrass myself by giving an explanation in detail, and an intelligent reader should be able to work it out for him/her self.)

This isn't the first time Capital have "got at" me; they were doing so right at the very beginning in summer 1990, when they said, "if he listens to Capital then he can't be all bad"; and Tarrant made remarks about me in his breakfast show in spring 1994, when he said, "you know this bloke? he says we're trying to kill him. We should be done for attempted manslaughter."

Unfortunately I didn't record those previous, much more conclusive instances of harassment by Capital DJs, and Capital Radio tells me they only keep recordings for three months. But lately I've been recording everything, and here is one product of that recording.

Neil Fox was introducing some petite Swedish songstress, sounded like Amelia, when he said something about her petite-ness ;

"she's a big big girl, actually she's really about tiny, she's this big, would you say what less than....."

then one of his studio staff shouted, "six inches"

then Fox laughed and said, "less than a meter tall, definitely"

What I think the "six inches" referred to should be obvious. I think it's sexual abuse directed at me.

Also there were a lot of words like "crazy", "mad" etc on this programme, which reinforced my belief that this was on purpose directed at myself.

I think Fox may be something of an unwilling participant in this abuse, he doesn't want to be an abuser but the persecutors are using his show and his staff to get at me. This is not the first time this sort of thing has happened from his show; and my guess is that it won't be the last

6350

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -1042526604176147949
X-Google-Thread: 108122,3035a473766a2dd8,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Aug 2007 23:23:42 -0500
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: 160m
Date: Sun, 26 Aug 2007 00:23:42 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <H_ydnbJ8PpvTnUzbnZ2dnUVZ_qOknZ2d@comcast.com>
Lines: 5
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace:
sv3-0YeaFCvTYxhH3TM6YQYs04jyIclW43uuviU3fUDN2bkNMzc7s7D5umoaWqsYM52DNocG6krOInUO8E
T!vXDtg4mONlBE4vuKOjdHXFSrCdNl1uJXAUtPJkF0BK4cNNG4L9qDlhvoMcEtz+bE9F9CRFaqfYwP!
v5t5xTmm29pV/jfXRWFU8u/5O1yfr8U=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:812

I am LQQking for a Hustler 160m mobile coil and whip.

73's Howard W3CQH




From 5905030172152970202
X-Google-Thread: 108122,4757738abe28a15c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.arglkargh.de!
feeder.erje.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom 706 powering itself on and off
Date: Sun, 26 Aug 2007 12:18:04 -0400
Organization: Aioe.org NNTP Server
Lines: 25
Message-ID: <fmmck-071AF3.12180326082007@nntp.aioe.org>
References: <1187807137.966852.165890@j4g2000prf.googlegroups.com>
NNTP-Posting-Host: TrU+MU0NqAuuUZ6z4ECCng.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:813
```

In article <1187807137.966852.165890@j4g2000prf.googlegroups.com>,
kbozek@yahoo.com wrote:

> I have an ICOM 706 that is powering itself on an off. I recall
> reading about this issue in the past but I neither recall the cause or
> the correct terms to find it.

Keith-

What are the circumstances when this occurs? As Pat suggested, the IC-706 is voltage sensitive, and may temporarily go dark when you start your car. However, it should immediately come back to life after full voltage is restored. Otherwise, you could have a DC wiring problem.

One problem I had with my old IC-706 (original), was that it would occasionally run down the car battery overnight. The next morning the battery was dead and the rig was hot.

As far as I can tell, the problem was with final power transistor leakage. Their collector circuits are not switched but are connected directly to the DC voltage input. After jumping the battery, the rig would appear to work OK.

Fred
K4DII

From 2948168604129955047
X-Google-Thread: 108122,58003bf567a4b961,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe05.lga.POSTED!53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: re: ic 706 off-on
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <%xiAi.26$qb5.6@newsfe05.lga>
X-Trace:
hikehalegljkcnnfbaignffdjoaiejclpnjmmaabelgiekkeihpngejpbohbhbopkhckelaglnefgmkfec
hkklemnhogeoihamagcehljjclppdmpblijkgoeheobdloenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 26 Aug 2007 10:14:35 MST
Date: Sun, 26 Aug 2007 12:15:51 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:814

One thing you did not mention: Are you using the radio with the control head remoted? Or are you using it connected to the radio. Early on, Icom had a problem with the remote cable picking up rf and shutting the radio off. I had the problem myself on 2 of them. After consulting AES & Icom, I was told to put ferrite cores on that cable. So I did. One as close to the radio under the seat as possible and one near the control head. The problem went away in both cases. Same is true for the new IC-7000 in the remote setup.

Ralph W9CAR

From -7892828716562026967
X-Google-Thread: 108122,4757738abe28a15c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.cs.univ-paris8.fr!proxad.net!feeder1-2.proxad.net!exabot.com!freenix!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom 706 powering itself on and off
Date: Sun, 26 Aug 2007 13:17:27 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13d3dd57dqspb3a@corp.supernews.com>
References: <1187807137.966852.165890@j4g2000prf.googlegroups.com> <fmmck-071AF3.12180326082007@nntp.aioe.org>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 32
Xref: g2news2.google.com rec.radio.amateur.equipment:815

"Fred McKenzie" <fmmck@aol.com> wrote in message news:fmmck-071AF3.12180326082007@nntp.aioe.org...
> In article <1187807137.966852.165890@j4g2000prf.googlegroups.com>,
> kbozek@yahoo.com wrote:
>
>> I have an ICOM 706 that is powering itself on an off. I recall
>> reading about this issue in the past but I neither recall the cause or
>> the correct terms to find it.
>
> Keith-
>
> What are the circumstances when this occurs? As Pat suggested, the
> IC-706 is voltage sensitive, and may temporarily go dark when you start
> your car. However, it should immediately come back to life after full
> voltage is restored. Otherwise, you could have a DC wiring problem.
>

I have a 706mkIIg and it does the same thing. It would cut off and on on receive and also transmitt. About 2 years ago it was doing that and it finaly did not power back on. I sent it off and several things were replaced. It worked fine after that for over a year. It is now powering off and back on about once or twice a day.

It is not a power issue as it is in the house and is being fed from an Astron 50 amp supply. The supply is working fine as I also have 746 pro hooked to the same supply. The voltage out is around the nominal 13.8 volts. I have checked the connections to the 706 and the connector on the back of the rig and could not find any problems. It will put out around 100 watts on the lower bands so I doubt there is a power supply problem with it.

```
From 1280880224745227246
X-Google-Thread: 10dafd,baed814f2fb3808f,start
X-Google-Thread: 108228,baed814f2fb3808f,start
X-Google-Thread: 108122,baed814f2fb3808f,start
X-Google-Thread: 1062f2,baed814f2fb3808f,start
X-Google-Attributes: gid10dafd,gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!pat
From: Pat <pat@apoupqpw.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: Z-80, Z80 MICROPROCESSOR TRAINER - Micro-Professor - Fully
Functioning, Very Cool Expandable Board, etc.
Date: Sun, 26 Aug 2007 21:39:36 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <2608200721393643624pat@apoupqpw.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1188178778 18689 75.67.219.196 (27 Aug 2007 01:39:38 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 27 Aug 2007 01:39:38 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:333335 alt.ham-
radio.marketplace:218 rec.radio.amateur.equipment:816
misc.industry.electronics.marketplace:94
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320151980675

```
From -5000531963625230032
X-Google-Thread: 108122,41595fb6a33524a6,start
```

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!c73c8b21!
not-for-mail
From: "Edward D. Plotzker" <edplotzker@pol.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Yaesu FLDX-400
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <mtrAi.14691$ya1.13344@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d49562b9a4c60c190d420ac84310019fb0f4b5a8a56b49bdd5fe163d486ebf360180785
98b64087479e702517dfe541740decb0f4b50f841b915c73037db481b16226b3f3b97beb2601a17925
029a3cddaf158d2f62a7649a3e148cc37ede1914f44bd37b56bba9cada8cf666632de497981b90e1ea
afae4e4a8c
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Mon, 27 Aug 2007 03:24:02 UTC
Date: Mon, 27 Aug 2007 03:24:02 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:817

I am looking for a Yaesu FLDX-400 transmitter

Ed WB2JIC@Arrl.net



From -4533247022562976227
X-Google-Thread: 108122,738a90889851ecf4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: BACK AGAN:  TUBES, EV MICS
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <OJBAi.56406$ax1.22265@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 854538359297cc992d39a48ea964b35c
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1188227054
```

854538359297cc992d39a48ea964b35c (Mon, 27 Aug 2007 15:04:14 GMT)
NNTP-Posting-Date: Mon, 27 Aug 2007 15:04:14 GMT
Organization: AT&T Worldnet
Date: Mon, 27 Aug 2007 15:04:14 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:818

Just back after 3 weeks with my new grandson in TX:

Will have more mics, parts, rigs: check back often:

5963 's, 5750's all NOS, EV 's 610, 630 + Rauland RF transformer:
All items guaranteed not DOA

heytubeguy

From -683066345464343454
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: W2RAC <w2racNOSPAM@cfl.rr.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Mon, 27 Aug 2007 23:02:46 -0400
Message-ID: <mu37d3lsddo90dr7krac9j72gp66s550nu@4ax.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
<R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk>
<iuadnRqtzKZt313bnZ2dnUVZ8vSdnZ2d@bt.com>
<Rd_vi.757$lx3.109@fe3.news.blueyonder.co.uk> <5ibqjiF3ods83U1@mid.individual.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 34
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 70.119.49.136
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:819 uk.radio.amateur:13330

http://www.swotrc.net/

http://dxworld.com/144prop.html

```
On Mon, 13 Aug 2007 20:43:46 +0100, "Nick B."
<nickb333@iamnotan.invalid> wrote:

>Chaney's Laptop wrote:
>> LVN wrote:
>>>
>>>>>
>>>>>
>>>> Icom 751!!!!!!!!!!!!!!!VHF!!!!!!!!!!!!!!!!!!!!
>>>
>>> Sorry meant 251(E) of course (with Mutek)
>>>
>>> http://www.eham.net/reviews/detail/915
>>>
>>>
>>>
>>>
>>>
>>
>> I knew that's what you meant...
>>
>> I've had a few old Icoms and had nothing but problems with dry solder
>> joints...I'm sticking with the FT-736R...outperforms my FT-847...
>
>The ones that started the ball Rolling for Mutek were the FT-221R and
>FT-225RD. I preferred my trusty IC-202S, but I never did figure where to
>fit the Mutek board. Anybody on 2m SSB these days?
```

```
From -5489737382431482660
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: W2RAC <w2racNOSPAM@cfl.rr.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Mon, 27 Aug 2007 23:04:26 -0400
Message-ID: <e447d3tocvnsnt4o136955qhqc1860vons@4ax.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<ZfidnbJ6upt3YlXbnZ2dnUVZ_vyinZ2d@comcast.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
Organization: Road Runner High Speed Online http://www.rr.com
```

```
NNTP-Posting-Host: 70.119.49.136
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:820 uk.radio.amateur:13331

I have a IC-820 in good condition if intrested.
Email me W2RAC at cfl.rr.com



On Sun, 19 Aug 2007 22:43:52 -0400, "Dave Edwards" <kd2e@comcast.net>
wrote:

>Charlie...If what you are looking for is a single band rig for 2, all you
>have to decide is if you want it recent enough for computer control, or not,
>and how much power you want to run.
>You can get in for 300 bucks or so with old Kenwoods (TS700 series) or Icom
>(IC251) or Yaesu (FT221)...If you move up to something like a more recent
>IC275H, it will run you about double that amount...You get more power,
>computer control, PL on FM...stuff like that. Some of the other rigs
>mentioned like the Yaesu 726 and 736 are not 2 meter only rigs.
>Another favorite of mine was the Yaesu FT225RD...problem with some of these
>rigs is that they are now aproaching, or past 20 years old....you may well
>end up with someone's problem rig. A really great multimode rig that is new
>enough to have a tone board (option) and has a real hot receiver....and not
>too expensive is the Kenwood TR751A.  Although it is a smaller 12 volt
>mobile rig....it has feet for desktop use...so would work out great!
>....Dave
>"charlie" <wehatespam@wymsey.co.uk> wrote in message
>news:i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net...
>>I looking to buy a used all mode base rig for two metres at the end
>> of year and am leaning towards an Icom IC820H. I have looked at the
>> comments on eHam and it looks as if this rig is a favourite. I
>> wonder if anyone has/had one and if they have any comments to make
>> on the rig.
>>
>> TIA,
>>
>> Charlie.
>>
>> PS:I realise that a real radio amateur would buy a tin of biscuits,
>> eat the biscuits and then build his own rig in the tin from a bag of
>> components bought at his club's junk sale but I don't eat biscuits.
>>
>> --
>> M0WYM
>> www.radiowymsey.org
>



From 533025690847715041
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
```

X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-mail
From: spamtrapper7@gmail.com
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Tue, 28 Aug 2007 05:20:02 -0000
Organization: http://groups.google.com
Lines: 35
Message-ID: <1188278402.377583.135510@22g2000hsm.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <1186177336.511934.268650@g12g2000prg.googlegroups.com>
NNTP-Posting-Host: 69.223.72.30
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1188278402 3949 127.0.0.1 (28 Aug 2007 05:20:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Aug 2007 05:20:02 +0000 (UTC)
In-Reply-To: <1186177336.511934.268650@g12g2000prg.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.11) Gecko/20070312 Firefox/1.5.0.11,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=69.223.72.30;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:8323 rec.radio.amateur.equipment:821 rec.antiques.radio+phono:8351 alt.radio.broadcasting:652

Before the thread went off in a completely different direction,
denn...@dennmac.net (Dennis M) wrote:

> Hello radio enthusiasts,

> I own a General Electric "Superadio III" that I purchased new back around
> 2001. I've never had any problems with it until this June when I was
> vacationing on the beach down in Florida. The FM band suddenly went out and
> only a low static sound could be heard, but the AM band seemed to pick up
> as normal. Turning the radio off and back on again didn't fix the problem.
> But when I tried it indoors the next day, the FM seemed to pick up fine.
> But when I was at a local beach yesterday, the same thing happened.

> My question is, could weak batteries possibly cause this kind of behavior?

Yes! That is *exactly* what happens as the batteries come to the end
of their lives in the Superadio.

As that time draws close, you'll have to turn the radio up a little more to get the same volume, but you probably won't notice. Then, the sound will become a little distorted, and you might eventually notice that. Not too much later, what you describe will happen. (The FM section takes more power than the AM and will stop working sooner.)

When you tried the radio the next day, as you wrote above, it worked because the batteries had had enough time to build up a little charge, not because it was inside (although some might argue the heat of the outdoors could have increased the resistance of the components in the radio more than it could have increased the output of the simultaneously-dying batteries and was, thus, a factor). You'll sometimes be able to operate the FM a little longer if you do it at a low level.....

```
From 2109836678481455080
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Aug 2007 07:26:27 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<1186177336.511934.268650@g12g2000prg.googlegroups.com>
<1188278402.377583.135510@22g2000hsm.googlegroups.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Tue, 28 Aug 2007 05:26:39 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <tIednf4Og7LuiUnbnZ2dnUVZ_sejnZ2d@comcast.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-
kzgf4XdN+JLw9sfD8RxMhy+9Fa1Zi0yaM57K0au+SswSGjfttVaDYHlKzUKI20fi+Qb3hauo7oxaczf!
3KfFTMfL0jZU14Bk9XNN5YfGD9B9F8LwcnqouhH/QsQjnDEcJxwsG/RxBUBFqaQ+CcNAr7rNMM1D!
m7euH8pAPaRGZlGaYV6/A49deXe+1Q==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:8341 rec.radio.amateur.equipment:822
rec.antiques.radio+phono:8371 alt.radio.broadcasting:654
```

> As that time draws close, you'll have to turn the radio up a little
> more to get the same volume, but you probably won't notice. Then, the
> sound will become a little distorted, and you might eventually notice
> that. Not too much later, what you describe will happen. (The FM
> section takes more power than the AM and will stop working sooner.)

I've never seen a radio in which the tuner sections are separately powered.
Compared to the output stages, they draw little current.

And very few radios -- the GE P970A being an exception -- have separate AM
and FM tuners. We never established if this was the case with the
Superradio.

```
From -3174323840199010026
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: craigm <none@domain.invalid>
Subject: Re: Question about GE Superadio III and batteries
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Followup-To: rec.radio.shortwave
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<1186177336.511934.268650@g12g2000prg.googlegroups.com>
<1188278402.377583.135510@22g2000hsm.googlegroups.com>
<tIednf4Og7LuiUnbnZ2dnUVZ_sejnZ2d@comcast.com>
Lines: 35
User-Agent: KNode/0.10.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <7RWAi.65$tB.138376@news.sisna.com>
Date: Tue, 28 Aug 2007 10:11:46 -0500
NNTP-Posting-Host: 70.41.44.191
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1188313539 70.41.44.191 (Tue, 28 Aug 2007 09:05:39 MDT)
NNTP-Posting-Date: Tue, 28 Aug 2007 09:05:39 MDT
Organization: Internet News Service
X-Received-Date: Tue, 28 Aug 2007 09:05:39 MDT (news.sisna.com)
```

```
Xref: g2news2.google.com rec.radio.shortwave:8349 rec.radio.amateur.equipment:823
rec.antiques.radio+phono:8380 alt.radio.broadcasting:655

William Sommerwerck wrote:

>> As that time draws close, you'll have to turn the radio up a little
>> more to get the same volume, but you probably won't notice. Then, the
>> sound will become a little distorted, and you might eventually notice
>> that. Not too much later, what you describe will happen.  (The FM
>> section takes more power than the AM and will stop working sooner.)
>
> I've never seen a radio in which the tuner sections are separately
> powered. Compared to the output stages, they draw little current.

Since the topic of this thread is the GE Superadio, you should look at the
schematics of the radio to provide some validity to your statement.
According to the schematics, both the Superadio I and Superadio III remove
power to the tuner circuits not being used.

While the tune sections may draw little current relative to the audio
circuitry when performing at full output, at lower output, the extra
current can have a significant impact on battery life.



>
> And very few radios -- the GE P970A being an exception -- have separate AM
> and FM tuners. We never established if this was the case with the
> Superradio.

Your apparent definition of tuner refers to the variable capacitor. Again,
your statement can be verified by looking at the schematics. The Superadio
I uses a single 6 section variable capacitor. The Superadio III uses
varactors for tuning. They are driven from a single source.

However, if your definition of tuner includes all the circuitry from the
antenna to detected audio, the Superadio I and III do not have separate
tuners as they both have common IF circuits.




From -3670651144342467103
X-Google-Thread: 108122,8dcb10088059f8b9,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Aug 2007 11:03:23 -0500
From: Ted Gaetjen <Ted.Gaetjen.119fca9@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola Service monitor
Date: Tue, 28 Aug 2007 15:54:52 +0100
Message-ID: <Ted.Gaetjen.119fca9@radiobanter.com>
```

Organization: RadioBanter.com
Lines: 10
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 87.106.71.43
X-Trace: sv3-
swrNpFcmzOwDm1ntL7NQUZz3tdyEHPbL3w9rQ2DKTxLqnXjhgB3eiJW7kjc9iOTS00Ks0E3HK7pUDcS!
RVAwoCIW4QfD6YxgsVVL5K8q7wt/yud+GwvH8f6E32eXmJswf9/aQQl8FSynTZUJsH1dpAjjSL1Z!
Uz22mJfXuA==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
X-Original-Lines: 1
Xref: g2news2.google.com rec.radio.amateur.equipment:824

I have a Motorola Service Monitor, R2001D/HS, that is surplus and we no
longer use. Unit powes up and was being used regularly when we stopped
using it. The battery does not hold a charge but unit works well on AC
power. I will look at any reasonable offers seriously.

--
Ted Gaetjen

From 5026400638486522874
X-Google-Thread: 108122,8dcb10088059f8b9
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups: rec.radio.amateur.equipment
References: <Ted.Gaetjen.119fca9@radiobanter.com>
Subject: Re: Motorola Service monitor
Date: Tue, 28 Aug 2007 12:34:42 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 17
Message-ID: <46d44ea0$0$26697$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: d9724001.news.coretel.net
X-Trace:

```
DXC=3K8X:7R`Y2NhCeo0U:e2KCcYX6N<OEXQKmBabLJmA5BFmSD4F:fhJ]HKW7_gRB@Gj@RC<eEa\UR`G
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.equipment:825

"Ted Gaetjen" <Ted.Gaetjen.119fca9@radiobanter.com> wrote in message
news:Ted.Gaetjen.119fca9@radiobanter.com...
>
> I have a Motorola Service Monitor, R2001D/HS, that is surplus and we no
> longer use.  Unit powes up and was being used regularly when we stopped
> using it.  The battery does not hold a charge but unit works well on AC
> power.  I will look at any reasonable offers seriously.
>
>
>
>
> --
> Ted Gaetjen

Last couple in stated similar condition - netted upwards of $1200 on E-Bay.




From -4002367957585276534
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!roadrunner.com!not-for-mail
From: "jim menning" <jmenningSPAM@new.rr.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<1186177336.511934.268650@g12g2000prg.googlegroups.com>
<1188278402.377583.135510@22g2000hsm.googlegroups.com>
<tIednf4Og7LuiUnbnZ2dnUVZ_sejnZ2d@comcast.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Tue, 28 Aug 2007 11:56:43 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 97
Message-ID: <46d453a5$0$11059$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 75.87.209.129
X-Complaints-To: abuse@rr.com
```

Xref: g2news2.google.com rec.radio.shortwave:8358 rec.radio.amateur.equipment:826
rec.antiques.radio+phono:8393 alt.radio.broadcasting:656

"craigm" <none@domain.invalid> wrote in message
news:ZMXAi.66$pj.72776@news.sisna.com...
> William Sommerwerck wrote:
>
>> "craigm" <none@domain.invalid> wrote in message
>> news:7RWAi.65$tB.138376@news.sisna.com...
>>> William Sommerwerck wrote:
>>
>>>>> As that time draws close, you'll have to turn the radio up a little
>>>>> more to get the same volume, but you probably won't notice. Then, the
>>>>> sound will become a little distorted, and you might eventually notice
>>>>> that. Not too much later, what you describe will happen. (The FM
>>>>> section takes more power than the AM and will stop working sooner.)
>>
>>> > I've never seen a radio in which the tuner sections are separately
>>> > powered. Compared to the output stages, they draw little current.
>>
>>> Since the topic of this thread is the GE Superadio, you should look
>>> at the schematics of the radio to provide some validity to your
>>> statement. According to the schematics, both the Superadio I and
>>> Superadio III remove power to the tuner circuits not being used.
>>
>> My statement is completely valid -- I've never seen one.
>>
>
> You need to take a closer look at portable radios. Your limited experience
> does not make for a valid generalization.
>
>>
>>> While the tune sections may draw little current relative to the audio
>>> circuitry when performing at full output, at lower output, the extra
>>> current can have a significant impact on battery life.
>>
>> If they draw little current -- relative to the audio stages -- then they
>> cannot have a "significant" impact on battery life.
>
> Note that I referred to _full_ output, at lower output the difference can be
> significant.
>
> For example, with the volume all the way down, the current draw an a
> Superadio II is 15.7 mA for AM and 22.5 mA for FM. The FM front end draws
> 6.8 mA more than the AM one. At low volumes these numbers increase to
> 18-20 mA for AM and 25-29 mA for FM. Since FM seems to draw 7 mA more than
> AM, listening to AM and leaving the FM powered up may increase consumption
> by about 33%.
>
> At higher volumes the current for AM is 38-50 mA and for FM is 48-70 mA.
> At these levels, the increase in current is a smaller percentage. (I'll let
> you figure out the math.)

>
> The above numbers are measured on a real radio, no conjecture. The ranges
> are indicated because the program content caused variations in the
> readings.
>
>>
>>
>>>> And very few radios -- the GE P970A being an exception -- have
>>>> separate AM and FM tuners. We never established if this was the
>>>> case with the Superradio.
>>
>>> However, if your definition of tuner includes all the circuitry from the
>>> antenna to detected audio, the Superadio I and III do not have separate
>>> tuners as they both have common IF circuits.
>>
>> I asked about this several weeks ago, but no one responded.
>>
>> If these radios have common IF strips, then what sections of the circuitry
>> are there to be shut off when not in use?
>
> RF amps, mixer, oscillator, portions of the IF that are not common.
>
>
>>
>> FM/AM radios commonly use the same transistors for the RF amplifier, the
>> mixer, and LO. Are these Superadios different?
>
> Yes they are different. This question shows how little you know about what
> you are talking about.
>
> For more info on the SR III look here.
> http://users.netonecom.net/~swordman/Radio/GEsrIIIAlign.htm
>
>
>

That's not fair craigm. You are using actual data and facts vs. an unsupported general conjecture.

And you're right about William not knowing what he's talking about in this case. That seems to be the norm for many around here. Defending one's previous posts by pleading ignorance doesn't make up for making false generalized statements. Once the misinformation is posted, many will unfortunately believe it to be true. Thanks for offering the factual counterpoints.

From -1405737524136858111
X-Google-Thread: 114aac,21460468e59431e1

```
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Aug 2007 15:40:18 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<1186177336.511934.268650@g12g2000prg.googlegroups.com>
<1188278402.377583.135510@22g2000hsm.googlegroups.com>
<tIednf4Og7LuiUnbnZ2dnUVZ_sejnZ2d@comcast.com>
<46d453a5$0$11059$4c368faf@roadrunner.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Tue, 28 Aug 2007 13:40:12 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <37GdnSiU1c2uFUnbnZ2dnUVZ_vWtnZ2d@comcast.com>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-85waHNEwYbz0CKxrzwaHpCX/
vPuvtJGaMW1lzZmCVnlHXbJCWrzcgRG2Ld5s5GwTMYnoSoiAdswFX1t!
WE2D5JajNjOTPloWW86WtznPQRsuOXOMb5/eP09IFuCnJmy28iPMR1u5QZcg9uHLYyGcKua2I35k!
TRlBZHV18swj5gvAsK84eQLJGgP6oA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:8380 rec.radio.amateur.equipment:827
rec.antiques.radio+phono:8400 alt.radio.broadcasting:658
```

> That's not fair craigm. You are using actual data and facts vs.
> an unsupported general conjecture.
> And you're right about William not knowing what he's talking
> about in this case.

Excuse me?

I serviced electronic equipment throughout high school and long after. Most of the general statements I made are correct.

Disputing the plausibility of a claim has nothing to do with whether I know what I'm talking about. I would rather be wrong because I was applying common sense, than be right because I blindly believed what someone else claims.

Radios tend to be designed as cheaply as possible. That means using as many common circuits as possible, and avoiding "unnecessary" components (such as switches to disabled "unused" circuitry). Radios such as the P-970 and Superadio are the exceptions, not the rule.

```
From 3022306717332297776
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-01!sn-xt-sjc-08!sn-post-
sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Tue, 28 Aug 2007 10:49:11 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0708281042310.15184@malasada.lava.net>
In-Reply-To: <mu37d3lsddo90dr7krac9j72gp66s550nu@4ax.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
 <q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
 <29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
 <R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk>
<iuadnRqtzKZt313bnZ2dnUVZ8vSdnZ2d@bt.com>
 <Rd_vi.757$lx3.109@fe3.news.blueyonder.co.uk>
<5ibqjiF3ods83U1@mid.individual.net>
 <mu37d3lsddo90dr7krac9j72gp66s550nu@4ax.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 43
Xref: g2news2.google.com rec.radio.amateur.equipment:828 uk.radio.amateur:13421
```

On Mon, 27 Aug 2007, W2RAC wrote:

> http://www.swotrc.net/
>
> http://dxworld.com/144prop.html
>
>
>
> On Mon, 13 Aug 2007 20:43:46 +0100, "Nick B."
> <nickb333@iamnotan.invalid> wrote:
>

```
>> Chaney's Laptop wrote:
>>> LVN wrote:
>>>>> Icom 751!!!!!!!!!!!!!!!VHF!!!!!!!!!!!!!!!!!!!!
>>>> Sorry meant 251(E) of course (with Mutek)
>>>> http://www.eham.net/reviews/detail/915
i
l

>>>>
>>>>
>>>>
>>>>
>>>
>>> I knew that's what you meant...
>>>
>>> I've had a few old Icoms and had nothing but problems with dry solder
>>> joints...I'm sticking with the FT-736R...outperforms my FT-847...
>>
>> The ones that started the ball Rolling for Mutek were the FT-221R and
>> FT-225RD. I preferred my trusty IC-202S, but I never did figure where to
>> fit the Mutek board. Anybody on 2m SSB these days?
>
Well I am sticking with my old IC751.  A Guy in Italy made a replacement
ramboard and sold em all over the world, what the board did was fix it
so it was impossible for the IC751 to loose its brain (operating system).
Mine did that and I lost most of the bands were lost, no way to restore
them.   The Italian guy made a whole new board to replace the original
one so you could never loose the operating system itself, you would
only loose the 32 memories you had stored manually.  These of course
could of course be reset one by one in a few mins.
                           Joe



From 4489786675245983584
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!roadrunner.com!not-for-mail
From: "jim menning" <jmenningSPAM@new.rr.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<1186177336.511934.268650@g12g2000prg.googlegroups.com>
<1188278402.377583.135510@22g2000hsm.googlegroups.com>
<tIednf4Og7LuiUnbnZ2dnUVZ_sejnZ2d@comcast.com>
<46d453a5$0$11059$4c368faf@roadrunner.com>
```

```
<37GdnSiU1c2uFUnbnZ2dnUVZ_vWtnZ2d@comcast.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Tue, 28 Aug 2007 16:14:14 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 33
Message-ID: <46d49001$0$32564$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 75.87.209.129
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:8383 rec.radio.amateur.equipment:829
rec.antiques.radio+phono:8404 alt.radio.broadcasting:659


"William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
news:37GdnSiU1c2uFUnbnZ2dnUVZ_vWtnZ2d@comcast.com...
>> That's not fair craigm. You are using actual data and facts vs.
>> an unsupported general conjecture.
>> And you're right about William not knowing what he's talking
>> about in this case.
>
> Excuse me?
>
> I serviced electronic equipment throughout high school and long after. Most
> of the general statements I made are correct.
>
> Disputing the plausibility of a claim has nothing to do with whether I know
> what I'm talking about. I would rather be wrong because I was applying
> common sense, than be right because I blindly believed what someone else
> claims.
>
> Radios tend to be designed as cheaply as possible. That means using as many
> common circuits as possible, and avoiding "unnecessary" components (such as
> switches to disabled "unused" circuitry). Radios such as the P-970 and
> Superadio are the exceptions, not the rule.
>
>

Was I not clear enough for you?

 We were talking about Superadios.  They are obviously something you know little
or
nothing about.  Hence the quote:  "And you're right about William not knowing what
he's talking about in this case."




From 6955425845153376583
```

X-Google-Thread: 108122,e666f2942758f1ea,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
Date: Wed, 29 Aug 2007 10:09:14 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Manual needed for JPS SNV-4 DSP Voter (Older model)
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 40
Message-ID: <46d57d5b$0$11049$4c368faf@roadrunner.com>
NNTP-Posting-Host: 65.33.235.231
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:830

Has anyone a manual for the JPS SNV-4 Voter? This appears to be an earlier model (about 11-12 years) JPS DSP voter that was a 4 channel model. (This is not same as currrent SNV-12 model) I checked JPS website and found nothing.

The reason I am interested is that I picked up one of these for a project and it is lacking the correct documentation to set the dip switches.

The unit I have has Control Board Assembly 5940-202000 which has only two dip switches S1 and S2. The manual (partial) that I have (rev 1.1 July 1996) references a S3 on the control board with additional switches plus a parallel control I/O port 9 which this specific unit does not have. I don't have a board with S3 so the instructions are probably wrong for S1 and S2. So I think I need a rev 1.0 manual or earlier. If it helps, my control board has a lot of empty layout that was apparently for an 8 channel version with part number suffix beginning with 4 instead of 2.

I have the unit on the bench working pretty well, as far as audio performance, but I really can't get the COR and repeater PTT logic sorted out without a better understanding of the DIP switch settings. I suspect I haven't got S1 and S2 on the control board set properly and I am not entirely sure about SW3/6 on the DSP boards either considering that switch positions 7 and 8 are not referenced.

Can anyone help me or direct me to where I could find either a paper or soft copy of the manual and any programming notes?

Thanks

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 935735202908718826
X-Google-Thread: 108122,fbd3244afba558a0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out04b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe09.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Cranston@CobaltClub.com>
Newsgroups: rec.radio.amateur.equipment
Subject: They Don't Make Electronic KITS Anymore
Lines: 7
MIME-Version: 1.0
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <_zkBi.119418$xx1.80756@newsfe09.phx>
Date: Wed, 29 Aug 2007 13:22:18 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe09.phx 1188418938 72.197.13.209 (Wed, 29 Aug 2007 13:22:18 MST)
NNTP-Posting-Date: Wed, 29 Aug 2007 13:22:18 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:831

Au Contraire
100+ Ham kits and Hobby kits at URL:
http://ac6v.com/kits.htm

Keep that soldering iron tinned

Lamont - the Shadow Knows

From -445135743222381673

X-Google-Thread: 108122,c4a1723f7de4bc0f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From: paulmarch@sbcglobal.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: fs: tokyo hypower hl500v vhf amplifier
Date: Wed, 29 Aug 2007 20:48:02 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1188445682.466531.279960@d55g2000hsg.googlegroups.com>
References: <t%noi.2$Wc.0@newsfe06.lga>
NNTP-Posting-Host: 208.191.180.68
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1188445682 21136 127.0.0.1 (30 Aug 2007 03:48:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Aug 2007 03:48:02 +0000 (UTC)
In-Reply-To: <t%noi.2$Wc.0@newsfe06.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=208.191.180.68;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:832

On Jul 21, 9:37 am, "W9CAR" <w9...@charter.net> wrote:
> HL-500V Toyko Hy-Power 2m (144MHz) 500W Power Amplifier
> * Frequency band 144-148MHz * Mode FM, SSB, CW * RF Drive power 20W/50W,
> manual select * RF Power out 500W * RF Power devices MRF151G x2 * PA
> imbalance protection, Over current protection circuit & high SWR protection
> * In/Out connection Type 'N * Power 100-240V AC at 12A/6A max * Size 345 x
> 145x 390mm * Weight 15kg
> CURRENT NEW Price: US $3790.76
> ---
> THAT INFORMATION DIRECT FROM FACTORY. THIS AMP IS IN EXCELLANT CONDITION,
> MANUAL INCLUDED. IT HAS LESS THAN 6 HRS ACTUAL ONLINE TIME. MY PRICE:
> $2300.00 PLUS SHIPPING. INTERNAL & REAR PICS PROVIDED UPON EMAIL REQUEST.
> w9car

W9CAR:

Is this HL-500V 2-meter Linear Amp still available for sale? I would be interested in procuring it.

Paul March
Friendswood, TX
KE5PGH
e-mail: paulmarch@sbcglobal.net

```
From -2168042948708434513
X-Google-Thread: 108122,a736c7ea2b4cb17e,start
X-Google-Thread: fc2a5,a736c7ea2b4cb17e,start
X-Google-Thread: 107ada,a736c7ea2b4cb17e,start
X-Google-Thread: 1109af,a736c7ea2b4cb17e,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!feed.cgocable.net!
read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.swap
Subject: FS: Marconi / Spilsbury / Icom / IDA Service Manuals & MORE
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <94FBi.1121$tx1.443@read1.cgocable.net>
Date: Thu, 30 Aug 2007 15:41:54 -0400
NNTP-Posting-Host: 24.141.130.191
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1188502917 24.141.130.191 (Thu, 30 Aug 2007 15:41:57
EDT)
NNTP-Posting-Date: Thu, 30 Aug 2007 15:41:57 EDT
Organization: Cogeco Cable
Xref: g2news2.google.com rec.radio.amateur.equipment:833
rec.radio.amateur.homebrew:924 rec.radio.amateur.misc:1804 rec.radio.swap:1085
```

Have a quantity of Test Equipment and Radio Communications Service Manuals, both Commercial & Amateur that I have rescued from the Dumpster. Most of them are in Like New Condition.

Please check my site: www.rodemi.com   for what is available. Click on the MANUALS Heading. I am updating the site as time allows.
I recently retired from the Commercial 2-way radio business and would like these useful manuals to find a good home.

Thanks for looking....Norm VE3CZI
Email me Directly: <insert Call Sign> at arrl.net ....<call sign> is ve3czi

```
From 1016194573459454211
X-Google-Thread: 108122,8dcb10088059f8b9
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe18.lga.POSTED!53ab2750!not-for-mail
From: Dino Papas <kl0s@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Motorola Service monitor
References: <Ted.Gaetjen.119fca9@radiobanter.com>
Posted-And-Mailed: yes
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <kl0s-8BAD2C.17462630082007@news.lga.highwinds-media.com>
Lines: 17
Date: Thu, 30 Aug 2007 17:46:31 -0400
NNTP-Posting-Host: 68.0.33.67
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1188510033 68.0.33.67 (Thu, 30 Aug 2007 14:40:33 MST)
NNTP-Posting-Date: Thu, 30 Aug 2007 14:40:33 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:834

In article <Ted.Gaetjen.119fca9@radiobanter.com>,
Ted Gaetjen <Ted.Gaetjen.119fca9@radiobanter.com> wrote:

> I have a Motorola Service Monitor, R2001D/HS, that is surplus and we no
> longer use. Unit powes up and was being used regularly when we stopped
> using it. The battery does not hold a charge but unit works well on AC
> power. I will look at any reasonable offers seriously.

Ted -- I saw you note here....I have a friend who may be
interested....direct e-mail doesn't seem to work. If you still have the
unit you may want to contact Charlie Stokes at:

wb4pvt@verizon.net

to discuss the equipment.

Dino Papas KL0S/4

From 907450865287309266
X-Google-Thread: 108122,afef761477a5ae1d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l22g2000prc.googlegroups.com!not-for-mail
From: meritcaresucks@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: ICOM SP-20 SPEAKER
Date: Thu, 30 Aug 2007 17:56:01 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1188521761.770296.155650@l22g2000prc.googlegroups.com>
References: <e50vi.20$Lo3.12@newsfe12.lga>
NNTP-Posting-Host: 69.178.254.106
Mime-Version: 1.0

```
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1188521762 29604 127.0.0.1 (31 Aug 2007 00:56:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 31 Aug 2007 00:56:02 +0000 (UTC)
In-Reply-To: <e50vi.20$Lo3.12@newsfe12.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l22g2000prc.googlegroups.com; posting-host=69.178.254.106;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:835
```

On Aug 10, 9:10 am, "W9CAR" <w9...@charter.net> wrote:

> THIS SPEAKER HAS BUILT IN AUDIO FILTERS AND MATCHES THE IC-756 PRO II OR IC
> 756 PRO III SERIES.
> $165.00 SHIPPED & INSURED CONUS

still for sale? email me
ben

```
From -3384245051563630509
X-Google-Thread: 108122,db80b4b86ff565fe,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-1000 auto-tuner problem
Date: Fri, 31 Aug 2007 22:03:19 -0400
Organization: MV Communications, Inc.
Lines: 20
Message-ID: <pan.2007.09.01.02.03.18.303130@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1188612200 75629 207.22.49.17 (1 Sep 2007 02:03:20 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 1 Sep 2007 02:03:20 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:836
```

I'm having some trouble with the auto-tuner in my Yaesu FT-1000 and I'm wondering if anyone can help.

If I turn on the auto-tuner, even when I have a near-perfect match to the antenna, the SWR goes very high and the output power goes very low. If I hit START, the WAIT light comes on and then it just sits there, nothing happens, only way out is to turn the auto-tuner off.

I'm waiting for a service manual to arrive and then I'll troubleshoot it,
but meanwhile I wanted to find out if any of the rest of you have seen
that problem, or if there is a common thing that causes it.

It's relatively unimportant at this time because I use an external tuner
with a ladder-line-fed inverted V, but I'd like the internal tuner to work...

The radio is an older FT-1000, no -D or -MP or any other suffix.

Thanks for any help...

```
From -1468867537191797889
X-Google-Thread: 10dafd,1581a5ab64639164,start
X-Google-Thread: 108228,1581a5ab64639164,start
X-Google-Thread: 108122,1581a5ab64639164,start
X-Google-Thread: 1062f2,1581a5ab64639164,start
X-Google-Attributes: gid10dafd,gid108228,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsfeed-00.mathworks.com!news.mv.net!jeff
From: Jeff <jeff@jskkpoiiia.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Subject: FA: 1-Day-Left: Z-80, Z80 MICROPROCESSOR TRAINER - Micro-Professor -
Fully Functioning, Very Cool Expandable Board, etc.
Date: Sat, 01 Sep 2007 07:48:58 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <010920070748586137%jeff@jskkpoiiia.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1188647338 87643 75.67.219.196 (1 Sep 2007 11:48:58 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 1 Sep 2007 11:48:58 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:379901 alt.ham-
radio.marketplace:225 rec.radio.amateur.equipment:837
misc.industry.electronics.marketplace:101
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320151980675

```
From 5832984036430424467
X-Google-Thread: 108122,b6e0dc508c2faae3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-1000 autotuner works all bands except 20M
Date: Sat, 01 Sep 2007 09:21:54 -0400
Organization: MV Communications, Inc.
Lines: 17
Message-ID: <pan.2007.09.01.13.21.54.978834@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1188652915 89948 207.22.49.17 (1 Sep 2007 13:21:55 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 1 Sep 2007 13:21:55 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:838
```

I have gotten a little farther in troubleshooting the autotuner in the FT-1000. It seems that it works perfectly on all bands except 20 meters, where it won't work at all.

I have no service information for the FT-1000 in general or the autotuner in particular. Anyone have any idea whether there is some specific thing that's unique to 20 meters that might have gone bad?

I would have suspected one of the tuned circuits (open L, shorted C) but the thing doesn't even try to find a match, just sits there showing a very high SWR and not making any moves at all.

I suppose it could still be one of the LCs, and the thing just shows such a high SWR that it gives up and doesn't even try (but, it also doesn't light the "HI SWR" LED...).

```
From 2413911153656890621
X-Google-Thread: 108122,1f7ce89a3dd3b2ba,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,UTF8
Path: g2news2.google.com!postnews.google.com!w3g2000hsg.googlegroups.com!not-for-
mail
From:  ushyfr8ewyrfiew8@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: phone selection date , phone service , phone service date , phone setup ,
phone
Date: Sat, 01 Sep 2007 16:12:18 -0000
Organization: http://groups.google.com
Lines: 358
Message-ID: <1188663138.840056.134450@w3g2000hsg.googlegroups.com>
NNTP-Posting-Host: 77.49.36.16
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="utf-8"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1188663139 17204 127.0.0.1 (1 Sep 2007 16:12:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 1 Sep 2007 16:12:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w3g2000hsg.googlegroups.com; posting-host=77.49.36.16;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:839

http://www.fastestpersonals.com/casual-sex-encou-9d602c1fd0502fb831befa24c8=
f7100d.html
http://www.fastestpersonals.com/casual-sex-encou-9e1835e55bbaa65d02d2e185dd=
c7ffd1.html
http://www.fastestpersonals.com/casual-sex-encou-a25598994103872827e6aab788=
a267b1.html
http://www.fastestpersonals.com/casual-sex-encou-a37e9f94bb8f0fab4d634d82d8=
13eec9.html
http://www.fastestpersonals.com/casual-sex-encou-a8186e1f6bc2f2312109c94fcb=
9c28e6.html
http://www.fastestpersonals.com/casual-sex-encou-abfc5d5fd54521317b1ec47ce1=
516743.html
http://www.fastestpersonals.com/casual-sex-encou-ad2e111d10801c4ef19db2542c=
73d86b.html
http://www.fastestpersonals.com/casual-sex-encou-ae220e48bc451a8d275b42ff95=
734e48.html
http://www.fastestpersonals.com/casual-sex-encou-ae9cdacd2ee16f2f747d2941d0=
776dba.html
http://www.fastestpersonals.com/casual-sex-encou-af738bf2576e42681e50f9af90=
4691bb.html
http://www.fastestpersonals.com/casual-sex-encou-b3c03ef045c76d4da6554f49a5=
5921cf.html
http://www.fastestpersonals.com/casual-sex-encou-b6a624fe5de7afe2e592205ae1=
d0cb81.html
http://www.fastestpersonals.com/casual-sex-encou-b74ccb236daa567f75da9a02ae=
e65dc8.html
http://www.fastestpersonals.com/casual-sex-encou-ba3f969f4674bc60506e8297df=
285938.html
http://www.fastestpersonals.com/casual-sex-encou-bb762451df9e01018ac2ce49c2=
1bce16.html
http://www.fastestpersonals.com/casual-sex-encou-bd2e6f41cbc2ad102b0c767225=
151ce9.html
http://www.fastestpersonals.com/casual-sex-encou-bdc6b47c8c173c3177722805e7=
5aea20.html
http://www.fastestpersonals.com/casual-sex-encou-c317e5e9a65dce10b0d58bec55=
0cbd6d.html
http://www.fastestpersonals.com/casual-sex-encou-c8014389f45a68749d0216a0d4=
00db86.html
http://www.fastestpersonals.com/casual-sex-encou-c9e299851749b60aed4f2007c9=
```

4f5290.html
http://www.fastestpersonals.com/casual-sex-encou-ca137fa4836beeadc7c4c07c16=
0851c6.html
http://www.fastestpersonals.com/casual-sex-encou-caa0f89565ae9adc0e985e3244=
7bceb3.html
http://www.fastestpersonals.com/casual-sex-encou-cbb1de0c463b9f6d2c33af2a04=
031db7.html
http://www.fastestpersonals.com/casual-sex-encou-cc01515ec40ad5e964d3d81aa8=
80389c.html
http://www.fastestpersonals.com/casual-sex-encou-ce33e917a10e715333b6d08f55=
b0eea7.html
http://www.fastestpersonals.com/casual-sex-encou-d28c5bc528d060db0dd3c8398c=
2cdfe2.html
http://www.fastestpersonals.com/casual-sex-encou-d6489f8a6a663bcb8b0d9a05c4=
5f3938.html
http://www.fastestpersonals.com/casual-sex-encou-d6b58a6bb851bacf579a303cc9=
c9f7bf.html
http://www.fastestpersonals.com/casual-sex-encou-d8ad9258bfebe147efc52ef355=
c999c6.html
http://www.fastestpersonals.com/casual-sex-encou-d9f9e959050fec61335a34807c=
9bcefb.html
http://www.fastestpersonals.com/casual-sex-encou-da1ec4911a27c64a7f7d98732c=
aae8d1.html
http://www.fastestpersonals.com/casual-sex-encou-dd740aacb9287a3423fb5fa945=
8c297e.html
http://www.fastestpersonals.com/casual-sex-encou-e0d490ca6dc3b694ce1d8cca60=
802653.html
http://www.fastestpersonals.com/casual-sex-encou-e6cc19185ec3bf6bc941285369=
569651.html
http://www.fastestpersonals.com/casual-sex-encou-e73b42aee541b975d641b546d5=
da0a08.html
http://www.fastestpersonals.com/casual-sex-encou-e7f86771a6dc5c19d8d350bf8e=
e66c45.html
http://www.fastestpersonals.com/casual-sex-encou-eb910a605003b1d50cfb38852c=
49d923.html
http://www.fastestpersonals.com/casual-sex-encou-ec4931a12d00702c2136289747=
4937ca.html
http://www.fastestpersonals.com/casual-sex-encou-ee7eed1042492ff9734778921e=
d58ff4.html
http://www.fastestpersonals.com/casual-sex-encou-eedfb347c4a7fe2d226aa631b7=
454128.html
http://www.fastestpersonals.com/casual-sex-encou-ef083221efa5acb0bbdf0b2645=
449ecd.html
http://www.fastestpersonals.com/casual-sex-encou-ef1c064c85c5079cab1e6a50ea=
c56ef9.html

womans . naked canadian young womans . international online date . date australia . chinese new year dates . internetdate . mature photo personals . best date website . date talk rooms . gods gift to us is canadian young womans . boys and young womans club of canada . date agencies uk . date internet service . date essex . uk singles . teen online date . talk . mature talk room . www date co uk . speed date . www date online . chinese new year dates 2007 . mature date finder friend personals . best date spots . internet date website . on line date service . online sex date sites . date online . date in uk . catholic . online date stories . mature sex dates . online date . date agencies . online date community . sexy date . great expectations date . uk photo personals . top date sites . date my mom uk . christian singles . nz online date . canadian young woman ashleigh . mature sex date . australia date . top 10 reasons to date a dancer . young woman guides canada . young woman guides of canada . uk school term dates . date england . canadian young womans lyrics . asian mature date . best date restaurants . online date for teens . uniform date uk . online date uk . mature friend date , personals personals secret , personals personals secret date , personals personals selection , personals personals selection date , personals personals service , personals personals service date , personals personals setup , personals personals setup date , personals personals special offer , personals personals special offer date , personals personals specialist , personals personals specialist date , personals personals standard , personals personals standard date , personals personals suggestions , personals personals suggestions date , personals personals summary , personals personals summary date , personals personals support , personals personals support date , personals personals system , personals personals system date , personals personals table , personals personals table date , personals personals techniques , personals personals techniques date , personals personals test , personals personals test date , personals personals tips , personals personals tips date , personals personals training , personals personals training date , personals personals trial , personals personals trial date , personals personals tricks , personals personals tricks date , personals personals tutorial , personals personals tutorial date , personals practice , personals practice date , personals price , personals price comparison , personals price comparison date , personals price date , personals prices , personals prices date , personals products , personals products date , personals program , personals program date , personals quality , personals quality date , personals rebate , personals rebate date , personals recommended price , personals recommended price date , personals reduction , personals reduction date , personals repair , personals repair date , personals replacement , personals replacement date , personals report , personals report date , personals retail price , personals retail price date , personals review , personals review date , personals sample , personals sample date , personals second-hand , personals second-hand date , personals secret , personals secret date , personals selection , personals selection date , personals service , personals service date , personals setup , personals setup date , personals special offer , personals special offer date , personals specialist , personals specialist date , personals standard , personals standard date , personals suggestions , personals suggestions date , personals summary , personals summary date , personals support , personals support date , personals system , personals system date , personals table , personals table date , personals techniques , personals techniques date , personals test , personals test date , personals tips , personals tips date , personals training , personals training date , personals trial , personals trial date , personals tricks , personals tricks date , personals tutorial , personals tutorial date , phone advantage , phone advantage date , phone advice , phone advice date , phone advise , phone advise date , phone advisor , phone advisor date , phone analysis , phone analysis date , phone article , phone article date , phone assistance , phone assistance date , phone basics , phone basics date , phone beginner , phone beginner date , phone catalog , phone catalog date , phone classic , phone classic date , phone collection , phone collection date , phone combination , phone combination date , phone comments , phone comments date , phone comparison , phone comparison date , phone concept , phone concept date , phone consult , phone consult date , phone consultant , phone consultant date , phone costs , phone costs date , phone data , phone data date , phone date , phone description , phone description date , phone design , phone design date , phone directions , phone directions date , phone directory , phone directory date , phone discount , phone discount date , phone download , phone download date , phone drafts , phone drafts date , phone enquiry , phone enquiry date , phone examples , phone examples date , phone experience , phone experience date , phone expert , phone expert date , phone expertise , phone expertise date , phone facts , phone facts date , phone features , phone features date , phone fee , phone fee date , phone functions , phone functions date , phone help , phone help date , phone ideas , phone ideas date , phone improvement , phone improvement date , phone index , phone index date , phone info , phone info date , phone information , phone information date , phone inquiry , phone inquiry date , phone installation , phone installation date , phone know-how , phone know-how date , phone knowledge , phone knowledge date , phone list price , phone list price date , phone lowest price , phone lowest price date , phone maintainment , phone maintainment date , phone manual , phone manual date , phone market leader , phone market leader date , phone market overview , phone market overview date , phone method , phone method date , phone models , phone models date , phone news , phone news date , phone offer , phone offer date , phone online , phone online date , phone opportunities , phone opportunities date , phone optimization , phone optimization date , phone order , phone order date , phone organization , phone organization date , phone overview , phone overview date , phone practice , phone practice date , phone price , phone price comparison , phone price comparison date , phone price date , phone prices , phone prices date , phone products , phone products date , phone program , phone program date , phone quality , phone quality date , phone rebate , phone rebate date , phone recommended price , phone recommended price date , phone reduction , phone reduction date , phone repair , phone repair date , phone replacement , phone replacement date , phone report , phone report date , phone retail price , phone retail price date , phone review , phone review date , phone sample , phone sample date , phone second-hand , phone second-hand date , phone secret , phone secret date , phone selection , setup date , phone special offer , phone special offer date , phone specialist , phone specialist date , phone standard , phone standard date , phone suggestions , phone suggestions date , phone summary , phone summary date , phone support , phone support date , phone system , phone system date , phone table , phone

```
table date , phone techniques , phone techniques date , phone test ,
phone test date , phone tips , phone tips date , phone training ,
phone training date , phone trial , phone trial date , phone tricks ,
phone tricks date , phone tutorial , phone tutorial date , pictures
advantage , pictures advantage date , pictures advice , pictures
advice date , pictures advise , pictures advise date , pictures
advisor , pictures advisor date , pictures analysis , pictures
analysis date , pictures article , pictures article date , pictures
assistance , pictures assistance date , pictures basics , pictures
basics date , pictures beginner , pictures beginner date , pictures
catalog , pictures catalog date , pictures classic , pictures classic
date , pictures collection , pictures collection date , pictures
combination , pictures combination date , pictures comments , pictures
comments date , pictures comparison , pictures comparison date ,
pictures concept , pictures concept date , pictures consult , pictures
consult date , pictures consultant , pictures consultant date ,
pictures costs , pictures costs date , pictures data , pictures data
date , pictures date , pictures description , pictures description
date , pictures design , pictures design date , pictures directions ,
pictures directions date , pictures directory , pictures directory
date localregional meet . localregionaactivities meet . localregiona
meet . localregioalactivities meet . localregioal meet .
localreginalactivities meet . localreginal meet .
localegionalactivities meet . localegional meet . local rgional
activities meet . local rgional meet . local rekional activities
meet . local rekional meet . local reional activities meet . local
reional meet . local regonal activities meet . local regonal meet .
local regiunal activities meet . local regiunal meet . local regionl
activities meet . local regionl meet . local regionel meet . local
regional ctivities meet . local regional ativities meet . local
regional actvities meet . local regional activties meet . local
regional activitis meet . local regional activities meet . local
regional activitie meet . local regional activites meet . local
regional activiteis meet . local regional activiies meet . local
regional actividies meet . local regional actiities meet . local
regional actifities meet . local regional acivities meet . local
regional acdivities meet . local regional meet . local regiona
activities meet . local regiona meet . local regioal activities meet .
local regioal meet . local reginal activities meet . local reginal
meet . local egional activities meet . local egional meet . local
meet . locaionselect meet . locaion select meet . locaion meet .
locadionselect meet . locadion select meet . locadion meet . loca
regional activities meet . loca regional meet . loca meet .
loationselect meet . loation select meet . loation meet . loaslatvia
meet . loas latvia meet . loas meet . loalregionalactivities meet .
loalregional meet . loal regional activities meet . loal regional
meet . loal meet . lnka meet . lnies meet .
lnguagesespa=CF=81olfran=CE=B7aisdeutsch meet . lnguagesespa=CF=81olfran=CE=
=B7ais meet .
lnguagesespa=CF=81ol meet . lnguages espa=CF=81ol fran=CE=B7ais deutsch mee=
t .
lnguages espa=CF=81ol fran=CE=B7ais meet . lnguages espa=CF=81ol meet . lng=
uages
```

meet . lnes meet . lnaka meet . lnaguagesespa=CF=81olfran=CE=B7aisdeutsch m=
eet .
lnaguagesespa=CF=81olfran=CE=B7ais meet . lnaguagesespa=CF=81ol meet . lnag=
uages
espa=CF=81ol fran=CE=B7ais deutsch meet . lnaguages espa=CF=81ol fran=CE=B7=
ais meet .
lnaguages espa=CF=81ol meet . lnaguages meet . livestylefind meet .
livestyle find meet . livestyle meet . livepartner meet . live partner
meet . live meet . liv meet . lituanialuxembourg meet . lituania
luxembourg meet . lituania meet . litings meet . lithunialuxembourg
meet . lithunia luxembourg meet . lithunia meet . lithuaniluxembourg
meet . lithuaniauxembourg meet . lithuanialxembourg meet .
lithuanialuxmbourg meet . pictures recommended price , pictures
recommended price date , pictures reduction , pictures reduction
date , pictures repair , pictures repair date , pictures replacement ,
pictures replacement date , pictures report , pictures report date ,
pictures retail price , pictures retail price date , pictures review ,
pictures review date , pictures sample , pictures sample date ,
pictures second-hand , pictures second-hand date , pictures secret ,
pictures secret date , pictures selection , pictures selection date ,
pictures service , pictures service date , pictures setup , pictures
setup date , pictures special offer , pictures special offer date ,
pictures specialist , pictures specialist date , pictures standard ,
pictures standard date , pictures suggestions , pictures suggestions
date , pictures summary , pictures summary date , pictures support ,
pictures support date , pictures system , pictures system date ,
pictures table , pictures table date , pictures techniques , pictures
techniques date , pictures test , pictures test date , pictures tips ,
pictures tips date , pictures training , pictures training date ,
pictures trial , pictures trial date , pictures tricks , pictures
tricks date , pictures tutorial , pictures tutorial date , practice
date , price comparison date , price date , prices date , products
date , program date , quality date , rebate date , recommended price
date , reduction date , repair date , replacement date , report date ,
retail price date , review date , sample date , second-hand date ,
secret date , selection date , service date , services advantage ,
services advantage date , services advice , services advice date ,
services advise , services advise date , services advisor , services
advisor date , services analysis , services analysis date , services
article , services article date , services assistance , services
assistance date , services basics , services basics date , services
beginner , services beginner date , services catalog , services
catalog date , services classic , services classic date , services
collection , services collection date , services combination ,
services combination date , services comments , services comments
date , services comparison , services comparison date , services
concept , services concept date , services consult , services consult
date , services consultant , services consultant date , services
costs , services costs date , services data , services data date ,
services date , services description , services description date ,
services design , services design date , services directions ,
services directions date , services directory , services directory
date , services discount , services discount date , services

download , services download date , services drafts , services drafts date , services enquiry , services enquiry date , services examples , services examples date , services experience , services experience date , services expert , services expert date , services expertise , services expertise date , services facts , services facts date , services features , services features date , services fee , services fee date , services functions , services functions date , services help , services help date , services ideas , services ideas date , services improvement , services improvement date , services index , services index date , services info , services info date , services information , services information date , services inquiry , services inquiry date , services installation , services installation date , services know-how , services know-how date , services knowledge , services knowledge date , services list price , services list price date , services lowest price , services lowest price date , services maintainment , services maintainment date , services manual , services manual date , services market leader , services market leader date , services market overview , services market overview date , services method , services method date , services models , services models date , services news , services news date , services offer , services offer date , services online , services online date , services opportunities , services opportunities date , services optimization , services optimization date , services order , services order date , services organization , services organization date , services overview , services overview date , services practice , services practice date , services price , services price comparison , services price comparison date , services price date , services prices , services prices date , services products , services products date , services program , services program date , services quality , services quality date , services rebate , services rebate date , services recommended price , services recommended price date , services reduction , services reduction date , services repair , services repair date , services replacement , services replacement date , services report , services report date , services retail price , services retail price date , services review , services review date , services sample , services sample date , services second-hand , services second-hand date , services secret , services secret date , services selection , services selection date , services service , services service date , services setup , services setup date , services special offer , services special offer date , services specialist , services specialist date , services standard , services standard date , services suggestions , services suggestions date , services summary , services summary date , services support , services support date , services system , services system date , services table , services table date , services techniques , services techniques date , services test , services test date , services tips , services tips date , services training , services training date , services trial , services trial date , services tricks , services tricks date , services tutorial , services tutorial date , setup date , sex advantage , sex advantage date , sex advice , sex advice date , sex advise , sex advise date , sex advisor , sex advisor date , sex analysis , sex analysis date , sex article , sex article date , sex assistance , sex assi

```
From -5680497734201581160
X-Google-Thread: 10ed5f,6f144a0b500a8af3,start
X-Google-Thread: 114a57,6f144a0b500a8af3,start
X-Google-Thread: 108122,6f144a0b500a8af3,start
X-Google-Thread: fc2a5,6f144a0b500a8af3,start
X-Google-Thread: 107ada,6f144a0b500a8af3,start
X-Google-Thread: f64c6,6f144a0b500a8af3,start
X-Google-Attributes:
gid10ed5f,gid114a57,gid108122,gidfc2a5,gid107ada,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!lon-
transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-
server.bigpond.net.au!53ab2750!not-for-mail
From: "Jack VK2CJC" <vk2cjc@look-me-up-at-qrz.com>
Newsgroups: alt.ham-radio,alt.ham-radio.hf,rec.ham-
radio,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec
.radio.amateur.misc,uk.radio.amateur
Subject: Oak Hills Research - new yahoo discussion group
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <ztjCi.29407$4A1.13460@news-server.bigpond.net.au>
Date: Sat, 01 Sep 2007 19:56:15 GMT
NNTP-Posting-Host: 144.134.243.83
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1188676575 144.134.243.83 (Sun, 02 Sep 2007
05:56:15 EST)
NNTP-Posting-Date: Sun, 02 Sep 2007 05:56:15 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com alt.ham-radio:171 alt.ham-radio.hf:41
rec.radio.amateur.equipment:840 rec.radio.amateur.homebrew:935
rec.radio.amateur.misc:1832 uk.radio.amateur:13675
```

http://groups.yahoo.com/group/OHR/

A group for all users/builders of Oak Hills Research QRP kits.

--
Jack VK2CJC / MM0AXL
FISTS #9666
Mid North Coast Amateur Radio Group
www.mncarg.org

From 1937680727586034633

```
X-Google-Thread: 106d41,1691b8f11c1a6060
X-Google-Thread: 10bf43,5dd4b16812e164ee
X-Google-Thread: 108122,8f9fc75e63debfe3,start
X-Google-Thread: 10ed5f,8f9fc75e63debfe3,start
X-Google-Thread: 108228,8f9fc75e63debfe3,start
X-Google-Attributes:
gid106d41,gid10bf43,gid108122,gid10ed5f,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!nlpi069.nbdc.sbc.com.POSTED!aa68640c!not-for-mail
From: "Landshark" <S3Buell@SBCGlobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.policy,rec.ham-
radio,rec.radio.amateur.equipment,alt.ham-radio,alt.ham-radio.marketplace
References: <1188650586.463755.24550@o80g2000hse.googlegroups.com>
<r2gCi.51563$YL5.29757@newssvr29.news.prodigy.net>
<1188663878.241397.119500@r34g2000hsd.googlegroups.com>
Subject: Re: Worldwide Feedback Pouring in... VoiceMax a Huge Success!
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <KJjCi.1821$z_5.263@nlpi069.nbdc.sbc.com>
NNTP-Posting-Host: 69.225.40.127
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi069.nbdc.sbc.com 1188677610 ST000 69.225.40.127 (Sat, 01 Sep 2007
16:13:30 EDT)
NNTP-Posting-Date: Sat, 01 Sep 2007 16:13:30 EDT
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
S[O]WWNETRTQBW@[ARHB_QTDFZ\@@FXLM@TDOCQDJ@_@FNXACNVOPCWZBL[\YUWHANGYZEFNHFZPNLOBUN
SS^_LGEVWEY\PHO@YJSSWBBDT\PFD^ESBTXVCCMTD]JCJLE\_IJMFNRY]SWE[S[D_CNB__ZK^VGVCKHA[S
@COB^[@ZQSDFQ\BPMS@DZVUKQTJL
Date: Sat, 1 Sep 2007 13:00:24 -0700
Xref: g2news2.google.com rec.radio.cb:3237 rec.radio.amateur.policy:7578
rec.radio.amateur.equipment:841 alt.ham-radio:172 alt.ham-radio.marketplace:226


<SteveoOhioHomo@yahoo.com> wrote in message
news:1188663878.241397.119500@r34g2000hsd.googlegroups.com...
> On Sep 1, 11:02?am, "Landshark" <S3Bu...@SBCGlobal.net> wrote:
>> "Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
>>
>> news:1188650586.463755.24550@o80g2000hse.googlegroups.com...
>>
>> >http://feedback.ebay.com/ws/eBayISAPI.dll?ViewFeedback2&userid=telsta...
>>
>> You know Brian I've stayed out of this because sometimes you do give
>> useful information, but this is just plain spam now and I'm sorry, but you
>> now get kill filed for spamming.
>>   On a side note: I've been an EBay member since 2002, never once spammed
```

>> anyone or group and have had over 700+ sales, all positive feedback, not even
>> a neutral.
>>
>>   Landshark
> awwwwww whats the matter pussy-shark?
> you can't stand seeing a great product made by a great american being
> a success.
> go buy some of your dam chinesse made crap, you fucking communist!

Another fine sample of a Ham Operator gone bad. The "SteveoOhioHomo@yahoo.com"
is brought to you by Douglas Adair N8WWM. Please note the original newsgroups
he cross posted too:
rec.radio.cb,alt.usenet.kooks,soc.culture.spain,rec.radio.amateur.policy,rec.arts.books.childrens

```
From -5276237816302608168
X-Google-Thread: 108122,3035a473766a2dd8
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe06.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <H_ydnbJ8PpvTnUzbnZ2dnUVZ_qOknZ2d@comcast.com>
Subject: Re: 160m
Lines: 10
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <E2zCi.56253$1J4.17005@fe06.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 02 Sep 2007 13:39:48 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:842
```

"John Doe" <hgorden@adelphia.net> wrote in message
news:H_ydnbJ8PpvTnUzbnZ2dnUVZ_qOknZ2d@comcast.com...
>I am LQQking for a Hustler 160m mobile coil and whip.

Keep LQQking. There isn't, and never has been, such a product sold by
Hustler. There are a number of conversion kits around (or make your own)
but you can't really expect much efficiency from such a dramatically
shortened antenna.

```
From 5038978790912121347
X-Google-Thread: 108122,6e22663568f4326d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!newsgate.cistron.nl!
xs4all!feeder.news-service.com!newsfeed00.sul.t-online.de!t-online.de!
news.nask.pl!news.nask.org.pl!newsfeed.tpinternet.pl!nemesis.news.tpi.pl!
atlantis.news.tpi.pl!news.tpi.pl!not-for-mail
From: "test" <jakubsa@poczta.onet.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: test
Date: Sun, 2 Sep 2007 19:43:22 +0200
Organization: tp.internet - http://www.tpi.pl/
Lines: 3
Message-ID: <fbevlf$5b7$2@nemesis.news.tpi.pl>
NNTP-Posting-Host: 80.48.33.34
X-Trace: nemesis.news.tpi.pl 1188757999 5479 80.48.33.34 (2 Sep 2007 18:33:19 GMT)
X-Complaints-To: usenet@tpi.pl
NNTP-Posting-Date: Sun, 2 Sep 2007 18:33:19 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Xref: g2news2.google.com rec.radio.amateur.equipment:843

test
```

```
From -6761518628595706927
X-Google-Thread: 108122,6e22663568f4326d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Sep 2007 15:46:28 -0500
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
References: <fbevlf$5b7$2@nemesis.news.tpi.pl>
Subject: Re: test
Date: Sun, 2 Sep 2007 16:46:55 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
```

```
Message-ID: <wfCdnSeLtqy5vEbbnZ2dnUVZ_uOmnZ2d@comcast.com>
Lines: 7
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-SeGqcLNeJIHNOP0sa+5hwnJduXlUxN2zlM0kc+PHku6dJ+KUJ3AbyzAj/tXJHYcz/
lHPoxqqCu9YPn0!/ty8YMFyje8s/zaBMx3OD1crURPwXtmkguSseLNa5HY8O/
uvTlP6Ru8SPB0juwGCpTbncmbEpM47!dQzewe/UnLuWbSf4lFV310YltFy/WpQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:844

GOOD TEST!!
"test" <jakubsa@poczta.onet.pl> wrote in message
news:fbevlf$5b7$2@nemesis.news.tpi.pl...
> test
>




From -2027120881134733488
X-Google-Thread: 106d41,e25f8e7e7f7cc3a1
X-Google-Thread: 108122,5f4b546f0161ebac
X-Google-Thread: fc2a5,5f4b546f0161ebac
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!eweka.nl!lightspeed.eweka.nl!
multikabel.net!feed20.multikabel.net!news.germany.com!news.tornevall.net!not-for-
mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax has Arrived... Introductory IT'S A TURD!
Date: Sun, 2 Sep 2007 16:57:36 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 5
Message-ID: <fbf7fo$6gr$1@stable.tornevall.net>
References: <1186168563.032053.11960@i13g2000prf.googlegroups.com>
<46b3b6e5_3@mk-nntp-2.news.uk.tiscali.com>
<1186231447.136481.50550@q3g2000prf.googlegroups.com>
<u8gkb3di4k2jc329q4l96h2la6ba8kcm67@4ax.com>
<1186615639.897400.127530@i13g2000prf.googlegroups.com>
<rb6mb31ubltji64j2lcnflr3an2gp8n7sb@4ax.com>
<de6mb3lhn4h14j4mmlblmqtsu6h9sum2mp@4ax.com>
<1186932633.661667.170370@j4g2000prf.googlegroups.com>
NNTP-Posting-Host: 8a2480872f8ec9efc31d5edd9be0dce2
X-Trace: 519a0abdb71aacbfdba1745f2445d9e9
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=519a0abdb71aacbfdba1745f2445d9e9
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:3293 rec.radio.amateur.equipment:845
rec.radio.amateur.homebrew:938
```

IDIOT!
"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1186932633.661667.170370@j4g2000prf.googlegroups.com...

```
From 8536520268248753243
X-Google-Thread: 106d41,1691b8f11c1a6060
X-Google-Thread: 108122,8f9fc75e63debfe3
X-Google-Thread: fc2a5,467b24c86baadaa8,start
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!eweka.nl!lightspeed.eweka.nl!
feeder1.cambrium.nl!feed.tweaknews.nl!amsnews11.chello.com!nuzba.szn.dk!pnx.dk!
news.tornevall.net!not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Worldwide Feedback Pouring in... VoiceMax is a Huge PILE OF STEAMING
FECES!
Date: Sun, 2 Sep 2007 17:05:31 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 5
Message-ID: <fbf7ui$71s$1@stable.tornevall.net>
References: <1188650586.463755.24550@o80g2000hse.googlegroups.com>
<r2gCi.51563$YL5.29757@newssvr29.news.prodigy.net>
<1188755133.409682.149890@50g2000hsm.googlegroups.com>
<1188755786.311857.206760@y42g2000hsy.googlegroups.com>
<1188756052.447473.42100@d55g2000hsg.googlegroups.com>
<1188760068.299856.157840@w3g2000hsg.googlegroups.com>
<1188766837.376663.215700@50g2000hsm.googlegroups.com>
NNTP-Posting-Host: d3a934513f59c104887a6de5c4fd1235
X-Trace: 5a461df679f92065dd83741ff732bb2c
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=5a461df679f92065dd83741ff732bb2c
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:3296 rec.radio.amateur.equipment:846
rec.radio.amateur.homebrew:939
```

IDIOT!
"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1188766837.376663.215700@50g2000hsm.googlegroups.com...

From -5039948196882252581
X-Google-Thread: 106d41,1691b8f11c1a6060
X-Google-Thread: 108122,8f9fc75e63debfe3
X-Google-Thread: fc2a5,467b24c86baadaa8
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.tornevall.net!
not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Worldwide Feedback Pouring in... Telstar Electronics VoiceMax is a
Huge pile of steaming feces
Date: Sun, 2 Sep 2007 17:11:06 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 5
Message-ID: <fbf892$7g1$1@stable.tornevall.net>
References: <1188650586.463755.24550@o80g2000hse.googlegroups.com>
<r2gCi.51563$YL5.29757@newssvr29.news.prodigy.net>
<1188755133.409682.149890@50g2000hsm.googlegroups.com>
<1188755786.311857.206760@y42g2000hsy.googlegroups.com>
<1188756052.447473.42100@d55g2000hsg.googlegroups.com>
<1188760068.299856.157840@w3g2000hsg.googlegroups.com>
<1188766837.376663.215700@50g2000hsm.googlegroups.com>
<1188767227.521521.104110@19g2000hsx.googlegroups.com>
NNTP-Posting-Host: de0e51cf4fffd73b70cb1d00c0edb3b7
X-Trace: f34946e8ab4ebd83e830f4eed8632c81
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=f34946e8ab4ebd83e830f4eed8632c81
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:3298 rec.radio.amateur.equipment:847
rec.radio.amateur.homebrew:940

IDIOT!
"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1188767227.521521.104110@19g2000hsx.googlegroups.com...

```
From 8787292609501476367
X-Google-Thread: 106d41,1691b8f11c1a6060
X-Google-Thread: 108122,8f9fc75e63debfe3
X-Google-Thread: fc2a5,467b24c86baadaa8
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Sep 2007 17:52:29 -0500
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <1188650586.463755.24550@o80g2000hse.googlegroups.com>
<r2gCi.51563$YL5.29757@newssvr29.news.prodigy.net>
<1188755133.409682.149890@50g2000hsm.googlegroups.com>
<1188755786.311857.206760@y42g2000hsy.googlegroups.com>
<1188756052.447473.42100@d55g2000hsg.googlegroups.com>
<1188760068.299856.157840@w3g2000hsg.googlegroups.com>
<1188766837.376663.215700@50g2000hsm.googlegroups.com>
<1188767227.521521.104110@19g2000hsx.googlegroups.com>
<fbf892$7g1$1@stable.tornevall.net>
Subject: Re: Worldwide Feedback Pouring in... Telstar Electronics VoiceMax is a
Huge pile of steaming feces
Date: Sun, 2 Sep 2007 18:52:55 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <ktudnZBSoOwwo0bbnZ2dnUVZ_uqvnZ2d@comcast.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-MPVnjgY8jBzurhnq0oG7pv7QUkSFGvwMpxF571NcoXKWcU/
SaBwX9oX0i3Rw1T8vYSZ4eNd3t+z/+eZ!yrZT3twb2MIeIjwJFG6ci9zsrZ4bz9za9RP39/
vg2VqpZ2+1m7VyNspxAWLYCXOpWb8/OcGamZya!r5Ext77+bPZ41+Cxcfr1+4OJSKpla1U=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.cb:3301 rec.radio.amateur.equipment:848
rec.radio.amateur.homebrew:941
```

"Radioisfun" <radioisfun@home.com> wrote in message
news:fbf892$7g1$1@stable.tornevall.net...

> IDIOT!
> "Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
> news:1188767227.521521.104110@19g2000hsx.googlegroups.com...

Why are you knocking this product? Did you purchase one of these units and have you tried to use it or do you just have something against Telstar and you like to bitch??

I am not involved with nor have any monetary investments with Telstar!

From 4190514710330948766
X-Google-Thread: 108122,3cc7fc26a7fa5b3f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn11feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:NOS TUBES + MO STUFF COMING
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <odXCi.487482$p47.368858@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 36cb8add5dab98bc186dd21ec18f24e2
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1188839380 36cb8add5dab98bc186dd21ec18f24e2 (Mon, 03 Sep 2007 17:09:40 GMT)
NNTP-Posting-Date: Mon, 03 Sep 2007 17:09:40 GMT
Organization: AT&T Worldnet
Date: Mon, 03 Sep 2007 17:09:40 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:849

Just added these tubes all NOS: 2 X GE 6JS6C, 2X RCA 6HF5, 2 X JAN/SYLVANIA 5933/807W,

5750 X 5, 5749 X5. WATCH FOR 2 STRAIGHT CW KEYS, 2 X HEATH FREQ COUNTERS,++

AN ANTIQUE RADIO LOOP IN-DOOR ANTENNA AND ANOTHER ELECTRO-VOICE

MICROPHONE.

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking, 73 Heytubeguy

From 7720843910506170341
X-Google-Thread: 108122,a159d689cf58fab7,start

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "GGap" <some@some.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Antenna coupler for 50-900MHz
Date: Tue, 4 Sep 2007 10:55:15 +0200
Organization: T-Com
Lines: 8
Message-ID: <fbj6hl$dju$1@ss408.t-com.hr>
NNTP-Posting-Host: 89-172-25-199.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1188896117 13950 89.172.25.199 (4 Sep 2007 08:55:17 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Tue, 4 Sep 2007 08:55:17 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Xref: g2news2.google.com rec.radio.amateur.equipment:850

Should be simple for you guys,
I'd need a schematics for building 2 input antenna coupler for TV antennas.

Thank you!

GGap

From -3374428204703745741
X-Google-Thread: 108122,a159d689cf58fab7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Antenna coupler for 50-900MHz
Date: Tue, 4 Sep 2007 09:59:25 -0700
Organization: Home for Obscure Mythical Beings
Message-ID: <dgf0r4-mq9.ln1@radagast.org>
References: <fbj6hl$dju$1@ss408.t-com.hr>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news2.google.com rec.radio.amateur.equipment:851

>Should be simple for you guys,

>I'd need a schematics for building 2 input antenna coupler for TV antennas.

"Insufficient data". You need to be more precise about what you're trying to accomplish.

I can think of at least five possible interpretations for "2 input antenna coupler":

- A power divider, which allows two separate TVs or radios to be fed from a single antenna, over that antenna's full frequency range (a.k.a. a "splitter")

- A power combiner, which the signals from two identical (or similar) antennas to be combined and fed to a single output (e.g. to allow "stacking" of antennas for increased directional gain).

- A "duplexer", which allows the outputs of two dissimilar antennas, which handle different frequency ranges (e.g. VHF and UHF) to be fed down a single feedline.

- A "channel combiner", which allows the outputs of two (possibly similar) antennas, pointed in different directions to pick up different stations, to be combined without interference. [Single-channel combiners are available commercially; more complex combiners can be made but they aren't trivial.]

- An impedance matcher, which allows an antenna of one impedance to be used with a feedline of another impedance (e.g. a balun which goes from a 75-ohm coax to a 300-ohm twinlead-type antenna).

```
--
Dave Platt <dplatt@radagast.org>                                    AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From 3932968736267344665
X-Google-Thread: 108122,a159d689cf58fab7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!feeder1-2.proxad.net!
proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!
newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-
mail
From: "GGap" <some@some.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Antenna coupler for 50-900MHz
Date: Tue, 4 Sep 2007 20:13:45 +0200
Organization: T-Com
Lines: 48
Message-ID: <fbk78s$ecs$1@ss408.t-com.hr>
References: <fbj6hl$dju$1@ss408.t-com.hr> <dgf0r4-mq9.ln1@radagast.org>
```

```
NNTP-Posting-Host: 89-172-25-199.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1188929628 14748 89.172.25.199 (4 Sep 2007 18:13:48 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Tue, 4 Sep 2007 18:13:48 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Xref: g2news2.google.com rec.radio.amateur.equipment:852
```

Thanks Dave, by antenna coupler I meant a power combiner, but,
precisely, since channels which are emitted from tv transmitters (obviously
in 2 directions from my home) are not overlapping, nor are adjacent, I think
of pointing logperiodical antennas to transmitters and couple them into one
tv cable towards receiver.

"Dave Platt" <dplatt@radagast.org> wrote in message
news:dgf0r4-mq9.ln1@radagast.org...

```
> >Should be simple for you guys,
>>I'd need a schematics for building 2 input antenna coupler for TV
>>antennas.
>
> "Insufficient data".  You need to be more precise about what you're
> trying to accomplish.
>
> I can think of at least five possible interpretations for "2 input
> antenna coupler":
>
> -  A power divider, which allows two separate TVs or radios to be fed
>   from a single antenna, over that antenna's full frequency range
>   (a.k.a. a "splitter")
>
> -  A power combiner, which the signals from two identical (or similar)
>   antennas to be combined and fed to a single output (e.g. to allow
>   "stacking" of antennas for increased directional gain).
>
> -  A "duplexer", which allows the outputs of two dissimilar antennas,
>   which handle different frequency ranges (e.g. VHF and UHF) to be
>   fed down a single feedline.
>
> -  A "channel combiner", which allows the outputs of two (possibly
>   similar) antennas, pointed in different directions to pick up
>   different stations, to be combined without interference.
>   [Single-channel combiners are available commercially;  more complex
>   combiners can be made but they aren't trivial.]
>
> -  An impedance matcher, which allows an antenna of one impedance to
>   be used with a feedline of another impedance (e.g. a balun which
>   goes from a 75-ohm coax to a 300-ohm twinlead-type antenna).
>
> --
```

> Dave Platt <dplatt@radagast.org>   AE6EO
> Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

From -1760328607942176199
X-Google-Thread: 108122,a159d689cf58fab7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!fe02.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <fbj6hl$dju$1@ss408.t-com.hr> <dgf0r4-mq9.ln1@radagast.org> <fbk78s$ecs$1@ss408.t-com.hr>
Subject: Re: Antenna coupler for 50-900MHz
Lines: 18
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <OojDi.81878$VU2.40660@fe02.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Tue, 04 Sep 2007 20:40:15 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:853

"GGap" <some@some.hr> wrote in message news:fbk78s$ecs$1@ss408.t-com.hr...
> Thanks Dave, by antenna coupler I meant a power combiner, but,
> precisely, since channels which are emitted from tv transmitters
> (obviously in 2 directions from my home) are not overlapping, nor are
> adjacent, I think
> of pointing logperiodical antennas to transmitters and couple them into
> one tv cable towards receiver.

Use a phasing harness or an antenna coupler.

http://www.kyes.com/antenna/stackluge.html

You COULD build a coupler with a few inductors and capacitors, but... why bother? A good quality vhf/vhf combiner (aka splitter) or uhf/vhf combiner (aka duplexer) is about $5 US.

From -7287496054735525419
X-Google-Thread: 108122,a159d689cf58fab7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Antenna coupler for 50-900MHz
Date: Tue, 4 Sep 2007 14:00:30 -0700
Organization: Home for Obscure Mythical Beings
Message-ID: <ekt0r4-5tc.ln1@radagast.org>
References: <fbj6hl$dju$1@ss408.t-com.hr> <dgf0r4-mq9.ln1@radagast.org> <fbk78s$ecs$1@ss408.t-com.hr>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 52
Xref: g2news2.google.com rec.radio.amateur.equipment:854

In article <fbk78s$ecs$1@ss408.t-com.hr>, GGap <some@some.hr> wrote:
>Thanks Dave, by antenna coupler I meant a power combiner, but,
>precisely, since channels which are emitted from tv transmitters (obviously
>in 2 directions from my home) are not overlapping, nor are adjacent, I think
>of pointing logperiodical antennas to transmitters and couple them into one
>tv cable towards receiver.

That may work acceptably, if your log periodic antennas have a high enough front-to-back ratio, so that each is rejecting the signals coming from the transmitters "behind" it. Without sufficient F/B rejection, you'll end up with some amount of cancellation/interference between the two. And, even with high F/B rejection in the antennas, you can still end up with ghosting and interference if the antenna pointing "away" from a transmitter picks up a signal reflected from buildings, trees, or mountains.

You'll have to accept some amount of signal loss, no matter what you do... the combiner will have some loss, and (to the extent that it doesn't isolate one antenna from the other) each antenna will act as a load on the other and will actually re-transmit some of the other antenna's signal.

Building an effective broadband signal combiner isn't rocket science, but neither it is trivial. Frankly, in your situation, I'd recommend that you just buy a commercial combiner. For example,

    http://www.starkelectronic.com/cmjoiner.htm

The first item #0538 is a two-way combiner/joiner made by ChannelMaster, which appears to be designed to do just what you want... $9.95 plus shipping. It takes 75-ohm coaxes from the antennas (you'd need

75-to-300-ohm balun on each antenna) and feeds a 75-ohm downlink with the combined signals.

Click on the "Winegard Combiners" link on that page, and you'll see the Winegard CC-7870 (same idea, higher cost) as well as the SD-3700 (which has 300-ohm inputs and a 75-ohm output - no need for separate baluns on the antennas - just run some 300-ohm twinlead from each antenna to the joiner).

The other alternate solutions to this problem that wouldn't have the potential ghosting problem would be: use filtering combiners (feasible for one or two "joined" channels, probably too expensive for more than that), or use one antenna with a rotator, or use two antennas and two feedlines and a "which antenna?" switch at the TV set.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -7048508560323906718
X-Google-Thread: 108122,a159d689cf58fab7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "GGap" <some@some.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Antenna coupler for 50-900MHz
Date: Wed, 5 Sep 2007 18:14:10 +0200
Organization: T-Com
Lines: 61
Message-ID: <fbmkkm$6fm$1@ss408.t-com.hr>
References: <fbj6hl$dju$1@ss408.t-com.hr> <dgf0r4-mq9.ln1@radagast.org> <fbk78s$ecs$1@ss408.t-com.hr> <ekt0r4-5tc.ln1@radagast.org>
NNTP-Posting-Host: 83-131-37-193.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1189008854 6646 83.131.37.193 (5 Sep 2007 16:14:14 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Wed, 5 Sep 2007 16:14:14 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Xref: g2news2.google.com rec.radio.amateur.equipment:855

Thanks, all of you!

"Dave Platt" <dplatt@radagast.org> wrote in message news:ekt0r4-5tc.ln1@radagast.org...

```
>
> In article <fbk78s$ecs$1@ss408.t-com.hr>, GGap <some@some.hr> wrote:
>>Thanks Dave, by antenna coupler I meant a power combiner, but,
>>precisely, since channels which are emitted from tv transmitters
>>(obviously
>>in 2 directions from my home) are not overlapping, nor are adjacent, I
>>think
>>of pointing logperiodical antennas to transmitters and couple them into
>>one
>>tv cable towards receiver.
>
> That may work acceptably, if your log periodic antennas have a high
> enough front-to-back ratio, so that each is rejecting the signals
> coming from the transmitters "behind" it.  Without sufficient F/B
> rejection, you'll end up with some amount of cancellation/interference
> between the two.  And, even with high F/B rejection in the antennas,
> you can still end up with ghosting and interference if the antenna
> pointing "away" from a transmitter picks up a signal reflected from
> buildings, trees, or mountains.
>
> You'll have to accept some amount of signal loss, no matter what you
> do... the combiner will have some loss, and (to the extent that it
> doesn't isolate one antenna from the other) each antenna will act as a
> load on the other and will actually re-transmit some of the other
> antenna's signal.
>
> Building an effective broadband signal combiner isn't rocket science,
> but neither it is trivial.  Frankly, in your situation, I'd recommend
> that you just buy a commercial combiner.  For example,
>
>    http://www.starkelectronic.com/cmjoiner.htm
>
> The first item #0538 is a two-way combiner/joiner made by ChannelMaster,
> which appears to be designed to do just what you want... $9.95 plus
> shipping.  It takes 75-ohm coaxes from the antennas (you'd need
> 75-to-300-ohm balun on each antenna) and feeds a 75-ohm
> downlink with the combined signals.
>
> Click on the "Winegard Combiners" link on that page, and you'll see
> the Winegard CC-7870 (same idea, higher cost) as well as the SD-3700
> (which has 300-ohm inputs and a 75-ohm output - no need for separate
> baluns on the antennas - just run some 300-ohm twinlead from each
> antenna to the joiner).
>
> The other alternate solutions to this problem that wouldn't have the
> potential ghosting problem would be:  use filtering combiners
> (feasible for one or two "joined" channels, probably too expensive for
> more than that), or use one antenna with a rotator, or use two
> antennas and two feedlines and a "which antenna?" switch at the TV set.
>
> --
> Dave Platt <dplatt@radagast.org>                                  AE6EO
> Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
>  I do _not_ wish to receive unsolicited commercial email, and I will
>     boycott any company which has the gall to send me such ads!




From 716382823760214108
X-Google-Thread: 108122,5418105b4d4bb2a5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB - SM6 or SM8
Message-ID: <holud3lt1b1qsn98gsar7c4d8c1g899uq9@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
Date: Wed, 05 Sep 2007 21:26:27 -0400
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe23.lga 1189041976 70.161.108.207 (Wed, 05 Sep 2007 18:26:16 MST)
NNTP-Posting-Date: Wed, 05 Sep 2007 18:26:16 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:856

Looking for a seriveable Icom desk mic at reasonable price contact
<k4wys@cox.net>


From -6973288763939614296
X-Google-Thread: 108122,5cb975b59b94de97,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!w3g2000hsg.googlegroups.com!not-for-
mail
From:  envyisevil@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Why Many Hate Porn?
Date: Thu, 06 Sep 2007 03:16:00 -0700
Organization: http://groups.google.com
Lines: 95
Message-ID: <1189073760.304129.161250@w3g2000hsg.googlegroups.com>
NNTP-Posting-Host: 125.160.201.202
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1189073760 15725 127.0.0.1 (6 Sep 2007 10:16:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 6 Sep 2007 10:16:00 +0000 (UTC)
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w3g2000hsg.googlegroups.com; posting-host=125.160.201.202;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:857
```

Human natures are fine tuned for gene pool survival.

The way we evolve in the gene pool is that when we're not at war, we're in a race.

Peace and freedom means competition. Some people are uncompetitive. So they don't want to compete. Those people demand slavery.More...

Those who demand slavery are not necessarily poorer or richer, superior or inferior. Those are people that somehow do not like competition.

The farm owning farmers in southern US, for example, do not want to compete with the higher salary the industrial north has, so they demand slavery. This happens despite the fact that the landlords are already way richer than their slaves.

Uncompetitive businesses also do not want customers to be free to choose the best products. They demand enslavements of consumers by restricting consumers choice to choose better products.

As time goes by and consensual productive means to aquire wealth become available, those who oppose competition tends to be the one inferior.

When we're not at war, we're in a race. So in a sense, some part of life is a zero-sum game. The happiness of some superior competitors correlate with gene pool survival of such people. This correlate with the extinction of inferior people and this make inferior people unhappy....page...

For example, women prefer rich smart males and normal males prefer as many females as possible. Actually poor males prefer more money rather than more women, but that's later.

If rich smart males get more females, then rich smart alpha males will survive better in the gene pool. That means, the other males do not get any. Hence, the lesser males will not be happy. They will then come up with monogamy to ration females in equal share for everyone.

Those who are uncompetitive are not going to say honestly that they are disgruntled competitors. They're going to come up with some religious unscientific fairy tales to come up with pretext that freedom, such as free sex is wrong.

In short, whenever someone is happy, whenever something gives pleasure, happiness, and money, you can count that someone, somewhere, somehow, will come up with some fairy tales of who knows what that somehow it's wrong, bad, and should be prohibited.

The preference to snuff of happiness earned by others are called envy. In a sense, those who want to be happy are meant to kill each other with those who are envious.

Unless those who run the fastest also hit the hardest, success is simply a bridge to a gas chamber. Deviation from free fair competition turns life into some form of gun fight.

Not everyone can be appeased in a gun fight. Envy is simply unappeasable. The way to keep pursuing our happiness and still be alive is either to kill, or threaten to kill, those who are envious of us that it's not to their best interests to kill or prosecute us....page...

That's why I strongly support death penalty. Without it, all succesful people will be slaughtered by bigots that don't mind going to jail for it.

It's also the same reason why many ugly women oppose porn. That's because those women are envy bigots.

Think of it this way. Pretty women can just show some skin and make millions of dollars. Ugly women has to sexually serve poor males and get knocked up for much less money.

If this keeps going, pretty women can pick the best males with the best genes and provide their sons with better education, opportunity, and more initial start up capital.

The pretty genes will survive better in the gene pool and the ugly will be outcompeted, like in Europe or Japan. All thanks to porn.

Obviously, pretty porn stars are way better of then ugly wife. Becoming a porn star or prostitute is then one of the best job ever in this world.

However, out of envy, ugly women will want to prevent that. What's their justification? By saying that all the good jobs are so bad that it can't possibly consensual, and hence has to be prohibited.

They said that porn should be prohibited to protect women. Which women? Not the consenting one of course. How in the earth people get protected from consensual offers anyway. It's there to protect disgruntled envy competitors.

From -3664852019252492784
X-Google-Thread: fc8b1,7c00de2d380ed8ab,start

X-Google-Thread: 108122,7c00de2d380ed8ab,start
X-Google-Thread: 10d0a0,7c00de2d380ed8ab,start
X-Google-Attributes: gidfc8b1,gid108122,gid10d0a0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!
feedme.ziplink.net!news1.ipswitchs.cmm!ddl
From: ddl@danlan.*com (Dan Lanciani)
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.sys.pdp8
Subject: Model 26 teletype available
Message-ID: <1341933@news1.IPSWITCHS.CMM>
Date: 8 Sep 2007 06:00:00 GMT
Organization: Internet
Lines: 4
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1069
rec.radio.amateur.equipment:858 alt.sys.pdp8:132
X-Original-Bytes: 607

free in Gloucester, MA. Shipping is probably prohibitive...

Dan Lanciani
ddl@danlan.*com

From 5651665117469011863
X-Google-Thread: 108122,b0183573c5cbc308,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: ADDITIONAL TUBES + STUFF
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <CayEi.77600$ax1.61445@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: f459f9080410e9fa834a8e1aa7bca485
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1189261090
f459f9080410e9fa834a8e1aa7bca485 (Sat, 08 Sep 2007 14:18:10 GMT)
NNTP-Posting-Date: Sat, 08 Sep 2007 14:18:10 GMT
Organization: AT&T Worldnet
Date: Sat, 08 Sep 2007 14:18:10 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:859

Tubes on now: 6U8A, 6JB6, 7059, 80, 6H6, 12BY7A ,MOST ALL NOS + BLILEY
XTALS

COMING LATER TODAY:

6AK5, 6BN8, 6AV6, 6BL8, 6GH8A, 6BJ8, 6BZ6, 6BQ5, 2D21, 2033, 5726 - ALL NOS

NRI TEST PLATFORM

MO STUFF; SEE AT :
http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx, 73 --Heytubeguy

```
From -7713750428357777089
X-Google-Thread: 108122,25ee5b6c42b62d80,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for GOOD general coverage receiver with DSP IF
Date: Sat, 08 Sep 2007 15:55:01 -0400
Organization: MV Communications, Inc.
Lines: 12
Message-ID: <pan.2007.09.08.19.54.59.782078@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1189281301 82563 207.22.49.17 (8 Sep 2007 19:55:01 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 8 Sep 2007 19:55:01 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:860
```

Trying to participate in the Maritime Mobile Service Net on 14.300 this weekend with that contest on has convinced me I need a better receiver.

Any suggestions for a good general-coverage receiver with a good IF DSP?

I like the transceivers I have (FT-1000 and TS-940S) and don't want to get rid of them or trade them in for one of the new megabuck rigs but I do need a better receiver for times like this weekend.

Any suggestions would be most appreciated...

```
From 2737685001211290026
X-Google-Thread: fc8b1,7c00de2d380ed8ab
X-Google-Thread: 108122,7c00de2d380ed8ab
```

```
X-Google-Thread: 10d0a0,7c00de2d380ed8ab
X-Google-Attributes: gidfc8b1,gid108122,gid10d0a0,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 08 Sep 2007 18:11:43 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.sys.pdp8
References: <1341933@news1.IPSWITCHS.CMM>
Subject: Re: Model 26 teletype available
Date: Sat, 8 Sep 2007 18:11:35 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <MLidnUMmGrKysX7bnZ2dnUVZ_q2hnZ2d@comcast.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.244.109
X-Trace: sv3-WIOmuSEsgiiB7c2VdAh5UjvCC69BjGyD3GADMJnXKdkN/
rJEZWx16HO+SxHwMjldze1qro7TgpQHsGp!
7N2vn4hMmflvYfw81uGbQW2lToKJ4ojEFPYkcpimcxUJTmj7KqXLdcYagmaJnNx92J5uq4fmm3aK!
mjyf0ze8kVvNqSpBKGwb6tcJS5JBdw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.boatanchors:1071
rec.radio.amateur.equipment:861 alt.sys.pdp8:141

tempting .. but as you said -- shipping is prohibitive

g beat

"Dan Lanciani" <ddl@danlan.*com> wrote in message
news:1341933@news1.IPSWITCHS.CMM...
> free in Gloucester, MA.  Shipping is probably prohibitive...
>
> Dan Lanciani
> ddl@danlan.*com




From 4988051046283381636
X-Google-Thread: 108122,70ea86ed194532ae,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
```

```
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Best Audio DSP Add-On for Receive
Date: Sun, 09 Sep 2007 08:59:36 -0400
Organization: MV Communications, Inc.
Lines: 11
Message-ID: <pan.2007.09.09.12.59.35.1910@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1189342776 1027 207.22.49.17 (9 Sep 2007 12:59:36 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 9 Sep 2007 12:59:36 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:862
```

Looking for the best audio DSP add-on box that I can insert between radio and speaker.

I have a relatively old Am-Com DSP speaker that I use with the IC-735 and it works reasonably well though it doesn't really have any versatility (no way to adjust the filter characteristics or depth). In any case I need something I can use with the SP-5 speaker that matches the FT-1000.

Any suggestions appreciated... thanks...

```
From -7274712174772485250
X-Google-Thread: 108122,8619fde919c0e50c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!7a5d3c59!not-for-mail
From: Jerry Franks <w4rf@att.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: ICOM PCR-1000
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <yO2Fi.82111$ax1.69952@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 297325b9f05129939f6f171b59b5ec34
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1189394718
297325b9f05129939f6f171b59b5ec34 (Mon, 10 Sep 2007 03:25:18 GMT)
NNTP-Posting-Date: Mon, 10 Sep 2007 03:25:18 GMT
Organization: AT&T Worldnet
Date: Mon, 10 Sep 2007 03:25:18 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:863
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220148475145&ssPageName=STRK:MESE:IT&ih=012

From 6740692019051005759
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.germany.com!news.tornevall.net!not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re:Telstar Electronics VoiceMax IS GARBAGE!
Date: Tue, 11 Sep 2007 14:06:09 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 5
Message-ID: <fc6koh$dv9$1@stable.tornevall.net>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
NNTP-Posting-Host: 480ea8f691927e6687dd9a72a4671da2
X-Trace: 38bd43716b4ff6b3b8b46b56a01fff2f
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=38bd43716b4ff6b3b8b46b56a01fff2f
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:865

IDIOT!
"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1189531907.877808.176710@r34g2000hsd.googlegroups.com...

From -6790480485277192793
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.net.POSTED!758ec0cd!not-for-mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
Subject: Re: VoiceMax/ Garbage from briangriffey@sbcglobal.net
Lines: 20
X-Priority: 3

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <FdBFi.33448$RX.26858@newssvr11.news.prodigy.net>
NNTP-Posting-Host: 69.235.5.183
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.net 1189535717 ST000 69.235.5.183 (Tue, 11 Sep 2007 14:35:17 EDT)
NNTP-Posting-Date: Tue, 11 Sep 2007 14:35:17 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_A\S@]CWPSKZJ@NFXBWR\HPCTL@XT^OBPLAH[\RSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Tue, 11 Sep 2007 18:35:17 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:866

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1189531907.877808.176710@r34g2000hsd.googlegroups.com...

>
More fucking backyard worthless garbage from a dimwit CB'er........
And SPAM for the group!
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net

From 1261786231843001342
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr12.news.prodigy.net.POSTED!758ec0cd!not-for-mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189557810.896597.9690@22g2000hsm.googlegroups.com>
Subject: Re: GARBAGE from briangriffey@sbcglobal.net

Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <nPHFi.49904$Um6.21635@newssvr12.news.prodigy.net>
NNTP-Posting-Host: 69.235.5.183
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.net 1189562707 ST000 69.235.5.183 (Tue, 11 Sep 2007 22:05:07 EDT)
NNTP-Posting-Date: Tue, 11 Sep 2007 22:05:07 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYASZGWRCYRU@[N[O@_WH@YR_B@EXLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Wed, 12 Sep 2007 02:05:07 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:868

Still useless GARBAGE!!!...
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net
briangriffey@sbcglobal.net

From -2559118105408319079
X-Google-Thread: 108122,25ee5b6c42b62d80
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-mail
From: Brian <kelly@dvol.com>
Newsgroups: rec.radio.amateur.equipment

Subject: Re: Looking for GOOD general coverage receiver with DSP IF
Date: Wed, 12 Sep 2007 17:19:01 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1189642741.988050.79670@22g2000hsm.googlegroups.com>
References: <pan.2007.09.08.19.54.59.782078@from.qrz.com>
NNTP-Posting-Host: 66.19.241.33
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1189642742 29997 127.0.0.1 (13 Sep 2007 00:19:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Sep 2007 00:19:02 +0000 (UTC)
In-Reply-To: <pan.2007.09.08.19.54.59.782078@from.qrz.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.1.6) Gecko/20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=66.19.241.33;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:870

On Sep 8, 3:55 pm, "Rick (W-A-one-R-K-T)" <get.my.em...@from.qrz.com>
wrote:
> Trying to participate in the Maritime Mobile Service Net on 14.300 this
> weekend with that contest on has convinced me I need a better receiver.
>
> Any suggestions for a good general-coverage receiver with a good IF DSP?
>
> I like the transceivers I have (FT-1000 and TS-940S) and don't want to get
> rid of them or trade them in for one of the new megabuck rigs but I do
> need a better receiver for times like this weekend.
>
> Any suggestions would be most appreciated...

I have one of these, 100% DSP.

http://www.universal-radio.com/catalog/commrxvr/1545.html

w3rv

From -7439203799040577123
X-Google-Thread: 108122,4757738abe28a15c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews9.bellsouth.net.POSTED!5d6458a7!not-for-mail
From: "Jerry" <joxendi@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <1187807137.966852.165890@j4g2000prf.googlegroups.com>

Subject: Re: icom 706 powering itself on and off
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <qq0Gi.41971$mp6.15083@bignews9.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
okjdhlmeenidhihjdbdpiflmbcekedmfhojhikkbagflhcbojpnikiikeipmbbcanlmcoepmifmiilhkja
ocpbhpecnfeindlekfhdpcnhjengfncalndjmppfjdpooecmjbkfepciagfbohobdfdaecnnfkdeik
NNTP-Posting-Date: Wed, 12 Sep 2007 21:32:06 EDT
Organization: BellSouth Internet Group
Date: Wed, 12 Sep 2007 21:33:58 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:871

<kbozek@yahoo.com> wrote in message
news:1187807137.966852.165890@j4g2000prf.googlegroups.com...

>I have an ICOM 706 that is powering itself on an off. I recall
> reading about this issue in the past but I neither recall the cause or
> the correct terms to find it.
>
> Does anyonehave any insight in this issue?
>
> Keith
> N3HGN

Ken,

Low voltage

RF in the "shack".

Two known issues with this radio. If the radio is remoted, check to see that the little screw that fastens the remote cable is secured to the body of the radio. This is VERY important! Make sure it is TIGHT. This will shut the radio off as RF will get into it via the non-shielded cable (without the little screw) if the screw is omitted or loose.

73

Jerry
K4KWH
>

From -4746514948071512374
X-Google-Thread: 108122,fe3bd21f98ce3c43,start

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!feeder.news.tin.it!
spool.news.tin.it!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: icom ic-2820
Reply-To: Pierfrancesco Caci <pf@tippete.net>
From: Pierfrancesco Caci <ik5pvx@penny.tippete.net>
Date: 13 Sep 2007 09:33:15 +0200
Message-ID: <87myvryq84.fsf@penny.tippete.net>
User-Agent: Gnus/5.09 (Gnus v5.9.0) Emacs/21.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Lines: 11
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 82.59.65.137
X-Trace: 1189668796 reader3.news.tin.it 37206 82.59.65.137:37194
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:872
```

Hello,
anyone wanting to share his experience with the icom ic-2820?

Thanks

Pf, ik5pvx

--
Pierfrancesco Caci

```
From 9583728185825634555
X-Google-Thread: 108122,fe3bd21f98ce3c43
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!
storethat.news.telefonica.de!telefonica.de!news.germany.com!xlned.com!
feeder1.xlned.com!news.astraweb.com!border2.a.newsrouter.astraweb.com!
newsfeed101.telia.com!nf02.dk.telia.net!130.227.3.89.MISMATCH!newsfeed1.uni2.dk!
dfeeder1.cybercity.dk!dspool1.cybercity.dk!dreader1.cybercity.dk!not-for-mail
From: Christian Treldal <chris@taarnkammeret.dk>
Subject: Re: icom ic-2820
Newsgroups: rec.radio.amateur.equipment
References: <87myvryq84.fsf@penny.tippete.net>
User-Agent: Pan/0.132 (Waxed in Black)
Message-ID: <pan.2007.09.13.09.24.11@taarnkammeret.dk>
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
```

Content-Transfer-Encoding: 8bit
Date: 13 Sep 2007 09:24:11 GMT
Lines: 25
NNTP-Posting-Host: 217.157.162.216
X-Trace: 1189675451 dreader1.cybercity.dk 21930 217.157.162.216:20862
Xref: g2news2.google.com rec.radio.amateur.equipment:873

Den Thu, 13 Sep 2007 09:33:15 +0200 skrev Pierfrancesco Caci:

> Hello,
> anyone wanting to share his experience with the icom ic-2820?
>
>

OZ6PU has created a nice site

http://web.mac.com/oz6pu/dstar/dv.html

or a site under construction

http://d-star.dk/index.html

you might have a slight difficulty with the languase. Its written in a
beautiful Danish.

If you have any questions about the radio you could always mail oz6pu
(at) qrz.dk

--
Vy73 de OZ1GNN

Christian Treldal

From 2127191068357426592
X-Google-Thread: 108122,3091c02a136aa41e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Pat" <ssb4me@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New G5-CD Antenna
Date: Thu, 13 Sep 2007 07:44:49 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Lines: 3
Message-ID: <46e9229b$0$19633$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com

NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:874

http://www.hamwave.com/cgi-bin/index.cgi?
action=forum&board=antenna__designs&op=display&num=553&start=0#0

From 373112328001064270
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Thread: 106d41,4bd36778e13e6c82,start
X-Google-Thread: fc2a5,4bd36778e13e6c82,start
X-Google-Thread: 110aca,4bd36778e13e6c82,start
X-Google-Thread: 10bc16,4bd36778e13e6c82,start
X-Google-Thread: f95a4,4bd36778e13e6c82,start
X-Google-Attributes:
gid108122,gid106d41,gidfc2a5,gid110aca,gid10bc16,gidf95a4,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.tornevall.net!
not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.homebrew,alt.autos.niss
an,rec.autos.tech,alt.autos.nissan.maxima
Subject: Re: Worldwide Feedback Pouring in..Telstar Electronics VoiceMax is
GARBAGE!
Date: Thu, 13 Sep 2007 14:04:15 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 6
Message-ID: <fcbtc4$l50$1@stable.tornevall.net>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189557810.896597.9690@22g2000hsm.googlegroups.com>
NNTP-Posting-Host: 2100a331d01b9a05c8c49b2f3428cca7
X-Trace: f05bc4efb016272c4db192db59088416
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=f05bc4efb016272c4db192db59088416
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:876 rec.radio.cb:3668
rec.radio.amateur.homebrew:987 alt.autos.nissan:1106 rec.autos.tech:7716
alt.autos.nissan.maxima:533

IDIOT!

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message news:1189557810.896597.9690@22g2000hsm.googlegroups.com...

```
From 8596199571063806631
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 13 Sep 2007 15:19:03 -0500
Date: Thu, 13 Sep 2007 16:19:05 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
In-Reply-To: <1189704966.569281.313610@22g2000hsm.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.128.231.189
X-Trace: sv3-J4DB9wvX+YZYFarEfZaBP18FyuEZOTVPA7aOxA3ZMxv+TOyvKa5j/
uvnZ5SSsC2WhLWNyrnd7eqr0iG!XzEdzebiGSjprWFI6835duEfYD8m7f0+9sZEjJadV6Rmuh/
QwvfJ3cp1m8hLJhbtcWfWn+xryTK/!iUrgqCFZ7S03HA+UZfwAqweRVvgEzXs=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:877
```

Telstar Electronics wrote:

> Why Do You Need a Speech Processor for Your CB Radio?
> Two-way radio communication relies on the modulation contained within
> the signal. Maintaining a high modulation level is crucial in
> providing the highest possible efficiency from any transmitter
> operating on AM, FM, or SSB modes. Two-way radios also rely on
> microphones that inherently change audio levels delivered to the
> transmitter. This causes transmitter modulation to fluctuate greatly
> depending on voice level and pitch. The average modulation of a
> typical voice signal is only about 40%. This low percentage applied

> to the transmitter, results in less than optimal transmission range.

PURE B--- S---

The peak power is the peak power is the peak power!

Distorting the audio with a speech processor ... distorts the audio.

Distorted audio is distorted audio is distorted audio.

Modulation is supposed to fluctuate greatly. It is supposed to replicate your voice which fluctuates greatly. If it does not replicate your voice it is by definition DISTORTION!!

Most processors cause 'nasal' and high pitched sounding audio because our voices are not 'nasal or high pitched. It is called DISTORTION.

```
From 2089652253156060478
X-Google-Thread: 108122,7515fa5bc90aaeb1,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr23.news.prodigy.net.POSTED!054e7b61!not-for-mail
From: aRKay <arkayREMOVE@qsl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: SignaLink SL-1+ Sound Card Radio Interface  $50
Organization: Mac G4 1GHz
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
X-Face: nrf3>{WQ6c&r+7@e)"]0G60`-6ND^)I2mI%>)QGYa=9"=7jhd-g2|b3!>Al0+
        Ccb%xGQshhi|g@QU2$
X-Face-Author: Tony Svanstrom mailto:tls@kagi.com http://www.svanstrom.com/
               If you want to use it please also use this Authorline.
Message-ID: <arkayREMOVE-36B9E7.02102214092007@news.dallas.sbcglobal.net>
Lines: 6
NNTP-Posting-Host: 68.91.194.81
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr23.news.prodigy.net 1189753819 ST000 68.91.194.81 (Fri, 14 Sep
2007 03:10:19 EDT)
NNTP-Posting-Date: Fri, 14 Sep 2007 03:10:19 EDT
X-UserInfo1:
TSU[@I_AOPRIRS@[GZOBNFXBWR\HPCTL@XT^OBPLAH[\RSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Fri, 14 Sep 2007 02:10:22 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:879
```

SignaLink SL-1+ Sound Card Radio Interface $50

Reply to the following with your email address and I will get back to you.

<http://austin.craigslist.org/ele/414587152.html>

```
From -7365701538357515763
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Sep 2007 06:42:50 -0500
Date: Fri, 14 Sep 2007 07:42:52 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
<1189722417.279705.261390@19g2000hsx.googlegroups.com>
In-Reply-To: <1189722417.279705.261390@19g2000hsx.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com>
Lines: 45
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.128.231.189
X-Trace: sv3-
xZjxA0bWY4Ydt6HP67yD4xfcxSaGsz3De4kaQIwWKuwmeTIVvBG7OoLbMwylQV+W5B03L7TOa2t4wBd!
kMVF2E+MKCLHO9pky8ZTfDdq4qB5OhbbFfj/wJEigLqGTfCfrN7JRXX+e/Gh2Dj6U7is4AFGP/XQ!Zop/
ByQz7ghDFPubFG3T73zhX8Xz3ZY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:880
```

Telstar Electronics wrote:

> On Sep 13, 3:19 pm, Deek <D...@comcast.net> wrote:
>
>>Telstar Electronics wrote:
>>
>>>Why Do You Need a Speech Processor for Your CB Radio?
>>>Two-way radio communication relies on the modulation contained within

>>>the signal. Maintaining a high modulation level is crucial in
>>>providing the highest possible efficiency from any transmitter
>>>operating on AM, FM, or SSB modes. Two-way radios also rely on
>>>microphones that inherently change audio levels delivered to the
>>>transmitter. This causes transmitter modulation to fluctuate greatly
>>>depending on voice level and pitch. The average modulation of a
>>>typical voice signal is only about 40%. This low percentage applied
>>>to the transmitter, results in less than optimal transmission range.
>>
>>PURE B--- S---
>>
>>The peak power is the peak power is the peak power!
>>
>>Distorting the audio with a speech processor ... distorts the audio.
>>
>>Distorted audio is distorted audio is distorted audio.
>>
>>Modulation is supposed to fluctuate greatly. It is supposed to replicate your
>>voice which fluctuates greatly. If it does not replicate your voice it is by
>>definition DISTORTION!!
>>
>>Most processors cause 'nasal' and high pitched sounding audio because our voices
>>are not 'nasal or high pitched. It is called DISTORTION.
>
>
>
> You might want to read this... it's a good explanation of what
> VoiceMax is all about.
> http://en.wikipedia.org/wiki/VOGAD

I understand DISTORTION quite well! I hold an EE degree, managed an EE design
department for 10 years, and served as Chief Engineer on a major Military System
LGM 118A RS/RV.

Speech compression IS IS IS distortion. PERIOD!
>

```
From 2347831065939560929
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Sep 2007 15:16:30 -0500
Date: Fri, 14 Sep 2007 16:16:32 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
<1189722417.279705.261390@19g2000hsx.googlegroups.com>
<4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com>
<1189786309.474763.308270@o80g2000hse.googlegroups.com>
In-Reply-To: <1189786309.474763.308270@o80g2000hse.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <sIudnS6QYIaDcXfbnZ2dnUVZ_hadnZ2d@comcast.com>
Lines: 29
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.128.231.189
X-Trace: sv3-Fci/
9s7NcBZm05b+WVkJbOB9TfQUBRJqUSm0HKjG90g+vlUFjK313DA7i8ZrYmhI1IYV2DzYs3bL3LY!
lmV4Us0DA3Rd4i1GawTdmw6XWi7BYmXwOnZkgfO2G5rI+ORUXldNM91sqzBd2pxz4Gaj7GNkf2kP!
Jllj0jqUqI+VKh1H+A2f71kqJ8WPqvA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:882

Telstar Electronics wrote:
> On Sep 14, 6:42 am, Deek <D...@comcast.net> wrote:
>
>>I understand DISTORTION quite well! I hold an EE degree, managed an EE design
>>department for 10 years, and served as Chief Engineer on a major Military System
>>LGM 118A RS/RV.
>>Speech compression IS IS IS distortion. PERIOD!
>
>
> I can see why your services were no longer required as Chief
> Engineer... thanks for your comments.
> www.telstar-electronics.com
>

I can see why you're more interested in $$ than in accuracy.

If I put a CONSTANT amplitude swept frequency signal, swept from 300 to 3000 Hz, audio bandwidth, to the input to a transmitting device and I get a VARIABLE amplitude signal, swept from 300 to 3000 Hz, as the audio output, the device has DISTORTED the audio.

That's just what speech compressors accomplish.

Every single speech processor is a controlled distortion device. You can market and do salesmanship all you want. You are still selling a device that distorts the audio.

Distortion is distortion!!

```
From 4639356462858521256
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews1.bellsouth.net.POSTED!baefb1e5!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
<1189722417.279705.261390@19g2000hsx.googlegroups.com>
<4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com>
Subject: Re: VoiceMax
Lines: 57
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <slCGi.85642$pu2.18854@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcbocjmcbdacofhiloapajgalckjmihfbnpaif
eckepfagppmljiokinkfmpjfmnlkoibhdmbebeimpemgfgiblpihadiihjdbbcfglpjloolmhofmkn
NNTP-Posting-Date: Fri, 14 Sep 2007 16:40:56 EDT
Organization: BellSouth Internet Group
Date: Fri, 14 Sep 2007 16:41:07 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:883
```

"Deek" <Deek@comcast.net> wrote in message
news:4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com...

```
> Telstar Electronics wrote:
>
>> On Sep 13, 3:19 pm, Deek <D...@comcast.net> wrote:
>>
>>>Telstar Electronics wrote:
>>>
>>>>Why Do You Need a Speech Processor for Your CB Radio?
>>>>Two-way radio communication relies on the modulation contained within
>>>>the signal. Maintaining a high modulation level is crucial in
>>>>providing the highest possible efficiency from any transmitter
>>>>operating on AM, FM, or SSB modes. Two-way radios also rely on
```

>>>>microphones that inherently change audio levels delivered to the
>>>>transmitter. This causes transmitter modulation to fluctuate greatly
>>>>depending on voice level and pitch. The average modulation of a
>>>>typical voice signal is only about 40%. This low percentage applied
>>>>to the transmitter, results in less than optimal transmission range.
>>>
>>>PURE B--- S---
>>>
>>>The peak power is the peak power is the peak power!
>>>
>>>Distorting the audio with a speech processor ... distorts the audio.
>>>
>>>Distorted audio is distorted audio is distorted audio.
>>>
>>>Modulation is supposed to fluctuate greatly. It is supposed to replicate
>>>your
>>>voice which fluctuates greatly. If it does not replicate your voice it is
>>>by
>>>definition DISTORTION!!
>>>
>>>Most processors cause 'nasal' and high pitched sounding audio because our
>>>voices
>>>are not 'nasal or high pitched. It is called DISTORTION.
>>
>>
>>
>> You might want to read this... it's a good explanation of what
>> VoiceMax is all about.
>> http://en.wikipedia.org/wiki/VOGAD
>
> I understand DISTORTION quite well! I hold an EE degree, managed an EE
> design department for 10 years, and served as Chief Engineer on a major
> Military System LGM 118A RS/RV.
>
> Speech compression IS IS IS distortion. PERIOD!

You are correct, of course. But there are instances where distortion
increases intelligibility. as I'm sure an EE knows in spades.

Ed, NM2K

From 4404495010544174738
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Sep 2007 15:41:28 -0500

From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
<1189722417.279705.261390@19g2000hsx.googlegroups.com>
<4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com>
<1189786309.474763.308270@o80g2000hse.googlegroups.com>
<sIudnS6QYIaDcXfbnZ2dnUVZ_hadnZ2d@comcast.com>
Subject: Re: VoiceMax
Date: Fri, 14 Sep 2007 16:41:54 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <PemdncORedhlbHfbnZ2dnUVZ_veinZ2d@comcast.com>
Lines: 42
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-L79AX295jzf2681Y31Z2vLCA2phxgy+5HA7/Z0f9zJMPGHKD1QpyhRY42rNVBsx/
rUhH5S6ELxL2FNj!
SQetFiGrfLpO9CR274ZAE1PrYp3VkcnkUiWUWtKSDndR4AezeXQqnUswUGCuPYWkSTUOrBnYWmVe!
zRS4QEyU+5jGhvwI8A1+DVgrkce/udg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:884

"Deek" <Deek@comcast.net> wrote in message
news:sIudnS6QYIaDcXfbnZ2dnUVZ_hadnZ2d@comcast.com...
> Telstar Electronics wrote:
>> On Sep 14, 6:42 am, Deek <D...@comcast.net> wrote:
>>
>>>I understand DISTORTION quite well! I hold an EE degree, managed an EE
>>>design
>>>department for 10 years, and served as Chief Engineer on a major Military
>>>System
>>>LGM 118A RS/RV.
>>>Speech compression IS IS IS distortion. PERIOD!
>>
>>
>> I can see why your services were no longer required as Chief
>> Engineer... thanks for your comments.
>> www.telstar-electronics.com
>>
>
> I can see why you're more interested in $$ than in accuracy.

>
> If I put a CONSTANT amplitude swept frequency signal, swept from 300 to
> 3000 Hz, audio bandwidth, to the input to a transmitting device and I get
> a VARIABLE amplitude signal, swept from 300 to 3000 Hz, as the audio
> output, the device has DISTORTED the audio.
>
> That's just what speech compressors accomplish.
>
> Every single speech processor is a controlled distortion device. You can
> market and do salesmanship all you want. You are still selling a device
> that distorts the audio.
>
> Distortion is distortion!!
>

It not only Distorts the audio signal but causes either over deviation on FM
or Splatter on both AM and SSB, and that's the garbage you hear on adjacent
channels.
If you look real close on some built-in CB power meters, instead of the
signal increasing, it actually decreases!
Distortion = Flat topping of the signal...

From -6394696542822517742
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!t-online.de!news.karotte.org!news2.arglkargh.de!feeder.erje.net!nuzba.szn.dk!pnx.dk!news.tornevall.net!not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re:Telstar Electronics VoiceMax is GARBAGE!
Date: Fri, 14 Sep 2007 16:56:18 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 6
Message-ID: <fcerqd$nhj$1@stable.tornevall.net>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
<1189722417.279705.261390@19g2000hsx.googlegroups.com>
<4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com>
<1189786309.474763.308270@o80g2000hse.googlegroups.com>
NNTP-Posting-Host: 00b5be6ff059b0bfa390bb554eaf7ccc
X-Trace: 411928b3dc48d993c43ecf61061a8cd5
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?

```
trace=411928b3dc48d993c43ecf61061a8cd5
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:885

IDIOT!

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
 > I can see why my services were no longer required





From -7284120886012470881
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.tornevall.net!
not-for-mail
From: "Radioisfun" <radioisfun@home.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Telstar Electronics VoiceMax is GARBAGE!
Date: Fri, 14 Sep 2007 17:04:40 -0400
Organization: TornevallNET - http://news.tornevall.net
Lines: 6
Message-ID: <fcesa5$of3$1@stable.tornevall.net>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<1189557810.896597.9690@22g2000hsm.googlegroups.com>
NNTP-Posting-Host: 2beb53b425a3455eada37f00314112ea
X-Trace: 1eab7f9667e248e76f902505b58e1e02
X-Complaints-To: abuse@tornevall.net
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Validate-Post: http://news.tornevall.net/validate.php?
trace=1eab7f9667e248e76f902505b58e1e02
X-Posting-User: 1ca0af0374edae312054ffa52095f0bd
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:886

IDIOT!

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1189557810.896597.9690@22g2000hsm.googlegroups.com...





From -6923005758462008965
X-Google-Thread: 108122,8105aab54ac8e943
```

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Sep 2007 16:26:23 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
Date: Fri, 14 Sep 2007 14:27:32 -0700
Message-ID: <g1tle315f8po7jkrninru1oupjr8f1cjcv@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
<1189722417.279705.261390@19g2000hsx.googlegroups.com>
<4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com>
<1189786309.474763.308270@o80g2000hse.googlegroups.com>
<sIudnS6QYIaDcXfbnZ2dnUVZ_hadnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 58
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.240.109
X-Trace: sv3-
f7xDikjHFB6KR+ts6vpTy8ntCz1z1qSDz4mVsxVdK5CiLRvR3kM2J0yBZ29WuqbmQ0sBTNCnJ8iegZP!
vdAyMC18E3TPKwqgHMcI43xvD0tl9j/rsfM1QU29Gw9NeV9DRqnaEUY+miDfgmZ6Kk0W84jiWcZe!
w8KEdKqGlmXeYUrL7Ci1JPCFh9dG7g==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:887
```

On Fri, 14 Sep 2007 16:16:32 -0400, Deek <Deek@comcast.net> wrote:

```
>Telstar Electronics wrote:
>> On Sep 14, 6:42 am, Deek <D...@comcast.net> wrote:
>>
>>>I understand DISTORTION quite well!  I hold an EE degree, managed an EE design
>>>department for 10 years, and served as Chief Engineer on a major Military
System
>>>LGM 118A RS/RV.
>>>Speech compression IS IS IS distortion.  PERIOD!
>>
>>
>> I can see why your services were no longer required as Chief
>> Engineer... thanks for your comments.
>> www.telstar-electronics.com
```

>>
>
>I can see why you're more interested in $$ than in accuracy.
>
>If I put a CONSTANT amplitude swept frequency signal, swept from 300 to 3000 Hz, audio bandwidth, to the input to a transmitting device and I get a VARIABLE amplitude signal, swept from 300 to 3000 Hz, as the audio output, the device has DISTORTED the audio.
>
>That's just what speech compressors accomplish.
>
>Every single speech processor is a controlled distortion device. You can market and do salesmanship all you want. You are still selling a device that distorts the audio.
>
>Distortion is distortion!!

Far be it for me to in any way shape or form, defend the spamming hype, marketing what is nothing more than a common IC made for the purpose, but I'm going to disagree with you to some extent.

By your definition, any bandpass filtering, such as you set up in your example, would cause "distortion." The transfer function with respect to frequency is nonlinear, i.e. it's distorted.

Unless you're one of the guys gargling on 14.18 MHZ, I hope you would not argue that frequency response shaping is not something that we want to do in (voice) communications systems.

So assuming we agree on that, then like the guy negotiating with the gal he's trying to bed, we now are just negotiating the price, or acceptable amount of distortion.

Since the purpose of a communication system (unless you're just peddling hardware) is to communicate, then one has to look at the trade-off between distortion and intelligibility. If purposefully "distorting" the signal by frequency shaping, compression, clipping or any combination thereof improves the intelligibility at the other end of the circuit then "distortion" is a good thing, semantics aside.

Wes N7WS

From -7879001857887136226
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!news.trueband.net.POSTED!not-for-mail

```
NNTP-Posting-Date: Fri, 14 Sep 2007 16:43:45 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
Date: Fri, 14 Sep 2007 14:44:54 -0700
Message-ID: <120me3t2ii4erqriuauug3eo8gl374gmb4@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
<1189722417.279705.261390@19g2000hsx.googlegroups.com>
<4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com>
<1189786309.474763.308270@o80g2000hse.googlegroups.com>
<sIudnS6QYIaDcXfbnZ2dnUVZ_hadnZ2d@comcast.com>
<PemdncORedhlbHfbnZ2dnUVZ_veinZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.240.109
X-Trace: sv3-
UQ8hmuw93gO1rOBJs+x4K8ZgKGks8grDJsyOloZXKvtU0TErPsZX+81gynNY4rSsYrv2CUq9s5ubopo!
Fp+itqLNse9C/bn+gtCTDYEb3bpGoE3OjcKxHV2BjW19MEAemrarHMUH9gRwKe1ugnMm8yRxc+gm!ur/
xcifYQ4C0GIRarncBK7otlVInqQ==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:888

On Fri, 14 Sep 2007 16:41:54 -0400, "John Doe" <hgorden@adelphia.net>
wrote:
[snip]
>>
>It not only Distorts the audio signal but causes either over deviation on FM
>or Splatter on both AM and SSB, and that's the garbage you hear on adjacent
>channels.

Not necessarily so!


From 4427729923223962460
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Sep 2007 16:47:45 -0500
```

From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
Date: Fri, 14 Sep 2007 14:48:54 -0700
Message-ID: <580me3dpt44nah80qk63c45otnlhntick4@4ax.com>
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.240.109
X-Trace: sv3-TPeb1J76bnB6VXVvGaV6Sn/
gJ40617yzuBRD3KpKQ2qHWP4bFQzUXbrnUeG0aOiw4UsDDK6dZFAk4pR!
3aalPtSuEXMqoMeHkR3CmoTrdmTGhenuEtQOGag/eMGoCm9JsQI/GZzdOJE7zE1aONKuNvXH3Xcu!
abpR03N/mXCB/wXhId5yrXjdif2eUg==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:889

On Thu, 13 Sep 2007 10:36:06 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

I'm hesitant to reply to this crap but I can't help myself.

>Other Processors Have a Problem...
>Other speech processors use a low-cost "audio clipping" approach to
>achieve compression. While this method is economical for the
>manufacturer, clipping distorts the original signal and sounds fuzzy
>on the air.

Bafflegab.

http://k6mhe.com/n7ws/

Note 5.

From 6363208947542213439
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Sep 2007 19:17:18 -0500

Date: Fri, 14 Sep 2007 20:17:21 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
<1189722417.279705.261390@19g2000hsx.googlegroups.com>
<4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com>
<slCGi.85642$pu2.18854@bignews1.bellsouth.net>
In-Reply-To: <slCGi.85642$pu2.18854@bignews1.bellsouth.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Cs6dnVX-J8kTuXbbnZ2dnUVZ_uygnZ2d@comcast.com>
Lines: 38
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.128.231.189
X-Trace: sv3-
A0feDcO+prWcPe9mV+9w1eIb397KRXCfsnkb+UQySBHfpMJSzkK1PCbvGUPuPLfvy2Z3t8O9vWNjo6p!
bMrL1/TUwq6eYvbNgR5nXSj9F+NEfKC4BGSc2OoxduCL8l5wUNOOxuW5XhisJzJ7OYpgzWHjWcg9!
z1ZyAHQzbz6NTnomRdXv05PlrhNAIb8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.36
Xref: g2news2.google.com rec.radio.amateur.equipment:890

Ed Cregger wrote:

SNIPPED
>
> You are correct, of course. But there are instances where distortion
> increases intelligibility. as I'm sure an EE knows in spades.
>
> Ed, NM2K
>
>

Ed, of course you are correct. The problem with CB compressors and the folks who use them is that they don't know or pay attention to the reasonable limits.

My oldest son owns and runs an interstate long haul trucking business. I have heard more garbage on 27.185 MHz from over compressed, over powered, over distorted, off frequency, boosted radios while riding shotgun with him than I care to recall.

Most audio 'power' is in the lower portion of the voice spectrum. Increasing the mid range by 2 to 4 dB, adding 2 to 4 dB of audio spectral distortion, does increase received intelligibility AND it does sound un-natural. Also, increasing the average audio power output from 30% duty cycle to 50 or 60% audio power output increases the thermal load on the PA final and heat sink by 100% in SSB and by approximately 40-50% in AM. I don't believe CB rigs have thermal designs for the heavier duty cycle.

When I chase DX on the ham bands I do not use compression. My transmitted audio passband is 300 to 2400 Hz [IC 756 P3]. I have four HF radios [IC756P3, IC746, IC706MKIIg, and KW TS570D] all with built in compression capability.

If I can't work them on SSB I do it the easiest way possible ... CW [Don't need compression on CW] :-)

I have heard so many over-compressed signals on 75 and 20 meters that I'll turn on two meters and join a local rag chew or round table where we old farts solve all the world's problems.

From -6844824998886951322
X-Google-Thread: 108122,8105aab54ac8e943
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews1.bellsouth.net.POSTED!baefb1e5!
not-for-mail
From: "Ed Cregger" <ecregger@bellsouff.net>
Newsgroups: rec.radio.amateur.equipment
References: <1189531907.877808.176710@r34g2000hsd.googlegroups.com>
<fc6koh$dv9$1@stable.tornevall.net>
<1189704966.569281.313610@22g2000hsm.googlegroups.com>
<1_mdnWdR58WqBnTbnZ2dnUVZ_tuonZ2d@comcast.com>
<1189722417.279705.261390@19g2000hsx.googlegroups.com>
<4vadnYoNUtEn7nfbnZ2dnUVZ_hKdnZ2d@comcast.com>
<slCGi.85642$pu2.18854@bignews1.bellsouth.net> <Cs6dnVX-
J8kTuXbbnZ2dnUVZ_uygnZ2d@comcast.com>
Subject: Re: VoiceMax
Lines: 67
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <yBJGi.87999$pu2.39094@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcboahcgcbffbbjcpgkppohemacbphcocjhaif
eckepfagppmljifjpjcigpcgdiikbcbhdmbebeimpemgfgmidkmghbmjplikkccjjcpebhhghhpmli
NNTP-Posting-Date: Sat, 15 Sep 2007 00:55:58 EDT
Organization: BellSouth Internet Group

Date: Sat, 15 Sep 2007 00:56:09 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:891

"Deek" <Deek@comcast.net> wrote in message
news:Cs6dnVX-J8kTuXbbnZ2dnUVZ_uygnZ2d@comcast.com...

> Ed Cregger wrote:
>
> SNIPPED
>
>> You are correct, of course. But there are instances where distortion increases intelligibility. as I'm sure an EE knows in spades.
>>
>> Ed, NM2K
>
> Ed, of course you are correct. The problem with CB compressors and the folks who use them is that they don't know or pay attention to the reasonable limits.
>
> My oldest son owns and runs an interstate long haul trucking business. I have heard more garbage on 27.185 MHz from over compressed, over powered, over distorted, off frequency, boosted radios while riding shotgun with him than I care to recall.
>
> Most audio 'power' is in the lower portion of the voice spectrum. Increasing the mid range by 2 to 4 dB, adding 2 to 4 dB of audio spectral distortion, does increase received intelligibility AND it does sound un-natural. Also, increasing the average audio power output from 30% duty cycle to 50 or 60% audio power output increases the thermal load on the PA final and heat sink by 100% in SSB and by approximately 40-50% in AM. I don't believe CB rigs have thermal designs for the heavier duty cycle.
>
> When I chase DX on the ham bands I do not use compression. My transmitted audio passband is 300 to 2400 Hz [IC 756 P3]. I have four HF radios [IC756P3, IC746, IC706MKIIg, and KW TS570D] all with built in compression capability.
>
> If I can't work them on SSB I do it the easiest way possible ... CW [Don't need compression on CW] :-)
>
> I have heard so many over-compressed signals on 75 and 20 meters that I'll turn on two meters and join a local rag chew or round table where we old farts solve all the world's problems.
>

One of the things that I liked about some Yaesu radios (haven't used them all to know) was that obtaining robust/strong audio with my bassy, soft voice was as simple as turning up the mic gain a bit so that it was just entering distortion. This trick even works on my FT-690R and used to work quite well on my FT-726R as well. Getting my voice to project through any radio has been a constant struggle.

Later on, with the advent of the IC-706, I was able to get good intelligibility by shifting the "window" a bit through the crystal filters. This is simply a matter of a software adjustment.

Like you, I do not use speech processors. They seem to be "tuned" for voices that are a tad higher in frequency than my voice, so are completely counter productive when engaged.

I have a Robyn 520D CB set from 1977 that is paired with an EF Johnson ceramic element mic. No, it does not match at all, but it can make any male voice sound like the God Thor when they talk. I keep it around just to remember how far we have come. <G>

Ed, NM2K

From -7837690853129911729
X-Google-Thread: 108122,fe3bd21f98ce3c43
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!fe09.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <87myvryq84.fsf@penny.tippete.net>
Subject: Re: icom ic-2820
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <mfVGi.441500$rk4.406758@fe09.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sat, 15 Sep 2007 18:11:30 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:892

"Pierfrancesco Caci" <ik5pvx@penny.tippete.net> wrote...
> anyone wanting to share his experience with the icom ic-2820?

http://www.eham.net/reviews/detail/6539

From 7990809322718723730

```
X-Google-Thread: 108122,5c15d173a556eb0c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y42g2000hsy.googlegroups.com!not-for-
mail
From:  Radiola <n9vuu@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT 857 Mic Adapter
Date: Sat, 15 Sep 2007 11:37:16 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1189881436.364241.3730@y42g2000hsy.googlegroups.com>
NNTP-Posting-Host: 70.131.150.81
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1189881436 29138 127.0.0.1 (15 Sep 2007 18:37:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Sep 2007 18:37:16 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y42g2000hsy.googlegroups.com; posting-host=70.131.150.81;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:893
```

Has anyone used an 8 pin mic on the Yaesu FT857 in place of the standard stock microphone. Obviously you have to get around the RJ45 by doing this.   Are there adapters available, or do you pretty much have to hack off the connector on another microphone to do this?

Please EMAIL me responses to n9vu at yahoo dot com

Thanks,

GB

```
From 275160126705571260
X-Google-Thread: 108122,31efe33984b96303,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  MO' TUBES/STUFF ADDED: 6LQ6,  71A....
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <s8YGi.550433$p47.353437@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 5c4b976d1b5092dff9287d8e77a099b4
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1189891736
5c4b976d1b5092dff9287d8e77a099b4 (Sat, 15 Sep 2007 21:28:56 GMT)
NNTP-Posting-Date: Sat, 15 Sep 2007 21:28:56 GMT
Organization: AT&T Worldnet
Date: Sat, 15 Sep 2007 21:28:56 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:894

Tubes listed presently-some going off shortly:
6146W, 5Z3, 12BY7, 6360, 6FQ7, 6LQ6, 71A, 6B4G, 12AXTWXT,
AMPEREX ASSORTMENT

STUFF ON NOW:
NRI LAB + OTHER PARTICAL KITS, SOLDER TERMINALS, SMALL & LARGE KNOBS,
THORD CHOKE, TORIOIDS, VARIABLE POTS, INSULATORS, TRANSISTOR SOCKETS.

Pse check daily for additions: so much stuff- see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx, 73 Heytubeguy

From 673904097912429841
X-Google-Thread: 108122,e63c0255a59e0a13,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From: charrid <richfur@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MH34
Date: Sat, 15 Sep 2007 21:45:41 -0000
Organization: http://groups.google.com
Lines: 12
Message-ID: <1189892741.624614.108060@d55g2000hsg.googlegroups.com>
NNTP-Posting-Host: 88.102.154.241
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-2"
X-Trace: posting.google.com 1189892741 20884 127.0.0.1 (15 Sep 2007 21:45:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Sep 2007 21:45:41 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.6)
Gecko/20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=88.102.154.241;

posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:895

I am looking for the wiring diagram of the MH-34 speaker/mike which
I'm using for my VX2R 2m/70cm handheld . I believe it's compatible
with other Yaesu equipment so there should be a few of them around.
Want to make a splitter to use a separate station speaker when using
the rig at the shack (I know, there is a speaker connector on the mic
body, but that means another wire running to the mike which is not
very neat).
I think the diagram is on the box, which I've lost.
Tnx
Rich,
ok8rf@arrl.net

From 2803708915060416213
X-Google-Thread: 108122,25ee5b6c42b62d80
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for GOOD general coverage receiver with DSP IF
Date: Sat, 15 Sep 2007 20:39:34 -0400
Organization: MV Communications, Inc.
Lines: 18
Message-ID: <pan.2007.09.16.00.39.33.114297@from.qrz.com>
References: <pan.2007.09.08.19.54.59.782078@from.qrz.com>
<1189642741.988050.79670@22g2000hsm.googlegroups.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1189903174 36501 207.22.49.17 (16 Sep 2007 00:39:34 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 16 Sep 2007 00:39:34 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:896

On Wed, 12 Sep 2007 17:19:01 -0700, Brian wrote:

> I have one of these, 100% DSP.
>
> http://www.universal-radio.com/catalog/commrxvr/1545.html

Good evening, Brian.

So, how do you like it?

Does it live up to all that hype on the Universal Radio sales page?

If it does half of what the marketing types at UR claim it does, it sounds like a pretty good unit.

Kind of pricey, though. But I guess all of the good stuff is pricey, these days.

From -8230224818207670119
X-Google-Thread: 108122,4757738abe28a15c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom 706 powering itself on and off
Date: Sat, 15 Sep 2007 20:43:08 -0400
Organization: MV Communications, Inc.
Lines: 17
Message-ID: <pan.2007.09.16.00.43.08.85297@from.qrz.com>
References: <1187807137.966852.165890@j4g2000prf.googlegroups.com>
<qq0Gi.41971$mp6.15083@bignews9.bellsouth.net>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1189903388 36501 207.22.49.17 (16 Sep 2007 00:43:08 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 16 Sep 2007 00:43:08 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:897

On Wed, 12 Sep 2007 21:33:58 -0400, Jerry wrote:

> Two known issues with this radio. If the radio is remoted, check to see
> that the little screw that fastens the remote cable is secured to the body
> of the radio. This is VERY important! Make sure it is TIGHT. This will
> shut the radio off as RF will get into it via the non-shielded cable
> (without the little screw) if the screw is omitted or loose.

Hi, Jerry.

I have used my IC-706 mobile in a car, truck, motorcycle, and airplane, always with the remote and cable, and have never yet used the screw to hold it in. Never had a problem.

It will shut itself off due to low voltage, though. Had that happen many times when using it in the shack on an AGM battery.

From -8744541486753186528
X-Google-Thread: 108122,ce6bc73b6dfa8b92,start

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-
mail
From:  W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: - SGC SG-2000 ADSP2 HF Transceiver
Date: Sat, 15 Sep 2007 18:57:02 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1189907822.947970.211910@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 66.177.9.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1189907823 13926 127.0.0.1 (16 Sep 2007 01:57:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Sep 2007 01:57:03 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.6)
Gecko/20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=66.177.9.35;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:898

For Sale: My SGC SG-2000 ADSP2 PowerTalk Transceiver. THIS IS THE
CURRENT MODEL. Transmits form 1.8-30 MHz & Receives from .5-30 MHz.
150 Watts. DIGITAL SIGNAL PROCESSING. For Amateur Radio, Type accepted
for Marine Radio HF SSB & CW, Commercial HF, etc. Go to this website
for all the information on the SG-2000 ADSP2: - - http://sgcworld.com/
2000ProductPage.html
- - This is just back from SGC where it was updated and serviced. The
front panel is perfect. There are a few scratches on the top.
Electrically the radio is in perfect condition. It comes with the mic
and the power cord. And, if I can find them a quick start card and a
manual. (The updated manual is available on the SGC website as a Free
download. The price is $1,450 plus actual shipping cost from my zip
code to yours. My zip code is 32224. Contact Bill - -
iamw7gsa@gmail.com - - or call me at 904-821-5055 (eastern time). I
ship worldwide. I can accept Cash, Money Order or Bank Transfer.
Please add 3% for PayPal. Thanks for looking. Bill



From 8766319391164747040
X-Google-Thread: 108122,fa7d906e2cdc7edf,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-
mail
From:  WillWeav@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Amateur radio website.
```

```
Date: Sat, 15 Sep 2007 19:08:01 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1189908481.291408.302650@57g2000hsv.googlegroups.com>
NNTP-Posting-Host: 70.143.50.115
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1189908481 5256 127.0.0.1 (16 Sep 2007 02:08:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Sep 2007 02:08:01 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SU 3.005;
Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; .NET CLR 1.1.4322;
IEMB3; IEMB3),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=70.143.50.115;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:899
```

I have ebay auctions on my new website and videos from youtube. Also
some interesting do it yourself stuff.
Come for a visit and see some of the videos and links to other ham
stuff.

73's
Bill w5grx

```
From -7735280998549905657
X-Google-Thread: 108122,fa7d906e2cdc7edf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!ecngs!feeder2.ecngs.de!newsfeed.freenet.de!multikabel.net!
feed20.multikabel.net!eweka.nl!lightspeed.eweka.nl!138.199.65.86.MISMATCH!sn-xt-
ams-06!sn-xt-ams-10!sn-xt-ams-03!sn-ams!sn-feed-ams-01!sn-ams!sn-feed-ams-03!sn-
post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!
jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur radio website.
Date: Sat, 15 Sep 2007 20:41:02 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0709152040160.2449@malasada.lava.net>
In-Reply-To: <1189908481.291408.302650@57g2000hsv.googlegroups.com>
References: <1189908481.291408.302650@57g2000hsv.googlegroups.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.equipment:900
```

On Sat, 15 Sep 2007, WillWeav@gmail.com wrote:

> I have ebay auctions on my new website and videos from youtube. Also
> some interesting do it yourself stuff.
> Come for a visit and see some of the videos and links to other ham
> stuff.
>
> 73's
> Bill w5grx
>
>

Bill you did'nt give us a highlighted URL to go to......
Joe

```
From 654593706883859691
X-Google-Thread: 108122,25ee5b6c42b62d80
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-
mail
From:  Brian <kelly@dvol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for GOOD general coverage receiver with DSP IF
Date: Sun, 16 Sep 2007 00:35:31 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1189928131.187134.211410@d55g2000hsg.googlegroups.com>
References: <pan.2007.09.08.19.54.59.782078@from.qrz.com>
   <1189642741.988050.79670@22g2000hsm.googlegroups.com>
   <pan.2007.09.16.00.39.33.114297@from.qrz.com>
NNTP-Posting-Host: 66.19.243.198
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1189928131 11646 127.0.0.1 (16 Sep 2007 07:35:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Sep 2007 07:35:31 +0000 (UTC)
In-Reply-To: <pan.2007.09.16.00.39.33.114297@from.qrz.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.1.6) Gecko/
20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=66.19.243.198;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:901
```

On Sep 15, 8:39 pm, "Rick (W-A-one-R-K-T)" <get.my.em...@from.qrz.com>
wrote:

> On Wed, 12 Sep 2007 17:19:01 -0700, Brian wrote:
> > I have one of these, 100% DSP.
>

> >http://www.universal-radio.com/catalog/commrxvr/1545.html
>
> Good evening, Brian. As
>
> So, how do you like it?

Outstanding SWL rcvr, a 10 out of 10. As a ham rcvr it's a 9 out of 10.

> Does it live up to all that hype on the Universal Radio sales page?

On one hand in general yes, on the other hand no radio lives up to it's manufacturer's marketing hype. There's a detailed by the-the-numbers review of it in the ARRL website.

> If it does half of what the marketing types at UR claim it does, it sounds
> like a pretty good unit.
>
> Kind of pricey, though. But I guess all of the good stuff is pricey,
> these days.

Yup.

Brian w3rv

From -8148554344254149808
X-Google-Thread: 108122,48067971d3c35a53,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!7a5d3c59!not-for-mail
From: Jerry Franks <w4rf@att.net>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Icom PCR-1000 receiver w/Palm control.
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <aKbHi.101066$ax1.32569@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: ac6bee85c3dece11179f80d34071ca47
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1189955590 ac6bee85c3dece11179f80d34071ca47 (Sun, 16 Sep 2007 15:13:10 GMT)
NNTP-Posting-Date: Sun, 16 Sep 2007 15:13:10 GMT
Organization: AT&T Worldnet
Date: Sun, 16 Sep 2007 15:13:10 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:902

Ends Sunday PM.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220148475145&ssPageName=STRK:MESE:IT&ih=012

```
From -4440915543308190845
X-Google-Thread: fcc6e,3880df03c35612d0,start
X-Google-Thread: 11480d,3880df03c35612d0,start
X-Google-Thread: 108122,3880df03c35612d0,start
X-Google-Thread: fc2a5,3880df03c35612d0,start
X-Google-Thread: 10b9c8,3880df03c35612d0,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!transit4.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!panix!rri.panix.com!robomod!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.amateur.*
Followup-To: poster
Date: Sun, 16 Sep 2007 17:52:57 EDT
Organization: rec.radio.info Moderation Team
Lines: 30
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <fck8h8$44j$1@reader1.panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader1.panix.com 1189979579 13951 166.84.1.1 (16 Sep 2007 21:52:59 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 16 Sep 2007 21:52:59 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Original-Bytes: 2930
Xref: g2news2.google.com rec.radio.amateur.antenna:5761 rec.radio.amateur.dx:197
rec.radio.amateur.equipment:903 rec.radio.amateur.homebrew:1017 rec.radio.info:252
```

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.amateur.* (and currently archived at http://www.faqs.org/faqs/radio/personal-intro/):

radio/personal-intro
Subject: Guide to the rec.radio Newsgroups
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 9 Nov 2001 06:18:17 GMT
Posting-Frequency: 15th of each month

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to
rec-radio-info-request@panix.com.

```
From 1168789100143349180
X-Google-Thread: 108122,4d33ccb356685357,start
X-Google-Thread: 1109af,4d33ccb356685357,start
X-Google-Thread: 10b9c8,4d33ccb356685357,start
X-Google-Attributes: gid108122,gid1109af,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!rri.panix.com!robomod!not-for-mail
From: rram@panix.com (rec.radio.info Admin)
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.info
Subject: Seeking New FAQ/Intro Maintainers for rec.radio.swap
Followup-To: poster
Date: Sun, 16 Sep 2007 17:53:14 EDT
Organization: rec.radio.info Moderation Team
Lines: 30
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <fck8hq$icl$1@reader1.panix.com>
Reply-To: rec-radio-info-request@panix.com (rec.radio.info Admin)
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader1.panix.com 1189979594 28773 166.84.1.6 (16 Sep 2007 21:53:14 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 16 Sep 2007 21:53:14 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
```

X-Comment-1: The moderators do not necessarily agree or disagree with this article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
Xref: g2news2.google.com rec.radio.amateur.equipment:904 rec.radio.swap:1193 rec.radio.info:253

The rec.radio.info newsgroup, first established in 1993, has been recently revived by an active moderation team. We are currently seeking suitable information, FAQ, and bulletin articles from the entire rec.radio.* newsgroup hierarchy for simultaneous cross-posting to our newsgroup.

We are seeking a replacement maintainer for the following information bulletin formerly posted to rec.radio.swap (and currently archived at http://www.faqs.org/faqs/radio/swap-guide/):

radio/swap-guide
Subject: Rec.radio.swap FAQ: A Guide to Buying and Selling on Usenet
Maintainer: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Last Posted: 6 Nov 2001 19:25:51 GMT
Posting-Frequency: Monthly

We are willing to provide any technical support necessary to get this article updated and automatically posted again at a regular interval. This would include establishing contact with the original maintainer for any necessary permissions. We would prefer to seek a new, dedicated maintainer at this time, rather than start auto-posting the original article ourselves.

For more information about our newsgroup, see:

http://www.panix.com/~rram/usenet/rri/index.html

Please direct any comments, questions, or criticisms to rec-radio-info-request@panix.com.

From -715044950592919587
X-Google-Thread: 108122,a5d759acafa3f50,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr25.news.prodigy.net.POSTED!054e7b61!not-for-mail
From: aRKay <arkayREMOVE@qsl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: SignaLink SL-1+ Sound Card Radio Interface SOLD

```
Organization: Mac G4 1GHz
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Supersedes: <arkayREMOVE-36B9E7.02102214092007@news.dallas.sbcglobal.net>
X-Face: nrf3>{WQ6c&r+7@e)"]0G60`-6ND^)I2mI%>)QGYa=9"=7jhd-g2|b3!>Al0+
        Ccb%xGQshhi|g@QU2$
X-Face-Author: Tony Svanstrom mailto:tls@kagi.com http://www.svanstrom.com/
               If you want to use it please also use this Authorline.
Message-ID: <arkayREMOVE-32AB5A.21002416092007@news.dallas.sbcglobal.net>
Lines: 9
NNTP-Posting-Host: 68.91.194.81
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1189994424 ST000 68.91.194.81 (Sun, 16 Sep
2007 22:00:24 EDT)
NNTP-Posting-Date: Sun, 16 Sep 2007 22:00:24 EDT
X-UserInfo1:
SCSYQN_@OPRIRS@[GZOBNFXBWR\HPCTL@XT^OBPLAH[\RSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Mon, 17 Sep 2007 02:00:24 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:905
```

SOLD

SignaLink SL-1+ Sound Card Radio Interface

Reply to the following with your email address and I will
get back to you.

<http://austin.craigslist.org/ele/414587152.html>

```
From 1778747877660413002
X-Google-Thread: 10bf43,f239fb2b770ff935
X-Google-Thread: fcc6e,f239fb2b770ff935
X-Google-Thread: 108122,f239fb2b770ff935
X-Google-Thread: 107ada,f239fb2b770ff935
X-Google-Thread: fb049,f239fb2b770ff935
X-Google-Thread: 10f7a7,f239fb2b770ff935
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@TayleorRobesin.org
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
Subject: get kelp
Date: Wed, 15 Aug 2007 16:23:14 -0400
Message-ID: <15o6c3hak0opmal3h6tph7196sor27oi48@4ax.com>
References: <46c34d7d$0$16386$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
```

MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Date: 15 Aug 2007 19:31:43 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:6840
rec.radio.amateur.antenna:4739 rec.radio.amateur.equipment:749
rec.radio.amateur.misc:1622 alt.ham-radio.vhf-uhf:331 alt.usenet.kooks:52091

On Wed, 15 Aug 2007 15:52:31 -0400, "an old fiend"
<kbprqueer@punce.net> wrote:

>
> it about woger
>
> http://whywogersucks.blogspot.com/

not new or my work

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

G

--
Posted via a free Usenet account from http://www.teranews.com

---

From 4765052463057390664
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!newsfeed.yul.equant.net!
nntp1.roc.gblx.net!nntp.gblx.net!nntp.gblx.net!news.xcski.com!ncf.ca!
FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: 16 Aug 2007 01:24:33 GMT
Organization: The National Capital FreeNet
Lines: 49
Message-ID: <fa090h$9il$1@theodyn.ncf.ca>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>

<26f144d12bd53031be2426755dceb551@mixmaster.it> <slrnfbve70.1l2r.bit-bucket@shell.config.com> <b8e743dce6a445c875debc1ed3c2fa77@dizum.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1187227473 9813 134.117.136.48 (16 Aug 2007 01:24:33 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 16 Aug 2007 01:24:33 GMT
X-Original-Bytes: 3108
Xref: g2news2.google.com rec.radio.shortwave:7388 rec.radio.amateur.equipment:750 rec.radio.amateur.boatanchors:927

Nomen Nescio (nobody@dizum.com) writes:
> In article <slrnfbve70.1l2r.bit-bucket@shell.config.com>
> Spam Trap <bit-buc...@config.com> wrote:
>>
>> ["Followup-To:" header set to rec.radio.amateur.equipment.]
>> On Sun, 12 Aug 2007 22:35:48 +0200 (CEST), George Orwell wrote:
>> > In article <slrnfa1ind.2355.bit-buc...@shell.config.com>
>> > Spam Trap <bit-buc...@config.com> wrote:
>> >>
>> >> On Fri, 20 Jul 2007 08:40:10 -0600 (MDT), Ted wrote:
>> >> > eBay: http://easyurl.net/R390A
>> >>
>> >> "eBay users may not post on Usenet groups (Internet newsgroups) to
>> >> advertise eBay or an eBay listing that is inappropriate or violates
>> >> the Usenet board policy. If Usenet abuse is reported to eBay, we may
>> >> among other remedies remove the listing, issue a warning, or suspend
>> >> the user's eBay account."
>> >>   -- http://pages.ebay.com/help/welcome/usenet-policy.html
>> >
>> > bad link
>>
>>   -- http://pages.ebay.com/help/usenet_policy.html
>
> "Please note that [eBay] can only take action in cases where it is
> clear that an eBay member has posted to the Usenet inappropriately."
>
> Good luck proving that.
>

And once again, rec.radio.amateur.equipment is not a buy and sell newsgroup. It's for the discussion of amateur radio equipment.

Hence ebay posts don't belong there, along with all the other ads that get posted there.

That's the problem with the previous replyer, he still doesn't use that leverage to get rid of the ebay poster. He somehow thinks ebay is somehow worse than buy and sell ads.

It would be nice to say that the ad doesn't belong in .boatanchors but the people who created it circa 1995 or 96 decided that buying and selling was too important a part of the hobby, so they let ads in, though in the charter it's way down on the list of

things to post about. So instead, we get all kinds of ads there,
things that weren't even born when the last boatanchors were made,
and those ads for guns and those ads for computers, and so it goes.
Once you let ads in, the junk follows.

Michael VE2BVW

From -5405047104609419851
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews1.bellsouth.net.POSTED!cd3bd447!
not-for-mail
From: Randy or Sherry Guttery <comcents@bellsouth.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>
<26f144d12bd53031be2426755dceb551@mixmaster.it> <slrnfbve70.1l2r.bit-
bucket@shell.config.com> <b8e743dce6a445c875debc1ed3c2fa77@dizum.com>
<fa090h$9il$1@theodyn.ncf.ca>
In-Reply-To: <fa090h$9il$1@theodyn.ncf.ca>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 30
Message-ID: <EEOwi.335$pu2.237@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcboenfjnjcgdifledihcdojnlpgfdnddpmado
aomeeghllapnbahlpnlodhghoelejgamagcehljjclppdmhbghafbhbmpkkdgjomlgcccebcdfdbbm
NNTP-Posting-Date: Wed, 15 Aug 2007 22:29:56 EDT
Organization: BellSouth Internet Group
Date: Wed, 15 Aug 2007 21:30:05 -0500
Xref: g2news2.google.com rec.radio.shortwave:7400 rec.radio.amateur.equipment:751
rec.radio.amateur.boatanchors:928

Michael Black wrote:

> Hence ebay posts don't belong there, along with all the other ads
> that get posted there.

It wasn't about ebay - it was about a *VERY* rare (I don't normally use that word, but here it truly applies) radio - a boatanchor at that - that just happened to be on ebay. Fowler R390As are rare - there were only five built, and s/n 2 is in (reportedly) the best condition of the known survivors...

I didn't start this thread - as I assumed it would find it's way to r.r.a.b on it's own (it did - and no it wasn't posted by the seller, nor on his behalf).

I did start a similar thread on rec.antiques.radio+phono as a discussion about how it might compare in value to some of the *rare* sets from the 30's (Zenith Strat, Sparton Nocturne, Crosley WLW - etc.). As it turns out - not even close.

The seller didn't need to "hawk his wares" here or anywhere else for that matter - the radio's provenance yelled loud enough on it's own.

best regards...
--
randy guttery

A Tender Tale - a page dedicated to those Ships and Crews
so vital to the United States Silent Service:
http://tendertale.com

From 1014353701585270241
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Spam Trap <bit-bucket@config.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: 16 Aug 2007 23:31:40 GMT
Lines: 33
Message-ID: <slrnfc9nis.24ri.bit-bucket@shell.config.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net> <slrnfa1ind.2355.bit-bucket@shell.config.com> <26f144d12bd53031be2426755dceb551@mixmaster.it> <slrnfbve70.1l2r.bit-bucket@shell.config.com> <b8e743dce6a445c875debc1ed3c2fa77@dizum.com> <89Jwi.10534$Zk5.8618@newsfe23.lga>
Reply-To: If you must, <Reply_to@my.sig.adr>
X-Trace: individual.net q1EHGBXWgDEFDiEIp9dNIQA4OkmZ5Ooh02f27E9Lp3+otz2+88
Cancel-Lock: sha1:8V30N4jM+aCvvCkb4RvOG92DF8A=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.shortwave:7449 rec.radio.amateur.equipment:752 rec.radio.amateur.boatanchors:932

```
On Wed, 15 Aug 2007 16:14:59 -0400, Uncle Peter wrote:
>
> "Nomen Nescio" <nobody@dizum.com> wrote in message
>>>      --  http://pages.ebay.com/help/usenet_policy.html
>>
>> "Please note that [eBay] can only take action in cases where it is
>> clear that an eBay member has posted to the Usenet inappropriately."
>>
>> Good luck proving that.
>
> I must have missed something?

Yes, you did.
There's probably a lot of things you "miss".

> The seller never posted this auction on the newsgroups.  It started
> as a discussion about the receiver, not as an auction teaser.

The ENTIRE OP body:

 |From: Ted <Use-Author-Supplied-Address-Header@[127.1]>
 |Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,
 |            rec.radio.amateur.boatanchors
 |Subject: R-390A receiver (1984 - serial #2)
 |
 |eBay: http://easyurl.net/xx-mung-xx
 |

Quite a discussion, that.

Just because the kl0wn (cross)posted his eBay sale via a "tinyurl" link
does not absolve him.



From 6046858501666650526
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Aug 2007 18:39:10 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Thu, 16 Aug 2007 16:39:08 -0700
Subject: Re: R-390A receiver (1984 - serial #2)
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Message-ID: <C2EA2E2C.73AEC%dbowey@comcast.net>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
```

```
<slrnfa1ind.2355.bit-bucket@shell.config.com>
<26f144d12bd53031be2426755dceb551@mixmaster.it> <slrnfbve70.1l2r.bit-
bucket@shell.config.com> <b8e743dce6a445c875debc1ed3c2fa77@dizum.com>
<89Jwi.10534$Zk5.8618@newsfe23.lga> <slrnfc9nis.24ri.bit-bucket@shell.config.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 39
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.168.207.249
X-Trace: sv3-ewrO6rF/DO97wsr7EW2wJJM/PBNyhhH6Cme+UvDjP+OvbwWQx+v6q/
dj3WcvlmO2vlTsflQwiL4qxVL!
uYy+SNR82Sam0UMoIwjzdrnt4P9J3VZcoVlHujih5l37AAtyDavHSGbdRgDoIeKzsrJbIbes1Jk2!
VkrhCVTcKoEP2IYV
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:7450 rec.radio.amateur.equipment:753
rec.radio.amateur.boatanchors:933

On 8/16/07 4:31 PM, in article slrnfc9nis.24ri.bit-bucket@shell.config.com,
"Spam Trap" <bit-bucket@config.com> wrote:

> On Wed, 15 Aug 2007 16:14:59 -0400, Uncle Peter wrote:
>>
>> "Nomen Nescio" <nobody@dizum.com> wrote in message
>>>>      --  http://pages.ebay.com/help/usenet_policy.html
>>>
>>> "Please note that [eBay] can only take action in cases where it is
>>> clear that an eBay member has posted to the Usenet inappropriately."
>>>
>>> Good luck proving that.
>>
>> I must have missed something?
>
> Yes, you did.
> There's probably a lot of things you "miss".
>
>> The seller never posted this auction on the newsgroups.  It started
>> as a discussion about the receiver, not as an auction teaser.
>
> The ENTIRE OP body:
>
> |From: Ted <Use-Author-Supplied-Address-Header@[127.1]>
> |Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,
> |            rec.radio.amateur.boatanchors
> |Subject: R-390A receiver (1984 - serial #2)
> |
> |eBay: http://easyurl.net/xx-mung-xx
> |
```

>
> Quite a discussion, that.
>
> Just because the kl0wn (cross)posted his eBay sale via a "tinyurl" link
> does not absolve him.
>

I didn't know who to thank for that post. Thanks, it was interesting.

From 2745674953972903250
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Aug 2007 06:07:59 -0500
Date: Fri, 17 Aug 2007 12:08:04 +0100
From: charlie <wehatespam@wymsey.co.uk>
User-Agent: Thunderbird 1.5.0.12 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>
<26f144d12bd53031be2426755dceb551@mixmaster.it> <slrnfbve70.1l2r.bit-
bucket@shell.config.com> <b8e743dce6a445c875debc1ed3c2fa77@dizum.com>
<fa090h$9il$1@theodyn.ncf.ca>
In-Reply-To: <fa090h$9il$1@theodyn.ncf.ca>
X-Enigmail-Version: 0.95.2
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <OsKdnfpBq5ESHFjb4p2dnAA@pipex.net>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 81.178.236.240
X-Trace: sv3-xYGMBDcDJr4338TTG/3ZP0WGTjGoSTDGayEW8F3u48AjzQ3L0vcN1/
kyCprLJVU0uvJAg5qx55Drb+j!
anQPCYei2qw9aUD02O7qzUdFb7HOw3ODSXOj084wA5j3xm0Nndx+p1Nf8pl7O+Rd7NR2KkOzFZvW!
4ZjEj1qOmTBZcjM=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:754

Michael Black wrote:

<SNIP>

> And once again, rec.radio.amateur.equipment is not a buy and sell
> newsgroup. It's for the discussion of amateur radio equipment.
>
<SNIP>

Are you in the RCMP?

<SNIP>

--
M0WYM
www.radiowymsey.org

From 743918978705432411
X-Google-Thread: 108122,65373b3eefb79fcf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!ecngs!feeder2.ecngs.de!feeder.erje.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS 870 PA problem ?
Date: Fri, 17 Aug 2007 21:24:47 -0400
Organization: Aioe.org NNTP Server
Lines: 19
Message-ID: <fmmck-C4957A.21244617082007@nntp.aioe.org>
References: <U92dnaZiwJtmQFzbRVnyhwA@eclipse.net.uk>
NNTP-Posting-Host: dsDFe4xiTSs1UcL82VoZvw.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:755

In article <U92dnaZiwJtmQFzbRVnyhwA@eclipse.net.uk>,
 Mark <dragothic@hotmail.co.uk> wrote:

> Question, does anyone thing my PA is dying on the 870 ?
>   - it looks bad... although the thing works perfectly otherwise.

Mark-

Assuming you have solid state finals, your power supply voltage may have
fallen off slightly. I've found that a slight change in DC voltage
produces a large change in power output and power supply current. Be
sure your supply voltage is a solid 13.8 volts under load.

If you have the ability to measure the voltage inside the radio under
load, you can tell if there is a problem between the radio and the power
supply.

Fred

K4DII

From -3515239653112259519
X-Google-Thread: 108122,e093775a480b497c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From: Marklinbuyer@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FOR SALE - - SG-2020 TRANSCEIVER
Date: Sat, 18 Aug 2007 14:00:44 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1187470844.251468.244730@d55g2000hsg.googlegroups.com>
NNTP-Posting-Host: 66.177.9.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1187470844 11962 127.0.0.1 (18 Aug 2007 21:00:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Aug 2007 21:00:44 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.6) Gecko/20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=66.177.9.35;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:756

I have listed my SG-2020 HF Transceiver for sale on ebay.

Click on this link to see the pictures:
http://cgi.ebay.com/SGC-SG-2020-DSP-HF-Transceiver-ADSP2-Current-Model_W0QQitemZ280142757163QQihZ018QQcategoryZ19117QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

The auction ends tomorrow.

Thank you for looking.
Bill

From -337061780338075238
X-Google-Thread: fc8b1,26bc0c52b055153e,start
X-Google-Thread: 108122,26bc0c52b055153e,start
X-Google-Thread: 1109af,26bc0c52b055153e,start
X-Google-Thread: f7796,26bc0c52b055153e,start
X-Google-Thread: 10b9c8,26bc0c52b055153e,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gidf7796,gid10b9c8,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed2.dallas1.level3.net!

```
news.level3.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-
radio.morse,rec.radio.info,rec.radio.amateur
Subject: September 2007  K9YA Telegraph - Subscribe FREE
Followup-To: poster
Date: Sun, 19 Aug 2007 10:42:05 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 29
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <oEYxi.18509$eY.6462@newssvr13.news.prodigy.net>
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader1.panix.com 1187534524 1259 166.84.1.1 (19 Aug 2007 14:42:04 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 19 Aug 2007 14:42:04 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-UserInfo1:
FKPO@S^DLPVMB_H]]RKB_UDAZZ\DPCPDLXUNNHLHEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Xref: g2news2.google.com rec.radio.amateur.boatanchors:951
rec.radio.amateur.equipment:757 rec.radio.swap:1005 alt.ham-radio.morse:7
rec.radio.info:202
```

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN! It's ALL ABOUT HAM RADIO!

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly to your e-mail inbox as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA Telegraph Web site. http://www.k9ya.org

September 2007:

We Like Ike By Philip Cala-Lazar, K9PL

Two Meters the Hard Way By Adam Farson, VA7OJ/AB4OJ

Early Radio Detectors By Joe Medsker, K8LKC

Aim Your Beamers at Shangri-LaLa By Rod Newkirk, VA3ZBB/W9BRD

Ham Quips By Dick Sylvan, W9CBT

```
From 6678278054847835935
X-Google-Thread: 108122,2f1e817879f05ec0,start
X-Google-Thread: 10a575,2f1e817879f05ec0,start
X-Google-Thread: 115a8f,2f1e817879f05ec0,start
X-Google-Thread: 10f77e,2f1e817879f05ec0,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.astraweb.com!
border1.newsrouter.astraweb.com!nx02.iad01.newshosting.com!newshosting.com!
post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07071916290121@4ax.com>
Subject: MI5 Persecution: Fitted up 26/4/96 (235)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 19 Aug 2007 16:29:02 GMT
Lines: 134
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:758 alt.fan.elton-john:332
sci.engr.color:310 it.comp.giochi.action:8244

Subject: Re: MI5? Please can someone explain what's going on here?
Newsgroups: uk.misc
References: <4l1khm$4cn@utopia.hacktic.nl> <4l2lhj$6h6@bignews.shef.ac.uk>
Organization: Toronto Free-Net
Distribution:

David Stretch (dds@leicester.ac.uk) wrote:
: In article <19960418.000817.55@hotch.hotch.demon.co.uk>,
: Iain L M Hotchkies <iain@hotch.demon.co.uk> wrote:
: >The (remote) possibility remains that 'Mike Corley' is either
: >not schizophrenic (but is 'pretending' to be so) or 'he' is
: >a product of a number of persons (?psychology students).
```

: Given other ways in which I have seen people exploit some of The Internet's
: capabilities to disrupt or indulge in sophistry, or to exploit a medium
: that resembles speech without the non-verbal and intonation cues, etc
: as a means of denigrating others, I question your use, albeit in quotes,
: of the word "remote". I'm not saying it isn't remote and therefore it is
: great, I'm just saying that I don't think we can easily classify it as
: remote, moderate, or great.

I think you can build up quite a good picture based on what someone says and on their posting patterns. I don't think "The Internet" (capitals, no less) is as opaque a medium as you make it out to be.

: It is not easy to determine the validity of all information on The
: Internet without making use of extra supplementary information.

: We do have the problem, pointed out by someone else, of the possibly
: "too perfect" textbook characteristics of what is being posted.

I explained that one, but I don't mind explaining it again (you don't mind having it explained again to you, do you now?). The reason my "symptoms" are such a perfect fit to the textbook is because the people causing the campaign "fitted me up" in such a way that what they did would resemble the symptoms of schizophrenia. Hence TV, radio, other media, people in the streets etc. By a fortunate coincidence (for them) these mthods of harassment are the ones which offer easiest channels of access (for them).

It's really quite neat. All it takes is for people to start believing that the "symptoms" aren't symptoms but reality, though, and the house of cards collapses in a heap. And there are _lots_ of people now who knoiw full well what has gone on.

: If harrassment by email, etc, has happened by someone out of the country,
: can a complaint be made that results in arrest or whatever upon that
: person's entry into the country? An interesting point which Mike may be
: able to inform us about, as he's said he will be in the UK in a few weeks
: time.

Picture the scene at the airport;
"I arrest you for being Mike Corley and mailbombing people"

"But my name isn't Corley. Who he? Mailbombing isn't illegal is it? You'd have to lock up a lot of people if sending annoying email was a crime"

"Er....."

: --
: David Stretch: Greenwood Institute of Child Health, Univ. of Leicester, UK.
: dds@leicester.ac.uk   Phone:+44 (0)116-254-6100   Fax:+44 (0)116-254-4127

==

: context-free parts of articles, conversations and things-on-the-TV and

: assume they are meant for you. Mike, this is called paranoia.

But that's the way real abuse works, too. People interject words and phrases into what they say which they know will have meaning for the listener.

And sometimes, they make it obvious. The very first evening of my job in Oxford, we went for a drink with the technical director, and a couple of other employees. The TD said in an "as-if" aside to one of the others, "Is this the bloke who's been on TV?" (he said it directly in front of me, and obviously meant mke to hear him saying it). The other person replied, "Yes, I think so".

I think the subtext of what the TD said was "Why are they bothering with him? He's so insignificant, why would they possibly want to spend the resources going after him and putting all that expensive technology in his home, when there must be much better targets?". The Technical Director was given to sometimes disrespecting people, you see, and in my case he couldn't see the point of anyone expending money on harassing me.

Subject: Re: Treatment of Schizophrenia
Newsgroups: uk.misc,uk.legal,uk.politics,alt.politics.british
Followup-To: uk.misc,uk.legal,uk.politics,alt.politics.british
References: <153321Z22041996@anon.penet.fi> <4lge6r$p00@news.ox.ac.uk>
Organization: Toronto Free-Net
Distribution:

Illtud Daniel (idaniel@jesus.ox.ac.uk) wrote:
: Probably 'cos you come across as reasoned & articulate, it's a pity
: about the other stuff :)

Veracity is so unreasonable.

: >>pps. You should still see a doc again Mike.
: >
: >Doing so. Trouble is, all this mental-illness stuff provides camouflage
: >for the harassment, which is real. It alows people who otherwise would
: >consider the harassment seriously to disregard it. It makes conversations
: >with a lawyer or police brief when otherwise it would merit discussion.

: The point is that there are two possibilities happening here-

: 1. There's a large conspiracy of people out to get you, for no
:   other reason than that they have the means to do so, and that
:   it involves a lot of the Media & a proportion of the public

: 2. You (who admit to having some headspace problems) are suffering
:   from acute paranoid schizophrenia.

: Possibility #1 is _possible_, but would be unprecendented (OTOH,
: how would we know?), unfeasible, and many other things beginning
: with _un_ which I can't think of at the moment. Besides, if there

: was something going on, chances are some of us here would know
: about it, and I'm convinced that nobody does.

"Unprecedented" hits the nail on the head. It _is_ unprecedented, but we have only just reached the technical stage at which it is feasible, and we know video-spying is done to other people (NB the Diana-Hewitt episode) and is a routine tool of security agencies.

Perhaps what is unprecedented is not the technical side, but the social manipulation of many people by a concealed element in what other countries would be called the secret police. The most disturbing element is the degree to which people allow themselves to be unquestioningly manipulated by an evil element within the state.

235

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 4450853326953149183
X-Google-Thread: 108122,450ecc258eefca99,start
X-Google-Thread: 10a575,450ecc258eefca99,start
X-Google-Thread: 115a8f,450ecc258eefca99,start
X-Google-Thread: 10f77e,450ecc258eefca99,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out03b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07071917091836@4ax.com>
Subject: MI5 Persecution: Bernard Levin 1/6/96 (1458)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 19 Aug 2007 17:09:19 GMT
Lines: 48
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:759 alt.fan.elton-john:334 sci.engr.color:311 it.comp.giochi.action:8245

Subject: Re: "FANATIC'S FARE FOR THE COMMON MAN"
Newsgroups: uk.misc,uk.media,uk.legal,uk.politics.misc
Followup-To: uk.misc,uk.media,uk.legal,uk.politics.misc

References: <Ds0L1o.BMF.0.bloor@torfree.net> <ADCF291096681F4E@cara.demon.co.uk>
Organization: Toronto Free-Net
Distribution:

Peter Ceresole (peter@cara.demon.co.uk) wrote:
: In article <Ds0L1o.BMF.0.bloor@torfree.net>,
: bu765@torfree.net (Mike Corley) quoted a typical, overblown Bernard Levin
: piece, which sounds exactly like any number of other pieces by Levin over
: the past thirty years.

: He then goes on to draw an anguished parallel with a totally unrelated
: incident that had happened between him and a friend a few days earlier.

It is in the same style as his other pieces, but it's so close to what actually happened a few days previously, that it's completely reasonable to assume that someone told Levin about the meeting, hammed it up a little bit and motivated him to write that article.

Look at the parallels;

1. "madman running loose about London"

2. it's about a meeting which took place recently

3. the police are called (he must be controlled, however much that consumes in resources)

4. he might be violent, approach with caution, yes we're laughing but really we're afraid of him, or is it perhaps our own propaganda that we're letting manipulate us

5. he "bursts into tears, and swears it's all true - and it is" a very exaggerated impression of the conclusion of that meeting

Don't worry if you don't believe me, neither my friend to whom I explained this nor my GP believe me either (until the friend found out otherwise!). If someone just presented this to you as I am presenting it now then I wouldn't find it credible (most likely), so it's not until you actually find out it's true that you can find it credible. And by then it's too late, because they've got you in their trap and explained how "funny" the abuse is.

1458

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -7922031043989227213

X-Google-Thread: 108122,2f1e817879f05ec0
X-Google-Thread: 10a575,2f1e817879f05ec0
X-Google-Thread: 115a8f,2f1e817879f05ec0
X-Google-Thread: 10f77e,2f1e817879f05ec0
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07071917353327@4ax.com>
Subject: MI5 Persecution: Fitted up 26/4/96 (235)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 19 Aug 2007 17:35:35 GMT
Lines: 138
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 134
Xref: g2news2.google.com rec.radio.amateur.equipment:760 alt.fan.elton-john:335
sci.engr.color:312 it.comp.giochi.action:8248

Subject: Re: MI5? Please can someone explain what's going on here?
Newsgroups: uk.misc
References: <4l1khm$4cn@utopia.hacktic.nl> <4l2lhj$6h6@bignews.shef.ac.uk>
Organization: Toronto Free-Net
Distribution:

David Stretch (dds@leicester.ac.uk) wrote:
: In article <19960418.000817.55@hotch.hotch.demon.co.uk>,
: Iain L M Hotchkies <iain@hotch.demon.co.uk> wrote:
: >The (remote) possibility remains that 'Mike Corley' is either
: >not schizophrenic (but is 'pretending' to be so) or 'he' is
: >a product of a number of persons (?psychology students).

: Given other ways in which I have seen people exploit some of The Internet's
: capabilities to disrupt or indulge in sophistry, or to exploit a medium
: that resembles speech without the non-verbal and intonation cues, etc
: as a means of denigrating others, I question your use, albeit in quotes,
: of the word "remote". I'm not saying it isn't remote and therefore it is
: great, I'm just saying that I don't think we can easily classify it as
: remote, moderate, or great.

I think you can build up quite a good picture based on what someone says
and on their posting patterns. I don't think "The Internet" (capitals, no
less) is as opaque a medium as you make it out to be.

: It is not easy to determine the validity of all information on The

: Internet without making use of extra supplementary information.

: We do have the problem, pointed out by someone else, of the possibly
: "too perfect" textbook characteristics of what is being posted.

I explained that one, but I don't mind explaining it again (you don't mind having it explained again to you, do you now?). The reason my "symptoms" are such a perfect fit to the textbook is because the people causing the campaign "fitted me up" in such a way that what they did would resemble the symptoms of schizophrenia. Hence TV, radio, other media, people in the streets etc. By a fortunate coincidence (for them) these mthods of harassment are the ones which offer easiest channels of access (for them).

It's really quite neat. All it takes is for people to start believing that the "symptoms" aren't symptoms but reality, though, and the house of cards collapses in a heap. And there are _lots_ of people now who knoiw full well what has gone on.

: If harrassment by email, etc, has happened by someone out of the country,
: can a complaint be made that results in arrest or whatever upon that
: person's entry into the country? An interesting point which Mike may be
: able to inform us about, as he's said he will be in the UK in a few weeks
: time.

Picture the scene at the airport;
"I arrest you for being Mike Corley and mailbombing people"

"But my name isn't Corley. Who he? Mailbombing isn't illegal is it? You'd have to lock up a lot of people if sending annoying email was a crime"

"Er....."

: --
: David Stretch: Greenwood Institute of Child Health, Univ. of Leicester, UK.
: dds@leicester.ac.uk   Phone:+44 (0)116-254-6100   Fax:+44 (0)116-254-4127

===

: context-free parts of articles, conversations and things-on-the-TV and
: assume they are meant for you. Mike, this is called paranoia.

But that's the way real abuse works, too. People interject words and phrases into what they say which they know will have meaning for the listener.

And sometimes, they make it obvious. The very first evening of my job in Oxford, we went for a drink with the technical director, and a couple of other employees. The TD said in an "as-if" aside to one of the others, "Is this the bloke who's been on TV?" (he said it directly in front of me, and obviously meant mke to hear him saying it). The other person replied, "Yes, I think so".

I think the subtext of what the TD said was "Why are they bothering with him? He's so insignificant, why would they possibly want to spend the resources going after him and putting all that expensive technology in his home, when there must be much better targets?". The Technical Director was given to sometimes disrespecting people, you see, and in my case he couldn't see the point of anyone expending money on harassing me.

Subject: Re: Treatment of Schizophrenia
Newsgroups: uk.misc,uk.legal,uk.politics,alt.politics.british
Followup-To: uk.misc,uk.legal,uk.politics,alt.politics.british
References: <153321Z22041996@anon.penet.fi> <4lge6r$p00@news.ox.ac.uk>
Organization: Toronto Free-Net
Distribution:

Illtud Daniel (idaniel@jesus.ox.ac.uk) wrote:
: Probably 'cos you come across as reasoned & articulate, it's a pity
: about the other stuff :)

Veracity is so unreasonable.

: >>pps. You should still see a doc again Mike.
: >
: >Doing so. Trouble is, all this mental-illness stuff provides camouflage
: >for the harassment, which is real. It alows people who otherwise would
: >consider the harassment seriously to disregard it. It makes conversations
: >with a lawyer or police brief when otherwise it would merit discussion.

: The point is that there are two possibilities happening here-

: 1. There's a large conspiracy of people out to get you, for no
:   other reason than that they have the means to do so, and that
:   it involves a lot of the Media & a proportion of the public

: 2. You (who admit to having some headspace problems) are suffering
:   from acute paranoid schizophrenia.

: Possibility #1 is _possible_, but would be unprecendented (OTOH,
: how would we know?), unfeasible, and many other things beginning
: with _un_ which I can't think of at the moment. Besides, if there
: was something going on, chances are some of us here would know
: about it, and I'm convinced that nobody does.

"Unprecedented" hits the nail on the head. It _is_ unprecedented, but we have only just reached the technical stage at which it is feasible, and we know video-spying is done to other people (NB the Diana-Hewitt episode) and is a routine tool of security agencies.

Perhaps what is unprecedented is not the technical side, but the social manipulation of many people by a concealed element in what other countries would be called the secret police. The most disturbing element is the degree to which people allow themselves to be unquestioningly manipulated by an evil element within the state.

235

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -4447457188770044762
X-Google-Thread: 108122,4068041f0ba61195,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Sun, 19 Aug 2007 20:42:22 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS TECHNISONICS UHF FM Transceiver TFM-403
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 15
Message-ID: <46c8e2da$0$18966$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:762

FS TECHNISONICS UHF FM Transceiver TFM-403

Condition fair, transmits and receives, missing one pushbutton button
cover, display is intermittent/ flaky but all segments light. Otherwise
complete. Price $225 USD plus shipping.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 2808446361471477451
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Aug 2007 21:43:54 -0500
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
Subject: Re: 2m All Mode Rig
Date: Sun, 19 Aug 2007 22:43:52 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <ZfidnbJ6upt3YlXbnZ2dnUVZ_vyinZ2d@comcast.com>
Lines: 36
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.0.64.111
X-Trace:
sv3-6mDdToB8Ang88+sLgDKK0DtgPm7h4X48Vj7A4jtj1dZOdvqrn8zqpsjI9keMUifquVhKt8KgeCSebn
6!SKphSs4stbCeiQFd4iVLtd2Upo5bafiOcHZosMY8pKE3eF1pX/MBX5L2pcT6FPnZx1OhpSO9F750!
fc7Ht2it8t5EnH5/lbcbqsmUdOY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:763 uk.radio.amateur:12561
```

Charlie...If what you are looking for is a single band rig for 2, all you have to decide is if you want it recent enough for computer control, or not, and how much power you want to run.
You can get in for 300 bucks or so with old Kenwoods (TS700 series) or Icom (IC251) or Yaesu (FT221)...If you move up to something like a more recent IC275H, it will run you about double that amount...You get more power, computer control, PL on FM...stuff like that. Some of the other rigs mentioned like the Yaesu 726 and 736 are not 2 meter only rigs.
Another favorite of mine was the Yaesu FT225RD...problem with some of these rigs is that they are now aproaching, or past 20 years old....you may well end up with someone's problem rig. A really great multimode rig that is new enough to have a tone board (option) and has a real hot receiver....and not too expensive is the Kenwood TR751A. Although it is a smaller 12 volt mobile rig....it has feet for desktop use...so would work out great!
....Dave
"charlie" <wehatespam@wymsey.co.uk> wrote in message
news:i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net...

>I looking to buy a used all mode base rig for two metres at the end
> of year and am leaning towards an Icom IC820H. I have looked at the
> comments on eHam and it looks as if this rig is a favourite. I
> wonder if anyone has/had one and if they have any comments to make
> on the rig.

>
> TIA,
>
> Charlie.
>
> PS:I realise that a real radio amateur would buy a tin of biscuits,
> eat the biscuits and then build his own rig in the tin from a bag of
> components bought at his club's junk sale but I don't eat biscuits.
>
> --
> M0WYM
> www.radiowymsey.org

From 3869582125367402825
X-Google-Thread: 108122,2f1e817879f05ec0
X-Google-Thread: 10a575,2f1e817879f05ec0
X-Google-Thread: 115a8f,2f1e817879f05ec0
X-Google-Thread: 10f77e,2f1e817879f05ec0
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
news.bellsouth.net!cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!
nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072009481461@4ax.com>
Subject: MI5 Persecution: Fitted up 26/4/96 (235)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 05:51:54 GMT
Lines: 134
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:764 alt.fan.elton-john:338
sci.engr.color:314 it.comp.giochi.action:8259

Subject: Re: MI5? Please can someone explain what's going on here?
Newsgroups: uk.misc
References: <4l1khm$4cn@utopia.hacktic.nl> <4l2lhj$6h6@bignews.shef.ac.uk>
Organization: Toronto Free-Net
Distribution:

David Stretch (dds@leicester.ac.uk) wrote:
: In article <19960418.000817.55@hotch.hotch.demon.co.uk>,

: Iain L M Hotchkies <iain@hotch.demon.co.uk> wrote:
: >The (remote) possibility remains that 'Mike Corley' is either
: >not schizophrenic (but is 'pretending' to be so) or 'he' is
: >a product of a number of persons (?psychology students).

: Given other ways in which I have seen people exploit some of The Internet's
: capabilities to disrupt or indulge in sophistry, or to exploit a medium
: that resembles speech without the non-verbal and intonation cues, etc
: as a means of denigrating others, I question your use, albeit in quotes,
: of the word "remote". I'm not saying it isn't remote and therefore it is
: great, I'm just saying that I don't think we can easily classify it as
: remote, moderate, or great.

I think you can build up quite a good picture based on what someone says and on their posting patterns. I don't think "The Internet" (capitals, no less) is as opaque a medium as you make it out to be.

: It is not easy to determine the validity of all information on The
: Internet without making use of extra supplementary information.

: We do have the problem, pointed out by someone else, of the possibly
: "too perfect" textbook characteristics of what is being posted.

I explained that one, but I don't mind explaining it again (you don't mind having it explained again to you, do you now?). The reason my "symptoms" are such a perfect fit to the textbook is because the people causing the campaign "fitted me up" in such a way that what they did would resemble the symptoms of schizophrenia. Hence TV, radio, other media, people in the streets etc. By a fortunate coincidence (for them) these mthods of harassment are the ones which offer easiest channels of access (for them).

It's really quite neat. All it takes is for people to start believing that the "symptoms" aren't symptoms but reality, though, and the house of cards collapses in a heap. And there are _lots_ of people now who knoiw full well what has gone on.

: If harrassment by email, etc, has happened by someone out of the country,
: can a complaint be made that results in arrest or whatever upon that
: person's entry into the country? An interesting point which Mike may be
: able to inform us about, as he's said he will be in the UK in a few weeks
: time.

Picture the scene at the airport;
"I arrest you for being Mike Corley and mailbombing people"

"But my name isn't Corley. Who he? Mailbombing isn't illegal is it? You'd have to lock up a lot of people if sending annoying email was a crime"

"Er....."

: --
: David Stretch: Greenwood Institute of Child Health, Univ. of Leicester, UK.

: dds@leicester.ac.uk   Phone:+44 (0)116-254-6100   Fax:+44 (0)116-254-4127

===

: context-free parts of articles, conversations and things-on-the-TV and
: assume they are meant for you. Mike, this is called paranoia.

But that's the way real abuse works, too. People interject words and phrases into what they say which they know will have meaning for the listener.

And sometimes, they make it obvious. The very first evening of my job in Oxford, we went for a drink with the technical director, and a couple of other employees. The TD said in an "as-if" aside to one of the others, "Is this the bloke who's been on TV?" (he said it directly in front of me, and obviously meant mke to hear him saying it). The other person replied, "Yes, I think so".

I think the subtext of what the TD said was "Why are they bothering with him? He's so insignificant, why would they possibly want to spend the resources going after him and putting all that expensive technology in his home, when there must be much better targets?". The Technical Director was given to sometimes disrespecting people, you see, and in my case he couldn't see the point of anyone expending money on harassing me.

Subject: Re: Treatment of Schizophrenia
Newsgroups: uk.misc,uk.legal,uk.politics,alt.politics.british
Followup-To: uk.misc,uk.legal,uk.politics,alt.politics.british
References: <153321Z22041996@anon.penet.fi> <4lge6r$p00@news.ox.ac.uk>
Organization: Toronto Free-Net
Distribution:

Illtud Daniel (idaniel@jesus.ox.ac.uk) wrote:
: Probably 'cos you come across as reasoned & articulate, it's a pity
: about the other stuff :)

Veracity is so unreasonable.

: >>pps. You should still see a doc again Mike.
: >
: >Doing so. Trouble is, all this mental-illness stuff provides camouflage
: >for the harassment, which is real. It alows people who otherwise would
: >consider the harassment seriously to disregard it. It makes conversations
: >with a lawyer or police brief when otherwise it would merit discussion.

: The point is that there are two possibilities happening here-

: 1. There's a large conspiracy of people out to get you, for no
:   other reason than that they have the means to do so, and that
:   it involves a lot of the Media & a proportion of the public

: 2. You (who admit to having some headspace problems) are suffering
:   from acute paranoid schizophrenia.

: Possibility #1 is _possible_, but would be unprecendented (OTOH,
: how would we know?), unfeasible, and many other things beginning
: with _un_ which I can't think of at the moment. Besides, if there
: was something going on, chances are some of us here would know
: about it, and I'm convinced that nobody does.

"Unprecedented" hits the nail on the head. It _is_ unprecedented, but we
have only just reached the technical stage at which it is feasible, and
we know video-spying is done to other people (NB the Diana-Hewitt
episode) and is a routine tool of security agencies.

Perhaps what is unprecedented is not the technical side, but the social
manipulation of many people by a concealed element in what other
countries would be called the secret police. The most disturbing element
is the degree to which people allow themselves to be unquestioningly
manipulated by an evil element within the state.

235

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 7943852552664542370
X-Google-Thread: 108122,450ecc258eefca99
X-Google-Thread: 10a575,450ecc258eefca99
X-Google-Thread: 115a8f,450ecc258eefca99
X-Google-Thread: 10f77e,450ecc258eefca99
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!
nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072010120446@4ax.com>
Subject: MI5 Persecution: Bernard Levin 1/6/96 (1458)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 06:15:44 GMT
Lines: 48
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:765 alt.fan.elton-john:339
sci.engr.color:315 it.comp.giochi.action:8260

Subject: Re: "FANATIC'S FARE FOR THE COMMON MAN"
Newsgroups: uk.misc,uk.media,uk.legal,uk.politics.misc
Followup-To: uk.misc,uk.media,uk.legal,uk.politics.misc
References: <Ds0L1o.BMF.0.bloor@torfree.net> <ADCF291096681F4E@cara.demon.co.uk>
Organization: Toronto Free-Net
Distribution:

Peter Ceresole (peter@cara.demon.co.uk) wrote:
: In article <Ds0L1o.BMF.0.bloor@torfree.net>,
: bu765@torfree.net (Mike Corley) quoted a typical, overblown Bernard Levin
: piece, which sounds exactly like any number of other pieces by Levin over
: the past thirty years.

: He then goes on to draw an anguished parallel with a totally unrelated
: incident that had happened between him and a friend a few days earlier.

It is in the same style as his other pieces, but it's so close to what actually happened a few days previously, that it's completely reasonable to assume that someone told Levin about the meeting, hammed it up a little bit and motivated him to write that article.

Look at the parallels;

1. "madman running loose about London"

2. it's about a meeting which took place recently

3. the police are called (he must be controlled, however much that consumes in resources)

4. he might be violent, approach with caution, yes we're laughing but really we're afraid of him, or is it perhaps our own propaganda that we're letting manipulate us

5. he "bursts into tears, and swears it's all true - and it is" a very exaggerated impression of the conclusion of that meeting

Don't worry if you don't believe me, neither my friend to whom I explained this nor my GP believe me either (until the friend found out otherwise!). If someone just presented this to you as I am presenting it now then I wouldn't find it credible (most likely), so it's not until you actually find out it's true that you can find it credible. And by then it's too late, because they've got you in their trap and explained how "funny" the abuse is.

1458

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 6891549586219616904
X-Google-Thread: 108122,be7f3fc62b854f9d,start
X-Google-Thread: 10a575,be7f3fc62b854f9d,start
X-Google-Thread: 115a8f,be7f3fc62b854f9d,start
X-Google-Thread: 10f77e,be7f3fc62b854f9d,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072010341938@4ax.com>
Subject: MI5 Persecution: alt.fan.mike-corley 6/6/96 (2681)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 06:37:59 GMT
Lines: 39
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:766 alt.fan.elton-john:340
sci.engr.color:316 it.comp.giochi.action:8264

From: richard@musicians-net.co.uk (Richard Fairhurst)
Newsgroups: uk.misc,uk.media,uk.legal,uk.politics.misc
Subject: A Mike Corley newsgroup?
Date: Thu Jun  6 05:02:17 1996

In article <2520@osiris.win-uk.net>, burridge@osiris.win-uk.net (Paul
Burridge) wrote:

> In article <833844951snz@eloka.demon.co.uk>, Owen Lewis
(oml@eloka.demon.co.uk) writes [re: Mike Corley]:
> >To be honest, having made the mistake of reading his magnum opus twice
> >(like many forms of discomfort, one is prone to repeat the experience to
> >confirm that it really is a bad as one thought), I read nothing he writes
> >but am tempted by some of the sub-threads that develop.
>
> I made the grave error of showing one of his masterpieces to my
> mother, together with some of the (less than respectful) responses
> to it. Regrettably, she is now addicted to the Corley saga, is
> very much an admirer of him (viewing him as a pugilistic underdog
> deserving of great admiration) and I have to waste reams of paper
> printing all this bilge out every other day, for her delecation.

Given that Mr Corley clearly holds a certain fascination for some people,
and that his website, although "informative",  isn't  exactly  ideal  for
```

encouraging discussion of the sort that we all enjoy so much (including Mike himself, by the look of things), would anyone be up for a Mike Corley newsgroup - uk.fan.mike-corley, alt.fan.mike-corley, whatever? (Sorry, I'm not very well up on these things.)

This would be a perfect place for Mike to post his writings, and perhaps the occasional "look at the ...mike-corley newsgroup" posting in uk.misc and so on would be accepted in place of the current cross-posts.

--
Richard Fairhurst (assistant editor, Keyboard Review)
"I am the vine: and you are the branches"

2681

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 4336537241461882998
X-Google-Thread: 108122,e962a4558e552fa,start
X-Google-Thread: 10a575,e962a4558e552fa,start
X-Google-Thread: 115a8f,e962a4558e552fa,start
X-Google-Thread: 10f77e,e962a4558e552fa,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out03a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072010593824@4ax.com>
Subject: MI5 Persecution: Old_500 5/7/96 (3904)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 07:03:18 GMT
Lines: 59
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:767 alt.fan.elton-john:341
sci.engr.color:317 it.comp.giochi.action:8268

From: box6565@embankment.com (Old_500)
Newsgroups: uk.misc
Subject: Dear Mike Corley
Followup-To: uk.legal,uk.misc

Date: Fri, 05 Jul 1996 15:41:16 GMT
Organization: XYz
Lines: 55
Message-ID: <31dd3788.8481134@news.dircon.co.uk>
NNTP-Posting-Host: gw1-073.pool.dircon.co.uk
X-Newsreader: Forte Agent .99e/16.227

==

Subject: Now we tell the truth as it really is
Newsgroups: uk.misc
Organization: Toronto Free-Net
Summary:
Keywords:

:AND a second posting which appeared in uk.legal on 5th July 1996 (isn't Mr
:Corley popular ?)

> Dear Mike,

> I've just spoken to a man who knows and he has told me you
> have never ever been a target.

> My man knows because he once wrote a report on you after
> you made complaints.

Come off it "Big Ears", if you're going to pretend someone else is giving me advice then at least get one of your fellow coppers to write it so that it isn't obviously written in the same style as your posts.

Also both your post and the one you're pretending isn't yours were posted from pipex via news.dircon.co.uk, viz:

YOURS;

From: BigEars@technocom.com (Big Ears.)
Message-ID: <31ddacfe.7445797@news.dircon.co.uk>
NNTP-Posting-Host: gw5-072.pool.dircon.co.uk

"NOT YOURS";

From: box6565@embankment.com (Old_500)
Message-ID: <31dd3788.8481134@news.dircon.co.uk>
NNTP-Posting-Host: gw1-073.pool.dircon.co.uk

:NCIS leaks and most policemen regard it as unaccountable and occasionally
:insecure. M Howard promises to make NCIS publicly accountable.

You know a lot about what policemen think, don't you?

3904

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 1813380104882827757
X-Google-Thread: 108122,92950bfadf9dfd2d,start
X-Google-Thread: 10a575,92950bfadf9dfd2d,start
X-Google-Thread: 115a8f,92950bfadf9dfd2d,start
X-Google-Thread: 10f77e,92950bfadf9dfd2d,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072011240433@4ax.com>
Subject: MI5 Persecution: Silly-billy 6/7/96 (5127)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 07:27:44 GMT
Lines: 118
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 114
Xref: g2news2.google.com rec.radio.amateur.equipment:768 alt.fan.elton-john:342
sci.engr.color:318 it.comp.giochi.action:8271
```

```
From: Mike_Corley_Fan_Club@Nut_house.org (Old_500)
Newsgroups: uk.misc,uk.legal,uk.media,alt.radio.uk,rec.arts.tv.uk.misc
Subject: MC Exposed as a Fraud
Date: Sat, 06 Jul 1996 17:01:05 GMT
Organization: Anti-Nuts Inc.
Lines: 33
Message-ID: <31de9b91.11926469@news.dircon.co.uk>
References: <Du4LqI.32o.0.bloor@torfree.net>
NNTP-Posting-Host: gw5-055.pool.dircon.co.uk
X-Newsreader: Forte Agent .99e/16.227
```

Sad, confused and emotional disturbed Mike Corley wrote:

            { snip }

Because he has made himself into a martyr and now he finds it impossible to back down. Mike's big secret has now been exposed. He made everything up.

Every time Mike makes allegations against the police, MI5, Tom-Dick-and-Harry etc. those organisations have taken people off vitally important work to ascertain whether or not there was any substance in Mike's ranting allegations.

When I'm told by someone who really does know such things that there was never any plot to get Mike then I trust that person sufficiently enough to accept his word.

The problem is Mike has escalated matters to an extreme level and like many silly billys he will find it impossible to give up all his self created crap and to live a normal life. After all what can Mike do now this crap has been exposed as untrue ? What new cause can Mike dedicate himself to ? (Some might read that as: who else can Mike now start upsetting ?)

So Mike write to John Major, c/o the Private Secretary, 10 Downing Street, London SW1A 2AA and ask the Prime Minister to help you. I'd normally disclose his fax numbers but if I did that you might jam up the lines with abusive postings just like you do here on Usenet.

Is anyone interested in joining with me to do a mass e-mailing of protests to Anon Penet and to Toronto Free Net in an attempt to flood their computer systems thus forcing them to seriously consider pulling the plug on Mike ? I'm not sure but is my proposal called a "flame" ?

===

From: BigEars@technocom.com (Big Ears.)
Newsgroups: uk.misc,uk.legal,uk.media,alt.radio.uk,rec.arts.tv.uk.misc
Subject: Re: MC Exposed as a Fraud
Date: Sat Jul 6 17:34:46 1996

John Youles commented:

> I've found that torfree.net don't respond, perhaps if they got a high
> enough number of complaints they might take notice. See their web pages
> for email addresses.

Perhaps we should give Mike 7 days from today (6 July 96) to come to his senses and they start a massive multiple E-mailing campaign to Toronto Free Net. If all us victims send multiple copies of E-mails to the right addresses in Toronto then perhaps the Canadians will begin to get the appropriate message.

Copy e-mailed to Mike, just so he knows what is coming if he persists.

Big Ears.   Posted to uk.misc

===

Please think of the people sleeping in shop doorways every night

===

Subject: I'm wasting MI5's time! I should be arrested!
Newsgroups:
uk.misc,uk.legal,rec.arts.tv.uk.misc,alt.journalism,alt.journalism.print,$
Organization: Toronto Free-Net
Summary:
Keywords:

It's such a pity that the Security Service has no powers of arrest. How are they supposed to implement a proper secret police state without the ability to snatch Joe Citizen off the street whenever they feel like it?

"Old_500" aka "Big Ears" aka "PC Plod" wrote:
>Every time Mike makes allegations against the police, MI5,
>Tom-Dick-and-Harry etc. those organisations have taken people off vitally
>important work to ascertain whether or not there was any substance in Mike's
>ranting allegations.

I see. So they're not wasting six years of manpower to persecute you. They're wasting six years of manpower to prove I'm _not_ being persecuted.

I wish I was clever enough to think of something like that. I really, really do.

>When I'm told by someone who really does know such things that there was
>never any plot to get Mike then I trust that person sufficiently enough to
>accept his word.

Come on "Big Ears", why don't you admit that you made this posting? This is exactly the same line you were feeding me a few months ago. The posts are from the same news server, it's even the same newsreading software (Forte Agent .99e/16.227).

I'm afraid that if you friend "in the know" denied the existence of a plot then he was being, as they say, economical with the truth. Judging by the extreme reaction in London in May, and the panic you're showing now, as well as the replay post yesterday, I would say that things are hotting up again. But for you this time, not for me. I am out of harm's way, and there is very little you can do as long as I stay out of the UK.

5127

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 1219802639726195055
X-Google-Thread: 108122,7d7ab603ead6f68,start
X-Google-Thread: 10a575,7d7ab603ead6f68,start
X-Google-Thread: 115a8f,7d7ab603ead6f68,start
X-Google-Thread: 10f77e,7d7ab603ead6f68,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072013242411@4ax.com>
Subject: MI5 Persecution: Silly-billy 6/7/96 (235)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 13:24:27 GMT
Lines: 114
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:769 alt.fan.elton-john:344
sci.engr.color:319 it.comp.giochi.action:8281

From: Mike_Corley_Fan_Club@Nut_house.org (Old_500)
Newsgroups: uk.misc,uk.legal,uk.media,alt.radio.uk,rec.arts.tv.uk.misc
Subject: MC Exposed as a Fraud
Date: Sat, 06 Jul 1996 17:01:05 GMT
Organization: Anti-Nuts Inc.
Lines: 33
Message-ID: <31de9b91.11926469@news.dircon.co.uk>
References: <Du4LqI.32o.0.bloor@torfree.net>
NNTP-Posting-Host: gw5-055.pool.dircon.co.uk
X-Newsreader: Forte Agent .99e/16.227
```

Sad, confused and emotional disturbed Mike Corley wrote:

{ snip }

Because he has made himself into a martyr and now he finds it impossible to back down. Mike's big secret has now been exposed. He made everything up.

Every time Mike makes allegations against the police, MI5, Tom-Dick-and-Harry etc. those organisations have taken people off vitally important work to ascertain whether or not there was any substance in Mike's ranting allegations.

When I'm told by someone who really does know such things that there was never any plot to get Mike then I trust that person sufficiently enough to accept his word.

The problem is Mike has escalated matters to an extreme level and like many silly billys he will find it impossible to give up all his self created crap and to live a normal life. After all what can Mike do now this crap has been exposed as untrue ? What new cause can Mike dedicate himself to ? (Some might read that as: who else can Mike now start upsetting ?)

So Mike write to John Major, c/o the Private Secretary, 10 Downing Street, London SW1A 2AA and ask the Prime Minister to help you. I'd normally disclose his fax numbers but if I did that you might jam up the lines with abusive postings just like you do here on Usenet.

Is anyone interested in joining with me to do a mass e-mailing of protests to Anon Penet and to Toronto Free Net in an attempt to flood their computer systems thus forcing them to seriously consider pulling the plug on Mike ? I'm not sure but is my proposal called a "flame" ?

From: BigEars@technocom.com (Big Ears.)
Newsgroups: uk.misc,uk.legal,uk.media,alt.radio.uk,rec.arts.tv.uk.misc
Subject: Re: MC Exposed as a Fraud
Date: Sat Jul 6 17:34:46 1996

John Youles commented:

> I've found that torfree.net don't respond, perhaps if they got a high
> enough number of complaints they might take notice. See their web pages
> for email addresses.

Perhaps we should give Mike 7 days from today (6 July 96) to come to his senses and they start a massive multiple E-mailing campaign to Toronto Free Net. If all us victims send multiple copies of E-mails to the right addresses in Toronto then perhaps the Canadians will begin to get the appropriate message.

Copy e-mailed to Mike, just so he knows what is coming if he persists.

```
 Big Ears.                            Posted to uk.misc
=================================================================
 Please think of the people sleeping in shop doorways every night
=================================================================
```

Subject: I'm wasting MI5's time! I should be arrested!
Newsgroups:
uk.misc,uk.legal,rec.arts.tv.uk.misc,alt.journalism,alt.journalism.print,$
Organization: Toronto Free-Net
Summary:

Keywords:

It's such a pity that the Security Service has no powers of arrest. How are they supposed to implement a proper secret police state without the ability to snatch Joe Citizen off the street whenever they feel like it?

"Old_500" aka "Big Ears" aka "PC Plod" wrote:
>Every time Mike makes allegations against the police, MI5,
>Tom-Dick-and-Harry etc. those organisations have taken people off vitally
>important work to ascertain whether or not there was any substance in Mike's
>ranting allegations.

I see. So they're not wasting six years of manpower to persecute you. They're wasting six years of manpower to prove I'm _not_ being persecuted.

I wish I was clever enough to think of something like that. I really, really do.

>When I'm told by someone who really does know such things that there was
>never any plot to get Mike then I trust that person sufficiently enough to
>accept his word.

Come on "Big Ears", why don't you admit that you made this posting? This is exactly the same line you were feeding me a few months ago. The posts are from the same news server, it's even the same newsreading software (Forte Agent .99e/16.227).

I'm afraid that if you friend "in the know" denied the existence of a plot then he was being, as they say, economical with the truth. Judging by the extreme reaction in London in May, and the panic you're showing now, as well as the replay post yesterday, I would say that things are hotting up again. But for you this time, not for me. I am out of harm's way, and there is very little you can do as long as I stay out of the UK.

235

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 3203304757618651028
X-Google-Thread: 108122,46561e17ff01238a,start
X-Google-Thread: 10a575,46561e17ff01238a,start
X-Google-Thread: 115a8f,46561e17ff01238a,start
X-Google-Thread: 10f77e,46561e17ff01238a,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx02.iad01.newshosting.com!
```

newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072013455140@4ax.com>
Subject: MI5 Persecution: BBC+ITN=MI5 23/7/96 (1458)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 13:45:54 GMT
Lines: 76
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:770 alt.fan.elton-john:345
sci.engr.color:320 it.comp.giochi.action:8284

Newsgroups: uk.misc,alt.radio.uk,uk.media,alt.politics.british,uk.legal
From: bu765@torfree.net (Mike Corley)
Subject: MI5 Buy into the Media
Message-ID: <Dv0p34.73.0.bloor@torfree.net>
Organization: Toronto Free-Net
X-Newsreader: TIN [version 1.2 PL2]
References: <Pine.OSF.3.91.960716155603.6898A-100000@ermine.ox.ac.uk>
Date: Tue, 23 Jul 1996 22:28:15 GMT

Peter Harding (harding@ermine.ox.ac.uk) wrote:
: I was at speakers' corner on Sunday. There was one chap who was bellowing
: about something or other, I don't know what, but one thing he said to
: someone caught my ear:

: "BBC, MI5, same thing."

Can't disagree with that sentiment.

Wasn't it documented that MI5 sometimes "bought" journalists and broadcasters?
I remember reading a report by some jouralist who had been offered an extra
tax-free income by MI5 to become their covert mouthpiece, and had refused.

Bet you lots of others didn't refuse. Why do you think MI5 have such easy
access to the BBC and media? Because they're directly paying them off, that's why.

===

Tue, 23 Jul 1996 20:01:15   uk.misc   Thread   20 of 25
Lines 17   Re: MI5 Buy into the Media   No responses
Iain@cummings.demon.co.uk   Iain Cummings at Fish!

In article <Dv0p34.73.0.bloor@torfree.net>, Mike Corley
<bu765@torfree.net> writes
>

>Wasn't it documented that MI5 sometimes "bought" journalists and broadcasters?
>I remember reading a report by some jouralist who had been offered an extra
>tax-free income by MI5 to become their covert mouthpiece, and had refused.
>
>
It was Jon Snow of Channel 4.
--
Iain C*mmings - iain@cummings.demon.co.uk
VISIT THE FEARFUL WORLD OF JIMMY McNULTY - VIOLENT NUTTER!
This web-site is not suitable for mature prudes.
http://www.geocities.com/SunsetStrip/7433/

==

> : >mouthpiece, and had refused.
> :
> : It was Jon Snow of Channel 4.
>
> Was it reported in any of the papers?

It has been reported several times. The most recent was in Private Eye,
a few months back. As I recall they also wanted information from him;
journalists would be a natural choice for members of the Security Service
and the Secret Intelligence Service for information sources.

> It might be interesting to see what he had to say regarding their
> attempt to recruit him.

He was most concerned that many others would have accepted such an
offer. However, we can probably make an educated guess as to some of
those who accepted: Nigel West (Rupert Allason, MP) and Chapman Pincher
would come near to the top of the list.

--
\/ David Boothroyd. Socialist and election analyst. Omne ignotum pro magnifico.
British Elections and Politics at http://www.qmw.ac.uk/~laws/election/home.html
I wish I was in North Dakota. Next General Election must be before 22nd May '97
The House of Commons now : C 324, Lab 272, L Dem 25, UU 9, PC 4, SDLP 4, SNP 4,
UDUP 3, Ind 1, Ind UU 1, Spkrs 4. Government majority = 1. Telephone Tate 6125.

1458

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -6917884995176972502
X-Google-Thread: 108122,dde530f26db34790,start
X-Google-Thread: 10a575,dde530f26db34790,start
X-Google-Thread: 115a8f,dde530f26db34790,start

X-Google-Thread: 10f77e,dde530f26db34790,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newscon02.news.prodigy.net!prodigy.net!nx01.iad01.newshosting.com!newshosting.com!
post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072014115787@4ax.com>
Subject: MI5 Persecution: Latest technology 31/7/96 (2681)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 14:12:00 GMT
Lines: 46
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:771 alt.fan.elton-john:346
sci.engr.color:321 it.comp.giochi.action:8288

From: Jon <Jon@jongru.demon.co.uk>
Newsgroups: uk.misc,uk.legal,uk.politics.misc,alt.politics.british,uk.media
Subject: Surveillance
Date: Wed, 31 Jul 1996 23:20:19 +0100
Organization: -
Lines: 29
Distribution: world
Message-ID: <wIznBGAjw9$xEwTw@jongru.demon.co.uk>
References: <105319Z26071996@anon.penet.fi> <4tfo1f$rvc@morgana.netcom.net.uk>
NNTP-Posting-Host: jongru.demon.co.uk
X-NNTP-Posting-Host: jongru.demon.co.uk
MIME-Version: 1.0
X-Newsreader: Turnpike Version 1.12 <nQyLm4IxRmtU60uHtPa$08ppe9>

In article <4tfo1f$rvc@morgana.netcom.net.uk>, "B.Jury" <bj2@ukc.ac.uk> writes
>an410901@anon.penet.fi wrote:
>> ... Normal surveillance
>>"mini-cameras" are quite noticeable and require visible supporting
>>circuitry. It seems to me the best place to put a small video surveillance
>>device would be additional to a piece of electronic equipment such as a TV
>>or video.
>
>I would imagine it is quite easy to compleatly hida a camera, even in
>a familar enviroment, such as a persons home. You only need a hole the
>size of a pin hole, for the camera to see through.

This is true. I frequently employ private detectives to spy on people (there's a good reason for this and I'll tell you if you guess correctly) and one such detective showed me the latest technology only last week. A small rucksack. One strap of the rucksack has a tiny hole in it that you wouldn't notice unless someone pointed to it. That's the camera: the wires lead into the rucksack itself where there is a video tape recorder little bigger than a Walkman. I don't know if that's what Roger Cook uses but it certainly explains why it is that the subject can look straight into the lens and not realise (s)he's being filmed. Now, I say "latest technology" and I think that's the technology that the police use as well as the retired police who become private detectives, but no doubt the security services have far more sophisticated equipment.

--
Jon

2681

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -2432484645966564502
X-Google-Thread: 108122,b09659388d2f6232,start
X-Google-Thread: 10a575,b09659388d2f6232,start
X-Google-Thread: 115a8f,b09659388d2f6232,start
X-Google-Thread: 10f77e,b09659388d2f6232,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072014383766@4ax.com>
Subject: MI5 Persecution: Just too crazy 30/9/96 (3904)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 14:38:40 GMT
Lines: 68
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:772 alt.fan.elton-john:347
sci.engr.color:322 it.comp.giochi.action:8295
```

```
Subject: Re: Is MI5 persecuting Mike Corley?
Newsgroups: uk.politics.misc,uk.net,uk.misc,uk.legal
Followup-To: uk.politics.misc,uk.net,uk.misc,uk.legal
```

References: <NEWTNews.843523097.30215.apascoe@apascoe.patrol.i-way.co.uk>
<DyADyG.8IK$
Organization: Toronto Free-Net
Distribution:

wooding@cf.ac.uk wrote:
: In article <NEWTNews.843523097.30215.apascoe@apascoe.patrol.i-way.co.uk>
apascoe@pa$
: >   In summary, for there to be a serious possibility that Mike
: >Corley's allegations are true, there needs to be evidence of two
: >things. Firstly, there must be evidence of subversive activity on
: >his part. Secondly, there needs to be evidence of MI5 taking
: >measures to counter this subversive activity, in proportion to the
: >magnitude of the threat posed. Upon reading Mike Corley's posts,

: Alan,

: What about the following scenario? MI5 conducts "experiments" including
: field trials of novel surveillance methods. Say there was a "research
: project" underway to see just how invasive a surveillance of an
: individual could be. Perhaps it wasn't research, perhaps it was for
: training of novice personnel. Either way, there is a sizeable risk of
: detection. In order to minimise the consequences of this, you choose
: someone who is out of the public eye, and if possible someone whose
: credibility is already damaged - by diagnosis of schizophrenia, for example.
: This will facilitate the "plausible denial" if something goes wrong.

: I think this would be closer to Mike's theory.

: Mike, if you are reading, please don't post the story again. Anyone can
: read it at [snip] if they are interested. Also, don't
: think that I actually *believe* the above. On cost alone, it is extremely
: unlikely to be true, and some elements of the story (people in the media
: being "in on it") are just too crazy (though I can see how the paranoia
: builds to the extent that you can see "them" everywhere).

My argument is that the fact that it's so totally crazy is what makes it so
plausible and so hard to prove.

I shall continue to try to find ways to kick down the house of cards. Because
it is a brittle structure. It only needs one person to corroborate, and then
it's all over.

: P.S. Anyone else ever thought of "what-ifs" along the same lines? I
: remember as a boy daydreaming that maybe I was the focus of national
: attention in a "let's follow the life of one person from life to
: death" study - that while I was out or in bed there were programmes on
: the television about my life so far, etc. It makes for a good fiction,

Perhaps MI5 have become victims of their own paranoia. Their agency has been
thought of as acting disreputably, so when their decision arrives, they don't
think twice about breaking the law. Whereas say CSIS (the Canadian equivalent)
is at pains to point out how it would never ever do anything in contravention

of the law, and how it is strictly controlled in what it does and how it does it.

If this matter does ever make it into the public gaze, then it won't just be a few individuals in the media or security service who'll get hit. The UK is supposed to be a civilized democratic country (East Germany called themselves a democracy and they had the Stasi, but anyway). In a civilized country these things shouldn't be happening - and it is ultimately Parliament and the government who are answerable for not imposing sufficient restraints and accountability on those who are supposed to be ensuring security for citizens, not jeopardising it.
....

3904

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -6311130887126751824
X-Google-Thread: 108122,201fe5860411bea5,start
X-Google-Thread: 10a575,201fe5860411bea5,start
X-Google-Thread: 115a8f,201fe5860411bea5,start
X-Google-Thread: 10f77e,201fe5860411bea5,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!news.glorb.com!
nx01.iad01.newshosting.com!newshosting.com!post02.iad01!post01.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07072015045344@4ax.com>
Subject: MI5 Persecution: Usual targets of such abuse 10/10/96 (5127)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 15:04:57 GMT
Lines: 31
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:773 alt.fan.elton-john:348
sci.engr.color:323 it.comp.giochi.action:8302

Subject: Re: MI5 says "Kill Yourself"
Newsgroups: uk.misc,uk.legal,uk.politics.misc,uk.media
References: <zlsiida.4248.3258FE24@fs1.mcc.ac.uk> <53eeev$cmg@axalotl.demon.co.uk>
<5$
Organization: Toronto Free-Net
Distribution:

iain@hotch.demon.co.uk (Iain L M Hotchkies) wrote:
>Indeed. If you've ever had a 'conversation' with someone suffering
>from florid schizophrenia, you'll know how difficult it can be to
>'argue' with them.

I don't have florid symptoms. But I'm in a difficult situation, because those people who don't know, aren't going to believe, and those who do, they just go along with the crowd. It's never a good idea to go against the grain, and the grain here is defined by interests in the establishment and the media. Even people who could say out loud what was happening won't, because then there's a risk that they'll be seen as traitors and ostracised.

Usually this type of 'hidden abuse' is racial and targetted at a racial minority within a country. You keep the minorities out of the good jobs, but you don't admit discrimination exists. It happens everywhere, not just in Britain. The persecution that is going on now is in reality a refined form of racism. Instead of "nigger" it's "nutter", and abusing the mentally ill is still socially acceptable today. In 50 years it might not be, but today there isn't any social or legal sanction against it.

So really they've refined racial harassment down to a minority of one. The words may be different, but the methods are the same.

5127

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -2910486487013065796
X-Google-Thread: 108122,75676d1d40d638b4,start
X-Google-Thread: 10a575,75676d1d40d638b4,start
X-Google-Thread: 115a8f,75676d1d40d638b4,start
X-Google-Thread: 10f77e,75676d1d40d638b4,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072015260011@4ax.com>
Subject: MI5 Persecution: Excellent web page 19/10/96 (6350)
Newsgroups: rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To: rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 15:26:04 GMT

```
Lines: 75
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:774 alt.fan.elton-john:349
sci.engr.color:324 it.comp.giochi.action:8308

From: Chris Lawton <chrisla@ti.com>
Subject: Re: MI5 persecution ;; Cost of the Harassment
Message-ID: <325A3DA6.3447@ti.com>
Date: Tue, 8 Oct 1996 11:40:22 GMT
Reply-To: chrisla@ti.com

DANIEL ROBERT HOLDSWORTH wrote:
>
> In article <3262b4fc.14638885@192.168.2.1>,
> stevea@castlsys.demon.co.uk.no.spam.thanx (Steve A) writes:
> :On 4 Oct 1996 13:19:16 +0100, drh92@aber.ac.uk (DANIEL ROBERT
> :HOLDSWORTH) wrote:
> :
> :>
> :> Oh NO!
> :>
> :> Not here too.
> :>
> :> This MI5 persecution thread's been doing the rounds of UK.MISC for ages;
> :> it concerns some paranoid loony who thinks that MI5 are out to get him.
> :>
> :> They're not; everyone else on that newsgroup IS.
> :>
> :> Killfile the moron NOW!
> :

Bit sad really, the guy (must be the same one) has an excellent web
page. Definite waste of talent.
PS: I am NOT disclosing his URL.


> The man's been changing his anon remailer address periodically, too.
>
> Why on earth he does I don't know; he's in serious danger of creating some
> real enemies, apart from the phantoms his sadly deranged mind has created.
>
.............................................................................
......
From: nuala@mimir.com (Nuala Fahey)
Subject: Re: MI5 persecution // BBC TV and Radio
Date: 4 Oct 1996 16:03:24 +0100
Message-ID: <5338vs$hrc@freyja.mimir.com>

Simon Lord  <simonl@hrmconsult.co.uk> wrote:

>I expect he will soon be seen in uk.out.to.lunch
```

Considering he spammed it far and wide (well, at least to alt.angst and
alt.folklore.urban which I saw and each of those included other groups
in the Newsgroups line) I doubt he'll be seen anywhere for long. Using
the xs4all remailer doesn't really help if you post the url to a
web site which makes it clear who you are.

Nuala, who thinks that the sad thing is he used frames much better
than many sites done by supposedly 'sane' people.
--
Out of the ash I rise/With my red hair/And I eat men like air - Plath
You were everything to me/For twenty minutes/
Now I'd rather you would leave - Baby Chaos
....
......
Date: Sat, 19 Oct 1996 01:36:26 +0100
From: mike.monty@zetnet.co.uk
To: bu765@torfree.net
Subject: Praise

Hi,
Totally excellent page. Although I am a little confused whi is being
percecuted?

Cheers Michael

mike.monty@zetnet.co.uk
....
......

6350

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -270262903694295393
X-Google-Thread: 108122,7b009e62419a16de,start
X-Google-Thread: 10a575,7b009e62419a16de,start
X-Google-Thread: 115a8f,7b009e62419a16de,start
X-Google-Thread: 10f77e,7b009e62419a16de,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072015483739@4ax.com>
Subject: MI5 Persecution: WTGROMT 18/11/96 (7573)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-

```
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 15:48:41 GMT
Lines: 53
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:775 alt.fan.elton-john:350
sci.engr.color:325 it.comp.giochi.action:8310

Subject: Re: MIKE AND THE DOWNFALL OF UK.LEGAL
Newsgroups: uk.misc,uk.legal,uk.politics.misc,uk.media
Followup-To: uk.misc,uk.legal,uk.politics.misc,uk.media
References: <DytvBE.9J.0.bloor@torfree.net> <Dzt3oG.EE2.0.bloor@torfree.net>
<54q3pd$$
Organization: Toronto Free-Net
Distribution: world

J.J.Smith@ftel.co.uk (John J Smith) wrote:
>Actually, I see uk.misc as a source of occasional interesting information,
>and I like jokes. Some people can laugh, you see.
>
>And as for you spams, exactly how much good have they done so far?

Not much. I thought they might, but the realization has arrived that this
particular avenue of exploration is at a dead end.

WTGROMT (well that's got rid of me then!)
.......................................................................
Subject:      Re: MIKE AND THE DOWNFALL OF UK.LEGAL
From:         wooding@cf.ac.uk ()
Date:         1996/11/04
Message-Id:   <E0CFFH.1J9@cf.ac.uk>
X-Nntp-Posting-Host: thor.cf.ac.uk
Sender:       news@cf.ac.uk (Usenet News user)
References:   <DzuwML.F4o.0.bloor@torfree.net> <DzzBs1.n3v@ftel.co.uk>
<E05GoF.Ku.0.bloor@torfree.net>
Organization: University of Wales College at Cardiff
Newsgroups:   uk.misc,uk.legal,uk.politics.misc,uk.media


In article <E05GoF.Ku.0.bloor@torfree.net> bu765@torfree.net (Mike Corley) writes:
>J.J.Smith@ftel.co.uk (John J Smith) wrote:
>>Actually, I see uk.misc as a source of occasional interesting information,
>>and I like jokes. Some people can laugh, you see.
>>
>>And as for you spams, exactly how much good have they done so far?
>
>Not much. I thought they might, but the realization has arrived that this
>particular avenue of exploration is at a dead end.
```

Oh please let this be true and not just another wind-up!

>WTGROMT (well that's got rid of me then!)

Mike, without the spamming I'm sure you are welcome to stay around, being
one of the colourful "characters" of uk.misc.

Have a custard cream.

Dave.
....

7573

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -3884366996521171830
X-Google-Thread: 108122,abb542658c9374ec,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe14.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS- Orion I
Message-ID: <74ejc3ttp9qpjvs59r1hc3h1opqvpplkir@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Mon, 20 Aug 2007 11:52:00 -0400
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.lga 1187625109 70.161.108.207 (Mon, 20 Aug 2007 08:51:49 MST)
NNTP-Posting-Date: Mon, 20 Aug 2007 08:51:49 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:776

FS - TenTec Orion I
TenTec Model 656 Orion Transceiver w/ V-2 conversion and lasted
Software entered, plus TenTec Desk Microphone Model 705, plus filters
for 1.8 KHz, 500 KHz & 250 KHz. Factory manual. $2175.00 plus
shipping. Also have Astron SS-25 switching power supply for radio for
$75.00 plus shipping from 23323. Can pickup at Shelby Hamfest package
price of $2225.00
<k4wys@cox.net>

```
From -5618003469701039 66
X-Google-Thread: 108122,5eee9b737f8da0af,start
X-Google-Thread: 10a575,5eee9b737f8da0af,start
X-Google-Thread: 115a8f,5eee9b737f8da0af,start
X-Google-Thread: 10f77e,5eee9b737f8da0af,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072016064650@4ax.com>
Subject: MI5 Persecution: No Justice 20/11/96 (8796)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 16:06:50 GMT
Lines: 76
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 72
Xref: g2news2.google.com rec.radio.amateur.equipment:777 alt.fan.elton-john:351
sci.engr.color:326 it.comp.giochi.action:8317
```

(sent 20/11/96)
Subject: No Justice for those with mental illness
Newsgroups: uk.misc,uk.legal
Organization: Toronto Free-Net
Summary:
Keywords:

Well, the "legal option" has just foundered on the rock of lawyers refusing to deal with me on the grounds that my perception of harassment must be due to the disease.

So we're back to square one again, the same place we were two years ago.

Now perhaps one of our uk.legal participants can clarify this point. To me it seems illogical that lawyers should have the final say on whether you are allowed to proceed with a civil case or not. Is there a default mechanism or agency for cases such as mine where it is difficult to find a solicitor to represent you? What exactly is the "official Solicitor"? What is it possible to do if you can't find a lawyer to represent you?

A chance to get a useful response out of the uk newsgroups! perhaps they can be good for something else besides spamming.

....

Represent yourself....like the defendants in the McLibel trial.
you will need to read some law..but you CAN legally represent yourself I believe.
Mike W.
....
From: burridge@osiris.win-uk.net (Paul Burridge)

Yes, a lot of people do this nowadays. Saves on legal fees too. Lots of reading up required first, though.

-- Paul
....
(posted 30/11/96 from bu765)

Subject: Re: No Justice for those with mental illness
Newsgroups: uk.misc,uk.legal
Followup-To: uk.misc,uk.legal
References: <E173G8.1oy.0.bloor@torfree.net> <5711vp$tfu@newton.cc.rl.ac.uk> <3311@os$
Organization: Toronto Free-Net
Distribution:

burridge@osiris.win-uk.net (Paul Burridge) wrote:
>>Represent yourself....like the defendants in the McLibel trial.
>>you will need to read some law..but you CAN legally represent yourself I
>>believe.
>>Mike W.
>
>Yes, a lot of people do this nowadays. Saves on legal fees too. Lots
>of reading up required first, though.

What can I do to get competent legal help though? If the case is on the face of it so bizarre that no solicitor would represent me or talk to me, then surely there must be a default mechanism? What is the "official Solicitor" that's been mentioned?
....

All you need do is go to a good library & read up about it - that's what the McLibel 2 did.

--
Ban Everything or Ban Nothing !
http://www.mahayana.demon.co.uk/ ISO 1386-C compliant .sig
All words written in the above posting are my opinions
....

8796

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------

Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 7380476132208984742
X-Google-Thread: 108122,29fe0facb32f8b33,start
X-Google-Thread: 10a575,29fe0facb32f8b33,start
X-Google-Thread: 115a8f,29fe0facb32f8b33,start
X-Google-Thread: 10f77e,29fe0facb32f8b33,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newsfeed.yul.equant.net!newspeer.monmouth.com!newspeer1.nwr.nac.net!
border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!
nx02.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-
for-mail
Message-ID: <m07072016271022@4ax.com>
Subject: MI5 Persecution: David Hepworth (1) 26/2/97 (10019)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 16:27:14 GMT
Lines: 147
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 143
X-Original-Bytes: 7184
Xref: g2news2.google.com rec.radio.amateur.equipment:778 alt.fan.elton-john:352
sci.engr.color:327 it.comp.giochi.action:8321
```

```
Subject: "Absolute Obscene" David Hepworth (GLR)
Newsgroups: uk.misc,uk.legal,alt.radio.uk,uk.media,uk.media.radio.misc
Organization: Toronto Free-Net
Summary:
Keywords:
```

Last night (21/Feb/97), I was listening to BBC GLR. You have to understand that I was listening by stealth. Back in 1990 I used to have Capital blaring out of the speakers all over the garden ("if he listens to Capital then he can't be all bad", thanks ever so much). But now I listen on my walkman on headphones with the volume turned right down. It could not possibly be overheard by any listening device, no matter how sensitive, because sound does not carry from the headphones.

Yet somehow they are still able to tell which station I am listening to on the walkman. And last night, I bravely tuned to GLR 94.9FM at around 8.45pm. Everything went well for the first half hour or so. The DJ (today GLR told me it was David Hepworth) had a "rock star spelling competition" (how do you spell

Shakespear's Sister?), no trouble there. I was recording the show onto tape just in case anything unpleasant happened, as I had reason to think it might.

Around 9.10pm, it did. Here, precisely, is what Hepworth said after the song "Come Around" by the Muttonbirds (I have this on tape, and at some point will be posting the audio on my website);

"New album's called 'Envy of Angels', that comes out soon, that's the single that's already out, I would imagine, that's 'Come Around', the Muttonbirds, er, coming up after this, we got the rock-and-roll A-level, we have, I assume, Brian do we have an embarrassment of prizes in there, we do, don't we, (EMPHASIS) absolute obscene (END-EMPHASIS) amounts of prizes, there will no doubt be a riot at the back door", and that's, er, A-level coming up after this"

The key phrases in what he said are, "EMBARRASSMENT of prizes", and what he himself emphasized verbally, "ABSOLUTE OBSCENE amount of prizes". It is my belief (based on content and tone of voice) that when he spoke these phrases he knew I was listening, and that the phrases refer directly to my situation. The "EMBARRASSMENT" is the embarrassment he and other media people would feel at having their wrongdoing exposed; the "ABSOLUTE OBSCENE" (which he verbally emphasized) described the disgusting sexual abuse which the harassers have been throwing at me.

Needless to say, I can't prove this is what he meant, although this has happened enough times that it's hard not to recognise it when you see it. But I shall be sending him a copy of this explanation. We'll see what he has to say for himself.

....

Subject: Re: "Absolute Obscene" David Hepworth (GLR)
Newsgroups: uk.misc,uk.legal,alt.radio.uk,uk.media,uk.media.radio.misc
Followup-To: uk.misc,uk.legal,alt.radio.uk,uk.media,uk.media.radio.misc
References: <E60IAy.CL5.0.bloor@torfree.net> <330f2bac.2665181@nntp.best.com> <331372$
Organization: Toronto Free-Net
Distribution:

Anthony@dircon.co.uk-antispam (Anthony) wrote:

>Greg W wrote:
>
>> On Sat, 22 Feb 1997 16:11:22 GMT, bu765@torfree.net (Mike Corley)
>> wrote:
>>
>> >Last night (21/Feb/97), I was listening to BBC GLR. You have to understand
that
>> >I was listening by stealth. Back in 1990 I used to have Capital blaring out
of

[snip]

>> huh?
>
>I can't understand it myself. Can anyone else help us ?

I will try to explain with greater clarity.

I am prone to have ideas of "interactive watching" by people on TV, and "interactive listening" by people on the radio; which means as I listen to their programme, they are aware that I am listening (because my home is spied on, and those doing the spying phone up the radio station and tell them that I am listening to them), and they then interject nasty remarks in what they say. This is what I believe may have happened on Friday night with GLR, and what I was trying to explain in my article.

It's happened before with other radio stations, most worryingly when I am listening quietly on my walkman as happened on Friday. This time, the interjected words were "embarrassment" and "absolute obscene". The "absolute obscene" referred to the abuse which is currently being directed at me.

I hope that's a little clearer.

....

From: simon@star-one.org.uk (Simon Gray)

Facility thusly:

~ huh?

Just because you need to read it twice in order to understand it, is that any reason to inflict it on the rest of us again ?

--
 '2% of people *do*, 98% of people wish they *had*' - David Fanshawe
http://www.mahayana.demon.co.uk/   Read Flatland !

....

Mike, try playing a cassette in your walkman. There is no way they can reach you then. HTH

--
Don Whybrow - Correct email address: don@whybrow.demon.co.uk

....

Mike Corley wrote:

> .... This time, the
> interjected words were "embarrassment" and "absolute obscene". The "absolute
> obscene" referred to the abuse which is currently being directed at me.

But it is possible that those two sets of interjected words could have validly referred to something else.

> I hope that's a little clearer.

Thank you, it is a bit clearer.

Posted in uk.legal by Anthony@dircon.co.uk

....

Simon Rushton <Simon@ppushers.demon.co.uk> wrote:
>Some people, new to this group, may not realise the Mike is our resident
>Paranoid Schizophrenic. This is not a joke, it is serious. He has
>already admitted stopping taking prescribed drugs for his condition.

Though I have to say I've never heard one as obscure as that, even
from Mike. How he can believe a rubbish trail for a crap competition
is directed at him is beyond me!
He's sent a copy of the post to the jock, too. I hope he doesn't read
it out.

--
The John Shuttleworth Homepage:
It's just an Austin Ambassador of a site!
http://www.steviep.demon.co.uk/shuttle.htm
....

10019

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -4849656377048083123
X-Google-Thread: 108122,63e33d4c8dabe977,start
X-Google-Thread: 10a575,63e33d4c8dabe977,start
X-Google-Thread: 115a8f,63e33d4c8dabe977,start
X-Google-Thread: 10f77e,63e33d4c8dabe977,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!newspeer1.nwr.nac.net!border2.nntp.dca.giganews.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072016524621@4ax.com>
Subject: MI5 Persecution: Striking out action 10/3/97 (11242)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 16:52:49 GMT
Lines: 206
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
X-Original-Lines: 202
X-Original-Bytes: 9965
Xref: g2news2.google.com rec.radio.amateur.equipment:779 alt.fan.elton-john:354

sci.engr.color:328 it.comp.giochi.action:8324

Subject: "Scandalous, Frivolous or Vexatious"
Newsgroups: uk.misc,uk.legal
Organization: Toronto Free-Net
Summary:
Keywords:

A couple of weeks ago I issued a summons against the BBC in my local county court, for the tort of private nuisance caused by the spying by their newsreaders on my home. My argument was that their spying had prevented me watching the news at home, and therefore interfered with my normal use of my home.

The BBC's Litigation Dept at White City have replied not with a defence, but with an application for my claim to be struck out because;

(a) it discloses no reasonable cause of action; and/or
(b) it is scandalous, frivolous or vexatious.

Their application will be heard next week. They have not made any affidavit in support of their application, nor have they given particulars as to why they consider my summons to be unarguable in law, which would be a necessary condition for there to be no reasonable cause of action.

I am more worried about point (b). Allegations are scandalous (says Stuart Sime's book) if they impute dishonesty against another party; which my allegations do, against the BBC's newsreaders. As for frivolous or vexatious, I think that will be up to me to make a good argument for the effect the BBC's spying has had on my life, and up to the district judge's opinion of my case.

Apparently seeking to have a claim struck out in this way is common practice when the plaintiff is a litigant-in-person. Even if it is struck out, there is always the opportunity to appeal. I think we could be in for a fight next week.
....
Sun, 02 Mar 1997 20:38:59   uk.legal   Thread   52 of
54
Lines 13   Re: "Scandalous, Frivolous or Vexatious"   Respno   1 of
1
Kate@carterce.demon.co.uk
KKKKatie

In article <NQoVQiAnHgGzEwl3@solicit.demon.co.uk>
           andy@solicit.demon.co.uk "Andrew Nichols" writes:

> Well, that'll liven up the dear old District Judge. Almost worth taking
> the day off to see how Mike fares.

almost worth taking a day off to see if he exists

Kate
--
Just back from the US - you've got to love a country that puts

"Vertical Clearance Impeded" for "Low Bridge"

....

Subject: Re: "Scandalous, Frivolous or Vexatious"
Newsgroups: uk.misc,uk.legal
References: <E6FEFJ.IE7.0.bloor@torfree.net>
<NQoVQiAnHgGzEwl3@solicit.demon.co.uk><8$
Organization: Toronto Free-Net
Distribution:

burridge@osiris.win-uk.net (Paul Burridge) wrote:
>Almost worthwhile taking the day off to go and punch him in the
>face for all abuse he's given us on these groups. Which court is it?

Thank you for your kind thought.

I'm not telling you which court it is. I don't want to be hounded by irate
uk-miscreants!

As for raising eyebrows, the member of staff who took the summons form didn't
change their facial expression at all. Seen it all before, no doubt.

....

In article <857597450snz@adams.demon.co.uk>,
Derek Tidman <Derek@adams.demon.co.uk> wrote:
>In article <E6JAxt.EFK.0.bloor@torfree.net>
>   bu765@torfree.net "Mike Corley" writes:
>
>-I'm not telling you which court it is. I don't want to be hounded by irate
>-uk-miscreants!
>-
>-As for raising eyebrows, the member of staff who took the summons form didn't
>-change their facial expression at all. Seen it all before, no doubt.
>
>Take no notice Mike, some people are like that. I hope
>you finally get this matter into court.

I'm not so fond of the threats of violence against the persistent (yet
quiet for a bit, and probably soon to restart..) spammer that is Mike
Corley. Yet, encouraging the fantasies of the mentally ill isn't
exactly healthy either. Do you go up to homeless mad people as say
things like: "They're coming to get you", or "Look out behind you?".

Smid

....

Quite the contary Mike. Your recent posts have been no problem. By
explaining things rationally, and not spamming us, you have made more
friends than you know.

I hope that you sort out your problem, sincerely.
--
****
I'm Alan Packer and I move in a very mysterious way. If replying to me

....

In article <857686006snz@adams.demon.co.uk>,

Derek Tidman <Derek@adams.demon.co.uk> wrote:
>In article <5fmdc7$gga$1@ftel.ftel.co.uk>
>   J.J.Smith@ftel.co.uk "John J Smith" writes:
>
>I think it's good for Mike to vent his anger and frustration on
>these two newsgroups. Consider it to be part of your duty to
>the comunity in general.

Yep. Just not, the, I think 180 posts, one week, when his illness got really bad. Oh yeah, and there was only three real posts, just repeated 60 times.

>Mike does a first class job of drawing out the real personality
>of the person hiding behind a node name. The way people react
>to Mike gives it all away.

Erm, explain this rather dubious statement.

>As for you. Don't you think it's a trifle condescending to refer
>to people as mad. I know they are homeless and without internet
>access, but maybe they are just eccentric.

Congratulations. This is my first real flame for about a year.

I try to control my anger when I come across another uninformed naive idiot on usenet, but sometimes it goes free. We've had Corley for well over three years now, and his constant spams of various degrees have killed a couple of usenet groups I really rather lied. uk.media, to name but one. I gets my goat to read another useless fucker thinking he is a harmless eccentric.

Mike is mentally ill. He is unwilling to deal with it. He seems to think that uk.misc is some sort of forum that MI5 reads. And it should be avenged. He's mailbombed a large quantity of people, because they opposed his spamming.

1. He thinks MI5 watches him through his television
2. He thinks all references to mad people, refer to him
3. He thinks all people shouting, are shouting at him.
4. He's been diagnosed as mentally ill, just not a paranoid schizophrenic.
5. He gives not a shit about any newsgroups he abuses.
6. He goes through quiet periods, then _very_ nasty periods.
7. All evidence of this great conspiracy is laughable, to say the least.
8. He gives internet/usenet a bad name to the media. Including mailbombing Chris Tarrant and faxing various celebrities.

I do not condescend to him. I actually know what he does, and has done in the past, and am frankly not too respectful of him. He can be openly referred to as "mad" because he is. Let's check my mailbox saves:

Repost of when I thought I'd seen the last of loopy mike:

>>J.J.Smith@ftel.co.uk (John J Smith) wrote:
>>Actually, I see uk.misc as a source of occasional interesting information,
>>and I like jokes. Some people can laugh, you see.
>>
>>And as for you spams, exactly how much good have they done so far?
>
>Not much. I thought they might, but the realization has arrived that this
>particular avenue of exploration is at a dead end.
>
>WTGROMT (well that's got rid of me then!)

Have you actually visited his web page, and read the massive conspiracy
that is supposed to be against him? Apparently MI5 watch him, but for
no reason. They do it for a laugh. Because they can. It costs them a lot
of money, but they still do it. Reality is but a memory for this man.

>Anyway I understood the UKMTC members upset Mike Corely , but
>I could be wrong.

Heaven forbid.

Smid

....

From: burridge@osiris.win-uk.net (Paul Burridge)

In article <33207CAA.1097@sos.bangor.ac.yuk>, David Roberts
(oss108@sos.bangor.ac.yuk) writes:
>Derek Tidman wrote:
>
>> Anyway I understood the UKMTC members upset Mike Corely , but
>> I could be wrong.
>
>There was a pitched battle between MC and "the artist formerly
>known as Big Ears" but that was before the UMTC by which time
>MC had seen the light and stopped spamming.

He hadn't seen the light at all. His level of spamming had got to
such outrageous proportions that we had to mount a concerted
attempt to get his account(s) closed. The reason for the lack of
spam lately is that Mike has been furiously swotting up on Law so
he can bring an action as a LIP against the BBC (all solicitors
having quite rightly and honourably declined to act for him). When
this course of action is exhausted without result, I confidently
predict that we will once again be the innocent victims of his ire
and the spamming will commence again.

....

11242

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service

------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -2748743076253311803
X-Google-Thread: 108122,b969caaf0a76cdb9,start
X-Google-Thread: 10a575,b969caaf0a76cdb9,start
X-Google-Thread: 115a8f,b969caaf0a76cdb9,start
X-Google-Thread: 10f77e,b969caaf0a76cdb9,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
news.astraweb.com!border1.newsrouter.astraweb.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072017190248@4ax.com>
Subject: MI5 Persecution: I am being ignored 17/4/97 (12465)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 17:19:06 GMT
Lines: 273
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:780 alt.fan.elton-john:357
sci.engr.color:329 it.comp.giochi.action:8326

Subject: I am being ignored
Newsgroups: uk.misc,uk.legal
Organization: Toronto Free-Net
Summary:
Keywords:

Something mildly unusual is happening. Nobody has been getting at me for the last couple of weeks. Best of all, about three weeks ago I bought a video recorder to try to get some evidence from the News etc, and despite having watched Martyn Lewis, Michael Buerk and the whole lot of them, not one of them has said anything to me in the last three weeks. And I have been listening to and recording Capital, with no ill effect. All in all, I am being comprehensively ignored.

Of course, I should have video-taped the news programmes back in 1990/91/92 (and even 93) when it was still all going on. Anthony Johnsson (casually name-drop to stick the knife in) will tell you how intelligent a person I am, yet I didn't have the good sense to record the programmes at the time, and it's a bit late now.

Today another avenue of exploration closed when my second summons against the

BBC was struck out (basically through lack of evidence), and an order was made by the district judge saying that I could not sue John Birt again without the express permission of the court. She explained that this was for my own good, to save me the summons fees. Costs were not awarded though (the BBC didn't even really seek costs), and I am free to sue anyone else I take a shine to.

....

It is not that you are being ignored.... it is just that as your mental health improves, so your paranoia eases.

OR...

The dark forces are gathering strength for the final battle with you...

Seriously though, it's nice to see you back - cos as long as they are persecuting you, I can relax knowing they haven't got time to bother me!

Harry
--
Harry Adams
harry@smcat.com
http://www.smcat.com

....

From: burridge@osiris.win-uk.net (Paul Burridge)

Great news! Keep taking the tablets.

....

(posted 11/apr/1997, re Neil Long at 8.35pm Capital Radio)

Subject: Re: I am being ignored
Newsgroups: uk.misc,uk.legal
Followup-To: uk.misc,uk.legal
References: <E8HKJw.LIK.0.bloor@torfree.net>
Organization: Toronto Free-Net
Distribution:

Mike Corley (bu765@torfree.net) wrote:

[unreasonable optimism snipped]

Well, that didn't last very long, did it?

Capital Radio this evening approx 8.35pm, Neil Long's programme a few moments after I switched to it (I am listening to it as I type this). The following spouted from his mouth;

"want to see Jacko in town? what a gig it's going to be, that guy is amazing, and PSYCHOTIC, but amazing on stage, 0171-4200958, on stage he's a MADMAN but he's wonderful"

God, I am so tired of this. It's been going on for seven years. When's it going to stop?

I have the above extract on tape. When I get around to it I will post it, and the Hepworth snippet, as audio files on the website. Of course, all the doubting Thomases and Smids can carry on doubting, because the mere fact that moments after switching on the DJ starts talking about "psychotic", that's not proof is it?

I wrote an aggrieved letter to Chris Tarrant at Capital and sent it off today, copied to Richard Park, Group Director of Programmes. I suppose they'll just lie as usual. Bastards, basically.

....

The solution is surely to not have a TV, video, radio or telephone in the house, Mike. That way they can't be used to watch you.

Dave
--
dave@ llondel.demon.co.uk
Any advice above is worth what I paid for it.

....

Subject: Re: I am being ignored
Newsgroups: uk.misc,uk.legal
References: <E8HKJw.LIK.0.bloor@torfree.net> <E8HpM1.608.0.bloor@torfree.net> <860893$
Organization: Toronto Free-Net
Distribution:

"Dave {Reply address in.sig}" <noone@llondel.demon.co.uk> wrote:
>The solution is surely to not have a TV, video, radio or telephone in
>the house, Mike. That way they can't be used to watch you.

No. I tried that strategy in 1990/91 when I sold my television and stopped listening to the radio. It didn't work because they got at me through co-workers and eventually the general public.

The solution is to gather evidence by recording everything, and then complain or sue if possible. I wish I'd recorded it all five or six years ago, then I might be more successful in a legal action now.

....

Did anyone else watch the X-Files on Sky last night (Sunday 13th April) and recognise Mike's symptons in the chap with the tattoo? It was quite interesting to see someone responding in precisely the same way, picking up on individual words and phrases in ordinary sentences and applying parts to themselves as though they were intended.

Not a pleasant ending though. You take care, Mike, and keep taking the medication. uk.misc just wouldn't be the same without you now.

Claire
--
```
******************************************************************************
* Claire Speed      [ENTX]  * Network & Operations Unit, Manchester Computing   *
* Dial-up, ISDN, TICTAC  * C.Speed@mcc.ac.uk   http://www.mcc.ac.uk/Claire/  *
```

****

....

>moments after switching on the DJ starts talking about "psychotic", that's not
>proof is it?

No, it isn't, but you knew that anyway.

Mike, how is it that you think that this can't be a coincidence because it happened 'moments' after you switched on the radio? Haven't you just told us that you haven't heard a thing for two weeks? Going two weeks watching TV & listening to the radio without a reference to 'mad', 'crazy' or 'loony' is quite an acheivement, especially given the trashy radio you seem to prefer.

I've just spent a lot of the weekend trying to keep a manic depressive under control, so that she doesn't have to go back into hospital and lose the last few months' memories to ECT. One thing I've noticed is that manic depressives almost seek to foster their fantasies, they enjoy the control and the high. You seem to be the same - you refuse to answer the points put to you that explain away what you call persecution totally - do you have the courage of your convictions to reply to this? Or do you enjoy the attention your illness brings you?

--
Illtud Daniel   idaniel@jesus.ox.ac.uk
-see Twin Town-   -Buy Apollo 440-

....

Mike Corley wrote:

> Something mildly unusual is happening. Nobody has been getting at me for the
> last couple of weeks.

Do please tell the *truth*. It has been longer than *2* weeks as I'm sure you have noticed, hasn't it ?

Well I claim responsibility for the absence of persecution. When I rang John Major's personal private secretary, not the personal political one or any of the others in the same office, and I said you would vote for the Conservative Party at the General Election the secretary said Johnny would be so happy and as a sign of gratitude he rang-up the Head of MI5 and told them to save money for tax cuts by abandoning forthwith their campaign against you. Consequently MI5 and MI6 have been able to redeploy urgently needed resources (i.e. manpower and telecoms interceptions) against an international band of (*****censored*****).

On behalf of the law-abiding and decent citizens in the British islands, I would like to sincerely thank you for your invaluable contribution to crime fighting by your instrumental achievement in releasing badly needed and very scarce MI5 and MI6 resources.

Many thanks,

> Best of all, about three weeks ago I bought a video recorder to try to get some

> evidence from the News etc, and despite having watched Martyn Lewis, Michael
> Buerk and the whole lot of them, not one of them has said anything to me in the
> last three weeks. And I have been listening to and recording Capital, with no
ill
> effect. All in all, I am being comprehensively ignored.

Please don't forget it is National Election time and the news broadcasts
at 21:00 on BBC1 are preoccupied with British politics.

> Of course, I should have video-taped the news programmes back in 1990/91/92
> (and even 93) when it was still all going on.

Any particular date in mind ? I have a few in the library. You can also
purchase copies from the BBC on 0181-743 8000 (central switchboard).

> Anthony Johnsson (casually name-drop to stick the knife in) will tell you how
intelligent
> a person I am, yet I didn't have the good sense to record the programmes at the
time,
> and it's a bit late now.

Perhaps it is for the best. Now that it is all over, you can return to
Canada. Did you manage to get your Canadian citizenship ?   What did your
contracts at MI5 say about you becoming Canadian ?   You never did mention
the name of your MI5 liaison officer nor of any of the others.

> Today another avenue of exploration closed when my second summons against the
> BBC was struck out (basically through lack of evidence), and an order was made
> by the district judge saying that I could not sue John Birt again without the
> express permission of the court. She explained that this was for my own good,
> to save me the summons fees. Costs were not awarded though (the BBC didn't even
> really seek costs), and I am free to sue anyone else I take a shine to.

That's true. But as it is now all over there is no need to worry about
the past. MI5 said your file has been removed from the Registry and put
in a burn-bag so there is nothing left for anyone ever to find.

By the way, what was the URL of your famous Corley web site ?
....
Subject: Re: I am being ignored
Newsgroups: uk.misc,uk.legal
Followup-To: uk.misc,uk.legal
References: <E8HKJw.LIK.0.bloor@torfree.net> <E8HpM1.608.0.bloor@torfree.net>
<5it60e$
Organization: Toronto Free-Net
Distribution:

Illtud Daniel (idaniel@jesus.ox.ac.uk) wrote:
: Iain L M Hotchkies <iain@hotch.demon.co.uk.spam-free.zone> wrote:
: >Illtud Daniel typed:
: >
: >> You seem to be the same - you refuse
: >> to answer the points put to you that explain away what you call persecution

: >> totally - do you have the courage of your convictions to reply to this?
: >> Or do you enjoy the attention your illness brings you?

I have to admit that it is actually mildly amusing to have newsreaders watching you, although it is tiresome after a bit. I am currently in an interesting situation, because after my lawsuits against them I think the BBC newscasters have stopped watching me entirely; I also think that ITN, in particular John Suchet, *are* still watching but they're being subtle about it (his blink pattern followed mine).

Being called nasty words is quite horrible though, and seems gratuitous; what do they gain by it, except to exercise their sadism?

: >I think we all ought to remember that schizophrenia is a
: >psychosis, and as such, unless you are American and believe
: >that *anything* can be dealt with through counselling and/or
: >psychotherapy, will not respond to this type of treatment.

: Tell me about it. My friend is now unhappily resident in Warneford
: mental health unit, or whatever they call psychiatric hospitals nowardays.

I've never been in a hospital as an in-patient, ever. I think I've been very lucky in that regard.

: Having said that, one should seek to disabuse even psychotics of their
: delusions.

The medicines haven't made any difference to my ideas. They obviously make a difference in the emotional impact and reaction.
....
>I've never been in a hospital as an in-patient, ever. I think I've been very
>lucky in that regard.

You have. They're not pleasant atmospheres, especially the secure wings, which have more in common with prisons ('airlock' doors, list of 'banned' articles, continuous observation). They have to be that way, unfortunately.

--
Illtud Daniel idaniel@jesus.ox.ac.uk
-see Twin Town- -Buy Apollo 440-
....

12465

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -1739843525091250000
X-Google-Thread: 108122,933b149d9f1167f8,start

X-Google-Thread: 10a575,933b149d9f1167f8,start
X-Google-Thread: 115a8f,933b149d9f1167f8,start
X-Google-Thread: 10f77e,933b149d9f1167f8,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!newshosting.com!
post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072017583210@4ax.com>
Subject: MI5 Persecution: Peak Practice 26/4/97 (13688)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 17:58:37 GMT
Lines: 81
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:781 alt.fan.elton-john:358
sci.engr.color:330 it.comp.giochi.action:8327

Subject: "Peak Practice" 1/4/97 wanted
Newsgroups: uk.misc,rec.arts.tv.uk.misc
Organization: Toronto Free-Net
Summary:
Keywords:

I am looking for a recording of "Peak Practice" from yesterday 1.April on VHS
tape. Willing to pay a reasonable sum for a recording.
....
Mike Corley <bu765@torfree.net> wrote:

>I am looking for a recording of "Peak Practice" from yesterday 1.April on VHS
>tape. Willing to pay a reasonable sum for a recording.

Uh-oh. Peak Practice slagging you off as well now, eh Mike?

--
Illtud Daniel   idaniel@jesus.ox.ac.uk
-see Twin Town-   -Buy Apollo 440-
....
Subject: Re: "Peak Practice" 1/4/97 wanted
Newsgroups: uk.misc,rec.arts.tv.uk.misc
Followup-To: uk.misc,rec.arts.tv.uk.misc
References: <E80u0B.8qD.0.bloor@torfree.net> <5i0onj$c9n@news.ox.ac.uk>
Organization: Toronto Free-Net
Distribution:

>Uh-oh. Peak Practice slagging you off as well now, eh Mike?

You better believe it. Tuesday's episode had one of its characters being labelled as a "lunatic" with "something wrong with them". I changed channels rapidly at this point, but in retrospect perhaps I should have carried on watching and taped the program.

A few days ago I bought a video recorder (about time too) for evidence gathering purposes. But strangely the TV news (both BBC and ITN) haven't uttered a sound over the last few days. Almost as if they know they're being taped...

....

Mike Corley <bu765@torfree.net> wrote:
>>Uh-oh. Peak Practice slagging you off as well now, eh Mike?
>
>You better believe it. Tuesday's episode had one of its characters being
>labelled as a "lunatic" with "something wrong with them".

And?

There are many characters in TV programmes who _are_ lunatics with 'something wrong with them'. Why do you think this alludes to you?

In the eponymous book, Cervantes' Don Quixote is described as 'crazy' 'mad' and 'lunatic'. Do you think this is a reference to yourself, albeit written by a time-travelling 17th century Spaniard?

If you accept that the character of Don Quixote can be described thus without it being a reference to you, what problem do you have with Peak Practice? Or do you enjoy tilting at your own little windmills?

A friend's lodger has turned out to be paranoid schizophrenic. Her obsessions are strikingly similar to yours, she is convinced that she is being bugged, and that students at her college are making fun of her for being foreign. She has been looking for the services of a private detective. Maybe Oxford has this unfortunate effect on foreigners?

I must say that I'm surviving rather well, or that's what the man under the stairs told me yesterday.

--
Illtud Daniel   idaniel@jesus.ox.ac.uk
-see Twin Town-   -Buy Apollo 440-

....

So Mike, you are a woman, married to a doctor,have two children, speak spanish, and living in the Peak District. Is that a fair description of you?

BAZZA

....

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 7947226003802170923
X-Google-Thread: 108122,a527c7a637a0de56
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-mail
From: ve2ztt <ve2ztt2@yahoo.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Stolen yaesu ft 50 R
Date: Mon, 20 Aug 2007 11:13:35 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1187633615.497431.322870@57g2000hsv.googlegroups.com>
References: <1186483204.255655.244830@r34g2000hsd.googlegroups.com>
NNTP-Posting-Host: 209.169.153.248
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1187633617 911 127.0.0.1 (20 Aug 2007 18:13:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Aug 2007 18:13:37 +0000 (UTC)
In-Reply-To: <1186483204.255655.244830@r34g2000hsd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; fr-FR; rv:1.4) Gecko/20030624 Netscape/7.1 (ax),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=209.169.153.248;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:782

ve2ztt a =E9crit :
> I had my Yeasu FT 50r stolen in 1998 and police brought it back aug 3,
> 2007.
> I have its original battery charger (yaesu) still in working condition
> but the radio is completely
> dead.
> Anyone have an idea on what to check first !!!
>
> Gilles VE2ZTT

Working fine now. I had to change the power switch and the keyboard
Tank you all for your advices
Gilles VE2ZTT

From 6600530126218528423

X-Google-Thread: 108122,eaab74e60e672e7f,start
X-Google-Thread: 10a575,eaab74e60e672e7f,start
X-Google-Thread: 115a8f,eaab74e60e672e7f,start
X-Google-Thread: 10f77e,eaab74e60e672e7f,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newscon02.news.prodigy.net!prodigy.net!nx02.iad01.newshosting.com!newshosting.com!
post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072018202338@4ax.com>
Subject: MI5 Persecution: Continuing Silence 9/5/97 (14911)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 18:20:26 GMT
Lines: 60
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:783 alt.fan.elton-john:359
sci.engr.color:331 it.comp.giochi.action:8329

Subject: The Continuing Silence
Newsgroups: uk.misc
Organization: Toronto Free-Net
Summary:
Keywords:

The silence continues. I am enjoying listening to Radio 4 without any ill effects whatsoever. Admittedly I am recording every moment, but still. Even better, I have fished out a recording from ITN last year which at the time I was convinced had been about me, and on re-seeing it I am now convinced it is not about me at all.

But that is not to disclaim all the many "live incidents" that have happened. Everything written on my website is true. For the newcomers, its URL (as seen in the Observer and Private Eye) is

[snip]
....
Mike Corley wrote:
>
> The silence continues. I am enjoying listening to Radio 4 without any ill
> effects whatsoever.

Already the New Labour govt improves the quality of life of the
populace!

--
To reply by email you must delete the trailing x from the To: field
Why not drop by my web page sometime? http://www.man.ac.uk/~zlsiida
Manchester's cheapest poker game still needs more players - drop me
a line if interested, or if you know another game that I might like.
....
From: David Roberts <oss108@sos.bangor.ac.yuk>

Mike, you're a ray of sunshine on a cold and miserable day.
Long may the silence continue.

David
--
***************=================****************
Right that's enough junk mail.
If you really want to e-mail me,
remove the y from my address
....
>better, I have fished out a recording from ITN last year which at the time I
>was convinced had been about me, and on re-seeing it I am now convinced it is
>not about me at all.

You've cheered me up with this news, Mike. Seriously. The last sentence
suggests that your health is improving, and you are beginning to become
pragmatic, in some way...

Take a deep breath, and look to the future. I wish you well.

Smid
....

14911

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -7924865076045982144
X-Google-Thread: 108122,cae137c7c4bff32a,start
X-Google-Thread: 10a575,cae137c7c4bff32a,start
X-Google-Thread: 115a8f,cae137c7c4bff32a,start
X-Google-Thread: 10f77e,cae137c7c4bff32a,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!
nx02.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072018424200@4ax.com>
Subject: MI5 Persecution: Victor Lewis-Smith 9/5/97 (16134)
Newsgroups:

rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 18:42:46 GMT
Lines: 76
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:784 alt.fan.elton-john:360 sci.engr.color:332 it.comp.giochi.action:8330

Victor Lewis-Smith has broken the silence in his TV review column "Goon and best forgotten" in the Evening Standard (on Thursday 8/May). He said, "If I sound paranoid, that's probably because I once worked there. Eventually, I had to leave because they were all trying to kill me but, for sheer pathological hatred of the Corporation, I couldn't hold a candle to Spike Milligan".

I take this to be about me, because recently I wrote to both the BBC and Capital Radio, saying "I believe the current purpose of the harassment is to force me to kill myself to prevent the harassers, yourselves included, from being brought to justice, and last year there were several incidents of people shouting 'suicide' at me, which would appear to corroborate that view." I think VLS's words about the BBC "all trying to kill me" shows he has seen or heard of what I sent to the BBC or Capital.

Nasty eh? I believe that VLS or his mates read this newsgroup. I wonder how he would explain his article?

....

Date: Fri, 9 May 1997 23:11:40 +0000 (GMT)
From: Webmaster for Victor <vls@bbcradio.demon.co.uk>
To: Mike Corley <bu765@freenet.toronto.on.ca>
Subject: Re: paranoia

Dear Mike,

Victor's not writing about you.

Yours,

John Hayward-Warburton
Victor's Webmaster

....

For some reason, I don't quite believe you. It's just too close a match.

....

In article <E9xG0x.Gtr.0.bloor@torfree.net>,
Mike Corley <bu765@torfree.net> wrote:
>Victor Lewis-Smith has broken the silence in his TV review column "Goon and
>best forgotten" in the Evening Standard (on Thursday 8/May). He said, "If I
>sound paranoid, that's probably because I once worked there. Eventually, I had
>to leave because they were all trying to kill me but, for sheer pathological
>hatred of the Corporation, I couldn't hold a candle to Spike Milligan".

Erm, Mike, I'm a bit of a fan of Victor Lewis-Smith, ever since his days of "BuyGones". I must admit, he often likes to play the flawed lunatic evil nasty person. He's been doing it for years, with prank calls, far before your illness. Its his act. He wouldn't be VLS without it.

He doesn't like the "Goons" either. It isn't about you.

>I take this to be about me, because recently I wrote to both the BBC and
>Capital Radio, saying "I believe the current purpose of the harassment is to
>force me to kill myself to prevent the harassers, yourselves included, from
>being brought to justice, and last year there were several incidents of people
>shouting 'suicide' at me, which would appear to corroborate that view." I think
>VLS's words about the BBC "all trying to kill me" shows he has seen or heard of
>what I sent to the BBC or Capital.

I don't think Victor Lewis-Smith has worked for the BBC (or Capital) for several years (1994 was the last time...), so the connection, is paranoia here.

Personally, I believe VLS as a person of reasonable integrity, who wouldn't give a fuck about you...

>Nasty eh? I believe that VLS or his mates read this newsgroup. I wonder how he
>would explain his article?

Keep up the medication, not as many people read this newsgroup as you think, even though you are now incorporating that into your illness.

Victor? Are you there?

Smid

....

16134

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 7961624333620824883
X-Google-Thread: 108122,82d23d169423b230,start
X-Google-Thread: 10a575,82d23d169423b230,start
X-Google-Thread: 115a8f,82d23d169423b230,start
X-Google-Thread: 10f77e,82d23d169423b230,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!post01.iad01!news.newsdemon.com!not-for-mail

Message-Id: <m07072019081266@4ax.com>
Subject: MI5 Persecution: David Hepworth (2) 16/5/97 (17357)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 19:08:15 GMT
Lines: 99
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:785 alt.fan.elton-john:361
sci.engr.color:333 it.comp.giochi.action:8336

Subject: David Hepworth (GLR) is taking the piss
Newsgroups: uk.misc
Organization: Toronto Free-Net
Summary:
Keywords:

>Last night (21/Feb/97), I was listening to BBC GLR. You have to understand that
>I was listening by stealth. Back in 1990 I used to have Capital blaring out of

Not much changes. Today I was listening again to David Hepworth's show on GLR, having more or less waded in on it by accident. Here is the exchange;

David: "we have executive drivetime, we have Brian in charge of the prize cupboard. Brian it's not a bad prize cupboard this week is it?"

Brian: "no David it's an absolute (EMPHASIS) embarrassment (END-EMPHASIS) of prizes this evening" (laughter)

David: "what have we got?"

Brian: "well in my left hand alone we've got that .... Gary Clale, I don't know if you remember him obviously still alive and kicking...."

David: "Rock and roll spelling test is your first opportunity to take advantage of this embarrassment of prizes"

What do I read into this exchange? The laughter after the word "embarrassment" shows they're aware of the last complaint I made on usenet (copied by snail-mail to them). The "left hand" business is I think a coded way of calling me a w***er (the term would be better applied to Brian and David).

I have a tape of this exchange, and will eventually get around to posting it on the website.
....
Subject: Re: David Hepworth (GLR) is taking the piss
Newsgroups: uk.misc

References: <E9xMvw.4H2.0.bloor@torfree.net>
Organization: Toronto Free-Net
Distribution: uk

I don't understand. Why has nobody replied to this post? You keep on asking for evidence, then I present you with something that looks very much like evidence, and everybody just ignores it. OK I haven't posted the actual sound extract, and it still isn't proof.

Perhaps everybody just finds it all too boring and dull. Should I start spamming again from one of those nice anonymous remailers to wake everyone up? Now there's a thought.

....

Mike Corley <bu765@torfree.net> wrote:
>I don't understand. Why has nobody replied to this post?

Cos you don't reply to our points - you're ignoring us, why shouldn't we ignore you?

>You keep on asking for evidence, then I present you with something
>that looks very much like evidence,

No you don't, you post something which could _never_, _ever_ be construed as referring to yourself. Can't you see it? No, of course you can't, you've an illness.

>Perhaps everybody just finds it all too boring and dull. Should I start
>spamming again from one of those nice anonymous remailers to wake everyone up?
>Now there's a thought.

And I see you've started. Give it a rest, Mike, unless you're prepared to enter into proper discussion.

--
Illtud Daniel   idaniel@jesus.ox.ac.uk
-see Twin Town-   -Buy Apollo 440-

....

>Mike Corley <bu765@torfree.net> wrote:
>>I don't understand. Why has nobody replied to this post?

Never read it. Repost?

Smid

....

In article <5lhg3i$ete@news.ox.ac.uk>,
Illtud Daniel <idaniel@jesus.ox.ac.uk> wrote:
>[reposted]
>
>>Brian: "no David it's an absolute (EMPHASIS) embarrassment (END-EMPHASIS) of
>>prizes this evening" (laughter)

Uh-Uh. He's on for a bad attack, if he's singling out words which are apparently attacking him. He previously restricted himself to just dialog about the mentally ill.

TAKE YOUR MEDICATION MIKE.

Smid

....

17357

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From -4818116265077923129
X-Google-Thread: 108122,680c7ac0c9ff170f,start
X-Google-Thread: 10a575,680c7ac0c9ff170f,start
X-Google-Thread: 115a8f,680c7ac0c9ff170f,start
X-Google-Thread: 10f77e,680c7ac0c9ff170f,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072019435588@4ax.com>
Subject: MI5 Persecution: Overview (235)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 19:43:58 GMT
Lines: 30
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:786 alt.fan.elton-john:362
sci.engr.color:335 it.comp.giochi.action:8338

Overview

What all these snatches of video and audio, and newspaper articles, have in common is that none of them provide conclusive or very convincing evidence of their being directed against me, or forming part of a campaign against me. Other people with my illness doubtless could produce similar non-proof if they were minded to do so.

Good, now we've got the disclaimer out of the way, we can describe precisely what it is that is on display in this part of the site. In the video section, we have Quicktime (MPEG-4) clips of Jon Snow of ITN in action, also interviews with Ken Clarke and John Major of the ousted Tory regime. These are embedded in the page using QuickTime. While each audio/video clip is coded to automatically download the QuickTime player, you may find it helpful to download QuickTime from Apple's website before you start viewing the media files.

Note that each item is awarded a rating of the confidence I feel that it is directed at me, expressed as a percentage. Items with 50% or more are probably about me; 100% indicates a "dead cert".

In audio we have MP3 files of harassment at work in Canada in late 1996, also GLR's David Hepworth not even trying to pretend that he isn't getting at me, and a snippet of Capital. There is also an album track which I have taken as being about me. The newspapers section contains articles by Bernard Levin on his encounter with a madman who "bursts into tears, and swears it is all true - and it is". Also a Private Eye cover, and snippet from Victor Lewis-Smith.

I have added several recordings of abuse "in public". By Sept/1998 I had seven minidiscs of such recordings, unfortunately containing mostly very nasty sexual slanders which I will not be publishing on this website. The recordings were made on a Sony Minidisc Walkman MZ-R30, which I purchased in Canada in July/1997, with ECM-T140 microphone. After both the MZ-R30 and the microphone reached the end of their lives, in June/2001 I purchased as replacement my current recording gear, an MZ-R900 walkman with ECM-T145 microphone.

Share and Enjoy! I hope you enjoy partaking in my delusions which have been recorded with high fidelity digital equipment and presented for your listening pleasure.

235

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 811991101865062081
X-Google-Thread: 108122,2a4bd1c38ae2d760,start
X-Google-Thread: 10a575,2a4bd1c38ae2d760,start
X-Google-Thread: 115a8f,2a4bd1c38ae2d760,start
X-Google-Thread: 10f77e,2a4bd1c38ae2d760,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072019593235@4ax.com>
Subject: MI5 Persecution: Ken Clarke (1), April 1997 (1458)

Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 19:59:35 GMT
Lines: 27
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:787 alt.fan.elton-john:363 sci.engr.color:336 it.comp.giochi.action:8339

Ken Clarke (1), April 1997

Certainty level: 30%

The first of two video segments from the same program, this shows Jon Snow interviewing Ken Clarke in April 1997, during the general election campaign. The following exchange is heard;

Jon Snow: "You say we are booming in your posters, the bust's around the corner"

Ken Clarke: "You took that from three years ago, when I was being advised to do all kinds of mad things to stimulate the economy, and being told that I had to take desperate measures to get it going"

At this time I was watching television almost continuously at home, with a video recorder whirring away, trying to obtain from the newscasters a reaction which would give them away. I think this is an instance where it happened. Ken Clarke first darts a glance straight at the video camera (and perhaps at a monitor next to it showing my living room), then comes out with "all kinds of mad things", while engaging in a facial display involving raising of eyebrows and lowering of eyelids. To me at the time, and also now, it looked as if he was selecting a context into which he could drop the word "mad" as a directed insult against me.

1458

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 586410362853675715
X-Google-Thread: 108122,cd41127c98138e10,start
X-Google-Thread: 10a575,cd41127c98138e10,start
X-Google-Thread: 115a8f,cd41127c98138e10,start
X-Google-Thread: 10f77e,cd41127c98138e10,start

X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out03b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!newscon02.news.prodigy.net!prodigy.net!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072020162318@4ax.com>
Subject: MI5 Persecution: Ken Clarke (2), April 1997 (2681)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 20:16:27 GMT
Lines: 24
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:788 alt.fan.elton-john:364 sci.engr.color:337 it.comp.giochi.action:8340

Ken Clarke (2), April 1997

Certainty level: 30%

The second of two video segments from the same programme, this shows Ken Clarke during the election campaign. He makes the following statement;

"we have a party, and we have a Cabinet which has produced a manifesto consistent with our policy of the last five years;
people are challenging us on the basis there's been some monstrous conspiracy between all the politicians to guide us we know not where,
we know where we're going, we wish to be a leading influence in the European Union"

It should be fairly obvious what I read into in the above sentences. The "monstrous conspiracy between all the politicians" could of course apply to the public perception of closer European integration, but I took it as referring to the conspiracy of politicians and media people against me. Again, facial expression comes into it; as Clarke speaks of the "monstrous conspiracy" his eyebrows twitch and it is clear that something or somebody is being made fun of.

2681

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 4471823773985653223
X-Google-Thread: 108122,344b0df76784f764,start
X-Google-Thread: 10a575,344b0df76784f764,start
X-Google-Thread: 115a8f,344b0df76784f764,start
X-Google-Thread: 10f77e,344b0df76784f764,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
cyclone1.gnilink.net!gnilink.net!nx02.iad01.newshosting.com!newshosting.com!
post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072020331348@4ax.com>
Subject: MI5 Persecution: Dimbleby / John Major, April 1997 (3904)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 20:33:16 GMT
Lines: 27
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:789 alt.fan.elton-john:365
sci.engr.color:338 it.comp.giochi.action:8341
```

Dimbleby / John Major, April 1997

Certainty level: 90%

Dimbleby interviews John Major during the election campaign. Here is the exchange, regarding Neil Hamilton, the "sleazy" Tory candidate;

Dimbleby: "It's a direct quotation from what he said to Sir Gordon Downey and what he said to his local newspaper, the Knutsford Guardian".
Major: "Well, heaven forfend that I should doubt what the Knutsford Guardian actually said"
Dimbleby: "Well I should hope so"
Major: "Absolutely, it would be quite unforgivable to doubt the Knutsford Guardian"

What I find in this segment is an assonance between "Knutsford" and "Nut" or "Nuts". I think Dimbleby deliberately invents the play on words, and says it clearly enough for Major to pick it up and repeat it.
You can gauge Dimbleby's intent from his facial expression of false honesty when he uses the words "Knutsford Guardian"; and Major's reaction follows from his recognition of Dimbleby's intent; Major smiles and says it would be "unforgivable to doubt the Knutsford Guardian".
These are much clearer on the original video than on this Quicktime clip.

3904

--
Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From -5320823066052760697
X-Google-Thread: 108122,dde9bdcc8915fc45,start
X-Google-Thread: 10a575,dde9bdcc8915fc45,start
X-Google-Thread: 115a8f,dde9bdcc8915fc45,start
X-Google-Thread: 10f77e,dde9bdcc8915fc45,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-for-mail
Message-Id: <m07072020511238@4ax.com>
Subject: MI5 Persecution: Channel Four TV News - 12/Feb/1999 (5127)
Newsgroups: rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action
Followup-To: rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 20:51:15 GMT
Lines: 25
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:790 alt.fan.elton-john:366 sci.engr.color:339 it.comp.giochi.action:8342
```

Channel Four TV News - 12/Feb/1999

Certainty level: 100%

I am positively, utterly, completely sure this item is about me. It's a bit subtle so the objective reader might not understand my certainty. Here is what happened. I was watching Channel Four News with Jon Snow, on the day Clinton "got off" (as it were) in the Monica-gate scandal. Snow said;

"[and we're anticipating that the President himself will make his] first comments after the trial in which he has now been cleared at around half-past seven. So we'll have more on the historic judgment, we'll also be considering [starts smiling] the winners and losers in this whole sorry saga. Now further doubts have been...."

When Snow said "half-past seven", I looked at the clock on the mantelpiece above the TV. Snow saw my glance, and in reaction to my glance at the clock, smiled. I think he was smiling at what he perceived as my self-importance.

Usually when newscasters or radio presenters laugh at me, there is an excuse for their laughter; usually they manage to find some reason for my being "funny"; their amusement is blamed on me; it is my "fault" they are laughing. And so it was with this instance; Jon Snow thought it was funny that I should be so interested in seeing Clinton, and his half-smile while reading the words "winners and losers" expresses that.

I wrote to Snow at ITN shortly after this broadcast to ask him about his behaviour; of course, he didn't reply.

5127

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 828819681638991092
X-Google-Thread: 108122,8e57afe06227317d,start
X-Google-Thread: 10a575,8e57afe06227317d,start
X-Google-Thread: 115a8f,8e57afe06227317d,start
X-Google-Thread: 10f77e,8e57afe06227317d,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!
nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.newsdemon.com!not-
for-mail
Message-Id: <m07072021080667@4ax.com>
Subject: MI5 Persecution: Chris Tarrant - 10/March/1999 (6350)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 20 Aug 2007 21:08:09 GMT
Lines: 31
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:791 alt.fan.elton-john:367
sci.engr.color:340 it.comp.giochi.action:8343
```

Chris Tarrant - 10/March/1999

Certainty level: 25%

This one might be aimed at me, or it might be tinged with a whiff of intent, although I only give one chance in four for Tarrant's thoughts being aimed at me when he said this. During his "Who wants to be a Millionaire" TV show in March 1999, he said;

if you're watching the show jumping up and down screaming at the telly, remember you could be here. You can either seek professional help or call us...

The background is as follows. In early March I'd sent a quantity of emails to Capital FM, the London radio station where Mr Tarrant has his breakfast show. They were addressed to the email account which Mr Tarrant used to read emails posted on Capital's website. Capital objected to the quantity of emails - in fact, they contacted the Metropolitan Police's Computer Crime unit, who, in turn, "felt my collar" by giving me a verbal warning over the phone to cease this behaviour.

The emails contained the words which I had heard Mr Tarrant speak in early 1994, namely;

"You know this bloke? He says we're trying to kill him.
We should be done for attempted manslaughter".

At the time of writing (May 1999), the Police have not told me what aspect of the emails was "illegal", nor despite my repeated urging have they questioned Mr Tarrant about his remarks from 1994.

Regarding the clip from Tarrant's show above. The Police spoke to me on the afternoon of Wednesday 10 March 1999. Tarrant's live show went out that same evening. The Police have told me that after speaking to me they told Capital FM that they'd spoken to me regarding the emails. So Tarrant would have known by the time of the show who'd sent the emails and why.... and it's quite possible that his remarks about "seeking professional help" were aimed at me personally following my attempts to persuade him to own up to his 1994 remarks.

6350

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
      ------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

From 8996016241073697398
X-Google-Thread: 108122,e8cfe1f12ca66292,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i38g2000prf.googlegroups.com!not-for-mail
From: xjx588 <xjx_588@126.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Antique 1912-1949 Porcelain teapot 528 chinaware 400 Website invitation visit
Date: Mon, 20 Aug 2007 19:08:21 -0700

```
Organization: http://groups.google.com
Lines: 10
Message-ID: <1187662101.922244.124930@i38g2000prf.googlegroups.com>
NNTP-Posting-Host: 60.187.175.72
Mime-Version: 1.0
Content-Type: text/plain; charset="gb2312"
X-Trace: posting.google.com 1187662102 21506 127.0.0.1 (21 Aug 2007 02:08:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Aug 2007 02:08:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i38g2000prf.googlegroups.com; posting-host=60.187.175.72;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:792

Antique 1912-1949 Porcelain teapot 528 chinaware 400 Website
invitation visit
Website http://www.xjx588.com
http://www.xjx588.com/more.asp?name=xjx588&id=14
E-mail xjx_588@tom.com
xjx_588@126.com
City Shengzhou Zhejiang China
Thanks !
Jianxiong Xu



From 7776801973212415423
X-Google-Thread: 108122,955d72d56ac1ccff,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!50g2000hsm.googlegroups.com!not-for-
mail
From:  W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: KENWOOD TS-950 TS950
Date: Tue, 21 Aug 2007 01:48:24 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1187686104.923677.202590@50g2000hsm.googlegroups.com>
NNTP-Posting-Host: 66.177.9.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1187686105 27167 127.0.0.1 (21 Aug 2007 08:48:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Aug 2007 08:48:25 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.6)
Gecko/20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 50g2000hsm.googlegroups.com; posting-host=66.177.9.35;
```

posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:793

I am looking for a Kenwood TS-950SDX or TS-950SD.

If you have one for sale, please email me at: iamw7gsa@gmail.com or
give me a call at: 904-821-5055 (I am in the Eastern time zone).

Thanks,
Bill

From -6636070241095023829
X-Google-Thread: 108122,f19e90cc09cb2a5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.cs.univ-paris8.fr!ciril.fr!grolier!sn-xt-sjc-03!sn-xt-sjc-07!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: ryesnake@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Trade GPS for shortwave
Date: Tue, 21 Aug 2007 20:55:11 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <ohcnc39lsg6kn46vdlhip6324mc6v2licb@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.equipment:794

I have an iQue 3600 for trade if anyone have a short wave such as
Yaesu FR 7 or Panasonic rf4800 etc they are not useing and would like
to trade for a ODA GPS with all the software and CDs
I paid 165 for the unit and would like to trade compareable for a good
receiver.

Please reply to

ryesnake@yahoo.com

Many thanks for looking

From 2109413420434314920
X-Google-Thread: 108122,dea9936d5012d173,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder3.cambrium.nl!feeder4.cambrium.nl!
feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-

```
ams-03!sn-ams!sn-feed-ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: ryesnake@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: trade GPS iQue 3600 for shortwave
Date: Tue, 21 Aug 2007 21:01:41 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <8ucnc3tnj9i2mt4b8mfadf7rohv9ab2211@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 6
Xref: g2news2.google.com rec.radio.amateur.equipment:795

would like to trade iQue 3600 barley used with software and CDs.  Also
comes with docking and charging cables.   Looking to trade for digital
shortwave such as Yaesu FRG7 or Panasonic RF4800 or comparable.
Paid 165 for the unit so looking for fair trade

Thanks for looking



From 5043187820727905269
X-Google-Thread: 108122,4757738abe28a15c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j4g2000prf.googlegroups.com!not-for-
mail
From:  kbozek@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: icom 706 powering itself on and off
Date: Wed, 22 Aug 2007 11:25:37 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1187807137.966852.165890@j4g2000prf.googlegroups.com>
NNTP-Posting-Host: 165.170.128.68
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1187807141 21337 127.0.0.1 (22 Aug 2007 18:25:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 22 Aug 2007 18:25:41 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
EK60SP2; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 proxyc (NetCache NetApp/6.0.5P2D1)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000prf.googlegroups.com; posting-host=165.170.128.68;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:796

I have an ICOM 706 that is powering itself on an off.  I recall
```

reading about this issue in the past but I neither recall the cause or the correct terms to find it.

Does anyonehave any insight in this issue?

Keith
N3HGN

```
From 282197401115332085
X-Google-Thread: 108122,3beb8cd344236be
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x40g2000prg.googlegroups.com!not-for-
mail
From:  tpurvis@datasync.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New unreleased Kenwood TM-D710 replacement for TM-D700A?
Date: Wed, 22 Aug 2007 13:54:14 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1187816054.760698.18550@x40g2000prg.googlegroups.com>
References: <46adde0a$0$4702$4c368faf@roadrunner.com>
   <rjvra31ee555l31n0e5qhbq8qfdar2thdi@4ax.com>
   <46b31d14$0$29699$4c368faf@roadrunner.com>
   <h3a6b3hj85mgpdab0n4en1njfn29gsa7v7@4ax.com>
   <1186161190.372800.244580@q3g2000prf.googlegroups.com>
NNTP-Posting-Host: 209.205.173.68
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1187816055 14981 127.0.0.1 (22 Aug 2007 20:54:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 22 Aug 2007 20:54:15 +0000 (UTC)
In-Reply-To: <1186161190.372800.244580@q3g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98;
H010818),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x40g2000prg.googlegroups.com; posting-host=209.205.173.68;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:797
```

```
On Aug 3, 12:13 pm, w7tax.d...@gmail.com wrote:
> "In Stock?"  Hmmmmmm.   Interesting.
>
>
>
> > However, HRO has them in stock:
> > Alan
> > WA4SCA- Hide quoted text -
>
> - Show quoted text -
```

Saw a working model at Huntsville. The Kenwood guy said the radios
were in Customs as of 8/18 but HRO and others are taking orders.

Tim
N5UDK

From -1766403905745242522
X-Google-Thread: 108122,4757738abe28a15c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Pat" <ssb4me@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1187807137.966852.165890@j4g2000prf.googlegroups.com>
Subject: Re: icom 706 powering itself on and off
Date: Wed, 22 Aug 2007 23:08:25 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 17
Message-ID: <46ccfa20$0$16457$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:798

Generally due to a voltage drop.

<kbozek@yahoo.com> wrote in message
news:1187807137.966852.165890@j4g2000prf.googlegroups.com...
>I have an ICOM 706 that is powering itself on an off. I recall
> reading about this issue in the past but I neither recall the cause or
> the correct terms to find it.
>
> Does anyonehave any insight in this issue?
>
> Keith
> N3HGN
>

From -2561424875607118956

```
X-Google-Thread: 108122,a30866764cb72e3a,start
X-Google-Thread: 10a575,a30866764cb72e3a,start
X-Google-Thread: 115a8f,a30866764cb72e3a,start
X-Google-Thread: 10f77e,a30866764cb72e3a,start
X-Google-Attributes: gid108122,gid10a575,gid115a8f,gid10f77e,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!wns13feed!worldnet.att.net!
63.218.45.10!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
news.newsdemon.com!not-for-mail
Message-Id: <m07072505485546@4ax.com>
Subject: MI5 Persecution: Chris Tarrant - 10/March/1999 (235)
Newsgroups:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action
Followup-To:
rec.radio.amateur.equipment,alt.bainaries.pictures.erotica.oral,alt.fan.elton-
john,sci.engr.color,it.comp.giochi.action,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Aug 2007 05:48:49 GMT
Lines: 31
Organization: news.newsdemon.com
X-Complaints-To: abuse@newsdemon.com
Xref: g2news2.google.com rec.radio.amateur.equipment:799 alt.fan.elton-john:386
sci.engr.color:345 it.comp.giochi.action:8728
```

Chris Tarrant - 10/March/1999

Certainty level: 25%

This one might be aimed at me, or it might be tinged with a whiff of intent, although I only give one chance in four for Tarrant's thoughts being aimed at me when he said this. During his "Who wants to be a Millionaire" TV show in March 1999, he said;

if you're watching the show jumping up and down screaming at the telly, remember you could be here. You can either seek professional help or call us...

The background is as follows. In early March I'd sent a quantity of emails to Capital FM, the London radio station where Mr Tarrant has his breakfast show. They were addressed to the email account which Mr Tarrant used to read emails posted on Capital's website. Capital objected to the quantity of emails - in fact, they contacted the Metropolitan Police's Computer Crime unit, who, in turn, "felt my collar" by giving me a verbal warning over the phone to cease this behaviour.

The emails contained the words which I had heard Mr Tarrant speak in early 1994, namely;

"You know this bloke? He says we're trying to kill him.
We should be done for attempted manslaughter".

At the time of writing (May 1999), the Police have not told me what aspect of the emails was "illegal", nor despite my repeated urging have they questioned Mr Tarrant about his remarks from 1994.

Regarding the clip from Tarrant's show above. The Police spoke to me on the afternoon of Wednesday 10 March 1999. Tarrant's live show went out that same evening. The Police have told me that after speaking to me they told Capital FM that they'd spoken to me regarding the emails. So Tarrant would have known by the time of the show who'd sent the emails and why.... and it's quite possible that his remarks about "seeking professional help" were aimed at me personally following my attempts to persuade him to own up to his 1994 remarks.

235

--

Posted via NewsDemon.com - Premium Uncensored Newsgroup Service
------->>>>>>http://www.NewsDemon.com<<<<<<------
Unlimited Access, Anonymous Accounts, Uncensored Broadband Access

```
From 2730169621978271449
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!
newsfeed.fjserv.net!newsfeed.freenet.de!club-internet.fr!feedme-small.clubint.net!
news.netfinity.fr!news.side3.eu!nntpfeed.proxad.net!proxad.net!
feeder2-2.proxad.net!news.clara.net!wagner.news.clara.net!
pe1.news.blueyonder.co.uk!blueyonder!fe2.news.blueyonder.co.uk.POSTED!53ab2750!
not-for-mail
From: Chaney's Laptop <chaney@i12.com>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
In-Reply-To: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <ORpvi.50172$7c.16@fe2.news.blueyonder.co.uk>
Date: Sat, 11 Aug 2007 21:28:14 GMT
NNTP-Posting-Host: 82.37.192.200
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: fe2.news.blueyonder.co.uk 1186867694 82.37.192.200 (Sat, 11 Aug 2007
22:28:14 BST)
NNTP-Posting-Date: Sat, 11 Aug 2007 22:28:14 BST
Xref: g2news2.google.com rec.radio.amateur.equipment:696 uk.radio.amateur:11603
```

charlie wrote:
> I looking to buy a used all mode base rig for two metres at the end
> of year and am leaning towards an Icom IC820H. I have looked at the
> comments on eHam and it looks as if this rig is a favourite. I
> wonder if anyone has/had one and if they have any comments to make
> on the rig.
>
> TIA,
>
> Charlie.
>
> PS:I realise that a real radio amateur would buy a tin of biscuits,
> eat the biscuits and then build his own rig in the tin from a bag of
> components bought at his club's junk sale but I don't eat biscuits.
>

I've had a few VHF/UHF radio's over the years...Icom...Kenwood &
Yaesu...and I still have a FDK (don't ask)...The Yaesu FT-736R imo is
the tops...

PS: According to most on here a real radio amateur would have a "G" at
the beginning of his callsign!!!...

PPS: A real radio amateur wouldn't cross post!!!...according to most on
here...

From -4697965542050424973
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!w3g2000hsg.googlegroups.com!not-for-mail
From: Joe Analssandrini <analssandrinij@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-Called' GE Superadios ?
Date: Sat, 11 Aug 2007 16:35:48 -0700
Organization: http://groups.google.com
Lines: 89
Message-ID: <1186875348.943162.40180@w3g2000hsg.googlegroups.com>
References: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
NNTP-Posting-Host: 71.248.244.76
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186875349 15988 127.0.0.1 (11 Aug 2007 23:35:49 GMT)
X-Complaints-To: groups-abuse@google.com

```
NNTP-Posting-Date: Sat, 11 Aug 2007 23:35:49 +0000 (UTC)
In-Reply-To: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.6)
Gecko/20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w3g2000hsg.googlegroups.com; posting-host=71.248.244.76;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6952 rec.radio.amateur.equipment:697
rec.antiques.radio+phono:7047 alt.radio.broadcasting:597

On Aug 9, 8:51 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
> For One and All,
>  .
> Which Are The "Actual" GE Superadios ?
> - - - - -and- - - - -
> Which Are The 'So-Called' GE Superadios ?
>  .
> OK - Here are the actual GE Superadio Model Numbers :
>  .
> # 1 - GE {Superadio I}  Model # 7-2880
> "The Original" GE SUPERADIO I = "Super Radio"
> -but- It did not have The Words "Superadio" on the Radio [.]
> General Electric Model # 7-2880
> Speaker:  Single/One 5".
> Single Band Width.
> Knobs: Black Body with Chrome Base Ring.
> Size: 13"W - 9"H - 3.25"D
> Badging 'General (GE) Electric' on the speaker grill.
> Printed on the Tuning Band Scale: "Long Range" & "High Selectivity"
> Made in HONG KONG and other locations
>  .
> # 2 - GE Superadio I I  Model # 7-2885
> The GE SR II = GE SUPERADIO II = "Super Radio"
> General Electric Model # 7-2885
> Speakers: Dual 5" and 1".
> Single Band Width.
> Knobs:  Chrome (color) Body including the bases.
> Size 13"W - 9"H - 3.25"D.
> Badging: General (GE) Electric "SUPERADIO II" on the speaker grill.
> Printed on the Tuning Band Scale: "Long Range" & "High Selectivity"
> Made in MALAYSIA and other locations from 1987 until 1994.
>  .
> # 3 - GE Superadio I I I  Model # 7-2887
> The GE SR III = GE SUPERADIO III = "Super Radio"
> General Electric Model # 7-2887
> Speakers: Dual 6" & 1.5".
> Dual Band Widths: Wide & Normal.
> Knobs: Black Body with Chrome Base Ring.
> Size: 13.5"W - 9"H - 3.75"D.
> Badging: "GE" Square on the speaker grill.
> Printed on the Tuning Band Scale: "Long Range" & "High Selectivity"
> Made In CHINA ?
```

> .
> Here are some 'so-called' GE "Superadio" Model Numbers
> they are either Digital / Cassette / Boom Boxes /Radios :
> Series - 3-6015 / 3-6025 / 3-6045
> Series - 3-5266 / 3-5268 / 3-5280
> .
> Model # 3-5280 is the so-called GE {Superadio} Cassette
> .
> Model # 7-2882 is the so-called GE Digital {Superadio} Plus
> .
> Then there is the 'so-called' GE "Superadio" CUB
> Model Number 7-2881 that was 'smaller' than the
> GE Superadios and used "C" Batteries
> .
> NOTE - The Radio Shack Optimus Models #s 12-603
> and/ 12-903 may be 'look-a-likes' on the outside
> -but- They do not have the GE Superadios Circuity
> on the inside [.]
> .
> READ THESE "REC.RADIO.SHORTWAVE" MESSAGES
> .
> GE Superadios for Dummies [Was: OT: Superadio ID]http://groups.google.com/group/rec.radio.shortwave/msg/0d2291622654ceff
> .
> GE Superadios for Dummies [GE Super Radios I - II - III]http://groups.google.com/group/rec.radio.shortwave/msg/b040155dce5df31c
> .
> A Compilation of GE Superadio Postshttp://groups.google.com/group/rec.radio.shortwave/msg/2518c853aaf62053
> .
> .
> the ge model 7-2885 is in-fact a super radio
> -and- imho the best of the best ~ RHF
> .
> .
> . .

Dear "RHF,"

There were two variants of the original GE Superadio Model 7-2880: the first one without a strap to hold the batteries in place (they fall out if the battery cover is even loose) and no antenna screw terminals, and the second one with both of those improvements. Otherwise, the two variants are identical and carry the same model number.

Best,

Joe

From 8201246618196070976

X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!62.216.30.27.MISMATCH!newsgate.cistron.nl!xs4all!
transit3.news.xs4all.nl!post2.news.xs4all.nl!newszilla.xs4all.nl!not-for-mail
From: iwouldntknow <iwouldntknow@iwouldntknow.nospam.no>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Sun, 12 Aug 2007 11:26:23 +0000
Reply-To: iwouldntknow@iwouldntknow.nospam.no
Message-ID: <q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
NNTP-Posting-Host: 82.92.74.203
X-Trace: 1186917964 dreader24.news.xs4all.nl 21203 82.92.74.203:61337
Xref: g2news2.google.com rec.radio.amateur.equipment:698 uk.radio.amateur:11680

On Sat, 11 Aug 2007 19:37:13 +0100, charlie <wehatespam@wymsey.co.uk> wrote:

>I looking to buy a used all mode base rig for two metres at the end
>of year and am leaning towards an Icom IC820H. I have looked at the
>comments on eHam and it looks as if this rig is a favourite. I
>wonder if anyone has/had one and if they have any comments to make
>on the rig.
>
>TIA,
>
>Charlie.
>
>PS:I realise that a real radio amateur would buy a tin of biscuits,
>eat the biscuits and then build his own rig in the tin from a bag of
>components bought at his club's junk sale but I don't eat biscuits.

If you're looking for used, give preference to radio's which have a Mutek front-end build in.

I prefer the Yaesu FT736-R (with Mutek) over many other radio's, however this is personal.
Guess the fact that you don't often see them used is a sign?
If you want the very best look for something like a TS850+transverter (SSB Electronics LT2+ or DB6NT) but that will cost you.

To get into the VHF scene in Europe check into the ON4KST site at www.on4kst.com/chat Lots of info can be gotten there as well as real-time propagation and activity info.

```
From 5852946238452308134
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-
mail
From:  m5pro@hotmail.com
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Sun, 12 Aug 2007 05:48:21 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1186922901.018997.42930@57g2000hsv.googlegroups.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
   <q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
NNTP-Posting-Host: 86.146.43.7
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186922901 23580 127.0.0.1 (12 Aug 2007 12:48:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Aug 2007 12:48:21 +0000 (UTC)
In-Reply-To: <q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=86.146.43.7;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:699 uk.radio.amateur:11684
```

On 12 Aug, 12:26, iwouldntknow <iwouldntk...@iwouldntknow.nospam.no>
wrote:

> If you want the very best look for something like a TS850+transverter (SSB
Electronics
> LT2+ or DB6NT) but that will cost you.

I haven't found a single second hand SSB LT2S or DB6NT TR144H for sale
in the last 4 years, so good luck!

Jack

```
From 8999665270521713167
X-Google-Thread: 108122,f8e6231eb0747fc5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!feeder.news.tin.it!
spool.news.tin.it!not-for-mail
From: "Nembo Kid" <nemNONONONObok_@libero.it>
Newsgroups: rec.radio.amateur.equipment
Subject: JRC JST 135 HP
Date: Sun, 12 Aug 2007 15:39:18 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 10
Message-ID: <46bf0d87$0$17953$4fafbaef@reader1.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.6.73.108
X-Trace: 1186925959 reader1.news.tin.it 17953 87.6.73.108:49533
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:700

Hi.
I found used a perfect JRC 135. Seller says it's a, so called, HP version,
an evolution with a lot of enhancements, recognizable from white dots on
radio knobs.
Can someone explain differences between standard and HP version and  ways to
identify both radios (maybe serial number).
Thank's for anwers.
Rob.




From 7401876927118082622
X-Google-Thread: 106d41,e25f8e7e7f7cc3a1
X-Google-Thread: 108122,5f4b546f0161ebac,start
X-Google-Thread: fc2a5,5f4b546f0161ebac,start
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j4g2000prf.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax has Arrived... Introductory Priced on Ebay
Date: Sun, 12 Aug 2007 08:30:33 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1186932633.661667.170370@j4g2000prf.googlegroups.com>
References: <1186168563.032053.11960@i13g2000prf.googlegroups.com>
   <46b3b6e5_3@mk-nntp-2.news.uk.tiscali.com>
   <1186231447.136481.50550@q3g2000prf.googlegroups.com>
   <u8gkb3di4k2jc329q4l96h2la6ba8kcm67@4ax.com>
   <1186615639.897400.127530@i13g2000prf.googlegroups.com>
   <rb6mb31ubltji64j2lcnflr3an2gp8n7sb@4ax.com>
   <de6mb3lhn4h14j4mmlblmqtsu6h9sum2mp@4ax.com>
NNTP-Posting-Host: 76.197.238.140
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186932634 23894 127.0.0.1 (12 Aug 2007 15:30:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Aug 2007 15:30:34 +0000 (UTC)
In-Reply-To: <de6mb3lhn4h14j4mmlblmqtsu6h9sum2mp@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000prf.googlegroups.com; posting-host=76.197.238.140;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:2618 rec.radio.amateur.equipment:701
rec.radio.amateur.homebrew:726
```

On Aug 9, 8:43 am, M...@TayleorRobesin.org wrote:

> "one useless man is disgrace 2 become a law firm 3 or more become a congress"

I think this should really read...

"one useless post is disgrace 2 become a nuisance 3 or more become a
CB NG"

```
From 6864180125994889054
X-Google-Thread: 108122,99788002e3bafeee,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Adding DSP IF filters to commercial radios
Date: Sun, 12 Aug 2007 12:08:29 -0400
Organization: MV Communications, Inc.
Lines: 36
Message-ID: <pan.2007.08.12.16.08.28.328261@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1186934909 37352 207.22.49.17 (12 Aug 2007 16:08:29 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 12 Aug 2007 16:08:29 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:702
```

Good afternoon, all...

Have any of you seen any magazine articles or web sites that discuss adding IF DSP filtering to any off-the-shelf commercial radios?

I have an Icom IC-735 and Yaesu FT-1000 that could benefit from that treatment (even though I gotta say the noise blanker in the IC-735 is amazing for 25+ year old technology).

Conceptually it doesn't seem like it should be too difficult... tap in to the IF stream somewhere, direct it out to an external DSP box (or perhaps even a small internal DSP board if there is room... I think the 735 has enough internal room for that) and then the output of the DSP board goes back into the IF stream.

I have 30+ years' experience in software development, mostly real time systems, but none at all in DSPs so I thought this might be a good DSP project for me to learn on.

But, I'd like to read up on whatever results others might have had in doing similar efforts.

Any thoughts on that would be appreciated...

Rick WA1RKT

= = = = =

Eric Poole
RKT Technologies, Inc.
Londonderry, NH, USA
Providing software development consulting and services
to government and industry since 1979.
On the Web: http://www.rkt-tech.com

From 3431766327727834206
X-Google-Thread: 108122,84de5bdf4e4cbb7f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Info needed on Icom IC-735 internal keyer option
Date: Sun, 12 Aug 2007 12:13:27 -0400
Organization: MV Communications, Inc.
Lines: 14
Message-ID: <pan.2007.08.12.16.13.26.156257@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit

X-Trace: pyrite.mv.net 1186935208 37525 207.22.49.17 (12 Aug 2007 16:13:28 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 12 Aug 2007 16:13:28 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:703

I'd like to design and build a CW keyer board to install in my IC-735 ... last one I saw on ebay went for like $160 and I don't think I'm going to pay that... :-)

Anybody know where I can get enough information on the interface to the radio to do that, along with perhaps the right connectors to mate with whatever the connections are in the radio?

Or, does anyone know of an aftermarket keyer board that's available for something a bit more reasonable than $160?

Thanks...

From 8307973031792639836
X-Google-Thread: 108122,7998dc17eed8b2ea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!news.aliant.net!not-for-mail
From: "Kevin Hastings" <myfamilydotcom@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1186084751.533649.176800@d30g2000prg.googlegroups.com>
Subject: Re: RF Grounding Dilemmas
Date: Sun, 12 Aug 2007 14:37:46 -0300
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 66
Message-ID: <46bf4570$0$4065$9a566e8b@news.aliant.net>
NNTP-Posting-Host: 156.34.248.26
X-Complaints-To: abuse@aliant.net
Xref: g2news2.google.com rec.radio.amateur.equipment:704

Andrio - Your situation is axactly like mine. G5RV, 2nd floor etc. The only difference is that there is so much rock all around my property hat in most cases I cannnot get an 18" ground rod down either   After much experimentaton, here's what I settled on:

Antennas:
I use an 80 m dipole with 'big ugly balun' and its coax shield is bonded to a 40' large diameter aluminium cable buried in a 18" ditch.

I use a 20 m dipole with 'big ugly balun' and its coax shield is bonded to ther 40' aluminium cable buried in the ditch.
I use an old 5-band cushcraft vertical with 15 radial wires laid out in a hub-and-spoke pattern - and the coax shield of the vertical is bonded to the same ground as all the other antennas before entering the house.

I had been using a G5RV but could never get a good VSWR and typically had RFI around the house.

These antennas are ~40' from the shack and work as well as, or better than the G5RV. Also, the G5RV tended to have more noise on receive (probably as a result of it being closer to the house). The RFI in the house problem has diminished. The G5RV was supposed to have the twin-lead portion laid out directly under the antenna (vertical) and I never could accomodate that very well given that the antenna was 28' up and the twin-lead was longer.

Grounding: Grounded the radio on the AC ground inside the shack Rig has auto antenna tuner so that's the best I can do. I use a PC in the shack and it is well bonded to the same copper connection plate as the radios - and a single line from that plate to the ground pin on the nearest AC receptacle.
I get no interference into the HF radio from PC or vice-versa.

I've experimented with a MFJ RF isolator and not seen any improvement. Keep us informed on whjat you decide to do - maybe some suggestions you get could help me optimize this shack as well.

73

Kevin
VE9-XYZ

"Andiroo" <a.richman@btinternet.com> wrote in message
news:1186084751.533649.176800@d30g2000prg.googlegroups.com...
> All
>
> I have just installed a 1/2 wave G5RV dipole at approx. 30 ft above
> ground. My shack is in the back of the house but on the second floor
> (effectively in the roof of the house) above the garden but due to the
> house design i think i would struggle to have a RF ground wire of less
> than 30-40 feet.
>
> Based on above discussions should I :
>
> 1) fit a ground rod and run this up to the shack even though its a
> long way up along various walls
>
> 2) buy an articial ground unit such as the MFJ-931
>
> 3) forget about it and make do without a ground.
>
> I am pretty thoroughly confused.
>
> Thanks

```
>
> Andy
>




From 3005338885227567432
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Aug 2007 13:48:37 -0500
From: Wes Stewart <*n7ws*@ yahoo.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Sun, 12 Aug 2007 18:48:19 +0000
Message-ID: <29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.186.85
X-Trace: sv3-yhf2o3vvCUJIXUPt3X4T+winTMbrAxs7hRrCI8kNO2VN4G/
ICHuZ3IAbJ8qUTxaeV7FpbPighZd1lV0!
h6Vpn5p4agmNf5NExffPg6OmGIPYBJ4aNTvCMMEiQOEfRJlJAMMvlHC1q6OGpGIXebnpqo92W5cQ!
mM51nCMz3yxO14g9u4JFH9P/vnTC
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:705 uk.radio.amateur:11728

On Sun, 12 Aug 2007 05:48:21 -0700, m5pro@hotmail.com wrote:

|On 12 Aug, 12:26, iwouldntknow <iwouldntk...@iwouldntknow.nospam.no>
|wrote:
|
|> If you want the very best look for something like a TS850+transverter (SSB
Electronics
|> LT2+ or DB6NT) but that will cost you.
|
|I haven't found a single second hand SSB LT2S or DB6NT TR144H for sale
```

```
|in the last 4 years, so good luck!


I have the guts of an LT2S, a TV 28-144 and PA1441 for sale for
$225.00 USD + Shipping.


Wes  N7WS


From -4206468580934922589
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!newsfeed.kamp.net!
newsfeed.kamp.net!news.ett.com.ua!news2.arglkargh.de!news.dizum.com!sewer-output!
mail2news-x3!mail2news-x2!mail2news
From: George Orwell <nobody@mixmaster.it>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>
Message-ID: <26f144d12bd53031be2426755dceb551@mixmaster.it>
Date: Sun, 12 Aug 2007 22:35:48 +0200 (CEST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.shortwave:7023 rec.radio.amateur.equipment:706
rec.radio.amateur.boatanchors:915

In article <slrnfa1ind.2355.bit-bucket@shell.config.com>
Spam Trap <bit-buc...@config.com> wrote:
>
> On Fri, 20 Jul 2007 08:40:10 -0600 (MDT), Ted wrote:
> > eBay: http://easyurl.net/R390A
>
> "eBay users may not post on Usenet groups (Internet newsgroups) to
> advertise eBay or an eBay listing that is inappropriate or violates
> the Usenet board policy. If Usenet abuse is reported to eBay, we may
> among other remedies remove the listing, issue a warning, or suspend
> the user's eBay account."
>   --  http://pages.ebay.com/help/welcome/usenet-policy.html

bad link


Il mittente di questo messaggio  |The sender address of this
non corrisponde ad un utente     |message is not related to a real
reale ma all'indirizzo fittizio  |person but to a fake address of an
di un sistema anonimizzatore     |anonymous system
Per maggiori informazioni        |For more info
```

```
From -6811519026090579503
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 12 Aug 2007 17:10:13 -0500
From: "LVN" <gareth.paley@gmail.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
Subject: Re: 2m All Mode Rig
Date: Sun, 12 Aug 2007 23:10:11 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
Lines: 41
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 86.140.253.249
X-AuthenticatedUsername: NoAuthUser
X-Trace:
sv3-23QrADqT38OUsVMbqzr0uxdZVUQTf2QRx1AVY5t03nyvzSCU+t8KDTd7IkK5c72N7h6avbhAsXwAcF
n!U73MVx4Jm/gRkLzup8s6r7PRAHzUvE64rxKjlU2G+a6x9UE/csNrxEypR7mUQOy6ExhDOWVj/+EC
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:707 uk.radio.amateur:11752


"Wes Stewart" <*n7ws*@ yahoo.com> wrote in message
news:29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com...
> On Sun, 12 Aug 2007 05:48:21 -0700, m5pro@hotmail.com wrote:
>
> |On 12 Aug, 12:26, iwouldntknow <iwouldntk...@iwouldntknow.nospam.no>
> |wrote:
> |
> |> If you want the very best look for something like a TS850+transverter
> (SSB Electronics
> |> LT2+ or DB6NT) but that will cost you.
```

> |
> |I haven't found a single second hand SSB LT2S or DB6NT TR144H for sale
> |in the last 4 years, so good luck!
>
>
> I have the guts of an LT2S, a TV 28-144 and PA1441 for sale for
> $225.00 USD + Shipping.
>
>
> Wes N7WS

Time was the ICOM 751 (with Mutek) was the only VHR multiband to have.

My 736 is deaf as a post on 70cm, BTW. Good job it has a mast head pre-amp
switch (and power thru the antenna socket) on the front panel - it certainly
needs it. Not so on 2 or 6m though.

--
--
10-10 de G1LVN
--
My call is M0WWS. I had an accident,
and I woke up in uk.radio.amateur.
Am I mad, in a coma, or back in time?

Amateur Radio - social networking since 1897

From 9219824165949983775
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 12 Aug 2007 17:13:02 -0500
From: "LVN" <gareth.paley@gmail.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
Subject: Re: 2m All Mode Rig
Date: Sun, 12 Aug 2007 23:12:59 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <bsudnSjeXJtzGCLbnZ2dnUVZ8qKvnZ2d@bt.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 86.140.253.249
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-G3EIyjCSCK80MxMSX2Dz1+I2veW5fWB1MlDzhTEW9/pOOixoPyl2/
NfDgRAOhIE1vxig05QBouVoryQ!sT1yhB8fH3DSaRcnq/
mb75cnY8UQxq6s066njd2ZBabxI3sMZCu7+v5ATpBvWBvlfplfEDAVqfmq
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:708 uk.radio.amateur:11753


"LVN" <gareth.paley@gmail.com> wrote in message
news:GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com...
>
> Time was the ICOM 751 (with Mutek) was the only VHR multiband to have.

<meant> VHF </meant>



--
--
10-10 de G1LVN
--
My call is M0WWS. I had an accident,
and I woke up in uk.radio.amateur.
Am I mad, in a coma, or back in time?
------------------------------------------------------
Amateur Radio - social networking since 1897




From 2975749787880018004
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/ feeded by 88.191.60.17
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.side3.eu!dedekind.zen.co.uk!zen.net.uk!
demorgan.zen.co.uk!reader02.news.zen.co.uk.POSTED!not-for-mail
From: "DieSea" <DieSea.NoSpamPlease@nnttwlwoorrlldd.ccoomm>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
```

```
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
<bsudnSjeXJtzGCLbnZ2dnUVZ8qKvnZ2d@bt.com>
Subject: Re: 2m All Mode Rig
Date: Sun, 12 Aug 2007 23:59:37 +0100
Organization: No Spam Wanted Thanks
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 30
Message-ID: <46bf90c6$0$15218$fa0fcedb@news.zen.co.uk>
NNTP-Posting-Host: d9ee8875.news.zen.co.uk
X-Trace:
DXC=kl3_V]TJaIZTQOo@SCFGj^YjZGX^207P[`<MJMoM3PF]NGH<b\7OP`Q^F:a]`j572W[SOI\N7`R[Xk
ML7B7EO:hZ
X-Complaints-To: abuse@zen.co.uk
Xref: g2news2.google.com rec.radio.amateur.equipment:709 uk.radio.amateur:11759
```

"LVN" <gareth.paley@gmail.com> wrote in message
news:bsudnSjeXJtzGCLbnZ2dnUVZ8qKvnZ2d@bt.com...

> "LVN" <gareth.paley@gmail.com> wrote in message
> news:GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com...
>
>> Time was the ICOM 751 (with Mutek) was the only VHR multiband to have.
>
> <meant> VHF </meant>
>
> --
> --
> 10-10 de G1LVN
> --
> My call is M0WWS. I had an accident,
> and I woke up in uk.radio.amateur.
> Am I mad, in a coma, or back in time?
> --
> Amateur Radio - social networking since 1897

You must watch your speiling gareth

some one could mistake you for _some one_south_of _THAT_river

DieSea

From -2169433089389214O1
X-Google-Thread: 108122,99788002e3bafeee
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Aug 2007 18:15:25 -0500
From: "Edward Feustel" <efeustel@hughes.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.08.12.16.08.28.328261@from.qrz.com>
Subject: Re: Adding DSP IF filters to commercial radios
Date: Sun, 12 Aug 2007 19:14:36 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <wridnenMp-wSCSLbnZ2dnUVZ_oesnZ2d@giganews.com>
Lines: 67
X-Usenet-Provider: http://www.giganews.com
X-Trace:
sv3-2LR42gq0vjOItkI0aVkKeliUXeHRN7DT0xrPbIiOjo5cVeRRAl6V54SeR45YTuPp5PCj4ip0BbPvnz
G!ulOKCZ5RsNz81ipdpUgzHWnjhrStybSMqCocdZkAwqWLNphbnVYQRqcorqiYhteoFNMd1YXIfiOv
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:710

"Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote in message
news:pan.2007.08.12.16.08.28.328261@from.qrz.com...
>
> Good afternoon, all...
>
> Have any of you seen any magazine articles or web sites that discuss
> adding IF DSP filtering to any off-the-shelf commercial radios?
>
> I have an Icom IC-735 and Yaesu FT-1000 that could benefit from that
> treatment (even though I gotta say the noise blanker in the IC-735 is
> amazing for 25+ year old technology).
>
> Conceptually it doesn't seem like it should be too difficult... tap in to
> the IF stream somewhere, direct it out to an external DSP box (or perhaps
> even a small internal DSP board if there is room... I think the 735 has
> enough internal room for that) and then the output of the DSP board goes
> back into the IF stream.
>
> I have 30+ years' experience in software development, mostly real time
> systems, but none at all in DSPs so I thought this might be a good DSP

> project for me to learn on.
>
> But, I'd like to read up on whatever results others might have had in
> doing similar efforts.
>
> Any thoughts on that would be appreciated...
>
> Rick WA1RKT
>
> = = = = =
>
> Eric Poole
> RKT Technologies, Inc.
> Londonderry, NH, USA
> Providing software development consulting and services
> to government and industry since 1979.
> On the Web: http://www.rkt-tech.com
>

Rick,
It really depends on what you want to do.
If you just want to add it for receiving it is not hard to add except
that the AGC in most receivers is not set up to limit the voltage applied
to the first analog to digital converter. This needs to be done badly.
Filtering, amplification, detection, and audio processing can be done
straightforwardly. However, you will have to add or subtract Hz from
or add them to your frequency display yourself! Further because of
the filters that come before your ADC, you probably will not have as
good a control over the phase of the pass band as you could with a
different design. Probably simplest to just buy a T-T Jupiter and
use its general coverage characteristics right after the first IF of your
rig.
Now if you also want to add the DSP to the transmitting part, it gets even
more
complicated.

Full integration achieves much, much more than an IF strip DSP add-on,
as my Orion 565 has shown me. Take a look at its architecture or the
Flexradio 1000/5000
or the Omni VII or the Elecraft K3 for examples of what you get. If you
want
to program, you might want to get a Flexradio SDR 1000 which has an open
source code version.
73,
Ed, N5EI

From -5116556673684830216
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!postnews.google.com!q75g2000hsh.googlegroups.com!not-for-
mail
From:  Graham <g0nbd@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Sun, 12 Aug 2007 16:27:14 -0700
Organization: http://groups.google.com
Lines: 47
Message-ID: <1186961234.771764.194750@q75g2000hsh.googlegroups.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
   <q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
   <1186922901.018997.42930@57g2000hsv.googlegroups.com>
   <29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
   <GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
   <bsudnSjeXJtzGCLbnZ2dnUVZ8qKvnZ2d@bt.com>
   <46bf90c6$0$15218$fa0fcedb@news.zen.co.uk>
NNTP-Posting-Host: 91.109.30.239
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186961234 8341 127.0.0.1 (12 Aug 2007 23:27:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Aug 2007 23:27:14 +0000 (UTC)
In-Reply-To: <46bf90c6$0$15218$fa0fcedb@news.zen.co.uk>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q75g2000hsh.googlegroups.com; posting-host=91.109.30.239;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:711 uk.radio.amateur:11760

On Aug 12, 11:59 pm, "DieSea"
<DieSea.NoSpamPle...@nnttwlwoorrlldd.ccoomm> wrote:
> "LVN" <gareth.pa...@gmail.com> wrote in message
>
> news:bsudnSjeXJtzGCLbnZ2dnUVZ8qKvnZ2d@bt.com...
>
>
>
>
>
>
>
> > "LVN" <gareth.pa...@gmail.com> wrote in message
> >news:GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com...
>
> >> Time was the ICOM 751 (with Mutek) was the only VHR multiband to have.
>
> > <meant> VHF </meant>
>
> > --
> > --
> > 10-10 de G1LVN
```

> > --
> > My call is M0WWS. I had an accident,
> > and I woke up in uk.radio.amateur.
> > Am I mad, in a coma, or back in time?
> > --
> > Amateur Radio - social networking since 1897
>
> You must watch your speiling gareth
>
> some one could mistake you for _some one_south_of _THAT_river
>
> DieSea- Hide quoted text -
>
> - Show quoted text -

The FT480-R was a good radio but the push switches on the front panel
are worked by conductive 'rubber' which , now , are starting to fall
appart .allong with other funny faults occuring . nice set for your
qrz.com blag photo , bet there's not many who have the 480/780 and
the combined stand/power supply unit , would polish up a treat :-)

G ..

```
From -4581967139823922137
X-Google-Thread: 106d41,e25f8e7e7f7cc3a1
X-Google-Thread: 108122,5f4b546f0161ebac
X-Google-Thread: fc2a5,5f4b546f0161ebac
X-Google-Thread: 10bf43,7f678860cf334d7f
X-Google-Thread: 10f7a7,7f678860cf334d7f
X-Google-Thread: 1135a8,e34b739459a1ee59,start
X-Google-Thread: 10e66a,e34b739459a1ee59,start
X-Google-Attributes:
gid106d41,gid108122,gidfc2a5,gid10bf43,gid10f7a7,gid1135a8,gid10e66a,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "21W2319" <21W2319@HFint.org>
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amat
eur.policy,alt.usenet.kooks,alt.autos.mini,alt.radio.family
References: <1186168563.032053.11960@i13g2000prf.googlegroups.com>
<46b3b6e5_3@mk-nntp-2.news.uk.tiscali.com>
<1186231447.136481.50550@q3g2000prf.googlegroups.com>
<u8gkb3di4k2jc329q4l96h2la6ba8kcm67@4ax.com>
<1186615639.897400.127530@i13g2000prf.googlegroups.com>
<rb6mb31ubltji64j2lcnflr3an2gp8n7sb@4ax.com>
<de6mb3lhn4h14j4mmlblmqtsu6h9sum2mp@4ax.com>
<1186932633.661667.170370@j4g2000prf.googlegroups.com>
```

```
In-Reply-To: <1186932633.661667.170370@j4g2000prf.googlegroups.com>
Subject: Re: VoiceMax has Arrived... Introductory Priced on Ebay
Date: Sun, 12 Aug 2007 20:17:45 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Lines: 18
Message-ID: <46bfa624$0$25252$88260bb3@free.teranews.com>
NNTP-Posting-Date: 13 Aug 2007 00:30:29 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 15
Xref: g2news2.google.com rec.radio.cb:2662 rec.radio.amateur.equipment:712
rec.radio.amateur.homebrew:735 rec.radio.amateur.policy:6779
alt.usenet.kooks:51300 alt.autos.mini:1377 alt.radio.family:115


"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1186932633.661667.170370@j4g2000prf.googlegroups.com...
> On Aug 9, 8:43 am, M...@TayleorRobesin.org wrote:
>> "one useless man is disgrace 2 become a law firm 3 or more become a
>> congress"
>
>
> I think this should really read...
>
> "one useless post is disgrace 2 become a nuisance 3 or more become a
> CB NG"
>
INDEED!!!!!!!!!


--
Posted via a free Usenet account from http://www.teranews.com




From 5309099353319011552
X-Google-Thread: 10dafd,d5cf07092f3333a9,start
X-Google-Thread: 112acb,d5cf07092f3333a9,start
X-Google-Thread: 1113b0,d5cf07092f3333a9,start
X-Google-Thread: 108122,d5cf07092f3333a9,start
X-Google-Thread: 1062f2,d5cf07092f3333a9,start
X-Google-Attributes:
gid10dafd,gid112acb,gid1113b0,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!chuck
```

```
From: Chuck <chuck@cclkjocqac.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,rec.r
adio.amateur.equipment,misc.industry.electronics.marketplace
Subject: FA: 3 Books: HAM RADIO, ARRL ANTENNA BOOK, TUNE IN THE WORLD WITH HAM
RADIO, etc.
Date: Sun, 12 Aug 2007 21:32:44 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <120820072132446721%chuck@cclkjocqac.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1186968765 49098 75.67.219.196 (13 Aug 2007 01:32:45 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 13 Aug 2007 01:32:45 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:282308
alt.marketplace.books:2300 rec.arts.books.marketplace:1115
rec.radio.amateur.equipment:713 misc.industry.electronics.marketplace:75


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320147319976


From 6000633604633863578
X-Google-Thread: 10dafd,294baaa7c9920cb5,start
X-Google-Thread: 112acb,294baaa7c9920cb5,start
X-Google-Thread: 1113b0,294baaa7c9920cb5,start
X-Google-Thread: 108122,294baaa7c9920cb5,start
X-Google-Thread: 1062f2,294baaa7c9920cb5,start
X-Google-Attributes:
gid10dafd,gid112acb,gid1113b0,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!chuck
From: Chuck <chuck@cclkjocqac.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,rec.r
adio.amateur.equipment,misc.industry.electronics.marketplace
Subject: FA: 6 Books: DIGITAL and ANALOG ELECTRONICS - Top Textbooks Cheap!
Date: Sun, 12 Aug 2007 21:33:28 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <120820072133289364%chuck@cclkjocqac.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1186968810 49098 75.67.219.196 (13 Aug 2007 01:33:30 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 13 Aug 2007 01:33:30 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
```

```
Xref: g2news2.google.com alt.marketplace.online.ebay:282310
alt.marketplace.books:2302 rec.arts.books.marketplace:1117
rec.radio.amateur.equipment:714 misc.industry.electronics.marketplace:76


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320147320016


From 2029179806014117483
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Spam Trap <bit-bucket@config.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: 13 Aug 2007 01:50:24 GMT
Lines: 18
Message-ID: <slrnfbve70.1l2r.bit-bucket@shell.config.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>
<26f144d12bd53031be2426755dceb551@mixmaster.it>
X-Trace: individual.net PyKU83U5oH8jFa0vzoMl4wHKbwHyZ2xHVIkKTPgnwcyesKjQwk
Cancel-Lock: sha1:wnq9SgUzqA7WyD+HmOGyTcri15g=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.shortwave:7038 rec.radio.amateur.equipment:715
rec.radio.amateur.boatanchors:918

["Followup-To:" header set to rec.radio.amateur.equipment.]
On Sun, 12 Aug 2007 22:35:48 +0200 (CEST), George Orwell wrote:
> In article <slrnfa1ind.2355.bit-bucket@shell.config.com>
> Spam Trap <bit-buc...@config.com> wrote:
>>
>> On Fri, 20 Jul 2007 08:40:10 -0600 (MDT), Ted wrote:
>> > eBay: http://easyurl.net/R390A
>>
>> "eBay users may not post on Usenet groups (Internet newsgroups) to
>> advertise eBay or an eBay listing that is inappropriate or violates
>> the Usenet board policy. If Usenet abuse is reported to eBay, we may
>> among other remedies remove the listing, issue a warning, or suspend
>> the user's eBay account."
>>   --  http://pages.ebay.com/help/welcome/usenet-policy.html
>
> bad link

     --  http://pages.ebay.com/help/usenet_policy.html


From 8344104863038602828
```

```
X-Google-Thread: 106d41,e25f8e7e7f7cc3a1
X-Google-Thread: 108122,5f4b546f0161ebac
X-Google-Thread: fc2a5,5f4b546f0161ebac
X-Google-Thread: 10bf43,7f678860cf334d7f
X-Google-Thread: 10f7a7,7f678860cf334d7f
X-Google-Thread: 10e66a,e34b739459a1ee59
X-Google-Thread: f7645,27a1566faafef04b,start
X-Google-Thread: 1135a8,e34b739459a1ee59
X-Google-Attributes:
gid106d41,gid108122,gidfc2a5,gid10bf43,gid10f7a7,gid10e66a,gidf7645,gid1135a8,publ
ic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "KBZQ-3917" <bs@nomail.mfu>
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amat
eur.policy,alt.usenet.kooks,alt.radio.family,alt.support.child-protective-
services,alt.autos.mini
References: <1186168563.032053.11960@i13g2000prf.googlegroups.com>
<46b3b6e5_3@mk-nntp-2.news.uk.tiscali.com>
<1186231447.136481.50550@q3g2000prf.googlegroups.com>
<u8gkb3di4k2jc329q4l96h2la6ba8kcm67@4ax.com>
<1186615639.897400.127530@i13g2000prf.googlegroups.com>
<rb6mb31ubltji64j2lcnflr3an2gp8n7sb@4ax.com>
<de6mb3lhn4h14j4mmlblmqtsu6h9sum2mp@4ax.com>
<1186932633.661667.170370@j4g2000prf.googlegroups.com>
<46bfa624$0$25252$88260bb3@free.teranews.com>
In-Reply-To: <46bfa624$0$25252$88260bb3@free.teranews.com>
Subject: Re: VoiceMax has Arrived... Marqueer Introductory !!
Date: Sun, 12 Aug 2007 21:49:00 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Lines: 24
Message-ID: <46bfbb84$0$16300$88260bb3@free.teranews.com>
NNTP-Posting-Date: 13 Aug 2007 02:01:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.cb:2665 rec.radio.amateur.equipment:716
rec.radio.amateur.homebrew:738 rec.radio.amateur.policy:6790
alt.usenet.kooks:51335 alt.radio.family:119 alt.support.child-protective-
services:6457 alt.autos.mini:1382
```

"21W2319" <21W2319@HFint.org> wrote in message
news:46bfa624$0$25252$88260bb3@free.teranews.com...

```
>
> "Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
> news:1186932633.661667.170370@j4g2000prf.googlegroups.com...
>> On Aug 9, 8:43 am, M...@TayleorRobesin.org wrote:
>>> "one useless man is disgrace 2 become a law firm 3 or more become a
>>> congress"
>>
>>
>> I think this should really read...
>>
>> "one useless post is disgrace 2 become a nuisance 3 or more become a
>> CB NG"
>>
> INDEED!!!!!!!!!!
>
> --
> Posted via a free Usenet account from http://www.teranews.com

indeed!
>



--
Posted via a free Usenet account from http://www.teranews.com




From -8044415653820529122
X-Google-Thread: 106d41,e25f8e7e7f7cc3a1
X-Google-Thread: 108122,5f4b546f0161ebac
X-Google-Thread: fc2a5,5f4b546f0161ebac
X-Google-Thread: 10bf43,7f678860cf334d7f
X-Google-Thread: 10f7a7,7f678860cf334d7f
X-Google-Thread: 10e66a,e34b739459a1ee59
X-Google-Thread: f7645,27a1566faafef04b
X-Google-Thread: 1135a8,e34b739459a1ee59
X-Google-Attributes:
gid106d41,gid108122,gidfc2a5,gid10bf43,gid10f7a7,gid10e66a,gidf7645,gid1135a8,publ
ic,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@TayleorRobesin.org
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amat
eur.policy,alt.usenet.kooks,alt.radio.family,alt.support.child-protective-
services,alt.autos.mini
Subject: Re: VoiceMax has Arrived..
Date: Mon, 13 Aug 2007 00:19:00 -0400
Message-ID: <usmvb3hfr1570h0ed4djikc93p2gmrbd67@4ax.com>
References: <46b3b6e5_3@mk-nntp-2.news.uk.tiscali.com>
<1186231447.136481.50550@q3g2000prf.googlegroups.com>
<u8gkb3di4k2jc329q4l96h2la6ba8kcm67@4ax.com>
```

```
<1186615639.897400.127530@i13g2000prf.googlegroups.com>
<rb6mb31ubltji64j2lcnflr3an2gp8n7sb@4ax.com>
<de6mb3lhn4h14j4mmlblmqtsu6h9sum2mp@4ax.com>
<1186932633.661667.170370@j4g2000prf.googlegroups.com>
<46bfa624$0$25252$88260bb3@free.teranews.com>
<46bfbb84$0$16300$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
NNTP-Posting-Date: 13 Aug 2007 03:27:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.cb:2667 rec.radio.amateur.equipment:717
rec.radio.amateur.homebrew:739 rec.radio.amateur.policy:6793
alt.usenet.kooks:51357 alt.radio.family:120 alt.support.child-protective-
services:6462 alt.autos.mini:1383

On Sun, 12 Aug 2007 21:49:00 -0500, "KBZQ-3917" <bs@nomail.mfu> wrote:

>
>"21W2319" <21W2319@HFint.org> wrote in message
>news:46bfa624$0$25252$88260bb3@free.teranews.com...
>>

>> --
>> Posted via a free Usenet account from http://www.teranews.com
>
>indeed!
>>
indeed what?

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

G

--
Posted via a free Usenet account from http://www.teranews.com



From -2016800016525053057
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!19g2000hsx.googlegroups.com!not-for-
mail
```

From: m5pro@hotmail.com
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Mon, 13 Aug 2007 01:58:58 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1186995538.320976.168870@19g2000hsx.googlegroups.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
   <q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
   <1186922901.018997.42930@57g2000hsv.googlegroups.com>
   <29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
NNTP-Posting-Host: 86.146.43.7
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186995538 16631 127.0.0.1 (13 Aug 2007 08:58:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 13 Aug 2007 08:58:58 +0000 (UTC)
In-Reply-To: <29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 19g2000hsx.googlegroups.com; posting-host=86.146.43.7;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:718 uk.radio.amateur:11777

On 12 Aug, 19:48, Wes Stewart <*n7ws*@ yahoo.com> wrote:

> I have the guts of an LT2S, a TV 28-144 and PA1441 for sale

That's a shame, if it was a boxed and complete LT2S in good condition,
I'd get my wallet out :-)

Anybody else? LT2S or DB6NT.

73

Jack

From -4438671570575626104
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!newsgate.cistron.nl!xs4all!feeder5.cambrium.nl!feeder6.cambrium.nl!feed.tweaknews.nl!border2.nntp.ams.giganews.com!nntp.giganews.com!pe2.news.blueyonder.co.uk!blueyonder!pe1.news.blueyonder.co.uk!blueyonder!fe3.news.blueyonder.co.uk.POSTED!53ab2750!not-for-mail
From: Chaney's Laptop <chaney@i12.com>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)

MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
In-Reply-To: <GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 31
Message-ID: <R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk>
Date: Mon, 13 Aug 2007 10:05:37 GMT
NNTP-Posting-Host: 82.37.192.200
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: fe3.news.blueyonder.co.uk 1186999537 82.37.192.200 (Mon, 13 Aug 2007 11:05:37 BST)
NNTP-Posting-Date: Mon, 13 Aug 2007 11:05:37 BST
Xref: g2news2.google.com rec.radio.amateur.equipment:719 uk.radio.amateur:11783

LVN wrote:
> "Wes Stewart" <*n7ws*@ yahoo.com> wrote in message
> news:29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com...
>> On Sun, 12 Aug 2007 05:48:21 -0700, m5pro@hotmail.com wrote:
>>
>> |On 12 Aug, 12:26, iwouldntknow <iwouldntk...@iwouldntknow.nospam.no>
>> |wrote:
>> |
>> |> If you want the very best look for something like a TS850+transverter
>> (SSB Electronics
>> |> LT2+ or DB6NT) but that will cost you.
>> |
>> |I haven't found a single second hand SSB LT2S or DB6NT TR144H for sale
>> |in the last 4 years, so good luck!
>>
>>
>> I have the guts of an LT2S, a TV 28-144 and PA1441 for sale for
>> $225.00 USD + Shipping.
>>
>>
>> Wes N7WS
>
> Time was the ICOM 751 (with Mutek) was the only VHR multiband to have.
>
> My 736 is deaf as a post on 70cm, BTW. Good job it has a mast head pre-amp
> switch (and power thru the antenna socket) on the front panel - it certainly
> needs it. Not so on 2 or 6m though.
>
>

Icom 751!!!!!!!!!!!!!!VHF!!!!!!!!!!!!!!!!!!!

```
From -5646714338793010438
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Mon, 13 Aug 2007 06:39:27 -0500
From: "LVN" <gareth.paley@gmail.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
<R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk>
Subject: Re: 2m All Mode Rig
Date: Mon, 13 Aug 2007 12:39:23 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <iuadnRqtzKZt313bnZ2dnUVZ8vSdnZ2d@bt.com>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 86.140.253.249
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
pqYATKMuREkU9exsS1qwIh+yN6aSQmeYWmsuRWBjc7vUcYy9TJZvg1VShXUGBxYYEZTxAp73ll3rSw9!
xTyP5hs3ExDnCLB5H0yfTPzOQcNDRGh4XHYys+XiWbyQvEopbiQnzzA9xzfuBDN0CYTfD/kViJFk
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:720 uk.radio.amateur:11806
```

"Chaney's Laptop" <chaney@i12.com> wrote in message
news:R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk...

```
> LVN wrote:
>>
>> Time was the ICOM 751 (with Mutek) was the only VHR multiband to have.
>>
>> My 736 is deaf as a post on 70cm, BTW. Good job it has a mast head
>> pre-amp switch (and power thru the antenna socket) on the front panel -
>> it certainly needs it. Not so on 2 or 6m though.
>>
>>
```

>
> Icom 751!!!!!!!!!!!!!!!VHF!!!!!!!!!!!!!!!!!!!!

Sorry meant 251(E) of course (with Mutek)

http://www.eham.net/reviews/detail/915

```
From -5023664502060404902
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Aug 2007 07:12:36 -0500
From: Wes Stewart <*n7ws*@ yahoo.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Mon, 13 Aug 2007 12:12:15 +0000
Message-ID: <7ii0c3dh4rso77sfgpfcg1b88asjirp40o@4ax.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<1186995538.320976.168870@19g2000hsx.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 4.240.241.224
X-Trace:
sv3-89JnQBqfd5e1iVbyA+cb8w3ztZVZQbd4o+Dy6CFmtsNQjLlbIn1bKguFPvALKUv+syfNkP72JUh0nq
o!qMzOTvrehxzx3ZMGy9zl4oP/s7Q3EZSpDtEq1yJEHWDiIPl+YRPIp0rhk6i3/GYZIHBkNzo2BhYh!
7hLrHU3hNxwo3PI4UhnVFu0fVHPO7g==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:721 uk.radio.amateur:11809
```

On Mon, 13 Aug 2007 01:58:58 -0700, m5pro@hotmail.com wrote:

|On 12 Aug, 19:48, Wes Stewart <*n7ws*@ yahoo.com> wrote:
|
|> I have the guts of an LT2S, a TV 28-144 and PA1441 for sale
|
|That's a shame, if it was a boxed and complete LT2S in good condition,
|I'd get my wallet out :-)

You would also need a much fatter wallet.

But for 1/3 or less the price you can't put this in a box and add a
couple of relays?

```
From 454450489825552065
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o61g2000hsh.googlegroups.com!not-for-
mail
From:  m5pro@hotmail.com
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Mon, 13 Aug 2007 06:52:49 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1187013169.922753.266500@o61g2000hsh.googlegroups.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
   <q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
   <1186922901.018997.42930@57g2000hsv.googlegroups.com>
   <29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
   <1186995538.320976.168870@19g2000hsx.googlegroups.com>
   <7ii0c3dh4rso77sfgpfcg1b88asjirp40o@4ax.com>
NNTP-Posting-Host: 86.146.43.7
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1187013170 4951 127.0.0.1 (13 Aug 2007 13:52:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 13 Aug 2007 13:52:50 +0000 (UTC)
In-Reply-To: <7ii0c3dh4rso77sfgpfcg1b88asjirp40o@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o61g2000hsh.googlegroups.com; posting-host=86.146.43.7;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:722 uk.radio.amateur:11820
```

On 13 Aug, 13:12, Wes Stewart <*n7ws*@ yahoo.com> wrote:

> But for 1/3 or less the price you can't put this in a box and add a couple of
> relays?

I'm only interested in a good condition (preferably as new), complete
and un-modified LT2S or DB6NT TR144. I will pay accordingly.

Jack

From -3544997277296883958
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!border-1.ams.xsnews.nl!
feed.xsnews.nl!border-1.ams.xsnews.nl!216.196.110.149.MISMATCH!
border2.nntp.ams.giganews.com!nntp.giganews.com!pe2.news.blueyonder.co.uk!
blueyonder!pe1.news.blueyonder.co.uk!blueyonder!fe3.news.blueyonder.co.uk.POSTED!
53ab2750!not-for-mail
From: Chaney's Laptop <chaney@i12.com>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
<R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk>
<iuadnRqtzKZt313bnZ2dnUVZ8vSdnZ2d@bt.com>
In-Reply-To: <iuadnRqtzKZt313bnZ2dnUVZ8vSdnZ2d@bt.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <Rd_vi.757$lx3.109@fe3.news.blueyonder.co.uk>
Date: Mon, 13 Aug 2007 14:51:29 GMT
NNTP-Posting-Host: 82.37.192.200
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: fe3.news.blueyonder.co.uk 1187016689 82.37.192.200 (Mon, 13 Aug 2007
15:51:29 BST)
NNTP-Posting-Date: Mon, 13 Aug 2007 15:51:29 BST
Xref: g2news2.google.com rec.radio.amateur.equipment:723 uk.radio.amateur:11829

LVN wrote:
>
>>>
>>>
>> Icom 751!!!!!!!!!!!!!!!VHF!!!!!!!!!!!!!!!!!!!!
>
> Sorry meant 251(E) of course (with Mutek)
>
> http://www.eham.net/reviews/detail/915
>

>
>
>
>

I knew that's what you meant...

I've had a few old Icoms and had nothing but problems with dry solder joints...I'm sticking with the FT-736R...outperforms my FT-847...

```
From -4284050294067929965
X-Google-Thread: 108122,60a5ecf2b45b6cd2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Aug 2007 15:32:52 -0500
From: "None" <None@none.com>
Newsgroups: rec.radio.amateur.equipment
References: <1185589623.725134.47150@j4g2000prf.googlegroups.com>
In-Reply-To: <1185589623.725134.47150@j4g2000prf.googlegroups.com>
Subject: Re: Mind Control and Directed Energy Weapons
Date: Mon, 13 Aug 2007 13:32:33 -0700
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="gb2312";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <-KSdnTQ6T51pIl3bnZ2dnUVZ_rmjnZ2d@comcast.com>
Lines: 49
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.231.249.190
X-Trace: sv3-IZkBZHCwvJZ1wXd48x6/
F1yqnQifc9Us9dXHFeojGYYbb4YnEJro5x6ZAXZG9+t+1FTOa4j+MMt6d4E!
Nyl71uvUPce0C8ge0LRUKKwywICgpoNaViAv5ROJl37PGF7eFgdd7hQ8hXiB9kGkcV0+1BjhsqpO!
PjWhkXJn0WxOYqYHwhGHExgLL/8EmEc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:725
```

You should get one of these - no more problem.

http://zapatopi.net/afdb/

"soleilmavis" <soleilmavis@yahoo.com> wrote in message
news:1185589623.725134.47150@j4g2000prf.googlegroups.com...
> Mind Control and Directed Energy Weapons
>
> Do you know Mind Control Weapons and Brain Washing (such as CIA Mind
> Control Project : MKULTRA) ? Do you know voice can be transmitted to
> human's head from long distance(V2K)? (In 2002, the Air Force Research
> Laboratory patented precisely such a technology: using microwaves to
> send words into someone's head.)Do you know Directed Energy
> Weapons(such as: Electromagnetic weapons) and Non-lethal Weapons? Do
> you know that people's thoughts can be read now? Do you know Nano
> technology weapons (such as British MI5 Nano technology spy weapons
> which can control little spy mice from long distance)?
>
> Such kinds of weapons have already been used covertly to torture and
> harass innocent, legal, unarmed and defenseless civilians for many
> years all over the world.
>
> There are more than 1500 people who are suffering terribly from mind
> control and electromagnetic weapons torturing and harassment. Some
> victims were only 21-22 years old when the first time they were
> seriously tortured and harassed.
>
> Have you ever imagined that there even was not one happy and peace day
> in the life, but only suffering for 5,10 or 20 years? Yes! Some
> victims died, but at the last minutes in their lives, the only thing
> belongs to them was still suffering.
>
> Please come to help us by signing your support to stop these kinds of
> weapons torturing and harassing lawful citizens. Our goals:
>
> (1) We wish a resolution from United Nations to stop Mind Control and
> Directed Energy weapons torturing and harassing.   (2) We wish all
> government cooperate together to sentence those torturers according to
> law.
>
> More Information, please come to http://soleilmavis.googlepages.com
> Blog: http://soleilmavis.spaces.live.com
>

From 611043190753290786
X-Google-Thread: 108122,ec64f04dee02266d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
nlpi061.nbdc.sbc.com.POSTED!476e347b!not-for-mail
From: "Al Lorona" <al_lorona@agilent.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Which band?
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <xL6wi.3649$i85.811@nlpi061.nbdc.sbc.com>
NNTP-Posting-Host: 69.234.187.155
X-Complaints-To: abuse@prodigy.net
X-Trace: nlpi061.nbdc.sbc.com 1187051613 ST000 69.234.187.155 (Mon, 13 Aug 2007
20:33:33 EDT)
NNTP-Posting-Date: Mon, 13 Aug 2007 20:33:33 EDT
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJSCTS@QBPTX\ZHX_VTDFZ\@@FXLM@TDOCQDJ@_@FNHBK^RAQFW[ML\THRCKV^GGZKJMGV^^_JSCFF
UA_QXFGVSCYRPILH]TRVKC^LSN@DX_HCAFX__@J\DAJBVMY\ZWZCZLPA^MVH_P@\
\EOMW\YSXHG__IJQY_@M[A[[AXQ_XDSTAR]\PG]NVAQUVM
Date: Mon, 13 Aug 2007 17:33:36 -0700
Xref: g2news2.google.com rec.radio.amateur.equipment:726

An amateur has the opportunity to purchase or build equipment to operate SSB on one of the following bands:

2 m
1 1/4 m
70 cm

You may assume that the amateur will have access to a horizontally-polarized antenna with 15 dBi of gain.

Which band will provide the most operating fun? (I will leave the reader to his own devices in defining what 'fun' means. Please explain your definition in any replies.)

Al W6LX

From 5232033201752768668
X-Google-Thread: 108122,ec64f04dee02266d

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-05!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Which band?
Date: Mon, 13 Aug 2007 21:19:08 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13c20o8b7i86d5d@corp.supernews.com>
References: <xL6wi.3649$i85.811@nlpi061.nbdc.sbc.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 32
Xref: g2news2.google.com rec.radio.amateur.equipment:727

"Al Lorona" <al_lorona@agilent.com> wrote in message
news:xL6wi.3649$i85.811@nlpi061.nbdc.sbc.com...

> An amateur has the opportunity to purchase or build equipment to operate
> SSB on one of the following bands:
>
> 2 m
> 1 1/4 m
> 70 cm
>
> You may assume that the amateur will have access to a
> horizontally-polarized antenna with 15 dBi of gain.
>
> Which band will provide the most operating fun? (I will leave the reader
> to his own devices in defining what 'fun' means. Please explain your
> definition in any replies.)
>
> Al W6LX
>

2 meters will usually provide the most contacts in many areas. It is possiable to get some eskip for contacts halfway across the country.

1 1/4 meters has very little activity on it as almost no comercial gear is on that band in the US.

70 cm has more activity than 1 1/4 meters but long distance contacts are much harder to come by than 2 meters.

It is no fun to just call cq and not have any contacts.

```
From 6135972381654275526
X-Google-Thread: 106d41,e25f8e7e7f7cc3a1
X-Google-Thread: 108122,5f4b546f0161ebac
X-Google-Thread: fc2a5,5f4b546f0161ebac
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q3g2000prf.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax has Arrived... Introductory Priced on Ebay
Date: Tue, 14 Aug 2007 04:42:36 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1187091756.189812.15180@q3g2000prf.googlegroups.com>
References: <1186168563.032053.11960@i13g2000prf.googlegroups.com>
   <46b3b6e5_3@mk-nntp-2.news.uk.tiscali.com>
   <1186231447.136481.50550@q3g2000prf.googlegroups.com>
   <u8gkb3di4k2jc329q4l96h2la6ba8kcm67@4ax.com>
   <1186615639.897400.127530@i13g2000prf.googlegroups.com>
   <rb6mb31ubltji64j2lcnflr3an2gp8n7sb@4ax.com>
   <de6mb3lhn4h14j4mmlblmqtsu6h9sum2mp@4ax.com>
   <1186932633.661667.170370@j4g2000prf.googlegroups.com>
   <46bfa624$0$25252$88260bb3@free.teranews.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1187091756 9565 127.0.0.1 (14 Aug 2007 11:42:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Aug 2007 11:42:36 +0000 (UTC)
In-Reply-To: <46bfa624$0$25252$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q3g2000prf.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:2680 rec.radio.amateur.equipment:728
rec.radio.amateur.homebrew:747

On Aug 12, 8:17 pm, "21W2319" <21W2...@HFint.org> wrote:
> "Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
>
> news:1186932633.661667.170370@j4g2000prf.googlegroups.com...> On Aug 9, 8:43 am,
M...@TayleorRobesin.org wrote:
> >> "one useless man is disgrace 2 become a law firm 3 or more become a
> >> congress"
>
> > I think this should really read...
>
> > "one useless post is disgrace 2 become a nuisance 3 or more become a
> > CB NG"
```

>
> INDEED!!!!!!!!!!

LOL... just having a little fun with the little kids outs here.
www.telstar-electronics.com

```
From -785813553931024001
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!o61g2000hsh.googlegroups.com!not-for-
mail
From:  m5pro@hotmail.com
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Tue, 14 Aug 2007 06:25:15 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1187097915.317991.266460@o61g2000hsh.googlegroups.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
   <q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
   <1186922901.018997.42930@57g2000hsv.googlegroups.com>
   <29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
   <GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
   <R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk>
   <iuadnRqtzKZt313bnZ2dnUVZ8vSdnZ2d@bt.com>
   <Rd_vi.757$lx3.109@fe3.news.blueyonder.co.uk>
   <5ibqjiF3ods83U1@mid.individual.net>
NNTP-Posting-Host: 86.146.43.7
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1187097915 32321 127.0.0.1 (14 Aug 2007 13:25:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Aug 2007 13:25:15 +0000 (UTC)
In-Reply-To: <5ibqjiF3ods83U1@mid.individual.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o61g2000hsh.googlegroups.com; posting-host=86.146.43.7;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:729 uk.radio.amateur:11939
```

On 13 Aug, 20:43, "Nick B." <nickb...@iamnotan.invalid> wrote:

> Anybody on 2m SSB these days?

Yes! I'm qrv approx 13:00 - 17:30 weekdays, and at random times over
the weekend.

73

Jack

```
From -4815358187638094508
X-Google-Thread: 108122,65373b3eefb79fcf,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.eclipse.net.uk!
news.eclipse.net.uk.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Aug 2007 11:53:14 -0500
Date: Tue, 14 Aug 2007 16:53:13 +0100
From: Mark <dragothic@hotmail.co.uk>
User-Agent: Thunderbird 2.0.0.5 (X11/20070801)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: TS 870 PA problem ?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <U92dnaZiwJtmQFzbRVnyhwA@eclipse.net.uk>
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 82.152.203.190
X-Trace:
sv3-5fC4NkFV4+HQJ8pvJHY2+IUzG9LS208PvwuXPWPQca9EUxvIZbkxrbu9wAhUQgvn7HxbpW/
nhMdyW9z!f38VBH2p/
qv7x+CVln2xPSKiF0Dyhv9RuX6lbM9OGjbs9nY3dnHbTjM7Cn5f7uaU3v11d5MTUb3K!yxfpaRSwIQ==
X-Complaints-To: abuse@eclipse.net.uk
X-DMCA-Complaints-To: abuse@eclipse.net.uk
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:730
```

Hi ..
  Over the last two or three weeks i have noticed my TS 870 is taking
less current than usual.. maybe 13 amps, maybe 14 as far as i can tell ,
but never more .. .. so i and another local amateur tested the RF output
with a nice power meter / dummy load
The results were even across the board, 160 right up to 10m (my usual
haunt) any mode, except for AM of course, -
  about 65w - 70w. everywhere.

I was doing research before i bought an '870 and a couple of people
mentioned the 870's generally dont give 100w,
but ck, its less than 3dB difference, but we tested the 870 2 years ago
when i bought it, and it was giving more RF out then,

it was drawing nearly 18A, and correspondingly more RF too, except that
it seems the PA is getting weaker.

My main use for the radio is local chatting on 10m FM 90% of the time at
lowest power, strangely when on full power i got occasional fuse blows..
though i know not to waffle on 100w FM, though the 870 spec and users
report its ok to do so for about a hour.
i cont fancy trying that.
I phoned Kenwood UK shortly after i bought the set asking why they don't
give 100w, he said it depends on the load, of course, so no problem

Question, does anyone thing my PA is dying on the 870 ?
  - it looks bad... although the thing works perfectly otherwise.

Mark.

From -6582988396671944953
X-Google-Thread: 108122,65373b3eefb79fcf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!fd24bd7a!not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS 870 PA problem ?
References: <U92dnaZiwJtmQFzbRVnyhwA@eclipse.net.uk>
In-Reply-To: <U92dnaZiwJtmQFzbRVnyhwA@eclipse.net.uk>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 30
Message-ID: <lslwi.13908$ya1.7964@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d49562b9a4c60c190d420d4353e19db09195da5cca4e1997951ed88d05e9a8a066defe6a2d644eeefdd4c753b039548337079466ad0568bf6c04a14471fa79dda0890fc377bd344e84ad62c5df35f56af1b236c5a9c6bd64ca848a90ecc6e9c43f9aea47bd13ca738d45bf834a660577634b5a9f6cceea610504a
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Tue, 14 Aug 2007 17:17:05 UTC
Date: Tue, 14 Aug 2007 17:17:05 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:731

Mark wrote:
> Hi ..
> Over the last two or three weeks i have noticed my TS 870 is taking
> less current than usual.. maybe 13 amps, maybe 14 as far as i can tell ,
> but never more .. .. so i and another local amateur tested the RF output

> with a nice power meter / dummy load
> The results were even across the board, 160 right up to 10m (my usual
> haunt) any mode, except for AM of course, -
> about 65w - 70w. everywhere.
>
> I was doing research before i bought an '870 and a couple of people
> mentioned the 870's generally dont give 100w,
> but ck, its less than 3dB difference, but we tested the 870 2 years ago
> when i bought it, and it was giving more RF out then,
> it was drawing nearly 18A, and correspondingly more RF too, except that
> it seems the PA is getting weaker.
>
> My main use for the radio is local chatting on 10m FM 90% of the time at
> lowest power, strangely when on full power i got occasional fuse blows..
> though i know not to waffle on 100w FM, though the 870 spec and users
> report its ok to do so for about a hour.

Have you tried resetting all the PA bias levels on the pots inside? You might have an oxidized connection somewhere, possibly inside a pot, on a connector pin or a crimp, even a cracked solder joint that causes the lower levels and the occasional burst of full power. I've seen similar symptoms in other radios that went away after exercising (turn all the way one direction, then all the way the other direction a few times with the power off) related adjustment pots or finding a bad crimp or cracked solder joint.

From 5242149634615105100
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Aug 2007 12:37:16 -0500
Date: Tue, 14 Aug 2007 18:37:19 +0100
From: charlie <wehatespam@wymsey.co.uk>
User-Agent: Thunderbird 1.5.0.12 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
In-Reply-To: <q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
X-Enigmail-Version: 0.95.2
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <fr2dnTkjjoXRdVzbnZ2dnUVZ8tSdnZ2d@pipex.net>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 85.210.175.192
X-Trace: sv3-oJ9y4YxaPDs08SMACMVd9a/9pRWuCPYc/7kMC/p8pJiY+mP9qliXqs7BhjTS8/

IExih+gVOud185aBU!
wtiB77iaFuodfRDAMG4H8z3aik0fiROqZLPMWYDnDnkOgfK3PLlhhoZo54OXlth9ZUuAZtC2aRrC!
+xmUetYhFCI3CNaMKgaE2DbsgLE=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:732 uk.radio.amateur:11961

iwouldntknow wrote:
> On Sat, 11 Aug 2007 19:37:13 +0100, charlie <wehatespam@wymsey.co.uk> wrote:

> If you're looking for used, give preference to radio's which have a Mutek front-end build
> in.
>
> I prefer the Yaesu FT736-R (with Mutek) over many other radio's, however this is
personal.
> Guess the fact that you don't often see them used is a sign?
> If you want the very best look for something like a TS850+transverter (SSB
Electronics
> LT2+ or DB6NT) but that will cost you.
>
> To get into the VHF scene in Europe check into the ON4KST site at
www.on4kst.com/chat Lots
> of info can be gotten there as well as real-time propagation and activity info.

Thanks to everyone who responded, I will bear in mind all your
comments. I have few months to decide before I have the cash. On
with the research!

Charlie.

--
M0WYM
www.radiowymsey.org

From 1460283392148149 77
X-Google-Thread: 108122,65373b3eefb79fcf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.eclipse.net.uk!
news.eclipse.net.uk.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Aug 2007 13:00:05 -0500
Date: Tue, 14 Aug 2007 18:00:04 +0100
From: Mark <"dragothic AT hotmail.co.uk">
User-Agent: Thunderbird 2.0.0.5 (X11/20070801)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment

Subject: Re: TS 870 PA problem ?
References: <U92dnaZiwJtmQFzbRVnyhwA@eclipse.net.uk>
<lslwi.13908$ya1.7964@news02.roc.ny>
In-Reply-To: <lslwi.13908$ya1.7964@news02.roc.ny>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <To6dnW9p6KI4cFzbnZ2dnUVZ8surnZ2d@eclipse.net.uk>
Lines: 9
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 82.152.203.190
X-Trace: sv3-hoYpeRd5uGn+bd3J43WVMAscIXry8ObD9dEcz8dmhGh6XMfRCVEvAUXm/KLOXaR/
7KEm+XQHMZl/M0M!0j0mQnoiOgjUs5a8WUf81l8WhgmV46+EGw2pkB77UJ1m4M6iJ/
CXGXj8BhTAD9VBNExdrpEhOlGb!BYv53E9draPOHIyWqrZTYg==
X-Complaints-To: abuse@eclipse.net.uk
X-DMCA-Complaints-To: abuse@eclipse.net.uk
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:733

Hi Gwatts.. thanks for the quick post :)

No, i have'nt tchecked the PA bias or any pots for that matter- i shall
have a check around later.. i have the service manual and will study it
later on tonight ..   the idea of twiddling pots worries me, i will
check all the connectors and stuff and get the magnifying glass /
voltmeter out later if the service manual makes sense to me
Thanks..
- Mark   -

From 5327554519839098289
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!zen.net.uk!
demorgan.zen.co.uk!prichard.zen.co.uk.POSTED!not-for-mail
From: "Robin" <me@here.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
<R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk>
<iuadnRqtzKZt313bnZ2dnUVZ8vSdnZ2d@bt.com>
<Rd_vi.757$lx3.109@fe3.news.blueyonder.co.uk>
<5ibqjiF3ods83U1@mid.individual.net>
<1187097915.317991.266460@o61g2000hsh.googlegroups.com>
<5iec4gF3oh76jU1@mid.individual.net>

```
Subject: Re: 2m All Mode Rig
Date: Tue, 14 Aug 2007 20:36:35 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 20
Message-ID: <46c20443$0$11447$db0fefd9@news.zen.co.uk>
Organization: Zen Internet
NNTP-Posting-Host: 217.155.205.177
X-Trace: 1187120196 prichard.zen.co.uk 11447 217.155.205.177:3066
X-Complaints-To: abuse@zen.co.uk
Xref: g2news2.google.com rec.radio.amateur.equipment:735 uk.radio.amateur:11981


"Nick B." <nickb333@iamnotan.invalid> wrote in message
news:5iec4gF3oh76jU1@mid.individual.net...
> m5pro@hotmail.com wrote:
>> On 13 Aug, 20:43, "Nick B." <nickb...@iamnotan.invalid> wrote:
>>
>>> Anybody on 2m SSB these days?
>>
>> Yes! I'm qrv approx 13:00 - 17:30 weekdays, and at random times over
>> the weekend.
>>
>
> I must get down the club station and put a few calls out then. Is it still
> the norm to call CQ on .300 then QSY?
>
yes.

Tuesday evenings seem to be the most active.




From 6152967758068299926
X-Google-Thread: 108122,b6e3b085df153b25,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-
mail
From:  Theodore <thpap@otenet.gr>
Newsgroups: rec.radio.amateur.equipment
Subject: Valve equivalence.
Date: Tue, 14 Aug 2007 13:00:12 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1187121612.753370.224330@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 87.202.64.66
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-7"
```

```
X-Trace: posting.google.com 1187121612 2031 127.0.0.1 (14 Aug 2007 20:00:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Aug 2007 20:00:12 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=87.202.64.66;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:736

Hi.
 I have a old Murphy radio, type 154 and I found the diagram showing
that  its valves, are.
 6F15,   6C9 , 6LD20, 6P25, UU6.
 I wrote to a specialized store and was given a list of these valves,
as equivalents.
10F1 , 10F9 , 10LD11 , 10P14 , U404.
 Do you know, if it so?
 Regards,
 Theodore.




From -1824213080032220962
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 14 Aug 2007 15:56:49 -0500
From: "LVN" <gareth.paley@gmail.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
<R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk>
<iuadnRqtzKZt313bnZ2dnUVZ8vSdnZ2d@bt.com>
<Rd_vi.757$lx3.109@fe3.news.blueyonder.co.uk>
<5ibqjiF3ods83U1@mid.individual.net>
<1187097915.317991.266460@o61g2000hsh.googlegroups.com>
Subject: Re: 2m All Mode Rig
Date: Tue, 14 Aug 2007 21:56:51 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <C-idnfpikp-Mil_bnZ2dnUVZ8qminZ2d@bt.com>
```

```
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 86.140.253.249
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-2af5MJgnhjQKxqRmgkLRgsJlEHPsCi6ITg/
nWpLbWbpCdlFEHPNjecKLlULVZ84sb7iqdDPvQnzH2I0!Nd7U9tPwlFhhIV/8wnXUZIWE/
aBkjHHMwKGrTgyFYvqKUnTmpqPk6wXroJQn9BJdA5cBPl0CeWt7
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:737 uk.radio.amateur:12005


<m5pro@hotmail.com> wrote in message
news:1187097915.317991.266460@o61g2000hsh.googlegroups.com...
> On 13 Aug, 20:43, "Nick B." <nickb...@iamnotan.invalid> wrote:
>
>> Anybody on 2m SSB these days?
>
> Yes! I'm qrv approx 13:00 - 17:30 weekdays, and at random times over
> the weekend.
>
2m SSB sounded like 20m a couple of days ago with the Meteor Shower.


--
--
10-10 de G1LVN
--
My call is M0WWS. I had an accident,
and I woke up in uk.radio.amateur.
Am I mad, in a coma, or back in time?
------------------------------------------------------
Amateur Radio - social networking since 1897




From -3987038664538816055
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 14 Aug 2007 16:14:29 -0500
From: "LVN" <gareth.paley@gmail.com>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
```

```
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<fr2dnTkjjoXRdVzbnZ2dnUVZ8tSdnZ2d@pipex.net>
Subject: Re: 2m All Mode Rig
Date: Tue, 14 Aug 2007 22:14:31 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <o46dnccTP4uohl_bnZ2dnUVZ8sylnZ2d@bt.com>
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 86.140.253.249
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-PNItPwMXolMI1Wcl4hsDzqG/
U82pX3JVSaqJ9anTfh80NPUQ6PVPXcUmEbQUQIxEdwGtCtnUkQTP4eU!
IGJBBPxa7ariEo935ualgATdOJP+Ns9jz2M8OQZkntt/KsWEOYaHbZgKQKUwnFm7Ql4WHO0utvZo
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:738 uk.radio.amateur:12014


"charlie" <wehatespam@wymsey.co.uk> wrote in message
news:fr2dnTkjjoXRdVzbnZ2dnUVZ8tSdnZ2d@pipex.net...
> iwouldntknow wrote:
>> On Sat, 11 Aug 2007 19:37:13 +0100, charlie <wehatespam@wymsey.co.uk>
>> wrote:
>
>> If you're looking for used, give preference to radio's which have a Mutek
>> front-end build
>> in.
>>
>> I prefer the Yaesu FT736-R (with Mutek) over many other radio's, however
>> this is personal.
>> Guess the fact that you don't often see them used is a sign?
>> If you want the very best look for something like a TS850+transverter
>> (SSB Electronics
>> LT2+ or DB6NT) but that will cost you.
>>
>> To get into the VHF scene in Europe check into the ON4KST site at
>> www.on4kst.com/chat Lots
>> of info can be gotten there as well as real-time propagation and activity
>> info.

http://www.vhf-contest.com/sporadic_index07.php?date=2007-06-14 is a good
start too
```

From 2597423745105503050
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-10!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Tue, 14 Aug 2007 18:41:53 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13c4btintc6maf3@corp.supernews.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
<q7rtb3pk6sq1uidihra6a8jacfd2rbk8fa@4ax.com>
<1186922901.018997.42930@57g2000hsv.googlegroups.com>
<29lub35vk21man7fs0lre6cj37arnf0n95@4ax.com>
<GtWdnSrgw53bGCLbnZ2dnUVZ8qqlnZ2d@bt.com>
<R1Wvi.177$lx3.87@fe3.news.blueyonder.co.uk>
<iuadnRqtzKZt313bnZ2dnUVZ8vSdnZ2d@bt.com>
<Rd_vi.757$lx3.109@fe3.news.blueyonder.co.uk>
<5ibqjiF3ods83U1@mid.individual.net>
<1187097915.317991.266460@o61g2000hsh.googlegroups.com>
<5iec4gF3oh76jU1@mid.individual.net> <46c20443$0$11447$db0fefd9@news.zen.co.uk>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news2.google.com rec.radio.amateur.equipment:739 uk.radio.amateur:12024

"Robin" <me@here.com> wrote in message
news:46c20443$0$11447$db0fefd9@news.zen.co.uk...
>
> "Nick B." <nickb333@iamnotan.invalid> wrote in message
> news:5iec4gF3oh76jU1@mid.individual.net...
>> m5pro@hotmail.com wrote:
>>> On 13 Aug, 20:43, "Nick B." <nickb...@iamnotan.invalid> wrote:
>>>
>>>> Anybody on 2m SSB these days?
>>>
>>> Yes! I'm qrv approx 13:00 - 17:30 weekdays, and at random times over
>>> the weekend.
>>>
>>
>> I must get down the club station and put a few calls out then. Is it
>> still the norm to call CQ on .300 then QSY?

```
>>
> yes.
>
> Tuesday evenings seem to be the most active.

Must depend on where you are.  144.200 is most often used in many areas.
Then qsy after a short time.




From -303443237412146286
X-Google-Thread: 108122,ec64f04dee02266d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Which band?
Date: 14 Aug 2007 22:57:12 GMT
Lines: 18
Message-ID: <slrnfc4cq8.n7.bit-bucket@shell.config.com>
References: <xL6wi.3649$i85.811@nlpi061.nbdc.sbc.com>
X-Trace: individual.net KKxfjvaSNR2e5CwFXvhRsQ/5xk++UDxXKQyow/nnzR1Sb4gFo0
Cancel-Lock: sha1:kQplpAJSCJXBRu5N2o1HCbzC0S8=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:740

On Mon, 13 Aug 2007 17:33:36 -0700, Al Lorona wrote:
> An amateur has the opportunity to purchase or build equipment to
> operate SSB on one of the following bands:
>
> 2 m
> 1 1/4 m
> 70 cm
>
> You may assume that the amateur will have access to a
> horizontally-polarized antenna with 15 dBi of gain.
>
> Which band will provide the most operating fun? (I will leave the
> reader to his own devices in defining what 'fun' means. Please explain
> your definition in any replies.)

What?  Are they putting essay questions in the exam pool now?

You forgot "Show your work."


From -1706388228668706754
X-Google-Thread: 108122,65373b3eefb79fcf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news1.google.com!news.glorb.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr25.news.prodigy.net.POSTED!476e347b!not-for-mail
From: "Al Lorona" <al_lorona@agilent.com>
Newsgroups: rec.radio.amateur.equipment
References: <U92dnaZiwJtmQFzbRVnyhwA@eclipse.net.uk>
Subject: Re: TS 870 PA problem ?
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <Lswwi.1979$3x.139@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 192.25.240.232
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1187156907 ST000 192.25.240.232 (Wed, 15 Aug 2007 01:48:27 EDT)
NNTP-Posting-Date: Wed, 15 Aug 2007 01:48:27 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: Q[R_PJSCTS@QBPTX\ZHX_VTDFZ\@@FXLM@TDOCQDJ@_@FNHCYFWUQBKZQLYJX_ITFD_KFVLUN[DOM_A_NSYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXGQCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Wed, 15 Aug 2007 05:48:27 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:741

"Mark" <dragothic@hotmail.co.uk> wrote in message
news:U92dnaZiwJtmQFzbRVnyhwA@eclipse.net.uk...
> Question, does anyone thing my PA is dying on the 870 ?
> - it looks bad... although the thing works perfectly otherwise.
>
> Mark.

Hi, Mark,

gwatts gave a very good suggestion. Several months back my 870 was doing the same thing and it turned out to be that the negative lead of the power supply cable was so badly oxidized that is was essentially an open circuit and the rig was getting its negative connection to the power supply through the ground on the back panel.

You need to check that power supply cable and the voltage drop across it and see if it is in a similar condition. If that cable was ever used to connect to a battery it may have turned black already and any splices, joints, or connectors on it could be corroded and high resistance.

Regards,

Al W6LX

```
From 8098336439297829445
X-Google-Thread: 106d41,e25f8e7e7f7cc3a1
X-Google-Thread: 108122,5f4b546f0161ebac
X-Google-Thread: fc2a5,5f4b546f0161ebac
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@TayleorRobesin.org
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax has Arrived... Introductory Priced on Ebay
Date: Tue, 14 Aug 2007 13:48:58 -0400
Message-ID: <1oq3c3lvesb00kardpdp5uf32eao1tsod4@4ax.com>
References: <46b3b6e5_3@mk-nntp-2.news.uk.tiscali.com>
<1186231447.136481.50550@q3g2000prf.googlegroups.com>
<u8gkb3di4k2jc329q4l96h2la6ba8kcm67@4ax.com>
<1186615639.897400.127530@i13g2000prf.googlegroups.com>
<rb6mb31ubltji64j2lcnflr3an2gp8n7sb@4ax.com>
<de6mb3lhn4h14j4mmlblmqtsu6h9sum2mp@4ax.com>
<1186932633.661667.170370@j4g2000prf.googlegroups.com>
<46bfa624$0$25252$88260bb3@free.teranews.com>
<1187091756.189812.15180@q3g2000prf.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
NNTP-Posting-Date: 14 Aug 2007 16:57:26 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 29
Xref: g2news2.google.com rec.radio.cb:2708 rec.radio.amateur.equipment:742
rec.radio.amateur.homebrew:756

On Tue, 14 Aug 2007 04:42:36 -0700, Telstar Electronics
<briangriffey@sbcglobal.net> wrote:

>On Aug 12, 8:17 pm, "21W2319" <21W2...@HFint.org> wrote:
>> "Telstar Electronics" <briangrif...@sbcglobal.net> wrote in message
>>
>> news:1186932633.661667.170370@j4g2000prf.googlegroups.com...> On Aug 9, 8:43
am, M...@TayleorRobesin.org wrote:
>> >> "one useless man is disgrace 2 become a law firm 3 or more become a
>> >> congress"
>>
>> > I think this should really read...
>>
>> > "one useless post is disgrace 2 become a nuisance 3 or more become a
>> > CB NG"
```

>>
>> INDEED!!!!!!!!!!
>
>LOL... just having a little fun with the little kids outs here.
>www.telstar-electronics.com
they do abound

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

G

--
Posted via a free Usenet account from http://www.teranews.com

From 9001779505681780942
X-Google-Thread: 108122,a39e1ec7fefe68b6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.saix.net!
news.saix.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Aug 2007 12:49:33 -0500
From: "Pete Brown" <zs5actTAKETHISOUT@mweb.co.za>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.07.30.14.49.04.986284@from.qrz.com>
<ZeadnWyi_6lV5TPbnZ2dnUVZ_j-dnZ2d@comcast.com>
<pan.2007.07.31.04.21.57.899312@from.qrz.com> <f8nh66$8uc$1@theodyn.ncf.ca>
<pan.2007.07.31.14.53.25.353433@from.qrz.com>
Subject: Re: Opinions on RM Italy amplifiers
Date: Wed, 15 Aug 2007 19:49:18 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Forwarded: by - (DeleGate/9.6.2)
Message-ID: <sa2dnUodoKgwoV7bRVnyhQA@saix.net>
Lines: 51
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 196.43.2.61
X-Trace: sv3-yFdXEEXJ08X1/
JI43tRKsn2f5VD7+46u08iFRCCQ2g0TJLJtBfUJ5Ycl3uk6W1rPiKLI4M0mHxNCOqX!
dF11D76zcmK+OCGbg8daS9J54Lod5muHlshjUsEvtloDG9vZe9GvNkjHNlc1S/GQMQ==
X-Complaints-To: abuse@saix.net
X-DMCA-Complaints-To: abuse@saix.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:744

"Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote in message
news:pan.2007.07.31.14.53.25.353433@from.qrz.com...
> On Tue, 31 Jul 2007 14:32:38 +0000, Michael Black wrote:
>
>> And once again, that rule came into effect because companies and even
>> individuals were selling junk amplifiers for CB under the guise of
>> "not suitable for Class D citizen band use".
>>
>> The rule has nothing to do with amateur radio, it has to do with
>> the illegal use of amplifiers on the citizen band.
>
> Right. My point exactly. The FCC can't seem to figure out how to go
> after the real lawbreakers so they just enact a rule that penalizes the
> rest of us just to save them from having to get off their asses and go
> after the bad guys.
>
> (I was going to say "pass a rule" but that implies that we actually got to
> vote on that... sorry, don't know what I was thinking...)
>
>> Realistically, nobody should be giving business to a company that
>> sold such amplifiers, even if they are no producing legit amplifiers.
>> Because such companies are the reason for the rule, and feed their
>> pockets and you are basically giving them acceptance.
>
> I suppose. But, the thing is used and privately owned, so I would be
> giving money to somebody who gave money to somebody (etc. through who
> knows how many levels) who gave business to a company that sold such
> amplifiers.
>
> Every time you fill your car with gas you give money to somebody who gave
> money to somebody (etc. etc.) who gave money to the people who murdered
> your fellow citizens on 9/11. And so on.
>
> If we had to analyze every purchase we made on the basis of who eventually
> gets the money, none of us would ever buy anything.
>

RM Italy has a Ham range designated by the H in HLA300, The amplifier has
both ptt switching and carrier operated relay. These amplifiers have auto
band selection and manual band selection options. The selection system
inserts the appropriate LPF to keep the amp clean. The power claim is 300W
CW and 500W PEP. My experience is that although my Daiwa cross needle meter
only ever showed around the low side of 300W on the PEP selection of the
meter, the amplifier has a significant presence when in use. Working JA
stations form South Africa on 40m with a rotatable dipole proved to be quite
comfortable and signal reports were similar to what I get from my ACOM 1000
running at 400W.

HTH

From -1022555878474085613
X-Google-Thread: 108122,65373b3eefb79fcf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.eclipse.net.uk!
news.eclipse.net.uk.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Aug 2007 13:04:58 -0500
Date: Wed, 15 Aug 2007 19:04:58 +0100
From: Mark <"dragothic AT hotmail.co.uk">
User-Agent: Thunderbird 2.0.0.5 (X11/20070801)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS 870 PA problem ?
References: <U92dnaZiwJtmQFzbRVnyhwA@eclipse.net.uk>
<Lswwi.1979$3x.139@newssvr25.news.prodigy.net>
In-Reply-To: <Lswwi.1979$3x.139@newssvr25.news.prodigy.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <c-GdnSy-2-zX3V7bnZ2dnUVZ8sSrnZ2d@eclipse.net.uk>
Lines: 38
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 82.153.64.41
X-Trace: sv3-kB34/9mxt3t2U9ADHkjUoWCeXRFi/Oa0s88JuvBfFrVgAHS+lAEf8YXtl0ie8/
Q3B+G8wP/dT2n+MUR!
ykwEpWefyi1WY5b6V57Sly8QNqqAOIS00N0UNRWvOpOZvnmPNHVpMP04jVUfVuIRoaixeJYWrUSH!
DM3vVU1e4dxMSKVVLmg=
X-Complaints-To: abuse@eclipse.net.uk
X-DMCA-Complaints-To: abuse@eclipse.net.uk
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:745

Hi Al.. and Thanks for the reply...
interesting answers coming my way.. what a great radio it is, but i
read 'all' the postings on this NG last night,
and it was interesting.

The supply cable is in very good condition, far as i can tell, but i
will peel back the black PVC bit on the radio end tonight,
and also check inside. the crappy CB quality fuse holders were hot
last time i attempted 100w FM,
they were glowing once on my old FT 890 AT radio - the PSU seemed to
cope with that set.
there are 3 or 4 clip-on ferrite's on the 870's DC cable already - which
is nice.

i don't have a ground here, i am on the 3rd storey, so a non-inductive
ground would be pretty tricky to organize.
and 99% of my QSO's are local rag chews on 10m anyway. but i will bond
to the cold water system this evening, but i know that may be next to
useless here.
The voltage drop at the PSU terminals is, of course 0.2 of a volt or so,
not really worth mentioning - but if i take the lid off the 870
later i guess i should be able to check for any drop inside the TRX. i
may also just 'build up' around the fuse holders with solder too,
this may help. seems the PSU lead is clean, the guy i bought the 870 off
of was using a PSU too. its a 2001/2002 serial 870 too.
i did fit another 4ft of red/black 25A DC cable via HD connectors
earlier this year, but didn't keep them on long, though it seemed ok.
i guess i need to test the cable under load.
last night on 10m FM i got the PSU supplying 15A - 16A which i guess is
on for 10m, but depending on the ATU / load it usually
draws approx 10A no matter what. strange. 14A - 70w ish on a dummy load
seems a little low, i guess i should use a amp..
but on 10m :) i will keep doing tests, my next test may be to take the
set to a friends QTH and use his PSU / ant..

Thanks Al. and Gwatts -
i shall do more digging   :)
Mark

From 1077140664269707391
X-Google-Thread: 10bf43,f239fb2b770ff935,start
X-Google-Thread: fcc6e,f239fb2b770ff935,start
X-Google-Thread: 108122,f239fb2b770ff935,start
X-Google-Thread: 107ada,f239fb2b770ff935,start
X-Google-Thread: fb049,f239fb2b770ff935,start
X-Google-Thread: 10f7a7,f239fb2b770ff935,start
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "an old fiend" <kbprqueer@punce.net>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
Subject: my knew blog
Date: Wed, 15 Aug 2007 15:52:31 -0400
Organization: punce dunce
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Lines: 10

Message-ID: <46c34d7d$0$16386$88260bb3@free.teranews.com>
NNTP-Posting-Date: 15 Aug 2007 19:01:18 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 7
Xref: g2news2.google.com rec.radio.amateur.policy:6838
rec.radio.amateur.antenna:4736 rec.radio.amateur.equipment:746
rec.radio.amateur.misc:1621 alt.ham-radio.vhf-uhf:330 alt.usenet.kooks:52086

it about woger

http://whywogersucks.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 7902309108013432172
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed.kamp.net!newsfeed.kamp.net!news.ett.com.ua!news2.arglkargh.de!
news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Nomen Nescio <nobody@dizum.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>
<26f144d12bd53031be2426755dceb551@mixmaster.it> <slrnfbve70.1l2r.bit-
bucket@shell.config.com>
Message-ID: <b8e743dce6a445c875debc1ed3c2fa77@dizum.com>
Date: Wed, 15 Aug 2007 22:10:02 +0200 (CEST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.shortwave:7360 rec.radio.amateur.equipment:747
rec.radio.amateur.boatanchors:924

In article <slrnfbve70.1l2r.bit-bucket@shell.config.com>
Spam Trap <bit-buc...@config.com> wrote:
>
> ["Followup-To:" header set to rec.radio.amateur.equipment.]
> On Sun, 12 Aug 2007 22:35:48 +0200 (CEST), George Orwell wrote:
> > In article <slrnfa1ind.2355.bit-buc...@shell.config.com>
> > Spam Trap <bit-buc...@config.com> wrote:
> >>

```
> >> On Fri, 20 Jul 2007 08:40:10 -0600 (MDT), Ted wrote:
> >> > eBay: http://easyurl.net/R390A
> >>
> >> "eBay users may not post on Usenet groups (Internet newsgroups) to
> >> advertise eBay or an eBay listing that is inappropriate or violates
> >> the Usenet board policy. If Usenet abuse is reported to eBay, we may
> >> among other remedies remove the listing, issue a warning, or suspend
> >> the user's eBay account."
> >>   --  http://pages.ebay.com/help/welcome/usenet-policy.html
> >
> > bad link
>
>       --  http://pages.ebay.com/help/usenet_policy.html
```

"Please note that [eBay] can only take action in cases where it is
clear that an eBay member has posted to the Usenet inappropriately."

Good luck proving that.

```
From 8275464146365541737
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!
53ab2750!not-for-mail
Reply-To: "Uncle Peter" <radioconnectionREMOVE@cox.net>
From: "Uncle Peter" <radioconnection@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>
<26f144d12bd53031be2426755dceb551@mixmaster.it> <slrnfbve70.1l2r.bit-
bucket@shell.config.com> <b8e743dce6a445c875debc1ed3c2fa77@dizum.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <89Jwi.10534$Zk5.8618@newsfe23.lga>
Date: Wed, 15 Aug 2007 16:14:59 -0400
NNTP-Posting-Host: 68.229.79.253
X-Complaints-To: admin@cox.net
X-Trace: newsfe23.lga 1187208900 68.229.79.253 (Wed, 15 Aug 2007 13:15:00 MST)
NNTP-Posting-Date: Wed, 15 Aug 2007 13:15:00 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.shortwave:7363 rec.radio.amateur.equipment:748
rec.radio.amateur.boatanchors:925


"Nomen Nescio" <nobody@dizum.com> wrote in message
>>      --  http://pages.ebay.com/help/usenet_policy.html
>
> "Please note that [eBay] can only take action in cases where it is
> clear that an eBay member has posted to the Usenet inappropriately."
>
> Good luck proving that.
>

I must have missed something?  The seller never posted this auction
on the newsgroups.  It started
as a discussion about the receiver, not as an auction teaser.

Pete




From 8534026908192032002
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Aug 2007 13:37:30 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
```

<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<EIKdnYysaoXsrCvbnZ2dnUVZ_gCdnZ2d@giganews.com>
<EbGdnWENZPrzjCrbnZ2dnUVZ_j2dnZ2d@comcast.com> <f9bhp60nji@news3.newsguy.com>
<qPydnd0nGom4JyTbnZ2dnUVZ_qWtnZ2d@comcast.com>
<46b9fe14$0$238$e4fe514c@news.xs4all.nl>
Subject: Re: Question about GE Superadio III and batteries
Date: Wed, 8 Aug 2007 11:37:39 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <2IWdnQtw4Yz3kCfbnZ2dnUVZ_q-jnZ2d@comcast.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-pYpVZ3VpJKS343KVf0oTUYhv2wYdoR2YADszlVG/
Y2bRlAt22BO9hJNePmMiKzg4ydzYkLDkB5TQLdZ!
f0cIKjXeJf1GtLa0MQUxp39YUj9CZbyOUVSEzJ8GeYy8WzcNvbaAGkF14d5bnlrsYnBHm1X/4baf!
T5vOpi8YBG8QWEEyOmYvkZgC15n1hw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6703 rec.radio.amateur.equipment:645 rec.antiques.radio+phono:6771 alt.radio.broadcasting:575

>> Thanks for the additional info and clarification. As long as we're
>> talking about dirt-cheap FM radios aimed at urban listeners,
>> I'm not upset. The Sony EFM-117 in this manual -- which I have
>> several non-working samples of, and owned as a teenager --
>> has a long ferrite rod, but no AM RF amp.

> I imagine the design as a whole would be a bit different from the usual
> concepts, as I seem to remember it uses one or more tunnel diodes.

Not really. You'd think the tunnel diode would have been used for the LO,
but it's the mixer! Perhaps the tunnel diode was significantly less noisy,
but the EFM-117 is not an exceptionally sensitive radio -- merely good.

From 4000869525386675043
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe7-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "hugh.g.rekshun" <m1adu.m5adu@ntlworld.com>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org>
Subject: Re: FT480R repair
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <v7oui.15664$h11.2379@newsfe7-gui.ntli.net>
Date: Wed, 08 Aug 2007 18:41:31 GMT
NNTP-Posting-Host: 86.1.176.24
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe7-gui.ntli.net 1186598491 86.1.176.24 (Wed, 08 Aug 2007 19:41:31 BST)
NNTP-Posting-Date: Wed, 08 Aug 2007 19:41:31 BST
Organization: ntl Cablemodem News Service
Xref: g2news2.google.com uk.radio.amateur:11228 rec.radio.amateur.equipment:646

something wrong with switch cleaner ???

"Anonymous" <me@privacy.net> wrote in message news:f9cont$gon$1@aioe.org...
>I need to replace the T/R relay on an FT480R.
> (Intermittent Rx, curable by a quick blip on TX)
>
> I don't have an exact replacement, so I'll use a
> Varley 12V relay, with suitable mods to the driving cct,
> and dangle the relay in the space behind the front panel.
>
> Is there a knack to removing the main board without first
> unsoldering the numerous connections? (i.e., can it just
> be a tedious job, or must it be downright finicky?)
>
> There is a second pair of change-over contacts on the
> relay, but with both outputs wired together...this would seem
> to suggest some form of muting effect that deals only with
> the T/R or R/T changeover period. Any ideas?
>
>

From -3762982108692754720
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-
mail
From:  zakdingle <zakdingle21@hotmail.co.uk>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
Date: Wed, 08 Aug 2007 15:01:57 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1186610517.922729.249960@k79g2000hse.googlegroups.com>
References: <f9cont$gon$1@aioe.org>
NNTP-Posting-Host: 82.37.72.92
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186610518 25986 127.0.0.1 (8 Aug 2007 22:01:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Aug 2007 22:01:58 +0000 (UTC)
In-Reply-To: <f9cont$gon$1@aioe.org>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=82.37.72.92;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com uk.radio.amateur:11274 rec.radio.amateur.equipment:647

On 8 Aug, 16:50, "Anonymous" <m...@privacy.net> wrote:
> I need to replace the T/R relay on an FT480R.
> (Intermittent Rx, curable by a quick blip on TX)
>
> I don't have an exact replacement, so I'll use a
> Varley 12V relay, with suitable mods to the driving cct,
> and dangle the relay in the space behind the front panel.
>
> Is there a knack to removing the main board without first
> unsoldering the numerous connections? (i.e., can it just
> be a tedious job, or must it be downright finicky?)
>
> There is a second pair of change-over contacts on the
> relay, but with both outputs wired together...this would seem
> to suggest some form of muting effect that deals only with
> the T/R or R/T changeover period. Any ideas?

Get over it ,,chuck it in the bin ,old and outdated like many of the
cretins on here ,
Spend some money u tight git get a good radio.
Regards
Zakdingle



From -4508792493776271324
X-Google-Thread: f64c6,4c501b5d06e76358
```

X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn11feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
Organization: You and my shadow
References: <f9cont$gon$1@aioe.org> <Junui.13607$ya1.10210@news02.roc.ny> <f9d0ni$6c9$1@aioe.org>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-4730ED.15462008082007@netnews.att.net>
Lines: 9
Date: Wed, 08 Aug 2007 23:45:45 GMT
NNTP-Posting-Host: 12.12.208.50
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1186616745 12.12.208.50 (Wed, 08 Aug 2007 23:45:45 GMT)
NNTP-Posting-Date: Wed, 08 Aug 2007 23:45:45 GMT
Xref: g2news2.google.com uk.radio.amateur:11289 rec.radio.amateur.equipment:648

In article <f9d0ni$6c9$1@aioe.org>, "Anonymous" <me@privacy.net> wrote:

> No reason the PLL frequency should change between TX and RX
> as I'm only using it on FM simplex.

Just goes to show that YOU really don't understand the technology
that your dealing with...... Maybe a few courses in Modern
Radio Design, would help you understand how the PLL System
works in an FT480R.....

From -9193197548942137404
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe24.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Uncle Peter" <radioconnectionREMOVE@cox.net>
From: "Uncle Peter" <radioconnection@cox.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net> <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com> <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net> <1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-

```
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com>
Subject: Re: Question about GE Superadio III and batteries
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <W3uui.661$q_5.375@newsfe24.lga>
Date: Wed, 8 Aug 2007 21:27:17 -0400
NNTP-Posting-Host: 68.229.79.253
X-Complaints-To: admin@cox.net
X-Trace: newsfe24.lga 1186622838 68.229.79.253 (Wed, 08 Aug 2007 18:27:18 MST)
NNTP-Posting-Date: Wed, 08 Aug 2007 18:27:18 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.shortwave:6739 rec.radio.amateur.equipment:649
rec.antiques.radio+phono:6798 alt.radio.broadcasting:577



"jim menning" <jmenningSPAM@new.rr.com> wrote in message
news:46b66b57$0$29666$4c368faf@roadrunner.com...
>
> "Uncle Peter" <radioconnection@cox.net> wrote in message
> news:%ttti.4947$Pv4.2691@newsfe19.lga...
>> http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>>
 >
> Yes Pete, I have been there many times before, but no one has provided any
> pictures, box art, or advertising to indicate it was indeed marketed as
> such.  Others are claiming the name is right on the radio itself.  Mine is
> sitting right in front of me, it has no Superadio nameplate.  I only want
> confirmation I can verify, not to start a battle.
>
I'll go stand in the corner again. Sniff...





From -4724684772505835401
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "jim menning" <jmenningSPAM@new.rr.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com> <W3uui.661$q_5.375@newsfe24.lga>
Subject: Re: Question about GE Superadio III and batteries
Date: Wed, 8 Aug 2007 22:31:33 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 24
Message-ID: <46ba8a83$0$20572$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:6753 rec.radio.amateur.equipment:650
rec.antiques.radio+phono:6811 alt.radio.broadcasting:578


"Uncle Peter" <radioconnection@cox.net> wrote in message
news:W3uui.661$q_5.375@newsfe24.lga...
>
> "jim menning" <jmenningSPAM@new.rr.com> wrote in message
> news:46b66b57$0$29666$4c368faf@roadrunner.com...
>>
>> "Uncle Peter" <radioconnection@cox.net> wrote in message
>> news:%ttti.4947$Pv4.2691@newsfe19.lga...
>>> http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>>>
> >
>> Yes Pete, I have been there many times before, but no one has provided any
>> pictures, box art, or advertising to indicate it was indeed marketed as such.
>> Others are claiming the name is right on the radio itself.  Mine is sitting
right
>> in front of me, it has no Superadio nameplate.  I only want confirmation I can
>> verify, not to start a battle.
```

```
>>
> I'll go stand in the corner again. Sniff...
>
```

There should still be some pretzels and chips from the last time I was there.

```
From 5092222209391314079
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
post01.iad01!roadrunner.com!not-for-mail
Date: Wed, 08 Aug 2007 22:10:05 -0700
From: Jeffrey D Angus <jangus@socal.rr.com>
Reply-To:  jangus@socal.rr.com
Organization: Grendel's Lair
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com> <W3uui.661$q_5.375@newsfe24.lga>
<46ba8a83$0$20572$4c368faf@roadrunner.com>
In-Reply-To: <46ba8a83$0$20572$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <46baa1ba$0$4731$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:6762 rec.radio.amateur.equipment:651
```

```
rec.antiques.radio+phono:6817 alt.radio.broadcasting:579



jim menning wrote:
> "Uncle Peter" wrote:
>>
>>I'll go stand in the corner again. Sniff...
>>
>
> There should still be some pretzels and chips from the
> last time I was there.

You left chips and pretzels? The only ones I could find
were under the seat cushions.

Jeff



From -8423273681428384525
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!feeder3.cambrium.nl!
feed.tweaknews.nl!newsfeed10.multikabel.net!multikabel.net!feed10.multikabel.net!
feed.xsnews.nl!border-1.ams.xsnews.nl!news.germany.com!aioe.org!not-for-mail
From: "Anonymous" <me@privacy.net>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
Date: Thu, 9 Aug 2007 08:18:38 +0100
Organization: Aioe.org NNTP Server
Lines: 20
Message-ID: <f9ef4f$cjl$1@aioe.org>
References: <f9cont$gon$1@aioe.org> <Junui.13607$ya1.10210@news02.roc.ny>
<f9d0ni$6c9$1@aioe.org> <You-4730ED.15462008082007@netnews.att.net>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com uk.radio.amateur:11310 rec.radio.amateur.equipment:652


"You" <You@shadow.orgs> wrote in message
news:You-4730ED.15462008082007@netnews.att.net...
> In article <f9d0ni$6c9$1@aioe.org>, "Anonymous" <me@privacy.net> wrote:
>> No reason the PLL frequency should change between TX and RX
>> as I'm only using it on FM simplex.
> Just goes to show that YOU really don't understand the technology
> that your dealing with......  Maybe a few courses in Modern
```

> Radio Design, would help you understand how the PLL System
> works in an FT480R.....

Which bits of it do you say that I don't understand?

Loop stability in control systems, perhaps? Lead/Lag
compensation? Triple loop PLLs to give 10Hz steps but
without the final loop stepping in 10Hz?

What exactly?

```
From 87327396112838024
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Thu, 09 Aug 2007 05:09:22 -0400
Organization: http://home.earthlink.net/~mike.terrell/
Message-ID: <46BAD9C2.3C96E848@earthlink.net>
Reply-To: mike.terrell@earthlink.net
X-Mailer: Mozilla 4.76 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com> <W3uui.661$q_5.375@newsfe24.lga>
<46ba8a83$0$20572$4c368faf@roadrunner.com>
<46baa1ba$0$4731$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news2.google.com rec.radio.shortwave:6772 rec.radio.amateur.equipment:653
rec.antiques.radio+phono:6823 alt.radio.broadcasting:580

Jeffrey D Angus wrote:
>
> jim menning wrote:
> > "Uncle Peter" wrote:
> >>
> >>I'll go stand in the corner again. Sniff...
> >>
> >
> > There should still be some pretzels and chips from the
> > last time I was there.
>
> You left chips and pretzels? The only ones I could find
> were under the seat cushions.
>
> Jeff


   You weren't quick enough!  Randy beat you to them, and the cooler of
beer.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From 7636345570500799735
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!headwall.stanford.edu!
newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-09!
sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Thu, 09 Aug 2007 05:12:11 -0400
Organization: http://home.earthlink.net/~mike.terrell/
Message-ID: <46BADA6B.26AFD96D@earthlink.net>
Reply-To: mike.terrell@earthlink.net
```

```
X-Mailer: Mozilla 4.76 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<EIKdnYysaoXsrCvbnZ2dnUVZ_gCdnZ2d@giganews.com>
<EbGdnWENZPrzjCrbnZ2dnUVZ_j2dnZ2d@comcast.com> <f9bhp60nji@news3.newsguy.com>
<qPydnd0nGom4JyTbnZ2dnUVZ_qWtnZ2d@comcast.com>
<46b9fe14$0$238$e4fe514c@news.xs4all.nl> <2IWdnQtw4Yz3kCfbnZ2dnUVZ_q-
jnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com rec.radio.shortwave:6773 rec.radio.amateur.equipment:654
rec.antiques.radio+phono:6824 alt.radio.broadcasting:581
```

William Sommerwerck wrote:
>
> >> Thanks for the additional info and clarification. As long as we're
> >> talking about dirt-cheap FM radios aimed at urban listeners,
> >> I'm not upset. The Sony EFM-117 in this manual -- which I have
> >> several non-working samples of, and owned as a teenager --
> >> has a long ferrite rod, but no AM RF amp.
>
> > I imagine the design as a whole would be a bit different from the usual
> > concepts, as I seem to remember it uses one or more tunnel diodes.
>
> Not really. You'd think the tunnel diode would have been used for the LO,
> but it's the mixer! Perhaps the tunnel diode was significantly less noisy,
> but the EFM-117 is not an exceptionally sensitive radio -- merely good.

Tunnel diodes were supposed to be excellent mixers, with low noise and good IMD characteristics. In fact, the IEEE proposed a sat TV service in the late '60s, using 30 foot sat dishes, and a tunnel diode mixer front end. I was so expensive that it was never built.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 4388799768308219009
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "jim menning" <jmenningSPAM@new.rr.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com> <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com> <W3uui.661$q_5.375@newsfe24.lga>
<46ba8a83$0$20572$4c368faf@roadrunner.com>
<46baa1ba$0$4731$4c368faf@roadrunner.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Thu, 9 Aug 2007 09:02:49 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 22
Message-ID: <46bb1e76$0$28690$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:6789 rec.radio.amateur.equipment:656
rec.antiques.radio+phono:6836 alt.radio.broadcasting:582

"Jeffrey D Angus" <jangus@socal.rr.com> wrote in message
news:46baa1ba$0$4731$4c368faf@roadrunner.com...
>
>

```
> jim menning wrote:
>> "Uncle Peter" wrote:
>>>
>>>I'll go stand in the corner again. Sniff...
>>>
>>
>> There should still be some pretzels and chips from the
>> last time I was there.
>
> You left chips and pretzels? The only ones I could find
> were under the seat cushions.
>
> Jeff

That's why I didn't eat them.




From 6310130689445089154
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!news-out.readnews.com!postnews3.readnews.com!
news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org>
<1186610517.922729.249960@k79g2000hse.googlegroups.com>
<ve2mb311strrelkdor3s7chmrlar87t835@4ax.com>
Subject: Re: FT480R repair
Date: Thu, 9 Aug 2007 10:26:51 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 53
Message-ID: <46bb2429$0$25593$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 976886ff.news.coretel.net
X-Trace: DXC=;DEm\36M3JUCobC=I]JmK]cYX6N<OEXQ[DeCbWIiX65_Mc1HIncgboPUnMH:Y1WK\
[=T4_FkfbKkX
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com uk.radio.amateur:11361 rec.radio.amateur.equipment:657

"J." <jacques@nospam.demon.co.uk> wrote in message
news:ve2mb311strrelkdor3s7chmrlar87t835@4ax.com...
> On Wed, 08 Aug 2007 15:01:57 -0700, zakdingle <zakdingle21@hotmail.co.uk>
> wrote:
>
```

>>On 8 Aug, 16:50, "Anonymous" <m...@privacy.net> wrote:
>>> I need to replace the T/R relay on an FT480R.
>>> (Intermittent Rx, curable by a quick blip on TX)
>>>
>>> I don't have an exact replacement, so I'll use a
>>> Varley 12V relay, with suitable mods to the driving cct,
>>> and dangle the relay in the space behind the front panel.
>>>
>>> Is there a knack to removing the main board without first
>>> unsoldering the numerous connections? (i.e., can it just
>>> be a tedious job, or must it be downright finicky?)
>>>
>>> There is a second pair of change-over contacts on the
>>> relay, but with both outputs wired together...this would seem
>>> to suggest some form of muting effect that deals only with
>>> the T/R or R/T changeover period. Any ideas?
>>
>>Get over it ,,chuck it in the bin ,old and outdated like many of the
>>cretins on here ,
>>Spend some money u tight git get a good radio.
>>Regards
>>Zakdingle
>
>
> I have to say that I had a 480 and a 470 in the '80s, and at the time they
> were fine radios, if a bit deaf on ssb.
>
> What's wrong with trying to fix old gear, for god's sake? And why do most
> threads on here degenerate into some form of slanging match?
>
> No wonder the average level of helpfulness and worthwhile threads is
> pretty
> poor. The obsessives are killing it.
>
> J.

Repairing old gear can be fun - and lets face it - most "hams" or "Cber's" for that matter don't have the "equipment" to repair the newer stuff with SMD devices. Parts are still fairly easy to get - with the Internet. Usually you can find it with some luck.
Though I do newer equipment repairs - my eyes prefer the older stuff - much more. I have some older tube gear that I've had for projects for quite some time now - been too busy to do them. Am awaiting the day I can start on them and see the warm glow and listen to the audio coming forth.

L.

From 334643902519822973
X-Google-Thread: 108122,290c315f21a18e01,start
X-Google-Attributes: gid108122,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r34g2000hsd.googlegroups.com!not-for-mail
From: Martin <funkychateauSPAM@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Slightly OT - Need Motorola Speaker/Mic Details and Wiring
Date: Thu, 09 Aug 2007 08:23:35 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1186673015.047333.276330@r34g2000hsd.googlegroups.com>
NNTP-Posting-Host: 65.240.88.5
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1186673016 6991 127.0.0.1 (9 Aug 2007 15:23:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Aug 2007 15:23:36 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 10.150.1.254:80 (iPrism/v3)
Complaints-To: groups-abuse@google.com
Injection-Info: r34g2000hsd.googlegroups.com; posting-host=65.240.88.5;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:658

Hopefully someone who reads this group will be familiar with these radios, Motorola T7400 FRS/GMRS. The alt.radio.family newsgroup has degenerated to an unintellible level.

My friend and I have a set of these, which work extremely well as general-purpose handhelds (much better range than our IC-Q7s, and only cost $20 a pair after rebate). We'd like to use the T7400s for bike-to-bike communications on motorcycle trips. Our plan is to mount small speakers inside the helmets, and a microphone element in the lower face guard, to reduce wind noise. There would be a PTT switch, most likely mounted near one of the handgrips.

What we can't seem to find are the required tech specs on the speaker and microphone elements, or a wiring diagram for the single plug that connects everything to the radio. I'm aware that some radios short the mic element with a resistor to actuate PTT, but need a lot more specifics for this model.

thanks and regards,

Martin

From 4324349886067598987
X-Google-Thread: 108122,290c315f21a18e01
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!news.kjsl.com!
ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Slightly OT - Need Motorola Speaker/Mic Details and Wiring
Date: 9 Aug 2007 15:41:26 GMT
Organization: The National Capital FreeNet
Lines: 16
Message-ID: <f9fcj6$lpv$1@theodyn.ncf.ca>
References: <1186673015.047333.276330@r34g2000hsd.googlegroups.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1186674086 22335 134.117.136.48 (9 Aug 2007 15:41:26 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 9 Aug 2007 15:41:26 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:659
```

Martin (funkychateauSPAM@yahoo.com) writes:

> Hopefully someone who reads this group will be familiar with these
> radios, Motorola T7400 FRS/GMRS. The alt.radio.family newsgroup has
> degenerated to an unintellible level.
>

So you come here to help kill this newsgroup?

When people can't be bothered to stick to the topic of a newsgroup,
that's what kills it.

You don't see any irony in bothering this newsgroup with an off-topic
matter because some other newsgroup has been destroyed by off-topic
matter?

  Michael VE2BVW

```
From 6237429243652360573
X-Google-Thread: 108122,94ae0095453dbb46,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!news-in-02.newsfeed.easynews.com!easynews.com!
easynews!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Repose@Zilch.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FYI:  Great Ham Manuals Roundup
Lines: 4
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <Y4Iui.14379$Vk6.8477@newsfe07.phx>
Date: Thu, 9 Aug 2007 10:24:05 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1186680248 72.197.13.209 (Thu, 09 Aug 2007 10:24:08 MST)
NNTP-Posting-Date: Thu, 09 Aug 2007 10:24:08 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:660

Would you believe tens of thousands of freebees and vendors too URL:
http://ac6v.com/manuals.htm

Lamont "The Shadow Knows"

From 1035047112394855562
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Frank Turner-Smith G3VKI" <g3vki@turner-smith.co.uk>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org>
Subject: Re: FT480R repair
Date: Thu, 9 Aug 2007 18:25:01 +0100
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
NNTP-Posting-Host: $$5gtnkeaxibvw45o.newsgate.x-privat.org
Message-ID: <46bb4dd8@newsgate.x-privat.org>
Organization: X-Privat.Org NNTP Server - http://www.x-privat.org
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news1.google.com!volia.net!news2.volia.net!feed-A.news.volia.net!news.newsland.it!x-privat.org!not-for-mail
Xref: g2news2.google.com uk.radio.amateur:11373 rec.radio.amateur.equipment:661

"Anonymous" <me@privacy.net> wrote in message news:f9cont$gon$1@aioe.org...
>I need to replace the T/R relay on an FT480R.
> (Intermittent Rx, curable by a quick blip on TX)
>
Does the Beanifits Office know about this little earner?

From -6120234468685373577

X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!wn11feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
Organization: You and my shadow
References: <f9cont$gon$1@aioe.org> <Junui.13607$ya1.10210@news02.roc.ny>
<f9d0ni$6c9$1@aioe.org> <You-4730ED.15462008082007@netnews.att.net>
<f9ef4f$cjl$1@aioe.org>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-8D7918.10125209082007@netnews.worldnet.att.net>
Lines: 38
Date: Thu, 09 Aug 2007 18:12:19 GMT
NNTP-Posting-Host: 12.12.208.24
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1186683139 12.12.208.24 (Thu, 09 Aug
2007 18:12:19 GMT)
NNTP-Posting-Date: Thu, 09 Aug 2007 18:12:19 GMT
Xref: g2news2.google.com uk.radio.amateur:11384 rec.radio.amateur.equipment:662

In article <f9ef4f$cjl$1@aioe.org>, "Anonymous" <me@privacy.net> wrote:

> "You" <You@shadow.orgs> wrote in message
> news:You-4730ED.15462008082007@netnews.att.net...
> > In article <f9d0ni$6c9$1@aioe.org>, "Anonymous" <me@privacy.net> wrote:
> >> No reason the PLL frequency should change between TX and RX
> >> as I'm only using it on FM simplex.
> > Just goes to show that YOU really don't understand the technology
> > that your dealing with...... Maybe a few courses in Modern
> > Radio Design, would help you understand how the PLL System
> > works in an FT480R.....
>
> Which bits of it do you say that I don't understand?
>
> Loop stability in control systems, perhaps? Lead/Lag
> compensation? Triple loop PLLs to give 10Hz steps but
> without the final loop stepping in 10Hz?
>
> What exactly?
>
>

It is the part where the PLL Frequency doesn't change because you
at using FM Simplex. There are many reasons for the PLL to change
between Tx and Rx, even with the radio in FM Simplex mode.

1.   The receiver may have an IF Frequency of 10.7 Mhz which would

require the PLL to be offset from the Receive Frequncy by the IF Frequency,

2. The Transmitter exciter may use a different Offset Frequency than the Receiver IF Frequency, and most Transmitters don't modulate the Tx Output Frequency directly, but modulate an IF Frequency that is, either "mixed" to the Tx Frequency, or "multiplied" to the Tx Frequency.

Just to name a few. Now Sir please, expound your brilliance on why you made such a Stupid Comment in the Original Post, as sited above...........

```
From 2392951752391663067
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!spln!
extra.newsguy.com!newsp.newsguy.com!news3
From: Registered User <n4jvp@ix.netcom.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Thu, 09 Aug 2007 14:50:55 -0400
Organization: subdevo.com
Lines: 26
Message-ID: <2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com>
References: <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
<f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com>
Reply-To: n4jvp@ix.netcom.com
NNTP-Posting-Host: p24d1bfbfff000000295c9a644d10ab27636ceb0d6aa4c12e.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 3.3/32.846
Xref: g2news2.google.com rec.radio.shortwave:6799 rec.radio.amateur.equipment:663
rec.antiques.radio+phono:6856 alt.radio.broadcasting:583
```

On Sun, 5 Aug 2007 19:29:25 -0500, "jim menning"
<jmenningSPAM@new.rr.com> wrote:

>
>"Uncle Peter" <radioconnection@cox.net> wrote in message
>news:%ttti.4947$Pv4.2691@newsfe19.lga...
>> http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>>
>>
>> Here you go... the original price, timeframe and model number are
>> discussed. Pretty much supports Brenda's recollections. They also
>> have some info on the frontends of the other models on the website.
>>
>> Pete
>>
>
>Yes Pete, I have been there many times before, but no one has provided any
pictures,
>box art, or advertising to indicate it was indeed marketed as such. Others are
>claiming the name is right on the radio itself. Mine is sitting right in front
of
>me, it has no Superadio nameplate. I only want confirmation I can verify, not to
>start a battle.
>

http://www.amazon.com/7-2887-Superadio-III-Portable-Radio/dp/B00000J061/
ref=pd_bbs_3/105-3046249-5190854?ie=UTF8&s=electronics&qid=1186685294&sr=8-3
or
http://tinyurl.com/yvy9bh

From 7226941663916295776
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Repose@Zilch.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
<f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com>
<2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com>

```
In-Reply-To: <2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com>
Subject: Re: Question about GE Superadio III and batteries
Lines: 37
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <5vJui.82133$zz2.16721@newsfe12.phx>
Date: Thu, 9 Aug 2007 12:00:14 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1186686017 72.197.13.209 (Thu, 09 Aug 2007 12:00:17 MST)
NNTP-Posting-Date: Thu, 09 Aug 2007 12:00:17 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.shortwave:6800 rec.radio.amateur.equipment:664
rec.antiques.radio+phono:6857 alt.radio.broadcasting:584


"Registered User" <n4jvp@ix.netcom.com> wrote in message
news:2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com...
> On Sun, 5 Aug 2007 19:29:25 -0500, "jim menning"
> <jmenningSPAM@new.rr.com> wrote:
>
>>
>>"Uncle Peter" <radioconnection@cox.net> wrote in message
>>news:%ttti.4947$Pv4.2691@newsfe19.lga...
>>> http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>>>
>>>
>>> Here you go... the original price, timeframe and model number are
>>> discussed. Pretty much supports Brenda's recollections. They also
>>> have some info on the frontends of the other models on the website.
>>>
>>> Pete
>>>
>>
>>Yes Pete, I have been there many times before, but no one has provided any
>>pictures,
>>box art, or advertising to indicate it was indeed marketed as such.
>>Others are
>>claiming the name is right on the radio itself.  Mine is sitting right in
>>front of
>>me, it has no Superadio nameplate.  I only want confirmation I can verify,
>>not to
>>start a battle.
>>
>
```

> http://www.amazon.com/7-2887-Superadio-III-Portable-Radio/dp/B00000J061/ref=pd_bbs_3/105-3046249-5190854?ie=UTF8&s=electronics&qid=1186685294&sr=8-3
> or
> http://tinyurl.com/yvy9bh

Click on customer image - shows front panel --- sez SUPERRADIO
http://www.amazon.com/gp/product/customer-images/B00000J061/sr=8-3/qid=1186685294/ref=cm_ciu_pdp_images_all/105-9100526-1415604?ie=UTF8&s=electronics&qid=1186685294&sr=8-3#gallery

```
From -3161034579298762221
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!feeder.news-service.com!216.196.110.148.MISMATCH!
border1.nntp.ams.giganews.com!nntp.giganews.com!feeder1.cambrium.nl!
feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-03!sn-ams!sn-feed-
ams-02!sn-ams!sn-feed-ams-01!sn-post-ams-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Thu, 09 Aug 2007 15:22:30 -0400
Organization: "The Listener at The Gates of Dawn"
Message-ID: <46BB6976.6C979A56@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
<f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com>
<2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com> <5vJui.82133$zz2.16721@newsfe12.phx>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 47
Xref: g2news2.google.com rec.radio.shortwave:6801 rec.radio.amateur.equipment:665
rec.antiques.radio+phono:6858 alt.radio.broadcasting:585
```

The Shadow wrote:

> "Registered User" <n4jvp@ix.netcom.com> wrote in message
> news:2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com...
> > On Sun, 5 Aug 2007 19:29:25 -0500, "jim menning"
> > <jmenningSPAM@new.rr.com> wrote:
> >
> >>
> >>"Uncle Peter" <radioconnection@cox.net> wrote in message
> >>news:%ttti.4947$Pv4.2691@newsfe19.lga...
> >>> http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
> >>>
> >>>
> >>> Here you go... the original price, timeframe and model number are
> >>> discussed. Pretty much supports Brenda's recollections. They also
> >>> have some info on the frontends of the other models on the website.
> >>>
> >>> Pete
> >>>
> >>
> >>Yes Pete, I have been there many times before, but no one has provided any
> >>pictures,
> >>box art, or advertising to indicate it was indeed marketed as such.
> >>Others are
> >>claiming the name is right on the radio itself. Mine is sitting right in
> >>front of
> >>me, it has no Superadio nameplate. I only want confirmation I can verify,
> >>not to
> >>start a battle.
> >>
> >
> > http://www.amazon.com/7-2887-Superadio-III-Portable-Radio/dp/B00000J061/
ref=pd_bbs_3/105-3046249-5190854?ie=UTF8&s=electronics&qid=1186685294&sr=8-3
> > or
> > http://tinyurl.com/yvy9bh
>
> Click on customer image - shows front panel --- sez SUPERRADIO
> http://www.amazon.com/gp/product/customer-images/B00000J061/sr=8-3/
qid=1186685294/ref=cm_ciu_pdp_images_all/105-9100526-1415604?
ie=UTF8&s=electronics&qid=1186685294&sr=8-3#gallery

That's nice, but it's merely a Superadio III... I believe they're discussing the Superadio+, (model 7-2882_).

dxAce
Michigan
USA

```
From 8943615561213918255
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d30g2000prg.googlegroups.com!not-for-
mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Thu, 09 Aug 2007 12:39:00 -0700
Organization: http://groups.google.com
Lines: 44
Message-ID: <1186688340.372618.115380@d30g2000prg.googlegroups.com>
References: <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
   <RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
   <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
   <46b5dd8b$0$30672$4c368faf@roadrunner.com>
   <sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com>
   <%ttti.4947$Pv4.2691@newsfe19.lga>
   <46b66b57$0$29666$4c368faf@roadrunner.com>
   <2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com>
   <5vJui.82133$zz2.16721@newsfe12.phx>
NNTP-Posting-Host: 71.221.173.181
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186688345 15631 127.0.0.1 (9 Aug 2007 19:39:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Aug 2007 19:39:05 +0000 (UTC)
In-Reply-To: <5vJui.82133$zz2.16721@newsfe12.phx>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d30g2000prg.googlegroups.com; posting-host=71.221.173.181;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6802 rec.radio.amateur.equipment:666
rec.antiques.radio+phono:6859 alt.radio.broadcasting:586

On Aug 9, 1:00 pm, "The Shadow" <Rep...@Zilch.com> wrote:
> "Registered User" <n4...@ix.netcom.com> wrote in message
>
> news:2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com...
>
>
>
```

>
>
> > On Sun, 5 Aug 2007 19:29:25 -0500, "jim menning"
> > <jmenningS...@new.rr.com> wrote:
>
> >>"Uncle Peter" <radioconnect...@cox.net> wrote in message
> >>news:%ttti.4947$Pv4.2691@newsfe19.lga...
> >>>http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>
> >>> Here you go... the original price, timeframe and model number are
> >>> discussed. Pretty much supports Brenda's recollections. They also
> >>> have some info on the frontends of the other models on the website.
>
> >>> Pete
>
> >>Yes Pete, I have been there many times before, but no one has provided any
> >>pictures,
> >>box art, or advertising to indicate it was indeed marketed as such.
> >>Others are
> >>claiming the name is right on the radio itself. Mine is sitting right in
> >>front of
> >>me, it has no Superadio nameplate. I only want confirmation I can verify,
> >>not to
> >>start a battle.
>
> >http://www.amazon.com/7-2887-Superadio-III-Portable-Radio/dp/B00000J0...
> > or
> >http://tinyurl.com/yvy9bh
>
> Click on customer image - shows front panel --- sez SUPERRADIOhttp://
www.amazon.com/gp/product/customer-images/B00000J061/sr=8-3/qi...- Hide quoted
text -
>
> - Show quoted text -

Wrong model. It's not a 288*7*, but a much older *GE* 288_2_ and the
2882 was not an analog tuning radio, it was direct entry frequency
synthesis.

From 7937018819852699669
X-Google-Thread: 108122,290c315f21a18e01
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!roadrunner.com!not-for-mail
Message-ID: <46BB9D35.5070704@nettally.com>
Date: Thu, 09 Aug 2007 19:03:17 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804

Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
To: Martin <funkychateau@yahoo.com>
Subject: Re: Slightly OT - Need Motorola Speaker/Mic Details and Wiring
References: <1186673015.047333.276330@r34g2000hsd.googlegroups.com>
In-Reply-To: <1186673015.047333.276330@r34g2000hsd.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 39
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:667

Martin; Are the 7400's capable of GMRS repeater operation? If so, where did you buy them?

Martin wrote:

>Hopefully someone who reads this group will be familiar with these radios, Motorola T7400 FRS/GMRS. The alt.radio.family newsgroup has degenerated to an unintellible level.
>
>My friend and I have a set of these, which work extremely well as general-purpose handhelds (much better range than our IC-Q7s, and only cost $20 a pair after rebate). We'd like to use the T7400s for bike-to-bike communications on motorcycle trips. Our plan is to mount small speakers inside the helmets, and a microphone element in the lower face guard, to reduce wind noise. There would be a PTT switch, most likely mounted near one of the handgrips.
>
>What we can't seem to find are the required tech specs on the speaker and microphone elements, or a wiring diagram for the single plug that connects everything to the radio. I'm aware that some radios short the mic element with a resistor to actuate PTT, but need a lot more specifics for this model.
>
>thanks and regards,
>
>Martin
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From -3632107103353703172
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q3g2000prf.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-Called' GE
Superadios ?
Date: Thu, 09 Aug 2007 17:47:58 -0700
Organization: http://groups.google.com
Lines: 125
Message-ID: <1186706878.254669.230320@q3g2000prf.googlegroups.com>
References: <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
   <RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
   <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
   <46b5dd8b$0$30672$4c368faf@roadrunner.com>
   <sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com>
   <%ttti.4947$Pv4.2691@newsfe19.lga>
   <46b66b57$0$29666$4c368faf@roadrunner.com>
   <2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com>
   <5vJui.82133$zz2.16721@newsfe12.phx>
   <1186688340.372618.115380@d30g2000prg.googlegroups.com>
NNTP-Posting-Host: 75.20.206.0
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186706879 5514 127.0.0.1 (10 Aug 2007 00:47:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Aug 2007 00:47:59 +0000 (UTC)
In-Reply-To: <1186688340.372618.115380@d30g2000prg.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q3g2000prf.googlegroups.com; posting-host=75.20.206.0;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6815 rec.radio.amateur.equipment:668
rec.antiques.radio+phono:6886 alt.radio.broadcasting:587
```

For One and All,

.

Which Are The "Actual" GE Superadios ?

- - - - -and- - - - -
Which Are The 'So-Called' GE Superadios ?
 .
OK - Here are the actual GE Superadio Model Numbers :
 .
1 - GE {Superadio I} Model # 7-2880
"The Original" GE SUPERADIO I = "Super Radio"
-but- It did not have The Words "Superadio" on the Radio [.]
General Electric Model # 7-2880
Speaker: Single/One 5".
Single Band Width.
Knobs: Black Body with Chrome Base Ring.
Size: 13"W - 9"H - 3.25"D
Badging 'General (GE) Electric' on the speaker grill.
Printed on the Tuning Band Scale: "Long Range" & "High Selectivity"
Made in HONG KONG and other locations
 .
2 - GE Superadio I I Model # 7-2885
The GE SR II = GE SUPERADIO II = "Super Radio"
General Electric Model # 7-2885
Speakers: Dual 5" and 1".
Single Band Width.
Knobs: Chrome (color) Body including the bases.
Size 13"W - 9"H - 3.25"D.
Badging: General (GE) Electric "SUPERADIO II" on the speaker grill.
Printed on the Tuning Band Scale: "Long Range" & "High Selectivity"
Made in MALAYSIA and other locations from 1987 until 1994.
 .
3 - GE Superadio I I I Model # 7-2887
The GE SR III = GE SUPERADIO III = "Super Radio"
General Electric Model # 7-2887
Speakers: Dual 6" & 1.5".
Dual Band Widths: Wide & Normal.
Knobs: Black Body with Chrome Base Ring.
Size: 13.5"W - 9"H - 3.75"D.
Badging: "GE" Square on the speaker grill.
Printed on the Tuning Band Scale: "Long Range" & "High Selectivity"
Made In CHINA ?
 .
Here are some 'so-called' GE "Superadio" Model Numbers
they are either Digital / Cassette / Boom Boxes /Radios :
Series - 3-6015 / 3-6025 / 3-6045
Series - 3-5266 / 3-5268 / 3-5280
 .
Model # 3-5280 is the so-called GE {Superadio} Cassette
 .
Model # 7-2882 is the so-called GE Digital {Superadio} Plus
 .
Then there is the 'so-called' GE "Superadio" CUB
Model Number 7-2881 that was 'smaller' than the
GE Superadios and used "C" Batteries
 .
NOTE - The Radio Shack Optimus Models #s 12-603

and/ 12-903 may be 'look-a-likes' on the outside
-but- They do not have the GE Superadios Circuity
on the inside [.]
 .
READ THESE "REC.RADIO.SHORTWAVE" MESSAGES
 .
GE Superadios for Dummies [Was: OT: Superadio ID]
http://groups.google.com/group/rec.radio.shortwave/msg/0d2291622654ceff
 .
GE Superadios for Dummies [GE Super Radios I - II - III]
http://groups.google.com/group/rec.radio.shortwave/msg/b040155dce5df31c
 .
A Compilation of GE Superadio Posts
http://groups.google.com/group/rec.radio.shortwave/msg/2518c853aaf62053
 .
 .
the ge model 7-2885 is in-fact a super radio
-and- imho the best of the best ~ RHF
 .
 .
. .

= = = On Aug 9, 12:39 pm, Steven <thisjukeboxplays33...@yahoo.com>
wrote:
> On Aug 9, 1:00 pm, "The Shadow" <Rep...@Zilch.com> wrote:
>
> > "Registered User" <n4...@ix.netcom.com> wrote in message
>
> >news:2eomb317n32u1d5iprife2867ljb9mj2k7@4ax.com...
>
> > > On Sun, 5 Aug 2007 19:29:25 -0500, "jim menning"
> > > <jmenningS...@new.rr.com> wrote:
>
> > >>"Uncle Peter" <radioconnect...@cox.net> wrote in message
> > >>news:%ttti.4947$Pv4.2691@newsfe19.lga...
> > >>>http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>
> > >>> Here you go... the original price, timeframe and model number are
> > >>> discussed. Pretty much supports Brenda's recollections. They also
> > >>> have some info on the frontends of the other models on the website.
>
> > >>> Pete
>
> > >>Yes Pete, I have been there many times before, but no one has provided any
> > >>pictures,
> > >>box art, or advertising to indicate it was indeed marketed as such.
> > >>Others are
> > >>claiming the name is right on the radio itself. Mine is sitting right in
> > >>front of
> > >>me, it has no Superadio nameplate. I only want confirmation I can verify,
> > >>not to
> > >>start a battle.
>

```
> > >http://www.amazon.com/7-2887-Superadio-III-Portable-Radio/dp/B00000J0...
> > > or
> > >http://tinyurl.com/yvy9bh
>
> > Click on customer image - shows front panel --- sez SUPERRADIOhttp://
www.amazon.com/gp/product/customer-images/B00000J061/sr=8-3/qi...Hide quoted text
-
>
> > - Show quoted text -
>
> Wrong model. It's not a 288*7*, but a much older *GE* 288_2_ and the
> 2882 was not an analog tuning radio, it was direct entry frequency
> synthesis.- Hide quoted text -
>
> - Show quoted text -
```

```
From 5941006774085365658
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g12g2000prg.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-Called' GE
Superadios ?
Date: Thu, 09 Aug 2007 17:51:10 -0700
Organization: http://groups.google.com
Lines: 78
Message-ID: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
NNTP-Posting-Host: 75.20.206.0
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1186707078 7987 127.0.0.1 (10 Aug 2007 00:51:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Aug 2007 00:51:18 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g12g2000prg.googlegroups.com; posting-host=75.20.206.0;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6816 rec.radio.amateur.equipment:669
rec.antiques.radio+phono:6888 alt.radio.broadcasting:588
```

For One and All,
.
Which Are The "Actual" GE Superadios ?
- - - - -and- - - - -
Which Are The 'So-Called' GE Superadios ?
.
OK - Here are the actual GE Superadio Model Numbers :
.
1 - GE {Superadio I} Model # 7-2880
"The Original" GE SUPERADIO I = "Super Radio"
-but- It did not have The Words "Superadio" on the Radio [.]
General Electric Model # 7-2880
Speaker: Single/One 5".
Single Band Width.
Knobs: Black Body with Chrome Base Ring.
Size: 13"W - 9"H - 3.25"D
Badging 'General (GE) Electric' on the speaker grill.
Printed on the Tuning Band Scale: "Long Range" & "High Selectivity"
Made in HONG KONG and other locations
.
2 - GE Superadio I I Model # 7-2885
The GE SR II = GE SUPERADIO II = "Super Radio"
General Electric Model # 7-2885
Speakers: Dual 5" and 1".
Single Band Width.
Knobs: Chrome (color) Body including the bases.
Size 13"W - 9"H - 3.25"D.
Badging: General (GE) Electric "SUPERADIO II" on the speaker grill.
Printed on the Tuning Band Scale: "Long Range" & "High Selectivity"
Made in MALAYSIA and other locations from 1987 until 1994.
.
3 - GE Superadio I I I Model # 7-2887
The GE SR III = GE SUPERADIO III = "Super Radio"
General Electric Model # 7-2887
Speakers: Dual 6" & 1.5".
Dual Band Widths: Wide & Normal.
Knobs: Black Body with Chrome Base Ring.
Size: 13.5"W - 9"H - 3.75"D.
Badging: "GE" Square on the speaker grill.
Printed on the Tuning Band Scale: "Long Range" & "High Selectivity"
Made In CHINA ?
.
Here are some 'so-called' GE "Superadio" Model Numbers
they are either Digital / Cassette / Boom Boxes /Radios :
Series - 3-6015 / 3-6025 / 3-6045
Series - 3-5266 / 3-5268 / 3-5280
.
Model # 3-5280 is the so-called GE {Superadio} Cassette
.
Model # 7-2882 is the so-called GE Digital {Superadio} Plus
.
Then there is the 'so-called' GE "Superadio" CUB

Model Number 7-2881 that was 'smaller' than the
GE Superadios and used "C" Batteries

.

NOTE - The Radio Shack Optimus Models #s 12-603
and/ 12-903 may be 'look-a-likes' on the outside
-but- They do not have the GE Superadios Circuity
on the inside [.]

.

READ THESE "REC.RADIO.SHORTWAVE" MESSAGES

.

GE Superadios for Dummies [Was: OT: Superadio ID]
http://groups.google.com/group/rec.radio.shortwave/msg/0d2291622654ceff

.

GE Superadios for Dummies [GE Super Radios I - II - III]
http://groups.google.com/group/rec.radio.shortwave/msg/b040155dce5df31c

.

A Compilation of GE Superadio Posts
http://groups.google.com/group/rec.radio.shortwave/msg/2518c853aaf62053

.

.

the ge model 7-2885 is in-fact a super radio
-and- imho the best of the best ~ RHF

.

.

. .

```
From -3208175426752063192
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe03.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
Subject: Re: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-
Called' GE Superadios ?
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <9sPui.326$_86.31@newsfe03.lga>
```

X-Trace:
pgpdkimbbbabbbpebaignffdjoaiejclpbjckljfgpcpeeheaddlipdmdmoppjijlamhjfhakojpdbobaj
ccdcabepbpoihcamagcehljjclppdmjcldhildmnmljgbgenfnojecgjgcfcij
NNTP-Posting-Date: Thu, 09 Aug 2007 18:46:45 MST
Date: Thu, 9 Aug 2007 20:46:47 -0500
Xref: g2news2.google.com rec.radio.shortwave:6825 rec.radio.amateur.equipment:670
rec.antiques.radio+phono:6891 alt.radio.broadcasting:589

The GE P780 is the original or predesesor to the GE Superadios:

http://www.radiointel.com/nrge.htm

BH

From 5752109641376510389
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.ett.com.ua!
news2.arglkargh.de!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <Use-Author-Supplied-Address-Header@[127.1]>
Author-Supplied-Address: nobody <AT> pseudo <DOT> borked <DOT> net
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
Message-ID: <39985dd082c0c2655d60e8f0daaada63@pseudo.borked.net>
Date: Thu, 9 Aug 2007 22:30:41 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.shortwave:6838 rec.radio.amateur.equipment:671
rec.radio.amateur.boatanchors:902

In article <1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
Ted <Use-Author-Supplied-Address-Header@[127.1]> wrote:
>
> In article <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
> Ted <Use-Author-Supplied-Address-Header@[127.1]> wrote:
> >
> > eBay
>
> It's baaaaack!
> eBay: http://301url.com/R390A_2

Highest bid $7,877.77 - reserve not met

```
From 348163328O3488294
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Fri, 10 Aug 2007 01:25:41 -0500
From: "LVN" <gareth.paley@gmail.com>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org> <Junui.13607$ya1.10210@news02.roc.ny>
<f9d0ni$6c9$1@aioe.org> <You-4730ED.15462008082007@netnews.att.net>
<f9ef4f$cjl$1@aioe.org> <You-8D7918.10125209082007@netnews.worldnet.att.net>
Subject: Re: FT480R repair
Date: Fri, 10 Aug 2007 07:25:40 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <YaCdnZmNRNJ4mSHbRVnyhAA@bt.com>
Lines: 21
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 217.43.146.42
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-pt04cw76Edet1uQzNmjXFNIHgZR70x7oWJLOyFJIsQV/
CrmHiZHsP+LMqFpbpraYDxz4fzjpliqOCTf!
GwBch6pa5oRQZqmP+xF4LuskRgWwT2EBPzCDahcsdZrF4He2aBf95DZTLevMoTo=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com uk.radio.amateur:11422 rec.radio.amateur.equipment:672
```

"You" <You@shadow.orgs> wrote in message
news:You-8D7918.10125209082007@netnews.worldnet.att.net...

```
>
> It is the part where the PLL Frequency doesn't change because you
> at using FM Simplex.  There are many reasons for the PLL to change
> between Tx and Rx, even with the radio in FM Simplex mode.
>
> 1.    The receiver may have an IF Frequency of 10.7 Mhz which would
>      require the PLL to be offset from the Receive Frequncy by the
>      IF Frequency,
```

This is classic radio design, the vast majority of crystal controlled VHF rigs from the seventies and eighties had a separete crystal for TX and RX because of the IF stage in the receiver. Not true of all rigs though. The FDK Multi 2000 as well as a PLL VFO has a number of crystal memories and has a single crystal for each memory, but it's more the exception than the rule - probably done to reduce cost of two crystals rather than one for each channel.

```
From -6663874542241501772
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Aug 2007 06:23:00 -0500
Date: Fri, 10 Aug 2007 07:23:02 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
<39985dd082c0c2655d60e8f0daaada63@pseudo.borked.net>
In-Reply-To: <39985dd082c0c2655d60e8f0daaada63@pseudo.borked.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ea6dnbUmgcQJ1yHbnZ2dnUVZ_vfinZ2d@comcast.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-
xGFlorug1hc2vd0nQ6skUiuePSQrgTlmTghLmCENQhw6fjzn5Yw80b8NN7YDxCeNrHPsD2vpm3U2UxI!
OIO3O+zTB9/GTzMJimiVtBHDltWjpLJ6gTh5CeNNsdE1fbQ6znn3J/ek4+b8Htkee6Zzwid5oDeb!
gAxdOxQQmrUXk2i3C7RhCj3BKog=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6853 rec.radio.amateur.equipment:673
rec.radio.amateur.boatanchors:903
```

Ted wrote:

```
> In article <1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
> Ted <Use-Author-Supplied-Address-Header@[127.1]> wrote:
>
>>In article <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
>>Ted <Use-Author-Supplied-Address-Header@[127.1]> wrote:
>>
>>>eBay
>>
>>It's baaaaack!
>>eBay: http://301url.com/R390A_2
>
>
> Highest bid $7,877.77 - reserve not met
```

Ridiculous, isn't it?

```
From 3178870989903167407
X-Google-Thread: 108122,290c315f21a18e01
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j4g2000prf.googlegroups.com!not-for-
mail
From:  Martin <funkychateauSPAM@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Slightly OT - Need Motorola Speaker/Mic Details and Wiring
Date: Fri, 10 Aug 2007 07:56:18 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1186757778.911308.91680@j4g2000prf.googlegroups.com>
References: <1186673015.047333.276330@r34g2000hsd.googlegroups.com>
   <f9fcj6$lpv$1@theodyn.ncf.ca>
NNTP-Posting-Host: 65.240.88.5
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186757779 26503 127.0.0.1 (10 Aug 2007 14:56:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Aug 2007 14:56:19 +0000 (UTC)
In-Reply-To: <f9fcj6$lpv$1@theodyn.ncf.ca>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 10.150.1.254:80 (iPrism/v3)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000prf.googlegroups.com; posting-host=65.240.88.5;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:674
```

On Aug 9, 10:41 am, et...@FreeNet.Carleton.CA (Michael Black) wrote:

> Martin (funkychateauS...@yahoo.com) writes:
> > Hopefully someone who reads this group will be familiar with these
> > radios, Motorola T7400 FRS/GMRS. The alt.radio.family newsgroup has
> > degenerated to an unintellible level.
>
> So you come here to help kill this newsgroup?
>
> When people can't be bothered to stick to the topic of a newsgroup,
> that's what kills it.
>
> You don't see any irony in bothering this newsgroup with an off-topic
> matter because some other newsgroup has been destroyed by off-topic
> matter?
>
>   Michael VE2BVW

The "OT" designation (which I applied myself) was merely a courtesy by
way of introduction. I don't really consider it to be off-topic.

Most Hams, myself included, tend to be electronics/communications
experimenters, and highly interested in hardware such as I described.
A few may be clueless beyond whatever it took to pass their written,
but they can play netcop.

From -1236770574706921032
X-Google-Thread: 108122,290c315f21a18e01
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!g12g2000prg.googlegroups.com!not-for-mail
From: Martin <funkychateauSPAM@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Slightly OT - Need Motorola Speaker/Mic Details and Wiring
Date: Fri, 10 Aug 2007 08:07:52 -0700
Organization: http://groups.google.com
Lines: 75
Message-ID: <1186758472.129827.287520@g12g2000prg.googlegroups.com>
References: <1186673015.047333.276330@r34g2000hsd.googlegroups.com>
   <46BB9D35.5070704@nettally.com>
NNTP-Posting-Host: 65.240.88.5
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1186758473 28693 127.0.0.1 (10 Aug 2007 15:07:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Aug 2007 15:07:53 +0000 (UTC)
In-Reply-To: <46BB9D35.5070704@nettally.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 10.150.1.254:80 (iPrism/v3)

```
Complaints-To: groups-abuse@google.com
Injection-Info: g12g2000prg.googlegroups.com; posting-host=65.240.88.5;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:675

On Aug 9, 6:03 pm, **THE-RFI-EMI-GUY** <rhyol...@nettally.com> wrote:
> Martin; Are the 7400's capable of GMRS repeater operation? If so, where
> did you buy them?
>
>
>
>
>
> Martin wrote:
> >Hopefully someone who reads this group will be familiar with these
> >radios, Motorola T7400 FRS/GMRS.  The alt.radio.family newsgroup has
> >degenerated to an unintellible level.
>
> >My friend and I have a set of these, which work extremely well as
> >general-purpose handhelds (much better range than our IC-Q7s, and only
> >cost $20 a pair after rebate).  We'd like to use the T7400s for bike-
> >to-bike communications on motorcycle trips.  Our plan is to mount
> >small speakers inside the helmets, and a microphone element in the
> >lower face guard, to reduce wind noise.  There would be a PTT switch,
> >most likely mounted near one of the handgrips.
>
> >What we can't seem to find are the required tech specs on the speaker
> >and microphone elements, or a wiring diagram for the single plug that
> >connects everything to the radio.  I'm aware that some radios short
> >the mic element with a resistor to actuate PTT, but need a lot more
> >specifics for this model.
>
> >thanks and regards,
>
> >Martin
>
> --
> Joe Leikhim K4SAT
> "The RFI-EMI-GUY"=A9
>
> "Treason doth never prosper: what's the reason?
> For if it prosper, none dare call it treason."
>
> "Follow The Money"  ;-P- Hide quoted text -
>
> - Show quoted text -

Hi Joe,

As far as I know, the 7400 radios do not have any frequency-offset
capablity, but I suppose it's possible that there are undocumented
features.  For example, if you engage the "QT" function from the menu,
it layers a tone squelch over the standard CTCSS (actually uses the
```

tone to precede the first transmission), which virtually guarantees that no other extraneous sources will activate the receiver.

I bought them at Fry's Electronics in Dallas, TX. They were $20 per pair, after a $10 rebate. The maker claims 8 miles optimum range, but we tested them and got 10 miles. Here is a link to my review, which also gives the locations and terrain details:
http://groups.google.com/group/alt.radio.family/browse_thread/thread/1a8741=
45cfa4b4e2/dbd2bbab8ffcd1fd?lnk=3Dgst&q=3Dfunkychateauspam&rnum=3D2#dbd2bba=
b8ffcd1fd

These are the only blister-pack radios I have ever tested that beat the manufacturer's range claims. And they did so using rechargeable NiMH batteries, which have a slightly-lower terminal voltage than the alkalines often used to generate the claims. Part of the performance is no doubt due to physical reasons - the chassis is probably twice the size of most FRS radios, and it uses four AA batteries instead of the now-typical AAAs. I'd say these radios are far more likely than most to actually deliver their rated output power. And perhaps they have a good receiver section as well, plus enough chassis mass for the antenna to work properly. For whatever reason, the peformance was outstanding for something that retailed for $10 per unit.

best regards,

Martin

```
From 3227594106117832471
X-Google-Thread: 108122,290c315f21a18e01
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups: rec.radio.amateur.equipment
References: <1186673015.047333.276330@r34g2000hsd.googlegroups.com>
<46BB9D35.5070704@nettally.com>
<1186758472.129827.287520@g12g2000prg.googlegroups.com>
Subject: Re: Slightly OT - Need Motorola Speaker/Mic Details and Wiring
Date: Fri, 10 Aug 2007 11:43:43 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 101
Message-ID: <46bc87ac$0$20362$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 6ffec2f6.news.coretel.net
X-Trace: DXC=Q<NMmJURT7OVHZ`6?
```

```
gMbnKcYX6N<OEXQK=9L08:O9EUMEYn9N42`BZ@CIl9J_@>S`D:S;VS<I4PFA
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.equipment:676

"Martin" <funkychateauSPAM@yahoo.com> wrote in message
news:1186758472.129827.287520@g12g2000prg.googlegroups.com...
On Aug 9, 6:03 pm, **THE-RFI-EMI-GUY** <rhyol...@nettally.com> wrote:
> Martin; Are the 7400's capable of GMRS repeater operation? If so, where
> did you buy them?
>
>
>
>
>
> Martin wrote:
> >Hopefully someone who reads this group will be familiar with these
> >radios, Motorola T7400 FRS/GMRS.  The alt.radio.family newsgroup has
> >degenerated to an unintellible level.
>
> >My friend and I have a set of these, which work extremely well as
> >general-purpose handhelds (much better range than our IC-Q7s, and only
> >cost $20 a pair after rebate).  We'd like to use the T7400s for bike-
> >to-bike communications on motorcycle trips.  Our plan is to mount
> >small speakers inside the helmets, and a microphone element in the
> >lower face guard, to reduce wind noise.  There would be a PTT switch,
> >most likely mounted near one of the handgrips.
>
> >What we can't seem to find are the required tech specs on the speaker
> >and microphone elements, or a wiring diagram for the single plug that
> >connects everything to the radio.  I'm aware that some radios short
> >the mic element with a resistor to actuate PTT, but need a lot more
> >specifics for this model.
>
> >thanks and regards,
>
> >Martin
>
> --
> Joe Leikhim K4SAT
> "The RFI-EMI-GUY"�
>
> "Treason doth never prosper: what's the reason?
> For if it prosper, none dare call it treason."
>
> "Follow The Money"  ;-P- Hide quoted text -
>
> - Show quoted text -

Hi Joe,

As far as I know, the 7400 radios do not have any frequency-offset
capablity, but I suppose it's possible that there are undocumented
features.  For example, if you engage the "QT" function from the menu,
```

it layers a tone squelch over the standard CTCSS (actually uses the tone to precede the first transmission), which virtually guarantees that no other extraneous sources will activate the receiver.

I bought them at Fry's Electronics in Dallas, TX. They were $20 per pair, after a $10 rebate. The maker claims 8 miles optimum range, but we tested them and got 10 miles. Here is a link to my review, which also gives the locations and terrain details:
http://groups.google.com/group/alt.radio.family/browse_thread/thread/1a874145cfa4b4e2/dbd2bbab8ffcd1fd?lnk=gst&q=funkychateauspam&rnum=2#dbd2bbab8ffcd1fd

These are the only blister-pack radios I have ever tested that beat the manufacturer's range claims. And they did so using rechargeable NiMH batteries, which have a slightly-lower terminal voltage than the alkalines often used to generate the claims. Part of the performance is no doubt due to physical reasons - the chassis is probably twice the size of most FRS radios, and it uses four AA batteries instead of the now-typical AAAs. I'd say these radios are far more likely than most to actually deliver their rated output power. And perhaps they have a good receiver section as well, plus enough chassis mass for the antenna to work properly. For whatever reason, the peformance was outstanding for something that retailed for $10 per unit.

best regards,

Martin

I bought a couple sets of FRS/GMRS radios and have yet to see them perform to what "I" feel is their capacity. They claim upwards of 8 or so miles - yet I lost contact with someone a hair short of a mile away on flat terrain - and a virtual clear shot. At 3/4 mile, had crystal clear Comms - but past that - nothing.

I don't place any faith in those things - as to range. I bought them to try to stay off of "2 meters" with mundane things and to also use for Emergency Comms with my assistants who aren't licensed and not "authorized" to be on a Public Service band radio - I'll stick with the 2meters. I can do simplex or repeat and not have to worry about losing contact - over the FRS radios. That mile "and more" is very easily covered.

I never got around to it, but I'm going to check mine on my service monitor - to see what they're doing - using AA Alkalines, NiMH and external power source. I know many hunters who use FRS radios (only when hunting) - of different brands, models, Rf power out and range quotes - and they always complain of distance. They're not radio enthusiasts - of any sort. Listening to their reports - quizzing them on their terrain and so on - I can understand their issue. IMHO - I think those radios (at least most) are over rated - a "gadget" item.

L.

From -970357552492117434
X-Google-Thread: 108122,afef761477a5ae1d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!
53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: ICOM SP-20 SPEAKER
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <e50vi.20$Lo3.12@newsfe12.lga>
Date: Fri, 10 Aug 2007 11:10:59 -0500
NNTP-Posting-Host: 24.183.47.247
X-Trace: newsfe12.lga 1186762186 24.183.47.247 (Fri, 10 Aug 2007 09:09:46 MST)
NNTP-Posting-Date: Fri, 10 Aug 2007 09:09:46 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:677

THIS SPEAKER HAS BUILT IN AUDIO FILTERS AND MATCHES THE IC-756 PRO II OR IC
756 PRO III SERIES.
$165.00 SHIPPED & INSURED CONUS

From 7515627572975402743
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.net.POSTED!476e347b!not-for-mail
From: "Al Lorona" <al_lorona@agilent.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
References: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
Subject: Re: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-Called' GE Superadios ?

Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <1a4vi.56973$5j1.24796@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 192.25.240.232
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1186778877 ST000 192.25.240.232 (Fri, 10 Aug 2007 16:47:57 EDT)
NNTP-Posting-Date: Fri, 10 Aug 2007 16:47:57 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJONTBUMB_TX@JKD]_\@VR]^@B@MCPWZKB]MPXHZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Fri, 10 Aug 2007 20:47:57 GMT
Xref: g2news2.google.com rec.radio.shortwave:6879 rec.radio.amateur.equipment:678 rec.antiques.radio+phono:6974 alt.radio.broadcasting:590

> NOTE - The Radio Shack Optimus Models #s 12-603
> and/ 12-903 may be 'look-a-likes' on the outside
> -but- They do not have the GE Superadios Circuity
> on the inside [.]
> .

In my opinion the Radio Shack 12-903 is similar in design, with very similar performance, but in a package that is far more solidly built. Its audio sounds at least as good and is powerful. Battery life is the same (250 hours). Provision for external antenna. Controls don't wobble around and the platic case is more substantial than the GE which feels 'cheap' in comparison.

Al W6LX

From -261193516121625054
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed.hal-mli.net!feeder1.hal-mli.net!news.alt.net!sn-xt-sjc-05!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "george conklin" <nospam@nospam.com>
Newsgroups:

rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-Called' GE Superadios ?
Date: Fri, 10 Aug 2007 19:18:28 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13bpsifa6krf190@corp.supernews.com>
References: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
<1a4vi.56973$5j1.24796@newssvr21.news.prodigy.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-Complaints-To: abuse@supernews.com
Lines: 30
Xref: g2news2.google.com rec.radio.shortwave:6892 rec.radio.amateur.equipment:679
rec.antiques.radio+phono:6985 alt.radio.broadcasting:591

"Al Lorona" <al_lorona@agilent.com> wrote in message
news:1a4vi.56973$5j1.24796@newssvr21.news.prodigy.net...
>
>> NOTE - The Radio Shack Optimus Models #s 12-603
>> and/ 12-903 may be 'look-a-likes' on the outside
>> -but- They do not have the GE Superadios Circuity
>> on the inside [.]
>> .
>
> In my opinion the Radio Shack 12-903 is similar in design, with very
> similar performance, but in a package that is far more solidly built. Its
> audio sounds at least as good and is powerful. Battery life is the same
> (250 hours). Provision for external antenna. Controls don't wobble around
> and the platic case is more substantial than the GE which feels 'cheap' in
> comparison.
>
> Al W6LX
>
>
>

I have both the Radio Shack and the GE. The GE is vastly better in terms
of sensitivity and sound quality. I listen to a remote AM station during
the day and the GE is vastly better.

From -2684218095551107009
X-Google-Thread: 108122,2f00a54ae90b9323

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/ feeded by 88.191.60.17
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
nntpfeed.proxad.net!news.side3.eu!news.netfinity.fr!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need inexpensive spectrum analyzer
Date: Fri, 10 Aug 2007 20:44:24 -0400
Organization: Aioe.org NNTP Server
Lines: 21
Message-ID: <fmmck-A6B5CE.20442410082007@nntp.aioe.org>
References: <pan.2007.08.05.18.10.51.579229@from.qrz.com>
NNTP-Posting-Host: EcP2IrRfZtBk2yD3GHJjeA.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:680

In article <pan.2007.08.05.18.10.51.579229@from.qrz.com>,
 "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote:

> Can anyone suggest a decent inexpensive spectrum analyzer, that I can look
> for used on ebay, that would be suitable for evaluating SSB transmitter
> output for spurs, harmonics, etc.?

Rick-

If you have a signal generator, you can use it as a local oscillator for
a Ham panadapter.  The Heath SB-620 HamScan can be set up that way.  I
used one many years ago to troubleshoot a Regency HR-6 and BTL-301 spur
problem.

I also had the TS-120S which had spurs.  I took it back to the dealer,
who had a good technician at the time.  Apparently incorporating all the
Kenwood tech bulletins will solve the problem unless you have a
defective component.  Mine was clean as a whistle when I sold it.

Fred
K4DII



From -219285544999316560
X-Google-Thread: 108122,2f00a54ae90b9323
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Fri, 10 Aug 2007 20:35:56 -0500
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.08.05.18.10.51.579229@from.qrz.com> <fmmck-
A6B5CE.20442410082007@nntp.aioe.org>
```

Subject: Re: Need inexpensive spectrum analyzer
Date: Fri, 10 Aug 2007 18:35:47 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <trydnRstluzhjyDbnZ2dnUVZ_vamnZ2d@giganews.com>
Lines: 42
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-WGiYMeqcRGSg777vLIqFIL4ONBfT7HYu0eYEEhMn9a9/Bj3h3xdOvXS1O4Ysb/86dFIRWGD9GexiuKT!hzn2g4z4A/RDJ2U1j0VNQMpLTMRQtsb6E7KeRFodvS48LlBCJMeUQ/Bpweeyb/Cw/Qqq3tNUF/I=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:681

Fred McKenzie wrote:

> Rick (W-A-one-R-K-T) wrote:
>
> > Can anyone suggest a decent inexpensive spectrum analyzer, that I can look for used on ebay, that would be suitable for evaluating SSB transmitter output for spurs, harmonics, etc.?
>
> Rick-
>
> If you have a signal generator, you can use it as a local oscillator for a Ham panadapter. The Heath SB-620 HamScan can be set up that way. I used one many years ago to troubleshoot a Regency HR-6 and BTL-301 spur problem.
>
> I also had the TS-120S which had spurs. I took it back to the dealer, who had a good technician at the time. Apparently incorporating all the Kenwood tech bulletins will solve the problem unless you have a defective component. Mine was clean as a whistle when I sold it.
>
> Fred
> K4DII

I used just that technique to marry my SB620 'Scanalyzer' to my TS-120S and TS-130S xcvrs (with buffer amplifiers inside the xcvrs). The 620's input amplifier has an RFC to ground from the cathode. A capacitor is switched from bypass of the RFC, to coupling from an RCA jack on the rear apron. That turns the input amplifer into a mixer. My '620 came to me setup for Heathkit's 3.395 MHz IF. I made a dead-bug oscillator using a ~ 12 MHz xtal that was intended for a rock-bound 2m xcvr. A slight tweak of the '620's sweep oscillator, and I was in business.

Another potentially inexpensive spectrum analyzer scheme is based on a varactor-tuned frontend from a cable box (it utilizes your generic oscilloscope for display). You can build a basic unit, or add modules for more function. Take a look at http://www.science-workshop.com/, home of the "Poor Man's Spectrum Analyzer".

73,
Bryan WA7PRC

From -6819443035692336133
X-Google-Thread: 108122,2f00a54ae90b9323
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!sn-xt-sjc-04!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need inexpensive spectrum analyzer
Date: Fri, 10 Aug 2007 18:48:11 -0700
Organization: Home for Obscure Mythical Beings
Message-ID: <r3hvo4-1a2.ln1@radagast.org>
References: <pan.2007.08.05.18.10.51.579229@from.qrz.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 50
X-Original-Bytes: 3355
Xref: g2news2.google.com rec.radio.amateur.equipment:682

>Can anyone suggest a decent inexpensive spectrum analyzer, that I can look
>for used on ebay, that would be suitable for evaluating SSB transmitter
>output for spurs, harmonics, etc.?

A few years ago I picked up an HP 8557 analyzer plugin, in a 181T (I think) display mainframe, at a local hamfest. It's simple, and its bandwidth range isn't super-wide by today's standards (it's rated for .01 MHz to 350 MHz), and it isn't the most precisely tuneable or rock-stable analyzer around, but it has been extremely useful over the past few years. It's plenty good enough to look at the HF spectrum and at the basic performance of a 2-meter radio (although it won't tune up far enough to see the third harmonic of 2-meters or to be directly useful on 440).

The tuning dial is analog, and tends to require a tweak to the calibration-zero when you move more than a few MHz away from your previous location. Having a decent crystal calibrator or comb generator isn't a bad idea (I built one using a 10 MHz oscillator can, a 10:1 decade divider, and a MMIC amplifier chain deliberately driven into saturation... works great).

The newer 8557A has a digital frequency display - I don't know whether it's fundamentally any more stable or precise than the analog tuning and indicator dial on the older 8557.

I've used the 8557 to help identify some local QRM problems. Hooked to a directional 2-meter antenna it let us track down the source of a drifty "buzz on the squelch-tail" signal which had been plaguing several local repeaters (turned out to be a bad Ethernet switch, "singing" loudly enough to be heard for miles!).

More expensive, wide-bandwidth spectrum analyzers might not work as well, in your application. A lot of the wideband ones don't work at all below 10 MHz (one of their IF frequencies, I suspect).

My repeater group was recently gifted with a used Tek 491... a wide-band model. It turns out to have a very interesting and significant quirk - the 10-to-200-MHz band uses a non-balanced mixer, and input signals can "blow through" right into the 150-to-250-MHz first IF. This creates some *huge* non-tunable spurs in the display. As a result, I *dis*recommend this model if you have any thought of hooking it up to an antenna and looking at your ambient RF environment... pager and public-safety-band transmissions will show up as non-tunable spurs which can exceed the signal you're looking for!

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -144914004082369123
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-05!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-Called' GE Superadios ?
Date: Fri, 10 Aug 2007 22:36:00 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <b28qb3hud68avk3feu5993smrbvb0rrk70@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
<1a4vi.56973$5j1.24796@newssvr21.news.prodigy.net>
<13bpsifa6krf190@corp.supernews.com>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.shortwave:6896 rec.radio.amateur.equipment:683

On Fri, 10 Aug 2007 19:18:28 -0400, "george conklin" <nospam@nospam.com> wrote:

>> In my opinion the Radio Shack 12-903 is similar in design, with very
>> similar performance, but in a package that is far more solidly built. Its
>> audio sounds at least as good and is powerful. Battery life is the same
>> (250 hours). Provision for external antenna. Controls don't wobble around
>> and the platic case is more substantial than the GE which feels 'cheap' in
>> comparison.
>
>  I have both the Radio Shack and the GE.  The GE is vastly better in terms
>of sensitivity and sound quality.  I listen to a remote AM station during
>the day and the GE is vastly better.

How does the Radio Shack DX-390 compare to these two for AM and FM performance?

Tnx -- Larry



From -5954353302622585427
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q4g2000prc.googlegroups.com!not-for-
mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-
Called' GE Superadios ?
Date: Fri, 10 Aug 2007 20:12:23 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1186801943.915038.209130@q4g2000prc.googlegroups.com>
References: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
   <1a4vi.56973$5j1.24796@newssvr21.news.prodigy.net>
   <13bpsifa6krf190@corp.supernews.com>
NNTP-Posting-Host: 71.221.173.181
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186801944 23726 127.0.0.1 (11 Aug 2007 03:12:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Aug 2007 03:12:24 +0000 (UTC)
In-Reply-To: <13bpsifa6krf190@corp.supernews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
```

2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q4g2000prc.googlegroups.com; posting-host=71.221.173.181;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6900 rec.radio.amateur.equipment:684
rec.antiques.radio+phono:7006 alt.radio.broadcasting:592

I notice that the OP is GONE. I know I didn't start it by replying to
another posr.

From 5750875755196059622
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.sigecom.net!
news.sigecom.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Aug 2007 03:58:06 -0500
From: "Lee Richardson" <mechtech@evansville.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
<1a4vi.56973$5j1.24796@newssvr21.news.prodigy.net>
Subject: Re: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-
Called' GE Superadios ?
Date: Sat, 11 Aug 2007 03:58:00 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <9qGdnS1df5yD5yDbnZ2dnUVZ_tajnZ2d@sigecom.net>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 64.53.249.9
X-Trace: sv3-7lD9+Ys4qFdJWyUXnaoBKWuPQONUprylQtKRi6Tdi/
0HSjiSYHVZTr8xzB6cYlpoz5yXtbAXZzVju1t!
ZmVTPzfvSR69QkFn7K2BRE6q0SQzMPktMVNT36eLIREylndvQj+Lcg03Xx5l2XSb8v10DvK5dqRH!
JYaMNn/p/g==
X-Complaints-To: abuse@sigecom.net
X-DMCA-Complaints-To: abuse@sigecom.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6912 rec.radio.amateur.equipment:685
rec.antiques.radio+phono:7017 alt.radio.broadcasting:594

> In my opinion the Radio Shack 12-903 is similar in design, with very
> similar performance, but in a package that is far more solidly built. Its
> audio sounds at least as good and is powerful. Battery life is the same
> (250 hours).

Superadio is rated at 400 - 500 hours. Not the same at all.

Lee Richardson
Evansville, Indiana

```
From -3989269573492479747
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-media.com!
newspeer1-win.ntli.net!newsfe1-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Theo" <theodore.twyler@ntlworld.com>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org>
<1186610517.922729.249960@k79g2000hse.googlegroups.com>
<ve2mb311strrelkdor3s7chmrlar87t835@4ax.com>
<46bb2429$0$25593$ecde5a14@news.coretel.net>
Subject: Re: FT480R repair
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <JVevi.12906$rr5.3935@newsfe1-win.ntli.net>
Date: Sat, 11 Aug 2007 09:01:29 GMT
NNTP-Posting-Host: 82.9.82.106
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe1-win.ntli.net 1186822889 82.9.82.106 (Sat, 11 Aug 2007 10:01:29
BST)
NNTP-Posting-Date: Sat, 11 Aug 2007 10:01:29 BST
Organization: NTL
Xref: g2news2.google.com uk.radio.amateur:11547 rec.radio.amateur.equipment:686
X-Original-Bytes: 1850
```

"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in message news:46bb2429$0$25593$ecde5a14@news.coretel.net...

Repairing old gear can be fun - and lets face it - most "hams" or "Cber's"
for that matter don't have the "equipment" to repair the newer stuff with
SMD devices. Parts are still fairly easy to get - with the Internet.
Usually
you can find it with some luck.
Though I do newer equipment repairs - my eyes prefer the older stuff - much
more. I have some older tube gear that I've had for projects for quite some
time now - been too busy to do them. Am awaiting the day I can start on
them
and see the warm glow and listen to the audio coming forth - along with the
sparks and smoke!

From 2038828604966162667
X-Google-Thread: 108122,64b4cb8cb72d3034,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: OM-power on Yahoo-groups
Date: Sat, 11 Aug 2007 12:41:09 +0200
Lines: 17
Message-ID: <5i5i1rF3lm5huU1@mid.individual.net>
X-Trace: individual.net GNNsctXz0/zlwf/m5QbxOAOHyaz3usWd3X+JdXnjGc4wDKW35+
Cancel-Lock: sha1:EgeJXUGHD8Ro3qvEMePu2asWxHU=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:687

For the amateurs who are interested in an/owning an OM-power amp is a
usergroup just openend :

http://groups.yahoo.com/group/om-power/

--
Met vriendelijke groet,
Kind regards,

Hans Pluijgers
HAM-callsign PA3HGT

www.pa3hgt.nl

From -4419667273859642233
X-Google-Thread: 108122,496031824b6c2222,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FOLLOWUP: Filters to get rid of inverter noise
Date: Sat, 11 Aug 2007 08:16:09 -0400
Organization: MV Communications, Inc.
Lines: 17
Message-ID: <pan.2007.08.11.12.16.02.929415@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1186834569 6984 207.22.49.17 (11 Aug 2007 12:16:09 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 11 Aug 2007 12:16:09 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:688

About a month ago I posted an article about my "modified sine wave" inverter and how to get rid of the strong noise it generates across the HF bands.

I got several helpful responses and I thought you might be interested in the results.

I ordered a Sprague 20JX5306A line filter from HSC Electronic Supply (www.halted.com), cut a three-wire extension cord about four inches from the plug end, and inserted the filter.

It works quite well. There is still some noise, around S2 or S3 as contrasted with S8 to S9+ that it was before. There are some other things I can do such as enclosing the inverter and filter in a grounded metal box. But, all in all it works acceptably as is.

From -1179911396970584173
X-Google-Thread: 108122,290c315f21a18e01
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!x35g2000prf.googlegroups.com!not-for-mail
From: Martin <funkychateauSPAM@yahoo.com>
Newsgroups: rec.radio.amateur.equipment

```
Subject: Re: Slightly OT - Need Motorola Speaker/Mic Details and Wiring
Date: 11 Aug 2007 06:22:24 -0700
Organization: http://groups.google.com
Lines: 128
Message-ID: <1186768067.496718.22370@x35g2000prf.googlegroups.com>
References: <1186673015.047333.276330@r34g2000hsd.googlegroups.com>
   <46BB9D35.5070704@nettally.com>
   <1186758472.129827.287520@g12g2000prg.googlegroups.com>
   <46bc87ac$0$20362$ecde5a14@news.coretel.net>
NNTP-Posting-Host: 65.240.88.5
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1186838556 31899 127.0.0.1 (11 Aug 2007 13:22:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Aug 2007 13:22:36 +0000 (UTC)
In-Reply-To: <46bc87ac$0$20362$ecde5a14@news.coretel.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 10.150.1.254:80 (iPrism/v3)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000prf.googlegroups.com; posting-host=65.240.88.5;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:689

On Aug 10, 10:43 am, "Radiosrfun" <Radiosr...@radiosrfun.com> wrote:
> "Martin" <funkychateauS...@yahoo.com> wrote in message
>
> news:1186758472.129827.287520@g12g2000prg.googlegroups.com...
> On Aug 9, 6:03 pm, **THE-RFI-EMI-GUY** <rhyol...@nettally.com> wrote:
>
>
>
>
>
> > Martin; Are the 7400's capable of GMRS repeater operation? If so, where
> > did you buy them?
>
> > Martin wrote:
> > >Hopefully someone who reads this group will be familiar with these
> > >radios, Motorola T7400 FRS/GMRS.  The alt.radio.family newsgroup has
> > >degenerated to an unintellible level.
>
> > >My friend and I have a set of these, which work extremely well as
> > >general-purpose handhelds (much better range than our IC-Q7s, and only
> > >cost $20 a pair after rebate).  We'd like to use the T7400s for bike-
> > >to-bike communications on motorcycle trips.  Our plan is to mount
> > >small speakers inside the helmets, and a microphone element in the
> > >lower face guard, to reduce wind noise.  There would be a PTT switch,
> > >most likely mounted near one of the handgrips.
>
> > >What we can't seem to find are the required tech specs on the speaker
```

> > >and microphone elements, or a wiring diagram for the single plug that
> > >connects everything to the radio. I'm aware that some radios short
> > >the mic element with a resistor to actuate PTT, but need a lot more
> > >specifics for this model.
>
> > >thanks and regards,
>
> > >Martin
>
> > --
> > Joe Leikhim K4SAT
> > "The RFI-EMI-GUY"=A9
>
> > "Treason doth never prosper: what's the reason?
> > For if it prosper, none dare call it treason."
>
> > "Follow The Money" ;-P- Hide quoted text -
>
> > - Show quoted text -
>
> Hi Joe,
>
> As far as I know, the 7400 radios do not have any frequency-offset
> capablity, but I suppose it's possible that there are undocumented
> features. For example, if you engage the "QT" function from the menu,
> it layers a tone squelch over the standard CTCSS (actually uses the
> tone to precede the first transmission), which virtually guarantees
> that no other extraneous sources will activate the receiver.
>
> I bought them at Fry's Electronics in Dallas, TX. They were $20 per
> pair, after a $10 rebate. The maker claims 8 miles optimum range, but
> we tested them and got 10 miles. Here is a link to my review, which
> also gives the locations and terrain details:http://groups.google.com/gro=
up/alt.radio.family/browse_thread/thread/...
>
> These are the only blister-pack radios I have ever tested that beat
> the manufacturer's range claims. And they did so using rechargeable
> NiMH batteries, which have a slightly-lower terminal voltage than the
> alkalines often used to generate the claims. Part of the performance
> is no doubt due to physical reasons - the chassis is probably twice
> the size of most FRS radios, and it uses four AA batteries instead of
> the now-typical AAAs. I'd say these radios are far more likely than
> most to actually deliver their rated output power. And perhaps they
> have a good receiver section as well, plus enough chassis mass for the
> antenna to work properly. For whatever reason, the peformance was
> outstanding for something that retailed for $10 per unit.
>
> best regards,
>
> Martin
>
> I bought a couple sets of FRS/GMRS radios and have yet to see them perform
> to what "I" feel is their capacity. They claim upwards of 8 or so miles -

> yet I lost contact with someone a hair short of a mile away on flat
> terrain - and a virtual clear shot. At 3/4 mile, had crystal clear Comms -
> but past that - nothing.
>
> I don't place any faith in those things - as to range. I bought them to t=
ry
> to stay off of "2 meters" with mundane things and to also use for Emergen=
cy
> Comms with my assistants who aren't licensed and not "authorized" to be o=
n a
> Public Service band radio - I'll stick with the 2meters. I can do simplex=
 or
> repeat and not have to worry about losing contact - over the FRS radios.
> That mile "and more" is very easily covered.
>
> I never got around to it, but I'm going to check mine on my service
> monitor - to see what they're doing - using AA Alkalines, NiMH and extern=
al
> power source. I know many hunters who use FRS radios (only when hunting) -
> of different brands, models, Rf power out and range quotes - and they alw=
ays
> complain of distance. They're not radio enthusiasts - of any sort. Listen=
ing
> to their reports - quizzing them on their terrain and so on - I can
> understand their issue. IMHO - I think those radios (at least most) are o=
ver
> rated - a "gadget" item.
>
> L.- Hide quoted text -
>
> - Show quoted text -

For the most part, my experience with FRS radios has been the same as yours - slightly more than toys. I tend to use 2M for short-range communications with other Hams, but it's always handy to have some FRS units on hand to toss to a non-licensed person in a caravan or recreational group. Around here, the FRS band is mostly unused except on Christmas morning and maybe for a week afterwards :)

The Motorola T7400s, though, shocked me with their real-world performance. Especially considering their on-sale price of $20 per PAIR. They met their range claims with margin. Of course, being in a UHF band, they perform no better than you should expect with houses and trees between rubber-duck antennas.

Martin

From 8146770174157783068
X-Google-Thread: 108122,290c315f21a18e01
X-Google-Attributes: gid108122,public,usenet

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups: rec.radio.amateur.equipment
References: <1186673015.047333.276330@r34g2000hsd.googlegroups.com>
<46BB9D35.5070704@nettally.com>
<1186758472.129827.287520@g12g2000prg.googlegroups.com>
<46bc87ac$0$20362$ecde5a14@news.coretel.net>
<1186768067.496718.22370@x35g2000prf.googlegroups.com>
Subject: Re: Slightly OT - Need Motorola Speaker/Mic Details and Wiring
Date: Sat, 11 Aug 2007 12:42:14 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 144
Message-ID: <46bde6e3$0$25604$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 1315c8d6.news.coretel.net
X-Trace:
DXC=7L0a<oQ1FMQ;8]c\C4Pd=ScYX6N<OEXQ[0:moI0F85:R`=@a5k^KIOV^VkE]ZISiLS5M>6GmKQ0HQ
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.equipment:690

"Martin" <funkychateauSPAM@yahoo.com> wrote in message
news:1186768067.496718.22370@x35g2000prf.googlegroups.com...
On Aug 10, 10:43 am, "Radiosrfun" <Radiosr...@radiosrfun.com> wrote:
> "Martin" <funkychateauS...@yahoo.com> wrote in message
>
> news:1186758472.129827.287520@g12g2000prg.googlegroups.com...
> On Aug 9, 6:03 pm, **THE-RFI-EMI-GUY** <rhyol...@nettally.com> wrote:
>
>
>
>
>
> > Martin; Are the 7400's capable of GMRS repeater operation? If so, where
> > did you buy them?
>
> > Martin wrote:
> > >Hopefully someone who reads this group will be familiar with these
> > >radios, Motorola T7400 FRS/GMRS.  The alt.radio.family newsgroup has
> > >degenerated to an unintellible level.
>
> > >My friend and I have a set of these, which work extremely well as
> > >general-purpose handhelds (much better range than our IC-Q7s, and only
> > >cost $20 a pair after rebate).  We'd like to use the T7400s for bike-
> > >to-bike communications on motorcycle trips.  Our plan is to mount
> > >small speakers inside the helmets, and a microphone element in the
> > >lower face guard, to reduce wind noise.  There would be a PTT switch,
```

> > >most likely mounted near one of the handgrips.
>
> > >What we can't seem to find are the required tech specs on the speaker
> > >and microphone elements, or a wiring diagram for the single plug that
> > >connects everything to the radio. I'm aware that some radios short
> > >the mic element with a resistor to actuate PTT, but need a lot more
> > >specifics for this model.
>
> > >thanks and regards,
>
> > >Martin
>
> > --
> > Joe Leikhim K4SAT
> > "The RFI-EMI-GUY"�
>
> > "Treason doth never prosper: what's the reason?
> > For if it prosper, none dare call it treason."
>
> > "Follow The Money" ;-P- Hide quoted text -
>
> > - Show quoted text -
>
> Hi Joe,
>
> As far as I know, the 7400 radios do not have any frequency-offset
> capablity, but I suppose it's possible that there are undocumented
> features. For example, if you engage the "QT" function from the menu,
> it layers a tone squelch over the standard CTCSS (actually uses the
> tone to precede the first transmission), which virtually guarantees
> that no other extraneous sources will activate the receiver.
>
> I bought them at Fry's Electronics in Dallas, TX. They were $20 per
> pair, after a $10 rebate. The maker claims 8 miles optimum range, but
> we tested them and got 10 miles. Here is a link to my review, which
> also gives the locations and terrain
> details:http://groups.google.com/group/alt.radio.family/browse_thread/thread/...
>
> These are the only blister-pack radios I have ever tested that beat
> the manufacturer's range claims. And they did so using rechargeable
> NiMH batteries, which have a slightly-lower terminal voltage than the
> alkalines often used to generate the claims. Part of the performance
> is no doubt due to physical reasons - the chassis is probably twice
> the size of most FRS radios, and it uses four AA batteries instead of
> the now-typical AAAs. I'd say these radios are far more likely than
> most to actually deliver their rated output power. And perhaps they
> have a good receiver section as well, plus enough chassis mass for the
> antenna to work properly. For whatever reason, the peformance was
> outstanding for something that retailed for $10 per unit.
>
> best regards,
>
> Martin

>
> I bought a couple sets of FRS/GMRS radios and have yet to see them perform
> to what "I" feel is their capacity. They claim upwards of 8 or so miles -
> yet I lost contact with someone a hair short of a mile away on flat
> terrain - and a virtual clear shot. At 3/4 mile, had crystal clear Comms -
> but past that - nothing.
>
> I don't place any faith in those things - as to range. I bought them to
> try
> to stay off of "2 meters" with mundane things and to also use for
> Emergency
> Comms with my assistants who aren't licensed and not "authorized" to be on
> a
> Public Service band radio - I'll stick with the 2meters. I can do simplex
> or
> repeat and not have to worry about losing contact - over the FRS radios.
> That mile "and more" is very easily covered.
>
> I never got around to it, but I'm going to check mine on my service
> monitor - to see what they're doing - using AA Alkalines, NiMH and
> external
> power source. I know many hunters who use FRS radios (only when hunting) -
> of different brands, models, Rf power out and range quotes - and they
> always
> complain of distance. They're not radio enthusiasts - of any sort.
> Listening
> to their reports - quizzing them on their terrain and so on - I can
> understand their issue. IMHO - I think those radios (at least most) are
> over
> rated - a "gadget" item.
>
> L.- Hide quoted text -
>
> - Show quoted text -

For the most part, my experience with FRS radios has been the same as yours - slightly more than toys. I tend to use 2M for short-range communications with other Hams, but it's always handy to have some FRS units on hand to toss to a non-licensed person in a caravan or recreational group. Around here, the FRS band is mostly unused except on Christmas morning and maybe for a week afterwards :)

The Motorola T7400s, though, shocked me with their real-world performance. Especially considering their on-sale price of $20 per PAIR. They met their range claims with margin. Of course, being in a UHF band, they perform no better than you should expect with houses and trees between rubber-duck antennas.

Martin

Surprisingly - aside from "Hunters" in the woods near my house and across

the river - I can usually pick up people on the radios - talking of
different subjects - keeping track of kids, wives telling the ole man -
dinner is ready, kids talking back and forth, etc. Then going to the local
mall - there are folks using them and as well as at the "Flea Market". So -
at least around here - "dead" they are not.

I don't usually think to look for any other FRS radios now - but should I
bump into a pair of the 7400s - maybe I'll give them a spin.

L.

From -3638708916527393134
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q3g2000prf.googlegroups.com!not-for-mail
From: RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Which Are The "Actual" GE Superadios ? -and- Which Are The 'So-Called' GE Superadios ?
Date: Sat, 11 Aug 2007 11:07:39 -0700
Organization: http://groups.google.com
Lines: 29
Message-ID: <1186855659.600355.103210@q3g2000prf.googlegroups.com>
References: <1186707070.313020.117820@g12g2000prg.googlegroups.com>
   <1a4vi.56973$5j1.24796@newssvr21.news.prodigy.net>
   <9qGdnS1df5yD5yDbnZ2dnUVZ_tajnZ2d@sigecom.net>
NNTP-Posting-Host: 75.24.196.227
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186855660 18862 127.0.0.1 (11 Aug 2007 18:07:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Aug 2007 18:07:40 +0000 (UTC)
In-Reply-To: <9qGdnS1df5yD5yDbnZ2dnUVZ_tajnZ2d@sigecom.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12; SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q3g2000prf.googlegroups.com; posting-host=75.24.196.227;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6932 rec.radio.amateur.equipment:691 rec.antiques.radio+phono:7042 alt.radio.broadcasting:596

On Aug 11, 1:58 am, "Lee Richardson" <mecht...@evansville.net> wrote:

> > In my opinion the Radio Shack 12-903 is similar in design, with very
> > similar performance, but in a package that is far more solidly built. Its
> > audio sounds at least as good and is powerful. Battery life is the same
> > (250 hours).
>
> Superadio is rated at 400 - 500 hours. Not the same at all.
>
> Lee Richardson
> Evansville, Indiana

Point-of-Fact the Circuits may be simular
BUT they are NOT the same [.]

Some have 'claimed' the the RadioShack Radios are
GE Suoeradio IIIs packaged in a RadioShack Shell :
This is NOT the Case [.]

For the time period that their were make the RadioShack
Radios were most likely made by Sangean and are a
Sangean design to 'approximate' a GE Superadio III at
a much lower cost.

As not so 'super' as the GE Superadio III is : It "IS"
better then the Radioshack 'want-to-bees' ~ RHF
 .
 .
. .

From -1487796951155596711
X-Google-Thread: 108122,1ee40739ec6ebcd5,start
X-Google-Thread: f64c6,1ee40739ec6ebcd5,start
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Aug 2007 13:37:12 -0500
Date: Sat, 11 Aug 2007 19:37:13 +0100
From: charlie <wehatespam@wymsey.co.uk>
User-Agent: Thunderbird 1.5.0.12 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: 2m All Mode Rig
X-Enigmail-Version: 0.95.2
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 81.179.67.242
X-Trace:

```
sv3-9JrbQMNdks57GHP8lDTEGYo+remIFgMqRN2Y37puy0pA0C0yF+PuEHWM3bvRrD+j7TYa5FqHnQT+jt
F!RCyj112XPGpa65Zrp2o4OqXx2WiqnNjRGPSKqi6+sIHE6xB9HpaReR+RsxmpYUlZT51AlhIsv0M8!
mCcPJAKuiM5kXYTL5eLJW/Dq/Q==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:692 uk.radio.amateur:11580

I looking to buy a used all mode base rig for two metres at the end
of year and am leaning towards an Icom IC820H. I have looked at the
comments on eHam and it looks as if this rig is a favourite. I
wonder if anyone has/had one and if they have any comments to make
on the rig.

TIA,

Charlie.

PS:I realise that a real radio amateur would buy a tin of biscuits,
eat the biscuits and then build his own rig in the tin from a bag of
components bought at his club's junk sale but I don't eat biscuits.

--
M0WYM
www.radiowymsey.org


From 7782678788459773033
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe14.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Uncle Peter" <radioconnectionREMOVE@cox.net>
From: "Uncle Peter" <radioconnection@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
<39985dd082c0c2655d60e8f0daaada63@pseudo.borked.net>
<ea6dnbUmgcQJ1yHbnZ2dnUVZ_vfinZ2d@comcast.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
```

Message-ID: <Onnvi.69918$g86.19437@newsfe14.lga>
Date: Sat, 11 Aug 2007 14:39:40 -0400
NNTP-Posting-Host: 68.229.79.253
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.lga 1186857582 68.229.79.253 (Sat, 11 Aug 2007 11:39:42 MST)
NNTP-Posting-Date: Sat, 11 Aug 2007 11:39:42 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.shortwave:6937 rec.radio.amateur.equipment:693 rec.radio.amateur.boatanchors:911

"Deek" <Deek@comcast.net> wrote in message
news:ea6dnbUmgcQJ1yHbnZ2dnUVZ_vfinZ2d@comcast.com...
> Ted wrote:
> >>
>> Highest bid $7,877.77 - reserve not met
>
> Ridiculous, isn't it?
>

Yeah.. Nice receiver, beautiful to look at, but the price is kinda of steep.
I suppose for those that have the extra $$$$ it might be okay. But, I think
the market has spoken and 8G's is the limit right now. I was surprised
at the high reserve, which hasn't been revealed!

From -2863551762295776180
X-Google-Thread: 108122,1ee40739ec6ebcd5
X-Google-Thread: f64c6,1ee40739ec6ebcd5
X-Google-Attributes: gid108122,gidf64c6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-mail
From: m5pro@hotmail.com
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: 2m All Mode Rig
Date: Sat, 11 Aug 2007 14:13:04 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1186866784.794544.222130@57g2000hsv.googlegroups.com>
References: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
NNTP-Posting-Host: 86.146.43.7
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186866784 22773 127.0.0.1 (11 Aug 2007 21:13:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Aug 2007 21:13:04 +0000 (UTC)
In-Reply-To: <i-Odnf6l-PJFnCPbnZ2dnUVZ8v6dnZ2d@pipex.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)

Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=86.146.43.7;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:694 uk.radio.amateur:11599

On 11 Aug, 19:37, charlie <wehates...@wymsey.co.uk> wrote:

> I looking to buy a used all mode base rig for two metres at the end
> of year and am leaning towards an Icom IC820H. I have looked at the
> comments on eHam and it looks as if this rig is a favourite. I
> wonder if anyone has/had one and if they have any comments to make
> on the rig.

I've owned most of the popular V/UHF all mode radios including; Icom
IC820, IC821, IC910, IC290D, IC271E, IC271H, IC275E, IC275H, IC251,
IC746, IC7400, IC706 Mk1, IC706 Mk2, IC706 Mk2G, Kenwood TS780,
TR751E, TM255E, TR9000, TR9130, TS711E, TS790E, TS2000E, Yaesu FT736R,
FT726R, FT221R, FT225R, FT847, FT290R, FT290R2, and an FDK Multi 750X.

The Icom 820H is a nice looking radio with a good receiver, but IMO,
without using a decent transverter, you'll probably not beat an Icom
IC275 in terms of receiver performance. I've had 3 x IC275H's (100w
output, ideal for GS35B linears), and I've yet to find anything
better. Icom IC275's also appear to have much better transmitted audio
quality than other Icom rigs of the same era.

Jack M0PRO

From -7792311421439263002
X-Google-Thread: 108122,47b1d4347cd94c0c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m37g2000prh.googlegroups.com!not-for-mail
From: kb9olm <kb9olm@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: JRC NRD-515 receiver
Date: Sat, 11 Aug 2007 14:20:45 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1186867245.990269.163270@m37g2000prh.googlegroups.com>
NNTP-Posting-Host: 76.199.67.180
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1186867246 21055 127.0.0.1 (11 Aug 2007 21:20:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Aug 2007 21:20:46 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.6)
Gecko/20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com

Injection-Info: m37g2000prh.googlegroups.com; posting-host=76.199.67.180;
posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:695

For sale: JRC NRD-515 shortwave receiver. This radio has original
optional 455KHZ IF filter board with the 0.6KHz CW filter. Receiver
works very well on all bands. Very clean front panel and all knobs.
Tuning knob is silky smooth. No modifications.
The top cover of the radio had holes for the internal speaker, which
was done by previous owner. Those holes were professionally patched
and small aluminum plate was placed and secured on the internal side
of the cover. The top cover was repainted. Pictures available on
request.
$650 shipped CONUS.
Thanks for your interest. Please reply directly:
kb9olm_AT_yahoo_DOT_com
Vlad,
kb9olm

From -466979093684770185
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Aug 2007 09:08:48 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com> <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 4 Aug 2007 07:09:06 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-
x5aGXtNLk+r69ofugu63WX1GFRsOHZIXxD3W3WasA22cUtG72WQcLSdhGLhdM6pYl2ZYiUmxNA0C7SL!

```
uxOJXl5FMHRuqLf2jygqfcoBRnXu2uo8DW6viltXYYhet9HaEghiC+DGXfUVZahnzV2IsP24ktCO!
Gni+sSLxOpRAGZSIUnqfEDGyBsid2A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6398 rec.radio.amateur.equipment:544
rec.antiques.radio+phono:6530 alt.radio.broadcasting:510
```

It seems odd that, as this radio (supposedly) uses varactor tuning... Why doesn't Thomson go all the way and include full digital tuning? Given the current cheapness of electronics, it should add no more that $10 or $15 to the price.

```
From -8269217622116731134
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Sat, 04 Aug 2007 08:39:19 -0700
From: Jeffrey D Angus <jangus@socal.rr.com>
Reply-To:  jangus@socal.rr.com
Organization: Grendel's Lair
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
In-Reply-To: <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <46b49d88$0$30629$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
```

Xref: g2news2.google.com rec.radio.shortwave:6401 rec.radio.amateur.equipment:545
rec.antiques.radio+phono:6531 alt.radio.broadcasting:511

William Sommerwerck wrote:
> It seems odd that, as this radio (supposedly) uses varactor tuning... Why
> doesn't Thomson go all the way and include full digital tuning? Given the
> current cheapness of electronics, it should add no more that $10 or $15 to
> the price.

Varactor tuning is no different from using a mechanical tuning
capacitor. You're just rotating the shaft on a resistor instead.

To make the leap to digitial tuning, you have to have a PLL (Phase
locked loop) and all the attendant dividers, and the display and
lastly, some degree of accuracy for the reference. If the display
reads 930 AM, it really should be 930, not somewhere else.

It really isn't as simple as "Just a couple more parts."

Jeff

--
RESTRICTED AREA. Anyone intruding shall immediately become subject to
the jurisdiction of military law. Intruders will be subject to lethal
force, without warning, and on sight. USE OF DEADLY FORCE IS AUTHORIZED
under the Internal Security Act of 1950.

From 8712057436012461822
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Aug 2007 11:22:11 -0500
User-Agent: Microsoft-Entourage/11.3.6.070618
Date: Sat, 04 Aug 2007 11:22:07 -0500
Subject: Re: Question about GE Superadio III and batteries
From: John Stone <jmsent2@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Message-ID: <C2DA11DF.7B5E3%jmsent2@comcast.net>
Thread-Topic: Question about GE Superadio III and batteries
Thread-Index: AcfWs5m62B/P7kKmEdyUagAX8sn94Q==
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>

<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com> <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<46b49d88$0$30629$4c368faf@roadrunner.com>
Mime-version: 1.0
Content-type: text/plain;
    charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 29
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.12.226.195
X-Trace: sv3-oWBB1XUEGUymxLUajL/THtbJKFjb7bg5OCBNwnAx5VKk3MNloL+vwWn3jTnIuIn0sezExLMSts0aKMl!x4W6P3rYrt+yH9AKYKWdqHmTccXYOo++EhhV+DOOV7M1so4lDcvV2uRtwFII29GfYMHtWmAE9spV!XT7a45z9JlUz6zJ8
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6403 rec.radio.amateur.equipment:546 rec.antiques.radio+phono:6532 alt.radio.broadcasting:512

On 8/4/07 10:39 AM, in article 46b49d88$0$30629$4c368faf@roadrunner.com, "Jeffrey D Angus" <jangus@socal.rr.com> wrote:

>
>
> William Sommerwerck wrote:
>> It seems odd that, as this radio (supposedly) uses varactor tuning... Why
>> doesn't Thomson go all the way and include full digital tuning? Given the
>> current cheapness of electronics, it should add no more that $10 or $15 to
>> the price.
>
> Varactor tuning is no different from using a mechanical tuning
> capacitor. You're just rotating the shaft on a resistor instead.
>
> To make the leap to digitial tuning, you have to have a PLL (Phase
> locked loop) and all the attendant dividers, and the display and
> lastly, some degree of accuracy for the reference. If the display
> reads 930 AM, it really should be 930, not somewhere else.
>
> It really isn't as simple as "Just a couple more parts."

I don't think Thomson is even involved in consumer electronics products anymore. I believe they sold off the RCA name to Audiovox, and when you go to the GE brand, you only get info on telephone products. Brand names are totally meaningless these days.

```
From -5236953101413854757
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q3g2000prf.googlegroups.com!not-for-
mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 04 Aug 2007 13:02:17 -0700
Organization: http://groups.google.com
Lines: 34
Message-ID: <1186257737.092262.68810@q3g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <46b49d88$0$30629$4c368faf@roadrunner.com>
NNTP-Posting-Host: 71.221.190.37
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186257737 20076 127.0.0.1 (4 Aug 2007 20:02:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Aug 2007 20:02:17 +0000 (UTC)
In-Reply-To: <46b49d88$0$30629$4c368faf@roadrunner.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q3g2000prf.googlegroups.com; posting-host=71.221.190.37;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6406 rec.radio.amateur.equipment:547
rec.antiques.radio+phono:6542 alt.radio.broadcasting:513
```

On Aug 4, 9:39 am, Jeffrey D Angus <jan...@socal.rr.com> wrote:

> William Sommerwerck wrote:
> > It seems odd that, as this radio (supposedly) uses varactor tuning... Why
> > doesn't Thomson go all the way and include full digital tuning? Given the
> > current cheapness of electronics, it should add no more that $10 or $15 to
> > the price.
>
> Varactor tuning is no different from using a mechanical tuning
> capacitor. You're just rotating the shaft on a resistor instead.

>
> To make the leap to digitial tuning, you have to have a PLL (Phase
> locked loop) and all the attendant dividers, and the display and
> lastly, some degree of accuracy for the reference. If the display
> reads 930 AM, it really should be 930, not somewhere else.
>
> It really isn't as simple as "Just a couple more parts."
>
> Jeff
>
> --
> RESTRICTED AREA. Anyone intruding shall immediately become subject to
> the jurisdiction of military law. Intruders will be subject to lethal
> force, without warning, and on sight. USE OF DEADLY FORCE IS AUTHORIZED
> under the Internal Security Act of 1950.

I've got a Sansui T-80 that proves that. It will shift frequency and often goes completely out of band then sometimes back to the wrong frequency on the band and the counter is given voltages that create a gibberish reading for the LCD display driver. All for a varactor or two that are tweaked or fed an out-of spec signal. I don't have any dual displays with a similar problem...my SX-3600s are always displaying the STEREO graphic but that seems to be a common thing for that model.

```
From 4978601288916254586
X-Google-Thread: 108122,cb654d69877d337,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r34g2000hsd.googlegroups.com!not-for-
mail
From:  Bill <ars_wa8mea@netzero.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: MINT Grundig FR-200 Emergency Radio
Date: Sat, 04 Aug 2007 13:39:19 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1186259959.593582.67210@r34g2000hsd.googlegroups.com>
NNTP-Posting-Host: 70.101.151.206
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1186259959 26301 127.0.0.1 (4 Aug 2007 20:39:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Aug 2007 20:39:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.8) Gecko/
20050511 Firefox/1.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r34g2000hsd.googlegroups.com; posting-host=70.101.151.206;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:548
```

FS: MINT Grundig FR-200 Emergency Radio
Flashlight, AM, FM, shortwave 3 to 9 MHz and 9 to 22 MHz. Wind-up generator charger for built-in rechargable battery pack. Telescopic whip. VERY sensitive on shortwave. I was pleasantly surprised. Used in just two ice storms this previous winter.
I will sell with a set of NiMH batteries. (This is in addition to the emergency recharables that are already inside the unit.) I will also sell with a Yo-Yo-Vee Portable Reel Antenna. (See http://HamRadioFun.com for details on that antenna.) That's about $25 worth of additional stuff...FREE!
ONLY $29.95 plus $6.95 shipping PRIORITY MAIL shipping. First e-mail gets it!
tinytenna@hotmail.com
73, Bill - WA8MEA

```
From 1178230031129538399
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sat, 04 Aug 2007 16:34:24 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 06:34:24 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-ReWRnv+s+xJQnu7L5dfAaZTbwiIH72jz/
LMEkDLYeJKW5WOe5S7595KHIB9lyrA9JIxoU2egY8OB5wT!
NlxcVqNYWwdKkvlMCc3f+QF2YXfA12Cf2uSGbm3vkWK6Oh6ES6VMDoj7gAg1mey+PjZgfgDR
X-Complaints-To: abuse@giganews.com
```

```
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6407 rec.radio.amateur.equipment:549
rec.antiques.radio+phono:6547 alt.radio.broadcasting:514
```

"William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
news:6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com...

> It seems odd that, as this radio (supposedly) uses varactor tuning... Why
> doesn't Thomson go all the way and include full digital tuning? Given the
> current cheapness of electronics, it should add no more that $10 or $15 to
> the price.
>
>

It would also add to the noise floor, and make most of the advantage of the tuned RF amp front end null. My biggest gripe about the SRIII is the abysmal dial calibration. I've yet to see one that tracks across the dial. And any time I've attempted to calibrate one (I've done dozens) the best I can get it to do is be semi-accurate at the top and bottom, while off by several 10's of KHz in the middle.

```
From -8356242773202040529
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Aug 2007 16:40:29 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<46b49d88$0$30629$4c368faf@roadrunner.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 4 Aug 2007 14:40:26 -0700
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <E9OdnX4hu8fQbynbnZ2dnUVZ_tSknZ2d@comcast.com>
Lines: 36
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-z8eexyoeCR+oP5aT24leYIfhCSqq2Ms+xU2od5dX3N7BQB5pLiYiCSyQdmoaX1QyjcyfzHIs01c9vLj!EBfVwWgqja2FoDF/qCSKzI+K2IgtsX90xp2/wkMxbuE9O8GaKcAmNeqRinSTfuIPIXy7VfPM6zo2!vGgGJ0T8liAR8A0LP7EeU9i6k01tGg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6408 rec.radio.amateur.equipment:550 rec.antiques.radio+phono:6548 alt.radio.broadcasting:515

> William Sommerwerck wrote:
>> It seems odd that, as this radio (supposedly) uses varactor tuning...
>> Why doesn't Thomson go all the way and include full digital tuning?
>> Given the current cheapness of electronics, it should add no more
>> than $10 or $15 to the price.

> Varactor tuning is no different from using a mechanical tuning
> capacitor. You're just rotating the shaft on a resistor instead.

It's fundamentally different -- you can change the rotational "position" of the "capacitor" _electrically_, without moving parts.

> To make the leap to digitial tuning, you have to have a PLL (phase
> locked loop) and all the attendant dividers, and the display and
> lastly, some degree of accuracy for the reference. If the display
> reads 930 AM, it really should be 930, not somewhere else.

> It really isn't as simple as "Just a couple more parts."

I didn't say that. But I'll gladly allow myself to retroactively be accused of having said that.

Once you have varactor tuning, not much is needed to convert to digital tuning. How about just three parts -- a reference crystal, a custom IC, and an LCD? Digital tuning is pretty simple stuff.

I have a Sony Discman with a complete stereo-FM + AM digital tuner crammed into a tiny case about the volume of your thumb, dangling from the end of the headphone cord. The complete unit sold for $180; the replacement tuner/cable assembly went for $100. Because this device is a cleverly miniaturized piece of electronics, one can assume it's rather more expensive than what a larger, bulkier device would cost.

```
From 4310530463597212885
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Aug 2007 16:43:04 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<46b49d88$0$30629$4c368faf@roadrunner.com>
<1186257737.092262.68810@q3g2000prf.googlegroups.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 4 Aug 2007 14:43:06 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <3Yidnbpg26F1bynbnZ2dnUVZ_rqlnZ2d@comcast.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-aoRdf1qE1mt4yt1NjrJfiajqc+LdzEfLaan/Tx7x+ZBeJdXqp6cW0W8tUuf9IUTN/
X0hULT9lB6RKXn!63IPWkCJIysTeaMNAM16/yw3mAEEc+beklKfM9+MwwXPJz5U/
vTWfqH8CCUPj+yvj4pLNpqmRsWI!7raaG6J7RCLuAL9Cl0VxxHBlZPUzvQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6409 rec.radio.amateur.equipment:551
rec.antiques.radio+phono:6549 alt.radio.broadcasting:516
```

>> It really isn't as simple as "Just a couple more parts."

> I've got a Sansui T-80 that proves that. It will shift frequency

> and often goes completely out of band then sometimes back
> to the wrong frequency on the band and the counter is given
> voltages that create a gibberish reading for the LCD display
> driver. All for a varactor or two that are tweaked or fed an
> out-of spec signal. I don't have any dual [sic] displays with a
> similar problem... my SX-3600s are always displaying the
> STEREO graphic but that seems to be a common thing for
> that model.

Uh... you seem to be talking about a defective product.

```
From 3672380022945024732
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Aug 2007 16:46:51 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 4 Aug 2007 14:46:52 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <eMSdnc7YXI5WbinbnZ2dnUVZ_ternZ2d@comcast.com>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-fJyzgoEoR5XoIqfidOIWTf8u2s84Gzg1cHebV/
MKJax0EmeX4wBVc08U1ipKm852f36VYWkHU6EBWHV!/l0sdVoUuanfr/
9TcIGlWumNiaF2zdAn9nqCZ6i0VpCalHHyJXSqBFoNJxAvSh98ZloRKaRs9Y6l!
VLcor9ybLiOqRqmWXEyz8VNCupksyw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6410 rec.radio.amateur.equipment:552 rec.antiques.radio+phono:6550 alt.radio.broadcasting:517

>> It seems odd that, as this radio (supposedly) uses varactor tuning...
>> Why doesn't Thomson go all the way and include full digital tuning?
>> Given the current cheapness of electronics, it should add no more
>> that $10 or $15 to the price.

> It would also add to the noise floor, and make most of the advantage
> of the tuned RF amp front end null.

Is that _necessarily_ so?

On the AM band, the added "noise" would be primarily FM modulation, creating sideband noise not unlike the sideband noise generated by flutter on analog audio recorders. How audible would that be?

From -982962938469283863
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Aug 2007 16:56:55 -0500
User-Agent: Microsoft-Entourage/11.3.6.070618
Date: Sat, 04 Aug 2007 16:56:51 -0500
Subject: Re: Question about GE Superadio III and batteries
From: John Stone <jmsent2@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Message-ID: <C2DA6053.7B5FE%jmsent2@comcast.net>
Thread-Topic: Question about GE Superadio III and batteries
Thread-Index: AcfW4ly6m069jELVEdyUagAX8sn94Q==
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<46b49d88$0$30629$4c368faf@roadrunner.com>
<E9OdnX4hu8fQbynbnZ2dnUVZ_tSknZ2d@comcast.com>
Mime-version: 1.0

```
Content-type: text/plain;
     charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 20
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.12.226.195
X-Trace: sv3-pQtQupfJUuYHf4PANKpoHlEW5XXcfBMSTYYApVke/
q9nbNeL+NXyIw7RtU8rD9HoRrF4qT42Wr0BoGJ!
9ej1tiAYDIqUGso55n5LDUz6qy4Vw0+gdRDMEIR1uLlkSsdoF29MNX5PzMBtyokN2hbd2zgmZcuD!
OkZG128VObWUzSk7
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6414 rec.radio.amateur.equipment:553
rec.antiques.radio+phono:6551 alt.radio.broadcasting:518
```

On 8/4/07 4:40 PM, in article E9OdnX4hu8fQbynbnZ2dnUVZ_tSknZ2d@comcast.com, "William Sommerwerck" <grizzledgeezer@comcast.net> wrote:

```
>> William Sommerwerck wrote:
>>> It seems odd that, as this radio (supposedly) uses varactor tuning...
>>> Why doesn't Thomson go all the way and include full digital tuning?
>>> Given the current cheapness of electronics, it should add no more
>>> than $10 or $15 to the price.
>
```

If you're referring to adding $10-$15 to the retail price, on the manufacturing level that would be about $1 to $1.50 in additional parts. Possible, but I'd guess the addition of a crystal, a microcomputer, and a display, would probably add more than that. In the end, you would have a very different radio, and not necessarily a better one. Microprocessors add their own problems. These radios do offer great bang for the buck, but honestly I think the term "super" is misapplied.

```
From -1719788095224509719
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-06!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "george conklin" <nospam@nospam.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
```

.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 4 Aug 2007 18:29:47 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13b9veuruknm6cf@corp.supernews.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news2.google.com rec.radio.shortwave:6416 rec.radio.amateur.equipment:554 rec.antiques.radio+phono:6553 alt.radio.broadcasting:519

"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com...
>
> "William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
> news:6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com...
>> It seems odd that, as this radio (supposedly) uses varactor tuning... Why
>> doesn't Thomson go all the way and include full digital tuning? Given the
>> current cheapness of electronics, it should add no more that $10 or $15
>> to
>> the price.
>>
>>
>
> It would also add to the noise floor, and make most of the advantage of
> the tuned RF amp front end null. My biggest gripe about the SRIII is the
> abysmal dial calibration. I've yet to see one that tracks across the dial.
> And any time I've attempted to calibrate one (I've done dozens) the best I
> can get it to do is be semi-accurate at the top and bottom, while off by
> several 10's of KHz in the middle.
>

Does anyone know what the actual AM senitivity of these "super" radio might be. Healthkit used to provide sensitivity for its AM tuners, but so far all they talk about for the GE radio is doubletalk.

From 6309417550391494274

```
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sat, 04 Aug 2007 19:55:19 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
<13b9veuruknm6cf@corp.supernews.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 09:55:19 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <-b6dnZuhoOxqgijbnZ2dnUVZ_r2nnZ2d@giganews.com>
Lines: 41
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
zzzHf2FOerRwVtGV2mlZ2oWAgI19veWCpPprdU4dnMwJkHIKPWu1hHMpJip+AfqMyECHYxsUHDWkJgn!
g8yB85AFcewuymaQBox6m2VaTs2DhBRLGhpb+1cBKAmcFUO6jkn6jbJS9iS241WkIOnS/c2J
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6420 rec.radio.amateur.equipment:555
rec.antiques.radio+phono:6555 alt.radio.broadcasting:520


"george conklin" <nospam@nospam.com> wrote in message
news:13b9veuruknm6cf@corp.supernews.com...
>
> "Brenda Ann" <brendad@shinbiro.com> wrote in message
> news:JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com...
>>
>> "William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
>> news:6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com...
```

>>> It seems odd that, as this radio (supposedly) uses varactor tuning...
>>> Why
>>> doesn't Thomson go all the way and include full digital tuning? Given
>>> the
>>> current cheapness of electronics, it should add no more that $10 or $15
>>> to
>>> the price.
>>>
>>>
>>
>> It would also add to the noise floor, and make most of the advantage of
>> the tuned RF amp front end null. My biggest gripe about the SRIII is the
>> abysmal dial calibration. I've yet to see one that tracks across the
>> dial. And any time I've attempted to calibrate one (I've done dozens) the
>> best I can get it to do is be semi-accurate at the top and bottom, while
>> off by several 10's of KHz in the middle.
>>
>
> Does anyone know what the actual AM senitivity of these "super" radio
> might be. Healthkit used to provide sensitivity for its AM tuners, but so
> far all they talk about for the GE radio is doubletalk.

I've not seen any quantification of the AM sensitivity on the radio.
However, with the tuned RF stage, it is much more sensitive than most of the
AM/FM only portables on the market. I have one out in my shop on the shelf
that I use for verification of stations when I'm trying to realign a set
that's been overtwiddled. I'll see if I can get at least a uV reading from
my o-scope for a good listenable by-ear signal. I don't have the equipment
for a fancy uV/m or dBuV reading.

From -3516153819073270896
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Aug 2007 19:57:41 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net> <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com> <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>

```
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
<eMSdnc7YXI5WbinbnZ2dnUVZ_ternZ2d@comcast.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 09:57:41 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <cYudnULOtOsbvSjbnZ2dnUVZ_jqdnZ2d@giganews.com>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
iYLPGdChLyJrYyhvF34seybP4TbAqMd01cqg0IR2xlqB+3j7Uvaha1CiKWt1VlUQxhWrTmhh7vqxdx5!
1yQObxC0f0EbRhd6UXjCWkbIFnUAtzmQN5EP+RgIbrAoks7gqLd0ozKLf8315twxRFtcuz46
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6421 rec.radio.amateur.equipment:556
rec.antiques.radio+phono:6556 alt.radio.broadcasting:521
```

"William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
news:eMSdnc7YXI5WbinbnZ2dnUVZ_ternZ2d@comcast.com...

```
>>> It seems odd that, as this radio (supposedly) uses varactor tuning...
>>> Why doesn't Thomson go all the way and include full digital tuning?
>>> Given the current cheapness of electronics, it should add no more
>>> that $10 or $15 to the price.
>
>> It would also add to the noise floor, and make most of the advantage
>> of the tuned RF amp front end null.
>
> Is that _necessarily_ so?
>
> On the AM band, the added "noise" would be primarily FM modulation,
> creating
> sideband noise not unlike the sideband noise generated by flutter on
> analog
> audio recorders. How audible would that be?
```

I've yet to hear a cheap (or even a multi-hundred dollar) radio with a
perfectly noiseless PLL. My Grundig (a REAL Grundig) Satellite 650 even has
PLL generated noise that brings up the noise floor at least 2-3dB, and it's
filtered and sheilded to the max (and cost $1100 new).

```
From -4355684780067824586
X-Google-Thread: 108122,5b465ae0e57ff69a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-
mail
From:  casagrandeale@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: VHF Simulator
Date: Sat, 04 Aug 2007 18:29:00 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1186277340.690705.221150@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 201.212.37.156
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1186277340 10537 127.0.0.1 (5 Aug 2007 01:29:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Aug 2007 01:29:00 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; InfoPath.2; .NET CLR 1.1.4322; .NET CLR
3.0.04506.30),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=201.212.37.156;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:557
```

Vox Maris VHF is a personal communications simulator of VHF GMDSS
equipment directed to home users or gmdss students.

You can download a demo from http://www.voxmaris.com.ar

```
From 1237039359448311337
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e16g2000pri.googlegroups.com!not-for-
mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 04 Aug 2007 18:59:49 -0700
Organization: http://groups.google.com
Lines: 39
Message-ID: <1186279189.249802.193490@e16g2000pri.googlegroups.com>
```

```
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <eMSdnc7YXI5WbinbnZ2dnUVZ_ternZ2d@comcast.com>
   <cYudnULOtOsbvSjbnZ2dnUVZ_jqdnZ2d@giganews.com>
NNTP-Posting-Host: 71.221.190.37
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186279189 15684 127.0.0.1 (5 Aug 2007 01:59:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Aug 2007 01:59:49 +0000 (UTC)
In-Reply-To: <cYudnULOtOsbvSjbnZ2dnUVZ_jqdnZ2d@giganews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e16g2000pri.googlegroups.com; posting-host=71.221.190.37;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6423 rec.radio.amateur.equipment:558
rec.antiques.radio+phono:6557 alt.radio.broadcasting:522

On Aug 4, 6:57 pm, "Brenda Ann" <bren...@shinbiro.com> wrote:
> "William Sommerwerck" <grizzledgee...@comcast.net> wrote in message
>
> news:eMSdnc7YXI5WbinbnZ2dnUVZ_ternZ2d@comcast.com...
>
> >>> It seems odd that, as this radio (supposedly) uses varactor tuning...
> >>> Why doesn't Thomson go all the way and include full digital tuning?
> >>> Given the current cheapness of electronics, it should add no more
> >>> that $10 or $15 to the price.
>
> >> It would also add to the noise floor, and make most of the advantage
> >> of the tuned RF amp front end null.
>
> > Is that _necessarily_ so?
>
> > On the AM band, the added "noise" would be primarily FM modulation,
> > creating
> > sideband noise not unlike the sideband noise generated by flutter on
> > analog
> > audio recorders. How audible would that be?
>
> I've yet to hear a cheap (or even a multi-hundred dollar) radio with a
> perfectly noiseless PLL. My Grundig (a REAL Grundig) Satellite 650 even has
> PLL generated noise that brings up the noise floor at least 2-3dB, and it's
> filtered and sheilded to the max (and cost $1100 new).

I haven't looked at mine in a couple weeks but as I figured the PLL
would make tuning in some stations more difficult. As they are, the
```

bandwidth position being in wide actually hinders tuning in a little 1 kw signal at 1450 in Notus called KIOV, 1350 KTIK that's more than a kilowatt and even 1490 KCID in Caldwell (*because I live next to a 5 kw DA-N at 1380). If the station was running a narrower signal to start you have to tune in narrow mode first anyway. It's picky that way. Batteries affect that too, FM more pronounced than AM, of course.

The FM antenna screw fell out a long time ago too, tried to replace it and at some point the thing got broken anyway. Good thing it has screw terminals for FM.

From 5648686639481258903
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out04b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!spln!extra.newsguy.com!newsp.newsguy.com!news5
From: "Scott W. Harvey" <NOT_MY_REAL@email.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 01:13:22 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 21
Message-ID: <f93u660of2@news5.newsguy.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com> <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
NNTP-Posting-Host: p24d1bfbfff00000098381f55ac22e8fcea5a66cd83730d8f.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
In-Reply-To: <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
Xref: g2news2.google.com rec.radio.shortwave:6437 rec.radio.amateur.equipment:559
rec.antiques.radio+phono:6564 alt.radio.broadcasting:523

Brenda Ann wrote:

>>
>
> It would also add to the noise floor, and make most of the advantage of the

> tuned RF amp front end null. My biggest gripe about the SRIII is the abysmal
> dial calibration. I've yet to see one that tracks across the dial. And any
> time I've attempted to calibrate one (I've done dozens) the best I can get
> it to do is be semi-accurate at the top and bottom, while off by several
> 10's of KHz in the middle.
>
>

There WAS a digital version of the GE superadio, called the superadio plus, made in 1982. It is rumored to be noisier than the analog version (big surprise) and was double the price, which kind of negated the whole cheap-but-sensitive idea behind the superadio series. It was not a big seller, and is somewhat rare today.

-Scott

From -1997730320868062097
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!m37g2000prh.googlegroups.com!not-for-mail
From: Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 00:50:44 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1186300244.761193.256120@m37g2000prh.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
NNTP-Posting-Host: 71.221.190.37
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186300245 15393 127.0.0.1 (5 Aug 2007 07:50:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Aug 2007 07:50:45 +0000 (UTC)
In-Reply-To: <f93u660of2@news5.newsguy.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR

```
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m37g2000prh.googlegroups.com; posting-host=71.221.190.37;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6439 rec.radio.amateur.equipment:560
rec.antiques.radio+phono:6568 alt.radio.broadcasting:524

On Aug 5, 2:13 am, "Scott W. Harvey" <NOT_MY_R...@email.com> wrote:
> Brenda Ann wrote:
>
> > It would also add to the noise floor, and make most of the advantage of the
> > tuned RF amp front end null. My biggest gripe about the SRIII is the abysmal
> > dial calibration. I've yet to see one that tracks across the dial. And any
> > time I've attempted to calibrate one (I've done dozens) the best I can get
> > it to do is be semi-accurate at the top and bottom, while off by several
> > 10's of KHz in the middle.
>
> There WAS a digital version of the GE superadio, called the superadio
> plus, made in 1982. It is rumored to be noisier than the analog version
> (big surprise) and was double the price, which kind of negated the whole
> cheap-but-sensitive idea behind the superadio series. It was not a big
> seller, and is somewhat rare today.
>
> -Scott

GREAT

horney toads...

Are you on union time?




From -1106391002902045297
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d30g2000prg.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 01:01:51 -0700
Organization: http://groups.google.com
Lines: 47
Message-ID: <1186300911.823359.98580@d30g2000prg.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
NNTP-Posting-Host: 67.116.242.178
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186300912 12900 127.0.0.1 (5 Aug 2007 08:01:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Aug 2007 08:01:52 +0000 (UTC)
In-Reply-To: <f93u660of2@news5.newsguy.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d30g2000prg.googlegroups.com; posting-host=67.116.242.178;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6440 rec.radio.amateur.equipment:561
rec.antiques.radio+phono:6570 alt.radio.broadcasting:525
```

On Aug 5, 1:13 am, "Scott W. Harvey" <NOT_MY_R...@email.com> wrote:

> Brenda Ann wrote:
>
> > It would also add to the noise floor, and make most of the advantage of the
> > tuned RF amp front end null. My biggest gripe about the SRIII is the abysmal
> > dial calibration. I've yet to see one that tracks across the dial. And any
> > time I've attempted to calibrate one (I've done dozens) the best I can get
> > it to do is be semi-accurate at the top and bottom, while off by several
> > 10's of KHz in the middle.
>
> There WAS a digital version of the GE superadio, called the superadio
> plus, made in 1982. It is rumored to be noisier than the analog version
> (big surprise) and was double the price, which kind of negated the whole
> cheap-but-sensitive idea behind the superadio series. It was not a big
> seller, and is somewhat rare today.
>
> -Scott

SWH,

I have one of the "Digital" versions of the GE Superadio
Model # 7-2882A that was made in Hong Kong an you
are right on all counts.

But it is 'nice' to be able to push a Preset and Listen
to one of your Favorite Radio Stations - Especially
when the GE Superadio III has such a badly aligned
Analog Tuning Scale.

David Moisan's - GE SuperRadio FAQ - Technical Information
http://mysite.verizon.net/vze20h45/radio/superadio/gesr_tech.html

http://mysite.verizon.net/vze20h45/radio/superadio/gesr_faq.html

Currently for the $-Money-$ the Redsun RP2100 AM/MW
Shortwave Radio seems to be one of the 'better' AM/MW
Radios that would 'fit' the Super-Radio characteristics and
has a very good 'mono' FM Tuner and Sound Too !

The "Redsun Shortwave Radios" Group at Yahoo
REDSUN => http://groups.yahoo.com/group/redsun-shortwave-radios/

~ RHF
 .
 .
. .

```
From 3590933086398330346
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Aug 2007 05:25:52 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 03:25:54 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <IdudnfJN2_ItOCjbnZ2dnUVZ_uejnZ2d@comcast.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-D5oQeDzVdKBJkjnwVs/qwHO2tMGzWDgWlGHnuf8Orfk6iidf2Tih2byfpK/
E5dBCXpVb2vjrtJdB69c!FTZFK8YVzUvS5peEp4ARoW5C+7ONzB1OYf6KrSRKC3aMI2/
```

```
VtfZoG9e+OqFPDx76QpA22JEBssUD!Bt2/c26WrGrj236xk8Kz9TjH7NErrg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6445 rec.radio.amateur.equipment:562
rec.antiques.radio+phono:6572 alt.radio.broadcasting:526
```

> I have one of the "digital" versions of the GE Superadio,
> model 7-2882A, that was made in Hong Kong, and you
> are right on all counts.

This model was likely the outgrowth of the 7-4650 clock-radio, which had direct-frequency entry through a keypad plus six presets. Its list price was around $90.

Whoever designed this radio was actually thinking. As the AM and FM bands have numerically unique frequencies, you simply punched in the one you want, and the band automatically switched. You don't have to select AM or FM first.

```
From -977517291161399919
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Aug 2007 05:41:04 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 03:41:04 -0700
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-KWZ+93i/
ThrJHX7FR97MHLlcUQKnV+9Jhp0Ik4GAWViCQuRKnk7HUMldcAbB4zYOf0Uiv1l2rlgsMIr!
da2kwyNhzFIJzgvQWY/RKVcxhasJQ8aJaG5qOsEY4G5Yh66ic0LRzQDiwU5zzGN6Pd+7RpbE4yCz!
RkjIVl6HBy83Yn+/fypC10VkiCqUxQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6446 rec.radio.amateur.equipment:563
rec.antiques.radio+phono:6573 alt.radio.broadcasting:527
```

I'd like to clarify a point in the Superadio FAQ...

"Unlike most AM/FM radios the SR III has additional RF stages..."

I've never seen an FM tuner that didn't have an RF stage (with the exception of a weird direct-conversion circuit shown in the GE Transistor Manual). It would be less-incorrect to say

"Unlike most table or pocket radios, the Superadio's AM tuner has an RF stage for greatly improved sensitivity."

```
From -2119118897063152691
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 05 Aug 2007 06:43:21 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
```

dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 20:43:21 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-hjeA1v6abUSJLSja+NkRYBdrYypTu49Y6QwffmtDzm7WpzIYoL/
EDaltIRBbeofss9Bc5WbSIAkVLHY!
yjrVRv7vYzdoHMeQ1zoRCZw7j+1NRKEktHr5aaVctOmnXXcs1+F44M/K0OyIGCTvRqqAxtiJ
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6448 rec.radio.amateur.equipment:564
rec.antiques.radio+phono:6576 alt.radio.broadcasting:528

"William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
news:JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com...
> I'd like to clarify a point in the Superadio FAQ...
>
> "Unlike most AM/FM radios the SR III has additional RF stages..."
>
> I've never seen an FM tuner that didn't have an RF stage (with the
> exception
> of a weird direct-conversion circuit shown in the GE Transistor Manual).
> It
> would be less-incorrect to say
>
> "Unlike most table or pocket radios, the Superadio's AM tuner has an RF
> stage for greatly improved sensitivity."

Most AM/FM radios don't have an RF stage. Only higher end home systems and car radios do anymore for the most part. The front ends on your average portable are just an LO section and an input tuning section (antenna). Even average home systems don't have the additional RF stage. Makes for horrid sensitivity and even worse overloading problems close in.

From -8488481269208513323

```
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-
sjc-06!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "george conklin" <nospam@nospam.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 07:56:23 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13bbenag3dcoof5@corp.supernews.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
<13b9veuruknm6cf@corp.supernews.com> <-
b6dnZuhoOxqgijbnZ2dnUVZ_r2nnZ2d@giganews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-Complaints-To: abuse@supernews.com
Lines: 55
Xref: g2news2.google.com rec.radio.shortwave:6449 rec.radio.amateur.equipment:565
rec.antiques.radio+phono:6577 alt.radio.broadcasting:529


"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:-b6dnZuhoOxqgijbnZ2dnUVZ_r2nnZ2d@giganews.com...
>
> "george conklin" <nospam@nospam.com> wrote in message
> news:13b9veuruknm6cf@corp.supernews.com...
>>
>> "Brenda Ann" <brendad@shinbiro.com> wrote in message
>> news:JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com...
>>>
>>> "William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
>>> news:6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com...
>>>> It seems odd that, as this radio (supposedly) uses varactor tuning...
>>>> Why
>>>> doesn't Thomson go all the way and include full digital tuning? Given
>>>> the
>>>> current cheapness of electronics, it should add no more that $10 or $15
>>>> to
```

>>>> the price.
>>>>
>>>>
>>>
>>> It would also add to the noise floor, and make most of the advantage of
>>> the tuned RF amp front end null. My biggest gripe about the SRIII is the
>>> abysmal dial calibration. I've yet to see one that tracks across the
>>> dial. And any time I've attempted to calibrate one (I've done dozens)
>>> the best I can get it to do is be semi-accurate at the top and bottom,
>>> while off by several 10's of KHz in the middle.
>>>
>>
>> Does anyone know what the actual AM senitivity of these "super" radio
>> might be. Healthkit used to provide sensitivity for its AM tuners, but
>> so far all they talk about for the GE radio is doubletalk.
>
> I've not seen any quantification of the AM sensitivity on the radio.
> However, with the tuned RF stage, it is much more sensitive than most of
> the AM/FM only portables on the market. I have one out in my shop on the
> shelf that I use for verification of stations when I'm trying to realign a
> set that's been overtwiddled. I'll see if I can get at least a uV reading
> from my o-scope for a good listenable by-ear signal. I don't have the
> equipment for a fancy uV/m or dBuV reading.
>
>
>

Well, it seems to me we need to check the GE radios against a radio which has a known sensitivity level on the AM band. I have to use my so-called Superradio with a tunable external loop to picked up most stations I want. So it is not very super. And I have the Radio Shack version too. About half the time it has distored audio, and other half it works ok, but with inferior tone. Ok, they are cheap, I'll grant you that. C. Crane and Company advertise a real super radio, the Mini CC radio. Has anyone tried it for $149.95?

From -8781848836236831033
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambrium.nl!feeder6.cambrium.nl!feed.tweaknews.nl!feeder.news-service.com!feeder.news-service.com!newsgate.cistron.nl!xs4all!transit3.news.xs4all.nl!post.news.xs4all.nl!not-for-mail
Message-ID: <46b5bd1b$0$231$e4fe514c@news.xs4all.nl>
From: maarten@panic.xx.tudelft.nl
Subject: Re: Question about GE Superadio III and batteries

```
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<46b49d88$0$30629$4c368faf@roadrunner.com> <C2DA11DF.7B5E3%jmsent2@comcast.net>
User-Agent: tin/1.7.7-20041215 ("Scalpay") (UNIX) (FreeBSD/4.10-RELEASE-p2 (i386))
Date: 05 Aug 2007 12:05:47 GMT
Lines: 11
NNTP-Posting-Host: 194.109.21.4
X-Trace: 1186315547 news.xs4all.nl 231 [::ffff:194.109.21.4]:1908
X-Complaints-To: abuse@xs4all.nl
Xref: g2news2.google.com rec.radio.shortwave:6450 rec.radio.amateur.equipment:566
rec.antiques.radio+phono:6579 alt.radio.broadcasting:530

In rec.antiques.radio+phono John Stone <jmsent2@comcast.net> wrote:
> I don't think Thomson is even involved in consumer electronics products
> anymore. I believe they sold off the RCA name to Audiovox, and when you go

Maybe not in the US, but as far as I know their CE division is still
alive.

--
Met vriendelijke groet,

Maarten Bakker.


From -1659050939847352789
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 05 Aug 2007 07:15:38 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
```

```
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
<13b9veuruknm6cf@corp.supernews.com> <-
b6dnZuhoOxqgijbnZ2dnUVZ_r2nnZ2d@giganews.com> <13bbenag3dcoof5@corp.supernews.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 21:15:38 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <zeWdna4bAIP3IijbnZ2dnUVZ_hOdnZ2d@giganews.com>
Lines: 20
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
KXUrJrftcXDdAante2u5TTlNH4DDOcTi2poOL1sXkOqkROGIdjLO0GjtfNjtCdHWjm3JzYsVw+RJ7Rz!
8d9QSWdnbZrZ4P2NiItbqEnRMA1qGj/onZBPfhr2Z07mgz/9tmk1QkdmZzhvuQx4vTfTmc0+
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6451 rec.radio.amateur.equipment:567
rec.antiques.radio+phono:6580 alt.radio.broadcasting:531
```

"george conklin" <nospam@nospam.com> wrote in message
news:13bbenag3dcoof5@corp.supernews.com...

> Well, it seems to me we need to check the GE radios against a radio
> which has a known sensitivity level on the AM band. I have to use my
> so-called Superradio with a tunable external loop to picked up most
> stations I want. So it is not very super. And I have the Radio Shack
> version too. About half the time it has distored audio, and other half it
> works ok, but with inferior tone. Ok, they are cheap, I'll grant you
> that. C. Crane and Company advertise a real super radio, the Mini CC
> radio. Has anyone tried it for $149.95?

If you need an external tuned loop, then you need an alignment. If it's an SRIII, then you're probably out of luck. If it's an SRII or SRI, then you can get it properly aligned and it would be pretty much unbeatable for AM and FM reception.

```
From -2059499208955157181
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d30g2000prg.googlegroups.com!not-for-mail
From: Stephanie Weil <stephanienyc@gmail.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 05:48:00 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1186318080.834387.212650@d30g2000prg.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <IdudnfJN2_ItOCjbnZ2dnUVZ_uejnZ2d@comcast.com>
NNTP-Posting-Host: 124.199.10.39
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186318081 1201 127.0.0.1 (5 Aug 2007 12:48:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Aug 2007 12:48:01 +0000 (UTC)
In-Reply-To: <IdudnfJN2_ItOCjbnZ2dnUVZ_uejnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d30g2000prg.googlegroups.com; posting-host=124.199.10.39;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6452 rec.radio.amateur.equipment:568 rec.antiques.radio+phono:6581 alt.radio.broadcasting:532

On Aug 5, 7:25 pm, "William Sommerwerck" <grizzledgee...@comcast.net>
wrote:
>
> Whoever designed this radio was actually thinking. As the AM and FM bands
> have numerically unique frequencies, you simply punched in the one you want,
> and the band automatically switched. You don't have to select AM or FM
> first.

I have a Grundig portable with shortwave that allows you to do that too. Type in 1130 and the radio automatically switches you to 1130 khz MW. Type in 95.50 and it tunes to 95.5 Mhz FM, And so on....

You can also just enter something like 31 or 25 or 49 and it switches you to that desired shortwave band directly. I like that radio. :)

Stephanie Weil
On the other side of the planet

```
From -2741198680270151528
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d30g2000prg.googlegroups.com!not-for-
mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 06:31:00 -0700
Organization: http://groups.google.com
Lines: 60
Message-ID: <1186320660.656942.279700@d30g2000prg.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <13b9veuruknm6cf@corp.supernews.com>
   <-b6dnZuhoOxqgijbnZ2dnUVZ_r2nnZ2d@giganews.com>
   <13bbenag3dcoof5@corp.supernews.com>
NNTP-Posting-Host: 71.221.190.37
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186320661 3858 127.0.0.1 (5 Aug 2007 13:31:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Aug 2007 13:31:01 +0000 (UTC)
In-Reply-To: <13bbenag3dcoof5@corp.supernews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d30g2000prg.googlegroups.com; posting-host=71.221.190.37;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6454 rec.radio.amateur.equipment:569
rec.antiques.radio+phono:6583 alt.radio.broadcasting:533
```

On Aug 5, 5:56 am, "george conklin" <nos...@nospam.com> wrote:

> "Brenda Ann" <bren...@shinbiro.com> wrote in message
>
> news:-b6dnZuhoOxqgijbnZ2dnUVZ_r2nnZ2d@giganews.com...

>
>
>
>
>
>
>
> > "george conklin" <nos...@nospam.com> wrote in message
> >news:13b9veuruknm6cf@corp.supernews.com...
>
> >> "Brenda Ann" <bren...@shinbiro.com> wrote in message
> >>news:JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com...
>
> >>> "William Sommerwerck" <grizzledgee...@comcast.net> wrote in message
> >>>news:6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com...
> >>>> It seems odd that, as this radio (supposedly) uses varactor tuning...
> >>>> Why
> >>>> doesn't Thomson go all the way and include full digital tuning? Given
> >>>> the
> >>>> current cheapness of electronics, it should add no more that $10 or $15
> >>>> to
> >>>> the price.
>
> >>> It would also add to the noise floor, and make most of the advantage of
> >>> the tuned RF amp front end null. My biggest gripe about the SRIII is the
> >>> abysmal dial calibration. I've yet to see one that tracks across the
> >>> dial. And any time I've attempted to calibrate one (I've done dozens)
> >>> the best I can get it to do is be semi-accurate at the top and bottom,
> >>> while off by several 10's of KHz in the middle.
>
> >> Does anyone know what the actual AM senitivity of these "super" radio
> >> might be. Healthkit used to provide sensitivity for its AM tuners, but
> >> so far all they talk about for the GE radio is doubletalk.
>
> > I've not seen any quantification of the AM sensitivity on the radio.
> > However, with the tuned RF stage, it is much more sensitive than most of
> > the AM/FM only portables on the market. I have one out in my shop on the
> > shelf that I use for verification of stations when I'm trying to realign a
> > set that's been overtwiddled. I'll see if I can get at least a uV reading
> > from my o-scope for a good listenable by-ear signal. I don't have the
> > equipment for a fancy uV/m or dBuV reading.
>
>   Well, it seems to me we need to check the GE radios against a radio which
> has a known sensitivity level on the AM band. I have to use my so-called
> Superradio with a tunable external loop to picked up most stations I want.
> So it is not very super. And I have the Radio Shack version too. About
> half the time it has distored audio, and other half it works ok, but with
> inferior tone. Ok, they are cheap, I'll grant you that. C. Crane and
> Company advertise a real super radio, the Mini CC radio. Has anyone tried
> it for $149.95?

Brenda Ann has a National or two and a well-modified Pioneer TX-6500
tuner she built as I understand (I donated to it). All of the above

would run rings around this thing I am certain. A great DX set by GE
was probably made and it had tubes and was a tombstone.

```
From 4113007087500133190
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e16g2000pri.googlegroups.com!not-for-
mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 06:32:26 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1186320746.029982.171550@e16g2000pri.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <IdudnfJN2_ItOCjbnZ2dnUVZ_uejnZ2d@comcast.com>
   <1186318080.834387.212650@d30g2000prg.googlegroups.com>
NNTP-Posting-Host: 71.221.190.37
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186320746 9009 127.0.0.1 (5 Aug 2007 13:32:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Aug 2007 13:32:26 +0000 (UTC)
In-Reply-To: <1186318080.834387.212650@d30g2000prg.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e16g2000pri.googlegroups.com; posting-host=71.221.190.37;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6455 rec.radio.amateur.equipment:570
rec.antiques.radio+phono:6584 alt.radio.broadcasting:534
```

On Aug 5, 6:48 am, Stephanie Weil <stephanie...@gmail.com> wrote:
> On Aug 5, 7:25 pm, "William Sommerwerck" <grizzledgee...@comcast.net>
> wrote:

> Stephanie Weil
> On the other side of the planet

When did you move to New Jersey?

```
From 3746504123429650524
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Aug 2007 08:46:23 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 06:46:26 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
Lines: 26
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-Vr3uCQbWTBCqzJyQeyBG9h+EUNFQHAc+mRs6yBHm22+tzBGSxYATzMMgc8Hyinz06Hs/
i31y5ckaqVv!
7lVQsdGzN2svTfN4STpT6LzKFgE5Ita+2UgrlqM5SqqU0yAts1Lq4JSlyqVaDaUMVsS7ExpxSma+!
wvLxkU6LwU72gUaqFFI9jsytxupZAw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6456 rec.radio.amateur.equipment:571
rec.antiques.radio+phono:6587 alt.radio.broadcasting:535

> Most AM/FM radios don't have an RF stage. Only higher-end home
> systems and car radios do anymore for the most part. The front ends
> on your average portable are just an LO section and an input tuning
> section (antenna). Even average home systems don't have the additional
> RF stage. Makes for horrid sensitivity and even worse overload problems
> close in.

Show me any commercial FM radio or tuner, at any price, that _doesn't_ have
an RF stage. I find it very, very, very hard to believe that there are such
radios.

I can think of only one _good_ reason for omitting a RF stage, and that only
in digital tuners. As such tuners require a varactor-tuned front end, and
varactors aren't especially linear... Fill in the blank.

I'd like to comment on the phrase "additional RF stage". An RF stage is, of
course, an additional stage compared to a radio without one, but in this
phrase "additional" modifies RF, not stage. I believe a few radios have had
multiple RF stages, but this is uncommon.

After writing the above, I pulled out the manual for my Yaesu ("joy of Hams'
desiring") FT-1000D. It seems the RF stage can be bypassed for reception of
very strong signals. I'm not sure what this proves or disproves with respect
to this discussion, but it's interesting.

From 4018714815644863673
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m37g2000prh.googlegroups.com!not-for-mail
From: Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 06:53:24 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1186322004.223585.146270@m37g2000prh.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>

```
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
   <RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
   <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
NNTP-Posting-Host: 71.221.190.37
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186322004 12553 127.0.0.1 (5 Aug 2007 13:53:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Aug 2007 13:53:24 +0000 (UTC)
In-Reply-To: <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m37g2000prh.googlegroups.com; posting-host=71.221.190.37;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6457 rec.radio.amateur.equipment:572
rec.antiques.radio+phono:6589 alt.radio.broadcasting:536
```

On Aug 5, 7:46 am, "William Sommerwerck" <grizzledgee...@comcast.net>
wrote:
> > Most AM/FM radios don't have an RF stage. Only higher-end home
> > systems and car radios do anymore for the most part. The front ends
> > on your average portable are just an LO section and an input tuning
> > section (antenna). Even average home systems don't have the additional
> > RF stage. Makes for horrid sensitivity and even worse overload problems
> > close in.
>
> Show me any commercial FM radio or tuner, at any price, that _doesn't_ have
> an RF stage. I find it very, very, very hard to believe that there are such
> radios.
>
> I can think of only one _good_ reason for omitting a RF stage, and that only
> in digital tuners. As such tuners require a varactor-tuned front end, and
> varactors aren't especially linear... Fill in the blank.
>
> I'd like to comment on the phrase "additional RF stage". An RF stage is, of
> course, an additional stage compared to a radio without one, but in this
> phrase "additional" modifies RF, not stage. I believe a few radios have had
> multiple RF stages, but this is uncommon.
>
> After writing the above, I pulled out the manual for my Yaesu ("joy of Hams'
> desiring") FT-1000D. It seems the RF stage can be bypassed for reception of
> very strong signals. I'm not sure what this proves or disproves with respect
> to this discussion, but it's interesting.

It explains why two-three of my tuners (more) have a hard time with

```
1350 and 1450 when 1380 is nearby and a couple would bleed 1450 in two
other spots when KIOV was still on Clay Peak. Thanks much!




From -3769209535827123906
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.wiretrip.org!
news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <Use-Author-Supplied-Address-Header@[127.1]>
Author-Supplied-Address: nobody <AT> pseudo <DOT> borked <DOT> net
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
Message-ID: <1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
Date: Sun,  5 Aug 2007 08:20:21 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.shortwave:6461 rec.radio.amateur.equipment:573
rec.radio.amateur.boatanchors:865

In article <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
Ted <Use-Author-Supplied-Address-Header@[127.1]> wrote:
>
> eBay: http://easyurl.net/R390A

It's baaaaack!
eBay: http://301url.com/R390A_2




From 4074059781510407765
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Sun, 05 Aug 2007 07:24:35 -0700
From: Jeffrey D Angus <jangus@socal.rr.com>
Reply-To:  jangus@socal.rr.com
Organization: Grendel's Lair
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
```

MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
In-Reply-To: <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 30
Message-ID: <46b5dd8b$0$30672$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:6462 rec.radio.amateur.equipment:574
rec.antiques.radio+phono:6592 alt.radio.broadcasting:537

William Sommerwerck wrote:
>>Most AM/FM radios don't have an RF stage. Only higher-end home
>>systems and car radios do anymore for the most part.
>
> Show me any commercial FM radio or tuner, at any price, that _doesn't_ have
> an RF stage.

Brenda was refering to the AM section of the radio I think.
Most commercial "broadcast" radios now _are_ crap. The
manufacturers figured (probably rightly) that there's nothing
worth listening to on AM, so they don't waste the money in
production to make the AM portion decent.

> After writing the above, I pulled out the manual for my Yaesu ("joy of Hams'
> desiring") FT-1000D. It seems the RF stage can be bypassed for reception of
> very strong signals. I'm not sure what this proves or disproves with respect
> to this discussion, but it's interesting.

Bypassed? Look again, I suspect it has a 20 dB attenuator switched
in ahead of it.

Jeff

--
RESTRICTED AREA. Anyone intruding shall immediately become subject to
the jurisdiction of military law. Intruders will be subject to lethal

force, without warning, and on sight. USE OF DEADLY FORCE IS AUTHORIZED under the Internal Security Act of 1950.

```
From -6909457752822849001
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Aug 2007 09:52:19 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 07:52:22 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <YcSdnXQFjIO-eSjbnZ2dnUVZ_h2pnZ2d@comcast.com>
Lines: 12
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-lF9HBt5BqRIIe7StY+5SSSH3w9n7CfArsdaj0SL+jATCUSpxAGu+Z0/
TnKXBgsiHMUivBEKkNNaohWQ!ShQaT+XWbKtj/OgF4DsiCnKsSypO85vKP+er8gYmh7Nxqj/S/
n68eRb0OP+z7eHn3IViFMQRWDV9!dVVjkBDLhpCYKdZFswHF8YtvpIwhlw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6464 rec.radio.amateur.equipment:575
rec.antiques.radio+phono:6596 alt.radio.broadcasting:538
```

>> After writing the above, I pulled out the manual for my Yaesu
>> ("joy of Hams' desiring") FT-1000D. It seems the RF stage can
>> be bypassed for reception of very strong signals.

> Bypassed? Look again, I suspect it has a 20 dB attenuator
> switched in ahead of it.

Nope. The manual -- apparently written by 'murcans -- explicitly says "bypassed". The schematics are so complex I don't have time to unscramble them to confirm or deny.

From -5847037899847083909
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Aug 2007 09:58:26 -0500
User-Agent: Microsoft-Entourage/11.3.6.070618
Date: Sun, 05 Aug 2007 09:58:23 -0500
Subject: Re: Question about GE Superadio III and batteries
From: John Stone <jmsent2@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Message-ID: <C2DB4FBF.7B639%jmsent2@comcast.net>
Thread-Topic: Question about GE Superadio III and batteries
Thread-Index: AcfXcRGbT+WriUNkEdyUagAX8sn94Q==
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<46b49d88$0$30629$4c368faf@roadrunner.com> <C2DA11DF.7B5E3%jmsent2@comcast.net>
<46b5bd1b$0$231$e4fe514c@news.xs4all.nl>
Mime-version: 1.0
Content-type: text/plain;
charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.12.226.195
X-Trace:
sv3-9vLb8L8IgIxFd4NmHmmYCyxmHuNb6xcl3pZIjeHtNtbl9z+FIx9LEzYfWJZhD1i9jGukYZYSbXkJLN
t!1myla6X8sxs+jYJLoV+imDPMVIW9s/GxeuFXfgeDYYbKYlyB8Tr3CU7XXiBMV33rV3r3P203dXNo!

nzKmeFKbF2Q6gddh
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6465 rec.radio.amateur.equipment:576 rec.antiques.radio+phono:6597 alt.radio.broadcasting:539

On 8/5/07 7:05 AM, in article 46b5bd1b$0$231$e4fe514c@news.xs4all.nl,
"maarten@panic.xx.tudelft.nl" <maarten@panic.xx.tudelft.nl> wrote:

> In rec.antiques.radio+phono John Stone <jmsent2@comcast.net> wrote:
>> I don't think Thomson is even involved in consumer electronics products
>> anymore. I believe they sold off the RCA name to Audiovox, and when you go
>
> Maybe not in the US, but as far as I know their CE division is still
> alive.

From Wikipedia:
Later in 2004, Thomson set up a joint venture (TTE) with China's TCL, giving
to TCL all manufacturing of RCA and Thomson television and DVD products and
making TCL the global leader in TV manufacturing. (Thomson still controls
the brands themselves and licenses them to TTE.) At the time, TCL was hailed
as the first Chinese company to compete on the international stage with
large international corporations. Thomson initially retained all marketing
of TTE's products, but transferred that to TTE in 2005.

In December 2006, Thomson agreed to sell its consumer electronics accessory
business, including rights to the RCA name for consumer electronics
accessories, to Audiovox.

So, I guess they are still "alive", if you want to call it that.

From 1876650740035998506
X-Google-Thread: 108122,7998dc17eed8b2ea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Aug 2007 10:32:48 -0500
Date: Sun, 05 Aug 2007 16:32:48 +0100
From: charlie <wehatespam@wymsey.co.uk>
User-Agent: Thunderbird 1.5.0.12 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment

Subject: Re: RF Grounding Dilemmas
References: <1186084751.533649.176800@d30g2000prg.googlegroups.com>
<rVusi.13314$B25.4256@news01.roc.ny>
In-Reply-To: <rVusi.13314$B25.4256@news01.roc.ny>
X-Enigmail-Version: 0.95.2
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <VLGdnSW_kIk9cCjbnZ2dnUVZ8tmhnZ2d@pipex.net>
Lines: 23
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 81.179.179.0
X-Trace: sv3-TqZq0B0Cn7jVzcDfWShyLrmMxqFNN/
S6Gj67hTfUl3anayFj4WyGp7k5WX4Uw2ahjoqhLJQy+30igdA!
jV5vaCwLNYpGKNpkV5Ny45np4tWXMb+L7zBt2QWme6aZdjk02LkiYSzy0VfFy75IH5cDBbAgm0So!
i2cyYCTaUKwiDH+iIc0wVSGR
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:577

Bill Janssen wrote:
<SNIP>
> If you use a dipole antenna you don't need a ground. I would use your
> option 1. If you decide
> to use a vertical antenna then you can figure your ground conductor as
> part of the antenna. I did
> that when I was living in a town house
> Bill K7NOM

Just think what a ground wire of 30 foot represents in terms of wavelength, whatever it may be it will not be an RF ground!

As suggested, the best bet is to go for a balanced antenna such as a dipole or set of dipoles. Use a balun at the antenna and feed with coax straight to your rig/SWR meter. This works well for me in a first floor shack with antennas in the loft.

Charlie.

--
M0WYM
www.radiowymsey.org

From -5386883270616789047
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1

```
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "jim menning" <jmenningSPAM@new.rr.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 12:18:07 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 20
Message-ID: <46b60644$0$31254$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:6468 rec.radio.amateur.equipment:578
rec.antiques.radio+phono:6602 alt.radio.broadcasting:540
```

"Scott W. Harvey" <NOT_MY_REAL@email.com> wrote in message
news:f93u660of2@news5.newsguy.com...

>
>>
>
> There WAS a digital version of the GE superadio, called the superadio plus, made in
> 1982.

Was it originally named that by GE or just by later aficionados in their comparisons?

I've got one right here in front of me (GE 7-2882A), and it's labeled as an "electronic tuning FM-AM receiver", not a "superadio plus" or "superadio+".

As far as I know, this was never touted by GE top be a "superadio". Does anyone have pictures of a box or advertising they can share to show GE called it one?

```
From 2894790718042142433
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sun, 05 Aug 2007 14:02:29 -0400
Organization: MV Communications, Inc.
Lines: 10
Message-ID: <pan.2007.08.05.18.01.58.34980@from.qrz.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1186336949 53463 207.22.49.17 (5 Aug 2007 18:02:29 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 5 Aug 2007 18:02:29 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.shortwave:6472 rec.radio.amateur.equipment:579
rec.radio.amateur.boatanchors:868
```

Geez, what unbelievable hype! :-)

Also. someone needs to tell this guy that you only get so many commas in a lifetime, and after you use them all up, you die. :-)

From, beautiful, downtown, Londonderry, New, Hampshire...

Rick

```
From 3568460368610058826
X-Google-Thread: 108122,2f00a54ae90b9323,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need inexpensive spectrum analyzer
Date: Sun, 05 Aug 2007 14:10:53 -0400
Organization: MV Communications, Inc.
Lines: 20
```

```
Message-ID: <pan.2007.08.05.18.10.51.579229@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1186337453 53637 207.22.49.17 (5 Aug 2007 18:10:53 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 5 Aug 2007 18:10:53 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:580
```

Can anyone suggest a decent inexpensive spectrum analyzer, that I can look for used on ebay, that would be suitable for evaluating SSB transmitter output for spurs, harmonics, etc.?

I have a cheap RM Italy former CB amplifier that has been heavily modified to work on 80 through 10, and has a set of low-pass output filters in a box with a band switch, all of which I am using with my FT-817. Its provenance is suspect, at best, and I'd like to be able to check it from time to time to make sure its output stays clean.

Also I have an old TS-120S that seems to have some serious transmit problems, part of which is probably spurs and harmonics and self-oscillation in the finals and God knows what else.

I don't mind paying a fair price for a good spectrum analyzer but I don't want to pay big bucks for a high-end unit with features I'll never use.

Thanks...

```
From -5195893896509376964
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 05 Aug 2007 15:18:58 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
```

```
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<46b60644$0$31254$4c368faf@roadrunner.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 6 Aug 2007 05:18:59 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com>
Lines: 30
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-4sndTFiUWYyxX2qM04RtIrlZ8YpIazeWauK/
1YAAasJzpDn2wGx4WyppDh91mS+dPJsnS7zzWu0qdSU!iomgiyvcMtTG4TBw7ntlVFfK/
NGC3TYY7Qom3pny7znXp4hLhTu86Je6b9R8f4ot/zoLi1r0
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6493 rec.radio.amateur.equipment:581
rec.antiques.radio+phono:6607 alt.radio.broadcasting:541


"jim menning" <jmenningSPAM@new.rr.com> wrote in message
news:46b60644$0$31254$4c368faf@roadrunner.com...
>
> "Scott W. Harvey" <NOT_MY_REAL@email.com> wrote in message
> news:f93u660of2@news5.newsguy.com...
>>
>>>
>>
>> There WAS a digital version of the GE superadio, called the superadio
>> plus, made in 1982.
>
>
> Was it originally named that by GE or just by later aficionados in their
> comparisons?
>
> I've got one right here in front of me (GE 7-2882A), and it's labeled as
> an "electronic tuning FM-AM receiver", not a "superadio plus" or
> "superadio+".
>
> As far as I know, this was never touted by GE top be a "superadio".  Does
> anyone have pictures of a box or advertising they can share to show GE
> called it one?
>

I distinctly remember a digital Superadio Plus. It sold for a very short
time around 1983 or 84? It clearly said "Superadio Plus" on the front panel.
```

```
From -867500273559198438
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 05 Aug 2007 15:22:08 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 6 Aug 2007 05:22:07 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <EIKdnYysaoXsrCvbnZ2dnUVZ_gCdnZ2d@giganews.com>
Lines: 41
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-8yj6b4Hq1IPqJj7JiMQJaVCIgTZ7iqIvf/
Uvw05mYBGzETheFMD3pMOuLAyTdWYEqAqSKEnmLHYzIJQ!
17vwFPdg0Lep5s0GXuIXyw0vyckikxmGfbs0ve3KLlUuMkThEmyjMx4ClyMVAHlm9CO4yOCJ
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6494 rec.radio.amateur.equipment:582
rec.antiques.radio+phono:6608 alt.radio.broadcasting:542
```

"William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
news:6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com...
>> Most AM/FM radios don't have an RF stage. Only higher-end home
>> systems and car radios do anymore for the most part. The front ends
>> on your average portable are just an LO section and an input tuning
>> section (antenna). Even average home systems don't have the additional
>> RF stage. Makes for horrid sensitivity and even worse overload problems
>> close in.
>
> Show me any commercial FM radio or tuner, at any price, that _doesn't_
> have
> an RF stage. I find it very, very, very hard to believe that there are
> such
> radios.
>
> I can think of only one _good_ reason for omitting a RF stage, and that
> only
> in digital tuners. As such tuners require a varactor-tuned front end, and
> varactors aren't especially linear... Fill in the blank.
>
> I'd like to comment on the phrase "additional RF stage". An RF stage is,
> of
> course, an additional stage compared to a radio without one, but in this
> phrase "additional" modifies RF, not stage. I believe a few radios have
> had
> multiple RF stages, but this is uncommon.

Again, if you open up the average portable, or most cheap home stereos, you
will find only two sections to the FM tuner:

1) Local oscillator
2) Antenna tuning

Same for the AM section.

I have seen very very VERY few portables with an RF amp section for FM. Less
rare were ones with an RF amp for AM, such as the Channel Master 8
transistor sets.

From 4781908596567444750
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 05 Aug 2007 15:26:26 -0500

From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 6 Aug 2007 05:26:28 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com>
Lines: 30
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-CcVvPPg0Xq902kKbNk6PPJ9dWLFb5n+r8Cp3uKynHmWlnxbZN02fGk81cy+
+pC6Wkc9Bgsdf3FGAOdb!
opuEIEjSsk8D6AyXVGcjXPM85Sn496u5UOAy9u8RdRpW6jcDEn4Yu67Kr7Vzi3/Q1GNPu/5z
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6495 rec.radio.amateur.equipment:583
rec.antiques.radio+phono:6609 alt.radio.broadcasting:543

"Jeffrey D Angus" <jangus@socal.rr.com> wrote in message
news:46b5dd8b$0$30672$4c368faf@roadrunner.com...
>
>
> William Sommerwerck wrote:
>>>Most AM/FM radios don't have an RF stage. Only higher-end home
>>>systems and car radios do anymore for the most part.
>>
>> Show me any commercial FM radio or tuner, at any price, that _doesn't_
>> have
>> an RF stage.
>
> Brenda was refering to the AM section of the radio I think.
> Most commercial "broadcast" radios now _are_ crap. The

> manufacturers figured (probably rightly) that there's nothing
> worth listening to on AM, so they don't waste the money in
> production to make the AM portion decent.
>

Nope, was referring to both FM and AM sections.

Shoot... a lot of current generation boom boxes and such not only don't have an RF amp in the front end (well.. they sort of do.. more to come), they don't even have an IF. All they are is a very high gain amplifier with a detector. To make an AM radio, they connect an antenna, single section variable capacitor, a power source, and a small audio amp. The whole receiver section is in a three lead package (TO-92?)

```
From -1720843592985530857
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-
mail
From: "jim menning" <jmenningSPAM@new.rr.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<46b60644$0$31254$4c368faf@roadrunner.com>
<YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 16:10:13 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 52
Message-ID: <46b63ca8$0$29693$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:6496 rec.radio.amateur.equipment:584
```

rec.antiques.radio+phono:6611 alt.radio.broadcasting:544

"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com...
>
> "jim menning" <jmenningSPAM@new.rr.com> wrote in message
> news:46b60644$0$31254$4c368faf@roadrunner.com...
>>
>> "Scott W. Harvey" <NOT_MY_REAL@email.com> wrote in message
>> news:f93u660of2@news5.newsguy.com...
>>>
>>>>
>>>
>>> There WAS a digital version of the GE superadio, called the superadio plus,
made
>>> in 1982.
>>
>>
>> Was it originally named that by GE or just by later aficionados in their
>> comparisons?
>>
>> I've got one right here in front of me (GE 7-2882A), and it's labeled as an
>> "electronic tuning FM-AM receiver", not a "superadio plus" or "superadio+".
>>
>> As far as I know, this was never touted by GE top be a "superadio". Does
anyone
>> have pictures of a box or advertising they can share to show GE called it one?
>>
>
> I distinctly remember a digital Superadio Plus. It sold for a very short time
> around 1983 or 84? It clearly said "Superadio Plus" on the front panel.
>
>
>

As I said, I have the GE 7-2882A sitting right here in front of me, and that is
the
model previously claimed to be the "Superadio Plus". There is no "Superadio Plus"
nametag anywhere on it. The front reads "GENERAL ELECTRIC electronic tuning FM-AM
RECEIVER"

The reason I ask is that I have heard this radio called a "Superadio" in the past
in
other threads and several places on the internet, but no one has ever provided a
picture of this radio's nameplate or any box or literature supporting the claim.
Thus I have to question whether it was marketed as such, or if the name was just
attributed to it later by Superadio fans. I also have the cassette recorder
version
of this radio, and with it came a little flyer describing the new "electronic
tuning
FM-AM receivers", with no "superadio" mention.

Sorry Brenda Ann, I guess I need to see some proof, not someone's 20+ year old
memories to convince me.

Maybe RHF can photograph his radio and share the picture with us if his has the
name
somewhere on it.

```
From 1506483788411682987
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 05 Aug 2007 17:31:41 -0500
Date: Sun, 05 Aug 2007 18:30:26 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.2) Gecko/20070221
SeaMonkey/1.1.1
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
<pan.2007.08.05.18.01.58.34980@from.qrz.com>
In-Reply-To: <pan.2007.08.05.18.01.58.34980@from.qrz.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <uqadnXILIuVQ0ivbnZ2dnUVZ_vLinZ2d@rcn.net>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.163.143.206
X-Trace: sv3-d1yaB0RcYOw42mi7pdF/qHGu2MX5ooWHaisSgwzZnxZYO1LkdL0T/
xd47hhfi6vL1zzellKMhEodIqJ!uf/ACTSH0jm3RFI0GY/+tYyAAAcl8veJACaZIrQM2tjO1mY/
E1xSKhsz6D2ZpH3dvlIgs8CCTB3j!U/a9FfitgDcGAQ==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6498 rec.radio.amateur.equipment:585
rec.radio.amateur.boatanchors:870
```

Rick (W-A-one-R-K-T) wrote:
> Geez, what unbelievable hype! :-)
>

> Also. someone needs to tell this guy that you only get so many commas in a
> lifetime, and after you use them all up, you die. :-)
>
> From, beautiful, downtown, Londonderry, New, Hampshire...
>
> Rick

Yep, as I get older, I am starting to feel comma anemic, so I have had
to cut down to the barest minimum.

-Chuck

From 4247183837102115960
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!news.glorb.com!
indigo.octanews.net!news-out.octanews.net!mauve.octanews.net!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
<pan.2007.08.05.18.01.58.34980@from.qrz.com>
<uqadnXILIuVQ0ivbnZ2dnUVZ_vLinZ2d@rcn.net>
Organization: Your Company
Message-ID: <Xns9983AC2D8E720spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 05 Aug 2007 23:54:35 GMT
Lines: 25
NNTP-Posting-Host: e4b5c31d.news.adtechcomputers.com
X-Trace: DXC=AFan>W4YmelbZ<<3De[fcigC4_A5:nI@a<<=aEgO;R8gRD:eYcVWnGdAgbT=k=UW8fR?
X7U2a5ffgemfRC[RMj?oGX7R=>CCRmfGaZ:EiPhK_abTX:]8AWMOo
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.shortwave:6505 rec.radio.amateur.equipment:586
rec.radio.amateur.boatanchors:871

Chuck Harris <cf-NO-SPAM-harris@erols.com> wrote in
news:uqadnXILIuVQ0ivbnZ2dnUVZ_vLinZ2d@rcn.net:

> Rick (W-A-one-R-K-T) wrote:
>> Geez, what unbelievable hype! :-)
>>
>> Also. someone needs to tell this guy that you only get so many commas
>> in a lifetime, and after you use them all up, you die. :-)
>>
>> From, beautiful, downtown, Londonderry, New, Hampshire...
>>

```
>> Rick
>
> Yep, as I get older, I am starting to feel comma anemic, so I have had
> to cut down to the barest minimum.
>
> -Chuck
>

   Want to perk things up; try semicolons; they make life more
interesting.


   Ed  K7AAT




From -6048918757102987635
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe19.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Uncle Peter" <radioconnectionREMOVE@cox.net>
From: "Uncle Peter" <radioconnection@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com>
Subject: Re: Question about GE Superadio III and batteries
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <%ttti.4947$Pv4.2691@newsfe19.lga>
```

```
Date: Sun, 5 Aug 2007 19:57:46 -0400
NNTP-Posting-Host: 68.229.79.253
X-Complaints-To: admin@cox.net
X-Trace: newsfe19.lga 1186358267 68.229.79.253 (Sun, 05 Aug 2007 16:57:47 MST)
NNTP-Posting-Date: Sun, 05 Aug 2007 16:57:47 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.shortwave:6506 rec.radio.amateur.equipment:587
rec.antiques.radio+phono:6615 alt.radio.broadcasting:545
```

http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html

Here you go... the original price, timeframe and model number are discussed. Pretty much supports Brenda's recollections. They also have some info on the frontends of the other models on the website.

Pete

```
From -4807845134945339696
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "jim menning" <jmenningSPAM@new.rr.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 5 Aug 2007 19:29:25 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
```

```
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 20
Message-ID: <46b66b57$0$29666$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:6508 rec.radio.amateur.equipment:588
rec.antiques.radio+phono:6616 alt.radio.broadcasting:546
```

"Uncle Peter" <radioconnection@cox.net> wrote in message
news:%ttti.4947$Pv4.2691@newsfe19.lga...

> http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>
>
> Here you go... the original price, timeframe and model number are
> discussed. Pretty much supports Brenda's recollections. They also
> have some info on the frontends of the other models on the website.
>
> Pete
>

Yes Pete, I have been there many times before, but no one has provided any
pictures,
box art, or advertising to indicate it was indeed marketed as such. Others are
claiming the name is right on the radio itself. Mine is sitting right in front of
me, it has no Superadio nameplate. I only want confirmation I can verify, not to
start a battle.

```
From -1455790009426564357
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d30g2000prg.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: The GE Superadio Plus : A Report -by- T. David Zimmerman
Date: Sun, 05 Aug 2007 18:08:59 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1186362539.834849.50680@d30g2000prg.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
```

   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
   <RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
   <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
   <46b5dd8b$0$30672$4c368faf@roadrunner.com>
   <sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com>
   <%ttti.4947$Pv4.2691@newsfe19.lga>
NNTP-Posting-Host: 67.116.242.178
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186362540 3100 127.0.0.1 (6 Aug 2007 01:09:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 01:09:00 +0000 (UTC)
In-Reply-To: <%ttti.4947$Pv4.2691@newsfe19.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12; SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d30g2000prg.googlegroups.com; posting-host=67.116.242.178;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6510 rec.radio.amateur.equipment:589 rec.antiques.radio+phono:6617 alt.radio.broadcasting:547

= = = On Aug 5, 4:57 pm, "Uncle Peter" <radioconnect...@cox.net>
wrote:
-
- http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
-
- Here you go... the original price, timeframe and model number are
- discussed. Pretty much supports Brenda's recollections. They also
- have some info on the frontends of the other models on the website.
-
- Pete

.
Pete - TYVM for the Link/URL ~ RHF
.
The GE Superadio Plus : A Report -by- T. David Zimmerman
.
http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
.
{ The GE Superadio Plus= The "Digital" GE Superadio }
.
.
. .

```
From 5843675070164098561
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i13g2000prf.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Question About The GE Superadios - Does Anyone "Know" For Sure . . .
Date: Sun, 05 Aug 2007 18:41:32 -0700
Organization: http://groups.google.com
Lines: 43
Message-ID: <1186364492.033795.14710@i13g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
   <RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
   <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
   <46b5dd8b$0$30672$4c368faf@roadrunner.com>
   <sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com>
   <%ttti.4947$Pv4.2691@newsfe19.lga>
   <46b66b57$0$29666$4c368faf@roadrunner.com>
NNTP-Posting-Host: 67.116.242.178
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186364492 32205 127.0.0.1 (6 Aug 2007 01:41:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 01:41:32 +0000 (UTC)
In-Reply-To: <46b66b57$0$29666$4c368faf@roadrunner.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i13g2000prf.googlegroups.com; posting-host=67.116.242.178;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6513 rec.radio.amateur.equipment:590
rec.antiques.radio+phono:6619 alt.radio.broadcasting:548
```

On Aug 5, 5:29 pm, "jim menning" <jmenningS...@new.rr.com> wrote:

> "Uncle Peter" <radioconnect...@cox.net> wrote in message
>

> news:%ttti.4947$Pv4.2691@newsfe19.lga...
>
> >http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>
> > Here you go... the original price, timeframe and model number are
> > discussed. Pretty much supports Brenda's recollections. They also
> > have some info on the frontends of the other models on the website.
>
> > Pete
>
> Yes Pete, I have been there many times before, but no one has provided any
pictures,
> box art, or advertising to indicate it was indeed marketed as such. Others are
> claiming the name is right on the radio itself. Mine is sitting right in front
of
> me, it has no Superadio nameplate. I only want confirmation I can verify, not
to
> start a battle.

JM,

You are Right a the GE Model 7-2882_; the so called
"Digital" GE Superadio -or- GE Superadio Plus; does
not have the "Superadio" name on the Radio.

-But- It does have a few of the Superadio features like
the 200mm Ferrite Antenna and the 5-Inch Speaker.
- - - The Look of a GE Superadio ! ? ! ?

However - What Defines a GE Superadio is the RF
and IF Circuitry that is 'internal' to the Radio and
whether the GE Model 7-2882_ has it or not is . . .
To-Be-Determined [.]

? Question ? Does anyone 'know' for sure -if- the
GE Model 7-2882_ has the same 'internal' RF and
IF Circuitry as the GE Superadios I and II ? ? ?

i want to know ~ RHF
 .
 .
. .

From -3292594299356793379
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m37g2000prh.googlegroups.com!not-for-

```
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 19:08:01 -0700
Organization: http://groups.google.com
Lines: 64
Message-ID: <1186366081.150243.271970@m37g2000prh.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <46b60644$0$31254$4c368faf@roadrunner.com>
   <YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com>
   <46b63ca8$0$29693$4c368faf@roadrunner.com>
NNTP-Posting-Host: 67.116.242.178
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186366081 4387 127.0.0.1 (6 Aug 2007 02:08:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 02:08:01 +0000 (UTC)
In-Reply-To: <46b63ca8$0$29693$4c368faf@roadrunner.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m37g2000prh.googlegroups.com; posting-host=67.116.242.178;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6514 rec.radio.amateur.equipment:591
rec.antiques.radio+phono:6622 alt.radio.broadcasting:549

On Aug 5, 2:10 pm, "jim menning" <jmenningS...@new.rr.com> wrote:
> "Brenda Ann" <bren...@shinbiro.com> wrote in message
>
> news:YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com...
>
>
>
>
>
>
>
> > "jim menning" <jmenningS...@new.rr.com> wrote in message
> >news:46b60644$0$31254$4c368faf@roadrunner.com...
>
> >> "Scott W. Harvey" <NOT_MY_R...@email.com> wrote in message
> >>news:f93u660of2@news5.newsguy.com...
```

>
> >>> There WAS a digital version of the GE superadio, called the superadio plus, made
> >>> in 1982.
>
> >> Was it originally named that by GE or just by later aficionados in their
> >> comparisons?
>
> >> I've got one right here in front of me (GE 7-2882A), and it's labeled as an
> >> "electronic tuning FM-AM receiver", not a "superadio plus" or "superadio+".
>
> >> As far as I know, this was never touted by GE top be a "superadio". Does anyone
> >> have pictures of a box or advertising they can share to show GE called it one?
>
> > I distinctly remember a digital Superadio Plus. It sold for a very short time
> > around 1983 or 84? It clearly said "Superadio Plus" on the front panel.
>
> As I said, I have the GE 7-2882A sitting right here in front of me, and that is the
> model previously claimed to be the "Superadio Plus". There is no "Superadio Plus"
> nametag anywhere on it. The front reads "GENERAL ELECTRIC electronic tuning FM-AM
> RECEIVER"
>
> The reason I ask is that I have heard this radio called a "Superadio" in the past in
> other threads and several places on the internet, but no one has ever provided a
> picture of this radio's nameplate or any box or literature supporting the claim.
> Thus I have to question whether it was marketed as such, or if the name was just
> attributed to it later by Superadio fans. I also have the cassette recorder version
> of this radio, and with it came a little flyer describing the new "electronic tuning
> FM-AM receivers", with no "superadio" mention.

JM - I Can Confirmed Your Findings ~ RHF

>
> Sorry Brenda Ann, I guess I need to see some proof, not someone's 20+ year old
> memories to convince me.
>
> Maybe RHF can photograph his radio and share the picture with us if his has the name
> somewhere on it.

Sorry all the Photos of the various GE Superadios
that I had posted to the "longrange" Yahoo Group
{ GE Superadio Group For Connoisseurs] a few
years ago are gone; and i do not know where the

originals are . . . ~ RHF
 .
 .
. .

```
From -7364469655312261690
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x35g2000prf.googlegroups.com!not-for-
mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 19:23:27 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1186367007.087406.97560@x35g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
   <RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
   <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
   <46b5dd8b$0$30672$4c368faf@roadrunner.com>
   <sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com>
   <%ttti.4947$Pv4.2691@newsfe19.lga>
NNTP-Posting-Host: 71.221.173.181
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186367007 16203 127.0.0.1 (6 Aug 2007 02:23:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 02:23:27 +0000 (UTC)
In-Reply-To: <%ttti.4947$Pv4.2691@newsfe19.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000prf.googlegroups.com; posting-host=71.221.173.181;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
```

Xref: g2news2.google.com rec.radio.shortwave:6515 rec.radio.amateur.equipment:592 rec.antiques.radio+phono:6625 alt.radio.broadcasting:550

On Aug 5, 5:57 pm, "Uncle Peter" <radioconnect...@cox.net> wrote:
> http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>
> Here you go... the original price, timeframe and model number are
> discussed. Pretty much supports Brenda's recollections. They also
> have some info on the frontends of the other models on the website.
>
> Pete

Where are the PICTURES?

```
From -492849470737728261
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i13g2000prf.googlegroups.com!not-for-mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 19:28:29 -0700
Organization: http://groups.google.com
Lines: 70
Message-ID: <1186367309.769210.92170@i13g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <46b60644$0$31254$4c368faf@roadrunner.com>
   <YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com>
   <46b63ca8$0$29693$4c368faf@roadrunner.com>
   <1186366081.150243.271970@m37g2000prh.googlegroups.com>
NNTP-Posting-Host: 71.221.173.181
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186367310 17089 127.0.0.1 (6 Aug 2007 02:28:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 02:28:30 +0000 (UTC)
In-Reply-To: <1186366081.150243.271970@m37g2000prh.googlegroups.com>
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i13g2000prf.googlegroups.com; posting-host=71.221.173.181;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6516 rec.radio.amateur.equipment:593
rec.antiques.radio+phono:6626 alt.radio.broadcasting:551

On Aug 5, 8:08 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
> On Aug 5, 2:10 pm, "jim menning" <jmenningS...@new.rr.com> wrote:
>
>
>
>
>
> > "Brenda Ann" <bren...@shinbiro.com> wrote in message
>
> >news:YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com...
>
> > > "jim menning" <jmenningS...@new.rr.com> wrote in message
> > >news:46b60644$0$31254$4c368faf@roadrunner.com...
>
> > >> "Scott W. Harvey" <NOT_MY_R...@email.com> wrote in message
> > >>news:f93u660of2@news5.newsguy.com...
>
> > >>> There WAS a digital version of the GE superadio, called the superadio
plus, made
> > >>> in 1982.
>
> > >> Was it originally named that by GE or just by later aficionados in their
> > >> comparisons?
>
> > >> I've got one right here in front of me (GE 7-2882A), and it's labeled as an
> > >> "electronic tuning FM-AM receiver", not a "superadio plus" or "superadio+".
>
> > >> As far as I know, this was never touted by GE top be a "superadio".  Does
anyone
> > >> have pictures of a box or advertising they can share to show GE called it
one?
>
> > > I distinctly remember a digital Superadio Plus. It sold for a very short
time
> > > around 1983 or 84? It clearly said "Superadio Plus" on the front panel.
>
> > As I said, I have the GE 7-2882A sitting right here in front of me, and that
is the
> > model previously claimed to be the "Superadio Plus". There is no "Superadio
Plus"
> > nametag anywhere on it.  The front reads "GENERAL ELECTRIC electronic tuning
FM-AM
> > RECEIVER"
>
```

> > The reason I ask is that I have heard this radio called a "Superadio" in the
past in
> > other threads and several places on the internet, but no one has ever provided
a
> > picture of this radio's nameplate or any box or literature supporting the
claim.
> > Thus I have to question whether it was marketed as such, or if the name was
just
> > attributed to it later by Superadio fans. I also have the cassette recorder
version
> > of this radio, and with it came a little flyer describing the new "electronic
tuning
> > FM-AM receivers", with no "superadio" mention.
>
> JM - I Can Confirmed Your Findings ~ RHF
>
>
>
> > Sorry Brenda Ann, I guess I need to see some proof, not someone's 20+ year old
> > memories to convince me.
>
> > Maybe RHF can photograph his radio and share the picture with us if his has
the name
> > somewhere on it.
>
> Sorry all the Photos of the various GE Superadios
> that I had posted to the "longrange" Yahoo Group
> { GE Superadio Group For Connoisseurs] a few
> years ago are gone; and i do not know where the
> originals are . . . ~ RHF

That's pretty stupid, and I'm sorry that I have to say it. Still, one
does not enter evidence into a court with a statement that "I know
where it is".

Please corroborate your statements in the future, wherever/whenever or
you'll have credibility trouble in a lot of places.

Radio Abby

From 5537031623616805227
X-Google-Thread: 108122,71f1134d280b1070,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!wns13feed!
worldnet.att.net!63.218.45.10!nx01.iad01.newshosting.com!newshosting.com!
post02.iad01!roadrunner.com!not-for-mail
From: Dante <Dante8488488@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: If the plate choke changes value how does it affect the plate tuning
capacitor?

Date: Sun, 05 Aug 2007 23:06:40 -0400
Message-ID: <tv3db3drr732ff9ba1p43cqtiu8lql7h0b@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:594

In the amplifier compartment of a 1970s vintage ham radio, if the plate choke in the B+ supply lost some of it's inductance due to some of the coil windings shorting together would it cause the plate tuning capacitor to require less capacitance (such as fully open) to reach resonance?

-Curios.

From -1202810811568975378
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!newsfeed.news2me.com!sn-xt-sjc-05!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 06 Aug 2007 00:20:37 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <mb8db39np6k8h62irsobelj3u91sv6n7om@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
<pan.2007.08.05.18.01.58.34980@from.qrz.com>
<uqadnXILIuVQ0ivbnZ2dnUVZ_vLinZ2d@rcn.net>
<Xns9983AC2D8E720spectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 8
Xref: g2news2.google.com rec.radio.shortwave:6522 rec.radio.amateur.equipment:595
rec.radio.amateur.boatanchors:872

On 05 Aug 2007 23:54:35 GMT, Ed <Huckleberry_REMOVE_@bigvalley.net> wrote:

> Want to perk things up; try semicolons; they make life more
>interesting.

Yeah, especially if you don't know how to use them properly.

-- Larry

```
From -3060899378154991446
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i13g2000prf.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 22:21:24 -0700
Organization: http://groups.google.com
Lines: 88
Message-ID: <1186377684.458107.65670@i13g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <46b60644$0$31254$4c368faf@roadrunner.com>
   <YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com>
   <46b63ca8$0$29693$4c368faf@roadrunner.com>
   <1186366081.150243.271970@m37g2000prh.googlegroups.com>
   <1186367309.769210.92170@i13g2000prf.googlegroups.com>
NNTP-Posting-Host: 67.116.242.178
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186377685 5188 127.0.0.1 (6 Aug 2007 05:21:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 05:21:25 +0000 (UTC)
In-Reply-To: <1186367309.769210.92170@i13g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i13g2000prf.googlegroups.com; posting-host=67.116.242.178;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
```

Xref: g2news2.google.com rec.radio.shortwave:6526 rec.radio.amateur.equipment:596
rec.antiques.radio+phono:6629 alt.radio.broadcasting:552

On Aug 5, 7:28 pm, Steven <thisjukeboxplays33...@yahoo.com> wrote:
> On Aug 5, 8:08 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
>
>
>
>
>
> > On Aug 5, 2:10 pm, "jim menning" <jmenningS...@new.rr.com> wrote:
>
> > > "Brenda Ann" <bren...@shinbiro.com> wrote in message
>
> > >news:YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com...
>
> > > > "jim menning" <jmenningS...@new.rr.com> wrote in message
> > > >news:46b60644$0$31254$4c368faf@roadrunner.com...
>
> > > >> "Scott W. Harvey" <NOT_MY_R...@email.com> wrote in message
> > > >>news:f93u660of2@news5.newsguy.com...
>
> > > >>> There WAS a digital version of the GE superadio, called the superadio
plus, made
> > > >>> in 1982.
>
> > > >> Was it originally named that by GE or just by later aficionados in their
> > > >> comparisons?
>
> > > >> I've got one right here in front of me (GE 7-2882A), and it's labeled as
an
> > > >> "electronic tuning FM-AM receiver", not a "superadio plus" or
"superadio+".
>
> > > >> As far as I know, this was never touted by GE top be a "superadio". Does
anyone
> > > >> have pictures of a box or advertising they can share to show GE called it
one?
>
> > > > I distinctly remember a digital Superadio Plus. It sold for a very short
time
> > > > around 1983 or 84? It clearly said "Superadio Plus" on the front panel.
>
> > > As I said, I have the GE 7-2882A sitting right here in front of me, and that
is the
> > > model previously claimed to be the "Superadio Plus". There is no "Superadio
Plus"
> > > nametag anywhere on it. The front reads "GENERAL ELECTRIC electronic tuning
FM-AM
> > > RECEIVER"
>
> > > The reason I ask is that I have heard this radio called a "Superadio" in the
past in

> > > other threads and several places on the internet, but no one has ever
provided a
> > > picture of this radio's nameplate or any box or literature supporting the
claim.
> > > Thus I have to question whether it was marketed as such, or if the name was
just
> > > attributed to it later by Superadio fans. I also have the cassette recorder
version
> > > of this radio, and with it came a little flyer describing the new
"electronic tuning
> > > FM-AM receivers", with no "superadio" mention.
>
> > JM - I Can Confirmed Your Findings ~ RHF
>
> > > Sorry Brenda Ann, I guess I need to see some proof, not someone's 20+ year
old
> > > memories to convince me.
>
> > > Maybe RHF can photograph his radio and share the picture with us if his has
the name
> > > somewhere on it.
>
> > Sorry all the Photos of the various GE Superadios
> > that I had posted to the "longrange" Yahoo Group
> > { GE Superadio Group For Connoisseurs] a few
> > years ago are gone; and i do not know where the
> > originals are . . . ~ RHF
>
> That's pretty stupid, and I'm sorry that I have to say it. Still, one
> does not enter evidence into a court with a statement that "I know
> where it is".
>
> Please corroborate your statements in the future, wherever/whenever or
> you'll have credibility trouble in a lot of places.
>
> Radio Abby- Hide quoted text -
>
> - Show quoted text -

Radio Abby,

I am so sorry that you are having reading comprehension problems.

I simply confirmed JM"s statements and findings.

Please follow the Posts in the Thread so that you
can make intelligent contributions without resorting
to calling someone "Stupid" when you can not keep
up with the topic as it evolves.

~ RHF
 .
 .

. .

From 1281363474619167846
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!spln!
extra.newsguy.com!newsp.newsguy.com!news5
From: "Scott W. Harvey" <NOT_MY_REAL@email.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 23:52:23 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 25
Message-ID: <f96dmj0fq@news5.newsguy.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com> <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
<13b9veuruknm6cf@corp.supernews.com> <-
b6dnZuhoOxqgijbnZ2dnUVZ_r2nnZ2d@giganews.com> <13bbenag3dcoof5@corp.supernews.com>
NNTP-Posting-Host: p24d1bfbfff00000098381f55ac22e8fcea5a66cd83730d8f.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
In-Reply-To: <13bbenag3dcoof5@corp.supernews.com>
Xref: g2news2.google.com rec.radio.shortwave:6527 rec.radio.amateur.equipment:597
rec.antiques.radio+phono:6630 alt.radio.broadcasting:553

george conklin wrote:

> Well, it seems to me we need to check the GE radios against a radio which
> has a known sensitivity level on the AM band. I have to use my so-called
> Superradio with a tunable external loop to picked up most stations I want.
> So it is not very super. And I have the Radio Shack version too. About
> half the time it has distored audio, and other half it works ok, but with
> inferior tone. Ok, they are cheap, I'll grant you that. C. Crane and
> Company advertise a real super radio, the Mini CC radio. Has anyone tried
> it for $149.95?

I have a CC radio...It's pretty good, but I wouldn't pay $150.00 for one

(I paid $20.00 for mine). Like the superradio, It exploits the rather
poor sensitivity of most tabletop radios of today by adding an RF stage.
If I were a consumer shopping for a sensitive radio, I'd buy one of the
many shortwave portables on the market in the same price range. They
have just about everything the C Crane radio has and shortwave to boot.

I also have the GE superradios I, II and III. my superradio III is
sensitive but is just about inferior in every other way to the other two
earlier sets. The superradio II is the best of the three for AM DX. I
also have the radio shack version-it appears to be a superradio III with
sloppy attention to proper alignment at the factory.

-Scott

```
From -6537181360936213430
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!news.astraweb.com!
border1.newsrouter.astraweb.com!indigo.octanews.net!news-out.octanews.net!
mauve.octanews.net!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
<pan.2007.08.05.18.01.58.34980@from.qrz.com>
<uqadnXILIuVQ0ivbnZ2dnUVZ_vLinZ2d@rcn.net>
<Xns9983AC2D8E720spectrumhogstarbandn@198.186.192.196>
<mb8db39np6k8h62irsobelj3u91sv6n7om@4ax.com>
Organization: Your Company
Message-ID: <Xns9983EB1EA2884spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 06 Aug 2007 06:05:48 GMT
Lines: 17
NNTP-Posting-Host: 240cce03.news.adtechcomputers.com
X-Trace: DXC=PR1YZ2W<fC>:XR=<ZU:87;gC4_A5:nI@1<<=aEgO;R87^4JdobCJ[85;H_@M5mB:`2R?
X7U2a5ff7emfRC[RMj??GX7R=>CCRm6^FZ]b:XfGc;<caF01gT8d<
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.shortwave:6528 rec.radio.amateur.equipment:598
rec.radio.amateur.boatanchors:874
```

>>   Want to perk things up; try semicolons; they make life more
\>>interesting.

> Yeah, especially if you don't know how to use them properly.
>
> -- Larry

Probably true, My usage wasn't up to good standards, but at least it was not improper. http://en.wikipedia.org/wiki/Semicolon

Ed

From -2996957100298211504
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!spln!extra.newsguy.com!newsp.newsguy.com!news5
From: "Scott W. Harvey" <NOT_MY_REAL@email.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 23:56:41 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 16
Message-ID: <f96duk1fq@news5.newsguy.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com> <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
NNTP-Posting-Host: p24d1bfbfff00000098381f55ac22e8fcea5a66cd83730d8f.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
In-Reply-To: <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
Xref: g2news2.google.com rec.radio.shortwave:6529 rec.radio.amateur.equipment:599 rec.antiques.radio+phono:6631 alt.radio.broadcasting:554

William Sommerwerck wrote:
>> Most AM/FM radios don't have an RF stage. Only higher-end home
>> systems and car radios do anymore for the most part. The front ends

```
>> on your average portable are just an LO section and an input tuning
>> section (antenna). Even average home systems don't have the additional
>> RF stage. Makes for horrid sensitivity and even worse overload problems
>> close in.
>
> Show me any commercial FM radio or tuner, at any price, that _doesn't_ have
> an RF stage. I find it very, very, very hard to believe that there are such
> radios.
>
They exist, and they suck. Look at a low-end boombox and you will find
no RF stage for either AM or FM.

-Scott


From 668341614851306867
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!spln!extra.newsguy.com!
newsp.newsguy.com!news5
From: "Scott W. Harvey" <NOT_MY_REAL@email.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 06 Aug 2007 00:01:51 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 24
Message-ID: <f96e862fq@news5.newsguy.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com>
NNTP-Posting-Host: p24d1bfbfff00000098381f55ac22e8fcea5a66cd83730d8f.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
In-Reply-To: <46b66b57$0$29666$4c368faf@roadrunner.com>
```

```
Xref: g2news2.google.com rec.radio.shortwave:6530 rec.radio.amateur.equipment:600
rec.antiques.radio+phono:6632 alt.radio.broadcasting:555

jim menning wrote:
> "Uncle Peter" <radioconnection@cox.net> wrote in message
> news:%ttti.4947$Pv4.2691@newsfe19.lga...
>> http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>>
>>
>> Here you go... the original price, timeframe and model number are
>> discussed. Pretty much supports Brenda's recollections. They also
>> have some info on the frontends of the other models on the website.
>>
>> Pete
>>
>
> Yes Pete, I have been there many times before, but no one has provided any
pictures,
> box art, or advertising to indicate it was indeed marketed as such.  Others are
> claiming the name is right on the radio itself.  Mine is sitting right in front
of
> me, it has no Superadio nameplate.  I only want confirmation I can verify, not
to
> start a battle.
>
>
Someone posted pictures on the binaries of the radio, and also the
original box I think as well. That was a couple of years ago.

-Scott


From -8165851457504931502
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x40g2000prg.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sun, 05 Aug 2007 23:21:47 -0700
Organization: http://groups.google.com
Lines: 87
Message-ID: <1186381307.730650.259350@x40g2000prg.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <46b60644$0$31254$4c368faf@roadrunner.com>
   <YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com>
   <46b63ca8$0$29693$4c368faf@roadrunner.com>
   <1186366081.150243.271970@m37g2000prh.googlegroups.com>
   <1186367309.769210.92170@i13g2000prf.googlegroups.com>
NNTP-Posting-Host: 67.116.242.178
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186381308 15515 127.0.0.1 (6 Aug 2007 06:21:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 06:21:48 +0000 (UTC)
In-Reply-To: <1186367309.769210.92170@i13g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x40g2000prg.googlegroups.com; posting-host=67.116.242.178;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6532 rec.radio.amateur.equipment:601
rec.antiques.radio+phono:6633 alt.radio.broadcasting:556

On Aug 5, 7:28 pm, Steven <thisjukeboxplays33...@yahoo.com> wrote:
> On Aug 5, 8:08 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
>
>
>
>
>
> > On Aug 5, 2:10 pm, "jim menning" <jmenningS...@new.rr.com> wrote:
>
> > > "Brenda Ann" <bren...@shinbiro.com> wrote in message
>
> > >news:YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com...
>
> > > > "jim menning" <jmenningS...@new.rr.com> wrote in message
> > > >news:46b60644$0$31254$4c368faf@roadrunner.com...
>
> > > >> "Scott W. Harvey" <NOT_MY_R...@email.com> wrote in message
> > > >>news:f93u660of2@news5.newsguy.com...
>
> > > >>> There WAS a digital version of the GE superadio, called the superadio
plus, made
> > > >>> in 1982.
>
> > > >> Was it originally named that by GE or just by later aficionados in their
> > > >> comparisons?
>
> > > >> I've got one right here in front of me (GE 7-2882A), and it's labeled as
```

an
> > > >> "electronic tuning FM-AM receiver", not a "superadio plus" or
"superadio+".
>
> > > >> As far as I know, this was never touted by GE top be a "superadio". Does
anyone
> > > >> have pictures of a box or advertising they can share to show GE called it
one?
>
> > > > I distinctly remember a digital Superadio Plus. It sold for a very short
time
> > > > around 1983 or 84? It clearly said "Superadio Plus" on the front panel.
>
> > > As I said, I have the GE 7-2882A sitting right here in front of me, and that
is the
> > > model previously claimed to be the "Superadio Plus". There is no "Superadio
Plus"
> > > nametag anywhere on it. The front reads "GENERAL ELECTRIC electronic tuning
FM-AM
> > > RECEIVER"
>
> > > The reason I ask is that I have heard this radio called a "Superadio" in the
past in
> > > other threads and several places on the internet, but no one has ever
provided a
> > > picture of this radio's nameplate or any box or literature supporting the
claim.
> > > Thus I have to question whether it was marketed as such, or if the name was
just
> > > attributed to it later by Superadio fans. I also have the cassette recorder
version
> > > of this radio, and with it came a little flyer describing the new
"electronic tuning
> > > FM-AM receivers", with no "superadio" mention.
>
> > JM - I Can Confirmed Your Findings ~ RHF
>
> > > Sorry Brenda Ann, I guess I need to see some proof, not someone's 20+ year
old
> > > memories to convince me.
>
> > > Maybe RHF can photograph his radio and share the picture with us if his has
the name
> > > somewhere on it.
>
> > Sorry all the Photos of the various GE Superadios
> > that I had posted to the "longrange" Yahoo Group
> > { GE Superadio Group For Connoisseurs] a few
> > years ago are gone; and i do not know where the
> > originals are . . . ~ RHF
>
> That's pretty stupid, and I'm sorry that I have to say it. Still, one
> does not enter evidence into a court with a statement that "I know

```
> where it is".
>
> Please corroborate your statements in the future, wherever/whenever or
> you'll have credibility trouble in a lot of places.
>
> Radio Abby- Hide quoted text -
>
> - Show quoted text -

Radio Abby,

? Evidence ?

? Court ?

! Time for a Reality Check !

. This is a Usenet NewsGroup .

oops reality - oh never mind ~ RHF
 .
 .
. .



From -4748274791078007969
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!358638bb!not-for-mail
Reply-To: "Omer  Suleimanagich" <oabukovac@earthlink.net>
From: "Omer  Suleimanagich" <oabukovac@earthlink.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
<13b9veuruknm6cf@corp.supernews.com> <-
b6dnZuhoOxqgijbnZ2dnUVZ_r2nnZ2d@giganews.com> <13bbenag3dcoof5@corp.supernews.com>
<zeWdna4bAIP3IijbnZ2dnUVZ_hOdnZ2d@giganews.com>
Subject: Re: Question about GE Superadio III and batteries
Lines: 28
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <Rwzti.14890$zA4.1412@newsread3.news.pas.earthlink.net>
Date: Mon, 06 Aug 2007 06:50:25 GMT
NNTP-Posting-Host: 216.175.91.81
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1186383025 216.175.91.81 (Sun, 05 Aug
2007 23:50:25 PDT)
NNTP-Posting-Date: Sun, 05 Aug 2007 23:50:25 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.shortwave:6535 rec.radio.amateur.equipment:602
rec.antiques.radio+phono:6634 alt.radio.broadcasting:557

http://www.hardwaremaniac.com/reviews/ccrane/ccradioplus_01.htm

Is this the mother of all AM radios that is being sold today?!

Omer
"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:zeWdna4bAIP3IijbnZ2dnUVZ_hOdnZ2d@giganews.com...
>
> "george conklin" <nospam@nospam.com> wrote in message
> news:13bbenag3dcoof5@corp.supernews.com...
>>
>>   Well, it seems to me we need to check the GE radios against a radio
>> which has a known sensitivity level on the AM band.  I have to use my
>> so-called Superradio with a tunable external loop to picked up most
>> stations I want. So it is not very super.  And I have the Radio Shack
>> version too.  About half the time it has distored audio, and other half
>> it works ok, but with inferior tone.  Ok, they are cheap, I'll grant you
>> that.  C. Crane and Company advertise a real super radio, the Mini CC
>> radio.  Has anyone tried it for $149.95?
>
>
> If you need an external tuned loop, then you need an alignment. If it's an
> SRIII, then you're probably out of luck. If it's an SRII or SRI, then you
> can get it properly aligned and it would be pretty much unbeatable for AM
> and FM reception.
>




From 894684266066987782
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!e9g2000prf.googlegroups.com!not-for-
mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 06 Aug 2007 03:36:25 -0700
Organization: http://groups.google.com
Lines: 96
Message-ID: <1186396585.318441.265350@e9g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <46b60644$0$31254$4c368faf@roadrunner.com>
   <YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com>
   <46b63ca8$0$29693$4c368faf@roadrunner.com>
   <1186366081.150243.271970@m37g2000prh.googlegroups.com>
   <1186367309.769210.92170@i13g2000prf.googlegroups.com>
   <1186377684.458107.65670@i13g2000prf.googlegroups.com>
NNTP-Posting-Host: 71.221.173.181
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186396585 27645 127.0.0.1 (6 Aug 2007 10:36:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 10:36:25 +0000 (UTC)
In-Reply-To: <1186377684.458107.65670@i13g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e9g2000prf.googlegroups.com; posting-host=71.221.173.181;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6542 rec.radio.amateur.equipment:603
rec.antiques.radio+phono:6636 alt.radio.broadcasting:558

On Aug 5, 11:21 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
> On Aug 5, 7:28 pm, Steven <thisjukeboxplays33...@yahoo.com> wrote:
>
>
>
>
>
> > On Aug 5, 8:08 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
>
> > > On Aug 5, 2:10 pm, "jim menning" <jmenningS...@new.rr.com> wrote:
>
> > > > "Brenda Ann" <bren...@shinbiro.com> wrote in message
```

>
> > > >news:YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com...
>
> > > > > "jim menning" <jmenningS...@new.rr.com> wrote in message
> > > > >news:46b60644$0$31254$4c368faf@roadrunner.com...
>
> > > > >> "Scott W. Harvey" <NOT_MY_R...@email.com> wrote in message
> > > > >>news:f93u660of2@news5.newsguy.com...
>
> > > > >>> There WAS a digital version of the GE superadio, called the superadio
plus, made
> > > > >>> in 1982.
>
> > > > >> Was it originally named that by GE or just by later aficionados in
their
> > > > >> comparisons?
>
> > > > >> I've got one right here in front of me (GE 7-2882A), and it's labeled
as an
> > > > >> "electronic tuning FM-AM receiver", not a "superadio plus" or
"superadio+".
>
> > > > >> As far as I know, this was never touted by GE top be a "superadio".
Does anyone
> > > > >> have pictures of a box or advertising they can share to show GE called
it one?
>
> > > > > I distinctly remember a digital Superadio Plus. It sold for a very short
time
> > > > > around 1983 or 84? It clearly said "Superadio Plus" on the front panel.
>
> > > > As I said, I have the GE 7-2882A sitting right here in front of me, and
that is the
> > > > model previously claimed to be the "Superadio Plus". There is no
"Superadio Plus"
> > > > nametag anywhere on it. The front reads "GENERAL ELECTRIC electronic
tuning FM-AM
> > > > RECEIVER"
>
> > > > The reason I ask is that I have heard this radio called a "Superadio" in
the past in
> > > > other threads and several places on the internet, but no one has ever
provided a
> > > > picture of this radio's nameplate or any box or literature supporting the
claim.
> > > > Thus I have to question whether it was marketed as such, or if the name
was just
> > > > attributed to it later by Superadio fans. I also have the cassette
recorder version
> > > > of this radio, and with it came a little flyer describing the new
"electronic tuning
> > > > FM-AM receivers", with no "superadio" mention.
>

```
> > > JM - I Can Confirmed Your Findings ~ RHF
>
> > > > Sorry Brenda Ann, I guess I need to see some proof, not someone's 20+ year
old
> > > > memories to convince me.
>
> > > > Maybe RHF can photograph his radio and share the picture with us if his
has the name
> > > > somewhere on it.
>
> > > Sorry all the Photos of the various GE Superadios
> > > that I had posted to the "longrange" Yahoo Group
> > > { GE Superadio Group For Connoisseurs ] a few
> > > years ago are gone; and i do not know where the
> > > originals are . . . ~ RHF
>
> > That's pretty stupid, and I'm sorry that I have to say it. Still, one
> > does not enter evidence into a court with a statement that "I know
> > where it is".
>
> > Please corroborate your statements in the future, wherever/whenever or
> > you'll have credibility trouble in a lot of places.
>
> > Radio Abby- Hide quoted text -
>
> > - Show quoted text -
>
> Radio Abby,
>
> I am so sorry that you are having reading comprehension problems.
>
> I simply confirmed JM"s statements and findings.
>
> Please follow the Posts in the Thread so that you
> can make intelligent contributions without resorting
> to calling someone "Stupid" when you can not keep
> up with the topic as it evolves.
>
> ~ RHF
>  .
>  .
> . .- Hide quoted text -
>
> - Show quoted text -

I've been here almost eight years. Go be Jack Handy for others.

Thank you kindly, shalom and aloha



From 3633601154540664434
X-Google-Thread: 114aac,21460468e59431e1
```

X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x40g2000prg.googlegroups.com!not-for-mail
From: Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 06 Aug 2007 03:38:32 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1186396712.643345.14610@x40g2000prg.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <13b9veuruknm6cf@corp.supernews.com>
   <-b6dnZuhoOxqgijbnZ2dnUVZ_r2nnZ2d@giganews.com>
   <13bbenag3dcoof5@corp.supernews.com>
   <zeWdna4bAIP3IijbnZ2dnUVZ_hOdnZ2d@giganews.com>
   <Rwzti.14890$zA4.1412@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 71.221.173.181
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186396713 27952 127.0.0.1 (6 Aug 2007 10:38:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 10:38:33 +0000 (UTC)
In-Reply-To: <Rwzti.14890$zA4.1412@newsread3.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x40g2000prg.googlegroups.com; posting-host=71.221.173.181;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6543 rec.radio.amateur.equipment:604
rec.antiques.radio+phono:6637 alt.radio.broadcasting:559

On Aug 6, 12:50 am, "Omer Suleimanagich" <oabuko...@earthlink.net>
wrote:
> http://www.hardwaremaniac.com/reviews/ccrane/ccradioplus_01.htm
>
> Is this the mother of all AM radios that is being sold today?!
>
> Omer"Brenda Ann" <bren...@shinbiro.com> wrote in message
>
> news:zeWdna4bAIP3IijbnZ2dnUVZ_hOdnZ2d@giganews.com...

```
>
>
>
>
>
> > "george conklin" <nos...@nospam.com> wrote in message
> >news:13bbenag3dcoof5@corp.supernews.com...
>
> >>   Well, it seems to me we need to check the GE radios against a radio
> >> which has a known sensitivity level on the AM band.  I have to use my
> >> so-called Superradio with a tunable external loop to picked up most
> >> stations I want. So it is not very super.  And I have the Radio Shack
> >> version too.  About half the time it has distored audio, and other half
> >> it works ok, but with inferior tone.  Ok, they are cheap, I'll grant you
> >> that.  C. Crane and Company advertise a real super radio, the Mini CC
> >> radio.  Has anyone tried it for $149.95?
>
> > If you need an external tuned loop, then you need an alignment. If it's an
> > SRIII, then you're probably out of luck. If it's an SRII or SRI, then you
> > can get it properly aligned and it would be pretty much unbeatable for AM
> > and FM reception.- Hide quoted text -
>
> - Show quoted text -

That's a Crosley WLW




From -959098237444225868
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!198.186.194.251.MISMATCH!news-
out.readnews.com!transit4.readnews.com!newspeer1.nwr.nac.net!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Aug 2007 07:14:52 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
```

```
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com> <f96duk1fq@news5.newsguy.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 6 Aug 2007 05:14:57 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <TbidnfXDCcwhjSrbnZ2dnUVZ_gidnZ2d@comcast.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-mWjHWHy/
pgnMwdlaXIuCN1iBtE9glwFcmn3YNc7T8XLioPiqoduiaUMP3WPqBJh2IY5s5YnaPiBdnr8!
JQrzaWZuRPG2wrZ3x9x7wbD6eelTArfvwSWTY6OxFOAsNAFmgtwn59XEpX1/jUi9aipImixIwDYC!
uSBo+KehsU0zzuUqSIjIA8ZOly0lRQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6545 rec.radio.amateur.equipment:605
rec.antiques.radio+phono:6638 alt.radio.broadcasting:560
```

>> Show me any commercial FM radio or tuner, at any price,
>> that _doesn't_ have an RF stage. I find it very, very, very hard
>> to believe that there are such radios.

> They exist, and they suck. Look at a low-end boombox and you
> will find no RF stage for either AM or FM.

If this is so, then the manufacturer must assume the product will only be used in areas of high signal strength.

```
From 2499843317707171124
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Aug 2007 07:17:50 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
```

rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com> <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<EIKdnYysaoXsrCvbnZ2dnUVZ_gCdnZ2d@giganews.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 6 Aug 2007 05:17:54 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <EbGdnWENZPrzjCrbnZ2dnUVZ_j2dnZ2d@comcast.com>
Lines: 56
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-LI7gTMZH+GKMR/nietA2oKxYnUTNF2+9CS3+6Co/
14FnObkmUpSPUuhbcIfWJloqN0TTyU+vXYfcGXf!
7SZ+0QbAvZwxnOf1WYBUreF8GGlkITMiiwl+E5fkUhZ2irb1cZXxtnnSUKnNUk/ppO+S78QM1Y4U!
Hwow7t03rAdZMm5EzOcga1Qg486TMA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
X-Original-Bytes: 4391
Xref: g2news2.google.com rec.radio.shortwave:6546 rec.radio.amateur.equipment:606
rec.antiques.radio+phono:6639 alt.radio.broadcasting:561

> Again, if you open up the average portable, or most cheap home
> stereos, you will find only two sections to the FM tuner:

> 1) Local oscillator
> 2) Antenna tuning

> Same for the AM section.

That goes without saying, as AM radios have generally lacked an RF stage for nigh-on to 70 years. It just isn't needed for most local reception.

> I have seen very very VERY few portables with an RF amp section
> for FM. Less rare were ones with an RF amp for AM, such as the
> Channel Master 8 transistor sets.

I'm in a bad position to argue this point, because I rarely (ie, at this point in my life, never) service radios. But what you're saying goes completely against my experience -- and the service manuals for equipment I own.

The 40-year-old Sony FM/AM radios I own (TFM 825 / 850, EFM 117, & others) have RF stages for FM, and none for AM. The schematic for the GE P975A (which I don't own) shows an RF stage for the FM section, none for the AM. Ditto for all the GE clock-radios I've owned.

I went through the Sams TSM-47 transistor-radio book (dated 12/1964), which I purchased to get additional data on the Sony EFM-117 I hoped to restore. Of the 28 models covered, only two AM radios (Ross RE-1902 & Truetone DC3429B) had an RF stage, and _no_ FM radio lacked one.

The RF stage in an FM tuner * performs a number of functions, one of the most-important being to bring up the RF signal to a level where it can override the noise generated in the conversion process. Has the conversion process, and the transistors used to perform it, improved so much that the RF stage can be discarded? I don't know, but I doubt it.

Another function is gain. The lost gain has to be made up somewhere, presumably with another IF stage, which requires parts and has to be aligned, just as an RF stage. The net savings aren't going to amount to much.

An FM tuner without an RF stage would be hopelessly insensitive, to the point where few consumers would find it acceptable ("This-here goddamn radio don't pick up no stations").

I don't like gainsaying someone who regularly services electronic equipment (and who usually knows what they're talking about). But I just don't buy this. (I read Scott Harvey's comments before posting this, and I still find it hard to believe.) Throughout the history of FM radios, an RF stage has been the normal state of affairs.

* By "tuner", I mean the electronics preceding the audio stages. All radios have tuners.

From 5107378656640905527
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail

```
NNTP-Posting-Date: Mon, 06 Aug 2007 07:32:59 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: 
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net> 
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com> 
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net> 
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com> 
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com> 
<1186300911.823359.98580@d30g2000prg.googlegroups.com> 
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com> 
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com> 
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com> <f96duk1fq@news5.newsguy.com> 
<TbidnfXDCcwhjSrbnZ2dnUVZ_gidnZ2d@comcast.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 6 Aug 2007 21:33:01 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <EKOdneWqjIVhiSrbnZ2dnUVZ_rKtnZ2d@giganews.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-asRUGtacsKPlxLw6NjGto9HgdnfqW7h51Cb4Ox/
AggU7sSa6KLfrG5pgN+Rxy+o3dOPsdck/f8S3y/d!DBZQcWhMoOxkiKxlpOUb7wSXr44/K1LwqAlE7H/
O2sKj5hISJ1k5EjaTZ3Ot8mVDaEZ2alHh
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint 
properly
X-Postfilter: 1.3.35
X-Original-Bytes: 2561
Xref: g2news2.google.com rec.radio.shortwave:6548 rec.radio.amateur.equipment:607 
rec.antiques.radio+phono:6640 alt.radio.broadcasting:562
```

"William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
news:TbidnfXDCcwhjSrbnZ2dnUVZ_gidnZ2d@comcast.com...

>>> Show me any commercial FM radio or tuner, at any price,
>>> that _doesn't_ have an RF stage. I find it very, very, very hard
>>> to believe that there are such radios.
>
>> They exist, and they suck. Look at a low-end boombox and you
>> will find no RF stage for either AM or FM.
>
> If this is so, then the manufacturer must assume the product will only be
> used in areas of high signal strength.

That's pretty much the case, as radio stations are no longer protected, nor
do they give a damn about listeners, outside the city grade contour.

```
From -6385653744882327147
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Aug 2007 07:47:12 -0500
User-Agent: Microsoft-Entourage/11.3.6.070618
Date: Mon, 06 Aug 2007 07:47:06 -0500
Subject: Re: Question about GE Superadio III and batteries
From: John Stone <jmsent2@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Message-ID: <C2DC827A.7B70C%jmsent2@comcast.net>
Thread-Topic: Question about GE Superadio III and batteries
Thread-Index: AcfYJ+T2I1bbiEQbEdyUagAX8sn94Q==
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com> <f96duk1fq@news5.newsguy.com>
<TbidnfXDCcwhjSrbnZ2dnUVZ_gidnZ2d@comcast.com>
<EKOdneWqjIVhiSrbnZ2dnUVZ_rKtnZ2d@giganews.com>
Mime-version: 1.0
Content-type: text/plain;
     charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.12.226.195
X-Trace: sv3-Q8kWeB1EYvqiLaJQnhoFj/hey00wvjSENlRT48G8rGUiWiay35eaV3QH9zc4SOGf1Z/
AHSGFAgSfECF!
uGd8pRB26JjwmSpD996tYUG8+5G3zJUWyCWufE1hWY8NQVRzmRulviqjxsJ09jkVJ8wEINYt+2Jp!
2r1bjiqT2UJOXlRI
X-Complaints-To: abuse@comcast.net
```

```
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
X-Original-Bytes: 3284
Xref: g2news2.google.com rec.radio.shortwave:6550 rec.radio.amateur.equipment:609
rec.antiques.radio+phono:6641 alt.radio.broadcasting:563


On 8/6/07 7:33 AM, in article EKOdneWqjIVhiSrbnZ2dnUVZ_rKtnZ2d@giganews.com,
"Brenda Ann" <brendad@shinbiro.com> wrote:

>
> "William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
> news:TbidnfXDCcwhjSrbnZ2dnUVZ_gidnZ2d@comcast.com...
>>>> Show me any commercial FM radio or tuner, at any price,
>>>> that _doesn't_ have an RF stage. I find it very, very, very hard
>>>> to believe that there are such radios.
>>
>>> They exist, and they suck. Look at a low-end boombox and you
>>> will find no RF stage for either AM or FM.
>>
>> If this is so, then the manufacturer must assume the product will only be
>> used in areas of high signal strength.
>
> That's pretty much the case, as radio stations are no longer protected, nor
> do they give a damn about listeners, outside the city grade contour.
>
But I have to agree with William on this. I can't remember an FM set that
didn't have an RF amp. Even the cheap tube German sets, known for their
"gutless wonder" circuitry all used 1/2 of an ECC85 for RF amplification on
FM. Transistor sets too. I worked for Sony in the 70's and every FM set had
an RF amp. Granted, most weren't tuned RF stages, but still there was an
amplification stage ahead of the oscillator/mixer.




From 555964215428017817
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Aug 2007 07:54:54 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
```

References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com> <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<EIKdnYysaoXsrCvbnZ2dnUVZ_gCdnZ2d@giganews.com>
<EbGdnWENZPrzjCrbnZ2dnUVZ_j2dnZ2d@comcast.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 6 Aug 2007 21:54:56 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <VMqdnUL3ev2ChyrbnZ2dnUVZ_uOmnZ2d@giganews.com>
Lines: 25
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-6QMZFipOx2NQNEl7+SD8J5+79TyI6Xf7bJ7o1b5KpjwUIy5OtYGzr4KJUhyb5ycWK/
57yXlmPMT7UnU!09NsXIsFcPO0YgUtImYx8tsWJ+s1io7JSr86G4RpYOH/k3j91FGeBvmRgfB6m4P+xSR/
otr3
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
X-Original-Bytes: 2952
Xref: g2news2.google.com rec.radio.shortwave:6551 rec.radio.amateur.equipment:610 rec.antiques.radio+phono:6642 alt.radio.broadcasting:564

"William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
news:EbGdnWENZPrzjCrbnZ2dnUVZ_j2dnZ2d@comcast.com...
> I don't like gainsaying someone who regularly services electronic
> equipment
> (and who usually knows what they're talking about). But I just don't buy
> this. (I read Scott Harvey's comments before posting this, and I still
> find
> it hard to believe.) Throughout the history of FM radios, an RF stage has
> been the normal state of affairs.

Beitman's 1950, pp. 10
Beitman's 1950, pp. 14
Beitman's 1950, pp. 40
Beitman's 1967-69 pp. 42 (note the antenna input going directly into the base of the mixer transistor)
Lots more where those came from.

To be fair, a lot of the early SS stuff did have an RF stage, but beginning sometime in the late 60's, it was almost universally dropped, again, accept for better car radios and home stereo tuners/receivers. I have an early Sony FM stereo portable with no RF stage in it. It does OK for what it is, but almost deaf as a post outside a strong signal area.

```
From -7391763062084514804
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "jim menning" <jmenningSPAM@new.rr.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<46b5dd8b$0$30672$4c368faf@roadrunner.com>
<sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com> <%ttti.4947$Pv4.2691@newsfe19.lga>
<46b66b57$0$29666$4c368faf@roadrunner.com> <f96e862fq@news5.newsguy.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 6 Aug 2007 08:34:37 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 31
Message-ID: <46b72362$0$30606$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:6555 rec.radio.amateur.equipment:611
rec.antiques.radio+phono:6643 alt.radio.broadcasting:565
```

```
"Scott W. Harvey" <NOT_MY_REAL@email.com> wrote in message
news:f96e862fq@news5.newsguy.com...
> jim menning wrote:
>> "Uncle Peter" <radioconnection@cox.net> wrote in message
>> news:%ttti.4947$Pv4.2691@newsfe19.lga...
>>> http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>>>
>>>
>>> Here you go... the original price, timeframe and model number are
>>> discussed. Pretty much supports Brenda's recollections. They also
>>> have some info on the frontends of the other models on the website.
>>>
>>> Pete
>>>
>>
>> Yes Pete, I have been there many times before, but no one has provided any
>> pictures, box art, or advertising to indicate it was indeed marketed as such.
>> Others are claiming the name is right on the radio itself.  Mine is sitting
right
>> in front of me, it has no Superadio nameplate.  I only want confirmation I can
>> verify, not to start a battle.
> Someone posted pictures on the binaries of the radio, and also the original box
I
> think as well. That was a couple of years ago.
>
>

I had asked for pictures here and in other forums in the past, but to date haven't
seen any.  I have the radio here, and contrary to other claims, there is no
indication on it that it is a "Superadio".




From 7041518403837026471
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l70g2000hse.googlegroups.com!not-for-
mail
From:  radioexray@gmail.com
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 06 Aug 2007 07:32:01 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1186410721.139688.105750@l70g2000hse.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
```

```
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
   <RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
   <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
   <f96duk1fq@news5.newsguy.com>
   <TbidnfXDCcwhjSrbnZ2dnUVZ_gidnZ2d@comcast.com>
   <EKOdneWqjIVhiSrbnZ2dnUVZ_rKtnZ2d@giganews.com>
   <C2DC827A.7B70C%jmsent2@comcast.net>
NNTP-Posting-Host: 66.50.189.37
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186410721 3999 127.0.0.1 (6 Aug 2007 14:32:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 14:32:01 +0000 (UTC)
In-Reply-To: <C2DC827A.7B70C%jmsent2@comcast.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.6)
Gecko/20070725 Firefox/2.0.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l70g2000hse.googlegroups.com; posting-host=66.50.189.37;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6559 rec.radio.amateur.equipment:612
rec.antiques.radio+phono:6644 alt.radio.broadcasting:566
```

On Aug 6, 8:47 am, John Stone <jmse...@comcast.net> wrote:

>
> But I have to agree with William on this. I can't remember an FM set that
> didn't have an RF amp. Even the cheap tube German sets, known for their
> "gutless wonder" circuitry all used 1/2 of an ECC85 for RF amplification on
> FM. Transistor sets too. I worked for Sony in the 70's and every FM set had
> an RF amp. Granted, most weren't tuned RF stages, but still there was an
> amplification stage ahead of the oscillator/mixer.

Two classic examples that are common as dirt in the 'old radio' world
are the RCA 68R* series and the Philco 49-905. They are everywhere
so they must have sold millions. Granted they have an additional IF
stage on FM but they are really poor performers.
Philco apparently rethought it with the 50-925 the following year
(same case, etc) and its a pretty good radio.

I live 40-50 miles out from most any FM stations and the difference in
having an RF amp or not means hearing something ...or not...without an
outdoor antenna.

-Bill

```
From -1274151640967484737
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x40g2000prg.googlegroups.com!not-for-
mail
From:  Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Mon, 06 Aug 2007 07:34:43 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1186410883.497120.56890@x40g2000prg.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <1186300911.823359.98580@d30g2000prg.googlegroups.com>
   <JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
   <RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
   <6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
   <46b5dd8b$0$30672$4c368faf@roadrunner.com>
   <sqqdneUr28furyvbnZ2dnUVZ_sGvnZ2d@giganews.com>
   <%ttti.4947$Pv4.2691@newsfe19.lga>
   <46b66b57$0$29666$4c368faf@roadrunner.com>
   <f96e862fq@news5.newsguy.com>
   <46b72362$0$30606$4c368faf@roadrunner.com>
NNTP-Posting-Host: 71.221.173.181
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186410884 15406 127.0.0.1 (6 Aug 2007 14:34:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Aug 2007 14:34:44 +0000 (UTC)
In-Reply-To: <46b72362$0$30606$4c368faf@roadrunner.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x40g2000prg.googlegroups.com; posting-host=71.221.173.181;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6560 rec.radio.amateur.equipment:613
```

```
rec.antiques.radio+phono:6645 alt.radio.broadcasting:567

On Aug 6, 7:34 am, "jim menning" <jmenningS...@new.rr.com> wrote:
> "Scott W. Harvey" <NOT_MY_R...@email.com> wrote in
messagenews:f96e862fq@news5.newsguy.com...
>
>
>
>
>
> > jim menning wrote:
> >> "Uncle Peter" <radioconnect...@cox.net> wrote in message
> >>news:%ttti.4947$Pv4.2691@newsfe19.lga...
> >>>http://mysite.verizon.net/vze20h45/radio/superadio/gesr_plus.html
>
> >>> Here you go... the original price, timeframe and model number are
> >>> discussed. Pretty much supports Brenda's recollections. They also
> >>> have some info on the frontends of the other models on the website.
>
> >>> Pete
>
> >> Yes Pete, I have been there many times before, but no one has provided any
> >> pictures, box art, or advertising to indicate it was indeed marketed as such.
> >> Others are claiming the name is right on the radio itself.  Mine is sitting
right
> >> in front of me, it has no Superadio nameplate.  I only want confirmation I
can
> >> verify, not to start a battle.
> > Someone posted pictures on the binaries of the radio, and also the original
box I
> > think as well. That was a couple of years ago.
>
> I had asked for pictures here and in other forums in the past, but to date
haven't
> seen any.  I have the radio here, and contrary to other claims, there is no
> indication on it that it is a "Superadio".- Hide quoted text -
>
> - Show quoted text -

It's a tag of legend. Something people add by association and it
sticks. Counsel may step down.



From -2209678409889449988
X-Google-Thread: 108122,40b557be3dfb6df7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsfeed.telusplanet.net!
newsfeed.telus.net!xmission!nnrp.xmission!not-for-mail
From: sortech <none@none.com>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: World war two RT-18/Arc-1
Date: Mon, 06 Aug 2007 08:55:13 -0600
Organization: XMission http://www.xmission.com/
Lines: 3
Message-ID: <f97com$ofl$2@news.xmission.com>
NNTP-Posting-Host: sortech.dsl.xmission.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.xmission.com 1186412118 25077 166.70.28.123 (6 Aug 2007 14:55:18
GMT)
X-Complaints-To: abuse@xmission.com
NNTP-Posting-Date: Mon, 6 Aug 2007 14:55:18 +0000 (UTC)
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
Xref: g2news2.google.com rec.radio.amateur.equipment:614
```

I got this unit in 1967 and have never used it. It has some western electric transformers That audio freaks will pay bucks for but I hate to part it out. Please post if this has any value as a unit.

```
From 5674825958979654005
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!news.glorb.com!sn-xt-
sjc-04!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 06 Aug 2007 11:00:37 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <8qdeb31tamtn72vcs5c8fpjet0agbpnrmf@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
<pan.2007.08.05.18.01.58.34980@from.qrz.com>
<uqadnXILIuVQ0ivbnZ2dnUVZ_vLinZ2d@rcn.net>
<Xns9983AC2D8E720spectrumhogstarbandn@198.186.192.196>
<mb8db39np6k8h62irsobelj3u91sv6n7om@4ax.com>
<Xns9983EB1EA2884spectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.shortwave:6562 rec.radio.amateur.equipment:615
rec.radio.amateur.boatanchors:879
```

On 06 Aug 2007 06:05:48 GMT, Ed <Huckleberry_REMOVE_@bigvalley.net> wrote:

>>>   Want to perk things up; try semicolons; they make life more
>>>interesting.
>
>> Yeah, especially if you don't know how to use them properly.
>
>   Probably true, My usage wasn't up to good standards, but at least it
>was not improper.   http://en.wikipedia.org/wiki/Semicolon

Of course it was. The second one is fine, but the first one is not. It should be either a question mark or a comma.

-- Larry

```
From -3799349869939574358
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!meganewsservers.com!
feeder2.on.meganewsservers.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1b5b9819ea5fe0eb372844a10b592e1d@pseudo.borked.net>
<pan.2007.08.05.18.01.58.34980@from.qrz.com>
<uqadnXILIuVQ0ivbnZ2dnUVZ_vLinZ2d@rcn.net>
<Xns9983AC2D8E720spectrumhogstarbandn@198.186.192.196>
<mb8db39np6k8h62irsobelj3u91sv6n7om@4ax.com>
<Xns9983EB1EA2884spectrumhogstarbandn@198.186.192.196>
<8qdeb31tamtn72vcs5c8fpjet0agbpnrmf@4ax.com>
Organization: Your Company
Message-ID: <Xns9984703F34166spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 06 Aug 2007 18:01:04 GMT
Lines: 14
NNTP-Posting-Host: 5a93e4d9.news.adtechcomputers.com
X-Trace: DXC=j\OP_QS4WJ7fgC=d<>K8V>gC4_A5:nI@1<<=aEgO;R87^4JdobCJ[85KNVAUJ3LZk5R?
X7U2a5ff7emfRC[RMj??GX7R=>CCRm6^dCAgJ9F=f7KLN8QTGKAJ8
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.shortwave:6567 rec.radio.amateur.equipment:616
rec.radio.amateur.boatanchors:882
```

> Of course it was. The second one is fine, but the first one is not. It
> should be either a question mark or a comma.

>
> -- Larry
>

Oops.. That's what happens in emails, where critical, but unsaid words and phrased are left off... in this case, "That's"

Ed

```
From 9151016062884375345
X-Google-Thread: 108122,ec3cd9c9d1ab63a3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news.glorb.com!news.mv.net!not-for-
mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Good HF scanning receiver w/SSB
Date: Mon, 06 Aug 2007 14:14:14 -0400
Organization: MV Communications, Inc.
Lines: 22
Message-ID: <pan.2007.08.06.18.14.12.337382@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1186424054 79320 207.22.49.17 (6 Aug 2007 18:14:14 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 6 Aug 2007 18:14:14 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:617
```

Good afternoon...

Any thoughts on a good scanning receiver that covers HF from 2 MHz up, and can be used in SSB and FM modes?

I'd need something with sensitivity and selectivity that's comparable to a decent low-end HF transceiver (e.g. IC-718 or FT-817).

If it had the capability to program its memories via a computer, that would be a nice bonus.

If it had the capability to output its frequency via e.g. RS-232 every time it scans to a new frequency, that would be a REALLY nice bonus (but not expected).

I'm aware of the Icom IC-R75 and IC-R2500, and Yaesu FRG-100B and VR-5000,
but wondered if there is anything else out there (perhaps for slightly
fewer bucks...)

Thanks...

```
From -285496701860150172
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-
online.de!newsfeedt0.toon.t-online.de!newsmm00.sul.t-online.de!t-online.de!news.t-
online.com!not-for-mail
From: Stephan Grossklass <sgrokla-nospam04q2@yahoo.de>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: Re: Question about GE Superadio III and batteries
Followup-To: rec.radio.shortwave
Date: Mon, 6 Aug 2007 23:51:28 +0200
Organization: Perfectly Organized Chaos
Lines: 54
Message-ID: <f98550$r8v$03$1@news.t-online.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com> <f96duk1fq@news5.newsguy.com>
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
X-Trace: news.t-online.com 1186437088 03 27935 Qykz6FJruU0XSXOP 070806 21:51:28
X-Complaints-To: usenet-abuse@t-online.de
X-ID: EGotJ+Z1QeaAAv9ZKTzFbNCa2wuLiutgWlV0WGPM35VFCwihY7JV8j
User-Agent: 40tude_Dialog/2.0.15.1de
X-Face:  #4OP+_jBkHxn,bV'.N\+:TyimwDv<E_2mB5kDuiWVkoF"Y>>6Hb>9f,"M8V.~t@GQgK'kQ}
#.}Cw^wIb]w++\=%U_C~kn;zCgMO~lhH4`[$%E7Y[AO~`tEC)78D~CDna7Jot)5jhSR}a8Mik-Jgca
j.e_Tkhmnp<5=}Pz=I5yT1,PFmUkJ@x/bb&%^l3GCMbgp`0otfBCX\zX(^0F8;sAZpot+:m2}Be\nC
wwy@f*[WByW(/ZUW"-6_EFu=p%~FT4~y}_gS!v]]R/]V
Xref: g2news2.google.com rec.radio.shortwave:6573 rec.radio.amateur.equipment:618
rec.antiques.radio+phono:6661
```

Scott W. Harvey schrieb:

> William Sommerwerck wrote:
>>> Most AM/FM radios don't have an RF stage. Only higher-end home
>>> systems and car radios do anymore for the most part. The front ends
>>> on your average portable are just an LO section and an input tuning
>>> section (antenna). Even average home systems don't have the additional
>>> RF stage. Makes for horrid sensitivity and even worse overload problems
>>> close in.
>>
>> Show me any commercial FM radio or tuner, at any price, that _doesn't_ have
>> an RF stage. I find it very, very, very hard to believe that there are such
>> radios.
>>
> They exist, and they suck. Look at a low-end boombox and you will find
> no RF stage for either AM or FM.

Hmm. An FM/AM IC that might be found in a boombox is Sony's CXA1238, and
even that includes an RF preamp for FM in common-base configuration and
allows connecting a bandpass (or rather bandstop) between RF amp and
mixer.

As far as the poor overload rejection is concerned, this has to do with
weak mixers inside ICs and insufficient RF filtering. A typical config
for a low-end FM receiver would look like this (tuning via varicap
diodes or tuning caps with plastic dielectric):

```
fixed bandpass for all of FM -> RF amp -> 1 tuned tank circuit -> mixer
                                                                    ^
.                                                                   |
                                                                    LO
```

It typically takes a frontend chip with a balanced mixer like the
venerable TA7358P/LA1185 to achieve good results in such a config
(actually the datasheet suggests this and it's commonly used that way).
The most fancy configuration I've seen with this chip is the 4-gang one
found in the Redsun RP2000/2100 and its rebadges:

```
1 tuned tank circuit -> RF amp -> 2 tuned tank circuits -> mixer
                                                             ^
.                                                            |
                                                             LO
```

Unsurprisingly, its FM frontend is reported to be just about bulletproof
for a portable.

FM frontends in dedicated tuners historically had up to 7 or so tuning
gangs, but with later advances in mixers in particular, there are some
models with seemingly modest 4-gang frontends but not so modest
sensitivity and overload handling; many 5-gang tuners in the later 1980s
actually used the additional gang for a tuned LO buffer.

Stephan (F'up2 rrs set)
--
Home: http://stephan.win31.de/

Weniger Meer ist mehr Mehr.

From 8889625180981123026
X-Google-Thread: 108122,f3a938874b9f4b76,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: F.A. Last Hours
From: Donnie <n4jzh@homexpressway.net>
Date: Mon, 06 Aug 2007 19:53:53 -0400
Message-ID: <54dfb3hen3nr0gi9m383enl40780tf4uln@4ax.com>
Lines: 13
NNTP-Posting-Host: 64.53.5.33
Organization: Info Avenue Internet Services, LLC
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!news-out.newsgroups.com!sp12lax.superfeed.net!news-in.newsfeeds.com!news.infoave.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news04.infoave.net 1186444461 1356 64.53.5.33 (6 Aug 2007 23:54:21 GMT)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Mon, 6 Aug 2007 23:54:21 +0000 (UTC)
X-Newsreader: Forte Agent 4.2/32.1118
Xref: g2news2.google.com rec.radio.amateur.equipment:619
X-Original-Bytes: 1200

Last Hours. Thanks!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=230158673955&ssPageName=STRK:MESE:IT&ih=013

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=230158659436&ssPageName=STRK:MESE:IT&ih=013

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=230158665283&ssPageName=STRK:MESE:IT&ih=013

From -8506493995843382895
X-Google-Thread: 108122,9503916ba10da2a4,start
X-Google-Thread: 1109af,9503916ba10da2a4,start
X-Google-Attributes: gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!

```
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: null <null@void.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: RADIO CRYSTALS <10 cents
Date: Mon, 06 Aug 2007 21:27:04 -0400
Message-ID: <tbifb3127cmc9o9bm6febjirg34qjfjivf@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118 trialware
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:620 rec.radio.swap:912

UP FOR AUCTION:

QTY 120 FT-241 Crystals on 405.555 kHz for Ham Radio:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110155414197


QTY 120 FT-241 Crystals on 396 kHz  for Ham Radio:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110155415741

QTY 120 FT-241 Crystals on 481 kHz for Ham Radio:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110155417014


Item title: QTY 116 FT-241 Crystals - 440 and 496 kHz for Ham Radio:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110155418804

All running about $10 a tray at the moment!!

Thanks for looking!


From 8320700856822869744
X-Google-Thread: 108122,38c65a5c35a719a7,start
X-Google-Thread: 108778,38c65a5c35a719a7,start
X-Google-Attributes: gid108122,gid108778,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: null <null@void.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur,alt.radio.amateur
Subject: FA: HAM RADIO CRYSTALS for < 10 cents each...
Date: Mon, 06 Aug 2007 21:29:04 -0400
Message-ID: <plifb3p2kr7iskab3m0ilph8763398n3pn@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118 trialware
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
Lines: 17
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:621 alt.radio.amateur:54

UP FOR AUCTION:

QTY 120 FT-241 Crystals on 405.555 kHz for Ham Radio:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110155414197

QTY 120 FT-241 Crystals on 396 kHz for Ham Radio:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110155415741

QTY 120 FT-241 Crystals on 481 kHz for Ham Radio:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110155417014

QTY 116 FT-241 Crystals - 440 and 496 kHz for Ham Radio:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110155418804

All running about $10 a tray at the moment!!

Thanks for looking!

From 6700444484531240553
X-Google-Thread: 108122,6b0cdbca15eb7c07,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: Damn Ham@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Alignment Instructions for GE SuperRadio model 7-2887A
Message-ID: <ufjfb3hig6sp5sdv559igrl8m0hqlvlnl1@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
NNTP-Posting-Host: 12.201.17.39
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1186451060 12.201.17.39 (Tue, 07 Aug 2007 01:44:20 GMT)
NNTP-Posting-Date: Tue, 07 Aug 2007 01:44:20 GMT
Organization: AT&T ASP.att.net
Date: Tue, 07 Aug 2007 01:44:20 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:622

I saw references to aligning it, but does anyone have a board layout
or alignment instructions for it?

```
From -2918552023583557157
X-Google-Thread: 108122,6b0cdbca15eb7c07
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!news-in-02.newsfeed.easynews.com!easynews.com!easynews!
hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe12.phx.POSTED!
53ab2750!not-for-mail
From: "The Shadow" <Repose@Zilch.com>
Newsgroups: rec.radio.amateur.equipment
References: <ufjfb3hig6sp5sdv559igrl8m0hqlvlnl1@4ax.com>
In-Reply-To: <ufjfb3hig6sp5sdv559igrl8m0hqlvlnl1@4ax.com>
Subject: Re: Alignment Instructions for GE SuperRadio model 7-2887A
Lines: 11
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <jVQti.72403$zz2.27400@newsfe12.phx>
Date: Mon, 6 Aug 2007 19:36:43 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1186454223 72.197.13.209 (Mon, 06 Aug 2007 19:37:03 MST)
NNTP-Posting-Date: Mon, 06 Aug 2007 19:37:03 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:623
```

<Damn Ham@yahoo.com> wrote in message
news:ufjfb3hig6sp5sdv559igrl8m0hqlvlnl1@4ax.com...

>I saw references to aligning it, but does anyone have a board layout
> or alignment instructions for it?

Try URL:
http://www.geocities.com/rbrucecarter/sr3.htm

Lamont

```
From -3251456650827361364
X-Google-Thread: 108122,a527c7a637a0de56,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r34g2000hsd.googlegroups.com!not-for-
mail
```

From: ve2ztt <ve2ztt2@yahoo.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Stolen yaesu ft 50 R
Date: Tue, 07 Aug 2007 03:40:04 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1186483204.255655.244830@r34g2000hsd.googlegroups.com>
NNTP-Posting-Host: 209.169.154.222
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1186483204 492 127.0.0.1 (7 Aug 2007 10:40:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Aug 2007 10:40:04 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; fr-FR; rv:1.4) Gecko/20030624 Netscape/7.1 (ax),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r34g2000hsd.googlegroups.com; posting-host=209.169.154.222;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:624

I had my Yeasu FT 50r stolen in 1998 and police brought it back aug 3,
2007.
I have its original battery charger (yaesu) still in working condition
but the radio is completely
dead.
Anyone have an idea on what to check first !!!

Gilles VE2ZTT

From -3811613600039167397
X-Google-Thread: fd2b8,2e158af9ab554c23,start
X-Google-Thread: 107ada,2e158af9ab554c23,start
X-Google-Thread: 108122,2e158af9ab554c23,start
X-Google-Attributes: gidfd2b8,gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!feeder2.cambrium.nl!feed.tweaknews.nl!193.201.147.86.MISMATCH!news.astraweb.com!border1.a.newsrouter.astraweb.com!feeder.news-service.com!newsfeed.freenet.de!newsfeed00.sul.t-online.de!t-online.de!news-lei1.dfn.de!news.uni-weimar.de!not-for-mail
From: Peter Pearson <tuxbyvi@supernews.com>
Newsgroups: fj.soc.pseudo-science,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: flood coming to fj.soc.pseudo-science
Followup-To: sci.crypt
Date: Wed, 7 Aug 2007 20:01:57 GMT
Organization: Bauhaus-Universitaet Weimar
Lines: 9
Message-ID: <48E818C0.E1BE02D9@news.uni-weimar.de>
NNTP-Posting-Host: hexe.bauing.uni-weimar.de

X-Trace: tigger.scc.uni-weimar.de 1186524216 4675 141.54.176.172 (7 Aug 2007 22:03:36 GMT)
X-Complaints-To: news@tigger.scc.uni-weimar.de
NNTP-Posting-Date: Tue, 7 Aug 2007 22:03:36 +0000 (UTC)
Xref: g2news2.google.com fj.soc.pseudo-science:2 rec.radio.amateur.misc:1505 rec.radio.amateur.equipment:625

To avoid the flood, join me at Supernews.

Sign up for a risk-free trial.

https://www.supernews.com/signup/

--
While apparatuss back fear factorys, the atoms often equip on to the arab riots.

From 7673269941184993674
X-Google-Thread: 108122,6b0cdbca15eb7c07
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-mail
From: Damn Ham@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Alignment Instructions for GE SuperRadio model 7-2887A
Message-ID: <es2ib31g4tjkb9odov825md50u90du5ejo@4ax.com>
References: <ufjfb3hig6sp5sdv559igrl8m0hqlvlnl1@4ax.com> <jVQti.72403$zz2.27400@newsfe12.phx>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Host: 12.201.17.39
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1186532275 12.201.17.39 (Wed, 08 Aug 2007 00:17:55 GMT)
NNTP-Posting-Date: Wed, 08 Aug 2007 00:17:55 GMT
Organization: AT&T ASP.att.net
Date: Wed, 08 Aug 2007 00:17:55 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:626

Thanks!
On Mon, 6 Aug 2007 19:36:43 -0700, "The Shadow" <Repose@Zilch.com>
wrote:

>
><Damn Ham@yahoo.com> wrote in message
>news:ufjfb3hig6sp5sdv559igrl8m0hqlvlnl1@4ax.com...
>>I saw references to aligning it, but does anyone have a board layout
>> or alignment instructions for it?
>

```
>Try URL:
>http://www.geocities.com/rbrucecarter/sr3.htm
>
>Lamont


From 475563268614116004
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!spln!extra.newsguy.com!
newsp.newsguy.com!news3
From: "Scott W. Harvey" <NOT_MY_REAL@email.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Tue, 07 Aug 2007 22:32:46 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 94
Message-ID: <f9bhp60nji@news3.newsguy.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>   <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<EIKdnYysaoXsrCvbnZ2dnUVZ_gCdnZ2d@giganews.com>
<EbGdnWENZPrzjCrbnZ2dnUVZ_j2dnZ2d@comcast.com>
NNTP-Posting-Host: pe580bfbfff000000dd387b2a1661585c7138e3bf22963d07.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
In-Reply-To: <EbGdnWENZPrzjCrbnZ2dnUVZ_j2dnZ2d@comcast.com>
Xref: g2news2.google.com rec.radio.shortwave:6667 rec.radio.amateur.equipment:627
rec.antiques.radio+phono:6734 alt.radio.broadcasting:570

William Sommerwerck wrote:
>> Again, if you open up the average portable, or most cheap home
>> stereos, you will find only two sections to the FM tuner:
>
>> 1) Local oscillator
```

>> 2) Antenna tuning
>
>> Same for the AM section.
>
> That goes without saying, as AM radios have generally lacked an RF stage for
> nigh-on to 70 years. It just isn't needed for most local reception.
>
>
>> I have seen very very VERY few portables with an RF amp section
>> for FM. Less rare were ones with an RF amp for AM, such as the
>> Channel Master 8 transistor sets.
>
> I'm in a bad position to argue this point, because I rarely (ie, at this
> point in my life, never) service radios. But what you're saying goes
> completely against my experience -- and the service manuals for equipment I
> own.
>
> The 40-year-old Sony FM/AM radios I own (TFM 825 / 850, EFM 117, & others)
> have RF stages for FM, and none for AM. The schematic for the GE P975A
> (which I don't own) shows an RF stage for the FM section, none for the AM.
> Ditto for all the GE clock-radios I've owned.
>
> I went through the Sams TSM-47 transistor-radio book (dated 12/1964), which
> I purchased to get additional data on the Sony EFM-117 I hoped to restore.
> Of the 28 models covered, only two AM radios (Ross RE-1902 & Truetone
> DC3429B) had an RF stage, and _no_ FM radio lacked one.
>
> The RF stage in an FM tuner * performs a number of functions, one of the
> most-important being to bring up the RF signal to a level where it can
> override the noise generated in the conversion process. Has the conversion
> process, and the transistors used to perform it, improved so much that the
> RF stage can be discarded? I don't know, but I doubt it.
>
> Another function is gain. The lost gain has to be made up somewhere,
> presumably with another IF stage, which requires parts and has to be
> aligned, just as an RF stage. The net savings aren't going to amount to
> much.
>
> An FM tuner without an RF stage would be hopelessly insensitive, to the
> point where few consumers would find it acceptable ("This-here goddamn radio
> don't pick up no stations").
>
> I don't like gainsaying someone who regularly services electronic equipment
> (and who usually knows what they're talking about). But I just don't buy
> this. (I read Scott Harvey's comments before posting this, and I still find
> it hard to believe.) Throughout the history of FM radios, an RF stage has
> been the normal state of affairs.
>
> * By "tuner", I mean the electronics preceding the audio stages. All radios
> have tuners.
>
>

William,

There are two factors at work here:

1. IC technology has improved to the point where it is possible to throw together a converter with cheap parts that will behave itself well enough for a manufacturer to eschew an FM RF stage.

2. What we're talking about here is NOT a quality radio. Such an arrangement (FM with no RF stage) will only appear to work well in an big-city urban environment with a whole bunch of 100 KW monster FM stations close by. In the USA, that means places like NYC, Chicago, LA San Francisco, and the like. These radios are sold in grey-market shops, flea markets, and other bazaar-like places in urban centers to unsophisticated and undiscriminating consumers. Take them out of that environment and their shortcomings quickly become apparent. No name-brand manufacturer such as Sony or GE would ever stoop so low on the cheapness scale as this-it is strictly a domain for the no-name brands from China.

BTW, I would say that the Sams book you got underrepresents the number of 1960s transistor sets with AM RF stages. There was a real competition among manufacturers back in those days, and sensitivity was a major selling point. I'd say about 75% of the 1960-1965 era transistor sets I own (most of which are larger than pocket size) have an AM RF stage, and a lot of those are amazingly hot on the AM BC bands-as hot as my better 1930s tube radios in many cases. If you take stock of those that also have shortwave bands, the percentage with AM RF stages jumps to almost 100%

Later on in the decade, the desire for sensitivity seemed to wane in comparison to the desire to market and sell a radio at a low price. For most radios thereafter, that meant bye-bye to an RF stage-which is exactly why the Superradio and CC radios have their market niche now.

-Scott

From -1362078311426924142
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j4g2000prf.googlegroups.com!not-for-mail
From: Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Tue, 07 Aug 2007 23:00:18 -0700

```
Organization: http://groups.google.com
Lines: 89
Message-ID: <1186552818.415901.144080@j4g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u66Oof2@news5.newsguy.com>
   <46b60644$0$31254$4c368faf@roadrunner.com>
   <YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com>
   <46b63ca8$0$29693$4c368faf@roadrunner.com>
   <1186366081.150243.271970@m37g2000prh.googlegroups.com>
   <1186367309.769210.92170@i13g2000prf.googlegroups.com>
   <1186377684.458107.65670@i13g2000prf.googlegroups.com>
NNTP-Posting-Host: 71.221.173.181
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186552819 23033 127.0.0.1 (8 Aug 2007 06:00:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Aug 2007 06:00:19 +0000 (UTC)
In-Reply-To: <1186377684.458107.65670@i13g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000prf.googlegroups.com; posting-host=71.221.173.181;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6668 rec.radio.amateur.equipment:628
rec.antiques.radio+phono:6738 alt.radio.broadcasting:571

On Aug 5, 11:21 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
> On Aug 5, 7:28 pm, Steven <thisjukeboxplays33...@yahoo.com> wrote:
>
>
>
>
>
> > On Aug 5, 8:08 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
>
> > > On Aug 5, 2:10 pm, "jim menning" <jmenningS...@new.rr.com> wrote:
>
> > > > "Brenda Ann" <bren...@shinbiro.com> wrote in message
>
> > > >news:YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com...
>
> > > > > "jim menning" <jmenningS...@new.rr.com> wrote in message
> > > > >news:46b60644$0$31254$4c368faf@roadrunner.com...
>
> > > > >> "Scott W. Harvey" <NOT_MY_R...@email.com> wrote in message
> > > > >>news:f93u66Oof2@news5.newsguy.com...
```

>
> > > > >>> There WAS a digital version of the GE superadio, called the superadio
plus, made
> > > > >>> in 1982.
>
> > > > >> Was it originally named that by GE or just by later aficionados in
their
> > > > >> comparisons?
>
> > > > >> I've got one right here in front of me (GE 7-2882A), and it's labeled
as an
> > > > >> "electronic tuning FM-AM receiver", not a "superadio plus" or
"superadio+".
>
> > > > >> As far as I know, this was never touted by GE top be a "superadio".
Does anyone
> > > > >> have pictures of a box or advertising they can share to show GE called
it one?
>
> > > > > I distinctly remember a digital Superadio Plus. It sold for a very short
time
> > > > > around 1983 or 84? It clearly said "Superadio Plus" on the front panel.
>
> > > > As I said, I have the GE 7-2882A sitting right here in front of me, and
that is the
> > > > model previously claimed to be the "Superadio Plus". There is no
"Superadio Plus"
> > > > nametag anywhere on it. The front reads "GENERAL ELECTRIC electronic
tuning FM-AM
> > > > RECEIVER"
>
> > > > The reason I ask is that I have heard this radio called a "Superadio" in
the past in
> > > > other threads and several places on the internet, but no one has ever
provided a
> > > > picture of this radio's nameplate or any box or literature supporting the
claim.
> > > > Thus I have to question whether it was marketed as such, or if the name
was just
> > > > attributed to it later by Superadio fans. I also have the cassette
recorder version
> > > > of this radio, and with it came a little flyer describing the new
"electronic tuning
> > > > FM-AM receivers", with no "superadio" mention.
>
> > > JM - I Can Confirmed Your Findings ~ RHF
>
> > > > Sorry Brenda Ann, I guess I need to see some proof, not someone's 20+ year
old
> > > > memories to convince me.
>
> > > > Maybe RHF can photograph his radio and share the picture with us if his
has the name

> > > > somewhere on it.
>
> > > Sorry all the Photos of the various GE Superadios
> > > that I had posted to the "longrange" Yahoo Group
> > > { GE Superadio Group For Connoisseurs] a few
> > > years ago are gone; and i do not know where the
> > > originals are . . . ~ RHF
>
> > That's pretty stupid, and I'm sorry that I have to say it. Still, one
> > does not enter evidence into a court with a statement that "I know
> > where it is".
>
> > Please corroborate your statements in the future, wherever/whenever or
> > you'll have credibility trouble in a lot of places.
>
> > Radio Abby- Hide quoted text -
>
> > - Show quoted text -
>
> Radio Abby,
>
> I am so sorry that you are having reading comprehension problems.

As a devout, well established bipolar walking fool, sir I had no
READING comprehension problems WHATSOEVER. I asked you simply to do
your homework first, typing second.

My reluctant colleagues will probably agree to themselves and answer
other questions without comment for the most part.

Thou havest nary the piss to join the vinager union, thus verily I
urge your reduction of cocksurity to commence in the uncouth slang of
children past--"chill out, dude".

From -1113169256745681231
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: DUTCH,ASCII
Path: g2news2.google.com!postnews.google.com!x35g2000prf.googlegroups.com!not-for-mail
From: Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Tue, 07 Aug 2007 23:11:03 -0700
Organization: http://groups.google.com
Lines: 7

```
Message-ID: <1186553463.262563.254150@x35g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
   <1186227028.582664.29660@m37g2000prh.googlegroups.com>
   <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
   <JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com>
   <f93u660of2@news5.newsguy.com>
   <46b60644$0$31254$4c368faf@roadrunner.com>
   <YrednR1hFNEurSvbnZ2dnUVZ_oytnZ2d@giganews.com>
   <46b63ca8$0$29693$4c368faf@roadrunner.com>
   <1186366081.150243.271970@m37g2000prh.googlegroups.com>
   <1186367309.769210.92170@i13g2000prf.googlegroups.com>
   <1186377684.458107.65670@i13g2000prf.googlegroups.com>
NNTP-Posting-Host: 71.221.173.181
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1186553464 24785 127.0.0.1 (8 Aug 2007 06:11:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Aug 2007 06:11:04 +0000 (UTC)
In-Reply-To: <1186377684.458107.65670@i13g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000prf.googlegroups.com; posting-host=71.221.173.181;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6669 rec.radio.amateur.equipment:629
rec.antiques.radio+phono:6739 alt.radio.broadcasting:572
```

On Aug 5, 11:21 pm, RHF <rhf-newsgro...@pacbell.net> wrote:

Quoth the Raven: "Stink op shit is nog ge=EFnstalleerde norm bij de
fabriek en altijd bij geen extra last aan de ontvanger.

take it up with a TV judge, Steven, old enough but capable so there.

```
From 988662522304898199
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Aug 2007 07:42:13 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
```

Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com> <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com> <6p-dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<EIKdnYysaoXsrCvbnZ2dnUVZ_gCdnZ2d@giganews.com>
<EbGdnWENZPrzjCrbnZ2dnUVZ_j2dnZ2d@comcast.com> <f9bhp60nji@news3.newsguy.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Wed, 8 Aug 2007 05:42:21 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <qPydnd0nGom4JyTbnZ2dnUVZ_qWtnZ2d@comcast.com>
Lines: 7
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-3iYTvVqbDqv2lkXkfzmsVTY6UC81G/
54PZIm4l3Zlgi1GfI6xvUTsVssV7M2ayySoiiwHCMatdkgNaN!
RPu3fGpqaQe129nQJo3iBgHxrEN6srzsAuU71Zes196WSPo6YWrr5PW8pR99P96q/6c75cR+KuDa!//
k1am6+1KCCryNkiRSKOhbCFw+eiw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6680 rec.radio.amateur.equipment:630 rec.antiques.radio+phono:6752 alt.radio.broadcasting:573

Thanks for the additional info and clarification. As long as we're talking about dirt-cheap FM radios aimed at urban listeners, I'm not upset.

The Sony EFM-117 in this manual -- which I have several non-working samples of, and owned as a teenager -- has a long ferrite rod, but no AM RF amp.

From 6919229104071922184
X-Google-Thread: f64c6,4c501b5d06e76358,start
X-Google-Thread: 108122,4c501b5d06e76358,start
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!news.germany.com!aioe.org!not-for-mail
From: "Anonymous" <me@privacy.net>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: FT480R repair
Date: Wed, 8 Aug 2007 16:50:20 +0100
Organization: Aioe.org NNTP Server
Lines: 17
Message-ID: <f9cont$gon$1@aioe.org>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com uk.radio.amateur:11181 rec.radio.amateur.equipment:631

I need to replace the T/R relay on an FT480R.
(Intermittent Rx, curable by a quick blip on TX)

I don't have an exact replacement, so I'll use a
Varley 12V relay, with suitable mods to the driving cct,
and dangle the relay in the space behind the front panel.

Is there a knack to removing the main board without first
unsoldering the numerous connections? (i.e., can it just
be a tedious job, or must it be downright finicky?)

There is a second pair of change-over contacts on the
relay, but with both outputs wired together...this would seem
to suggest some form of muting effect that deals only with
the T/R or R/T changeover period. Any ideas?

From 2619922041783461881
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!62.253.162.218.MISMATCH!news-in.ntli.net!newsrout1-
win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe7-
win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Theo" <theodore.twyler@ntlworld.com>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org>
Subject: Re: FT480R repair
Lines: 7
X-Priority: 3

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <4nmui.12449$S91.1447@newsfe7-win.ntli.net>
Date: Wed, 08 Aug 2007 16:41:36 GMT
NNTP-Posting-Host: 82.9.82.106
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe7-win.ntli.net 1186591296 82.9.82.106 (Wed, 08 Aug 2007 17:41:36 BST)
NNTP-Posting-Date: Wed, 08 Aug 2007 17:41:36 BST
Organization: NTL
Xref: g2news2.google.com uk.radio.amateur:11189 rec.radio.amateur.equipment:632

The basey fundemold to effect replaceage of the relayle is the carefold slidy PCB out of its cradley, snippet the blacklode and whiteley wirey, then stufflo the relayme dowdy into the backly sidelode aspecters of the s-metery and Bob's your unkerbold - o yes!

From -7151752803177917S1
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder2-2.proxad.net!62.253.162.218.MISMATCH!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe7-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "The Legend" <trabant owners club@Nicks place.comco>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org> <4nmui.12449$S91.1447@newsfe7-win.ntli.net>
Subject: Re: FT480R repair
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <lzmui.15652$h11.12904@newsfe7-gui.ntli.net>
Date: Wed, 08 Aug 2007 16:54:41 GMT
NNTP-Posting-Host: 86.7.90.223
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe7-gui.ntli.net 1186592081 86.7.90.223 (Wed, 08 Aug 2007 17:54:41 BST)
NNTP-Posting-Date: Wed, 08 Aug 2007 17:54:41 BST
Organization: ntl Cablemodem News Service
Xref: g2news2.google.com uk.radio.amateur:11193 rec.radio.amateur.equipment:633

"Theo" <theodore.twyler@ntlworld.com> wrote in message

```
news:4nmui.12449$S91.1447@newsfe7-win.ntli.net...
> The basey fundemold to effect replaceage of the relayle is the carefold
> slidy PCB out of its cradley, snippet the blacklode and whiteley wirey,
> then
> stufflo the relayme dowdy into the backly sidelode aspecters of the
> s-metery
> and Bob's your unkerbold - o yes!
>
:-)))))))


C'mon Theo, give the man a break...

tox





From -62629629252608505
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news-in.ntli.net!
newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!
newsfe4-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian Reay" <see@website.invalid>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org>
Subject: Re: FT480R repair
Lines: 38
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <Bymui.3269$ka7.1113@newsfe4-gui.ntli.net>
Date: Wed, 08 Aug 2007 16:53:53 GMT
NNTP-Posting-Host: 82.2.141.171
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe4-gui.ntli.net 1186592033 82.2.141.171 (Wed, 08 Aug 2007 17:53:53
BST)
NNTP-Posting-Date: Wed, 08 Aug 2007 17:53:53 BST
Organization: Virgin Net Usenet Service
Xref: g2news2.google.com uk.radio.amateur:11195 rec.radio.amateur.equipment:634

"Anonymous" <me@privacy.net> wrote in message news:f9cont$gon$1@aioe.org...
>I need to replace the T/R relay on an FT480R.
> (Intermittent Rx, curable by a quick blip on TX)
>
> I don't have an exact replacement, so I'll use a
> Varley 12V relay, with suitable mods to the driving cct,
> and dangle the relay in the space behind the front panel.
```

>
> Is there a knack to removing the main board without first
> unsoldering the numerous connections? (i.e., can it just
> be a tedious job, or must it be downright finicky?)
>
> There is a second pair of change-over contacts on the
> relay, but with both outputs wired together...this would seem
> to suggest some form of muting effect that deals only with
> the T/R or R/T changeover period. Any ideas?

From the circuit diagram:

The relay switches two things:

Antenna (Rx/Tx)

13.8V to the Tone unit.

One side of the relay coil is to the 13.8V internal rail, other side is to the Main Unit and, unless it is very convoluted, isn't connected to either set of relay contacts nor do the two sets of contacts seen to be connected to each other.

I've done one of these before and, as I recall, "pin for pin" relays were available- I think Farnell.

From -6913343019384148642
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-
online.de!newsfeed01.sul.t-online.de!t-online.de!news-in.ntli.net!newsrout1-
win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe1-
gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian Reay" <see@website.invalid>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org> <Bymui.3269$ka7.1113@newsfe4-gui.ntli.net>
Subject: Re: FT480R repair
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response

```
Message-ID: <%Gmui.18516$6z6.80@newsfe1-gui.ntli.net>
Date: Wed, 08 Aug 2007 17:02:51 GMT
NNTP-Posting-Host: 82.2.141.171
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe1-gui.ntli.net 1186592571 82.2.141.171 (Wed, 08 Aug 2007 18:02:51
BST)
NNTP-Posting-Date: Wed, 08 Aug 2007 18:02:51 BST
Organization: Virgin Net Usenet Service
Xref: g2news2.google.com uk.radio.amateur:11197 rec.radio.amateur.equipment:635
```

"Brian Reay" <see@website.invalid> wrote in message
news:Bymui.3269$ka7.1113@newsfe4-gui.ntli.net...

>
> From the circuit diagram:
>

Which I can scan the relevant section of and place on my website for download.

```
From -1869560909740443919
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news2.arglkargh.de!
feeder.erje.net!aioe.org!not-for-mail
From: "Anonymous" <me@privacy.net>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
Date: Wed, 8 Aug 2007 18:31:45 +0100
Organization: Aioe.org NNTP Server
Lines: 35
Message-ID: <f9cum2$t2$1@aioe.org>
References: <f9cont$gon$1@aioe.org> <Bymui.3269$ka7.1113@newsfe4-gui.ntli.net>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com uk.radio.amateur:11203 rec.radio.amateur.equipment:636
```

"Brian Reay" <see@website.invalid> wrote in message
news:Bymui.3269$ka7.1113@newsfe4-gui.ntli.net...

> "Anonymous" <me@privacy.net> wrote in message
> news:f9cont$gon$1@aioe.org...

```
>>I need to replace the T/R relay on an FT480R.
>> (Intermittent Rx, curable by a quick blip on TX)
>>
>> I don't have an exact replacement, so I'll use a
>> Varley 12V relay, with suitable mods to the driving cct,
>> and dangle the relay in the space behind the front panel.
>>
>> Is there a knack to removing the main board without first
>> unsoldering the numerous connections? (i.e., can it just
>> be a tedious job, or must it be downright finicky?)
>>
>> There is a second pair of change-over contacts on the
>> relay, but with both outputs wired together...this would seem
>> to suggest some form of muting effect that deals only with
>> the T/R or R/T changeover period. Any ideas?
>
> From the circuit diagram:
> The relay switches two things:
> Antenna  (Rx/Tx)
> 13.8V to the Tone unit.
> One side of the relay coil is to the 13.8V internal rail, other side is to
> the Main Unit and, unless it is very convoluted, isn't connected to either
> set of relay contacts nor do the two sets of contacts seen to be connected
> to each other.
> I've done one of these before and, as I recall, "pin for pin" relays were
> available- I think Farnell.

You're looking at the wrong cct diagram. Read my lips, "Main Unit"




From 5660955409898994265
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!62.216.30.27.MISMATCH!newsgate.cistron.nl!
transit.news.xs4all.nl!xs4all!post.news.xs4all.nl!not-for-mail
Message-ID: <46b9fe14$0$238$e4fe514c@news.xs4all.nl>
From: maarten@panic.xx.tudelft.nl
Subject: Re: Question about GE Superadio III and batteries
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
<vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>   <dennmac-
ya02408000R0308072149330001@NNTP.InfoAve.Net>
<1186227028.582664.29660@m37g2000prh.googlegroups.com>   <6p-
```

dnV9YxdDtFSnbnZ2dnUVZ_vWtnZ2d@comcast.com>
<JtednV2QnqR9bSnbnZ2dnUVZ_qmlnZ2d@giganews.com> <f93u660of2@news5.newsguy.com>
<1186300911.823359.98580@d30g2000prg.googlegroups.com>
<JeudnRkKoKbdNCjbnZ2dnUVZ_hqdnZ2d@comcast.com>
<RvCdnQdQVOhHKijbnZ2dnUVZ_vShnZ2d@giganews.com>
<6IidnQQ2Kq0ySSjbnZ2dnUVZ_v2unZ2d@comcast.com>
<EIKdnYysaoXsrCvbnZ2dnUVZ_gCdnZ2d@giganews.com>
<EbGdnWENZPrzjCrbnZ2dnUVZ_j2dnZ2d@comcast.com> <f9bhp60nji@news3.newsguy.com>
<qPydnd0nGom4JyTbnZ2dnUVZ_qWtnZ2d@comcast.com>
User-Agent: tin/1.7.7-20041215 ("Scalpay") (UNIX) (FreeBSD/4.10-RELEASE-p2 (i386))
Date: 08 Aug 2007 17:32:04 GMT
Lines: 13
NNTP-Posting-Host: 194.109.21.3
X-Trace: 1186594324 news.xs4all.nl 238 [::ffff:194.109.21.3]:1912
X-Complaints-To: abuse@xs4all.nl
Xref: g2news2.google.com rec.radio.shortwave:6695 rec.radio.amateur.equipment:637
rec.antiques.radio+phono:6766 alt.radio.broadcasting:574

In rec.antiques.radio+phono William Sommerwerck <grizzledgeezer@comcast.net>
wrote:
> Thanks for the additional info and clarification. As long as we're talking
> about dirt-cheap FM radios aimed at urban listeners, I'm not upset.
> The Sony EFM-117 in this manual -- which I have several non-working samples
> of, and owned as a teenager -- has a long ferrite rod, but no AM RF amp.

I imagine the design as a whole would be a bit different from the usual
concepts, as I seem to remember it uses one or more tunnel-diodes.

--
Met vriendelijke groet,

Maarten Bakker.

From 6295292613006670441
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.newsland.it!aioe.org!not-for-mail
From: "Anonymous" <me@privacy.net>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
Date: Wed, 8 Aug 2007 18:39:09 +0100
Organization: Aioe.org NNTP Server
Lines: 16
Message-ID: <f9cv3u$1v4$1@aioe.org>
References: <f9cont$gon$1@aioe.org>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response

X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com uk.radio.amateur:11204 rec.radio.amateur.equipment:638

"Anonymous" <me@privacy.net> wrote in message news:f9cont$gon$1@aioe.org...
> There is a second pair of change-over contacts on the
> relay, but with both outputs wired together...this would seem
> to suggest some form of muting effect that deals only with
> the T/R or R/T changeover period. Any ideas?

The same cct is used for both RX AGC and TX ALC and
it looks as thought the change-over time between sets of contacts
is used to discharge the cct in preparation for the other mode.

Anyway, anybody done maintenance and know the answer to
lifting out the main board? (The Maintenance Service Manual
offers no help in this regard)

From -1202718881460614852
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!fd24bd7a!not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
References: <f9cont$gon$1@aioe.org> <f9cv3u$1v4$1@aioe.org>
In-Reply-To: <f9cv3u$1v4$1@aioe.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <zonui.13605$ya1.4463@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace: 52616e646f6d49562b9a4c60c190d420d4353e19db09195da5cca4e1997951ed88d05e9a8a066defe6a2d644eeefdd4c753b039548337079466ad0568bf6c04a72c28e730d56715bf21e6d2ab8fd73ef399d1739bf4d441bc7c33d3ebe186a7465cff1585720c31d0283e3ff7cb9b1f9f227c81e465d00cc615b32716728dc77
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Wed, 08 Aug 2007 17:51:27 UTC

```
Date: Wed, 08 Aug 2007 17:51:27 GMT
Xref: g2news2.google.com uk.radio.amateur:11207 rec.radio.amateur.equipment:639

Anonymous wrote:
> "Anonymous" <me@privacy.net> wrote in message news:f9cont$gon$1@aioe.org...
>
>>There is a second pair of change-over contacts on the
>>relay, but with both outputs wired together...this would seem
>>to suggest some form of muting effect that deals only with
>>the T/R or R/T changeover period. Any ideas?
>
>
> The same cct is used for both RX AGC and TX ALC and
> it looks as thought the change-over time between sets of contacts
> is used to discharge the cct in preparation for the other mode.
>
> Anyway, anybody done maintenance and know the answer to
> lifting out the main board? (The Maintenance Service Manual
> offers no help in this regard)

I had to replace a crystal on the PLL board in my FT480R, it wasn't all
that difficult to remove and that might get you access to what you need
on the Main board.

Have you tried getting a replacement relay from Yaesu?  They had my
FT480 crystal and a crystal I needed for an FT290 and they weren't as
expensive as I thought they'd be... " For customer service, technical
support or parts, please call 714-827-7600."



From -5265464782351373326
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Big K" <me@privacy.net>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
References: <f9cont$gon$1@aioe.org> <Bymui.3269$ka7.1113@newsfe4-gui.ntli.net>
<f9cum2$t2$1@aioe.org>
Subject: Re: FT480R repair
Date: Wed, 8 Aug 2007 18:59:52 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Lines: 9
Message-ID: <46b9f7df$0$16402$88260bb3@free.teranews.com>
NNTP-Posting-Date: 08 Aug 2007 17:05:35 GMT
X-Complaints-To: abuse@teranews.com
```

Xref: g2news2.google.com uk.radio.amateur:11211 rec.radio.amateur.equipment:640

How rude! He was only trying to help you.

What a strange way to maintain standards.

"Anonymous" <me@privacy.net> wrote in message news:f9cum2$t2$1@aioe.org...
> You're looking at the wrong cct diagram. Read my lips, "Main Unit"

--
Posted via a free Usenet account from http://www.teranews.com

From -6300973449952729439
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!fd24bd7a!not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
References: <f9cont$gon$1@aioe.org>
In-Reply-To: <f9cont$gon$1@aioe.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <Junui.13607$ya1.10210@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d49562b9a4c60c190d420d4353e19db09195da5cca4e1997951ed88d05e9a8a066defe6a2d644eeefdd4c753b039548337079466ad0568bf6c04a900ac15e88e73b875c2ebaa37287c9377d3588e80c6a021d65f46b56377c9ce70f3e73be09477a631f5dbfefbf37f90225f9dc90bf991874f12d2a2c478ef9f3
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Wed, 08 Aug 2007 17:58:01 UTC
Date: Wed, 08 Aug 2007 17:58:01 GMT
Xref: g2news2.google.com uk.radio.amateur:11212 rec.radio.amateur.equipment:641

Anonymous wrote:
> I need to replace the T/R relay on an FT480R.
> (Intermittent Rx, curable by a quick blip on TX)

Are you sure the PLL locks when you go back to receive?

```
From 2297871245711324113
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed.kamp.net!newsfeed.kamp.net!news.unit0.net!newsfeeder.dynfx.net!
news.mixmin.net!aioe.org!not-for-mail
From: "Anonymous" <me@privacy.net>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
Date: Wed, 8 Aug 2007 19:00:32 +0100
Organization: Aioe.org NNTP Server
Lines: 22
Message-ID: <f9d0c1$5k5$1@aioe.org>
References: <f9cont$gon$1@aioe.org> <f9cv3u$1v4$1@aioe.org>
<zonui.13605$ya1.4463@news02.roc.ny>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com uk.radio.amateur:11215 rec.radio.amateur.equipment:642
```

"gwatts" <gwatts@frontiernet.net> wrote in message
news:zonui.13605$ya1.4463@news02.roc.ny...

> I had to replace a crystal on the PLL board in my FT480R, it wasn't all
> that difficult to remove and that might get you access to what you need on
> the Main board.

An interesting suggestion, thanks....should certainly get me to the
underside
of the main board.

> Have you tried getting a replacement relay from Yaesu? They had my FT480
> crystal and a crystal I needed for an FT290 and they weren't as expensive
> as I thought they'd be... " For customer service, technical support or
> parts, please call 714-827-7600."

I've a junk box going back 40 years with some relays....."the most expensive
component already in the junk box is cheaper than the cheapest one you can
buy".....a much more interesting exercise to modify the cct to accomodate
what I have to hand....a 27-year-old rig has no resale value anyway.

```
From 7889024291096463274
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/ feeded by 88.191.60.17
Path: g2news2.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!nntpfeed.proxad.net!news.side3.eu!news.netfinity.fr!aioe.org!
not-for-mail
From: "Anonymous" <me@privacy.net>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FT480R repair
Date: Wed, 8 Aug 2007 19:02:07 +0100
Organization: Aioe.org NNTP Server
Lines: 10
Message-ID: <f9d0f0$5n4$1@aioe.org>
References: <f9cont$gon$1@aioe.org> <46b9ec2e$0$16295$88260bb3@free.teranews.com>
<DPmui.3273$ka7.1259@newsfe4-gui.ntli.net>
<p20kb3ddkkgbna0j1k25ivs57n0rlta5cc@4ax.com> <Aunui.9301$ie3.8951@newsfe3-
gui.ntli.net>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com uk.radio.amateur:11217 rec.radio.amateur.equipment:643
```

"Brian Reay" <see@website.invalid> wrote in message
news:Aunui.9301$ie3.8951@newsfe3-gui.ntli.net...

>
> However, it seems he has the details he needs and was simply seeking to
> draw attention to the fact he is working on a radio.

You're always so negative, OM,and quite wrong.

```
From 2855265172694468345
X-Google-Thread: f64c6,4c501b5d06e76358
X-Google-Thread: 108122,4c501b5d06e76358
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
X-FeedAbuse: http://nntpfeed.proxad.net/ feeded by 88.191.60.17
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!nntpfeed.proxad.net!news.side3.eu!news.netfinity.fr!aioe.org!
not-for-mail
From: "Anonymous" <me@privacy.net>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
```

Subject: Re: FT480R repair
Date: Wed, 8 Aug 2007 19:06:41 +0100
Organization: Aioe.org NNTP Server
Lines: 20
Message-ID: <f9d0ni$6c9$1@aioe.org>
References: <f9cont$gon$1@aioe.org> <Junui.13607$ya1.10210@news02.roc.ny>
NNTP-Posting-Host: Z3IpgFh83JnnDIiU15n1gQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com uk.radio.amateur:11219 rec.radio.amateur.equipment:644

"gwatts" <gwatts@frontiernet.net> wrote in message
news:Junui.13607$ya1.10210@news02.roc.ny...
> Anonymous wrote:
>> I need to replace the T/R relay on an FT480R.
>> (Intermittent Rx, curable by a quick blip on TX)
>
> Are you sure the PLL locks when you go back to receive?

No reason the PLL frequency should change between TX and RX
as I'm only using it on FM simplex.

Another symptom is that the RX comes back on but
the squelch gradually becomes ineffective until you're listening to a
low-level noise and the squelch control is inoperative to cut it out.

The AF amp appears to be permanently powered at 13.8V so
my presumption is that I'm listening to an amp with no input.

From 2495104180967568899
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 15:43:40 -0400
Organization: "The Listener at The Gates of Dawn"
Message-ID: <46A261EC.F06FA9CE@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)

X-Accept-Language: en
MIME-Version: 1.0
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
        <yEcoi.37$NB6.33@newsfe06.lga>
        <46A20BF3.39AD95A5@milestones.com>
        <1185042868.719816.32040@k79g2000hse.googlegroups.com>
        <46A252CE.60BC9038@milestones.com>
        <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
        <46A257FF.409EC703@milestones.com>
        <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
        <46A25E0F.688E7529@milestones.com>
<1185046577.855937.280650@57g2000hsv.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 189
Xref: g2news1.google.com rec.radio.shortwave:116213 rec.radio.amateur.equipment:12381 rec.radio.amateur.boatanchors:12221

"H. State" wrote:

> On Jul 21, 2:27 pm, dxAce <dx...@milestones.com> wrote:
> > "H. State" wrote:
> > > On Jul 21, 2:01 pm, dxAce <dx...@milestones.com> wrote:
> > > > "H. State" wrote:
> > > > > On Jul 21, 1:39 pm, dxAce <dx...@milestones.com> wrote:
> > > > > > "H. State" wrote:
> > > > > > > On Jul 21, 8:36 am, dxAce <dx...@milestones.com> wrote:
> > > > > > > > Unrevealed Source wrote:
> > > > > > > > > Which brings up the question:
> >
> > > > > > > > > You see 390As made by various manufacturers - Motorola, EAC, of course
> > > > > > > > > Collins themselves, and now this Fowler. Any opinions on who made them the
> > > > > > > > > best? Any real differences between them?
> >
> > > > > > > > I'd have to say that this darn thing (along with the other four) must certainly
> > > > > > > > have been built out of resurrected parts. There is probably no way that a
> > > > > > > > company is going to gear up, and produce five of these receivers for $38,000
> > > > > > > > each, for a total cost of $190,000. The costs just wouldn't seem to add up.
> >
> > > > > > > > Nice receivers though, when well maintained.
> >
> > > > > > > > dxAce
> > > > > > > > Michigan
> > > > > > > > USA

> >
> > > > > > > Perhaps you should read the original articles in Electric Radio
> > > > > > > Magazine, issues 71 and 72 March and April, 1995 and get the "actual
> > > > > > > facts." I know that would be a real stretch for anything on usenet,
> > > > > > > but you would get an education along with the other naysayers as to
> > > > > > > the "rest of the story."
> >
> > > > > > And the "rest of the story" is...?
> >
> > > > > > dxAce
> > > > > > Michigan
> > > > > > USA
> >
> > > > > This is a small excerpt from a list which has been discussing this
> > > > > particular item.:
> >
> > > > > I've been reading the archives with interest concerning the Fowler
> > > > > R-390A
> > > > > s/n 2. I no longer subscribe to the list, but several friends told me
> > > > > of the
> > > > > activity about this particular R-390A and I wanted to clear up a few
> > > > > things,
> > > > > so I subscribed this morning to attempt to do that.
> >
> > > > > The story about this particular receiver was originally published in
> > > > > Electric Radio Magazine issue 71 in March, 1995. A close-up photo of
> > > > > the
> > > > > nomenclature tag was in issue 72 in April, 1995. That is the "Real
> > > > > McCoy
> > > > > Tag" Speculate about made up tags etc. One wasn't made for this
> > > > > receiver
> > > > > except when it was built for the U.S. Navy by Fowler Industries.
> >
> > > > > I know the owner, V ************* who was mentioned in the original
> > > > > article and it is indeed a "genuine" Fowler and is s/n 2.
> > > > > T ******** reviewed the pictures of this receiver back in 1995 and
> > > > > knows
> > > > > of the validity of this particular receiver, as do several other
> > > > > people.
> >
> > > > > T ********* did quite a bit of research with personnel from Fowler
> > > > > Industries and Avondale Shipyards regarding the five R-390A's built.
> > > > > That
> > > > > information was published in subsequent issues of Electric Radio
> > > > > Magazine.
> >
> > > > > I don't have the time right now to answer in detail, maybe tomorrow.
> >
> > > > > T ********* knows much more detail than I do as he spoke with the
> > > > > former
> > > > > General Manager at Fowler Industries and purchasing people at Avondale
> > > > > (now
> > > > > Northrup Grumman) Shipyards.

```
> >
> > > > > They built them using components, but had some difficulty obtaining
> > > > > certain
> > > > > components.Fowler: When T ********* spoke with the Plant Manager he
> > > > > commented that
> > > > > they had particular problems obtaining JAN tubes, in particular
> > > > > 26Z5W's and
> > > > > 3TF7's. Remember, that they were considered "unobtanium" in the late
> > > > > 80's
> > > > > early 90's. Then the government released surplus tubes and Fair Radio
> > > > > was
> > > > > selling them at reasonable prices (they went quickly).
> >
> > > > > They potentiometers were made in Mexico, the meters were A & M
> > > > > Instruments,
> > > > > the quality of the wafer switches were not as robust as the runs
> > > > > during the
> > > > > 50's and 60's, Dittmore-Freimuth made the mechanical filters (as they
> > > > > did on
> > > > > many later versions), as well as the ones the built themselves, which
> > > > > were
> > > > > 67 EAC receivers with Dittmore's filters.
> >
> > > > > I can't say if what they obtained, but can assure you they didn't
> > > > > purchase
> > > > > any in the crate R-390A's. Even though they were available at various
> > > > > locations throughout the country. When you bid on a contract the
> > > > > Government
> > > > > lets, you fill the requirements, and they inadvertently left the
> > > > > R-390A spec
> > > > > in the bid offering.
> >
> > > > > Avondale Shipyards probably didn't think to do a search for "in the
> > > > > crate"
> > > > > R-390A's and put out a request for bids to build five R-390A's.
> > > > > Fowler
> > > > > Industries was Clavier and prior to that Capehart, so they had
> > > > > experience
> > > > > building R-390A's and suppling R-390A spare modules (Clavier).
> >
> > > > > T ********* can pick it up from here, as that is about I can remember
> > > > > or
> > > > > verify from back when we did the ER articles.
> >
> > > > > Signed
> >
> > > > > L ********
> >
> > > > > I'm sure you can do additional research,  and find  someone who has
> > > > > these articles. I do, but don't care to scan and post them without the
> > > > > authors permission as they are copyrighted articles.
> >
> > > > Nice. However all I can do is stick with my original assumption. It would
```

be very
> > > > difficult to build 5 'totally new' R390A's for a measly $190,000. Even
1984 dollars.
> >
> > > Nobody said they built totally new R-390A's.
> >
> > I hate to be overly 'picky', but read what the seller says in his description:
> >
> > He refers to 'new' in several places.
> >
> > > They sold them to the
> > > government for $38,500. They (Fowler Industries) were formerly
> > > Capehart who built R-490A's, and Clavier, who manufactured R-390A
> > > modules for a government spare parts contract. They used "bits and
> > > pieces" to paraphrase, and assembled the R-390A's for that 1984
> > > contract. There is much more to it and I'm not going to waste anymore
> > > time detailing nuances to this group. I just wanted to clear the air
> > > so to speak and inform the uninformed. Usenet has always been a place
> > > to walk the walk, but never talk the talk. I know who you are and you
> > > are a very experienced dx'er. The gentleman who wrote the articles is
> > > a well know archivist/historian.
> >
> > > Different strokes for different folks.
> >
> > > Harold
> >
> > > Harold.
>
> Jumping Jesus Christ, you are thick aren't you?

A bit oversensitive, aren't you?

Take your meds, calm down!

> The excerpts from the articles said many of the parts were "new,"
> mechanical filters, potentiometers, meters, tubes, etc., etc. They
> (Fowler) did manufacture the rear panels and other items. The rear
> panels had a "certain" identifying mark on them. Fowler was a defense
> contractor that manufactured many other items for the government and
> had the capabilities to do so.
>
> Get over it and listen to nibi nibi again...

Sorry, I'm not delusional!

> or that heterodyne from
> Pitcairn Island.

You probably get that annoyance on an R-390A.

I prefer to use quality equipment made by R. L. Drake.

dxAce

Michigan
USA

From 551333745506059006
X-Google-Thread: 108122,2b1909f93eca2e8d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Jul 2007 14:44:39 -0500
From: "Edward L. Dowdy" <elIhatespamdowdy@ctscomp.com>
Newsgroups: rec.radio.amateur.equipment
References: <1184959309.114953.28010@e9g2000prf.googlegroups.com>
Subject: Re: ic2720h separate cable wiring info
Date: Sat, 21 Jul 2007 14:45:16 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <IYOdnQfoT4m6_z_bnZ2dnUVZ_jWdnZ2d@insightbb.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.134.204.23
X-Trace: sv3-Bv7lkdIMMy67HdgPG7GV8okG0MK3tLwhaFLhV3U/6zLrG8AV/nlO99Beig4I5sAwf4V4tOsOKxSOkzL!jPsbM27SSObroSnuivCUV1MQMnUd71rELr88YJ3BUuAfaTUP02zuAx0OWyzJ+BM6VCcEXPoDDxSl!v954zwoXkYJgg9jEsQ==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12382

When the two connectors are place side by side the colors are the same at both ends.

73,
Ed KA9EES

"Dan" <ve4drk@gmail.com> wrote in message news:1184959309.114953.28010@e9g2000prf.googlegroups.com...
> Hi .. I have an IC2720H .. the separation cable that plugs into the
> remote control head has been "separated" from the connector that plugs
> into it .. I have a new connector, but I need to verify the color-
> lineup of the lines into the connector .. anyone have one handy to
> list me out the colors?
> If it's a straight-through that's easy .. the one end that plugs into

> the main rf unit (when looking down with the nipple on the top and the
> ends in front) is: yellow, red, white, braid, black, green.
>
> Any help appreciated.
> Thanks.
>
> Dan, ve4drk
>

From 2726499629968884351
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe02.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>   <46A20BF3.39AD95A5@milestones.com>
<1185042868.719816.32040@k79g2000hse.googlegroups.com>
<46A252CE.60BC9038@milestones.com>
<1185044094.490114.30250@d55g2000hsg.googlegroups.com>
<46A257FF.409EC703@milestones.com>
<1185044888.004595.57970@d55g2000hsg.googlegroups.com>
<46A25E0F.688E7529@milestones.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <gntoi.14$_N6.0@newsfe02.lga>
X-Trace:
nphhjmdkmllhpdkebaignffdjoaiejcllblfgilbdnomdipeaddlipdmdmoppjijfpihhaipaidjnhmjmd
gickgiekikebhmgpnlgebbkdkdinbihhcjngemghifkmfienfnojecgjgcfcij
NNTP-Posting-Date: Sat, 21 Jul 2007 12:45:16 MST
Date: Sat, 21 Jul 2007 14:45:15 -0500
Xref: g2news1.google.com rec.radio.shortwave:116214
rec.radio.amateur.equipment:12383 rec.radio.amateur.boatanchors:12222

I tend to agree with you Steve. Tooling up to build five completely new R-390s for $190K would be hard to do. Fowler most certainly had access to the needed equipment and parts to do the job and that's probably a big part of why they got the job.

--
Regards
B.H.
Hill Amplification
http://webpages.charter.net/brianhill/hillamplification.htm

From -2882612366418046975
X-Google-Thread: 108122,c812e1ba0a8ddc50
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Sky <kenwood1701@hotmail.com>
Organization: Flying Crown Ranch, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS/Trade Mirage B-2530-G VHF 300Watts
References: <pfra739omm5e5s4rn7ab6tp6m7hpfkbj53@4ax.com>
<7etd73tum29358dssumc2f5svo54cbj5fv@4ax.com>
In-Reply-To: <7etd73tum29358dssumc2f5svo54cbj5fv@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <xSxoi.6427$fY4.689@newsfe12.lga>
Date: Sat, 21 Jul 2007 20:52:05 -0400
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1185065501 69.122.55.64 (Sat, 21 Jul 2007 17:51:41 MST)
NNTP-Posting-Date: Sat, 21 Jul 2007 17:51:41 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:12384

spamatody@spam.spam.spam wrote:

>On Sun, 17 Jun 2007 13:23:10 -0400, ritchi50@optonline.net wrote:
>
>
>
>>FS/Trade Mirage B-2530-G VHF 300Watts
>>25watts in 300Watts out.
>>144-148MHz FM/SSB Preamp.
>>Looks and works VERY NICE!!!
>>Make offer or I will trade.
>>Tell me what you have to trade for it.
>>

```
>>
>
>
>An old snot rag.....OK?
>
>
>
no no no,  you mom won't do at all


From 3627395628971907075
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n2g2000hse.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 23:00:03 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1185084003.430436.316640@n2g2000hse.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185084003 20874 127.0.0.1 (22 Jul 2007 06:00:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 22 Jul 2007 06:00:03 +0000 (UTC)
In-Reply-To: <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n2g2000hse.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116312
rec.radio.amateur.equipment:12385 rec.radio.amateur.boatanchors:12225

On Jul 20, 5:13 pm, "druid" <dr...@msn.com> wrote:
> "Ted" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
>
> news:a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net...
>
> > eBay:http://easyurl.net/R390A
>
> WHAT A LOAD OF JUNK some guys will buy anything, I bet a trusty YB400 would
> blow it away
```

> I wouldn't give 5 bucks for that rubbish
> druid

A bet you would lose! Too bad your yacht boy won't be wort 2 dollars
in 30 years.

Tracy
AJ4AC

From 9014035987551769525
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o61g2000hsh.googlegroups.com!not-for-mail
From: beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 23:04:31 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1185084271.401051.190040@o61g2000hsh.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
   <1185042868.719816.32040@k79g2000hse.googlegroups.com>
   <46A252CE.60BC9038@milestones.com>
   <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
   <46A257FF.409EC703@milestones.com>
   <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
   <46A25E0F.688E7529@milestones.com>
   <gntoi.14$_N6.0@newsfe02.lga>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185084271 21580 127.0.0.1 (22 Jul 2007 06:04:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 22 Jul 2007 06:04:31 +0000 (UTC)
In-Reply-To: <gntoi.14$_N6.0@newsfe02.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o61g2000hsh.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116315
rec.radio.amateur.equipment:12386 rec.radio.amateur.boatanchors:12226

On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
> I tend to agree with you Steve. Tooling up to build five completely new
> R-390s for $190K would be hard to do. Fowler most certainly had access to
> the needed equipment and parts to do the job and that's probably a big part
> of why they got the job.
>
> --
> Regards
> B.H.
> Hill Amplificationhttp://webpages.charter.net/brianhill/hillamplification.htm

Brian,

Fix all the spelling errors and you might get someone to take your
website seriously.

Tracy

From -6820172254333071803
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>   <46A20BF3.39AD95A5@milestones.com>
<1185042868.719816.32040@k79g2000hse.googlegroups.com>
<46A252CE.60BC9038@milestones.com>
<1185044094.490114.30250@d55g2000hsg.googlegroups.com>
<46A257FF.409EC703@milestones.com>
<1185044888.004595.57970@d55g2000hsg.googlegroups.com>
<46A25E0F.688E7529@milestones.com>   <gntoi.14$_N6.0@newsfe02.lga>
<1185084271.401051.190040@o61g2000hsh.googlegroups.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <p6Ioi.350$aj.68@newsfe12.lga>
Date: Sun, 22 Jul 2007 07:31:19 -0500
NNTP-Posting-Host: 68.115.101.61
X-Trace: newsfe12.lga 1185107477 68.115.101.61 (Sun, 22 Jul 2007 05:31:17 MST)
NNTP-Posting-Date: Sun, 22 Jul 2007 05:31:17 MST
Xref: g2news1.google.com rec.radio.shortwave:116330

```
rec.radio.amateur.equipment:12387 rec.radio.amateur.boatanchors:12227


"beerbarrel" <beerbarrel@cox.net> wrote in message
news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
> On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
>> I tend to agree with you Steve. Tooling up to build five completely new
>> R-390s for $190K would be hard to do. Fowler most certainly had access to
>> the needed equipment and parts to do the job and that's probably a big
>> part
>> of why they got the job.
>>
>> --
>> Regards
>> B.H.
>> Hill
>> Amplificationhttp://webpages.charter.net/brianhill/hillamplification.htm
>
> Brian,
>
> Fix all the spelling errors and you might get someone to take your
> website seriously.
>
> Tracy
>

Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?

BH




From 4282749392060491043
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n2g2000hse.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sun, 22 Jul 2007 05:57:02 -0700
Organization: http://groups.google.com
Lines: 42
Message-ID: <1185109022.688577.39830@n2g2000hse.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
   <1185042868.719816.32040@k79g2000hse.googlegroups.com>
   <46A252CE.60BC9038@milestones.com>
   <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
   <46A257FF.409EC703@milestones.com>
   <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
   <46A25E0F.688E7529@milestones.com>
   <gntoi.14$_N6.0@newsfe02.lga>
   <1185084271.401051.190040@o61g2000hsh.googlegroups.com>
   <p6Ioi.350$aj.68@newsfe12.lga>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185109022 28025 127.0.0.1 (22 Jul 2007 12:57:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 22 Jul 2007 12:57:02 +0000 (UTC)
In-Reply-To: <p6Ioi.350$aj.68@newsfe12.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n2g2000hse.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116333
rec.radio.amateur.equipment:12388 rec.radio.amateur.boatanchors:12228

On Jul 22, 8:31 am, "Brian Hill" <g...@it.net> wrote:
> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
>
>
>
>
>
> > On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
> >> I tend to agree with you Steve. Tooling up to build five completely new
> >> R-390s for $190K would be hard to do. Fowler most certainly had access to
> >> the needed equipment and parts to do the job and that's probably a big
> >> part
> >> of why they got the job.
>
> >> --
> >> Regards
> >> B.H.
> >> Hill
> >> Amplificationhttp://webpages.charter.net/brianhill/hillamplification.htm
>
> > Brian,
>
> > Fix all the spelling errors and you might get someone to take your
> > website seriously.
>
> > Tracy
>
```

> Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?
>
> BH- Hide quoted text -
>
> - Show quoted text -

Brian,

Do you put the same quality into your amps as you do to your website?

Tracy

```
From 2198750609612855562
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe05.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>   <46A20BF3.39AD95A5@milestones.com>
<1185042868.719816.32040@k79g2000hse.googlegroups.com>
<46A252CE.60BC9038@milestones.com>
<1185044094.490114.30250@d55g2000hsg.googlegroups.com>
<46A257FF.409EC703@milestones.com>
<1185044888.004595.57970@d55g2000hsg.googlegroups.com>
<46A25E0F.688E7529@milestones.com>   <gntoi.14$_N6.0@newsfe02.lga>
<1185084271.401051.190040@o61g2000hsh.googlegroups.com>
<p6Ioi.350$aj.68@newsfe12.lga>
<1185109022.688577.39830@n2g2000hse.googlegroups.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 54
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <zKIoi.2$QR4.0@newsfe05.lga>
X-Trace:
hikehalegljkcnnfbaignffdjoaiejclfcpeiobngpaigjbkaddlipdmdmoppjijfpihhaipaidjnhmjlk
npgodlbceilndfgpnlgebbkdkdinbioffcgkkjaplfbekdenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 22 Jul 2007 06:14:07 MST
Date: Sun, 22 Jul 2007 08:14:10 -0500
Xref: g2news1.google.com rec.radio.shortwave:116334
rec.radio.amateur.equipment:12389 rec.radio.amateur.boatanchors:12229
```

"beerbarrel" <beerbarrel@cox.net> wrote in message
news:1185109022.688577.39830@n2g2000hse.googlegroups.com...
> On Jul 22, 8:31 am, "Brian Hill" <g...@it.net> wrote:
>> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
>>
>>
>>
>>
>>
>> > On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
>> >> I tend to agree with you Steve. Tooling up to build five completely
>> >> new
>> >> R-390s for $190K would be hard to do. Fowler most certainly had access
>> >> to
>> >> the needed equipment and parts to do the job and that's probably a big
>> >> part
>> >> of why they got the job.
>>
>> >> --
>> >> Regards
>> >> B.H.
>> >> Hill
>> >> Amplificationhttp://webpages.charter.net/brianhill/hillamplification.htm
>>
>> > Brian,
>>
>> > Fix all the spelling errors and you might get someone to take your
>> > website seriously.
>>
>> > Tracy
>>
>> Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?
>>
>> BH- Hide quoted text -
>>
>> - Show quoted text -
>
> Brian,
>
> Do you put the same quality into your amps as you do to your website?
>
> Tracy
>
>

The quality of my amps are top notch. So what exactly is it your referring
to?

BH

```
From -8338655897832266224
X-Google-Thread: 108122,dfdc21b682fac95c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Pat" <ssb4me@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Radio Crystals
Date: Sun, 22 Jul 2007 13:07:38 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Lines: 3
Message-ID: <46a38ece$0$4852$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12390

http://members6.boardhost.com/theswapshoppe/




From 7179198358556765271
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n60g2000hse.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sun, 22 Jul 2007 10:25:42 -0700
Organization: http://groups.google.com
Lines: 57
Message-ID: <1185125142.390848.259540@n60g2000hse.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
   <1185042868.719816.32040@k79g2000hse.googlegroups.com>
   <46A252CE.60BC9038@milestones.com>
   <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
   <46A257FF.409EC703@milestones.com>
   <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
   <46A25E0F.688E7529@milestones.com>
   <gntoi.14$_N6.0@newsfe02.lga>
   <1185084271.401051.190040@o61g2000hsh.googlegroups.com>
   <p6Ioi.350$aj.68@newsfe12.lga>
   <1185109022.688577.39830@n2g2000hse.googlegroups.com>
   <zKIoi.2$QR4.0@newsfe05.lga>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185125142 19932 127.0.0.1 (22 Jul 2007 17:25:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 22 Jul 2007 17:25:42 +0000 (UTC)
In-Reply-To: <zKIoi.2$QR4.0@newsfe05.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n60g2000hse.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116346
rec.radio.amateur.equipment:12391 rec.radio.amateur.boatanchors:12230

On Jul 22, 9:14 am, "Brian Hill" <g...@it.net> wrote:
> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> news:1185109022.688577.39830@n2g2000hse.googlegroups.com...
>
>
>
>
>
> > On Jul 22, 8:31 am, "Brian Hill" <g...@it.net> wrote:
> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >>news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
>
> >> > On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
> >> >> I tend to agree with you Steve. Tooling up to build five completely
> >> >> new
> >> >> R-390s for $190K would be hard to do. Fowler most certainly had access
> >> >> to
> >> >> the needed equipment and parts to do the job and that's probably a big
> >> >> part
> >> >> of why they got the job.
>
> >> >> --
> >> >> Regards
> >> >> B.H.
> >> >> Hill
> >> >> Amplificationhttp://webpages.charter.net/brianhill/hillamplification.htm
>
> >> > Brian,
>
> >> > Fix all the spelling errors and you might get someone to take your
> >> > website seriously.
>
> >> > Tracy
>
> >> Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?
>
> >> BH- Hide quoted text -
>
> >> - Show quoted text -
>
> > Brian,
>
> > Do you put the same quality into your amps as you do to your website?
>
> > Tracy
>
> The quality of my amps are top notch. So what exactly is it your referring
> to?
>
> BH- Hide quoted text -
>
> - Show quoted text -
```

See first post....

```
From -3322524957818126791
X-Google-Thread: 108122,d02af09242e8583a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.phx!newsfe16.phx.POSTED!
53ab2750!not-for-mail
From: "The Shadow" <Repose@Zilch.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FYI: Puzzled over Cross Band Repeat and Remote Bases?
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <YSNoi.6454$vS1.6304@newsfe16.phx>
Date: Sun, 22 Jul 2007 12:08:01 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.phx 1185131064 72.197.13.209 (Sun, 22 Jul 2007 12:04:24 MST)
NNTP-Posting-Date: Sun, 22 Jul 2007 12:04:24 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12392
```

Yep me too - but AC6V's website to the rescue.

Six excellent links to explain it all -- even Kenwood's mysterious "Band Lock" feature.

URL:
http://ac6v.com/repeaters.htm#cross

Lamont

```
From -8402950728027765687
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.lga!newsfe03.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>   <46A20BF3.39AD95A5@milestones.com>
<1185042868.719816.32040@k79g2000hse.googlegroups.com>
<46A252CE.60BC9038@milestones.com>
<1185044094.490114.30250@d55g2000hsg.googlegroups.com>
<46A257FF.409EC703@milestones.com>
<1185044888.004595.57970@d55g2000hsg.googlegroups.com>
<46A25E0F.688E7529@milestones.com>   <gntoi.14$_N6.0@newsfe02.lga>
<1185084271.401051.190040@o61g2000hsh.googlegroups.com>
<p6Ioi.350$aj.68@newsfe12.lga>
<1185109022.688577.39830@n2g2000hse.googlegroups.com>
<zKIoi.2$QR4.0@newsfe05.lga>
<1185125142.390848.259540@n60g2000hse.googlegroups.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 72
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <viRoi.44$h26.19@newsfe03.lga>
X-Trace:
pgpdkimbbbabbbpebaignffdjoaiejclgaeodaimokdacfpfaddlipdmdmoppjijfpihhaipaidjnhmjlk
npgodlbceilndfgpnlgebbkdkdinbiinmddmkmkncdlpfnenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 22 Jul 2007 15:58:35 MST
Date: Sun, 22 Jul 2007 17:58:34 -0500
```

Xref: g2news1.google.com rec.radio.shortwave:116374
rec.radio.amateur.equipment:12393 rec.radio.amateur.boatanchors:12234

"beerbarrel" <beerbarrel@cox.net> wrote in message
news:1185125142.390848.259540@n60g2000hse.googlegroups.com...
> On Jul 22, 9:14 am, "Brian Hill" <g...@it.net> wrote:
>> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> news:1185109022.688577.39830@n2g2000hse.googlegroups.com...
>>
>>
>>
>>
>>
>> > On Jul 22, 8:31 am, "Brian Hill" <g...@it.net> wrote:
>> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> >>news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
>>
>> >> > On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
>> >> >> I tend to agree with you Steve. Tooling up to build five completely
>> >> >> new
>> >> >> R-390s for $190K would be hard to do. Fowler most certainly had
>> >> >> access
>> >> >> to
>> >> >> the needed equipment and parts to do the job and that's probably a
>> >> >> big
>> >> >> part
>> >> >> of why they got the job.
>>
>> >> >> --
>> >> >> Regards
>> >> >> B.H.
>> >> >> Hill
>> >> >> Amplificationhttp://webpages.charter.net/brianhill/hillamplification.htm
>>
>> >> > Brian,
>>
>> >> > Fix all the spelling errors and you might get someone to take your
>> >> > website seriously.
>>
>> >> > Tracy
>>
>> >> Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?
>>
>> >> BH- Hide quoted text -
>>
>> >> - Show quoted text -
>>
>> > Brian,
>>
>> > Do you put the same quality into your amps as you do to your website?

```
>>
>> > Tracy
>>
>> The quality of my amps are top notch. So what exactly is it your
>> referring
>> to?
>>
>> BH- Hide quoted text -
>>
>> - Show quoted text -
>
> See first post....
>

Yep there's a few misspelled words. That really gets under your skin? I bet
you have a hard time finding a doctor you can trust, those guys are worst.
My wife's a transcriptionist at the Mayo her in MN and she's always
complaining about their spelling and grammar.

BH
```

```
From 253486191079202037
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n60g2000hse.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sun, 22 Jul 2007 18:39:01 -0700
Organization: http://groups.google.com
Lines: 80
Message-ID: <1185154741.931796.275860@n60g2000hse.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
   <1185042868.719816.32040@k79g2000hse.googlegroups.com>
   <46A252CE.60BC9038@milestones.com>
   <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
   <46A257FF.409EC703@milestones.com>
   <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
   <46A25E0F.688E7529@milestones.com>
   <gntoi.14$_N6.0@newsfe02.lga>
   <1185084271.401051.190040@o61g2000hsh.googlegroups.com>
   <p6Ioi.350$aj.68@newsfe12.lga>
   <1185109022.688577.39830@n2g2000hse.googlegroups.com>
   <zKIoi.2$QR4.0@newsfe05.lga>
   <1185125142.390848.259540@n60g2000hse.googlegroups.com>
   <viRoi.44$h26.19@newsfe03.lga>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185154742 5103 127.0.0.1 (23 Jul 2007 01:39:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Jul 2007 01:39:02 +0000 (UTC)
In-Reply-To: <viRoi.44$h26.19@newsfe03.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n60g2000hse.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116394
rec.radio.amateur.equipment:12394 rec.radio.amateur.boatanchors:12235

On Jul 22, 6:58 pm, "Brian Hill" <g...@it.net> wrote:
> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> news:1185125142.390848.259540@n60g2000hse.googlegroups.com...
>
>
>
>
>
> > On Jul 22, 9:14 am, "Brian Hill" <g...@it.net> wrote:
> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >>news:1185109022.688577.39830@n2g2000hse.googlegroups.com...
>
> >> > On Jul 22, 8:31 am, "Brian Hill" <g...@it.net> wrote:
> >> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >> >>news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
>
> >> >> > On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
> >> >> >> I tend to agree with you Steve. Tooling up to build five completely
> >> >> >> new
> >> >> >> R-390s for $190K would be hard to do. Fowler most certainly had
> >> >> >> access
> >> >> >> to
> >> >> >> the needed equipment and parts to do the job and that's probably a
> >> >> >> big
> >> >> >> part
> >> >> >> of why they got the job.
>
> >> >> >> --
> >> >> >> Regards
> >> >> >> B.H.
> >> >> >> Hill
> >> >> >> Amplificationhttp://webpages.charter.net/brianhill/
hillamplification.htm
>
> >> >> > Brian,
>
> >> >> > Fix all the spelling errors and you might get someone to take your
> >> >> > website seriously.
>
> >> >> > Tracy
>
> >> >> Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?
>
> >> >> BH- Hide quoted text -
>
> >> >> - Show quoted text -
>
> >> > Brian,
>
> >> > Do you put the same quality into your amps as you do to your website?
>
> >> > Tracy
>
> >> The quality of my amps are top notch. So what exactly is it your
> >> referring
> >> to?
>
> >> BH- Hide quoted text -
>
> >> - Show quoted text -
>
> > See first post....
>
> Yep there's a few misspelled words. That really gets under your skin? I bet
> you have a hard time finding a doctor you can trust, those guys are worst.
> My wife's a transcriptionist at the Mayo her in MN and she's always
> complaining about their spelling and grammar.
>
> BH- Hide quoted text -
>
> - Show quoted text -

Just passing along a little constructive advice. It's yours to take or
leave. Whatever you decide to do, don't let your wife read your
website. You will never be able to shut her up.

Tracy



From 7976932947355104803
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
```

```
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>   <46A20BF3.39AD95A5@milestones.com>
<1185042868.719816.32040@k79g2000hse.googlegroups.com>
<46A252CE.60BC9038@milestones.com>
<1185044094.490114.30250@d55g2000hsg.googlegroups.com>
<46A257FF.409EC703@milestones.com>
<1185044888.004595.57970@d55g2000hsg.googlegroups.com>
<46A25E0F.688E7529@milestones.com>   <gntoi.14$_N6.0@newsfe02.lga>
<1185084271.401051.190040@o61g2000hsh.googlegroups.com>
<p6Ioi.350$aj.68@newsfe12.lga>
<1185109022.688577.39830@n2g2000hse.googlegroups.com>
<zKIoi.2$QR4.0@newsfe05.lga>
<1185125142.390848.259540@n60g2000hse.googlegroups.com>
<viRoi.44$h26.19@newsfe03.lga>
<1185154741.931796.275860@n60g2000hse.googlegroups.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 97
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <02Uoi.84$KZ1.7@newsfe12.lga>
Date: Sun, 22 Jul 2007 21:05:50 -0500
NNTP-Posting-Host: 68.115.101.61
X-Trace: newsfe12.lga 1185156348 68.115.101.61 (Sun, 22 Jul 2007 19:05:48 MST)
NNTP-Posting-Date: Sun, 22 Jul 2007 19:05:48 MST
Xref: g2news1.google.com rec.radio.shortwave:116402
rec.radio.amateur.equipment:12395 rec.radio.amateur.boatanchors:12237


"beerbarrel" <beerbarrel@cox.net> wrote in message
news:1185154741.931796.275860@n60g2000hse.googlegroups.com...
> On Jul 22, 6:58 pm, "Brian Hill" <g...@it.net> wrote:
>> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> news:1185125142.390848.259540@n60g2000hse.googlegroups.com...
>>
>>
>>
>>
>>
>> > On Jul 22, 9:14 am, "Brian Hill" <g...@it.net> wrote:
>> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> >>news:1185109022.688577.39830@n2g2000hse.googlegroups.com...
```

```
>>
>> >> > On Jul 22, 8:31 am, "Brian Hill" <g...@it.net> wrote:
>> >> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> >> >>news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
>>
>> >> >> > On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
>> >> >> >> I tend to agree with you Steve. Tooling up to build five
>> >> >> >> completely
>> >> >> >> new
>> >> >> >> R-390s for $190K would be hard to do. Fowler most certainly had
>> >> >> >> access
>> >> >> >> to
>> >> >> >> the needed equipment and parts to do the job and that's probably
>> >> >> >> a
>> >> >> >> big
>> >> >> >> part
>> >> >> >> of why they got the job.
>>
>> >> >> >> --
>> >> >> >> Regards
>> >> >> >> B.H.
>> >> >> >> Hill
>> >> >> >> Amplificationhttp://webpages.charter.net/brianhill/
hillamplification.htm
>>
>> >> >> > Brian,
>>
>> >> >> > Fix all the spelling errors and you might get someone to take
>> >> >> > your
>> >> >> > website seriously.
>>
>> >> >> > Tracy
>>
>> >> >> Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?
>>
>> >> >> BH- Hide quoted text -
>>
>> >> >> - Show quoted text -
>>
>> >> > Brian,
>>
>> >> > Do you put the same quality into your amps as you do to your
>> >> > website?
>>
>> >> > Tracy
>>
>> >> The quality of my amps are top notch. So what exactly is it your
>> >> referring
>> >> to?
>>
>> >> BH- Hide quoted text -
>>
```

```
>> >> - Show quoted text -
>>
>> > See first post....
>>
>> Yep there's a few misspelled words. That really gets under your skin? I
>> bet
>> you have a hard time finding a doctor you can trust, those guys are
>> worst.
>> My wife's a transcriptionist at the Mayo her in MN and she's always
>> complaining about their spelling and grammar.
>>
>> BH- Hide quoted text -
>>
>> - Show quoted text -
>
> Just passing along a little constructive advice. It's yours to take or
> leave. Whatever you decide to do, don't let your wife read your
> website. You will never be able to shut her up.
>
> Tracy
>

Well you'd be surprised who I've done audio and amp work for over the last
20 years and not one ever mentioned a thing about my spelling. My reputation
gets me work, not my spelling. But thanks for caring.

BH





From 6079923232342340361
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sun, 22 Jul 2007 20:24:32 -0700
Organization: http://groups.google.com
Lines: 105
Message-ID: <1185161072.461228.203190@22g2000hsm.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
   <1185042868.719816.32040@k79g2000hse.googlegroups.com>
   <46A252CE.60BC9038@milestones.com>
   <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
   <46A257FF.409EC703@milestones.com>
   <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
   <46A25E0F.688E7529@milestones.com>
   <gntoi.14$_N6.0@newsfe02.lga>
   <1185084271.401051.190040@o61g2000hsh.googlegroups.com>
   <p6Ioi.350$aj.68@newsfe12.lga>
   <1185109022.688577.39830@n2g2000hse.googlegroups.com>
   <zKIoi.2$QR4.0@newsfe05.lga>
   <1185125142.390848.259540@n60g2000hse.googlegroups.com>
   <viRoi.44$h26.19@newsfe03.lga>
   <1185154741.931796.275860@n60g2000hse.googlegroups.com>
   <02Uoi.84$KZ1.7@newsfe12.lga>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185161072 22732 127.0.0.1 (23 Jul 2007 03:24:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Jul 2007 03:24:32 +0000 (UTC)
In-Reply-To: <02Uoi.84$KZ1.7@newsfe12.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116411
rec.radio.amateur.equipment:12396 rec.radio.amateur.boatanchors:12238

On Jul 22, 10:05 pm, "Brian Hill" <g...@it.net> wrote:
> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> news:1185154741.931796.275860@n60g2000hse.googlegroups.com...
>
>
>
>
>
> > On Jul 22, 6:58 pm, "Brian Hill" <g...@it.net> wrote:
> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >>news:1185125142.390848.259540@n60g2000hse.googlegroups.com...
>
> >> > On Jul 22, 9:14 am, "Brian Hill" <g...@it.net> wrote:
> >> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >> >>news:1185109022.688577.39830@n2g2000hse.googlegroups.com...
>
> >> >> > On Jul 22, 8:31 am, "Brian Hill" <g...@it.net> wrote:
> >> >> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >> >> >>news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
>
> >> >> >> > On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
```

> >> >> >> >> I tend to agree with you Steve. Tooling up to build five
> >> >> >> >> completely
> >> >> >> >> new
> >> >> >> >> R-390s for $190K would be hard to do. Fowler most certainly had
> >> >> >> >> access
> >> >> >> >> to
> >> >> >> >> the needed equipment and parts to do the job and that's probably
> >> >> >> >> a
> >> >> >> >> big
> >> >> >> >> part
> >> >> >> >> of why they got the job.
>
> >> >> >> >> --
> >> >> >> >> Regards
> >> >> >> >> B.H.
> >> >> >> >> Hill
> >> >> >> >> Amplificationhttp://webpages.charter.net/brianhill/
hillamplification.htm
>
> >> >> >> > Brian,
>
> >> >> >> > Fix all the spelling errors and you might get someone to take
> >> >> >> > your
> >> >> >> > website seriously.
>
> >> >> >> > Tracy
>
> >> >> >> Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?
>
> >> >> >> BH- Hide quoted text -
>
> >> >> >> - Show quoted text -
>
> >> >> > Brian,
>
> >> >> > Do you put the same quality into your amps as you do to your
> >> >> > website?
>
> >> >> > Tracy
>
> >> >> The quality of my amps are top notch. So what exactly is it your
> >> >> referring
> >> >> to?
>
> >> >> BH- Hide quoted text -
>
> >> >> - Show quoted text -
>
> >> > See first post....
>
> >> Yep there's a few misspelled words. That really gets under your skin? I
> >> bet
> >> you have a hard time finding a doctor you can trust, those guys are

> >> worst.
> >> My wife's a transcriptionist at the Mayo her in MN and she's always
> >> complaining about their spelling and grammar.
>
> >> BH- Hide quoted text -
>
> >> - Show quoted text -
>
> > Just passing along a little constructive advice. It's yours to take or
> > leave. Whatever you decide to do, don't let your wife read your
> > website. You will never be able to shut her up.
>
> > Tracy
>
> Well you'd be surprised who I've done audio and amp work for over the last
> 20 years and not one ever mentioned a thing about my spelling. My reputation
> gets me work, not my spelling. But thanks for caring.
>
> BH- Hide quoted text -
>
> - Show quoted text -

Oh OK! I did not see anyone that signed your website that I
recognized, but i'm sure that Big Bird and Elmo are very happy with
their amps. Good luck Brian....

Tracy

From -5756406259451901184
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe05.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>   <46A20BF3.39AD95A5@milestones.com>
<1185042868.719816.32040@k79g2000hse.googlegroups.com>
<46A252CE.60BC9038@milestones.com>
<1185044094.490114.30250@d55g2000hsg.googlegroups.com>
<46A257FF.409EC703@milestones.com>
<1185044888.004595.57970@d55g2000hsg.googlegroups.com>
<46A25E0F.688E7529@milestones.com>   <gntoi.14$_N6.0@newsfe02.lga>
<1185084271.401051.190040@o61g2000hsh.googlegroups.com>
<p6Ioi.350$aj.68@newsfe12.lga>

```
<1185109022.688577.39830@n2g2000hse.googlegroups.com>
<zKIoi.2$QR4.0@newsfe05.lga>
<1185125142.390848.259540@n60g2000hse.googlegroups.com>
<viRoi.44$h26.19@newsfe03.lga>
<1185154741.931796.275860@n60g2000hse.googlegroups.com>
<02Uoi.84$KZ1.7@newsfe12.lga>
<1185161072.461228.203190@22g2000hsm.googlegroups.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 123
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <zMVoi.52$QR4.40@newsfe05.lga>
X-Trace:
hikehalegljkcnnfbaignffdjoaiejclmmfdngleffpfbkhjaddlipdmdmoppjijfpihhaipaidjnhmjlk
npgodlbceilndfgpnlgebbkdkdinbiahgcmneddfmlmbaaenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 22 Jul 2007 21:03:43 MST
Date: Sun, 22 Jul 2007 23:03:23 -0500
Xref: g2news1.google.com rec.radio.shortwave:116414
rec.radio.amateur.equipment:12397 rec.radio.amateur.boatanchors:12239


"beerbarrel" <beerbarrel@cox.net> wrote in message
news:1185161072.461228.203190@22g2000hsm.googlegroups.com...
> On Jul 22, 10:05 pm, "Brian Hill" <g...@it.net> wrote:
>> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> news:1185154741.931796.275860@n60g2000hse.googlegroups.com...
>>
>>
>>
>>
>>
>> > On Jul 22, 6:58 pm, "Brian Hill" <g...@it.net> wrote:
>> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> >>news:1185125142.390848.259540@n60g2000hse.googlegroups.com...
>>
>> >> > On Jul 22, 9:14 am, "Brian Hill" <g...@it.net> wrote:
>> >> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> >> >>news:1185109022.688577.39830@n2g2000hse.googlegroups.com...
>>
>> >> >> > On Jul 22, 8:31 am, "Brian Hill" <g...@it.net> wrote:
>> >> >> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> >> >> >>news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
>>
>> >> >> >> > On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
>> >> >> >> >> I tend to agree with you Steve. Tooling up to build five
>> >> >> >> >> completely
>> >> >> >> >> new
>> >> >> >> >> R-390s for $190K would be hard to do. Fowler most certainly
>> >> >> >> >> had
>> >> >> >> >> access
>> >> >> >> >> to
>> >> >> >> >> the needed equipment and parts to do the job and that's
>> >> >> >> >> probably
>> >> >> >> >> a
>> >> >> >> >> big
>> >> >> >> >> part
>> >> >> >> >> of why they got the job.
>>
>> >> >> >> >> --
>> >> >> >> >> Regards
>> >> >> >> >> B.H.
>> >> >> >> >> Hill
>> >> >> >> >> Amplificationhttp://webpages.charter.net/brianhill/
hillamplification.htm
>>
>> >> >> >> > Brian,
>>
>> >> >> >> > Fix all the spelling errors and you might get someone to take
>> >> >> >> > your
>> >> >> >> > website seriously.
>>
>> >> >> >> > Tracy
>>
>> >> >> >> Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?
>>
>> >> >> >> BH- Hide quoted text -
>>
>> >> >> >> - Show quoted text -
>>
>> >> >> > Brian,
>>
>> >> >> > Do you put the same quality into your amps as you do to your
>> >> >> > website?
>>
>> >> >> > Tracy
>>
>> >> >> The quality of my amps are top notch. So what exactly is it your
>> >> >> referring
>> >> >> to?
>>
>> >> >> BH- Hide quoted text -
>>
>> >> >> - Show quoted text -
>>
>> >> > See first post....
>>
>> >> Yep there's a few misspelled words. That really gets under your skin?
>> >> I
>> >> bet
```

>> >> you have a hard time finding a doctor you can trust, those guys are
>> >> worst.
>> >> My wife's a transcriptionist at the Mayo her in MN and she's always
>> >> complaining about their spelling and grammar.
>>
>> >> BH- Hide quoted text -
>>
>> >> - Show quoted text -
>>
>> > Just passing along a little constructive advice. It's yours to take or
>> > leave. Whatever you decide to do, don't let your wife read your
>> > website. You will never be able to shut her up.
>>
>> > Tracy
>>
>> Well you'd be surprised who I've done audio and amp work for over the
>> last
>> 20 years and not one ever mentioned a thing about my spelling. My
>> reputation
>> gets me work, not my spelling. But thanks for caring.
>>
>> BH- Hide quoted text -
>>
>> - Show quoted text -
>
> Oh OK! I did not see anyone that signed your website that I
> recognized, but i'm sure that Big Bird and Elmo are very happy with
> their amps. Good luck Brian....
>
> Tracy
>

The site is only about a month old. You know you're the meanest girl I've
met on usenet in quite some time. Now go play and troll some other poor
bastard.

BH

BH

From -1711703327796720517
X-Google-Thread: 108122,546c7a4138e315af,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe20.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Mic Cable Adapter
Message-ID: <utb9a315ob7hn45qh3rg5537fqmoaqu21q@4ax.com>

```
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Mon, 23 Jul 2007 09:41:13 -0400
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe20.lga 1185198054 70.161.108.207 (Mon, 23 Jul 2007 06:40:54 MST)
NNTP-Posting-Date: Mon, 23 Jul 2007 06:40:54 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12398
```

Looking for an adapter to plug in a Kenwood mic w/ 8 pin round plug to convert to Icom 8 pin round plug. OR the way to rewire the Kenwood plug to match the Icom input, matching 8 volt and return audio. ? Do you need to add a capacitor to the Kenwood mic lead? Will be looking at making an adapter; any help! <k4wys@cox.net>

```
From -6768962352667777222
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 08:15:35 -0700
Organization: http://groups.google.com
Lines: 131
Message-ID: <1185203735.322389.249840@22g2000hsm.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
   <1185042868.719816.32040@k79g2000hse.googlegroups.com>
   <46A252CE.60BC9038@milestones.com>
   <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
   <46A257FF.409EC703@milestones.com>
   <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
   <46A25E0F.688E7529@milestones.com>
   <gntoi.14$_N6.0@newsfe02.lga>
   <1185084271.401051.190040@o61g2000hsh.googlegroups.com>
   <p6Ioi.350$aj.68@newsfe12.lga>
   <1185109022.688577.39830@n2g2000hse.googlegroups.com>
   <zKIoi.2$QR4.0@newsfe05.lga>
   <1185125142.390848.259540@n60g2000hse.googlegroups.com>
   <viRoi.44$h26.19@newsfe03.lga>
   <1185154741.931796.275860@n60g2000hse.googlegroups.com>
   <02Uoi.84$KZ1.7@newsfe12.lga>
   <1185161072.461228.203190@22g2000hsm.googlegroups.com>
   <zMVoi.52$QR4.40@newsfe05.lga>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185203735 14265 127.0.0.1 (23 Jul 2007 15:15:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Jul 2007 15:15:35 +0000 (UTC)
In-Reply-To: <zMVoi.52$QR4.40@newsfe05.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116435
rec.radio.amateur.equipment:12399 rec.radio.amateur.boatanchors:12240

On Jul 23, 12:03 am, "Brian Hill" <g...@it.net> wrote:
> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> news:1185161072.461228.203190@22g2000hsm.googlegroups.com...
>
>
>
>
>
> > On Jul 22, 10:05 pm, "Brian Hill" <g...@it.net> wrote:
> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >>news:1185154741.931796.275860@n60g2000hse.googlegroups.com...
>
> >> > On Jul 22, 6:58 pm, "Brian Hill" <g...@it.net> wrote:
> >> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >> >>news:1185125142.390848.259540@n60g2000hse.googlegroups.com...
>
> >> >> > On Jul 22, 9:14 am, "Brian Hill" <g...@it.net> wrote:
> >> >> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >> >> >>news:1185109022.688577.39830@n2g2000hse.googlegroups.com...
>
> >> >> >> > On Jul 22, 8:31 am, "Brian Hill" <g...@it.net> wrote:
> >> >> >> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >> >> >> >>news:1185084271.401051.190040@o61g2000hsh.googlegroups.com...
>
> >> >> >> >> > On Jul 21, 3:45 pm, "Brian Hill" <g...@it.net> wrote:
> >> >> >> >> >> I tend to agree with you Steve. Tooling up to build five
> >> >> >> >> >> completely
> >> >> >> >> >> new
> >> >> >> >> >> R-390s for $190K would be hard to do. Fowler most certainly
```

> >> >> >> >> >> had
> >> >> >> >> >> access
> >> >> >> >> >> to
> >> >> >> >> >> the needed equipment and parts to do the job and that's
> >> >> >> >> >> probably
> >> >> >> >> >> a
> >> >> >> >> >> big
> >> >> >> >> >> part
> >> >> >> >> >> of why they got the job.
>
> >> >> >> >> >> --
> >> >> >> >> >> Regards
> >> >> >> >> >> B.H.
> >> >> >> >> >> Hill
> >> >> >> >> >> Amplificationhttp://webpages.charter.net/brianhill/
hillamplification.htm
>
> >> >> >> >> > Brian,
>
> >> >> >> >> > Fix all the spelling errors and you might get someone to take
> >> >> >> >> > your
> >> >> >> >> > website seriously.
>
> >> >> >> >> > Tracy
>
> >> >> >> >> Ahh shucks Tracy! I'm too busy. How about I pay you to fix em?
>
> >> >> >> >> BH- Hide quoted text -
>
> >> >> >> >> - Show quoted text -
>
> >> >> >> > Brian,
>
> >> >> >> > Do you put the same quality into your amps as you do to your
> >> >> >> > website?
>
> >> >> >> > Tracy
>
> >> >> >> The quality of my amps are top notch. So what exactly is it your
> >> >> >> referring
> >> >> >> to?
>
> >> >> >> BH- Hide quoted text -
>
> >> >> >> - Show quoted text -
>
> >> >> > See first post....
>
> >> >> Yep there's a few misspelled words. That really gets under your skin?
> >> >> I
> >> >> bet
> >> >> you have a hard time finding a doctor you can trust, those guys are
> >> >> worst.

```
> >> >> My wife's a transcriptionist at the Mayo her in MN and she's always
> >> >> complaining about their spelling and grammar.
>
> >> >> BH- Hide quoted text -
>
> >> >> - Show quoted text -
>
> >> > Just passing along a little constructive advice. It's yours to take or
> >> > leave. Whatever you decide to do, don't let your wife read your
> >> > website. You will never be able to shut her up.
>
> >> > Tracy
>
> >> Well you'd be surprised who I've done audio and amp work for over the
> >> last
> >> 20 years and not one ever mentioned a thing about my spelling. My
> >> reputation
> >> gets me work, not my spelling. But thanks for caring.
>
> >> BH- Hide quoted text -
>
> >> - Show quoted text -
>
> > Oh OK! I did not see anyone that signed your website that I
> > recognized, but i'm sure that Big Bird and Elmo are very happy with
> > their amps. Good luck Brian....
>
> > Tracy
>
> The site is only about a month old. You know you're the meanest girl I've
> met on usenet in quite some time. Now go play and troll some other poor
> bastard.
>
> BH
>
> BH- Hide quoted text -
>
> - Show quoted text -

Geez a month? It ought to be perfect in a month! Anyway, goodluck with
learning how to use spellcheck. I know it's tough but I think you can
get the hang of it with practice.

Tracy



From -6033011753805614567
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Jul 2007 10:24:06 -0500
From: tomlr <tomlarouche@hotmail.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 11:31:03 -0400
Message-ID: <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
References: <p6Ioi.350$aj.68@newsfe12.lga>
<1185109022.688577.39830@n2g2000hse.googlegroups.com> <zKIoi.2$QR4.0@newsfe05.lga>
<1185125142.390848.259540@n60g2000hse.googlegroups.com>
<viRoi.44$h26.19@newsfe03.lga>
<1185154741.931796.275860@n60g2000hse.googlegroups.com>
<02Uoi.84$KZ1.7@newsfe12.lga>
<1185161072.461228.203190@22g2000hsm.googlegroups.com>
<zMVoi.52$QR4.40@newsfe05.lga>
<1185203735.322389.249840@22g2000hsm.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-HSTiB3jhjXPyqFOgY1QnnDC1ojODTf7ztp/
tTu0LyyboJ4WKDdpTz1ZFa7Q6bPOjUSkdUfe/g7/Mcza!
6CWA2thS1nHdyDsy4fEkenm0S+jjuXMQxrjuDE9gUO19VLlGs2lh3B3d2DIUvsXllkBblQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.shortwave:116436
rec.radio.amateur.equipment:12400 rec.radio.amateur.boatanchors:12241

On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbarrel@cox.net>
wrote:

>
>Geez a month? It ought to be perfect in a month! Anyway, goodluck with
>learning how to use spellcheck. I know it's tough but I think you can
>get the hang of it with practice.
>
>Tracy

It's "good luck", not "goodluck". You're not perfect either. Now
shut up and change your tampon.

From -1499262437393834144

```
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n2g2000hse.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 09:19:58 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1185207598.233464.131930@n2g2000hse.googlegroups.com>
References: <p6Ioi.350$aj.68@newsfe12.lga>
   <1185109022.688577.39830@n2g2000hse.googlegroups.com>
   <zKIoi.2$QR4.0@newsfe05.lga>
   <1185125142.390848.259540@n60g2000hse.googlegroups.com>
   <viRoi.44$h26.19@newsfe03.lga>
   <1185154741.931796.275860@n60g2000hse.googlegroups.com>
   <02Uoi.84$KZ1.7@newsfe12.lga>
   <1185161072.461228.203190@22g2000hsm.googlegroups.com>
   <zMVoi.52$QR4.40@newsfe05.lga>
   <1185203735.322389.249840@22g2000hsm.googlegroups.com>
   <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185207598 25876 127.0.0.1 (23 Jul 2007 16:19:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Jul 2007 16:19:58 +0000 (UTC)
In-Reply-To: <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n2g2000hse.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116439
rec.radio.amateur.equipment:12401 rec.radio.amateur.boatanchors:12242

On Jul 23, 11:31 am, tomlr <tomlarou...@hotmail.com> wrote:
> On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbar...@cox.net>
> wrote:
>
>
>
> >Geez a month? It ought to be perfect in a month! Anyway, goodluck with
> >learning how to use spellcheck. I know it's tough but I think you can
> >get the hang of it with practice.
>
> >Tracy
```

>
> It's "good luck", not "goodluck". You're not perfect either. Now
> shut up and change your tampon.

But damn close!

```
From -6150924062806409391
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <p6Ioi.350$aj.68@newsfe12.lga>
<1185109022.688577.39830@n2g2000hse.googlegroups.com>
<zKIoi.2$QR4.0@newsfe05.lga>
<1185125142.390848.259540@n60g2000hse.googlegroups.com>
<viRoi.44$h26.19@newsfe03.lga>
<1185154741.931796.275860@n60g2000hse.googlegroups.com>
<02Uoi.84$KZ1.7@newsfe12.lga>
<1185161072.461228.203190@22g2000hsm.googlegroups.com>
<zMVoi.52$QR4.40@newsfe05.lga>
<1185203735.322389.249840@22g2000hsm.googlegroups.com>
<rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
<1185207598.233464.131930@n2g2000hse.googlegroups.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <SE4pi.33$A_.24@newsfe12.lga>
Date: Mon, 23 Jul 2007 11:26:30 -0500
NNTP-Posting-Host: 68.115.101.61
X-Trace: newsfe12.lga 1185207986 68.115.101.61 (Mon, 23 Jul 2007 09:26:26 MST)
NNTP-Posting-Date: Mon, 23 Jul 2007 09:26:26 MST
Xref: g2news1.google.com rec.radio.shortwave:116440
rec.radio.amateur.equipment:12402 rec.radio.amateur.boatanchors:12243
```

"beerbarrel" <beerbarrel@cox.net> wrote in message
news:1185207598.233464.131930@n2g2000hse.googlegroups.com...

> On Jul 23, 11:31 am, tomlr <tomlarou...@hotmail.com> wrote:

```
>> On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbar...@cox.net>
>> wrote:
>>
>>
>>
>> >Geez a month? It ought to be perfect in a month! Anyway, goodluck with
>> >learning how to use spellcheck. I know it's tough but I think you can
>> >get the hang of it with practice.
>>
>> >Tracy
>>
>> It's "good luck", not "goodluck".  You're not perfect either.  Now
>> shut up and change your tampon.
>
>
> But damn close!
>

How come your such a mean woman? No love? Be nice and it'll happen for ya.
That's my advice.

BH





From -936257243783731148
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Jul 2007 11:37:30 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Mon, 23 Jul 2007 09:37:27 -0700
Subject: Re: R-390A receiver (1984 - serial #2)
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Message-ID: <C2CA2757.71034%dbowey@comcast.net>
References: <p6Ioi.350$aj.68@newsfe12.lga>
<1185109022.688577.39830@n2g2000hse.googlegroups.com>
<zKIoi.2$QR4.0@newsfe05.lga>
<1185125142.390848.259540@n60g2000hse.googlegroups.com>
<viRoi.44$h26.19@newsfe03.lga>
<1185154741.931796.275860@n60g2000hse.googlegroups.com>
<02Uoi.84$KZ1.7@newsfe12.lga>
<1185161072.461228.203190@22g2000hsm.googlegroups.com>
<zMVoi.52$QR4.40@newsfe05.lga>
<1185203735.322389.249840@22g2000hsm.googlegroups.com>
```

```
<rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
<1185207598.233464.131930@n2g2000hse.googlegroups.com>
<SE4pi.33$A_.24@newsfe12.lga>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 34
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.168.207.249
X-Trace: sv3-En5fsJNFpLLoIS/qSrjMRIQvQsYDlYdIbCxIVEmpwEhMMJv3EYubYsoY9qxe/
kW5NoYU58xUB7SP2O1!//0uvABacGV3oN/a1BAsba6MIMBfMc2erZvvbtt5x5i7Qp8L362JW/
iVP7hpgkcg7+ejrqiMBox5!0crun/etGsvBCj4l
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.shortwave:116441
rec.radio.amateur.equipment:12403 rec.radio.amateur.boatanchors:12244

On 7/23/07 9:26 AM, in article SE4pi.33$A_.24@newsfe12.lga, "Brian Hill"
<good@it.net> wrote:

>
> "beerbarrel" <beerbarrel@cox.net> wrote in message
> news:1185207598.233464.131930@n2g2000hse.googlegroups.com...
>> On Jul 23, 11:31 am, tomlr <tomlarou...@hotmail.com> wrote:
>>> On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbar...@cox.net>
>>> wrote:
>>>
>>>
>>>
>>>> Geez a month? It ought to be perfect in a month! Anyway, goodluck with
>>>> learning how to use spellcheck. I know it's tough but I think you can
>>>> get the hang of it with practice.
>>>
>>>> Tracy
>>>
>>> It's "good luck", not "goodluck".  You're not perfect either.  Now
>>> shut up and change your tampon.
>>
>>
>> But damn close!
>>
>
> How come your such a mean woman? No love? Be nice and it'll happen for ya.
> That's my advice.
>
> BH
>
>
```

With a name like Beerbarrel "her" only hope is for Popeye's brother.

```
From -3982396500301412937
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 09:39:47 -0700
Organization: http://groups.google.com
Lines: 34
Message-ID: <1185208787.571773.106010@22g2000hsm.googlegroups.com>
References: <p6Ioi.350$aj.68@newsfe12.lga>
   <1185109022.688577.39830@n2g2000hse.googlegroups.com>
   <zKIoi.2$QR4.0@newsfe05.lga>
   <1185125142.390848.259540@n60g2000hse.googlegroups.com>
   <viRoi.44$h26.19@newsfe03.lga>
   <1185154741.931796.275860@n60g2000hse.googlegroups.com>
   <02Uoi.84$KZ1.7@newsfe12.lga>
   <1185161072.461228.203190@22g2000hsm.googlegroups.com>
   <zMVoi.52$QR4.40@newsfe05.lga>
   <1185203735.322389.249840@22g2000hsm.googlegroups.com>
   <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
   <1185207598.233464.131930@n2g2000hse.googlegroups.com>
   <SE4pi.33$A_.24@newsfe12.lga>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185208787 23830 127.0.0.1 (23 Jul 2007 16:39:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Jul 2007 16:39:47 +0000 (UTC)
In-Reply-To: <SE4pi.33$A_.24@newsfe12.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116442
rec.radio.amateur.equipment:12404 rec.radio.amateur.boatanchors:12245
```

On Jul 23, 12:26 pm, "Brian Hill" <g...@it.net> wrote:

> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> news:1185207598.233464.131930@n2g2000hse.googlegroups.com...

```
>
>
>
>
>
> > On Jul 23, 11:31 am, tomlr <tomlarou...@hotmail.com> wrote:
> >> On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbar...@cox.net>
> >> wrote:
>
> >> >Geez a month? It ought to be perfect in a month! Anyway, goodluck with
> >> >learning how to use spellcheck. I know it's tough but I think you can
> >> >get the hang of it with practice.
>
> >> >Tracy
>
> >> It's "good luck", not "goodluck".  You're not perfect either.  Now
> >> shut up and change your tampon.
>
> > But damn close!
>
> How come your such a mean woman? No love? Be nice and it'll happen for ya.
> That's my advice.
>
> BH- Hide quoted text -
>
> - Show quoted text -

I'm mean because I'm a lesbian and I'm trying to get a piece from your
wife. She is such a hottie!



From -7216926372237085168
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q75g2000hsh.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 09:41:15 -0700
Organization: http://groups.google.com
Lines: 37
Message-ID: <1185208875.397381.251860@q75g2000hsh.googlegroups.com>
References: <p6Ioi.350$aj.68@newsfe12.lga>
   <1185109022.688577.39830@n2g2000hse.googlegroups.com>
   <zKIoi.2$QR4.0@newsfe05.lga>
   <1185125142.390848.259540@n60g2000hse.googlegroups.com>
   <viRoi.44$h26.19@newsfe03.lga>
   <1185154741.931796.275860@n60g2000hse.googlegroups.com>
   <02Uoi.84$KZ1.7@newsfe12.lga>
   <1185161072.461228.203190@22g2000hsm.googlegroups.com>
   <zMVoi.52$QR4.40@newsfe05.lga>
   <1185203735.322389.249840@22g2000hsm.googlegroups.com>
   <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
   <1185207598.233464.131930@n2g2000hse.googlegroups.com>
   <SE4pi.33$A_.24@newsfe12.lga>
   <C2CA2757.71034%dbowey@comcast.net>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185208875 29673 127.0.0.1 (23 Jul 2007 16:41:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Jul 2007 16:41:15 +0000 (UTC)
In-Reply-To: <C2CA2757.71034%dbowey@comcast.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q75g2000hsh.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116443
rec.radio.amateur.equipment:12405 rec.radio.amateur.boatanchors:12246

On Jul 23, 12:37 pm, Don Bowey <dbo...@comcast.net> wrote:
> On 7/23/07 9:26 AM, in article SE4pi.33$A_...@newsfe12.lga, "Brian Hill"
>
>
>
>
>
> <g...@it.net> wrote:
>
> > "beerbarrel" <beerbar...@cox.net> wrote in message
> >news:1185207598.233464.131930@n2g2000hse.googlegroups.com...
> >> On Jul 23, 11:31 am, tomlr <tomlarou...@hotmail.com> wrote:
> >>> On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbar...@cox.net>
> >>> wrote:
>
> >>>> Geez a month? It ought to be perfect in a month! Anyway, goodluck with
> >>>> learning how to use spellcheck. I know it's tough but I think you can
> >>>> get the hang of it with practice.
>
> >>>> Tracy
>
> >>> It's "good luck", not "goodluck".  You're not perfect either.  Now
> >>> shut up and change your tampon.
>
> >> But damn close!
>
> > How come your such a mean woman? No love? Be nice and it'll happen for ya.
> > That's my advice.
```

>
> > BH
>
> With a name like Beerbarrel "her" only hope is for Popeye's brother.- Hide quoted text -
>
> - Show quoted text -

Sorry, I'm a lesbian.

From 1614384275234174739
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <p6Ioi.350$aj.68@newsfe12.lga>
<1185109022.688577.39830@n2g2000hse.googlegroups.com>
<zKIoi.2$QR4.0@newsfe05.lga>
<1185125142.390848.259540@n60g2000hse.googlegroups.com>
<viRoi.44$h26.19@newsfe03.lga>
<1185154741.931796.275860@n60g2000hse.googlegroups.com>
<02Uoi.84$KZ1.7@newsfe12.lga>
<1185161072.461228.203190@22g2000hsm.googlegroups.com>
<zMVoi.52$QR4.40@newsfe05.lga>
<1185203735.322389.249840@22g2000hsm.googlegroups.com>
<rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
<1185207598.233464.131930@n2g2000hse.googlegroups.com>
<SE4pi.33$A_.24@newsfe12.lga>
<1185208787.571773.106010@22g2000hsm.googlegroups.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 48
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <g35pi.35$A_.29@newsfe12.lga>
Date: Mon, 23 Jul 2007 11:54:40 -0500
NNTP-Posting-Host: 68.115.101.61
X-Trace: newsfe12.lga 1185209676 68.115.101.61 (Mon, 23 Jul 2007 09:54:36 MST)
NNTP-Posting-Date: Mon, 23 Jul 2007 09:54:36 MST
Xref: g2news1.google.com rec.radio.shortwave:116444 rec.radio.amateur.equipment:12406 rec.radio.amateur.boatanchors:12247

```
"beerbarrel" <beerbarrel@cox.net> wrote in message
news:1185208787.571773.106010@22g2000hsm.googlegroups.com...
> On Jul 23, 12:26 pm, "Brian Hill" <g...@it.net> wrote:
>> "beerbarrel" <beerbar...@cox.net> wrote in message
>>
>> news:1185207598.233464.131930@n2g2000hse.googlegroups.com...
>>
>>
>>
>>
>>
>> > On Jul 23, 11:31 am, tomlr <tomlarou...@hotmail.com> wrote:
>> >> On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbar...@cox.net>
>> >> wrote:
>>
>> >> >Geez a month? It ought to be perfect in a month! Anyway, goodluck
>> >> >with
>> >> >learning how to use spellcheck. I know it's tough but I think you can
>> >> >get the hang of it with practice.
>>
>> >> >Tracy
>>
>> >> It's "good luck", not "goodluck".  You're not perfect either.  Now
>> >> shut up and change your tampon.
>>
>> > But damn close!
>>
>> How come your such a mean woman? No love? Be nice and it'll happen for
>> ya.
>> That's my advice.
>>
>> BH- Hide quoted text -
>>
>> - Show quoted text -
>
> I'm mean because I'm a lesbian and I'm trying to get a piece from your
> wife. She is such a hottie!
>

Your too stupid to even see how stupid your rally are. Ironically, people
like you always think their brilliant. Good day idiot. LOL!

Your right though, my wife is a hottie.

BH




From -5497834528583726228
X-Google-Thread: 114aac,4f4ef26408ca7542
```

X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Jul 2007 12:00:51 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Mon, 23 Jul 2007 10:00:50 -0700
Subject: Re: R-390A receiver (1984 - serial #2)
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Message-ID: <C2CA2CD2.71071%dbowey@comcast.net>
References: <p6Ioi.350$aj.68@newsfe12.lga>
<1185109022.688577.39830@n2g2000hse.googlegroups.com> <zKIoi.2$QR4.0@newsfe05.lga>
<1185125142.390848.259540@n60g2000hse.googlegroups.com>
<viRoi.44$h26.19@newsfe03.lga>
<1185154741.931796.275860@n60g2000hse.googlegroups.com>
<02Uoi.84$KZ1.7@newsfe12.lga>
<1185161072.461228.203190@22g2000hsm.googlegroups.com>
<zMVoi.52$QR4.40@newsfe05.lga>
<1185203735.322389.249840@22g2000hsm.googlegroups.com>
<rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
<1185207598.233464.131930@n2g2000hse.googlegroups.com>
<SE4pi.33$A_.24@newsfe12.lga> <C2CA2757.71034%dbowey@comcast.net>
<1185208875.397381.251860@q75g2000hsh.googlegroups.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 45
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.168.207.249
X-Trace: sv3-vStphrsjP/BC0vvNR+L8YykB2RLuugap+9Cib48TtdxVeRc68eo4upb+ZN3uo/
0x5ZFWHX3W+SfeA+L!
a1D6rcd8HOBcy4qgFiux8XmVMTT1rKz01oZjybB+4egoBVfrPYlcQzc2VaSaN+O5MLDfF/ErgxvJ!
cJiC1Ec3FinrxDhj
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.shortwave:116445
rec.radio.amateur.equipment:12407 rec.radio.amateur.boatanchors:12248

On 7/23/07 9:41 AM, in article
1185208875.397381.251860@q75g2000hsh.googlegroups.com, "beerbarrel"
<beerbarrel@cox.net> wrote:

> On Jul 23, 12:37 pm, Don Bowey <dbo...@comcast.net> wrote:
>> On 7/23/07 9:26 AM, in article SE4pi.33$A_...@newsfe12.lga, "Brian Hill"

```
>>
>>
>>
>>
>>
>> <g...@it.net> wrote:
>>
>>> "beerbarrel" <beerbar...@cox.net> wrote in message
>>> news:1185207598.233464.131930@n2g2000hse.googlegroups.com...
>>>> On Jul 23, 11:31 am, tomlr <tomlarou...@hotmail.com> wrote:
>>>>> On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbar...@cox.net>
>>>>> wrote:
>>
>>>>>> Geez a month? It ought to be perfect in a month! Anyway, goodluck with
>>>>>> learning how to use spellcheck. I know it's tough but I think you can
>>>>>> get the hang of it with practice.
>>
>>>>>> Tracy
>>
>>>>> It's "good luck", not "goodluck".  You're not perfect either.  Now
>>>>> shut up and change your tampon.
>>
>>>> But damn close!
>>
>>> How come your such a mean woman? No love? Be nice and it'll happen for ya.
>>> That's my advice.
>>
>>> BH
>>
>> With a name like Beerbarrel "her" only hope is for Popeye's brother.- Hide
>> quoted text -
>>
>> - Show quoted text -
>
> Sorry, I'm a lesbian.
>

Ok!   Popeye's sister then.



From 1178103353378654211
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!postnews.google.com!
m3g2000hsh.googlegroups.com!not-for-mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
```

```
Date: Mon, 23 Jul 2007 10:10:34 -0700
Organization: http://groups.google.com
Lines: 53
Message-ID: <1185210634.833306.185380@m3g2000hsh.googlegroups.com>
References: <p6Ioi.350$aj.68@newsfe12.lga>
   <1185109022.688577.39830@n2g2000hse.googlegroups.com>
   <zKIoi.2$QR4.0@newsfe05.lga>
   <1185125142.390848.259540@n60g2000hse.googlegroups.com>
   <viRoi.44$h26.19@newsfe03.lga>
   <1185154741.931796.275860@n60g2000hse.googlegroups.com>
   <02Uoi.84$KZ1.7@newsfe12.lga>
   <1185161072.461228.203190@22g2000hsm.googlegroups.com>
   <zMVoi.52$QR4.40@newsfe05.lga>
   <1185203735.322389.249840@22g2000hsm.googlegroups.com>
   <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
   <1185207598.233464.131930@n2g2000hse.googlegroups.com>
   <SE4pi.33$A_.24@newsfe12.lga>
   <1185208787.571773.106010@22g2000hsm.googlegroups.com>
   <g35pi.35$A_.29@newsfe12.lga>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185210635 2534 127.0.0.1 (23 Jul 2007 17:10:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Jul 2007 17:10:35 +0000 (UTC)
In-Reply-To: <g35pi.35$A_.29@newsfe12.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m3g2000hsh.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116447
rec.radio.amateur.equipment:12408 rec.radio.amateur.boatanchors:12249

On Jul 23, 12:54 pm, "Brian Hill" <g...@it.net> wrote:
> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> news:1185208787.571773.106010@22g2000hsm.googlegroups.com...
>
>
>
>
>
> > On Jul 23, 12:26 pm, "Brian Hill" <g...@it.net> wrote:
> >> "beerbarrel" <beerbar...@cox.net> wrote in message
>
> >>news:1185207598.233464.131930@n2g2000hse.googlegroups.com...
>
> >> > On Jul 23, 11:31 am, tomlr <tomlarou...@hotmail.com> wrote:
> >> >> On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbar...@cox.net>
> >> >> wrote:
>
```

```
> >> >> >Geez a month? It ought to be perfect in a month! Anyway, goodluck
> >> >> >with
> >> >> >learning how to use spellcheck. I know it's tough but I think you can
> >> >> >get the hang of it with practice.
>
> >> >> >Tracy
>
> >> >> It's "good luck", not "goodluck".  You're not perfect either.  Now
> >> >> shut up and change your tampon.
>
> >> > But damn close!
>
> >> How come your such a mean woman? No love? Be nice and it'll happen for
> >> ya.
> >> That's my advice.
>
> >> BH- Hide quoted text -
>
> >> - Show quoted text -
>
> > I'm mean because I'm a lesbian and I'm trying to get a piece from your
> > wife. She is such a hottie!
>
> Your too stupid to even see how stupid your rally are. Ironically, people
> like you always think their brilliant. Good day idiot. LOL!
>
> Your right though, my wife is a hottie.
>
> BH- Hide quoted text -
>
> - Show quoted text -

I'm laughing too! I must be rally stupid! Now I see why you site looks
like a two year old wrote it.
```

```
From -3993079994639250914
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Jul 2007 13:03:48 -0500
From: tomlr <tomlarouche@hotmail.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 14:10:46 -0400
Message-ID: <6lr9a3h7k318r2nsic757t07ksk8h7opga@4ax.com>
```

```
References: <02Uoi.84$KZ1.7@newsfe12.lga>
<1185161072.461228.203190@22g2000hsm.googlegroups.com>
<zMVoi.52$QR4.40@newsfe05.lga>
<1185203735.322389.249840@22g2000hsm.googlegroups.com>
<rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
<1185207598.233464.131930@n2g2000hse.googlegroups.com>
<SE4pi.33$A_.24@newsfe12.lga>
<1185208787.571773.106010@22g2000hsm.googlegroups.com>
<g35pi.35$A_.29@newsfe12.lga>
<1185210634.833306.185380@m3g2000hsh.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-yqjhcUxh0NNHX1QfwAsp6ucT3+f9wgPLkdHjTCYt8/
WztJtGJu5QfDFt83S5LliacHUuA2sh8F0igcf!
tyxi+d+FDNNUQVjlRt3j4ne8by7DL810EjGHdoJUhqSV06PRlo2cop4GrTHW5REyacnnrQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.shortwave:116448
rec.radio.amateur.equipment:12409 rec.radio.amateur.boatanchors:12250

On Mon, 23 Jul 2007 10:10:34 -0700, beerbarrel <beerbarrel@cox.net>
>> >> >> >Geez a month? It ought to be perfect in a month! Anyway, goodluck
>> >> >> >with
>> >> >> >learning how to use spellcheck. I know it's tough but I think you can
>> >> >> >get the hang of it with practice.
>>
>> >> >> >Tracy
>>
>> >> >> It's "good luck", not "goodluck".  You're not perfect either.  Now
>> >> >> shut up and change your tampon.
>>


>I'm laughing too! I must be rally stupid! Now I see why you site looks
>like a two year old wrote it.

It's "your site", not "you site".  You are a real rocket scientist.




From 116193105585414030
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m3g2000hsh.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 11:21:52 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1185214912.008936.7730@m3g2000hsh.googlegroups.com>
References: <02Uoi.84$KZ1.7@newsfe12.lga>
   <1185161072.461228.203190@22g2000hsm.googlegroups.com>
   <zMVoi.52$QR4.40@newsfe05.lga>
   <1185203735.322389.249840@22g2000hsm.googlegroups.com>
   <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
   <1185207598.233464.131930@n2g2000hse.googlegroups.com>
   <SE4pi.33$A_.24@newsfe12.lga>
   <1185208787.571773.106010@22g2000hsm.googlegroups.com>
   <g35pi.35$A_.29@newsfe12.lga>
   <1185210634.833306.185380@m3g2000hsh.googlegroups.com>
   <6lr9a3h7k318r2nsic757t07ksk8h7opga@4ax.com>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185214912 9116 127.0.0.1 (23 Jul 2007 18:21:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Jul 2007 18:21:52 +0000 (UTC)
In-Reply-To: <6lr9a3h7k318r2nsic757t07ksk8h7opga@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m3g2000hsh.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116450
rec.radio.amateur.equipment:12410 rec.radio.amateur.boatanchors:12251

On Jul 23, 2:10 pm, tomlr <tomlarou...@hotmail.com> wrote:
> On Mon, 23 Jul 2007 10:10:34 -0700, beerbarrel <beerbar...@cox.net>
>
> >> >> >> >Geez a month? It ought to be perfect in a month! Anyway, goodluck
> >> >> >> >with
> >> >> >> >learning how to use spellcheck. I know it's tough but I think you can
> >> >> >> >get the hang of it with practice.
>
> >> >> >> >Tracy
>
> >> >> >> It's "good luck", not "goodluck".  You're not perfect either.  Now
> >> >> >> shut up and change your tampon.
>
> >I'm laughing too! I must be rally stupid! Now I see why you site looks
> >like a two year old wrote it.
```

>
> It's "your site", not "you site". You are a real rocket scientist.

That was done on purpose dumbass....I guess it was too far over your
head to realize it.

From -2995410586548108483
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: msg <msg@_cybertheque.org_>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 13:33:30 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <13a9t3od55nnobc@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, ja, zh, fi, de, el, undefined, ru
MIME-Version: 1.0
References: <02Uoi.84$KZ1.7@newsfe12.lga>
<1185161072.461228.203190@22g2000hsm.googlegroups.com>
<zMVoi.52$QR4.40@newsfe05.lga>
<1185203735.322389.249840@22g2000hsm.googlegroups.com>
<rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
<1185207598.233464.131930@n2g2000hse.googlegroups.com>
<SE4pi.33$A_.24@newsfe12.lga>
<1185208787.571773.106010@22g2000hsm.googlegroups.com>
<g35pi.35$A_.29@newsfe12.lga>
<1185210634.833306.185380@m3g2000hsh.googlegroups.com>
<6lr9a3h7k318r2nsic757t07ksk8h7opga@4ax.com>
<1185214912.008936.7730@m3g2000hsh.googlegroups.com>
In-Reply-To: <1185214912.008936.7730@m3g2000hsh.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news1.google.com rec.radio.shortwave:116451
rec.radio.amateur.equipment:12411 rec.radio.amateur.boatanchors:12252

beerbarrel wrote:

>>
>>>I'm laughing too! I must be rally stupid! Now I see why you site looks
>>>like a two year old wrote it.

>>
>>It's "your site", not "you site". You are a real rocket scientist.
>
>
> That was done on purpose dumbass....I guess it was too far over your
> head to realize it.
>

It is customary to bracket sarcasm with <sarcasm></sarcasm> tags to avoid
misunderstandings ;)

Regards,

Michael

```
From 2742127706648583543
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe02.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <02Uoi.84$KZ1.7@newsfe12.lga>
<1185161072.461228.203190@22g2000hsm.googlegroups.com>
<zMVoi.52$QR4.40@newsfe05.lga>
<1185203735.322389.249840@22g2000hsm.googlegroups.com>
<rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
<1185207598.233464.131930@n2g2000hse.googlegroups.com>
<SE4pi.33$A_.24@newsfe12.lga>
<1185208787.571773.106010@22g2000hsm.googlegroups.com>
<g35pi.35$A_.29@newsfe12.lga>
<1185210634.833306.185380@m3g2000hsh.googlegroups.com>
<6lr9a3h7k318r2nsic757t07ksk8h7opga@4ax.com>
<1185214912.008936.7730@m3g2000hsh.googlegroups.com>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <1_6pi.9$l57.0@newsfe02.lga>
X-Trace:
nphhjmdkmllhpdkebaignffdjoaiejclilfhceamcdpaoggfaddlipdmdmoppjijimehbpiihlllkicgho
agfiikjpjkiegngpnlgebbkdkdinbiolhjfipmledbjjdmenfnojecgjgcfcij
NNTP-Posting-Date: Mon, 23 Jul 2007 12:05:33 MST
```

Date: Mon, 23 Jul 2007 14:05:39 -0500
Xref: g2news1.google.com rec.radio.shortwave:116453
rec.radio.amateur.equipment:12412 rec.radio.amateur.boatanchors:12253
X-Original-Bytes: 1861

"beerbarrel" <beerbarrel@cox.net> wrote in message

> That was done on purpose dumbass....I guess it was too far over your
> head to realize it.
>

Yea right. Don't you get tired of everyone rolling the beerbarrel? You most
certainly are a bona fide rocket scientist. LMFAO!!!

BH

From -8506400499907818209
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Mon, 23 Jul 2007 14:59:23 -0500
From: tomlr <tomlarouche@hotmail.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 16:06:21 -0400
Message-ID: <lc2aa398al3bphf8hf491hie725rjo3a5p@4ax.com>
References: <zMVoi.52$QR4.40@newsfe05.lga>
<1185203735.322389.249840@22g2000hsm.googlegroups.com>
<rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
<1185207598.233464.131930@n2g2000hse.googlegroups.com>
<SE4pi.33$A_.24@newsfe12.lga>
<1185208787.571773.106010@22g2000hsm.googlegroups.com>
<g35pi.35$A_.29@newsfe12.lga>
<1185210634.833306.185380@m3g2000hsh.googlegroups.com>
<6lr9a3h7k318r2nsic757t07ksk8h7opga@4ax.com>
<1185214912.008936.7730@m3g2000hsh.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
X-Usenet-Provider: http://www.giganews.com

```
X-Trace: sv3-a6LTYVC7XsoQdKfUwZtM45ObL8BJ/
XH2oiEAmLXjM9wFBHJWQEks00VdMrrToXZ5SXsd2TbaWc/+frR!
c+yLiytLKSr744ULzbZXXwi3n8WUc57k8IpLZ4w5+6MhjIIovUz7U0LA0NeFkKAHqgdxAQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.shortwave:116456
rec.radio.amateur.equipment:12413 rec.radio.amateur.boatanchors:12254

On Mon, 23 Jul 2007 11:21:52 -0700, beerbarrel <beerbarrel@cox.net>
wrote:

>On Jul 23, 2:10 pm, tomlr <tomlarou...@hotmail.com> wrote:
>> On Mon, 23 Jul 2007 10:10:34 -0700, beerbarrel <beerbar...@cox.net>
>>
>> >> >> >> >Geez a month? It ought to be perfect in a month! Anyway, goodluck
>> >> >> >> >with
>> >> >> >> >learning how to use spellcheck. I know it's tough but I think you can
>> >> >> >> >get the hang of it with practice.
>>
>> >> >> >> >Tracy
>>
>> >> >> >> It's "good luck", not "goodluck".  You're not perfect either.  Now
>> >> >> >> shut up and change your tampon.
>>
>> >I'm laughing too! I must be rally stupid! Now I see why you site looks
>> >like a two year old wrote it.
>>
>> It's "your site", not "you site".  You are a real rocket scientist.
>
>That was done on purpose dumbass....I guess it was too far over your
>head to realize it.

Yes it went over my head.  I'm not used to dealing with rocket
scientists who have nothing better to do than pick on some guy who is
trying to run a business and maintain a web site.  Go stuff your pie
hole with some doughnuts, Officer Net Cop.



From -3327249772709750316
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z24g2000prh.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
```

```
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 14:23:40 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1185225820.281777.51340@z24g2000prh.googlegroups.com>
References: <p6Ioi.350$aj.68@newsfe12.lga>
   <1185109022.688577.39830@n2g2000hse.googlegroups.com>
   <zKIoi.2$QR4.0@newsfe05.lga>
   <1185125142.390848.259540@n60g2000hse.googlegroups.com>
   <viRoi.44$h26.19@newsfe03.lga>
   <1185154741.931796.275860@n60g2000hse.googlegroups.com>
   <02Uoi.84$KZ1.7@newsfe12.lga>
   <1185161072.461228.203190@22g2000hsm.googlegroups.com>
   <zMVoi.52$QR4.40@newsfe05.lga>
   <1185203735.322389.249840@22g2000hsm.googlegroups.com>
   <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
NNTP-Posting-Host: 75.24.94.65
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185225820 16015 127.0.0.1 (23 Jul 2007 21:23:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Jul 2007 21:23:40 +0000 (UTC)
In-Reply-To: <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z24g2000prh.googlegroups.com; posting-host=75.24.94.65;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116460
rec.radio.amateur.equipment:12414 rec.radio.amateur.boatanchors:12255
```

On Jul 23, 8:31 am, tomlr <tomlarou...@hotmail.com> wrote:

> On Mon, 23 Jul 2007 08:15:35 -0700, beerbarrel <beerbar...@cox.net>
> wrote:
>
>
>
> >Geez a month? It ought to be perfect in a month! Anyway, goodluck with
> >learning how to use spellcheck. I know it's tough but I think you can
> >get the hang of it with practice.
>
> >Tracy
>
> It's "good luck", not "goodluck". You're not perfect either. Now
> shut up and change your tampon.

atulyincfontxmsgtpnits'gdlk'

Actually in Cellphone Text Message Typing it is 'gdlk'

but have alot of 'good luck' anyway ~ RHF
 .

 .
PS - Yes I know that it is "a lot" and not 'alot'
but I figured that would bother you too . . .
 .
 .
. .

```
From 3290128386721118814
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o61g2000hsh.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 17:47:40 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1185238060.235894.282950@o61g2000hsh.googlegroups.com>
References: <zMVoi.52$QR4.40@newsfe05.lga>
   <1185203735.322389.249840@22g2000hsm.googlegroups.com>
   <rci9a3112at1as6jccnpmeap4qh26s23in@4ax.com>
   <1185207598.233464.131930@n2g2000hse.googlegroups.com>
   <SE4pi.33$A_.24@newsfe12.lga>
   <1185208787.571773.106010@22g2000hsm.googlegroups.com>
   <g35pi.35$A_.29@newsfe12.lga>
   <1185210634.833306.185380@m3g2000hsh.googlegroups.com>
   <6lr9a3h7k318r2nsic757t07ksk8h7opga@4ax.com>
   <1185214912.008936.7730@m3g2000hsh.googlegroups.com>
   <lc2aa398al3bphf8hf491hie725rjo3a5p@4ax.com>
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185238060 10426 127.0.0.1 (24 Jul 2007 00:47:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Jul 2007 00:47:40 +0000 (UTC)
In-Reply-To: <lc2aa398al3bphf8hf491hie725rjo3a5p@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o61g2000hsh.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116474
rec.radio.amateur.equipment:12415 rec.radio.amateur.boatanchors:12257
```

On Jul 23, 4:06 pm, tomlr <tomlarou...@hotmail.com> wrote:

```
> On Mon, 23 Jul 2007 11:21:52 -0700, beerbarrel <beerbar...@cox.net>
> wrote:
>
>
>
>
>
> >On Jul 23, 2:10 pm, tomlr <tomlarou...@hotmail.com> wrote:
> >> On Mon, 23 Jul 2007 10:10:34 -0700, beerbarrel <beerbar...@cox.net>
>
> >> >> >> >> >Geez a month? It ought to be perfect in a month! Anyway, goodluck
> >> >> >> >> >with
> >> >> >> >> >learning how to use spellcheck. I know it's tough but I think you
can
> >> >> >> >> >get the hang of it with practice.
>
> >> >> >> >> >Tracy
>
> >> >> >> >> It's "good luck", not "goodluck".  You're not perfect either.  Now
> >> >> >> >> shut up and change your tampon.
>
> >> >I'm laughing too! I must be rally stupid! Now I see why you site looks
> >> >like a two year old wrote it.
>
> >> It's "your site", not "you site".  You are a real rocket scientist.
>
> >That was done on purpose dumbass....I guess it was too far over your
> >head to realize it.
>
> Yes it went over my head.

That was easy to see. I'll bet Bert and Ernie talk over your head too!



From 5115605734519403828
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o61g2000hsh.googlegroups.com!not-for-
mail
From:  beerbarrel <beerbarrel@cox.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Mon, 23 Jul 2007 19:39:02 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1185244742.721829.187320@o61g2000hsh.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
```

```
NNTP-Posting-Host: 24.252.195.51
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185244742 29152 127.0.0.1 (24 Jul 2007 02:39:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Jul 2007 02:39:02 +0000 (UTC)
In-Reply-To: <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o61g2000hsh.googlegroups.com; posting-host=24.252.195.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116480
rec.radio.amateur.equipment:12417 rec.radio.amateur.boatanchors:12260

On Jul 20, 5:13 pm, "druid" <dr...@msn.com> wrote:
> "Ted" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
>
> news:a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net...
>
> > eBay:http://easyurl.net/R390A
>
> WHAT A LOAD OF JUNK some guys will buy anything, I bet a trusty YB400 would
> blow it away
> I wouldn't give 5 bucks for that rubbish
> druid

Do you actually have 5 bucks?



From 8948948364108307919
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: 24 Jul 2007 10:00:04 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 24
Message-ID: <f850l4$et5$1@panix2.panix.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga> <46a1646a$0$16517$4c368faf@roadrunner.com>
<Mweoi.1005$x72.387@bignews1.bellsouth.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1185285604 13946 166.84.1.2 (24 Jul 2007 14:00:04 GMT)
```

```
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 24 Jul 2007 14:00:04 +0000 (UTC)
Xref: g2news1.google.com rec.radio.shortwave:116507
rec.radio.amateur.equipment:12418 rec.radio.amateur.boatanchors:12263

Randy or Sherry Guttery  <comcents@bellsouth.net> wrote:
>Paul E. Cater wrote:
>> I noticed a reference to sensitivity being .1 uV and I can tell you that
>> if I worked on one that was in that range I started looking about to see
>> what was wrong with it!
>
>I threw that number out as a point of comparison...  as any 390/1/A
>should perform that well as a minimum.

Incidentally, I have an R-390A here that is almost deaf on the lowest
band (.5 -1 MC).  All the other bands seem to be just fine.  Any suggestion
what the issue might be?

The other interesting thing about this set is that the balanced input seems
to be a problem even with the correct antenna source, but the unbalanced
C-connector input is okay.

Chuck Rippel worked on it and couldn't find a problem, and if HE can't find
a problem...
--scott



--
"C'est un Nagra.  C'est suisse, et tres, tres precis."


From 7343649373608744885
X-Google-Thread: 108122,c376c800fb564e86
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!6bb7efb4!not-for-mail
From: "Richard Knoppow" <dickburk@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
References: <yZ-dndgdQpEBPfzbnZ2dnUVZ_s2vnZ2d@insightbb.com>
<1181163777.357134.299020@n15g2000prd.googlegroups.com>
Subject: Re: Ferrite for spark plug noise supression?
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <DWqpi.11358$0d7.9864@newsread1.news.pas.earthlink.net>
Date: Tue, 24 Jul 2007 17:47:15 GMT
NNTP-Posting-Host: 4.232.165.32
X-Complaints-To: abuse@earthlink.net
```

X-Trace: newsread1.news.pas.earthlink.net 1185299235 4.232.165.32 (Tue, 24 Jul 2007 10:47:15 PDT)
NNTP-Posting-Date: Tue, 24 Jul 2007 10:47:15 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:477

"professorpaul" <deadgoose@comcast.net> wrote in message
news:1181163777.357134.299020@n15g2000prd.googlegroups.com...
> There also used to be "resistance wire" ignition wiring,
> but IIRC, it
> was pretty fragile.
>

There are probably resistor spark plugs available for this car. They will significantly reduce ignition noise although other remedies, such as ferrite beads, will also be helpful.

--

Richard Knoppow
Los Angeles, CA, USA
dickburk@ix.netcom.com

From 1026787809987996003
X-Google-Thread: 108122,ca4e79ac7a86ee77,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!7a5d3c59!not-for-mail
From: Jerry Franks <w4rf@att.net>
User-Agent: Thunderbird 2.0.0.5 (Windows/20070716)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Yaesu VR-500 Wideband receiver
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 2
Message-ID: <sKupi.1637$ax1.340@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 0d30c610b70fff4207443d88e56940cd
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1185314840 0d30c610b70fff4207443d88e56940cd (Tue, 24 Jul 2007 22:07:20 GMT)
NNTP-Posting-Date: Tue, 24 Jul 2007 22:07:20 GMT
Organization: AT&T Worldnet
Date: Tue, 24 Jul 2007 22:07:21 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:478

On Ebay.

```
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=012&sspagename=STRK%3AMESE%3AIT&viewitem=&item=220133504863&rd=1&rd=1


From 9059289352898691854
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Wed, 25 Jul 2007 07:43:50 -0400
From: Me Know <me@here.now>
User-Agent: Thunderbird 1.5.0.12 (X11/20070604)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
In-Reply-To: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
Message-ID: <46a73770$0$32580$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.cb:2201 rec.radio.amateur.equipment:479
rec.radio.amateur.homebrew:555

Telstar Electronics wrote:
> http://www.telstar-electronics.com/default_files/NewProductDevelopment.htm
>
Quit spamming the newsgroups!


From 4856923639002983186
X-Google-Thread: 108122,d57f1191a2bb1454,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!487604dd!not-for-mail
Reply-To: "Gerry" <w6ter-car@att.net>
From: "Gerry" <w6ter@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: 706MKIIG, SGC 500 Watt Amp & 1995 Nissan Maxima
Lines: 6
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Message-ID: <1HIpi.2703$ax1.1905@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: b53f07c87c1cf1027f0c06b644744893
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1185371965
b53f07c87c1cf1027f0c06b644744893 (Wed, 25 Jul 2007 13:59:25 GMT)
NNTP-Posting-Date: Wed, 25 Jul 2007 13:59:25 GMT
Organization: AT&T Worldnet
Date: Wed, 25 Jul 2007 13:59:25 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:480

High Sierra 1800, TM-733 144/440 all installed in a good-to-excellent 1995 Maxima GXE. 150,000 miles, meticulously maintained. Bridgestone Potenza 225/55R16's at 145,000. Amp mounted in trunk on aircraft shock absorbers. Professional installation of remoted radios. All manuals. Pictures available. $5,500 available near Albuquerque.

From -1753561236485804660
X-Google-Thread: 108122,360fd359f0557bd7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b79g2000hse.googlegroups.com!not-for-mail
From: shaultapuach@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Motorola programmin sw
Date: Thu, 26 Jul 2007 11:17:42 -0000
Organization: http://groups.google.com
Lines: 11
Message-ID: <1185448662.399249.8580@b79g2000hse.googlegroups.com>
References: <f7renr$a3p$1@nnrp.ngi.it>
NNTP-Posting-Host: 89.138.167.108
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185448662 22807 127.0.0.1 (26 Jul 2007 11:17:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 26 Jul 2007 11:17:42 +0000 (UTC)
In-Reply-To: <f7renr$a3p$1@nnrp.ngi.it>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5)
Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b79g2000hse.googlegroups.com; posting-host=89.138.167.108;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:481

its in the mcs2000 family its the euro brother of the israeli mcx838
like the mtx838 is the little brother of the mts2000

On Jul 21, 12:58 am, "Marco" <bbbb...@bbbbb.it> wrote:
> hello to all,
>
> does anyone know what sw needed for programming a Motorola MC900 UHF radio?
http://www.rigpix.com/protrx/motorola_mc900.htm
>
> tanks

From -2883429114454106652
X-Google-Thread: 108122,8094d271f9f82783,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Protecting receivers from damage from nearby transmitters
Date: Thu, 26 Jul 2007 14:11:31 -0400
Organization: MV Communications, Inc.
Lines: 29
Message-ID: <pan.2007.07.26.18.11.29.545456@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1185473491 84624 207.22.49.17 (26 Jul 2007 18:11:31 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Thu, 26 Jul 2007 18:11:31 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:482

Good afternoon...

I have several receivers and transceivers that I'm going to set up to monitor different frequencies. Then I'll use the main rig for transmitting (occasionally use the others to transmit but they'll be used for receiving 99 percent of the time).

I need to know how best to protect the front ends of the other radios from damage while I transmit, especially if I accidentally transmit on the frequencies to which they're tuned.

The main transmitter runs 200 watts and the antennas for all the radios are a few dozen feet apart, and that seems like an awful lot to go feeding into the front ends of some of the solid state rigs.

Receivers and transceivers are:
Icom IC-735
Kenwood TS-120S

Yaesu FT-1000
Kenwood TS-940
Hammarlund HQ-180A (I hope...if I find one) :-)
Zenith Transoceanic R-7000

The FT-1000 is the one that will be used most often for transmitting.

I'm not real concerned about the Hammarlund but the rest of them,
particularly the Zenith, seem somewhat vulnerable.

From 4702647366567463774
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <46A959E6.D15C6B24@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.76 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
            <yEcoi.37$NB6.33@newsfe06.lga>
            <46A20BF3.39AD95A5@milestones.com>
            <1185042868.719816.32040@k79g2000hse.googlegroups.com>
            <46A252CE.60BC9038@milestones.com>
            <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
            <46A257FF.409EC703@milestones.com>
            <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
            <46A25E0F.688E7529@milestones.com>
<1185046577.855937.280650@57g2000hsv.googlegroups.com>
<46A261EC.F06FA9CE@milestones.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Fri, 27 Jul 2007 02:35:14 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1185503714 24.110.34.161 (Thu, 26 Jul
2007 19:35:14 PDT)
NNTP-Posting-Date: Thu, 26 Jul 2007 19:35:14 PDT

Xref: g2news2.google.com rec.radio.shortwave:5686 rec.radio.amateur.equipment:483
rec.radio.amateur.boatanchors:804

dxAce wrote:
>
> I prefer to use quality equipment made by R. L. Drake.

What equipment would that be?

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 753760377553876996
X-Google-Thread: 108122,aeb568ddd729eb1d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <46A95C74.141D5033@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.76 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 8640B Signal generator for ham use died
References: <4697af0b.19778500@news.optonline.net>
<469D9B9B.7CA1BA4C@earthlink.net> <fmmck-D39F6F.13475418072007@nntp.aioe.org>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Fri, 27 Jul 2007 02:46:08 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1185504368 24.110.34.161 (Thu, 26 Jul
2007 19:46:08 PDT)
NNTP-Posting-Date: Thu, 26 Jul 2007 19:46:08 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:484

Fred McKenzie wrote:
>
> In article <469D9B9B.7CA1BA4C@earthlink.net>,
> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote:

>
> > news:sci.electronics.equipment is a newsgroup for test equipment
>
> There is also sci.electronics.repair which currently has a thread
> entitled "HP 8640B repair headaches". The OP of that thread is
> apparently refurbishing them, and may be able to provide some hints.

news:sci.electronics.equipment has a lot of people who work with and
on test equipment, and don't use the repair newsgroup becasue of the
signal to noise ratio.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From -5809635878216998023
X-Google-Thread: 108122,8094d271f9f82783
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Fri, 27 Jul 2007 15:56:41 -0500
From: "Edward Feustel" <efeustel@hughes.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.07.26.18.11.29.545456@from.qrz.com>
Subject: Re: Protecting receivers from damage from nearby transmitters
Date: Fri, 27 Jul 2007 06:51:31 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <w8idnZnzbdaWwTfbnZ2dnUVZ_tTinZ2d@giganews.com>
Lines: 43
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-ef0ziJZFit/
GxcXdSl0HaTQBqizAGyO+nFagIDxAng9gDVIHUDXPdsInBS+oVOiaGi9Ekg7FjogRsDo!
OuRUzVUHDtoe4VNPjZDqBZLOoUgWHllVtOw4lBAc5Kv834TzoRgkV8Z8sMvEMtyU1WpJqg4qXg==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:485
```

"Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote in message
news:pan.2007.07.26.18.11.29.545456@from.qrz.com...
>
> Good afternoon...
>
> I have several receivers and transceivers that I'm going to set up to
> monitor different frequencies. Then I'll use the main rig for
> transmitting (occasionally use the others to transmit but they'll be used
> for receiving 99 percent of the time).
>
> I need to know how best to protect the front ends of the other radios from
> damage while I transmit, especially if I accidentally transmit on the
> frequencies to which they're tuned.
>
> The main transmitter runs 200 watts and the antennas for all the radios
> are a few dozen feet apart, and that seems like an awful lot to go feeding
> into the front ends of some of the solid state rigs.
>
> Receivers and transceivers are:
> Icom IC-735
> Kenwood TS-120S
> Yaesu FT-1000
> Kenwood TS-940
> Hammarlund HQ-180A (I hope...if I find one) :-)
> Zenith Transoceanic R-7000
>
> The FT-1000 is the one that will be used most often for transmitting.
>
> I'm not real concerned about the Hammarlund but the rest of them,
> particularly the Zenith, seem somewhat vulnerable.
>

Rick,
I think you are wise. If you are transmitting primarily from one
transmitter,
you could put paired diodes across the inputs of the monitoring receivers
and use parallel grounding relays connected to the enabling voltage of the
transmitting transceiver. Of course you would need to disable the grounding
relay on the transmitting transceiver.

Ed, N5EI

From -7946533558696742757
X-Google-Thread: 108122,60a5ecf2b45b6cd2,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j4g2000prf.googlegroups.com!not-for-mail
From: soleilmavis <soleilmavis@yahoo.com>

```
Newsgroups: rec.radio.amateur.equipment
Subject: Mind Control and Directed Energy Weapons
Date: Fri, 27 Jul 2007 19:27:03 -0700
Organization: http://groups.google.com
Lines: 37
Message-ID: <1185589623.725134.47150@j4g2000prf.googlegroups.com>
NNTP-Posting-Host: 122.5.12.210
Mime-Version: 1.0
Content-Type: text/plain; charset="gb2312"
X-Trace: posting.google.com 1185589624 7713 127.0.0.1 (28 Jul 2007 02:27:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Jul 2007 02:27:04 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000prf.googlegroups.com; posting-host=122.5.12.210;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:486
```

Mind Control and Directed Energy Weapons

Do you know Mind Control Weapons and Brain Washing (such as CIA Mind Control Project : MKULTRA) ? Do you know voice can be transmitted to human's head from long distance(V2K)? (In 2002, the Air Force Research Laboratory patented precisely such a technology: using microwaves to send words into someone's head.)Do you know Directed Energy Weapons(such as: Electromagnetic weapons) and Non-lethal Weapons? Do you know that people's thoughts can be read now? Do you know Nano technology weapons (such as British MI5 Nano technology spy weapons which can control little spy mice from long distance)?

Such kinds of weapons have already been used covertly to torture and harass innocent, legal, unarmed and defenseless civilians for many years all over the world.

There are more than 1500 people who are suffering terribly from mind control and electromagnetic weapons torturing and harassment. Some victims were only 21-22 years old when the first time they were seriously tortured and harassed.

Have you ever imagined that there even was not one happy and peace day in the life, but only suffering for 5,10 or 20 years? Yes! Some victims died, but at the last minutes in their lives, the only thing belongs to them was still suffering.

Please come to help us by signing your support to stop these kinds of weapons torturing and harassing lawful citizens. Our goals:

(1) We wish a resolution from United Nations to stop Mind Control and Directed Energy weapons torturing and harassing.   (2) We wish all government cooperate together to sentence those torturers according to law.

More Information, please come to http://soleilmavis.googlepages.com
Blog: http://soleilmavis.spaces.live.com

```
From -8162033298066158540
X-Google-Thread: 108122,96e6b3742169793c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!lon-
transit.news.telstra.net!203.50.40.42.MISMATCH!news.telstra.net!pit-
spool.telstra.net!reader.news.telstra.net!not-for-mail
From: "Steve Kelly" <stevengen@dodo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Can anybody suggest a HF manpack set with low power consumption
Date: Sat, 28 Jul 2007 20:20:02 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Lines: 8
Message-ID: <46ab1758$0$50103$c30e37c6@pit-reader.telstra.net>
NNTP-Posting-Host: 149.135.18.147
X-Trace: 1185617752 pit-reader.telstra.net 50103 149.135.18.147:1775
Xref: g2news2.google.com rec.radio.amateur.equipment:487
```

Hi,
I'm trying to find a set that has a low standby current.The Yaesu FT817 seems to fit the bill but the standby current seems to let it down sadly (250mA squelched and 450mA on receive).I have a 2 meter handheld with all the bells and whistles (fm admittedly) which draws 10mA squelched.I would appreciate any comments and suggestions. - Steve

---

```
From -3291182833597280015
X-Google-Thread: 108122,46b4f5f828595034,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!d2519eb0!not-for-mail
From: "Ziggy" <aaa@aaa.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ten Tec Jupiter plus mic
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
```

Message-ID: <RhJqi.3287$8u1.3236@trnddc07>
Date: Sat, 28 Jul 2007 15:29:53 GMT
NNTP-Posting-Host: 70.104.239.68
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1185636593 70.104.239.68 (Sat, 28 Jul 2007 11:29:53 EDT)
NNTP-Posting-Date: Sat, 28 Jul 2007 11:29:53 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:488
X-Original-Bytes: 925

For sale Ten Tec Jupiter in excellent shape with manual (non smoker) plus
Model 705 mic. $850 for the both plus shipping.

From -5255440544295875693
X-Google-Thread: 108122,50d1831a355747e0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!19g2000hsx.googlegroups.com!not-for-mail
From: Uncle Bill <erfurth@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SGC SG-2000 REMOTE HEAD & MIC - - - For Sale
Date: Sat, 28 Jul 2007 16:17:47 -0000
Organization: http://groups.google.com
Lines: 10
Message-ID: <1185639467.625106.222220@19g2000hsx.googlegroups.com>
NNTP-Posting-Host: 66.177.9.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1185639467 10084 127.0.0.1 (28 Jul 2007 16:17:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Jul 2007 16:17:47 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5) Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 19g2000hsx.googlegroups.com; posting-host=66.177.9.35;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:489

I have an SG-2000 remote head and microphone for sale on ebay.

Click on this link to see the picture and the listing:
http://search.ebay.com/search/search.dll?from=R40&_trksid=m37&satitle=sg-2000&category0=

Thank you for looking.

Bill

```
From 2701926831901897805
X-Google-Thread: 108122,96e6b3742169793c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!news-out.readnews.com!postnews3.readnews.com!
not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can anybody suggest a HF manpack set with low power consumption
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <46ab1758$0$50103$c30e37c6@pit-reader.telstra.net>
Organization: Your Company
Message-ID: <Xns997B621AB3E53spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 28 Jul 2007 16:37:55 GMT
Lines: 20
NNTP-Posting-Host: 547432eb.news.adtechcomputers.com
X-Trace: DXC=G7D7bD_`J4`bZ<<3De[fcigC4_A5:nI@a<<=aEgO;R8g^4JdobCJ[8e5RhaQEP=M6nR?
X7U2a5ffgemfRC[RMj?oGX7R=>CCRmfX`f9^O=1cB`BTLicR4SE`c
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:490
```

> I'm trying to find a set that has a low standby current.The Yaesu FT817
> seems to fit the bill but the standby current seems to let it down sadly
> (250mA squelched and 450mA on receive).I have a 2 meter handheld with all
> the bells and whistles (fm admittedly) which draws 10mA squelched.I would
> appreciate any comments and suggestions. - Steve
>
>

Comparing the FT817 to your HT is not a fair comparison. Your Ht has far less circuitry, probably has a power save feature, and many other limitations that the FT817 does not have. The FT817 is a full featured HF radio.

For a good assessment of the FT817 current draw, and some ways to lessen it, go to: http://www.ka7oei.com/ft817_pwr.html

Ed   K7AAT

```
From -8284328626215768286
X-Google-Thread: 108122,c5474b87e05c9dc7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
nntp1.phx1.gblx.net!nntp.gblx.net!nntp.gblx.net!nntp4.phx1!newsfeed.iinet.net.au!
newsfeed.iinet.net.au!per-qv1-newsstorage1.iinet.net.au!per-qv1-
```

```
newsstorage1.iinet.net.au!per-qv1-newsreader-01.iinet.net.au!not-for-mail
Date: Sat, 28 Jul 2007 14:33:32 +0800
From: Phil <Pentode@iinet.net.au>
User-Agent: Thunderbird 2.0.0.5 (Windows/20070716)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: For Auction: National FFR-59A FFR59A Very Rare Receiver Radio
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <46ac333b$0$31418$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
NNTP-Posting-Host: 203.217.7.237
X-Trace: 1185690427 per-qv1-newsreader-01.iinet.net.au 31418 203.217.7.237
Xref: g2news2.google.com rec.radio.amateur.equipment:491
```

Item number: 120146256058

```
From -8729918967847675663
X-Google-Thread: 108122,96e6b3742169793c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can anybody suggest a HF manpack set with low power consumption
Date: Sun, 29 Jul 2007 21:13:04 -0500
Message-ID: <g8iqa35f3tgucle6kqc507e6dpjdr9uevt@4ax.com>
References: <46ab1758$0$50103$c30e37c6@pit-reader.telstra.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:492
```

try the Elecraft web site

```
From 1584000362009841250
X-Google-Thread: 108122,3beb8cd344236be,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Anonymous" <choward362@tampabay.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New unreleased Kenwood TM-D710 replacement for TM-D700A?
```

```
Date: Mon, 30 Jul 2007 08:48:09 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 23
Message-ID: <46adde0a$0$4702$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:493
```

I am looking for product features, specs, manual, etc. for this new radio from Kenwood.

The photo of the radio is shown in the advertisement on the back cover of the Aug. 2007 QST magazine.

I wonder if this is the replacement radio for the TM-D700A which has been in production for several years? Judging form the photo in QST it looks like this may be what is about to be released to replace the TM-D700A. There is not enought information in the ad to be certain but viewing the faceplate shown APRS clearly stands out in photograph of the radio.

The only thing I know about the radio is what is in the ad. I have not been able to find any information at the kenwood site nor at any dealer sites about this radio.

Kenwood or a secret dealer please let us know what we can expect from this radio and when it will be available for sale in the U.S. ... A MSRP would also be nice to know.

73's de N9ZN

```
From -4745213079162006784
X-Google-Thread: 108122,3beb8cd344236be
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Anonymous" <choward362@tampabay.rr.com>
Newsgroups: rec.radio.amateur.equipment
References: <46adde0a$0$4702$4c368faf@roadrunner.com>
Subject: Re: New unreleased Kenwood TM-D710A replacement for TM-D700A?
Date: Mon, 30 Jul 2007 09:12:06 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
```

X-RFC2646: Format=Flowed; Response
Lines: 44
Message-ID: <46ade3ad$0$8078$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:494

UPDATE!!!! (SOMETHING IS GOING OBSOLETE?)

The Radio model number is actually TM-D710A and the "A" should denote APRS functionality. I think I may have figured part of my earlier question out for myself.

So much for buying a TM-D700A old model when there seems to be a new model on the way.

ONE BIG POINT TO BE MADE>>>
I bet we shall see a drop in price for the TM-D700A radios soon and we certainly should be asking for a big price reduction if anyone plans on buying a (soon to be obsoleted?) TM-D700A.

The new TM-D710A radio is labeled "Data Communicator 144/440Mhz FM Dual Bander". Please understand it is only my assumption that the "A" in the model number stands for APRS as I assume it does in the TM-D700A model.

"Anonymous" <choward362@tampabay.rr.com> wrote in message
news:46adde0a$0$4702$4c368faf@roadrunner.com...
>I am looking for product features, specs, manual, etc. for this new radio
>from Kenwood.
>
> The photo of the radio is shown in the advertisement on the back cover of
> the Aug. 2007 QST magazine.
>
> I wonder if this is the replacement radio for the TM-D700A which has been
> in production for several years? Judging form the photo in QST it looks
> like this may be what is about to be released to replace the TM-D700A.
> There is not enought information in the ad to be certain but viewing the
> faceplate shown APRS clearly stands out in photograph of the radio.
>
> The only thing I know about the radio is what is in the ad. I have not
> been able to find any information at the kenwood site nor at any dealer
> sites about this radio.
>
> Kenwood or a secret dealer please let us know what we can expect from this
> radio and when it will be available for sale in the U.S. ... A MSRP would
> also be nice to know.
>
> 73's de N9ZN
>

From 5085350856275334364
X-Google-Thread: 108122,a39e1ec7fefe68b6,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Opinions on RM Italy amplifiers
Date: Mon, 30 Jul 2007 10:49:05 -0400
Organization: MV Communications, Inc.
Lines: 17
Message-ID: <pan.2007.07.30.14.49.04.986284@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1185806946 86064 207.22.49.17 (30 Jul 2007 14:49:06 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 30 Jul 2007 14:49:06 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:495

I have a chance to buy a used RM Italy HLA-300-V HF amplifier, which can be driven by my FT-817 and claims to be capable of as much as 300 watts out on 160 through 10.

I know that some of the older RM Italy amplifiers were known for dirty output and poor harmonic suppression, and were intended mostly for illegal use on CB, but some of their newer offerings seem to be geared for the whole HF band and I'm wondering if they have cleaned up.

I know they are still illegal to import into the USA but this one is here now and I ask no questions about how it got here.

Any opinions about RM Italy in general and this model in particular?

Thanks...

From -573158493615690089
X-Google-Thread: 108122,3beb8cd344236be
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New unreleased Kenwood TM-D710 replacement for TM-D700A?
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <rjvra31ee555l31n0e5qhbq8qfdar2thdi@4ax.com>

References: <46adde0a$0$4702$4c368faf@roadrunner.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
NNTP-Posting-Host: 17fcf0d078af1dafb756c9fc7d685c98
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1185808470
17fcf0d078af1dafb756c9fc7d685c98 (Mon, 30 Jul 2007 15:14:30 GMT)
NNTP-Posting-Date: Mon, 30 Jul 2007 15:14:30 GMT
Date: Mon, 30 Jul 2007 15:14:30 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:496

Yes, it is the replacement. Kenwood had one on display, under Plexiglas, at Dayton. They always are a bit coy about new releases for regulatory, legal, and competitive reasons until the unit is good to go. Early last fall, I saw a prototype with "TM-0000" on the front panel, and as they did not power it up, it was rather hard to guess about features.

--
Alan
WA4SCA

From -3910775536460579273
X-Google-Thread: 108122,a39e1ec7fefe68b6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Pat" <ssb4me@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.07.30.14.49.04.986284@from.qrz.com>
Subject: Re: Opinions on RM Italy amplifiers
Date: Mon, 30 Jul 2007 17:43:02 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 26
Message-ID: <46ae5b53$0$30684$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:497

JUNK !!!!!

"Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote in message
news:pan.2007.07.30.14.49.04.986284@from.qrz.com...
>
> I have a chance to buy a used RM Italy HLA-300-V HF amplifier, which can
> be driven by my FT-817 and claims to be capable of as much as 300 watts
> out on 160 through 10.
>
> I know that some of the older RM Italy amplifiers were known for dirty
> output and poor harmonic suppression, and were intended mostly for illegal
> use on CB, but some of their newer offerings seem to be geared for the
> whole HF band and I'm wondering if they have cleaned up.
>
> I know they are still illegal to import into the USA but this one is here
> now and I ask no questions about how it got here.
>
> Any opinions about RM Italy in general and this model in particular?
>
> Thanks...
>

```
From 7110724478195093041
X-Google-Thread: 108122,be55707e36660871,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe09.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: 2-ea Motorola UHF Link Equipment Full Duplex w/Duplexers
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C7D2C7.81AC0E10"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <PCuri.4028$xx1.2273@newsfe09.phx>
Date: Mon, 30 Jul 2007 16:34:31 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe09.phx 1185838639 68.96.97.57 (Mon, 30 Jul 2007 16:37:19 MST)
NNTP-Posting-Date: Mon, 30 Jul 2007 16:37:19 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:498
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C7D2C7.81AC0E10
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 2-ea Motorola UHF Link Equipment Full Duplex w/Duplexers=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250149606293&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000A_01C7D2C7.81AC0E10
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 2-ea Motorola UHF Link Equipment Full Duplex w/Duplexers </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250149606293&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250149606293&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000A_01C7D2C7.81AC0E10--



From 4793502588925621561
X-Google-Thread: 108122,a39e1ec7fefe68b6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 30 Jul 2007 18:48:24 -0500
From: "gb" <w9nogbspam@arrlspamno.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.07.30.14.49.04.986284@from.qrz.com>
Subject: Re: Opinions on RM Italy amplifiers
Date: Mon, 30 Jul 2007 18:48:07 -0500
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <ZeadnWyi_6lV5TPbnZ2dnUVZ_j-dnZ2d@comcast.com>
Lines: 41
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.14.242.165
X-Trace: sv3-RWKUJ5G6y4errwvdnyHLfaRuU+H+nYwDcNv3jJ4sy3DuO4Yq2N8wmaczrRbhLUdrO6kXz2ZqrcM9XqP!r1YOE8g3ARCfhUm7x0EARjdB5G9Yn12YHBCRBAidasG2q1awmwFC7UxDQKJaX2LNuoeUggnZh9fT!oBFMJ2fUQN9e9Ykfb3vPK/HWoUhJsg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:499

"Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com> wrote in message news:pan.2007.07.30.14.49.04.986284@from.qrz.com...

> I have a chance to buy a used RM Italy HLA-300-V HF amplifier, which can be driven by my FT-817 and claims to be capable of as much as 300 watts out on 160 through 10.
>
> I know that some of the older RM Italy amplifiers were known for dirty output and poor harmonic suppression, and were intended mostly for illegal use on CB, but some of their newer offerings seem to be geared for the whole HF band and I'm wondering if they have cleaned up.
>
> I know they are still illegal to import into the USA but this one is here now and I ask no questions about how it got here.
>
> Any opinions about RM Italy in general and this model in particular?
>
> Thanks...

RM Italy targeted the USA high powered CB market (big mistake). Those units (usually red colored) are only built for 26-30 MHz -- NO low pass filter switching.
Have you even gone to their Italian web site and looked?
http://www.rmitaly.com/home.asp
Much of it is junk for European and Middle East markets

They started an amateur radio line where they add a band switch on front panel -- HOWEVER -- I ahve NOT seen one. How to you get afilter to fit intot hat space -- doubtful that it is useful.

RM Italy has NOT not submitted their amateur units for FCC approval (spectral purity, etc.) -- which may require design changes to meet minimum requirements.

http://www.rmitaly.com/showProducts.asp?idgr=1&cat=19&NumPagRec=1

Do some GOOGLE searches, read reviews opinions on eHam.net

gb

```
From -8307142991366343135
X-Google-Thread: 108122,3beb8cd344236be
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe19.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <46adde0a$0$4702$4c368faf@roadrunner.com>
<46ade3ad$0$8078$4c368faf@roadrunner.com>
Subject: Re: New unreleased Kenwood TM-D710A replacement for TM-D700A?
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <Rhvri.6660$Uz4.519@newsfe19.lga>
Date: Mon, 30 Jul 2007 19:22:52 -0500
NNTP-Posting-Host: 74.195.53.175
X-Complaints-To: admin@cox.net
X-Trace: newsfe19.lga 1185841393 74.195.53.175 (Mon, 30 Jul 2007 17:23:13 MST)
NNTP-Posting-Date: Mon, 30 Jul 2007 17:23:13 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:500
```

"Anonymous" <choward362@tampabay.rr.com> wrote in message
news:46ade3ad$0$8078$4c368faf@roadrunner.com...

> UPDATE!!!! (SOMETHING IS GOING OBSOLETE?)
>
> The Radio model number is actually TM-D710A and the "A" should denote APRS functionality. I think I may have figured part of my
> earlier question out for myself.

The "A" actually means it for the Americas (North, Central, South) market.
European Kenwood products have an "E" suffix because,
among other things, the European 2 meter amateur band is 144-146 MHz and the 70 cm band is 430-440 MHz.
VHF/UHF equipment for the Asian market usually have no letter suffix.

73 de Glenn AA5PK

```
From 290169896916079701
X-Google-Thread: 108122,3beb8cd344236be
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in01.usenetserver.com!news.usenetserver.com!spln!extra.newsguy.com!sn-xt-sjc-02!
sn-xt-sjc-07!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-
mail
From: "Roger (K8RI)" <validaddress@my.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New unreleased Kenwood TM-D710A replacement for TM-D700A?
Date: Mon, 30 Jul 2007 21:28:35 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <604ta31cub5n8g8g5ak005taa1pvapms7q@4ax.com>
References: <46adde0a$0$4702$4c368faf@roadrunner.com>
<46ade3ad$0$8078$4c368faf@roadrunner.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 000762-4, 07/30/2007), Outbound message
X-Antivirus-Status: Clean
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.equipment:501
```

On Mon, 30 Jul 2007 09:12:06 -0400, "Anonymous"
<choward362@tampabay.rr.com> wrote:

>UPDATE!!!! (SOMETHING IS GOING OBSOLETE?)
>
>The Radio model number is actually TM-D710A and the "A" should denote APRS
>functionality. I think I may have figured part of my earlier question out
>for myself.
>
>So much for buying a TM-D700A old model when there seems to be a new model
>on the way.
>
>ONE BIG POINT TO BE MADE>>>
> I bet we shall see a drop in price for the TM-D700A radios soon and we
>certainly should be asking for a big price reduction if anyone plans on
>buying a (soon to be obsoleted?) TM-D700A.

It may be replaced but it won't be obsolete until they stop supporting
it.

```
From -3455832953125586735
X-Google-Thread: 108122,a39e1ec7fefe68b6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions on RM Italy amplifiers
Date: Tue, 31 Jul 2007 00:22:00 -0400
Organization: MV Communications, Inc.
Lines: 25
Message-ID: <pan.2007.07.31.04.21.57.899312@from.qrz.com>
References: <pan.2007.07.30.14.49.04.986284@from.qrz.com>
<ZeadnWyi_6lV5TPbnZ2dnUVZ_j-dnZ2d@comcast.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1185855721 2069 207.22.49.17 (31 Jul 2007 04:22:01 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Tue, 31 Jul 2007 04:22:01 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:502

On Mon, 30 Jul 2007 18:48:07 -0500, gb wrote:

> RM Italy targeted the USA high powered CB market (big mistake).  Those
> units (usually red colored) are only built for 26-30 MHz  -- NO low pass
> filter switching.

Right, but their newer ones (grey in color if I recall correctly) are, as
you noted below, designed for 160-10.

> They started an amateur radio line where they add a band switch on front
> panel -- HOWEVER -- I ahve NOT seen one.  How to you get  afilter to fit
> intot hat space -- doubtful that it is useful.

They look similar in size and form factor to Tokyo Hy Power HF amps which
seem to have a pretty good reputation.

> RM Italy has NOT not submitted their amateur units for FCC approval
> (spectral purity, etc.)

Of course not.  They couldn't get them approved anyway.  The FCC clings
tenaciously to that retarded rule of theirs against low-drive-power HF
amps... FT-817 and IC-703 owners be damned.  As usual, they are too lazy
to go after the real culprits so they penalize everybody.




From -8896917324696417739
X-Google-Thread: 108122,a39e1ec7fefe68b6
```

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: cowboyrjb2@webtv.net (The Cowboy)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions on RM Italy amplifiers
Date: Tue, 31 Jul 2007 04:49:55 -0700
Organization: WebTV Subscriber
Lines: 5
Message-ID: <14067-46AF21E3-15@baytvgwxn002.msntv.msn.com>
References: <pan.2007.07.31.04.21.57.899312@from.qrz.com>
NNTP-Posting-Host: baytvgwxn002.msntv.msn.com
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
     ETAsAhRdwPJonRlikrFyaOk1s5Z7TAD66gIUTFctaKWbKTyyxdbzASD72MdRgvo=
Content-Disposition: Inline
Xref: g2news2.google.com rec.radio.amateur.equipment:503
```

I've had RM's on my mobile radio. They worked well and got out pretty good. But dont bother with commercially made linears. Get a FATBOY or Eastcoast Amplifiers... Now youre talking POWER!

Cowboy 269

```
From -5550022305101560336
X-Google-Thread: 108122,fa348ca6390d69f7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!
feeder2-2.proxad.net!62.253.162.218.MISMATCH!news-in.ntli.net!newsrout1-
win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe4-
win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Theo" <theodore.twyler@ntlworld.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Agilent 312A Wavemeter/Selective Voltmeter
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <UaHri.1823$mo.719@newsfe4-win.ntli.net>
Date: Tue, 31 Jul 2007 13:55:00 GMT
NNTP-Posting-Host: 82.9.82.106
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe4-win.ntli.net 1185890100 82.9.82.106 (Tue, 31 Jul 2007 14:55:00
BST)
NNTP-Posting-Date: Tue, 31 Jul 2007 14:55:00 BST
Organization: NTL
Xref: g2news2.google.com rec.radio.amateur.equipment:504
```

Can anyone help?
I need the schematics for the power supply and
frequency counter/display units for this instrument.
Scanned copies acceptable and most welcome!
Have searched the web in vain.
Any assistance would be greatly appreciated.

From -2980602239279305449
X-Google-Thread: 108122,a39e1ec7fefe68b6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.stanford.edu!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions on RM Italy amplifiers
Date: 31 Jul 2007 14:32:38 GMT
Organization: The National Capital FreeNet
Lines: 41
Message-ID: <f8nh66$8uc$1@theodyn.ncf.ca>
References: <pan.2007.07.30.14.49.04.986284@from.qrz.com>
<ZeadnWyi_6lV5TPbnZ2dnUVZ_j-dnZ2d@comcast.com>
<pan.2007.07.31.04.21.57.899312@from.qrz.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1185892358 9164 134.117.136.48 (31 Jul 2007 14:32:38 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 31 Jul 2007 14:32:38 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:505

"Rick " (get.my.email@from.qrz.com) writes:
> On Mon, 30 Jul 2007 18:48:07 -0500, gb wrote:
>
>> RM Italy targeted the USA high powered CB market (big mistake). Those
>> units (usually red colored) are only built for 26-30 MHz -- NO low pass
>> filter switching.
>
> Right, but their newer ones (grey in color if I recall correctly) are, as
> you noted below, designed for 160-10.
>
>> They started an amateur radio line where they add a band switch on front
>> panel -- HOWEVER -- I ahve NOT seen one. How to you get afilter to fit
>> intot hat space -- doubtful that it is useful.
>
> They look similar in size and form factor to Tokyo Hy Power HF amps which
> seem to have a pretty good reputation.
>
>> RM Italy has NOT not submitted their amateur units for FCC approval

```
>> (spectral purity, etc.)
>
> Of course not.  They couldn't get them approved anyway.  The FCC clings
> tenaciously to that retarded rule of theirs against low-drive-power HF
> amps... FT-817 and IC-703 owners be damned.  As usual, they are too lazy
> to go after the real culprits so they penalize everybody.
>
>
And once again, that rule came into effect because companies and even
individuals were selling junk amplifiers for CB under the guise of
"not suitable for Class D citizen band use".

The rule has nothing to do with amateur radio, it has to do with
the illegal use of amplifiers on the citizen band.

Realistically, nobody should be giving business to a company that
sold such amplifiers, even if they are no producing legit amplifiers.
Because such companies are the reason for the rule, and feed their
pockets and you are basically giving them acceptance.

   Michael  VE2BVW





From 7399282533345518813
X-Google-Thread: 108122,a39e1ec7fefe68b6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinions on RM Italy amplifiers
Date: Tue, 31 Jul 2007 10:53:27 -0400
Organization: MV Communications, Inc.
Lines: 34
Message-ID: <pan.2007.07.31.14.53.25.353433@from.qrz.com>
References: <pan.2007.07.30.14.49.04.986284@from.qrz.com>
<ZeadnWyi_6lV5TPbnZ2dnUVZ_j-dnZ2d@comcast.com>
<pan.2007.07.31.04.21.57.899312@from.qrz.com> <f8nh66$8uc$1@theodyn.ncf.ca>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1185893607 12014 207.22.49.17 (31 Jul 2007 14:53:27 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Tue, 31 Jul 2007 14:53:27 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:506

On Tue, 31 Jul 2007 14:32:38 +0000, Michael Black wrote:

> And once again, that rule came into effect because companies and even
```

> individuals were selling junk amplifiers for CB under the guise of
> "not suitable for Class D citizen band use".
>
> The rule has nothing to do with amateur radio, it has to do with
> the illegal use of amplifiers on the citizen band.

Right. My point exactly. The FCC can't seem to figure out how to go
after the real lawbreakers so they just enact a rule that penalizes the
rest of us just to save them from having to get off their asses and go
after the bad guys.

(I was going to say "pass a rule" but that implies that we actually got to
vote on that... sorry, don't know what I was thinking...)

> Realistically, nobody should be giving business to a company that
> sold such amplifiers, even if they are no producing legit amplifiers.
> Because such companies are the reason for the rule, and feed their
> pockets and you are basically giving them acceptance.

I suppose. But, the thing is used and privately owned, so I would be
giving money to somebody who gave money to somebody (etc. through who
knows how many levels) who gave business to a company that sold such
amplifiers.

Every time you fill your car with gas you give money to somebody who gave
money to somebody (etc. etc.) who gave money to the people who murdered
your fellow citizens on 9/11. And so on.

If we had to analyze every purchase we made on the basis of who eventually
gets the money, none of us would ever buy anything.

From -313322794461501578
X-Google-Thread: 108122,fa348ca6390d69f7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <UaHri.1823$mo.719@newsfe4-win.ntli.net>
Subject: Re: Agilent 312A Wavemeter/Selective Voltmeter
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <XVLri.46910$Fc.26650@attbi_s21>
NNTP-Posting-Host: 12.219.135.201
X-Complaints-To: abuse@mchsi.com

```
X-Trace: attbi_s21 1185909495 12.219.135.201 (Tue, 31 Jul 2007 19:18:15 GMT)
NNTP-Posting-Date: Tue, 31 Jul 2007 19:18:15 GMT
Organization: AT&T ASP.att.net
Date: Tue, 31 Jul 2007 19:18:15 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:507


"Theo" <theodore.twyler@ntlworld.com> wrote in message
news:UaHri.1823$mo.719@newsfe4-win.ntli.net...
> Can anyone help?
> I need the schematics for the power supply and
> frequency counter/display units for this instrument.
> Scanned copies acceptable and most welcome!
> Have searched the web in vain.
> Any assistance would be greatly appreciated.
>
>
>If you'll give me a snail mail address, I'll get them off this week

W4ZCB





From 2114382873825193616
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x40g2000prg.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Wed, 01 Aug 2007 10:44:56 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1185990296.931236.46910@x40g2000prg.googlegroups.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
   <46a73770$0$32580$4c368faf@roadrunner.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185990297 5173 127.0.0.1 (1 Aug 2007 17:44:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 1 Aug 2007 17:44:57 +0000 (UTC)
In-Reply-To: <46a73770$0$32580$4c368faf@roadrunner.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x40g2000prg.googlegroups.com; posting-host=216.203.30.4;
```

```
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:2333 rec.radio.amateur.equipment:508
rec.radio.amateur.homebrew:661

On Jul 25, 6:43 am, Me Know <m...@here.now> wrote:
> Telstar Electronics wrote:
> >http://www.telstar-electronics.com/default_files/NewProductDevelopmen...
>
> Quit spamming the newsgroups!

Temper temper... you know your blood pressure. You should take better
care of yourself.
See the NEW VoiceMax Speech Processor at www.telstar-electronics.com




From 4221166701275456539
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 01 Aug 2007 15:20:40 -0500
Date: Wed, 01 Aug 2007 16:20:40 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.8 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<46a73770$0$32580$4c368faf@roadrunner.com>
<1185990296.931236.46910@x40g2000prg.googlegroups.com>
In-Reply-To: <1185990296.931236.46910@x40g2000prg.googlegroups.com>
X-Enigmail-Version: 0.94.1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <OKadnWW3cumFdi3bnZ2dnUVZ_jOdnZ2d@comcast.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.98.102.223
X-Trace: sv3-
xUFQTFiQLAm+RT+cEzzx6hQdaLNyHd29tBzujT5kOknrCMFUnmRfKjpN5cZKdRh0v3W586c2sQF3ijv!
KNdEVptnVNdD50rqZLa7n40Rvbyr197AWOU4BKErEdEhYJJ6CymIfHl7E7KX5bC+ZWAy952uAMp/!
lz37+HdW7Su7a9geSrq9oj5LsE2saw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
```

```
Xref: g2news2.google.com rec.radio.cb:2340 rec.radio.amateur.equipment:509
rec.radio.amateur.homebrew:662

Telstar Electronics wrote:
> On Jul 25, 6:43 am, Me Know <m...@here.now> wrote:
>> Telstar Electronics wrote:
>>> http://www.telstar-electronics.com/default_files/NewProductDevelopmen...
>> Quit spamming the newsgroups!
>
> Temper temper... you know your blood pressure. You should take better
> care of yourself.
> See the NEW VoiceMax Speech Processor at www.telstar-electronics.com
>
What a bunch of CBer crap!



From -3409753854494824645
X-Google-Thread: 108122,48192be641620a7c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-
mail
From:  eni_e2004@yahoo.it
Newsgroups: rec.radio.amateur.equipment
Subject: short range transmitting
Date: Wed, 01 Aug 2007 17:46:07 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1186015567.784169.312450@d55g2000hsg.googlegroups.com>
NNTP-Posting-Host: 213.149.101.51
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1186015568 11574 127.0.0.1 (2 Aug 2007 00:46:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Aug 2007 00:46:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5)
Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=213.149.101.51;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:510

How can I possibly send an SOS message transmitted in a short range
signal having a normal computer modem ,a computer and a radio ,or just
transmitting in morse signal . How can I do it .




From 4911365238377981113
X-Google-Thread: 108122,48192be641620a7c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 01 Aug 2007 20:21:37 -0500
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
References: <1186015567.784169.312450@d55g2000hsg.googlegroups.com>
Subject: Re: short range transmitting
Date: Wed, 1 Aug 2007 21:23:43 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <sumdnftESpY8rCzbnZ2dnUVZ_jadnZ2d@comcast.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-yhWXuFD/lhEJ9k8I9j8jwvkMY37rNJnLojmVFJFRS/
VmfWJZIwHcUl52Zk90VvYaXGvEThgXMQvPlvk!uBSjYH+V2t+OV3bsOmKJdya0097pWi/
hMXDg892XD4t61YSYUGy7MQszU7hezrGpVy/OxKzO7ow5!kEcpvKu5vKFsF8BBNlNBy2YS/jOAzYA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.amateur.equipment:511

<eni_e2004@yahoo.it> wrote in message
news:1186015567.784169.312450@d55g2000hsg.googlegroups.com...

> How can I possibly send an SOS message transmitted in a short range
> signal having a normal computer modem ,a computer and a radio ,or just
> transmitting in morse signal . How can I do it .
>

Why do u want to send this signal in the first place?

Stick your antenna in the ground!

From -3468302944323205277
X-Google-Thread: 108122,48192be641620a7c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.stanford.edu!news.kjsl.com!
ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: short range transmitting

```
Date: 2 Aug 2007 02:33:51 GMT
Organization: The National Capital FreeNet
Lines: 18
Message-ID: <f8rfqf$d5v$1@theodyn.ncf.ca>
References: <1186015567.784169.312450@d55g2000hsg.googlegroups.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1186022031 13503 134.117.136.48 (2 Aug 2007 02:33:51 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 2 Aug 2007 02:33:51 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:512
```

(eni_e2004@yahoo.it) writes:

> How can I possibly send an SOS message transmitted in a short range
> signal having a normal computer modem ,a computer and a radio ,or just
> transmitting in morse signal . How can I do it .
>

You don't.

The only reason you'd send an SOS is because you were actually in
an emergency situation, and SOS is actually specified for a certain
level of emergency (ie you can't use it if your car breaks down).

ONce you start messing with sending SOS for any reason, you risk
causing a situation, where effort will be put into finding you, only
to discover there is no emergency.

Michael VE2BVW

```
From -5277055769226496521
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i38g2000prf.googlegroups.com!not-for-
mail
From:  Arv-K7HKL <arvid.evans@gmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Wed, 01 Aug 2007 20:16:38 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1186024598.054512.272230@i38g2000prf.googlegroups.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
   <46a73770$0$32580$4c368faf@roadrunner.com>
   <1185990296.931236.46910@x40g2000prg.googlegroups.com>
   <OKadnWW3cumFdi3bnZ2dnUVZ_jOdnZ2d@comcast.com>
NNTP-Posting-Host: 65.101.78.212
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186024600 25362 127.0.0.1 (2 Aug 2007 03:16:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Aug 2007 03:16:40 +0000 (UTC)
In-Reply-To: <OKadnWW3cumFdi3bnZ2dnUVZ_jOdnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686 (x86_64); en-US; rv:1.8.1.4)
Gecko/20070509 SeaMonkey/1.1.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i38g2000prf.googlegroups.com; posting-host=65.101.78.212;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:2342 rec.radio.amateur.equipment:513
rec.radio.amateur.homebrew:665

On 1 Aug, 14:20, NoMoreSpam <Disgusted...@qrparci.org> wrote:
> Telstar Electronics wrote:
> > On Jul 25, 6:43 am, Me Know <m...@here.now> wrote:
> >> Telstar Electronics wrote:
> >>>http://www.telstar-electronics.com/default_files/NewProductDevelopmen...
> >> Quit spamming the newsgroups!
>
> > Temper temper... you know your blood pressure. You should take better
> > care of yourself.
> > See the NEW VoiceMax Speech Processor atwww.telstar-electronics.com
>
> What a bunch of CBer crap!

Quoted from the Telstar Web Site:

"Whether you're whispering or shouting, VoiceMax holds your
transceiver at 100% modulation allowing you to punch through heavy
channel traffic without sacrificing voice clarity."

So, it is for AM modulation systems.  The previous poster was
right...it is CB equipment!  Telstar says it is, so who's to argue
with that.
-.-



From -7868690258627016197
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x35g2000prf.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 02 Aug 2007 02:51:46 -0700
Organization: http://groups.google.com
```

```
Lines: 9
Message-ID: <1186048306.394073.145910@x35g2000prf.googlegroups.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
   <46a73770$0$32580$4c368faf@roadrunner.com>
   <1185990296.931236.46910@x40g2000prg.googlegroups.com>
   <OKadnWW3cumFdi3bnZ2dnUVZ_jOdnZ2d@comcast.com>
   <1186024598.054512.272230@i38g2000prf.googlegroups.com>
NNTP-Posting-Host: 76.197.227.42
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186048306 26535 127.0.0.1 (2 Aug 2007 09:51:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Aug 2007 09:51:46 +0000 (UTC)
In-Reply-To: <1186024598.054512.272230@i38g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET
CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506;
InfoPath.2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000prf.googlegroups.com; posting-host=76.197.227.42;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:2346 rec.radio.amateur.equipment:514
rec.radio.amateur.homebrew:668

On Aug 1, 10:16 pm, Arv-K7HKL <arvid.ev...@gmail.com> wrote:
> So, it is for AM modulation systems.  The previous poster was
> right...it is CB equipment!  Telstar says it is, so who's to argue
> with that.

VoiceMax works on AM, FM, or SSB modes.
See the NEW VoiceMax Speech Processor atwww.telstar-electronics.com




From 6270674410026206871
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e16g2000pri.googlegroups.com!not-for-
mail
From:  Denny <k8do@mailblocks.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 02 Aug 2007 04:26:21 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1186053981.555761.187580@e16g2000pri.googlegroups.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
   <46a73770$0$32580$4c368faf@roadrunner.com>
   <1185990296.931236.46910@x40g2000prg.googlegroups.com>
```

<OKadnWW3cumFdi3bnZ2dnUVZ_jOdnZ2d@comcast.com>
<1186024598.054512.272230@i38g2000prf.googlegroups.com>
<1186048306.394073.145910@x35g2000prf.googlegroups.com>
NNTP-Posting-Host: 97.84.159.244
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186053982 10463 127.0.0.1 (2 Aug 2007 11:26:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Aug 2007 11:26:22 +0000 (UTC)
In-Reply-To: <1186048306.394073.145910@x35g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; IEMB3; IEMB3),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e16g2000pri.googlegroups.com; posting-host=97.84.159.244;
posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:2347 rec.radio.amateur.equipment:515 rec.radio.amateur.homebrew:669

This is RRAH... We build our own junk... You are spamming us with commercial announcements we don't care about and which do not meet the charter for this usenet group...
I personally don't care if your customers are CB, or broadcast radio, or whatever - but since all you are doing is trying to drum up a sale here, which is not what this group is for, why don't you move along to where your customers are... The chances that you will make even a single sale to a member of this usenet group are less than zero...

cheers ... denny

From 1540868846634416602
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x35g2000prf.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 02 Aug 2007 10:36:58 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1186076218.262445.109600@x35g2000prf.googlegroups.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<46a73770$0$32580$4c368faf@roadrunner.com>
<1185990296.931236.46910@x40g2000prg.googlegroups.com>
<OKadnWW3cumFdi3bnZ2dnUVZ_jOdnZ2d@comcast.com>
<1186024598.054512.272230@i38g2000prf.googlegroups.com>
<1186048306.394073.145910@x35g2000prf.googlegroups.com>

```
   <1186053981.555761.187580@e16g2000pri.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186076218 19593 127.0.0.1 (2 Aug 2007 17:36:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Aug 2007 17:36:58 +0000 (UTC)
In-Reply-To: <1186053981.555761.187580@e16g2000pri.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000prf.googlegroups.com; posting-host=216.203.30.4;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.cb:2348 rec.radio.amateur.equipment:516
rec.radio.amateur.homebrew:673

On Aug 2, 6:26 am, Denny <k...@mailblocks.com> wrote:
> This is RRAH... We build our own junk... You are spamming us with
> commercial announcements we don't care about and which do not meet the
> charter for this usenet group...
> I personally don't care if your customers are CB, or broadcast radio,
> or whatever - but since all you are doing is trying to drum up a sale
> here, which is not what this group is for, why don't you  move along
> to where your customers are... The chances that you will make even a
> single sale to a member of this usenet group are less than zero...
>
> cheers  ...  denny

Dennis, thanks for your input...
See the NEW VoiceMax Speech Processor at www.telstar-electronics.com



From -8725422687728369275
X-Google-Thread: 108122,7998dc17eed8b2ea,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d30g2000prg.googlegroups.com!not-for-
mail
From:  Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RF Grounding Dilemmas
Date: Thu, 02 Aug 2007 12:59:11 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1186084751.533649.176800@d30g2000prg.googlegroups.com>
NNTP-Posting-Host: 217.150.112.99
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1186084752 11234 127.0.0.1 (2 Aug 2007 19:59:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Aug 2007 19:59:12 +0000 (UTC)
```

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
InfoPath.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d30g2000prg.googlegroups.com; posting-host=217.150.112.99;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:517

All

I have just installed a 1/2 wave G5RV dipole at approx. 30 ft above
ground. My shack is in the back of the house but on the second floor
(effectively in the roof of the house) above the garden but due to the
house design i think i would struggle to have a RF ground wire of less
than 30-40 feet.

Based on above discussions should I :

1) fit a ground rod and run this up to the shack even though its a
long way up along various walls

2) buy an articial ground unit such as the MFJ-931

3) forget about it and make do without a ground.

I am pretty thoroughly confused.

Thanks

Andy

From -5003612772459020577
X-Google-Thread: 108122,7998dc17eed8b2ea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!7eee1d3b!not-for-mail
Message-ID: <46B23F88.4040705@bellsouff.net>
From: Ed Cregger <ecregger@bellsouff.net>
User-Agent: Thunderbird 2.0.0.5 (Windows/20070716)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RF Grounding Dilemmas
References: <1186084751.533649.176800@d30g2000prg.googlegroups.com>
In-Reply-To: <1186084751.533649.176800@d30g2000prg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 38
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling

X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbokgembbnbbkandonhjkhjkaifcpaadaceif
eckepfagppmljiohahiliggidapnppmkhjcgjbchhfdnfbmibbpaiaoelopjkpllgpngigfcfmcgoc
NNTP-Posting-Date: Thu, 02 Aug 2007 16:32:35 EDT
Organization: BellSouth Internet Group
Date: Thu, 02 Aug 2007 16:33:12 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:518

Andiroo wrote:
> All
>
> I have just installed a 1/2 wave G5RV dipole at approx. 30 ft above
> ground. My shack is in the back of the house but on the second floor
> (effectively in the roof of the house) above the garden but due to the
> house design i think i would struggle to have a RF ground wire of less
> than 30-40 feet.
>
> Based on above discussions should I :
>
> 1) fit a ground rod and run this up to the shack even though its a
> long way up along various walls
>
> 2) buy an articial ground unit such as the MFJ-931
>
> 3) forget about it and make do without a ground.
>
> I am pretty thoroughly confused.
>
> Thanks
>
> Andy
>

Just operate and have fun. Finding a true RF ground is tantamount to
searching for the Holy Grail.

If your house utilizes metal radiators for heating, you might try
running a ground wire to a radiator and see if it helps.

Any antenna that requires a tuner for operation is most likely going to
have RF in the shack and on your radio. There really isn't much that you
can do about it, except juggle the length of the feedline, if you
operate mostly on one particular band.

Ed, NM2K

From 4929037952065354270
X-Google-Thread: 108122,7998dc17eed8b2ea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g12g2000prg.googlegroups.com!not-for-

mail
From: Andiroo <a.richman@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RF Grounding Dilemmas
Date: Thu, 02 Aug 2007 15:53:51 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1186095231.574767.137710@g12g2000prg.googlegroups.com>
References: <1186084751.533649.176800@d30g2000prg.googlegroups.com>
   <46B23F88.4040705@bellsouff.net>
NNTP-Posting-Host: 217.150.112.99
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186095232 1249 127.0.0.1 (2 Aug 2007 22:53:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Aug 2007 22:53:52 +0000 (UTC)
In-Reply-To: <46B23F88.4040705@bellsouff.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
InfoPath.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g12g2000prg.googlegroups.com; posting-host=217.150.112.99;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:519

Thanks for speedy response. Therefore do i just need a DC earth on the
back of the radio and ATU?

Andy

From -8347547977790774036
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn11feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <46B261D4.5090905@worldnet.att.net>
From: John Siegel <JohnASiegel@worldnet.att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.0.2) Gecko/
20030208 Netscape/7.02
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<46a73770$0$32580$4c368faf@roadrunner.com>
<1185990296.931236.46910@x40g2000prg.googlegroups.com>
<OKadnWW3cumFdi3bnZ2dnUVZ_jOdnZ2d@comcast.com>

```
<1186024598.054512.272230@i38g2000prf.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 36
Date: Thu, 02 Aug 2007 22:59:36 GMT
NNTP-Posting-Host: 12.76.5.191
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1186095576 12.76.5.191 (Thu, 02 Aug
2007 22:59:36 GMT)
NNTP-Posting-Date: Thu, 02 Aug 2007 22:59:36 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.cb:2352 rec.radio.amateur.equipment:520
rec.radio.amateur.homebrew:676



Arv-K7HKL wrote:
> On 1 Aug, 14:20, NoMoreSpam <Disgusted...@qrparci.org> wrote:
>
>>Telstar Electronics wrote:
>>
>>>On Jul 25, 6:43 am, Me Know <m...@here.now> wrote:
>>>
>>>>Telstar Electronics wrote:
>>>>
>>>>>http://www.telstar-electronics.com/default_files/NewProductDevelopmen...
>>>>
>>>>Quit spamming the newsgroups!
>>>
>>>Temper temper... you know your blood pressure. You should take better
>>>care of yourself.
>>>See the NEW VoiceMax Speech Processor atwww.telstar-electronics.com
>>
>>What a bunch of CBer crap!
>
>
> Quoted from the Telstar Web Site:
>
> "Whether you're whispering or shouting, VoiceMax holds your
> transceiver at 100% modulation allowing you to punch through heavy
> channel traffic without sacrificing voice clarity."
>
> So, it is for AM modulation systems.  The previous poster was
> right...it is CB equipment!  Telstar says it is, so who's to argue
> with that.
> _._
>
Can you name a ham transceiver made in the last twenty years that
doesn't already have a speech compressor built in?



From 1198020509293558458
```

X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@TayleorRobesin.org
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 02 Aug 2007 19:39:04 -0400
Message-ID: <rnq4b3tggsr5t3bhsno9dpnid8i4pmv7d0@4ax.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<46a73770$0$32580$4c368faf@roadrunner.com>
<1185990296.931236.46910@x40g2000prg.googlegroups.com>
<OKadnWW3cumFdi3bnZ2dnUVZ_jOdnZ2d@comcast.com>
<1186024598.054512.272230@i38g2000prf.googlegroups.com>
<46B261D4.5090905@worldnet.att.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 51
NNTP-Posting-Date: 02 Aug 2007 22:47:23 GMT
X-Complaints-To: abuse@teranews.com
X-Original-Lines: 48
Xref: g2news2.google.com rec.radio.cb:2353 rec.radio.amateur.equipment:521
rec.radio.amateur.homebrew:677

On Thu, 02 Aug 2007 22:59:36 GMT, John Siegel
<JohnASiegel@worldnet.att.net> wrote:

>
>
>Arv-K7HKL wrote:
>> On 1 Aug, 14:20, NoMoreSpam <Disgusted...@qrparci.org> wrote:
>>
>>>Telstar Electronics wrote:
>>>
>>>>On Jul 25, 6:43 am, Me Know <m...@here.now> wrote:
>>>>
>>>>>Telstar Electronics wrote:
>>>>>
>>>>>>http://www.telstar-electronics.com/default_files/NewProductDevelopmen...
>>>>>
>>>>>Quit spamming the newsgroups!
>>>>
>>>>Temper temper... you know your blood pressure. You should take better
>>>>care of yourself.
>>>>See the NEW VoiceMax Speech Processor atwww.telstar-electronics.com
>>>
>>>What a bunch of CBer crap!

```
>>
>>
>> Quoted from the Telstar Web Site:
>>
>> "Whether you're whispering or shouting, VoiceMax holds your
>> transceiver at 100% modulation allowing you to punch through heavy
>> channel traffic without sacrificing voice clarity."
>>
>> So, it is for AM modulation systems.  The previous poster was
>> right...it is CB equipment!  Telstar says it is, so who's to argue
>> with that.
>> _._
>>
>Can you name a ham transceiver made in the last twenty years that
>doesn't already have a speech compressor built in?
RCI 2950 I don't think it has one if so I don't know the control is

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

G

--
Posted via a free Usenet account from http://www.teranews.com



From -4266115494213568005
X-Google-Thread: 108122,7998dc17eed8b2ea
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!53ab2750!
not-for-mail
From: Bill Janssen <billj@ieee.org>
Reply-To:  billjNOT_THIS@ieee.org
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RF Grounding Dilemmas
References: <1186084751.533649.176800@d30g2000prg.googlegroups.com>
In-Reply-To: <1186084751.533649.176800@d30g2000prg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 31
Message-ID: <rVusi.13314$B25.4256@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956aa8b238aa2f708cb997bb5f5427f166485b28d76e552b1edfe20c34c37462eecc4
```

```
d1b5441cafd79d32cabcc80f3e709df79ebc95da44b1cc845743ce95b3ad3cfd2d857c3d3b5eebb0d0
161186b2faa660ac390e67ebd325c863793389bb5b06302bdb4716042e6b
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Fri, 03 Aug 2007 00:46:15 UTC
Date: Fri, 03 Aug 2007 00:46:15 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:522

Andiroo wrote:
> All
>
> I have just installed a 1/2 wave G5RV dipole at approx. 30 ft above
> ground. My shack is in the back of the house but on the second floor
> (effectively in the roof of the house) above the garden but due to the
> house design i think i would struggle to have a RF ground wire of less
> than 30-40 feet.
>
> Based on above discussions should I :
>
> 1) fit a ground rod and run this up to the shack even though its a
> long way up along various walls
>
> 2) buy an articial ground unit such as the MFJ-931
>
> 3) forget about it and make do without a ground.
>
> I am pretty thoroughly confused.
>
> Thanks
>
> Andy
>
>
If you use a dipole antenna you don't need a ground. I would use your
option 1. If you decide
to use a vertical antenna then you can figure your ground conductor as
part of the antenna. I did
that when I was living in a town house
Bill K7NOM


From 3884382451956379462
X-Google-Thread: 108122,3baca845ed658782,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Date: Fri, 03 Aug 2007 03:31:16 -0400
From: Ron in Radio Heaven <kc4yoy@Xcarolina.rr.com>
User-Agent: Thunderbird 2.0.0.6 (Windows/20070728)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Freq counter
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <46b2d9cb$0$31200$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:523

I'm looking for a good working freq counter
for my vintage AM ham shack.
I wouldn't mind a Nixie tube display.
I need coverage from Hf thru 6 meters,
3 mhz - 60 mhz would be nice.

Does anyone have one that they'd like to get
rid of.

73, Ron kc4yoy



From -3779865635878377121
X-Google-Thread: 108122,3beb8cd344236be
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Anonymous" <choward362@tampabay.rr.com>
Newsgroups: rec.radio.amateur.equipment
References: <46adde0a$0$4702$4c368faf@roadrunner.com>
<rjvra31ee555l31n0e5qhbq8qfdar2thdi@4ax.com>
Subject: Re: New unreleased Kenwood TM-D710 replacement for TM-D700A?
Date: Fri, 3 Aug 2007 08:18:12 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 20
Message-ID: <46b31d14$0$29699$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:524

Did you or anyone else happen to see the anticipated selling MSRP for the
radio?

73 de N9ZN
Monty
"Alan WA4SCA" <APBIDDLE@UNITED.NET> wrote in message
news:rjvra31ee555l31n0e5qhbq8qfdar2thdi@4ax.com...
> Yes, it is the replacement.  Kenwood had one on display, under
```

> Plexiglas, at Dayton. They always are a bit coy about new releases
> for regulatory, legal, and competitive reasons until the unit is good
> to go. Early last fall, I saw a prototype with "TM-0000" on the front
> panel, and as they did not power it up, it was rather hard to guess
> about features.
>
>
> --
> Alan
> WA4SCA

```
From 3332526013944143188
X-Google-Thread: 108122,3baca845ed658782
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!fd24bd7a!
not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Freq counter
References: <46b2d9cb$0$31200$4c368faf@roadrunner.com>
In-Reply-To: <46b2d9cb$0$31200$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <08Fsi.13245$ya1.596@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d49562b9a4c60c190d420d4353e19db09195da5cca4e1997951ed88d05e9a8a066defe6
a2d644eeefdd4c753b039548337079466ad0568bf6c04a007ac04dd9d6db7b2c734afec37456fc2276
3e659d920c11d10236c4e6a8c760a27df1d3727aeb4e0e47e626645705879f234862a272ef7713c069
8e33196069
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Fri, 03 Aug 2007 12:24:28 UTC
Date: Fri, 03 Aug 2007 12:24:28 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:525
```

Ron in Radio Heaven wrote:
> I'm looking for a good working freq counter
> for my vintage AM ham shack.
> I wouldn't mind a Nixie tube display.
> I need coverage from Hf thru 6 meters,
> 3 mhz - 60 mhz would be nice.
>

> Does anyone have one that they'd like to get
> rid of.
>
> 73, Ron kc4yoy

There's an HP 61571 5245L on eBay,
http://tinyurl.com/yurokw

From -9285202409394261910
X-Google-Thread: 108122,3beb8cd344236be
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn11feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New unreleased Kenwood TM-D710 replacement for TM-D700A?
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <h3a6b3hj85mgpdab0n4en1njfn29gsa7v7@4ax.com>
References: <46adde0a$0$4702$4c368faf@roadrunner.com>
<rjvra31ee555l31n0e5qhbq8qfdar2thdi@4ax.com>
<46b31d14$0$29699$4c368faf@roadrunner.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
NNTP-Posting-Host: e1e35ef6e179c72e1c7c54c523062b0c
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1186146741
e1e35ef6e179c72e1c7c54c523062b0c (Fri, 03 Aug 2007 13:12:21 GMT)
NNTP-Posting-Date: Fri, 03 Aug 2007 13:12:21 GMT
Date: Fri, 03 Aug 2007 13:12:21 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:526

Monty,

The price is one of those things they were coy about at Dayton.
However, HRO has them in stock:

1) Manufacturer: KENWOOD
Item : TM-D710A
Description : 2M/440 APRS/TNC GPS/ECHOLINK READY
YOUR HRO PRICE $599.95

and AES has the same price.

--
Alan

```
WA4SCA


From 2653385204766011587
X-Google-Thread: 108122,3beb8cd344236be
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q3g2000prf.googlegroups.com!not-for-
mail
From:  w7tax.dave@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New unreleased Kenwood TM-D710 replacement for TM-D700A?
Date: Fri, 03 Aug 2007 10:13:10 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1186161190.372800.244580@q3g2000prf.googlegroups.com>
References: <46adde0a$0$4702$4c368faf@roadrunner.com>
   <rjvra31ee555l31n0e5qhbq8qfdar2thdi@4ax.com>
   <46b31d14$0$29699$4c368faf@roadrunner.com>
   <h3a6b3hj85mgpdab0n4en1njfn29gsa7v7@4ax.com>
NNTP-Posting-Host: 170.167.4.210
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186161191 30054 127.0.0.1 (3 Aug 2007 17:13:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Aug 2007 17:13:11 +0000 (UTC)
In-Reply-To: <h3a6b3hj85mgpdab0n4en1njfn29gsa7v7@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q3g2000prf.googlegroups.com; posting-host=170.167.4.210;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.amateur.equipment:527

"In Stock?"  Hmmmmmm.   Interesting.


> However, HRO has them in stock:
> Alan
> WA4SCA




From -7347662186742434080
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g12g2000prg.googlegroups.com!not-for-
```

mail
From: Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Fri, 03 Aug 2007 14:42:16 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1186177336.511934.268650@g12g2000prg.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
NNTP-Posting-Host: 71.221.182.248
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186177337 13479 127.0.0.1 (3 Aug 2007 21:42:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Aug 2007 21:42:17 +0000 (UTC)
In-Reply-To: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g12g2000prg.googlegroups.com; posting-host=71.221.182.248;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6358 rec.radio.amateur.equipment:529 rec.antiques.radio+phono:6487 alt.radio.broadcasting:494

On Aug 3, 3:37 pm, denn...@dennmac.net (Dennis M) wrote:
> Hello radio enthusiasts,
>
> I own a General Electric "Superadio III" that I purchased new back around
> 2001. I've never had any problems with it until this June when I was
> vacationing on the beach down in Florida. The FM band suddenly went out and
> only a low static sound could be heard, but the AM band seemed to pick up
> as normal. Turning the radio off and back on again didn't fix the problem.
> But when I tried it indoors the next day, the FM seemed to pick up fine.
> But when I was at a local beach yesterday, the same thing happened.
>
> My question is, could weak batteries possibly cause this kind of behavior?
> The 6 "D" batteries it uses were put in around 2003 or 2004, and I've just
> replaced them with fresh Duracells (it also has an AC cord, BTW). I just
> assumed if it was the batteries, normally strong stations would begin to
> come in very weak -- not just not be received at all.
>
> Or, could intense heat in the direct sun possibly cause this problem? This
> radio has pretty good reception when it's working properly and I'd hate to
> think it's gone south. TIA for any input.

It's probably in need of tweaking, cleaning or maybe the screw fell
out of the antenna (mine fell out I don't know when so don't laugh too
hard. Thing's made in China/mondodogkillerland)

```
From 5081529249121510047
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Fri, 03 Aug 2007 17:05:54 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 4 Aug 2007 07:05:59 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <ZN2dnaZfoMBfOy7bnZ2dnUVZ_jmdnZ2d@giganews.com>
Lines: 28
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-W0ugIhd9UUWmckgjVOQbwB5MfMQdaOxBXjP0VzeB9c/
9Ym+E29OTa17j0uXHGchRqsEziJKURsXqEDn!jHWnaKX/liZfQXNgX+6NgD31dCLrHRWkm/
25HuyjtFddam1TjTntJAIx/9IrRHmc58YeY8rB
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6359 rec.radio.amateur.equipment:530
rec.antiques.radio+phono:6492 alt.radio.broadcasting:495


"Dennis M" <dennmac@dennmac.net> wrote in message
news:dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net...
> Hello radio enthusiasts,
>
> I own a General Electric "Superadio III" that I purchased new back around
> 2001. I've never had any problems with it until this June when I was
> vacationing on the beach down in Florida. The FM band suddenly went out
> and
> only a low static sound could be heard, but the AM band seemed to pick up
> as normal. Turning the radio off and back on again didn't fix the problem.
> But when I tried it indoors the next day, the FM seemed to pick up fine.
> But when I was at a local beach yesterday, the same thing happened.
>
```

> My question is, could weak batteries possibly cause this kind of behavior?
> The 6 "D" batteries it uses were put in around 2003 or 2004, and I've just
> replaced them with fresh Duracells (it also has an AC cord, BTW). I just
> assumed if it was the batteries, normally strong stations would begin to
> come in very weak -- not just not be received at all.
>
> Or, could intense heat in the direct sun possibly cause this problem? This
> radio has pretty good reception when it's working properly and I'd hate to
> think it's gone south. TIA for any input.

Make sure you have all the batteries installed properly. how long till it
goes out?

From -7999386763538692287
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 03 Aug 2007 17:35:46 -0500
From: "William Sommerwerck" <grizzledgeezer@comcast.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
Subject: Re: Question about GE Superadio III and batteries
Date: Fri, 3 Aug 2007 15:36:03 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
Lines: 16
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.104.146.26
X-Trace: sv3-
J56bjc6WUdPgrc4DEogiqpcy+KFTuSdY9wN7EQnV9BxP8qQEpEW9Gr5xO+ij1s1Vk3DMuBDMFFLG/Ep!
An9OznBNv94Bo0+dUMDR3+oMcGF224+PcL9u7qBxqyDoc49Tck1jeP5+iqL0z0+QR8fwpPwu1diM!
MHwxc1W0bRBqKJ1YpdBrPJrfDCdVsQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6360 rec.radio.amateur.equipment:531

rec.antiques.radio+phono:6494 alt.radio.broadcasting:496

It sounds like something connected with temperature, which could be any number of things.

Now this is a stretch, and a guess, but... Some classic GE transistor radios of 30+ years ago (such as the P975A) had completely separate AM and FM tuners. * If this is true for the SupeRadio, it might simplify troubleshooting.

I'd recommend taking a screwdriver and a can of freeze spray with you to the beach.

* GE made its own transistors, and as separating the tuners didn't increase the number of RF and IF elements required, the cost of wholly separate tuners was only a bit higher than combining them.

```
From -3874371739539856552
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!roadrunner.com!not-for-mail
Date: Fri, 03 Aug 2007 18:46:12 -0400
From: Lou D <zenith@nycap.rr.com>
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<ZN2dnaZfoMBfOy7bnZ2dnUVZ_jmdnZ2d@giganews.com>
In-Reply-To: <ZN2dnaZfoMBfOy7bnZ2dnUVZ_jmdnZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 28
Message-ID: <46b3aeec$0$16585$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.shortwave:6361 rec.radio.amateur.equipment:532
rec.antiques.radio+phono:6495 alt.radio.broadcasting:497
```

Brenda Ann wrote:

> "Dennis M" <dennmac@dennmac.net> wrote in message
> news:dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net...

```
>> Hello radio enthusiasts,
>>
>> I own a General Electric "Superadio III" that I purchased new back around
>> 2001. I've never had any problems with it until this June when I was
>> vacationing on the beach down in Florida. The FM band suddenly went out
>> and
>> only a low static sound could be heard, but the AM band seemed to pick up
>> as normal. Turning the radio off and back on again didn't fix the problem.
>> But when I tried it indoors the next day, the FM seemed to pick up fine.
>> But when I was at a local beach yesterday, the same thing happened.
>>
>> My question is, could weak batteries possibly cause this kind of behavior?
>> The 6 "D" batteries it uses were put in around 2003 or 2004, and I've just
>> replaced them with fresh Duracells (it also has an AC cord, BTW). I just
>> assumed if it was the batteries, normally strong stations would begin to
>> come in very weak -- not just not be received at all.
>>
>> Or, could intense heat in the direct sun possibly cause this problem? This
>> radio has pretty good reception when it's working properly and I'd hate to
>> think it's gone south. TIA for any input.
>
> Make sure you have all the batteries installed properly.  how long till it
> goes out?
>
>
```

```
From 6258434513332781491
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Fri, 03 Aug 2007 18:49:52 -0400
From: Lou D <zenith@nycap.rr.com>
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
In-Reply-To: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <46b3afc8$0$12226$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
```

Xref: g2news2.google.com rec.radio.shortwave:6362 rec.radio.amateur.equipment:533
rec.antiques.radio+phono:6497 alt.radio.broadcasting:498

Dennis M wrote:
> Hello radio enthusiasts,
>
> I own a General Electric "Superadio III" that I purchased new back around
> 2001. I've never had any problems with it until this June when I was
> vacationing on the beach down in Florida. The FM band suddenly went out and
> only a low static sound could be heard, but the AM band seemed to pick up
> as normal. Turning the radio off and back on again didn't fix the problem.
> But when I tried it indoors the next day, the FM seemed to pick up fine.
> But when I was at a local beach yesterday, the same thing happened.
>
> My question is, could weak batteries possibly cause this kind of behavior?
> The 6 "D" batteries it uses were put in around 2003 or 2004, and I've just
> replaced them with fresh Duracells (it also has an AC cord, BTW). I just
> assumed if it was the batteries, normally strong stations would begin to
> come in very weak -- not just not be received at all.
>
> Or, could intense heat in the direct sun possibly cause this problem? This
> radio has pretty good reception when it's working properly and I'd hate to
> think it's gone south. TIA for any input.

Sounds like a heat related problem. I have one of these I bought at the
Salvation Army in new condition for $5 I use for a work radio on
construction jobs. What a great sounding radio and so easy on batteries.

From 6329429579244580497
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Fri, 03 Aug 2007 19:32:54 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
<qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 4 Aug 2007 09:33:00 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>

Lines: 29
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-
VIvAeAHRiGELxxGQ7LCOTFYXSk9Rhuep6QtuaGL468Zeihucnn4G4OQapwnmYIZt7WIy1pOZS6e+GAJ!/
DANPsDeiNMTj/N7hJhpl6VmhARMnKkuUZS4WU0i+t7ukwLYxSdhuxoUAk2RhqcPrmLoQycZ
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news2.google.com rec.radio.shortwave:6367 rec.radio.amateur.equipment:535
rec.antiques.radio+phono:6507 alt.radio.broadcasting:500

"William Sommerwerck" <grizzledgeezer@comcast.net> wrote in message
news:qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com...
> It sounds like something connected with temperature, which could be any
> number of things.
>
> Now this is a stretch, and a guess, but... Some classic GE transistor
> radios
> of 30+ years ago (such as the P975A) had completely separate AM and FM
> tuners. * If this is true for the SupeRadio, it might simplify
> troubleshooting.
>
> I'd recommend taking a screwdriver and a can of freeze spray with you to
> the
> beach.
>
> * GE made its own transistors, and as separating the tuners didn't
> increase
> the number of RF and IF elements required, the cost of wholly separate
> tuners was only a bit higher than combining them.

The SRIII doesn't have a tuner at all. It's a supremely crappy varactor
tuned set. If only the FM is going out, it's likely that the heat is
building up enough that the LO is failing. One thing to try is take a white
towel with you the next time you go out, and fold it over at least once and
let it on top of the radio to prevent the UV from the sun reaching that
lovely black (solar collector) cabinet.

From 3795986001115489025
X-Google-Thread: 108122,d55cbc4c09112428,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: F.A. Vintage Wood Desk Top Radios
From: Donnie <n4jzh@homexpressway.net>
Date: Fri, 03 Aug 2007 22:14:48 -0400
Message-ID: <s7o7b3hcgam8ct5hmapno5a1nj30p9a3pc@4ax.com>

```
Lines: 7
NNTP-Posting-Host: 64.53.5.33
Organization: Info Avenue Internet Services, LLC
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-out.spamkiller.net!sp12lax.superfeed.net!news-
in1.superfeed.net!news.infoave.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news04.infoave.net 1186193713 24329 64.53.5.33 (4 Aug 2007 02:15:13 GMT)
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Sat, 4 Aug 2007 02:15:13 +0000 (UTC)
X-Newsreader: Forte Agent 4.2/32.1118
Xref: g2news2.google.com rec.radio.amateur.equipment:536
X-Original-Bytes: 1032

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=230158673955&ssPageName=STRK:MESE:IT&ih=013


http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=230158665283&ssPageName=STRK:MESE:IT&ih=013


http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=230158659436&ssPageName=STRK:MESE:IT&ih=013



From 8634849652322880259
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q3g2000prf.googlegroups.com!not-for-
mail
From:  ibocisacrock@yahoo.com
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio
.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Fri, 03 Aug 2007 20:28:49 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1186198129.684802.199990@q3g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
NNTP-Posting-Host: 205.188.116.76
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186198130 12198 127.0.0.1 (4 Aug 2007 03:28:50 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Sat, 4 Aug 2007 03:28:50 +0000 (UTC)
In-Reply-To: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows 98),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.1.1 [uScMs f p eN:t cCMp s]), HTTP/1.1 spider-dtc-tf08.proxy.aol.com[CDBC70A8] (Prism/1.2.1), HTTP/1.1 cache-dtc-ab12.proxy.aol.com[CDBC744C] (Traffic-Server/6.1.5 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: q3g2000prf.googlegroups.com; posting-host=205.188.116.76;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6371 rec.radio.amateur.equipment:538 rec.antiques.radio+phono:6516 alt.radio.broadcasting:502

On Aug 3, 5:37?pm, denn...@dennmac.net (Dennis M) wrote:
> Hello radio enthusiasts,
>
> I own a General Electric "Superadio III" that I purchased new back around
> 2001. I've never had any problems with it until this June when I was
> vacationing on the beach down in Florida. The FM band suddenly went out and
> only a low static sound could be heard, but the AM band seemed to pick up
> as normal. Turning the radio off and back on again didn't fix the problem.
> But when I tried it indoors the next day, the FM seemed to pick up fine.
> But when I was at a local beach yesterday, the same thing happened.
>
> My question is, could weak batteries possibly cause this kind of behavior?
> The 6 "D" batteries it uses were put in around 2003 or 2004, and I've just
> replaced them with fresh Duracells (it also has an AC cord, BTW). I just
> assumed if it was the batteries, normally strong stations would begin to
> come in very weak -- not just not be received at all.
>
> Or, could intense heat in the direct sun possibly cause this problem? This
> radio has pretty good reception when it's working properly and I'd hate to
> think it's gone south. TIA for any input.

The radio is Chinese-made garbage - the Eton/Grindig/Tecsun radios are garbage too...

From -5605211805197901165
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m37g2000prh.googlegroups.com!not-for-mail
From: RHF <rhf-newsgroups@pacbell.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting

Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 04 Aug 2007 04:30:28 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1186227028.582664.29660@m37g2000prh.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <qtadnSKAhsRfMC7bnZ2dnUVZ_ramnZ2d@comcast.com>
   <vOudndhiV7yqVC7bnZ2dnUVZ_uygnZ2d@giganews.com>
   <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
NNTP-Posting-Host: 67.116.242.178
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186227029 27928 127.0.0.1 (4 Aug 2007 11:30:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Aug 2007 11:30:29 +0000 (UTC)
In-Reply-To: <dennmac-ya02408000R0308072149330001@NNTP.InfoAve.Net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12; SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m37g2000prh.googlegroups.com; posting-host=67.116.242.178;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6392 rec.radio.amateur.equipment:540 rec.antiques.radio+phono:6522 alt.radio.broadcasting:504

On Aug 3, 7:49 pm, denn...@dennmac.net (Dennis M) wrote:
> In article <vOudndhiV7yqVC7bnZ2dnUVZ_uygn...@giganews.com>, "Brenda Ann"
>
> <bren...@shinbiro.com> wrote:
> >The SRIII doesn't have a tuner at all. It's a supremely crappy varactor
> >tuned set. If only the FM is going out, it's likely that the heat is
> >building up enough that the LO is failing. One thing to try is take a white
> >towel with you the next time you go out, and fold it over at least once and
> >let it on top of the radio to prevent the UV from the sun reaching that
> >lovely black (solar collector) cabinet.
>
> I'm going to try that but if the problem keeps up I may just buy another
> one of these babies,

- looks like some vendor on Amazon is selling them for
- $46.44 (and evidently, they're called "RCA" radios now).

http://ec1.images-amazon.com/images/I/41g75Dl9qyL._SS500_.jpg

>
> Some people might swear off this model or even the brand if they had a
> problem like mine but I figure if a portable radio lasts a good 7 years and
> after you've drug it through hell & half of Georgia you've gotten your
> money's worth.

From -2893999813793786800
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!ecngs!feeder2.ecngs.de!feeder.erje.net!news2.arglkargh.de!news.n-ix.net!Quza.UK.peer!nntp.gblx.net!nntptest.gethome.no!news.get.no!not-for-mail
From: "Knut Otterbeck" <knut.otterbeck@chello.no>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 4 Aug 2007 15:18:21 +0200
Organization: GET AS
Lines: 43
Message-ID: <f91u7n$90o$1@news.get.no>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net> <1186198129.684802.199990@q3g2000prf.googlegroups.com> <dennmac-ya02408000R0408070436160001@NNTP.InfoAve.Net>
NNTP-Posting-Host: cm-84.208.108.065.chello.no
X-Trace: news.get.no 1186233399 9240 84.208.108.65 (4 Aug 2007 13:16:39 GMT)
X-Complaints-To: abuse@chello.no
NNTP-Posting-Date: Sat, 4 Aug 2007 13:16:39 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.shortwave:6396 rec.radio.amateur.equipment:541 rec.antiques.radio+phono:6525 alt.radio.broadcasting:508

I like the great sound on FM and the good reception on AM in a radio that it costs little next to nothing. A combination hard to find elsewhere...

The large built-in antenna (AM ferrite-bar) makes for good AM-reception, an the "well balanced" (though very cheap) set of speakers makes the sound unmatched for a light footprint radio this cheap.

I do have better sounding portable radios (older, genuine Grundig Satellit's) but they are totally different class and price range all together.

Greetings,
Knut Otterbeck

"Dennis M" <dennmac@dennmac.net> skrev i melding

news:dennmac-ya02408000R0408070436160001@NNTP.InfoAve.Net...
> In article <1186198129.684802.199990@q3g2000prf.googlegroups.com>,
> ibocisacrock@yahoo.com wrote:
>
>>The radio is Chinese-made garbage - the Eton/Grindig/Tecsun radios are
> garbage too...
>
> Just curious, what do you consider "not garbage" -- some exotic radio you
> shelled out $500 for?
>
> Or built by you in your basement with your very own schematics?
>
> Not everybody's into that.
>
> About 90% of the people who own this radio on Amazon agree it's by far the
> best sounding portable radio available for the money if you can live with
> a
> rotary tuning wheel and without a lot of digital bells & whistles.
>
> They rate its AM reception particularly high and most thought the FM was
> almost as good.
>
> But thanks anyway for sharing.

From -6655267201181992690
X-Google-Thread: 108122,a7c98aa29cb5ca50,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe22.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Berryville Hamfest
Message-ID: <h209b39ior63u745ubk28vfnchp0bu17l3@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Sat, 04 Aug 2007 09:34:36 -0400
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe22.lga 1186234468 70.161.108.207 (Sat, 04 Aug 2007 06:34:28 MST)
NNTP-Posting-Date: Sat, 04 Aug 2007 06:34:28 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:542

SHORT 75/40M DIPOLE
75/40 Meter Coil Loaded Dipole, less than 85 ft. In length, similar to
the Alpha Delta DX-DD but made with 12 & 14 gauge hard drawn copper

wire not soft house wire, Pre-tuned to the voice segments of the 75/40
meter bands. Coax fed and can be hung as a flat top or inverted Vee.
50 KHz or better less than 2:1 SWR on 75 and below 2:1 across the full
150 KHz of the 40 meter voice segment. Will cover all of 75 meters
using an antenna tuner. Can use on some higher HF bands using a
tuner. Will handle up to 300 watts.
OLD HAMCALL Disc
MC-60 MIC TRADE for IC-SM20
HP 620 COLOR PRINTER
TAIL GATE SET UP UNDER THE TREES - - - - K4WYS

From -3504692988896895868
X-Google-Thread: 114aac,21460468e59431e1
X-Google-Thread: 108122,21460468e59431e1
X-Google-Thread: 10c2ee,21460468e59431e1
X-Google-Thread: fdad6,21460468e59431e1
X-Google-Attributes: gid114aac,gid108122,gid10c2ee,gidfdad6,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!x35g2000prf.googlegroups.com!not-for-mail
From: Steven <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.antiques.radio+phono,alt.radio.broadcasting
Subject: Re: Question about GE Superadio III and batteries
Date: Sat, 04 Aug 2007 07:06:19 -0700
Organization: http://groups.google.com
Lines: 40
Message-ID: <1186236379.119972.69810@x35g2000prf.googlegroups.com>
References: <dennmac-ya02408000R0308071637490001@NNTP.InfoAve.Net>
   <1186198129.684802.199990@q3g2000prf.googlegroups.com>
NNTP-Posting-Host: 71.221.190.37
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1186236379 23681 127.0.0.1 (4 Aug 2007 14:06:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Aug 2007 14:06:19 +0000 (UTC)
In-Reply-To: <1186198129.684802.199990@q3g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000prf.googlegroups.com; posting-host=71.221.190.37;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news2.google.com rec.radio.shortwave:6397 rec.radio.amateur.equipment:543
rec.antiques.radio+phono:6529 alt.radio.broadcasting:509

On Aug 3, 9:28 pm, ibocisacr...@yahoo.com wrote:
> On Aug 3, 5:37?pm, denn...@dennmac.net (Dennis M) wrote:
>
>
>

>
>
> > Hello radio enthusiasts,
>
> > I own a General Electric "Superadio III" that I purchased new back around
> > 2001. I've never had any problems with it until this June when I was
> > vacationing on the beach down in Florida. The FM band suddenly went out and
> > only a low static sound could be heard, but the AM band seemed to pick up
> > as normal. Turning the radio off and back on again didn't fix the problem.
> > But when I tried it indoors the next day, the FM seemed to pick up fine.
> > But when I was at a local beach yesterday, the same thing happened.
>
> > My question is, could weak batteries possibly cause this kind of behavior?
> > The 6 "D" batteries it uses were put in around 2003 or 2004, and I've just
> > replaced them with fresh Duracells (it also has an AC cord, BTW). I just
> > assumed if it was the batteries, normally strong stations would begin to
> > come in very weak -- not just not be received at all.
>
> > Or, could intense heat in the direct sun possibly cause this problem? This
> > radio has pretty good reception when it's working properly and I'd hate to
> > think it's gone south. TIA for any input.
>
> The radio is Chinese-made garbage - the Eton/Grindig/Tecsun radios are
> garbage too...- Hide quoted text -
>
> - Show quoted text -

For two dollars that I gave for one, the bandwidth switch is a big
help, even and the varactor does slip around if you aren't there well
enough on AM and either switch AFC on or off.

That AFC is sloppy and seems to be a big part of it's DX so-called
atrributes. It's really good for zeroing in on weak, mostly LOCAL AM
stations and improving them against splash or harmonics.

From 1874362949563169191
X-Google-Thread: 108122,7996b3998cb7f1ce
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newsfeed.yul.equant.net!nntp1.roc.gblx.net!nntp.gblx.net!nntp.gblx.net!
news.xcski.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Shipboard vintage weather station for your shack......
Date: 18 Jul 2007 15:45:20 GMT
Organization: The National Capital FreeNet
Lines: 22
Message-ID: <f7lcig$s77$1@theodyn.ncf.ca>
References: <8Ugni.7999$fj5.2857@trnddc08> <slrnf9s8jb.2rgb.bit-

```
bucket@shell.config.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1184773520 28903 134.117.136.48 (18 Jul 2007 15:45:20 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 18 Jul 2007 15:45:20 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12329

Spam Trap (bit-bucket@config.com) writes:
> On Wed, 18 Jul 2007 04:43:48 GMT, MICHAEL LINGER wrote:
>> If anyone is interested in a really cool vintage weather station that was
>> removed off a ship I have one I'm auctioning off.  I had this in my radio
>> station and it gives that really neat look as well as it really works.
>> Check out the pix and description at:
>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=0...................
>
> "eBay users may not post on Usenet groups (Internet newsgroups) to
> advertise eBay or an eBay listing that is inappropriate or violates
> the Usenet board policy. If Usenet abuse is reported to eBay, we may
> among other remedies remove the listing, issue a warning, or suspend
> the user's eBay account."
>   --  http://pages.ebay.com/help/welcome/usenet-policy.html
>
And don't forget to ad that whether or not this is about ebay, this
newsgroup, rec.radio.amateur.equipment is not a forsale newsgroup.
It's for the discussion of amateur radio equipment.

  Michael  VE2BVW




From 3184295628066952879
X-Google-Thread: 108122,aeb568ddd729eb1d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder5.cambrium.nl!
feeder2.cambrium.nl!feed.tweaknews.nl!193.201.147.86.MISMATCH!news.astraweb.com!
border1.a.newsrouter.astraweb.com!feeder.news-service.com!feed.xsnews.nl!
border-2.ams.xsnews.nl!news.mixmin.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 8640B Signal generator for ham use died
Date: Wed, 18 Jul 2007 13:47:54 -0400
Organization: Aioe.org NNTP Server
Lines: 11
Message-ID: <fmmck-D39F6F.13475418072007@nntp.aioe.org>
References: <4697af0b.19778500@news.optonline.net>
<469D9B9B.7CA1BA4C@earthlink.net>
NNTP-Posting-Host: hiGYNJ1/Lvg6Fre4+w82sw.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:12330
```

In article <469D9B9B.7CA1BA4C@earthlink.net>,
"Michael A. Terrell" <mike.terrell@earthlink.net> wrote:

> news:sci.electronics.equipment is a newsgroup for test equipment

There is also sci.electronics.repair which currently has a thread entitled "HP 8640B repair headaches". The OP of that thread is apparently refurbishing them, and may be able to provide some hints.

Fred
K4DII

From -3133437688374032928
X-Google-Thread: 108122,d372cbdb0726d613,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: dialcover@webtv.net (Bill Turner)
Newsgroups: rec.radio.amateur.equipment
Subject: WTB HAMMARLUND HF-50
Date: Wed, 18 Jul 2007 15:17:48 -0500
Organization: WebTV Subscriber
Lines: 6
Message-ID: <18313-469E756C-87@storefull-3253.bay.webtv.net>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=US-ASCII
Content-Transfer-Encoding: 7Bit
X-WebTV-Signature: 1
    ETAsAhRn8xAGcIHCUbKyjb0QawcGqsrJ4AIUekJ7dN6D+22VS/Dj4nLYmhbpWlQ=
Content-Disposition: Inline
Xref: g2news1.google.com rec.radio.amateur.equipment:12331

NEW OR USED. DIALCOVER@WEBTV.NET

CHECK MY WEBSITE: www.dialcover.com
Bill Turner, excuse caps, short answers, stroke.

From -2636296847301568096
X-Google-Thread: 108122,d62465233d05f972
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x35g2000prf.googlegroups.com!not-for-mail
From: bluelip@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: bits in FM transmission

Date: Thu, 19 Jul 2007 14:41:25 -0000
Organization: http://groups.google.com
Lines: 34
Message-ID: <1184856085.988711.188760@x35g2000prf.googlegroups.com>
References: <1184768281.385131.34010@j4g2000prf.googlegroups.com>
NNTP-Posting-Host: 199.20.122.32
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1184856086 20500 127.0.0.1 (19 Jul 2007 14:41:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 19 Jul 2007 14:41:26 +0000 (UTC)
In-Reply-To: <1184768281.385131.34010@j4g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: bluelipbrowser/99.44 -- bluelip,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000prf.googlegroups.com; posting-host=199.20.122.32;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:12332

If you want a prebuilt solution, check out linx technologies. They
have some simple chips and modules to start off with.

If you want to design it yourself, do a search for OOK (on-off keying)
transmitter and receiver schematics.

A link to get you started:
http://jap.hu/electronic/rf.html

--
Mike Coles
http://bluelip.blips.net

On Jul 18, 10:18 am, tothborn <tothb...@gmail.com> wrote:
> Hi.
>
> I am am totally new in FM electronics, so I need a guiding hand
> (advice).
>
> I would like to build a small transmitter that would send only a few
> bits, ant then a receiver that will capture those bits on the other
> side.
> The usage would be similar to those wireless doorbells. The difference
> would be only in that I want to assign a unique code to be transferred
> so the receiving station would know who was the sender.
>
> Can someone suggest me some book or Web site where to find more
> information on how to build those devices. (are they maybe available
> to buy?)
>
> Thanks.

From -870038587879442333
X-Google-Thread: 108122,39a3d0142afc2b5f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-mail
From: W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: SGC SG-2000 Working or Not Working
Date: Thu, 19 Jul 2007 17:30:24 -0000
Organization: http://groups.google.com
Lines: 12
Message-ID: <1184866224.835425.106230@22g2000hsm.googlegroups.com>
NNTP-Posting-Host: 71.199.243.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1184866225 4146 127.0.0.1 (19 Jul 2007 17:30:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 19 Jul 2007 17:30:25 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5)
Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=71.199.243.20;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:12333

I am looking for an SG-2000 ADSP1 or ADSP2. IT DOES NOT HAVE TO BE
WORKING.

If you have one, please contact me at iamw7gsa@gmail.com (iamw7gsa at
gmail dot com) or call me at 904-821-5055.

Thanks,

Bill
W7GSA

From 1916488369336541963
X-Google-Thread: 108122,6170252c9af69ea5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!22g2000hsm.googlegroups.com!not-for-mail
From: gil <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Drake AC-4 power supply
Date: Thu, 19 Jul 2007 14:54:48 -0700

```
Organization: http://groups.google.com
Lines: 2
Message-ID: <1184882088.413410.36720@22g2000hsm.googlegroups.com>
NNTP-Posting-Host: 24.149.231.253
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1184882088 18153 127.0.0.1 (19 Jul 2007 21:54:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 19 Jul 2007 21:54:48 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 22g2000hsm.googlegroups.com; posting-host=24.149.231.253;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:12334
```

http://cgi.ebay.com/Drake-AC-4-power-supply-for-Drake-TR-4-TR-4C_W0QQitemZ170131015317QQihZ007QQcategoryZ4674QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

```
From 6729562256228538117
X-Google-Thread: 108122,7e25e6354076f2d4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-mail
From:  Black Jack <blaque_jacque2000@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Test
Date: Thu, 19 Jul 2007 22:29:49 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1184909389.125728.213460@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 12.108.213.221
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1184909389 6281 127.0.0.1 (20 Jul 2007 05:29:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 20 Jul 2007 05:29:49 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0; ZangoToolbar 4.8.3; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=12.108.213.221;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:12335
```

Just testing to see if I can post.

From 1189396460805660284
X-Google-Thread: 114aac,4f4ef26408ca7542,start
X-Google-Thread: 108122,4f4ef26408ca7542,start
X-Google-Thread: fc8b1,4f4ef26408ca7542,start
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news-x3!mail2news-x2!mail2news
From: Ted <Use-Author-Supplied-Address-Header@[127.1]>
Author-Supplied-Address: nobody <AT> pseudo <DOT> borked <DOT> net
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: R-390A receiver (1984 - serial #2)
Message-ID: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
Date: Fri, 20 Jul 2007 08:40:10 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.shortwave:116108
rec.radio.amateur.equipment:12336 rec.radio.amateur.boatanchors:12180

eBay: http://easyurl.net/R390A

From -4384659221762708319
X-Google-Thread: 108122,64316f7875c36ee5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe06.lga.POSTED!
53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: BIGBOY ROTATOR PACKAGE
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <2V3oi.4$NB6.1@newsfe06.lga>
X-Trace:
lalincmlnekeejjfbaignffdjoaiejcledgckegjcdohipjlihpngejpbohbhbopcnoigfieikoabmpppn
dglnagnliaojefgpnlgebbkdkdinbijelefklblkgngbdlenfnojecgjgcfcij
NNTP-Posting-Date: Fri, 20 Jul 2007 07:46:22 MST
Date: Fri, 20 Jul 2007 09:44:38 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:12337

FS: BIGBOY ROTATOR PACKAGE

THIS PACKAGE CONSISTS OF A PST-51 ROTATOR, & PST-61 ROTATOR, IT COMES WITH ONE HARD TO FIND "DIGITAL CONTROL" BOX. YOU CAN PRE PROGRAM 9 DIFFERENT DEGREE SETTINGS. IT ALSO HAS AN RS-232 CONNECTION FOR COMPUTER CONTROL OF THE BOX. THE SMALLER PST-51 ROTATOR IS RATED AT 23 SQ FT. LAST SUMMER I UPGRADED TO THE PST 61 ROTATOR, RATED AT 36 SQ FT FOR INCREASED WIND LOAD CAPACITY. THE PST-61 IS A BEEFY ROTATOR! IT USES THE SAME CONTROL BOX. INCLUDED IS FULL DOCUMENTATION AND NEW UNUSED "QUICK DISCONNECT" CONNECTOR FOR THE CONTROL BOX END. THE PST-61 PACKAGE RETAILS FOR $1399.00 MY PRICE: $750 FOR BOTH ROTATORS & ONE CONTROLLER. PICS OF BOTH ROTATORS & CONTROLLER AVAILABLE VIA EMAIL.

W9CAR

From 2384845221335581236
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Spam Trap <bit-bucket@config.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: 20 Jul 2007 14:47:09 GMT
Lines: 10
Message-ID: <slrnfa1ind.2355.bit-bucket@shell.config.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
X-Trace: individual.net UFjzofI4xpX3fwnmerc0bggZOJDApmyHqdNcAT13EtSvw++Jmw
Cancel-Lock: sha1:zcvAHGf5rrEsjehzu51anc2xR24=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.shortwave:116109 rec.radio.amateur.equipment:12338 rec.radio.amateur.boatanchors:12181

On Fri, 20 Jul 2007 08:40:10 -0600 (MDT), Ted wrote:
> eBay: http://easyurl.net/R390A

"eBay users may not post on Usenet groups (Internet newsgroups) to advertise eBay or an eBay listing that is inappropriate or violates the Usenet board policy. If Usenet abuse is reported to eBay, we may among other remedies remove the listing, issue a warning, or suspend the user's eBay account."
  -- http://pages.ebay.com/help/welcome/usenet-policy.html

From -3580145079278117 66
X-Google-Thread: 1109af,328f228f5fce4ca,start
X-Google-Thread: 114aac,4f4ef26408ca7542

```
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid1109af,gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x40g2000prg.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.b
oatanchors
Subject: FA : R-390A Receiver (1984 - Serial #2)
Date: Fri, 20 Jul 2007 12:20:08 -0700
Organization: http://groups.google.com
Lines: 82
Message-ID: <1184959208.531892.92670@x40g2000prg.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <slrnfa1ind.2355.bit-bucket@shell.config.com>
NNTP-Posting-Host: 64.175.36.28
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1184959209 14911 127.0.0.1 (20 Jul 2007 19:20:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 20 Jul 2007 19:20:09 +0000 (UTC)
In-Reply-To: <slrnfa1ind.2355.bit-bucket@shell.config.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x40g2000prg.googlegroups.com; posting-host=64.175.36.28;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.swap:16889 rec.radio.shortwave:116119
rec.radio.amateur.equipment:12339 rec.radio.amateur.boatanchors:12183
```

On Jul 20, 7:47 am, Spam Trap <bit-buc...@config.com> wrote:
> On Fri, 20 Jul 2007 08:40:10 -0600 (MDT), Ted wrote:
> > eBay:http://easyurl.net/R390A
>
> "eBay users may not post on Usenet groups (Internet newsgroups) to
> advertise eBay or an eBay listing that is inappropriate or violates
> the Usenet board policy. If Usenet abuse is reported to eBay, we may
> among other remedies remove the listing, issue a warning, or suspend
> the user's eBay account."
>   -- http://pages.ebay.com/help/welcome/usenet-policy.html

Spam Trap - You are right this Item should have been posted to
"Rec.Radio.Swap" with a "FA" {For Auction} at the start of the
Subject Line so that readers will know that this was in-fact an
Item For Sale {For Auction}.

FA - R-390A Receiver (1984 - Serial #2)
eBay: http://easyurl.net/R390A

Actually to be honest and correct the eBay Seller should

have Posted eBay Auction Listing for this Item reads:
FOWLER INDUSTRIES, R-390A,
SERIAL#2, RAREST EVER MADE
eBay Item Number: 220132158407
http://cgi.ebay.com/_W0QQitemZ220132158407

But then, since this is a 'Rare' Fowler Industries R-390A
with a very low Serial Number "#2" : The eBay Seller
did feel that other "Rec.Radio" NewsGroup may have been
interested in this R-390A. Such as :
Rec.Radio.Shortwave,
Rec.Radio.Amateur.Equipment,
Rec.Radio.Amateur.Boatanchors

Why I myself did not know that some R-390As were build
by Fowler Industries. Plus the eBay Auction "Description"
itself is a very interesting and informative read about this
"Rare' R-390A Receiver. I would even say to others that
-if- you were unaware of the Fowler Industries R-390A
Receivers and you have an interest in old R-390A Receivers;
you should take the time to read this eBay Auction
'Description' for the information that it presents.
http://www.ia.net/~wbsorsby/N5BU/R390/r390.htm
http://en.wikipedia.org/wiki/Rockwell_Collins

The R390A/URR webpages on the WWW
http://www.r390a.com/
http://www.radioera.com/mall/RareMINTCollinsBuiltR390A.asp
http://r-390a.us/

The R-390A Frequently Asked Questions Page
http://www.r-390a.net/faq-overview.htm

NOTICE - BE ADVISED :
This is NOT my Auction and I am NOT Associated with the eBay Seller.
.
PLEASE NOTE - FWIW :
That this Message is being Posted for Informational Purposes Only.
- - - It was simply an Interesting 'Rare' R-390A ReceiverAntenna - - -
.
KNOW YOUR SELLER and something about what they are Selling.
As Always - Buyer Beware - Life is a Gamble and so is eBay.
.
Once Again "Spam Trap" thank you for informing us of the
eBay Users Ban on Posting to Usenet Groups (Internet
Newsgroups) to inform the Readers of those Groups about
a possible Item of Interest to them that was 'topical' for that
NewsGroup. Now had the original poster {Spammer ?}
posted a Waring Bleander for sale to a Radio Newsgroup :
Clearly that would have been Spam. But a 'Rare' R-390A
Receiver made by Fowler Industries . . . I just don't know
if that is 'inappropriate' or 'violates' the 'Usenet Policy'

{Rules} for the above identified NewsGroups.
 .
 .
probing the air waves with my radios on
and my antennas up ~ RHF
 .
 .
. .

From -5346160867844556l5
X-Google-Thread: 108122,2b1909f93eca2e8d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e9g2000prf.googlegroups.com!not-for-mail
From: Dan <ve4drk@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ic2720h separate cable wiring info
Date: Fri, 20 Jul 2007 19:21:49 -0000
Organization: http://groups.google.com
Lines: 14
Message-ID: <1184959309.114953.28010@e9g2000prf.googlegroups.com>
NNTP-Posting-Host: 198.163.252.130
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1184959310 15137 127.0.0.1 (20 Jul 2007 19:21:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 20 Jul 2007 19:21:50 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5) Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e9g2000prf.googlegroups.com; posting-host=198.163.252.130;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:12340

Hi .. I have an IC2720H .. the separation cable that plugs into the
remote control head has been "separated" from the connector that plugs
into it .. I have a new connector, but I need to verify the color-lineup of the lines into the connector .. anyone have one handy to
list me out the colors?
If it's a straight-through that's easy .. the one end that plugs into
the main rf unit (when looking down with the nipple on the top and the
ends in front) is: yellow, red, white, braid, black, green.

Any help appreciated.
Thanks.

Dan, ve4drk

From -2489776685766916174
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-
media.com!newspeer1-win.ntli.net!newsfe6-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "druid" <druid@msn.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
Date: Fri, 20 Jul 2007 21:13:36 GMT
NNTP-Posting-Host: 82.7.8.156
X-Complaints-To: http://netreport.virginmedia.com
X-Trace: newsfe6-win.ntli.net 1184966016 82.7.8.156 (Fri, 20 Jul 2007 22:13:36
BST)
NNTP-Posting-Date: Fri, 20 Jul 2007 22:13:36 BST
Organization: NTL
Xref: g2news1.google.com rec.radio.shortwave:116127
rec.radio.amateur.equipment:12341 rec.radio.amateur.boatanchors:12184

"Ted" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
news:a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net...
> eBay: http://easyurl.net/R390A
>

WHAT A LOAD OF JUNK some guys will buy anything, I bet a trusty YB400 would
blow it away
I wouldn't give 5 bucks for that rubbish
druid

From -7961757953865223406
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews9.bellsouth.net.POSTED!cd3bd447!not-for-mail
From: Randy or Sherry Guttery <comcents@bellsouth.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
In-Reply-To: <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <pS9oi.437$lX.322@bignews9.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
okjdhlmeenidhihjdbdpiflmbcekedmfhojhikkbagflhcbonmchnkpjannmaeihfidoefflehabfhbkhg
bagololonmafgipndglnagnliaojefgpnlgebbkdkdinbilblnneladjkkodjkomlgcccebcdfdbbm
NNTP-Posting-Date: Fri, 20 Jul 2007 17:33:09 EDT
Organization: BellSouth Internet Group
Date: Fri, 20 Jul 2007 16:34:10 -0500
Xref: g2news1.google.com rec.radio.shortwave:116129
rec.radio.amateur.equipment:12342 rec.radio.amateur.boatanchors:12185

druid wrote:

> I bet a trusty YB400 would
> blow it away

What is a YB400?

best regards...
--
randy guttery

A Tender Tale - a page dedicated to those Ships and Crews
so vital to the United States Silent Service:
http://tendertale.com

From -3500964028794992627
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!

```
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Fri, 20 Jul 2007 16:38:55 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<4A9oi.58$mZ5.57@newsfe6-win.ntli.net> <pS9oi.437$lX.322@bignews9.bellsouth.net>
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 06:39:02 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <LsCdnXc37I3ytjzbnZ2dnUVZ_s2tnZ2d@giganews.com>
Lines: 17
X-Usenet-Provider: http://www.giganews.com
X-Trace: sv3-iv4upAQMvBG3ACnP1GJx2w6iyvQRaPa0Zs/5ZvX2Sr/
YjOJENzySSHwFQWXmYcRr6Fku9y8k21dr79V!zWG3/f1ikGPDwyX35n0kmN2Ski58G42eduWniIzy/L/
nEXQ44lA5hP41DVnc43lAPpx4zZLH
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.shortwave:116131
rec.radio.amateur.equipment:12343 rec.radio.amateur.boatanchors:12186
```

"Randy or Sherry Guttery" <comcents@bellsouth.net> wrote in message
news:pS9oi.437$lX.322@bignews9.bellsouth.net...

> druid wrote:
>
>> I bet a trusty YB400 would blow it away
>
> What is a YB400?
>
> best regards...
> --

Grundig Yacht Boy 400 (or 400PE). Nice little radio to carry in your purse or luggage, but doesn't begin to touch an R-390 for performance (but then, an R-390 doesn't run on 4 AA batteries).

```
From -5044322470763597l3
X-Google-Thread: 1109af,328f228f5fce4ca
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
```

```
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid1109af,gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o61g2000hsh.googlegroups.com!not-for-
mail
From:  Roadie <hjsjms@cs.com>
Newsgroups:
rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.b
oatanchors
Subject: Re: FA : R-390A Receiver (1984 - Serial #2)
Date: Fri, 20 Jul 2007 14:43:15 -0700
Organization: http://groups.google.com
Lines: 80
Message-ID: <1184967795.541340.270130@o61g2000hsh.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <slrnfa1ind.2355.bit-bucket@shell.config.com>
   <1184959208.531892.92670@x40g2000prg.googlegroups.com>
NNTP-Posting-Host: 68.100.188.199
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1184967795 6872 127.0.0.1 (20 Jul 2007 21:43:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 20 Jul 2007 21:43:15 +0000 (UTC)
In-Reply-To: <1184959208.531892.92670@x40g2000prg.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o61g2000hsh.googlegroups.com; posting-host=68.100.188.199;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.swap:16890 rec.radio.shortwave:116132
rec.radio.amateur.equipment:12344 rec.radio.amateur.boatanchors:12187

On Jul 20, 3:20 pm, RHF <rhf-newsgro...@pacbell.net> wrote:
> On Jul 20, 7:47 am, Spam Trap <bit-buc...@config.com> wrote:
>
> > On Fri, 20 Jul 2007 08:40:10 -0600 (MDT), Ted wrote:
> > > eBay:http://easyurl.net/R390A
>
> > "eBay users may not post on Usenet groups (Internet newsgroups) to
> > advertise eBay or an eBay listing that is inappropriate or violates
> > the Usenet board policy. If Usenet abuse is reported to eBay, we may
> > among other remedies remove the listing, issue a warning, or suspend
> > the user's eBay account."
> >   --  http://pages.ebay.com/help/welcome/usenet-policy.html
>
> Spam Trap - You are right this Item should have been posted to
> "Rec.Radio.Swap" with a "FA" {For Auction} at the start of the
> Subject Line so that readers will know that this was in-fact an
> Item For Sale {For Auction}.
>
> FA - R-390A Receiver (1984 - Serial #2)
> eBay:http://easyurl.net/R390A
```

>
> Actually to be honest and correct the eBay Seller should
> have Posted eBay Auction Listing for this Item reads:
> FOWLER INDUSTRIES, R-390A,
> SERIAL#2, RAREST EVER MADE
> eBay Item Number: 220132158407http://cgi.ebay.com/_W0QQitemZ220132158407
>
> But then, since this is a 'Rare' Fowler Industries R-390A
> with a very low Serial Number "#2" : The eBay Seller
> did feel that other "Rec.Radio" NewsGroup may have been
> interested in this R-390A. Such as :
> Rec.Radio.Shortwave,
> Rec.Radio.Amateur.Equipment,
> Rec.Radio.Amateur.Boatanchors
>
> Why I myself did not know that some R-390As were build
> by Fowler Industries. Plus the eBay Auction "Description"
> itself is a very interesting and informative read about this
> "Rare' R-390A Receiver. I would even say to others that
> -if- you were unaware of the Fowler Industries R-390A
> Receivers and you have an interest in old R-390A Receivers;
> you should take the time to read this eBay Auction
> 'Description' for the information that it presents.http://www.ia.net/~wbsorsby/N5BU/R390/r390.htmhttp://en.wikipedia.org/wiki/Rockwell_Collins
>
> The R390A/URR webpages on the WWWhttp://www.r390a.com/http://www.radioera.com/mall/RareMINTCollinsBuiltR390A.asphttp://r-390a.us/
>
> The R-390A Frequently Asked Questions Pagehttp://www.r-390a.net/faq-overview.htm
>
> NOTICE - BE ADVISED :
> This is NOT my Auction and I am NOT Associated with the eBay Seller.
> .
> PLEASE NOTE - FWIW :
> That this Message is being Posted for Informational Purposes Only.
> - - - It was simply an Interesting 'Rare' R-390A ReceiverAntenna - -
> -
> .
> KNOW YOUR SELLER and something about what they are Selling.
> As Always - Buyer Beware - Life is a Gamble and so is eBay.
> .
> Once Again "Spam Trap" thank you for informing us of the
> eBay Users Ban on Posting to Usenet Groups (Internet
> Newsgroups) to inform the Readers of those Groups about
> a possible Item of Interest to them that was 'topical' for that
> NewsGroup. Now had the original poster {Spammer ?}
> posted a Waring Bleander for sale to a Radio Newsgroup :
> Clearly that would have been Spam. But a 'Rare' R-390A
> Receiver made by Fowler Industries . . . I just don't know
> if that is 'inappropriate' or 'violates' the 'Usenet Policy'
> {Rules} for the above identified NewsGroups.
> .
> .

> probing the air waves with my radios on
> and my antennas up ~ RHF
> .
> .
> . .

Out of curiosity is there a difference between a Fowler manufactured
R390A and one made by another company in 1984?

```
From 8531304509518906193
X-Google-Thread: 1109af,328f228f5fce4ca
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid1109af,gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Fri, 20 Jul 2007 17:48:01 -0400
From: "Paul E. Cater" <paulcater@roadrunner.com>
Organization: Cater Enterprise
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.b
oatanchors
Subject: Re: FA : R-390A Receiver (1984 - Serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>
<1184959208.531892.92670@x40g2000prg.googlegroups.com>
In-Reply-To: <1184959208.531892.92670@x40g2000prg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 104
Message-ID: <46a12d34$0$4905$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.swap:16891 rec.radio.shortwave:116134
rec.radio.amateur.equipment:12345 rec.radio.amateur.boatanchors:12188
```

RHF wrote:
> On Jul 20, 7:47 am, Spam Trap <bit-buc...@config.com> wrote:
>> On Fri, 20 Jul 2007 08:40:10 -0600 (MDT), Ted wrote:
>>> eBay:http://easyurl.net/R390A
>> "eBay users may not post on Usenet groups (Internet newsgroups) to
>> advertise eBay or an eBay listing that is inappropriate or violates
>> the Usenet board policy. If Usenet abuse is reported to eBay, we may
>> among other remedies remove the listing, issue a warning, or suspend
>> the user's eBay account."
>>   -- http://pages.ebay.com/help/welcome/usenet-policy.html
>

> Spam Trap - You are right this Item should have been posted to
> "Rec.Radio.Swap" with a "FA" {For Auction} at the start of the
> Subject Line so that readers will know that this was in-fact an
> Item For Sale {For Auction}.
>
> FA - R-390A Receiver (1984 - Serial #2)
> eBay: http://easyurl.net/R390A
>
> Actually to be honest and correct the eBay Seller should
> have Posted eBay Auction Listing for this Item reads:
> FOWLER INDUSTRIES, R-390A,
> SERIAL#2, RAREST EVER MADE
> eBay Item Number: 220132158407
> http://cgi.ebay.com/_W0QQitemZ220132158407
>
> But then, since this is a 'Rare' Fowler Industries R-390A
> with a very low Serial Number "#2" : The eBay Seller
> did feel that other "Rec.Radio" NewsGroup may have been
> interested in this R-390A. Such as :
> Rec.Radio.Shortwave,
> Rec.Radio.Amateur.Equipment,
> Rec.Radio.Amateur.Boatanchors
>
> Why I myself did not know that some R-390As were build
> by Fowler Industries. Plus the eBay Auction "Description"
> itself is a very interesting and informative read about this
> "Rare' R-390A Receiver. I would even say to others that
> -if- you were unaware of the Fowler Industries R-390A
> Receivers and you have an interest in old R-390A Receivers;
> you should take the time to read this eBay Auction
> 'Description' for the information that it presents.
> http://www.ia.net/~wbsorsby/N5BU/R390/r390.htm
> http://en.wikipedia.org/wiki/Rockwell_Collins
>
> The R390A/URR webpages on the WWW
> http://www.r390a.com/
> http://www.radioera.com/mall/RareMINTCollinsBuiltR390A.asp
> http://r-390a.us/
>
> The R-390A Frequently Asked Questions Page
> http://www.r-390a.net/faq-overview.htm
>
> NOTICE - BE ADVISED :
> This is NOT my Auction and I am NOT Associated with the eBay Seller.
> .
> PLEASE NOTE - FWIW :
> That this Message is being Posted for Informational Purposes Only.
> - - - It was simply an Interesting 'Rare' R-390A ReceiverAntenna - -
> -
> .
> KNOW YOUR SELLER and something about what they are Selling.
> As Always - Buyer Beware - Life is a Gamble and so is eBay.
> .

> Once Again "Spam Trap" thank you for informing us of the
> eBay Users Ban on Posting to Usenet Groups (Internet
> Newsgroups) to inform the Readers of those Groups about
> a possible Item of Interest to them that was 'topical' for that
> NewsGroup. Now had the original poster {Spammer ?}
> posted a Waring Bleander for sale to a Radio Newsgroup :
> Clearly that would have been Spam. But a 'Rare' R-390A
> Receiver made by Fowler Industries . . . I just don't know
> if that is 'inappropriate' or 'violates' the 'Usenet Policy'
> {Rules} for the above identified NewsGroups.
> .
> .
> probing the air waves with my radios on
> and my antennas up ~ RHF
> .
> .
> . .
>

Interesting! I attended the Navy's answer to R-390A school more years ago than I would like to admit and I never heard of "Fowler Industries". Nice piece of history but agree that it should not have been posted in several of these groups for sale. As they say, there is a proper place for all the stuff for sale let alone ebay's rules and policies.

On a side note, I did notice a few posts stating these receivers in general were "junk". It all depends on your perspective. The sensitivity, when properly aligned, is still competitive with more modern equipment. If one were to set their new ((rig) (insert your favorite brand named, DSP, Solid state, processed, ET. here))next to a R-390 and exposed both to one hell of a EMP, which one do you think has a chance to still work?

Not that this was in the original design specifications but the R-390 has also stopped many a bullet or shrapnel for ripping an op in two.

To reiterate, it is all a matter of perspective kind of like relativity.

Regards,
Paul WD8OSU

```
From 3963311177140957895
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g12g2000prg.googlegroups.com!not-for-
mail
From:  RHF <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
```

```
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Fri, 20 Jul 2007 14:55:19 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1184968519.778881.160150@g12g2000prg.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
NNTP-Posting-Host: 64.175.36.28
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1184968520 12335 127.0.0.1 (20 Jul 2007 21:55:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 20 Jul 2007 21:55:20 +0000 (UTC)
In-Reply-To: <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12;
SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g12g2000prg.googlegroups.com; posting-host=64.175.36.28;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116136
rec.radio.amateur.equipment:12346 rec.radio.amateur.boatanchors:12189

On Jul 20, 2:13 pm, "druid" <dr...@msn.com> wrote:
> "Ted" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
>
> news:a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net...
>
> > eBay:http://easyurl.net/R390A
>
> WHAT A LOAD OF JUNK some guys will buy anything, I bet a trusty YB400 would
> blow it away
> I wouldn't give 5 bucks for that rubbish
> druid

Druid,

With 24 Bids place by 9 separate Bidders and a
current Auction Price of $2710; at lease a few
Radio Collectors view this Fowlerr R-390A Receiver
as a valuable item.

on ebay - one man's junk is another man's treasure
-or- headache as case may be ~ RHF
 .
 .
. .



From -5686445902691788123
X-Google-Thread: 108122,3cd30c44252edcd2,start
X-Google-Attributes: gid108122,public,usenet
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr17.news.prodigy.net.POSTED!78df62d6!not-for-mail
From: Joerg <notthisjoergsch@removethispacbell.net>
User-Agent: Mozilla/5.0 (Windows; U; WinNT4.0; en-US; rv:1.6) Gecko/20040113
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: R1500/PCR1500: Needs EEPROM Backup?
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <7gaoi.3291$Dx2.2136@newssvr17.news.prodigy.net>
NNTP-Posting-Host: 75.26.176.232
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr17.news.prodigy.net 1184968835 ST000 75.26.176.232 (Fri, 20 Jul 2007 18:00:35 EDT)
NNTP-Posting-Date: Fri, 20 Jul 2007 18:00:35 EDT
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
[[OGRYSEGZWUSWHXNCOF_W\@PJ_^PBQLGPQRZ\YIJYWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Fri, 20 Jul 2007 15:02:35 -0700
Xref: g2news1.google.com rec.radio.amateur.equipment:12347

Hello Folks,

Does the Icom IC-R1500 (almost the same as PCR1500) need a EEPROM backup like the PCR1000 used to? I find no mention of this in the docs or on the Icom web site.

I want to try out a spectrum analyzer software. The only one I could find is an older version from Colin (MM5AGM/GM1LUZ) for the PCR1000 and he really stresses the point that the EEPROM should be backed up before starting his software.

If yes, do you know how to do this? Also, does anyone know newer spectrum display software that goes beyond the 5MHz range of the Icom bandscope? No idea if Bonito would but from the description I don't think so and also it does not work in my case anyway.

--
Regards, Joerg

http://www.analogconsultants.com

From 1055821323304906050
X-Google-Thread: 1109af,328f228f5fce4ca
X-Google-Thread: 114aac,4f4ef26408ca7542

```
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid1109af,gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Fri, 20 Jul 2007 17:08:57 -0500
Date: Fri, 20 Jul 2007 18:04:05 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.2) Gecko/20070221
SeaMonkey/1.1.1
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.b
oatanchors
Subject: Re: FA : R-390A Receiver (1984 - Serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>
<1184959208.531892.92670@x40g2000prg.googlegroups.com>
<1184967795.541340.270130@o61g2000hsh.googlegroups.com>
In-Reply-To: <1184967795.541340.270130@o61g2000hsh.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <J4CdnRbbYf7krzzbnZ2dnUVZ_jOdnZ2d@rcn.net>
Lines: 15
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.163.143.206
X-Trace: sv3-UBxir4rgok5MQ85l5tDgPBeNvJ5pv9BYOe+/9BR3dIy+fEP2sVkoYXbWs8FW+/
FzqrSIzhH9Y3aTcz5!x1lNS90zmRybypTkYxco0ei3hYmjBtvfQpQTdwEA2HHKGwx46NOlCsxCK+t/
wABRy9Nri6cgCV5M!oGziH603yKJ3+Q==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.swap:16892 rec.radio.shortwave:116140
rec.radio.amateur.equipment:12348 rec.radio.amateur.boatanchors:12190
```

Roadie wrote:

> Out of curiosity is there a difference between a Fowler manufactured
> R390A and one made by another company in 1984?
>

ISTR reading one of the R390A sites that said the Fowler unit
was built from refurbished surplus R390A parts (EAC).

As I recall, the Navy burped up a need for a couple of more R390A units
for some reason or another, and put out a RFQ. Fowler won the bid.

Or maybe I am fantasizing?

-Chuck

```
From 2602003559026115869
X-Google-Thread: 108122,360fd359f0557bd7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!news.newsland.it!
news.ngi.it!nnrp.ngi.it!not-for-mail
From: "Marco" <bbbbbbb@bbbbb.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola programmin sw
Date: Sat, 21 Jul 2007 00:58:45 +0200
Organization: NGI SpA - http://www.ngi.it/
Lines: 8
Message-ID: <f7renr$a3p$1@nnrp.ngi.it>
NNTP-Posting-Host: 88-149-209-54.dynamic.ngi.it
X-Trace: nnrp.ngi.it 1184972347 10361 88.149.209.54 (20 Jul 2007 22:59:07 GMT)
X-Complaints-To: abuse@ngi.it
NNTP-Posting-Date: Fri, 20 Jul 2007 22:59:07 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:12349
```

hello to all,

does anyone know what sw needed for programming a Motorola MC900 UHF radio?
http://www.rigpix.com/protrx/motorola_mc900.htm

tanks

```
From 6717968915999040532
X-Google-Thread: 1109af,328f228f5fce4ca
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid1109af,gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Fri, 20 Jul 2007 18:58:59 -0400
From: Ron in Radio Heaven <kc4yoy@spam.carolina.rr.com>
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups:
```

rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: FA : R-390A Receiver (1984 - Serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<slrnfa1ind.2355.bit-bucket@shell.config.com>
<1184959208.531892.92670@x40g2000prg.googlegroups.com>
<1184967795.541340.270130@o61g2000hsh.googlegroups.com>
In-Reply-To: <1184967795.541340.270130@o61g2000hsh.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <46a14167$0$8062$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.swap:16893 rec.radio.shortwave:116141
rec.radio.amateur.equipment:12350 rec.radio.amateur.boatanchors:12191

Roadie wrote:
> Out of curiosity is there a difference between a Fowler manufactured
> R390A and one made by another company in 1984?
>

There were no other R390As made by anyone else in 1984.

Ron

From 8394909957131495920
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!transit3.readnews.com!news-out.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: 20 Jul 2007 20:01:51 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 38
Message-ID: <f7ridf$hl9$1@panix2.panix.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
<1184968519.778881.160150@g12g2000prg.googlegroups.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1184976111 22754 166.84.1.2 (21 Jul 2007 00:01:51 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 21 Jul 2007 00:01:51 +0000 (UTC)
X-Original-Bytes: 2557
Xref: g2news1.google.com rec.radio.shortwave:116143

rec.radio.amateur.equipment:12351 rec.radio.amateur.boatanchors:12192

On Jul 20, 2:13 pm, "druid" <dr...@msn.com> wrote:
> "Ted" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
>
> news:a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net...
>
> > eBay:http://easyurl.net/R390A
>
> WHAT A LOAD OF JUNK some guys will buy anything, I bet a trusty YB400 would
> blow it away

Actually, the 390A is a pretty good performer. Sensitivity isn't a whole lot better than the Yacht Boy cheapies, but the front end noise floor is better, and the selectivity is amazingly better. The selectivity for SSB and CW on the R-390A is really something you have to try to believe. Oh yes, and the front end of the R-390A won't overload. Not even with a local transmitter on the same channel. The Yacht Boy overloads if you look at it too hard.

The bad news is that the audio quality stinks, in part due to the really sharp skirt of the filters that make it so selective and in part due to power amp design. So you might prefer the Yacht Boy if audio quality is more important than DX ability.

A couple years ago I did an A/B test between the R-390A and the current generation DSP-based Watkins-Johnson military surveillance receivers. The weak signal performance was about the same for CW, although the fancy detector on the W-J was a little bit better at dealing with weak SSB signals. The digital panadaptor with the automatic signal ID on the W-J was really slick, though.... I think the W-J was a winner for ergonomics.

I wouldn't want to try and repair that R-390A, though. It's a mechanical nightmare. On the other hand, I don't think I'd want to repair that W-J either.
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From 9040622126893905741
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "Unrevealed Source" <unrevealed_source@nospam.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <yEcoi.37$NB6.33@newsfe06.lga>
X-Trace:
lalincmlnekeejjfbaignffdjoaiejcloillinaigbhimehefkfcohnodegknmiempkbimndcdpcfngann
anhoejnhhiemccdibfihdpkhgephpajmnimdacemeondaomdgngjfkdegidppb
NNTP-Posting-Date: Fri, 20 Jul 2007 17:43:10 MST
Date: Fri, 20 Jul 2007 20:42:44 -0400
Xref: g2news1.google.com rec.radio.shortwave:116146
rec.radio.amateur.equipment:12352 rec.radio.amateur.boatanchors:12193

Which brings up the question:

You see 390As made by various manufacturers - Motorola, EAC, of course Collins themselves, and now this Fowler. Any opinions on who made them the best? Any real differences between them?

"Ted" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
news:a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net...
> eBay: http://easyurl.net/R390A
>

From 4782266411495608236
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!cd3bd447!not-for-mail
From: Randy or Sherry Guttery <comcents@bellsouth.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
<1184968519.778881.160150@g12g2000prg.googlegroups.com>

<f7ridf$hl9$1@panix2.panix.com>
In-Reply-To: <f7ridf$hl9$1@panix2.panix.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 94
Message-ID: <%Lcoi.1731$WN1.475@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbooekblpddjgfpbdidefdcoconcabdddjghg
bagololonmafgipndglnagnliaojefgpnlgebbkdkdinbiagbogehennncckmiomlgcccebcdfdbbm
NNTP-Posting-Date: Fri, 20 Jul 2007 20:51:07 EDT
Organization: BellSouth Internet Group
Date: Fri, 20 Jul 2007 19:51:08 -0500
Xref: g2news1.google.com rec.radio.shortwave:116147
rec.radio.amateur.equipment:12353 rec.radio.amateur.boatanchors:12194

Scott Dorsey wrote:
> On Jul 20, 2:13 pm, "druid" <dr...@msn.com> wrote:
>
>>"Ted" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
>>
>>news:a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net...
>>
>>
>>>eBay:http://easyurl.net/R390A
>>
>>WHAT A LOAD OF JUNK some guys will buy anything, I bet a trusty YB400 would
>>blow it away
>
>
> Actually, the 390A is a pretty good performer. Sensitivity isn't a whole
> lot better than the Yacht Boy cheapies,

Yacht Boy can get into the sub .1 microvolt sensitivity level (10db
S+N/N)? That's pretty impressive for a solid-state receiver... usually
noise floor is a problem down below .1uv...   Chuck Rippel has some that
can get into the .07 - .08uv 10db s+n/n I'm not patient enough to groom
mine that well.

> The bad news is that the audio quality stinks, in part due to the really
> sharp skirt of the filters that make it so selective and in part due to
> power amp design.

True, but...

So you might prefer the Yacht Boy if audio quality is
> more important than DX ability.

There's precious little (IMHO) worth listening to on SW(AM) DX these
days - and audio quality isn't too important when digging an RTTY signal
out of the chaos that is propaganda and religious broadcasters these
days...

> A couple years ago I did an A/B test between the R-390A and the current generation DSP-based Watkins-Johnson military surveillance receivers. The weak signal performance was about the same for CW, although the fancy detector on the W-J was a little bit better at dealing with weak SSB signals. The digital panadaptor with the automatic signal ID on the W-J was really slick, though.... I think the W-J was a winner for ergonomics.

To get peak performance with a 390/1/A - consider using a Sherwood synchronous detector, or similar...

For a "head to head" run of a Drake R8 and R8A; a pair of Watkins-Johnson HF-1000's, an R388, R390A and a JRC NRD-535 against an R390A with a Sherwood - see this:

<http://r390a.com/html/history.htm>

> I wouldn't want to try and repair that R-390A, though. It's a mechanical nightmare.

Once you get used to them - they're VERY easy to work on - admittedly - the geartrains can be a bit intimidating at first - but after a while - you get to don't even think about them... Of course with the 390/391 - you do learn to NEVER forget the green gear - it only takes once - and you remember from then on.

Sherry's 391 with it's power autotune - yeah - those tuning heads still give me pause - but Sherry just shrugs and jumps right into them - since she likes to keep them very clean and well lubed. (replacement parts are getting harder and harder to find - so it pays to prevent damage).

> On the other hand, I don't think I'd want to repair that W-J either.

This old dog is getting too old to learn new tricks... besides most of these new-fangled radios are more like sitting at this computer... no warm glow, no power geartrains slewing at break-neck speeds going from one preset to another... and certainly not the smell and sound of a 28 in the room... naw - give me my boatanchors (and it's probably appropriate to apologize to those in r.r.s and r.a.a.e groups - I didn't notice this was cross posted --- but since we're all on the subject - I'll leave it cross posted for now)...

My 390A is pretty stock - and as noted - just an average performer. Sherry cheats - she "usually" runs an R390A IF in her 391 for DXing, etc. -- though she can drop the stock 391 IF back in - in about a minute - when she wants to show off broadcast stuff (i.e. the 390A IF she uses is the only thing modified - it'd have to be "returned to stock" to go back in an "A")...

best regards...

--

randy guttery

A Tender Tale - a page dedicated to those Ships and Crews
so vital to the United States Silent Service:
http://tendertale.com

```
From -4157293234422999109
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!cd3bd447!not-for-mail
From: Randy or Sherry Guttery <comcents@bellsouth.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>
In-Reply-To: <yEcoi.37$NB6.33@newsfe06.lga>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 48
Message-ID: <L1doi.1817$WN1.1142@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcboahponnhcfooghdjahlffpejnlinhmlgehg
bagololonmafgipndglnagnliaojefgpnlgebbkdkdinbicplghfgchophbdpeomlgcccebcdfdbbm
NNTP-Posting-Date: Fri, 20 Jul 2007 21:10:03 EDT
Organization: BellSouth Internet Group
Date: Fri, 20 Jul 2007 20:10:05 -0500
Xref: g2news1.google.com rec.radio.shortwave:116149
rec.radio.amateur.equipment:12354 rec.radio.amateur.boatanchors:12195
```

Unrevealed Source wrote:

> Which brings up the question:
>
> You see 390As made by various manufacturers - Motorola, EAC, of course
> Collins themselves, and now this Fowler. Any opinions on who made them the
> best? Any real differences between them?

You left out Helena-Rubenstien (yes the makeup people) --- though it's usually suggested that though they "took that specific contract (believed to be 80 radios) - they subcontracted one of the regulars to build the radios. Stewart Warner is suspected - since they had the contracts on "both sides" of the H-R contract... are were obviously in a position to build them much less expensively than most anyone else at the time.

back to your question - I'm sure there are those who nit-pick this detail or that detail - but in working with these radios over the past 35 years (and probably 100+ different radios both aboard ship and otherwise) - much of the time I have to look at the tag to see who built it - and even then - after being in the fleet for any length of time - there'll be a "mix" of modules in the radio from any number of sources.
  Many I worked on were Stewart Warners - which as often as not had several Capehart modules in it -- as does my current 390A - though I suspect from a couple of things the frame itself started out as a Capehart and had it's tag "swapped". That's not as uncommon as you'd think - sometimes it'd be easier to fix a radio by sliding another one in it's place - changing the tag so the "boss" didn't notice. I've been told this was rather common at some shore stations where people were more interested in "hitting the beach" than "hitting that dog"...

One of the great strengths of the Collins design - is that it is truly modular - the modules aren't dependent on a neighbor to work to it's best (i.e. there is almost no interaction of alignment / adjustment between modules. A module that works in one radio - will work just as well (in it's own right) in another radio. Obviously - an improperly working module will effect the radio's overall performance - but properly working modules can be shuffled like a deck of cards - and still work just fine - regardless of the "new neighbor".

like all things subjective - just my .02
--
randy guttery

A Tender Tale - a page dedicated to those Ships and Crews
so vital to the United States Silent Service:
http://tendertale.com

From -8840569620318316450
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!roadrunner.com!not-for-mail
Date: Fri, 20 Jul 2007 21:43:31 -0400
From: "Paul E. Cater" <paulcater@roadrunner.com>

Organization: Cater Enterprise
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>
In-Reply-To: <yEcoi.37$NB6.33@newsfe06.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 39
Message-ID: <46a1646a$0$16517$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.shortwave:116150
rec.radio.amateur.equipment:12355 rec.radio.amateur.boatanchors:12196

Unrevealed Source wrote:
> Which brings up the question:
>
> You see 390As made by various manufacturers - Motorola, EAC, of course
> Collins themselves, and now this Fowler. Any opinions on who made them the
> best? Any real differences between them?
>
>
>
> "Ted" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
> news:a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net...
>> eBay: http://easyurl.net/R390A
>>
>
>

The way the contracts worked in my experience was they would all had to
meet the original design specs/requirements.

I noticed a reference to sensitivity being .1 uV and I can tell you that
if I worked on one that was in that range I started looking about to see
what was wrong with it! While working on several banks of the silly
things, .0 something uV was the norm. I'm not saying that was the
minimum specs that were required as I can't remember just that they very
often exceeded them.

They were a mechanical nightmare and a bad thing if you were waring a
tie while aligning them. During an inspection, by an admiral no less,
one of my techs was aligning one and got his dress tie caught in the
gears. When the admiral walked in an "attention on deck" was yelled out
and this poor kid had a receiver hanging off his neck! It don't take
long for 60 or so pounds to suck you to the floor in that type
situation. The admiral was very understanding and although he didn't
offer to help the kid we all ended up going out on a relatively large
drunk.

But, still a nice, heavy, old, receiver.

Paul
WD8OSU

From 3737571020067177212
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews1.bellsouth.net.POSTED!cd3bd447!not-for-mail
From: Randy or Sherry Guttery <comcents@bellsouth.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
<riq2a3demve7jdbhi99o5a6vjb4acpp5cb@4ax.com>
In-Reply-To: <riq2a3demve7jdbhi99o5a6vjb4acpp5cb@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <g8eoi.997$x72.777@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcbokaamlkhfhfgiglppcdojnlpgfdnddpmahg
bagololonmafgipndglnagnliaojefgpnlgebbkdkdinbiagjegbbajmbjbibjomlgcccebcdfdbbm
NNTP-Posting-Date: Fri, 20 Jul 2007 22:25:16 EDT
Organization: BellSouth Internet Group
Date: Fri, 20 Jul 2007 21:25:17 -0500
Xref: g2news1.google.com rec.radio.shortwave:116154
rec.radio.amateur.equipment:12357 rec.radio.amateur.boatanchors:12198

trina wrote:

> Shut the hell up.

Aw, come on - we all have to learn - why not try mentoring rather than
slamming? Then if someone insists on continuing to be a jerk - we can
pile on without guilt!

retiring to the corner...

--
randy guttery

A Tender Tale - a page dedicated to those Ships and Crews
so vital to the United States Silent Service:
http://tendertale.com

```
From -8086456101515319495
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-
mail
From:  Roadie <hjsjms@cs.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Fri, 20 Jul 2007 19:33:26 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1184985206.409196.173510@d55g2000hsg.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
NNTP-Posting-Host: 68.100.188.199
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1184985206 29010 127.0.0.1 (21 Jul 2007 02:33:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Jul 2007 02:33:26 +0000 (UTC)
In-Reply-To: <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=68.100.188.199;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116157
rec.radio.amateur.equipment:12358 rec.radio.amateur.boatanchors:12199
```

On Jul 20, 5:13 pm, "druid" <dr...@msn.com> wrote:
> "Ted" <Use-Author-Supplied-Address-Header@[127.1]> wrote in message
>
> news:a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net...
>
> > eBay:http://easyurl.net/R390A
>
> WHAT A LOAD OF JUNK some guys will buy anything, I bet a trusty YB400 would
> blow it away
> I wouldn't give 5 bucks for that rubbish
> druid

That's complete nonsense and I'm sure you know it.

```
From 6846707852971228305
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews1.bellsouth.net.POSTED!cd3bd447!not-for-mail
From: Randy or Sherry Guttery <comcents@bellsouth.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga> <46a1646a$0$16517$4c368faf@roadrunner.com>
In-Reply-To: <46a1646a$0$16517$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 61
Message-ID: <Mweoi.1005$x72.387@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcbofambgmilpibohnibmodmjnmnimgnjlmkhg
bagololonmafgipndglnagnliaojefgpnlgebbkdkdinbinilammmmfhmnnkjpomlgcccebcdfdbbm
NNTP-Posting-Date: Fri, 20 Jul 2007 22:51:24 EDT
Organization: BellSouth Internet Group
Date: Fri, 20 Jul 2007 21:51:26 -0500
Xref: g2news1.google.com rec.radio.shortwave:116160
rec.radio.amateur.equipment:12359 rec.radio.amateur.boatanchors:12200
```

Paul E. Cater wrote:

> I noticed a reference to sensitivity being .1 uV and I can tell you that
> if I worked on one that was in that range I started looking about to see
> what was wrong with it!

I threw that number out as a point of comparison... as any 390/1/A
should perform that well as a minimum.

> While working on several banks of the silly

> things,

After working on "several banks" -- the one has to wonder - if it wasn't the tech that was getting "silly" (if not punch-drunk!)... ;-)

> .0 something uV was the norm. I'm not saying that was the minimum specs that were required as I can't remember just that they very often exceeded them.

The specs - and the way the specs were obtained - left a lot of "wiggle room". That's why the generally accepted measurment is made with the radio set to some specific settings - which generally produced the most "recoverable" signal - and that's using the 4 kc filter and standard AM detection; signal generator at 30% modulation with 10db S+N/N recovery. Otherwise - without knowing what the "settings" were - (and they varied depending on what tech manual you happen to have) - everyone would be comparing apples to oranges - rather than apples to apples.

Obviously - using a wider filter; bfo to detect carrier (or carrier re-insertion on SSB) would allow for detection WAY down into the noise (.06 or better). .07-.08 using the above settings (4K, AM, no BFO, 30% modulation) is akin to pulling a 20 pound rabbit out of an egg cup - pretty cotton-pickin' good!

> They were a mechanical nightmare and a bad thing if you were waring a tie while aligning them. During an inspection, by an admiral no less, one of my techs was aligning one and got his dress tie caught in the gears.

What in the name of Neptunus Rex was somebody working on a 390 IN A TIE for?

> When the admiral walked in an "attention on deck" was yelled out and this poor kid had a receiver hanging off his neck! It don't take long for 60 or so pounds to suck you to the floor in that type situation.

Uh, yeah - about 2 seconds - splat! what a hoot!

best regards...
--
randy guttery

A Tender Tale - a page dedicated to those Ships and Crews
so vital to the United States Silent Service:
http://tendertale.com

From 5830070329584562402

X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<4A9oi.58$mZ5.57@newsfe6-win.ntli.net> <pS9oi.437$lX.322@bignews9.bellsouth.net>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <Hbgoi.55$NB6.44@newsfe06.lga>
X-Trace:
lalincmlnekeejjfbaignffdjoaiejclgimjgcmgjabhndgaaddlipdmdmoppjijaafmlmginjkiljampn
dglnagnliaojefgpnlgebbkdkdinbincpbbfmmdlgfdenaenfnojecgjgcfcij
NNTP-Posting-Date: Fri, 20 Jul 2007 21:45:27 MST
Date: Fri, 20 Jul 2007 23:46:24 -0500
Xref: g2news1.google.com rec.radio.shortwave:116167
rec.radio.amateur.equipment:12360 rec.radio.amateur.boatanchors:12201

"Randy or Sherry Guttery" <comcents@bellsouth.net> wrote in message
news:pS9oi.437$lX.322@bignews9.bellsouth.net...
> druid wrote:
>
>> I bet a trusty YB400 would blow it away
>
> What is a YB400?
>
> best regards...
> --
> randy guttery
>
> A Tender Tale - a page dedicated to those Ships and Crews
> so vital to the United States Silent Service:
> http://tendertale.com

Thats called a radio troll.

--
Regards
B.H.

Hill Amplification
http://webpages.charter.net/brianhill/hillamplification.htm

```
From -8337077228281862057
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
<riq2a3demve7jdbhi99o5a6vjb4acpp5cb@4ax.com>
<g8eoi.997$x72.777@bignews1.bellsouth.net>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <7egoi.56$NB6.32@newsfe06.lga>
X-Trace:
lalincmlnekeejjfbaignffdjoaiejclnfpijhacbadnjfmdaddlipdmdmoppjijaafmlmginjkiljampn
dglnagnliaojefgpnlgebbkdkdinbikphllecaljchfnldenfnojecgjgcfcij
NNTP-Posting-Date: Fri, 20 Jul 2007 21:48:03 MST
Date: Fri, 20 Jul 2007 23:49:00 -0500
Xref: g2news1.google.com rec.radio.shortwave:116168
rec.radio.amateur.equipment:12361 rec.radio.amateur.boatanchors:12202
```

```
"Randy or Sherry Guttery" <comcents@bellsouth.net> wrote in message
news:g8eoi.997$x72.777@bignews1.bellsouth.net...
> trina wrote:
>
>
>> Shut the hell up.
>
> Aw, come on - we all have to learn - why not try mentoring rather than
> slamming? Then if someone insists on continuing to be a jerk - we can pile
> on without guilt!
>
> retiring to the corner...
> --
```

> randy guttery
>
> A Tender Tale - a page dedicated to those Ships and Crews
> so vital to the United States Silent Service:
> http://tendertale.com

You cant mentor a troll

--
Regards
B.H.
Hill Amplification
http://webpages.charter.net/brianhill/hillamplification.htm

From 8205286273724706418
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews4.bellsouth.net.POSTED!cd3bd447!not-for-mail
From: Randy or Sherry Guttery <comcents@bellsouth.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
<riq2a3demve7jdbhi99o5a6vjb4acpp5cb@4ax.com>
<g8eoi.997$x72.777@bignews1.bellsouth.net> <7egoi.56$NB6.32@newsfe06.lga>
In-Reply-To: <7egoi.56$NB6.32@newsfe06.lga>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <PHgoi.1178$7G1.967@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcboaddfkopkjalcgiclhlffpejnlinhmlgefgmlkkimjcaifjnhmdgickgiekikebhmgpnlgebbkdkdinbincbdodbnkbihnlkeomlgcccebcdfdbbm
NNTP-Posting-Date: Sat, 21 Jul 2007 01:19:43 EDT
Organization: BellSouth Internet Group
Date: Sat, 21 Jul 2007 00:19:46 -0500
Xref: g2news1.google.com rec.radio.shortwave:116172

rec.radio.amateur.equipment:12362 rec.radio.amateur.boatanchors:12203

Brian Hill wrote:

> You cant mentor a troll

So we heap a pile of dung on it's head, hang an "I'm an idiot" sign
around it's neck - and send it on it's way...

--
randy guttery

A Tender Tale - a page dedicated to those Ships and Crews
so vital to the United States Silent Service:
http://tendertale.com

```
From -4392452046794108024
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From:  Tim Shoppa <shoppa@trailing-edge.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Fri, 20 Jul 2007 23:36:19 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1184999779.598314.264560@d55g2000hsg.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
   <1184968519.778881.160150@g12g2000prg.googlegroups.com>
   <f7ridf$hl9$1@panix2.panix.com>
NNTP-Posting-Host: 170.121.15.35
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1184999779 6553 127.0.0.1 (21 Jul 2007 06:36:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Jul 2007 06:36:19 +0000 (UTC)
In-Reply-To: <f7ridf$hl9$1@panix2.panix.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=170.121.15.35;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116174
rec.radio.amateur.equipment:12363 rec.radio.amateur.boatanchors:12204
```

On Jul 20, 8:01 pm, klu...@panix.com (Scott Dorsey) wrote:

> I wouldn't want to try and repair that R-390A, though. It's a mechanical
> nightmare.

You'd be surprised how easy it is, Scott. Complete guides to tearing
down and rebuilding even the most complex assemblies (the RF
geartrain, the PTO) are on the web. Mine came from Fair Radio (a "used-repairable" unit) with essentially sand as the geartrain lubricant, so
I went through most everything.

> On the other hand, I don't think I'd want to repair that W-J either.

My WJ is 25 years old now and holding up pretty well, too, although
I'm sure it would take more than a 100W soldering iron and Bristol
spline wrench to fix if it had anything go wrong in the PLL!

Tim.

From 5160064589751183606
X-Google-Thread: 108122,cd2067ec5c472b72,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j4g2000prf.googlegroups.com!not-for-mail
From: =?gb2312?B?u6rPxLXa0ru5xbPH?= <pyhx-yjp@126.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ChinesePingyao518
Date: Sat, 21 Jul 2007 00:50:07 -0700
Organization: http://groups.google.com
Lines: 86
Message-ID: <1185004207.610674.214950@j4g2000prf.googlegroups.com>
NNTP-Posting-Host: 60.223.46.86
Mime-Version: 1.0
Content-Type: text/plain; charset="gb2312"
X-Trace: posting.google.com 1185004208 10785 127.0.0.1 (21 Jul 2007 07:50:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Jul 2007 07:50:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; Alexa Toolbar),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000prf.googlegroups.com; posting-host=60.223.46.86;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:12364

ChinesePingyao518
http://www.py518.comhttp://www.py518.com
World culture inheritance history famous city ---
PingyaoWorldcultureinheritancehistoryfamouscity---Pingyao
oldcity,historical consultation, traveling consultation,
culturaloldcity,historicalconsultation,travelingconsultation,cultural
relichistorical site consultation, hundred

industryrelichistoricalsiteconsultation,hundredindustry
information,whenPingyao old city news, Pingyao news, folk
custom,folkinformation,whenPingyaooldcitynews,Pingyaonews,folkcustom,folk
tale,folklore,historical textual research, Jin business
culture,tale,folklore,historicaltextualresearch,Jinbusinessculture,
Pingyao old cityyellow page greatly
entire.Pingyaooldcityyellowpagegreatlyentire.

Pingyao antiquePingyaoantique
http://www.pyguwan.comhttp://www.pyguwan.com
http://www.pyguwan.com.cnhttp://www.pyguwan.com.cn
http://www.pyguwan.nethttp://www.pyguwan.net
http://www.pyguwan.cnhttp://www.pyguwan.cn
The Pingyao antique information, the Pingyao antique net
shop,theThePingyaoantiqueinformation,thePingyaoantiquenetshop,the
antique falsely debated greatly entire, the antique
materialpracticalantiquefalselydebatedgreatlyentire,theantiquematerialpractical
inquiry, the antique information consultant, the nationaleach
biginquiry,theantiqueinformationconsultant,thenationaleachbig
artware auction company information, the
Chineseartwareauctioncompanyinformation,theChinese
successivedynasties,China ancient times the geographic name
inquiry,successivedynasties,Chinaancienttimesthegeographicnameinquiry,

Pingyao travelsPingyaotravels
http://www.tourpy.comhttp://www.tourpy.com
Pingyao old city scenic site introduction,
PingyaoPingyaooldcityscenicsiteintroduction,Pingyao
travelingchart,traveling consultation, cultural relic
historicaltravelingchart,travelingconsultation,culturalrelichistorical
site,traveling company information, guesthouse, inn, hotel,
hotel,site,travelingcompanyinformation,guesthouse,inn,hotel,hotel,
food andlodgingparadefoodandlodgingparade

Pingyao newsPingyaonews
http://www.pyfm942.comhttp://www.pyfm942.com
Pingyao people broadcasting station Pingyao old city
news,PingyaopeoplebroadcastingstationPingyaooldcitynews,

Shanxi name card Shanxinamecard
http://www.shxmp.com http://www.shxmp.com
Shanxi Province enterprise yellow page, Shanxi each placecounty
ShanxiProvinceenterpriseyellowpage,Shanxieachplacecounty
yellow page, Shanxi administration chart, Shanxi
transportationmap,yellowpage,Shanxiadministrationchart,Shanxitransportationmap,
Shanxi traveling chart, Shanxi topography
chart,Shanxitravelingchart,Shanxitopographychart,
electronictransportation mapelectronictransportationmap

Pingyao guesthouse Pingyaoguesthouse
http://www.pylg518.com http://www.pylg518.com
The Pingyao old city guesthouse greatly entire Pingyaoguesthouse
ThePingyaooldcityguesthousegreatlyentirePingyaoguesthouse
decides the room Pingyao folk custom inn PingyaohotelPingyao
hoteldecidestheroomPingyaofolkcustominnPingyaohotelPingyaohotel

Pingyao hotel Pingyaohotel
http://www.pyjd98.com http://www.pyjd98.com
The Pingyao old city hotel greatly entire Pingyao folk customhotel
ThePingyaooldcityhotelgreatlyentirePingyaofolkcustomhotel
Pingyao hotel decides the roomPingyaohoteldecidestheroom

Pingyao antique city Pingyaoantiquecity
http://www.pygwch.com http://www.pygwch.com
Pingyao old city on-line antique shop antique on-linetransaction
Pingyaooldcityon-lineantiqueshopantiqueon-linetransaction

Pingyao antiquePingyaoantique
http://www.zhlgwch.comFamily of, Chinese antique survey
Pingyaohttp://www.zhlgwch.comFamilyof,ChineseantiquesurveyPingyao
antique net shop,theantique websiteantiquenetshop,theantiquewebsite

From 2660554406631488903
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!198.186.194.251.MISMATCH!
transit4.readnews.com!transit3.readnews.com!news-out.readnews.com!panix!
panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: 21 Jul 2007 08:57:28 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 14
Message-ID: <f7svro$sqg$1@panix2.panix.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<1184968519.778881.160150@g12g2000prg.googlegroups.com>
<f7ridf$hl9$1@panix2.panix.com> <%Lcoi.1731$WN1.475@bignews2.bellsouth.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1185022647 21116 166.84.1.2 (21 Jul 2007 12:57:27 GMT)
X-Complaints-To: abuse@panix.com

NNTP-Posting-Date: Sat, 21 Jul 2007 12:57:27 +0000 (UTC)
Xref: g2news1.google.com rec.radio.shortwave:116183
rec.radio.amateur.equipment:12365 rec.radio.amateur.boatanchors:12205

Randy or Sherry Guttery <comcents@bellsouth.net> wrote:
>
>To get peak performance with a 390/1/A - consider using a Sherwood
>synchronous detector, or similar...

Please sell me one! I have been looking for one of the synchronous
detector modules for ages!

I'd take a Sherwood, I'd take one of the sheet-beam tube ones.... I
may just consider building one with some of the TV set detector ICs
from RCA...
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From 4040168117038713003
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: 21 Jul 2007 09:01:04 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 21
Message-ID: <f7t02g$o37$1@panix2.panix.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1185022865 24535 166.84.1.2 (21 Jul 2007 13:01:05 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 21 Jul 2007 13:01:05 +0000 (UTC)
Xref: g2news1.google.com rec.radio.shortwave:116184
rec.radio.amateur.equipment:12366 rec.radio.amateur.boatanchors:12206

Unrevealed Source <unrevealed_source@nospam.com> wrote:
>Which brings up the question:
>
>You see 390As made by various manufacturers - Motorola, EAC, of course
>Collins themselves, and now this Fowler. Any opinions on who made them the
>best? Any real differences between them?

The only major difference I saw between the things was in the PTO... some manufacturers seemed to build much better PTO modules than others.

By the time the gear winds up on the ham radio side of the DRMO, though,
most of them have turned into mix and match sets. So the nameplate on the
front may not indicate accurately where all the modules from.

My experience has been to avoid the EAC PTOs. If you find yourself with
a radio with a goofy or flaky PTO, though, Fair Radio has replacements.
Don't worry so much about the rest of it.
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From 5261038636656604534
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe03.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<4A9oi.58$mZ5.57@newsfe6-win.ntli.net>
<riq2a3demve7jdbhi99o5a6vjb4acpp5cb@4ax.com>
<g8eoi.997$x72.777@bignews1.bellsouth.net> <7egoi.56$NB6.32@newsfe06.lga>
<PHgoi.1178$7G1.967@bignews4.bellsouth.net>
Subject: Re: R-390A receiver (1984 - serial #2)
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <0Bnoi.4$rw3.2@newsfe03.lga>
X-Trace:
pgpdkimbbbabbbpebaignffdjoaiejclhehkiehibajachcnaddlipdmdmoppjijfpihhaipaidjnhmjmd
gickgiekikebhmgpnlgebbkdkdinbidianjjnkohfkgoloenfnojecgjgcfcij
NNTP-Posting-Date: Sat, 21 Jul 2007 06:10:20 MST
Date: Sat, 21 Jul 2007 08:11:18 -0500
Xref: g2news1.google.com rec.radio.shortwave:116185
rec.radio.amateur.equipment:12367 rec.radio.amateur.boatanchors:12207

"Randy or Sherry Guttery" <comcents@bellsouth.net> wrote in message

> So we heap a pile of dung on it's head, hang an "I'm an idiot" sign around
> it's neck - and send it on it's way...
> --

> randy guttery
>
> A Tender Tale - a page dedicated to those Ships and Crews
> so vital to the United States Silent Service:
> http://tendertale.com

Yep Randy, That's about it.

--
Regards
B.H.
Hill Amplification
http://webpages.charter.net/brianhill/hillamplification.htm

From -5051140303827437784
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 09:36:51 -0400
Organization: "The Listener at The Gates of Dawn"
Message-ID: <46A20BF3.39AD95A5@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news1.google.com rec.radio.shortwave:116187
rec.radio.amateur.equipment:12368 rec.radio.amateur.boatanchors:12208

Unrevealed Source wrote:

> Which brings up the question:
>
> You see 390As made by various manufacturers - Motorola, EAC, of course

> Collins themselves, and now this Fowler. Any opinions on who made them the
> best? Any real differences between them?

I'd have to say that this darn thing (along with the other four) must certainly have been built out of resurrected parts. There is probably no way that a company is going to gear up, and produce five of these receivers for $38,000 each, for a total cost of $190,000. The costs just wouldn't seem to add up.

Nice receivers though, when well maintained.

dxAce
Michigan
USA

```
From 3129758355757387830
X-Google-Thread: 108122,c4a1723f7de4bc0f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: fs: tokyo hypower  hl500v vhf amplifier
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <t%noi.2$Wc.0@newsfe06.lga>
X-Trace:
lalincmlnekeejjfbaignffdjoaiejcljpkmhjhicnbkgejcihpngejpbohbhbopkhckelaglnefgmkfmd
gickgiekikebhmgpnlgebbkdkdinbiiaaodhalbddgpfcfenfnojecgjgcfcij
NNTP-Posting-Date: Sat, 21 Jul 2007 06:38:33 MST
Date: Sat, 21 Jul 2007 08:37:25 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:12369
```

HL-500V Toyko Hy-Power 2m (144MHz) 500W Power Amplifier
* Frequency band 144-148MHz * Mode FM, SSB, CW * RF Drive power 20W/50W, manual select * RF Power out 500W * RF Power devices MRF151G x2 * PA imbalance protection, Over current protection circuit & high SWR protection * In/Out connection Type 'N * Power 100-240V AC at 12A/6A max * Size 345 x 145x 390mm * Weight 15kg
CURRENT NEW Price: US $3790.76

THAT INFORMATION DIRECT FROM FACTORY. THIS AMP IS IN EXCELLANT CONDITION, MANUAL INCLUDED. IT HAS LESS THAN 6 HRS ACTUAL ONLINE TIME. MY PRICE: $2300.00 PLUS SHIPPING. INTERNAL & REAR PICS PROVIDED UPON EMAIL REQUEST.

w9car

```
From 6587322644718177463
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n2g2000hse.googlegroups.com!not-for-
mail
From:  Roadie <hjsjms@cs.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 06:49:29 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1185025769.751265.43290@n2g2000hse.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
NNTP-Posting-Host: 68.100.188.199
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185025769 4434 127.0.0.1 (21 Jul 2007 13:49:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Jul 2007 13:49:29 +0000 (UTC)
In-Reply-To: <46A20BF3.39AD95A5@milestones.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n2g2000hse.googlegroups.com; posting-host=68.100.188.199;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116188
rec.radio.amateur.equipment:12370 rec.radio.amateur.boatanchors:12209

On Jul 21, 9:36 am, dxAce <dx...@milestones.com> wrote:
> Unrevealed Source wrote:
> > Which brings up the question:
>
> > You see 390As made by various manufacturers - Motorola, EAC, of course
> > Collins themselves, and now this Fowler.  Any opinions on who made them the
> > best?  Any real differences between them?
>
> I'd have to say that this darn thing (along with the other four) must certainly
> have been built out of resurrected parts. There is probably no way that a
> company is going to gear up, and produce five of these receivers for $38,000
> each, for a total cost of $190,000. The costs just wouldn't seem to add up.
```

The costs would likely add up rapidly for a limited run of a complex
radio like the R390a. The profits would likely not add up at all and
would likely venture into negative territory.

>
> Nice receivers though, when well maintained.
>
> dxAce
> Michigan
> USA

From -916903525307252880
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews3.bellsouth.net.POSTED!cd3bd447!not-for-mail
From: Randy or Sherry Guttery <comcents@bellsouth.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
<yEcoi.37$NB6.33@newsfe06.lga> <f7t02g$o37$1@panix2.panix.com>
In-Reply-To: <f7t02g$o37$1@panix2.panix.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <r8poi.892$MW6.470@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcbofcadpdkhgdphdjlehlffpejnlinhmlgefg
mlkkimjcaifjnhmdgickgiekikebhmgpnlgebbkdkdinbijbgkphlchpjlefcnomlgcccebcdfdbbm
NNTP-Posting-Date: Sat, 21 Jul 2007 10:56:23 EDT
Organization: BellSouth Internet Group
Date: Sat, 21 Jul 2007 09:56:32 -0500
Xref: g2news1.google.com rec.radio.shortwave:116193
rec.radio.amateur.equipment:12372 rec.radio.amateur.boatanchors:12211

Scott Dorsey wrote:

> The only major difference I saw between the things was in the PTO... some
> manufacturers seemed to build much better PTO modules than others.

> My experience has been to avoid the EAC PTOs. If you find yourself with
> a radio with a goofy or flaky PTO, though, Fair Radio has replacements.
> Don't worry so much about the rest of it.

This is very true - get a Cosmo PTO if you can find one- they seem to be
of better than average quality - IMHO.

So it goes.
--
randy guttery

A Tender Tale - a page dedicated to those Ships and Crews
so vital to the United States Silent Service:
http://tendertale.com

```
From -2813965608955010413
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-
mail
From:  "H. State" <hollowstate5964@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 11:34:28 -0700
Organization: http://groups.google.com
Lines: 27
Message-ID: <1185042868.719816.32040@k79g2000hse.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
NNTP-Posting-Host: 24.117.36.207
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185042868 2278 127.0.0.1 (21 Jul 2007 18:34:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Jul 2007 18:34:28 +0000 (UTC)
In-Reply-To: <46A20BF3.39AD95A5@milestones.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5)
Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=24.117.36.207;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116203
```

```
rec.radio.amateur.equipment:12373 rec.radio.amateur.boatanchors:12213

On Jul 21, 8:36 am, dxAce <dx...@milestones.com> wrote:
> Unrevealed Source wrote:
> > Which brings up the question:
>
> > You see 390As made by various manufacturers - Motorola, EAC, of course
> > Collins themselves, and now this Fowler.  Any opinions on who made them the
> > best?  Any real differences between them?
>
> I'd have to say that this darn thing (along with the other four) must certainly
> have been built out of resurrected parts. There is probably no way that a
> company is going to gear up, and produce five of these receivers for $38,000
> each, for a total cost of $190,000. The costs just wouldn't seem to add up.
>
> Nice receivers though, when well maintained.
>
> dxAce
> Michigan
> USA

Perhaps you should read the original articles in Electric Radio
Magazine, issues 71 and 72 March and April, 1995 and get the "actual
facts." I know that would be a real stretch for anything on usenet,
but you would get an education along with the other naysayers as to
the "rest of the story."

Harold



From -7154908158218901383
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 14:39:10 -0400
Organization: "The Listener at The Gates of Dawn"
Message-ID: <46A252CE.60BC9038@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
        <yEcoi.37$NB6.33@newsfe06.lga>
        <46A20BF3.39AD95A5@milestones.com>
```

```
<1185042868.719816.32040@k79g2000hse.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news1.google.com rec.radio.shortwave:116204
rec.radio.amateur.equipment:12374 rec.radio.amateur.boatanchors:12214



"H. State" wrote:

> On Jul 21, 8:36 am, dxAce <dx...@milestones.com> wrote:
> > Unrevealed Source wrote:
> > > Which brings up the question:
> >
> > > You see 390As made by various manufacturers - Motorola, EAC, of course
> > > Collins themselves, and now this Fowler.  Any opinions on who made them the
> > > best?  Any real differences between them?
> >
> > I'd have to say that this darn thing (along with the other four) must
certainly
> > have been built out of resurrected parts. There is probably no way that a
> > company is going to gear up, and produce five of these receivers for $38,000
> > each, for a total cost of $190,000. The costs just wouldn't seem to add up.
> >
> > Nice receivers though, when well maintained.
> >
> > dxAce
> > Michigan
> > USA
>
> Perhaps you should read the original articles in Electric Radio
> Magazine, issues 71 and 72 March and April, 1995 and get the "actual
> facts." I know that would be a real stretch for anything on usenet,
> but you would get an education along with the other naysayers as to
> the "rest of the story."

And the "rest of the story" is...?

dxAce
Michigan
USA




From -2857790180258556352
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-
```

```
mail
From:  "H. State" <hollowstate5964@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 11:54:54 -0700
Organization: http://groups.google.com
Lines: 128
Message-ID: <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
   <1185042868.719816.32040@k79g2000hse.googlegroups.com>
   <46A252CE.60BC9038@milestones.com>
NNTP-Posting-Host: 24.117.36.207
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185044094 23315 127.0.0.1 (21 Jul 2007 18:54:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Jul 2007 18:54:54 +0000 (UTC)
In-Reply-To: <46A252CE.60BC9038@milestones.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5)
Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=24.117.36.207;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116206
rec.radio.amateur.equipment:12375 rec.radio.amateur.boatanchors:12215

On Jul 21, 1:39 pm, dxAce <dx...@milestones.com> wrote:
> "H. State" wrote:
> > On Jul 21, 8:36 am, dxAce <dx...@milestones.com> wrote:
> > > Unrevealed Source wrote:
> > > > Which brings up the question:
>
> > > > You see 390As made by various manufacturers - Motorola, EAC, of course
> > > > Collins themselves, and now this Fowler.  Any opinions on who made them
the
> > > > best?  Any real differences between them?
>
> > > I'd have to say that this darn thing (along with the other four) must
certainly
> > > have been built out of resurrected parts. There is probably no way that a
> > > company is going to gear up, and produce five of these receivers for $38,000
> > > each, for a total cost of $190,000. The costs just wouldn't seem to add up.
>
> > > Nice receivers though, when well maintained.
>
> > > dxAce
> > > Michigan
> > > USA
>
```

> > Perhaps you should read the original articles in Electric Radio Magazine, issues 71 and 72 March and April, 1995 and get the "actual facts." I know that would be a real stretch for anything on usenet, but you would get an education along with the other naysayers as to the "rest of the story."
>
> And the "rest of the story" is...?
>
> dxAce
> Michigan
> USA

This is a small excerpt from a list which has been discussing this particular item.:

I've been reading the archives with interest concerning the Fowler R-390A s/n 2. I no longer subscribe to the list, but several friends told me of the activity about this particular R-390A and I wanted to clear up a few things, so I subscribed this morning to attempt to do that.

The story about this particular receiver was originally published in Electric Radio Magazine issue 71 in March, 1995. A close-up photo of the nomenclature tag was in issue 72 in April, 1995. That is the "Real McCoy Tag" Speculate about made up tags etc. One wasn't made for this receiver except when it was built for the U.S. Navy by Fowler Industries.

I know the owner, V ************* who was mentioned in the original article and it is indeed a "genuine" Fowler and is s/n 2. T ******** reviewed the pictures of this receiver back in 1995 and knows of the validity of this particular receiver, as do several other people.

T ********* did quite a bit of research with personnel from Fowler Industries and Avondale Shipyards regarding the five R-390A's built. That information was published in subsequent issues of Electric Radio Magazine.

I don't have the time right now to answer in detail, maybe tomorrow.

T ********* knows much more detail than I do as he spoke with the former General Manager at Fowler Industries and purchasing people at Avondale (now Northrup Grumman) Shipyards.

They built them using components, but had some difficulty obtaining certain components.Fowler: When T ********* spoke with the Plant Manager he commented that they had particular problems obtaining JAN tubes, in particular 26Z5W's and 3TF7's. Remember, that they were considered "unobtanium" in the late 80's early 90's. Then the government released surplus tubes and Fair Radio was selling them at reasonable prices (they went quickly).

They potentiometers were made in Mexico, the meters were A & M Instruments, the quality of the wafer switches were not as robust as the runs during the 50's and 60's, Dittmore-Freimuth made the mechanical filters (as they did on many later versions), as well as the ones the built themselves, which were 67 EAC receivers with Dittmore's filters.

I can't say if what they obtained, but can assure you they didn't purchase any in the crate R-390A's. Even though they were available at various locations throughout the country. When you bid on a contract the Government lets, you fill the requirements, and they inadvertently left the R-390A spec in the bid offering.

Avondale Shipyards probably didn't think to do a search for "in the crate" R-390A's and put out a request for bids to build five R-390A's. Fowler Industries was Clavier and prior to that Capehart, so they had experience building R-390A's and suppling R-390A spare modules (Clavier).

T ********* can pick it up from here, as that is about I can remember or verify from back when we did the ER articles.

Signed

L ********

I'm sure you can do additional research, and find someone who has these articles. I do, but don't care to scan and post them without the authors permission as they are copyrighted articles.

Harold

```
From 5576894035222091173
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-10!sn-xt-sjc-01!
sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 15:01:19 -0400
Organization: "The Listener at The Gates of Dawn"
Message-ID: <46A257FF.409EC703@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
        <yEcoi.37$NB6.33@newsfe06.lga>
        <46A20BF3.39AD95A5@milestones.com>
        <1185042868.719816.32040@k79g2000hse.googlegroups.com>
        <46A252CE.60BC9038@milestones.com>
<1185044094.490114.30250@d55g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 137
Xref: g2news1.google.com rec.radio.shortwave:116207
rec.radio.amateur.equipment:12376 rec.radio.amateur.boatanchors:12216



"H. State" wrote:

> On Jul 21, 1:39 pm, dxAce <dx...@milestones.com> wrote:
> > "H. State" wrote:
> > > On Jul 21, 8:36 am, dxAce <dx...@milestones.com> wrote:
> > > > Unrevealed Source wrote:
> > > > > Which brings up the question:
> >
> > > > > You see 390As made by various manufacturers - Motorola, EAC, of course
> > > > > Collins themselves, and now this Fowler.  Any opinions on who made them
the
> > > > > best?  Any real differences between them?
> >
> > > > I'd have to say that this darn thing (along with the other four) must
certainly
> > > > have been built out of resurrected parts. There is probably no way that a
> > > > company is going to gear up, and produce five of these receivers for
```

$38,000
> > > > each, for a total cost of $190,000. The costs just wouldn't seem to add
up.
> >
> > > > Nice receivers though, when well maintained.
> >
> > > > dxAce
> > > > Michigan
> > > > USA
> >
> > > Perhaps you should read the original articles in Electric Radio
> > > Magazine, issues 71 and 72 March and April, 1995 and get the "actual
> > > facts." I know that would be a real stretch for anything on usenet,
> > > but you would get an education along with the other naysayers as to
> > > the "rest of the story."
> >
> > And the "rest of the story" is...?
> >
> > dxAce
> > Michigan
> > USA
>
> This is a small excerpt from a list which has been discussing this
> particular item.:
>
> I've been reading the archives with interest concerning the Fowler
> R-390A
> s/n 2. I no longer subscribe to the list, but several friends told me
> of the
> activity about this particular R-390A and I wanted to clear up a few
> things,
> so I subscribed this morning to attempt to do that.
>
> The story about this particular receiver was originally published in
> Electric Radio Magazine issue 71 in March, 1995. A close-up photo of
> the
> nomenclature tag was in issue 72 in April, 1995. That is the "Real
> McCoy
> Tag" Speculate about made up tags etc. One wasn't made for this
> receiver
> except when it was built for the U.S. Navy by Fowler Industries.
>
> I know the owner, V ************* who was mentioned in the original
> article and it is indeed a "genuine" Fowler and is s/n 2.
> T ******** reviewed the pictures of this receiver back in 1995 and
> knows
> of the validity of this particular receiver, as do several other
> people.
>
> T ********* did quite a bit of research with personnel from Fowler
> Industries and Avondale Shipyards regarding the five R-390A's built.
> That
> information was published in subsequent issues of Electric Radio

> Magazine.
>
> I don't have the time right now to answer in detail, maybe tomorrow.
>
> T ********* knows much more detail than I do as he spoke with the
> former
> General Manager at Fowler Industries and purchasing people at Avondale
> (now
> Northrup Grumman) Shipyards.
>
> They built them using components, but had some difficulty obtaining
> certain
> components.Fowler: When T ********* spoke with the Plant Manager he
> commented that
> they had particular problems obtaining JAN tubes, in particular
> 26Z5W's and
> 3TF7's. Remember, that they were considered "unobtanium" in the late
> 80's
> early 90's. Then the government released surplus tubes and Fair Radio
> was
> selling them at reasonable prices (they went quickly).
>
> They potentiometers were made in Mexico, the meters were A & M
> Instruments,
> the quality of the wafer switches were not as robust as the runs
> during the
> 50's and 60's, Dittmore-Freimuth made the mechanical filters (as they
> did on
> many later versions), as well as the ones the built themselves, which
> were
> 67 EAC receivers with Dittmore's filters.
>
> I can't say if what they obtained, but can assure you they didn't
> purchase
> any in the crate R-390A's. Even though they were available at various
> locations throughout the country. When you bid on a contract the
> Government
> lets, you fill the requirements, and they inadvertently left the
> R-390A spec
> in the bid offering.
>
> Avondale Shipyards probably didn't think to do a search for "in the
> crate"
> R-390A's and put out a request for bids to build five R-390A's.
> Fowler
> Industries was Clavier and prior to that Capehart, so they had
> experience
> building R-390A's and suppling R-390A spare modules (Clavier).
>
> T ********* can pick it up from here, as that is about I can remember
> or
> verify from back when we did the ER articles.
>

> Signed
>
> L ********
>
> I'm sure you can do additional research, and find someone who has
> these articles. I do, but don't care to scan and post them without the
> authors permission as they are copyrighted articles.

Nice. However all I can do is stick with my original assumption. It would be very difficult to build 5 'totally new' R390A's for a measly $190,000. Even 1984 dollars.

dxAce
Michigan
USA

From -5036816826756078528
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d55g2000hsg.googlegroups.com!not-for-mail
From: "H. State" <hollowstate5964@yahoo.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 12:08:08 -0700
Organization: http://groups.google.com
Lines: 152
Message-ID: <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
   <1185042868.719816.32040@k79g2000hse.googlegroups.com>
   <46A252CE.60BC9038@milestones.com>
   <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
   <46A257FF.409EC703@milestones.com>
NNTP-Posting-Host: 24.117.36.207
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185044888 25624 127.0.0.1 (21 Jul 2007 19:08:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Jul 2007 19:08:08 +0000 (UTC)
In-Reply-To: <46A257FF.409EC703@milestones.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5) Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com

```
Injection-Info: d55g2000hsg.googlegroups.com; posting-host=24.117.36.207;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116208
rec.radio.amateur.equipment:12377 rec.radio.amateur.boatanchors:12217

On Jul 21, 2:01 pm, dxAce <dx...@milestones.com> wrote:
> "H. State" wrote:
> > On Jul 21, 1:39 pm, dxAce <dx...@milestones.com> wrote:
> > > "H. State" wrote:
> > > > On Jul 21, 8:36 am, dxAce <dx...@milestones.com> wrote:
> > > > > Unrevealed Source wrote:
> > > > > > Which brings up the question:
>
> > > > > > You see 390As made by various manufacturers - Motorola, EAC, of course
> > > > > > Collins themselves, and now this Fowler.  Any opinions on who made
them the
> > > > > > best?  Any real differences between them?
>
> > > > > I'd have to say that this darn thing (along with the other four) must
certainly
> > > > > have been built out of resurrected parts. There is probably no way that
a
> > > > > company is going to gear up, and produce five of these receivers for
$38,000
> > > > > each, for a total cost of $190,000. The costs just wouldn't seem to add
up.
>
> > > > > Nice receivers though, when well maintained.
>
> > > > > dxAce
> > > > > Michigan
> > > > > USA
>
> > > > Perhaps you should read the original articles in Electric Radio
> > > > Magazine, issues 71 and 72 March and April, 1995 and get the "actual
> > > > facts." I know that would be a real stretch for anything on usenet,
> > > > but you would get an education along with the other naysayers as to
> > > > the "rest of the story."
>
> > > And the "rest of the story" is...?
>
> > > dxAce
> > > Michigan
> > > USA
>
> > This is a small excerpt from a list which has been discussing this
> > particular item.:
>
> > I've been reading the archives with interest concerning the Fowler
> > R-390A
> > s/n 2. I no longer subscribe to the list, but several friends told me
> > of the
> > activity about this particular R-390A and I wanted to clear up a few
```

> > things,
> > so I subscribed this morning to attempt to do that.
>
> > The story about this particular receiver was originally published in
> > Electric Radio Magazine issue 71 in March, 1995. A close-up photo of
> > the
> > nomenclature tag was in issue 72 in April, 1995. That is the "Real
> > McCoy
> > Tag" Speculate about made up tags etc. One wasn't made for this
> > receiver
> > except when it was built for the U.S. Navy by Fowler Industries.
>
> > I know the owner, V ************* who was mentioned in the original
> > article and it is indeed a "genuine" Fowler and is s/n 2.
> > T ******** reviewed the pictures of this receiver back in 1995 and
> > knows
> > of the validity of this particular receiver, as do several other
> > people.
>
> > T ********* did quite a bit of research with personnel from Fowler
> > Industries and Avondale Shipyards regarding the five R-390A's built.
> > That
> > information was published in subsequent issues of Electric Radio
> > Magazine.
>
> > I don't have the time right now to answer in detail, maybe tomorrow.
>
> > T ********* knows much more detail than I do as he spoke with the
> > former
> > General Manager at Fowler Industries and purchasing people at Avondale
> > (now
> > Northrup Grumman) Shipyards.
>
> > They built them using components, but had some difficulty obtaining
> > certain
> > components.Fowler: When T ********* spoke with the Plant Manager he
> > commented that
> > they had particular problems obtaining JAN tubes, in particular
> > 26Z5W's and
> > 3TF7's. Remember, that they were considered "unobtanium" in the late
> > 80's
> > early 90's. Then the government released surplus tubes and Fair Radio
> > was
> > selling them at reasonable prices (they went quickly).
>
> > They potentiometers were made in Mexico, the meters were A & M
> > Instruments,
> > the quality of the wafer switches were not as robust as the runs
> > during the
> > 50's and 60's, Dittmore-Freimuth made the mechanical filters (as they
> > did on
> > many later versions), as well as the ones the built themselves, which
> > were

> > 67 EAC receivers with Dittmore's filters.
>
> > I can't say if what they obtained, but can assure you they didn't
> > purchase
> > any in the crate R-390A's. Even though they were available at various
> > locations throughout the country. When you bid on a contract the
> > Government
> > lets, you fill the requirements, and they inadvertently left the
> > R-390A spec
> > in the bid offering.
>
> > Avondale Shipyards probably didn't think to do a search for "in the
> > crate"
> > R-390A's and put out a request for bids to build five R-390A's.
> > Fowler
> > Industries was Clavier and prior to that Capehart, so they had
> > experience
> > building R-390A's and suppling R-390A spare modules (Clavier).
>
> > T ********* can pick it up from here, as that is about I can remember
> > or
> > verify from back when we did the ER articles.
>
> > Signed
>
> > L ********
>
> > I'm sure you can do additional research, and find someone who has
> > these articles. I do, but don't care to scan and post them without the
> > authors permission as they are copyrighted articles.
>
> Nice. However all I can do is stick with my original assumption. It would be
very
> difficult to build 5 'totally new' R390A's for a measly $190,000. Even 1984
dollars.
>
> dxAce
> Michigan
> USA

Nobody said they built totally new R-390A's. They sold them to the government for $38,500. They (Fowler Industries) were formerly Capehart who built R-490A's, and Clavier, who manufactured R-390A modules for a government spare parts contract. They used "bits and pieces" to paraphrase, and assembled the R-390A's for that 1984 contract. There is much more to it and I'm not going to waste anymore time detailing nuances to this group. I just wanted to clear the air so to speak and inform the uninformed. Usenet has always been a place to walk the walk, but never talk the talk. I know who you are and you are a very experienced dx'er. The gentleman who wrote the articles is a well know archivist/historian.

Different strokes for different folks.

Harold

Harold.

```
From -7881895708561718707
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 15:27:11 -0400
Organization: "The Listener at The Gates of Dawn"
Message-ID: <46A25E0F.688E7529@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
        <yEcoi.37$NB6.33@newsfe06.lga>
        <46A20BF3.39AD95A5@milestones.com>
        <1185042868.719816.32040@k79g2000hse.googlegroups.com>
        <46A252CE.60BC9038@milestones.com>
        <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
        <46A257FF.409EC703@milestones.com>
<1185044888.004595.57970@d55g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 164
Xref: g2news1.google.com rec.radio.shortwave:116210
rec.radio.amateur.equipment:12378 rec.radio.amateur.boatanchors:12218
```

"H. State" wrote:

> On Jul 21, 2:01 pm, dxAce <dx...@milestones.com> wrote:
> > "H. State" wrote:
> > > On Jul 21, 1:39 pm, dxAce <dx...@milestones.com> wrote:
> > > > "H. State" wrote:
> > > > > On Jul 21, 8:36 am, dxAce <dx...@milestones.com> wrote:
> > > > > > Unrevealed Source wrote:
> > > > > > > Which brings up the question:
> >

> > > > > > > You see 390As made by various manufacturers - Motorola, EAC, of
course
> > > > > > > Collins themselves, and now this Fowler. Any opinions on who made
them the
> > > > > > > best? Any real differences between them?
> >
> > > > > > I'd have to say that this darn thing (along with the other four) must
certainly
> > > > > > have been built out of resurrected parts. There is probably no way
that a
> > > > > > company is going to gear up, and produce five of these receivers for
$38,000
> > > > > > each, for a total cost of $190,000. The costs just wouldn't seem to
add up.
> >
> > > > > > Nice receivers though, when well maintained.
> >
> > > > > > dxAce
> > > > > > Michigan
> > > > > > USA
> >
> > > > > Perhaps you should read the original articles in Electric Radio
> > > > > Magazine, issues 71 and 72 March and April, 1995 and get the "actual
> > > > > facts." I know that would be a real stretch for anything on usenet,
> > > > > but you would get an education along with the other naysayers as to
> > > > > the "rest of the story."
> >
> > > > And the "rest of the story" is...?
> >
> > > > dxAce
> > > > Michigan
> > > > USA
> >
> > > This is a small excerpt from a list which has been discussing this
> > > particular item.:
> >
> > > I've been reading the archives with interest concerning the Fowler
> > > R-390A
> > > s/n 2. I no longer subscribe to the list, but several friends told me
> > > of the
> > > activity about this particular R-390A and I wanted to clear up a few
> > > things,
> > > so I subscribed this morning to attempt to do that.
> >
> > > The story about this particular receiver was originally published in
> > > Electric Radio Magazine issue 71 in March, 1995. A close-up photo of
> > > the
> > > nomenclature tag was in issue 72 in April, 1995. That is the "Real
> > > McCoy
> > > Tag" Speculate about made up tags etc. One wasn't made for this
> > > receiver
> > > except when it was built for the U.S. Navy by Fowler Industries.
> >

> > > I know the owner, V ************* who was mentioned in the original
> > > article and it is indeed a "genuine" Fowler and is s/n 2.
> > > T ******** reviewed the pictures of this receiver back in 1995 and
> > > knows
> > > of the validity of this particular receiver, as do several other
> > > people.
> >
> > > T ********* did quite a bit of research with personnel from Fowler
> > > Industries and Avondale Shipyards regarding the five R-390A's built.
> > > That
> > > information was published in subsequent issues of Electric Radio
> > > Magazine.
> >
> > > I don't have the time right now to answer in detail, maybe tomorrow.
> >
> > > T ********* knows much more detail than I do as he spoke with the
> > > former
> > > General Manager at Fowler Industries and purchasing people at Avondale
> > > (now
> > > Northrup Grumman) Shipyards.
> >
> > > They built them using components, but had some difficulty obtaining
> > > certain
> > > components.Fowler: When T ********* spoke with the Plant Manager he
> > > commented that
> > > they had particular problems obtaining JAN tubes, in particular
> > > 26Z5W's and
> > > 3TF7's. Remember, that they were considered "unobtanium" in the late
> > > 80's
> > > early 90's. Then the government released surplus tubes and Fair Radio
> > > was
> > > selling them at reasonable prices (they went quickly).
> >
> > > They potentiometers were made in Mexico, the meters were A & M
> > > Instruments,
> > > the quality of the wafer switches were not as robust as the runs
> > > during the
> > > 50's and 60's, Dittmore-Freimuth made the mechanical filters (as they
> > > did on
> > > many later versions), as well as the ones the built themselves, which
> > > were
> > > 67 EAC receivers with Dittmore's filters.
> >
> > > I can't say if what they obtained, but can assure you they didn't
> > > purchase
> > > any in the crate R-390A's. Even though they were available at various
> > > locations throughout the country. When you bid on a contract the
> > > Government
> > > lets, you fill the requirements, and they inadvertently left the
> > > R-390A spec
> > > in the bid offering.
> >
> > > Avondale Shipyards probably didn't think to do a search for "in the

> > > crate"
> > > R-390A's and put out a request for bids to build five R-390A's.
> > > Fowler
> > > Industries was Clavier and prior to that Capehart, so they had
> > > experience
> > > building R-390A's and suppling R-390A spare modules (Clavier).
> >
> > > T ********* can pick it up from here, as that is about I can remember
> > > or
> > > verify from back when we did the ER articles.
> >
> > > Signed
> >
> > > L ********
> >
> > > I'm sure you can do additional research, and find someone who has
> > > these articles. I do, but don't care to scan and post them without the
> > > authors permission as they are copyrighted articles.
> >
> > Nice. However all I can do is stick with my original assumption. It would be
very
> > difficult to build 5 'totally new' R390A's for a measly $190,000. Even 1984
dollars.
>
> Nobody said they built totally new R-390A's.

I hate to be overly 'picky', but read what the seller says in his description:

He refers to 'new' in several places.

dxAce
Michigan
USA

> They sold them to the
> government for $38,500. They (Fowler Industries) were formerly
> Capehart who built R-490A's, and Clavier, who manufactured R-390A
> modules for a government spare parts contract. They used "bits and
> pieces" to paraphrase, and assembled the R-390A's for that 1984
> contract. There is much more to it and I'm not going to waste anymore
> time detailing nuances to this group. I just wanted to clear the air
> so to speak and inform the uninformed. Usenet has always been a place
> to walk the walk, but never talk the talk. I know who you are and you
> are a very experienced dx'er. The gentleman who wrote the articles is
> a well know archivist/historian.
>
> Different strokes for different folks.
>
> Harold
>
> Harold.

```
From 1215146320777875478
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 15:34:02 -0400
Organization: "The Listener at The Gates of Dawn"
Message-ID: <46A25FAA.6614FFC7@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
            <yEcoi.37$NB6.33@newsfe06.lga>
            <46A20BF3.39AD95A5@milestones.com>
            <1185042868.719816.32040@k79g2000hse.googlegroups.com>
            <46A252CE.60BC9038@milestones.com>
            <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
            <46A257FF.409EC703@milestones.com>
<1185044888.004595.57970@d55g2000hsg.googlegroups.com>
<46A25E0F.688E7529@milestones.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 149
Xref: g2news1.google.com rec.radio.shortwave:116211
rec.radio.amateur.equipment:12379 rec.radio.amateur.boatanchors:12219



dxAce wrote:

> "H. State" wrote:
>
> > On Jul 21, 2:01 pm, dxAce <dx...@milestones.com> wrote:
> > > "H. State" wrote:
> > > > On Jul 21, 1:39 pm, dxAce <dx...@milestones.com> wrote:
> > > > > "H. State" wrote:
> > > > > > On Jul 21, 8:36 am, dxAce <dx...@milestones.com> wrote:
> > > > > > > Unrevealed Source wrote:
> > > > > > > > Which brings up the question:
> > >
> > > > > > > > You see 390As made by various manufacturers - Motorola, EAC, of
course
```

> > > > > > > > Collins themselves, and now this Fowler. Any opinions on who made
them the
> > > > > > > > best? Any real differences between them?
> > >
> > > > > > > I'd have to say that this darn thing (along with the other four)
must certainly
> > > > > > > have been built out of resurrected parts. There is probably no way
that a
> > > > > > > company is going to gear up, and produce five of these receivers for
$38,000
> > > > > > > each, for a total cost of $190,000. The costs just wouldn't seem to
add up.
> > >
> > > > > > > Nice receivers though, when well maintained.
> > >
> > > > > > > dxAce
> > > > > > > Michigan
> > > > > > > USA
> > >
> > > > > > Perhaps you should read the original articles in Electric Radio
> > > > > > Magazine, issues 71 and 72 March and April, 1995 and get the "actual
> > > > > > facts." I know that would be a real stretch for anything on usenet,
> > > > > > but you would get an education along with the other naysayers as to
> > > > > > the "rest of the story."
> > >
> > > > > And the "rest of the story" is...?
> > >
> > > > > dxAce
> > > > > Michigan
> > > > > USA
> > >
> > > > This is a small excerpt from a list which has been discussing this
> > > > particular item.:
> > >
> > > > I've been reading the archives with interest concerning the Fowler
> > > > R-390A
> > > > s/n 2. I no longer subscribe to the list, but several friends told me
> > > > of the
> > > > activity about this particular R-390A and I wanted to clear up a few
> > > > things,
> > > > so I subscribed this morning to attempt to do that.
> > >
> > > > The story about this particular receiver was originally published in
> > > > Electric Radio Magazine issue 71 in March, 1995. A close-up photo of
> > > > the
> > > > nomenclature tag was in issue 72 in April, 1995. That is the "Real
> > > > McCoy
> > > > Tag" Speculate about made up tags etc. One wasn't made for this
> > > > receiver
> > > > except when it was built for the U.S. Navy by Fowler Industries.
> > >
> > > > I know the owner, V ************* who was mentioned in the original
> > > > article and it is indeed a "genuine" Fowler and is s/n 2.

> > > > T ******** reviewed the pictures of this receiver back in 1995 and
> > > > knows
> > > > of the validity of this particular receiver, as do several other
> > > > people.
> > >
> > > > T ********* did quite a bit of research with personnel from Fowler
> > > > Industries and Avondale Shipyards regarding the five R-390A's built.
> > > > That
> > > > information was published in subsequent issues of Electric Radio
> > > > Magazine.
> > >
> > > > I don't have the time right now to answer in detail, maybe tomorrow.
> > >
> > > > T ********* knows much more detail than I do as he spoke with the
> > > > former
> > > > General Manager at Fowler Industries and purchasing people at Avondale
> > > > (now
> > > > Northrup Grumman) Shipyards.
> > >
> > > > They built them using components, but had some difficulty obtaining
> > > > certain
> > > > components.Fowler: When T ********* spoke with the Plant Manager he
> > > > commented that
> > > > they had particular problems obtaining JAN tubes, in particular
> > > > 26Z5W's and
> > > > 3TF7's. Remember, that they were considered "unobtanium" in the late
> > > > 80's
> > > > early 90's. Then the government released surplus tubes and Fair Radio
> > > > was
> > > > selling them at reasonable prices (they went quickly).
> > >
> > > > They potentiometers were made in Mexico, the meters were A & M
> > > > Instruments,
> > > > the quality of the wafer switches were not as robust as the runs
> > > > during the
> > > > 50's and 60's, Dittmore-Freimuth made the mechanical filters (as they
> > > > did on
> > > > many later versions), as well as the ones the built themselves, which
> > > > were
> > > > 67 EAC receivers with Dittmore's filters.
> > >
> > > > I can't say if what they obtained, but can assure you they didn't
> > > > purchase
> > > > any in the crate R-390A's. Even though they were available at various
> > > > locations throughout the country. When you bid on a contract the
> > > > Government
> > > > lets, you fill the requirements, and they inadvertently left the
> > > > R-390A spec
> > > > in the bid offering.
> > >
> > > > Avondale Shipyards probably didn't think to do a search for "in the
> > > > crate"
> > > > R-390A's and put out a request for bids to build five R-390A's.

```
> > > > Fowler
> > > > Industries was Clavier and prior to that Capehart, so they had
> > > > experience
> > > > building R-390A's and suppling R-390A spare modules (Clavier).
> > >
> > > > T ********* can pick it up from here, as that is about I can remember
> > > > or
> > > > verify from back when we did the ER articles.
> > >
> > > > Signed
> > >
> > > > L ********
> > >
> > > > I'm sure you can do additional research,  and find  someone who has
> > > > these articles. I do, but don't care to scan and post them without the
> > > > authors permission as they are copyrighted articles.
> > >
> > > Nice. However all I can do is stick with my original assumption. It would be
very
> > > difficult to build 5 'totally new' R390A's for a measly $190,000. Even 1984
dollars.
> >
> > Nobody said they built totally new R-390A's.
>
> I hate to be overly 'picky', but read what the seller says in his description:

Crap!   http://easyurl.net/R390A

> He refers to 'new' in several places.
>
> dxAce
> Michigan
> USA
>



From -5380044441413330927
X-Google-Thread: 114aac,4f4ef26408ca7542
X-Google-Thread: 108122,4f4ef26408ca7542
X-Google-Thread: fc8b1,4f4ef26408ca7542
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-
mail
From:  "H. State" <hollowstate5964@yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: R-390A receiver (1984 - serial #2)
Date: Sat, 21 Jul 2007 12:36:17 -0700
Organization: http://groups.google.com
Lines: 174
Message-ID: <1185046577.855937.280650@57g2000hsv.googlegroups.com>
```

References: <a0b2ba60aec6ca3ec7b197ad94263b6d@pseudo.borked.net>
   <yEcoi.37$NB6.33@newsfe06.lga>
   <46A20BF3.39AD95A5@milestones.com>
   <1185042868.719816.32040@k79g2000hse.googlegroups.com>
   <46A252CE.60BC9038@milestones.com>
   <1185044094.490114.30250@d55g2000hsg.googlegroups.com>
   <46A257FF.409EC703@milestones.com>
   <1185044888.004595.57970@d55g2000hsg.googlegroups.com>
   <46A25E0F.688E7529@milestones.com>
NNTP-Posting-Host: 24.117.36.207
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1185046578 13309 127.0.0.1 (21 Jul 2007 19:36:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Jul 2007 19:36:18 +0000 (UTC)
In-Reply-To: <46A25E0F.688E7529@milestones.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5)
Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=24.117.36.207;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.shortwave:116212
rec.radio.amateur.equipment:12380 rec.radio.amateur.boatanchors:12220

On Jul 21, 2:27 pm, dxAce <dx...@milestones.com> wrote:
> "H. State" wrote:
> > On Jul 21, 2:01 pm, dxAce <dx...@milestones.com> wrote:
> > > "H. State" wrote:
> > > > On Jul 21, 1:39 pm, dxAce <dx...@milestones.com> wrote:
> > > > > "H. State" wrote:
> > > > > > On Jul 21, 8:36 am, dxAce <dx...@milestones.com> wrote:
> > > > > > > Unrevealed Source wrote:
> > > > > > > > Which brings up the question:
>
> > > > > > > > You see 390As made by various manufacturers - Motorola, EAC, of
course
> > > > > > > > Collins themselves, and now this Fowler. Any opinions on who made
them the
> > > > > > > > best? Any real differences between them?
>
> > > > > > > I'd have to say that this darn thing (along with the other four)
must certainly
> > > > > > > have been built out of resurrected parts. There is probably no way
that a
> > > > > > > company is going to gear up, and produce five of these receivers for
$38,000
> > > > > > > each, for a total cost of $190,000. The costs just wouldn't seem to
add up.
>
> > > > > > > Nice receivers though, when well maintained.
>
> > > > > > > dxAce

> > > > > > > Michigan
> > > > > > > USA
>
> > > > > > Perhaps you should read the original articles in Electric Radio
> > > > > > Magazine, issues 71 and 72 March and April, 1995 and get the "actual
> > > > > > facts." I know that would be a real stretch for anything on usenet,
> > > > > > but you would get an education along with the other naysayers as to
> > > > > > the "rest of the story."
>
> > > > > And the "rest of the story" is...?
>
> > > > > dxAce
> > > > > Michigan
> > > > > USA
>
> > > > This is a small excerpt from a list which has been discussing this
> > > > particular item.:
>
> > > > I've been reading the archives with interest concerning the Fowler
> > > > R-390A
> > > > s/n 2. I no longer subscribe to the list, but several friends told me
> > > > of the
> > > > activity about this particular R-390A and I wanted to clear up a few
> > > > things,
> > > > so I subscribed this morning to attempt to do that.
>
> > > > The story about this particular receiver was originally published in
> > > > Electric Radio Magazine issue 71 in March, 1995. A close-up photo of
> > > > the
> > > > nomenclature tag was in issue 72 in April, 1995. That is the "Real
> > > > McCoy
> > > > Tag" Speculate about made up tags etc. One wasn't made for this
> > > > receiver
> > > > except when it was built for the U.S. Navy by Fowler Industries.
>
> > > > I know the owner, V ************* who was mentioned in the original
> > > > article and it is indeed a "genuine" Fowler and is s/n 2.
> > > > T ******** reviewed the pictures of this receiver back in 1995 and
> > > > knows
> > > > of the validity of this particular receiver, as do several other
> > > > people.
>
> > > > T ********* did quite a bit of research with personnel from Fowler
> > > > Industries and Avondale Shipyards regarding the five R-390A's built.
> > > > That
> > > > information was published in subsequent issues of Electric Radio
> > > > Magazine.
>
> > > > I don't have the time right now to answer in detail, maybe tomorrow.
>
> > > > T ********* knows much more detail than I do as he spoke with the
> > > > former
> > > > General Manager at Fowler Industries and purchasing people at Avondale

> > > > (now
> > > > Northrup Grumman) Shipyards.
>
> > > > They built them using components, but had some difficulty obtaining
> > > > certain
> > > > components.Fowler: When T ********* spoke with the Plant Manager he
> > > > commented that
> > > > they had particular problems obtaining JAN tubes, in particular
> > > > 26Z5W's and
> > > > 3TF7's. Remember, that they were considered "unobtanium" in the late
> > > > 80's
> > > > early 90's. Then the government released surplus tubes and Fair Radio
> > > > was
> > > > selling them at reasonable prices (they went quickly).
>
> > > > They potentiometers were made in Mexico, the meters were A & M
> > > > Instruments,
> > > > the quality of the wafer switches were not as robust as the runs
> > > > during the
> > > > 50's and 60's, Dittmore-Freimuth made the mechanical filters (as they
> > > > did on
> > > > many later versions), as well as the ones the built themselves, which
> > > > were
> > > > 67 EAC receivers with Dittmore's filters.
>
> > > > I can't say if what they obtained, but can assure you they didn't
> > > > purchase
> > > > any in the crate R-390A's. Even though they were available at various
> > > > locations throughout the country. When you bid on a contract the
> > > > Government
> > > > lets, you fill the requirements, and they inadvertently left the
> > > > R-390A spec
> > > > in the bid offering.
>
> > > > Avondale Shipyards probably didn't think to do a search for "in the
> > > > crate"
> > > > R-390A's and put out a request for bids to build five R-390A's.
> > > > Fowler
> > > > Industries was Clavier and prior to that Capehart, so they had
> > > > experience
> > > > building R-390A's and suppling R-390A spare modules (Clavier).
>
> > > > T ********* can pick it up from here, as that is about I can remember
> > > > or
> > > > verify from back when we did the ER articles.
>
> > > > Signed
>
> > > > L ********
>
> > > > I'm sure you can do additional research, and find someone who has
> > > > these articles. I do, but don't care to scan and post them without the
> > > > authors permission as they are copyrighted articles.

>
> > > Nice. However all I can do is stick with my original assumption. It would be very
> > > difficult to build 5 'totally new' R390A's for a measly $190,000. Even 1984 dollars.
>
> > Nobody said they built totally new R-390A's.
>
> I hate to be overly 'picky', but read what the seller says in his description:
>
> He refers to 'new' in several places.
>
> dxAce
> Michigan
> USA
>
> > They sold them to the
> > government for $38,500. They (Fowler Industries) were formerly
> > Capehart who built R-490A's, and Clavier, who manufactured R-390A
> > modules for a government spare parts contract. They used "bits and
> > pieces" to paraphrase, and assembled the R-390A's for that 1984
> > contract. There is much more to it and I'm not going to waste anymore
> > time detailing nuances to this group. I just wanted to clear the air
> > so to speak and inform the uninformed. Usenet has always been a place
> > to walk the walk, but never talk the talk. I know who you are and you
> > are a very experienced dx'er. The gentleman who wrote the articles is
> > a well know archivist/historian.
>
> > Different strokes for different folks.
>
> > Harold
>
> > Harold.

Jumping Jesus Christ, you are thick aren't you?

The excerpts from the articles said many of the parts were "new,"
mechanical filters, potentiometers, meters, tubes, etc., etc. They
(Fowler) did manufacture the rear panels and other items. The rear
panels had a "certain" identifying mark on them. Fowler was a defense
contractor that manufactured many other items for the government and
had the capabilities to do so.

Get over it and listen to nibi nibi again, or that heterodyne from
Pitcairn Island.

Harold

From 8351499770613374549
X-Google-Thread: 108122,62ad20161521eaf1,start
X-Google-Attributes: gid108122,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 07 Jul 2007 08:52:55 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Weller 75 watt Soldering guns (Brand New)
Date: Sat, 07 Jul 2007 09:53:14 -0400
Reply-To: wz1u@comcast.net
Message-ID: <hh6v83ddlt21tr9rld7ff0g13326tqa7pe@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.60.230.66
X-Trace: sv3-
dhL1AlnTykp61YhRg8EyfSrSmLLLxMuhuVqS7v5LWPadO8K6HJ9FCSTfre5XhnaFbRVFbmpPOrtXWOo!
NOXfcKm1Y8CoN5IUxiJkvZ4r6aAQG8AyLzIU0VvSj45LvvLkadQQItBzCGMZeWAxB23LOFFhZhuP!
U3qXdAfawDxPyB2QgKfRgsOovw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12279
```

I have some brand new sealed Weller model 7200PK 75 watt soldering guns. It comes with its own plastic case, spare soldering tip and 40/60 rosin core solder. I have some digital pictures if needed. I will take $20 each plus shipping. I can be reached at (508) 821-2993 or email.....WZ1U Steve / Lakeville, MA.

```
From 3669119922944989391
X-Google-Thread: 108122,b99382222e9cb352
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: nobody <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 10-EA Lot Motorola VISAR Radios VHF 135-174 MHz-16Ch-5W-Chargers-EMS-
Fire-Ham
Date: 7 Jul 2007 18:37:09 GMT
Lines: 22
Message-ID: <slrnf8vnal.2kn5.bit-bucket@shell.config.com>
References: <ncFji.485405$115.265705@newsfe10.phx>
X-Trace: individual.net sOC0CBwybDKTnbXFhtbl8w24jKzPvj03xCBLqkp/qVF41ObX7y
Cancel-Lock: sha1:lmL/pQUNBMl/MC7OIx9XguZIJVs=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:12280

On Fri, 6 Jul 2007 22:05:13 -0700, !!Lou wrote:
> This is a multi-part message in MIME format.

 Translation: A piece of crap.

> ------=_NextPart_000_0008_01C7C019.BA4EA4A0
> Content-Type: text/plain;
>    charset="iso-8859-1"
> Content-Transfer-Encoding: quoted-printable
>
> 10-EA Lot Motorola VISAR Radios VHF 135-174 =
> MHz-16Ch-5W-Chargers-EMS-Fire-Ham
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&...............

"eBay users may not post on Usenet groups (Internet newsgroups) to
advertise eBay or an eBay listing that is inappropriate or violates
the Usenet board policy. If Usenet abuse is reported to eBay, we may
among other remedies remove the listing, issue a warning, or suspend
the user's eBay account."
  --  http://pages.ebay.com/help/welcome/usenet-policy.html
```

```
From -7155987285087299779
X-Google-Thread: 108122,b99382222e9cb352
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!news.kjsl.com!
ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 10-EA Lot Motorola VISAR Radios VHF 135-174 MHz-16Ch-5W-Chargers-EMS-
Fire-Ham
Date: 7 Jul 2007 20:51:45 GMT
Organization: The National Capital FreeNet
Lines: 35
Message-ID: <f6oud1$s57$1@theodyn.ncf.ca>
References: <ncFji.485405$115.265705@newsfe10.phx> <slrnf8vnal.2kn5.bit-
bucket@shell.config.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1183841505 28839 134.117.136.48 (7 Jul 2007 20:51:45 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 7 Jul 2007 20:51:45 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12281

nobody (bit-bucket@config.com) writes:
> On Fri, 6 Jul 2007 22:05:13 -0700, !!Lou wrote:
>> This is a multi-part message in MIME format.
```

```
>
>  Translation: A piece of crap.
>
>> ------=_NextPart_000_0008_01C7C019.BA4EA4A0
>> Content-Type: text/plain;
>>   charset="iso-8859-1"
>> Content-Transfer-Encoding: quoted-printable
>>
>> 10-EA Lot Motorola VISAR Radios VHF 135-174 =
>> MHz-16Ch-5W-Chargers-EMS-Fire-Ham
>>
>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&................
>
> "eBay users may not post on Usenet groups (Internet newsgroups) to
> advertise eBay or an eBay listing that is inappropriate or violates
> the Usenet board policy. If Usenet abuse is reported to eBay, we may
> among other remedies remove the listing, issue a warning, or suspend
> the user's eBay account."
>   --  http://pages.ebay.com/help/welcome/usenet-policy.html
>

Of course, that won't stick until you point out that
rec.radio.amateur.equipment is not a buy and sell newsgroup.

It was created for the discussion of amateur radio equipment.

Ultimately, any ebay ads here are off topic because they are
ads, no different from someone trying to sell their ham equipment
directly.

  Michael




From 2940115093045994311
X-Google-Thread: 108122,62ad20161521eaf1
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe01.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <hh6v83ddlt21tr9rld7ff0g13326tqa7pe@4ax.com>
Subject: Re: Weller 75 watt Soldering guns (Brand New)
Lines: 11
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <ctUji.160705$ia2.135910@fe01.news.easynews.com>
```

```
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 07 Jul 2007 22:29:28 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12282

"WZ1U" <wz1u@comcast.net> wrote in message
news:hh6v83ddlt21tr9rld7ff0g13326tqa7pe@4ax.com...
> I have some brand new sealed Weller model 7200PK 75 watt soldering
> guns. It comes with its own plastic case, spare soldering tip and
> 40/60 rosin core solder. I have some digital pictures if needed. I
> will take $20 each plus shipping. I can be reached at (508) 821-2993
> or email.....WZ1U Steve / Lakeville, MA.

http://www.amazon.com/Weller-7200PK-Standard-Lightweight-Soldering/dp/B00002N5JU




From -6388364649505626O5
X-Google-Thread: 108122,62ad20161521eaf1
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news-
in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe04.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <hh6v83ddlt21tr9rld7ff0g13326tqa7pe@4ax.com>
<ctUji.160705$ia2.135910@fe01.news.easynews.com>
Subject: Re: Weller 75 watt Soldering guns (Brand New)
Lines: 17
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <QvUji.40$oA4.37@fe04.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 07 Jul 2007 22:32:17 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12283

"Travis Jordan" <no.one@no.net> wrote in message
news:ctUji.160705$ia2.135910@fe01.news.easynews.com...
> "WZ1U" <wz1u@comcast.net> wrote in message
> news:hh6v83ddlt21tr9rld7ff0g13326tqa7pe@4ax.com...
>> I have some brand new sealed Weller model 7200PK 75 watt soldering
>> guns. It comes with its own plastic case, spare soldering tip and
>> 40/60 rosin core solder. I have some digital pictures if needed. I
>> will take $20 each plus shipping. I can be reached at (508) 821-2993
```

>> or email.....WZ1U Steve / Lakeville, MA.
>
> http://www.amazon.com/Weller-7200PK-Standard-Lightweight-Soldering/dp/B00002N5JU

Or -

http://www.amazon.com/gp/offer-listing/B00002N5JU/ref=dp_bb_a/103-4264412-1038258?ie=UTF8&redirect=true&condition=used%2F

From 723072865160828332
X-Google-Thread: 108122,62ad20161521eaf1
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <hh6v83ddlt21tr9rld7ff0g13326tqa7pe@4ax.com> <ctUji.160705$ia2.135910@fe01.news.easynews.com>
Subject: Re: Weller 75 watt Soldering guns (Brand New)
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <kCUji.5037$tj6.2628@newsread4.news.pas.earthlink.net>
Date: Sat, 07 Jul 2007 22:39:12 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1183847952 24.225.35.108 (Sat, 07 Jul 2007 15:39:12 PDT)
NNTP-Posting-Date: Sat, 07 Jul 2007 15:39:12 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:12284

"Travis Jordan" <no.one@no.net> wrote in message
news:ctUji.160705$ia2.135910@fe01.news.easynews.com...
> http://www.amazon.com/Weller-7200PK-Standard-Lightweight-Soldering/dp/B00002N5JU

From the site I get this about the solder:

From the Manufacturer
Weller 7200PK Lightweight Solder Gun Kit has a single heat gun producing 75 watts of heat. Kit contains 7200 soldering gun, coil of lead-free solder, 2 tips and an instruction leaflet.

Product Description

Soldering Gun Kit 75W Gun 40/60 Rosin Core Solder 2 Soldering Tips.

Notice how the top says LEAD-FREE solder and the botom is 60/40 which in most places indicates 60% tin and 40% LEAD.   Now which is correct ? As if it really maters to anyone.

```
From 8291786855952626580
X-Google-Thread: 114a57,6f5a84583ed41e21,start
X-Google-Thread: fb049,6f5a84583ed41e21,start
X-Google-Thread: 1031e1,6f5a84583ed41e21,start
X-Google-Thread: 108122,6f5a84583ed41e21,start
X-Google-Thread: 1109af,6f5a84583ed41e21,start
X-Google-Attributes:
gid114a57,gidfb049,gid1031e1,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!4f97008e!not-for-mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.hf,alt.ham-radio.vhf-
uhf,pa.forsale,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: UHF repeater, Kenwood battery, X9000 lowband
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <3d6ki.618$475.304@trndny04>
Date: Sun, 08 Jul 2007 14:07:59 GMT
NNTP-Posting-Host: 71.162.167.59
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1183903679 71.162.167.59 (Sun, 08 Jul 2007 10:07:59 EDT)
NNTP-Posting-Date: Sun, 08 Jul 2007 10:07:59 EDT
Xref: g2news1.google.com alt.ham-radio.hf:1205 alt.ham-radio.vhf-uhf:5614
pa.forsale:1357 rec.radio.amateur.equipment:12285 rec.radio.swap:16782
X-Original-Bytes: 1327
```

Motorola Micor UHF 451.**** 75 watt $400 pickup only, Phila. suburbs.
Motorola SyntorX9000 lowband 30-50mhz complete with dual controls. $200
Kenwood TH25/45 battery KNB5 and charger cup for W&W Master Charger rapid charger. $50.00

http://mysite.verizon.net/vzequgiy/commctr1/id11.html

From 5859977779273661926
X-Google-Thread: 108122,44c91d6b81e57f0c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: TOKYO HL5OOV VHF AMPLIFIER
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <uo7ki.13$m_7.4@newsfe06.lga>
X-Trace:
lalincmlnekeejjfbaignffdjoaiejclgchgdjfpbnngjflkihpngejpbohbhbopkhckelaglnefgmkfke
nbbbabbebcpalogpnlgebbkdkdinbifmajjcmknnmlollgenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 08 Jul 2007 08:28:26 MST
Date: Sun, 8 Jul 2007 10:28:19 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:12286

HL-500V Toyko Hy-Power 2m (144MHz) 500W Power Amplifier
* Frequency band 144-148MHz * Mode FM, SSB, CW * RF Drive power 20W/50W, manual select * RF Power out 500W * RF Power devices MRF151G x2 * PA imbalance protection, Over current protection circuit & high SWR protection * In/Out connection Type 'N * Power 100-240V AC at 12A/6A max * Size 345 x 145x 390mm * Weight 15kg

Price:US $3790.76

THAT IS THE FACTORY SPECS AND CURRENT RETAIL NEW PRICE. THIS AMP IS IN EXCELLANT CONDITION, INCLUDES MANUAL. IT HAS LESS THAN 6 HRS ACTUAL ONLINE TIME. MY PRICE: $3000.00 PLUS SHIPPING. INTERNAL & REAR PICS AVAILABLE VIA EMAIL UPON REQUEST. w9car@charter.net

---

From -3166488859201959821
X-Google-Thread: fc8b1,563d7a569e685447,start
X-Google-Thread: 108122,563d7a569e685447,start
X-Google-Thread: 1109af,563d7a569e685447,start
X-Google-Thread: f7796,563d7a569e685447,start
X-Google-Thread: 10b9c8,563d7a569e685447,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gidf7796,gid10b9c8,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-
radio.morse,rec.radio.info
Subject: Subscribe FREE to the K9YA Telegraph
Followup-To: poster
Date: Sun, 8 Jul 2007 16:11:46 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 28
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <yxbki.4108$rL1.3140@newssvr19.news.prodigy.net>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader2.panix.com 1183925506 23610 166.84.1.6 (8 Jul 2007 20:11:46 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 8 Jul 2007 20:11:46 +0000 (UTC)
Keywords: ham radio, K9YA Telegraph
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to            rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
OXZAG_[DGB^UCWDYIBHZOWP@YZOZ@GXOXB_J]Q]KEYUNDQUCCNSUAACY@L[ZX__HGFD]JBJNSFXTOOGA_V
WY^_HG@FW_HUTHOH]TBPGCO\P^PLP^@[GLHUK@WLECKFVL^TYG[@RMWQXIWM[SDDYWNLG_G[_BWUCHFY_Y
@AS@Q[B\APPF@DCZM_PG_VSCPQZM
Xref: g2news1.google.com rec.radio.amateur.boatanchors:12089
rec.radio.amateur.equipment:12287 rec.radio.swap:16785 alt.ham-radio.morse:400
rec.radio.info:395
```

Subscribe FREE to the K9YA Telegraph. It's FREE! It's FUN, It's ALL ABOUT HAM RADIO!

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by ham radio operators in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly to your e-mail inbox as a full-color PDF file.

>If you're in the mood for Morse, hankering for history, gluttonous for
>gear, ravished for a review, needing nostalgia, or just plain famished for
>fun, you'll find it in the K9YA Telegraph.

To download sample issues, subscribe or write an article, visit the K9YA
Telegraph Web site. http://www.k9ya.org

August 2007:

The Eisenhower Years By Philip Cala-Lazar, K9PL

A Study in Flea Marketing By Steve, N9WAT

K9YA Field Day By Philip Cala-Lazar, K9PL

The Indoor Sportsman - Part III By Rod Newkirk, VA3ZBB/W9BRD

Ham Quips By Dick Sylvan, W9CBT

From -2729537154169854528
X-Google-Thread: 108122,5d94003e12f8abfb,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe05.lga.POSTED!53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: TOKYO HYPOWER HL500V 2 METER AMPLIFIER
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <G1gki.40$3E2.20@newsfe05.lga>
X-Trace:
hikehalegljkcnnfbaignffdjoaiejcljbkipahiabkabolkihpngejpbohbhbopkhckelaglnefgmkfke
nbbbabbebcpalogpnlgebbkdkdinbiibepaddkdgippophenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 08 Jul 2007 18:18:30 MST
Date: Sun, 8 Jul 2007 20:18:07 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:12288

THIS UNIT HAS BEEN MOVED TO:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=290137442016

From -6527417038482645679
X-Google-Thread: 10dafd,e2f65e2454b8e50d,start
X-Google-Thread: 112acb,e2f65e2454b8e50d,start
X-Google-Thread: 1113b0,e2f65e2454b8e50d,start
X-Google-Thread: 108122,e2f65e2454b8e50d,start
X-Google-Thread: 1062f2,e2f65e2454b8e50d,start

```
X-Google-Attributes:
gid10dafd,gid112acb,gid1113b0,gid108122,gid1062f2,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsfeed-00.mathworks.com!news.mv.net!milton
From: Milton <milton@mklosiuao.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,rec.r
adio.amateur.equipment,misc.industry.electronics.marketplace
Subject: FA: 5 Books: DIGITAL and ANALOG ELECTRONICS, SEMICONDUCTORS,
MICROPROCESSORS, etc.
Date: Sun, 08 Jul 2007 21:59:39 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <08072007215939385l%milton@mklosiuao.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1183946380 10412 75.67.219.196 (9 Jul 2007 01:59:40 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 9 Jul 2007 01:59:40 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:507256
alt.marketplace.books:16554 rec.arts.books.marketplace:15302
rec.radio.amateur.equipment:12289 misc.industry.electronics.marketplace:1823


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320135891446


From 6844479045061239163
X-Google-Thread: 108122,dc47f4d2eb5ed1b5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 09 Jul 2007 23:28:48 -0500
Date: Mon, 09 Jul 2007 21:28:27 -0700
From: Dana Myers <dana.myers@gmail.com>
User-Agent: Thunderbird 2.0.0.4 (Windows/20070604)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-2100H HM-133S MIC S1 Problem
References: <1183614164.328242.101210@m36g2000hse.googlegroups.com>
<XZKdnUcF9JgDohDbnZ2dnUVZ_tfinZ2d@comcast.com>
<1183748170.062142.210850@w3g2000hsg.googlegroups.com>
In-Reply-To: <1183748170.062142.210850@w3g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <oridnVrXLLOdlg7bnZ2dnUVZ_vjinZ2d@comcast.com>
```

```
Lines: 28
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.180.22.170
X-Trace: sv3-
XW4vnp2WU4jJv+zaXgjN3HlLj1vILS2mABXr0rcvAopqFiQ92UNhx3225VvPRquN4J4rTg9SHHXbX3u!
6Y4ydcLCu+zNkyLfSaDOrZgzwGP/MVr1mUrSwvM0YNbfvSaTUYnfUoNx9NTP19fezuMOI+aaA+lP!
WKmfZ+HtXXQAwbYpOEw/vvbXBvgpTQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12290

wpiper@comcast.net wrote:
> On Jul 5, 3:00 pm, Dana Myers <dana.my...@gmail.com> wrote:
>> wpi...@comcast.net wrote:
>>> I have aHM-133smike that has a bad push to talk button problem. I
>>> found that the switch, S1 on the pc board has failed. I am looking for
>>> a replacement switch to restore this unit back to working condition
>>> again.
>>> Where can you buy a switch to fix this unit?
>> Have you tried contacting Icom? In the US, (800) 306-1380.
>>
>> Dana  K6JQ
>
> I believe they would want to sell a new mike.

They might, but my (perhaps limited) experience with Icom was that
pretty much any part you wanted, they'd sell you, and they
weren't *that* expensive.  It's certainly worth a toll-free
call to find out, IMHO.

>  I did find a button
> switch that fit the mounting.  I thought the shroud was part of the
> assembly but it was two pieces, the switch and the shroud that held
> the it.  It is now working again with an investment of 32 cents.  Not
> bad for a little time on the bench... Thanks, Bill Piper, N8PRC

Very good.

Dana K6JQ


From 6808968921050767539
X-Google-Thread: 108122,cd2e1c06f74ba718,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!nntp.infostrada.it!twister1.libero.it.POSTED!not-for-mail
From: "mauri" <maREMOVEBEFOREREPLYurinot@libero.it>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: APRS <---- GPS  Garmin 25-LVS
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000755-0, 09/07/2007), Outbound message
X-Antivirus-Status: Clean
Message-ID: <4TJki.62345$U01.595501@twister1.libero.it>
Date: Tue, 10 Jul 2007 11:15:12 GMT
NNTP-Posting-Host: 151.46.161.57
X-Complaints-To: abuse@libero.it
X-Trace: twister1.libero.it 1184066112 151.46.161.57 (Tue, 10 Jul 2007 13:15:12
MET DST)
NNTP-Posting-Date: Tue, 10 Jul 2007 13:15:12 MET DST
Organization: [Infostrada]
Xref: g2news1.google.com rec.radio.amateur.equipment:12291

GPS Garmin OEM 25 LVS , 12 ch, HIGH-PERFORMANCE DGPS !!
APRS - Tracking - 1 PPS - Time and Frequency Standard

http://cgi.ebay.it/ws/eBayISAPI.dll?
ViewItem&item=320134886944&ssPageName=MERC_VI_RCRX_Pr4_PcY_BIN_IT&refitem=32013531
3001&itemcount=4&refwidgetloc=active_view_item&usedrule1=CrossSell_LogicX&refwidge
ttype=cross_promot_widget




From -1836551932146937525
X-Google-Thread: 108122,7427f364fa910386,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe04.lga.POSTED!
53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS:  ICOM IC 756 PRO III
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <gANki.19$VP7.9@newsfe04.lga>
X-Trace:
noffecneefnkbhgfbaignffdjoaiejcllohiifgakiifbmcaihpngejpbohbhboplhnaefldblfangjjhf
bgcihoabncmfbpgpnlgebbkdkdinbiabkihdigcpbhhgfkenfnojecgjgcfcij
NNTP-Posting-Date: Tue, 10 Jul 2007 08:28:12 MST
Date: Tue, 10 Jul 2007 10:28:03 -0500
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:12292

I AM THE ORIGINAL OWNER OF THIS ICOM 756 PRO III. IT LIVES IN A NON SMOKING
HOME AND HAS NO ISSUES. IT COMES WITH THE ORIGINAL HAND MIC (NEVER USED),
NEW - UN-USED FUSED POWER CORD, AND MANUAL. I DO NOT HAVE THE ORIGINAL BOX.
THIS RADIO HAS NEVER BEEN MOBILE OR OUT OF MY SHACK. $2025.00 SHIPPED &
INSURED TO YOUR DOOR (USA LOWER 48). ONLY US POSTAL MONEY ORDER OR BANK
DRAFT. NO PAYPAL OR TRADES. THIS RADIO WILL BE TRIPLE BOXED AND SHIPPED
PROPERLY.




From -7295030963151899379
X-Google-Thread: 108122,428b4fb5c79e9e86,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
83.80.28.12.MISMATCH!multikabel.net!newsfeed10.multikabel.net!tudelft.nl!
txtfeed1.tudelft.nl!surfnet.nl!surfnet.nl!news.wind.surfnet.nl!News.Dal.Ca!
newsflash.concordia.ca!pitt.edu!machine3
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: dayton
Date: Thu, 12 Jul 2007 19:09:44 GMT
Organization: ???
Lines: 6
Message-ID: <f75u9n$p2c$1@usenet01.srv.cis.pitt.edu>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1184267383 25676 136.142.52.106 (12 Jul 2007
19:09:43 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Thu, 12 Jul 2007 19:09:43 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:12293

it looks like Parts Express is having a tent sale comming up soon. I wish I were
closer.
to Dayton, Ohio.

greg
N6GS




From 8453322375568647674
X-Google-Thread: 108122,4819fb1266588cbf,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Filters to get rid of inverter noise
```

Date: Thu, 12 Jul 2007 15:30:01 -0400
Organization: MV Communications, Inc.
Lines: 19
Message-ID: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1184268601 6819 207.22.49.17 (12 Jul 2007 19:30:01 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Thu, 12 Jul 2007 19:30:01 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news1.google.com rec.radio.amateur.equipment:12294

I have a so-called "modified sine wave" inverter that is connected to 200+ amp hours of deep discharge battery located in about the center of the house in the basement. About a 30-foot length of #14 wire goes to an outlet box in the shack, down on one end of the house, and provides 110VAC (of a sort) when the power is off and I don't feel like hauling out the generator. :-)

Trouble is, whenever I turn on the inverter it spews harmonics all up and down the HF band and makes it difficult to impossible to hear weak signals.

I realize that a pure sine wave inverter would mostly alleviate this but that's not gonna happen any time soon... meanwhile is there a filter I can apply to the output of the inverter to round off the corners of the modified sine wave (which is really nothing but a stairstep square wave) and eliminate the worst of the harmonic noise?

Thanks...

From -8382536816306606758
X-Google-Thread: 108122,4819fb1266588cbf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
newsfeed.yul.equant.net!nntp1.roc.gblx.net!nntp.gblx.net!nntp.gblx.net!
news.xcski.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Filters to get rid of inverter noise
Date: 12 Jul 2007 19:37:21 GMT
Organization: The National Capital FreeNet
Lines: 35
Message-ID: <f75vth$eff$1@theodyn.ncf.ca>
References: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca

X-Trace: theodyn.ncf.ca 1184269041 14831 134.117.136.48 (12 Jul 2007 19:37:21 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 12 Jul 2007 19:37:21 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12295

"Rick " (get.my.email@from.qrz.com) writes:
> I have a so-called "modified sine wave" inverter that is connected to 200+
> amp hours of deep discharge battery located in about the center of the
> house in the basement. About a 30-foot length of #14 wire goes to an
> outlet box in the shack, down on one end of the house, and provides 110VAC
> (of a sort) when the power is off and I don't feel like hauling out the
> generator. :-)
>
> Trouble is, whenever I turn on the inverter it spews harmonics all up and
> down the HF band and makes it difficult to impossible to hear weak signals.
>
> I realize that a pure sine wave inverter would mostly alleviate this but
> that's not gonna happen any time soon... meanwhile is there a filter I can
> apply to the output of the inverter to round off the corners of the
> modified sine wave (which is really nothing but a stairstep square wave)
> and eliminate the worst of the harmonic noise?
>
> Thanks...
>

Look in old ARRL Handbooks, or even their old Mobile Handbook.

A lot of the things about alternator noise would seem to apply
to such inverters, and even switching supplies. But it seems like
such coverage is much smaller nowadays than thirty or so years ago.

Figure out whether the signal is radiating from the chassis, or from
the output wire. If it's the former, it needs better shielding. If
it's the latter, add feedthrough capacitors in a box that shields
the output, and maybe put an LC circuit in series with the output
line, and tune it for a null. The primary of the inverter may also
be a source of noise, you need to figure that out first.

Michael VE2BVW

From 2042508514078954467
X-Google-Thread: 108122,4819fb1266588cbf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Filters to get rid of inverter noise
Date: Thu, 12 Jul 2007 16:06:43 -0500
Lines: 25

```
Message-ID: <5fnjf3F3cmcjmU1@mid.individual.net>
References: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net FuVj7wYOQsx3iQHxCn4VAQdP9f7xgPapRdXUxyCyGuUClOCQeb
Cancel-Lock: sha1:1SEyRbC368EVBXwaQl9Zsy3itus=
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/
20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:12296
```

Rick (W-A-one-R-K-T) wrote:

> I have a so-called "modified sine wave" inverter that is connected to 200+
> amp hours of deep discharge battery located in about the center of the
> house in the basement. About a 30-foot length of #14 wire goes to an
> outlet box in the shack, down on one end of the house, and provides 110VAC
> (of a sort) when the power is off and I don't feel like hauling out the
> generator. :-)
>
> Trouble is, whenever I turn on the inverter it spews harmonics all up and
> down the HF band and makes it difficult to impossible to hear weak signals.
>
> I realize that a pure sine wave inverter would mostly alleviate this but
> that's not gonna happen any time soon... meanwhile is there a filter I can
> apply to the output of the inverter to round off the corners of the
> modified sine wave (which is really nothing but a stairstep square wave)
> and eliminate the worst of the harmonic noise?
>
> Thanks...
>

Shield the inverter and the battery together,
put an ac filter made for computers on the output of the inverter were it exits
the shielded enclosure, and ground the shielded enclosure to earth. You should
see a big difference in noise...

Bob N9LVU

```
From -7246106484297176238
X-Google-Thread: 108122,4819fb1266588cbf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "Rick (W-A-one-R-K-T)" <get.my.email@from.qrz.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Filters to get rid of inverter noise
Date: Thu, 12 Jul 2007 17:10:20 -0400
Organization: MV Communications, Inc.
Lines: 26
Message-ID: <pan.2007.07.12.21.10.19.388039@from.qrz.com>
References: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
```

<f75vth$eff$1@theodyn.ncf.ca>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1184274620 8800 207.22.49.17 (12 Jul 2007 21:10:20 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Thu, 12 Jul 2007 21:10:20 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news1.google.com rec.radio.amateur.equipment:12297

On Thu, 12 Jul 2007 19:37:21 +0000, Michael Black wrote:

> Look in old ARRL Handbooks, or even their old Mobile Handbook.

Good afternoon, Michael.

Yeah, I gave away a stack of my old Handbooks a while ago... XYL got tired of looking at them in the garage (hadn't finished setting up the shack yet, and still haven't...). :-(

> Figure out whether the signal is radiating from the chassis, or from the
> output wire. If it's the former, it needs better shielding. If it's
> the latter, add feedthrough capacitors in a box that shields the output,
> and maybe put an LC circuit in series with the output line, and tune it
> for a null. The primary of the inverter may also be a source of noise,
> you need to figure that out first.

Well, square waves have a lot of harmonics, and perfect square waves have infinite harmonics (but there's no such thing as a perfect square wave so in the real world harmonics are finite). If I can file off the corners of the stairstep wave that really should help cut down on the harmonics.

Someone emailed me and recommended a brute-force EMI filter (thanks, Dave) so since that's easiest I'll probably try that first then take things from there.

From -2713631286241032585
X-Google-Thread: 108122,4819fb1266588cbf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 12 Jul 2007 17:49:31 -0500
Date: Thu, 12 Jul 2007 18:49:33 -0400
From: Deek <Deek@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Filters to get rid of inverter noise
References: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
In-Reply-To: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ks-dnaFyud1hMgvbnZ2dnUVZ_tSunZ2d@comcast.com>
Lines: 68
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-1GeXo2BGMsA0L/Gi4D9i2ImAr9d//
2CGKcNUMjpxwlSUCy3HElcKTqm8W7maUaBCQxKsjuEbAR/2al+!
a7KpF7DWYQaJbcMmFXV80Tbg3b4o4K1GzhCypGOmtYdz+aACswqPwbsHJ34dGqXTu5RfXGpdVa0b!
Wq90mFnYG43DBeAi0vqhlnmcNdg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12298

> I have a so-called "modified sine wave" inverter that is connected to 200+
> amp hours of deep discharge battery located in about the center of the
> house in the basement. SNIPPED

meanwhile is there a filter I can

> apply to the output of the inverter to round off the corners of the
> modified sine wave (which is really nothing but a stairstep square wave)
> and eliminate the worst of the harmonic noise?

It is generally quite easy to construct a filter to eliminate the square wave component[s] in an approximated sine wave.

First, determine how many steps are used, what is the frequency of the square wave, in one cycle to make the 'sine' wave?

Second, a three stage pi-filter is designed to severely reduce the conducted interference.

The first stage is series resonant at the fundamental square wave frequency and is across the hot line to return [not ground].

The second stage is parallel resonant in the both paths after the series filter.

The third stage is identical to the first stage, but located at the output of the parallel resonant filter.

```
                --L--
---------------|     |---------- [Hot]
            L   --C--   L
            |           |
            C           C
            |   --L--   |
--------------|     |----------- [Return]
                --C--
```

NOTE: The Return must be an isolated wire just like the Hot line. The return line MAY be connected to inverter chassis by a 'zero current' carrying connection [approximately 50 Kohms] ONLY at one point.

It will take a little effort to locate suitable cores for the inductive component. The capacitors can be electrolytic up to several 100 KHz. The key is to establish RESONANCE at the fundamental component of the square wave.

An alternative may be to replace the square wave generator with a simple op-amp and power stage configured as a WEIN Oscillator. A Wein oscillator has negligible harmonic component. One op-amp and a couple of transistors should do the trick.

/s/ DD, W1MCE

Rick (W-A-one-R-K-T) wrote:

About a 30-foot length of #14 wire goes to an
> outlet box in the shack, down on one end of the house, and provides 110VAC
> (of a sort) when the power is off and I don't feel like hauling out the
> generator. :-)
>
> Trouble is, whenever I turn on the inverter it spews harmonics all up and
> down the HF band and makes it difficult to impossible to hear weak signals.
>
> I realize that a pure sine wave inverter would mostly alleviate this but
> that's not gonna happen any time soon...
>
> Thanks...
>

```
From 2572087335625067797
X-Google-Thread: 108122,341733422897fa30,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!lon-
transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-
server.bigpond.net.au!53ab2750!not-for-mail
From: David <dhuisman@bigpond.net.au>
Reply-To:  dhuisman@bigpond.net.au
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: HP8753A help required
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
```

Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <AAIli.6575$4A1.2578@news-server.bigpond.net.au>
Date: Fri, 13 Jul 2007 10:36:16 GMT
NNTP-Posting-Host: 61.9.197.209
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1184322976 61.9.197.209 (Fri, 13 Jul 2007 20:36:16 EST)
NNTP-Posting-Date: Fri, 13 Jul 2007 20:36:16 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:12299

Hi,

I have just purchased a HP8753A VNA and need some help setting the thing up.

I want to start off just measuring impedance of lumped components but I cannot get any sensible readings. I have tried all sorts of Calibrations from the operation manual but still no luck.

I have the HP85044A Test Set and the 50 Ohm Calibration set.

I am trying to connect a coaxial lead to the Test port on the Test Set and so a 1 Port measurement. I have tried both RESPONSE cal and 1-Port Cal and placed a short,oopen and 50 Ohm load at end of the coax and then after calibration I place a leaded cap but do not get anything like I see in RF books I Have.

Any help much appreciated.

Regards

David

From -7311004029144161513
X-Google-Thread: 108228,5a73724658eea956,start
X-Google-Thread: 108122,5a73724658eea956,start
X-Google-Thread: 1109af,5a73724658eea956,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe06.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: 10-Motorola Visar's-VHF-Auction Ending-Good Shape-w/Chargers-Ham
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
boundary="----=_NextPart_000_0009_01C7C519.CFBEC9F0"

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <%qLli.496$Mx3.438@newsfe06.phx>
Date: Fri, 13 Jul 2007 06:48:25 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe06.phx 1184334651 68.96.97.57 (Fri, 13 Jul 2007 06:50:51 MST)
NNTP-Posting-Date: Fri, 13 Jul 2007 06:50:51 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3225
rec.radio.amateur.equipment:12300 rec.radio.swap:16827

This is a multi-part message in MIME format.

------=_NextPart_000_0009_01C7C519.CFBEC9F0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 10-Motorola Visar's-VHF-Auction Ending-Good Shape-w/Chargers

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250140314951&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0009_01C7C519.CFBEC9F0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 10-Motorola Visar's-VHF-Auction Ending-Good Shape-w/Chargers</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250140314951&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250140314951&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0009_01C7C519.CFBEC9F0--



From -6696900964550060895
```

```
X-Google-Thread: 108122,ea6017c146c6896d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe18.lga.POSTED!
53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB - Desk Mic for IC-718
Message-ID: <n26f93tu0montmociqpclgk0gin7h684ee@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Fri, 13 Jul 2007 11:21:23 -0400
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1184340068 70.161.108.207 (Fri, 13 Jul 2007 08:21:08 MST)
NNTP-Posting-Date: Fri, 13 Jul 2007 08:21:08 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12301

I have a friend that wants an SM-6 or SM-8 for his rig. He doesn't
have a computer so I am looking around for him.  Looking for a
serviceable microphone w/ cable and plug including shipping to 23323.
<k4wys@cox.net>


From 8584948841251442567
X-Google-Thread: 108122,aeb568ddd729eb1d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ricknj10@hotmail.com (Rick)
Newsgroups: rec.radio.amateur.equipment
Subject: 8640B Signal generator for ham use died
Reply-To: ricknj10@hotmail.com
Message-ID: <4697af0b.19778500@news.optonline.net>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 8
Date: Fri, 13 Jul 2007 17:36:36 GMT
NNTP-Posting-Host: 67.82.179.222
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1184348196 67.82.179.222 (Fri, 13 Jul 2007 10:36:36 MST)
NNTP-Posting-Date: Fri, 13 Jul 2007 10:36:36 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:12302

Anyone know of a troubleshooting guide for the HP 8640B?
My display reads all zero's although the generator is putting out a signal
just fine.  I'd like to find a step by step guide that would lead me to the
```

```
defective component.

Rick  K2XT




From 3430446784229020247
X-Google-Thread: 108122,aeb568ddd729eb1d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "K" <K@spam.net>
Newsgroups: rec.radio.amateur.equipment
References: <4697af0b.19778500@news.optonline.net>
Subject: Re: 8640B Signal generator for ham use died
Date: Fri, 13 Jul 2007 10:53:54 -0700
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Lines: 21
Message-ID: <4697bc35$0$24699$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12303

You can download the complete manual from here.

http://www.premium-rx.org/reference.htm

Lots of luck.

Jer - n6jp

"Rick" <ricknj10@hotmail.com> wrote in message
news:4697af0b.19778500@news.optonline.net...
> Anyone know of a troubleshooting guide for the HP 8640B?
> My display reads all zero's although the generator is putting out a signal
> just fine.  I'd like to find a step by step guide that would lead me to
> the
> defective component.
>
> Rick  K2XT
>
>




From -7153425778729403838
X-Google-Thread: 108122,aeb568ddd729eb1d
```

```
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ricknj10@hotmail.com (Rick)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 8640B Signal generator for ham use died
Reply-To: ricknj10@hotmail.com
Message-ID: <4697f875.38572265@news.optonline.net>
References: <4697af0b.19778500@news.optonline.net>
<4697bc35$0$24699$4c368faf@roadrunner.com>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 8
Date: Fri, 13 Jul 2007 22:13:31 GMT
NNTP-Posting-Host: 67.82.179.222
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1184364811 67.82.179.222 (Fri, 13 Jul 2007 15:13:31 MST)
NNTP-Posting-Date: Fri, 13 Jul 2007 15:13:31 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:12304
```

Thanks K. I should have said I have the manual but was hoping somewhere there
was one of those flowchart guides that leads one through to the right
component. I was hoping to avoid having to learn how all those digital
circuits work in the counter section.
I was sort of thinking maybe somewhere in HP docs there might have been such
an animal, for the HP techs to use.

Rick K2XT

```
From -1586585708906077716
X-Google-Thread: 108122,aeb568ddd729eb1d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Message-ID: <469825BD.6040502@nettally.com>
Date: Fri, 13 Jul 2007 21:24:13 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
To:  ricknj10@hotmail.com
Subject: Re: 8640B Signal generator for ham use died
References: <4697af0b.19778500@news.optonline.net>
In-Reply-To: <4697af0b.19778500@news.optonline.net>
```

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 24
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12305

Check to see if the button for internal/external counter is set correctly.

Rick wrote:

>Anyone know of a troubleshooting guide for the HP 8640B?
>My display reads all zero's although the generator is putting out a signal
>just fine.  I'd like to find a step by step guide that would lead me to the
>defective component.
>
>Rick  K2XT
>
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P



From -6084847489246453387
X-Google-Thread: 108122,aeb568ddd729eb1d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!
storethat.news.telefonica.de!telefonica.de!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 8640B Signal generator for ham use died
Date: Fri, 13 Jul 2007 18:24:07 -0700
Message-ID: <4b9g93tphdeu0g51j0f6v9ggr4btqlt312@4ax.com>
References: <4697af0b.19778500@news.optonline.net>
<4697bc35$0$24699$4c368faf@roadrunner.com> <4697f875.38572265@news.optonline.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Date: 14 Jul 2007 00:32:10 GMT
X-Complaints-To: abuse@teranews.com
```

Xref: g2news1.google.com rec.radio.amateur.equipment:12306

This guy has the service manual for sale for $8. If you only have the
operating manual, this may give you what you need.

http://home.comcast.net/~aa4df02/hp.htm

Dick - W6CCD

On Fri, 13 Jul 2007 22:13:31 GMT, ricknj10@hotmail.com (Rick) wrote:

>Thanks K. I should have said I have the manual but was hoping somewhere there
>was one of those flowchart guides that leads one through to the right
>component. I was hoping to avoid having to learn how all those digital
>circuits work in the counter section.
>I was sort of thinking maybe somewhere in HP docs there might have been such
>an animal, for the HP techs to use.
>
>Rick K2XT

--
Posted via a free Usenet account from http://www.teranews.com

From -2582336330926932440
X-Google-Thread: 108122,7738fdabe64a2557,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe02.lga.POSTED!53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: TOKYO HYPOWER HL500V VHF AMPLIFIER
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <%J1mi.2$y37.0@newsfe02.lga>
X-Trace:
nphhjmdkmllhpdkebaignffdjoaiejclpgaincjdhkideedaihpngejpbohbhbopkhckelaglnefgmkfkg
nbbcodheolimpdgpnlgebbkdkdinbipbmeilmkphongkkcenfnojecgjgcfcij
NNTP-Posting-Date: Sat, 14 Jul 2007 03:39:55 MST
Date: Sat, 14 Jul 2007 05:38:26 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:12307

HL-500V Toyko Hy-Power 2m (144MHz) 500W Power Amplifier
* Frequency band 144-148MHz * Mode FM, SSB, CW * RF Drive power 20W/50W,
manual select * RF Power out 500W * RF Power devices MRF151G x2 * PA
imbalance protection, Over current protection circuit & high SWR protection

* In/Out connection Type 'N * Power 100-240V AC at 12A/6A max * Size 345 x 145x 390mm * Weight 15kg
CURRENT NEW Price: US $3790.76

THAT INFORMATION DIRECT FROM FACTORY. THIS AMP IS IN EXCELLANT CONDITION, MANUAL INCLUDED. IT HAS LESS THAN 6 HRS ACTUAL ONLINE TIME. MY PRICE: $2850.00 PLUS SHIPPING. PICS PROVIDED UPON EMAIL REQUEST.

```
From -1315136285001414094
X-Google-Thread: 108228,69e13fa7a2979684,start
X-Google-Thread: 108122,69e13fa7a2979684,start
X-Google-Thread: 1109af,69e13fa7a2979684,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swa
p
Subject: FA: TX-RX VHF BP/BR Repeater Cavity-Commercial-Ham
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001E_01C7C5FC.D4149E60"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <we7mi.481888$g24.223912@newsfe12.phx>
Date: Sat, 14 Jul 2007 09:53:28 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1184432156 68.96.97.57 (Sat, 14 Jul 2007 09:55:56 MST)
NNTP-Posting-Date: Sat, 14 Jul 2007 09:55:56 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3230
rec.radio.amateur.equipment:12308 rec.radio.swap:16843

This is a multi-part message in MIME format.

------=_NextPart_000_001E_01C7C5FC.D4149E60
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: TX-RX VHF BP/BR Repeater Cavity-Commercial-Ham

```
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250143015613&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001E_01C7C5FC.D4149E60
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: TX-RX VHF BP/BR Repeater Cavity-Commercial-Ham</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250143015613&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250143015613&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_001E_01C7C5FC.D4149E60--




From 8533733392698038152
X-Google-Thread: 108228,945dc8c661cc447d,start
X-Google-Thread: 108122,945dc8c661cc447d,start
X-Google-Thread: 1109af,945dc8c661cc447d,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!news-in-02.newsfeed.easynews.com!easynews.com!easynews!
hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe12.phx.POSTED!
53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swa
p
Subject: FA: Lot 2-ea HT1000 VHF Radios-Ham
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0027_01C7C5FD.82977430"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
```

```
Message-ID: <5j7mi.481889$g24.224562@newsfe12.phx>
Date: Sat, 14 Jul 2007 09:58:21 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1184432449 68.96.97.57 (Sat, 14 Jul 2007 10:00:49 MST)
NNTP-Posting-Date: Sat, 14 Jul 2007 10:00:49 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3231
rec.radio.amateur.equipment:12309 rec.radio.swap:16844

This is a multi-part message in MIME format.

------=_NextPart_000_0027_01C7C5FD.82977430
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Lot 2-ea HT1000 VHF Radios-Ham

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250142162991&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0027_01C7C5FD.82977430
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Lot 2-ea HT1000 VHF Radios-Ham</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250142162991&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250142162991&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0027_01C7C5FD.82977430--



From -7163997135704460868
X-Google-Thread: 108228,dd5b1b91b3f95b60,start
X-Google-Thread: 108122,dd5b1b91b3f95b60,start
X-Google-Thread: 1109af,dd5b1b91b3f95b60,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swa
p
Subject: FA: 2-EA UHF Mini-Duplexers-Ham
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0030_01C7C5FD.DE4CA070"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <ul7mi.481890$g24.250420@newsfe12.phx>
Date: Sat, 14 Jul 2007 10:00:55 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1184432602 68.96.97.57 (Sat, 14 Jul 2007 10:03:22 MST)
NNTP-Posting-Date: Sat, 14 Jul 2007 10:03:22 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3232
rec.radio.amateur.equipment:12310 rec.radio.swap:16845

This is a multi-part message in MIME format.

------=_NextPart_000_0030_01C7C5FD.DE4CA070
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 2-EA UHF Mini-Duplexers-Ham=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250143028296&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0030_01C7C5FD.DE4CA070
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT size=3D2>
<P>FA: 2-EA UHF Mini-Duplexers-Ham </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250143028296&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250143028296&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0030_01C7C5FD.DE4CA070--



From 3009452284362638312
X-Google-Thread: 108228,2f164219689a22b,start
X-Google-Thread: 108122,2f164219689a22b,start
X-Google-Thread: 1109af,2f164219689a22b,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swa
p
Subject: FA: Motorola HT750 UHF 403-470 MHz-EMS-Fire-Ham
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0039_01C7C5FE.4E185110"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <qo7mi.481891$g24.316204@newsfe12.phx>
Date: Sat, 14 Jul 2007 10:04:02 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1184432790 68.96.97.57 (Sat, 14 Jul 2007 10:06:30 MST)
NNTP-Posting-Date: Sat, 14 Jul 2007 10:06:30 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3233
rec.radio.amateur.equipment:12311 rec.radio.swap:16846

This is a multi-part message in MIME format.

------=_NextPart_000_0039_01C7C5FE.4E185110
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA: Motorola HT750 UHF 403-470 MHz-EMS-Fire-Ham

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250141394783&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0039_01C7C5FE.4E185110
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola HT750 UHF 403-470 MHz-EMS-Fire-Ham</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250141394783&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250141394783&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0039_01C7C5FE.4E185110--



From 3188224028451228180
X-Google-Thread: 108228,d15566b32cf464a9,start
X-Google-Thread: 108122,d15566b32cf464a9,start
X-Google-Thread: 1109af,d15566b32cf464a9,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
newsfeed.telusplanet.net!newsfeed.telus.net!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swa
p
Subject: FA: 6-Cavity Harris-UHF-Duplexer-Very Compact-Tunes Down To Ham Freq's
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0042_01C7C5FE.E20B87C0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
```

```
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <js7mi.481893$g24.109986@newsfe12.phx>
Date: Sat, 14 Jul 2007 10:08:10 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1184433039 68.96.97.57 (Sat, 14 Jul 2007 10:10:39 MST)
NNTP-Posting-Date: Sat, 14 Jul 2007 10:10:39 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3234
rec.radio.amateur.equipment:12312 rec.radio.swap:16847

This is a multi-part message in MIME format.

------=_NextPart_000_0042_01C7C5FE.E20B87C0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 6-CAVITY HARRIS-UHF-REPEATER DUPLEXER-VERY COMPACT-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250143041757&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0042_01C7C5FE.E20B87C0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 6-CAVITY HARRIS-UHF-REPEATER DUPLEXER-VERY COMPACT-HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250143041757&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250143041757&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0042_01C7C5FE.E20B87C0--



From -2740464834672765699
X-Google-Thread: 108122,f6d8a5b7e51421df,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "DJboutit" <Recordking@Hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Texas CB Forum
Date: Sat, 14 Jul 2007 17:42:02 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Lines: 4
Message-ID: <46994a7f$0$4926$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12313

For anybody that lives in Texas who is into cb radio to chat & meet others who are also into cb radio www.texascbforum.co.sr

---

From 5693918350064386737
X-Google-Thread: 108122,dc47f4d2eb5ed1b5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 14 Jul 2007 20:58:52 -0500
From: Bmaintz <Bmaintz.df3493@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-2100H HM-133S MIC S1 Problem
Date: Sat, 14 Jul 2007 23:53:33 +0100
Message-ID: <Bmaintz.df3493@radiobanter.com>
Organization: RadioBanter.com
References: <1183614164.328242.101210@m36g2000hse.googlegroups.com>
Lines: 18
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 87.106.71.43
X-Trace: sv3-cFxu2N39EVHWk9wOZ+NMbclUQC1TiMYwrq6d55j6UuFZxDvA/
tXl6AQbtW16P3hSWdm7HcTJqA3/wUR!
A5YBbuKwj8EOWToeqQmWmVVURKlv+Wx1Zd6QXImhRS5DAQNMF3e/egeeeqFHK1qHi43I2fDv/XcT!YmE=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
X-Original-Lines: 10
Xref: g2news1.google.com rec.radio.amateur.equipment:12314

I also had the same problem & found a cold solder joint on the circuit
board...
73
Bob

wpiper@comcast.net;578896 Wrote:
> I have a HM-133s mike that has a bad push to talk button problem. I
> found that the switch, S1 on the pc board has failed. I am looking for
> a replacement switch to restore this unit back to working condition
> again.
> Where can you buy a switch to fix this unit?

--
Bmaintz

From -3253353805605495556
X-Google-Thread: 108122,e06b8e930f35140c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Sun, 15 Jul 2007 10:57:37 +0200
From: none <""bram\"@(none)">
User-Agent: Thunderbird 2.0.0.4 (X11/20070616)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Daiwa CNW-518 capacitors
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 85.1.14.125
X-Original-NNTP-Posting-Host: 85.1.14.125
Message-ID: <4699e183_3@news.bluewin.ch>
X-Trace: news.bluewin.ch 1184489859 85.1.14.125 (15 Jul 2007 10:57:39 +0200)
Organization: Bluewin AG
Lines: 17
Complaints-To: abuse@bluewin.ch
X-Original-NNTP-Posting-Host: 127.0.0.1
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!164.128.36.58!news.ip-plus.net!
newsfeed.ip-plus.net!news.bluewin.ch!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:12315

Hello,

I've got a Daiwa CNW-518 antenna tuner, and it's absolutely impossible to tune any kind of antenna. The SWR only gets worse when I use the matcher.

A friend advised me to check the capacitors, because they might have dried, and I opened the box to see if I could read values off them. But the numbers written on them gave me no clue. (I have to open the box again to copy them off, tell me if it's necessary)

Googling for the schematics, I only found reviews (good ones, mainly HI) and comments about the tuner, but no actual reference. Does anyone know where I could find more information? I'm thankful for any advice.

Greetings

bram

```
From 8925056120973344842
X-Google-Thread: 108122,e06b8e930f35140c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 15 Jul 2007 10:09:23 -0500
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
References: <4699e183_3@news.bluewin.ch>
Subject: Re: Daiwa CNW-518 capacitors
Date: Sun, 15 Jul 2007 11:09:24 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <q-KdnQIvlZo-pQfbnZ2dnUVZ_vihnZ2d@comcast.com>
Lines: 31
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-ItTtqgx67W/hyInjplYT2ZlNFcfmHrg6wk+CfCTp7F17/
wGtGh9eHr8mx1EQct2FWsYN3O4k7ccUsj6!f35shwm4WY/
G02+TkPLvuqPu+o1P5JpXlXevoIDAIAwzPkan+zjCxzllVFgJ3AKNtzRxqYlE9Xq/!
AsA3XprAFnmqtau6xl1ZfSrKcUxQZag=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12316
```

Try this address - read 2nd message:
http://www.eham.net/forums/Elmers/27877

"none" <""bram\"@(none)"> wrote in message
news:4699e183_3@news.bluewin.ch...
> Hello,

```
>
>  I've got a Daiwa CNW-518 antenna tuner, and it's absolutely impossible to
> tune
> any kind of antenna. The SWR only gets worse when I use the matcher.
>
>  A friend advised me to check the capacitors, because they might have
> dried,
> and I opened the box to see if I could read values off them. But the
> numbers
> written on them gave me no clue. (I have to open the box again to copy
> them off,
> tell me if it's necessary)
>
>  Googling for the schematics, I only found reviews (good ones, mainly HI)
> and
> comments about the tuner, but no actual reference. Does anyone know where
> I
> could find more information? I'm thankful for any advice.
>
> Greetings
>
> bram




From 632740107673623814
X-Google-Thread: 108122,e06b8e930f35140c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Sun, 15 Jul 2007 21:09:17 +0200
From: none <""bram\"@(none)">
User-Agent: Thunderbird 2.0.0.4 (X11/20070616)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Daiwa CNW-518 capacitors
References: <4699e183_3@news.bluewin.ch> <q-KdnQIvlZo-
pQfbnZ2dnUVZ_vihnZ2d@comcast.com>
In-Reply-To: <q-KdnQIvlZo-pQfbnZ2dnUVZ_vihnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 85.1.14.125
X-Original-NNTP-Posting-Host: 85.1.14.125
Message-ID: <469a70ea$1_2@news.bluewin.ch>
X-Trace: news.bluewin.ch 1184526570 85.1.14.125 (15 Jul 2007 21:09:30 +0200)
Organization: Bluewin AG
Lines: 9
Complaints-To: abuse@bluewin.ch
X-Original-NNTP-Posting-Host: 127.0.0.1
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn13feed!
worldnet.att.net!164.128.36.58!news.ip-plus.net!newsfeed.ip-plus.net!
news.bluewin.ch!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:12317
```

John Doe wrote:
> Try this address - read 2nd message:
> http://www.eham.net/forums/Elmers/27877

Thank you very much, I'll try to get in touch with N4SNL

Greetings

bram

From 7918616019268180626
X-Google-Thread: 108122,5d6e8394bc3c5a9a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!
storethat.news.telefonica.de!telefonica.de!news-fra1.dfn.de!
newsfeed.pionier.net.pl!news.dialog.net.pl!not-for-mail
From: zz <zz@eltis.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu YH-77STA headphone
Date: Mon, 16 Jul 2007 11:49:50 +0200
Organization: Dialog Net
Lines: 5
Message-ID: <vofm93dr5aau74330o2q53tjunmhnscbrb@4ax.com>
NNTP-Posting-Host: xdsl-7043.wroclaw.dialog.net.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.dialog.net.pl 1184579396 24036 84.40.136.131 (16 Jul 2007 09:49:56 GMT)
X-Complaints-To: abuse@dialog.net.pl
NNTP-Posting-Date: Mon, 16 Jul 2007 09:49:56 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
Xref: g2news1.google.com rec.radio.amateur.equipment:12318

What is Yaesu YH-77STA headphone impedance?

Greeting from Poland
Zielinski Zbigniew
SQ6MIZ

From 6163456560353494152
X-Google-Thread: 108122,4819fb1266588cbf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment

Subject: Re: Filters to get rid of inverter noise
Date: Mon, 16 Jul 2007 20:09:19 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 67
Message-ID: <Pine.NEB.4.64.0707161949260.22911@panix2.panix.com>
References: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1184630960 22959 166.84.1.2 (17 Jul 2007 00:09:20 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 17 Jul 2007 00:09:20 +0000 (UTC)
In-Reply-To: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:12319

On Thu, 12 Jul 2007, Rick (W-A-one-R-K-T) wrote:

>
> I have a so-called "modified sine wave" inverter that is connected to 200+ amp hours of deep discharge battery located in about the center of the house in the basement. About a 30-foot length of #14 wire goes to an outlet box in the shack, down on one end of the house, and provides 110VAC (of a sort) when the power is off and I don't feel like hauling out the generator. :-)
>
> Trouble is, whenever I turn on the inverter it spews harmonics all up and down the HF band and makes it difficult to impossible to hear weak signals.
>
> I realize that a pure sine wave inverter would mostly alleviate this but that's not gonna happen any time soon... meanwhile is there a filter I can apply to the output of the inverter to round off the corners of the modified sine wave (which is really nothing but a stairstep square wave) and eliminate the worst of the harmonic noise?
>
> Thanks...
>
>

I have several solid state inverters (12-24 vdc to 110 vac) and they all generate serious hash. Doesn't matter what I run; radio, TV, anything audio, sounded terrible. Been like this for years and years. Inverters are nice and higher efficiency and for things like incandescent bulbs, drills, etc. I even ran a small air conditioner off a large inverter and 24 vdc out in a shed on land where there was no utility power.

I would like to hear from guys who actually built "filters" and got "nice" AC, as determined by actual performance and not "the fundamentals say you can do this."

FWIW, FYI....

What I got recently was an old dynamotor from Fair Radio Sales (Lima, Ohio) that goes from 24 vdc to 110 vac at 60 cps (yes). Its in their catalog. Its only 50% efficient and puts out about 300 watts of AC at about 600 watts DC (24 v at about 24-27 amps) input, but the output is very clean. I tried several radios and no hash at all !!! (I did not listen on ham bands with RF gain up, but AM radios, on broadcast band even between stations with volume turned up were clean).

Running full speed, these things sound like an electric drill. For me, its going to sit in the garage and I'll run an extension cord into the house if I need this kind of clean AC. Running no load, the dynamotor ddraws the full 10-12 amps at 24 volts, and as you increase the load, the DC amps go up in proportion to the load.

The commutators on these units had oxide on the copper and so you need to rotate the armateur to start scraping off the oxide, then the thing will take off under DC and the heavy carbon brushes will completely bring a shine to the copper.

These dynamotors will turn on 12 volts, too, and put out about maybe 50-65 volts AC at a little slower frequency. 60 watt light bulb lights up to a dim level.

IIRC, they weigh about 50 lbs, cost about $65-70 now.

Out at the end of my driveway i need to use an electric weed eater and so I load the dynamotor into the trunk of the car, with two deep cycle marine batteries, and buzz away. Too far for extension cords, no matter how I do it. Don't like gas engines, noise, flamables, etc.

```
From -1003414525408647680
X-Google-Thread: 108122,4819fb1266588cbf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 16 Jul 2007 19:44:13 -0500
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
<Pine.NEB.4.64.0707161949260.22911@panix2.panix.com>
Subject: Re: Filters to get rid of inverter noise
Date: Tue, 17 Jul 2007 09:44:14 +0900
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <J7-dnU32qvZDjQHbnZ2dnUVZ_gKdnZ2d@giganews.com>
Lines: 33
X-Usenet-Provider: http://www.giganews.com
```

```
X-Trace: sv3-
TeMSBSmwH7dwCC+wBylOegT5ErNtXVsaia0EOCEjPgkhiiVWtqjJeoBSLEuTZWqMY5aIne41qjPgSqK!
lG6upn/By+yM6Dig3+OxYF5kq2zfvHgp6BoHe6ID+BpIrRxJTmRJMIuOQXFMcfXP3snQN/Ct
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12320
```

> On Thu, 12 Jul 2007, Rick (W-A-one-R-K-T) wrote:
>
>>
>> I have a so-called "modified sine wave" inverter that is connected to
>> 200+
>> amp hours of deep discharge battery located in about the center of the
>> house in the basement. About a 30-foot length of #14 wire goes to an
>> outlet box in the shack, down on one end of the house, and provides
>> 110VAC
>> (of a sort) when the power is off and I don't feel like hauling out the
>> generator. :-)
>>
>> Trouble is, whenever I turn on the inverter it spews harmonics all up and
>> down the HF band and makes it difficult to impossible to hear weak
>> signals.
>>
>> I realize that a pure sine wave inverter would mostly alleviate this but
>> that's not gonna happen any time soon... meanwhile is there a filter I
>> can
>> apply to the output of the inverter to round off the corners of the
>> modified sine wave (which is really nothing but a stairstep square wave)
>> and eliminate the worst of the harmonic noise?

How about picking up a line/power conditioner from ebay? Those tend to go for reasonable money, and are meant to clean up dirty power lines. Should do admirably cleaning up most of the square wave noise in one of these inverters. Perhaps even an ordinary isolation transformer would cut a large percentage of it, especially if you place a simple line filter on the output. You could check this to some extent using any step down transformer and looking at the output on an o-scope.

```
From -1319586914399385301
X-Google-Thread: 108122,4819fb1266588cbf
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce  in Alaska <bruceg@btpost.net>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Filters to get rid of inverter noise
Organization: Bruce's Trading Post
References: <pan.2007.07.12.19.29.59.763712@from.qrz.com>
<Pine.NEB.4.64.0707161949260.22911@panix2.panix.com> <J7-dnU32qvZDjQHbnZ2dnUVZ_gKdnZ2d@giganews.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <bruceg-138C41.19182816072007@netnews.worldnet.att.net>
Lines: 50
Date: Tue, 17 Jul 2007 03:18:31 GMT
NNTP-Posting-Host: 12.12.208.18
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1184642311 12.12.208.18 (Tue, 17 Jul 2007 03:18:31 GMT)
NNTP-Posting-Date: Tue, 17 Jul 2007 03:18:31 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12321

In article <J7-dnU32qvZDjQHbnZ2dnUVZ_gKdnZ2d@giganews.com>,
"Brenda Ann" <brendad@shinbiro.com> wrote:

> > On Thu, 12 Jul 2007, Rick (W-A-one-R-K-T) wrote:
> >
> >>
> >> I have a so-called "modified sine wave" inverter that is connected to
> >> 200+
> >> amp hours of deep discharge battery located in about the center of the
> >> house in the basement. About a 30-foot length of #14 wire goes to an
> >> outlet box in the shack, down on one end of the house, and provides
> >> 110VAC
> >> (of a sort) when the power is off and I don't feel like hauling out the
> >> generator. :-)
> >>
> >> Trouble is, whenever I turn on the inverter it spews harmonics all up and
> >> down the HF band and makes it difficult to impossible to hear weak
> >> signals.
> >>
> >> I realize that a pure sine wave inverter would mostly alleviate this but
> >> that's not gonna happen any time soon... meanwhile is there a filter I
> >> can
> >> apply to the output of the inverter to round off the corners of the
> >> modified sine wave (which is really nothing but a stairstep square wave)
> >> and eliminate the worst of the harmonic noise?
>
> How about picking up a line/power conditioner from ebay? Those tend to go
> for reasonable money, and are meant to clean up dirty power lines. Should do
> admirably cleaning up most of the square wave noise in one of these
> inverters. Perhaps even an ordinary isolation transformer would cut a large
> percentage of it, especially if you place a simple line filter on the
> output. You could check this to some extent using any step down transformer
> and looking at the output on an o-scope.
>
>

How about you just TRASH, all that cheap Inverter JUNK, and spend a few bucks on a nice SineWave Inverter, in the first place. No Square Corners to generate harmonics, and nice cleam Ac Power to run the stuff you need. Myself, I use a nice Trace SW4024 to power the cabin, and all the stuff that the normal Grid Supplied folks have in their places. I just can't run the ClothesDryer, without the genset running, due to it being a 240Vac Load. I usually have a Ambiant Noise Level of less than 2 S Units on the MF and HF Bands, as well as the Marine Bands. Never can tell if the Inverter or generator is suppling the power from the noise level.

Bruce in alaska
--
add a <2> before @

From -307195796029297846
X-Google-Thread: 108122,60b4828a5dff3da4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB - Desk mike for Icom
Message-ID: <7fhp93l881sgcg1j97avndt4p2d00bu7g7@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Tue, 17 Jul 2007 09:37:06 -0400
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.lga 1184679423 70.161.108.207 (Tue, 17 Jul 2007 06:37:03 MST)
NNTP-Posting-Date: Tue, 17 Jul 2007 06:37:03 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12322

I have a friend that wants an SM-6 or SM-8 for his rig. He doesn't have a computer so I am looking around for him. Looking for a serviceable microphone w/ cable and plug including shipping to 23323.
<k4wys@cox.net>

From -2992481110365402049
X-Google-Thread: 108122,7996b3998cb7f1ce,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!9e002db7!not-for-mail

From: "MICHAEL LINGER" <oldrover@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Shipboard vintage weather station for your shack......
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <8Ugni.7999$fj5.2857@trnddc08>
Date: Wed, 18 Jul 2007 04:43:48 GMT
NNTP-Posting-Host: 71.113.236.223
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1184733828 71.113.236.223 (Wed, 18 Jul 2007 00:43:48 EDT)
NNTP-Posting-Date: Wed, 18 Jul 2007 00:43:48 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:12323

If anyone is interested in a really cool vintage weather station that was
removed off a ship I have one I'm auctioning off. I had this in my radio
station and it gives that really neat look as well as it really works.
Check out the pix and description at:
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=006&sspagename=STRK%3AMESE%3AIT&viewitem=&item=160137564570&rd=1&rd=1

From -4992960886376377340
X-Google-Thread: 108122,aeb568ddd729eb1d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <469D9B2C.95763B85@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.76 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 8640B Signal generator for ham use died
References: <4697af0b.19778500@news.optonline.net>
<4697bc35$0$24699$4c368faf@roadrunner.com> <4697f875.38572265@news.optonline.net>
<4b9g93tphdeu0g51j0f6v9ggr4btqlt312@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 40
Date: Wed, 18 Jul 2007 04:46:37 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1184733997 24.110.34.161 (Tue, 17 Jul

2007 21:46:37 PDT)
NNTP-Posting-Date: Tue, 17 Jul 2007 21:46:37 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:12324

Dick wrote:
>
> This guy has the service manual for sale for $8. If you only have the
> operating manual, this may give you what you need.
>
> http://home.comcast.net/~aa4df02/hp.htm
>
> Dick - W6CCD
>
> On Fri, 13 Jul 2007 22:13:31 GMT, ricknj10@hotmail.com (Rick) wrote:
>
> >Thanks K. I should have said I have the manual but was hoping somewhere there
> >was one of those flowchart guides that leads one through to the right
> >component. I was hoping to avoid having to learn how all those digital
> >circuits work in the counter section.
> >I was sort of thinking maybe somewhere in HP docs there might have been such
> >an animal, for the HP techs to use.

Why pay anything? Most old HP manuals are available for free on the HP/Agilent website.

Go here to search for available manuals:

<http://www.home.agilent.com/agilent/facet.jspx?lc=eng&cc=US&t=80039.k.1>

Go here for both the 8640B operating and service manuals:

<http://www.home.agilent.com/agilent/techSupport.jspx?pid=8640B%3Aepsg%3Apro&pageMode=MN&cc=US&lc=eng>

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -4747325454268935247
X-Google-Thread: 108122,aeb568ddd729eb1d
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!

```
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <469D9B9B.7CA1BA4C@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.76 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 8640B Signal generator for ham use died
References: <4697af0b.19778500@news.optonline.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
Date: Wed, 18 Jul 2007 04:48:27 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1184734107 24.110.34.161 (Tue, 17 Jul
2007 21:48:27 PDT)
NNTP-Posting-Date: Tue, 17 Jul 2007 21:48:27 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:12325
```

Rick wrote:
>
> Anyone know of a troubleshooting guide for the HP 8640B?
> My display reads all zero's although the generator is putting out a signal
> just fine. I'd like to find a step by step guide that would lead me to the
> defective component.
>
> Rick K2XT

   news:sci.electronics.equipment is a newsgroup for test equipment.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 8366861996086901307
X-Google-Thread: 108122,8b4cd669a083fe7c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i38g2000prf.googlegroups.com!not-for-
mail
From:  Karl in Spokane <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TPN-1136A moto power supply schematic
```

```
Date: Wed, 18 Jul 2007 05:24:12 -0000
Organization: http://groups.google.com
Lines: 38
Message-ID: <1184736252.946167.211360@i38g2000prf.googlegroups.com>
References: <1180329241.038986.177950@j4g2000prf.googlegroups.com>
   <ps2dnaOL-or6L8HbnZ2dnUVZ_s-rnZ2d@comcast.com>
NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1184736253 22441 127.0.0.1 (18 Jul 2007 05:24:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 18 Jul 2007 05:24:13 +0000 (UTC)
In-Reply-To: <ps2dnaOL-or6L8HbnZ2dnUVZ_s-rnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i38g2000prf.googlegroups.com; posting-host=199.164.167.176;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:12326

On May 29, 4:07 pm, "w9gb" <spam_prot...@arrl.net> wrote:
> Karl -
>
> A quick examination of the power supply electronic components may reveal the
> common "723" regulator chip (originally designed by Fairchild Semiconductor
> in the 1970s as the ua723).
> Most of the chip reference sites have the data sheet and applications notes,
> and the theory and design information you will find there is as true today
> as it was when the chip was introduced.
> For your education, etc. -- these web pages:http://www.kbt-dc-supplies.com/
>
> http://www.repeater-builder.com/rbtip/mojoindex.html
>
> Adobe Acrobat articlehttp://www.repeater-builder.com/astron/seits-astron-
article.pdf
>
> Several manufacturers have had Astron build supplies for them - for example
> a Kenwood KPS-12 is based on the Astron RS-12, the Motorola HPN1007A is an
> RS-10 derivative, and the Motorola HPN9041 is an RS20 variant.
>
> w9gb
>
> "Karl" <wa7...@yahoo.com> wrote in message
>
> news:1180329241.038986.177950@j4g2000prf.googlegroups.com...
>
> > I'm trying to get a copy of the schematic for a Motorla TPN-1136A
> > power supply. I think it comes out of a MSR or MSF series base
> > station, but can't confirm.
> > PDF, jpg or U.S. mail is fine. I can do a little $ for the trouble.
> > Just visit my domain for contact.
> > thanks,
```

> > Karl Shoemaker, AK2O
>
> >http://www.ak2o.org

Thanks for the input-I'm just looking for the OEM schematic. Will keep checking.

```
From -7123010696113257450
X-Google-Thread: 108122,d62465233d05f972,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j4g2000prf.googlegroups.com!not-for-
mail
From:  tothborn <tothborn@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: bits in FM transmission
Date: Wed, 18 Jul 2007 07:18:01 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1184768281.385131.34010@j4g2000prf.googlegroups.com>
NNTP-Posting-Host: 82.193.205.98
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-2"
X-Trace: posting.google.com 1184768285 23980 127.0.0.1 (18 Jul 2007 14:18:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 18 Jul 2007 14:18:05 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.5)
Gecko/20070713 Firefox/2.0.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000prf.googlegroups.com; posting-host=82.193.205.98;
   posting-account=ps2QrAMAAAA6_jCuRt2JEIpn5Otqf_w0
Xref: g2news1.google.com rec.radio.amateur.equipment:12327
```

Hi.

I am am totally new in FM electronics, so I need a guiding hand (advice).

I would like to build a small transmitter that would send only a few bits, ant then a receiver that will capture those bits on the other side.
The usage would be similar to those wireless doorbells. The difference would be only in that I want to assign a unique code to be transferred so the receiving station would know who was the sender.

Can someone suggest me some book or Web site where to find more information on how to build those devices. (are they maybe available to buy?)

Thanks.

From -3511229266701190248
X-Google-Thread: 108122,7996b3998cb7f1ce
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Spam Trap <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Shipboard vintage weather station for your shack......
Date: 18 Jul 2007 14:23:39 GMT
Lines: 14
Message-ID: <slrnf9s8jb.2rgb.bit-bucket@shell.config.com>
References: <8Ugni.7999$fj5.2857@trnddc08>
X-Trace: individual.net M4z5dnCJlLSPqAKPbjAXGAgnkumnDPeTgbAQ73pszGA/uwgUur
Cancel-Lock: sha1:kZFlDYa02ursQSbGkMMrNbLZo/o=
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:12328

On Wed, 18 Jul 2007 04:43:48 GMT, MICHAEL LINGER wrote:
> If anyone is interested in a really cool vintage weather station that was
> removed off a ship I have one I'm auctioning off. I had this in my radio
> station and it gives that really neat look as well as it really works.
> Check out the pix and description at:
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=0...................

"eBay users may not post on Usenet groups (Internet newsgroups) to
advertise eBay or an eBay listing that is inappropriate or violates
the Usenet board policy. If Usenet abuse is reported to eBay, we may
among other remedies remove the listing, issue a warning, or suspend
the user's eBay account."
  -- http://pages.ebay.com/help/welcome/usenet-policy.html

From -7349180167745932003
X-Google-Thread: 108228,4c231e43d4185167,start
X-Google-Thread: 108122,4c231e43d4185167,start
X-Google-Thread: 1109af,4c231e43d4185167,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Motorola HT1250 ls+ Portable Radio Covers 403-470 MHz Including Ham & Commercial Freq's-Auction Ending

```
Lines: 44
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C7B737.75720740"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <OJWfi.445636$7g3.121740@newsfe14.phx>
Date: Mon, 25 Jun 2007 14:45:22 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.phx 1182808046 68.96.97.57 (Mon, 25 Jun 2007 14:47:26 MST)
NNTP-Posting-Date: Mon, 25 Jun 2007 14:47:26 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3201
rec.radio.amateur.equipment:12229 rec.radio.swap:16689

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C7B737.75720740
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola HT1250 ls+ Portable Radio Covers 403-470 MHz Including Ham =
& Commercial Freq's-Auction Ending.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250133415307&=
ssPageName=3DSTRK:MESE:IT&ih=3D015




------=_NextPart_000_0008_01C7B737.75720740
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola HT1250 ls+ Portable Radio Covers 403-470 MHz Including =
Ham &amp;=20
Commercial Freq's-Auction Ending.</P>
<P><FONT size=3D3><A=20
```

```
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250133415307&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250133415307&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P>
<P><FONT size=3D3></FONT>&nbsp;</P>
<P>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C7B737.75720740--
```

```
From -7290461241371185462
X-Google-Thread: 108122,e7b3276af570229f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-2000 / TS-480SAT vs. ICOM 746PRO/IC 7000?
Date: Mon, 25 Jun 2007 20:47:51 -0500
Message-ID: <esq083libiapppb4ek450u4bqqkvsp8c2d@4ax.com>
References: <C29E6C68.1B15F%kw4z@charter.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 48
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12230
```

On Wed, 20 Jun 2007 05:32:24 -0400, Gary KW4Z <kw4z@charter.net>
wrote:

>I have to replace a rig that was stolen and I'm down to four radios to
>choose from. I haven't been able to get to a dealer yet to set down and
>actually try them out but have narrowed my choices down to four with
>preference of those down to two. If anyone owns some or all of the radios
>mentioned here I would greatly appreciate your input and experience with
>their operation. The two that I am closest to getting is:
>
>Kenwood TS-2000 or the ICOM IC-746PRO. I do realize that the 746PRO does
>not have 440MHz like the TS-2000. I like the IC7000 but such a small radio
>that they fit so much into it with using so few knobs and buttons on front
>that I'm concerned about the learning curve with that one. I'm naturally
>concerned about durability, receive quality and the ability to reduce
>interference and pull out the weak signals in a crowd or busy band.
>
>Right now the Icom 746PRO has the incentives on it's side with not only
>rebates, coupons and a free Power Supply.
>

>I appreciate your input concerning these radios.

I finally replaced my trusty old Icom 735 with the Icom 7000. I can't say that it hears signals that the 735 does not. However, the noise reduction is great, especially on static-y bands like 160, 80 and 40. The learning curve is steep -- so many menus everywhere. The manual is very detailed, 150 pages, but it has no alphabetical index, which has had me pulling out hair trying to locate instructions on this or that. I love the digital filters on the 7000. Nothing extra to buy, altho' the mike needs to be replaced if you want your audio to sound decent. Glad I bought it, tho' I wouldn't mind a few more knobs and less menus. Still, it's working out fine for a fixed use radio. I put all the local 440 repeaters in one bank of memories, the 2 meter repeaters in another bank, the 6 meter frequencies in another bank, and I still had two banks left for various HF frequencies, including the new 60 meter band.

I had been leaning to a 746pro, but got scared off by the eHam reviews on blown diodes & finals and whatnot.

By the way, the Astron 25-amp switching power supply is very quiet and a nice match for the 7000.

The 7000 is a good buy at $1299, but I notice the current $200 coupon expires on June 30th, if you're interested in the radio.

bob
k5qwg

```
From 2543281391961495357
X-Google-Thread: 108122,141ca507d5ad6dd2,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!feed.news.qwest.net!mpls-
nntp-03.inet.qwest.net!news.qwest.net!not-for-mail
Reply-To: "Big Al" <nospam@nospam.com>
From: "Big Al" <sal1@qwest.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TM-V7 internal battery
Date: Mon, 25 Jun 2007 20:40:44 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Lines: 7
Message-ID: <46808821$0$495$815e3792@news.qwest.net>
Organization: Qwest Communications Corporation
NNTP-Posting-Host: f621caf1.news.qwest.net
X-Trace: DXC=g`?
n\XbgJYOY>LI>QT:<WCF85SKJoGf>D`BcVccG[8oOZNQDWnAP9YFH6cabC@H7bN[^<_GT@MELNgF9gXVeG
KLF
```

X-Complaints-To: abuse@qwest.net
X-Original-Bytes: 921
Xref: g2news1.google.com rec.radio.amateur.equipment:12231

My TM-V7 resets every time the power goes off. Anyone know what kind of back up battery it has and where it is?

Thanks,
Al WB7NXB

From 6561738351111146445
X-Google-Thread: 108122,e7b3276af570229f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Jun 2007 10:06:06 -0500
From: "Edward L. Dowdy" <elIhatespamdowdy@ctscomp.com>
Newsgroups: rec.radio.amateur.equipment
References: <C29E6C68.1B15F%kw4z@charter.net>
<esq083libiapppb4ek450u4bqqkvsp8c2d@4ax.com>
Subject: Re: Kenwood TS-2000 / TS-480SAT vs. ICOM 746PRO/IC 7000?
Date: Wed, 27 Jun 2007 10:06:57 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <zPudnY92SZND4R_bnZ2dnUVZ_syunZ2d@insightbb.com>
Lines: 24
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 74.134.201.234
X-Trace: sv3-3Ltnzf5wFiWNA8wcgi6lOPlVJfr6jUroCSllfUI6m/xVfYO/Lv5pdLG/sorRgbW2843lCWWfmF+tRtM!pzXPpxOIQiu/OZzJzmXqaqgyEW4w/qMNVBje3CsSp5hmhJZkrR6BTHWQm95lShb+BrTUpKkF8wVQ!FaEJ8S6CanulEFQ2w7M=
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12232

I think the diode/blown finals problem was addressed early on in the production cycle of the 746PRO. You might check the dates of those reviews on eHam. I've been running a 480 for a couple years now and really like it. It has no extra filters. I would like to try a 746PRO, but I don't have the budget for two rigs and don't want to give up the 480SAT. I have heard a few 7000s on the air and with the right mic (SM-20) they sound pretty good.

73,
Ed KA9EES

>
> I had been leaning to a 746pro, but got scared off by the eHam reviews
> on blown diodes & finals and whatnot.
>
> By the way, the Astron 25-amp switching power supply is very quiet and
> a nice match for the 7000.
>
> The 7000 is a good buy at $1299, but I notice the current $200 coupon
> expires on June 30th, if you're interested in the radio.
>
> bob
> k5qwg

```
From -1022861827653949016
X-Google-Thread: 108122,f255f4147f2ca036,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Kb2sin" <kb2sin@stny.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Mobile Mounting Bracket
Date: Wed, 27 Jun 2007 11:24:11 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 15
Message-ID: <46828131$0$8001$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12233
```

I am looking for a Mobile mounting bracket to fit a Kenwood TS-690S. If anyone has one or know where I can get one, please email me direct at

kb2sin@stny.rr.com

Thanks so much and 73's

de kb2sin

Bill

--

```
From -4144910872885503448
X-Google-Thread: 107ada,55a9c3e5f0f7d9ff,start
X-Google-Thread: 108122,55a9c3e5f0f7d9ff,start
X-Google-Attributes: gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!
53ab2750!not-for-mail
From: "Mike Kulyk" <mkulyk@optonline.net>
Newsgroups: alt.ham-
radio.marketplace.rec.radio.swap,rec.radio.amateur.misc,rec.radio.amateur.equipmen
t
Subject: WTT/WTS 1920-1930's Radio
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <Gyygi.18$at7.13@newsfe12.lga>
Date: Wed, 27 Jun 2007 15:06:06 -0400
NNTP-Posting-Host: 69.117.242.164
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1182971174 69.117.242.164 (Wed, 27 Jun 2007 12:06:14 MST)
NNTP-Posting-Date: Wed, 27 Jun 2007 12:06:14 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.misc:36731
rec.radio.amateur.equipment:12234
```

I was told since this radio doesn't have a makers tag on it, its a kit Neutrodyne radio from the 20-1930's (5) 201 tubes. They are in good shape not broken. The cabinet can use some refinish work. The radio is about 2.5 ft long. SORRY I have no pictures of the radio.

This radio is not restored in any way. It can be left as is OR restored.

I am open to trade for a HF radio.

```
From 5811950571514000932
X-Google-Thread: 107ada,55a9c3e5f0f7d9ff
X-Google-Thread: 108122,55a9c3e5f0f7d9ff
X-Google-Attributes: gid107ada,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!feeder1-2.proxad.net!
213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!nntp.eutelia.it!
```

```
area.cu.mi.it!news.linuxfan.it!linuxfan.it!nnrp.linuxfan.it!not-for-mail
From: John Smith I <assemblywizard@gmail.com>
Newsgroups: alt.ham-
radio.marketplace.rec.radio.swap,rec.radio.amateur.misc,rec.radio.amateur.equipmen
t
Subject: Re: WTT/WTS 1920-1930's Radio
Date: Wed, 27 Jun 2007 15:14:40 -0700
Organization: linuxfan.it News Server
Lines: 17
Message-ID: <f5unh2$8en$1@nnrp.linuxfan.it>
References: <Gyygi.18$at7.13@newsfe12.lga>
Reply-To: assemblywizard@gmail.com
NNTP-Posting-Host: 66-233-29-153.stk.clearwire-dns.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: nnrp.linuxfan.it 1182982498 8663 66.233.29.153 (27 Jun 2007 22:14:58 GMT)
X-Complaints-To: abuse@linuxfan.it
NNTP-Posting-Date: Wed, 27 Jun 2007 22:14:58 +0000 (UTC)
In-Reply-To: <Gyygi.18$at7.13@newsfe12.lga>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.12) Gecko/
20070509 Thunderbird/1.5.0.12 Mnenhy/0.7.5.666
Xref: g2news1.google.com rec.radio.amateur.misc:36732
rec.radio.amateur.equipment:12235

Mike Kulyk wrote:
> I was told since this radio doesn't have a makers tag on it, its a kit
> Neutrodyne radio from the 20-1930's (5) 201 tubes. They are in good shape
> not broken. The cabinet can use some refinish work. The radio is about 2.5
> ft long. SORRY I have no pictures of the radio.
>
> This radio is not restored in any way. It can be left as is OR restored.
>
> I am open to trade for a HF radio.
>
>

Look similar to anything here?  http://www.radioblvd.com/20sRadio.html

If so, sounds like you have a REAL collectors item ...

JS



From 6985692211338389205
X-Google-Thread: 108122,275d8938755d73b,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m36g2000hse.googlegroups.com!not-for-
mail
From:  ljl@k1ndv.com
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Backup-mobile rig
```

```
Date: Thu, 28 Jun 2007 08:33:29 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1183044809.940618.108350@m36g2000hse.googlegroups.com>
NNTP-Posting-Host: 141.149.174.39
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1183044810 28009 127.0.0.1 (28 Jun 2007 15:33:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Jun 2007 15:33:30 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 6.0; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m36g2000hse.googlegroups.com; posting-host=141.149.174.39;
   posting-account=ZrgVIQ0AAAAcsUcVnAlMxm5XoVyk7vzR
Xref: g2news1.google.com rec.radio.amateur.equipment:12236
```

Looking for a reasonably priced rig like Kenwood 430/440/TS50 or Yaesu 100/D or maybe Allinco DX70TH. Must be in good running condx and ok appearance. CW filter a plus but not a must. Thanks-73 Lew K1NDV

```
From 7600121881876047610
X-Google-Thread: 108122,379a462b8a765a01,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!newspeer1.se.telia.net!se.telia.net!masternews.telia.net.!
newsb.telia.net.POSTED!not-for-mail
From: =?ISO-8859-1?Q?SM=D8IMJ?= <sm0imj@telia.com>
User-Agent: Thunderbird 2.0.0.4 (Windows/20070604)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: DLPORTIO for Vista
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 8
Message-ID: <NRRgi.3084$ZA.1525@newsb.telia.net>
Date: Thu, 28 Jun 2007 17:03:41 GMT
NNTP-Posting-Host: 217.209.183.10
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1183050221 217.209.183.10 (Thu, 28 Jun 2007 19:03:41
CEST)
NNTP-Posting-Date: Thu, 28 Jun 2007 19:03:41 CEST
Organization: Telia Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:12237
```

Hi all,
Anyone who knows if there is a working version of the DLPORTIO for Windows Vista?
(DLPORTIO is used by a number of Log softwares to utilize the parallel

port for e.g. CW keying)

cheers,
Hans - SM�IMJ

From -8663852979470244146
X-Google-Thread: 108122,1ca52eb1e1341ab7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o61g2000hsh.googlegroups.com!not-for-mail
From: www.8trackaudio.com@8trackaudio.com
Newsgroups: rec.radio.amateur.equipment
Subject: Pioneer SX-2000 AM/FM tube receiver-MINT-best offer-needs nothing !
Date: Thu, 28 Jun 2007 16:46:57 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1183074417.925114.87730@o61g2000hsh.googlegroups.com>
NNTP-Posting-Host: 209.74.29.60
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1183074418 2518 127.0.0.1 (28 Jun 2007 23:46:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Jun 2007 23:46:58 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o61g2000hsh.googlegroups.com; posting-host=209.74.29.60;
   posting-account=MCPEjw0AAABr794qv58nm82jseMgox44
Xref: g2news1.google.com rec.radio.amateur.equipment:12238

http://cls.audiogon.com/cgi-bin/cls.pl?ampstube&1188253288

RARE PIONEER SX-2000 AM/FM TUBE RECEIVER- CLASSIC PUSH-PULL TUBE RECEIVER/AMP, USING 3 HUGE POWER SUPPLY/AUDIO OUTPUT TRANSFORMERS, AND 4 OUTPUT TUBES- ALL FRONT PANEL CONTROLS AND LIGHTS WORK- ALWAYS KEPT INDOORS IN HEATED AREA, CARED FOR- ACCEPTS PHONO-AUX-TAPE HEAD-TAPE-STEREO AMP- EVERYTHING WORKS- EXCELLENT CONDITION- THIS ONE IS QUITE RARE, ORIGINALLY AN "ARMY PX ONLY" MODEL, NEVER SOLD IN USA BY RETAIL OUTLETS- THE ONLY ONES IN CIRCULATION ARE THOSE BROUGHT HOME BY RETURNING G.I.'S FROM GERMANY, JAPAN, KOREA, ETC.- READY TO PLUG AND PLAY- SOUNDS GREAT- HI/LOW FILTERS, LOUDNESS, MUTING, SPEAKER ON/OFF, SEPARATE RIGHT/LEFT BASS/TREBLE CONTROLS, ROTARY POWER SWITCH- SLEEK LOOKING AND POWERFUL- $1,000 OBO- NO REASONABLE OFFERS REFUSED- FREE SHIPPING ANYWHERE IN THE WORLD !! THE PICTURES ARE WORTH A THOUSAND WORDS- THIS UNIT NEEDS NOTHING- READY TO ROCK AND ROLL ! EMAIL WITH ANY OTHER QUESTIONS- THANKS FOR LOOKING- DON'T MESS AROUND BECAUSE THIS WON'T LAST LONG- IN THE PAST 6 YEARS I HAVE ONLY SEEN "ONE" OF THESE FOR SALE ON EBAY ! ACT NOW ! THIS IS A BLUE-CHIP INVESTMENT, AS IT WAS PIONEER'S LAST AND BEST TUBE RECEIVER MADE, BEFORE THEY WENT TO SOLID STATE ACROSS THE BOARD- TRY TO EVEN FIND ONE TODAY IN THIS

CONDITION !

```
From 4038815830208230088
X-Google-Thread: 108122,f597fe540ea5f261,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Fritz" <wd8e@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Handbook
Date: Sat, 30 Jun 2007 08:51:19 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
Lines: 8
Message-ID: <468651ca$0$24691$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12239
```

I have the following ARRL Handbook for sale. You can also see other items
at the web site by clicking the proper link.

  http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=230146572346&ssPageName=ADME:B:EF:US:11

Thanks
Fritz

```
From 843487458411371608
X-Google-Thread: 114a57,cbc3541969d30e7b,start
X-Google-Thread: fb049,cbc3541969d30e7b,start
X-Google-Thread: 108122,cbc3541969d30e7b,start
X-Google-Thread: 1109af,cbc3541969d30e7b,start
X-Google-Attributes: gid114a57,gidfb049,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny09.POSTED!4f97008e!not-for-mail
```

```
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.hf,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS/FT: Motorola Micor 75 watt UHF repeater complete
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <WqBhi.424$za5.390@trndny09>
Date: Sat, 30 Jun 2007 23:11:50 GMT
NNTP-Posting-Host: 71.126.72.40
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1183245110 71.126.72.40 (Sat, 30 Jun 2007 19:11:50 EDT)
NNTP-Posting-Date: Sat, 30 Jun 2007 19:11:50 EDT
Xref: g2news1.google.com alt.ham-radio.hf:1201 alt.ham-radio.vhf-uhf:5594
rec.radio.amateur.equipment:12240 rec.radio.swap:16726

I have a 75 watt UHF Micor repeater with duplexers currently on 451.???. It
is 100% operational and ready to be put into service.
I'm looking for $400 or trade for other equipment.
This is for pickup only SE, Pa..
I'm looking for Ham gear, Motorola VHF programmable, or a aircraft portable.


FT857
IC706MKII
MT2000 128 mode
VXA210 airband HT
VXA700 airband HT

pottsladd13@yahoo.com




From 6834587944039442455
X-Google-Thread: 108122,a16f0bfa7e5d783,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 30 Jun 2007 20:04:10 -0500
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: TUNER/CALL SWITCH
Date: Sat, 30 Jun 2007 21:04:35 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <Aq-dnQmSCO0XYBvbnZ2dnUVZ_t-mnZ2d@comcast.com>
Lines: 6
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-xq3Z71qscnsQ3ZiY3rIg7cEO/
LvtBtSkMNx6faZTRdhuCB0HK4tACtpYb2S1OCfxxDaKWUNWQ3buxCU!
nZdKQCZxMjMTfJbMTbQwjUV9RH6N8r9JdghsXX3rES7DwNkwSDupSxuaFTO5rSNbc04nyK6tY9dY!
pjma+/QMO8gDfBNezuDEOxNox5/CtUk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12241

Question - on the original IC706, does the TUNER/CALL SWITCH work? Or do I need to switch/jumper something under the hood to get it to work? On my MK2g it works just fine.
Any thoughts?

From 1652759597557546880
X-Google-Thread: 108122,a16f0bfa7e5d783
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 30 Jun 2007 20:35:01 -0500
Date: Sat, 30 Jun 2007 18:35:01 -0700
From: KD6EVM <nelsonca@comcast.net>
Reply-To: nelsonca@comcast.net
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TUNER/CALL SWITCH
References: <Aq-dnQmSCO0XYBvbnZ2dnUVZ_t-mnZ2d@comcast.com>
In-Reply-To: <Aq-dnQmSCO0XYBvbnZ2dnUVZ_t-mnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <DcydncM66KpYmRrbnZ2dnUVZ_vHinZ2d@comcast.com>
Lines: 11
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.166.131.124
X-Trace: sv3-
nq0zJ5slGv8TFvp1006rTFnnJ3oKnAWmb1/6dw4+DJiuTBYBe78gezOjINhXkxuoudnB+KvW856HXgg!
hFc9qiVq80AfxnbvL1gAFgudplW9qa94s6n4RMYNDfN8hcVg5gsJ67kBaqRt542vl6mo6mRj5I09!

m4yxFNKeU4diIyAVIPAZvmakWPU/fw0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12242

John Doe wrote:
> Question - on the original IC706, does the TUNER/CALL SWITCH work? Or do I
> need to switch/jumper something under the hood to get it to work? On my
> MK2g it works just fine.
> Any thoughts?
>
>

You may need a cable to run to a compatable tuner. What tuner are you using?

Tom KD6EVM

From -4921163411514999385
X-Google-Thread: 108122,a16f0bfa7e5d783
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 30 Jun 2007 21:12:44 -0500
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
References: <Aq-dnQmSCO0XYBvbnZ2dnUVZ_t-mnZ2d@comcast.com> <DcydncM66KpYmRrbnZ2dnUVZ_vHinZ2d@comcast.com>
Subject: Re: TUNER/CALL SWITCH
Date: Sat, 30 Jun 2007 22:13:46 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <fPGdnQaHEv4AkBrbnZ2dnUVZ_sapnZ2d@comcast.com>
Lines: 14
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-ni6paJUJZzExeqZqSn3tEX/MFEcbmx1ckui5yHHcJ8HAr3cNBILI/CxGcocLLJ/H0cGL4t5WCc1d631!WjA2YB9YKjOCzumi1q4Hin3JHAOUGNRLMcnzkUSZ0E6sDpi9WHFSeXBgM/+zgUISA5hZXkGJdiZb!9YuyHct+wQdvOchJPkWH864AJUj68FQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly

```
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12243

ICOM AH4
"KD6EVM" <nelsonca@comcast.net> wrote in message
news:DcydncM66KpYmRrbnZ2dnUVZ_vHinZ2d@comcast.com...
> John Doe wrote:
>> Question - on the original IC706, does the TUNER/CALL SWITCH work? Or do
>> I need to switch/jumper something under the hood to get it to work?  On
>> my MK2g it works just fine.
>> Any thoughts?
> You may need a cable to run to a compatable tuner. What tuner are you
> using?
>
> Tom KD6EVM




From -6013398801205468380
X-Google-Thread: 108122,a16f0bfa7e5d783
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 30 Jun 2007 21:13:54 -0500
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
References: <Aq-dnQmSCO0XYBvbnZ2dnUVZ_t-mnZ2d@comcast.com>
<DcydncM66KpYmRrbnZ2dnUVZ_vHinZ2d@comcast.com>
<fPGdnQaHEv4AkBrbnZ2dnUVZ_sapnZ2d@comcast.com>
Subject: Re: TUNER/CALL SWITCH
Date: Sat, 30 Jun 2007 22:14:56 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Response
Message-ID: <erednW2274B_kBrbnZ2dnUVZ_tadnZ2d@comcast.com>
Lines: 19
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 76.100.201.181
X-Trace: sv3-GHoS4e7DGNPEJ4OW9BGaHBOoDMOhaOBLu4dJJyFOqvQLSkWLc9b/
QasAgIzBTg1I7JYcFvYyuvQAQ4y!S99pmr4JuO+Y5B7Cp0OvalzyzPKbOnn+
+ULQbSRvMZgb4ttzTpg6egG1s8+apP66npVHVdsY0BsQ!09c3fQYzmAh0HWqkr/swTaE9dssF6U8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12244
```

"John Doe" <hgorden@adelphia.net> wrote in message
news:fPGdnQaHEv4AkBrbnZ2dnUVZ_sapnZ2d@comcast.com...
> ICOM AH4 80-6M
> "KD6EVM" <nelsonca@comcast.net> wrote in message
> news:DcydncM66KpYmRrbnZ2dnUVZ_vHinZ2d@comcast.com...
>> John Doe wrote:
>>> Question - on the original IC706, does the TUNER/CALL SWITCH work? Or do
>>> I need to switch/jumper something under the hood to get it to work? On
>>> my MK2g it works just fine.
>>> Any thoughts?
>> You may need a cable to run to a compatable tuner. What tuner are you
>> using?
>>
>> Tom KD6EVM
>
>

From -9096066782450363550
X-Google-Thread: fb049,2d5871930ee4a794,start
X-Google-Thread: 108122,2d5871930ee4a794,start
X-Google-Thread: 1109af,2d5871930ee4a794,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny03.POSTED!4f97008e!
not-for-mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS:(reduced) Kenwood TH25/45 battery $50.00
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <HJQhi.1110$wu5.712@trndny03>
Date: Sun, 01 Jul 2007 16:35:51 GMT
NNTP-Posting-Host: 71.126.71.186
X-Complaints-To: abuse@verizon.net
X-Trace: trndny03 1183307751 71.126.71.186 (Sun, 01 Jul 2007 12:35:51 EDT)
NNTP-Posting-Date: Sun, 01 Jul 2007 12:35:51 EDT
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:5595
rec.radio.amateur.equipment:12245 rec.radio.swap:16738
X-Original-Bytes: 1438

Kenwood TH25/45AT battery like new. This is a W&W Assoc. replacement

battery:
Part#WC-035(7)
Kenwood part#KNB5
This battery is in excellent condition with very little use.
It lists for $51.00 on W&W.
You can have for $35.00 plus shipping.
Also the W&W Assoc. Mastercharger1 charger cup, list is $25.00 for this.
$15.00 plus shipping. This is charging cup ONLY, not the entire charger!!!
Or both for $50.00 shipped.

USPS money orders only.

pottsladd13@yahoo.com

From 4205047336025755596
X-Google-Thread: 108122,82b6e19e1987928,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
k79g2000hse.googlegroups.com!not-for-mail
From: W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: SCHURR Einhebel or similar Single-Lever Paddle/Key or a BUG
Date: Sun, 01 Jul 2007 10:25:06 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1183310706.072275.175210@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 71.208.25.225
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1183310706 16336 127.0.0.1 (1 Jul 2007 17:25:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 1 Jul 2007 17:25:06 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=71.208.25.225;
   posting-account=cQvDhQ0AAAA2L64AXEEngQZckgQDkde_
Xref: g2news1.google.com rec.radio.amateur.equipment:12246

WANTED: SCHURR Einhebel or other Single-Lever Pad

I am looking for a Schurr model Einhebel or other single-lever paddle/
key. I am thinking in terms of the European type paddle with the heavy
metal base. It should be in good operating condition. I would also
consider a BUG.

Thanks,
Bill

W7GSA
email: iamw7gsa at gmail dot com

From -775821017926691073
X-Google-Thread: 108122,c2e1a833ddf0da7e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!k29g2000hsd.googlegroups.com!not-for-mail
From: =?iso-8859-1?B?V9hDQkY=?= <w0cbf@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TH-215 HT
Date: Sun, 01 Jul 2007 11:58:23 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1183316303.508056.124370@k29g2000hsd.googlegroups.com>
NNTP-Posting-Host: 72.128.45.22
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1183316303 493 127.0.0.1 (1 Jul 2007 18:58:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 1 Jul 2007 18:58:23 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k29g2000hsd.googlegroups.com; posting-host=72.128.45.22;
   posting-account=s7AueQwAAABmij9bwOwxI2B62VUSgoia
Xref: g2news1.google.com rec.radio.amateur.equipment:12247

I am looking for a Kenwood TH-215 2 meter HT. If you have one that is
in reasonable in price and condition (working and not scratched up too
bad) please let me know. I'm not concerned about the battery life as I
could always replace the battery pack.

Leave message here or email me wt w0cbf@yahoo.com.

Thanks for reading
73's
Chuck
W=D8CBF

From -8657626776255102729
X-Google-Thread: 108122,c2e1a833ddf0da7e
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!k29g2000hsd.googlegroups.com!not-for-mail

From: =?iso-8859-1?B?V9hDQkY=?= <w0cbf@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TH-215 HT
Date: Sun, 01 Jul 2007 11:58:42 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1183316322.114378.124760@k29g2000hsd.googlegroups.com>
NNTP-Posting-Host: 72.128.45.22
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1183316322 32086 127.0.0.1 (1 Jul 2007 18:58:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 1 Jul 2007 18:58:42 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k29g2000hsd.googlegroups.com; posting-host=72.128.45.22;
   posting-account=s7AueQwAAABmij9bwOwxI2B62VUSgoia
Xref: g2news1.google.com rec.radio.amateur.equipment:12248

I am looking for a Kenwood TH-215 2 meter HT. If you have one that is
in reasonable in price and condition (working and not scratched up too
bad) please let me know. I'm not concerned about the battery life as I
could always replace the battery pack.

Leave message here or email me at w0cbf@yahoo.com.

Thanks for reading
73's
Chuck
W=D8CBF

From -1643236591934447972
X-Google-Thread: 108122,41f333d09599bb87,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe18.lga.POSTED!53ab2750!not-for-mail
From: "George Folse III" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS pick up only
Lines: 90
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0019_01C7BBE8.CE1C5AC0"
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138

```
Message-ID: <tVShi.54$pO.49@newsfe18.lga>
Date: Sun, 1 Jul 2007 14:04:56 -0500
NNTP-Posting-Host: 70.180.113.83
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1183316697 70.180.113.83 (Sun, 01 Jul 2007 12:04:57 MST)
NNTP-Posting-Date: Sun, 01 Jul 2007 12:04:57 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12249

This is a multi-part message in MIME format.

------=_NextPart_000_0019_01C7BBE8.CE1C5AC0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

All,
   I have to clean out my garage so I am selling all my parts and some =
equip.
  It is too much to list so I will list some items.
Heathkit
2 HP 23 PS with cable
DX 40, VF 1, DX35, Heath kit mic,SB610,=20
Yaesu SP 102 and SP 102P
Johnson White Face CB
4 Tube caddies and a Drug Store style Tube tester Appox 500 tubes total =
all NOS about 200 used tubes including 2 3-500Z pulls, still 100% output
Hickok muti Tester, Simpson tester, Heathkit muti tester, grid dip =
meter,
Hallicrafters SX 110
2 D-104 mics
Many styles of transformers and chokes, many boxes of solid state parts, =
many boxes of various parts, Around 20 various variables capacitors, =
many HV mica caps, Various radio knobs, plus much more. Just too many =
items to list. All is pick up only, buyer takes all so bring a large =
truck. $1100.00 or best offer takes all no sorting though items. I am =
located in Gretna La. just across the river from New Orleans.If =
interested drop me a line I will give you my phone# to discuss further. =
I can take some photos if interested.

--=20
George K5WWO
------=_NextPart_000_0019_01C7BBE8.CE1C5AC0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
```

```
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>All,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>&nbsp;&nbsp; I have to clean out my =
garage so I am=20
selling all my parts and some equip.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>&nbsp; It is too much to list so I will =
list some=20
items.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Heathkit</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>2 HP 23 PS with cable</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>DX 40, VF 1, DX35, Heath kit mic,SB610, =

</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Yaesu SP 102 and SP 102P</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Johnson White Face CB</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>4 Tube caddies and a Drug Store style =
Tube tester=20
Appox 500 tubes total all NOS about 200 used tubes including 2 3-500Z =
pulls,=20
still 100% output</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Hickok muti Tester, Simpson tester, =
Heathkit muti=20
tester, grid dip meter,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Hallicrafters SX 110</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>2 D-104 mics</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Many styles of transformers and chokes, =
many boxes=20
of solid state parts, many boxes of various parts, Around 20 various =
variables=20
capacitors, many HV mica caps,&nbsp;Various radio knobs, plus much more. =
Just=20
too many items to list. All is pick up only, buyer takes all so bring a =
large=20
truck. $1100.00 or best offer takes all no sorting though items. I am =
located in=20
Gretna La. just across the river from New Orleans.If interested drop me =
a line I=20
will give you my phone#&nbsp;to discuss further. I can take some photos =
if=20
interested.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2><BR>-- <BR>George =
K5WWO</FONT></DIV></BODY></HTML>

------=_NextPart_000_0019_01C7BBE8.CE1C5AC0--



From 6812335362649878174
X-Google-Thread: 108122,a16f0bfa7e5d783
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 03 Jul 2007 10:35:05 -0500
Date: Tue, 03 Jul 2007 08:35:08 -0700
From: KD6EVM <nelsonca@comcast.net>
Reply-To:  nelsonca@comcast.net
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TUNER/CALL SWITCH
References: <Aq-dnQmSCO0XYBvbnZ2dnUVZ_t-mnZ2d@comcast.com>
<DcydncM66KpYmRrbnZ2dnUVZ_vHinZ2d@comcast.com>
<fPGdnQaHEv4AkBrbnZ2dnUVZ_sapnZ2d@comcast.com>
<erednW2274B_kBrbnZ2dnUVZ_tadnZ2d@comcast.com>
In-Reply-To: <erednW2274B_kBrbnZ2dnUVZ_tadnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <MJ-dnclfaYI08RfbnZ2dnUVZ_jSdnZ2d@comcast.com>
Lines: 32
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.166.131.124
X-Trace: sv3-QzDMM/8kGe4Fo78cS7/m2VO8C7JUpY/
TCnzJv2wfK3mLrO2zL0hjLyEI7AIBfO83wpYDYfY38g69cOG!U4A3LHOxmsrAmehynfjhbaf1/
WdTeaxc0rUCOS1jIR8Q6uWsqadE5D3a6inTX5NUyB1s4SnoHdf+!
OIH6Xvp13SanbTVG7DyqgPo5QMA+Ypc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12250

John Doe wrote:
> "John Doe" <hgorden@adelphia.net> wrote in message
> news:fPGdnQaHEv4AkBrbnZ2dnUVZ_sapnZ2d@comcast.com...
>
>>ICOM AH4 80-6M
>>"KD6EVM" <nelsonca@comcast.net> wrote in message
>>news:DcydncM66KpYmRrbnZ2dnUVZ_vHinZ2d@comcast.com...
>>
>>>John Doe wrote:
>>>
>>>>Question - on the original IC706, does the TUNER/CALL SWITCH work? Or do
>>>>I need to switch/jumper something under the hood to get it to work?  On
>>>>my MK2g it works just fine.
>>>>Any thoughts?
>>>
>>>You may need a cable to run to a compatable tuner. What tuner are you
>>>using?
>>>
>>>Tom KD6EVM
```

>>
>>
>
>
It should be the same for each radio. The AH4 is a really nice tuner. I
use mine portable and found that it works well feeding a vertical with
radials elevated rather than just a rod stuck in the ground. I am
assuming that you are using the control cable that comes with the AH4. I
have had difficulty with my 706MII and the tuner when I did not push the
control cable plug all the way into the radio. It seemed like it was in,
but it needed another push to seat the connectors.

Tom KD6EVM

From -2378701336898530903
X-Google-Thread: 108122,e95bf80d85ff279f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-mail
From: larryt4111@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: wanted Kenwood TS930
Date: Wed, 04 Jul 2007 15:16:41 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1183587401.208416.130560@57g2000hsv.googlegroups.com>
NNTP-Posting-Host: 68.119.206.192
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1183587401 5850 127.0.0.1 (4 Jul 2007 22:16:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 4 Jul 2007 22:16:41 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; IEMB3;
IEMB3),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=68.119.206.192;
   posting-account=Wyt84Q0AAAAOSVPltfWmbalhUHk2ZcMC
Xref: g2news1.google.com rec.radio.amateur.equipment:12251

  I am looking for a Kenwood TS930 must be in good working order.
 Thanks

From -4669929460569734635
X-Google-Thread: 108122,eaa57ca3de94806c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!

nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 04 Jul 2007 23:41:50 -0500
From: Joe LeKostaj <joe@falseaddress2004.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Midland 13-500 info request
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Date: Wed, 04 Jul 2007 23:41:50 -0500
Message-ID: <joe-6464F3.23415004072007@comcast.dca.giganews.com>
Lines: 7
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 71.228.12.140
X-Trace: sv3-
BpJMeBzR22n+cvizafMYEBU8ic9sFFPBof6pw4jscTT6xO3J2jmwt+E1rrnquKeNE3tXh1XY33lSTXY!
qNU0cMXZkrzStH6VOIQJKhy0i+/mGQsdurYzA11KP0aScv4akm9+a68nsZ8eRcYEcjFYwu+ZElVj!
uSyD4ZIedCkgXcCirbUyLKXLagezLtZ6da3ikw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12252

Hi. Anybody out there have a schematic of the Midland 13-500 2m FM
transceiver? I would like to know the value of resistor R127 in the TX
exciter chain. Am trying to repair one of these old units, and that
resistor is fried. Would appreciate help in identifying it. Thanks.

73,
Joe K9LY

From -229167797672025170
X-Google-Thread: 108122,dc47f4d2eb5ed1b5,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
m36g2000hse.googlegroups.com!not-for-mail
From: wpiper@comcast.net
Newsgroups: rec.radio.amateur.equipment
Subject: IC-2100H HM-133S MIC S1 Problem
Date: Wed, 04 Jul 2007 22:42:44 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1183614164.328242.101210@m36g2000hse.googlegroups.com>
NNTP-Posting-Host: 68.43.141.139
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1183614164 27551 127.0.0.1 (5 Jul 2007 05:42:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 5 Jul 2007 05:42:44 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)

```
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m36g2000hse.googlegroups.com; posting-host=68.43.141.139;
   posting-account=5zEqkQ0AAACcv9gjRYnJt-BIdjdC4EHz
Xref: g2news1.google.com rec.radio.amateur.equipment:12253

I have a HM-133s mike that has a bad push to talk button problem. I
found that the switch, S1 on the pc board has failed. I am looking for
a replacement switch to restore this unit back to working condition
again.
Where can you buy a switch to fix this unit?



From 2204800940561071761
X-Google-Thread: 108122,edce0a45884cab6c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!newsfeed.hanau.net!news-fra1.dfn.de!newsfeed.pionier.net.pl!
news.dialog.net.pl!not-for-mail
From: zz <zz@eltis.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: YAESU Headphone YH-77STA
Date: Thu, 05 Jul 2007 14:51:50 +0200
Organization: Dialog Net
Lines: 5
Message-ID: <g5qp83hgpl178011hoe6uvehtf0u46p7em@4ax.com>
NNTP-Posting-Host: xdsl-7043.wroclaw.dialog.net.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.dialog.net.pl 1183639912 26986 84.40.136.131 (5 Jul 2007 12:51:52
GMT)
X-Complaints-To: abuse@dialog.net.pl
NNTP-Posting-Date: Thu, 5 Jul 2007 12:51:52 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
Xref: g2news1.google.com rec.radio.amateur.equipment:12254

Whot is Yaesu  YH-77STA headphone impedance?

Greeting from Poland
Zielinski Zbigniew
SQ6MIZ


From 2375692534015159139
X-Google-Thread: 108122,830622479867c97b,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
```

```
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 05 Jul 2007 09:57:24 -0500
From: RadioRedo <wfw (at) mindspring (dot) com>
Newsgroups: rec.radio.amateur.equipment
Subject: Big Radio/audio Auction July 21st- Northern California
Date: Thu, 05 Jul 2007 07:57:31 -0700
Reply-To: wfw (at) mindspring (dot) com
Message-ID: <0m1q8397e8q37prruko14844gfjtinhurt@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.646
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.188.109.197
X-Trace: sv3-
kh0i4X3oyn4FdkuQmJPkY5RdffARBJq0Qn2jCsO5HYDYua6hwlvPdqpTr2Sp0cQv57hCv4PQv4iNti1!
6IU2+48732WqwUd9eWPqhnWHc36T5z2csR0eJMuGnu/L6LD2sntTy7zU+oPk/nQasT4AoedBYgVM!
py2bN9UnuAElFHCD1Yz8tvk6fOXN
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12255
```

The California Historical Radio Society Is holding our biggest event of the year at the historic KRE Radio Station Building, Transmitting from the same site for 70 years in Berkeley.

Giant auction of vintage electronics, including radios & phonographs, vintage broadcast gear, test equipment, communication gear and more. To support CHRS there is a $5 bidders fee.

Here is you chance to acquire a Hallicrafters SX28-A, PM-23 speaker, Globe Chief, HP's first oscillator, tube testers, Dynaco preamp, etc, etc.

Master of Ceremonies: Carter B. Smith. Live performances by: Frankye Kelly & Friends & The Broadcast Legends

Tours of KRE
Discover Ham Radio with W6CF
Vintage electronic Flea Market
Food & Beverages
CHRS HOTLINE - (415) 821-9800

See photos of the auction items at:

http://www.californiahistoricalradio.com/photos72.html

Come enjoy the day!

```
From 4179944089075217222
X-Google-Thread: 106d41,bf0c48af9a5b45bb,start
X-Google-Thread: 108122,bf0c48af9a5b45bb,start
X-Google-Thread: fc2a5,bf0c48af9a5b45bb,start
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-
mail
From:  Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 05 Jul 2007 10:46:16 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1183657576 22018 127.0.0.1 (5 Jul 2007 17:46:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 5 Jul 2007 17:46:16 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 57g2000hsv.googlegroups.com; posting-host=216.203.30.4;
   posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news1.google.com rec.radio.cb:37539 rec.radio.amateur.equipment:12256
rec.radio.amateur.homebrew:13609
```

http://www.telstar-electronics.com/default_files/NewProductDevelopment.htm

```
From 4704468192149575348
X-Google-Thread: 108122,dc47f4d2eb5ed1b5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 05 Jul 2007 13:59:42 -0500
Date: Thu, 05 Jul 2007 12:00:01 -0700
From: Dana Myers <dana.myers@gmail.com>
User-Agent: Thunderbird 2.0.0.4 (Windows/20070604)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-2100H HM-133S MIC S1 Problem
References: <1183614164.328242.101210@m36g2000hse.googlegroups.com>
In-Reply-To: <1183614164.328242.101210@m36g2000hse.googlegroups.com>
```

Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <XZKdnUcF9JgDohDbnZ2dnUVZ_tfinZ2d@comcast.com>
Lines: 13
X-Usenet-Provider: http://www.giganews.com
NNTP-Posting-Host: 67.180.22.170
X-Trace: sv3-LE5vfB4GLrn8YsZjf2X4Cs4WX2xmoimV/
tL9A9M2vDJx6ia4zC6jdTnExoYZSDdP0SOb8HvPPHj+xtW!y0LiW/
eX7qQJ7SzKKIjDFeAU8Z6bUgDoELJreZd0/d5usjE0HYSdsXMGpFSxGF2b1Tz7RWYsh0se!/
U8ERNnbkkClZ0HGjkeVXjuXHyzxxA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.35
Xref: g2news1.google.com rec.radio.amateur.equipment:12257

wpiper@comcast.net wrote:
> I have a HM-133s mike that has a bad push to talk button problem. I
> found that the switch, S1 on the pc board has failed. I am looking for
> a replacement switch to restore this unit back to working condition
> again.
> Where can you buy a switch to fix this unit?

Have you tried contacting Icom? In the US, (800) 306-1380.

Dana K6JQ

From -5186208620033294103
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-03!
sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 05 Jul 2007 13:19:11 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <cakq83drjhar32gvn9sg5nl32258um35mj@4ax.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com

Lines: 13
Xref: g2news1.google.com rec.radio.cb:37549 rec.radio.amateur.equipment:12258
rec.radio.amateur.homebrew:13610

On Thu, 05 Jul 2007 10:46:16 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1183657576.008566.165500@57g2000hsv.googlegroups.com>:

>http://www.telspam-electronics.com/default_files/NewProductDevelopment.htm

Hey Brian, if I use your pre-production-stage-for-almost-a-year-now
processor to ask why you refuse to post your now defunct non-linear
linear, like I've been doing for over a year, would you be able to
hear me THEN?

From -5506084596554054933
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!postnews.google.com!
n60g2000hse.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 05 Jul 2007 13:20:09 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1183666809.236224.322840@n60g2000hse.googlegroups.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
   <cakq83drjhar32gvn9sg5nl32258um35mj@4ax.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1183666809 11139 127.0.0.1 (5 Jul 2007 20:20:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 5 Jul 2007 20:20:09 +0000 (UTC)
In-Reply-To: <cakq83drjhar32gvn9sg5nl32258um35mj@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n60g2000hse.googlegroups.com; posting-host=216.203.30.4;
   posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news1.google.com rec.radio.cb:37550 rec.radio.amateur.equipment:12259
rec.radio.amateur.homebrew:13611

```
On Jul 5, 3:19 pm, Frank Gilliland <w=EFrenut@NOSPAM=EFcehouse.net> wrote:
> Hey Brian, if I use your pre-production-stage-for-almost-a-year-now
> processor to ask why you refuse to post your now defunct non-linear
> linear, like I've been doing for over a year, would you be able to
> hear me THEN?

Thanks for your interest in VoiceMax...
http://www.telstar-electronics.com/default_files/NewProductDevelopment.htm



From 7697435518329003818
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder5.cambrium.nl!
feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-
ams-08!sn-ams!sn-feed-ams-03!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 05 Jul 2007 13:49:45 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <6ilq83p1gpk6vl8selt6kfi0mc2c378bdp@4ax.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<cakq83drjhar32gvn9sg5nl32258um35mj@4ax.com>
<1183666809.236224.322840@n60g2000hse.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 30
Xref: g2news1.google.com rec.radio.cb:37551 rec.radio.amateur.equipment:12260
rec.radio.amateur.homebrew:13612

On Thu, 05 Jul 2007 13:20:09 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1183666809.236224.322840@n60g2000hse.googlegroups.com>:

>On Jul 5, 3:19 pm, Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
>> Hey Brian, if I use your pre-production-stage-for-almost-a-year-now
>> processor to ask why you refuse to post your now defunct non-linear
>> linear, like I've been doing for over a year, would you be able to
>> hear me THEN?
>
>Thanks for your interest in VoiceMax...
>http://www.telspam-electronics.com/default_files/NewProductDevelopment.htm
```

WOW, that was FAST!!! Is that all you do? Sit there in your parent's
basement waiting for someone to order one of your hack-jobs when you
can't even give an estimate on when they will go into full production?
Don't you have anything better to do? I mean, heck...... look at posts
from yesterday afternoon, one of the biggest national holidays, when
just about everybody can find something to do besides jerking off in
front of a computer. It seems that the only people who posted were you
and the trolls. And yet, even with all that spare time because you
couldn't drag your ass away from the computer and out of the basement
long enough to join the rest of humanity in a barbecue, you AGAIN
refused to answer the tough question, just like you have done for
several years now.....

Where's the schematic for your hacked amp, Brian?

From 6281212709625108722
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: "TJY" <nonews@tjy.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Fri, 6 Jul 2007 01:13:19 +0100
Lines: 13
Organization: TJY
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <468d8928$1_4@mk-nntp-2.news.uk.tiscali.com>
X-Original-NNTP-Posting-Host: 80.47.55.55
NNTP-Posting-Host: mk-nntp-2.news.uk.tiscali.com
X-Trace: 6 Jul 2007 01:13:31 +0100, mk-nntp-2.news.uk.tiscali.com
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!feed.tweaknews.nl!tudelft.nl!txtfeed1.tudelft.nl!multikabel.net!newsfeed10.multikabel.net!news.astraweb.com!newsrouter-eu.astraweb.com!tiscali!newsfeed2.ip.tiscali.net!212.74.112.120.MISMATCH!mk-nntp-1.news.uk.tiscali.com!mk-nntp-2.news.uk.tiscali.com
Xref: g2news1.google.com rec.radio.cb:37554 rec.radio.amateur.equipment:12261 rec.radio.amateur.homebrew:13614

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1183657576.008566.165500@57g2000hsv.googlegroups.com...
> http://www.telstar
>

Oh dear, are you selling oscilloscopes and test sets in order for buyers to
set their radios correctly?
You really don't have any technical knowledge. All you seem to do is
re-sell boards made by other companies.
You should see what people are saying about you in other groups, you have a
terrible reputation.

From 3809181616710611171
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o61g2000hsh.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 05 Jul 2007 17:44:07 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1183682647.085637.26330@o61g2000hsh.googlegroups.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
   <468d8928$1_4@mk-nntp-2.news.uk.tiscali.com>
NNTP-Posting-Host: 76.197.208.239
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1183682647 28095 127.0.0.1 (6 Jul 2007 00:44:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jul 2007 00:44:07 +0000 (UTC)
In-Reply-To: <468d8928$1_4@mk-nntp-2.news.uk.tiscali.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o61g2000hsh.googlegroups.com; posting-host=76.197.208.239;
   posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news1.google.com rec.radio.cb:37555 rec.radio.amateur.equipment:12262 rec.radio.amateur.homebrew:13615

On Jul 5, 7:13 pm, "TJY" <non...@tjy.com> wrote:
> Oh dear, are you selling oscilloscopes and test sets in order for buyers to
> set their radios correctly?
> You really don't have any technical knowledge. All you seem to do is
> re-sell boards made by other companies.
> You should see what people are saying about you in other groups, you have a
> terrible reputation.

Hmmm... what company am I buying boards from?
Maybe I can stop designing... and just get the boards from them... lol

Thanks for your comments... they were quite amusing.
www.telstar-electronics.com

```
From -2730876899844471976
X-Google-Thread: 108122,bff0d0fa881cf3a6,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Removing PRO III Main tuning knob?
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <Ovhji.4453$bO2.2846@trnddc05>
Date: Fri, 06 Jul 2007 02:09:50 GMT
NNTP-Posting-Host: 63.19.239.208
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1183687790 63.19.239.208 (Thu, 05 Jul 2007 22:09:50 EDT)
NNTP-Posting-Date: Thu, 05 Jul 2007 22:09:50 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:12263
```

Took off the rubber grip band expecting to find set screws- nada. Does the end cap pop off revealing a collett arrangement? Anyone remove theirs?

Tnx,

Dale W4OP

```
From 4342283952161972043
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!mauve.octanews.net!
be1-002.octanews.net!news-out.octanews.net!indigo.octanews.net!
auth.beige.octanews.com.POSTED!not-for-mail
From: geek <geek@localhost.localdomain>
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Thu, 05 Jul 2007 23:05:51 -0700
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))
```

Message-Id: <pan.2007.07.06.06.05.51.297937@localhost.localdomain>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
Followup-To: rec.radio.amateur.homebrew
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 8
Organization: Octanews
NNTP-Posting-Date: 06 Jul 2007 01:06:00 CDT
X-Complaints-To: abuse@octanews.net
X-Original-Bytes: 1035
Xref: g2news1.google.com rec.radio.cb:37558 rec.radio.amateur.equipment:12264
rec.radio.amateur.homebrew:13617

Looks like an interesting and RELEVANT product.

I have no idea why others are so ignorant and anal towards your product.

Cheers,

--
Gregg

From 8058445155915448153
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!57g2000hsv.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Fri, 06 Jul 2007 04:31:14 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1183721474.267106.19270@57g2000hsv.googlegroups.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<pan.2007.07.06.06.05.51.297937@localhost.localdomain>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1183721475 6242 127.0.0.1 (6 Jul 2007 11:31:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jul 2007 11:31:15 +0000 (UTC)
In-Reply-To: <pan.2007.07.06.06.05.51.297937@localhost.localdomain>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com

Injection-Info: 57g2000hsv.googlegroups.com; posting-host=216.203.30.4;
posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news1.google.com rec.radio.cb:37560 rec.radio.amateur.homebrew:13618
rec.radio.amateur.equipment:12265

On Jul 6, 1:05 am, geek <g...@localhost.localdomain> wrote:
> Looks like an interesting and RELEVANT product.
> I have no idea why others are so ignorant and anal towards your product.
> Cheers,
> Gregg

Gregg,
There is no excuse for how many out here conduct themselves... but
there are reasons.
The main reason is that they have nothing of merit to add to any
conversation here, but desperately need to be recognized.
Thanks for your comment.
www.telstar-electronics.com

From -1127184736414235445
X-Google-Thread: 108122,c6745861280fa63e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: CyberFrank <cyberfrank5@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Request Info on Type 825 Tube
Date: Fri, 06 Jul 2007 09:58:54 -0400
Message-ID: <kths83t4ad3fjr5deaump45lhticbnhtkm@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12266

Does anyone have information on the 825 tube?
I have one in my tube box and don't find any information about in on
the Internet. If it has some value as a collectors item, I may donate
it to AWA, but want to know about it first.

From -757658129230374329
X-Google-Thread: 106d41,5cf8fd71892c46c9
X-Google-Thread: 108122,97c2b1a6e20dbde9,start

X-Google-Thread: fc2a5,97c2b1a6e20dbde9,start
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Learn How VoiceMax Increases Your Transmission Range...
Date: Fri, 06 Jul 2007 07:59:48 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <frks83tckgusnl75l18dv933vis5fauu5d@4ax.com>
References: <1183478626.478129.204960@o61g2000hsh.googlegroups.com>
<1183484733.571081.133830@w5g2000hsg.googlegroups.com>
<1183485293.142104.321980@q75g2000hsh.googlegroups.com>
<7oql835u483n1o151decpe05bjfnfr3u3n@4ax.com>
<1183553502.651746.34890@q75g2000hsh.googlegroups.com>
<f6jg7g$phk$6@energise.enta.net>
<1183683031.861872.78480@m36g2000hse.googlegroups.com>
<fm5r83dsk16q3a6v0dndl1ksrautojki0i@4ax.com>
<1183722153.928798.257450@c77g2000hse.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 39
Xref: g2news1.google.com rec.radio.cb:37562 rec.radio.amateur.equipment:12267 rec.radio.amateur.homebrew:13619

On Fri, 06 Jul 2007 04:42:33 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1183722153.928798.257450@c77g2000hse.googlegroups.com>:

>On Jul 5, 8:23 pm, Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
>> But the most fun will come when I post the results and watch you try
>> and shovel a large pile of techno-turds trying to defend against how
>> your box -really- works.
>
>Frank, I think you have already written your review... before the
>product is even available.
>I believe that even the dullest of folks out here know that your
>review wouldn't be worth the "bandwidth it's printed on"... lol

Why don't you ask Twistedhed about that one. I fought him for years on
a political issue only to find out that I was wrong. I still disagree
with his freebanding, but when I'm proven wrong, at least -he- knows
that I'll stand up and take my punches.

I'm giving you a chance to prove me wrong, Brian. If you product works
like you say it does, and it doesn't cost you any money, why in the
world -wouldn't- you be willing to sell me one?

>P.S. How's your master's degree from the College of Culinary Arts
>coming? Did you ever perfect your french pronounciation of "Do you
>want fries with that"?

No, but last March I did finish a study on EM wave interference pattern and polarization interactions in atmospheric media of varying ionization. It was a joint project with the meteorology department in the study of weather radar, with extended applications to satellite communications. Got any opinions on the subject, Brian?

Oh, and where's that schematic for your non-linear linear?

```
From -7066982053310867868
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Fri, 06 Jul 2007 08:19:16 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <b0ns83l6ooegb2cjsvhgkfffq8u70o7tsh@4ax.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<pan.2007.07.06.06.05.51.297937@localhost.localdomain>
<1183721474.267106.19270@57g2000hsv.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 22
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!kanaga.switch.ch!
switch.ch!news.in2p3.fr!in2p3.fr!feed.ac-versailles.fr!exabot.com!freenix!sn-xt-
sjc-05!sn-xt-sjc-08!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!
not-for-mail
Xref: g2news1.google.com rec.radio.cb:37563 rec.radio.amateur.homebrew:13620
rec.radio.amateur.equipment:12268
```

On Fri, 06 Jul 2007 04:31:14 -0700, Telspam Electronics
<briangriffey@sbcglobal.net> wrote in
<1183721474.267106.19270@57g2000hsv.googlegroups.com>:

>On Jul 6, 1:05 am, geek <g...@localhost.localdomain> wrote:
>> Looks like an interesting and RELEVANT product.
>> I have no idea why others are so ignorant and anal towards your product.

>> Cheers,
>> Gregg
>
>Gregg,
>There is no excuse for how many out here conduct themselves...

Absolutely right. These are discussion groups, but some people would rather use them as their own personal media for spamming products that would otherwise be pulled from the market for patent violations and/or false advertising. It's truly shameful how these basement-dwellers act, isn't it, Brian?

From 1176562010525414235
X-Google-Thread: 108122,dc47f4d2eb5ed1b5
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w3g2000hsg.googlegroups.com!not-for-mail
From: wpiper@comcast.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-2100H HM-133S MIC S1 Problem
Date: Fri, 06 Jul 2007 11:56:10 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1183748170.062142.210850@w3g2000hsg.googlegroups.com>
References: <1183614164.328242.101210@m36g2000hse.googlegroups.com>
   <XZKdnUcF9JgDohDbnZ2dnUVZ_tfinZ2d@comcast.com>
NNTP-Posting-Host: 68.43.141.139
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1183748170 19446 127.0.0.1 (6 Jul 2007 18:56:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jul 2007 18:56:10 +0000 (UTC)
In-Reply-To: <XZKdnUcF9JgDohDbnZ2dnUVZ_tfinZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4) Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w3g2000hsg.googlegroups.com; posting-host=68.43.141.139;
   posting-account=5zEqkQ0AAACcv9gjRYnJt-BIdjdC4EHz
Xref: g2news1.google.com rec.radio.amateur.equipment:12269

On Jul 5, 3:00 pm, Dana Myers <dana.my...@gmail.com> wrote:
> wpi...@comcast.net wrote:
> > I have aHM-133smike that has a bad push to talk button problem. I
> > found that the switch, S1 on the pc board has failed. I am looking for
> > a replacement switch to restore this unit back to working condition
> > again.

> > Where can you buy a switch to fix this unit?
>
> Have you tried contacting Icom? In the US, (800) 306-1380.
>
> Dana K6JQ

I believe they would want to sell a new mike. I did find a button switch that fit the mounting. I thought the shroud was part of the assembly but it was two pieces, the switch and the shroud that held the it. It is now working again with an investment of 32 cents. Not bad for a little time on the bench... Thanks, Bill Piper, N8PRC

From 8281871434489223334
X-Google-Thread: 108122,c6745861280fa63e
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
g4g2000hsf.googlegroups.com!not-for-mail
From: paulwross@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Request Info on Type 825 Tube
Date: Fri, 06 Jul 2007 22:10:50 -0000
Organization: http://groups.google.com
Lines: 10
Message-ID: <1183759850.741549.299060@g4g2000hsf.googlegroups.com>
References: <kths83t4ad3fjr5deaump45lhticbnhtkm@4ax.com>
NNTP-Posting-Host: 71.200.66.170
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1183759850 18133 127.0.0.1 (6 Jul 2007 22:10:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jul 2007 22:10:50 +0000 (UTC)
In-Reply-To: <kths83t4ad3fjr5deaump45lhticbnhtkm@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g4g2000hsf.googlegroups.com; posting-host=71.200.66.170;
   posting-account=blwprA0AAABi4ryTHvkIMnt-DGI_-6DR
Xref: g2news1.google.com rec.radio.amateur.equipment:12270

On Jul 6, 9:58 am, CyberFrank <cyberfra...@hotmail.com> wrote:
> Does anyone have information on the 825 tube?
> I have one in my tube box and don't find any information about in on
> the Internet. If it has some value as a collectors item, I may donate
> it to AWA, but want to know about it first.

Try this:

http://www.mines.uidaho.edu/~glowbugs/books/jones37/pg256.jpg

```
From -6731606704068674131
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!news-
xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20070706195844.063$Xh@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<pan.2007.07.06.06.05.51.297937@localhost.localdomain>
<1183721474.267106.19270@57g2000hsv.googlegroups.com>
<b0ns83l6ooegb2cjsvhgkfffq8u70o7tsh@4ax.com>
X-NRC-Trace: NewsReader.Com UfntUG86KCHNq50QC0TQEOban6SFjtYkvBlr-sUFLcYne1F
Date: 06 Jul 2007 23:58:41 GMT
Lines: 24
NNTP-Posting-Host: 00c232d6.nr2.newsreader.com
X-Trace: DXC=I0HMbA4iM4D?_;?
Al0e=<NOA8_@f\K_iB[=@X@CQ0MOE=db1]H@OQFBNd7biGRhQTG<SVPgDF]ACD`HPhe<9d_gO
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:37569 rec.radio.amateur.homebrew:13624
rec.radio.amateur.equipment:12271

Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
> On Fri, 06 Jul 2007 04:31:14 -0700, Telspam Electronics
> <briangriffey@sbcglobal.net> wrote in
> <1183721474.267106.19270@57g2000hsv.googlegroups.com>:
>
> >On Jul 6, 1:05 am, geek <g...@localhost.localdomain> wrote:
> >> Looks like an interesting and RELEVANT product.
> >> I have no idea why others are so ignorant and anal towards your
> >> product. Cheers,
> >> Gregg
> >
> >Gregg,
> >There is no excuse for how many out here conduct themselves...
>
> Absolutely right. These are discussion groups, but some people would
> rather use them as their own personal media for spamming products that
> would otherwise be pulled from the market for patent violations and/or
> false advertising. It's truly shameful how these basement-dwellers
> act, isn't it, Brian?
>
People like Brian Griffey. He must have sold at least -one- unit to a rrcb
reader by now, eh?
```

```
  "LOL"


From 1251327970804602951
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Fri, 06 Jul 2007 18:04:52 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <japt83tpaaa8lvqe3rn2qbu474p6qprhag@4ax.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<pan.2007.07.06.06.05.51.297937@localhost.localdomain>
<1183721474.267106.19270@57g2000hsv.googlegroups.com>
<b0ns83l6ooegb2cjsvhgkfffq8u70o7tsh@4ax.com>
<20070706195844.063$Xh@newsreader.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news1.google.com rec.radio.cb:37574 rec.radio.amateur.homebrew:13625
rec.radio.amateur.equipment:12272

On 06 Jul 2007 23:58:41 GMT, Steveo <moparholic@hotmail.com>  wrote in
<20070706195844.063$Xh@newsreader.com>:

>Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
>> On Fri, 06 Jul 2007 04:31:14 -0700, Telspam Electronics
>> <briangriffey@sbcglobal.net> wrote in
>> <1183721474.267106.19270@57g2000hsv.googlegroups.com>:
>>
>> >On Jul 6, 1:05 am, geek <g...@localhost.localdomain> wrote:
>> >> Looks like an interesting and RELEVANT product.
>> >> I have no idea why others are so ignorant and anal towards your
>> >> product. Cheers,
>> >> Gregg
>> >
>> >Gregg,
>> >There is no excuse for how many out here conduct themselves...
>>
>> Absolutely right. These are discussion groups, but some people would
>> rather use them as their own personal media for spamming products that
>> would otherwise be pulled from the market for patent violations and/or
>> false advertising. It's truly shameful how these basement-dwellers
>> act, isn't it, Brian?
```

>>
>People like Brian Griffey. He must have sold at least -one- unit to a rrcb
>reader by now, eh?
>
> "LOL"

You'd think he would have suckered someone by now. If not then why
would he keep spamming the groups?

"LOL!"

From -3268054341646704652
X-Google-Thread: 108122,bd9eddc64fa6f5b0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-mail
From: lapdog <jeabwjw@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New webpage
Date: Fri, 06 Jul 2007 17:58:27 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1183769907.385924.46120@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 70.142.38.50
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1183769907 13516 127.0.0.1 (7 Jul 2007 00:58:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 7 Jul 2007 00:58:27 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1) ; Embedded Web Browser from: http://bsalsa.com/; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=70.142.38.50;
   posting-account=uA5f5w0AAAC526zshhh0WGBkjDqMAzgw
Xref: g2news1.google.com rec.radio.amateur.equipment:12273

I just added a new project webpage that has a lot of projects/info on
it.
Go to the projects link.
Check it out at: http://www.amateurradios.info

Thanks,
Bill

```
From 6091031886285154581
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20070706211702.481$Ac@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<pan.2007.07.06.06.05.51.297937@localhost.localdomain>
<1183721474.267106.19270@57g2000hsv.googlegroups.com>
<b0ns83l6ooegb2cjsvhgkfffq8u70o7tsh@4ax.com>
<20070706195844.063$Xh@newsreader.com>
<japt83tpaaa8lvqe3rn2qbu474p6qprhag@4ax.com>
X-NRC-Trace: NewsReader.Com iDp+Hr/wBVjOMCS0OMximSGEqn02Rb2+,e=gXk_AwlIMn2xS_e
Date: 07 Jul 2007 01:16:59 GMT
Lines: 41
NNTP-Posting-Host: 0a2134f7.nr2.newsreader.com
X-Trace:
DXC=oZR_BAfEPkce[4n2Z3C1:jOA8_@f\K_ib[=@X@CQ0MOeGliFIWEb7DcNd7biGRhQTg<@WejEU8`Yk^
YRW86[Ga:c
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:37575 rec.radio.amateur.homebrew:13626
rec.radio.amateur.equipment:12274

Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
> On 06 Jul 2007 23:58:41 GMT, Steveo <moparholic@hotmail.com>  wrote in
> <20070706195844.063$Xh@newsreader.com>:
>
> >Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
> >> On Fri, 06 Jul 2007 04:31:14 -0700, Telspam Electronics
> >> <briangriffey@sbcglobal.net> wrote in
> >> <1183721474.267106.19270@57g2000hsv.googlegroups.com>:
> >>
> >> >On Jul 6, 1:05 am, geek <g...@localhost.localdomain> wrote:
> >> >> Looks like an interesting and RELEVANT product.
> >> >> I have no idea why others are so ignorant and anal towards your
> >> >> product. Cheers,
> >> >> Gregg
> >> >
> >> >Gregg,
> >> >There is no excuse for how many out here conduct themselves...
> >>
> >> Absolutely right. These are discussion groups, but some people would
> >> rather use them as their own personal media for spamming products that
> >> would otherwise be pulled from the market for patent violations and/or
> >> false advertising. It's truly shameful how these basement-dwellers
> >> act, isn't it, Brian?
> >>
> >People like Brian Griffey. He must have sold at least -one- unit to a
> >rrcb reader by now, eh?
> >
> >  "LOL"
>
> You'd think he would have suckered someone by now. If not then why
> would he keep spamming the groups?
>
> "LOL!"
>
Die hard with a spam vengeance! (bruce willis is resurrected/bald too)

Brian is only about twenty years late with his CB noise toys, he might have
sold a gaggle of them in the 70's if he wasn't so busy with his paper route
at the time.

 "LOL"



From 5941250500866223079
X-Google-Thread: 106d41,5cf8fd71892c46c9
X-Google-Thread: 108122,97c2b1a6e20dbde9
X-Google-Thread: fc2a5,97c2b1a6e20dbde9
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Learn How VoiceMax Increases Your Transmission Range...
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20070706213648.969$pX@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <1183478626.478129.204960@o61g2000hsh.googlegroups.com>
<1183484733.571081.133830@w5g2000hsg.googlegroups.com>
<1183485293.142104.321980@q75g2000hsh.googlegroups.com>
<7oql835u483n1o151decpe05bjfnfr3u3n@4ax.com>
<1183553502.651746.34890@q75g2000hsh.googlegroups.com>
<f6jg7g$phk$6@energise.enta.net>
<1183683031.861872.78480@m36g2000hse.googlegroups.com>
<fm5r83dsk16q3a6v0dndl1ksrautojki0i@4ax.com>
<1183722153.928798.257450@c77g2000hse.googlegroups.com>
<frks83tckgusnl75l18dv933vis5fauu5d@4ax.com>
X-NRC-Trace: NewsReader.Com EfdV6jvS,c6_R3xLk9FJdZyMs_BzJ@DsHfqL@XJ6d.rvsK
Date: 07 Jul 2007 01:36:45 GMT
Lines: 26
NNTP-Posting-Host: 0a2134f7.nr2.newsreader.com
X-Trace:
```

```
DXC=1VVo@HVa>\M_0m8FUC;IjDOA8_@f\K_iB[=@X@CQ0MOE9WnXiVBMohFNd7biGRhQTG<@WejEU8`YK@
jJ\MRJnJYA
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:37576 rec.radio.amateur.equipment:12275
rec.radio.amateur.homebrew:13627

Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
> On Fri, 06 Jul 2007 04:42:33 -0700, Telspam Electronics
> <briangriffey@sbcglobal.net> wrote in
> <1183722153.928798.257450@c77g2000hse.googlegroups.com>:
>
> >On Jul 5, 8:23 pm, Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
> >> But the most fun will come when I post the results and watch you try
> >> and shovel a large pile of techno-turds trying to defend against how
> >> your box -really- works.
> >
> >Frank, I think you have already written your review... before the
> >product is even available.
> >I believe that even the dullest of folks out here know that your
> >review wouldn't be worth the "bandwidth it's printed on"... lol
>
> Why don't you ask Twistedhed about that one. I fought him for years on
> a political issue only to find out that I was wrong. I still disagree
> with his freebanding, but when I'm proven wrong, at least -he- knows
> that I'll stand up and take my punches.
>
>
Frank turned out to be a stand up guy with me. We had our troubles a few
years back, and resolved it. Life's too short to argue about cross posted
CB modulators!

 "LOL"


From 7289881633563861492
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Frank Gilliland <w�renut@NOSPAM�cehouse.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
Date: Fri, 06 Jul 2007 19:32:09 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <77ut831rodf9kprg3dshegafgdfqne7lsr@4ax.com>
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<pan.2007.07.06.06.05.51.297937@localhost.localdomain>
<1183721474.267106.19270@57g2000hsv.googlegroups.com>
<b0ns83l6ooegb2cjsvhgkfffq8u70o7tsh@4ax.com>
<20070706195844.063$Xh@newsreader.com>
```

```
<japt83tpaaa8lvqe3rn2qbu474p6qprhag@4ax.com>
<20070706211702.481$Ac@newsreader.com>
X-Newsreader: Forte Free Agent 1.93/16.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 55
Xref: g2news1.google.com rec.radio.cb:37577 rec.radio.amateur.homebrew:13628
rec.radio.amateur.equipment:12276

On 07 Jul 2007 01:16:59 GMT, Steveo <moparholic@hotmail.com>  wrote in
<20070706211702.481$Ac@newsreader.com>:

>Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
>> On 06 Jul 2007 23:58:41 GMT, Steveo <moparholic@hotmail.com>  wrote in
>> <20070706195844.063$Xh@newsreader.com>:
>>
>> >Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
>> >> On Fri, 06 Jul 2007 04:31:14 -0700, Telspam Electronics
>> >> <briangriffey@sbcglobal.net> wrote in
>> >> <1183721474.267106.19270@57g2000hsv.googlegroups.com>:
>> >>
>> >> >On Jul 6, 1:05 am, geek <g...@localhost.localdomain> wrote:
>> >> >> Looks like an interesting and RELEVANT product.
>> >> >> I have no idea why others are so ignorant and anal towards your
>> >> >> product. Cheers,
>> >> >> Gregg
>> >> >
>> >> >Gregg,
>> >> >There is no excuse for how many out here conduct themselves...
>> >>
>> >> Absolutely right. These are discussion groups, but some people would
>> >> rather use them as their own personal media for spamming products that
>> >> would otherwise be pulled from the market for patent violations and/or
>> >> false advertising. It's truly shameful how these basement-dwellers
>> >> act, isn't it, Brian?
>> >>
>> >People like Brian Griffey. He must have sold at least -one- unit to a
>> >rrcb reader by now, eh?
>> >
>> >  "LOL"
>>
>> You'd think he would have suckered someone by now. If not then why
>> would he keep spamming the groups?
>>
>> "LOL!"
>>
>Die hard with a spam vengeance! (bruce willis is resurrected/bald too)


Sigourney Weaver shaved her head -before- she was resurrected.
```

```
>Brian is only about twenty years late with his CB noise toys, he might have
>sold a gaggle of them in the 70's if he wasn't so busy with his paper route
>at the time.
>
> "LOL"


Who knows why he does it. Maybe that's how he plans to support himself
when mommy and daddy wise up and kick him out of the house...."LOL"






From 2610572244272245195
X-Google-Thread: 106d41,bf0c48af9a5b45bb
X-Google-Thread: fc2a5,bf0c48af9a5b45bb
X-Google-Thread: 108122,bf0c48af9a5b45bb
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: VoiceMax is Coming July 22nd... Are You Ready to be Heard?
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20070706223657.485$Yc@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <1183657576.008566.165500@57g2000hsv.googlegroups.com>
<pan.2007.07.06.06.05.51.297937@localhost.localdomain>
<1183721474.267106.19270@57g2000hsv.googlegroups.com>
<b0ns83l6ooegb2cjsvhgkfffq8u70o7tsh@4ax.com>
<20070706195844.063$Xh@newsreader.com>
<japt83tpaaa8lvqe3rn2qbu474p6qprhag@4ax.com>
<20070706211702.481$Ac@newsreader.com>
<77ut831rodf9kprg3dshegafgdfqne7lsr@4ax.com>
X-NRC-Trace: NewsReader.Com k@LE2XmJxCVdFD-6Qk,np+cnPvvdcEQM4zi1HfqL@XJ6d.Q14K
Date: 07 Jul 2007 02:36:53 GMT
Lines: 56
NNTP-Posting-Host: a7cb4b3b.nr2.newsreader.com
X-Trace:
DXC=fc\YMV0DGWCi6J]AL54R<AOA8_@f\K_iB[=@X@CQ0MOEZMZ;E_PGebNNd7biGRhQTGabI[<ZWSB4AS
X3^OR4HRMD
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:37578 rec.radio.amateur.homebrew:13629
rec.radio.amateur.equipment:12277

Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
> On 07 Jul 2007 01:16:59 GMT, Steveo <moparholic@hotmail.com>  wrote in
> <20070706211702.481$Ac@newsreader.com>:
>
```

> >Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
> >> On 06 Jul 2007 23:58:41 GMT, Steveo <moparholic@hotmail.com> wrote in
> >> <20070706195844.063$Xh@newsreader.com>:
> >>
> >> >Frank Gilliland <w�renut@NOSPAM�cehouse.net> wrote:
> >> >> On Fri, 06 Jul 2007 04:31:14 -0700, Telspam Electronics
> >> >> <briangriffey@sbcglobal.net> wrote in
> >> >> <1183721474.267106.19270@57g2000hsv.googlegroups.com>:
> >> >>
> >> >> >On Jul 6, 1:05 am, geek <g...@localhost.localdomain> wrote:
> >> >> >> Looks like an interesting and RELEVANT product.
> >> >> >> I have no idea why others are so ignorant and anal towards your
> >> >> >> product. Cheers,
> >> >> >> Gregg
> >> >> >
> >> >> >Gregg,
> >> >> >There is no excuse for how many out here conduct themselves...
> >> >>
> >> >> Absolutely right. These are discussion groups, but some people
> >> >> would rather use them as their own personal media for spamming
> >> >> products that would otherwise be pulled from the market for patent
> >> >> violations and/or false advertising. It's truly shameful how these
> >> >> basement-dwellers act, isn't it, Brian?
> >> >>
> >> >People like Brian Griffey. He must have sold at least -one- unit to a
> >> >rrcb reader by now, eh?
> >> >
> >> > "LOL"
> >>
> >> You'd think he would have suckered someone by now. If not then why
> >> would he keep spamming the groups?
> >>
> >> "LOL!"
> >>
> >Die hard with a spam vengeance! (bruce willis is resurrected/bald too)
>
> Sigourney Weaver shaved her head -before- she was resurrected.
>
> >Brian is only about twenty years late with his CB noise toys, he might
> >have sold a gaggle of them in the 70's if he wasn't so busy with his
> >paper route at the time.
> >
> > "LOL"
>
> Who knows why he does it. Maybe that's how he plans to support himself
> when mommy and daddy wise up and kick him out of the house...."LOL"
>
My math was a bit fucked up, but it's relative with 11 meters opening up
again. Fun band with fun people, if'n you have a good radio and antenna. (a
must)

Onward through the fog ---->

```
From 7775312167277689563
X-Google-Thread: 108228,b99382222e9cb352,start
X-Google-Thread: 108122,b99382222e9cb352,start
X-Google-Thread: 1109af,b99382222e9cb352,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe10.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swa
p
Subject: 10-EA Lot Motorola VISAR Radios VHF 135-174 MHz-16Ch-5W-Chargers-EMS-
Fire-Ham
Lines: 38
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0008_01C7C019.BA4EA4A0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <ncFji.485405$115.265705@newsfe10.phx>
Date: Fri, 6 Jul 2007 22:05:13 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe10.phx 1183784851 68.96.97.57 (Fri, 06 Jul 2007 22:07:31 MST)
NNTP-Posting-Date: Fri, 06 Jul 2007 22:07:31 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3218
rec.radio.amateur.equipment:12278 rec.radio.swap:16774

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C7C019.BA4EA4A0
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

10-EA Lot Motorola VISAR Radios VHF 135-174 =
MHz-16Ch-5W-Chargers-EMS-Fire-Ham

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250140314951&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C7C019.BA4EA4A0
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>10-EA Lot Motorola VISAR Radios VHF 135-174=20
MHz-16Ch-5W-Chargers-EMS-Fire-Ham</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250140314951&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250140314951&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C7C019.BA4EA4A0--



From -8770211004481852066
X-Google-Thread: 108228,e2744b26cf6d0a97,start
X-Google-Thread: 108122,e2744b26cf6d0a97,start
X-Google-Thread: 1109af,e2744b26cf6d0a97,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe17.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swa
p
Subject: FA:Motorola HT1000 UHF 16 Ch-Sloping Charger-Sp/Mic-Ham
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000D_01C7AD3B.B3A13230"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <bKKbi.400272$JN6.381471@newsfe17.phx>
Date: Tue, 12 Jun 2007 21:50:33 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe17.phx 1181710343 68.96.97.57 (Tue, 12 Jun 2007 21:52:23 MST)
NNTP-Posting-Date: Tue, 12 Jun 2007 21:52:23 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3166
rec.radio.amateur.equipment:12178 rec.radio.swap:16593
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_000D_01C7AD3B.B3A13230
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:Motorola HT1000 UHF 16 Ch-Sloping Charger-Sp/Mic-Ham

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250129761048&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000D_01C7AD3B.B3A13230
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16441" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:Motorola HT1000 UHF 16 Ch-Sloping Charger-Sp/Mic-Ham</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250129761048&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250129761048&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000D_01C7AD3B.B3A13230--




From 5863770838231838906
X-Google-Thread: 108122,3d106e6c2cb1cff3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b55g2000hsg.googlegroups.com!not-for-
mail
From:  RRK-nickname <rrkgroups3@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: test post
Date: Wed, 13 Jun 2007 12:41:32 -0000
Organization: http://groups.google.com
Lines: 2
Message-ID: <1181738492.894911.197440@b55g2000hsg.googlegroups.com>
NNTP-Posting-Host: 172.24.6.37
```

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1181738493 12586 127.0.0.1 (13 Jun 2007 12:41:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Jun 2007 12:41:33 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.12)
Gecko/20070508 Firefox/1.5.0.12,gzip(gfe),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 bree.hyd.corp.google.com:3128 (squid/2.5.STABLE9), 1.0
windlord.corp.google.com:3128 (squid/2.6.STABLE5)
Complaints-To: groups-abuse@google.com
Injection-Info: b55g2000hsg.googlegroups.com; posting-host=172.24.6.37;
   posting-account=c3CpnA0AAAA805xFCKSv3g6Vh2j6gxq0
Xref: g2news1.google.com rec.radio.amateur.equipment:12179

test post

From -8983378378297668941
X-Google-Thread: 108122,b0d7c2f26412b583,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!8ed1fb9b!not-for-mail
Reply-To: "laborkei" <laborkeiNOSPAM@hotmail.com>
From: "laborkei" <laborkeiNOSPAM@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SPE Expert Amplifier Discussion Group
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <CeSbi.290$zR1.178@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbocpidnlabejlcimkdbglljmapccnkmonnpl
ifbgieebhjmhldkcahmogepfcippmgeeafbjgnjjikoiimnnbpcmjjpbaaddlbggmpilneogppkimn
NNTP-Posting-Date: Wed, 13 Jun 2007 09:24:50 EDT
Organization: BellSouth Internet Group
Date: Wed, 13 Jun 2007 09:24:58 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:12180

Hello,

I would like to invite you to a new discussion group on this HF Amplifier.
It was a big hit at Dayton 2007, and the reviews on eham sound very
positive.
The first shipment of these amps will be arriving in the US in June and it

has FCC Approval.
If you have been exploring the purchase of a Solid State Amplifier or if you currently own one, please join this group.

http://groups.yahoo.com/group/SPE_Expert1K_Amp/

--

```
From 9451946155749797O5
X-Google-Thread: 108122,af7b68763ba1d50a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn11feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: MIL SURPLUS NOS parts
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <wl%bi.156382$p47.100333@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: f1b78f19cbe2b1b6b78ecf9c907bd19f
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1181778396
f1b78f19cbe2b1b6b78ecf9c907bd19f (Wed, 13 Jun 2007 23:46:36 GMT)
NNTP-Posting-Date: Wed, 13 Jun 2007 23:46:36 GMT
Organization: AT&T Worldnet
Date: Wed, 13 Jun 2007 23:46:36 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12181
```

I have a quantity of NOS Military surplus items listed here before going to the BIG 'E' :

34 WATT, WW, 140 OHM 4" L x .75" DIA. --IN ORIGINAL BOXES. HAVE 100+

100K OHM POTS -NOT LINEAR (IE: 50% TURN DOES NOT GIVE 50% OF VALUE),
USES A BAND OR WIRE WHICH IS SHORTED AS THE SHAFT IS TURNED. 3"L .250
SHAFT. HAVE 100+

SPRAGUE KOOLOHM 5W, 15K HAVE 30+

Will also have a few 1M + AC SWITCH, and an additional value coming.

1.5MF AT 250 VAC, HAVE 9

2 MF AT 600VDC, CD HAVE A VERY FEW

30 WATT, WW, 8K COMING

Can supply 1 to max number I have. Make offer- pay by MO, check, Pay Pal.

Advise of ur interest: heytubeguy@yahoo.com

From 8950840944650371548
X-Google-Thread: 108122,9cc6daf5eb380727,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!postnews.google.com!x35g2000prf.googlegroups.com!not-for-mail
From: jwmachon@blueyonder.co.uk
Newsgroups: rec.radio.amateur.equipment
Subject: VX-7r CTCSS Problem
Date: Thu, 14 Jun 2007 05:40:11 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1181824811.813442.88540@x35g2000prf.googlegroups.com>
NNTP-Posting-Host: 212.248.239.110
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1181824812 28901 127.0.0.1 (14 Jun 2007 12:40:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 14 Jun 2007 12:40:12 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000prf.googlegroups.com; posting-host=212.248.239.110;
   posting-account=79dZCg0AAAC09pfIGByBupyJrAD4UbEY
Xref: g2news1.google.com rec.radio.amateur.equipment:12183

Im trying to access a local repeater I have set my vfo 1 to the 145.6375 which is output frequency and -60 shift for transmitting with
a tone of 71.9 however when i check on my scanner the ctcss tone transmission is intermittent could somebody tell me the correct setting i need in the menus to make sure im doing it right.

Many Thanks,

Jonny

Also how do i scan for ctcss tone (i dont understand maual on this lol)

```
From 5024872763550676767
X-Google-Thread: 108122,117dbed3f4aa406,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: SDR 1000 Flex Radio...
Message-ID: <nno373lougodiueealndpapv1lphl7p8di@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Thu, 14 Jun 2007 20:53:15 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1181868796 69.125.167.162 (Thu, 14 Jun 2007 17:53:16 MST)
NNTP-Posting-Date: Thu, 14 Jun 2007 17:53:16 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:12184
```

WTB: SDR 1000 Flex Radio...
Please respond with price and also what comes with it.
ritchi50@optonline.net

```
From -6612708108469024157
X-Google-Thread: 108122,41a6725ef1902cfd,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q69g2000hsb.googlegroups.com!not-for-
mail
From:  KA1IOR <wayg@cape.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TM-221 PL tone output level adjustment
Date: Sat, 16 Jun 2007 04:54:50 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1181994890.962515.179860@q69g2000hsb.googlegroups.com>
NNTP-Posting-Host: 75.67.167.12
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1181994891 6985 127.0.0.1 (16 Jun 2007 11:54:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 16 Jun 2007 11:54:51 +0000 (UTC)
```

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q69g2000hsb.googlegroups.com; posting-host=75.67.167.12;
   posting-account=SatJ4g0AAACMGRDg9snKXuFZA9E24ZfU
Xref: g2news1.google.com rec.radio.amateur.equipment:12185

Surprised no one has posted on this topic yet; here goes:

My Kenwood TM-221 has a problem with the intensity of its PL tone
output level. Mine is too loud, generating frequent reports of "hum"
from others.

I have the original manual with schematic and block diagrams, but no
obvious information indicates where the output tone is generated or
adjusted.

Not being wizardly and knowing there are wizards hanging around here,
I'd like to know what pot needs adjustment to settle it down to the
right level, if one exists. Anyone?

Bonus question: I have the same problem with an Alinco DR-590; if you
can help me with that too, that would be nice.

TIA, KA1IOR

From 7200734875612137340
X-Google-Thread: 108122,794e553eba35146e,start
X-Google-Thread: 108228,794e553eba35146e,start
X-Google-Attributes: gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr13.news.prodigy.net.POSTED!359fec65!not-for-mail
User-Agent: Microsoft-Entourage/10.1.6.040913.0
Subject: FS: AL-811H , w/10-12 Meter Mods....
From: "Jeffrey M. Swiger" <N8NOE@ATT.NET>
Newsgroups: rec.radio.amateur.swap,rec.radio.amateur.equipment,rec.ham-radio.swap,alt.ham-radio.marketplace
Message-ID: <C298D28E.3535%N8NOE@ATT.NET>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 10
NNTP-Posting-Host: 76.226.145.205
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.net 1181964878 ST000 76.226.145.205 (Fri, 15 Jun

2007 23:34:38 EDT)
NNTP-Posting-Date: Fri, 15 Jun 2007 23:34:38 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_@S^DMPUMRTH]OBNLNQMAPJYREQLIQQ]ZMVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Sat, 16 Jun 2007 03:34:38 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12186 alt.ham-radio.marketplace:3178

I Have for Sale my Ameritron AL-811H Amp, Asking $500 Plus Shipping to you. I have gotten my Icom PW-1 Amp and don't need the AL-811H anymore. VERY little use, NON-SMOKING Environment, 9.8 of 10 (Very Clean with about 2 Months of use here. I did do the 10/12 Meter Mod and it's wired for 110v, but can be made to run 220v.. Any Questions PLEASE ASK!.. I need to sell as I have no room for it in the shack now.. THANKS!
Jeff-N8NOE
(Good on QRZ, and elsewhere)
N8NOE at ARRL dot NET

From -6922939181029902987
X-Google-Thread: 108122,794e553eba35146e
X-Google-Thread: 108228,794e553eba35146e
X-Google-Attributes: gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: STEVE TROOK <STROOK@OPTONLINE.NET>
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.swap,rec.radio.amateur.equipment,rec.ham-radio.swap,alt.ham-radio.marketplace
Subject: Re: FS: AL-811H , w/10-12 Meter Mods....
References: <C298D28E.3535%N8NOE@ATT.NET>
In-Reply-To: <C298D28E.3535%N8NOE@ATT.NET>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <pfUci.206$Jt2.123@newsfe12.lga>
Date: Sat, 16 Jun 2007 12:33:23 -0400
NNTP-Posting-Host: 24.188.114.125
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1182011477 24.188.114.125 (Sat, 16 Jun 2007 09:31:17 MST)
NNTP-Posting-Date: Sat, 16 Jun 2007 09:31:17 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:12187 alt.ham-radio.marketplace:3179

Are you interested in any trades???   strook@optonline.net

Jeffrey M. Swiger wrote:
>   I Have for Sale my Ameritron AL-811H Amp, Asking $500 Plus Shipping to
> you. I have gotten my Icom PW-1 Amp and don't need the AL-811H anymore. VERY
> little use, NON-SMOKING Environment, 9.8 of 10 (Very Clean with about 2
> Months of use here. I did do the 10/12 Meter Mod and it's wired for 110v,
> but can be made to run 220v.. Any Questions PLEASE ASK!.. I need to sell as
> I have no room for it in the shack now.. THANKS!
> Jeff-N8NOE
> (Good on QRZ, and elsewhere)
> N8NOE at ARRL dot NET
>

```
From 913175468991439629
X-Google-Thread: 108122,41a6725ef1902cfd
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 16 Jun 2007 13:30:27 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1181994890.962515.179860@q69g2000hsb.googlegroups.com>
Subject: Re: TM-221 PL tone output level adjustment
Date: Sat, 16 Jun 2007 13:30:25 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <U-OdnflJYvDesenbnZ2dnUVZ_t2tnZ2d@comcast.com>
Lines: 18
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-BKUJSYeXC4LRQAtZQh5kFWX3f6tpiqak9IQcli9SiTSNIrbLF2aaP9DEhvU/
MKi4J6MTw0MqcFGhxTV!
6PyFHarZ2pmboHeL+ked9X+4S4iVD8lbaVsP1Nd+xokXItPCxa4GbAK5JVFiE8I8HQ4k/wLeEmzC!
blSZ9TTasNw8cWRn6QgsXKatH5+8
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12188
```

"KA1IOR" <wayg@cape.com> wrote in message
news:1181994890.962515.179860@q69g2000hsb.googlegroups.com...
> Surprised no one has posted on this topic yet; here goes:

>
> My Kenwood TM-221 has a problem with the intensity of its PL tone
> output level. Mine is too loud, generating frequent reports of "hum"
> from others.
>

How do you know that this reported hum is CTCSS (67 - 250 Hz) generated and
not 60 Hz from your power supply ? What are you using for a power supply?
A failed LM-723 IC regulator in a linear power supply can cause this type of
problem.

Could you be getting stray RF into your audio chain??

w9gb

From 2994333011392442743
X-Google-Thread: 108122,41a6725ef1902cfd
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!newsfeed.freenet.de!bolzen.all.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TM-221 PL tone output level adjustment
Date: Sat, 16 Jun 2007 13:46:14 -0500
Lines: 28
Message-ID: <5dipflF30itsuU1@mid.individual.net>
References: <1181994890.962515.179860@q69g2000hsb.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net PFYX+uDtsg5q0jZZUWRlBwGNSDM2n+rGz7lzEZiJexGxfNpD8O
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <1181994890.962515.179860@q69g2000hsb.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:12189

KA1IOR wrote:
> Surprised no one has posted on this topic yet; here goes:
>
> My Kenwood TM-221 has a problem with the intensity of its PL tone
> output level. Mine is too loud, generating frequent reports of "hum"
> from others.
>
> I have the original manual with schematic and block diagrams, but no
> obvious information indicates where the output tone is generated or
> adjusted.
>

> Not being wizardly and knowing there are wizards hanging around here,
> I'd like to know what pot needs adjustment to settle it down to the
> right level, if one exists. Anyone?
>
> Bonus question: I have the same problem with an Alinco DR-590; if you
> can help me with that too, that would be nice.
>
> TIA, KA1IOR
>

Your Kenwood uses the TU-3A tone board, and there is only one pot on it.
It is VR1 and adjusts the tone output.

All the info you need is found at : http://www.mods.dk/
Service manual included, plus schematic..

Bob N9LVU

From -6574268734969823506
X-Google-Thread: 108122,41a6725ef1902cfd
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.lmi.net!news.lmi.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 16 Jun 2007 14:08:03 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TM-221 PL tone output level adjustment
References: <1181994890.962515.179860@q69g2000hsb.googlegroups.com>
Organization: Home for Obscure Mythical Beings
X-Newsreader: trn 4.0-test74 (May 26, 2000)
From: dplatt@radagast.org (Dave Platt)
Originator: dplatt@radagast.org (Dave Platt)
Date: Sat, 16 Jun 2007 11:15:25 -0700
Message-ID: <tuldk4-0fa.ln1@radagast.org>
Lines: 41
NNTP-Posting-Host: 66.117.149.248
X-Trace: sv3-3xbtAVOKzpsAB434wzMPUsXG0W+f7Qz/BBj5FgZf9HCm7np2JVwc9qM+FBpc8W9BypXwJAWUuRN++7T!N7z6VS+fpKKQdAzD6QRvBPty/WmAWqrxvfJo43K+85Va5iee5xqua3CJDzqDiw==
X-Complaints-To: abuse@lmi.net
X-DMCA-Complaints-To: abuse@lmi.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12190

In article <1181994890.962515.179860@q69g2000hsb.googlegroups.com>,
KA1IOR <wayg@cape.com> wrote:

>My Kenwood TM-221 has a problem with the intensity of its PL tone

>output level. Mine is too loud, generating frequent reports of "hum"
>from others.
>
>I have the original manual with schematic and block diagrams, but no
>obvious information indicates where the output tone is generated or
>adjusted.
>
>Not being wizardly and knowing there are wizards hanging around here,
>I'd like to know what pot needs adjustment to settle it down to the
>right level, if one exists. Anyone?

The TM-211 service manual can be downloaded from www.mods.dk - it has the schematic and the procedures.

As I understand it, this mobile's tone generator is on a separate, optional plug-in board, designated TU-3A. The board has a set of DIP switches (which set the transmitted tone) and a small potentiometer. It looks to me as if the TU-3A tone board plugs onto the "B unit" PC board, which is on the bottom side of the transceiver.

The alignment instructions say to adjust VR1 so that the transmitted signal deviation level (tone, but no other audio) is around .65 kHz (650 Hz). This is consistent with recommendations I've read for other radios and seems to be good practice.

>Bonus question: I have the same problem with an Alinco DR-590; if you
>can help me with that too, that would be nice.

I've been told that in at least some Alinco radios, the CTCSS tone level is set by a fixed resistor on the PC board (it's not intended to be adjustable via a pot), and that it's set too high.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -7967161637957573224
X-Google-Thread: 108122,8f9db5866e253e99,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Jun 2007 01:24:54 -0500
From: "Tennesseek5" <tennesseek5@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FOR SALE: (2) Kenwood TS-480's , (1) TM-D700A mobile rig
Date: Sun, 17 Jun 2007 01:24:19 -0500
X-Priority: 3
X-MSMail-Priority: Normal

X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <PYudnbJwwp4rTunbnZ2dnUVZ_g-dnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 69.138.50.190
X-Trace: sv3-H0HKGliOw14/DexAB5Oswr4e568mHtmtNE6BrV8Q6pTHG62Npv2/rH/
coTHHuFQdWrpahmm7MeVO59n!
6+01+GhTJtTCwZqiXq7Nir6wqwK5SLPm6bS7fNOC+cXKI1ygm59bsE+5t0oeFpDwXmfH0FNSOJut!
mKibhO5Mmgdu3UzGI4F9b9uxkp0acA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12191

FOR SALE: 2 Kenwood TS-480's , TM-D700A Mobile rig
I have 2 Kewood TS-480's for sale. All are in excellent condition and I aam the original owner of both. They have less than 20 hours on each. I have box for one but the other has diappeared. They come with mics, separation cable and Mounts. I can supply manuals and software for these on disk.

1. Kenwood TS-480 SAT $800
2. Kenwood TS-480 (200 watt) $900
3. Kenwood TM-D700A 2 meter & 440 mobile rig, cross band repeat. I can provide programming software and manuals plus supplementary manuals on Disk. $375

Reason for selling I am dealing with cancer and haven't had the interest in amateur radio.

kb4i@comcast.net,

From -1252831550639213847
X-Google-Thread: 108122,c812e1ba0a8ddc50,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS/Trade Mirage B-2530-G VHF 300Watts
Message-ID: <pfra739omm5e5s4rn7ab6tp6m7hpfkbj53@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 7
Date: Sun, 17 Jun 2007 13:23:10 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1182100992 69.125.167.162 (Sun, 17 Jun 2007 10:23:12 MST)
NNTP-Posting-Date: Sun, 17 Jun 2007 10:23:12 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:12192

FS/Trade Mirage B-2530-G VHF 300Watts
25watts in 300Watts out.
144-148MHz FM/SSB Preamp.
Looks and works VERY NICE!!!
Make offer or I will trade.
Tell me what you have to trade for it.
ritchi50@optonline.net

From 971630900831453912
X-Google-Thread: 108122,41a6725ef1902cfd
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!feeder1-2.proxad.net!
news.mixmin.net!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TM-221 PL tone output level adjustment
Date: Sun, 17 Jun 2007 15:24:04 -0400
Organization: Aioe.org NNTP Server
Lines: 35
Message-ID: <fmmck-96BFD7.15240417062007@nntp.aioe.org>
References: <1181994890.962515.179860@q69g2000hsb.googlegroups.com>
<tuldk4-0fa.ln1@radagast.org>
NNTP-Posting-Host: cpXn4yz1tsaXKtPBmHQDAw.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:12193

In article <tuldk4-0fa.ln1@radagast.org>,
 dplatt@radagast.org (Dave Platt) wrote:

> The alignment instructions say to adjust VR1 so that the transmitted
> signal deviation level (tone, but no other audio) is around .65 kHz
> (650 Hz). This is consistent with recommendations I've read for other
> radios and seems to be good practice.
>
> >Bonus question: I have the same problem with an Alinco DR-590; if you
> >can help me with that too, that would be nice.
>
> I've been told that in at least some Alinco radios, the CTCSS tone
> level is set by a fixed resistor on the PC board (it's not intended to
> be adjustable via a pot), and that it's set too high.

Dave & KA1IOR-

I've seen alignment procedures on older commercial radios, where there
was no adjustment. The procedure was to merely verify that the CTCSS
tone's deviation was between 0.5 and 1.0 KHz. I don't know the official
spec, but 0.65 KHz would be a good choice if it is adjustable.

The key is to measure the actual tone deviation, not just rely on hum
reports. Any given repeater may not be filtering out the tone as it is
supposed to. (That same filter should reduce 60 or 120 Hz hum as well.)
A repeater that transmits tone, should be regenerating it, not repeating
the input tone.

It may be difficult to measure the exact frequency of a CTCSS tone, but
you should be able to sync your oscilloscope to 60 Hz line frequency,
and observe whether the received "hum" is drifting or not. (You could
sync the scope to a CTCSS tone generator if you had one.)

Fred
K4DII

```
From -4270861160732794306
X-Google-Thread: fc8b1,1048fa3cc97651c3,start
X-Google-Thread: 108122,1048fa3cc97651c3,start
X-Google-Thread: fc2a5,1048fa3cc97651c3,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i38g2000prf.googlegroups.com!not-for-
mail
From:  ergo <tw@emailaccount.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: FA: 20 Loktal (Loctal) Tube Sockets, NOS
Date: Mon, 18 Jun 2007 10:35:23 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1182188123.883001.130360@i38g2000prf.googlegroups.com>
NNTP-Posting-Host: 69.230.62.171
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1182188124 10874 127.0.0.1 (18 Jun 2007 17:35:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Jun 2007 17:35:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.12)
Gecko/20070508 Firefox/1.5.0.12,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i38g2000prf.googlegroups.com; posting-host=69.230.62.171;
   posting-account=__tLJAwAAABuqVm-lKx_rxJR8p05rKTu
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11944
rec.radio.amateur.equipment:12194 rec.radio.amateur.homebrew:13507
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320127860910

From 4412182053377601987
X-Google-Thread: 108122,2a4354c43cde9853,start
X-Google-Thread: fc2a5,2a4354c43cde9853,start
X-Google-Thread: 107ada,2a4354c43cde9853,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!feed.cgocable.net!
read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: FS: Midland 70-340 VHF APRS/Packet Radios
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <5KBdi.105802$Y_.63100@read1.cgocable.net>
Date: Mon, 18 Jun 2007 16:15:57 -0400
NNTP-Posting-Host: 24.141.130.191
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1182197761 24.141.130.191 (Mon, 18 Jun 2007 16:16:01
EDT)
NNTP-Posting-Date: Mon, 18 Jun 2007 16:16:01 EDT
Organization: Cogeco Cable
Xref: g2news1.google.com rec.radio.amateur.equipment:12195
rec.radio.amateur.homebrew:13510 rec.radio.amateur.misc:36538

$60.00 Each   Midland 70-340 VHF APRS/Packet Radio   [Plus Shipping]

I have a quantity of Commercial Midland 70-340 VHF Mobile Radios 25-30 Watts O/P comes with a Regular Power Connector, Mobile Mounting Bracket and a Midland 70-2301 Palm Mic (which you don't need if you are only using APRS or packet). These radios will work excellent as an APRS Mobile OR Base Radio Station. Using this radio is much cheaper to use for dedicated APRS use rather than spending Large Dollars for a VHF Amateur XCVR and dedicate it to One Channel APRS use. The radio is Programmed and Tested Operational on 144.390 Mhz.

IF you wish the Power Cable pre-wired c/w a DB-9 Male   [ADD $20] > ready to plug into a Tiny Tracker APRS Unit or any External Interface < Schematic Drawing of the Interface Cable is supplied

Midland 70-340 VHF Service Manual available on CD with a Radio [ADD $10]
Sold Separately [ADD $15] includes Mailing

These radios are capable of 36 Channels and comes with a CTCSS Board, should

you need it.   I can program them for other 2 Meter Frequencies for a
charge.   Please ask should you have any questions.

Thanks for looking....Norm VE3CZI
Email me Directly: <insert Call Sign> at arrl.net ....<call sign> is
ve3czi

From 7191962042346034799
X-Google-Thread: 108122,c812e1ba0a8ddc50
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!newsfeed.stanford.edu!headwall.stanford.edu!news!not-for-mail
From: spamatody@spam.spam.spam
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS/Trade Mirage B-2530-G VHF 300Watts
Date: Mon, 18 Jun 2007 16:15:13 -0500
Organization: University of Nebraska--Lincoln
Lines: 12
Message-ID: <7etd73tum29358dssumc2f5svo54cbj5fv@4ax.com>
References: <pfra739omm5e5s4rn7ab6tp6m7hpfkbj53@4ax.com>
NNTP-Posting-Host: net3701.unl.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: unlnews.unl.edu 1182201313 2311 129.93.104.85 (18 Jun 2007 21:15:13 GMT)
X-Complaints-To: usenet@unlnews.unl.edu
NNTP-Posting-Date: Mon, 18 Jun 2007 21:15:13 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:12196

On Sun, 17 Jun 2007 13:23:10 -0400, ritchi50@optonline.net wrote:

>FS/Trade Mirage B-2530-G VHF 300Watts
>25watts in 300Watts out.
>144-148MHz FM/SSB Preamp.
>Looks and works VERY NICE!!!
>Make offer or I will trade.
>Tell me what you have to trade for it.

An old snot rag.....OK?

From 8346601277059408355
X-Google-Thread: 108122,8b57c75d917f6915,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!postnews.google.com!p77g2000hsh.googlegroups.com!not-for-mail
From: "brm@netcabo.pt" <brm@netcabo.pt>
Newsgroups: rec.radio.amateur.equipment
Subject: FS ICOM 1271 + COLLINS 51S-1
Date: Mon, 18 Jun 2007 14:27:21 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1182202041.577609.35310@p77g2000hsh.googlegroups.com>
NNTP-Posting-Host: 89.180.113.79
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1182202041 16858 127.0.0.1 (18 Jun 2007 21:27:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Jun 2007 21:27:21 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p77g2000hsh.googlegroups.com; posting-host=89.180.113.79;
   posting-account=pi_IEwwAAAC_e9KHgSIK5luDGmguQt1V
Xref: g2news1.google.com rec.radio.amateur.equipment:12197

I have for sale a
ICOM 1271 + TV1200 (photos at http://brm.planetaclix.pt/ICOM.htm)

Collins 51S-1 + 313B-3 speaker (photos at http://brm.planetaclix.pt/COLLINS.htm

Thanks,
CT1BRM
JM NUNES

From 6351679022182989958
X-Google-Thread: 108122,41a6725ef1902cfd
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 18 Jun 2007 19:53:25 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1181994890.962515.179860@q69g2000hsb.googlegroups.com>
<5dipflF30itsuU1@mid.individual.net>
Subject: Re: TM-221 PL tone output level adjustment
Date: Mon, 18 Jun 2007 19:54:50 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response

Message-ID: <FNmdnXLlt7GYtOrbnZ2dnUVZ_oKnnZ2d@comcast.com>
Lines: 42
NNTP-Posting-Host: 71.194.160.28
X-Trace: sv3-
Ogw7+audQ7JK37tMrA9Pqce7XqX3cgEaz0Z9pUdaw97pYy1a8yJrVkxrQ0Ra3cJiAauf8zpJJ1WNyva!
S53+2mLIIKI+n1EWj+cIX736FjGpUJ3vGUA2wf46CnKMMPii7IEypfGWsSkX+tw6Y4dfmEJSz4Rx!
U3HHIFvzbJY52+k1s8rCTCtnHMU8RQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12198

I used to have one of those rigs..........I am pretty sure that the TM-221 has encode capabilities out of the box. The optional board would be for PL decode. As mentioned earlier, there should be a pot for making this adjustment. If you have the schematic, take a look at the Tx VCO. There should be two pots that feed the audio to the varactor diode. One of them will be for setting deviation from the mic input, while the other one will be for setting the PL level.

Pete

"Robert Kubichek" <bobn9lvu@sbcglobal.net> wrote in message news:5dipflF30itsuU1@mid.individual.net...
> KA1IOR wrote:
>> Surprised no one has posted on this topic yet; here goes:
>>
>> My Kenwood TM-221 has a problem with the intensity of its PL tone
>> output level. Mine is too loud, generating frequent reports of "hum"
>> from others.
>>
>> I have the original manual with schematic and block diagrams, but no
>> obvious information indicates where the output tone is generated or
>> adjusted.
>>
>> Not being wizardly and knowing there are wizards hanging around here,
>> I'd like to know what pot needs adjustment to settle it down to the
>> right level, if one exists. Anyone?
>>
>> Bonus question: I have the same problem with an Alinco DR-590; if you
>> can help me with that too, that would be nice.
>>
>> TIA, KA1IOR
>>
> Your Kenwood uses the TU-3A tone board, and there is only one pot on it.
> It is VR1 and adjusts the tone output.
>
> All the info you need is found at : http://www.mods.dk/
> Service manual included, plus schematic..
>

>
> Bob N9LVU

From -1524634912369433454
X-Google-Thread: 108122,8e7df69e0691ccf0,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q75g2000hsh.googlegroups.com!not-for-mail
From: W7GSA <iamw7gsa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: SG-2000 Working or Not
Date: Mon, 18 Jun 2007 19:08:06 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1182218886.669609.193740@q75g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.208.8.133
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1182218886 12384 127.0.0.1 (19 Jun 2007 02:08:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Jun 2007 02:08:06 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.12)
Gecko/20070508 Firefox/1.5.0.12,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q75g2000hsh.googlegroups.com; posting-host=71.208.8.133;
   posting-account=cQvDhQ0AAAA2L64AXEEngQZckgQDkde_
Xref: g2news1.google.com rec.radio.amateur.equipment:12199

Hi,

I want to buy an SG-2000 ADSP1 or ADSP2 working or not. It needs to be
in good physical condition. I will pay immediate cash.

Please let me know if you have one available.

Thank you,

Bill
W7GSA
iamw7gsa@gmail.com
phone: 303-674-0510
Phone: 303-674-0510   Email: iamw7gsa@gmail.com

From 1849058546958970673
X-Google-Thread: 108228,cbe31617005376b4,start
X-Google-Thread: 108122,cbe31617005376b4,start

```
X-Google-Thread: 1109af,cbe31617005376b4,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swa
p
Subject: FA:Motorola HT1250 ls "Plus" Version-Voice Storage Option-Intrinsically
Safe Battery-Fire-EMS-Ham
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0019_01C7B1F3.5B8FF9C0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <LmJdi.437284$7g3.4277@newsfe14.phx>
Date: Mon, 18 Jun 2007 21:55:17 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.phx 1182229035 68.96.97.57 (Mon, 18 Jun 2007 21:57:15 MST)
NNTP-Posting-Date: Mon, 18 Jun 2007 21:57:15 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:3186
rec.radio.amateur.equipment:12200 rec.radio.swap:16654

This is a multi-part message in MIME format.

------=_NextPart_000_0019_01C7B1F3.5B8FF9C0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:Motorola HT1250 ls "Plus" Version-Voice Storage Option-Intrinsically =
Safe Battery-Fire-EMS-Ham=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250133415307&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0019_01C7B1F3.5B8FF9C0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:Motorola HT1250 ls "Plus" Version-Voice Storage =
Option-Intrinsically Safe=20
Battery-Fire-EMS-Ham </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250133415307&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250133415307&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0019_01C7B1F3.5B8FF9C0--



From -332848750242472l4
X-Google-Thread: 108122,7c5e85efc2c18ffc,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: NEUMANN U67 Microphone
Message-ID: <ha4g73d0eujmroeei1omsg5frq9hggp0i5@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Tue, 19 Jun 2007 13:24:39 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1182273879 69.125.167.162 (Tue, 19 Jun 2007 10:24:39 MST)
NNTP-Posting-Date: Tue, 19 Jun 2007 10:24:39 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:12201

NEUMANN U67 Microphone
Please reply with condition and price.
ritchi50@optonline.net


From 6442053604551323508
X-Google-Thread: 108122,8e7df69e0691ccf0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn11feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
```

```
From: You <You@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: SG-2000 Working or Not
Organization: You and my shadow
References: <1182218886.669609.193740@q75g2000hsh.googlegroups.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-26117F.11123419062007@netnews.worldnet.att.net>
Lines: 21
Date: Tue, 19 Jun 2007 19:12:34 GMT
NNTP-Posting-Host: 12.12.208.49
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1182280354 12.12.208.49 (Tue, 19 Jun
2007 19:12:34 GMT)
NNTP-Posting-Date: Tue, 19 Jun 2007 19:12:34 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12202

In article <1182218886.669609.193740@q75g2000hsh.googlegroups.com>,
 W7GSA <iamw7gsa@gmail.com> wrote:

> Hi,
>
> I want to buy an SG-2000 ADSP1 or ADSP2 working or not. It needs to be
> in good physical condition. I will pay immediate cash.
>
> Please let me know if you have one available.
>
> Thank you,
>
> Bill
> W7GSA
> iamw7gsa@gmail.com
> phone: 303-674-0510
> Phone: 303-674-0510   Email: iamw7gsa@gmail.com
>

Call the SGC Factory....PeeAir must have a couple of dozen
of these, Hanger Queens, laying around in the scrap pile.....


From 4632322609068680771
X-Google-Thread: f64c6,fb3698db1c64c10e
X-Google-Thread: 108122,fb3698db1c64c10e
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!o11g2000prd.googlegroups.com!not-for-
mail
From:  sinklub <mseday@sinklub.com>
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Re: Rig file fot FT-2000 and EasyLog
Date: Wed, 20 Jun 2007 02:46:14 -0000
Organization: http://groups.google.com
Lines: 10
Message-ID: <1182307574.049279.156330@o11g2000prd.googlegroups.com>
```

References: <avj9i.1436$ZA.978@newsb.telia.net>
NNTP-Posting-Host: 218.211.33.254
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1182307574 19551 127.0.0.1 (20 Jun 2007 02:46:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Jun 2007 02:46:14 +0000 (UTC)
In-Reply-To: <avj9i.1436$ZA.978@newsb.telia.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 proxy:3128 (squid/2.5.STABLE1)
Complaints-To: groups-abuse@google.com
Injection-Info: o11g2000prd.googlegroups.com; posting-host=218.211.33.254;
   posting-account=ylOmfg0AAACcXoKauEAHAmMHaZDqKHtb
Xref: g2news1.google.com uk.radio.amateur:117209 rec.radio.amateur.equipment:12203

On Jun 6, 4:15 am, SM=D8IMJ <sm0...@telia.com> wrote:
> Hi,
> Has anyone compiled a working rig file for the EasyLog logging software
> and the Yaesu FT-2000 (or FT-9000, CAT syntax is very similar).
>
> cheers,
> Hans/SM=D8IMJ

EasyLog from the company Multisuns in Taiwan?

From 3039277830635042137
X-Google-Thread: 108122,e7b3276af570229f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe03.lga.POSTED!53ab2750!not-for-mail
User-Agent: Microsoft-Entourage/11.3.3.061214
Subject: Kenwood TS-2000 / TS-480SAT vs. ICOM 746PRO/IC 7000?
From: Gary KW4Z <kw4z@charter.net>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <C29E6C68.1B15F%kw4z@charter.net>
Thread-Topic: Kenwood TS-2000 / TS-480SAT vs. ICOM 746PRO/IC 7000?
Thread-Index: AcezHeiIJ1vYKB8REdypmgARJDuoXg==
Mime-version: 1.0
Content-type: text/plain;
     charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 19
X-Trace:
pgpdkimbbbabbbpebaignffdjoaiejclgmglkleopmgohdocmabchffmgdhapdbkallhoejblmjajfoekm
bkkbbbiojkmebdeeafbjgnjjikoiimjfomlfamkppekcjeollnekbclkhfkbie

NNTP-Posting-Date: Wed, 20 Jun 2007 02:32:28 MST
Date: Wed, 20 Jun 2007 05:32:24 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:12204

I have to replace a rig that was stolen and I'm down to four radios to choose from. I haven't been able to get to a dealer yet to set down and actually try them out but have narrowed my choices down to four with preference of those down to two. If anyone owns some or all of the radios mentioned here I would greatly appreciate your input and experience with their operation. The two that I am closest to getting is:

Kenwood TS-2000 or the ICOM IC-746PRO. I do realize that the 746PRO does not have 440MHz like the TS-2000. I like the IC7000 but such a small radio that they fit so much into it with using so few knobs and buttons on front that I'm concerned about the learning curve with that one. I'm naturally concerned about durability, receive quality and the ability to reduce interference and pull out the weak signals in a crowd or busy band.

Right now the Icom 746PRO has the incentives on it's side with not only rebates, coupons and a free Power Supply.

I appreciate your input concerning these radios.

From -2144418360302665980
X-Google-Thread: 108122,e7b3276af570229f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-2000 / TS-480SAT vs. ICOM 746PRO/IC 7000?
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <ji4i73l5cqsor27ghlk3eh7oitkc380ais@4ax.com>
References: <C29E6C68.1B15F%kw4z@charter.net>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
NNTP-Posting-Host: 43c10e8b01e4c64d9f6d4067baf83c35
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1182340725 43c10e8b01e4c64d9f6d4067baf83c35 (Wed, 20 Jun 2007 11:58:45 GMT)
NNTP-Posting-Date: Wed, 20 Jun 2007 11:58:45 GMT
Date: Wed, 20 Jun 2007 11:58:45 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12205

Gary,

It depends on what you want to do. The TS-2000 is a Swiss army knife sort of rig. It is great for satellite operations, and it is a favorite of people who do digital modes heavily. It is a good, but not great HF rig. For serious VHF and UHF operations, most people use a good RX pre amp for satellite or weak signal work. Lots of menus to dig through, though there are a few cheat sheets around to tell you how to do specific things. Also, the Sky Command, now legal in the US, is a very cool way to operate remotely from you HT or mobile.

Both of the Icoms will be better HF rigs, and will certainly do digital modes as well. There are a lot of IC-7000s out there due to some dealer incentives. As you say, it has a bit of a learning curve, with some of the locals forming what amounts to an unofficial users' group to swap ideas. However, it does work very well, though the stock microphone does, in the opinion of many, need to be replaced, or have a simple modification done to it. Two locals who replaced their 756's at Dayton with the 7000 are, after a bit of initial frustration, glad they did. They also like the modified microphones, which in A/B tests with the originals sound much better. http://www.7000mic.com/
So talk to people on the air, and if at all possible try operating.

FWIW

--
Alan
WA4SCA

From 7327403728160745235
X-Google-Thread: 108122,e7b3276af570229f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 21 Jun 2007 07:16:30 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <C29E6C68.1B15F%kw4z@charter.net>
Subject: Re: Kenwood TS-2000 / TS-480SAT vs. ICOM 746PRO/IC 7000?
Date: Thu, 21 Jun 2007 07:16:22 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <-sGdnfk4EbGD8efbnZ2dnUVZ_j2dnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 24.14.246.77
X-Trace:
sv3-4khAGWVDJhkDNbHOXFst9iyG0Kdaq+vFcS36VvlZFZu8hjjzS5DoqEzIIVYlgfyN1Fy7TkRCVxXFYv

```
y!KvSjbekOV0qsOWx64wvSgoteHftLGFAJAcS8huMlJXXJTaSjtd11xnm60jSXyXVHjfxXEPHm+WSp!
g1g0950fXi8OFZSei5QAteAoDuDq
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12206

"Gary KW4Z" <kw4z@charter.net> wrote in message
news:C29E6C68.1B15F%kw4z@charter.net...
>I have to replace a rig that was stolen and I'm down to four radios to
> choose from.  I haven't been able to get to a dealer yet to set down and
> actually try them out but have narrowed my choices down to four with
> preference of those down to two.  If anyone owns some or all of the radios
> mentioned here I would greatly appreciate your input and experience with
> their operation.  The two that I am closest to getting is:
>
> Kenwood TS-2000 or the ICOM IC-746PRO.  I do realize that the 746PRO does
> not have 440MHz like the TS-2000.  I like the IC7000 but such a small
> radio
> that they fit so much into it with using so few knobs and buttons on front
> that I'm concerned about the learning curve with that one.  I'm naturally
> concerned about durability, receive quality and the ability to reduce
> interference and pull out the weak signals in a crowd or busy band.
>
> Right now the Icom 746PRO has the incentives on it's side with not only
> rebates, coupons and a free Power Supply.
>
> I appreciate your input concerning these radios.
>

I skipped all four of these radios -- and will buy the Elecraft K3.
The Dayton interest by the "Big 4" was very interesting to observe their
representatives (and reactions) -- features and capabilities at this price
point -- they do not have -- and are not designing for.

A colleague bought the TS-2000 -- have not heard reports of his assessment
yet.

gb




From 6047898200205500595
X-Google-Thread: 108122,794e553eba35146e
X-Google-Thread: 108228,794e553eba35146e
X-Google-Attributes: gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
```

```
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews7.bellsouth.net.POSTED!8987383b!not-for-mail
Reply-To: "Henry" <noone@nowhere.net>
From: "Henry" <noone@nowhere.net>
Newsgroups: rec.radio.amateur.swap,rec.radio.amateur.equipment,rec.ham-
radio.swap,alt.ham-radio.marketplace
References: <C298D28E.3535%N8NOE@ATT.NET> <pfUci.206$Jt2.123@newsfe12.lga>
In-Reply-To: <pfUci.206$Jt2.123@newsfe12.lga>
Subject: Re: FS: AL-811H , w/10-12 Meter Mods....
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16480
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16480
X-RFC2646: Format=Flowed; Response
Message-ID: <LnBei.332$I9.94@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbokafobpmafmooheimlecpabknegaagmomop
nmeeldcogneehkhpfnjaklckedkfmkfifgodpapchkccbfpmpghekdcojndhahomlgcccebcdfdbbm
NNTP-Posting-Date: Thu, 21 Jun 2007 16:41:15 EDT
Organization: BellSouth Internet Group
Date: Thu, 21 Jun 2007 16:41:15 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:12207 alt.ham-
radio.marketplace:3190

$375 + shipping

Henry

"STEVE TROOK" <STROOK@OPTONLINE.NET> wrote in message
news:pfUci.206$Jt2.123@newsfe12.lga...
> Are you interested in any trades???    strook@optonline.net
>
>
>
> Jeffrey M. Swiger wrote:
>>     I Have for Sale my Ameritron AL-811H Amp, Asking $500 Plus Shipping
>> to
>> you. I have gotten my Icom PW-1 Amp and don't need the AL-811H anymore.
>> VERY
>> little use, NON-SMOKING Environment, 9.8 of 10 (Very Clean with about 2
>> Months of use here. I did do the 10/12 Meter Mod and it's wired for 110v,
>> but can be made to run 220v.. Any Questions PLEASE ASK!.. I need to sell
>> as
>> I have no room for it in the shack now..  THANKS!
>> Jeff-N8NOE
>> (Good on QRZ, and elsewhere )
>> N8NOE at ARRL dot NET
>>
```

```
From -7796620818067235521
X-Google-Thread: 108122,5b280e69de5f874d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.metrocastcablevision.com!news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 21 Jun 2007 20:10:16 -0500
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: HAAMMARLUND HQ-100A RX/SP-100 SPKR PACKAGE
Date: Thu, 21 Jun 2007 21:10:19 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <K4Odnc05RKPkvObbnZ2dnUVZ_gydnZ2d@metrocastcablevision.com>
Lines: 43
NNTP-Posting-Host: 72.9.25.19
X-Trace: sv3-
kU7qVblmQGWPIePZWqlTLv7hb8vaJ0FbJPBAsEiajlXuXZngZspZCSNThHqwdDZMo5TqmLmxSVhVMzO!
bCWPi28n8nGrzMjVBd6qz0P1V0VY8pZBgpIG9cmE+pGpZhBAwVqmrZmVBvmS20UbBNAQhJg/bUH+!
Nyp+8hNITQQDGXOCWKu5CdwoBSZUlPv9mt3pdRyOwas=
X-Complaints-To: abuse@metrocastcablevision.com
X-DMCA-Complaints-To: abuse@metrocastcablevision.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12208
```

FOR SALE

HAMMARLUND HQ-100A General Coverage Receiver
w/ SP-100 Matching Speaker
SERIAL NUMBER: 24537442
FREQUENCY COVERAGE: 540 KHz - 30 MHz
MODES: AM, cw, SSB
BFO: Yes
PRODUCT DETECTOR: No
CRYSTAL CALIBRATOR: Yes, Model XC-100.
CLOCK: No
TUBES: 10 including xtal calibrator.
PHYSICAL CONDITION: 9.5 out of 10 (chassis isn't quite perfect and s-meter plastic has a couple of very minor scuffs on far right). The front panel, cabinet and speaker/cabinet are in unbelievably beautiful condition. You are almost guaranteed to do a double-take when you first see this receiver.
OPERATIONAL CONDITION: Works well. I have been using this as one

of my SWL receivers for several years now. Bandswitch is slightly
noisy on 20BS band - I ran out of contact cleaner/degreaser while
treating the bandswitch. S-meter drifts a little with time but it
has never bothered me.
OTHER THINGS INCLUDED IN THIS SALE:
Original Instruction & Service Manual, includes XC-100 Crystal
Calibrator supplement and schematic.
Repair Ticket dated OCT 9, 1970.
Owner's personal listening log from the sixties.
Original Hammarlund shipping carton for this S/N receiver.
PRICE: $265.00, Cash or US Postal Money Order.
LOGISTICS: Buyer to pick up equipment, located in St. Mary's
County, Maryland. I do not recommend shipping this equipment.
REFUND: This sale is final - no refund.

You are welcome to come by the house and test-drive this neat
little receiver. Drop me an email and we'll get you into the
restricted tech-control spaces.

73

CONTACT: BOB CARTER, W5BTC
EMAIL: dc2light (at) md (dot) metrocast (dot) net

From -8693617610577807900
X-Google-Thread: 108122,6c908ee95c46bef1,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d30g2000prg.googlegroups.com!not-for-mail
From: lapdog <jeabwjw@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Amateur radio website
Date: Thu, 21 Jun 2007 18:46:08 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1182476768.394677.304220@d30g2000prg.googlegroups.com>
NNTP-Posting-Host: 70.143.58.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1182476769 11394 127.0.0.1 (22 Jun 2007 01:46:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Jun 2007 01:46:09 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SU 2.009; Embedded Web Browser from: http://bsalsa.com/; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d30g2000prg.googlegroups.com; posting-host=70.143.58.226;
   posting-account=uA5f5w0AAAC526zshhh0WGBkjDqMAzgw

Xref: g2news1.google.com rec.radio.amateur.equipment:12209

I just built a new amateur radio website and it includes ebay auctions
for radio equipment. It also has some articles about the top three
manaufacturers of ham radio equipment and the latest in ham news from
around the world. Check it out:
http://www.amateurradios.info

Come in and browse and go to the contact page and tell me what you
think, suggestions and comments would be appreciated.

Thanks,
Bill
W5GRX

From 6861237935180944644
X-Google-Thread: 108122,922ef7e99727dab,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!
feeder1-1.proxad.net!newspeer2.se.telia.net!se.telia.net!masternews.telia.net.!
newsb.telia.net.POSTED!not-for-mail
From: =?ISO-8859-1?Q?SM=D8IMJ?= <sm0imj@telia.com>
User-Agent: Thunderbird 2.0.0.4 (Windows/20070604)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Driver for a USB serial adapter TEAN T1 94V-0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 8
Message-ID: <FDNei.2706$ZA.1317@newsb.telia.net>
Date: Fri, 22 Jun 2007 10:37:25 GMT
NNTP-Posting-Host: 217.209.183.10
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1182508645 217.209.183.10 (Fri, 22 Jun 2007 12:37:25
CEST)
NNTP-Posting-Date: Fri, 22 Jun 2007 12:37:25 CEST
Organization: Telia Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:12210

Hi,
I need an Windows XP driver for my USB to Serial adapter.
It a big blue plastic box and on the card it say's; TEAN T1 94V-0

Anyone with an idea?

cheers,
Hans - SM�IMJ

From -466820852015316442

```
X-Google-Thread: 108122,12d06ae40ee4bfc3
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d30g2000prg.googlegroups.com!not-for-
mail
From:  JIMKIRK@JIMKIRK4PATENTS.COM
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Northstar M1 Loran database update
Date: Fri, 22 Jun 2007 12:12:57 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1182539577.140824.183360@d30g2000prg.googlegroups.com>
References: <Zoj7i.213$1G.481@eagle.america.net>
NNTP-Posting-Host: 72.67.100.73
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1182539577 30952 127.0.0.1 (22 Jun 2007 19:12:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Jun 2007 19:12:57 +0000 (UTC)
In-Reply-To: <Zoj7i.213$1G.481@eagle.america.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d30g2000prg.googlegroups.com; posting-host=72.67.100.73;
   posting-account=S7ZADw0AAAA5G9vN3k8L1RuaW1KosnZg
Xref: g2news1.google.com rec.radio.amateur.equipment:12211

On May 30, 10:30 am, BillJ <w...@nwboronet.com> wrote:
> I have a new, factory fresh database update set for the M1 Loran for
> sale. As you know this is a set of 8 PROM chips, and I paid dearly for
> them, but will sell for less. Includes step-by-step instructions. Email
> me off line if interested at:
>
> w3fiATnwboronetDOTcom

My phone number is (714) 840-1403;  Cell is 714 287 8694
I have an old M-1 in operation. I also have a Garmin 250 XL in the
bird with a moving map that is a piece of junk and impossible to read
in anykind of day light.  However, I believe that two systems are
better than one.  What is the age of the chip set update?  I have been
contemplating an up grade to an M-3   I would then be stuck with all
GPS but with an M-3,  I would retain the ease of being able to read
the darn display with sunlight in the cockpit.   What will you accept
for the set?



From -8330200546761607778
X-Google-Thread: 108122,8704ad11ebe8be3b,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n60g2000hse.googlegroups.com!not-for-
```

```
mail
From:  marconi_pasta@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: FS:Motorola GTX Two-Way Radio Set Up
Date: Sat, 23 Jun 2007 14:05:11 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1182632711.930210.287690@n60g2000hse.googlegroups.com>
NNTP-Posting-Host: 134.117.137.140
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1182632712 20170 127.0.0.1 (23 Jun 2007 21:05:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 23 Jun 2007 21:05:12 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n60g2000hse.googlegroups.com; posting-host=134.117.137.140;
   posting-account=8lpksg0AAACdFFO6rg2ket3JgzjLCG3n
Xref: g2news1.google.com rec.radio.amateur.equipment:12212
```

Selling the following and complete USED Motorola GTX Handi-Talki mobile radio set (800 MHZ trunking system) which includes:

2 Base Station Radios (model M11UGD6CB1AN, type LCKB)
2 microphones for the Base Stations
1 AC/DC Base Station power supply (13.8V)

10 mobile hand-held radios (model H11UCD6CB1AN, type LTKB)
6 AC/DC charger mounts for the hand-held radios
1 Magnetic mount for the antenna

Asking only $1800.00 or best offer for the complete set.

The Parting Out prices is as follows:
Base Station: $500.00 each
Hand Held Radios: $165.00 each

Location:
Ottawa Ontario Canada

Product Information
http://www.motorola.com/content.jsp?globalObjectId=5367
http://www.motorola.com/content.jsp?globalObjectId=5366

```
From 7777121635459575404
X-Google-Thread: 108122,8704ad11ebe8be3b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n60g2000hse.googlegroups.com!not-for-
```

mail
From: marconi_pasta@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: FS:Motorola GTX Two-Way Radio Set Up
Date: Sat, 23 Jun 2007 14:06:22 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1182632782.392193.289780@n60g2000hse.googlegroups.com>
NNTP-Posting-Host: 134.117.137.140
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1182632782 1873 127.0.0.1 (23 Jun 2007 21:06:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 23 Jun 2007 21:06:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n60g2000hse.googlegroups.com; posting-host=134.117.137.140;
   posting-account=8lpksg0AAACdFFO6rg2ket3JgzjLCG3n
Xref: g2news1.google.com rec.radio.amateur.equipment:12213

Selling the following and complete USED Motorola GTX Handi-Talki
mobile radio set (800 MHZ trunking system) which includes:

2 Base Station Radios (model M11UGD6CB1AN, type LCKB)
2 microphones for the Base Stations
1 AC/DC Base Station power supply (13.8V)

10 mobile hand-held radios (model H11UCD6CB1AN, type LTKB)
6 AC/DC charger mounts for the hand-held radios
1 Magnetic mount for the antenna

Asking only $1800.00 or best offer for the complete set.

The Parting Out prices is as follows:
Base Station: $500.00 each
Hand Held Radios: $165.00 each

Location:
Ottawa Ontario Canada

Product Information
http://www.motorola.com/content.jsp?globalObjectId=5367
http://www.motorola.com/content.jsp?globalObjectId=5366

From -2138931847155760436
X-Google-Thread: 108122,681f0e04bb310c5a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!

newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: antenna rotator cause hum in receiver
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <wNjfi.267$Od7.255@newsread1.news.pas.earthlink.net>
Date: Sun, 24 Jun 2007 01:29:00 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1182648540 24.225.35.108 (Sat, 23 Jun 2007 18:29:00 PDT)
NNTP-Posting-Date: Sat, 23 Jun 2007 18:29:00 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:12214

I have a Ham IV that when I turn on the brake the receive signal takes on a 60 or 120 hz hum . I though it might be the control box too close to my Icom 746 PRO. I have a switch box connecting two lowband wire antennas and a triband beam to the Icom. If I listen to a signal on the wire antennas I do not get the hum modulation on the incomming signal when I rotate the beam.   Those coax wires are not near the rotator wires.   This tends to eliminate the transfromer of the rotator box from getting into the Icom by magnetic coupling. If I switch to the beam , then turn the brake on the rotator box I will get hum modulation. The triband is fed with some Davis Bury flex (foil and braid shield coax) and the rotator wires are taped to the coax for a distnce of about 100 feet.

The antenna does not have to ratate, just mashing the brake release button will make the signal hum modulate on receive.

The Icom is being powered by an Astrom 50 amp supply and the rotator plugs into the 120 vac outlet.

From -5697091256118339563
X-Google-Thread: 108122,e7b3276af570229f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <C29E6C68.1B15F%kw4z@charter.net>

Subject: Re: Kenwood TS-2000 / TS-480SAT vs. ICOM 746PRO/IC 7000?
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
Message-ID: <uWjfi.453$rR.83@newsread2.news.pas.earthlink.net>
Date: Sun, 24 Jun 2007 01:38:34 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1182649114 24.225.35.108 (Sat, 23 Jun 2007 18:38:34 PDT)
NNTP-Posting-Date: Sat, 23 Jun 2007 18:38:34 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:12215

"Gary KW4Z" <kw4z@charter.net> wrote in message news:C29E6C68.1B15F%kw4z@charter.net...

>I have to replace a rig that was stolen and I'm down to four radios to choose from. I haven't been able to get to a dealer yet to set down and actually try them out but have narrowed my choices down to four with preference of those down to two. If anyone owns some or all of the radios mentioned here I would greatly appreciate your input and experience with their operation. The two that I am closest to getting is:
>
> Kenwood TS-2000 or the ICOM IC-746PRO. I do realize that the 746PRO does not have 440MHz like the TS-2000. I like the IC7000 but such a small radio
> that they fit so much into it with using so few knobs and buttons on front that I'm concerned about the learning curve with that one. I'm naturally concerned about durability, receive quality and the ability to reduce interference and pull out the weak signals in a crowd or busy band.
>
> Right now the Icom 746PRO has the incentives on it's side with not only rebates, coupons and a free Power Supply.
>
> I appreciate your input concerning these radios.
>

I made the same decision a few months back. The ts2000 will do many things the Icom will not . The Icom has a beter receiver for the low bands. I think the ts480 requires extra filters to be bought if you want them where the others have them (or really the electronic equivelent except beter) .
I did not care about all the thinks you can do with the ts2000 and wanted a good HF receiver so I went with the Icom 746pro. I do weak signal vhf and uhf and have seperate rigs for those bands so not haveing the 440 band was not big deal to me.
There does seem to be some problems with the back light on the display of the Icom so if you go with that rig run the display brightness full on or full off.

```
From -7026120635641725024
X-Google-Thread: fc8b1,97e4a402a139a25f,start
X-Google-Thread: 108122,97e4a402a139a25f,start
X-Google-Thread: 107ada,97e4a402a139a25f,start
X-Google-Attributes: gidfc8b1,gid108122,gid107ada,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: YES - RADIO CRYSTALS <dev@null.com>
Newsgroups: 
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur,rec.ra
dio.amateur.misc
Subject: FS: CALIBRATOR CRYSTALS
Date: Sat, 23 Jun 2007 21:47:43 -0400
Message-ID: <j9jr7355rucoh985bsu7a4bgap1oh2inad@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11973 
rec.radio.amateur.equipment:12216 rec.radio.amateur.misc:36706

FOR SALE: 100 kHz CALIBRATOR CRYSTALS...
As used in many radios: KENWOOD, YAESU, Drake, Heathkit,
Hallicrafters, Hammarlund, National.
Frequency Standard 100 kHz TALL HC6/U crystals (HC13/U) made to
highest manufacturing
standards with excellent tolerance to ensure that your radio is on the
frequency
every time. Ideal for all older model tube radio receivers or for
homebrew.
Dimensions: 1.5" X 0.75" - and pins are spaced 0.486" apart.

Also - BFO crystals and filter crystals are available on 455 kHz.
HC13/U Crystals on 100 kHz - $19.00 each.
HC6/U Crystals on 455 kHz - $19.00 each.
Shipping additional. For details see:
http://www.af4k.com/crystals.htm


From -286517103356288399
X-Google-Thread: 108122,e7b3276af570229f
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n2g2000hse.googlegroups.com!not-for-
mail
From:  N4VBH <qns1@hotmail.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-2000 / TS-480SAT vs. ICOM 746PRO/IC 7000?
Date: Sat, 23 Jun 2007 20:26:08 -0700
Organization: http://groups.google.com
Lines: 51
Message-ID: <1182655568.501204.155610@n2g2000hse.googlegroups.com>
References: <C29E6C68.1B15F%kw4z@charter.net>
NNTP-Posting-Host: 166.165.220.11
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1182655568 1032 127.0.0.1 (24 Jun 2007 03:26:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Jun 2007 03:26:08 +0000 (UTC)
In-Reply-To: <C29E6C68.1B15F%kw4z@charter.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n2g2000hse.googlegroups.com; posting-host=166.165.220.11;
   posting-account=ALT06wwAAACpD5c4SI2IsCl6mpPvg3q2
Xref: g2news1.google.com rec.radio.amateur.equipment:12217

I just went through the same decision-making process and I chose the Icom 746PRO. I was apprehensive due to the problems rumored throughout the net, but I trust Icom and their ability to have already addressed those issues. So far, I made a great decision. I have never actually used any of the other rigs on your list, but I am not a fan of any Kenwood made in the last decade. The Yaesu was on my list, but a little out of my price range.

I, too, didn't really need 440 since I have that on another rig. one thing I will need to purchase is a duplexer since 144 MHz and HF are separate antenna connectors. The problem is my 6M antenna is part of my VHF/UHF antenna (tribander), so the duplexer is necessary in my case.

The rig was smaller than I thought, which is a good thing. I'm not impressed with the PS-125. It makes a slight high-freq while while on, and gets annoying. It's a cheap switching supply in a nice case. I had rather have a linear power supply. Oh, well! The rig is also built VERY well. Very solid feel to all knobs and controls. Not crazy about the display (rather have an IC-7000 type display on it-color!). One last complaint...comes with a cheesy hand mic.

Don't get me wrong. This is a great radio. I also have a Yaesu FT-757GXII, FT-767GX, and Kenwood TS-940SAT. This was obviously a step up from what I had, but I actually have likes and dislikes about each one.

Prentice, N4VBH

On Jun 20, 5:32 am, Gary KW4Z <k...@charter.net> wrote:

```
> I have to replace a rig that was stolen and I'm down to four radios to
> choose from.  I haven't been able to get to a dealer yet to set down and
> actually try them out but have narrowed my choices down to four with
> preference of those down to two.  If anyone owns some or all of the radios
> mentioned here I would greatly appreciate your input and experience with
> their operation.  The two that I am closest to getting is:
>
> Kenwood TS-2000 or the ICOM IC-746PRO.  I do realize that the 746PRO does
> not have 440MHz like the TS-2000.  I like the IC7000 but such a small radio
> that they fit so much into it with using so few knobs and buttons on front
> that I'm concerned about the learning curve with that one.  I'm naturally
> concerned about durability, receive quality and the ability to reduce
> interference and pull out the weak signals in a crowd or busy band.
>
> Right now the Icom 746PRO has the incentives on it's side with not only
> rebates, coupons and a free Power Supply.
>
> I appreciate your input concerning these radios.
```

```
From 7763129869522350480
X-Google-Thread: 1109af,f0b07d3487e1a86e,start
X-Google-Thread: 108122,f0b07d3487e1a86e,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w5g2000hsg.googlegroups.com!not-for-
mail
From:  patk1212@gmail.com
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: AMERITRON AL-811 AMP $425
Date: Sun, 24 Jun 2007 04:18:40 -0000
Organization: http://groups.google.com
Lines: 3
Message-ID: <1182658720.733534.299330@w5g2000hsg.googlegroups.com>
NNTP-Posting-Host: 68.48.32.171
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1182658720 9805 127.0.0.1 (24 Jun 2007 04:18:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Jun 2007 04:18:40 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w5g2000hsg.googlegroups.com; posting-host=68.48.32.171;
   posting-account=3xn0ig0AAAD6RYk8vimuGdNuqRYJBbPJ
Xref: g2news1.google.com rec.radio.swap:16672 rec.radio.amateur.equipment:12218
```

Good condition, 10 meter mod done, pickup only in Rockville, MD area.
-73 de N3YOZ

```
From -6181907545278885852
X-Google-Thread: 108122,c154e3d359ca77e7,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!newsgate.cistron.nl!
xs4all!feeder.news-service.com!nntp-peering.plus.net!ptn-nntp-feeder01.plus.net!
ptn-nntp-spool01.plus.net!ptn-nntp-reader02.plus.net!not-for-mail
Date: Sun, 24 Jun 2007 11:08:35 +0100
From: Ted <ted@trufflesdad.plus.com>
User-Agent: Mozilla-Thunderbird 2.0.0.4 (X11/20070618)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood th-f7
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <467e42a5$0$8737$ed2619ec@ptn-nntp-reader02.plus.net>
Organization: Customer of PlusNet plc (http://www.plus.net)
NNTP-Posting-Host: fa3f02f1.ptn-nntp-reader02.plus.net
X-Trace: DXC=`43a=d[Lm:BFVYZ6Vf2ScFigd3Y`7Rb;N37XnI;
[OUCDG`jPeGcW;iKJoebS>a^A1Mj[l^Vc:[hQE<_\V^JYCeYH
X-Complaints-To: abuse@plus.net
Xref: g2news1.google.com rec.radio.amateur.equipment:12219
```

Anyone tell me if it is possible to receive and decode amateur psk on this h/held ??

Regards
   Ted Wager G3TPI
     Using Sidux Linux

```
From -1630862878230279036
X-Google-Thread: 108122,cc45059c286e8b2b,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 24 Jun 2007 07:58:11 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Question about DRU-3A option for Kenwood TS-570
Date: Sun, 24 Jun 2007 08:58:34 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <w5-dnWjiy8n-9-PbnZ2dnUVZ_segnZ2d@insightbb.com>
Lines: 19
```

NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-a0AZBGa2+OwtHYMmXbSrq1/ne6l5up+j7SYcHAAnNpbLeywOz28/zgcHrF0nePJ2g0j89+LZM2e+Sbs!6lIQraYwWQXkSUzXw6/waPUJp77JN4XdAQ0LsWJzM2B/fjneywExNN8+9gToRRRAE8giTqgRFkZE!mvZBUav9/IcLGGtOog==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12220

I'm looking for a 'one-touch' voice CQ caller to save wear and tear on my vocal cords. My Kenwood TS-570 has an optional 'Digital Recording Unit' available that I have a few questions about.

From the manual it sound like you have to manually turn xmit on, then push one of the 'CH1/2/3' buttons, then manually turn xmit off. Not exactly 'one-touch'. (Is this correct?)

But, if your in VOX mode, then pushing one of the 'CH1/2/3' will automatically activate xmit. (Is this correct?) This does sound like 'one-touch'.

Is there some Kenwood bulletin board where this question would be more appropriate?

--
Bob D. ND9B

From 6211089545015867148
X-Google-Thread: 108122,c154e3d359ca77e7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood th-f7
Date: Sun, 24 Jun 2007 06:13:48 -0700
Message-ID: <vers73pmpg646kugad6rk7qeullv3arlsb@4ax.com>
References: <467e42a5$0$8737$ed2619ec@ptn-nntp-reader02.plus.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Date: 24 Jun 2007 12:21:38 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12221

On Sun, 24 Jun 2007 11:08:35 +0100, Ted <ted@trufflesdad.plus.com>
wrote:

>Anyone tell me if it is possible to receive and decode amateur psk on
>this h/held ??
>
>Regards
>   Ted Wager G3TPI
>   Using Sidux Linux

You can run AX.25 packet and APRS. That's about it. Nice radio
though.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

```
From 8906064311495278656
X-Google-Thread: 108122,c154e3d359ca77e7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news.mixmin.net!
news2.arglkargh.de!news.osn.de!diablo1.news.osn.de!zen.net.uk!dedekind.zen.co.uk!
nntp-peering.plus.net!ptn-nntp-feeder03.plus.net!ptn-nntp-spool01.plus.net!ptn-
nntp-spool02.plus.net!ptn-nntp-reader02.plus.net!not-for-mail
Message-ID: <467E7022.9020804@trufflesdad.plus.com>
Date: Sun, 24 Jun 2007 14:22:42 +0100
From: Ted <ted@trufflesdad.plus.com>
User-Agent: Mozilla-Thunderbird 2.0.0.4 (X11/20070618)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
To: Dick <w6ccd@k7yca.org>
Subject: Re: Kenwood th-f7
References: <467e42a5$0$8737$ed2619ec@ptn-nntp-reader02.plus.net>
<vers73pmpg646kugad6rk7qeullv3arlsb@4ax.com>
In-Reply-To: <vers73pmpg646kugad6rk7qeullv3arlsb@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Organization: Customer of PlusNet plc (http://www.plus.net)
NNTP-Posting-Host: a5b69c6d.ptn-nntp-reader02.plus.net
X-Trace: DXC=eOCTJBK9?L3KGd4YQ1jGF1igd3Y`7Rb;>37XnI;
[OUC4G`jPeGcW;i;UPa=K2aDg;3j[l^Vc:[hQ5GEk8`A\7@l6
X-Complaints-To: abuse@plus.net
Xref: g2news1.google.com rec.radio.amateur.equipment:12222
```

Dick wrote:
> On Sun, 24 Jun 2007 11:08:35 +0100, Ted <ted@trufflesdad.plus.com>

> wrote:
>
>> Anyone tell me if it is possible to receive and decode amateur psk on
>> this h/held ??
>>
>> Regards
>>   Ted Wager G3TPI
>>   Using Sidux Linux
>
> You can run AX.25 packet and APRS. That's about it. Nice radio
> though.
>
> Dick - W6CCD

Thanks for the reply Dick..I cannot rx and decode psk on the hf bands then ?...I am thinking abt returning to ham radio after a few years qrt and thought abt the th-f7 to use on vhf/uhf and listening to the hf bands just to see what is about...

From 4862306602556731636
X-Google-Thread: 108122,c154e3d359ca77e7
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood th-f7
Date: Sun, 24 Jun 2007 08:43:32 -0700
Message-ID: <i14t73lqunt2pfi9d3u9fb01jhmbgebipk@4ax.com>
References: <467e42a5$0$8737$ed2619ec@ptn-nntp-reader02.plus.net>
<vers73pmpg646kugad6rk7qeullv3arlsb@4ax.com>
<467E7022.9020804@trufflesdad.plus.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
NNTP-Posting-Date: 24 Jun 2007 14:51:23 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12223

I responded to Ted by private e-mail. I forgot that the TH-F7 is the same as the TH-D6 in the U.S. I was thinking of the TH-D7A when I responded. The correct answer is that the TH-F7 cannot decode any digital modes, but it could of course be used as an ordinary SSB receiver with a computer soundcard to receive most digital modes as long as you could obtain an adequate signal on the TH-F7.

Dick

On Sun, 24 Jun 2007 14:22:42 +0100, Ted <ted@trufflesdad.plus.com>

```
wrote:

>Dick wrote:
>> On Sun, 24 Jun 2007 11:08:35 +0100, Ted <ted@trufflesdad.plus.com>
>> wrote:
>>
>>> Anyone tell me if it is possible to receive and decode amateur psk on
>>> this h/held ??
>>>
>>> Regards
>>>   Ted Wager G3TPI
>>>     Using Sidux Linux
>>
>> You can run AX.25 packet and APRS.  That's about it.  Nice radio
>> though.
>>
>> Dick - W6CCD
>
>Thanks for the reply Dick..I cannot rx and decode psk on the hf bands
>then ?...I am thinking abt returning to ham radio after a few years qrt
>and thought abt the th-f7 to use on vhf/uhf and listening to the hf
>bands just to see what is about...


--
Posted via a free Usenet account from http://www.teranews.com




From 5891628553277555822
X-Google-Thread: 108122,c383bb5a009cecff,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 24 Jun 2007 13:20:22 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Should I get the option SSB filter for my Kenwood TS-570?
Date: Sun, 24 Jun 2007 14:20:45 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3138
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3138
X-RFC2646: Format=Flowed; Original
Message-ID: <BbednVwjs5V7KOPbnZ2dnUVZ_revnZ2d@insightbb.com>
Lines: 9
NNTP-Posting-Host: 74.132.84.118
X-Trace:
sv3-3kKPdfUBWBiBVG5ji5okNuRxeK0CpnaKstOnJmY1taiMqDpZRca68FdFsVhOXkHLD4Y3KhB9UYAECo
G!o1lplA0Qkd+jtVLu+tN0OkHmWNgWLx+YpOErmr5Bn9/ZAT/r+yO2Q83AOIRWa+KzuFSu9JBAPHUY!
m8YrdU+N8R8ndbt3HA==
```

X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12224

Is the optional YK-88SN-1 SSB filter worth buying?

What do the add-on filters do anyway? Are they an improvement over the
original filter, or do they just give you an optional bandwidth?

--
Bob D. ND9B

From -1296563333305706164
X-Google-Thread: 108122,c383bb5a009cecff
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder1-2.proxad.net!proxad.net!feeder1-1.proxad.net!club-internet.fr!feedme-small.clubint.net!news.germany.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Should I get the option SSB filter for my Kenwood TS-570?
Date: Sun, 24 Jun 2007 20:32:13 -0400
Organization: Aioe.org NNTP Server
Lines: 21
Message-ID: <fmmck-F31296.20321324062007@nntp.aioe.org>
References: <BbednVwjs5V7KOPbnZ2dnUVZ_revnZ2d@insightbb.com>
NNTP-Posting-Host: l7QmWW4KlYgRp74xo7lulQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:12225

In article <BbednVwjs5V7KOPbnZ2dnUVZ_revnZ2d@insightbb.com>,
"Bob D." <bobmgtd@insightbb.com> wrote:

> Is the optional YK-88SN-1 SSB filter worth buying?
>
> What do the add-on filters do anyway? Are they an improvement over the
> original filter, or do they just give you an optional bandwidth?

Bob-

I have that filter in my TS-690S (A TS-440 with 6 Meters). I can't say it is an "improvement" over the original filter other than as an optional bandwidth. To me, it is worth having the narrower filter when the band gets crowded, and it helps a little with noise as well.

I understand the TS-570 has Audio DSP filtering. You may not need the
noise reduction of a narrower filter, but Audio DSP won't remove
interference from stations on an adjacent channel.

Fred
K4DII

From -8229359959560173723
X-Google-Thread: 108122,681f0e04bb310c5a
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
Date: Sun, 24 Jun 2007 22:04:49 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: antenna rotator cause hum in receiver
References: <wNjfi.267$Od7.255@newsread1.news.pas.earthlink.net>
In-Reply-To: <wNjfi.267$Od7.255@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 38
Message-ID: <467f22aa$0$24740$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12226

I am guessing that the diode bridge rectifier in the control box is
acting as a mixer and adding the hum to stray RF signals conducted down
the control wires. You might try placing .01 UF capacitors accross each
of the rectifier diodes inside the control box.

Ralph Mowery wrote:

>I have a Ham IV that when I turn on the brake the receive signal takes on a
>60 or 120 hz hum . I though it might be the control box too close to my
>Icom 746 PRO. I have a switch box connecting two lowband wire antennas and
>a triband beam to the Icom. If I listen to a signal on the wire antennas I
>do not get the hum modulation on the incomming signal when I rotate the
>beam.   Those coax wires are not near the rotator wires.   This tends to
>eliminate the transfromer of the rotator box from getting into the Icom by
>magnetic coupling. If I switch to the beam , then turn the brake on the
>rotator box I will get hum modulation. The triband is fed with some Davis
>Bury flex (foil and braid shield coax) and the rotator wires are taped to
>the coax for a distnce of about 100 feet.

>
>The antenna does not have to ratate, just mashing the brake release button
>will make the signal hum modulate on receive.
>
>The Icom is being powered by an Astrom 50 amp supply and the rotator plugs
>into the 120 vac outlet.
>
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 589593464045521468
X-Google-Thread: 108122,8e7df69e0691ccf0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr13.news.prodigy.net.POSTED!95bb00f4!not-for-mail
From: Bob <warthog9@pacbell.net>
User-Agent: Thunderbird 1.5.0.12 (Windows/20070509)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: SG-2000 Working or Not
References: <1182218886.669609.193740@q75g2000hsh.googlegroups.com>
<You-26117F.11123419062007@netnews.worldnet.att.net>
In-Reply-To: <You-26117F.11123419062007@netnews.worldnet.att.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <o4Qfi.2287$K44.1591@newssvr13.news.prodigy.net>
NNTP-Posting-Host: 69.230.51.166
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.net 1182780820 ST000 69.230.51.166 (Mon, 25 Jun
2007 10:13:40 EDT)
NNTP-Posting-Date: Mon, 25 Jun 2007 10:13:40 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSGW[SDCHVWBFH[OZK@_TDAYZOZ@GXOXZ^L\UQHWIWDUWYADNVOPCKZBL\NX_KHV^GY[KVMG^ZPNHSCZN
S[^UXFJVWYXVXKBH[XRWWBBDTN@AX\JSBVH]_@T\EKJHBMZ_WZJFNRY]YWKSPED_U^NC\HSZ\WS[KEAYI
@DO@\K@BP\LD[\GTMPLDFVU]ASJM
Date: Mon, 25 Jun 2007 14:13:40 GMT

Xref: g2news1.google.com rec.radio.amateur.equipment:12227

Pierre is dead...
Horrible receiver in those radios, worst I've ever seen for overload.
Bob

You wrote:
> In article <1182218886.669609.193740@q75g2000hsh.googlegroups.com>,
> W7GSA <iamw7gsa@gmail.com> wrote:
>
>> Hi,
>>
>> I want to buy an SG-2000 ADSP1 or ADSP2 working or not. It needs to be
>> in good physical condition. I will pay immediate cash.
>>
>> Please let me know if you have one available.
>>
>> Thank you,
>>
>> Bill
>> W7GSA
>> iamw7gsa@gmail.com
>> phone: 303-674-0510
>> Phone: 303-674-0510   Email: iamw7gsa@gmail.com
>>
>
> Call the SGC Factory....PeeAir must have a couple of dozen
> of these, Hanger Queens, laying around in the scrap pile.....

From 7082217863447989994
X-Google-Thread: 108122,8e7df69e0691ccf0
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WANTED: SG-2000 Working or Not
Organization: You and my shadow
References: <1182218886.669609.193740@q75g2000hsh.googlegroups.com>
<You-26117F.11123419062007@netnews.worldnet.att.net>
<o4Qfi.2287$K44.1591@newssvr13.news.prodigy.net>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-F67BD8.10174225062007@netnews.worldnet.att.net>
Lines: 9
Date: Mon, 25 Jun 2007 18:17:57 GMT
NNTP-Posting-Host: 12.12.208.124
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1182795477 12.12.208.124 (Mon, 25 Jun 2007 18:17:57 GMT)
NNTP-Posting-Date: Mon, 25 Jun 2007 18:17:57 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12228

In article <o4Qfi.2287$K44.1591@newssvr13.news.prodigy.net>,
Bob <warthog9@pacbell.net> wrote:

> Pierre is dead...
> Horrible receiver in those radios, worst I've ever seen for overload.
> Bob

couldn't have happened to a Nice guy........ Oh how I wish Don Stoner
was still around.......

From -2568590389852612135
X-Google-Thread: 108122,c376c800fb564e86,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 02 Jun 2007 11:53:47 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ferrite for spark plug noise supression?
Date: Sat, 2 Jun 2007 12:53:56 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <yZ-dndgdQpEBPfzbnZ2dnUVZ_s2vnZ2d@insightbb.com>
Lines: 12
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-BIRAFtKzXLO/8RXuMmsr/yUXU2NXUShNT896cgfc/
K1bySM3L7SNTCh3BfBezVlmcLHKpTf2MnixXsq!
YagGj65qQDJDlLq0oHYExhda59Ripar81wPkxdPvxi7uSpOdHxqUl/9lTyyCMMCMwrPweUA1Y0rH!
RRsmQIe8WUvXJc8x4A==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12128

I've had some luck reducing ignition noise on 2M in my MGB by putting a few
'clip-on' ferrites on the low tension side of the ignition circuit. (The
tachometer uses a current sense rather than a voltage sense, so the raw coil
current runs into the cockpit.)

Would ferrite also help on the spark plug wires? BTW, this is an old car
with points.

--

Bob D. ND9B

```
From -1269914335555829919
X-Google-Thread: 108122,7ce2caf2a1bf6f16
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
q66g2000hsg.googlegroups.com!not-for-mail
From:  N4VBH <qns1@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Cushcraft R3 matching network part detail
Date: Sat, 02 Jun 2007 09:58:43 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1180803523.834694.93770@q66g2000hsg.googlegroups.com>
References: <1180621255.579030.46330@w5g2000hsg.googlegroups.com>
   <L9adncLc5KH_CsLbnZ2dnUVZ_gqdnZ2d@comcast.com>
NNTP-Posting-Host: 166.165.230.58
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1180803524 20699 127.0.0.1 (2 Jun 2007 16:58:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Jun 2007 16:58:44 +0000 (UTC)
In-Reply-To: <L9adncLc5KH_CsLbnZ2dnUVZ_gqdnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q66g2000hsg.googlegroups.com; posting-host=166.165.230.58;
   posting-account=ALT06wwAAACpD5c4SI2IsCl6mpPvg3q2
Xref: g2news1.google.com rec.radio.amateur.equipment:12129
```

Thanks, w9gb

I have the manual for the R3, and I think the variable capacitor/motor is OK. The part that needs replacing is a small coupling block between the actual SO-239 feedpoint and the stubs that go to the ring. The parts list calls it a matching network assy., so it must contain some series capacitors, or something. I contacted Cushcraft with no success...too old of an antenna.

Anyway, I will probably be moving to a GAP antenna. This one has served an OK life.

Thanks,
N4VBH

On May 31, 11:49 pm, "w9gb" <spam_prot...@arrl.net> wrote:
> Follow-up regarding the Cushcraft R3:
>

> Product review on eham.nethttp://www.eham.net/reviews/detail/1690
>
> BAMA has the manualhttp://bama.edebris.com/manuals/cushcraft/r3
>
> Photo of R3 capacitor, motor (used for a loop design)http://www.geocities.com/n0hc/loop
>

```
From -5876850672324994594
X-Google-Thread: 108122,c376c800fb564e86
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 02 Jun 2007 13:30:03 -0500
Date: Sat, 02 Jun 2007 14:30:04 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ferrite for spark plug noise supression?
References: <yZ-dndgdQpEBPfzbnZ2dnUVZ_s2vnZ2d@insightbb.com>
In-Reply-To: <yZ-dndgdQpEBPfzbnZ2dnUVZ_s2vnZ2d@insightbb.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <TNCdnXGNnZW2KvzbnZ2dnUVZ_rWnnZ2d@comcast.com>
Lines: 31
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-
rETvDNqUMAcrj1kOrmwZ2yMvJ60n8NO+tJIazQkvLB8Oo5FD+z+B9YKGS0HGjX0qb0egxGwFB0Mdygd!
GKeU7fT0Ta+EdYhJln56V2wSSNtzpGIZ3P1Yz+cuSAK0QuOmMd/jkDnrOlFMO3ro/l6+tgnxzGVG!
FGCxWmgu/Rxc2N1Ka16sW8RXVao=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12130
```

In the 'Olden Days' of my youth we installed 10K ohm snap on resistors to the plugs on MGAs, MGBs, TR3s and my trusty TR-4., They also worked on family sedans, pickup trucks, and station wagons.

I don't know if such devices are currently manufactured. But, the Autolite web page still lists resistor plugs. A 5K series resistance will work wonders for spark plug noise.

If you have a DC generator as opposed to an alternator you will need to bypass the high current connection at the generator with something like a 1 uF coaxial capacitor.

These two engine noise suppression techniques should cover 90% of your engine noise issues in the older vehicles.

/s/ DD, W1MCE [HF mobile for almost 50 years beginning with a 1953 Studebaker, followed by a Renault dauphine, followed by the trusted TR-4, followed by babies and station wagons.......]

- - -

Bob D. wrote:
> I've had some luck reducing ignition noise on 2M in my MGB by putting a few 'clip-on' ferrites on the low tension side of the ignition circuit. (The tachometer uses a current sense rather than a voltage sense, so the raw coil current runs into the cockpit.)
>
> Would ferrite also help on the spark plug wires? BTW, this is an old car with points.
>

From -2163787336131144750
X-Google-Thread: 108122,2b65465738a365cc,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "Barry" <i24ktgold@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Dentron Clipperton Qro
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <iyp8i.27$0J4.26@newsfe12.lga>
Date: Sat, 2 Jun 2007 21:18:53 -0500
NNTP-Posting-Host: 71.87.171.130
X-Trace: newsfe12.lga 1180837134 71.87.171.130 (Sat, 02 Jun 2007 19:18:54 MST)
NNTP-Posting-Date: Sat, 02 Jun 2007 19:18:54 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:12131

Hello, I have a Dentron Clipperton Qro linear, it's setup for 220 volts, but I need to rewire it for 110 volts, is there anyone out there that can tell me how to do this,,Thank you

```
From 3508347041960432
X-Google-Thread: fc2a5,be826dc6df0ac5ff,start
X-Google-Thread: fc8b1,be826dc6df0ac5ff,start
X-Google-Thread: 108122,be826dc6df0ac5ff,start
X-Google-Thread: 111d0a,be826dc6df0ac5ff,start
X-Google-Thread: 113975,be826dc6df0ac5ff,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q66g2000hsg.googlegroups.com!not-for-
mail
From:  bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,sci.electronics.basics,sci.astro.amateur
Subject: SolderSmoke -- A Podcast About Electronics
Date: Sun, 03 Jun 2007 08:59:06 -0000
Organization: http://groups.google.com
Lines: 53
Message-ID: <1180861146.712864.139030@q66g2000hsg.googlegroups.com>
NNTP-Posting-Host: 86.142.202.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180861146 18219 127.0.0.1 (3 Jun 2007 08:59:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Jun 2007 08:59:06 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q66g2000hsg.googlegroups.com; posting-host=86.142.202.27;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news1.google.com rec.radio.amateur.homebrew:13416
rec.radio.amateur.boatanchors:11809 rec.radio.amateur.equipment:12132
sci.electronics.basics:54532 sci.astro.amateur:81107
```

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke #61

June 3, 2007
Farhan's new blog.
More AGC.
Ramakrishnan's RFI.
SolderSmoke returns to 2X QSO mode:
Echolink interview with Jim, N5SPE.
Origins of Amateur Logic TV.
"The Knack" hits Mississippi.

Kick-plates as radio cabinets.
Visit to Dayton.
Encounter with the Haywards.
Building a W7ZOI power meter.
Milton Keynes BITX80 club build.
The dangers of molten solder.
Getting oscillators to oscillate.

Tired of listening to Credence or NPR on your I-Pod?   Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack? Tune in to SolderSmoke!

RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.soldersmoke.com

All the programs are available here.

I hope you enjoy the program. Please send us feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

```
From 6420730586339801901
X-Google-Thread: 108122,7ce2caf2a1bf6f16
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Jun 2007 09:36:14 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1180621255.579030.46330@w5g2000hsg.googlegroups.com>
<L9adncLc5KH_CsLbnZ2dnUVZ_gqdnZ2d@comcast.com>
<1180803523.834694.93770@q66g2000hsg.googlegroups.com>
Subject: Re: Cushcraft R3 matching network part detail
Date: Sun, 3 Jun 2007 09:35:39 -0500
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <LK6dnbv3NNRDTP_bnZ2dnUVZ_vmqnZ2d@comcast.com>
Lines: 35
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-KChPblObg8XQYsSKWM+13DNl4GSwYm38lHAjB4Vz2A5bY7/
CfRTJDfDS4cyiUKk7y+4p18KmljESefr!9UrR0pD1Snowk4oRTtQrIilmP/
m15etDAY6QknWVwCfGz86jTXRwubSV0ZtyDJtllsnPChoDKkpZ!KV8QJhL33cFdCnTJDBE1m1L6pun0
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12133

OK, likely a couple of 47 pF doorknobs (or about 86) could be used for replacement.

gb

"N4VBH" <qns1@hotmail.com> wrote in message
news:1180803523.834694.93770@q66g2000hsg.googlegroups.com...
> Thanks, w9gb
>
> I have the manual for the R3, and I think the variable capacitor/motor
> is OK. The part that needs replacing is a small coupling block
> between the actual SO-239 feedpoint and the stubs that go to the
> ring. The parts list calls it a matching network assy., so it must
> contain some series capacitors, or something. I contacted Cushcraft
> with no success...too old of an antenna.
>
> Anyway, I will probably be moving to a GAP antenna. This one has
> served an OK life.
>
> Thanks,
> N4VBH
>
> On May 31, 11:49 pm, "w9gb" <spam_prot...@arrl.net> wrote:
>> Follow-up regarding the Cushcraft R3:
>>
>> Product review on eham.nethttp://www.eham.net/reviews/detail/1690
>>
>> BAMA has the manualhttp://bama.edebris.com/manuals/cushcraft/r3
>>
>> Photo of R3 capacitor, motor (used for a loop
>> design)http://www.geocities.com/n0hc/loop
>>
>

```
From -8881091760938645493
X-Google-Thread: 108122,7ce2caf2a1bf6f16
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Jun 2007 09:43:03 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1180621255.579030.46330@w5g2000hsg.googlegroups.com>
Subject: Re: Cushcraft R3 matching network part detail
Date: Sun, 3 Jun 2007 09:42:28 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <mNSdnQHLbbHqTv_bnZ2dnUVZ_judnZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-
nnaqv8EQahUjUPCPgt+2V4s0aQ7UMoWaIYF5xRAmqYfMKFvFlHokEzdaB6aWVrM5VOQo4qzOmCgSwfu!
nffndlMSmnAIQZK8CoxWG/tOKBaHt2nosPOpd9YYwf5kPjKT3FA03GmrHnQgElYqNpchIFijrY9o!
Lh9iag3+iyowKTkaW5v7/CobtFGP
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12134
```

per Joe

Hi Tom,

You're in luck. I have one of the largest (if not the most complete) collections of Cushcraft assembly manuals etc. anywhere.

According to my notes, the lowest capacitor, the one closest to ground is around 78 pFd and the upper one is around 138 pFd. I'm sure anything near that value will be sufficient.

73,

Joe, W1JR

"N4VBH" <qns1@hotmail.com> wrote in message
news:1180621255.579030.46330@w5g2000hsg.googlegroups.com...

> Does anyone know what is exactly inside the "matching network
> assembly" part for the R3 vertical antenna? I'm sure it's a couple of
> capacitors, but I need to know the values in order to build one for my
> R3.
>
> Thanks,
> Prentice
> N4VBH
>

From 4161913528562903683
X-Google-Thread: 108122,ae1922893c7b5d27,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!news-in-02.newsfeed.easynews.com!easynews.com!easynews!
news.he.net!xara.net!gxn.net!194.159.246.34.MISMATCH!peer-uk.news.demon.net!
kibo.news.demon.net!news.demon.co.uk!demon!not-for-mail
From: "Bob Harrison" <g4ujs@qsl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Shack Clearance
Date: Sun, 3 Jun 2007 17:32:36 +0100
Lines: 11
Message-ID: <f3uqeu$ipi$1$8302bc10@news.demon.co.uk>
NNTP-Posting-Host: glh.demon.co.uk
X-Trace: news.demon.co.uk 1180888350 19250 83.104.58.62 (3 Jun 2007 16:32:30 GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Sun, 3 Jun 2007 16:32:30 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Priority: 3
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:12135

Listing and photos on my website

73 de Bob G4UJS

Bob Harrison

Telephone: +44 7876 791215

Website: http://www.qsl.net/g4ujs

From 9188459699945706219

X-Google-Thread: 108122,55c4b1023c226e31
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-in-02.newsfeed.easynews.com!easynews.com!easynews!easynews-local!fe04.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <5c3mdhF2sgaibU1@mid.individual.net>
Subject: Re: IC-7800 extended TX HF
Lines: 26
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <lKF8i.211566$oS7.82458@fe04.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 03 Jun 2007 20:44:02 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12136

"PA3HGT" <tiswathe@blabla.com> wrote:
> Hello,
>
> I looking for the Extendend TX mod on HF for the Icom IC7800 #03
> EU-version.
> I found on
> http://www.dw.ham.dmz.ro/icom/ic-7800-general-coverage-transmit-mod.php
> something but for which version ?
> Can someone provide me such info ?
>
> Met vriendelijke groet,
> Kind regards,
>
> Hans Pluijgers
> PA3HGT
>
> www.pa3hgt.nl
>

http://www.google.com/search?q=ic-7800+extended+transmit+mod
Results 1 - 20 of about 52 English pages for ic-7800 extended transmit mod.
(0.45 seconds)

http://www.ham.dmz.ro/icom/ic-7800-general-coverage-transmit-mod.php

From -7098343036634062431
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w5g2000hsg.googlegroups.com!not-for-mail
From: terryS <tsanford@nf.sympatico.ca>
Newsgroups: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Sun, 03 Jun 2007 19:38:55 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1180924735.737985.127930@w5g2000hsg.googlegroups.com>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
   <1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
   <46507b56$0$28429$88260bb3@free.teranews.com>
NNTP-Posting-Host: 142.162.129.19
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1180924736 22498 127.0.0.1 (4 Jun 2007 02:38:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Jun 2007 02:38:56 +0000 (UTC)
In-Reply-To: <46507b56$0$28429$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w5g2000hsg.googlegroups.com; posting-host=142.162.129.19;
   posting-account=J8f3NA0AAAApayX7upsAHyq0lPJRDLXM
Xref: g2news1.google.com rec.radio.swap:16502 rec.radio.amateur.boatanchors:11816 rec.radio.amateur.equipment:12137 alt.ham-radio.marketplace:3149

Someone posted "I sold a bunch of them so why don't you just shut the fuck up!"

How rude!

Like some of the profanity one hears during some CB communications?

Will always remember our English language teacher, who said "Cursing is a demonstration of ignorance and an inability to express oneself without descending into profanity"!

From -7663256693791904173
X-Google-Thread: 108122,27de7f6e29d83818,start

X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-06!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "radioman" <radioman@localnet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Disabled ham looking for microphone from a junked R.S. 10 meter HTX-100 RADIO
Date: Mon, 4 Jun 2007 02:10:19 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1367b6h1ekphfd1@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news1.google.com rec.radio.amateur.equipment:12138

I have been away from fhe hobby several years. I am now disabled and want

get some of my radios going again, and upgrade my license, N2NJK, to allow

increased band privileges. I have a brand new HTX-100 10 meter unit

purchased when they were discontinued. It was bought cheap as it had no

microphone. If I am fortunate enough to rceive a heart transplant (I'm being

evaluated for viability in 2 weeks), the period before and after surgery

will be a perfect time to get back on the air. If anyone has one that works,

and can let it go cheaply, please let me know.

Thanks & God Bless.

Raymond A. Miller, N2NJK

From 996620990355251313
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba

X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Jun 2007 06:50:51 -0500
Date: Mon, 04 Jun 2007 07:50:54 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<46507b56$0$28429$88260bb3@free.teranews.com>
<1180924735.737985.127930@w5g2000hsg.googlegroups.com>
In-Reply-To: <1180924735.737985.127930@w5g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <WNydnTH8QNYGYf7bnZ2dnUVZ_rCsnZ2d@comcast.com>
Lines: 22
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-
n3v6+1d1ITcKQS9nCUoeQFZxLNgT5J25lSneeMbjoE+3DTS3SFTXMkQseaQKB1zhgL7NgNYa4JSC1/3!
76VGzyAJ2HK38YlXxphnNm1iSrrTZn4FOlrmaBZi/ze/nKdxQ9y3w4dNpAMK14sw7y0QzUkWn+zu!
wyaHniBYK3HBS9eWibxwK8d9XqQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16506 rec.radio.amateur.boatanchors:11818
rec.radio.amateur.equipment:12139 alt.ham-radio.marketplace:3150

Two similar rules when you are losing an argument:

a) shout louder ... it clearly establishes that you are unreasonable.
b) use the language of the gutter ... it clearly establishes that you are ignorant.

/s/ DD

terryS wrote:

> Someone posted "I sold a bunch of them so why don't you just shut the
> fuck up!"
>
> How rude!

>
> Like some of the profanity one hears during some CB communications?
>
> Will always remember our English language teacher, who said "Cursing
> is a demonstration of ignorance and an inability to express oneself
> without descending into profanity"!
>
>

```
From -6411494766264819299
X-Google-Thread: 108122,472f7c0f1bedebfd,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Jun 2007 07:51:14 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Lookin for band convention
Date: Mon, 4 Jun 2007 08:52:08 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <18idnRT4urNfl_nbnZ2dnUVZ_vKunZ2d@insightbb.com>
Lines: 10
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-YDHqvkqUkACzF4P2hhZYOu/Hip9lKV+bgRbHgQ4gL8AguVroRsGMA/
j6Iw09MHBpLU6VVYLsDkz74wb!
nbkNu83FAOQBH4drVt51ADGIz5jOYjIX7+Y7cUmSmqNhlBf92AfE8ZMLshuxKwLywtTdqZLy1p/c!
amxYUF+hhGUcP1FPyA==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12140
```

I'm looking for a good reference for amateur frequency 'convention', i.e.: were USB is commonly used, where LSB is commonly used, where AM is commonly used, where RTTY is commonly used, where FM is commonly used, etc. (NOT just what's legal on what frequencies.) Surely some one has come with some kind of chart or table.

--
Bob D. ND9B

```
From -6429187493646493957
X-Google-Thread: 108122,472f7c0f1bedebfd
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Repose@Zilch.com>
Newsgroups: rec.radio.amateur.equipment
References: <18idnRT4urNfl_nbnZ2dnUVZ_vKunZ2d@insightbb.com>
In-Reply-To: <18idnRT4urNfl_nbnZ2dnUVZ_vKunZ2d@insightbb.com>
Subject: Re: Lookin for band convention
Lines: 34
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16386
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.6000.16386
Message-ID: <ZxU8i.156143$Fk2.127985@newsfe08.phx>
Date: Mon, 4 Jun 2007 06:34:40 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1180964089 72.197.13.209 (Mon, 04 Jun 2007 06:34:49 MST)
NNTP-Posting-Date: Mon, 04 Jun 2007 06:34:49 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12141
```

Bob for SSB Convention: By tradition, 20M and up is Upper Sideband, 40M and below is Lower Sideband. An exception is the new 60M Ham Band -- use USB. This protocol came about as a matter of convenience in early SSB transceiver design and has remained to this day. And yes - you can operate either sideband legally where phone is allowed. And yes you can operate CW on the phone bands -- but best stay with the protocols.

As to useage several references- see URL's

http://ac6v.com/callfreq.htm

http://www.bandplans.com/

http://www.arrl.org/FandES/field/regulations/conop.html

http://www.arrl.org/FandES/field/regulations/allocate.html

73 Lamont

"Bob D." <bobmgtd@insightbb.com> wrote in message
news:18idnRT4urNfl_nbnZ2dnUVZ_vKunZ2d@insightbb.com...
> I'm looking for a good reference for amateur frequency 'convention', i.e.:
> were USB is commonly used, where LSB is commonly used, where AM is
> commonly used, where RTTY is commonly used, where FM is commonly used,
> etc. (NOT just what's legal on what frequencies.) Surely some one has come
> with some kind of chart or table.
>
> --
> Bob D. ND9B
>
>

From -2969785189658842607
X-Google-Thread: 108122,c0531719de24870f,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!1e49b9c4!not-for-mail
From: mike <spamme9@gmail.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom PCR1000 100KHz-1300MHz no gaps Computer Controlled with PDA
 to run it mobile
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <GZX8i.6008$443.609@trnddc05>
Date: Mon, 04 Jun 2007 17:29:10 GMT
NNTP-Posting-Host: 71.111.178.134
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1180978150 71.111.178.134 (Mon, 04 Jun 2007 13:29:10 EDT)
NNTP-Posting-Date: Mon, 04 Jun 2007 13:29:10 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:12142

FS Icom PCR1000 100KHz-1300MHz no gaps Computer Controlled with PDA to
run it mobile.

Details here:
http://mike.liveline.de/pcr1000.html

--
Return address is VALID!
Bunch-O-Stuff Forsale Here:
http://mike.liveline.de/sale.html

```
From 7442806984167671546
X-Google-Thread: 108122,81712ee48e3a7bc6,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
m36g2000hse.googlegroups.com!not-for-mail
From:  acamil <acamil@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTS Hammarlud HXL-ONE
Date: Mon, 04 Jun 2007 22:42:40 -0000
Organization: http://groups.google.com
Lines: 3
Message-ID: <1180996960.206779.236380@m36g2000hse.googlegroups.com>
NNTP-Posting-Host: 69.125.13.255
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180996968 26012 127.0.0.1 (4 Jun 2007 22:42:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Jun 2007 22:42:48 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m36g2000hse.googlegroups.com; posting-host=69.125.13.255;
   posting-account=YkjRgw0AAABH9oDJ036cRVuMdriGf5fU
Xref: g2news1.google.com rec.radio.amateur.equipment:12143
```

In good condition asking $550.00 or best offer. Located in Clifton NJ
07013 USA

```
From 342039930824236854
X-Google-Thread: 108122,ed817be5343a1531,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Dave Schneider" <wjdi@hvc.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: rf power labs model v 350
Date: Mon, 4 Jun 2007 20:31:48 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <4664aef0$0$19521$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12144
```

```
looking for schematic  Pay $$$




From -3208574140349745761
X-Google-Thread: 108122,ed817be5343a1531
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Dave Schneider" <wjdi@hvc.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: rf power labs model v 350
Date: Mon, 4 Jun 2007 20:34:06 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <4664af7d$0$12495$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12145

any information    schematic???




From 200555531340456576
X-Google-Thread: 108122,2499e80993c43d45,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h2g2000hsg.googlegroups.com!not-for-
mail
From:  rustybx <rustybx@knology.net>
Newsgroups: rec.radio.amateur.equipment
Subject: G-type antenna adaptor?
Date: Tue, 05 Jun 2007 09:31:17 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1181061077.812829.46990@h2g2000hsg.googlegroups.com>
NNTP-Posting-Host: 207.111.160.28
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1181061078 11936 127.0.0.1 (5 Jun 2007 16:31:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Jun 2007 16:31:18 +0000 (UTC)
User-Agent: G2/1.0
```

X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h2g2000hsg.googlegroups.com; posting-host=207.111.160.28;
   posting-account=5tN0wQ0AAAD4mJbUJMawIevg77iTNAo8
Xref: g2news1.google.com rec.radio.amateur.equipment:12146

Anyone know the style of 75 ohm FM coaxial jack found on several
FM tuners (JVC, Sony)? It looks like an unthreaded F connector
(female) but is larger. I'm trying to connect it to RG-6 coax with F
connector.

At first I thought it was a PAL (Belling-Lee/IEC169-2) socket. A
trip
to Radio-Shack for a PAL-to-F connector didn't work. The barrel is
larger than PAL and the stinger is more narrow.

Based on physical measurements the tuner jack seems close to a 'G'
style. If so something like an Amphenol 531-40010
(http://65.244.34.140/pdf/257.pdf) should work but no distribuitors
seem to have one.

Am I on the right track and/or does anyone have any ideas?

Thanks.

From 393250222907537279
X-Google-Thread: f64c6,fb3698db1c64c10e,start
X-Google-Thread: 108122,fb3698db1c64c10e,start
X-Google-Attributes: gidf64c6,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!newsfeed.stanford.edu!news.tele.dk!news.tele.dk!small.news.tele.dk!newspeer1.se.telia.net!se.telia.net!masternews.telia.net.!newsb.telia.net.POSTED!not-for-mail
From: =?ISO-8859-1?Q?SM=D8IMJ?= <sm0imj@telia.com>
User-Agent: Thunderbird 2.0.0.0 (Windows/20070326)
MIME-Version: 1.0
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment
Subject: Rig file fot FT-2000 and EasyLog
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 7
Message-ID: <avj9i.1436$ZA.978@newsb.telia.net>
Date: Tue, 05 Jun 2007 20:15:02 GMT
NNTP-Posting-Host: 217.209.183.10
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1181074502 217.209.183.10 (Tue, 05 Jun 2007 22:15:02 CEST)
NNTP-Posting-Date: Tue, 05 Jun 2007 22:15:02 CEST
Organization: Telia Internet
Xref: g2news1.google.com uk.radio.amateur:115279 rec.radio.amateur.equipment:12147

Hi,
Has anyone compiled a working rig file for the EasyLog logging software
and the Yaesu FT-2000 (or FT-9000, CAT syntax is very similar).

cheers,
Hans/SM�IMJ

```
From 809192705172552857
X-Google-Thread: 1109af,4ddac7d489e53243,start
X-Google-Thread: 108122,4ddac7d489e53243,start
X-Google-Attributes: gid1109af,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "Mike Kulyk" <mkulyk@optonline.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.equipment
Subject: Vintage Military Items, Looking to swap
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <XLj9i.594$Eo.187@newsfe12.lga>
Date: Tue, 5 Jun 2007 16:32:53 -0400
NNTP-Posting-Host: 69.117.242.164
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1181075575 69.117.242.164 (Tue, 05 Jun 2007 13:32:55 MST)
NNTP-Posting-Date: Tue, 05 Jun 2007 13:32:55 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.swap:16514 rec.radio.amateur.equipment:12148
```

I have one of the CKB-74028 freg meters. With the manual that goes in
the bottom. Seems to be in good shape. The "dial hundreds" window is
cloudly and broken.. Looks like from age.

http://nj7p.org/history/lm.html

I have no cable. comes with the shock mount and manual.

Sherrill Compass Model AEG-1 U.S. Ordnance C121174 RESTRICTED Model
M-6 U.S. Ordnance 7067878. Manufactured by Sherrill Research Corp.
Peru, Indiana U.S.A. This is a military compass as stated in the
instruction manual: "The Sherrill Model AEG-1 is a compass of a
magnetic type designed especially to fill the rigid requirements
which are encountered in combat and transport vehicles."

Includes - 10 magnetic director pins . Mounting screws & nuts. The .

Instruction manual which shows an army tank in all illustrations.
Compass deviation calculator. Comes in original box -

I was given this item in a estate clearout. I don't know any thing
about it. Other than its new looking, in the box.

Please e-mail me at mkulyk@optonline.net

I would like to trade these items for things I need.

Here is my wish list

Nice HF SWR meter.

HF Tuner with build in SWR meter

Slinky Dipole

73

Mike WB2GLW

```
From -1974970267693589927
X-Google-Thread: 108122,b09b1cf70a7164ae,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews3.bellsouth.net.POSTED!e0a30627!not-for-mail
From: "jdconn" <jamesconn@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Heatkit SA 2060 for sale
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Yel9i.28812$923.5960@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcboaidkoecncikcgngnfhafmoopdadpoljhni
bihkgefbfdpcdmhdnpjefpbkilmcpefifgodpapchkccbfahaephofmhmgdgecomlgcccebcdfdbbm
NNTP-Posting-Date: Tue, 05 Jun 2007 18:14:16 EDT
Organization: BellSouth Internet Group
Date: Tue, 5 Jun 2007 18:15:43 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:12149
```

I am tuner poor, and don't run high power anymore, so this one is surplus to my needs. It is a high power tuner, with separate forward and reflected (SWR) power. I have not seen an antenna it will not tune. The unit is beautiful, only two little scratches on the top, otherwise it is like new. It has balanced output, 2 antenna coax connections, or will work straight thru for matched antennas. If you want a tuner that will works with high power, this is the one for you. $300.00. I will take paypal or a money order. What do you have for trade? Will consider trades.
Thanks,
James AD4VL
(502-867-1359) 8 AM till 9 PM EDT. email preferred.

From 9083249721798617969
X-Google-Thread: fb049,f82150c3579e933b,start
X-Google-Thread: 108122,f82150c3579e933b,start
X-Google-Thread: 1109af,f82150c3579e933b,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny08.POSTED!4f97008e!not-for-mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Kenwood TH25/45 battery like new KNB5 $35.00
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Zol9i.8571$Gy4.1031@trndny08>
Date: Tue, 05 Jun 2007 22:24:57 GMT
NNTP-Posting-Host: 68.238.214.25
X-Complaints-To: abuse@verizon.net
X-Trace: trndny08 1181082297 68.238.214.25 (Tue, 05 Jun 2007 18:24:57 EDT)
NNTP-Posting-Date: Tue, 05 Jun 2007 18:24:57 EDT
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:5468 rec.radio.amateur.equipment:12150 rec.radio.swap:16520

Kenwood TH25/45AT battery like new. This is a W&W Assoc. replacement battery:
Part#WC-035(7)
Kenwood part#KNB5
This battery is in excellent condition with very little use.
It lists for $51.00 on W&W.
You can have for $35.00 plus shipping.
Also the W&W Assoc. Mastercharger1 charger cup, list is $25.00 for this.
$15.00 plus shipping. This is charging cup ONLY, not the entire charger!!!

Or both for $55.00 shipped.

USPS money orders only.

pottsladd13@yahoo.com

From -1639483073973078645
X-Google-Thread: 108122,772f0b3f5e36c14b,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 06 Jun 2007 14:59:44 -0500
From: Bmaintz <Bmaintz.acc791@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-520S .... PARTS
Date: Wed, 6 Jun 2007 17:33:11 +0100
Message-ID: <Bmaintz.acc791@radiobanter.com>
Organization: RadioBanter.com
Lines: 6
NNTP-Posting-Host: 87.106.71.43
X-Trace: sv3-RpF5Rus1umbBwxE0D2Z+jSuP2USXHEMTNBDirAGFgo5/
HbVbjXHep1ypKZntsjVXhRIKrlkHEn1+Nlg!/
E4mGOeF8FKr6ZnS7S7t1strNck6IMtj+ir3h9NgbP6YfXG4YTBUUkX+M2nNkcXZd6H9aQITOaJL!lqk=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12151

Lots of parts from several Kenwood TS-520S radios such as the... Leather Handle ... Power Transformer ... VFO Tuner internal assembly ... IF board ... RF board ... Rubber Feet set ... 12BY7 Driver(tested) ... PA Cage with components ... Final Output Tubes (tested with TV-7D/U tube tester) ... Large & Small Filter Caps (tested for current leakage with Sprague TO-6 tester) .... Give me a quick Email for the part you need.... Please put your name & call sign in your email as I only deal with Amateurs...
Thanks,
Bob
73
KE5FTF
bmaintz@netzero.net

--
Bmaintz

```
From -7375040298337846465
X-Google-Thread: 1109af,ebec7e152938cb38,start
X-Google-Thread: fc8b1,ebec7e152938cb38,start
X-Google-Thread: 114aac,ebec7e152938cb38,start
X-Google-Thread: 108122,ebec7e152938cb38,start
X-Google-Thread: 108228,ebec7e152938cb38,start
X-Google-Thread: 10c2ee,ebec7e152938cb38,start
X-Google-Attributes:
gid1109af,gidfc8b1,gid114aac,gid108122,gid108228,gid10c2ee,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr27.news.prodigy.net.POSTED!c4667c2f!not-for-
mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur
.equipment,alt.ham-radio.marketplace,rec.antiques.radio+phono
Subject: WeBay Collins, Drake, National, Squires-Sanders, Cubic  etc
Lines: 69
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <U_E9i.7097$y_7.5895@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.143.37.220
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1181162548 ST000 70.143.37.220 (Wed, 06 Jun
2007 16:42:28 EDT)
NNTP-Posting-Date: Wed, 06 Jun 2007 16:42:28 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_A\S@ERQXXKZOX_RXAUSXB@DTMNHWB_EYLJZ]BGIELCNVOPCWZBL[\YUWHANGYZEFNHFZPNLOBUN
SS^_LGEVWEY\PHO@YJSSWBBDT\PFD^ESBTXVCCMTD]JCJLE\_IJMFNRY]SWE[S[D_CNB__ZK^VGVCKHA[S
@COB^[@ZQSDFQ\BPMS@DZVUKQTJL
Date: Wed, 06 Jun 2007 20:42:28 GMT
Xref: g2news1.google.com rec.radio.swap:16522 rec.radio.amateur.boatanchors:11832
rec.radio.shortwave:113228 rec.radio.amateur.equipment:12152 alt.ham-
radio.marketplace:3154 rec.antiques.radio+phono:74912
```

I'm retired and going to be moving across country to smaller quarters and have a lot of stuff that I'd like to take with but reality is reality. I'm not under any pressure to sell and am interested in getting a fair price. I think the best way to get a fair price is to put it on eBay or some other auction. I guess I could have my own. I'm not intersted in low ball offers (and may not respond) or trades unless it's an older US made acoustic guitar by Martin or Taylor or maybe a US made 5 string banjo. This stuff has been in storage for 10 years or so and I won't have the time to do much testing, describing will take enough time. I've fired up few pieces in the last few months and all worked and I know some have problems, but I would say like Fair Radio in Lima, repairable. This is a partial list, more to come as I get into the storage. On most of the stuff I have a fair idea of its hamfest value which is generally lower eBay. I'll structure my eBay posting based on the most requests for a certain piece. email direct to:
kolesnik@sbcglobal.netski leave off the ski.
Hank WD5JFR

Collins 30L-1 R
Collins 32V-3
Collins 51S-1 W
Collins 62S-1
Collins 651S-1 W
Collins 75A-3
Collins 75A-4
Collins 75S-3 R
Collins KWM-1
Collins KWM-2
Collins KWM-2A
Collins KWM-380
Collins LTV G-133F 51/S-1 Mil spec
Collins R-648/ARR41 airborne HF Rx
Cubic R-3030
Dentron DTR-2000L 8877 linear
Drake FS-4
Drake L4B
Drake L7
Drake L75
Drake MS-4
Drake R-4C
Drake SPR-4
Drake T-4XC
Drake TR-4CW RIT
Drake TR-5
Drake TR-7
Hallicrafters SX-42
Hallicrafters SX-62A
Hammurlund HQ-215
Hammurlund PRO-310
Harris RF-103 3-1000Z linear
Mackay 3021A vlf HF rx.
Military CV591/URR
National HRO Sixty

National HRO-500
National HRO-50T
National NC-2-40D
National NC-2-40D speaker
National NC-400 in case
National NC-400 no case
National NCL-2000
National SW-54
Racal 6217
Rhode & Schwarz ESH3 HF Rx (Polarad label)
Rhode & Schwarz EZM Spectrum Monitor
Squires-Sanders SSR-1 rare HF Rx
Watkins Johnson DMS-105-2 vlf demod, vlf Rx with Nixies

From -5274686574777522890
X-Google-Thread: 1109af,ebec7e152938cb38
X-Google-Thread: fc8b1,ebec7e152938cb38
X-Google-Thread: 114aac,ebec7e152938cb38
X-Google-Thread: 108122,ebec7e152938cb38
X-Google-Thread: 108228,ebec7e152938cb38
X-Google-Thread: 10c2ee,ebec7e152938cb38
X-Google-Attributes:
gid1109af,gidfc8b1,gid114aac,gid108122,gid108228,gid10c2ee,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 06 Jun 2007 15:48:33 -0500
Date: Wed, 06 Jun 2007 16:49:17 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur
.equipment,alt.ham-radio.marketplace,rec.antiques.radio+phono
Subject: Re: WeBay Collins, Drake, National, Squires-Sanders, Cubic etc
References: <U_E9i.7097$y_7.5895@newssvr27.news.prodigy.net>
In-Reply-To: <U_E9i.7097$y_7.5895@newssvr27.news.prodigy.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <NoOdndGkU688gPrbnZ2dnUVZ_iydnZ2d@comcast.com>
Lines: 74
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-TxQpgig9e5VK64Y/anKY8EnbBh+a7/
krPcJCHA0BNYQpGAuR45XZltLc6YwB06e8UhjDykxhhPxbItd!
oW9zt10Jnr7sO1i53gDCHFZ1DrbNFyMnW0Z9/Ob4QJJX1MrFPxt4r6VkgfFDIb3FHyd8KafGu95+!
622bCO48oMAs5qb42KJGO2r8wL0=

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16523 rec.radio.amateur.boatanchors:11833 rec.radio.shortwave:113229 rec.radio.amateur.equipment:12153 alt.ham-radio.marketplace:3155 rec.antiques.radio+phono:74913

Top posted ... SRI! I wonder if he had any $ left over for food & rent?

Henry Kolesnik wrote:

> I'm retired and going to be moving across country to smaller quarters
> and have a lot of stuff that I'd like to take with but reality is
> reality. I'm not under any pressure to sell and am interested in
> getting a fair price. I think the best way to get a fair price is to
> put it on eBay or some other auction. I guess I could have my own. I'm
> not intersted in low ball offers (and may not respond) or trades unless
> it's an older US made acoustic guitar by Martin or Taylor or maybe a US
> made 5 string banjo. This stuff has been in storage for 10 years or so
> and I won't have the time to do much testing, describing will take
> enough time. I've fired up few pieces in the last few months and all
> worked and I know some have problems, but I would say like Fair Radio in
> Lima, repairable. This is a partial list, more to come as I get into
> the storage. On most of the stuff I have a fair idea of its hamfest
> value which is generally lower eBay. I'll structure my eBay posting
> based on the most requests for a certain piece. email direct to:
> kolesnik@sbcglobal.netski   leave off the ski.
> Hank WD5JFR
>
> Collins 30L-1 R
> Collins 32V-3
> Collins 51S-1 W
> Collins 62S-1
> Collins 651S-1 W
> Collins 75A-3
> Collins 75A-4
> Collins 75S-3 R
> Collins KWM-1
> Collins KWM-2
> Collins KWM-2A
> Collins KWM-380
> Collins LTV G-133F 51/S-1 Mil spec
> Collins R-648/ARR41 airborne HF Rx
> Cubic R-3030
> Dentron DTR-2000L 8877 linear
> Drake FS-4
> Drake L4B
> Drake L7
> Drake L75
> Drake MS-4

```
>       Drake R-4C
>       Drake SPR-4
>       Drake T-4XC
>       Drake TR-4CW RIT
>       Drake TR-5
>       Drake TR-7
>       Hallicrafters SX-42
>       Hallicrafters SX-62A
>       Hammurlund HQ-215
>       Hammurlund PRO-310
>       Harris RF-103 3-1000Z linear
>       Mackay 3021A vlf HF rx.
>       Military CV591/URR
>       National HRO Sixty
>       National HRO-500
>       National HRO-50T
>       National NC-2-40D
>       National NC-2-40D  speaker
>       National NC-400 in case
>       National NC-400 no case
>       National NCL-2000
>       National SW-54
>       Racal 6217
>       Rhode & Schwarz ESH3 HF Rx (Polarad label)
>       Rhode & Schwarz EZM Spectrum Monitor
>       Squires-Sanders SSR-1 rare HF Rx
>       Watkins Johnson DMS-105-2 vlf demod, vlf Rx with Nixies
>
>
>
```

```
From -7703107390695760286
X-Google-Thread: 108122,c376c800fb564e86
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
n15g2000prd.googlegroups.com!not-for-mail
From:  professorpaul <deadgoose@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ferrite for spark plug noise supression?
Date: Wed, 06 Jun 2007 14:02:57 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1181163777.357134.299020@n15g2000prd.googlegroups.com>
References: <yZ-dndgdQpEBPfzbnZ2dnUVZ_s2vnZ2d@insightbb.com>
NNTP-Posting-Host: 71.200.66.170
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1181163778 25342 127.0.0.1 (6 Jun 2007 21:02:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Jun 2007 21:02:58 +0000 (UTC)
```

```
In-Reply-To: <yZ-dndgdQpEBPfzbnZ2dnUVZ_s2vnZ2d@insightbb.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n15g2000prd.googlegroups.com; posting-host=71.200.66.170;
   posting-account=ENwftwwAAADY__PsHxnDBrpsK41so2JX
Xref: g2news1.google.com rec.radio.amateur.equipment:12154
```

There also used to be "resistance wire" ignition wiring, but IIRC, it
was pretty fragile.

```
From -8047887773223624716
X-Google-Thread: 108122,254652612187ede2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g37g2000prf.googlegroups.com!not-for-
mail
From:  professorpaul <deadgoose@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Narrow Band FM bandwidth and channel spacing
Date: Wed, 06 Jun 2007 14:23:01 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1181164981.556705.283550@g37g2000prf.googlegroups.com>
References: <oKKdnQqMUeIe_8PbnZ2dnUVZ_vyunZ2d@insightbb.com>
   <fmmck-BF013B.15254731052007@nntp.aioe.org>
NNTP-Posting-Host: 71.200.66.170
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1181164982 28605 127.0.0.1 (6 Jun 2007 21:23:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Jun 2007 21:23:02 +0000 (UTC)
In-Reply-To: <fmmck-BF013B.15254731052007@nntp.aioe.org>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.4)
Gecko/20070515 Firefox/2.0.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g37g2000prf.googlegroups.com; posting-host=71.200.66.170;
   posting-account=ENwftwwAAADY__PsHxnDBrpsK41so2JX
Xref: g2news1.google.com rec.radio.amateur.equipment:12155
```

I note that my Yaesu VX-100 allows me to change the deviation, if I
wish. A "wide" and a "narrow" setting.

/paul W3FIS

```
From 496517005750025641
X-Google-Thread: 1109af,ebec7e152938cb38
```

```
X-Google-Thread: fc8b1,ebec7e152938cb38
X-Google-Thread: 114aac,ebec7e152938cb38
X-Google-Thread: 108122,ebec7e152938cb38
X-Google-Thread: 108228,ebec7e152938cb38
X-Google-Thread: 10c2ee,ebec7e152938cb38
X-Google-Attributes:
gid1109af,gidfc8b1,gid114aac,gid108122,gid108228,gid10c2ee,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!spln!
extra.newsguy.com!newsp.newsguy.com!news4
From: "Scott W. Harvey" <NOT_MY_REAL@email.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur
.equipment,alt.ham-radio.marketplace,rec.antiques.radio+phono
Subject: Re: WeBay Collins, Drake, National, Squires-Sanders, Cubic  etc
Date: Wed, 06 Jun 2007 22:06:11 -0700
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 71
Message-ID: <f482k501pji@news4.newsguy.com>
References: <U_E9i.7097$y_7.5895@newssvr27.news.prodigy.net>
NNTP-Posting-Host: p74d1bfbfff000000913ced6266e75db575010f86b563068b.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 2.0.0.0 (Windows/20070326)
In-Reply-To: <U_E9i.7097$y_7.5895@newssvr27.news.prodigy.net>
Xref: g2news1.google.com rec.radio.swap:16528 rec.radio.amateur.boatanchors:11835
rec.radio.shortwave:113246 rec.radio.amateur.equipment:12156 alt.ham-
radio.marketplace:3157 rec.antiques.radio+phono:74934

Henry Kolesnik wrote:
> I'm retired and going to be moving across country to smaller quarters
> and have a lot of stuff that I'd like to take with but reality is
> reality.  I'm not under any pressure to sell and am interested in
> getting a fair price.  I think the best way to get a fair price is to
> put it on eBay or some other auction.  I guess I could have my own.  I'm
> not intersted in low ball offers (and may not respond) or trades unless
> it's an older US made acoustic guitar by Martin or Taylor or maybe a US
> made 5 string banjo.  This stuff has been in storage for 10  years or so
> and I won't have the time to do much testing, describing will take
> enough time.  I've fired up few pieces in the last few months and all
> worked and I know some have problems, but I would say like Fair Radio in
> Lima, repairable.  This is a partial list, more to come as I get into
> the storage. On most of the stuff I have a fair idea of its hamfest
> value which is generally lower eBay. I'll structure my eBay posting
> based on the most requests for a certain piece.  email direct  to:
> kolesnik@sbcglobal.netski   leave off the ski.
> Hank WD5JFR
>
>      Collins 30L-1  R
>      Collins 32V-3
>      Collins 51S-1 W
```

> Collins 62S-1
> Collins 651S-1 W
> Collins 75A-3
> Collins 75A-4
> Collins 75S-3 R
> Collins KWM-1
> Collins KWM-2
> Collins KWM-2A
> Collins KWM-380
> Collins LTV G-133F 51/S-1 Mil spec
> Collins R-648/ARR41 airborne HF Rx
> Cubic R-3030
> Dentron DTR-2000L 8877 linear
> Drake FS-4
> Drake L4B
> Drake L7
> Drake L75
> Drake MS-4
> Drake R-4C
> Drake SPR-4
> Drake T-4XC
> Drake TR-4CW RIT
> Drake TR-5
> Drake TR-7
> Hallicrafters SX-42
> Hallicrafters SX-62A
> Hammurlund HQ-215
> Hammurlund PRO-310
> Harris RF-103 3-1000Z linear
> Mackay 3021A vlf HF rx.
> Military CV591/URR
> National HRO Sixty
> National HRO-500
> National HRO-50T
> National NC-2-40D
> National NC-2-40D speaker
> National NC-400 in case
> National NC-400 no case
> National NCL-2000
> National SW-54
> Racal 6217
> Rhode & Schwarz ESH3 HF Rx (Polarad label)
> Rhode & Schwarz EZM Spectrum Monitor
> Squires-Sanders SSR-1 rare HF Rx
> Watkins Johnson DMS-105-2 vlf demod, vlf Rx with Nixies

Sell it on eBay and you'll clear five figures easily. If this is what you've had in storage I'd love to see the equipment you're actually using.

-Scott

From 236879075634143169
X-Google-Thread: 1109af,ebec7e152938cb38

```
X-Google-Thread: fc8b1,ebec7e152938cb38
X-Google-Thread: 114aac,ebec7e152938cb38
X-Google-Thread: 108122,ebec7e152938cb38
X-Google-Thread: 108228,ebec7e152938cb38
X-Google-Attributes:
gid1109af,gidfc8b1,gid114aac,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p77g2000hsh.googlegroups.com!not-for-
mail
From:  Roadie <hjsjms@cs.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur
.equipment,alt.ham-radio.marketplace
Subject: Re: WeBay Collins, Drake, National, Squires-Sanders, Cubic etc
Date: Thu, 07 Jun 2007 10:54:30 -0700
Organization: http://groups.google.com
Lines: 71
Message-ID: <1181238870.486440.301430@p77g2000hsh.googlegroups.com>
References: <U_E9i.7097$y_7.5895@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.179.89.90
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1181238870 12492 127.0.0.1 (7 Jun 2007 17:54:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 7 Jun 2007 17:54:30 +0000 (UTC)
In-Reply-To: <U_E9i.7097$y_7.5895@newssvr27.news.prodigy.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p77g2000hsh.googlegroups.com; posting-host=70.179.89.90;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news1.google.com rec.radio.swap:16534 rec.radio.amateur.boatanchors:11838
rec.radio.shortwave:113286 rec.radio.amateur.equipment:12157 alt.ham-
radio.marketplace:3160

On Jun 6, 4:42 pm, "Henry Kolesnik" <koles...@nojunksbcglobal.net>
wrote:
> I'm retired and going to be moving across country to smaller quarters
> and have a lot of stuff that I'd like to take with but reality is
> reality.  I'm not under any pressure to sell and am interested in
> getting a fair price.  I think the best way to get a fair price is to
> put it on eBay or some other auction.  I guess I could have my own.  I'm
> not intersted in low ball offers (and may not respond) or trades unless
> it's an older US made acoustic guitar by Martin or Taylor or maybe a US
> made 5 string banjo.  This stuff has been in storage for 10  years or so
> and I won't have the time to do much testing, describing will take
> enough time.  I've fired up few pieces in the last few months and all
> worked and I know some have problems, but I would say like Fair Radio in
> Lima, repairable.  This is a partial list, more to come as I get into
> the storage. On most of the stuff I have a fair idea of its hamfest
> value which is generally lower eBay. I'll structure my eBay posting
> based on the most requests for a certain piece.  email direct  to:
```

> koles...@sbcglobal.netski   leave off the ski.
> Hank WD5JFR
>
>   Collins 30L-1 R
>   Collins 32V-3
>   Collins 51S-1 W
>   Collins 62S-1
>   Collins 651S-1 W
>   Collins 75A-3
>   Collins 75A-4
>   Collins 75S-3 R
>   Collins KWM-1
>   Collins KWM-2
>   Collins KWM-2A
>   Collins KWM-380
>   Collins LTV G-133F 51/S-1 Mil spec
>   Collins R-648/ARR41 airborne HF Rx
>   Cubic R-3030
>   Dentron DTR-2000L 8877 linear
>   Drake FS-4
>   Drake L4B
>   Drake L7
>   Drake L75
>   Drake MS-4
>   Drake R-4C
>   Drake SPR-4
>   Drake T-4XC
>   Drake TR-4CW RIT
>   Drake TR-5
>   Drake TR-7
>   Hallicrafters SX-42
>   Hallicrafters SX-62A
>   Hammurlund HQ-215
>   Hammurlund PRO-310
>   Harris RF-103 3-1000Z linear
>   Mackay 3021A vlf HF rx.
>   Military CV591/URR
>   National HRO Sixty
>   National HRO-500
>   National HRO-50T
>   National NC-2-40D
>   National NC-2-40D speaker
>   National NC-400 in case
>   National NC-400 no case
>   National NCL-2000
>   National SW-54
>   Racal 6217
>   Rhode & Schwarz ESH3 HF Rx (Polarad label)
>   Rhode & Schwarz EZM Spectrum Monitor
>   Squires-Sanders SSR-1 rare HF Rx
>   Watkins Johnson DMS-105-2 vlf demod, vlf Rx with Nixies

Be sure to post a link to your auctions.

```
From -4540315786448643798
X-Google-Thread: 108122,1df7819dc42dac5a,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Chris" <steveo1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ham Gear For Sale
Date: Thu, 7 Jun 2007 19:07:23 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <46688fa2$0$30688$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12158
```

http://members6.boardhost.com/theswapshoppe/

```
From -7910622814944512537
X-Google-Thread: 108122,9858fa6d7a641ce1,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-
mail
From:  N4VBH <qns1@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 300' ft. Rohn 55G Tower Complete, new hardware
Date: Thu, 07 Jun 2007 19:03:26 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1181268206.747304.261190@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 166.165.253.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1181268206 18901 127.0.0.1 (8 Jun 2007 02:03:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Jun 2007 02:03:26 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: k79g2000hse.googlegroups.com; posting-host=166.165.253.208;
   posting-account=ALT06wwAAACpD5c4SI2IsCl6mpPvg3q2
Xref: g2news1.google.com rec.radio.amateur.equipment:12159
```

FOR SALE: 300' Rohn 55G Communications tower w/ NEW anchors, base plate, guy wire, and most hardware. Original beacon and clearance lights included. Tower was removed from service and de-erected in 2002. Sections (30 + 2 NEW sections actually) are in great, structural shape. Tower will need new paint and light wiring upon erection. Located in Eastern NC. Tower to be sold as complete package. Construction plans w/ Rohn Tower guide included. Engineered drawings available (if I can find them). Asking Price: $6000.00 obo, Email qns1 AT hotmail DOT com.

```
From -3220692643618277644
X-Google-Thread: 108122,c1e28fca8d938688,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 07 Jun 2007 21:11:22 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Computer Log
Date: Thu, 7 Jun 2007 22:11:49 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Zv2dnVq2wPBXJ_XbnZ2dnUVZ_gqdnZ2d@insightbb.com>
Lines: 6
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-
wKBqmo2J1Ir3MvPKnKTq8GGFhzdOkjzUuQ3h6VCeVDJuMiungiBLhVO22DXOXU00b6Qm8LXjC+6vUKt!
xl/dzX+W4KWjrqIiISO9YImVvZNfgxVVDzYmMSk3iocWkP1a0YGzZ7KAAlo+at7Ao8bXBKYN9MX3!
LgPX0wDY8gImwKKZtQ==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12160
```

Can anyone recomend a good log-book program for the PC?

--
Bob D. ND9B

```
From 8710142613453034985
X-Google-Thread: 108122,c1e28fca8d938688
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <Repose@Zilch.com>
Newsgroups: rec.radio.amateur.equipment
References: <Zv2dnVq2wPBXJ_XbnZ2dnUVZ_gqdnZ2d@insightbb.com>
In-Reply-To: <Zv2dnVq2wPBXJ_XbnZ2dnUVZ_gqdnZ2d@insightbb.com>
Subject: Re: Computer Log
Lines: 19
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16386
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6000.16386
Message-ID: <av3ai.416860$g24.113735@newsfe12.phx>
Date: Thu, 7 Jun 2007 19:51:43 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1181271110 72.197.13.209 (Thu, 07 Jun 2007 19:51:50 MST)
NNTP-Posting-Date: Thu, 07 Jun 2007 19:51:50 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12161
```

"Bob D." <bobmgtd@insightbb.com> wrote in message
news:Zv2dnVq2wPBXJ_XbnZ2dnUVZ_gqdnZ2d@insightbb.com...

> Can anyone recomend a good log-book program for the PC?
>
> --
> Bob D. ND9B
>Depends Bob if you want it for DXing, Contesting, County Hunting, field
>day, etc. and if you wish to upload logs in certain formats to the ARRL, CQ
>Magazine, etc

For general purpose, I like Bob Furzer's Logger 32 at URL:
http://www.logger32.net/

But dozens to chose from - some free, some pay at URL:
http://www.ac6v.com/logging.htm

73 Lamont

```
From 3601245956574744783
X-Google-Thread: 108122,3ea85e3ec16b6afb,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q19g2000prn.googlegroups.com!not-for-
mail
From:  vk2tsb2000@yahoo.com.au
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TM-D700 Problems"" Help
Date: Thu, 07 Jun 2007 21:20:44 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1181276444.278109.72910@q19g2000prn.googlegroups.com>
NNTP-Posting-Host: 122.148.209.152
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1181276444 17111 127.0.0.1 (8 Jun 2007 04:20:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Jun 2007 04:20:44 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.12)
Gecko/20070508 Firefox/1.5.0.12,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q19g2000prn.googlegroups.com; posting-host=122.148.209.152;
   posting-account=OIrXlQ0AAAAMjDXHdrDTHxPZWwEhGAGa
Xref: g2news1.google.com rec.radio.amateur.equipment:12162
```

Hi All,
Is there a technical guru out there that can tell me how i can fix
this problem,
the TNC wants to open but then gets locked up and thats all it does,
manly used for aprs,
i have tryed to reset with button, software and still nothing, ,

Regards
Steve (VK2TSB)

```
From -3276846467051603767
X-Google-Thread: 11480d,ff7c37e406326134,start
X-Google-Thread: 108122,ff7c37e406326134,start
X-Google-Thread: fc2a5,ff7c37e406326134,start
X-Google-Thread: 107ada,ff7c37e406326134,start
X-Google-Thread: 10bf43,ff7c37e406326134,start
X-Google-Attributes:
gid11480d,gid108122,gidfc2a5,gid107ada,gid10bf43,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
```

news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!spln!extra.newsguy.com!
newsp.newsguy.com!news1
From: MI5Victim@mi5.gov.uk
Newsgroups:
rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: MI5 Persecution: Question and Answer 27/9/95 (2782)
Followup-To:
rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,uk.misc
Date: 8 Jun 2007 13:10:57 GMT
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 175
Message-ID: <m07050813104846@4ax.com>
NNTP-Posting-Host: p6328bfbfff000000da5fc0ab1236840ca90f5aa17b6ab759.newsdawg.com
Xref: g2news1.google.com rec.radio.amateur.dx:3540
rec.radio.amateur.equipment:12163 rec.radio.amateur.homebrew:13467
rec.radio.amateur.misc:36291 rec.radio.amateur.policy:89187

In article <DFGxnF.Cr8.0.bloor@torfree.net>
bu765@torfree.net "Mike Corley" writes:

>>> ##: There were also a few other things said at the trial
>>> ##: relating to this which I won't repeat here; it was in the papers
>>> ##: at the time anyway. This quote and others said by and about this
>>> ##: witness were repeating things that had been said by and about
>>> ##: me at around that time.

When, where and by whom ? Let's have some details
that can be checked.

I'm not going to repeat them. They're hurtful to me because they contained abuse that was directed against me by someone else at the time and which got picked up and thrown again in the trial. It is a matter of record but I won't repeat it here.

>>> PM: >Who's character is being assassinated? It isn't clear from the post.
>>> PM: >Are we talking about Grenville Janner? I thought he was a spook
>>> PM: >himself? He's certainly able to hold his own on the issue you cite.

>>> ##: Mine, mainly. The reason for putting that episode at the top
>>> ##: of the posting is that they tried to kill two birds with one stone
>>> ##: at the Beck trial - they simultaneously put words into the mouth
>>> ##: of their invented "witness" to smear Janner, and repeated exactly,
>>> ##: word-for-word, stuff which had been said by and about me.

Why would "they" wish to assassinate your character?

Well, let's put it this way - just because this is the first time it's happened in this way, from these people, on this scale, doesn't mean that it hasn't happened before, on a lesser scale. At university there were people who quite overtly hated me and would have wished something nasty to happen to me. Because of where I went making the wrong sort of enemies is pretty deadly.

"They" would wish to assassinate my character because it had all been done before, and because they knew I would not be able to react in any other way than I'd reacted previously.

>>> ##: They invaded my home with their bugs, they repeated what I
>>> ##: was saying in the privacy of my home, and they laughed that it
>>> ##: was "so funny", that I was impotent and could not even communicate
>>> ##: what was going on. Who did this? Our friends on BBC television,
>>> ##: our friends in ITN, last but not least our friends in Capital
>>> ##: Radio in London and on Radio 1.

Please give details of when, where and by whom these
comments were made, so that they can be checked.

This was four, five years ago... sorry, I don't remember. I can remember individual incidents, words which were repeated by different people at different times in different locations.

Around the end of 1992 Private Eye rtan a front-cover with John and Norma Major, with the title "Major's support lowest ever" and John saying to Norma "Come back norma" on the front cover. What can you read in to that? Not a lot, seems like standard fare for PE.
The first time I saw it I was in the pub with some people from work. One was expressing doubts to the other (let's call the first one Simon, shall we? and the second one Phil?) about whether what was going on was right. Phil's answer was that if Private Eye was doing it then it must be ok, "they're usually right".

A few days later, again near work, there were some students laughing in the street,
"Were you COMING BACK later? But I thought you said you were COMING BACK ha ha ha?"
Play on words, you see. Not very nice, either. I had start medication soon afterwards.
Clever people, these chaps who think up PE titles. Just slightly lacking in any sense of morality.

>>> ##: How did they do this? I'll give you an example. About a year ago,
>>> ##: I was listening to Chris Tarrant (Capital Radio DJ among other
>>> ##: pursuits) on his radio morning show, when he said, talking about

>>> ##: someone he didn't identify, "you know this bloke? he says we're
>>> ##: trying to kill him. We should be done for attempted manslaughter"
>>> ##: which mirrored something I had said a day or two before.
>>> ##: Now that got broadcast to the whole of London - if any recordings
>>> ##: are kept of the shows then it'll be there.

What was the date of the broadcast ?
Out of 2 million plus listeners, why should you be
the only one that Tarrant was allegedly referring to ?

Sometyime in spring 1994. I can't remember the date, I heard the broadcast in the car - I was going into the office from London that day and just happened to snap on the radio, and hey presto! Mr Tarrant gives us the benefit of his excellent understanding.

>>> ##: That's exactly what we did. We went to a competent, professional
>>> ##: detective agency in London, paid them over 400 quid to debug our house.
>>> ##: They found nothing.

What was the name of the detective agency and their
address ?

I don't see why I should tell you that, but they're in Yellow Pages; they're a well-established outfit.

>>> PM: >What? Spend a quarter mil. a year to amuse themselves? And why not
>>> PM: >change every now and again? Why keep watching you? (Unless you _are_
>>> PM: >doing something, and I don't think you are, though you may have some
>>> PM: >deep, dark secret in your past.)
>>>
>>> ##: See the above.

Is there a deep dark secret in your past ?

Apart from "it's all happened before in a different way", no.

>>> ##: In a couple of cases people have even known my name - when I was in
>>> ##: London over Easter somebody (no idea who they were, just some bloke with

>>> ##: his girlfriend) called me by name - quite clearly, and my name is
>>> ##: distinctive.

Is your name truly Mike Corley, or are you using it as
an alias ?

It's an alias. I'm not English by ethnic origin. If someone manages to pronounce my name as well as that guy did then they must have been really trying.

>>> ##: There's a little story behind this. First of all, in 1992 I worked
>>> ##: for a company where the people made clear they knew what was going on,
>>> ##: first of all directly (the very first evening I was there I went out to
>>> ##: the pub with them and the Technical Director said to another guy,

>>> ##: "is this the bloke who's been on TV?" "yeah, I think so")

Have you appeared, or been reported by name on TV ?
When, where and by whom ?

No. Never. Not directly.

>>> ##: Also, in summer 1992 I went on a trip abroad to Europe by coach,

What was the name of the coach company and your date
of departure ?

It was a national express coach. At dover we boarded a ferry for Holland somewhere.
The company that organized the trip went out of business some time ago, so they won't
have records of passengers - so we can't get any corroboration from anyone else
that way. We tried all that last summer, ran into a brick wall.

The other thing is in summer 1992 I was visibly ill, so other people in the
party might remember that more than anyone getting at me on the coach trip.

>>> ##: >>Yes, this gets me. I think the answer is that I was set up by
>>> ##: >>someone. I was very aware when this started back in 1990 that I
>>> ##: >>was being painted as a "threat" to which people had to "react"

Why were you being painted as a "threat"; is this related
to a "deep,dark, secret" ?

Aaaarrrrgh. I think I should make clear that that's their created justification
rather than the real reason. They started harassing first and then came up with the
reasons for it.

>>>
>>> ##: I think I know who set me up.

Who ?

Someone who knew me some time ago. Someone who would have been able to talk this
little campaign into existence.

>>> ##: The bloke can't even control his own mind without medicine.

Is this true ? What is the medication and dosage ?

Yes, I'm afraid so. Sulpiride, 200mg a day. It's designed to stop people
coming up with the sort of ideas you've heard here for the last few weeks.
Give him a higher dose!!

In the long term it causes tardive dyskinesia, tardive dementia and general
nasty stuff to your brain. So it's three years of sulpiride talking to you here.

```
>--
>john heelan

2782




From -3248161438689123955
X-Google-Thread: 108122,c1e28fca8d938688
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: Computer Log
From: "Larry Moss" <larry.moss@transylvaniacounty.org>
Date: Fri, 8 Jun 2007 10:33:01 -0400
Message-ID: <f4bpep$dcn$1@news04.infoave.net>
References: <Zv2dnVq2wPBXJ_XbnZ2dnUVZ_gqdnZ2d@insightbb.com>
<av3ai.416860$g24.113735@newsfe12.phx>
Lines: 25
NNTP-Posting-Host: gw.transylvaniacounty.org
Organization: Info Avenue Internet Services, LLC
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!204.71.34.3!newsfeed.cwix.com!news-
out.superfeed.net!sp6iad.superfeed.net!news-in.nuthinbutnews.com!news.infoave.net!
not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news04.infoave.net 1181313305 13719 206.74.37.34 (8 Jun 2007 14:35:05
GMT)
Mime-Version: 1.0
Content-Type: text/plain;
 format=flowed;
 charset="iso-8859-1";
 reply-type=response
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Fri, 8 Jun 2007 14:35:05 +0000 (UTC)
In-Reply-To: <av3ai.416860$g24.113735@newsfe12.phx>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16386
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6000.16386
Xref: g2news1.google.com rec.radio.amateur.equipment:12164

Bob,
    DXkeeper is a very good one and is a freebie.
Larry/W4LM
"The Shadow" <Repose@Zilch.com> wrote in message
news:av3ai.416860$g24.113735@newsfe12.phx...
>
> "Bob D." <bobmgtd@insightbb.com> wrote in message
> news:Zv2dnVq2wPBXJ_XbnZ2dnUVZ_gqdnZ2d@insightbb.com...
>> Can anyone recomend a good log-book program for the PC?
>>
>> --
>> Bob D. ND9B
>>Depends Bob if you want it for DXing, Contesting, County Hunting, field
>>day, etc. and if you wish to upload logs in certain formats to the ARRL,
>>CQ Magazine, etc
>
> For general purpose, I like Bob Furzer's Logger 32 at URL:
> http://www.logger32.net/
>
> But dozens to chose from - some free, some pay at URL:
> http://www.ac6v.com/logging.htm
>
> 73 Lamont
>
```

```
From 7313816640326162260
X-Google-Thread: 108122,772f0b3f5e36c14b
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 08 Jun 2007 10:01:51 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <Bmaintz.acc791@radiobanter.com>
Subject: Re: Kenwood TS-520S ........ PARTS
Date: Fri, 8 Jun 2007 10:01:10 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <o4ednasYbJzC8vTbnZ2dnUVZ_qupnZ2d@comcast.com>
Lines: 31
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-H9uynlMLBL3q5JDcOXfmXuAP+esph9il7zUfFDndZhjxCfDRaoZegyW9hbxDJzZ/
W2aY+5ahOxy1Rbi!oR1aoX24YmR/
vkquaRUv3rdWCcgVT4k1pEKM0busNZ6MiRmCFpKftKpaGyDjP+i9DVp+8p8GtQ4O!
pEa4nvVA7hy6xrLB0E7E2K/3XVeR
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12165
```

Sounds like enough parts to build one or two radios.

Kenwood hybrid FAQ and hard to find parts:
K4EAA

```
http://www.k4eaa.com/


"Bmaintz" <Bmaintz.acc791@radiobanter.com> wrote in message
news:Bmaintz.acc791@radiobanter.com...
>
> Lots of parts from several Kenwood TS-520S radios such as the... Leather
> Handle  ... Power Transformer ... VFO Tuner internal assembly ... IF
> board ... RF board ... Rubber Feet set ... 12BY7 Driver(tested) ... PA
> Cage with components ... Final Output Tubes (tested with TV-7D/U tube
> tester) ... Large & Small Filter Caps (tested for current leakage with
> Sprague TO-6 tester) ....... Give me a quick Email for the part you
> need.... Please put your name & call sign in your email as I only deal
> with Amateurs...
> Thanks,
> Bob
> 73
> KE5FTF
> bmaintz@netzero.net
>
>
>
>
> --
> Bmaintz
```

```
From 6194424441924956363
X-Google-Thread: 108122,3ea85e3ec16b6afb
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 08 Jun 2007 10:23:57 -0500
Date: Fri, 08 Jun 2007 11:24:42 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TM-D700 Problems"" Help
References: <1181276444.278109.72910@q19g2000prn.googlegroups.com>
In-Reply-To: <1181276444.278109.72910@q19g2000prn.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <C56dndpPr_gQ6fTbnZ2dnUVZ_oCmnZ2d@comcast.com>
Lines: 39
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-
```

```
s98AdxN216PpcE0Yn9VFXkp8+eKSS1uALatyQrCCJd69sAE8QkhFGXQVfwdCeyR6xaPtsXgY5liLc8P!
2MfUcZt2Dr9unLx5oAZuf2JRpggGrvd3ERu/WDxyVNbG/OVk1j0ljDDeblAO9ThPNW88CgSiCVU6!
Br9jPMQypjmm0JbBu4ZcIeIcSVU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12166
```

I have used DXBase from Scientific Solutions for almost 8 years. Logs, does DXCC, WAS, 10-10, etc automatically. It has the ability to look up QSL addresses from a CD. You can track WPX, DXCC, QSL managers, etc. You can add/delete QSL managers to the data base. It calculates range and bearing to a DX station. It will tell you the QTH of a DX station based on the DX callsign. You can post from DXBase to the internet. And much more ...

It has a QSL design file, I have 6 self designed photo QSL s in that file.

It has the ability to maintain numerous logs. I have my basic log - W1MCE.mdb, my mobile log W1MCE_m.mdb, my 60 meter log, and my special callsign QSL [W1L.mdb], all available at the touch of a key. If you notice the file tag, *.mdb, it is a Microsoft Access Data Base core program.

It is NOT freeware. If I recall correctly I paid $50 for the CY2000 upgrade and have not had any reason for further upgrades, although they are available.

I cannot comment on it's usefulness in the contest mode. I don't contest! I'm a Minister and my weekends have other priorities :-)

I hope you get other responses that present more options.

/s/ DD, W1MCE

vk2tsb2000@yahoo.com.au wrote:

> Hi All,
> Is there a technical guru out there that can tell me how i can fix
> this problem,
> the TNC wants to open but then gets locked up and thats all it does,
> manly used for aprs,
> i have tryed to reset with button, software and still nothing, ,
>
> Regards
> Steve (VK2TSB)
>

From -6237681497867052829

```
X-Google-Thread: 108122,3ea85e3ec16b6afb
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 08 Jun 2007 10:25:10 -0500
Date: Fri, 08 Jun 2007 11:25:56 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TM-D700 Problems"" Help
References: <1181276444.278109.72910@q19g2000prn.googlegroups.com>
<C56dndpPr_gQ6fTbnZ2dnUVZ_oCmnZ2d@comcast.com>
In-Reply-To: <C56dndpPr_gQ6fTbnZ2dnUVZ_oCmnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <C56dndVPr_hL6fTbnZ2dnUVZ_oDinZ2d@comcast.com>
Lines: 47
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-OQBzm6fsNAom8usnMpEGJLOtVlqSoSPRT362eXhPGfI8tUGRX/9VBmknY+ofr/
TcPcGjsfDR3DZN9Gq!FVNoYnqvMWzxU0NZzintl1MDSl1IhdgEPcxsPJm+Vn5tz/
1gOxd0HSD4c2sLIhw9lCSPi1FRwMMP!L9D085uAInzy9GK+1MPz70fnI7w=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12167
```

OOPS! Attached to the incorrect post. Sorry!

Dave wrote:

> I have used DXBase from Scientific Solutions for almost 8 years. Logs,
> does DXCC, WAS, 10-10, etc automatically. It has the ability to look up
> QSL addresses from a CD. You can track WPX, DXCC, QSL managers, etc. You
> can add/delete QSL managers to the data base. It calculates range and
> bearing to a DX station. It will tell you the QTH of a DX station based
> on the DX callsign. You can post from DXBase to the internet. And much
> more ...
>
> It has a QSL design file, I have 6 self designed photo QSL s in that file.
>
> It has the ability to maintain numerous logs. I have my basic log -
> W1MCE.mdb, my mobile log W1MCE_m.mdb, my 60 meter log, and my special
> callsign QSL [W1L.mdb], all available at the touch of a key. If you
> notice the file tag, *.mdb, it is a Microsoft Access Data Base core
> program.

>
> It is NOT freeware. If I recall correctly I paid $50 for the CY2000
> upgrade and have not had any reason for further upgrades, although they
> are available.
>
> I cannot comment on it's usefulness in the contest mode. I don't
> contest! I'm a Minister and my weekends have other priorities :-)
>
> I hope you get other responses that present more options.
>
> /s/ DD, W1MCE
>
>
>
> vk2tsb2000@yahoo.com.au wrote:
>
>> Hi All,
>> Is there a technical guru out there that can tell me how i can fix
>> this problem,
>> the TNC wants to open but then gets locked up and thats all it does,
>> manly used for aprs,
>> i have tryed to reset with button, software and still nothing, ,
>>
>> Regards
>> Steve (VK2TSB)
>>
>

From -6547301986288859436
X-Google-Thread: 108122,c1e28fca8d938688
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 08 Jun 2007 10:25:47 -0500
Date: Fri, 08 Jun 2007 11:26:32 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Computer Log
References: <Zv2dnVq2wPBXJ_XbnZ2dnUVZ_gqdnZ2d@insightbb.com>
In-Reply-To: <Zv2dnVq2wPBXJ_XbnZ2dnUVZ_gqdnZ2d@insightbb.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <C56dndRPr_hm6fTbnZ2dnUVZ_oDinZ2d@comcast.com>
Lines: 31
NNTP-Posting-Host: 24.34.65.49

```
X-Trace: sv3-3YrRM1SiOCoeSyLO3HIxH/
UeJ+8YNJzJ9w+MlP9ChHqPgvfSj1lyV32jeZ3dKLwdD+uvzXIGu3Ta4Vu!
d14w9cnKQ3mOFDzh0PLNRlzrd5nSZhi8J9ZRP8biz8eYyK52mS1v8fRiEbeVg0u95q6sZXC2Teeo!
OqGK1GS4pKkMviX4DrmlCcw+goU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12168
```

Bob D. wrote:

> Can anyone recomend a good log-book program for the PC?
>

Re posted.

I have used DXBase from Scientific Solutions for almost 8 years. Logs, does DXCC, WAS, 10-10, etc automatically. It has the ability to look up QSL addresses from a CD. You can track WPX, DXCC, QSL managers, etc. You can add/delete QSL managers to the data base. It calculates range and bearing to a DX station. It will tell you the QTH of a DX station based on the DX callsign. You can post from DXBase to the internet. And much more ...

It has a QSL design file, I have 6 self designed photo QSL s in that file.

It has the ability to maintain numerous logs. I have my basic log - W1MCE.mdb, my mobile log W1MCE_m.mdb, my 60 meter log, and my special callsign QSL [W1L.mdb], all available at the touch of a key. If you notice the file tag, *.mdb, it is a Microsoft Access Data Base core program.

It is NOT freeware. If I recall correctly I paid $50 for the CY2000 upgrade and have not had any reason for further upgrades, although they are available.

I cannot comment on it's usefulness in the contest mode. I don't contest! I'm a Minister and my weekends have other priorities

I hope you get other responses that present more options.

/s/ DD, W1MCE

```
From 4395830002535253219
X-Google-Thread: 108122,3ea85e3ec16b6afb
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <4669830E.8EB48034@earthlink.net>
```

From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.76 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TM-D700 Problems"" Help
References: <1181276444.278109.72910@q19g2000prn.googlegroups.com>
<C56dndpPr_gQ6fTbnZ2dnUVZ_oCmnZ2d@comcast.com>
<C56dndVPr_hL6fTbnZ2dnUVZ_oDinZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
Date: Fri, 08 Jun 2007 16:25:05 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1181319905 24.110.34.161 (Fri, 08 Jun 2007 09:25:05 PDT)
NNTP-Posting-Date: Fri, 08 Jun 2007 09:25:05 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:12169

Dave wrote:
>
> OOPS! Attached to the incorrect post. Sorry!
>
> Dave wrote:
>
> > I have used DXBase from Scientific Solutions for almost 8 years. Logs,
> > does DXCC, WAS, 10-10, etc automatically. It has the ability to look up
> > QSL addresses from a CD. You can track WPX, DXCC, QSL managers, etc. You
> > can add/delete QSL managers to the data base. It calculates range and
> > bearing to a DX station. It will tell you the QTH of a DX station based
> > on the DX callsign. You can post from DXBase to the internet. And much
> > more ...
> >
> > It has a QSL design file, I have 6 self designed photo QSL s in that file.
> >
> > It has the ability to maintain numerous logs. I have my basic log -
> > W1MCE.mdb, my mobile log W1MCE_m.mdb, my 60 meter log, and my special
> > callsign QSL [W1L.mdb], all available at the touch of a key. If you
> > notice the file tag, *.mdb, it is a Microsoft Access Data Base core
> > program.
> >
> > It is NOT freeware. If I recall correctly I paid $50 for the CY2000
> > upgrade and have not had any reason for further upgrades, although they
> > are available.
> >
> > I cannot comment on it's usefulness in the contest mode. I don't
> > contest! I'm a Minister and my weekends have other priorities :-)
> >
> > I hope you get other responses that present more options.
> >

> > /s/ DD, W1MCE

As long as you don't mix it up with one of your sermons. ;-)

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 9175776514217803306
X-Google-Thread: 108122,47c6278611fa0f61,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst02.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr17.news.prodigy.net.POSTED!ef9e37f1!not-for-mail
User-Agent: Microsoft-Entourage/10.1.6.040913.0
Subject: FS: Ameritron AL-811H...
From: Chuck Garvin <GarvinTowing@SBCglobal.Net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Message-ID: <C28F31FA.1BA2%GarvinTowing@SBCglobal.Net>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 7
NNTP-Posting-Host: 68.73.195.246
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr17.news.prodigy.net 1181333947 ST000 68.73.195.246 (Fri, 08 Jun 2007 16:19:07 EDT)
NNTP-Posting-Date: Fri, 08 Jun 2007 16:19:07 EDT
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
SCSYASZETRR_SRPXZZHJ^RLARJT@QDDMEPWXODMMHXMTWA]EPEWUQBKZQLYJX_ITFD_KFVLUN[DOM_A_N
SYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXG
QCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Fri, 08 Jun 2007 16:19:06 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:12170

I am selling my AL-811H Amp as I now have my DREAM PW-1 for the Icom Radios.
Asking $550...
The Amp has about 4 Months of use before I got the PW-1 All paperwork, box, etc..
Jeff-N8NOE
N8NOE@ARRL.NET

```
From -6812264570987718748
X-Google-Thread: 108122,2b65465738a365cc
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 08 Jun 2007 18:30:09 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <iyp8i.27$0J4.26@newsfe12.lga>
Subject: Re: Dentron Clipperton Qro
Date: Fri, 8 Jun 2007 18:29:28 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <IPSdnTd6iLgce_TbnZ2dnUVZ_t2tnZ2d@comcast.com>
Lines: 33
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-
rKJnhRPDLngjau8bybS85jh9XzL+tqavZzvqX2OAq8JfWEgasCrnAT0LeFowLotPhruNB+rJ4U3jB4B!
DFc/ZySiY41+8oJ+m6RbDos6cZzcWDDaebhtbFiliBXMyWiQXAoN7q2fO7M7Omae+bB5o0U30Vkl!
Dm3lXI8+tnU3NYN+3ZQ0Xx3TVCxK
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12171
```

"Barry" <i24ktgold@charter.net> wrote in message
news:iyp8i.27$0J4.26@newsfe12.lga...

> Hello, I have a Dentron Clipperton Qro linear, it's setup for 220 volts,
> but
> I need to rewire it for 110 volts, is there anyone out there that can tell
> me how to do this,,Thank you
>

This identical question was posted on rec.radio.cb:
-- answer provided there as shown -

> Barry wrote: Hello, I have a Dentron Clipperton Qro linear, it's setup for
> 220 volts, but
> I need to rewire it for 110 volts, is there anyone out there that can tell
> me how to do this,,Thank you
>

Hello Barry:

Most all of the ham amps have two 110 Volt AC windings in the power
transformer. These two separate windings are wired in series like two

batteries in a flashlight. This series connection allows for the 220 Volt AC use.

The two separate windings can also be wired for 110 Volt AC use. They need to be wired in parallel. This is not a terribly hard thing to do. I am sure the operators manual will show how both the 220 and 110 connections are made. Manuals can be bought off the internet, just type in Dentron Clipperton into www.Google.com

Hope this helps

Jay in the Mojave

```
From -2993433253299327920
X-Google-Thread: 108122,a75dc92972c7418f,start
X-Google-Thread: 1109af,a75dc92972c7418f,start
X-Google-Attributes: gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe16.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Pair of Motorola GTX 900 MHz Portable Trunking/Conventional Radios w/
Chargers-Ham
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000C_01C7A9EE.09ECE860"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <Y2mai.461648$6P2.457232@newsfe16.phx>
Date: Fri, 8 Jun 2007 16:57:03 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.phx 1181347128 68.96.97.57 (Fri, 08 Jun 2007 16:58:48 MST)
NNTP-Posting-Date: Fri, 08 Jun 2007 16:58:48 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12172 rec.radio.swap:16544
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_000C_01C7A9EE.09ECE860
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA: Pair of Motorola GTX 900 MHz Portable Trunking/Conventional Radios =
w/Chargers-Ham

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250127492769&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000C_01C7A9EE.09ECE860
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16441" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Pair of Motorola GTX 900 MHz Portable Trunking/Conventional =
Radios=20
w/Chargers-Ham</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250127492769&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250127492769&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000C_01C7A9EE.09ECE860--



From 5908217137679347967
X-Google-Thread: 108122,80cb5c21c4ec6445,start
X-Google-Thread: 1109af,80cb5c21c4ec6445,start
X-Google-Attributes: gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe16.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Motorola CM200 VHF Mobile Radio Small Size 45 Watt 146-174 Mhz-On Ham
Freq's
Lines: 58
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001C_01C7AA13.AF23D490"
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <r0qai.461653$6P2.142814@newsfe16.phx>
Date: Fri, 8 Jun 2007 21:26:32 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.phx 1181363351 68.96.97.57 (Fri, 08 Jun 2007 21:29:11 MST)
NNTP-Posting-Date: Fri, 08 Jun 2007 21:29:11 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12173 rec.radio.swap:16547

This is a multi-part message in MIME format.

------=_NextPart_000_001C_01C7AA13.AF23D490
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola CM200 VHF Mobile Radio Small Size 45 Watt 146-174 Mhz-Ham

Currently on:

Simplex

146.430 MHz

146.460 MHz

146.490 Mhz

146.520 MHz

Great radio for Echolink or IRLP Node use...

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250127572221&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001C_01C7AA13.AF23D490
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16441" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola CM200 VHF Mobile Radio Small Size 45 Watt 146-174 =
Mhz-Ham</P>
```

```
<P>Currently on:</P>
<P>Simplex</P>
<P>146.430 MHz</P>
<P>146.460 MHz</P>
<P>146.490 Mhz</P>
<P>146.520 MHz</P>
<P>Great radio for Echolink or IRLP Node use...</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250127572221&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250127572221&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_001C_01C7AA13.AF23D490--
```

```
From -1578784875836354394
X-Google-Thread: 108122,e34deb6c26dfcc4,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Jun 2007 12:25:54 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Johnson Antenna Mate
Date: Sun, 10 Jun 2007 13:25:38 -0400
Reply-To: wz1u@comcast.net
Message-ID: <qvco63piubq9omjfhc4avmcsdcfplcrgkh@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
NNTP-Posting-Host: 24.60.230.66
X-Trace: sv3-lE9h4gTofGstqxzHDyHEamcjhbsS/NdhaklCM9JikKNO24/
qGUpRtIOQ5FFe1m2LT6TloLdeGgNgl8x!YmOFzBO2zMHcEOiUqKyPwYC36nv/
fkYYXdBjxjmJ4E0D8feSlB9FG/9mKlTI3Bqvz2Qv8w0naV2m!GJQyUZ2mP2c6xdXvHovOLushpg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12174

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=003&sspagename=STRK%3AMESE%3AIT&viewitem=&item=130123622248&rd=1&rd=1
```

```
From 7297122118263366000
X-Google-Thread: 108122,5a4845b9ce863d34,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Jun 2007 12:28:45 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Vintage Comdel 1500 Watt HF Watt Meter
Date: Sun, 10 Jun 2007 13:28:29 -0400
Reply-To: wz1u@comcast.net
Message-ID: <82do6312nt5314rsml0e8bqhsi5m4lluvk@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
NNTP-Posting-Host: 24.60.230.66
X-Trace: sv3-WhQKLrOlfoudsCjR+ZgfqKTvBs0gscWyoB277l7ek/
C8Ml0ltRB2evxLhE88BIu8lHSkJE5lMhqpGcM!
XgPfr7QjdYz7FMzxdU0h1ACyE9ZPGR6gYx8fqAUZtDDkRNxoCgG3Xi8zT21kMmGrxWgeXWpBpF4u!/
eBEvYW5iFzT4+u+rU29lTUd7w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12175

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=003&sspagename=STRK%3AMESE%3AIT&viewitem=&item=130123625167&rd=1&rd=1


From -7148043561036244670
X-Google-Thread: fc2a5,774188a20f519c1e,start
X-Google-Thread: fc8b1,774188a20f519c1e,start
X-Google-Thread: 108122,774188a20f519c1e,start
X-Google-Thread: 111d0a,774188a20f519c1e,start
X-Google-Thread: 113975,774188a20f519c1e,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h2g2000hsg.googlegroups.com!not-for-
mail
From:  bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,sci.electronics.basics,sci.astro.amateur
Subject: SolderSmoke -- A visit to the New South Wales Homebrew Group
Date: Mon, 11 Jun 2007 05:48:02 -0000
Organization: http://groups.google.com
```

Lines: 50
Message-ID: <1181540882.698659.133650@h2g2000hsg.googlegroups.com>
NNTP-Posting-Host: 86.141.224.125
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1181540882 18200 127.0.0.1 (11 Jun 2007 05:48:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Jun 2007 05:48:02 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h2g2000hsg.googlegroups.com; posting-host=86.141.224.125;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news1.google.com rec.radio.amateur.homebrew:13482 rec.radio.amateur.boatanchors:11884 rec.radio.amateur.equipment:12176 sci.electronics.basics:55003 sci.astro.amateur:81489

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke #62

June 10, 2007

WHY WE BUILD: Opposable thumbs and soldering irons.
'Scopes, bandwidth, and clean sigs.
Power Supply project: The Soul of A New Machine. Mississippi Oscillations.
My Wabi-Sabi shack.
Metal work.
NEW FEATURE: CLUB TALK -- a visit to the meeting of the New South Wales Homebrew Group.
MAILBAG: Steve, WN0PWK. Dov, AD0V. Seth, W8FG. Dennis, KC0IFQ.

Tired of listening to Santana or NPR on your I-Pod?   Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack? Tune in to SolderSmoke!

RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the

site below and listen to the latest program (and
earlier editions) using the audio software on your
computer.

http://www.soldersmoke.com

All the programs are available here.

I hope you enjoy the program. Please send us
feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

From -5655554158690487610
X-Google-Thread: 108122,1ac2217fef4adc8e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!130.59.10.21.MISMATCH!kanaga.switch.ch!switch.ch!newsserver.news.garr.it!newsserver.cilea.it!not-for-mail
From: Michele <noone@nowhere.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom R72: new yahoo discussion group
Date: Mon, 11 Jun 2007 11:22:40 +0200
Organization: CILEA
Lines: 10
Message-ID: <f4j43h$omi$3@newsserver.cilea.it>
Reply-To: noone@nowhere.it
NNTP-Posting-Host: damico.elet.polimi.it
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: newsserver.cilea.it 1181553585 25298 131.175.123.77 (11 Jun 2007 09:19:45 GMT)
X-Complaints-To: news@cilea.it
NNTP-Posting-Date: 11 Jun 2007 09:19:45 GMT
User-Agent: Thunderbird 2.0.0.0 (Windows/20070326)
Xref: g2news1.google.com rec.radio.amateur.equipment:12177

Good day everybody !
If you are interested in the Icom R72 shortwave receiver, a new yahoo
discussion group has been created:

http://groups.yahoo.com/group/icom_r72/

73,

Michele

```
From -3363763135307406393
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 25 May 2007 13:21:14 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Fri, 25 May 2007 11:21:12 -0700
Subject: Re: I'll have a bunch of these for sale at Dayton!
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Message-ID: <C27C7728.68527%dbowey@comcast.net>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<464e43e3$0$21505$afc38c87@news.optusnet.com.au>
<46571b88$0$16402$88260bb3@free.teranews.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 38
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-GetmVZyXNYcleCv5wZ2762sIBoDn79q+t0fqe/IPItRv5v/
AZJA2cNyPXNJp68fMpdQbDTI9uQM1GVO!f0tM3WLmmRLcXPXTaD9ZfePoP8gjlf03JDoZ8BIzbw/
9ihi6WycDtInjMtovncjc9cq2kof3E2FD!GrgvXalVzvXqrjs=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16363 rec.radio.amateur.boatanchors:11758
rec.radio.amateur.equipment:12078 alt.ham-radio.marketplace:3121
```

On 5/25/07 11:15 AM, in article 46571b88$0$16402$88260bb3@free.teranews.com, "Doug Adair" <n8wwm@skyhook-waveamp.com> wrote:

>
> "roughplanet" <roughplanet@optushome.com.au> wrote in message
> news:464e43e3$0$21505$afc38c87@news.optusnet.com.au...
>> "Radiosrfun" <Radiosrfun@Radiosrfun.com> wrote in message
>> news:464d0b83$0$1245$ecde5a14@news.coretel.net...
>>

>> "travis" <travgent@aol.com> wrote in message
>> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...
>>
>> On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
>> <n8wwm@skyhook-waveamp.com> wrote:
>>>>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!! MAKE YOUR RIG
>>>>> LOUD ON THOSE LONG HAULS!
>>
>>>> Hopefully the FCC will shut you down before anyone buys this crap.
>>
>>> They may! I have heard of them going to Hamfests and doing just that.
>>
>> Here's hoping. This guy's web site's a real money spinner due to
>> ill-informed CBers. The sooner they close him down, the better. Talk about
>> a model for spectrum anarchy....
>>
> Shut the hell up you cock sucker.
>
>

That's really an ignorant post. If you are one of the guys selling CB amps.
I hope they get you sooner than later.

I see from a recent eBay email, that they are working to make it easier to
catch people running scams or otherwise breaking laws such as those intended
to stop CB Amp sales.

10-4 good buddy.

From -7329078714460914240
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<46507b56$0$28429$88260bb3@free.teranews.com>
<1180020591.875467.45510@u30g2000hsc.googlegroups.com>
<x9qdncEyZqEkQsjbnZ2dnUVZ_tDinZ2d@rcn.net>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Fri, 25 May 2007 14:22:10 -0400
Organization: skyhook-wave

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000743-5, 05/25/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 41
Message-ID: <46571d10$0$10194$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 May 2007 17:29:53 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.swap:16364 rec.radio.amateur.boatanchors:11759
rec.radio.amateur.equipment:12079 alt.ham-radio.marketplace:3122


"Chuck Harris" <cf-NO-SPAM-harris@erols.com> wrote in message
news:x9qdncEyZqEkQsjbnZ2dnUVZ_tDinZ2d@rcn.net...
> Ham With Extra Class wrote:
>> On May 20, 12:38 pm, "Doug Adair" <n...@skyhook-waveamp.com> wrote:
>>> "travis" <travg...@aol.com> wrote in message
>>>
>>> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...> On Thu, 17 May 2007
>>> 20:15:19 -0400, "Doug Adair"
>>>> <n...@skyhook-waveamp.com> wrote:
>>>>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>>>>> MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>>>> Hopefully the FCC will shut you down before anyone buys this crap.
>>> I sold a bunch of them so why don't you just shut the fuck up!
>>>
>>> --
>>> Posted via a free Usenet account fromhttp://www.teranews.com
>>
>> I've a question.  If these tubes would make your rig "sound loud" but
>> not actually amplify the power which they won't, why are there so many
>> people responding like they don't know what they're talking about?
>> Oh sorry, the new Ham generation, codeless geeks.
>
> Because he isn't selling tubes, he is selling sweep tube linear amplifiers
> for use with CB radios.
>
> Even someone with an Extra Class License should understand the
> implications of that.
>
> -Chuck
>
Shut the hell up chuckie suckie.

FAT CUNT CHUCKIE DICK SUCKIE IS IN TROUBLE!!!!! FAT CUNT CHUCKIE DICK SUCKIE
IS
IN TROUBLE!!!!! FAT CUNT CHUCKIE DICK SUCKIE IS IN TROUBLE!!!!! FAT CUNT
CHUCKIE
DICK SUCKIE IS IN TROUBLE!!!!! FAT CUNT CHUCKIE DICK SUCKIE IS IN
TROUBLE!!!!!
```

--
Posted via a free Usenet account from http://www.teranews.com

From -3560874986806580809
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<464e43e3$0$21505$afc38c87@news.optusnet.com.au>
<46571b88$0$16402$88260bb3@free.teranews.com> <C27C7728.68527%dbowey@comcast.net>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Fri, 25 May 2007 14:24:48 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000743-5, 05/25/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 48
Message-ID: <46571dad$0$16357$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 May 2007 17:32:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.swap:16365 rec.radio.amateur.boatanchors:11760
rec.radio.amateur.equipment:12080 alt.ham-radio.marketplace:3123

"Don Bowey" <dbowey@comcast.net> wrote in message
news:C27C7728.68527%dbowey@comcast.net...
> On 5/25/07 11:15 AM, in article
> 46571b88$0$16402$88260bb3@free.teranews.com,
> "Doug Adair" <n8wwm@skyhook-waveamp.com> wrote:
>
>>

```
>> "roughplanet" <roughplanet@optushome.com.au> wrote in message
>> news:464e43e3$0$21505$afc38c87@news.optusnet.com.au...
>>> "Radiosrfun" <Radiosrfun@Radiosrfun.com> wrote in message
>>> news:464d0b83$0$1245$ecde5a14@news.coretel.net...
>>>
>>> "travis" <travgent@aol.com> wrote in message
>>> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...
>>>
>>> On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
>>> <n8wwm@skyhook-waveamp.com> wrote:
>>>>>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!! MAKE YOUR RIG
>>>>>> LOUD ON THOSE LONG HAULS!
>>>
>>>>> Hopefully the FCC will shut you down before anyone buys this crap.
>>>
>>>> They may! I have heard of them going to Hamfests and doing just that.
>>>
>>> Here's hoping. This guy's web site's a real money spinner due to
>>> ill-informed CBers. The sooner they close him down, the better. Talk
>>> about
>>> a model for spectrum anarchy....
>>>
>> Shut the hell up you cock sucker.
>>
>>
>
> That's really an ignorant post.  If you are one of the guys selling CB
> amps.
> I hope they get you sooner than later.
>
> I see from a recent eBay email, that they are working to make it easier to
> catch people running scams or otherwise breaking laws such as those
> intended
> to stop CB Amp sales.
>
> 10-4 good buddy.
>
Go suck your boyfriends cock donnie the sissy.




--
Posted via a free Usenet account from http://www.teranews.com




From -8310514581354284045
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<464e43e3$0$21505$afc38c87@news.optusnet.com.au>
<46571b88$0$16402$88260bb3@free.teranews.com> <C27C7728.68527%dbowey@comcast.net>
Subject: Don Bowey
Date: Fri, 25 May 2007 14:29:02 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000743-5, 05/25/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 8
Message-ID: <46571eab$0$15142$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 May 2007 17:36:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.swap:16366 rec.radio.amateur.boatanchors:11761
rec.radio.amateur.equipment:12081 alt.ham-radio.marketplace:3124

Is too stupid to get a ham license!


"Don Bowey" <dbowey@comcast.net> wrote in message news:C27C7728.68527%
> 10-4 good buddy.
>




--
Posted via a free Usenet account from http://www.teranews.com




From -7783748477151957610
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
```

```
NNTP-Posting-Date: Fri, 25 May 2007 18:00:43 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Fri, 25 May 2007 16:00:37 -0700
Subject: Re: I'll have a bunch of these for sale at Dayton!
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Message-ID: <C27CB8A5.68540%dbowey@comcast.net>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<464e43e3$0$21505$afc38c87@news.optusnet.com.au>
<46571b88$0$16402$88260bb3@free.teranews.com> <C27C7728.68527%dbowey@comcast.net>
<46571dad$0$16357$88260bb3@free.teranews.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 54
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-TWv/G3BYAyV/
1wxyfLNxUatYAyxlSDXlS4pMHsIQGkBb0WKr0f+YccwcLdbtZnl2Aywn8ny72LP1wJD!
gj3X68bfTOtD0UVMFdHsELj//XYi5Gdzszu/+g1GFcwKuexHpjYI0S/MZ1N9LhXmrb69/reQ8ovd!
ZIy1OmQ8e1HZdAE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16369 rec.radio.amateur.boatanchors:11764
rec.radio.amateur.equipment:12082 alt.ham-radio.marketplace:3125

On 5/25/07 11:24 AM, in article 46571dad$0$16357$88260bb3@free.teranews.com,
"Doug Adair" <n8wwm@skyhook-waveamp.com> wrote:

>
> "Don Bowey" <dbowey@comcast.net> wrote in message
> news:C27C7728.68527%dbowey@comcast.net...
>> On 5/25/07 11:15 AM, in article
>> 46571b88$0$16402$88260bb3@free.teranews.com,
>> "Doug Adair" <n8wwm@skyhook-waveamp.com> wrote:
>>
>>>
>>> "roughplanet" <roughplanet@optushome.com.au> wrote in message
>>> news:464e43e3$0$21505$afc38c87@news.optusnet.com.au...
>>>> "Radiosrfun" <Radiosrfun@Radiosrfun.com> wrote in message
>>>> news:464d0b83$0$1245$ecde5a14@news.coretel.net...
>>>>
>>>> "travis" <travgent@aol.com> wrote in message
>>>> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...
>>>>
>>>> On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
```

```
>>>> <n8wwm@skyhook-waveamp.com> wrote:
>>>>>>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!! MAKE YOUR RIG
>>>>>>> LOUD ON THOSE LONG HAULS!
>>>>
>>>>>> Hopefully the FCC will shut you down before anyone buys this crap.
>>>>
>>>>> They may! I have heard of them going to Hamfests and doing just that.
>>>>
>>>> Here's hoping. This guy's web site's a real money spinner due to
>>>> ill-informed CBers. The sooner they close him down, the better. Talk
>>>> about
>>>> a model for spectrum anarchy....
>>>>
>>> Shut the hell up you cock sucker.
>>>
>>>
>>
>> That's really an ignorant post.  If you are one of the guys selling CB
>> amps.
>> I hope they get you sooner than later.
>>
>> I see from a recent eBay email, that they are working to make it easier to
>> catch people running scams or otherwise breaking laws such as those
>> intended
>> to stop CB Amp sales.
>>
>> 10-4 good buddy.
>>
> Go suck your boyfriends cock donnie the sissy.
>
>

You are an ignorant fool.



From 4398256906635661758
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 25 May 2007 18:06:08 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Fri, 25 May 2007 16:06:05 -0700
Subject: Re: Don Bowey
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
```

```
radio.marketplace
Message-ID: <C27CB9ED.68541%dbowey@comcast.net>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<464e43e3$0$21505$afc38c87@news.optusnet.com.au>
<46571b88$0$16402$88260bb3@free.teranews.com> <C27C7728.68527%dbowey@comcast.net>
<46571eab$0$15142$88260bb3@free.teranews.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 17
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-
xopbqNWceJdmoXJzjmk8RMhy7BYmB8LGyCHq57fCl8FLmfMrT2B8ab24DH3BT0OlwQO3M2WVndRjpVl!
9cQumYouiMIK9NkVUtqwbjjyZFaO9iggcmw3ZkMd6zL+JoBNnAF/5Lv2OaGovTNDx3ZH1eurGuvE!
n4WfVT1K+7I8KtU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16371 rec.radio.amateur.boatanchors:11765
rec.radio.amateur.equipment:12083 alt.ham-radio.marketplace:3126

On 5/25/07 11:29 AM, in article 46571eab$0$15142$88260bb3@free.teranews.com,
"Doug Adair" <n8wwm@skyhook-waveamp.com> wrote:

> Is too stupid to get a ham license!
>
>
> "Don Bowey" <dbowey@comcast.net> wrote in message news:C27C7728.68527%
>> 10-4 good buddy.
>>
>
>

I'm sorry, I didn't mean to upset your mindlessness.


I meant to say.....  10-4 ignorant pig droppings.




From -4853337932797018456
X-Google-Thread: 108122,d4a9e317e7fd50ff,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o11g2000prd.googlegroups.com!not-for-
mail
From: Karl <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
```

Subject: AGC curve for FM Rx
Date: 25 May 2007 21:48:53 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1180154932.719146.105410@o11g2000prd.googlegroups.com>
NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180154942 17867 127.0.0.1 (26 May 2007 04:49:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 26 May 2007 04:49:02 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o11g2000prd.googlegroups.com; posting-host=199.164.167.176;
   posting-account=zq9AfwwAAAC5oYG1V4z9Ya9QVyRhnStO
Xref: g2news1.google.com rec.radio.amateur.equipment:12084

I've been working on making a decent chart out of MS-Excel and still
trying to figure out the best "AVERAGE" syntax to use for the Y axis.
I've been browsing around the web, stopped by Tu-Cows.com to see if
they had any templates for excel. Any ideas for making a chart to
plot AGC curves? I have several (background) links on my voting
system and wanted to make some bench marks. At work we do it manually
in pencil, for our microwave RSLs.

Any input from you would be appreciated. It's for Amateur Radio.

Regards,

From 7719061116493577124
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe24.lga.POSTED!53ab2750!not-for-mail
From: KE4ODD <tlfort@gmail.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
Message-ID: <jbag539bn5j9uanbmcp7cd0ud0fkhauqvb@4ax.com>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<46507b56$0$28429$88260bb3@free.teranews.com>

```
<1180020591.875467.45510@u30g2000hsc.googlegroups.com>
<46571c3b$0$6888$88260bb3@free.teranews.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 39
Date: Sat, 26 May 2007 08:35:26 -0400
NNTP-Posting-Host: 24.252.195.51
X-Complaints-To: admin@cox.net
X-Trace: newsfe24.lga 1180182949 24.252.195.51 (Sat, 26 May 2007 05:35:49 MST)
NNTP-Posting-Date: Sat, 26 May 2007 05:35:49 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.swap:16374 rec.radio.amateur.boatanchors:11767
rec.radio.amateur.equipment:12085 alt.ham-radio.marketplace:3128
```

On Fri, 25 May 2007 14:18:38 -0400, "Doug Adair"
<n8wwm@skyhook-waveamp.com> wrote:

```
>
>"Ham With Extra Class" <n9vuu@yahoo.com> wrote in message
>news:1180020591.875467.45510@u30g2000hsc.googlegroups.com...
>> On May 20, 12:38 pm, "Doug Adair" <n...@skyhook-waveamp.com> wrote:
>>> "travis" <travg...@aol.com> wrote in message
>>>
>>> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...> On Thu, 17 May 2007
>>> 20:15:19 -0400, "Doug Adair"
>>> > <n...@skyhook-waveamp.com> wrote:
>>>
>>> >>6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>>> >>MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>>>
>>> > Hopefully the FCC will shut you down before anyone buys this crap.
>>>
>>> I sold a bunch of them so why don't you just shut the fuck up!
>>>
>>> --
>>> Posted via a free Usenet account fromhttp://www.teranews.com
>>
>> I've a question.  If these tubes would make your rig "sound loud" but
>> not actually amplify the power which they won't, why are there so many
>> people responding like they don't know what they're talking about?
>> Oh sorry, the new Ham generation, codeless geeks.
>>
>>
>They don't know their ass from a whole in the ground.
```

Or.....they don't know their hole from a whole!

For the folks that get confused when I post from different computers:

KE4ODD, Tracy Fort, Beerbarrel and whatever the hell else you want to call me are all the same person!....ME!

From 6260525134217917341
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 26 May 2007 09:00:00 -0500
From: Lance Adair <Lance.Adair.9df2cc@radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Sat, 26 May 2007 12:33:33 +0100
Message-ID: <Lance.Adair.9df2cc@radiobanter.com>
Organization: RadioBanter.com
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<464e43e3$0$21505$afc38c87@news.optusnet.com.au>
Lines: 13
NNTP-Posting-Host: 87.106.71.43
X-Trace: sv3-CNNMTYopisycA1KvmNZj5131tOCr/0Jz32FfEVU+6pD2+LhQAX/Bv0wmmYSNd32MmFuGTNYBF2emVvT!bGPaPxxQOBmHvVUBsP9tiIO/hwqcwlPvcCjgWGjvrX0lpPU0knNawDvIaBLhJ7aBp/WA9zk08nLn!6zSUhoXC
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12086

Please ignore my brother.....he has serious mental issues.

Best regards
W8OD

--
Lance Adair

```
From 1572619583843014477
X-Google-Thread: 108122,d4a9e317e7fd50ff
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 26 May 2007 13:01:53 -0500
Date: Sat, 26 May 2007 14:01:53 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AGC curve for FM Rx
References: <1180154932.719146.105410@o11g2000prd.googlegroups.com>
In-Reply-To: <1180154932.719146.105410@o11g2000prd.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <LLSdnVdM3NKM68XbnZ2dnUVZ_ruknZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-tKuGGD/Jt1hoiCP0pI9lL6PAseYnjyAB2ni/
tFm0h0wTePc4S1dulJLnopRmR+SdkSYQJknHauYCu56!M/
kRTRuxobNZoSwqi5dSZmzxEZSHfaElwhyvxgwZLiGCk+1vX3sWV1ZwJMhUybdvzjtuxho8lo1x!
fVZKxaBrsfuwh9qmTdH3aYCarkg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12087
```

I didn't know FM rigs had an AGC curve. FM does not need any AGC.

Once the input signal is strong enough to fully drive the Limiter, typically 10 uV, the magnitude of the input signal is a don't care.

Karl wrote:

> I've been working on making a decent chart out of MS-Excel and still
> trying to figure out the best "AVERAGE" syntax to use for the Y axis.
> I've been browsing around the web, stopped by Tu-Cows.com to see if
> they had any templates for excel. Any ideas for making a chart to
> plot AGC curves? I have several (background) links on my voting
> system and wanted to make some bench marks. At work we do it manually

> in pencil, for our microwave RSLs.
>
> Any input from you would be appreciated. It's for Amateur Radio.
>
> Regards,
>

From 3848319223419171586
X-Google-Thread: 108122,35673fa8b8b67293,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u30g2000hsc.googlegroups.com!not-for-mail
From: Bootcat <robert.smagala@arpenteurs.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola GP68 lockup problem
Followup-To: rec.radio.amateur.equipment
Date: 26 May 2007 12:44:41 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1180208681.738325.311520@u30g2000hsc.googlegroups.com>
NNTP-Posting-Host: 62.129.174.187
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180208690 30162 127.0.0.1 (26 May 2007 19:44:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 26 May 2007 19:44:50 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3) Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u30g2000hsc.googlegroups.com; posting-host=62.129.174.187;
   posting-account=xd57iw0AAACtEwGW7w7_BtfBT3iL7IUM
Xref: g2news1.google.com rec.radio.amateur.equipment:12088

Hello dear members,

I recently bought a Moto GP68 radio (with the dealer lock jumper removed) and was using the well known AP73 manual to discover its functions. I must have made a mistake at some point because my radio is now locked:

- no more access to squelch mode change;
- no more access to frequency mode;
- SPM doesn't give me access to the Erase Channel option;
- the procedure for accessing or exiting Dealer mode does nothing;
- the reset procedure (the one with 1-3-5-7-9 dials) doesn't work;

I am out of ideas on this one. My guess is that I'm somehow locked out of the normal operation mode.

Has anybody here encountered this problem? I would be very happy to
hear about a solution to this.

Regards,

Bootcat

```
From 5896842315726077941
X-Google-Thread: fc2a5,a362892215ef985a,start
X-Google-Thread: fc8b1,a362892215ef985a,start
X-Google-Thread: 108122,a362892215ef985a,start
X-Google-Thread: 111d0a,a362892215ef985a,start
X-Google-Thread: 113975,a362892215ef985a,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g4g2000hsf.googlegroups.com!not-for-
mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,sci.electronics.basics,sci.astro.amateur
Subject: SolderSmoke #60:  Eric of Elecraft on the K3. AGC. Noise and power meters
Date: 27 May 2007 02:36:00 -0700
Organization: http://groups.google.com
Lines: 49
Message-ID: <1180258559.969517.64720@g4g2000hsf.googlegroups.com>
NNTP-Posting-Host: 86.142.204.149
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180258563 31554 127.0.0.1 (27 May 2007 09:36:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 May 2007 09:36:03 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g4g2000hsf.googlegroups.com; posting-host=86.142.204.149;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news1.google.com rec.radio.amateur.homebrew:13328
rec.radio.amateur.boatanchors:11773 rec.radio.amateur.equipment:12089
sci.electronics.basics:54086 sci.astro.amateur:80710
```

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke #60

May 27, 2007 Tesla,Google,the Elser-Mathes cup and SolderSmoke.
AGC (Automatic Gong Control).
Free Tech Books.
WIKI-ZOI.
Noise and the W7ZOI power meter.
LA3PNA designing DC receiver with AD831 chip.
Kanga Special on EMRFD.
New Video: Huge Tesla Coils.
MORE DAYTON FDIM INTERVIEWS: Jeff, K8GD, winner of homebrew contest.
Eric Swartz, WA6HHQ, of Elecraft TALKS ABOUT THE K3.
John, WB8RCR, on micros, Dayton, and seeing old friend

Tired of listening to Busted or NPR on your
I-Pod? Wouldn't you like to be able to carry with
you the kinds of ham radio conversations that you
listen to while in your radio shack? Tune in to SolderSmoke!

RSS FEED: You can subscribe to the program, have
them downloaded to your MP-3 player, and listen to
them at your convenience. To subscribe, just cut and
paste this URL into your I-poder (or similar)
software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the
site below and listen to the latest program (and
earlier editions) using the audio software on your
computer.

http://www.soldersmoke.com

All the programs are available here.

I hope you enjoy the program. Please send us
feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

From -5432040315516159897
X-Google-Thread: 108122,955b0e2823a1fafd,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews4.bellsouth.net.POSTED!8ed1fb9b!not-for-mail
Reply-To: "laborkei" <laborkeiNOSPAM@hotmail.com>
From: "laborkei" <laborkeiNOSPAM@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: SPE Expert 1K-FA Amplifier

Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <FId6i.14219$px2.491@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbohgnkcmoaioedfiocdphdcbhkhjlgpaempl
ifbgieebhjmhldpjikelepglhaeogilnnfkjjhhkkconjhgdckindnbhnhlglebakpcjmfgigpnmkl
NNTP-Posting-Date: Sun, 27 May 2007 07:12:37 EDT
Organization: BellSouth Internet Group
Date: Sun, 27 May 2007 07:18:20 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:12090

Hello,

I would like to invite you to a new discussion group on this HF Amplifier.
It was a big hit at Dayton 2007, and the reviews on eham sound very positive.
The first shipment of these amps will be arriving in the US in June and it has FCC Approval.
If you have been exploring the purchase of a Solid State Amplifier or if you currently own one, please join this group.

http://groups.yahoo.com/group/SPE_Expert1K_Amp/

--

From 4433300898296296267
X-Google-Thread: 108122,d4a9e317e7fd50ff
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!roadrunner.com!not-for-mail
From: Lynn Richardson <wa0znl@lsmo.sytes.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AGC curve for FM Rx
Date: Sun, 27 May 2007 07:13:12 -0500
Reply-To: wa0znl@lsmo.sytes.net
Message-ID: <dcti535ev4kao26v35uf5ig1idud06s7u8@4ax.com>
References: <1180154932.719146.105410@o11g2000prd.googlegroups.com>
<LLSdnVdM3NKM68XbnZ2dnUVZ_ruknZ2d@comcast.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12091

Some FM rigs use FM Rx chips that have a signal strength output, Lke the
Signetics NE-605. These can have a dynamic range of more than 80 dB with
excellent liniarity and temperature stability. In fact some DIY spectrum
analyzers use these in the 'video' IF for the level detector.

On Sat, 26 May 2007 14:01:53 -0400, Dave <W1MCE@comcast.net> wrote:

>I didn't know FM rigs had an AGC curve. FM does not need any AGC.
>
>Once the input signal is strong enough to fully drive the Limiter, typically 10
>uV, the magnitude of the input signal is a don't care.
>
>Karl wrote:
>
>> I've been working on making a decent chart out of MS-Excel and still
>> trying to figure out the best "AVERAGE" syntax to use for the Y axis.
>> I've been browsing around the web, stopped by Tu-Cows.com to see if
>> they had any templates for excel.  Any ideas for making a chart to
>> plot AGC curves?  I have several (background) links on my voting
>> system and wanted to make some bench marks.  At work we do it manually
>> in pencil, for our microwave RSLs.
>>
>> Any input from you would be appreciated. It's for Amateur Radio.
>>
>> Regards,
>>



From 5052271112245899627
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p47g2000hsd.googlegroups.com!not-for-
mail
From: Ham With Extra Class <n9vuu@yahoo.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: 27 May 2007 05:21:34 -0700
Organization: http://groups.google.com
Lines: 40
```

Message-ID: <1180268494.258318.22860@p47g2000hsd.googlegroups.com>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
   <1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
   <46507b56$0$28429$88260bb3@free.teranews.com>
   <1180020591.875467.45510@u30g2000hsc.googlegroups.com>
   <x9qdncEyZqEkQsjbnZ2dnUVZ_tDinZ2d@rcn.net>
NNTP-Posting-Host: 72.16.175.14
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180268494 9215 127.0.0.1 (27 May 2007 12:21:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 May 2007 12:21:34 +0000 (UTC)
In-Reply-To: <x9qdncEyZqEkQsjbnZ2dnUVZ_tDinZ2d@rcn.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p47g2000hsd.googlegroups.com; posting-host=72.16.175.14;
   posting-account=KQBFZw0AAAAOm4gIsdR2tqC1mBUUiVsK
Xref: g2news1.google.com rec.radio.swap:16389 rec.radio.amateur.boatanchors:11775 rec.radio.amateur.equipment:12092 alt.ham-radio.marketplace:3130

On May 24, 1:55 pm, Chuck Harris <cf-NO-SPAM-har...@erols.com> wrote:
> Ham With Extra Class wrote:
>
>
>
>
>
> > On May 20, 12:38 pm, "Doug Adair" <n...@skyhook-waveamp.com> wrote:
> >> "travis" <travg...@aol.com> wrote in message
>
> >>news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...> On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
> >>> <n...@skyhook-waveamp.com> wrote:
> >>>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
> >>>> MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
> >>> Hopefully the FCC will shut you down before anyone buys this crap.
> >> I sold a bunch of them so why don't you just shut the fuck up!
>
> >> --
> >> Posted via a free Usenet account fromhttp://www.teranews.com
>
> > I've a question. If these tubes would make your rig "sound loud" but
> > not actually amplify the power which they won't, why are there so many
> > people responding like they don't know what they're talking about?
> > Oh sorry, the new Ham generation, codeless geeks.
>
> Because he isn't selling tubes, he is selling sweep tube linear amplifiers
> for use with CB radios.
>
> Even someone with an Extra Class License should understand the
> implications of that.

>
> -Chuck- Hide quoted text -
>
> - Show quoted text -

Ho humm, so tired of that comment.   I think you need some new
material. Why would I as an Extra Class Licensee have to know that?
It wasn't on my FCC exam. Oh shxt, there I go again, now I sound like
a new codeless clone.

```
From -889058268746336245
X-Google-Thread: 108122,5d25b818b9ce9bb9,start
X-Google-Thread: 1109af,5d25b818b9ce9bb9,start
X-Google-Attributes: gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.phx!
newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: DB PRODUCTS 9-CAVITY VHF 140-150 MHZ DUPLEXER-COMM-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C7A056.223DDE20"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <tyk6i.52369$AR3.31343@newsfe07.phx>
Date: Sun, 27 May 2007 11:57:00 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1180292377 68.96.97.57 (Sun, 27 May 2007 11:59:37 MST)
NNTP-Posting-Date: Sun, 27 May 2007 11:59:37 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12093 rec.radio.swap:16395
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0008_01C7A056.223DDE20
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: DB PRODUCTS 9-CAVITY VHF 140-150 MHZ DUPLEXER-COMM-HAM

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250120910164&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

```
------=_NextPart_000_0008_01C7A056.223DDE20
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16441" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: DB PRODUCTS 9-CAVITY VHF 140-150 MHZ DUPLEXER-COMM-HAM</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250120910164&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250120910164&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C7A056.223DDE20--
```

```
From -4761909373176378407
X-Google-Thread: 108122,e9ce11c58a1ce8,start
X-Google-Thread: 1109af,e9ce11c58a1ce8,start
X-Google-Attributes: gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Kenwood TK-810 UHF Mobile Radio
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001F_01C7A056.C01E95D0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <zBk6i.52370$AR3.12736@newsfe07.phx>
Date: Sun, 27 May 2007 12:01:25 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1180292575 68.96.97.57 (Sun, 27 May 2007 12:02:55 MST)
NNTP-Posting-Date: Sun, 27 May 2007 12:02:55 MST
Organization: Cox
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:12094 rec.radio.swap:16396

This is a multi-part message in MIME format.

------=_NextPart_000_001F_01C7A056.C01E95D0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Kenwood TK-810 UHF Mobile Radio=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250120931834&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001F_01C7A056.C01E95D0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16441" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Kenwood TK-810 UHF Mobile Radio </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250120931834&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250120931834&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_001F_01C7A056.C01E95D0--




From 4437614713979008236
X-Google-Thread: 108122,10a5deb44a7672fe,start
X-Google-Thread: 1109af,10a5deb44a7672fe,start
X-Google-Attributes: gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Motorola UHF Portable Radio HT1250 ls Plus Version 403-470 Mhz-Ham
Lines: 37
```

```
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0028_01C7A057.02FF8E90"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <jDk6i.52371$AR3.34760@newsfe07.phx>
Date: Sun, 27 May 2007 12:03:17 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1180292687 68.96.97.57 (Sun, 27 May 2007 12:04:47 MST)
NNTP-Posting-Date: Sun, 27 May 2007 12:04:47 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12095 rec.radio.swap:16397

This is a multi-part message in MIME format.

------=_NextPart_000_0028_01C7A057.02FF8E90
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola UHF Portable Radio HT1250 ls Plus Version 403-470 Mhz-Ham

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250120012035&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0028_01C7A057.02FF8E90
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16441" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola UHF Portable Radio HT1250 ls Plus Version 403-470 =
Mhz-Ham</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250120012035&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250120012035&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0028_01C7A057.02FF8E90--
```

```
From -3014632350686093696
X-Google-Thread: 108122,f25896dc0400ed07,start
X-Google-Thread: 1109af,f25896dc0400ed07,start
X-Google-Attributes: gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe10.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Motorola Radius CM200 VHF 146-174 MHz 45-watt Great For Echolink /
IRLP Ham
Lines: 43
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C7A062.D1E28130"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <zSl6i.392296$115.121332@newsfe10.phx>
Date: Sun, 27 May 2007 13:27:49 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe10.phx 1180297759 68.96.97.57 (Sun, 27 May 2007 13:29:19 MST)
NNTP-Posting-Date: Sun, 27 May 2007 13:29:19 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12096 rec.radio.swap:16400

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C7A062.D1E28130
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola Radius CM200 VHF 146-174 MHz 45-watt Great For Echolink / =
IRLP Ham=20

Late model radio...good sounding audio and very sensitive RX section...

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250120970367&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000A_01C7A062.D1E28130
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
```

```
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16441" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola Radius CM200 VHF 146-174 MHz 45-watt Great For Echolink =
/ IRLP=20
Ham </P>
<P>Late model radio...good sounding audio and very sensitive RX =
section...</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250120970367&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250120970367&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000A_01C7A062.D1E28130--



From -7778846230521017480
X-Google-Thread: 108122,10a5deb44a7672fe
X-Google-Thread: 1109af,10a5deb44a7672fe
X-Google-Attributes: gid108122,gid1109af,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.net.POSTED!758ec0cd!not-for-mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
References: <jDk6i.52371$AR3.34760@newsfe07.phx>
Subject: Re: Motorola UHF Portable Radio HT1250 ls Plus Version 403-470 Mhz-Ham
Lines: 66
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0039_01C7A0A8.91CE8850"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <D9t6i.24196$JZ3.17800@newssvr13.news.prodigy.net>
NNTP-Posting-Host: 69.235.56.35
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.net 1180327651 ST000 69.235.56.35 (Mon, 28 May
2007 00:47:31 EDT)
NNTP-Posting-Date: Mon, 28 May 2007 00:47:31 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
```

```
[[PAPDCA[S@]CWPSKZJ@NFXBWR\HPCTL@XT^OBPLAH[\RWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Mon, 28 May 2007 04:47:31 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12097 rec.radio.swap:16405

This is a multi-part message in MIME format.

------=_NextPart_000_0039_01C7A0A8.91CE8850
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

DAMN nice radio!

I have one without the voice storage.=20
Great performance, small package and a TON of inexpensive accessories on =
Ebay.


  "!!Lou" <Radwaves@cox.net> wrote in message =
news:jDk6i.52371$AR3.34760@newsfe07.phx...
  FA: Motorola UHF Portable Radio HT1250 ls Plus Version 403-470 Mhz-Ham

  =
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250120012035&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0039_01C7A0A8.91CE8850
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16441" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>DAMN nice radio!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I have one without the voice storage. =
</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Great performance, small package and a =
TON of=20
inexpensive accessories on Ebay.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
```

```
  <DIV>"!!Lou" &lt;<A =
href=3D"mailto:Radwaves@cox.net">Radwaves@cox.net</A>&gt;=20
  wrote in message <A=20
  =
href=3D"news:jDk6i.52371$AR3.34760@newsfe07.phx">news:jDk6i.52371$AR3.347=
60@newsfe07.phx</A>...</DIV>
  <DIV><FONT size=3D2>
  <P>FA: Motorola UHF Portable Radio HT1250 ls Plus Version 403-470 =
Mhz-Ham</P>
  <P><FONT size=3D3><A=20
  =
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250120012035&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250120012035&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BLOCKQ=
UOTE></BODY></HTML>

------=_NextPart_000_0039_01C7A0A8.91CE8850--




From 7617988250675316281
X-Google-Thread: 108122,d4a9e317e7fd50ff
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j4g2000prf.googlegroups.com!not-for-
mail
From: Karl <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AGC curve for FM Rx
Date: 27 May 2007 22:10:47 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1180329047.646508.174010@j4g2000prf.googlegroups.com>
References: <1180154932.719146.105410@o11g2000prd.googlegroups.com>
   <LLSdnVdM3NKM68XbnZ2dnUVZ_ruknZ2d@comcast.com>
   <dcti535ev4kao26v35uf5ig1idud06s7u8@4ax.com>
NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180329072 26002 127.0.0.1 (28 May 2007 05:11:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 May 2007 05:11:12 +0000 (UTC)
In-Reply-To: <dcti535ev4kao26v35uf5ig1idud06s7u8@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000prf.googlegroups.com; posting-host=199.164.167.176;
   posting-account=zq9AfwwAAAC5oYG1V4z9Ya9QVyRhnStO
Xref: g2news1.google.com rec.radio.amateur.equipment:12098
```

Dave,

I guess I didn't explain myslef. Acually all FM receivers can and may
use the the IF to generat a DC
voltage depending on the strength of the signal coming down the IF.
This voltage can be used to drive
an "S" meter or other measuring device. If you calibrate this voltage
by plotting on a graph for the Y axis
with a sig gen in the into for the X axis you can plot an AGC curve.
Real handy for determing RSLs.
We do it in microwave work all the time.

Regards,
Karl

From -7703225531405866570
X-Google-Thread: 108122,8b4cd669a083fe7c,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j4g2000prf.googlegroups.com!not-for-mail
From: Karl <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TPN-1136A moto power supply schematic
Date: 27 May 2007 22:14:01 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1180329241.038986.177950@j4g2000prf.googlegroups.com>
NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180329265 27861 127.0.0.1 (28 May 2007 05:14:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 May 2007 05:14:25 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j4g2000prf.googlegroups.com; posting-host=199.164.167.176;
   posting-account=zq9AfwwAAAC5oYG1V4z9Ya9QVyRhnStO
Xref: g2news1.google.com rec.radio.amateur.equipment:12099

I'm trying to get a copy of the schematic for a Motorla TPN-1136A
power supply. I think it comes out of a MSR or MSF series base
station, but can't confirm.
PDF, jpg or U.S. mail is fine. I can do a little $ for the trouble.
Just visit my domain for contact.
thanks,
Karl Shoemaker, AK2O

http://www.ak2o.org

From 7510241084160710414
X-Google-Thread: 108122,e2c83d4fcb2fe98d,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: NOW GLEN MARTIN THRUST BEARING + MO
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <6Lz6i.63233$p47.1150@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 9abe4299e4058eb6e79c05871a5fce37
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1180354626
9abe4299e4058eb6e79c05871a5fce37 (Mon, 28 May 2007 12:17:06 GMT)
NNTP-Posting-Date: Mon, 28 May 2007 12:17:06 GMT
Organization: AT&T Worldnet
Date: Mon, 28 May 2007 12:17:06 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12100

NOS, MINT GLEN MARTIN THRUST BEARING (+ other stuff)- don't let this get away. Listed for less than half price. See at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx, 73 Heytubeguy

From -3085715108039256592
X-Google-Thread: 108122,d4a9e317e7fd50ff
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: Lynn Richardson <wa0znl@lsmo.sytes.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AGC curve for FM Rx
Date: Mon, 28 May 2007 10:27:31 -0500
Reply-To: wa0znl@lsmo.sytes.net
Message-ID: <hlrl53l6gqfrh72l101c3jcc64usng2okl@4ax.com>
References: <1180154932.719146.105410@o11g2000prd.googlegroups.com>
<LLSdnVdM3NKM68XbnZ2dnUVZ_ruknZ2d@comcast.com>

<dcti535ev4kao26v35uf5ig1idud06s7u8@4ax.com>
<1180329047.646508.174010@j4g2000prf.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 48
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12101

Ok, we have a terminology problem then. AGC (Automatic Gain Control) is found in AM receivers to control the gain of the RF amp stage and one or two IF amplifier stages.

FM receivers almost never use any gain control (some designs that have to work under very high signal strength conditions may use a simple AGC to keep the impedance constant at the IF filter), depending instead on the IF limiter(s) to produce a constant output. They may have an RSS (Relative Signal Strength) output to drive S-meters. It is usually derived from current changes in the limiter/last IF stages as the signal input rises. Any signal that falls within the IF filter passband can make this rise, be it spark/arcing noise from car ignition, broadband noise from computers, or spill over from nearby tranmitters.

In FM voting systems, this RSS may not be the best signal to use since any of these sorts of interference may cause this level to jump up without opening the squelch. The squelch circuit senses the audio noise level at the detector ouput (though some old designs may use the lack of audio noise on the last limiter RSS) and is a much better indicator of signal quality. If you can dig out of the receiver schematic where this noise detector is and use it instead you'll have far fewer false votes to a jammed receiver.

Now, to your original question, Excel and graphing. I'm not sure exactly what you're looking for. Simple instructions on how to produce a graph for print-out? Or something a bit more involved like curve fitting to get a smooth curve instead of straight lines through the data points? Excel ought to have examples of the former in the 'help' tab. For curve smoothing, look for 'statistical analysis' in the help also. My search on google.com for 'Excel "polynomial regression" ' yielded several good sources of more information.

73's

On 27 May 2007 22:10:47 -0700, Karl <wa7ycp@yahoo.com> wrote:

>Dave,
>
>I guess I didn't explain myslef. Acually all FM receivers can and may
>use the the IF to generat a DC
>voltage depending on the strength of the signal coming down the IF.
>This voltage can be used to drive
>an "S" meter or other measuring device. If you calibrate this voltage
>by plotting on a graph for the Y axis
>with a sig gen in the into for the X axis you can plot an AGC curve.

```
>Real handy for determing RSLs.
>We do it in microwave work all the time.
>
>Regards,
>Karl




From 3621932062306621282
X-Google-Thread: 108122,aac66abec0b6f904,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!roadrunner.com!not-for-mail
From: "Chris" <steveo1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 2-Meter Beam
Date: Mon, 28 May 2007 13:07:08 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 11
Message-ID: <465b0c44$0$9003$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12102

      I have a Cushcraft A14820T 2-meter beam for sale. This is a
dual-polarity
      antenna that has 10 elements vertical, and 10 elements horizontal. The
      antenna is currently assembled in my cellar, but has never been used.
Info
      can be found at
      http://www.cushcraft.com/comm/support/pdf/UHF-VHF%20YAGIS.pdf
      Email kc2rdc [at] localnet.com if interested.







From -7539458535010479129
X-Google-Thread: 108122,8b4cd669a083fe7c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Date: Mon, 28 May 2007 16:58:23 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
```

```
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TPN-1136A moto power supply schematic
References: <1180329241.038986.177950@j4g2000prf.googlegroups.com>
In-Reply-To: <1180329241.038986.177950@j4g2000prf.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 30
Message-ID: <465b41c0$0$16568$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12103

I don't think that PS comes from an MSR or MSF unless Motorola recycled
the part number. I think it is a control station power supply sufficient
for intermittent duty medium power stations. You will probably find a
pair of 3055 type power transistors as the final regulator of this
linear supply.

Karl wrote:

>I'm trying to get a copy of the schematic for a Motorla TPN-1136A
>power supply. I think it comes out of a MSR or MSF series base
>station, but can't confirm.
>PDF, jpg or U.S. mail is fine. I can do a little $ for the trouble.
>Just visit my domain for contact.
>thanks,
>Karl Shoemaker, AK2O
>
>http://www.ak2o.org
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P



From 3809662507625177945
X-Google-Thread: 108122,82253e8c9b79ec69,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!postnews.google.com!
u30g2000hsc.googlegroups.com!not-for-mail
```

From: wirelessjames@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Cheapest prices for TEN METRE and CB Radios? www.fusionrf.co.uk
Date: 28 May 2007 14:42:03 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1180388523.116260.224020@u30g2000hsc.googlegroups.com>
NNTP-Posting-Host: 62.105.191.222
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180388533 13162 127.0.0.1 (28 May 2007 21:42:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 May 2007 21:42:13 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u30g2000hsc.googlegroups.com; posting-host=62.105.191.222;
   posting-account=tXJPPA0AAAAfiVa_IyaK2zaZaWa5ZTC7
Xref: g2news1.google.com rec.radio.amateur.equipment:12104

The prices are by far lower than any other dealers. I cant beleive the pricing! It looks too good to be true also with free delivery - has anyone used them? Are they any good?

The forums look interesting but not much traffic. Apparrently they have just redone the site? Anyone been to the shop?

I have no link to them - I found them as they advertise on another forum and another website www.cobraworxshopz.com and www.ukradiodx.com

Also a regular on the 19 was talking about www.fusionrf.co.uk www.cobraworxshopz.com and also www.ukradiodx.com. Ukradiodx.com is where you can listen to the 19 from London on the internet

Hopefully with these websites that are starting up - it will get the interest back again on CB?

Do you think it will ever get back to what it was? Probably not :(

From -4184219685034396894
X-Google-Thread: 108122,8b4cd669a083fe7c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TPN-1136A moto power supply schematic
From: Ed <Huckleberry_REMOVE_@bigvalley.net>

References: <1180329241.038986.177950@j4g2000prf.googlegroups.com>
<465b41c0$0$16568$4c368faf@roadrunner.com>
Organization: Your Company
Message-ID: <Xns993EA00CD430Dspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 28 May 2007 22:43:50 GMT
Lines: 19
NNTP-Posting-Host: 5bf37d4b.news.adtechcomputers.com
X-Trace: DXC=`?e7:8U_ZOZ:1[;=564oO_gC4_A5:nI@Q<<=aEgO;R8WVd7F8D\k`YP]h5Wo2XmcmVR?
X7U2a5ffWemfRC[RMj?_0[]M_>MNBVWY@XOhHIRfn]B1mc2@CFjfZ
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12105

>>I'm trying to get a copy of the schematic for a Motorla TPN-1136A
>>power supply. I think it comes out of a MSR or MSF series base
>>station, but can't confirm.
>>PDF, jpg or U.S. mail is fine. I can do a little $ for the trouble.

Yes, the TPN 1136A is a 36A 13V DC power supply for the Motorola station, MSF5000. There currently is one for sale on Ebay. Can't help you with the schematic at present. Maybe confirmation of the station it is for may help you in your search. A station manual for the MSF5000 may have it. Heck, now that I think about it, I may have a station manual for that model in storage. Unfortunately I do not have time to get to it for a month or so. Good luck. If I see you post again in July, I may be able to help.

Ed K7AAT

From -5275575359951462897
X-Google-Thread: 108122,d4a9e317e7fd50ff
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 28 May 2007 17:52:26 -0500
Date: Mon, 28 May 2007 18:52:29 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AGC curve for FM Rx
References: <1180154932.719146.105410@o11g2000prd.googlegroups.com>
<LLSdnVdM3NKM68XbnZ2dnUVZ_ruknZ2d@comcast.com>
<dcti535ev4kao26v35uf5ig1idud06s7u8@4ax.com>

<1180329047.646508.174010@j4g2000prf.googlegroups.com>
In-Reply-To: <1180329047.646508.174010@j4g2000prf.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <18ydnQcnsIy3wMbbnZ2dnUVZ_oytnZ2d@comcast.com>
Lines: 51
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-vzSRv9eSxID3XtujaSHySEzuNs7zpPgpY38tTc8kivbYvGYY8FvsewSFqu/
YgJAidL0RSoPtKMb13iS!vdX3cB4IEeFpvNSoAcRRkN5GFEPd2iYORjGJOq71mxw4yNwlT5peyLxB/
YyYDwpzTLTQ1KfU239o!JGjdgTDahJ7jPdQkKyvQNYCw9hE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12106

Karl, I think you misunderstand me.

My understanding of AGC [my college days were almost 50 years ago] is briefly described as follows.

An AGC [Automatic Gain Control] curve is a plot of the negative feedback to control [reduce] the gain of the rf amplifier and/or first i.f. stage necessary to maintain a constant audio level. Typical AGC dynamic ranges may easily exceed 90 dB of attenuation or more. In a modern receiver the MDS is typically -134 dBm. An average audio output may be +16 dBm [earphone]. With an input variation from -134 dBm [S0] to S9+40 [typically -34 dBm] the AGC dynamic range has to be 100 dB for 'constant audio output'.

In FM radios the constant audio level is typically determined by the saturation level of the discriminator/limiter. Any further increase in the input signal cannot produce more audio/output because the discriminator/limiter have saturated [assuming a TX/RX matched deviation system]. In amateur radio equipment a relatively low level rf signal will fully saturate the limiter circuit [10 to 15 uV]. This will indicate S9++ on a typical amateur receiver. [Note: 10 to 15 uV will produce an average S meter reading of S7 +/- in amateur SSB/AM/CW modes.]

I understand from your description that the measure of i.f. voltage amplitude is simply a measure of the open circuit gain and associated normal non linearities of the rf/i.f string before limiter saturation. Is this correct? Is there a negative feedback system to reduce the gain of the rf stages in your description?

Are you using the term in a manner that I am not familiar with? I am trying to understand exactly what you are saying.

/s/ DD, W1MCE

Karl wrote:

> Dave,
>
> I guess I didn't explain myslef. Acually all FM receivers can and may
> use the the IF to generat a DC
> voltage depending on the strength of the signal coming down the IF.
> This voltage can be used to drive
> an "S" meter or other measuring device. If you calibrate this voltage
> by plotting on a graph for the Y axis
> with a sig gen in the into for the X axis you can plot an AGC curve.
> Real handy for determing RSLs.
> We do it in microwave work all the time.
>
> Regards,
> Karl
>

From 4994019901240235682
X-Google-Thread: 108122,d4a9e317e7fd50ff
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 28 May 2007 17:56:03 -0500
Date: Mon, 28 May 2007 18:56:06 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AGC curve for FM Rx
References: <1180154932.719146.105410@o11g2000prd.googlegroups.com>
<LLSdnVdM3NKM68XbnZ2dnUVZ_ruknZ2d@comcast.com>
<dcti535ev4kao26v35uf5ig1idud06s7u8@4ax.com>
<1180329047.646508.174010@j4g2000prf.googlegroups.com>
<hlrl53l6gqfrh72l101c3jcc64usng2okl@4ax.com>
In-Reply-To: <hlrl53l6gqfrh72l101c3jcc64usng2okl@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <5fydnZHUipiew8bbnZ2dnUVZ_iydnZ2d@comcast.com>
Lines: 26
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-ZDZ/jqybIU2UXc0FLFnD2AI1Qs3ledeIfoPRUvkKDP5bVg/
YTTJA80p8KrPk0r8b8vWeBkJDZvnCmo5!
3Qkls5WtMOqlNgIay4xrDpozOsyAoz3jrQ45X2J88ZYAfVpsFG4ZARfsq17VWiAl5WNxRD63By6G!
GfurYKI0EUU87pX2nw5O+tiujVo=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint

properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12107

Lynn Richardson wrote:

> Ok, we have a terminology problem then. AGC (Automatic Gain Control) is found in
> AM receivers to control the gain of the RF amp stage and one or two IF amplifier
> stages.
>
> FM receivers almost never use any gain control (some designs that have to work
> under very high signal strength conditions may use a simple AGC to keep the
> impedance constant at the IF filter), depending instead on the IF limiter(s) to
> produce a constant output. They may have an RSS (Relative Signal Strength)
> output to drive S-meters. It is usually derived from current changes in the
> limiter/last IF stages as the signal input rises. Any signal that falls within
> the IF filter passband can make this rise, be it spark/arcing noise from car
> ignition, broadband noise from computers, or spill over from nearby tranmitters.

SNIPPED

Lynn, sorry for my direct response to this thread. I posted it before I read
your response.

We are both making the same point. AGC is a negative feedback subsystem in a
receiver to maintain a constant output. I was wondering how the term was/is
being used.

/s/ DD

From 6715032115934127512
X-Google-Thread: 108122,82253e8c9b79ec69
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 28 May 2007 18:00:21 -0500
Date: Mon, 28 May 2007 19:00:24 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Cheapest prices for TEN METRE and CB Radios? www.fusionrf.co.uk
References: <1180388523.116260.224020@u30g2000hsc.googlegroups.com>
In-Reply-To: <1180388523.116260.224020@u30g2000hsc.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_MadnegTjeOYwsbbnZ2dnUVZ_hSdnZ2d@comcast.com>

Lines: 33
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-tKjzt6Pp2tMi0zZKjLNs91Z1HMx2gzQ3bNnqjZnt+5Tly7n/
1A2jfPwT4vkEO8ldHzDmGzTtuCR3pKj!U3MEXVyXbFqgWtwPuiXgJmg0NPRmlr8ydy/
WvLrl2l7KeG4brC0fEREFOy6+ioxUANcngrIMvQyA!kbzskMmKlmRkcKUXWSgM0TcvMBU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12108

Gee I thought this was a discussion board of rec.radio.amateur[government licensed personal communication equipment free from the profit motive]. equipment and NOT CB stuff.

Am I missing something?

Your post sounds like you may have a financial interest in the products. What's this '19' you keep referring to?

/s/ DD

wirelessjames@yahoo.com wrote:

> The prices are by far lower than any other dealers. I cant beleive the
> pricing! It looks too good to be true also with free delivery - has
> anyone used them? Are they any good?
>
> The forums look interesting but not much traffic. Apparrently they
> have just redone the site? Anyone been to the shop?
>
> I have no link to them - I found them as they advertise on another
> forum and another website www.cobraworxshopz.com and www.ukradiodx.com
>
> Also a regular on the 19 was talking about www.fusionrf.co.uk
> www.cobraworxshopz.com and also www.ukradiodx.com. Ukradiodx.com is
> where you can listen to the 19 from London on the internet
>
> Hopefully with these websites that are starting up - it will get the
> interest back again on CB?
>
> Do you think it will ever get back to what it was? Probably not :(
>

From -4420610203760054294
X-Google-Thread: 108122,e6b5438ff164d086,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!

nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 28 May 2007 19:42:38 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Audio Buzz at high power on Yaesu FT-8900R
Date: Mon, 28 May 2007 20:43:33 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <IoqdnQ4VbNdj68bbnZ2dnUVZ_t6qnZ2d@insightbb.com>
Lines: 9
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-
V6fMytqGke+7R1NvKMhQy7LhjHrHy+4NgxYRT7koq1HpjUOG7gSd9OH9x7fkNZh3AmBdUFraboYSyJk!
aK2E84N7egrj+/kFD8jIvMZd80SScseAgrZ0eig8hq9OlTISYEjrYz2nY0wYc5RiwAon/G5yFLtr!
H+Qcjf4ysdWC2Pbekg==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12109

I'm getting a buzz in my audio using high power on my new Yaesu FT-8900R. It
only happens on high power after a warm up period. It happens even on a
dummy load, so it's not SWR related. Any known problems with this rig? Does
Yaesu have a 'problem' web page?

--
Bob D.

From 1696770722555785283
X-Google-Thread: 106d41,701be80f90dfcdd6
X-Google-Thread: 108122,701be80f90dfcdd6
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@kb9rqz.org
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: Mon, 28 May 2007 20:52:17 -0400
Message-ID: <09um53djl8v1sv747khnlula59lmfb8pnq@4ax.com>
References: <1179833216.286363.61040@x35g2000prf.googlegroups.com>

```
<1179944923.849741.16110@m36g2000hse.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Date: 28 May 2007 23:59:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.cb:36279 rec.radio.amateur.equipment:12110

On 23 May 2007 11:28:43 -0700, les the soon to be slapped spammer is
moparhoLICK! <keyklownzrnutjobs@yahoo.com> wrote:

>On May 22, 8:26 am, Telstar Electronics <briangrif...@sbcglobal.net>
>wrote:
>> This is a great chance to get one of these before production starts in
>> July...http://search.ebay.com/_W0QQsassZtelstar-electronicsQQhtZ-1QQfrppZ50Q...
>
>A piece of garbage made by a sidewalk sissy living with his mommy,
>just like chukkeeesukkee BKA K8CPA

then let it fall on it face

you diatribe only makes me suspect the product does what ever it is
suposed to do

"one useless man is disgrace 2 become a law firm 3 or more become a congress"
adams

woger you are a Congress all in your own head

http://kb9rqz.bravejournal.com/

G

--
Posted via a free Usenet account from http://www.teranews.com



From 6796156590551988850
X-Google-Thread: 108122,e6b5438ff164d086
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 28 May 2007 21:15:27 -0500
From: yea right <spam@spam.spam>
Organization: well
Subject: Re: Audio Buzz at high power on Yaesu FT-8900R
Date: Mon, 28 May 2007 20:15:26 -0600
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
```

Message-Id: <pan.2007.05.29.02.15.26.854489@spam.spam>
Newsgroups: rec.radio.amateur.equipment
References: <IoqdnQ4VbNdj68bbnZ2dnUVZ_t6qnZ2d@insightbb.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 10
NNTP-Posting-Host: 24.8.221.21
X-Trace: sv3-
gihheieu69sM0nv0yAGMdrwOMh9zjFUTnOSUp2CaOaMQD85EOWjXiXwj+by9i1eJS0prkUpHxeutxoL!
1h2ReEPVrNc4lS1Z+q1WLIGuvehuAH2JIQrK/8YWxyNIwLaheh0TpOqHSQLf5iDXy0WUb8tGgJKG!
ucCIV1oEA7waznPYFpyrPg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12111

On Mon, 28 May 2007 20:43:33 -0400, Bob D. wrote:

> I'm getting a buzz in my audio using high power on my new Yaesu FT-8900R.
> It only happens on high power after a warm up period. It happens even on a
> dummy load, so it's not SWR related. Any known problems with this rig?
> Does Yaesu have a 'problem' web page?

Sounds like the power supply is a bit weak when using high power. Is this a car or home?

From 8741012195324385215
X-Google-Thread: 108122,e6b5438ff164d086
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
Date: Tue, 29 May 2007 16:16:46 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Audio Buzz at high power on Yaesu FT-8900R
References: <IoqdnQ4VbNdj68bbnZ2dnUVZ_t6qnZ2d@insightbb.com>
In-Reply-To: <IoqdnQ4VbNdj68bbnZ2dnUVZ_t6qnZ2d@insightbb.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 25

Message-ID: <465c897d$0$16698$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12112

Like the other poster said, it could be your power supply or weak
connection. Also make sure your coaxial cable is not inducing something
into the power supply leads. Check those first. If not it could be an
instability in the power control loop. Maybe a weak filter capacitor.
See if the high power is set properly and the current drain is correct.

Bob D. wrote:

>I'm getting a buzz in my audio using high power on my new Yaesu FT-8900R. It
>only happens on high power after a warm up period. It happens even on a
>dummy load, so it's not SWR related. Any known problems with this rig? Does
>Yaesu have a 'problem' web page?
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From -5109565989507294475
X-Google-Thread: 108122,55c4b1023c226e31,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!
newsfeed0.kamp.net!newsfeed.kamp.net!fu-berlin.de!uni-berlin.de!individual.net!
not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-7800 extended TX HF
Date: Wed, 30 May 2007 00:05:39 +0200
Lines: 18
Message-ID: <5c3mdhF2sgaibU1@mid.individual.net>
X-Trace: individual.net OLBRatviTCKSLAcfTuzrkAZJTMdDYhEFw591AWPDt73e3NSdeQ
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:12113

Hello,

I looking for the Extendend TX mod on HF for the Icom IC7800 #03 EU-version.
I found on
http://www.dw.ham.dmz.ro/icom/ic-7800-general-coverage-transmit-mod.php
something but for which version ?
Can someone provide me such info ?

Met vriendelijke groet,
Kind regards,

Hans Pluijgers
PA3HGT

www.pa3hgt.nl

```
From -2376349211528838989
X-Google-Thread: 108122,8b4cd669a083fe7c
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 29 May 2007 18:08:22 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1180329241.038986.177950@j4g2000prf.googlegroups.com>
Subject: Re: TPN-1136A moto power supply schematic
Date: Tue, 29 May 2007 18:07:52 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <ps2dnaOL-or6L8HbnZ2dnUVZ_s-rnZ2d@comcast.com>
Lines: 36
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-12oU9J6QE7f5cRxjU7vSttmXog+ZUfE2Ad3LK7nu3zIDHLAe6btxVdIXbM9GL/
j9QiTbFv9ovbEAHq+!
PgKOvIp6KuVo3na33jby7Eq5FeDTNVkCN9rjzoa93HljcmORBjJj3NgFCq0K6bxKOw+zW0yM1fFd!
Oq8Nab0cUh04whLBAHvWRI4Qcwgi
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12114
```

Karl -

A quick examination of the power supply electronic components may reveal the common "723" regulator chip (originally designed by Fairchild Semiconductor in the 1970s as the ua723).
Most of the chip reference sites have the data sheet and applications notes, and the theory and design information you will find there is as true today as it was when the chip was introduced.
For your education, etc. -- these web pages:
http://www.kbt-dc-supplies.com/

http://www.repeater-builder.com/rbtip/mojoindex.html

Adobe Acrobat article
http://www.repeater-builder.com/astron/seits-astron-article.pdf

Several manufacturers have had Astron build supplies for them - for example a Kenwood KPS-12 is based on the Astron RS-12, the Motorola HPN1007A is an RS-10 derivative, and the Motorola HPN9041 is an RS20 variant.

w9gb

"Karl" <wa7ycp@yahoo.com> wrote in message
news:1180329241.038986.177950@j4g2000prf.googlegroups.com...
> I'm trying to get a copy of the schematic for a Motorla TPN-1136A
> power supply. I think it comes out of a MSR or MSF series base
> station, but can't confirm.
> PDF, jpg or U.S. mail is fine. I can do a little $ for the trouble.
> Just visit my domain for contact.
> thanks,
> Karl Shoemaker, AK2O
>
> http://www.ak2o.org
>

From 633020694577759405
X-Google-Thread: 108122,12d06ae40ee4bfc3,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!newspeer.tds.net!falcon.america.net!eagle.america.net.POSTED!not-for-mail
From: BillJ <w3fi@nwboronet.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Northstar M1 Loran database update
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6

Message-ID: <Zoj7i.213$1G.481@eagle.america.net>
Date: Wed, 30 May 2007 14:30:03 -0300
NNTP-Posting-Host: 24.75.177.176
X-Trace: eagle.america.net 1180549817 24.75.177.176 (Wed, 30 May 2007 14:30:17 EDT)
NNTP-Posting-Date: Wed, 30 May 2007 14:30:17 EDT
Organization: 24hoursupport.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12115

I have a new, factory fresh database update set for the M1 Loran for sale. As you know this is a set of 8 PROM chips, and I paid dearly for them, but will sell for less. Includes step-by-step instructions. Email me off line if interested at:

w3fiATnwboronetDOTcom

From 4432975368766769016
X-Google-Thread: 108122,254652612187ede2,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 31 May 2007 00:52:03 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Narrow Band FM bandwidth and channel spacing
Date: Thu, 31 May 2007 01:52:03 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <oKKdnQqMUeIe_8PbnZ2dnUVZ_vyunZ2d@insightbb.com>
Lines: 12
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-ri4FPRbzhCcbMslEU1vhSs5S9icxN9krdGgMzoORilRjOmQw1NPeCgmi+8//hPodFTLtY+UqFb0+G04!eOKTre7RJ283wbBfz++4/gLHMbQDyyRnUxgilLoCZCdFFaQJrHp6e8YOU5ukMpzO1pafUup40ASZ!4dM8aaTkwYNfRATrSw==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12116

What is the bandwidth of standard narrow band FM as we use it on 2 meters? Is there a rule of thumb based on deviation? (I don't want to get into the heavy math, I just know it's more complex than AM or SSB.)

As an old timer, I remember 2 meter amateur FM started out with 30 KHz channel spacing. Then, it went to 15 KHz. Then some deviants went to 12.5 KHz. New rigs have 5 KHz tuning. Is there an official channel spacing?

--
Bob D. ND9B

From -1053781772235563758
X-Google-Thread: 108122,254652612187ede2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: Lynn Richardson <wa0znl@lsmo.sytes.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Narrow Band FM bandwidth and channel spacing
Date: Thu, 31 May 2007 08:22:49 -0500
Reply-To: wa0znl@lsmo.sytes.net
Message-ID: <nkht53t3u87s67qs6h3rthf60pstebo9kq@4ax.com>
References: <oKKdnQqMUeIe_8PbnZ2dnUVZ_vyunZ2d@insightbb.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 43
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12117

There is a diffrence between FM bandwidth and channel spacing, though they can be related.

The original two meter FM gear used in the 60's were converted surplus land mobile radio service equipment. Due to the FCC imposed reduced channel spacing of 30 kHz in the VHF LMR band, the two meter band inherited the same 30 kHz spacing. The actual IF bandwidth of the receivers was 15 to 20 kHz, since the combination of crytal frequency drift over temperature, the poor IF filter quality available then and the signal bandwidth of a 5 kHz deviation transmitter would stay within that passband.

Later improvements in IF filters (ceramic compound filter blocks) and crystal oscillator temp stability allowed using 14 to 16 kHz bandwidth and that became the norm for 5 kHz deviation in the two meter band too.

At UHF, the situation was similar, converted LMR UHF gear was adequate for 25 kHz channel spacing since that was what they used. Same 5 kHz deviation and typically 20 kHz IF bandwidth since temp stability was less than VHF. Again, improved fitlers and xtal osc design allowed narrowing to the same 14 - 16 kHz IF bandwidth.

Now when you say narrow bandwidth, I wonder if you mean sliver bandwidth FM? That was the latest change to hit LMR. VHF channel spacing went to 15 kHz (or 12.5 Khz at the top end) in the VHF LMR band and deviation dropped to 2.5 kHz, plus 12.5 kHz spacing at UHF and 2.5 Khz deviation too. When I worked for Midland years ago, I came up with a dual mode modification for their LMR gear that used a compromise IF bandwidth of 9 kHz (four pole xtal filter in the first IF) and a set of audio switches to go between 5 kHz and 2.5 kHz deviation, programable by channel.

On Thu, 31 May 2007 01:52:03 -0400, "Bob D." <bobmgtd@insightbb.com> wrote:

>What is the bandwidth of standard narrow band FM as we use it on 2 meters?
>Is there a rule of thumb based on deviation? (I don't want to get into the
>heavy math, I just know it's more complex than AM or SSB.)
>
>As an old timer, I remember 2 meter amateur FM started out with 30 KHz
>channel spacing. Then, it went to 15 KHz. Then some deviants went to 12.5
>KHz. New rigs have 5 KHz tuning. Is there an official channel spacing?

From -4659298947689624366
X-Google-Thread: 108122,254652612187ede2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Narrow Band FM bandwidth and channel spacing
Date: Thu, 31 May 2007 06:29:12 -0700
Message-ID: <rvit53d8hvikrb1iu67g05v7e96cqs5bge@4ax.com>
References: <oKKdnQqMUeIe_8PbnZ2dnUVZ_vyunZ2d@insightbb.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Date: 31 May 2007 12:36:46 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12118

On Thu, 31 May 2007 01:52:03 -0400, "Bob D." <bobmgtd@insightbb.com>
wrote:

>What is the bandwidth of standard narrow band FM as we use it on 2 meters?
>Is there a rule of thumb based on deviation? (I don't want to get into the
>heavy math, I just know it's more complex than AM or SSB.)
>
>As an old timer, I remember 2 meter amateur FM started out with 30 KHz

>channel spacing. Then, it went to 15 KHz. Then some deviants went to 12.5
>KHz. New rigs have 5 KHz tuning. Is there an official channel spacing?

There is no specific requirement in the rules other than we must use
good engineering practice. 97.101 (a). For FM, 6 kHz (3 kHz in each
sideband) is needed. I.E. Don't use more than you need, and if you
do, other hams will quickly let you know about it.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

From 5620169796893163266
X-Google-Thread: 108122,7ce2caf2a1bf6f16,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
w5g2000hsg.googlegroups.com!not-for-mail
From: N4VBH <qns1@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Cushcraft R3 matching network part detail
Date: 31 May 2007 07:20:55 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1180621255.579030.46330@w5g2000hsg.googlegroups.com>
NNTP-Posting-Host: 205.244.96.130
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180621263 16077 127.0.0.1 (31 May 2007 14:21:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 31 May 2007 14:21:03 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w5g2000hsg.googlegroups.com; posting-host=205.244.96.130;
   posting-account=ALT06wwAAACpD5c4SI2IsCl6mpPvg3q2
Xref: g2news1.google.com rec.radio.amateur.equipment:12119

Does anyone know what is exactly inside the "matching network
assembly" part for the R3 vertical antenna? I'm sure it's a couple of
capacitors, but I need to know the values in order to build one for my
R3.

Thanks,
Prentice
N4VBH

```
From 1877783894107102269
X-Google-Thread: 108122,82253e8c9b79ec69
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Date: Thu, 31 May 2007 10:31:26 -0400
From: Me Know <me@here.now>
User-Agent: Thunderbird 1.5.0.10 (X11/20070403)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Cheapest prices for TEN METRE and CB Radios? www.fusionrf.co.uk
References: <1180388523.116260.224020@u30g2000hsc.googlegroups.com>
In-Reply-To: <1180388523.116260.224020@u30g2000hsc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <465edc3c$0$4649$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12120

Prices are high, poor quality products, they don't ship half the time.
Don't do business with this company, they are terrible!

wirelessjames@yahoo.com wrote:
> The prices are by far lower than any other dealers. I cant beleive the
> pricing! It looks too good to be true also with free delivery - has
> anyone used them? Are they any good?
>
> The forums look interesting but not much traffic. Apparrently they
> have just redone the site? Anyone been to the shop?
>
> I have no link to them - I found them as they advertise on another
> forum and another website www.cobraworxshopz.com and www.ukradiodx.com
>
> Also a regular on the 19 was talking about www.fusionrf.co.uk
> www.cobraworxshopz.com and also www.ukradiodx.com. Ukradiodx.com is
> where you can listen to the 19 from London on the internet
>
> Hopefully with these websites that are starting up - it will get the
> interest back again on CB?
>
> Do you think it will ever get back to what it was? Probably not :(
>


From 6702110562863300925
X-Google-Thread: 108122,254652612187ede2
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!aioe.org!fmmck
```

From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Narrow Band FM bandwidth and channel spacing
Date: Thu, 31 May 2007 15:25:48 -0400
Organization: Aioe.org NNTP Server
Lines: 29
Message-ID: <fmmck-BF013B.15254731052007@nntp.aioe.org>
References: <oKKdnQqMUeIe_8PbnZ2dnUVZ_vyunZ2d@insightbb.com>
NNTP-Posting-Host: uQe6sKxWftUU3c/6noW9IQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:12121

In article <oKKdnQqMUeIe_8PbnZ2dnUVZ_vyunZ2d@insightbb.com>,
"Bob D." <bobmgtd@insightbb.com> wrote:

> What is the bandwidth of standard narrow band FM as we use it on 2 meters?
> Is there a rule of thumb based on deviation? (I don't want to get into the
> heavy math, I just know it's more complex than AM or SSB.)

Bob-

Although 5.0 KHz peak deviation has been a defacto Ham standard for around 30 years, equipment manufacturers frequently also have a commercial product line. They will often adjust equipment the same for both lines. Recent Ham equipment is being shipped with peak deviation ranging from about 3.5 KHz to 5.0 KHz. That represents a 3 dB range of adjustment, which is just noticeable to the ear.

A more appropriate question might be what should the average deviation be? Many people like to hold the microphone several inches away from their mouth. They may not like the sound of wind-blast resulting from holding the microphone next to their mouth. Unfortunately the radio may be set up for close talking, and might easily have 10 dB lower audio as a result of holding the microphone away from the mouth.

Ham Radio is not Broadcast Radio. To keep background noises low and voice level high, I would vote for close-talking and an average level of around 3 KHz deviation.

Fred
K4DII

From 2844731493779921936
X-Google-Thread: 108122,82253e8c9b79ec69
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h2g2000hsg.googlegroups.com!not-for-mail
From: wirelessjames@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Cheapest prices for TEN METRE and CB Radios? www.fusionrf.co.uk

Date: 31 May 2007 12:55:42 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1180641342.287231.181350@h2g2000hsg.googlegroups.com>
References: <1180388523.116260.224020@u30g2000hsc.googlegroups.com>
   <465edc3c$0$4649$4c368faf@roadrunner.com>
NNTP-Posting-Host: 62.105.191.222
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180641343 7504 127.0.0.1 (31 May 2007 19:55:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 31 May 2007 19:55:43 +0000 (UTC)
In-Reply-To: <465edc3c$0$4649$4c368faf@roadrunner.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h2g2000hsg.googlegroups.com; posting-host=62.105.191.222;
   posting-account=tXJPPA0AAAAfiVa_IyaK2zaZaWa5ZTC7
Xref: g2news1.google.com rec.radio.amateur.equipment:12122

Really?

Thats not what the Ebay 850+ positive feedback says - and about the pricing being high - where can I buy the stuff cheaper?

Please let me know as I am about to buy. Cheers

On May 31, 3:31 pm, Me Know <m...@here.now> wrote:
> Prices are high, poor quality products, they don't ship half the time.
> Don't do business with this company, they are terrible!

From -4199511638104776355
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!newsfeed0.kamp.net!newsfeed.kamp.net!news.motzarella.org!not-for-mail
From: douGAY@yahoo.com (DouGAY is a homosexual criminal)
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: Don Bowey
Date: Thu, 31 May 2007 22:44:00 GMT
Organization: FEM CLOWN

```
Lines: 28
Message-ID: <465f4ed1.45106546@news.motzarella.org>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<464e43e3$0$21505$afc38c87@news.optusnet.com.au>
<46571b88$0$16402$88260bb3@free.teranews.com> <C27C7728.68527%dbowey@comcast.net>
<46571eab$0$15142$88260bb3@free.teranews.com> <C27CB9ED.68541%dbowey@comcast.net>
X-Trace: tomate.motzarella.org U2FsdGVkX19JsKRcTLqGv1aRD2WZoLJ93gU+JvtETUZ/MlnE/
N5IK74HzLQ8hIaFnBtwKxA5NdypX9HNPwkX87M8+IYhskOZUG5exolW8IwXCDkoJb0/
z+nQTMW7pwy9wHc9QFgfnR7ujtse4BVTBA==
X-Complaints-To: Please send complaints to abuse@motzarella.org with full headers
NNTP-Posting-Date: Thu, 31 May 2007 22:44:19 +0000 (UTC)
X-Newsreader: Forte Free Agent 1.1/32.230
X-Auth-Sender: U2FsdGVkX18uzGUsn1ctFZJtL9QEoW2HQHLEjXuwQpE20OWfsfOcKg==
Xref: g2news1.google.com rec.radio.swap:16461 rec.radio.amateur.boatanchors:11796
rec.radio.amateur.equipment:12123 alt.ham-radio.marketplace:3142

On Fri, 25 May 2007 16:06:05 -0700, Don Bowey <dbowey@comcast.net>
wrote:

>On 5/25/07 11:29 AM, in article 46571eab$0$15142$88260bb3@free.teranews.com,
>"Doug Adair" <n8wwm@skyhook-waveamp.com> wrote:
>
>> Is too stupid to get a ham license!
>>
>>
>> "Don Bowey" <dbowey@comcast.net> wrote in message news:C27C7728.68527%
>>> 10-4 good buddy.
>>>
>>
>>
>
>I'm sorry, I didn't mean to upset your mindlessness.
>
>
>I meant to say.....  10-4 ignorant pig droppings.
>
Take a look at the freak.

http://i14.tinypic.com/4pd80td.jpg

He is worse than pig shit!





From 4552215225825159724
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
```

```
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 31 May 2007 18:21:15 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Thu, 31 May 2007 16:21:12 -0700
Subject: Re: Don Bowey
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Message-ID: <C284A678.69583%dbowey@comcast.net>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<464e43e3$0$21505$afc38c87@news.optusnet.com.au>
<46571b88$0$16402$88260bb3@free.teranews.com> <C27C7728.68527%dbowey@comcast.net>
<46571eab$0$15142$88260bb3@free.teranews.com> <C27CB9ED.68541%dbowey@comcast.net>
<465f4ed1.45106546@news.motzarella.org>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 36
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-
E89cdbTMC5l1YwsPfdd0xYaONiB5NLpAF7SWMTZ4O0IvQVTyLbQPIP6ylW+I2OXl9jjSavi+9Tp2B2h!
2ouYloVQ3jNfgs6fnkXV1tXJn5WBSSu9r0EOs1wgb9+wd+cpu6Df0ba5i3HGKNgGa0ToPFNhLUHI!
VYlKg6Ns+bzNd5I=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16462 rec.radio.amateur.boatanchors:11797
rec.radio.amateur.equipment:12124 alt.ham-radio.marketplace:3143

On 5/31/07 3:44 PM, in article 465f4ed1.45106546@news.motzarella.org,
"DouGAY is a homosexual criminal" <douGAY@yahoo.com> wrote:

> On Fri, 25 May 2007 16:06:05 -0700, Don Bowey <dbowey@comcast.net>
> wrote:
>
>> On 5/25/07 11:29 AM, in article 46571eab$0$15142$88260bb3@free.teranews.com,
>> "Doug Adair" <n8wwm@skyhook-waveamp.com> wrote:
>>
>>> Is too stupid to get a ham license!
>>>
>>>
>>> "Don Bowey" <dbowey@comcast.net> wrote in message news:C27C7728.68527%
>>>> 10-4 good buddy.
```

```
>>>>
>>>
>>>
>>
>> I'm sorry, I didn't mean to upset your mindlessness.
>>
>>
>> I meant to say.....  10-4 ignorant pig droppings.
>>
> Take a look at the freak.
>
> http://i14.tinypic.com/4pd80td.jpg
>
> He is worse than pig shit!
>


Nope.  Not even close.

Start with 6' 3", 190 lbs.......... And try again pig droppings.





From -8477180850555851205
X-Google-Thread: 108122,7ce2caf2a1bf6f16
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 31 May 2007 22:36:50 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1180621255.579030.46330@w5g2000hsg.googlegroups.com>
Subject: Re: Cushcraft R3 matching network part detail
Date: Thu, 31 May 2007 22:36:16 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <F7SdnQE7yePPCcLbnZ2dnUVZ_oGlnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-MqOOWaxq/4OKMoKmVmARiow2YZQGbBVzIhFa3YfZPmbfS3PI/
ki5jQvOuEqCP46y6517CddnOYO4wdK!kmxfofg2j1f+Pi7pI/
lcSN9LrjCDO6A8yPQ2MlpS2SNGQPGr2ACjG6iz7CJlYvMQHmOo0d6R8AqQ!
lWUZGXCoXhSdS3UXvIOMD59j8YFm
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12125

If you are referring to the original Cushcraft R3 with its remote control. There was a motor /capacitor and coil. I did see documentation on the Internet at one point (not from Cushcraft) a few years ago.

w9gb

"N4VBH" <qns1@hotmail.com> wrote in message
news:1180621255.579030.46330@w5g2000hsg.googlegroups.com...
> Does anyone know what is exactly inside the "matching network
> assembly" part for the R3 vertical antenna? I'm sure it's a couple of
> capacitors, but I need to know the values in order to build one for my
> R3.
>
> Thanks,
> Prentice
> N4VBH
>

From 3875924074840072922
X-Google-Thread: 108122,7ce2caf2a1bf6f16
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 31 May 2007 22:49:54 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1180621255.579030.46330@w5g2000hsg.googlegroups.com>
Subject: Re: Cushcraft R3 matching network part detail
Date: Thu, 31 May 2007 22:49:18 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <L9adncLc5KH_CsLbnZ2dnUVZ_gqdnZ2d@comcast.com>
Lines: 26
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-mDLvJvAPDaiGD8PbRFoU6TzePL/
YTgz0teQjKDIMWjF1VOTYF8Atpx6byaCu9r8o4u5pSYMHwPygj3A!W/
mELLBV10lLeuktgWEC8S1wGfMOk5dH4gE3wMbU5O6Ug5alseN5erqD6umEdRXkg3+ay/JWa0Kz!
kchwR86uLstQ9bo5EkiSX1SvRKiL
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12126
```

Follow-up regarding the Cushcraft R3:

Product review on eham.net
http://www.eham.net/reviews/detail/1690

BAMA has the manual
http://bama.edebris.com/manuals/cushcraft/r3

Photo of R3 capacitor, motor (used for a loop design)
http://www.geocities.com/n0hc/loop

"N4VBH" <qns1@hotmail.com> wrote in message
news:1180621255.579030.46330@w5g2000hsg.googlegroups.com...

```
> Does anyone know what is exactly inside the "matching network
> assembly" part for the R3 vertical antenna?  I'm sure it's a couple of
> capacitors, but I need to know the values in order to build one for my
> R3.
>
> Thanks,
> Prentice
> N4VBH
>
```

```
From 4341862003954908930
X-Google-Thread: 108122,11593d5fb7267360,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n15g2000prd.googlegroups.com!not-for-
mail
From:  Andrew VK3BFA <ablight@alphalink.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-ONE problems - ALC fault?
Date: Sat, 02 Jun 2007 07:18:03 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1180793883.415853.283170@n15g2000prd.googlegroups.com>
NNTP-Posting-Host: 218.215.134.196
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180793884 404 127.0.0.1 (2 Jun 2007 14:18:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Jun 2007 14:18:04 +0000 (UTC)
```

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.1.3) Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n15g2000prd.googlegroups.com; posting-host=218.215.134.196;
   posting-account=EWANPAwAAAAIMf8u_DoGHaMCx0gCEW5D
Xref: g2news1.google.com rec.radio.amateur.equipment:12127

Hi All,
alas, I have an FT-ONE Yaesu on the bench to fix (its not mine, thankfully) and I have been stalling for literally YEARS on getting stuck into it. Its a cross between a small telephone exchange and an attempt to do things with micros they were not really up to at the time.......(4 bit micros meant some funny "rubberising on xtals to get it to cover the relevant frequencies with any resolution....) however, be that as it may, I need to fix it.

Searching groups show a common cause of problems is the ALC - ie, winds back PO too much. This one does it, too - but only on 40m. Rest seem reasonable, into a dummy load.

Anyone come up with a fix for this? - cant find any references besides frustrated calls for ideas (me too, I guess) I suspect its a design error, but the circuit with all its micro/pll stuff is mind bogglingly complex - the plug in boards don't help much either as far as in circuit troubleshooting goes.....

Funny - this was Yaesu's "top of the line" radio in its day, a bad idea from birth - wonder how many are still on air.....

Andrew VK3BFA.

From -4094629158077160084
X-Google-Thread: 108122,a5a6d56da16ec6e8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!storethat.news.telefonica.de!telefonica.de!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Circuit Board Cleaning
Date: Thu, 17 May 2007 14:54:11 -0700
Message-ID: <gkjp43phakco8qebndheq4nilvamar11fl@4ax.com>
References: <bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com>
<f2hhtk$if$3@usenet01.srv.cis.pitt.edu>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28

```
NNTP-Posting-Date: 17 May 2007 21:01:36 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12024

On Thu, 17 May 2007 12:30:44 GMT, szekeres@pitt.edu (GregS) wrote:

>In article <bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com>, Dick <w6ccd@k7yca.org>
wrote:
>>What is the latest thinking regarding cleaning populated circuit
>>boards.  Such as the motherboard in a computer.  Many of the things we
>>used in past years are no longer available for environmental and
>>health reasons.  I'm thinking some liquid dish washing detergent in
>>warm water applied with a paint brush, followed by thorough drying
>>before re-assembly.  Any better ideas?
>>
>
>This would probably be best for a really dirty board. Some use dishwashers. It
>even dries them. For sensitive circuits, water can seep into components
>and can take a long time to fully dry. Baking is sometimes necessary
>if you need it right away. For small areas I use pure alcohol, but the alcohol
>attracts water vapor and creates water droplets. I make use of the heated
>blower tip on my Weller station to blow around components and down the board.
>Alcohol is not a good wash for some things like orange juice
>or Coke.
>
>greg

Thanks Greg.  I have also found that alcohol is not the greatest for
cleaning boards, although it works good for cleaning flux residue
after soldering.  The problem I have always had with alcohol over a
large area is that is leaves a film on the board that looks messy.

Dick

--
Posted via a free Usenet account from http://www.teranews.com




From -7824963083862018020
X-Google-Thread: 108122,d90f164dc1b47496
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Denver, Albuquerque or in between for mods on a rig ?
Date: 17 May 2007 23:28:11 GMT
Lines: 13
Message-ID: <slrnf4pp8b.2ivr.bit-bucket@shell.config.com>
References: <464a1f4f$0$27380$ba4acef3@news.orange.fr>
Reply-To: Reply to the .sig address <NOSPAM_bit-bucket@config.com>
```

```
X-Trace: individual.net x1S8TAtpUPLpTJBtF47/hAxR0eYU23dAPbdvu2ztfjc4Bn3z22
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:12025

On Tue, 15 May 2007 22:59:06 +0200, Runge1 wrote:
> Hi
> Will be travelling and needing a mod on a transceiver
> Who and where coud it be done ?
> Thanks for your help, private emails OK

Drop off your NCX-500 here,  I'll do it.

Jonesy
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    *** Killfiling google posts: <http://jonz.net/ng.htm>


From 4168446157914873872
X-Google-Thread: 1109af,10e812b7bc5548ba,start
X-Google-Thread: fc8b1,10e812b7bc5548ba,start
X-Google-Thread: 108122,10e812b7bc5548ba,start
X-Google-Thread: 108228,10e812b7bc5548ba,start
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feeder1.cambrium.nl!
feed.tweaknews.nl!news2.euro.net!nntpserver.com!zeus.nntpserver.com!
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Subject: I'll have a bunch of these for sale at Dayton!
Date: Thu, 17 May 2007 20:15:19 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000741-0, 05/17/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 4
Message-ID: <464ce3c4$0$23003$88260bb3@free.teranews.com>
NNTP-Posting-Date: 17 May 2007 23:22:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.swap:16257 rec.radio.amateur.boatanchors:11667
rec.radio.amateur.equipment:12026 alt.ham-radio.marketplace:3083

6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
```

--
Posted via a free Usenet account from http://www.teranews.com

```
From -5599585626771199861
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@Radiosrfun.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Thu, 17 May 2007 22:12:21 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Lines: 14
Message-ID: <464d0b83$0$1245$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 07d69c83.news.coretel.net
X-Trace: DXC=j:9?Beo[NG2B5P9RiWGG13cYX6N<OEXQ;V0]j_?
I6bH4=O_nIG`M@d;iKT:ZS8jkX<87:f0Z2:6`6
X-Complaints-To: abuse@coretel.net
Xref: g2news1.google.com rec.radio.swap:16259 rec.radio.amateur.boatanchors:11670
rec.radio.amateur.equipment:12028 alt.ham-radio.marketplace:3085
```

"travis" <travgent@aol.com> wrote in message
news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...

```
> On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
> <n8wwm@skyhook-waveamp.com> wrote:
>
>>6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>>MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>
>
> Hopefully the FCC will shut you down before anyone buys this crap.
```

They may! I have heard of them going to Hamfests and doing just that.

```
From -5737199662076423743
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out03a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews8.bellsouth.net.POSTED!d50ae390!not-for-mail
Message-ID: <464E410A.7EFB4F18@riley.net>
From: riley <riley@riley.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcboaknmkmhlhhkfdfflfibcjpknlbhfhhnbgp
bjhkfihopdabfpdjbogdekdfnimmlnghfcdchdbapaaekholiopaakjfhiamlmgcmljhbjepokfihp
NNTP-Posting-Date: Fri, 18 May 2007 20:12:49 EDT
Organization: BellSouth Internet Group
Date: Fri, 18 May 2007 20:12:58 -0400
Xref: g2news1.google.com rec.radio.swap:16262 rec.radio.amateur.boatanchors:11674
rec.radio.amateur.equipment:12029 alt.ham-radio.marketplace:3086
```

yes, 10K fine for each item they find, gonna get expensive.

Then add the lawyer fees to defend yourself.

>
> They may! I have heard of them going to Hamfests and doing just that.

From 7558108695120462006

```
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!newsfeed.pacific.net.au!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
From: "roughplanet" <roughplanet@optushome.com.au>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Sat, 19 May 2007 10:25:40 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 20
Message-ID: <464e43e3$0$21505$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 211.28.163.133
X-Trace: 1179534307  21505 211.28.163.133
Xref: g2news1.google.com rec.radio.swap:16263 rec.radio.amateur.boatanchors:11675
rec.radio.amateur.equipment:12030 alt.ham-radio.marketplace:3087
```

"Radiosrfun" <Radiosrfun@Radiosrfun.com> wrote in message
news:464d0b83$0$1245$ecde5a14@news.coretel.net...

"travis" <travgent@aol.com> wrote in message
news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...

On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
<n8wwm@skyhook-waveamp.com> wrote:

>>>6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!! MAKE YOUR RIG LOUD ON THOSE LONG HAULS!

>> Hopefully the FCC will shut you down before anyone buys this crap.

> They may! I have heard of them going to Hamfests and doing just that.

Here's hoping. This guy's web site's a real money spinner due to ill-informed CBers. The sooner they close him down, the better. Talk about a model for spectrum anarchy....

From -4381191133224403919

```
X-Google-Thread: 108122,ea9b7623e412315e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y80g2000hsf.googlegroups.com!not-for-
mail
From: iamw7gsa@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED:  SGC SG-2020 ADSP1 or ADSP2
Date: 18 May 2007 20:28:08 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1179545288.435356.180210@y80g2000hsf.googlegroups.com>
NNTP-Posting-Host: 71.211.239.192
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179545288 16848 127.0.0.1 (19 May 2007 03:28:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 19 May 2007 03:28:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.11)
Gecko/20070312 Firefox/1.5.0.11,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y80g2000hsf.googlegroups.com; posting-host=71.211.239.192;
   posting-account=cQvDhQ0AAAA2L64AXEEngQZckgQDkde_
Xref: g2news1.google.com rec.radio.amateur.equipment:12031

I would like to buy an SG-2020 ADSP1 or ADSP2 that is in good
conditon.

Please email me at: iamw7gsa@gmail.com or call me at 303-674-0510, I
live in Denver.

Thanks,

Bill




From 5777270614943534847
X-Google-Thread: 108122,60696504b658bd08,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y80g2000hsf.googlegroups.com!not-for-
mail
From: n1brg@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: icom 756 pro/astron ps 35/icom sm 8 mic
Date: 20 May 2007 07:57:11 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1179673030.977755.7110@y80g2000hsf.googlegroups.com>
NNTP-Posting-Host: 24.250.36.172
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179673031 8462 127.0.0.1 (20 May 2007 14:57:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 20 May 2007 14:57:11 +0000 (UTC)
Cc:  for
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SV1;
SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.04506; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y80g2000hsf.googlegroups.com; posting-host=24.250.36.172;
   posting-account=J1_yrA0AAAC5lx_fjBWjD1iT31edP4uy
Xref: g2news1.google.com rec.radio.amateur.equipment:12032

iICOM 756 PRO /.ASTRO PS 35 W/METER/ICOM SM 8
ASKING $1300.00 PLUS SHIPPING. THIS IS LIKE NEW VERY FEW HOURS.
CALL n1brg@cox.net or phone 401/864 4750. PICTURE CAN BE HAD SEND E-
MAIL AD
THANK YOU
MANNY




From -3977634960509631946
X-Google-Thread: fc2a5,4965206a95688ce4,start
X-Google-Thread: fc8b1,4965206a95688ce4,start
X-Google-Thread: 108122,4965206a95688ce4,start
X-Google-Thread: 111d0a,4965206a95688ce4,start
X-Google-Thread: 113975,4965206a95688ce4,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n59g2000hsh.googlegroups.com!not-for-
mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,sci.electronics.basics,sci.astro.amateur
Subject: SolderSmoke Podcast
Date: 20 May 2007 08:52:19 -0700
Organization: http://groups.google.com
Lines: 54
Message-ID: <1179676339.877822.313670@n59g2000hsh.googlegroups.com>
NNTP-Posting-Host: 86.142.204.83
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179676340 17362 127.0.0.1 (20 May 2007 15:52:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 20 May 2007 15:52:20 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n59g2000hsh.googlegroups.com; posting-host=86.142.204.83;
```

posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news1.google.com rec.radio.amateur.homebrew:13289
rec.radio.amateur.boatanchors:11695 rec.radio.amateur.equipment:12033
sci.electronics.basics:53568 sci.astro.amateur:80173

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke #59

May 20, 2007
Kindred spirits on QRP-L.
Fredbox on 2 meter AM.
New videos.
Hewlett, Packard, Garages and Terman.
LV Blake.

SPECIAL REPORT FROM DAYTON: INTERVIEWS WITH G0BPS, G3MFJ, G3RJV,K8IQY and W7ZOI!

MAILBAG: W9HAU, NC0O, WD5DZG on source for low value resistors. Scott Haley on thermal noise and the 'ZOI power meter. The need for SolderSmoke correspondents at other summer radio events.

Tired of listening to the Boston Pops or NPR on your I-Pod?   Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack? Tune in to SolderSmoke!

RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.soldersmoke.com

All the programs are available here.

I hope you enjoy the program. Please send us

feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

From -43390724419098361
X-Google-Thread: 108122,d1ec2f0bc84d425a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog2.nntp.dca.giganews.com!nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 20 May 2007 11:17:42 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Antennas too close for comfort?
Date: Sun, 20 May 2007 12:18:09 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <BbSdnQ-F-P076c3bnZ2dnUVZ_g-dnZ2d@insightbb.com>
Lines: 10
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-p5hNbbae1zTv/rT/8GcFqvgIt6iQjRzOgf3Y3YE+JOtccCDDeZhDyBAeYzMGtJxfRmkDCXhMRC+Ksaq!2HI8/p1k5M15NlW1cskKGn7m5xVdokUdPIsSjsmQKlLhTpf0Mo/n/hRFNnR+/q+kSlfvbC68kz1Z!bnKNEFwhMnc2piAlLw==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12034

I'm planning on putting up a Diamond V2000 (6m,2m,70cm) on a side arm with the apex of an inverted Vee HF dipole hanging underneath. The two rigs these antennas go to, overlap on two bands - 10m and 6m. With the antennas in such close proximity, is there any danger of one rig 'blowing out' the front end of the other?

--
Bob D. ND9B

From -559433463131595324

```
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Sun, 20 May 2007 13:38:42 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000741-4, 05/18/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 15
Message-ID: <46507b56$0$28429$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 May 2007 16:46:15 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.swap:16275 rec.radio.amateur.boatanchors:11697
rec.radio.amateur.equipment:12035 alt.ham-radio.marketplace:3091


"travis" <travgent@aol.com> wrote in message
news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...
> On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
> <n8wwm@skyhook-waveamp.com> wrote:
>
>>6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>>MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>
>
> Hopefully the FCC will shut you down before anyone buys this crap.
>
I sold a bunch of them so why don't you just shut the fuck up!




--
Posted via a free Usenet account from http://www.teranews.com



From 1329841238691410219
```

```
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Sun, 20 May 2007 13:39:13 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000741-4, 05/18/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 19
Message-ID: <46507b74$0$5914$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 May 2007 16:46:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.swap:16276 rec.radio.amateur.boatanchors:11698
rec.radio.amateur.equipment:12036 alt.ham-radio.marketplace:3092


"Radiosrfun" <Radiosrfun@Radiosrfun.com> wrote in message
news:464d0b83$0$1245$ecde5a14@news.coretel.net...
> "travis" <travgent@aol.com> wrote in message
> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...
>> On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
>> <n8wwm@skyhook-waveamp.com> wrote:
>>
>>>6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>>>MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>>
>>
>> Hopefully the FCC will shut you down before anyone buys this crap.
>
> They may! I have heard of them going to Hamfests and doing just that.
>
I've heard you are a dumbass!



--
```

Posted via a free Usenet account from http://www.teranews.com

```
From 8622164695038366826
X-Google-Thread: 108122,dfd711f15c54d157,start
X-Google-Thread: 1109af,dfd711f15c54d157,start
X-Google-Thread: fc8b1,dfd711f15c54d157,start
X-Google-Thread: 108122,dfd711f15c54d157,start
X-Google-Thread: 108228,dfd711f15c54d157,start
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio
.amateur.equipment,alt.ham-radio.marketplace
Subject: FA CB Radio-Texas Star 350HD Linear-Amplifier Faceplate
Date: Sun, 20 May 2007 13:59:31 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000741-4, 05/18/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 3
Message-ID: <46508035$0$16331$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 May 2007 17:07:02 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12037 rec.radio.swap:16277
rec.radio.amateur.boatanchors:11699 alt.ham-radio.marketplace:3093
```

http://cgi.ebay.com/CB-Radio-Texas-Star-350HD-Linear-Amplifier-Faceplate_W0QQitemZ320095360762QQihZ011QQcategoryZ48696QQrdZ1QQssPageNameZWD1VQQcmdZViewItem

--
Posted via a free Usenet account from http://www.teranews.com

```
From 8881462886601704517
X-Google-Thread: 108122,f21849a5dc7c0f3b,start
X-Google-Thread: 1109af,f21849a5dc7c0f3b,start
X-Google-Thread: fc8b1,f21849a5dc7c0f3b,start
X-Google-Thread: 108122,f21849a5dc7c0f3b,start
X-Google-Thread: 108228,f21849a5dc7c0f3b,start
X-Google-Thread: f6730,f21849a5dc7c0f3b,start
```

```
X-Google-Attributes:
gid108122,gid1109af,gidfc8b1,gid108122,gid108228,gidf6730,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio
.amateur.equipment,alt.ham-radio.marketplace,alt.radio.cb.skip
Subject: FA FATBOY 900 watt CB amplifier
Date: Sun, 20 May 2007 14:08:49 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000741-4, 05/18/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 5
Message-ID: <46508263$0$16375$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 May 2007 17:16:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12038 rec.radio.swap:16278
rec.radio.amateur.boatanchors:11700 alt.ham-radio.marketplace:3094
alt.radio.cb.skip:354

http://auctions.yahoo.com/
i:FATBOY%20900%20watt%20Mobile%20Linear%20Amplifier%20AM%2FFM%20NEW%20%21%21:69694
53

BE LOUD AND PROUD!




--
Posted via a free Usenet account from http://www.teranews.com




From -1689616380091358222
X-Google-Thread: 108122,f21849a5dc7c0f3b
X-Google-Thread: 1109af,f21849a5dc7c0f3b
X-Google-Thread: fc8b1,f21849a5dc7c0f3b
X-Google-Thread: 108122,f21849a5dc7c0f3b
X-Google-Thread: 108228,f21849a5dc7c0f3b
X-Google-Thread: f6730,f21849a5dc7c0f3b
X-Google-Attributes:
gid108122,gid1109af,gidfc8b1,gid108122,gid108228,gidf6730,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe13.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Uncle Peter" <radioconnectionREMOVE@cox.net>
```

```
From: "Uncle Peter" <radioconnection@cox.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio
.amateur.equipment,alt.ham-radio.marketplace,alt.radio.cb.skip
References: <46508263$0$16375$88260bb3@free.teranews.com>
Subject: Re: FA FATBOY 900 watt CB amplifier
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <Ia04i.167275$jt2.94120@newsfe13.lga>
Date: Sun, 20 May 2007 14:10:24 -0400
NNTP-Posting-Host: 68.0.230.122
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.lga 1179684648 68.0.230.122 (Sun, 20 May 2007 11:10:48 MST)
NNTP-Posting-Date: Sun, 20 May 2007 11:10:48 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:12039 rec.radio.swap:16279
rec.radio.amateur.boatanchors:11701 alt.ham-radio.marketplace:3095
alt.radio.cb.skip:355

What a spamming ass.
"Doug Adair" <n8wwm@skyhook-waveamp.com> wrote in message
news:46508263$0$16375$88260bb3@free.teranews.com...
> http://auctions.yahoo.com/
i:FATBOY%20900%20watt%20Mobile%20Linear%20Amplifier%20AM%2FFM%20NEW%20%21%21:69694
53
>
> BE LOUD AND PROUD!
>
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>




From -7315068030007075603
X-Google-Thread: 108122,c1818ee25609fd35,start
X-Google-Thread: 1109af,c1818ee25609fd35,start
X-Google-Thread: fc8b1,c1818ee25609fd35,start
X-Google-Thread: 108122,c1818ee25609fd35,start
X-Google-Thread: 108228,c1818ee25609fd35,start
X-Google-Thread: f6730,c1818ee25609fd35,start
X-Google-Attributes:
gid108122,gid1109af,gidfc8b1,gid108122,gid108228,gidf6730,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
```

```
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio
.amateur.equipment,alt.ham-radio.marketplace,alt.radio.cb.skip
Subject: FA New 1200 watt mobile CB linear
Date: Sun, 20 May 2007 14:22:35 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000741-4, 05/18/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 5
Message-ID: <4650859d$0$8555$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 May 2007 17:30:06 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12040 rec.radio.swap:16280
rec.radio.amateur.boatanchors:11702 alt.ham-radio.marketplace:3096
alt.radio.cb.skip:356
```

http://auctions.yahoo.com/
i:New%201200%20watt%20mobile%20linear%20amplifier%2010%20meter:100149472

10 meter (wink wink)

--
Posted via a free Usenet account from http://www.teranews.com

```
From -3383818996975046961
X-Google-Thread: 108122,f21849a5dc7c0f3b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z24g2000prd.googlegroups.com!not-for-
mail
From: Bryan <plexus_sdc@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA FATBOY 900 watt CB amplifier
Date: 20 May 2007 16:37:17 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1179704235.895065.220360@z24g2000prd.googlegroups.com>
References: <46508263$0$16375$88260bb3@free.teranews.com>
NNTP-Posting-Host: 67.170.39.149
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179704244 14280 127.0.0.1 (20 May 2007 23:37:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 20 May 2007 23:37:24 +0000 (UTC)
```

In-Reply-To: <46508263$0$16375$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z24g2000prd.googlegroups.com; posting-host=67.170.39.149;
   posting-account=_z9Ypg0AAAA59G8MlfRPmkq1K4JtZWXU
Xref: g2news1.google.com rec.radio.amateur.equipment:12041

Doug Adair (N8WWM) crossposted an ad for illegal transmitting
equipment to 6 NGs :
> [link snipped]
>
> BE LOUD AND PROUD!

Be gone... PLONK!

From 1603001728894122775
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Thread: 1109af,8f835778c376ebe0
X-Google-Thread: fc8b1,8f835778c376ebe0
X-Google-Thread: 108228,8f835778c376ebe0
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.net.POSTED!758ec0cd!not-for-mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<DJxZh.3997$H_.1107@newssvr21.news.prodigy.net>
<463AC3C1.1000904@rickfrazier.com>
<oNmdnXiT6o2DsKbbnZ2dnUVZ_qvinZ2d@comcast.com>
<1178358701.562685.26170@e65g2000hsc.googlegroups.com>
<MOadnWp4btVUFaHbnZ2dnUVZ_uPinZ2d@comcast.com>
Subject: Re: Signal/One MILSPEC Anyone notice NO FEEDBACK?
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <Nk64i.8870$2v1.1670@newssvr14.news.prodigy.net>
NNTP-Posting-Host: 69.235.41.151
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.net 1179709869 ST000 69.235.41.151 (Sun, 20 May
2007 21:11:09 EDT)
NNTP-Posting-Date: Sun, 20 May 2007 21:11:09 EDT

```
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[RGWUOECHW]B_H]]RKB_UDAZZ\DPCPDLXUNNH\KMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 21 May 2007 01:11:09 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:12043 rec.radio.swap:16286
rec.radio.amateur.boatanchors:11707 alt.ham-radio.marketplace:3099


"NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
news:MOadnWp4btVUFaHbnZ2dnUVZ_uPinZ2d@comcast.com...
> Randy Pence wrote:
>> On May 4, 8:54 am, NoMoreSpam <Disgusted...@qrparci.org> wrote:
>>> Rick Frazier wrote:
>>>> Porgy Tirebiter wrote:
>>>>> <w4mot.c...@gmail.com> wrote in message
>>>>> news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...
>>>>>> All,
>>>>>> Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>>>>>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885.
>>>>>> This is the 150 Watt version. I recently made several QSOs with it,
>>>>>> on
>>>>>> all the bands that were open at the time, so we believe it to be
>>>>>> completely functional and know of no performance problems.  It has
>>>>>> only minor scratches on the sides and top, and comes with the manual,
>>>>>> AC power cord, and 12 VDC power cord.
>>>>>> Sales notices are supposed to be upbeat, but it's difficult being
>>>>>> upbeat when you are selling such a wonderful rig!
>>>>>> 73,
>>>>>> Ed Callaway, N4II
>>>>>> Motorola ARC, W4MOT
>>>>>  Still another WONDERFUL article about Signal/One.....
>>>>>  http://www.k5og.com/S1%20History.htm
>>>>> This is a MUST read before you plunk down $2000 on this electronic

Funny...no transaction trail..no feedback either way....

Can you say "SHILL-BIDDER"  ??????






From 4531046857958032923
X-Google-Thread: 108122,623d21eb2a989dfd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Sky King <kenwood1701@hotmail.com>
Organization: Flying Crown Ranch, Inc.
```

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: INTERESTING INFO
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <wf74i.42$yl.4@newsfe12.lga>
Date: Sun, 20 May 2007 22:15:26 -0400
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1179713628 69.122.55.64 (Sun, 20 May 2007 19:13:48 MST)
NNTP-Posting-Date: Sun, 20 May 2007 19:13:48 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:12044

http://www.lnl.com/esbantennas.htm

From -6864701102718210874
X-Google-Thread: 108122,77522bb9dcb4b0b0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Kenwood MC-60 Pinout
From: "Jim Barnard" <jbarnard@ftc-i.net>
Date: Mon, 21 May 2007 08:31:33 -0400
Message-ID: <f2s3f3$635$1@news04.infoave.net>
Lines: 8
NNTP-Posting-Host: 216.218.70.239
Organization: Info Avenue Internet Services, LLC
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!news-out.spamkiller.net!sp6iad.superfeed.net!news-in.nuthinbutnews.com!news.infoave.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news04.infoave.net 1179750691 6245 216.218.70.239 (21 May 2007 12:31:31 GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Mon, 21 May 2007 12:31:31 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Xref: g2news1.google.com rec.radio.amateur.equipment:12045

Can someone provide me the wiring pinout for the Kenwood MC-60 microphone? I want to use it with a Yaesu 757GX tranceiver.

Thanks,
Jim Barnard
KI4VGK

```
From -6794499426271992458
X-Google-Thread: 108122,77522bb9dcb4b0b0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!newsfeed0.kamp.net!
newsfeed.kamp.net!newsfeed.freenet.de!news.space.net!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood MC-60 Pinout
Date: Mon, 21 May 2007 09:04:00 -0500
Lines: 16
Message-ID: <5bdn69F2r4eshU1@mid.individual.net>
References: <f2s3f3$635$1@news04.infoave.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net /HRFqDf7+0lmzN1YbHQLFgZ9JuHGC9KDO7WEsThRThM4n2oxL4
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/
20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <f2s3f3$635$1@news04.infoave.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:12046

Jim Barnard wrote:
> Can someone provide me the wiring pinout for the Kenwood MC-60 microphone? I
> want to use it with a Yaesu 757GX tranceiver.
>
> Thanks,
> Jim Barnard
> KI4VGK
>
>
Look here,

http://www.dlmods.dk/

it is online...

Bob N9LVU


From -4738597034176012121
X-Google-Thread: 108122,7123439511d0a11a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-
sjc-01!supernews.com!news.supernews.com!not-for-mail
From: Jackson Lake <ham@fakeaddress.com>
Newsgroups: rec.radio.amateur.equipment
```

Subject: TS870 Problem
Date: Mon, 21 May 2007 12:11:53 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <d7q3531u091d30395tvf0ulhautr20qqh2@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news1.google.com rec.radio.amateur.equipment:12047

My Kenwood TS870 is drawing too much current. At 50W CW output it is drawing 20A. If I go for 100W it just keeps going up and kills the supply at 25A. Specs say that it should take no more than 20A at 100W.

This excess current is when the rig is fed into a dummy 50 load as well when into different antennas when matched to 1:1. The current varies slightly band to band but only by a couple of amps or so. One clue: on 80M I can detune the external tuner antenna cap (to 2:1) in one direction and the rig current can be brought down to 14A with the power out staying at 50W. Under this condition I can then increase the drive back to a current reading of 20A and get 100W. I can reproduce this effect on 40 and 30M but to a lesser extent.

It has 2SC2879 finals. Is this a final problem? I don't have much test equipment or expertise but I suppose I could change the finals if I had to. Actually 50W is quite adequate for me (only 3DB down) and I have been using it this way for quite some time with no noticeable differences in the quality of my operation. Still it bugs me as to what is causing this excess current.

From 4230002423928855750
X-Google-Thread: 108122,7123439511d0a11a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!news.astraweb.com!
router1.astraweb.com!sn-xt-sjc-05!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!
news.supernews.com!not-for-mail
From: Jackson Lake <ham@fakeaddress.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS870 Problem
Date: Mon, 21 May 2007 22:05:34 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1st45390n06g279nauukpemi3s8m1c7v83@4ax.com>
References: <d7q3531u091d30395tvf0ulhautr20qqh2@4ax.com>
<45idncYverqsg8_bnZ2dnUVZ_jydnZ2d@bresnan.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news1.google.com rec.radio.amateur.equipment:12049

Justa Gess <none@no.none> wrote:

>What are you measuring the current with?

I'm using the power supply meter, but I have checked the supply meter accuracy using 2 other ammeters and they all agree.

>the power supply might be where the problem is.

And I've tried 2 other power supplies, but still the same rig problem.

>Are you getting bad signal reports as in poor quality RF?

All on the air reports have been normal, even after I tell about the problem and ask for a critical report.

Thanks for the suggestions.

```
From -3256636922098234799
X-Google-Thread: 106d41,701be80f90dfcdd6,start
X-Google-Thread: 108122,701be80f90dfcdd6,start
X-Google-Attributes: gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!x35g2000prf.googlegroups.com!not-for-mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: VoiceMax Speech Processor
Date: 22 May 2007 04:26:56 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1179833216.286363.61040@x35g2000prf.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179833232 1710 127.0.0.1 (22 May 2007 11:27:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 May 2007 11:27:12 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: x35g2000prf.googlegroups.com; posting-host=216.203.30.4;
   posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news1.google.com rec.radio.cb:36118 rec.radio.amateur.equipment:12050
```

This is a great chance to get one of these before production starts in July...
http://search.ebay.com/_W0QQsassZtelstar-electronicsQQhtZ-1QQfrppZ50QQfsopZ1QQfsooZ1QQrdZ0

From -7651167328858669300
X-Google-Thread: 108122,7123439511d0a11a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 22 May 2007 07:51:06 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <d7q3531u091d30395tvf0ulhautr20qqh2@4ax.com>
Subject: Re: TS870 Problem
Date: Tue, 22 May 2007 07:50:41 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <jtudnWOQiIKnes_bnZ2dnUVZ_hqdnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-gu3xhJ9VnNrSDDh8C1hi4G5d1h5iJdzLqh/hSglLV8YDwK1N+
+DaVyvt+IK6b5u1S4PdY66Lb4OHcaI!M4lQv11M8ELPKZHmV7LZo0IJsKA1EAHJys6pY5HLg/
mY3SRNioBV5Tg9fyG9X/E6+2Y1TrJR1DM/!9Z92fH4OZw2gR4ieWnrSukOTnqeb
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12052

Very expensive classic radio, to "tinker with".
I don't let my nephew (learning) touch my classic car --
but then again maybe it has no value to you - and you are have the money to
buy a TS2000.
http://www.g0sjh.com/Puttenham/hamradio/kenwood_ts870_PIC.htm

Service manual
http://www.g0sjh.com/Puttenham/hamradio/kenwood_ts870_PIC.htm

Give Clif a call at Avvid
http://www.avvid.com/

http://home.computer.net/~pritch/raspy.htm
http://www.k1ttt.net/technote/ts870s.html

"Jackson Lake" <ham@fakeaddress.com> wrote in message
news:d7q3531u091d30395tvf0ulhautr20qqh2@4ax.com...
> My Kenwood TS870 is drawing too much current. At 50W CW output it is
> drawing

> 20A. If I go for 100W it just keeps going up and kills the supply at 25A.
> Specs
> say that it should take no more than 20A at 100W.
>
> It has 2SC2879 finals. Is this a final problem? I don't have much test
> equipment
> or expertise but I suppose I could change the finals if I had to. Actually
> 50W
> is quite adequate for me (only 3DB down) and I have been using it this way
> for
> quite some time with no noticeable differences in the quality of my
> operation.
> Still it bugs me as to what is causing this excess current.

From -1620262986249799397
X-Google-Thread: 108122,7123439511d0a11a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.germany.com!feeder.news-service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-04!sn-ams!sn-feed-ams-03!sn-post-ams-02!sn-post-sjc-01!supernews.com!news.supernews.com!not-for-mail
From: Jackson Lake <ham@fakeaddress.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS870 Problem
Date: Tue, 22 May 2007 09:29:05 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <q15653li6gri6krak20dcdvprpj3pqin99@4ax.com>
References: <d7q3531u091d30395tvf0ulhautr20qqh2@4ax.com>
<jtudnWOQiIKnes_bnZ2dnUVZ_hqdnZ2d@comcast.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 41
Xref: g2news1.google.com rec.radio.amateur.equipment:12053

"w9gb" <spam_protect@arrl.net> wrote:

>Very expensive

When I bought the TS870 in 1995 it was expensive, I think around US$2500. But I doubt it is worth anything like that today.

>classic radio, to "tinker with".

If the TS870 is a classic then I'm more ancient than I thought. My idea of a classic radio has the name Collins, Johnson ect on it. Maybe even my old Heathkit DX-20 qualifies.

>I don't let my nephew (learning) touch my classic car --

I don't blame you not letting your nephew touch your classic car. But don't you touch your classic car?

>but then again maybe it has no value to you

The TS870's only value to me is in fun. And I think I have had as much fun playing around inside it recently as I do using it.

>and you are have the money to buy a TS2000.

Well I could buy a TS2000 but then I would be in the same position I am now someday.

>Service manual

I have the service manual.

>Give Clif a call at Avvid

One thing I've never done is to have someone else fix my ham gear. If I can't fix this I'll modify it. I've already figured a way to feed the TS870 VFO output to feed a set of tube finals (tube stuff I can fix). Some would be appalled at that idea. I call it hamming.

Thanks for your suggestions.

```
From -3334603871386940709
X-Google-Thread: 108122,27266fe4e199b03a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-
mail
From: transmitter <pietxxx@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: no audio on IC-706
Date: 22 May 2007 12:37:09 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1179862629.433783.145160@k79g2000hse.googlegroups.com>
NNTP-Posting-Host: 83.134.81.181
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179862629 1579 127.0.0.1 (22 May 2007 19:37:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 May 2007 19:37:09 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: k79g2000hse.googlegroups.com; posting-host=83.134.81.181;
   posting-account=PvHkkw0AAADirBNSSR92FYrTAu_VoC8-
Xref: g2news1.google.com rec.radio.amateur.equipment:12054
```

Hello,

I'me Peter ON4HP from Diepenbeek Belgium.
Maybe, you could help me...
I have no audio on my Icom 706, no audio at the original speaker and
also to the external speaker, but sound is ok on the headset socket
on the face of transceiver.
the switch speaker/phone on the back of the display seems to work
(audio up or down on the phoneconnector).
Do you know a way to repair this?
I've noticed that there is a relay which switched between speaker and
phones.
When i put a connector a little bit in the phoneconnector the relay
switches and i have audio...
i've changed the internal phoneconnector but still the same...
Who can help me? please...
Thanks in advance

Peter ON4HP
ON4HP@UBA.BE

```
From 8290983446355777722
X-Google-Thread: 108122,1d1d9ffe11ed7dad,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p77g2000hsh.googlegroups.com!not-for-
mail
From: KB8M <kb8m06@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-751 Scanning
Date: 23 May 2007 05:27:42 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1179923262.284095.233680@p77g2000hsh.googlegroups.com>
NNTP-Posting-Host: 205.196.133.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179923267 19919 127.0.0.1 (23 May 2007 12:27:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 May 2007 12:27:47 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p77g2000hsh.googlegroups.com; posting-host=205.196.133.2;
   posting-account=aH-aBw0AAAD_Mul5nFwXkOTgwJWrqBDk
Xref: g2news1.google.com rec.radio.amateur.equipment:12055
```

I run an IC-751 with a Windom at 30'. The radio works fine after
replacing the old leaking caps. However, when trying to scan it will
not stop when the squelch opens. It just keeps scanning. Any
thoughts?

Thanks,
Doug/KB8M

From -330973168652880598
X-Google-Thread: 108122,8c57beccc08da2bd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q66g2000hsg.googlegroups.com!not-for-
mail
From: val058@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Dictaphone Veritrac password?
Date: 23 May 2007 07:25:22 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1179930321.726906.106390@q66g2000hsg.googlegroups.com>
NNTP-Posting-Host: 71.234.92.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179930322 7620 127.0.0.1 (23 May 2007 14:25:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 May 2007 14:25:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3)
Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q66g2000hsg.googlegroups.com; posting-host=71.234.92.137;
   posting-account=7tyWAA0AAABoaatY18QzvBeq7iNQ9QLR
Xref: g2news1.google.com rec.radio.amateur.equipment:12056

Does anyone know the password to level 4 on a Dictaphone Veritrac 9000
machine?
I need to reconfigure a from a 20 channel to 10 channel configuration
and need to get into the system/service configuration.
Thanks Rit , Bristol, CT
N1SQJ

From 4652151348545423794
X-Google-Thread: 106d41,701be80f90dfcdd6
X-Google-Thread: 108122,701be80f90dfcdd6
X-Google-Attributes: gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!m36g2000hse.googlegroups.com!not-for-

```
mail
From: les the soon to be slapped spammer is moparhoLICK!
<keyklownzrnutjobs@yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: 23 May 2007 11:28:43 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1179944923.849741.16110@m36g2000hse.googlegroups.com>
References: <1179833216.286363.61040@x35g2000prf.googlegroups.com>
NNTP-Posting-Host: 72.240.160.136
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179944940 32657 127.0.0.1 (23 May 2007 18:29:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 May 2007 18:29:00 +0000 (UTC)
In-Reply-To: <1179833216.286363.61040@x35g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x 4.90; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m36g2000hse.googlegroups.com; posting-host=72.240.160.136;
   posting-account=WTkeKg0AAADjEOQnXryG-ENPHV3K9rZ_
Xref: g2news1.google.com rec.radio.cb:36130 rec.radio.amateur.equipment:12057

On May 22, 8:26 am, Telstar Electronics <briangrif...@sbcglobal.net>
wrote:
> This is a great chance to get one of these before production starts in
> July...http://search.ebay.com/_W0QQsassZtelstar-electronicsQQhtZ-1QQfrppZ50Q...

A piece of garbage made by a sidewalk sissy living with his mommy,
just like chukkeeesukkee BKA K8CPA



From 3657703090729782157
X-Google-Thread: 108122,1d1d9ffe11ed7dad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!news.astraweb.com!
router1.astraweb.com!sn-xt-sjc-05!sn-xt-sjc-06!sn-post-sjc-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-751 Scanning
Date: Wed, 23 May 2007 09:09:51 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0705230905340.27199@malasada.lava.net>
In-Reply-To: <1179923262.284095.233680@p77g2000hsh.googlegroups.com>
References: <1179923262.284095.233680@p77g2000hsh.googlegroups.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
```

Lines: 19
Xref: g2news1.google.com rec.radio.amateur.equipment:12058

On Wed, 23 May 2007, KB8M wrote:

> I run an IC-751 with a Windom at 30'. The radio works fine after
> replacing the old leaking caps. However, when trying to scan it will
> not stop when the squelch opens. It just keeps scanning. Any
> thoughts?
>
> Thanks,
> Doug/KB8M

Geez Doug I have had an old IC751 for years and did'nt even know it had
a memory scan on it so I took close look at mine and yep it shows a
scan button right above the MIKE gain control. It scans on the stuff
in the Memory chnls (1 thru 30) if I recall correctly. I thank you
for bringing that to my attention
Joe/KH6JF

From -7620423693413181609
X-Google-Thread: 108122,f31b66926fa6eb83,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: HAM IV Rotator & Control Box
Reply-To: w1ksz@earthlink.net
Message-ID: <2i79531cqu4s2l5p0tbinbtsi5jkehtvgv@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Wed, 23 May 2007 20:06:39 GMT
NNTP-Posting-Host: 24.41.20.11
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1179950799 24.41.20.11 (Wed, 23 May 2007
13:06:39 PDT)
NNTP-Posting-Date: Wed, 23 May 2007 13:06:39 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:12059

Ham IV (I think, at least it says H4 on the base) with Control Box.
Re-built by CATS about 15 years ago and stored since. I hooked
it up and checked it out.

```
$150 plus packing & shipping from 02421.

73, Dick, W1KSZ


From -7652802803630624076
X-Google-Thread: 106d41,701be80f90dfcdd6
X-Google-Thread: 108122,701be80f90dfcdd6
X-Google-Attributes: gid106d41,gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!h2g2000hsg.googlegroups.com!not-for-
mail
From: les the soon to be slapped spammer is moparhoLICK!
<keyklownzrnutjobs@yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: 23 May 2007 19:31:30 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1179973889.992009.68960@h2g2000hsg.googlegroups.com>
References: <1179833216.286363.61040@x35g2000prf.googlegroups.com>
NNTP-Posting-Host: 72.240.160.136
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179973903 27787 127.0.0.1 (24 May 2007 02:31:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 24 May 2007 02:31:43 +0000 (UTC)
In-Reply-To: <1179833216.286363.61040@x35g2000prf.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x 4.90; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h2g2000hsg.googlegroups.com; posting-host=72.240.160.136;
   posting-account=WTkeKg0AAADjEOQnXryG-ENPHV3K9rZ_
Xref: g2news1.google.com rec.radio.cb:36140 rec.radio.amateur.equipment:12060

On May 22, 8:26 am, Telstar Electronics <briangrif...@sbcglobal.net>
wrote:
> This is a great chance to get one of these before production starts in
> July...http://search.ebay.com/_W0QQsassZtelstar-electronicsQQhtZ-1QQfrppZ50Q...

GARBAGE BY A SIDEWALK SISSY WHO LIVES WITH MOMMY




From -5087360421185792202
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.cablespeedmi.com!
news.cablespeedmi.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 24 May 2007 06:08:41 -0500
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
From: John P Vassel <heckufaguy@hotmail.com>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<46507b74$0$5914$88260bb3@free.teranews.com>
<n3o153t9mk5lqoqsjolmqbjafki45iklcb@4ax.com>
Message-ID: <Xns993A48ADA5868heckufaguyhotmailcom@216.196.97.142>
Followup-To: rec.radio.swap
User-Agent: Xnews/5.04.25
Date: Thu, 24 May 2007 06:08:41 -0500
Lines: 28
NNTP-Posting-Host: 24.56.202.54
X-Trace: sv3-FIhqFemsnsQKqWf8D3zobt4dKUEL/
xLR3i7gv5daJbYKPXwCizN9G6w732Ydd7bMKQiEjO5M6oHS4Z8!Sl/
xRogAPxWpUBuy04cdtvaB5ywif4KYU3iWrp1/ZAZzI2vNyJsrsMt7DBwLCG5qXhGJM/eN9QFj!
7lVbsLYUzki8ncqeA8gKkNobs5o=
X-Complaints-To: abuse@cablespeedmi.com
X-DMCA-Complaints-To: abuse@cablespeedmi.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16330 rec.radio.amateur.boatanchors:11732
rec.radio.amateur.equipment:12061 alt.ham-radio.marketplace:3109

778pd <paydirt778@aol.com> wrote in
news:n3o153t9mk5lqoqsjolmqbjafki45iklcb@4ax.com:

> On Sun, 20 May 2007 13:39:13 -0400, "Doug Adair"
> <n8wwm@skyhook-waveamp.com> wrote:
>
>>>>
>>>>>6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>>>>>MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>>>>
>>>>
>>>> Hopefully the FCC will shut you down before anyone buys this crap.
>>>
>>> They may! I have heard of them going to Hamfests and doing just that.
>>>
>>I've heard you are a dumbass!
>
>
> Douglas W Adair
> .
```

I never cease to be amazed at the cowardess attitude of both cb'ers and the internet.
You post info allegedly his, from behind an aol screen name.
I hope your aol account isnt one you hate to lose.

John

From -911021004337721548
X-Google-Thread: 108122,9da4224032207a6e,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Heathkit SB-401 Power Cord
From: "Jim Barnard" <jbarnard@ftc-i.net>
Date: Thu, 24 May 2007 07:46:32 -0400
Message-ID: <f33tuk$i2v$1@news04.infoave.net>
Lines: 8
NNTP-Posting-Host: 216.218.70.239
Organization: Info Avenue Internet Services, LLC
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.251.MISMATCH!news-out.readnews.com!transit4.readnews.com!news-out.usenet.com!sp12lax.superfeed.net!news-in.newsfeeds.com!news.infoave.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Trace: news04.infoave.net 1180007189 18527 216.218.70.239 (24 May 2007 11:46:29 GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Thu, 24 May 2007 11:46:29 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:12062

I am trying to restore a old SB-401. As with many of these units, the power cord is missing. Does anyone have one they could sell me?

Thanks,
Jim Barnard
KI4VGK

From -8619586682193974298
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u30g2000hsc.googlegroups.com!not-for-
mail
From: Ham With Extra Class <n9vuu@yahoo.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: 24 May 2007 08:29:51 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1180020591.875467.45510@u30g2000hsc.googlegroups.com>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
   <1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
   <46507b56$0$28429$88260bb3@free.teranews.com>
NNTP-Posting-Host: 72.16.175.14
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180020596 14186 127.0.0.1 (24 May 2007 15:29:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 24 May 2007 15:29:56 +0000 (UTC)
In-Reply-To: <46507b56$0$28429$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u30g2000hsc.googlegroups.com; posting-host=72.16.175.14;
   posting-account=KQBFZw0AAAAOm4gIsdR2tqC1mBUUiVsK
Xref: g2news1.google.com rec.radio.swap:16331 rec.radio.amateur.boatanchors:11733
rec.radio.amateur.equipment:12063 alt.ham-radio.marketplace:3110
```

On May 20, 12:38 pm, "Doug Adair" <n...@skyhook-waveamp.com> wrote:

> "travis" <travg...@aol.com> wrote in message
>
> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...> On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
> > <n...@skyhook-waveamp.com> wrote:
>
> >>6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
> >>MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>
> > Hopefully the FCC will shut you down before anyone buys this crap.
>
> I sold a bunch of them so why don't you just shut the fuck up!
>
> --
> Posted via a free Usenet account fromhttp://www.teranews.com

I've a question. If these tubes would make your rig "sound loud" but
not actually amplify the power which they won't, why are there so many
people responding like they don't know what they're talking about?
Oh sorry, the new Ham generation, codeless geeks.

```
From -5491375577364730222
X-Google-Thread: 108122,701be80f90dfcdd6
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!k79g2000hse.googlegroups.com!not-for-
mail
From: Telstar Electronics <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor
Date: 24 May 2007 10:22:29 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1180027349.297592.107000@k79g2000hse.googlegroups.com>
References: <1179833216.286363.61040@x35g2000prf.googlegroups.com>
   <1179973889.992009.68960@h2g2000hsg.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1180027349 31537 127.0.0.1 (24 May 2007 17:22:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 24 May 2007 17:22:29 +0000 (UTC)
In-Reply-To: <1179973889.992009.68960@h2g2000hsg.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k79g2000hse.googlegroups.com; posting-host=216.203.30.4;
   posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news1.google.com rec.radio.amateur.equipment:12064
```

This is a great chance to get one of these before production starts in
July...
http://search.ebay.com/_W0QQsassZtelstar-electronicsQQhtZ-1QQfrppZ50QQfsopZ1QQfsooZ1QQrdZ0

```
From 3861371527565978419
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 24 May 2007 12:27:26 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Thu, 24 May 2007 10:27:24 -0700
```

Subject: Re: I'll have a bunch of these for sale at Dayton!
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <C27B190C.68300%dbowey@comcast.net>
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<46507b56$0$28429$88260bb3@free.teranews.com>
<1180020591.875467.45510@u30g2000hsc.googlegroups.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 20
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-fhpIg6EI7ApKHy7j/1r8EJBCeK983KxTKai+kU/yphWSnBs/
DiIVATvupmVZ60m8hUiMAhuP7zW7cgO!mPzuIkOJKuPhR1H2M+7gDv74nPAFrYcG1tcuI3GwHRAOL2G/
gQ2zN1R0vO66OVg/f6kvS9d1bTvS!xvz8iTY4r9rdW1s=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16339 rec.radio.amateur.boatanchors:11741
rec.radio.amateur.equipment:12065 alt.ham-radio.marketplace:3111

On 5/24/07 8:29 AM, in article 1180020591.875467.45510@u30g2000hsc.googlegroups.com, "Ham With Extra Class" <n9vuu@yahoo.com> wrote:

(snip)

Regardless of your "extra," you are a classless ham.

> Oh sorry, the new Ham generation, codeless geeks.

Licensing requirements have changed many times through the years. Recently the big change is to remove the code requirement. So what? It doesn't mean new licensees CAN'T or won't use CW, which is all none of your business.

You should enjoy your privileges and let others with different privileges enjoy theirs. You were not given any ARRL or FCC sniping privileges with that Extra.

Don

From 8270592331017617624
X-Google-Thread: 108122,1d1d9ffe11ed7dad
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!eccf0ffe!
not-for-mail
From: "Charles V" <volkland@verizon.REMOVE THIS.net>
Newsgroups: rec.radio.amateur.equipment
References: <1179923262.284095.233680@p77g2000hsh.googlegroups.com>
Subject: Re: IC-751 Scanning
Lines: 26
MIME-Version: 1.0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <axk5i.12451$xV.1209@trnddc05>
Date: Thu, 24 May 2007 18:09:10 GMT
NNTP-Posting-Host: 68.238.70.144
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1180030150 68.238.70.144 (Thu, 24 May 2007 14:09:10 EDT)
NNTP-Posting-Date: Thu, 24 May 2007 14:09:10 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:12066

The "frequency mode" scan functions under control of memory channels 1 & 2, when both of these two memory channel frequencies are within the same band ------ and the selected/activated vfo (VFO A OR VFO B) is also tuned to this same band, repetitively scanning downward betweem the high frequency amd the low frequency memory settings in memory channels 1 & 2..

My 751 continues to scan after the squelch is activated and stops when the squelch is next closed.

Hope this may help.

Charles/W6JNF

"KB8M" <kb8m06@gmail.com> wrote in message
news:1179923262.284095.233680@p77g2000hsh.googlegroups.com...
> I run an IC-751 with a Windom at 30'. The radio works fine after
> replacing the old leaking caps. However, when trying to scan it will
> not stop when the squelch opens. It just keeps scanning. Any
> thoughts?
>
> Thanks,
> Doug/KB8M
>

```
From -1279685636333477331
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Thu, 24 May 2007 13:55:53 -0500
Date: Thu, 24 May 2007 14:55:46 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.2) Gecko/20070221
SeaMonkey/1.1.1
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<46507b56$0$28429$88260bb3@free.teranews.com>
<1180020591.875467.45510@u30g2000hsc.googlegroups.com>
In-Reply-To: <1180020591.875467.45510@u30g2000hsc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <x9qdncEyZqEkQsjbnZ2dnUVZ_tDinZ2d@rcn.net>
Lines: 26
NNTP-Posting-Host: 71.163.143.206
X-Trace: sv3-
g7X7uN1iR2rp+mEqqBpnqFWynlDluML38ysrCi5SJgXXXOCLMDiRRu4JQDebZfL4uYJVafXxnG0C3eu!
C5a8Bsm7NlF1OAXHZ6MNpq3/QYhwfWjSUWcsNshuZBMUJEudLMoWM0QA9wVW/bRkHJFqB4AD5KCT!
cG+JpAcGGzwNDw==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16340 rec.radio.amateur.boatanchors:11742
rec.radio.amateur.equipment:12067 alt.ham-radio.marketplace:3112

Ham With Extra Class wrote:
> On May 20, 12:38 pm, "Doug Adair" <n...@skyhook-waveamp.com> wrote:
>> "travis" <travg...@aol.com> wrote in message
>>
>> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...> On Thu, 17 May 2007
20:15:19 -0400, "Doug Adair"
>>> <n...@skyhook-waveamp.com> wrote:
>>>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>>>> MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>>> Hopefully the FCC will shut you down before anyone buys this crap.
```

>> I sold a bunch of them so why don't you just shut the fuck up!
>>
>> --
>> Posted via a free Usenet account fromhttp://www.teranews.com
>
> I've a question. If these tubes would make your rig "sound loud" but
> not actually amplify the power which they won't, why are there so many
> people responding like they don't know what they're talking about?
> Oh sorry, the new Ham generation, codeless geeks.

Because he isn't selling tubes, he is selling sweep tube linear amplifiers for use with CB radios.

Even someone with an Extra Class License should understand the implications of that.

-Chuck

```
From 3075449750681929308
X-Google-Thread: 108122,1d1d9ffe11ed7dad
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!eccf0ffe!not-for-mail
From: "Charles V" <volkland@verizon.REMOVE THIS.net>
Newsgroups: rec.radio.amateur.equipment
References: <1179923262.284095.233680@p77g2000hsh.googlegroups.com>
Subject: Re: IC-751 Scanning
Lines: 24
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <ill5i.12588$xV.1518@trnddc05>
Date: Thu, 24 May 2007 19:04:46 GMT
NNTP-Posting-Host: 68.238.70.144
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1180033486 68.238.70.144 (Thu, 24 May 2007 15:04:46 EDT)
NNTP-Posting-Date: Thu, 24 May 2007 15:04:46 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:12068
```

I meant to comment on your replacement of "old leaking caps", but failed to do so. I have not yet encountered any problem with the caps in my set. Would you please provide a little info in this regard, such as how many and what circuit boards were primarily involved. I don't have the internal power supply installed and am using an external Kenwood PS-350.

Thanks in advance for any info re your cap replacement project.

Charles
W6JNF

"KB8M" <kb8m06@gmail.com> wrote in message
news:1179923262.284095.233680@p77g2000hsh.googlegroups.com...
> I run an IC-751 with a Windom at 30'. The radio works fine after
> replacing the old leaking caps. However, when trying to scan it will
> not stop when the squelch opens. It just keeps scanning. Any
> thoughts?
>
> Thanks,
> Doug/KB8M
>

From 4771347507994322161
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!
news.sisna.com!not-for-mail
Reply-To: "Clif Holland" <clif@avvid.com>
From: "Clif Holland" <clif@avvid.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<46507b56$0$28429$88260bb3@free.teranews.com>
<1180020591.875467.45510@u30g2000hsc.googlegroups.com>
<x9qdncEyZqEkQsjbnZ2dnUVZ_tDinZ2d@rcn.net>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Lines: 39
Organization: AVVid
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <Win5i.79$hv4.241900@news.sisna.com>
Date: Thu, 24 May 2007 16:18:35 -0500
NNTP-Posting-Host: 67.54.199.54
X-Complaints-To: newsabuse@ikano.com

X-Trace: news.sisna.com 1180041526 67.54.199.54 (Thu, 24 May 2007 15:18:46 MDT)
NNTP-Posting-Date: Thu, 24 May 2007 15:18:46 MDT
X-Received-Date: Thu, 24 May 2007 15:18:46 MDT (news.sisna.com)
Xref: g2news1.google.com rec.radio.swap:16344 rec.radio.amateur.boatanchors:11747
rec.radio.amateur.equipment:12069 alt.ham-radio.marketplace:3113

Eham says he is a general. Wannabe extra.....

--

Clif

"Chuck Harris" <cf-NO-SPAM-harris@erols.com> wrote in message
news:x9qdncEyZqEkQsjbnZ2dnUVZ_tDinZ2d@rcn.net...
> Ham With Extra Class wrote:
>> On May 20, 12:38 pm, "Doug Adair" <n...@skyhook-waveamp.com> wrote:
>>> "travis" <travg...@aol.com> wrote in message
>>>
>>> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...> On Thu, 17 May 2007
>>> 20:15:19 -0400, "Doug Adair"
>>>> <n...@skyhook-waveamp.com> wrote:
>>>>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>>>>> MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>>>> Hopefully the FCC will shut you down before anyone buys this crap.
>>> I sold a bunch of them so why don't you just shut the fuck up!
>>>
>>> --
>>> Posted via a free Usenet account fromhttp://www.teranews.com
>>
>> I've a question. If these tubes would make your rig "sound loud" but
>> not actually amplify the power which they won't, why are there so many
>> people responding like they don't know what they're talking about?
>> Oh sorry, the new Ham generation, codeless geeks.
>
> Because he isn't selling tubes, he is selling sweep tube linear amplifiers
> for use with CB radios.
>
> Even someone with an Extra Class License should understand the
> implications of that.
>
> -Chuck

From 5316059533704733583
X-Google-Thread: 108122,2e071e8b8d033cc6,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!
indigo.octanews.net!mauve.octanews.net!news-out.octanews.net!teal.octanews.net!

```
newsfeeds.sol.net!216.165.192.91.MISMATCH!posts.news.nationwide.net!
nnrp1.nationwide.net!not-for-mail
From: "DJ" <djay@oz.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: 13.8 v 10 to 20 amp DC power supply
Date: Thu, 24 May 2007 14:19:16 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
X-Antivirus: avast! (VPS 000743-4, 24-05-2007), Outbound message
X-Antivirus-Status: Clean
Lines: 18
Message-ID: <46560157$0$3579$ae4e5890@news.nationwide.net>
Organization: Nationwide Internet
NNTP-Posting-Date: 24 May 2007 21:19:20 GMT
NNTP-Posting-Host: e1f28d41.news.nationwide.net
X-Trace: DXC=_fJ03_5WJ[>m6Dm4iP9X`3:U7?Od7_0C<<?CS8K4iWV3?UHY<P0=WG1Y7mR`5>?
WK:IbiX_EI>8Z8OP9>_1b9T5<Mbbb9HUGAC<
X-Complaints-To: abuse-usenet@ticon.net
Xref: g2news1.google.com rec.radio.amateur.equipment:12070
```

I need a power supply (PS) for my Icom 2100H; I moved and can't find my
astron 20 amp 13.8 dc volts PS.

Does anyone have one for around $50.00 ? Or $60 with shipping included ?

I'm located in Seattle (actually Burien, next to the Airport)

I will accept private emails for this item!

djay@oz.net

or just post your replies here!!!

KD7MKF

tia

```
From -1801019759614824242
X-Google-Thread: 108122,3c4c41759245e9ec,start
X-Google-Attributes: gid108122,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z28g2000prd.googlegroups.com!not-for-
mail
From: Richcraiglist@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Mirage B108 Manual Needed
Date: 24 May 2007 21:22:18 -0700
Organization: http://groups.google.com
```

Lines: 5
Message-ID: <1180066937.894346.211950@z28g2000prd.googlegroups.com>
NNTP-Posting-Host: 76.103.103.98
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1180066948 32269 127.0.0.1 (25 May 2007 04:22:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 25 May 2007 04:22:28 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z28g2000prd.googlegroups.com; posting-host=76.103.103.98;
   posting-account=khU78w0AAAAnvxD_gKp4pEb2x13RooIC
Xref: g2news1.google.com rec.radio.amateur.equipment:12071

I am need of a manual for a Mirage B108 amplifier.

Thank you,
Rich

From -4319785189967135901
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Fri, 25 May 2007 07:28:09 -0400
From: Christopher Cox <chrisTOPHERcOX@coboxincORORATED.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
In-Reply-To: <464ce3c4$0$23003$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <4656c7d4$0$16713$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.swap:16349 rec.radio.amateur.boatanchors:11751
rec.radio.amateur.equipment:12072 alt.ham-radio.marketplace:3115

Doug Adair wrote:
> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
> MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>
>
>

Remarkable,

A dual triode with a max plate dissipation of 1.5 watts.

How did this spawn all the remarks from radio police?
Rhetorical question, don't answer.

Chris
KC8FRJ

From 7961895446481379870
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 25 May 2007 06:33:00 -0500
Date: Fri, 25 May 2007 07:32:48 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.2) Gecko/20070221
SeaMonkey/1.1.1
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<4656c7d4$0$16713$4c368faf@roadrunner.com>
In-Reply-To: <4656c7d4$0$16713$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <B9GdnVGA2_XxVMvbnZ2dnUVZ_tvinZ2d@rcn.net>
Lines: 19
NNTP-Posting-Host: 71.163.143.206
X-Trace: sv3-SoBH8sni8RRCNUjzwsavQxqdvLcVAjb+gVBBs/
XIba+r7RoVT892dLLbw4HWgg6Rc+Jm1D6rXUEg8DO!
4SGNkOX+pivdh1Z7b+dUkrO0sBkiiexMYuapH3lYWSLaDS7bg2238M+KlzDjrL8hxU1zFRM9sZid!
PKsks8V5d0Znxg==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16350 rec.radio.amateur.boatanchors:11752
rec.radio.amateur.equipment:12073 alt.ham-radio.marketplace:3116
```

Christopher Cox wrote:
> Doug Adair wrote:
>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>> MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>>
>>
> Remarkable,
>
> A dual triode with a max plate dissipation of 1.5 watts.
>
> How did this spawn all the remarks from radio police?
> Rhetorical question, don't answer.

Think 6GF5 and a typo?
>
>
> Chris
> KC8FRJ
>

```
From -2665746540831467480
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Fri, 25 May 2007 07:48:07 -0500
Date: Fri, 25 May 2007 08:47:53 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.2) Gecko/20070221
SeaMonkey/1.1.1
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
Subject: Re: I'll have a bunch of these for sale at Dayton!
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<4656c7d4$0$16713$4c368faf@roadrunner.com>
<B9GdnVGA2_XxVMvbnZ2dnUVZ_tvinZ2d@rcn.net>
In-Reply-To: <B9GdnVGA2_XxVMvbnZ2dnUVZ_tvinZ2d@rcn.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
```

```
Content-Transfer-Encoding: 7bit
Message-ID: <Ue-dnaNIQ9qaRsvbnZ2dnUVZ_oWdnZ2d@rcn.net>
Lines: 33
NNTP-Posting-Host: 71.163.143.206
X-Trace: sv3-
QeiEqJqYUFFNJJMq1odpyLCHlER4hsoCNWTMAS2Te2jDxwsQhx2QnzsAwzRXl8ol08VNqL0scj7gtLR!
3PJsj5Kq8ZhQcK75gtEBki9jxEAmyxbT1satakzeTBFvG7leY7okoCas7LReLi3tWM/IvVbwBcVF!
QFGti4POScnMNQ==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:16352 rec.radio.amateur.boatanchors:11753
rec.radio.amateur.equipment:12074 alt.ham-radio.marketplace:3117
```

```
Chuck Harris wrote:
> Christopher Cox wrote:
>> Doug Adair wrote:
>>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>>> MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>>>
>>>
>> Remarkable,
>>
>> A dual triode with a max plate dissipation of 1.5 watts.
>>
>> How did this spawn all the remarks from radio police?
>> Rhetorical question, don't answer.
>
> Think 6GF5 and a typo?
```

It is a good question, though. From the advertisement, it is implied that what is being sold is an "enhancement" for your CB radio.

If it is simply a NIB 6GF7 tube, then all of the supposed benefits are meaningless, as a 6GF7 is a dissimilar section twin triode that was made for use as a vertical deflection amplifier in TV sets. A 6GF7 might have been applicable in an old tube model CB, but old tube model CB radios are pretty rare these days.

Perhaps it is a knee jerk reaction to the poster, and the word CB? Doug Adair, or someone purporting to be Doug Adair, seems to have a big interest in buying, selling and using CB linears.

-Chuck

From -4093152245117775853

```
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<464d0b83$0$1245$ecde5a14@news.coretel.net>
<464e43e3$0$21505$afc38c87@news.optusnet.com.au>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Fri, 25 May 2007 14:15:38 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000743-5, 05/25/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 25
Message-ID: <46571b88$0$16402$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 May 2007 17:23:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.swap:16360 rec.radio.amateur.boatanchors:11755
rec.radio.amateur.equipment:12075 alt.ham-radio.marketplace:3118


"roughplanet" <roughplanet@optushome.com.au> wrote in message
news:464e43e3$0$21505$afc38c87@news.optusnet.com.au...
> "Radiosrfun" <Radiosrfun@Radiosrfun.com> wrote in message
> news:464d0b83$0$1245$ecde5a14@news.coretel.net...
>
> "travis" <travgent@aol.com> wrote in message
> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...
>
> On Thu, 17 May 2007 20:15:19 -0400, "Doug Adair"
> <n8wwm@skyhook-waveamp.com> wrote:
>>>>6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!! MAKE YOUR RIG
>>>>LOUD ON THOSE LONG HAULS!
>
>>> Hopefully the FCC will shut you down before anyone buys this crap.
>
>> They may! I have heard of them going to Hamfests and doing just that.
>
> Here's hoping. This guy's web site's a real money spinner due to
> ill-informed CBers. The sooner they close him down, the better. Talk about
```

> a model for spectrum anarchy....
>
Shut the hell up you cock sucker.

--
Posted via a free Usenet account from http://www.teranews.com

From 1714021574952585164
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<4656c7d4$0$16713$4c368faf@roadrunner.com>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Fri, 25 May 2007 14:16:45 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000743-5, 05/25/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 20
Message-ID: <46571bca$0$7122$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 May 2007 17:24:28 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.swap:16361 rec.radio.amateur.boatanchors:11756 rec.radio.amateur.equipment:12076 alt.ham-radio.marketplace:3119

"Christopher Cox" <chrisTOPHERcOX@coboxincORORATED.com> wrote in message news:4656c7d4$0$16713$4c368faf@roadrunner.com...
> Doug Adair wrote:
>> 6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>> MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
> Remarkable,
>
> A dual triode with a max plate dissipation of 1.5 watts.
>

> How did this spawn all the remarks from radio police?
> Rhetorical question, don't answer.
>
>
> Chris
> KC8FRJ
>

Most of them are clueless asshats.

--
Posted via a free Usenet account from http://www.teranews.com

From -4258535736302400614
X-Google-Thread: 1109af,10e812b7bc5548ba
X-Google-Thread: fc8b1,10e812b7bc5548ba
X-Google-Thread: 108122,10e812b7bc5548ba
X-Google-Thread: 108228,10e812b7bc5548ba
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gid108228,public,usenet
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Doug Adair" <n8wwm@skyhook-waveamp.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace
References: <464ce3c4$0$23003$88260bb3@free.teranews.com>
<1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com>
<46507b56$0$28429$88260bb3@free.teranews.com>
<1180020591.875467.45510@u30g2000hsc.googlegroups.com>
Subject: Re: I'll have a bunch of these for sale at Dayton!
Date: Fri, 25 May 2007 14:18:38 -0400
Organization: skyhook-wave
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000743-5, 05/25/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 29
Message-ID: <46571c3b$0$6888$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 May 2007 17:26:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.swap:16362 rec.radio.amateur.boatanchors:11757 rec.radio.amateur.equipment:12077 alt.ham-radio.marketplace:3120

"Ham With Extra Class" <n9vuu@yahoo.com> wrote in message
news:1180020591.875467.45510@u30g2000hsc.googlegroups.com...

> On May 20, 12:38 pm, "Doug Adair" <n...@skyhook-waveamp.com> wrote:
>> "travis" <travg...@aol.com> wrote in message
>>
>> news:1jtp43hbaa0ihqq8c22lf08vtqbf2kcphu@4ax.com...> On Thu, 17 May 2007
>> 20:15:19 -0400, "Doug Adair"
>> > <n...@skyhook-waveamp.com> wrote:
>>
>> >>6GF7 GE~TUBE AMPLIFIER~PREAMP~HAM RADIO~CB~NEW IN BOX!!
>> >>MAKE YOUR RIG LOUD ON THOSE LONG HAULS!
>>
>> > Hopefully the FCC will shut you down before anyone buys this crap.
>>
>> I sold a bunch of them so why don't you just shut the fuck up!
>>
>> --
>> Posted via a free Usenet account fromhttp://www.teranews.com
>
> I've a question. If these tubes would make your rig "sound loud" but
> not actually amplify the power which they won't, why are there so many
> people responding like they don't know what they're talking about?
> Oh sorry, the new Ham generation, codeless geeks.
>
>

They don't know their ass from a whole in the ground.

--
Posted via a free Usenet account from http://www.teranews.com

```
From 3332854395471912874
X-Google-Thread: 108122,b71e70f3d9d56946
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news2.arglkargh.de!
nuzba.szn.dk!pnx.dk!news.germany.com!storethat.news.telefonica.de!telefonica.de!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ-259B coils
Date: Sun, 06 May 2007 07:28:01 -0700
Message-ID: <pcpr33dv4634ccnmms8q7elk5un60brurf@4ax.com>
References: <xNmdncePwa23UKbbnZ2dnUVZ_sudnZ2d@comcast.com>
<JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Date: 06 May 2007 13:35:17 GMT
X-Complaints-To: abuse@teranews.com
```

Xref: g2news1.google.com rec.radio.amateur.equipment:11972

MFJ makes plug-in external coils for the MFJ-259 that converts the
analyzer into a grid dip meter. They attach to the bnc connector.

Dick

On Sun, 06 May 2007 08:48:15 -0400, Dave <W1MCE@comcast.net> wrote:

>What coils?
>
>My MFJ-259B has all the guts inside!!!
>
>
>
>DaveM wrote:
>
>> Anybody happen to have the details of the dipper coils for the MFJ-259B Antenna
>> Analyzer? Mine have become lost in a garage/workshop cleanout that went awry.
>>
>> Need number of turns, coil diameter, coil length if possible. Think I can
>> remember the rest of the details well enough to rebuild them.
>>
>> Thanks for your help

--
Posted via a free Usenet account from http://www.teranews.com

From 6101126316996672946
X-Google-Thread: 108122,b71e70f3d9d56946
X-Google-Thread: fc2a5,b71e70f3d9d56946
X-Google-Thread: 115730,b71e70f3d9d56946
X-Google-Thread: 1131b0,b71e70f3d9d56946
X-Google-Attributes: gid108122,gidfc2a5,gid115730,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 06 May 2007 11:40:09 -0500
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.equipment,s
ci.electronics.repair
References: <xNmdncePwa23UKbbnZ2dnUVZ_sudnZ2d@comcast.com>
<JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com>
Subject: Re: MFJ-259B coils
Date: Sun, 6 May 2007 12:40:09 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028

X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <4_CdnVVlSOB0maPbnZ2dnUVZ_gmdnZ2d@comcast.com>
Lines: 36
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-pKWE+w+7BoYN1/KPcG5aSxdmKiKeh9ewzwotr6M8Wx+esrL/
WCqNVPVOcKZIISMA5dhrquiqOdQ34NO!r9bpQUhzUIC/VGoXxAdXlA9l0d6DVwQF2ehd0O2FT/
gPAG14atJ/NwpI6mOPK1SVJ+AucooYszLQ!qhkmy/u6q0laCm1Spx6MY7/EZGL2xDc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11973 rec.radio.amateur.homebrew:13196 sci.electronics.equipment:8433 sci.electronics.repair:65865

"Dave" <W1MCE@comcast.net> wrote in message
news:JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com...
> What coils?
>
> My MFJ-259B has all the guts inside!!!
>
>
>
> DaveM wrote:
>
>> Anybody happen to have the details of the dipper coils for the MFJ-259B
>> Antenna Analyzer? Mine have become lost in a garage/workshop cleanout that
>> went awry.
>>
>> Need number of turns, coil diameter, coil length if possible. Think I can
>> remember the rest of the details well enough to rebuild them.
>>
>> Thanks for your help
>

Yep!!! My MFJ-259B has lots of guts too.
The dipper coils are used to make the Analyzer operate like a grid dip meter.
Extremely useful for tuning traps, tanks, etc.   They are an accessory to the Analyzer; I think the part number for them is MFJ-66.
There are two coils in the set, one for 1.8 MHz to 50 MHz, the other covers 20 MHz to 170 MHz.

Cheers!
--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

Life is like a roll of toilet paper; the closer to the end, the faster it goes.

From 6542614723892917221
X-Google-Thread: 108122,b71e70f3d9d56946
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ-259B coils
Date: Sun, 6 May 2007 18:04:01 +0000 (UTC)
Organization: MGT Consulting
Lines: 28
Message-ID: <slrnf3s5sb.7tb.gsm@cable.mendelson.com>
References: <xNmdncePwa23UKbbnZ2dnUVZ_sudnZ2d@comcast.com> <JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com> <4_CdnVVlSOB0maPbnZ2dnUVZ_gmdnZ2d@comcast.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-139-69-52.bb.netvision.net.il
X-Trace: marvin.inside.misty.com 1178474641 28248 89.139.69.52 (6 May 2007 18:04:01 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sun, 6 May 2007 18:04:01 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:11974

DaveM wrote:

>
> Yep!!! My MFJ-259B has lots of guts too.
> The dipper coils are used to make the Analyzer operate like a grid dip meter.
> Extremely useful for tuning traps, tanks, etc.   They are an accessory to the
> Analyzer; I think the part number for them is MFJ-66.
> There are two coils in the set, one for 1.8 MHz to 50 MHz, the other covers 20
> MHz to 170 MHz.

I'm sorry I can't be more helpful, but someone pointed me to a German version of the Manual that a ham wrote for it. I have forgotten the URL. :-(

It includes instructions that even a non German reader can understand for making a set of coils that far outperform the MFJ ones. They can be made for a few dollars assuming you have a source for small white PVC pipe, BNC connectors and enameled magnet wire, none of which I can get locally. :-(

Geoff.

```
--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
IL Voice: (07)-7424-1667  Fax ONLY: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/


From -5116921331243456542
X-Google-Thread: 108122,ec65874049c1a93b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  MO PARTS AGAIN
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <PGt%h.111680$VU4.69427@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: e7592767af5fe684709d2a57c5a8c869
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1178494767
e7592767af5fe684709d2a57c5a8c869 (Sun, 06 May 2007 23:39:27 GMT)
NNTP-Posting-Date: Sun, 06 May 2007 23:39:27 GMT
Organization: AT&T Worldnet
Date: Sun, 06 May 2007 23:39:27 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11975

After 6 mos off for hip fracture healing, and a small fire,  I have
started to list items again: I will add daily as I can:

See my items at:
http://search.ebay.com/_W0QQfrppZ50QQfsooZ1QQfsopZ1QQrdZ0QQsassZheytubeguy

I also have 30 or so antique radios to be added beginning in the not too
distant future.

Tnx for looking, Heytubeguy





From 6525399711638887169
X-Google-Thread: 108122,b71e70f3d9d56946
X-Google-Thread: fc2a5,b71e70f3d9d56946
X-Google-Thread: 115730,b71e70f3d9d56946
X-Google-Thread: 1131b0,b71e70f3d9d56946
X-Google-Attributes: gid108122,gidfc2a5,gid115730,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 06 May 2007 19:03:05 -0500
Date: Sun, 06 May 2007 20:03:06 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.equipment,s
ci.electronics.repair
Subject: Re: MFJ-259B coils
References: <xNmdncePwa23UKbbnZ2dnUVZ_sudnZ2d@comcast.com>
<JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com>
<4_CdnVVlSOB0maPbnZ2dnUVZ_gmdnZ2d@comcast.com>
In-Reply-To: <4_CdnVVlSOB0maPbnZ2dnUVZ_gmdnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <qq6dnZcNo-Uk8aPbnZ2dnUVZ_sninZ2d@comcast.com>
Lines: 38
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-HNMmW4ntMW8/
Iy3EvewPKCr1Dzb52iYQSKr+Mxgm4t0VVyF3f3iDpjdi5VktrzsIDYzPxiia0nwG4V8!
YZMKo6JLjdfo8Z4agDktWFqAApb4b9CwpGX3I/DCOxZxIvaY3f9ChAGImkALWmD9dRPAPWmSJFYr!
9TKWkuIL+fsUjiZlzsranlHz0VU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11976
rec.radio.amateur.homebrew:13198 sci.electronics.equipment:8437
sci.electronics.repair:65877

DaveM wrote:

> "Dave" <W1MCE@comcast.net> wrote in message
> news:JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com...
>
>>What coils?
>>
>>My MFJ-259B has all the guts inside!!!
>>
>>
>>
>>DaveM wrote:
>>
>>
>>>Anybody happen to have the details of the dipper coils for the MFJ-259B
>>>Antenna Analyzer? Mine have become lost in a garage/workshop cleanout that

```
>>>went awry.
>>>
>>>Need number of turns, coil diameter, coil length if possible.  Think I can
>>>remember the rest of the details well enough to rebuild them.
>>>
>>>Thanks for your help
>>
>
> Yep!!! My MFJ-259B has lots of guts too.
> The dipper coils are used to make the Analyzer operate like a grid dip meter.
> Extremely useful for tuning traps, tanks, etc.   They are an accessory to the
> Analyzer; I think the part number for them is MFJ-66.
> There are two coils in the set, one for 1.8 MHz to 50 MHz, the other covers 20
> MHz to 170 MHz.
>
> Cheers!

Wow! I learned something today. Even old farts can learn something new.

BTW: my grid dipper is a real grid dipper ... AN/PRM-10. Anybody remember that
old boatanchor?



From 2253579939420424469
X-Google-Thread: 108122,1c9c8eb827a9eed8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!f4af025b!
not-for-mail
From: "Norm Mann" <folder0735@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1178416423.594912.112550@w5g2000hsg.googlegroups.com>
Subject: Re: Electronic Keyer Problem
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <5mu%h.321$py5.318@trnddc06>
Date: Mon, 07 May 2007 00:25:37 GMT
NNTP-Posting-Host: 71.102.220.133
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1178497537 71.102.220.133 (Sun, 06 May 2007 20:25:37 EDT)
NNTP-Posting-Date: Sun, 06 May 2007 20:25:37 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:11977


<kb1jec@gmail.com> wrote in message
news:1178416423.594912.112550@w5g2000hsg.googlegroups.com...
```

> Hi,
>
> I have a Daiwa DK-210 CW keyer. I haven't used it in almost a year.
> Today I went to turn it on, and it wouldn't work. This was running
> off 13.8vDC (there is a connector on back for 13.8vdc input). I
> opened it and found it can also be run off 9v battery. I connected a
> 9v battery and it appeared to work, until I plugged it into my radio.
> My bencher paddle works with it, but it doesn't key the radio. I
> checked the two keyer output leads on the back of it and found no
> voltage coming out of them. I don't know what went wrong or what to
> do now.

Does your rig work with a straight key? If not, the problems in the radio,
or it's not really in CW mode.
You would be unlikely to see a voltage at the output since the keying
voltage comes from the radio. The keyer just uses a relay or transistor
switch to short the two lines from the transmitter. Since the keying lines
may have a positive or negative polarity, the keyers with transistor
switching have plus and minus outputs - make sure you use the right one. If
you need to check it out, use the ohmmeter to check for resistance change
and again, it is polarity dependent.
You did mention a voltage change, but don't worry - the keyers I am familiar
with run whatever they get through a +5v regulator so that probably isn't
the problem.

HTH,

-NM

From -3375075147965405573
X-Google-Thread: 10dafd,b938c4e6c3679d24,start
X-Google-Thread: 108228,b938c4e6c3679d24,start
X-Google-Thread: 108122,b938c4e6c3679d24,start
X-Google-Thread: 1062f2,b938c4e6c3679d24,start
X-Google-Attributes: gid10dafd,gid108228,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!peter
From: Peter <peter@psuopwaoe.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplace
Subject: FA: ELECTRONICS EXPERIMENTERS, Breadboard, DC Power Supply, etc.
Date: Sun, 06 May 2007 21:23:16 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <060520072123165247%peter@psuopwaoe.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1

```
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1178500996 96275 75.67.219.196 (7 May 2007 01:23:16 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 7 May 2007 01:23:16 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:302731 alt.ham-
radio.marketplace:3070 rec.radio.amateur.equipment:11978
misc.industry.electronics.marketplace:1777


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320111419052


From 7537000765761719737
X-Google-Thread: 108122,1c9c8eb827a9eed8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q75g2000hsh.googlegroups.com!not-for-
mail
From: kb1jec@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Electronic Keyer Problem
Date: 6 May 2007 20:02:25 -0700
Organization: http://groups.google.com
Lines: 42
Message-ID: <1178506945.424959.239510@q75g2000hsh.googlegroups.com>
References: <1178416423.594912.112550@w5g2000hsg.googlegroups.com>
   <5mu%h.321$py5.318@trnddc06>
NNTP-Posting-Host: 24.218.162.99
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1178506946 15812 127.0.0.1 (7 May 2007 03:02:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 7 May 2007 03:02:26 +0000 (UTC)
In-Reply-To: <5mu%h.321$py5.318@trnddc06>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3)
Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q75g2000hsh.googlegroups.com; posting-host=24.218.162.99;
   posting-account=69I2ow0AAAAHeCSAlv34KC2yM5lYNib5
Xref: g2news1.google.com rec.radio.amateur.equipment:11979

On May 6, 8:25 pm, "Norm Mann" <folder0...@hotmail.com> wrote:
> <kb1...@gmail.com> wrote in message
>
> news:1178416423.594912.112550@w5g2000hsg.googlegroups.com...
>
> > Hi,
>
> > I have a Daiwa DK-210 CW keyer.  I haven't used it in almost a year.
> > Today I went to turn it on, and it wouldn't work.  This was running
> > off 13.8vDC (there is a connector on back for 13.8vdc input).  I
```

> > opened it and found it can also be run off 9v battery. I connected a
> > 9v battery and it appeared to work, until I plugged it into my radio.
> > My bencher paddle works with it, but it doesn't key the radio. I
> > checked the two keyer output leads on the back of it and found no
> > voltage coming out of them. I don't know what went wrong or what to
> > do now.
>
> Does your rig work with a straight key? If not, the problems in the radio,
> or it's not really in CW mode.
> You would be unlikely to see a voltage at the output since the keying
> voltage comes from the radio. The keyer just uses a relay or transistor
> switch to short the two lines from the transmitter. Since the keying lines
> may have a positive or negative polarity, the keyers with transistor
> switching have plus and minus outputs - make sure you use the right one. If
> you need to check it out, use the ohmmeter to check for resistance change
> and again, it is polarity dependent.
> You did mention a voltage change, but don't worry - the keyers I am familiar
> with run whatever they get through a +5v regulator so that probably isn't
> the problem.
>
> HTH,
>
> -NM

Solved the problem. For some odd reason the power jack on my keyer
has the polarity reversed (pos on outside, neg in center). I had
forgotten it was made that way. Switched polarity and it works fine
now.

Thanks..
Doug

From 6806100211465907037
X-Google-Thread: 108122,63976fec717e05c8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!213.200.89.82.MISMATCH!
tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!t-online.de!
newsfeed.freenet.de!border2.nntp.ams.giganews.com!nntp.giganews.com!
feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-
ams-11!sn-xt-ams-04!sn-post-ams-01!sn-post-sjc-01!supernews.com!
news.supernews.com!kc1ih
From: Larry Weil <kc1ih@mac.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: NEAR-Fest, where do the profits go?
Date: Mon, 07 May 2007 01:04:13 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <kc1ih-9395D1.01041307052007@sn-indi.vsrv-sjc.supernews.net>
References: <pan.2007.05.05.19.31.49.151785@nospam.no>
User-Agent: MT-NewsWatcher/3.5.2 (PPC Mac OS X)
X-Complaints-To: abuse@supernews.com

```
Lines: 29
Xref: g2news1.google.com rec.radio.amateur.equipment:11980

In article <pan.2007.05.05.19.31.49.151785@nospam.no>,
 Eric <reply.in.group@nospam.no> wrote:

> Just got back from NEAR-Fest in Deerfield, NH, and while I have to say it
> ain't no Hosstraders (yet), still it was a very welcome event and I
> enjoyed it, and it has the potential to grow in the full Hosstraders
> tradition.
>
> Speaking of the "Hosstraders tradition", I was just wondering if anyone
> knows where the profits from this event are going.
>
> Hosstraders was always held to benefit the Shriners Burn Center (or the
> Shriners organization in general, I don't recall which), and from all
> reports resulted in a large check to that organization twice a year. I'm
> sure they will miss it.
>
> Anyone know which charity (if any) will benefit from NEAR-Fest?

This was discussed at the prize drawing at the end.  First, the want to
build up enough of a reserve so they can still have another hamfest even
if they get two washouts in a row.  After that, they will be
contributing to ham radio related causes.  They plan to post all the
financial info on the web site once the accounting is complete.

73 de KC1IH

--
Larry Weil
Lake Wobegone, NH


From 951710199684713110
X-Google-Thread: 108122,b71e70f3d9d56946
X-Google-Thread: fc2a5,b71e70f3d9d56946
X-Google-Thread: 115730,b71e70f3d9d56946
X-Google-Thread: 1131b0,b71e70f3d9d56946
X-Google-Attributes: gid108122,gidfc2a5,gid115730,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 07 May 2007 06:40:46 -0500
Date: Mon, 07 May 2007 12:40:48 -0400
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Thunderbird 1.5.0.10 (X11/20070305)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.equipment,s
ci.electronics.repair
Subject: Re: MFJ-259B coils
```

```
References: <xNmdncePwa23UKbbnZ2dnUVZ_sudnZ2d@comcast.com>
<JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com>
<4_CdnVVlSOB0maPbnZ2dnUVZ_gmdnZ2d@comcast.com>
In-Reply-To: <4_CdnVVlSOB0maPbnZ2dnUVZ_gmdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <6eCdnd7WMZSjjaLbnZ2dnUVZ8ternZ2d@pipex.net>
Lines: 12
NNTP-Posting-Host: 81.179.107.40
X-Trace: sv3-
YWFhEADxXNywpkyfju8uxjVpvccjO+2lza1hwIvw56tMup07muPgG2rEYybRbUAtFemaMk53gk89Vh8!
kWBb1ZLmfll+pH7OMb2btjq/KsMYMOJhktRvbGHOdMzwpe+lUVfN5rFWEh17XvP6lSYXaFOYsoEB!qDmC/
Bs+GltpX0AAdhtXFR5itA==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11981
rec.radio.amateur.homebrew:13208 sci.electronics.equipment:8439
sci.electronics.repair:65901

> Yep!!! My MFJ-259B has lots of guts too.
> The dipper coils are used to make the Analyzer operate like a grid dip meter.
> Extremely useful for tuning traps, tanks, etc.   They are an accessory to the
> Analyzer; I think the part number for them is MFJ-66.
> There are two coils in the set, one for 1.8 MHz to 50 MHz, the other covers 20
> MHz to 170 MHz.
=======================
Assuming that these dipper coils are connected to a PL259 plug for
connecting to the MFJ259B 's SO239 socket ,  it should not be too
difficult to homebrew the coils .........I'll have a go at that.

Frank   GM0CSZ / KN6WH


From 3198642670929008685
X-Google-Thread: 108122,b71e70f3d9d56946
X-Google-Thread: fc2a5,b71e70f3d9d56946
X-Google-Thread: 115730,b71e70f3d9d56946
X-Google-Thread: 1131b0,b71e70f3d9d56946
X-Google-Attributes: gid108122,gidfc2a5,gid115730,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 07 May 2007 15:21:57 -0500
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.equipment,s
ci.electronics.repair
References: <xNmdncePwa23UKbbnZ2dnUVZ_sudnZ2d@comcast.com>
```

```
<JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com>
<4_CdnVVlSOB0maPbnZ2dnUVZ_gmdnZ2d@comcast.com> <qq6dnZcNo-
Uk8aPbnZ2dnUVZ_sninZ2d@comcast.com>
Subject: Re: MFJ-259B coils
Date: Mon, 7 May 2007 16:21:57 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <DKednYFg5L_4F6LbnZ2dnUVZ_qOpnZ2d@comcast.com>
Lines: 59
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-XyO7DDcsAA4g5vvZtf8cjAY6qQTiQ/ML11r/THwZRUHD0wvPU1wMIzWnN3r/
+UIuoVw2vRZBWLmTHZV!MOUR8bwwODKdwVwUQFaZpg6OhrIkz/WVh5BKE8O340BsrCDBsvdbYDdn9w/
dPXdhuPkxq7ZqJ7G2!Q5dkuS/r+SFzsHoI334g11PRATNiyUM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11982
rec.radio.amateur.homebrew:13216 sci.electronics.equipment:8443
sci.electronics.repair:65913

"Dave" <W1MCE@comcast.net> wrote in message
news:qq6dnZcNo-Uk8aPbnZ2dnUVZ_sninZ2d@comcast.com...
> DaveM wrote:
>
>> "Dave" <W1MCE@comcast.net> wrote in message
>> news:JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com...
>>
>>>What coils?
>>>
>>>My MFJ-259B has all the guts inside!!!
>>>
>>>
>>>
>>>DaveM wrote:
>>>
>>>
>>>>Anybody happen to have the details of the dipper coils for the MFJ-259B
>>>>Antenna Analyzer?  Mine have become lost in a garage/workshop cleanout that
>>>>went awry.
>>>>
>>>>Need number of turns, coil diameter, coil length if possible.  Think I can
>>>>remember the rest of the details well enough to rebuild them.
>>>>
>>>>Thanks for your help
>>>
>>
>> Yep!!! My MFJ-259B has lots of guts too.
```

>> The dipper coils are used to make the Analyzer operate like a grid dip meter.
>> Extremely useful for tuning traps, tanks, etc.   They are an accessory to the
>> Analyzer; I think the part number for them is MFJ-66.
>> There are two coils in the set, one for 1.8 MHz to 50 MHz, the other covers
>> 20 MHz to 170 MHz.
>>
>> Cheers!
>
> Wow! I learned something today. Even old farts can learn something new.
>
> BTW: my grid dipper is a real grid dipper ... AN/PRM-10. Anybody remember that
> old boatanchor?
>

Yeppers!!!   I surely do remember the PRM-10. Almost bought one at a hamfest a
few years ago, but it looked like it had been through just about every battle in
WWII, Vietnam and Desert Storm.

They were good instruments; I used them while I was in the Navy as an ET during
the 60s. I found them to be quite useful while overhauling old comm equipment
while I was aboard the USS Vulcan (AR-5) during that period. Got a tremendous
amount of experience on that ship.

Cheers!!!!
--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the
address)

Life is like a roll of toilet paper; the closer to the end, the faster it goes.

From 293661209685363827
X-Google-Thread: 108122,56d29412819aed7a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!uns-
out.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Date: Mon, 07 May 2007 16:33:46 -0400
From: john Wiener <jawod@fuse.net>
User-Agent: Thunderbird 1.5.0.7 (Macintosh/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Elecraft K3 to hit the market
References: <192ce$46365f90$d8c4d2e2$20021@FUSE.NET> <Cd-
dnRjwuN-5eavbnZ2dnUVZ8v6dnZ2d@bt.com>
In-Reply-To: <Cd-dnRjwuN-5eavbnZ2dnUVZ8v6dnZ2d@bt.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

```
Message-ID: <1a6d7$463f8e1b$d8c4d2e2$27301@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 23
X-Trace: 1a6d7463f8e1b7d61774727301
Xref: g2news1.google.com rec.radio.amateur.equipment:11983

Ken chattenton wrote:
> Hi from Ken in the UK,
> It looks really great and I am sure it will be a winner for "ELECRAFT".
> Just one thing though, it comes fully assembled or you can buy it in modular
> form, no kits has such though...........cheers, Ken, G4KIR.
>
> "john Wiener" <jawod@fuse.net> wrote in message
> news:192ce$46365f90$d8c4d2e2$20021@FUSE.NET...
>> I just heard that a K3 is about to hit the market.  I put together the K2
>> last year.  IF it lives up to expectation, it could find a place in many
>> many shacks.  A true rival for top-end Yae-Ken_Com?  Cost is under $2000 I
>> think...it comes as a kit or pre-assembled.
>>
>> What do you think?
>>
>> AB8O
>
>
Yes, I guess "kit" is a stretch but I think that's how the K3 will be
marketed: fully assembled or "kit"

John
AB8O



From 9142855923885435165
X-Google-Thread: 108122,63976fec717e05c8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!panix!
panix3.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: NEAR-Fest, where do the profits go?
Date: Mon, 7 May 2007 16:47:21 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 58
Message-ID: <Pine.NEB.4.64.0705071634080.9887@panix3.panix.com>
References: <pan.2007.05.05.19.31.49.151785@nospam.no>
 <kc1ih-9395D1.01041307052007@sn-indi.vsrv-sjc.supernews.net>
NNTP-Posting-Host: panix3.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1178570842 22762 166.84.1.3 (7 May 2007 20:47:22 GMT)
```

X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 7 May 2007 20:47:22 +0000 (UTC)
In-Reply-To: <kc1ih-9395D1.01041307052007@sn-indi.vsrv-sjc.supernews.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:11984

On Mon, 7 May 2007, Larry Weil wrote:

> In article <pan.2007.05.05.19.31.49.151785@nospam.no>,
> Eric <reply.in.group@nospam.no> wrote:
>
>> Just got back from NEAR-Fest in Deerfield, NH, and while I have to say it
>> ain't no Hosstraders (yet), still it was a very welcome event and I
>> enjoyed it, and it has the potential to grow in the full Hosstraders
>> tradition.
>>
>> Speaking of the "Hosstraders tradition", I was just wondering if anyone
>> knows where the profits from this event are going.
>>
>> Hosstraders was always held to benefit the Shriners Burn Center (or the
>> Shriners organization in general, I don't recall which), and from all
>> reports resulted in a large check to that organization twice a year. I'm
>> sure they will miss it.
>>
>> Anyone know which charity (if any) will benefit from NEAR-Fest?
>
> This was discussed at the prize drawing at the end. First, the want to
> build up enough of a reserve so they can still have another hamfest even
> if they get two washouts in a row. After that, they will be
> contributing to ham radio related causes. They plan to post all the
> financial info on the web site once the accounting is complete.
>
> 73 de KC1IH
>
> --
> Larry Weil
> Lake Wobegone, NH
>

It also might not be obvious to some people but often an organization will have to pay rent to use some space for events like a hamfest. There may be other fees-costs, too.

This is not to say that the question could also be motivated by a genuine curiosity about whether anyone inside the club/sponsor might be benefitting in some preferential way that might be hidden from the average person. Sometimes these are acceptable, sometimes not. One example I know from the past, in a couple of clubs, had it that the raffle winners always turned out to be all of the club officers. In another club I was once in, it was interesting to learn that all of the club's radio gear (SSB HF transceiver, and a bunch of other stuff) was "stored" at one member's house and was always used during all of the contests by the contest-freaks in the club. "That's the way we've been doing it for years" and no one dared to openly ask about this but there were private whispers about it. But, its _my_ dues and the dues of the others that is subsidizing the interests of a very minor fraction of the membership. Club members might want to pay attention to how annual finances are discussed at meetings; do they go into depth or gloss over things?

Just a couple of things for people to think about.

```
From 8919723471183719562
X-Google-Thread: 108122,63976fec717e05c8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 07 May 2007 16:05:28 -0500
Date: Mon, 07 May 2007 17:05:29 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: NEAR-Fest, where do the profits go?
References: <pan.2007.05.05.19.31.49.151785@nospam.no>
In-Reply-To: <pan.2007.05.05.19.31.49.151785@nospam.no>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <cKudnWp5ApcFCaLbnZ2dnUVZ_q2pnZ2d@comcast.com>
Lines: 38
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-GFA8pv75sn3gOtauXSX1kdMKi99OnB/AwdbEQliVActSIRok//
DgmYaYpZXektce1AB4YirJTy5zZLy!wrw4wQFk/JoxGod/LiIOIPpDTqAMAIWR7fUG//
9VnCukp4SmwvPn0NomauC5+6s3h6HJxh5sh7ef!G41SGcFUp6iAuj/ae6VdTgb79y4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11985
```

Eric wrote:

> Just got back from NEAR-Fest in Deerfield, NH, and while I have to say it
> ain't no Hosstraders (yet), still it was a very welcome event and I
> enjoyed it, and it has the potential to grow in the full Hosstraders
> tradition.
>

> Speaking of the "Hosstraders tradition", I was just wondering if anyone
> knows where the profits from this event are going.
>
> Hosstraders was always held to benefit the Shriners Burn Center (or the
> Shriners organization in general, I don't recall which), and from all
> reports resulted in a large check to that organization twice a year. I'm
> sure they will miss it.
>
> Anyone know which charity (if any) will benefit from NEAR-Fest?
>
>

The organizers put up the cash.

The organizers assumed the risks.

The organizers paid the insurances.

The organizers signed the contracts.

The organizers did the work.

There is NO REQUIREMENT that NEARfest be charitable.

If there are profits, the American Way is that the people who put up the original cash have the right [RIGHT] to return on investment.

What's your problem?

/s/ DD, W1MCE

From 2539112551809460397
X-Google-Thread: 108122,cbf16e62d5fef4f1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 07 May 2007 22:48:34 -0500
From: "Topaz305RK" <k7sam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu 990 advice
Date: Mon, 7 May 2007 21:50:32 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <FZidnYfT9uSJbqLbnZ2dnUVZ_revnZ2d@vnet-inc.com>
Lines: 16
NNTP-Posting-Host: 70.41.239.151

X-Trace: sv3-XmdkFotNN3pnoY0Dkq2a58gtpI359ZoJAJGu16G26I13Vei5T0ZFp/XUVGtsck/
9XgaM96X8QlxJdKq!BtwhHYQGI/
kmFcRimOUAT9WtCG79YOkqLT9z78qpVb2oVNPTYGIbwaioiN7JBgmhxkLJoPXa25s0!
VzvZhfkClJbGTv2GUzDzmTsIdWk=
X-Complaints-To: abuse@vnet-inc.com
X-DMCA-Complaints-To: abuse@vnet-inc.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11986

Need a little info please.

Have a Yaesu FT-990, no service manual. The light on the meter is dead.
Anyone ever change out one of these bulbs?
Is it a major undertaking or just minor surgery? Have changed a couple of "grain of wheat" bulbs in dual band mobile radios before.
Just thought I would ask before tearing into the thing. If it is a real major operation will send it off, other wise will dig in and do it myself.
Also, if someone has the service manual, perhaps you can pass along the part number for the bulb, assuming it is a bulb and not a back lit meter of some sort.

Sam - K7SAM

From 3710135135762562508
X-Google-Thread: fc8b1,406fdcbd9a0c5fb8,start
X-Google-Thread: 108122,406fdcbd9a0c5fb8,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 07 May 2007 23:18:58 -0500
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Harris RF-287 Remote Panel
From: "Ken Fowler" <ko6no@yahoo.com>
Reply-to: ko6no@yahoo.com
Organization: KO6NO
Date: Tue, 8 May 2007 04:18:58 GMT
X-Newsreader: News Rover 11.3.2 (http://www.NewsRover.com)
Message-ID: <_d2dnYYuxIyvZ6LbnZ2dnUVZ_smonZ2d@comcast.com>
Lines: 9
NNTP-Posting-Host: 67.180.153.122
X-Trace: sv3-ChMg5c2rjIvKdqCUZ3lJ06FuLYJUF1O2y/
wPk8LSqLRtVDfUKUnWRgW+w+Wip0uEHdKSNgIeX/d6980!gygdk0PNkqpZVra1B+XnTL4ERo6L/

EzWM4FenVS6RuoKSTTHkJdVDp9ZWS9FWGm9kFQ3VBZVHmEn!0CwcHv7ZNTowxDrWje31dIOM64RrAaY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11542 rec.radio.amateur.equipment:11987

The USS Hornet Amateur Radio Station has aquired several Harris RF-287 Remote Control boxes. I
believe these were used by US Navy Ships for remote speaker-handset stations. I don't know what
type of transceivers they were used with. I haven't found any information about them by googling.
I am looking for a schematic. The box is about 4in. high by 6 in. wide by 4 in. deep and contains a
speaker, audio ower amplifier, power supply regulator, two relays, two small audio transformers, a
switch and a volume control. Connection to the transceiver or patch panel is through a 10 pin MS
connector. Does anyone have a schematic they can share before I have to trace it out? Thanks and
73.
Ken Fowler, KO6NO

From 9217272429198617081
X-Google-Thread: 108122,cbf16e62d5fef4f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu 990 advice
Date: Mon, 07 May 2007 23:34:26 -0500
Lines: 22
Message-ID: <5aacueF2nrn8jU1@mid.individual.net>
References: <FZidnYfT9uSJbqLbnZ2dnUVZ_revnZ2d@vnet-inc.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net ATKgENUtYE7eaqIacXldyQ1+PiTELMnSIGclT4HJkZ2SKFSUDg
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <FZidnYfT9uSJbqLbnZ2dnUVZ_revnZ2d@vnet-inc.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:11988

Topaz305RK wrote:
> Need a little info please.

>
> Have a Yaesu FT-990, no service manual. The light on the meter is dead.
> Anyone ever change out one of these bulbs?
> Is it a major undertaking or just minor surgery? Have changed a couple of
> "grain of wheat" bulbs in dual band mobile radios before.
> Just thought I would ask before tearing into the thing. If it is a real
> major operation will send it off, other wise will dig in and do it myself.
> Also, if someone has the service manual, perhaps you can pass along the part
> number for the bulb, assuming it is a bulb and not a back lit meter of some
> sort.
>
> Sam - K7SAM
>
>
>

It is a 12v lamp according to schematic,and you would be much better off
replacing it with a led and resistor...

Bob N9LVU

From -2614249954610158911
X-Google-Thread: 108122,cbf16e62d5fef4f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!proxad.net!newsfeed.arcor.de!195.34.132.48.MISMATCH!newsfeed01.chello.at!newsfeed02.chello.at!news.hispeed.ch.POSTED!not-for-mail
Date: Tue, 08 May 2007 19:17:31 +0200
From: Markus L <uo9oe9@tzk.pu>
User-Agent: Thunderbird 1.5.0.10 (Windows/20070221)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu 990 advice
References: <FZidnYfT9uSJbqLbnZ2dnUVZ_revnZ2d@vnet-inc.com>
<5aacueF2nrn8jU1@mid.individual.net>
In-Reply-To: <5aacueF2nrn8jU1@mid.individual.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <4d2e4$4640b0a7$57f558de$5428@news.hispeed.ch>
X-Complaints-To: abuse@hispeed.ch
Organization: hispeed.ch
Lines: 42
NNTP-Posting-Host: 87.245.88.222 (87.245.88.222)
NNTP-Posting-Date: Tue, 08 May 2007 19:17:27 +0200
X-Trace: 4d2e44640b0a7f250fd7b05428
Xref: g2news1.google.com rec.radio.amateur.equipment:11989

Robert Kubichek wrote:
> Topaz305RK wrote:
>> Need a little info please.
>>

>> Have a Yaesu FT-990, no service manual. The light on the meter is
>> dead. Anyone ever change out one of these bulbs?
>> Is it a major undertaking or just minor surgery? Have changed a couple
>> of "grain of wheat" bulbs in dual band mobile radios before.
>> Just thought I would ask before tearing into the thing. If it is a
>> real major operation will send it off, other wise will dig in and do
>> it myself.
>> Also, if someone has the service manual, perhaps you can pass along
>> the part number for the bulb, assuming it is a bulb and not a back lit
>> meter of some sort.
>>
>> Sam - K7SAM
>>
>>
> It is a 12v lamp according to schematic,and you would be much better off
> replacing it with a led and resistor...
>
>
> Bob N9LVU

FT-990 "Technical Supplement":

Exploded View (Front Panel Assembly):
Meter Lamp 14V 150mA, Q1000075. If I interpret the drawing correctly,
the meter lamp goes into fuse holder P2000003.

Pilot Lamp Replacement:
Disconnect all cables, remove top and bottom covers.
Remove 7 screws from the edges of the front panel (2 bottom, 3 top, 1
upper left, 1 upper right).
Loosen 2 remaining screws at the lower edge on each side.
Fold front panel forward and down to access the inside.
Remove 2 screws in the lamp reflector.
Remove reflector to access lamp within.

Hope this helps!

73, Markus HB9BRJ / AE6MG

From 1015559857156647528
X-Google-Thread: 108122,f8ec4e970b3240b5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Andrew 7/8" Hardline
Date: Tue, 08 May 2007 14:01:36 -0500
Organization: netINS InterNetNews site
Lines: 2
Message-ID: <l6i143ph66caln9n62cf5jok8bc9s2ki2f@4ax.com>

NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1178650861 26066 67.55.159.6 (8 May 2007 19:01:01 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Tue, 8 May 2007 19:01:01 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:11990

Please take a look. Thanks
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=170110118554

From -4006177836917077833
X-Google-Thread: 108122,cbf16e62d5fef4f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 May 2007 22:23:24 -0500
From: "Topaz305RK" <k7sam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <FZidnYfT9uSJbqLbnZ2dnUVZ_revnZ2d@vnet-inc.com>
<5aacueF2nrn8jU1@mid.individual.net>
<4d2e4$4640b0a7$57f558de$5428@news.hispeed.ch>
Subject: Re: Yaesu 990 advice
Date: Tue, 8 May 2007 21:25:23 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <pa2dnV79fKgwo9zbnZ2dnUVZ_oSnnZ2d@vnet-inc.com>
Lines: 56
NNTP-Posting-Host: 70.41.239.151
X-Trace: sv3-
e8xKZECH+kaKvfaBIjggC4frOL2VP3vJsr4EZbuuyuGszrtzwNX3foK065MkStTvSnarXFH84LQBoe3!
dGBwPpuBbiM1ys5RWiQT8tvq7uoeRUfDjQitZB4p9eko8K4qtLWK2DRDvzdJwHdNlNrvbWLPtWI8!
Q6LDvD0v5D5GRmqd+ZJrgx0JnjI=
X-Complaints-To: abuse@vnet-inc.com
X-DMCA-Complaints-To: abuse@vnet-inc.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11991

"Markus L" <uo9oe9@tzk.pu> wrote in message
news:4d2e4$4640b0a7$57f558de$5428@news.hispeed.ch...
> Robert Kubichek wrote:

>> Topaz305RK wrote:
>>> Need a little info please.
>>>
>>> Have a Yaesu FT-990, no service manual. The light on the meter is dead.
>>> Anyone ever change out one of these bulbs?
>>> Is it a major undertaking or just minor surgery? Have changed a couple
>>> of "grain of wheat" bulbs in dual band mobile radios before.
>>> Just thought I would ask before tearing into the thing. If it is a real
>>> major operation will send it off, other wise will dig in and do it
>>> myself.
>>> Also, if someone has the service manual, perhaps you can pass along the
>>> part number for the bulb, assuming it is a bulb and not a back lit meter
>>> of some sort.
>>>
>>> Sam - K7SAM
>>>
>>>
>> It is a 12v lamp according to schematic,and you would be much better off
>> replacing it with a led and resistor...
>>
>>
>> Bob N9LVU
>
> FT-990 "Technical Supplement":
>
> Exploded View (Front Panel Assembly):
> Meter Lamp 14V 150mA, Q1000075. If I interpret the drawing correctly, the
> meter lamp goes into fuse holder P2000003.
>
> Pilot Lamp Replacement:
> Disconnect all cables, remove top and bottom covers.
> Remove 7 screws from the edges of the front panel (2 bottom, 3 top, 1
> upper left, 1 upper right).
> Loosen 2 remaining screws at the lower edge on each side.
> Fold front panel forward and down to access the inside.
> Remove 2 screws in the lamp reflector.
> Remove reflector to access lamp within.
>
> Hope this helps!
>
> 73, Markus HB9BRJ / AE6MG

Markus -

Think that was just the info I was looking for.
Thanks a bunch, very much appreciated.

Sam - K7SAM
>

```
From 1005532794706119463
X-Google-Thread: 108122,cbf16e62d5fef4f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog2.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 May 2007 23:16:00 -0500
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <FZidnYfT9uSJbqLbnZ2dnUVZ_revnZ2d@vnet-inc.com>
<5aacueF2nrn8jU1@mid.individual.net>
Subject: Re: Yaesu 990 advice
Date: Tue, 8 May 2007 21:15:48 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <wvadnc8qFtec1tzbnZ2dnUVZ_jednZ2d@giganews.com>
Lines: 39
X-Trace: sv3-JFURjKxZvz0k98iSSR/3yZQvTw6AhIzCT3doMp/ZL83qizg8/
f0n8JPJcn6gXYoNfgv7v3SYxW04jyd!Z6IbRsEjuBQhsVIxIwPzscgEX0/
IWlhcszdPHcaLahGMaJzQa7uiYo+uNfXqj77aYQW2yVO6ybQ=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11992
```

Robert Kubichek wrote:
> Topaz305RK wrote:
> > Need a little info please.
> >
> > Have a Yaesu FT-990, no service manual. The light on the meter is dead.
> > Anyone ever change out one of these bulbs?
> > Is it a major undertaking or just minor surgery? Have changed a couple
of
> > "grain of wheat" bulbs in dual band mobile radios before.
> > Just thought I would ask before tearing into the thing. If it is a real
> > major operation will send it off, other wise will dig in and do it
myself.
> > Also, if someone has the service manual, perhaps you can pass along the
part
> > number for the bulb, assuming it is a bulb and not a back lit meter of
some
> > sort.
> >
> > Sam - K7SAM
> >
> >

> >
> It is a 12v lamp according to schematic,and you would be much better off
> replacing it with a led and resistor...
>
>
> Bob N9LVU

LEDs tend to have a very narrow dispersion angle. A friend (service
'mangler' for a pro-sound company) gave me a tip: file-off the lens of the
LED.
If you want to stay with grain-of-wheat bulbs, and can't get the OEM units,
you can find them at well-stocked hobby stores. To make them last longer,
you can use a constant-current source (LM317L, etc) to limit the in-rush
current. You'll lose 1.21V across the '317, which may still be acceptable.
73,
Bryan WA7PRC

From 6323683620377365962
X-Google-Thread: 108122,2f9d4bd2a3ad2a58,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3c71b782!
not-for-mail
From: robert casey <wa2ise@ix.netcom.com>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: East coast DX tropo looks hot for 6m 22;00 zulu May 9
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <zBr0i.13650$3P3.3090@newsread3.news.pas.earthlink.net>
Date: Wed, 09 May 2007 22:06:23 GMT
NNTP-Posting-Host: 4.250.168.180
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1178748383 4.250.168.180 (Wed, 09 May
2007 15:06:23 PDT)
NNTP-Posting-Date: Wed, 09 May 2007 15:06:23 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:11993

Fire up your 6m rigs, I see lots of tropo on low VHF of TV. I am
receiving a channel 3 WEDU Tampa Florida here in NJ just outside of NYC.
   Also seeing interference on NYC's channels 2 and 4. 21:40 zulu May 9.

```
From -1551032357992926590
X-Google-Thread: 108122,26166582cfdbab4f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 10 May 2007 15:31:36 -0500
From: "Willis" <kennjd@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Torrance, CA Ham SWAP
Date: Thu, 10 May 2007 13:35:52 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <VpWdnUCSg521HN7bnZ2dnUVZ_veinZ2d@adelphia.com>
Lines: 8
NNTP-Posting-Host: 76.81.107.101
X-Trace: sv3-dw520qRIWu9sX48K56vZvdPnHhuVYnouS2+pZRVP/9gwUQQ7KMQnKoHJogm/
S4PDCKr7NpgVWvF0fgx!
D64lHwcoeO7rOdQBjD2+xMT6ZyaDvD8Rq4DgV3QI2Z2OLORS7uJZlrR3TlFXQ57X+s++0XfRMuEj!
slzxpTSS7ke40Tc=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11994
```

There will be a Ham Radio swap meet at the ARRL southwest Convention on
Sunday September ninth - Torrance, California.
Details on the convention here:

http://www.hamcon.org/

```
From -1678740411294520261
X-Google-Thread: 10dafd,d74b2eb5b2e5462b,start
X-Google-Thread: 108228,d74b2eb5b2e5462b,start
X-Google-Thread: 108122,d74b2eb5b2e5462b,start
X-Google-Thread: 1062f2,d74b2eb5b2e5462b,start
X-Google-Attributes: gid10dafd,gid108228,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!fred
From: Fred <fred@lppouaswf.com>
Newsgroups: alt.marketplace.online.ebay,alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
```

e
Subject: FA: 1-Day-Left: ELECTRONICS EXPERIMENTERS, Breadboard, DC Power Supply, etc.
Date: Sat, 12 May 2007 08:15:57 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <120520070815573134%fred@lppouaswf.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1178972158 25422 75.67.219.196 (12 May 2007 12:15:58 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 12 May 2007 12:15:58 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:325381 alt.ham-radio.marketplace:3073 rec.radio.amateur.equipment:11995 misc.industry.electronics.marketplace:1780

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320111419052

From 3255243015221458198
X-Google-Thread: 108122,3e48fe6e77a453d6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!193.252.118.146.MISMATCH!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Runge1" <philsa@bigfoot.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Icom 756 Pro III
Date: Sun, 13 May 2007 13:58:07 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000739-3, 11/05/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 3
Message-ID: <4646fd7d$0$25915$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 13 May 2007 13:58:53 CEST
NNTP-Posting-Host: 86.212.169.45
X-Trace: 1179057533 news.orange.fr 25915 86.212.169.45:35171
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com rec.radio.amateur.equipment:11996

Any for sale ?

```
From -3800200276849248525
X-Google-Thread: 108122,3e48fe6e77a453d6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e65g2000hsc.googlegroups.com!not-for-
mail
From: Gregory Morrow <gregorymorrow@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted Icom 756 Pro III
Date: 13 May 2007 06:05:25 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1179061525.913332.45860@e65g2000hsc.googlegroups.com>
References: <4646fd7d$0$25915$ba4acef3@news.orange.fr>
NNTP-Posting-Host: 4.252.207.77
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179061526 17086 127.0.0.1 (13 May 2007 13:05:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 May 2007 13:05:26 +0000 (UTC)
In-Reply-To: <4646fd7d$0$25915$ba4acef3@news.orange.fr>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90; AT&T
WNS5.2; Q312461; YComp 5.0.0.0; AT&T CSM7.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e65g2000hsc.googlegroups.com; posting-host=4.252.207.77;
   posting-account=sXJazQwAAADoq-cQD4NF-QosHw670Kvz
Xref: g2news1.google.com rec.radio.amateur.equipment:11997

Runge1 wrote:


> Any for sale ?


NOT for you, scRunge...your French "funny money" is NO GOOD...

--
Best
Greg
```

```
From 4006228037747749918
X-Google-Thread: 108122,3e48fe6e77a453d6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!uns-
out.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!VERMONTEL.NET-
```

```
a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted Icom 756 Pro III
Date: Sun, 13 May 2007 10:54:13 -0400
Message-ID: <oj9e4396mh70k0rirtjrlic3p1epup8s72@4ax.com>
References: <4646fd7d$0$25915$ba4acef3@news.orange.fr>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-46-124.vermontel.net
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
X-Complaints-To: abuse@usenetserver.com
Lines: 7
X-Trace: 0db4e464726887de7c94b25765
Xref: g2news1.google.com rec.radio.amateur.equipment:11998

On Sun, 13 May 2007 13:58:07 +0200, "Runge1" <philsa@bigfoot.com>
wrote:

>Any for sale ?
+++++++++
There should be a good supply at Dayton this coming weekend.
>


From -2131753330209671229
X-Google-Thread: 108122,4936db79825746ea,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u30g2000hsc.googlegroups.com!not-for-
mail
From: andyj81@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Keying a gm350
Date: 14 May 2007 04:35:05 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1179142505.795176.189090@u30g2000hsc.googlegroups.com>
NNTP-Posting-Host: 194.176.105.39
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179142509 31336 127.0.0.1 (14 May 2007 11:35:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 14 May 2007 11:35:09 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727; InfoPath.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 PROXY2, 1.1 n3-ld-cache-inetgw-62
Complaints-To: groups-abuse@google.com
Injection-Info: u30g2000hsc.googlegroups.com; posting-host=194.176.105.39;
```

```
   posting-account=l1D8BwwAAABgvdiP9vDniiEbQdVKHLIx
Xref: g2news1.google.com rec.radio.amateur.equipment:11999

On a Motorola GM350 4 channel is there a way I can key the radio to
transmit through the microphone socket ? I know pin 6 is the PTT line
is it a case of shorting 6 to 0v ? The microphone has a circuit in
it ! I dont intend to use the fist mic and want a reome way of
putting
the radio into tx.




From 7525945999618717353
X-Google-Thread: 108122,3e48fe6e77a453d6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!proxad.net!usenet-fr.net!ircam.fr!
freenix!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Runge1" <philsa@bigfoot.com>
Newsgroups: rec.radio.amateur.equipment
References: <4646fd7d$0$25915$ba4acef3@news.orange.fr>
<1179061525.913332.45860@e65g2000hsc.googlegroups.com>
Subject: Re: Wanted Icom 756 Pro III
Date: Mon, 14 May 2007 21:25:42 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000740-0, 13/05/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 20
Message-ID: <4648b7e6$0$25939$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 14 May 2007 21:26:31 CEST
NNTP-Posting-Host: 83.114.17.36
X-Trace: 1179170791 news.orange.fr 25939 83.114.17.36:33621
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com rec.radio.amateur.equipment:12000

morrow the moron just loves moving the merde around...

"Gregory Morrow" <gregorymorrow@earthlink.net> a �crit dans le message de
news: 1179061525.913332.45860@e65g2000hsc.googlegroups.com...
> Runge1 wrote:
>
>
>> Any for sale ?
>
>
> NOT for you, scRunge...your French "funny money" is NO GOOD...
>
> --
> Best
> Greg
>
>
>




From -8004580059531018382
X-Google-Thread: 108122,3e48fe6e77a453d6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news.glorb.com!newsfeed00.sul.t-
online.de!t-online.de!tiscali!newsfeed1.ip.tiscali.net!proxad.net!exabot.com!
freenix!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Runge1" <philsa@bigfoot.com>
Newsgroups: rec.radio.amateur.equipment
References: <4646fd7d$0$25915$ba4acef3@news.orange.fr>
<oj9e4396mh70k0rirtjrlic3p1epup8s72@4ax.com>
Subject: Re: Wanted Icom 756 Pro III
Date: Mon, 14 May 2007 21:26:10 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000740-0, 13/05/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 13
Message-ID: <4648b801$0$27394$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 14 May 2007 21:26:58 CEST
NNTP-Posting-Host: 83.114.17.36
X-Trace: 1179170818 news.orange.fr 27394 83.114.17.36:33578
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com rec.radio.amateur.equipment:12001

Can't be there

<X-rated Vermonter> a �crit dans le message de news:
oj9e4396mh70k0rirtjrlic3p1epup8s72@4ax.com...
> On Sun, 13 May 2007 13:58:07 +0200, "Runge1" <philsa@bigfoot.com>
> wrote:
>
>>Any for sale ?
> +++++++++
> There should be a good supply at Dayton this coming weekend.
>>
```

```
From -1099563520137772329
X-Google-Thread: 108122,4dadf3a049a812,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!213.200.89.82.MISMATCH!
tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!t-online.de!
newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "Matija Habek" <mhabek@cesta-varazdin.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Alinco DJ-139
Date: Tue, 15 May 2007 13:07:36 +0200
Organization: T-Com
Lines: 10
Message-ID: <f2c41t$1c7$1@ss408.t-com.hr>
NNTP-Posting-Host: 83-131-76-67.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1179227005 1415 83.131.76.67 (15 May 2007 11:03:25 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Tue, 15 May 2007 11:03:25 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Xref: g2news1.google.com rec.radio.amateur.equipment:12002
```

Hi!

Does someone have an electrical scheme for the headset (EME 12(13)) for
Alinco Dj-139 (or some other types).

Thanks in advance

Matija

```
From -841604571979484147
X-Google-Thread: 108122,4dadf3a049a812
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!
newsgate.cistron.nl!transit.news.xs4all.nl!xs4all!transit1.news.tiscali.nl!
tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!t-online.de!
newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "Matija Habek" <mhabek@cesta-varazdin.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Alinco DJ-139
Date: Tue, 15 May 2007 13:08:29 +0200
Organization: T-Com
Lines: 19
Message-ID: <f2c43h$1fg$1@ss408.t-com.hr>
References: <f2c41t$1c7$1@ss408.t-com.hr>
NNTP-Posting-Host: 83-131-76-67.adsl.net.t-com.hr
```

```
X-Trace: ss408.t-com.hr 1179227057 1520 83.131.76.67 (15 May 2007 11:04:17 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Tue, 15 May 2007 11:04:17 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Xref: g2news1.google.com rec.radio.amateur.equipment:12003

Sorry Alinco DJ-193..

Matija



"Matija Habek" <mhabek@cesta-varazdin.com> je napisao u poruci interesnoj
grupi:f2c41t$1c7$1@ss408.t-com.hr...
> Hi!
>
> Does someone have an electrical scheme for the headset (EME 12(13) ) for
> Alinco Dj-139 (or some other types).
>
> Thanks in advance
>
> Matija
>
>





From -7371701883862998521
X-Google-Thread: 108122,662d474a759cd9b6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p77g2000hsh.googlegroups.com!not-for-
mail
From: jure <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB 6m Amplifier
Date: 15 May 2007 07:36:08 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1179239768.153429.121680@p77g2000hsh.googlegroups.com>
References: <1174481336.141136.105930@d57g2000hsg.googlegroups.com>
NNTP-Posting-Host: 89.172.114.190
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1179239768 3814 127.0.0.1 (15 May 2007 14:36:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 May 2007 14:36:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
```

```
X-HTTP-Via: 1.0 HAVP
Complaints-To: groups-abuse@google.com
Injection-Info: p77g2000hsh.googlegroups.com; posting-host=89.172.114.190;
   posting-account=agXpDgwAAADuMTVdq03Z2p0TKU3NuM4o
Xref: g2news1.google.com rec.radio.amateur.equipment:12004


jure je napisao/la:
> WTB Amplifier for 6m band- 50W,100W or 150W out.No tube Amp.
> please ...
> TNX and 73                        9A7PJT
 6M band is open,and Y  W.T.B . this Amp !  9A7PJT




From -5932973032863966624
X-Google-Thread: 108122,d90f164dc1b47496,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!newsfeed0.kamp.net!
newsfeed.kamp.net!newsfeed.freenet.de!85.12.40.130.MISMATCH!xlned.com!
feeder1.xlned.com!club-internet.fr!feedme-small.clubint.net!fdn.fr!
news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "Runge1" <philsa@bigfoot.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Denver, Albuquerque or in between for mods on a rig ?
Date: Tue, 15 May 2007 22:59:06 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000740-1, 15/05/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 6
Message-ID: <464a1f4f$0$27380$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 15 May 2007 23:00:01 CEST
NNTP-Posting-Host: 82.121.139.85
X-Trace: 1179262801 news.orange.fr 27380 82.121.139.85:35041
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com rec.radio.amateur.equipment:12005

Hi
Will be travelling and needing a mod on a transceiver
Who and where coud it be done ?
Thanks for your help, private emails OK





From -2284925866878525748
X-Google-Thread: 1109af,c4bac4165bd9b38b,start
```

```
X-Google-Thread: 114aac,c4bac4165bd9b38b,start
X-Google-Thread: 108228,c4bac4165bd9b38b,start
X-Google-Thread: fc8b1,c4bac4165bd9b38b,start
X-Google-Thread: 108122,c4bac4165bd9b38b,start
X-Google-Attributes: gid1109af,gid114aac,gid108228,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr25.news.prodigy.net.POSTED!c4667c2f!not-for-
mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups: rec.radio.swap,rec.radio.shortwave,alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject:  Dayton:  Collins, WJ, HP Mackay etc.
Lines: 25
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <_ot2i.9026$rO7.7687@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 70.128.118.189
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1179280058 ST000 70.128.118.189 (Tue, 15 May
2007 21:47:38 EDT)
NNTP-Posting-Date: Tue, 15 May 2007 21:47:38 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJSCOXTMBP\Y]RHV_STDFZ\@@FXLM@TDOCQDJ@_@FNHB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Wed, 16 May 2007 01:47:38 GMT
Xref: g2news1.google.com rec.radio.swap:16239 rec.radio.shortwave:111756 alt.ham-
radio.marketplace:3078 rec.radio.amateur.boatanchors:11611
rec.radio.amateur.equipment:12006
```

I'm driving from Tulsa to Dayton May 16 and will have the following
there. I don't have a reserved spaced so I'll be getting one at the
door.
I'm in a dark blue Chrysler Town & Country mini van with Kansas tag.

HP 8924C like new for $1200.00 or best reasonable offer.
Collins 30S-1, 30L-1, 651S-1. 32V-3 with original T-3 Astatic mike &
spare final.
Spare 4CX1000s
Hallicafters S-40B very clean..

Heathkit SA-2060 very nice
HP 8590A, a bit deaf..
Webster Bandspanners.
Watkins Johnson 8718 vlf HF Rx
Watkins Johnson DMS-105-2 vlf demod, vlf Rx with Nixies
Mackay 3021A vlf HF rx.
Martin HD-28 dreadnaught acoustic guitar

My cell phone is 918 852 4996

--

73
Hank WD5JFR

From 3019967310821189916
X-Google-Thread: 108122,d90f164dc1b47496
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o5g2000hsb.googlegroups.com!not-for-mail
From: Gregory Morrow <gregorymorrow@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Denver, Albuquerque or in between for mods on a rig ?
Date: 16 May 2007 07:36:18 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1179326177.979987.303210@o5g2000hsb.googlegroups.com>
References: <464a1f4f$0$27380$ba4acef3@news.orange.fr>
NNTP-Posting-Host: 4.252.200.247
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179326187 11305 127.0.0.1 (16 May 2007 14:36:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 16 May 2007 14:36:27 +0000 (UTC)
In-Reply-To: <464a1f4f$0$27380$ba4acef3@news.orange.fr>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90; AT&T WNS5.2; Q312461; YComp 5.0.0.0; AT&T CSM7.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o5g2000hsb.googlegroups.com; posting-host=4.252.200.247;
   posting-account=sXJazQwAAADoq-cQD4NF-QosHw670Kvz
Xref: g2news1.google.com rec.radio.amateur.equipment:12007

Runge1 wrote:

> Hi
> Will be travelling and needing a mod on a transceiver
> Who and where coud it be done ?
> Thanks for your help, private emails OK

Trolling for SEX again, scRunge...???

--
Best
Greg

From -5271292289986306848
X-Google-Thread: 108122,d052dff1a8384efa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o5g2000hsb.googlegroups.com!not-for-mail
From: jonyt@eng.tau.ac.il
Newsgroups: rec.radio.amateur.equipment
Subject: wireless communication between computers
Date: 16 May 2007 07:55:19 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1179327319.791345.37520@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: 132.66.234.135
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179327325 24116 127.0.0.1 (16 May 2007 14:55:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 16 May 2007 14:55:25 +0000 (UTC)
Cc: jon_yomtov@yahoo.com
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.11) Gecko/20070312 Firefox/1.5.0.11,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o5g2000hsb.googlegroups.com; posting-host=132.66.234.135;
   posting-account=O--yeA0AAACqa07f6pD929BUzEFk-Xel
Xref: g2news1.google.com rec.radio.amateur.equipment:12008

hi,

I'm trying to assemble a wireless network between two computers. The maximum range is 300m. All the network will do is transfer data from a GPS plus an additional 34 bits of data from one computer to another. Can anyone recommend a cheap, easy to use product? Preferably something that connects to the USB or serial port.

thanks,
Jon.

```
From 4125799576689869870
X-Google-Thread: 108122,d052dff1a8384efa
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: wireless communication between computers
Date: Wed, 16 May 2007 10:21:11 -0500
Lines: 17
Message-ID: <464B2167.3030809@sbcglobal.net>
References: <1179327319.791345.37520@o5g2000hsb.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net nF9gbWTtSl/vEpO5jtugnQMHHUjhzMZrU5r9qGX6JWJFPCrs0W
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/
20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <1179327319.791345.37520@o5g2000hsb.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:12009

jonyt@eng.tau.ac.il wrote:
> hi,
>
> I'm trying to assemble a wireless network between two computers. The
> maximum range is 300m. All the network will do is transfer data from a
> GPS plus an additional 34 bits of data from one computer to another.
> Can anyone recommend a cheap, easy to use product? Preferably
> something that connects to the USB or serial port.
>
> thanks,
> Jon.
>
Pcmcia WiFi cards with external directional antennas, or USB WiFi dongles if
line of site, or better yet, usb/ethernet WiFi game adapters with highly
directional external antennas...  Easily do-able for under $100.

Bob N9LVU


From -5954937675077303153
X-Google-Thread: 108122,d052dff1a8384efa
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u30g2000hsc.googlegroups.com!not-for-
mail
From: jonyt@eng.tau.ac.il
Newsgroups: rec.radio.amateur.equipment
Subject: Re: wireless communication between computers
Date: 16 May 2007 08:54:02 -0700
Organization: http://groups.google.com
```

```
Lines: 27
Message-ID: <1179330842.881189.221680@u30g2000hsc.googlegroups.com>
References: <1179327319.791345.37520@o5g2000hsb.googlegroups.com>
   <464B2167.3030809@sbcglobal.net>
NNTP-Posting-Host: 132.66.234.135
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1179330850 24288 127.0.0.1 (16 May 2007 15:54:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 16 May 2007 15:54:10 +0000 (UTC)
In-Reply-To: <464B2167.3030809@sbcglobal.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.11)
Gecko/20070312 Firefox/1.5.0.11,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u30g2000hsc.googlegroups.com; posting-host=132.66.234.135;
   posting-account=O--yeA0AAACqa07f6pD929BUzEFk-Xel
Xref: g2news1.google.com rec.radio.amateur.equipment:12011

On May 16, 6:21 pm, Robert Kubichek <bobn9...@sbcglobal.net> wrote:
> j...@eng.tau.ac.il wrote:
> > hi,
>
> > I'm trying to assemble a wireless network between two computers. The
> > maximum range is 300m. All the network will do is transfer data from a
> > GPS plus an additional 34 bits of data from one computer to another.
> > Can anyone recommend a cheap, easy to use product? Preferably
> > something that connects to the USB or serial port.
>
> > thanks,
> > Jon.
>
> Pcmcia WiFi cards with external directional antennas, or USB WiFi dongles if
> line of site, or better yet, usb/ethernet WiFi game adapters with highly
> directional external antennas...  Easily do-able for under $100.
>
> Bob N9LVU

Thanks for the quick reply. Are there any specific products you'd
recommend? I'd rather not utilize directional antennas as one computer
will be mobile and although it too will have an GPS having a
directional antenna means I'll have to move it in the right direction.
Is RF a better solution?

Jon.



From -1432880504535579267
X-Google-Thread: 108122,d052dff1a8384efa
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
```

```
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: wireless communication between computers
Date: Wed, 16 May 2007 10:54:51 -0500
Lines: 41
Message-ID: <464B294B.1070508@sbcglobal.net>
References: <1179327319.791345.37520@o5g2000hsb.googlegroups.com>
<464B2167.3030809@sbcglobal.net>
<1179330285.337366.180630@o5g2000hsb.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net OUoaOadsDw3N1dfHuM4rQAkRIwAJK3uMWDcxh3k0UMcAaMKSf8
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/
20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <1179330285.337366.180630@o5g2000hsb.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:12012

jonyt@eng.tau.ac.il wrote:
> On May 16, 6:21 pm, Robert Kubichek <bobn9...@sbcglobal.net> wrote:
>
>>j...@eng.tau.ac.il wrote:
>>
>>>hi,
>>
>>>I'm trying to assemble a wireless network between two computers. The
>>>maximum range is 300m. All the network will do is transfer data from a
>>>GPS plus an additional 34 bits of data from one computer to another.
>>>Can anyone recommend a cheap, easy to use product? Preferably
>>>something that connects to the USB or serial port.
>>
>>>thanks,
>
>
>>>Jon.
>>
>>Pcmcia WiFi cards with external directional antennas, or USB WiFi dongles if
>>line of site, or better yet, usb/ethernet WiFi game adapters with highly
>>directional external antennas...  Easily do-able for under $100.
>>
>>Bob N9LVU
>
>
>
> Thanks for the quick reply. Are there any specific products you'd
> recommend? Is WiFi simpler/cheaper than RF?
>
> Jon.
>
>
You specified between computers, So, surplus wifi adapters with the drivers
```

are found cheaply most anywhere...
What could be much easier, as Windows and most all Linux OS have all the support built in..

WiFi is RF, it's just how the data is transfered.

Bob N9LVU

From 6826297863952902870
X-Google-Thread: 108122,d052dff1a8384efa
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: wireless communication between computers
Date: Wed, 16 May 2007 11:09:34 -0500
Lines: 45
Message-ID: <5b0olsF2qt41kU1@mid.individual.net>
References: <1179327319.791345.37520@o5g2000hsb.googlegroups.com>
<464B2167.3030809@sbcglobal.net>
<1179330842.881189.221680@u30g2000hsc.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net 4wB4mU9l8/4nmgATjmaNRguPPRHF8p3daM3z32fbDTo0g0wc9d
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <1179330842.881189.221680@u30g2000hsc.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:12013

jonyt@eng.tau.ac.il wrote:

> On May 16, 6:21 pm, Robert Kubichek <bobn9...@sbcglobal.net> wrote:
>
>>j...@eng.tau.ac.il wrote:
>>
>>>hi,
>>
>>>I'm trying to assemble a wireless network between two computers. The
>>>maximum range is 300m. All the network will do is transfer data from a
>>>GPS plus an additional 34 bits of data from one computer to another.
>>>Can anyone recommend a cheap, easy to use product? Preferably
>>>something that connects to the USB or serial port.
>>
>>>thanks,
>>>Jon.
>>
>>Pcmcia WiFi cards with external directional antennas, or USB WiFi dongles if

>>line of site, or better yet, usb/ethernet WiFi game adapters with highly
>>directional external antennas... Easily do-able for under $100.
>>
>>Bob N9LVU
>
>
> Thanks for the quick reply. Are there any specific products you'd
> recommend? I'd rather not utilize directional antennas as one computer
> will be mobile and although it too will have an GPS having a
> directional antenna means I'll have to move it in the right direction.
> Is RF a better solution?
>
> Jon.
>

Use a high gain vertical whip (7-14") high, 3-9 db gain on the mobile.
The antennas can be any type of high gain depending on your particular
requirements.... A good setup would be a matched pair of pcmcia card to
high-gain vertical for the mobile, to either the same on the fixed, or on the
fixed a good WiFi router with high-gain antenna, all of the same manufacturer.

I use the Buffalo WLI-CB-G54HP card with external 7db mag mount vertical,
talking to a Buffalo WHR-HP-G54 WiFi router with a 7db external vertical,
and have gotten over a mile line-of-site data. Total cost was just under $100
for all a couple of months ago.. I wouldn't be surprised if it is less now..

Bob N9LVU

From 7368193332150830851
X-Google-Thread: 108122,a5a6d56da16ec6e8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Circuit Board Cleaning
Date: Wed, 16 May 2007 19:30:38 -0700
Message-ID: <bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Date: 17 May 2007 01:38:01 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:12015

What is the latest thinking regarding cleaning populated circuit
boards. Such as the motherboard in a computer. Many of the things we
used in past years are no longer available for environmental and
health reasons. I'm thinking some liquid dish washing detergent in

warm water applied with a paint brush, followed by thorough drying before re-assembly. Any better ideas?

--
Posted via a free Usenet account from http://www.teranews.com

```
From 2571224837463397387
X-Google-Thread: 108122,d90f164dc1b47496
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!
newsfeed1.ip.tiscali.net!proxad.net!193.252.118.146.MISMATCH!news.wanadoo.fr!
news.wanadoo.fr!not-for-mail
From: "Runge1" <philsa@bigfoot.com>
Newsgroups: rec.radio.amateur.equipment
References: <464a1f4f$0$27380$ba4acef3@news.orange.fr>
<1179326177.979987.303210@o5g2000hsb.googlegroups.com>
Subject: Re: Denver, Albuquerque or in between for mods on a rig ?
Date: Thu, 17 May 2007 10:35:10 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000740-2, 16/05/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 23
Message-ID: <464c13ee$0$27369$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 17 May 2007 10:35:58 CEST
NNTP-Posting-Host: 90.3.247.19
X-Trace: 1179390958 news.orange.fr 27369 90.3.247.19:33907
X-Complaints-To: abuse@orange.fr
Xref: g2news1.google.com rec.radio.amateur.equipment:12016
```

help morrow the moron is after me !!

"Gregory Morrow" <gregorymorrow@earthlink.net> a �crit dans le message de news: 1179326177.979987.303210@o5g2000hsb.googlegroups.com...

> Runge1 wrote:
>
>
>> Hi
>> Will be travelling and needing a mod on a transceiver
>> Who and where coud it be done ?
>> Thanks for your help, private emails OK
>
>
> Trolling for SEX again, scRunge...???
>

> --
> Best
> Greg
>
>
>

```
From -9577162146769360З
X-Google-Thread: 108122,a5a6d56da16ec6e8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 May 2007 06:54:39 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com>
Subject: Re: Circuit Board Cleaning
Date: Thu, 17 May 2007 06:54:19 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <to-dnW4EpsPi39HbnZ2dnUVZ_rOqnZ2d@comcast.com>
Lines: 26
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-W3FazlEXTvCnum9/qY8Y6CubsZGw8LAUxrsFMe2q3NktTZ1hUGmWWJ6ZVzs7WrF/
L2Y5RiWCTA7/s2/!bVINljLHjJ/mShYfEzLKYc79eh2t2UW+SAtrZ+Wnzy5J+NB8h95lGOMV/
iib8tsnqAyih/lpb2cy!yGZiGF0gUSjm1uOVypSol0miQi/8
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12017
```

I still use isopropyl alcohol .. without additives.
Many drug stores.

Have you look at WASSCO (based in California) -- as your cleaning source?
Excellent store/retailer/distributor for soldering/electronic assembly,
production and rework supplies.
http://www.wassco.com/

Elecraft uses and recommends for their kit builders, as well.

gb

```
"Dick" <w6ccd@k7yca.org> wrote in message
news:bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com...
> What is the latest thinking regarding cleaning populated circuit
> boards.  Such as the motherboard in a computer.  Many of the things we
> used in past years are no longer available for environmental and
> health reasons.  I'm thinking some liquid dish washing detergent in
> warm water applied with a paint brush, followed by thorough drying
> before re-assembly.  Any better ideas?
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>




From 4765865878919258176
X-Google-Thread: 108122,a5a6d56da16ec6e8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 May 2007 06:56:54 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com>
Subject: Re: Circuit Board Cleaning
Date: Thu, 17 May 2007 06:56:34 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <0K6dnfdJ7aab3tHbnZ2dnUVZ_segnZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-oVw2ZR0Gr2ORImlV1za9w8gvSgo+dddGI62JQ+1l/W/
UR12Jhs9o48XuQCBdvpIx69GeM0cxGgC3vAN!hEhfD1xVrU0CCqv2X6s/yAIdVqgabNiWB5zBE/
rjfHhV+7myF0rH59dgGgZhhXORL7m2Us5EIrgL!kbR3G04N8jOx6M2IxYqxkz/x72hj
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12018

"Dick" <w6ccd@k7yca.org> wrote in message
news:bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com...
> What is the latest thinking regarding cleaning populated circuit
> boards.  Such as the motherboard in a computer.  Many of the things we
```

> used in past years are no longer available for environmental and
> health reasons. I'm thinking some liquid dish washing detergent in
> warm water applied with a paint brush, followed by thorough drying
> before re-assembly. Any better ideas?
>

http://www.wassco.com/isal1.html

From 2199843688044888684
X-Google-Thread: 108122,d90f164dc1b47496
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 May 2007 06:59:01 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <464a1f4f$0$27380$ba4acef3@news.orange.fr>
Subject: Re: Denver, Albuquerque or in between for mods on a rig ?
Date: Thu, 17 May 2007 06:58:42 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <A8udnftDn-IY3tHbnZ2dnUVZ_qupnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-MWNPk7jQNDZ/RQ5ZbB/7NWm8W27oyBdC0rSCCURWDHjjYRqFTw+
+HbNENIrhAlDzNKvbxSt2SNXVmY6!FApFgfL4Q/Nt4WNF8lOv+zNOTOU7D87vDe0Qp/
Cori5xTvurE44SOk0+oOjOeSudJv8Ly/lNp3yV!720s/Hxktysqackgb7cXTgcUVvWx
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:12019

"Runge1" <philsa@bigfoot.com> wrote in message
news:464a1f4f$0$27380$ba4acef3@news.orange.fr...
> Hi
> Will be travelling and needing a mod on a transceiver
> Who and where coud it be done ?
> Thanks for your help, private emails OK
>
HRO in Denver area.

Techs that I do know in area -- have a backlog of repair work for over 8

weeks
(go figure -- finally people are emptying their closets of broken radios to
sell -- now that new NC amateurs want cheap equipment. OF course, so are
just emptying the closet onto eBay,
"Worked last time I used it .. 15 years ago"

gb

From 8334752611648972323
X-Google-Thread: 108122,a5a6d56da16ec6e8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.cse.ohio-state.edu!
usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!machine3
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Circuit Board Cleaning
Date: Thu, 17 May 2007 12:30:44 GMT
Organization: ???
Lines: 19
Message-ID: <f2hhtk$if$3@usenet01.srv.cis.pitt.edu>
References: <bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1179405044 591 136.142.52.106 (17 May 2007
12:30:44 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Thu, 17 May 2007 12:30:44 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:12020

In article <bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com>, Dick <w6ccd@k7yca.org>
wrote:
>What is the latest thinking regarding cleaning populated circuit
>boards. Such as the motherboard in a computer. Many of the things we
>used in past years are no longer available for environmental and
>health reasons. I'm thinking some liquid dish washing detergent in
>warm water applied with a paint brush, followed by thorough drying
>before re-assembly. Any better ideas?
>

This would probably be best for a really dirty board. Some use dishwashers. It
even dries them. For sensitive circuits, water can seep into components
and can take a long time to fully dry. Baking is sometimes necessary
if you need it right away. For small areas I use pure alcohol, but the alcohol
attracts water vapor and creates water droplets. I make use of the heated
blower tip on my Weller station to blow around components and down the board.
Alcohol is not a good wash for some things like orange juice
or Coke.

greg

```
From 247091413419786180
X-Google-Thread: 108122,a5a6d56da16ec6e8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.aset.psu.edu!
news.cse.psu.edu!elk.ncren.net!usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!
machine3
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Circuit Board Cleaning
Date: Thu, 17 May 2007 12:33:15 GMT
Organization: ???
Lines: 23
Message-ID: <f2hi2b$if$4@usenet01.srv.cis.pitt.edu>
References: <bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com>
<f2hhtk$if$3@usenet01.srv.cis.pitt.edu>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1179405195 591 136.142.52.106 (17 May 2007
12:33:15 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Thu, 17 May 2007 12:33:15 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:12021

In article <f2hhtk$if$3@usenet01.srv.cis.pitt.edu>, szekeres@pitt.edu (GregS)
wrote:
>In article <bdfn431nlrb4s70qv9cc3nvqgle8mm0qp1@4ax.com>, Dick <w6ccd@k7yca.org>
> wrote:
>>What is the latest thinking regarding cleaning populated circuit
>>boards.  Such as the motherboard in a computer.  Many of the things we
>>used in past years are no longer available for environmental and
>>health reasons.  I'm thinking some liquid dish washing detergent in
>>warm water applied with a paint brush, followed by thorough drying
>>before re-assembly.  Any better ideas?
>>
>
>This would probably be best for a really dirty board. Some use dishwashers. It
>even dries them. For sensitive circuits, water can seep into components
>and can take a long time to fully dry. Baking is sometimes necessary
>if you need it right away. For small areas I use pure alcohol, but the alcohol
>attracts water vapor and creates water droplets. I make use of the heated
>blower tip on my Weller station to blow around components and down the board.
>Alcohol is not a good wash for some things like orange juice
>or Coke.

Some people even cook fish in the dishwasher.

greg


From -2719792643089811239
```

X-Google-Thread: 108122,ffe87273c2b1690f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "Jerry" <K2GV@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: HAMEG Functin Generator HM 8030-3 Dual .02Hz to 2MHz
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <J013i.9$U53.1@newsfe12.lga>
Date: Thu, 17 May 2007 14:19:29 -0400
NNTP-Posting-Host: 69.117.184.41
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1179425961 69.117.184.41 (Thu, 17 May 2007 11:19:21 MST)
NNTP-Posting-Date: Thu, 17 May 2007 11:19:21 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:12022

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130113418157

Jerry

From -3136089179728426707
X-Google-Thread: 108122,73923956233fdbae,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "Jerry" <K2GV@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: RCA WV-87B MASTER VoltOhmyst tube Meter
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <g313i.12$U53.1@newsfe12.lga>
Date: Thu, 17 May 2007 14:22:14 -0400
NNTP-Posting-Host: 69.117.184.41
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1179426124 69.117.184.41 (Thu, 17 May 2007 11:22:04 MST)
NNTP-Posting-Date: Thu, 17 May 2007 11:22:04 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:12023

```
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130113429179

Jerry




From 6507502331395235953
X-Google-Thread: 108122,cfcfb6fd1713cf8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!postnews.google.com!
e65g2000hsc.googlegroups.com!not-for-mail
From: TimBob <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need service manual/schematic for RS Pro-2030 scanner
Date: 28 Apr 2007 14:16:02 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1177794962.725073.195180@e65g2000hsc.googlegroups.com>
NNTP-Posting-Host: 64.136.27.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177794963 3192 127.0.0.1 (28 Apr 2007 21:16:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Apr 2007 21:16:03 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 cache02nyc (NetCache NetApp/5.5R6)
Complaints-To: groups-abuse@google.com
Injection-Info: e65g2000hsc.googlegroups.com; posting-host=64.136.27.226;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.amateur.equipment:11922

I am in need of the service manual/schematic for the Radio Shack
Pro-2030 scanner.  I will pay any costs involved.  Thanks
Tim




From -946294881669598571
X-Google-Thread: 108122,1c8f9d7e56f84b19,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: FT-757 (& other) memory bat. replacement
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
```

Organization: Your Company
Message-ID: <Xns9921766E7DA1Espectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 29 Apr 2007 18:37:37 GMT
Lines: 9
NNTP-Posting-Host: f8995b2e.news.adtechcomputers.com
X-Trace: DXC=E0_12gYge9JeeYMO2AV3VGgC4_A5:nI@A<<=aEgO;R8G05A26<J8j^C4SAULFMYU2MR?
X7U2a5ffGemfRC[RMj?OGX7R=>CCRmFUSBSWVJ617L?>Q8kgO_H>I
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11923

Its long past time for me to replace the Lithium CR 1/3N memory battery
in my old FT-757. I am considering just removing the old one and tacking
in a pair of wires which will run to a nearby Lithium AA cell in a holder.
Can anyone think of a reason why I wouldn't want to do this, assuming
there's a reasonable place to mount the holder?

Ed K7AAT

From -3466029973689107928
X-Google-Thread: 108122,1c8f9d7e56f84b19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!1e49b9c4!
not-for-mail
From: mike <spamme9@gmail.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-757 (& other) memory bat. replacement
References: <Xns9921766E7DA1Espectrumhogstarbandn@198.186.192.196>
In-Reply-To: <Xns9921766E7DA1Espectrumhogstarbandn@198.186.192.196>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 24
Message-ID: <6r7Zh.2239$zE.2155@trnddc03>
Date: Sun, 29 Apr 2007 20:42:42 GMT
NNTP-Posting-Host: 71.117.163.162
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1177879362 71.117.163.162 (Sun, 29 Apr 2007 16:42:42 EDT)
NNTP-Posting-Date: Sun, 29 Apr 2007 16:42:42 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:11924

Ed wrote:
> Its long past time for me to replace the Lithium CR 1/3N memory battery
> in my old FT-757. I am considering just removing the old one and tacking
> in a pair of wires which will run to a nearby Lithium AA cell in a holder.
> Can anyone think of a reason why I wouldn't want to do this, assuming

```
> there's a reasonable place to mount the holder?
>
>    Ed   K7AAT
>
Rule number 1. If it ain't broke, don't fix it.
Is the AA cell the same volts as the existing battery?
Does the risk of the modification outweigh the rewards?
What's gonna happen when you install the cell backwards?
Before you answer and tell us how smart/careful you are
...nobody ever said, "hey, I think I'll
put this in backwards..."
As I recall, there ain't much room in there.
Rule number 2...see rule number 1.
mike

--
Return address is VALID!
Bunch-O-Stuff Forsale Here:
http://mike.liveline.de/sale.html



From -7982105802721362243
X-Google-Thread: 108122,1c8f9d7e56f84b19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Apr 2007 17:36:39 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns9921766E7DA1Espectrumhogstarbandn@198.186.192.196>
Subject: Re: FT-757 (& other) memory bat. replacement
Date: Sun, 29 Apr 2007 17:36:36 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <MO2dnb57hvdqgKjbnZ2dnUVZ_gWdnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-fVqSU+sK/XtUPgu/+EGAFUrGBBl3qgKbysQOaiDL3Wt3Gx7T/+nqhpAmZyVH/itCz6Q/
v0OizxWODIA!
fYzOoiEc4lMMBXTspbJZeaP1BVkqJxyZKknX38Uuabp+73toiukuoBE6BCAK+kkThgZgby0yEY7o!
G63eY47+dqey8QDLx4kmGIjtZXwn
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11925
```

"Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns9921766E7DA1Espectrumhogstarbandn@198.186.192.196...
>
> Its long past time for me to replace the Lithium CR 1/3N memory battery
> in my old FT-757. I am considering just removing the old one and tacking
> in a pair of wires which will run to a nearby Lithium AA cell in a holder.
> Can anyone think of a reason why I wouldn't want to do this, assuming
> there's a reasonable place to mount the holder?
>
> Ed K7AAT
>

Guess you don't have invisible fence / dog owners in your area --
that system uses 1/3 N batteries as well.
http://www.zbattery.com/ges-lc1-3n.html

http://www.audio-discounters.com/cr-1-3n.html

gb

From -3420088722315292481
X-Google-Thread: 108122,1c8f9d7e56f84b19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.octanews.net!
mauve.octanews.net!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-757 (& other) memory bat. replacement
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9921766E7DA1Espectrumhogstarbandn@198.186.192.196>
<6r7Zh.2239$zE.2155@trnddc03>
Organization: Your Company
Message-ID: <Xns9921B2335CB92spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 30 Apr 2007 00:30:06 GMT
Lines: 32
NNTP-Posting-Host: d6c080ca.news.adtechcomputers.com
X-Trace: DXC=oI9d37Uhbe_6KTSWD=W;1_gC4_A5:nI@Q<<=aEgO;R8W05A26<J8j^SPfK=J612iTQR?
X7U2a5ffWemfRC[RMj?_GX7R=>CCRmV??oND\FBAjPU^?DifPRYmQ
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11926

> Rule number 1. If it ain't broke, don't fix it.

The radio/battery is 21 years old. You figure it out.... <<grin>>

> Is the AA cell the same volts as the existing battery?

Yes.

> Does the risk of the modification outweigh the rewards?

No risk. I've spent 35+ years working on far more sophisticated gear than this....

> What's gonna happen when you install the cell backwards?

Isn't going to happen.

> Before you answer and tell us how smart/careful you are
> ...nobody ever said, "hey, I think I'll
> put this in backwards..."
> As I recall, there ain't much room in there.
> Rule number 2...see rule number 1.
> mike
>

. . . anyway, thanks for your feedback.

Ed

From -5422194140704251097
X-Google-Thread: 108122,1c8f9d7e56f84b19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.glorb.com!indigo.octanews.net!news-out.octanews.net!mauve.octanews.net!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-757 (& other) memory bat. replacement
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9921766E7DA1Espectrumhogstarbandn@198.186.192.196> <MO2dnb57hvdqgKjbnZ2dnUVZ_gWdnZ2d@comcast.com>
Organization: Your Company
Message-ID: <Xns9921B2FBBE2ABspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 30 Apr 2007 00:34:43 GMT
Lines: 27
NNTP-Posting-Host: d6c080ca.news.adtechcomputers.com
X-Trace: DXC=5\NOG8?05;j>7Djcl\Km1igC4_A5:nI@a<<=aEgO;R8g05A26<J8j^cPfK=J612iTaR?X7U2a5ffgemfRC[RMj?oGX7R=>CCRmf??oND\FBAj`U^?DifPRYma
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11927

>
> Guess you don't have invisible fence / dog owners in your area --
> that system uses 1/3 N batteries as well.
> http://www.zbattery.com/ges-lc1-3n.html
>
> http://www.audio-discounters.com/cr-1-3n.html
>
> gb
>
>

Thanks for the info. I see Radio Shack carries this battery, too. Problem is, Yaesu's version comes with spot-welded tabs. Now that I'm retired, I'm lazy and don't want to go to the extra effort in removing the board the battery is on so I can do a proper job of unsoldering it... I intend to snip the battery tabs from top side and just wire a new (wired) substitute battery to it.   Also, I don't like soldering to the stainless steel type cases on such batterys as the one suggested above, which is why I'm considering the option I posted here.

Thank you again, though.

Ed

```
From -1991606804116878049
X-Google-Thread: 10dafd,e582a8c2bac5fadb,start
X-Google-Thread: 112acb,e582a8c2bac5fadb,start
X-Google-Thread: 1113b0,e582a8c2bac5fadb,start
X-Google-Thread: 108228,e582a8c2bac5fadb,start
X-Google-Thread: 108122,e582a8c2bac5fadb,start
X-Google-Attributes: gid10dafd,gid112acb,gid1113b0,gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!jan
From: Jan <jan@jkljpqpoua.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,alt.h
am-radio.marketplace,rec.radio.amateur.equipment
Subject: FA: 10 Practical Books: ELECTRONICS, REMOTE CONTROL, HAM RADIO, ICs,
TRANSDUCERS, etc.
Date: Sun, 29 Apr 2007 21:34:30 -0400
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <290420072134303457%jan@jkljpqpoua.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1177896871 31387 75.67.219.196 (30 Apr 2007 01:34:31 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 30 Apr 2007 01:34:31 +0000 (UTC)
```

```
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news1.google.com alt.marketplace.online.ebay:281912
alt.marketplace.books:14865 rec.arts.books.marketplace:14482 alt.ham-
radio.marketplace:3054 rec.radio.amateur.equipment:11928
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320109057151

```
From 3021904402767002615
X-Google-Thread: 108122,8f835778c376ebe0,start
X-Google-Thread: 1109af,8f835778c376ebe0,start
X-Google-Thread: fc8b1,8f835778c376ebe0,start
X-Google-Thread: 108228,8f835778c376ebe0,start
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n76g2000hsh.googlegroups.com!not-for-
mail
From: "w4mot.club@gmail.com" <w4mot.club@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-
radio.marketplace
Subject: Signal/One MILSPEC 1030 HF transceiver for sale
Date: 30 Apr 2007 03:04:24 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
NNTP-Posting-Host: 76.109.11.85
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177927464 2889 127.0.0.1 (30 Apr 2007 10:04:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Apr 2007 10:04:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0;
Q312461),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n76g2000hsh.googlegroups.com; posting-host=76.109.11.85;
   posting-account=hUM9dg0AAADghMv1AHYhiIK9RHL55Vbk
Xref: g2news1.google.com rec.radio.amateur.equipment:11929 rec.radio.swap:16139
rec.radio.amateur.boatanchors:11451 alt.ham-radio.marketplace:3056
```

All,

Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885 .

This is the 150 Watt version. I recently made several QSOs with it, on all the bands that were open at the time, so we believe it to be completely functional and know of no performance problems. It has only minor scratches on the sides and top, and comes with the manual, AC power cord, and 12 VDC power cord.

Sales notices are supposed to be upbeat, but it's difficult being
upbeat when you are selling such a wonderful rig!

73,

Ed Callaway, N4II
Motorola ARC, W4MOT

From 6091843595327823667
X-Google-Thread: 108122,56d29412819aed7a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.154.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Mon, 30 Apr 2007 17:24:54 -0400
From: john Wiener <jawod@fuse.net>
User-Agent: Thunderbird 1.5.0.7 (Macintosh/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Elecraft K3 to hit the market
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <192ce$46365f90$d8c4d2e2$20021@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 8
X-Trace: 192ce46365f907d61774720021
Xref: g2news1.google.com rec.radio.amateur.equipment:11930

I just heard that a K3 is about to hit the market. I put together the
K2 last year. IF it lives up to expectation, it could find a place in
many many shacks. A true rival for top-end Yae-Ken_Com? Cost is under
$2000 I think...it comes as a kit or pre-assembled.

What do you think?

AB8O

From -6364968478938644436
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Thread: 1109af,8f835778c376ebe0
X-Google-Thread: fc8b1,8f835778c376ebe0
X-Google-Thread: 108228,8f835778c376ebe0
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!

```
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.net.POSTED!758ec0cd!not-for-mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-
radio.marketplace
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <0cxZh.3989$H_.1693@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 69.235.53.171
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1177984892 ST000 69.235.53.171 (Mon, 30 Apr
2007 22:01:32 EDT)
NNTP-Posting-Date: Mon, 30 Apr 2007 22:01:32 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP\WBURERRRSP_@YMZJ\_Q\@TJ_ZTB\MV@BT]UEK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Tue, 01 May 2007 02:01:32 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11931 rec.radio.swap:16144
rec.radio.amateur.boatanchors:11459 alt.ham-radio.marketplace:3057
```

<w4mot.club@gmail.com> wrote in message
news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...

> All,
>
> Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885 .
>
> This is the 150 Watt version. I recently made several QSOs with it, on all the bands that were open at the time, so we believe it to be completely functional and know of no performance problems. It has only minor scratches on the sides and top, and comes with the manual, AC power cord, and 12 VDC power cord.
>
> Sales notices are supposed to be upbeat, but it's difficult being upbeat when you are selling such a wonderful rig!
>
> 73,
>
> Ed Callaway, N4II
> Motorola ARC, W4MOT

Oh Ed......my...my...my.....

Only $2000 for an OLD obsolete HF rig. Anyone can do better than that with a phone call to a dealer on a NEW rig.
Your ad says "No reserve" but it STARTS at $2000........uh-huh....That's called a "Reserve" Bunkie.
You say it works perfectly, but NO GUARANTEE once it leaves your hands.....yeah right....
"Such a wonderful rig"...oh please....give us SOME credit......were not THAT stupid.

Typical HAM radio operator....Wants to STEAL it when HE buys it..then wants "Top Dollar" for it when he sells it.....

```
From -1229210994352809351
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Thread: 1109af,8f835778c376ebe0
X-Google-Thread: fc8b1,8f835778c376ebe0
X-Google-Thread: 108228,8f835778c376ebe0
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.net.POSTED!758ec0cd!not-for-mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-
radio.marketplace
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <8AxZh.3995$H_.3621@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 69.235.53.171
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1177986436 ST000 69.235.53.171 (Mon, 30 Apr
2007 22:27:16 EDT)
NNTP-Posting-Date: Mon, 30 Apr 2007 22:27:16 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDONBRV_WTTY\BCBNWX@RJ_XPDLMN@GZ_GYO^BTJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Tue, 01 May 2007 02:27:16 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11932 rec.radio.swap:16145
```

rec.radio.amateur.boatanchors:11460 alt.ham-radio.marketplace:3058

<w4mot.club@gmail.com> wrote in message
news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...
> All,
>
> Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885 .
>
> This is the 150 Watt version. I recently made several QSOs with it, on
> all the bands that were open at the time, so we believe it to be
> completely functional and know of no performance problems. It has
> only minor scratches on the sides and top, and comes with the manual,
> AC power cord, and 12 VDC power cord.
>
> Sales notices are supposed to be upbeat, but it's difficult being
> upbeat when you are selling such a wonderful rig!
>
> 73,
>
> Ed Callaway, N4II
> Motorola ARC, W4MOT
>
Prospective buyers read this....
 http://www.eham.net/reviews/detail/648

Gives you an idea of what Signal/One is REALLY like....

From -7549324414723029935
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Thread: 1109af,8f835778c376ebe0
X-Google-Thread: fc8b1,8f835778c376ebe0
X-Google-Thread: 108228,8f835778c376ebe0
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.net.POSTED!758ec0cd!not-for-mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Lines: 30
X-Priority: 3

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <DJxZh.3997$H_.1107@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 69.235.53.171
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1177987043 ST000 69.235.53.171 (Mon, 30 Apr
2007 22:37:23 EDT)
NNTP-Posting-Date: Mon, 30 Apr 2007 22:37:23 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PGWUOECHW]B_H]]RKB_UDAZZ\DPCPDLXUNNHLHEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Tue, 01 May 2007 02:37:23 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11933 rec.radio.swap:16146
rec.radio.amateur.boatanchors:11461 alt.ham-radio.marketplace:3059


<w4mot.club@gmail.com> wrote in message
news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...
> All,
>
> Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885 .
>
> This is the 150 Watt version. I recently made several QSOs with it, on
> all the bands that were open at the time, so we believe it to be
> completely functional and know of no performance problems.  It has
> only minor scratches on the sides and top, and comes with the manual,
> AC power cord, and 12 VDC power cord.
>
> Sales notices are supposed to be upbeat, but it's difficult being
> upbeat when you are selling such a wonderful rig!
>
> 73,
>
> Ed Callaway, N4II
> Motorola ARC, W4MOT
>
 Still another WONDERFUL article about Signal/One.....
 http://www.k5og.com/S1%20History.htm

This is a MUST read before you plunk down $2000 on this electronic Edsel....




From -5600902426321111988
X-Google-Thread: 108122,8f835778c376ebe0
```

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Date: Mon, 30 Apr 2007 19:57:24 -0700
Message-ID: <7tad33liv0kn1f6r3b893bgqla7ek3lepv@4ax.com>
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<0cxZh.3989$H_.1693@newssvr21.news.prodigy.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
NNTP-Posting-Date: 01 May 2007 02:04:37 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11934

On Tue, 01 May 2007 02:01:32 GMT, "Porgy Tirebiter" <biteme@gmail.com>
wrote:

>
><w4mot.club@gmail.com> wrote in message
>news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...
>> All,
>>
>> Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>>
>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885 .
>>
>> This is the 150 Watt version. I recently made several QSOs with it, on
>> all the bands that were open at the time, so we believe it to be
>> completely functional and know of no performance problems. It has
>> only minor scratches on the sides and top, and comes with the manual,
>> AC power cord, and 12 VDC power cord.
>>
>> Sales notices are supposed to be upbeat, but it's difficult being
>> upbeat when you are selling such a wonderful rig!
>>
>> 73,
>>
>> Ed Callaway, N4II
>> Motorola ARC, W4MOT
>
>Oh Ed......my...my...my.....
>
>Only $2000 for an OLD obsolete HF rig. Anyone can do better than that with a
>phone call to a dealer on a NEW rig.
>Your ad says "No reserve" but it STARTS at $2000........uh-huh....That's
>called a "Reserve" Bunkie.

>You say it works perfectly, but NO GUARANTEE once it leaves your
>hands.....yeah right....
>"Such a wonderful rig"...oh please....give us SOME credit......were not THAT
>stupid.
>
>Typical HAM radio operator....Wants to STEAL it when HE buys it..then wants
>"Top Dollar" for it when he sells it.....

Have you checked the current price of an OLD, obsolete 1956 Mercedes Gull Wing these days? Just because it is old, doesn't mean it isn't worth a great deal of money. Like a new ham radio, you can buy a brand new 2007 Mercedes today for a lot less than the 1956 would bring.

--
Posted via a free Usenet account from http://www.teranews.com

From 8032071825227368553
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr12.news.prodigy.net.POSTED!758ec0cd!not-for-mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<0cxZh.3989$H_.1693@newssvr21.news.prodigy.net>
<7tad33liv0kn1f6r3b893bgqla7ek3lepv@4ax.com>
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Lines: 60
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <qEyZh.20423$Um6.6975@newssvr12.news.prodigy.net>
NNTP-Posting-Host: 69.235.53.171
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.net 1177990806 ST000 69.235.53.171 (Mon, 30 Apr 2007 23:40:06 EDT)
NNTP-Posting-Date: Mon, 30 Apr 2007 23:40:06 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJSCTS@]CWPSKZJ@NFXBWR\HPCTL@XT^OBPLAH[\RWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFNTINTDDMVW[X\THOPXZRVOCJTUTPC_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Tue, 01 May 2007 03:40:06 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11935

"Dick" <w6ccd@k7yca.org> wrote in message
news:7tad33liv0kn1f6r3b893bgqla7ek3lepv@4ax.com...
> On Tue, 01 May 2007 02:01:32 GMT, "Porgy Tirebiter" <biteme@gmail.com>
> wrote:
>
>>
>><w4mot.club@gmail.com> wrote in message
>>news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...
>>> All,
>>>
>>> Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>>>
>>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885 .
>>>
>>> This is the 150 Watt version. I recently made several QSOs with it, on
>>> all the bands that were open at the time, so we believe it to be
>>> completely functional and know of no performance problems. It has
>>> only minor scratches on the sides and top, and comes with the manual,
>>> AC power cord, and 12 VDC power cord.
>>>
>>> Sales notices are supposed to be upbeat, but it's difficult being
>>> upbeat when you are selling such a wonderful rig!
>>>
>>> 73,
>>>
>>> Ed Callaway, N4II
>>> Motorola ARC, W4MOT
>>
>>Oh Ed......my...my...my.....
>>
>>Only $2000 for an OLD obsolete HF rig. Anyone can do better than that with
>>a
>>phone call to a dealer on a NEW rig.
>>Your ad says "No reserve" but it STARTS at $2000........uh-huh....That's
>>called a "Reserve" Bunkie.
>>You say it works perfectly, but NO GUARANTEE once it leaves your
>>hands.....yeah right....
>>"Such a wonderful rig"...oh please....give us SOME credit......were not
>>THAT
>>stupid.
>>
>>Typical HAM radio operator....Wants to STEAL it when HE buys it..then
>>wants
>>"Top Dollar" for it when he sells it.....
>
> Have you checked the current price of an OLD, obsolete 1956 Mercedes
> Gull Wing these days? Just because it is old, doesn't mean it isn't
> worth a great deal of money. Like a new ham radio, you can buy a
> brand new 2007 Mercedes today for a lot less than the 1956 would
> bring.

The "gullwings" were a classic....the Signal/Ones are not. Read the CURRENT

reviews...
They are a short run trouble prone pain in the ass. Support was poor when
they were in business...non-existent now.
Would you rather have a Heathkit SB-104 instead?

From 536820123142619961
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Date: Mon, 30 Apr 2007 21:46:21 -0700
Message-ID: <v2hd339667sqkvvf42h58mqvqojbgk6dar@4ax.com>
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<0cxZh.3989$H_.1693@newssvr21.news.prodigy.net>
<7tad33liv0kn1f6r3b893bgqla7ek3lepv@4ax.com>
<qEyZh.20423$Um6.6975@newssvr12.news.prodigy.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Date: 01 May 2007 03:53:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11936

On Tue, 01 May 2007 03:40:06 GMT, "Porgy Tirebiter" <biteme@gmail.com>
wrote:

>The "gullwings" were a classic....the Signal/Ones are not. Read the CURRENT
>reviews...
>They are a short run trouble prone pain in the ass. Support was poor when
>they were in business...non-existent now.
>Would you rather have a Heathkit SB-104 instead?
>

No, I would rather have a Signal One. The reviews you referenced
don't support your view at all. In the first one, the guy was trying
to get an Icom 781 converted to a Signal One. He got hosed. The
radio up for auction has nothing to do with that conversion other than
it has the name. In the second one, the guy loves them. In my
opinion, it is a classic radio in the truest sense of the word.

--

Posted via a free Usenet account from http://www.teranews.com

From -6366311089446439850
X-Google-Thread: 108122,56d29412819aed7a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 01 May 2007 01:54:28 -0500
From: "Ken chattenton" <k.chattenton@btopenworld.com>
Newsgroups: rec.radio.amateur.equipment
References: <192ce$46365f90$d8c4d2e2$20021@FUSE.NET>
Subject: Re: Elecraft K3 to hit the market
Date: Tue, 1 May 2007 07:54:16 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <Cd-dnRjwuN-5eavbnZ2dnUVZ8v6dnZ2d@bt.com>
Lines: 17
NNTP-Posting-Host: 81.158.217.194
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-qx8fjBgL0xCEAbAmYA06GMMhk3+oKoAz7WjZHXS8+mgPM/dSOaJ0DpcHnd3B/PnIPrv5xiK80lkPM9C!/Ga5qmCAln4b0yU8+aJ0DqDMwnKAulTXeOwA0FP2v/w78lPoSnBB5GzNvqUt/VRAudzyTG7hV3td
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11937

Hi from Ken in the UK,
It looks really great and I am sure it will be a winner for "ELECRAFT".
Just one thing though, it comes fully assembled or you can buy it in modular form, no kits has such though............cheers, Ken, G4KIR.

"john Wiener" <jawod@fuse.net> wrote in message
news:192ce$46365f90$d8c4d2e2$20021@FUSE.NET...

>I just heard that a K3 is about to hit the market. I put together the K2
>last year. IF it lives up to expectation, it could find a place in many
>many shacks. A true rival for top-end Yae-Ken_Com? Cost is under $2000 I
>think...it comes as a kit or pre-assembled.
>
> What do you think?
>
> AB8O

```
From -7766745774845483O7
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.stanford.edu!news.kjsl.com!
ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Date: 1 May 2007 05:24:55 GMT
Organization: The National Capital FreeNet
Lines: 40
Message-ID: <f16iv7$rov$1@theodyn.ncf.ca>
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<0cxZh.3989$H_.1693@newssvr21.news.prodigy.net>
<7tad33liv0kn1f6r3b893bgqla7ek3lepv@4ax.com>
<qEyZh.20423$Um6.6975@newssvr12.news.prodigy.net>
<v2hd339667sqkvvf42h58mqvqojbgk6dar@4ax.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1177997095 28447 134.117.136.48 (1 May 2007 05:24:55 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 1 May 2007 05:24:55 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11938

Dick (w6ccd@k7yca.org) writes:
> On Tue, 01 May 2007 03:40:06 GMT, "Porgy Tirebiter" <biteme@gmail.com>
> wrote:
>
>>The  "gullwings" were a classic....the Signal/Ones are not. Read the CURRENT
>>reviews...
>>They are a short run trouble prone pain in the ass. Support was poor when
>>they were in business...non-existent now.
>>Would you rather have a Heathkit SB-104 instead?
>>
>
> No, I would rather have a Signal One.  The reviews you referenced
> don't support your view at all.  In the first one, the guy was trying
> to get an Icom 781 converted to a Signal One.  He got hosed.  The
> radio up for auction has nothing to do with that conversion other than
> it has the name.  In the second one, the guy loves them.  In my
> opinion, it is a classic radio in the truest sense of the word.
>
I don't even get how you can turn an Icom into a Signal One.

But obviously for collecting purposes, the Signal One is a standout.
I can't imagine that many being made, so that makes it collectible.
It was a great leap forward when it came out almost forty years ago.
Most rigs were still tube based, and the Signal One comes along all
solid state except for the PA, and featuring things that would take
```

some years for the competition to put into equipment. It was also
an American company, when the balance was shifting away from those
and to Japanese radio manufacturers.

It's always interesting to do some math when looking at old things.
The Signal One came out in 1969, which is 38 years ago. Go back
38 years before 1969, and that would be 1931. Very few people were
using rigs from 1931 in 1969 (though oddly some of the early Signal
One ads did have a comparison along those lines, and at least one
ad used 1920 style typeface in the headlines), and some might consider
the 1931 rigs collector's items in 1969 (though, there seemed far
less interest in collecting old radios then than now).

Michael VE2BVW

From 898058119472966886
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!proxad.net!newsfeed1.ip.tiscali.net!
tiscali!transit1.news.tiscali.nl!transit.news.xs4all.nl!newsgate.cistron.nl!
xs4all!news2.euro.net!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!
pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Date: Tue, 01 May 2007 07:33:35 -0700
Message-ID: <3hje335k5ijp7438bcjrnoto21iqetcj4a@4ax.com>
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<0cxZh.3989$H_.1693@newssvr21.news.prodigy.net>
<7tad33liv0kn1f6r3b893bgqla7ek3lepv@4ax.com>
<qEyZh.20423$Um6.6975@newssvr12.news.prodigy.net>
<v2hd339667sqkvvf42h58mqvqojbgk6dar@4ax.com> <f16iv7$rov$1@theodyn.ncf.ca>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Date: 01 May 2007 13:40:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11939

On 1 May 2007 05:24:55 GMT, et472@FreeNet.Carleton.CA (Michael Black)
wrote:

>I don't even get how you can turn an Icom into a Signal One.
>
>But obviously for collecting purposes, the Signal One is a standout.
>I can't imagine that many being made, so that makes it collectible.
>It was a great leap forward when it came out almost forty years ago.
>Most rigs were still tube based, and the Signal One comes along all

>solid state except for the PA, and featuring things that would take
>some years for the competition to put into equipment. It was also
>an American company, when the balance was shifting away from those
>and to Japanese radio manufacturers.
>
>   Michael VE2BVW

I remember very clearly the night a new Signal One was brought to our
radio club at General Dynamics for a demo. It was simply amazing. I
can't imagine any other ham radio ever manufactured that created such
lust for ownership. Of course the price made it only a dream for most
of us,

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

From 8387060278193488628
X-Google-Thread: 108122,ba75b9663b7d5d36,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews6.bellsouth.net.POSTED!105ed0b9!not-for-mail
From: "Bill" <kc4pe@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS 950 SDX FS
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <31NZh.16871$Pq5.7194@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbodjhmocadeemckmoihdcnjeikpfnbhpffjj
lcggfdbbllgjnfnneliioahdnlidnipjogimejokdcbfpcccbighlnonbfpfgmhccjadmlbccadddh
NNTP-Posting-Date: Tue, 01 May 2007 16:02:07 EDT
Organization: BellSouth Internet Group
Date: Tue, 1 May 2007 16:02:09 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:11940

Late model .. clean ... mild usage..see it and details at

http://www.kc4pe.com/hamsale.htm

Very Good Price also!!!!

-Bill

bill@kc4pe.com

```
From -8111551899763751111
X-Google-Thread: 108122,ccd03500bbfe3088,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!postnews.google.com!
y80g2000hsf.googlegroups.com!not-for-mail
From: iamw7gsa@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: SGC  SG-2000 ADSP 150 Watt HF Transceiver
Date: 2 May 2007 13:05:03 -0700
Organization: http://groups.google.com
Lines: 40
Message-ID: <1178136303.713956.308620@y80g2000hsf.googlegroups.com>
NNTP-Posting-Host: 71.208.20.115
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1178136304 18841 127.0.0.1 (2 May 2007 20:05:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 May 2007 20:05:04 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.11)
Gecko/20070312 Firefox/1.5.0.11,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y80g2000hsf.googlegroups.com; posting-host=71.208.20.115;
   posting-account=cQvDhQ0AAAA2L64AXEEngQZckgQDkde_
Xref: g2news1.google.com rec.radio.amateur.equipment:11941
```

This is an extremely high quality 150 watt HF SSB, CW and AM Transceiver for Marine or Ham use. This is the ADSP1 model. It tunes continusely from 2MHz through 30MHz on both transmit and receive.

Click on this link to see all of the current model specifications of the ADSP2 model which are just about identical the the model I am selling:

http://www.sgcworld.com/Publications/Brochures/PowerTalk.pdf

Click on these links for picture of the SG-2000 PowerTalk I have for sale:

http://imagehost.epier.com/44487/sg-2000-1.jpg

http://imagehost.epier.com/44487/sg-2000-2.jpg http://imagehost.epier.com/44487/sg-2000-3.jpg

The radio is in Excellent condition both cosmetically and electronically. It comes with the SGC mic and the manuals.

I have two of these. I am selling one. The other one is my primary HF rig.

The price is $950.00. Plus insurance actual UPS shipping costs from my zip code to yours. My zip code is 80439. Yes, I WILL SHIP INTERNATIONALLY.

For payment I can accept company or personal checks, a cashier's check or a post office or Wal-Mart money order.

If you have any questions, pleas contact me at iamw7gsa@gmail.com or call me at 303-674-0510, I am located in Denver.

Thanks for looking,

Bill
W7GSA

From 570715445049814040
X-Google-Thread: 108122,b5c52ae3fdf60458,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: Andrew LDF5-50 7/8" Hardline (Iowa)
Date: Wed, 02 May 2007 16:21:53 -0500
Organization: netINS InterNetNews site
Lines: 5
Message-ID: <910i33h04bi62qqk05eeq2hbpqh6srkpj1@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1178140885 29468 67.55.159.6 (2 May 2007 21:21:25 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 2 May 2007 21:21:25 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:11942

I have for sale two pieces of used Andrew 7/8 hardline for sale. One is around 110' and the other is around 220'. Both sections have the N connectors installed. The price is $200 for all and pickup only. I am located in central Iowa. Please email me with any questions. Remove nospam from my email address when replying. Thanks

```
From 3118115209366825614
X-Google-Thread: 108122,4b7a01d9398e354a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 May 2007 21:40:44 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 6M/2M/70CM FM Rig
Date: Wed, 2 May 2007 22:41:01 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <DsSdnbwqvN4x1qTbnZ2dnUVZ_qarnZ2d@insightbb.com>
Lines: 11
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-XXN/
+00CXlGVnHY+nciScCHu9IxX8xCDal3WSoib7C7zaOUec6g1Qq4zP9SEaXu9l0efZEhOhQ6Roye!
jtfl8dfTSybbWvxW8n9GTvORSVSjObxHS6rdOd2iHq6l/bYEDKc/If9k/fCx78OOIVdveXQR4xsR!
qWiNuC7oHG9cWqYFUw==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11943
```

I'm looking for a Mobile/Base FM rig that will cover 6M, 2M and 440 MHz. I see the Yaesu FT-8900R fits the bill, but are there any other rigs out there?

BTW, how common is 6M FM anyway? Could I expect some interesting DX in FM mode when 6M opens up?

--
Bob D. ND9B

```
From 3785179475595965439
X-Google-Thread: 108122,4b7a01d9398e354a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
```

zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 6M/2M/70CM FM Rig
Date: Wed, 02 May 2007 21:23:35 -0700
Message-ID: <jqoi33p29uvg3d8puo9ncvt2ie51hjrrae@4ax.com>
References: <DsSdnbwqvN4x1qTbnZ2dnUVZ_qarnZ2d@insightbb.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Date: 03 May 2007 03:30:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11944

Rigs like the Icom IC-706 and IC-7000 come to mind. These give you
those bands as well as HF. The advantage to radios like this is that
you can operate SSB on 6-meters. I think you would be much better of
with SSB than FM if you are interested in DX.

Dick - W6CCD

On Wed, 2 May 2007 22:41:01 -0400, "Bob D." <bobmgtd@insightbb.com>
wrote:

>I'm looking for a Mobile/Base FM rig that will cover 6M, 2M and 440 MHz. I
>see the Yaesu FT-8900R fits the bill, but are there any other rigs out
>there?
>
>BTW, how common is 6M FM anyway? Could I expect some interesting DX in FM
>mode when 6M opens up?

--
Posted via a free Usenet account from http://www.teranews.com

From 3270994671960943837
X-Google-Thread: 108122,4b7a01d9398e354a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 6M/2M/70CM FM Rig
Date: Thu, 3 May 2007 05:24:08 +0000 (UTC)
Organization: MGT Consulting
Lines: 16

Message-ID: <slrnf3isf2.m15.gsm@cable.mendelson.com>
References: <DsSdnbwqvN4x1qTbnZ2dnUVZ_qarnZ2d@insightbb.com>
<jqoi33p29uvg3d8puo9ncvt2ie51hjrrae@4ax.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-139-69-52.bb.netvision.net.il
X-Trace: marvin.inside.misty.com 1178169848 21056 89.139.69.52 (3 May 2007
05:24:08 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Thu, 3 May 2007 05:24:08 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:11945

Dick wrote:
> Rigs like the Icom IC-706 and IC-7000 come to mind. These give you
> those bands as well as HF. The advantage to radios like this is that
> you can operate SSB on 6-meters. I think you would be much better of
> with SSB than FM if you are interested in DX.

FM is not allowed on 6m in many places. If you are looking for that rare
east-west DX outside of the U.S. you find that although your signal
reaches there, no one can reply.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 Fax ONLY: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

From -4819615456908073451
X-Google-Thread: 108122,8d6fe70e2378dcb7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,CP1252
Path: g2news1.google.com!news3.google.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!1e49b9c4!
not-for-mail
From: mike <spamme9@gmail.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom PCR-1000 Computer Controlled Receiver/Scanner With PDA to
 run it.
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 104
Message-ID: <FNh_h.9233$KP1.3728@trnddc02>
Date: Thu, 03 May 2007 09:18:29 GMT
NNTP-Posting-Host: 71.117.163.162
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1178183909 71.117.163.162 (Thu, 03 May 2007 05:18:29 EDT)
NNTP-Posting-Date: Thu, 03 May 2007 05:18:29 EDT

Xref: g2news1.google.com rec.radio.amateur.equipment:11946

Icom PCR-1000 Communications Receiver
Computer Controlled
Receives 100 KHz. to 1300 MHz.
Does 9600 baud packet.
There's even a program to connect to your
sound card to do trunk tracking.

Comes with a Palm PDA
to run it portable

Or if you'd rather use a full PC

And there are other programs with more screens
Scanning capability
Spectrum Analyzer-type Displays
Programs that run on a PDA, DOS
Windows...

This is a most excellent receiver with endless
possibilities using your computer.

Serial number 2046
It's reported that serial numbers below
3500 had frequency modification abilities
that the FCC didn't like. But I wouldn't
know anything about that.

SPECIFICATIONS
�Frequency coverage (MHz)
U.S.A. : 0.010000�823.999999*
849.000001�868.999999
894.000001�1300.000000
Europe : 0.010000�1300.000000*
*Specifications guaranteed 0.5�1300 MHz only.
�Receive system : Triple superheterodyne
�Mode : WFM, FM, AM, SSB, CW
� Frequency stability : �3 ppm at 1300 MHz
(0�C to +50�C; 32�F to +122�F)
� Frequency resolution :1 Hz (minimum)
� Power supply requirement :13.8 V DC �15 % for receiver unit;
or, supplied AC adapter
(negative ground)
� Current drain (at 13.8 V DC)
Power ON (PC power OFF) : 0.1 A
Max. audio : 0.7 A
Standby (squelched) : 0.6 A

� Usable temp. range : 0�C to +50�C; +32�F to +122�F
� Intermediate frequencies
1st : 266.7 MHz
2nd : 10.7 MHz
3rd : 450 kHz (except WFM)
� Selectivity
WFM : 230 kHz/�6 dB
WFM/FM/AM : 50 kHz/�6 dB
FM/AM : 15 kHz/�6 dB
FM/AM/SSB/CW : 6 kHz/�6 dB
AM/SSB/CW : 2.8* kHz/�6 dB
*Software indicates 3 kHz.
� IF shift range : More than �1.2 kHz
� Max. audio output : 200 mW
(at 10% distortion with an 8 ? load)
� Antenna connector :BNC (50 ?)
�RS-232C connector : D-sub 9-pin (female)
� Ext. speaker connector : 3-conductor 3.5 (d) mm (1/8")/
4�8 ?
�Dimensions : 127.5(W)�30(H)�199(D) mm
(projections not included) 5(W)�13/16(H)�727/32(D) in
�Weight : approx. 1 kg; 2 lb 3 oz.

Comes with:
PCR-1000 Radio
Whip Antenna
AC Power Brick
User Manual
Original Control SW on Floppy
Palm III PDA
Palm Cradle
Palm Software Disk
Palm to PCR Interface Cable
PC to PCR Interface Cable
Palm Control Program
Stock Icom Control Program
Several Other Control Programs
All progs are freeware and available on the web.

Receives DC to Light!
Works Great
Looks Great
Low Serial Number
Ready to Go

$400

Free Shipping conus
no shipping outside conus.
--
Return address is VALID!
Bunch-O-Stuff Forsale Here:
http://mike.liveline.de/sale.html

From -7445759143092296468
X-Google-Thread: 108122,4b7a01d9398e354a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!199.45.49.37!cyclone1.gnilink.net!gnilink.net!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 6M/2M/70CM FM Rig
References: <DsSdnbwqvN4x1qTbnZ2dnUVZ_qarnZ2d@insightbb.com>
In-Reply-To: <DsSdnbwqvN4x1qTbnZ2dnUVZ_qarnZ2d@insightbb.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <Sji_h.78136$NK5.22944@newsfe23.lga>
Date: Thu, 03 May 2007 05:54:53 -0400
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: admin@cox.net
X-Trace: newsfe23.lga 1178186098 24.254.177.70 (Thu, 03 May 2007 02:54:58 MST)
NNTP-Posting-Date: Thu, 03 May 2007 02:54:58 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11947

Bob D. wrote:
> I'm looking for a Mobile/Base FM rig that will cover 6M, 2M and 440 MHz. I
> see the Yaesu FT-8900R fits the bill, but are there any other rigs out
> there?
>
> BTW, how common is 6M FM anyway? Could I expect some interesting DX in FM
> mode when 6M opens up?
>

You are correct. The FT8900 would fit that bill. A number of years ago, Standard (amateur) was bought out by Vertex yaesu. One of the absoluetely BEST rigs that has ever been manufactured and designed for ham use was the Standard C5900. I own 4 of them. It covered 6m, 2m and 70cm FM. They are not made anymore of course, however, the FT8900 looks very close in appearance to the C5900. From what I have heard though, the FT8900 does not have the receiver performance of the C5900.

My recommendation, if you can find one for sale (they show up on Ebay from time to time), is to get a C5900 that is in good condition.

From 826722279615143029

```
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Thread: 1109af,8f835778c376ebe0
X-Google-Thread: fc8b1,8f835778c376ebe0
X-Google-Thread: 108228,8f835778c376ebe0
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.stanford.edu!panix!
panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-
radio.marketplace
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Date: 3 May 2007 09:46:54 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 12
Message-ID: <f1cp4e$k55$1@panix2.panix.com>
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<8AxZh.3995$H_.3621@newssvr21.news.prodigy.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1178200013 20961 166.84.1.2 (3 May 2007 13:46:53 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 3 May 2007 13:46:53 +0000 (UTC)
Xref: g2news1.google.com rec.radio.amateur.equipment:11948 rec.radio.swap:16161
rec.radio.amateur.boatanchors:11468 alt.ham-radio.marketplace:3060

Porgy Tirebiter <biteme@gmail.com> wrote:
>
>Prospective buyers read this....
> http://www.eham.net/reviews/detail/648
>
>Gives you an idea of what Signal/One is REALLY like....

Yes, but this is what makes it a valuable collector's item.
--scott

--
"C'est un Nagra.  C'est suisse, et tres, tres precis."


From 3967836863346016347
X-Google-Thread: 108122,4b7a01d9398e354a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news-out.octanews.net!mauve.octanews.net!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 6M/2M/70CM FM Rig
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <DsSdnbwqvN4x1qTbnZ2dnUVZ_qarnZ2d@insightbb.com>
<jqoi33p29uvg3d8puo9ncvt2ie51hjrrae@4ax.com>
```

```
Organization: Your Company
Message-ID: <Xns992577B4A275Aspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 03 May 2007 18:44:59 GMT
Lines: 12
NNTP-Posting-Host: 43f11df7.news.adtechcomputers.com
X-Trace: DXC=D7bOK58jM1lZ_caXTC`bQlgC4_A5:nI@a<<=aEgO;R8g05A26<J8j^cfISg?9^j<JjR?
X7U2a5ffgemfRC[RMj?o0[]M_>MNBVgOlT>Q4>E62m1^9=mG8nN1e
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11949


> Rigs like the Icom IC-706 and IC-7000 come to mind.  These give you
> those bands as well as HF.  The advantage to radios like this is that
> you can operate SSB on 6-meters.  I think you would be much better of
> with SSB than FM if you are interested in DX.


   The Yaesu FT-817 comes to mind, too,  if you can get by with only 5
watts.


   Ed


From 8230284326451991189
X-Google-Thread: 108122,bfc511f4c074b6e3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 03 May 2007 15:10:05 -0500
Date: Thu, 03 May 2007 15:10:10 -0500
From: Gene Young <n9mxq@aim.com>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Fake Icom IC-V8's
References: <45d9e4c3$0$28133$4c368faf@roadrunner.com>
In-Reply-To: <45d9e4c3$0$28133$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <CN2dnYSLrbsA3KfbnZ2dnUVZ_gednZ2d@insightbb.com>
Lines: 7
NNTP-Posting-Host: 74.135.99.5
X-Trace: sv3-p0RyRUvI/IX3w/gwvJRyywJl8uEtRkYc7FJEyeVOA+FGUeBLdAEUnOyg0/Hxj6GV4d9/
Diq2JsvdEve!h78KTL94UV6gQ/
fJeUk6XvFWYTmWxUS7+vuGykhgCf4Jv65qRZSwZXPWADjUq0l+D5MqFuszCaaQ!DDuXAJNAtazs87M=
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11950

Dang... my 2720 is a fake!

Jeff wrote:
> http://www.icom.jp/world/notice/index.htm
>
>

From -8538260442232858677
X-Google-Thread: 108122,1846cb8dccbbbf3f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!indigo.octanews.net!news-out.octanews.net!mauve.octanews.net!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: cutting square hole in plastic
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 03 May 2007 21:56:40 GMT
Lines: 11
NNTP-Posting-Host: 0a90cd1a.news.adtechcomputers.com
X-Trace: DXC=^3IC6KLi[G2=RT:S6`J8?5gC4_A5:nI@1<<=aEgO;R8705A26<J8j^3K8d?4gZ8A[:R?X7U2a5ff7emfRC[RMj??0[]M_>MNBV7WKZNLP<[gh3R@M3jX]7=]2
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11951

I need to cut a square hole (1" x 1.25") in a standard plastic electrical box cover ... in this case, its the type with one hole for a TV jack. The new square hole will be to mount a chassis jack for Anderson Power Pole connections. (Powerwerx HS-4).

Can anyone advise of the best method and tool to do this? I am concerned about cracking the plastic if I don't do it right.

Ed K7AAT

From 2709532532212331990
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!

individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
Date: Thu, 03 May 2007 17:45:09 -0500
Lines: 20
Message-ID: <59v6vkF2mli0qU1@mid.individual.net>
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net AjryLnp0XumU3qSVeeaoCQlw3fHWccUOfGJVp3+3Pvy/k32BIb
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
Xref: g2news1.google.com rec.radio.amateur.equipment:11952

Ed wrote:
>   I need to cut a square hole (1" x 1.25") in a standard plastic
> electrical box cover ... in this case, its the type with one hole for a TV
> jack. The new square hole will be to mount a chassis jack for Anderson
> Power Pole connections. (Powerwerx HS-4).
>
>
>   Can anyone advise of the best method and tool to do this? I am concerned
> about cracking the plastic if I don't do it right.
>
>   Ed   K7AAT

Melt the hole using a;
1) wood burning iron with flat blade
2) nichrome wire with power supply

Then using a fine file, trim to fit..

Bob n9lvu

From -6942235652067678210
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 03 May 2007 18:20:03 -0500
Date: Thu, 03 May 2007 16:20:44 -0700
From: KD6EVM <nelsonca@comcast.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0

Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
In-Reply-To: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <BtudnbSs7-S-86fbnZ2dnUVZ_u-unZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 67.166.131.124
X-Trace: sv3-
nmNlWChgzvMThnf2hsrO2xmYP+TUoUucC+Rbw59uL0EnzO5opQCHdx2zvffeR7lPMNuiDE6Kmx4ZbWF!
RhA7g8thzQ48x8ko+IBoMdciVizMB8FuuzC7sJC/Q+UKc4BnZJtBrWrDpmQ0GkmpJ5jtJUQCqiza!
XkDvO0JQchEYt+Zfzs9FqEK/cB3JjCw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11953

Ed wrote:
> I need to cut a square hole (1" x 1.25") in a standard plastic
> electrical box cover ... in this case, its the type with one hole for a TV
> jack. The new square hole will be to mount a chassis jack for Anderson
> Power Pole connections. (Powerwerx HS-4).
>
>
> Can anyone advise of the best method and tool to do this? I am concerned
> about cracking the plastic if I don't do it right.
>
> Ed K7AAT

Try a hand "nibbler." They used to sell them at RS and other hand tool
outlets. I'll send you mine if you promise to send it back with a few
powerpoles.

Tom KD6EVM

From -1780786390977471675
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!news-out.readnews.com!postnews3.readnews.com!
not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196> <BtudnbSs7-
S-86fbnZ2dnUVZ_u-unZ2d@comcast.com>
Organization: Your Company

Message-ID: <Xns9925C9C1BDC16spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 04 May 2007 02:48:54 GMT
Lines: 15
NNTP-Posting-Host: 5e7997d7.news.adtechcomputers.com
X-Trace: DXC=8DO5jm83fo_]cITa2Pd3_WgC4_A5:nI@Q<<=aEgO;R8W05A26<J8j^S5RhaQEP=M6^R?
X7U2a5ffWemfRC[RMj?_0[]M_>MNBVW=MHL<7Q`fQZZdBh]8Yn\mY
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11954

>
> Try a hand "nibbler." They used to sell them at RS and other hand tool
> outlets. I'll send you mine if you promise to send it back with a few
> powerpoles.
>
> Tom KD6EVM
>

Thanks, Tom. I'd take you up, but I already have a "nibler" tool...
used primarily for thin steel and aluminum chassis work. I am pretty sure
it would be risky to use on plastic and possibly crack it.

Ed

From 8685525524089443445
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.250.MISMATCH!transit3.readnews.com!news-out.readnews.com!
textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
<59v6vkF2mli0qU1@mid.individual.net>
Organization: Your Company
Message-ID: <Xns9925C9FC8972Espectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 04 May 2007 02:50:15 GMT
Lines: 13
NNTP-Posting-Host: 5e7997d7.news.adtechcomputers.com
X-Trace: DXC=fKV7lM[fo\caYllZHZcXVggC4_A5:nI@a<<=aEgO;R8g05A26<J8j^c5RhaQEP=M6nR?
X7U2a5ffgemfRC[RMj?o0[]M_>MNBVg=MHL<7Q`fQjZdBh]8Yn\mi
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11955

>

```
> Melt the hole using a;
> 1) wood burning iron with flat blade
> 2) nichrome wire with power supply
>
> Then using a fine file, trim to fit..

  Now that does sound like it would do the job.... just don't have any
nichrome wire in this little town I'm in.   Maybe I'll come up with an
alternative similar to this for this project.   Tnx.

   Ed



From 1228823603483046970
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.stanford.edu!news.kjsl.com!
ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
Date: 4 May 2007 03:06:02 GMT
Organization: The National Capital FreeNet
Lines: 36
Message-ID: <f1e7uq$etv$1@theodyn.ncf.ca>
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196> <BtudnbSs7-
S-86fbnZ2dnUVZ_u-unZ2d@comcast.com>
<Xns9925C9C1BDC16spectrumhogstarbandn@198.186.192.196>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1178247962 15295 134.117.136.48 (4 May 2007 03:06:02 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 4 May 2007 03:06:02 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11956

Ed (Huckleberry_REMOVE_@bigvalley.net) writes:
>>
>> Try a hand "nibbler." They used to sell them at RS and other hand tool
>> outlets. I'll send you mine if you promise to send it back with a few
>> powerpoles.
>>
>> Tom KD6EVM
>>
>
>    Thanks, Tom.  I'd take you up, but I already have a "nibler" tool...
> used primarily for thin steel and aluminum chassis work.  I am pretty sure
> it would be risky to use on plastic and possibly crack it.
>
>
It depends on the plastic.  I used a nibbler on a Radio Shack plastic
box, and it was fine.  It likely will crack hard plastic, but a softer
one will be fine.
```

You don't need to use a hot iron, you can drill plastic.

"Dremel tools" and the like are good, using the cutoff wheels. The problem is that the mechanical arrangement limits the usefulness. Though, they now have attachments that puts the cutting wheel at 90 from the shaft and that looks pretty good for this kind of work.

Plastic isn't really so different from metal. People used to drill a bunch of small holes close together around the perimeter of the area they wanted out, and then it was relatively easy to break down the space between them. Then use a file to smooth it out.

Of course, that trick was used if you didn't have a hole punch. I suspect those hole punches would work on plastic too, if you were lucky enough to have one of the right size.

  Michael VE2BVW

```
From 8940934872753046065
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Thread: 1109af,8f835778c376ebe0
X-Google-Thread: fc8b1,8f835778c376ebe0
X-Google-Thread: 108228,8f835778c376ebe0
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx02.iad01.newshosting.com!newshosting.com!post01.iad01!roadrunner.com!not-for-
mail
Message-ID: <463AC3C1.1000904@rickfrazier.com>
Date: Thu, 03 May 2007 19:25:21 -1000
From: Rick Frazier <rickf@rickfrazier.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-
radio.marketplace
To: Porgy Tirebiter <biteme@gmail.com>
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<DJxZh.3997$H_.1107@newssvr21.news.prodigy.net>
In-Reply-To: <DJxZh.3997$H_.1107@newssvr21.news.prodigy.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 62
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11957 rec.radio.swap:16165
```

rec.radio.amateur.boatanchors:11479 alt.ham-radio.marketplace:3062

Porgy Tirebiter wrote:
> <w4mot.club@gmail.com> wrote in message
> news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...
>
>>All,
>>
>>Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>>
>>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885 .
>>
>>This is the 150 Watt version. I recently made several QSOs with it, on
>>all the bands that were open at the time, so we believe it to be
>>completely functional and know of no performance problems. It has
>>only minor scratches on the sides and top, and comes with the manual,
>>AC power cord, and 12 VDC power cord.
>>
>>Sales notices are supposed to be upbeat, but it's difficult being
>>upbeat when you are selling such a wonderful rig!
>>
>>73,
>>
>>Ed Callaway, N4II
>>Motorola ARC, W4MOT
>>
>
> Still another WONDERFUL article about Signal/One.....
> http://www.k5og.com/S1%20History.htm
>
> This is a MUST read before you plunk down $2000 on this electronic Edsel....
>
>
>
Oh, the non-believers....
Well, anyone that knows anything about the Milspec 1030 knows that the cx7 just isn't the same rig, and neither is the 1030ci.

The 1030 was a true mil-spec, hardened and wonderful radio. It operated without fail over considerable range of conditions, and the remaining examples probably do so even today. Built like a battleship inside, with individual milled aluminum compartments for each subsection, it didn't suffer from many of the maladies of later integrated rigs. For the uninitiated, the 1030ci was an attempt to cash in on the superior function and longevity of the original 1030 by taking a commercial 781 and "hardening" it. I am not aware of many individuals that actually loved the result like those that owned the original 1030. I owned one of the original 1030 radios with the high power option and multi-color led display and loved it, though succumed to it's popularity on the collector market and sold it around 5 years ago to a fellow on the east coast. To this day, I wish I hadn't, though it is hard to fault the icom 746pro and 756ProII I now have that were paid for by the proceeds from the sale of the 1030... If I thought I had a chance of winning the current auction with what's in my radio fund, I'd be in the bidding right now, just to have another one!

If you're trying to make waves because of a few bad seeming comments about radios that aren't even the model for sale, then just pleae go away. If you actually truly have experience with the original 1030, then come on, and provide just what you think was wrong with the one you had....

Thanks
--Rick AH7H

From -7636540209419046949
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Thread: 1109af,8f835778c376ebe0
X-Google-Thread: fc8b1,8f835778c376ebe0
X-Google-Thread: 108228,8f835778c376ebe0
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 04 May 2007 07:54:53 -0500
Date: Fri, 04 May 2007 08:54:52 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<DJxZh.3997$H_.1107@newssvr21.news.prodigy.net> <463AC3C1.1000904@rickfrazier.com>
In-Reply-To: <463AC3C1.1000904@rickfrazier.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <oNmdnXiT6o2DsKbbnZ2dnUVZ_qvinZ2d@comcast.com>
Lines: 66
NNTP-Posting-Host: 76.98.105.37
X-Trace: sv3-cHctiG2DgyPGTh84/
uBQEuBDKbNPr7yL7oXLnK5siWzcmGtraRQoqZEsTEqEYXI2CEYa6t7s1hfExZz!
kvYVN4gkvqS7N7Gp3aRNOsSakJujY/OY7d37KiNdwqbjb4ty2scP6c4m0Tn7L3dJfvpRSbCY2sPi!
fCf1tXrczAooWmL/Jg7orQQlfPqK
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11958 rec.radio.swap:16167
rec.radio.amateur.boatanchors:11482 alt.ham-radio.marketplace:3063

Rick Frazier wrote:
> Porgy Tirebiter wrote:
>> <w4mot.club@gmail.com> wrote in message
>> news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...
>>
>>> All,
>>>
>>> Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>>>
>>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885 .
>>>
>>> This is the 150 Watt version. I recently made several QSOs with it, on
>>> all the bands that were open at the time, so we believe it to be
>>> completely functional and know of no performance problems. It has
>>> only minor scratches on the sides and top, and comes with the manual,
>>> AC power cord, and 12 VDC power cord.
>>>
>>> Sales notices are supposed to be upbeat, but it's difficult being
>>> upbeat when you are selling such a wonderful rig!
>>>
>>> 73,
>>>
>>> Ed Callaway, N4II
>>> Motorola ARC, W4MOT
>>>
>>
>> Still another WONDERFUL article about Signal/One.....
>> http://www.k5og.com/S1%20History.htm
>>
>> This is a MUST read before you plunk down $2000 on this electronic
>> Edsel....
>>
>>
>>
> Oh, the non-believers....
> Well, anyone that knows anything about the Milspec 1030 knows that the
> cx7 just isn't the same rig, and neither is the 1030ci.
>
> The 1030 was a true mil-spec, hardened and wonderful radio. It operated
> without fail over considerable range of conditions, and the remaining
> examples probably do so even today. Built like a battleship inside,
> with individual milled aluminum compartments for each subsection, it
> didn't suffer from many of the maladies of later integrated rigs. For
> the uninitiated, the 1030ci was an attempt to cash in on the superior
> function and longevity of the original 1030 by taking a commercial 781
> and "hardening" it. I am not aware of many individuals that actually
> loved the result like those that owned the original 1030.   I owned one
> of the original 1030 radios with the high power option and multi-color
> led display and loved it, though succumed to it's popularity on the
> collector market and sold it around 5 years ago to a fellow on the east
> coast. To this day, I wish I hadn't, though it is hard to fault the
> icom 746pro and 756ProII I now have that were paid for by the proceeds
> from the sale of the 1030... If I thought I had a chance of winning the

> current auction with what's in my radio fund, I'd be in the bidding
> right now, just to have another one!
>
> If you're trying to make waves because of a few bad seeming comments
> about radios that aren't even the model for sale, then just pleae go
> away. If you actually truly have experience with the original 1030,
> then come on, and provide just what you think was wrong with the one you
> had....
>
> Thanks
> --Rick AH7H

Wow, I wish it was as easy to get a bite when I went trolling for tuna!

```
From 2574128191605734716
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.250.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-
xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196> <BtudnbSs7-
S-86fbnZ2dnUVZ_u-unZ2d@comcast.com>
<Xns9925C9C1BDC16spectrumhogstarbandn@198.186.192.196>
<f1e7uq$etv$1@theodyn.ncf.ca>
Organization: Your Company
Message-ID: <Xns992666E9C4A3spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 04 May 2007 17:05:53 GMT
Lines: 36
NNTP-Posting-Host: 6ca5ba60.news.adtechcomputers.com
X-Trace: DXC=PY7Gb`T<VK@XlC9O1Z7SIBgC4_A5:nI@A<<=aEgO;R8G05A26<J8j^CK8d?4gZ8A[JR?
X7U2a5ffGemfRC[RMj?O0[]M_>MNBVGHa[S01A[_fI3Yme8i:`02J
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11959
```

>
> It depends on the plastic. I used a nibbler on a Radio Shack plastic
> box, and it was fine. It likely will crack hard plastic, but a softer
> one will be fine.
>
> You don't need to use a hot iron, you can drill plastic.
>
> "Dremel tools" and the like are good, using the cutoff wheels. The
> problem is that the mechanical arrangement limits the usefulness.
> Though, they now have attachments that puts the cutting wheel at 90
> from the shaft and that looks pretty good for this kind of work.

>
> Plastic isn't really so different from metal. People used to drill a
> bunch of small holes close together around the perimeter of the area
> they wanted out, and then it was relatively easy to break down the
> space between them. Then use a file to smooth it out.
>
> Of course, that trick was used if you didn't have a hole punch. I
> suspect those hole punches would work on plastic too, if you were
> lucky enough to have one of the right size.
>
>   Michael VE2BVW
>
>

Hmmm.... just had a thought... since I am only working with the inexpensive plastic covers for electrical boxes, I'll just use an extra outlet cover I have on had for testing. I have both a nibler tool, and a Greelee chassis punch. Could use the chassis hole punch to just create a large hole and file out the corners for square, I suppose. Will try later today.

Ed

From 8893305073381014470
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 04 May 2007 15:43:51 -0500
Date: Fri, 04 May 2007 21:43:50 +0100
From: charlie <wehatespam@wymsey.co.uk>
User-Agent: Thunderbird 1.5.0.10 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
In-Reply-To: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
X-Enigmail-Version: 0.94.2.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <FLGdnUfg8oaVBqbbnZ2dnUVZ8s-qnZ2d@pipex.net>
Lines: 22
NNTP-Posting-Host: 81.178.252.140
X-Trace:
sv3-01a6S5TjQlCworRlIBSvqTVISUNB3m5TYkClPqZs9LSourMEvnwff0XoO4LF86xd8U6qor7ldSENcjI!WJ6YXEmy981Z6RD46vXXLXCs2EsHkR5PBGi66+ocQI17U0DKk20quVVvewV20XKaS4T6FXggtZK/!eUW5olqqOl7NOs1fCmxXcb4h23I=
X-Complaints-To: abuse@dsl.pipex.net

```
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11960

Ed wrote:
>   I need to cut a square hole ( 1" x 1.25" )  in a standard plastic
> electrical box cover ... in this case, its the type with one hole for a TV
> jack.  The new square hole will be to mount a chassis jack for Anderson
> Power Pole connections.  ( Powerwerx  HS-4 ).
>
>
>   Can anyone advise of the best method and tool to do this?  I am concerned
> about cracking the plastic if I don't do it right.
>
>    Ed   K7AAT

Mark out the required hole and then drill a series of 1/4 inch holes
 inside your marking. Use a needle file to break out the waste and a
small flat file get the hole to size. Ten minute job in plastic.


Charlie.

--
M0WYM
www.wymsey.co.uk



From -8504033346142531319
X-Google-Thread: 108122,b71e70f3d9d56946,start
X-Google-Thread: fc2a5,b71e70f3d9d56946,start
X-Google-Thread: 115730,b71e70f3d9d56946,start
X-Google-Thread: 1131b0,b71e70f3d9d56946,start
X-Google-Attributes: gid108122,gidfc2a5,gid115730,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 04 May 2007 19:17:46 -0500
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.equipment,s
ci.electronics.repair
Subject: MFJ-259B coils
Date: Fri, 4 May 2007 20:17:45 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
```

Message-ID: <xNmdncePwa23UKbbnZ2dnUVZ_sudnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-fXdcefqujRVRkHaKyeguiOBkbYCj1qt7cxYHT3v+24F8Ncb+iX2R2agjCuRqF/
JL5e8GHceLxGh2p6S!
7BC8W795dX4HyCo5jp6qTcMB9jxzOp7g7tO+lU6t7Y+pYuXRMDuvfJDqvBxijwSfC1/ESBHsJED/!
PyH3C0T49IQsx4AitOCPB62qGvZpv8o=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11961
rec.radio.amateur.homebrew:13177 sci.electronics.equipment:8429
sci.electronics.repair:65821

Anybody happen to have the details of the dipper coils for the MFJ-259B Antenna Analyzer? Mine have become lost in a garage/workshop cleanout that went awry.

Need number of turns, coil diameter, coil length if possible. Think I can remember the rest of the details well enough to rebuild them.

Thanks for your help
--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

Life is like a roll of toilet paper; the closer to the end, the faster it goes.

From -7906211682023749428
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews3.bellsouth.net.POSTED!d50ae390!not-for-mail
Message-ID: <463BFE5A.11E8C4F5@yahoo.com>
From: jim <james27613@yahoo.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9

X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcboenhaomcjdchmcpglkmjoajgaedcpfbgehl
chfmjgilpdpnnocminedjmjemeieanpdeemgcpieolimgpndmfpfpejhoemckgklekiamnldmojfad
NNTP-Posting-Date: Fri, 04 May 2007 23:47:36 EDT
Organization: BellSouth Internet Group
Date: Fri, 04 May 2007 23:47:38 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:11962

hi ed,

Home Depot has Leviton Nylon blank covers
in white, medium sized about 88 cents a piece.

Very flexible and you can tool it, the regular covers will crack
once the adapter is mated to is and coax is tugged.

73 james

From -6634036321782209746
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Thread: 1109af,8f835778c376ebe0
X-Google-Thread: fc8b1,8f835778c376ebe0
X-Google-Thread: 108228,8f835778c376ebe0
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e65g2000hsc.googlegroups.com!not-for-mail
From: Randy Pence <kd4jzy@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
Date: 5 May 2007 02:51:41 -0700
Organization: http://groups.google.com
Lines: 67
Message-ID: <1178358701.562685.26170@e65g2000hsc.googlegroups.com>
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
   <DJxZh.3997$H_.1107@newssvr21.news.prodigy.net>
   <463AC3C1.1000904@rickfrazier.com>
   <oNmdnXiT6o2DsKbbnZ2dnUVZ_qvinZ2d@comcast.com>
NNTP-Posting-Host: 12.195.86.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1178358701 23324 127.0.0.1 (5 May 2007 09:51:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 May 2007 09:51:41 +0000 (UTC)
In-Reply-To: <oNmdnXiT6o2DsKbbnZ2dnUVZ_qvinZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3)
Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)

```
Complaints-To: groups-abuse@google.com
Injection-Info: e65g2000hsc.googlegroups.com; posting-host=12.195.86.21;
   posting-account=m0uQBg0AAAAv4BdgJKioSvcBwtXRBjk6
Xref: g2news1.google.com rec.radio.amateur.equipment:11963 rec.radio.swap:16170
rec.radio.amateur.boatanchors:11488 alt.ham-radio.marketplace:3064

On May 4, 8:54 am, NoMoreSpam <Disgusted...@qrparci.org> wrote:
> Rick Frazier wrote:
> > Porgy Tirebiter wrote:
> >> <w4mot.c...@gmail.com> wrote in message
> >>news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...
>
> >>> All,
>
> >>> Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>
> >>>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885.
>
> >>> This is the 150 Watt version. I recently made several QSOs with it, on
> >>> all the bands that were open at the time, so we believe it to be
> >>> completely functional and know of no performance problems.  It has
> >>> only minor scratches on the sides and top, and comes with the manual,
> >>> AC power cord, and 12 VDC power cord.
>
> >>> Sales notices are supposed to be upbeat, but it's difficult being
> >>> upbeat when you are selling such a wonderful rig!
>
> >>> 73,
>
> >>> Ed Callaway, N4II
> >>> Motorola ARC, W4MOT
>
> >>  Still another WONDERFUL article about Signal/One.....
> >>  http://www.k5og.com/S1%20History.htm
>
> >> This is a MUST read before you plunk down $2000 on this electronic
> >> Edsel....
>
> > Oh, the non-believers....
> > Well, anyone that knows anything about the Milspec 1030 knows that the
> > cx7 just isn't the same rig, and neither is the 1030ci.
>
> > The 1030 was a true mil-spec, hardened and wonderful radio.  It operated
> >  without fail over considerable range of conditions, and the remaining
> > examples probably do so even today.  Built like a battleship inside,
> > with individual milled aluminum compartments for each subsection, it
> > didn't suffer from many of the maladies of later integrated rigs.  For
> > the uninitiated, the 1030ci was an attempt to cash in on the superior
> > function and longevity of the original 1030 by taking a commercial 781
> > and "hardening" it.  I am not aware of many individuals that actually
> > loved the result like those that owned the original 1030.   I owned one
> > of the original 1030 radios with the high power option and multi-color
> > led display and loved it, though succumed to it's popularity on the
> > collector market and sold it around 5 years ago to a fellow on the east
> > coast.  To this day, I wish I hadn't, though it is hard to fault the
> > icom 746pro and 756ProII I now have that were paid for by the proceeds
> > from the sale of the 1030...  If I thought I had a chance of winning the
> > current auction with what's in my radio fund, I'd be in the bidding
> > right now, just to have another one!
>
> > If you're trying to make waves because of a few bad seeming comments
> > about radios that aren't even the model for sale, then just pleae go
> > away.  If you actually truly have experience with the original 1030,
> > then come on, and provide just what you think was wrong with the one you
> > had....
>
> > Thanks
> > --Rick AH7H
>
> Wow, I wish it was as easy to get a bite when I went trolling for tuna!

Are blue fin biting at your location.




From 7769896069070913234
X-Google-Thread: 108122,8f835778c376ebe0
X-Google-Thread: 1109af,8f835778c376ebe0
X-Google-Thread: fc8b1,8f835778c376ebe0
X-Google-Thread: 108228,8f835778c376ebe0
X-Google-Attributes: gid108122,gid1109af,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 05 May 2007 08:38:17 -0500
Date: Sat, 05 May 2007 09:38:12 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors,alt.ham-
radio.marketplace
Subject: Re: Signal/One MILSPEC 1030 HF transceiver for sale
References: <1177927464.192822.187210@n76g2000hsh.googlegroups.com>
<DJxZh.3997$H_.1107@newssvr21.news.prodigy.net>
<463AC3C1.1000904@rickfrazier.com>
<oNmdnXiT6o2DsKbbnZ2dnUVZ_qvinZ2d@comcast.com>
<1178358701.562685.26170@e65g2000hsc.googlegroups.com>
In-Reply-To: <1178358701.562685.26170@e65g2000hsc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <MOadnWp4btVUFaHbnZ2dnUVZ_uPinZ2d@comcast.com>
Lines: 55
NNTP-Posting-Host: 76.98.105.37
X-Trace: sv3-
```

```
bXkFtXSZj0zvHAnJbiutngJ7L4Yv4Db0KArQlBV7mHApMKtdyTTzJK2gwXjqEclIAxU4qQCmj3rbimk!
l3AzVmrwBO3di8Vi1bWW8ReYJQfPqq2/EMWg8h2ZtotCO1umt21GaKB1BSFMzHLQDFY0L9yLEojB!
q8x7y3mvX/oK4QrA2KFkuEGjkbjf
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11964 rec.radio.swap:16175
rec.radio.amateur.boatanchors:11490 alt.ham-radio.marketplace:3067

Randy Pence wrote:
> On May 4, 8:54 am, NoMoreSpam <Disgusted...@qrparci.org> wrote:
>> Rick Frazier wrote:
>>> Porgy Tirebiter wrote:
>>>> <w4mot.c...@gmail.com> wrote in message
>>>> news:1177927464.192822.187210@n76g2000hsh.googlegroups.com...
>>>>> All,
>>>>> Our Signal/One MILSPEC 1030 transceiver is now for sale on eBay:
>>>>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=230123960885.
>>>>> This is the 150 Watt version. I recently made several QSOs with it, on
>>>>> all the bands that were open at the time, so we believe it to be
>>>>> completely functional and know of no performance problems.  It has
>>>>> only minor scratches on the sides and top, and comes with the manual,
>>>>> AC power cord, and 12 VDC power cord.
>>>>> Sales notices are supposed to be upbeat, but it's difficult being
>>>>> upbeat when you are selling such a wonderful rig!
>>>>> 73,
>>>>> Ed Callaway, N4II
>>>>> Motorola ARC, W4MOT
>>>>  Still another WONDERFUL article about Signal/One.....
>>>>  http://www.k5og.com/S1%20History.htm
>>>> This is a MUST read before you plunk down $2000 on this electronic
>>>> Edsel....
>>> Oh, the non-believers....
>>> Well, anyone that knows anything about the Milspec 1030 knows that the
>>> cx7 just isn't the same rig, and neither is the 1030ci.
>>> The 1030 was a true mil-spec, hardened and wonderful radio.  It operated
>>>  without fail over considerable range of conditions, and the remaining
>>> examples probably do so even today.  Built like a battleship inside,
>>> with individual milled aluminum compartments for each subsection, it
>>> didn't suffer from many of the maladies of later integrated rigs.  For
>>> the uninitiated, the 1030ci was an attempt to cash in on the superior
>>> function and longevity of the original 1030 by taking a commercial 781
>>> and "hardening" it.  I am not aware of many individuals that actually
>>> loved the result like those that owned the original 1030.   I owned one
>>> of the original 1030 radios with the high power option and multi-color
>>> led display and loved it, though succumed to it's popularity on the
>>> collector market and sold it around 5 years ago to a fellow on the east
>>> coast.  To this day, I wish I hadn't, though it is hard to fault the
>>> icom 746pro and 756ProII I now have that were paid for by the proceeds
>>> from the sale of the 1030...  If I thought I had a chance of winning the
>>> current auction with what's in my radio fund, I'd be in the bidding
>>> right now, just to have another one!
>>> If you're trying to make waves because of a few bad seeming comments
>>> about radios that aren't even the model for sale, then just pleae go
>>> away.  If you actually truly have experience with the original 1030,
>>> then come on, and provide just what you think was wrong with the one you
>>> had....
>>> Thanks
>>> --Rick AH7H
>> Wow, I wish it was as easy to get a bite when I went trolling for tuna!
>
> Are blue fin biting at your location.
>
Not yet. Yellowfin in a month or two.


From 8600238266164202847
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
<463BFE5A.11E8C4F5@yahoo.com>
Organization: Your Company
Message-ID: <Xns9927641E81462spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 05 May 2007 16:49:21 GMT
Lines: 20
NNTP-Posting-Host: 886f5488.news.adtechcomputers.com
X-Trace: DXC=JSY\^M_@[DJY2OmIRT>9jNgC4_A5:nI@A<<=aEgO;R8G05A26<J8j^C]h5Wo2XmcmFR?
X7U2a5ffGemfRC[RMj?O0[]M_>MNBVG=MHL<7Q`fQJLEfbAM<Q@6E
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11965

jim <james27613@yahoo.com> wrote in news:463BFE5A.11E8C4F5@yahoo.com:

> hi ed,
>
> Home Depot has Leviton Nylon blank covers
> in white, medium sized about 88 cents a piece.
>
> Very flexible and you can tool it, the regular covers will crack
> once the adapter is mated to is and coax is tugged.
>
> 73 james
>
```

Thanks for that tip. Unfortunately, I have to drive 70 miles to get to a Home Depot.... I'll make a list and pick some up when I do get there. Meanwhile, will be very careful with the brittle ones I will be using currently.

Ed K7AAT

From -8116023054198142680
X-Google-Thread: 108122,63976fec717e05c8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.mv.net!not-for-mail
From: Eric <reply.in.group@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: NEAR-Fest, where do the profits go?
Date: Sat, 05 May 2007 15:31:50 -0400
Organization: MV Communications, Inc.
Lines: 17
Message-ID: <pan.2007.05.05.19.31.49.151785@nospam.no>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1178393511 66491 207.22.49.17 (5 May 2007 19:31:51 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 5 May 2007 19:31:51 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news1.google.com rec.radio.amateur.equipment:11966

Just got back from NEAR-Fest in Deerfield, NH, and while I have to say it ain't no Hosstraders (yet), still it was a very welcome event and I enjoyed it, and it has the potential to grow in the full Hosstraders tradition.

Speaking of the "Hosstraders tradition", I was just wondering if anyone knows where the profits from this event are going.

Hosstraders was always held to benefit the Shriners Burn Center (or the Shriners organization in general, I don't recall which), and from all reports resulted in a large check to that organization twice a year. I'm sure they will miss it.

Anyone know which charity (if any) will benefit from NEAR-Fest?

From -3097841426870264448
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Date: Sat, 05 May 2007 16:34:36 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
In-Reply-To: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 27
Message-ID: <463ce9e2$0$19385$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11967

Pre-drill round holes in the corners of your square hole. That way, any
cracking will stop at the corners.

Ed wrote:

>  I need to cut a square hole ( 1" x 1.25" )  in a standard plastic
>electrical box cover ... in this case, its the type with one hole for a TV
>jack.  The new square hole will be to mount a chassis jack for Anderson
>Power Pole connections.  ( Powerwerx  HS-4 ).
>
>
>  Can anyone advise of the best method and tool to do this?  I am concerned
>about cracking the plastic if I don't do it right.
>
>   Ed   K7AAT
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P



From 2617551767303940972
X-Google-Thread: 108122,60191cf52d368d26,start
```

```
X-Google-Thread: 1109af,60191cf52d368d26,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Standard Repeater-UHF Band-w/PL-w/Duplexer-Desktop-w/Local Mic-Works
Good
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C78F2E.A82C4690"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <q28%h.221363$g24.23496@newsfe12.phx>
Date: Sat, 5 May 2007 16:01:35 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1178406166 68.96.97.57 (Sat, 05 May 2007 16:02:46 MST)
NNTP-Posting-Date: Sat, 05 May 2007 16:02:46 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11968 rec.radio.swap:16177

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C78F2E.A82C4690
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Standard Repeater-UHF Band-Desktop-w/Duplexer

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250109427489&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C78F2E.A82C4690
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT size=3D2>
<P>FA: Standard Repeater-UHF Band-Desktop-w/Duplexer</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250109427489&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250109427489&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C78F2E.A82C4690--
```

```
From -5713364859878215688
X-Google-Thread: 108122,1846cb8dccbbbf3f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.251.MISMATCH!transit4.readnews.com!textspool1.readnews.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: cutting square hole in plastic
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9925983563094spectrumhogstarbandn@198.186.192.196>
<463ce9e2$0$19385$4c368faf@roadrunner.com>
Organization: Your Company
Message-ID: <Xns9927C05EABBF4spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 06 May 2007 01:53:24 GMT
Lines: 19
NNTP-Posting-Host: e853e5de.news.adtechcomputers.com
X-Trace: DXC=Oi?7HTBlZ4<hPH]YHR;=o6gC4_A5:nI@1<<=aEgO;R8705A26<J8j^3PfK=J612iT1R?
X7U2a5ff7emfRC[RMj??0[]M_>MNBV7Ha[S01A[_f98_PL\D`1]Q>
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11969
```

> Pre-drill round holes in the corners of your square hole. That way,
> any cracking will stop at the corners.
>

That's what I ended up doing to the hard, brittle, faceplate I was using. Drilled the holes veeeerrrry slowly, with no resulting problems. Then I used my fine toothed coping saw to cut out the square hole for the Anderson Powerpole chassis mount jacks. Also put a BNC antenna jack on the plate. The whole thing will be my HF radio power and antenna connection in my motorhome. It is now done, looks nice, and should be very functional.

My thanks to all who replied on this subject.

Ed K7AAT

From 6495151945134851022
X-Google-Thread: 108122,1c9c8eb827a9eed8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w5g2000hsg.googlegroups.com!not-for-mail
From: kb1jec@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Electronic Keyer Problem
Date: 5 May 2007 18:53:43 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1178416423.594912.112550@w5g2000hsg.googlegroups.com>
NNTP-Posting-Host: 24.218.162.99
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1178416427 9094 127.0.0.1 (6 May 2007 01:53:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 6 May 2007 01:53:47 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3) Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w5g2000hsg.googlegroups.com; posting-host=24.218.162.99;
   posting-account=69I2ow0AAAAHeCSAlv34KC2yM5lYNib5
Xref: g2news1.google.com rec.radio.amateur.equipment:11970

Hi,

I have a Daiwa DK-210 CW keyer. I haven't used it in almost a year.
Today I went to turn it on, and it wouldn't work. This was running
off 13.8vDC (there is a connector on back for 13.8vdc input). I
opened it and found it can also be run off 9v battery. I connected a
9v battery and it appeared to work, until I plugged it into my radio.
My bencher paddle works with it, but it doesn't key the radio. I
checked the two keyer output leads on the back of it and found no
voltage coming out of them. I don't know what went wrong or what to
do now.

Doug

From 2947999512502130831
X-Google-Thread: 108122,b71e70f3d9d56946
X-Google-Thread: fc2a5,b71e70f3d9d56946
X-Google-Thread: 115730,b71e70f3d9d56946
X-Google-Thread: 1131b0,b71e70f3d9d56946

```
X-Google-Attributes: gid108122,gidfc2a5,gid115730,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 06 May 2007 07:48:15 -0500
Date: Sun, 06 May 2007 08:48:15 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.equipment,s
ci.electronics.repair
Subject: Re: MFJ-259B coils
References: <xNmdncePwa23UKbbnZ2dnUVZ_sudnZ2d@comcast.com>
In-Reply-To: <xNmdncePwa23UKbbnZ2dnUVZ_sudnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <JYSdnWAxpJISU6DbnZ2dnUVZ_vumnZ2d@comcast.com>
Lines: 16
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-p5JNnvnOIZ8GGNyKzmsj1mDQKNHMDuzo9qZcLdGvsnE/sk8NRY0sGK5wEDUp+/
GJYCHC56am7i60TcU!YiwnamjTdR8niFgbL2lLYkeBaT4cJNYPiJXse6eA+
+JpfKzdybwl5LPI2OcJAx83j9wTqXdpFuE6!e9VSjvs7pIr41L9T+7M1TVRAQyg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11971
rec.radio.amateur.homebrew:13191 sci.electronics.equipment:8432
sci.electronics.repair:65859
```

What coils?

My MFJ-259B has all the guts inside!!!

DaveM wrote:

> Anybody happen to have the details of the dipper coils for the MFJ-259B Antenna
> Analyzer? Mine have become lost in a garage/workshop cleanout that went awry.
>
> Need number of turns, coil diameter, coil length if possible. Think I can
> remember the rest of the details well enough to rebuild them.
>
> Thanks for your help

```
From 2804175695417063406
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-01!sn-post-sjc-01!supernews.com!news.supernews.com!not-for-mail
From: Joey <joey29034atyawwhodotcom>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Wed, 18 Apr 2007 21:58:03 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <t8td239tra5sf1urch4snr89h7vjqv272h@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<q07b23935ksoacnqula441v34757ng8msb@4ax.com>
<dccb23pjkvv4mipplndjbu07505251i7tk@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 39
Xref: g2news1.google.com rec.radio.amateur.equipment:11872


On Tue, 17 Apr 2007 22:54:52 -0700, Dick <w6ccd@k7yca.org> wrote:

>On Tue, 17 Apr 2007 22:00:53 -0700, Joey <joey29034atyawwhodotcom>
>wrote:
>
>>
>>So yeah, I still see ham radio as the last resort.  But honestly, I
>>don't expect to use it much during a disaster.  I will be doing my
>>job/volunteer work.  But I still keep everything charged and tested
>>just in case!!!
>>
>>
>>Joey
>
>Something to keep in mind is that, if the President declares a
>national emergency, no one will be able to use ham radio for anything
>unless they are a member of RACES.  So the decision will be made for
>you unless you are a member of that organization.
>
>Dick

That, and most of the repeaters, especially on 440, are all
closed/private around here and therefore useless anyway.  Of course,
none of them are ever used expect for about 4 of the systems, and
therefore just tie up empty bandwidth so people can feel special about
```

themselves..

What's up with Santiago pk? Is there a secret society you have to
join first to put a repeater on that mountain? It's the best site in
so cal for north/south comms, yet 95% of the things up there are
"private"... Talk about pretentious...

I was, well technically am still on the county ECS team, but I became
inactive cause no one really did too much. They still do their thing
which is good, but I just didn't have time. Of course being a local
RACES (does that still exist?) member does u no good if a high-level
machine is taken over and you want to use it for 1 minute...

From 1421504923588476774
X-Google-Thread: 108122,78b81ae25dda5b35,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!0b628019!not-for-mail
From: Gregg C Levine <drwho8@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Need suggestions for configuring the Ottawa PI packet driver
Message-ID: <lmnf23l45elssfed9gf5mi3e9qc2qpon1r@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118 trialware
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Host: 8558b4cda4b5b0c7e77703714cfb7415
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1177018548
8558b4cda4b5b0c7e77703714cfb7415 (Thu, 19 Apr 2007 21:35:48 GMT)
NNTP-Posting-Date: Thu, 19 Apr 2007 21:35:48 GMT
Organization: AT&T Worldnet
Date: Thu, 19 Apr 2007 21:35:48 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11873

Hello!
I have downloaded the PI driver kits from both the FTP repository at
UCSD, and of course from the Packet driver kit that Russ Nelson
created.

I also have the KA9Q software, both from his site, and from the FTP
place.

Problem-- When starting the NOS program with its default autoexec.net
file, it complains that the PI driver has an unsupported "type 9" set.
This is with the PI driver straight from the FTP site, not with the
binary from the Packet driver kit.

Can someone supply or point to a location, a known working binary for

the PI driver? (That the most recent KA9Q application won't complain
about.) And while I am at it, also a location for the schematic for
the board that the individual in Ottawa CA built.

I confess that I am not "frocked" that is I do not have my license to
make use of the transmitter functions, I am planning on studying how
the device decodes packets. I do hope to obtain that license RSN.

Gregg C Levine drwho8 atsign att dot net
"This signature prefers to be ignored."

From 1208440690639937117
X-Google-Thread: 108122,7963ee36d5623f1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Andrew LDF5-50 3/4" Hardline (Iowa)
Date: Fri, 20 Apr 2007 07:45:05 -0500
Organization: netINS InterNetNews site
Lines: 6
Message-ID: <upch2399pnu708m9hvoetsck1lkl11r58h@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1177073085 17513 67.55.159.6 (20 Apr 2007 12:44:45 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Fri, 20 Apr 2007 12:44:45 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:11874

Hello, I have two sections of Andrew 3/4 inch hardline for sale. One
piece is around 110' and the other is around 220'
Both pieces have N connectors on each end. The price is a dollar a
foot or $250 for all. I am in central Iowa and this is pickup only. If
you have any questions please email me. Remove NOSPAM from my address.
Thanks for looking.

From 1817287205024616312
X-Google-Thread: 108122,7963ee36d5623f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!nntp.kreonet.re.kr!kreonet.re.kr!news.netins.net!
not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Andrew LDF5-50 3/4" Hardline (Iowa)

Date: Fri, 20 Apr 2007 12:37:42 -0500
Organization: netINS InterNetNews site
Lines: 12
Message-ID: <6huh23h48bs4iqmus6r9pti33lhkc8sqb6@4ax.com>
References: <upch2399pnu708m9hvoetsck1lkl11r58h@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1177090643 10877 67.55.159.6 (20 Apr 2007 17:37:23 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Fri, 20 Apr 2007 17:37:23 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:11875

The hardline is 7/8" Sorry for the wrong size. Mike

On Fri, 20 Apr 2007 07:45:05 -0500, mike <mikeNOSPAM@L2Speed.net>
wrote:

>Hello, I have two sections of Andrew 3/4 inch hardline for sale. One
>piece is around 110' and the other is around 220'
>Both pieces have N connectors on each end. The price is a dollar a
>foot or $250 for all. I am in central Iowa and this is pickup only. If
>you have any questions please email me. Remove NOSPAM from my address.
>Thanks for looking.

From -4036618990884960435
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n76g2000hsh.googlegroups.com!not-for-mail
From: bryan.swadener@comcast.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rectifier
Date: 20 Apr 2007 13:48:56 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1177102136.776276.193540@n76g2000hsh.googlegroups.com>
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
   <pVjTh.12439$M.3330@news-server.bigpond.net.au>
   <4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com>
   <0hlTh.12461$M.9139@news-server.bigpond.net.au>
   <evlt9q$qfh$2@usenet01.srv.cis.pitt.edu>
   <S82dna8u6rMwgILbnZ2dnUVZ_rSjnZ2d@giganews.com>
   <f052pq$dis$1@usenet01.srv.cis.pitt.edu>
NNTP-Posting-Host: 12.18.139.6
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177102137 18238 127.0.0.1 (20 Apr 2007 20:48:57 GMT)

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 20 Apr 2007 20:48:57 +0000 (UTC)
In-Reply-To: <f052pq$dis$1@usenet01.srv.cis.pitt.edu>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n76g2000hsh.googlegroups.com; posting-host=12.18.139.6;
   posting-account=No7tDg0AAADW_lQw9u_THpsgrBJHp3hD
Xref: g2news1.google.com rec.radio.amateur.equipment:11876
```

GregS wrote:
> i was trying to get an order together and ordered all parts from Digikey. I got
into
> discussion with support, and I said the catalog could be a lot smaller and
easier
> to hold if they listed stocked parts. From the very beginning I always had
problems
> with DigiKey with stocked parts. Ordered the diodes from Mouser. Nice that many
companies
> have no minimum orders. That was a big deal years ago.
>
> greg

Hi Greg,
Just to satisfy my curiosity, what is this power supply for? Mouser &
DigiKey have pretty good reputations. My company orders a lot from
both (for prototypes). I prefer to use their online catalogs, because
they show available stock -- you can't do that with a paper catalog.
73,
Bryan WA7PRC

```
From -1998190113939773980
X-Google-Thread: 108122,a788c6d3b7437bf7,start
X-Google-Thread: 1109af,a788c6d3b7437bf7,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA:UHF Motorola HT-1250 ls with Charger & Extras-Ending Soon
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000E_01C78367.0B5B4730"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <EQbWh.3$OJ1.1@newsfe13.phx>
Date: Fri, 20 Apr 2007 16:14:59 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1177110948 68.96.97.57 (Fri, 20 Apr 2007 16:15:48 MST)
NNTP-Posting-Date: Fri, 20 Apr 2007 16:15:48 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11877 rec.radio.swap:16056

This is a multi-part message in MIME format.

------=_NextPart_000_000E_01C78367.0B5B4730
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: UHF Motorola HT-1250 ls with Charger & Extras-Ending Soon

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250104582886&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000E_01C78367.0B5B4730
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: UHF Motorola HT-1250 ls with Charger &amp; Extras-Ending Soon</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250104582886&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250104582886&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000E_01C78367.0B5B4730--



From -1751694772643862038
X-Google-Thread: 108122,aff698ab55b09442,start
X-Google-Thread: 1109af,aff698ab55b09442,start
X-Google-Thread: 115730,aff698ab55b09442,start
X-Google-Attributes: gid108122,gid1109af,gid115730,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap,sci.electronics.
equipment
Subject: FA: HEWLETT PACKARD 0-20VDC at 0-10 AMPS-LAB-BENCH SUPPLY
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0017_01C78367.4B07EFF0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <jSbWh.4$OJ1.0@newsfe13.phx>
Date: Fri, 20 Apr 2007 16:16:46 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1177111055 68.96.97.57 (Fri, 20 Apr 2007 16:17:35 MST)
NNTP-Posting-Date: Fri, 20 Apr 2007 16:17:35 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11878 rec.radio.swap:16057
sci.electronics.equipment:8328

This is a multi-part message in MIME format.

------=_NextPart_000_0017_01C78367.4B07EFF0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: HEWLETT PACKARD 0-20VDC at 0-10 AMPS-LAB-BENCH SUPPLY=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250105412671&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0017_01C78367.4B07EFF0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT size=3D2>
<P>FA: HEWLETT PACKARD 0-20VDC at 0-10 AMPS-LAB-BENCH SUPPLY </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250105412671&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250105412671&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0017_01C78367.4B07EFF0--




From 7082149761713832265
X-Google-Thread: 10c657,6c05237f0f84b5f8,start
X-Google-Thread: 108122,6c05237f0f84b5f8,start
X-Google-Thread: 1109af,6c05237f0f84b5f8,start
X-Google-Attributes: gid10c657,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups:
rec.crafts.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radi
o.swap
Subject: FA:VHF Crystal Controlled Audio Receiver-For Remote Control or Other
Uses-Possible Ham Use.
Lines: 40
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0020_01C78367.E3F1E720"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <kWbWh.5$OJ1.4@newsfe13.phx>
Date: Fri, 20 Apr 2007 16:21:03 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1177111312 68.96.97.57 (Fri, 20 Apr 2007 16:21:52 MST)
NNTP-Posting-Date: Fri, 20 Apr 2007 16:21:52 MST
Organization: Cox
Xref: g2news1.google.com rec.crafts.marketplace:1799
rec.radio.amateur.equipment:11879 rec.radio.swap:16058

This is a multi-part message in MIME format.

------=_NextPart_000_0020_01C78367.E3F1E720
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA:VHF Crystal Controlled Audio Receiver-For Remote Control or Other =
Uses

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250105397464&=
ssPageName=3DSTRK:MESE:IT&ih=3D015




------=_NextPart_000_0020_01C78367.E3F1E720
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:VHF Crystal Controlled Audio Receiver-For Remote Control or Other =
Uses</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250105397464&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250105397464&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P>
<P>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0020_01C78367.E3F1E720--




From -4365964081254275159
X-Google-Thread: 108122,ba58f8588a9d4bcd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!q75g2000hsh.googlegroups.com!not-for-
mail
From: iamw7gsa@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Ten-Tec JUPITER with Extras
Date: 20 Apr 2007 20:31:47 -0700
Organization: http://groups.google.com
Lines: 40
Message-ID: <1177126307.333812.150050@q75g2000hsh.googlegroups.com>
NNTP-Posting-Host: 71.208.13.160
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177126307 12603 127.0.0.1 (21 Apr 2007 03:31:47 GMT)
```

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 21 Apr 2007 03:31:47 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.11)
Gecko/20070312 Firefox/1.5.0.11,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q75g2000hsh.googlegroups.com; posting-host=71.208.13.160;
   posting-account=cQvDhQ0AAAA2L64AXEEngQZckgQDkde_
Xref: g2news1.google.com rec.radio.amateur.equipment:11880

We are in the process of down-sizing the house so I am selling some of my HF rigs.

I am selling the following as one package.
""A Ten-Tec Jupiter model 538 - The matching 705 Ten-Tec desk mic - The Ten-Tec model 310 external cooling fan which is installed - A KLM model 09 external speaker - and The original Ten-Tec manual (NOT A COPY)""

The Jupiter is in perfect operating condition. There are a couple small scratches on each side. The front and the top are perfect. There is a small piece of velcro on the top at the rear or the case which can be used for holding something in place. I am not sure what it was used for, but I never removed it. I am the second owner of this rig

. For more information on the Jupiter model, please click on this link. http://radio.tentec.com/Amateur/Transceivers/TT538

I will double box and ship the Jupiter, and insure it for full value. The cost of shipping & insurance will be the actual UPS shipping charges from my zip code to yours. My zip code is 80439.

The Price is $975 plus shipping.

For payment I can accept: Post office and bank money orders. Cashier's checks. Or, Cash (Please send in a registered letter) With these forms of payment I can ship the radio immediately.

I can also accept personal and company checks. These will have to clear my bank which should take about 14 days.

I can accept PayPal ONLY from International buyers with a 3.5% added fee, which is what PayPal charges me.

If you have any questions, please email me at: iamw7gsa@gmail.com or give me a call at 303-674-0510, I am in Colorado (Mountain daylight time).

Bill W7GSA

From 7186784954970163001

```
X-Google-Thread: 108122,e5540f9d2983c28a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Andrew LDF5-50 7/8 Hardline (Iowa)
Date: Tue, 17 Apr 2007 12:48:54 -0500
Organization: netINS InterNetNews site
Lines: 5
Message-ID: <9p1a231ucunab3ct3r2393mjag2dlffnhp@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1176832119 5088 67.55.159.6 (17 Apr 2007 17:48:39 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Tue, 17 Apr 2007 17:48:39 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:11881

I have for sale two pieces of used Andrew 7/8 hardline for sale. One
is around 110' and the other is around 220'. Both sections have the N
connectors installed. The price is a dollar a foot and pickup only. I
am located in central Iowa. Please email me with any questions. Remove
nospam from my email address when replying. Thanks


From -1744623960379956436
X-Google-Thread: 112d1e,3faa47699ab20ee5,start
X-Google-Thread: 108122,3faa47699ab20ee5,start
X-Google-Attributes: gid112d1e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o5g2000hsb.googlegroups.com!not-for-
mail
From: billcalley <billcalley@yahoo.com>
Newsgroups: sci.electronics.design,rec.radio.amateur.equipment
Subject: A Kenwood HF rig's "real" frequency in CW
Date: 22 Apr 2007 11:24:21 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: 68.122.71.6
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177266262 9464 127.0.0.1 (22 Apr 2007 18:24:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 22 Apr 2007 18:24:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; sbcydsl 3.12;
YComp 5.0.0.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

Injection-Info: o5g2000hsb.googlegroups.com; posting-host=68.122.71.6;
   posting-account=ooWgvQ0AAAB88tFpeZA_srbMf4dw8ll1
Xref: g2news1.google.com sci.electronics.design:223455
rec.radio.amateur.equipment:11882

Hi All,

This may sound like a very silly question, but what is the "true" frequency of, lets say, a Kenwood TS-530S? What I mean is, when it is said that a particular CW calling frequency is exactly "7.040MHz", then should I set the TS-530S' frequency display to 7.040MHz (in receive mode), or to 7.0392MHz (for a display of 7.040MHz during transmit) to be spot-on a designated Calling Frequency? I obviously would like to make 100% sure that I'm exactly on frequency, and not off by 800Hz, when monitoring for any CQs!

Thanks for any clarification,

-Bill

From 2674499521500465939
X-Google-Thread: 108122,3faa47699ab20ee5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!23d2e6c6!not-for-mail
From: "Pat Whelton" <pwhelton@earthlinkNOSPAM.net>
Newsgroups: rec.radio.amateur.equipment
References: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
Subject: Re: A Kenwood HF rig's "real" frequency in CW
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <xvOWh.7427$3P3.6369@newsread3.news.pas.earthlink.net>
Date: Sun, 22 Apr 2007 19:15:41 GMT
NNTP-Posting-Host: 24.233.50.25
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1177269341 24.233.50.25 (Sun, 22 Apr 2007 12:15:41 PDT)
NNTP-Posting-Date: Sun, 22 Apr 2007 12:15:41 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:11883

"billcalley" <billcalley@yahoo.com> wrote in message
news:1177266261.605966.106570@o5g2000hsb.googlegroups.com...
> Hi All,
>

>   This may sound like a very silly question, but what is the "true"
> frequency of, lets say, a Kenwood TS-530S? What I mean is, when it is
> said that a particular CW calling frequency is exactly "7.040MHz",
> then should I set the TS-530S' frequency display to 7.040MHz (in
> receive mode), or to 7.0392MHz (for a display of 7.040MHz during
> transmit) to be spot-on a designated Calling Frequency? I obviously
> would like to make 100% sure that I'm exactly on frequency, and not
> off by 800Hz, when monitoring for any CQs!
>
> Thanks for any clarification,
>
> -Bill
>

Hi Bill. I will be interested to hear the replies to your question since I have a similar problem with the TS-570DG. When I work CW it seems that stations (as in your example) that are supposed to be on 7.040 MHZ always sound better to me on 7.040.10 MHZ. I seem to be able to work them fine but I always wonder if I should move back to 7.040 for transmit.

Regards,

Pat

From 4020897590044471923
X-Google-Thread: 108122,3faa47699ab20ee5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 22 Apr 2007 15:43:03 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1177266261.605966.106570@o5g2000hsb.googlegroups.com> <xvOWh.7427$3P3.6369@newsread3.news.pas.earthlink.net>
Subject: Re: A Kenwood HF rig's "real" frequency in CW
Date: Sun, 22 Apr 2007 16:03:46 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <YNidnSbbYKtKVbbbnZ2dnUVZ_jWdnZ2d@comcast.com>
Lines: 54
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-TiPbLeTrkrE6p4o0lwRid3BGeCRbVSTYMzd818fTCi8c5XJSvabEmtkKneOoCgtCymEfjSJ+MXR5Bze!P5X6+9jVjDQLe89+UgWU8D37wi/jb0fcUTZRM5ZouKBcPepfjqhkcevwGPpP6dGm/5fy92VnZgEY!uqr3q+nuH8cMuAuFEXNoJiErQrRV

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11884

"Pat Whelton" <pwhelton@earthlinkNOSPAM.net> wrote in message
news:xvOWh.7427$3P3.6369@newsread3.news.pas.earthlink.net...
>
> "billcalley" <billcalley@yahoo.com> wrote in message
> news:1177266261.605966.106570@o5g2000hsb.googlegroups.com...
>> Hi All,
>>
>>   This may sound like a very silly question, but what is the "true"
>> frequency of, lets say, a Kenwood TS-530S? What I mean is, when it is
>> said that a particular CW calling frequency is exactly "7.040MHz",
>> then should I set the TS-530S' frequency display to 7.040MHz (in
>> receive mode), or to 7.0392MHz (for a display of 7.040MHz during
>> transmit) to be spot-on a designated Calling Frequency? I obviously
>> would like to make 100% sure that I'm exactly on frequency, and not
>> off by 800Hz, when monitoring for any CQs!
>>
>> Thanks for any clarification,
>>
>> -Bill
>>
>
> Hi Bill. I will be interested to hear the replies to your question since
> I
> have a similar problem with the TS-570DG. When I work CW it seems that
> stations (as in your example) that are supposed to be on 7.040 MHZ always
> sound better to me on 7.040.10 MHZ. I seem to be able to work them fine
> but
> I always wonder if I should move back to 7.040 for transmit.
>
> Regards,
>
> Pat
>
>

Bill is referring to the fact that older Kenwoods display at one frequency
while listening and the offset frequency when transmitting (the offset being
equal to the sidetone of 800hz). I used to operate a Kenwood TS-130SE when
I was new and it took me awhile to figure out what was going on. In this
case, one should set the monitoring frequency to read as transmit minus 800
Herz or 7.0392 in the example above.

On the other hand, Pat, your radio is one of the newer ones that displays
the transmit frequency at all times (i.e both receiving and transmitting)

when in CW mode. Therefore on your radio, the issue could be one of several things: the default pitch used doesn't appeal to you, the radio is out of adjustment, or something else entirely.

Dee, N8UZE

Dee, N8UZE

From -8859567291996702935
X-Google-Thread: 112d1e,3faa47699ab20ee5
X-Google-Thread: 108122,3faa47699ab20ee5
X-Google-Attributes: gid112d1e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l77g2000hsb.googlegroups.com!not-for-mail
From: Wimpie <wimtel@tetech.nl>
Newsgroups: sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: A Kenwood HF rig's "real" frequency in CW
Date: 22 Apr 2007 14:13:31 -0700
Organization: http://groups.google.com
Lines: 50
Message-ID: <1177276411.077745.31670@l77g2000hsb.googlegroups.com>
References: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: 83.83.102.22
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177276411 4127 127.0.0.1 (22 Apr 2007 21:13:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 22 Apr 2007 21:13:31 +0000 (UTC)
In-Reply-To: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; es-ES; rv:1.8.1.3) Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l77g2000hsb.googlegroups.com; posting-host=83.83.102.22;
   posting-account=-bRXoQ0AAAAGUP18mcFMd1UILB2CHW1z
Xref: g2news1.google.com sci.electronics.design:223819 rec.radio.amateur.equipment:11885

On 22 abr, 20:24, billcalley <billcal...@yahoo.com> wrote:
> Hi All,
>
>   This may sound like a very silly question, but what is the "true"
> frequency of, lets say, a Kenwood TS-530S? What I mean is, when it is
> said that a particular CW calling frequency is exactly "7.040MHz",
> then should I set the TS-530S' frequency display to 7.040MHz (in
> receive mode), or to 7.0392MHz (for a display of 7.040MHz during
> transmit) to be spot-on a designated Calling Frequency? I obviously
> would like to make 100% sure that I'm exactly on frequency, and not
> off by 800Hz, when monitoring for any CQs!

>
> Thanks for any clarification,
>
> -Bill

Hi Bill,

It sounds silly, but it isn't.

I don't know the answer with high confidence, but maybe I can help you to get it.

I "believe" that when you tune in to a station with 800 Hz beat, you will transmit on exactly the same frequency as the station that you are listening to. Make sure the RIT is in the middle or off.

You can check it yourself.
Do you have a separate frequency counter (or other receiver)? If so, try to tune to a source with a known frequency (with the TS530S, for example a broadcast station or). Now you can compare the actual frequency with the reading on the TS530S and you know the difference in reading and actual transmitting frequency of other station.

Now the transmitting case
Press the key (check frequency in use or use dummy load) and read the frequency from the counter, or tune with the other receiver to find out the difference in the transmitting frequency of the other station and your frequency.

I hope this will help you a bit.

I had several problems with adjusting old equipment to make sure that SSB receive and transmit (carrier) frequencies are the same.

Best Regards,

Wim
PA3DJS

From 1973943234740132093
X-Google-Thread: 112d1e,3faa47699ab20ee5
X-Google-Thread: 108122,3faa47699ab20ee5
X-Google-Attributes: gid112d1e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e65g2000hsc.googlegroups.com!not-for-mail
From: billcalley <billcalley@yahoo.com>
Newsgroups: sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: A Kenwood HF rig's "real" frequency in CW
Date: 22 Apr 2007 15:09:49 -0700
Organization: http://groups.google.com

```
Lines: 74
Message-ID: <1177279789.280724.78590@e65g2000hsc.googlegroups.com>
References: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
   <1177276411.077745.31670@l77g2000hsb.googlegroups.com>
NNTP-Posting-Host: 68.122.71.6
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177279789 11798 127.0.0.1 (22 Apr 2007 22:09:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 22 Apr 2007 22:09:49 +0000 (UTC)
In-Reply-To: <1177276411.077745.31670@l77g2000hsb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; sbcydsl 3.12;
YComp 5.0.0.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e65g2000hsc.googlegroups.com; posting-host=68.122.71.6;
   posting-account=ooWgvQ0AAAB88tFpeZA_srbMf4dw8ll1
Xref: g2news1.google.com sci.electronics.design:223831
rec.radio.amateur.equipment:11886

On Apr 22, 2:13 pm, Wimpie <wim...@tetech.nl> wrote:
> On 22 abr, 20:24, billcalley <billcal...@yahoo.com> wrote:
>
> > Hi All,
>
> >     This may sound like a very silly question, but what is the "true"
> > frequency of, lets say, a Kenwood TS-530S?  What I mean is, when it is
> > said that a particular CW calling frequency is exactly "7.040MHz",
> > then should I set the TS-530S' frequency display to 7.040MHz (in
> > receive mode), or to 7.0392MHz (for a display of 7.040MHz during
> > transmit) to be spot-on a designated Calling Frequency?  I obviously
> > would like to make 100% sure that I'm exactly on frequency, and not
> > off by 800Hz, when monitoring for any CQs!
>
> > Thanks for any clarification,
>
> > -Bill
>
> Hi Bill,
>
> It sounds silly, but it isn't.
>
> I don't know the answer with high confidence, but maybe I can help you
> to get it.
>
> I "believe" that when you tune in to a station with 800 Hz beat, you
> will transmit on exactly the same frequency as the station that you
> are listening to. Make sure the RIT is in the middle or off.
>
> You can check it yourself.
> Do you have a separate frequency counter (or other receiver)? If so,
> try to tune to a source with a known frequency (with the TS530S, for
> example a broadcast station or).  Now you can compare the actual
```

> frequency with the reading on the TS530S and you know the difference in reading and actual transmitting frequency of other station.
>
> Now the transmitting case
> Press the key (check frequency in use or use dummy load) and read the frequency from the counter, or tune with the other receiver to find out the difference in the transmitting frequency of the other station and your frequency.
>
> I hope this will help you a bit.
>
> I had several problems with adjusting old equipment to make sure that SSB receive and transmit (carrier) frequencies are the same.
>
> Best Regards,
>
> Wim
> PA3DJS

Thanks for the info Wim. The TS-530S's actually show you only the RX frequency on the digital display dial while you tune around or sit on a frequency waiting for a CQ, and then -- but only when you transmit -- they shift the dial display (and I assume the TX frequency too) 800Hz higher. Frankly, I had thought most other radios did *exactly* the opposite (I.E.: Their BFO's shifted the RX frequency by 800Hz or so, while their TX frequencies where as displayed on the dial -- but I must be incorrect about that!). But I'm still hoping to understand if it is correct to set a Kenwood to "7.040MHz" on the digital display when listening to the 7.040 MHz Calling Frequency (but it then shifts 800Hz higher on TX...), or set it to 7.0392MHz (for a display of 7.040MHz during transmit with its 800Hz TX offset)? With all the Kenwood rig's out there, you'd think that someone would have the answer -- but maybe no-one has really thought about this? (Hard to believe!!).

-Bill

From -8384293811522872064
X-Google-Thread: 112d1e,3faa47699ab20ee5
X-Google-Thread: 108122,3faa47699ab20ee5
X-Google-Attributes: gid112d1e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 22 Apr 2007 17:23:45 -0500
From: "Dee Flint" <deeflint01@comcast.net>

Newsgroups: sci.electronics.design,rec.radio.amateur.equipment
References: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
<1177276411.077745.31670@l77g2000hsb.googlegroups.com>
<1177279789.280724.78590@e65g2000hsc.googlegroups.com>
Subject: Re: A Kenwood HF rig's "real" frequency in CW
Date: Sun, 22 Apr 2007 18:23:09 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <BpidnbHWA6LsfbbbnZ2dnUVZ_qiqnZ2d@comcast.com>
Lines: 90
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-qonH2RM95sYz3Z8mM2WILumohz38xRUbxXEwzf6okpEkOO7+i5KPa7Q9Ygpf2/
mJZlMatf3O0r9qoXq!c7IN0akemd9eP1CTHqlWzMuC0rW/
5bbtX0mT0iiYb8JuzP9DGGUPHyjMISgfRc6+pKDWaoSriIPe!f7388AV9IwyF3PYlo9t3SRLoYLwH
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com sci.electronics.design:223834
rec.radio.amateur.equipment:11887

Did you read my answer??? You have an older Kenwood radio. It displays the transmit frequency only when you transmit. It displays the receive frequency the rest of the time. So set your receive at 7.0392 in receive mode. When you transmit it will then be transmitting at 7.040 as shown by the readout.

NEW radios (including new Kenwoods) display the transmit freq. at all times whether receiving or transmitting.

Dee, N8UZE

"billcalley" <billcalley@yahoo.com> wrote in message
news:1177279789.280724.78590@e65g2000hsc.googlegroups.com...
> On Apr 22, 2:13 pm, Wimpie <wim...@tetech.nl> wrote:
>> On 22 abr, 20:24, billcalley <billcal...@yahoo.com> wrote:
>>
>> > Hi All,
>>
>> >   This may sound like a very silly question, but what is the "true"
>> > frequency of, lets say, a Kenwood TS-530S? What I mean is, when it is
>> > said that a particular CW calling frequency is exactly "7.040MHz",
>> > then should I set the TS-530S' frequency display to 7.040MHz (in
>> > receive mode), or to 7.0392MHz (for a display of 7.040MHz during
>> > transmit) to be spot-on a designated Calling Frequency? I obviously
>> > would like to make 100% sure that I'm exactly on frequency, and not
>> > off by 800Hz, when monitoring for any CQs!

>>
>> > Thanks for any clarification,
>>
>> > -Bill
>>
>> Hi Bill,
>>
>> It sounds silly, but it isn't.
>>
>> I don't know the answer with high confidence, but maybe I can help you
>> to get it.
>>
>> I "believe" that when you tune in to a station with 800 Hz beat, you
>> will transmit on exactly the same frequency as the station that you
>> are listening to. Make sure the RIT is in the middle or off.
>>
>> You can check it yourself.
>> Do you have a separate frequency counter (or other receiver)? If so,
>> try to tune to a source with a known frequency (with the TS530S, for
>> example a broadcast station or). Now you can compare the actual
>> frequency with the reading on the TS530S and you know the difference
>> in reading and actual transmitting frequency of other station.
>>
>> Now the transmitting case
>> Press the key (check frequency in use or use dummy load) and read the
>> frequency from the counter, or tune with the other receiver to find
>> out the difference in the transmitting frequency of the other station
>> and your frequency.
>>
>> I hope this will help you a bit.
>>
>> I had several problems with adjusting old equipment to make sure that
>> SSB receive and transmit (carrier) frequencies are the same.
>>
>> Best Regards,
>>
>> Wim
>> PA3DJS
>
>
>   Thanks for the info Wim. The TS-530S's actually show you only the
> RX frequency on the digital display dial while you tune around or sit
> on a frequency waiting for a CQ, and then -- but only when you
> transmit -- they shift the dial display (and I assume the TX frequency
> too) 800Hz higher. Frankly, I had thought most other radios did
> *exactly* the opposite (I.E.: Their BFO's shifted the RX frequency by
> 800Hz or so, while their TX frequencies where as displayed on the dial
> -- but I must be incorrect about that!). But I'm still hoping to
> understand if it is correct to set a Kenwood to "7.040MHz" on the
> digital display when listening to the 7.040 MHz Calling Frequency (but
> it then shifts 800Hz higher on TX...), or set it to 7.0392MHz (for a
> display of 7.040MHz during transmit with its 800Hz TX offset)? With
> all the Kenwood rig's out there, you'd think that someone would have

> the answer -- but maybe no-one has really thought about this? (Hard
> to believe!!).
>
> -Bill
>
>
>
>

From -1744192626237711694
X-Google-Thread: 112d1e,3faa47699ab20ee5
X-Google-Thread: 108122,3faa47699ab20ee5
X-Google-Attributes: gid112d1e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l77g2000hsb.googlegroups.com!not-for-mail
From: billcalley <billcalley@yahoo.com>
Newsgroups: sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: A Kenwood HF rig's "real" frequency in CW
Date: 22 Apr 2007 16:11:37 -0700
Organization: http://groups.google.com
Lines: 101
Message-ID: <1177283497.353641.296190@l77g2000hsb.googlegroups.com>
References: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
   <1177276411.077745.31670@l77g2000hsb.googlegroups.com>
   <1177279789.280724.78590@e65g2000hsc.googlegroups.com>
   <BpidnbHWA6LsfbbbnZ2dnUVZ_qiqnZ2d@comcast.com>
NNTP-Posting-Host: 68.122.71.6
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177283497 22256 127.0.0.1 (22 Apr 2007 23:11:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 22 Apr 2007 23:11:37 +0000 (UTC)
In-Reply-To: <BpidnbHWA6LsfbbbnZ2dnUVZ_qiqnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; sbcydsl 3.12; YComp 5.0.0.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l77g2000hsb.googlegroups.com; posting-host=68.122.71.6;
   posting-account=ooWgvQ0AAAB88tFpeZA_srbMf4dw8ll1
Xref: g2news1.google.com sci.electronics.design:223851 rec.radio.amateur.equipment:11888

On Apr 22, 3:23 pm, "Dee Flint" <deeflin...@comcast.net> wrote:
> Did you read my answer??? You have an older Kenwood radio. It displays the
> transmit frequency only when you transmit. It displays the receive
> frequency the rest of the time. So set your receive at 7.0392 in receive
> mode. When you transmit it will then be transmitting at 7.040 as shown by
> the readout.
>

```
> NEW radios (including new Kenwoods) display the transmit freq. at all times
> whether receiving or transmitting.
>
> Dee, N8UZE
>
> "billcalley" <billcal...@yahoo.com> wrote in message
>
> news:1177279789.280724.78590@e65g2000hsc.googlegroups.com...
>
>
>
> > On Apr 22, 2:13 pm, Wimpie <wim...@tetech.nl> wrote:
> >> On 22 abr, 20:24, billcalley <billcal...@yahoo.com> wrote:
>
> >> > Hi All,
>
> >> >     This may sound like a very silly question, but what is the "true"
> >> > frequency of, lets say, a Kenwood TS-530S?  What I mean is, when it is
> >> > said that a particular CW calling frequency is exactly "7.040MHz",
> >> > then should I set the TS-530S' frequency display to 7.040MHz (in
> >> > receive mode), or to 7.0392MHz (for a display of 7.040MHz during
> >> > transmit) to be spot-on a designated Calling Frequency?  I obviously
> >> > would like to make 100% sure that I'm exactly on frequency, and not
> >> > off by 800Hz, when monitoring for any CQs!
>
> >> > Thanks for any clarification,
>
> >> > -Bill
>
> >> Hi Bill,
>
> >> It sounds silly, but it isn't.
>
> >> I don't know the answer with high confidence, but maybe I can help you
> >> to get it.
>
> >> I "believe" that when you tune in to a station with 800 Hz beat, you
> >> will transmit on exactly the same frequency as the station that you
> >> are listening to. Make sure the RIT is in the middle or off.
>
> >> You can check it yourself.
> >> Do you have a separate frequency counter (or other receiver)? If so,
> >> try to tune to a source with a known frequency (with the TS530S, for
> >> example a broadcast station or).  Now you can compare the actual
> >> frequency with the reading on the TS530S and you know the difference
> >> in reading and actual transmitting frequency of other station.
>
> >> Now the transmitting case
> >> Press the key (check frequency in use or use dummy load) and read the
> >> frequency from the counter, or tune with the other receiver to find
> >> out the difference in the transmitting frequency of the other station
> >> and your frequency.
>
```

```
> >> I hope this will help you a bit.
>
> >> I had several problems with adjusting old equipment to make sure that
> >> SSB receive and transmit (carrier) frequencies are the same.
>
> >> Best Regards,
>
> >> Wim
> >> PA3DJS
>
> >   Thanks for the info Wim.  The TS-530S's actually show you only the
> > RX frequency on the digital display dial while you tune around or sit
> > on a frequency waiting for a CQ, and then -- but only when you
> > transmit -- they shift the dial display (and I assume the TX frequency
> > too) 800Hz higher.  Frankly, I had thought most other radios did
> > *exactly* the opposite (I.E.: Their BFO's shifted the RX frequency by
> > 800Hz or so, while their TX frequencies where as displayed on the dial
> > -- but I must be incorrect about that!).  But I'm still hoping to
> > understand if it is correct to set a Kenwood to "7.040MHz" on the
> > digital display when listening to the 7.040 MHz Calling Frequency (but
> > it then shifts 800Hz higher on TX...), or set it to 7.0392MHz (for a
> > display of 7.040MHz during transmit with its 800Hz TX offset)?  With
> > all the Kenwood rig's out there, you'd think that someone would have
> > the answer -- but maybe no-one has really thought about this?  (Hard
> > to believe!!).
>
> > -Bill- Hide quoted text -
>
> - Show quoted text -

   Cool Dee -- thanks for clarifying that!  It was confusing the death
out of me (I've been on the wrong darn frequency all this time too!).

     I didn't see your original post on my Google newsreader under
'sci.electronics.design' because, for whatever weird Google reason,
your response didn't cross-post).

Thanks again!

-Bill




From 6012378084983853492
X-Google-Thread: 108122,3faa47699ab20ee5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 22 Apr 2007 23:32:52 -0500
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
```

References: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
<1177276411.077745.31670@l77g2000hsb.googlegroups.com>
<1177279789.280724.78590@e65g2000hsc.googlegroups.com>
<BpidnbHWA6LsfbbbnZ2dnUVZ_qiqnZ2d@comcast.com>
<1177283497.353641.296190@l77g2000hsb.googlegroups.com>
Subject: Re: A Kenwood HF rig's "real" frequency in CW
Date: Sun, 22 Apr 2007 21:33:03 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <jNednf98sIZpq7HbnZ2dnUVZ_uqvnZ2d@giganews.com>
Lines: 31
X-Trace: sv3-chCDB4RSUQicNtUVbi+EzeCS7E6/hqBBwIMuh1/
myWOuye+WN9b3qILc2HK5sa3L2tc0llafUu7HVB5!
WKx+IPWMMdKztoPzgm+2YpNZISxEAIXQXBKJMljlM7tSVkzT2AuR0kWFx9awk5CIXWVvkpGKqLg=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11889

billcalley wrote:
> Cool Dee -- thanks for clarifying that! It was confusing the death
> out of me (I've been on the wrong darn frequency all this time too!).
>
> I didn't see your original post on my Google newsreader under
> 'sci.electronics.design' because, for whatever weird Google reason,
> your response didn't cross-post).
>
> Thanks again!
>
> -Bill

Hi Bill,

You can think of the displayed receive signal as that of a signal that is *zero-beat*. In CW mode, the pitch increases as you tune up-frequency from the zero-beat frequency. 800Hz is the defacto "standard" for Morse, which is the difference in your rig's carrier oscillator frequencies for receive and transmit. While in a QSO, if you find a different pitch more acceptable, use your RIT (and IF Shift if necessary and so-equipped). RIT keeps QSOs from walking up/down the band. hi!
As noted above, the carrier oscillator frequencies should be different between receive and transmit, but in *only* CW mode. In all other modes (LSB, USB, AM, FM), they should be the same between rx & tx.

Vy 73,
Bryan WA7PRC

PS: Dee's response wasn't crossposted to sci.electronics.design.

```
From -1601170514472963680
X-Google-Thread: 108122,3faa47699ab20ee5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y5g2000hsa.googlegroups.com!not-for-
mail
From: billcalley <billcalley@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A Kenwood HF rig's "real" frequency in CW
Date: 23 Apr 2007 07:11:16 -0700
Organization: http://groups.google.com
Lines: 37
Message-ID: <1177337476.570920.248380@y5g2000hsa.googlegroups.com>
References: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
   <1177276411.077745.31670@l77g2000hsb.googlegroups.com>
   <1177279789.280724.78590@e65g2000hsc.googlegroups.com>
   <BpidnbHWA6LsfbbbnZ2dnUVZ_qiqnZ2d@comcast.com>
   <1177283497.353641.296190@l77g2000hsb.googlegroups.com>
   <jNednf98sIZpq7HbnZ2dnUVZ_uqvnZ2d@giganews.com>
NNTP-Posting-Host: 68.122.33.129
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177337477 29221 127.0.0.1 (23 Apr 2007 14:11:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Apr 2007 14:11:17 +0000 (UTC)
In-Reply-To: <jNednf98sIZpq7HbnZ2dnUVZ_uqvnZ2d@giganews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; sbcydsl 3.12;
YComp 5.0.0.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y5g2000hsa.googlegroups.com; posting-host=68.122.33.129;
   posting-account=ooWgvQ0AAAB88tFpeZA_srbMf4dw8ll1
Xref: g2news1.google.com rec.radio.amateur.equipment:11890

On Apr 22, 9:33 pm, "Bryan" <bryan.swadenerNOS...@comcast.net> wrote:
> billcalley wrote:
> >    Cool Dee -- thanks for clarifying that!  It was confusing the death
> > out of me (I've been on the wrong darn frequency all this time too!).
>
> >      I didn't see your original post on my Google newsreader under
> > 'sci.electronics.design' because, for whatever weird Google reason,
> > your response didn't cross-post).
>
> > Thanks again!
>
> > -Bill
>
> Hi Bill,
>
```

> You can think of the displayed receive signal as that of a signal that is
> *zero-beat*. In CW mode, the pitch increases as you tune up-frequency from
> the zero-beat frequency. 800Hz is the defacto "standard" for Morse, which is
> the difference in your rig's carrier oscillator frequencies for receive and
> transmit. While in a QSO, if you find a different pitch more acceptable,
> use your RIT (and IF Shift if necessary and so-equipped). RIT keeps QSOs
> from walking up/down the band. hi!
> As noted above, the carrier oscillator frequencies should be different
> between receive and transmit, but in *only* CW mode. In all other modes
> (LSB, USB, AM, FM), they should be the same between rx & tx.
>
> Vy 73,
> Bryan WA7PRC
>
> PS: Dee's response wasn't crossposted to sci.electronics.design.

Thanks for the info, Bryan!

73,

-Bill

From -221400120088342422
X-Google-Thread: 108122,f0d905544173f4a7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d57g2000hsg.googlegroups.com!not-for-mail
From: Heath Roberts <htroberts@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom IC-P7A covers UHF aviation band (receive-only, obviously)?
Date: 23 Apr 2007 13:16:29 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1177359389.864917.221190@d57g2000hsg.googlegroups.com>
NNTP-Posting-Host: 192.58.204.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177359390 22360 127.0.0.1 (23 Apr 2007 20:16:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 23 Apr 2007 20:16:30 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3) Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d57g2000hsg.googlegroups.com; posting-host=192.58.204.226;
   posting-account=5UzzTw0AAAAhP9M0eg6TpcMzIGyw5d31
Xref: g2news1.google.com rec.radio.amateur.equipment:11891

The manual for the IC-P7A says that it covers 495 KHz to 821 MHz, in
both AM and FM modes, but doesn't list any sensitivity specs and isn't

not real clear on how one would tune a frequency from 225-400MHz in
AM.

Does anyone know for sure whether this radio will receive in the (US)
UHF aviation band?

Thanks,
Heath

From -749079654512179537
X-Google-Thread: 112d1e,3faa47699ab20ee5
X-Google-Thread: 108122,3faa47699ab20ee5
X-Google-Attributes: gid112d1e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <462D41D4.9070102@worldnet.att.net>
From: John Siegel <JohnASiegel@worldnet.att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.0.2) Gecko/
20030208 Netscape/7.02
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: sci.electronics.design,rec.radio.amateur.equipment
Subject: Re: A Kenwood HF rig's "real" frequency in CW
References: <1177266261.605966.106570@o5g2000hsb.googlegroups.com>
<1177276411.077745.31670@l77g2000hsb.googlegroups.com>
<1177279789.280724.78590@e65g2000hsc.googlegroups.com>
<BpidnbHWA6LsfbbbnZ2dnUVZ_qiqnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 109
Date: Mon, 23 Apr 2007 23:31:35 GMT
NNTP-Posting-Host: 12.75.236.228
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1177371095 12.75.236.228 (Mon, 23 Apr
2007 23:31:35 GMT)
NNTP-Posting-Date: Mon, 23 Apr 2007 23:31:35 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com sci.electronics.design:224154
rec.radio.amateur.equipment:11892

Dee Flint wrote:
> Did you read my answer??? You have an older Kenwood radio. It displays the
> transmit frequency only when you transmit. It displays the receive
> frequency the rest of the time. So set your receive at 7.0392 in receive
> mode. When you transmit it will then be transmitting at 7.040 as shown by
> the readout.
>

> NEW radios (including new Kenwoods) display the transmit freq. at all times
> whether receiving or transmitting.
>
> Dee, N8UZE
>
>
> "billcalley" <billcalley@yahoo.com> wrote in message
> news:1177279789.280724.78590@e65g2000hsc.googlegroups.com...
>
>>On Apr 22, 2:13 pm, Wimpie <wim...@tetech.nl> wrote:
>>
>>>On 22 abr, 20:24, billcalley <billcal...@yahoo.com> wrote:
>>>
>>>
>>>>Hi All,
>>>
>>>>   This may sound like a very silly question, but what is the "true"
>>>>frequency of, lets say, a Kenwood TS-530S? What I mean is, when it is
>>>>said that a particular CW calling frequency is exactly "7.040MHz",
>>>>then should I set the TS-530S' frequency display to 7.040MHz (in
>>>>receive mode), or to 7.0392MHz (for a display of 7.040MHz during
>>>>transmit) to be spot-on a designated Calling Frequency? I obviously
>>>>would like to make 100% sure that I'm exactly on frequency, and not
>>>>off by 800Hz, when monitoring for any CQs!
>>>
>>>>Thanks for any clarification,
>>>
>>>>-Bill
>>>
>>>Hi Bill,
>>>
>>>It sounds silly, but it isn't.
>>>
>>>I don't know the answer with high confidence, but maybe I can help you
>>>to get it.
>>>
>>>I "believe" that when you tune in to a station with 800 Hz beat, you
>>>will transmit on exactly the same frequency as the station that you
>>>are listening to. Make sure the RIT is in the middle or off.
>>>
>>>You can check it yourself.
>>>Do you have a separate frequency counter (or other receiver)? If so,
>>>try to tune to a source with a known frequency (with the TS530S, for
>>>example a broadcast station or). Now you can compare the actual
>>>frequency with the reading on the TS530S and you know the difference
>>>in reading and actual transmitting frequency of other station.
>>>
>>>Now the transmitting case
>>>Press the key (check frequency in use or use dummy load) and read the
>>>frequency from the counter, or tune with the other receiver to find
>>>out the difference in the transmitting frequency of the other station
>>>and your frequency.
>>>

>>>I hope this will help you a bit.
>>>
>>>I had several problems with adjusting old equipment to make sure that
>>>SSB receive and transmit (carrier) frequencies are the same.
>>>
>>>Best Regards,
>>>
>>>Wim
>>>PA3DJS
>>
>>
>> Thanks for the info Wim. The TS-530S's actually show you only the
>>RX frequency on the digital display dial while you tune around or sit
>>on a frequency waiting for a CQ, and then -- but only when you
>>transmit -- they shift the dial display (and I assume the TX frequency
>>too) 800Hz higher. Frankly, I had thought most other radios did
>>*exactly* the opposite (I.E.: Their BFO's shifted the RX frequency by
>>800Hz or so, while their TX frequencies where as displayed on the dial
>>-- but I must be incorrect about that!). But I'm still hoping to
>>understand if it is correct to set a Kenwood to "7.040MHz" on the
>>digital display when listening to the 7.040 MHz Calling Frequency (but
>>it then shifts 800Hz higher on TX...), or set it to 7.0392MHz (for a
>>display of 7.040MHz during transmit with its 800Hz TX offset)? With
>>all the Kenwood rig's out there, you'd think that someone would have
>>the answer -- but maybe no-one has really thought about this? (Hard
>>to believe!!).
>>
>>-Bill
>>
>>
>>
>>
>
>
>
Another consideration, particularly for VHF operators, is what happens
when you switch from SSB to CW. For example, the TS2000 says that it
always displays the carrier frequency regardless of mode. If you are on
SSB and need to switch to CW becaue you have a weak signal look at what
happens. If the displayed frequency is the carrier and does not change
when you change mode you are now transmitting zero beat with the
receiving station and he won't hear you. You actually have to tune off
a bit (by the sidetone amount) so the receiving station can hear you.
The TS2000 actually has a menu choice to allow the frequency to
automatically make this correction if you wish.
John

From 6206274893411049290
X-Google-Thread: 108122,90eb3b32ed4c28d1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Apr 2007 18:39:57 -0500
Date: Mon, 23 Apr 2007 19:40:01 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: S-meter circuit HQ-145
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_qmdnZjORspQ3rDbnZ2dnUVZ_j-dnZ2d@comcast.com>
Lines: 10
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-
JBiMDx3C8fqYvdXYMXefkPC2P1UspZc1h2RylKQRsh627DF+jf9aIML+DjpedUZtCCdsLX8Hr3CQDEb!
KE4a2Ey2HOiHWxdu/NjfdMfpd52VqMmSy6/4i59C4LZn8hy0paUnJ2DYJcqj/vE82bMqn/rUnqvj!1m/
QHGJgMyiXD71Ftho+2L1xgBA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11893

The circuit as designed is subject to significant drift.

Has anyone found a mod or knows of a link to a mod? I prefer NOT to get into matched 6BA6s.

I am a retired EE and before I jump into the circuit I was wondering if someone jumped in ahead of me.

I have posted a similar request to boatanchors.

From -4693212300678454915
X-Google-Thread: 108122,1de685f8c055cb31,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l77g2000hsb.googlegroups.com!not-for-
mail
From: wmtell@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS - SG-2000 HF SSB/CW/AM 150 Watt Transceiver
Date: 23 Apr 2007 21:11:29 -0700
Organization: http://groups.google.com
Lines: 53

Message-ID: <1177387889.799359.173410@l77g2000hsb.googlegroups.com>
NNTP-Posting-Host: 71.211.232.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177387890 30464 127.0.0.1 (24 Apr 2007 04:11:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Apr 2007 04:11:30 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.11) Gecko/20070312 Firefox/1.5.0.11,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l77g2000hsb.googlegroups.com; posting-host=71.211.232.226;
   posting-account=IKNt1A0AAADEBw8PK7Rq1gVfhu8wyfy9
Xref: g2news1.google.com rec.radio.amateur.equipment:11894

We are down-sizing the house so I am selling some of my HF rigs.

I have two of these and I am keep one as my primary HF rig, and am selling the other.

It is an SGC model SG-2000 ADSP PowerTalk HF 150 watt Transceiver. It is operates SSB - CW & AM.

This unit covers 2Mhz to 30Mhz on transmit and .5Mhz to 30Mhz on receive. This is continous transmit and receive coverage. It is ideal for MARS work.

The power range is selectable from 50 watts on low power to 150 watts on high power.

The ADSP stands for Adaptive Digital Signal Processing. You can read more about this and the SG-2000 on the SGC website: http://sgcworld.com

This unit is certified for Marine use as well as ham use.

It appears to be in normal working condition. I used it this afternoon on 40 meters. It comes with the SGC mic, the SG-2000 book (240 page book), the ADSP PowerTalk book and the SG-2000 PowerTalk quick start card.

These radios are built like a tank. They are very sophisticated and will equal if not out preform any of the Japanese Ham radio units.

These are used primarily for Marine, Government, Commercial and Military communications.

If you have any questions, please contact me.

I will ship this radio Internationally.

Shipping will be actual cost from my location to yours. My zip code is 80439.

If you have any questions, please email or call me. I am located in
Denver, Mountain Daylight Time zone. My email address is:
iamw7gsa@gmail.com

The price for everything is $975.00 plus shipping and insurance.

As with all electronic equipment, this item is sold as is but is
quaranteed not to be DOA.

Click here to see a photo of the rig: http://imagehost.epier.com/44487/
sg-2000-1.jpg

Thanks, Bill

Phone: 303-674-0510   Email: iamw7gsa@gmail.com

From 3928279378135443311
X-Google-Thread: 108122,90eb3b32ed4c28d1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.linkpendium.com!
news.linkpendium.com!pit-transit.telstra.net!lon-in.news.telstra.net!
news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "P.Gregory" <hoonz@bigpond.com>
Newsgroups: rec.radio.amateur.equipment
References: <_qmdnZjORspQ3rDbnZ2dnUVZ_j-dnZ2d@comcast.com>
Subject: Re: S-meter circuit HQ-145
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <ZQkXh.18777$M.1693@news-server.bigpond.net.au>
Date: Tue, 24 Apr 2007 10:19:37 GMT
NNTP-Posting-Host: 124.185.130.96
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1177409977 124.185.130.96 (Tue, 24 Apr 2007
20:19:37 EST)
NNTP-Posting-Date: Tue, 24 Apr 2007 20:19:37 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:11895

just looked at THE schematik , A 6ba6w fixxy all dramas...P

"Dave" <W1MCE@comcast.net> wrote in message
news:_qmdnZjORspQ3rDbnZ2dnUVZ_j-dnZ2d@comcast.com...
> The circuit as designed is subject to significant drift.
>
> Has anyone found a mod or knows of a link to a mod? I prefer NOT to
> get into matched 6BA6s.

```
>
> I am a retired EE and before I jump into the circuit I was wondering
> if someone jumped in ahead of me.
>
> I have posted a similar request to boatanchors.
>




From -3315538583900318778
X-Google-Thread: 108122,8af6d8523c6ee60a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ameritron 811H LIKE NEW!!!
Message-ID: <aq0t239di1612atv2mnarhh81706p24nhp@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Tue, 24 Apr 2007 18:23:11 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1177453391 69.125.167.162 (Tue, 24 Apr 2007 15:23:11 MST)
NNTP-Posting-Date: Tue, 24 Apr 2007 15:23:11 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:11896

FS: Ameritron 811H LIKE NEW!!!
With a spare set of NEW tubes!!
About a year old. Works and looks new. 475.00 Plus shipping or local
pick up in NY.
I'm posting this for a friend WW2BLS and you can call him at :
1-845-401-1067



From 5964410605733066435
X-Google-Thread: fc8b1,8f8157f482ec1881,start
X-Google-Thread: 108122,8f8157f482ec1881,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 24 Apr 2007 18:33:05 -0500
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: RS232 Remote Adapter for Harris RF350K / RT-1446
From: "Ken Fowler" <ko6no@yahoo.com>
```

Reply-to: ko6no@yahoo.com
Organization: KO6NO
Date: Tue, 24 Apr 2007 23:33:05 GMT
X-Newsreader: News Rover 11.3.2 (http://www.NewsRover.com)
Message-ID: <XPednQuXqfUsDrPbnZ2dnUVZ_vumnZ2d@comcast.com>
Lines: 9
NNTP-Posting-Host: 67.180.153.122
X-Trace: sv3-nPeK7YSnw0ZohPjoAFyeUFmBgtPxu/1iRkEMAX8nmyJdQQ9lI5tjB+/
tuWbR7bizW7V2mfmYHhY3Hng!
CItKVXpgHfpl2WkCr6JuzF1TPhBVsaALVyiTGfdE8YPoP1GM8hTPPx8NdxMDYo0KdTrR3oDh9uXZ!
89P5o/kfsYX5E68E2OFW9GZS0LE+uuk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11394
rec.radio.amateur.equipment:11897

RF350 Users,

Would you like to add Computer Control to your Harris Radio? Please visit my website,
http://www.ko6no.com, for information about an RS232 Remote Adapter for your RF350.

Thank You and 73.

Ken Fowler
KO6NO

From -548310202291375059
X-Google-Thread: 108122,7162a1efa8e64a6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 24 Apr 2007 22:33:55 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: D-STAR a must have ?
Date: Tue, 24 Apr 2007 23:34:09 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <7JidnegE29--UbPbnZ2dnUVZ_uSgnZ2d@insightbb.com>
Lines: 14

NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-mXM8sEBUoyabNDTqyI0dVbrQtLf8kBVq74z0NiEHtcWyLm4NNQjfNotGOURw27f67XhPlqk2kPAK4Dk!XsVB/q/sT5PH8iqsx+RKGsWVlIufk7X8MBiqV7akkoATsD0G3n/VfiAJfnxs5YJp9xG28aTbDuFy!W2Ebu7e28hgoOmtQhg==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11898

After a 20 year hiatus from activity, I'm getting the shack going again. I dusted off the old Icom 22S and discovered no one could hear me because the rig doesn't have sub-audible tones. Even the old simplex watering holes are using tone squelch.

Is D-STAR going to be the next 'tone squelch'? Should I get a D-STAR rig to stay ahead of obsolescence, or would it be a waste of money?

--
Bob D. ND9B

From 6338289859886552150
X-Google-Thread: 108122,21befb1856d9dcf5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t38g2000prd.googlegroups.com!not-for-mail
From: gggoattt@aol.com
Newsgroups: rec.radio.amateur.equipment
Subject: How to set/hack Sony car stereos from Japanese tuning to US tuning?
Date: 24 Apr 2007 23:10:45 -0700
Organization: http://groups.google.com
Lines: 50
Message-ID: <1177481445.355315.314700@t38g2000prd.googlegroups.com>
NNTP-Posting-Host: 205.188.117.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177481452 7168 127.0.0.1 (25 Apr 2007 06:10:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Apr 2007 06:10:52 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1; .NET CLR 1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.1.1 [uScMs f p eN:t cCMp s]), HTTP/1.1 spider-dtc-te10.proxy.aol.com[CDBC7232] (Prism/1.2.0), HTTP/1.1 cache-dtc-

```
ae16.proxy.aol.com[CDBC7514] (Traffic-Server/6.1.5 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: t38g2000prd.googlegroups.com; posting-host=205.188.117.20;
   posting-account=wHFvHg0AAAAuRT602EtGewgppN1kPfg4
Xref: g2news1.google.com rec.radio.amateur.equipment:11899
```

I need to set the tuning on my Sony car stereo from Japanese to US tuning; service manual?

Hi there...

I was wondering if someone has any idea if ANY of the Sony "WX" series of double-din car stereos (japanese or usa models) can be "hacked" so that their tuners can be changed from japanese fm tuning to us/uk or world band tuning and vice-versa???

I recently purchased a Sony WX-C88REC double-din cd/md recorder from eBay. This is a japanese market deck and is factory set for japanese fm tuning. However, the design and physical layout of this deck is very similar to other US models (such as the WX-4500X and the WX-C5000, as well as the WX-C55 which looks nearly identical). I'm nearly convinced that there MUST be some way to hack the japanese models so that their tuners can be "switched" to us or world tuning. I find it difficult to believe that Sony would design two distinct different tuner hardware modules for japanese and american versions. Problem is, I have no clue HOW to "hack" this feature. I don't have a service manual for ANY "WX" series stereos, but I'm thinking that it may possibly be an option in a service manual for ANY of the "WX" decks. Again, I find it difficult to believe that this isn't "set-able" some sort of way.

Does anyone out there have an idea? Does anyone out there have ANY service manual for ANY "WX" series Sony stereo? Or, for that matter, does anyone have a service manual for ANY Sony car stereo that addresses in ANY way setting the tuner for different bands?

I realize there are adapters available to transpose the FM frequencies. I've used them before, always with poor results (stations usually overlap and are weak). I mainly record off the radio with my MDX-C800REC's in my other cars, but always thought it would be cool to be able to dub cd's quickly in-dash digitally without having to mess with a cd changer. But, radio recording is my primary concern...and the adapters don't provide the quality I want for recording.

PLEASE help ANYBODY if you can steer me in the right direction or help in ANY way. If anyone has ANY Sony service manuals for ANY stereo, please let me know...perhaps if setting the tuner IS an option, maybe it is a standard procedure to set ANY Sony stereo's tuning in a similar fashion.

Thank you VERY much!
Jeff

From -4314365869804345589
X-Google-Thread: 108122,7162a1efa8e64a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 25 Apr 2007 06:30:21 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <7JidnegE29--UbPbnZ2dnUVZ_uSgnZ2d@insightbb.com>
Subject: Re: D-STAR a must have ?
Date: Wed, 25 Apr 2007 06:30:09 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <1Z6dnRy5EdRQprLbnZ2dnUVZ_revnZ2d@comcast.com>
Lines: 31
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-mb63BIho3JBKAYmsGmlj5J0td+juJF/0sRtREPqC2V25H4JFrMPYKnP/KW2UMf1KHrqIazblG0iEGAx!Knw5lLRyyudDKfaODBOZIBsJwZEKtfGrLOHkRWW87dFkTzsjyBYqglr4C2GPgJBu6k4eV9RNhcZf!LQQudm39LDmciOxTwYznACjiBgzX
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11900

"Bob D." <bobmgtd@insightbb.com> wrote in message
news:7JidnegE29--UbPbnZ2dnUVZ_uSgnZ2d@insightbb.com...
> After a 20 year hiatus from activity, I'm getting the shack going again. I
> dusted off the old Icom 22S and discovered no one could hear me because
> the
> rig doesn't have sub-audible tones. Even the old simplex watering holes
> are using tone squelch.
>
> Is D-STAR going to be the next 'tone squelch'? Should I get a D-STAR rig
> to
> stay ahead of obsolescence, or would it be a waste of money?
>
> --
> Bob D. ND9B
>

The CTCSS encode is a VERY EASY fix - either an internal (SS-64) OR external (TE-32) encoder board.

Communication Specialists
http://www.com-spec.com/index1.htm

SS-64 CTCSS encoder (internal)
http://www.com-spec.com/ss64.htm

IC-22S install instructions for the SS-64
http://www.com-spec.com/instsht.htm

w9gb

```
From 4338942371466650730
X-Google-Thread: 108122,21befb1856d9dcf5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews3.bellsouth.net.POSTED!d50ae390!not-for-mail
Message-ID: <462F7BEE.A23120B@radiodude.com>
From: radiodude <Dude@radiodude.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How to set/hack Sony car stereos from Japanese tuning to US tuning?
References: <1177481445.355315.314700@t38g2000prd.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcbohkohkmcnhlfhjmnafibcjpknlbhfhhnblg
dbnccbkgjccgkjmiphbdgffakaeaeijbaohfbofmmmkjljhfeppfhebgljibhpjmfnnhjhhkgcnkjb
NNTP-Posting-Date: Wed, 25 Apr 2007 12:03:29 EDT
Organization: BellSouth Internet Group
Date: Wed, 25 Apr 2007 12:03:58 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:11901
```

hi,

just email sony, tell them you have your
japan car here in the usa and you would like
the info to use the radio here in the states.

radiodude

From 3067718980580301308
X-Google-Thread: fc8b1,8f8157f482ec1881
X-Google-Thread: 108122,8f8157f482ec1881
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newshub.sdsu.edu!news.astraweb.com!border2.newsrouter.astraweb.com!not-for-mail
Date: Wed, 25 Apr 2007 11:01:23 -0600
From: Hank Zoeller <bogusaddress@dontbothernotvalid.com>
User-Agent: Thunderbird 1.5.0.8 (X11/20061204)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: RS232 Remote Adapter for Harris RF350K / RT-1446
References: <XPednQuXqfUsDrPbnZ2dnUVZ_vumnZ2d@comcast.com>
In-Reply-To: <XPednQuXqfUsDrPbnZ2dnUVZ_vumnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <462f893f$0$11274$c3e8da3@news.astraweb.com>
Organization: Unlimited download news at news.astraweb.com
NNTP-Posting-Host: 43b31629.news.astraweb.com
X-Trace: DXC=PeYEGBYS@hg:LXj0CA`3KmL?0kYOcDh@jABV1GJCI32hkTk[QLHGZVb]dXBG9d0XElneJ@ER0nCHh0KP^MJd=fVc=AU8U6db\?n
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11407 rec.radio.amateur.equipment:11902

Ken Fowler wrote:
> Would you like to add Computer Control to your Harris Radio? Please visit my website,
> http://www.ko6no.com, for information about an RS232 Remote Adapter for your RF350.

Ken, this is a great idea!

From the manual on your web site, it appears that the audio channels are brought out to the DB25 connector and that the baud rate could be jumpered for 9600 thus making your board compatible with the Harris RF-352 (C-11329/URC) Remote Control Unit. (At least in RS-232 mode, obviously two/four wire or RS-422 would not be supported.)

Is that correct? Is your board compatible with the Remote Control Unit (with those restrictions) or is it intended for use strictly as part of a software solution?

Either way, this is still a great idea and it must have been a significant engineering effort. Very commendable -- thank you!
--
HZ

From 3594189413528548217

```
X-Google-Thread: 106d41,5122787e31a0c56d,start
X-Google-Thread: 110aca,5122787e31a0c56d,start
X-Google-Thread: 108122,5122787e31a0c56d,start
X-Google-Thread: fc2a5,5122787e31a0c56d,start
X-Google-Attributes: gid106d41,gid110aca,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Mike Hunt" <mh@invalid.net>
Newsgroups:
rec.radio.cb,alt.autos.nissan,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: What happened to the SkyWave?
Date: Wed, 25 Apr 2007 13:38:23 -0400
Organization: truth and reason
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 9
Message-ID: <462f9213$0$5785$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.cb:35612 alt.autos.nissan:11614
rec.radio.amateur.equipment:11903 rec.radio.amateur.homebrew:13115
```

SkyWave 2879ABTC - RF Linear Amplifier

STATUS - Discontinued April 2007

http://www.telstar-electronics.com/default_files/productsupport.htm

lol lol lol lol lol lol lol lol lol lol lol lol

```
From -1953756871955714681
X-Google-Thread: 106d41,5122787e31a0c56d
X-Google-Thread: 110aca,5122787e31a0c56d
X-Google-Thread: 108122,5122787e31a0c56d
X-Google-Thread: fc2a5,5122787e31a0c56d
X-Google-Attributes: gid106d41,gid110aca,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Mike Hunt" <mh@invalid.net>
Newsgroups:
rec.radio.cb,alt.autos.nissan,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
References: <462f9213$0$5785$4c368faf@roadrunner.com>
```

Subject: Re: What happened to the Telstar Electronics SkyWave?
Date: Wed, 25 Apr 2007 13:45:03 -0400
Organization: truth and reason
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 18
Message-ID: <462f93b3$0$8942$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.cb:35613 alt.autos.nissan:11615
rec.radio.amateur.equipment:11904 rec.radio.amateur.homebrew:13116

"Mike Hunt" <mh@invalid.net> wrote in message
news:462f9213$0$5785$4c368faf@roadrunner.com...
> SkyWave 2879ABTC - RF Linear Amplifier
>
> STATUS - Discontinued April 2007
>
> http://www.telstar-electronics.com/default_files/productsupport.htm
>
> lol lol lol lol lol lol lol lol lol lol lol lol
>
We did not find any auctions for briangriffey@sbcglobal.net

RATTED OUT!!!!!!!!!!!!!!!!!!!!!!!!!

lol lol lol lol lol lol lol lol lol lol lol lol

From -7765187896797134479
X-Google-Thread: fc8b1,13922611b76829fa,start
X-Google-Thread: 108122,13922611b76829fa,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 25 Apr 2007 16:38:29 -0500
Date: Wed, 25 Apr 2007 17:38:31 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: WTB: Dow-Key Model 60-260-442
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Message-ID: <Qaadnc-D1qjIV7LbnZ2dnUVZ_q2pnZ2d@comcast.com>
Lines: 11
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-
D1d0QGkZEx8J3AUJ5zpZT2Wk8A9MXP5UEUhgL1fRtyUJyXWMzabfqQC4tTRU7+DtmA32A5v8YZ1OLsb!
WinW1vfRsBQCrBmx9fk9n1NLQ1tG/H8Ogfk3P+SnEWBpEVr2TsQVgfUmPWBA4Aafj9iPOTW2xQLl!
t9yqJ1rK2pm8QY83aRRRQNfExrQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11410
rec.radio.amateur.equipment:11905

Coax relay, SPDT, SO-239 contacts, auxiliary contacts, 115 vac coil, in reasonable condition.

I am re-assembling a 1960s class Novice CW and early General station and need this relay in reasonably usable condition.

My schedule does not allow me the luxury of 'lurk & jump' on eBay. So, I'm making this direct request.

Direct email to above address.

From 6522585072969486254
X-Google-Thread: fc8b1,8f8157f482ec1881
X-Google-Thread: 108122,8f8157f482ec1881
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 25 Apr 2007 17:07:29 -0500
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: RS232 Remote Adapter for Harris RF350K / RT-1446
From: "Ken Fowler" <ko6no@yahoo.com>
Reply-to: ko6no@yahoo.com
References: <XPednQuXqfUsDrPbnZ2dnUVZ_vumnZ2d@comcast.com>
<462f893f$0$11274$c3e8da3@news.astraweb.com>
Organization: KO6NO
Date: Wed, 25 Apr 2007 22:07:29 GMT
X-Newsreader: News Rover 11.3.2 (http://www.NewsRover.com)
Message-ID: <ksOdnY2fy6W8TLLbnZ2dnUVZ_qupnZ2d@comcast.com>
Lines: 38
NNTP-Posting-Host: 67.180.153.122
X-Trace: sv3-hLkQBRq9ACfICwewjcWbCpPvy2AyS96vIEa+Z8/
yKJ93Ot+1VNTiuiny1Sw27VIqPAAT3fhtECYWTxz!9oMl25TIDH355kp3AU/dAN/
RZls6lVlueDoOF7TI3uUQBy3TfcLPKx4OU2yhv75wXsTUZOyZwTMb!IkIUhIkpuz8ZxEN2wsm0/

p7IRxVh3rU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11411 rec.radio.amateur.equipment:11906

On 25-Apr-2007, Hank Zoeller <bogusaddress@dontbothernotvalid.com> wrote:

> Ken Fowler wrote:
> > Would you like to add Computer Control to your Harris Radio? Please visit my website,
> > http://www.ko6no.com, for information about an RS232 Remote Adapter for your RF350.
>
> Ken, this is a great idea!
>
> From the manual on your web site, it appears that the audio channels
> are brought out to the DB25 connector and that the baud rate could be
> jumpered for 9600 thus making your board compatible with the Harris
> RF-352 (C-11329/URC) Remote Control Unit. (At least in RS-232 mode,
> obviously two/four wire or RS-422 would not be supported.)
>
> Is that correct? Is your board compatible with the Remote Control Unit
> (with those restrictions) or is it intended for use strictly as part of
> a software solution?
>
> Either way, this is still a great idea and it must have been a
> significant engineering effort. Very commendable -- thank you!
> --
> HZ

Thank You Hank.

I don't know. Maybe someone in the MARS community has a Remote Control Unit to test it. If the C-11329 can get by with RS232, it should work. It looked to me like Harris used the 300 Baud Audio Modem to connect various units like tuners and amplifiers. I used four of the RS422 pins for RS232 Handshaking and there are no provisions for the Telephone Modem. I also left out the connections for AUX TXD and AUX RXD because they don't go anywhere. We found that some of the commands did not work when the jumpers were in the non-ADAPT baud settings. The radio would return its status and would change frequency but there was no control of Mode or AGC. There are also differences in Command vs Response between the V601C and V604M EPROMs. Our intended use is as a

CAT opertion.

Thank you for your comments.

Ken Fowler

```
From 5735334064284068257
X-Google-Thread: 106d41,5122787e31a0c56d
X-Google-Thread: 110aca,5122787e31a0c56d
X-Google-Thread: 108122,5122787e31a0c56d
X-Google-Thread: fc2a5,5122787e31a0c56d
X-Google-Attributes: gid106d41,gid110aca,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Yo Mamma" <cantemailme@uranus.com>
Newsgroups: 
rec.radio.cb,alt.autos.nissan,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
References: <462f9213$0$5785$4c368faf@roadrunner.com>
In-Reply-To: <462f9213$0$5785$4c368faf@roadrunner.com>
Subject: Re: What happened to the SkyWave?
Date: Wed, 25 Apr 2007 19:42:04 -0500
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.6000.16386
X-MIMEOLE: Produced By Microsoft MimeOLE V6.0.6000.16386
Lines: 14
Message-ID: <462ff54e$0$19471$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.cb:35615 alt.autos.nissan:11619 
rec.radio.amateur.equipment:11907 rec.radio.amateur.homebrew:13117
```

"Mike Hunt" <mh@invalid.net> wrote in message
news:462f9213$0$5785$4c368faf@roadrunner.com...

> SkyWave 2879ABTC - RF Linear Amplifier
>
> STATUS - Discontinued April 2007
>
> http://www.telstar-electronics.com/default_files/productsupport.htm
>
> lol lol lol lol lol lol lol lol lol lol lol lol
>

Gee, ya think sales could be the reason? LOLOLOLOLOLOLOL!!!!

```
From -716518837372005461
```

```
X-Google-Thread: 106d41,5122787e31a0c56d
X-Google-Thread: 110aca,5122787e31a0c56d
X-Google-Thread: 108122,5122787e31a0c56d
X-Google-Thread: fc2a5,5122787e31a0c56d
X-Google-Attributes: gid106d41,gid110aca,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Apr 2007 04:34:04 -0500
Date: Thu, 26 Apr 2007 10:33:09 -0400
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Thunderbird 1.5.0.10 (X11/20070305)
MIME-Version: 1.0
Newsgroups:
rec.radio.cb,alt.autos.nissan,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: Re: What happened to the SkyWave?
References: <462f9213$0$5785$4c368faf@roadrunner.com>
<462ff54e$0$19471$4c368faf@roadrunner.com>
In-Reply-To: <462ff54e$0$19471$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <8tqdnW_Ff_OR763bRVnyvgA@pipex.net>
Lines: 23
NNTP-Posting-Host: 81.178.211.12
X-Trace: sv3-SK6K/Qcw/V4CBbqjUc3lwxGFzVwlZ0/7oy/AV+ASRRv/
FDkJQU9pmta7ivQG2EEwdcaEqulbVoSEaPZ!C13Qta27LIlrF3IITvJh3KaOf/
s1I+IqwVrPztyZMNi62wb77WlCWRt8YOlGxR4R9q+Hqifpfnt4!NLubh4EDzqk5Hg==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.cb:35617 alt.autos.nissan:11623
rec.radio.amateur.equipment:11908 rec.radio.amateur.homebrew:13118
```

```
Yo Mamma wrote:
>
> "Mike Hunt" <mh@invalid.net> wrote in message
> news:462f9213$0$5785$4c368faf@roadrunner.com...
>> SkyWave 2879ABTC - RF Linear Amplifier
>>
>> STATUS - Discontinued April 2007
>>
>> http://www.telstar-electronics.com/default_files/productsupport.htm
```

```
>>
>> lol lol lol lol lol lol lol lol lol lol lol lol
>>
>
> Gee, ya think sales could be the reason? LOLOLOLOLOLOLOL!!!!
================================
The likely reason is that the FCC considers the device a CB power
amplifier . Lately this federal agency has stepped up its combat against
  the sale of these illegal amplifiers.

Some time ago  a US road side truckers-centre selling  illegal devices
was heavily fined.

Frank     GM0CSZ / KN6WH


From -6722902955670806002
X-Google-Thread: 106d41,5122787e31a0c56d
X-Google-Thread: 110aca,5122787e31a0c56d
X-Google-Thread: 108122,5122787e31a0c56d
X-Google-Thread: fc2a5,5122787e31a0c56d
X-Google-Attributes: gid106d41,gid110aca,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: What happened to the SkyWave?
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20070426065339.443$BN@newsreader.com>
Newsgroups:
rec.radio.cb,alt.autos.nissan,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
References: <462f9213$0$5785$4c368faf@roadrunner.com>
<462ff54e$0$19471$4c368faf@roadrunner.com>
X-NRC-Trace: NewsReader.Com a0es+S=zM@,9o6dbQk=3J.B1z5fk,e=gXk_AwlWcSIOl_+
Date: 26 Apr 2007 10:53:38 GMT
Lines: 15
NNTP-Posting-Host: 159ec0be.nr2.newsreader.com
X-Trace: DXC=1bj9FUMZQn^]0?
N89@O=9^OA8_@f\K_iRaQ6g14UKj>Z=d:B<KJQIQQNd7biGRhQTWYA@MLbHKH8]aKjiDb[]nHX
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:35619 alt.autos.nissan:11624
rec.radio.amateur.equipment:11909 rec.radio.amateur.homebrew:13119

"Yo Mamma" <cantemailme@uranus.com> wrote:
> "Mike Hunt" <mh@invalid.net> wrote in message
> news:462f9213$0$5785$4c368faf@roadrunner.com...
> > SkyWave 2879ABTC - RF Linear Amplifier
> >
> > STATUS - Discontinued April 2007
> >
> > http://www.telstar-electronics.com/default_files/productsupport.htm
> >
> > lol lol lol lol lol lol lol lol lol lol lol lol
> >
>
> Gee, ya think sales could be the reason? LOLOLOLOLOLOLOL!!!!
>
Yep, apparently the same with his turn signal blinker. "LOL"


From -1753044268598259626
X-Google-Thread: 108122,cc52c0648b7527ec,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!216.77.188.37!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bigfeed!bignumber.bellsouth.net!news.bellsouth.net!
bignews8.bellsouth.net.POSTED!105ed0b9!not-for-mail
From: "Bill" <kc4pe@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Rare --Goodies
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <5v0Yh.14317$XU4.3008@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbomjeclkbmepcjocllodmalbecgoaaleinjj
lcggfdbbllgjnfkcoecllnnmnkojjdjbaohfbofmmmkjljfbhgjpddgafhcpgcmlnfmgnljhegcjdm
NNTP-Posting-Date: Thu, 26 Apr 2007 08:00:01 EDT
Organization: BellSouth Internet Group
Date: Thu, 26 Apr 2007 08:00:32 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:11910

See the complete list at ...

http://www.kc4pe.com/hamsale.htm

Take a peek ...some unique ham Gear..

-Bill





From -1530799451321047034
X-Google-Thread: 108122,9f8eb88e23dfdc7d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom 910H AllMode
Message-ID: <lub1339c1orgqle5c7r3r0rpd4udrti3e3@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Thu, 26 Apr 2007 09:57:49 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1177595871 69.125.167.162 (Thu, 26 Apr 2007 06:57:51 MST)
NNTP-Posting-Date: Thu, 26 Apr 2007 06:57:51 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:11911

FS Icom 910H AllMode
144/440 and has the optional 1.2 Ghz Module. Works and looks GREAT!
Make offer. Reply email.
ritchi50@optonline.net



From 1733596203244876984
X-Google-Thread: 106d41,5122787e31a0c56d
X-Google-Thread: 110aca,5122787e31a0c56d
X-Google-Thread: 108122,5122787e31a0c56d
X-Google-Thread: fc2a5,5122787e31a0c56d
X-Google-Attributes: gid106d41,gid110aca,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!913ebda8!not-for-mail
From: james <george@washington.edu>
Newsgroups:
rec.radio.cb,alt.autos.nissan,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: Re: What happened to the SkyWave?
Reply-To: beerkeg@budu.edu
Message-ID: <ibi13394eb29j4q18bahlh3co84pu47gd3@4ax.com>
References: <462f9213$0$5785$4c368faf@roadrunner.com>
<462ff54e$0$19471$4c368faf@roadrunner.com> <8tqdnW_Ff_OR763bRVnyvgA@pipex.net>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
Date: Thu, 26 Apr 2007 15:51:08 GMT
NNTP-Posting-Host: 72.91.132.22
```

```
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1177602668 72.91.132.22 (Thu, 26 Apr
2007 08:51:08 PDT)
NNTP-Posting-Date: Thu, 26 Apr 2007 08:51:08 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.cb:35622 alt.autos.nissan:11625
rec.radio.amateur.equipment:11912 rec.radio.amateur.homebrew:13121

On Thu, 26 Apr 2007 10:33:09 -0400, Highland Ham
<abcgm0csz.kn6whxyz@dsl.pipex.com> wrote:

>+++Yo Mamma wrote:
>+++>
>+++> "Mike Hunt" <mh@invalid.net> wrote in message
>+++> news:462f9213$0$5785$4c368faf@roadrunner.com...
>+++>> SkyWave 2879ABTC - RF Linear Amplifier
>+++>>
>+++>> STATUS - Discontinued April 2007
>+++>>
>+++>> http://www.telstar-electronics.com/default_files/productsupport.htm
>+++>>
>+++>> lol lol lol lol lol lol lol lol lol lol lol lol
>+++>>
>+++>
>+++> Gee, ya think sales could be the reason? LOLOLOLOLOLOLOL!!!!
>+++================================
>+++The likely reason is that the FCC considers the device a CB power
>+++amplifier . Lately this federal agency has stepped up its combat against
>+++  the sale of these illegal amplifiers.
>+++
>+++Some time ago  a US road side truckers-centre selling  illegal devices
>+++was heavily fined.
>+++
>+++Frank     GM0CSZ / KN6WH
**************

Considering his retail outlet, Ebay, has blocked every attempt to sell
the product, His sales has probably been rather low. Thus not
profitable. Also the fact that the amp is rather low powered for most
"competition" CBers and with the plethera of older 100+ plus ham rigs
out on the market, there is not a large market for his amp. Who needs
an five watt radio, and a 100 watt amp to drive a big competion amp
when you can get a Kenwood TS440 or similar and use it.

james


From 1955654271081284288
X-Google-Thread: fc8b1,8f8157f482ec1881
X-Google-Thread: 108122,8f8157f482ec1881
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r35g2000prh.googlegroups.com!not-for-
```

mail
From: doug.W7KF@yahoo.com
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: RS232 Remote Adapter for Harris RF350K / RT-1446
Date: 26 Apr 2007 12:55:20 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1177617320.741142.301010@r35g2000prh.googlegroups.com>
References: <XPednQuXqfUsDrPbnZ2dnUVZ_vumnZ2d@comcast.com>
   <462f893f$0$11274$c3e8da3@news.astraweb.com>
   <ksOdnY2fy6W8TLLbnZ2dnUVZ_qupnZ2d@comcast.com>
NNTP-Posting-Host: 71.32.187.88
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177617339 25673 127.0.0.1 (26 Apr 2007 19:55:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 26 Apr 2007 19:55:39 +0000 (UTC)
In-Reply-To: <ksOdnY2fy6W8TLLbnZ2dnUVZ_qupnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; SunOS i86pc; en-US; rv:1.8.1) Gecko/
20061211 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r35g2000prh.googlegroups.com; posting-host=71.32.187.88;
   posting-account=2On9Jw0AAAA6HoB8eujehcwqhk7gjyAb
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11420
rec.radio.amateur.equipment:11913

On Apr 25, 6:07 pm, "Ken Fowler" <k...@yahoo.com> wrote:
> I don't know. Maybe someone in the MARS community has a Remote Control Unit to
test it.

I have and use the RF-352 remote and will test it with this board. (I
have one board and two sets of the V604M eeproms on order.)

Assuming it can be made to work, my intention is to use an RS232 A/B
switch to switch the RF350K between computer control and the RF-352
controller.

I'll be happy to post my results..

73,
Doug, W7KF

From -7357169361632157516
X-Google-Thread: 108122,683029e321ab045a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out03b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!

newsread4.news.pas.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: WAVETEK 1080 SWEEP GENERATOR
Reply-To: w1ksz@earthlink.net
Message-ID: <l03233h9ole4jofqc0t1ba5kas23apb5td@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Thu, 26 Apr 2007 20:33:04 GMT
NNTP-Posting-Host: 24.41.20.11
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1177619584 24.41.20.11 (Thu, 26 Apr 2007 13:33:04 PDT)
NNTP-Posting-Date: Thu, 26 Apr 2007 13:33:04 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:11914

I just listed a nice, clean, working Wavetek Sweep Generator
on e-Bay. 1 - 1,000 MHz coverage.
Got an HP 8350 so this one is surplus.

Take a look:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=200104197341&ssPageName=STRK:MESE:IT&ih=010

Thanks, Dick, W1KSZ

From 6745365961652575340
X-Google-Thread: 108122,c88e2a936decd909,start
X-Google-Thread: 1109af,c88e2a936decd909,start
X-Google-Thread: 115730,c88e2a936decd909,start
X-Google-Attributes: gid108122,gid1109af,gid115730,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!out04b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe17.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap,sci.electronics.equipment
Subject: FA: Mot HT1250ls-uhf-w/charger
Lines: 30
MIME-Version: 1.0
Content-Type: multipart/alternative;
boundary="----=_NextPart_000_0008_01C78847.3BAF53B0"
X-Priority: 3

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <eJeYh.235867$JN6.63545@newsfe17.phx>
Date: Thu, 26 Apr 2007 21:09:52 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe17.phx 1177647050 68.96.97.57 (Thu, 26 Apr 2007 21:10:50 MST)
NNTP-Posting-Date: Thu, 26 Apr 2007 21:10:50 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11915 rec.radio.swap:16116
sci.electronics.equipment:8367

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C78847.3BAF53B0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250107049716&=
ssPageName=3DSTRK:MESE:IT&ih=3D015
------=_NextPart_000_0008_01C78847.3BAF53B0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250107049716&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250107049716&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></DIV></BODY></HTML>

------=_NextPart_000_0008_01C78847.3BAF53B0--
```

```
From -1012612358504283417
X-Google-Thread: 108122,17adb15de30b57ff,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
```

Newsgroups: rec.radio.amateur.equipment
Subject: FS: NORTEL NTAX96PA 902 MHz Amplifier
Reply-To: w1ksz@earthlink.net
Message-ID: <oh4433p1cjafq8gkppla1r74st4gbh4jgj@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Fri, 27 Apr 2007 15:11:56 GMT
NNTP-Posting-Host: 24.41.20.11
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1177686716 24.41.20.11 (Fri, 27 Apr 2007 08:11:56 PDT)
NNTP-Posting-Date: Fri, 27 Apr 2007 08:11:56 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:11916

Looks unused, in original box. With conversion data (simple),
will do 100 Watts out with 10 mW in at 902 MHz.
Nice amp for 902 weak signal work.

$75 plus UPS from 02421.

Thanks, Dick, W1KSZ

From 2542697423026878914
X-Google-Thread: 108122,31e584e0e125bbf1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Ten-Tec Omni accessories
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 14
Message-ID: <rHqYh.7$1H5.4@dfw-service2.ext.ray.com>
Date: Fri, 27 Apr 2007 17:48:07 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1177696087 138.126.48.166 (Fri, 27 Apr 2007 17:48:07 UTC)
NNTP-Posting-Date: Fri, 27 Apr 2007 17:48:07 UTC
Organization: Raytheon Company
Xref: g2news1.google.com rec.radio.amateur.equipment:11917

I'm looking for these Ten-Tec items for my 546 Omni-C:

#217 500 Hz CW filter
#218 1.8 KHz SSB filter
#280 power supply with DC power cable
#243 remote VFO

I also need pages 3-3 and 3-4 from the owner's manual.
Mine is missing those two pages. A good clear scan is
fine, in any "normal" IBM PC format (PDF, JPG, etc).

Thanks and 73,
Dean K5DH

```
From -2868915065661469864
X-Google-Thread: 106d41,5122787e31a0c56d
X-Google-Thread: 110aca,5122787e31a0c56d
X-Google-Thread: 108122,5122787e31a0c56d
X-Google-Thread: fc2a5,5122787e31a0c56d
X-Google-Attributes: gid106d41,gid110aca,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Mike Hunt" <mh@invalid.net>
Newsgroups:
rec.radio.cb,alt.autos.nissan,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
References: <462f9213$0$5785$4c368faf@roadrunner.com>
<462ff54e$0$19471$4c368faf@roadrunner.com>   <8tqdnW_Ff_OR763bRVnyvgA@pipex.net>
<ibi13394eb29j4q18bahlh3co84pu47gd3@4ax.com>
<1177613826.558864.90100@t38g2000prd.googlegroups.com>
Subject: Re: What happened to the SkyWave?
Date: Fri, 27 Apr 2007 15:05:28 -0400
Organization: truth and reason
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000736-2, 04/26/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 28
Message-ID: <46324981$0$9937$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.cb:35643 alt.autos.nissan:11630
rec.radio.amateur.equipment:11918 rec.radio.amateur.homebrew:13127
```

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1177613826.558864.90100@t38g2000prd.googlegroups.com...

> On Apr 26, 10:51 am, james <geo...@washington.edu> wrote:
>> Considering his retail outlet, Ebay, has blocked every attempt to sell

>> the product, His sales has probably been rather low. Thus not
>> profitable. Also the fact that the amp is rather low powered for most
>> "competition" CBers and with the plethera of older 100+ plus ham rigs
>> out on the market, there is not a large market for his amp. Who needs
>> an five watt radio, and a 100 watt amp to drive a big competion amp
>> when you can get a Kenwood TS440 or similar and use it.
>
> Always good to hear from James the student...
> He's been attending college going on 17 years now.
> Maybe some day he'll get his bachelors degree.
>
> www.telstar-electronics.com
>
Your mom should kick you out of her basement now that another of your get
rich quick scams has failed Brian.

Skywave CB amplifier released October 2006

Skywave CB amplifier discontinued April 2007

LOL LOL LOL LOL LOL LOL

From -8945570684764183433
X-Google-Thread: 108122,52cf242f288a1951,start
X-Google-Thread: 1109af,52cf242f288a1951,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out01b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Standard RP70U UHF Desktop Repeater with Internal Duplexer-Comm or
Ham Use
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000C_01C788E0.F555A0F0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <VQuYh.30370$OJ1.22945@newsfe13.phx>
Date: Fri, 27 Apr 2007 15:30:17 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1177713077 68.96.97.57 (Fri, 27 Apr 2007 15:31:17 MST)
NNTP-Posting-Date: Fri, 27 Apr 2007 15:31:17 MST
Organization: Cox

```
Xref: g2news1.google.com rec.radio.amateur.equipment:11919 rec.radio.swap:16122

This is a multi-part message in MIME format.

------=_NextPart_000_000C_01C788E0.F555A0F0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Standard RP70U UHF Desktop Repeater with Internal Duplexer-Comm or =
Ham Use

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250109427489&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000C_01C788E0.F555A0F0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Standard RP70U UHF Desktop Repeater with Internal Duplexer-Comm =
or Ham=20
Use</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250109427489&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250109427489&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000C_01C788E0.F555A0F0--




From 283403199532478474
X-Google-Thread: 108122,442416c4e5f5325d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!c35g2000hsg.googlegroups.com!not-for-
mail
From: Scott <scott93727@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Relm Radio Software, specs, links, manuals
Date: 28 Apr 2007 06:26:29 -0700
```

Organization: http://groups.google.com
Lines: 9
Message-ID: <1177766789.035803.320670@c35g2000hsg.googlegroups.com>
NNTP-Posting-Host: 75.10.116.211
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1177766789 23444 127.0.0.1 (28 Apr 2007 13:26:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Apr 2007 13:26:29 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c35g2000hsg.googlegroups.com; posting-host=75.10.116.211;
   posting-account=Mnf7iQ0AAADbq1XPayBdGfVY3w-SMeeS
Xref: g2news1.google.com rec.radio.amateur.equipment:11920

Relm Radio Software, specs, links, manuals
Programming guides, firmware, etc.
http://vehiclerepair.org/relm/relm.htm
Relm Google Group
Group name: RELM
Group home page: http://groups.google.com/group/relm?hl=en
Group email address relm@googlegroups.com
http://vehiclerepair.org/relm/relm.htm

From -6098330346878727084
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.stanford.edu!sn-xt-sjc-02!sn-xt-
sjc-08!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Roger (K8RI)" <validaddress@my.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Sat, 28 Apr 2007 16:24:21 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <q7b7339f81tmfe8eoo42r4metbp6sopcqa@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<slrnf26r5c.feh.blueboxthief@sanfermin.my.domain>
<lg8823timcv5isusuiqqpgr80bnr5i2rtq@4ax.com>
<cja823lnu8m33ijpo724eg049lvrole3qu@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 000736-2, 04/26/2007), Outbound message
X-Antivirus-Status: Clean

```
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news1.google.com rec.radio.amateur.equipment:11921

On Mon, 16 Apr 2007 19:01:59 -0700, Dick <w6ccd@k7yca.org> wrote:

>On Mon, 16 Apr 2007 18:26:45 -0700, Jack Hamilton <jfh@acm.org> wrote:
>
>>blue box thief <"blue box thief"@runningwithbulls.com> wrote:
>>
>>>On 2007-04-13, Dick <w6ccd@k7yca.org> wrote:
>>>
>>><BIG SNIP>
>>>
>>>Dick,
>>>
>>>I agree with all you have said above!
>>>
>>>>
>>>> Some day, when ALL communications are via satellite, and nothing on
>>>> the ground can be destroyed by flood, fire, earthquake, tornados,
>>>> terrorist attacks, etc., then amateur radio will lose its value to the
>>>> country for backup emergency communications.  Until then, people will
>>>> continue to depend upon amateur radio even when they don't realize it.
>>>
>>>When/If all comms is via satellite, then that will give a target/one place
>>>of insecurity in comms.
>>
>>Exactly.  Didn't China just show that it can shoot down satellites?
>>I'm sure the US and Russia can, and possibly the EU as well.
>
>Yes, but it that happens we won't have to worry about communications.
>We need to find a deep cave.

I think solar storms would prove to be a far greater danger to both
satellite invigilation and communications. Just one major X class
solar mass ejection pointed right at us and it's going to get mighty
quiet down here.  The GPS signals have been interrupted a couple of
times and we weren't even in  a direct path.




From 8338268879792454882
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!news-hog.berkeley.edu!203.109.252.33.MISMATCH!
newsfeeds.ihug.co.nz!ihug.co.nz!ken-transit.news.telstra.net!lon-
in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-
mail
From: "P.Gregory" <hoonz@bigpond.com>
Newsgroups: rec.radio.amateur.equipment
```

```
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<Pine.BSI.4.64.0704131006300.8272@malasada.lava.net>
<7uc0231f6jsuqf3f5a5lopt7croau2cu8r@4ax.com>
Subject: Re: Anyone still use packet radio?
Lines: 43
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <TQYTh.13179$M.680@news-server.bigpond.net.au>
Date: Sat, 14 Apr 2007 04:33:55 GMT
NNTP-Posting-Host: 58.169.202.220
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1176525235 58.169.202.220 (Sat, 14 Apr 2007
14:33:55 EST)
NNTP-Posting-Date: Sat, 14 Apr 2007 14:33:55 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:11822

Looks like he can no read , out here in the Boondocks your rant if that ,
looks quite factual , not being mean to you personally fella but maybe your
not "PATRIOT" enough Dick , with the utmost sarcasm too  :-) ..

"Dick" <w6ccd@k7yca.org> wrote in message
news:7uc0231f6jsuqf3f5a5lopt7croau2cu8r@4ax.com...
>I have no idea what you are referring to in my message.  Please list a
> couple of the specific points in my message, and what you disagree
> with.  Nothing I mentioned are theories, nor is it ranting.  I can't
> believe you even read my message.  It would help if you would leave at
> least part of the message you are responding to.
>
> Dick - W6CCD
>
> On Fri, 13 Apr 2007 10:12:47 -1000, Joseph Fenn <jfenn@lava.net>
> wrote:
>
>>Dick,
>>I do not follow your ranting and theorizing of Ham radio nor
>>useage of Packet, PSK, and other forms of msg handling.
>>As we all know by now, the WWW is not infalible, nor the
>>CellPhone industry nor many of your other theories.
>>After 70 years with AARS/MARS etc I for one am proud to be
>>a member of Ham radio and all its requirements.  And yes
>>Hams have access to the Space Ship as I understand it.
>>So accept my dissent to your comments!!!!!
>>                   Joe/KH6JF
>>
>>
>>***************************************************************************
```

>>* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
>>* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS *
>>***
>>
>>
>>
>
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>

From -3890255173021819975
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 14 Apr 2007 01:22:42 -0500
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
<KPKdnafobsjF3b3bnZ2dnUVZ_rCsnZ2d@adelphia.com>
Subject: Re: rectifier
Date: Fri, 13 Apr 2007 23:22:25 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <uYydnZQqDvqv7r3bnZ2dnUVZ_u-unZ2d@giganews.com>
Lines: 56
X-Trace: sv3-wizxMMHq8Mml2NrUqbdK7XE+s2baq2ot/0yGCCmBjYtROkCh8YT+OjdpK7vIv8i/Lmob5bdJONRPDTE!EtBAZdk/bF2iWT3EUyRpgxR1CatZsuvKOfVcOf25EBVQH8nooGK8rYuKJsLVFZjx/yydoU9QEUs=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11823

Paul E. Cater wrote:
> ------A total SNIP of everything and on to a better idea.-------
>
>
> Consider using avalanche rectifiers and it makes all the stuff about the
> caps and resistors a mute point. There are some good application notes
> out there on this subject and the whys and wherefores of it all.

>
> For your needs the BYM36E might be a good choice. At around 30 cents a
> piece hard to beat.
>
>
http://www.alliedelec.com/Search/SearchResults.asp?
N=0&Ntk=Primary&Ntt=bym36e&sid=461EC8009E6617F
>
> Best of luck in your project!
>
> Regards,
> Paul
>
>
> GregS wrote:
> > I am having some difficulty finding a bridge rectifier of 3 Kv and 3
amps.
> >
> > ??
> >
> > thanks
> > greg
> > N6GS

I perused the datasheets of both the BYM36E and 1N5408. Of the
specifications that could matter (that differed):

Reverse Current:
1N5408 = 5uA @ 25�C Ta, 500uA @ 100�C Ta
BYM36E = 5uA @ 25�C Tj, 100uA @ 150�C Tj

Reverse Recovery Time:
1N5408 = Not Rated
BYM36E = 150ns

Nonrepetitive Peak Forward Surge Current:
1N5408 = 200A
BYM36E = 65A

While the BYM36E shows better Reverse Current figures at elevated
temperature (and the measurement point isn't the same), I think it unlikely
that the OP is going to operate them at such temperatures. Considering the
application is 50/60Hz (Period = 20/16.6 ms), Reverse Recovery Time is not a
factor. However, when it comes to Nonrepetitive Peak Forward Surge Current,
the 1N5408 is clearly better. Allied shows 23 hits for 1N5408, the least
expensive being $0.092 each in 1-24 piece lots (stk #568-0554).

Bryan

From 4645886857981665330

X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Sat, 14 Apr 2007 06:25:28 -0700
Message-ID: <qfk123p49ad60a6jcq4srnae4aarg37p5b@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<Pine.BSI.4.64.0704131006300.8272@malasada.lava.net>
<7uc0231f6jsuqf3f5a5lopt7croau2cu8r@4ax.com> <TQYTh.13179$M.680@news-server.bigpond.net.au>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 38
NNTP-Posting-Date: 14 Apr 2007 12:32:28 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11824

OK Guys. Let me lay it out for you so it is perfectly clear.

"Blue Box Thief" said that ham radio is ending because the internet and cell phones have reduced it to an old guy's hobby, and it contributes nothing of value to the advancement of knowledge or humanity. He also said there is virtually no interest in ham radio by the current generation of kids and young adults.

I responded with the following points:

1. The internet cannot be relied upon in an emergency.

2. Cellular telephones cannot be relied upon in an emergency.

3. The telephone system itself cannot be relied upon in an emergency.

4. Packet radio is losing favor for passing messages, but WinLink 2000 is taking its place.

5. APRS is not a waste of spectrum, and is very important for use in tracking emergency vehicles.

6. Ham radio is still very important to the government as evidenced by the millions of dollars being pumped into it by Homeland Security.

7. Young people ARE getting into ham radio as evidenced by the number in our area currently testing for a license.

8. Interest in ham radio is dependent upon how much work the local hams are willing to expend on young people.

9. Ham radio will continue to be important for emergency communications until satellite communications are fully developed.

Please point out to me which of the above are theories or involve ranting.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

```
From -6059096187499060991
X-Google-Thread: 108122,ab7021de86256e80,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 14 Apr 2007 08:57:52 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need Rig Advice
Date: Sat, 14 Apr 2007 09:59:06 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <G_OdnZewRNp9QL3bnZ2dnUVZ_hKdnZ2d@insightbb.com>
Lines: 18
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-gUNdxjRAj6BJ9CHK96ec35GGr4CN6NNFE0rVWxy5Z/dJGo0Qr6lxbsIaaG/
gZjPBSpSY2sYqFCH+zH9!
Si6Yt4NGeLJO7LeznREOXslgx57efdeucxgnuYoaC0TDRWpTxuXJmwCqS3u3iwGUBRjrPumiL8qe!FOu/
Vlen0bMkzxSnYg==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11825
```

After many years of inactivity, I'm resurrecting the old ham shack but I want to keep it simple. I think one of these new fangled 100W HF, 2m, 70cm would fit the bill nicely. Here's a couple of features I'm looking for:

A real squelch KNOB for 2m & 70cm FM. (IMHO, the squelch control should not be buried in some menu!)

I'd like to set up a 2m priority channel that will interrupt any band or mode I'm in. I've seen this demonstrated on a Yaesu Ft-857D, but unfortunately this rig puts a substantial 'hole' in the audio every 5 seconds when it checks the priority channel for activity. This hole is long enough to swallow complete words and is very annoying!

AM/FM broadcast and shortwave would be nice but not necessary.

Bob D. ND9B

From -1328573526664595225
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Sat, 14 Apr 2007 09:23:05 -0500
Lines: 12
Message-ID: <58c6e7F2gfthiU1@mid.individual.net>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<Pine.BSI.4.64.0704131006300.8272@malasada.lava.net>
<7uc0231f6jsuqf3f5a5lopt7croau2cu8r@4ax.com> <TQYTh.13179$M.680@news-server.bigpond.net.au> <qfk123p49ad60a6jcq4srnae4aarg37p5b@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net 8/4qqQluHNTkuK0Y3fhZggBtX0Rc1wrKcdmRMdSeMG+B1VMffT
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <qfk123p49ad60a6jcq4srnae4aarg37p5b@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:11826

Dick wrote:

>
> Please point out to me which of the above are theories or involve
> ranting.
>
> Dick - W6CCD
>

Right on!!!

Bob N9LVU

From 5571724164723939009
X-Google-Thread: 108122,ab7021de86256e80
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Rig Advice
Date: Sat, 14 Apr 2007 09:31:31 -0500
Lines: 32
Message-ID: <58c6u2F2g71ifU1@mid.individual.net>
References: <G_OdnZewRNp9QL3bnZ2dnUVZ_hKdnZ2d@insightbb.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net W3Dq++hVmch01HEqrvVamwG83yS3gXPzISSqMC81pOGZE1UAdJ
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <G_OdnZewRNp9QL3bnZ2dnUVZ_hKdnZ2d@insightbb.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:11827

Bob D. wrote:

> After many years of inactivity, I'm resurrecting the old ham shack but I
> want to keep it simple. I think one of these new fangled 100W HF, 2m, 70cm
> would fit the bill nicely. Here's a couple of features I'm looking for:
>
> A real squelch KNOB for 2m & 70cm FM. (IMHO, the squelch control should not
> be buried in some menu!)
>
> I'd like to set up a 2m priority channel that will interrupt any band or
> mode I'm in. I've seen this demonstrated on a Yaesu Ft-857D, but
> unfortunately this rig puts a substantial 'hole' in the audio every 5
> seconds when it checks the priority channel for activity. This hole is long
> enough to swallow complete words and is very annoying!
>
> AM/FM broadcast and shortwave would be nice but not necessary.
>
> Bob D. ND9B
>
>

You know, I would use a dedicated transceiver for that.
A good used 2m rig can be had any where from $100 and up,
and it doesn't have to be a new one either..

I use a Kenwood TR-7950 for just that purpose. The audio
and selectivity is much better than on a lot of newer rigs,
and it does have a squelch knob, and an easy to read display!
It's hooked up via LMR-400 to a home made j-pole made out of 1"
thick-walled copper tubing.. This rig is also used for packet.

Bob N9LVU

From -2696103565959658809
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 14 Apr 2007 10:41:25 -0500
Date: Sat, 14 Apr 2007 11:42:02 -0400
From: "Paul E. Cater" <paulcater@roadrunner.com>
Organization: Cater Enterprise
User-Agent: Thunderbird 1.5.0.10 (Windows/20070221)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rectifier
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
<KPKdnafobsjF3b3bnZ2dnUVZ_rCsnZ2d@adelphia.com> <uYydnZQqDvqv7r3bnZ2dnUVZ_u-unZ2d@giganews.com>
In-Reply-To: <uYydnZQqDvqv7r3bnZ2dnUVZ_u-unZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Message-ID: <OcSdnRO8Za-4a73bnZ2dnUVZ_tOmnZ2d@adelphia.com>
Lines: 100
NNTP-Posting-Host: 76.181.217.122
X-Trace:
sv3-9f2hV6+iNQR9ma0NBONhTa7tBucBS11luI8YL6a1Fpe+5T8thdl07WaA5Rr9vkFx8rk4phlOJ+1BzC
3!P2TnnKpXopYdkP86XHf0vFBUUKvV1yaHp5P36rLuvzvn5lEdB4bmOzzDF0uW9XOThu4nWVybFiez!
vxCv1TUt3d3kchU+Na2DMqU=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11828

Bryan wrote:
> Paul E. Cater wrote:
>> ------A total SNIP of everything and on to a better idea.-------
>>
>>
>> Consider using avalanche rectifiers and it makes all the stuff about the
>> caps and resistors a mute point. There are some good application notes

>> out there on this subject and the whys and wherefores of it all.
>>
>> For your needs the BYM36E might be a good choice. At around 30 cents a
>> piece hard to beat.
>>
>>
> http://www.alliedelec.com/Search/SearchResults.asp?
N=0&Ntk=Primary&Ntt=bym36e&sid=461EC8009E6617F
>> Best of luck in your project!
>>
>> Regards,
>> Paul
>>
>>
>> GregS wrote:
>>> I am having some difficulty finding a bridge rectifier of 3 Kv and 3
> amps.
>>> ??
>>>
>>> thanks
>>> greg
>>> N6GS
>
> I perused the datasheets of both the BYM36E and 1N5408. Of the
> specifications that could matter (that differed):
>
> Reverse Current:
> 1N5408 = 5uA @ 25�C Ta, 500uA @ 100�C Ta
> BYM36E = 5uA @ 25�C Tj, 100uA @ 150�C Tj
>
> Reverse Recovery Time:
> 1N5408 = Not Rated
> BYM36E = 150ns
>
> Nonrepetitive Peak Forward Surge Current:
> 1N5408 = 200A
> BYM36E = 65A
>
> While the BYM36E shows better Reverse Current figures at elevated
> temperature (and the measurement point isn't the same), I think it unlikely
> that the OP is going to operate them at such temperatures. Considering the
> application is 50/60Hz (Period = 20/16.6 ms), Reverse Recovery Time is not a
> factor. However, when it comes to Nonrepetitive Peak Forward Surge Current,
> the 1N5408 is clearly better. Allied shows 23 hits for 1N5408, the least
> expensive being $0.092 each in 1-24 piece lots (stk #568-0554).
>
> Bryan
>
>

Good day all,

There are other factors that make avalanche rectifiers a good choice over standard types. Of course he should not exceed the specifications on the data sheets for either. Comparing apples to oranges here and overlooking the advantages of the basic behaviors of an avalanche device in an application that can be plagued with spikes.

Here is a couple references on the subject. There are many more out and about.

http://www.dynexsemi.com/assets/DNX_AN5370_Jul02.pdf

http://www.highvoltageconnection.com/articles/avalanche-diodes.htm

The "non-snappy" behavior, minimizes circuit ringing and can reduce RFI too! They are rugged and able to withstand reverse energy much better than conventional diodes.

If the OP was actually thinking of using resistors and caps as has been batted around relentlessly in this group and others, and when compared to other avalanche class devices, the .30 cents is a good price.

I have no doubt that if he decides to slap in 5408's with or without all the extra stuff, it will give him years of service taking for granted he has the PIV and "I" requirements properly. I simply wanted to offer him an alternative that eliminates the compensation network argument and adds another layer of protection.

Best regards to all,
Paul
WD8OSU

It is up to him as to how he wants to approach and remedy his situation.
  He is the engineer on the project.

From 2794184316192712460
X-Google-Thread: 108122,5a4ef37493d69ed1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 14 Apr 2007 11:39:25 -0500
From: me@me.com
Newsgroups: rec.radio.amateur.equipment

```
Subject: Check this out, please.
Date: Sat, 14 Apr 2007 12:39:16 -0400
Message-ID: <0t02235l7i0tlvhdq9e947nrsopp74ikce@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118 trialware
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 000733-1, 04/13/2007), Outbound message
X-Antivirus-Status: Clean
Lines: 3
NNTP-Posting-Host: 68.40.45.171
X-Trace: sv3-7cWTTsbPIzraU3ywJN3zpGT+1q27S7m/
bpsgPIPDZ1rl1mVtQ0LZCeyj0j7yKJeXo7on7ESz95PHVOL!
Z1oZFHGspgjv6dUF0jkY+OJlgixS0XqhFsvVaUxEQuQU6kD0SgMCqkQokgruU5m6jtmuRag1XCLm!
SqJrnpdyinA0d9P+EylNiiwDcA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11829

http://thepopulistblog.com/2007/04/ham-radio-humor.html

Thanks.


From 4889170754484927645
X-Google-Thread: 108122,cfa54c1cbb1ecb2b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w1g2000hsg.googlegroups.com!not-for-
mail
From: "Gus" <gusrego@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Problem with Kenwood TS-570 Low Power on CW.
Date: 14 Apr 2007 17:58:07 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1176598687.860505.145440@w1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 68.59.71.32
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176598688 20674 127.0.0.1 (15 Apr 2007 00:58:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 15 Apr 2007 00:58:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en) AppleWebKit/419
(KHTML, like Gecko) Safari/419.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w1g2000hsg.googlegroups.com; posting-host=68.59.71.32;
   posting-account=Rfzs6Q0AAADUM5eKmRd9hGrPqxKx2uND
```

Xref: g2news1.google.com rec.radio.amateur.equipment:11830

I am having a perculure problem with the 570, when i tune up on all bands i get full power out put on all modes except for CW. When i switch to CW i can only get (typically 10 watts) out I can get 20 watts out on the higher frequences. I am wondering if this is an operator problem. I have done the full reset (a=b while power on) and the rig reset okay... but the low power on CW mode remains.

ANY HELP WOULD BE APPRECIATED... thank so much in advance.

Gus

From 2678631611162805157
X-Google-Thread: 108122,65986843951e5c21,start
X-Google-Thread: fc8b1,65986843951e5c21,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y5g2000hsa.googlegroups.com!not-for-mail
From: "billcalley" <billcalley@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: A question on tube rigs in general, Kenwood in particular
Date: 14 Apr 2007 20:49:07 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>
NNTP-Posting-Host: 67.127.191.93
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176608947 5885 127.0.0.1 (15 Apr 2007 03:49:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 15 Apr 2007 03:49:07 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; sbcydsl 3.12; YComp 5.0.0.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y5g2000hsa.googlegroups.com; posting-host=67.127.191.93;
   posting-account=ooWgvQ0AAAB88tFpeZA_srbMf4dw8ll1
Xref: g2news1.google.com rec.radio.amateur.equipment:11831 rec.radio.amateur.boatanchors:11287

Hi All,

I have a Kenwood TS-530S, but I'm sure this question applies to most other tube rigs: Why is there even a TUNE setting on the MODE switch? I know that with this switch engaged the "input power to the final section is reduced to prevent tube damage during tune-up", but why not just adjust CAR (CAR LEVEL CONTROL) downward for this step, since CAR also controls "carrier level during CW operation". Is it simply a matter of convenience, or do these controls actually do somewhat different things?

And while I'm on that subject of carrier level, I need to lower my 100 watts to about 10 watts. Is the best way to do this by simply lowering the CAR control? Does this technique give all the advantages, such as more protection to the finals (with a high VSWR) and generally longer tube life?

Another quick question for anyone who is familiar with the Kenwood TS-530S with the 500Hz CW filter installed, but I noticed that unless I move IF-SHIFT counter-clockwise, the audio output is not centered on 800 Hz, but more like 1200 Hz or so. Is this normal for Kenwoods?

Thanks for any help!

-Bill

From -3483333356155327895
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 15 Apr 2007 09:47:58 -0500
From: "Edward Feustel" <efeustel@hughes.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>
Subject: Re: A question on tube rigs in general, Kenwood in particular
Date: Sun, 15 Apr 2007 10:47:37 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <1t-dnZAws9yCpr_bnZ2dnUVZ_qarnZ2d@giganews.com>
Lines: 40
X-Trace: sv3-NnJIdDZ+8lpagC/XhT3nzcrZGtj7R68cr2JDaeWp/0TrNtWPOwr2Fe/Gx9Yr2a2o3S0YbYLY9qzOU8G!zstYFVmUcHLA/em4aOdosCiFFHY9/QAg91xDiMCNDuaNmkcowoaAfJJSLppe4bPigZlfX7XclQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11832 rec.radio.amateur.boatanchors:11291

```
"billcalley" <billcalley@yahoo.com> wrote in message
news:1176608947.203813.293270@y5g2000hsa.googlegroups.com...
> Hi All,
>
>    I have a Kenwood TS-530S, but I'm sure this question applies to
> most other tube rigs:  Why is there even a TUNE setting on the MODE
> switch?  I know that with this switch engaged the "input power to the
> final section is reduced to prevent tube damage during tune-up", but
> why not just adjust CAR (CAR LEVEL CONTROL) downward for this step,
> since CAR also controls "carrier level during CW operation".  Is it
> simply a matter of convenience, or do these controls actually do
> somewhat different things?
>
>    And while I'm on that subject of carrier level, I need to lower my
> 100 watts to about 10 watts.  Is the best way to do this by simply
> lowering the CAR control?  Does this technique give all the
> advantages, such as more protection to the finals (with a high VSWR)
> and generally longer tube life?
>
>    Another quick question for anyone who is familiar with the Kenwood
> TS-530S with the 500Hz CW filter installed, but I noticed that unless
> I move IF-SHIFT counter-clockwise, the audio output is not centered on
> 800 Hz, but more like 1200 Hz or so.  Is this normal for Kenwoods?
>
> Thanks for any help!
>
> -Bill
>
Bill,
Do you have the correct CW filter installed?
Kenwood offered the C filter and the C-1 filter.
The difference is the center frequency.

I remember on my 930, there was a pitch control.
Do you have one? If so, how is it set?
73,
Ed, N5EI




From -4648937903859839864
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p77g2000hsh.googlegroups.com!not-for-
mail
From: "billcalley" <billcalley@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: A question on tube rigs in general, Kenwood in particular
Date: 15 Apr 2007 12:16:08 -0700
Organization: http://groups.google.com
```

```
Lines: 62
Message-ID: <1176664568.065128.88080@p77g2000hsh.googlegroups.com>
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>
   <1t-dnZAws9yCpr_bnZ2dnUVZ_qarnZ2d@giganews.com>
NNTP-Posting-Host: 67.127.54.109
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176664568 16589 127.0.0.1 (15 Apr 2007 19:16:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 15 Apr 2007 19:16:08 +0000 (UTC)
In-Reply-To: <1t-dnZAws9yCpr_bnZ2dnUVZ_qarnZ2d@giganews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; sbcydsl 3.12;
YComp 5.0.0.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p77g2000hsh.googlegroups.com; posting-host=67.127.54.109;
   posting-account=ooWgvQ0AAAB88tFpeZA_srbMf4dw8ll1
Xref: g2news1.google.com rec.radio.amateur.equipment:11833
rec.radio.amateur.boatanchors:11293

On Apr 15, 7:47 am, "Edward Feustel" <efeus...@hughes.net> wrote:
> "billcalley" <billcal...@yahoo.com> wrote in message
>
> news:1176608947.203813.293270@y5g2000hsa.googlegroups.com...
>
>
>
> > Hi All,
>
> >    I have a Kenwood TS-530S, but I'm sure this question applies to
> > most other tube rigs:  Why is there even a TUNE setting on the MODE
> > switch?  I know that with this switch engaged the "input power to the
> > final section is reduced to prevent tube damage during tune-up", but
> > why not just adjust CAR (CAR LEVEL CONTROL) downward for this step,
> > since CAR also controls "carrier level during CW operation".  Is it
> > simply a matter of convenience, or do these controls actually do
> > somewhat different things?
>
> >    And while I'm on that subject of carrier level, I need to lower my
> > 100 watts to about 10 watts.  Is the best way to do this by simply
> > lowering the CAR control?  Does this technique give all the
> > advantages, such as more protection to the finals (with a high VSWR)
> > and generally longer tube life?
>
> >    Another quick question for anyone who is familiar with the Kenwood
> > TS-530S with the 500Hz CW filter installed, but I noticed that unless
> > I move IF-SHIFT counter-clockwise, the audio output is not centered on
> > 800 Hz, but more like 1200 Hz or so.  Is this normal for Kenwoods?
>
> > Thanks for any help!
>
> > -Bill
>
```

> Bill,
> Do you have the correct CW filter installed?
> Kenwood offered the C filter and the C-1 filter.
> The difference is the center frequency.
>
> I remember on my 930, there was a pitch control.
> Do you have one? If so, how is it set?
> 73,
> Ed, N5EI- Hide quoted text -
>
> - Show quoted text -

Hi Ed,

Thanks for the response! Yes, I have the proper YK-88C filter installed. And it is not the actual CW pitch/tone that's off, but the filtered passband output into the rig's speakers. The audio output, unless the IF-SHIFT control is moved counter-clockwise to center it, has the CW signal at 800Hz, as it should be, but the 500Hz passband itself is not centered on it and extends too high from about 800 Hz to 1300 Hz...

Best Regards,

-Bill

From 1465910265258122886
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!feeder3.cambrium.nl!feed.tweaknews.nl!newsfeed.kamp.net!newsfeed.kamp.net!news.germany.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: A question on tube rigs in general, Kenwood in particular
Date: Sun, 15 Apr 2007 15:18:46 -0400
Organization: Aioe.org NNTP Server
Lines: 34
Message-ID: <fmmck-F63B77.15184615042007@nntp.aioe.org>
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>
NNTP-Posting-Host: ng6jBCVbvk8b1Wrd5hU1AQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:11834 rec.radio.amateur.boatanchors:11294

In article <1176608947.203813.293270@y5g2000hsa.googlegroups.com>, "billcalley" <billcalley@yahoo.com> wrote:

> Another quick question for anyone who is familiar with the Kenwood
> TS-530S with the 500Hz CW filter installed, but I noticed that unless
> I move IF-SHIFT counter-clockwise, the audio output is not centered on
> 800 Hz, but more like 1200 Hz or so. Is this normal for Kenwoods?

Bill-

I haven't worked on the TS-530. In other similar models there are typically three crystals associated with the product detector, one for CW, one for USB and one for LSB. If the crystal is off frequency, it will cause a signal to be offset from its correct place in the IF filter passband.

For the TS-520, these crystals appear to be on the carrier unit along the left side of the radio on the bottom. Each crystal has a parallel trimmer capacitor. As you adjust the frequency of the detector's CW crystal, the background noise will sound different as you tune across the filter's passband.

You need a counter and a diagram to set the crystal frequencies correctly. The TS-520 service manual I downloaded does not seem to have directions to do it. I would connect the counter to the output of the carrier unit, and adjust each crystal to its correct frequency, selected with the front panel CW/USB/LSB switch. The IF-Shift control should be centered when making these adjustments.

If you can't read the frequency marked on the crystal, it should appear in the parts list.

Fred
K4DII

From -5166708094707116796
X-Google-Thread: 108122,cfa54c1cbb1ecb2b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews4.bellsouth.net.POSTED!d50ae390!not-for-mail
Message-ID: <46228229.F2228A1E@james11230.net>
From: jim <james@james11230.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problem with Kenwood TS-570 Low Power on CW.
References: <1176598687.860505.145440@w1g2000hsg.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26

X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbopacaghfeppkhgmhaeppgnjbkjjdpjlohif
iimnpmapkafnjhheppanpfbnfdccmcjbaohfbofmmmkjljjjdaebhkkmanfkagbhgdmdccghmgndod
NNTP-Posting-Date: Sun, 15 Apr 2007 15:45:37 EDT
Organization: BellSouth Internet Service
Date: Sun, 15 Apr 2007 15:51:05 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:11835

hello gus,

are you using a dummy load for the test in cw ?

come join other ts-570 fans here,

http://groups.yahoo.com/group/TS-570/

you may want to post the question there also.

good luck with the radio.

73 jim

Gus wrote:
>
> I am having a perculure problem with the 570, when i tune up on all
> bands i get full power out put on all modes except for CW. When i
> switch to CW i can only get (typically 10 watts) out I can get 20
> watts out on the higher frequences. I am wondering if this is an
> operator problem. I have done the full reset (a=b while power on) and
> the rig reset okay... but the low power on CW mode remains.
>
> ANY HELP WOULD BE APPRECIATED... thank so much in advance.
>
> Gus

From -6653041474364961754
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews4.bellsouth.net.POSTED!d50ae390!not-for-mail
Message-ID: <4622836B.7A68FC3C@james11230.net>
From: jim <james@james11230.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: A question on tube rigs in general, Kenwood in particular

References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 42
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcboahkknpggfichabpcfibcjpknlbhfhhnbif
iimnpmapkafnjhheppanpfbnfdccmcjbaohfbofmmmkjljompghdpaofcjmfkjpgbajgjihhmdhmpk
NNTP-Posting-Date: Sun, 15 Apr 2007 15:50:59 EDT
Organization: BellSouth Internet Service
Date: Sun, 15 Apr 2007 15:56:27 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:11836
rec.radio.amateur.boatanchors:11295

hi bill,

join other ts-5xx/8xx hybrid fans here

http://groups.yahoo.com/group/TS-520_820_530_830/

When in tune the power level is reduced to under 2 watts.

if you want to lower your power out the car control will do
this only for CW mode. If you want to use reduced power for SSB,
in the files section in the above yahoo group there is a small
external circuit that will use ALC to lower the power out.

73 jim

billcalley wrote:
>
> Hi All,
>
> I have a Kenwood TS-530S, but I'm sure this question applies to
> most other tube rigs: Why is there even a TUNE setting on the MODE
> switch? I know that with this switch engaged the "input power to the
> final section is reduced to prevent tube damage during tune-up", but
> why not just adjust CAR (CAR LEVEL CONTROL) downward for this step,
> since CAR also controls "carrier level during CW operation". Is it
> simply a matter of convenience, or do these controls actually do
> somewhat different things?
>
> And while I'm on that subject of carrier level, I need to lower my
> 100 watts to about 10 watts. Is the best way to do this by simply
> lowering the CAR control? Does this technique give all the
> advantages, such as more protection to the finals (with a high VSWR)
> and generally longer tube life?
>
> Another quick question for anyone who is familiar with the Kenwood
> TS-530S with the 500Hz CW filter installed, but I noticed that unless
> I move IF-SHIFT counter-clockwise, the audio output is not centered on
> 800 Hz, but more like 1200 Hz or so. Is this normal for Kenwoods?

```
>
> Thanks for any help!
>
> -Bill


From 5065775956587152708
X-Google-Thread: 108122,12475377f03c90f6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc01.POSTED!1e49b9c4!not-for-mail
From: mike <spamme9@gmail.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Icom 0.1-1300MHz computer controlled receiver FS
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <PqwUh.649$0S1.190@trnddc01>
Date: Sun, 15 Apr 2007 21:03:43 GMT
NNTP-Posting-Host: 71.117.163.162
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1176671023 71.117.163.162 (Sun, 15 Apr 2007 17:03:43 EDT)
NNTP-Posting-Date: Sun, 15 Apr 2007 17:03:43 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:11837

For Sale
Icom PCR-1000 Computer Controlled Reciever.
Palm III to run it.
Details/pix here:
http://nm7u.tripod.com/homepage/sale.html
Thanks,mike
--
Return address is VALID!
Bunch-O-Stuff Forsale Here:
http://nm7u.tripod.com/homepage/sale.html


From -7384893833218398605
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o5g2000hsb.googlegroups.com!not-for-
mail
From: "billcalley" <billcalley@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: A question on tube rigs in general, Kenwood in particular
Date: 15 Apr 2007 15:10:58 -0700
```

Organization: http://groups.google.com
Lines: 59
Message-ID: <1176675057.979033.69230@o5g2000hsb.googlegroups.com>
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>
   <fmmck-F63B77.15184615042007@nntp.aioe.org>
NNTP-Posting-Host: 67.127.54.238
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176675058 18664 127.0.0.1 (15 Apr 2007 22:10:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 15 Apr 2007 22:10:58 +0000 (UTC)
In-Reply-To: <fmmck-F63B77.15184615042007@nntp.aioe.org>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; sbcydsl 3.12;
YComp 5.0.0.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o5g2000hsb.googlegroups.com; posting-host=67.127.54.238;
   posting-account=ooWgvQ0AAAB88tFpeZA_srbMf4dw8ll1
Xref: g2news1.google.com rec.radio.amateur.equipment:11838
rec.radio.amateur.boatanchors:11296

On Apr 15, 12:18 pm, Fred McKenzie <f...@aol.com> wrote:
> In article <1176608947.203813.293...@y5g2000hsa.googlegroups.com>,
>
> "billcalley" <billcal...@yahoo.com> wrote:
> > Another quick question for anyone who is familiar with the Kenwood
> > TS-530S with the 500Hz CW filter installed, but I noticed that unless
> > I move IF-SHIFT counter-clockwise, the audio output is not centered on
> > 800 Hz, but more like 1200 Hz or so. Is this normal for Kenwoods?
>
> Bill-
>
> I haven't worked on the TS-530. In other similar models there are
> typically three crystals associated with the product detector, one for
> CW, one for USB and one for LSB. If the crystal is off frequency, it
> will cause a signal to be offset from its correct place in the IF filter
> passband.
>
> For the TS-520, these crystals appear to be on the carrier unit along
> the left side of the radio on the bottom. Each crystal has a parallel
> trimmer capacitor. As you adjust the frequency of the detector's CW
> crystal, the background noise will sound different as you tune across
> the filter's passband.
>
> You need a counter and a diagram to set the crystal frequencies
> correctly. The TS-520 service manual I downloaded does not seem to have
> directions to do it. I would connect the counter to the output of the
> carrier unit, and adjust each crystal to its correct frequency, selected
> with the front panel CW/USB/LSB switch. The IF-Shift control should be
> centered when making these adjustments.
>
> If you can't read the frequency marked on the crystal, it should appear
> in the parts list.

>
> Fred
> K4DII

Hi Fred,

Thanks for the tip! So that I don't FUBAR this up, please tell me if I have this right (changed from your original description to take advantage of my very limited equipment):

1. Set the MODE to CW and the IF-SHIFT to center detent position of the TS-530S.
2. Find the single trimmer capacitor located near the 500Hz CW filter (the trimmer capacitor will be able to shift the 500Hz CW filter center frequency by some small amount).
3. View the TS-530S's audio speaker output noise on my audio spectrum analyzer.
4. Adjust the TS-530S's trimmer capacitor until the audio (mainly noise) output is -centered- on 800 Hz, according to the audio spectrum analyzer's screen.

Would the above technique work?

Thanks!

-Bill

From 7937723339356543293
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y5g2000hsa.googlegroups.com!not-for-mail
From: "billcalley" <billcalley@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: A question on tube rigs in general, Kenwood in particular
Date: 15 Apr 2007 15:12:19 -0700
Organization: http://groups.google.com
Lines: 55
Message-ID: <1176675139.923100.151820@y5g2000hsa.googlegroups.com>
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>
   <4622836B.7A68FC3C@james11230.net>
NNTP-Posting-Host: 67.127.54.238
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176675140 11382 127.0.0.1 (15 Apr 2007 22:12:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 15 Apr 2007 22:12:20 +0000 (UTC)
In-Reply-To: <4622836B.7A68FC3C@james11230.net>
User-Agent: G2/1.0

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; sbcydsl 3.12;
YComp 5.0.0.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y5g2000hsa.googlegroups.com; posting-host=67.127.54.238;
   posting-account=ooWgvQ0AAAB88tFpeZA_srbMf4dw8ll1
Xref: g2news1.google.com rec.radio.amateur.equipment:11839
rec.radio.amateur.boatanchors:11297

On Apr 15, 12:56 pm, jim <j...@james11230.net> wrote:
> hi bill,
>
> join other ts-5xx/8xx hybrid fans here
>
> http://groups.yahoo.com/group/TS-520_820_530_830/
>
> When in tune the power level is reduced to under 2 watts.
>
> if you want to lower your power out the car control will do
> this only for CW mode.  If you want to use reduced power for SSB,
> in the files section in the above yahoo group there is a small
> external circuit that will use ALC to lower the power out.
>
> 73 jim
>
>
>
> billcalley wrote:
>
> > Hi All,
>
> >     I have a Kenwood TS-530S, but I'm sure this question applies to
> > most other tube rigs:  Why is there even a TUNE setting on the MODE
> > switch?  I know that with this switch engaged the "input power to the
> > final section is reduced to prevent tube damage during tune-up", but
> > why not just adjust CAR (CAR LEVEL CONTROL) downward for this step,
> > since CAR also controls "carrier level during CW operation".  Is it
> > simply a matter of convenience, or do these controls actually do
> > somewhat different things?
>
> >     And while I'm on that subject of carrier level, I need to lower my
> > 100 watts to about 10 watts.  Is the best way to do this by simply
> > lowering the CAR control?  Does this technique give all the
> > advantages, such as more protection to the finals (with a high VSWR)
> > and generally longer tube life?
>
> >     Another quick question for anyone who is familiar with the Kenwood
> > TS-530S with the 500Hz CW filter installed, but I noticed that unless
> > I move IF-SHIFT counter-clockwise, the audio output is not centered on
> > 800 Hz, but more like 1200 Hz or so.  Is this normal for Kenwoods?
>
> > Thanks for any help!
>
> > -Bill- Hide quoted text -
```

>
> - Show quoted text -

Thanks Jim -- sounds like a great site. I'll take a look!

Best Regards,

-Bill

```
From -4290052781293212672
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 15 Apr 2007 17:44:49 -0500
Date: Sun, 15 Apr 2007 18:44:16 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.2) Gecko/20070221
SeaMonkey/1.1.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: A question on tube rigs in general, Kenwood in particular
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>   <fmmck-
F63B77.15184615042007@nntp.aioe.org>
<1176675057.979033.69230@o5g2000hsb.googlegroups.com>
In-Reply-To: <1176675057.979033.69230@o5g2000hsb.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <dtudnafYO-t_N7_bnZ2dnUVZ_jWdnZ2d@rcn.net>
Lines: 25
NNTP-Posting-Host: 71.163.143.206
X-Trace: sv3-
r1eT5jyn+mH81UKj9mnv7sprRtfkRvV91amkJApqT93QyyyT8YC3+gJkRWAHaON9he8YI9G3CkWn8tq!
FrHSYqAhvVwlbGqDa3fvEAn9VtdF5zoBjOdW9G24qi3dryW5p8SnGvZYc0iwJctT8m0/tbT70D3y!
qK0wVfZjAiF70w==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11840
rec.radio.amateur.boatanchors:11299
```

billcalley wrote:

> Thanks for the tip! So that I don't FUBAR this up, please tell me if

> I have this right (changed from your original description to take
> advantage of my very limited equipment):
>
> 1. Set the MODE to CW and the IF-SHIFT to center detent position of
> the TS-530S.
> 2. Find the single trimmer capacitor located near the 500Hz CW filter
> (the trimmer capacitor will be able to shift the 500Hz CW filter
> center frequency by some small amount).

You can't shift the CW filter, so you must shift the xtal oscillator
that provides the BFO injection signal for the CW mode.

> 3. View the TS-530S's audio speaker output noise on my audio spectrum
> analyzer.
> 4. Adjust the TS-530S's trimmer capacitor until the audio (mainly
> noise) output is -centered- on 800 Hz, according to the audio spectrum
> analyzer's screen.

That is correct, you must adjust the xtal BFO trimmer so that the IF noise
shows up centered on the desired CW note frequency.

-Chuck

From -7156697320029564287
X-Google-Thread: 108122,65986843951e5c21
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 15 Apr 2007 18:05:46 -0500
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>
<4622836B.7A68FC3C@james11230.net>
<1176675139.923100.151820@y5g2000hsa.googlegroups.com>
Subject: Re: A question on tube rigs in general, Kenwood in particular
Date: Sun, 15 Apr 2007 15:59:29 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <bpOdnRKCFdtXMr_bnZ2dnUVZ_rylnZ2d@giganews.com>
Lines: 70
X-Trace: sv3-h2WOG3YhMIbem+YnqIEUVo/S2ZgNGn4CrMRJ9t4LqtdkVJ1wzRn51qyhEANA08JYekgGl0r0aDsmoT0!ffMVTfenrICb/NMLDtPrKO7Nn56f2fFt82Pj/PunXNYSQoHzyARurJgbcO9xBa6/CHdM9S7HkhA=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly

```
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11841


billcalley  wrote:
> jim wrote:
> > hi bill,
> >
> > join other ts-5xx/8xx hybrid fans here
> >
> > http://groups.yahoo.com/group/TS-520_820_530_830/
> >
> > When in tune the power level is reduced to under 2 watts.
> >
> > if you want to lower your power out the car control will do
> > this only for CW mode.  If you want to use reduced power for SSB,
> > in the files section in the above yahoo group there is a small
> > external circuit that will use ALC to lower the power out.
> >
> > 73 jim
> >
> > billcalley wrote:
> >
> > > Hi All,
> >
> > >     I have a Kenwood TS-530S, but I'm sure this question applies to
> > > most other tube rigs:  Why is there even a TUNE setting on the MODE
> > > switch?  I know that with this switch engaged the "input power to the
> > > final section is reduced to prevent tube damage during tune-up", but
> > > why not just adjust CAR (CAR LEVEL CONTROL) downward for this step,
> > > since CAR also controls "carrier level during CW operation".  Is it
> > > simply a matter of convenience, or do these controls actually do
> > > somewhat different things?
> >
> > >     And while I'm on that subject of carrier level, I need to lower my
> > > 100 watts to about 10 watts.  Is the best way to do this by simply
> > > lowering the CAR control?  Does this technique give all the
> > > advantages, such as more protection to the finals (with a high VSWR)
> > > and generally longer tube life?
> >
> > >     Another quick question for anyone who is familiar with the Kenwood
> > > TS-530S with the 500Hz CW filter installed, but I noticed that unless
> > > I move IF-SHIFT counter-clockwise, the audio output is not centered on
> > > 800 Hz, but more like 1200 Hz or so.  Is this normal for Kenwoods?
> >
> > > Thanks for any help!
> >
> > > -Bill-
>
> Thanks Jim -- sounds like a great site.  I'll take a look!
>
> Best Regards,
>
```

> -Bill

Hi Bill,
The carrier oscillator frequency used for CW(Rx) is the same as for USB. Because you want to have 800Hz difference between RX & TX, it would be best to just ensure the carrier oscillator frequencies are correct (and adjust as necessary). My TS120 & TS130 (same IF & filters) use:

USB = 8.8315 MHz
LSB = 8.8285 MHz
CW (Rx) = 8.8315 MHz
CW (Tx) = 8.8307 MHz

By the way, I have the narrow (270Hz) CW filters in my rigs. They're VERY sharp!

Vy 73,
Bryan WA7PRC

```
From 8145344188575150654
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e65g2000hsc.googlegroups.com!not-for-
mail
From: "billcalley" <billcalley@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: A question on tube rigs in general, Kenwood in particular
Date: 15 Apr 2007 16:31:54 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1176679914.413095.178100@e65g2000hsc.googlegroups.com>
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>
   <fmmck-F63B77.15184615042007@nntp.aioe.org>
   <1176675057.979033.69230@o5g2000hsb.googlegroups.com>
   <dtudnafYO-t_N7_bnZ2dnUVZ_jWdnZ2d@rcn.net>
NNTP-Posting-Host: 67.127.54.238
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176679914 31170 127.0.0.1 (15 Apr 2007 23:31:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 15 Apr 2007 23:31:54 +0000 (UTC)
In-Reply-To: <dtudnafYO-t_N7_bnZ2dnUVZ_jWdnZ2d@rcn.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; sbcydsl 3.12;
YComp 5.0.0.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e65g2000hsc.googlegroups.com; posting-host=67.127.54.238;
   posting-account=ooWgvQ0AAAB88tFpeZA_srbMf4dw8ll1
```

Xref: g2news1.google.com rec.radio.amateur.equipment:11842
rec.radio.amateur.boatanchors:11300

On Apr 15, 3:44 pm, Chuck Harris <cf-NO-SPAM-har...@erols.com> wrote:
> billcalley wrote:
> > Thanks for the tip! So that I don't FUBAR this up, please tell me if
> > I have this right (changed from your original description to take
> > advantage of my very limited equipment):
>
> > 1. Set the MODE to CW and the IF-SHIFT to center detent position of
> > the TS-530S.
> > 2. Find the single trimmer capacitor located near the 500Hz CW filter
> > (the trimmer capacitor will be able to shift the 500Hz CW filter
> > center frequency by some small amount).
>
> You can't shift the CW filter, so you must shift the xtal oscillator
> that provides the BFO injection signal for the CW mode.
>
> > 3. View the TS-530S's audio speaker output noise on my audio spectrum
> > analyzer.
> > 4. Adjust the TS-530S's trimmer capacitor until the audio (mainly
> > noise) output is -centered- on 800 Hz, according to the audio spectrum
> > analyzer's screen.
>
> That is correct, you must adjust the xtal BFO trimmer so that the IF noise
> shows up centered on the desired CW note frequency.
>
> -Chuck

Cool -- thanks Chuck!

73,

-Bill

From 3000726264613392823
X-Google-Thread: 108122,322a4b6bcc24f667,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.metrocastcablevision.com!
news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 15 Apr 2007 19:05:44 -0500
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: MILITARY AUDIO CABLE ASSEMBLY
Date: Sun, 15 Apr 2007 20:05:57 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028

X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <57SdncIGs8tFIL_bnZ2dnUVZ_ternZ2d@metrocastcablevision.com>
Lines: 26
NNTP-Posting-Host: 72.9.25.19
X-Trace: sv3-rEktNOsu4mVNeqpsFh8KbDIGThErsL3qYLMYe03bUNnK6oRx8u/
CkotzEVN7gpzY+Ewqk9ApuT8QqmW!
SxB38w+zU7ww1vKFKnILdoP0mNUVBHes6ECQ86fYNxk7B4BO9FbbYZFxllzvwdT1vSP4dyCc4xe1!
QpIdpHtH4pVQFkAA3rBXOt7/eAehQqSh58BIVN5AmFs=
X-Complaints-To: abuse@metrocastcablevision.com
X-DMCA-Complaints-To: abuse@metrocastcablevision.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11843

MILITARY AUDIO CABLE ASSEMBLY FOR SALE

NOMENCLATURE: Cable Assembly (Audio)
AN DESIGNATION: CX-1334/U
QUANTITY: 1 Each
LENGTH: 6FT-4IN
CONNECTORS:
Cable End 1: Frank U-77/U
Cable End 2: WHC JJ-026 (mates w/ PJ-054)
PINOUT:
U-77/U Pin A = JJ-026 Tip
U-77/U Pin B = JJ-026 Sleeve
GENERAL CONDITION: Very Good
PRICE: $20
PAY BY: U.S. Postal Money Order
SHIPPING: At Buyer's Expense
AVAILABLE TO: U.S. addressees only. No third-party
arrangements entertained.
GUARANTEE/WARRANTY: None expressed or implied
other than the representations in this announcement.
RETURN POLICY: No returns on this item.
PICTURES: Ask
CONTACT: BOB W5BTC
EMAIL: dc2light[at]md[dot]metrocast[dot]net

From -3993564928763346481
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
Reply-To: "Clif Holland" <clif@avvid.com>

From: "Clif Holland" <clif@avvid.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com> <fmmck-F63B77.15184615042007@nntp.aioe.org>
<1176675057.979033.69230@o5g2000hsb.googlegroups.com> <dtudnafYO-t_N7_bnZ2dnUVZ_jWdnZ2d@rcn.net>
<1176679914.413095.178100@e65g2000hsc.googlegroups.com>
Subject: Re: A question on tube rigs in general, Kenwood in particular
Lines: 48
Organization: AVVid
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <WizUh.24$Yf2.106601@news.sisna.com>
Date: Sun, 15 Apr 2007 19:20:04 -0500
NNTP-Posting-Host: 75.105.184.208
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1176682806 75.105.184.208 (Sun, 15 Apr 2007 18:20:06 MDT)
NNTP-Posting-Date: Sun, 15 Apr 2007 18:20:06 MDT
X-Received-Date: Sun, 15 Apr 2007 18:20:06 MDT (news.sisna.com)
Xref: g2news1.google.com rec.radio.amateur.equipment:11844
rec.radio.amateur.boatanchors:11302

All I can say is if you follow those directions, Good Luck.

--

Clif Holland KA5IPF
www.avvid.com

"billcalley" <billcalley@yahoo.com> wrote in message
news:1176679914.413095.178100@e65g2000hsc.googlegroups.com...
> On Apr 15, 3:44 pm, Chuck Harris <cf-NO-SPAM-har...@erols.com> wrote:
>> billcalley wrote:
>> > Thanks for the tip! So that I don't FUBAR this up, please tell me if
>> > I have this right (changed from your original description to take
>> > advantage of my very limited equipment):
>>
>> > 1. Set the MODE to CW and the IF-SHIFT to center detent position of
>> > the TS-530S.
>> > 2. Find the single trimmer capacitor located near the 500Hz CW filter
>> > (the trimmer capacitor will be able to shift the 500Hz CW filter
>> > center frequency by some small amount).
>>
>> You can't shift the CW filter, so you must shift the xtal oscillator
>> that provides the BFO injection signal for the CW mode.
>>
>> > 3. View the TS-530S's audio speaker output noise on my audio spectrum
>> > analyzer.
>> > 4. Adjust the TS-530S's trimmer capacitor until the audio (mainly

```
>> > noise) output is -centered- on 800 Hz, according to the audio spectrum
>> > analyzer's screen.
>>
>> That is correct, you must adjust the xtal BFO trimmer so that the IF
>> noise
>> shows up centered on the desired CW note frequency.
>>
>> -Chuck
>
>
> Cool -- thanks Chuck!
>
> 73,
>
> -Bill
>
```

```
From -2534461226352481068
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 15 Apr 2007 20:39:06 -0500
Date: Sun, 15 Apr 2007 21:38:35 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.2) Gecko/20070221
SeaMonkey/1.1.1
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: A question on tube rigs in general, Kenwood in particular
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com>   <fmmck-
F63B77.15184615042007@nntp.aioe.org>
<1176675057.979033.69230@o5g2000hsb.googlegroups.com>   <dtudnafYO-
t_N7_bnZ2dnUVZ_jWdnZ2d@rcn.net>
<1176679914.413095.178100@e65g2000hsc.googlegroups.com>
<WizUh.24$Yf2.106601@news.sisna.com>
In-Reply-To: <WizUh.24$Yf2.106601@news.sisna.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <25idndPj6akmTr_bnZ2dnUVZ_s2vnZ2d@rcn.net>
Lines: 7
NNTP-Posting-Host: 71.163.143.206
X-Trace: sv3-HuV2VRXgSWFkz/qp7YBmUpuWrc6ymnczmbb0/
zo2zHpANdKFvl00zVeTGXNMqEjYUHo2vuflJ9jxF/3!g6//ATCxIHeSKYcG7L+C/
wgnFpjKDn5pV+fvVvDk28/AyaaKUAoufXPwJVfSmgPoSxgwPnMU6568!QILkeNU+p4ytdg==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
```

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11845
rec.radio.amateur.boatanchors:11303
```

Clif Holland wrote:

> All I can say is if you follow those directions, Good Luck.

Very well, please explain the correct method.

-Chuck

```
From 278226921139771330
X-Google-Thread: 108122,ddc956b546b9268a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 15 Apr 2007 21:14:40 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Horrible, Horrible HF reception with IC-R3 and VX-7R
Date: Sun, 15 Apr 2007 22:15:58 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <1dKdnc55NeWNQb_bnZ2dnUVZ_hOdnZ2d@insightbb.com>
Lines: 20
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-VVVmRsVP4zogoA4ZHdkueiBSAsrf1lDW+oA3/l6v3V7ix5l/
JxKSlcN0QGqyZoAFiFR6vDV3RrsRbh5!+MExFLVCNlXSD2jv83Tq0DpUr9WgCf+pkq2vHE1KW/
4PYhStjY1w0JQqAsmSqb5DsJQuBZwsud5l!gohyDeKsPkK3kSc4yw==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11846
```

I recently bought an Icom IC-R3 (hand held communications receiver) and a Yaesu VX-7R handy-talky (can tune .5 to 1000 Mhz). Both of these devices can't pick up a single shortwave signal. And this is on a long wire antenna, not the rubber duckies. (They both receive great on VHF/UHF. The IC-R3 even manages to pick up fringe TV channels.) The same antenna connected to my old Kenwood 599 receiver brings in plenty of HF signals, both shortwave broadcast and amateur.

How can these two new receivers be soooo bad????? I live within a mile of an AM broadcast station, could that be the problem? (It doesn't bother my old Kenwood though!) Is anyone successfully listening to shortwave stations with either of these radios?

I'm was going to buy a new HF rig, but now I'm scared that it might overload on the broadcast station.

--
Bob D. ND9B

From -7243763942470912l3
X-Google-Thread: 108122,11cb2edc0c2f06ea,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d57g2000hsg.googlegroups.com!not-for-mail
From: "mike boersma" <mike.boersma@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HTX-10 Information
Date: 15 Apr 2007 20:18:43 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1176693523.168714.8020@d57g2000hsg.googlegroups.com>
NNTP-Posting-Host: 66.227.167.96
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176693523 25890 127.0.0.1 (16 Apr 2007 03:18:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 16 Apr 2007 03:18:43 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.1.3) Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d57g2000hsg.googlegroups.com; posting-host=66.227.167.96;
   posting-account=UAbYkw0AAABHeWt3SuC9iezwZXu-tMEE
Xref: g2news1.google.com rec.radio.amateur.equipment:11847

Does anyone have information on the Radio Shack HTX-10 10m radio? I am looking to get into HF on a shoestring (and before I get flamed 1) I know that 10m will be at best sporadic for the next several years; 2) the HTX-10 is a 10m only (and so I will not be able to access other HF that are open now; and 3) apart from a hack, the HTX-10 is phone only) and a used radio, power supply, and antenna seem to be inexpensive.

1) Are there known equipment problems (the mysterious silent transmitter)?

2) What is a good price for one of these?

3) Is there anything else that I should know?

My preference would be to purchase one at a Hamfest rather than ebay,
but if the price was right...

thanks

Mike (KD8EIB)

From 2937181900940191722
X-Google-Thread: 108122,ad5aea5fe32823e0,start
X-Google-Thread: 107ada,ad5aea5fe32823e0,start
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b75g2000hsg.googlegroups.com!not-for-mail
From: wa6ilq@gmail.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Help with a Kenwood TM-G707A
Date: 15 Apr 2007 21:21:27 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1176697287.713950.257950@b75g2000hsg.googlegroups.com>
NNTP-Posting-Host: 75.40.108.144
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176697288 10273 127.0.0.1 (16 Apr 2007 04:21:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 16 Apr 2007 04:21:28 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b75g2000hsg.googlegroups.com; posting-host=75.40.108.144;
   posting-account=-Lu8WA0AAADy0lzrwNkwNyf05YOErBrz
Xref: g2news1.google.com rec.radio.amateur.equipment:11848
rec.radio.amateur.misc:35453

I was handed a TM-G707A this evening to use
on a business trip / rental car ... complete with
a cigarette lighter plug and a mag mount.

I am totally unfamiliar with this radio.
I'm sure that I can figure out the beast but if
my own experience holds true it will take
a good while before I am totally comfortable
with it... and being a loaner I won't have it
that long.

Hence my next question... rather than reinvent
the wheel...

Does anybody have a pre-prepared cheat sheet
that they can email me?

I will be using the manual that I downloaded
from Kenwwod's web site to preprogram a
half - dozen frequencies that were emailed
to me...

Mike WA6ILQ
(callsign) at gmail dot com

From 3729026898062221699
X-Google-Thread: 108122,e52973319193d071
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice on choosing TNC
Date: 16 Apr 2007 11:34:14 GMT
Lines: 16
Message-ID: <slrnf26puu.feh.blueboxthief@sanfermin.my.domain>
References: <slrnf1q7vg.9vn.blueboxthief@sanfermin.my.domain>
<zrgTh.75906$mJ1.30202@newsfe22.lga>
X-Trace: individual.net fEMP2H0GkkgIrZ1joLW8+Q1n3mAiqTP1hllGj93avVrorZUJPp
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:11849

On 2007-04-12, Glenn <aa5pk@hotmail.com> wrote:
>
> A TNC can be operated from a dumb terminal through an RS232 port. You can use any terminal program with your computer--I've used
> Windows HyperTerminal. You tend to need to keep the TNC command line book handy when using a terminal program. Software specific
> to TNCs (e.g., HostMaster) make operating the TNC more user friendly.
>

Hi Glenn,

well thats the main reason why i was looking for a tnc - i could run it with any os, and a rs232 prt.

the tnc i managed to pickup (pk232) comes with manuals so it should make things easier for me!

thanks
bernard

```
>


From 4506233889923722423
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: 16 Apr 2007 11:47:33 GMT
Lines: 100
Message-ID: <slrnf26qnt.feh.blueboxthief@sanfermin.my.domain>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
X-Trace: individual.net /kbvaghII1Zk+h0Fm8rnDgtavAftLQrFQr6gR8/zLsY7+mVuiY
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:11850

On 2007-04-12, Nobody <rock_sci@hotmail.com> wrote:
>>
>> thanks,
>> bernard
>
> Actually, no that is not a bad thing for the masses.  It is the end of
> ham radio for anything other than talking about your guns, cars, or
> aliments to other old farts.  I am one of those old farts who has no
> illusions about the worth of ham radio in this world of modern
> reliable instant inexpensive world wide communications.

I remember reading about a little project in the 70s in hawaii called
aloha-net (maybe?)..

this did not *specifically invent* the internet, but I don't think
you can say that ham radio has no worth in this world of reliable instat
inexpensive comms.

granted, the internet is cheap and relatively instant..but as someone who works
in mobile telephony, i can tell you when the shit hits the fan, i would have
no problem to fall back onto ham radio.

you show me a UMTS phone that works 500Km when every radio mast has been ripped t
shreds by some storm.

> Packet Radio has been reduce to APRS and a few DX clusters.  I got rid
> of my packet station in favor of Internet based DX clusters 4 years
> ago.  APRS is a completely useless waste of radio spectrum.  The only
> real use of Packet is as a means of accessing and gathering remote
> data.  However, there is little ham interest in this type of activity
> due largely to the fact that most sites that have power from the grid
```

> also have Telco access which means Internet. Most repeaters are idle
> now, even during drive time. SoCal used to be jam packed with repeats
> on 2 meters and 70 cm during drive time. There are more cell phones
> in use at the TRW and other local swap meets than hand helds. During
> the evening there is more activity on 2 meter simplex than there is on
> the 2 meter repeaters.
>
> The Internet and Cell phones have reduced ham radio to an old guy's
> hobby.

or a hobby of someone who is interested in communications.

to be honest, i dont think getting every kid interested in ham radio
would be a good thing.
not a "snob" mentality, but the same reason not every skid should learn to play
the guitar :)

  The Internet provides reliable world wide communications for a
> low monthly price eliminating the need for ham radio's traffic
> handling system. Even the slowest dial-up Internet access leaves
> packet radio in the dust. Chat rooms make random world wide
> conversations with people possible by anyone without requiring a test
> to prove that you can memorize a bunch of answers to questions without
> having to understand anything. Portable Cell sites have eliminated
> the need for ham radio emergency communications.i

I dont agree with you on that.
If the cell sites have connectivity to the switching centre by E1/T1, uwave links
its quite possible that the infrastructure is dead after a storm/emergency
situation.

  Internet connections
> in concert with portable cell sites have eliminated the "Health and
> Welfare" traffic as well. Both portable cell and associated Internet
> access allow anyone to be trained to handle emergency traffic as well
> as health and welfare - no license needed. Cell phones have
> eliminated any of the freeway accident reporting needs formerly
> provided by hams through repeaters at "drive time".

And hea, thats fine. Radio hams is not the answer to everything.
Just the same as Internet is not the answer to everything.

> In summary, Ham Radio has joined the model trains, boats, planes and
> other old guys hobbies as something to pass time away but which
> contributes nothing of value to the advancement of knowledge or
> humanity.

No, I can't agree with you here.

Soccer (insert sport here)doesn't contribute value to humanity, does that mean
soccer is

a useless hobby?!

> There is virtually no interest in ham radio by the current generation
> of kids and young adults -- hand held radios and repeaters are archaic
> to them (and rightly so) since they walk around with world wide
> reliable telco and internet access for pennies a day without having to
> prove that they are worthy of some arcane title.

As someone who uses the Internet every single day on my life, I agree with the last bit.

But, also, on the Internet everyone can be an expert (or a dog, depending..).

The Internet has its places, but so does amateur radio.

ta,
bernard

>

From 373643639067094145
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: 16 Apr 2007 11:54:44 GMT
Lines: 30
Message-ID: <slrnf26r5c.feh.blueboxthief@sanfermin.my.domain>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
X-Trace: individual.net jxznUJEw3M6WPE8S5868hghp+JhIVz1v2+hF4fnoH2iZMZX1LJ
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:11851

On 2007-04-13, Dick <w6ccd@k7yca.org> wrote:

<BIG SNIP>

Dick,

I agree with all you have said above!

>
> Some day, when ALL communications are via satellite, and nothing on
> the ground can be destroyed by flood, fire, earthquake, tornados,
> terrorist attacks, etc., then amateur radio will lose its value to the

> country for backup emergency communications. Until then, people will
> continue to depend upon amateur radio even when they don't realize it.

When/If all comms is via satellite, then that will give a target/one place
of insecurity in comms.

Amateur radio works, in emergency situations, because if its unorganised
(in the best sense of tha word!) nature.

Much the same way as the Internet was/is intended to operate.

The only way to knock out amateur radio would be some EMF pollution (that
and kill all the old farts:)).

bernard

From -6370326821659492322
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: 16 Apr 2007 12:05:19 GMT
Lines: 103
Message-ID: <slrnf26rp7.feh.blueboxthief@sanfermin.my.domain>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<Pine.BSI.4.64.0704131006300.8272@malasada.lava.net>
<7uc0231f6jsuqf3f5a5lopt7croau2cu8r@4ax.com> <TQYTh.13179$M.680@news-server.bigpond.net.au> <qfk123p49ad60a6jcq4srnae4aarg37p5b@4ax.com>
X-Trace: individual.net upQnd4xIGlYamf9LyH4N0wLY3nbnwNgNMHQ5W6GEetEr4DPfGd
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:11852

On 2007-04-14, Dick <w6ccd@k7yca.org> wrote:
> OK Guys. Let me lay it out for you so it is perfectly clear.

I think its me that has to lay it out for eberyone.

I said I had argued that Internet was actually a good thing
for Amateur radio:

"
> I remember going to a radio meeting(probably the only meeting i went to!)

> , dunno, about 7-8 years ago.
> I argued that Internet was good for ham radio, while alot of people (waay more
> experienced than I) argued the opposite. It'll kill DX, Packet etc.

> I argued the opposite. It'll give people opportunity to find information, access
> to other sides of the world, as if they were in their backgarden.
>
> A little bit of both seems to have happened. Is that a bad thing?
"

"Nobody" <rock_sci@hotmail.com> then argued the counter, that in fact, amateur radio was dead, and nothing more than an old guys hobby:

"
Actually, no that is not a bad thing for the masses. It is the end of ham radio for anything other than talking about your guns, cars, or aliments to other old farts. I am one of those old farts who has no illusions about the worth of ham radio in this world of modern reliable instant inexpensive world wide communications.
"

I then agreed completely with what Dick had said about the value of amateur radio.

I did however disagree with him about the demise of amateur radio when all communications go to satellite.

Now, to carry on with the conversation..
> "Blue Box Thief" said that ham radio is ending because the internet
> and cell phones have reduced it to an old guy's hobby, and it
> contributes nothing of value to the advancement of knowledge or
> humanity. He also said there is virtually no interest in ham radio by
> the current generation of kids and young adults.

I hope this is now fixed. :)

> I responded with the following points:
>
> 1. The internet cannot be relied upon in an emergency.

There will be times when the internet stops working, partially somewhere in the world.

> 2. Cellular telephones cannot be relied upon in an emergency.

Again, pretty much same as point 1.

> 3. The telephone system itself cannot be relied upon in an emergency.

This I might not agree with, but essentally correct.

> 4. Packet radio is losing favor for passing messages, but WinLink 2000

```
> is taking its place.

I don't knmow much about winlink 2000 so i can't say.

> 5. APRS is not a waste of spectrum, and is very important for use in
> tracking emergency vehicles.

Yes I agree. If this is a waste of spectrum, so is wifi, gps, etc..

> 6. Ham radio is still very important to the government as evidenced by
> the millions of dollars being pumped into it by Homeland Security.

This may be the case in America. No idea.

> 7. Young people ARE getting into ham radio as evidenced by the number
> in our area currently testing for a license.
>
> 8. Interest in ham radio is dependent upon how much work the local
> hams are willing to expend on young people.
>
> 9. Ham radio will continue to be important for emergency
> communications until satellite communications are fully developed.

Here I might disagree with you, as mentioned in my previous post.


> Please point out to me which of the above are theories or involve
> ranting.

I think :

a) yo got mixed up with me and the nobody guy. The "anti" ham radio comments
were his not mine.

b) the other got you and the nobody guy mixed up..funny that :)

Of course, it could all be a bad case of trolling :)

> Dick - W6CCD

bernard


From 5040916857707394822
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Mon, 16 Apr 2007 08:24:18 -0700
```

```
Message-ID: <vh47235fe2tfk8vjl78jqeg894q1d8ud0v@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<Pine.BSI.4.64.0704131006300.8272@malasada.lava.net>
<7uc0231f6jsuqf3f5a5lopt7croau2cu8r@4ax.com> <TQYTh.13179$M.680@news-
server.bigpond.net.au> <qfk123p49ad60a6jcq4srnae4aarg37p5b@4ax.com>
<slrnf26rp7.feh.blueboxthief@sanfermin.my.domain>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
NNTP-Posting-Date: 16 Apr 2007 14:31:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11853

On 16 Apr 2007 12:05:19 GMT, blue box thief <"blue box
thief"@runningwithbulls.com> wrote:

>On 2007-04-14, Dick <w6ccd@k7yca.org> wrote:
>> OK Guys.  Let me lay it out for you so it is perfectly clear.
>
>I think its me that has to lay it out for everyone.
>
>*I* said I had argued that Internet was actually a good thing
>for Amateur radio:

Yes, I mis-quoted you.  It was "Nobody" that I was quoting.  Sorry
about that.

My point about satellite communications was not that it would do away
with ham radio per se, but that it would make ham radio much less
important for emergency communications (ARES/RACES.)  When technology
advances to the point where all telephones communicate directly with
satellites, with no earthbound connection, then the only thing that
could knock them out would be to take out the satellites.  Much less
likely than an earthquake, fire or flood here on earth.  I know there
are services available today like Iridium and Globalstar, but it won't
be practical for everyone until the price gets down to current cell
phone costs.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com



From 3717879649834990821
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!feeder3.cambrium.nl!feeder4.cambrium.nl!
feed.tweaknews.nl!217.73.144.44.MISMATCH!ecngs!feeder.ecngs.de!
newsfeed.freenet.de!news.tu-darmstadt.de!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: 16 Apr 2007 16:12:25 GMT
Lines: 22
Message-ID: <slrnf27a8h.30n.blueboxthief@sanfermin.my.domain>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<Pine.BSI.4.64.0704131006300.8272@malasada.lava.net>
<7uc0231f6jsuqf3f5a5lopt7croau2cu8r@4ax.com> <TQYTh.13179$M.680@news-
server.bigpond.net.au> <qfk123p49ad60a6jcq4srnae4aarg37p5b@4ax.com>
<slrnf26rp7.feh.blueboxthief@sanfermin.my.domain>
<vh47235fe2tfk8vjl78jqeg894q1d8ud0v@4ax.com>
X-Trace: individual.net vslKlMktAnRBHw3iHYB6LgUTkVMAD/GUcsZCZK0lzXSzWibrzJ
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:11854

On 2007-04-16, Dick <w6ccd@k7yca.org> wrote:
>>*I* said I had argued that Internet was actually a good thing
>>for Amateur radio:
>
> Yes, I mis-quoted you.  It was "Nobody" that I was quoting.  Sorry
> about that.

Thats ok. Don't worry about it.

> My point about satellite communications was not that it would do away
> with ham radio per se, but that it would make ham radio much less
> important for emergency communications (ARES/RACES.)  When technology
> advances to the point where all telephones communicate directly with
> satellites, with no earthbound connection, then the only thing that
> could knock them out would be to take out the satellites.  Much less
> likely than an earthquake, fire or flood here on earth.  I know there
> are services available today like Iridium and Globalstar, but it won't
> be practical for everyone until the price gets down to current cell
> phone costs.

and until the available bitrates increases abit :)
last time i saw satellite phone it was something around 64Kbps.


From -7964870096361907120
X-Google-Thread: 108122,17b451d5e2c614d4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!
```

news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe04.lga.POSTED!53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: ICOM IC-701 - SPKR/PS - AT100 TUNER
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <tiNUh.7$PA6.4@newsfe04.lga>
X-Trace:
noffecneefnkbhgflhbgfpgcdpepfmkgffbnkkmmcmenkofdihpngejpbohbhboplhfmcochilphidheho
pllbgbekdfoodmfeehjgilmlgfdoiimoebjmeckjmhfnpaenfnojecgjgcfcij
NNTP-Posting-Date: Mon, 16 Apr 2007 09:15:21 MST
Date: Mon, 16 Apr 2007 11:12:24 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:11855

THIS PACKAGE IS IDEAL FOR A BEGINNER OR A BACKUP STATION, FIELD DAY SETUP, SUMMER HOME, PORTABLE STATION, OR ANY PLACE YOU DESIRE. THE TRANSCEIVER CAN BE USED MOBILE AND IS FULLY OPERATIONAL. OR ALONG WITH THE MATCHING SPEAKER/POWER SUPPLY, IT BECOMES A BASE STATION. I AM ALSO INCLUDING THE AT-100 MATCHING ANTENNA TUNER,MANUALS, AND SM-2 MICROPHONE TO COMPLETE THE ALL SOLID STATE STATION. THIS PACKAGE IS FROM THE 1980'S AND HAD A $1500 PRICE TAG WHEN NEW. AS OF THIS WRITING, THIS PACKAGE IS UP AND RUNNING HERE AT MY STATION. HOWEVER, LIKE ALL ELECTRONICS OF THIS VINTAGE, NO WARRANTY IS IMPLIED OR OFFERED.
$450.00 INCLUDES SHIPPING AND INSURANCE.

From 2637593045422535557
X-Google-Thread: 108122,e52973319193d071
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!news.astraweb.com!
router1.astraweb.com!sn-xt-sjc-05!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!
corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice on choosing TNC
Date: Mon, 16 Apr 2007 10:57:00 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0704161053390.23605@malasada.lava.net>
In-Reply-To: <slrnf26puu.feh.blueboxthief@sanfermin.my.domain>
References: <slrnf1q7vg.9vn.blueboxthief@sanfermin.my.domain>
 <zrgTh.75906$mJ1.30202@newsfe22.lga>
<slrnf26puu.feh.blueboxthief@sanfermin.my.domain>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

```
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news1.google.com rec.radio.amateur.equipment:11856


On Mon, 16 Apr 2007, blue box thief wrote:

> On 2007-04-12, Glenn <aa5pk@hotmail.com> wrote:
>>
>> A TNC can be operated from a dumb terminal through an RS232 port.  You can use
any terminal program with your computer--I've used
>> Windows HyperTerminal.  You tend to need to keep the TNC command line book
handy when using a terminal program.  Software specific
>> to TNCs (e.g., HostMaster) make operating the TNC more user friendly.
>>
> Hi Glenn,
>
> well thats the main reason why i was looking for a tnc - i could run it with any
os, and a rs232 prt.
>
> the tnc i managed to pickup (pk232) comes with manuals so it should make things
easier for me!
>
> thanks
> bernard
>
>>
>
There are a nr of TNC'S commercially available such as the MFJ
series, the KAM+, the PK-232's.  etc.  The limitations involved.
depend on whether the KAM's and PK232's have the upgraded ROM
chips in them. Make sure they do as the features are vastly improved
if the Upgrade chips are in them.
                           Joe




From 8741112724866441984
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!
newsfeed.freenet.de!feeder.news-service.com!feeder.news-service.com!
213.132.189.1.MISMATCH!multikabel.net!feed10.multikabel.net!feeder1.cambrium.nl!
feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-04!sn-post-ams-01!
sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Jack Hamilton <jfh@acm.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Mon, 16 Apr 2007 18:26:45 -0700
```

```
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <lg8823timcv5isusuiqqpgr80bnr5i2rtq@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<slrnf26r5c.feh.blueboxthief@sanfermin.my.domain>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-NFilter: 1.2.0
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news1.google.com rec.radio.amateur.equipment:11857

blue box thief <"blue box thief"@runningwithbulls.com> wrote:

>On 2007-04-13, Dick <w6ccd@k7yca.org> wrote:
>
><BIG SNIP>
>
>Dick,
>
>I agree with all you have said above!
>
>>
>> Some day, when ALL communications are via satellite, and nothing on
>> the ground can be destroyed by flood, fire, earthquake, tornados,
>> terrorist attacks, etc., then amateur radio will lose its value to the
>> country for backup emergency communications.  Until then, people will
>> continue to depend upon amateur radio even when they don't realize it.
>
>When/If all comms is via satellite, then that will give a target/one place
>of insecurity in comms.

Exactly.  Didn't China just show that it can shoot down satellites?
I'm sure the US and Russia can, and possibly the EU as well.



From 3659293078327393849
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-
v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Mon, 16 Apr 2007 19:01:59 -0700
```

```
Message-ID: <cja823lnu8m33ijpo724eg049lvrole3qu@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<slrnf26r5c.feh.blueboxthief@sanfermin.my.domain>
<lg8823timcv5isusuiqqpgr80bnr5i2rtq@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
NNTP-Posting-Date: 17 Apr 2007 01:09:02 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11858

On Mon, 16 Apr 2007 18:26:45 -0700, Jack Hamilton <jfh@acm.org> wrote:

>blue box thief <"blue box thief"@runningwithbulls.com> wrote:
>
>>On 2007-04-13, Dick <w6ccd@k7yca.org> wrote:
>>
>><BIG SNIP>
>>
>>Dick,
>>
>>I agree with all you have said above!
>>
>>>
>>> Some day, when ALL communications are via satellite, and nothing on
>>> the ground can be destroyed by flood, fire, earthquake, tornados,
>>> terrorist attacks, etc., then amateur radio will lose its value to the
>>> country for backup emergency communications.  Until then, people will
>>> continue to depend upon amateur radio even when they don't realize it.
>>
>>When/If all comms is via satellite, then that will give a target/one place
>>of insecurity in comms.
>
>Exactly.  Didn't China just show that it can shoot down satellites?
>I'm sure the US and Russia can, and possibly the EU as well.

Yes, but it that happens we won't have to worry about communications.
We need to find a deep cave.

--
Posted via a free Usenet account from http://www.teranews.com




From -8289299867389739394
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Roger (K8RI)" <validaddress@my.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Mon, 16 Apr 2007 22:24:42 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <nra823t6tpn5og4v23n974md80ne0g5tj8@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<hsks13pc060f4rsfj0b7uksvkjujf40at2@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1118
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 95
Xref: g2news1.google.com rec.radio.amateur.equipment:11859

On Thu, 12 Apr 2007 08:47:27 -0700, Joey <joey@nowhere.org> wrote:

>I wish I could find a use for it, but all good things come to an
>almost-end, I guess :)
>

I don't know where you live, but here in the Midland Michigan area
packet and ham radio in general are alive and well.

>I can't say the internet has been bad for amatuer radio... look at
>IRLP, echolink, etc. success. It seems everything comes back to voice
>traffic.... look at VoIP on the internet, we have a big fast data
>network, and guess what? we want to TALK on it :D (or download p0rn.
>lol)

There is a lot of digital traffic locally and via a gateway to through
the Internet. We use both voice and digital modes on VHF and UHF.

There is a lot of experimenting and building as well.

>
>I guess my voice capable HT will never be obsolete! And that's why i
>keep it up and running...
>
>J
>
>
>On 12 Apr 2007 07:22:20 GMT, blue box thief <"blue box
>thief"@runningwithbulls.com> wrote:
>
>>On 2007-04-12, Joey <joey29034atyawwhodotcom> wrote:
>>> Just curious how many out there still have active 2m packet radio in
>>> their area? Aside from APRS, I don't think anyone is listening... and
>>> even that seems to be fading here.

APRS is also very active in this area.

>>
>>I am not sure about that (aprs I mean). In Ireland there seems to be alot
>>of activity. Maybe its only by a small number, but it looks busy.
>>
>>> I've been rather inactive for the past 7-10 years and it seems packet
>>> has dissapeared in that time! Anyone have any creative ideas?

It depends on the area. Some are very active and other's are like a
desert.

I use a TM-D700 in the car, an all band all mode 897D in the shop and
an old Alinco DR610T in here for VHF and UHF. I also use a pair of
VX-7RBs and often run locked cross band.
>>
>>Well the only thing that hasn't been sent is pr0n..that seems a money-spinner
>>on cell networks. :)
>>
>>> I honestly can't come up with any use for it that I can't already do
>>> over the internet... My laptop even has built in EVDO on two cell
>>> networks (redundancy!). What more can I ask for? :(

Emergencies. If there is a major disaster and the power hasn't failed
yet, the cell towers become overloaded, often by the press and
therefore useless for any thing else. Nor can they remain on
emergency power indefinitely. The same is true for the Internet. No
power, no Internet. Strong storms can also render satellite
communications unusable as can solar storms. Of course those storms
take out GPS as well.

Storm chasing around here makes good use of packet/APRS and voice over
much wider areas then WiFi or WiMax

>>
>>I remember going to a radio meeting(probably the only meeting i went to!)
>>, dunno, about 7-8 years ago.
>>I argued that Internet was good for ham radio, while alot of people (waay more
>>experienced than I) argued the opposite. It'll kill DX, Packet etc.
>>
>>I argued the opposite. It'll give people opportunity to find information, access
>>to other sides of the world, as if they were in their backgarden.

Maybe the group here is just a bit more forward thinking as they
embrace many faces of ham radio as well as the Internet.
>>
>>A little bit of both seems to have happened. Is that a bad thing?

I see the Internet and Ham Radio as compatible and that, to me, is a
good thing.

>>

>>> PS. 3 month old TH-D7A for sale ;)

>>
>>How about you and me have a chat ;) http://www.runningwithbulls.com/blog/contact-us/
>>
>>thanks,
>>bernard

From -4951287527592083710
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!indigo.octanews.net!news-out.octanews.net!teal.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<slrnf26r5c.feh.blueboxthief@sanfermin.my.domain>
<lg8823timcv5isusuiqqpgr80bnr5i2rtq@4ax.com>
Organization: Your Company
Message-ID: <Xns9914CFF974772spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 17 Apr 2007 03:26:16 GMT
Lines: 15
NNTP-Posting-Host: e142fc07.news.adtechcomputers.com
X-Trace: DXC=1:=Q20OAR];TkVe4FPDeU7gC4_A5:nI@1<<=aEgO;R87VYfO46HMG<>c\b79?QAdG8R?X7U2a5ff7emfRC[RMj??0[]M_>MNBV7\o[IL`=3n58C5AdnVCnh71
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11860

>>When/If all comms is via satellite, then that will give a target/one
>>place of insecurity in comms.

> Exactly. Didn't China just show that it can shoot down satellites?
> I'm sure the US and Russia can, and possibly the EU as well.
>

... more likely serious solar disaster.... solar flairs, etc, could knock out satellites.

Ed   K7AAT

```
From -5765982034670608253
X-Google-Thread: 108122,8f18a166730d6ca0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Steve" <steveo1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ham stuff for sale
Date: Tue, 17 Apr 2007 12:25:59 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <4624f4f8$0$4853$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11861
```

http://members6.boardhost.com/theswapshoppe/

```
From 3005721646869865447
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.newsland.it!
aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: A question on tube rigs in general, Kenwood in particular
Date: Tue, 17 Apr 2007 13:17:11 -0400
Organization: Aioe.org NNTP Server
Lines: 21
Message-ID: <fmmck-D2E99F.13171117042007@nntp.aioe.org>
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com> <fmmck-
F63B77.15184615042007@nntp.aioe.org>
<1176675057.979033.69230@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: GNXxeXH2SfJ719ca35UM2A.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news1.google.com rec.radio.amateur.equipment:11862
rec.radio.amateur.boatanchors:11308
```

In article <1176675057.979033.69230@o5g2000hsb.googlegroups.com>, "billcalley" <billcalley@yahoo.com> wrote:

> 2. Find the single trimmer capacitor located near the 500Hz CW filter
> (the trimmer capacitor will be able to shift the 500Hz CW filter
> center frequency by some small amount).

Bill-

You may be able to accomplish your goal without a counter, but the trimmer you need to adjust is one of a group of three next to three crystals on the carrier unit. It is probably not on the filter board unless the two boards are combined in the TS-530.

I don't know for sure if the TS-520 manual is applicable. Although it shows the crystals and trimmers in a photo and on the circuit diagram, I couldn't find a procedure for their adjustment. It would help if you could find a copy of the TS-530 service manual.

Fred
K4DII

From 3785106390922250029
X-Google-Thread: 108122,65986843951e5c21
X-Google-Thread: fc8b1,65986843951e5c21
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.251.MISMATCH!transit4.readnews.com!news-out.readnews.com!news-
xxxfer.readnews.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!
news.sisna.com!not-for-mail
Reply-To: "Clif Holland" <clif@avvid.com>
From: "Clif Holland" <clif@avvid.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <1176608947.203813.293270@y5g2000hsa.googlegroups.com> <fmmck-
F63B77.15184615042007@nntp.aioe.org>
<1176675057.979033.69230@o5g2000hsb.googlegroups.com> <fmmck-
D2E99F.13171117042007@nntp.aioe.org>
Subject: Re: A question on tube rigs in general, Kenwood in particular
Lines: 36
Organization: AVVid
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Bi8Vh.76$zg.144526@news.sisna.com>
Date: Tue, 17 Apr 2007 13:25:36 -0500
NNTP-Posting-Host: 75.105.184.208
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1176834337 75.105.184.208 (Tue, 17 Apr 2007 12:25:37 MDT)
NNTP-Posting-Date: Tue, 17 Apr 2007 12:25:37 MDT

X-Received-Date: Tue, 17 Apr 2007 12:25:37 MDT (news.sisna.com)
Xref: g2news1.google.com rec.radio.amateur.equipment:11863
rec.radio.amateur.boatanchors:11309

The 520 and 530 are about as close as an elephant and a donkey.... About the only thing they have in common is tubes finals and the brand.

--

Clif Holland KA5IPF
www.avvid.com

"Fred McKenzie" <fmmck@aol.com> wrote in message
news:fmmck-D2E99F.13171117042007@nntp.aioe.org...
> In article <1176675057.979033.69230@o5g2000hsb.googlegroups.com>,
> "billcalley" <billcalley@yahoo.com> wrote:
>
>> 2. Find the single trimmer capacitor located near the 500Hz CW filter
>> (the trimmer capacitor will be able to shift the 500Hz CW filter
>> center frequency by some small amount).
>
> Bill-
>
> You may be able to accomplish your goal without a counter, but the
> trimmer you need to adjust is one of a group of three next to three
> crystals on the carrier unit. It is probably not on the filter board
> unless the two boards are combined in the TS-530.
>
> I don't know for sure if the TS-520 manual is applicable. Although it
> shows the crystals and trimmers in a photo and on the circuit diagram, I
> couldn't find a procedure for their adjustment. It would help if you
> could find a copy of the TS-530 service manual.
>
> Fred
> K4DII

From 5362613978229740917
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: 17 Apr 2007 19:43:09 GMT

```
Lines: 18
Message-ID: <slrnf2aavi.366.blueboxthief@sanfermin.my.domain>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<slrnf26r5c.feh.blueboxthief@sanfermin.my.domain>
<lg8823timcv5isusuiqqpgr80bnr5i2rtq@4ax.com>
<cja823lnu8m33ijpo724eg049lvrole3qu@4ax.com>
X-Trace: individual.net lJlVnixSJ/oWECaOiAm3WQjs4pu5IBAU1FdPf19m+ZXR18VCy3
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:11864

On 2007-04-17, Dick <w6ccd@k7yca.org> wrote:
>>>
>>>When/If all comms is via satellite, then that will give a target/one place
>>>of insecurity in comms.
>>
>>Exactly.  Didn't China just show that it can shoot down satellites?
>>I'm sure the US and Russia can, and possibly the EU as well.

And we cn't trust any of those states!

> Yes, but it that happens we won't have to worry about communications.
> We need to find a deep cave.

Where VLF will still work perfectly (one there is no EMP)
:)

bernard



From 2866951754784907629
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news2.google.com!newshub.sdsu.edu!sn-xt-
sjc-03!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!news.supernews.com!not-for-mail
From: Joey <joey29034atyawwhodotcom>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Tue, 17 Apr 2007 22:00:53 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <q07b23935ksoacnqula441v34757ng8msb@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

X-Complaints-To: abuse@supernews.com
Lines: 90
Xref: g2news1.google.com rec.radio.amateur.equipment:11865

On Thu, 12 Apr 2007 22:18:54 -0700, Dick <w6ccd@k7yca.org> wrote:

>On 12 Apr 2007 10:16:15 -0700, "Nobody" <rock_sci@hotmail.com> wrote:
>
>>Actually, no that is not a bad thing for the masses. . . . .

>
>73, Dick - W6CCD

I'd have to agree with most of your observations...

I am in the southern california area, so yeah I see the lack of packet and even APRS use. In the real world for day to day use, it apparently has no value. Why should I care were some guy I don't know is driving? Do I need to know where there hams are in a disaster? I can just ask them on the radio.

I can basically dump any kind of data I want (voice, telemetry, messaging, file transfers, remote control) on the internet. Heck, I was instant messaging and watching myself on google earth via gps in literally the middle of nowhere, Wyoming last summer (nothing but freeway and a few cows) via Verizon 1xRTT/EVDO. I don't see 1.5MB speeds on ham radio at the moment ;) I have Verizon's EVDO in my laptop, a Sprint EVDO card from work (talk about dual-band!), and a cell phone from Cingular. Oh and an old-school 2-way pager. Other family members have Verizon cellular, and 1 has a 2-way pager on a different carrier than mine. Our main house has 2 electric feeds (#2 to a guest house) on reasonably seperated ciruits and 2 phone lines, 1 with DSL. I maintain a generator/UPS for my computers, refrigerators, microwave oven, and of course radios. We also have a vacation house 80 miles away with its own DSL. That is the only place not covered by simplex ham radio. We'd have to rely on repeaters and quite a distance at that... Or get some HF stuff, but why bother...

So why do I need a ham radio????

Well, cause I expect 80% of that stuff to fail when we have our next large siesmic event. I have a mobile 2/440 unit in my car and the other two have $99 cloned 2m HT's programmed both for repeaters and simplex. So amateur radio does serve as the last backup in case that long list of things all crap out.

However, our family expects to be out of communication during a large event. Our need to communicate really will just be for "health and welfare", just to see how everyone is. I don't expect to have anyone listening on the other end if stuck under a building. One of us will be working at the hospital, one at home, and myself will either be in school (at a different hospital) or at the local police dept. (volunteer) as soon as I can get there. We know to stay off the phones. "Yes dear, we all felt the same earthquake!"

Our local city fire dept does have a team of amateur radio operators, organized at the county level, which is the only way to go if u want to be successful. They have been used in the past in real conditions. During the fires in so cal, they used them mostly for fire watch patrols in the arson prone canyons around here. During a disaster, they're primary purpose will still be "eyes and ears". There is an HF station at our EOC for talking to "the state OES" but I dunno how that would really be used. They also have sat phones, so unless the chinese shoot us down, I guarantee you the emergency officials will pick that up first. Our local 800mhz trunked system is very robust with multiple sites for each system, with the abillity to run local in failsoft at each repeater site in case the main controller goes away. And don't forget everyone has a "Nextel" lol.

So yeah, I still see ham radio as the last resort. But honestly, I don't expect to use it much during a disaster. I will be doing my job/volunteer work. But I still keep everything charged and tested just in case!!!

As for the future of the hobby, yeah, keep getting kids interested in it. Since they all have cell phones now, it will be a challenge however to find some reason to use these "antique CB radios". I heard a QSO on the winsystem the other day between a local and a guy from Australia and then one from Japan a few minutes later. via IRLP of course...   It's this kind of integration with other services that *might* keep the hobby alive. You more creative types out there may have to some up with something new! And no, showing up to a modern school with a dirty t-shirt, greasy beard, Yeasu hat, and 6 radios, speaker mics, and oversized antennas hanging off of your beer gut will not inpress the kids. (Yes, I've seen this!!) One suggestion is to integrate with local public safety and present the hobby in this light; as an adjunct to police and fire. I wish I had more ideas as I think we can still be a valuable resource, but it may not be in the traditional sense that's been the "standard" for the past 50 years.

OK, enough ranting... back to the real world.....

Joey

From -8980834085623973987
X-Google-Thread: 108122,11cb2edc0c2f06ea
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HTX-10 Information
Date: Wed, 18 Apr 2007 01:19:21 -0400
Organization: Aioe.org NNTP Server
Lines: 30

Message-ID: <fmmck-2A27C1.01191618042007@nntp.aioe.org>
References: <1176693523.168714.8020@d57g2000hsg.googlegroups.com>
NNTP-Posting-Host: TSImTSFdR54Glr/RhVDpTw.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Path: g2news1.google.com!news3.google.com!proxad.net!feed.ac-versailles.fr!news.ecp.fr!news.newsland.it!aioe.org!fmmck
Xref: g2news1.google.com rec.radio.amateur.equipment:11866

In article <1176693523.168714.8020@d57g2000hsg.googlegroups.com>,
"mike boersma" <mike.boersma@gmail.com> wrote:

> Does anyone have information on the Radio Shack HTX-10 10m radio?

Mike-

The Radio Shack HTX-10 is nearly identical to the Albrecht AE485S. see
http://service.alan-germany.de/Amateurfunk/AE485S/
for some more information.

If you search the web, you will find a CW adapter for the HTX-10. I wrote up a mod to add a lithium backup battery to keep memory contents alive when disconnected from power. (There are mods for the AE485S that do not work with the HTX-10.)

The HTX-10 was sold at a discounted price after Radio Shack discontinued it. I don't recall, but it may have been around $49. I've seen them selling for close to the original price at Hamfests. If it was over $100, you might find a better rig for just a little more. (Examples might be the Kenwood TS-520 and TS-130, which are around 20 to 30 years old now.)

The HTX-10 should work quite well when the band is open. The way things are now, the band could be wide open but you don't hear anyone. Nobody is on because they don't expect the band to be open! Learn to listen for the CW beacons.

Fred
K4DII

From 4628642000486075724
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Tue, 17 Apr 2007 22:54:52 -0700
Message-ID: <dccb23pjkvv4mipplndjbu07505251i7tk@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>

<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<q07b23935ksoacnqula441v34757ng8msb@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Date: 18 Apr 2007 05:01:55 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11867

On Tue, 17 Apr 2007 22:00:53 -0700, Joey <joey29034atyawwhodotcom>
wrote:

>
>So yeah, I still see ham radio as the last resort. But honestly, I
>don't expect to use it much during a disaster. I will be doing my
>job/volunteer work. But I still keep everything charged and tested
>just in case!!!
>
>
>Joey

Something to keep in mind is that, if the President declares a
national emergency, no one will be able to use ham radio for anything
unless they are a member of RACES. So the decision will be made for
you unless you are a member of that organization.

Dick

--
Posted via a free Usenet account from http://www.teranews.com

From 4814666187526345505
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Tue, 17 Apr 2007 22:59:20 -0700
Message-ID: <olcb23ldr2v4nshfe8q62t8b7tt7rv25oj@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>

<slrnf26r5c.feh.blueboxthief@sanfermin.my.domain>
<lg8823timcv5isusuiqqpgr80bnr5i2rtq@4ax.com>
<cja823lnu8m33ijpo724eg049lvrole3qu@4ax.com>
<slrnf2aavi.366.blueboxthief@sanfermin.my.domain>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 18 Apr 2007 05:06:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11868

On 17 Apr 2007 19:43:09 GMT, blue box thief <"blue box thief"@runningwithbulls.com> wrote:

>On 2007-04-17, Dick <w6ccd@k7yca.org> wrote:
>
>> Yes, but it that happens we won't have to worry about communications.
>> We need to find a deep cave.
>
>Where VLF will still work perfectly (one there is no EMP)
>:)
>
>bernard

Might be useful to talk to someone in the same cave with you, but not too useful if the rest of the world has been melted down to the basic elements.

Dick

--
Posted via a free Usenet account from http://www.teranews.com

From -2599778286031623929
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.cse.ohio-state.edu!usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!machine3
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rectifier
Date: Wed, 18 Apr 2007 12:26:33 GMT
Organization: ???
Lines: 55
Message-ID: <f052pq$dis$1@usenet01.srv.cis.pitt.edu>
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu> <pVjTh.12439$M.3330@news-server.bigpond.net.au> <4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com>

```
<0hlTh.12461$M.9139@news-server.bigpond.net.au>
<evlt9q$qfh$2@usenet01.srv.cis.pitt.edu>
<S82dna8u6rMwgILbnZ2dnUVZ_rSjnZ2d@giganews.com>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1176899194 13916 136.142.52.106 (18 Apr 2007
12:26:34 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Wed, 18 Apr 2007 12:26:34 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:11869

In article <S82dna8u6rMwgILbnZ2dnUVZ_rSjnZ2d@giganews.com>, "Bryan"
<bryan.swadenerNOSPAM@comcast.net> wrote:
>GregS  wrote:
>> P.Gregory wrote:
>> >Wise?
>> >I could put just as many links saying the opposite , as in series , Not
>> >parralel and not paraletic , few few ohms aint gunna do what you yanks
>say
>> >"diddly squat"  unless you get perfect diodes , read as matched ..paul
>> >
>> >
>> >
>> >Bryan wrote:
>> >> It would be wise to NOT use load-sharing (aka equalizer) resistors &
>> >> capacitors.  With modern rectifiers, if more than one diode is in a
>> >> string,
>> >> there will be no problem as long as they are of the same type number.
>See
>> >> http://www.somis.org/D-amplifiers3.html.
>> >> 73,
>> >> Bryan WA7PRC
>> >>
>> >> P.Gregory wrote:
>> >>> Also do not forget load sharing resistors and bypass caps...
>> >>> GregS  wrote:
>> >>> >I am having some difficulty finding a bridge rectifier of 3 Kv and 3
>> >> amps.
>> >>> >
>> >>> > ??
>> >>> >
>> >>> > thanks
>> >>> > greg
>> >>> > N6GS
>>
>> I think I am willing to try using them without caps and resistors.
>> I allready have 1KV 3 A  HER308's. And I have a bunch of thermal
>> epoxy. I just might purchase some of these to make things easier.
>>
>> http://www.fairchildsemi.com/ds/FF%2FFFPF04F150S.pdf
>>
>> greg
>
```

>The HER308 looks like a 1N5408 with a specified reverse recovery time. I
>like specifications those FFPF04F150S damper diodes. Digi-Key has them
>available in only large quantities (non-stocked) but Mouser shows them
>in-stock in small lots. Not knowing the dielectric capability of the plastic
>TO-220 case, I'd probably mount them (with heatsinks) to an insulating base.

i was trying to get an order together and ordered all parts from Digikey. I got into
discussion with support, and I said the catalog could be a lot smaller and easier
to hold if they listed stocked parts. From the very beginning I always had problems
with DigiKey with stocked parts. Ordered the diodes from Mouser. Nice that many companies
have no minimum orders. That was a big deal years ago.

greg

```
From 5698463403407201178
X-Google-Thread: f7796,cdd684feeaf7fd34,start
X-Google-Thread: fc8b1,cdd684feeaf7fd34,start
X-Google-Thread: 108122,cdd684feeaf7fd34,start
X-Google-Thread: 10b9c8,cdd684feeaf7fd34,start
X-Google-Thread: 1109af,cdd684feeaf7fd34,start
X-Google-Attributes: gidf7796,gidfc8b1,gid108122,gid10b9c8,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!panix!
rri.panix.com!robomod!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups: alt.ham-
radio.morse,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.in
fo,rec.radio.swap
Subject: Subscribe FREE to the K9YA Telegraph
Followup-To: poster
Date: Wed, 18 Apr 2007 10:34:13 EDT
Organization: Robert F. Heytow Memorial Radio Club
Lines: 20
Approved: RRI Admin <rec-radio-info-request@panix.com>
Message-ID: <KkpVh.11076$YL5.7623@newssvr29.news.prodigy.net>
NNTP-Posting-Host: panix6.panix.com
X-Trace: reader2.panix.com 1176906853 3213 166.84.1.6 (18 Apr 2007 14:34:13 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 18 Apr 2007 14:34:13 +0000 (UTC)
X-RRI-Policy: http://www.panix.com/~rram/usenet/rri/index.html
X-RRI-Info-1: Send submissions to             rec-radio-info@panix.com
X-RRI-Info-2: Send technical complaints to    rec-radio-info-request@panix.com
X-RRI-Info-3: Send complaints about policy to rec-radio-info-request@panix.com
X-Comment-1: The moderators do not necessarily agree or disagree with this
article.
X-Comment-2: Moderators do not verify the accuracy of posted information.
```

```
X-Comment-3: Acceptance does not convey approval of any external references.
X-Robomod: STUMP, ichudov@algebra.com (Igor Chudov), C++/Perl/Unix Consulting
X-Moderation-1: Hassle-Free commercial hosting of moderation sites available
X-Moderation-2: See http://www.algebra.com/~ichudov/stump
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-UserInfo1:
SCSYQN_@FS@ORZAYAROD]_\@VR]^@B@MCPWZKB]MPXHDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Xref: g2news1.google.com alt.ham-radio.morse:394
rec.radio.amateur.boatanchors:11317 rec.radio.amateur.equipment:11870
rec.radio.info:246 rec.radio.swap:16037
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly to your e-mail inbox as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out back issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

```
From -1755222191041910028
X-Google-Thread: 108122,11cb2edc0c2f06ea
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <repose@zilch.com>
Newsgroups: rec.radio.amateur.equipment
References: <1176693523.168714.8020@d57g2000hsg.googlegroups.com>
<fmmck-2A27C1.01191618042007@nntp.aioe.org>
Subject: Re: HTX-10 Information
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <OysVh.189066$p17.41608@newsfe11.phx>
Date: Wed, 18 Apr 2007 10:28:14 -0700
NNTP-Posting-Host: 72.197.13.209
X-Complaints-To: admin@cox.net
X-Trace: newsfe11.phx 1176917294 72.197.13.209 (Wed, 18 Apr 2007 10:28:14 MST)
NNTP-Posting-Date: Wed, 18 Apr 2007 10:28:14 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11871

The HTX-10 Users Manual is available at URL:

http://www.radioshack.com/graphics/uc/rsk/Support/ProductManuals/1901110_PM_EN.pdf

AND User 119 reviews at E-Ham - URL:
http://www.eham.net/reviews/detail/288

Lamont

> In article <1176693523.168714.8020@d57g2000hsg.googlegroups.com>,
> "mike boersma" <mike.boersma@gmail.com> wrote:
>
>> Does anyone have information on the Radio Shack HTX-10 10m radio?
>
> Mike-




From 4097475741394737506
X-Google-Thread: 108122,dbe492d869eae431,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l77g2000hsb.googlegroups.com!not-for-
mail
From: "Photorider06" <mahimahi_1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Suppliers of Portable radios .....
Date: 4 Apr 2007 16:52:08 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1175730728.791360.166970@l77g2000hsb.googlegroups.com>
NNTP-Posting-Host: 71.33.51.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1175730730 10454 127.0.0.1 (4 Apr 2007 23:52:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 4 Apr 2007 23:52:10 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: l77g2000hsb.googlegroups.com; posting-host=71.33.51.54;
   posting-account=aE7klw0AAACR_QPQYPe7PkuLq753H78l
Xref: g2news1.google.com rec.radio.amateur.equipment:11772
```

Anyone know of good suppliers of Handheld units ? Need these with
earpeice and voice activation for use in fugitive recovery.

```
From 7541928571304825694
X-Google-Thread: 108122,dbe492d869eae431
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-
mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suppliers of Portable radios .....
Date: Wed, 4 Apr 2007 20:14:07 -0700
Message-ID: <MPG.207e095d9b7a05e198975d@192.168.42.197>
References: <1175730728.791360.166970@l77g2000hsb.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 27
X-Complaints-To: abuse@csolutions.net
Xref: g2news1.google.com rec.radio.amateur.equipment:11773
```

In article <1175730728.791360.166970@l77g2000hsb.googlegroups.com>,
mahimahi_1@yahoo.com (known to some as Photorider06) scribed...

> Anyone know of good suppliers of Handheld units ? Need these with
> earpeice and voice activation for use in fugitive recovery.

Unless you plan to have every single one of your team members get their amateur radio license, or you have authorization from a public safety agency to use their frequencie(s), I would suggest FRS radios.

With that said: I don't believe that Motorola is a good choice right now. Overpriced, bad support after the sale, and steadily-declining quality in terms of getting spare parts. They also sold off their major service depot to another company, who promptly relocated it to Guadalajara.

I would, assuming the proper licensing, suggest you have a look at Kenwood, M/A-Com, or Icom.

Happy hunting.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From -5643761853836917839
X-Google-Thread: 108122,2e0effed2459eab6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o5g2000hsb.googlegroups.com!not-for-mail
From: 73w7gsa@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED:: SGC SG-2000 / SG2000 Transceiver - DEAD or ALIVE
Date: 4 Apr 2007 20:24:16 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1175743456.611332.112420@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: 71.208.32.163
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1175743459 22907 127.0.0.1 (5 Apr 2007 03:24:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 5 Apr 2007 03:24:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.11) Gecko/20070312 Firefox/1.5.0.11,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o5g2000hsb.googlegroups.com; posting-host=71.208.32.163;
   posting-account=loDvQg0AAABeyrCsfwBynINGNaPuCDIt
Xref: g2news1.google.com rec.radio.amateur.equipment:11774

I am looking for a good used SG2000 the PowerTalk model, the one with the tuning knob. Either Ham version or Marina version is OK.

It can be WORKING or NOT WORKING.

It should be in good physical condition.

If you have one available, please contact me at: 73w7gsa@gmail.com

Thanks,

Bill
W7GSA

From -2569531598639634446
X-Google-Thread: 108122,dbe492d869eae431
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.glorb.com!news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suppliers of Portable radios .....
Date: Thu, 05 Apr 2007 12:58:51 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 35
Message-ID: <ev39si$vvg$1@f04n12.cac.psu.edu>
References: <1175730728.791360.166970@l77g2000hsb.googlegroups.com>
<MPG.207e095d9b7a05e198975d@192.168.42.197>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1175792338 32752 128.118.40.78 (5 Apr 2007 16:58:58 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Thu, 5 Apr 2007 16:58:58 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <MPG.207e095d9b7a05e198975d@192.168.42.197>
Xref: g2news1.google.com rec.radio.amateur.equipment:11775

Dr. Anton T. Squeegee wrote:
> In article <1175730728.791360.166970@l77g2000hsb.googlegroups.com>,
> mahimahi_1@yahoo.com (known to some as Photorider06) scribed...
>
>> Anyone know of good suppliers of Handheld units ? Need these with
>> earpeice and voice activation for use in fugitive recovery.
>
>   Unless you plan to have every single one of your team members get
> their amateur radio license, or you have authorization from a public
> safety agency to use their frequencie(s), I would suggest FRS radios.
>
>   With that said: I don't believe that Motorola is a good choice
> right now. Overpriced, bad support after the sale, and steadily-
> declining quality in terms of getting spare parts. They also sold off
> their major service depot to another company, who promptly relocated it
> to Guadalajara.
>
>   I would, assuming the proper licensing, suggest you have a look at
> Kenwood, M/A-Com, or Icom.

     I suspect that unless the fugitive hunting is done as a charitable
event, that Amateur radio wouldn't be allowable as a useage anyhow.

     I envision that you would want GMRS radios, and probably would want to use a repeater for reliability. I don't know if mobile repeaters are allowed, but would allow you to put an antenna up a little higher on say a Van, then transmit with a little more power to the "satellite radios carried by the bounty hunters.

http://en.wikipedia.org/wiki/General_Mobile_Radio_Service

is a good place to get started.

- 73 de Mike KB3EIA -

From 8591060629432441321
X-Google-Thread: 108122,fe88e19d6ac4e1c1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
Date: Thu, 05 Apr 2007 23:21:41 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Help! Schematic Needed Technisonics Model TFM-403 UHF FM Air to Ground Radio.
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 29
Message-ID: <4615bc9a$0$8983$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11776

Schematic Needed Technisonics Model TFM-403 (Or TFM-30 or TFM-138) UHF FM Air to Ground Radio.
I am trying to troubleshoot an early serial number radio (25 KHz BW) that has a display multiplex problem. Only the upper left quadrant works and only briefly for about 30 seconds. The other 3/4 of the LEDS have all segments illuminated. When first turned on the upper left quadrant works and I can see and use most of the main radio functions. Then after 30 seconds, the upper left quadrant either fades away or some segments light up like the rest of the display. I am suspecting physical damage since the front lens is cracked and a keyboard button (#2) is popped off. Otherwise the radio seems to TX and RX OK!.

I need help finding a schematic of the control board and display. I have a TFM-403 UHF radio but I think the other two models mentioned above probably are similar.

I would also appreciate hearing from techs with familiarity of this

model. Also need some cosmetic parts if you can help. I want to fix
myself. not to send to a depot. Its for my ham shack! Thanks!

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From 8274854129264492797
X-Google-Thread: 108122,c4ef59b8d0a67608,start
X-Google-Thread: 1109af,c4ef59b8d0a67608,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out02b.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe17.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: Motorola Ht1250 ls UHF-Nice Condx-Ham Bands or Comm Use
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C7784B.F46AD1B0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <JIxRh.88554$JN6.18539@newsfe17.phx>
Date: Fri, 6 Apr 2007 13:03:22 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe17.phx 1175889833 68.96.97.57 (Fri, 06 Apr 2007 13:03:53 MST)
NNTP-Posting-Date: Fri, 06 Apr 2007 13:03:53 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11777 rec.radio.swap:15949
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0008_01C7784B.F46AD1B0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: Motorola Ht1250 ls UHF-Nice Condx-Ham Bands or Comm Use

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250100073696&=

```
ssPageName=3DSTRK:MESE:IT&ih=3D015=20

------=_NextPart_000_0008_01C7784B.F46AD1B0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA: Motorola Ht1250 ls UHF-Nice Condx-Ham Bands or Comm Use</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250100073696&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250100073696&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A>&nbsp;</FONT></P></FONT></FONT><=
/DIV></BODY></HTML>

------=_NextPart_000_0008_01C7784B.F46AD1B0--




From -1126189957253427689
X-Google-Thread: 108122,3f447b88dc0ad9c0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o5g2000hsb.googlegroups.com!not-for-
mail
From: "Scott" <scott93727@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: GP68 Motorola Radio User Group
Date: 6 Apr 2007 17:42:36 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1175906556.784207.226870@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: 75.10.120.167
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1175906557 2743 127.0.0.1 (7 Apr 2007 00:42:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 7 Apr 2007 00:42:37 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o5g2000hsb.googlegroups.com; posting-host=75.10.120.167;
   posting-account=Mnf7iQ0AAADbq1XPayBdGfVY3w-SMeeS
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:11778

GP68 Motorola Radio User Group
Manuals, Specs, Links, Downloads,
Best Battery Prices, pictures, etc.
http://groups.google.com/group/GP68gp68
GP68gp68@googlegroups.com
http://www.vehiclerepair.org/gp68/



From -1310108938072600046
X-Google-Thread: 108122,1f654c13977ceabe,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: "Steve" <steveo131@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: www.hamwave.com
Date: Sat, 7 Apr 2007 00:50:42 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <4617230e$0$17138$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11779

www.hamwave.com




From 2054466551236081927
X-Google-Thread: 108122,d159e539abe332cb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w1g2000hsg.googlegroups.com!not-for-
mail
From: "acamil" <acamil@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTS Heath SB101
Date: 7 Apr 2007 08:37:24 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1175960244.847813.273740@w1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 69.116.229.212
Mime-Version: 1.0
```

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1175960245 24460 127.0.0.1 (7 Apr 2007 15:37:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 7 Apr 2007 15:37:25 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3)
Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w1g2000hsg.googlegroups.com; posting-host=69.116.229.212;
   posting-account=YkjRgw0AAABH9oDJ036cRVuMdriGf5fU
Xref: g2news1.google.com rec.radio.amateur.equipment:11780

I have a Heath SB101 available. Pictures available.

Please send email if you are interested. Located in Clifton NJ USA.
Regards

From -1752079968370683321
X-Google-Thread: 108122,1538b046e919b584,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.mv.net!not-for-mail
From: Rick <Nospam@reply.in.gp>
Newsgroups: rec.radio.amateur.equipment
Subject: What does a Q Multiplier do?
Date: Mon, 09 Apr 2007 14:16:33 -0400
Organization: MV Communications, Inc.
Lines: 14
Message-ID: <pan.2007.04.09.18.16.32.474832@reply.in.gp>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1176142593 49736 207.22.49.17 (9 Apr 2007 18:16:33 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 9 Apr 2007 18:16:33 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news1.google.com rec.radio.amateur.equipment:11781

I never could quite figure out exactly what a "Q Multiplier" does.

There is a Heathkit model QF-1 Q Multiplier on ebay and that got me to wondering.

I know what "Q" is regarding inductors and capacitors ("Quality factor", reactance divided by resistance) but I don't know exactly what a Q Multiplier does or how it connects (I assume it connects to a receiver but am not even sure about that). Obviously it "multiplies the Q" but of what component(s) or stage(s)?

Any of you boat anchor enthusiasts know about this?

From 8782201978140900275
X-Google-Thread: 108122,1538b046e919b584
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.stanford.edu!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What does a Q Multiplier do?
Date: 9 Apr 2007 18:53:01 GMT
Organization: The National Capital FreeNet
Lines: 77
Message-ID: <eve22d$d14$1@theodyn.ncf.ca>
References: <pan.2007.04.09.18.16.32.474832@reply.in.gp>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1176144781 13348 134.117.136.48 (9 Apr 2007 18:53:01 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 9 Apr 2007 18:53:01 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11782

Rick (Nospam@reply.in.gp) writes:

> I never could quite figure out exactly what a "Q Multiplier" does.
>
> There is a Heathkit model QF-1 Q Multiplier on ebay and that got me to wondering.
>
> I know what "Q" is regarding inductors and capacitors ("Quality factor", reactance divided by resistance) but I don't know exactly what a Q Multiplier does or how it connects (I assume it connects to a receiver but am not even sure about that). Obviously it "multiplies the Q" but of what component(s) or stage(s)?
>
> Any of you boat anchor enthusiasts know about this?
>

Well this isn't the boatanchor newsgroup, though you'd often be confused by the recent equipment that gets posted about over there.

A Q-multiplier is a regenerative stage.

You might be familiar with the regenerative receiver, where positive feed back is introduced to a stage so the same signal is amplified, fed back to the input, and amplified again. This re-amplification allows for far more gain than if the stage only amplified the signal once, and it increases the selectivity of the tuned circuit involved. There is a means of controlling regneration, so you can limit the amplification, or kick it up so the receiver goes into oscillation, providing a beat note for reception of CW signals.

A Q-multiplier is the same thing, though it doesn't bother to demodulate the signal. Generally, the point is to increase selectivity in the IF section of the receiver. It connects to the plate of the mixer with a single connection, in parallel with that stage. INcrease the regeneration of the Q-Multiplier, and it increases the selectivity. It gives a nice peak, though does little to improve the skirt selectivity.

It's prime was in the days of the 455KHz IF, where the improved selectivity would actually make a difference. At a higher frequency, it would still increase the selectivity of the tuned circuit, but not enough to narrow the passband for voice or CW.

It was often an add-on for low end receivers, because for the cost of a single stage, you'd boost selectivity. Sometimes it was included in the receiver (and sometimes the effect was done by adding some positive feedback to the IF stage, so it could go into regeneration).

It was sometimes seen in more expensive receivers, where a variant was often the reason. A rearrangement of the circuit, and it could be used as a notch filter, to knock out a nearby signal, which was often more useful in receivers with good IF selectivity where the peaking was less of an improvement.

One early use for the Q-Multiplier, which never saw that much use, was for boosting the received carrier in reference to the sidebands of an AM signal. This peaking of the carrier made sure it was strong relative to the sidebands, and made for better AM demodulation. The Q-multiplier was good for this, since it peaked up the carrier but the bad skirt selectivity didn't attenuate the sidebands too much. The same basic notion that is the point of synchronous detectors for better AM reception today.

For a brief while in the sixties, there'd be construction articles with Q-Multipliers at the front-end of receivers. Someone described an early single conversion receiver with a 9MHz IF, and put a front end Q-Multiplier in to improve the selectivity of the single tuned circuit at the front end, to improve image rejection. (Though, it never fully made sense, since image rejection was much easier with the high frequency IF.) The scheme was continued in a few other receivers, basically because it had been done. And that was the end of that.

Q-Multipliers faded as IF frequencies increased, and good filters such as mechanical and crystal came along to replace a string of IF transformers.

  MIchael VE2BVW

From -7529564070332865180
X-Google-Thread: 108122,1538b046e919b584

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.mv.net!not-for-mail
From: Rick <Nospam@reply.in.gp>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What does a Q Multiplier do?
Date: Mon, 09 Apr 2007 16:00:08 -0400
Organization: MV Communications, Inc.
Lines: 6
Message-ID: <pan.2007.04.09.20.00.08.84077@reply.in.gp>
References: <pan.2007.04.09.18.16.32.474832@reply.in.gp>
<eve22d$d14$1@theodyn.ncf.ca>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1176148808 51481 207.22.49.17 (9 Apr 2007 20:00:08 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 9 Apr 2007 20:00:08 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news1.google.com rec.radio.amateur.equipment:11783

Good afternoon, Michael.

Thank you very much for the very interesting and informative article on Q multipliers. I learned a lot today. :-)

From -1931245376275151074
X-Google-Thread: 108122,1538b046e919b584
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-sjc-01!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What does a Q Multiplier do?
Date: Mon, 09 Apr 2007 15:38:47 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <pv8l13dtv4rs33eofpl1lclmfnraaa4vqr@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <pan.2007.04.09.18.16.32.474832@reply.in.gp>
<eve22d$d14$1@theodyn.ncf.ca>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news1.google.com rec.radio.amateur.equipment:11784

On 9 Apr 2007 18:53:01 GMT, et472@FreeNet.Carleton.CA (Michael Black) wrote:

>A Q-multiplier is a regenerative stage.
>
>It's prime was in the days of the 455KHz IF, where the improved selectivity
>would actually make a difference. At a higher frequency, it would still
>increase the selectivity of the tuned circuit, but not enough to narrow
>the passband for voice or CW.

So what about audio Q-multipliers? Do they function on the same principle?

-- Larry

```
From -5272908561293014273
X-Google-Thread: 108122,1538b046e919b584
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail
From: "The Shadow" <repose@zilch.com>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.04.09.18.16.32.474832@reply.in.gp>
<eve22d$d14$1@theodyn.ncf.ca> <pv8l13dtv4rs33eofpl1lclmfnraaa4vqr@4ax.com>
Subject: Re: What does a Q Multiplier do?
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <4PzSh.145358$907.10669@newsfe13.phx>
Date: Mon, 9 Apr 2007 16:16:17 -0700
NNTP-Posting-Host: 72.197.12.224
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1176160576 72.197.12.224 (Mon, 09 Apr 2007 16:16:16 MST)
NNTP-Posting-Date: Mon, 09 Apr 2007 16:16:16 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11785
```

"pltrgyst" <pltrgyst@spamlessxhost.org> wrote in message
news:pv8l13dtv4rs33eofpl1lclmfnraaa4vqr@4ax.com...
> On 9 Apr 2007 18:53:01 GMT, et472@FreeNet.Carleton.CA (Michael Black)
> wrote:
>
>>A Q-multiplier is a regenerative stage.
>>
>>It's prime was in the days of the 455KHz IF, where the improved
>>selectivity
>>would actually make a difference. At a higher frequency, it would still

>>increase the selectivity of the tuned circuit, but not enough to narrow
>>the passband for voice or CW.
>
> So what about audio Q-multipliers? Do they function on the same principle?
>
> -- Larry

AUDIO Q-MULTIPLIER
http://cs.okanagan.bc.ca/ve7ouc/eng/kc6wdk-mirror/qmultiplier.html

Lamont

From -5955540831272851320
X-Google-Thread: 108122,1538b046e919b584
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Richard Knoppow" <dickburk@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.04.09.18.16.32.474832@reply.in.gp>
<eve22d$d14$1@theodyn.ncf.ca> <pv8l13dtv4rs33eofpl1lclmfnraaa4vqr@4ax.com>
Subject: Re: What does a Q Multiplier do?
Date: Mon, 9 Apr 2007 17:18:27 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 43
Message-ID: <461acb64$0$16382$88260bb3@free.teranews.com>
NNTP-Posting-Date: 09 Apr 2007 23:25:25 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11786

"pltrgyst" <pltrgyst@spamlessxhost.org> wrote in message
news:pv8l13dtv4rs33eofpl1lclmfnraaa4vqr@4ax.com...
> On 9 Apr 2007 18:53:01 GMT, et472@FreeNet.Carleton.CA
> (Michael Black) wrote:
>
>>A Q-multiplier is a regenerative stage.
>>
>>It's prime was in the days of the 455KHz IF, where the
>>improved selectivity
>>would actually make a difference. At a higher frequency,
>>it would still
>>increase the selectivity of the tuned circuit, but not
>>enough to narrow
>>the passband for voice or CW.

>
> So what about audio Q-multipliers? Do they function on the
> same principle?
>
> -- Larry

Yes. The idea of a Q-Multiplier is to increase selectivity. They use regeneration (positive feedback) to decrease the bandwidth of a tuned circuit. The frequency can be whatever is desired. Q-Multipliers were popular at a time when most receivers had inadequate selectivity. They are relatively cheap and, with some limitations, work pretty well. As receivers with more sophisticated filters (like mechanical filters or multi-pole crystal filters) became available the Q-multiplier fell out of use.

BTW, the old regenerative receiver works on the same principle. In fact, one can see a Q-Multiplier as a sort of regenerative receiver working at the IF or audio frequencies.

--

Richard Knoppow
Los Angeles, CA, USA
dickburk@ix.netcom.com

--
Posted via a free Usenet account from http://www.teranews.com

From 5941871815795439943
X-Google-Thread: 108122,1538b046e919b584
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.stanford.edu!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What does a Q Multiplier do?
Date: 10 Apr 2007 04:11:25 GMT
Organization: The National Capital FreeNet
Lines: 32
Message-ID: <evf2pd$fm$1@theodyn.ncf.ca>
References: <pan.2007.04.09.18.16.32.474832@reply.in.gp> <eve22d$d14$1@theodyn.ncf.ca> <pv8l13dtv4rs33eofpl1lclmfnraaa4vqr@4ax.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1176178285 502 134.117.136.48 (10 Apr 2007 04:11:25 GMT)
X-Complaints-To: complaints@ncf.ca

NNTP-Posting-Date: 10 Apr 2007 04:11:25 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11787

pltrgyst (pltrgyst@spamlessxhost.org) writes:
> On 9 Apr 2007 18:53:01 GMT, et472@FreeNet.Carleton.CA (Michael Black) wrote:
>
>>A Q-multiplier is a regenerative stage.
>>
>>It's prime was in the days of the 455KHz IF, where the improved selectivity
>>would actually make a difference. At a higher frequency, it would still
>>increase the selectivity of the tuned circuit, but not enough to narrow
>>the passband for voice or CW.
>
> So what about audio Q-multipliers? Do they function on the same principle?
>
> -- Larry

Originally yes, though I've seen "audio Q-multipliers" described in
construction articles that are more strictly average audio filters.

They may even come out of the same place. The selectoject was described
in QST in the late forties, by O. G. Villard, and it uses the principle
of regneration to get better selectivity at audio. And O. G. Villard is
the name I'd associate with the use of the Q-Multiplier for better
reception of AM (there are references to a QST article by him on that topic
in an early ARRL SSB manual). But I've never seen a specific link between
the selectoject and the Q-Multiplier at the IF of a receiver, so I don't know
 if he came up with the IF Q-multiplier as we know it, or someone else did.
Certainly O. G. Villard, who died only three years ago, came up with
quite a few things important to amateur radio, including a lot of work
in SSB in the early days.

  Michael VE2BVW

From 3760421015172508140
X-Google-Thread: 108122,1538b046e919b584
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What does a Q Multiplier do?
Date: Tue, 10 Apr 2007 08:32:51 -0700
Message-ID: <j7bn13tvl7r73vdqcvmoj2cd0h5epr96n8@4ax.com>
References: <pan.2007.04.09.18.16.32.474832@reply.in.gp>
<eve22d$d14$1@theodyn.ncf.ca> <pv8l13dtv4rs33eofpl1lclmfnraaa4vqr@4ax.com>
<evf2pd$fm$1@theodyn.ncf.ca>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 41
NNTP-Posting-Date: 10 Apr 2007 14:39:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11788

On 10 Apr 2007 04:11:25 GMT, et472@FreeNet.Carleton.CA (Michael Black)
wrote:

>pltrgyst (pltrgyst@spamlessxhost.org) writes:
>> On 9 Apr 2007 18:53:01 GMT, et472@FreeNet.Carleton.CA (Michael Black) wrote:
>>
>>>A Q-multiplier is a regenerative stage.
>>>
>>>It's prime was in the days of the 455KHz IF, where the improved selectivity
>>>would actually make a difference. At a higher frequency, it would still
>>>increase the selectivity of the tuned circuit, but not enough to narrow
>>>the passband for voice or CW.
>>
>> So what about audio Q-multipliers? Do they function on the same principle?
>>
>> -- Larry
>
>Originally yes, though I've seen "audio Q-multipliers" described in
>construction articles that are more strictly average audio filters.
>
>They may even come out of the same place. The selectoject was described
>in QST in the late forties, by O. G. Villard, and it uses the principle
>of regneration to get better selectivity at audio. And O. G. Villard is
>the name I'd associate with the use of the Q-Multiplier for better
>reception of AM (there are references to a QST article by him on that topic
>in an early ARRL SSB manual). But I've never seen a specific link between
>the selectoject and the Q-Multiplier at the IF of a receiver, so I don't know
> if he came up with the IF Q-multiplier as we know it, or someone else did.
>Certainly O. G. Villard, who died only three years ago, came up with
>quite a few things important to amateur radio, including a lot of work
>in SSB in the early days.
>
> Michael VE2BVW
>

Interestingly, this month's QST in the 50 Years Ago column lists a
variable band width Q-Multiplier by Ronald Ives (April 1957.) The
article references the original Villard article in the April 1952
issue of "Electronics" magazine.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

```
From -5628055437891490094
X-Google-Thread: 108122,35f8ab1b8ad17bcd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!w1g2000hsg.googlegroups.com!not-for-
mail
From: "gil" <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Kenwood YC-88C 500hz CW filter
Date: 10 Apr 2007 17:22:32 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1176250952.426316.78680@w1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 24.149.231.253
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176250953 3684 127.0.0.1 (11 Apr 2007 00:22:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Apr 2007 00:22:33 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: w1g2000hsg.googlegroups.com; posting-host=24.149.231.253;
   posting-account=W-cZMg0AAAD6pmUIPaJTixPoW2XfnzcF
Xref: g2news1.google.com rec.radio.amateur.equipment:11789

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=007&sspagename=STRK%3AMESE%3AIT&viewitem=&item=170099692683&rd=1&rd=1



From 8588978581632862093
X-Google-Thread: 108122,1538b046e919b584
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Apr 2007 20:32:11 -0500
From: Jon Teske <jdteske@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What does a Q Multiplier do?
Date: Tue, 10 Apr 2007 21:31:57 -0400
Message-ID: <33eo13l72ovedb8ckiqki08gsdmam6dm2f@4ax.com>
References: <pan.2007.04.09.18.16.32.474832@reply.in.gp>
<eve22d$d14$1@theodyn.ncf.ca> <pv8l13dtv4rs33eofpl1lclmfnraaa4vqr@4ax.com>
<evf2pd$fm$1@theodyn.ncf.ca> <j7bn13tvl7r73vdqcvmoj2cd0h5epr96n8@4ax.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

Lines: 69
NNTP-Posting-Host: 68.55.189.180
X-Trace: sv3-
wdLrmqt7hv4zR8igpVyJif3X0yOmeeyjphfJt3+7TeEm6ZrLGWObaarmPJxkaqscqC+LeXxBE1rtej8!
nywS3XaWKxLpxJ/eKK+9k0TA4fGwD9XAMpOX++bFW5Vl2HCmC3FhwIluIfJiqsoODCu68TcNuIJL!
8K9kUMsipg7PalsnOP7yLdKvKQE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11790

Among us kids who were licensed as teens in the mid 50's, the Q multiplier was a hot item. Most of us could not afford the latest and greatest receivers so the Heathkit Q-Multiplier was a desired accessory . I believe is could also do a notching function. I never had the Heath version myself, but many friends did. I had a Hammarlund HQ-100 immediately upon its introduction and as far as I can recall that was the first commercial radio to have a Q-Multiplier built in as opposed to an add-on accessory. More expensive radios had crystal filters and the Cadillac of the era, the Collins 75A4 had mechanical filters. The $500 price tag of the 75A4 put it in the "dream-on" category to those of us who only had part-time jobs or in my case (I was 13 when licensed) too young to even work at anything legally. It actually was pretty effective once you got to learn how to use it. As I remember it was far more effective on CW than phone (which was still heavily standard full carrier AM phone.) The Hammarlund version only had a "peak"
function. I believe the Heathkit version's notch function could be used for reducing heterodyne squeals although I have very liitle experience with that. I believe the Heath also had a third function, but I don't remember what it was.

Jon W3JT

On Tue, 10 Apr 2007 08:32:51 -0700, Dick <w6ccd@k7yca.org> wrote:

>On 10 Apr 2007 04:11:25 GMT, et472@FreeNet.Carleton.CA (Michael Black)
>wrote:
>
>>pltrgyst (pltrgyst@spamlessxhost.org) writes:
>>> On 9 Apr 2007 18:53:01 GMT, et472@FreeNet.Carleton.CA (Michael Black) wrote:
>>>
>>>>A Q-multiplier is a regenerative stage.
>>>>
>>>>It's prime was in the days of the 455KHz IF, where the improved selectivity
>>>>would actually make a difference. At a higher frequency, it would still
>>>>increase the selectivity of the tuned circuit, but not enough to narrow
>>>>the passband for voice or CW.

```
>>>
>>> So what about audio Q-multipliers? Do they function on the same principle?
>>>
>>> -- Larry
>>
>>Originally yes, though I've seen "audio Q-multipliers" described in
>>construction articles that are more strictly average audio filters.
>>
>>They may even come out of the same place.  The selectoject was described
>>in QST in the late forties, by O. G. Villard, and it uses the principle
>>of regneration to get better selectivity at audio.  And O. G. Villard is
>>the name I'd associate with the use of the Q-Multiplier for better
>>reception of AM (there are references to a QST article by him on that topic
>>in an early ARRL SSB manual).  But I've never seen a specific link between
>>the selectoject and the Q-Multiplier at the IF of a receiver, so I don't know
>> if he came up with the IF Q-multiplier as we know it, or someone else did.
>>Certainly O. G. Villard, who died only three years ago, came up with
>>quite a few things important to amateur radio, including a lot of work
>>in SSB in the early days.
>>
>>  Michael  VE2BVW
>>
>
>Interestingly, this month's QST in the 50 Years Ago column lists a
>variable band width Q-Multiplier by Ronald Ives (April 1957.)  The
>article references the original Villard article in the April 1952
>issue of "Electronics" magazine.
>
>Dick - W6CCD
```

```
From -4027705022619186639
X-Google-Thread: 108122,993b819007f94f47,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
o5g2000hsb.googlegroups.com!not-for-mail
From: "bcpiper" <bcpiper@telus.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom 746pro fm audio
Date: 10 Apr 2007 20:57:03 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1176263823.162446.174860@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: 66.183.24.187
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176263823 4030 127.0.0.1 (11 Apr 2007 03:57:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Apr 2007 03:57:03 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1;
```

RCP000.009.00520/6d881c947c69c8a9eaf8241b2afaa315; iLiveSeminar 4.0.2; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o5g2000hsb.googlegroups.com; posting-host=66.183.24.187;
   posting-account=Slol0g0AAADHSnh2hMAbxIbfbV_vXnZy
Xref: g2news1.google.com rec.radio.amateur.equipment:11791

Looking for a way to improve my transmit audio on fm

can anyone help out

currently use the the stock hm-36 microphone

is there any mods for this mike

Thanks Ian VA7SW

From 4714166926675655950
X-Google-Thread: 108122,993b819007f94f47
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!out04a.usenetserver.com!news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 746pro fm audio
Date: Tue, 10 Apr 2007 21:20:51 -0700
Message-ID: <MPG.20860200159d7ca8989761@192.168.42.197>
References: <1176263823.162446.174860@o5g2000hsb.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 21
X-Complaints-To: abuse@csolutions.net
Xref: g2news1.google.com rec.radio.amateur.equipment:11792

In article <1176263823.162446.174860@o5g2000hsb.googlegroups.com>,
bcpiper@telus.net (known to some as bcpiper) scribed...

> Looking for a way to improve my transmit audio on fm

     <snippety>

Best advice I can think of is to use a high-quality microphone, designed for either teleconferencing or broadcast (Shure has some nice ones -- I use their 503BG myself), and adapt that to your radio. You'll probably be best off using a low-impedance dynamic.

Happy hunting.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From 8291861101370232584
X-Google-Thread: 108122,b025abbcf03a9321,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!news.linkpendium.com!
news.linkpendium.com!ken-transit.news.telstra.net!lon-in.news.telstra.net!
news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: David <dhuisman@bigpond.net.au>
Reply-To: dhuisman@bigpond.net.au
User-Agent: Thunderbird 1.5.0.10 (Windows/20070221)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: HP ADS simulation software
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <YT%Sh.12140$M.4296@news-server.bigpond.net.au>
Date: Wed, 11 Apr 2007 07:12:56 GMT
NNTP-Posting-Host: 144.131.95.162
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1176275576 144.131.95.162 (Wed, 11 Apr 2007
17:12:56 EST)
NNTP-Posting-Date: Wed, 11 Apr 2007 17:12:56 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:11793

Hi,

Anyone have an older version of HP's ADS circuit simulation for sale ?

Please email me

Regards

David

dhuisman@bigpond.net.au

```
From -2694427014101469920
X-Google-Thread: 108122,35f8ab1b8ad17bcd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l77g2000hsb.googlegroups.com!not-for-
mail
From: "gil" <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA Kenwood YC-88C 500hz CW filter
Date: 11 Apr 2007 02:55:30 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1176285330.888069.102910@l77g2000hsb.googlegroups.com>
References: <1176250952.426316.78680@w1g2000hsg.googlegroups.com>
NNTP-Posting-Host: 24.149.231.253
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176285331 26009 127.0.0.1 (11 Apr 2007 09:55:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Apr 2007 09:55:31 +0000 (UTC)
In-Reply-To: <1176250952.426316.78680@w1g2000hsg.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l77g2000hsb.googlegroups.com; posting-host=24.149.231.253;
   posting-account=W-cZMg0AAAD6pmUIPaJTixPoW2XfnzcF
Xref: g2news1.google.com rec.radio.amateur.equipment:11794
```

On Apr 10, 8:22 pm, "gil" <g...@yahoo.com> wrote:
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=007&sspagename=STRK%...

My mistake...not a YC 88C, its a YK 88C CW filter

```
From 3664291232088633105
X-Google-Thread: 108122,e52973319193d071,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Advice on choosing TNC
Date: 11 Apr 2007 10:54:12 GMT
Lines: 22
Message-ID: <slrnf1q7vg.9vn.blueboxthief@sanfermin.my.domain>
X-Trace: individual.net wej3XkMhswl+lj8no433Bwy7eX12wc0yeb2sbDGPiE6aTAf+pJ
User-Agent: slrn/0.9.8.1 (OpenBSD)
```

Xref: g2news1.google.com rec.radio.amateur.equipment:11795

hi all,

i have been out of amateur radio for a good number of years.
i have finally got the room (garden and house!) for a few rigs,
and i'd like to get back into packet.

I would like to have the capability to do packet on V/UHF and also via
satellite (if I can get an antenna up for it).

I am also very interested in aprs (looks very useful) so the TNC
would have to be usable with GPS/etc.

I run a Icom IC-207 V/UHF, a Kenwood TH78e handie, and a Yaesu FT707 for HF.

I mainly use Mac OS X, or at times Windows XP, so the TNC would have to be
supported
by Mac TNC software.

any help greatly appreciate,

73s de
bernard
ei8fdb

From 1010851067669576545
X-Google-Thread: 108122,ae114be97f3c8e91,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.cse.ohio-state.edu!usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!machine3
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: rectifier
Date: Wed, 11 Apr 2007 18:41:02 GMT
Organization: ???
Lines: 7
Message-ID: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1176316862 8881 136.142.52.106 (11 Apr 2007 18:41:02 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Wed, 11 Apr 2007 18:41:02 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:11796

I am having some difficulty finding a bridge rectifier of 3 Kv and 3 amps.

??

thanks

greg
N6GS

From 8453762196275772587
X-Google-Thread: 108122,e52973319193d071
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.stanford.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-08!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice on choosing TNC
Date: Wed, 11 Apr 2007 10:24:28 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0704111012460.4247@malasada.lava.net>
In-Reply-To: <slrnf1q7vg.9vn.blueboxthief@sanfermin.my.domain>
References: <slrnf1q7vg.9vn.blueboxthief@sanfermin.my.domain>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news1.google.com rec.radio.amateur.equipment:11797

BERNARD,
I too am still active in PACKET however I use a Commodore 128 for all my uses. One for internet use and another setup for Packet on VHF only.   I use GERMAN software called DIGICOM V5 which uses the worldwide compatible software. I built my own TNC strictly for PACKET/VHF. In Hawaii we have a statewide packet digiptr setup, with the digi on top of Mt Haleakala.   I can easily reach that. I think its APRS which has a lot of addnl cmds I am not familiar with.   As to TNC'S that will work with PC's and or COMMODORE computers the following commercial TNC's are all suitable.
MFJ (makes several versions)
Packrat PK232's with latest upgrade ROMS also (useable with
          Commodores if adapter is also included.
KAM+   Kantronics also with latest ROMS is MBX and fully compatible.
Hope this helps. I was handling all MARS traffic via Packet between Ft Huachuca Az and Schofield Barracks in Honolulu for many years till I finally resigned last year. After 70 years with pre WW2 then MARS till last year I decided I better rest and take it easy.
                       Joe/KH6JF (previously ABM6JF) MARS Call

```
***************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
***************************************************************************
```

```
From 7766987660774749429
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!postnews.google.com!
p77g2000hsh.googlegroups.com!not-for-mail
From: rkmr15203@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rectifier
Date: 11 Apr 2007 18:18:11 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1176340691.546854.272040@p77g2000hsh.googlegroups.com>
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
NNTP-Posting-Host: 66.207.140.34
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176340691 29631 127.0.0.1 (12 Apr 2007 01:18:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Apr 2007 01:18:11 +0000 (UTC)
In-Reply-To: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; Intel Mac OS X; en-US; rv:1.8.1.3)
Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p77g2000hsh.googlegroups.com; posting-host=66.207.140.34;
   posting-account=hIBG4QwAAABmyUjVszCagfiv3auvyxQp
Xref: g2news1.google.com rec.radio.amateur.equipment:11798

On Apr 11, 2:41 pm, szeke...@pitt.edu (GregS) wrote:
> I am having some difficulty finding a bridge rectifier of 3 Kv and 3 amps.
>
> ??
>
> thanks
> greg
> N6GS

Make your own, from single diodes.  1kv at 3 or 5 amps are easy to
find.



From -4053735449296567169
X-Google-Thread: 108122,e52973319193d071
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
```

filter.lga!newsfe22.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <slrnf1q7vg.9vn.blueboxthief@sanfermin.my.domain>
Subject: Re: Advice on choosing TNC
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <zrgTh.75906$mJ1.30202@newsfe22.lga>
Date: Wed, 11 Apr 2007 21:02:51 -0500
NNTP-Posting-Host: 74.195.53.175
X-Complaints-To: admin@cox.net
X-Trace: newsfe22.lga 1176343391 74.195.53.175 (Wed, 11 Apr 2007 19:03:11 MST)
NNTP-Posting-Date: Wed, 11 Apr 2007 19:03:11 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11799

"blue box thief" <"blue box thief"@runningwithbulls.com> wrote in message
news:slrnf1q7vg.9vn.blueboxthief@sanfermin.my.domain...
> hi all,
>
> i have been out of amateur radio for a good number of years.
> i have finally got the room (garden and house!) for a few rigs,
> and i'd like to get back into packet.
>
> I would like to have the capability to do packet on V/UHF and also via
> satellite (if I can get an antenna up for it).
>
> I am also very interested in aprs (looks very useful) so the TNC
> would have to be usable with GPS/etc.
>
> I run a Icom IC-207 V/UHF, a Kenwood TH78e handie, and a Yaesu FT707 for HF.
>
> I mainly use Mac OS X, or at times Windows XP, so the TNC would have to be
supported
> by Mac TNC software.
>
> any help greatly appreciate,
>
> 73s de
> bernard
> ei8fdb

A TNC can be operated from a dumb terminal through an RS232 port. You can use any terminal program with your computer--I've used
Windows HyperTerminal. You tend to need to keep the TNC command line book handy when using a terminal program. Software specific
to TNCs (e.g., HostMaster) make operating the TNC more user friendly.

Hope that helps.

73 de Glenn AA5PK

```
From 124504411963538761
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Date: Wed, 11 Apr 2007 23:32:37 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rectifier
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
In-Reply-To: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 26
Message-ID: <461da811$0$19414$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11800
```

The ARRL handbook might be helpful for building you own. You might also
try Peter Dahl. Here is a link to his rectifiers.
http://www.pwdahl.com/dahlcatalog/WEBCLISTU.pdf

GregS wrote:

>I am having some difficulty finding a bridge rectifier of 3 Kv and 3 amps.
>
>??
>
>thanks
>greg
>N6GS
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 836145465411492175
X-Google-Thread: 108122,e52973319193d071
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!roadrunner.com!not-for-mail
Date: Wed, 11 Apr 2007 23:37:49 -0400
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
Organization: Central Scrutinizer
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice on choosing TNC
References: <slrnf1q7vg.9vn.blueboxthief@sanfermin.my.domain>
In-Reply-To: <slrnf1q7vg.9vn.blueboxthief@sanfermin.my.domain>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 41
Message-ID: <461da948$0$19414$4c368faf@roadrunner.com>
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11801

Check Kantronics and also the AMSAT and TAPR websites and bulletin boards. Some of the digital satellites required a manchester modification to the uplink, but I think that is passe. Bob Bruiniga is the guru on these so you might look him up and send an e-mail to him.

blue box thief wrote:

>hi all,
>
>i have been out of amateur radio for a good number of years.
>i have finally got the room (garden and house!) for a few rigs,
>and i'd like to get back into packet.
>
>I would like to have the capability to do packet on V/UHF and also via
>satellite (if I can get an antenna up for it).
>
>I am also very interested in aprs (looks very useful) so the TNC
>would have to be usable with GPS/etc.
>
>I run a Icom IC-207 V/UHF, a Kenwood TH78e handie, and a Yaesu FT707 for HF.
>

```
>I mainly use Mac OS X, or at times Windows XP, so the TNC would have to be
supported
>by Mac TNC software.
>
>any help greatly appreciate,
>
>73s de
>bernard
>ei8fdb
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P




From -9550655242846813680
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!news.linkpendium.com!
news.linkpendium.com!ken-transit.news.telstra.net!lon-in.news.telstra.net!
news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "P.Gregory" <hoonz@bigpond.com>
Newsgroups: rec.radio.amateur.equipment
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
Subject: Re: rectifier
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <pVjTh.12439$M.3330@news-server.bigpond.net.au>
Date: Thu, 12 Apr 2007 05:59:49 GMT
NNTP-Posting-Host: 124.186.181.235
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1176357589 124.186.181.235 (Thu, 12 Apr 2007
15:59:49 EST)
NNTP-Posting-Date: Thu, 12 Apr 2007 15:59:49 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:11802

Also do not forget load sharing resistors and bypass caps...
"GregS" <szekeres@pitt.edu> wrote in message
news:evja3u$8lh$2@usenet01.srv.cis.pitt.edu...
```

>I am having some difficulty finding a bridge rectifier of 3 Kv and 3 amps.
>
> ??
>
> thanks
> greg
> N6GS

From 7234476966588822675
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Thu, 12 Apr 2007 01:19:18 -0500
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
<461da811$0$19414$4c368faf@roadrunner.com>
Subject: Re: rectifier
Date: Wed, 11 Apr 2007 23:13:23 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <II2dnaPfBK_7UoDbnZ2dnUVZ_sCinZ2d@giganews.com>
Lines: 36
X-Trace: sv3-ckMwDH5NXBkl5YHJTItG++TmrzsURjVgpbYiAONVLj0U9AAt/
UPeVrgq9viU353Id8RNEJ0LOzhO4kG!
CsYWrsP+pgPmoZUgKZkTcD+9DoKDSOwBHnY1osMt5C9vaJ0Zg1jM2W39fZe+Oa0P/I99k0hIA6w=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11803

Hi Greg,

In addition to Joe's suggestion, Linear "Amplefire" guru Richard Measures
talks about rectifiers here: http://www.somis.org/D-amplifiers3.html
For reasons of heat-dissipation (and I expect also cost), he's not too fond
of the epoxy-encapsulated HV rectfiers -- he prefers to build his own stack
on perforated circuit board. If you want to heed his advice, you could
build a reasonably tidy bridge with a dozen 1N5408 (3A/1KV) rectifiers.

73,
Bryan WA7PRC

```
Joe  wrote:
> The ARRL handbook might be helpful for building you own.  You might also
> try Peter Dahl. Here is a link to his rectifiers.
> http://www.pwdahl.com/dahlcatalog/WEBCLISTU.pdf
>
>
> GregS wrote:
>
> >I am having some difficulty finding a bridge rectifier of 3 Kv and 3
amps.
> >
> >??
> >
> >thanks
> >greg
> >N6GS
> >
> >
>
> --
> Joe Leikhim K4SAT
> "The RFI-EMI-GUY"�




From -3969152040460323247
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Thu, 12 Apr 2007 01:26:47 -0500
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu> <pVjTh.12439$M.3330@news-
server.bigpond.net.au>
Subject: Re: rectifier
Date: Wed, 11 Apr 2007 23:20:52 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com>
Lines: 21
X-Trace: sv3-
K3RtILL02n86cdhTU9Hni0EQq9AA12e65MA7ZXndPtr2nMfSqK4WyqsQ9h+IrMWAvHvK94pElcL9p8o!
sTpyHPfYYwqRsyjvi+XD4ybtpr/Or8TWF716TT0e1qHXEA6WOwm2GQWtiHBFEplmtKvr0ecEnvM=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11804

It would be wise to NOT use load-sharing (aka equalizer) resistors & capacitors. With modern rectifiers, if more than one diode is in a string, there will be no problem as long as they are of the same type number. See http://www.somis.org/D-amplifiers3.html.
73,
Bryan WA7PRC

P.Gregory wrote:
> Also do not forget load sharing resistors and bypass caps...
> "GregS" <szekeres@pitt.edu> wrote in message
> news:evja3u$8lh$2@usenet01.srv.cis.pitt.edu...
> >I am having some difficulty finding a bridge rectifier of 3 Kv and 3 amps.
> >
> > ??
> >
> > thanks
> > greg
> > N6GS

From -4465496880925732413
X-Google-Thread: 108122,3446745253b2e2df,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.germany.com!feeder.news-service.com!hitnews.eu!feeder2.cambrium.nl!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-05!sn-post-ams-01!sn-post-sjc-01!supernews.com!news.supernews.com!not-for-mail
From: Joey <joey29034atyawwhodotcom>
Newsgroups: rec.radio.amateur.equipment
Subject: Anyone still use packet radio?
Date: Wed, 11 Apr 2007 23:57:57 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news1.google.com rec.radio.amateur.equipment:11805

Just curious how many out there still have active 2m packet radio in their area? Aside from APRS, I don't think anyone is listening... and even that seems to be fading here.

I've been rather inactive for the past 7-10 years and it seems packet
has dissapeared in that time! Anyone have any creative ideas?

I honestly can't come up with any use for it that I can't already do
over the internet... My laptop even has built in EVDO on two cell
networks (redundancy!). What more can I ask for? :(

PS. 3 month old TH-D7A for sale ;)

J

From 6723012301894131336
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: blue box thief <"blue box thief"@runningwithbulls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: 12 Apr 2007 07:22:20 GMT
Lines: 34
Message-ID: <slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
X-Trace: individual.net q3CTgDeMaUcIp6E5258HjAUC7m61QgnEdcgmfW4Rx+sO7wgakP
User-Agent: slrn/0.9.8.1 (OpenBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:11806

On 2007-04-12, Joey <joey29034atyawwhodotcom> wrote:
> Just curious how many out there still have active 2m packet radio in
> their area? Aside from APRS, I don't think anyone is listening... and
> even that seems to be fading here.

I am not sure about that (aprs I mean). In Ireland there seems to be alot
of activity. Maybe its only by a small number, but it looks busy.

> I've been rather inactive for the past 7-10 years and it seems packet
> has dissapeared in that time! Anyone have any creative ideas?

Well the only thing that hasn't been sent is pr0n..that seems a money-spinner
on cell networks. :)

> I honestly can't come up with any use for it that I can't already do
> over the internet... My laptop even has built in EVDO on two cell
> networks (redundancy!). What more can I ask for? :(

I remember going to a radio meeting(probably the only meeting i went to!)
, dunno, about 7-8 years ago.
I argued that Internet was good for ham radio, while alot of people (waay more
experienced than I) argued the opposite. It'll kill DX, Packet etc.

I argued the opposite. It'll give people opportunity to find information, access to other sides of the world, as if they were in their backgarden.

A little bit of both seems to have happened. Is that a bad thing?

> PS. 3 month old TH-D7A for sale ;)

How about you and me have a chat ;) http://www.runningwithbulls.com/blog/contact-us/

thanks,
bernard

```
From 3023584019437381833
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!newsfeeds.ihug.co.nz!
ihug.co.nz!ken-transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!
news-server.bigpond.net.au!53ab2750!not-for-mail
From: "P.Gregory" <hoonz@bigpond.com>
Newsgroups: rec.radio.amateur.equipment
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu> <pVjTh.12439$M.3330@news-
server.bigpond.net.au> <4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com>
Subject: Re: rectifier
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <0hlTh.12461$M.9139@news-server.bigpond.net.au>
Date: Thu, 12 Apr 2007 07:33:16 GMT
NNTP-Posting-Host: 124.186.181.235
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1176363196 124.186.181.235 (Thu, 12 Apr 2007
17:33:16 EST)
NNTP-Posting-Date: Thu, 12 Apr 2007 17:33:16 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:11807
```

Wise?
I could put just as many links saying the opposite , as in series , Not parralel and not paraletic , few few ohms aint gunna do what you yanks say "diddly squat" unless you get perfect diodes , read as matched ..paul

"Bryan" <bryan.swadenerNOSPAM@comcast.net> wrote in message
news:4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com...
> It would be wise to NOT use load-sharing (aka equalizer) resistors &

```
> capacitors.  With modern rectifiers, if more than one diode is in a
> string,
> there will be no problem as long as they are of the same type number.  See
> http://www.somis.org/D-amplifiers3.html.
> 73,
> Bryan WA7PRC
>
> P.Gregory wrote:
>> Also do not forget load sharing resistors and bypass caps...
>> "GregS" <szekeres@pitt.edu> wrote in message
>> news:evja3u$8lh$2@usenet01.srv.cis.pitt.edu...
>> >I am having some difficulty finding a bridge rectifier of 3 Kv and 3
> amps.
>> >
>> > ??
>> >
>> > thanks
>> > greg
>> > N6GS
>
>
```

```
From -8092181480778622633
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-09!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!news.supernews.com!not-for-mail
From: Joey <joey@nowhere.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Thu, 12 Apr 2007 08:47:27 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <hsks13pc060f4rsfj0b7uksvkjujf40at2@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 53
Xref: g2news1.google.com rec.radio.amateur.equipment:11808
```

I wish I could find a use for it, but all good things come to an almost-end, I guess :)

I can't say the internet has been bad for amatuer radio... look at IRLP, echolink, etc. success. It seems everything comes back to voice traffic.... look at VoIP on the internet, we have a big fast data

network, and guess what? we want to TALK on it :D (or download p0rn.
lol)

I guess my voice capable HT will never be obsolete! And that's why i
keep it up and running...

J

On 12 Apr 2007 07:22:20 GMT, blue box thief <"blue box
thief"@runningwithbulls.com> wrote:

>On 2007-04-12, Joey <joey29034atyawwhodotcom> wrote:
>> Just curious how many out there still have active 2m packet radio in
>> their area? Aside from APRS, I don't think anyone is listening... and
>> even that seems to be fading here.
>
>I am not sure about that (aprs I mean). In Ireland there seems to be alot
>of activity. Maybe its only by a small number, but it looks busy.
>
>> I've been rather inactive for the past 7-10 years and it seems packet
>> has dissapeared in that time! Anyone have any creative ideas?
>
>Well the only thing that hasn't been sent is pr0n..that seems a money-spinner
>on cell networks. :)
>
>> I honestly can't come up with any use for it that I can't already do
>> over the internet... My laptop even has built in EVDO on two cell
>> networks (redundancy!). What more can I ask for? :(
>
>I remember going to a radio meeting(probably the only meeting i went to!)
>, dunno, about 7-8 years ago.
>I argued that Internet was good for ham radio, while alot of people (waay more
>experienced than I) argued the opposite. It'll kill DX, Packet etc.
>
>I argued the opposite. It'll give people opportunity to find information, access
>to other sides of the world, as if they were in their backgarden.
>
>A little bit of both seems to have happened. Is that a bad thing?
>
>> PS. 3 month old TH-D7A for sale ;)
>
>How about you and me have a chat ;) http://www.runningwithbulls.com/blog/contact-us/
>
>thanks,
>bernard

From -2044977474602526254
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d57g2000hsg.googlegroups.com!not-for-
mail
From: "Nobody" <rock_sci@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: 12 Apr 2007 10:16:15 -0700
Organization: http://groups.google.com
Lines: 91
Message-ID: <1176398175.270913.195120@d57g2000hsg.googlegroups.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
   <slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
NNTP-Posting-Host: 198.70.193.16
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1176398175 26291 127.0.0.1 (12 Apr 2007 17:16:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Apr 2007 17:16:15 +0000 (UTC)
In-Reply-To: <slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.1.3)
Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d57g2000hsg.googlegroups.com; posting-host=198.70.193.16;
   posting-account=0L9QRwwAAACREDIO_oFHzKyBwKK3axvr
Xref: g2news1.google.com rec.radio.amateur.equipment:11809

On Apr 12, 12:22 am, blue box thief <"blue box
thief"@runningwithbulls.com> wrote:
> On 2007-04-12, Joey <joey29034atyawwhodotcom> wrote:
>
> > Just curious how many out there still have active 2m packet radio in
> > their area?  Aside from APRS, I don't think anyone is listening... and
> > even that seems to be fading here.
>
> I am not sure about that (aprs I mean). In Ireland there seems to be alot
> of activity. Maybe its only by a small number, but it looks busy.
>
> > I've been rather inactive for the past 7-10 years and it seems packet
> > has dissapeared in that time!  Anyone have any creative ideas?
>
> Well the only thing that hasn't been sent is pr0n..that seems a money-spinner
> on cell networks. :)
>
> > I honestly can't come up with any use for it that I can't already do
> > over the internet... My laptop even has built in EVDO on two cell
> > networks (redundancy!).  What more can I ask for?  :(
>
> I remember going to a radio meeting(probably the only meeting i went to!)
> , dunno, about 7-8 years ago.
> I argued that Internet was good for ham radio, while alot of people (waay more
> experienced than I) argued the opposite. It'll kill DX, Packet etc.
>
```

> I argued the opposite. It'll give people opportunity to find information, access
> to other sides of the world, as if they were in their backgarden.
>
> A little bit of both seems to have happened. Is that a bad thing?
>
> > PS. 3 month old TH-D7A for sale ;)
>
> How about you and me have a chat ;)http://www.runningwithbulls.com/blog/contact-us/
>
> thanks,
> bernard

Actually, no that is not a bad thing for the masses. It is the end of ham radio for anything other than talking about your guns, cars, or aliments to other old farts. I am one of those old farts who has no illusions about the worth of ham radio in this world of modern reliable instant inexpensive world wide communications.

Packet Radio has been reduce to APRS and a few DX clusters. I got rid of my packet station in favor of Internet based DX clusters 4 years ago. APRS is a completely useless waste of radio spectrum. The only real use of Packet is as a means of accessing and gathering remote data. However, there is little ham interest in this type of activity due largely to the fact that most sites that have power from the grid also have Telco access which means Internet. Most repeaters are idle now, even during drive time. SoCal used to be jam packed with repeats on 2 meters and 70 cm during drive time. There are more cell phones in use at the TRW and other local swap meets than hand helds. During the evening there is more activity on 2 meter simplex than there is on the 2 meter repeaters.

The Internet and Cell phones have reduced ham radio to an old guy's hobby. The Internet provides reliable world wide communications for a low monthly price eliminating the need for ham radio's traffic handling system. Even the slowest dial-up Internet access leaves packet radio in the dust. Chat rooms make random world wide conversations with people possible by anyone without requiring a test to prove that you can memorize a bunch of answers to questions without having to understand anything. Portable Cell sites have eliminated the need for ham radio emergency communications. Internet connections in concert with portable cell sites have eliminated the "Health and Welfare" traffic as well. Both portable cell and associated Internet access allow anyone to be trained to handle emergency traffic as well as health and welfare - no license needed. Cell phones have eliminated any of the freeway accident reporting needs formerly provided by hams through repeaters at "drive time".

In summary, Ham Radio has joined the model trains, boats, planes and other old guys hobbies as something to pass time away but which contributes nothing of value to the advancement of knowledge or humanity.

There is virtually no interest in ham radio by the current generation of kids and young adults -- hand held radios and repeaters are archaic to them (and rightly so) since they walk around with world wide reliable telco and internet access for pennies a day without having to prove that they are worthy of some arcane title.

```
From -3583369317127848818
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
Organization: Your Company
Message-ID: <Xns991069DBC9DE1spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 12 Apr 2007 17:24:13 GMT
Lines: 33
NNTP-Posting-Host: 46277968.news.adtechcomputers.com
X-Trace: DXC=?l76ma2fkkDXlC9O1Z7SIBgC4_A5:nI@A<<=aEgO;R8G=emEIB]f3@CXE>_k=C_TnDR?
X7U2a5ffGemfRC[RMj?O0[]M_>MNBVGMZDTV\NnhQEh>e7SbTF39C
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11810
```

> Just curious how many out there still have active 2m packet radio in
> their area? Aside from APRS, I don't think anyone is listening... and
> even that seems to be fading here.
>
> I've been rather inactive for the past 7-10 years and it seems packet
> has dissapeared in that time! Anyone have any creative ideas?

About three years ago I retired and moved from California. Packet activity there seemed "sparse" at best. I had been deeply involved in packet radio in the beginning, but my interest faded, as did packet radio, with the growth of Internet activity.

When I moved to Oregon, I was surprised at the extent of Packet activity in the Pacific Northwest. Oh, it isn't like it used to be in the early 90's, but it exists, and the networks are pretty good.

The domimnent reason it still survives is probably emergency services. ARES and RACES groups are pretty strong up here, and apparently Packet radio is one of the key portions of ARES communications.

In fact, I'd say that the newer TelPac nodes are the primary reason Packet remains a viable communications use for emergency services. The mere fact that now we can easily send, and receive packet radio messages from areas without any other communications services, and route them to the Internet, and receive them from the Internet, makes it a pretty neat resource.

Ed K7AAT

```
From 4040614903069502649
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Thu, 12 Apr 2007 12:31:23 -0500
Lines: 21
Message-ID: <5878nbF2elokuU1@mid.individual.net>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<Xns991069DBC9DE1spectrumhogstarbandn@198.186.192.196>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net Gppf84rbBjcWCZ0WDoZtIQUF9W89TecEGV3srSh4O7H/OaCRzj
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/
20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <Xns991069DBC9DE1spectrumhogstarbandn@198.186.192.196>
Xref: g2news1.google.com rec.radio.amateur.equipment:11811
```

Ed wrote:

>
> The domimnent reason it still survives is probably emergency services.
> ARES and RACES groups are pretty strong up here, and apparently Packet
> radio is one of the key portions of ARES communications.
>
> In fact, I'd say that the newer TelPac nodes are the primary reason
> Packet remains a viable communications use for emergency services. The

> mere fact that now we can easily send, and receive packet radio messages
> from areas without any other communications services, and route them to
> the Internet, and receive them from the Internet, makes it a pretty neat
> resource.
>
>
>   Ed   K7AAT

Add to that APRS and Weather watch using packet.

Bob N9LVU

From 6622492410654503941
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!elk.ncren.net!
usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!machine3
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rectifier
Date: Thu, 12 Apr 2007 18:20:43 GMT
Organization: ???
Lines: 38
Message-ID: <evlt9q$qfh$2@usenet01.srv.cis.pitt.edu>
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu> <pVjTh.12439$M.3330@news-server.bigpond.net.au> <4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com>
<0hlTh.12461$M.9139@news-server.bigpond.net.au>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1176402042 27121 136.142.52.106 (12 Apr 2007
18:20:42 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Thu, 12 Apr 2007 18:20:42 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:11812

In article <0hlTh.12461$M.9139@news-server.bigpond.net.au>, "P.Gregory"
<hoonz@bigpond.com> wrote:
>Wise?
>I could put just as many links saying the opposite , as in series , Not
>parralel and not paraletic , few few ohms aint gunna do what you yanks say
>"diddly squat" unless you get perfect diodes , read as matched ..paul
>
>
>
>"Bryan" <bryan.swadenerNOSPAM@comcast.net> wrote in message
>news:4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com...
>> It would be wise to NOT use load-sharing (aka equalizer) resistors &
>> capacitors. With modern rectifiers, if more than one diode is in a
>> string,
>> there will be no problem as long as they are of the same type number. See

```
>> http://www.somis.org/D-amplifiers3.html.
>> 73,
>> Bryan WA7PRC
>>
>> P.Gregory wrote:
>>> Also do not forget load sharing resistors and bypass caps...
>>> "GregS" <szekeres@pitt.edu> wrote in message
>>> news:evja3u$8lh$2@usenet01.srv.cis.pitt.edu...
>>> >I am having some difficulty finding a bridge rectifier of 3 Kv and 3
>> amps.
>>> >
>>> > ??
>>> >
>>> > thanks
>>> > greg
>>> > N6GS
```

I think I am willing to try using them without caps and resistors.
I allready have 1KV 3 A HER308's. And I have a bunch of thermal
epoxy. I just might purchase some of these to make things easier.

http://www.fairchildsemi.com/ds/FF%2FFFPF04F150S.pdf

greg

```
From -6339399757063808252
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.stanford.edu!sn-xt-sjc-03!sn-xt-
sjc-11!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Thu, 12 Apr 2007 09:51:13 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0704120947030.26052@malasada.lava.net>
In-Reply-To: <1176398175.270913.195120@d57g2000hsg.googlegroups.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
 <slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
 <1176398175.270913.195120@d57g2000hsg.googlegroups.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news1.google.com rec.radio.amateur.equipment:11813
```

I for one am still useing Packet and run a beacon on 145.07 vhf.
We have a statewide system with the main digiptrs on tops of
Haleakala and Maunakea so coverage is near statewide. They
use APRS, but all the worlwide params are effective as the params

settings etc are standarized all over the world.   Different
types of software and different types of TNC's are not a problem.
They may offer addnl cmds in the params, but the essentials
are still standardized!
                     Joe/KH6JF (Honolulu)

```
**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
**************************************************************************
```

From 7937773987930426576
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.stanford.edu!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rectifier
Date: 12 Apr 2007 19:58:38 GMT
Organization: The National Capital FreeNet
Lines: 71
Message-ID: <evm31e$sjr$1@theodyn.ncf.ca>
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu> <pVjTh.12439$M.3330@news-server.bigpond.net.au> <4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com>
<0hlTh.12461$M.9139@news-server.bigpond.net.au>
<evlt9q$qfh$2@usenet01.srv.cis.pitt.edu>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1176407918 29307 134.117.136.48 (12 Apr 2007 19:58:38 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 12 Apr 2007 19:58:38 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11814

GregS (szekeres@pitt.edu) writes:
> In article <0hlTh.12461$M.9139@news-server.bigpond.net.au>, "P.Gregory"
<hoonz@bigpond.com> wrote:
>>Wise?
>>I could put just as many links saying the opposite , as in series , Not
>>parralel and not paraletic , few few ohms aint gunna do what you yanks say
>>"diddly squat" unless you get perfect diodes , read as matched ..paul
>>
>>
>>
>>"Bryan" <bryan.swadenerNOSPAM@comcast.net> wrote in message

>>news:4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com...
>>> It would be wise to NOT use load-sharing (aka equalizer) resistors &
>>> capacitors. With modern rectifiers, if more than one diode is in a
>>> string,
>>> there will be no problem as long as they are of the same type number. See
>>> http://www.somis.org/D-amplifiers3.html.
>>> 73,
>>> Bryan WA7PRC
>>>
>>> P.Gregory wrote:
>>>> Also do not forget load sharing resistors and bypass caps...
>>>> "GregS" <szekeres@pitt.edu> wrote in message
>>>> news:evja3u$8lh$2@usenet01.srv.cis.pitt.edu...
>>>> >I am having some difficulty finding a bridge rectifier of 3 Kv and 3
>>> amps.
>>>> >
>>>> > ??
>>>> >
>>>> > thanks
>>>> > greg
>>>> > N6GS
>
> I think I am willing to try using them without caps and resistors.
> I allready have 1KV 3 A HER308's. And I have a bunch of thermal
> epoxy. I just might purchase some of these to make things easier.
>
> http://www.fairchildsemi.com/ds/FF%2FFFPF04F150S.pdf
>
> greg

The parallel resistors and capacitors in parallel with series diodes dates from the early days of semiconductor diodes.

The resistors were there to "equalize the reverse voltage drops". The diodes back then weren't particularly great, and there were worries, I can't remember if real or imagined, that the diodes couldn't handle the reverse voltage they'd see. The diodes were there to make sure each saw the same reverse voltage.

The parallel capacitors were to protect against spikes. Again at a time when there was real or imagined worry that the precious semiconductor diodes would be easily damaged.

This was the same period that would always warn about heatsinking the leads of semiconductors when soldering them, to protect them against heat.

YOu'll see this talk of parallel resistors and capacitors with the use of series diodes in older handbooks and magazines, and then it fades away. I doubt it will hurt anything, but either the diodes got better (in those early days one often had no choice but to put some diodes in series just to handle average B+ voltages, let alone outright high voltage), or the whole thing was an illusion, and wasn't actually needed.

Series resistors limit the current, to protect the diodes against current surges. The 1971 ARRL Handbook says you need them if the winding resistance of the transformer are too low to do the limiting itself.

Michael VE2BVW

From 3191061485967061532
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Thu, 12 Apr 2007 22:18:54 -0700
Message-ID: <pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 103
NNTP-Posting-Date: 13 Apr 2007 04:25:54 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11815

On 12 Apr 2007 10:16:15 -0700, "Nobody" <rock_sci@hotmail.com> wrote:

>Actually, no that is not a bad thing for the masses. It is the end of ham radio for anything other than talking about your guns, cars, or aliments to other old farts. I am one of those old farts who has no illusions about the worth of ham radio in this world of modern reliable instant inexpensive world wide communications.
>
>Packet Radio has been reduce to APRS and a few DX clusters. I got rid of my packet station in favor of Internet based DX clusters 4 years ago. APRS is a completely useless waste of radio spectrum. The only real use of Packet is as a means of accessing and gathering remote data. However, there is little ham interest in this type of activity due largely to the fact that most sites that have power from the grid also have Telco access which means Internet. Most repeaters are idle now, even during drive time. SoCal used to be jam packed with repeats on 2 meters and 70 cm during drive time. There are more cell phones in use at the TRW and other local swap meets than hand helds. During the evening there is more activity on 2 meter simplex than there is on the 2 meter repeaters.

> The Internet and Cell phones have reduced ham radio to an old guy's hobby. The Internet provides reliable world wide communications for a low monthly price eliminating the need for ham radio's traffic handling system. Even the slowest dial-up Internet access leaves packet radio in the dust. Chat rooms make random world wide conversations with people possible by anyone without requiring a test to prove that you can memorize a bunch of answers to questions without having to understand anything. Portable Cell sites have eliminated the need for ham radio emergency communications. Internet connections in concert with portable cell sites have eliminated the "Health and Welfare" traffic as well. Both portable cell and associated Internet access allow anyone to be trained to handle emergency traffic as well as health and welfare - no license needed. Cell phones have eliminated any of the freeway accident reporting needs formerly provided by hams through repeaters at "drive time".
>
> In summary, Ham Radio has joined the model trains, boats, planes and other old guys hobbies as something to pass time away but which contributes nothing of value to the advancement of knowledge or humanity.
>
> There is virtually no interest in ham radio by the current generation of kids and young adults -- hand held radios and repeaters are archaic to them (and rightly so) since they walk around with world wide reliable telco and internet access for pennies a day without having to prove that they are worthy of some arcane title.

Most of the time when people make statements like the above, they have spent little time in actual emergency communications. Nor do they understand why we still need amateur radio in emergency situations.

Emergencies in our part of the country, as well as many other areas, are usually forest fires. Telephones, cel phones, public service, television, the internet, etc. rely on telephone lines and mountain top locations. When there is a major fire, those things are toast. I have yet to see any portable cell towers available in our county. Even when the phone lines manage to stay alive, they are soon taken down with too many calls to and from the area trying to calm relatives. This has happened time after time in major emergencies. So you have no telephone, no cellular telephones, no internet and no communication between public service entities like police and fire.

Our county, the largest in the state, has state-of-the-art public service communications with links all over the state. But guess what, every single police department, sheriff's department, Red Cross, Salvation Army etc. has an amateur radio station permanently installed in their facilities because they know some day they will need us. Why do you think the Office of Homeland Security is currently spending millions of dollars equipping ARES/RACES stations throughout the country? It's because the government knows that all the expensive equipment in the world can be taken out with a major emergency. That's also why amateur radio continues to hold on to a major portion of the frequency spectrum. It's sure not so a bunch of old farts can play radio and talk about model trains.

With regard to packet radio. Yes, it has seen better days. Most ARES/RACES organizations are going to WinLink 2000. But APRS is sure not obsolete. If you send out several Jeeps on a search and rescue mission, and want to know their exact location at all times, what else will give you that information?

No young people entering amateur radio? How do you explain all those that are testing for their license every month? Last week we had two 11 year-olds, and a 13 year-old all pass their technician licenses. And their father drove them 100 miles to get to our testing location! It's true there are more older people in the hobby today than young, but there is still a steady stream of teen-agers and even college students coming into the fold. It's a matter of how the local amateurs present the hobby to them. If you don't work at getting people interested, then you aren't going to get new hams. It's as simple as that. We use things like IRLP and balloon flights tracked with APRS to interest young people. If the only thing you show them is how to use an HT, they will just show you their cell phone and smile.

Some day, when ALL communications are via satellite, and nothing on the ground can be destroyed by flood, fire, earthquake, tornados, terrorist attacks, etc., then amateur radio will lose its value to the country for backup emergency communications. Until then, people will continue to depend upon amateur radio even when they don't realize it.

73, Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

From 6469449391156505399
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 13 Apr 2007 01:05:33 -0500
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu> <pVjTh.12439$M.3330@news-server.bigpond.net.au> <4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com> <0hlTh.12461$M.9139@news-server.bigpond.net.au> <evlt9q$qfh$2@usenet01.srv.cis.pitt.edu>
Subject: Re: rectifier
Date: Thu, 12 Apr 2007 23:04:05 -0700
X-Priority: 3

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <S82dna8u6rMwgILbnZ2dnUVZ_rSjnZ2d@giganews.com>
Lines: 49
X-Trace: sv3-AgnylYicl/ZrhA23yFVhbP47HtaUEt0nnJ/
yicuPSwcdK7Q2dwyubu4fqK9bjjt09ZV9QbJpJ9rxZ/z!
H2kByFmF6RW+cPHpCbqN8IlQqgRiqcC0sRpKjZEgVXKMM1iWOqdXohP0uMF+kmVukyxSINqBeKM=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11816

GregS  wrote:
> P.Gregory wrote:
> >Wise?
> >I could put just as many links saying the opposite , as in series , Not
> >parralel and not paraletic , few few ohms aint gunna do what you yanks
say
> >"diddly squat"  unless you get perfect diodes , read as matched ..paul
> >
> >
> >
> >Bryan wrote:
> >> It would be wise to NOT use load-sharing (aka equalizer) resistors &
> >> capacitors.  With modern rectifiers, if more than one diode is in a
> >> string,
> >> there will be no problem as long as they are of the same type number.
See
> >> http://www.somis.org/D-amplifiers3.html.
> >> 73,
> >> Bryan WA7PRC
> >>
> >> P.Gregory wrote:
> >>> Also do not forget load sharing resistors and bypass caps...
> >>> GregS  wrote:
> >>> >I am having some difficulty finding a bridge rectifier of 3 Kv and 3
> >> amps.
> >>> >
> >>> > ??
> >>> >
> >>> > thanks
> >>> > greg
> >>> > N6GS
>
> I think I am willing to try using them without caps and resistors.
> I allready have 1KV 3 A  HER308's. And I have a bunch of thermal
> epoxy. I just might purchase some of these to make things easier.
>
> http://www.fairchildsemi.com/ds/FF%2FFFPF04F150S.pdf
```

>
> greg

The HER308 looks like a 1N5408 with a specified reverse recovery time. I like specifications those FFPF04F150S damper diodes. Digi-Key has them available in only large quantities (non-stocked) but Mouser shows them in-stock in small lots. Not knowing the dielectric capability of the plastic TO-220 case, I'd probably mount them (with heatsinks) to an insulating base.

Bryan

From 5567362750806949321
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.stanford.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-11!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Fri, 13 Apr 2007 10:12:47 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0704131006300.8272@malasada.lava.net>
In-Reply-To: <pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
 <slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
 <1176398175.270913.195120@d57g2000hsg.googlegroups.com>
 <pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news1.google.com rec.radio.amateur.equipment:11817

Dick,
I do not follow your ranting and theorizing of Ham radio nor
useage of Packet, PSK, and other forms of msg handling.
As we all know by now, the WWW is not infalible, nor the
CellPhone industry nor many of your other theories.
After 70 years with AARS/MARS etc I for one am proud to be
a member of Ham radio and all its requirements. And yes
Hams have access to the Space Ship as I understand it.
So accept my dissent to your comments!!!!!
Joe/KH6JF

```
**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
```

****

```
From 5831882135079018894
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.250.MISMATCH!transit3.readnews.com!news-out.readnews.com!panix!
panix2.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rectifier
Date: Fri, 13 Apr 2007 21:56:45 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 96
Message-ID: <Pine.NEB.4.64.0704132145400.19222@panix2.panix.com>
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
 <pVjTh.12439$M.3330@news-server.bigpond.net.au>
<4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com>
 <0hlTh.12461$M.9139@news-server.bigpond.net.au>
<evlt9q$qfh$2@usenet01.srv.cis.pitt.edu>
 <evm31e$sjr$1@theodyn.ncf.ca>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1176515808 20593 166.84.1.2 (14 Apr 2007 01:56:48 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 14 Apr 2007 01:56:48 +0000 (UTC)
In-Reply-To: <evm31e$sjr$1@theodyn.ncf.ca>
Xref: g2news1.google.com rec.radio.amateur.equipment:11818
```

I'll chime in, too, on the opinion that "no caps, and no equalizing resistors is OK." I've built a lot of full wave center tap diode strings and full wave full bridge diode strings and with a lot of diodes. I _would_ recommend, however, that you put in lots of diodes (eg. all 1 kv). I put in enough in each leg so that my PRV sum for the diodes is *at least* two times the peak AC volts. So, for a 1 kv DC output, I would have at least a sum of 3 kv of PRV diodes (or, three 1 kv diodes in series, preferably four, for each leg). If you get spikes going up that high, they are usually going to be very transient and the diode will act like a zener diode and start drawing zener current in the reverse direction. As soon as that happens, it puts a _load_ on the transient and, unless there is a ton of energy in the transient and it is quite long, this will keep the voltage from going higher. I've seen lots of gear with lots of diodes in the HV legs without balancing resistors or capacitors, and I've been using big diode strings in 2-3 KV DC supplies (kw level) for decades, and no

problems. Also, the inductance in the primary of big transformers should
tend to limit current surges anyway. You might get bigger voltage surges
when you turn the power switch off.

===== no change to below, included for reference and context =====

On Thu, 12 Apr 2007, Michael Black wrote:

> GregS (szekeres@pitt.edu) writes:
>> In article <0hlTh.12461$M.9139@news-server.bigpond.net.au>, "P.Gregory"
<hoonz@bigpond.com> wrote:
>>> Wise?
>>> I could put just as many links saying the opposite , as in series , Not
>>> parralel and not paraletic , few few ohms aint gunna do what you yanks say
>>> "diddly squat" unless you get perfect diodes , read as matched ..paul
>>>
>>>
>>>
>>> "Bryan" <bryan.swadenerNOSPAM@comcast.net> wrote in message
>>> news:4vidnSeJF6O6TIDbnZ2dnUVZ_jednZ2d@giganews.com...
>>>> It would be wise to NOT use load-sharing (aka equalizer) resistors &
>>>> capacitors. With modern rectifiers, if more than one diode is in a
>>>> string,
>>>> there will be no problem as long as they are of the same type number. See
>>>> http://www.somis.org/D-amplifiers3.html.
>>>> 73,
>>>> Bryan WA7PRC
>>>>
>>>> P.Gregory wrote:
>>>>> Also do not forget load sharing resistors and bypass caps...
>>>>> "GregS" <szekeres@pitt.edu> wrote in message
>>>>> news:evja3u$8lh$2@usenet01.srv.cis.pitt.edu...
>>>>>> I am having some difficulty finding a bridge rectifier of 3 Kv and 3
>>>> amps.
>>>>>>
>>>>>> ??
>>>>>>
>>>>>> thanks
>>>>>> greg
>>>>>> N6GS
>>
>> I think I am willing to try using them without caps and resistors.
>> I allready have 1KV 3 A HER308's. And I have a bunch of thermal
>> epoxy. I just might purchase some of these to make things easier.
>>
>> http://www.fairchildsemi.com/ds/FF%2FFFPF04F150S.pdf
>>
>> greg
>
> The parallel resistors and capacitors in parallel with series diodes
> dates from the early days of semiconductor diodes.
>
> The resistors were there to "equalize the reverse voltage drops".

```
> The diodes back then weren't particularly great, and there were worries,
> I can't remember if real or imagined, that the diodes couldn't handle
> the reverse voltage they'd see.  The diodes were there to make sure each
> saw the same reverse voltage.
>
> The parallel capacitors were to protect against spikes.  Again at a time
> when there was real or imagined worry that the precious semiconductor
> diodes would be easily damaged.
>
> This was the same period that would always warn about heatsinking the
> leads of semiconductors when soldering them, to protect them against
> heat.
>
> YOu'll see this talk of parallel resistors and capacitors with the
> use of series diodes in older handbooks and magazines, and then it fades
> away.  I doubt it will hurt anything, but either the diodes got better (in
> those early days one often had no choice but to put some diodes in series
> just to handle average B+ voltages, let alone outright high voltage), or
> the whole thing was an illusion, and wasn't actually needed.
>
> Series resistors limit the current, to protect the diodes against current
> surges.  The 1971 ARRL Handbook says you need them if the winding resistance
> of the transformer are too low to do the limiting itself.
>
>  Michael  VE2BVW
>
>
>
```

```
From 8934361473083999010
X-Google-Thread: 108122,3446745253b2e2df
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-
v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone still use packet radio?
Date: Fri, 13 Apr 2007 19:04:07 -0700
Message-ID: <7uc0231f6jsuqf3f5a5lopt7croau2cu8r@4ax.com>
References: <hklr13hm2av3n7abbpa4jnhl57ak36aq8b@4ax.com>
<slrnf1sfu6.3m.blueboxthief@sanfermin.my.domain>
<1176398175.270913.195120@d57g2000hsg.googlegroups.com>
<pr2u1394dem5bh28qvktb8aqlr1mt2tvsp@4ax.com>
<Pine.BSI.4.64.0704131006300.8272@malasada.lava.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Date: 14 Apr 2007 01:11:08 GMT
```

```
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11819

I have no idea what you are referring to in my message.  Please list a
couple of the specific points in my message, and what you disagree
with.  Nothing I mentioned are theories, nor is it ranting.  I can't
believe you even read my message.  It would help if you would leave at
least part of the message you are responding to.

Dick - W6CCD

On Fri, 13 Apr 2007 10:12:47 -1000, Joseph Fenn <jfenn@lava.net>
wrote:

>Dick,
>I do not follow your ranting and theorizing of Ham radio nor
>useage of Packet, PSK, and other forms of msg handling.
>As we all know by now, the WWW is not infalible, nor the
>CellPhone industry nor many of your other theories.
>After 70 years with AARS/MARS etc I for one am proud to be
>a member of Ham radio and all its requirements.  And yes
>Hams have access to the Space Ship as I understand it.
>So accept my dissent to your comments!!!!!
>                   Joe/KH6JF
>
>
>**************************************************************************
>* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
>* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
>**************************************************************************
>
>
>



--
Posted via a free Usenet account from http://www.teranews.com




From -6836286727855266718
X-Google-Thread: 108122,ae114be97f3c8e91
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 13 Apr 2007 21:45:44 -0500
Date: Fri, 13 Apr 2007 22:46:22 -0400
From: "Paul E. Cater" <paulcater@roadrunner.com>
Organization: Cater Enterprise
User-Agent: Thunderbird 1.5.0.10 (Windows/20070221)
MIME-Version: 1.0
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: rectifier
References: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
In-Reply-To: <evja3u$8lh$2@usenet01.srv.cis.pitt.edu>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <KPKdnafobsjF3b3bnZ2dnUVZ_rCsnZ2d@adelphia.com>
Lines: 26
NNTP-Posting-Host: 76.181.217.122
X-Trace: sv3-
CZDlR6Nbns6kMyirz1AkxgqedUARnkYml3jadS+sqt26sJz2SqFH9SUbA5smAeoNSuUzq6fR9vDhHx/!
005VfUGT1B9HsddVKe5cSX1ooGgJPpDRRzFtpvHXWrLCfABtegw9g7vSTtG+SRCorWJM6T9VhoEs!
YqlCu4qXzWJs1+lVp76nCQ0=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11820

------A total SNIP of everything and on to a better idea.-------

Consider using avalanche rectifiers and it makes all the stuff about the caps and resistors a mute point. There are some good application notes out there on this subject and the whys and wherefores of it all.

For your needs the BYM36E might be a good choice. At around 30 cents a piece hard to beat.

http://www.alliedelec.com/Search/SearchResults.asp?N=0&Ntk=Primary&Ntt=bym36e&sid=461EC8009E6617F

Best of luck in your project!

Regards,
Paul

GregS wrote:
> I am having some difficulty finding a bridge rectifier of 3 Kv and 3 amps.
>
> ??
>
> thanks
> greg
> N6GS

From 7203808250580507548
X-Google-Thread: 108122,fb5f35a3c48f60f1,start
X-Google-Thread: 1109af,fb5f35a3c48f60f1,start

```
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls 403-470 MHz - Extras
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C77E05.4A7C8800"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <zmXTh.175191$7g3.10478@newsfe14.phx>
Date: Fri, 13 Apr 2007 19:52:39 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.phx 1176519199 68.96.97.57 (Fri, 13 Apr 2007 19:53:19 MST)
NNTP-Posting-Date: Fri, 13 Apr 2007 19:53:19 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11821 rec.radio.swap:16008

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C77E05.4A7C8800
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls 403-470 MHz - Extras

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250104582886&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C77E05.4A7C8800
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls 403-470 MHz - Extras</P>
```

```
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250104582886&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250104582886&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C77E05.4A7C8800--




From -2508474539461218405
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidf55c2,gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!postnews.google.com!n76g2000hsh.googlegroups.com!not-for-
mail
From: "Dloyd Lavies" <N0vfpsucks@aol.com>
Newsgroups: alt.ham-
radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.misc,uk.radio.amateur
Subject: Re: Question re TL 922 amplifier
Date: 24 Mar 2007 10:50:24 -0700
Organization: http://groups.google.com
Lines: 57
Message-ID: <1174758624.728300.186530@n76g2000hsh.googlegroups.com>
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
   <1174752052.274877.250050@n76g2000hsh.googlegroups.com>
   <g0ja0392ee5rul5bb7672t2pgvltefadg5@4ax.com>
NNTP-Posting-Host: 205.188.116.68
Mime-Version: 1.0
Content-Type: text/plain; charset="utf-8"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1174758626 10632 127.0.0.1 (24 Mar 2007 17:50:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Mar 2007 17:50:26 +0000 (UTC)
In-Reply-To: <g0ja0392ee5rul5bb7672t2pgvltefadg5@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[dtc-td014 8.4.1], HTTP/1.1 cache-dtc-ab04.proxy.aol.com[CDBC7444] (Traffic-
Server/6.1.5 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: n76g2000hsh.googlegroups.com; posting-host=205.188.116.68;
   posting-account=44lSvgwAAABvHYUREW4nSq_tyQTQBSmt
Xref: g2news1.google.com alt.ham-radio.mods:350
rec.radio.amateur.boatanchors:11007 rec.radio.amateur.equipment:11720
rec.radio.amateur.misc:34573 uk.radio.amateur:106016
```

On Mar 24, 12:05=EF=BF=BDpm, M...@kb9rqz.org wrote:
> On 24 Mar 2007 09:00:52 -0700, "Dloyd Lavies" <N0vfpsu...@aol.com>
> wrote:
>
>
>
>
>
> >On Mar 24, 11:45?am, "bob.martin" <bmar...@qxi.com> wrote:
> >> Dear All,
>
> >> My kenwood TL922 has developed a strange fault. =A0hen I switch it on =
(via an
> >> Ameritron Soft Start module) I get a negative reading on the Ig meter
> >> of -50mA and a positive reading of around +100mA on the Ip meter with =
no key
> >> down.
>
> >> Keying the amp has no effect and the relay does not energise. =A0 have
> >> checked the ALC and relay connectors and the coaxial cables
>
> >> I've tried starting it directly bypassing the soft start box and this =
has
> >> made no difference. =A0Obviously I do not leave it on for more than a =
few
> >> seconds as there is clearly a fault. =A0 =A0have had the covers off an=
d can see
> >> nothing untoward in terms of burnt components and there is no burning =
smell
> >> and the fuses don't blow.
>
> lso both valves (3-500zs) light up.
>
> >> Any suggestions as to what may be up before a trip over to Castle, has
> >> anyone else seen similar
>
> >> thanks
>
> >> Jim G7NKS
>
> that was certainly an insightfull reply Dloydhttp://kb9rqz.blogspot.com/

Mark, Your desperate pathetic plea for attention is not granted.
> --
> Posted via a free Usenet account fromhttp://www.teranews.com- Hide quoted=
 text -
>
> - Show quoted text -

Jim, I agree with Antonio's diagnosis of a shorted tube. However, you
can also post at http://groups.yahoo.com/group/ham_amplifiers/

The Yahoo amps board is a good place to ask for info about improvement mods for the TL 922.

Dloyd

```
From -3611598408244696415
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidf55c2,gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@kb9rqz.org
Newsgroups: alt.ham-
radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.misc,uk.radio.amateur
Subject: Re: Question re TL 922 amplifier
Date: Sat, 24 Mar 2007 13:52:53 -0400
Message-ID: <2apa03ljgesgbfmigc0jicgsb11dcmbne3@4ax.com>
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<1174752052.274877.250050@n76g2000hsh.googlegroups.com>
<g0ja0392ee5rul5bb7672t2pgvltefadg5@4ax.com>
<1174758624.728300.186530@n76g2000hsh.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
NNTP-Posting-Date: 24 Mar 2007 16:59:41 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com alt.ham-radio.mods:351
rec.radio.amateur.boatanchors:11008 rec.radio.amateur.equipment:11721
rec.radio.amateur.misc:34575 uk.radio.amateur:106017
```

On 24 Mar 2007 10:50:24 -0700, "Dloyd Lavies" <N0vfpsucks@aol.com>
wrote:

```
>On Mar 24, 12:05?pm, M...@kb9rqz.org wrote:
>> On 24 Mar 2007 09:00:52 -0700, "Dloyd Lavies" <N0vfpsu...@aol.com>
>> wrote:
>>
>>
>>
>>
>>
>> >On Mar 24, 11:45?am, "bob.martin" <bmar...@qxi.com> wrote:
>> >> Dear All,
>>
```

>> >> My kenwood TL922 has developed a strange fault. (en I switch it on (via an
>> >> Ameritron Soft Start module) I get a negative reading on the Ig meter
>> >> of -50mA and a positive reading of around +100mA on the Ip meter with no key
>> >> down.
>>
>> >> Keying the amp has no effect and the relay does not energise. have
>> >> checked the ALC and relay connectors and the coaxial cables
>>
>> >> I've tried starting it directly bypassing the soft start box and this has
>> >> made no difference. bviously I do not leave it on for more than a few
>> >> seconds as there is clearly a fault. (ave had the covers off and can see
>> >> nothing untoward in terms of burnt components and there is no burning smell
>> >> and the fuses don't blow.
>>
>> lso both valves (3-500zs) light up.
>>
>> >> Any suggestions as to what may be up before a trip over to Castle, has
>> >> anyone else seen similar
>>
>> >> thanks
>>
>> >> Jim G7NKS
>>
>> that was certainly an insightfull reply Dloydhttp://kb9rqz.blogspot.com/
>
>Mark, Your desperate pathetic plea for attention is not granted.

you posted a blank mess age with NO new text that is certainly
insightfull but then your pruose online seems to be to harrass
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 2769079467155899671
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidf55c2,gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!news1.google.com!news.germany.com!multikabel.net!
feed20.multikabel.net!news2.euro.net!postnews2.euro.net!news.wanadoo.nl!not-for-mail
Date: Sat, 24 Mar 2007 19:00:35 +0100
From: know code <know_code@wanadoo.nl>
Reply-To: "know code"@invalid_address.com
User-Agent: Thunderbird 1.5.0.10 (X11/20070221)
MIME-Version: 1.0
Newsgroups: alt.ham-

```
radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.misc,uk.radio.amateur
Subject: Re: Question re TL 922 amplifier
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<1174752052.274877.250050@n76g2000hsh.googlegroups.com>
<g0ja0392ee5rul5bb7672t2pgvltefadg5@4ax.com>
<1174758624.728300.186530@n76g2000hsh.googlegroups.com>
In-Reply-To: <1174758624.728300.186530@n76g2000hsh.googlegroups.com>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: quoted-printable
Lines: 25
Message-ID: <46056743$0$47338$dbd4f001@news.wanadoo.nl>
Organization: Wanadoo
NNTP-Posting-Date: 24 Mar 2007 18:00:35 GMT
NNTP-Posting-Host: s5591cd23.adsl.wanadoo.nl
X-Trace: 1174759235 dr4.euro.net 47338 85.145.205.35:18439
X-Complaints-To: abuse@wanadoo.nl
Xref: g2news1.google.com alt.ham-radio.mods:352
rec.radio.amateur.boatanchors:11009 rec.radio.amateur.equipment:11722
rec.radio.amateur.misc:34577 uk.radio.amateur:106018

Dloyd Lavies wrote:

> Jim, I agree with Antonio's diagnosis of a shorted tube.  However, you
> can also post at http://groups.yahoo.com/group/ham_amplifiers/
>=20
> The Yahoo amps board is a good place to ask for info about improvement
> mods for the TL 922.


I'd also recommend the amps reflector.  There are a lot of very=20
knowledgeable people on there.

http://lists.contesting.com/mailman/listinfo/amps




--=20
ARRL membership =3D $39 (~=C2=A320)
RSGB membership =3D =C2=A344

Don't let them rip you off any more.
Do the right thing, resign from the RSGB today.

The RSGB said Radio Amateurs were a threat to national security!
Is this the type of organisation you want to represent you?


From -5028766913822234591
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
```

```
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidf55c2,gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "an_old_fiend" <mork@morgan.com>
Newsgroups: alt.ham-
radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.misc,uk.radio.amateur
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<1174752052.274877.250050@n76g2000hsh.googlegroups.com>
<g0ja0392ee5rul5bb7672t2pgvltefadg5@4ax.com>
Subject: just another marqueer post - ignore
Date: Sat, 24 Mar 2007 15:08:26 -0400
Organization: monarated blogspot
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 2
Message-ID: <46056ab8$0$16383$88260bb3@free.teranews.com>
NNTP-Posting-Date: 24 Mar 2007 18:15:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com alt.ham-radio.mods:353
rec.radio.amateur.boatanchors:11010 rec.radio.amateur.equipment:11723
rec.radio.amateur.misc:34586 uk.radio.amateur:106022




--
Posted via a free Usenet account from http://www.teranews.com



From -6707002134889832697
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidf55c2,gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@kb9rqz.org
Newsgroups: alt.ham-
radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.misc,uk.radio.amateur
Subject: only in your dreams woger
Date: Sat, 24 Mar 2007 15:10:33 -0400
Message-ID: <lsta03t7g98jvpk50dn2cnk2qesov04fv9@4ax.com>
```

```
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<1174752052.274877.250050@n76g2000hsh.googlegroups.com>
<g0ja0392ee5rul5bb7672t2pgvltefadg5@4ax.com>
<46056ab8$0$16383$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Date: 24 Mar 2007 18:17:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com alt.ham-radio.mods:354
rec.radio.amateur.boatanchors:11011 rec.radio.amateur.equipment:11724
rec.radio.amateur.misc:34587 uk.radio.amateur:106024

On Sat, 24 Mar 2007 15:08:26 -0400, "an_old_fiend" <mork@morgan.com>
wrote:

>
only in your dreams woger
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -658902951823236424
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 114aac,4a4ff26a1bcf40fc
X-Google-Attributes: gid108122,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newshub.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!844853ae!
not-for-mail
From: Doug Smith W9WI <w9wi@invalid.nospam>
Subject: Re: Question re TL 922 amplifier
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))
Message-Id: <pan.2007.03.24.20.01.52.117120@invalid.nospam>
Newsgroups: rec.radio.amateur.equipment,rec.radio.shortwave
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 24
Date: Sat, 24 Mar 2007 19:51:41 GMT
NNTP-Posting-Host: 4.153.70.136
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1174765901 4.153.70.136 (Sat, 24 Mar
2007 12:51:41 PDT)
NNTP-Posting-Date: Sat, 24 Mar 2007 12:51:41 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
```

Xref: g2news1.google.com rec.radio.amateur.equipment:11725
rec.radio.shortwave:107361

On Sat, 24 Mar 2007 15:45:11 +0000, bob.martin wrote:
> My kenwood TL922 has developed a strange fault. When I switch it on (via an
> Ameritron Soft Start module) I get a negative reading on the Ig meter
> of -50mA and a positive reading of around +100mA on the Ip meter with no key
> down.
>
> Keying the amp has no effect and the relay does not energise. I have
> checked the ALC and relay connectors and the coaxial cables

Taking a quick look at the schematic I'd guess the control-voltage power
supply, also used in the bias circuits, isn't working.

It would be interesting to measure the voltage across the keying jack.
("RL CONT" on the schematic) My guess is it will be very low or zero.
I'm not entirely sure what it *should* be but my guess would be on the
order of 100 volts DC. (so be careful, it may be enough to give you a
shock!)

If this voltage *is* very low or zero, I would be suspicious of D1 or C3.
(or the transformer T2, but I hope not as the transformer will be
difficult & probably expensive to replace...)

I *doubt* it has anything to do with the Soft Start module.

From -8599380484614508290
X-Google-Thread: 114a57,4a4ff26a1bcf40fc
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: 114aac,4a4ff26a1bcf40fc
X-Google-Thread: 10ddf1,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes:
gid114a57,gidf55c2,gidfc8b1,gid108122,gid107ada,gid114aac,gid10ddf1,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Mar 2007 15:31:02 -0500
Date: Sat, 24 Mar 2007 16:31:02 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.ham-radio.hf,alt.ham-

radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,relcom.radio.ham,uk.radio.amateur
Subject: Re: Question re TL 922 amplifier
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
In-Reply-To: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <seidnY2B3YsaF5jbnZ2dnUVZ_oytnZ2d@comcast.com>
Lines: 52
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-WoYTF1Mabd0qEMdM/mDxedUKyQAPtz84l+0N/
sUNvyCRNTP2G0rFnCiq018xpW0CEpz2t3/jc7fDKUn!MQ8AdIqcAyxTKjJOrs360f329GGzVzmH5/
Kl0pgf0f94IXlMC16RpQt2Q8FmlJP8q3g3QZw6+0SV!O5K9+EaxrJYzbgS+WiBf20ScU1Q=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com alt.ham-radio.hf:1172 alt.ham-radio.mods:355 rec.radio.amateur.boatanchors:11012 rec.radio.amateur.equipment:11726 rec.radio.amateur.misc:34593 rec.radio.shortwave:107386 relcom.radio.ham:60 uk.radio.amateur:106035

You have described the classic symptoms of the heater-grid short inside the 3-500 [at least one of them].

The heater is tungsten. Tungsten grows crystal 'whiskers' over time. It is well documented physics. These whiskers are thin as silk thread [or thinner]. In many instances they can be removed with a simple application of 110 VAC between the heater and the grid. Some people will charge a 10 uF capacitor to several hundred volts and discharge it into the grid/heater short circuit. This will 'cure' the 'whisker' issue [pop the fuze] in about 90% of the instances.

A second option exists. When you first power up the 922 don't panic over the current being drawn and jump to turn it off. Wait for 10 to 15 seconds to see if the filament heating and resultant thermal expansion will eliminate the short for you. [This is much less expensive than buying a matched pair of 3-500Z's]. I have been running my AL-80B with a transient [heating] grid/heater short for over a year. Once the transient state has returned the circuit to normal operation, the amplifier works 100% as designed. [BTW: I have a spare 3-500 that I will use if the short eventually becomes a 100% hard failure].

/s/ DD, W1MCE

bob.martin wrote:

> Dear All,
>
> My kenwood TL922 has developed a strange fault. When I switch it on (via an
> Ameritron Soft Start module) I get a negative reading on the Ig meter

> of -50mA and a positive reading of around +100mA on the Ip meter with no key
> down.
>
> Keying the amp has no effect and the relay does not energise. I have
> checked the ALC and relay connectors and the coaxial cables
>
> I've tried starting it directly bypassing the soft start box and this has
> made no difference.   Obviously I do not leave it on for more than a few
> seconds as there is clearly a fault. I have had the covers off and can see
> nothing untoward in terms of burnt components and there is no burning smell
> and the fuses don't blow. Also both valves (3-500zs) light up.
>
> Any suggestions as to what may be up before a trip over to Castle, has
> anyone else seen similar
>
> thanks
>
>
> Jim G7NKS
>
>
>

```
From 2155027984366580892
X-Google-Thread: 114a57,4a4ff26a1bcf40fc
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: 114aac,4a4ff26a1bcf40fc
X-Google-Thread: 10ddf1,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes:
gid114a57,gidf55c2,gidfc8b1,gid108122,gid107ada,gid114aac,gid10ddf1,gidf64c6,publi
c
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-in.ntli.net!
newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!
newsfe6-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "bob.martin" <bmartin@qxi.com>
Newsgroups: alt.ham-radio.hf,alt.ham-
radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.misc,rec.radio.shortwave,relcom.radio.ham,uk.radio.amateur
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<seidnY2B3YsaF5jbnZ2dnUVZ_oytnZ2d@comcast.com>
Subject: Re: Question re TL 922 amplifier
Lines: 64
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
```

X-RFC2646: Format=Flowed; Response
Message-ID: <cjgNh.17401$NK3.10759@newsfe6-win.ntli.net>
Date: Sat, 24 Mar 2007 20:59:52 GMT
NNTP-Posting-Host: 86.31.103.219
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe6-win.ntli.net 1174769992 86.31.103.219 (Sat, 24 Mar 2007 20:59:52 GMT)
NNTP-Posting-Date: Sat, 24 Mar 2007 20:59:52 GMT
Organization: ntl Virgin ADSL News Service
Xref: g2news1.google.com alt.ham-radio.hf:1173 alt.ham-radio.mods:356 rec.radio.amateur.boatanchors:11015 rec.radio.amateur.equipment:11727 rec.radio.amateur.misc:34596 rec.radio.shortwave:107395 relcom.radio.ham:61 uk.radio.amateur:106042

"Dave" <W1MCE@comcast.net> wrote in message
news:seidnY2B3YsaF5jbnZ2dnUVZ_oytnZ2d@comcast.com...
> You have described the classic symptoms of the heater-grid short inside
> the 3-500 [at least one of them].
>
> The heater is tungsten. Tungsten grows crystal 'whiskers' over time. It is
> well documented physics. These whiskers are thin as silk thread [or
> thinner]. In many instances they can be removed with a simple application
> of 110 VAC between the heater and the grid. Some people will charge a 10
> uF capacitor to several hundred volts and discharge it into the
> grid/heater short circuit. This will 'cure' the 'whisker' issue [pop the
> fuze] in about 90% of the instances.
>
> A second option exists. When you first power up the 922 don't panic over
> the current being drawn and jump to turn it off. Wait for 10 to 15 seconds
> to see if the filament heating and resultant thermal expansion will
> eliminate the short for you. [This is much less expensive than buying a
> matched pair of 3-500Z's]. I have been running my AL-80B with a transient
> [heating] grid/heater short for over a year. Once the transient state has
> returned the circuit to normal operation, the amplifier works 100% as
> designed. [BTW: I have a spare 3-500 that I will use if the short
> eventually becomes a 100% hard failure].
>
> /s/ DD, W1MCE
>
>
>
> bob.martin wrote:
>
>> Dear All,
>>
>> My kenwood TL922 has developed a strange fault. When I switch it on (via
>> an Ameritron Soft Start module) I get a negative reading on the Ig meter
>> of -50mA and a positive reading of around +100mA on the Ip meter with no
>> key down.
>>
>> Keying the amp has no effect and the relay does not energise. I have
>> checked the ALC and relay connectors and the coaxial cables

>>
>> I've tried starting it directly bypassing the soft start box and this has
>> made no difference.   Obviously I do not leave it on for more than a few
>> seconds as there is clearly a fault. I have had the covers off and can
>> see nothing untoward in terms of burnt components and there is no burning
>> smell and the fuses don't blow. Also both valves (3-500zs) light up.
>>
>> Any suggestions as to what may be up before a trip over to Castle, has
>> anyone else seen similar
>>
>> thanks
>>
>>
>> Jim G7NKS
>>
>>
>>
>
Hi Dave

Wouldn't the 15 second run burn out the filament supply transformer though?

Jim G7NKS

From -8000528352864904131
X-Google-Thread: 114a57,4a4ff26a1bcf40fc
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: 114aac,4a4ff26a1bcf40fc
X-Google-Thread: 10ddf1,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes:
gid114a57,gidf55c2,gidfc8b1,gid108122,gid107ada,gid114aac,gid10ddf1,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Mar 2007 16:39:05 -0500
Date: Sat, 24 Mar 2007 17:39:04 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.ham-radio.hf,alt.ham-radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,relcom.radio.ham,uk.radio.amateur

Subject: Re: Question re TL 922 amplifier
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<seidnY2B3YsaF5jbnZ2dnUVZ_oytnZ2d@comcast.com> <cjgNh.17401$NK3.10759@newsfe6-win.ntli.net>
In-Reply-To: <cjgNh.17401$NK3.10759@newsfe6-win.ntli.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <koqdna9Z9_bkB5jbnZ2dnUVZ_oWdnZ2d@comcast.com>
Lines: 31
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-UqebqELwuzDjKWHqUgQ18KuAttRDoJg4eJLb+HLwK8eTwkPkycD0K/
4hyl2aR+AlG2LIAEU3MizKQRm!kcZ5GD8isWK7nXhEAoKEs3X7MhesQwyXczCbi/
kuANs7JoFr3uCWWxy7duV1OSlvPmYLYi/xsmSM!CVT5R3niNnmjWx4ASB5Zo14MvOU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com alt.ham-radio.hf:1174 alt.ham-radio.mods:357
rec.radio.amateur.boatanchors:11017 rec.radio.amateur.equipment:11728
rec.radio.amateur.misc:34599 rec.radio.shortwave:107416 relcom.radio.ham:62
uk.radio.amateur:106047

bob.martin wrote:

> "Dave" <W1MCE@comcast.net> wrote in message
> news:seidnY2B3YsaF5jbnZ2dnUVZ_oytnZ2d@comcast.com...
>
>>You have described the classic symptoms of the heater-grid short inside
>>the 3-500 [at least one of them].

SNIPPED

> Hi Dave
>
> Wouldn't the 15 second run burn out the filament supply transformer though?
>
> Jim G7NKS
>
>

I'm not aware of the 922 design details that contributes to the 'transformer' issue.

The normal filament current is about 14 amperes at 5 volts. The grid/filament short generally draws less than 100 ma of grid current and less than 300 ma of plate currnet. An abnormal current of less than 0.5 ampere is not a problem for the major floating secondary winding of a filament transformer.

The design of the bias circuit can be a totally different circumstance. In Ameritron amplifiers it is a self bias through a series of resistors and/or zeners. My Al-80B uses about -15 VDC as cutoff bias. In the 922 ... I have no data.

Restated, remove the tubes and 'pop the short' if there is a concern in the 922.

From 6768330883968163475
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<seidnY2B3YsaF5jbnZ2dnUVZ_oytnZ2d@comcast.com> <cjgNh.17401$NK3.10759@newsfe6-win.ntli.net> <koqdna9Z9_bkB5jbnZ2dnUVZ_oWdnZ2d@comcast.com>
Subject: Re: Question re TL 922 amplifier
Date: Sat, 24 Mar 2007 22:55:53 +0100
MIME-Version: 1.0
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 14
Message-ID: <46059e6a$0$17950$4fafbaef@reader1.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.2.221.116
X-Trace: 1174773354 reader1.news.tin.it 17950 79.2.221.116:43388
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11018
rec.radio.amateur.equipment:11729 rec.radio.amateur.misc:34601
uk.radio.amateur:106050

> The normal filament current is about 14 amperes at 5 volts. The grid/filament
> short generally draws less than 100 ma of grid current and less than 300 ma of
> plate currnet. An abnormal current of less than 0.5 ampere is not a problem
> for the major floating secondary winding of a filament transformer.

In the TL-922, the filament transformer would burn after a short while because on that same transformer there is another secondary (80 Volts) which gets nearly shorted to ground when a filament-to-grid short occurs in a tube.

73

Tony I0JX

```
From 5037719855573288636
X-Google-Thread: 108122,115c4ab29619bf2a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!b75g2000hsg.googlegroups.com!not-for-
mail
From: "Brian" <kelly@dvol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice Requested: Sound Cards for PSK-31 and RTTY?
Date: 24 Mar 2007 15:59:29 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1174777169.010738.179590@b75g2000hsg.googlegroups.com>
References: <1174351417.352976.247360@l75g2000hse.googlegroups.com>
NNTP-Posting-Host: 66.19.243.159
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174777170 26728 127.0.0.1 (24 Mar 2007 22:59:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Mar 2007 22:59:30 +0000 (UTC)
In-Reply-To: <1174351417.352976.247360@l75g2000hse.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.1.3) Gecko/
20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b75g2000hsg.googlegroups.com; posting-host=66.19.243.159;
   posting-account=x8FxjAwAAACQYdVK-ARYehfjhw2rEkmK
Xref: g2news1.google.com rec.radio.amateur.equipment:11730
```

On Mar 19, 7:43 pm, "Brian" <k...@dvol.com> wrote:

OK, any decent "sound card" will do. Thank you gentlemen.

> Brian w3rv

```
From 949410867902846342
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
```

```
X-Google-Attributes: gidf55c2,gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e65g2000hsc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: alt.ham-
radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.misc,uk.radio.amateur
Subject: be adivised this a areply to known theif and cyber stalker
Date: 24 Mar 2007 20:47:54 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1174794474.890395.306640@e65g2000hsc.googlegroups.com>
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
   <1174752052.274877.250050@n76g2000hsh.googlegroups.com>
NNTP-Posting-Host: 66.82.9.66
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174794476 6779 127.0.0.1 (25 Mar 2007 03:47:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Mar 2007 03:47:56 +0000 (UTC)
In-Reply-To: <1174752052.274877.250050@n76g2000hsh.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e65g2000hsc.googlegroups.com; posting-host=66.82.9.66;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news1.google.com alt.ham-radio.mods:358
rec.radio.amateur.boatanchors:11023 rec.radio.amateur.equipment:11731
rec.radio.amateur.misc:34648 uk.radio.amateur:106073

On Mar 24, 12:00 pm, "Dloyd Lavies" <N0vfpsu...@aol.com> wrote:
>
be adivised this a areply to known theif and cyber stalker



From -438892240791852319
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!news-in.ntli.net!
newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!
newsfe3-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "bob.martin" <bmartin@qxi.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,u
k.radio.amateur
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
```

<seidnY2B3YsaF5jbnZ2dnUVZ_oytnZ2d@comcast.com> <cjgNh.17401$NK3.10759@newsfe6-win.ntli.net> <koqdna9Z9_bkB5jbnZ2dnUVZ_oWdnZ2d@comcast.com>
<46059e6a$0$17950$4fafbaef@reader1.news.tin.it>
Subject: Re: Question re TL 922 amplifier
Lines: 45
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <FMvNh.13531$5c2.4897@newsfe3-win.ntli.net>
Date: Sun, 25 Mar 2007 14:35:17 GMT
NNTP-Posting-Host: 86.31.103.219
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe3-win.ntli.net 1174833317 86.31.103.219 (Sun, 25 Mar 2007 15:35:17 BST)
NNTP-Posting-Date: Sun, 25 Mar 2007 15:35:17 BST
Organization: ntl Virgin ADSL News Service
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11031
rec.radio.amateur.equipment:11732 rec.radio.amateur.misc:34733
uk.radio.amateur:106111

"Antonio Vernucci" <vernucci@tin.it> wrote in message
news:46059e6a$0$17950$4fafbaef@reader1.news.tin.it...
>> The normal filament current is about 14 amperes at 5 volts. The
>> grid/filament short generally draws less than 100 ma of grid current and
>> less than 300 ma of plate currnet. An abnormal current of less than 0.5
>> ampere is not a problem for the major floating secondary winding of a
>> filament transformer.
>
> In the TL-922, the filament transformer would burn after a short while
> because on that same transformer there is another secondary (80 Volts)
> which gets nearly shorted to ground when a filament-to-grid short occurs
> in a tube.
>
> 73
>
> Tony I0JX
>
>
Dear All,

Update:-

Had the case open and indeed 1 of the 3-500zs was showing a grid/fil short, however a little inadvertent rough handling cured this and when reassembled the amp worked fine for an hour or so. Then it was switched off for lunch and after lunch the problem had returned and this time is persisting despite removal of the valve. I haven't yet tried the mains blast across the pins as I'm not that confident!

good news is that the filament transformer seems fine and hasn't been apparently damaged by the few very short excursions into short territory.

A new valve will be ordered. May try the whisker zap if feeling brave at some point

Learnt a bit today, I now have better understanding of the innards. Interstingly the previous owner had done some but not all of the Measures mods, e.g. cathode and low Q VHF parasitic suppresors.

thanks for all the advice

Jim G7NKS

```
From 6374784194116157618
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Uncle Peter" <radioconnectionREMOVE@cox.net>
From: "Uncle Peter" <radioconnection@cox.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,u
k.radio.amateur
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<seidnY2B3YsaF5jbnZ2dnUVZ_oytnZ2d@comcast.com> <cjgNh.17401$NK3.10759@newsfe6-
win.ntli.net> <koqdna9Z9_bkB5jbnZ2dnUVZ_oWdnZ2d@comcast.com>
<46059e6a$0$17950$4fafbaef@reader1.news.tin.it> <FMvNh.13531$5c2.4897@newsfe3-
win.ntli.net>
Subject: Re: Question re TL 922 amplifier
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <myxNh.187528$Ju2.166975@newsfe16.lga>
Date: Sun, 25 Mar 2007 12:36:20 -0400
NNTP-Posting-Host: 68.0.230.122
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.lga 1174840594 68.0.230.122 (Sun, 25 Mar 2007 09:36:34 MST)
NNTP-Posting-Date: Sun, 25 Mar 2007 09:36:34 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11042
rec.radio.amateur.equipment:11733 rec.radio.amateur.misc:34758
```

uk.radio.amateur:106131

"bob.martin" <bmartin@qxi.com> wrote in message
news:FMvNh.13531$5c2.4897@newsfe3-win.ntli.net...
>
> " > and after lunch the problem had returned and this time is persisting
> despite removal of the valve. I haven't yet tried the mains blast across
> the pins as I'm not that confident!
>
 e advice
>
> Jim G7NKS
>

You can use a charged cap to "blast" the short, might be less
dramatic than the unlimited current behind the mains.. This
sometimes vaporizes part of the grid structure and affects
tube operation..

Pete

```
From 4774568573198430607
X-Google-Thread: 108122,3e3d73da154ad081,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.250.MISMATCH!transit3.readnews.com!news-out.readnews.com!
news.glorb.com!news.mv.net!not-for-mail
From: Rick <Nospam@reply.in.gp>
Newsgroups: rec.radio.amateur.equipment
Subject: Characteristics of Yaesu/Vertex VXA-700 cigarette lighter adapter
Date: Sun, 25 Mar 2007 18:18:37 -0400
Organization: MV Communications, Inc.
Lines: 15
Message-ID: <pan.2007.03.25.22.18.36.162649@reply.in.gp>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1174861117 63533 207.22.49.17 (25 Mar 2007 22:18:37 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 25 Mar 2007 22:18:37 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news1.google.com rec.radio.amateur.equipment:11734
```

Do any of you know the characteristics of the cigarette lighter adapter
that is used with the Yaesu/Vertex VXA-700 2 meter and airband HT?

Does it just convey the 12 volts (or 13.8 volts or 14.2 volts or whatever it is at any moment in time) directly to the HT, or is there any kind of filter or voltage limiter that's internal to the adapter?

In other words, can I just feed 13.8 volts directly from a car battery to the HT to run it and charge the battery?

Looked on the Yaesu and Vertex Standard websites for information and couldn't find any reference at all to the VXA-700 ... wonder if it has been discontinued...

From 930060153460978553
X-Google-Thread: 108122,59889964ee614f05
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog2.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 25 Mar 2007 20:50:12 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1174498697.604272.19230@p15g2000hsd.googlegroups.com>
Subject: Re: THE BEST VOIP COMPANY FOR INTERNACIONAL CALLS
Date: Sun, 25 Mar 2007 20:50:21 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <ftOdnbmiYqFJu5rbnZ2dnUVZ_s-rnZ2d@comcast.com>
Lines: 61
NNTP-Posting-Host: 71.228.3.218
X-Trace: sv3-RAp0NN/qX4kQaoBX6+mp5+x4rKNq8FhW7iR3aQAbpTmP4SWoVDmf+8jJerwqR6UoszG5LITPU/tEP6l!sXHAvyat/mzcU7AbatPPSeMhei3auiQFQP0I9Eg6le2GW7wbasRpxRKSyvLpI6rBLLh+bqoK/KnD!X1J79BbzeOJBSaZhAta9Q4BLV0LX
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11735

Not as good as Sunrocket. They are much cheaper. 200 dollars per year, and 3 extra months free when you first sign up. This comes to about 13.50 per month. Nice try!

"LuGuEx" <luisj@voipcalled.com> wrote in message news:1174498697.604272.19230@p15g2000hsd.googlegroups.com...

> I'm pleassed to present you, VOIPCALLRED this company has excellent
> prices that we are going to show you below:
>
> Limitless plans to USA and NARROW CANYON 29.90 $us
> Limitless plans to 32 Countries 49.50 $us
>
> The best prices in having called by prepago some examples:
>
> | | |
> |---|---|
> | Spain fixes | 0.016 $us |
> | Spain Mobile | 0.092 $us |
> | Argentina Fixes | 0.015 $us |
> | Argentina Mobil | 0.045 $us |
> | Brazil | 0.032 $us |
> | Brazil Mobile | 0.098 $us |
> | Bolivia Fixes | 0.078 $us |
> | Bolivia Mobile | 0.13 $us |
> | Fixed Peru | 0.0206 $us |
> | Peru | 0.155 $us |
> | Canada from | 0.012 $us |
> | Chile | 0.017 $us |
> | Chile Mobile | 0.15 $us |
> | Colombia | 0.0305 $us |
> | Colombia MObile | 0.896 $us |
>
> Billing for all the countries of 30/30
>
> Download the lower rates from our own webpage www.voipcallred.net, for
> each purchase you make, we give 25%, but it has more than enough your
> purchase, we also give you a softphone for your pc.
>
> Oportunity to build up your own one white Voip lines with the best
> prices at whole world.
>
> Voipcallred belongs to ahatelcom international carrier,it has been 4
> years in the international market of world routes.
>
> Don't wait, contact with us, attention personalized for each client,
> support 24/7 hrs with answer records.
>
> Callshop free for users callcenter or of booths or of centers of
> calls.
>
> For each bill we give you an I number United States free free.
>
> If you refer us a client we gift you 10% of their purchase, gonna find
> facilities like this neither in the sky...
>
> Contact you with me to MSN or Mail:
>
>
> luisj@voipcallred.com
> Sales Manager voipcallred
>

```
From -1690278580044743978
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!ndsoftware.com!
194.168.222.133.MISMATCH!news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!
news.highwinds-media.com!newspeer1-win.ntli.net!newsfe7-win.ntli.net.POSTED!
53ab2750!not-for-mail
From: "t w" <tw100uk@ntlworld.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,u
k.radio.amateur
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<seidnY2B3YsaF5jbnZ2dnUVZ_oytnZ2d@comcast.com> <cjgNh.17401$NK3.10759@newsfe6-
win.ntli.net> <koqdna9Z9_bkB5jbnZ2dnUVZ_oWdnZ2d@comcast.com>
<46059e6a$0$17950$4fafbaef@reader1.news.tin.it> <FMvNh.13531$5c2.4897@newsfe3-
win.ntli.net> <myxNh.187528$Ju2.166975@newsfe16.lga>
Subject: Re: Question re TL 922 amplifier
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <Z0KNh.22068$0Z1.12089@newsfe7-win.ntli.net>
Date: Mon, 26 Mar 2007 06:48:25 GMT
NNTP-Posting-Host: 82.26.231.141
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe7-win.ntli.net 1174891705 82.26.231.141 (Mon, 26 Mar 2007 07:48:25
BST)
NNTP-Posting-Date: Mon, 26 Mar 2007 07:48:25 BST
Organization: ntlworld News Server
Xref: g2news1.google.com rec.radio.amateur.boatanchors:11058
rec.radio.amateur.equipment:11736 rec.radio.amateur.misc:34802
uk.radio.amateur:106170


"Uncle Peter" <radioconnection@cox.net> wrote in message
news:myxNh.187528$Ju2.166975@newsfe16.lga...
>
> "bob.martin" <bmartin@qxi.com> wrote in message
> news:FMvNh.13531$5c2.4897@newsfe3-win.ntli.net...
>>
>> " > and after lunch the problem had returned and this time is persisting
>> despite removal of the valve.  I haven't yet tried the mains blast across
```

>> the pins as I'm not that confident!
>>
> e advice
>>
>> Jim G7NKS
>>
>
> You can use a charged cap to "blast" the short, might be less
> dramatic than the unlimited current behind the mains.. This
> sometimes vaporizes part of the grid structure and affects
> tube operation..
>
> Pete
Well done to you all,it's nice to see real amateur radio for once on this board.More of it please
Keith.
>
>

From -637260862126187936
X-Google-Thread: 108122,e4a82337712706b0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.germany.com!news.teledata-fn.de!noris.net!newsfeed.arcor.de!newsspool1.arcor-online.net!news.arcor.de.POSTED!not-for-mail
From: "Ralf P." <join_me@freenet.de>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Heil Headset - Proset 5
Date: Mon, 26 Mar 2007 11:01:41 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Lines: 16
Message-ID: <46078c04$0$15960$9b4e6d93@newsspool4.arcor-online.net>
Organization: Arcor
NNTP-Posting-Date: 26 Mar 2007 11:01:56 CEST
NNTP-Posting-Host: 266d9722.newsspool4.arcor-online.net
X-Trace:
DXC=ad0[M8=cdN1Tia]Ho99G504IUK<Cl32<14Fo<]lROoR14nDHegD_]R52G\SddH8SU<j`D\3?
baj=>Wa]YANCJTe6RkO_60f55T5_1^OYm8gl1:
X-Complaints-To: usenet-abuse@arcor.de
Xref: g2news1.google.com rec.radio.amateur.equipment:11737

Hi folks,

today I offer my nearly unused Heil Proset 5 at Ebay with number as follows:

180100726274

Thanks for looking.

73 de Ralf - DM6DL

complete link here:

http://cgi.ebay.de/Heil-headset-Pro-Set-5-fast-unbenutzt-nearly-unused_W0QQitemZ180100726274QQcategoryZ12062QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

```
From 8796839634699522248
X-Google-Thread: 106d41,e304b13f1d339edf
X-Google-Thread: fc2a5,559dde8edca6558e,start
X-Google-Thread: 108122,559dde8edca6558e,start
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o5g2000hsb.googlegroups.com!not-for-
mail
From: "Telstar Electronics" <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: VoiceMax Speech Processor Moving Forward...
Date: 26 Mar 2007 04:52:55 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1174909975.113268.23590@o5g2000hsb.googlegroups.com>
References: <1171287506.707448.200230@a75g2000cwd.googlegroups.com>
   <1174349962.394121.105030@p15g2000hsd.googlegroups.com>
   <1174392178.454994.14890@n59g2000hsh.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174909976 16285 127.0.0.1 (26 Mar 2007 11:52:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 26 Mar 2007 11:52:56 +0000 (UTC)
In-Reply-To: <1174392178.454994.14890@n59g2000hsh.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o5g2000hsb.googlegroups.com; posting-host=216.203.30.4;
   posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news1.google.com rec.radio.cb:34979 rec.radio.amateur.homebrew:12789
rec.radio.amateur.equipment:11738
```

The first pre-production pcb has been built and put into service.
Pictures of this board are now available at
http://www.telstar-electronics.com/default_files/NewProductDevelopment.htm
Several other additional boards will be built and put in service
within the next two weeks. After this pre-production pilot... final

adjustments will be made to the pcb to allow for easier/better manufacturing before the final pcb is released.

P.S. I may be looking for several radio techs in the next few months that would agree to do some beta testing. Email me with your qualifications to be considered. The beta units will be free of charge... and I would only expect a detailed performance report in return.

www.telstar-electronics.com

```
From -4048313965741889111
X-Google-Thread: 1109af,fe6986ca32551117,start
X-Google-Thread: 108122,fe6986ca32551117,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog2.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 26 Mar 2007 10:02:15 -0500
From: Mike Nowlen <mike.nowlen@gmail.com >
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.commer
cial-lmr,rec.radio.lmr-commercial,rec.radio.lmr-commerical
Subject: ICOM CK-11 Cable Kit for IC435 Series Transcivers: $25           p4
Date: Mon, 26 Mar 2007 11:02:13 -0400
Message-ID: <93of035rd4p5unqlbof0hv763216ts5tvu@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: 69.255.25.48
X-Trace: sv3-4r8tTq4oReGRVPd4Xn9mzD5j7/VoeeVTuhFjKSIPOA1HhxbjL9uPREfET0BmwKQ/
Xb72NTymbJ9hc8y!GecB9wb9X5rZDU5oXvsuxPumB9XW1sFsWm2VHUWSjg8LyckgzWAUjnViiH+Ic/t/
PYiBdbMm2LVl!BtD4UiZNl2ZpKRF3rcZx4kUk7w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.swap:15832 rec.radio.amateur.equipment:11739
```

New Icom remote cable kit complete with mounting and hardware in original box for Icom Series Commercial Mobile Transceivers

CK-11 for IC435:

$25 + actual shipping costs. Email with zip code for shipping costs.

Thanks for reading
mnowlen@comcast.net

From -5843133663226351920
X-Google-Thread: 1109af,618ccdecdef96847,start
X-Google-Thread: 107ada,618ccdecdef96847,start
X-Google-Thread: 108122,618ccdecdef96847,start
X-Google-Attributes: gid1109af,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "Mike Kulyk" <mkulyk@optonline.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: WTT Compaq Server for IRLP
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <y9YNh.99$Tv.45@newsfe12.lga>
Date: Mon, 26 Mar 2007 18:53:20 -0400
NNTP-Posting-Host: 69.117.242.164
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1174949598 69.117.242.164 (Mon, 26 Mar 2007 15:53:18 MST)
NNTP-Posting-Date: Mon, 26 Mar 2007 15:53:18 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.swap:15838 rec.radio.amateur.misc:34862 rec.radio.amateur.equipment:11740

Real Compaq Pro Signa Server. THIS IS a oldly Pentium 75 running NT 4 Server.

I was told these vintage machines were good for a Linux reload and to run them for IRLP.

9 gb SCSI drive. 64 mb or ram.

The computer is on Long Island. I am willing to trade for something I can use.

Maybe a kick around 2 mtr HT. something I can throw in my back pocket.

Mike WB2GLW

From 6019403944724985365
X-Google-Thread: 108122,d557c21c1fc2793e,start

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!uns-out.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!fe188.usenetserver.com.POSTED!3a4dcde3!not-for-mail
From: Tim <Tim@KQ8M(at)kq8m.net>
Newsgroups: rec.radio.amateur.equipment
Subject: TS-930s transmit problem
X-Newsreader: Newsbin Pro 5.0
Lines: 10
Message-ID: <Oa_Nh.1867$QT2.402@fe188.usenetserver.com>
X-Complaints-To: abuse@usenetserver.com
X-Abuse-Info: Please be sure to forward a copy of ALL headers
X-Abuse-Info: Otherwise we will be unable to process your complaint properly.
NNTP-Posting-Date: Mon, 26 Mar 2007 20:11:10 EST
Date: Tue, 27 Mar 2007 01:11:10 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11741

I have a TS-930s That has been in storage for 13 years. I fired it up and it receives fine. Everything seems in good shape except there is no RF output. In the tune mode the VC reads almost full scale where the IC reads low at about 1a. On CW there is no output and I get the same meter readings.

It has been so long since I have used the radio can anyone tell me what I am missing? Oh Yes, the carrier is all the way up. hi hi

I am getting real frustrated. I have been off the air the same amount of time the rig has been and really want to get back on. I can use an old 830 I have here but it's controls are so corroded I am going to have to go inside and attempt to clean them.

Any help would be appreciated. Many thanks,

Tim, KQ8M
kq8m(at)kq8m.net

From -392710419081319813
X-Google-Thread: 106d41,e304b13f1d339edf
X-Google-Thread: fc2a5,559dde8edca6558e
X-Google-Thread: 108122,559dde8edca6558e
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!r56g2000hsd.googlegroups.com!not-for-mail
From: "Andrew VK3BFA" <ablight@alphalink.com.au>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor Moving Forward...
Date: 27 Mar 2007 04:41:12 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1174995672.907596.262790@r56g2000hsd.googlegroups.com>

```
References: <1171287506.707448.200230@a75g2000cwd.googlegroups.com>
   <1174349962.394121.105030@p15g2000hsd.googlegroups.com>
   <1174392178.454994.14890@n59g2000hsh.googlegroups.com>
   <1174909975.113268.23590@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: 218.215.131.34
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174995674 17083 127.0.0.1 (27 Mar 2007 11:41:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Mar 2007 11:41:14 +0000 (UTC)
In-Reply-To: <1174909975.113268.23590@o5g2000hsb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.1.3) Gecko/
20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r56g2000hsd.googlegroups.com; posting-host=218.215.131.34;
   posting-account=EWANPAwAAAAIMf8u_DoGHaMCx0gCEW5D
Xref: g2news1.google.com rec.radio.cb:35008 rec.radio.amateur.homebrew:12799
rec.radio.amateur.equipment:11742

On Mar 26, 9:52 pm, "Telstar Electronics" <briangrif...@sbcglobal.net>
wrote:
> The first pre-production pcb has been built and put into service.

Wow. Another speech compressor. Just what the world needs......

Andrew VK3BFA.




From 7899474275861688746
X-Google-Thread: 106d41,e304b13f1d339edf
X-Google-Thread: fc2a5,559dde8edca6558e
X-Google-Thread: 108122,559dde8edca6558e
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y80g2000hsf.googlegroups.com!not-for-
mail
From: "Telstar Electronics" <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor Moving Forward...
Date: 27 Mar 2007 05:10:20 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1174997420.821374.183000@y80g2000hsf.googlegroups.com>
References: <1171287506.707448.200230@a75g2000cwd.googlegroups.com>
   <1174349962.394121.105030@p15g2000hsd.googlegroups.com>
   <1174392178.454994.14890@n59g2000hsh.googlegroups.com>
   <1174909975.113268.23590@o5g2000hsb.googlegroups.com>
   <1174995672.907596.262790@r56g2000hsd.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174997422 9463 127.0.0.1 (27 Mar 2007 12:10:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Mar 2007 12:10:22 +0000 (UTC)
In-Reply-To: <1174995672.907596.262790@r56g2000hsd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y80g2000hsf.googlegroups.com; posting-host=216.203.30.4;
   posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news1.google.com rec.radio.cb:35009 rec.radio.amateur.homebrew:12801
rec.radio.amateur.equipment:11743
```

On Mar 27, 6:41 am, "Andrew VK3BFA" <abli...@alphalink.com.au> wrote:

> On Mar 26, 9:52 pm, "Telstar Electronics" <briangrif...@sbcglobal.net>
> wrote:
>
> > The first pre-production pcb has been built and put into service.
>
> Wow. Another speech compressor. Just what the world needs......
>
> Andrew VK3BFA.

Thanks for your input...

www.telstar-electronics.com

```
From 5433096720867196282
X-Google-Thread: 106d41,e304b13f1d339edf
X-Google-Thread: fc2a5,559dde8edca6558e
X-Google-Thread: 108122,559dde8edca6558e
X-Google-Attributes: gid106d41,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: nospam <NOSPAM@L2Speed.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: VoiceMax Speech Processor Moving Forward...
Date: Tue, 27 Mar 2007 07:45:18 -0500
Organization: netINS InterNetNews site
Lines: 25
Message-ID: <la4i035dntgq3cksuvj4npj8iqbvjtbrn4@4ax.com>
References: <1171287506.707448.200230@a75g2000cwd.googlegroups.com>
<1174349962.394121.105030@p15g2000hsd.googlegroups.com>
<1174392178.454994.14890@n59g2000hsh.googlegroups.com>
<1174909975.113268.23590@o5g2000hsb.googlegroups.com>
<1174995672.907596.262790@r56g2000hsd.googlegroups.com>
<1174997420.821374.183000@y80g2000hsf.googlegroups.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1174999511 21912 67.55.159.6 (27 Mar 2007 12:45:11 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Tue, 27 Mar 2007 12:45:11 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.cb:35012 rec.radio.amateur.homebrew:12802
rec.radio.amateur.equipment:11744

Why do you sell a rf amplifier that covers "26-30MHz Coverage"
It sounds like you are selling a CB amp which I thought was illegal.
Just curious, Thanks





On 27 Mar 2007 05:10:20 -0700, "Telstar Electronics"
<briangriffey@sbcglobal.net> wrote:

>On Mar 27, 6:41 am, "Andrew VK3BFA" <abli...@alphalink.com.au> wrote:
>> On Mar 26, 9:52 pm, "Telstar Electronics" <briangrif...@sbcglobal.net>
>> wrote:
>>
>> > The first pre-production pcb has been built and put into service.
>>
>> Wow. Another speech compressor. Just what the world needs......
>>
>> Andrew VK3BFA.
>
>Thanks for your input...
>
>www.telstar-electronics.com



From 2933150390137723978
X-Google-Thread: 108122,a87d2d04ed13ee2c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l77g2000hsb.googlegroups.com!not-for-
mail
From: demiansims@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Was VX-7R audio problem fixed?
Date: 27 Mar 2007 08:30:44 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1175009444.852036.231360@l77g2000hsb.googlegroups.com>
NNTP-Posting-Host: 38.96.145.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1175009446 7557 127.0.0.1 (27 Mar 2007 15:30:46 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Mar 2007 15:30:46 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
rv:1.8.1.3) Gecko/20070309 Firefox/2.0.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l77g2000hsb.googlegroups.com; posting-host=38.96.145.226;
   posting-account=7ixhMg0AAAC-tk5OvAZUjylVHHnkoQDB
Xref: g2news1.google.com rec.radio.amateur.equipment:11745
```

Hello,

I'm planning on picking up a VX-7R but wanted to know if the transmit
audio problem from the waterproofing was ever fixed and if so, which
model numbers to look out for? I'm planning on getting the black
one...

Thanks

```
From 5908510845100122613
X-Google-Thread: 108122,3e3d73da154ad081
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-media.com!
newspeer1-win.ntli.net!newsfe3-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian MW0GKX" <notsaying@here.com>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.03.25.22.18.36.162649@reply.in.gp>
Subject: Re: Characteristics of Yaesu/Vertex VXA-700 cigarette lighter adapter
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <WkfOh.5056$j_2.1711@newsfe3-gui.ntli.net>
Date: Tue, 27 Mar 2007 20:42:30 GMT
NNTP-Posting-Host: 82.6.115.199
X-Trace: newsfe3-gui.ntli.net 1175028150 82.6.115.199 (Tue, 27 Mar 2007 21:42:30
BST)
NNTP-Posting-Date: Tue, 27 Mar 2007 21:42:30 BST
Organization: NTL
Xref: g2news1.google.com rec.radio.amateur.equipment:11746
```

"Rick" <Nospam@reply.in.gp> wrote in message
news:pan.2007.03.25.22.18.36.162649@reply.in.gp...

>
> Do any of you know the characteristics of the cigarette lighter adapter

> that is used with the Yaesu/Vertex VXA-700 2 meter and airband HT?
>
> Does it just convey the 12 volts (or 13.8 volts or 14.2 volts or whatever
> it is at any moment in time) directly to the HT, or is there any kind of
> filter or voltage limiter that's internal to the adapter?
>
> In other words, can I just feed 13.8 volts directly from a car battery to
> the HT to run it and charge the battery?
>
> Looked on the Yaesu and Vertex Standard websites for information and
> couldn't find any reference at all to the VXA-700 ... wonder if it has
> been discontinued...
>

OK using a bit of 'sideways logic' I see that the 12V 'adaptor' (E-DC-5B DC Cable with Cigarette Lighter Plug) listed for this radio also cross references to a yaesu handy (VR500) I've got that, quite happily, takes a 'neat' 12V in to charge the 2 'AA' cells that are in the radio. So I would say the 13.8V from your car would be fine.

```
From -7863793009373110833
X-Google-Thread: 108122,d557c21c1fc2793e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!postnews.google.com!
y80g2000hsf.googlegroups.com!not-for-mail
From: amp.tech@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TS-930s transmit problem
Date: 27 Mar 2007 14:13:35 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1175030015.622275.312760@y80g2000hsf.googlegroups.com>
References: <Oa_Nh.1867$QT2.402@fe188.usenetserver.com>
NNTP-Posting-Host: 12.46.144.107
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1175030017 12302 127.0.0.1 (27 Mar 2007 21:13:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Mar 2007 21:13:37 +0000 (UTC)
In-Reply-To: <Oa_Nh.1867$QT2.402@fe188.usenetserver.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y80g2000hsf.googlegroups.com; posting-host=12.46.144.107;
   posting-account=e8wzcg0AAADtWQIKu0akZdsQFERkwOLB
Xref: g2news1.google.com rec.radio.amateur.equipment:11747
```

I just repaired a TS-930, that had the RF PA driver transistors blow

up due
to overheating of the power supply.

your VC goes full scale ? ?   ! ! ! ! ! ! up to 42 votls ! ! !
it should go to 28 Volts.

it sounds like the power supply pass transistors failed, and shorted
out, (due to heat)
and put the 40 volts to the RF Final PA. This will blow the driver
transistors.
A common problem in this radio.

are the fans working? it is important that the fan to the power
supply comes on,
or the power supply will over heat, or results I just mentioned will
happen.

what is the serial number to your radio ? ?

Kenwood added to the power supply circuit, later in production,
but it will not help the overheating problem.

From 3561594336732579454
X-Google-Thread: 108122,3e3d73da154ad081
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.mv.net!not-for-mail
From: Rick <Nospam@reply.in.gp>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Characteristics of Yaesu/Vertex VXA-700 cigarette lighter adapter
Date: Tue, 27 Mar 2007 17:35:26 -0400
Organization: MV Communications, Inc.
Lines: 16
Message-ID: <pan.2007.03.27.21.35.26.333059@reply.in.gp>
References: <pan.2007.03.25.22.18.36.162649@reply.in.gp>
<WkfOh.5056$j_2.1711@newsfe3-gui.ntli.net>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1175031326 14920 207.22.49.17 (27 Mar 2007 21:35:26 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Tue, 27 Mar 2007 21:35:26 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news1.google.com rec.radio.amateur.equipment:11748

On Tue, 27 Mar 2007 20:42:30 +0000, Brian MW0GKX wrote:

> OK using a bit of 'sideways logic' I see that the 12V 'adaptor' (E-DC-5B DC

> Cable with Cigarette Lighter Plug) listed for this radio also cross
> references to a yaesu handy (VR500) I've got that, quite happily, takes a
> 'neat' 12V in to charge the 2 'AA' cells that are in the radio. So I would
> say the 13.8V from your car would be fine.

Good afternoon, Brian.

The point of my question was, I want to fabricate a DC power cord for the
VXA-700 with a Powerpole connector on one end, and I need to know if I can
just feed 12 volts into the side of the VXA-700, or does their cigarette
lighter adapter have some kind of voltage reduction or current limiting
circuitry in there?

From -4962178953673172480
X-Google-Thread: 108122,3e3d73da154ad081
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!newsfeed.stueberl.de!
newsfeed.freenet.de!border2.nntp.ams.giganews.com!nntp.giganews.com!sn-xt-ams-06!
sn-xt-ams-05!sn-ams!sn-feed-ams-03!sn-ams!sn-feed-ams-02!sn-post-ams-01!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Characteristics of Yaesu/Vertex VXA-700 cigarette lighter adapter
Date: Tue, 27 Mar 2007 22:00:17 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <130j4vh6kckhf95@corp.supernews.com>
References: <pan.2007.03.25.22.18.36.162649@reply.in.gp>
<WkfOh.5056$j_2.1711@newsfe3-gui.ntli.net>
<pan.2007.03.27.21.35.26.333059@reply.in.gp>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news1.google.com rec.radio.amateur.equipment:11749

In article <pan.2007.03.27.21.35.26.333059@reply.in.gp>,
Rick <Nospam@reply.in.gp> wrote:

>The point of my question was, I want to fabricate a DC power cord for the
>VXA-700 with a Powerpole connector on one end, and I need to know if I can
>just feed 12 volts into the side of the VXA-700, or does their cigarette
>lighter adapter have some kind of voltage reduction or current limiting
>circuitry in there?

The Yaesu adapter which I bought for use with my VX-5 apparently
contains a surge suppressor (a varactor or zener, I suppose) and a
fuse.

I believe that the intent is to make sure that a high-voltage spike on
the car wiring (triggered by "load dump" - e.g. turning off the

headlights and thus abruptly reducing the current load on the system when the alternator is running) doesn't reach and burn out the radio. Automotive electronics for "12-volt" systems are normally engineered to be able to withstand a short spike of as much as 50 volts above ground... that's the magnitude of what you have to be concerned about.

I've fed my VX-5 power directly from a 12-volt gel cell which was not connected to a car electrical system, and it was perfectly happy with it. If that's all you're planning on doing, you can probably just use the PowerPole arrangement.

If you plan to have the radio plugged into the lighter outlet when the car is turned on, however, it'd be safer for you to provide some voltage clamping and filtering, just as Yaesu does.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Friends of Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -2526228166309502511
X-Google-Thread: 108122,a87d2d04ed13ee2c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe7-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "twf" <twf@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1175009444.852036.231360@l77g2000hsb.googlegroups.com>
Subject: Re: Was VX-7R audio problem fixed?
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <EUgOh.22844$0Z1.8100@newsfe7-win.ntli.net>
Date: Tue, 27 Mar 2007 22:28:52 GMT
NNTP-Posting-Host: 82.19.44.255
X-Trace: newsfe7-win.ntli.net 1175034532 82.19.44.255 (Tue, 27 Mar 2007 23:28:52 BST)
NNTP-Posting-Date: Tue, 27 Mar 2007 23:28:52 BST
Organization: NTL
Xref: g2news1.google.com rec.radio.amateur.equipment:11750

<demiansims@gmail.com> wrote in message news:1175009444.852036.231360@l77g2000hsb.googlegroups.com...
> Hello,
>

> I'm planning on picking up a VX-7R but wanted to know if the transmit
> audio problem from the waterproofing was ever fixed and if so, which
> model numbers to look out for? I'm planning on getting the black
> one...
>
> Thanks

I have just brought a second hand VX7r black model about 1.5 years old and
the transmit audio is fine so I have been told and I asked one ham who would
have told me if it wasn't

Derek

From 2276639769259517530
X-Google-Thread: 108122,5a46577ac5e6491e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Steve" <stevo87@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Mics Ham Gear
Date: Tue, 27 Mar 2007 19:59:39 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <4609aff7$0$8984$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11751

http://members6.boardhost.com/theswapshoppe/

From 8517770147503262790
X-Google-Thread: 108122,3e3d73da154ad081
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!aotearoa.belnet.be!news.belnet.be!kramikske.telenet-ops.be!
nntp.telenet.be!news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-
media.com!newspeer1-win.ntli.net!newsfe1-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian MW0GKX" <notsaying@here.com>

Newsgroups: rec.radio.amateur.equipment
References: <pan.2007.03.25.22.18.36.162649@reply.in.gp>
<WkfOh.5056$j_2.1711@newsfe3-gui.ntli.net>
<pan.2007.03.27.21.35.26.333059@reply.in.gp>
Subject: Re: Characteristics of Yaesu/Vertex VXA-700 cigarette lighter adapter
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <NzpOh.19815$_v3.672@newsfe1-gui.ntli.net>
Date: Wed, 28 Mar 2007 08:21:01 GMT
NNTP-Posting-Host: 82.6.115.199
X-Trace: newsfe1-gui.ntli.net 1175070061 82.6.115.199 (Wed, 28 Mar 2007 09:21:01 BST)
NNTP-Posting-Date: Wed, 28 Mar 2007 09:21:01 BST
Organization: NTL
Xref: g2news1.google.com rec.radio.amateur.equipment:11752

"Rick" <Nospam@reply.in.gp> wrote in message
news:pan.2007.03.27.21.35.26.333059@reply.in.gp...
> On Tue, 27 Mar 2007 20:42:30 +0000, Brian MW0GKX wrote:
>
>> OK using a bit of 'sideways logic' I see that the 12V 'adaptor' (E-DC-5B
>> DC
>> Cable with Cigarette Lighter Plug) listed for this radio also cross
>> references to a yaesu handy (VR500) I've got that, quite happily, takes a
>> 'neat' 12V in to charge the 2 'AA' cells that are in the radio. So I
>> would
>> say the 13.8V from your car would be fine.
>
> Good afternoon, Brian.
>
> The point of my question was, I want to fabricate a DC power cord for the
> VXA-700 with a Powerpole connector on one end, and I need to know if I can
> just feed 12 volts into the side of the VXA-700, or does their cigarette
> lighter adapter have some kind of voltage reduction or current limiting
> circuitry in there?
>

AFAIK noise suppression and spike removal is all thats in the box, and maybe
a fuse.

For current limiting, use a 2 amp fuse in the supply.

Also note that they sell a lead with no plug on the far end to connect the
radio to a shacks supply.

From 1709143104584924951
X-Google-Thread: 108122,f166cfab425da5ae,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe24.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: New MFJ-998 Auto Tuner
Message-ID: <1m6o03tr77mmi0ib4dtiq0bv1r05bn0uqu@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 8
Date: Thu, 29 Mar 2007 16:00:23 -0400
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe24.lga 1175198412 70.161.108.207 (Thu, 29 Mar 2007 13:00:12 MST)
NNTP-Posting-Date: Thu, 29 Mar 2007 13:00:12 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11753

The MFJ-998 IntelliTuner� has been advertised on the cover of MFJ's 2007 Catalog since late 2006. Orders have been placed at several major equipment vendors/dealers for several months. Production was promised in March 2007! But that date has not been met. I am sure that there are many folks out there that would like to know the latest information of this new product. Many are waiting to hear how it works and when they can add it to their systems. Feedback is requested.

From -3284315299632877118
X-Google-Thread: 108122,f166cfab425da5ae
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New MFJ-998 Auto Tuner
Date: Thu, 29 Mar 2007 10:18:36 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0703291015030.2812@malasada.lava.net>
In-Reply-To: <1m6o03tr77mmi0ib4dtiq0bv1r05bn0uqu@4ax.com>
References: <1m6o03tr77mmi0ib4dtiq0bv1r05bn0uqu@4ax.com>
MIME-Version: 1.0
Content-Type: MULTIPART/MIXED; BOUNDARY="1465796871-1496359112-1175199516=:2812"
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news1.google.com rec.radio.amateur.equipment:11754

```
  This message is in MIME format.  The first part should be readable text,
  while the remaining parts are likely unreadable without MIME-aware tools.

--1465796871-1496359112-1175199516=:2812
Content-Type: TEXT/PLAIN; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: QUOTED-PRINTABLE



On Thu, 29 Mar 2007, Sonny Hood wrote:

> The MFJ-998 IntelliTuner=99 has been advertised on the cover of MFJ's
> 2007 Catalog since late 2006.  Orders have been placed at several
> major equipment vendors/dealers for several months.  Production was
> promised in March 2007!  But that date has not been met.  I am sure
> that there are many folks out there that would like to know the latest
> information of this new product.  Many are waiting to hear how it
> works and when they can add it to their systems.  Feedback is
> requested.
>
I have the old MFJ "Differential T tuner which has served me well.
Only thing that irritates me a bit is that the roller inductor
is not gear driven.  It handles 3 KW power, but slippage with
the belt driver is a nuisance.  MFJ had a later version that was
gear driven, but I just accept the slight irritation of my slipping
belt coming up with different readings on the counter dial.
                       Joe KH6JF

--1465796871-1496359112-1175199516=:2812--



From -4371951457112664915
X-Google-Thread: 108122,d557c21c1fc2793e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 29 Mar 2007 19:41:33 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <Oa_Nh.1867$QT2.402@fe188.usenetserver.com>
Subject: Re: TS-930s transmit problem
Date: Thu, 29 Mar 2007 19:41:26 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <h-idnWaFbYUgwZHbnZ2dnUVZ_ternZ2d@comcast.com>
Lines: 50
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-t0l8oqcPaDNXZIWLl4Clbt8R84NljOdrLcKOeSCs6+vEGVU4/6GcoPj/
dnUnln4JLHIh2ObzLk6SH9Q!ikQE15Xg+FZd4vzqXYGr+RlcoIENg/
```

dZ3n8nS58PrpOfRanjuE9IZO4bywDIksYH++xYsmrWS9cN!5jckRfLuVDijfNo0/wDQLavyJE2Z
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11755

"Tim" <Tim@KQ8M(at)kq8m.net> wrote in message
news:Oa_Nh.1867$QT2.402@fe188.usenetserver.com...
>
>I have a TS-930s That has been in storage for 13 years. I fired it up and
>it receives fine. Everything seems in good shape except there is no RF
>output. In the tune mode the VC reads almost full scale where the IC reads
>low at about 1a. On CW there is no output and I get the same meter
>readings.
>
> I am getting real frustrated. I have been off the air the same amount of
> time the rig has been and really want to get back on. I can use an old 830
> I have here but it's controls are so corroded I am going to have to go
> inside and attempt to clean them.
>
> Any help would be appreciated. Many thanks,

Tim -

Kenwood released 15 service bulletins for the TS-930S, while it was in production.
Here are some of them:
http://www.qsl.net/ki4nr/kenwood/

Original soldering and power supply issues are often mentioned in repairs for this radio.
Personally, I would perform a close 'visual' inspection of the electrolytic capacitors and components in the power supply section.
Some additional resources and reference materials:

W6NL/HC8L, D.B. Leeson's TS-930 notes (2001) - Adobe Acrobat
http://www.kkn.net/~k5tr/ts930fix/w6nl930.pdf

N0SS, Tom Hammond - TS-930 digital board
http://www.kkn.net/~k5tr/ts930fix/ts930doc.pdf

Piexx has an upgraded microprocessor board for the TS-930
http://www.piexx.com/index.p....s_id=25

KI4NR, John Bolduc (LPC Wireless) - Phone 386-774-9921
http://www.eham.net/reviews/detail/5210
was performing TS-930 and TS-940 repairs,
BUT check with him (he may have stopped recently, due to health).
http://www.qsl.net/ki4nr/index.htm

Clif Holland at Avvid is a good resource -- and is again accepting radios
for service.

w9gb

From 1631226486104779729
X-Google-Thread: 108122,d557c21c1fc2793e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 29 Mar 2007 19:43:36 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <Oa_Nh.1867$QT2.402@fe188.usenetserver.com>
Subject: Re: TS-830
Date: Thu, 29 Mar 2007 19:43:29 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <q_6dnVZzQdqlwJHbnZ2dnUVZ_uOmnZ2d@comcast.com>
Lines: 26
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-nQGFBcCYHXnmfAGKgY3TGFl6tiHiEM8kjYpedcrC+Xh2nSIE/
kzLukTL8VvaXVjxxU63fADn9N8G612!UxdmQSArqgww4OJ3Yq6/e6vl+S6STWEE+XAPk5c9dpg/
Lx0Q4jDzeVczORKd6L2/muRorqhSBanT!3RSa0M4fLBZvZMh2rRsCHk6wYU1o
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11756

"Tim" <Tim@KQ8M(at)kq8m.net> wrote in message
news:Oa_Nh.1867$QT2.402@fe188.usenetserver.com...

> I have been off the air the same amount of time the rig has been and
> really want to get back on. I can use an old 830 I have here but it's
> controls are so corroded I am going to have to go inside and attempt to
> clean them.
>
> Any help would be appreciated. Many thanks,
>
> Tim, KQ8M

Tim -

Regarding your older TS-830 -- no reason not to have this in good shape.
Maybe you have not read K4EAA's web site:

About Kenwood Hybrids
http://www.k4eaa.com/about.html

Kenwood Hybrids - FAQ
http://www.k4eaa.com/faq.htm

```
From -7004376289813558634
X-Google-Thread: 108122,519c0ca09c2f7c4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-
mail
From: "robo tech" <robotech24@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
Subject: kenwood ts440s output pwr
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <js%Oh.16722$oV.3546@attbi_s21>
NNTP-Posting-Host: 12.207.101.166
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1175225231 12.207.101.166 (Fri, 30 Mar 2007 03:27:11 GMT)
NNTP-Posting-Date: Fri, 30 Mar 2007 03:27:11 GMT
Organization: AT&T ASP.att.net
Date: Fri, 30 Mar 2007 03:27:11 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11757
```

Either I've lost my eyes or my mind, but I can't figure out how to change
the output power on this
ts440 that I've just picked up.
can anyone give a hint, as I figure that it should be adjustable.
thanks

```
From -3908638989895922525
X-Google-Thread: 108122,519c0ca09c2f7c4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news4.google.com!newshub.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr11.news.prodigy.net.POSTED!fa564639!not-for-mail
From: "nobody" <rock_sci@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <js%Oh.16722$oV.3546@attbi_s21>
Subject: Re: kenwood ts440s output pwr
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <Lv0Ph.1196$5e2.1115@newssvr11.news.prodigy.net>
NNTP-Posting-Host: 75.57.25.244
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.net 1175229547 ST000 75.57.25.244 (Fri, 30 Mar 2007 00:39:07 EDT)
NNTP-Posting-Date: Fri, 30 Mar 2007 00:39:07 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: SCSGGZWDPZUORV@[JBCD^VX@WB]^PCPDLXUNNHXIJYWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Fri, 30 Mar 2007 04:39:07 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11758

The output power is not adjustable in SSB.
For carrier modes (cw, am, fm) it is adjusted with the CAR control (outside ring on Mic gain control).

Tim AA6DQ

"robo tech" <robotech24@mchsi.com> wrote in message news:js%Oh.16722$oV.3546@attbi_s21...
> Either I've lost my eyes or my mind, but I can't figure out how to change
> the output power on this
> ts440 that I've just picked up.
> can anyone give a hint, as I figure that it should be adjustable.
> thanks
>

From -4426730968739633364
X-Google-Thread: 108122,519c0ca09c2f7c4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail

From: "robo tech" <robotech24@mchsi.com>
Newsgroups: rec.radio.amateur.equipment
References: <js%Oh.16722$oV.3546@attbi_s21>
<Lv0Ph.1196$5e2.1115@newssvr11.news.prodigy.net>
Subject: Re: kenwood ts440s output pwr
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <nl8Ph.17281$oV.5861@attbi_s21>
NNTP-Posting-Host: 12.207.101.166
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1175261651 12.207.101.166 (Fri, 30 Mar 2007 13:34:11 GMT)
NNTP-Posting-Date: Fri, 30 Mar 2007 13:34:11 GMT
Organization: AT&T ASP.att.net
Date: Fri, 30 Mar 2007 13:34:12 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11759

thanks a bunch! the manual didn't mention any of that that I could discern.
tim KD4GPE
"nobody" <rock_sci@hotmail.com> wrote in message
news:Lv0Ph.1196$5e2.1115@newssvr11.news.prodigy.net...
> The output power is not adjustable in SSB.
> For carrier modes (cw, am, fm) it is adjusted with the CAR control
> (outside ring on Mic gain control).
>
> Tim AA6DQ
>
> "robo tech" <robotech24@mchsi.com> wrote in message
> news:js%Oh.16722$oV.3546@attbi_s21...
>> Either I've lost my eyes or my mind, but I can't figure out how to change
>> the output power on this
>> ts440 that I've just picked up.
>> can anyone give a hint, as I figure that it should be adjustable.
>> thanks
>>
>
>

From -457444648456829847
X-Google-Thread: 108122,d1925e6c3780ab2b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!postnews.google.com!l77g2000hsb.googlegroups.com!not-for-mail
From: laptopconnectionltd@yahoo.co.uk
Newsgroups: rec.radio.amateur.equipment
Subject: DELL PRECISION M70 ESSENTIAL (W12M71)   400 $

```
Date: 30 Mar 2007 08:17:05 -0700
Organization: http://groups.google.com
Lines: 466
Message-ID: <1175267825.808011.208560@l77g2000hsb.googlegroups.com>
NNTP-Posting-Host: 196.3.63.252
Mime-Version: 1.0
Content-Type: text/plain; charset="utf-8"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1175267827 22973 127.0.0.1 (30 Mar 2007 15:17:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 30 Mar 2007 15:17:07 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; en) Opera
8.53,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l77g2000hsb.googlegroups.com; posting-host=196.3.63.252;
   posting-account=5t0rUQ0AAACpheElDCdG4e6Qe1A58MtR
Xref: g2news1.google.com rec.radio.amateur.equipment:11760
```

LAPTOPCONNECTIONS LIMITED
Registered No.05024690
#92 WEST BUSK LANE, OTLEY, WEST YORKSHIRE,
LS21 3NB UNITED KINGDOM.

DIRECTOR:
charles stewart
steval michael

CONTACT PERSON(MR LAMPARD KEN)
GENERAL SALES DIRECTOR
+44 70111 40321
+44 703 189 1466

Fax:448704712298

(PLEASE DIRECT YOUR REPLY TO SALE DIRECTOR)
(Mr LAMPARD KEN) (laptopconnectionltd@yahoo.co.uk)
(directorlaptopconnectionltd@yahoo.co.uk)

DEAR sir,
HOW DO YOU DO?
WE QUALIFIED SUPPLIER OF PLASMA TV,/LCD MONITORS NOKIA, MOTOROLA, SAMSUNG, SONY ERICKSON, NEXTEL, SIEMENSPHONES, DIGITAL CAMERAS, NIKON CAMERA, CANON CAMERA, GAMES, XBOX 360,NINTENDO, PLAY STATION 2, SONY PSPS, IPODS NANO, IPOD MINI,IPOD SHUFFLE, LAPTOPS/NOTEBOOK. ACER LAPTOPS, I B M LAPTOPS, HP LAPTOPS, APPLE LAPTOPS,TOSHIBA,DELL

LAPTOPS, SONY LAPTOPS, ASUS LAPTOPS.

NOKIA 1100 =3D$30
NOKIA 1110 =3D$40
NOKIA 1600 =3D$45
NOKIA 2600 =3D$40
NOKIA 2652 =3D$50
NOKIA 3120 =3D$55
NOKIA 3220 =3D$70
NOKIA 5100 =3D$70
NOKIA 6020 =3D$70
NOKIA 6030 =3D$60
NOKIA 6060 =3D$80
NOKIA 6600 =3D$80
NOKIA 6060 =3D$90
NOKIA 6101 =3D$120
NOKIA 6111 =3D$150
NOKIA 6170 =3D$125
NOKIA 6230 =3D$120
NOKIA 6230I=3D$150
NOKIA 6310I=3D$150
NOKIA 6670 =3D$140
NOKIA 7260 =3D$150
NOKIA 7270 =3D$130
NOKIA 7280 =3D$150
NOKIA 7610 =3D$190
NOKIA 7710 =3D$230
NOKIA 8800 =3D$260
NOKIA 8910I=3D$150
NOKIA 9500 =3D150
NOKIA 9500I =3D190
NOKIA 9300 =3D$100
NOKIA 9300I =3D$130
Nokia 2610=3D$95
Nokia 2310=3D$100
Nokia 3250=3D$190
Nokia 1112=3D$110
Nokia 6136=3D$135
Nokia 6131=3D$145
Nokia 6070=3D$160
Nokia 6125=3D$145
Nokia 6103=3D$135
Nokia 6233=3D$180
Nokia 6234=3D$175
Nokia 6282=3D$180
Nokia 9300i=3D$185
Nokia N92=3D$180
Nokia N80=3D$170
Nokia N71=3D$165
Nokia N70=3D$150
Nokia N83=3D$190
Nokia N95=3D$300

Nokia N75=3D$220
Nokia 5300=3D$240
Nokia 5200=3D$190
Nokia 6288=3D$200
Nokia 6085=3D$180
Nokia 8800 Sirocco=3D$280
Nokia 7390=3D$150
Nokia 7373=3D$140
Nokia 6151=3D$150
Nokia 6080=3D$190
Nokia 1110i=3D$120
Nokia E50=3D$170
Nokia 5500 Sport=3D$230
Nokia N93=3D$280
Nokia N73=3D$190
Nokia N72=3D$150
Nokia 2610=3D$50
Nokia 2310=3D$80
Nokia 1112=3D$90

Motorola phones
Motorola RAZR maxx=3D$260
Motorola RAZR V3xx=3D$200
Motorola RIZR=3D$280
Motorola KRZR K1=3D$250
Motorola W375=3D$270
Motorola W208=3D$190
Motorola W220=3D$200
Motorola V195=3D$190
Motorola V191=3D$200
Motorola ROKR E2=3D$180
Motorola RAZR V3i=3D$150
Motorola ROKR E1=3D$160
Motorola A910=3D$180
Motorola A1200=3D$200
Motorola A728=3D$220
Motorola A732=3D$220
Motorola Q=3D$190
Motorola E895=3D$200
Motorola V3x=3D$170
Motorola E1070=3D$260
Motorola E770=3D$175
Motorola SLVR L7=3D$185
Motorola SLVR L6=3D$155
Motorola PEBL U6=3D$145
Motorola A1010=3D$165
Motorola E1060=3D$105
Motorola E1120=3D$180
Motorola V1050=3D$150

Samsung phones

Samsung X830=3D$300
Samsung P310=3D$250
Samsung Z720=3D$200
Samsung Z620=3D$180
Samsung Z370=3D$200
Samsung P200=3D$160
Samsung S501i=3D$190
Samsung S401i=3D$180
Samsung X500=3D$200
Samsung D840=3D$250
Samsung C400=3D$260
Samsung C240=3D$180
Samsung D830=3D$190
Samsung D900=3D$220
Samsung X820=3D$190
Samsung C130=3D$130
Samsung E500=3D$150
Samsung E380=3D$170
Samsung D870=3D$240
Samsung D780=3D$200
samsung E900=3D$160
Samsung c100=3D$80
Samsung d600=3D$140
Samsung e330=3D$120
Samsung d500=3D$120
Samsung e530=3D$190
Samsung e720=3D$190
Samsung e770=3D$200
Samsung x800=3D$240
Samsung x600=3D$180

Sony Ericsson phones
Sony Ericsson W830=3D$260
Sony Ericsson K320=3D$230
Sony Ericsson Z558=3D$170
Sony Ericsson Z610=3D$140
Sony Ericsson K618=3D$120
Sony Ericsson W850=3D$260
Sony Ericsson W710=3D$230
Sony Ericsson Z710=3D$190
Sony Ericsson Z550=3D$160
Sony Ericsson W700=3D$240
Sony Ericsson Z525=3D$155
Sony Ericsson K800=3D$220
Sony Ericsson K790=3D$180
Sony Ericsson V630=3D$220
Sony Ericsson W300=3D$200
Sony Ericsson Z530=3D$150
Sony Ericsson P990=3D$220
Sony Ericsson K510=3D$180
Sony Ericsson K310=3D$190
Sony Ericsson W950=3D$210

Sony Ericsson P910=3D$190

Siemens phones
Siemens AL21=3D$120
Siemens A31=3D$130
Siemens AF51=3D$160
Siemens ME75=3D$110
Siemens AP75=3D$170
Siemens AX72=3D$150
Siemens SG75=3D$140
Siemens SFG75=3D$130
Siemens CC75=3D$100
Siemens CF110=3D$120
Siemens C72=3D$135
Siemens S75=3D$120
Siemens SL75=3D$90
Siemens C75=3D$80
Siemens SP65=3D$100
Siemens SXG75=3D$80
Siemens M75=3D$120
Siemens CX75=3D$130
Siemens CF75=3D$150
Siemens CL75=3D$100

Sagem phones
Sagem MY 600X=3D$140
Sagem VS4=3D$130
Sagem MY 900C=3D$150
Sagem MY 800X=3D$130
Sagem MY 405X=3D$120
Sagem myW-7=3D$100
Sagem my700X=3D$90
Sagem myMobileTV=3D$150
Sagem MY C2-3=3D$160
Sagem my500X=3D$140
Sagem MY 300X=3D$160
Sagem myZ-5=3D$160
Sagem my200x=3D$100
Sagem my100x=3D$120
Sagem MY 400X=3D$140
Sagem VS3=3D$150
Sagem MY V-85=3D$160
Sagem MY V-76=3D$140
Sagem MY V-56=3D$130
Sagem VS2=3D$120

Qtek phones
Qtek 9600=3D$180

Qtek 8600=3D$150
Qtek 8500=3D$160
Qtek S200=3D$180
Qtek 9000=3D$200
Qtek 8310=3D$120
Qtek 8300=3D$150
Qtek 9100=3D$180
Qtek 8100=3D$150
Qtek S110=3D$175
Qtek S100=3D$120
Qtek 9090=3D$170
Qtek 8020=3D$160
Qtek 8010=3D$150
Qtek 2020i=3D$200
Qtek 2020=3D$170
Qtek 8080=3D$180
Qtek 8060=3D$160
Qtek 1010=3D$140
Qtek 7070=3D$160

i-mate phones
i-mate SPL=3D$170
i-mate JAQ=3D$190
i-mate JASJAM=3D$180
i-mate SPJAS=3D$150
i-mate Smartflip=3D$170
i-mate JAMin=3D$190
i-mate JASJAR=3D$200
i-mate K-JAM=3D$160
i-mate SP5=3D$190
i-mate SP5m=3D$190
i-mate SP4m=3D$160
i-mate JAM Black=3D$150
i-mate JAM=3D$140
i-mate PDA2=3D$160
i-mate PDA2k=3D$170
i-mate SP3i=3D$180
i-mate SP3=3D$130
i-mate Pocket PC=3D$190
i-mate Smartphone2=3D$200
i-mate Smartphone=3D$160

Palm phones
Palm Treo 750v=3D$200
Palm Treo 650=3D$180
Palm Treo 600=3D$160
Palm Treo 270=3D$140
Palm Treo 180=3D$120

O2 phones=3D$150
O2 Orbit=3D$190
O2 Cosmo=3D$220
O2 XDA Stealth=3D$250
O2 Ice=3D$220
O2 XDA Atom Exec=3D$150
O2 XDA Trion=3D$170
O2 XDA Neo=3D$160
O2 XDA Atom=3D$160
O2 XDA Orion=3D$170
O2 XDA Exec=3D$190

O2 XDA II mini=3D$140
O2 XDA IIs=3D$180

BlackBerry phones
BlackBerry Pearl 8100=3D$220
BlackBerry 7130g=3D$200
BlackBerry 7130c=3D$180
BlackBerry 7130v=3D$160
BlackBerry 8707v=3D$150
BlackBerry 8700c=3D$170
BlackBerry 7100x=3D$150

Sharp phones
Sharp 705SH=3D$260
Sharp 904=3D$170
Sharp 770SH=3D$160
Sharp 550SH=3D$120
Sharp GX29=3D$150

Sony FWD-32LX1/S Silver 32" Large Format LCD Display
32" (32" Viewable), WXGA 1366 x 768, 16:9 Aspect Ratio, Connects Via
RGB/Component (HD-15), DVI-D HDCP, Composite (BNC), YUV (Composite),
PC Compatible
FWD32LX1/S
$450

Windows XP Professional, (Windows Vista Capable) EY685AWABA $650

HP LAPTOPS:

HP NOTEBOOK & HANDHELDS/NOTEBOOKS/HP HP NX9020
CELERON-M 320/256 MB/30GB/15! V=3D550 $

HP NOTEBOOKS NOTEBOOK NC8230, PM-750 (1.86 GHZ),
15.4=3D430 $

HP NOTEBOOK & ORGANIZER/NOTEBOOKS/HP NX6125
SEMPRON-3100+ 1, 8/512/60/15=3D500 $

HP NOTEBOOK & HANDHELDS/HANDHELDS/HP IPAQ HW6510
POCKET PC FA384A=3D550 $

HP NOTEBOOK & ORGANIZER/NOTEBOOKS/HP NX8220* P4-M 1,
8/2X512/80/15, 4=3D400 $

IBM LAPTOPS
=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D

IBM Intel Core Solo Laptop
IBM ThinkPad X60 1709
Lenovo ThinkPad X60 1709, Intel Core Solo T1300 1.66 GHz, Centrino Mobile Technology, 12.1TFT XGA (1024 x 768), 512 MB SDRAM Memory, 40 GB Hard Drive, Gigabit Ethernet (10/100/1000), 802.11 a/b/g, Windows XP Professional 170924U $620

IBM ThinkPad Z61e 0672
Intel Core Solo T1300 1.66 GHz, 15.4TFT active matrix 1280 x 800 (WXGA), 512 MB DDR II SDRAM, 60 GB Hard Drive, CD-RW / DVD-ROM combo, Ethernet 10/100/1000, 802.11a/b/g, Microsoft Windows XP Home Edition 067225U $690

IBM ThinkPad Z61e 0672
Intel Core Solo T1300 1.66 GHz, 15.4TFT active matrix 1280 x 800 (WXGA), 512 MB DDR II SDRAM, 60 GB Hard Drive, CD-RW / DVD-ROM combo, Ethernet 10/100/1000, 802.11a/b/g, Microsoft Windows XP Home Edition 067226U

$570
LAPTOP IBM THINKPAD NOTEBOOK THINKPAD
R50E, P-M/1.8GHZ, 60 GB =3D 460 $

LAPTOP IBM THINKPAD NOTEBOOK THINKPAD R50E,
CEL/1.4GHZ, XPH=3D500 $

LAPTOP IBM THINKPAD NOTEBOOK THINKPAD
T43P,P-M/2.0GHZ,15=3D300 $

LAPTOP IBM THINKPAD NOTEBOOK THINKPAD
R52, P-M/1.7GHZ, 15, XPP=3D300 $

LAPTOP IBM THINKPAD NOTEBOOK THINKPAD
T43, P-M/1.8GHZ,XP PRO=3D400 $

LAPTOP IBM THINKPAD NOTEBOOK THINKPAD
R52, P-M/1.7GHZ, 15, XPP=3D510 $

LAPTOP IBM THINKPAD NOTEBOOK THINKPAD
T43, P-M/2.0GHZ, 14, XPP=3D390 $
=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=
=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D
=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=
=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D
DELL LAPTOPS:
=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=
=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D
=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=
=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D=3D

DELL LAPTOP LATITUDE D810 ESSENTIAL (L12811)
540 .

DELL LAPTOP LATITUDE D610 ESSENTIAL (L12611)350$

DELL LAPTOP LATITUDE 110L ADVANCED (L12112) 300.
$

DELL PRECISION M70 ESSENTIAL (W12M71)
400 $

DELL PRECISION 670 ESSENTIAL (W12671)
500 $

DELL LAPTOP INSPIRON XPS M 170 GAMER (N12XP5A)
600$

DELL C/DOCK II F=EF=A3=82R LATITUDE C400 / C500 / C510 / C540
/ C600 / C610 / C640 / C800 / C800 LITE / C810 / C810
LITE / C840 / CPTC / CPTS / CPTV / CPXH / CPXJ / CSX
300 $

DELL PRECISION 470 ADVANCED (W12472) 450 $

LACIE DVDRW USB 2.0 AND FIREWIRE
FIREWIRE/HI-SPEED USB 2.0, 4.7GB/8.5GB, 2MB, PC AND MAC COMPATIBLE
300757
$194

AVERATEC AV6210X60
ATHLON XP M 2400+, 15.4" TFT RAM 512 MB, HARD DRIVE 60 GB, DVDRW, MDM,
LAN ETHERNET, FAST ETHERNET, 802.11B/G, WINDOWS XP HOME

We await your response.

Best regards.
MR LAMPARD KEN.
(SALES MANAGER)
+44 70111 40321
+44 703 189 1466

```
From 2414320346606131581
X-Google-Thread: 108122,963e2b407d7afda4,start
X-Google-Thread: 1109af,963e2b407d7afda4,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls UHF-DTMF-CHGR-XTRA BATT-EMS-HAM-NICE
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C772D2.1EAAD800"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <1JePh.133651$907.22397@newsfe13.phx>
Date: Fri, 30 Mar 2007 13:48:38 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1175287741 68.96.97.57 (Fri, 30 Mar 2007 13:49:01 MST)
NNTP-Posting-Date: Fri, 30 Mar 2007 13:49:01 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11761 rec.radio.swap:15874

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C772D2.1EAAD800
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls UHF-DTMF-CHGR-XTRA BATT-EMS-HAM-NICE=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250100073696&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C772D2.1EAAD800
Content-Type: text/html;
```

```
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls UHF-DTMF-CHGR-XTRA BATT-EMS-HAM-NICE </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250100073696&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250100073696&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C772D2.1EAAD800--
```

```
From -5758418179159475995
X-Google-Thread: 108122,5a87dce626f1bb4d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y80g2000hsf.googlegroups.com!not-for-
mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need schematic for RS Pro-2030 Scanner
Date: 31 Mar 2007 14:16:17 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1175375777.383905.308950@y80g2000hsf.googlegroups.com>
NNTP-Posting-Host: 64.136.27.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1175375778 28942 127.0.0.1 (31 Mar 2007 21:16:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 31 Mar 2007 21:16:18 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 cache02nyc (NetCache NetApp/5.5R6)
Complaints-To: groups-abuse@google.com
Injection-Info: y80g2000hsf.googlegroups.com; posting-host=64.136.27.226;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.amateur.equipment:11764
```

I am in need of the service manual or schematic for a Radio Shack

```
Pro-2030 scanner.  I will pay for any costs involved.   Thanks.
Tim N7XAU




From -7408559873046875337
X-Google-Thread: 108122,da97aa0d8b866bbd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "Cmac" <radio@radio.net>
Newsgroups: rec.ham-radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA: Lafayette Telsat 40channel Base
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <12OPh.1$ic.0@newsfe06.lga>
X-Trace:
lalincmlnekeejjflhbgfpgcdpepfmkgghjjeaabpnomnmacaddlipdmdmoppjijkbibblmakcgdkklkbk
bpkkiofmejpjfpfeehjgilmlgfdoiihpfendnbcnelagfhenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 01 Apr 2007 06:00:45 MST
Date: Sun, 1 Apr 2007 08:59:01 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:11765

Click on link:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=180101308214

Thanks!





From 1817276331010773304
X-Google-Thread: 108122,1e519ebaa999dc98,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe04.lga.POSTED!53ab2750!not-for-mail
User-Agent: Microsoft-Entourage/11.3.3.061214
Subject: S-Comm Manuals
From: Gary  KW4Z <kw4z@charter.net>
Newsgroups: rec.ham-radio,rec.ham-radio.swap,rec.radio.amateur.equipment
Message-ID: <C2354E03.19A5F%kw4z@charter.net>
Thread-Topic: S-Comm Manuals
Thread-Index: Acd0dhAxTqJkEeBpEdu24QARJDuoXg==
Mime-version: 1.0
Content-type: text/plain;
     charset="US-ASCII"
```

Content-transfer-encoding: 7bit
Lines: 5
X-Trace:
noffecneefnkbhgflhbgfpgcdpepfmkgcakjlhhkcbemcdegmabchffmgdhapdbkallhoejblmjajfoebj
kgebffbfaiiibjaoopjmemfmkgdimkjeglbmefhfkelficglbbcfickjagekga
NNTP-Posting-Date: Sun, 01 Apr 2007 08:54:46 MST
Date: Sun, 01 Apr 2007 11:54:43 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:11766

I have some paper copies of the S-Comm 7K Repeater Controller manuals. All
I'm asking is $5.00 + shipping which will be around 1.50 media rate or if it
can't go media rate then $4.10 for flat rate envelope. The $5.00 is to
reimburse for the copy cost.

From 8287766288300136394
X-Google-Thread: 108122,fb9394926aff7ef,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.germany.com!newsfeed01.sul.t-
online.de!t-online.de!nntp.infostrada.it!twister2.libero.it.POSTED!not-for-mail
From: "mauri" <maREMOVEBEFOREREPLYurinot@libero.it>
Newsgroups: rec.radio.amateur.equipment
Subject: APRS <---- GPS Garmin 25-LVS
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000729-2, 31/03/2007), Outbound message
X-Antivirus-Status: Clean
Message-ID: <L6UPh.44118$zG1.467168@twister2.libero.it>
Date: Sun, 01 Apr 2007 19:55:23 GMT
NNTP-Posting-Host: 151.46.34.87
X-Complaints-To: abuse@libero.it
X-Trace: twister2.libero.it 1175457323 151.46.34.87 (Sun, 01 Apr 2007 21:55:23 MET
DST)
NNTP-Posting-Date: Sun, 01 Apr 2007 21:55:23 MET DST
Organization: [Infostrada]
Xref: g2news1.google.com rec.radio.amateur.equipment:11767

GPS Garmin OEM 25 LVS , 12 ch, HIGH-PERFORMANCE DGPS !!
APRS - Tracking - 1 PPS - Time and Frequency Standard

http://cgi.ebay.it/ws/eBayISAPI.dll?
ViewItem&item=320098676168&ssPageName=ADME:L:LCA:IT:11

From -3458169418889823531
X-Google-Thread: 108122,18fd429dc4f22a3f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.metrocastcablevision.com!
news.metrocastcablevision.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 01 Apr 2007 20:55:29 -0500
From: "Robert G. Carter" <dc2light@md.metrocast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: AN/GRR-5 RADIO RECEIVING SET
Date: Sun, 1 Apr 2007 21:55:34 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <a-KdnYNvVtUP_43bnZ2dnUVZ_hGdnZ2d@metrocastcablevision.com>
Lines: 33
NNTP-Posting-Host: 72.9.25.19
X-Trace: sv3-3oUhwKXGLhz96C7EImls94qbS2BJ3FwgIH8f2UGUAYoH1npiORLoIvf/
r3KLYpbntWLJlu5eJzfCFsf!nN95aIE2lMuA32QNkIekrd5/
smKwV7GMxibWJs4jMdu8mGZFeVPmt+AQsWXDdg+WX+1P6yP46UEE!
Boc90ecAV62oUK387VqAIY4mkmO7ZXuDgjYlVzQ7CWE=
X-Complaints-To: abuse@metrocastcablevision.com
X-DMCA-Complaints-To: abuse@metrocastcablevision.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11768

FOR SALE: RADIO RECEIVING SET AN/GRR-5

JAN DESIGNATION: AN/GRR-5
NOMENCLATURE: RADIO RECEIVING SET
CONSISTS OF:
CABINET, ELECTRICAL EQUIPMENT CY-615/URR (1)
RECEIVER, RADIO R-174/URR (1)
POWER SUPPLY PP-308/URR (1)
FREQUENCY RANGE: 1.5 - 18 MHZ
MODES: AM, CW, MCW
OPERATING POWER: 6 OR 12 OR 24 VDC OR 120 VAC 60~ 1�
POWER CABLE PROVIDED: 120 VAC 60~ 1�
ANTENNA PROVIDED: 4 THREADED MAST SECTIONS
OTHER THINGS PROVIDED: TM 11-5820-284-15,
ORGANIZATIONAL, DS, GS AND DEPOT MAINTENANCE MANUAL;
SPARE POWER SUPPLY PP-308/URR
REMARKS: I USED THIS RECEIVER FOR YEARS. UNFORTUNATELY,
IT NO LONGER FITS INTO MY OPERATING PROFILE AND IS
EXCESS TO MY NEEDS. OVER THE YEARS I ROBBED A VIBRATOR
FROM THE SPARE POWER SUPPLY AND AT THIS POINT THE
RECEIVER PROBABLY NEEDS A NEW TUBE OR TWO BUT THE

EQUIPMENT IS OTHERWISE COMPLETE WITHOUT CATASTROPHIC
FAILURE FOR THE TIME I HAVE OWNED IT WHICH HAS BEEN A
BUNCH OF YEARS. PRESENT OPERATING CONDITION UNKNOWN;
SOLD AS-IS.
PRICE: $75.00
PAY BY: CASH OR POSTAL MONEY ORDER
DELIVERY: BUYER PICK UP IN SAINT MARY'S COUNTY, MD
RETURNS: NO RETURNS ON THIS ITEM
CONTACT: BOB CARTER, W5BTC
EMAIL: dc2light[at]md[dot]metrocast[dot]net

```
From -3281870097001164743
X-Google-Thread: 108122,f1b77b10644d1457,start
X-Google-Thread: 1109af,f1b77b10644d1457,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!out01a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe10.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: MOTOROLA HT750 UHF 16CH-4W-REFURBISHED-w/CHGR-EMS-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0016_01C77554.EB923A00"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <R6iQh.118999$115.20389@newsfe10.phx>
Date: Mon, 2 Apr 2007 18:29:59 -0700
NNTP-Posting-Host: 68.96.97.57
X-Complaints-To: admin@cox.net
X-Trace: newsfe10.phx 1175563825 68.96.97.57 (Mon, 02 Apr 2007 18:30:25 MST)
NNTP-Posting-Date: Mon, 02 Apr 2007 18:30:25 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11769 rec.radio.swap:15905
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0016_01C77554.EB923A00
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: MOTOROLA HT750 UHF 16CH-4W-REFURBISHED-w/CHGR-EMS-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250101075451&=

```
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0016_01C77554.EB923A00
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT750 UHF 16CH-4W-REFURBISHED-w/CHGR-EMS-HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250101075451&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250101075451&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0016_01C77554.EB923A00--




From 1224478600631886276
X-Google-Thread: 108122,e0cfaa52054df996,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l77g2000hsb.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood R-2000 receiver
Date: 2 Apr 2007 19:35:30 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1175567729.997787.66140@l77g2000hsb.googlegroups.com>
NNTP-Posting-Host: 68.14.190.205
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1175567731 22898 127.0.0.1 (3 Apr 2007 02:35:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Apr 2007 02:35:31 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l77g2000hsb.googlegroups.com; posting-host=68.14.190.205;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:11770

Anyone have a manual,copy,or schematic on this radio. I need to go
into one to get the gain back into the RF section.. thanks  W4PQW



From 8406405193523329784
X-Google-Thread: 108122,548439655618c7cd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o5g2000hsb.googlegroups.com!not-for-
mail
From: makepcb@qq.com
Newsgroups: rec.radio.amateur.equipment
Subject: SELL PCB
Date: 4 Apr 2007 10:45:02 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1175708702.240544.153150@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: 121.35.28.45
Mime-Version: 1.0
Content-Type: text/plain; charset="gb2312"
X-Trace: posting.google.com 1175708704 18924 127.0.0.1 (4 Apr 2007 17:45:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 4 Apr 2007 17:45:04 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o5g2000hsb.googlegroups.com; posting-host=121.35.28.45;
   posting-account=2VpMJA0AAACONnI72ftlMKz3utGe0N1L
Xref: g2news1.google.com rec.radio.amateur.equipment:11771

GENMA Technology Hong Kong Limited Co. is an export-oriented PCB (
Printed Circuit Board ) manufacturer . We can provide the single-side
PCB, the double-sides PCB and the multi-layer PCB
Contact: Mr. LIU CANFA
Company: GENMA Technology Hong Kong Limited Co.
Address: AiLian B District, LongGang Town
Zip Code:  518121
Phone: 0086-0755-89721024
Fax: 0086-0755-89721070
Mobile 0086-013715245483
Website Address: http://www.gmpcb.net
E-MAIL:gmpcb@gmpcb.net



From -1177578642949796854
X-Google-Thread: 108122,421c6a34b2b9c1c2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!postnews.google.com!c51g2000cwc.googlegroups.com!not-for-mail
From: 73w7gsa@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: SGC SG-230 or SG-237 Antenna Tuner
Date: 10 Mar 2007 20:23:07 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1173586987.485353.22480@c51g2000cwc.googlegroups.com>
NNTP-Posting-Host: 71.208.19.76
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173587001 22928 127.0.0.1 (11 Mar 2007 04:23:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Mar 2007 04:23:21 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.10)
Gecko/20070216 Firefox/1.5.0.10,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c51g2000cwc.googlegroups.com; posting-host=71.208.19.76;
   posting-account=loDvQg0AAABeyrCsfwBynINGNaPuCDIt
Xref: g2news1.google.com rec.radio.amateur.equipment:11669

Hello,

I am looking for a good used SG-230 or SG-237 antenna tuner.

Please contact me if you have one available.

Thanks,

Bill

From -6197796690284653O8
X-Google-Thread: fc2a5,56b575687b3b49c0
X-Google-Thread: 108122,56b575687b3b49c0
X-Google-Attributes: gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!peer-uk.news.demon.net!
kibo.news.demon.net!news.demon.co.uk!demon!g3msw.demon.co.uk!ken
From: Ken Ashcroft <ken@g3msw.demon.co.uk>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: 8558B YIG Oscillator - Not Field Repairable?
Date: Sat, 10 Mar 2007 12:55:25 +0000
Organization: Stable Electronics
Lines: 22
Message-ID: <Yi$T+MB9qq8FFwu3@g3msw.demon.co.uk>
References: <McudnRaaKJXtWG3YnZ2dnUVZ_qOpnZ2d@comcast.com>
Reply-To: Ken Ashcroft <Ken@g3msw.demon.co.uk>
NNTP-Posting-Host: g3msw.demon.co.uk

```
Mime-Version: 1.0
Content-Type: text/plain;charset=us-ascii;format=flowed
X-Trace: news.demon.co.uk 1173612947 12383 83.104.130.18 (11 Mar 2007 11:35:47
GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Sun, 11 Mar 2007 11:35:47 +0000 (UTC)
User-Agent: Turnpike/6.06-U (<fAJ2h+sTHM+W8k5A3tvDklP97r>)
Xref: g2news1.google.com rec.radio.amateur.homebrew:12550
rec.radio.amateur.equipment:11670

In article <McudnRaaKJXtWG3YnZ2dnUVZ_qOpnZ2d@comcast.com>, George
Kavanagh <gk05XspamX@comcast.net> writes
I cannot help on the YIG device, but I do seek help on fixing the
horizontal deflection failure on mine. I have a full manual, but am
finding it tricky to drill down on the precise area.
>Has anyone attempted repair of said YIG Ocsillator sealed assembly ("A6")?
>in the HP 8558B Spectrum Analyser?  If so, were you successful?
>
>My copy is putting out -32dbm (spec is +15dbm); otherwise seems fine: sweeps
>OK, freq is right on, etc.
>
>I suspect the 3 transistor amplifier inside the sealed assy.
>
>Any suggestions?
>
>-georgeK  KB1HFT
>
>
>

--
Ken Ashcroft



From 6064194968010740251
X-Google-Thread: 108122,7a4ba0c1b5510be7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!news.mv.net!not-for-mail
From: Rick <Nospam@reply.in.gp>
Newsgroups: rec.radio.amateur.equipment
Subject: IF-stage DSP in Icom IC-706MKIIG
Date: Sun, 11 Mar 2007 18:05:50 -0400
Organization: MV Communications, Inc.
Lines: 4
Message-ID: <pan.2007.03.11.22.05.48.223821@reply.in.gp>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1173650750 2250 207.22.49.17 (11 Mar 2007 22:05:50 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 11 Mar 2007 22:05:50 +0000 (UTC)
```

```
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news1.google.com rec.radio.amateur.equipment:11671
```

Is there any way to add IF-stage DSP (not AF DSP... I know that's already there) in the Icom IC-706MKIIG?

```
From 5257047417369006429
X-Google-Thread: 108122,287a192f7ed1b651,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!30g2000cwc.googlegroups.com!not-for-
mail
From: "JCB" <af65_69@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: LCD screen Pilot Lamp Replacement Kenwood TR-751
Date: 11 Mar 2007 19:52:35 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1173667955.754112.203850@30g2000cwc.googlegroups.com>
NNTP-Posting-Host: 209.225.96.233
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173667974 4469 127.0.0.1 (12 Mar 2007 02:52:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 Mar 2007 02:52:54 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.2)
Gecko/20070219 Firefox/2.0.0.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 30g2000cwc.googlegroups.com; posting-host=209.225.96.233;
   posting-account=i-M6iAsAAAAS7mVuleN4A4tATNogIKW3
Xref: g2news1.google.com rec.radio.amateur.equipment:11672
```

The pilot lamps burnt out again on my brothers Kenwood TR-751 for the LCD screen. I replaced them a couple years ago for him. Has anyone ever changed over to a LED in place of these grain of wheat bulbs? What kind/color LED used and what value dropping resistor?

Tks JCB,   N9JB

```
From 2209671113465181205
X-Google-Thread: fc2a5,56b575687b3b49c0
X-Google-Thread: 108122,56b575687b3b49c0
X-Google-Attributes: gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!newsfeed01.chello.at!newsfeed.utanet.at!zen.net.uk!dedekind.zen.co.uk!
```

```
nntp-peering.plus.net!ptn-nntp-feeder02.plus.net!ptn-nntp-spool02.plus.net!ptn-
nntp-spool01.plus.net!ptn-nntp-reader02.plus.net!not-for-mail
Reply-To: "John A" <e455gkf@yahoo.co.uk>
From: "John A" <e455gkf@yahoo.co.uk>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <McudnRaaKJXtWG3YnZ2dnUVZ_qOpnZ2d@comcast.com>
<Yi$T+MB9qq8FFwu3@g3msw.demon.co.uk>
Subject: Re: 8558B YIG Oscillator - Not Field Repairable?
Date: Mon, 12 Mar 2007 08:14:47 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Lines: 12
Message-ID: <45f50c09$0$8747$ed2619ec@ptn-nntp-reader02.plus.net>
Organization: Customer of PlusNet plc (http://www.plus.net)
NNTP-Posting-Host: e76c11d6.ptn-nntp-reader02.plus.net
X-Trace: DXC=FjC;0idm=3KYbeIhm09DeHigd3Y`7Rb;N37XnI;
[OUCDG`jPeGcW;iK=MVWYD0m54E4Tm7de1j46H?]J2hI81BLD
X-Complaints-To: abuse@plus.net
Xref: g2news1.google.com rec.radio.amateur.homebrew:12556
rec.radio.amateur.equipment:11673
```

"Ken Ashcroft" <ken@g3msw.demon.co.uk> wrote in message
news:Yi$T+MB9qq8FFwu3@g3msw.demon.co.uk...

> In article <McudnRaaKJXtWG3YnZ2dnUVZ_qOpnZ2d@comcast.com>, George
> Kavanagh <gk05XspamX@comcast.net> writes
> I cannot help on the YIG device, but I do seek help on fixing the
> horizontal deflection failure on mine.

What's the problem, Ken?

```
From -3567171925367073382
X-Google-Thread: 108122,4e7aa023a79cf871,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t69g2000cwt.googlegroups.com!not-for-
mail
From: "Scott" <scott93727@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Great new low cost GMRS repeater radio
Date: 12 Mar 2007 07:55:21 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1173711321.108970.305620@t69g2000cwt.googlegroups.com>
NNTP-Posting-Host: 75.10.106.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

```
X-Trace: posting.google.com 1173711337 4864 127.0.0.1 (12 Mar 2007 14:55:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 Mar 2007 14:55:37 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t69g2000cwt.googlegroups.com; posting-host=75.10.106.49;
   posting-account=Mnf7iQ0AAADbq1XPayBdGfVY3w-SMeeS
Xref: g2news1.google.com rec.radio.amateur.equipment:11674
```

Great new low cost GMRS repeater radio
http://cgi.ebay.com/RELM-RMU25-Mobile-UHF-25-Watt-CHECK-THIS-PRICE_W0QQitemZ260095538812QQcategoryZ43010QQrdZ1QQcmdZViewItem

```
From 6131014271118930332
X-Google-Thread: 108122,9cbfcfd180a5b39d,start
X-Google-Thread: f7856,9cbfcfd180a5b39d,start
X-Google-Attributes: gid108122,gidf7856,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news1.google.com rec.radio.amateur.equipment:11675
rec.video.satellite.tvro:3194
Newsgroups: rec.radio.amateur.equipment,rec.video.satellite.tvro
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!boeing.com!not-for-mail
From: "Ken Finney" <kenneth.c.finney@boeing.com>
Subject: Puyallup hamfest report
Message-ID: <JEt0F2.8vv@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 39
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
Date: Mon, 12 Mar 2007 18:52:14 GMT
```

The Puyallup hamfest was this past weekend (biggest hamfest in Washington State). For the second year in a row, it seemed about the same size as the year before. In previous years, it was shrinking about 20% a year or more. Lots of boat anchors and other stuff that is expensive to ship, the lighter stuff seems to all be going to Ebay. Impressions:

1. There is only one store in attendance (HRO), and they were doing a lot of business. Other stores should consider coming as well. I guess the last "local" ham store has gone under, they weren't there.

2. A couple of ham related from previous years organizations weren't there.

3. Most of the heavy smokers from 20 years ago, who were pushing their oxygen carts around 10 years ago, aren't there anymore.

4. A lot of people were looking for newer stuff.   Some "new technology" vendors could make a killing. The first that comes to my mind is MPEG FTA satellite TV. If someone had set up a demo outside, when would have been sold out. There needed to be seminars like there was in the past. ICOM is local, and while they had their normal nice booth, should have a D-Star traveling road show.

5. The crowd lines up about an hour before the opening, the line winds back and forth, and when the doors open, there is a mad rush from different parts of the line. They really need to set up "velvet ropes" to organize the line; one person saying "please stay in line" doesn't cut it.

6. The snack bar needs to improve.   People are often travelling several hours to attend and probably leaving early because they are hungry. They probably should be selling coffee and doughnuts to the people in line before the opening.

7. The "talkin" repeater was pretty quiet. I think this is a bad sign for future growth in ham radio.

```
From 1333235598413310179
X-Google-Thread: 108122,9cbfcfd180a5b39d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.maxwell.syr.edu!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Puyallup hamfest report
Date: Mon, 12 Mar 2007 14:09:29 -0700
Message-ID: <7ofbv25bg0kk1e2fj41kt8vouuucmn8iq3@4ax.com>
References: <JEt0F2.8vv@news.boeing.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
NNTP-Posting-Date: 12 Mar 2007 20:16:05 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11676
```

On Mon, 12 Mar 2007 18:52:14 GMT, "Ken Finney"
<kenneth.c.finney@boeing.com> wrote:

>The Puyallup hamfest was this past weekend (biggest hamfest in Washington
>State). For the second year in a row, it seemed about the same size as the
>year before. In previous years, it was shrinking about 20% a year or more.

>
>7. The "talkin" repeater was pretty quiet. I think this is a bad sign for
>future growth in ham radio.
>

I always enjoyed the Puyallup hamfest when we lived in Spokane.

It's hard to read the future of ham radio. I think it depends greatly on how a community works to develop the hobby. Where I live in northern Arizona, we have a lot of growth. We have been testing from 5 to 15 applicants at each VE session, and we have three sessions just this month alone! And not just technicians. At our test session last Friday we passed 3 new generals and 2 new extra class. Also our local ham radio club is bigger than ever.

Much of this is due to very effective local training, frequent demonstrations at places like art fairs, good leadership at our radio club, and a very active ARES/RACES emergency communcation group. On the other hand, I have also lived in communities that don't have these things, and the ham population is stagnating or even decreasing. If you want the hobby to grow, it takes work and dedication, but it is still possible.

Dick - W6CCD

--
Posted via a free Usenet account from http://www.teranews.com

From 8278876928571275147
X-Google-Thread: 108122,23dddde9f29187ad,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newshub.sdsu.edu!msrtrans!News.Dal.Ca!ursa-nb00s0.nbnet.nb.ca!53ab2750!not-for-mail
From: "Salmo" <salmo@nf.sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: TebTec Century 670 Code Keyer
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <cEmJh.9722$PV3.95842@ursa-nb00s0.nbnet.nb.ca>

Date: Tue, 13 Mar 2007 00:55:36 GMT
NNTP-Posting-Host: 142.162.63.106
X-Complaints-To: abuse@aliant.net
X-Trace: ursa-nb00s0.nbnet.nb.ca 1173747336 142.162.63.106 (Mon, 12 Mar 2007 21:55:36 ADT)
NNTP-Posting-Date: Mon, 12 Mar 2007 21:55:36 ADT
Organization: Aliant Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:11677

Now on EBay:

http://cgi.ebay.com/TenTec-Century-670-Electronic-Keyer_W0QQitemZ150101345179QQcategoryZ48706QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

From -177415935375689886
X-Google-Thread: 108122,9cbfcfd180a5b39d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Puyallup hamfest report
Date: Mon, 12 Mar 2007 19:52:42 -0700
Message-ID: <MPG.205fb1d2311326c798974d@192.168.42.197>
References: <JEt0F2.8vv@news.boeing.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 109
X-Complaints-To: abuse@csolutions.net
Xref: g2news1.google.com rec.radio.amateur.equipment:11678

In article <JEt0F2.8vv@news.boeing.com>, kenneth.c.finney@boeing.com
(known to some as Ken Finney) scribed...

> The Puyallup hamfest was this past weekend (biggest hamfest in Washington
> State). For the second year in a row, it seemed about the same size as the
> year before. In previous years, it was shrinking about 20% a year or more.
> Lots of boat anchors and other stuff that is expensive to ship, the lighter
> stuff seems to all be going to Ebay. Impressions:

Speaking as a long-term buyer/vendor there, I would like to offer some observations of my own.

> 1. There is only one store in attendance (HRO), and they were doing a lot of business. Other stores should consider coming as well. I guess the last "local" ham store has gone under, they weren't there.

Regrettable, but true. The fellow who owned the place was running it out of Bremerton for a while, and then finally retired.

> 2. A couple of ham related from previous years organizations weren't there.

??? Did you check upstairs? Seems like all the club tables were up there.

> 3. Most of the heavy smokers from 20 years ago, who were pushing their oxygen carts around 10 years ago, aren't there anymore.

Also ??? I don't ever recall seeing more than 1 or 2 folks with portable oxygen in the 12 years I've been attending the thing.

> 4. A lot of people were looking for newer stuff.   Some "new technology" vendors could make a killing. The first that comes to my mind is MPEG FTA satellite TV. If someone had set up a demo outside, when would have been sold out. There needed to be seminars like there was in the past. ICOM is local, and while they had their normal nice booth, should have a D-Star traveling road show.

Agreed. Icom didn't seem to be doing nearly as much with their booth as last year. Only two people staffing it, too.

HOWEVER -- The downside to this trend is that it feels like the art of tinkering is struggling for life. I had a pair of serial data analyzers on display, and I got several questions about "What OS they were running," and more than one assumption that they were simply odd-looking computers.

That would not have happened, say, ten years back. Anyone skilled enough to know about such gear would have recognized them for what they were.

There are other signs. Boxes of parts that normally spark much digging and probing barely rated a glance, and I saw a lot of sellers going home with much of what they brought. Even I found myself (finally) giving stuff away that would have easily sold, for at least a minimal amount, some years ago.

> 5. The crowd lines up about an hour before the opening, the line winds back and forth, and when the doors open, there is a mad rush from different parts of the line. They really need to set up "velvet ropes" to organize the line; one person saying "please stay in line" doesn't cut it.

Did you suggest this to the Mike & Key club staff? The best suggestions on the planet (and I think this is a good one) won't ever get a tryout if you keep it to yourself.

> 6. The snack bar needs to improve...

Essence, no argument there! $3.75 for a questionable hot dog? $2.75 for a bottled drink?!

FWIW, this has always been a sore point for the event.

> 7. The "talkin" repeater was pretty quiet. I think this is a bad sign for
> future growth in ham radio.

I'm surprised you would make such a broad assumption from so little evidence. The talk-in channel was very active early Saturday morning, at the crack of dawn. I would also point out that the Puyallup swap has become well known enough that many folks already know where it is.

Also, a clear map is provided on the flyer. Most of the hamateurs I've met are pretty good at basic navigation.

I will say this much. I've noticed that the overall quality of the Puyallup event, in terms of quantity and quality of stuff, tends to run in three-year cycles (first year phenomenal, second year good, third year mediocre), and 2007 was at the bottom end of one of these cycles.

With that said -- It wasn't actually as bad as the one in 2004 (which was another bottom-of-cycle event). In fact, this one reminded me more of the mid-cycle swaps.

If the cycle continues to run true-to-form, 2008 should be amazing.

In conclusion, I would add that amateur radio is like a mirror. You get back exactly what you put into it. If you truly care about the hobby, do whatever you can to help it grow. Teach a license class, volunteer at a club demo booth, participate in an event that's using amateur radio for communications, etc.

Keep the peace(es).

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From -7708742151305839760
X-Google-Thread: 108122,287a192f7ed1b651
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 12 Mar 2007 23:48:49 -0500
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1173667955.754112.203850@30g2000cwc.googlegroups.com>
Subject: Re: LCD screen Pilot Lamp Replacement Kenwood TR-751
Date: Mon, 12 Mar 2007 21:33:05 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <jJKdnfM3wuassGvYnZ2dnUVZ_qmpnZ2d@giganews.com>
Lines: 22
X-Trace: sv3-CJicG88yPEVgx2oOpmr3ySH9ZGh7qBnzESyyRqhIpT18wciJPDlc6NfDos3I8ztlaBJNrZtCw6clmOl!jN/0dav1e27fhXYq5M7fwKTPR+L6pK9f/zsiMwee1KjJ2FtRbZQq9V4dHoLBkeicYF8cPlv+5xI=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11679

JCB wrote:
> The pilot lamps burnt out again on my brothers Kenwood TR-751 for the
> LCD screen. I replaced them a couple years ago for him. Has anyone
> ever changed over to a LED in place of these grain of wheat bulbs?
> What kind/color LED used and what value dropping resistor?
>
> Tks JCB,   N9JB

The biggest issue with LEDs is the dispersion angle -- even the wide-angle types are pretty narrow for backlighting a display. A friend who runs the service department for a commercial sound company says to grind/file off the lens of the LED(s) you intend to use.

What kills the lifetime of incandescent lamps is inrush current. If you stay with that type, you could use a constant-current regulator (an LM317 configured as a current regulator comes to mind). You may need to use lower-voltage lamps, to offset the regulator's 1.2V drop.

73,
Bryan WA7PRC

From -8455058537098152183
X-Google-Thread: 108122,9cbfcfd180a5b39d
X-Google-Thread: f7856,9cbfcfd180a5b39d

X-Google-Attributes: gid108122,gidf7856,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.maxwell.syr.edu!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment,rec.video.satellite.tvro
Subject: Re: Puyallup hamfest report
Organization: You and my shadow
References: <JEt0F2.8vv@news.boeing.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-AC2498.09462113032007@netnews.worldnet.att.net>
Lines: 46
Date: Tue, 13 Mar 2007 17:46:55 GMT
NNTP-Posting-Host: 12.12.208.14
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1173808015 12.12.208.14 (Tue, 13 Mar 2007 17:46:55 GMT)
NNTP-Posting-Date: Tue, 13 Mar 2007 17:46:55 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11680 rec.video.satellite.tvro:3195

In article <JEt0F2.8vv@news.boeing.com>,
"Ken Finney" <kenneth.c.finney@boeing.com> wrote:

> The Puyallup hamfest was this past weekend (biggest hamfest in Washington State). For the second year in a row, it seemed about the same size as the year before. In previous years, it was shrinking about 20% a year or more. Lots of boat anchors and other stuff that is expensive to ship, the lighter stuff seems to all be going to Ebay. Impressions:
>
> 1. There is only one store in attendance (HRO), and they were doing a lot of business. Other stores should consider coming as well. I guess the last "local" ham store has gone under, they weren't there.
>
> 2. A couple of ham related from previous years organizations weren't there.
>
> 3. Most of the heavy smokers from 20 years ago, who were pushing their oxygen carts around 10 years ago, aren't there anymore.
>
> 4. A lot of people were looking for newer stuff. Some "new technology" vendors could make a killing. The first that comes to my mind is MPEG FTA satellite TV. If someone had set up a demo outside, when would have been sold out. There needed to be seminars like there was in the past. ICOM is local, and while they had their normal nice booth, should have a D-Star traveling road show.
>
> 5. The crowd lines up about an hour before the opening, the line winds back and forth, and when the doors open, there is a mad rush from different parts of the line. They really need to set up "velvet ropes" to organize the line; one person saying "please stay in line" doesn't cut it.
>
> 6. The snack bar needs to improve. People are often travelling several hours to attend and probably leaving early because they are hungry. They

> probably should be selling coffee and doughnuts to the people in line before
> the opening.
>
> 7. The "talkin" repeater was pretty quiet. I think this is a bad sign for
> future growth in ham radio.
>
>
>
>
>

Ahhhhh, but the real "Question" on everyones mind IS.....

was KL7BB in attendance?????????

From -4568859006163554276
X-Google-Thread: 108122,20c90b08afd397b9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Jon Dahl" <jdahl@broadpark.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Johnson Viking Courir Manual Info
Date: Tue, 13 Mar 2007 22:02:53 +0100
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
NNTP-Posting-Host: 181.80-202-163.nextgentel.com
X-Original-NNTP-Posting-Host: 181.80-202-163.nextgentel.com
Message-ID: <45f710c7@news.broadpark.no>
X-Trace: news.broadpark.no 1173819591 80.202.163.181 (13 Mar 2007 21:59:51 +0100)
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
newspeer1.nwr.nac.net!solnet.ch!solnet.ch!nntp.gblx.net!nntp3.phx1!
news.broadpark.no!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:11681

I have this Courir PA (with 2 ea. 811A) but need info about how to repair
the broken tuning wire
or tuning string to be able to read the scale on the frontpannel that shows
the position on the PA-coil.
Hope this info can be scanned and sent over, or is the manual available
somewhere?
73 frm Jon/LA8WF

From 1331423566817770882
X-Google-Thread: 108122,772910ad849dc3cc

```
X-Google-Thread: fc2a5,772910ad849dc3cc
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe20.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Uncle Peter" <radioconnectionREMOVE@cox.net>
From: "Uncle Peter" <radioconnection@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <1170830367.837071@newsreg.cos.agilent.com>
<45c9b1f7.864750900@news.madasafish.com>
<K%6zh.17106$ji1.11786@newssvr12.news.prodigy.net> <eqj25r$kl1$1@theodyn.ncf.ca>
Subject: Re: 10.9 MHz IF?
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <3tGJh.2138$nh4.1514@newsfe20.lga>
Date: Tue, 13 Mar 2007 19:29:00 -0400
NNTP-Posting-Host: 68.0.230.54
X-Complaints-To: admin@cox.net
X-Trace: newsfe20.lga 1173828543 68.0.230.54 (Tue, 13 Mar 2007 16:29:03 MST)
NNTP-Posting-Date: Tue, 13 Mar 2007 16:29:03 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11682
rec.radio.amateur.homebrew:12579
```

"Michael Black" <et472@FreeNet.Carleton.CA> wrote in message
news:eqj25r$kl1$1@theodyn.ncf.ca...

> I remember ads (and a quick check
> didn't find one) of them touting a really good filter made by
> that company. But I'm pretty certain it was in the 5MHz range
>
> Michael VE2BVW

Micheal

You have a good memory. MHZ Electronics was dumping
5.9XX USB, LSB and CW filters in full page ads in Ham
Radio Magazine back in the late 70s or so if my memory
holds. I remember buying several of each for future projects
that never have materialized.

Pete

From -6798976198465386522
X-Google-Thread: 108122,9cbfcfd180a5b39d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news1.google.com rec.radio.amateur.equipment:11683
Newsgroups: rec.radio.amateur.equipment
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!boeing.com!not-for-mail
From: "Ken Finney" <kenneth.c.finney@boeing.com>
Subject: Re: Puyallup hamfest report
Message-ID: <JEv89B.1o3@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 148
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
References: <JEt0F2.8vv@news.boeing.com>
<MPG.205fb1d2311326c798974d@192.168.42.197>
Date: Tue, 13 Mar 2007 23:36:47 GMT

"Dr. Anton T. Squeegee" <SpammersBlow@dev.null> wrote in message
news:MPG.205fb1d2311326c798974d@192.168.42.197...
> In article <JEt0F2.8vv@news.boeing.com>, kenneth.c.finney@boeing.com
> (known to some as Ken Finney) scribed...
>
>> The Puyallup hamfest was this past weekend (biggest hamfest in Washington
>> State). For the second year in a row, it seemed about the same size as
>> the
>> year before. In previous years, it was shrinking about 20% a year or
>> more.
>> Lots of boat anchors and other stuff that is expensive to ship, the
>> lighter
>> stuff seems to all be going to Ebay. Impressions:
>
> Speaking as a long-term buyer/vendor there, I would like to offer
> some observations of my own.
>
>> 1. There is only one store in attendance (HRO), and they were doing a
>> lot
>> of business. Other stores should consider coming as well. I guess the
>> last
>> "local" ham store has gone under, they weren't there.
>
> Regrettable, but true. The fellow who owned the place was running
> it out of Bremerton for a while, and then finally retired.
>
>> 2. A couple of ham related from previous years organizations weren't

>> there.
>
> ??? Did you check upstairs? Seems like all the club tables were up
> there.

Yes, and there was at least one from previous years that was missing, and I
think more. But for the life of me, I can't figure out which one(s).
Amsat, perhaps?

>
>> 3. Most of the heavy smokers from 20 years ago, who were pushing their
>> oxygen carts around 10 years ago, aren't there anymore.
>
> Also ??? I don't ever recall seeing more than 1 or 2 folks with
> portable oxygen in the 12 years I've been attending the thing.
>
>> 4. A lot of people were looking for newer stuff.   Some "new technology"
>> vendors could make a killing. The first that comes to my mind is MPEG
>> FTA
>> satellite TV. If someone had set up a demo outside, when would have been
>> sold out. There needed to be seminars like there was in the past. ICOM
>> is
>> local, and while they had their normal nice booth, should have a D-Star
>> traveling road show.
>
> Agreed. Icom didn't seem to be doing nearly as much with their
> booth as last year. Only two people staffing it, too.
>
> HOWEVER -- The downside to this trend is that it feels like the art
> of tinkering is struggling for life. I had a pair of serial data
> analyzers on display, and I got several questions about "What OS they
> were running," and more than one assumption that they were simply odd-
> looking computers.
>
> That would not have happened, say, ten years back. Anyone skilled
> enough to know about such gear would have recognized them for what they
> were.

I'm not sure if that is funny or sad. Probably both.

>
> There are other signs. Boxes of parts that normally spark much
> digging and probing barely rated a glance, and I saw a lot of sellers
> going home with much of what they brought. Even I found myself (finally)
> giving stuff away that would have easily sold, for at least a minimal
> amount, some years ago.
>
>> 5. The crowd lines up about an hour before the opening, the line winds
>> back
>> and forth, and when the doors open, there is a mad rush from different
>> parts
>> of the line. They really need to set up "velvet ropes" to organize the

>> line; one person saying "please stay in line" doesn't cut it.
>
> Did you suggest this to the Mike & Key club staff? The best
> suggestions on the planet (and I think this is a good one) won't ever
> get a tryout if you keep it to yourself.
>

Yes, I have.

>> 6. The snack bar needs to improve...
>
> Essence, no argument there! $3.75 for a questionable hot dog? $2.75
> for a bottled drink?!
>
> FWIW, this has always been a sore point for the event.
>

The best hamfest I ever attended was at the Charles Wright Academy in
Tacoma. They let the sellers unload right outside the door, had free coffee
and doughnuts for the sellers when they showed up and all morning long.
They might have even fed them lunch, too. The sellers were in such a good
mood/sugar high that the deals were really good.

>> 7. The "talkin" repeater was pretty quiet. I think this is a bad sign
>> for
>> future growth in ham radio.
>
> I'm surprised you would make such a broad assumption from so little
> evidence. The talk-in channel was very active early Saturday morning, at
> the crack of dawn. I would also point out that the Puyallup swap has
> become well known enough that many folks already know where it is.
>
> Also, a clear map is provided on the flyer. Most of the hamateurs
> I've met are pretty good at basic navigation.

I should have elaborated more. In the past, I've heard a lot more
out-of-towners/first-timers on the talk-in repeater, which I tend to think
of (perhaps wrongly) as new blood (or maybe potential new-blood). When the
talk is more of "Hi Charlie." "Hi Mel." "Gonna be 15 years in a row for
me." "Ten for me." "Ok, see you there." it makes me think of "preaching
to the choir".

>
> I will say this much. I've noticed that the overall quality of the
> Puyallup event, in terms of quantity and quality of stuff, tends to run
> in three-year cycles (first year phenomenal, second year good, third
> year mediocre), and 2007 was at the bottom end of one of these cycles.
>
> With that said -- It wasn't actually as bad as the one in 2004
> (which was another bottom-of-cycle event). In fact, this one reminded me
> more of the mid-cycle swaps.
>
> If the cycle continues to run true-to-form, 2008 should be amazing.

```
>
I hadn't noticed the cycle, I hope you are right.

> In conclusion, I would add that amateur radio is like a mirror. You
> get back exactly what you put into it. If you truly care about the
> hobby, do whatever you can to help it grow. Teach a license class,
> volunteer at a club demo booth, participate in an event that's using
> amateur radio for communications, etc.
>
> Keep the peace(es).

Yep.




From -3434756507427392472
X-Google-Thread: 108122,56495705d26ded19,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Steve" <stevo181@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Misc. Ham Stuff
Date: Tue, 13 Mar 2007 21:18:55 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <45f74d7a$0$4897$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11684

http://members6.boardhost.com/theswapshoppe/




From 3965753482156897902
X-Google-Thread: 108122,b2e5d0e7e3b540bd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.maxwell.syr.edu!news.netins.net!
not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Andrew Hardline Connectors
Date: Wed, 14 Mar 2007 13:23:49 -0500
```

```
Organization: netINS InterNetNews site
Lines: 2
Message-ID: <i8fgv2p27osq18dpjlv7cgp0ok9dab400m@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1173896625 30994 67.55.159.6 (14 Mar 2007 18:23:45 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 14 Mar 2007 18:23:45 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:11685
```

I have two used but in good condition L44N half inch hardline
connectors for sale. $20 for both plus shipping. Thanks, Mike

```
From 5044991208036519222
X-Google-Thread: 108122,160cc120c807584b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!n59g2000hsh.googlegroups.com!not-for-
mail
From: hmcanada@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FA: SONY XR-CA620X Car Stereo with SHORTWAVE
Date: 14 Mar 2007 12:11:43 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1173899503.138616.287850@n59g2000hsh.googlegroups.com>
NNTP-Posting-Host: 64.231.141.92
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173899504 12922 127.0.0.1 (14 Mar 2007 19:11:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 14 Mar 2007 19:11:44 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.5) Gecko/
20041107 Firefox/1.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n59g2000hsh.googlegroups.com; posting-host=64.231.141.92;
   posting-account=5DqJkA0AAABh3cmwvSDtD_MreYiiA0dm
Xref: g2news1.google.com rec.radio.amateur.equipment:11686
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=290094186402

```
From 657270580533197581
X-Google-Thread: 108122,9419878bde4e2d11,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news2.google.com!newshub.stanford.edu!
newsfeed.news.ucla.edu!nrc-news.nrc.ca!News.Dal.Ca!ursa-nb00s0.nbnet.nb.ca!
53ab2750!not-for-mail
From: "Salmo" <salmo@nf.sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood PC-1 phone patch controller
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <PRZJh.10474$PV3.106773@ursa-nb00s0.nbnet.nb.ca>
Date: Wed, 14 Mar 2007 21:32:31 GMT
NNTP-Posting-Host: 142.162.63.106
X-Complaints-To: abuse@aliant.net
X-Trace: ursa-nb00s0.nbnet.nb.ca 1173907951 142.162.63.106 (Wed, 14 Mar 2007
18:32:31 ADT)
NNTP-Posting-Date: Wed, 14 Mar 2007 18:32:31 ADT
Organization: Aliant Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:11687
```

Now on EBay - Kenwood PC-1 phone patch controller

http://cgi.ebay.ca/ws/eBayISAPI.dll?
ViewItem&ih=005&sspagename=STRK%3AMESE%3AIT&viewitem=&item=150101715517&rd=1&rd=1

```
From 467323984794964061
X-Google-Thread: 108228,ed213b1d7e97fa97,start
X-Google-Thread: 108122,ed213b1d7e97fa97,start
X-Google-Thread: 1109af,ed213b1d7e97fa97,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola HT1250 ls UHF 403-470 MHz Radio-EMS-HAM-Extras
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001E_01C7666A.1AAEFA70"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <PG1Kh.35489$Ko5.27895@newsfe08.phx>
```

```
Date: Wed, 14 Mar 2007 18:53:50 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1173923631 68.104.78.240 (Wed, 14 Mar 2007 18:53:51 MST)
NNTP-Posting-Date: Wed, 14 Mar 2007 18:53:51 MST
Organization: Cox
Xref: g2news1.google.com alt.ham-radio.marketplace:2970
rec.radio.amateur.equipment:11688 rec.radio.swap:15771

This is a multi-part message in MIME format.

------=_NextPart_000_001E_01C7666A.1AAEFA70
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola HT1250 ls UHF 403-470 MHz Radio-EMS-HAM-Extras=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250094649214&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001E_01C7666A.1AAEFA70
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola HT1250 ls UHF 403-470 MHz Radio-EMS-HAM-Extras </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250094649214&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250094649214&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_001E_01C7666A.1AAEFA70--



From 8486976623380984809
X-Google-Thread: 108228,598b5f3e81a49828,start
X-Google-Thread: 108122,598b5f3e81a49828,start
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc04.POSTED!1e49b9c4!not-for-mail
From: mike <spamme9@gmail.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: FS Icom PCR-1000 Scanner/Receiver Computer Control 10KHz-1300MHz
 Low Serial Number
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <KMjKh.16441$mh7.638@trnddc04>
Date: Thu, 15 Mar 2007 22:28:58 GMT
NNTP-Posting-Host: 71.111.176.101
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1173997738 71.111.176.101 (Thu, 15 Mar 2007 18:28:58 EDT)
NNTP-Posting-Date: Thu, 15 Mar 2007 18:28:58 EDT
Xref: g2news1.google.com alt.ham-radio.marketplace:2973
rec.radio.amateur.equipment:11689

For Sale:
Icom PCR-1000 Scanner/Receiver Computer Control 10KHz-1300MHz
Low Serial Number (that's a good thing if you like full coverage)
Details here:

http://mike.liveline.de/pcr1000.html

Free shipping Conus.

--
Return address is VALID!
Bunch-O-Stuff Forsale Here:
http://nm7u.tripod.com/homepage/sale.html


From 5543948952512396314
X-Google-Thread: 108122,469710de86d8c453,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: lampbay <lamp@bay.net>
Newsgroups: rec.radio.amateur.equipment
Date: Fri, 16 Mar 2007 08:38:32 -0500
Message-ID: <45fa9157$0$16271$88260bb3@free.teranews.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: FA:  Vintage RS Realistic 10 Band Patrolman FM AM SW Radio
User-Agent: Unison/1.7.9
Lines: 11
NNTP-Posting-Date: 16 Mar 2007 12:45:11 GMT
```

```
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11690

FA:  Vintage RS Realistic 10 Band Patrolman FM AM SW Radio

http://search.ebay.com/_W0QQsassZlampbay









--
Posted via a free Usenet account from http://www.teranews.com




From 5402011000625716069
X-Google-Thread: 108122,4c51bb60da38d6c1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ARABIC,CP1256
Path: g2news1.google.com!postnews.google.com!l77g2000hsb.googlegroups.com!not-for-
mail
From: "noof3000sa@gmail.com" <noof3000sa@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: =?windows-1256?B?
KCgg1dzc3Nzm0SApKSAgxe3Rx+TtIO3d2uEgx+Hdx83UySDIx+HD2N3H4SAuLiDD5Nnc0eYg48cg38fkIM
zSx8Eg3drhyuU=?=
Date: 16 Mar 2007 15:26:00 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1174083960.698670.76540@l77g2000hsb.googlegroups.com>
NNTP-Posting-Host: 87.109.252.205
Mime-Version: 1.0
Content-Type: text/plain; charset="windows-1256"
Content-Transfer-Encoding: base64
X-Trace: posting.google.com 1174083962 9585 127.0.0.1 (16 Mar 2007 22:26:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 16 Mar 2007 22:26:02 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; Alexa
Toolbar; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l77g2000hsb.googlegroups.com; posting-host=87.109.252.205;
   posting-account=FPhgwA0AAAChWeVES6tRt08cNxb-SGeS
Xref: g2news1.google.com rec.radio.amateur.equipment:11691
```

CigoINXc3Nzc5tEgKSkgxe3Rx+TtIO3d2uEgx+Hdx83UySDIx+HD2N3H4SAuLiDD5Nnc0eYg48cg
38fkIMzSx8EK3drhyuUKCmh0dHA6Ly93d3cuaGFtbXNzLmNvbS92Yi9zaG93dGhyZWFkLnBocD9w
PTE5NzIyMSNwb3N0MTk3MjIxCgoK483H3+PJIMfh3cfT3sfKIOPaINLIx8bk5eQgw+PH4yDH4czj

5ebRICjV5tEgKQoKaHR0cDovL3d3dy5oYW1tc3MuY29tL3ZiL3Nob3d0aHJlYWQucGhwP3Q9MTQz
MTQK

```
From -6350801330553093140
X-Google-Thread: 108122,b2e5d0e7e3b540bd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.germany.com!feed.xsnews.nl!
border-1.ams.xsnews.nl!sn-xt-ams-06!sn-xt-ams-04!sn-ams!sn-feed-ams-02!sn-ams!sn-
feed-ams-01!sn-post-ams-01!sn-post-sjc-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Roger <GetValidAddress@my.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Andrew Hardline Connectors
Date: Sat, 17 Mar 2007 02:59:26 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1d4nv25a4h0h93lsqq2a3sjkhlf7br5ulc@4ax.com>
References: <i8fgv2p27osq18dpjlv7cgp0ok9dab400m@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 000724-1, 03/16/2007), Outbound message
X-Antivirus-Status: Clean
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news1.google.com rec.radio.amateur.equipment:11692

On Wed, 14 Mar 2007 13:23:49 -0500, mike <mikeNOSPAM@L2Speed.net>
wrote:

>I have two used but in good condition L44N half inch hardline
>connectors for sale. $20 for both plus shipping. Thanks, Mike

Male, Female, N, UHF? and where is here? <:-))

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com
```

```
From 4911295902274223025
X-Google-Thread: 108122,b2e5d0e7e3b540bd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out04b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Andrew Hardline Connectors
```

```
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <i8fgv2p27osq18dpjlv7cgp0ok9dab400m@4ax.com>
<1d4nv25a4h0h93lsqq2a3sjkhlf7br5ulc@4ax.com>
Organization: Your Company
Message-ID: <Xns98F66386B8FB3spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 17 Mar 2007 16:46:22 GMT
Lines: 14
NNTP-Posting-Host: 2c9fd3e1.news.adtechcomputers.com
X-Trace: DXC=nYdQ4OO=fhVa`hdSQehkMZgC4_A5:nI@Q<<=aEgO;R8W2d2T^;`N>4XgHKV71OCC>SR?
X7U2a5ffWemfRC[RMj?_0[]M_>MNBVWQ0MamIWe=h\bTX:]8AWMO_
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11693


>
>>I have two used but in good condition L44N half inch hardline
>>connectors for sale. $20 for both plus shipping. Thanks, Mike

>
> Male, Female, N, UHF? and where is here? <:-))
>


    L44N   are  N  Female connectors.


         K7AAT


From 5922567250710571597
X-Google-Thread: 108122,d9269e8b0cf43b15
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!news.wiretrip.org!
news.dizum.com!sewer-output!mail2news
From: George Orwell <nobody@mixmaster.it>
References: <1173487379.796359.39510@p10g2000cwp.googlegroups.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS - Kenwood TS-850S $675.00
Message-ID: <223e93f39a0cef4d01f80891c80cb6df@mixmaster.it>
Date: Sat, 17 Mar 2007 19:24:01 +0100 (CET)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11694

In article <1173487379.796359.39510@p10g2000cwp.googlegroups.com>
73w7gsa@gmail.com wrote:

I have read some negative posts on ebay concerning your condo buster antenna and
at least one poster who wanted his money back and you would not accept his return.
Do you have any comments on the two issues of this antenna being a "piece of crap"
and your unwillingness to take it back and return his money?
```

```
From 8150582919136884079
X-Google-Thread: 108122,b40c9dbb070d8576,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p15g2000hsd.googlegroups.com!not-for-
mail
From: "Scott" <scott93727@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Google GMRS Groups
Date: 18 Mar 2007 01:13:37 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1174205617.619462.216070@p15g2000hsd.googlegroups.com>
NNTP-Posting-Host: 75.10.106.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174205619 16631 127.0.0.1 (18 Mar 2007 08:13:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 18 Mar 2007 08:13:39 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p15g2000hsd.googlegroups.com; posting-host=75.10.106.49;
   posting-account=Mnf7iQ0AAADbq1XPayBdGfVY3w-SMeeS
Xref: g2news1.google.com rec.radio.amateur.equipment:11696

http://groups.google.com/group/gmrsradio
http://groups.google.com/group/gmrs-repeaters



From -5415773568077757360
X-Google-Thread: 108122,ca9e373a2fb4c7e9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o5g2000hsb.googlegroups.com!not-for-
mail
From: "highcap" <highcap@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: TMD-700a
Date: 18 Mar 2007 19:25:01 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1174271100.965662.294260@o5g2000hsb.googlegroups.com>
NNTP-Posting-Host: 70.245.15.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174271102 7170 127.0.0.1 (19 Mar 2007 02:25:02 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Mon, 19 Mar 2007 02:25:02 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; YPC 3.2.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727; yplus 5.1.04b),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o5g2000hsb.googlegroups.com; posting-host=70.245.15.137;
   posting-account=yrMPAg0AAACvzFvV1Dv8C6sKt9MzREJ-
Xref: g2news1.google.com rec.radio.amateur.equipment:11697

I was wondering if you could help me with a problem. I have a TMD-700a. I also use a Digital Motorola radio in my police car. When I transmit on the Digital it breaks squelch on the TMD-700a and I have to turn it off or all the way down. I have rerouted antenna as well as power cords. We have several of these and I seem to be the only one that has this problem. Do you have any ideas how I might fix this problem.

From 6682625453256096888
X-Google-Thread: 108122,d14926c84c224685,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y80g2000hsf.googlegroups.com!not-for-mail
From: phundle@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: ic-48a + HM-14
Date: 19 Mar 2007 00:46:59 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1174290419.907329.15200@y80g2000hsf.googlegroups.com>
NNTP-Posting-Host: 67.166.106.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174290421 10220 127.0.0.1 (19 Mar 2007 07:47:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Mar 2007 07:47:01 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.1.2) Gecko/20060601 Firefox/2.0.0.2 (Ubuntu-edgy),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y80g2000hsf.googlegroups.com; posting-host=67.166.106.42;
   posting-account=MiDqOw0AAAApzPC5uiTvWC_KsF2ZsfC5
Xref: g2news1.google.com rec.radio.amateur.equipment:11698

I'm at my whits end, for the life of me I don't know how to make the HM-14 produce DTMF tones with the IC-48A.

Usually you hit PTT and dial away, but i'm getting zilch. Is there some trick on this rig?

The IC-48A was my Dad's but he's SK now so I cannot figure out how to make this produce DTMF, the manual doesn't even mention it.

HELP!

```
From 7981554571374745271
X-Google-Thread: 108122,115c4ab29619bf2a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!l75g2000hse.googlegroups.com!not-for-
mail
From: "Brian" <kelly@dvol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Advice Requested: Sound Cards for PSK-31 and RTTY?
Date: 19 Mar 2007 17:43:37 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1174351417.352976.247360@l75g2000hse.googlegroups.com>
NNTP-Posting-Host: 66.19.245.86
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174351419 10767 127.0.0.1 (20 Mar 2007 00:43:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Mar 2007 00:43:39 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.1.2) Gecko/
20070219 Firefox/2.0.0.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l75g2000hse.googlegroups.com; posting-host=66.19.245.86;
   posting-account=x8FxjAwAAACQYdVK-ARYehfjhw2rEkmK
Xref: g2news1.google.com rec.radio.amateur.equipment:11699
```

I'm interested in getting into HF PSK-31 and RTTY. And maybe I'll try
some of the other sound card based modes too. Comes the question of
how I should configure the dedicated ham station Winbox. Is there
anything to be gained by spending money on say some Creative Labs or
Turtle Beach sound card or another or are the usual generic
motherboard "sound cards" good enough   . . ?

Thanks,

Brian w3rv

```
From -3811656038687995652
X-Google-Thread: 108122,115c4ab29619bf2a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
```

Newsgroups: rec.radio.amateur.equipment
From: Thomas Laus <lausts@acm.org>
Subject: Re: Advice Requested: Sound Cards for PSK-31 and RTTY?
References: <1174351417.352976.247360@l75g2000hse.googlegroups.com>
Message-ID: <slrnevvg63.9se.lausts@laus.org>
User-Agent: slrn/0.9.8.1 (FreeBSD)
Date: 20 Mar 2007 11:08:51 GMT
Lines: 26
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11700

On 2007-03-20, Brian <kelly@dvol.com> wrote:
> I'm interested in getting into HF PSK-31 and RTTY. And maybe I'll try
> some of the other sound card based modes too. Comes the question of
> how I should configure the dedicated ham station Winbox. Is there
> anything to be gained by spending money on say some Creative Labs or
> Turtle Beach sound card or another or are the usual generic
> motherboard "sound cards" good enough . . ?
>
Kelly:

The quality of your sound card beyond a SoundBlaster 16 is wasted. The effort is better spent in a better quality audio interface between the radio and the PC. The transmit and receive audio MUST be transformer isolated for best results. I also like to keep D.C. off of the transformer windings by using a .1 uf series capacitor. Your PC is ground referenced to the A.C. main electrical system and your radio is ground referenced to something else. Use a lot of ferrite beads to keep the RF out of the audio and the use of transformer coupling cleans up the rest.

Tom

--
Public Keys:
PGP KeyID = 0x5F22FDC1
GnuPG KeyID = 0x620836CF

From 8507383034169548824
X-Google-Thread: 108122,115c4ab29619bf2a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 20 Mar 2007 10:15:59 -0500
Message-ID: <45FFFAB4.5070805@comcast.net>
Date: Tue, 20 Mar 2007 08:16:04 -0700
From: KD6EVM <nelsonca@comcast.net>
Reply-To: nelsonca@comcast.net
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)

X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
To: Brian <kelly@dvol.com>
Subject: Re: Advice Requested: Sound Cards for PSK-31 and RTTY?
References: <1174351417.352976.247360@l75g2000hse.googlegroups.com>
In-Reply-To: <1174351417.352976.247360@l75g2000hse.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Host: 67.166.131.124
X-Trace: sv3-BsEjTC1Y7bztwB/
55W2TaD+cb4oZoy1KSuEyGYO32iTKW7GxZ6Q63u+GAEldSiNK2Hq13kUdTbYkYlP!
oCgSH8+zDVVmVEw7Uq6jK9jWxTT0Gy5QrwAyYsd6sCpxddzSpeDYSWKOw02bQkfi2Gx1bIE8408Z!
aDfmVeTlyA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11701

Brian wrote:
> I'm interested in getting into HF PSK-31 and RTTY. And maybe I'll try
> some of the other sound card based modes too. Comes the question of
> how I should configure the dedicated ham station Winbox. Is there
> anything to be gained by spending money on say some Creative Labs or
> Turtle Beach sound card or another or are the usual generic
> motherboard "sound cards" good enough . . ?
>
> Thanks,
>
> Brian w3rv
>

If the card or on-board system is "SoundBlaster Compatible," and made within the last 5 or 6 years, it should be OK. I have used PSK with many computers and cards and have never had one that didn't work because of the sound card. Put your money toward a good interface. It's hard to beat the RigBlaster line. I have never used one, but I have heard good reports about the the MFJ interfaces.

Tom KD6EVM

From 9172347755302133397
X-Google-Thread: 108122,d14926c84c224685
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Dick <w6ccd@k7yca.org>

Newsgroups: rec.radio.amateur.equipment
Subject: Re: ic-48a + HM-14
Date: Mon, 19 Mar 2007 08:20:27 -0700
Message-ID: <9o9tv2heuo1ktoaga8ijes6l8v577qp3l4@4ax.com>
References: <1174290419.907329.15200@y80g2000hsf.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 19 Mar 2007 14:27:08 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11702

You are doing it correctly. Hold the PTT and press the DTMF buttons.
I have right beside me an Icom IC-28H using that mike, which should be
wired exactly like the IC-48A at the microphone jack. Could be
something wrong with the HM-14.

Dick - W6CCD

On 19 Mar 2007 00:46:59 -0700, phundle@gmail.com wrote:

>I'm at my whits end, for the life of me I don't know how to make the
>HM-14 produce DTMF tones with the IC-48A.
>
>Usually you hit PTT and dial away, but i'm getting zilch. Is there
>some trick on this rig?
>
>The IC-48A was my Dad's but he's SK now so I cannot figure out how to
>make this produce DTMF, the manual doesn't even mention it.
>
>HELP!

--
Posted via a free Usenet account from http://www.teranews.com

From 6308666940583610878
X-Google-Thread: 108122,662d474a759cd9b6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!d57g2000hsg.googlegroups.com!not-for-mail
From: "jure" <tonkojursky@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB 6m Amplifier
Date: 21 Mar 2007 05:48:56 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1174481336.141136.105930@d57g2000hsg.googlegroups.com>

```
NNTP-Posting-Host: 89.172.106.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-2"
X-Trace: posting.google.com 1174481337 28740 127.0.0.1 (21 Mar 2007 12:48:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Mar 2007 12:48:57 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 HAVP
Complaints-To: groups-abuse@google.com
Injection-Info: d57g2000hsg.googlegroups.com; posting-host=89.172.106.23;
   posting-account=agXpDgwAAADuMTVdq03Z2p0TKU3NuM4o
Xref: g2news1.google.com rec.radio.amateur.equipment:11703

WTB Amplifier for 6m band- 50W,100W or 150W out.No tube Amp.
please ...
TNX and 73                         9A7PJT




From 4482717993604350333
X-Google-Thread: 108122,b2427af4ea5a0cf3,start
X-Google-Attributes: gid108122,public
X-Google-Language: SPANISH,ASCII
Path: g2news1.google.com!postnews.google.com!n76g2000hsh.googlegroups.com!not-for-
mail
From: "LuGuEx" <luisj@voipcallred.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Las mejores Tarifas  Internacionales
Date: 21 Mar 2007 10:29:55 -0700
Organization: http://groups.google.com
Lines: 54
Message-ID: <1174498195.529016.272750@n76g2000hsh.googlegroups.com>
NNTP-Posting-Host: 200.105.199.242
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1174498197 15902 127.0.0.1 (21 Mar 2007 17:29:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Mar 2007 17:29:57 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; es-AR; rv:1.8.1.2)
Gecko/20070219 Firefox/2.0.0.2,gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 dns.datatel.com.bo:3128 (squid/2.5.STABLE10)
Complaints-To: groups-abuse@google.com
Injection-Info: n76g2000hsh.googlegroups.com; posting-host=200.105.199.242;
   posting-account=1CHCjw0AAAAskn3-hNJKHcbgf-Pw9goB
Xref: g2news1.google.com rec.radio.amateur.equipment:11704

Hola te presento a VOIPCALLRED, esta empresa tiene excelentes precios
mira abajo:
```

Planes Ilimitados a USA y CANADA	29.90 U
PLanes Ilimitados a 32 Paises	49.50 U

Los mejores precios en llamadas por prepago algunos ejemplos:

Espa=F1a fijo	0.016 U
Espa=F1a Celular	0.092 U
Argentina Fijo	0.015 U
Argentina Mobil	0.045 U
Brasil	0.032 U
Brasil Mobile	0.098 U
Bolivia Fijo	0.057 U
Bolivia Mobile	0.078 U
Peru Fijo	0.0206 U
Peru	0.155 U
Canada desde	0.012 U
Chile	0.017 U
Chile Mobile	0.15 U
Colombia	0.0305 U
Colombia MObile	0.896 U

Billing para todos los paises de 30/30

baja las tarifas completas desde su sitio web www.voipcallred.net, por cada compra que hagas te regalamos el 25 % mas sobre tu compra, tambien te regalamos un softphone para tu pc.

Oportunidad de armar tu propia linea blanca Voip con los mejores precios a nivel mundial.

Voipcallred pertenece a ahatelcom carrier internacional con mas de 4 a=F1os en el mercado internacional de rutas mundiales.

Que esperas animate y contactate con nosotros, atencion personalizada para cada cliente, soporte 24/7 con fichas de respuesta.

Callshop gratis para usuarios call center o de locutorios o de centros de llamadas.

Por cada cuenta te regalamos un numero gratis, gratis a Estados Unidos.

Si tu nos refieres un cliente te regamalos al instante el 10% de su compra, mas facilidades ni en el cielo...

Contactate conmigo a el MSN o Mail, para cualquier consulta:

luisj@voipcallred.com
Sales Manager voipcallred

From -2080390231365625035
X-Google-Thread: 108122,59889964ee614f05,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p15g2000hsd.googlegroups.com!not-for-mail
From: "LuGuEx" <luisj@voipcallred.com>
Newsgroups: rec.radio.amateur.equipment
Subject: THE BEST VOIP COMPANY FOR INTERNACIONAL CALLS
Date: 21 Mar 2007 10:38:17 -0700
Organization: http://groups.google.com
Lines: 53
Message-ID: <1174498697.604272.19230@p15g2000hsd.googlegroups.com>
NNTP-Posting-Host: 200.105.199.242
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174498699 11059 127.0.0.1 (21 Mar 2007 17:38:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Mar 2007 17:38:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; es-AR; rv:1.8.1.2)
Gecko/20070219 Firefox/2.0.0.2,gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 dns.datatel.com.bo:3128 (squid/2.5.STABLE10)
Complaints-To: groups-abuse@google.com
Injection-Info: p15g2000hsd.googlegroups.com; posting-host=200.105.199.242;
   posting-account=1CHCjw0AAAAskn3-hNJKHcbgf-Pw9goB
Xref: g2news1.google.com rec.radio.amateur.equipment:11705

I'm pleassed to present you, VOIPCALLRED this company has excellent
prices that we are going to show you below:

Limitless plans to USA and NARROW CANYON 29.90 $us
Limitless plans to 32 Countries 49.50 $us

The best prices in having called by prepago some examples:

Spain fixes	0.016 $us
Spain Mobile	0.092 $us
Argentina Fixes	0.015 $us
Argentina Mobil	0.045 $us
Brazil	0.032 $us
Brazil Mobile	0.098 $us
Bolivia Fixes	0.078 $us
Bolivia Mobile	0.13 $us
Fixed Peru	0.0206 $us
Peru	0.155 $us
Canada from	0.012 $us
Chile	0.017 $us
Chile Mobile	0.15 $us
Colombia	0.0305 $us
Colombia MObile	0.896 $us

Billing for all the countries of 30/30

Download the lower rates from our own webpage www.voipcallred.net, for each purchase you make, we give 25%, but it has more than enough your purchase, we also give you a softphone for your pc.

Oportunity to build up your own one white Voip lines with the best prices at whole world.

Voipcallred belongs to ahatelcom international carrier,it has been 4 years in the international market of world routes.

Don't wait, contact with us, attention personalized for each client, support 24/7 hrs with answer records.

Callshop free for users callcenter or of booths or of centers of calls.

For each bill we give you an I number United States free free.

If you refer us a client we gift you 10% of their purchase, gonna find facilities like this neither in the sky...

Contact you with me to MSN or Mail:

luisj@voipcallred.com
Sales Manager voipcallred

From 2040502132380055038
X-Google-Thread: 108122,91521849ffa6665,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Loop Antenna Info Request
Reply-To: w1ksz@earthlink.net
Message-ID: <2jq503dg88bvhb6uitlrvelkf1jb27mcsg@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Thu, 22 Mar 2007 20:43:26 GMT
NNTP-Posting-Host: 24.41.20.11
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1174596206 24.41.20.11 (Thu, 22 Mar 2007 12:43:26 PST)
NNTP-Posting-Date: Thu, 22 Mar 2007 12:43:26 PST

Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:11706

I picked up a loop antenna made by Electro-Metrics (Model ALR-30M).
Does anyone have any info on this ? I need to know what to do with
the BNC jack marked ..."Injection In"... . I expect it requires some
signal input, CW or Swept or ??

Thanks,

73, Dick, W1KSZ

From 7637637816712997844
X-Google-Thread: 108122,c2ecc725da908135,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news*.tds.net.MISMATCH!
newspeer.tds.net!216.168.1.163.MISMATCH!sn-xt-sjc-03!sn-xt-sjc-06!sn-post-sjc-02!
sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: AZDEN PCS4000 Manual???
Date: Thu, 22 Mar 2007 11:34:02 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0703221129390.14194@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news1.google.com rec.radio.amateur.equipment:11707

Want to buy a manual for the AZDEN PCS4000 2 meter transceiver.
For some reason I cant retain the stored freqcys even though
I substituted the original tiny 3 volt battery thats supposed
to keep the memory channels alive.   I brought out the leads
(after severing the old battery) so can substitute nicads
or LION rechargeables externally but still cant figure out
why it will only hold the memories for maybe 1 or 2 days.
                            Joe/KH6JF

```
**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
**************************************************************************
```

```
From 3149181040989704835
X-Google-Thread: 108122,c2ecc725da908135
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!1e49b9c4!not-for-mail
From: mike <spamme9@gmail.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AZDEN PCS4000 Manual???
References: <Pine.BSI.4.64.0703221129390.14194@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.64.0703221129390.14194@malasada.lava.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <OLCMh.5480$Sf2.904@trnddc01>
Date: Thu, 22 Mar 2007 21:43:10 GMT
NNTP-Posting-Host: 71.111.176.101
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1174599790 71.111.176.101 (Thu, 22 Mar 2007 17:43:10 EDT)
NNTP-Posting-Date: Thu, 22 Mar 2007 17:43:10 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:11708

Joseph Fenn wrote:
> Want to buy a manual for the AZDEN PCS4000 2 meter transceiver.
> For some reason I cant retain the stored freqcys even though
> I substituted the original tiny 3 volt battery thats supposed
> to keep the memory channels alive.   I brought out the leads
> (after severing the old battery) so can substitute nicads
> or LION rechargeables externally but still cant figure out
> why it will only hold the memories for maybe 1 or 2 days.
>                            Joe/KH6JF
>
>
> ***************************************************************************
> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
> ***************************************************************************
>
>
>
Did you try measuring the current drain on the battery?
Some of this old stuff was designed to be plugged into power all the time.
mike

--
Return address is VALID!
Bunch-O-Stuff Forsale Here:
http://nm7u.tripod.com/homepage/sale.html
```

```
From -5247686098849547379
X-Google-Thread: 108122,c2ecc725da908135
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AZDEN PCS4000 Manual???
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <auu5039ltvt7ao9rotc7go4c8pvvo7v9ob@4ax.com>
References: <Pine.BSI.4.64.0703221129390.14194@malasada.lava.net>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
NNTP-Posting-Host: 7086bd5539ecbb2643981aca498e51c1
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1174600796
7086bd5539ecbb2643981aca498e51c1 (Thu, 22 Mar 2007 21:59:56 GMT)
NNTP-Posting-Date: Thu, 22 Mar 2007 21:59:56 GMT
Date: Thu, 22 Mar 2007 21:59:56 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11709

This fellow sells them for about $16.

 http://www.myradioroom.com/manualsales.html

However, the other poster makes a good point about measuring the draw.
I had an old KDK-???? of that vintage that lost its marbles after less
than a week without being powered up.  No problem in the car, but a
hassle in the house if I was gone a few days.



--
Alan
WA4SCA



From -8897079672575975870
X-Google-Thread: 108122,92eeba67839e8141,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews5.bellsouth.net.POSTED!cc3ccfde!not-for-mail
From: in2bate <in2bashun@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Mosley TA-33 Jr WIRC
Message-ID: <of6603h8aa03uu9agb3151hnpbi84toi64@4ax.com>
```

```
X-Newsreader: Forte Free Agent 2.0/32.640
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcboeepefkifobkkdnfknbcfjgccocihkhpfad
hoconlhccbldlcbkjhhfnckmifmbkfoapdjinoploeaipihhjmgnhppffegcodckapaibaobfmmfhn
NNTP-Posting-Date: Thu, 22 Mar 2007 20:06:22 EDT
Organization: BellSouth Internet Group
Date: Thu, 22 Mar 2007 20:06:32 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:11710
```

WTB: Mosley TA-33 Jr WIRC in very good or better condition. Must be willing to ship to Florida, unless local, in which case I will pick up. Please email with info. Thanks.

```
From 7442441685261939437
X-Google-Thread: 108122,9cbfcfd180a5b39d
X-Google-Thread: f7856,9cbfcfd180a5b39d
X-Google-Attributes: gid108122,gidf7856,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news1.google.com rec.radio.amateur.equipment:11711
rec.video.satellite.tvro:3200
Newsgroups: rec.radio.amateur.equipment,rec.video.satellite.tvro
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!boeing.com!not-for-mail
From: "x" <someone@boeing.com>
Subject: Re: Puyallup hamfest report
Message-ID: <JFD2GD.9w7@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 48
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Response
References: <JEt0F2.8vv@news.boeing.com>
Date: Fri, 23 Mar 2007 14:48:11 GMT
```

"Ken Finney" <kenneth.c.finney@boeing.com> wrote in message news:JEt0F2.8vv@news.boeing.com...

> The Puyallup hamfest was this past weekend (biggest hamfest in Washington
> State). For the second year in a row, it seemed about the same size as
> the year before. In previous years, it was shrinking about 20% a year or
> more. Lots of boat anchors and other stuff that is expensive to ship, the

> lighter stuff seems to all be going to Ebay. Impressions:
>
> 1. There is only one store in attendance (HRO), and they were doing a lot of business. Other stores should consider coming as well. I guess the last "local" ham store has gone under, they weren't there.
>
> 2. A couple of ham related from previous years organizations weren't there.
>
> 3. Most of the heavy smokers from 20 years ago, who were pushing their oxygen carts around 10 years ago, aren't there anymore.
>
> 4. A lot of people were looking for newer stuff.   Some "new technology" vendors could make a killing. The first that comes to my mind is MPEG FTA satellite TV. If someone had set up a demo outside, when would have been sold out. There needed to be seminars like there was in the past. ICOM is local, and while they had their normal nice booth, should have a D-Star traveling road show.
>
> 5. The crowd lines up about an hour before the opening, the line winds back and forth, and when the doors open, there is a mad rush from different parts of the line. They really need to set up "velvet ropes" to organize the line; one person saying "please stay in line" doesn't cut it.
>
> 6. The snack bar needs to improve.   People are often travelling several hours to attend and probably leaving early because they are hungry. They probably should be selling coffee and doughnuts to the people in line before the opening.
>
> 7. The "talkin" repeater was pretty quiet. I think this is a bad sign for future growth in ham radio.
>
>
>
>
>

And, they had sold out of the good silver coax ends by the time I got around to that vendor :(

From 720636423954712985
X-Google-Thread: 108122,8dad7c7d0bff48e8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!y66g2000hsf.googlegroups.com!not-for-mail
From: francesco.messineo@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: TS-940S power amplifier
Date: 23 Mar 2007 12:08:06 -0700

```
Organization: http://groups.google.com
Lines: 13
Message-ID: <1174676886.622488.153840@y66g2000hsf.googlegroups.com>
NNTP-Posting-Host: 213.155.200.58
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1174676888 27602 127.0.0.1 (23 Mar 2007 19:08:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 23 Mar 2007 19:08:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.12) Gecko/
20060216 Debian/1.7.12-1.1ubuntu2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y66g2000hsf.googlegroups.com; posting-host=213.155.200.58;
   posting-account=w4OzSA0AAAA-nsIbBzg30RUzZ11eeSVV
Xref: g2news1.google.com rec.radio.amateur.equipment:11712
```

Hello,

can someone please send me a digital picture of the kenwood TS-940S
power amplifier board (the one under the rear cover on the left when
looking at the rear of the rig. I have one which seems very abused
and I don't see any diode in thermal contact with finals and drivers
so I was wondering if they have been removed perhaps.
The email address is valid of course.

Thanks in advance

Francesco IS0FKQ

```
From 7062792785838568016
X-Google-Thread: 108122,c2ecc725da908135
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AZDEN PCS4000 Manual???
Date: Fri, 23 Mar 2007 11:15:35 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.64.0703231110160.28489@malasada.lava.net>
In-Reply-To: <OLCMh.5480$Sf2.904@trnddc01>
References: <Pine.BSI.4.64.0703221129390.14194@malasada.lava.net>
 <OLCMh.5480$Sf2.904@trnddc01>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news1.google.com rec.radio.amateur.equipment:11713
```

```
>>
>>
> Did you try measuring the current drain on the battery?
> Some of this old stuff was designed to be plugged into power all the time.
> mike
>
> --
> Return address is VALID!
> Bunch-O-Stuff Forsale Here:
> http://nm7u.tripod.com/homepage/sale.html

Well I could'nt imagine that the On/Off switch must remain on all the
time.  If it was in a Vehicle instead of in my ham shack who would
want to leave the darned rig on all the time.   I use it in the
home shack, and all I did was substitute the tiny 3 v (rechargeable)
cell and gring the +/- leads out so could use Lithium Ion or other
longer lasting rechargeables.   You gave me an idea however so will
crank in 5 freqs and leave it on for a few days to see what hapens.
                     73's and tnx
                         Joe




From 396252285640400855
X-Google-Thread: 108122,c2ecc725da908135
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!1e49b9c4!not-for-mail
From: mike <spamme9@gmail.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AZDEN PCS4000 Manual???
References: <Pine.BSI.4.64.0703221129390.14194@malasada.lava.net>
<OLCMh.5480$Sf2.904@trnddc01>
<Pine.BSI.4.64.0703231110160.28489@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.64.0703231110160.28489@malasada.lava.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 44
Message-ID: <346Nh.568$Ht2.66@trnddc06>
Date: Sat, 24 Mar 2007 09:21:03 GMT
NNTP-Posting-Host: 71.111.176.101
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1174728063 71.111.176.101 (Sat, 24 Mar 2007 05:21:03 EDT)
NNTP-Posting-Date: Sat, 24 Mar 2007 05:21:03 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:11714

Joseph Fenn wrote:
>
```

>>>
>>>
>> Did you try measuring the current drain on the battery?
>> Some of this old stuff was designed to be plugged into power all the
>> time.
>> mike
>>
>> --
>> Return address is VALID!
>> Bunch-O-Stuff Forsale Here:
>> http://nm7u.tripod.com/homepage/sale.html
>
> Well I could'nt imagine that the On/Off switch must remain on all the
> time.

Read it again. Plugged into power is not the same as having the on/off
switch on all the time.

FWIW, a typical car radio these days draws about 1/4 amp when the power
is off. Vendors will deny it, but get out your meter and measure the
current thru the power wire when the radio is off.
There's a second wire that keeps the memory alive when your
ignition switch cuts the main power. Learned this the hard way
when I hard-wired a modern car radio into a motorhome. Battery
went flat in a hurry.
mike

If it was in a Vehicle instead of in my ham shack who would
> want to leave the darned rig on all the time.   I use it in the
> home shack, and all I did was substitute the tiny 3 v (rechargeable)
> cell and gring the +/- leads out so could use Lithium Ion or other
> longer lasting rechargeables.   You gave me an idea however so will
> crank in 5 freqs and leave it on for a few days to see what hapens.
>   73's and tnx
>   Joe
>

--
Return address is VALID!
Bunch-O-Stuff Forsale Here:
http://nm7u.tripod.com/homepage/sale.html

From 5978201895589993438
X-Google-Thread: 114a57,4a4ff26a1bcf40fc,start
X-Google-Thread: f55c2,4a4ff26a1bcf40fc,start
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc,start
X-Google-Thread: 108122,4a4ff26a1bcf40fc,start
X-Google-Thread: 107ada,4a4ff26a1bcf40fc,start
X-Google-Thread: 114aac,4a4ff26a1bcf40fc,start
X-Google-Thread: 10ddf1,4a4ff26a1bcf40fc,start
X-Google-Thread: f64c6,4a4ff26a1bcf40fc,start

X-Google-Attributes: gid114a57,gidf55c2,gidfc8b1,gid108122,gid107ada,gid114aac,gid10ddf1,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed1.ip.tiscali.net!tiscali!newsfeed2.ip.tiscali.net!news.astraweb.com!newsrouter-eu.astraweb.com!hwmnpeer01.ams!news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe4-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "bob.martin" <bmartin@qxi.com>
Newsgroups: alt.ham-radio.hf,alt.ham-radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave,relcom.radio.ham,uk.radio.amateur
Subject: Question re TL 922 amplifier
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
Date: Sat, 24 Mar 2007 15:45:11 GMT
NNTP-Posting-Host: 86.31.103.219
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe4-gui.ntli.net 1174751111 86.31.103.219 (Sat, 24 Mar 2007 15:45:11 GMT)
NNTP-Posting-Date: Sat, 24 Mar 2007 15:45:11 GMT
Organization: ntl Virgin ADSL News Service
Xref: g2news1.google.com alt.ham-radio.hf:1170 alt.ham-radio.mods:346 rec.radio.amateur.boatanchors:11002 rec.radio.amateur.equipment:11715 rec.radio.amateur.misc:34558 rec.radio.shortwave:107322 relcom.radio.ham:58 uk.radio.amateur:106005

Dear All,

My kenwood TL922 has developed a strange fault. When I switch it on (via an Ameritron Soft Start module) I get a negative reading on the Ig meter of -50mA and a positive reading of around +100mA on the Ip meter with no key down.

Keying the amp has no effect and the relay does not energise. I have checked the ALC and relay connectors and the coaxial cables

I've tried starting it directly bypassing the soft start box and this has made no difference.   Obviously I do not leave it on for more than a few seconds as there is clearly a fault. I have had the covers off and can see nothing untoward in terms of burnt components and there is no burning smell and the fuses don't blow. Also both valves (3-500zs) light up.

Any suggestions as to what may be up before a trip over to Castle, has anyone else seen similar

thanks

Jim G7NKS

From -8353525667543407586
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidf55c2,gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,UTF8
Path: g2news1.google.com!postnews.google.com!n76g2000hsh.googlegroups.com!not-for-mail
From: "Dloyd Lavies" <N0vfpsucks@aol.com>
Newsgroups: alt.ham-radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur
Subject: Re: Question re TL 922 amplifier
Date: 24 Mar 2007 09:00:52 -0700
Organization: http://groups.google.com
Lines: 29
Message-ID: <1174752052.274877.250050@n76g2000hsh.googlegroups.com>
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
NNTP-Posting-Host: 205.188.116.68
Mime-Version: 1.0
Content-Type: text/plain; charset="utf-8"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1174752054 25844 127.0.0.1 (24 Mar 2007 16:00:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Mar 2007 16:00:54 +0000 (UTC)
In-Reply-To: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [dtc-td012 8.4.1], HTTP/1.1 cache-dtc-ab04.proxy.aol.com[CDBC7444] (Traffic-Server/6.1.5 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: n76g2000hsh.googlegroups.com; posting-host=205.188.116.68;
   posting-account=44lSvgwAAABvHYUREW4nSq_tyQTQBSmt
Xref: g2news1.google.com alt.ham-radio.mods:347 rec.radio.amateur.boatanchors:11003 rec.radio.amateur.equipment:11716 rec.radio.amateur.misc:34560 uk.radio.amateur:106006

On Mar 24, 11:45=EF=BF=BDam, "bob.martin" <bmar...@qxi.com> wrote:
> Dear All,
>
> My kenwood TL922 has developed a strange fault. =A0When I switch it on (v=

```
ia an
> Ameritron Soft Start module) I get a negative reading on the Ig meter
> of -50mA and a positive reading of around +100mA on the Ip meter with no =
key
> down.
>
> Keying the amp has no effect and the relay does not energise. =A0I have
> checked the ALC and relay connectors and the coaxial cables
>
> I've tried starting it directly bypassing the soft start box and this has
> made no difference. =A0 Obviously I do not leave it on for more than a few
> seconds as there is clearly a fault. =A0I have had the covers off and can=
 see
> nothing untoward in terms of burnt components and there is no burning sme=
ll
> and the fuses don't blow. =A0Also both valves (3-500zs) light up.
>
> Any suggestions as to what may be up before a trip over to Castle, has
> anyone else seen similar
>
> thanks
>
> Jim G7NKS




From -7223814690882148517
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes: gidf55c2,gidfc8b1,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: Mark@kb9rqz.org
Newsgroups: alt.ham-
radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.misc,uk.radio.amateur
Subject: Re: Question re TL 922 amplifier
Date: Sat, 24 Mar 2007 12:05:04 -0400
Message-ID: <g0ja0392ee5rul5bb7672t2pgvltefadg5@4ax.com>
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
<1174752052.274877.250050@n76g2000hsh.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
NNTP-Posting-Date: 24 Mar 2007 15:11:51 GMT
X-Complaints-To: abuse@teranews.com
```

```
Xref: g2news1.google.com alt.ham-radio.mods:348
rec.radio.amateur.boatanchors:11004 rec.radio.amateur.equipment:11717
rec.radio.amateur.misc:34561 uk.radio.amateur:106007

On 24 Mar 2007 09:00:52 -0700, "Dloyd Lavies" <N0vfpsucks@aol.com>
wrote:

>On Mar 24, 11:45?am, "bob.martin" <bmar...@qxi.com> wrote:
>> Dear All,
>>
>> My kenwood TL922 has developed a strange fault. hen I switch it on (via an
>> Ameritron Soft Start module) I get a negative reading on the Ig meter
>> of -50mA and a positive reading of around +100mA on the Ip meter with no key
>> down.
>>
>> Keying the amp has no effect and the relay does not energise.
      have
>> checked the ALC and relay connectors and the coaxial cables
>>
>> I've tried starting it directly bypassing the soft start box and this has
>> made no difference.  Obviously I do not leave it on for more than a few
>> seconds as there is clearly a fault.    have had the covers off and can see
>> nothing untoward in terms of burnt components and there is no burning smell
>> and the fuses don't blow.
lso both valves (3-500zs) light up.
>>
>> Any suggestions as to what may be up before a trip over to Castle, has
>> anyone else seen similar
>>
>> thanks
>>
>> Jim G7NKS
>
that was certainly an insightfull reply Dloyd
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 5397597031194981180
X-Google-Thread: 114a57,4a4ff26a1bcf40fc
X-Google-Thread: f55c2,4a4ff26a1bcf40fc
X-Google-Thread: fc8b1,4a4ff26a1bcf40fc
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Thread: 107ada,4a4ff26a1bcf40fc
X-Google-Thread: 114aac,4a4ff26a1bcf40fc
X-Google-Thread: 10ddf1,4a4ff26a1bcf40fc
X-Google-Thread: f64c6,4a4ff26a1bcf40fc
X-Google-Attributes:
gid114a57,gidf55c2,gidfc8b1,gid108122,gid107ada,gid114aac,gid10ddf1,gidf64c6,publi
c
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed1.ip.tiscali.net!
tiscali!newsfeed2.ip.tiscali.net!news.astraweb.com!newsrouter-eu.astraweb.com!
hwmnpeer01.ams!news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-
media.com!newspeer1-win.ntli.net!newsfe4-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "t w" <tw100uk@ntlworld.com>
Newsgroups: alt.ham-radio.hf,alt.ham-
radio.mods,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.misc,rec.radio.shortwave,relcom.radio.ham,uk.radio.amateur
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
Subject: Re: Question re TL 922 amplifier
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <OxcNh.7931$F82.391@newsfe4-win.ntli.net>
Date: Sat, 24 Mar 2007 16:42:22 GMT
NNTP-Posting-Host: 82.26.231.141
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe4-win.ntli.net 1174754542 82.26.231.141 (Sat, 24 Mar 2007 16:42:22
GMT)
NNTP-Posting-Date: Sat, 24 Mar 2007 16:42:22 GMT
Organization: ntlworld News Server
Xref: g2news1.google.com alt.ham-radio.hf:1171 alt.ham-radio.mods:349
rec.radio.amateur.boatanchors:11005 rec.radio.amateur.equipment:11718
rec.radio.amateur.misc:34562 rec.radio.shortwave:107327 relcom.radio.ham:59
uk.radio.amateur:106010
```

"bob.martin" <bmartin@qxi.com> wrote in message
news:bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net...

> Dear All,
>
> My kenwood TL922 has developed a strange fault. When I switch it on (via
> an Ameritron Soft Start module) I get a negative reading on the Ig meter
> of -50mA and a positive reading of around +100mA on the Ip meter with no
> key down.
>
> Keying the amp has no effect and the relay does not energise. I have
> checked the ALC and relay connectors and the coaxial cables
>
> I've tried starting it directly bypassing the soft start box and this has
> made no difference.   Obviously I do not leave it on for more than a few
> seconds as there is clearly a fault. I have had the covers off and can
> see nothing untoward in terms of burnt components and there is no burning
> smell and the fuses don't blow. Also both valves (3-500zs) light up.
>
> Any suggestions as to what may be up before a trip over to Castle, has
> anyone else seen similar
>

> thanks
>
>
> Jim G7NKS
Get the diagram out & fix it yourself.Why do so many people just send stuff
off.A 922 is not rocket stuff.
Keith.
>
>
>

From 6058941966157158413
X-Google-Thread: 108122,4a4ff26a1bcf40fc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!nntp.infostrada.it!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Reply-To: "Antonio Vernucci" <vernucci@tiscali.it>
From: "Antonio Vernucci" <vernucci@tin.it>
Newsgroups: rec.radio.amateur.equipment
References: <bIbNh.18965$7l1.17703@newsfe4-gui.ntli.net>
Subject: Re: Question re TL 922 amplifier
Date: Sat, 24 Mar 2007 18:27:19 +0100
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 27
Message-ID: <46055f78$0$4798$4fafbaef@reader4.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 79.2.221.116
X-Trace: 1174757241 reader4.news.tin.it 4798 79.2.221.116:40302
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news1.google.com rec.radio.amateur.equipment:11719

> My kenwood TL922 has developed a strange fault. When I switch it on (via an
> Ameritron Soft Start module) I get a negative reading on the Ig meter of -50mA
> and a positive reading of around +100mA on the Ip meter with no key down.
>
> Keying the amp has no effect and the relay does not energise. I have checked
> the ALC and relay connectors and the coaxial cables

Easy diagnosis: one of the two 3-500Z tubes has developed an internal grid-to-filament short (quite a common fault).

The short causes the tube filament to effectively stay at ground potential even during stand-by, and that is the reason why the tube conducts and the plate meter then shows some idling current.

The grid shows negative current because, due to the short, the positive DC voltage applied to the filament to keep the tubes interdict during stand.by founds a path to ground through the grid.

WARNING: you are running the risk to blow the service transformer (T2). This is a Kenwood design fault: when a grid-to-filament short occurs, the 80 Volt generated by T2 is shorted to ground. DO NOT SWITCH THE AMPLIFIER ON AGAIN until you have replaced the faulty tube.

73

Tony I0JX

From 5864906693398807413
X-Google-Thread: 108122,cc34f20abf716176,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Bjoern Prochaska <Bjoern.Prochaska@web.de>
Newsgroups: rec.radio.amateur.equipment
Subject: [Help] ICOM SM-5 Mike
Date: Fri, 02 Mar 2007 09:13:29 +0100
Lines: 13
Message-ID: <54q4kbF21vca8U1@mid.individual.net>
Reply-To: bjoern.prochaska@web.de
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-Trace: individual.net TvIFtu3NHxliLaAWxZGvewykrHK1Tg2Nc99IXTwBM14B59JjdT
User-Agent: KNode/0.10.4
Xref: g2news2.google.com rec.radio.amateur.equipment:8130

Hello,
I got hold of an IC-SM5 Mike, that came with an IC-730. Unfortunately, it appears that the wiring of the mike got screwed up. Result is no output of the mike. It would be great, if somebody with access to this kind of mike, could make a photo of that wiring and possibly mail it to me. (Reply is working)

Any help is greatly appreciated.

Vy 73 de Bjoern, DH3BP

NB: I do have the schematics, but I can't work it out since the PCB looks totally different than the schematics in the manual.

From 2088650504688753189
X-Google-Thread: 108122,e5d29b53c26be86f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: Hewlett Packard 8640B 512 Mhz Signal Generator
Date: Fri, 02 Mar 2007 10:51:52 -0600
Organization: netINS InterNetNews site
Lines: 4
Message-ID: <p7lgu2lgjftkc88b8v1qjoc6sj1h71oulm@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1172854312 17242 67.55.159.6 (2 Mar 2007 16:51:52 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Fri, 2 Mar 2007 16:51:52 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:8131

Hello, I have a clean HP 8640B Signal Generator for sale. It is in great condition and works with no problems. The price is $400 plus shipping. Please email me with any questions or request for a picture. Remove NOSPAM from my email address when replying. Thanks, Mike

From -612751180228321291
X-Google-Thread: 108122,1e82b8bcdced37f1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 03 Mar 2007 00:13:07 -0600
Reply-To: "David Payne" <payne4229@comcast.net>
From: "David Payne" <payne4229@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: IC251A All Mode 2 meter Tansc.
Date: Fri, 2 Mar 2007 22:13:11 -0800
Organization: whatever
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000721-0, 03/02/2007), Outbound message

```
X-Antivirus-Status: Clean
Message-ID: <Yfidna4aS9hpjHTYnZ2dnUVZ_rKvnZ2d@comcast.com>
Lines: 3
NNTP-Posting-Host: 24.21.247.39
X-Trace: sv3-
d5FE5+R6Jzb8xIqyn8+LJ9nmJdWdVvW7N+x9ejalB6+F8bYnMYuLTZcm7Rn4GpSnmTernmQ0G+x+pyf!
8GEUIfjqYNRz7GF+Vd8msFDg1A73KFK4Pf/uteXxy91Krq+8kXHqBuDpoE1GA4Ig2hiQ0I8wVZHF!
c8HQOfoiEDQhOg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news2.google.com rec.radio.amateur.equipment:8132

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=290089884083




From -3941504601530705416
X-Google-Thread: 108122,bdad03ff1acd2582,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 03 Mar 2007 00:41:55 -0600
Reply-To: "David Payne" <payne4229@comcast.net>
From: "David Payne" <payne4229@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: G-5400B Yaseu AZ/EL Rotor System
Date: Fri, 2 Mar 2007 22:41:58 -0800
Organization: whatever
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 000721-0, 03/02/2007), Outbound message
X-Antivirus-Status: Clean
Message-ID: <MpmdnZA1CvUuhXTYnZ2dnUVZ_vupnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 24.21.247.39
X-Trace: sv3-owUZM4IPhadeAxlnbWyClVSrGHQj9H+58+xXJr3pcdoQhmdHSgvJfNvV+D/
yFDSQXFXh+qH7TWzGd8Z!PgVFIVpQijnHdtpOoRL2ONAQSdfH4ebhWNKGjPZKxp5Kjpp+RgwpH/
sotCOsCj0wc9Qi+I6jRHHJ!9lRDsvxxOwAtWw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.34
Xref: g2news2.google.com rec.radio.amateur.equipment:8133

http://home.comcast.net/~payne4229/G5400B.htm

Control box, AZ/EL Rotor and Fiberglass antenna cross beam. Glass beam is designed to hold two Yagis/directional arrays without interacting with the antennas.

Make Offer.

Thanks,

Dave
NA7V
Oregon

From -3739308569642156104
X-Google-Thread: 108122,2496adced2734f7e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!out04a.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe06.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Telegraphic codes are 165 years old
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <JllGh.75$S%2.43@newsfe06.phx>
Date: Sat, 3 Mar 2007 13:00:40 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe06.phx 1172955625 72.197.12.245 (Sat, 03 Mar 2007 14:00:25 MST)
NNTP-Posting-Date: Sat, 03 Mar 2007 14:00:25 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8134

Let's honor it for its historic value and the impact it had on our ancestors.
It was the world information highway for many many decades.
Let's keep the tradition as Amateur Radio operators do to this very day and will continue to do so for many years to come.

Before you bash the code, read URL:
http://www.unesco.org/courier/1999_08/uk/connex/txt1.htm

You don't have to learn it or like it or even pass an Amateur Radio exam requiring it, but all reasonable persons should respect it.

Your WWII Fathers and Grandfathers certainly did. As well as your WWI and Civil War ancestors. The passengers on the Titanic would have appreciated Maritime Laws concerning its mandatory use at sea.

CL - Navy Radio Operator and Amateur Radio licensee since 1977

From 6613771821831568492
X-Google-Thread: 108122,2496adced2734f7e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
headwall.stanford.edu!newshub.stanford.edu!news.kjsl.com!ncf.ca!
FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Telegraphic codes are 165 years old
Date: 3 Mar 2007 21:39:53 GMT
Organization: The National Capital FreeNet
Lines: 21
Message-ID: <escpv9$ene$1@theodyn.ncf.ca>
References: <JllGh.75$S%2.43@newsfe06.phx>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1172957993 15086 134.117.136.48 (3 Mar 2007 21:39:53 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 3 Mar 2007 21:39:53 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:8135

"Caveat Lector" (CL@nowhere.com) writes:
> Let's honor it for its historic value and the impact it had on our
> ancestors.

And what does this have to do with amateur radio equipment?

There are now three newsgroups for this kind of stuff, .policy .misc and .moderated

Keep it in those ones.

This is just more proof that the problem wasn't just with the obvious posters, who spew the newsgroups with their corss-posted junk. People who should know better aren't keeping it contained either.

Don't forget, this newsgroup, rec.radio.amateur.equipment is for

discussing amateur radio equipment. It's not for discussing other
things and it's not for buying and selling said amateur radio equipment.

  Michael VE2BVW

```
From -7461690120907104944
X-Google-Thread: 108122,92edd5478790b234,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!30g2000cwc.googlegroups.com!not-for-
mail
From: 73w7gsa@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED:  Ten Tec JUPITER Transceiver
Date: 3 Mar 2007 15:13:11 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1172963591.111383.26950@30g2000cwc.googlegroups.com>
NNTP-Posting-Host: 71.208.19.76
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1172963596 7038 127.0.0.1 (3 Mar 2007 23:13:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 3 Mar 2007 23:13:16 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.10)
Gecko/20070216 Firefox/1.5.0.10,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 30g2000cwc.googlegroups.com; posting-host=71.208.19.76;
   posting-account=loDvQg0AAABeyrCsfwBynINGNaPuCDIt
Xref: g2news2.google.com rec.radio.amateur.equipment:8136
```

I would like to buy a Ten Tec Jupiter transceiver WITH the antenna
tuner. Also, a 708 or 709 mic for the rig.

If the price is right I would consider the Jupiter without the tuner.

Please contact me at: 73w7gsa@gmail.com

Thanks,

Bill

```
From -7809034687225448798
X-Google-Thread: 108122,cc34f20abf716176
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 03 Mar 2007 17:39:37 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <54q4kbF21vca8U1@mid.individual.net>
Subject: Re: [Help] ICOM SM-5 Mike
Date: Sat, 3 Mar 2007 17:39:34 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <6c2dnd1zr8OkmnfYnZ2dnUVZ_tyinZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-wKl+AgNFSTNG1JWJSWclpaXOpzf51dqjg3K+bmyrzbz/
go13NPVi3xSSMrTdkEOxLsTucvznz1uN2Oa!
NlceVCe5IZ6fOG4yRCrxpgr1lO5mT3iVq83VyqA1+4SfpyQYMGZJVkn7zHDZz1dy43PSCZdSQjV+!
aGVts8piBZiJ19fOEQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news2.google.com rec.radio.amateur.equipment:8137

"Bjoern Prochaska" <Bjoern.Prochaska@web.de> wrote in message
news:54q4kbF21vca8U1@mid.individual.net...

> Hello,
> I got hold of an IC-SM5 Mike, that came with an IC-730. Unfortunately, it appears that the wiring of the mike got screwed up. Result is no output of the mike. It would be great, if somebody with access to this kind of mike, could make a photo of that wiring and possibly mail it to me. (Reply is working)
>
> Any help is greatly appreciated.
>
> Vy 73 de Bjoern, DH3BP
>
> NB: I do have the schematics, but I can't work it out since the PCB looks totally different than the schematics in the manual.

Bjoern -

Well you have the schematic. Do you think someone changed (replaced) the microphone pre-amp in the base of the microphone?

http://www.kk5dr.com/micamp.html

```
From 676592993957448602
X-Google-Thread: 108122,4d9a5a2c575d8b9c,start
X-Google-Thread: 1109af,4d9a5a2c575d8b9c,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
out02a.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe06.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola MTX950 900 MHz Portable-On 927.5 Ham Works Great
Lines: 30
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000D_01C75DD5.DA4DFDB0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <igsGh.125$S%2.14@newsfe06.phx>
Date: Sat, 3 Mar 2007 20:52:27 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe06.phx 1172983950 68.104.78.240 (Sat, 03 Mar 2007 21:52:30 MST)
NNTP-Posting-Date: Sat, 03 Mar 2007 21:52:30 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8138 rec.radio.swap:11445

This is a multi-part message in MIME format.

------=_NextPart_000_000D_01C75DD5.DA4DFDB0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250088217214&=
ssPageName=3DSTRK:MESE:IT&ih=3D015
------=_NextPart_000_000D_01C75DD5.DA4DFDB0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
<DIV><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250088217214&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250088217214&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></DIV></BODY></HTML>

------=_NextPart_000_000D_01C75DD5.DA4DFDB0--



From 5603979950662249062
X-Google-Thread: 108122,a87854fe86e175d4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!7a5d3c59!not-for-mail
From: Jerry Franks <w4rf@att.net>
User-Agent: Thunderbird 1.5.0.10 (Windows/20070221)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Drake TR-4CW on Ebay
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <W6KGh.101444$5j1.51477@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 5052a19b49e254a76b310c0352a51fe2
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1173057078
5052a19b49e254a76b310c0352a51fe2 (Mon, 05 Mar 2007 01:11:18 GMT)
NNTP-Posting-Date: Mon, 05 Mar 2007 01:11:18 GMT
Organization: AT&T Worldnet
Date: Mon, 05 Mar 2007 01:11:18 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:8139

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=012&sspagename=STRK%3AMESE%3AIT&viewitem=&item=220088827485&rd=1&rd=1


From -4726556352149065896
X-Google-Thread: 108122,3fccf980475bc6fa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Ron Smith" <ronnies@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ham Radio Stuff
Date: Sun, 4 Mar 2007 20:27:19 -0500
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <45eb71f6$0$4903$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8140

www.hamwave.com

From 2842188491832849234
X-Google-Thread: 108122,e1c0c673f83c5c1d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!headwall.stanford.edu!newshub.stanford.edu!newsfeed.berkeley.edu!ucberkeley!nntp.kreonet.re.kr!kreonet.re.kr!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Hewlett Packard 8640B 512 Mhz Signal Generator
Date: Mon, 05 Mar 2007 08:07:48 -0600
Organization: netINS InterNetNews site
Lines: 3
Message-ID: <568ou2ts4o5ovsdrpsjtdk4skkoerp3o3r@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1173103667 5269 67.55.159.6 (5 Mar 2007 14:07:47 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Mon, 5 Mar 2007 14:07:47 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:8141

This is a very clean and perfectly working HP 8640B.
Thanks for looking.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=170087537084

From 4163694544951086594
X-Google-Thread: 108122,dca723754bedd7c9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!64g2000cwx.googlegroups.com!not-for-mail
From: roger@crystalship1.com
Newsgroups: rec.radio.amateur.equipment
Subject: Mot. MTX9250 question
Date: 5 Mar 2007 08:20:35 -0800

Organization: http://groups.google.com
Lines: 5
Message-ID: <1173111635.717574.188480@64g2000cwx.googlegroups.com>
NNTP-Posting-Host: 40.0.40.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173111642 7262 127.0.0.1 (5 Mar 2007 16:20:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Mar 2007 16:20:42 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; LILLY-US-EN; .NET CLR 1.1.4322; InfoPath.1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 64g2000cwx.googlegroups.com; posting-host=40.0.40.10;
   posting-account=lXexiQ0AAAATzRtmCzyjKIikjz4k6MNq
Xref: g2news2.google.com rec.radio.amateur.equipment:8142

Motorola MTX9250 Question: Anybody know how to turn the battery
indicator back on?

Thanks in advance! :-)

From -6986092787527317588
X-Google-Thread: 108122,314d8e3006f871b5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!9d73b09e!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Subscribe FREE to the K9YA Telegraph
Lines: 19
Organization: Robert F. Heytow Memorial Radio Club
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <Ko2Hh.1541$8i6.1148@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 75.3.43.168
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1173140138 ST000 75.3.43.168 (Mon, 05 Mar 2007 19:15:38 EST)
NNTP-Posting-Date: Mon, 05 Mar 2007 19:15:38 EST
X-UserInfo1:
FKPGGYCNWZUWCFD[LZKJOPHAWB\^PBQLGPQRJVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Tue, 06 Mar 2007 00:15:38 GMT

```
Xref: g2news2.google.com rec.radio.amateur.equipment:8143
```

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest amateur radio publication read by Hams in more than 100 countries. The K9YA Telegraph contains the stories and features most wanted by our readers, because it is written by them. An e-Zine, it is delivered monthly to your e-mail inbox as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph.

To check out back issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

```
From -4750202423021093729
X-Google-Thread: 108122,9e9c7eb7934badb0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t69g2000cwt.googlegroups.com!not-for-
mail
From: "Richard" <richsd@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-1000
Date: 5 Mar 2007 16:16:56 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1173140216.755733.318310@t69g2000cwt.googlegroups.com>
NNTP-Posting-Host: 70.111.30.37
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173140239 22213 127.0.0.1 (6 Mar 2007 00:17:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Mar 2007 00:17:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t69g2000cwt.googlegroups.com; posting-host=70.111.30.37;
   posting-account=IFbRWA0AAABf126WSEzDw3nAj1nLDSLH
Xref: g2news2.google.com rec.radio.amateur.equipment:8144
```

My club, the Roseland (NJ) ARC, has the original Yaesu FT-1000 as our HF station. Recently, the autotuner will not find a satisfactory SWR, and a suggestion was made to perform a reset. We do not have the

technical manual for this rig, so if anyone identify the keys to hold
on power-up to do a reset, it would be appreciated.

73, Dick, AB2SV

From 1279796129705218435
X-Google-Thread: 108122,15983bde42d77979,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v33g2000cwv.googlegroups.com!not-for-mail
From: "J" <jhulet@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: SGC-SG2020
Date: 5 Mar 2007 20:27:03 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1173155223.496494.74590@v33g2000cwv.googlegroups.com>
NNTP-Posting-Host: 205.188.116.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173155235 17731 127.0.0.1 (6 Mar 2007 04:27:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Mar 2007 04:27:15 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1; .NET CLR 1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/3.1.1.2 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [dtc-td093 8.4.1], HTTP/1.1 cache-dtc-aa04.proxy.aol.com[CDBC7408] (Traffic-Server/6.1.5 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: v33g2000cwv.googlegroups.com; posting-host=205.188.116.8;
   posting-account=DAsCAQwAAACaQ3IRjXUcBH3GRvuMtipi
Xref: g2news2.google.com rec.radio.amateur.equipment:8145

Looking for a nice used one...

Thanks!

Jason W1WOW
www.traversecityvacationer.com

From -2627760476179361390
X-Google-Thread: 108122,9e9c7eb7934badb0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail

NNTP-Posting-Date: Mon, 05 Mar 2007 23:47:10 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1173140216.755733.318310@t69g2000cwt.googlegroups.com>
Subject: Re: FT-1000
Date: Mon, 5 Mar 2007 21:47:13 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <V7KdnemMHozCnXDYnZ2dnUVZ_sqdnZ2d@giganews.com>
Lines: 16
X-Trace: sv3-MptBm1tGqPR0CizleDwBA6IcCwXI0ydy5HwnYa0LaxvF/cM/
KBB0ZWXBhoDSAn3N+MyVgKBiZrCItKi!Z4HyFPIwbpgIGqDQWJeBZ/
YLXTFn3MuMIv8Ec4CgCDSo7eSX9l7gAmzwb1k7knK053i01cfawXE=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news2.google.com rec.radio.amateur.equipment:8146

Richard wrote:
> My club, the Roseland (NJ) ARC, has the original Yaesu FT-1000 as our
> HF station. Recently, the autotuner will not find a satisfactory SWR,
> and a suggestion was made to perform a reset. We do not have the
> technical manual for this rig, so if anyone identify the keys to hold
> on power-up to do a reset, it would be appreciated.
>
> 73, Dick, AB2SV
>

Hi Dick,
Have you tried looking for manuals on http://mods.dk? You may find what you
need there.
73,
Bryan WA7PRC

From -8483496416614865943
X-Google-Thread: 108122,dca8e32c45ee0075,start
X-Google-Thread: 1109af,dca8e32c45ee0075,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!news-in-02.newsfeed.easynews.com!easynews.com!easynews!
hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe10.phx.POSTED!
53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap

```
Subject: FA: Motorola HT1250 ls Plus UHF Radio-Trunking & 16 Ch Conventional Has
DTMF & Charger
Lines: 43
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0019_01C75F70.66398510"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <Fj7Hh.317$115.168@newsfe10.phx>
Date: Mon, 5 Mar 2007 21:51:15 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe10.phx 1173160293 68.104.78.240 (Mon, 05 Mar 2007 22:51:33 MST)
NNTP-Posting-Date: Mon, 05 Mar 2007 22:51:33 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8147 rec.radio.swap:11465

This is a multi-part message in MIME format.

------=_NextPart_000_0019_01C75F70.66398510
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola HT1250 ls Plus UHF Radio-Trunking & 16 Ch Conventional Has =
DTMF & Charger

Radio is in very good condition...covers Ham Freq's too.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250089296699&=
ssPageName=3DSTRK:MESE:IT&ih=3D015=20

------=_NextPart_000_0019_01C75F70.66398510
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola HT1250 ls Plus UHF Radio-Trunking &amp; 16 Ch =
Conventional Has=20
DTMF &amp; Charger</P>
<P>Radio is in very good condition...covers Ham Freq's too.</P><FONT =
size=3D3>
```

```
<P><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250089296699&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250089296699&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A>&nbsp;</P></FONT></FONT></DIV></=
BODY></HTML>

------=_NextPart_000_0019_01C75F70.66398510--




From -4127579315820262896
X-Google-Thread: 108122,417fec6f3e0e59c4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Ron Smith" <ronnies@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: True-Talk G5RV Antenna
Date: Tue, 6 Mar 2007 09:41:52 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <45ed7dac$0$28133$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8148

http://members6.boardhost.com/theswapshoppe/





From 1911163968024036954
X-Google-Thread: 108122,3126cdee44cb6db1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c51g2000cwc.googlegroups.com!not-for-
mail
From: 73w7gsa@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Kenwood TS-850S AT
Date: 6 Mar 2007 16:50:09 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1173228609.322376.89680@c51g2000cwc.googlegroups.com>
NNTP-Posting-Host: 71.208.19.76
Mime-Version: 1.0
```

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173228627 3400 127.0.0.1 (7 Mar 2007 00:50:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Mar 2007 00:50:27 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.10)
Gecko/20070216 Firefox/1.5.0.10,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c51g2000cwc.googlegroups.com; posting-host=71.208.19.76;
   posting-account=loDvQg0AAABeyrCsfwBynINGNaPuCDIt
Xref: g2news2.google.com rec.radio.amateur.equipment:8149

Hi,

I am selling my Kenwood TS-850S-AT.

$650.00 plus shipping. The radio is in excellent condition

To see pictures and the discription please click on:
http://marklinbuyer.googlepages.com/ts-850s

73s,

Bill
W7GSA

73w7gsa@gmail.com

From 5846882462979107157
X-Google-Thread: 108122,9e9c7eb7934badb0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
indigo.octanews.net!news-out.octanews.net!mauve.octanews.net!newsfeeds.sol.net!
posts.news.twtelecom.net!nnrp2.twtelecom.net!not-for-mail
Date: Tue, 06 Mar 2007 19:59:25 -0600
From: JaySeeBee <af65_69remove@yahoo.com>
User-Agent: Thunderbird 1.5.0.10 (Windows/20070221)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-1000
References: <1173140216.755733.318310@t69g2000cwt.googlegroups.com>
<V7KdnemMHozCnXDYnZ2dnUVZ_sqdnZ2d@giganews.com>
In-Reply-To: <V7KdnemMHozCnXDYnZ2dnUVZ_sqdnZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <45ee1c81$0$17207$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 07 Mar 2007 01:59:30 GMT

NNTP-Posting-Host: 7285503c.news.twtelecom.net
X-Trace:
DXC=[SA]E\>73S]WgV]Z^V=^]_C_A=>8kQj6]Y;@_o827nGS9@T^U<2Ff<S8c@Xc5[XS^S>nkD9l?WXZX
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8150

They have the entire manual available to download at this link from
Yaesu.com It is in .pdf format and pretty big file (47.62mb). JCB
 >
http://www.yaesu.com/downloadFile.cfm?
FileID=1046&FileCatID=158&FileName=FT%2D1000MP%20Operating%20Manual.pdf&FileContentType=application%2Fpdf

Bryan wrote:
> Richard wrote:
>> My club, the Roseland (NJ) ARC, has the original Yaesu FT-1000 as our
>> HF station. Recently, the autotuner will not find a satisfactory SWR,
>> and a suggestion was made to perform a reset. We do not have the
>> technical manual for this rig, so if anyone identify the keys to hold
>> on power-up to do a reset, it would be appreciated.
>>
>> 73, Dick, AB2SV
>>
> Hi Dick,
> Have you tried looking for manuals on http://mods.dk? You may find what you
> need there.
> 73,
> Bryan WA7PRC
>
>

From -1252748411392653133
X-Google-Thread: 108122,9e9c7eb7934badb0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: "HanZ" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-1000
Date: Wed, 7 Mar 2007 06:38:52 +0100
Lines: 41
Message-ID: <5571f3F23ndtsU1@mid.individual.net>
References: <1173140216.755733.318310@t69g2000cwt.googlegroups.com>
<V7KdnemMHozCnXDYnZ2dnUVZ_sqdnZ2d@giganews.com>
<45ee1c81$0$17207$39cecf19@news.twtelecom.net>
X-Trace: individual.net G43RGXRhWr4dpzo1Jl/PcwR6xW4fiVBiWIXey95UJX3oK58o2P
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.equipment:8151

The link for the manual is for the FT1000MP , Dick wants a servicedoc of the
original FT1000 which is produced till 1995/96.(The best of the best)
Look at : http://foxtango.org/foxtango001.htm , you can join this club for
free when you go to their Yahoo-group.
When you joined them , you can get a password to acces their downloadsection
to get your FT1000 servicedoc.

73,Hans,PA3HGT

www.pa3hgt.nl



"JaySeeBee" <af65_69remove@yahoo.com> schreef in bericht
news:45ee1c81$0$17207$39cecf19@news.twtelecom.net...
> They have the entire manual available to download at this link from
> Yaesu.com It is in .pdf format and pretty big file (47.62mb). JCB
> >
> http://www.yaesu.com/downloadFile.cfm?
FileID=1046&FileCatID=158&FileName=FT%2D1000MP%20Operating%20Manual.pdf&FileConten
tType=application%2Fpdf
>
>
>
>
> Bryan wrote:
>> Richard wrote:
>>> My club, the Roseland (NJ) ARC, has the original Yaesu FT-1000 as our
>>> HF station.  Recently, the autotuner will not find a satisfactory SWR,
>>> and a suggestion was made to perform a reset.  We do not have the
>>> technical manual for this rig, so if anyone identify the keys to hold
>>> on power-up to do a reset, it would be appreciated.
>>>
>>> 73, Dick, AB2SV
>>>
>> Hi Dick,
>> Have you tried looking for manuals on http://mods.dk? You may find what
>> you
>> need there.
>> 73,
>> Bryan WA7PRC
>>



From 6157290698935284160
X-Google-Thread: 108122,9e9c7eb7934badb0
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
news.kjsl.com!news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!
not-for-mail
Sender: marc@neko.snafu.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-1000
References: <1173140216.755733.318310@t69g2000cwt.googlegroups.com>
From: Marco S Hyman <marc@snafu.org>
Date: 06 Mar 2007 23:55:17 -0800
Message-ID: <x74poxh4ii.fsf@neko.snafu.org>
Organization: S.N.A.F.U. -- http://www.snafu.org/
User-Agent: Gnus/5.09 (Gnus v5.9.0) Emacs/21.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Lines: 12
NNTP-Posting-Date: 07 Mar 2007 08:17:02 GMT
NNTP-Posting-Host: afb59fc8.news.sonic.net
X-Trace: DXC=f`Ebj<`1F:Qa`[<=m6Vl:Xm4K\QM1CV^P1OYf0H`?;XQG?hJ?
km2HkQ:oF=1i9HD6TQ>GXMN2^W`W;_a48Qgm5cR
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8152
```

"Richard" <richsd@verizon.net> writes:

> My club, the Roseland (NJ) ARC, has the original Yaesu FT-1000 as our
> HF station. Recently, the autotuner will not find a satisfactory SWR,
> and a suggestion was made to perform a reset. We do not have the
> technical manual for this rig, so if anyone identify the keys to hold
> on power-up to do a reset, it would be appreciated.

Processor reset: hold SUB and ENT then hit the power switch. That will also clear all memories.

// marc (kc7jl)

```
From -3524777585006579982
X-Google-Thread: 108122,331d1e301f967e6d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!
news.nask.org.pl!newsfeed.pionier.net.pl!news.dialog.net.pl!not-for-mail
From: zz <zz@eltis.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: HFV-5 Diamond antenna
Date: Wed, 07 Mar 2007 10:59:10 +0100
Organization: Dialog Net
Lines: 6
Message-ID: <523tu2h7i8uns13m552g8a87arcapq4vom@4ax.com>
NNTP-Posting-Host: xdsl-7043.wroclaw.dialog.net.pl
Mime-Version: 1.0
```

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.dialog.net.pl 1173261552 9623 84.40.136.131 (7 Mar 2007 09:59:12 GMT)
X-Complaints-To: abuse@dialog.net.pl
NNTP-Posting-Date: Wed, 7 Mar 2007 09:59:12 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
Xref: g2news2.google.com rec.radio.amateur.equipment:8153

Where i can find description (user manual) for new Diamond HFV-5
antenna?

Zielinski Zbigniew
SQ6MIZ
sq6miz@op.pl

From 537177384138685178
X-Google-Thread: 108122,331d1e301f967e6d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!newsmm00.sul.t-online.de!t-online.de!news.t-online.com!not-for-mail
From: Roland Knecht <hausgeraete@funkwesen.de>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HFV-5 Diamond antenna
Date: Wed, 07 Mar 2007 12:33:48 +0100
Organization: T-Online
Lines: 10
Message-ID: <5o8tu2pova0gn1mgmtcooj70g9c120it5s@4ax.com>
References: <523tu2h7i8uns13m552g8a87arcapq4vom@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.t-online.com 1173267228 02 13771 6fFJ6Sq179zXSXIg 070307 11:33:48
X-Complaints-To: usenet-abuse@t-online.de
X-ID: Gz-jkwZJZeBb-kOnxXuq2L4Oegpi7Sm5uOSzuJfmgPxr5A7JsYrJ6Q
X-Newsreader: Forte Agent 1.93/32.576 Deutsch (Standard)
Xref: g2news2.google.com rec.radio.amateur.equipment:8154

zz <zz@eltis.pl> schrieb:

> Diamond HFV-5

http://www.swiatradio.com.pl/virtual/print.php?sid=269

73! Ron dl7ba

```
From 5783130840373537185
X-Google-Thread: 108122,527ac90f8623864d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!
news.nask.org.pl!newsfeed.pionier.net.pl!news.dialog.net.pl!not-for-mail
From: zz <zz@eltis.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: To HFV-5 antenna users
Date: Wed, 07 Mar 2007 15:13:17 +0100
Organization: Dialog Net
Lines: 4
Message-ID: <0rhtu2h8k7a19quioo3ogvqmivdujj7idc@4ax.com>
NNTP-Posting-Host: xdsl-7043.wroclaw.dialog.net.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.dialog.net.pl 1173276803 21427 84.40.136.131 (7 Mar 2007 14:13:23
GMT)
X-Complaints-To: abuse@dialog.net.pl
NNTP-Posting-Date: Wed, 7 Mar 2007 14:13:23 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
Xref: g2news2.google.com rec.radio.amateur.equipment:8155

Please give me your opinion about this antenna.
                       Zielinski Zbigniew
                      SQ6MIZ
                     sq6miz@op.pl



From -2655615963024797121
X-Google-Thread: 108122,fe85caf97f7eef39,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!not-for-mail
From: nospam@nospam.com (Paul Ciszek)
Newsgroups: rec.radio.amateur.equipment
Subject: GE Super Radio followup
Date: Wed, 7 Mar 2007 17:15:44 +0000 (UTC)
Organization: Public Access Networks Corp.
Lines: 16
Sender: pciszek at panix dot com (Paul Ciszek)
Message-ID: <esms00$gs6$1@reader2.panix.com>
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader2.panix.com 1173287744 17286 166.84.1.1 (7 Mar 2007 17:15:44 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Mar 2007 17:15:44 +0000 (UTC)
X-no-markup: yes
Originator: pciszek at panix dot com (Paul Ciszek)
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Xref: g2news2.google.com rec.radio.amateur.equipment:8156
```

I asked about "good" receivers for broadcast radio a while back, and the GE Super Radio was highly recommended here and elsewhere. So, I got one for Christmas and it does seem to be good at pulling in and separating many stations. Thank you. However, there is one annoying problem: The indicator on the dial is "offset" by some distance. Since the printed frequency scale is non-linear, one can not simply remember a simple rule like "Station plus 500 kHz". The manual that came with the radio doesn't say anything, really; it's very short.

So, any ideas?

```
--
Please reply to:             | "Any sufficiently advanced incompetence is
pciszek at panix dot com     |  indistinguishable from malice."
Autoreply is disabled        |
```

```
From -288031948774062367
X-Google-Thread: 108122,fe85caf97f7eef39
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!not-for-mail
From: retsuhcs@xinap.moc (Mike S.)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GE Super Radio followup
Date: Wed, 7 Mar 2007 18:12:24 +0000 (UTC)
Organization: What? ME organized?
Lines: 15
Message-ID: <esmva7$7jq$1@reader2.panix.com>
References: <esms00$gs6$1@reader2.panix.com>
NNTP-Posting-Host: panix5.panix.com
X-Trace: reader2.panix.com 1173291144 7802 166.84.1.5 (7 Mar 2007 18:12:24 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 7 Mar 2007 18:12:24 +0000 (UTC)
X-Email-Address: If Backwards, Reverse The Letters
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Xref: g2news2.google.com rec.radio.amateur.equipment:8157
```

In article <esms00$gs6$1@reader2.panix.com>,
Paul Ciszek <nospam@nospam.com> wrote:

```
>I asked about "good" receivers for broadcast radio a while back, and
>the GE Super Radio was highly recommended here and elsewhere.  So, I
>got one for Christmas and it does seem to be good at pulling in and
>separating many stations.  Thank you.  However, there is one annoying
>problem:  The indicator on the dial is "offset" by some distance.
>Since the printed frequency scale is non-linear, one can not simply
>remember a simple rule like "Station plus 500 kHz".  The manual that
>came with the radio doesn't say anything, really; it's very short.
>
```

>So, any ideas?

http://users.netonecom.net/~swordman/Radio/GEsrIIIAlign.htm

From 6886928446096606237
X-Google-Thread: 108122,fe85caf97f7eef39
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 07 Mar 2007 18:05:47 -0600
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: rec.radio.amateur.equipment
References: <esms00$gs6$1@reader2.panix.com> <esmva7$7jq$1@reader2.panix.com>
Subject: Re: GE Super Radio followup
Date: Wed, 7 Mar 2007 19:05:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <QfGdnWL9vrrGznLYnZ2dnUVZ_ualnZ2d@comcast.com>
Lines: 43
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-aAYFAQpctdkSKqCXMizAMvk8FevL/HM3hM7w8JRw3P5sjTt4IGLaH7Ad9OubEKf4jVaRgcZsHon/B5w!jwPep06M2c9/h03Q9XtSJTbHbQKNWV4cF9VRDKXrtht67X3kJpRfhKq/05uvFklASEHxO9C0PHUA!xVtpUeUzSknXYSGi
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news2.google.com rec.radio.amateur.equipment:8158

"Mike S." <retsuhcs@xinap.moc> wrote in message news:esmva7$7jq$1@reader2.panix.com...
>
> In article <esms00$gs6$1@reader2.panix.com>,
> Paul Ciszek <nospam@nospam.com> wrote:
>>I asked about "good" receivers for broadcast radio a while back, and
>>the GE Super Radio was highly recommended here and elsewhere. So, I
>>got one for Christmas and it does seem to be good at pulling in and
>>separating many stations. Thank you. However, there is one annoying
>>problem: The indicator on the dial is "offset" by some distance.
>>Since the printed frequency scale is non-linear, one can not simply
>>remember a simple rule like "Station plus 500 kHz". The manual that
>>came with the radio doesn't say anything, really; it's very short.
>>
>>So, any ideas?
>

> http://users.netonecom.net/~swordman/Radio/GEsrIIIAlign.htm

Dial inaccuracy is usually caused by poor tracking of the oscillator. Is the problem evident on both AM and FM? If so, both oscillators will have to be adjusted.
To set the oscillators, locate a moderate strength station towards the low end of the dial and then set the tuning dial to the setting that corresponds to the frequency of the station. Then slowly tune the oscillator coil until the station comes in strongly.
Do the same with a station near the high end of the dial, and adjust the oscillator trimmer capacitor.
Repeat until the dial tracks accurately.
You might have to tweak the RF stages, but the IF should be OK without adjustment. Adjust the coils on the low end, the trimmer caps on the high end.

If you're not handy with electronic equipment, it might be best if you let a friend who is handy do it for you.

--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

Life is like a roll of toilet paper; the closer to the end, the faster it goes.

From -8819004507224138932
X-Google-Thread: 108122,fe85caf97f7eef39
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.194.251.MISMATCH!transit4.readnews.com!transit3.readnews.com!news-out.readnews.com!panix!not-for-mail
From: nospam@nospam.com (Paul Ciszek)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GE Super Radio followup
Date: Thu, 8 Mar 2007 01:56:17 +0000 (UTC)
Organization: Public Access Networks Corp.
Lines: 27
Sender: pciszek at panix dot com (Paul Ciszek)
Message-ID: <esnqg1$sfl$1@reader2.panix.com>
References: <esms00$gs6$1@reader2.panix.com> <esmva7$7jq$1@reader2.panix.com> <QfGdnWL9vrrGznLYnZ2dnUVZ_ualnZ2d@comcast.com>
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader2.panix.com 1173318977 29173 166.84.1.1 (8 Mar 2007 01:56:17 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 8 Mar 2007 01:56:17 +0000 (UTC)
X-no-markup: yes
Originator: pciszek at panix dot com (Paul Ciszek)

```
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Xref: g2news2.google.com rec.radio.amateur.equipment:8159


In article <QfGdnWL9vrrGznLYnZ2dnUVZ_ualnZ2d@comcast.com>,
DaveM <masondg4499@comcast99.net> wrote:
>
>Dial inaccuracy is usually caused by poor tracking of the oscillator.  Is the
>problem evident on both AM and FM?  If so, both oscillators will have to be
>adjusted.
>To set the oscillators, locate a moderate strength station towards the low end
>of the dial and then set the tuning dial to the setting that corresponds to the
>frequency of the station.  Then slowly tune the oscillator coil until the
>station comes in strongly.
>Do the same with a station near the high end of the dial, and adjust the
>oscillator trimmer capacitor.
>Repeat until the dial tracks accurately.
>You might have to tweak the RF stages, but the IF should be OK without
>adjustment.  Adjust the coils on the low end, the trimmer caps on the high end.
>
>If you're not handy with electronic equipment, it might be best if you let a
>friend who is handy do it for you.

That does sound rather daunting.  But thanks for the advice, and thanks to
the previous poster for pointing to the PDF of the manual.

--
Please reply to:            | "One of the hardest parts of my job is to
pciszek at panix dot com    |  connect Iraq to the War on Terror."
Autoreply is disabled       |             -- G. W. Bush, 9/7/2006


From -899767539443190931
X-Google-Thread: 108122,fe85caf97f7eef39
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newshub.sdsu.edu!headwall.stanford.edu!
newshub.stanford.edu!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GE Super Radio followup
Date: 8 Mar 2007 03:45:07 GMT
Organization: The National Capital FreeNet
Lines: 27
Message-ID: <eso0s3$lbt$1@theodyn.ncf.ca>
References: <esms00$gs6$1@reader2.panix.com> <esmva7$7jq$1@reader2.panix.com>
<QfGdnWL9vrrGznLYnZ2dnUVZ_ualnZ2d@comcast.com> <esnqg1$sfl$1@reader2.panix.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1173325507 21885 134.117.136.48 (8 Mar 2007 03:45:07 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 8 Mar 2007 03:45:07 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:11649
```

Paul Ciszek (nospam@nospam.com) writes:

>>If you're not handy with electronic equipment, it might be best if you let a
>>friend who is handy do it for you.
>
> That does sound rather daunting. But thanks for the advice, and thanks to
> the previous poster for pointing to the PDF of the manual.
>

Put a piece of markable tape under the actual dial, and then put markings
for the stations you regularly listen to.

Or if you are actually listening to distant stations (which may not
reliably be there) start working on calibrating that new "dial". Wait for
a station to ID, then look it up, and you'll find it's actual frequency. So
that takes out yet another point on the dial. Do this enough times, and
you'll have it all right.

This applies to a lot of radios, whether or not they have a serious problem.
A lot of low end analog radios have big spaces between the calibration marks,
so the dial isn't particularly helpful. But marking it as you desire (or
with that tape), you can tune to a given frequency so much faster. It's
easier to tune that boombox I have by looking at my bit of tape than trying
to read the original dial.

  Michael VE2BVW

From -3418742169808700102
X-Google-Thread: 108122,befd1e80f93a5c6c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j27g2000cwj.googlegroups.com!not-for-mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Need Tech. details
Date: 8 Mar 2007 17:57:23 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1173405443.139923.168080@j27g2000cwj.googlegroups.com>
NNTP-Posting-Host: 68.1.110.132
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173405464 13979 127.0.0.1 (9 Mar 2007 01:57:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Mar 2007 01:57:44 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com

Injection-Info: j27g2000cwj.googlegroups.com; posting-host=68.1.110.132;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:11650

Anyone able to identify a transceiver made by NEC , model
OG110E ..It is a HF ham band transceiver with general coverage
receive.any info will be appreciated..thanks Harold W4PQW

From -5572930310080258427
X-Google-Thread: 108122,befd1e80f93a5c6c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe10.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <1173405443.139923.168080@j27g2000cwj.googlegroups.com>
Subject: Re: Need Tech. details for NEC
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <nn3Ih.21032$115.18849@newsfe10.phx>
Date: Thu, 8 Mar 2007 18:11:59 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe10.phx 1173406291 72.197.12.245 (Thu, 08 Mar 2007 19:11:31 MST)
NNTP-Posting-Date: Thu, 08 Mar 2007 19:11:31 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11651

"mrhaney" <w4pqw@cox.net> wrote in message
news:1173405443.139923.168080@j27g2000cwj.googlegroups.com...
> Anyone able to identify a transceiver made by NEC , model
> OG110E ..It is a HF ham band transceiver with general coverage
> receive.any info will be appreciated..thanks Harold W4PQW
>

By chance would that be NEC CQ-110E
If so W7FG has the manual
http://www.w7fg.com/manuals.php?manufacturer=NEC&center=

Good Luck

CL

```
From 4300566261746731105
X-Google-Thread: 108122,befd1e80f93a5c6c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.phx!newsfe10.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <1173405443.139923.168080@j27g2000cwj.googlegroups.com>
<nn3Ih.21032$115.18849@newsfe10.phx>
Subject: Re: Need Tech. details for NEC
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <ew3Ih.21034$115.15882@newsfe10.phx>
Date: Thu, 8 Mar 2007 18:21:25 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe10.phx 1173406858 72.197.12.245 (Thu, 08 Mar 2007 19:20:58 MST)
NNTP-Posting-Date: Thu, 08 Mar 2007 19:20:58 MST
Organization: Cox
Xref: g2news1.google.com rec.radio.amateur.equipment:11652


"Caveat Lector" <CL@nowhere.com> wrote in message
news:nn3Ih.21032$115.18849@newsfe10.phx...
>
> "mrhaney" <w4pqw@cox.net> wrote in message
> news:1173405443.139923.168080@j27g2000cwj.googlegroups.com...
>> Anyone able to identify a transceiver made by NEC  ,  model
>> OG110E ..It is a HF ham band transceiver with general coverage
>> receive.any info will be appreciated..thanks  Harold W4PQW
>>
>
> By chance would that be NEC CQ-110E
> If so W7FG has the manual
> http://www.w7fg.com/manuals.php?manufacturer=NEC&center=
>
> Good Luck
>
> CL
>

Is this the one ?
http://www.elisanet.fi/oh5fad/nec/nec.html
```

```
From 4366800093704749472
X-Google-Thread: fc2a5,56b575687b3b49c0,start
X-Google-Thread: 108122,56b575687b3b49c0,start
X-Google-Attributes: gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 08 Mar 2007 20:24:48 -0600
From: "George Kavanagh" <gk05XspamX@comcast.net>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: 8558B YIG Oscillator - Not Field Repairable?
Date: Thu, 8 Mar 2007 21:24:48 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <McudnRaaKJXtWG3YnZ2dnUVZ_qOpnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 24.61.245.200
X-Trace: sv3-H4e4MZ7BW/5ZGp/
PUNTv35b+fOQbf6DfIWS1KesF0LhxPHMosk0GavyT1CdDqHlOPaCj9asglczr33o!
bcZQ7laXugN1OjFle3MKE7SeOac2QvAeiocf3A/fLeS5rCzBVn84z768CmrLbsXvF8KKc+r5wzSI!
OAsNDB8QeTGHsCfaWyrbAGqEp7Je2A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.homebrew:12493
rec.radio.amateur.equipment:11653
```

Has anyone attempted repair of said YIG Ocsillator sealed assembly ("A6")?
in the HP 8558B Spectrum Analyser? If so, were you successful?

My copy is putting out -32dbm (spec is +15dbm); otherwise seems fine: sweeps
OK, freq is right on, etc.

I suspect the 3 transistor amplifier inside the sealed assy.

Any suggestions?

-georgeK KB1HFT

```
From -6163537719691118893
X-Google-Thread: 108122,befd1e80f93a5c6c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!c51g2000cwc.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Tech. details for NEC
Date: 8 Mar 2007 20:30:33 -0800
Organization: http://groups.google.com
Lines: 32
Message-ID: <1173414633.322434.275210@c51g2000cwc.googlegroups.com>
References: <1173405443.139923.168080@j27g2000cwj.googlegroups.com>
   <nn3Ih.21032$115.18849@newsfe10.phx>
   <ew3Ih.21034$115.15882@newsfe10.phx>
NNTP-Posting-Host: 68.1.110.132
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1173414640 29754 127.0.0.1 (9 Mar 2007 04:30:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Mar 2007 04:30:40 +0000 (UTC)
In-Reply-To: <ew3Ih.21034$115.15882@newsfe10.phx>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c51g2000cwc.googlegroups.com; posting-host=68.1.110.132;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:11654

On Mar 8, 8:21 pm, "Caveat Lector" <C...@nowhere.com> wrote:
> "Caveat Lector" <C...@nowhere.com> wrote in message
>
> news:nn3Ih.21032$115.18849@newsfe10.phx...
>
>
>
>
>
>
>
> > "mrhaney" <w...@cox.net> wrote in message
> >news:1173405443.139923.168080@j27g2000cwj.googlegroups.com...
> >> Anyone able to identify a transceiver made by NEC  ,  model
> >> OG110E ..It is a HF ham band transceiver with general coverage
> >> receive.any info will be appreciated..thanks  Harold W4PQW
>
> > By chance would that be NEC CQ-110E
> > If so W7FG has the manual
> >http://www.w7fg.com/manuals.php?manufacturer=3DNEC=A2er=3D
>
```

```
> > Good Luck
>
> > CL
>
> Is this the one ?http://www.elisanet.fi/oh5fad/nec/nec.html- Hide quoted =
text -
>
> - Show quoted text -

THANKS GUYS, JUST WHAT I NEEDED..73  Harold W4PQW



From -4520636623853223548
X-Google-Thread: fc8b1,9a0f17f26df2ad44,start
X-Google-Thread: 1109af,9a0f17f26df2ad44,start
X-Google-Thread: 108122,9a0f17f26df2ad44,start
X-Google-Thread: 114aac,9a0f17f26df2ad44,start
X-Google-Thread: 108228,9a0f17f26df2ad44,start
X-Google-Attributes: gidfc8b1,gid1109af,gid108122,gid114aac,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s48g2000cws.googlegroups.com!not-for-
mail
From: servis_za_elektroniku@yahoo.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio
.shortwave,alt.ham-radio.marketplace
Subject: FS: COLLINS 51J-4 INSTRUCTION MANUAL 7th EDITION 1957-1960
Date: 9 Mar 2007 02:42:51 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1173436971.171899.163950@s48g2000cws.googlegroups.com>
NNTP-Posting-Host: 194.247.204.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173436978 24165 127.0.0.1 (9 Mar 2007 10:42:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Mar 2007 10:42:58 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
InfoPath.1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s48g2000cws.googlegroups.com; posting-host=194.247.204.15;
   posting-account=yz2JJQwAAAAXrWKPmFvtuD1W2ZNYvvKm
Xref: g2news1.google.com rec.radio.amateur.boatanchors:10834 rec.radio.swap:15715
rec.radio.amateur.equipment:11655 rec.radio.shortwave:105499 alt.ham-
radio.marketplace:2955

On Ebay.

Click on link:

http://cgi.ebay.com/ws/eBayISAPI.dll?
```

```
ViewItem&ih=005&sspagename=STRK%3AMESE%3AIT&viewitem=&item=150098990314&rd=1&rd=1



From 1845859223615017995
X-Google-Thread: fc2a5,56b575687b3b49c0
X-Google-Thread: 108122,56b575687b3b49c0
X-Google-Attributes: gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out03b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <McudnRaaKJXtWG3YnZ2dnUVZ_qOpnZ2d@comcast.com>
Subject: Re: 8558B YIG Oscillator - Not Field Repairable?
Date: Fri, 9 Mar 2007 07:20:54 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Lines: 24
Message-ID: <45f17b57$0$27255$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 09 Mar 2007 15:20:55 GMT
NNTP-Posting-Host: 0ae666f2.news.sonic.net
X-Trace:
DXC=L9hhPXM4QneV0]<gF>H<=cm4K\QM1CV^`1OYf0H`?;Xa>ZL\e0m\<Qo<Qc7RIG=<OhU:1`QD>ND0aQ
Hm`IMWF<?n
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.homebrew:12503
rec.radio.amateur.equipment:11656

These are sealed, and even if you could open them,
you don't have the tools or parts to repair. Check
the power supplies and contacts on the bias board,
but this is a common failure mode (blown power amp).

                           Steve
"George Kavanagh" <gk05XspamX@comcast.net> wrote in message
news:McudnRaaKJXtWG3YnZ2dnUVZ_qOpnZ2d@comcast.com...
> Has anyone attempted repair of said YIG Ocsillator sealed assembly ("A6")?
> in the HP 8558B Spectrum Analyser?  If so, were you successful?
>
> My copy is putting out -32dbm (spec is +15dbm); otherwise seems fine:
> sweeps OK, freq is right on, etc.
>
> I suspect the 3 transistor amplifier inside the sealed assy.
>
> Any suggestions?
>
```

```
> -georgeK  KB1HFT
>
>
>
```

```
From 2598972369965291241
X-Google-Thread: 108122,fe85caf97f7eef39
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newshub.sdsu.edu!news-out.readnews.com!
news-xxxfer.readnews.com!panix!not-for-mail
From: nospam@nospam.com (Paul Ciszek)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: GE Super Radio followup
Date: Fri, 9 Mar 2007 16:21:36 +0000 (UTC)
Organization: Public Access Networks Corp.
Lines: 38
Sender: pciszek at panix dot com (Paul Ciszek)
Message-ID: <ess1ig$sjd$1@reader2.panix.com>
References: <esms00$gs6$1@reader2.panix.com>
<QfGdnWL9vrrGznLYnZ2dnUVZ_ualnZ2d@comcast.com> <esnqg1$sfl$1@reader2.panix.com>
<eso0s3$lbt$1@theodyn.ncf.ca>
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader2.panix.com 1173457296 29293 166.84.1.1 (9 Mar 2007 16:21:36 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 9 Mar 2007 16:21:36 +0000 (UTC)
X-no-markup: yes
Originator: pciszek at panix dot com (Paul Ciszek)
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Xref: g2news1.google.com rec.radio.amateur.equipment:11657
```

```
In article <eso0s3$lbt$1@theodyn.ncf.ca>,
Michael Black <et472@FreeNet.Carleton.CA> wrote:
>Paul Ciszek (nospam@nospam.com) writes:
>
>>>If you're not handy with electronic equipment, it might be best if you let a
>>>friend who is handy do it for you.
>>
>> That does sound rather daunting.  But thanks for the advice, and thanks to
>> the previous poster for pointing to the PDF of the manual.
>>
>Put a piece of markable tape under the actual dial, and then put markings
>for the stations you regularly listen to.
>
>Or if you are actually listening to distant stations (which may not
>reliably be there) start working on calibrating that new "dial".  Wait for
>a station to ID, then look it up, and you'll find it's actual frequency. So
>that takes out yet another point on the dial.  Do this enough times, and
>you'll have it all right.
```

>
>This applies to a lot of radios, whether or not they have a serious problem.
>A lot of low end analog radios have big spaces between the calibration marks,
>so the dial isn't particularly helpful. But marking it as you desire (or
>with that tape), you can tune to a given frequency so much faster. It's
>easier to tune that boombox I have by looking at my bit of tape than trying
>to read the original dial.

The simplicity and directness of this approach has a certain appeal, aesthetically displeasing though it may be.

Does the tuning procedure described upthread improve reception? I.e., do I give up any of the capability of my superradio by leaving it as is and using a masking tape scale?

```
--
Please reply to:             | "One of the hardest parts of my job is to
pciszek at panix dot com     |  connect Iraq to the War on Terror."
Autoreply is disabled        |            -- G. W. Bush, 9/7/2006
```

From -1125724984440889879
X-Google-Thread: 108122,ef55f6454d5c96fb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s48g2000cws.googlegroups.com!not-for-mail
From: "ars_wa8mea@netzero.com" <ars_wa8mea@netzero.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Demo MFJ-403P Travel-Keyer
Date: 9 Mar 2007 09:11:04 -0800
Organization: http://groups.google.com
Lines: 21
Message-ID: <1173460264.423553.214150@s48g2000cws.googlegroups.com>
NNTP-Posting-Host: 70.101.151.206
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173460269 19366 127.0.0.1 (9 Mar 2007 17:11:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Mar 2007 17:11:09 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.8) Gecko/20050511 Firefox/1.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s48g2000cws.googlegroups.com; posting-host=70.101.151.206;
   posting-account=ChJCaQ0AAAAPwDzdCnuQ_KYBQ1LT2KRZ
Xref: g2news1.google.com rec.radio.amateur.equipment:11658

For Sale: Demo MFJ-403P Travel-Keyer in MINT condx. It's a full-featured CW keyer with a built-in Iambic paddle. Ultra-compact size perfect for traveling or for home use with QRP or "big" rigs. Thumb wheel control lets you adjust speed on-the-fly; 3 to 65 words-per-minute. Dot-dash weight is adjustable 25% to 75% . Sidetone w/

speaker. You can select fully automatic Iambic or semi-auto "bug" mode. Reverse paddle. RF proof. Positive keying output. Battery saver. Specifications: Voltage requirements: internal 9-volt transistor battery. Keyer speed: Typically 5 to 60 WPM. Sidetone level: 50-mW max., adjustable internal trimpot. Sidetone frequency: 727 Hz default, adjustable 300 to 1000 Hz. Keying limits: positive keying, 50 volts at 100 mA max. CW generation: Iambic A or B, Automatic or Semi-automatic. Memory: dot-dash memory. Weight: 50% default, adjustable 25 to 75 percent.

Photo is available at QTH.com. We can accept Visa, Mastercard and Paypal.

$80 new. My price ONLY $49.95 plus $5.95 shipping. First e-mail gets it! 73, Bill - WA8MEA - http://HamRadioFun.com

---

From -3679906244212331034
X-Google-Thread: 108122,e9275639a5281c8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: lampbay <lamp@bay.net>
Newsgroups: rec.radio.amateur.equipment
Date: Fri, 9 Mar 2007 15:29:32 -0600
Message-ID: <45f1c535$0$16313$88260bb3@free.teranews.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: =?ISO-8859-1?Q?
FA:_Vintage_RS_Realistic_10_Band_Patrolman_FM_AM_SW_Radio=A0=0A=0A?=
User-Agent: Unison/1.7.9
Lines: 10
NNTP-Posting-Date: 09 Mar 2007 20:36:09 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news1.google.com rec.radio.amateur.equipment:11659

FA: Estate Lots 99� Clearance Quality Collectibles Jewelry Electronics Books Prints Frames

http://search.ebay.com/_W0QQsassZlampbay

��
FA: Vintage RS Realistic 10 Band Patrolman FM AM SW Radio�

--
Posted via a free Usenet account from http://www.teranews.com

From -2624482314992106288
X-Google-Thread: 108122,5392f425206a5a8b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newshub.sdsu.edu!headwall.stanford.edu!
newshub.stanford.edu!newsfeed.berkeley.edu!ucberkeley!nntp.kreonet.re.kr!
kreonet.re.kr!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Solid State Amp Filter kit - 7 pole Chebyshev
Date: Fri, 09 Mar 2007 15:47:58 -0600
Organization: netINS InterNetNews site
Lines: 28
Message-ID: <n7l3v25ed99baoo4h0t1mg10si1nle8jl2@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1173476876 6871 67.55.159.6 (9 Mar 2007 21:47:56 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Fri, 9 Mar 2007 21:47:56 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:11660

This is a unopened kit from RF Electronics, Maker of solid state amplifiers.Paid $50 asking $35 plus shipping.

Filter Specifications:

Cutoff frquencies: 2, 4, 7.3, 14.4, 30 Mhz

Operating range: 1.6-30 Mhz (for freqs. between bands select the next higher filter)

Band switching: 6 position rotary switch with bypass

Design type: low pass Pi 7 pole Chebyshev

3rd harmonic attentuation: 64dB+

5th harmonic attentuation: 83dB+

Maximum RF power: 1KW SSB, 1KW CW (50% duty cycle)

Impedance: 50 ohm

RF connection: SO-239

Dimensions: 3"H x 8"W x 6"D

Weight: 3 lbs.

```
From 4586830372266854322
X-Google-Thread: 108122,fe85caf97f7eef39
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 09 Mar 2007 17:16:46 -0600
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: rec.radio.amateur.equipment
References: <esms00$gs6$1@reader2.panix.com>
<QfGdnWL9vrrGznLYnZ2dnUVZ_ualnZ2d@comcast.com> <esnqg1$sfl$1@reader2.panix.com>
<eso0s3$lbt$1@theodyn.ncf.ca> <ess1ig$sjd$1@reader2.panix.com>
Subject: Re: GE Super Radio followup
Date: Fri, 9 Mar 2007 18:16:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <haWdnSybBdtDd2zYnZ2dnUVZ_oipnZ2d@comcast.com>
Lines: 69
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-dUStTsfPFnz1Ii2eMXtkNM8hk/
x1C2GM01PABUqAoXuHXsJ3JzXbFQELEytR2sBuOGRRDlHPyMI/F+6!MArU/
wAVVE6wwdSnqd2z4an3GiqFlM94icpPVShZyAGNhEe1l86mqIScmic8MxTZwt1mn70U2eeh!
hsutV5nwnsPrcm/h5zaJjp3SBPakNwE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11661




--
Dave M
MasonDG44 at comcast dot net  (Just substitute the appropriate characters in the
address)

Life is like a roll of toilet paper; the closer to the end, the faster it goes.
"Paul Ciszek" <nospam@nospam.com> wrote in message
news:ess1ig$sjd$1@reader2.panix.com...
>
> In article <eso0s3$lbt$1@theodyn.ncf.ca>,
> Michael Black <et472@FreeNet.Carleton.CA> wrote:
>>Paul Ciszek (nospam@nospam.com) writes:
>>
>>>>If you're not handy with electronic equipment, it might be best if you let a
```

>>>>friend who is handy do it for you.
>>>
>>> That does sound rather daunting. But thanks for the advice, and thanks to
>>> the previous poster for pointing to the PDF of the manual.
>>>
>>Put a piece of markable tape under the actual dial, and then put markings
>>for the stations you regularly listen to.
>>
>>Or if you are actually listening to distant stations (which may not
>>reliably be there) start working on calibrating that new "dial". Wait for
>>a station to ID, then look it up, and you'll find it's actual frequency. So
>>that takes out yet another point on the dial. Do this enough times, and
>>you'll have it all right.
>>
>>This applies to a lot of radios, whether or not they have a serious problem.
>>A lot of low end analog radios have big spaces between the calibration marks,
>>so the dial isn't particularly helpful. But marking it as you desire (or
>>with that tape), you can tune to a given frequency so much faster. It's
>>easier to tune that boombox I have by looking at my bit of tape than trying
>>to read the original dial.
>
> The simplicity and directness of this approach has a certain appeal,
> aesthetically displeasing though it may be.
>
> Does the tuning procedure described upthread improve reception? I.e.,
> do I give up any of the capability of my superradio by leaving it as is
> and using a masking tape scale?
>
> --

No, if the procedure is done correctly and thoroughly, the performance should not be affected unless by virtue of component tolerance build-up, one of the tuned circuits just doesn't have the range it's supposed to have. The procedure given in the manual is pretty standard alignment technique for a superhet radio. Nothing unusual about it. If you have a signal generator that is pretty accurate on the frequency setting, the whole procedure shouldn't take more than ten minutes, including the time to open the radio. The signal generator will make the alignment possible even if there are no stations to use for alignment.

Another thought occurred to me... how is the dial pointer arranged in the radio? If it's on a string, like radios of days gone by, just move the location of the pointer on the string so its position agrees with the station frequencies. That would eliminate the need to realign the radio.
Cheers!!
--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

Life is like a roll of toilet paper; the closer to the end, the faster it goes.

```
From -5666399602950216034
X-Google-Thread: 108122,d9269e8b0cf43b15,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p10g2000cwp.googlegroups.com!not-for-
mail
From: 73w7gsa@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Kenwood TS-850S $675.00
Date: 9 Mar 2007 16:42:59 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1173487379.796359.39510@p10g2000cwp.googlegroups.com>
NNTP-Posting-Host: 71.208.19.76
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173487413 19335 127.0.0.1 (10 Mar 2007 00:43:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Mar 2007 00:43:33 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.10)
Gecko/20070216 Firefox/1.5.0.10,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p10g2000cwp.googlegroups.com; posting-host=71.208.19.76;
   posting-account=loDvQg0AAABeyrCsfwBynINGNaPuCDIt
Xref: g2news1.google.com rec.radio.amateur.equipment:11662
```

Hi,

I have listed my TS-850S for sale on ebay.

Click on this link to see that listing and the pictures:
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=018&sspagename=STRK%3AMESE%3AIT&viewitem=&item=280092199988&rd=1&rd=1

At $675.00 is should sell very quichly.

Thanks,

Bill

```
From -9202843085551825743
X-Google-Thread: 108122,9ec24f5e9831a508,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j27g2000cwj.googlegroups.com!not-for-
mail
From: "Scott" <scott93727@aol.com>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Relm Radio Site
Date: 9 Mar 2007 18:14:18 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1173492858.687800.312690@j27g2000cwj.googlegroups.com>
NNTP-Posting-Host: 205.188.116.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173492882 7724 127.0.0.1 (10 Mar 2007 02:14:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Mar 2007 02:14:42 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[dtc-tf112 8.4.1], HTTP/1.1 cache-dtc-aa04.proxy.aol.com[CDBC7408] (Traffic-
Server/6.1.5 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: j27g2000cwj.googlegroups.com; posting-host=205.188.116.8;
   posting-account=Mnf7iQ0AAADbq1XPayBdGfVY3w-SMeeS
Xref: g2news1.google.com rec.radio.amateur.equipment:11663

Relm Radio Google Group,
Relm Radio Specifications,
Manuals, Assistance, Links,
Downloads, Repeaters, Etc.
http://vehiclerepair.org/relm/relm.htm




From -6787858256940770346
X-Google-Thread: 108122,407c7f266739b6a6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!s48g2000cws.googlegroups.com!not-for-
mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: APRS with Microsoft Streets or AutoRoute
Date: 9 Mar 2007 23:45:39 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1173512739.762135.150470@s48g2000cws.googlegroups.com>
NNTP-Posting-Host: 58.19.35.225
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1173512758 14996 127.0.0.1 (10 Mar 2007 07:45:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Mar 2007 07:45:58 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2; SV1; .NET CLR
1.1.4322; Alexa Toolbar),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

Injection-Info: s48g2000cws.googlegroups.com; posting-host=58.19.35.225;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news1.google.com rec.radio.amateur.equipment:11664

If you have Microsoft Streets or AutoRoute, you have all you need for live APRS tracking. You can now take advantage of the superior maps that comes with it and use it with APRSPoint. We have update the installation process of APRSPoint so that it now supports Streets or AutoRoute. You can visit http://www.aprspoint.com for a free download and trial.

From -5838122674991792653
X-Google-Thread: 108122,5392f425206a5a8b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!
newspeer.monmouth.com!solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Solid State Amp Filter kit - 7 pole Chebyshev
Date: Sat, 10 Mar 2007 04:56:05 -0600
Organization: netINS InterNetNews site
Lines: 33
Message-ID: <ml35v2pade4fr09825182orr7ejf1m3ec5@4ax.com>
References: <n7l3v25ed99baoo4h0t1mg10si1nle8jl2@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1173524162 4362 67.55.159.6 (10 Mar 2007 10:56:02 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sat, 10 Mar 2007 10:56:02 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:11665

sold

On Fri, 09 Mar 2007 15:47:58 -0600, mike <mikeNOSPAM@L2Speed.net>
wrote:

>This is a unopened kit from RF Electronics, Maker of solid state
>amplifiers.Paid $50 asking $35 plus shipping.
>
>Filter Specifications:
>
>Cutoff frquencies: 2, 4, 7.3, 14.4, 30 Mhz
>
>Operating range: 1.6-30 Mhz (for freqs. between bands select the next
>higher filter)
>

```
>Band switching: 6 position rotary switch with bypass
>
>Design type: low pass Pi 7 pole Chebyshev
>
>3rd harmonic attentuation: 64dB+
>
>5th harmonic attentuation: 83dB+
>
>Maximum RF power: 1KW SSB, 1KW CW (50% duty cycle)
>
>Impedance: 50 ohm
>
>RF connection: SO-239
>
>Dimensions: 3"H x 8"W x 6"D
>
>Weight: 3 lbs.



From -4967090645244197287
X-Google-Thread: 108122,12a7f32a757c2461,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!solaris.cc.vt.edu!
news.vt.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: HP 8640B Signal Gen Ending Today
Date: Sat, 10 Mar 2007 07:33:24 -0600
Organization: netINS InterNetNews site
Lines: 4
Message-ID: <jnc5v2pc8l7crq2240033vhvj1t8r1bti1@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1173533601 8868 67.55.159.6 (10 Mar 2007 13:33:21 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sat, 10 Mar 2007 13:33:21 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:11666

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=170087537084

This is a nice HP 8640B signal generator that goes to 512 Mhz.
Please take a look. Thanks


From -8049768241854996701
X-Google-Thread: 108122,1fa6fd4c59db3bb8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Yeasu FT-1000MP or MKV
Message-ID: <dc26v2tgpndfm0tjvfceph7mpp0atsso5d@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Sat, 10 Mar 2007 14:40:02 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1173555598 69.125.167.162 (Sat, 10 Mar 2007 12:39:58 MST)
NNTP-Posting-Date: Sat, 10 Mar 2007 12:39:58 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:11667

WTB: Yeasu FT-1000MP or MKV
100watt or 200Watt version.
Please reply with condition and price through email.
ritchi50@optonline.net



From -603285652344115151
X-Google-Thread: 108122,417fec6f3e0e59c4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.got.net!news.got.net.POSTED!
not-for-mail
NNTP-Posting-Date: Sat, 10 Mar 2007 13:50:24 -0600
Date: Sat, 10 Mar 2007 11:50:31 -0800
From: Joaquin Tall <opalockamishabob@'86DASPAMnetscape.net>
User-Agent: Thunderbird 1.5.0.10 (Windows/20070221)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: True-Talk G5RV Antenna
References: <45ed7dac$0$28133$4c368faf@roadrunner.com>
In-Reply-To: <45ed7dac$0$28133$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <GL-dnTQk0eackW7YnZ2dnUVZ_tLinZ2d@got.net>
Lines: 6
NNTP-Posting-Host: 69.19.255.142
X-Trace: sv3-
sFnL1F7YlZ5y+rrKDg4CssOGhqvd+SCeHqjLzLfdGx3B9Vis5Njhm2zisKB7vcZqcZ+JEr3P/JdW+OV!
OaH8VMtiz+N2FTYsExymyUN0vfSnk3QMZ7FGXDGl8cSct4mJaecbvp4wpoq6kFVXg2LRSOYpjMgf!nw==
X-Complaints-To: abuse@got.net
X-DMCA-Complaints-To: abuse@got.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.34
Xref: g2news1.google.com rec.radio.amateur.equipment:11668

Ron Smith wrote:
> http://members6.boardhost.com/theswapshoppe/
>
>
>
Presumably, it's been sold?

From 1439624595071745339
X-Google-Thread: 108122,6b65431353f145ca
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.amateur.equipment:8078
Newsgroups: rec.radio.amateur.equipment
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
boeing.com!not-for-mail
From: "R. Scott" <lintardspamtrap@scotts-home.net>
Subject: Re: Techs invade 10-meters !
Message-ID: <JDvr38.4Ku@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 8
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: Spam Haters Mafia
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Response
References: <45dde87c$0$28104$4c368faf@roadrunner.com>
Date: Thu, 22 Feb 2007 19:49:57 GMT

> Hurry, sell/give away your stuff NOW !!!!

Ill take a 746 non pro if anyone getting out free

W7PSK Scotty

From -8945156953394206004
X-Google-Thread: 108122,6b65431353f145ca
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!

```
216.77.188.37!bigfeed2.bellsouth.net!news.bellsouth.net!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe17.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <45dde87c$0$28104$4c368faf@roadrunner.com>
Subject: Re: Techs invade 10-meters !
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <sZmDh.48963$KW3.22300@newsfe17.phx>
Date: Thu, 22 Feb 2007 12:23:54 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe17.phx 1172175832 72.197.12.245 (Thu, 22 Feb 2007 13:23:52 MST)
NNTP-Posting-Date: Thu, 22 Feb 2007 13:23:52 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8079
```

"Jeff" <hammer707@yahoo.com> wrote in message
news:45dde87c$0$28104$4c368faf@roadrunner.com...

> HURRY...you only have a few hours left before the Techs invade 10-meters!
> Remember, you said you were going to sell all of your gear and get out of
> the hobby if CW was ever removed from the test(s) because ham radio will
> be
> the same as CB.
>
> Hurry, sell/give away your stuff NOW !!!!

I for one welcome the Techs to 10M. You are probably too young to remember
that Amateurs once had 11M (now the CB Band) -- some say we lost it because
we didn't use it.

The same thing could happen if we don't use 10M (even at the bottom of the
solar cycle)

We need to encourage new folks and new licensee privileges to be welcome in
Amateur Radio. Your post doesn't help a bit.

CL -- An old time 20WPM Extra Class

```
From -2141909681703306256
X-Google-Thread: 108122,ef9a70549a5ebbe2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.mv.net!not-for-mail
From: Eric <reply.in.group@nospam.no>
Newsgroups: rec.radio.amateur.equipment
```

Subject: IF Filters for IC-706MKIIG
Date: Thu, 22 Feb 2007 17:49:47 -0500
Organization: MV Communications, Inc.
Lines: 11
Message-ID: <pan.2007.02.22.22.49.45.496642@nospam.no>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1172184588 96545 207.22.49.17 (22 Feb 2007 22:49:48 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Thu, 22 Feb 2007 22:49:48 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:8080

Man, HRO and Icom sure are proud of their IF filters for the IC-706MKIIG
... average more than $100 for each filter.

Anyone know where I can get a 500-Hz CW filter and a 1.9-MHz SSB filter
for something approaching a reasonable price?

Are there any third-party manufacturers that make replacement filters that
are compatible with the Icom gold-and-platinum ones?

From -7049010863663531000
X-Google-Thread: 108122,86e2da2e24fad143,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!news.maxwell.syr.edu!
news.litech.org!news.cse.psu.edu!elk.ncren.net!newsflash.concordia.ca!News.Dal.Ca!
ursa-nb00s0.nbnet.nb.ca!53ab2750!not-for-mail
From: welcome to nightmare <nightmare@us-ham.com>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: ar3500 ebay relist   ebay took it off again
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <2AqDh.109$PV3.1603@ursa-nb00s0.nbnet.nb.ca>
Date: Fri, 23 Feb 2007 00:29:50 GMT
NNTP-Posting-Host: 142.167.193.25
X-Complaints-To: abuse@aliant.net
X-Trace: ursa-nb00s0.nbnet.nb.ca 1172190590 142.167.193.25 (Thu, 22 Feb 2007
20:29:50 AST)
NNTP-Posting-Date: Thu, 22 Feb 2007 20:29:50 AST
Organization: Aliant Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:8081

I had to relist ebay took it off again. damn
>
> http://cgi.ebay.com/10-METER-HAM-RADIO-BY-CLEARCHANNEL-100-WATTS_W0QQitemZ140088548276QQihZ004QQcategoryZ4674QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

>
> Its me speedster2006 I had to change my Ebay name because ebay threaten
> to ban me for good this time.
> You know i sell alot of 10 meter radios for 11 meter use.
>
> I put the Ebay name in my wifes name safire2007 for this auction
>
> thanks Harold

```
From -1613745306402295 23
X-Google-Thread: 108122,8707ad361533f79e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Now that CW is gone there will be more ham to non-ham conflicts.
From: Retard Invasion <goodbye.H@m.radio>
Organization: Good-bye Ham radio.
Followup-To:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
User-Agent: Xnews/5.04.25
Lines: 8
Message-ID: <HfrDh.5510$Jl.1186@newsread3.news.pas.earthlink.net>
Date: Fri, 23 Feb 2007 01:16:23 GMT
NNTP-Posting-Host: 4.254.225.43
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1172193383 4.254.225.43 (Thu, 22 Feb
2007 17:16:23 PST)
NNTP-Posting-Date: Thu, 22 Feb 2007 17:16:23 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:8082
```

The code hating losers were too stupid and lazy to learn and use CW,
they're also probably going to be too stupid and lazy to solve TVI
and interference problems with their neigbhors. There will be more
amateur to amateur and amateur to non-amateur conflicts. Hams will look
bad and the FCC will regulate the service more because of all the retards
we let have HF privledges.   CQ Breaker, CQ Breaker.

Welcome to CB everybody.

From 3048954986008265441

X-Google-Thread: 108122,6b65431353f145ca
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!949ad025!
not-for-mail
From: Fred Cameron <fmaxsc*nospam*@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Techs invade 10-meters !
Organization: home
Reply-To: fmaxsc@gmail.com
Message-ID: <ipktt252q1m5uvcdikkes3tu38hbkin7bl@4ax.com>
References: <45dde87c$0$28104$4c368faf@roadrunner.com>
<sZmDh.48963$KW3.22300@newsfe17.phx> <o7kst2pugqq4rmo5jhbu3jccvql1pa7ugt@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 39
Date: Fri, 23 Feb 2007 11:45:17 GMT
NNTP-Posting-Host: 66.32.28.150
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1172231117 66.32.28.150 (Fri, 23 Feb
2007 03:45:17 PST)
NNTP-Posting-Date: Fri, 23 Feb 2007 03:45:17 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:8084

I also am an Extra who welcomes the thought of young, creative minds
joing us to talk of more that hemmeroids and heart burn!!

Fred

On Thu, 22 Feb 2007 21:29:31 -0500, chas <878chas@hotmail.com> wrote:

>On Thu, 22 Feb 2007 12:23:54 -0800, "Caveat Lector" <CL@nowhere.com>
>wrote:
>
>>
>>"Jeff" <hammer707@yahoo.com> wrote in message
>>news:45dde87c$0$28104$4c368faf@roadrunner.com...
>>> HURRY...you only have a few hours left before the Techs invade 10-meters!
>>> Remember, you said you were going to sell all of your gear and get out of
>>> the hobby if CW was ever removed from the test(s) because ham radio will
>>> be
>>> the same as CB.
>>>
>>> Hurry, sell/give away your stuff NOW !!!!
>>I for one welcome the Techs to 10M. You are probably too young to remember
>>that Amateurs once had 11M (now the CB Band) -- some say we lost it because
>>we didn't use it.

```
>>
>>The same thing could happen if we don't use 10M (even at the bottom of the
>>solar cycle)
>>
>>We need to encourage new folks and new licensee privileges to be welcome in
>>Amateur Radio. Your post doesn't help a bit.
>>
>>CL --  An old time 20WPM Extra Class
>>
>I agree with CL.  I'm also an old time 20 wpm Extra, and the more guys
>we have on 10 (and 6), the better.  Ten meters is open more than you
>think.  And it's fun just talking with the locals.  All of you new HF
>techs are more than welcome as far as I'm concerned.  Hope to work you
>guys soon.


From 7092936913191219118
X-Google-Thread: 108122,d280b239c2c7c1d6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.phx!newsfe16.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: rec.radio.amateur.moderated
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <ClEDh.42745$1H5.38735@newsfe16.phx>
Date: Fri, 23 Feb 2007 08:10:10 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.phx 1172247010 72.197.12.245 (Fri, 23 Feb 2007 09:10:10 MST)
NNTP-Posting-Date: Fri, 23 Feb 2007 09:10:10 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8085

Was supposed to start 22 Feb 2007.

URL:
http://www.big-8.org/dokuwiki/doku.php?id=nan:2007-02-19-
rec.radio.amateur.moderated-result


But my NG list doesn't show it
Anyone using it ?

CL
```

```
From 6375965181054831413
X-Google-Thread: 108122,d280b239c2c7c1d6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rec.radio.amateur.moderated
Date: 23 Feb 2007 16:59:24 GMT
Organization: The National Capital FreeNet
Lines: 31
Message-ID: <ern6hc$emp$1@theodyn.ncf.ca>
References: <ClEDh.42745$1H5.38735@newsfe16.phx>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1172249964 15065 134.117.136.48 (23 Feb 2007 16:59:24 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 23 Feb 2007 16:59:24 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:8086
```

"Caveat Lector" (CL@nowhere.com) writes:

> Was supposed to start 22 Feb 2007.
>
> URL:
> http://www.big-8.org/dokuwiki/doku.php?id=nan:2007-02-19-rec.radio.amateur.moderated-result
>
>
> But my NG list doesn't show it
> Anyone using it ?
>
> CL
>
>

You're in the wrong newsgroup, just like the posts about CW.

There is rec.radio.amateur.policy and rec.radio.amateur.misc to ask in, and of course now there's yet a third newsgroup for this stort of thing, rec.radio.amateur.misc

For most people, one newsgroup would be enough, but instead we have not two but three.

ANd that's still not good enough, people have to come to the "riff-raff" newsgroups to ask questions that belong in one of those three newsgroups. Yet the rest of the hierarchy would be in fine shape if they could just keep their junk contained in those two or three newsgroups.

  Michael VE2BVW

```
From -6494594900614585196
X-Google-Thread: 108122,d280b239c2c7c1d6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
out02b.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <ClEDh.42745$1H5.38735@newsfe16.phx> <ern6hc$emp$1@theodyn.ncf.ca>
Subject: Re: rec.radio.amateur.moderated
Lines: 45
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <fVFDh.28701$6L3.19903@newsfe08.phx>
Date: Fri, 23 Feb 2007 09:56:27 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1172253387 72.197.12.245 (Fri, 23 Feb 2007 10:56:27 MST)
NNTP-Posting-Date: Fri, 23 Feb 2007 10:56:27 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8087


"Michael Black" <et472@FreeNet.Carleton.CA> wrote in message
news:ern6hc$emp$1@theodyn.ncf.ca...
> "Caveat Lector" (CL@nowhere.com) writes:
>> Was supposed to start 22 Feb 2007.
>>
>> URL:
>> http://www.big-8.org/dokuwiki/doku.php?id=nan:2007-02-19-
rec.radio.amateur.moderated-result
>>
>>
>> But my NG list doesn't show it
>> Anyone using it ?
>>
>> CL
>>
>>
> You're in the wrong newsgroup, just like the posts about CW.
>
> There is rec.radio.amateur.policy and rec.radio.amateur.misc to
> ask in, and of course now there's yet a third newsgroup for this
> stort of thing, rec.radio.amateur.misc
>
> For most people, one newsgroup would be enough, but instead we
> have not two but three.
>
> ANd that's still not good enough, people have to come to the
> "riff-raff" newsgroups to ask questions that belong in one
> of those three newsgroups.  Yet the rest of the hierarchy would
> be in fine shape if they could just keep their junk contained in
> those two or three newsgroups.
>
>  Michael  VE2BVW
>
>
Thanks for the lecture, but no help on my question

As for "Yet the rest of the hierarchy would
> be in fine shape if they could just keep their junk contained in
> those two or three newsgroups."
YEAH BUT THEY DON"T

I am neither for or against a moderated NG, just wanted to know if it is up
and running? Thought I'd take a look and see what's there.




From 7977079023432391390
X-Google-Thread: 108122,d280b239c2c7c1d6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!auth.news-1.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rec.radio.amateur.moderated
From: Bert Hyman <bert@iphouse.com>
References: <ClEDh.42745$1H5.38735@newsfe16.phx>
Organization: Not so you'd notice
Message-ID: <Xns98E07D755DC4VeebleFetzer@127.0.0.1>
User-Agent: Xnews/2006.08.21
Date: 23 Feb 2007 18:19:59 GMT
Lines: 24
NNTP-Posting-Date: 23 Feb 2007 12:19:59 CST
NNTP-Posting-Host: 69b568b5.auth.newsreader.iphouse.com
X-Trace:
DXC=jKDH@QCDOKnLicNfQA9b:ce=fFUe;FGEiFbE0<hKBJTo2fn3LX@E6YmD1kiRiW\QFdZgRhQGSTe:nh
6Q1TR0cFnfSm]9NbUV4QgjGlb1G_?_Ra
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8088

CL@nowhere.com (Caveat Lector) wrote in
news:ClEDh.42745$1H5.38735@newsfe16.phx:
```

> Was supposed to start 22 Feb 2007.
>
> URL:
> http://www.big-8.org/dokuwiki/doku.php?id=nan:2007-02-19-rec.radio.a
> mateur.moderated-result
>
>
> But my NG list doesn't show it

Have you refreshed your list of newsgroups from your news provider? Depending on how your news reader works and how your news provider handles things, you might have to download their complete list of newsgroups. If it's still not there, you'll have to complain to your news provider and tell them to add the newsgroup.

> Anyone using it ?

Yes; there's currently traffic in the group.

--
Bert Hyman | St. Paul, MN | bert@iphouse.com

From 2303617566977021597
X-Google-Thread: 108122,d280b239c2c7c1d6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out02a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <ClEDh.42745$1H5.38735@newsfe16.phx>
<Xns98E07D755DC4VeebleFetzer@127.0.0.1>
Subject: Re: rec.radio.amateur.moderated
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <trGDh.9497$AU.5643@newsfe07.phx>
Date: Fri, 23 Feb 2007 10:32:57 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1172255577 72.197.12.245 (Fri, 23 Feb 2007 11:32:57 MST)
NNTP-Posting-Date: Fri, 23 Feb 2007 11:32:57 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8089

```
"Bert Hyman" <bert@iphouse.com> wrote in message
news:Xns98E07D755DC4VeebleFetzer@127.0.0.1...
> CL@nowhere.com (Caveat Lector) wrote in
> news:ClEDh.42745$1H5.38735@newsfe16.phx:
>
>> Was supposed to start 22 Feb 2007.
>>
>> URL:
>> http://www.big-8.org/dokuwiki/doku.php?id=nan:2007-02-19-rec.radio.a
>> mateur.moderated-result
>>
>>
>> But my NG list doesn't show it
>
> Have you refreshed your list of newsgroups from your news provider?
> Depending on how your news reader works and how your news provider
> handles things, you might have to download their complete list of
> newsgroups. If it's still not there, you'll have to complain to your
> news provider and tell them to add the newsgroup.
>
>> Anyone using it ?
>
> Yes; there's currently traffic in the group.
>
> --
> Bert Hyman | St. Paul, MN | bert@iphouse.com

THANKS Bert will try the refresh
73 CL
```

```
From -8461947230176174793
X-Google-Thread: 108122,1064e9ccab8ec941,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom IC-PW1 Amplifier
Message-ID: <jj21u2hrv4sn4gjer2er8s7qvbh4696qj1@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Date: Sat, 24 Feb 2007 13:56:55 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1172343415 69.125.167.162 (Sat, 24 Feb 2007 11:56:55 MST)
```

NNTP-Posting-Date: Sat, 24 Feb 2007 11:56:55 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:8091

FS Icom IC-PW1 Amplifier
HF/50 MHz All Band Amplifier.
This amp needs power supply.
Was sent to Icom and everything is fine except power supply.
Serial Number is above 1400
You can add an external power supply. Or fix the one in it.
All other componets are fine,Just the power supply.complete with
Owner's Manual and Schematics of the RF section and all cables are
included as supplied from ICOM.
Have the original box and remote head.
Best offer or trade. Ready to sell. Nice condition.
Open to all types of trades. Or as I said make offer.
ritchi50@optonline.net

From 4059713972665690864
X-Google-Thread: 108122,35a750379cde83e9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Jeff" <hammer707@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Military Radios
Date: Sat, 24 Feb 2007 19:34:00 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 3
Message-ID: <45e0d96c$0$24748$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8092

http://members6.boardhost.com/theswapshoppe/

From -7395784521784101916
X-Google-Thread: 108122,2115ee765072b4af,start
X-Google-Thread: 1109af,2115ee765072b4af,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!

```
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
216.77.188.37!bigfeed2.bellsouth.net!news.bellsouth.net!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA EX600XLS UHF RADIO-403-470 MHZ-DTMF-SMALL- HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C75847.6022BC80"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <h77Eh.32428$6L3.13527@newsfe08.phx>
Date: Sat, 24 Feb 2007 19:09:58 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1172373069 68.104.78.240 (Sat, 24 Feb 2007 20:11:09 MST)
NNTP-Posting-Date: Sat, 24 Feb 2007 20:11:09 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8093 rec.radio.swap:11389

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C75847.6022BC80
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA EX600XLS UHF RADIO-403-470 MHZ-DTMF-SMALL- HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250088191607&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C75847.6022BC80
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA EX600XLS UHF RADIO-403-470 MHZ-DTMF-SMALL- HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250088191607&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250088191607&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C75847.6022BC80--



From -2789485954316202596
X-Google-Thread: 108122,e02d704e3ecf9d89,start
X-Google-Thread: 1109af,e02d704e3ecf9d89,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.phx!newsfe16.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:MOTOROLA MTX950 w/Chgr & Rmt Mic-900 MHZ HAM BAND
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001B_01C75860.16DCEAF0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <yJ9Eh.46885$1H5.41996@newsfe16.phx>
Date: Sat, 24 Feb 2007 22:06:52 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.phx 1172383710 68.104.78.240 (Sat, 24 Feb 2007 23:08:30 MST)
NNTP-Posting-Date: Sat, 24 Feb 2007 23:08:30 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8094 rec.radio.swap:11391

This is a multi-part message in MIME format.

------=_NextPart_000_001B_01C75860.16DCEAF0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:MOTOROLA MTX950 w/Chgr & Rmt Mic-900 MHZ HAM BAND

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250088217214&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001B_01C75860.16DCEAF0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:MOTOROLA MTX950 w/Chgr &amp; Rmt Mic-900 MHZ HAM BAND</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250088217214&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250088217214&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_001B_01C75860.16DCEAF0--
```

```
From 5465525448718435404
X-Google-Thread: 108122,4582da1d6e14c6bd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!949ad025!not-for-mail
From: Fred Cameron <fmaxsc*nospam*@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 3-500 needed
Organization: home
Reply-To: fmaxsc@gmail.com
Message-ID: <u9j3u2d2u1en8a43775b64e0fbq0djavl5@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Sun, 25 Feb 2007 17:54:37 GMT
NNTP-Posting-Host: 66.32.31.27
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1172426077 66.32.31.27 (Sun, 25 Feb 2007
09:54:37 PST)
NNTP-Posting-Date: Sun, 25 Feb 2007 09:54:37 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:8095
```

I need a pair of matched 3-500Z tubes, new or as close as possible.

If local to Greenville, SC I will pick up.

Please provide make, condition and price.

Have a like new SB 200 to trade, with new pair of Cetron tubes.

```
From 3344664888624256695
X-Google-Thread: 108122,93c2d64bcb75175e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 25 Feb 2007 13:10:51 -0600
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu VX-7R locks up in charger
Date: Sun, 25 Feb 2007 14:10:52 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <pMqdnefqyqemQnzYnZ2dnUVZ_hKdnZ2d@insightbb.com>
Lines: 10
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-18WlsDUr+zd1bGZ7GMsqjedtYzFbDDmgRX/
ScNrwoetxRaTiTcdqvZvsyTwH02HJlGwZB0qLKhajZhU!
nATICBfoZNCV93KnGjk2LLeybz2owk690xgOccnaEnFS1mZC9Rvq8iez4hER6qxZ2YyX5Oz2K0Hk!
sRkJnnfV/7CWwDmN4A==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:8096
```

I like to leave my Yaesu VX-7R turned on in the CD15A charging cradle. But after a number of hours, the display goes blank and the strobe indicator rapidly flashes blue. The unit appears dead until I lift it out of the cradle. Then everything is back to normal. Note that the "Automatic Power Off" feature is disabled. What gives?

--
Bob D. ND9B

```
From -1707459303259785564
X-Google-Thread: 108122,3aa2c8b0b5598ff3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!news-hub.siol.net!
```

```
newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "Juka" <juraj.slat@ka.htnet.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: midland 70-165-16b
Date: Sun, 25 Feb 2007 20:52:18 +0100
Organization: T-Com
Lines: 4
Message-ID: <erspbe$ima$7@ss408.t-com.hr>
NNTP-Posting-Host: 89-172-248-207.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1172433070 19146 89.172.248.207 (25 Feb 2007 19:51:10 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sun, 25 Feb 2007 19:51:10 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:8097
```

I am in need of programming information for a Midland 70-165-16B VHF handheld. Also need programming interface schematic. Thanks in advance!

```
From -4837393041370127510
X-Google-Thread: 108122,e817c066c7a4a41b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.kjsl.com!news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!
not-for-mail
Date: Sun, 25 Feb 2007 13:48:50 -0800
From: "Philip H. Sanchez" <psanchez@gcti.com>
User-Agent: Thunderbird 2.0b2 (Windows/20070116)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: radios
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
Message-ID: <45e20448$0$27220$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 25 Feb 2007 21:48:56 GMT
NNTP-Posting-Host: 818fe988.news.sonic.net
X-Trace: DXC=XD5mVc_[H8:6QT5khfDEf>m4K\QM1CV^01OYf0H`?;X1=@Y7dF1DZA?
X]PkfmGgce=k3nEJfbP[S5Vc9=<oX^o::
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8098
```

psanchez@gcti.com

From -8774392598953432370
X-Google-Thread: 108122,e13f6cb6db9e7f7e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
headwall.stanford.edu!newshub.stanford.edu!news.kjsl.com!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
Date: Sun, 25 Feb 2007 16:13:17 -0800
From: Anthony Jones <ajones@thegrantinstitute.com>
User-Agent: Thunderbird 2.0b2 (Windows/20070116)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: just checking in
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <45e22623$0$27254$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 26 Feb 2007 00:13:24 GMT
NNTP-Posting-Host: bbcd0ca3.news.sonic.net
X-Trace:
DXC=jMKP`W^]iE2Y0EWB5=DDP<m4K\QM1CV^01OYf0H`?;X1Lnc04Tj<RR8X]PkfmGgce=h`6VX9Z1>17f
j]DC6H7S19
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8099

Just saying "hi".

--
Anthony Jones
ajones@thegrantinstitute.com

From -2341320880821774732
X-Google-Thread: 108122,70a8f4b4be648e7b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 26 Feb 2007 00:04:30 -0600
From: "NW_Pilot" <usenet@aircraft-nospam-delivery.net>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM 706MKIIG & SGC SG-237 Smarttuner Cable
Date: Sun, 25 Feb 2007 22:06:17 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028

X-RFC2646: Format=Flowed; Original
Message-ID: <Kd2dnVLtf63z5X_YnZ2dnUVZ_u2mnZ2d@comcast.com>
Lines: 18
NNTP-Posting-Host: 71.193.253.53
X-Trace: sv3-tCGjqSEu6w1Y0E7dtmdYjU6pDlR9N6m5Z9wwhIWYBc8bz+iFBa/kSkmXdm+AO3aIrM+rN/s4ifTIgXu!s8hlVXOELF678B/Esay1aiXg13q/yZ6JT/YDqauyrG71U2Ku/k8/wSkz2x3T/wXp5GzF5XTzkj3D!J+Xmb/X1
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.34
Xref: g2news2.google.com rec.radio.amateur.equipment:8100

Hello,

I am building the cable to hook up the 706MKIIG to the SG-237 smart tuner
SGC's instructions for the 230 say to use a 1000uf Cap + a 91k resistor is
this required for the SG-237 unit? or just the SG-230?

SGC's Documentation Below!

http://www.sgcworld.com/smartuneric706technote.html

http://www.sgcworld.com/Publications/Downloads/ic706connecting.pdf

---

From -7226881890392383183
X-Google-Thread: 108122,a589a7fe0a663aab,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: YAESU FT-990DC
Reply-To: w1ksz@earthlink.net
Message-ID: <38n6u2tr56dbeumvsv9ep7gtl9qrogd762@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Mon, 26 Feb 2007 22:19:57 GMT

NNTP-Posting-Host: 24.41.20.11
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1172528397 24.41.20.11 (Mon, 26 Feb 2007
14:19:57 PST)
NNTP-Posting-Date: Mon, 26 Feb 2007 14:19:57 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8101

I thought it was sold, guess I was wrong !! So here it is again.

No need to move two of them, so backup radio must go. FT-990DC, with 4
filters (2.4, 2.0, 0.5 and 0.25 KHz). ROM Version 1.20, Serial Number
2E14XXXX. Original Operating manual and power cord included. Radio is
in excellent condition. DC Model is a lot cooler in RTTY operation.
$750 if you come and get it (Lexington, MA). $825 shipped to Lower 48.

73, Dick, W1KSZ

From -8236422327994964069
X-Google-Thread: 108122,8b5a9a4a88c85a52,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 26 Feb 2007 17:14:09 -0600
Reply-To: "Rick" <n6nr@yahoo.com>
From: "Rick" <n6nr@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB TS-B2000
Date: Mon, 26 Feb 2007 15:12:07 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <PZydneeJ9_lc9H7YnZ2dnUVZ_uiknZ2d@comcast.com>
Lines: 4
NNTP-Posting-Host: 24.17.212.168
X-Trace: sv3-
qNniQLCWi6lUcFhdUQSykkAQ9Cq0gf8k+kwtP6Y7tNjUYKS4ZBCAlvjo7dyddG4WxyylXsGt0lww3Eq!
N8POpBgQ8nPyuJoA81IqQOiAnJTqCcPqzUR+5VyPuO5Du9MsWnB7eMcjAnWmab+9ledUWTLNhK0n!
rehwI2PE
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.34
Xref: g2news2.google.com rec.radio.amateur.equipment:8102

Looking for a good used TS-B2000. It doesn't have to be perfect as it will reside under the back seat.

```
From -7357335542725026277
X-Google-Thread: 108122,983c60f7f1915fbc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Doctor Who? <kenwood1701@hotmail.com>
Organization: Tardis, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: LAFAYETTE TELSTAT SSB-50A  CB CONVERTED TO 10 METERS
Content-Type: multipart/alternative;
 boundary="------------090201030608040701080900"
Lines: 33
Message-ID: <R%KEh.102$0%6.12@newsfe12.lga>
Date: Mon, 26 Feb 2007 19:34:12 -0500
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1172536433 69.122.55.64 (Mon, 26 Feb 2007 17:33:53 MST)
NNTP-Posting-Date: Mon, 26 Feb 2007 17:33:53 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:8103

This is a multi-part message in MIME format.
--------------090201030608040701080900
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

Posting this for a friend

Take a look if you like

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130082169335

```
--------------090201030608040701080900
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
```

```
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial"><small>Posting this for a friend<br>
<br>
Take a look if you like<br>
<br>
</small></font></font><font size="+1"><font face="Arial"><a
 class="moz-txt-link-freetext"
 href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130082169335">http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130082169335</a></font></font><br>
</body>
</html>

--------------090201030608040701080900--



From 6920673715392870481
X-Google-Thread: 108122,983c60f7f1915fbc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Doctor Who? <kenwood1701@hotmail.com>
Organization: Tardis, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: LAFAYETTE TELSTAT SSB-50A  CB CONVERTED TO 10 METERS
Content-Type: multipart/alternative;
 boundary="------------020009020502090403060402"
Lines: 33
Message-ID: <%1LEh.105$0%6.21@newsfe12.lga>
Date: Mon, 26 Feb 2007 19:36:31 -0500
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1172536571 69.122.55.64 (Mon, 26 Feb 2007 17:36:11 MST)
NNTP-Posting-Date: Mon, 26 Feb 2007 17:36:11 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:8104

This is a multi-part message in MIME format.
--------------020009020502090403060402
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Posting this for a friend

Take a look if you like

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130082169335

--------------020009020502090403060402
```

```
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial"><small>Posting this for a friend<br>
<br>
Take a look if you like<br>
<br>
</small></font></font><font size="+1"><font face="Arial"><a
 class="moz-txt-link-freetext"
 href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130082169335">http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130082169335</a></font></font>
</body>
</html>

--------------020009020502090403060402--



From -7536955792996403319
X-Google-Thread: 108122,492ef4691aa65781,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Doctor Who? <kenwood1701@hotmail.com>
Organization: Tardis, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: LAFAYETTE TELSAT SSB-50A  CB CONVERTED TO 10 METERS
Content-Type: multipart/alternative;
 boundary="------------030106040005060102020400"
Lines: 37
Message-ID: <T3LEh.108$0%6.102@newsfe12.lga>
Date: Mon, 26 Feb 2007 19:38:31 -0500
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1172536691 69.122.55.64 (Mon, 26 Feb 2007 17:38:11 MST)
NNTP-Posting-Date: Mon, 26 Feb 2007 17:38:11 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:8105

This is a multi-part message in MIME format.
```

```
--------------030106040005060102020400
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Posting this for a friend

Take a look if you like

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130082169335


--------------030106040005060102020400
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Posting this for a friend<br>
<div class="moz-text-html" lang="x-western"><font size="+1"><font
 face="Arial"><small><br>
Take a look if you like<br>
<br>
</small></font></font><font size="+1"><font face="Arial"><a
 class="moz-txt-link-freetext"
 href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130082169335">http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130082169335</a></font></font>
</div>
<br>
</body>
</html>

--------------030106040005060102020400--


From 5672447610084611525
X-Google-Thread: 108122,a99b5f34272e5aad,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h3g2000cwc.googlegroups.com!not-for-
mail
From: thomas.neves@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: motorola questions
Date: 26 Feb 2007 17:55:43 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1172541343.907093.205400@h3g2000cwc.googlegroups.com>
```

```
NNTP-Posting-Host: 207.69.137.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1172541349 4147 127.0.0.1 (27 Feb 2007 01:55:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Feb 2007 01:55:49 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; DigExt; (R1
1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h3g2000cwc.googlegroups.com; posting-host=207.69.137.35;
   posting-account=w6iWlA0AAAD63U5LA7nPzled5Jgg6fic
Xref: g2news2.google.com rec.radio.amateur.equipment:8106
```

I am having a problem with being able to program a ht1000. the error message i keep getting is a trs error. i am using multiple revisions of the software. I am thinking it is a computer speed problem. Is there any way to slow the processor speed down on a compaq presario 1610? or maybe some other fix with the software?

```
From 810116191096362711
X-Google-Thread: 108122,36cae1a7d96efeac,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Doctor Who? <kenwood1701@hotmail.com>
Organization: Tardis, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  ICOM IC-02AT, 2 METER HANDI-TALKIE WITH QUICK CHARGER, LAST
 DAY
Content-Type: multipart/alternative;
 boundary="------------080705040400080802080505"
Lines: 45
Message-ID: <0SNEh.563$0%6.441@newsfe12.lga>
Date: Mon, 26 Feb 2007 22:48:32 -0500
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1172548092 69.122.55.64 (Mon, 26 Feb 2007 20:48:12 MST)
NNTP-Posting-Date: Mon, 26 Feb 2007 20:48:12 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:8107
```

This is a multi-part message in MIME format.

```
--------------080705040400080802080505
Content-Type: text/plain; charset=us-ascii; format=flowed
```

```
Content-Transfer-Encoding: 7bit

Last day

Posting this for a friend

Take a look if you like

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130082297536




--------------080705040400080802080505
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Last day<br>
<br>
Posting this for a friend<br>
<div class="moz-text-html" lang="x-western"><font size="+1"><font
 face="Arial"><small><br>
Take a look if you like<br>
<br>
</small></font></font><font size="+1"><font face="Arial"><a
 class="moz-txt-link-freetext"
 href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130082169335">http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;ssPageName=ADME:L:LCA:US:11&amp;item=130082297536</a><br>
<br>
<br>
<br>
</font></font></div>
</body>
</html>

--------------080705040400080802080505--


From 2777338839868270870
X-Google-Thread: 108122,36cae1a7d96efeac
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
```

```
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Doctor Who? <kenwood1701@hotmail.com>
Organization: Tardis, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  ICOM IC-02AT, 2 METER HANDI-TALKIE WITH QUICK CHARGER, LAST
 DAY
Content-Type: multipart/alternative;
 boundary="------------070900060700090804060706"
Lines: 45
Message-ID: <6_NEh.567$0%6.207@newsfe12.lga>
Date: Mon, 26 Feb 2007 22:57:10 -0500
NNTP-Posting-Host: 69.122.55.64
X-Complaints-To: abuse@cv.net
X-Trace: newsfe12.lga 1172548610 69.122.55.64 (Mon, 26 Feb 2007 20:56:50 MST)
NNTP-Posting-Date: Mon, 26 Feb 2007 20:56:50 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:8108

This is a multi-part message in MIME format.
--------------070900060700090804060706
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Last day

Posting this for a friend

Take a look if you like


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130082297536





--------------070900060700090804060706
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Last day<br>
<br>
Posting this for a friend<br>
```

```
<font size="+1"><font face="Arial"><small><br>
Take a look if you like</small></font></font><br>
<font size="+1"><font face="Arial"><br>
<br>
<a class="moz-txt-link-freetext"
 href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130082297536">http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130082297536</a><br>
<br>
<br>
<br>
</font></font>
</body>
</html>

--------------070900060700090804060706--



From -1110991394858289537
X-Google-Thread: fc8b1,de1d2235a3252104,start
X-Google-Thread: 108122,de1d2235a3252104,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr27.news.prodigy.net.POSTED!62e3725b!not-for-
mail
Reply-To: "Mike" <microvel21-ebayelectronics@yahoo.com>
From: "Mike" <microvel21-ebayelectronics@yahoo.com>
Newsgroups: rec.ham-
radio.swap,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equip
ment,rec.radio.amateur.swap
Subject: FA: Tektronix SC501 Scope
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <1zOEh.2232$BE2.405@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 71.156.84.35
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1172550973 ST000 71.156.84.35 (Mon, 26 Feb
2007 23:36:13 EST)
NNTP-Posting-Date: Mon, 26 Feb 2007 23:36:13 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: TSU[@I_AOPRYB]
\YBBH^OFXBWR\HPCTL@XT^OBPLAH[\RYIBK^RAQFW[ML\THRCKV^GGZKJMGV^^_JSCFFUA_QXFGVSCYRPI
LH]TRVKC^LSN@DX_HCAFX__@J\DAJBVMY\ZWZCZLPA^MVH_P@\
\EOMW\YSXHG__IJQY_@M[A[[AXQ_XDSTAR]\PG]NVAQUVM
Date: Tue, 27 Feb 2007 04:36:13 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7710
```

rec.radio.amateur.equipment:8109

http://cgi.ebay.com:80/ws/eBayISAPI.dll?ViewItem&item=140090328572&ssPageName=ADME:B:EF:US:11

Thanks for looking

From 154943890249575253
X-Google-Thread: fc8b1,91573b4e075818b9,start
X-Google-Thread: 108122,91573b4e075818b9,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr27.news.prodigy.net.POSTED!62e3725b!not-for-mail
Reply-To: "Mike" <microvel21-ebayelectronics@yahoo.com>
From: "Mike" <microvel21-ebayelectronics@yahoo.com>
Newsgroups: rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA: Radio Shack HTX-10
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <CEOEh.2235$BE2.100@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 71.156.84.35
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1172551330 ST000 71.156.84.35 (Mon, 26 Feb 2007 23:42:10 EST)
NNTP-Posting-Date: Mon, 26 Feb 2007 23:42:10 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: TSU[@I_AOPRYB]\YBBH^OFXBWR\HPCTL@XT^OBPLAH[\RYIBK^RAQFW[ML\THRCKV^GGZKJMGV^^_JSCFFUA_QXFGVSCYRPILH]TRVKC^LSN@DX_HCAFX__@J\DAJBVMY\ZWZCZLPA^MVH_P@\\EOMW\YSXHG__IJQY_@M[A[[AXQ_XDSTAR]\PG]NVAQUVM
Date: Tue, 27 Feb 2007 04:42:10 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7711 rec.radio.amateur.equipment:8110

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=140090299430&ssPageName=ADME:B:EF:US:11

Thanks for looking

Mike

From 8587186175111430590
X-Google-Thread: fc8b1,b238274e5bc2f78a,start
X-Google-Thread: 108122,b238274e5bc2f78a,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr27.news.prodigy.net.POSTED!62e3725b!not-for-mail
Reply-To: "Mike" <microvel21-ebayelectronics@yahoo.com>
From: "Mike" <microvel21-ebayelectronics@yahoo.com>
Newsgroups: rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: HP1805A Dual Channel Scope plugin (100MHz) for 180 series scope
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <JJOEh.2238$BE2.1708@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 71.156.84.35
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1172551657 ST000 71.156.84.35 (Mon, 26 Feb 2007 23:47:37 EST)
NNTP-Posting-Date: Mon, 26 Feb 2007 23:47:37 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: TSU[@IONGJW_STXXBJHD]_\@VR]^@B@MCPWZKB]MPXHBTWICYFWUQBKZQLYJX_ITFD_KFVLUN[DOM_A_NSYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXGQCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Tue, 27 Feb 2007 04:47:37 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7712 rec.radio.amateur.equipment:8111

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=140090244092&ssPageName=ADME:B:EF:US:11

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=140090249702&ssPageName=ADME:B:EF:US:11

Thanks for looking

Mike

From 7701779385238773477
X-Google-Thread: 108122,a99b5f34272e5aad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: motorola questions
Date: Mon, 26 Feb 2007 20:49:45 -0800
Message-ID: <MPG.204d5840c7081aec989736@192.168.42.197>
References: <1172541343.907093.205400@h3g2000cwc.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 45
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8112

In article <1172541343.907093.205400@h3g2000cwc.googlegroups.com>, thomas.neves@yahoo.com (known to some as thomas.neves@yahoo.com) scribed...

> I am having a problem with being able to program a ht1000. the error
> message i keep getting is a trs error. i am using multiple revisions
> of the software. I am thinking it is a computer speed problem. Is
> there any way to slow the processor speed down on a compaq presario
> 1610? or maybe some other fix with the software?

Hard to say without knowing more about your setup. I will say that the HT1000, being part of the early 'Jedi' series portables, is very picky indeed about how it's programmed. I can at least provide a short checklist.

(1). Your computer should be "old and slow," preferably not faster than a 486/100, and should be booted under true MS-DOS 6.22.

(2). DO NOT, if you value your radio's codeplug, attempt to read or program it through the fake "DOS Window" provided by any late-issue (Windows 98 and up) Windows system.

(3). Your RIB should be either a genuine Motorola RLN4008 series, or one of the Sandy Ganz designs.

(4). Your programming cable should, again, be genuine Motorola, or a third-party copy that has been tested with another radio and known to work. Many of the so-called "RIBless" cables on Greed-bay are nothing that I would ever trust to program anything important to me.

Those are the basics. See http://www.batlabs.com for more handy hints, programming cable diagrams, etc.

If you get frustrated to the point that you want a second opinion, I can program and test your portable at my normal rates. See http://www.bluefeathertech.com/rf.html for details.

Happy tweaking.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

```
From -304852720388140928
X-Google-Thread: fc8b1,33cd015541e4f6bf,start
X-Google-Thread: 108122,33cd015541e4f6bf,start
X-Google-Thread: 1109af,33cd015541e4f6bf,start
X-Google-Thread: 115730,33cd015541e4f6bf,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gid115730,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr27.news.prodigy.net.POSTED!62e3725b!not-for-
mail
Reply-To: "Mike" <microvel21-ebayelectronics@yahoo.com>
From: "Mike" <microvel21-ebayelectronics@yahoo.com>
Newsgroups: rec.ham-
radio.swap,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equip
ment,rec.radio.amateur.swap,rec.radio.swap,sci.electronics.equipment
Subject: FA: Coilcraft SMD-A Surface mount test fixture
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <qtOEh.2229$BE2.202@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 71.156.84.35
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1172550614 ST000 71.156.84.35 (Mon, 26 Feb
2007 23:30:14 EST)
NNTP-Posting-Date: Mon, 26 Feb 2007 23:30:14 EST
```

Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@IONGJW_STXXBJHD]_\@VR]^@B@MCPWZKB]MPXHBTWICYFWUQBKZQLYJX_ITFD_KFVLUN[DOM_A_NSYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXGQCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Tue, 27 Feb 2007 04:30:14 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7713
rec.radio.amateur.equipment:8113 rec.radio.swap:11410
sci.electronics.equipment:5194

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=140090291053&ssPageName=ADME:B:EF:US:11

Thanks for looking

From -7543016076275123240
X-Google-Thread: fcc6e,73db085ee6c6b089,start
X-Google-Thread: f7653,73db085ee6c6b089,start
X-Google-Thread: 108122,73db085ee6c6b089,start
X-Google-Thread: fc2a5,73db085ee6c6b089,start
X-Google-Thread: 107ada,73db085ee6c6b089,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: MI5Victim@mi5.gov.uk
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: MI5 Persecution: Stand up for Free Speech 14/8/95 (586)
Followup-To:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 27 Feb 2007 16:46:19 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 29
Message-ID: <m07012716460703@4ax.com>
Xref: g2news2.google.com rec.radio.amateur.antenna:25754
rec.radio.amateur.digital.misc:483 rec.radio.amateur.equipment:8114
rec.radio.amateur.homebrew:9203 rec.radio.amateur.misc:29573

From: rji@cheetah.inmos.co.uk (Richard Ingram)
Newsgroups: uk.misc
Date: Mon Aug 14 10:08:32 1995

Some cencorship loving bore wrote :

> In article <GEVANS.95Aug14094119@mvagusta.uk.tele.nokia.fi>

gevans@mvagusta.uk.tele.nokia.fi (Gareth Evans) writes:
>
>   His sysadmin is also next to useless, and has not replied to my request or
>   even acknowledged it. Maybe this person *is* a sysadmin?
>
> He's not. It seems the public access site he uses has got no proper
> management over its users. Here's a copy of a reply I got from a
> complaint I made. [After returning every one of Corley's postings to

[snip a large pile of winging complaining drivel]

Geez what a bunch of tossers you all are - you don't like someones postings so you try and get him evicted from the net, why not just use a kill file - you DONT have to read his posts/threads now do you ?

Why is it the net is getting populated by the biggest bunch of self absorbed little Hitlers ? You don't like someones posts so you bloody complain or mail bomb them - grow up you bunch of fucking sad gits !

Richard.

586

From 6647616159263452999
X-Google-Thread: fcc6e,a773b12419f42b1,start
X-Google-Thread: f7653,a773b12419f42b1,start
X-Google-Thread: 108122,a773b12419f42b1,start
X-Google-Thread: fc2a5,a773b12419f42b1,start
X-Google-Thread: 107ada,a773b12419f42b1,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!news.alt.net
From: MI5Victim@mi5.gov.uk
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: MI5 Persecution: Troubling Censorship Issues 20/8/95 (3241)
Followup-To: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,uk.misc
Date: Tue, 27 Feb 2007 18:08:19 +0000 (UTC)
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 30
Message-ID: <m07012718080809@4ax.com>
Xref: g2news2.google.com rec.radio.amateur.antenna:25757 rec.radio.amateur.digital.misc:484 rec.radio.amateur.equipment:8115 rec.radio.amateur.homebrew:9204 rec.radio.amateur.misc:29575

Fred Read (postmaster@foxhouse.demon.co.uk) wrote:

: He posts this drivel every week or so to a number of groups that
: I subscribe to and nothing seems to stop him. *ALL* of his posts
: are off topic and unwelcome to the groups he posts to.

: We have complained about him to his postmaster on at least four
: previous occasions and he still posts the same crap. As his SP
: seem unwilling, or unable, to do anything about him, we were
: windering if there was anything you could do?

If he is not actively using tactics to avoid or sabotage killfiles (posting from various systems, forging, massive crossposting to create cross-newsgroup flame wars) then it should be quite easy to killfile him.

It does seem that the frequency and the size of his posts are approaching net abuse. However, IMHO, they aren't quite there yet. If his postmaster were to act in this instance, it would raise troubling censorship issues.

```
--
Karen Lofstrom                                    lofstrom@lava.net
---------------------------------------------------------------------
       "Adventures for those of the inadmissable kind,
        with no follow through."
            ---  a flaming bonzo beckwithian idiot
```

3241

From 4041109964575220873
X-Google-Thread: 108122,f5fa606056e6817,start
X-Google-Thread: 1109af,f5fa606056e6817,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
out02b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls "PLUS" UHF 403-470 MHz-4-WATT RADIO-EMS-HAM
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C75AC8.C12EB050"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <pmaFh.38970$7d1.33317@newsfe12.phx>
Date: Tue, 27 Feb 2007 23:41:08 -0800

```
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1172648469 68.104.78.240 (Wed, 28 Feb 2007 00:41:09 MST)
NNTP-Posting-Date: Wed, 28 Feb 2007 00:41:09 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8116 rec.radio.swap:11416

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C75AC8.C12EB050
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls "PLUS" UHF 403-470 MHz-4-WATT RADIO-EMS-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250089296699&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0011_01C75AC8.C12EB050
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls "PLUS" UHF 403-470 MHz-4-WATT RADIO-EMS-HAM =
</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250089296699&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250089296699&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0011_01C75AC8.C12EB050--




From 9162882060909219963
X-Google-Thread: 108122,246d33bb3c927e15,start
X-Google-Thread: fc8b1,246d33bb3c927e15,start
X-Google-Thread: fc2a5,246d33bb3c927e15,start
X-Google-Attributes: gid108122,gidfc8b1,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s48g2000cws.googlegroups.com!not-for-
```

```
mail
From: "Jack Schmidling" <jack@schmidling.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebr
ew
Subject: PHOTO OF THE WEEK, Project Complete
Date: 28 Feb 2007 07:08:03 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1172675283.635439.111120@s48g2000cws.googlegroups.com>
NNTP-Posting-Host: 209.112.95.182
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1172675288 15245 127.0.0.1 (28 Feb 2007 15:08:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 28 Feb 2007 15:08:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.10)
Gecko/20050716 Firefox/1.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s48g2000cws.googlegroups.com; posting-host=209.112.95.182;
   posting-account=mxUuuQwAAAC98VwfRPrW8R2N3sbA4X-i
Xref: g2news2.google.com rec.radio.amateur.equipment:8117
rec.radio.amateur.boatanchors:7735 rec.radio.amateur.homebrew:9210

My homebrew project is now on the air.  8000 modulated by a pair of
813's driven by the Ranger.

Those within range are invited to join the Noon Time Forum on 3875
weekdays at Noon, Chicago time.

js

--
PHOTO OF THE WEEK: http://schmidling.com/pow.htm



From -6635972979222148017
X-Google-Thread: 108122,246d33bb3c927e15
X-Google-Thread: fc8b1,246d33bb3c927e15
X-Google-Thread: fc2a5,246d33bb3c927e15
X-Google-Attributes: gid108122,gidfc8b1,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s48g2000cws.googlegroups.com!not-for-
mail
From: "wb5kcm" <wb5kcm@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebr
ew
Subject: Re: PHOTO OF THE WEEK, Project Complete
Date: 28 Feb 2007 09:05:15 -0800
Organization: http://groups.google.com
```

Lines: 16
Message-ID: <1172682315.106950.144650@s48g2000cws.googlegroups.com>
References: <1172675283.635439.111120@s48g2000cws.googlegroups.com>
NNTP-Posting-Host: 216.213.225.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1172682322 4112 127.0.0.1 (28 Feb 2007 17:05:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 28 Feb 2007 17:05:22 +0000 (UTC)
In-Reply-To: <1172675283.635439.111120@s48g2000cws.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.10)
Gecko/20070216 Firefox/1.5.0.10,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s48g2000cws.googlegroups.com; posting-host=216.213.225.2;
   posting-account=EdH9ww0AAAAFnEYpZGFT7-aH0D1ihcTY
Xref: g2news2.google.com rec.radio.amateur.equipment:8118
rec.radio.amateur.boatanchors:7736 rec.radio.amateur.homebrew:9212

On Feb 28, 9:08 am, "Jack Schmidling" <j...@schmidling.com> wrote:
> My homebrew project is now on the air. 8000 modulated by a pair of
> 813's driven by the Ranger.
>
> Those within range are invited to join the Noon Time Forum on 3875
> weekdays at Noon, Chicago time.
>
> js
>
> --
> PHOTO OF THE WEEK:http://schmidling.com/pow.htm

Jack, I really enjoyed reading your writeup and looking at the photos.
You have a wonderful one-of-a-kind transmitter there. It looks great.
Hope to talk to you on the air one day. 73 de Randy, WB5KCM

From 8692907797442027864
X-Google-Thread: 108122,246d33bb3c927e15
X-Google-Thread: fc8b1,246d33bb3c927e15
X-Google-Thread: fc2a5,246d33bb3c927e15
X-Google-Attributes: gid108122,gidfc8b1,gidfc2a5,public
X-Google-Language: ENGLISH,UTF8
Path: g2news2.google.com!postnews.google.com!k78g2000cwa.googlegroups.com!not-for-mail
From: N2EY@AOL.COM
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
Subject: Re: PHOTO OF THE WEEK, Project Complete
Date: 28 Feb 2007 16:32:07 -0800
Organization: http://groups.google.com
Lines: 14

Message-ID: <1172709127.336816.101330@k78g2000cwa.googlegroups.com>
References: <1172675283.635439.111120@s48g2000cws.googlegroups.com>
NNTP-Posting-Host: 205.188.116.11
Mime-Version: 1.0
Content-Type: text/plain; charset="utf-8"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1172709148 4651 127.0.0.1 (1 Mar 2007 00:32:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 1 Mar 2007 00:32:28 +0000 (UTC)
In-Reply-To: <1172675283.635439.111120@s48g2000cws.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 7.0; Windows
98),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 Turboweb [dtc-te122 8.4.1], HTTP/1.1 cache-dtc-
aa07.proxy.aol.com[CDBC740B] (Traffic-Server/6.1.5 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: k78g2000cwa.googlegroups.com; posting-host=205.188.116.11;
   posting-account=gVAhQQwAAAD05tHfjojYiVmJqGmA6Y62
Xref: g2news2.google.com rec.radio.amateur.equipment:8119
rec.radio.amateur.boatanchors:7740 rec.radio.amateur.homebrew:9214

On Feb 28, 10:08=EF=BF=BDam, "Jack Schmidling" <j...@schmidling.com> wrote:
> My homebrew project is now on the air. =A08000 modulated by a pair of
> 813's driven by the Ranger.
> --
> PHOTO OF THE WEEK:http://schmidling.com/pow.htm

Really nice, Jack. Did you use the Ranger audio system to
drive the 813s?

Such a project is never really "finished", because there are
always new ideas and parts to be tried out.

73 es GL de Jim, N2EY

From 390683728292452777
X-Google-Thread: 108122,93c2d64bcb75175e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!8g2000cwh.googlegroups.com!not-for-
mail
From: "Radiola" <n9vu@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R locks up in charger
Date: 28 Feb 2007 18:08:07 -0800
Organization: http://groups.google.com
Lines: 18
Message-ID: <1172714887.546899.67920@8g2000cwh.googlegroups.com>
References: <pMqdnefqyqemQnzYnZ2dnUVZ_hKdnZ2d@insightbb.com>
NNTP-Posting-Host: 75.3.115.236
Mime-Version: 1.0

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1172714903 18136 127.0.0.1 (1 Mar 2007 02:08:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 1 Mar 2007 02:08:23 +0000 (UTC)
In-Reply-To: <pMqdnefqyqemQnzYnZ2dnUVZ_hKdnZ2d@insightbb.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 8g2000cwh.googlegroups.com; posting-host=75.3.115.236;
   posting-account=KQBFZw0AAAAOm4gIsdR2tqC1mBUUiVsK
Xref: g2news2.google.com rec.radio.amateur.equipment:8120

On Feb 25, 1:10 pm, "Bob D." <bobm...@insightbb.com> wrote:
> I like to leave my Yaesu VX-7R turned on in the CD15A charging cradle. But
> after a number of hours, the display goes blank and the strobe indicator
> rapidly flashes blue. The unit appears dead until I lift it out of the
> cradle. Then everything is back to normal. Note that the "Automatic Power
> Off" feature is disabled. What gives?
>
> --
> Bob D. ND9B


I cannot confirm this.  Maybe someone else can.  But leaving the rig
on while in the drop in charger isn't beneficial to the operation of
the rig, is it?  I've the VX2R and somewhere it mentions in charging
proceedure that the set should stay off until charge is complete.  The
charger is just that, a charger, not a power supply.  It could just be
the radio freaking out.  Just my thoughts, I could be wrong.




From 5318841325574072085
X-Google-Thread: 108122,a3fd82d96aff81bb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe13.lga.POSTED!53ab2750!not-for-mail
From: "George Folse III" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu speaker
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_014F_01C75B7A.2C4DC360"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <EcrFh.221271$IL1.68574@newsfe13.lga>
```

```
Date: Wed, 28 Feb 2007 20:51:08 -0600
NNTP-Posting-Host: 68.230.236.27
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.lga 1172717476 68.230.236.27 (Wed, 28 Feb 2007 19:51:16 MST)
NNTP-Posting-Date: Wed, 28 Feb 2007 19:51:16 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8121

This is a multi-part message in MIME format.

------=_NextPart_000_014F_01C75B7A.2C4DC360
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Yaesu SP 102 speaker
Yaesu SP 102P speaker / Phone patch
$100 each plus shipping

--=20
George K5WWO
------=_NextPart_000_014F_01C75B7A.2C4DC360
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Yaesu SP 102 speaker</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Yaesu SP 102P speaker / Phone =
patch</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>$100 each plus shipping</FONT></DIV>
<DIV><FONT face=3DArial size=3D2><BR>-- <BR>George =
K5WWO</FONT></DIV></BODY></HTML>

------=_NextPart_000_014F_01C75B7A.2C4DC360--



From -876356403549437223
X-Google-Thread: 108122,246d33bb3c927e15
X-Google-Thread: fc8b1,246d33bb3c927e15
X-Google-Thread: fc2a5,246d33bb3c927e15
X-Google-Attributes: gid108122,gidfc8b1,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!
```

```
10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "Richard Knoppow" <dickburk@ix.netcom.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebr
ew
References: <1172675283.635439.111120@s48g2000cws.googlegroups.com>
Subject: Re: PHOTO OF THE WEEK, Project Complete
Date: Wed, 28 Feb 2007 18:47:41 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 30
Message-ID: <45e633af$0$16397$88260bb3@free.teranews.com>
NNTP-Posting-Date: 01 Mar 2007 02:00:15 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8122
rec.radio.amateur.boatanchors:7744 rec.radio.amateur.homebrew:9215
```

"Jack Schmidling" <jack@schmidling.com> wrote in message
news:1172675283.635439.111120@s48g2000cws.googlegroups.com...

> My homebrew project is now on the air. 8000 modulated by
> a pair of
> 813's driven by the Ranger.
>
> Those within range are invited to join the Noon Time Forum
> on 3875
> weekdays at Noon, Chicago time.
>
> js
>
> --
> PHOTO OF THE WEEK: http://schmidling.com/pow.htm
>

Congratulations, its beautiful! Tube transmitters _should_ have windows. For some pictures of transmitters with windows see:
http://www.oldradio.com/archives/hardware/we.htm

--

Richard Knoppow
Los Angeles, CA, USA
dickburk@ix.netcom.com

--
Posted via a free Usenet account from http://www.teranews.com

```
From -1478492521871573355
X-Google-Thread: fc8b1,5a6f1902c1b1c4a1
X-Google-Thread: 108122,15cee8a28f4a1bfe,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
From: "George Folse III" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <sbVdf.15376$4l5.5041@dukeread05>
Subject: Re: FS DX 60 HR10 HG 10  HS24
Lines: 52
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000F_01C75B7F.BCF51120"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <ZNrFh.8$yJ1.4@newsfe16.lga>
Date: Wed, 28 Feb 2007 21:30:52 -0600
NNTP-Posting-Host: 68.230.236.27
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.lga 1172719865 68.230.236.27 (Wed, 28 Feb 2007 20:31:05 MST)
NNTP-Posting-Date: Wed, 28 Feb 2007 20:31:05 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7747
rec.radio.amateur.equipment:8123

This is a multi-part message in MIME format.

------=_NextPart_000_000F_01C75B7F.BCF51120
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable



--=20

  I have FS a DX60, HR10, HG10, HS24 speaker, and a homebrew relay box. =
All are in near mint condition and operating. Maker offer. I have =
pictures if you would like to see the rig. Email me at k5wwo@cox.net and =
I will sent you the pictures if you are interested.
  Thanks

  --=20
  George K5WWO
```

```
------=_NextPart_000_000F_01C75B7F.BCF51120
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><BR>-- <BR></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV><FONT face=3DArial size=3D2>I have FS&nbsp;a DX60, HR10, HG10, =
HS24 speaker,=20
  and a homebrew relay box. All are in near mint condition and =
operating. Maker=20
  offer. I have pictures if you would like to see the rig. Email me at =
<A=20
  href=3D"mailto:k5wwo@cox.net">k5wwo@cox.net</A> and I will sent you =
the pictures=20
  if you are interested.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>Thanks</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2><BR>-- <BR>George=20
K5WWO</FONT></DIV></BLOCKQUOTE></BODY></HTML>

------=_NextPart_000_000F_01C75B7F.BCF51120--




From -3853286973058648307
X-Google-Thread: 108122,246d33bb3c927e15
X-Google-Thread: fc8b1,246d33bb3c927e15
X-Google-Thread: fc2a5,246d33bb3c927e15
X-Google-Attributes: gid108122,gidfc8b1,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-
ams-05!sn-ams!sn-feed-ams-02!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Jack Schmidling <arf@mc.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebr
ew
Subject: Re: PHOTO OF THE WEEK, Project Complete
Date: Wed, 28 Feb 2007 23:07:01 -0600
Organization: Posted via Supernews, http://www.supernews.com
```

Message-ID: <12ucnrlgs5bqmcf@corp.supernews.com>
User-Agent: Mozilla Thunderbird 0.9 (Windows/20041103)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <1172675283.635439.111120@s48g2000cws.googlegroups.com>
<1172709127.336816.101330@k78g2000cwa.googlegroups.com>
In-Reply-To: <1172709127.336816.101330@k78g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com rec.radio.amateur.equipment:8124
rec.radio.amateur.boatanchors:7751 rec.radio.amateur.homebrew:9216

N2EY@AOL.COM wrote:

> Really nice, Jack. Did you use the Ranger audio system to
> drive the 813s?

Roger. I started a thread earlier on using 813's as triodes and it was like falling off a log. The modulator consists of a very small chassis with a fil trans, tube sockets and a meter. This sits next to the mod iron on a wood deck. I like the idea of the mod iron isolated from ground.

> Such a project is never really "finished", because there are
> always new ideas and parts to be tried out.

Roger again. I want to eliminate the Ranger for one thing starting with the audio. I bought a 4W audio pre-amp and when I get tired of playing with the new rig I want to see if this will drive the 813's. I need some ideas on interfacing the two... some sort of interstage audio transformer I suppose.

Then, a simple xtal controlled exciter would be fun.

No end is there?

JACK K9ACT

--
PHOTO OF THE WEEK: http://schmidling.com/pow.htm
Astronomy, Beer, Cheese, Fiber,Gems, Sausage,Silver http://schmidling.com

From -5713923265575817684
X-Google-Thread: 108122,a99b5f34272e5aad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe03.lga.POSTED!53ab2750!not-for-mail

From: "Martin Walker" <sorrycharlie@nospam.net>
Newsgroups: rec.radio.amateur.equipment
References: <1172541343.907093.205400@h3g2000cwc.googlegroups.com>
Subject: Re: motorola questions
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <CDDFh.914$yi7.480@newsfe03.lga>
X-Trace:
pgpdkimbbbabbbpelhbgfpgcdpepfmkgfnifljgcjilbeakdooajhcndphflldbjjpgjgailbhebaicepi
apmaggjkklhpohgpcoipjkkiblhpfcflmchnbibfbfgnlienfnojecgjgcfcij
NNTP-Posting-Date: Thu, 01 Mar 2007 09:59:14 MST
Date: Thu, 1 Mar 2007 12:00:37 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:8125

>I am having a problem with being able to program a ht1000. the error
> message i keep getting is a trs error. i am using multiple revisions
> of the software. I am thinking it is a computer speed problem. Is
> there any way to slow the processor speed down on a compaq presario
> 1610? or maybe some other fix with the software?
>

I had a similar problem programming a Vertex VX-10 with old DOS software.
Try Mo'Slo:

http://www.hpaa.com/moslo/

Martin
KC8CFP

From -225695933278159189
X-Google-Thread: 108122,5e0ca59b53f22122,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe18.lga.POSTED!
53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS FT-857D, FC-40, TH-F6A
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <h1IFh.26424$GJ3.15292@newsfe18.lga>
Date: Thu, 1 Mar 2007 15:59:50 -0600

```
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1172786381 68.111.108.217 (Thu, 01 Mar 2007 14:59:41 MST)
NNTP-Posting-Date: Thu, 01 Mar 2007 14:59:41 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8126
```

I have for sale like a new Yaesu FT-857D HF plus 6 and 2 and 440 Transceiver, used less than 20 hours, $585; Yaesu FC-40 Antenna Tuner, New in Box, never used, $210; and Kenwood TH-F6A Tri Band HT, 2/440/220, also hardly used, $255. All have original manuals, boxes, accessories that came with them new. Thanks, Charlie Hugg, K5MBX

```
From -8401665951911953049
X-Google-Thread: 108122,895372ff90bc266e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
news2.arglkargh.de!nuzba.szn.dk!pnx.dk!news.albasani.net!news.newsland.it!
feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: "IW8EZU" <cdb72@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help me
Date: Thu, 1 Mar 2007 23:16:04 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 9
Message-ID: <45e750a4$0$10628$4fafbaef@reader2.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.16.35.219
X-Trace: 1172787364 reader2.news.tin.it 10628 87.16.35.219:19533
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:8127
```

Hello , I need the manuals contain schematics diagram and circuit description and some alignment instructions for TEN-TEC PARAGON
Ciro De Biase

IW8EZU   Italy Hamradio
cdb72@hotmail.com

```
From 3837930536727528474
X-Google-Thread: 108122,895372ff90bc266e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.phx!newsfe06.phx.POSTED!
53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <45e750a4$0$10628$4fafbaef@reader2.news.tin.it>
Subject: Re: Help me
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <GnKFh.62131$pe4.22442@newsfe06.phx>
Date: Thu, 1 Mar 2007 16:40:16 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe06.phx 1172796006 72.197.12.245 (Thu, 01 Mar 2007 17:40:06 MST)
NNTP-Posting-Date: Thu, 01 Mar 2007 17:40:06 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8128


"IW8EZU" <cdb72@hotmail.com> wrote in message
news:45e750a4$0$10628$4fafbaef@reader2.news.tin.it...
> Hello , I need the  manuals contain schematics diagram and circuit
> description and some alignment instructions for TEN-TEC PARAGON
> Ciro De Biase
>
> IW8EZU    Italy Hamradio
> cdb72@hotmail.com
>
>
If no one here can help, try Ten Tec Support URL:
http://radio.tentec.com/Service/Manuals

CL




From -7094574818119096377
X-Google-Thread: 108122,895372ff90bc266e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!area.cu.mi.it!
nntp.eutelia.it!feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: "IW8EZU" <cdb72@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
```

```
References: <45e750a4$0$10628$4fafbaef@reader2.news.tin.it>
Subject: Re: Help me
Date: Fri, 2 Mar 2007 09:00:33 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Lines: 16
Message-ID: <45e7d9a1$0$17945$4fafbaef@reader1.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.10.33.178
X-Trace: 1172822433 reader1.news.tin.it 17945 87.10.33.178:36631
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:8129

Thanks many



"IW8EZU" <cdb72@hotmail.com> ha scritto nel messaggio
news:45e750a4$0$10628$4fafbaef@reader2.news.tin.it...
> Hello , I need the  manuals contain schematics diagram and circuit
> description and some alignment instructions for TEN-TEC PARAGON
> Ciro De Biase
>
> IW8EZU    Italy Hamradio
> cdb72@hotmail.com
>
>
>





From 2539358052033694129
X-Google-Thread: 108122,7177f4fa929bd391,start
X-Google-Thread: 1109af,7177f4fa929bd391,start
X-Google-Thread: 115730,7177f4fa929bd391,start
X-Google-Attributes: gid108122,gid1109af,gid115730,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out04a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment
Subject: FA: MOTOROLA MTX950 Portable Radio w/Chgr & Rmt Mic - Possible 900 MHz
Ham Use
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
```

```
     boundary="----=_NextPart_000_0009_01C74AC0.5C9E4140"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <d0syh.42803$614.6469@newsfe13.phx>
Date: Wed, 7 Feb 2007 14:00:45 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1170885769 68.104.78.240 (Wed, 07 Feb 2007 15:02:49 MST)
NNTP-Posting-Date: Wed, 07 Feb 2007 15:02:49 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8027 rec.radio.swap:11219
sci.electronics.equipment:5047

This is a multi-part message in MIME format.

------=_NextPart_000_0009_01C74AC0.5C9E4140
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA MTX950 Portable Radio w/Chgr & Rmt Mic - Possible 900 MHz =
Ham Use

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250082254512&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0009_01C74AC0.5C9E4140
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA: MOTOROLA MTX950 Portable Radio w/Chgr &amp; Rmt Mic - Possible =
900 MHz=20
Ham Use</P></FONT>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250082254512&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250082254512&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0009_01C74AC0.5C9E4140--
```

```
From -5019653690403887344
X-Google-Thread: fc8b1,a37a86099c5c54a0
X-Google-Thread: 108122,a37a86099c5c54a0
X-Google-Thread: 1109af,a37a86099c5c54a0
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!dana
From: Dana <dana@panix.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
Subject: Looking for power cord.
Date: Thu, 8 Feb 2007 04:44:47 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 7
Message-ID: <Pine.NEB.4.64.0702080441070.28296@panix2.panix.com>
References: <s5SdnTNP7dqCpC_YnZ2dnUVZ_rGinZ2d@comcast.com>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1170927888 23101 166.84.1.2 (8 Feb 2007 09:44:48 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Thu, 8 Feb 2007 09:44:48 +0000 (UTC)
In-Reply-To: <s5SdnTNP7dqCpC_YnZ2dnUVZ_rGinZ2d@comcast.com>
Return-Receipt-To: dana@panix.com
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7453
rec.radio.amateur.equipment:8028 rec.radio.swap:11234
```

I am looking for a power cord for a kenwood r-500. I don't know if anyone knows this or not, but N4XFH passed away over a year ago, and left me most of his old radios. I know some of you have done business with Bob in the passed. Well I also need a VS-1 synthesizer for this radio. I am a blind person and could use one of those. If you have such, e-mail back to this address. TNX from n4pge in Griffin, Georgia.

```
From -2968932066220511672
X-Google-Thread: 108122,e70a2ebf1dde0a1,start
X-Google-Thread: 10c2ee,e70a2ebf1dde0a1,start
X-Google-Attributes: gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!nrc-news.nrc.ca!utnut!news.ccs.queensu.ca!win9.rmc.ca!not-
for-mail
From: Dave Watts <watts-d@rmc.ca>
Newsgroups: rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: Hammarlund Variable Capacitor MC-325-M NOS NIB Auction ending soon
Date: Thu, 08 Feb 2007 08:39:47 -0500
```

Organization: Queen's University, Kingston
Lines: 3
Message-ID: <45cb2759$1@win9.rmc.ca>
NNTP-Posting-Host: 137.94.16.89
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
X-Original-NNTP-Posting-Host: 137.94.165.40
X-Original-Trace: 8 Feb 2007 08:36:25 -0500, 137.94.165.40
Xref: g2news2.google.com rec.radio.amateur.equipment:8030 rec.antiques.radio+phono:46025

This may be of interest to some of you. Thanks for looking

http://cgi.ebay.com/Hammarlund-Variable-Capacitor-MC-325-M-NOS-NIB_W0QQitemZ150087731189QQihZ005QQcategoryZ3284QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

From -3894472524134189562
X-Google-Thread: 108122,5e9a5671dbca0fb7,start
X-Google-Thread: 10c2ee,5e9a5671dbca0fb7,start
X-Google-Attributes: gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!newsfeed.news.ucla.edu!nrc-news.nrc.ca!utnut!news.ccs.queensu.ca!win9.rmc.ca!not-for-mail
From: Dave Watts <watts-d@rmc.ca>
Newsgroups: rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: Lot of vintage NOS and NIb radio and TV repair parts....ending soon
Date: Thu, 08 Feb 2007 08:37:39 -0500
Organization: Queen's University, Kingston
Lines: 4
Message-ID: <45cb26da@win9.rmc.ca>
NNTP-Posting-Host: 137.94.16.89
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
X-Original-NNTP-Posting-Host: 137.94.165.40
X-Original-Trace: 8 Feb 2007 08:34:18 -0500, 137.94.165.40
Xref: g2news2.google.com rec.radio.amateur.equipment:8029 rec.antiques.radio+phono:46024

This may be of interest to many of you. If interested in any of these items please email me. Thanks for looking

http://cgi.ebay.com/Vintage-Radio-Parts-NOS-NIB-Assorted-Makes-and-Parts_W0QQitemZ150087733035QQihZ005QQcategoryZ3284QQrdZ1QQcmdZViewItem

From -1673196269369156O4

X-Google-Thread: 108122,3d3c2c3fc5f4f28
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 08 Feb 2007 18:35:33 -0600
From: "Edward L. Dowdy" <elIhatespamdowdy@ctscomp.com>
Newsgroups: rec.radio.amateur.equipment
References: <yQoxh.42$UJ1.2@newsfe20.lga>
<K6ednTefnLcd51rYnZ2dnUVZ_rbinZ2d@bluevalley.net>
Subject: Re: FT 890 problem
Date: Thu, 8 Feb 2007 18:36:28 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <d9mdnX31dbNIXFbYnZ2dnUVZ_oGlnZ2d@insightbb.com>
Lines: 34
NNTP-Posting-Host: 74.135.178.25
X-Trace: sv3-qFWpVrzvSFJPQCoZAnkHwBrUiELODHLoAzEgnL88zLmKG/
DK+4E0onIeVsv2Lcs3Mo8jTXHQxocy+rI!AcAoAjdUGBZdUDZCNNx04/
mZnOIypzcdBgPKse3DNMs8kqdwnJe8LVvdJAses4z+gGyM6BC+QSW7!1cDezIj1CQby34EWaw==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:8031

There is also a low power switch on one of the circuit boards. It switches it to a 50 watt output max. Might (a big might) be the problem. It's been a few years since I used an 890. I don't recall exactly what board it's on.

73,
Ed KA9EES

"Nate Bargmann" <n0nb.DO.NOT.SPAM@ME.networksplus.net> wrote in message news:K6ednTefnLcd51rYnZ2dnUVZ_rbinZ2d@bluevalley.net...
> On Sun, 04 Feb 2007 11:36:26 -0600, George Folse III wrote:
>
> > I sent my FT 890 to Yaseu for repairs about a yr. ago because lighting
> > hit it and knocked the rec out The TX was working fine when I sent it. I
> > never tried it out until now because I use it as a spare. The rec works
> > fine now the TX is only 40 watts in all modes. I called Yaseu about this
> > and they told me the no longer repair the older model radios anymore,
> > that I would have to find someone else to repair it. My question is does
> > anyone have a clue on what them might have done to lower the rf power? I
> > would like to try and repair it myself before trying to get someone else
> > to do it. I have already spend more money on it than it is worth. Any
> > help on this???? Thanks
>

```
> Perhaps it became mis-adjusted.  If you don't have a service manual
> (technical supplement in Yaesu speak) you should be able to snag a copy
> from http://mods.dk
>
> - Nate >>
>
> --
>
> "The optimist proclaims that we live in the best of all possible worlds,
> the pessimist fears this is true."




From -7938509127842231470
X-Google-Thread: 108122,dbde6b29ec77e179,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a75g2000cwd.googlegroups.com!not-for-
mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: APRSPoint 4.1 available
Date: 8 Feb 2007 23:16:39 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1171005399.142070.37350@a75g2000cwd.googlegroups.com>
NNTP-Posting-Host: 58.48.63.178
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171005406 21893 127.0.0.1 (9 Feb 2007 07:16:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Feb 2007 07:16:46 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; Alexa
Toolbar; .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR
3.0.04506.30),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a75g2000cwd.googlegroups.com; posting-host=58.48.63.178;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news2.google.com rec.radio.amateur.equipment:8032

Version 4.1 improved on the basis of 4.0. Added show/hide track in
addition to track removal. Also, the color in which the mobile station
names are displayed can be customized. And you can set up a tactical
call sign, and choose to beacon it instead of youe regular call sign.
In filter settings, you can choose to accept stations in the track
list without manually adding them. This version has improved legacy
TNC support as well.

Thanks, Michael KF6ZDM
```

```
From 3430138682371595006
X-Google-Thread: 108122,4b86fba239299797,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 09 Feb 2007 13:00:53 -0600
From: "Roger Lebakken" <aa0ku@centurytel.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TH 27a
Date: Fri, 9 Feb 2007 13:05:13 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <FoydnQxnUcR7WVHYnZ2dnUVZ_tCtnZ2d@centurytel.net>
Lines: 14
NNTP-Posting-Host: 69.179.44.118
X-Trace: sv3-hMtooRXp2YiOPVq5R6oH45HB3tOL6m97ykO70BZgEXtP/
WbYINmvv6NkEjIvOBhHBALEqESgqR0pCP/!8A2Qctc67OIzQsWXrG/
BLO0bcWecsGbny2/89wetzaFlUmEVIKAiW3MpXf81ufyqsJbFkcmeCHE0!
kDIaDehbJH69P2xNh49tYfkZzzcoUN2Sf6JEtA==
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:8033
```

I have a Kenwood TH 27A that has a problem that I am trying to isolate. I have the operators manual and schematic bit I do not have the board layouts and parts placement.

Does anyone have the board layouts with parts placement that they can PDF.

Thanks

Roger Lebakken
7611 N Bass Lake Rd
Webster, WI 54893
715-866-4147

```
From -7088140292216295664
X-Google-Thread: 108122,772910ad849dc3cc
X-Google-Thread: fc2a5,772910ad849dc3cc
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.net.POSTED!476e347b!not-for-mail
From: "Al Lorona" <alorona@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <1170830367.837071@newsreg.cos.agilent.com>
<45c9b1f7.864750900@news.madasafish.com>
Subject: Re: 10.9 MHz IF?
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <K%6zh.17106$ji1.11786@newssvr12.news.prodigy.net>
NNTP-Posting-Host: 192.25.240.232
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.net 1171061866 ST000 192.25.240.232 (Fri, 09 Feb
2007 17:57:46 EST)
NNTP-Posting-Date: Fri, 09 Feb 2007 17:57:46 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPGW^WDZRRMBQLYN[O@_WH@YR_B@EXLLBWLOOAFBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Fri, 09 Feb 2007 22:57:46 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:8034
rec.radio.amateur.homebrew:8992
```

Thank you for your responses. These filters were definitely from the very early 70s or maybe mid- or late 70s. The guy who sold them to me at the swap meet mentioned that they may have come out of a Cubic or Astro rig of that era, but he wasn't sure and I just wondered if there was anybody here who might be sure of that.

Thanks again, you guys.

Al W6LX

```
From 5100018000540196027
X-Google-Thread: 108122,772910ad849dc3cc
X-Google-Thread: fc2a5,772910ad849dc3cc
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!news.kjsl.com!
ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: 10.9 MHz IF?
```

Date: 10 Feb 2007 00:04:11 GMT
Organization: The National Capital FreeNet
Lines: 39
Message-ID: <eqj25r$kl1$1@theodyn.ncf.ca>
References: <1170830367.837071@newsreg.cos.agilent.com>
<45c9b1f7.864750900@news.madasafish.com>
<K%6zh.17106$ji1.11786@newssvr12.news.prodigy.net>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1171065851 21153 134.117.136.48 (10 Feb 2007 00:04:11 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 10 Feb 2007 00:04:11 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:8035
rec.radio.amateur.homebrew:8993

"Al Lorona" (alorona@sbcglobal.net) writes:

> Thank you for your responses. These filters were definitely from the very early 70s or maybe mid- or late 70s. The guy who sold them to me at the swap meet mentioned that they may have come out of a Cubic or Astro rig of that era, but he wasn't sure and I just wondered if there was anybody here who might be sure of that.
>
> Thanks again, you guys.
>
> Al W6LX
>

The name of the filter manufacturer that you mentioned, that did sound like the company that made the Swan filters (Cubic and Astro came later in the seventies, but my hazy memory connects them all together so I think there is a connection). I remember ads (and a quick check didn't find one) of them touting a really good filter made by that company. But I'm pretty certain it was in the 5MHz range.

What does come to mind, maybe incorrectly, was that the Swan 250, the six metre SSB rig, had a 10.7MHz IF, but I can't be bothered to check that. I can't even remember why I would think that. But I can't see them going to 10.9MHz.

I'm with the others, 10.9MHz is most likely a scanner (and I too would say Regency). And if it's not that, then it's some non-amateur piece of equipment. Not everything has to be for ham radio rigs, and I have my share of oddball crystal filters that came from somewhere but couldn't have been ham rigs.

Load the inputs and outputs down to some extent, and then use a sweep generator to get a general idea of their bandwidth. If you're looking for SSB-width filters, then they aren't useful if they were for FM receivers.

Post the information printed on the filters, and maybe someone just happens to know.

Michael VE2BVW

From -2576200631862563936
X-Google-Thread: 108122,772910ad849dc3cc
X-Google-Thread: fc2a5,772910ad849dc3cc
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newstrans.cos.agilent.com!not-for-mail
From: "Al Lorona" <al_lorona@agilent.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: 10.9 MHz IF?
Date: Fri, 9 Feb 2007 23:18:07 -0800
Organization: None
Lines: 37
Message-ID: <1171090799.534183@newsreg.cos.agilent.com>
References: <1170830367.837071@newsreg.cos.agilent.com>
<45c9b1f7.864750900@news.madasafish.com>
<K%6zh.17106$ji1.11786@newssvr12.news.prodigy.net> <eqj25r$kl1$1@theodyn.ncf.ca>
NNTP-Posting-Host: newsreg.cos.agilent.com
X-Trace: newstrans.cos.agilent.com 1171091887 31059 130.29.134.111 (10 Feb 2007
07:18:07 GMT)
X-Complaints-To: usenet@newstrans.cos.agilent.com
NNTP-Posting-Date: Sat, 10 Feb 2007 07:18:07 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Cache-Post-Path: newsreg.cos.agilent.com!unknown@cos1nai128232.cos.agilent.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Xref: g2news2.google.com rec.radio.amateur.equipment:8036
rec.radio.amateur.homebrew:8994

> Post the information printed on the filters, and maybe someone just
> happens to know.
>
>   Michael VE2BVW
>

Hi, Michael and others,

Ron W6ZI was kind enough to solve this mystery and respond with the
following:

"The 10.9MHz C-F Networks filters were used to replace the standard filter
in
the Swan 250. The 250 had a 10.7MHz I.F. so a bit of retuning was required.
The stock 250 filter was a 4 pole, 3KHz (more or less) B.W. while the C-F

was an 2.8KHz, 8 pole which provided a very noticable improvement. Hope this

helps."

Thanks, Ron.

Regards,

Al W6LX

```
From -7308924788246983647
X-Google-Thread: 108122,bf85a4f84fbe13f9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!newsfeeder.wxs.nl!divide.nova.planet.nl!posting.nova.planet.nl!not-for-
mail
From: Juul Geleick <gjgeleick@hetnet.nl>
Newsgroups: rec.radio.amateur.equipment
Subject: FT790 or 690
User-Agent: MT-NewsWatcher/3.5.2 (PPC Mac OS X)
Date: Sun, 11 Feb 2007 15:18:33 +0100
Message-ID: <gjgeleick-C5A6FB.15183311022007@reader28.wxs.nl>
Lines: 9
NNTP-Posting-Host: 86.94.241.91
X-Trace: 1171203513 news.kpnplanet.nl 30665 86.94.241.91:52902
X-Complaints-To: abuse@direct-adsl.nl
Xref: g2news2.google.com rec.radio.amateur.equipment:8037
```

I will make 12,5 kHz steps in FM with my Yaesu FT 790 - 690.

Knows anybody how????

thanks

Juul - PE0GJG

```
From -2464695453641375153
X-Google-Thread: 108122,95626a6eb89d915d,start
```

```
X-Google-Thread: 1109af,95626a6eb89d915d,start
X-Google-Thread: 115730,95626a6eb89d915d,start
X-Google-Attributes: gid108122,gid1109af,gid115730,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.phx!newsfe15.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment
Subject: FA: ICOM IC-R100 COMMUNICATIONS RADIO RECEIVER-.5-1850 MHz-SCANNER-HAM
Lines: 40
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C74DBB.CD5C9B90"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <n3Izh.24837$0u1.980@newsfe15.phx>
Date: Sun, 11 Feb 2007 09:05:40 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe15.phx 1171213651 68.104.78.240 (Sun, 11 Feb 2007 10:07:31 MST)
NNTP-Posting-Date: Sun, 11 Feb 2007 10:07:31 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8038 rec.radio.swap:11263
sci.electronics.equipment:5067

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C74DBB.CD5C9B90
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: ICOM IC-R100 COMMUNICATIONS RADIO RECEIVER-.5-1850 MHz-SCANNER-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250083274410&=
ssPageName=3DSTRK:MESE:IT&ih=3D015



------=_NextPart_000_0011_01C74DBB.CD5C9B90
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
```

```
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA: ICOM IC-R100 COMMUNICATIONS RADIO RECEIVER-.5-1850 =
MHz-SCANNER-HAM=20
</P></FONT>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250083274410&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250083274410&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P>
<P>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0011_01C74DBB.CD5C9B90--




From -3808611620001111938
X-Google-Thread: 108122,a7c1d1c38ed1bdda,start
X-Google-Thread: 1109af,a7c1d1c38ed1bdda,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.phx!newsfe15.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: DCI-445-10C BANDPASS FILTER 440-450 MHZ-DUPLEXER-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001A_01C74DBC.03D1CCE0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <P4Izh.24838$0u1.22992@newsfe15.phx>
Date: Sun, 11 Feb 2007 09:07:11 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe15.phx 1171213743 68.104.78.240 (Sun, 11 Feb 2007 10:09:03 MST)
NNTP-Posting-Date: Sun, 11 Feb 2007 10:09:03 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8039 rec.radio.swap:11264

This is a multi-part message in MIME format.

------=_NextPart_000_001A_01C74DBC.03D1CCE0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA: DCI-445-10C BANDPASS FILTER 440-450 MHZ-DUPLEXER-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250083360923&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001A_01C74DBC.03D1CCE0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: DCI-445-10C BANDPASS FILTER 440-450 MHZ-DUPLEXER-HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250083360923&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250083360923&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_001A_01C74DBC.03D1CCE0--



From -6351029809499325371
X-Google-Thread: 108122,bf85a4f84fbe13f9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!news.belwue.de!
newsfeed.arcor.de!newsspool4.arcor-online.net!news.arcor.de.POSTED!not-for-mail
Message-ID: <4585683.G3eh5Q88fe@viviana>
From: Ralf Ballis - DL2MRB <dl2mrb@arcor.de>
Subject: Re: FT790 or 690
Newsgroups: rec.radio.amateur.equipment
Reply-To: dl2mrb@arcor.de
Date: Sun, 11 Feb 2007 22:11:04 +0100
References: <gjgeleick-C5A6FB.15183311022007@reader28.wxs.nl>
User-Agent: KNode/0.7.7
MIME-Version: 1.0
Content-Type: text/plain; charset=iso-8859-15
Content-Transfer-Encoding: 8Bit
Lines: 14
Organization: Arcor
NNTP-Posting-Date: 11 Feb 2007 22:14:52 CET
NNTP-Posting-Host: 1ac42105.newsspool1.arcor-online.net
```

X-Trace: DXC=HJ[WQ_=Vk`9kUFX=Y?aLP;ic==]BZ:af>4Fo<]lROoR1^YC2XCjHcb9\YmN9?
kZWX>[6fPGO]?5U3Q3P[:`_6`87nj>Gg7V6l67
X-Complaints-To: usenet-abuse@arcor.de
Xref: g2news2.google.com rec.radio.amateur.equipment:8040

Juul Geleick wrote:

> I will make 12,5 kHz steps in FM with my Yaesu FT 790 - 690.
>
> Knows anybody how????

I have only a 290R and a 790RII. It should have a button ?STEP? at front
panel for change step and 12,5 kHz works only at FM mode.

Regards,

Ralf
--
Vy 73 es 55 de Ralf, DL2MRB

From -8316581152125024377
X-Google-Thread: 108122,bf85a4f84fbe13f9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.karotte.org!
uucp.gnuu.de!newsfeed.arcor.de!newsspool1.arcor-online.net!news.arcor.de.POSTED!
not-for-mail
Message-ID: <1857936.YqGljblGME@viviana>
From: Ralf Ballis - DL2MRB <dl2mrb@arcor.de>
Subject: Re: FT790 or 690
Newsgroups: rec.radio.amateur.equipment
Reply-To: dl2mrb@arcor.de
Date: Sun, 11 Feb 2007 22:16:33 +0100
References: <gjgeleick-C5A6FB.15183311022007@reader28.wxs.nl>
User-Agent: KNode/0.7.7
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 14
Organization: Arcor
NNTP-Posting-Date: 11 Feb 2007 22:20:21 CET
NNTP-Posting-Host: 1ac42105.newsspool1.arcor-online.net
X-Trace: DXC=;>RLRPPoQJE^B]`=U:WelBic==]BZ:afN4Fo<]lROoRA^YC2XCjHcbI\YmN9?
kZWXN[6fPGO]?5UCQ3P[:`_6`8Gnj>Gg7V6l6G
X-Complaints-To: usenet-abuse@arcor.de
Xref: g2news2.google.com rec.radio.amateur.equipment:8041

Juul Geleick wrote:

> I will make 12,5 kHz steps in FM with my Yaesu FT 790 - 690.
>

> Knows anybody how????

I have only a 290R and a 790RII. It should have a button "STEP" at front
panel for change step and 12,5 kHz works only at FM mode.

Regards,

Ralf
--
Vy 73 es 55 de Ralf, DL2MRB

```
From 8082718491726588735
X-Google-Thread: 108122,2127f298e6a33eea,start
X-Google-Thread: 1109af,2127f298e6a33eea,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA UHF REPEATER AMP 100W 440-460 MHz GOOD CDX-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C74DF1.8D001B40"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <hINzh.9688$0y4.3103@newsfe14.phx>
Date: Sun, 11 Feb 2007 15:30:25 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.phx 1171236749 68.104.78.240 (Sun, 11 Feb 2007 16:32:29 MST)
NNTP-Posting-Date: Sun, 11 Feb 2007 16:32:29 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8042 rec.radio.swap:11268
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_000A_01C74DF1.8D001B40
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: MOTOROLA UHF REPEATER AMP 100W 440-460 MHz GOOD CDX-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250083647664&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

```
------=_NextPart_000_000A_01C74DF1.8D001B40
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA UHF REPEATER AMP 100W 440-460 MHz GOOD CDX-HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250083647664&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250083647664&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000A_01C74DF1.8D001B40--
```

```
From -7079686517952567685
X-Google-Thread: 108122,8ac3db5f7437c7d3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <gt-dnb8rH8JkfFLYnZ2dnUVZ_oCmnZ2d@giganews.com>
Subject: Re: I-706 MKIIG Quick Reference Card
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <j0%zh.2157$Cg.869@newsfe11.phx>
Date: Mon, 12 Feb 2007 06:41:24 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe11.phx 1171291279 72.197.12.245 (Mon, 12 Feb 2007 07:41:19 MST)
NNTP-Posting-Date: Mon, 12 Feb 2007 07:41:19 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8044
```

No freebee that I know of - but Nifty Accessories makes an excellent product
http://www.niftyaccessories.com/Icom_cards.htm

CL

"Erik" <not@here.com> wrote in message
news:gt-dnb8rH8JkfFLYnZ2dnUVZ_oCmnZ2d@giganews.com...
> Does anyone know of a free quick reference card for the 706MKIIG? Thanks.

From 6282300717599593877
X-Google-Thread: 108122,375556f27fa3fa94,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 12 Feb 2007 08:55:53 -0600
From: "Denis Sharon" <denis.sharon@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Need for TMC GPR-90/GPR-92 Receivers
Date: Mon, 12 Feb 2007 09:55:53 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <c7-dnYuLW4pk4k3YnZ2dnUVZ_segnZ2d@comcast.com>
Lines: 6
NNTP-Posting-Host: 71.234.130.99
X-Trace:
sv3-0o8DtK3Q1VX1K6DU2e6RI51MO7kJbIac4fTWcoiwufI10JgTEIopSwPjAPhyrdm0LzXNVkQqT3Tnp1
0!bxCaDFw3PrjlFeoMPxJoAO3NFL8WTzCiKYqZScoH5bIohOlv2IlL/rgIP1FGeblxq9Cicjt63nPM!
9Y91p9Qj6a3fKCO6ORE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:8045

Hi. I am in search of: (1) Desk-top cabinet for TMC GPR-90 receiver, and (2)
Manual for TMC GPR-92. Reply to denis.sharon (at) att.net. Please don't all
call at once. (Hen's teeth also welcome). Denis W1AOK

From 6422551631830779533
X-Google-Thread: fcc6e,f050d19442caec27
X-Google-Thread: 11480d,f050d19442caec27
X-Google-Thread: 108122,a2fa3cbea06513a2,start
X-Google-Thread: fc2a5,a2fa3cbea06513a2,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!novia!
sequencer.newscene.com!not-for-mail
From: "Paul W. Schleck, K3FU" <pschleck@novia.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew
Subject: 3rd RFD: rec.radio.amateur.moderated moderated (LAST CALL FOR COMMENTS)
Followup-To: news.groups.proposals
Date: 13 Feb 2007 12:09:02 -0600
Organization: Novia Internetworking, http://www.novia.net/
Lines: 22
Message-ID: <45d1fe5c$0$37578$540ea2cf@novia.net>
References: <nan.20070110144508$401c@killfile.org>
<nan.20070125162526$4ac9@killfile.org> <45be9f15$0$170$540ea2cf@novia.net>
User-Agent: nn/6.7.3
Xref: g2news2.google.com rec.radio.amateur.antenna:25229 rec.radio.amateur.dx:2784
rec.radio.amateur.equipment:8046 rec.radio.amateur.homebrew:9018

The following was just posted to Usenet by the news.announce.newgroups
moderator on behalf of the Big-8 Management Board:

http://www.big-8.org/dokuwiki/doku.php?id=nan:2007-02-13-
rec.radio.amateur.moderated-lcc

This is a Request for Discussion (RFD) and Last Call for Comments (LCC)
to create a new moderated discussion newsgroup for amateur radio on
Usenet. It has been relayed to rec.radio.amateur.antenna,
rec.radio.amateur.dx, rec.radio.amateur.equipment, and
rec.radio.amateur.homebrew, as announced in the RFD/LCC. Please
consider contributing your opinions regarding this newsgroup to
news.groups.proposals, where followups to this message have been set.

--
73, Paul W. Schleck, K3FU
pschleck@novia.net
http://www.novia.net/~pschleck/
Finger pschleck@novia.net for PGP Public Key

From -8119518165535414191
X-Google-Thread: fcc6e,f050d19442caec27

X-Google-Thread: 11480d,f050d19442caec27
X-Google-Thread: 108122,a2fa3cbea06513a2
X-Google-Thread: fc2a5,a2fa3cbea06513a2
X-Google-Thread: fc8b1,be00b22ad54b4a13,start
X-Google-Thread: f7653,be00b22ad54b4a13,start
X-Google-Thread: 10e8ad,be00b22ad54b4a13,start
X-Google-Attributes:
gidfcc6e,gid11480d,gid108122,gidfc2a5,gidfc8b1,gidf7653,gid10e8ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news.glorb.com!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.space
Subject: Re: 3rd RFD: rec.radio.amateur.moderated moderated (LAST CALL FOR COMMENTS)
Date: 13 Feb 2007 19:02:40 GMT
Organization: The National Capital FreeNet
Lines: 64
Message-ID: <eqt20g$qrk$1@theodyn.ncf.ca>
References: <nan.20070110144508$401c@killfile.org>
<nan.20070125162526$4ac9@killfile.org> <45be9f15$0$170$540ea2cf@novia.net>
<45d1fe5c$0$37578$540ea2cf@novia.net>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1171393360 27508 134.117.136.48 (13 Feb 2007 19:02:40 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 13 Feb 2007 19:02:40 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:25230 rec.radio.amateur.dx:2785
rec.radio.amateur.equipment:8047 rec.radio.amateur.homebrew:9022
rec.radio.amateur.boatanchors:7509 rec.radio.amateur.digital.misc:473
rec.radio.amateur.space:591

"Paul W. Schleck, K3FU" (pschleck@novia.net) writes:
> The following was just posted to Usenet by the news.announce.newgroups
> moderator on behalf of the Big-8 Management Board:
>

And for the third time, you still ignore part of the hierarchy.

While the first RFD ignored the hierarchy except for .misc and .policy, and the second RFD added .antennas and .dx, this third RFD long after the discussion started still ignores three of the newsgroups in the hierarchy:
  rec.radio.amateur.boatanchors
  rec.radio.amateur.digital.misc
  rec.radio.amateur.space

In the end, you can't speak for the hierarchy if you don't even know which newsgroups exist in the hierarchy. No wonder you have such disregard for the hierarchy, you only think of yourself as some "administrator" type rather than a participant.

You aren't building bridges, you're imposing your vision on the hierarchy. The fact that you still don't come to the hierarchy and simply talk to us, isntead hiding behind the structure of creating a new newsgroup, says everything about your relationship to newsgroups.

IN the end, I conclude that you like moderated newsgroups because Usenet never sat well with you, and the only way you can deal with it is impose your need for rules on something that is a haven from that.

Ultimately, you are like the problem posters. Neither of you can live without rules, though you need them because you can't tolerate the lack of rules, while they need them because they think the lack of rules is license to do as they please.

You've spent the decade trying to impose rules on the hierarchy, while the rest of us were actually trying to make the hierarchy good by participating in the discussions.

Useless administrators are always trumped by people doing things.

Michael VE2BVW

> http://www.big-8.org/dokuwiki/doku.php?id=nan:2007-02-13-rec.radio.amateur.moderated-lcc
>
> This is a Request for Discussion (RFD) and Last Call for Comments (LCC)
> to create a new moderated discussion newsgroup for amateur radio on
> Usenet. It has been relayed to rec.radio.amateur.antenna,
> rec.radio.amateur.dx, rec.radio.amateur.equipment, and
> rec.radio.amateur.homebrew, as announced in the RFD/LCC. Please
> consider contributing your opinions regarding this newsgroup to
> news.groups.proposals, where followups to this message have been set.
>
> --
> 73, Paul W. Schleck, K3FU
> pschleck@novia.net
> http://www.novia.net/~pschleck/
> Finger pschleck@novia.net for PGP Public Key
>
>
>
>

From 7902042937905913954
X-Google-Thread: 108122,8f9e6e2d2445bb70,start
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!msrtrans!News.Dal.Ca!ursa-nb00s0.nbnet.nb.ca!
53ab2750!not-for-mail
From: otis amps <google@ns.sympatico.ca>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: ranger ar3500 100 watt Ebay
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <6YsAh.6272$R71.93027@ursa-nb00s0.nbnet.nb.ca>
Date: Wed, 14 Feb 2007 00:44:50 GMT
NNTP-Posting-Host: 142.167.193.25
X-Complaints-To: abuse@aliant.net
X-Trace: ursa-nb00s0.nbnet.nb.ca 1171413890 142.167.193.25 (Tue, 13 Feb 2007
20:44:50 AST)
NNTP-Posting-Date: Tue, 13 Feb 2007 20:44:50 AST
Organization: Aliant Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:8048

http://cgi.ebay.com/10-METER-HAM-RADIO-BY-CLEARCHANNEL-100-
WATTS_W0QQitemZ140085280508QQihZ004QQcategoryZ4674QQrdZ1QQcmdZViewItem

Its me speedster2006 I had to change my Ebay name because ebay threaten
to ban me for good this time.
You know i sell alot of 10 meter radios for 11 meter use.

I put the Ebay name in my wifes name safire2007  for this auction


From -5189370790038745079
X-Google-Thread: 108122,1b49ea904e1c32cd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v33g2000cwv.googlegroups.com!not-for-
mail
From: c454785569@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: MTS2000 'F001' error code
Date: 14 Feb 2007 16:37:18 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1171499838.078598.34120@v33g2000cwv.googlegroups.com>
NNTP-Posting-Host: 71.123.108.7
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171499857 12818 127.0.0.1 (15 Feb 2007 00:37:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 15 Feb 2007 00:37:37 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.9)
```

Gecko/20061206 Firefox/1.5.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v33g2000cwv.googlegroups.com; posting-host=71.123.108.7;
   posting-account=U0Jbgg0AAAB28FJa1cksiQ57nZctUSph
Xref: g2news2.google.com rec.radio.amateur.equipment:8049

I have a MTS2000 (48 Ch. VHF) that I purchased off ebay last fall. I
recently had it programmed and it worked fine for a day, but now it
displays "F001" when it turns on. I read somewhere that this error
code means the synthesizer is out of lock.

Can someone please tell me what this means, and what it takes to get
it fixed?

Also, when it worked for that one day, I noticed the three buttons on
the side all did the same function, even though I watched the tech
program each button to do something different (backlight, scan on/off,
unprogrammed). Is this a related issue?

Any help at all anyone can provide will be appreciated! Thank You!!

From -4482854589712412818
X-Google-Thread: 108122,35f85d7659470259,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a75g2000cwd.googlegroups.com!not-for-mail
From: "Photorider06" <mahimahi_1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Newbie Equiptment suggestions needed
Date: 14 Feb 2007 20:01:46 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1171512106.654576.104260@a75g2000cwd.googlegroups.com>
NNTP-Posting-Host: 65.103.184.105
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171512113 16262 127.0.0.1 (15 Feb 2007 04:01:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 15 Feb 2007 04:01:53 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; America Online Browser 1.1;
Windows NT 5.1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a75g2000cwd.googlegroups.com; posting-host=65.103.184.105;
   posting-account=aE7klw0AAACR_QPQYPe7PkuLq753H78l
Xref: g2news2.google.com rec.radio.amateur.equipment:8050

Hi Group !
Newbie here and I am in need of equipt reccomendations. I am moving to
a rural area of Texas near the mexico border and am in need of long

distance radio communications equip. Any and all suggestions
appreciated. Would prefer equipt that can scramble and also reach out.
Need to equip Base and 2-3 mobile units. Reccomended suppliers for
reliable repairable and versatile radio equip welcome,

Thanks
George
Photorider06

From -1214097552715951207
X-Google-Thread: 108122,35f85d7659470259
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a34g2000cwb.googlegroups.com!not-for-mail
From: "Photorider06" <mahimahi_1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Newbie Equiptment suggestions needed
Date: 14 Feb 2007 20:01:52 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1171512112.187389.31360@a34g2000cwb.googlegroups.com>
NNTP-Posting-Host: 65.103.184.105
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171512130 10673 127.0.0.1 (15 Feb 2007 04:02:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 15 Feb 2007 04:02:10 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; America Online Browser 1.1; Windows NT 5.1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a34g2000cwb.googlegroups.com; posting-host=65.103.184.105;
   posting-account=aE7klw0AAACR_QPQYPe7PkuLq753H78l
Xref: g2news2.google.com rec.radio.amateur.equipment:8051

Hi Group !
Newbie here and I am in need of equipt reccomendations. I am moving to
a rural area of Texas near the mexico border and am in need of long
distance radio communications equip. Any and all suggestions
appreciated. Would prefer equipt that can scramble and also reach out.
Need to equip Base and 2-3 mobile units. Reccomended suppliers for
reliable repairable and versatile radio equip welcome,

Thanks
George
Photorider06

From 6930166467216442177

```
X-Google-Thread: 108122,35f85d7659470259
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-
mail
From: "Photorider06" <mahimahi_1@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Newbie Equiptment suggestions needed
Date: 14 Feb 2007 20:02:09 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1171512129.449779.247440@q2g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.103.184.105
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171512147 10704 127.0.0.1 (15 Feb 2007 04:02:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 15 Feb 2007 04:02:27 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; America Online Browser 1.1;
Windows NT 5.1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=65.103.184.105;
   posting-account=aE7klw0AAACR_QPQYPe7PkuLq753H78l
Xref: g2news2.google.com rec.radio.amateur.equipment:8052

Hi Group !
Newbie here and I am in need of equipt reccomendations. I am moving to
a rural area of Texas near the mexico border and am in need of long
distance radio communications equip. Any and all suggestions
appreciated. Would prefer equipt that can scramble and also reach out.
Need to equip Base and 2-3 mobile units. Reccomended suppliers for
reliable repairable and versatile radio equip welcome,

Thanks
George
Photorider06




From -4469059386072443319
X-Google-Thread: 108122,35f85d7659470259
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!news.astraweb.com!
router1.astraweb.com!sn-xt-sjc-05!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie Equiptment suggestions needed
Date: Thu, 15 Feb 2007 04:54:44 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12t7psk43ahh4e2@corp.supernews.com>
```

```
References: <1171512129.449779.247440@q2g2000cwa.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.equipment:8053

>Hi Group !
>Newbie here and I am in need of equipt reccomendations. I am moving to
>a rural area of Texas near the mexico border and am in need of long
>distance radio communications equip. Any and all suggestions
>appreciated. Would prefer equipt that can scramble and also reach out.
>Need to equip Base and 2-3 mobile units. Reccomended suppliers for
>reliable repairable and versatile radio equip welcome,

"Scramble" rules out amateur radio.  You might be able to use MURS, I
suppose, but I don't know of any MURS radios with scramblers.

--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Friends of Jade Warrior home page:  http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From -3163441535983536093
X-Google-Thread: 108122,a476894decd987fb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-08!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "John Baxter" <mailjohnbaxter@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ten Tec Scout - DC plug ?
Date: Thu, 15 Feb 2007 10:47:37 -0000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12t8eihit2ctt01@corp.supernews.com>
Reply-To: "John Baxter" <mailjohnbaxter@gmail.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news2.google.com rec.radio.amateur.equipment:8054

Hi,

This is my first posting to the Group !

I have just purchased a Ten Tec Scout 555 from another radio amateur.
```

Unfortunately he has lost the power lead. Can anyone tell me what type of power plug I need, I am in the UK so any suggestions on where I might locate such a plug in the UK would be helpful. I have the Ten Tec part number from the manual but want to avoid shipping costs across the Atlantic if it all possible ! It may be that it's a standard generic two pin connector, but I don't recognise it.

Thank you in advance for any help.

73 de John

From -6478506849303021878
X-Google-Thread: 108122,2badc0b3a2469558,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!sn-xt-sjc-04!sn-xt-sjc-11!sn-xt-
sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "John Baxter" <mailjohnbaxter@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ten Tec Scout ARRL / QST review
Date: Thu, 15 Feb 2007 11:07:53 -0000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12t8foi8fsh5oc7@corp.supernews.com>
Reply-To: "John Baxter" <mailjohnbaxter@gmail.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news2.google.com rec.radio.amateur.equipment:8055

Hi,

Can anyone tell me where I can get a copy of the Dec 1993 QST review of the Ten Tec Scout 555 from ?

Thanks

John

From 3612896335861080483
X-Google-Thread: 108122,2badc0b3a2469558
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ten Tec Scout ARRL / QST review
Date: Thu, 15 Feb 2007 07:55:26 -0600
Message-ID: <qdp8t2l4b404inblcnbjk02mj849nc95d3@4ax.com>
References: <12t8foi8fsh5oc7@corp.supernews.com>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8056

On Thu, 15 Feb 2007 11:07:53 -0000, "John Baxter"
<mailjohnbaxter@gmail.com> wrote:

>Hi,
>
>Can anyone tell me where I can get a copy of the Dec 1993 QST review of the
>Ten Tec Scout 555 from ?
>
>Thanks
>
>John
>

If you subscribe to QST you can access their back reviews in the
members portion of the ARRL website. Otherwise you can order reprints
of articles from qst/arrl at their website for a modest fee.

bob
k5qwg


From -5631455003811010163
X-Google-Thread: 108122,159b90ee1faec26e,start
X-Google-Thread: 10c2ee,159b90ee1faec26e,start
X-Google-Thread: 1109af,159b90ee1faec26e,start
X-Google-Attributes: gid108122,gid10c2ee,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!nrc-news.nrc.ca!news.sfu.ca!utnut!news.ccs.queensu.ca!
win9.rmc.ca!not-for-mail
From: Dave Watts <watts-d@rmc.ca>
Newsgroups: rec.radio.amateur.equipment,rec.antiques.radio+phono,rec.radio.swap
Subject: Hammarlund Variable Capacitor MC-325-M  and Assorted Radio TV Repair
 Parts For Sale
Date: Thu, 15 Feb 2007 11:12:06 -0500
```

Organization: Queen's University, Kingston
Lines: 34
Message-ID: <45d48589$1@win9.rmc.ca>
NNTP-Posting-Host: 137.94.16.89
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
X-Original-NNTP-Posting-Host: 137.94.165.40
X-Original-Trace: 15 Feb 2007 11:08:41 -0500, 137.94.165.40
Xref: g2news2.google.com rec.radio.amateur.equipment:8057
rec.antiques.radio+phono:46529 rec.radio.swap:11298

I have a new Hammarlund variable capacitor for sale, model MC-325-M is the model. This is NOS and NIB and has been sitting on a shelf for many years. $30 plus whatever shipping is.

I have the following old repair parts for sale as a lot or each. These are all NOS and NIB as far as I can tell. Let me know what you are interested in and make an offer. Buyer pays shipping of course.

General Radio Parts   846AK Variable Caps 2-11uuf , 846BK 2.5-20uuf , 119-A Choke .25H , 301 Potentiometer 200 Ohms

UTC Parts   Variable Inductors VIC 7 .13 H , VIC 14 3.4H , VIC 18 21H , VIC 21 83H
Peterson Radio Crystals   Z-1 Type 5000 , 2500 , 1000 , 500

Hammond Choke 1506 1.6mH

Meissner Parts   19-6842 RF Choke 30 mH , 19-4551 RF Choke 5.5 mH , 19-6846 RF Choke 80 mH , 16-6668 LF Input , 16-6658 Input IF 454Kc

Miller Parts 4525 High V RF Transformer , 6203 4.5Mc IF Input and Interstage , 6204 4.5Mc IF Discriminator , 6205 4.5Mc IF Ratio Detector

5480-C 455Kc Oscillator , 6320 .2-3 mH tapped , 6196-TV Hor Width Cont 55 Sweep , 6195-TV Hor Lin Cont 55 Sweep

I can provide pictures if you would like. Shipping costs are actual shipping costs, no handling charges. Please quote prices in US dollars. I really prefer Paypal but other arrangements can be made.

Thanks

Dave

From -1422417240247948511
X-Google-Thread: 108122,2badc0b3a2469558
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news4.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ten Tec Scout ARRL / QST review
Date: 15 Feb 2007 16:58:47 GMT
Lines: 9
Message-ID: <slrnet94a7.1ota.bit-bucket@shell.config.com>
References: <12t8foi8fsh5oc7@corp.supernews.com>
X-Trace: individual.net nXI2IWfSPDIVFU62LKftywAO3WHjjeJ0dOx15g40p6wHYAQEIQ
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:8058

On Thu, 15 Feb 2007 11:07:53 -0000, John Baxter wrote:

> Can anyone tell me where I can get a copy of the Dec 1993 QST review of the
> Ten Tec Scout 555 from ?

Any U.S. public library should be capable of getting it -- through
inter-library loan if need be.

Jonesy W3DHJ

From 3841514760174816202
X-Google-Thread: 108122,a476894decd987fb
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!newsfeed1.ip.tiscali.net!proxad.net!exabot.com!freenix!sn-xt-sjc-04!sn-xt-sjc-01!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "John Baxter" <mailjohnbaxter@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ten Tec Scout - DC plug ?
Date: Thu, 15 Feb 2007 20:37:58 -0000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12t9h5jf2j4a837@corp.supernews.com>
Reply-To: "John Baxter" <mailjohnbaxter@gmail.com>
References: <12t8eihit2ctt01@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Complaints-To: abuse@supernews.com
Lines: 7
Xref: g2news2.google.com rec.radio.amateur.equipment:8059

I have included a photo here: http://tinyurl.com/2rzndl

Many thanks

John

From 1906382110488775292
X-Google-Thread: 108122,a476894decd987fb
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news-lei1.dfn.de!
news1.uni-leipzig.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ten Tec Scout - DC plug ?
Date: Thu, 15 Feb 2007 15:01:12 -0600
Lines: 14
Message-ID: <53k00nF1sq9fhU1@mid.individual.net>
References: <12t8eihit2ctt01@corp.supernews.com>
<12t9h5jf2j4a837@corp.supernews.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net Cltj8a+rYqaWp2yPSsHbHgANwGrf3F7ZQjZl0U2KWU2CX7Xado
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.7.7) Gecko/
20050414 Mnenhy/0.7.4.0
X-Accept-Language: en-us, en-ca, en-gb
In-Reply-To: <12t9h5jf2j4a837@corp.supernews.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:8060

John Baxter wrote:
> I have included a photo here: http://tinyurl.com/2rzndl
>
> Many thanks
>
> John
>
>

Try this link: http://dkc3.digikey.com/PDF/T071/0164-0168.pdf

Under MLX .084 connections.. Part # WM1243-ND

Bob N9LVU

From -4467378705447812381
X-Google-Thread: 108122,a476894decd987fb
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "John Baxter" <mailjohnbaxter@gmail.com>

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ten Tec Scout - DC plug ?
Date: Thu, 15 Feb 2007 22:02:56 -0000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12t9m4uiiv5pa42@corp.supernews.com>
Reply-To: "John Baxter" <mailjohnbaxter@gmail.com>
References: <12t8eihit2ctt01@corp.supernews.com>
<12t9h5jf2j4a837@corp.supernews.com> <53k00nF1sq9fhU1@mid.individual.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 7
Xref: g2news2.google.com rec.radio.amateur.equipment:8061

Bob,

Thank you very much, that looks just right.

73 John

From -6928898730371166766
X-Google-Thread: 101d03,1b7ebc560dd4abeb
X-Google-Thread: 11574b,6cdbcbfd1667c210,start
X-Google-Thread: 108122,6cdbcbfd1667c210,start
X-Google-Thread: 1141a2,6cdbcbfd1667c210,start
X-Google-Attributes: gid101d03,gid11574b,gid108122,gid1141a2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h3g2000cwc.googlegroups.com!not-for-mail
From: johnfrancisayres@rock.com
Newsgroups:
rec.arts.startrek.current,alt.security.terrorism,rec.radio.amateur.equipment,alt.politics
Subject: Ship's Tour Of My Universe To Begin - Call To Arms! Duty Stations! Fire When Ready! Cease Fire Procola! Pt. I/III
Date: 15 Feb 2007 15:56:26 -0800
Organization: http://groups.google.com
Lines: 2135
Message-ID: <1171583786.059267.272460@h3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 172.194.90.229
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171583793 28104 127.0.0.1 (15 Feb 2007 23:56:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 15 Feb 2007 23:56:33 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804

```
Netscape/7.2 (ax),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h3g2000cwc.googlegroups.com; posting-host=172.194.90.229;
   posting-account=J1aE9A0AAABPEYSAAS-D20mZlfB81UJw
Xref: g2news2.google.com rec.arts.startrek.current:7657
alt.security.terrorism:29539 rec.radio.amateur.equipment:8062 alt.politics:735492
```

Call To Arms, means, you will inspect your weaponry and prepare to do battle. Duty Stations, means, all men and women must assume their duty stations, weapons at the ready. Fire When Ready, means, man or woman your weapons, sight the target, finger the trigger, and fire when ready. Cease Fire Procola, means, continue fireing until the enemy targets are dispatched, and there is no sight of an enemy anywhere on the horizon. Procolas means, after ending all possiblities of any lingering survivors staying alive. It means to wipe them out, and leave no survivors.

This means, it is time to kill all Lesbianists, and all other enemies in my universe, the many groups of naughty kids in my universe, rascaleers and others, and we will continue this fight, untill they are all dead, and in my Epcot Centers, or untill they have surrendered. Rascaleers are evil people who wish only to harm others.

Religious Practices - Fistiker Practice - What Is A Dependency? - When Sexaling - Labia And Felate - Genitals, Titties, The Labia, And The Many Sexaling Organs - Bears In The Woods - Expecate - How Do You Tell When Your Period Is? Labiating A Labia - Bears, Wild Animals, And People - Brad Pitt, And Angelina Joline - Abominant Elephant Kids - What Causes A So-Called "Nuclear' Explosion Or Detonation? - Cleansing Your Self With Your 'Built-In' And 'Attached', Cleansing And Washing, Clearifying And Erasing Energies Producing Genitals And Sexaling Systems, Eroteming And Orgasming Nervous Systems, And Baby Making Related Purifying Energies Generation Stations Aparati, Or Apparatuses, And Armatures - Ticklement Tuning Forks - Focal Patterns - Assistive Religious Practices - How To Make Prayer Statements - What To Say, When You See Me Using My Dick To Purify Others, And So Forth - Who Was Kris Kringle? - Lesbianists' Torment Campaign Under Way
Updated: 18-01-07 Rev.a.00.a 02:50 PST

Religious Practices

This is a little confusing, but hold on, and I'll try to explain it. There are many parts to my religion. We call them, parts, but we can also call them, practices, some of them, but not all of them.

We have the fundamental 'root' practice, which is sexaling. From the root practice, comes all other practices.

There are side practices, and there are derived practices. There are also, accompanying practices. There are many other types of practices, but I don't remember the names for them all, right now, as I'm still amnesiatic, and will be for a long time.

Fistiker Practice

Bringing about orgasming in another person is a fistiker practice. A fistiker practice is a side practice, but it is also something a little different from a side practice, depending on how you bring the orgasming about, and depending on how many people are involved, and depending on who is the primary person, the person whom we are working on, and who are the helping people, the people who are joined together, to help the primary person to orgasm. There are a number of other dependencies as well.

What Is A Dependency?

A dependency is some thing that is needed that will help to define something else.

As in the case of an accident victim, we have a crutch to define one level of severity of an accident victim's situation. But we might also have a wheel chair to define another level of severity for the same, or other, accident victim. These objects help to determine how badly or miserably a person is injured.

A crutch can help define a level of severity in the injury. A wheel chair can help also to define a higher level of severity. These are both dependencies. They help us to define something, and they are used to help us to define an accident victim's level of severe injuries.

When Sexaling

You can use your lips, for example, or your tounge to twiddle the toes of a woman, and the woman begins to orgasm. That twiddleing of your tounge on her toes to help her to erotem, and to experience erotistical orgasming, can be any number of things, depending on the involvement and complexities of dependencies.

Rubbing the vaginal face, the vaginal wall, or rubbing to either side of the vaginal crevice, the labial folds or felates, can help a woman to erotem and erotistically orgasm, and depending on the involvement and complexities of dependencies, the dependencies can be any number of things, if we try to define the sexaling activity more fully and completely.

We'll skip this for now, as it is a little too difficult to remember, right now. Just remember, the primary practice is sexaling, and that sexaling is like the roots of a tree. All other religious practices grow out of the 'roots' of the tree, sexaling, and can be defined in many different ways, such as a helping practice, a side practice, a subsidiary practice, a canceling out practice, an accompanying practice, and there are many many other terms for what kind of practice some thing is, depending on what dependencies are involved.

Labia And Felate

What is the difference between a felate and a labia?

A felate is the skin tissue of the outer surface, and some of the tissue of the tips and edges of the labia. It does not include the inner side of the labia, but only the outer side, and the surrounding edges, as far as I can remember.

A verb, or action word, as I call it, is 'felate' as in 'Felate that woman's or girls' left felate'. That means to suckle on the left felate of the woman or girl.

Felate is a verb, but it is also a 'nominal' word, or naming word for objectifying an object.

Do we say 'Labialize that woman's felate!' To labialize something is to make something into a labia. We wouldn't, unless we were a doctor, say that about a felate. But we might say it if we were doctors, and we had a woman who met with a bear, and the bare clawed at her genitals, and the sharp claws ripped her labial skin up, then we might say in a surgeon's room 'Labialize that woman's ripped up labia.' That would mean to stitch it up, and make it nice and neat, and clean and well stitched up, and then useful to her, again, and it would involve a lot of surgery, as many nerves would need to be connected, as they had been ripped apart, and the wiring was all dislocated. But in the end, we would be able to fix her labia, and her genitals, if they were also hurt, and then we could dismiss the patient from the hospital, after the labia healed, and after she recovered from her trauma of having her labia shredded by an impolite, rude, mean, uncaring, and hungry bear.

Genitals, Titties, The Labia, And The Many Sexaling Organs

The labia is not the genitals, but some people do consider them as a part of the genitals. The genitals are inside the woman's vagina, in my way of thinking. The vaginal wall is not part of the genitals. The vaginal orifice is part of the genitals of a woman. This seems odd, doesn't it. Well, that is how it works, in my brain, and I designed women, as well as men. If you notice, in my writings, I've talked about the draft table, and the throttle. These are major parts of a woman's genitals. They are inside the vagina, and you can reach them through the vaginal orifice. Before you get inside of the vaginal orifice, there are a few things outside, such as a pee tube, and an ejaculate tube, and the clitoris, as well as the labia. These are not part of the genitals, but are working parts of her sexaling organs. A woman's or girls' sexaling organs are not equal to her genitals. Genitals are for baby making, and for other purposes. Titties are not part of the genitals, but they are part of the womans' sexaling organs. This will require a long discussion to clear up, so I will save it for another day.

Bears In The Woods

That's the way it happens some times, when women or girls go out into the woods, and sexal with their female friends. They can get hurt by bears, if they are not accompanied by men, who are tough, and strong, and who stay alert, to guard and watch out for dangerous animals, such as bears, wolves, cayotes, bobcats, puma, and even racoons. Racoons do attack humans, if they smell some thing that will taste good to the racoon. If a person has a skin tear, and is bleeding, even a tiny bit, the racoon will smell it, and come running, and then find the person, and so will panthers, and all kinds of animals will come, and it's just like a bunch of sharks and fishes of different kinds, and Moray Eels, they like the smell of blood, and they come and investigate, when they smell it.

Women and girls have periods, and it is not every twenty eight days, as I've explained about before, and blood runs down, out of their vagina, and they generally do not know it, as it is only a tiny drop of blood, or less, most of the time, and the blood is often wiped from the skin surface, when the woman or girl is on the potty, or toilet, and the woman or girl will not even see the tiny drop of blood that comes out of the vagina and drips down the labia, on the inside, and then falls or dribbles down to the felates, and then falls off the felates, while she is on the toilet into the toilet, or while she is out doors, and walking about, onto the earth, if the woman is walking on a park walkway, or bicycle path. If she is wearing underwear, it will not fall onto the earth, but it will dry up on the panties, or underwear, and the smell of the dried blood will attract wild animals if she is out doors, walking or jogging in a wooded or regional or rural area, where there are lots of, or even just a few, animals.

Pumas can smell the blood, from miles away, and so can tiny oselots, and bears, and many animals can. They can smell blood, because they know they need meat to survive. That is built into their brains, that are located throughout their bodies, and not only in the skull, and animals are very sensitive to the smell of blood, as well as to the smell of urine, and to the smell of poop. Some animals, such as racoons, will come up from behind a woman, and grasp at her panties, as the racoon may smell the odors of fecal matter, from her butthole. Men may be raked by the claws of raccoons from behind, as they smell the odors of fecal matter, and try to find out more about it, as the racoons know that there is something delicious hiding behind those odors from the buttholes of women, girls, men, and boys.

Expecate

When women and girls go out hiking, it is best to wash out the vagina, first, and then use a fermented oil, as a douching agent. The oil will help to slow the flow of the blood down the inner walls of the vagina, and it may help to trap the blood, and make it difficult for it to leak out, unless the amount of the flow of blood, is very large. In that case, it is best to stay home, and not go out, when a large amount of blood is expecated from the vagina. Expecated means to expell outwardsly. Expectate can also be used, as it is generally the same word, that is, and it also has generally the same meaning, but perhaps it has a few more uses, maybe, but it is from a variant language of the English language, and is basically the same word.

You should expecate your fluids in your vagina, from your vagina, before you go out hiking. If you know when your period is, and there are ways to tell when you have a period, or when you know when you are about to have a period, than if you normally have a large amount of blood flow from your vagina, as that has been your experience, it is probably best to go and sunbath at the beach, far away from wild animals and their habitats, or by the pool side. Racoons sometimes come out of the woods, to the shores of beaches, and trumbel along, listening and watching, and sniffing the air, when they smell dried blood, or wet or moiste blood, inside of the swim suit lining in the groinal area.

How Do You Tell When Your Period Is?

To learn when your period is, you need to look into the toilet bowl that you pee into, and then see if there is any red droplets. You can place a piece of toilet paper onto the surface of the water, and it might help to show the redish color mixing with the urine.

Another way is to take a piece of toilet tissue paper, and wipe your felates, in the morning, or during the day, or at night. Night is a good time, but during the day, it is just as good. Some women like night time because they feel the day is finished, and they are now going to make a final check. Well, it doesn't always happen the way we want things to happen. You might start leaking blood fluids, at two or three or four or five, a.m., or at six, or seven, or eight, or while you are in the shower, or in the bath tub, bathing, before you plan to go out for the day.

It may take you several years for you to find out when your period begins, and when it ends, by checking for blood flow. When you have determined the number of days between one period and the next, and you are absolutely certain of it, and you have confirmed it, many times, and you have checked to see if there might be something you didn't notice, at other times, when you checked, eventually, you'll learn when your blood flow begins, and how long it lasts, and when the next blood flow begins. Once you know, then you can time your excursions to the woods, or to the beach, with your friends, both women and men.

Bears, Wild Animals, And People

Men are needed to help scare bears away, if they come to close, and pepper spray is a good way to get them to leave the area. Bears do not like the small of pepper spray, and you need a cannister of pepper spray that will fire fifty to eighty to one hundred and eighty five feet or more, to scare away a bear, safely.

Loud noises surprise bears, but hungry bears get angry and feel challenged by you, and may come at you at a fast pace, and not stop, once they are angered. If you are a good shot with a rifle, and you see a bear, from a few hundred feet away, and it is moving slowly, towards you, following you, you can shoot it with a good fifty calibur weapon, from that distance, and it will go down, in an instant, if you hit it square in the noggin, about one inch or less above the nose.

You need to be a good shot, and several people should aim, and fire at the same time, to kill the bear, to be sure some one hits it, and then puts it down, and kills it.

Do not think that because you have one rifle, or two handguns, and a rifle, that you are safe. If you do not know how to shoot, and if you are an inexperienced marks woman, or marks man, than your chances of hitting the bear are near zero, for all three of you, at three hundred feed.

You need years of practice to become a good marksmen, and you can start with the lower calbur weapons, to get a feel for weapons that fire projectiles, and that make loud noises.

There is no such thing as a friendly bear, and people think, 'Oh, look! Isn't she cute, that bear.' If they think that way, they might as well have left their last will and testament behind, and signed all their assets over to another person.

Bears are animals that need to eat just as humans do, and just as all animals do. If you are so foolish to think that bears are cute, you are a lame brained idiot. Bears are dangerous animals. And so are all wild animals. If you think a racoon is a cute animal, you get the lame brained award for the year award, and trophy to sit on your desk at home to remind you of how stupid you are.

Brad Pitt, And Angelina Joline

Only idiots would think that wild animals, that eat people, are cute. They need remedial training, as they do not understand that their lives are in danger, every time they walk out the door of their home. Even in the cities, there are nasty people, who smile, and pretend they are your friends, and these same people, such as Hillary Clinton, Brad Pitt, Cheryl Davis, a friend of Brad's, but that's his current girl friend, Angelina Jo-line. She is not a Lesbianist, and Brad pretends to be her friend. He likes to watch her get eaten by bears, my abominant kids, when the Lesbianists feed humans, one at a time, to the bears, or to the crocodile abominant children of mine.

Abominant Elephant Kids

I have carniovorus, human being abominant elephant kids, and they are rude, mean, nasty, and really terrible. They scare people, and then they pick them up with their trunk, and place them on their head, and then they tell them not to move, or they will stample on them, or tromp downwards, and crunch them, painfully, from the foot, to the shin, to the thigh, to the pelvis, to the waiste, to the lower tummy, to the mid section, to the chest, and then the neck, and then the head, finally killing them. They will take a person, pull the person up and lift him or her up into the air with his or her trunk, and then pull the person into his or her mouth, and then crumple up the person, and then spit the person out, and the person is all broken up, and chewed up, with all the bones, broken, in the legs, and in the arms, and in the waiste, pelvis, torso, neck and shoulders, and head.

The Lesbianists use lots of these elephants. They are pretty to look at, but they are mean, and nasty. When strangers see them, they think, 'Oh, what a pretty elephant.' They don't know that the elephant is my abominant kid, and can speak English, as many people recently found out near Africa, in Sri Lanka, and then also in New Guinea.

They were very surprised at the talking elephant. But they didn't know that the Lesbianists had let the Elephant, my abominant kid, lose from the cages that they kept him sealed up in. There were one or two, or maybe eight of them, in Sri Lanka, and eight or nine in New Guinea. Lots of people got eaten up, and killed. The elephants are still lose in New Guinea, but in Sri Lanka, they herded them into the pens, and brought them to New Delhi, to then begin a rampage in New Delhi.

Well, the Lesbianists are doing this, daily, because they feel they have lost this battle, and that they are just wasting time, doing nothing, as they can not get to me. So they want to have a lot of fun. Now they are releasing lots of my abominant kids, in many places, and in New Delhi, Bombay, Sri Lanka, and New Guinea, many people have been hurt and killed by these idiot kids, these abominant elephant kids of mine. The Lesbianists have thousands of animals they want to release, out into the public, in England, in Switzerland, Georgia, South Carolina, Paris, and many other places.

The Lesbianists think they are going to have a lot of laughs watching the abomniant kids of mine, tear people up, and rip them to shreds. They also think that the animals, who are not abominant kids, but are just bizarre animals, that catch people in very large, nets, that have threads as thick as ropes, and that are very sticky, are going to do a lot of wierd and crazy things, no one here on this planet, other than them, have seen. They think they are going to get a lot of laughs when they see the mayhem and havoc, the disruption to society, and frustration on the faces of people who get caught in the nets, and then turned into living mummies sealed up in a type of pulpyish paper so the person can slowly disolve, but stay alive, for up to a year or more. Maybe as long as ten to thirty years, in some cases, and I'm not kidding.

You may think I'm kidding, but I'm not. This began a few days ago, and the Lesbianists are intent on continuing this, for the next few years. Isn't that surprising. I never expected that. They are very strange people, aren't they. They are real sicko's aren't they.

I think you should all go and meet my kids, with a day pass, and ask them about it. Other wise, you might find your self in a very large spider's web.

Labiating A Labia

To labiate is to suckle the labia, and to take one or the other of the labia into the mouth, and tickle it with the tounge, or twist it gently with the lips.

'Labiate that woman's left labia!' 'Felate that womans left felate!' The difference is, labiating is to suckle the entire left labia, inside or under the edge of it, on the inner side, and the edge of it, and the outside of it.

Felateing the felate, is to suckle the edge of the labia, the upper exposed edge. It does not include the labia, in its entirety. Only the upper, protruding skywards, or in which ever direction it is pointing, that portion of it that is extending outwards. If you lift it up between your finger tips, you'll pull up on the entire structure revealing the underside, or the unexposed underside of the labia. There is also the outer side of the labia.

The Felate is the top tip edge of the labia, generally speaking, and it is itself an isolated system, and not part of the labia. It's connected to the labia, but it serves a different function. It droops downwards, to seal out the possiblity of any thing entering the vagina from below, in an upwards moving manner. Bugs can not fly up into the vagina, as the felates prevent them from flying up into it. Without the felates, the vagina would be unprotected. The labia would not protect the vagina, as the labia is merely the skin tissue mass that the felates are attached to, and in an instance of removing a felate from a cadaver, or dead body of a woman, or girl, once the felate is removed, the labia have no closure over the vagina, in most women and girls.

There are exceptions, as we've had many animals in our heritage line. There are many differences when we line up ten women, and inspect their vagina, their felates, and labia, their bumbey pack, as children are encouraged to call the lower hanging sexual organ of the vaginal cape, as it is also called by doctors.

On this planet, the bumbey pack may not be called a vaginal cape, with the inferior texts with unadvanced, primitive, witch doctor level sexual sciences that do not help any one along, such we find with the myth that women and girls have a period every twenty eight days.

That is total nonsense, as I've explained about it, before. The truth is, every few days, to every eight to fifteen days, to even eighteen days, or evern thirty two or fifty five days, depending on where the woman has grown up and where her ancestors have grown up, the number of days between one period and another period can be very dissimilar, from one woman to another woman. Some women have a period every two or three days, or even every day. There is no reason an ovary can not fall, every day, several times a day.

An ovary is so small, no one can see it, without special optical technologies, such as pass through see through technologies, and other optics, and other videoing technologies. A microscope is an out moded, ancient, and novel device, fit for only museum use on display shelfs. It's like an old car of the twenties, or there abouts, or even earlier, of course, depending on how sophisticated it gets. Micron microscopes, the so called, 'electron' microscopes, are a misnomer to begin with, as an 'electron' is not a fictious concept, but no one knows what an electron is, generally speaking except for the Lesbinists.

An electron is a small bit of electrically heated plasma, that you can heat, with the right technologies. It can fit on the tip of a pencil or pen. This is a big joke to the Lesbianists, as are also their jokes about protons, and neutrons, and nuclei, or the so called combined nucleus, as in 'nuclear' family. Nuclear family, is not a 'tight' organization of two persons, and their children.

A nuclear family is a family that has been nuclearized, that is, exposed to radiological salts kiddies, and their radiative or radiological energies. That's another one of the Lesbianists' jokes on all of the scientists who the Lesbianists could get to swallow it.

What Causes A So-Called "Nuclear' Explosion Or Detonation?

A vast number of children are making babies at a very high rate of speed, and the energies that they give off, as they make babies, and then peel off from the area where they made their babies, one after another, as they rocket away, is what causes a nuclear blast. The tummy mommies and tummy daddies are making babies at such a frantic pace, they make millions and billions, and trillions, and more, before you can even send a signal to your eye lid to blink, from your brain part that sends the signal out. The signal will travel just a very short distance across a crupture, not even half way, more like, one or two feet in distance, if we are to look at the size of a crupture as the same size as our current universe. It travels about not even one foot, not even one inch, and not even one millimeter, and not even one millionth of a millimeter, and far smaller than that still, before the parents are already through making babies, and they have retired, and passed on, and several kabillion generations of families, and multiply that by a very large number, and you'll get how many generations of families lived and died, and passed on their DNA to their sons and daughters.

It's a hail storm of erupting magnitude when the tummy mommies and tummy daddies begin making babies, and making their families larger.

It all happens so rapidly, with more than that number of successive generations of families, in less time than the energy pulse will travel down an optic nerve, across a crupture, that very minute or very tiny distance, as I stated above.

That kind of frenetic baby making activity, makes for a lot of heat, as well as, it generates a lot of stresses, and a lot of energies go flying off in all directions, as the sexaling couples experience many nice orgasms and eroticisims, together.

Temperatures, their body temperatures, collectively, and the incredibly vast number of movements, which also generate temperatures, by the animals, the tummy mommies, tummy daddies, tummy babies, the relatives, and the many generations of families, go skyrocketing, and the magnitude of numbers, and the intensity of all the activities the animals are busy with, as they make tummy babies, simultaneously, or nearly simultaneously, is of phenomenal proportions.

If we slow them down, to our pace, and then compare them to our pace of life, they would be just like us, and things would move slowly for them, and not much would change, for many kazillions plus years, and then many, many more years.

However, they are moving so much faster than we are, and the length of time they live, to them, it is a long time, four or five, or eight or nine hundred years, in our time, maybe, in some cases, depending on the type of radiological salts kiddies making babies.

On their scale or pace of life, they live that long. But on our scale, the length of time they live, is so tiny, we can not measure it, unless we have a very high level of advanced mathmatics that can account for such a small time period, or span of life.

Anyway, the frenetic adventures of the colony of radiological animals, when they start to make babies, after they are woken up, and prompted to make babies, with a detonating surge of heat energies, light wave energies, pressures energies, trampolining energies, which get them started, with the right combination, of heat, light, atmospheric temperatures, atmospheric pressures, food sources avaiability, drinking water avaiablity, trampolining energies, and a number of other types of energies, that awaken them, and then get them turned on, and sexaly active, they will suddenly erupt into a frenetic, mass of baby making furor, to us, any way, and with that, we have our so called, 'nuclear' detonation.

Cleansing Your Self With Your 'Built-In' And 'Attached', Cleansing And Washing, Clearifying And Erasing Energies Producing Genitals And Sexaling Systems, Eroteming And Orgasming Nervous Systems, And Baby Making Related Purifying Energies Generation Stations Aparati, Or Apparatuses, And Armatures

You women and girls, your vagina is your Holy instrument for assisting you to cleanse your self, and wash away the dirt and grime of daily living, the insults to you from strangers, the verbal abuse you experience in your arguments and conversations with friends and family, neighbors, relatives, work associates, and community acquaintances.

Your Holy body is a weapon to fight back against all the negativities you experience in your life, as you orgasm and erotem, showering off purifying energies, and lots of other beautiful other things and dings, as you vibrate your entire body concordially, in harmonic rythym, cadence, and rapture, with my Holy Body.

Your breasts, your butty butt, your butty butt hole, your vaginal hole, your groin, your throes, your vaginal cleavage or labial folds as they are called here by these nitwittish doctors on this planet, who do not know any thing about the human body, your chest, your back, your legs, your arms, your hands and fingers, your ankles, feet, and toes, your ears, lips, mouth, tounge, cheek, your rectal cavity, your tummy button, your stomach, throat, your brains, and you have many more than just one in your body, but many millions and more of them in your body, and that is not an overstatement, and every part of your body, inside and out, your many nervous systems and all your organs, they are all set to orgasm and erotem, and generate purifying energies with the help of the power company, as I've explained about them, before.

Ticklement Tuning Forks

You have ticklements, tuners, or pitch fork tuning forks, that chime, in every cubic millimeter to every cubic inch, and in even tinier places, you have tinier ticklements, or tuning forks, and in larger areas, you have larger ticklements, or tuning forks, and they are all set to vibrate in various patterns of sexual thrilling eroticisms, and orgasming ecstacies, as you pump up the levels of sexalating energies you have available to you, in you, and showering off from you, and those patterns and focal points change, slightly, minutely, as every micro second goes by, as we change our location in our universe, and our relative location or position to every thing else in our universe changes, from night to day, and from day to night, ongoingly, non-stopingly, never repeating the same set of tuning focal patterns. Focal patterns are frequencies.

Focal Patterns

These frequencies, or harmonic consistencies, are harmonic displays or the 'in rythm' with GOD, consistencies that allow you to be united with GOD, me, my devine and holy body, and my devine and holy mind, and being or GOD SELF and GOD BEING, every moment.

Men and boys have the same ticklements, or tuning forks, and they are located in every organ of their bodies, just as they are in women's bodies and in girls' bodies, and they allow all of you children of mine to stay in frequency with me, as you sexalate, erotem, and orgasm, practicing my religion, and as you live your daily lives.

These many ticklements and tuning forks are all connected to your brains and to your nervous systems, and each living being in your body, has them as well, and every living being has them as well.

All my children, animals, living beings, and human beings, are all connected to me, through these tuning forks, and also, through the holy bodies all my children have inside of them, and also through a myriad of other mechanisms that I have functioning in your bodies, in your astral 'energy' bodies, and the many millions of energies bodies each of you have in you. My animals children and living beings childrens have fewer connectivities and fewer energies bodies, as they do not need as many as my human being daughters and sons. This is because you, my human being children, need to be more connected to me, as you are the only ones who can actively practice my religion, with your own self determination, and desire to practice, to become closer to me, GOD, purer, and holyer.

I'm connected to all of you, day and night, three hundred sixty five days a year, in countless many fold untold numbers of ways and manners, and with countless many fold untold numbers of mechanisms. All of my children are likewise connected to me, in similar ways and manners, and with similar mechanisms.

As you women, girls, men, and boys sexually rapture, erotem, orgasm, and reach sexual peaks, and then sustain them, you grow holyer, as you become purer, brillianter, and closer in GODLYNESS to ME, GOD.

Obviously, then, the primary means for you to grow pure and holy is to sexalate, and as you continue, over the days, and weeks, then months, years, decades, hundreds of years, thousands of years, millions of years, and more, you slowly grow more pure and holy.

Sexaling is my primary and most fundamental religious practice and your primary religious practice for you to become cleansing machines, washing machines, purifying and sanitizing machines, so that you can clearify and erase your karmic markups, and purify your lives, and the lives of those around you, with your selfless actions of grace and serenity, sexaling and showering purifying energies in all directions for the sake of your self, and for the sake of others.

You women and girls need men and boys to assist you to become the powerful cleansing and purifying machines that you are capable of becoming.

Men and boys used to be somewhat nearly as useful as purifying and cleansing machines, as women and girls, but men and boys have different jobs, and different priorities, and there fore, the burden of work to purify my universe, and to clearify the karmic markups of all my children rests on the shoulders of all women and girls, with men and boys assisting women and girls.

You men and boys need women and girls to lead you, and to help you to become more proficient, powerful, and more capable cleansing, washing, purifying, and sanitizing machines.

Assistive Religious Practices

The practice of praying Nam Myeo Ho Ren Ge Kyeo is an assistive practice that allows you to become in touch with my GOD SELF, equally as well, but the time it takes, is much longer, as very little purifying energies are produced, merely by using your brain, muscles, ligaments, sinews, bones, mouths, tounges, and jaws, as energies sources.

There are many other assistive practices, from meditation, to breathing techniques, to yogic techniques, to ballet like techniques, to dance techniques, to body movements of various kinds, to help you to increase and or also store up your energies, and then for you to release them, for you to then become more firmly and closely connected to ME so that you can eventually begin to gain a higher appreciation of ME, GOD.

My many religions teach many ways to do this, and before my many religions were corrupted by the Lesbianists, they worked to varying degrees of success.

Therefore, sexaling is the primary fundamental religious practice, and all other practices in my religions that I've taught over time, spanning all of my previous teachings from the begining of our time together, since I, my GOD SELF, created you as my children, are assistive practices, of one kind or another.

Sexaling, eroteming, orgasming, phlumetting are important practices, and as you orgasm, you are purifying your self, and others by pushing out and spraying your self with purifying energies as your holy and sacred energies shoot out to cover you and emmerse you in full body coverage, from head to toe, showering and shattering energies every where around you. They then build up and cover over all others who are around you, as well, with your purifying erototistic and orgasotistic purifying energies, clearifying yours and their karmic markups.

Astral traveling is another type of practice, but we'll define it, another time. Experiencing hyper trance states of mind and being, and a nearness to GODLYNESS are also a practice, and we'll define it, when I can remember every thing I need to remember about it.

Participating in my religious ceremonies is an assistive religious practice you can enjoy, as you become purer and holyer, and after you recognize that I am your Mother and Father, and your CREATOR, and that you exist because of me, as I made you from pieces and parts of me, your CREATOR.

After you realize this, you can enjoy participation in ceremonies with me, as training priestesses and priests, and you can make your way up the purity ladder, the more you participate with me, GOD, in my religious prayer hand signaling ceremonies.

Praying Nam Myeo Ho Ren Ge Kyeo to my Holy Body, or to the Gurkian Mandala, as I've explained about, is an assistive practice that will bring results.

It will not bring results as well and as effectively and as quickly, as sexaling, which is the most holy and virtuous practice, along with eroteming, orgasming, phlumetting, astral traveling, peaking, and so on.

I've spoken about peaking, before, and women and girls can peak, and experience wonderful feelings.

In any case, do not confuse assistive practices, with the fundamental and primary practice of sexaling. We'll get back to all those other things, to define them, betterly, another time, after my brain heals, a little bit more, and after I erase more karmic markups that keep my brain karma from improving, fast enough for me.

How To Make Prayer Statements

Remember to include a prayer statement, such as 'I pray to the holy ephemeral body of the Creator, John Francis Ayres, for the [insert private prayer statement]', such as, '... for the serenity of mind, and the gratefulness of heart, for all those around me, who have helped me to become the person I am, and can become.' or, '... for the peace of mind, and serenity of heart, for the love of all men and boys, and the cooperation of all women and girls.' These prayers said by a woman or girl. Men can pray, similarly, '... for the grace and deviness of the women and girls who surround me, I am greatful to them, and I pray for their continued good health, and prosperity'.

You can also say, 'I pray to the holy body of the Creator, John Francis Ayres, for the [insert private prayer statement]', but only when I am in the middle of a religious hand signaling prayer ceremony, i.e., while I am doing a prayer ceremony, and saying my prayers with religious holy hand prayer signals that my special kids who are religious kids, can pick up and then act on, in concert with other groups of kids of mine, who also are religious kids, most of them, I think, and who work together with my primary groups of religious kids.

I have lots of kids, and some are normal kids, who go about their jobs, as expected, for earnings, just as most people we know. But I also have lots of other groups of children, who are more, religiously oriented, to varying degrees, and who are very religious as their work is all for the sake of my religious self, my GOD SELF. My religous kids catch my hand signing, and then they pass the messages along to others of my groups of children, and with all of the different groups of children I have doing 'good' works for me, as well as groups of children who do 'religious' works for me, as well as groups of children doing normal work for me, but for the sake of my religion, nevertheless.

They all coordinate themselves, somehow, I have yet to figure out how they do it, but between them all, they get the jobs done, that I ask them to do, while I am religiously - and the prayer statements I am signing are very holy - hand prayer signaling, i.e., hand signing.

So, unless you know for a fact, by seeing me on a tv, such as during a live broadcast, once I get my religious conveyance set up, and built by my children, after all the conditions are met, for securing this world from the grasps of the Lesbianists, and after killing all the Lesbianists, and / or after making the remaining Lesbianists surrender, and then after all other conditions are met, as I don't know all the conditions, I've set, as my memories are still foggy, as I'm amnesiatic, as well as mentally retarded, but in any case, if you see me on tv, on a live broadcast, doing my hand signing, you'll know I'm in the middle of one of my prayers, and then you can say, 'I pray to the holy body of the Creator, John Francis Ayres, for the [insert private prayer statement]', and you can omit the 'ephemeral' if you like, as it will work better if you omit the word 'ephemeral' as while I'm praying, I'm my normal, GOD, self, though I may not look to you, on the surface, to be any different, over the video links, or even in person. It never the less works better if you use my recommended methods of making prayer statements, this way, for you to maximize your private prayer statements.

All of my groups of kids have lots of friends, and they do lots of work for me, and I do not remember how many groups of them there are, and how many children I"ve got, as yet, but in time, I'll be able to give you a better idea of how they work together to get the work done, that I ask them to do for me, with my religious hand prayer signals, or hand signals, as in hand signing, or signing.

My kids use signing for all their work assignments, so I use hand signing that they can catch, pick up and read, and it is all pretty much very religious in nature, and it is very solemn, as I am GOD, and when I'm signing, they know I'm GOD, and do not doubt it.

When I am not signing, they might now and then, doubt that I am GOD, but never the less, I am GOD, and my signing proves it to them - when I am saying my religous hand prayer statements, by hand signing - with out any room for doubts in their minds.

In other words, I'm a typical person, just a little mentally retarded, brain smattered, or brain damaged, after my many youthful and other brain bashings I recieved, the wiring is a little scrambled up, upstairs, and after many poisonings by the Lesbianists - from makeing coffee from kerosene, diesel fuel, gasoline, and motor oil contaminated coffee beans and then from drinking that coffee, without knowing it was contaminated with petrol fluids, as often happens to people - and with ill health karma that has me on disability, and I've been through a lot, life after life, and sometimes, my children may have had a thought or two, 'I wonder, if he is going to make it, like he said he would?'

Well, to dispel all doubts, I sign, and when I'm signing, I remind them of my old self, back in the old days, when I used to sign, religiously, and they know how serious a guy I was, so they do not harbor any doubts, so long as I am hand signing.

What To Say, When You See Me Using My Dick Or Other Parts Of My Body

To Purify Others, And So Forth

You can say, 'I pray to the holy body of the Creator, John Francis Ayres, for the [insert private prayer statement]', also while you see me praying, Nam Myeo Ho Ren Ge Kyeo, or also while you see me in a ceremony, using my dick and scrotum, or other parts of my Holy Body to purify others, during the middle of a prayer ceremony, and I need not be hand signing, or praying Nam Myeo Ho Ren Ge Kyeo, as I am in the middle of prayers and activities ceremony, which is just as good as a religious hand prayer signaling ceresony, any day.

My dick and scrotum package is very Holy, and it has a very useful function, and that is, it purifying others. My lips do, too, and my butt hole, does as well. They all purify others very effectively and efficiently during my religious ceremonies.

My entire body, during a religious ceremony, butt hole, mouthal hole, lips, tounge, cheeks, legs, knees, feet, toes, butt, chest, back, arms, elbows, hands, fingers, head, neck, throat, ears, nose, and so forth, is entirely the body of GOD, as I am GOD, and therefore, while I am useing my body, during my religious ceremonies, and for my religious ceremonies, and you see me on tv doing so, then after you have verified that I am in the middle of a prayer ceremony, you can say your private prayer, in the manner as I've explained, 'I pray to the holy body of the Creator, John Francis Ayres, for the [insert private prayer statement]'.

I only use my dick and scrotum package for prayer ceremonies, except when I need to pee, so if you see that I am using it, during a prayer ceremony, or if you see me using any other part of my Holy Body, during a live broadcast prayer ceremony, then you'll know right away, that I am in the middle of a prayer ceremony and it is okay to use the statement, 'I pray to the holy body of the Creator, John Francis Ayres, for the [insert private prayer statement]'.

The same is true, pretty much, for any priestess or priest, who practices with me, in my religious holy body prayer circle, their bodies become very Pure, Holy, and Devine, but only after many life periods, that is, after many, many aeons, as they do not attain the same level of purity for a while, the same level of purity as I am at by my good old self, or the same level of pureness that is of ME, GOD, since I'm GOD, and they are not.

That means, it takes priestesses and priests longer to become pure, holy, and devine. I happen to be pure, holy, and devine, but that's because I'm GOD, and it is only during my religious ceremonies that you can understand that as you make your prayer statements, and sexal, etc.

After a long, long while, priestesses and priests will also become pure, holy, and devine, as their holy bodies, energies bodies that are pure, holy, and devine, but on a lower scale than are MY energies bodies, since I'm GOD, and I'm in charge of keeping things tied together, here in my universe.

After many aeons plus years of practice in my holy body praryer circle, the priestesses and priests become pure, holy, and devine, and then their bodies, their normal bodies, become very purifying, just as mine is, now, when I am in a prayer ceremony. I am in a prayer ceremony, daily, a few times, to a number of times, a day.

I've gone eighteen hours straight, once, and no sooner than I go to sleep, and then wakup, right away, I begin again, and I've gone many days, straight, praying, continuously, non-stop.

This is nothing, though, and is all preparatory, as in the future, when I get my health back, as I haven't been too healthy, for quite some time, I will be praying around the clock, some days, and for many days at a time, taking a break only to eat, drink, poop, pee, and clean up.

When priestesses and priests join with me, we will go for years without stopping, and with the priestesses, and with the priests, the both of them there, present, doing the prayer ceremony on my behalf, they can represent me, while I take a nap, go and shower, get some food, nourish myself, drink some fluids, read a book or news paper, or watch the news, or a movie, game show, video, or play a video game, and so forth. I won't be taking long breaks, and that is very funny sounding, but anyway, it happens that priestesses and priests will lose their attention, and then get lost, somehow, and then go and watch tv in their bed room, or whatever, and then we have to go and look for them, and they will get a few markoffs, and with enough markoffs, they will be asked to leave the religious conveyance, and they will be put on a type of vrobatiton, or under survielance, to see if they are good or not. My kids do all my survielance work, and they keep track of every one, so 'you'd better be good, you'd better be nice, you'd better look smart I'm telling you why, Santa Clause is coming, to town'.

Who Was Kris Kringle?

Did you know that Kris Kringle got its start from me? What a coincidence. I don't think he was wearing anything, though, or rather, I don't think I was wearing any thing, but you never know, as tolerances have changed over the long aeons of time, as they pass.

When priests and priestesses become that pure, holy, and devine, as pure, holy, and devine as I am, after their many aeons of religious practice in my holy body prayer circle - pure and devine on the exact same level as I am at - then they can represent me, as Mr. mini-GOD, and Mrs. mini-GOD.

You can not represent me as Kris Kringle, and whoever my wife was, back then. I think I had a lot of guys on that team, and a lot of women and girls, too, since sexaling was a part of that religion, too. You can learn more about it, if you're interested, by getting a day pass, and checking in with my kids, and then, signing up and joining our country, and then by becomeing a citizen, as I've spoken about, before.

You can include any good prayer, that comes to mind, that you feel is needed by you, to improve your life, and to level up your life.

You are the only ones who can pray, and practice, you women, girls, men, and boys, and there fore you are connected to me in many more ways than other living beings, the animals, and the amoebes, cells, and other living beings.

There fore, you are, both genders, the ones who will clean up the mess you have made, and you will continue to keep my universe clean, as you sexal with your genitals, and with your bodies, and with all your gizmos, igniters, trigger mechanisms, love bumps, love patches, tuning forks or ticklements, and so forth, as you are sexaling beings, who I, GOD, created, and you will sexalate, erotem, orgasm, phlumett, astral travel, peak, hyper tranceate, and so forth, just as I intended you to, from now till forever.

You will become virtuous and worthyable beings, worthyable tummy mommies, and worthyable tummy daddies, with your practice of my religion, who will bring into my universe, my many children who will join with you, and assist you and me, in cleaning up our universe, and the mess you have all made of it.

Is that understood? The answer had better be, "YES SIR!".

Lesbianists' Torment Campaign Under Way

Lesbianists are clearly releaseing wierd, ghastly, horrible, and dangerous preditorial animals, giant insects, giant spiders, giant lizards, snakes, and reptiles, ghastly, preditorial sea animals and sea mammals, winged, preditorial and horrific, aggressive scavenger and killer buzzard like creatures and other winged and destructive animals, and other horrible creatures, as well as my abominant kids to kill, maime, torture, and cause major disruptions and suffering to people, around the globe, in many locations.

Apparently, the whole world is now affected, or will be affected, by this dischordance and disharmonic display of defeated lunacy.

The peace has been shattered by the Lesbianists. It was not good before, the situation in the world, with the balooneying governments of the world, doing what they wanted to do, and torturing, and canabalizing people, and feeding people to my abominant cave bears kids, and to my crocodile people kids, and mistreating people, like Bill Gates, Steve Hawkins, Steve Irwin, many women, young girls, and men.

The war in Iraq, the phoney Saddam Hussein Trials, and all the bogus manipulation of the press and media, and the suppression of what is actually the case, with our being used and abused, poisoned, and maltreated by the Lesbianists, was a rotten situation. That was normal, or normality for us. Our karma is very poor, and we have the karma to suffer this abuse, and these torments, daily, unknowingly, in most if not nearly all cases.

But, it is becomeing really bad and there is need for serious concern, and action, to correct this situation. It has gotten out of hand, completely, and there is no stopping the Lesbianists in their wanton, and coldly miserable wish and lust for chaos and disturbances to others.

Now, more clearly than ever, as the Lesbianists rampage, the Lesbianists are causing major disruptions, suffering, anguish, and there is just an awful discordance of shock, dismay, and misery, that is growing, every moment. This is as real as the sunlight shining from the sun on a hot day in summer.

I don't have a clue what people are doing, and what is happening to them, as they are captured, tortured, and caused miserable sufferings, in many places. There must be horrible agony for many people, at this moment, and as each moment passes.

Our reality as it was has suddenly been shattered and torn up, and replaced with the lunacidal, Lesbianistic, mayhem and chaos.

Reuters reports a Lesbianists' joke for the Lesbianists, sarcastically and ironicly stateing, "New Perils Push Doomsday Clock Closer to Midnight" "(Reuters) Scientists have advanced the clock 2 minutes closer to midnight."

http://us.rd.yahoo.com/my/today/
new_perils_push_doomsday_clock_closer_to_midnight;_ylt=AmUXlewr5ev2kNK_SfOHDFAL1vA
I/*http://news.yahoo.com/s/nm/20070117/us_nm/doomsday_clock_dc_4

This is their private joke, to make this scenario more laugable than before for them. They could not care less, as they are manipulating every thing, and that statement is completely meaningless to them, as they are in control of every thing, in their conspiritorial lunacy to rule human beings, and to trash every one.

We'll see what the coming days, weeks, months, and years bring, and maybe there will be hope for change, when people begin to take action, to correct this situation, globally, united in spirit, permanently.

These are the most evil of evil people and abominant kids, in our immediate vicinity in our universe. We must begin our cleanup campaign here, as it begins where I am, and will continue from here on out, till we have rid my universe of all of these horrible people, and all others like them, and have made them surrender, or have sent them on to my Epcot Center.

I will establish my relgion in my universe, and begin my ministry, and they are not going to stop me, as my religion will bring positive change for all of us, forever.

I must establish myself outside the bounds of this Lesbianistic society, so your efforts and concern for our future, and your selfless giving of donations to my ministry, to allow me to set up my ministry, outside the bounds of this Lesbianistic society, non-dependent on Welfare, Supplemental Security Income or SSI, Medicaid, and non-reliant on the supported and financed Housing and Urban Developement or HUD subsidized apartment that I live in.

Once I receive in the mail, the 'Gift' donations to set up my ministry outside the bounds of this society, I believe things will gradually begin to positively change for us all, and the shift to positivity will begin, and a new universe for us all, will become for the first time, ever, a potential reality with the sincere religious practice by all of my followers, all of you, who are practicing my religion, diligently, and daily, or as much as your health and your time permits.

There in, with your efforts to practice, will bloom your flowers of dignity and hope, justice and freedom, willingness for sharing, cooperating, and participating with others in our new age of enlightenment, the Gurkian Age, and your new found respect for self and others.

Captain Off The Bridge.

John Francis Ayres
GOd
And Children

It Is Now Time To Kill All Government Workers, Public Workers, Preachers, Islamic Clerics, Christian Bible Teachers, Bible Thumpers, And All Other Persons Who Support The Lesbianists And Their Lesbianistic Societies Around The World - 'Fivers' To Kill Lesbianists And All The Lesbianists' Supporters - Coma Patients - All Persons Who You Kill Will Transel To My Epcot Center - Japanese And List Keeping - Surrendering And Pledging To Serve All People In My Universe - What Does This Mean? Updated: 21-01-07 Rev.d.01.a 19:56 PST

It is now time to kill all police of every police department in every country in the world. It is now time to kill all jail and prison workers in every country in the world. It is now time to kill all zoo keepers who work in zoos and other related places around the world. It is also time to kill all pet store personel, and pet store owners. We do not need people housing and feeding potentially dangerous animals. You are further ordered to kill all pets in all pet stores, and elsewhere, even in private homes. You may then eat them, after you have cleaned out their guts and removed tummy foods and rectal feces, etc., that are decaying matter, that is harmful to your health, and after you have prepared them for eating by cooking, grilling, fire place cooking, barbecuing, smoke house fermenting, or by other safe and sanitary, healthful cooking methods.

It is also time to kill every fire department official or worker, no matter what capacity the person works in, as a fire truck driver, as an ambulance driver, as an assistant driver, as an attendant or support crew person, as a maintenance man of the fire or the police departement, it is now time to kill them all.

Further, it is time to kill all public bus drivers, who work on any metropolitan or local area or state or interstate, or national bus company. It is time to kill all ships' captains and their crew members. It is time to kill all railroad rail line workers. It is time to kill all subway drivers and subway line workers, no matter what their job is.

Further, it is now time to kill all military personel, SWAT team personel, all government personel, and all civilian, or trained military, national guard, state or federal militia, toy soldiers, the people who dress up in old time war regalia, and outfits pretending they are old time, earlier period, confederate soldiers, or old time earlier period, union soldiers, who act out old time North the 'Union' vs. South the 'Confederates' and who participate in city and town parades, across the United States.

It is now time to kill all retired military personel who support the deranged, crazed, insepient, and corrupted Lesbianistic societies we live in, around the world. It is also now time to kill all persons who in any way support the governments of the world, including but not limited to, all school, university, kindergarden, missionary, day care center workers, nursery school teachers, teachers aids or teachers assistants, United Nations workers, United Nations teachers, substitute teachers, catholic school teachers, Irish protestant school teachers, parochial school teachers, all religious denominations around the world school teachers and their school support workers, government funded school teachers, tuition assistance by the government school teachers, all personel who work for the United Nations, all civil service agents, all DEA agents, all FBI agents, all FDA agents, all EPA agents, and workers, BLM agents who are Lesbianists as well as those BLM agents' who are Lesbianists as well as those friends of theirs, who support the Lesbianists.

It is also time to kill all other federal, state, or local, or globally tasked organizations, such as the CIA workers, INTERPOL workers, the several groups of workers within the Canadian Mounties, NIC a spy department of the U.S. Navy, the Korean C.I.A., the United States Presidential Police agents the Secret Service Agents, National Park Rangers, State Park Rangers, Forestry Service workers, Pentagon workers, National Library Of Congress workers, and all others who work in any capacity supporting any government organization, those listed above, and all others, as well as all persons who support the Lesbianists in any way at all.

It is now time to kill all judges, bailiffs, Supreme Court Justices, and the employees who work in their organizations, and all other judges, legal clerks, para legal workers, court stenographers, justices of the peace, lawyers, attorneys, state attornys, prosecuting attornys, defense attornys. It is time to kill all officials of all government organizations, and all the people who work for them and or even only support them, such as restaraunt workers who feed them lunch, coffee shop workers and owners who feed them coffee and food, bars and restaraunt personel and owners of bars and restaraunts who support and feed any and all persons connected to the governments of the world and who work for them in any capacity at all.

It is also time to kill all the money lenders who loan money to the Lesbianists, the mortgage company owners who provide the Lesbianists with house purchasing loans, and all the supermarket workers and supermarket owners, who supply food to the Lesbianists, as well as all of the druggists, the pharmacy workers, who supply medicines to the Lesbianists. It is time to kill all the taxi cab drivers who give rides to the Lesbianists, and to every person who supports the Lesbianists in any way, at all, unless those people surrender to my kids.

It is also now time to kill all civilian or civil servant or state civil servant worker who supports in any way, any Lesbianistic organization, such as the police departments, federal agencies, fire departments, libraries, schools, and so forth. It is also now time to kill all persons who maintain or provide services to any of the above listed organizations, and to all of the similar organizations in every country in the world.

This is my order to all of you, and you are all ordered, by me, GOd/ GOD, to kill all of them, unless they surrender. People also call me, 'Allah'. I'm the same person. Just do as I tell you.

You are to take my fuels' bombs with chlorine plastics' explosives formulas, and all other explosives formulas I've explained about on my bulletin board and the fuels' bombs explosives formulas including but not limited to radiological 'fracturable' rocks that provide so-called 'nuclear' explosions, all of my bombs' formulas, and all other bombs' formulas derived in part or in whole from what we have learned as I've explained on my bulletin board and to take them, and make the bombs and explosives, and to then use them, and then destroy and kill all of the Lesbianists, and all of the Lesbianists military bases, buildings, and kill every last one of them, all of them, leaving no one alive.

'Fivers' To Kill Lesbianists And All The Lesbianists' Supporters

You are to then make certain they are all dead. If they are not dead, you are to kill them with a 'fiver'. A 'fiver' is a bullet with five lines drawn or scored with a knife or sharp instrument into the tip of the bullet, to form a 'five' line pattern, so that the bullet will fracture into 'five' parts.

You are to take three 'fivers' and shoot each person who has not stopped breathing, and who is not dead yet, and shoot the three fivers into the head of the person, to make certain the person dies.

Three 'fiver's will destroy enough brain material, to kill any person if the bullet is large enough, and the handgun, rifle, or weapon is powerful enough.

The handgun bullet size must be at least larger than a .22 calibur, and at a minimum, 7 millimeters. You may use .38 calibur, 9 millimeter, 10 millimeter, .45 calibur, or any other, large sized bullet to make certain they are dead. Buckshot, 8 guage to 10 guage, or any comparable rifle load or handgun load, or home made weapon load, will work equally as well, with three shots into the skull. A machete or similar instrument should then be used to chop the head off of the person at the neck line. If you have a machete or hatchet, or axe, and if you prefer to chop off the head of the person, then by all means, you are to do so. The point here is to kill the person one hundred (100) percent, and not leave the person in a coma.

Coma Patients

A person in a coma is perfectly alive, and can hear every word you are saying, but can not respond. People in a coma after severe accidents, such as near fatal traffic accidents, where their limbs were broken into pieces, or war victims, who are on life support in Veterans' Hospitals, can be in agonizing pain, and no pain medications are given to the patient as the patient has no way of communicating with the doctors, nurses, or staff members to complain about the pain, in many or in most cases, if not nearly all cases. Some patients can write or scribble out a note about the severe pains, or make gestures with their hands, pointing at painful spots they are able to point to, and then making squeezing motions, to indicate as best as they can, that there is something wrong in the area. Some people may catch the meaning of the gestures, but others do not, and may just wonder what is going on with the patient and they may wonder what the patient means by the hand gestures. Others, doctors and nurses, and staff members will merely find it amusing that the patient is making the gestures. Some doctors and nurses, and possibly staff members, will figure out the patient is in pain, and then steps can be taken to alleviate the pain, but it is an ordeal for the patient, and it may take months, or in some cases, years, before staff, cleaning persons, food servers, orderlies or assistants, nurses, or doctors figure out what the hand gestures mean.

The coma patient, after healing from the injuries, may still have residual pains, such as residual spinal pains, or neck pains, or ligament pains where ligaments were twisted, or ruptured, or severed, partially or wholly, and the ligaments didn't grow back properly, or didn't grow back fully, or much, or perhaps, in some cases, not at all, which does happen a lot, and each time the patient is moved in her or his bed, the person experiences extreme pain as no medications for pain are given to the coma patient, unless the patient has been successful in communicating that there is pain felt by her or him, in her or his body.

Leaving coma patients on life support systems is the cruelest thing you can do to a person in a coma as there is no such thing as being 'brain dead'.

It is a cruel and abominable Lesbianists' joke on humanity, and on all persons, that the Lesbianists have perpetrated with their teaching doctors and nurses that coma patients are brain dead, and do not feel, hear, taste, or sense, anything at all, and it is just another one of the Lesbianists' ways to hurt and torture people, and cruelly and ruthlessly abuse human beings, in this case, in most of these cases, by proxy. There are doctors who are Lesbianists, and I have one who is one, that I am aware of, and he knows exactly what causes my health problems, but he sits there, non-responsive, and with a vacant stare on his face as if he doesn't hear, see, or know of any thing that is going on, something like the three monkeys with hands clasped over their, ears, eyes, and mouth, who represent 'hear no evil, see no evil, speak no evil' and then 'therefore, every thing is alright'.

All persons with brains, whether in a coma, or other sleep like state or condition, is perfectly brain alive as the brains and nervous systems, auditory, taste, touch and sense nerve systems, never die, until the patient stops breathing, and passes on.

All nurses and doctors are to remove all life support systems from all persons in a coma, immediately and confirm the persons have died. That will allow them to transel into my Epcot Center, and then be born again, as a tummy baby to a tummy mommy and to tummy daddies.

All persons in a coma, whether in a hospital, or in a nursing home, or at a private home or apartment, or in a group home, or group care center, are to be told the truth of this, and are to be told that you just leared it, and are to be told that I am GOD, and that I have an Epcot Center staff waiting for them to come in, to be treated for their traumatic condition, of not being able to do any thing about their condition to end it, as it is a miserable situation for these people who are in a coma, or in any trance like state or condition that resembles a coma, or a sleeping person, who can not wake up. The person is perfectly brain active, and there are no measuring devices to prove it available to hospital staff or to doctors, as none are made, and the technologies to detect a person's brain activeness and aliveness are kept secret after they are bought up, and then after the records of them are destroyed, and the information on them are kept secret and locked away, in vaults, and in storage facilities, hidden from view so that no one can get the information, and build a device to detect a person's brain alertness status.

After they are told the truth, and that you just became aware of it, you are to tell them to not be afraid, and that all measures to relieve them from their present condition, and all measures to assist them to transel to my Epcot Center, where they can recieve personal care, and then helped to recover from the trauma of the coma, or coma like state of not being able to wake up, speak, and talk to people. They are then to be injected with a powerful sleep sedaditive, or induced to swallow several strong sleeping pills, as they may become afraid, and then, you are to help them to pass on, and to transel over to my Epcot Center.

In some cases, if you pull on the large toe of a person, or on the thumb, the person may have control to pull in the opposite direction. That is an indication that they are awake, and fully aware of what is going on around them. Please check patients to see that they have soundly fallen asleep, and snoring or breathing quietly, in relaxed manner, may be the only sign that the person is asleep.

Any sign of movement, mentally driven by the patient, no matter how slight, is nearly most always, nearly one hundred percent of the time, a sign that the person is completely brain alive, and that the person is completely aware of what is going on around her or him and can hear every thing. Even passing or expelling gas or farting, can be 'mentally' driven, and a sign the person is awake, and alert, and brain alive. Opening one's mouth is almost always, one hundred percent of the time, mentally driven.

Persons's in a coma, who have Eplilepsy, or other similar brain or neuro muscular disorder, and other conditions where patients experience spasming, whether the condition is diagnosed or not, these patients who spasm, may make some spamodic movement, now and then, and that is only a sign that the person is haveing a neuro muscular muscle spasm. Knee jerks or other similar movements, are not always muscle spasms and can be labored, mentally driven actions. These actions show the patient has control to that extent over her or his muscles, body, skeletal system, and other body systems related to the movement.

In any case, after the patient has fallen asleep, you are then to kill the person, and let the person transel to my Epcot Center, so that the person can recover in my Epcot Center, and then be born as a tummy baby, to a tummy mommy, and to tummy daddies.

All Persons Who You Kill Will Transel To My Epcot Center

Once you are certain all of the police, fire, teachers, and all others who support the Lesbianists' societies around the world are dead, they will transel to my Epcot Center.

It is now the time to bring an end to the lives of these people who support the crazed, insepient, bogus Lesbianists, and to destroy them all, leaving no survivors. Kill all of their family and relatives, and leave no one alive. Kill them all.

My Epcot Center will not be in any way, inconveinced by your brave and heroic actions. All doctors must be killed, all nurses must be killed. All medical techinicians must be killed. All library workers must be killed. All school teachers must be killed. All art museum and gallery museum workers must be killed. All workers for all of these institutions must be killed. All of them, in every country of the world, unless they surrender and plead for mercy, and then are allowed in to my kids' place, for swearing in and for joining as civilians, my country.

Further, it is time to kill all media corporations personel, such as news casters, news men, news women, anchor persons, cameral men and women, talk show hosts, administrative persons, Hollywood's movie actors and actoresses, all radio broadcasters, and all personel of all radio companies. It is time to kill all news paper company owners, and publishers, editors, and all workers of these companies, unless they surrender to my children and plead for mercy.

It is time for all of you to kill all of them, and make sure not one of them is left living, including and most importantly, all politicians, who must all be killed, without any further delay. It is time to kill them all.

It is now time to kill Oprah Winfrey, Geraldo Rivera, Sarah Jessica Parker, Judge Judy, Jerry Springer, Liz Taylor, Michael Jackson, Clint Eastwood, Cher Bonno, Morgan Freeman, Steven Spielberg, Al Gore and his family, Hillary Clinton and her family, all of them, Jeb Bush and his family, all of them, Nancy Reagan and her family, all of them, former president of the United States President George Bush, Sr. and his family, all of them, including all persons related to him in any way, and all persons who work for him, in any way, and all persons who work for any of his associates, in any way, unless they surrender to my kids, and then plead for mercy.

We are not going to allow the Lesbianists to continue their illegal, inhumane, and horriblesome practices and activities on my planet, and in my universe, a moment longer. They must all die, now.

Is that understood?

I hope the answer is, "YES SIR! Mr. John Francis Ayres, GOd", as a 'negative' reply to my question is not acceptable.

Japanese And List Keeping

I haven't confirmed it, but from what I know, so far, the Japanese are very good at keeping lists, and they know about all the foreign people in Japan, and they keep lists of names of all of them, and they keep lists of names on all of the Korean people, and the Singaporean people, the Chinese people, the Ainu people, and the cast outs or 'burakumin' a group of meat cutters and fish sellers who some how got on a list of people who were felt to be 'unclean'. The 'burakumin' was a group of people who no one in Japan wished to talk about. The Japanese also, apparently, had lists on groups of people, who they didn't know much about, but they knew they were always doing things with each other. Those groups of people were the Lesbianists, so the Japanese knew all along, who I was talking about and were nearly one hundred percent certain those groups were the Lesbianists living in Japan.

They read what I wrote, and the notes of mine were passed to many people on an e-mail mailing list, and when they heard that Steve Irwin had been killed, they felt they had heard enough and they told all their friends about my notes, and then the Japanese killed all the Lesbianists in Japan on that list they kept.

It's something I heard, and I haven't confirmed it, but I think the Japanese are fully capable of handling that, as they were fully prepared to deal with each one of the Lesbianists, and they knew who they were, and once the Japanese united, and decided to take action. The Japanese escorted all the Lesbianists to a meeting place, to which the Lesbianists were not happy to go to, but had no choice but to agree to follow the Japanese citizens who escorted them there, with the military or Japanese Self Defense Force, the Coast Guard, and National Police, and all other police agencies in Japan, plus the national organization of fire department workers, backing and supporting all the Japanese citizens.

As to what they did with the bodies of the Lesbianists, I'll leave that to them to explain to you, as it was quite brilliant and they had many very good ideas for dealing with the bodies of the deceased Lesbianists, who are apparently now in my Epcot Center.

The Japanese country side is now peaceful and quite, and things the winds are blowing, peacefully, and gracefully over the Japanese country side, cities and towns, across the ponds, marshes, lillies and lotus flowers swamp lands, bogs, bays, estuaries, lakes, streams, rice paddies, fields, mountains, and islands, from what I can understand and gather about the situation in Japan.

Surrendering And Pledging To Serve All People In My Universe

If the Lesbianists and their supporters surrender to my children, and then promise to devote their lives for the sake of others, serving man kind, and all human beings, and all people on this planet, and in my universe, for the rest of their lives, they will be allowed to surrender to my children, and my children will then arrest them and put them in a prison cell. If they are not willing to serve others, despite the fact that they say they will serve others and devote their lives for the sake of others, serving all people in my universe, then my children will ignore them, and my children will not arrest them because my children know they are lying. They must promise to do all they can that is humanely possible, for the sake of others, and devote themselves to the prosperity of others, for eternity. If they are not willing to do that, then please, just send them on to my Epcot Center, and we'll straighten them out, for there. My staff at the Epcot Center has training programs to straighten them out and make them nicer people, so that next time they are born as tummy babies, they will behave and be nice to others, doing nice things for other people, after they are retrained, a little. The retraining program takes a while, but the results are very good to excellent.

If my kids decide that the person who is surrendering, is telling the truth, my kids will use the special teletransportation technology, something like what we see in Star Trek on tv, with Captain Kirk saying, 'Beam me up, Scotty!', as many of us have seen on daytime tv, or in the movie theater, and my kids have very good teletranportation technology or 'beam me up, Scotty' technology, and the person, once he or she pledges honestly to serve others, will instantly dissappear.

Do not be surprised if when the person surrenders and promises to 'serve others', promising to devote her or his life for the sake of others, the person suddenly dissappears, and instantly, the person is no where to be seen. The person was 'beamed' into a prison cell that my kids have constructed, using other technologies, and we have many prison cells waiting for the Lesbianists and for the Lesbianists' supporters, and for other bad kids in my universe, as well.

For each person you kill, my kids will keep earning points scores on your efforts to send them to my Epcot Center, and you will be paid, when you have finished your job, and then finally, go in to visit my kids. My kids will pay you in the monetary currency that is used in the underground cities my kids have built, for protecting people from these horrible Lesbianists and for protecting people from the abominant kids of mine, and the ghastly and naughty animals and very large bugs and spider like creatures, that the Lesbianists use to help them torture people with, to make the Lesbianists laugh, and to amuse themselves, as I've explained a little about, already. The more Lesbianists and Lesbianists' supporters you send to my Epcot Center, the more earning points you will score, and the more money you will earn, and you will be paid that money, when you go to visit my kids after you have finished your work, killing the Lesbiansts and the Lesbianists' supporters.

If the Lesbianists and the Lesbianists' supporters do not disappear after they surrender, and after they promise to serve others, and pledge to devote their lives for the sake of others, the Lesbianists and the Lesbianists' supporters are lying, and you can then kill them, and send them on to my Epcot Center.

My children will escort the deceased Lesbianists and Lesbianists supporters, once you kill them, into one or an other of my Epcot Centers, and will make sure that the Lesbianists and the Lesbianists' supporters get in for a meeting with one or another of my managers, or with one of the staff members who work with my managers to arrange retraining programs for rehabilitating the Lesbianists and the Lesbianists' supporters.

The Lesbianists and Lesbianists' supporters will not qualify as tummy babies, until they are finished their retraining and rehabilitating programs. After they finish, they will be out, again, to join the rest of you, once again, but this time, as nice, kind, courteous, and polite people.

What Does This Mean?

It means, I want all the Lesbianists dead, but if they will surrender, and if they promise to serve all human kind, all people, and work and strive to enrich the lives of all others, dedicating their lives to others, then, you do not have to kill them, and you do not have to send them to my Epcot Center. If they are honest when they surrender, and when they promise to serve all people, devoting their lives to all people of the world, then my kids will 'beam' them in, using the teletransportation technologies that my children use. If they are lying, then my children will not beam them in, and they will be stuck where they are. If they are stuck where they are, after they surrender to my kids, and after they promise to dedicate their lives to the welfare of all others in the world, and to all others in my universe, then they were lying, and you may then kill them, and send them on their way to my Epcot Center, for retraining, and for rehabilitation.

It also means to kill any person who works for the Lesbianists, if he or she is supporting the Lesbianists to try to stop you from killing the Lesbianists. Also, it means that you should kill any person who tries to interfere with you, while you are trying to kill the Lesbianists.That's what it means.

Captain Off The Bridge.

John Francis Ayres
GOd
And Children

Fermenting Oils - Fracuses Kiddies - Slugs, Snails, And Other Bottom Feeders - Feeding Everybody In Our Bodies - Putting An End To The Global Menace Of The Lesbianists - Changing Our Societies, And Our Universe, Forever Updated: 22-01-07 Rev.x.00.a 07:45 PST

Mix raw sugar, ocean salt, sessame seeds, dried fermented berries you have taken from a mix of berries fermenting as a flural hydrate liqour, or as a plain fermenting liqour, and make sure you dry them out in the oven, before useing them.

Mix the items together in a container, and mix in a drop or two of apple juice, pear juice, papaya juice, kiwi juice, banana juice, cherry juice, cranberry juice, strawberry juice, peach juice, nectarine juice, or plumb juice, and let the moisture settle into the mixture to allow it to become only partially and only very slightly moiste, and not wet or liquidy.

Allow the mixture to sit in a warm or cool place for a week or two, to eight to fifteen weeks, or even a few years, and it will grow molds in it, and with the longer the duration up to a point of sitting and molding, the more useful it will become.

It might develop a pungent, unpleasant odor, like a dead animal smells, which may mean that a fungus that is not very suited for you to use as a starter mold for starting a fermented oil batch has developed in the container, and in that case, you can throw the whole mix out, or use it for fermenting beans or something. Cheeses can be made with these kinds of growing funguses and molds, if you are the daring type, who likes to experiment with new and different tastes from variously fermented mixtures.

You can add some ocean salt, and make a soury vinegar, and then try to rescue it with the combination of the soury vinegar, ocean salt, and a little raw sugar, and some honey.

It may be that some bacteria is in the mix, and it needs to be eaten up, before you can use it safely for a healthy mold mix for starting a nice cheese molds and funguses mixture.

Ocean salt can be added in slightly large amounts with raw sugar. Once the odors have stabilized, and once they have developed a more pleasanty odor of a fermenting mixture, with a slight alchohol ferment odor that will indicate that it is alright to use, and that it will not be harmful to you.

In some cases, the bacteria in the base mix, may be a result of hairs or particles of skin from the body of a dead rat or mouse, that some how found his or her way into the sessame seeds, or into the dried spices, or into dried berries that you used, and then died.

In that case, you might as well throw it away, unless you have a lot of patience, and do not mind waiting and working with it, for several years, for it to become something you can use.

One way to make it into something you can use is to mix in a high potency liqour brew, and let it sit for a number or years, and ferment it, and then after it smells nice and rosy smelling, after ten to fifteen years, to thirty to fifty years, you can evaporate the liquids out in a pail on an open porch that has a net covering to keep animals and animals' hairs out of it. Make sure there is good ventilation, and it should evaporate out, safely after a number of days on the porch in the sun. If there is no heat to make it hot enough to combust, and if there is good ventilation, it will not combust, and it will evaporate out, safely. Adding ocean salt and raw sugar to the mixture so as to fill it up with raw sugar and acidic ocean salts, will further help to safely evaporate out the liquids and prevent the liquids from combusting, accidentally.

Once the liquids have evaporated out, safely, you can use the materials that remain in the pail or container, to start a fermented oils brew mixture, or to start a cheese molds and funguses mixture, if you wish to make a nice cheese molds and funguses mixture.

The particles of skin or hair from the dead rat or mouse, or pidgeon, or other animal, will have been eaten up by all the ferment fracuses kiddies, and will no longer pose a threat to your health.

Fracuses Kiddies

Ferment fracuses kiddies are just plain old ferment kiddies who like to devour large bits of human or animal tissues, mites, or cockroaches, or their body parts, and then poop them out, and pee them out into the liqour brew.

You'll always have some of these kiddies in your brew mixes, and they are useful to you, as they eat up the things that you do not want in your tummy. Also, there are other kiddies, such as snails, and other bottom feeders, that find their way in, in the skins and pulp material as tiny animals, or the eggs of animals, and they hatch, and they develop, and they grow big, and they then bottom feed, and they eat any dead rats, and dead rat parts from rats that might have fallen into the brew. These are useful pets, that you want in your rum and liqour brews, as they will keep the liqour brew healthy to drink, and they will keep you from getting ill.

Slugs, Snails, And Other Bottom Feeders

In the old days of bucanneering, as I may have mentioned, before, this was a crucial part of keeping the sailors alive, on their long voyages, and if crew members fell ill due to an unhealthy brew, with a dead rat in the mix, making it sour, and making it unhealthy to drink, then if there are not enough snails, slugs, and bottom feeders in the barrel or rum to eat the dead rat parts, the sailors will get ill, and when they get back to port, they will hang the rummery owner, and give the business over to the son, or to a third party, often times, one of their fellow crew members, who is liked by all the people, locally, and on the ship.

This is the case, still today, with many rummeries owned and handed down in the same family, from such instances as that.

Bottom feeders, slugs, snails, and many types of bottom feeding earth worms, and other types of healthy bottom feeding worms, that cohabitate well with the slugs, and snails, and other animals that are too tiny for you to see in the rum brew mixture, without a powerful microscope like, optical videoing technology, are essential to your brews mixtures, and they may increase in numbers as they make babies like every animal and living being does, and so now and then, you need to reach into your brew container, with your hand, or with a fine mesh small aquarium use fish net, and scoop them out, and flush them down the toilet, or let them loose in a local pond, lake, mountain stream, or water springs fresh water well, where they will help to keep the water clean, ahd healthy.

Once you have the materials to make your fermented oils mixture, you can add them to your container of food oils, and begin to ferment them, or use them to make a nice cheese mixture, to ferment and then to make solid as it matures with age. You can also use the materials to make a fermented bean mixture, or fermented barley, or fermented rice, or fermented millet, or fermented wheat mixture.

You can also use them to make a fermented brew mixture, as there will be many healthy molds and funguses kiddies in and among the dried out materials. Your health will improve, and by adding different spices, nuts, berries, root particles, ground up kiln dried pine cones that were green to begin with, and then fermented for a few months to a few years, in a brew mixture, then dried out, and ground up into a saw dust powder consistency, you can then have lots of crystals cages salts kiddies of various kinds help you to make a nice regroverative brew, to help you to regroverate your amoebes.

Feeding Everybody In Our Bodies

You know, we need to eat foods to stay alive. We also need to feed all the living animals in our body, to help them to stay alive, so that they can help our health remain normal, from day to day. We also need to feed the amoebes all the foods and juices, salts kiddies, and the poopy liquids and pee liquids, and other liquids with other types of tinier salts kiddies in them, as well as other types of food kiddies, we haven't learned about, yet, but with all of them inside your tummy, you'll be able to feed every one who needs feeding, and then you'll be successful with your amoebe 'auto regroverate mode, on!' formula, so long as you have degunked your body of all the petro chemical oils, kerosene, diesel fuels, and other chemicals, the Lesbianists have been feeding you, from birth, in your diets, if you live in a society, where you are fed baby formula mixtures from Gerbers or Heinze, or any of the other baby foods manufacturers.

Putting An End To The Global Menace Of The Lesbianists

We need to put an end to this practice by the Lesbianists of poisoning us with their petro chemical industry oils and tars salts kiddies, which they use to rot our teeth out, and cause tooth decay, and which they use to cause ulcers in people's tummies, and which they use to cause lots of unpleasant illnesses, and diseases in human beings, and in farm animals. These petro chemical salt kiddies, and formaldehyic salts kiddies, all harm our amobes living beings children, and all the other animals that live inside of us. One day, we will have a lot of people practicing my religion, sexaling, and making prayer statements so as to help us to erase the karmic markups we have, that keep us living under the tyranny of these Lesbianists, and in their societies, suffereing the daily poisonings that cut our lives short. When we have erased enough of our karmic markups with my religion's religious practice of sexaling to purify our selfs and others around us, and to clearify and erase our karmic markups, we will eventually be able to say good bye to the Lesbianists, and their practices of poisoning us, and causing us major headaches, or problems in our lives.

Changing Our Societies, And Our Universe, Forever

At that time, we will be able to say hello to a whole new way of life, and that will be the beginning of our new, thrilling, and excitingly challenging, one world, unified, planetary, global culture, and it will be the begining of our new, thrilling, and excitingly challenging, one universe, universal culture for all of the people in our universe, who we have been living in our universe together with, since we first came out, and began living here in my universe, a very long time ago. We have to start somewhere, and so here we are, now, begining to prepare the foundation for our long and prosperous journey ahead of us, as we clean up our universe, together with each other, and clearify and erase all of our karmic markups, and all of the karmic markups of all my children, and of all living beings who live with us, together with us, in my and our universe. We need to take responsibility for this clean up campaign of ours, as we are the only ones, besides my many worker, unionized children, who can use our brains, and use our sexaling organs, to produce purifying energies of all types, to help us clearify and erase all of our karmic markups, and all karmic markups, and karmic things and dings, of all of my animal children, and of all of my living beings children, and of all of my human children.

My kids have built underground cities, to help us to get started, in learning about the new ways of living together, and of sexaling together, for practicing my religion together with each other, so that we will be able to prepare ourselves, for our new global, unified society, and for our new, universal, united, civilization. We have a long ways to go, but we are starting now, with your efforts to correct this situation by eraseing the karmic markups and karmic things and dings, that have us living in this truly awful situation on this planet, in our universe, that we are now, curently living in. One day, when all the Lesbianists are either dead, or have surrendered to my kids, we will be able to gradually educate ourselves, and change our understanding about women and girls, and about men and boys, to understand the truth about women and girls, and about men and boys, and then we will begin our new and exciting journey into our future, together, with my religion at the basis of our new, unified society, universal culture, and universal civilization.

Captain Off The Bridge.

John Francis Ayres
GOd
And Children

Donations To GOd - Monastic Mode - Who Works For Me, Anyway? - Obeying Orders - Every Politician In The World To Be Executed - Every Hollywood Actor And Actoress To Be Executed - Jump Ship, Explained - Fair Warning - Particle Remis Technology And Particle Dismiss Technology - Dismend Technology And Remend Technology - Mentalcosis / Mentaltosis And Comatosis - Michael Jackson - Retractions Updated: 26-01-07 Rev.b.02.a 06:45 PST

Donations To GOd

Why can't anyone donate any thing to me? I am GOd. So, how come no one can send me a penny in the mail, or a box of cookies, or a pair of socks, or something? I don't think I'm asking for too much, but I'm just curious about why no one can send me anything in the mail?

I don't get any phone calls. No one sends me any e-mail. No one tries to visit me. I have a religion, and I'm asking people to practice it. Now, how come no one can contact me?

I once said that I am in a monastic mode, and it is a cloistered monastic mode. That means, no one can be contacted out side of my monastery by any one inside the monastery, and no one can contact any one inside the monastery, by any one outside the monastery.

If there is no legitimate monastery business then no person will be allowed to contact me, or for that matter, any one else inside my monastery, who is leading a monastic life, with me.

Well, there is only me, right now, but maybe in the future, some one will be in my cloistered monastic discipline with me, helping me with my religious duties of doing my religious ceremonies, as I've mentioned about, before.

Monastic Mode

What does my 'monastic mode' mean? It means that I am here as GOD. You know, there is only me. I of course never sent any one, such as the Lesbianists claim. Why would I? I don't need any one to do the things I need to do. That's sheer idiocy to think I would have a son or daughter, and send them to do my business. That's absurd. You've been snookered into believeing all those hogwash tales, and now you don't know who I am, and you don't have the karma to believe in me, as a result of your following and believeing all those hogwash tales. My kids are everywhere, and they are doing their jobs.

Who Works For Me, Anyway?

Now, as I've been saying, I'm going to have you do your jobs, and that is to use your genitals, and to use your body, and to use your brains, and then participate in my religion, using your genitals and your body and your brain, and sexalate with each other, and purify your karma? Does that sound like a joke to you? If it does, you are very mistaken because it is not a joke in any way, and I am absolutely serious when I say that you are going to use your 'equipment' and I almost want to call it, your 'field' equipment, because you are armed with it, day and night, and you are going to use that equipment, to clearify and erase your karmic markups, and to purify my universe. Is that okay with you? I hope it sure the hell is, as a "NO SIR!" at this point, would be an unsatisfactory reply. Do you understand me? I hope so. You are going to jump ship, as I order you to, or be thrown over board, if you have a problem with that. I hope you understand.

Well, as far as I can figure it, no one realizes that I am GOD, so no one can donate money to me. If some one realizes that I am GOD, than for the first time, that person will be allowed to donate money to me. That person will be allowed to visit me, or call me on the phone, or donate money or food to me, or practice my religious ceremonies with me, if that person believes, and understands, and realizes, that I am GOD.

Right now, there is no one who realizes or understands that I am GOD. No one of course believes I am GOD. Never the less, I am GOD, and I am sitting here, waiting for donations, to help my ministry get started.

So, that is the reason that no one can get through to me, or donate money to me, or send me a postcard with some kind of message of cheer and support in it.

There doesn't seem to be any body who believes that I am GOD. Well, that isn't surprising. People do not have the karma to believe that I exist, is one way of looking at it. They have ignored my existence, and have not had any real thoughts about me that would link them to me, in my monastic mode.

What does that mean? It means, that no one remembers me, as the guy who created all of you.

It also means, that I am in a religious mode, and no one understands that, or believes that I am in a religious mode.

That is peculiar, since I am giving you a religion, one of my oldest, for you to practice, that will assist you in purifying your life, and that will assist you in eraseing and clearifying your karmic markups.

That's very peculiar, but it is not that peculiar, as you do not have the karma to realize and understand that I am GOD.

In any case, there will be no donations, no telegrams, and no phone calls or letters to me, so long as you do not realize, understand, and then of course, believe that I am GOD.

Well, any way, so it goes.

Obeying Orders

Now, I want all these people, killed. Hillary Clinton. Bill Clinton. Chelsea Clinton. Ted Kennedy. Al Gore. Tipper Gore. Harriet Gore. Cheryl Gore. Dave Gore. Bill Gore, and all people who call them selfs, Gore and pretend to be related to Al Gore, or to Tipper Gore. Mr. Al Gore has lots of friends, who are also Lesbianists, and I want them all killed. Oliver North. Monica Lewinsky. Eve Arden. Elizabeth Arden. Michael Jackson. George Bush Sr. and all other George Bushes. Do you understand what I mean? It means, that they are all Lesbianists and they are all going to die, and we are going to blow up Washington D.C., and destroy Capital Hill, and level that area, and make it sink beneath the waves of the Atlantic Ocean. That's how big a bomb I want you to make, with my fracturable rocks, to then blow that area out of the water, and make it sink below the waves of the Atlantic Ocean. You'll probably need more than one bomb.

Did you know that Washington, D.C. is lying on a fault line, deep down, and it is on an ocean shelf, that has the ocean under it, lapping at the earth, very far down. That means, that it is on a fault line, and it is on a shelf, that is hanging over the ocean's waters.

Now, if you hit Baltimore, and Maryland, and Northern Virginia, and Washington DC with a large enough bomb to blow Baltimore out of the ground, and level it, and with another bomb large enough to blow Washington DC out of the ground and level it, at the same time, and a few more bombs, large enough to blow Maryland, Virginia, and that whole metro area out of the earth, at the same time, you will sink the nation's capital, that is, Washington DC, below the ground, as it will break off the ledge that it sits on, and it will sink into the ocean, as the ledge crumbles below it. There will be water, from the Atlantic ocean, all the way out to West Virginia.

Now. I have every right to say that, and demand this, as it is a matter of self defense, as I know these motherfuckers are eating people, cannibalizing my kids, for their amusement, thrills, and fun, and they will continue to do that UNLESS THEY ARE STOPPPED! Do you understand that?

I hope so. I am going to see the whole of Washington DC and the area leveled, with Baltimore, and Northern Virginia, and Maryland, as well, and we are going to sink that area into the ocean, and make it disappear below the surface of the waters of the Atlantic. Now, that should be clear, shouldn't it.

This is not a joke. We will have to send a lot of my children to my Epcot Center, in the blasts that will occur, and in the after math of the blasts, but that is unavoidable.

We will have many people, drowning in the waters that come in from the ocean, and that stretch out to the hills of West Virginia, with only slight outcrops of land, hills, here and there, with a few people lying on top of them, blinded and in awful pain, but they will not live long, as they will not be able to survive for long, and they will pass on, die, and then they will transel to my Epcot Center, where they can get medical relief, medical treatment, therapy counseling, and rehabilitative therapies.

Now, that is what we will do to Washington DC and vicinity, so every one, please prepare for it, and get your pain medication in order, so you can take an over dose of pain pills, when your area is blown and shredded to bits, with one or more of my fracturable rocks bombs, as I've explained about.

Every Politician In The World To Be Executed

Next, I want every politician in the world, canceled out. I want their passports for living on our planet, canceled. That means, I want you to kill each and every one of them. Not only do I want you to kill them, all, but I want you to kill every single one of their associates, around the world. They are all Lesbianists, except for a few of them. If you happen to kill one of the non Lesbianists policitians by mistake, that is okay. They have the option of surrendering to my children, available to them, and once they surrender, they will not be killed, by accident.

Every Hollywood Actor And Actoress To Be Executed

After that, I want every Hollywood actor or actoress killed, and that includes all the actors and actoresses, around the world, and they must surrender to my kids, if they wish to not get killed. There are a lot of them, who are not Lesbianists, so those I've mentioned, who I've let you know are not Lesbianists, you can forget about them, and leave them alone.

There are more than a couple of billion Lesbianists living under the earth's surface, in underground cities. I did not realize there were so many. We need to kill them all, so we will, in time, unless they surrender.

Is that clear, every body? I hope the answer is, "Yes, Sir!" as you had better not answer any other way, or you will get yourself on my shit list. Is that understood? Good. I am the boss of my universe, so if you do not like it, than jump overboard, now, sailor. Have you got that clear? Good.

Jump Ship, Explained

What does 'jump overboard' mean? It means you are going to have severe problems with me, if you do not obey orders, and that there will be difficulty and jail time, ahead of you, if you continue to ignore my commands to you. It means there is going to be trouble, if you do not obey me. My kids are in charge of handling all the details on that, and it is not a joke.

Fair Warning

We are not going to let these Lesbianists run their show, one more minute. We are going to put an end to them, and their activities, here on this planet, and every where else in my universe, and this is fair warning of that.

Particle Remis Technology And Particle Dismiss Technology

As I said, once before, there is a technology called particle remis technology. There is also a technology called particle dismiss. They are the technologies that you can use to feed 2.3 billion Lesbianists down under the surface of this planet, and on every other planet that they are on.

Dismend Technology And Remend Technology

It is easy to dismiss molecules, and to dismiss, or dismend all the beings who need to be dismended, and sent to my Epcot Centers. It is also easy to remend them, and then get them back into the foods that I need them to be a part of.

My kids keep track of every one who needs to be dismended, and then remended. That is a lot of work, keeping track of every one, but that allows us to dismend the living beings, and animals, that I can let off from duty, and from further service, and then send to my Epcot Centers for them to live in. I can then recall them to duty, and remend them, and then have them serve in an apple or an orange, or banana, or a brick. Do you think that is a joke? It is not a joke, and there is no joking allowed, on my shift. Do you got that? I hope so, because if you do not, you will have to learn how to swim a long ways, as it is going to be a long way from shore, after I ask you to jump over board, and I have sailors who practice, all the time, just to show the passengers how it is done, just in case. I will have you jump from ship, if you do not get along with me, and if you disagree with what I am doing, pretty soon, as we are departing, now, or just about now. That means, we are not going to play around, much longer, and we are going to set sail. That means, there are going to be a lot of people practicing my religion, pretty soon, as they will learn about it, and they will begin practicing it.

Mentalcosis / Mentaltosis And Comatosis

Mentaltosis is the state of a vegetable, like a stalk of cellery, or a plumb, or an orange. Comatosis is the state of complete awareness of self and others. Comatosis is not brain dead, i.e., more or less, mentaltosis, with no real significant brain activities occuring, other than the ones that keep you alive, and vegetative, and you do not need assistance to remain and function in a state of mentaltosis, and the Lesbianists know it. You are severely brainally handicapped, and when you come out of it, eventually, after you have your karma fully completed for being mentaltosically ill, and after it is then time to get on to something else, you will be very brainally handicapped, and you'll be an extremely retarded person, with little to nearly no brain awareness going on about self and others, but able to walk, barely, and later, after many many lifetimes as a mentally retarded individual, you'll begin to be able to mumble a little, or babble a little, for umpteen lifetimes, as you begin to get your higher brain functions, back, which takes a very long time to work out, and many many lifetimes to work out, karmically.

Comatosis is like a hit on the head, and when you wake up, your faculties are not all working, and you may not be able to speak, or move, or talk to your friends, but mentally, you are all there.

Mentaltosis is like a train ran over your brain, and every other nervous system in your body, nearly, and you are completely unable to think, or do any thing else, and you are reduced to a mere pumping heart patient, with not much else going for you, except you are breathing, and technically, you are alive. You can sit there for a million years, or a million or so life times, before you begin to come out of it, and then reveal your disorder of severe mental disorganization, mental disfunction, and mental retardation. There is a big difference between a bonk on the head, and a train running over it, and the rest of your body. Coma patients are fully aware of what is going on around them, and they may not be able to speak, but they are there, and they can twitch a finger, now and then, or flex a toe, or raise their tummy up a tiny bit, to pass gas, usually, and relieve the bloating sensation they are experiencing in their tummy, and in their intestines, or colon. They may be able to grasp your hand, and fully hold on to it, and not let go, for hours, if they have the strength for it. This horrible torture the Lesbianists are perpetrating on comatosic patients, needs to end, now. Person responsible for continuance of hospital policies, despite our informing them of the truth regarding this, are to be shot and killed, and sent to my Epcot Center, if they interfere with the removal of the life support and life support assitive devices, that are plugged into the comatosic patients mouth, or nose, or other orifice of their body, or any part of their body. If some one refuses to cooperate, you are to throw them out of their hospital unit, and give them a good whack on the head. Come back in a few days, and then disconnnect their life support assisitive pumps, and tubes, and so forth, and shoot them in the brain with three 'fivers', as I've explained about, and then send them on their way to my Epcot Center. That is an order. Now do it.

I want you to pull the plugs on all the GI's and civilians who are on a breathing assistance machine, and life support assistance equipment, and I want you to send them all to my Epcot Center, where they can get treatment, and therapy, and then get themselves ready for being born, again, as a fine and a healthy, tummy baby to a tummy mommy, and to tummy daddies. You had better comply, if you know what is good for you, as my kids are now keeping track of your records on this account, and you are not going to do very well, if you do not follow orders. Is that clear. I will not have any insubordination of duty on my watch, and that means, you had better learn to follow orders, or you will be asked to jump over board, and then go for a very long swim to shore.

Michael Jackson

Michael Jackson is the biggest joke in the world. He is a white boy, and he pretends to be related to Janet Jackson, a black woman, partially, and they pretend to be related, and he is as white as an elbow macaroni, or a white goose. He is not a black person, though he does have some black ancestry, but he is a primarily white person, and he pretends to have bleached his skin color, which is a crock of shit. Now, I want you to kill that mother fucker, as well as Sylvestor Stallon, and Arnold Schwarznegar, Clint Eastwood, Morgan Freeman, Kirk Douglas, Matt Damon, Robert De Niro, Anthony Hopkins, Gary Busey, and their Lesbianists' buddies.

Retractions

Mr. Jerry Springer is not a Lesbianist. I was mistaken about him, as he was already killed by them, in a previous lifetime, as he developed a desire to bad mouth them, and they didn't like him, and they kicked him out of their group, and they killed him, with their murderous torture routines. Penelope Cruz is not a Lesbianist, but she was, but they killed her, and tortured her, and she is off the list. Angelica Huston is not a Lesbianist. She was, but they killed her, after torturing her. She is a popular and prominent person, and if she hasn't been abducted yet, by the Lesbianists who will feed her to my abominant kids, like they did to Steve Irwin, and Jeff Corwin, then they will be gettting around to it, not too long from now, as they like to feed her to the abominant kids of mine, just as they do Bill Gates, and lots of other, former Lesbianists. None of the Baldwin brothers are Lesbianists, either, as they were already kicked out, and killed by them, and then grievously tortured by them. They continue to be main attractions for feeding to my abominant kids. Jack Nicholson is not a Lesbianist, now, either, but he was. Ben Affleck is not a Lesbianist, as he was also kicked out of their organization, after they tortured and killed him. Charley Sheen is not one, either, but he was. Martin Sheen is not a Lesbianist, but he works for them, and he was one, before they kicked him out, after they tortured him, and killed him, in a previous lifetime. Michael Douglas is no longer a Lesbianist, either, as they killed him, after their brutal torturing of him. He is up for being abducted, and for being fed to the abominant kids of mine, as he is a prominent person, and Kirk Douglas enjoys watching him get eaten up, and Kirk Douglas will laugh his guts out, as he watches Michael Douglas get tortured by the Lesbianists, which Kirk Douglas is a confirmed member of. Cher Bonno is not a Lesbianist, as I was mistaken in memory, though she was a leader for a while with Oliver North, she was killed by them, after being tortured, because she was getting "soft". Sunny Bonno was a Lesbianist, as well, but he was also killed after being tortured, officially kicking him out of the members league of Lesbianists. Sunny Bonno was captured, and abducted, and a body double was placed on a coroner's table, and Cher Bonno knew that the body double who was dead, who looked like Sunny Bonno, was not Sunny Bonno. The Lesbianists subsequently fed Sunny Bonno, after they captured him off the ski slopes, to my abominant kids. Elizabeth Taylor was thrown out of the corp of Lesbianists, after they heinously tortured her, and murdered her, and the Lesbianists have her slated, scheduled, after they find a way to abduct her, for feeding her to my abominant kids. Dennis Miller is not a Lesbianist. Though he was one, after torturing him, and sushi-izing him, please see my notes on that, the Lesbianist's sushi-izing of Dennis Miller eventually killed him.

It's hard to keep track of some people, as to whether or not they are currently Lesbianists. Others, are not so hard to keep track of, and I want all of those mentioned, killed, immediately.

Captain Off The Bridge.

John Francis Ayres
GOd
And Children

The Gurkian Way Foundation Ministry Institute
johnfrancisayres @ yahoo.com
Google Groups NewsGroup: http://groups.google.com/group/gurkianagegurkianway
Yahoo Groops NewsGroup: http://groups.yahoo.com/group/gurkianway/

John Francis Ayres
5540 West Harmon Ave. Apt. #2004
Las Vegas, Nevada 89103
USA

(702) 894-9518

Chief Priest and Head Abbot
Gurkian Way Foundation Ministry Institute
Cloistered Conservatory And Cloistered Monastery
West Tropicana Ave. and South Decature Blud.
Las Vegas, Nevada 89103

```
From 7330936527215053143
X-Google-Thread: 101d03,b0fd2d46278db5c1
X-Google-Thread: 11574b,62b588a84f93ab4,start
X-Google-Thread: 108122,62b588a84f93ab4,start
X-Google-Thread: 1141a2,62b588a84f93ab4,start
X-Google-Attributes: gid101d03,gid11574b,gid108122,gid1141a2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-
mail
From: johnfrancisayres@rock.com
Newsgroups:
rec.arts.startrek.current,alt.security.terrorism,rec.radio.amateur.equipment,alt.p
olitics
Subject: Ship's Tour Of My Universe To Begin - Call To Arms! Duty Stations! Fire
When Ready! Cease Fire Procola! Pt. II/III
Date: 15 Feb 2007 15:58:23 -0800
Organization: http://groups.google.com
Lines: 3100
Message-ID: <1171583903.432802.49960@q2g2000cwa.googlegroups.com>
NNTP-Posting-Host: 172.194.90.229
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171583909 25472 127.0.0.1 (15 Feb 2007 23:58:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 15 Feb 2007 23:58:29 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
```

```
Netscape/7.2 (ax),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=172.194.90.229;
   posting-account=J1aE9A0AAABPEYSAAS-D20mZlfB81UJw
Xref: g2news2.google.com rec.arts.startrek.current:7658
alt.security.terrorism:29540 rec.radio.amateur.equipment:8063 alt.politics:735494
```

On Praying, Fucking, Sucking And So Forth - Excercising And Activiating To Music Timed To One Thirty Seventh On The Metronome - Fisting And Punching People With Your Clenched Hands And Crasping Or Clasped Knuckles - Phlooching Out And Fisting The Vaginal Cavity, Rectal Cavity, And Mouthal Cavity - The Importance Of Kindlyness And Teamwork - Phenomenal Elegance - Plurlbalescent / Plurablescent Nature Of Negative Punishments And Positive Rewards - Timed Persuasive Mosture - Keeping Every Thing And Everybody In Harmony And In Synch - Deep Sea Ocean Trench Off The East Coast Of The United States - The Shelfs Systems And Trenches Systems - Side Bender Currents - Making A Large Swimming Pool - Stagnasis - Black Powder 'String' Fuses - Black Powder 'Cap And Ball' Pistols - Zircon Diamonds, And Other "Radio Active" Gem Stones, Etc. - Higher Temperatures Develop More Useful Energies For Making Babies - Geiger Counters And Their Usefulness - Novice And Amateur 'Rock Hounding' Rock Collectors Clubs - Decontaminating Your Self With Ocean Salts - Ancient Dry Lakes - Hydrolific Pressures From Water Falls - Underground Lakes - Baha Mexico - Finding Good Rocks With 'Radiological' Salts Kiddies Bullets - Plastiques, Explosives, Radiological 'Bullets', 'Nuclear Detonations', And Decontaminating Yourself Of Radiological Salts Kiddies - Sledgehammering Continents And Land Areas Where Lesbianists Live, Hiding Below - Topsoils - Disintegrating The Milky Way - Retraction Updated: 14-02-07 Rev.a 21:10 PST

On Praying, Fucking, Sucking And So Forth

You are rewarded for praying Nam Myeo Ho Ren Ge Kyeo. You are also rewarded for fucking, sucking, tounging, licking, fingering, dicking or massaging your dick against a woman's bun bun, or inside of her butt hole, where there are lots of sensitivities buttons that get her clicking and eroteming and orgasming, or against her titties to get her eroteming and orgasming, and so on, and for palming or massaging a pelvital button, or the love and joy stick, the dick, or a love button or love patch, igniter switch, or whatever nerve sending touch sensitive love joy button there is embedded into your body, in the pelvis, groin, vagina, and in the musculatures of the groin, pelvis, and vagina, with the palm of your hand, and so on. You also get rewarded for throating a woman with your dick, as there are lots of love buttons in her mouth, and throat, lips, and so forth. Men also have love buttons in their lips, throats, tounges, mouths, butthole, and on their body, and those buttons also get clicking, and turning on and off, and sending sensitivities messages or signals, nerve pulses, up the eroteming nerval system and up the orgasming nerval system. You get rewarded for dicking men and boys in the throats, and in the buttholes, and their bodies, just as you get rewarded for dicking women. There is no discrimination in this area, and every one is equally rewarded for their meritorious acts of dicking others, women, girls, men, and boys.

Why are you rewarded for praying Nam Myo Ho Ren Ge Kyeo, and for dicking, fucking, and sucking, bumbeying, or moving your vaginal bumbey package against a woman's sexaling body parts to erotemize your self, and the woman, and for breasting your titties, i.e, rubbing your titties against or flopping them against and massaging them against a woman's butty butt or against her other sexaling body parts to get you and your friend sexually erogenized i.e., sexually stimulated, erotemized, and orgasming, and for other sexaling activities that help you and your friend and friends to produce purifying sexaling energies?

You are rewarded for your praying and for your fucking, sucking, dicking, and so forth, for helping to get every thing and every body going at the right pace in synch with every thing and every body else, for every body in my universe who is working for me, to keep them moving in harmony, perfectly meshed and in synch and in a timed persuasive mosture, with each other, so as to keep my universe standing up, strong, wholesome, robust, healthy, well, and fine. You are rewarded for praying as well as for sexaling, as you help move my children along as they do their work, as you pray and as you sexal and spray out energies from eroteming, from erotistically orgasming, and from sexually orgasmically convulsing, i.e., phlumetting, while you shatter out and spray out purifying energies in all directions, that will clearify and erase your karmic markups, and the karmic markups of others, all around you, for millions and more of miles, way out beyond where you are activiating and religialing, i.e., sexaling.

Your dicking, sucking, licking, titty massaging others, and so forth, will get wonderful and wholesome, GODLY, purifying energies shooting out of your bodies, and the energies shoot out at rates of speed that also help my universe to keep synchronized, and to move along at the right pace for it to be able to stand up and remain stable and solid, durile, strong, wholesome, pure, and a nice place to live in.

Every one who works for me, has a rate of speed they work at, a life pace, or life spin. We all have a pace of life. In some cities, it is fast and hustling. In some places, it is slow and whimsical. My kids work according to a rate of speed that is metered, and they keeps every one moving as best as they can, according to this metered pace. The metered synchronized pace that my children work at the rate of is one thirty seventh and one fifth, approximately, on the metronome.

If you help to push my kids along at that rate of speed, or a rate of speed that is close to it, as you pray at a metered synchronized pace and rate of speed, and as you fuck, suck, and so forth at a metered synchronized pace and rate of speed, then you are rewarded with angel dusts, or purifying energies faerie dusts that my kids daub on your head, and throw buckets loads of over your head and body and that they wash your insides out with and that they wash your body, inside and outside, with as they shower them all over you on the outside of your body, and all around in your body on the inside of you, which then help to clean you up and clearify your karmic markups, cleanse your karma, and purify your life, making you a shining, radiant, pure and holy being, though you may not notice at first, as we are too filthy, karmically speaking, to notice the changes, as our karma is too thick and mucky to allow us to feel the changes that are taking place in our karma and life.

I have a gradient scale for how close you keep people moving, and at what rate of speed you help to push them along, and as you help to push my kids along, so that they can do their work, you are rewarded, in accordance with my gradient scale, with more angel dusts or purifying energies for better preformance, and with less angel dusts for poorer or less effective performance. You have to do some thing that will help my kids move along at a metered pace, so that they can get their work done. Praying Nam Myeo Ho Ren Ge Kyeo sets off a time frame synch. A time frame synch is the metered click, click, click, of the metronome. This time frame synch or metered pace, that you achieve while praying, Nam Myeo Ho Ren Ge Kyeo, will help keep every one moving, at the right pace, if you pray it in a rythym and at a rate of speed that will synch up with a metronome at one thirty seventh and one fifth, approximately. Your efforts to help keep my kids working and moving at a consistent rate of speed, will get rewarded, thus for praying, Nam Myeo Ho Ren Ge Kyeo, you are rewarded, with purifying energies, that my kids dump on you.

Your efforts for fucking, sucking, licking, tounging, titty whipping or banging your titty nipple against the vagina of a woman or girl, dicking, fingering, palming, and so forth, all get rewarded, if you try to keep every thing in synch with the metered pace of the metronome at one thirty seventh and one fifth, approximately. The gradient scale also applies, of course, as you are fucking and sucking, etc., so the better the job you do of keeping your pace at one thirty seventh and one fifth, approximately, the higher your rewards will be. Your rewards are the same, more or less, for both praying and for fucking and sucking, and my kids sprinkle and dump angel dusts, purifying energies, on you as a reward. You also get markups that are meritorious, and you are rewarded with a better and happier life.

Further, when you are orgasming, and eroteming, or pushing out energies as you orgasm, and erotem, you will be pushing out energies that shoot out at consistent rates of speed. These rates of speeds of these energies are in concordance with our pace of life, they all perfectly mesh with the paces of life that my kids keep. The energies as they pass out, and push along through time and space, at synched up and consistent rates of speeds, all help to keep my kids moving along as they do their work and tasks, and they all help to keep our universe, standing up, strong, healthy, wholesome, well, and fine.

Chaos breaks the legs off the foundation to our universe, and our universe begins to creak and moan, as it begins to crumble, slide, twist, and tumble downwardsly. Making chaotic noises, and chaotic movements, detracts from the harmonics of our universe. Your breaking glasses, and breaking skulls, and legs, and arms, are also chaotic events producing, in most cases, and they will detract from the perfect synch up of our universe, as leg bones and arm bones, skulls, fingers and toes, begin to splinter, as you apply pressures to them, you get negative markups for your actions. A record is kept of every chaotic action you take, or make, and if you make enough chaos, in your lifetime, and in your following lifetimes, then you will suffer from your poor records of performance for keeping my universe standing up, wholesome, healthy, happy, and well.

Every scream you cause to be vocated or vocalized, is recorded, and the intensity of the scream, and yell, and crying out in pain, plus a lot of other factors involved, are all recorded by my kids, and you get negative marks for that kind of performance.

The love making oooohs, and aaaahhhs you cause to be vocated, are harmonic appeals of soothing restfullness to the spirit, and to the mind, are also graded, and you are graded on how well you can cause others to produce them, and your scores are kept, and if you are a lousy performer, with more negatives than positives, you'll end up with a lousy life, as a result, as you are rewarded in accordance for your positive performance, as well as for your negative performance.

Helping to keep all of my children working in harmony, and doing their jobs and tasks, at a metered pace, will be rewarded, not only with angel dusts, but also with a better life with more positive fortune, as you recieve positive points or merit points for your collaborating with my children, and working to support them, and more fun as your life becomes graced with more positive merits and as your rewards begin to pile up, and more good things begin to go on in your life.

If you sit on the side of your chair and have a pair of drum sticks, or are using a bongo drum, or calypso drum, with the long tube belly, or stack, a long barrel tubed drum, or if you sit at your drum set, or set up your electronic drum pads, and begin pounding away, in a syncopated manner, for your pleasure, just drumming away, with no notion in mind as to any thing other than achieving a nice rythym for you and your friends to listen to, if you happen to be with friends, your merit points will be near zero, and your efforts will not rate on my gradient scale, as your actions will not be in accordance with my program for a better universe for all people, and for my kids to live and work in.

If, however, you have the attitude, "I wish to support John's kids, and syncopate myself while I'm drumming, so as to be supportive of John's kids, to help John's kids work in a syncopated manner, doing all I can to support John's kids", then, your merit points as you drum, will go sky high, through the roof, and you'll get meritorious benefits for your efforts, or merit points, and good marks, for your efforts. It's like helping kindly old women, who are frail and in need of a helping hand and support, cross the street. If you act in a kindly and charitable manner to help support those around you, you get meritorious points for your efforts. These efforts of your's, however kindly, regrettably, though they are kindly efforts, are not the kinds of efforts that we need, my kids and me, need to keep my universe standing up, and moveing strongly. For efforts that support my kids work environment, and that lend a hand to them to help them to get their work done, your meritorious efforts marks will go through the roof, and you'll be blessed with angel dusts, i.e., purifying energies that help to clean up your karma, and erase and clearify your karmic markups, or marks that record your bad and cruel, or negative actions towards others, and towards your self. You can kill your self, and cause grief to others, as a result of your departure, to my Epcot Center, and that rates negative marks and negative points markings or markups for you.

When you try to do any thing, that will help to syncopate my children, and to make my children's working environement more syncopated, and rythmical, with your concentrated mind, and determination to make that a reality, in other words, a prayerful attitude in mind, hoping to make John's children's working environments syncopated, and rythmical, and in rythym with every one elses', i.e., all of my other kids' syncopated working environements, then with that attitude of hopefulness, or a prayerful attitude, than, you are rewarded for your efforts, and determination, and as you drum away, or pound and beat on your calypso drum, or on your metal Bahamian or Tinian, or Haitian, or Jamaican, drums, or on your dresser drawers, if your mom does not mind, as you pound away, keeping your mind set on your determination to keep all of my kids working in unison with each other, and helping them to keep in syncopated harmony, all in perfect flux, and perfectly meshed in timing, with every one else, as they work for me, then your rewards and positive points markups, will be very high, and you'll be rewarded by my children, with angel dusts that they daub on your forehead, and dump all over you, from their barrels they carry full of angel dusts, or purifying energies to clearify your markups from your karmic markup piles, kept inside of your body, kept in storage in the molecules.

Your markups are inside the molecules inside your body, but they are also out side of your body, in every molecule, nearly, going way out to the very farthest edges of my universe. We will eventually get to all of them, and purify or clearify and erase all of your karmic markups, the notations and records that my kids keep on you, and on your activities, and eventually, we'll get them all, and your life will then be full of grace and happiness. It will be a long time before we get to all of them, as you and I and every one in my universe, have been here, and enormous length of time.

As you drum, or skip, or dance, or do areobics, in syncopation, with the attitude that you want to keep all of John's kids in step, and in synch, and in unison and harmonicly meshed and in perfect flux with each other, or perfectly meshing with each other, and every one else who works for me, whether you drum, skip, dance, or do areobics, it does not matter, if your mind is set and determined to help my kids, with your efforts, you will be rewarded for your efforts, no matter whether you skip, jump rope, dance, or areobically excercise.

As you sexalate, if you keep in your mind that you wish to keep all of John's kids in syncopated harmony, perfectly in flux, and in unison, just as when you are drumming, or skipping rope, or dancing, or playing basketball, or playing tennis, or badminton, or any sport, with your movements all timed, and in perfect syncopation, when you sexal with the right attitude to keep John's kids in synch, perfectly meshed in perfect accordance and flux, with each other, and with every one else, you will be rewarded grandurally, that is, grandly, or in a grand or very great manner.

Excercising And Activiating To Music Timed To One Thirty Seventh On The Metronome

Music timed to one thirty seventh on the metronome, and one fifth, or as close to one thirty seventh on the metronome that you can get, is okay, and it will help you to dance, play tennis, play sports, do areobic excercises, and other types of activities, at that pace that we need to keep to help keep my kids working smoothly, and you'll be graded on your performance, and on your attitude while you are dancing, or excercising, and the more intently you concentrate and use your mental energies and mental control to stay in synch, and in step, the better will your scores be, and the higher your marks, and the greater your rewards of purifying angel dusts and purifying energies that my working and unionized kids will pour and spread all about you, inside and out, and all over you.

Sexaling itself is a religious act. Yes. That's true. But, if you sexalate with this powerful prayerful attitude, or hope in mind, with your determined mind, and your concentrated mind, as you sexalate, and help others to sexalate, and help others to erotem, orgasm, phlumett, and shatter off wonderful energies from orgasming, eroteming, and phlumetting, your positive points and merit marks, and many other types of scores my kids keep on your efforts and behavior, all of them will go higher than any one can see, way out beyond the furthest galaxy that you can possibly see from your bedroom window, with your telescope. They'll go out to the futhest edges of my current univerese, and even beyond the barrier walls, holding up our universe, that my kids put in, to keep our universe standing up, stable, strong, and durile or durable and with tensile integrity.

Any action for helping my kids do their work, syncopated, and in unison, and in harmony, will be rewarded, with angel dusts, and with positive marks and score points in your records that we keep on you and every one else in my universe. Your sexaling actions get rewarded, far more than any other activityating, as your sexaling actions are the most needed actions, to keep my universe, pure, durile, holy, sacred, free from negativities, healthy, wholesome, stable, and constantly in a state of improvementing.

Most people go around destroying things, and causing chaos. We, my kids and I, need people who are going to help improve the wonderfulness of our, my, yours, my kids, and all of my other kids, wether they work for me, or not, meaning, all of my guppies, who are like you, my relatively normal kids, as well as all of my abnormal kids, the abominants kids I've got, that go around thinking it is funny to eat people, and to pull them into their mouths, and crush them in miserable pain and agony, like my elephants abominants kids do to relatively normal human beings kids of mine.

Fisting And Punching People With Your Clenched Hands And Crasping Or Clasped Knuckles

You all have been bad kids, all of my guppies, all of you who do not work for me and go around thinking, 'Oh, gee. Aren't I special.' My guppies are these minded people, who are arrogant, who talk back to their mama's and to their papa's, and to their relatives, and brothers and sisters, and to their friends in school, and to their teachers. Later in life, they become worse, and they talk back with their actions of being mean to each other. As my guppies grow older, and become older people, they start fisting others, and that means, punching people, hitting them with their clenched fists and hard knuckles, and hurting them when they pound on their face, or on their stomach, or on their body some where, and break bones, and tear muscles, and stretch ligaments with their pounding each other.

Phlooching Out And Fisting The Vaginal Cavity, Rectal Cavity, And Mouthal Cavity

Fisting is a word used by some people to mean, to insert your hand into the vagina of a woman, and gay people, homosexually driven people, fist each other in the butt hole, if either men or women, or in the vagina, if women. Some people find it interesting to fist each other in the mouth, by sticking their fist inside the mouth of a person, pretending it is a dick or a dildoe. You need to phlooch out the neck muscles, and billow them up, or poof them up and out, and that will help them to gently relax, and then become expandable or stretchable, as when they relax, they will easily stretcth out, and there will be some give, or freedom of expandingness. The neck muscles then become easy to stretch and push on from the inside with out hurting the person. It then is easy to insert your fist into the throat, to massage the inside of the throat, and to use your hand, or fist, to tickle the igniters, and triggers that set off love buttons and bells, and whistles, that help women and men to erotem, orgasm, and phlumett.

Fisting by inserting your fist into the vagina of a woman, when it is relaxed, and after you've massaged if for many hours, and after it begins to billow out, or poof out, and then open wide, and then you can see inside of it, and from the entrance of the vagina, there is a clear gaping cavity, you can then insert your clenched fist hand into, to massage the inside of the vaginal cavity. Doing this is very nice, and is very exciting to do, to help women and girls to erotem, orgasm, and phlumett. You can phlooch out the butt hole, by massaging it, for several hours, and it will begin to poof out, and expand, and you'll see a nanny gate face on it, and that means, it will begin to look a little bit like a vulva, or the vagina of a woman or girl when at rest, or exposed between a woman's or girl's legs as she is sitting or relaxed with no panties on or with no or few clothes on and nothing covering her hips, pelvis, lower pelvis, pelvital ridge, crotch and groin, butt and butthole and lower back, there by exposing her butt and vagina. If you compare a vagina with a phlooched out butthole, you will see they resemble each other, slightly. There is no vaginal cleavage of course, around the butthole, but there is a slight resemblence between a phlooched out butt hole, and a vagina, or vulva, none the less.

The Vagina And Vulva Compared To The 'Nanny Gated' Butthole

What is the difference between a vagina and a vulva? They are more or less the same, but the vagina includes lots of parts, inside as well as out side. The vulva is outside, basically, only, as far as I understand and remember these things, now. When you massage a butthole, long enough, it will begin to look like a vulva, or vaginal face. That's called the nanny gate, or on the male, the male butthole vagina, as I've spoken about it, before. On the woman, it is the female butthole vagina, a double 'immitation vagina' for the real one, as I've mentioned. Men's and women's buttholes are the same, and they both look like 'immitation vaginas' as I've also mentioned, after you phlooch out the butt hole of either the female or of the male. Once you phlooch out the butthole of a man or of a woman, it will poof out, and expand, and the butthole entrance and cavity will become relaxed, and easy to insert your clenched fist into, to then push up your fist into the butthole cavity, and massage it, once the person has cleaned out the butt hole cavity and once it is clear and free from debris matter, or food matter, and rotting food particles, and fleshy foods, or hamburger meat and so on. Phlooching out the vaginal caivity takes a little longer, but with patience, you can phlooch it out, and then fist, in this manner. If you phlooch out the butt hole, and rectal cavity, you can fist your male friends, and your female friends, and every one, once they have cleaned out their poop hole, and made it free from rotting debris, will enjoy mutual, and reciprocal, fisting. Fisting in this way, for sexaling, is alright. Fisting in the other way, for beating people up, is not nice, and you are given poor marks for your actions of nautyness, meaness, and cruelty towards others.

Over the long course of time, you all have been naughty at one time or another. I have many ways to fix you, and to retrain you, and to rehabilitate you, but you always go bad, and sour, again, as that is your main drive, or driving internal force in your lives.

The Importance Of Kindlyness And Teamwork

Why have all of my guppie kids all gone south, or in other words, gone down the road towards unkindlyness? Because, as I've explained, you forgot what the Love Of GOD is. My religion will help people to understand what the Love Of GOD is, and that will help keep them on the correct path of kindly actions towards others, and it will help them to understand and remember that teamwork to help my working, unionized kids to keep our universe healthy, strong, durile, standing up, stable, a safe and happy place to live, and a wonderful place to live, is very important.

Doing things that support my kids working efforts, will be rewarded, and doing things that detract from the harmony and syncopation of the metered pace of my kids who are working, and that slows them down, and that causes dischordance, will not be favorably rewarded, and you'll become a female schmuck, or a male schmuck over the length of time, as you live on in my universe. A schmuck is an unlikeable person. Sexaling is the most important thing there is for us to do, other than feeding ourselves correctly to keep us healthy, and excercising, and leading a balanced, well regulated life, listening to your mama and to your papa. My religion is based on sexaling, as sexaling is the most holy and pure activity we can participate in, or do by ourselves.

All the bullshit propaganda of the Lesbianists, that Jesus said this, and that Buddha said this, and that God will save you if you do this, and so forth, is pure balooney, bullshit, and made up nonsense. I, GOD, will not do any thing for any body, unless you help me and my children to make this universe, a more kindly, and a more wonderful and prosperous universe for all of us. If you do, I will have my kids, bless you with angle dusts as they daub them on your forehead, and then pour barrels of angel dusts over you, as they dump barrels full over your head and body, for your extra good work, sexaling, in syncopation, with my kids working rythyms, and in rythym with their syncopations, flux, and their phenomenal elegance.

Phenomenal Elegance

What is phenomenal elegance? It is their keeping harmony with each other as they work and keep every thing in order, in my universe for me, GOD.

You can not escape from this reality of your good actions and your bad actions being recorded, as my kids keep records on every one, and we make certain every one is rewarded for their good actions, and we make certain that every one recieves as close to what they deserve, to help balance things out, in accordance with their markups, for their bad actions. If they are bad, they will not meet nice people, and they will meet naughty people, and not so nice things may begin to happen between them. If they are good, and if they try to help my kids, as I've explained about, they will get rewarded, and they will slowly begin to break away from keeping company with bad people, and they will gradually ascend to higher rankings or status, and then they will begin to lead a better life, and they will begin to escape from meeting with bad people, and the good kids' lives will become blessed by my kids, as my kids begin to sprinkle angel dusts on the good kids, and daub the heads of the good kids with purifying energies, and then dump purifying energies all over the bodies of the good kids who listen to their mama's and papa's, and sexal with them, and as they sexal with their mama's and papa's, and sisters and brothers, relatives, neighbors, and others, the good kids help my kids keep this universe running smoothly, in harmony, in flux, perfectly meshed, and in perfect syncopation. Mama's, papa's, sisters, brothers, relatives, neighbors, and others, all get their heads blessed with angel dusts, purifying energies, for their good actions along with the good kids, you, I hope, of course, too.

Plurlbalescent / Plurablescent Nature Of Negative Punishments And Positive Rewards

This is very important for every body to understand. I have my working, unionized kids reward the good people, and I have my working, unionized kids keep records on every action of every one of you, and I have my kids make sure the bad kids, meet with what they deserve, or some thing close to it, which may not be too nice, most of the time, and I have my kids make sure that the good kids, all meet with what they deserve, or something close to it, and that is usually always something nice. It may sometimes not be something conspicuously nice, but it is nice, usually, or positive in nature, always. The bad kids will get rewarded by something that is negative in nature, always, usually, or plurlbalescent. What does plurlbalescent mean? It means, it might not be noticably negative, but it is still negative, in nature, in essence. This is a topic we can discuss, another time, or you can ask my kids for more information on it, when you go in and visit them, with your mama's and papa's, sisters and brothers, relatives, school teachers, principal, costodians, janitors, school workers, and others.

We have had too much chaos of late, and for quite some time, and it is now time to slow it, and bring it to a halt. We are going to produce positive harmonic concordances that will assist my kids as they work, and that will help them to stay working in harmony with each other, with your fucking, sucking, eroteming, orgasming, your shooting out of purifying energies as you orgasm, and erotem, and with the increase of the oooohs, and aaaahs, you help to produce, with your practice of my religion.

We have to bring an end to the moronic violence of the Lesbianists. If that requires a lot of my children, making lots of babies, and lots of energies, and percussive forces, when you set off a fracturable rock bomb, then that is what it will take, as you blow Washington DC and the Baltimore metro area off its ocean ledge, and into the Atlantic, with that fracturable rock bomb, if it is big enough. Yes, there will be lots of painful, ouches, and screams, and so forth, but it is trite, compared to the violence these idiots have been perpetrating, over the long span of time that they have been in my universe.

We have been here for a very long time. It is nearly impossible to figure out how long, other than with mathmatical computations. Our brains will burn out, if we try to figure it out in our heads. It does not matter how long we have been here. It does matter what we do while we are here. You are not going any where else, and you are all staying in my universe, so you will all drop your pants, and your dresses, remove your shoes, socks, clothes, underwares, panty hosees, and panties, disrobe, and begin helping others to make lots of ooohs, and aaaahs, and lots of eroteming and orgasming energies. That will be the begining of your getting into line with the rest of us, here in my universe, my kids who work for me. As you eroto with each other, you'll get graded on your performance, and you'll get paid by my kids, once you join our country, as I've explained about, before.

Timed Persuasive Mosture

What is a timed persuasive mosture? It is just keeping every body in synch with each other, persuasively and accurately moving along, orderly, in an ordered fashion or manner, and with every body in rythm and syncopated with each other.

Mosture is a type of motus, or motion or fluidity of movement. The timed fluidity or fluidness of my kids working along in synch with each other, is critical to having every thing in my universe, standing up and sturdy, with every thing holding together, as it should be. Otherwise, if my kids and their work get out of synch, things can come crashing down, and things can come falling apart, and we do not want that.

This is a big universe, and we have a lot of people in it, my kids, and you wouldn't believe how many kids I have. Anyway, they all have to stay in syncopated, fluid motion, with their paces of life perfectly meshing with each other's paces of life, to accomplish their jobs and tasks, in an orderly, and in a fluid movement, harmoniously, and without delays.

The persuasiveness is accomplished with the help of your sexaling, and by your keeping pace, and synching your sexaling activities, and the movements involved in your sexaling activities, and by your spraying out your energies, as you erotem, orgasm, and phlumett. The persuasiveness is also accomplished by your keeping pace in unison with others while you are praying the syncopated phrase, Nam Myeo Ho Ren Ge Kyeo.

Every thing is timed, and so as you activiate, or carry out these activities of sexaling, eroteming, orgasming, phlumetting, as well as the movements involved in sexaling, and as you pray, your synching of your movements and sounds in time and in pace with the syncopated and metered metronome click, click, click, at the timed pace of one thirty seventh and one fifth, on the metronome, approximately, helps to persuasively move, or persuasively drive and push, every body about, and along, as they do their work for me, in their many syncopated paces of life, or life spins. I have many children working at different life spins, as I've mentioned before, and each group of them has a different pace of life, or time spin. Your activiating, as explained, helps drive them along, each at their own pace of life, or time spin, perfectly meshed with every other child of mine, also in his or her, and at his or her own particular time rate of speed, time spin, life spin, or, pace of life.

Every one and every thing must move along in perfect flux, or perfectly meshed with every body, and with every thing that is going on in my universe, on every possible level. There are many levels where activities are going on, and many people are working at different life spins. Every one, no matter what level they are on, and at no matter what life spin they are living at, must stay in flux, perfectly meshed and in perfect harmony, perfectly syncopated with every one, else.

You are rewarded for your helping to move my kids along, in perfect flux perfectly meshing with every one and with every thing that is going on in my universe, with your efforts at sexaling, and with your praying, as explained, earlier.

In our new society, which we will create, you will score earning points, and every thing you do, as you sexal, and so forth, and as you pray, is scored, and a record of your capabilities, or excellence, or lack of excellence, is kept. You are paid according to your work performance, as you sexal, activiate, pray, erotem, orgasm, and phlumett. Also, you are graded on how well you get along with others, and on how well you try to harmonize and then sexalate with others. You score earning points, accordingly, and you get paid, according to how well you perform.

Keeping Every Thing And Everybody In Harmony And In Synch

Explaining how this works, how praying, fucking, sucking, dicking and hugging, etc., helps keep every thing in synch and in harmony and how your efforts are rewarded, is a tiny bit more complicated than my simple explanation, but that is it in a peanut shell.

For those Lesbianists hiding among you who do not wish to surrender, you Lesbianists will find we are not going to be acting kindly towards you. All of you Lesbianists, where ever you are in Washington DC, or hiding underground, or in Paris, or in Rome, Peking, and so forth, you will be dealt with harshly, as we need to put a stop to your activities, and a "maybe" is not acceptable in this case. We are not going to allow you to continue your chaotic, nonsensical, violent activities one moment longer, and we will blow you up flying high up into the sky, and off the ocean ledge down below you, in Washington DC, as we sink your Washington DC area into the ocean, along with all of Northern Virginia, and the ocean coastal area of Maryland and Baltimore, along with large parts of the states of Virginia and Maryland, out to West Virginia, as that area settles down into and below the waves of the Atlantic Ocean, after we bomb it with one or more of my fracturable rocks weapons for mass removal of Lesbianists from the face of the earth and from their hiding places under the surface of the earth. The Lesbianists in the Washington metro area and hiding under it, had all better surrender to my kids, or they will all get their pants and clothes blown off and shredded from their bodies, if they do not, as they are given a free ride out and up into the upper atmospheres of our planet, and then, beyond. All other

Lesbianists had better surrender, too, or they risk getting a free ride out, as well.

Deep Sea Ocean Trench Off The East Coast Of The United States

There is a trench that extends south wards from Washington DC, some times reaching 25 miles out in some places, and in other places, it reaches out to eight hundred miles from the shore. In the north, it reaches out in some places, 85 miles out to one hundred and twenty five miles out, to three hundred and fifty five miles out, to eight hundred miles out in some places, in the south.

It is fifteen miles deep when you go out forty five miles off the coast from Washington DC and from the Chesapeak Bay. The ledge bottom is found about three and one half miles down, and the mouth of the opening continues for ten miles, approximately, downwardsly, on the western side of the trench. The It has a gaping mouth, and it opens up and lets ocean water inland, under the continent, eighty five miles down below Washinton DC, three to six to eight miles wide, from top to bottom, from the underside of the top of the mouth, the bottom of the ledge, to the bottom of the mouth. From under the nation's capital, to the south, it travels to over eight hundred and eighty five miles. To the north, it travels three hundred and thirty five miles, to six hundred and fifty miles, to about nine hundred and fifty nine miles, inland under the continent, depending on where you wish to locate the edge of it under the continent, northwardsly. It travels to the west, inland, three hundred and thirty five miles, to just over eight hundred miles, depending on where you find the edge of it. It travels inland further westardsly, the further you travel north. It is slightly over one thousand and eight hundred miles from north to south, in total, as you'll discover, once you explode enough, and after you explode large enough fracturable rock bombs, over Northern Virginia, Maryland, Washington DC, Baltimore, covering the metro area vicinity.

The U.S. Navy, and the U.S. Coastguard know about the trench, or parts of it. They are not allowed to discuss it with anyone. No one is allowed out there, to research it as it is off limits to just about every one. Some navy personel of high rank, and coast guard personel of high rank, are allowed out to take soundings, every now and then, with their Lesbianists' staff members, and Lesbianists' personel in the Navy, and in the Coast Guard. The Soviets, at least, Boris Yeltzin, Vladmir Putin, Mikhael Gorbachev, and Zelda Gorbachev, know about it, and so do all the other Lesbianists. They can confirm it, if they wish to play ball with me, and if they wish to save their asses, after they decide to surrender to my children.

The Shelfs Systems And Trenches Systems

The shelf estends to under Lexington Kentucky, at about ten miles below it. It is five miles up under Chatanooga Kentucky. It is five miles below Washington D.C., in some areas. It is three miles below Baltimore Maryland, in some parts of the city. It is eight miles up below Pittsburg, Pennsylvania. It is fifty five miles up below, or under, West Chesterfield, New York. It comes up to eighteen to thirty miles below McLean Virgina. It is eighty eight miles below Norfolk, and the mouth, downwardsly, is five to ten to fifteen miles wide open, in a downwardsly direction. It some areas, it can be found below Ohio, and under Indiana. It crosses under the West of Kentucky, and into the south of Illinoise, five to ten, to thirty miles. It is a variegated trench system. It extends to Tennissee, parts of North Carolina, Mississippi, Alabama, Georgia, South Carolina, and to under parts of Northern and Western Florida, and is open out and into the Gulf of Mexico. The whole area of Eastern U.S.A., is sitting on an open shelf, trench system, and there is water passing below it, and out into the gulf, in several areas, over to eighty five miles west of Corpus Cristi, Glen Garden, population eight hundred and fifty, which south of Galveston, and north of Corpus Cristi, between the two cities. There is a mouth eigty five miles south of Tampa Bay, Florida, in the Gulf of Mexico. There are several openings or mouths to the underground fault line system, and deep sea ocean trench system, and shelfs systems, and water is passing from the Atlantic to the Gulf of Mexico. There is also a trench system in the north, under Niagra, that extends southwards, several hundred miles, and it has many branches to it, and it extends into this system of shelfs, trenches, and under continental water flows.

Side Bender Currents

What is a side bender? It is a current comeing out of the mouth of an opening, from under a continental shelf system, that allows waters to flow out. As the water flows out of the mouth, the outlet current of water, it flows very forcefully in an outwardsly direction, and it pushes the water out with great force, generally. If a submarine is traveling in the vicinity of a side bender, the submarine may get hit broadside, and that will often turn the submarine topsy turvy, and around facing the opposite direction it was traveling in, or another direction, not the one it was traveling in, most often. The crew will get swung about inside the submarine, and they will fly through the cabin, and pounce off the floor to the ceiling, and hit the ceiling, and then hit the sides of the corridor they were walking along in, and finally end up on the floor when the submarine rights itself, with its balast, and you'll get many sprained or stretched ligaments, and broken bones, arms, wrists, fingers, legs, knees, ankles, feet, toes, necks, backs, hips, spinal injuries, and other injuries. It can leave a crew of a submarine nearly one hundred percent, injured and in a ship's hospital, or a Navy or military hospital for recovery. Side benders are often called upwellings of currents by the Navy, but that is not generally the case as they are not upwellings, but they are side pushing currents, that come flowing out from under continental water flow openings, horizontally. There may be some upwards lift involved, if there is a reason, such as a mouth is angled at a slight sloping angle, as it releases the flowing waters out from its tube like cavity or hole.

Crew members and military passengers of Naval submarine vessels are generally told not to talk or discuss any thing about side benders with non Navy persons, and with persons unrelated to their ship or unrelated to their ships voyage, as the governments of the world, do not want any one to find out about side benders, and they do not want people, geologists, marine geologists, undersea deep sea ocean studies researchers, or others, to research and investigate side benders. It's a big secret, these side benders, and that's what the marines, and the navy personel are sworn to keep, or face a fireing squad, on insubordination, or on some trumped up charge of spreading naval secrets, acting as a foreign spy and receiving money, or something like that. Naval personel will generally obey orders, and not discuss side benders, or other 'secret' information, with any one, as they risk losing their job, and they might face a fireing squad, or a hanging patrol, sometimes called a marching platoon, or a hanging platoon, a group of soldiers commissioned to carry out orders to hang some one who is in the military. If you pay a naval officer or enlisted person, or other person with Naval submarine duty, such as some marines, and others, enough money, they may be willing to share some information on side benders, and information about what they know about side benders. Some persons who have had Naval submarine duty, may genuinely not know any thing, such as crew members who are never assigned to submarines that travel near side benders, on a regular basis. Some times family members of enlisted persons and of Naval officers, are allowed to travel on submarines, for fun and excitement, as a special reward for their papa's or mama's duty on a submarine. Some of these family members have also had some experience with side benders, such as those who have traveled on submarines along the Marianna's trench, or other trenches, not listed, neccessarily on global maps, but none the less, which are there, and that are near shelfs systems under sunken continental shelfs, or under sunken continents, but that eject streams of water, nonetheless.

Our maps and globes of the world are incorrect, the ones we buy through bookstores, or from map publishers, as nothing that would indicate sunken continents, large sunken islands, and related trenches, or other related features, are not going to be indicated on them. The Lesbianists do not want you to find out information that could provoke you into researching, under water features, that they do not want you to know about, as your fictious understanding they have taught you, of the surface of this planet, and its history, is bogus, and any thing that would conflict with that, is certainly not going to be indicated on a map they would publish, and the map will be wiped clean of all traces of any thing that conflicts with the 'global' history of the earth, as the Lesbianists teach it, in geology courses for high school students, and below, and above. The global geological history they teach must coincide with their fictious propaganda about Adam and Eve, and "Lucy" the ape woman, the supposed mother of all people living on this planet, and about this earth being only 9 billion years old, or thereabouts, which is a bold faced lie, and other such bullshit notions they have fed every one to swallow, and have forced them to accept, and that they force people to use as primal notions to base scientific research on. The geology of our planet is much more complex than the Lesbianists are letting on to, and there is much to learn about planetary geology, as these planets have been around a very long time, and many things have happened, over and over again to them, and many things have happened to our 'solar systems', and star formations, and star systems, that people need to know more about, to get a realisitic understanding of our universe, its history, and its many complexities. In time, we will learn much more about all these things, and you can attend courses that my children have set up for every one, to teach people about our universe. You need a day pass to visit, as I've explained about, before, and then you should swear in, and become a citizen of our country. We have yet to declare this planet ours, but in time, we will, once we have finished and put an end to the problems associated with the Lesbianists, all of their shenanigans, and their malarkying around. One day we will declare this planet ours, and my kids will take charge of everything, and they will appoint people to posts of duty, and to positions of responsibilities.

Making A Large Swimming Pool

People should begin moving off and out of the area, around the Nation's capital, Virginia, Maryland, Pennsylvania, West Virginia, and North Carolina. We'll have a big swimming pool there, with lots of, mostly uninhabited, tiny islets, or hill tops and mountain tops, after all of the current residents die, and pass on and transel over to my Epcot Center, after one of our compatriots, or groups of them, detonate enough of my fracturable rock bombs. People will have to watch out for hungry sharks, after they swim inland, above the sunken landscape, looking for corpses to eat, and to scavenge, as lots of Lesbianists' corpses will come floating up from underground hangouts and cities of the Lesbianists, under those parts of the U.S., and from under the Gulf of Mexico, from under the sea floors of the Atlantic, from under the Niagra trench systems, and from under other trench systems in the Eastern U.S. This is not a joke, by the way.

Stagnasis

Salts kiddies in stagnasis is when the salts kiddies are in their salts kiddies crystals cages, in a hibernative state, in perfect equilibrium, to keep them alive and well, for as long as possible. Salts kiddies crystals cages sciences help you to understand many things about how things work in nature. Please read over my notes on my bulletin board.

Black Powder 'String' Fuses

Take a spool of sewing thread, and use Elmer's glue to coat the string, and run the string with a thin layer of Elmer's glue coated on it, through a bucket of black powder gun powder, which you can order in the mail, over the internet, or pick up at an antique musket or old style 'cap and ball' musket rifles and pistols retail stores.

Elmer's glue and gunpowder will combine to form a minor plastiques explosive, after the salts kiddies mix it up, eat each other up, pee and poop out lots of stuff that is highly explosive, as they get busy making babies, except when gunpowder is used in large quantities with Elmer's glue, to form a major plastiques explosive. Benzine will help this along, with diesel fuels, as well, and with chlorine, we can see some major plastiques explosives in the making, as mama's and papa's begin making lots of children, as they begin mixing it up, and as they all begin pooping and peeing out body fluids that is food for others, that will contribute to the powerfulness and explosiveness of the mixture.

After you make your string fuse, and let it dry out for a couple of weeks, then coat a rag or muslim cloth in oil, or grease, or a mixture of turpentine, gasoline, diesel fuel, and grease, with benzine, and make a paste, and use that paste to coat a thin cloth, such as a muslim cloth, and then let that set and dry for a few days, and then wrap a few sets of 'string fuses' together in a bundle, and place them inside the cloth. It will become a very powerful explosive, in itself, the more gun powder you use with it.

Test it, to see how fast it burns once it is wrapped in a cloth coated with a mixture of grease and fuels. The thicker the grease, the slower it will burn. The thinner the grease mixture, by adding more turpentine, or benzine, or paint thinner, the more rapidly the fuse will burn. You will have a very powerful explosives cocktail, with this mixture, so be careful. You have to be very careful with what you combine, as you'll be bringing together very explosive elements, when you mix these fuels and liquids together with gun powder on a string.

A few string fuses, wrapped in a well soaked cloth, with a mixture of these liquids and the axel grease, will make a type of plastique explosive, that can be used as a shape charge, or a mouldable, or shapeable, explosive, that is good for blowing doors off hinges, such as at pharmacies, or banks, and for blowing locks on private homes' fences to pieces, such as can be found at the White House, at 1600 Pennsylvania Ave. Washington, D.C., at the entrances and exits gates of the White House where guards are on constant duty patroling the area for security purposes. An initial explosive, a detonated fracturable rocks bomb, small in size, may cause a concusive force to cause the guards to black out, and pass out, and then sleep for a while. Be very careful with the size of the bomb, as we do not want to level the homes and buildings surrounding the White House, or across from it in Layfayette Park. After you put them to sleep, with your initial blast, you can test the shape charge on the nearby fences, at the White House.

Black Powder 'Cap And Ball' Pistols

Most black powder cap and ball pistols and rifles, muskets, sellers and retail outlets can be found on the internet, and some gun shops carry black powder, as well as the detonating fireing caps, for black powder rifles, and pistols. Many of them do, and you can purchase the black powder and copper detonating, ignition caps, for useing in your cap and ball pistol, or musket, or other, more modern, hunting rifle, that allows you to use black powder, and detonating copper caps that slip on a small round fireing ignition nipple that is made out of steel, and has a hole in it, to allow the percussive explosives in the firing copper igniting cap to ignite on impact with the hammer on the weapon, when it slams down on it, and the flames from the igniting explosives mixture, glued to the inside of the firing copper cap, then ignite the black powder, that was rammed down the barrel, or packed and tamped down in a cylinder of a percusive black powder cap and ball pistol. The caps are fairly useless, unless you wish to add them to a fuel oils, chlorine formula, and let them sit in the fuel oils mixture, and that will help develop plastique, as well.

Higher Temperatures Develop More Useful Energies For Making Babies

The copper in the cap will also allow for a higher temperature in burning, when the fuels mixture ferments after a few weeks. Magnesium in the cap as well, will also help to raise the burning temperature of the fuels mixture, and with some black powder added, and with some chlorine added, your plastiques recipe will become even more useful. These higher temperatures will help to produce energies that will be conducive to baby making among the fracturable, or rupturable, and percussive, rocks radiological salts kiddies. You can then add a handful or more of powderized amethysts, or turquoise, that you can purchase in bulk, on Ebay, for some small bulk quantities, and also emeralds are useful, as they all have fracturable rocks kiddies embedded in them, and fast asleep, in stagnasis.

Zircon Diamonds, And Other "Radio Active" Gem Stones, Etc.

Zirconium is a mineral that they use for the fake diamonds they sell with the trade name, Zircon diamonds, or Zirconium diamonds. You can powderize them, and use them for a good amount of fracturable rocks explosives, large and fast family making, salts kiddies, for a 'nuclear' party, and a send off to the eastern coast of the United States, before it is blown off the coastal ledge it sits upon, and then sinks below the ocean waves, if you strike it hard enough, with one or more of my fracturable rocks babies making, "nuclear" salts kiddies bombs. You'll need a few handfuls of Zicon diamonds, powderized, to make a nice fracturable rocks, babies making bomb. You can mix turquoise, emeralds that are mined and sold in bulk quantities on Ebay, amethyst, and the other rocks that I've mentioned, along with powderized 'sand' from the beach. Argentina, and Venezuela, Baha, and Southern California are good places to collect useful sands, full of fracturable rocks, salts kiddies, that a geiger counter will detect, if it is a sensitive enough geiger counter.

Geiger Counters And Their Usefulness

They are not too hard to build, but you will have to look in your Popular Mechanics magazines, for the details on how to build a "geiger counter". Some mining stores, and mining outfitters stores, may be a useful places to order or purchase a geiger counter, if you are on a family budget. You might find one on the cheap, on Ebay, that is still useable.

There are some kits available, if you look hard enough, to use to build your own geiger counter. A mining outfitters store, in South America, or in Central America, or in Utah, or in Nevada, may be able to help you locate a kit, to put together, if you go in there, and pretend you want to go out and look for interesting rocks, and you need some information on where to look for interesting rocks, so go to a mining outfitters store, or to a rock hounding club, or rock hounding retail store, for looking at beautiful stones that rock collectors, or rock hounds, have found, and made available at the store. Usually the store owner will have his or her suppliers, on name cards, and you can get in touch with them to get more information on where to look for interesting rocks to test with your geiger counter, since you are facinated by radioactive elements in rocks, and you are interested in finding some, for a collection you wish to start.

You might want to pick up some primer books, on minerals and rocks, gems, and gemstones, from Amazon online, or from a local book store, such as Barnes and Nobel book store, which has a few useful books on rocks, mineral rocks, gems, and gemstones, that you can find when you are out rock hounding. Desert Outfitters in Las Vegas, a miner's outfitters store, that also provides useful tools to rock collectors, such as rock hammers, and hand held pick hammers, for chipping away at rocks, to see what is under the surface of the rock, or under the peel of it, the outer layer, as well as terrain maps, and outfitting supplies, tents, and sleeping bags, and so forth, has these types of books, and lots of maps, and maybe they can help you find useful kits to purchase, to build yourself a geiger counter. They also sell geiger counters for about three hundred and fifty dollars or so. Sears used to sell Geiger Counters, and they still can order them for you, I think, through their catalogs. On Ebay, you can find many reasonably priced Geiger Counters. How well the geiger counters work, the ones people sell on Ebay, I can't say, so you'll have to talk with sellers, and see what they say about the geiger counters they are selling to others on Ebay, or read about them in old copies of popular mechanics, and in trade publications for the mining industry.

Novice And Amateur 'Rock Hounding' Rock Collectors Clubs

On Sahara, east of Las Vegas Boulevard, there is a rock shop, which is about two and one half, or so, blocks down from the intersection, on the north side of the street, and they have information, as well as lots of primer books, on rocks, and on geiger counters, and where you can find them. They are well connected to the local rock and gem, minerals and gems finding, or rock hounding clubs. You can meet their members, and go out with them, on excursions, as they know where to find just about anything.

There are similar clubs in every major city, and in lots of smaller cities. Mining towns of course have lots of mining outfitters stores, and they probably have geiger counters for sale, so you can use it to find some very nice, fracturable rocks, along coastlines, or in ancient dry lakes and seas, sediments filled, rock hounding areas.

Decontaminating Your Self With Ocean Salts

Acidic ocean salts in ocean water will help eat up the radiological kiddies that find their way into your bodies, and that make you feel ill. It might take several weeks for initial recovery, with you taking large amounts, several teaspoons or more, as much as you can handle, in your diet, every day, for up to three to eight years, to thirteen years, for severe contamination, and for full recovery. Other things, such as nutmeg, and oregano, in a salty tea brew, will also help you, and marijuana in the salty tea brew, will further help you. Berries can also be of great benefit for recovery from radiological salts kiddies contamination.

My kids have a recovery kit, that will help you recover from an overdose of radiological salts kiddies, after a major birthing event, and that kit will help you fully recover. You need to join our country, and swear in, and become a citizen, to be given one of these kits to help you for your recovery. They can provide you with information, of various kinds, once you swear in. They have you swear in as full time citizens, now, except in special cases.

Ancient Dry Lakes

There are many ancient dry lakes, up north, in the colder areas, of Manitoba, and around the edges of wet lakes, you'll find areas that dried out, a long time ago, and you'll find interesting things in the sediments deposits under the surface soils of the earth, that have covered most areas, and that come in to our atmosphere, and then deposit themselves onto the surface of our planet, as they are blown in on the solar winds. A few feet of top soil may cover the dry lake areas, around the edges of these lakes, and the soils depths may reach to twelve feet, to fifty feet, to sixty or to eighty of more feet, in some areas.

Once you hit the sediments layers, around the edges of these lakes, outwards to eight to fifteen miles, to thirty miles or further, out to up to eight hundred miles, as in the case of Lake Erie, and that lakes region, the Great Lakes, that all use to be one large salt water sea, but is now, a fresh water set of lakes, you can begin looking for the radiological bullets of the previous catastrophes in my universe, that shot out radiological salts kiddies, into the sediments rocks of mineral stones, and sand. Gravels might contain some "radioactive" fracturable rocks, and you can tell which are the useful ones, with a geiger counter. There are still salt water lakes up in Manitoba, Lake Huron, and some others, that used to be part of Lake Erie, and all part of the Great Lakes, when they were a large, salt water sea, but which are now, no longer part of that lake region system of lakes, as fresh water now fills up the Great Lakes from under ground water systems of fresh water flows.

Hydrolific Pressures From Water Falls

Hydrolific pressures, from water falls, primarily, help to erode and carve out and build the under continent open areas of water flows, that flow under the continents, and that dump their waters by traveling underground, in culvers, and channels, and in trenches systems, and then flowing out and into the oceans, resulting in side benders currents and flows.

Underground Lakes

Hydraulisis is one type of water pressures. Hydrolific pressures are those pressures created by water beating down, steadily, as water falls from higher to lower places, creating underground holes, and large open underground cavities, and water holding vessels, aquafirs, and underground lakes in the underground rock layers. Lots of cities sit on top of such underground lakes, on the crust of the surface of the earth, or very near to them. The lakes are often ovular and rounded in shape, from top to bottom. Many former water falls, are now low lying, and flat, and there is no water fall on the river, except for minor, cascades, such as found in the Grand Canyon Rift Valley down the Colorado River, and out into the Baha area.

Baha Mexico

Baha is a good place to go looking for interesting, "radio active", or radiological rocks, fracturable rocks with radiological salts kiddies sleeping soundly, embedded into other rocks, after colliding with them, in a hail of radiological rocks bullets, after a planet or a galaxy, or a large nebular star system, or a cluster of them, were detonated, by some fool with a huge and powerful, home made bomb. This happened, often, in the past, and still, today, it happens, now and then. Bits and pieces of the radiological rocks will come flying in, and then embed themselves into other rocks, as I've explained about, before. We've had so many catastrophes in my universe, that our ancient rocks, are peppered with radiological rocks that are embedded in them. Off the coast of Baha, is a good place to go diving, looking for rocks that were washed off shore, as waters flowed down the Colorado River, trinities of aeons ago, when this planet was still a young planet, maybe about one fifth the way through its infancy, after reforming, again, after its last major impact that shattered it to pieces, for the umpteenth kazillionth, plus more, time. This shattering and reforming, has been going on too long to count, and obviously, there is a large amount of mixturing going on, with debris from other star systems, galaxies, nebulas, and so forth, floating in, and becomeing part of our planets, all around and about, on solar winds. You'll find rocks on the inside of the Baha coast, and on the outside, as well, and along the Baha coasts. You might have to dig down thirty of fifty feet, to a few hundred feet to find them, maybe eight hundred feet, or sixteen hundred feet, or further, but you'll eventually find something useful with lots of radological bullets embedded in the rocks.

Finding Good Rocks With 'Radiological' Salts Kiddies Bullets

You can find interesting rocks, also on high hilltops, such as in the Andes, the Himalaya's, the Swiss Alps, high mountains in Austria, and in Germany, high hill tops and mountains in Iran, maybe in Afganistan, and the very high hill tops, that are generally old hills, in many countries. They will usually have, if they are very old hill tops, lots of rocks scattered about that are very old, and that have lots of fracturable 'radiological' salts kiddies 'bullets', from previous detonations around my universe, and other related kiddies in them, as well. You can also find them along ancient river beds, and along dried up desert gulley washes, in the valleys between the mountains, in areas where tall, old mountains exist. You might have to dig down into the underlying layers of rocks to find really ancient rocks loaded and peppered with ballistic radiological 'bullets', tiny fragments of radiological materials that went shooting out upon detonation of nuclear materials, elsewhere in my universe. Geiger counters will let you know if your sample rock material is pacted full and loaded with the tiny radiological 'bullets', or just partially loaded with them, depending on the response from the geiger counter. Many types of radiological materials, the bullets fragments, may not register on current day geiger counters, as they are not set to the correct radiological energies frequencies and currents settings to be able to detect them in the rocks. There are many types of radiological rocks in my universe, and current day geiger counters are set to pick up the currents and frequencies of the energies from only a few types of them, and there are thousands of types of radiological materials, so the older the rocks that you find, the more likely that the loads of radiological materials in them will be high in not only the types of radiological materials the geiger counter can detect, but also, in the types of radiological materials the geiger counters are not set to the frequencies and energies currents of. Such samples of rocks materials with large amounts of fracturable rocks, radiological 'bullets' inside of them, will yield massive explosive potentials, if you raise the heats energies of your explosives formula, to near solar temperatures, as I've mentioned about.

Plastiques, Explosives, Radiological 'Bullets', 'Nuclear Detonations', And Decontaminating Yourself Of Radiological Salts Kiddies

Please see my web pages for information on making plastique, along with metals fragments, and high temperature burnoff minerals mixtures explosives to produce the energies needed to produce nuclear detonations. Field chemists and explosives experts should be consulted, as they will probably know more about the temperatures at which different metals and minerals burn at and they will be more helpful in providing you with accurate information on different alloys mixtures, and the temperatures they burn at, such as the new US Mint US dollar coins, that will burn at extremely high temperatures, at about one fifth to one third the temperatures of solar temperatures, when ground into fine dusts fragments, and then after fermenting them, and then mixing the fermented particles in with the petrol fuels, chlorine, and gun powder, etc., plastiques explosives formulas, as I've explained about, to some extent, in my notes on my Gurkian Age

Gurkian Way bulletin board. Be very careful when testing, as you may find the results extremely hazardous. See my kids, for more information, as I've explained about, on my bulletin board. Ocean salt will help to decontaminate you of radiological salts kiddies. A two hundred pound man will need about three pounds of ocean salt on a daily basis, to live healthfully. To decontaminate yourself, you will need more than that, to properly get rid of the radiological salts kiddies in your bodies, after you've been working with radiological salts kiddies, and testing the explosives potentials, for some time. See my bulletin board for more information on the 'salts kiddies sciences' to help you to understand what is going on in so called, 'nuclear detonations'.

Sledgehammering Continents And Land Areas Where Lesbianists Live, Hiding Below

Here are a few places to place some other fracturable rocks bombs on, to make them fall in, and collapse down onto the layers of rocks, below, and then puncture the ceilings of the cavernous cities the Lesbianists have made, down below those lower rocks layers. Topango in the South Pacific near the Marianas, the area midway between the Ryukyu Islands and Haha Jima, Chichi Jima, and Iwo Jima, where you will find a sunken continent, Wellington New Zealand, Peking, Falklands, Urals Mountains, Chile thirty miles north of Concepcion and eighty miles east of it, near the Argentina border, and the Kamchatka pennisula, which will split and collapse in the center of it, midway down the penninsula, if you hit it hard enough. Lesbianists will come floating up, if their bodies can fit between the tons of debris that will fall in on them, as you smash the land sites that sit on top of ocean shelfs, and on open lakes below the land, some miles down from the surface, in some cases, and further down, in other cases.

It may be hard or impossible to deliver a nice bomb below the ocean above or onto the top of the sunken continent below the ocean, between the Ryukyu Islands, or Okinawa, and the islands of Japan, called, Chichi Jima, Haha Jima, and Iwo Jima. If one can be delivered there, you'll crush the continent below the surface of the ocean, and that will cave in on the cities, there are more than one there, that are below the protected shelf layer of rocks, above the cities the Lesbianists have there, below the sunken continent, to live comfortably in. The other places aren't so hard to hit. It is just a matter of local interest, and urging of the people there, to take the correct action to help us to resolve this problem, of Lesbianists living below us, all around the globe, in their honey comb, bee hive like canival of cities.

A canival of cities, is a large collection of cities that is located in such a way as to make it easy to get from one place to another. They are conveneint for them to live in as they are well placed, and spread out evenly, using the full extent of the area, as efficiently as possible. The Lesbianists have a canival of cities under the lower rock shelf layers, that are above them, and that help to keep them protected, warm, dry for the most part, but not always, and that are conveniently located each one in a bee hive like, configuration, well placed, with a well designed, layout, with central cities, and with satelite cities. It is well designed and resembles in part, Melbourne Australia, which was laid out, planned and designed as a modern city. The Lesbianists of course, think Melbourne is puny compared to their accomplishments, and of course, with the technologies they had and have available to them, from time to time, they made good use of every inch of space they have available to them, under the lower hard rock, but leaky rock layers above them.

My kids have places and locations maps of all the best places to locate your home built fracturable rock bombs, and so please pick up the information from them, after you have sworn in, as citizens of our country. Also, please see my earlier notes on the sciences that support a correct understanding of radiological particals based fracturable rocks explosives and other helpful and useful explosives you'll need to set off the fracturable, also called, rupturable rocks bombs, i.e., the so called 'nuclear' detonations.

Topsoils

Did you know that nearly 99.9999+ percent of the earth's crust, or mantle, is formed from space debris that has floated in on the solar winds? It's true. Only about 0.000001 percent of the top soil is from local vegetation, globally speaking. The rest of the top soil comes in from above, blown in on the solar winds, as debris from other planets that have been destroyed, crushed, or blown to pieces by idiots with very large bombs, that demolished whole galaxies, or multiples of galaxies, in a few milliseconds, as the instant they blew up, they were so well made, or constructed, and so powerful, they instantly blew up the whole area of galaxies the planet was located amongst.

If for instance, you fill up one third of the large tourist attraction, the meteor crater in Arizona, with one of these fuels and rocks bombs, and ignite it, you'll disentegrate all of the Milky Way, and some what more than that, in one attempt, by my estimation, if the fracturable rocks bombs were made well enough with the fuels bombs, to burn at near or close to, solar temperatures, and if there were enough materials in the fracturable rocks, to get lots of mama's and papa's making lots of babies, relatives, and others. There are lots of different types of salts kiddies in fracturable rocks, and there are other types of kiddies, the radiological kiddies, which are sometimes, but maybe are not always, grouped with the fracturable rocks kiddies. There are many types of kiddies living in radiological rocks. When we send high heats waves energies, and other types of energies into the fracturable rocks, we can get many types of kiddies to begin making babies. If we get enough of the different types of kiddies to begin making babies, we will have one fine and dandy, explosive shower of baby making events. You can get further information on this topic from my kids, and if you tell your friends to check in with my kids, and to swear in, and become citizens of my and my kids' new country, along with other people who are swearing in, and becomeing citizens of our new country, my kids will make certain that every one is protected, and no one is caught outside, when the bombs go off, as my kids will tractor you and all the other citizens in, with my kids advanced teletransportation technologies, before any one can get hurt by the bomb or bombs blowing up, locally, or in their areas. That means, my worker unionized kids are very quick on getting people into the encapsulated living environment every one is living in, below the ground, that my kids built for every one to live in, until we get this problem straightened out, and until it is safely over with. People can continue to live in the encapsulated living environment, after it is over, as we are going to start a new economic and social system, and we are getting started, down below, where my kids are keeping the encapsulated living environment, well taken care of and well managed.

Later on, we'll worry about who comes out, and when, as we have plans for every one, to begin working inside the encapsulated living environment, which is very well designed, and bomb proof, of course. Once every one gets accustomed to the new way of living, in accordance with my religious principals, and in accordance with our new working and living programs, when people have saved up enough money, they can pool their money, and acquire a lease for land up above, on the surface, and then with more money, they can have nice places designed for them, and built for them, with your input and with your instructions. You will need to study designing homes, and layouts of homes, for large numbers of people, as you will be required to live in groups of people, as the old systems of living, one husband, one wife, and so forth, is out the window, and now we are going for group living, with many members to your groups. When you have got the maturity together to live in large groups, and to sexal with many people in large groups, then you will qualify, and then with lots of earned income, pooled together, you and the members in your group, can then move up and live on the surface, in your well designed home, which my kids will use their technologies to build for you.

This is how we are going to clean up our planet, and get started with a whole new system for living and working with each other, as GOD's children working and living together, begining here, and spreading, slowly, across and throughout my universe, as we bring others into our program, all across the universe, from end to end, from top to bottom, and from side to side, and in every nook and cranny of my universe. All of my kids, you, who I am speaking to, will learn to live and work together, supporting my worker unionized kids, in our new global, united, and universal society, we will begin to build, on this planet, first, and then later, every where else. I am the mother and father of all of you, and of all of my worker, unionized kids, as well, all of my kids who work for me, of course, and of all of my living beings, and of all of my animals. We are going to get this big family of ours, together, and we, the human beings, will begin to clean up our universe, by sexaling for a living, and with many other living by the points systems programs, and other projects. We will also begin to get our heads on straight with religious activitiating, in other words, by participating in religialing, in groups, or by oneself, in the encapsulated living environment, first.

As we move along, in time, we will develop our working strengths, and character, and some people will qualify, eventually, for working in my religious brigade, once they realize and understand who I am, i.e., GOD. Others, who do not give a darn about what I am doing, may do as they like, as long as they are citizens of our country, and as long as they enjoy what they are doing, and as long as they add to the welfare of all people in our society, universal wide, as we build it, larger and larger, for all of my children, no matter who they are. We will one day have all of my children, working for me, and if they do not like working for me, they still have to pay the fees for the resources they use, just as I have to, and that means, there is a charge for every thing we use, and it is detucted from our pay checks. Every one gets a pay check, if they work, and if they are disabled, they will get earnings to support them, for as long as they need to be supported, until they are regroverated, healthy, fit, mentally prepared, and willing and able to participate. Those who do not wish to participate, will work in jail cells, and prison cells, sexaling for a living, with animals, as I've mentioned before, and at carnival and entertainment centers and districts, we will eventually set up, first on and also inside of this planet, in 'encapsulated' carnival and entertainment parks, and later on and within, other planets.

We are going to have all my children working for me, eventually, as I've spoken about before, and in time, most people will wish to work, and when they are mentally prepared to work, they will enjoy their working, most likely, as sexaling for a living, is not a unwholesome way to earn a living, and it is a pure and holy way to earn a living, and a pure and holy way to spend our time, as part of our new working ethics environement. For more information on this, please see my worker, unionized kids, who handle the information hot lines, in our, and your, and their, as well, encapsulated, living environement, which they have built, maintain, and manage, for all of you, and which they are continuing to build and expand on, for the rest of you, who have not checked in with them, yet. My worker, unionized kids have their own places to live, inside of the molecules that are used in building your living environment, and in your bodies, and in the molecules outside your living environement, as well. They live in all of the molecules, all over my universe, and they work in them, as well. They have their own universes, that they live in, which are all contained with in the molecules in my universe. It is a little more complicated than that, and so see them for more information on it, if you are interested in learning more.

Disintegrating The Milky Way

The Milky Way is made up of not one galaxy, but of several thousand, of different sizes. We don't have the technologies to see too clearly to distinguish the different galaxies that are within the borders of the Milky Way, nebular star system and nebular star cluster system, another way of saying that the Milky Way is a collection of many nebular star systems. Nebular star systems can be considered similar to galaxies, but maybe not always, as there are exceptions to every thing in most cases, any way. We are of course part of the Milky Way, I suppose you could say that, but we are far out on the outer fringes of it, and we are not any where near the center of it, and we have our own galaxy we are a part of, and it is not part of the Milky Way, so technically, we are not part of the Milky Way, although we might like to think we are, since it is an expansive set of star systems, and star clusters, nebular systems, and other types of solar bodies systems, and it covers over us, and beyond us, sort of over layering us. Be that as it may, we do not want to blow up or disintegrate the Milky Way, as we are in a way, part of it, or at least, we are encovered by it. Encover means to be covered over by something and encased within it, or to be encircled or surrounded by it.

Retraction

Tom Selleck is not a Lesbianist but he was a Lesbianist, until the Lesbianists killed him, after expelling him from their group, and after torturing him with their many heinous torture methods.

Captain Off The Bridge.

John Francis Ayres
GOd
And Children

Lay Order Of People - Donations For The Sake Of My Ministry - Nollicking Foolish People - Nollicking And Nollygaging - Goof Ball Kids, Their Mischievousness, And Maliciousness - More Than Ninety Five (95) Percent Of The Homicides In The World, Some Times As High As Ninety Eight (98) Percent, Or Even Higher, Go Unreported, And Are Therefore, Not Investigated - Labrynthine Cities Below Us Where Lesbianists Live, And Laugh At All Of Us - Why Do Continents Sink? Why Do Land Masses Rise? - The Leases On Their Technologies Have Expired - Late Night Amusement Activities For The Lesbianists - Our War On The Lesbianists Must Continue - The Valderizing Lesbianists - Who Do We Kill, First? - Hydrolific Pressures And The Labrynthine Cities Below Us - Local Area Prayerful Collection Site - Aerobic Taichi Practice - Campers, Camping, Sexaling And Purifying The Area, And Useing The Parcel Of Land That I Publicly Claimed For My Setting Up Of My Ministry - Straightening And Cleaning Up The Area - Donating Your Sperm, Vaginal Juices, Titty Juices, And All Your Sexaling Juices - Building A Latrine - Glue People Begun 'Cleaning' Agents - Removal Of Latrine Wastes And Disposal Of Latrine Wastes - How To Disperse Your Juices - Clothing - Erotic Attachments - Leveling The Area - The Party Is Over In Las Vegas, And In The World - Who Is Staying And Who Is Leaving, Etc. - Rules For Hospitals And Clinics, Etc. - Erecting A Partition Blind On West Tropicana Ave. - Electricity, Lighting, Etc., To Be Supplied By Nevada Power Free Of Charge, Or Else - Meat Vendors And Hispanics From Central And South America - Erecting A Partition Along South Decature Blud. - Drawings On Demolition, Construction, Etc. - When Will This All Begin? - My Spilling Of My Purifying Sexaling Juices, And My Spilling Of My 'Prayer Time' Purifying Juices - Spilling 'Prayer Time' Spittle Generated While Praying - Monkey Babies, Jimmy Carter, Oliver North, And The Lesbianists'

Conspiratorial Bullshit Stories Of Adam And Eve, And "Jesus Saves" - Punishment For People Who Practice Voodoo Religions Is Dismendment, I.E., Death - Local Businesses Will Have No Problems At All With The Collection Site And Will Have No Problems At All With The Activities Of The Faithful At The Collection Site - What To Do If The Police Come? - Lesbianists Enjoy Eating People, Who Are Alive, As Well As Eating The Bodies Of Those Who Are Dead - Every Game Of Chance, Gambling Machine, Or Slot Machine Is Rigged, In Every Casino Around The World, With Only A Few Exceptions - The Lesbianists' Articles Of Participation - Every Lottery In The World Is Rigged - No Fair Play In Nevada, And No Fair Play In The World - Sniper Shooting, And Miscellaneous Information - Your Orders Are To Kill The President Of The United States And His Wife Updated: 15-02-07 Rev.b.01.a 15:45 PST

Lay Order Of People

I have no lay order of worshippers, who participate with me, in any thing, or in any way. Why? Because, that's like me, the captain of the ship, coming into a town of persons who I don't know, and then saying that I'm the authority over them. No one is going to listen to me, and no one should be expected to listen to me. I wouldn't attempt any such thing, and so as the captain of my ship, my religious order, I have no authority over lay persons. I have nothing to do with lay persons, what so ever. I will never have any thing to do with lay persons, unless they realize that I am GOD, and that I am the mother and father of all human beings, and all animals, and all living beings. No one is going to recognize me as GOD, for a long time, as no one has the karma to recognize and understand that I am GOD. Lay persons are free to do as they like, and I have no regulations concerning them, in my religious order. My children may have many regulations, for non religious order people, but I don't have any thing to do with that.

Donations For The Sake Of My Ministry

The only thing is, that, as I said before, if a person recognizes and understands that I am GOD, and that I am the Mother and Father of all human beings, all animals, and all living beings, then they are free to donate cookies to me, or clothes, or wearables, socks, and scarfs, or coats, sweaters, or slacks, neckties, and so forth, cakes, or cupcakes, baked items, or financial contributions, or chairs, and furniture, beds, linens, tables, office furniture, phones, phone lines wiring, electrical wiring, plumbing items, housing items, for building up a house, paved drive ways, mason or rock walls, surrounding the property, or a set of dormitories, or a prayer sexaling room, or a prayer ceremonialing room, or a swimming pool, sauna, bath house, toilet facilities, bathing facilities, laundering facilities, a root cellar, a molds and funguses workshop, a brewery workshop, or any workshop for helping to educate others, the land to build these things on, or money, or whatever. If some one recognizes and understands that I am GOD, then it is perfectly alright, to donate any types of items, or any thing of value, that would assist my ministry to get up and get running. As yet, no one has understands or recognizes me as GOD, and that I am GOD, and the mother and father of all human beings, all animals, and all living beings, so as yet, I have not heard from one person, not a letter, or a phone call, other than an occasional wise cracking person, mischief maker, or a person or persons who are worried, and then complain to me, or rather, to my answering machine, typically, as I don't pick up the phone, now, as I had one person calling who was a bad kid of mine, and he was just looking for trouble, and since that, I just ignore all complaints, or wise crackers, or mischief makers, and so on.

Nollicking Foolish People

Some people do not like me wearing my GOd cap, that is one of those specialty base ball caps, but with 'GOd' written across the front of it, and they might hate me, especially some South American or Central American Hispanic types, who have primitive and backwards religions and filled with local lore and ancient tales of demons, and goblins, and gooney bears, or ghostly ghouls, or other superstitious ideas and notions of things that go 'boo!' in the night, and try to scare or hurt people, as there are plenty of folklorish tales of such things, in primitive cultures, that thrive, even at the current time, nowadays, in large cities, even, and these types of people might want to kill me, and when they knock on my door, with their gun in their pocket, or in their hand, machete or knife behind their back, I just ignore them, and I don't even bother to get up from my work bench, i.e., my bed, to see who is knocking at the door, as I know already, they have nothing to do with my monastic order, and because they have nothing to do with my religious ministry, or with my setting up my religious ministry.

Just last night, some group of people droped by, and banged on my door, with the tip or barrel of a weapon, and it was rather hard sounding, and I just ignored them, and after a few minutes, or so, they went away, and they haven't come back, yet. I don't think they will, and even if they do, I don't think it will amount to any thing, as I may have occaisonal visitors or harrasment calls, now and then, but that's all they are, and I just won't allow my self to be bothered by them as they are unimportant, and my goof ball kids, are just too nutty to figure out that I am GOD, and that they are my kids. Nevertheless, these goof ball kids are here or there, and I get lots of compliments about my hat, and usually, if not always, the person giving me the compliment wishes to steal the hat from me, and then rob me, in any other way, he or she can, and then beat me up, if he or she can. Well, I can't let these types of things get to me, and I just ignore them, as I walk by them, and I don't reply or return any statements to them, except a polite, 'thank you' if they gave me a compliment about my hat, but that's about all, and I might mutter something, like, and well, so that's just another one of my goof ball kids, or something to that effect.

Nollicking And Nollygaging

Nollicking means idiotic and foolish people who are wasting their time, for accomplishing nothing. It's like, nolly gaging, but nollygaging, is just wasting time, foolishly, and while you are nollygaging, you are looking for some way to make a profit, from your use of your time. Scanderously, you try to extort money from others, or force others to give you money, you do not have any right to. That's nollygaging, as I can recall, at the moment.

Goof Ball Kids, Their Mischievousness, And Maliciousness

Well, I have all kinds of kids, and many of them are malicious, if you give them a chance, so I just stay away from all of them, as I know most every one of my children, is malicious, from time to time, if given the chance, and I think that applies to all of them, regardless of their age, at some point in their life, they will commit crimes of one kind of another, against others, and not think much about it, except that, they just had to take care of that, as they wouldn't be happy, if they hadn't. Okay, so every one of my kids, at one time or another, will do goofey or goof ball things, and not think much about it. That's the way it is. There is nothing to be surprised about, as every one, and I don't care who they are, every one, does things they shouldn't do.

Me, personally, I get angry, and say nasty things, and make myself sound gruff, now and then, and maybe I shouldn't, but I just feel compelled to do that, when I have a righteous conviction that some one deserves my speaking up and telling them off. Well, you feel sorry about it, afterwards, if you hurt some one's feelings, but then that's the way it goes, and no one is perfect, so it's just. Let's try to live and let live, and live together in peace, and cut out the naughtyness, and stop the mischiefness, if we at all possibly can, and apologise if the opportunity presents itself. That's always the best way to handle things. Most people, after they kill someone, can't appologise, and young girls and boys, and older girls and boys, think nothing of killing people, or having some one killed, for them, and then of course, there is no way for any one to appologise to the dead person, since that person is in my Epcot Center. Well, we can't do too much about that, can we, but we can try to be kinder, and not kill as much as we feel we must to be happy.

More Than Ninety Five (95) Percent Of The Homicides In The World, Some Times As High As Ninety Eight (98) Percent, Or Even Higher, Go Unreported, And Are Therefore, Not Investigated

It's too bad that we kill others, and torture others, but that's the way my goof ball kids live in my universe, and despite what people might wish to think, to the contrary, it happens every day, in every city, town, hamlet, county, district, or where ever. My goof ball kids are killing people, right and left, and there are just so many deaths, the police don't hear the ninety five (95) percent of them, or so, as they never learn about it. The percentage of homicides the police do not hear about, is perhaps just a little higher, but in any case, no one should be surprised, as that is how my goof ball kids get along with one and each other, and they have been getting along with one and each other, that way, for a very long time, already, so it will not stop, any time soon, and that's just the way things are, for now. The Lesbianists are responisible for just about eighty five percent of those homicides.

Labrynthine Cities Below Us Where Lesbianists Live, And Laugh At All Of Us

The Lesbianists living below us, in their cavernous, labryinthine cities, that are below the hard rock layers, well below the oceans, and other bodies of water, far below the continents, go around, and mess with every one, and they play with people, and they think they have the right to amuse themselves by useing the citizens of this planet, any old way they like. They go around, and set up phoney wars, and they watch the citizens of each country, kill each other, on their commands. The Lesbianists enjoy playing these kinds of games, and they set up civilization after civilization, and they bring it along, and help to develop it, and when they get it to a high enough level, they feel a sense of accomplishment, and then they watch and amuse themselves as they destroy what they built up, and the people who are living, unawares of them. The Lesbianists think it is funny, that the Lesbianists feed the lies about our universe, and the lies about science, to every one, and the Lesbianists think they have the right to bafoonerize every person who comes into our world, as a tummy baby, who is on his or her way in, and in fifty to eighty or so years, is on his or her way out.

Why Do Continents Sink? Why Do Land Masses Rise?

Load transference technologies, and partical transference technologies, redistribute the loads on the internal network of underground cities the Lesbianists live in, to keep them perfectly centered, when ever there is a major uplifting, or down plunging, of continental mass, rocks, and earth, that would cause continents to sink and continents or land masses to rise. Movements of 'earthen matter' or rocks and dirt is accomplished with load transference technologies, and other technologies, such as partical dismissive technologies, and partical remissive technologies. This way, a planet can move, inwardsly, as a continent sinks, after the underlying rock layers are washed away due to hydrolific pressures, and not destroy the underground labrythine cities. My kids also use the same technologies, and other technologies, for maintaining the integrity of their underground encapsulated living environment.

The sinking of the continent pushes downwardsly, and as it falls, it exerts high intensity pressures on the underlying layers of rocks, stones, pebbles, sands, sediments, clays, metals, minerals, and so forth. The pressures will normally push downwardsly, and outwardsly, and shifting of materials, occurs, and land masses rise, as a result. When you have an underground city, or collection of them ringing the planet, when the pressures occur, and when the materials begin to shift, you redistribute the materials, using advanced sophisticated technologies, that will shift the particals in the directions they need to move, and distribute them so that they will not interfere with the structural integrity of the undergound labrynthine, and perfectly, geometricly laid out city dwellings and living habitats. It's high tech stuff, and so if you don't understand how partical dismissive technologies work, or if you do not understand how partical remissive technologies work, you will have a hard time understanding how this is accomplished. There are other technologies, that also must be employed, to work in an integrated manner with the partical dismissive and partical remissive technologies. All of these technologies, working in an integrated manner, will perfectly redistribute all the particals of rocks, and so forth, that need to be redistributed. The technologies keep the ring of cities perfectly centered within the earth. If there is a need for downsizing of the interconnected labrinthine layout of cities, that is also accomplished with these technologies. Downsizing may occur for any number of reasons. I've briefly explained what can happen as comets and asteroids pass by our planet, at amazing speeds, and that we can lose some or part of our planet, mountains, terrain, and lakes full of water, with a pass by, by a solartoid, or planetary sun, as it wizzes by at a phenomenal speed. Once the planet restabilizes, the downsizeing process begins. Even though there may be continental shifts, of uprising and down plunging events, and large, cometary passbys, with the technologies that are available to the Lesbianists to use, on a 'for lease' option, the integrity of the underground labrynthine layout of cities, is kept in tact, as best as possible. The technologies that accomplish this for the Lesbianists, that keep their cities perfectly situated, are not on lease, any more, and they have lost their lease on the technologies that would allow them to keep their cities perfectly protected, and perfectly centered. Some areas may not be too livable, for them, as leaky ceilings cause waters to accumulate, below, and they must trudge through salty ocean water, knee deep, in places, and in other places, the water is too deep to allow them safe passage down one tube, or trammel system transportation pass through tube, to a city or to cities which were previously accessable.

The Leases On Their Technologies Are Expiring

The leases on the technologies that they have been using, and that were assigned to them, after they swore in, and pledged to live on this planet, and pledged to sexal for a living have been expiring for some time, already, and will continue to expire for some time, to come. Because this was a newly formed planet, before they arrived, but after it recongealed, after it was shattered to pieces by a passing cometoid that ran smack into it, as I've explained about, or touched on, a couple of times, before, see my notes on the web, once the planet stabilized, and became a livable planet, they first needed to live underground, where they could live, and slowly over time, adjust to the types of solar radiations, and other factors that they would need to adjust to to be able to one day come out from down underneath the surface of the planet and begin to live above ground. The rock layers, land, and bodies of water above shielded them from potentially harmful radiation. The living area below, also had built in protection systems to help protect them from the radiative energies that could harm them. After they adjusted to the conditions of the planet, they could come out, and as they continued to sexal for a living, other technologies would allow them to build large cities, for them to habitate in, as they continued in the sexaling for a living program. The cities that my kids built for them, that my kids have the permissions to use for these programs, are now down under the rock layers, all crumpled up, or they have passed into the molten core, and have been spewed out, as basaltic lava, as the Lesbianists did not hold to their pledge, and they broke the law, and the maintenance of their above ground cities, was terminated. With continental uplifitings, and downplungings occuring, over the long period of time, they lost their cities, and now they have only the underground, initial landing zone area, dwellings and habitats, that have down sized, some what, since their initial landing for occupation of this planet, in the sexaling for a living program. They broke all the rules, and they developed their own sham governments on this planet, and they went about, causing mayhem and destruction, every opportunity they got.

The leases that they signed on to, and that were assigned to them, that they had on the initial landing zone technologies, as well as all their other leases, that were assigned to them are now in the process of being cancelled. That means, that, their underground cities are being shut down, slowly over time, - thus the leaky roofs - and they will have to move out, and move to the surface, as the underground systems, begin to falter, shut down, and fail, one after another.

This happens to them, repeatedly, life after life, and the end result is they destroy them selves. The hideous, hungry animals they illegally brought from other planets will get lose, and then they will help to hurry the demise of their world civilization, which means, every one of the Lesbianists will die on this planet. After the Lesbianists destroy themselves, they will end up in my Epcot Center, and they will come back out as tummy babies, to tummy mommies and to tummy daddies, who have karma that matches up with theirs, and then they will repeat their old mistakes, again, and again.

As the usefulness of the Lesbianists' underground labrynthine cities declines, as leases expire on the technologies that were assigned to them, and as other leases, will also be expireing, over the next few years, to ten or twelve to fifteen years, to thirty eight years, to fifty nine to sixty to eight five years, and then finally, when the last of their leases expire, some time, not too long after that, up to two hundred to eight hundred years, or so, and then there are still a few that will remain active, until every one is expected to move out, within a few thousand years, eight to eleven thousand years, as they must be given time to build up their own new civilization on the surface of the planet, where they can all live, together, now that the facilities below will be totally closed off, and shut down, and no longer useable to them, as they will be locked out, and prohibited from entering them. Once they are completely out, my kids will then remove all traces of the underground cities and underground facilities, so that there is no chance of any one ever useing them again. The Lesbianists will then begin living on the surface, full time.

Late Night Amusement Activities For The Lesbianists

Currently, as a regular sport or preoccupation, the Lesbianists go out regularly, at night on hunting parties, after exiting from below up through secret stairways, that lead up through police stations, and through fire departments, and through some military barracks, and through National Guard barracks, public buildings, government buildings, and through banks, hospitals, morgues, cemetary parks, national forests, BLM lands, private residences owned by Lesbianists, and through businesses owned by Lesbianists, and through twenty four hour a day businesses owned by Lesbianists, Walmarts, K-Marts, 'Toy's 'R Us', Wendy's, Jack 'n The Box, McDonald's, In-'N-Out' hamburger chains, sushi restaraunts, late night restaraunts, hotels, motels, churches, mosques, synagogues, military bases, public and private museums, BINGO establishments, pachinko parlors, billiards halls, gaming and gambling establishments, and many other Lesbianists' controlled facilities, buildings, and so forth, above ground, and they capture and abduct people, then bring them back into their underground lairs, and then the Lesbianists torture them, barbecue them, and then cannibalize them, for food, in their underground lairs. The Lesbianists enjoy torturing people, and eating them, and these abductions go on, regularly, all around the world, and the torturing, barbecuing, and eating of the above ground residents, below ground, goes on all around the world, beneath the surface of this planet.

There are over thirteen billion of them, and the number is even higher, still, as I did not have that number correct, either. It is higher than that, and that means there are a lot of hungry mouths to feed, in the future, after they lose their leases, unless they get a new civilization built, which they never do, as they do not like to work.

They will come out, at night, regularly, and abduct people, and then carry them into their underground lairs, and then cannibalize them. This will grow more and more busy, as they strive to remove every one they can from the surface of the planet. After they have removed enough people, they will begin to live on the surface in the homes, and cities that are there, already. There are too many Lesbianists to live comfortably on the surface of the planet, and they are too lazy to build their own civilization with homes, an economy, and so forth, so they will inevitably begin warring against each other, until there are only a few left, and then they will meet their end, when their exotic and deadly animals that they brought here for their personal amusement, strike at them, and kill them, for food.

The only way one can find a way out of this predicament, is for each one of you to join my country, swear in, and become a citizen. The Lesbianists in turn, must surrender. If they do not, at a certain point in the future, we will begin to dismend them, and sent them to my Epcot Center. When that will occur, I don't know, but it could be as far off as a few thousands of years from now, as we have to give them the time, and a chance to build a new civilization, with homes, and parks, etc., working together with the people who already live on the surface of the planet. We cannot cut short the allowance they must be given, in fairness - as the leases continue to expire, and the leases protect them, to some extent - to make efforts to mix with the people on the surface, and to come clean, and to tell it all, and to appologize, and then to work in peace and harmony with the people who currently live on the surface of the planet. They will have to share their knowledge of the sciences, and they will have to help to educate every one, and they will have to teach the people who are living on the surface, the sciences that will allow people to regroverate their amoebes, and other cells in their bodies, and to rejuvenate their bodies.

There is not much chance of that happening and of gaining their cooperation, so we will have to be on our guard, and we will have to look out for ourselves, and make sure none of us are abducted by them as they attempt to diminish the population living on the surface of the planet by reducing the numbers of normal people living on the surface of the planet, as the Lesbianists begin to get busier, abducting people, and eating them, one after another, to make room for them selves, on the surface of the planet.

Never the less, my kids are not allowed to act prematurely, and my kids are not allowed to begin dismending them, just to stop them from doing what they typically do, after they lose their leases. So, it will be several thousands of years, before this topic comes up for discussion, and action is taken. These are not normal circumstances, and so the dismending of these people, may begin some time after their final leases expire, if they present them selfs as a problem to the rest of us, living on the planet.

Our War On The Lesbianists Must Continue

This means, we have a few options, here, and the best option is to just get rid of them, and destroy their underground cities, and destroy the Lesbianists, world wide, before the Lesbianists get much more of a chance to abduct, torture, and cannabalize the citizens living on the surface of the planet. Thus, our war is now only begining, and we must continue to eliminate them, as they will only cause mayhem, and destruction, for those of us, living on the surface of the planet, as the Lesbianists abduct, and capture people, then torture and cannibalize them, in coordination with their Lesbianists friends, who run this planet. The Lesbianists' activities aimed at destroying the populations of the planet, is guaranteed to increase, as the years pass. That means, we must continue with our campaign to destroy the Lesbianists, and we must continue to work to bring an end to the control that they have, over every one on this planet. We can also concentrate on destroying the Lesbianists, underground, by dropping the home made 'radiological' explosives weapons down into the ocean depths, and down into the depths of the deeper lakes, onto the leaky ceilings below, where the Lesbianists are living, to crush them, and to drown them all. In the meantime, every one must join my country, and swear in, and become citizens of our new country, as I've explained about, before.

The Valderizing Lesbianists

The Lesbianists do not teach real science, or real geography, or real history, or real mathmatics, or real chemistry, or real anything, and they fool every one with their bogus religions that they either made up or corrupted, and valderized. Valderized means, they vandalized it, and sprayed grafitti all over it.

Well, that's the way the Lesbiansts get their kicks, and they are just a bunch of grown up children, valderizing every thing they can, and disrupting every thing, and every bodies' lives, just for their own amusement, and cruelish fun and games, such as feeding former Lesbianists to my abominant kids, who are need to be fed, and who are smart, and devious, and who destroy humans, and eat them up, and spit them out, and treat them terribly, while the Lesbianists watch on, in amusement, as they see people like Bill Gates, or Steve Irwin, and others, eaten up and then tortured, as I've mentioned about before. Valderize all they may, and be cruel all they may, we are all now finally finding out about their treacherous and horrid behavior, and now we are going to put a stop to it, permanently, and that means we will kill every one of them, and send them all to my Epcot Center, as I've explained about before.

Now we know we can cave in their cities, below the leaky hard rock layers, way down below, if we hit certain areas, hard enough, with a nice big hammer, such as one or more of my 'nuclear' bombs, the fracturable rocks kids bombs, with fuels oils, burning at extreme high temperatures, and with percussive shock forces, these, mixed together, will get my fracturable rocks kiddies, making lots of babies, and with a large enough fracturable rocks fuels chlorine, and metals that burn at high temperatures, nearing solar temperatures, we will see some very explosive 'family making' adventures, among my fracturable rocks kiddies, and their radiological relatives and friends.

We know where to hit some of their locations, to drop a few miles of more of continental shelf down onto the tops of their ceilings that will then fracture their ceilings, and cause massive damage, as oceans of water fill up their labrynthine and very well laid out cities, below us.

Who Do We Kill, First?

Mr. George Bush, Jr., Mrs. Barbara Bush, Jr., Mr. George Bush, Sr., Mrs. Barbara Bush, Sr., Mr. Ronald Reagan, Mrs. Nancy Reagan, and lots of their friends, and nearly the whole crew of politicians in Washington DC, are all Lesbianists, and I want you to kill every one of them, and send them to my Epcot Center, and I want you to place the fracturable rocks bombs, in the right locations, and then drop a thick layer of continental shelf, down onto their ceilings, their ceiling that are below the water that is between us and them, and that is below our continental shelfs that we live on.

We can hear the water down below, if we have the right types of listening devices, and if you find the right places to place your fracturable rocks bombs over, then it may be easier to drop your continental shelf, down through the water, below you, and down further onto their ceilings, the hard rock layers below the water, that is below your continent, swirling about.

Now I want you all to study this, and find the right places to drop your continental shelfs, down through the water layers below you, and onto their ceilings, so as to smash their ceilings. I've given you some hints, already, as to where you can place the fracturable rocks bombs, and my kids also have given some people more information on that, and so we have lots of people, who are interested in solving this problem of the Lesbianists toying with you, one life of yours, after the next life of yours. It is time we brought their mischief, and non sense, and cruelty to a halt, and it is time we put on the brakes, and slammed down on the brakes real hard, and at the same time, slam down on the ceilings of the Lesbianists labrynthine cavities, below you, their cities that they have laid out in perfect symetrical, geometric shapes, like perfectly shaped, honey combed behives, with central cities, placed symetrically around the globe, in a perfect geometric layout, and with spokes or corridors reaching out symetrically, to other central cities, and to satelite cities, that they have well planned out, and have well laid out, perfectly, below you.

Hydrolific Pressures And The Labrynthine Cities Below Us

Because of the hydrolific pressures, they can never keep the ceilings, perfectly dry, and they are always in trouble, trying to fix leaks, here, there, and every where. Now it won't take too much to bring the whole place down on them, flooding them like rats in a cage, below the water line, as a boat slowly sinks with a rats' cage on a table, with rats in it, slowly into and below the ocean waters.

The ones above, such as George Bush, Jr. the current president of the United States of America, and his wife, and his supposed family and relatives, and all his close Lesbianists' friends, should now all be killed, point blank, with your fracturable rocks bombs. I hope that is perfectly clear, and I hope you all understand what the situation is, and that it is an intolerable situation, and we are not going to allow them to toy with us, any longer, and we are not going to let them amuse themselves, any longer, and we are putting an end to their games, now.

DO YOU UNDERSTAND ME? I HOPE SO! AS A 'NO SIR!' WOULD BE UNACCEPTABLE.

Now that we know where we stand, we have nothing further to argue about, and so let's get to our tasks, as soon as we are ready, and prepared. Okay? Good.

Local Area Prayerful Collection Site

A collection site is where people gather to pray, and to sexal and to purify each other. It is not a site where people ask for offerings, or where people as for any thing else, involving money. It is a sexaling park, and a prayerful sexaling park. That is the meaning of collection site. A collection site is where people collect together, to sexal and purify themselves, and while they are at it, they make sexaling efforts to help to purify others, by shattering and showering out megawatts and tons of radiating, purifying energies.

We have a local area park, at the corner of West Tropicana Ave. and South Decature Blud., a local BLM piece of land, that some people like to camp out in, that I go out to, to bless, and to purify with my religious ceremonies, now and then. I claimed that area, and all other BLM lands that I could claim under Gurkian Law, and all other land on this planet, that I could also claim under Gurkian Law, such as other parks and forests managed by other government agencies, or private lands, supposedly owned by rich people, and lands around the world, that I have a right to claim, under Gurkian Law, and all that land, is now mine, under Gurkian Law, and I can use it in any way that I need to use it, regardless of what other people, think.

Aerobic Taichi Practice

I am busy, now and then, purifying that parcel of land, at the corner of West Tropicana Ave. and South Decature Blvd., with my religious ceremonies, that I conduct with my religious prayer hand signaling statements and with my use of my ability of arerobic Taichi, for religious ceremonies, as I seem to have recalled a lot of areobic Taichi, as well as some other forms of Taichi, that I knew, before, in previous lifetimes, but I am only interested in using it for practical purposes of religious hand prayer signaling.

I'm very clumsy when it comes to aerobic Taichi, but any way, I enjoy it, and it is good excercise for me, and the more I practice, the better I get, but it will be zillions of years, before I get any where near good at it. I practice the arerobic Taichi while I make my religious hand prayer signaling statements.

I don't teach Aerobic Taichi. I only use it for my prayer ceremonies, when I am on my feet, and not on my back, mostly, even though, I do use a short version form of it, while lying on my back, or, while I am on my side, I use a very short form of it. Anyway, it is fun to do Aerobic Taichi, and that makes my prayer ceremonies, for me, more fun. When other people learn to prayer signal, they will naturally pick it up, as well, as every one has studied to some extent, Aerobic Taichi, and other forms of the martial arts, and my kids will release the knowledge that is stored in your memory banks, as you need it, once you begin practicing, for women, as a priestess, or for men, as a priest. It is not like the Taichi you see people doing in China, or Taiwan. It is a specialized form of aerrobic Taichi for use while performing hand prayer signaling. It is not used for fighting, but it is the basis for Taichi, and you can train in martial arts, while employed as either a priestess, or as a priest, and it will be useful to you to know, before hand, as it will make practicing your martial arts, that much more interesting.

I'm not hiring any one, now, or just yet, or any time, soon, as far as I know, as my kids do all the interviewing, and I have nothing to say, about who comes knocking at my door, to be interviewed.

Campers, Camping, Sexaling And Purifying The Area, And Useing The Parcel Of Land That I Publicly Claimed For My Setting Up Of My Ministry

Now, on that parcel of land, there may be campers, now and then, who want to camp there, because they want to find out more about my religion, and so they come out to Las Vegas, now and then, and they camp out there, on that parcel of land, at the corner of West Tropicana Ave. and South Decature Blvd. Since that land is where I am going to set up my initial ministry, when the time for that comes, I am preparing it, with my religious purification ceremonies, and there doesn't seem to be any troubles, with any one telling me not to go up to my property, that parcel of land, and there is no one trying to tell me that I can not bless my property, that parcel of land.

Now, if other people wish to come to that parcel of land, and wish to sexal on it, and thereby purify that parcel of land, they are more than welcome to come to it, with their camper trailer, or caravan bus, and they can maneuver into the area, and set up a tent, and campsite, but there is no water, or any thing else, so you have to come prepared to rough it, if you wish to come in your camper van, or caravan bus, or in a camper trailer, or with a tent, or with other types of sleeping and living gear.

Straightening And Cleaning Up The Area

You can straigten up the area, and clean it up, and make it nice, for many people to pull into, to join together, and to sexal together, and with your purifying energies from your sexaling together, you are more than welcome to stay there, as long as you like, and as long as time permits, and as long as finances permit.

I have nothing there, except for my now and again, Aerobic Taichi practice and the energies that are imbued into the area, there, from my religious hand prayer signaling ceremonies. There are no structures of any kind, and I am sometimes there, busy purifying the area, with my religious ceremonies, so if you and your friends would wish to come to that area, and also help to purify it with your sexaling energies, than you are more than welcome to come and visit there.

Donating Your Sperm, Sexaling Spittle, Perspiration, Vaginal Juices, Titty Juices, And All Your Sexaling Juices

You men and boys may by all means, donate your sperm juices, sexaling spittle, and other sexaling juices, your perspiration you generate while you are sexaling, to the site, and you women and girls may by all means, donate your vaginal juices, your titty juices, your sexaling spittle, your perspiration you generate while you are sexaling, and all of your sexaling juices to the site, as they all will help to purify the property that I intend to set up my ministry on, as they all contain many, holy, pure, sacred, powerful cleansing energies, and GODLY energies in them, and they will help purify the land, and the environment for ages and aeons to come. All of your eroteming and orgasming energies will go shooting throughout your bodies, and they will find their way throughout your bodies, and out of your bodies and brains, and into the environment, and into your bodies' sacred and holy spillages, as I've discussed about before. Your bodies' spillages, as well as your perspiration, your pee, and your poop, not to mention all of your other juices that are produced as you sexal, erotem, orgasm, and phlumett, become pure, sacred, holy, powerfully cleansing, and GODLY, while you are sexaling, eroteming, orgasming, and phlumetting. Your pure, sacred, holy, powerfully cleansing, and GODLY energies find their way into all of your bodies' spillages, and so please donate them to the site, in appropriate manners.

Building A Latrine

Please employ some one to dig a latrine, and to fashion benches to sit on so as to be able to dump your poop, and pee your urine, into the latrine trenches. Manage the latrine, with care, and employ healthful, tactical, and sanitary techniques to use it safely. Provide hand rails, to grasp, so that no one will slip off and fall into the latrine. Provide barriers so that no one can accidentally fall into the latrine. Use your common sense when providing 'tactical' safety measures.

You need not fashion an over hang, as there is no rain to speak of, in Nevada. You do not need a supported roof, or enclosure, as they will only become stench ridden, and no one will enjoy useing them. There are to be no enclosure walls, or sides, or backs, so as to enclose the odors of the latrine, and confine them to an air tight area, where they can accumulate, and cause explosions, accidentally. They need only be deposited into a safely dug, latrine, and then allowed to filter down into the soil, and then allowed to vapor up into the atmosphere, freely.

No doors should be used, and no barrier walls should be employed, when fashioning the outside framing of the latrine facility, itself. That means, there are no hiding places in the latrine, where people can hide, and be prevented from entering, or exiting from the latrine. Only hand rails need be supplied, and only barriers that are suitable for keeping people from falling into the latrine, need by provided.

Steps may also be provided, to a raised platform latrine, which is more sanitary to use, than a level to the ground, latrine. There should be no walls, and no blind spots when either ascending up the stairs or when descending down the stairs. Women, girls, men and boys, should all use the same facility, and there is to be no fraternizing. Fraternizing is playfully tearing up at the opposition, or at people who you do not like.

Tearing up at the opposition means, you are trying to over throw the person, and dispose of that person, into the latrine. Over throwing the person means to be using reckless abandonment when dealing with another. Reckless abandonment means to be recklessly risking the life and limb of another.

There will be no frolicking at the latrine site. Frolicking is when little boys, and big boys, and little girls and big girls, play around and provide possible hazzards to others. You will not behave in a hazzardous manner towards any one, at any time, or you will be asked to leave, and to not come back.

There will be no play time allowed for children, as this is a collection site, and that means it is a holy site for holy activities, so leave brats at home, and do not bring any one who drinks alchoholic beverages, or who acts unwholesomely, to the collection site. This is a private site, and a prayerful collection site, and that means, you are coming there, to pray, and to make love, and to sexal, as GOD's children, so as to purify the site. You are not allowed to act randomly and with reckless abandoment. Randomly means, without proper self control and restraint. This is not a gay fashion, show or parade, and we will not tolerate reclusive, or unwillingly unwholesome behavior.

Reclusive means, unwilling to participate for the stated purpose of purifying the area. Reclusive means, caution and carelessness is thrown out the window, and you are acting in an irresponsible manner.

Unwillingly unwholesome means, first, unwillingly means, non cooperative, private, or sordid. Sordid means you are acting in a selfish manner, and you are not acting in a responsible manner for self and for others.

Unwillingly unwholesome means, thusly, that you are acting in a selfish manner, irresponsible manner, uncaring towards others, and unwholesomely.

Unwholesome means, you do not care about the life and limb of others, and you would just as soon shoot a person you argue with, as talk to them for a friendly chat. Many of my kids, are very unwholesome, and will just as soon, talk to a person, as shoot the person. You will not act in any such manner.

Any unsafe or prohibited latrine construction will be ticketed on detection, by me, and you will be asked to rework the facility. That will be on the ticket, and please comply, if you and your friends who built it, will be so kind. If you do not rebuild it, you will be asked, with your friends, to leave the site, as you are acting in an irresponsible manner. You will not be allowed back to the site, without your showing proper repensive behavior. Proper prepensive behavior is an attitude of appology, as well as the acts of appology which means, you will take appropriate steps to see that the work is or has been redone, in the manner as required by safety laws, as stated by my children, under Gurkian Law. Either me, or my children, will leave the ticket, and you will be required to fix what ever it is you need to fix, or you will be asked to not stay and conspiriate at the collection site.

Conspiriate means, to participate freely with caution and care for the sake of others. Conspire is also the same, as conspiriate.

You will be asked to not stay and conspire at the collection site, means, the same thing. It means, you will not be permitted to participate freely with caution and care for the sake of others. That means, you will be asked to leave, and you will not be allowed to come back, if we, my children and I, and other attendents, as well, can at all help it.

Attendents are people who participate in the collection site activities, and they are people who take responsibility to make sure every thing is done, properly, and safely, with the sake and safety of others, in mind.

The Home Depot has many nice and useful janitorial equipments, and so it will not be difficult to build a safe and luxuriously clean, and handy, latrine, that is safe to use, for all people, of all ages.

Luxuriously clean, means, it is kept sanitary.

How do you keep a latrine, sanitary? You keep it clean and sanitary by venting the air out, freely, with no blind spots, either underneath or above, where pockets of air, and vapors can accumulate.

No partitions will be installed that will create a blind spot. A blind spot is an area where light can not penetrate. Therefore, your construction materials, must be perforated wood, or grated steel. You can weld together, if you know how to weld, a very nice, grated steel, latrine, that will be safe to use, by every one, of every age. You will need the correct strength of supportive steel poles, to handle the weights of the persons accessing the latrine, and of the latrine, as well. You will make certain to build it well, and to support it well, with firm foundations, of concrete or steel plates.

Any deviation from safe practices for building latrines, will be torn down, disassembled, and the persons or person responsible will ethier be asked to leave, or will be asked to appologise to the memebers of the collection, sincerely. If the person acts in a responsible manner, and appologizes, sincerely, and appropriately, then the person will be excused, with out further, charges being leveled. Further charges will be leveled by my children, if my children detect further, reckless abandonment on the part of any person, participating and acting in a reclusive or recklessly abandoned manner.

Glue People Begun 'Cleaning' Agents

Cleaning the toilet seats of the latrine, will also help to keep the latrine luxuriously clean, and sanitary. You should clean the toilet seats and parts of the latrine, with common household detergent agents, as at this time, we have no choice but to use the unwholesome, Lesbianists' manufactured, ajax, spic and span, lysol, and other such 'glue people begun' agents. Glue people begun agents means, aerosols, and other unwholesome petrol fueled compacted or pressurized sprays, or detergents, that help the Lesbianists to begin the process of turning human beings into glue people. Glue people, in this instance, does not refer to glue, but it refers to tar. Tar is an adhesive substance, and their intent was and is to turn every human they can find into tar people.

We have no choice but to use the local distributors selection of cleaning agents, but in time, we will one day, have all that straightened out, after we demolish the Lesbianists' hideouts, under ground, and after we kill them all, or welcome them in, as 'surrenders', with appropriate, remorseful, penentant attitudes.

Removal Of Latrine Wastes And Disposal Of Latrine Wastes

Latrine wastes materials shall be removed, and supplied to local pig farmers, who can then use the materials, for feeding the animals. Pigs and hogs love to eat away at latrine wastages, and no one knows that. Chicken also enjoy eating human wastages, as well as ducks, geese, and other fowl. Horses and burroughs also enjoy human wastages, if it is healthy enough, with large amounts of vegetable mass in the diets of the human beings, whose wastages are carried to the farms for spreading about in the hogs and pigs, barrels. A barrel is a place where wastages are loaded, up into trucks for delivery to a sewage farm, or a place where farmers can use the wastages, that the hogs are finished with, as fertilizers.

Hogs and pigs use a roped off area, for eating wastages, and employees keep track of the unloaded wastages, and the spilled wastages from the hogs, and then the spilled wastages from the hogs, are then moved to a separate area, for pickup by carriers of farmers. Foods grown at farms using hogs and pigs wastages are useful and nourishing to humans, and other animals.

No fees of any kind for loading and for carrying away wastes to hog and or also pig farmers, should be levied by truck drivers, as drivers will earn a tokenous gratitude tip from the hog and or also, pig farmer. An appropriate payment to the driver and deliverer of the human wastes to the hog and or also pig farmer, should be paid by the hog or also pig farmer, unless the farmer is cash strapped. Cash strapped hog and pig farmers may be given money compliments by the people at the collection site.

Money compliments are small awards, or minor payments, out of gratitude to the hog and pig farmer, for his or her useage of the human wastes from the latrines. Money should be collected, regularly, if hog and pig farmers are cash strapped, and then given to the hog and pig farmer, out of gratitude to him or to her, and presented, tokenously, or as a gift payment. How much should be paid, depends on the expenditures of the driver, for his or her services, and for the use of his or her, vehicle, and for its whollyfied maintenance.

Whollyfied means, the regular maintenance that will allow the truck or vehicle to run at tip top conditon or shape, for the life of the vehicle, figuring it proratively.

Proratively means, spaced out, and paid proratively, or over the period, at regularly spaced points in time, over the given span or the useful life of the truck.

Discussions regarding this, and discussions for compensations, should be held at the collection site, and at the delivery site(s) for delivery of human wastes, by all parties, concerned, regarding all of this, and the primary collection site attendants, the persons elected by the attending or participating persons, at the collection site, who show the greatest interest and sense of responsibilities, at the collection site and with regards to the collection site, and with regards to the collection sites' safe, healthy, and wholesome management, must attend the discussions, and must deliver their sound judgements as to who is to be compensated payments for their participation in the removal and distribution of the wastes from the collection site, to the hogs and pig farmers, and as to how much should be dispensed, per each removal and delivery of human wastes.

Participating persons at the collection site, should elect attendants, and the attendants should regularly check on all points for the safe management of the collection site. Participating persons means, persons who are there for sexaling, and for depositing their holy, pure, sacred, powerfully cleansing, and GODLY sexaling juices at the collection site.

Nevada Power, and all other vendors, are not participating persons, and should not be construed as participating persons, regardless of what they might wish to think, and if they have any complaints, I authorise the killing of all persons who disagree, and persist in arguing that they are valid participants, despite their not participating in your holy sexaling, activities, as individuals, and not as company employees. No company employee, or personel of any kind, may participate, except as an individual, lone, and wholeseome, participating, sexaling agent.

A sexaling agent, is a person who is participating at the collection site to assist in the purifying of the parcel of land, on which I will build my ministry, with the assistance of my children, by their participating in sexaling activities, and by their depositing of their sexaling juices upon the grounds of the parcel of land.

There is a hilltop trailor park, past the edge of the rear of the parcel, and there will need to be built a very durable, and strong retaining wall, to keep that hillside, shored up, and to keep the trailor park from crashing down the hill side, after slide begins, and creep causes the trailor park to fall into the open area, that will be needed to be excavated, all the way to the rear of the park.

The grade or slope of the hill, need not be steep, but can be at a relatively low angle of ascent. An angle of between ten to twenty five, to thirty degrees, in graduations, from front to back, can be accomplished, with little difficulty, and with no disturbment to the trailor park, or disturbment to the integrity of the trailor park.

We need not seek any permits for construction, as I do not recognize the Lesbianists' governments, on this planet, and if any person shows up who says he or she is a county or city planner, inspector, or whatever, you are to immediately kill the person, and deliver three fivers to the persons' head, as that person is a Lesbianist attempting to interfere in my religious activities.

All activities at the site are to be done, without any interference from any public or other authority, and all costs for all changes and alterations to the site are to be financed by the local construction companies, who are working on the hotels industry, and they will cease immediately their work on all construction, private housing construction, casino construction, and all other towers construction, or work construction, other than the basic infrastructure needed to support the present population of Las Vegas, Nevada.

We are taking over this town and you all will begin to prepare to vacate this town and hand over all of your construction equipment, now, or face your companies and your private persons destruction with my fracturable rocks bombs, begining with the New Orleans Hotel, and all related hotels, and casions, bars, and restaraunts. That means, every gambling establishment is to shut down, stop construction, and vacate this town, now, immediately, post haste, if you wish to live.

You will be destroyed if you refuse to follow orders. We are putting a stop to the non sense of the Lesbianists begining with Las Vegas, Nevada, Henderson, Pahrump, and all parts of Nevada and the Southwest.

You will disband your operations and hand over your companies, such as the water bureau, the power company, the gas utility company, and every other company, including all supermarkets, grocery stores, malls, and so forth, every last business in Nevada, and the south west, to the participants at the collecting site, to take over and then properly manage, until all residents of Las Vegas, remove themselves, to my kids facilities.

Is that understood? You are all resigning and moving into my kids place, underground, surrendering, and moving on for those who are not Lesbianists, but who wish to vacate this area, as this area is in whole, now, a religious grounds.

That means, that I will require the participants at the collection site to take over every thing, and to bring the news reporting stations to their knees, and force them to report the news, that every one is to retire to my kids underground, fortress, and they are all to remove them selves from Las Vegas, now, post haste, immediately, other wise, we will have a fractuable rock bombs throwing contest, to see who we destroy, first.

You must surrender all your holdings, owned property, equipments, and every thing else you call your own, and hand them over to the participants at the collection site.

Is that understood? "YES SIR!" had better be your answer, or you will find yourself on a one way ticket to my Epcot Center, with no return ticket, guaranteed, for however long it takes, to find you tummy mommies and tummy daddies.

I don't think there will be many volunteers, in the near future, as you are all abominant kids of mine, and the only kids people will ever bare, for some time to come, are abominant kids, and animals, and animal humans abominant kids, so I do not think you'll be leaveing my Epcot Center any time soon, if you resist and if you force us to kill you.

Is that understood every body? Good.

The penalty for not complying is death. Do you understand what I am saying? I hope so.

The Party Is Over In Las Vegas, And In The World

The party is now over, in Las Vegas, and at all casinos and gambling establishments, as we know you are all cheating, and we will kill every single last one of you to close you all down.

Who Is Staying And Who Is Leaving, Etc.

You will close down all of your establishments, world wide, and lock the doors on them, and then demolish them, post haste. Is that understood? I hope so. Either you do it, or we will do it. Do you understand that, now? I hope you do, because we are going to demolish every one of your establishments in this town, if you do not demolish them, yourselves. Every last one of them, all houseing, except for those noted in my children's compliance statements, which you are all to recieve, all trailor parks, with some exceptions, all every thing is to be removed, with only the basic infrastrastructure for heating, lighting, water, sewage, medical, hospitals, medical clinics, pharmacies, and so forth, food markets, services industry, HUD, Welfare, SSI, and other operations for the welfare of persons who are here, who can not leave, or who will be staying for some time, and who will be needing the services of those agences, construction companies, lighting companies, electric infrastructure installation and maintenance companies, as well as gasoline supply and distribution vendors, diesel fuels supply and distribution vendors, restaraunts, and telephone. That means, all humans are leaving, except for those person who are to stay on, as indicated in my childrens' compliance statements, and except for those who wish to stay on and participate in spilling their pure, holy, sacred, purifying juices, and those wishing to participate in purifying my area, all of Las Vegas, Nevada, the valley and beyond, in time.

Rules For Hospitals And Clinics, Etc.

There will be new rules for hospitals, and clinics, and my kids will see to it, that the new rules, are followed. There will be other rules, as well, and my kids will see to it, that they are followed, as well, or persons who wantonly disregard them, will end up in prison, underground. My kids have not only a living environment, they have prisons, as well, jail facilities, and many other things. Check with them for a fuller list, of what all they have in the way of facilities, as many are very nice, and there are great possibilities for improving your health, and rejuvenating your bodies, etc.

My kids have a full list of who is to be leaving, who is to be staying, and by when people are to be leaving, and where persons staying, are to be moving to, as we clean up this area.

All of you had better check with my kids, especially, you Lesbianists, but not only them, you religious fanatics, as well, and every one else, of course, or you, especially the Lesbianists and religious fanatics are at risk here, but not too much, the others who are to check in with my kids, risk dying, perhaps, prematurely, and then ending up in my Epcot Center.

My kids also have lists of who the people are who will be recieving all the properties for taking them over, which properties need to be demolished, who will be demolishing things, and how to remove those things that you must remove, and to where you will remove them, and dispose of them, and in what manner you will dispose of them.

You will hand over every thing, and you will all comply, and those who are required to hand over their properties, after complying with removal demands, will hand them over, and then will move out and into my kids place, in accordance with the time schedule that my children have for you to follow. You are required now to check in with my kids, get every thing sorted out, and learn all the details, and then comply.

Those who do not follow these orders risk an early and, fortunate for us, timely meeting with death, and entrance to my Epcot Center for a long stay.

Erecting A Partition Blind On West Tropicana Ave.

The roadway, West Tropicana Ave. runs east to west, and west to east, and it is advisable to erect a pertition blind, so as to not disturb traffic, that comes down the side of the road, the parcel of land sits on, at very fast speeds, with people rubbernecking to see what is going on, as many people will possibly end up flying into the area, with their automobile, truck, gravel carrier, or eighteen wheeler spinnning and turning over, out of control, and then sliding off the roadway and into the collection site.

The traffic is very fact on West Tropicana Ave., and with the interest of the local area residents, who will learn about the collection site, and the activities at the collection site, there will be many hazzards arrising as a result. Some persons may decide to stroll through the area, to steal purses, or wallets, or cameras, and so forth, as there are many poor, indigent, or hopelessly poor, persons, in the area, who do not have any work, and who can not feed themselves, and they need to steal things, to sell, to earn a living.

Such people should be spoken to, and fed, and then warned not to act in an unrighteous manner, which means, please do not steal things, or damage the property, or any thing on it, and please do not get into fist fights, over insults, and disagreements with participants, about who is GOD, and so forth. There are many impoverished persons from South America, and Central America, who only know their local area witch doctor's teachings on voodoo men and voodoo women, and who know nothing but folklorish stories about gouls and ghosts, and people, or ghostly gouls, i.e., people immitating 'gouls', or mean and rotten people, who go 'boo!', or try to scare and rob people, in the night.

Electricity, Lighting, Etc., To Be Supplied By Nevada Power Free Of Charge, Or Else

The partition blind should be sturdy, tall, and break proof, so that vandals can not break it down, or climb over it. Lights for use at night, with the proper permissions for an electrical hookup from the Power Company, Nevada Power Company, will be granted, and provided by Nevada Power, along with all other neccessary, needed, safety lighting hookups, to illuminate the area, fully, at night, so that it looks just like, or nearly like, daylight, or a well lit soccer areana at night, or a well lit professional baseball field, or football field, at night, and it will be given for free, lest we burn down Nevada Power, and kill all of their Lesbianists employees, and meter men, and all of their tawdry workers, who we do not wish to deal with. That means, we will blow up their buildings, and kill them all, unless they give us the electricity that we require. If we need to kill them all, we will then acquire all of their holdings, and we will operate all of them, ourselves. Fair Warning has been given, and consider that as a done deal, unless you wish to visit my Epcot Center.

Meat Vendors And Hispanics From Central And South America

An air of friendlyness, but caution, should be used. Men and boys are there to protect the women and girls. So, please work in teams, and do not let individuals, who might get kidnapped, and sold off to meat vendors, for a few dollars, or pesos, as it is, in Las Vegas, as the majority of such kidnappings and sales of human beings to meat vendors, the Lesbianists chain stores, such as Colonol Sander's Kentucky Fried Chicken, Burger King, MacDonalds, Jack 'n the Box, Wendy's, In-'n-Out, Fat Burger, Taco Bell, Dell Taco, and all the other, fast foods vendors, is by the locally landed hispanics from Central and South America, who need money, to stay alive.

Erecting A Partition Along South Decature Blud.

South Decature Blvd. also has much traffic on it, and there will be lots of people, rubber necking, to see what is going on, so a high, partition wall, made of lumber, should be erected down the side of South Decature Blvd. to prevent all such incidents of rubber necking, and reckess abandonment, from occuring.

The partition should be about ten to thirty feet high, and should be well constructed. Why so high? We do not want people climbing over it, to sneak into the area, to steal things, and to fight with people, and to cause trouble, and to come looking for young girls, and young boys, and helpless, elderly folks, and uneducated to the whims and ways of the downtrodden, brutal, abominant kids of mine, walking the streets of Las Vegas.

Yes. They are abominant kids of mine, and the proof of that is that their children come out as monkey people, and orangutan people, and chimpanzee people, and if possible, the hospital whisks the baby away from its mother, and disposes of it, in the prep rooms, used for killing incoming, abominant kids of mine.

Drawings On Demolition, Construction, Etc.

My kids have construction drawings for constructing all the facilities needed at the collection site for all the facilities that will be needed. They have electrical drawings for lighting, etc., health, fitness, and wellness facilities drawings, latrine facilities drawings, showers facilities drawings, food and beverage eating and drinking areas drawings, and all other drawings related to all things that will be needed to be constructed, or altered in any way, for our project to proceed, including but not limited to, demolition of the cliffs, leveling of the entire area out to Harmon Ave. and up to Flamingo, and back to Tropicana, as well as what is to be removed and leveled between Jones and Decature. There are a few minor exceptions, such as the building that I am living in. Who will move where, to consolidate staff at this project, and who will be moving out, at this project, and what will be leveled at this project, are all detailed in the program specifications, my children have. My present quarters, will be my place of residence, as things move along, and in time, in accordance with the schedule for construction, a temporary facility for me will be constructed near the area but between Flamingo and Tropicana, and somewhere between Jones and Decature. Please see them for details. After the area is purified sufficiently, and after all the areas to be purified, are purified, and my children will decide on when that is accomplished, my children will then activate the technologies, and acquire the resources they need, and then they will build a more permanent settlement arrangement for all people concerned, who are staying on, if they decide to stay on.

The partical dismissive technologies and remissive technologies, for foods, and medicines, and other items that are needed, for continued survival, and for all other required purposes according to the specifications for the sexaling for a living programs, will all be provided to the participants who wish to stay on, and houseing for them, as well, will also be included. Parks will go up, and so will many other locally needed facilities. Many things will disappear, as my kids will partical dismiss the things and structures they need to remove, as they construct the new area, for all persons staying on in Las Vegas. My kids have a list of all the names of all the persons who may, if they decide to, stay on in Las Vegas, and not all of them, are local people, so you should all check to find out whether you name is on the list or not. All other persons, who are to be moving on, and all persons who do not wish to stay on, here, will be required to move into my childrens' present facilities, which they will continue to expand as we continue our program on this planet. We will eventually clear every one out of the area, inside and outside of Las Vegas and the Valley, and surrounding areas, and the world over, except for the persons whose names appear on the list, as houseing can be provided above ground, for participants in the juices spilling and areas purifying operations, by my children, if those persons wish to stay on and participate.

All other people will be required to move into the facilities my children have, and are continuing to upgrade, and expand, in their encapuslated living environement, in which, many people currently live. Persons in the encapsulated living environment, may also attend the collection site area activities, and future clearing activities, for purifying the areas with their pure, holy, powerfully cleansing, purifying, cleericating [cle-er-i-cating], and GODLY energies filled, sexaling juices. Cleericating means, the same thing as clearifying. It is just a slightly different but related word from another a variant language of English, and to cleericate basically means the same thing as to clearify. When we get the areas, cleared enough, and purified enough, my kids will then start building things for the participants. All others will move below ground, and live in the encapsualted living environement, until they have earned enough money, with their friends, as talked about earlier, to purchase a lease on land, and acuire the lease on resources needed, to build a home, etc., for a large group of people, who will be living together, and working together in the sexaling for a living programs, and so forth.

When Will This All Begin?

As soon as people begin to comply, we will begin our efforts to clean up Las Vegas, to begin with, and then, the rest of the world, and then, the rest of our universe. It will take a long time, as we need to spill our juices, the lay persons, anyway, for some time, to come, as our universe is quite large, and so is the rest of it, that we are going to be recovering.

My Spilling Of My Purifying Sexaling Juices, And My Spilling Of My 'Prayer Time' Purifying Juices

I spill my juices, only for religious ceremonialing activities, during certain relgious ceremonies, and I don't spill my juices, on the properties, as I'm not set up to spill my juices, on the property, now, and will not be set up to spill juices, until I find an excuse for that, and an excuse for performing a religious hand prayer signaling ceremomy that will require my spilling of my juices. It's pretty hard to spill juices, when there are no other persons working with me, and I do not work with lay persons, unless they are confirmed by me, and so there will be maybe, some confirmations, but not neccessarily so, as I do not know who is going to wish to be confirmed, and by the way, who ever it is I confirm, must realize that I am the Mother and Father of all human beings, animals, and living beings, and the Creator of my universe. There are not that many people who understand that, except for my kids, my working, unionized kids, and so it will be some time, yet, maybe a few hundred or more years, before some one realizes, 'Hey, he IS the Mother and Father of all human beings, etc., etc., etc.,"

Spilling 'Prayer Time' Spittle Generated While Praying

Until then, I'll use my spittle juices if I need to drop or drizzel any juices, that I generate while I am religious hand prayer signaling, as I don't like or care for the idea of jerking off in public, to spill purifying juices, in public, regardless of the fact, that I am GOD, so it ain't going to happen, any time soon. When I find a authentic 'believer' who realizes and understand that I am GOD, and so forth, I'll begin my public spilling of sexaling juices. I don't mind it in private, but it is not going to happen in public.

Monkey Babies, Jimmy Carter, Oliver North, And The Lesbianists' Conspiratorial Bullshit Stories Of Adam And Eve, And "Jesus Saves"

Most people do not know this, but many births end in tragic loss of the child, because Jerry Falwell, Oliver North, Jimmy Carter, Ronald Reagan, George Bush, Jr. George Bush, Sr., and the rest of them, order and expect all the Lesbianists doctors to kill all babies born to people which do not look human. Doctors at birthing hospitals also comply, quietly, as it is hospital policy they can not break. If they go against it, they risk losing their job, and possibly losing their life. This is not a joke, and it is the Lesbianistgs policy of having all birthings in hospitals exactly for this reason, for disposing of non human looking babies, at birth, so that their bullshit creation by God, of a 'pair' of people, Adam and Eve, and that "Jesus Saves all good Christians", can not be contested, by logical proof of non human births to human being couples, or single parent women or girls. Abominant kids are born every day to my kids, on this planet, and they are all executed, or killed off by the local citizens, by their fright and fear of 'ghouls and ghosts' and 'goblins' in the night that go, 'Boo!'. These idiots, both the abominant South Americans, Central Americana, and all my other abominant kids, North American, Europeans, Russians, Chinese, Japanese, Thai, Philipine, and so on, must ask them selves why they are blessed with babies which are either not human or are abominant humans, or part animal humans. If they ask them selves these questions, they will find out the only answers are that these people born to them, are my children, and my children are born to them for reasons that have not been disclosed to them, before, by the clergical societies, i.e, the religions of the world, and by the other societies, set up by the Lesbianists, or by societies nurtured along as part of the Lesbianists' 'tragic comedy' of their toying with your lives for their humoring themselves, and for their amusing themselves. Once we get rid of the Lesbianists, and their ways of doing things, we will begin to see babies that are either not human, or are only part human, in animal bodies, and they will be born to all of you who are tummy mommies, and tummy daddies, if you birth enough children, to find out. How many is enough? About one in forty or fifty by my estimation, but depending on the person, it may be between thirty to eighty, from one person to the next. Take that to your pastor, and tell him or her, to stick it up his or her ass. It is the truth that animals are born to humans, all the time. Not only that, but abominant kids of mine, usually of the apey kind, but not always, are born to the 'normal' looking humans on our planet, and in our universe. We need not be afraid of these children, as animals, can be collected and put into zoos, and animal humans can be raised by the parents, or parent, in the case of a single parent. In time, we will adjust to this reality, and we will raise fine children, abominant animal humans, or human appearing abominant children. That means you are all abominants, and the Lesbianists are laughing at you, and at themselves as well, as they go around and kill and cravenly torture every possible person they can. We will put an end to their craven ways, and we will make a wonderful universe for all of us to live in, in peace, and serenity, once we get started practicing my religion, and once we begin erasing, sufficiently, our karma and our karmic markups, with your purifying sexaling energies, prayers, and other activities, such as syncopated dance, syncopated excercise, syncopated sexaling, and so forth. You time it to the metronome at one thirty seventh, for now, and that will be fine. In time, we will get accurate metronomes, and then we will chance the pace, just ever so slightly, to push my kids along, as I explained about, for our wholesome and healthy universe, for all of us to live in, together with each other.

Punishment For People Who Practice Voodoo Religions Is Dismendment, I.E., Death

We will not be killing or executing children any more, at hospitals, or at homes, or in primitive, backwards towns and villages, or rural hideaway villages, where voodoo religions muster the people into peculiar states of mind, where they become entranced, and then begin mindlessly, acting like chickens, and birds, or fowls, or hippos, and so forth. There are too many of these types of so-called 'religions' in this world, and we are out lawing all of them, and punishment for adhering to them, will be a trip to my Epcot Center, as I have my children particle dismiss their bodies, and then dismend them, bit by bit, into their base components, and then have my children whisk them into my Epcot Center. We will bring every one up to the level of education every one needs to be at, to better understand my universe, and those who persist in abandoning their obligations, will be dismended with out further notice, after they are sent their last warning ticket, from my kids, in accordance with Gurkian Law. That also applies to the Lesbianists, and to every one else, who is unable to get the picture here, and get with the program. There will be no exceptions. And, this is not a joke. My kids have courses for you to educate your self in, to pull yourself out of the past Lesbianists' way of life and thinking, and into the new and current, reality, that we will be living in, for ever, from now on.

Local Businesses Will Have No Problems At All With The Collection Site And Will Have No Problems At All With The Activities Of The Faithful At The Collection Site

Walgreen's is across the street, on one corner, and Home Depot is on another corner. I don't think Walgreen's will have any problem with you using the site for your camping, for your meeting with others, for your sexaling with others, and for you and your friends' purifying sexaling activities in that park, i.e., the collection site. Home Depot, I don't think will have any problem with your use of the parcel of land, either, for those purposes.

What To Do If The Police Come?

Now, if the police come, and I'm there or not, I don't know what they'll say, but they have not got any right to say any thing to any one. Is that clear, Mr. Mayor of Las Vegas, and every one else in the area. I hope it is, as I am not going to stand for your interference or any one else's interference in my religion and in the relgious activities of people who wish to participate in my religion, sexaling to purify my universe. IS THAT UNDERSTOOD, MR. MAYOR AND EVERY BODY ELSE? I HOPE IT IS! AS A 'NO SIR' WOULD BE UNACCEPTABLE!

Now that we have an understanding, I think there will be no problems, and if there are, I will see what I can do about it, by calling my kids up, with my religious hand prayer signaling ceremonies, to see what they can do for you, to help you out, and to break the backs on law enforcement officers, and the Mayor of Las Vegas, and every other person, Lesbianist or not, who tries to interfere with me, or who tries to interfere with the people practicing my religion. I will not stand for any interference from any one, including Mr. George Bush, Jr., the current president of the United States, or any one else, such as the Mayor of Las Vegas, or the Governor of Nevada, or the Nevada Highway Patrol, or the Nevada Sherrifs Dept. or the Las Vegas Metro Dept. or with any other persons or parties, such as the Las Vegas Gaming Commission, or any other Lesbianists' or Lesbianistic organization set up by the Lesbianists, and that means all you church goers, parochial school teachers, and students, and others, and if any one interferes with any one who comes to my ministry's claimed parcel of land that I am purifying for setting up my ministry, and if any one hassels any one there, than who ever is visiting the collection site, to help to purify it, you have my permission to kill the persons attempting to interfere in any way at all, on sight, with what ever you have to kill them with. Please dispose of their bodies in the nearest trash dumpster.

DO YOU HEAR ME? MR. MAYOR. YOU ARE A DEAD MAN IF YOU EVEN TRY TO SEE WHAT MY RELIGIOUS FAITHFUL ARE DOING, AND SO IS EVERY OTHER PERSON ON EVERY SCHOOL BOARD AND CHURCH OR OTHER LESBIANISTS' COMMITTEE. IS THAT CLEAR, EVERY BODY? GOOD!

You will not interfere with my religion, and with my religious faithful, and they will come to Nevada, and they will come to Las Vegas, and they will start sexaling on that property as they see fit. Does every body understand that? I hope so. Now. Non responsive persons, who ignore my statements, will find themselves in trash cans, and trash dumpsters, every where in Las Vegas, and any where else, where there is a convenient trash can or trash dumpster. There are lots of them around, and people are throwing dead people into them, every day, across the country and around the world, and they all end up in landfill sites, and so there will be no added charges for our using the statewide Nevada Silver State trash retainers and containers, for however many others who need to be killed, and for my religious faithful to then place them into the trash cans and trash dumpsters. No charges should be levied by any other Lesbianists' trash collection company, around the world, as they are all owned and operated by the Lesbianists, and we will not support them, in any way, what so ever.

If Mr. Mayor would like to be the first guest inside of one of the Nevada Silver State trash dumpsters, then he will try to interfere, in person, and he will be shot, point blank, in the center of his head. You will then kill him with three fivers, to make certain he is on his way to my Epcot Center, for his next trip out as a tummy baby. If the Governor of Nevada wishes to interfere, then he does so at the risk of being shot, killed, and made certain he is dead, with three fivers, and then after that, he will be deposited into a local or state trash dumpster, either here, in Nevada, or in California, or Arizona, or where ever it is convenient to dump him into a trash can, trash container, or trash dumpster.

Lesbianists Enjoy Eating People, Who Are Alive, As Well As Eating The Bodies Of Those Who Are Dead

You should let the state's vice mayor of Las Vegas's office know, who was shot, killed, and confirmed dead, after depositing three fivers into his or her head, and then where the body is, and generally when the body was dumped, so that they can get an idea of how decomposed the body is, and whether or not the body is in a land fill site. They can then check on it, and verify that the body will make it to the land fill site, if it isn't already, there, where all the other bodies, are ending up, unless they have already happened to have beeb eaten up by the Mayor, or by the friggen Governor, or by the Sherrif, or by another Lesbianist.

All persons are free to travel to Las Vegas, and they are invited to stay at the parcel of land that I described, and they are invited to make it into a nice camper trailer area for recreational vehicles, or for what ever other types of outdoors camping vehicles, travel trailers, caravan buses, or any other types of camp site temporary stay, housing and living arrangements you would like to use the area for.

Every Game Of Chance, Gambling Machine, Or Slot Machine Is Rigged, In Every Casino Around The World, With Only A Few Exceptions

If you will all sexal, regularly, to the best of your abilities, and help me to purify the area with your sexaling, undisturbed by any one, and clean it up with your purifying energies, you are more than welcomed to come and enjoy the area, and see what fine attractions, will be leaving Las Vegas, in the not so distant future, including the gaming commission, with all their phoney, rigged gaming systems, that the Lesbianists control.

The Lesbianists' Articles Of Participation

The Lesbianists have every game that you can possibly rig, controlled by electronics devices, or by slight of hand, mechanics, who control the gaming rooms, and gaming halls, so that only Lesbianists win any money, that is worth mentioning about, and so that the Gaming Authorities, and the Mayor's office, and every other Lesbianist organization in Nevada, who has any one in their office, can then go and get the money the Lesbianist won, and get a percentage of it, given back to them, as they have arranged to do that, as that is part of their oath, and part of their sworn promises to do, as that is written out in their articles of participation, their rules for living upsite, not down below, in the labrynthine cities, and every Lesbianist must follow those rules, and when they win the Megabucks, and every Lottery in the world, they must give back money to the Lesbianists, as every game of chance that is run in this world, except for bingo, is rigged. However, even Bingo is rigged, in some ways, by people switching cards that look like winning cards, while players are not looking, and by other naughty tricks.

Every Lottery In The World Is Rigged

Every lottery in the world, performs the drawing out of the balls before a live audience, in most cases, before they actually air the show, and they have illusionary tricks they play, with the technologies they have, and they sucker people out of their money, daily, around the world. Las Vegas is no different, and they sucker every one out of their money, except for the Lesbianists, and they let some people, win now and then, small jackpots, on the gaming machines, and then after a winning streak, they set the machines the person uses, so that the person can not win a dime. They have the technologies for rigging every machine in Nevada, and across the country and around the world, so next time you visit one of their casinos, be sure and detonate one of our bombs, you can make, and destroy that casino. Is that understood? I hope so, as every day, millions of people are being suckered out of their hard earned money, they pay taxes on, through the nose, till they are practically choking, and the Lesbianists take it, and support their folley and games. They also support their folley and games with your revenues, that they make sure you lose, at every casion, and at every gas station, with a convience store, that has gambling machines in it, for you to deposit you money into. Every lottery in the world is rigged, and so if you spend money on it, if you are not a Lesbianist, you are just throwing your money away.

No Fair Play In Nevada, And No Fair Play In The World

There is no fair play, here in Nevada, or any where else, in the world, and I would like you all to know that, and become aware of that, and then I hope you will tell your friends about it, and then I hope you will destroy every single last one of their casinos, and gaming machines. We are not going to allow them to continue their frolicking at your expense, and we are going to destroy every last one of the Lesbianists, as soon as we can. If they prefer to surrender themselves to my kids, than we can allow them to live. However, if they do not surrender themselves to my kids, then we will kill them all. And there are no 'maybe's' about that.

Sniper Shooting, And Miscellaneous Information

You have my permission to sniper shoot any police officer, park ranger, sherrif, or other person, plain clothesed police officer or detective, with or without a gun, on sight with your scoped rifles, and targeting assistant who will determine range, from your bunkered in the hillside, shooting site. Any hotel in the area, which might harbor shooters from local police, sherrif, or SWAT team operations groups, you have my permissions, and blessing, or go ahead, and my 'okay, and 'approved for action' sight of appeal. Sight of appeal means, my blessings, based on your determination as per your good judgement.

One hotel that is clearly the most convenient, and the closest with in shooting range, at close range, is the New Orleans Hotel. Hotels within shooting range, at a distance, are the Palm's Hotel, The Rio Hotel and Casino and its seperate tower wing, and a few others, off in the distance. You'll have to come and look at them from the approximate location of the site after you determine where every thing is, to locate and determine for your self which hotels and towers need to come down, and what you will need to bring them down. There is a tower off in the distance, a new hotel, that is going up, that I do not know the name of, but is clearly within shooting range, and needs to come down, and people are on it, daily, welding, and you can't miss it, if you look in the north easterly direction from the site. There is the Stratosphere Hotel and Casino, which also needs to come down, which is further over to the west from the new hotel wing that is going up. There are many scaffoldings in the area, that also need to come down with explosives, fracturables rocks, fuels, chlorine, and high temperature minerals particles ignition, and particles burnings bombs. There are probably a number of other landmarks, hotels, casinos, bars, restaraunts, trailor parks, trailors, houses, apartments, condominiums, near or off in the distance, that also need to come down, and need to be demolished with my light weight explosives fuels, gunpowders, metals particles, and chlorine plastique explosives bombs.

You will destroy them all, and you will come prepared, or be prepared to acquire all the demolitions needed to destroy them all, as well as to destroy all the local police and sheriff's many Metro offices, SWAT Teams offices and units, Fire and Rescue Ambulance units, Lesbianists' Hospitals, and other Lesbianists facilities, throughout the Las Vegas Valley, Henderson Nevada, North Las Vegas, Pahrump, Mesquite and the whole Southern Nevada, westward to San Diego, California, northward to Los Angeles, northward to San Francisco, California, northward to Berkely, California to Oregon, and Washington State, and back down to Reno Nevada, Arizona, New Mexico, Albequerque, Houston Texas, Dallas Fort Worth Texas, and all areas where there are tactical SWAT team units, military units, militia units, as all militias are organized and operated by Lesbianists, despite popular beliefs that they are independent of the government, and anti government, as we often see on the "TV for the Brainless", as they are often refered to, i.e., the general public.

You will destroy all law enforcement offices, and personel, and all military and militias. All governments, their offices, and employees, are to be destroyed, and all personel are to be executed, except for those who take it upon themselves to execute the Lesbianists among them. My kids have a full list of all the places and structures that need to be destroyed, and demolished, and so please see them for that information.

Your Orders Are To Kill The President Of The United States And His Wife

And to repeat, your orders are to kill the president of the United States, George Walker Bush, Jr., his wife, Mrs. Barbara Bush, Jr., and all of his and his wifes' Lesbianists' associates, pretend relatives, and friends.

We are not going to let this stand, another moment, and if they do not surrender to my kids, you are to execute them all. My kids have a list of names, of those, who have not surrendered, as yet. Please see them for and ask them for that list of names of persons who have not as yet, surrendered, and who need to be executed, post haste, immediately, or, ASAP.

United States President George Walker Bush, Jr., is no exception to this, as he has not surrendered, as of yet, and that is confirmed. Neither has any of his colleages, or congressional office holders and diet or congress members, except for Ted Kennedy, and one or so others, and maybe a cabinet member, one or there abouts, but I haven't confirmed that, yet. There are some members of the congress who are not Lesbianists, and you can get their names, on a list from my kids, as well.

Captain Off The Bridge.

John Francis Ayres
GOd
And Children

The Gurkian Way Foundation Ministry Institute
johnfrancisayres @ yahoo.com
Google Groups NewsGroup: http://groups.google.com/group/gurkianagegurkianway
Yahoo Groops NewsGroup: http://groups.yahoo.com/group/gurkianway/

John Francis Ayres
5540 West Harmon Ave. Apt. #2004
Las Vegas, Nevada 89103
USA

(702) 894-9518

Chief Priest and Head Abbot
Gurkian Way Foundation Ministry Institute
Cloistered Conservatory And Cloistered Monastery
West Tropicana Ave. and South Decature Blud.
Las Vegas, Nevada 89103

From -9209627194705604614
X-Google-Thread: 101d03,4bd92f552f4b960
X-Google-Thread: 11574b,71cf20bd65072d3d,start
X-Google-Thread: 108122,71cf20bd65072d3d,start
X-Google-Thread: 1141a2,71cf20bd65072d3d,start
X-Google-Attributes: gid101d03,gid11574b,gid108122,gid1141a2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v33g2000cwv.googlegroups.com!not-for-mail
From: johnfrancisayres@rock.com
Newsgroups: rec.arts.startrek.current,alt.security.terrorism,rec.radio.amateur.equipment,alt.politics
Subject: Ship's Tour Of My Universe To Begin - Call To Arms! Duty Stations! Fire When Ready! Cease Fire Procola! Pt III/III
Date: 15 Feb 2007 15:59:42 -0800
Organization: http://groups.google.com
Lines: 1591

```
Message-ID: <1171583982.577872.314630@v33g2000cwv.googlegroups.com>
NNTP-Posting-Host: 172.194.90.229
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171584000 28471 127.0.0.1 (16 Feb 2007 00:00:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 16 Feb 2007 00:00:00 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v33g2000cwv.googlegroups.com; posting-host=172.194.90.229;
   posting-account=J1aE9A0AAABPEYSAAS-D20mZlfB81UJw
Xref: g2news2.google.com rec.arts.startrek.current:7659
alt.security.terrorism:29541 rec.radio.amateur.equipment:8064 alt.politics:735495
```

Texas's Lesbianists' Latest 'Vaccine' And Texas's Attempts To Destroy Women's And Girls' Vaginal Lining And To Destroy Women's And Girls' Cervical Lining, Causeing Stillbirths To Increase, So As To Prevent The Successful Birthing Of Children - Latest Lesbianists' Vaccine Will Cause Numerous Problems - Execute United States Of America, State Of Texas, Governor Perry And Family - Underground Books Distributor's For Militia Types Folks - Information On Bombs Making And Detonators On The Web - Solar Flares And Flare Igniters - The Lesbianists' Balooney On Minus Charges As Opposed To Positive Charges - The Lesbianists' Maps Of The Brains - Execute The Current President Of The United States Of America, George Walker Bush, Jr. - Lesbianists Who Decide To Sexal In My Religion With Lesbianists And Non-Lesbianists' Persons - Citizens By Proxy - Temporary Full Time Citizens - What To Do About Untimely Pregnancies, Health Issues, Medicines, And Regroverative Formulas - Medical And Housing Benefits, And Other Health And Work Related Benefits - When Can People Begin To Come So As To Be Able To Participate? - Sniper Points, Places Where Snipers Shoot From - Pocket Knives, Construction Tools, And Miscellaneous Daily Life Management Tools And Equipment - Hookups For Travel Camping Vans And Similar Vehicles - Cleaning Up The Area And Throwing Away The Garbage - Schedule For Leveling Of The Ground And Hills In The Area, Removal Of Unsightly And Smelly Garbage - Setting Up New Facilities - Fountains And Showering Lamponeers - Restaraunts, Clubs, Lounges, Eateries, Cafeterias, Bars, Pubs, Bicyle Paths, And So Forth - Dealing With Criminally Minded Persons - Alterations, Modifications, Changes, Clearing Up And Removal Of Garbage In The Areas, And Additions Time Schedules Updated: 12-02-07 Rev.a.00.a 02:30 PST

Texas's Lesbianists' Latest 'Vaccine' And Texas's Attempts To Destroy Women's And Girls Vaginal Lining And To Destroy Cervical Lining, Causeing Stillbirths To Increase, And To Prevent The Successful Birthing Of Children

The latest attempt by the Lesbianists' governments of the world, near by my computer window, on the internet news services, to destroy and toy with the human population of this planet, has been launched in Texas, and is targeted at women and girls, and their ability to have children.

See the article at the end of this post.

The new vaccine, which is mandated by Governor Rick Perry, who signed it into law, and is now obligatory, unless you protest it, and go to court, and spend years fighting it, as an individual or small group of claimants, will destroy the vaginal cervical collar and the lining that holds every thing in place, and supports the interior of the vagina, thus making it impossible to carry a fetus to term. The vaccine is also targeting the brains fibers throughout the human body, and the fibers of the brains in a woman's or girls' body will slowly rot, and decay as they are eaten up by tiny animals that eat these energies conducing fibers, synapses, relay switches, and other related energical brainal related things and dings thoughout the body.

Latest Lesbianists' Vaccine Will Cause Numerous Problems

It will also speed up the eating away of the enamel of the teeth, and of the bones in the woman's and girl's body, her fingernails, and her skin membranes NS membraneous tissues throughout the body, and on the exterior of a woman's and girls' body, making the women and girls grow older looking at ever more younger ages, and making women and girls susceptable to skin cancer, melanoma, herpes, genital warts, other infestations of animals in the skin, and other skin related membrane destructing colonies of animals, that they use from out of their Bio Chem War encyclopedia of how to destroy human beings, with poisonous and health problems causeing crystals cages animals of all kinds. Especially numerous are the Bio Chem Warfare crystals cages animals of the petroleum industry's based kind.

The vaccine is no different from any other of the Lesbianists vaccines aimed at destroying the health of the people who live on this planet. It is compared to the 'polio' vaccine, in the news article, and that was similarly an attempt at destroying the health of the human being, by making the human being incapable of haveing any sexual orgasming capabilities, by killing off all the sex related animals and bugies in the body, which make sexaling juices, that make eroteming and orgasming possible.

Thus, this latest attempt at destroying the health of the people who live on this planet, locally, in Texas, and that I know of, anyway, is nothing more than the Lesbianists toying with the people who they are here to amuse them selves with by destroying them, little by little, over a long period of time.

Execute United States Of America, State Of Texas, Governor Perry And Family

This will not stand, and you will all destroy the capital of Texas, and Governor Perry's mansion, and the Governor and his wife, and their family, pretend or otherwise with my fracturable rocks and fuels chlorine and explosives, etc., bombs, that you will make in your home's garage, or workshop, safely.

Underground Books Distributor's For Militia Types Folks

Use the delayed timer invention, that is a workable time delay detonator, that I've explained about, especially if you use black powder gun powder, mixed with axel grease, turpentine, benzine, chlorine, using also some Elmer's glue, prior to mixing with chlorine, and then set it in a warm cupboard, to ferment for a few days, to then turn into a nice plastic explosives mixture for detonating with the string of flash bulbs wired to the alarm clock trick, as described by Ragnar or by one of the other bombs making specialists, in their sub culture literature for militia types folks, who wish to destroy the government.

They find the list of names of all the people who request the literature, by mail, and then they go and watch them, with their surveilance technologies they have, and then they either capture and torture them, and then kill them, or they just make sure they are die, in a fatal car accident, or whatever.

Paladium Press is one of the Lesbianists' book publishers, and there are others, and this one is affiliated with the National Rifle Association, a Lesbianists organization.

This publisher has titles sold to underground books distributors, and you can find a number of underground book distributors on the internet, which carry more titles than Palladium press.

Delta Press, who publishes their books and paraphenalia distribution listings magazine, 'Delta Force' is one of these distributors of interesting underground literature.

http://www.deltaforce.com/catalog/page30dp.html

'Home Made Fireworks', is one web page to look at, if you have the time.

http://www.deltaforce.com/catalog/page28dp.html

'Booby Traps, Explosives and Black Medicine', is another useful page to look at, as well.

http://www.deltaforce.com/catalog/page30dp.html

There are a number of other distributors of underground literature, and some have better selections than does Delta Press.

In any case, with a little research, there are plenty of 'timed detonation devices' drawings, and explanations, for you to view, and learn from, that will help you to construct a timed detonator, that will allow you to safely set off one of your plastiques bombs made with my explosives formulas.

Paladin Press, you can find their books at Amazon Books on the web, another Lesbianists owned corporation, is another publisher of interesting underground literature, that can be useful for you to study and learn from.

Paladin Press can be found at, http://www.paladin-press.com/

Books for supposed 'Professionals' who are anti terrorists professionals, that allow them to detect the different types of bombs people can make, and then use to destroy others, is sort of a tounge in cheek joke of the Lesbianists, for luring in people who wish to find information on bombs and explosives.

There are many useful books published to help beginners understand the basics of bomb making. The idea is to use the information for professionals who wish to understand the craft of making bombs, and detonating devices, and then use that information to build your bombs and your detonating devices.

The flash bulbs wired to an alarm clock with matches and ignitable phosphates glued to a string of flashbulbs, wired properly together, then crushed, so as to expose their flash and heat ignition coils filaments, for your detonating heat energies ignition needs, is one of the basics and you can find it in one or another of the underground books on bombs making and detonation devices making for 'professional' anti terrorist's private investigator or bombs detection professionals types.

This is one of the ways the Lesbianists lure in persons who know nothing about weapons, and then they find out who they are, and then they make friends with them, and toy with them, and introduce them to their Lesbianists' friends, and hang out with them, and pretend they are all friends, then one day, they all attack the person, and torture the individual, and get their kicks, amusing them selves, by ripping the person up, or by hanging, and nailing the person to a wall, with a nail gun using, approximately, three inch nails, and then hammering in longer, seven inch to twelve inch nails, or larger ones, or other similar nonsensical, childish, but fiendish behavior.

The "BRUTAL ART OF RIPPING, POKING & PRESSING VITAL TARGETS"
"by Loren W. Christensen"
http://www.paladin-press.com/detail.aspx?ID=1441

Is a beginners guide to ripping people apart, one arm, or leg, at a time, or with team work, one half of a person can be ripped from the other half, if you hold the right bones in place, and then, using teamwork, rip the person into two or more pieces. This book gives a person a preliminary sense of what he or she can muster, as an individual who attempts to rip at a person, and tear the person apart, one limb at a time, or with friends, how to rip a person up, one piece or more, at a time. Ripping people up is accomplished best, if they are unconcious. If they can not fight back, or resist, it is easy to rip a person apart, if you have the needed strength. Since many people have ancestors who were monkeys, chimps, orangutangs, guerillas, and so forth, with tremendous muscles strength, there are lots of very tiny persons, with phenomenal strength, and they can easily rip a person in two, by them self, if they try.

Books on booby traps for law enforcement personel, are simple descriptions of bombs that they may or may not encounter, and there may be some useful information in some of them such as,

"BOOBY TRAP IDENTIFICATION AND RESPONSE GUIDE FOR LAW ENFORCEMENT PERSONNEL"
"by Tony L. Jones"
"This manual teaches cops and other law enforcement personnel all they need to know to recognize a booby trap and respond properly. Find out where booby traps are most commonly employed; the 11 physical signs that most often signal a trap; what to do (andnot do) if a trap is suspected or found; how to safely search a building, outdoor site or vehicle; and the one indicator that practically guarantees that a building has been booby-trapped. Shows more than 90 different booby traps in place. For academic study only. 5 1/2 x 8 1/2, softcover, photos, 80 pp."

There are others, which you can also find, that will provide schematics, and drawings of useable ambush related devices, and detonators for them.

"Contingency Cannibalism", sold through Paladin Press, and other 'underground' book distributors, is one of the Lesbianists' favorite books, that help them to track persons who they would like to later, cannibalize, themselves, as a joke on the person.

"CONTINGENCY CANNIBALISM"
"Superhardcore Survivalisms Dirty Little Secret"
"by Shiguro Takada"
"This twisted, tongue-in-cheek look at cannibalism as a last-resort survival option analyzes real-life case studies and historical episodes of cannibalism. Then it examines the hard-core decisions and gruesome details one must know in order to partake in this grisly practice. Recipes included. For entertainment purposes only. 5 1/2 x 8 1/2, softcover, 160 pp."

The Rusksack, "Survival Information Clearinghouse", is just one club of members of mainly Lesbianists, who have fun toying with the people who live on this planet.

http://therucksack.tripod.com/survival.htm

Information On Bombs Making And Detonators On The Web

For information on making detonators, and other bomb related stuff, please see this web page as it costs nothing.

http://www.bombshock.com/archive/Homemade_Bombs/

Solar Flares And Flare Igniters

A solar igniter as talked about in the article on page,

http://www.bombshock.com/file9/crtrmkr.txt-Crater_Makers-932.htm

'Crater Makers', is a solar flare igniter, a device that is used in solar flares, or night time distress signal flares, that ignite the flare, by sending an electric battery current into the flare phosphates holding tube, down a wire, on an ignition circuit, and then igniting the distress signal flare.

You can find solar igniters inside of distress signal flares that are used on boats, for shooting up into the air, with a flare gun for maritime use, that will send the distress signal flare up into the sky, if you have the flare gun pointing in that direction, and then at a certain altitude, a trip switch circuit is activated, due to air pressure, or due to timing from time of departure of the distress signal flare from the flare gun barrel.

You have to exhibit extreme caution, when taking a flare apart, as it can detonate, accidentally, and they are not made in a way so that people can safely take them apart, and people who try to take them apart, are accidentally injured, on a regular basis. Do not use this, if you do not know any thing about demining, as a professional mine deactivating specialist in the military, or with military training. This is best left up to the professionals, and is not meant as something the average house wife, business man or business woman, or chemistry or other studies, school student, should attempt.

You can use a flash bulb, and get the same results, if you glue some gun powder and phosphates to the flash bulb housing, and then crush the glass, and then wire it properly to a common house morning wake me up, alarm clock with a striker bell and a striker that moves back and forth. The circuit is simple, and you can figure it out with little difficulty.

The Lesbianists' Balooney On Minus Charges As Opposed To Positive Charges

Remember the minus sign on a battery is where all the activity of the little energies kids is going on, and the Lesbianists purposefully teach that the positive side is where the current is moving out of, and around towards the negative side of the battery. The Lesbianists teach that the active side of the battery is the plus or positive side, or the side with the plus sign on it, when you look at a common house hold nine volt battery, and that the non-active side is the negative side, or the side of the battery with a minus sign. This is false. The side with the minus sign on it, is the active side, and that is where you do not want to wire any thing to, unless you know what you are doing. The positive side has no activity going on, and is safe to touch, but the other side is not safe to touch, and the testing meters are wired to show you that the reverse is true. They have tampered with the design of testing meters, so as to support their allegation and falseity, that the minus side is where there is no activity, contrary to the truth.

That means, that, the flash bulb igniter system and the flash bulb itself should indicate that one side is the positive side, for the positive wire to be attached to. You had better check carefully, and make sure there is no mischief here, as you do not want to detonate your igniter, accidentally. Ask a qualified electronics specialist to do all your wiring of your detonators, as he or she is the only person qualified to wire these types of detonators.

The Lesbianists' Maps Of The Brains

It's rather confusing, the way the Lesbianists have reversed things, and have messed around, so as to thwart your attempts to make nice detonators that work every time, unless you have a normal set of brains, which unfortunately, I have not got a pair of, or triple set, or more of. That's sort of a joke. On a magazine, yesterday, I saw how the Lesbianists teach that one part of the brain is for speech, and one area of the brain is for speaking, and one area of the brain is for sight, and one area of the brain is for logical thinking, and one area of the brain is for signing, or one area of the brain is for artistic inventioning, and so forth, but that's a lot of hog wash.

The brain is not partitioned in that way, and they know it, and they are misleading every one, and laughing at all of you while they are doing it, with their 15th to 17th century style drawings, that they have plastered on all the Time magazines, or what ever magazine cover it was on, that I saw in the check out lane, at the super market, yesterday. You have kazillions, and more of parts to your brains, and there are so many, it is unlimited, nearly, and your brains are so complex, and you have got brains in lots of other places in your bodies, other than in your head, and I'm not going to go into that one, now, but the Lesbianists are lying through their teeth, when it comes to this type of pseudo historically backwards, archaic, or cave dwelling human's notions on science, that should insult a first grader, or kindergarden school student, or preschool student.

In any case, ask your local electronics' specialist or house hold electricians' specialist, or handy man repair persons, who work for house hold water heating devices installation companies, or other electrical home appliances sales and installation companies, who also get confused, from time to time, as I've witnessed them, personally, blow up breaker circuits.

Get a qualified, and that's hard to find in so far as I've witnessed them at work, electronics' specialist to wire your detonators, or go take a course with my kids, as they have courses available on wireing such devices.

There is no minus charge, and there is no positive charge, and that is what you should understand. There is a side to the battery where there is lots of activities going on, and that is the minus sign side on the battery. The positive sign side on the battery is where there is little to very little or nearly no activity, but no activity is not the truth, either, as there is activity, you just can not measure it with todays' electronics measuring devices, as they are not technologically sophisticated enough to be able to detect the activity, though I'm sure there have been intrepid scientists who discovered that both sides of the battery have activity, and then they were shot and killed, after that discovery, by a Lesbianist assasin, or by a hired assasin, assigned or paid to kill the scientist who discovered that there is activity at the 'minus' side of the battery as well as at the 'positive' side.

That means, that you need only concern your self with the 'minus' side, since you will not be able to detect any thing at the positive side, unless you use the reverse wired electronics and electrical energies detection devices that the Lesbianists market through Tandy, or Radio Shack, and at Sears, and so forth.

It gets confusing, a little bit, doesn't it. Anyway, go and take a course at one of my kids classes, after you sign in, and swear in as a jr. member to our new country, which I haven't sworn on to, as yet, or joined - but though I am the boss of, regardless - since my kids do not speak to me, on a daily, or weekly, or other basis, and I just happen to be able to know what they are doing as they tell me what they are doing, through some secret port hole in one of my brains some where, in my toes, or nose, or who knows where, as they telegraph or some how signal in, using semiphore signaling, or probably hand signaling, that my brain then catches, and then passes on to me, their messages that they signal in to me, and the news, as well, about what they are doing, and about what is going on with them, and about what is going on with some other things, as well.

Since I am GOD, I happen to have a right to know this stuff, what they and every body else is doing, on a daily basis, but they haven't told me how my brains catch their information, yet, or the other information that gets there, some where into my one or more of my brains, and I haven't figured it out, yet, myself, either, though I think I know something, a very little something, about how it works.

This does not mean, that my brains are unreliable - except for my memories areas of my brains, in particular - but that I am just waking up to what is going on, here, and I have a few kazillions of years to work out every thing, or some of the basics, any way.

In any case, you have all been snookered by them, with regards to their non sense sciences, and you are being laughed at, and toyed with, daily by them. That happens to be the truth, whether we find it pleasant or not.

Execute The Current President Of The United States Of America, George

Walker Bush, Jr.

In any case, the Lesbianists are a twisted group of individuals, who toy with the people who live on this planet. Mrs. Hillary Clinton, Bill Clinton, George Walker Bush, Jr. President of the United States, his wife, Barbara Bush Jr., George Bush, Sr., former president, and his wife, Barbara Bush, Sr, are all gagsters, or jokesters, who wish to only toy with you, and eat you, or deprive you of your life, and of your rights, in fiendish and horribalistic ways and manners.

They are all to be executed, especially George Walker Bush, Jr., President of the United States of America, currently residing at 1600 Pennsylvania Ave. Washington DC, in what they call the White House. You are to kill them all, and send every last one of them to my Epcot Center, as soon as is convenient for you.

Lesbianists Who Decide To Sexal In My Religion With Lesbianists And Non-Lesbianists' Persons

If any Lesbianists decide to sexal in my religion, with their friends, and their friends may include other Lesbianists who decide to sexal, as well, as well as, other people they know, then they may begin sexaling with their friends in my religion, however, they must have a pentative attitude, and they must say they are sorry, and they must now and then, when they feel they wish to, and feel emotionally and mentally capable of speaking about it, they can talk with their friends who they are sexaling with, and with others who wish to listen as well, and they can denounce the Lesbianists by telling people about the things the Lesbianists do, and did.

If they decide to do this, this is the same as surrendering, and my kids will protect them from other Lesbianists who might want to harm them. They have not sworn in, as a citizen of my and my kids' country, and as citizens of our country that every one is swearing in to as citizens, but it is sort of a promise to swear in, informal gesture that they are committed to, once they begin sexaling with their friends, and with other Lesbianists, who also wish to sexal and in time, denounce the Lesbianists with them.

Citizens By Proxy

By denouncing the Lesbianists organization, and by telling people about what the Lesbianists do and did, they are essentially stating they are sorry for what has happened, and that is a pentative attitude, and with that pentative attitude, they are accepted as citizens, by proxy.

Temporary Full Time Citizens

Citizens by proxy means they are accepted by my kids as pentative persons, who wish to join our country, and who there with, qualify as citizens of our country, in an informal manner. Citizen by proxy means, they give up their old citizen ship, to whatever government they used to belong to, and they are taken in, as temporary full time citizens.

Temporary full time citizen is a term that means they are full time citizens, but on a temporary committal agreement, and that will be made permanent when they have the chance to meet with my children, and then can swear in, as a permanent full time citizen.

They can then participate at the collection site, in the activities that will be going on, with others, who wish to participate, as they spill their juices, and purify the area with their sexaling juices.

What To Do About Untimely Pregnancies, Health Issues, Medicines, And Regroverative Formulas

My kids will deliver to them, to the men and to the women who surrender and become citizens by proxy, and temporary full time citizens, the needed medications that will help to make their bodies, wholesome and well, and regroverated, as well as the medications that are needed to prevent untimely pregnancies.

Medical And Housing Benefits, And Other Health And Work Related Benefits

My kids will make certain that they will be given the right medications, and my kids will also provide all the same medications for each individual who participates in the collection site activities to purify the area where we will one day set up my ministry with my kids assistance. My kids will also set up other facilities, as well as the ministry facilities. The other facilities will be scattered through out the valley, and they will be the houseing units and other facilities for people to use to become physically fit, well, and well nourished, and healthy, such as gyms, aerobic studios for practicing aerobic dance, and aerobic excercises, as well as sauna and health spa, and swimming, tennis, badminton, cricket, and other sports facilities for baseball, rugby, foot ball, for those who wish to play a friendly game of foot ball, now and then, with the needed bleachers, lighting, and other supportive facilities for allowing persons to attend and watch the games that are going on, not only for foot ball, or for base ball, but also for tennis, soccer, rugby, and all out door sports facilities that will be needed.

When will my kids set up these facilities? They will set them up at the same time or shortly there after, as my kids begin to set up my ministry facilities, and the needed facilities for living and working in the valley area, sexaling for a living.

At that time, the citizens by proxy, and all other persons who have not yet sworn in, but wish to, will have the opportunity to swear in, and then they can enter and use the facilities full time, twenty four hours a day, without any further discussion about it.

All people who participate in the collection site activities, are also citizens by proxy, and as such, will automatically qualify for all medicines, all health supportive medical formulas, and all youthfulness prolonging, or regroverative formulas, that will feed all the amoebes, and other cells, or living beings in your bodies, and that will feed all the living beings in your bodies, that will then allow you to enjoy full regroveration of your body and rejuvenation of your youthfulness, youthful energies, and of all the other health benefits that accompany a youthful body, such as more energy, a stronger libido, a more healthful body, and so on.

When do people begin this participation in the collection site activities? As soon as they come out here, to Las Vegas, and arrive in their camper trailers, or caravan buses, or other vehicles, or with their camping gear such as tents, and cooking grills, and so forth.

When Can People Begin To Come So As To Be Able To Participate?

How soon can people begin coming to participate at the collection site in the activities that will be on going at the collection site for some time to come?

They can begin coming to participate any time. My kids will watch out for the safety of all the people who come to participate in the collection site activities. My kids will prevent accidents such as current Lesbianists shooting at people at the collection site, from high rise towers, scaffolding, tall cranes, or from hotel and casino properties owned by the Lesbianists, and from other tall condominium and also from tall apartments buildings and also from normal sized, two or three storey, to eight or so stories, apartment buildings, in the area. Of course, my kids will prevent accidents from happening such as shootings, from all possible locations, and not just from those named structures and locations.

Sniper Points, Places Where Snipers Shoot From

There is no need to blow or destroy them with explosives, in Las Vegas, as there will be no way any one can use those hotels, and other structures, as shooting or sniper points, places where snipers shoot from, to harm any one who is participating at the collection site, in the collection site activities.

In time, every thing will be worked out, and all the people who must hand over their companies, or disolve their companies, and sell or get rid of the assets of their companies, all of that will be in compliance with my childrens' instructions with regards to it, as I've stated about it, already, in brief.

Once the facilities are set up by my kids, and people swear in formally, then my kids can begin to pay people their earned income, for the work they did as they sexal for a living, and for their work, as they spill their fluids, to purify the collection site, the collection site area, and the general vicinity.

Pocket Knives, Construction Tools, And Miscellaneous Daily Life Management Tools And Equipment

No one needs to bring weapons to the collection site area, or to Las Vegas, as they will not be needed, and pocket knifes are okay, and construction tools are okay, but they will be for daily use activities, only. Daily life management tools are forks, knives, spoons, chopsticks, plates, dishes, glasses, coffee cups, can openers, bottle openers, cork pullers, and these types of things, as well as all the other types of kitchen use tools for cooking food, for eating food, for drinking beverages, and for the collection of garbage, and food wastes, and for cleaning up their eating and cooking utensils, such as portable wash basins, and portable gas stoves, or fixed stoves, fixed wash basins, fixed showers in camper trailors, and in caravan buses, and so forth.

Hookups For Travel Camping Vans And Similar Vehicles

We have no hookups at the site, for water supply, electricity, or sewage, as yet, but the instructions that my kids will make available to persons who come in to my kids' underground facilities - the protected and encapsulated living environment - those persons who go in to recieve the instructions, and other information they must recieve on companies and assets, and persons moving on, and on persons staying, and other information needed to successfully carry out the removal of hotels, and the demolition of buildings, etc. which my kids will handle with the technologies they have available to them for their use for these purposes, and for other purposes.

Cleaning Up The Area And Throwing Away The Garbage

My kids will also handle the required steps for clearing up of the litter and garbage in the area, all of Las Vegas, Pahrump, Henderson, Laughlin, Mesquite, North Las Vegas, Arizona, New Mexico, California, Utah, and beyond, above ground and below ground, and for cleaning up the areas, and for removing the underground and above ground garbage, or city buildings and Lesbianists' structures, and all structures that are no longer needed, train tracks, airports, roadways, bridges, parks, hospitals, medical clinics, and so on, all of which will no longer be needed.

Schedule For Leveling Of The Ground And Hills In The Area, Removal Of Unsightly And Smelly Garbage

Initial leveling of the grounds' areas, leveling of the uneven surface areas, and leveling of the sloping areas, and of the tiny hills, and other uneven and unuseful features to the area, such as hills, low cliffs, and removal of unsightly, smelly garbage, will be done by my kids, with the technologies they have available to them, according to the schedule for making these types of changes, and cleaning up of the area, so as to make the area, one hundred percent, useable for collection site activities, for people to then come in and use the area as a collection site.

Setting Up New Facilities

My kids will take care of all of that, and they will take care of all of the work and tasks for setting up a private collection site area - for spilling purifying sexaling juices, to purify the area - in accordance with my kids' schedule for these works and tasks for setting up a private collection site area, with tall side walls, and barricade walls, to prevent people from rubber necking as they drive by, so as to prevent car, truck, automobile, motorbike, and bicyle accidents. My kids will also set up the latrines, and other needed hygenics facilities, sleeping accomodations, eating facilities, rehydration facilities, co-opted bathing facilities, sports and excercises facilities, and other facilities.

Co-opted facilities means facilities used co-optively by men, boys, women and girls. Co-optively means, in cooperating measures with each other. Cooperating measures means, each of the four groups of people, men, boys, women, and girls, will work together, to keep the facilities sanitary, clean and healthful, neat and tidy, and safe for use, keeping young children from playing on the stairs for the elevated latrines, and keeping young children from getting in the way of asscending and descending users of the co-optively, or cooptively managed facilities.

Fountains And Showering Lamponeers

My kids will also use their high tech teletransportation technologies for removing toddlers from the stairs, and for placing them in a much safer location, such as in a near by sand garden, or play area, with sandy areas, and with toys to play with, and with cold showers, or showering fountains, people can refresh themselves under, and with fresh water to drink.

Lamponeers are showers that shoot up from sprinkler systems embedded in the paved surfaces, or concrete like surfaces, that shower water up and over the area, up and above and over persons who are there, to cool every one off.

Restaraunts, Clubs, Lounges, Eateries, Cafeterias, Bars, Pubs, Bicyle Paths, And So Forth

Bicycle paths, mini bike paths, walking paths, with rest stations, for refreshments and food, will be set up, and restaraunts and other facilities will be set up, nearby and they will be accessable by following these foot paths, bicyle paths, waling paths, and so forth.

All needed facilities for all parties, such as accomodations, living quarters, health clinics, excerize facilties, swimming pools, saunas, spas, and clubs for eating and mingling with persons, either in light weight evening wear and garments, or partially naked, or in the buff, will also be set up by my children for the use by all legitimate collection site participants. Gurkian Laws apply, and no other laws, such as local area laws, will be enforcable. Police and others will be turned away, and the rights of participants at the collection site area, will be protected one hundred percent, as we begin to change over to the new Gurkian Laws we will all be living by, from now on.

Dealing With Criminally Minded Persons

Any violators of the Gurkian Laws, codes, statutes, and so forth, my kids will arrest, and detain, and then place into prison cells, and then sentence them, in accordance with the sentencing requirements under Gurkian Laws, etc., and they may end up doing humiliatory punishments, or community clean up activities. In any case, they will be arrested by my children, who will use their high tech, biometrics and teletransportation technologies, and their other integrated technologies that they have, to swiftly remove the violators of Gurkian Laws, from the collection site and from the collection site area, and vicinity, and that will effectively cancel out their participation, until sentencing has been given, and until penalties have been leaned.

Penalties have been leaned, means, they have undergone sentencing, and the penalties have been enforced upon the violators, i.e., the guilty parties.

Alterations, Modifications, Changes, Clearing Up And Removal Of Garbage In The Areas, And Additions Time Schedules

These modifications, alterations, changes, and additions, etc., will occur over a period of time, as my kids have a schedule for all of these changes, modifications, alterations, clean up, and additions, etc., and they must stick to the schedule, so after you arrive, if you do not see some thing you feel should be there, by then, it is not there because it is not on the priorities facilities and priorities changes, etc., schedules lists.

Captain Off The Bridge.

John Francis Ayres
      GOd
  And Children

---

http://news.yahoo.com/s/ap/20070202/ap_on_he_me/cervical_cancer_2

Begining of article.

Texas requires cancer vaccine for girls

By LIZ AUSTIN PETERSON, Associated Press Writer

AUSTIN, Texas - Bypassing the Legislature, Republican Gov. Rick Perry signed an order Friday making Texas the first state to require that schoolgirls get vaccinated against the sexually transmitted virus that causes cervical cancer.

ADVERTISEMENT

By issuing an executive order, Perry apparently sidesteps opposition in the Legislature from conservatives and parents' rights groups who fear such a requirement would condone premarital sex and interfere with the way parents raise their children.

Beginning in September 2008, girls entering the sixth grade - meaning, generally, girls ages 11 and 12 - will have to get Gardasil, Merck & Co.'s new vaccine against strains of the human papillomavirus, or HPV.

Perry, a conservative Christian who opposes abortion and stem-cell research using embryonic cells, counts on the religious right for his political base. But he has said the cervical cancer vaccine is no different from the one that protects children against polio.

"The HPV vaccine provides us with an incredible opportunity to effectively target and prevent cervical cancer," Perry said in announcing the order.

"If there are diseases in our society that are going to cost us large amounts of money, it just makes good economic sense, not to mention the health and well-being of these individuals to have those vaccines available," he said.

Merck is bankrolling efforts to pass state laws across the country mandating Gardasil for girls as young as 11 or 12. It doubled its lobbying budget in Texas and has funneled money through Women in Government, an advocacy group made up of female state legislators around the country.

Perry has several ties to Merck and Women in Government. One of the drug company's three lobbyists in Texas is Mike Toomey, Perry's former chief of staff. His current chief of staff's mother-in-law, Texas Republican state Rep. Dianne White Delisi, is a state director for Women in Government.

Perry also received $6,000 from Merck's political action committee during his re-election campaign.

Texas allows parents to opt out of inoculations by filing an affidavit objecting to the vaccine on religious or philosophical reasons. Even with such provisions, however, conservative groups say such requirements interfere with parents' rights to make medical decisions for their children.

The federal government approved Gardasil in June, and a government advisory panel has recommended that all girls get the shots at 11 and 12, before they are likely to be sexually active.

The New Jersey-based drug company could generate billions in sales if

Gardasil - at $360 for the three-shot regimen - were made mandatory across the country. Most insurance companies now cover the vaccine, which has been shown to have no serious side effects.

Merck spokeswoman Janet Skidmore would not say how much the company is spending on lobbyists or how much it has donated to Women in Government. Susan Crosby, the group's president, also declined to specify how much the drug company gave.

A top official from Merck's vaccine division sits on Women in Government's business council, and many of the bills around the country have been introduced by members of Women in Government.

End of article.

"Updated:2007-02-03 11:05:53"
"Texas Requires Anti-Cancer Vaccine for Girls"
"By LIZ AUSTIN PETERSON"
"AP"

Photos Title: "Mandatory Vaccine"

"AUSTIN, Texas (Feb. 2) - Bypassing the Legislature altogether, Republican Gov. Rick Perry issued an order Friday making Texas the first state to require that schoolgirls get vaccinated against the sexually transmitted virus that causes cervical cancer."

http://news.aol.com/topnews/articles/_a/texas-requires-anti-cancer-vaccine-for/20070202172109990001?ncid=NWS00010000000001

Morals For A Sane Society - It Is Now Time To Destroy The Lesbianists - Destroying The White House, Balitimore, Maryland, And Virginia, Killing The President Of The United States, Mr. George Walker Bush, Jr., And Sinking The Eastern Coastline Of The United States Into The Atlantic Ocean - Chaos Every Where In My Universe - Bringing An End To The Chaos In My Universe - Surrendering And Repentance - Lesbianists With Non Repenentant Attitudes Who Will Not Surrender - Orders To Kill All Presdential Candidates, Etc. - New Coins Ready And Are The Ever Useful To Us! - Public Nudity And Public Sexaling - What Does The New Moralicity Mean, In Plain Language? Sexaling Is An Absolute 'Good' And An Aboslute 'Right' - Free Action Sexaling Updated: 13-02-07 Rev.a. 00.a PST 23:25

Morals For A Sane Society

To not fuck a person when you can fuck a person is a wicked act.

Not to fuck a man or a woman in the mouthal hole, or in the buttal hole, or to not fuck a woman in the vaginal hole, when you can, and when you are healthy, and when you have the time for it, by refusing, for what ever reason, other than mental illness, or 'gayist' reasons, you are committing a cheap and wicked act, when you refuse to fuck the other person, and use your dick, or your tounge to felate or kiss and tickle, and lick at the ladies' groinal area, and her vaginal cleavage, and vaginal flaps, or labial flaps, or labial tissue, and also her labial throes.

To not suckal a dick or a scrotum or tickle the males' groinal area, with your tounge, or with your fingers, and so forth, when you are able, and ready, and capable, is a cheap and wicked act, whether you are a woman or a man, girl or a boy.

You are given demerit points for not sexaling when you can and are able to sexal, and your time permits it.

To not participate in sexaling when you can participate in sexaling, is a wicked act. To prevent others from sexaling with you, or prevent a person from sexaling with you and your friends, these are both wicked acts.

A kindly and goodly person is a person who sexals all he or she can and who participates in sexaling with people, all he or she can, when ever he or she can to help those people, and one self, to erase the negative karmic markups each person has, and to help to create the wonderful energies that you can create by sexaling, and to change our universe into the nice place we need to change it into for us to live in, prospering with each other, in kindly loving embraces with each other.

If you stand or sit, talking, drinking, eating, with your clothes on, arguing, and discussing football, or baseball, or the local news on TV, or whatever, and you if you are not sexaling, as a result of your actions, when in fact, you could be sexaling, and helping to purify all the people around you, and yourself, as well, you are commiting an evil act, and an immoral act. It is immoral to behave in an uninterested manner, towards sexaling, and towards helping others by sexaling to purify their karmic markups. You are engaging in wicked, unkindly, and evil behavior, by non chalantly staring out the window, at a restaraunt, or in your car, with others around you, thinking about your miscellaneous thoughts, and by your not attempting to purify others, with every ounce of energy you have got, by sexaling with them, in a safe manner.

We do not want you to drive down the road, sexaling, and not paying attention to the traffic, and thereby causing accidents, and there be causeing harm and injury to self and to others, thereby preventing one self and others from their being able to freely mobilate, or move around freely, or ambulate, as they say in modern English, and then freely participate in sexalating activities of fucking, sucking, tounging, massaging the bodies, and the titties, and buttholes of women and girls, and massaging their kissing lips, and their vaginal lips, their facial cheeks, and their butt cheeks, and so forth. You must drive safely, and make it home, to a safe place, where you and your friends can freely sexalate with each other, without others interefereing with you.

A wicked or evil person is one who prevents a person from sexaling, and who destroys or ruins another person, physically, mentally, morally, emotionally, psychologically, or psychically, so that the other person can not participate freely and fully in holy and pure, GODLY sexaling activities.

This type of person who prevents others is a ruinous person, who will invite ruin and disaster to his or her doorsteps, and into his or her life.

There are many ruinous people, who execute others, and who torture, and cause pain, and suffering to others, and who disfigures others. These people who execute others, and who terminate their ability to sexal, prospering with others, making our universe into the kind of nice place we all want to be living in, together with each other, are wicked and evil people.

It Is Now Time To Destroy The Lesbianists

However, when we have a problem of the size and the magnitude of the Lesbianists, that we have, today, in this period of chaos, across my universe, and the Lesbianists' who are toying with humanity, and with all human beings who are not Lesbianists, it is time for us to take action, to prevent them from toying with us, and put a stop to their amusing themselves with their toying with us, any further, and it is now time to destroy them.

"I am Arjuna, a wickedly angry man, and I come to protect those who can not protect themselves. I will kill and thrust my sword and lance through the hearts of men and women who evilly try to prevent people from being prosperously good and bekindly to others."

This is a stanza or sentence from one of my writings, of old. 'Wickedly angry' in this sentence means, outraged, and furious, so much so, every one is scared and afraid of me.

I am 'wickedly angry' and I am here 'to destroy' those who would fuck us up, and ruin our lives, and make our lives miserable, as they toy with us.

My name is GOd, but in my Buddhist scriptures, I am referred to by many names. One of my many names, as I appear to people, in many and various personas, is Arjuna.

I have many sides to my character, as I am GOD, and I am here to protect my children, no matter what the name is people use to refer to me by, and that I am known by, and no matter how it is and no matter who it is among my many children, who I will protect from wicked and ruinous people.

Destroying The White House, Balitimore, Maryland, And Virginia, Killing The President Of The United States, Mr. George Walker Bush, Jr., And Sinking The Eastern Coastline Of The United States Into The Atlantic Ocean

There will not be any further Lesbianists living in Washington DC, or in Baltimore Maryland, or in Northern Virginia, and that vicinity, above ground, and below ground, if some one will be so kind as to place a very large explosives, fuels, chlorine, high heat burning metals fragments, and fracturable rocks bomb, outside the gates to the Washington DC White House, where the number one enemy, Mr. George Walker Bush, Jr., President of the United States, lives, and works, and then detonates that bomb, out side the gates of the White House, where the president lives, currently, and then destroys him, and his White House, a lair for Lesbianists, with multitudes of torture rooms, i.e, lots of them, below and inside of the White House.

You will destroy and kill the President of the United States, Mr. George Walker Bush, Jr., and Mrs. Barbara Bush, Jr. and every one else who lives at 1600 Pennsylvania Ave. Washington DC.

Why are we going to throw all these people into my Epcot Center. Once in my Epcot Center, they can freely sexal with each other and they can earn merit points.

That will help them straighten out their karma, and it will help them to have a nicer life, when they are born as tummy babies. There are many tummy mommies who will match up with these people, and when they come out as tummy babies, they can start their life, with us, out here in my universe with us, again.

Am I a wicked wrongful person for terminating so many people's lifes? No. Why not? Because that is the only way we can over throw the vastly wicked and evil Lesbianists who practically rule my universe, with their perverse friends, and there are many groups of perverse friends, who we are going to get rid of, and send into my Epcot Center, one after another, as we move ahead, in our efforts to clean up our universe, and in our efforts to stop this nonsense of senseless killings and torturings of people, for amusement, and for game playing.

The Washington White House is one of the homes for these perverse people who game play and toy with all human beings who are not Lesbianists, who live on this planet.

We have many Lesbianists to trash, and to say good bye to, before we can begin to get our world, straightened out, and started up again, with a new culture, with new morals.

We will throw out their old cultures, their Lesbianistic cultures, and we will replace them with our new culture, and our new civilization, that is based on my religion, and on the sanctity of sexaling as a common sense value.

Sexaling is a sacred and holy act. Even if you sexal with a kangaroo, or a chimp, it is still a sacred and holy act.

Why is that? It is because every body is made of something, and that something comes from me, GOD. That something from me, is pure and holy, as I am pure and holy. I designed every person, and every animal, and every living being, with sexaling capabilities that allow that pure and holy GODLYNESS to come out once they begin sexaling.

That GODLYNESS begins to radiate out, as each person begins sexaing, and as each animal begins sexaling, and as each living being begins sexaling, eroteming, orgasming, and phlumetting, and it purifies each and every living being, and washes away the karmic markups every person, and every animal, and every living being, has in them, and has stored in the molecules that are stacked up in my universe, out side the boundarary walls that hold this universe up, and that keep us in side of the area we are in, and that keep the rest of my universe standing up, stable, making this a safe place to live, at least, safe in so far as nothing comes crashing down on us.

My kids are expert builders, and it is thanks to them, that we have such a nice and safe, and well built universe to live in. It is also thanks to them, that we have these bodies to live in, and to sexal with, since my kids put us together, one molecule at a time, as we need to have our parts put together, along with all the anmials, and living beings, who are inside of us, that my children also assemble for me, and for us.

What is this GODLYNESS? It is a purifying force, that is of me, and is me. It is inside of every one, and inside of every creature, animal, and living being, in my creation.

This is woven into the fabric of your being, and it is of me, and is always a part of me, and is always connected to me. Since I am always pure, and GODLY, you have a possibility of becomeing pure, and holy, like me.

Right now, we are filthy, and grimey, and all gunked up, with sludge, and residues of our karmic heritage. We have done many things that contribute to who we are, and to what we experience, day to day, and if we are not happy with our life, that is because we have the karmic records and markups that dictate that we must be in this miserable and suffering condition, that we are in, today.

There is always sufferring, and unwholesomeness, in our lives, and around us, every day. There are many wicked things that go on, every day. People perpetrate wicked acts, daily, and they go on, unpunished, for a long time, until their karmic markups begin to add up to sufferings coming out, in that person's life.

Sufferings are your payback for your wicked acts, and they help to keep our universe in balance, as I've spoken about, a little, before.

It may seem unwholesome that I ask you to kill my kids, and put them into my Epcot Center, where they can sexal, and where they can get retrained, and where they can be taught to be nice people, after they are retrained, but my asking you to kill my kids, this is merely an expedient, or a means to an end, and it is permissable, given the circumstances, and given the situation, and given that we are at the begining of our new Age of Gurkian Englightenment.

The result we wish to see by killing them, is an end to the activities of the Lesbianists, and and end to the activities of other people like them, in my universe. The Lesbianists are ruining my universe, and ruining the lives of every body in my universe, and though this was the way things were balanced out, prior to now, we are starting out, with a new method of 'payback' and a new means to balance out the karmic balance book. This is all to be governed by my rules and regulations, that my kids will enforce, in our new, Gurkian Age of Enlightenment, begining about now.

Our killing the Lesbianists, will help to control their ruinous and heinous behavior and activities, and it will help us to get them out of the picture for a while, until we are able to set up our new government, globally, or universal wide, across our universe, in a one universe government, over seeing the activities of all of my kids. It is the only way we have to begin to get our selves straightened out, and onto our new path, that we will follow, for the rest of eternity.

This marks the begining of the Gurkian Age of Engligtenment, and it marks the end of the previous period, or random, or just about nearly random, chaos.

We went through a very long period of decline, untill we got to the period of chaos that we are in, now. This period of chaos, we call, the 'melt down' period.

The 'melt down' period, came after the 'run amuck' period, when my kids began their severely ruinous activities that led to the period of chaos that we are now in.

Chaos Every Where In My Universe

We are going to begin to pull ourselves out of this period of chaos, with the help of my religion, and with our religious activities, and it is going to take us a very long time to pull ourselves out of it, as this 'chaos' is going on every where in my universe.

It will take us a long time to begin to be able to erase our karma enough, based on my religious principals, and the ethics of the Gurkian Age of Englightenment, and our religious activities of sexaling, dancing and excercising, and sexaling in syncopation with the metronome, at one thirty seventh and one fifth, or so, to then some day be able to have erased enough karma, to be rid of, completely, all these horribalistic people, my horribalistic kids, in my universe. When I say, be rid of them, I'm not saying, to trash them, completely. I am saying, we will put a stop to their activities, by changing our karma, and by purifying ourselves with my religion and our religious activities of sexaling, keeping time, in synch with my children, as we sexal, and as we activiate, playing basketball, tennis, or as we swim, or as we pray Nam Myeo Ho Ren Ge Kyeo, and so forth.

Bringing An End To The Chaos In My Universe

We are going to bring an end to the chaos, and to the chaotic behavior, and abberant, ruinous behavior in our universe, as we bring this period of chaos to a close. We will, as we steadily move forward, open the way for the budding and flowering of the Gurkian Age of Enlightenment, and to the budding and flowering of the new age of friendship and loving care, among all of my children, who participate in my religious, social, economic, and karmic revolution, as we sexal with each other, lovingly, and strive to clearify and erase our karmic markups, sexaling, and synching our activities to one thirty seventh and one fifth on the metronome. Later we will fix our metronomes to keep exact pace in synch with my children, and after we fix and reset the timing scale of the metronome, the timing will be one thirty seventh, exactly, on the metronome.

Our sexaling will produce all types of wonderful, purifying energies, that will revive our universe, and that will revive us, and that will help us to reclaim our universe, and that will help us to live, prosperously, and prosperingly in our universe, together, with each other, and with every one of my children, as we reform the bad and naughty ones, who are wicked and unkind to others, and who prevent people from sexaling, together, with each other.

That means, we are going to kill all the bible thumpers, Pat Robertson, Orwell Roberts, Billy Grahm, Tammy Faye, Jim Faye, and all the other Lesbianists of every religious faction, or group, whether they are Lesbianists who are christians, islamists, judaists, shiites, hindus, buddhists, black moslems i.e., afro american black muslims, or whatever.

We are going to destroy them all, all who would try to prevent us from what we are attempting to accomplish, a global, universal wide, government, run by me, GOD/GOd, as I am the Captain of this ship, and then we are going to begin our new age of Enlightenment, hand in hand with each other, and when they come out of my Epcot Center, again, next time, to be born as tummy babies, to tummy mommies, and to tummy daddies, we will teach them the new rules, ethics, and morals of our new universal wide society, and then we will begin again with them, and raise them in accordance with the new rules, laws, regulations, ethics, and morals of our Gurkian Age of Enlightenment, led by me, GOD/GOd.

Surrendering And Repentance

Those who will surrender, will be allowed to be repentantent, and they will be forgiven for their misgiven, misbegotten, and ill minded ways, once they begin sexaling with the rest of us, and participating in our religious, economic, and social revolution, and once they begin following Gurkian laws, rules, ethics, the codes and norms of behavior, and our righteous, and correct morals, acting and exerting one's efforts for the sake of others, never sparing a moment of energies, wastefully on trivial and trite activities of gossipping, mischiefing, or other harmful, and potentially ruinous, wicked, and evil behavior.

Lesbianists With Non Repenentant Attitudes Who Will Not Surrender

Those who will not surrender, we will send to my Epcot Center, as that is the only way we can get them out of the picture, temporairily, so that we can then get things in order, before they return, once again, as tummy babies, into the lives of tummy mommies, and tummy daddies.

Orders To Kill All Presdential Candidates, Etc.

You are hereby authorized by me, GOD, John Francis Ayres, to kill all United States Presdential candidates, including but not limited to, Barack Obama, Hillary Clinton, and Mitt Romney. They are to be executed on sight. Also, you are ordered to kill all non repentent Lesbianists, such as, Vice President Dick Cheney, Tony Blair, Butros Gauley, Oliver North, Colin Powell, Oliver Poindexter, Casper Willard Weinberger, United States Supreme Court Chief Justice John Roberts, Associate Justices, John Paul Stevens, Anthony Kennedy, David Souter, Clarence Thomas, Ruth Bader Ginsburg, Stephen Breyer, Samuel Alito, Antonin Gregory Scalia, Arnold Swarzneggar, Sylvestor Stallone, Robert Deniro, Gary Busey, Kevin Sorbo, Timothy Dalton, Michael Jackson, Matt Damon, Bruce Willis, Mila Jovovich, Peter Jennings, all members of the United States Congress who are Lesbianists, and all other Lesbianists, whether in politics or not, and in whatever government you find them, around the world. There are many Lesbianists in local and metropolitan police departments, and in SWAT Team units, and in fire departments, and in the National Guard units throughout the United States, and Lesbianists own every news media organization, television corporation, cable television corporation, satelite television corporation, major radio station, transportation corporation, chemicals corporation, petroleum corporation, coal mining corporation, as well as every other major corporation around the world. You are to kill every last one of them, and spare no one. We will then destroy every underground city they are hiding in, and force them to surrender. If not, we will kill them all, and I authorize you to do exactly that, kill every last one of them, all thirteen billion plus Lesbianists, hiding under the surface of our planet, or out walking about, pretending to be an ordinary citizen on this planet. Nothing is further from the truth, and you are authorized to kill each and every one of them, and send them all to my Epcot Center, using what ever means available, including my tactical, powerful, home made radiological explosives bombs, i.e., nuclear explosives. Please study my notes on my web site for further details regarding radiological fracturable rocks, and my notes on how to make an explosive weapon to detonate nuclear materials, you can find along beach shorelines, in sediments deposits, and on old mountains, every where on our planet, if you have a geiger counter.

New Coins Ready And Are The Ever Useful To Us!

http://money.aol.com/news/articles/_a/new-dollar-coins-enter-circulation-this/20070211095409990001?ncid=NWS00010000000001

"Updated:2007-02-11 15:20:31"
"New Dollar Coins Enter Circulation This Week"
"By WILL LESTER"
"AP"
"WASHINGTON (Feb. 11) - Maybe Susan B. Anthony and Sacagawea should not take public rejection personally. It's not easy overcoming people's indifference to dollar coins, even those honoring such historic figures."

See also,

http://news.yahoo.com/s/ap/20070211/ap_on_bi_ge/money_ap_poll

The new coins reportedly have many fracturable rocks in them, as the metals used, were mined from deposits of minerals that contain large amounts of fracturable rocks.

They also have high heats and high temperatures burning minerals in them, that will level up your thermal temperatures to near solar temperatures, if grinded up and mixed in, and allowed to ferment, in sour berry juices, slowly, with tiny amounts of salt, and large amounts of raw sugar.

The high heat temperatures, and the energies produced at these higher heat levels, will reach near solar heats energies temperatures, and that is very important for developing the energies needed to wake up every body, in the fracturable rocks - or 'fissile' materials, in Lesbianists' speak, or Lesbianists' mumbo jumbo language - to get them to begin making children and families.

Please see my notes on 'Radiological' crystals cages salts kiddies, and other related energical animals kiddies, of various, and hard to imagine, types, unless you're a kid and unless you have the mental flexibilities and typical mental gymnastics capabilities of a normal child, unhindered by brainwashed thinking and brainwashed patterns of thought the Lesbianists have caged, and closeted in the dark, our brains with.

Public Nudity And Public Sexaling

Public nudity and public sexaling is now a way of life for all, in our, now, Gurkian Age of Enlightenment. We will begin broadcasting live sexaling events, and other entertaining and informational, educational programming,, as soon as I get my new quarters, a unit to live in, where I can eat more properly, sleep more properly, recieve the medical health aides and regroverative formulas, that I need, and where I can practice my religious ceremonies, with others, daily.

The public broadcasting of various informational programing, educational programing, sexaling entertainment programing, sexical, hygenical i.e., sexaling hygene, and sexical educational programing as well as sexical training programing, as well as my religious ceremonial sexaling activities, and my general, more typical day to day, religious ceremonialing, for now, until I get my health up to a level of youthful vigor, and robust wellness, as I religiously interact with my students, and train them, the disciple priestesses, and disciple priests, will all help to set the basis of normative, and expected, social behavior, for all people in our universe, to learn about, now in our Gurkian Age of Enlightenment, so that we can all get along, with one primary set of customs and standard of behavior, and with one primary language for communication, as we will all be sexaling with each other - all of my children who are now just begining to get with the program, at least, anyway, will be sexaling with each other - from now on, and for all eternity.

We need this exposure, as well as alternative programing, for laundering up to, and for begining to expose ourselves to, and learn about, the reality of the universe, my universe, that we live in.

Laundering up to, means, exposing ourselves to the mischievous antics of the Lesbianists, to launder their filthy, garbagical, and tormentuous ways, so that all may learn about them.

This will be coming up, in the near future, possibly, as far as I can determine, any way, after we have the spilling of the sexaling fluids campaign under way for purifying the area where I will be setting up my religious ministry, on the parcel of land, on the north west corner of the intersection at West Tropicana Ave. and South Decature Blud., Las Vegas, Nevada, and possibly on confiscated properties to the north, as well as to the west, for now. This is a public service, informational bulletin, on what you are to expect, in the near future. Prepare yourselves, accordingly.

What Does The New Moralicity Mean, In Plain Language?

Our new moralicity means we are going to learn we can and should sexal with every person, and even with animals, when we have a chance or opportunity to sexal with people and animals, and that we can and should sexal with every person we see, so long as we have a mutual reciprocical understanding of the truth to sexaling, that it is a pure, blessed, and holy act, GOD, me, made possible, to purify you of your blemishes. It is the most significant and powerful way to purify you of your blemishes and karma

You can also clearify your blemishes, your karmic markups, by praying

interfere with, in any way at all, with a person's absolute right to sexal runs counter to Gurkian laws, regulations, codes, ethics, morals, standards, and you will serve jail or prison time, for prohibiting, or interfering, or impeding, or violating in any way, a person's absolute right to free action sexaling, which is, the act of freely chooseing who one wishes to sexal with. DO YOU UNDERSTAND THAT, SOLDIER? GOOD! BECAUSE A "NO SIR!" WOULD BE INAPPROPRITATE AND UNACCEPTABLE!

To learn more on these subjects, swear in, and become a citizen of our country, and begin studying, and working in the many programs my children have for you to study and work in, to score earning points, and to earn a living in our new, Gurkian Age of Enligtenment, where and now that we work, and we pay as we go.

Those who refuse to work, in time, will be required to work, to pay off their debts and to pay off the fees that are owed for the use of my resources, all the molecules in my universe, and all the resources, energical, or otherwise.

Even though I am GOD, in our new system of working in my Gurkian Age of Enlightenment, even I have to pay for the resources that I use, as I work as chief priest of my religion, spiritual director of my universe, and boss of my universe.

I'm the mother and father, the creator of all humans, animals, and living beings, as I've explained, every thing in my creation, and people will begin to understand that, that I am GOD, as they practice my religion, over the years, and over the aeons, and over the millenias.

The people who refuse to work, will be required to work in prisons, sexaling with animals, to produce sexaling energies that will restore the supplies of energies in our universe, as I've mentioned about, before, as they work and learn their new trade of animal husbandry, and animal wifery, in the animal habitry industry, as I've also mentioned about, in earlier notes.

No matter what the age of the person, every person can participate in our Gurkian Age Of Enlightenment, sexaling, dancing, excercising, and syncopating their movements, in rythm, to assist my kids as my kids, work to keep my universe, strong, durile, flexible, safe, and a nice place for every one to live in.

DO YOU UNDERSTAND THAT? YOU HAD BETTER, AS A "NO SIR!" WOULD BE UNACCEPTABLE, SOLDIER! DO YOU HEAR ME? I HOPE YOU DO! NOW, GET TO WORK AND SEXAL TILL YOU DROP, SOLDIER, AND I'M NOT JOKING!

We will build a nice and comfortable, safe place for every one to live, now, in my universe, and we will follow the Gurkian Age of Enlightenment Rules and Regulations, Codes, Morals, Ethics, and behavioral norms, that you are required to live by, now that we are going to become, one, very big, happy, harmonious, in synch, prospering family.

You will not forget to wash out your butty butt holes, and to flush out your vaginas, and your mouths, and to practice proper and health promoting sexaling and love making hygene, with the medical formulas that my children will be providing to you, and that you will pay for, out of your earnings, and they are very reasonably priced, now that I am making every thing available to every one, at a set, yet, flexible, and low cost for the use of my resources, once you citizenize your selfs, and swear in, as a citizen of our new, global, i.e., universal wide, one universe, family of GOD's, that's me, children.

The costs are flexible, in the sense that you do not have to pay, yet, as you will be learning about the ways to work, and you will be learing and preparing your selfs for a new working life, in my universe, for some time, and so we have no hurry to have you pay for the resources you use. We can collect the fees, and costs for resources, in the future, when you are a big money earner, once you learn your new work requirements, for sexaling for a living, as that is the only job opportunity open to every one, and the only job opportunity, that you have a choice about.

My working children, though they do have many different jobs, they have basically the same set up, or arrangements as you now will have, and so you will be joining my children, and you will be working, i.e., sexaling, excercising, aerobically dancing, and so forth, in synch, and in rythm, for me, just as all of my children are doing, at least, those of my children who are able to work, and who are bright and intelligent enough to work for me, to keep my universe, healthy, safe, solid, durile, strong, wholesome, and a nice place to live in.

That means, I have a lot of burnouts kids, and rampant, vagarous, dangerous children, who are not really very bright, and they do not work for me, yet, but they will, in time, regardless of the fact that they may at the present, be abominants kids, or not.

As I've mentioned, all my up until now, non working children, are abominants. What does that mean? It means, they do not give a darn about killing another person. They kill for selfish reasons, and for fun and games, and so forth, and you are all guilty of that, though you may not remember that you killed for fun and games, and for selfish reasons, in previous lifes, in my universe, but you all have, and you are all abominants, of varying degrees.

So, welcome to the Gurkian Age of Enlightenment, and welcome to my workforce.

Captain Off The Bridge.

John Francis Ayres
GOd
And Children

The Gurkian Way Foundation Ministry Institute
johnfrancisayres @ yahoo.com
Google Groups NewsGroup: http://groups.google.com/group/gurkianagegurkianway
Yahoo Groops NewsGroup: http://groups.yahoo.com/group/gurkianway/

John Francis Ayres
5540 West Harmon Ave. Apt. #2004
Las Vegas, Nevada 89103
USA

(702) 894-9518

Chief Priest and Head Abbot
Gurkian Way Foundation Ministry Institute
Cloistered Conservatory And Cloistered Monastery
West Tropicana Ave. and South Decature Blud.
Las Vegas, Nv. 89103

From 7046030566854738419
X-Google-Thread: 108122,ed4300c21b5aae36,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l53g2000cwa.googlegroups.com!not-for-mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: aprspoint 4.2 released!
Date: 16 Feb 2007 08:35:45 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1171643745.857790.287830@l53g2000cwa.googlegroups.com>
NNTP-Posting-Host: 58.19.33.76
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171643764 14453 127.0.0.1 (16 Feb 2007 16:36:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 16 Feb 2007 16:36:04 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2; SV1; .NET CLR 1.1.4322; Alexa Toolbar),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l53g2000cwa.googlegroups.com; posting-host=58.19.33.76;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news2.google.com rec.radio.amateur.equipment:8065

APRSPoint 4.2 is uploaded,

1. This new version has improved tracking support by adding separate track lists for stations to be tracked over either RF or TCP link.

2.It also added a new reject field in the filter dialog, where you can specify a list of stations to filter out using multiple strings that can contain wild card characters.

3. It allows you to selectively remove stations from the tree view list. This combined with improved filter operation, enables you to dynamically adjust what gets displayed on the map.

Please visit http://www.aprspoint.com for details and download.

Thanks, Michael KF6ZDM

```
From 6129996348868648O8
X-Google-Thread: 108122,3e2025d825be3bad,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j27g2000cwj.googlegroups.com!not-for-
mail
From: "Karl" <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Icom IC-28
Date: 16 Feb 2007 20:45:03 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1171687502.953426.129860@j27g2000cwj.googlegroups.com>
NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1171687522 11915 127.0.0.1 (17 Feb 2007 04:45:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 17 Feb 2007 04:45:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j27g2000cwj.googlegroups.com; posting-host=199.164.167.176;
   posting-account=zq9AfwwAAAC5oYG1V4z9Ya9QVyRhnStO
Xref: g2news2.google.com rec.radio.amateur.equipment:8066
```

Working or not. I have a use for any condition. My domain is the best way to contact me. thanks,
Karl in Spokane

http://www.ak2o.org   (that's an "oh" not a zero)

```
From -6349122773594263484
X-Google-Thread: 10dafd,22531db6639f7888,start
X-Google-Thread: 112acb,22531db6639f7888,start
X-Google-Thread: 1113b0,22531db6639f7888,start
```

```
X-Google-Thread: 108122,22531db6639f7888,start
X-Google-Thread: 1062f2,22531db6639f7888,start
X-Google-Attributes: gid10dafd,gid112acb,gid1113b0,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!homer!news.glorb.com!news-
spur1.glorb.com!news.glorb.com!news.mv.net!peter
From: Peter <peter@paoiuasqp.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,rec.r
adio.amateur.equipment,misc.industry.electronics.marketplace
Subject: FA: 1-Day-Left: 5 Books: ELECTRONICS, SEMICONDUCTORS, OP-AMPS,
Operational Amplifiers, etc.
Date: Sat, 17 Feb 2007 09:31:14 -0500
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <1702200709311457 45%peter@paoiuasqp.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1171722674 68646 75.67.219.196 (17 Feb 2007 14:31:14 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 17 Feb 2007 14:31:14 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:108862
alt.marketplace.books:8581 rec.arts.books.marketplace:8138
rec.radio.amateur.equipment:8067 misc.industry.electronics.marketplace:772


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320081564107


From -2920681420538829135
X-Google-Thread: 10dafd,5eead41718eef4cd,start
X-Google-Thread: 112acb,5eead41718eef4cd,start
X-Google-Thread: 1113b0,5eead41718eef4cd,start
X-Google-Thread: 108122,5eead41718eef4cd,start
X-Google-Thread: 1062f2,5eead41718eef4cd,start
X-Google-Attributes: gid10dafd,gid112acb,gid1113b0,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!homer!news.glorb.com!news-
spur1.glorb.com!news.glorb.com!news.mv.net!peter
From: Peter <peter@paoiuasqp.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,rec.r
adio.amateur.equipment,misc.industry.electronics.marketplace
Subject: FA: 1-Day-Left: 9 Books: ELECTRONICS, LASERS, DIGITAL, SPEAKERS,
CAMCORDERS, etc.
Date: Sat, 17 Feb 2007 09:31:31 -0500
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <1702200709313167 67%peter@paoiuasqp.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1171722691 68646 75.67.219.196 (17 Feb 2007 14:31:31 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 17 Feb 2007 14:31:31 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:108863
alt.marketplace.books:8582 rec.arts.books.marketplace:8139
rec.radio.amateur.equipment:8068 misc.industry.electronics.marketplace:773


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320081564212


From 4163952690715962481
X-Google-Thread: 108122,4db648604c97a76,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Jeff" <diver87@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 6-meter all-mode
Date: Sun, 18 Feb 2007 00:40:00 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 4
Message-ID: <45d7e6a4$0$18913$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8069

RCI 5054:
http://members6.boardhost.com/theswapshoppe/




From -3589474577295284191
X-Google-Thread: 108122,bfc511f4c074b6e3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Jeff" <diver87@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Fake Icom IC-V8's
```

```
Date: Mon, 19 Feb 2007 12:56:22 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 3
Message-ID: <45d9e4c3$0$28133$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8070
```

http://www.icom.jp/world/notice/index.htm

```
From 3915268386477176267
X-Google-Thread: fcc6e,ad01fda759cc0971,start
X-Google-Thread: 11480d,ad01fda759cc0971,start
X-Google-Thread: 108122,ad01fda759cc0971,start
X-Google-Thread: fc2a5,ad01fda759cc0971,start
X-Google-Attributes: gidfcc6e,gid11480d,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!novia!
sequencer.newscene.com!not-for-mail
From: "Paul W. Schleck, K3FU" <pschleck@novia.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.rad
io.amateur.homebrew
Subject: RESULT: rec.radio.amateur.moderated will be created
Followup-To: news.groups.proposals
Date: 19 Feb 2007 21:47:01 -0600
Organization: Novia Internetworking, http://www.novia.net/
Lines: 20
Message-ID: <45da6ec5$0$37549$540ea2cf@novia.net>
User-Agent: nn/6.7.3
Xref: g2news2.google.com rec.radio.amateur.antenna:25432 rec.radio.amateur.dx:2801
rec.radio.amateur.equipment:8071 rec.radio.amateur.homebrew:9089
```

The following was just posted to Usenet by the news.announce.newgroups moderator on behalf of the Big-8 Management Board:

http://www.big-8.org/dokuwiki/doku.php?id=nan:2007-02-19-rec.radio.amateur.moderated-result

This is a creation announcement for a new moderated discussion newsgroup for amateur radio on Usenet. It has been relayed to rec.radio.amateur.antenna, rec.radio.amateur.dx, rec.radio.amateur.equipment, and rec.radio.amateur.homebrew, as announced above. Please consult with your local news server administrators regarding the creation of this newsgroup after a newgroup control message is sent on or about Thursday, February 22, 2007.

--
73, Paul W. Schleck, K3FU
pschleck@novia.net
http://www.novia.net/~pschleck/
Finger pschleck@novia.net for PGP Public Key

From 6993487405806349739
X-Google-Thread: 108122,d5fb8e58567294a2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: for sally: truly well designed movies - id ewte - (1/1)
From: "Ronny Bailey" <BClinton@Buttscratch.Ark>
Date: Wed, 21 Feb 2007 02:47:30 -0600
Message-ID: <1172047733_16167@sp6iad.superfeed.net>
References:
<5678987F71G7778157g96113781q73587432L8287327m6218962L@news.jauntily.org>
Lines: 27
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!news-
out.newsgroups.com!sp6iad.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
X-Report: Please report illegal or inappropriate use to <abuse@newsfeeds.com>.
Forward a copy of ALL headers INCLUDING the body. (DO NOT SEND ATTACHMENTS)
X-Comments2: IMPORTANT: Newsfeeds.com does not condone,support,nor tolerate spam
or any illegal or copyrighted postings.
X-Comments: This message was posted through Newsfeeds.com
Organization: Superfeed.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8072

Sally's dead.
You'l have to send your spam somewhere else.

"ewell" <waldhof@jauntily.org> wrote in message
news:5678987F71G7778157g96113781q73587432L8287327m6218962L@news.jauntily.org...
> Hello group.
>
> One thing I love about them, they don't keep log files of the news I read
or files I download.
> Great prices and support await you as you travel into the beautiful world
of premium nntp access.
> Take a look at all the great features below and imagine! You'll LOVE it.
> Take a look, I know you'll love it as much as I do.
> They give you access to some of the best groups others may not carry.

```
>
> Streaming audio and video
> Keyword searchable
> Convenient thumbnail indexes
> Blazing fast downloads
>
> I'm very happy I found http://newsdude.net and you'll love them too
>
>
> Edje ujle ...
>
```

----== Posted via Newsfeeds.Com - Unlimited-Unrestricted-Secure Usenet News==----
http://www.newsfeeds.com The #1 Newsgroup Service in the World! 120,000+ Newsgroups
----= East and West-Coast Server Farms - Total Privacy via Encryption =----

```
From 6976665380589757873
X-Google-Thread: 108122,17ca26ef5a554e31,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-
spur1.maxwell.syr.edu!news.maxwell.syr.edu!news.netins.net!not-for-mail
From: mike <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: HP 8640B Signal Generator
Date: Wed, 21 Feb 2007 08:07:56 -0600
Organization: netINS InterNetNews site
Lines: 4
Message-ID: <v8kot2dupt7clq65iljut3ltm6rj31bblj@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1172066877 17033 67.55.159.6 (21 Feb 2007 14:07:57 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 21 Feb 2007 14:07:57 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:8073
```

Hello, I have a clean 8640B Signal Generator for sale. It is in great condition and works with no problems. The price is $400 plus shipping. Please email me with any questions or request for a picture. Remove NOSPAM from my email address. Thanks, Mike

```
From -1906070769530528657
X-Google-Thread: 108122,729552af3f736e1e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
post02.iad01!roadrunner.com!not-for-mail
From: "Jeff" <diver87@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HF Weekend for Techs
Date: Wed, 21 Feb 2007 10:37:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 3
Message-ID: <45dc6744$0$28113$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8074

http://www.hamwave.com/cgi-bin/index.cgi?action=viewnews&id=1264

From 2485073387184471722
X-Google-Thread: 108122,62b23448df7f74ff,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-mail
From: "gil" <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Best under $1000 rig on receive?
Date: 21 Feb 2007 13:42:13 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1172094133.423756.160830@q2g2000cwa.googlegroups.com>
NNTP-Posting-Host: 24.149.231.253
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1172094139 30550 127.0.0.1 (21 Feb 2007 21:42:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Feb 2007 21:42:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=24.149.231.253;
   posting-account=W-cZMg0AAAD6pmUIPaJTixPoW2XfnzcF
Xref: g2news2.google.com rec.radio.amateur.equipment:8075

Im looking for an all around rig with good receive on AM shortwave,
SSB and CW capabilities for under $1000. I had an Icom 718 a couple of
years ago and must say it had a very good all around receiver and I

```
thought it was a good rig for the money.
There are a couple of others like the TS-570DG and the FT-897 and was
wondering if I can get opinions on this subject.

Thanks....Gil




From 8629165394557568310
X-Google-Thread: 108122,62b23448df7f74ff
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!news-in-02.newsfeed.easynews.com!easynews.com!easynews!
hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe06.phx.POSTED!
53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <1172094133.423756.160830@q2g2000cwa.googlegroups.com>
Subject: Re: Best under $1000 rig on receive?
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <tv3Dh.4289$pe4.2964@newsfe06.phx>
Date: Wed, 21 Feb 2007 14:15:02 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe06.phx 1172096089 72.197.12.245 (Wed, 21 Feb 2007 15:14:49 MST)
NNTP-Posting-Date: Wed, 21 Feb 2007 15:14:49 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8076

Have you seen e-ham reviews
http://www.eham.net/reviews/products/14

CL



"gil" <gi1pi@yahoo.com> wrote in message
news:1172094133.423756.160830@q2g2000cwa.googlegroups.com...
> Im looking for an all around rig with good receive on AM shortwave,
> SSB and CW capabilities for under $1000. I had an Icom 718 a couple of
> years ago and must say it had a very good all around receiver and I
> thought it was a good rig for the money.
> There are a couple of others like the TS-570DG and the FT-897 and was
> wondering if I can get opinions on this subject.
>
> Thanks....Gil
>
```

From -6924653072451937656
X-Google-Thread: 108122,6b65431353f145ca,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!roadrunner.com!not-for-mail
From: "Jeff" <hammer707@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Techs invade 10-meters !
Date: Thu, 22 Feb 2007 14:01:22 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 8
Message-ID: <45dde87c$0$28104$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8077

HURRY...you only have a few hours left before the Techs invade 10-meters! Remember, you said you were going to sell all of your gear and get out of the hobby if CW was ever removed from the test(s) because ham radio will be the same as CB.

Hurry, sell/give away your stuff NOW !!!!

From 8845329900699564984
X-Google-Thread: fc8b1,3b01c49f88f6a66f,start
X-Google-Thread: 114aac,3b01c49f88f6a66f,start
X-Google-Thread: 108122,3b01c49f88f6a66f,start
X-Google-Attributes: gidfc8b1,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!postnews.google.com!v45g2000cwv.googlegroups.com!not-for-mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: FA: INSULINE CORP of AMERICA DELUXE 4300 SIGNA-TONE CPO:-)
Date: 30 Jan 2007 08:28:12 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1170174492.221433.271910@v45g2000cwv.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170174497 20000 127.0.0.1 (30 Jan 2007 16:28:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 Jan 2007 16:28:17 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v45g2000cwv.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7360
rec.radio.shortwave:65783 rec.radio.amateur.equipment:7977

No Bids>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220075825906&ssPageName=STRK:MESE:IT&ih=012



From 2386491244101101041
X-Google-Thread: fc8b1,f2b428085902b36c,start
X-Google-Thread: 114aac,f2b428085902b36c,start
X-Google-Thread: 108122,f2b428085902b36c,start
X-Google-Attributes: gidfc8b1,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: FA: @$10>ICOM SPEAKER MICROPHONE for IC-2A IC-O2A IC-2GAT MORE:)
Date: 30 Jan 2007 08:29:11 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1170174551.100596.36850@q2g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170174557 30178 127.0.0.1 (30 Jan 2007 16:29:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 Jan 2007 16:29:17 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7361
rec.radio.shortwave:65784 rec.radio.amateur.equipment:7978

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220075826069&ssPageName=STRK:MESE:IT&ih=012
```

```
From 8984956693138477745
X-Google-Thread: 108122,b35746c284eb9eca
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elk.ncren.net!
usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!machine3
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: microphone impedance matching circuit?
Date: Tue, 30 Jan 2007 19:11:23 GMT
Organization: ???
Lines: 31
Message-ID: <epo58r$i3c$1@usenet01.srv.cis.pitt.edu>
References: <1167158921.781633.215220@42g2000cwt.googlegroups.com>
<h-6dnWvT2t6MEQzYnZ2dnUVZ_uzinZ2d@comcast.com>
<1167168662.193761.324780@f1g2000cwa.googlegroups.com> <h-
CdndSQG__8GiTYnZ2dnUVZ_t6qnZ2d@comcast.com>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1170184283 18540 136.142.52.106 (30 Jan 2007
19:11:23 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Tue, 30 Jan 2007 19:11:23 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.equipment:7979

In article <h-CdndSQG__8GiTYnZ2dnUVZ_t6qnZ2d@comcast.com>, "Pete KE9OA"
<p.gianako@comcast.net> wrote:
>As long as the source impedance of your microphone is lower than the load
>impedance of your 897's mic input, you are fine. The impedance is close
>enough anyway.

Its more about output level, relating to standard levels at various Z's.
A 100 ohm mic will have less output than a 1k. I really can't think of any
reason Z would matter, except a low Z mic would tend to have less RF pickup,
but maybe not.


greg


>
>"marc" <amarcpassy@gmail.com> wrote in message
>news:1167168662.193761.324780@f1g2000cwa.googlegroups.com...
>> Simple enough.  Thanks
>>
>> On Dec 26, 2:54 pm, Dave <W...@comcast.net> wrote:
>>> marc wrote:
>>> > I've just bought a nominal 150 Ohm Z Shure dynamic mic & I want to use
>>> > it with my FT-897, which expects a minimum 200 Ohm Z.  Is there a good
>>> > impedance matching circuit out there that I could build?  Do I need to?
```

>>>
>>> > Thanks.NOPE!
>>>
>>> Nope!
>>
>
>

```
From -8316398140024464177
X-Google-Thread: fc8b1,3595daa458f96ff1,start
X-Google-Thread: 108122,3595daa458f96ff1,start
X-Google-Thread: 1109af,3595daa458f96ff1,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!
53ab2750!not-for-mail
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: Wanted:  J-38 key part
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 12
Message-ID: <cjPvh.3$Wf7.0@dfw-service2.ext.ray.com>
Date: Tue, 30 Jan 2007 22:06:00 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1170194760 138.126.48.166 (Tue, 30 Jan 2007
16:06:00 CST)
NNTP-Posting-Date: Tue, 30 Jan 2007 16:06:00 CST
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7362
rec.radio.amateur.equipment:7980 rec.radio.swap:11164
```

I'm looking for the little brass screw-eye that screws into
the bakelite base of a J-38 key. Do you have one that you
can spare? Once restored, this key will be installed at the
radio operator's station on board the B-17.

Thanks and 73,

Dean Hemphill, K5DH
B-17G 44-8543A "Chuckie" Volunteer Crew Member
Vintage Flying Museum
Fort Worth, Texas

```
From -7198846683773922165
X-Google-Thread: 108122,ff2956c74e493d19,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a34g2000cwb.googlegroups.com!not-for-
mail
From: jnsrob@ozemail.com.au
Newsgroups: rec.radio.amateur.equipment
Subject: traeger vintage radio
Date: 30 Jan 2007 16:02:50 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1170201770.506490.283130@a34g2000cwb.googlegroups.com>
NNTP-Posting-Host: 203.158.35.38
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170201775 31467 127.0.0.1 (31 Jan 2007 00:02:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 Jan 2007 00:02:55 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a34g2000cwb.googlegroups.com; posting-host=203.158.35.38;
   posting-account=zvgJDQ0AAAC8NbzC45qUz0ii7YTFoelE
Xref: g2news2.google.com rec.radio.amateur.equipment:7981

Hi

Can anyone help me with info on a Traeger vintage radio type ssb100
any info would be great
thanks




From 8961737170369912207
X-Google-Thread: fc8b1,3595daa458f96ff1
X-Google-Thread: 108122,3595daa458f96ff1
X-Google-Thread: 1109af,3595daa458f96ff1
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!6bb7efb4!not-for-mail
From: "Richard Knoppow" <dickburk@ix.netcom.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
References: <cjPvh.3$Wf7.0@dfw-service2.ext.ray.com>
Subject: Re: Wanted:  J-38 key part
Lines: 38
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
```

Message-ID: <g4Rvh.16454$pQ3.1932@newsread4.news.pas.earthlink.net>
Date: Wed, 31 Jan 2007 00:06:36 GMT
NNTP-Posting-Host: 4.233.44.220
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1170201996 4.233.44.220 (Tue, 30 Jan 2007 16:06:36 PST)
NNTP-Posting-Date: Tue, 30 Jan 2007 16:06:36 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7364 rec.radio.amateur.equipment:7982 rec.radio.swap:11165

"-=H=-" <k5dh@raytheon.com> wrote in message
news:cjPvh.3$Wf7.0@dfw-service2.ext.ray.com...
> I'm looking for the little brass screw-eye that screws
> into
> the bakelite base of a J-38 key. Do you have one that you
> can spare? Once restored, this key will be installed at
> the
> radio operator's station on board the B-17.
>
> Thanks and 73,
>
> Dean Hemphill, K5DH
> B-17G 44-8543A "Chuckie" Volunteer Crew Member
> Vintage Flying Museum
> Fort Worth, Texas
>

If you can't get the genuine article I am pretty sure its a generic hardware part.

J-38 keys were used for code training, I don't think they were ever used on aircraft. I don't know what the correct key for a B-17 is but suspect its one of the enclosed "explosion proof" type keys.

BTW, are you the folks who had a flying B-17 and B-24 at the Burbank airport a couple of years ago? If so they were nicely restored. The complete lack of any creature comforts on these aircraft gives one even more respect for the crews who spent so many hours in them on missions.

--

Richard Knoppow
Los Angeles, CA, USA
dickburk@ix.netcom.com

From 7308889151092612825
X-Google-Thread: 108122,b35746c284eb9eca

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Tue, 30 Jan 2007 21:08:16 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1167158921.781633.215220@42g2000cwt.googlegroups.com>
<h-6dnWvT2t6MEQzYnZ2dnUVZ_uzinZ2d@comcast.com>
<1167168662.193761.324780@f1g2000cwa.googlegroups.com> <h-
CdndSQG__8GiTYnZ2dnUVZ_t6qnZ2d@comcast.com>
<epo58r$i3c$1@usenet01.srv.cis.pitt.edu>
Subject: Re: microphone impedance matching circuit?
Date: Tue, 30 Jan 2007 18:28:08 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <m6ydnSyqpf-9lV3YnZ2dnUVZ_tadnZ2d@giganews.com>
Lines: 30
X-Trace: sv3-uflPWnALKcgZv+4mrunTw4qYqXo9nkj7L9+n/
QOOvyf9Y4WlMpqhQamUynV6uU51yf5VfW9OXxdLcqf!
fcV0X3gla66aFlFaY7mUf+VdYX9DeUOOFaiXTPPWZAPGDih21Uo8lhjjTOCyktxGgZhf8iB4BA==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7983

Greg wrote:
> Pete KE9OA wrote:
> >As long as the source impedance of your microphone is lower than the load
> >impedance of your 897's mic input, you are fine. The impedance is close
> >enough anyway.
>
> Its more about output level, relating to standard levels at various Z's.
> A 100 ohm mic will have less output than a 1k. I really can't think of any
> reason Z would matter, except a low Z mic would tend to have less RF
pickup,
> but maybe not.
>
>
> greg

Terminating a signal source in an impedance that is lower than for what the
source was designed, will reduce the low frequency response. The worse the
mismatch, the worse the LF rolloff. I learned that in my broadcast days...
a turntable preamp wanted to see >= 10K ohms but the mixing console's input
Z was 600 ohms. The result was a very "tinny" sound that *nowhere near* met
our annual audio Proof of Performance test.

OTOH, loading a 100 ohm source w/ 1K ohm will result only in a
less-than-maximal signal level. That's ok as long as the preamp can make up
the signal level w/o adding undue noise.

73,
Bryan WA7PRC

From -6076852612280516684
X-Google-Thread: 108122,d29c96ca12d2b4e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k78g2000cwa.googlegroups.com!not-for-mail
From: "Karl" <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-28 WTB
Date: 30 Jan 2007 22:48:09 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1170226088.995760.324040@k78g2000cwa.googlegroups.com>
NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170226093 23202 127.0.0.1 (31 Jan 2007 06:48:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 Jan 2007 06:48:13 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k78g2000cwa.googlegroups.com; posting-host=199.164.167.176;
   posting-account=zq9AfwwAAAC5oYG1V4z9Ya9QVyRhnStO
Xref: g2news2.google.com rec.radio.amateur.equipment:7984

As I mentioned in my other post I need a replacement radio. Would
consider a broken one, to fix mine, otherwise working radio, ISO. Be
sure to visit my domain for my current and correct email to get in
touch.

thanks,
Karl in Spokane

From -5590056350682386987
X-Google-Thread: 108122,a1e533b0ae58a71f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h3g2000cwc.googlegroups.com!not-for-

mail
From: "Gus" <gusrego@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Cutis Keyer CK-200 Vectronics Schematic Request
Date: 31 Jan 2007 00:09:29 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1170230969.742600.232220@h3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.59.71.32
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170230974 2473 127.0.0.1 (31 Jan 2007 08:09:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 Jan 2007 08:09:34 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en) AppleWebKit/418.9.1 (KHTML, like Gecko) Safari/419.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h3g2000cwc.googlegroups.com; posting-host=68.59.71.32;
   posting-account=Rfzs6Q0AAADUM5eKmRd9hGrPqxKx2uND
Xref: g2news2.google.com rec.radio.amateur.equipment:7985

I may have to go into my CK-200 to modify it to work with a keyer i have. I would GREATLY (PLEASE!!!!) appreciate if someone could post a schematic of this little puppy.. IF someone could help, i would be so indebted.

Gus Rego

Cutis Keyer CK-200 Vectronics Schematic Request

From 5649458638325480024
X-Google-Thread: 108122,a1e533b0ae58a71f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 31 Jan 2007 04:57:39 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1170230969.742600.232220@h3g2000cwc.googlegroups.com>
Subject: Re: Cutis Keyer CK-200 Vectronics Schematic Request
Date: Wed, 31 Jan 2007 04:57:36 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <KaadnYSD-Mq-613YnZ2dnUVZ_oqmnZ2d@comcast.com>

Lines: 26
NNTP-Posting-Host: 24.14.246.77
X-Trace: sv3-AsUh8vVz0+JrgFtpMX2SlQ8Jr77r/
Weig6ukleEvt+sOvpPi06ftBUBwMWgXHyepP+q4IW47fqczkR6!
J4wJ9fG6a96+5Ap9BH+JwJCX+wxmlKsaVXVEiO+JMnMKcyT1R2rxouH9f1QPFnfBdHMYoNFzGRzX!
xK19kc0bGaQc6Rh7lQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7986

Vectronics (MFJ) CK-200 uses the currently available CK-8045ABM chip
(28-pin) with adjustable
weight and tone, volume and speed controls, and dot-dash memories

MFJ offers the improved 8045ABM chip
http://www.mfjenterprises.com/products.php?prodid=CK-8045ABM

CK-8045ABM Manual and Technical Application Notes
http://www.mfjenterprises.com/man/pdf/CK-8045ABM.pdf

w9gb

"Gus" <gusrego@comcast.net> wrote in message
news:1170230969.742600.232220@h3g2000cwc.googlegroups.com...
>I may have to go into my CK-200 to modify it to work with a keyer i
> have. I would GREATLY (PLEASE!!!!) appreciate if someone could post a
> schematic of this little puppy.. IF someone could help, i would be so
> indebted.
>
>
> Gus Rego
>
> Cutis Keyer CK-200 Vectronics Schematic Request
>

From -1933874057941697180
X-Google-Thread: 108122,c68d4d07a2088703,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k78g2000cwa.googlegroups.com!not-for-mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Vista compatibility with APRSPoint
Date: 31 Jan 2007 04:39:34 -0800
Organization: http://groups.google.com

Lines: 6
Message-ID: <1170247174.062527.92970@k78g2000cwa.googlegroups.com>
NNTP-Posting-Host: 58.19.35.101
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170247179 6501 127.0.0.1 (31 Jan 2007 12:39:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 Jan 2007 12:39:39 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2; SV1; .NET CLR 1.1.4322; Alexa Toolbar),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k78g2000cwa.googlegroups.com; posting-host=58.19.35.101;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news2.google.com rec.radio.amateur.equipment:7987

We did extensive testing with APRSPoint on the new Vista OS, so far
all functionalities worked with no problems. The usb/serial
converter(IO Gear GUC232A) we used is also accepted by Vista using its
XP driver. Vista seems to have good backward compatibility, and the
interface looks nicer. Visit http://www.aprspoint.com for more details.

From -3697979069622223892
X-Google-Thread: fc8b1,3595daa458f96ff1
X-Google-Thread: 108122,3595daa458f96ff1
X-Google-Thread: 1109af,3595daa458f96ff1
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Wanted: J-38 key part
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
References: <cjPvh.3$Wf7.0@dfw-service2.ext.ray.com>
<g4Rvh.16454$pQ3.1932@newsread4.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 66
Message-ID: <431wh.1$Aj7.0@dfw-service2.ext.ray.com>
Date: Wed, 31 Jan 2007 13:44:32 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1170251072 138.126.48.166 (Wed, 31 Jan 2007 07:44:32 CST)
NNTP-Posting-Date: Wed, 31 Jan 2007 07:44:32 CST
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7370
rec.radio.amateur.equipment:7988 rec.radio.swap:11170

In article <g4Rvh.16454$pQ3.1932@newsread4.news.pas.earthlink.net>,
dickburk@ix.netcom.com says...
>
>
>"-=H=-" <k5dh@raytheon.com> wrote in message
>news:cjPvh.3$Wf7.0@dfw-service2.ext.ray.com...
>> I'm looking for the little brass screw-eye that screws
>> into
>> the bakelite base of a J-38 key. Do you have one that you
>> can spare? Once restored, this key will be installed at
>> the
>> radio operator's station on board the B-17.
>>
>> Thanks and 73,
>>
>> Dean Hemphill, K5DH
>> B-17G 44-8543A "Chuckie" Volunteer Crew Member
>> Vintage Flying Museum
>> Fort Worth, Texas
>>
>   If you can't get the genuine article I am pretty sure
>its a generic hardware part.
>   J-38 keys were used for code training, I don't think
>they were ever used on aircraft. I don't know what the
>correct key for a B-17 is but suspect its one of the
>enclosed "explosion proof" type keys.
>   BTW, are you the folks who had a flying B-17 and B-24 at
>the Burbank airport a couple of years ago? If so they were
>nicely restored. The complete lack of any creature comforts
>on these aircraft gives one even more respect for the crews
>who spent so many hours in them on missions.
>
>Richard Knoppow
>Los Angeles, CA, USA
>dickburk@ix.netcom.com

Richard,

I may be able to find a usable part at an ol' fashioned
hardware store. The part I need is brass and has machine
threads rather than screw threads. I'm sure someone has
J-38 parts stashed in a drawer somewhere, however...

Oddly enough, our official AAF documentation for the B-17G
shows that the standard code keys were J-37 and J-38. I'd
have thought they would have used a flameproof key, but it
apparently wasn't necessary.

The B-17 and B-24 that tour together are operated by the
Collings Foundation of Stow, MA. I toured botha couple of
years ago when they were here in Dallas. "9-0-9" is a nice
B-17, but there are nicer ones out there (ours is not one

of them...yet!). The Lib is one of two flying in the world,
the other being the B-24A of the CAF (which is down right
now for some major restoration work).

Lack of creature comforts? That's an understatement. It
was downright brutal. Just cruising along on a pleasure
flight in the B-17 is rough. It's cold, noisy, drafty,
there are a gazillion places to bang your head on some
sharp object, and so on. I wouldn't trade it for all the
tea in China! :)

73,
Dean K5DH

```
From -7899866488996894З
X-Google-Thread: 108122,e20bc1665a3e5722,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe13.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood Access plus 2 meter amp
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <YS3wh.192842$fh6.70160@newsfe13.lga>
Date: Wed, 31 Jan 2007 10:56:32 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.lga 1170262584 68.111.108.217 (Wed, 31 Jan 2007 09:56:24 MST)
NNTP-Posting-Date: Wed, 31 Jan 2007 09:56:24 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7989
```

For Sale:
Kenwood YK-88A-1 Plug In AM Filter, price is$75;
Kenwood MC-60A Desk Mic in very nice shape, price is $85;
Kenwood MC-42 Hand Mic, great shape, price is $40;
Also, a nice Ramsey PA-10 2 meter amplifier, covers 140-152 MHz, 1 to 5
watts in, up
to 40 watts out. Price is $45.
Thanks, Charlie Hugg, K5MBX

```
From -9135095386526807410
X-Google-Thread: 108122,8923d65da6fb0c7c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!63.218.45.10!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe22.lga.POSTED!
53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Trade Kenwood TH-F6A for FT-817ND
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <qr4wh.7958$W73.3082@newsfe22.lga>
Date: Wed, 31 Jan 2007 11:35:26 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe22.lga 1170264918 68.111.108.217 (Wed, 31 Jan 2007 10:35:18 MST)
NNTP-Posting-Date: Wed, 31 Jan 2007 10:35:18 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7990
```

Trade as new Kenwood TH-F6A Tri Band HT. Covers 2/220/440 and runs up to 5
watts.
Comes with original box, manual, and all standard accessories that came with
it new.
Plus the optional SC-51 Soft Case with Belt Clip and a Maldol Model MH-610
Tri Band
Gain Antenna with SMA connector. I have $400 invested in this equipment and
have used it maybe 10 times. It is all like new and works perfect. I want to
trade it plus cash for a Yaesu FT-817ND is similar
condition. Thanks, Charlie Hugg, K5MBX

```
From 577257466877493163
X-Google-Thread: 108122,6791761a77c63e76,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!homer!news.glorb.com!
news-spur1.glorb.com!news.glorb.com!news.mv.net!not-for-mail
From: Rick <reply.in.newsgroup@spam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: BEST channel programming software for Icom, Yaesu = ?
Date: Wed, 31 Jan 2007 16:54:36 -0500
Organization: MV Communications, Inc.
Lines: 10
Message-ID: <5s32s2p194mpdnl2lnhjvbmltcov8pbs9v@4ax.com>
```

```
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: pyrite.mv.net 1170280480 93053 207.22.49.17 (31 Jan 2007 21:54:38 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 31 Jan 2007 21:54:38 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.2/32.830
Xref: g2news2.google.com rec.radio.amateur.equipment:7991
```

Looking for the BEST programming software to program the memory channels for the Icom IC-706MKIIG and Yaesu FT-817.

I've seen a few options and downloaded and tried one but didn't like it. Some of the other options cost money, which I don't mind, and/or require special cables that cost money, which I also don't mind, but I'd like to know ahead of time which ones are the best.

Thanks...

```
From 3446978400074488757
X-Google-Thread: 108122,c68d4d07a2088703
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Message-Id: <45c148fa$0$5742$4c368faf@roadrunner.com>
From: JDB <me@here.now>
Subject: Re: Vista compatibility with APRSPoint
Newsgroups: rec.radio.amateur.equipment
Reply-To: me@here.now
Date: Wed, 31 Jan 2007 20:57:14 -0500
References: <1170247174.062527.92970@k78g2000cwa.googlegroups.com>
User-Agent: KNode/0.10.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 19
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7992
```

The problem with APRSPoint is not the operating system. The problem is that the author and seller of the program does little to enhance the program. It does not meet the APRS spec and lacks functionality that is much needed to make this a full functioning APRS program. The author also sponsors a "support" group on Yahoo Groups. The program with him and the group is that if you say anything critical of the program the author censors the post so no one else will get a bad impression - or should I say honest impression of the APRSPoint program. Be advised, until he starts fixing and

enhancing the program and accepts honest feedback in his forum, stay away
from this program. You can use AGWTracker, Xastir, WinAPRS and UI-View.

hxc98@yahoo.com wrote:

> We did extensive testing with APRSPoint on the new Vista OS, so far
> all functionalities worked with no problems. The usb/serial
> converter(IO Gear GUC232A) we used is also accepted by Vista using its
> XP driver. Vista seems to have good backward compatibility, and the
> interface looks nicer. Visit http://www.aprspoint.com for more details.

From 7952021547635880041
X-Google-Thread: fc8b1,3595daa458f96ff1
X-Google-Thread: 108122,3595daa458f96ff1
X-Google-Thread: 1109af,3595daa458f96ff1
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.net.POSTED!4f8e1bae!not-for-mail
From: "Hippie" <pmunsel@tsbcglobal.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
References: <cjPvh.3$Wf7.0@dfw-service2.ext.ray.com>
<g4Rvh.16454$pQ3.1932@newsread4.news.pas.earthlink.net> <431wh.1$Aj7.0@dfw-
service2.ext.ray.com>
Subject: Re: Wanted: J-38 key part
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <M%cwh.15078$ji1.3669@newssvr12.news.prodigy.net>
NNTP-Posting-Host: 4.227.110.76
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.net 1170300012 ST000 4.227.110.76 (Wed, 31 Jan
2007 22:20:12 EST)
NNTP-Posting-Date: Wed, 31 Jan 2007 22:20:12 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: FKPO@MC@@S@SSP\
[@ZONOPTDFZ\@@FXLM@TDOCQDJ@_@FN@ANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFNTCNVPDTNTKHWXKB
@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]@A_A^SGFAUDE_DF
TMQPFWVW[QPJN
Date: Thu, 01 Feb 2007 03:20:12 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7374
rec.radio.amateur.equipment:7993 rec.radio.swap:11174

"-=H=-" <k5dh@raytheon.com> wrote in message

```
news:431wh.1$Aj7.0@dfw-service2.ext.ray.com...
> In article <g4Rvh.16454$pQ3.1932@newsread4.news.pas.earthlink.net>,
> dickburk@ix.netcom.com says...
>>
>>
>>"-=H=-" <k5dh@raytheon.com> wrote in message
>>news:cjPvh.3$Wf7.0@dfw-service2.ext.ray.com...
>>> I'm looking for the little brass screw-eye that screws
>>> into
>>> the bakelite base of a J-38 key.  Do you have one that you
>>> can spare?  Once restored, this key will be installed at
>>> the
>>> radio operator's station on board the B-17.
>>>
>>> Thanks and 73,
>>>
>>> Dean Hemphill, K5DH
>>> B-17G 44-8543A "Chuckie" Volunteer Crew Member
>>> Vintage Flying Museum
>>> Fort Worth, Texas
>>>

Dean,
    If all else fails, I may be able to make one for you. If you can get the
thread size/pitch for me. I had one of the J-38's with the hook, but lost it
in a move with some other older gear... I'm a few miles South of you, Hearne
just South of Waco.
73,
Paul N5XMV




From -8870221895480164645
X-Google-Thread: 108122,ff9b7a2a9e5247f4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post02.iad01!
roadrunner.com!not-for-mail
From: "Ralph M. Ferrara" <wa2ntk@stny.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TD COMMUNICATIONS - BEWARE
Date: Fri, 2 Feb 2007 20:46:26 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 10
Message-ID: <45c3e977$0$8945$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
```

Xref: g2news2.google.com rec.radio.amateur.equipment:7994

BEWARE OF TIM DAVIDSON W3PLC AKA TD COMMUNCATIONS. If you have been
victimized by Tim Davidson W3PLC, formerly known as TD Communications and
have lost any equipment or monies to him under the guise of having him
repair your radio equipment and would like to join the legal effort recover
your lawfully owned radio equipment or money please go to
http://www.eham.net/forums/CompanyReviews/2696
where you will find information which will enabel you to join the suit.
Thank you es 73 Ralph M. Ferrara

From 3055492375092601749
X-Google-Thread: 108122,498e5030dcf0b532,start
X-Google-Thread: fc2a5,498e5030dcf0b532,start
X-Google-Thread: 1109af,498e5030dcf0b532,start
X-Google-Attributes: gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!homer!news.glorb.com!news-spur1.glorb.com!news.glorb.com!feed.cgocable.net!read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: FA: Items of Interest for Auction
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <YTSwh.3024$4Q2.2273@read1.cgocable.net>
Date: Fri, 2 Feb 2007 21:58:54 -0500
NNTP-Posting-Host: 24.141.95.162
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1170471544 24.141.95.162 (Fri, 02 Feb 2007 21:59:04 EST)
NNTP-Posting-Date: Fri, 02 Feb 2007 21:59:04 EST
Organization: Cogeco Cable
Xref: g2news2.google.com rec.radio.amateur.equipment:7995 rec.radio.amateur.homebrew:8908 rec.radio.swap:11190

Items for Auction:

Amprobe RS-3 Clamp-on Multi-meter:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320077354256&rd=1&rd=1

Motorola SMARTNET Trunking Training Guide:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320078044635&rd=1&rd=1

Heathkit HW-2036A 2 Meter Radio AS-IS:
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320077349244&rd=1&rd=1

Bendix King LPU Series UHF Portable Service Manual:
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320078041568&rd=1&rd=1

Telephone Crimp Tool for RJ-45 Connector:
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320077361996&rd=1&rd=1

Thank You for looking....Norm VE3CZI

From -5678049559726974602
X-Google-Thread: 108122,6791761a77c63e76
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out04a.usenetserver.com!
news.usenetserver.com!in04.usenetserver.com!news.usenetserver.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.lga!newsfe03.lga.POSTED!53ab2750!not-for-mail
From: "ken foshee" <kenfoshee@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <5s32s2p194mpdnl2lnhjvbmltcov8pbs9v@4ax.com>
Subject: Re: BEST channel programming software for Icom, Yaesu = ?
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <bkTwh.203$6I4.196@newsfe03.lga>
X-Trace:
pgpdkimbbbabbbpelhbgfpgcdpepfmkgkmipaaolkcjgehhgnemkghcmnpiahfgbbcmfecimefglhooima
ajkfklglcabjnjncmhikkkoodekahmkidofchkkblkklabenfnojecgjgcfcij
NNTP-Posting-Date: Fri, 02 Feb 2007 20:29:11 MST
Date: Fri, 2 Feb 2007 21:23:29 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:7996

I was told you could not program the memory channels for the IC-706MKII with
PC software. Did I get bad info? All my radios except this one I have
software to program from a PC<<

"Rick" <reply.in.newsgroup@spam.no> wrote in message

```
news:5s32s2p194mpdnl2lnhjvbmltcov8pbs9v@4ax.com...
>
> Looking for the BEST programming software to program the memory
> channels for the Icom IC-706MKIIG and Yaesu FT-817.
>
> I've seen a few options and downloaded and tried one but didn't like
> it.  Some of the other options cost money, which I don't mind, and/or
> require special cables that cost money, which I also don't mind, but
> I'd like to know ahead of time which ones are the best.
>
> Thanks...




From -4387184407451033930
X-Google-Thread: 108122,498e5030dcf0b532
X-Google-Thread: fc2a5,498e5030dcf0b532
X-Google-Thread: 1109af,498e5030dcf0b532
X-Google-Attributes: gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!news-
xxxfer.readnews.com!textspool1.readnews.com!news-out.readnews.com!
postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
References: <YTSwh.3024$4Q2.2273@read1.cgocable.net>
Subject: Re: Items of Interest for Auction
Date: Sat, 3 Feb 2007 02:05:30 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Lines: 32
Message-ID: <45c43436$0$6837$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 08924226.news.coretel.net
X-Trace: DXC=K?
>NlYE\7MoV7>`e^^@lgncYX6N<OEXQke^kb\c;G80glQB^`AXC[Ado;N16g=<O@jl5HgJkgMPJo
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7997
rec.radio.amateur.homebrew:8914 rec.radio.swap:11191

Norm,

Been posting for you - wanted to see about buying a couple manuals. your
ARRL address bounced when trying to reply from your site.

"Norm VE3CZI" <ve3czi@arrl.net> wrote in message
news:YTSwh.3024$4Q2.2273@read1.cgocable.net...
> Items for Auction:
```

```
>
> Amprobe RS-3 Clamp-on Multi-meter:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320077354256&rd=1&rd=1
>
> Motorola SMARTNET Trunking Training Guide:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320078044635&rd=1&rd=1
>
> Heathkit HW-2036A 2 Meter Radio AS-IS:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320077349244&rd=1&rd=1
>
> Bendix King LPU Series UHF Portable Service Manual:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320078041568&rd=1&rd=1
>
> Telephone Crimp Tool for RJ-45 Connector:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320077361996&rd=1&rd=1
>
>
> Thank You for looking....Norm VE3CZI
>
>
>
>
```

```
From 1158880695799350160
X-Google-Thread: 108122,498e5030dcf0b532
X-Google-Thread: fc2a5,498e5030dcf0b532
X-Google-Thread: 1109af,498e5030dcf0b532
X-Google-Thread: 106d41,258ec7a09ed2aa31,start
X-Google-Attributes: gid108122,gidfc2a5,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!news.germany.com!news.datemas.de!not-for-mail
From: "Radio Buff" <RB@nospam.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap,rec.radio.cb
Subject: Re: Items of Interest for Auction
Date: Sat, 3 Feb 2007 09:57:34 -0500
Organization: Radio Buff
Lines: 33
Message-ID: <eq27t7$iuh$1@news.datemas.de>
References: <YTSwh.3024$4Q2.2273@read1.cgocable.net>
X-Trace: news.datemas.de
48qnK9o3xsd1lGIn+55TVlzvY0MMBoKoQnpBTTVYPtpHN+lDluzR7AqmewceOC0muq+R9q3rbN8UDoRNHP
EHEijxMZFcfbZ+NQpNDGZDrHyJELsobULQLWI8d4KT8rqZ8fsRYL5CWXo9fWLQInnYL4Zm1irpvUzXa6XJ
```

flfPtnE=
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Sat, 3 Feb 2007 14:57:43 +0000 (UTC)
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-Priority: 3
X-MSMail-Priority: Normal
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Xref: g2news2.google.com rec.radio.amateur.equipment:7998
rec.radio.amateur.homebrew:8917 rec.radio.swap:11192 rec.radio.cb:25184

"Norm VE3CZI" <ve3czi@arrl.net> wrote in message
news:YTSwh.3024$4Q2.2273@read1.cgocable.net...
> Items for Auction:
>
> Amprobe RS-3 Clamp-on Multi-meter:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320077354256&rd=1&rd=1
>
> Motorola SMARTNET Trunking Training Guide:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320078044635&rd=1&rd=1
>
> Heathkit HW-2036A 2 Meter Radio AS-IS:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320077349244&rd=1&rd=1
>
> Bendix King LPU Series UHF Portable Service Manual:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320078041568&rd=1&rd=1
>
> Telephone Crimp Tool for RJ-45 Connector:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=011&sspagename=STRK%3AMESE%3AIT&viewitem=&item=320077361996&rd=1&rd=1
>
>
> Thank You for looking....Norm VE3CZI
>
>
>
>
This guy sells CB Radio amplifiers cheap!

www.telstar-electronics.com

Ask for the pornfessor.

From -7150163395199748490
X-Google-Thread: 108122,2e4d2e3586a0d83f,start

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe20.lga.POSTED!53ab2750!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Magellan Roadmate 300 Plus Three Map SD Cards - Ends Sunday
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 57
Message-ID: <I76xh.34528$8U4.2567@newsfe20.lga>
Date: Sat, 03 Feb 2007 15:19:55 -0500
NNTP-Posting-Host: 70.160.76.117
X-Complaints-To: admin@cox.net
X-Trace: newsfe20.lga 1170533992 70.160.76.117 (Sat, 03 Feb 2007 13:19:52 MST)
NNTP-Posting-Date: Sat, 03 Feb 2007 13:19:52 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7999

This unit is really nice and works perfectly. No scratches or defects. I have used it for a few trips and it worked really well. It even helped me get "unlost" once. This also includes three of the map region cards from Magellan that are priced at $50 each. These basically cover the whole east half of the country. You can also use the internal memory or your own SD card for additional maps that can be exported from the included software.
Specifications

* PHYSICAL
    o Case High-impact plastic
    o Base Map Detailed maps of 48 contiguous United States, Hawaii, Puerto Rico and Canada on CD-ROMs for upload to internal memory or Secure Digital (SD) cards (not included)
    o Size 6.18" W x 3.11" H x 1.18" D (W 157 mm x H 79 mm x D 30 mm)
    o Weight 9 oz (280 g)
    o Display 3.5" diagonal touch screen: full-color, high resolution, transflective TFT, backlit, automatically adjusts to light conditions
    o Memory 110 MB for maps and user data
    o Data Storage Unlimited / Secure Digital (SD) Card compatible
    o Antenna Built-in multidirectional patch
    o Keypad Eight backlit direct-access keys, plus power and repeat buttons
    o Operating Range 14 to 140�F (-10 to 60�C)
* PERFORMANCE
    o Receiver 14 channels, WAAS/EGNOS enabled
    o Acquisition Time Hot: 20 seconds, Cold: 60 seconds,

Initial: 5 minutes
  o Update Rate Once per second
  o Accuracy 3 to 5 meters (10 - 16 feet) - WAAS/EGNOS, < 7
meters (15 feet) - GPS only
  o Languages English, French, German, Spanish, Italian,
Swedish, Finnish, Portuguese, Dutch, Norwegian - Voice guidance in English
* POWER
  o Source 12 V AC or vehicle adapter

Includes

* Magellan Roadmate 300 GPS Unit
* Suction Cup Window Mount
* Car DC Adaptor
* AC Adaptor
* USB Cable
* Original Software and Manual

Extras

* 256MB SD Map Card of South East US
* 256MB SD Map Card of North East US
* 256MB SD Map Card of East Central US

For more information, pictures or to place a bid go to :

http://search.ebay.com/_W0QQsassZtcbordpQQhtZ-1

From -4271450808167667925
X-Google-Thread: 108122,6791761a77c63e76
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news.glorb.com!
news.mv.net!not-for-mail
From: Rick <reply.in.newsgroup@spam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: BEST channel programming software for Icom, Yaesu = ?
Date: Sat, 03 Feb 2007 16:49:48 -0500
Organization: MV Communications, Inc.
Lines: 15
Message-ID: <fo0as2tbeqib45gkumjv3s3aqp8lo3rdbd@4ax.com>
References: <5s32s2p194mpdnl2lnhjvbmltcov8pbs9v@4ax.com>
<bkTwh.203$6I4.196@newsfe03.lga>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: pyrite.mv.net 1170539391 55626 207.22.49.17 (3 Feb 2007 21:49:51 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 3 Feb 2007 21:49:51 +0000 (UTC)

X-Newsreader: Forte Free Agent 3.2/32.830
Xref: g2news2.google.com rec.radio.amateur.equipment:8000

On Fri, 2 Feb 2007 21:23:29 -0600, "ken foshee"
<kenfoshee@hotmail.com> wrote:

>I was told you could not program the memory channels for the IC-706MKII with
>PC software. Did I get bad info? All my radios except this one I have
>software to program from a PC<<

Good afternoon, Ken.

No, I'm sure you can program the channels in the IC-706. I had a
program that would do that, sort of ... but it wasn't much good and I
ended up getting rid of it. Can't remember which one it was, now.

What are you using for your other radios? If I could find a decent
one for my FT-817 that would be helpful.

From 1160571249902095502
X-Google-Thread: 108122,6791761a77c63e76
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: BEST channel programming software for Icom, Yaesu = ?
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <l28as2pbn6gjp20qff3eubgp0jvi47srvm@4ax.com>
References: <5s32s2p194mpdnl2lnhjvbmltcov8pbs9v@4ax.com>
<bkTwh.203$6I4.196@newsfe03.lga> <fo0as2tbeqib45gkumjv3s3aqp8lo3rdbd@4ax.com>
X-Newsreader: Forte Agent 4.2/32.1117
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Host: 40a2daf7c3f985333c76338e08ce467b
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1170547025
40a2daf7c3f985333c76338e08ce467b (Sat, 03 Feb 2007 23:57:05 GMT)
NNTP-Posting-Date: Sat, 03 Feb 2007 23:57:05 GMT
Date: Sat, 03 Feb 2007 23:57:05 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:8001

Have you looked at FTBasicMMO for the FT-817? I have used it with the
FT-847, and it will program the channels in all the ways which the
radio will, but much more easily. Good support from the author as
well. The interface isn't flashy, but it works.

http://www.g4hfq.co.uk/ftbasic.html

--
Alan
WA4SCA

From 8267251732460440700
X-Google-Thread: 108122,3722c2cbc9b937e7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!949ad025!not-for-mail
From: Fred Cameron <fmaxsc*nospam*@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: adaptor needed
Organization: home
Reply-To: fmaxsc@gmail.com
Message-ID: <vigas21nktaviris0qmhtokf0ccr27qgek@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Sun, 04 Feb 2007 02:22:39 GMT
NNTP-Posting-Host: 66.32.72.8
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1170555759 66.32.72.8 (Sat, 03 Feb 2007
18:22:39 PST)
NNTP-Posting-Date: Sat, 03 Feb 2007 18:22:39 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:8002

I need an 8 pin to 4 and a 4 pin to 8 microphone adaptor (connector)
for a Kenwood radio; a short piece of cable is fine, if there is not
an adaptor.

Thanks+!

WA4PAV

From 9205002340391719346
X-Google-Thread: 108122,3722c2cbc9b937e7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!

```
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe20.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <vigas21nktaviris0qmhtokf0ccr27qgek@4ax.com>
Subject: Re: adaptor needed
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <DXlxh.22$UJ1.0@newsfe20.lga>
Date: Sun, 4 Feb 2007 08:19:13 -0600
NNTP-Posting-Host: 68.224.212.198
X-Complaints-To: admin@cox.net
X-Trace: newsfe20.lga 1170598755 68.224.212.198 (Sun, 04 Feb 2007 07:19:15 MST)
NNTP-Posting-Date: Sun, 04 Feb 2007 07:19:15 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8003

"Fred Cameron" <fmaxsc*nospam*@ix.netcom.com> wrote in message
news:vigas21nktaviris0qmhtokf0ccr27qgek@4ax.com...
>
> I need an 8 pin  to 4 and a  4 pin to 8 microphone adaptor (connector)
> for a Kenwood radio; a short piece of cable is fine, if there is not
> an adaptor.

AES sells them for just under $20.

73 de Glenn AA5PK




From 5486781633604511978
X-Google-Thread: fc8b1,5ad9c02ec8d35e27,start
X-Google-Thread: fc2a5,5ad9c02ec8d35e27,start
X-Google-Thread: 114aac,5ad9c02ec8d35e27,start
X-Google-Thread: 108122,5ad9c02ec8d35e27,start
X-Google-Attributes: gidfc8b1,gidfc2a5,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr19.news.prodigy.net.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave,rec.r
adio.amateur.equipment
Subject: WJ 8718 need parts
Lines: 13
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <1nnxh.929$o61.405@newssvr19.news.prodigy.net>
NNTP-Posting-Host: 70.142.62.252
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr19.news.prodigy.net 1170604605 ST000 70.142.62.252 (Sun, 04 Feb 2007 10:56:45 EST)
NNTP-Posting-Date: Sun, 04 Feb 2007 10:56:45 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
SCSGW[[DYJWUCQLXEBCBNWX@RJ_XPDLMN@GZ_GYO^JWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Sun, 4 Feb 2007 09:54:42 -0600
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7407
rec.radio.amateur.homebrew:8934 rec.radio.shortwave:66126
rec.radio.amateur.equipment:8004

It had a blown M9D mixer which I replaced with a MCL TAK-3H and now it works pretty well except that I get all kinds of images because the low-pass RF filter A2 is missing, part No. 791616. Anyone know where I might find an exact or equivalent replacement? I also need 3 jumpers with SMC threaded plugs on each end, or some plugs.
tnx

--

73
Hank WD5JFR

From -1336151491602521437
X-Google-Thread: fc8b1,5ad9c02ec8d35e27
X-Google-Thread: fc2a5,5ad9c02ec8d35e27
X-Google-Thread: 114aac,5ad9c02ec8d35e27
X-Google-Thread: 108122,5ad9c02ec8d35e27
X-Google-Attributes: gidfc8b1,gidfc2a5,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!news.maxwell.syr.edu!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: WJ 8718 need parts
Date: 4 Feb 2007 11:16:00 -0500
Organization: Former users of Netcom shell (1989-2000)
Lines: 13

```
Message-ID: <eq50s0$gqp$1@panix2.panix.com>
References: <1nnxh.929$o61.405@newssvr19.news.prodigy.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1170605761 29582 166.84.1.2 (4 Feb 2007 16:16:01 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 4 Feb 2007 16:16:01 +0000 (UTC)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7408
rec.radio.amateur.homebrew:8935 rec.radio.shortwave:66130
rec.radio.amateur.equipment:8005

Henry Kolesnik <kolesnik@nojunksbcglobal.net> wrote:
>It had a blown M9D mixer which I replaced with a MCL TAK-3H and now it works
>pretty well except that I get all kinds of images because the low-pass RF
>filter A2 is missing, part No. 791616.  Anyone know where I might find an
>exact or equivalent replacement?  I also need 3 jumpers with SMC threaded
>plugs on each end, or some plugs.

Pasternack has the plugs, although they are sadly not cheap.  I got a TMC
receiver a couple years ago that had been demilitarized with a boltcutter
and wound up having to buy a bunch from them.
--scott
--
"C'est un Nagra.  C'est suisse, et tres, tres precis."


From -8598268625162979195
X-Google-Thread: 108122,3d3c2c3fc5f4f28,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe20.lga.POSTED!53ab2750!not-for-mail
From: "George Folse III" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FT 890 problem
Lines: 58
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0016_01C74850.B47B9510"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <yQoxh.42$UJ1.2@newsfe20.lga>
Date: Sun, 4 Feb 2007 11:36:26 -0600
NNTP-Posting-Host: 68.230.236.27
X-Complaints-To: admin@cox.net
X-Trace: newsfe20.lga 1170610590 68.230.236.27 (Sun, 04 Feb 2007 10:36:30 MST)
NNTP-Posting-Date: Sun, 04 Feb 2007 10:36:30 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:8006
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_0016_01C74850.B47B9510
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I sent my FT 890 to Yaseu for repairs about a yr. ago because lighting =
hit it and knocked the rec out The TX was working fine when I sent it. I =
never tried it out until now because I use it as a spare. The rec works =
fine now the TX is only 40 watts in all modes. I called Yaseu about this =
and they told me the no longer repair the older model radios anymore, =
that I would have to find someone else to repair it. My question is does =
anyone have a clue on what them might have done to lower the rf power? I =
would like to try and repair it myself before trying to get someone else =
to do it.  I have already spend more money on it than it is worth. Any =
help on this????
Thanks

--=20
George K5WWO
------=_NextPart_000_0016_01C74850.B47B9510
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I sent my FT 890 to Yaseu for repairs =
about a yr.=20
ago because lighting hit it and knocked the rec out The TX was working =
fine when=20
I sent it. I never tried it out until now because I use it as a spare. =
The rec=20
works fine now the TX is only 40 watts in all modes. I called Yaseu =
about this=20
and they told me the no longer repair the older model radios anymore, =
that I=20
would have to find someone else to repair it. My question is does anyone =
have a=20
clue on what them might have done to lower the rf power? I would like to =
try and=20
repair it myself before trying to get someone else to do it.&nbsp; I =
have=20
already spend more money on it than it is worth. Any help on=20
this????</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Thanks</FONT></DIV>
```

```
<DIV><FONT face=3DArial size=3D2><BR>-- <BR>George =
K5WWO</FONT></DIV></BODY></HTML>

------=_NextPart_000_0016_01C74850.B47B9510--



From -7268924949816697443
X-Google-Thread: fcc6e,afa016c3c3522104,start
X-Google-Thread: 10bf43,afa016c3c3522104,start
X-Google-Thread: fb049,afa016c3c3522104,start
X-Google-Thread: 108122,afa016c3c3522104,start
X-Google-Attributes: gidfcc6e,gid10bf43,gidfb049,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!10.1.1.41.MISMATCH!pfilter-v0.1!not-for-mail
From: "an old fiend" <Mark@kornstains.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: antena conertposie
Date: Sun, 4 Feb 2007 14:42:51 -0500
Organization: http://www.ipunce.blogspot.com/
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 8
Message-ID: <45c62aa4$0$16322$88260bb3@free.teranews.com>
NNTP-Posting-Date: 04 Feb 2007 18:49:08 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:24989
rec.radio.amateur.policy:64913 alt.ham-radio.vhf-uhf:3607
rec.radio.amateur.equipment:8007

 is tis the poper way two insall my antena? I tying two use teh trash as a
conterposie thier are lot beer cans in bag sor conmductian affect.

 http://i12.tinypic.com/30i9xj6.jpg





--
Posted via a free Usenet account from http://www.teranews.com



From 7581241825811504444
X-Google-Thread: fcc6e,afa016c3c3522104
X-Google-Thread: 10bf43,afa016c3c3522104
X-Google-Thread: fb049,afa016c3c3522104
```

```
X-Google-Thread: 108122,afa016c3c3522104
X-Google-Attributes: gidfcc6e,gid10bf43,gidfb049,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.net.POSTED!5eba7a5d!not-for-mail
From: Jim - NN7K <NN7K@NOWAY.NET>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.policy,alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment
Subject: Re: antena conertposie
References: <45c62aa4$0$16322$88260bb3@free.teranews.com>
In-Reply-To: <45c62aa4$0$16322$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <lauxh.16428$ji1.15922@newssvr12.news.prodigy.net>
NNTP-Posting-Host: 75.15.214.10
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.net 1170632465 ST000 75.15.214.10 (Sun, 04 Feb
2007 18:41:05 EST)
NNTP-Posting-Date: Sun, 04 Feb 2007 18:41:05 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@S^D[ZCERTHZEZ^PNUH@USXB@DTMNHWB_EYLJZ]BGIELLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Sun, 04 Feb 2007 23:41:05 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:24991
rec.radio.amateur.policy:64914 alt.ham-radio.vhf-uhf:3608
rec.radio.amateur.equipment:8008

Trying to be a  "Hi "Q" Circuit" ?  (Heck of a
Capacity; and Damn Little Restinance) ??  :)

an old fiend wrote:
>  is tis the poper way two insall my antena? I tying two use teh trash as a
> conterposie thier are lot beer cans in bag sor conmductian affect.
>
>  http://i12.tinypic.com/30i9xj6.jpg
>
>
>
>
>


From 3561255242564092188
X-Google-Thread: 108122,2795511d7b7b9bc6,start
X-Google-Attributes: gid108122,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k78g2000cwa.googlegroups.com!not-for-mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: aprspoint 4.0 available, with improved tracking
Date: 5 Feb 2007 01:38:37 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1170668317.762714.39370@k78g2000cwa.googlegroups.com>
NNTP-Posting-Host: 58.19.33.75
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170668332 28500 127.0.0.1 (5 Feb 2007 09:38:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Feb 2007 09:38:52 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2; SV1; .NET CLR 1.1.4322; Alexa Toolbar),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k78g2000cwa.googlegroups.com; posting-host=58.19.33.75;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news2.google.com rec.radio.amateur.equipment:8009

When you are tracking a moving object, aprspoint will record all its positions on the map, and optionally connect them with lines to form a track. If you are tracking multiple moving objects at the same time, the map could get cluttered quickly. In this new version, you can choose to selectively remove an individual object's track, or remove all tracks on the map. This version also includes fixes for several bugs reported by the users. We have also tested it extensively on the Vista platform as well. Old keys will no longer work on this new version, please refer to the web site http://www.aprspoint.com for upgrade details.

Michael Cai, KF6ZDM

From -3746713654920077735
X-Google-Thread: 1109af,bfc45d5e7207c059,start
X-Google-Thread: 108122,bfc45d5e7207c059,start
X-Google-Thread: 1062f2,bfc45d5e7207c059,start
X-Google-Thread: 1131b0,bfc45d5e7207c059,start
X-Google-Thread: fc8b1,bfc45d5e7207c059,start
X-Google-Thread: 10c2ee,bfc45d5e7207c059,start
X-Google-Attributes:
gid1109af,gid108122,gid1062f2,gid1131b0,gidfc8b1,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr14.news.prodigy.net.POSTED!c4667c2f!not-for-mail

```
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,misc.industry.electronics.marketplace,s
ci.electronics.repair,rec.radio.amateur.boatanchors,rec.antiques.radio+phono
Subject: WTB HP 3561A
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <nbIxh.2779$gj4.2321@newssvr14.news.prodigy.net>
NNTP-Posting-Host: 70.142.46.205
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.net 1170689875 ST000 70.142.46.205 (Mon, 05 Feb
2007 10:37:55 EST)
NNTP-Posting-Date: Mon, 05 Feb 2007 10:37:55 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDCAOXTMBP\Y]RHV_STDFZ\@@FXLM@TDOCQDJ@_@FNTBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 05 Feb 2007 15:37:55 GMT
Xref: g2news2.google.com rec.radio.swap:11205 rec.radio.amateur.equipment:8010
misc.industry.electronics.marketplace:763 sci.electronics.repair:41900
rec.radio.amateur.boatanchors:7416 rec.antiques.radio+phono:45807
```

I'm looking for a good working unit preferably with bubble memory and
manuals.   I want to do some guitar analysis and my HP 3582A is too hard
for me to use. Any leads appreciated or trades appreciated.
tnx
Hank wd5jfr

```
From -2007530397520476573
X-Google-Thread: 108122,3d3c2c3fc5f4f28
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bluevalley.net!
news.bluevalley.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 05 Feb 2007 12:42:08 -0600
From: Nate Bargmann <n0nb.DO.NOT.SPAM@ME.networksplus.net>
Subject: Re: FT 890 problem
Newsgroups: rec.radio.amateur.equipment
References: <yQoxh.42$UJ1.2@newsfe20.lga>
User-Agent: pan 0.120 (Plate of Shrimp)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
```

```
Message-ID: <K6ednTefnLcd51rYnZ2dnUVZ_rbinZ2d@bluevalley.net>
Date: Mon, 05 Feb 2007 12:42:08 -0600
Lines: 23
NNTP-Posting-Host: 12.158.148.131
X-Trace: sv3-OAzZxZz3Us46MnZ8zgWChG44LXWCa/dk0mYz24OkNE0+5JtFwb4LG/
Py5Cxed8guTsgiSm90pZc7qBp!lSKY6uhDvYS6ELG/C3V5TEG6zTOOS53i60QcoYMpipgL5/
zBl55q1JDWjNdGktA6PQOIJPphcIIy!/sMXwgHLFSzjwkyuFaL0vg==
X-Complaints-To: abuse@bluevalley.net
X-DMCA-Complaints-To: abuse@bluevalley.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:8011

On Sun, 04 Feb 2007 11:36:26 -0600, George Folse III wrote:

> I sent my FT 890 to Yaseu for repairs about a yr. ago because lighting
> hit it and knocked the rec out The TX was working fine when I sent it. I
> never tried it out until now because I use it as a spare. The rec works
> fine now the TX is only 40 watts in all modes. I called Yaseu about this
> and they told me the no longer repair the older model radios anymore,
> that I would have to find someone else to repair it. My question is does
> anyone have a clue on what them might have done to lower the rf power? I
> would like to try and repair it myself before trying to get someone else
> to do it.  I have already spend more money on it than it is worth. Any
> help on this???? Thanks

Perhaps it became mis-adjusted.  If you don't have a service manual
(technical supplement in Yaesu speak) you should be able to snag a copy
from http://mods.dk

- Nate >>

--

"The optimist proclaims that we live in the best of all possible worlds,
the pessimist fears this is true."


From -1196485712873124395
X-Google-Thread: 108122,857427c7e4603d3d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!homer!news.glorb.com!news-
spur1.glorb.com!news.glorb.com!feed.cgocable.net!nx01.iad01.newshosting.com!
newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!428620cb!not-for-mail
From: HardwareMonkey <I-Hate-Spam@hardware-monkey.com>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Composite Signal from Radio Receiver
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <FMMxh.24760$X72.1456@newsread3.news.pas.earthlink.net>
Date: Mon, 05 Feb 2007 20:50:45 GMT
NNTP-Posting-Host: 63.23.9.244
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1170708645 63.23.9.244 (Mon, 05 Feb 2007
12:50:45 PST)
NNTP-Posting-Date: Mon, 05 Feb 2007 12:50:45 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8012
```

First, I apologize if this is not the right spot for a post like this.

I work for a small LPFM station. We have no money, but we have an opportunity to rebroadcast our signal and extend our coverage area. Here is the problem: I need to be able to tune in the composite signal from the LPFM and feed the composite directly into a transmitter.

Did I mention we have no money? I cannot afford the few hundred dollars to the $2,000 it takes to purchase a radio receiver. How in the world could I take a standard radio receiver, skip all the signal processing, and simply take the composite signal to a BNC connector?

Does anyone have any ideas?

Thanks in advance for any ideas.

```
From -8829019433648180987
X-Google-Thread: 108122,bfc45d5e7207c059
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-
mail
From: "Fred Francis" <Fred@xenirad.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB HP 3561A
Date: 5 Feb 2007 14:23:17 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1170714197.157309.315260@q2g2000cwa.googlegroups.com>
References: <nbIxh.2779$gj4.2321@newssvr14.news.prodigy.net>
NNTP-Posting-Host: 67.142.130.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170714210 9011 127.0.0.1 (5 Feb 2007 22:23:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Feb 2007 22:23:30 +0000 (UTC)
In-Reply-To: <nbIxh.2779$gj4.2321@newssvr14.news.prodigy.net>
User-Agent: G2/1.0
```

X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=67.142.130.30;
   posting-account=JgBXcA0AAACIWM3CqDj0ojCrLPfJUBIE
Xref: g2news2.google.com rec.radio.amateur.equipment:8013

On Feb 5, 10:37 am, "Henry Kolesnik" <koles...@nojunksbcglobal.net> wrote:

> I'm looking for a good working unit preferably with bubble memory and
> manuals.   I want to do some guitar analysis and my HP 3582A is too hard
> for me to use. Any leads appreciated or trades appreciated.
> tnx
> Hank wd5jfr

Seems like you could use a sound card in a PC and some free software available online. This method may be a little slower than the HP but if your having problems using the HP this could be much better. Let me know if you what your in need of and I may try to trade with you. I do not however have any audio analyzers other than PC based such as I mentioned earlier. I mostly work in RF.

From -1118479861938847029
X-Google-Thread: 108122,857427c7e4603d3d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a34g2000cwb.googlegroups.com!not-for-mail
From: "Fred Francis" <Fred@xenirad.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Composite Signal from Radio Receiver
Date: 5 Feb 2007 14:33:16 -0800
Organization: http://groups.google.com
Lines: 33
Message-ID: <1170714796.820566.262060@a34g2000cwb.googlegroups.com>
References: <FMMxh.24760$X72.1456@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 67.142.130.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170714803 419 127.0.0.1 (5 Feb 2007 22:33:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Feb 2007 22:33:23 +0000 (UTC)
In-Reply-To: <FMMxh.24760$X72.1456@newsread3.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a34g2000cwb.googlegroups.com; posting-host=67.142.130.30;
   posting-account=JgBXcA0AAACIWM3CqDj0ojCrLPfJUBIE
Xref: g2news2.google.com rec.radio.amateur.equipment:8014

On Feb 5, 3:50 pm, HardwareMonkey <I-Hate-S...@hardware-monkey.com> wrote:

> First, I apologize if this is not the right spot for a post like this.
>
> I work for a small LPFM station. We have no money, but we have an opportunity to rebroadcast our signal and extend our coverage area. Here is the problem: I need to be able to tune in the composite signal from the LPFM and feed the composite directly into a transmitter.
>
> Did I mention we have no money? I cannot afford the few hundred dollars to the $2,000 it takes to purchase a radio receiver. How in the world could I take a standard radio receiver, skip all the signal processing, and simply take the composite signal to a BNC connector?
>
> Does anyone have any ideas?
>
> Thanks in advance for any ideas.

If you have any technical knowledge or know someone who does this can be done with any decent receiver. You have to find the discrimator coil or the input to the stereo decoder IC. This is generally the same electrical point. You can either tap that point with a high input impedance wideband amplifier or simply disconnect the input to the decoder IC and feed this to an adjustable amplifier such as a video distribution amplifier. Video DA's seem to work great for this purpose as they have wide bandwidth DC to 6Mhz. I have done this a few times and a scope is very helpful in determining loss through the ampifier. Use a dead carrier with pilot 19Khz and measure a reference before any work is done. Then when a connection is made to the input of an amplifier check the level again. If the level to the input has dropped you may have impedance issues that will cause you problems. Let me know how this works for you or if you have any further questions.

```
From 7280005047891431085
X-Google-Thread: 108122,857427c7e4603d3d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!428620cb!
not-for-mail
From: HardwareMonkey <I-Hate-Spam@hardware-monkey.com>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Composite Signal from Radio Receiver
References: <FMMxh.24760$X72.1456@newsread3.news.pas.earthlink.net>
<1170714796.820566.262060@a34g2000cwb.googlegroups.com>
In-Reply-To: <1170714796.820566.262060@a34g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

Lines: 26
Message-ID: <LUOxh.19491$yx6.6105@newsread2.news.pas.earthlink.net>
Date: Mon, 05 Feb 2007 23:15:55 GMT
NNTP-Posting-Host: 63.23.9.244
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1170717355 63.23.9.244 (Mon, 05 Feb 2007 15:15:55 PST)
NNTP-Posting-Date: Mon, 05 Feb 2007 15:15:55 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:8015

What you are saying makes sense conceptually. But finding the decoder
circuit seems a little rough. How would one recognize this?

Secondly, I never considered the signal loss that the receiver itself
would have. I think that I could simply boost the signal at the exciter
(it already has some form of adjustable gain IIRC). Any reason that
would not work? Obviously, I would need to look at the overall
modulation... which I do not have the capability of doing... but that is
a separate issue.

Fred Francis wrote:
> If you have any technical knowledge or know someone who does this can
> be done with any decent receiver. You have to find the discriminator
> coil or the input to the stereo decoder IC. This is generally the same
> electrical point. You can either tap that point with a high input
> impedance wideband amplifier or simply disconnect the input to the
> decoder IC and feed this to an adjustable amplifier such as a video
> distribution amplifier. Video DA's seem to work great for this purpose
> as they have wide bandwidth DC to 6Mhz. I have done this a few times
> and a scope is very helpful in determining loss through the ampifier.
> Use a dead carrier with pilot 19Khz and measure a reference before any
> work is done. Then when a connection is made to the input of an
> amplifier check the level again. If the level to the input has dropped
> you may have impedance issues that will cause you problems. Let me
> know how this works for you or if you have any further questions.
>

From 8629164312677995565
X-Google-Thread: 108122,bfc45d5e7207c059
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr17.news.prodigy.net.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@nojunksbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
References: <nbIxh.2779$gj4.2321@newssvr14.news.prodigy.net> <1170714197.157309.315260@q2g2000cwa.googlegroups.com>
Subject: Re: WTB HP 3561A
Lines: 35

```
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <WURxh.3276$4H1.2159@newssvr17.news.prodigy.net>
NNTP-Posting-Host: 70.142.46.205
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr17.news.prodigy.net 1170729654 ST000 70.142.46.205 (Mon, 05 Feb
2007 21:40:54 EST)
NNTP-Posting-Date: Mon, 05 Feb 2007 21:40:54 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
FKPO@SJDZBUYR_PXGZID]_\@VR]^@B@MCPWZKB]MPXHZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Mon, 5 Feb 2007 20:38:18 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:8016
```

Fred
I have no problems with RF as I have an HP 8590A and HP141T with an
assortment of plug ins, tracking gen and have no problems using them at
RF. Buy the 3582A escapes me, however the 3561A a later more user
friendly box. What I like about the 3561A is that it can do spectral
maps with up to 60 seperate traces stacked onto one display showing the
decay of the signal over time.
Right now I'm not quite ready to try a sound card but it may be an
option if I'm not successful in finding a 3561A.
tnx

--

73
Hank WD5JFR

"Fred Francis" <Fred@xenirad.com> wrote in message
news:1170714197.157309.315260@q2g2000cwa.googlegroups.com...
> On Feb 5, 10:37 am, "Henry Kolesnik" <koles...@nojunksbcglobal.net>
> wrote:
>> I'm looking for a good working unit preferably with bubble memory and
>> manuals.   I want to do some guitar analysis and my HP 3582A is too
>> hard
>> for me to use. Any leads appreciated or trades appreciated.
>> tnx
>> Hank wd5jfr
>
> Seems like you could use a sound card in a PC and some free software
> available online. This method may be a little slower than the HP but

```
> if your having problems using the HP this could be much better. Let me
> know if you what your in need of and I may try to trade with you. I do
> not however have any audio analyzers other than PC based such as I
> mentioned earlier. I mostly work in RF.
>



From -2301282838048310309
X-Google-Thread: fc8b1,bc126a10e1eb0d20,start
X-Google-Thread: 114aac,bc126a10e1eb0d20,start
X-Google-Thread: 108122,bc126a10e1eb0d20,start
X-Google-Attributes: gidfc8b1,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j27g2000cwj.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: FA: @$10>AMECO model PT PREAMPLIFIER for TRANSCEIVERS RECEIVERS
Date: 6 Feb 2007 07:56:36 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1170777396.818249.232300@j27g2000cwj.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170777402 29181 127.0.0.1 (6 Feb 2007 15:56:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Feb 2007 15:56:42 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j27g2000cwj.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7427
rec.radio.shortwave:66254 rec.radio.amateur.equipment:8017

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220078155563&ssPageName=STRK:MESE:IT&ih=012



From -5248908392424075808
X-Google-Thread: fc8b1,980c5c3226286bae,start
X-Google-Thread: 114aac,980c5c3226286bae,start
X-Google-Thread: 108122,980c5c3226286bae,start
X-Google-Attributes: gidfc8b1,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p10g2000cwp.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
```

```
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: FA: @$10>WATERS 3002A UNIVERSAL HYBRID COUPLER> COLLINS COLORS:)
Date: 6 Feb 2007 07:57:47 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1170777467.418042.281440@p10g2000cwp.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170777483 29332 127.0.0.1 (6 Feb 2007 15:58:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Feb 2007 15:58:03 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p10g2000cwp.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7428
rec.radio.shortwave:66255 rec.radio.amateur.equipment:8018

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220078155526&ssPageName=STRK:MESE:IT&ih=012



From -8671663507152402371
X-Google-Thread: fc8b1,b7d266b9fa07c702,start
X-Google-Thread: 114aac,b7d266b9fa07c702,start
X-Google-Thread: 108122,b7d266b9fa07c702,start
X-Google-Attributes: gidfc8b1,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
m58g2000cwm.googlegroups.com!not-for-mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: FA: No Bids>5 ICOM BP-3 NICAD BATTERY PACKS for REBUILD(?) IC-02AT
Date: 6 Feb 2007 07:59:14 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1170777554.817841.216850@m58g2000cwm.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170777566 29501 127.0.0.1 (6 Feb 2007 15:59:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Feb 2007 15:59:26 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: m58g2000cwm.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7429
rec.radio.shortwave:66256 rec.radio.amateur.equipment:8019

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220078155581&ssPageName=STRK:MESE:IT&ih=012




From 2017027031672332650
X-Google-Thread: 108122,2795511d7b7b9bc6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!roadrunner.com!not-for-mail
Date: Tue, 06 Feb 2007 18:09:04 -0500
From: Me Here <me@here.now>
User-Agent: Thunderbird 1.5.0.9 (X11/20070103)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: aprspoint 4.0 available, with improved tracking
References: <1170668317.762714.39370@k78g2000cwa.googlegroups.com>
In-Reply-To: <1170668317.762714.39370@k78g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <45c90a90$0$28180$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:8020

How nice. An upgrade fee for one small enhancement (fix that should have
been in the program originally) and some bug fixes. This program needs
some major enhancements. These little enhancements and bug fixes every
six months to a year are not cutting it. Stay away from APRSPoint. The
author is ripping people off.

hxc98@yahoo.com wrote:
> When you are tracking a moving object, aprspoint will record all its
> positions on the map, and optionally connect them with lines to form a
> track. If you are tracking multiple moving objects at the same time,
> the map could get cluttered quickly. In this new version, you can
> choose to selectively remove an individual object's track, or remove
> all tracks on the map. This version also includes fixes for several
> bugs reported by the users. We have also tested it extensively on the
> Vista platform as well. Old keys will no longer work on this new
> version, please refer to the web site http://www.aprspoint.com for
> upgrade details.
>
> Michael Cai, KF6ZDM
>
```

From -8117260776781848672
X-Google-Thread: 108122,6791761a77c63e76
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!news.glorb.com!news.mv.net!not-for-mail
From: Rick <reply.in.newsgroup@spam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: BEST channel programming software for Icom, Yaesu = ?
Date: Tue, 06 Feb 2007 19:57:14 -0500
Organization: MV Communications, Inc.
Lines: 32
Message-ID: <mg8is2h4ejgskjicopogoebf247gtsmf3n@4ax.com>
References: <5s32s2p194mpdnl2lnhjvbmltcov8pbs9v@4ax.com> <bkTwh.203$6I4.196@newsfe03.lga> <fo0as2tbeqib45gkumjv3s3aqp8lo3rdbd@4ax.com> <l28as2pbn6gjp20qff3eubgp0jvi47srvm@4ax.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: pyrite.mv.net 1170809840 29553 207.22.49.17 (7 Feb 2007 00:57:20 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 7 Feb 2007 00:57:20 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.2/32.830
Xref: g2news2.google.com rec.radio.amateur.equipment:8021

On Sat, 03 Feb 2007 23:57:05 GMT, Alan WA4SCA <APBIDDLE@UNITED.NET> wrote:

>> Have you looked at FTBasicMMO for the FT-817?

Good evening, Alan.

Thanks for the pointer. Found it, downloaded it, tried it, bought it. After a few false starts that were fixed by a few sessions of RTFM, it works great.

As for the IC-706, someone said that you can't program the memories in that radio. I find that that is ALMOST true, but not quite. You can program the memories ... barely ... but you can't read them AND you can't set the PL tone frequency, all you can do is turn PL tones on or off.

It's the most retarded PC interface to a radio that I've seen in a very long time.

I don't know what the engineers at Icom were smoking when they designed that but I'm thinking of calling them to see if they saved me some. :-)

I am evaluating TRX Manager to write the memories in the 706... there are some serious limitations there (only a few of which are the fault of TRX Manager and they're not too hard to work around) but so far it appears to be the only game in town.

I'm probably going to write a program that reads the CSV files generated by FTBasicMMO and writes them to the 706, that's probably the best I'll be able to do with that radio.

From -1773268523324510159
X-Google-Thread: 108122,6791761a77c63e76
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-05!sn-xt-sjc-09!sn-xt-sjc-07!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: BEST channel programming software for Icom, Yaesu = ?
Date: Wed, 07 Feb 2007 01:34:19 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12sib4r8miuba41@corp.supernews.com>
References: <5s32s2p194mpdnl2lnhjvbmltcov8pbs9v@4ax.com>
<fo0as2tbeqib45gkumjv3s3aqp8lo3rdbd@4ax.com>
<l28as2pbn6gjp20qff3eubgp0jvi47srvm@4ax.com>
<mg8is2h4ejgskjicopogoebf247gtsmf3n@4ax.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:8022

>It's the most retarded PC interface to a radio that I've seen in a
>very long time.

It was enough to make me decide that I wouldn't buy that particular radio. Decent programmability (memory upload/download at the very least) is a must!

>I don't know what the engineers at Icom were smoking when they
>designed that but I'm thinking of calling them to see if they saved me
>some. :-)

Jimson weed is bad for you.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 6114966640765053351

```
X-Google-Thread: 108122,772910ad849dc3cc,start
X-Google-Thread: fc2a5,772910ad849dc3cc,start
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newstrans.cos.agilent.com!not-for-mail
From: "Al Lorona" <al_lorona@agilent.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: 10.9 MHz IF?
Date: Tue, 6 Feb 2007 22:57:25 -0800
Organization: None
Lines: 16
Message-ID: <1170830367.837071@newsreg.cos.agilent.com>
NNTP-Posting-Host: newsreg.cos.agilent.com
X-Trace: newstrans.cos.agilent.com 1170831445 2757 130.29.134.111 (7 Feb 2007
06:57:25 GMT)
X-Complaints-To: usenet@newstrans.cos.agilent.com
NNTP-Posting-Date: Wed, 7 Feb 2007 06:57:25 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Cache-Post-Path: newsreg.cos.agilent.com!unknown@cos1nai128175.cos.agilent.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Xref: g2news2.google.com rec.radio.amateur.equipment:8023
rec.radio.amateur.homebrew:8972
```

Hi, Everybody,

Would anybody know offhand which rigs from maybe the 1960s through early 1980s era had an IF of 10.9 MHz? I have a number of 10.9 MHz crystal filters built by Network Sciences (C-F Networks) that I bought some time ago that were supposedly taken out of a ham rig and just out of curiosity wanted to know which one.

Thanks very much.

Regards,

Al W6LX

```
From -7477624635095287082
X-Google-Thread: 108122,772910ad849dc3cc
X-Google-Thread: fc2a5,772910ad849dc3cc
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.brightview.com!news.brightview.com.POSTED!not-for-mail
```

NNTP-Posting-Date: Wed, 07 Feb 2007 05:05:16 -0600
From: rrah@pencoys.org.uk (Mike W)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: 10.9 MHz IF?
Date: Wed, 07 Feb 2007 11:05:13 GMT
Reply-To: rrah@pencoys.org.uk
Message-ID: <45c9b1f7.864750900@news.madasafish.com>
References: <1170830367.837071@newsreg.cos.agilent.com>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 22
NNTP-Posting-Host: 80.189.232.133
X-Trace: sv3-FYapho5VO5q9f/HHve/
BDoWbLQtV7pONgRTgKJSjqeLjHxlGG5KzuPXaE58wtmlZlobbJ8+wLMm4zkm!
LsvXb0PxeJmycOBedbDMtfGKxrHr3YCYBDRS1Rn6rDpG3/AZpRc/p3YwjUjyp1oTK/n0Mvtuh+VB!
PIag2haFyQXYZjcLA/5HoVXlar/975Elc6g=
X-Complaints-To: abuse@brightview.com
X-DMCA-Complaints-To: abuse@brightview.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:8024 rec.radio.amateur.homebrew:8973

On Tue, 6 Feb 2007 22:57:25 -0800, "Al Lorona" <al_lorona@agilent.com> wrote:

>Hi, Everybody,
>
>Would anybody know offhand which rigs from maybe the 1960s through early
>1980s era had an IF of 10.9 MHz? I have a number of 10.9 MHz crystal filters
>built by Network Sciences (C-F Networks) that I bought some time ago that
>were supposedly taken out of a ham rig and just out of curiosity wanted to
>know which one.
>
>Thanks very much.
>
>Regards,
>
>Al W6LX
>

ISTR that some older Bearcat scanners used 10.9Mhz. I don't know any other rigs using it though.
>
>

From -4729263279150638947
X-Google-Thread: 108122,e01d1930bf646d09,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!

border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr13.news.prodigy.net.POSTED!dde308f5!not-for-mail
From: "Nighthawk" <miner1@flash.net>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale MMB-72 nest for a Yaesu FT100D (New), Seperation kit part
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Fsiyh.74276$qO4.25255@newssvr13.news.prodigy.net>
NNTP-Posting-Host: 70.243.123.118
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.net 1170846629 ST000 70.243.123.118 (Wed, 07 Feb 2007 06:10:29 EST)
NNTP-Posting-Date: Wed, 07 Feb 2007 06:10:29 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
O@ZABYSEGJBS@UXXOZOTOQMAPJYRE\XILA]T]_MIJQR@EPIB_VUKAH_[MTX\IS[K[NGYJJFNOFZR_G[BUN
TAOQLFE^TEHRPI]PZZRP_BMDSFQFL_]CBHXRWCMDCUZAZN@D_AKMNLEI]MWHCSXL^]NNC__CZFGSGHYYXW
PFG@SCAVA]\FT\@B\RDGENSUQS^M
Date: Wed, 07 Feb 2007 11:10:29 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:8025

New Part MMB-72 nest for Yaesu FT100D face. This is a hard to find part,
that is usually lost or broken. I have a new one. $20.00 plus postage.

e-mail me...

miner1@flash.net

From -4480579691382403240
X-Google-Thread: 108122,857427c7e4603d3d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a34g2000cwb.googlegroups.com!not-for-mail
From: "Fred Francis" <Fred@xenirad.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Composite Signal from Radio Receiver
Date: 7 Feb 2007 07:08:51 -0800
Organization: http://groups.google.com
Lines: 20
Message-ID: <1170860931.153617.267070@a34g2000cwb.googlegroups.com>
References: <FMMxh.24760$X72.1456@newsread3.news.pas.earthlink.net>
   <1170714796.820566.262060@a34g2000cwb.googlegroups.com>
   <LUOxh.19491$yx6.6105@newsread2.news.pas.earthlink.net>

NNTP-Posting-Host: 67.142.130.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170860937 1429 127.0.0.1 (7 Feb 2007 15:08:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Feb 2007 15:08:57 +0000 (UTC)
In-Reply-To: <LUOxh.19491$yx6.6105@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a34g2000cwb.googlegroups.com; posting-host=67.142.130.15;
   posting-account=JgBXcA0AAACIWM3CqDj0ojCrLPfJUBIE
Xref: g2news2.google.com rec.radio.amateur.equipment:8026

On Feb 5, 6:15 pm, HardwareMonkey <I-Hate-S...@hardware-monkey.com>
wrote:
> What you are saying makes sense conceptually. But finding the decoder
> circuit seems a little rough. How would one recognize this?

The decoder IC can be located non technically by using an NTE or ECG
demiconductor reference guide available for free at most NTE or ECG
parts distributors. Look up th epart number for each IC and the
description. One the decoder IC is found the pinout for that IC can
also be found in the book giving you most of the info you need. The
loss I am referring to is not from the receiver but rather in the
circuit modifications made to it. If not done properly you will lose
pilot level due to impedance mismatch causing you problems in
remodulating the transmitter.

If you can come with some money I will do this for you. Let me know
what type of receiver you are using and we will work form there. I can
also provide you with a premodified receiver if you would rather go
that route.

From -24855975793013597
X-Google-Thread: 108122,69accd0150bf12a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 Jan 2007 06:26:26 -0600
Date: Mon, 22 Jan 2007 07:26:29 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: supply

```
References: <m-2954A3.06544222012007@news.verizon.net>
In-Reply-To: <m-2954A3.06544222012007@news.verizon.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <2-SdnRCm75juMCnYnZ2dnUVZ_uvinZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-DG6QC9jR0x/Ts5fwZdYMkUO0eTEgGP2HhdZzymq0MB0sL51h3W48loxfLtN5+HeaSaw/
+CLXt3CAGkG!
6lanYVnf9aTe0zv6alGWDUxRmswDl1D2uxDnjyh06QnViS6QTDYjyDaFTR1Xuzd7wM46ne25GohR!EdI/
SKdG9DHOBOKobA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7927

What's wrong with an Astron RM-70? It is a linear supply.

ml wrote:

> anybody know the brand (or web link) to a powersupply 120vac> 13vdc
> @30-50amps  that is 'better' than astron in the respect of being quiet
>
> fan noise shouldn't be more than my mark vf     and if it's analog
> transformer based  no buzzing windings
>
> perfer a unit w/volt and amp meters  but i'd setle for the above
>
>
> thanks




From 7313531922300506516
X-Google-Thread: 108122,e6afade25260b868,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a75g2000cwd.googlegroups.com!not-for-
mail
From: brm@netcabo.pt
Newsgroups: rec.radio.amateur.equipment
Subject: Signa Link   SL-1+  help
Date: 22 Jan 2007 14:34:56 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1169505296.499665.121230@a75g2000cwd.googlegroups.com>
NNTP-Posting-Host: 87.196.230.51
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169505302 16861 127.0.0.1 (22 Jan 2007 22:35:02 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 Jan 2007 22:35:02 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a75g2000cwd.googlegroups.com; posting-host=87.196.230.51;
   posting-account=pi_IEwwAAAC_e9KHgSIK5luDGmguQt1V
Xref: g2news2.google.com rec.radio.amateur.equipment:7928
```

Please read the problem at:http://brm.planetaclix.pt/SL_1.htm

Thanks
JM
CT1BRM

```
From 5412161950585184920
X-Google-Thread: 108122,91ef9f9d8419dd83,start
X-Google-Thread: fc8b1,91ef9f9d8419dd83,start
X-Google-Thread: 114aac,91ef9f9d8419dd83,start
X-Google-Attributes: gid108122,gidfc8b1,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d71g2000cwa.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.shortwave
Subject: FA: HV Probe, NOS Tubes, Mica Caps, NOS Tube Sockets, L-P Filter+++
Date: 23 Jan 2007 07:51:09 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1169567469.393657.236520@d71g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169567479 17408 127.0.0.1 (23 Jan 2007 15:51:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 Jan 2007 15:51:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d71g2000cwa.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:7929
rec.radio.amateur.boatanchors:7230 rec.radio.shortwave:65340
```

All Right Here>
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

From 3811313078219486525
X-Google-Thread: 108122,149208b162353620,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: HP 8341A SWEEPER & 35660A DATA ANALYZER
Reply-To: w1ksz@earthlink.net
Message-ID: <a28dr2hk5o0nq212sl065vpi5fj5gnnrch@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 37
Date: Tue, 23 Jan 2007 23:55:30 GMT
NNTP-Posting-Host: 24.41.20.11
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1169596530 24.41.20.11 (Tue, 23 Jan 2007 15:55:30 PST)
NNTP-Posting-Date: Tue, 23 Jan 2007 15:55:30 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7930

FOR SALE:

HP 8341A SYNTHESIZED SWEEP GENERATOR $1,250

� Frequency range: 10 MHz - 20.0 GHz
� Frequency resolution: 1 to 4 Hz
� Output range: +10 dBm to -20 dBm
� Output level resolution: 0.1 dB
� Internal level accuracy: �0.9 dB
� Internal flatness: �0.6 dB to �1.5 dB depending on output level range
� Phase noise: -57 dBc to -107 dBc / 1 Hz noise bw
� AM modulation
Long term stability is excellent at 1x10-9/day
� HP-IB interface
� Analog Sweep width from 100 Hz to full frequency range
� Up to 5 Frequency Markers selectable
� Long-term stability of 1 x 10 exp-9/day

HP 35660A DUAL CHANNEL DYNAMIC SIGNAL ANALYZER $450

The 35660A Dual-Channel, Dynamic Signal Analyzer is an FFT-based instrument that provides spectrum and network measurements in electronics, mechanical test, acoustics, and other low frequency application areas. The analyzer also offers built-in test and automation features, traditionally available only with a computer. The unit performs spectrum analysis from 488�Hz to 102.4kHz and network analysis from 244�Hz to 51.2kHz. The FFT provides 401 lines of resolution in both one- and two-channel modes. Accuracy is �0.003% of frequency reading.

BOTH ITEMS ARE PICK-UP ONLY IN LEXINGTON, MA.

Regards,

Dick, W1KSZ

From 1771938174780585841
X-Google-Thread: 1109af,fbf3f3e448aadc71,start
X-Google-Thread: 108122,fbf3f3e448aadc71,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a75g2000cwd.googlegroups.com!not-for-mail
From: "Wes Stewart" <n7ws@yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: SSB Electronics Transverter
Date: 24 Jan 2007 12:07:02 -0800
Organization: http://groups.google.com
Lines: 31
Message-ID: <1169669222.229941.71770@a75g2000cwd.googlegroups.com>
NNTP-Posting-Host: 4.240.246.143
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169669229 10240 127.0.0.1 (24 Jan 2007 20:07:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 24 Jan 2007 20:07:09 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.9) Gecko/20061206 Firefox/1.5.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a75g2000cwd.googlegroups.com; posting-host=4.240.246.143;
   posting-account=nRzaww0AAACJ-gr2UlWsSMxfCpqhAxOU
Xref: g2news2.google.com rec.radio.swap:11119 rec.radio.amateur.equipment:7931

For sale: SSB Electronics TV 28-144 transverter plus SSB Electronics PA1441 power amplifier. These two items form the heart of the SSB Electronics LT 2S packaged transverter that sells for nearly $900.

This is a high quality German-built unit that offers exceptional weak-signal capability. The transverter uses entirely separate receive and transmit paths with no intermod producing diode switching for rx-tx changeover.

On receive; the TV 28-144 uses a low-noise GaAs FET preamp driving a high level balanced mixer and post mixer amplifier to downconvert a 144 MHz signal to 28 MHz.

On transmit; the unit up converts a low-level 28 MHz (CW, SSB, FM)
signal to a 100 mW 144 MHz output.

The PA 1441 amplifies the 100 mW signal to an output power of
approximately 20W.

Dual crystal oscillators allow transmit and receive on two different
frequencies or two i-f frequencies, although this unit is supplied with
only a single 116 MHz crystal.

I originally acquired these units from another ham with the intention
of returning to EME, but plans have changed and I'm offering them to
someone who can put them to use. I did test them when I received them
and they work per spec. Asking $275 for the pair, postage paid in
CONUS, or plus shipping elsewhere. Paypal is okay.

Contact N7WS at Yahoo.com

From 6359845360331991711
X-Google-Thread: 108122,47a90f05d785014a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newshub.sdsu.edu!news-xxxfer.readnews.com!textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Subject: attn: bondy - highly pretty news - nonbe vij pacpa wab - (1/1)
From: wallis <nevadanet@alstede.name>
Newsgroups: rec.radio.amateur.equipment
Message-ID:
<56817984V193671c857245665q76167871h25m2947N974578979O@news.alstede.name>
Sender: nevadanet@alstede.name
Reply-To: nevadanet@alstede.name
Date: 24 Jan 2007 21:14:17 GMT
Lines: 28
NNTP-Posting-Host: 7874d6df.reader.athenanews.com
X-Trace:
DXC=VBnCKWKD4MEV:6]OcL70oFaTHcV2NR;jK:LKFL\Y2OoJ8HJ[4QCYoGLfM@i;lfOU3IZO<30UVGRVMa?;n5Q1BX`C5G4gPQled=B
X-Complaints-To: abuse@athenanews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7932

Hey there,

One thing I love about them, they don't keep log files of the news I read or files I download.
You can find almost anything you are looking for.
They give you access to some of the best groups others may not carry.
Images, video, mp3 music, the real news from around the world... it's all inside waiting for you.
Take a look, I know you'll love it as much as I do.

Take a look at all the great features below and imagine! You'll LOVE it.
With some of the fastest connections around it's no wonder people love it and keep coming back.
They offer some of the best premium newsgroup access anywhere.

Posting allowed!
2,000,000 new posts each day
Convenient thumbnail indexes
Blazing fast downloads
Keyword searchable

Thanks! I hope to see you at http://newsdude.net soon. See you later.

Tok hopki! Kothu gajzu ri kenjizezbet bojhi kap zi nopkovanvev kiymifismel,
ur ozfa ij ow piv mi cosma! Denpabezcuw hi leyhadewyur degbi ci nupli lesteresvan
sijzu guypo ri es imyomegcit! Ofsa nis zud bub di wapbi! Lon fav hol ni zejjukivkol
el! I ozbisagnen acrehapvuc i omse isjoneskit ifwa i az ezje, dih fij hod fi keflu
wob is i aytogipyem. Erwu unnu i oyfu en i ommi innu ofvu i ukso arji, i emze ivzo el
voz ci faz ip vej wi nordifuwheb lobmesimjic, coldu er i iwyuvosvav unrugogkus
sey. Zovpe mi sunyufujyar badnakonjev fecge ab apsozakci, uhyo ber wilsa vuc tuzwu
iy olke sup fi ...

From -3193237619076139585
X-Google-Thread: 108122,c7ce187eb3dadf06
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news.glorb.com!proxad.net!fdn.fr!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "D.K." <bla.bla@bla.fr>
Newsgroups: rec.radio.amateur.equipment
References: <1169211552.788261.176310@l53g2000cwa.googlegroups.com>
Subject: Re: Wanted ICR-8500 Receiver in excellent shape
Date: Thu, 25 Jan 2007 08:15:59 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Lines: 22
Message-ID: <45b85928$0$5099$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 25 Jan 2007 08:15:52 CET
NNTP-Posting-Host: 90.17.54.211
X-Trace: 1169709352 news.orange.fr 5099 90.17.54.211:1397
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:7933

This should be what you are looking for :
http://tinyurl.com/32upxk

Please note that I don't have any connection to the seller !

D.K. (France)

"Mel" <k2at@comcast.net> a �crit dans le message de news:
1169211552.788261.176310@l53g2000cwa.googlegroups.com...
>I am looking for an ICR-8500 receiver in excellent shape. Please
> contact me if u r interested in selling.
>
> Tnx.
> Mel k2at
>

From 8353227282186948360
X-Google-Thread: 108122,26f0353905a6312d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!news-in-02.newsfeed.easynews.com!easynews.com!easynews!
hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe12.phx.POSTED!
53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FYI: Manuals and Mods URL's
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <Q95uh.2041$pH3.869@newsfe12.phx>
Date: Thu, 25 Jan 2007 08:46:41 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1169743600 72.197.12.245 (Thu, 25 Jan 2007 09:46:40 MST)
NNTP-Posting-Date: Thu, 25 Jan 2007 09:46:40 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7934

Manuals - Both free and vendors at URL:
http://ac6v.com/manuals.htm

Mods a bunch at URL:

http://ac6v.com/techref.htm#MODS

CL

```
From -7847756975516924700
X-Google-Thread: f704f,ba8f3bcd42de694a,start
X-Google-Thread: 383819,ba8f3bcd42de694a,start
X-Google-Thread: f6327,ba8f3bcd42de694a,start
X-Google-Thread: 108122,ba8f3bcd42de694a,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07002520300088@4ax.com>
Subject: MI5 Persecution: Toronto Freenet supports free speech (107)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 19:35:38 GMT
Lines: 38
NNTP-Posting-Date: 25 Jan 2007 19:35:38 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32277
microsoft.public.windows.vista.mail:11 alt.airports.uk.edinburgh:47155
rec.radio.amateur.equipment:7935 alt.sex.boys:18096
```

Despite an orchestrated campaign of attempted censorship by UK-resident newsgroup readers, TFN did not bow to demands for a suppression of freedom of speech. TFN general policy on the matter is as follows;

Draft Policy on Account Deactivations due to News Group Postings

News group postings occasionally take the form of a message which goes against the "topic" of the conference. For example, a derogatory message about Canadians in the soc.culture.canada.

Members of such news groups then may send a message to the system administrators asking that a user's account be terminated because of such posting.

The Toronto Free-Net Board of Directors has taken the position that the only postings that will get a person's account terminated is material that is illegal under Canadian law. Otherwise, the

Toronto Free-Net will not
take any action.

Freenet Executive Director Mike Anderson had this to say regarding the continued attempts of a minority of usenet
participants to have my account on his system deactivated;

The TFN's policy is not to take action against members unless they contravene the Criminal Code of Canada, or
engage in practices such as forgery, attacks against other computer systems or mailbombing.

Mr. Corley, while possibly being very annoying, has not contravened the TFN's policies. The TFN believes strongly
in freedom of expression, while recognizing that the price for such freedom may be a high signal-to-noise ratio in Usenet.

If Mr. Corley breaks the law, we will take action -- until then, he has the same rights as any TFN member to post
to Usenet newsgroups. Actions such as mailbombing the TFN in protest will be met by strong complaints to the
originating site's postmaster. The best defense against unwanted postings may be simply be to ignore them and deny
the poster an audience.

TFN Executive Director Toronto, Ont CANADA

Personally, I find it gratifying that my contributions to usenet discussion are recognized as being conducive
to a high signal-to-noise ratio by their quality and thoughtfulness.

107

--
Posted via a free Usenet account from http://www.teranews.com

```
From 8354427942980686488
X-Google-Thread: f704f,104cccf37d4fd6eb,start
X-Google-Thread: 383819,104cccf37d4fd6eb,start
X-Google-Thread: f6327,104cccf37d4fd6eb,start
X-Google-Thread: 108122,104cccf37d4fd6eb,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07002520402329@4ax.com>
Subject: MI5 Persecution: Intelligence agency sources on the Web (1012)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
```

ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 19:46:01 GMT
Lines: 30
NNTP-Posting-Date: 25 Jan 2007 19:46:01 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32278
microsoft.public.windows.vista.mail:12 alt.airports.uk.edinburgh:47161
rec.radio.amateur.equipment:7936 alt.sex.boys:18097

Intelligence agency sources on the Web

http://intelweb.janes.com/

Intelligence Watch Report covers public and private intelligence
agencies around the world.

kim-spy

http://www.kimsoft.com/kim-spy.htm

The Korea WebWeekly kim-spy Intelligence and Counter-Intelligence
link page.

http://www.lobster-magazine.co.uk/

Lobster Journal publishes research on the intelligence community.

http://cryptome.org/

Cryptome is an online source of intelligence related material.

http://www.mi5.gov.uk/

MI5 has a website, too, but you should prepare yourself for some serious
"alternative reality" if you plan to visit it.

1012

--
Posted via a free Usenet account from http://www.teranews.com

From -6281485377441675874
X-Google-Thread: f704f,f9d06ae3399a5d71,start
X-Google-Thread: 383819,f9d06ae3399a5d71,start
X-Google-Thread: f6327,f9d06ae3399a5d71,start

```
X-Google-Thread: 108122,f9d06ae3399a5d71,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07002520510418@4ax.com>
Subject: MI5 Persecution: Newsgroup members join in the discussion (1917)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 19:56:42 GMT
Lines: 16
NNTP-Posting-Date: 25 Jan 2007 19:56:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32281
microsoft.public.windows.vista.mail:13 alt.airports.uk.edinburgh:47169
rec.radio.amateur.equipment:7937 alt.sex.boys:18098
```

Newsgroup members join in the discussion

Peter Kr�ger writes about "Dirk Gently on the Toronto Case".

Hotchkies FAQ: Looking at it from a medical viewpoint. The diagnosis is obvious, isn't it?

Accolades for the Web Site
Read what people said about this web site.

Visitor count: since August 11, 1996

Toronto Freenet supports free speech

1917

--
Posted via a free Usenet account from http://www.teranews.com

```
From 8747971739649208028
X-Google-Thread: f704f,f134152e5e7ee80,start
X-Google-Thread: 383819,f134152e5e7ee80,start
X-Google-Thread: f6327,f134152e5e7ee80,start
X-Google-Thread: 108122,f134152e5e7ee80,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
```

border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-ID: <m07002521085054@4ax.com>
Subject: MI5 Persecution: BBC's Hidden Shame 4/5/95 (107)
Newsgroups: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 20:14:28 GMT
Lines: 102
NNTP-Posting-Date: 25 Jan 2007 20:14:28 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32282 microsoft.public.windows.vista.mail:14 alt.airports.uk.edinburgh:47179 rec.radio.amateur.equipment:7938 alt.sex.boys:18099

Date: Thu May 4 18:27:24 1995
Newsgroups: alt.conspiracy
Subject: BBC's Hidden Shame

Remember the two-way televisions in George Orwell's 1984? The ones which watched you back? Which you could never get rid of, only the sound could be turned down?

Well the country which brought Orwell into the world has made his nightmare follow into the world after him. Since 1990 the British have been waging war against one of their own citizens using surveillance to invade privacy and a campaign of abuse in the transmitted media in their efforts to humiliate their "victim".

And the most remarkable thing about it is that what they do is not even illegal - the UK has no laws to protect the privacy of its citizens, nor does it proscribe harassment or abuse except in the case of racial abuse.

A lot of people in England know this to be going on, yet so far they have maintained perfect "omerta"; not a sound, not a squeak has escaped into the English press, and for all the covert harassment absolutely nothing has come out into the public domain.

Have the British gone mad? I think we should be told.

From: "Mr.B" <dgb01@stir.ac.uk>
Newsgroups: alt.conspiracy
Subject: Re: BBC's Hidden Shame

Date: Mon May 8 05:32:13 1995

Mmmm.

Who, exactly is this victim you're talking about?

First up, Britain or the UK (not 'England' - England is a part of Britain, like Kansas is a part of the USA) does have laws that protect the individual from harassement - you can't just threaten people willy nilly. There are laws against that. And if someone lies about you in the press or tv then you have recourse to libel/slander etc. laws.

True, Britain has no 'privacy' laws as such, but isn't that a good thing? As of this moment, the govt. are considering a privacy law, but it is unlikely to succeed. Why? Because any such law would benefit the priviledged and those in power. Privacy laws, while supposedly protecting the individual, help those in power hide their mistakes/scandals. They stop the press etc. investigating. Privacy laws are undemocratic - they prevent the people from keeping an eye on govt.

And stop looking for some kinda conspiracy in the British press. It's hardly perfect, but your notion that they don't cover/campaign against press legislation, harrassment, discrimination, human rights etc. is plain wrong. You've never seen a British paper in yr life.

You clearly have a specific case/individual in mind. Speak up! The thought police aren't coming round just yet.

Douglas.

Date: Mon May 8 19:21:28 1995
Newsgroups: alt.conspiracy
Subject: Re: BBC's Hidden Shame

Confession time - the victim is/was me (except my name isn't Corley, but that's irrelevant). What happened was not threats; just invasion of privacy, in a partiicularly flagrant and shocking way, in a way which most people would consider to constitute harassment.

You know there's a particular category of person with mental illness to whom TV and radio "talk", ie they feel the broadcast is directed at them in particular? This happpened to me, quite some time ago in the UK (I'm originally from London, so I've seen plenty of British media print and other). They invaded my home with their bugs, they repeated what I was saying in the privacy of my home, and they laughed that it was "so funny", that I was impotent and could not even communicate what was going on. Who did this? Our friends on BBC television, our friends in ITN, last but not least our friends in Capital Radio in London and on Radio 1.

How did they do this? I'll give you an example. About a year ago, I was listening to Chris Tarrant (Capital Radio DJ among other pursuits) on his radio morning show, when he said, talking about someone he didn't identify, "you know this bloke? he says we're trying to kill him. We should be done for attempted manslaughter" which mirrored something I had said a day or two before (I'm not paranoid, honest!). Now that got broadcast to the whole of London - if any recordings are kept of the shows then it'll be there.

107

--
Posted via a free Usenet account from http://www.teranews.com

```
From -3139460938349608714
X-Google-Thread: f704f,5f319ab819bf53da,start
X-Google-Thread: 383819,5f319ab819bf53da,start
X-Google-Thread: f6327,5f319ab819bf53da,start
X-Google-Thread: 108122,5f319ab819bf53da,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
213.132.189.2.MISMATCH!multikabel.net!feed20.multikabel.net!news2.euro.net!
66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!10.1.1.50.MISMATCH!not-
for-mail
Message-ID: <m07002521205159@4ax.com>
Subject: MI5 Persecution: A doubting Thomas is heard 9/5/95 (1012)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 20:26:29 GMT
Lines: 126
NNTP-Posting-Date: 25 Jan 2007 20:26:29 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32283
microsoft.public.windows.vista.mail:15 alt.airports.uk.edinburgh:47185
rec.radio.amateur.equipment:7939 alt.sex.boys:18100
```

```
From: pao1@ukc.ac.uk (P.A.Orrock)
Newsgroups: uk.misc
```

Subject: Re: BBC's Hidden Shame
Reply-To: pao1@ukc.ac.uk (P.A.Orrock)
Date: Tue May 9 05:54:20 1995

>have laws that protect the individual from harassement -
>you can't just threaten people willy nilly. There are laws
>against that. And if someone lies about you in the press
>or tv then you have recourse to libel/slander etc. laws.

Yup, agreed

>True, Britain has no 'privacy' laws as such, but isn't that
>a good thing? As of this moment, the govt. are considering
>a privacy law, but it is unlikely to succeed. Why? Because any
>such law would benefit the priviledged and those in power.
>Privacy laws, while supposedly protecting the individual, help
>those in power hide their mistakes/scandals. They stop the press
>etc. investigating. Privacy laws are undemocratic - they prevent
>the people from keeping an eye on govt.

Agreed again.

>Douglas.

I am slightly confused here as to who is writing what. this just seems to
be an amalgam of posts and replies posted to here to keep the thread going.

>Confession time - the victim is/was me (except my name isn't
>Corley, but that's irrelevant). What happened was not threats;
>just invasion of privacy, in a partiicularly flagrant and
>shocking way, in a way which most people would consider to
>constitute harassment.

>You know there's a particular category of person with mental
>illness to whom TV and radio "talk", ie they feel the broadcast
>is directed at them in particular? This happpened to me,

You mean the category where they think that everyone is after them ? that
one ? So lets get this straight you know you are paranoid and you think
that they are out to get you ? Uh huh, try putting the two together and
see what you come up with.

>quite some time ago in the UK (I'm originally from London
>so I've seen plenty of British media print and other).
>They invaded my home with their bugs, they repeated what I
>was saying in the privacy of my home, and they laughed that it
>was "so funny", that I was impotent and could not even communicate
>what was going on. Who did this? Our friends on BBC television,
>our friends in ITN, last but not least our friends in Capital
>Radio in London and on Radio 1.

Oh yeah, I can see it now. All of them banding together, in a united
effort against one man. So ITN, the BBC, and Capital all decide to sit

round the table and they come up with idea of breaking into someones house, putting bugs everywhere, listening in to his conversation, and shoving it out on the news everyday. This someone has nothing to do with politics, or business, or entertainment, just an ordinary Joe Bloggs who seems to be extremely paranoid.

Have some sense, grow up and smell reality. What you are talking about would take loads of planning, tens of thousands of pounds and lots of people involved in the planning, execution and maintenance of it. You must have a very high opinion of yourself to think you are worth it.

>How did they do this? I'll give you an example. About a year ago,
>I was listening to Chris Tarrant (Capital Radio DJ among other
>pursuits) on his radio morning show, when he said, talking about
>someone he didn't identify, "you know this bloke? he says we're
>trying to kill him. We should be done for attempted manslaughter"
>which mirrored something I had said a day or two before
>(I'm not paranoid, honest!). Now that got broadcast to the whole
>of London - if any recordings are kept of the shows then it'll be
>there.

Of course you are not paranoid, just slightly mad. Did you ever look for the bugs in your house ? If not, why not ? I mean if I thought that was happening to me, I'd search the place from top to bottom, I mean I live there I would know if anything was out of place. If I was really paranoid, whoops I mean suspicious, I would call in one of those bug detection teams which have those machines that pick up the transmitted radio waves. This reminds me of BUGS, that new programme on BBC1 on saturdays which is all about this kind of stuff, but, shown as a drama / thriller. I suppose thats based on you as well is it ?

>is that there is a conspiracy in Britain, that it encompasses the
>broadcast media, and there is no way of breaking the conspiracy.
>The people who are involved in it will not open up.

What a load of jolly hollyhocks, I would say something else but, apparently students are not allowed to swear on newsgroups in case it damages the reputation of the university or some such jolly hollyhocks.

This guy is extremely paranoid to suggest that the entire British media is after him in such a big way. He gives no real reason as to why they are after him, just that he suffers/suffered from a slight mental disorder, could it be paranoia perhaps ?? No surely not.

I put it to the house that he has never recovered from this mental disorder, lets come out with it and call it paranoia, and thinks everyone is after him. Remember just because you aren't paranoid, doesn't mean they aren't after you.

This guy has a serious problem to suggest that the media would go to such lengths just to single out and ridicule one person. I mean apart from anything else, we (the listening masses) wouldn't be interested unless it concerned the royal family, politicians or showbiz personalities. e.g.

the camillagate tapes. I would think that almost everyone, no matter how
much they went on about infringements of privacy read the transcripts with
interest. I really don't think that Joe Bloggs ordinary guy or paranoid
nutter would have the same appeal. Well actually I dunno. :)

Regards,

Paul.

```
--
 Paul Orrock,  Websurfer wannabe, http://www.idiscover.co.uk/paul/home.html
 PC Consultant and HTML freelance Writer, http://www.idiscover.co.uk/paul/
===========================================================================
    Diplomacy is the art of saying "nice doggy" until you can find a rock.
```

1012

```
--
Posted via a free Usenet account from http://www.teranews.com
```

```
From 6494539580433896647
X-Google-Thread: f704f,5c12d8e6d6b843c7,start
X-Google-Thread: 383819,5c12d8e6d6b843c7,start
X-Google-Thread: f6327,5c12d8e6d6b843c7,start
X-Google-Thread: 108122,5c12d8e6d6b843c7,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!
10.1.1.50.MISMATCH!not-for-mail
Message-ID: <m07002521322902@4ax.com>
Subject: MI5 Persecution: Recognition by Strangers is Normal 12/5/95 (1917)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 20:38:07 GMT
Lines: 118
NNTP-Posting-Date: 25 Jan 2007 20:38:07 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32285
microsoft.public.windows.vista.mail:16 alt.airports.uk.edinburgh:47194
rec.radio.amateur.equipment:7940 alt.sex.boys:18101
```

From: speedc@cs.man.ac.uk (C Speed)

Newsgroups: uk.misc
Subject: Re: BBC's Hidden Shame
Date: Fri May 12 04:34:26 1995

>Yes, I realize that. But after five years I think I can tell the difference
>between reality and unreality. Look, in the part of London where I used
>to live, I went back there over Easter, and I got recognized walking
>down the street by people I had never seen before. That's happened
>quite a few times and I am at a complete loss to explain it.

That is what happens in big cities. Hell, it scared me to death when I first started working in Manchester. People keep talking to me on the streets, even if its just to say hello, and I've no idea who they are. This happens to most people, don't worry about it.

>>paranoid, whoops I mean suspicious, I would call in one of those bug
>>detection teams which have those machines that pick up the transmitted

>That's exactly what we did. We went to a competent, professional detective
>agency in London, paid them over 400 quid to debug our house. They found
>nothing.

Doesn't this suggest to you that there are, in fact, no bugs to be found?

>Over Easter I went to the police in London, telling them basically
>what I've posted here. I don't think you'll be surprised to learn
>that I didn't get very far; they asked "why would they be doing this to
>you in particular?" and the answer "they are because they are" doesn't
>go very far.

Exactly. All you have offered so far as proof of your harrassment by these people is:

1) Someone on radio said something that you had recently said

and

2) People on the streets seem to recognise you.

These are both perfectly normal occurences and happen to lots of people every day so it is unsurprising that people here, and the police, are not taking you seriously.

Trying to always keep an open mind about things I would say that one of three things is likely.

Either there is a lot more to this that you are not telling us, or you are messing about or you have some genuine delusions. I'd like to think that in two of the three cases you would find some real support here, but it seems unlikely I'm afraid.

Claire

****
* "And though we say all information should be free it is not.   *

*   Information is power and currency of the virtual world we inhabit."   *
****
* C.Speed - <speedc@cs.man.ac.uk> <http://www.cs.man.ac.uk/~speedc/>   *
****

Date: Fri May 12 17:41:49 1995
Newsgroups: uk.misc
Subject: Re: BBC's Hidden Shame

>That is what happens in big cities. Hell, it scared me to death when I first
>started working in Manchester. People keep talking to me on the streets,
>even if its just to say hello, and I've no idea who they are. This happens
>to most people, don't worry about it.

The key is the pattern, or a change in the pattern. I've lived in London almost all my life, and just walking around the streets, I never got hassled by anybody. All of a sudden, people start harassing you, throwing abuse at you, behaving as if they know you personally, as if they've seen you before somewhere. I read in the papers that this happens to Colin Stagg and people like that Eastenders actress, but they've had their picture in the paperes, so that is understandable. In a couple of cases people have even known my name - when I was in London over Easter I was walking down Shaftesbury avenue in the West End when somebody (no idea who they were, just some bloke with his girlfriend) called me by name - quite clearly, and my name is distinctive. This also happened once about four 1/2 years ago, onn the tube - some blokes I had never seen started chanting my name and a term of abuse.

It's the pattern which convinces me there's something to it - and would convince any impartial abserver who could see things tyhrough my eyes.

>Doesn't this suggest to you that there are, in fact, no bugs to be found?

There's a little story behjjind this. First iof all, in 1992 I worked for a company where the people made clear they knew what was going on, first of all directly (the very first evening I was there I went out to the pub with them and the Technical Directpor said to another guy, "is this the bloke who's been on TV?" "yeah, I think so") and also indirectly, by rep[peating stuff I was saying at home in London and in my rented accomodation there (I moved several times in the course of 1992 and they followed me each time). Now, if "they" (the buggers) knew their bugs could be found easily, they wouldn;'t be keen to make their existence known, would they?

Also, in summer 1992 I went on a trip abroad to Europe by coach, and on the way out there were a couple a little younger than myself on the coach a bloke and hius girlfriend. He said things about some bloke who was never named, who sounded exactly like me - and he made explicitly

clear that our house was bugged, and that a neighrbours house was bugged (and at work they'd been rep[earting what was said at the neighbours, so this looks like independent corroboration).
They also said stuff like "at school he was always really streesed, they found someone from his school and he was a real psycho"
and that "he was in a B&B for one night and they got him", dead right again, I had been in B&B for once night a few days before this trip and weatching the news again got a reaction from the newsreader.

1917

--
Posted via a free Usenet account from http://www.teranews.com

```
From 7603473859570604015
X-Google-Thread: f704f,ebb4f32c2928acda,start
X-Google-Thread: 383819,ebb4f32c2928acda,start
X-Google-Thread: f6327,ebb4f32c2928acda,start
X-Google-Thread: 108122,ebb4f32c2928acda,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07002521441504@4ax.com>
Subject: MI5 Persecution: Truth or Troll? 13/5/95 (2822)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 20:49:53 GMT
Lines: 147
NNTP-Posting-Date: 25 Jan 2007 20:49:53 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32287
microsoft.public.windows.vista.mail:17 alt.airports.uk.edinburgh:47202
rec.radio.amateur.equipment:7941 alt.sex.boys:18102
```

Date: Sat May 13 21:41:57 1995
Newsgroups: rec.arts.tv.uk
Subject: Re: BBC's Hidden Shame

>:some pirate radio station in London in 1991, started listening to
>
>Conclusive proof if ever I heard it.
>
>Of course you were the only person in the office in the whole of Britain

Yeah, but this is the point. Each incident is easily and automatically deniable along the lines you're taking. But when this happens every time, and when you get independent corroboration from other people, then there's no escaping it. For example, immediately after I lost my job in 91 I went into the local garage to get some work done on the car, and one of the blokes there said to the other, "so what do you think of it then? it's getting killed on the radio isn't it"
Now again, you look at that and no proff; you can ask them what they're referring to and they can say they're talking about something else.

>I know you may be a little paranoid, but I suggest you sit down
>and work out rationally what possible reason anyone off television,
>or radio would have for listening to your conversations. After all
>it must be hard enough to present a show to millions of people
>without the added burden of watching and listening to a single
>person and slipping their phrases into the programme.

These presenters are clever people. They wouldn't be presenters if they weren't - they're easily capable of reacting to an individual in this way.

What possible reason? I guess because they think it's amusing to do so. They know that if you ever tell anybody, without being able to show any evidence, then the reaction you'll get from just about anybody will be the one you're showing now.

I realize there are loads of people in England and elsewhere with the sort of thoughts I've described in these postings; and almost all impartial observers would say that nothing other than an
go after their private conversations (if they did it to me then I can do it to them, it's a questions of technical competence and money). If you were lucky, you might be able to entrap them into admission. You could of course harass or threaten them back (any coppers reading this?) but that would be illegal and might get a result quite different to the one you're trying to achieve. Of course, it might come out of its own accord given time - if so many people know, if they have an escape valve in their "subtext" through the media, will it not cease to be at a covert level, given time? Surely it is in my interest for it to become overt, since the transgressions at this time are on their side and not on mine?

Thoughts? There must be some way of breaking the secrecy. This isn't the first time in human history that a conspiracy has taken place on this scale, but the truth tends to out. The situation now is they think they';re "winning" hence have little stimulus to change the rules - if they started seeing themselves "losing" things could change drastically.

===

From: amh15@cus.cam.ac.uk (Alan Hart)
Newsgroups: uk.misc
Subject: Re: BBC's Hidden Shame

Date: Sun May 14 09:59:54 1995

: Thoughts? There must be some way of breaking the secrecy. This
: isn't the first time in human history that a conspiracy has taken
: place on this scale, but the truth tends to out. The situation
: now is they think they';re "winning" hence have little stimulus
: to change the rules - if they started seeing themselves "losing"
: things could change drastically.

Mike, if that is your name,

I'm going to try to rationalise what you're telling us. I can think of three possible explanations for what you are experiencing.

One is that there _is_ a conspiracy against you. As a previous writer said, though, a lot of these programmes are taped, so it really isn't possible in some of the cases you've named. Further, why were no bugs found in your house? Finally, unless you are a political figure or someone else in the public eye, why would anyone bother? People like me (and I assume you) are small fry; our contribution to society is likely to be minor. Why would anyone spend so much money and effort on you?

Another possibility is that you are developing some kind of paranoia. There's no stigma attached to this; we're all paranoid to some extent, although perhaps not to the extent that a doctor would call us paranoid. I think paranoia is quite a straightforward explanation here - you really do believe that all these things are aimed at you; you see people everywhere trying to get at you. Logic suggests that this cannot really be the case.

The third possibility is that not even you really believe any of this, and that this is a "troll". I'm not sure I believe this possibility, but it's possible.

Anyway, if you want to be sure that you're _not_ going mad, I'd go and see your G.P. if I were you. If you don't trust him/her, why not see someone recommended by a person you can trust? If you don't trust anyone any more, don't you think it's time you got help?

Alan

Alan Hart - amh15@cam.ac.uk - Cambridge University, UK - +44 1223 515460
 "How many letters are there in the alphabet - is it 27?" - J.R. Histed
----

From: Ian Preece <ianp@dktower.demon.co.uk>
Newsgroups: uk.misc
Subject: Re: BBC's Hidden Shame
Reply-To: ianp@dktower.demon.co.uk
Date: Sun May 14 14:58:08 1995

In article <3p52cq$rsl@lyra.csx.cam.ac.uk>

amh15@cus.cam.ac.uk "Alan Hart" writes:

> The third possibility is that not even you really believe any of this, and
> that this is a "troll". I'm not sure I believe this possibility, but it's
> possible.

For a troll, the posts are remarkably well-informed on paranoid behaviour.. you'd need to be one, or be reasonably well-informed on the subject to sustain the tale... which lead me to my theory...*ahem*...:

An extension to possibility 3 (Number 3.5, perhaps?) is that the original poster may be somehting like a psychology student writing a term paper on the net community's reactions to this tale. (Now, there's paranoia for you! Not only are they listening to/watching us, they're writing reports about us too...:-)

More likely, though, is that the poster is genuinely in need of professional help (he has intimated as much, himself) and, as such, he should be encouraged to seek it.

regards,
IanP

```
--
-----------------------------------------------------
Ian Preece                 ianp@dktower.demon.co.uk

IT Project Specialist      Ideas for Hire
-----------------------------------------------------
```

2822

```
--
Posted via a free Usenet account from http://www.teranews.com
```

```
From -5334487108569894904
X-Google-Thread: f704f,7625f0089a6bacc6,start
X-Google-Thread: 383819,7625f0089a6bacc6,start
X-Google-Thread: f6327,7625f0089a6bacc6,start
X-Google-Thread: 108122,7625f0089a6bacc6,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07002521563907@4ax.com>
Subject: MI5 Persecution: Let it go 1/8/95 (3727)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
```

ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 21:02:17 GMT
Lines: 189
NNTP-Posting-Date: 25 Jan 2007 21:02:17 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32288
microsoft.public.windows.vista.mail:18 alt.airports.uk.edinburgh:47204
rec.radio.amateur.equipment:7942 alt.sex.boys:18103

From: speedc@cs.man.ac.uk (C Speed)
Newsgroups: uk.misc
Date: Tue Aug 1 10:23:46 1995

>OK, so instead of my posting the same tedious stuff every day,
>why don't you actually read the contents, and make a meaningful
>reply? Something more constructive than those silly little
>jokes about paranoia perhaps? Like what objectively can you do
>to break the conspiracy open, if one exists :-) ? If somebody
>did it to you, what would you do?

But we've *done* that. I certainly have at least. Way back when you
originally started posting and your posts were neither tediously repetitve
nor stupidly long.

But whenever anyone makes any good suggestions you ignore them and start
posting from the begining again. You don't want us to help you - so what do
you want? If you really wanted help you would listen to peoples suggestions
and respond to them. Is this just an attention thing?
But I'll try again, because I'm a fool like that.

>o   Tell people about it, go to the police / legal services
>   Done that; those around me either don't believe me, or they
>"sort of" believe but can't do anything about it. As for going
>to the police; I did, over Easter. Discouraging. They must be
>familiar with the occasional person walking into a station with
>this sort of story. "If a psychiatrist says you're imagining
>it, then that's what it is".

You haven't yet given any examples of anything concrete to suggest that this
is really happening to you. This, I would imagine, will be the stumbling
block for the police. How can they possibly help you when your only evidence
is a jumbled mess of TV presenters saying things that could be construed as
answers to your comments and the 'feeling' that people are talking about you
and watching you?

I seem to recall that last time this was being discussed someone asked if you
had been to see a psychiatrist about this - after all if this is really
happening then you have can only benefit from being given a clean bill of
health. I don't recall an answer.

>   I also went to a firm of solicitors; again, very
>discouraging. Put bluntly, they can't deal with cases where the

>perpetrators aren't well-defined and the existence of the crime
>itself is unprovable.

Well how could they? Who would you sue? The country?

>o   so if that option is out, what's left? well, there's the
>"do nothing" option. To some extent this option works. They've
>spent a lot of money and ultimately achieved nothing except to
>force me out of the country - which has been an own goal for
>them, since now they can't do what they were doing in the UK.
>Expenditure of further resources would feed the pockets of
>their greedy contractors, but is a waste of money as far as the
>employing organization is concerned.

So you are no longer in the uk? And this is not happening anymore?

Then let it go. Just leave it alone and get on with your life. Its just not worth it. There is nothing you can do to prove that this happened whether it did or did not. So forget it. Go and explore the net - when people aren't spamming it with useless repetitve posts there's a lot of interesting and worthwhile things out there to see and do. Likewise real life (I'm told *&).

>completely conventional, I have a good academic and work
>record. Until all this started, I had no mental health
>problems; the diagnosis of illness was only after 2 1/2 years
>of abuse. If they did this to me, they could do this to
>absolutely any British citizen. If this stuff gets out, it
>won't be me that has to worry - it'll be them. They take a
>normal person, lie about him, demonise him, try to force him
>into killing himself - and this is in a country where the rule
>of law applies?

If this gets out then *that* will be the time to bring your claims to the foreground.

The only thing ruining your life right now is you, Mike. And the only thing that will make your life any better now is also you. So go and make your life better and show them that they failed.

Claire

```
******************************************************************************
*  "And though we say all information should be free it is not.              *
*     Information is power and currency of the virtual world we inhabit."    *
******************************************************************************
*  C.Speed  -  <speedc@cs.man.ac.uk>  <http://www.cs.man.ac.uk/~speedc/>      *
******************************************************************************
```

===

>But we've *done* that. I certainly have at least. Way back when you
>originally started posting and your posts were neither tediously repetitve
>nor stupidly long.

Once again we're running into a brick wall. The reason I started posting was because I couldn't figure out a way out of the situation, and thought that saying it out into the open would provide a catalyst for one of those "in the know" (there are plenty in this category, and it's a fair bet that some of them are reading this) to speak up.

It hasn't worked, yet. A little more aggressive shit-stirring (excuse expletive) might do the trick. Perhaps Usenet posting is the wrong arena for this sort of activity; although obviously it does have the advantage of rapid feedback.

Thing is, for people to open up, you would have to provide them with a reason why it would be in their interest to do so. There's no obvious way of doing that; to get thinking people to incriminate themselves when they're safe in denying all knowledge is not a trick I can figure out how to do.

>But whenever anyone makes any good suggestions you ignore them and start
>posting from the begining again. You don't want us to help you - so what do
>you want? If you really wanted help you would listen to peoples suggestions
>and respond to them. Is this just an attention thing?
>But I'll try again, because I'm a fool like that.

A "good" suggestion would be one which had the effect of halting the persecution, which so far hasn't happened. If you make a "good" suggestion then damn right I'll stop posting - because then I won't have to.

>You haven't yet given any examples of anything concrete to suggest that this
>is really happening to you. This, I would imagine, will be the stumbling
>block for the police. How can they possibly help you when your only evidence
>is a jumbled mess of TV presenters saying things that could be construed as
>answers to your comments and the 'feeling' that people are talking about you
>and watching you?

Because, as said previously, concrete proof does not exist. If it existed then I wouldn't be talking to you - if it could be proved, or if those doing it could be found, they wouldn't be able to continue.

What's happened is all conversation. You can't prove conversation, not without a tape recorder, and even then you would have to prove that what they meant corresponded to what you understood.

The psychopath who manages the Applics group at my previous employers played little word games, not only with me but with at least one other person in the group; words which rhyme with swear words, words which are ambiguous, eg "bent", words which rhyme with wank, "sheet" rhymes with shit, end (how was your weak end? being the standard salutation on a Monday morning). Sounds childish, most people would easily tell him to fuck off; except to people with predisposition to depression and the inability to express themselves (this was before I started taking medication), that sort of nastiness is not bearable. After ten months of this I was so ill I was crying constantly, eventually I went into hospital and started on medication. Somebody else he did this to (over a year later!) got so depressed he took an overdose of pills, had to go on antidepressants and left.

And where does the "concrete proof" of this trouble exist? NOWHERE. Even if you had physical evidence, even if you had the presence of mind to record what was said, how could you prove what he actually meant by what he was saying? In some cases of harassment you can prove what was done, because it's undeniable. But when the harassment is done with any presence of mind whatsoever, it becomes difficult. In the case of the wider harassment, the people doing it obviously know what they're about - they must have done similar things to other people before in one form or another, and they know what they can get away with, they know what the police will do nothing about.

>I seem to recall that last time this was being discussed someone asked if you
>had been to see a psychiatrist about this - after all if this is really
>happening then you have can only benefit from being given a clean bill of
>health. I don't recall an answer.

Yes. The reply was of the "neither confirm nor deny" variety. Not much else they can say, is there?

>Well how could they? Who would you sue? The country?

Hmmm, now there's a thought... :-)

>If this gets out then *that* will be the time to bring your claims to the
>foreground.

Wrong way round. It won't get out unless I do something to bring that about; remember, it isn't in THEIR interest for THEIR criminality to be exposed. Yelling loudly on Usenet might nudge things along in the right direction.

>The only thing ruining your life right now is you, Mike. And the only thing
>that will make your life any better now is also you. So go and make your
>life better and show them that they failed.

Ignoring them would be bliss, but it's not a winning strategy.

There are going to be more of these posts. Sorry. That's the way it is.

3727

--
Posted via a free Usenet account from http://www.teranews.com

From -6760671379760903143
X-Google-Thread: f704f,5d051231f2628968,start
X-Google-Thread: 383819,5d051231f2628968,start
X-Google-Thread: f6327,5d051231f2628968,start
X-Google-Thread: 108122,5d051231f2628968,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII

Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07002522094278@4ax.com>
Subject: MI5 Persecution: But why? 2/8/95 (4632)
Newsgroups: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 21:15:20 GMT
Lines: 293
NNTP-Posting-Date: 25 Jan 2007 21:15:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32289 microsoft.public.windows.vista.mail:19 alt.airports.uk.edinburgh:47205 rec.radio.amateur.equipment:7943 alt.sex.boys:18104

>Very unstructured, no proof whatsoever. So why should anyone
>take it seriously? If I said to you, "my next door neighbour eats
>babies", how much credibility would you attach to that?

Well, cos it's true. I was hoping that someone "in the know" would
appear and make some self-revealing comments, but that hasn't
happened. Everyone's keeping quiet. What a pity.

>>This is an agglomeration of articles and replies previously
>>posted to Usenet, so it's a bit hard to read. This posting
>>describes a campaign of character assassination initiated

>Who's character is being assassinated? It isn't clear from the post.
>Are we talking about Grenville Janner? I thought he was a spook
>himself? He's certainly able to hold his own on the issue you cite.

Mine, mainly. The reason for putting that episode at the top
of the posting is that they tried to kill two birds with one stone
at the Beck trial - they simultaneously put words into the mouth
of their invented "witness" to smear Janner, and repeated exactly,
word-for-word, stuff which had been said by and about me.

That was the only occasion (the only one recognizable to me,
anyway) when they went after another target at the same time.
And it's quite lucky they did that - because it could give some
pointers to who they might be.

Presumably there are people still around who were involved in
that trial, and know what happened. Beck might be dead, but the
"witness" would still be around, as would Beck's solicitor.

>>by a group of people or agency within the UK. Although
>>they have never presented their identity, you can draw
>>your own conclusions on that point. There aren't many

>>people with the technical resources and contacts in
>>society to make feasible the sort of deliberate attack
>>on an individual which is described in this article.
>
>There aren't _any_ as far as I am aware.

I'm afraid there are.

>>The most disturbing part of the whole episode is the
>>participation of British institutions and their members, fully
>>comprehending what they do, in what is an act of attempted
>>murder against a British citizen.
>
>The whole society, in fact. From the top to the bottom. They
>wouldn't be trying to tell you to kill yourself by any chance,
>would they?

You got it. I'm a popular guy.

>>After the trial Janner said that "now he knew what it felt like
>>to be a victim of Beck's"; but, it wasn't Beck who set up the
>>attempted character assassination on Janner; the fact that they
>>took a side-swipe with their verbatim repetition shows
>>where the real source is to be found.
>
>The newspapers?

Well, your guess is as good as mine. But what newspaper would send a team after someone for five years? I don't think so, somehow. Of course they could, but it wouldn't be in their commercial interest.

You'd have to look at a corporate entity which would indulge in activity of this type, and the nature of the contacts they have narrows down the search.

>>The goons behind the molestation are lower than the paedophiles
>>they use to convey their propaganda - they use the same
>>strategy of covert abuse, but there is nobody to check their
>>actions, or to bring these criminals to justice.
>
>Ummm.. Janner is a Barrister, a journalist who writes on a wide
>variety of issues, and a long-standing Labour MP. If he's unjustly
>smeared, he's more that capable of setting the record straight.

Janner blamed Beck for the invention. He didn't say anything about it having any other origin. Even had he suspected any other source, he could hardly have pointed the finger without some evidence.

>You say that the media is making similar allegations about you in
>relation to this issue? So, you're accused of child abuse, amd
>the allegation was reported in the media, I assume.

I've been accused of many things although that wasn't one of them.
Most of them have been yelled in my face by people on the street
in London at some time or other. Bit difficult to misinterpret
when that happens.

>What exact;y are they saying about you? (Respond here please. I'm
>leaving the UK tomorrow, so I can't read e-mail.)

It changes with time. Every so often, they sing a new song;
so at one point the allegation was homosexuality, at another
is was low intelligence, then it degenerated into sexual abuse.

<snip>

>>They invaded my home with their bugs, they repeated what I
>>was saying in the privacy of my home, and they laughed that it
>>was "so funny", that I was impotent and could not even communicate
>>what was going on. Who did this? Our friends on BBC television,
>>our friends in ITN, last but not least our friends in Capital
>>Radio in London and on Radio 1.
>
>How do you know this? Just from what you hear on the radio?

I can't remember if this was mentioned in the "regular" posting,
but on a few occasions they set me up with people nearby to talk
about me, or more correctly, to talk about somebody who
(in their minds) "resembles" me, with actually naming me.

One such occasion was a coach trip to Europe in June 1992.
The "set up" comprised a guy talking to a vacant giggling female
about "this bloke", who was never named. Apparently "they"
(also never named) "found somebody from his school",
"they" "got" him at his house and at a neighbours, and at
a B&B where their target was for one night.

Apart from that, yeah, from "what I hear on the radio". And
from what I see on TV. (I wouldn't be doing my job as a
mentally ill person properly if the TV and radio weren't
talking to me, now, would I?)

>>Oh yeah, I can see it now. All of them banding together, in a united
>>effort against one man. So ITN, the BBC, and Capital all decide to sit
>>round the table and they come up with idea of breaking into someones
>>house, putting bugs everywhere, listening in to his conversation, and
>>shoving it out on the news everyday.
>
>But why would they do this? What possible reason would they have?

But why get at anybody? Victimisation is the pastime practised against
other people; as the scorpion said to the frog, "it's in my nature".

>Are you aware that what you describe is also a common symptom of people
>who are suffering from a psychiatric illness? Have you been to your

>doctor and told him about this? Did he prescribe any medication? Have
>you been taking it, or have you stopped?

Yes, Yes, and Yes respectively. Still taking it. Doing quite well actually.

>>This someone has nothing to do with
>>politics, or business, or entertainment, just an ordinary Joe Bloggs who
>>seems to be extremely paranoid.
>
>Usually a clinical symptom rather than proof of a conspiracy in such
>matters.

>>How did they do this? I'll give you an example. About a year ago,
>>I was listening to Chris Tarrant (Capital Radio DJ among other
>>pursuits) on his radio morning show, when he said, talking about
>>someone he didn't identify, "you know this bloke? he says we're
>>trying to kill him. We should be done for attempted manslaughter"
>>which mirrored something I had said a day or two before.
>>Now that got broadcast to the whole of London - if any recordings
>>are kept of the shows then it'll be there.
>
>And this is supposed to mean... what? Chris Tarrant is in on this plot
>to kill you? It sure sounds like a joke to me. When you start to get
>ill, the mind often makes connections that seem logical and lucid to
>you, but do not to the rest of the world. This is one of those connections.
>They are usually known as delusions.

This is the problem, and there doesn't seem to be any way around it. If a clearly sane person reported this persecution, you might believe him, but probably you'd tell him to go see a doctor to "verify his sanity". If someone with the illness of which you could argue these things to be symptomatic says these things, again, you might believe him, but it would be unlikely - the easiest route is the one you are taking in the above paragraph. The only way I can convince you of what I am saying is by giving precise details of what, when, how - and for most of that stuff is based solely on memory.

To prove it would require an admission from somebody, or else hard proof in the shape of physical evidence such as tape recordings. Of course, I don't have that.

>The idea of a "pattern", and the notion that if anyone could look
>through your eyes they would see the same thing is very indicative of
>the onset of a psychiatric illness. Schizophrenia and manic depression
>have similar symptoms. I'm not trying to be disrespectful here.
>This may be an illness and it can be managed by the use of medication.
>If it _isn't_ treated, it can lead to terrible tragic consequences.

I'm quite aware what the symptoms would be, and that the reality corresponds to those symptoms.

But if anything, that is an argument which could convince you of the truth of what I'm saying. If they deliberately set out to simulate the symptoms of schizophrenia - in other words, if they know through observation that their target is either suffering from the illness, or is on the borderline and could be pushed in with an appropriate stimulus, then they can feel safe in what they do, since once you are registered as suffering from the illness, people will assign less credibility to assertions that persecution is based in reality.

That this can happen, and people collude by silence, is absolutely horrifying. It is all the more horrifying that it can happen in a country such as Britain which has no history of repression. Perhaps its happening in the UK is due to the arrogant assumption of moral superiority on the part of those in the media and others involved - we won the last war and we can keep harping on about German and Japanese war crimes, so we can do whatever we like and we'll be right, up to and including destroying the lives of our citizens (as long as we're not caught doing it).

>>That is the level it's at - basically they show they're listening
>>to what you're saying at home, they show they're listening to you
>>listening to them
>
>But why? And why you? Do you realize how much it would cost to keep
>one person under continuous surveillance for five years? Think about
>all the man/hours. Say they _just_ allocated a two man team and a
>supervisor. OK., Supervisor's salary, say, �30,000 a year. Two men,
>�20,000 a year each. But they'd need to work in shifts -- so it would
>be six men at �20,000 (which with on-costs would work out at more like
>�30,000 to the employer.)
>
>So, we're talking �30,000 x 6. �180,000. plus say, �40,000 for the
>supervisor. �220,000. Then you've got the hardware involved. And
>any transcription that needs doing. You don't think the 'Big Boss'
>would listen to hours and hours of tapes, do you.
>
>So, all in all, you couldn't actually do the job for much less than
>a quarter million a year. Over five years. What are you doing that makes
>it worth the while of the state to spend over one and a quarter million
>on you?

Those are pretty much the sort of calculations that went through my head once I stopped to consider what it must be costing them to run this little operation.

The partial answer is, there have been periods when the intensity has been greater, and times when little has happened. In fact, for much of 1993 and the first half of 1994, very little happened. Although I don't think that was for reasons of money - if they can tap into the taxpayer they're not going to be short of resources, are they?

The more complete answer is in the enormity of what they're doing. When countries kill their own people, as a rule, they get found out and all hell breaks loose. This isn't some para shooting

Irish teenagers in the back. This is something which permeates
English society, which they are ALL responsible for, and which
they cannot escape responsibility for.

Relative to the cost to British pride of seeing their country
humiliated for the persecution of their own defenceless citizens,
isn't is worth the cost of four or five people to try to bring
things to a close in the manner they would wish? To the
government a million or two is quite honestly nothing - if they
can convince themselves of the necessity of what they're doing,
money is not going to be the limiting factor.

>>What possible reason? I guess because they think it's amusing to do
>>so.
>
>What? Spend a quarter mil. a year to amuse themselves? And why not
>change every now and again? Why keep watching you? (Unless you _are_
>doing something, and I don't think you are, though you may have some
>deep, dark secret in your past.)

See the above.

===

>>I'm going to try to rationalise what you're telling us. I can think of three
>>possible explanations for what you are experiencing.

>>Another possibility is that you are developing some kind of paranoia. There's
>>no stigma attached to this; we're all paranoid to some extent, although
>>perhaps not to the extent that a doctor would call us paranoid. I think
>>paranoia is quite a straightforward explanation here - you really do believe
>>that all these things are aimed at you; you see people everywhere trying to
>>get at you. Logic suggests that this cannot really be the case.

>I think the evidence leans towards this explanation myself. Why not
>try soc.support.depression and see what some of the people there have
>to say about this? Just to get some more perspective on your perspective,
>so to speak?

Sure, it "leans" towards it. But please at least admit there is a
POSSIBILITY of it being very real. And once you've done that, can
you come up with some thoughts on methods of proof? I may be missing something
in my assessment - there may be a way of proving it, in the face of non-cooperation from the "players".

4632

--
Posted via a free Usenet account from http://www.teranews.com

From 3754788517797397437
X-Google-Thread: f704f,460da140f6026f23,start
X-Google-Thread: 383819,460da140f6026f23,start
X-Google-Thread: f6327,460da140f6026f23,start
X-Google-Thread: 108122,460da140f6026f23,start
X-Google-Attributes: gidf704f,gid383819,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07002522213900@4ax.com>
Subject: MI5 Persecution: Surveillance methods 5/8/95 (5537)
Newsgroups: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 25 Jan 2007 21:27:17 GMT
Lines: 78
NNTP-Posting-Date: 25 Jan 2007 21:27:17 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32290 microsoft.public.windows.vista.mail:21 alt.airports.uk.edinburgh:47207 rec.radio.amateur.equipment:7944 alt.sex.boys:18105

From: Pamela Willoughby <pjw31@willouby.demon.co.uk>
Newsgroups: uk.misc
Date: Sat, 05 Aug 1995 18:08:32 GMT
Organization: Myorganisation
Lines: 15
Message-ID: <142297143wnr@willouby.demon.co.uk>

>Hmmm, strange eh.
>I mentioned all this goings on to my boyfriend, who works for the
>British intelligence service, and he assures me this sort of thing
>never goes on.. not ever...honest.
>Though he said the name was familiar...

it does go on, although it's an open question who does it.

Some time ago there were press reports of an Army intelligence person called Jones who claimed Diana and Hewitt had been photographed in a compromising position... he said he'd been doing this as part of an Army unit which had previously operated in Northern Ireland.

Then Hewitt said he'd been told the same thing by some Army people, and that they were threatening to release the tapes unless they curtailed their liaison... as per usual everyone denied everything, painted Jones as the "Jones twins" - not very original in how they deal with their perceived enemies, are they?

You have to wonder how they manage to achieve this sort of surveillance though. Audio you can understand, it's possible to put a microphone through the wall, and apparently there exist devices which will retrieve sound from a laser beam bounced off a window - sounds sci-fi, but there's a well known surveillance electronics company in London which sells these things.

But how would you get video out of a room, unless you had actual physical access in order to plant a device for pickup? We're not talking about looking in from afar, but an actual device within the room. You could either drill through the wall and shove a pickup through; or you could supply a trojan device with a hidden pickup inside; but most likely, you would have to physically break into your target room to plant a camera. That's not an infeasible option; all it means is having your target(s) watched to make sure they're not in the vicinity, then you negotiate any locks on the property and find a suitable receptacle for your device.

The next question is how they defeat the usual methods of counter-surveillance. We had private detectives carry out a "sweep" of every room and the telephone line. They found nothing. That indicates at least four possibilities that I can think of; (this is all guesswork BTW, and probably fanciful guesswork at that!)

1) no bugs (pull the other one)

2) radio-transmitting devices which can be controlled from an external source, ie you can instruct them to switch off when you detect a counter-surveillance sweep taking place

3) hard-wired devices; probe microphones or whatever they're called, things you poke through the wall

4) passive surveillance devices; so you bounce laser or radio waves off a suitable reflecting surface (again, sounds far-fetched but such things may apparently exist).

5) there is a fifth possibility, that the PI's didn't detect an actual transmitting device; there are technologies specifically designed to avoid detection, eg frequency hopping and suchlike. But how much sophistication could you build in to a device which would have to be small enough to be physically concealable?

I guess the real question is to find out who is ultimately behind these "goings on". And if the "great and good" (or the better known, at any rate) can't protect themselves, what hope is there for the rest of us?

5537

--

```
Posted via a free Usenet account from http://www.teranews.com



From 795249951179157706
X-Google-Thread: 10dafd,fd2ba81bd6aa9761,start
X-Google-Thread: 112acb,fd2ba81bd6aa9761,start
X-Google-Thread: 1113b0,fd2ba81bd6aa9761,start
X-Google-Thread: 108122,fd2ba81bd6aa9761,start
X-Google-Thread: 1062f2,fd2ba81bd6aa9761,start
X-Google-Attributes: gid10dafd,gid112acb,gid1113b0,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.mv.net!henry
From: Henry <henry@shhhesmoa.com>
Newsgroups:
alt.marketplace.online.ebay,alt.marketplace.books,rec.arts.books.marketplace,rec.r
adio.amateur.equipment,misc.industry.electronics.marketplace
Subject: FA: 5 Electronics, Microprocessors, Linear Books....
Date: Thu, 25 Jan 2007 21:14:25 -0500
Organization: MV Communications, Inc.
Lines: 2
Message-ID: <250120072114256328%henry@shhhesmoa.com>
NNTP-Posting-Host: c-75-67-219-196.hsd1.nh.comcast.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1169777665 56028 75.67.219.196 (26 Jan 2007 02:14:25 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Fri, 26 Jan 2007 02:14:25 +0000 (UTC)
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Xref: g2news2.google.com alt.marketplace.online.ebay:69954
alt.marketplace.books:8261 rec.arts.books.marketplace:7879
rec.radio.amateur.equipment:7945 misc.industry.electronics.marketplace:757


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320076020322


From -8399561355681416285
X-Google-Thread: 108122,b35746c284eb9eca
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 25 Jan 2007 22:45:21 -0600
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1167158921.781633.215220@42g2000cwt.googlegroups.com>
<h-6dnWvT2t6MEQzYnZ2dnUVZ_uzinZ2d@comcast.com>
<1167168662.193761.324780@f1g2000cwa.googlegroups.com>
Subject: Re: microphone impedance matching circuit?
Date: Thu, 25 Jan 2007 22:45:32 -0600
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <h-CdndSQG__8GiTYnZ2dnUVZ_t6qnZ2d@comcast.com>
Lines: 22
NNTP-Posting-Host: 71.228.3.96
X-Trace: sv3-
OKvM4fzllSWlsSOvisBBu9BCMwJWN1BPKQBKch1lCW47d7ja9FUUZMJ9xi56wFKeP7YtXjkDJ2ZsM9S!
ewrHDuafdNEqjbHzNJzt51Iezv7L81QwGkB8l04oHBJrC6lFLpneswhI10LOSDAAME9cAKs/HZbQ!
sM89Ja6fK6oz
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7946

As long as the source impedance of your microphone is lower than the load
impedance of your 897's mic input, you are fine. The impedance is close
enough anyway.

Pete

"marc" <amarcpassy@gmail.com> wrote in message
news:1167168662.193761.324780@f1g2000cwa.googlegroups.com...
> Simple enough.  Thanks
>
> On Dec 26, 2:54 pm, Dave <W...@comcast.net> wrote:
>> marc wrote:
>> > I've just bought a nominal 150 Ohm Z Shure dynamic mic & I want to use
>> > it with my FT-897, which expects a minimum 200 Ohm Z.  Is there a good
>> > impedance matching circuit out there that I could build?  Do I need to?
>>
>> > Thanks.NOPE!
>>
>> Nope!
>




From 910272660157437632l
X-Google-Thread: 108122,26f0353905a6312d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews8.bellsouth.net.POSTED!d50ae390!not-for-mail
Message-ID: <45BA1BB0.972B19FC@MrED.net>
```

From: Ed <Mr_ED@MrED.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Manuals and Mods URL's
References: <Q95uh.2041$pH3.869@newsfe12.phx>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace: mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcboofooifhpojlkcolkeppgnjbkjjdpjlohbkdlklfpmcbpkgkjociehgkokhbpepehgdpklbagjikbenhcohpbalfbaabcbdcckckonbdakjeedbgi
NNTP-Posting-Date: Fri, 26 Jan 2007 10:17:57 EST
Organization: BellSouth Internet Group
Date: Fri, 26 Jan 2007 10:18:08 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7947

hi

http://www.radioamateur.eu/schemari.html

many manuals all pdf, no cost to d/l

please upload a manual to their site if
you have one to share with all hams.

73 ed

From 1328760442505280881
X-Google-Thread: 108122,10c174967c2e1135,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v45g2000cwv.googlegroups.com!not-for-mail
From: "ToMasz" <rangifer@o2.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: External antenna for air band handheld radio
Date: 26 Jan 2007 11:07:04 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1169838424.841612.276370@v45g2000cwv.googlegroups.com>
NNTP-Posting-Host: 194.177.255.98
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-2"
X-Trace: posting.google.com 1169838439 16159 127.0.0.1 (26 Jan 2007 19:07:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 Jan 2007 19:07:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.8) Gecko/

20050511 Firefox/1.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v45g2000cwv.googlegroups.com; posting-host=194.177.255.98;
posting-account=jLdLGw0AAADUQFbM_BKwAywLsVKGLNes
Xref: g2news2.google.com rec.radio.amateur.equipment:7948

I want to install a stationary external airband antenna hooked up to a
handheld radio to talk to airplanes.
It would possibly be a whip antenna but I don't know what type and
where to buy it the US.
Any recomendations?

From -6972041783779717504
X-Google-Thread: 1009ad,2fc8d15a2f1b0752,start
X-Google-Thread: 108122,2fc8d15a2f1b0752,start
X-Google-Thread: fa029,2fc8d15a2f1b0752,start
X-Google-Attributes: gid1009ad,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
Reply-To: "unknown" <sweetbabyray@unknown.net>
From: "unknown" <sweetbabyray@unknown.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.scanner
Subject: Scanners - DX 394 - filter - swr /tuner FA
Date: Fri, 26 Jan 2007 14:48:35 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <82693$45ba5b15$4b588bbe$20797@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 15
X-Trace: 8269345ba5b15eefd2e1b20797
Xref: g2news2.google.com alt.radio.scanner:4251 rec.radio.amateur.equipment:7949
rec.radio.scanner:8616

Low Pass Filter - 1Kw
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=013&sspagename=STRK%3AMESE%3AIT&viewitem=&item=230083825591&rd=1&rd=1

Uniden BCT 8   Near mint
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=013&sspagename=STRK%3AMESE%3AIT&viewitem=&item=230083810145&rd=1&rd=1

BC890XLT 200 channel Scanner w/ CTCSS tone board installed
http://cgi.ebay.com/ws/eBayISAPI.dll?

ViewItem&ih=013&sspagename=STRK%3AMESE%3AIT&viewitem=&item=230083797727&rd=1&rd=1

DX 394 Shortwave receiver NICE !!
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=013&sspagename=STRK%3AMESE%3AIT&viewitem=&item=230083797701&rd=1&rd=1

Power /SWR meter w/ tuner 100 watts
 http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=013&sspagename=STRK%3AMESE%3AIT&viewitem=&item=230083829991&rd=1&rd=1

From 1401786770392754690
X-Google-Thread: 108122,10c174967c2e1135
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!f4af025b!not-for-mail
From: "Norm Mann" <folder0735@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1169838424.841612.276370@v45g2000cwv.googlegroups.com>
Subject: Re: External antenna for air band handheld radio
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Ksxuh.39$SE6.30@trnddc03>
Date: Sat, 27 Jan 2007 00:58:18 GMT
NNTP-Posting-Host: 71.102.210.121
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1169859498 71.102.210.121 (Fri, 26 Jan 2007 19:58:18 EST)
NNTP-Posting-Date: Fri, 26 Jan 2007 19:58:18 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7950

"ToMasz" <rangifer@o2.pl> wrote in message
news:1169838424.841612.276370@v45g2000cwv.googlegroups.com...
>I want to install a stationary external airband antenna hooked up to a
> handheld radio to talk to airplanes.
> It would possibly be a whip antenna but I don't know what type and
> where to buy it the US.
> Any recomendations?

Yes, DON'T!
You didn't say where or what you are, but unlicensed operation of a aircraft
radio will probably make you a hazard to navigation in any country.
While pilots that fly within the continental US borders are no longer
required to get a radio *operators* license, a radio *station* license is
(AFAIK) required for the equipment. In this case, the "station" is usually
an airplane, based at an airport, or an FBO or unicom on the airport

property itself.
That being said, just getting a simple dipole outside in the clear and as high as you can get it, will do wonders for your reception. Unless you can legally transmit, keep your hand away from the PTT switch. You could damage the transmitter if the antenna is not cut to the correct frequency, but for just listening, it should be much better than the antenna that came with the radio.

-NM

```
From 3469095173135249032
X-Google-Thread: 108122,596763d78e478c19,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!
53ab2750!not-for-mail
From: "Jeff James, W2NBC" <w2nbc@optonline.net>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Buy and Sell Tube Gear!
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <z6Auh.458$M9.67@newsfe12.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiiekannfilpcpbbolnmgppchdinmbneekimpcmiahnbfabdfekpnkfpmgilncbcmbdlek
ailljmcnlonhghihpfdijacdlbpheeeabdbofjhlobhcdnbcfagklmibllijll
NNTP-Posting-Date: Fri, 26 Jan 2007 20:59:27 MST
Organization: Optimum Online
Date: Fri, 26 Jan 2007 22:59:26 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7951
```

You never know what you'll find..

http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi

The Boatanchor Classifieds
FREE ads Dedicated to Vintage Amateur Radio...

```
From 4897456525581017408
X-Google-Thread: 108122,10c174967c2e1135
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn13feed!
```

worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in Alaska <bruceg@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: External antenna for air band handheld radio
Organization: Bruce's Trading Post
References: <1169838424.841612.276370@v45g2000cwv.googlegroups.com>
<Ksxuh.39$SE6.30@trnddc03>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <bruceg-2DD15D.10013627012007@netnews.worldnet.att.net>
Lines: 43
Date: Sat, 27 Jan 2007 19:01:10 GMT
NNTP-Posting-Host: 12.12.208.35
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1169924470 12.12.208.35 (Sat, 27 Jan 2007 19:01:10 GMT)
NNTP-Posting-Date: Sat, 27 Jan 2007 19:01:10 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7952

In article <Ksxuh.39$SE6.30@trnddc03>,
"Norm Mann" <folder0735@hotmail.com> wrote:

> "ToMasz" <rangifer@o2.pl> wrote in message
> news:1169838424.841612.276370@v45g2000cwv.googlegroups.com...
> >I want to install a stationary external airband antenna hooked up to a
> > handheld radio to talk to airplanes.
> > It would possibly be a whip antenna but I don't know what type and
> > where to buy it the US.
> > Any recomendations?
>
> Yes, DON'T!
> You didn't say where or what you are, but unlicensed operation of a aircraft
> radio will probably make you a hazard to navigation in any country.
> While pilots that fly within the continental US borders are no longer
> required to get a radio *operators* license, a radio *station* license is
> (AFAIK) required for the equipment. In this case, the "station" is usually
> an airplane, based at an airport, or an FBO or unicom on the airport
> property itself.
> That being said, just getting a simple dipole outside in the clear and as
> high as you can get it, will do wonders for your reception. Unless you can
> legally transmit, keep your hand away from the PTT switch. You could damage
> the transmitter if the antenna is not cut to the correct frequency, but for
> just listening, it should be much better than the antenna that came with the
> radio.
>
> -NM
>
>
>

Well not exactly, Norm.... the FCC granted a "Blanket License" for all
"domestic non commercial aircraft" registered in the USA. As long as
you never leave US Airspace your airccraft Station is covered by, said
Blanket License.

However, if you plan on flying your aircraft out of US Airspace, then you are REQUIRED to hold both a Radio Station License, and a Resricted RadioTelephone Operators Permit, by International Convention to which the US is signitory. It is the same for Maritime Radios as well.

Bruce in alaska   a Multicom Station Licensee for many years.....
--
add a <2> before @

From -5989684137168689462
X-Google-Thread: 108122,6051a94442313969,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bigfe9.POSTED!93383262!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: programming cable for MOtorolla ht-600 handheld
From: 0junk4me@bellsouth.net

Lines: 27
Message-ID: <cJOuh.2350$ch1.1147@bigfe9>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace: okpbgeeoboblnbegokbebpenefabbojjlpjkdigebcpgalpfdghekaldigbofgjopmjmmdhaddiiccldlakkedcbbdgabjilbopdfnjdgmfhkdeicnpdjnlfiihalnbd
NNTP-Posting-Date: Sat, 27 Jan 2007 15:36:24 EST
Organization: BellSouth Internet Group
Date: Sat, 27 Jan 2007 20:36:24 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7953

HI folks,

I bought one of these radios, 6 channel ht formerly in fire service on uhf at a hamfest a few years ago. tHe seller had hislaptop and programmed it for the NEw ORleans area where i lived then. I'd like to be able toreprogram it and can get the software. HOwever, I need a programming cable for it.

Anybody got one they'd like to sell? SOrry, can't do the auction sites, etc.

drop me a note using my callsign at mmsn.org, or follow the decoder key at the bottom, or post message here and I"ll make contact.

Thanks and 73

Richard Webb, amateur radio callsign nf5b
Memphis TN USA.
Replace all before at symbol with elspider

Braille: support true literacy for the blind.

```
From -6191344733372272284
X-Google-Thread: 108122,13f21451d7b70d70,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a34g2000cwb.googlegroups.com!not-for-
mail
From: "mann_teufel@swbell.net" <mann_teufel@swbell.net>
Newsgroups: rec.radio.amateur.equipment
Subject: traders/buyers beware!!
Date: 27 Jan 2007 12:46:54 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1169930814.786603.156410@a34g2000cwb.googlegroups.com>
NNTP-Posting-Host: 70.128.84.7
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169930821 521 127.0.0.1 (27 Jan 2007 20:47:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 Jan 2007 20:47:01 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0; IEMB3;
IEMB3),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a34g2000cwb.googlegroups.com; posting-host=70.128.84.7;
   posting-account=5RQxag0AAAB5EwENoLk7V06GHzU0sN0t
Xref: g2news2.google.com rec.radio.amateur.equipment:7954
```

traders/buyers who deal with tom stack/WQ5J, arlington, tx beware!!
i have direct, incontrovertable evidence that he is "kiting checks",
ie
writing checks for equipment he buys and asking the person he is
buying
from to hold the check for 1 - 2 weeks. i have been witnessing this
for 2 - 3 years. i have direct, incontrovertable evidence that a old
ham
in the north texas area is still awaiting payment for a very high end
tx/rx after 6 weeks of waiting.

you have been warned.

```
From 4679810191917485323
```

X-Google-Thread: 108122,10c174967c2e1135
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc04.POSTED!f4af025b!not-for-mail
From: "Norm Mann" <folder0735@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1169838424.841612.276370@v45g2000cwv.googlegroups.com>
<Ksxuh.39$SE6.30@trnddc03> <bruceg-2DD15D.10013627012007@netnews.worldnet.att.net>
Subject: Re: External antenna for air band handheld radio
Lines: 59
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <pzPuh.1708$lk3.1591@trnddc04>
Date: Sat, 27 Jan 2007 21:34:13 GMT
NNTP-Posting-Host: 71.102.210.121
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1169933653 71.102.210.121 (Sat, 27 Jan 2007 16:34:13 EST)
NNTP-Posting-Date: Sat, 27 Jan 2007 16:34:13 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7955

"Bruce in Alaska" <bruceg@btpost.net> wrote in message
news:bruceg-2DD15D.10013627012007@netnews.worldnet.att.net...
> In article <Ksxuh.39$SE6.30@trnddc03>,
> "Norm Mann" <folder0735@hotmail.com> wrote:
>
>> "ToMasz" <rangifer@o2.pl> wrote in message
>> news:1169838424.841612.276370@v45g2000cwv.googlegroups.com...
>> >I want to install a stationary external airband antenna hooked up to a
>> > handheld radio to talk to airplanes.
>> > It would possibly be a whip antenna but I don't know what type and
>> > where to buy it the US.
>> > Any recomendations?
>>
>> Yes, DON'T!
>> You didn't say where or what you are, but unlicensed operation of a
>> aircraft
>> radio will probably make you a hazard to navigation in any country.
>> While pilots that fly within the continental US borders are no longer
>> required to get a radio *operators* license, a radio *station* license is
>> (AFAIK) required for the equipment. In this case, the "station" is
>> usually
>> an airplane, based at an airport, or an FBO or unicom on the airport
>> property itself.
>> That being said, just getting a simple dipole outside in the clear and as
>> high as you can get it, will do wonders for your reception. Unless you
>> can

>> legally transmit, keep your hand away from the PTT switch. You could
>> damage
>> the transmitter if the antenna is not cut to the correct frequency, but
>> for
>> just listening, it should be much better than the antenna that came with
>> the
>> radio.
>>
>
> Well not exactly, Norm.... the FCC granted a "Blanket License" for all
> "domestic non commercial aircraft" registered in the USA. As long as
> you never leave US Airspace your airccraft Station is covered by, said
> Blanket License.
> However, if you plan on flying your aircraft out of US Airspace, then you
> are REQUIRED to hold both a Radio Station License, and a Resricted
> RadioTelephone Operators Permit, by International Convention to which the
> US is signitory. It is the same for Maritime Radios as well.

Isn't that essentially what I said? The only thing I wasn't sure of was if
the same applied to Alaskan and Hawaiian airspace. You did expand upon it
and added info, but what I really wanted the OP (wherever he lived) to know
is that to legally "talk" to airplanes, you need to have more than just a
radio.
BTW, that should probably read "at least a Restricted Radio Telephone
Operators Permit" since I already had a first class phone license when I
went through primary flight training and the FCC won't issue a lower class
license to someone with a higher class license of the same type.

-NM

From -8279812204654771241
X-Google-Thread: fcc6e,a6bdefffcce1ea15
X-Google-Thread: f7653,a6bdefffcce1ea15
X-Google-Thread: 108122,a6bdefffcce1ea15
X-Google-Thread: 107ada,a6bdefffcce1ea15
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews5.bellsouth.net.POSTED!93383262!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc
Subject: Re: Amateur Radio Assistance to Katrina Disaster!
From: 0junk4me@bellsouth.net
References: <1125637450.429645.31700@g44g2000cwa.googlegroups.com>

Lines: 28
Message-ID: <7ATuh.10032$qt.7270@bignews5.bellsouth.net>

```
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbogeecohfbggodgpdalbkhkhiapfhgbgjdhh
dogppogedkpghmblkdodkdojhkncfjbcgidkeokfcfcafjidpgmaklabobdhaahbfbbgdbemghfool
NNTP-Posting-Date: Sat, 27 Jan 2007 21:08:03 EST
Organization: BellSouth Internet Group
Date: Sun, 28 Jan 2007 02:08:03 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:24757
rec.radio.amateur.digital.misc:462 rec.radio.amateur.equipment:7956
rec.radio.amateur.misc:28583
```

On 2005-09-01 a5b5e$431747b4$471c610a$32175@ALLTEL.NET said:

```
   >Fred W4JLE wrote:
   >> We all watched in amazement as New Orleans was relagated to the
   >>Stone Age.  All the wizz bang technology fell on it's hind parts.
   >>No cell phones, no  internet, no echo link, no communications.
```

i was there, my xyl and I were the ham radio ops for
University/Charity hospitals in NEw ORleans. SPent a week
there, and thank the good lord for hf ham radio. Was our
lifeline most of that week.

73 de nf5b

P.s. Haven't looked in on the ham radio usenet groups for
over a year, until I was seeking an item I needed. SEe not
much has changed.

Richard Webb, amateur radio callsign nf5b
Memphis TN USA.
Replace all before at symbol with elspider

Democracy is when two wolves and a sheep vote on who's for
dinner. Liberty is when the sheep has his own gun.

```
From 732253104871898086
X-Google-Thread: 108122,6051a94442313969
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-
mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: programming cable for MOtorolla ht-600 handheld
Date: Sat, 27 Jan 2007 23:46:05 -0800
```

Message-ID: <MPG.2025f49ba5d9ef898971a@192.168.42.197>
References: <cJOuh.2350$ch1.1147@bigfe9>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 30
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7957

In article <cJOuh.2350$ch1.1147@bigfe9>, 0junk4me@bellsouth.net (known
to some as 0junk4me@bellsouth.net) scribed...

> HI folks,
>
> I bought one of these radios, 6 channel ht formerly in fire
> service on uhf at a hamfest a few years ago. tHe seller had
> hislaptop and programmed it for the NEw ORleans area where i
> lived then. I'd like to be able toreprogram it and can get
> the software. HOwever, I need a programming cable for it.

<snippety>

If you don't want to check Greed-bay, your best bet is to register, and post a 'Wanted' message to the appropriate forum, at http://batboard.batlabs.com

If you decide you don't want to invest in a programming cable (keep in mind that you will also need a radio interface box, and appropriate programming software), I can program and test that radio for you at my normal rates. See http://www.bluefeathertech.com/rf.html for details.

Happy hunting.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From 1086492067351005041
X-Google-Thread: 108122,13f21451d7b70d70
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!

```
newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: traders/buyers beware!!
Date: Sat, 27 Jan 2007 23:51:16 -0800
Message-ID: <MPG.2025f5d0674f943298971b@192.168.42.197>
References: <1169930814.786603.156410@a34g2000cwb.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 16
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7958

In article <1169930814.786603.156410@a34g2000cwb.googlegroups.com>,
mann_teufel@swbell.net (known to some as mann_teufel@swbell.net)
scribed...

> traders/buyers who deal with tom stack/WQ5J, arlington, tx beware!!
> i have direct, incontrovertable evidence that he is "kiting checks",

     So call the cops. If there really is criminal activity going on, it
needs to be reported to the appropriate authorities.


--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."


From -2128190237670185664
X-Google-Thread: 108122,76a489468648349,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a34g2000cwb.googlegroups.com!not-for-
mail
From: "electronbee" <electronbee@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 4CX250BM/JAN-7203A
Date: 28 Jan 2007 07:40:27 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1169998827.471179.299440@a34g2000cwb.googlegroups.com>
NNTP-Posting-Host: 70.160.145.154
Mime-Version: 1.0
```

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169998834 1294 127.0.0.1 (28 Jan 2007 15:40:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 28 Jan 2007 15:40:34 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.1)
Gecko/20061204 Firefox/2.0.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a34g2000cwb.googlegroups.com; posting-host=70.160.145.154;
   posting-account=cfRn_w0AAAAHsk1uuuWKreNRE_uJcxaG
Xref: g2news2.google.com rec.radio.amateur.equipment:7959

I have for sale new and used 4CX250BM/JAN-7203A. The used vavles are
recent pulls from equipment and are in excellent condition. I can send
pic's of the tubes for those that are interested.

Used: $30/pair
New: $30/each

Shipping will be $5 USPS 2-3 day no matter what quantity. I will
consider reasonable offers for larger quantities.

Thanks!

From 8353407831285937338
X-Google-Thread: 108122,76a489468648349
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m58g2000cwm.googlegroups.com!not-for-mail
From: "electronbee" <electronbee@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 4CX250BM/JAN-7203A
Date: 28 Jan 2007 07:40:47 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1169998847.860571.209030@m58g2000cwm.googlegroups.com>
NNTP-Posting-Host: 70.160.145.154
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169998853 1325 127.0.0.1 (28 Jan 2007 15:40:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 28 Jan 2007 15:40:53 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.1)
Gecko/20061204 Firefox/2.0.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m58g2000cwm.googlegroups.com; posting-host=70.160.145.154;
   posting-account=cfRn_w0AAAAHsk1uuuWKreNRE_uJcxaG
Xref: g2news2.google.com rec.radio.amateur.equipment:7960

I have for sale new and used 4CX250BM/JAN-7203A. The used valves are
recent pulls from equipment and are in excellent condition. I can send
pic's of the tubes for those that are interested.

Used: $30/pair
New: $30/each

Shipping will be $5 USPS 2-3 day no matter what quantity. I will
consider reasonable offers for larger quantities.

Thanks!

From -1620830429709923028
X-Google-Thread: 108122,42613290989b0246,start
X-Google-Thread: fc8b1,42613290989b0246,start
X-Google-Thread: 114aac,42613290989b0246,start
X-Google-Attributes: gid108122,gidfc8b1,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h3g2000cwc.googlegroups.com!not-for-mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.shortwave
Subject: FA: LAST CALL> TUBES, HV Probe, LP- Filter, Mica Caps, MUCH MORE
Date: 28 Jan 2007 08:45:55 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1170002755.570511.164250@h3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170002769 10653 127.0.0.1 (28 Jan 2007 16:46:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 28 Jan 2007 16:46:09 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h3g2000cwc.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:7961
rec.radio.amateur.boatanchors:7321 rec.radio.shortwave:65624

All right here, some great deals>
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

From -5965654841858512530
X-Google-Thread: 108228,8a3258d76070c711,start
X-Google-Thread: 108122,8a3258d76070c711,start

X-Google-Thread: f64c6,8a3258d76070c711,start
X-Google-Attributes: gid108228,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 28 Jan 2007 17:57:38 -0600
From: "Trusty Trucker" <myemailconnection@hotmail.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,uk.radio.amateur
Subject: quick release system for Yaesu FT-897
Date: Sun, 28 Jan 2007 23:57:40 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 000707-0, 27/01/2007), Outbound message
X-Antivirus-Status: Clean
Message-ID: <vLGdndZEUdjvpSDYnZ2dnUVZ8tmhnZ2d@bt.com>
Lines: 17
NNTP-Posting-Host: 86.132.175.62
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-vmdOzK7QOM4Y59At1qVj/Lvs5yFew4VPcdjnJ7jX2q0AcHPtkQtTrvT/eKzYxLGiWhqigRLn/4HXpC8!dACPGhK4mwnA3xWBYZztE8s+YheVK4WmPrVCKiK+T3eqo0oHMZecLtMlS3A5bALwhRnBKCt3L8I=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.marketplace:1724 rec.radio.amateur.equipment:7962 uk.radio.amateur:65913

Hi There,
Does anyone know if there is any companies or persond out there who are marketing/providing a quick release system like you get for in-car broadcast radios these days.
I want to fit my FT-897 into my car, but obviosly do not want to leave it in full view when not in the car and so was wondering if there was some sort of quick attach/release system available that would alloe the rig to be slid into place and be fully connected to coax, speakers etc and could be disconnected just as easily.

Any info ?

Many Thanks

Robert Trussler GM0CSN

From -1880094677553239084
X-Google-Thread: 108228,8a3258d76070c711
X-Google-Thread: 108122,8a3258d76070c711
X-Google-Thread: f64c6,8a3258d76070c711
X-Google-Attributes: gid108228,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!newsfeed01.sul.t-online.de!t-online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe2-gui.ntli.net.POSTED!53ab2750!not-for-mail
Reply-To: "mikeFNB" <mikefnb@moc.dlrowltn>
From: "mikeFNB" <mikefnb@moc.dlrowltn>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,uk.radio.amateur
References: <vLGdndZEUdjvpSDYnZ2dnUVZ8tmhnZ2d@bt.com>
Subject: Re: quick release system for Yaesu FT-897
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <g5bvh.51824$RL5.22120@newsfe2-gui.ntli.net>
Date: Mon, 29 Jan 2007 00:20:28 GMT
NNTP-Posting-Host: 80.5.209.147
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe2-gui.ntli.net 1170030028 80.5.209.147 (Mon, 29 Jan 2007 00:20:28 GMT)
NNTP-Posting-Date: Mon, 29 Jan 2007 00:20:28 GMT
Organization: ntl Cablemodem News Service
Xref: g2news2.google.com alt.ham-radio.marketplace:1725 rec.radio.amateur.equipment:7963 uk.radio.amateur:65914

i use cbslidemounts just choose the type for the size of radio

http://uk.search.yahoo.com/search?p=cb+slide+mount&fr=FP-tab-web-t340&ei=UTF-8&meta=vc%3D

mike
"Trusty Trucker" <myemailconnection@hotmail.com> wrote in message
news:vLGdndZEUdjvpSDYnZ2dnUVZ8tmhnZ2d@bt.com...
> Hi There,
> Does anyone know if there is any companies or persond out there who are
> marketing/providing a quick release system like you get for in-car
> broadcast radios these days.
> I want to fit my FT-897 into my car, but obviosly do not want to leave it
> in full view when not in the car and so was wondering if there was some
> sort of quick attach/release system available that would alloe the rig to
> be slid into place and be fully connected to coax, speakers etc and could
> be disconnected just as easily.
>
> Any info ?
>
> Many Thanks

>
> Robert Trussler GM0CSN
>

```
From -1950655363448603197
X-Google-Thread: 108122,f111c9d142d1ae5c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v33g2000cwv.googlegroups.com!not-for-
mail
From: francesco.messineo@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Icom IC-211 low by 12 KHz
Date: 29 Jan 2007 06:35:22 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1170081321.946443.318150@v33g2000cwv.googlegroups.com>
NNTP-Posting-Host: 213.155.200.58
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170081328 13423 127.0.0.1 (29 Jan 2007 14:35:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 29 Jan 2007 14:35:28 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.12) Gecko/
20060216 Debian/1.7.12-1.1ubuntu2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v33g2000cwv.googlegroups.com; posting-host=213.155.200.58;
   posting-account=w4OzSA0AAAA-nsIbBzg30RUzZ11eeSVV
Xref: g2news2.google.com rec.radio.amateur.equipment:7964
```

Hello,

I'm trying to fix an Icom IC-211 Transceiver, the symptom is frequency actually transmitted and received in FM mode is lower by 12 KHz with respect to the dial displayed frequency. I haven't been able to find a service manual for this rig so any hint is welcome.

Best regards

Francesco

```
From 2669861114403271378
X-Google-Thread: 108228,8a3258d76070c711
X-Google-Thread: 108122,8a3258d76070c711
X-Google-Thread: f64c6,8a3258d76070c711
X-Google-Attributes: gid108228,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news2.google.com!news.germany.com!newsfeed01.sul.t-
online.de!t-online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!
news.highwinds-media.com!newspeer1-win.ntli.net!newsfe4-gui.ntli.net.POSTED!
53ab2750!not-for-mail
From: Leigh <leighinstoke@yahoo.co.uk>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: quick release system for Yaesu FT-897
References: <vLGdndZEUdjvpSDYnZ2dnUVZ8tmhnZ2d@bt.com>
<g5bvh.51824$RL5.22120@newsfe2-gui.ntli.net>
In-Reply-To: <g5bvh.51824$RL5.22120@newsfe2-gui.ntli.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <MUnvh.767$KC.744@newsfe4-gui.ntli.net>
Date: Mon, 29 Jan 2007 14:54:36 GMT
NNTP-Posting-Host: 80.7.178.99
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe4-gui.ntli.net 1170082476 80.7.178.99 (Mon, 29 Jan 2007 14:54:36
GMT)
NNTP-Posting-Date: Mon, 29 Jan 2007 14:54:36 GMT
Organization: ntl Cablemodem News Service
Xref: g2news2.google.com alt.ham-radio.marketplace:1726
rec.radio.amateur.equipment:7965 uk.radio.amateur:65937
```

mikeFNB wrote:
> i use cbslidemounts just choose the type for the size of radio

Seconded - just beware the connectors are often for more low amp and low
RF power radios (CB) so check the quality before using, espec on high power.

Leigh...

```
From 3357877851135754631
X-Google-Thread: 108122,43de19990d84fd3a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!9e002db7!not-for-mail
From: "MICHAEL LINGER" <oldrover@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Military radio stuff.....
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <vhovh.7087$uC6.5779@trnddc02>
Date: Mon, 29 Jan 2007 15:20:59 GMT
```

```
NNTP-Posting-Host: 71.113.239.90
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1170084059 71.113.239.90 (Mon, 29 Jan 2007 10:20:59 EST)
NNTP-Posting-Date: Mon, 29 Jan 2007 10:20:59 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7966
```

I have some vintage military items FS: These items came from the radio system AN/GRC-19D system. This system had the R-390A sires receivers and the T-368 transmitter. On top of the T-368 was the modulator oscillator for the FSK system.   I have one of these in nice original condition for $125.00. I also have the the CV-116 RTTY dual diversity convertor, with manual, $150. Also used in this shelter was the wattmeter/dummyload for the transmitter and I have one of these also, $50. If interested, call Mike at (979) 255-3544.

```
From 3885343094967215029
X-Google-Thread: 108122,92b8d5afa0702270,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!9e002db7!
not-for-mail
From: "MICHAEL LINGER" <oldrover@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Home brew 4CX-1000 amplifier....
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Amovh.7092$uC6.2421@trnddc02>
Date: Mon, 29 Jan 2007 15:26:24 GMT
NNTP-Posting-Host: 71.113.239.90
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1170084384 71.113.239.90 (Mon, 29 Jan 2007 10:26:24 EST)
NNTP-Posting-Date: Mon, 29 Jan 2007 10:26:24 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7967
```

FS: Home brew console (floor model) 4CX-1000 amplifier. I am selling this for a friend who did a beautiful job of building this amp. Basically it's a home brew Collins 30S-1 that is commercial quality built. Can send pix to anyone seriously interested. Includes nicely done manual with all info. $750. Mike, (979) 696-4400.

```
From 5826958902923388709
```

```
X-Google-Thread: 108122,9156e05560b8fa05,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!homer!news.glorb.com!news-
spur1.glorb.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Yaesu FT-1000MP/Field/Mark5
Message-ID: <oe7sr2h0asbcrv2c72h3tc6gjetop1dihl@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace: 
bmdfcfhcjknbdddclhbgfpgcdpepfmkgflmfjdokhfhhahblllfjdfbijhjogphkajfcobocpeihfnehcb
ifclokgogomcbhgdpklbagjikbenhcaopekcijhamjhpajeojlggmcfeegpadp
NNTP-Posting-Date: Mon, 29 Jan 2007 09:16:33 MST
Organization: Optimum Online
Date: Mon, 29 Jan 2007 11:16:29 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7968

WTB: Yaesu FT-1000MP/Field/Mark5
Anyone of the three models.
Please reply with condition,price and phone number.
Thanks.Rich


From 7825238660822777857
X-Google-Thread: fcc6e,610be1f7863392c6,start
X-Google-Thread: 108122,610be1f7863392c6,start
X-Google-Thread: fc2a5,610be1f7863392c6,start
X-Google-Thread: 1109af,610be1f7863392c6,start
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!homer!news.glorb.com!news-
spur1.glorb.com!news.glorb.com!feed.cgocable.net!read1.cgocable.net.POSTED!
53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups: 
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.swap
Subject: FS: Service Manuals for Commercial, Test Equipment  & Amateur Equipment
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <fDtvh.14$EO2.8@read1.cgocable.net>
```

```
Date: Mon, 29 Jan 2007 16:25:24 -0500
NNTP-Posting-Host: 24.141.95.162
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1170105931 24.141.95.162 (Mon, 29 Jan 2007 16:25:31
EST)
NNTP-Posting-Date: Mon, 29 Jan 2007 16:25:31 EST
Organization: Cogeco Cable
Xref: g2news2.google.com rec.radio.amateur.antenna:24818
rec.radio.amateur.equipment:7969 rec.radio.amateur.homebrew:8857
rec.radio.swap:11158
```

Have a quantity of Test Equipment and Radio Communications Service Manuals, both Commercial & Amateur that I have rescued from the Dumpster. Most of them are in Like New Condition.

> Have recently updated the MOTOROLA & KENWOOD List <

Please check my site: www.rodemi.com   for what is available. Click on the MANUALS Heading.
I am updating the site as time allows.
I recently retired from the Commercial 2-way radio business and would like these useful manuals to find a good home.

Thanks for looking....Norm VE3CZI
Email me Directly: <insert Call Sign> at arrl.net ....<call sign> is ve3czi

```
From 204897382262400876
X-Google-Thread: 108122,f730af5499bc1712,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v45g2000cwv.googlegroups.com!not-for-
mail
From: "AC7PN" <brunius@rockisland.com>
Newsgroups: rec.radio.amateur.equipment
Subject: CWGET and PC based audio filters
Date: 29 Jan 2007 14:16:59 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1170109019.611129.133390@v45g2000cwv.googlegroups.com>
NNTP-Posting-Host: 69.29.244.172
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170109047 19183 127.0.0.1 (29 Jan 2007 22:17:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 29 Jan 2007 22:17:27 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.9)
Gecko/20061206 Firefox/1.5.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

Injection-Info: v45g2000cwv.googlegroups.com; posting-host=69.29.244.172;
   posting-account=cLNYEA0AAAC5vxJQFmeSOB-D0TN3bz0d
Xref: g2news2.google.com rec.radio.amateur.equipment:7970

I've been using the audio filter on CWget and it almost helps. The problem is that it introduces clicking, cracking, poping, and wheezing to the filtered sound. Have you experienced this? I've got a very fast computer and I've tried setting the process priority to "real time" and the noise on the filter audio output through the sound card remains. I've tried a number of different sound cards with the same result.

I'm thinking that if it could run the filter without adding the garbage that the Morse decoder function would be improved.

Have you tried an PC based audio filter that works better?

From -1104144332550315586
X-Google-Thread: 108122,11085d871dfc2ec3,start
X-Google-Thread: 1109af,11085d871dfc2ec3,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: AOR AR-3000A COMMUNICATIONS RADIO-TECH SPECIAL
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C743B4.C5F831E0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <ESuvh.5251$pH3.4333@newsfe12.phx>
Date: Mon, 29 Jan 2007 14:50:09 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1170111012 68.104.78.240 (Mon, 29 Jan 2007 15:50:12 MST)
NNTP-Posting-Date: Mon, 29 Jan 2007 15:50:12 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7971 rec.radio.swap:11159

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C743B4.C5F831E0
Content-Type: text/plain;

```
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: AOR AR-3000A COMMUNICATIONS RADIO-TECH SPECIAL

 =
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250079274589&=
ssPageName=3DSTRK:MESE:IT&ih=3D015



------=_NextPart_000_0008_01C743B4.C5F831E0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: AOR AR-3000A COMMUNICATIONS RADIO-TECH SPECIAL</P>
<P>&nbsp;<FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250079274589&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250079274589&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P>
<P>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C743B4.C5F831E0--



From -6077908622936237517
X-Google-Thread: 108122,550743ebc5694305,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!homer!news.glorb.com!news-
spur1.glorb.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
From: solidgoldZZZ@optonline.net (Ron in NY)
Newsgroups: rec.radio.amateur.equipment
Subject: LATE MODEL MFJ ROLLER INDUCTOR IS ROUGH
Message-ID: <45be8c18.534089@news.optonline.net>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 16
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
```

```
adnpoonaeilogjoilhbgfpgcdpepfmkgllnmhnkgccjdeodbndoapmmknojncoclihhoelhefnfinjnbnb
jnhemijdmgnldobcgidkeokfcfcafjlkagijnbiiflagioenfnojecgjgcfcij
NNTP-Posting-Date: Mon, 29 Jan 2007 17:12:06 MST
Organization: Optimum Online
Date: Tue, 30 Jan 2007 00:12:10 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7972
```

Hi All,

I have a couple of late model MFJ roller inductor antenna tuners with the roller on the inside of the inductor. My old 989C with an external roller was smooth as glass. These newer ones with the roller on the inside of the inductor really are rough. They have a knob with a finger hole, but cannot be spun with 1 finger--you have to grab the entire knob to turn it. I have a 989D with a crank type knob that has a slip clutch as part of the knob, and if you try and turn it real slow, the clutch slips instead od the roller progressing slowly.

Has anyone "fixed" this problem with their late model MFJ ???

RON.....KA2IIA
==
Remove the ZZZ from my E-mail address to send me E-mail.

```
From 4305920014505722861
X-Google-Thread: 108122,59e56d6916f5ffe7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a34g2000cwb.googlegroups.com!not-for-
mail
From: "Karl" <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-28A
Date: 30 Jan 2007 00:09:30 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1170144570.871945.225760@a34g2000cwb.googlegroups.com>
References: <1168571288.858502.229120@11g2000cwr.googlegroups.com>
   <fmmck-893E72.14142713012007@nntp.aioe.org>
   <1169052524.400404.280100@q2g2000cwa.googlegroups.com>
NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170144577 23409 127.0.0.1 (30 Jan 2007 08:09:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 Jan 2007 08:09:37 +0000 (UTC)
In-Reply-To: <1169052524.400404.280100@q2g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a34g2000cwb.googlegroups.com; posting-host=199.164.167.176;
```

   posting-account=zq9AfwwAAAC5oYG1V4z9Ya9QVyRhnStO
Xref: g2news2.google.com rec.radio.amateur.equipment:7973

The new battery didn't help. Anyone wanting to sell there IC-28
please give me a all or mail. Domain has my contact info:

http://www.ak2o.org

From -3279867657259476206
X-Google-Thread: 108122,43de19990d84fd3a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j27g2000cwj.googlegroups.com!not-for-mail
From: "moggy2cat@msn.com" <moggy2cat@msn.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Military radio stuff.....
Date: 30 Jan 2007 06:22:41 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1170166961.154453.275650@j27g2000cwj.googlegroups.com>
References: <vhovh.7087$uC6.5779@trnddc02>
NNTP-Posting-Host: 71.48.45.163
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170166976 649 127.0.0.1 (30 Jan 2007 14:22:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 Jan 2007 14:22:56 +0000 (UTC)
In-Reply-To: <vhovh.7087$uC6.5779@trnddc02>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; JUNO; .NET CLR 1.1.4322; MSN 6.1; MSNbMSFT; MSNmen-us; MSNc00),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j27g2000cwj.googlegroups.com; posting-host=71.48.45.163;
   posting-account=llAsdg0AAABenctZ0BpTNVyJAekZUGXq
Xref: g2news2.google.com rec.radio.amateur.equipment:7974

On Jan 29, 7:20 am, "MICHAEL LINGER" <oldro...@verizon.net> wrote:
> I have some vintage military items FS: These items came from the radio
> system AN/GRC-19D system. This system had the R-390A sires receivers and
> the T-368 transmitter. On top of the T-368 was the modulator oscillator for
> the FSK system.   I have one of these in nice original condition for
> $125.00. I also have the the CV-116 RTTY dual diversity convertor, with
> manual, $150. Also used in this shelter was the wattmeter/dummyload for the
> transmitter and I have one of these also, $50. If interested, call Mike at
> (979) 255-3544.

You Have AN/GRC26D Gear .

```
From 5224175611175202319
X-Google-Thread: fc8b1,68d22d6bf63e57ed,start
X-Google-Thread: 114aac,68d22d6bf63e57ed,start
X-Google-Thread: 108122,68d22d6bf63e57ed,start
X-Google-Attributes: gidfc8b1,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m58g2000cwm.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: FA: @$10>HEATHKIT HD-15 HYBRID PHONE PATCH in GREAT SHAPE>Neat-O
Date: 30 Jan 2007 08:25:34 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1170174334.258823.26440@m58g2000cwm.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170174353 19672 127.0.0.1 (30 Jan 2007 16:25:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 Jan 2007 16:25:53 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m58g2000cwm.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7358
rec.radio.shortwave:65781 rec.radio.amateur.equipment:7975

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220075826089&ssPageName=STRK:MESE:IT&ih=012



From 8968698991130416127
X-Google-Thread: fc8b1,966dd785d1ffae11,start
X-Google-Thread: 114aac,966dd785d1ffae11,start
X-Google-Thread: 108122,966dd785d1ffae11,start
X-Google-Attributes: gidfc8b1,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s48g2000cws.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.amateur.equipment
Subject: FA: FOUR(4) COLLINS ART-13 TRANSMITTER KNOBS>EXCELLENT:-)
Date: 30 Jan 2007 08:27:01 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1170174421.723695.121270@s48g2000cws.googlegroups.com>
```

```
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1170174427 19870 127.0.0.1 (30 Jan 2007 16:27:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 Jan 2007 16:27:07 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s48g2000cws.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7359
rec.radio.shortwave:65782 rec.radio.amateur.equipment:7976

No Bids>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220075827273&ssPageName=STRK:MESE:IT&ih=012




From 4816003717524681579
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post02.iad01!post01.iad01!roadrunner.com!not-for-mail
Date: Wed, 17 Jan 2007 13:52:48 -0600
From: Logan Shaw <lshaw-usenet@austin.rr.com>
User-Agent: Thunderbird 1.5.0.9 (Macintosh/20061207)
MIME-Version: 1.0
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<1168979274.433497.217640@l53g2000cwa.googlegroups.com>
<1168979795.366599.295220@q2g2000cwa.googlegroups.com>
<DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com> <eolj4n$tvu$1@roundup.shout.net>
<7qidnf5uG5R4wzPYnZ2dnUVZ_qrinZ2d@giganews.com>
In-Reply-To: <7qidnf5uG5R4wzPYnZ2dnUVZ_qrinZ2d@giganews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 32
Message-ID: <45ae7e91$0$27051$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.crafts.metalworking:117971 rec.woodworking:106773
misc.consumers.frugal-living:58871 rec.radio.amateur.equipment:7876
```

alt.recovery.clutter:21409

Ignoramus18435 wrote:
> On Wed, 17 Jan 2007 10:33:28 -0600, M Berger <berger@shout.net> wrote:
>> What makes them valuable if it's not economical to try to sell them (and they take up your storage space)?
>
> Because I think that they well might be useful later. A few things that I have, are going into the trailer, such as steel handles, electrical box, a big handle, etc.

Not to pick on you personally, but that is exactly the thinking that can lie behind hoarding things excessively. And the thing about it is, it is TRUE. You might very well MIGHT find a perfect use for that item later on.

The problem is when the thinking ends there. For it to be the best decision to hold on to something, the fact that it might be useful is, by itself, not enough. There are positives of keeping it, but there are negatives too, and the positives need to outweigh the negatives. One possible negative is reducing the amount of space you have for other things, making it harder to walk around, harder to work, and harder to find the stuff that truly is useful among the sea of stuff. Another negative is if you wind up paying extra money to rent a storage space. In a lot of cases, you could re-buy every single item in a rented storage space for less than the $75/month rental fees multiplied by however many years you keep it. It just doesn't make sense to store $1000 worth of furniture in a $75/month storage space for 2 years. And of course, there are other negatives of storing things, too, like having to look at clutter, the extra time out of your life it takes to deal with all of it, and so on.

   - Logan

From -8050549738666048948
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 Jan 2007 14:19:34 -0600
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
From: Ignoramus18435 <ignoramus18435@NOSPAM.18435.invalid>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>

```
<1168979274.433497.217640@l53g2000cwa.googlegroups.com>
<1168979795.366599.295220@q2g2000cwa.googlegroups.com>
<DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com> <eolj4n$tvu$1@roundup.shout.net>
<7qidnf5uG5R4wzPYnZ2dnUVZ_qrinZ2d@giganews.com>
<45ae7e91$0$27051$4c368faf@roadrunner.com>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Message-ID: <wsednfSenKVLGTPYnZ2dnUVZ_rDinZ2d@giganews.com>
Date: Wed, 17 Jan 2007 14:19:34 -0600
Lines: 37
X-Trace: sv3-
avRct9qCjAxZZ535xQeZEcZ4AufsFOliVhJwZyjskwihvwct4be6gH5yumOw9wjkPaNFWwKR/ZA0j8R!
D74ttVoChtbR+JjWV+AGiCVtFeHPIdhCuGCIz1ku9B8oWO+2Zd6lHGU3Zb4F9YEIUXhfKXaTfQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:117981 rec.woodworking:106782
misc.consumers.frugal-living:58873 rec.radio.amateur.equipment:7877
alt.recovery.clutter:21411

On Wed, 17 Jan 2007 13:52:48 -0600, Logan Shaw <lshaw-usenet@austin.rr.com> wrote:
> Ignoramus18435 wrote:
>> On Wed, 17 Jan 2007 10:33:28 -0600, M Berger <berger@shout.net> wrote:
>>> What makes them valuable if it's not economical to try
>>> to sell them (and they take up your storage space)?
>>
>> Because I think that they well might be useful later. A few things
>> that I have, are going into the trailer, such as steel handles,
>> electrical box, a big handle, etc.
>
> Not to pick on you personally, but that is exactly the thinking that
> can lie behind hoarding things excessively.  And the thing about
> it is, it is TRUE.  You might very well MIGHT find a perfect use for
> that item later on.
>
> The problem is when the thinking ends there.  For it to be the best
> decision to hold on to something, the fact that it might be useful
> is, by itself, not enough.  There are positives of keeping it, but
> there are negatives too, and the positives need to outweigh the
> negatives.  One possible negative is reducing the amount of space
> you have for other things, making it harder to walk around, harder
> to work, and harder to find the stuff that truly is useful among
> the sea of stuff.  Another negative is if you wind up paying extra
> money to rent a storage space.  In a lot of cases, you could re-buy
> every single item in a rented storage space for less than the
> $75/month rental fees multiplied by however many years you keep
> it.  It just doesn't make sense to store $1000 worth of furniture
> in a $75/month storage space for 2 years.  And of course, there
> are other negatives of storing things, too, like having to look
> at clutter, the extra time out of your life it takes to deal with
> all of it, and so on.
```

```
>
>    - Logan

I agree 100%.

i



From -3538599785613620745
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s34g2000cwa.googlegroups.com!not-for-
mail
From: "bf" <bfordyce@yahoo.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 17 Jan 2007 12:47:47 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1169066867.613163.225130@s34g2000cwa.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
   <1168979795.366599.295220@q2g2000cwa.googlegroups.com>
   <DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
   <12qr2caoca2trbb@corp.supernews.com>
NNTP-Posting-Host: 67.107.136.70
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1169066879 3651 127.0.0.1 (17 Jan 2007 20:47:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 Jan 2007 20:47:59 +0000 (UTC)
In-Reply-To: <12qr2caoca2trbb@corp.supernews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s34g2000cwa.googlegroups.com; posting-host=67.107.136.70;
   posting-account=hrZxsQwAAABtDUNX9KqO2PyNJrRwHaYt
Xref: g2news2.google.com rec.crafts.metalworking:117992 rec.woodworking:106785
misc.consumers.frugal-living:58881 rec.radio.amateur.equipment:7878
alt.recovery.clutter:21414



Gary Heston wrote:
>IIn other news, my late neighbor was apparently hoarding staircase
> spindles--his survivors gave me about 500 this past weekend, about
> 430 of them the same size. They're overhead in the garage, now,
```

> awaiting a project.
>

Don't you mean, they are awaiting your survivors to give them to
someone else? LOL

Although I shouldn't talk.. I got a great deal on some Oak 2 x 2 at
habitat.. 25 cents each for pieces
4 feet long.. too good to pass up, so of course I had to buy all of
them (about 40).. Haven't figured out a use
for them yet, although I convince myself that I will eventually LOL.

From -3908194386633219489
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!74584fff!not-for-mail
From: Lew Hodgett <lewhodgett@earthlink.net>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<1168979274.433497.217640@l53g2000cwa.googlegroups.com>
<1168979795.366599.295220@q2g2000cwa.googlegroups.com>
<DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
<12qr2caoca2trbb@corp.supernews.com>
<1169066867.613163.225130@s34g2000cwa.googlegroups.com>
In-Reply-To: <1169066867.613163.225130@s34g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <sbwrh.15694$X72.4939@newsread3.news.pas.earthlink.net>
Date: Wed, 17 Jan 2007 21:04:24 GMT
NNTP-Posting-Host: 4.232.240.140
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1169067864 4.232.240.140 (Wed, 17 Jan 2007 13:04:24 PST)
NNTP-Posting-Date: Wed, 17 Jan 2007 13:04:24 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.crafts.metalworking:117996 rec.woodworking:106788
misc.consumers.frugal-living:58886 rec.radio.amateur.equipment:7879
alt.recovery.clutter:21415

bf wrote:

> Although I shouldn't talk.. I got a great deal on some Oak 2 x 2 at
> habitat.. 25 cents each for pieces
> 4 feet long.. too good to pass up, so of course I had to buy all of
> them (about 40).. Haven't figured out a use
> for them yet, although I convince myself that I will eventually LOL.

A gallon of glue, some clamps, some time, and you have enough material for a small table for a bedroom, hallway, etc.

Of course, now you are going to need a table lamp for it<G>.

Lew

```
From -5951269246393006608
X-Google-Thread: 108122,4235f521b19cc28d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.volia.net!newsfeed01.sul.t-
online.de!newsfeed00.sul.t-online.de!t-online.de!198.186.194.247.MISMATCH!news-
xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!
posts.news.usenetmonster.com!nnrp3.asbnva.usenetmonster.com!not-for-mail
From: "JimL" <jimbethladd@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  Kenwood VFO-520
Date: Wed, 17 Jan 2007 18:44:33 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 3
Message-ID: <45aeb47f$0$9731$ec3e2dad@news.usenetmonster.com>
Organization: Usenet Monster - http://www.usenetmonster.com
NNTP-Posting-Host: 31c65592.news.usenetmonster.com
X-Trace: DXC=2ICP82>2@`b77_``d]PEHom>XX`Id5knh`IohDjb_78l;70bC0;?
IAmS@nCFQNo27dV]UnmY7I`FnGdkLWN=Z0@efQR_D6DInZeSEeB8eN\COhK_82l6II:ef
X-Complaints-To: killthespammer@usenetmonster.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7881
```

Please see eBay no. 160075295726. Tnx, Jim.

```
From 604264779027331336
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
```

```
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l53g2000cwa.googlegroups.com!not-for-
mail
From: "bdeditch" <bdeditch@gmail.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 17 Jan 2007 15:46:18 -0800
Organization: http://groups.google.com
Lines: 20
Message-ID: <1169077578.128283.252840@l53g2000cwa.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
   <1168979795.366599.295220@q2g2000cwa.googlegroups.com>
   <DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
   <12qr2caoca2trbb@corp.supernews.com>
   <1169066867.613163.225130@s34g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.81.14.137
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1169077584 29036 127.0.0.1 (17 Jan 2007 23:46:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 Jan 2007 23:46:24 +0000 (UTC)
In-Reply-To: <1169066867.613163.225130@s34g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90;
T312461; telus.net_v5.1.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l53g2000cwa.googlegroups.com; posting-host=66.81.14.137;
   posting-account=d2ZDgQ0AAADMt1jhdCm8vID4WxQr9-XS
Xref: g2news2.google.com rec.crafts.metalworking:118019 rec.woodworking:106796
misc.consumers.frugal-living:58902 rec.radio.amateur.equipment:7882
alt.recovery.clutter:21425

Oh lets not go there. I am get scared walking into the Habitat shops.
Thank God I don't have a bigger Truck or I would buy them out of wood
at times.
bf wrote:
> Gary Heston wrote:
> >IIn other news, my late neighbor was apparently hoarding staircase
> > spindles--his survivors gave me about 500 this past weekend, about
> > 430 of them the same size. They're overhead in the garage, now,
> > awaiting a project.
> >
>
> Don't you mean, they are awaiting your survivors to give them to
> someone else? LOL
>
> Although I shouldn't talk.. I got a great deal on some Oak 2 x 2 at
> habitat.. 25 cents each for pieces
```

> 4 feet long.. too good to pass up, so of course I had to buy all of
> them (about 40).. Haven't figured out a use
> for them yet, although I convince myself that I will eventually LOL.

From -5939318538386324982
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: gheston@hiwaay.net (Gary Heston)
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Thu, 18 Jan 2007 00:55:10 -0000
Organization: HiWAAY Internet Services
Message-ID: <12qthbe2hlou678@corp.supernews.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com> <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com> <12qr66flt7hj634@corp.supernews.com> <rJWdnSE-z6ITrjPYnZ2dnUVZ_t_inZ2d@giganews.com>
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Originator: gheston@hiwaay.net (Gary Heston)
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news2.google.com rec.crafts.metalworking:118030 rec.woodworking:106803 misc.consumers.frugal-living:58909 rec.radio.amateur.equipment:7883 alt.recovery.clutter:21428

In article <rJWdnSE-z6ITrjPYnZ2dnUVZ_t_inZ2d@giganews.com>,
Ignoramus18435 <ignoramus18435@NOSPAM.18435.invalid> wrote:
>On Wed, 17 Jan 2007 03:32:31 -0000, Gary Heston <gheston@hiwaay.net> wrote:
>> In article <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com>,
[...]
>>>IIRC, I have one about 5" pulley with 1 3/8" shaft hole with keyway
>>>and special tightening screws. I have more, but those I may need.

>> Price? You can email me; the address you see is valid.

>$10 will take it, shipping is $8.10 priority mail flat rate box.

Sounds good. Would you prefer a check or money order? Email an address
to send payment to and I'll get it on the way.

Gary

--

Gary Heston gheston@hiwaay.net   http://www.thebreastcancersite.com/

Astronomers have developed a definition of "planet" which excludes Pluto.
I'm developing a definition of "scientist" which excludes astronomers.

```
From -8167213926035827638
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 Jan 2007 19:22:49 -0600
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
From: Ignoramus18435 <ignoramus18435@NOSPAM.18435.invalid>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com> <Xc2dnc-
Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com> <12qr66flt7hj634@corp.supernews.com>
<rJWdnSE-z6ITrjPYnZ2dnUVZ_t_inZ2d@giganews.com>
<12qthbe2hlou678@corp.supernews.com>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Message-ID: <Gt2dnZ_GocB0VjPYnZ2dnUVZ_q7inZ2d@giganews.com>
Date: Wed, 17 Jan 2007 19:22:49 -0600
Lines: 20
X-Trace: sv3-
b9oTdY+Jcb+b1yAvgWa0TdJ30Y2Ilz2N1z4J34MaAtUqakeOEpwDehOVwdbcQ1qV5GqOeIdRVvdQxRr!
wMsbRdpk7IC4lOyiyX7IsGKRwUdno66E5PHeEeB02s7WYrKOkixcYd4ZRgqqPTyuwfHQZiLs5g==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:118035 rec.woodworking:106807
misc.consumers.frugal-living:58910 rec.radio.amateur.equipment:7884
alt.recovery.clutter:21429
```

```
On Thu, 18 Jan 2007 00:55:10 -0000, Gary Heston <gheston@hiwaay.net> wrote:
> In article <rJWdnSE-z6ITrjPYnZ2dnUVZ_t_inZ2d@giganews.com>,
> Ignoramus18435  <ignoramus18435@NOSPAM.18435.invalid> wrote:
>>On Wed, 17 Jan 2007 03:32:31 -0000, Gary Heston <gheston@hiwaay.net> wrote:
>>> In article <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com>,
>   [ ... ]
>>>>IIRC, I have one about 5" pulley with 1 3/8" shaft hole with keyway
>>>>and special tightening screws. I have more, but those I may need.
>
>>> Price? You can email me; the address you see is valid.
```

>
>>$10 will take it, shipping is $8.10 priority mail flat rate box.
>
> Sounds good. Would you prefer a check or money order? Email an address
> to send payment to and I'll get it on the way.

Let me take a picture and measurements of it first, I do not want you
to be disappointed.

i

```
From 4549079071665263576
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Wed, 17 Jan 2007 19:48:47 -0600
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
From: Ignoramus18435 <ignoramus18435@NOSPAM.18435.invalid>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com> <Xc2dnc-
Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com> <12qr66flt7hj634@corp.supernews.com>
<rJWdnSE-z6ITrjPYnZ2dnUVZ_t_inZ2d@giganews.com>
<12qthbe2hlou678@corp.supernews.com>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Message-ID: <o8udnS1itYRiTDPYnZ2dnUVZ_vWtnZ2d@giganews.com>
Date: Wed, 17 Jan 2007 19:48:47 -0600
Lines: 31
X-Trace: sv3-qQp3V1EHTPze+
+g997dkakbohAhMAarJFIhXoLuAUzKMDnAIqLACmmVaHfbzO1VaOMHdDSnmg8VjPfW!
3xF11h6D9lSLdqbmVZjdCbtUGjFfYQu65LcMuUkGuCkLuqCy1owjauuV1zHpz/QB7Knob6F5DA==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:118041 rec.woodworking:106809
misc.consumers.frugal-living:58912 rec.radio.amateur.equipment:7885
alt.recovery.clutter:21430
```

Posted and emailed.

i

On Thu, 18 Jan 2007 00:55:10 -0000, Gary Heston <gheston@hiwaay.net> wrote:
> In article <rJWdnSE-z6ITrjPYnZ2dnUVZ_t_inZ2d@giganews.com>,
> Ignoramus18435 <ignoramus18435@NOSPAM.18435.invalid> wrote:
>>On Wed, 17 Jan 2007 03:32:31 -0000, Gary Heston <gheston@hiwaay.net> wrote:
>>> In article <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com>,
>   [...]
>>>>IIRC, I have one about 5" pulley with 1 3/8" shaft hole with keyway
>>>>and special tightening screws. I have more, but those I may need.
>
>>> Price? You can email me; the address you see is valid.
>
>>$10 will take it, shipping is $8.10 priority mail flat rate box.
>
> Sounds good. Would you prefer a check or money order? Email an address
> to send payment to and I'll get it on the way.

Picture of the pulley is here:

http://igor.chudov.com/tmp/pulley.jpg

It has two grooves for V belts, 1 3/8" hole with keyway, and special
threaded holes that are called TAPER LOCK. The holes are 3/8" NC
threaded, I think, I found some bolt that looks like 3/8" and it fit
the threads. It came off a 7.5 HP three phase motor from which I cut off
its shaft a while ago. It has some rust on it, but not much.

i

From -6333567806419337457
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 Jan 2007 20:23:46 -0600
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
From: Ignoramus18435 <ignoramus18435@NOSPAM.18435.invalid>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com> <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com> <12qr66flt7hj634@corp.supernews.com> <rJWdnSE-z6ITrjPYnZ2dnUVZ_t_inZ2d@giganews.com> <12qthbe2hlou678@corp.supernews.com> <o8udnS1itYRiTDPYnZ2dnUVZ_vWtnZ2d@giganews.com>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Message-ID: <W6WdnQz457uuRzPYnZ2dnUVZ_rvinZ2d@giganews.com>
Date: Wed, 17 Jan 2007 20:23:47 -0600

```
Lines: 11
X-Trace: sv3-
ytbJ0nLKen4LcorWaQXcVIouF12dDNJlffWJA60K7LymYO2YJ0cCqUh97F5/9vq1StBVebmLne87fyy!
IFMKDxaHrsE6WtMaOf0MsNYs/aUYmvhQYx0u/1Of5mz84Du7MKKILJi+1e1oIRzEjoC4WIxi8w==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:118051 rec.woodworking:106811
misc.consumers.frugal-living:58917 rec.radio.amateur.equipment:7886
alt.recovery.clutter:21431
```

Picture of the pulley is here:

http://igor.chudov.com/tmp/pulley.jpg

It has two grooves for V belts, 1 3/8" hole with keyway, and special
threaded holes that are called TAPER LOCK. The holes are 3/8" NC
threaded, I think, I found some bolt that looks like 3/8" and it fit
the threads. It came off a 7.5 HP three phase motor from which I cut off
its shaft a while ago. It has some rust on it, but not much.

i

```
From 6363101097922410871
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 Jan 2007 05:44:03 -0600
Message-ID: <45AF5E6A.2030301@comcast.net>
Date: Thu, 18 Jan 2007 03:47:54 -0800
From: Clark Magnuson <c.magnuson@comcast.net>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
To: Too_Many_Tools <too_many_tools@yahoo.com>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
In-Reply-To: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
```

```
NNTP-Posting-Host: 67.182.143.245
X-Trace: sv3-xQ5AP3G2u/
MsW6f9nY3S4sfPDgs9HEZOuvJZaiHyH3dH2ciAZrnNljiEnZAM0h3pZe3pmmfZkBuXgUb!
CNou4OVOMUfuU6Lm2rI6vVGhjoYAYDe1cuZGu3vk7AFO6OazGtDOkWxVOVfaXOyeRg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:118122 rec.woodworking:106862
misc.consumers.frugal-living:58946 rec.radio.amateur.equipment:7887
alt.recovery.clutter:21439
```

I think I could organize my tools purchased in a compulsive hording
craze, but my compulsive eating, computer, and TV habit is getting in
the way.

```
From -669050521364441489
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l53g2000cwa.googlegroups.com!not-for-
mail
From: "bf" <bfordyce@yahoo.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 18 Jan 2007 05:58:07 -0800
Organization: http://groups.google.com
Lines: 24
Message-ID: <1169128687.362099.159550@l53g2000cwa.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
   <1168979795.366599.295220@q2g2000cwa.googlegroups.com>
   <DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
   <12qr2caoca2trbb@corp.supernews.com>
   <1169066867.613163.225130@s34g2000cwa.googlegroups.com>
   <sbwrh.15694$X72.4939@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 67.107.136.70
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1169128698 17214 127.0.0.1 (18 Jan 2007 13:58:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 18 Jan 2007 13:58:18 +0000 (UTC)
In-Reply-To: <sbwrh.15694$X72.4939@newsread3.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l53g2000cwa.googlegroups.com; posting-host=67.107.136.70;
   posting-account=hrZxsQwAAABtDUNX9KqO2PyNJrRwHaYt
Xref: g2news2.google.com rec.crafts.metalworking:118134 rec.woodworking:106882
misc.consumers.frugal-living:58961 rec.radio.amateur.equipment:7888
alt.recovery.clutter:21449


Lew Hodgett wrote:
> bf wrote:
>
>  > Although I shouldn't talk.. I got a great deal on some Oak 2 x 2 at
>  > habitat.. 25 cents each for pieces
>  > 4 feet long.. too good to pass up, so of course I had to buy all of
>  > them (about 40).. Haven't figured out a use
>  > for them yet, although I convince myself that I will eventually LOL.
>
> A gallon of glue, some clamps, some time, and you have enough material
> for a small table for a bedroom, hallway, etc.
>
> Of course, now you are going to need a table lamp for it<G>.
>
> Lew

That's a pretty good idea.. I may do that when I get some time..LOL.
Too big of a backload of projects now. I turned down a pretty good deal
on about 150 board feet
of Mahagony.. because I know it would sit in the shop for a few years
before I figured out what to make with it.
I guess I'm on the road to recovery.




From 6204378964588716803
X-Google-Thread: f704f,be3b510606ec6069,start
X-Google-Thread: f6327,be3b510606ec6069,start
X-Google-Thread: 108122,be3b510606ec6069,start
X-Google-Attributes: gidf704f,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!feeder.news-service.com!news2.euro.net!66.150.105.54.MISMATCH!
nntpserver.com!zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-ID: <m07001823023046@4ax.com>
Subject: MI5 Persecution: Dirk Gently on the Toronto Case (107)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
```

Date: 18 Jan 2007 22:08:08 GMT
Lines: 298
NNTP-Posting-Date: 18 Jan 2007 22:08:08 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32034 alt.airports.uk.edinburgh:46383 rec.radio.amateur.equipment:7889 alt.sex.boys:18038

Dirk was on the West Coast when he got the call. An old friend at the Toronto police department thought he would like to fly up and take a look at a homicide which had occurred the previous evening. He decided to skip the last day at the World Holistics conference and take the next plane out of San Francisco.

The flight was bad; Dirk had been hit on the back of the head by the Newspaper trolley, the drinks trolley, the dinner trolley and now the gift trolley. When the hostesses weren�t trying to tear his arm off they pestered him to stop leaning into the aisle - ignoring the fact that the guy next to him was taking up one and a half seats. Air Canada used to be the flight which was so good you just didn�t wanna get off - on this occasion Dirk would be glad to see the back of the plane and the over sized alternative comedian wedged into the window seat.

After breathing in a couple of lungfulls of crisp Canadian air Dirk took a taxi into town. There was a small group of demonstrators outside the MacDonalds and the taxi driver insisted on stopping on the opposite side of the street. �Don�t Eat Meat� the placards read and the demonstrators chanted. A couple of policemen where stopping the crowd entering the restaurant itself - one held up his arm and challenged Dirk. A wave of the fax he had been sent and the policeman pushed open the door.

There were few customers in the restaurant. Not surprising really with a demonstration going on outside, half the dining area roped off with tape and a dead body seated at one of the tables. �Mr Gently sir� the officer in charge called out as he peeled one end of the tape off a column �We were told not to touch anything til� you got here�.

The body of the man slumped awkwardly in a chair. Then even a dead body would start getting uncomfortable in a MacDonalds chair after twenty minutes - and this one had been there for at least eighteen hours. Two back legs and the tail of a cat hung out of the man�s gaping mouth. Dirk turned to the officer, �I suppose you are going to tell me this is the darndest thing you ever saw?�

�Ain�t this the darnd...�. The officer seemed annoyed that Dirk had second guessed him. �We�re removing the body in a few minutes, so if you can get through as quick as possible�

�Many people eat cats in fast food restaurants?� Dirk asked and without waiting for an answer leant over the table to pick up an untouched burger. �And what�s this?� he asked waving it in front of the officers face.

�It�s a Vedgie Burger� The waitress, who was cleaning one of the adjacent tables, shouted across. She walked over to Dirk. �We started doing them because of that lot out there� she nodded towards the protesters who were pressing there faces against the windows �They�re called Linda McCartney Vedgie burgers - ever heard of them?�

Dirk suddenly felt faint, perhaps a combination of hunger and jet lag. �This is deja vu all over again� he thought to himself. He glanced at policemen - at the badge on his shoulder �OPD� but this wasn�t Ontario this was Toronto. OPD - Officially Pronounced Dead. It dawned on Dirk what was happening, he knew what he would see if he looked out of the window. Sure enough, there it was, the Volkswagen Beetle parked across the road - number plate 28IF - 28 IF Paul McCartney had lived. And amongst the lyrics of the song blaring out into the restaurant he could pick out the words �I buried Paul�. Now it was though Dirk was viewing the whole scene though a TV screen. This was conspiracy. Not -a- conspiracy, or -the- conspiracy, but just plain conspiracy.

�You look faint - are you OK mister? The waitress asked.

Dirk shook his head �Probably a bit hungry� Then to economise on dialogue took out a pack of cigarettes and held it out towards the girl. She was about to take one but Dirk snatched the pack away, held it up to his mouth and drew out two cigarettes. He lit both then passed one of them to the girl. It was the closest he had come to a sexual encounter in three months.

�Want a Burger?� the waitress asked.

Dirk looked down at the Vedgie Burger on the table. �No thanks - just a plate of fries�

The waitress walked away and Dirk looked around the room. Apart from a family seated in the far corner there was only one other person in the restaurant - and he wasn�t eating. The guy was about mid twenties and had straggling, shoulder length hair. On the table in front of him were lots of pieces of paper cut into squares. Every so often he would pick up a camcorder and pan it around the room and then, when he was finished, speak into a microphone which was attached to a tape recorder. Dirk walked over to where the man was sitting.

The small pieces of paper had paragraphs of text written on them and were stuck to the top of table with blobs of mustard. Lines had been drawn, some solid some dotted, on the table top with a marker pen. The lines ran from one piece of paper to another.

�What are the lines for?� Dirk asked, realising straight away that �What the hell are you doing?� would be more appropriate.

�You see� The man replied nervously �The dotted lines are weak links and the solid lines are strong links. The dotted lines are things which are happening in the rest of the world and the solid lines are things which are happening to me. Now you see I draw over a dotted line, replacing it with a solid line, when I can link something back to me. Like this� The pen squeaked over the Formica and before Dirk could interrupt the man added. �You see I lost my short term memory and, as a consequence have a very short attention span. I write down, record and film everything then put it all together later�

�So� Dirk interrupted. �You filmed what happened here?�

�Yes, yes, it�s here on this tape� The man pushed the cassette across the table. On the label the words �Grassy Knoll� had been crossed through and replaced with �MacDonalds�.

Suddenly the man sprung from his seat. Dirk turned and saw that the body was being removed on a stretcher. As it passed the man picked a small object off the edge of the stretcher itself. �This is important� he said, laying a blood stained bullet on one of the small pieces of paper on the table.

Suddenly the room was filled with a deafening throbbing sound as a Black Helicopter landed in the street outside. Two men in United Nations uniforms got out and collected the stretcher. Back at the table the long haired man was replacing all the dotted lines with solid ones. Dirk panicked and began to walk backwards at some speed. Barging through the swing doors he stumbled into the kitchen, tripped and felt himself sink slowly into a large vat.

�The guys fallen into the batter� Dick heard someone shout before he sunk below the surface. He came to sitting in a chair with the batter solidifying all over his body. He surveyed the room through two eye-holes someone had cut. Suddenly the chair on which he was sitting was picked up carried through the restaurant and out of the building. As the chair was being lifted and put into the back of a van, Dirk caught a glimpse of the waitress following him. �Your fries mister, your plate o...�.

The doors of the van shut and Dirk tried desperately to steady himself as it sped across town. Eventually the doors flew open and Dirk was flung into the road at which point the solidified batter shattered and set him free. Standing up he found himself outside the international departures terminal of Toronto airport.

In the departure lounge Dirk had time to reflect on the day�s events. He had got caught up in the conspiracy theories and the haphazard welding together of pieces of irrelevant information. It was time to catch the person who was operating the bizarre cognitive engine which appeared in front of him like a fairground mirror, distorting any flaw it could find in his own, fragile, map of the real world.

Dirk leant into the aisle of the plane as it took off for London. The oversized person next to him swung his arms violently as he complained about every thing from the supper in a plastic tray to the state of British politics. With a shaven head and a badly fitting suit the man looked as though he could have worked behind the reception desk of the Kremlin. However when he spoke he did so in a Liverpudlian accent. �Me I blame the Con-serv-a-tive government, me. The Tour-rees. That-cher. Me. They need a good kicking� He jerked his feet forward and struck the seat in front with his Doc Martins. �With these. Me Doc Martins. Doctor Martin�s, Doctor Martin�s, Doctor Martin�s Booots!� The phrase was now being sung over and over again as the man writhed in his seat and clicked his fingers.

Dirk looked down at the boots and thought of the reaction most people used to deal with the paranoids at the end of the wire. A nice quick kick. �Oi nutter - get some therapy�. This is the easy way out and perhaps the safest. After all there you are sat, alone, in front of the screen. No body language between you some paranoid. No way of telling if he really is some gibbering psycho. Look at it too long and you be drawn in. Fall into the tangled database of weird links with him. Who knows he may be watching you, reassembling and linking your experiences with his. How sure are you of you own cognitive threads. After all cognition is only a bug fix for a neurological system which was designed in a hurry - it�s abused by everyone from politicians to advertisers. If people really can convince each other that a bottle of washing up liquid is as exciting as an orgasm using just television God knows what they can do with a computer. Better to avoid the risk. A swift kick. After all if you�re Homophobic you put the boot in because you are scared of any ambiguity in your own sexuality - why not be Nutterphobic as well.

Although Dirk would have liked to devoted time to tracking the culprit down he decided to let it rest. The Internet changed over the next twenty odd years. A lot of the people who used it went out and got lives. And those who already had lives burnt them away. The number of users had dwindled after someone had invented a C++ program, with truth as a variable, to deal handle politics and government. Dirk had already retired from finding old ladies cats with the help of obscure science when he got another call from Toronto.

It was 4th March 2025 when he booked onto the Air Canada flight from Heathrow. The silver haired woman in the seat next to him painted bright red lipstick around her mouth. �Of course it was no surprise to be offered the job after Claire Raynor retired� she sneered� After all I used to be a psychiatric nurse... Now if Blokes had periods they would understand...�

By chance the taxi ride to Toronto mental hospital took him past the MacDonalds - where the whole thing had started. Of course it was barely recognisable having become a Church Of Scientology Vedgie Bar. Police in riot gear kept the two sets of demonstrators apart. Dirk didn�t really know what to expect when he got to the hospital. The girl at the reception desk directed him to a row of chairs in a wide well lit corridor. There was a strong smell of disinfectant, the furniture and the carpets were immaculately clean and behind the rows of teak veneer doors the �nutters� were all safely locked away. For some reason Dirk started thinking about CompuServe forums.

A tall blond woman in a white coat approached. �Mr Gentle, I assume�

�Yes� Dirk replied shaking her by the hand. �You�re the nurse who...�

�Doctor� She interrupted, �Doctor Killfile� She led Dirk across the corridor towards one of the doors then stopped with her hand resting on the handle. �Now you know about this person don�t you?� and after Dirk nodded she continued �Don�t tell him anything about yourself - don�t let him get into you head. If he does he�ll screw it up�

The door opened to reveal a frail man sitting in from of a TV screen. He had a keyboard on his lap and next to the television was a computer screen. Dirk glanced at the walls of the room and remembered that his settee at home need upholstering.
The nurse left the room and the man looked up �So you come to my daughters wedding and ask me to kill a man� he said in a dry cackling voice. �Look� he continued, pointing at the screen, �I know that man. They�re talking about me now - listen�. The man stared at Dirk. �What�s your name? Are you one of my friends from the Internet? - Are the lambs still screaming Dirk?�

Dirk, at first recoiled in horror, then felt a sense of anti climax. So this is what they hyped up to superstar status on the back of their own fears of madness. Dirk was reminded of the film �A day on The Beach� where a submarine had set off to search a post nuclear World to track down a signal coming from a remote military base - only to find it was being sent by a Coke bottle half balanced on a Morse tapper. Outside the room the nurse waited for him. Because his nicotine craving had returned - and to avoid an awkward piece of dialogue - Dirk turned to her and asked . �Patch?�

Dirk took two nicotine patches from his wallet the first of which he stuck onto the inside of his arm. Stepping closer to Doctor Killfile he opened her white coat and slid his hand into the opening at the front of her dress. He pressed the patch onto her leg as close to the top of her inner thigh as he dare. She took a deep breath and then slowly breathed out. �What Bogart could have done with these things� Dirk thought to himself.

�Is he crazy?� Dirk asked tilting his head back to towards the door.

�Who knows� Doctor Killfile replied �We let him type away. He sees something on the TV in the morning and it keeps him busy all day. What he types doesn�t go anywhere it just stays on a mainframe in the basement. It can be read by anyone else in the building but that�s it. We got them all in here conspiracy theorists, racists, nationalists. They�ve created a world within a world really...� Her voice trailed away and she stared down the corridor for a while then added �So long are two things are different neither will come to be in the other and so become at once both one and two.�

Dirk gave her a puzzled look �You mean their brains are fried?�

�Fried?� Killfile smiled at Dirk �No that was Plato�. Then the smile fell from her face. �You must remember, mister, plate o...�

107

--
Posted via a free Usenet account from http://www.teranews.com

```
From 944656230029579860
X-Google-Thread: f704f,e54b41f619834df8,start
X-Google-Thread: f6327,e54b41f619834df8,start
X-Google-Thread: 108122,e54b41f619834df8,start
X-Google-Attributes: gidf704f,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII
```

Path: g2news2.google.com!news4.google.com!news2.google.com!news.maxwell.syr.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07001823511902@4ax.com>
Subject: MI5 Persecution: Hotchkies FAQ (1012)
Newsgroups: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Jan 2007 22:56:56 GMT
Lines: 180
NNTP-Posting-Date: 18 Jan 2007 22:56:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32035 alt.airports.uk.edinburgh:46384 rec.radio.amateur.equipment:7890 alt.sex.boys:18039

From: iain@XXXXX.demon.co.uk (Iain L M Hotchkies)
Newsgroups: uk.misc,uk.legal,uk.politics,uk.media,soc.culture.british
Subject: Corley FAQ (v0.1)
Reply-To: iain@XXXXX.demon.co.uk
Date: Sat May 4 19:30:34 1996

Mike Corley FAQ
version 0.1
first edition 5th May 1996
last updated 5th May 1996
Iain L M Hotchkies iain@XXXXX.demon.co.uk

Mike Corley is a 'net personality' who has been active on the following newsgroups (uk.misc,uk.legal,uk.politics,uk.media,soc.culture.british) since....? Well, at least as far back as the summer of 1995.

He posts long tracts, the tone of which approximates that which one might expect from a reasonably intelligent paranoid schizophrenic.

No details are known of Mike's 'real' personal life or background. Once would presume that he came from a reasonable family and was reasonably well educated before the first symptoms of schizophrenia began.

Schizophrenia: Clinical features
(from the Oxford Textbook of Psychiatry, 2nd Edition)

The acute syndrome

Some of the main clinical features are illustrated by a short description of a patient. A previously healthy 20-year-old male student had been behaving in an increasingly odd way. At times he appeared angry and told his friends that he was being persecuted; at other times he was seen to be laughing to himself for no apparent reason. For several months he had seemed increasingly preoccupied with his own thoughts. His academic work had deteriorated. When interviewed, he was restless and awkward. He described hearing voices commenting on his actions and abusing him. He said he believed that the police had conspired with his university teachers to harm his brain with poisonous gases and take away his thoughts. He also believed that other people could read his thoughts.

This case history illustrates the following common features of acute schizophrenia: prominent persecutory ideas with accompanying hallucinations; gradual social withdrawal and impaired performance at work; and the odd idea that other people can read one�s thoughts.

In appearance and behaviour some patients with acute schizophrenia are entirely normal. Others seem awkward in their social behaviour, preoccupied and withdrawn, or otherwise odd. Some patients smile or laugh without obvious reason. Some appear to be constantly perplexed. Some are restless and noisy, or show sudden and unexpected changes of behaviour. Others retire from company, spending a long time in their rooms, perhaps lying immobile on the bed apparently preoccupied in thought.

The speech often reflects an underlying thought disorder. In the early stages, there is vagueness in the patient�s talk that makes it difficult to grasp his meaning. Some patients have difficulty in dealing with abstract ideas (a phenomenon called concrete thinking). Other patients become preoccupied with vague pseudoscientific or mystical ideas.

When the disturbance is more severe two characteristic kinds of abnormality may occur. Disorders of the stream of thought include pressure of thought, poverty of thought, and thought blocking. Thought withdrawal (the conviction that one�s thoughts have been taken away) is sometimes classified as a disorder of the stream of thought, but it is more usefully considered as a form of delusion.

Loosening of association denotes a lack of connection between ideas. This may be detected in illogical thinking (knight�s move�) or talking past the point (Vorbeireden). In the severest form of loosening the structure and coherence of thinking is lost, so that utterances are jumbled (word salad or verbigeration). Some patients use ordinary words in unusual ways (paraphrasias or metonyms), and a few coin new words (neologisms).

Abnormalities of mood are common, and of three main kinds. First, there may be sustained abnormalities of mood such as anxiety, depression, irritability, or euphoria. Secondly, there may be blunting of affect, sometimes known as flattening of affect. Essentially this is sustained emotional indifference or diminution of emotional response. Thirdly, there is incongruity of affect. Here the emotion is not necessarily diminished, but it is not in keeping with the mood that would ordinarily be expected. For example, a patient may laugh when told about a bereavement. This third abnormality is often said to be highly characteristic of schizophrenia, but different interviewers often disagree about its presence.

Auditory hallucinations are among the most frequent symptoms. They may take the form of noises, music, single words, brief phrases, or whole conversations. They may be unobtrusive or so severe as to cause great distress. Some voices seem to give commands to the patient. Some patients hear their own thoughts apparently spoken out loud either as they think them (Gedankenlautwerden) or immediately afterwards (echo de la pensee). Some voices seem to discuss the patient in the third person. Others comment on his actions. As described later, these last three symptoms have particular diagnostic value.

Visual hallucinations are less frequent and usually occur with other kinds of hallucination. Tactile, olfactory, gustatory, and somatic hallucinations are reported by some patients; they are often interpreted in a delusional way, for example hallucinatory sensations in the lower abdomen are attributed to unwanted sexual interference by a persecutor.

Delusions are characteristic. Primary delusions are infrequent, and difficult to identify with certainty. Delusions may originate against a background of so-called primary delusional mood - Wahnstimmung. Persecutory delusions are common, but not specific to schizophrenia. Less common but of greater diagnostic value are delusions of reference and of control, and delusions about the possession of thought. The latter are delusions that thoughts are being inserted into or withdrawn from one�s mind, or broadcast� to other people.

In acute schizophrenia orientation is normal. Impairment of attention and concentration is common, and may produce apparent difficulties in remembering, though memory is not impaired.
So-called experiences result from illness, but usually ascribe them to the malevolent actions of other people. This lack of insight is often accompanied by unwillingness to accept treatment.

Schizophrenic patients do not necessarily experience all these symptoms. The clinical picture is variable, as described later in this chapter. The table below lists the most frequent symptoms found in one large survey.

The most frequent symptoms of acute schizophrenia (World Health Organization 1973)

Symptom	Frequency (%)
Lack of insight	97
Auditory hallucinations	74
Ideas of reference	70

Suspiciousness	66
Flatness of affect	66
Voices speaking to the patient	65
Delusional mood	64
Delusions of persecution	64
Thought alienation	52
Thoughts spoken aloud	50

Various theories exist about Mike Corley:

1) he exists and is disturbed and has net access and for reasons uncertain spams a selected number of newsgroups on a regular basis - if you are reading this FAQ then you will almost certainly have seen one of his posts.

2) Mike Corley is a 'virtual schizophrenic'. Mike displays the relevant features so well that some people think he may be a construction of one or more people with intimate knowledge of mental illness and the mentally ill. Perhaps they wish to monitor the effects on the internet of the posts of a schizophrenic. Moving into X-Files territory a bit, ourselves, here.

Mike's posts attract different responses:

1) cruel, humourous, dismissive posts from those who've seen his posts many times and have become generally irritated by his behaviour while accepting that he probably has a mental illness.

2) posts from Corley-newbies - those who have come across relateviely few of Mike's posts. These may be humorouous or disbelieving.

3) posts from people who have been sucked in (for one reason or another) into Mike's Wild & Wacky World (TM)

That's enough for now.

comments, suggestions, additions, corrections to iain@XXXXX.demon.co.uk

1012

--
Posted via a free Usenet account from http://www.teranews.com

From 6502815890886394152
X-Google-Thread: f704f,bfa4e25abdd4cf9a,start
X-Google-Thread: f6327,bfa4e25abdd4cf9a,start
X-Google-Thread: 108122,bfa4e25abdd4cf9a,start
X-Google-Attributes: gidf704f,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!

zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07001900371565@4ax.com>
Subject: MI5 Persecution: Website Index (1908)
Newsgroups: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.amateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 18 Jan 2007 23:42:52 GMT
Lines: 39
NNTP-Posting-Date: 18 Jan 2007 23:42:52 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32037 alt.airports.uk.edinburgh:46385 rec.radio.amateur.equipment:7891 alt.sex.boys:18040

Persecuted by the Security Service

Since June 1990 the British security service MI5 has waged a campaign of harassment against a UK citizen, through the broadcast and print media, verbal abuse at work, and molestation in public and during travel.

Despite widespread knowledge of the campaign in the UK and discussion of its characteristics on Usenet for over three years, it continues today both in Britain and North America. Its cause and basis is xenophobia on the basis of the genetic accident of mental illness, coupled with discrimination against an inferior "foreigner" whom they condemn as "not up to British Standards".

If this is your first visit to this site, please read the FAQ first. Feel free to contact the author with any questions.

Frequently Asked Questions article outlines the parameters of the persecution. Who is involved, and why? What technical and social means do they employ? What response have I made, and why has their campaign yet to be exposed?

The UK Security Services which are believed to be behind it all. Domestic security is the province of MI5 while the secret intelligence service MI6 combats foes (and its former employees) on foreign shores.

Usenet archive chronicling the (sometimes very enthusiastic) exchanges which have taken place on UK-local newsgroups since May 1995. Make your mark on the continuing discussion!

Believe it or not, a few items of evidence have been recorded. Although none of them is particularly conclusive, by presenting them I hope to explain what I understand from some television and radio programmes.
Most of the "clinching" material was aired in 1990-92, and no recordings exist now, which is quite unfortunate.

My complaints to the BBC and MI5 (via the Security Service Tribunal and Interception of Communications Tribunal), and their response to my challenges, are recorded here. Basically they deny everything, they have put their denials (mostly - Buerk and Lewis refused) in writing, and I don't believe them. Part of the website also documents media coverage of my campaign to expose the persecution.

Faxed articles to, and responses from British organisations including Parliament and UK media. Over 24,259 faxes in all were sent from 1998 to 2000. Their aim was to boot discussion of the persecution into the public domain, and that aim was not accomplished.

1908

--
Posted via a free Usenet account from http://www.teranews.com

```
From -7264425386258365338
X-Google-Thread: f704f,cc501f8b8206d560,start
X-Google-Thread: f6327,cc501f8b8206d560,start
X-Google-Thread: 108122,cc501f8b8206d560,start
X-Google-Attributes: gidf704f,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07001901210928@4ax.com>
Subject: MI5 Persecution: �20,000 Reward (2808)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 19 Jan 2007 00:26:46 GMT
Lines: 12
NNTP-Posting-Date: 19 Jan 2007 00:26:46 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32038
alt.airports.uk.edinburgh:46386 rec.radio.amateur.equipment:7892
alt.sex.boys:18041
```

20,000 Reward Offered to Expose the Conspiracy

I am making a pledge for information directly leading to the exposing of the "BBC
Newscaster
Conspiracy". The exposing would specifically need to lead to a legally binding
admission from Martyn Lewis
or Michael Buerk of the BBC they they were watching me through the TV set.

I would be happy (delighted, in fact) to pay GBP 20,000 sterling in reward for the
above admission.

2808

--
Posted via a free Usenet account from http://www.teranews.com

From 6808012503471749036
X-Google-Thread: f704f,63d3ffe61a57fa70,start
X-Google-Thread: f6327,63d3ffe61a57fa70,start
X-Google-Thread: 108122,63d3ffe61a57fa70,start
X-Google-Attributes: gidf704f,gidf6327,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
Message-Id: <m07001902021109@4ax.com>
Subject: MI5 Persecution: what people said (3706)
Newsgroups: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys
Followup-To: alt.internet.search-
engines,microsoft.public.windows.vista.mail,alt.airports.uk.edinburgh,rec.radio.am
ateur.equipment,alt.sex.boys,uk.misc
From: MI5Victim@mi5.gov.uk
Date: 19 Jan 2007 01:07:48 GMT
Lines: 65
NNTP-Posting-Date: 19 Jan 2007 01:07:48 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.internet.search-engines:32039
alt.airports.uk.edinburgh:46387 rec.radio.amateur.equipment:7893
alt.sex.boys:18042

From: aa1gha@zen.sunderland.ac.uk (gillian.hardy)
Newsgroups: uk.misc,uk.legal,uk.politics,uk.politics.misc,uk.media
Subject: Re: Read About "MI5 Persecution" on the Web!
Date: Mon May 13 21:27:26 1996

: In article <Dr5sDI.50x.0.bloor@torfree.net>, bu765@torfree.net wrote:

: |> This site is now running brilliantly. It will be updated with new
: |> information regarding this case and is well worth including in your
: |> bookmark file.

For my sins I had a look and it's quite good actually. Nicely set out and
presented. Didn't read it though, having read the rants a million times
before. By the way, anyone noticed Chris Tarrant looking at you funny
during Man O Man yet? Thought not...

Gillian

From: franco@elea.demon.co.uk (Francis Devonshire)
Newsgroups: uk.misc,uk.legal,uk.politics,uk.politics.misc,uk.media
Subject: Re: Read About "MI5 Persecution" on the Web!
Reply-To: franco@elea.demon.co.uk
Date: Tue May 14 19:17:26 1996

In message <4na2d0$dho@leofric.coventry.ac.uk> Stephen Hopkins wrote:

:Yes, I have to be honest: that page is one of the best examples of how to
:present a long document on the Web that I've seen. Hopefully, frames will
:become more and more prevalent and this style of presentation will become
:the norm for long documents such as that.

My html thingy doesnt seem to do frames so all I got was a blank page. Then
again, maybe someone, somewhere doesn't want me to read it.

BTW does 'troll' bring to mind a fishing lure (ie you are American), or an
ogre type thing (ie you are European). I much prefer the image of the latter.

```
+----------------------------------------------------------------------------+
| Francis Devonshire                 Titchfield, Hampshire, United Kingdom |
+----------------------------------------------------------------------------+
```

Newsgroups: uk.misc,uk.legal,uk.politics.misc,soc.culture.british
From: duncan@yc.estec.esa.nl (Duncan Gibson)
Subject: Re: MI5 Persecution: Bugging
Date: Wed Jun 12 06:46:41 1996

Mike Corley <bu765@torfree.net> wrote:
> Read about the MI5 Persecution on the Web

Now, whatever you might think about the content, this is a very well
designed and presented web page (if you use Netscape to look at it
anyway - Mosaic couldn't handle it).

This is my article, not my employer's, with my opinions and my disclaimer!

--
Duncan Gibson, ESTEC/YCV, Postbus 299, 2200AG Noordwijk, The Netherlands
Tel: +31 71 5654013   Fax: +31 71 5656142 Email: duncan@yc.estec.esa.nl

3706

--
Posted via a free Usenet account from http://www.teranews.com

```
From 8606770114551994762
X-Google-Thread: 108228,9e124d67707c328a,start
X-Google-Thread: fc8b1,9e124d67707c328a,start
X-Google-Thread: 108122,9e124d67707c328a,start
X-Google-Thread: 114aac,9e124d67707c328a,start
X-Google-Thread: 1109af,9e124d67707c328a,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr17.news.prodigy.net.POSTED!8b6c9613!not-for-
mail
From: "CSFD" <csfd@hotmail.com>
Newsgroups: alt.ham-radio.marketplace,rec.ham-
radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.ama
teur.swap,rec.radio.shortwave,rec.radio.swap
Subject: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
NNTP-Posting-Host: 70.142.59.187
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr17.news.prodigy.net 1169176920 ST000 70.142.59.187 (Thu, 18 Jan
2007 22:22:00 EST)
NNTP-Posting-Date: Thu, 18 Jan 2007 22:22:00 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
FKPGWYSGFZUMBQ\Y\R^VZ\]JUSXB@DTMNHWB_EYLJZ]BGIELCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Thu, 18 Jan 2007 21:22:06 -0600
Xref: g2news2.google.com alt.ham-radio.marketplace:1700
rec.radio.amateur.boatanchors:7194 rec.radio.amateur.equipment:7894
rec.radio.shortwave:64948 rec.radio.swap:11031
```

This weekend is the annual St. Joseph, MO. hamfest!
It is just north of K.C. on I-29 at exit # 47 at the Holiday Inn.
The event starts around 8 am saturday (around 6am for flea market set up).

It is a wonderful show that is growing better each year so load up all your
gear and come sell it this saturday.
There will be all kinds of vendors selling new radios, antennas, and all
kinds of ham radio products.
See your there!

From -4129148450808588251
X-Google-Thread: 108228,9e124d67707c328a
X-Google-Thread: 108122,9e124d67707c328a
X-Google-Thread: 1109af,9e124d67707c328a
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a75g2000cwd.googlegroups.com!not-for-mail
From: asswideshut@138mail.com
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
Date: 18 Jan 2007 23:34:45 -0800
Organization: http://groups.google.com
Lines: 25
Message-ID: <1169192085.883756.174970@a75g2000cwd.googlegroups.com>
References: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
NNTP-Posting-Host: 12.154.10.234
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1169192091 10772 127.0.0.1 (19 Jan 2007 07:34:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 19 Jan 2007 07:34:51 +0000 (UTC)
In-Reply-To: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Avant Browser; Avant Browser),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a75g2000cwd.googlegroups.com; posting-host=12.154.10.234;
   posting-account=qEgCVw0AAADxr1jdvz9hEyUu1Oc9tHpp
Xref: g2news2.google.com alt.ham-radio.marketplace:1702 rec.radio.amateur.equipment:7895 rec.radio.swap:11034

CSFD wrote:
> This weekend is the annual St. Joseph, MO. hamfest!
> It is just north of K.C. on I-29 at exit # 47 at the Holiday Inn.
> The event starts around 8 am saturday (around 6am for flea market set up).
> It is a wonderful show that is growing better each year so load up all your
> gear and come sell it this saturday.
> There will be all kinds of vendors selling new radios, antennas, and all
> kinds of ham radio products.
> See your there!

No you won't "see me there!". Ham fests are the biggest collection of
inbred white trash with the possible exception of any NASCAR event.No

doubt you will draw a crowd though. The moonshine and oppossum with viddles vendors will show in force. As will the flea marketeers with their Jerry Springer, Hee Haw and WWF tapes, confederate flags and (ooooh pinch me I must be dreaming!) velvet Elvis artworks!

If any of you haven't attended one of these beauty pagents I would recommend you do so at least once (which is plenty enough for one lifetime) just for the entertainment value found in observing the crowd. Watching the double digit IQ rednecks mill about with their "better halfs" trailing two steps behind them is truly a sight to behold. When you think you've seen the fattest and ugliest of the herd another fat disgusting foul smelling slob will meander on by. Hilarious.

From -4884676162924020874
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Stealth Pilot <tailwind@iinet.net.au>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Fri, 19 Jan 2007 18:23:54 +0900
Message-ID: <ja31r29f05aqkc0lbvv79pgm1igkoh94cm@4ax.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<iqtrq2paku7on2i99kjeeuu746hb8h2mv0@4ax.com>
<1169063445.173220.297870@v45g2000cwv.googlegroups.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: dip-220-235-52-53.wa.westnet.com.au
X-Trace: quokka.wn.com.au 1169198617 220.235.52.53 (19 Jan 2007 18:23:37 +0800)
Lines: 17
X-Complaints-To: abuse@westnet.com.au
Path: g2news2.google.com!news4.google.com!news.glorb.com!quokka.wn.com.au!not-for-mail
Xref: g2news2.google.com rec.crafts.metalworking:118333 rec.woodworking:107039 misc.consumers.frugal-living:59077 rec.radio.amateur.equipment:7896 alt.recovery.clutter:21517

On 17 Jan 2007 11:50:45 -0800, "Ries" <rniemi@fidalgo.net> wrote:

>
>Its interesting that when true hoarders collect things that are
>actually valuable, they usually manage to make them worthless by the
>time somebody else gets em.
>

```
you see that all the time.
no preservation effort.
totally stuffed when someone can get access to it eventually.

Stealth Pilot
btw I know of two (once) very valuable aircraft that are sitting in
weeds almost totally stuffed because the owners didnt have the
intelligence to sell them at a realistic price when they found they
couldnt maintain them.




From -2666140111119077950
X-Google-Thread: 108122,c7ce187eb3dadf06,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l53g2000cwa.googlegroups.com!not-for-
mail
From: "Mel" <k2at@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted  ICR-8500 Receiver in excellent shape
Date: 19 Jan 2007 04:59:12 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1169211552.788261.176310@l53g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.37.194.126
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169211562 16449 127.0.0.1 (19 Jan 2007 12:59:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 19 Jan 2007 12:59:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l53g2000cwa.googlegroups.com; posting-host=68.37.194.126;
   posting-account=_Ll_4wwAAACCEe4f15aaI3upACpfdLOS
Xref: g2news2.google.com rec.radio.amateur.equipment:7897

I am looking for an ICR-8500 receiver in excellent shape.  Please
contact me if u r interested in selling.

Tnx.
Mel k2at




From -148780395406420209
X-Google-Thread: 108228,9e124d67707c328a
X-Google-Thread: 108122,9e124d67707c328a
X-Google-Thread: 1109af,9e124d67707c328a
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!postnews.google.com!v45g2000cwv.googlegroups.com!not-for-mail
From: "Ham With Extra Class" <n9vu@yahoo.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
Date: 19 Jan 2007 06:03:25 -0800
Organization: http://groups.google.com
Lines: 33
Message-ID: <1169215405.131834.288400@v45g2000cwv.googlegroups.com>
References: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
   <1169192085.883756.174970@a75g2000cwd.googlegroups.com>
NNTP-Posting-Host: 72.16.175.14
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1169215412 3309 127.0.0.1 (19 Jan 2007 14:03:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 19 Jan 2007 14:03:32 +0000 (UTC)
In-Reply-To: <1169192085.883756.174970@a75g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v45g2000cwv.googlegroups.com; posting-host=72.16.175.14;
   posting-account=KQBFZw0AAAAOm4gIsdR2tqC1mBUUiVsK
Xref: g2news2.google.com alt.ham-radio.marketplace:1703
rec.radio.amateur.equipment:7898 rec.radio.swap:11035

So what you're saying is you're upset that the men aren't physically
attractive at this hamfest? Wow. Now we know about you.

Try paying more attention to the programs they have to offer and the
educational experience you may get out of this. Oh, wrong person,
nevermind, LOL.

asswideshut@138mail.com wrote:
> CSFD wrote:
> > This weekend is the annual St. Joseph, MO. hamfest!
> > It is just north of K.C. on I-29 at exit # 47 at the Holiday Inn.
> > The event starts around 8 am saturday (around 6am for flea market set up).
> > It is a wonderful show that is growing better each year so load up all your
> > gear and come sell it this saturday.
> > There will be all kinds of vendors selling new radios, antennas, and all
> > kinds of ham radio products.
> > See your there!
>
> No you won't "see me there!". Ham fests are the biggest collection of
> inbred white trash with the possible exception of any NASCAR event.No
> doubt you will draw a crowd though. The moonshine and oppossum with
> viddles vendors will show in force. As will the flea marketeers with
> their Jerry Springer, Hee Haw and WWF tapes, confederate flags and
> (ooooh pinch me I must be dreaming!) velvet Elvis artworks!
>
> If any of you haven't attended one of these beauty pagents I would

```
> recommend you do so at least once (which is plenty enough for one
> lifetime) just for the entertainment value found in observing the
> crowd. Watching the double digit IQ rednecks mill about with their
> "better halfs" trailing two steps behind them is truly a sight to
> behold. When you think you've seen the fattest and ugliest of the herd
> another fat disgusting foul smelling slob will meander on by. Hilarious.



From -2985307613718438638
X-Google-Thread: 108122,1bf2c5971cfc5a2a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!nntp.theplanet.net!inewsm1.nntp.theplanet.net!news.theplanet.net!not-for-mail
From: "Smog" <me@home.feet.up>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Yaesu FT1000MP, MD100 Base Mic, SP8 Speaker etc etc
Date: Fri, 19 Jan 2007 16:59:50 -0000
Lines: 9
Message-ID: <eoqte8$s5$1@news6.svr.pol.co.uk>
NNTP-Posting-Host: 84.68.139.86
X-Trace: news6.svr.pol.co.uk 1169225992 901 84.68.139.86 (19 Jan 2007 16:59:52 GMT)
NNTP-Posting-Date: 19 Jan 2007 16:59:52 GMT
X-Complaints-To: abuse@theplanet.net
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 0704-0, 18/01/2007), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com rec.radio.amateur.equipment:7899

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=300072454215

--

Jim B




From 7687851756440103731
X-Google-Thread: 108122,8cad0cad799ca89b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m58g2000cwm.googlegroups.com!not-for-
```

```
mail
From: erfurth@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: SG-235 Antenna Tuner WANTED
Date: 19 Jan 2007 12:21:59 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1169238119.607416.311960@m58g2000cwm.googlegroups.com>
NNTP-Posting-Host: 71.208.29.11
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169238131 15257 127.0.0.1 (19 Jan 2007 20:22:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 19 Jan 2007 20:22:11 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.9)
Gecko/20061206 Firefox/1.5.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m58g2000cwm.googlegroups.com; posting-host=71.208.29.11;
   posting-account=BCJ_GA0AAACmRMgl90olOEwikgSHinGo
Xref: g2news2.google.com rec.radio.amateur.equipment:7900

Hi Gang,

I am looking for an SGC model SG-235 500 watt antenna tuner/coupler.
If I can't locate an SG-235, I would be interested in an SG-230.

If you have one you are interested in selling, please let me know

Thanks,

Bill
k0owo
Colorado
erfurth@gmail.com
phone: 303 674 0510



From -8717421268330789651
X-Google-Thread: 108122,32198ad787a1d2f2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe20.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS 2 Meter Amps
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <p8ash.40$8U4.4@newsfe20.lga>
Date: Fri, 19 Jan 2007 14:48:34 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe20.lga 1169239701 68.111.108.217 (Fri, 19 Jan 2007 13:48:21 MST)
NNTP-Posting-Date: Fri, 19 Jan 2007 13:48:21 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7901

I have two 2 meter amps for sale. One is a Mirage B3016, 144-148 MHz, has
Pre Amp, does SSB and FM.
Price is $165. The other is a Ramsey PA-10, 140-152 MHz, 1 to 5 watts in, up
to 40 watts out. Price is $55.
Thanks, Charlie Hugg, K5MBX

From -1774346410016035720
X-Google-Thread: 108122,b28c18fa9e5bb6ff,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe20.lga.POSTED!
53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood Accessories
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <qjash.44$8U4.15@newsfe20.lga>
Date: Fri, 19 Jan 2007 15:00:18 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe20.lga 1169240406 68.111.108.217 (Fri, 19 Jan 2007 14:00:06 MST)
NNTP-Posting-Date: Fri, 19 Jan 2007 14:00:06 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7902

For Sale:
Kenwood MC-60A Desk Mic in very nice shape, price is $85;
Kenwood MC-42 Hand Mic, great shape, price is $40;
Kenwood VS-1 Voice Syn. Board, works good, price is $65;
Kenwood YK-88A-1 Plug In AM Filter, price is$85;
Kenwood YG-455C-1 500Hz Crystal CW Filter, price is $85
Thanks, Charlie Hugg, K5MBX

```
From 3657622232542426876
X-Google-Thread: 108122,2ebf0af529470f6b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe21.lga.POSTED!
53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS RS-20M Power Supply
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <eCash.35041$sE7.5169@newsfe21.lga>
Date: Fri, 19 Jan 2007 15:20:23 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe21.lga 1169241610 68.111.108.217 (Fri, 19 Jan 2007 14:20:10 MST)
NNTP-Posting-Date: Fri, 19 Jan 2007 14:20:10 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7903

FS Excellent Astron RS-20M Power Supply. This one has the single meter that
is switchable between amps and voltage. It works great and looks near new.
Price is $69 plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX
```

```
From 8643316267905330097
X-Google-Thread: 108122,b1b6bbab51e6460b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe11.lga.POSTED!
53ab2750!not-for-mail
From: "The Doctor, Who?" <kenwood1701@hotmail.com>
Organization: TARDIS, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: DOES ANYBODY KNOW.......
Content-Type: multipart/alternative;
 boundary="------------040208070904030309050808"
Lines: 37
Message-ID: <PJash.44$GY7.8@newsfe11.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddckannfilpcpbbolnmbidoiaaedhnikoofoappennnphngbbbkoadpifimlimepofbcl
faapllbaffjojolakkedcbbdgabjilglaconhafebncehahgindeflifgphkdl
NNTP-Posting-Date: Fri, 19 Jan 2007 14:28:15 MST
Date: Fri, 19 Jan 2007 16:28:50 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7904

This is a multi-part message in MIME format.
--------------040208070904030309050808
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

How to reset the CPU on an Icom !C-3SAT??   This is a 220MHz Handi-Talkie.
I think the IC-2SAT and the IC-4SAT should be the same.
THANKS!!!

73




--------------040208070904030309050808
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial">How to reset the CPU on an Icom
!C-3SAT??&nbsp;&nbsp; This is a 220MHz Handi-Talkie.<br>
I think the IC-2SAT and the IC-4SAT should be the same.<br>
THANKS!!!<br>
<br>
73<br>
<br>
<br>
</font></font>
</body>
</html>

--------------040208070904030309050808--
```

```
From -1800011602226323446
X-Google-Thread: 108122,b1b6bbab51e6460b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe02.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <PJash.44$GY7.8@newsfe11.lga>
Subject: Re: DOES ANYBODY KNOW.......
Lines: 9
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <gubsh.109254$8H2.53528@fe02.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 19 Jan 2007 22:19:56 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7905

> "The Doctor, Who?" <kenwood1701@hotmail.com> wrote in message
news:PJash.44$GY7.8@newsfe11.lga...
> How to reset the CPU on an Icom !C-3SAT??   This is a 220MHz
Handi-Talkie.

Google "Icom CPU reset" -
http://www.google.com/search?&q=%22icom+cpu+reset%22




From -7455359501978638610
X-Google-Thread: 108228,9e124d67707c328a
X-Google-Thread: 108122,9e124d67707c328a
X-Google-Thread: 1109af,9e124d67707c328a
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!roadrunner.com!not-for-mail
Date: Fri, 19 Jan 2007 17:50:01 -0500
From: Nunya Bizness <ask@imight.tel>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
References: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
<1169192085.883756.174970@a75g2000cwd.googlegroups.com>
```

In-Reply-To: <1169192085.883756.174970@a75g2000cwd.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 32
Message-ID: <45b14b23$0$5754$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com alt.ham-radio.marketplace:1707
rec.radio.amateur.equipment:7906 rec.radio.swap:11050

asswideshut@138mail.com wrote:

> No you won't "see me there!". Ham fests are the biggest collection of
> inbred white trash with the possible exception of any NASCAR event.No
> doubt you will draw a crowd though. The moonshine and oppossum with
> viddles vendors will show in force. As will the flea marketeers with
> their Jerry Springer, Hee Haw and WWF tapes, confederate flags and
> (ooooh pinch me I must be dreaming!) velvet Elvis artworks!
>
> If any of you haven't attended one of these beauty pagents I would
> recommend you do so at least once (which is plenty enough for one
> lifetime) just for the entertainment value found in observing the
> crowd. Watching the double digit IQ rednecks mill about with their
> "better halfs" trailing two steps behind them is truly a sight to
> behold. When you think you've seen the fattest and ugliest of the herd
> another fat disgusting foul smelling slob will meander on by. Hilarious.
>

As an astronomy educator with a degree in physics and an interest in ham radio, I resent this wildly inaccurate and narrow minded view of the kind of folks who attend hamfests.

It would be all too easy to sling epithets at this fellow who signs his name as "asswideshut" but I think his own words speak volumes about his character... or complete lack thereof.

Who am I?

--Nunya Bizness

P.S. Before he feels compelled to reply, he should know he's already in the killfile.

From 7063343995746543541
X-Google-Thread: 108122,7f36fcff9fcac1f6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!51g2000cwl.googlegroups.com!not-for-mail
From: "n2nbt" <mattb@spiinc.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Tempo 2020 For Sale

```
Date: 19 Jan 2007 20:33:18 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1169267598.127025.108980@51g2000cwl.googlegroups.com>
NNTP-Posting-Host: 76.18.54.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169267604 2166 127.0.0.1 (20 Jan 2007 04:33:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Jan 2007 04:33:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 51g2000cwl.googlegroups.com; posting-host=76.18.54.42;
   posting-account=7eFgFw0AAABNRsclTKq67yUAOkIxCaYG
Xref: g2news2.google.com rec.radio.amateur.equipment:7907

One of the best HF rigs out there for t

$9.99 no reservehe money. Excellent audio, strong receiver, powerful
6146B finals. Quiet solid state except for final stage.

ebay auction no resrve worth $300

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=009&sspagename=STRK%3AMESE%3AIT&viewitem=&item=190074114149&rd=1&rd=1



From -7060491814906629969
X-Google-Thread: fc2a5,decbb4c16304641,start
X-Google-Thread: 108122,decbb4c16304641,start
X-Google-Attributes: gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l53g2000cwa.googlegroups.com!not-for-
mail
From: ka9s3@comcast.net
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: FT-1000D internal coax plug
Date: 19 Jan 2007 21:08:23 -0800
Organization: http://groups.google.com
Lines: 28
Message-ID: <1169269703.441226.143100@l53g2000cwa.googlegroups.com>
NNTP-Posting-Host: 67.173.24.161
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169269714 7062 127.0.0.1 (20 Jan 2007 05:08:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Jan 2007 05:08:34 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.1)
Gecko/20061204 Firefox/2.0.0.1,gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: l53g2000cwa.googlegroups.com; posting-host=67.173.24.161;
   posting-account=gJ80Qg0AAACxK715j_ktAW6ExM5sGXKj
Xref: g2news2.google.com rec.radio.amateur.homebrew:8712
rec.radio.amateur.equipment:7908

I want to make a modification to my FT-1000D that involves bringing the QSK switched receive coax lead to the back panel (adding a RCA phono jack). I want to unplug the inter-board coax cable that runs from J7208 (on the LPF unit) to J1005 (on the RF unit) and leave the original coax in place. I want to make my own cable that runs from J7208 to the new RCA jack on the back panel. I could just cut the original coax and use it, but I want the option to back out of this modification if I don't like it.

I have coax cable I can use. I need the tiny coax plug that goes on the end of the cable. The plug is a crimp-on style and very small. It is keyed and only fits into the circuit board jack in one orientation. The circuit board jack (which I don't need) sticks up off of the board at a 45-degree angle.

I thought I would just order a spare cable from YAESU and use it for my modification. I contacted YAESU. They don't have a part number for the cable. They would have to build one from scratch at the factory in Japan and were unwilling to do this.

I have been searching catalogs but not finding the plug I need to be compatible with the jack on the LPF board.

Does anyone know what type of connectors these are and where I can get some?

Thanks - Jeff - KA9S

From 5901007954490606413
X-Google-Thread: 108228,4317e4a0fbffc5ee,start
X-Google-Thread: 108122,4317e4a0fbffc5ee,start
X-Google-Thread: 1109af,4317e4a0fbffc5ee,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
news-in-01.newsfeed.easynews.com!news-in-02.newsfeed.easynews.com!easynews.com!
easynews!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola Saber VHF Low Split H43SAN7139CN-Ham Use
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001E_01C73C1B.935E8FE0"

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <yWish.33902$iz5.17603@newsfe14.phx>
Date: Fri, 19 Jan 2007 22:45:53 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.phx 1169275678 68.104.78.240 (Fri, 19 Jan 2007 23:47:58 MST)
NNTP-Posting-Date: Fri, 19 Jan 2007 23:47:58 MST
Organization: Cox
Xref: g2news2.google.com alt.ham-radio.marketplace:1708
rec.radio.amateur.equipment:7909 rec.radio.swap:11057

This is a multi-part message in MIME format.

------=_NextPart_000_001E_01C73C1B.935E8FE0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola Saber VHF Low Split H43SAN7139CN-Ham Use

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250073642917&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001E_01C73C1B.935E8FE0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola Saber VHF Low Split H43SAN7139CN-Ham Use</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250073642917&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250073642917&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_001E_01C73C1B.935E8FE0--



From -5036374545684337502
```

```
X-Google-Thread: 108228,5f9cbca10a808a36,start
X-Google-Thread: 108122,5f9cbca10a808a36,start
X-Google-Thread: 1109af,5f9cbca10a808a36,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
news-in-01.newsfeed.easynews.com!news-in-02.newsfeed.easynews.com!easynews.com!
easynews!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 2-Ch 900MHz Transmitter Combiner Like New-Shop Spare-Possible 900Mhz-
Ham Use
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0027_01C73C1C.18EBB5C0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <2_ish.33903$iz5.2576@newsfe14.phx>
Date: Fri, 19 Jan 2007 22:49:37 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.phx 1169275902 68.104.78.240 (Fri, 19 Jan 2007 23:51:42 MST)
NNTP-Posting-Date: Fri, 19 Jan 2007 23:51:42 MST
Organization: Cox
Xref: g2news2.google.com alt.ham-radio.marketplace:1709
rec.radio.amateur.equipment:7910 rec.radio.swap:11058

This is a multi-part message in MIME format.

------=_NextPart_000_0027_01C73C1C.18EBB5C0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 2-Ch 900MHz Transmitter Combiner Like New-Shop Spare-Possible =
900Mhz-Ham Use

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250073651852&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0027_01C73C1C.18EBB5C0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 2-Ch 900MHz Transmitter Combiner Like New-Shop Spare-Possible =
900Mhz-Ham=20
Use</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250073651852&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250073651852&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0027_01C73C1C.18EBB5C0--
```

```
From -6277243858816165726
X-Google-Thread: fc2a5,decbb4c16304641
X-Google-Thread: 108122,decbb4c16304641
X-Google-Attributes: gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <1169269703.441226.143100@l53g2000cwa.googlegroups.com>
Subject: Re: FT-1000D internal coax plug
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Trqsh.451$JB.189@trnddc05>
Date: Sat, 20 Jan 2007 15:21:23 GMT
NNTP-Posting-Host: 63.19.182.173
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1169306483 63.19.182.173 (Sat, 20 Jan 2007 10:21:23 EST)
NNTP-Posting-Date: Sat, 20 Jan 2007 10:21:23 EST
Xref: g2news2.google.com rec.radio.amateur.homebrew:8714
rec.radio.amateur.equipment:7911
```

<ka9s3@comcast.net> wrote in message
news:1169269703.441226.143100@l53g2000cwa.googlegroups.com...

> I want to make a modification to my FT-1000D that involves bringing the
> QSK switched receive coax lead to the back panel (adding a RCA phono
> jack). I want to unplug the inter-board coax cable that runs from J7208
> (on the LPF unit) to J1005 (on the RF unit) and leave the original coax

> in place. I want to make my own cable that runs from J7208 to the new
> RCA jack on the back panel. I could just cut the original coax and use
> it, but I want the option to back out of this modification if I don't
> like it.
>
> I have coax cable I can use. I need the tiny coax plug that goes on the
> end of the cable. The plug is a crimp-on style and very small. It is
> keyed and only fits into the circuit board jack in one orientation. The
> circuit board jack (which I don't need) sticks up off of the board at a
> 45-degree angle.
>
> I thought I would just order a spare cable from YAESU and use it for my
> modification. I contacted YAESU. They don't have a part number for the
> cable. They would have to build one from scratch at the factory in
> Japan and were unwilling to do this.
>
> I have been searching catalogs but not finding the plug I need to be
> compatible with the jack on the LPF board.
>
> Does anyone know what type of connectors these are and where I can get
> some?
>
> Thanks - Jeff - KA9S

Although I have not seen the plug, it sounds similar to what Ten Tec used in
the Omni VI series and probably others. Ten Tec is very helpful, you might
give them a call.

Dale W4OP
>

From -1746108778235487124
X-Google-Thread: fc8b1,a37a86099c5c54a0,start
X-Google-Thread: 108122,a37a86099c5c54a0,start
X-Google-Thread: 1109af,a37a86099c5c54a0,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Jan 2007 09:45:35 -0600
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FA: narrow SSB filter FT301, FT7   @ $1.00   1 day!
Date: Sat, 20 Jan 2007 10:45:34 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869

X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <s5SdnTNP7dqCpC_YnZ2dnUVZ_rGinZ2d@comcast.com>
Lines: 5
NNTP-Posting-Host: 69.253.143.89
X-Trace: sv3-iGrlfC5EDWRqc5Okx5v+Zax4hYGX7VtARxdqt4AAcZ08jUFm8v+BVF/
hpY5ZLusxAVjBfa7bz+znjBg!wCKjzda5K1Z4o2fOep/
wBm8ux7X0N2dQGkO1W6nXd1wNtcVQjUUrT5tg9wPVSLJR5ePVfqF17dOf!CeJWq+5T
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:7207
rec.radio.amateur.equipment:7912 rec.radio.swap:11061

See it here.....

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=019&sspagename=STRK%3AMESE%3AIT&viewitem=&item=290072285071&rd=1&rd=1

From -1789507122770350042
X-Google-Thread: 108122,b1b6bbab51e6460b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
From: "The Doctor, Who?" <kenwood1701@hotmail.com>
Organization: TARDIS, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: DOES ANYBODY KNOW.......
References: <PJash.44$GY7.8@newsfe11.lga>
<gubsh.109254$8H2.53528@fe02.news.easynews.com>
In-Reply-To: <gubsh.109254$8H2.53528@fe02.news.easynews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <%Dush.32$V71.28@newsfe08.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
adnpoonaeilogjoikannfilpcpbbolnmfnnkcbdailddlgbkoappennnphngbbbkemakaidflbjogfmkgl
ccjpghggkfhgdolakkedcbbdgabjillafkkhdinojhlfalhgindeflifgphkdl
NNTP-Posting-Date: Sat, 20 Jan 2007 13:07:23 MST
Date: Sat, 20 Jan 2007 15:08:01 -0500

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7913

Travis Jordan wrote:

>>"The Doctor, Who?" <kenwood1701@hotmail.com> wrote in message
>>
>>
>news:PJash.44$GY7.8@newsfe11.lga...
>
>
>>How to reset the CPU on an Icom !C-3SAT??   This is a 220MHz
>>
>>
>Handi-Talkie.
>
>Google "Icom CPU reset" -
>http://www.google.com/search?&q=%22icom+cpu+reset%22
>
>
>
>
THANKS!!  73


From 6373223274100348149
X-Google-Thread: 108228,9e124d67707c328a
X-Google-Thread: 108122,9e124d67707c328a
X-Google-Thread: 1109af,9e124d67707c328a
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
Date: Sat, 20 Jan 2007 15:59:55 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 44
Message-ID: <Pine.NEB.4.64.0701201555010.13026@panix2.panix.com>
References: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
 <1169192085.883756.174970@a75g2000cwd.googlegroups.com>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1169326797 1731 166.84.1.2 (20 Jan 2007 20:59:57 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 20 Jan 2007 20:59:57 +0000 (UTC)
In-Reply-To: <1169192085.883756.174970@a75g2000cwd.googlegroups.com>
Xref: g2news2.google.com alt.ham-radio.marketplace:1710
rec.radio.amateur.equipment:7914 rec.radio.swap:11062
```

On Fri, 18 Jan 2007, asswideshut@138mail.com wrote:

> CSFD wrote:
>> This weekend is the annual St. Joseph, MO. hamfest!
>> It is just north of K.C. on I-29 at exit # 47 at the Holiday Inn.
>> The event starts around 8 am saturday (around 6am for flea market set up).
>> It is a wonderful show that is growing better each year so load up all your
>> gear and come sell it this saturday.
>> There will be all kinds of vendors selling new radios, antennas, and all
>> kinds of ham radio products.
>> See your there!
>
> No you won't "see me there!". Ham fests are the biggest collection of
> inbred white trash with the possible exception of any NASCAR event.No
> doubt you will draw a crowd though. The moonshine and oppossum with
> viddles vendors will show in force. As will the flea marketeers with
> their Jerry Springer, Hee Haw and WWF tapes, confederate flags and
> (ooooh pinch me I must be dreaming!) velvet Elvis artworks!
>
> If any of you haven't attended one of these beauty pagents I would
> recommend you do so at least once (which is plenty enough for one
> lifetime) just for the entertainment value found in observing the
> crowd. Watching the double digit IQ rednecks mill about with their
> "better halfs" trailing two steps behind them is truly a sight to
> behold. When you think you've seen the fattest and ugliest of the herd
> another fat disgusting foul smelling slob will meander on by. Hilarious.
>

And, when I see the outrageous prices being developed on the auction websites (eg. eBay), I'm very happy to go to hamfests, look at real equipment (up close), ask questions, and I'm happy to dicker over price to mutual satisfaction and without having to go back multiple times to eBay to worry, sweat out the bidding, and maybe end up with a rustbucket PoC, that works less well than advertised (if you get anything more than "The lights come on when you turn the switch").

You have a problem with people? You're probably seeing a lot better example of real human life than if you traveled most of the world (eg. India, China, 3rd world) and see what poverty, starvation, and disease is all about. I have rarely been offended by anyone at a hamfest.

```
From 4586087227010423675
X-Google-Thread: 108228,9e124d67707c328a
X-Google-Thread: 108122,9e124d67707c328a
X-Google-Thread: 1109af,9e124d67707c328a
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
```

```
Subject: Re: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
From: Bert Hyman <bert@iphouse.com>
References: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
<1169192085.883756.174970@a75g2000cwd.googlegroups.com>
Organization: Not that you'd notice
Message-ID: <Xns98BE994701E59VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 20 Jan 2007 21:04:03 GMT
Lines: 13
NNTP-Posting-Date: 20 Jan 2007 15:04:03 CST
NNTP-Posting-Host: a3084e01.newsreader.iphouse.net
X-Trace:
DXC=I4b`d7=<G`k>I4WDX=9IooVn\Tj8`^BbkeHS>e[L>83`UYmFZnLBQanc230oU7d71aX7@2h;nGb4mR
9S]=<3l3ja
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com alt.ham-radio.marketplace:1711
rec.radio.amateur.equipment:7915 rec.radio.swap:11063

In news:1169192085.883756.174970@a75g2000cwd.googlegroups.com
asswideshut@138mail.com wrote:

> CSFD wrote:
>>
>> See your there!
>
> No you won't "see me there!".

OK then! I'm glad that's settled.

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From 8190131827522252446
X-Google-Thread: 108122,268159793fb4204c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <Cosrh.42313$uA2.34979@newsfe07.phx>
<slrneqsudq.61d.gsm@cable.mendelson.com>
Subject: Re: FYI: Subscribers to this NG
Lines: 9
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <ORwsh.407078$V12.189168@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
```

X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sat, 20 Jan 2007 22:38:39 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7916

Geoffrey S. Mendelson wrote:
> Only 467 folks signed up with Google. Since Google spent $100,000,000
> on BPL, what do you expect? Most people who read it avoid, or boycott
> Google.

More likely.... to the OP Usenet = Google. Sorta like ham radio = CB,
eh?

From -3203501671721151585
X-Google-Thread: 108122,268159793fb4204c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <Cosrh.42313$uA2.34979@newsfe07.phx>
<slrneqsudq.61d.gsm@cable.mendelson.com>
Subject: Re: FYI: Subscribers to this NG
Lines: 11
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <7%wsh.171037$t27.28289@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sat, 20 Jan 2007 22:48:36 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7917

Geoffrey S. Mendelson wrote:
> Since Google spent $100,000,000
> on BPL, what do you expect? Most people who read it avoid, or boycott
> Google.

Boycott GE and Earthlink, too. And Duke Energy. And Hearst.

http://www.currentgroup.com/news/releases/05-04-06_New_Investors.html

```
From -5850671504711695723
X-Google-Thread: 108122,8182f88f2c73d38a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: "firefitr" <firefitr@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: radio pre amp buster
Date: 20 Jan 2007 15:52:55 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1169337175.148347.46380@38g2000cwa.googlegroups.com>
NNTP-Posting-Host: 72.158.70.5
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169337181 16797 127.0.0.1 (20 Jan 2007 23:53:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 Jan 2007 23:53:01 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
InfoPath.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 GCGA-ISA01
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=72.158.70.5;
   posting-account=TJOZLA0AAADz9Rne8ez6lppl0-kj-zFK
Xref: g2news2.google.com rec.radio.amateur.equipment:7918
```

```
I once read that with a powerful enough radio
> >transmitter, you can overload their preamp and blast their subwoofers with
> >a 20Hz sine wave or something. It would be sweet to be able to destroy all
> >that expensive loud stereo equipment with the flip of a switch so that I can
sleep at nite and not have to feel this so called music noise that comes from
cars? I was told that you just point the antenna at the car and push the button
and there goes the radio and help on how to buid or obtain one?
```

```
From -9123218238489440888
X-Google-Thread: 108228,9e124d67707c328a
X-Google-Thread: 108122,9e124d67707c328a
X-Google-Thread: 1109af,9e124d67707c328a
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.net.POSTED!d93218c8!not-for-mail
From: "JA" <ac5tx@sbcglobal.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
References: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
<1169192085.883756.174970@a75g2000cwd.googlegroups.com>
```

```
<Pine.NEB.4.64.0701201555010.13026@panix2.panix.com>
Subject: Re: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
Lines: 51
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <DZxsh.36371$Gr2.35016@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 70.133.148.22
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1169337315 ST000 70.133.148.22 (Sat, 20 Jan
2007 18:55:15 EST)
NNTP-Posting-Date: Sat, 20 Jan 2007 18:55:15 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_AOHVUR\Y[VBCBNWX@RJ_XPDLMN@GZ_GYO^ZWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Sat, 20 Jan 2007 23:55:15 GMT
Xref: g2news2.google.com alt.ham-radio.marketplace:1715
rec.radio.amateur.equipment:7920 rec.radio.swap:11065

LOL
"Straydog" <asd@panix.com> wrote in message
news:Pine.NEB.4.64.0701201555010.13026@panix2.panix.com...
>
>
> On Fri, 18 Jan 2007, asswideshut@138mail.com wrote:
>
>> CSFD wrote:
>>> This weekend is the annual St. Joseph, MO. hamfest!
>>> It is just north of K.C. on I-29 at exit # 47 at the Holiday Inn.
>>> The event starts around 8 am saturday (around 6am for flea market set
>>> up).
>>> It is a wonderful show that is growing better each year so load up all
>>> your
>>> gear and come sell it this saturday.
>>> There will be all kinds of vendors selling new radios, antennas, and all
>>> kinds of ham radio products.
>>> See your there!
>>
>> No you won't "see me there!". Ham fests are the biggest collection of
>> inbred white trash with the possible exception of any NASCAR event.No
>> doubt you will draw a crowd though. The moonshine and oppossum with
>> viddles vendors will show in force. As will the flea marketeers with
>> their Jerry Springer, Hee Haw and WWF tapes, confederate flags and
>> (ooooh pinch me I must be dreaming!) velvet Elvis artworks!
>>
>> If any of you haven't attended one of these beauty pagents I would
>> recommend you do so at least once (which is plenty enough for one
>> lifetime) just for the entertainment value found in observing the
>> crowd. Watching the double digit IQ rednecks mill about with their
```

>> "better halfs" trailing two steps behind them is truly a sight to
>> behold. When you think you've seen the fattest and ugliest of the herd
>> another fat disgusting foul smelling slob will meander on by. Hilarious.
>>
>
> And, when I see the outrageous prices being developed on the auction
> websites (eg. eBay), I'm very happy to go to hamfests, look at real
> equipment (up close), ask questions, and I'm happy to dicker over price to
> mutual satisfaction and without having to go back multiple times to eBay
> to worry, sweat out the bidding, and maybe end up with a rustbucket PoC,
> that works less well than advertised (if you get anything more than "The
> lights come on when you turn the switch").
>
> You have a problem with people? You're probably seeing a lot better
> example of real human life than if you traveled most of the world (eg.
> India, China, 3rd world) and see what poverty, starvation, and disease is
> all about. I have rarely been offended by anyone at a hamfest.
>
>

From 2318862814360179762
X-Google-Thread: 108228,9e124d67707c328a
X-Google-Thread: 108122,9e124d67707c328a
X-Google-Thread: 1109af,9e124d67707c328a
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.net.POSTED!d93218c8!not-for-mail
From: "JA" <ac5tx@sbcglobal.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
References: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
<1169192085.883756.174970@a75g2000cwd.googlegroups.com>
<Xns98BE994701E59VeebleFetzer@216.250.184.7>
Subject: Re: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <2_xsh.36372$Gr2.12106@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 70.133.148.22
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1169337342 ST000 70.133.148.22 (Sat, 20 Jan 2007 18:55:42 EST)
NNTP-Posting-Date: Sat, 20 Jan 2007 18:55:42 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:

```
TSU[@I_AOHVUR\Y[VBCBNWX@RJ_XPDLMN@GZ_GYO^ZWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Sat, 20 Jan 2007 23:55:42 GMT
Xref: g2news2.google.com alt.ham-radio.marketplace:1714
rec.radio.amateur.equipment:7919 rec.radio.swap:11064

LOL LOLLOLLOLLOLLOLLOLLLOLOLOLLOL
"Bert Hyman" <bert@iphouse.com> wrote in message
news:Xns98BE994701E59VeebleFetzer@216.250.184.7...
> In news:1169192085.883756.174970@a75g2000cwd.googlegroups.com
> asswideshut@138mail.com wrote:
>
>> CSFD wrote:
>>>
>>> See your there!
>>
>> No you won't "see me there!".
>
> OK then! I'm glad that's settled.
>
> --
> Bert Hyman St. Paul, MN bert@iphouse.com




From 5680725882427501043
X-Google-Thread: 108122,9e124d67707c328a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bluevalley.net!
news.bluevalley.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Jan 2007 19:32:15 -0600
From: Nate Bargmann <n0nb.DO.NOT.SPAM@ME.networksplus.net>
Subject: Re: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
Newsgroups: rec.radio.amateur.equipment
References: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net>
User-Agent: pan 0.120 (Plate of Shrimp)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <s5idnXSNC7oCXy_YnZ2dnUVZ_sfinZ2d@bluevalley.net>
Date: Sat, 20 Jan 2007 19:32:15 -0600
Lines: 15
NNTP-Posting-Host: 12.158.148.131
X-Trace: sv3-ja0EG3cu41xfmF26fg/
wES3EzwxCToofJeu2oI+TwgQ0jYAjgR3Og8+DXFhs7Y15cC5MVprAeDDZPTk!
zF10Y8g+mE98Hq2rQeGcnK6526JzuWhFUGikeDOL7e+D+fkcjdj+d4zOJXeVGbb3ATovpkT9X5zO!
Fb1T7nu0U9vWAKVt3vUJNQ==
X-Complaints-To: abuse@bluevalley.net
X-DMCA-Complaints-To: abuse@bluevalley.net
```

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7921

I made it over.  I had a nice shopping list, but only found two of the
items I was looking for.  :(  I didn't win anything either which is par
for the course.

Otherwise, it was nice catching up on a lot of friends I know.  I even
made it home before the snow got too deep.

I'll be back next year.

73, de Nate >>

--

"The optimist proclaims that we live in the best of all possible worlds,
the pessimist fears this is true."


From -710562205188482995
X-Google-Thread: 108122,2730c7ef61b775d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 Jan 2007 20:33:56 -0600
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: LQQKING FOR SOME INFO
Date: Sat, 20 Jan 2007 21:31:27 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <kJidnYCMPfGJTC_YnZ2dnUVZ_vShnZ2d@adelphia.com>
Lines: 18
NNTP-Posting-Host: 69.162.152.98
X-Trace: sv3-
CMtZ5OBtcZ5l+fmE4bKSpoJpXVv9e7+0gmwc5lD3QKD1A2pxYKZhobo1NloTQ9sIfAt72ZGJAd4YUty!
VVYY5r0bVXfwwc7JrPxjJ/JoIFapffOExCrTyW/hrC3L/1eJx1vtnvnP6NKLktj7xdIFj+PmBFyb!
7gPLlQEMaCZgEEqWhJybmpbRAGlb
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

Xref: g2news2.google.com rec.radio.amateur.equipment:7922

I have the following Microwave components and I am LQQKing for pin-outs, schematics, pictorials, frequency ranges:

Wavecom/LORAL - RF Coaxial Switch
9130-B237-A1D-7B0, 28vdc

DowKey Microwave - RF Coaxial Switch
401-151, 28vdc

Chesapeake Microwave Technologies - 4/1 combiner?
86-0142, 4-8 GHz

Triangle Microwave Inc. - Bi-Directional Coupler?
CA-1568, Blue in color, 3 ports marked (IN -OUT-CPL)

TIA

From 6654743130390778881
X-Google-Thread: 108228,9e124d67707c328a
X-Google-Thread: 108122,9e124d67707c328a
X-Google-Thread: 1109af,9e124d67707c328a
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-06!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "simmonsfan" <simmonsfan@sanyo.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: K.C. (ST. JOE) HAMFEST THIS WEEKEND!
Date: Sat, 20 Jan 2007 22:44:08 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12r5rsncckdb59a@corp.supernews.com>
References: <sPWrh.142$4H1.12@newssvr17.news.prodigy.net> <1169192085.883756.174970@a75g2000cwd.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com alt.ham-radio.marketplace:1716 rec.radio.amateur.equipment:7923 rec.radio.swap:11066

I quit attending the winter St. Joseph hamfest quite a few years ago. The parking around the Ramada (not Holiday Inn, dude...) is horrible and tables are poorly laid out in the atrium area around the indoor pool. Always seems to have lots of ice and snow piled on the parking lot.

One nice thing is you can "sneak" into this hamfest through most of the hotel entrances and bypass the admission table like everyone else does. Kind of makes up for the shitty parking...

```
<asswideshut@138mail.com> wrote in message
news:1169192085.883756.174970@a75g2000cwd.googlegroups.com...
> CSFD wrote:
>> This weekend is the annual St. Joseph, MO. hamfest!
>> It is just north of K.C. on I-29 at exit # 47 at the Holiday Inn.
```

```
From 3621642189553073737
X-Google-Thread: 108122,8182f88f2c73d38a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-
mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: radio pre amp buster
Date: Sat, 20 Jan 2007 22:52:00 -0800
Message-ID: <MPG.201cad6f502937df989717@192.168.42.197>
References: <1169337175.148347.46380@38g2000cwa.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 49
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7924
```

In article <1169337175.148347.46380@38g2000cwa.googlegroups.com>, firefitr@gmail.com (known to some as firefitr) scribed...

```
> I once read that with a powerful enough radio
> > >transmitter, you can overload their preamp and blast their subwoofers with
> > >a 20Hz sine wave or something. It would be sweet to be able to destroy all
> > >that expensive loud stereo equipment with the flip of a switch so that I
> can sleep at nite and not have to feel this so called music noise that comes
> from cars? I was told that you just point the antenna at the car and push the
> button and there goes the radio and help on how to buid or obtain one?
```

The problem with such devices in practice is that they are not very directional, and the power source they require to even get close to doing as you describe makes them impractical for mobile use without one mother of a power generator.

A full-sized RV might be able to mount such a device (called a HERF, or High-Energy Radio Frequency emitter) in a concealed manner, but I don't see any way a passenger car can do so with our current level of technology.

As to the non-directionality: A blast of RF powerful enough to blow out the stereo system in the car you're aiming at would also be powerful enough to blow the engine-control computer in your own vehicle, and that of other vehicles around you. This would cause more than a few cars to come to a sudden halt, including your own, and you could suddenly find yourself in the middle of a multi-car pileup.

Would you care to find yourself paying for several blown-out engine computers when the police investigating the crash find HERF equipment in your car, assuming you could find a way to power it? Not to mention explaining yourself to a whole flock of no-doubt pissed-off drivers?

Speaking as someone who works for our state's highway patrol, I suggest that a more constructive (and far less risky) method for dealing with your audio pest would be to simply note the license number of the vehicle involved, and file a complaint with your local police.

With that said: You are not alone. I've often wished for a way to safely and effectively disable a "Thumpmobile" without causing unwanted side effects. ;-)

Keep the peace(es).

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

```
From -414188304409542429
X-Google-Thread: 108122,e94de862285cc3f5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m58g2000cwm.googlegroups.com!not-for-mail
From: "kamatu" <sonicidebass@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA EICO 710 Grid Dip Meter circa 1959
Date: 21 Jan 2007 14:20:38 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1169418038.251926.149710@m58g2000cwm.googlegroups.com>
NNTP-Posting-Host: 64.24.25.84
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

```
X-Trace: posting.google.com 1169418047 7302 127.0.0.1 (21 Jan 2007 22:20:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 Jan 2007 22:20:47 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.8) Gecko/20050517
Firefox/1.0.4 (Debian package 1.0.4-2),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m58g2000cwm.googlegroups.com; posting-host=64.24.25.84;
   posting-account=a2lBrQ0AAACRJziTfD73sCKJIzCEp1bh
Xref: g2news2.google.com rec.radio.amateur.equipment:7925

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110082347881




From -793358725347426008
X-Google-Thread: 108122,69accd0150bf12a5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc05.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: supply
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-2954A3.06544222012007@news.verizon.net>
Lines: 10
Date: Mon, 22 Jan 2007 11:54:46 GMT
NNTP-Posting-Host: 151.205.182.53
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1169466886 151.205.182.53 (Mon, 22 Jan 2007 06:54:46 EST)
NNTP-Posting-Date: Mon, 22 Jan 2007 06:54:46 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7926

anybody know the brand (or web link) to a powersupply 120vac> 13vdc
@30-50amps  that is 'better' than astron in the respect of being quiet

fan noise shouldn't be more than my mark vf     and if it's analog
transformer based  no buzzing windings

perfer a unit w/volt and amp meters  but i'd setle for the above


thanks



From -3819072165157318615
X-Google-Thread: 108122,36cd1eec9f3ec336,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p59g2000hsd.googlegroups.com!not-for-
```

```
mail
From: k9dzd9@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Icom IC-725 off frequency
Date: 10 Jan 2007 15:17:53 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1168471072.898195.39370@p59g2000hsd.googlegroups.com>
NNTP-Posting-Host: 70.41.62.80
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168471074 4874 127.0.0.1 (10 Jan 2007 23:17:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 Jan 2007 23:17:54 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p59g2000hsd.googlegroups.com; posting-host=70.41.62.80;
   posting-account=JCMf4AwAAADFSMkSeO0obont-5mrQlQY
Xref: g2news2.google.com rec.radio.amateur.equipment:7825

Hi,i have a Icom IC-725 that works fine,,but its about 10HZ off
according to the readout
,,,anyone know the pocedure for calibration?
monte  k9dzd9@yahoo.com




From -6003140296073999024
X-Google-Thread: 108122,36cd1eec9f3ec336
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog2.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 10 Jan 2007 18:21:45 -0600
Date: Wed, 10 Jan 2007 19:21:49 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom IC-725 off frequency
References: <1168471072.898195.39370@p59g2000hsd.googlegroups.com>
In-Reply-To: <1168471072.898195.39370@p59g2000hsd.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <8KWdnUeZSPKEHjjYnZ2dnUVZ_tninZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 24.34.65.49
X-Trace: sv3-oobkaG03bCrfeuFmlS+Rd+cFodZlhyIW/Drwl9Pz+XwuIwkMEh5DcL/
```

ahxwRvhksuqaJzCWs1Gfn12Y!ZJ6q1XzRWazJnN41crNqIHt1uC2m1oi9kat1RaO326wq/aMhYPBrZl/
cFeQ8yeJjFx96EZR0tWm9!uEZW7j+GJ3XyPTtuIQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7826

10 Hz is well within the accuracy and stability specifications.

Stability is the key spec. How much does the radio drift in the first 1 hour of warm up?

How do you know the 10 Hz value? How soon after power on is it measured? etc.!

k9dzd9@yahoo.com wrote:

> Hi,i have a Icom IC-725 that works fine,,but its about 10HZ off
> according to the readout
> ,,,anyone know the pocedure for calibration?
> monte k9dzd9@yahoo.com
>

From 6969051329792818933
X-Google-Thread: 108122,2d3782d032d9cea6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!53ab2750!not-for-mail
From: Radio <radReMoVe@mts.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: ICOM IC-730 HF TRANSCEIVER SSB RADIO 80-10 METER
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <XAtph.22898$kn7.21750@newsfe23.lga>
Date: Thu, 11 Jan 2007 10:29:34 -0600
NNTP-Posting-Host: 207.161.59.97
X-Complaints-To: http://support.highwinds-media.com
X-Trace: newsfe23.lga 1168532919 207.161.59.97 (Thu, 11 Jan 2007 09:28:39 MST)
NNTP-Posting-Date: Thu, 11 Jan 2007 09:28:39 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:7827

ICOM IC-730 HF TRANSCEIVER SSB RADIO 80-10 METER

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=200067287284

Check out my other radio equipment available

http://search.ebay.com/_W0QQsassZrestiauxQQhtZ-1QQfrppZ50QQfsopZ1QQfsooZ1QQrdZ0

```
From 1930512577035914950
X-Google-Thread: 108122,36cd1eec9f3ec336
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom IC-725 off frequency
Date: Thu, 11 Jan 2007 14:43:28 -0500
Organization: Aioe.org NNTP Server
Lines: 27
Message-ID: <fmmck-526964.14432811012007@nntp.aioe.org>
References: <1168471072.898195.39370@p59g2000hsd.googlegroups.com>
NNTP-Posting-Host: e+X9WcKbHnoKwMoi8Blf5Q.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:7828
```

In article <1168471072.898195.39370@p59g2000hsd.googlegroups.com>,
k9dzd9@yahoo.com wrote:

> Hi,i have a Icom IC-725 that works fine,,but its about 10HZ off
> according to the readout
> ,,,anyone know the pocedure for calibration?

Monte-

I don't know if this will help or not. I found an article in my archives from last June, that gave an address for the manuals for both the 725 and the 725A.

http://www.icom.co.jp/manual/external/transceivers/IC-725.pdf

http://www.icom.co.jp/manual/external/transceivers/IC-725A.pdf

I have not tested the addresses to see if they work.

You will be hard pressed to beat 10 Hz, even if the rig has a TCXO. If you have the capability of measuring it, all you need to do is find the adjustment, let the rig warm up a couple of hours, and adjust it. Let the adjustment stabilize a while and check again. Ceramic trimmer capacitors seem to drift slightly immediately after adjustment.

Fred
K4DII

From -4665664840668841766
X-Google-Thread: 108122,59e56d6916f5ffe7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!11g2000cwr.googlegroups.com!not-for-mail
From: wa7ycp@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: IC-28A
Date: 11 Jan 2007 19:08:08 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1168571288.858502.229120@11g2000cwr.googlegroups.com>
NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168571302 23836 127.0.0.1 (12 Jan 2007 03:08:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 12 Jan 2007 03:08:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 11g2000cwr.googlegroups.com; posting-host=199.164.167.176;
   posting-account=zq9AfwwAAAC5oYG1V4z9Ya9QVyRhnStO
Xref: g2news2.google.com rec.radio.amateur.equipment:7829

After several years of trouble free operation I had a strange problem
the other day; it would go "nuts" readout weird and the red TX light
was on, but no RF out. I had to do a reset with the button inside.
Being an older radio my first suspicition was the Lith. back-up batter
was due, but I measure 2.99 v. Assuming it's a nominal 3v battery does
anyone have a though where to go next? I did put it on the bench
powered up. After taking the power away (12v) and returing it a few
hours later it losses memrory. Please either post or email me, below.
My email is a different callsign; if you wish to contact me that way,
please visit:

http://www.ak2o.org   (that's an "oh" not a zero)

From 438553067784588886
X-Google-Thread: 108122,66aa4c3de7fda297,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe15.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS 2 Meter Amps
Lines: 8

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <_3Qph.2267$qA7.912@newsfe15.lga>
Date: Fri, 12 Jan 2007 12:03:47 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe15.lga 1168625018 68.111.108.217 (Fri, 12 Jan 2007 11:03:38 MST)
NNTP-Posting-Date: Fri, 12 Jan 2007 11:03:38 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7830

I have two 2 meter amps for sale. One is a Mirage B3016, 144-148 MHz, has
Pre Amp, does SSB and FM.
Price is $185. The other is a Ramsey PA-10, 140-152 MHz, 1 to 5 watts in, up
to 40 watts out. Price is $65.
Thanks, Charlie Hugg, K5MBX

From 5913414151560024868
X-Google-Thread: 108122,b7705f42828ac74a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe15.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood Mics/Filters/VS-1
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <YmQph.2270$qA7.187@newsfe15.lga>
Date: Fri, 12 Jan 2007 12:24:05 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe15.lga 1168626232 68.111.108.217 (Fri, 12 Jan 2007 11:23:52 MST)
NNTP-Posting-Date: Fri, 12 Jan 2007 11:23:52 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7831

For Sale:
Kenwood MC-60A Desk Mic in very nice shape, price is $95;
Kenwood MC-42 Hand Mic, great shape, price is $45;
Kenwood VS-1 Voice Syn. Board, works good, price is $75;
Kenwood YK-88A-1 Plug In AM Filter, price is$85;
Kenwood YG-455C-1 500Hz Crystal CW Filter, price is $85
Thanks, Charlie Hugg, K5MBX

From -2614355845848465574
X-Google-Thread: 108122,603d8768349a2d0f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe15.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Walt William Power Supply
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <UyQph.2273$qA7.808@newsfe15.lga>
Date: Fri, 12 Jan 2007 12:36:49 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe15.lga 1168626996 68.111.108.217 (Fri, 12 Jan 2007 11:36:36 MST)
NNTP-Posting-Date: Fri, 12 Jan 2007 11:36:36 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7832

FS Walt William 30 amp Power Supply. This one has the two meters for amps and volts. It is a 13.8 Volt DC Supply with a 30 amp capacity. It is in nice shape and works great. Price is $85 plus shipping.
Thanks, Charlie Hugg, K5MBX

From -5282216775269981804
X-Google-Thread: 108122,8903756569f9226d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe15.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS 2meter and 440 HTs
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <TPQph.2277$qA7.180@newsfe15.lga>

Date: Fri, 12 Jan 2007 12:54:55 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe15.lga 1168628083 68.111.108.217 (Fri, 12 Jan 2007 11:54:43 MST)
NNTP-Posting-Date: Fri, 12 Jan 2007 11:54:43 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7833

For Sale Kenwood HTs and Accessories:
TR-2600A 2 Meter HT;
TR-3600A 440 MHz HT;
ST-2 Base Charger/Power Supply;
MS-1 Mobile PS and Stand;
SMC-30 Speaker Mic;
Extra PB-26 Battery.
All equipment is in great shape and works good.
The extra PB-26 Battery does not hold a charge,
but the batteries on the HT work.
Gear is from an estate has not been used in awhile.
Price for all is $150.
Thanks, Charlie Hugg, K5MBX

From -4747552073024664611
X-Google-Thread: 108122,4d28d102a79b7ce6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v45g2000cwv.googlegroups.com!not-for-mail
From: "rishil" <rishilbabu@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Com One's unique Wi-Fi IP Radio launched
Date: 13 Jan 2007 07:48:55 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1168703333.866502.215960@v45g2000cwv.googlegroups.com>
NNTP-Posting-Host: 202.177.157.204
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168703345 11053 127.0.0.1 (13 Jan 2007 15:49:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 Jan 2007 15:49:05 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.1) Gecko/20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v45g2000cwv.googlegroups.com; posting-host=202.177.157.204;
   posting-account=ow59UA0AAACmWpQBudAC_pmJ_TJbq1VB
Xref: g2news2.google.com rec.radio.amateur.equipment:7834

Com One, a European company best known for its Bluetooth solutions, has entered the North American Market with a very unique product. It's called the Phoenix WiFi/IP radio. It connects to the internet via 802.11b/g WiFi, and plays any audio that streams online in premium sound quality..

http://askwiki.blogspot.com/2007/01/com-ones-wi-fi-ip-radio-launched.html

Good Day!!

```
From 1834932558630776194
X-Google-Thread: 108122,59e56d6916f5ffe7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-28A
Date: Sat, 13 Jan 2007 14:14:27 -0500
Organization: Aioe.org NNTP Server
Lines: 29
Message-ID: <fmmck-893E72.14142713012007@nntp.aioe.org>
References: <1168571288.858502.229120@11g2000cwr.googlegroups.com>
NNTP-Posting-Host: SIDLN7oqOnVZ0zc3BJo/CA.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:7835
```

In article <1168571288.858502.229120@11g2000cwr.googlegroups.com>,
 wa7ycp@yahoo.com wrote:

> After several years of trouble free operation I had a strange problem
> the other day; it would go "nuts" readout weird and the red TX light
> was on, but no RF out. I had to do a reset with the button inside.
> Being an older radio my first suspicition was the Lith. back-up batter
> was due, but I measure 2.99 v. Assuming it's a nominal 3v battery does
> anyone have a though where to go next? I did put it on the bench
> powered up. After taking the power away (12v) and returing it a few
> hours later it losses memrory.

WA7YCP-

On one hand, this sounds as if a Phase Locked Loop had become unlocked, which might disrupt the frequency display and prevent transmitting. On the other hand, the lithium battery should prevent loss of memory.

Other radios, both Icom and Kenwood, have 3.6 volt lithium cells. It is possible that your radio will lose memory below 3.0, but I've had them maintain memory when the battery was down to about one volt!

A PLL might go out-of-lock because of loss of the reference frequency (usually a crystal oscillator) or drifted tuning of the VCO. There also might be a low voltage regulator that has low output, often caused by a leaky electrolytic capacitor.

Fred
K4DII

From -4673929532090414315
X-Google-Thread: 108122,4d28d102a79b7ce6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post02.iad01!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Com One's unique Wi-Fi IP Radio launched
Date: Sun, 14 Jan 2007 09:58:00 -0800
Message-ID: <MPG.20140f05addec02598970a@192.168.42.197>
References: <1168703333.866502.215960@v45g2000cwv.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 20
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7837

In article <1168703333.866502.215960@v45g2000cwv.googlegroups.com>, rishilbabu@gmail.com (known to some as rishil) scribed...

> Com One, a European company best known for its Bluetooth solutions, has
> entered the North American Market with a very unique product. It's

<garbage trim>

And this is relevant to the Amateur Radio Service, how? Exactly? Except as a possible source of further spectrum pollution?

Go find some other newsgroup to spam.

PLONK!

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm

"Salvadore Dali's computer has surreal ports..."

```
From -5755182879780487650
X-Google-Thread: 108122,6928f4b832cdbc3a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-
mail
From: "kw5g" <kw5g@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Butternut HF5B 5 band Antenna
Date: 14 Jan 2007 17:56:30 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1168826190.069722.215010@q2g2000cwa.googlegroups.com>
NNTP-Posting-Host: 67.142.130.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168826199 24669 127.0.0.1 (15 Jan 2007 01:56:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 Jan 2007 01:56:39 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.9)
Gecko/20061206 Firefox/1.5.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=67.142.130.36;
   posting-account=Otsk-wwAAABDnJBkhrx5cOqp7IsHaa6g
Xref: g2news2.google.com rec.radio.amateur.equipment:7838
```

The HF5B is a lite weight beam antenna that covers 10 15 17 12 and 20 meters. Two element with a 7 foot turning radius. Small antenna can be rotated with a good TV rotor. 1200 watt PEP power limit. The wing span is 12 feet. It is on the gound and assembled. 200.00 pickup in east TX or I will break it down and ship it for a price. We can talk about that. A guyed pushup pole will carry this antenna just fine. Great antenna for it's size. Email kw5g@yahoo.com

Dennis kw5g

```
From -3985746096293960961
X-Google-Thread: 1010b2,85ec2ff095c4e34d,start
X-Google-Thread: 1143e0,85ec2ff095c4e34d,start
X-Google-Thread: 108122,85ec2ff095c4e34d,start
X-Google-Attributes: gid1010b2,gid1143e0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-
mail
From: "bobandcarole" <bobandcarole333@hotmail.com>
Newsgroups: alt.politics.socialism.trotsky,alt.politics.neil-
simpson,rec.radio.amateur.equipment
```

```
Subject: Re: Sexual fascism and the Mark Foley scandel
Followup-To: alt.support.boy-lovers,alt.politics.homosexuality,
alt.politics.socialism.trotsky, alt.politics.neil-
simpson,rec.radio.amateur.equipment
Date: 15 Jan 2007 22:39:53 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1168929593.709718.157460@q2g2000cwa.googlegroups.com>
References: <MPG.1ff32972e7e42c6f989761@pjr.gotdns.org>
   <gj6ko251a6e7tstn02voqnjl9gun3euefr@4ax.com>
   <1167597606.824203.95290@v33g2000cwv.googlegroups.com>
   <1167667053.805442.135330@s34g2000cwa.googlegroups.com>
   <1167776901.656194.248600@k21g2000cwa.googlegroups.com>
   <1168057519.781480.101410@q40g2000cwq.googlegroups.com>
   <1168090003.562338.109270@s34g2000cwa.googlegroups.com>
   <a2i3q2l6tf27i52h3t6cprg8dhil6nes4o@4ax.com>
   <1168834788.760167.104560@s34g2000cwa.googlegroups.com>
   <931mq218k177oe7ip8m0aj6cgejeu6firi@4ax.com>
   <1168838640.041257.166780@38g2000cwa.googlegroups.com>
   <1168928449.078391.281850@l53g2000cwa.googlegroups.com>
NNTP-Posting-Host: 205.188.112.61
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1168929610 3536 127.0.0.1 (16 Jan 2007 06:40:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 06:40:10 +0000 (UTC)
In-Reply-To: <1168928449.078391.281850@l53g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[dtc-ta121 8.4.1]
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=205.188.112.61;
   posting-account=yjuFPQ0AAACjZPKqDNb1OFLtHYnwA9NJ
Xref: g2news2.google.com alt.politics.socialism.trotsky:4775 alt.politics.neil-
simpson:10 rec.radio.amateur.equipment:7839
```

> Apparently, Rep. Mark Foley is homosexual. And like many homosexual
> men, he likes young teen boys. We should pray for him that he gets a
> handle on this problem and refrains from harming any more kids.
>
>
> Meanwhile, we need to wake up. The fact that this is typical behavior
> for homosexuals doesn't stop us from continuing to elevate such folks
> to positions where they gain access to our kids.
>
>
> http://worldnetdaily.com/news/article.asp?ARTICLE_ID=52244

From 2220631471048377627
X-Google-Thread: 108122,47da80590e492f1e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 16 Jan 2007 07:35:44 -0600
Date: Tue, 16 Jan 2007 14:35:32 +0100
From: "Odd Erling N. Eriksen" <odderi@gmail.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/20061101 SeaMonkey/1.1b
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Fredrick 1280R FSK modem, any opinions?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
X-Original-NNTP-Posting-Host: 213.184.193.226
Message-ID: <45acd4ab$1@proxy.mimer.no>
X-Original-Trace: 16 Jan 2007 14:35:39 +0100, 213.184.193.226
Lines: 27
X-Trace: sv3-LcUnZzNxtpslL4qcHcvIvTKnqqLmxp5f8b1QTKRElFQ4+oPZ717q8GevLy14EdhE1urdX+lruj50dwj!ZuBNilj03Pxb2iwqBORXge637/8I8Ecm2axSLNbDkENVyW7Kq4A=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7840

Hi,

As I am currently looking for a dedicated RTTY modem (as opposed to a soundcard-based setup), I found WO5P's (http://www.wo5p.net/) 'offer of the week'-deal quite acceptable.

'Acceptable' as in 'The price he's asking for one of these units is within my price range' - I don't know anything about this particular model's virtues or vices - which is where r.r.a.e. comes in handy!

When googling the model#, most hits refer back to the abovementioned web shop. It is claimed that it is 'similar' to the HAL ST8000 - anyone know just *how* similar? I know a couple of hams using ST8000s - they're quite happy with their choice. If the 1280 is nearly identical, chances are I, too, will be most satisfied with my purchase.

Also, assuming that a commercial unit is not optimised for 45.45Bd operation @ 170Hz shift - anyone know how simple it is (or is not! :) to modify the unit for such operation? Can the detector filters be tweaked enough for it to be worthwhile, or should I rather look for a dedicated ham unit?

Any input appreciated.

--
73 de LB1LF
          Odd Erling N. Eriksen, �lesund, Norway

From -4925131330039501590
X-Google-Thread: 114aac,de3e2fe3449d8b95,start
X-Google-Thread: 108122,de3e2fe3449d8b95,start
X-Google-Thread: fc8b1,de3e2fe3449d8b95,start
X-Google-Attributes: gid114aac,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!postnews.google.com!
a75g2000cwd.googlegroups.com!not-for-mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: RARE B & W model 381 ELECTRONIC T- R SWITCH> W/MANUAL
Date: 16 Jan 2007 07:54:46 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1168962885.147558.170550@a75g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168962893 19716 127.0.0.1 (16 Jan 2007 15:54:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 15:54:53 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a75g2000cwd.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.shortwave:64706
rec.radio.amateur.equipment:7841 rec.radio.amateur.boatanchors:7172

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220070942394&ssPageName=STRK:MESE:IT&ih=012

From 6168789343318060385
X-Google-Thread: 106d41,84e9042a80544aa5,start
X-Google-Thread: 114aac,84e9042a80544aa5,start
X-Google-Thread: 108122,84e9042a80544aa5,start
X-Google-Thread: fc8b1,84e9042a80544aa5,start
X-Google-Attributes: gid106d41,gid114aac,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-

```
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups:
rec.radio.cb,rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.boa
tanchors
Subject: FA: GC ELECTRONICS 5 POSITION COAXIAL ANTENNA SWITCH>1KW:-)
Date: 16 Jan 2007 07:56:42 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1168963000.335229.134630@q2g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168963014 19978 127.0.0.1 (16 Jan 2007 15:56:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 15:56:54 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.cb:24854 rec.radio.shortwave:64707
rec.radio.amateur.equipment:7842 rec.radio.amateur.boatanchors:7173

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220070942408&ssPageName=STRK:MESE:IT&ih=012



From -1499278620287862326
X-Google-Thread: 1131b0,20332841e35f2e90,start
X-Google-Thread: 112d1e,20332841e35f2e90,start
X-Google-Thread: 108122,20332841e35f2e90,start
X-Google-Thread: fc8b1,20332841e35f2e90,start
X-Google-Attributes: gid1131b0,gid112d1e,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!51g2000cwl.googlegroups.com!not-for-
mail
From: "rich" <rlucch2098@aol.com>
Newsgroups:
sci.electronics.repair,sci.electronics.design,rec.radio.amateur.equipment,rec.radi
o.amateur.boatanchors
Subject: FA: @$10>TWO(2) TEKTRONIX OSCILLOSCOPE PROBES in EXC SHAPE>NEAT
Date: 16 Jan 2007 07:59:13 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1168963153.045780.274830@51g2000cwl.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168963169 19551 127.0.0.1 (16 Jan 2007 15:59:29 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Tue, 16 Jan 2007 15:59:29 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1 1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 51g2000cwl.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com sci.electronics.repair:40419 sci.electronics.design:141960 rec.radio.amateur.equipment:7843 rec.radio.amateur.boatanchors:7174

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220070942379&ssPageName=STRK:MESE:IT&ih=012

From -4709616407779244234
X-Google-Thread: 1060db,78bc006f41fccf8e,start
X-Google-Thread: 1120ec,78bc006f41fccf8e,start
X-Google-Thread: f6c48,78bc006f41fccf8e,start
X-Google-Thread: 108122,78bc006f41fccf8e,start
X-Google-Thread: fafdc,78bc006f41fccf8e,start
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!postnews.google.com!m58g2000cwm.googlegroups.com!not-for-mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 16 Jan 2007 12:14:42 -0800
Organization: http://groups.google.com
Lines: 155
Message-ID: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
NNTP-Posting-Host: 4.252.211.39
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1168978495 11077 127.0.0.1 (16 Jan 2007 20:14:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 20:14:55 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m58g2000cwm.googlegroups.com; posting-host=4.252.211.39;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news2.google.com rec.crafts.metalworking:117669 rec.woodworking:106523 misc.consumers.frugal-living:58684 rec.radio.amateur.equipment:7844 alt.recovery.clutter:21348

I do...many of my fellow friends who have shops overflowing with "good stuff".

In my own case, I see it as a very slippery slope....one great thing after another can follow you home until the doors to the shop won't shut.

Sometimes...no many times...you just have to say "No".

Your thoughts?

TMT

http://abcnews.go.com/Health/story?id=3D2790669&page=3D1

Medical Mystery: Compulsive Hoarders
A Psychological Compulsion to Keep Everything, Even When It Ruins Your Life
By CECILE BOUCHARDEAU

Jan. 16, 2007- - We are all pack rats to some degree. We hoard, collect and buy more stuff than we have room to store.

But what if something in our brains made us incapable of throwing things out? Janie Allocca and Lorraine Brennan both suffer from a psychological disorder called compulsive hoarding -- an urge to hold on to even the most mundane objects, even when they take over their lives.

Watch "Primetime: Medical Mysteries" Wednesday at 10 p.m. ET, and go to ABCNEWS.com during the show to diagnose a real medical mystery.

Lorraine Brennan has been hoarding for nearly 20 years. She lives in a two-story house in Massachusetts with her father, son and fianc=E9e. Most rooms in the house are cluttered, and some are even unusable. The bedroom-office that she shares with her fianc=E9e is overrun with stuff they tried unsuccessfully to get rid of at a yard sale. Lorraine's purse is bursting with junk mail and receipts.

Brennan's hoarding is not only ruining her life, but affecting her entire family. Her son can't bring friends home from school. Brennan and her fianc=E9e have been engaged for eight years, but he hasn't been able to commit to marrying her because of the clutter.

'There's No Place to Sit Down'

Many hoarders are also compulsive shoppers. Janie Allocca has accumulated so much stuff that she uses her own house as a storage facility and lives with her mother.

"I remember collecting, and keeping, and hoarding things since I can remember," Allocca said. "And now I am just living around the piles and piles I need to get rid of."

"I have so much stuff that my house is totally unlivable," she continued. "There's no place to sit down. I can't get to the kitchen. I can't have anyone over for tea even though I have everything for tea. My collecting is taking up the space where I normally would live."

There's a fine line between simple clutter and extreme hoarding. Most hoarders, observers say, are physically incapable of throwing things out. They can't live in, or use, rooms like the kitchen for their intended use. They also experience extreme distress from their condition.

The Brain of a Hoarder

Hoarding is currently considered a subset of obsessive compulsive disorder, but that may soon change. New research is finding that hoarding may be a unique disorder completely separate from OCD.

Dr. David Tolin, director of the Anxiety Disorders Center at the Institute of Living in Hartford, Conn., has devoted his career to studying what goes on inside the mind of a hoarder.

"At the moment, compulsive hoarding hasn't been fully defined by the psychiatric and psychological communities," he said. "One of the things that we wanted to do was to understand some of the brain mechanisms behind compulsive hoarding."

Allocca is part of a study Tolin is conducting to see which parts of a hoarder's brain become active when they are faced with making decisions. She is hooked up to a brain-scan machine and asked to look at pieces of her mail and decide whether she wants them to be thrown out. She then must watch the mail get shredded.

At this point, two parts of a hoarder's brain become active. The brain's orbitofrontal cortex is involved in decision making and causes a hoarder to process this experience as a punishing one. At the same time, the hippocampus of a hoarder actively searches for memories about the object. The hoarder tries to remember the object: what it is and why they saved it in the first place. By contrast, people without hoarding problems just don't think about the object that much.

'A Painful and Effortful Process'

"What we find is that the brain is acting very, very differently when a person hoards," Tolin said. "When the person is trying to make a decision about what to throw away, it seems that the person who is hoarding, is processing this activity as if it is deeply punishing."

"The person who hoards is going through a very, very effortful search of their memory to try to think of as many things as they can about this item before they make the decision," Tolin added. "What this all amounts to then is a painful and effortful process of decision-making, that you and I might take for granted."

There is no cure for hoarding, and there is no medication to treat the condition. Right now, cognitive behavioral therapy is the only way to help hoarders make decisions and deal with their emotions.

Getting Help

In Beth Johnson's "Clutter Workshop" in Hartford, hoarders and clutterers practice throwing out possessions they have grown attached to. Johnson also takes her clients on nonshopping -- or nonacquiring -- trips to teach them not to buy things they don't need.

"I try to help them see the larger picture and how this item won't fit into their life," said Johnson. "If you have a jam-packed house, if you're adding to it on a weekly or daily basis, you're basically defeating yourself."

Dr. Randy Frost, a professor of psychology at Smith College in Massachussetts, focuses on helping hoarders make their homes clutter-free.

"One of the things we know about hoarding is that the beliefs people have about their possessions are so powerful, that it's very difficult for them to get out of this behavior," said Frost, who is also author of the upcoming book "Buried in Treasures." "If the person throws something away and experiences distress, and does it again and again, eventually, they won't have that extreme emotional response, throwing something away."

Frost held a one-on-one session with Brennan to see if he could help her. After a few hours, she was able to throw away receipts and a few pieces of junk, but, as with most hoarders, there is still a long road ahead.

One major motivator for Brennan is the possibility of losing her fianc=E9e if she doesn't clean up her home. When asked if she thought he would really leave, Lorraine said, "I don't want to find out. I don't want to end my relationship. I want to do better. I want to make it work. I don't want to live like this anymore. I really don't."

Dr. David Tolin and Professor Randy Frost are co-authors of a self-help book called "Buried in Treasures," to be published on February 5th.

```
From -4003730041512422106
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
```

```
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l53g2000cwa.googlegroups.com!not-for-
mail
From: "Gus" <rokkits@hotmail.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 16 Jan 2007 12:27:54 -0800
Organization: http://groups.google.com
Lines: 23
Message-ID: <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
NNTP-Posting-Host: 160.93.227.151
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168979288 18222 127.0.0.1 (16 Jan 2007 20:28:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 20:28:08 +0000 (UTC)
In-Reply-To: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.1)
Gecko/20061204 Firefox/2.0.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l53g2000cwa.googlegroups.com; posting-host=160.93.227.151;
   posting-account=VeGrogwAAADyvh7fPUjDP1-ESqVYSynP
Xref: g2news2.google.com rec.crafts.metalworking:117677 rec.woodworking:106530
misc.consumers.frugal-living:58686 rec.radio.amateur.equipment:7845
alt.recovery.clutter:21349
```

Too_Many_Tools wrote:

> I do...many of my fellow friends who have shops overflowing with "good
> stuff".
>
> In my own case, I see it as a very slippery slope....one great thing
> after another can follow you home until the doors to the shop won't
> shut.
>
> Sometimes...no many times...you just have to say "No".
>
> Your thoughts?
>

I have this problem in only one respect: scraps.

I just cannot bring myself to throw away a beautiful piece of hardwood
even if it is a scrap, even if it is too tiny ever to be used for
anything.

My scrap bin overfloweth...........

```
From 3088476516260684456
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-
mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 16 Jan 2007 12:36:38 -0800
Organization: http://groups.google.com
Lines: 36
Message-ID: <1168979795.366599.295220@q2g2000cwa.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
NNTP-Posting-Host: 4.252.211.39
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1168979804 12970 127.0.0.1 (16 Jan 2007 20:36:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 20:36:44 +0000 (UTC)
In-Reply-To: <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=4.252.211.39;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news2.google.com rec.crafts.metalworking:117682 rec.woodworking:106536
misc.consumers.frugal-living:58687 rec.radio.amateur.equipment:7846
alt.recovery.clutter:21352
```

>
> My scrap bin overfloweth...........
>

You are not aloneth....the reason why I copied rec.woodworking on this post is that many of my fellow woodworkers are hoarders in disguise.

Estate auctions of woodworkers always have tons of wood scraps neither touched.

TMT

```
Gus wrote:
> Too_Many_Tools wrote:
> > I do...many of my fellow friends who have shops overflowing with "good
> > stuff".
> >
> > In my own case, I see it as a very slippery slope....one great thing
> > after another can follow you home until the doors to the shop won't
> > shut.
> >
> > Sometimes...no many times...you just have to say "No".
> >
> > Your thoughts?
> >
>
>
> I have this problem in only one respect: scraps.
>
> I just cannot bring myself to throw away a beautiful piece of hardwood
> even if it is a scrap, even if it is too tiny ever to be used for
> anything.
>
> My scrap bin overfloweth............



From -1327634992511658009
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: "bdeditch" <bdeditch@gmail.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 16 Jan 2007 12:36:56 -0800
Organization: http://groups.google.com
Lines: 26
Message-ID: <1168979816.706299.300560@38g2000cwa.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.81.14.137
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1168979832 13119 127.0.0.1 (16 Jan 2007 20:37:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 20:37:12 +0000 (UTC)
In-Reply-To: <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90;
T312461; telus.net_v5.1.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=66.81.14.137;
   posting-account=d2ZDgQ0AAADMt1jhdCm8vID4WxQr9-XS
Xref: g2news2.google.com rec.crafts.metalworking:117683 rec.woodworking:106538
misc.consumers.frugal-living:58689 rec.radio.amateur.equipment:7847
alt.recovery.clutter:21353

I too hoard scraps, but every once in a while I tend to just sort them
out and what I haven't used or plan to use in the future, gets made
into kindling for our wood stove.
Gus wrote:
> Too_Many_Tools wrote:
> > I do...many of my fellow friends who have shops overflowing with "good
> > stuff".
> >
> > In my own case, I see it as a very slippery slope....one great thing
> > after another can follow you home until the doors to the shop won't
> > shut.
> >
> > Sometimes...no many times...you just have to say "No".
> >
> > Your thoughts?
> >
>
>
> I have this problem in only one respect: scraps.
>
> I just cannot bring myself to throw away a beautiful piece of hardwood
> even if it is a scrap, even if it is too tiny ever to be used for
> anything.
>
> My scrap bin overfloweth...........



From 2209290461060850183
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!74584fff!not-for-mail
From: Lew Hodgett <lewhodgett@earthlink.net>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
```

```
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
In-Reply-To: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 27
Message-ID: <tJarh.12026$yx6.3728@newsread2.news.pas.earthlink.net>
Date: Tue, 16 Jan 2007 20:38:49 GMT
NNTP-Posting-Host: 4.131.130.156
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1168979929 4.131.130.156 (Tue, 16 Jan
2007 12:38:49 PST)
NNTP-Posting-Date: Tue, 16 Jan 2007 12:38:49 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.crafts.metalworking:117684 rec.woodworking:106539
misc.consumers.frugal-living:58690 rec.radio.amateur.equipment:7848
alt.recovery.clutter:21354

Too_Many_Tools wrote:

 > I do...many of my fellow friends who have shops overflowing with "good
 > stuff".

<snip>

I received some great training in this regard.

As a matter of company policy, once a year had to go thru the files
and throw away anything over one year old with tax records and
engineering documents excepted.

After completing this task, had to sign off that you actually had done it.

Was told the lawyers were the reason for the policy.

Something to the effect that if it doesn't exist, it can't come back
to haunt you.

Had customers with similar policies.

Sort of sets the mood not to hoard things.

Also, a move every 5 years or so, gets rid of a lot of "stuff".

Lew


From 3079721480685836662
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
```

```
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m58g2000cwm.googlegroups.com!not-for-
mail
From: "Seerialmom" <seerialmom@yahoo.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 16 Jan 2007 12:43:53 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1168980233.669573.320610@m58g2000cwm.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
   <1168979816.706299.300560@38g2000cwa.googlegroups.com>
NNTP-Posting-Host: 192.55.52.1
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1168980239 13530 127.0.0.1 (16 Jan 2007 20:43:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 20:43:59 +0000 (UTC)
In-Reply-To: <1168979816.706299.300560@38g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727; InfoPath.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 fmfwpr01.fm.intel.com:911 (squid/2.5.STABLE12)
Complaints-To: groups-abuse@google.com
Injection-Info: m58g2000cwm.googlegroups.com; posting-host=192.55.52.1;
   posting-account=tLsavw0AAABwvJPOYtrFfsaGJUACz5Zi
Xref: g2news2.google.com rec.crafts.metalworking:117687 rec.woodworking:106543
misc.consumers.frugal-living:58693 rec.radio.amateur.equipment:7849
alt.recovery.clutter:21355
```

bdeditch wrote:

> I too hoard scraps, but every once in a while I tend to just sort them
> out and what I haven't used or plan to use in the future, gets made
> into kindling for our wood stove.

And the fact you can actually part with above mentioned scraps proves you're just an average pack rat...a "real" hoarder would have a panic attack trying to sort through or throw away the scraps.

Then again...I've seen what appear to be packrats on TLC's Clean Sweep who break down sobbing over letting go of some pillow they've had since childhood. But they do it....eventually.

```
From 5870584516443811882
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
```

```
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!51g2000cwl.googlegroups.com!not-for-
mail
From: "val189" <gwehrenb@bellsouth.net>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 16 Jan 2007 12:53:33 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1168980812.995149.168940@51g2000cwl.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.69.11.139
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1168980819 20429 127.0.0.1 (16 Jan 2007 20:53:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 20:53:39 +0000 (UTC)
In-Reply-To: <1168979274.433497.217640@l53g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.0.2) Gecko/20030208
Netscape/7.02,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 51g2000cwl.googlegroups.com; posting-host=69.69.11.139;
   posting-account=S6jnowwAAACxXoJPukVX1amxuy1zmjc3
Xref: g2news2.google.com rec.crafts.metalworking:117690 rec.woodworking:106545
misc.consumers.frugal-living:58695 rec.radio.amateur.equipment:7850
alt.recovery.clutter:21356
```

Gus wrote:

> I just cannot bring myself to throw away a beautiful piece of hardwood
> even if it is a scrap, even if it is too tiny ever to be used for
> anything.

Don't say that. A friend used hardwood scraps as backing for his handmade trophies. One of a kind stuff. You might offer yours to a trophy maker if you aren't interested in getting into the business. Or turn them into individual bookends. Or offer to some woodworking type at a craft show.

```
From -7367791794798635071
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
```

```
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.germany.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!sn-xt-ams-06!sn-xt-ams-05!sn-ams!
sn-feed-ams-02!sn-post-ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: George Max <bluemax53201@removethis.yahoo.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Tue, 16 Jan 2007 15:02:02 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <a9fqq2pim5714b83igtg7bt3i6o5hnechg@4ax.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<tJarh.12026$yx6.3728@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Agent 1.9/32.560
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news2.google.com rec.crafts.metalworking:117691 rec.woodworking:106551
misc.consumers.frugal-living:58697 rec.radio.amateur.equipment:7851
alt.recovery.clutter:21357

On Tue, 16 Jan 2007 20:38:49 GMT, Lew Hodgett
<lewhodgett@earthlink.net> wrote:



>
>Also, a move every 5 years or so, gets rid of a lot of "stuff".
>
>Lew

If *you* don't throw it out, eventually your kids will.


From -4620666346176364555
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Tue, 16 Jan 2007 15:17:50 -0600
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
```

From: Ignoramus16071 <ignoramus16071@NOSPAM.16071.invalid>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<1168979274.433497.217640@l53g2000cwa.googlegroups.com>
<1168979795.366599.295220@q2g2000cwa.googlegroups.com>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Message-ID: <DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
Date: Tue, 16 Jan 2007 15:17:50 -0600
Lines: 10
X-Trace:
sv3-5ByPXoKjwnw8E2u390892ngGYtj+Fqg+OzSViDsnSa9xEPHF6rVaZFYlZJ1nW+aNJTMFMHXEEnjl5J
2!Z1ZZ2q2OTElY80kO8yF5TIkUvmt8bmpBpQ6uwWc7b0mKyGqfieQrW8DJgarkXRNW0SKRw965AA==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:117693 rec.woodworking:106552
misc.consumers.frugal-living:58698 rec.radio.amateur.equipment:7852
alt.recovery.clutter:21358

My hoarding problem is this. I have a lot of valuable stuff left over from my ebay dealings. Like little T6061 aluminum plates and bars for example. Or super nice strong stainless painted steel handles. Super high quality. I may use a few "one day". In fact I will use some on my trailer project. Or a few pulleys. But, despite being valuable, they are not economical to try to sell them. Too little money, too much hassle, and quite possibly they would not sell at all. But I cannot throw them away in good conscience.

i

From -5594750896610019789
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!proxad.net!
newsfeed1.ip.tiscali.net!tiscali!transit1.news.tiscali.nl!
dreader2.news.tiscali.nl!not-for-mail
From: "Eddie" <eddie.may@tiscali.nl>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<tJarh.12026$yx6.3728@newsread2.news.pas.earthlink.net>
<a9fqq2pim5714b83igtg7bt3i6o5hnechg@4ax.com>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Tue, 16 Jan 2007 22:17:53 +0100

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 13
Message-ID: <45ad4104$0$718$5fc3050@dreader2.news.tiscali.nl>
Organization: Tiscali bv
NNTP-Posting-Date: 16 Jan 2007 22:17:57 CET
NNTP-Posting-Host: 82.168.232.49
X-Trace: 1168982277 dreader2.news.tiscali.nl 718 82.168.232.49:21335
X-Complaints-To: abuse@tiscali.nl
Xref: g2news2.google.com rec.crafts.metalworking:117694 rec.woodworking:106553 misc.consumers.frugal-living:58699 rec.radio.amateur.equipment:7853 alt.recovery.clutter:21359

Or in my case the wife! she has a monthly clean up, and asks me make
coasters out of the scrap for the kids.
Eddie

"George Max" <bluemax53201@removethis.yahoo.com> wrote in message
news:a9fqq2pim5714b83igtg7bt3i6o5hnechg@4ax.com...
> On Tue, 16 Jan 2007 20:38:49 GMT, Lew Hodgett
> <lewhodgett@earthlink.net> wrote:
>>Lew
>
> If *you* don't throw it out, eventually your kids will.

From 7238891704776124527
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "Rod Speed" <rod.speed.aaa@gmail.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Wed, 17 Jan 2007 08:14:05 +1100
Lines: 200
Message-ID: <514trhF1igctsU1@mid.individual.net>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
X-Trace: individual.net HxpVHqPx9yON7EJGcS/PAQfLI5LbR9T4J/YbE63JjhOrFSHZw=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.crafts.metalworking:117695 rec.woodworking:106555 misc.consumers.frugal-living:58700 rec.radio.amateur.equipment:7854 alt.recovery.clutter:21360

Too_Many_Tools <too_many_tools@yahoo.com> wrote:

> I do...many of my fellow friends who
> have shops overflowing with "good stuff".

Yeah, very common.

> In my own case, I see it as a very slippery slope....
> one great thing after another can follow you home
> until the doors to the shop won't shut.

True, when I was building the house, I'd bring back quite a bit of stuff from the dump. Some got used right away, particularly discarded seedling trees etc, other stuff got used later, particularly scrap wood and steel etc. Other stuff never did get used like the VW beetle transaxel etc that I considered turning into a dune buggy etc and never did get around to. Tried to drag it out the front for the most recent collection day but it was too heavy to move easily so I took the easy way out and gave up till next time.

> Sometimes...no many times...you just have to say "No".

> Your thoughts?

I dont bother to get rid of most stuff that dies. I've still got the hot water service that died, because the big white metal square case is decent metal for making letterboxes etc.

Still got the washing machine I last used 35 years ago, mainly for the decent motor and pump, should bin that on the next collection day, its a bit hard to get out tho.

Still got the smaller upright freezer that is uneconomic to repair, just because it seems such a waste of what is a very decent little cabinet thing, might one day get around to putting a beer brewing barrel into for easier heater control in winter. I currently put a big wrap around insulating foam pad around the barrel with a heater belt with monster zip ties initially and once its bottled or when I have two barrels brewing, I have a fan heater in the smallest room in the house that doesnt get used as a toilet since I have two of those.

> http://abcnews.go.com/Health/story?id=2790669&page=1

> Medical Mystery: Compulsive Hoarders

> A Psychological Compulsion to Keep Everything,
> Even When It Ruins Your Life

Most of us are nothing like these pathetic wretches,
we dont keep discarded packaging etc much.

> By CECILE BOUCHARDEAU

> Jan. 16, 2007- - We are all pack rats to some degree.

Some people arent.

> We hoard, collect and buy more stuff than we have room to store.

I've got plenty of room.

> But what if something in our brains made
> us incapable of throwing things out?

There's no one that bad. If you threaten to kill them if they dont
throw it away, they wont refuse to part with it and die clutching it.

> Janie Allocca and Lorraine Brennan both suffer from a psychological
> disorder called compulsive hoarding -- an urge to hold on to even the
> most mundane objects, even when they take over their lives.

> Watch "Primetime: Medical Mysteries" Wednesday at 10 p.m. ET, and go
> to ABCNEWS.com during the show to diagnose a real medical mystery.

> Lorraine Brennan has been hoarding for nearly 20 years. She lives in
> a two-story house in Massachusetts with her father, son and fianc�e.
> Most rooms in the house are cluttered, and some are even unusable.
> The bedroom-office that she shares with her fianc�e is overrun with
> stuff they tried unsuccessfully to get rid of at a yard sale. Lorraine's
> purse is bursting with junk mail and receipts.

> Brennan's hoarding is not only ruining her life, but affecting her
> entire family. Her son can't bring friends home from school. Brennan
> and her fianc�e have been engaged for eight years, but he hasn't
> been able to commit to marrying her because of the clutter.

> 'There's No Place to Sit Down'

> Many hoarders are also compulsive shoppers. Janie Allocca
> has accumulated so much stuff that she uses her own house
> as a storage facility and lives with her mother.

> "I remember collecting, and keeping, and hoarding things since I can
> remember," Allocca said. "And now I am just living around the piles
> and piles I need to get rid of."
>
> "I have so much stuff that my house is totally unlivable," she
> continued. "There's no place to sit down. I can't get to the kitchen.

> I can't have anyone over for tea even though I have everything for tea. My collecting is taking up the space where I normally would live."
>
> There's a fine line between simple clutter and extreme hoarding. Most hoarders, observers say, are physically incapable of throwing things out. They can't live in, or use, rooms like the kitchen for their intended use. They also experience extreme distress from their condition.
>
> ### The Brain of a Hoarder
>
> Hoarding is currently considered a subset of obsessive compulsive disorder, but that may soon change. New research is finding that hoarding may be a unique disorder completely separate from OCD.
>
> Dr. David Tolin, director of the Anxiety Disorders Center at the Institute of Living in Hartford, Conn., has devoted his career to studying what goes on inside the mind of a hoarder.
>
> "At the moment, compulsive hoarding hasn't been fully defined by the psychiatric and psychological communities," he said. "One of the things that we wanted to do was to understand some of the brain mechanisms behind compulsive hoarding."
>
> Allocca is part of a study Tolin is conducting to see which parts of a hoarder's brain become active when they are faced with making decisions. She is hooked up to a brain-scan machine and asked to look at pieces of her mail and decide whether she wants them to be thrown out. She then must watch the mail get shredded.
>
> At this point, two parts of a hoarder's brain become active. The brain's orbitofrontal cortex is involved in decision making and causes a hoarder to process this experience as a punishing one. At the same time, the hippocampus of a hoarder actively searches for memories about the object. The hoarder tries to remember the object: what it is and why they saved it in the first place. By contrast, people without hoarding problems just don't think about the object that much.
>
> ### 'A Painful and Effortful Process'
>
> "What we find is that the brain is acting very, very differently when a person hoards," Tolin said. "When the person is trying to make a decision about what to throw away, it seems that the person who is hoarding, is processing this activity as if it is deeply punishing."
>
> "The person who hoards is going through a very, very effortful search of their memory to try to think of as many things as they can about this item before they make the decision," Tolin added. "What this all amounts to then is a painful and effortful process of decision-making, that you and I might take for granted."

>
> There is no cure for hoarding, and there is no medication to treat the
> condition. Right now, cognitive behavioral therapy is the only way to
> help hoarders make decisions and deal with their emotions.
>
>
> Getting Help
>
> In Beth Johnson's "Clutter Workshop" in Hartford, hoarders and
> clutterers practice throwing out possessions they have grown attached
> to. Johnson also takes her clients on nonshopping -- or nonacquiring
> -- trips to teach them not to buy things they don't need.
>
> "I try to help them see the larger picture and how this item won't fit
> into their life," said Johnson. "If you have a jam-packed house, if
> you're adding to it on a weekly or daily basis, you're basically
> defeating yourself."
>
> Dr. Randy Frost, a professor of psychology at Smith College in
> Massachussetts, focuses on helping hoarders make their homes
> clutter-free.
>
>
> "One of the things we know about hoarding is that the beliefs people
> have about their possessions are so powerful, that it's very difficult
> for them to get out of this behavior," said Frost, who is also author
> of the upcoming book "Buried in Treasures." "If the person throws
> something away and experiences distress, and does it again and again,
> eventually, they won't have that extreme emotional response, throwing
> something away."
>
> Frost held a one-on-one session with Brennan to see if he could help
> her. After a few hours, she was able to throw away receipts and a few
> pieces of junk, but, as with most hoarders, there is still a long road
> ahead.
>
> One major motivator for Brennan is the possibility of losing her
> fianc�e if she doesn't clean up her home. When asked if she thought he
> would really leave, Lorraine said, "I don't want to find out. I don't
> want to end my relationship. I want to do better. I want to make it
> work. I don't want to live like this anymore. I really don't."
>
> Dr. David Tolin and Professor Randy Frost are co-authors of a
> self-help book called "Buried in Treasures," to be published on
> February 5th.

```
From -7020797085577700371
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
```

X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!51g2000cwl.googlegroups.com!not-for-mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 16 Jan 2007 13:25:26 -0800
Organization: http://groups.google.com
Lines: 42
Message-ID: <1168982725.957648.286100@51g2000cwl.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <tJarh.12026$yx6.3728@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 4.252.211.39
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1168982740 17065 127.0.0.1 (16 Jan 2007 21:25:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 21:25:40 +0000 (UTC)
In-Reply-To: <tJarh.12026$yx6.3728@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 51g2000cwl.googlegroups.com; posting-host=4.252.211.39;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news2.google.com rec.crafts.metalworking:117697 rec.woodworking:106557 misc.consumers.frugal-living:58703 rec.radio.amateur.equipment:7855 alt.recovery.clutter:21361

LOL....I know of several companies that are now spending millions of dollars to recreate a product they had but lost the recipe to because they purged their files.

The retirees that they have had to rehire at expensive contractor rates are very appreciative of the management's stupidity to enforce a "clean desk" policy. They are very happy to participate in the "purge".

Of course those responsible for this stupidity received promotions for their ideas.

TMT

Lew Hodgett wrote:
> Too_Many_Tools wrote:
>
> > I do...many of my fellow friends who have shops overflowing with "good
> > stuff".
>
> <snip>

```
>
> I received some great training in this regard.
>
> As a matter of company policy, once a year had to go thru the files
> and throw away anything over one year old with tax records and
> engineering documents excepted.
>
> After completing this task, had to sign off that you actually had done it.
>
> Was told the lawyers were the reason for the policy.
>
> Something to the effect that if it doesn't exist, it can't come back
> to haunt you.
>
> Had customers with similar policies.
>
> Sort of sets the mood not to hoard things.
>
> Also, a move every 5 years or so, gets rid of a lot of "stuff".
>
> Lew



From -1261174036385613413
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!4a55a273!not-for-mail
From: "Dave Jackson" <dave@nospam.net>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<514trhF1igctsU1@mid.individual.net>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Lines: 211
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <gqbrh.12047$yx6.4893@newsread2.news.pas.earthlink.net>
Date: Tue, 16 Jan 2007 21:26:36 GMT
NNTP-Posting-Host: 65.41.53.62
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1168982796 65.41.53.62 (Tue, 16 Jan 2007
13:26:36 PST)
```

NNTP-Posting-Date: Tue, 16 Jan 2007 13:26:36 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.crafts.metalworking:117698 rec.woodworking:106558
misc.consumers.frugal-living:58705 rec.radio.amateur.equipment:7856
alt.recovery.clutter:21362

(snip)In my own case, I see it as a very slippery slope....one great thing
after another can follow you home until the doors to the shop won't
shut.

When the shop runneth over, it's simply time for a bigger shop! --dave

"Rod Speed" <rod.speed.aaa@gmail.com> wrote in message
news:514trhF1igctsU1@mid.individual.net...
> Too_Many_Tools <too_many_tools@yahoo.com> wrote:
>
>> I do...many of my fellow friends who
>> have shops overflowing with "good stuff".
>
> Yeah, very common.
>
>> In my own case, I see it as a very slippery slope....
>> one great thing after another can follow you home
>> until the doors to the shop won't shut.
>
> True, when I was building the house, I'd bring back quite
> a bit of stuff from the dump. Some got used right away,
> particularly discarded seedling trees etc, other stuff got
> used later, particularly scrap wood and steel etc. Other
> stuff never did get used like the VW beetle transaxel etc
> that I considered turning into a dune buggy etc and never
> did get around to. Tried to drag it out the front for the most
> recent collection day but it was too heavy to move easily
> so I took the easy way out and gave up till next time.
>
>> Sometimes...no many times...you just have to say "No".
>
>> Your thoughts?
>
> I dont bother to get rid of most stuff that dies. I've still got
> the hot water service that died, because the big white metal
> square case is decent metal for making letterboxes etc.
>
> Still got the washing machine I last used 35 years ago,
> mainly for the decent motor and pump, should bin that
> on the next collection day, its a bit hard to get out tho.
>
> Still got the smaller upright freezer that is uneconomic
> to repair, just because it seems such a waste of what
> is a very decent little cabinet thing, might one day get
> around to putting a beer brewing barrel into for easier
> heater control in winter. I currently put a big wrap around

> insulating foam pad around the barrel with a heater belt
> with monster zip ties initially and once its bottled or when
> I have two barrels brewing, I have a fan heater in the
> smallest room in the house that doesnt get used as
> a toilet since I have two of those.
>
>> http://abcnews.go.com/Health/story?id=2790669&page=1
>
>> Medical Mystery: Compulsive Hoarders
>> A Psychological Compulsion to Keep Everything,
>> Even When It Ruins Your Life
>
> Most of us are nothing like these pathetic wretches,
> we dont keep discarded packaging etc much.
>
>> By CECILE BOUCHARDEAU
>
>> Jan. 16, 2007- - We are all pack rats to some degree.
>
> Some people arent.
>
>> We hoard, collect and buy more stuff than we have room to store.
>
> I've got plenty of room.
>
>> But what if something in our brains made
>> us incapable of throwing things out?
>
> There's no one that bad. If you threaten to kill them if they dont
> throw it away, they wont refuse to part with it and die clutching it.
>
>> Janie Allocca and Lorraine Brennan both suffer from a psychological
>> disorder called compulsive hoarding -- an urge to hold on to even the
>> most mundane objects, even when they take over their lives.
>
>> Watch "Primetime: Medical Mysteries" Wednesday at 10 p.m. ET, and go
>> to ABCNEWS.com during the show to diagnose a real medical mystery.
>
>> Lorraine Brennan has been hoarding for nearly 20 years. She lives in
>> a two-story house in Massachusetts with her father, son and fianc�e.
>> Most rooms in the house are cluttered, and some are even unusable.
>> The bedroom-office that she shares with her fianc�e is overrun with
>> stuff they tried unsuccessfully to get rid of at a yard sale. Lorraine's
>> purse is bursting with junk mail and receipts.
>
>> Brennan's hoarding is not only ruining her life, but affecting her
>> entire family. Her son can't bring friends home from school. Brennan
>> and her fianc�e have been engaged for eight years, but he hasn't
>> been able to commit to marrying her because of the clutter.
>
>> 'There's No Place to Sit Down'
>
>> Many hoarders are also compulsive shoppers. Janie Allocca

>> has accumulated so much stuff that she uses her own house
>> as a storage facility and lives with her mother.
>
>> "I remember collecting, and keeping, and hoarding things since I can
>> remember," Allocca said. "And now I am just living around the piles
>> and piles I need to get rid of."
>>
>> "I have so much stuff that my house is totally unlivable," she
>> continued. "There's no place to sit down. I can't get to the kitchen.
>> I can't have anyone over for tea even though I have everything for
>> tea. My collecting is taking up the space where I normally would
>> live."
>>
>> There's a fine line between simple clutter and extreme hoarding. Most
>> hoarders, observers say, are physically incapable of throwing things
>> out. They can't live in, or use, rooms like the kitchen for their
>> intended use. They also experience extreme distress from their
>> condition.
>>
>>
>> The Brain of a Hoarder
>>
>> Hoarding is currently considered a subset of obsessive compulsive
>> disorder, but that may soon change. New research is finding that
>> hoarding may be a unique disorder completely separate from OCD.
>>
>> Dr. David Tolin, director of the Anxiety Disorders Center at the
>> Institute of Living in Hartford, Conn., has devoted his career to
>> studying what goes on inside the mind of a hoarder.
>>
>> "At the moment, compulsive hoarding hasn't been fully defined by the
>> psychiatric and psychological communities," he said. "One of the
>> things that we wanted to do was to understand some of the brain
>> mechanisms behind compulsive hoarding."
>>
>> Allocca is part of a study Tolin is conducting to see which parts of a
>> hoarder's brain become active when they are faced with making
>> decisions. She is hooked up to a brain-scan machine and asked to look
>> at pieces of her mail and decide whether she wants them to be thrown
>> out. She then must watch the mail get shredded.
>>
>> At this point, two parts of a hoarder's brain become active. The
>> brain's orbitofrontal cortex is involved in decision making and causes
>> a hoarder to process this experience as a punishing one. At the same
>> time, the hippocampus of a hoarder actively searches for memories
>> about the object. The hoarder tries to remember the object: what it
>> is and why they saved it in the first place. By contrast, people
>> without hoarding problems just don't think about the object that much.
>>
>>
>> 'A Painful and Effortful Process'
>>
>> "What we find is that the brain is acting very, very differently when

>> a person hoards," Tolin said. "When the person is trying to make a
>> decision about what to throw away, it seems that the person who is
>> hoarding, is processing this activity as if it is deeply punishing."
>>
>> "The person who hoards is going through a very, very effortful search
>> of their memory to try to think of as many things as they can about
>> this item before they make the decision," Tolin added. "What this all
>> amounts to then is a painful and effortful process of decision-making,
>> that you and I might take for granted."
>>
>> There is no cure for hoarding, and there is no medication to treat the
>> condition. Right now, cognitive behavioral therapy is the only way to
>> help hoarders make decisions and deal with their emotions.
>>
>>
>> Getting Help
>>
>> In Beth Johnson's "Clutter Workshop" in Hartford, hoarders and
>> clutterers practice throwing out possessions they have grown attached
>> to. Johnson also takes her clients on nonshopping -- or nonacquiring
>> -- trips to teach them not to buy things they don't need.
>>
>> "I try to help them see the larger picture and how this item won't fit
>> into their life," said Johnson. "If you have a jam-packed house, if
>> you're adding to it on a weekly or daily basis, you're basically
>> defeating yourself."
>>
>> Dr. Randy Frost, a professor of psychology at Smith College in
>> Massachussetts, focuses on helping hoarders make their homes
>> clutter-free.
>>
>>
>> "One of the things we know about hoarding is that the beliefs people
>> have about their possessions are so powerful, that it's very difficult
>> for them to get out of this behavior," said Frost, who is also author
>> of the upcoming book "Buried in Treasures." "If the person throws
>> something away and experiences distress, and does it again and again,
>> eventually, they won't have that extreme emotional response, throwing
>> something away."
>>
>> Frost held a one-on-one session with Brennan to see if he could help
>> her. After a few hours, she was able to throw away receipts and a few
>> pieces of junk, but, as with most hoarders, there is still a long road
>> ahead.
>>
>> One major motivator for Brennan is the possibility of losing her
>> fianc�e if she doesn't clean up her home. When asked if she thought he
>> would really leave, Lorraine said, "I don't want to find out. I don't
>> want to end my relationship. I want to do better. I want to make it
>> work. I don't want to live like this anymore. I really don't."
>>
>> Dr. David Tolin and Professor Randy Frost are co-authors of a
>> self-help book called "Buried in Treasures," to be published on

>> February 5th.
>
>

```
From -6124585898129308853
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!51g2000cwl.googlegroups.com!not-for-
mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 16 Jan 2007 13:38:32 -0800
Organization: http://groups.google.com
Lines: 1140
Message-ID: <1168983511.683267.4060@51g2000cwl.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
NNTP-Posting-Host: 4.252.211.39
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1168983528 18269 127.0.0.1 (16 Jan 2007 21:38:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 Jan 2007 21:38:48 +0000 (UTC)
In-Reply-To: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 51g2000cwl.googlegroups.com; posting-host=4.252.211.39;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news2.google.com rec.crafts.metalworking:117702 rec.woodworking:106561
misc.consumers.frugal-living:58709 rec.radio.amateur.equipment:7857
alt.recovery.clutter:21363
```

You may also find this article of interest.....

TMT

Langley Collyer: The Mystery Hoarder Of Harlem
Fred Penzel[1], Ph.D

On March 21st, 1947, at 8:53 a.m., the New York City police department received a phone call from a man giving the name of Charles Smith, notifying them that he believed a man was dead inside a decaying building on Fifth Avenue in Harlem. Officers arrived on the scene by 10 a=2Em., and cordoned off the house in order to hold back the crowd that had gathered. The police removed an iron grill-covered basement door from its hinges, only to find the entrance completely sealed off by a solid mass of debris. Thus was thrust before the public one of the best-known and most mysterious compulsive-hoarding cases of all time.

Compulsive hoarding is a form of obsessive-compulsive disorder (OCD), a neurobiological condition, most likely genetically based. OCD comes in a wide variety of forms, of which hoarding is only one. Compulsive hoarders may collect only certain types of things, or they may indiscriminately save everything. We are not talking here about collecting things that are valuable or important such as art, coins, or stamps.

Hoarders tend to save things of little or no value...

Hoarders generally tend to save things that are of little or no value, or if the things they save do have real value, they tend to save them in ridiculously larger quantities than would ever be necessary. One of the main obsessive thoughts that causes sufferers to do this is their worry that if they throw a particular item away, it will be lost forever, and they may one day be in need of it in order to be able to use it, to be able to remember it, or do something connected with it.

They seem to have difficulty discriminating between what is or will be useful, and what is not. Some hoarders can freely admit that the things they are saving are currently broken or damaged and unusable. They will stubbornly insist, however, that they will someday repair or refurbish the items and either make use of them or give them away.

Throwing away something is seen as being irresponsible...

Another reason for hoarding resembles the type of thinking seen in hyper-responsible obsessions. It is the idea that each thing they save and/or repair might be useful to others (rather than themselves), and that the hoarder would be responsible (and therefore blameful and guilty) for another person not having this vital item should the need arise. They may also rationalize that what they are doing is actually "recycling," and are performing a community service by conserving resources. Throwing away something that could possibly be reused is seen as being highly irresponsible. In actuality, there really is no need for what they have saved, there is no one to give the items to, and the only result is that the hoarder is burdened with a house full of junk.

Some of the things most commonly saved include newspapers, magazines, lists, pens, pencils, empty boxes, pamphlets, old greeting cards, junk mail, old appliances, outdated books and even assorted labels, string, rubber bands, plastic containers, bottles, and bottle caps. In the most extreme cases, people have been known to save such things as empty matchbooks, used tissues, old cigarette butts, bird feathers, old cars, discarded paper cups, used aluminum foil, paper towels, lint, and hairs. Some of these sufferers will even rummage through other people's trash, and bring home obvious junk that to them, seems quite useful or repairable.

Accumulate things create fire or health hazards...
Compulsive savers can accumulate large amounts of things, creating storage problems and fire or health hazards. Their houses can take on the appearance of having been ransacked, with floors waist-deep in trash and debris, rooms filled wall-to-wall with overflowing paper bags and cardboard boxes. Many sufferers can only make their way around their homes by creating aisles around and through the trash. Problems with municipal authorities are not uncommon, and hoarders are sometimes evicted or charged with violation of zoning or public-health laws. Ironically, the majority of people who save things compulsively rarely use or look at these things. Their security comes from merely having the things around "just in case" and in not having to make what seem like difficult decisions about what to discard.

Let us now return to our story.

The Collyers were part of one of New York's oldest families...
Its main figures are two brothers, Homer Lusk Collyer (b. Nov. 6th, 1881), and Langley Collyer (b. October 3rd, 1885). The Collyers were part of one of New York's oldest families, a branch of the well-known Livingstons. Their ancestors had come over to America on the ship "Speedwell" in 1664, about a week after the Mayflower. The family had been members of the congregation of Trinity Church since 1697. Their father, Dr. Herman L. Collyer was a successful and renowned gynecologist, and his father, William Collyer, was said to have been one of the leading shipbuilders in America. In 1909, Dr. Collyer moved his family from Murray Hill to a fine upper-middle-class home in Harlem. It was a three-story brownstone located at 2078 Fifth Avenue (at 128th Street). Beyond his fame as a physician, the doctor was known to be a bit eccentric, paddling a small canoe to work each day at City Hospital on Blackwell's Island in the East River. He would subsequently paddle home at the end of his day, and then carry the boat on his head back to his house.

Dr. Collyer's two sons seemed destined for successful lives of their own. Both attended Columbia University, where Homer earned a law degree, and his younger brother graduated with a degree in mechanical engineering and chemistry. Homer went on to practice admiralty law, but Langley, so far as is known, never held employment, and spent his time playing the piano. He is reputed to have won prizes as a concert pianist, but this cannot be verified. Perhaps Langley's inability to establish a career was an early sign of personal difficulties he may already have been experiencing.

In 1917, the brothers had their telephone disconnected...
It was probably a warning of things to come when in 1917, the brothers had their telephone disconnected, after being billed for long distance calls they claimed to have never made. This may have been the beginning of what would become a growing isolation from the outside world. Six years later, in 1923, Dr. Collyer died. Several years prior to his death, for reasons unknown, he had moved from his Fifth Avenue home to

one at 153 West 77th Street. His sons remained at the family home with their mother. It is possible that a family breakup may have occurred.

Life seems to have taken an abnormal turn for the two brothers in the year preceding the death of their mother in 1929. It appears that their gas was shut off in 1928, and they also seemed to have given up the convenience of running water and steam heat, and began using kerosene to light their home and to cook with. Water was obtained from a public fountain four blocks from their home. This was all clearly out of step for people of their education and social status.

No one was ever permitted to enter their house...

Despite all this, nothing appeared out of the ordinary to those in the outside world. The brothers were said to be courteous, cultured, and shy. The only sign that something might be amiss was that no one was ever permitted to enter their house. Around 1928, Homer worked for another attorney, John R. McMullen, who later became the family legal advisor. Homer next worked for City Title Insurance doing research in the New York City Hall of Records. He was described, at the time, as being courtly, and dressing in 19th century attire, presenting a rather Victorian appearance. He was said to resemble a gentleman of the 1880's.

In 1932, Homer purchased a building across the street at 2077 Fifth Avenue for $8,000. He planned to divide it into apartments and to rent them. This plan was never realized, as he suffered a stroke in 1933, becoming blind as the result of hemorrhages in both of his eyes. With one exception, he was reportedly never seen outside of his home again. Langley then gave up his music to take on the job of nursing his brother back to health. No physician was ever consulted. Langley apparently believed that the cure for his brother's blindness was for him to eat 100 oranges a week, and to keep his eyes closed at all times, in order to rest them. The brothers possessed a large library of medical books, and it would seem that Langley felt he had the information and knowledge necessary to treat his brother.

An intact Model-T Ford was discovered in the basement...

At some point in the 1930's, the West 77th Street home where their father had lived was sold, and the new owner, a Mrs. Peter Meyer, discovered an intact Model-T Ford in the basement. It is not clear how it got there. Mrs. Meyer is said to have paid a workman $150 to disassemble the car and put the pieces in the street. This somehow came to Langley's attention, and for reasons known only to him, he carried the car piece-by-piece back to the basement of his Fifth Avenue home. It would appear that along with the loss of their other utilities, the brothers had no electricity, as Langley apparently tried to connect a generator to the car's engine in order to provide power, but was unsuccessful.

The brothers eventually came to the attention of the general public when they were mentioned in an article written by Helen Worden, a reporter for the World-Telegram. A real estate agent named Maurice Gruber was attempting to buy some farmland in Queens that belonged to the brothers. Their refusal to respond to his letters or to answer the door when he tried to see them in person resulted in Gruber keeping a vigil at their home. In her article, Worden referred to Langley Collyer as "the mystery man of Harlem," and included in it, a whole range of sensational rumors that had been circulating about the brothers and their home. It was said to contain all sorts of rich furnishings, a vast library of books, and huge amounts of money that Langley would not trust to banks.

The brothers were depicted as wealthy hermits...

Worden, herself, kept a watch on the Collyer's home, and finally caught up with her elusive quarry one night, as he was leaving the house to go on what was one of his regular after-dark shopping trips. She questioned Langley about a boat (his father's) and the Model-T Ford said to be in their basement. Langley confirmed these stories. Rather than clearing up the mystery, Ms. Worden's article seemed to have only increased the speculation and rumors about the brothers, and during the 1930's other articles were written about the brothers in the New York papers. The brothers were depicted as wealthy hermits, living in a storehouse of money and valuables. People visited the house, banging on the doors or attempting to see them, while neighborhood children committed various acts of vandalism that included breaking windows. As windows were smashed, Langley systematically boarded them up instead of replacing them.

Throughout this time, and most likely the result of a case of compulsive hoarding, Langley was hard at work filling the once attractive home with huge amounts of newspapers, cardboard boxes, barrels, metal cans, tree branches, scrap metal, and other assorted trash. In the case of the newspapers, it is said that he believed that his brother Homer would someday regain his vision, and would then want to catch up on the news he had missed. He was known to prowl the streets at night, gathering items from curbside trash piles and bringing them home. No one knows how many years he had been actively engaged in this collecting. His foraging resulted in all three floors of the house being filled with literally tons of things he had collected. Perhaps it was his knowledge of engineering that enabled him to arrange the boxes and packing cases in interlocking arrangements that concealed a maze of tunnels that only he knew.

The home became a fortress with booby-traps...

Langley was said to harbor fears of being burglarized, and there had, in fact, been several attempted break-ins over the years by those perhaps lured by the tales of stockpiled riches. The home became a sort of fortress for the brothers, with booby-traps constructed of great piles of debris rigged with the aid of trip wires to fall on unsuspecting intruders. This, of course, only served to increase the brothers' growing isolation. If their goal was to keep the world out, they were succeeding.

Although the brothers were by no means poor, Langley is also said to have regularly rummaged through garbage cans seeking food. He went begging at butcher shops for scraps, and was known to have walked as far as Williamsburg, in Brooklyn to purchase stale bread at the lowest possible cost. The Collyers again appeared in the newspapers in April 1939, when, armed with a court order, a city marshal together with representatives of the Consolidated Edison Company entered the brother's two fifth avenue buildings and removed the gas meters, which had been in a state of disuse since 1928. A crowd said to be as large as 1,000 people gathered outside their home to see what was happening.

Homer's last appearance outside the house is said to have occurred a number of months later on January 1st, 1940. Sgt. John Collins, a city policeman from the 123rd street station who was familiar with the Collyers, spotted the two brothers carrying a large tree limb from across the street into their basement. Langley guided the branched end, while Homer held up the other end.

Not paying taxes was a symptom of their reclusiveness...

Although the brothers did everything they could to avoid public scrutiny, it had its own way of intruding into their solitude. Ironically, it was their reluctance to encounter the outside world that continually brought the world to their doorstep. It appears that not paying taxes and other bills was a symptom of their reclusiveness, and it caused them no end of trouble. The most highly publicized example occurred in August of 1942, when the Bowery Savings Bank foreclosed on a mortgage that amounted to $6,700 plus interest (no interest had been paid since 1940).

After going to state Supreme Court, the bank obtained permission to evict the brothers from their home. The very same day, however, the Collyer's attorney, John R. McMullen, met with bank officials with an offer by his clients to repurchase the property. As the house was seen to be in very poor condition, it appeared that the Bowery Savings Bank was not all that eager to repossess it. Mr. McMullen had never actually been allowed in the brothers' house, so instead, Langley, who almost never appeared in daylight, had walked all the way to his attorney's office on Park Row to discuss the matter. Mr. F. Donald Richart, vice president in charge of real estate for the bank, consented to give the brothers "a generous amount of time" so that they could work out the details of the repurchase.

Growing rumors that Homer had died...

There were growing rumors on the street, around this time, that Homer had died and that his body was still in the house. Sgt. Collins of the 123rd street station (mentioned earlier), took it upon himself to look into the matter. He encountered Langley, and somehow got his permission, despite some reluctance, to enter the house through the basement door. In a surreal journey through a labyrinth of tunnels in the trash and homemade booby-traps that lasted a half hour, Langley led the officer to the bedroom where Homer was to be found. What happened next is told in Sgt. Collins own words. "I switched on my flashlight, and there was Homer sitting up like a mummy. He was on a cot, a burlap bag beneath him and an old overcoat on the foot of the cot, and he spoke directly to the officer. "I am Homer Collyer, a lawyer. I want your shield number. I am not dead. I am blind and paralyzed." Langley subsequently made a complaint to the police department about the incident, but no action was ever apparently taken on the matter.

In the matter of the Bowery Savings Bank, it seems that no repurchase offer was ever worked out, so in October, Supreme Court Justice Bernard Botein signed an order permitting the city sheriff to evict the brothers from their brownstone. This same judge's decision, which had been issued in August, was now about to be carried out. The bank, still trying to not have to resort to force, repeatedly mailed eviction notices to the brothers, who never responded.

The Bowery Savings Bank was not to be put off indefinitely. As the new owner of the building, they were required by the city to make repairs to the property according to the city's building and sanitary codes. At the end of September, they dispatched a crew of workmen to the house to begin carrying out the repairs that had been ordered by the Department of Health. A number of police officers and patrol cars were sent to the scene to manage the inevitable crowd that had gathered, as it always did whenever any activity took place at the Collyer home. As the workmen went about repairing a falling stone cornice, replacing missing window panes, and removing piles of junk from the rear of the property, Langley Collyer called out to them from an upper-story window, demanding to know by what right they were trespassing on his property. The contractor was then forced to stop work and obtain a copy of the city order, in order that the repairs might continue.

The city sheriff carried out the eviction order...
On November 19th, following the brothers' repeated refusal to respond to various notices, the bank requested that the city sheriff carry out the eviction order and enter the house by force, if necessary and remove the brothers. In short order, at 10 o'clock, there showed up at the Collyer's door two deputy sheriffs, Herman A. Murray and Gillespie Anderson, police captain Christian Zimmer of the 128th street police station, Dr. Marshall Rose, sheriff's physician, John Redfield of the Bowery Savings Bank, and Joseph and Herman Cohen, a father and son, respectively, who were both locksmiths. Mr. McMullen, the Collyer's attorney met them there. The group took turns pounding on the door for over an hour, but the only answers were echoes. A crowd collected on the sidewalk, hoping to get a glimpse of what was going on at the "haunted house," as it had come to be known in the neighborhood.

The locksmiths then tried for another hour, in vain, to force the lock on the large wooden front doors, but were unsuccessful because of all the rust and corrosion. Going to the rear of the house, they were able to remove an iron grille-covered door leading to the basement with the help of the two deputies. Here, they found themselves stymied again, as they found their way barred by a mass of wire netting, behind which was a solid mass of crates, barrels, and large tin canisters from floor to ceiling. Seeking another entrance, they next moved on to another rear door, and tore away its rotted boards, only to find a further wall of garbage cans, trunks, crates, and pieces of rusted iron. Breaking in yet another rotted door next to this one, they were met with a similar obstruction.

Covered with dust, and feeling frustrated, the team returned to the front of the building to form a new plan of action, and decided to now make their way into the building via a window. One of the locksmiths, Joseph Cohen, swung up from the top of the front stoop and made his way to the ledge of one of the building's high north windows, where he forced open the shutters. He then broke a windowpane with a hammer, and climbed in through the now empty frame. His son Herman stood outside the window on the ledge and peered in at his father, who by this time was half-choked with dust.

The room was filled to overflowing...

As with the other parts of the house encountered thus far, the room was filled to overflowing with various and sundry items - heaps of old sheet music, gilded picture frames, Christmas ornaments, broken plaster cherubs, piles of books, garden baskets, etc. Joseph Cohen finally managed to work his way downstairs to the front entrance where he and deputy Murray were able to open a path near the door. Clouds of choking dust enveloped them, making the going difficult, and breathing an effort. They eventually opened a parlor door and made it into a hallway where they encountered further barricades. Suddenly, they were greeted by a weary voice from out of the gloom, asking, "What is the meaning of this?" Deputy Murray replied, "I have an eviction notice." Langley then asked him, "Is Mr. McMullen here?" McMullen, who had by now worked his way to the barricade called out to his client, "They will put you out, Mr. Collyer, unless your keep the agreement." Langley replied, "Do what you think best." Following his attorney's advice, Langley then borrowed a pen from the deputy, and signed a check for the full amount, thus ending the invasion.

But the Collyer's troubles were not yet over.

The IRS was now pursuing Homer for income tax arrears...

They came in for some further unwanted attention in February 1943, but this time from the Internal Revenue Service. The IRS was now pursuing Homer for what it claimed was $1900 in income tax arrears plus interest that had accumulated over the previous twelve years. Homer was notified that unless this sum was promptly paid, the house he owned at 2077 Fifth Avenue would be sold at auction on February 3rd. This was the building across the street he had purchased with the intent to divide into rentable apartments. The ever-patient Mr. McMullen hoped his client would come through at the last minute, as had happened previously, although the attorney had been unsuccessful in his attempts to contact the brothers.

On the day of the auction, the IRS representatives waited for over an hour beyond the scheduled auction time, and finally, the property was put up for bid. When no bids were offered, and with Mr. McMullen present, the government took possession, although it was not eager to do so due to the poor condition of the property. It was so rundown, that it hardly seemed worth the effort. Beyond the building being of little worth, there were also the problems of the cost of the auction itself, not to mention the $3,000 in back taxes on the property owed to the City of New York that had been unpaid since 1938. According to the rules, the government would have to hold onto the property to allow Homer the chance to pay what he owed and get his property back. He never paid, and it does not appear that the government ever went any further in the matter of taking possession of the building, as will be seen.

Over three years later, the Collyers once again found themselves in the news.

The reclusive Langley refuesed to cooperate...
On July 23, 1946, two police officers, Daniel Pesek and John Killoran, while on radio car patrol, heard noises coming from 2077 Fifth Avenue. Upon further investigation, the officers discovered two men stealing plumbing and electrical fixtures from the building. The two patrolmen tussled with the vandals, capturing one of them, a homeless man named George Smith, aged 25. Officer Killoran hurt his leg when he fell through a hole in the floor. The officers then attempted to contact Langley in order to get him to swear out a complaint against the thief, but speaking to them through his locked door, he refused to do so. Despite his lack of cooperation, Langley was named as the complainant, and notified that if he did not appear in court, the city would issue him a subpoena. He still refused to cooperate, but after officer Pesek tried several times to serve him with the subpoena, he relented. It seems that time and again, only the threat of legal action could pry loose the reclusive Langley from the decrepit building he and his brother called home.

On July 27th, dressed in turn-of-the-century garments, he appeared in the city's Felony Court as complainant against Smith. What was particularly unclear about all this was that technically, the Collyers no longer owned 2077 Fifth Avenue. Langley clearly did not accept all this, and prior to signing the complaint, he stated, "My invalid brother, Homer Lusk Collyer, and I still own that house and we have the keys to it." He added, "The government seized the property on the contention we did not pay income taxes, but we are going to sue and get that property back, because the government can't demand income taxes from us when we had no income." The brothers had, in fact, never surrendered the keys to the building. He went on to relate that this was the third incident in which he had had to go to court to swear out a complaint against criminal intruders at his home.

The brothers owned two land parcels in Queens County...
The last time either of the Collyer's was seen alive, was the result of yet another tax problem with New York City. It seems that the brothers owned two land parcels in Queens County, which they had inherited from their father. The city had wanted this land for new streets and other purposes, and Langley, together with Mr. McMullen, had a meeting about this with the city's corporation counsel the previous October. After Langley refused two summonses to testify before Supreme Court Justice Charles C. Lockwood, the land was condemned by the city, and the brothers were awarded $7500, which was substantially less than its appraised value. Unfortunately, they would see none of this award, in

any case, as the city claimed the brothers owed it $27,000 in back taxes. Interestingly, a news article about this in the New York Times mentions that the brother's only regular means of contact with the outside world was a crystal radio set.

Which brings us back to the beginning of our story on the morning of March 21st, 1947, with the police receiving the phone call from the mysterious Mr. Charles Smith.

An officer was was unable to open the front door...
The police had received a number of such calls over the years, but as usual, they were obliged to respond. An officer was dispatched to the scene, but was unable to open the front door. He then put out a call to Police Emergency Squad 6, which arrived on the scene at 10:00 a.m. They began by cordoning off the Collyer's house in order to hold back the crowd of curious onlookers, which grew as large as 600 people. The officers began their search by using crowbars and axes to try to force an entrance into the house. They broke their way through an iron grille-covered door to the basement in the front of the house, but as had happened in the past, they immediately found themselves confronted by the usual floor-to-ceiling wall of crates, newspaper, furniture, and odd pieces of junk.

Officers found the emaciated body of a white-haired man...
For their second attempt to gain entry, the officers obtained ladders from the Fire Department and tried the windows on the upper floors. Unfortunately, many of the shutters on the windows couldn't be opened, and it wasn't until 12:10 p.m. that a patrolman William Barker was able to make his way through a second story window. Patrolman Barker was not seen for several minutes, and on his return to the window, called to his fellow officers, "There's a DOA here." In response, Detective John Loughery made his way up the ladder in order to view the body, as other officers began to batter in the wooden front doors with axes. They were again faced with another massive obstruction of neatly tied bundles of newspaper, as well as cardboard boxes filled with assorted contents. Although they tried to tear down the wall of debris, they were forced to admit defeat. Meanwhile, Detective Loughery related what he had seen - the emaciated body of a white-haired man dressed in a tattered gray bathrobe, sitting upright, and tentatively identified as Homer Collyer. The medical examiner, Arthur C. Allen, arrived at 3:45 p.m., and declared that the individual had been dead for approximately ten hours.

The next order of business was to locate Langley, who was nowhere to be found on the premises. It was reasoned that if he were within the house, he would have made an appearance by this time, as he usually did. Police were perplexed about how Langley was able to enter and leave the building, but neighbors stated that he regularly entered and left on his daily shopping trips via the front basement's iron-bound door. After their own struggle to enter, the officers refused to believe that this was possible.

The entire house was packed with debris of various kinds...
According to the New York Times, the entranceway past the basement door

contained "... an old stove, several umbrellas, numerous packages of newspapers, a gas mask canister, an old stove pipe, and a broken scooter." There were also numerous rats seen darting around and through the piled trash. An inspection of the rest of the premises through various windows and around the second floor where they had entered revealed that the entire house was packed with debris of various kinds. It appeared that the building was riddled with a maze of tunnels through which Langley had moved, pulling bales of newspaper in behind him, to prevent intruders from entering. The police also found tin cans and piles of heavy debris wired together to form booby traps, in which the cans would sound an alarm, and a mass of junk would fall on the unsuspecting invader.

.=2E.newspapers lying around that dated back to 1915.
Homer Collyer's body was taken away in a body bag to the police van that would transport it to the morgue. An autopsy was to be conducted to determine the cause of death, although foul play was not suspected. The crowd, milling around on the sidewalk hoping to see what was going on inside, and trading stories about their unusual neighbors, and the fabled wealth that was rumored to be hidden in the house. Some believed the numerous cardboard boxes that filled the house were stuffed with cash. As they searched further, police found newspapers lying around that dated from as far back as 1915. Strewn everywhere were such things as hats, boxes of Christmas cards, a folding chair, a broken sled, and automobile seat, part of a piano frame, etc.

The police were careful to put everything back in place, including the materials they had removed to be able to enter the building. They then boarded up the house at 5 p.m., at which time, Attorney McMullen arrived on the scene. He took charge of all papers, notes, and letters discovered there by the police, and stated to the press that he was sure his elderly client would soon be in touch with him. He also quoted Langley as having said that they were entitled to live their own lives.

No one had any idea of where Langley might be found...
The next day's papers puzzled over the missing Langley. No one had any idea of where he might be found, with the exception of Mr. McMullen, who told reporters, "Your guess is as good as mine, but I think he is in the house, myself." Detectives from the 123rd street station thought that he might still be out on one of his shopping trips to Brooklyn. These were sometimes known to last as long as twenty-four hours, because he made the trip on foot. Deputy Inspector Christopher Salsieder announced that if Langley did not show up by 1 p.m. on March 24th, a missing person's alarm would be issued. In the meantime, it was decided to not perform an autopsy, as the cause of death was believed to be the result of "ateriosclerotic heart disease," which, it was said, could be determined by external examination. Later reports seem to indicate, though, that an autopsy was finally performed.

Of course, the usual publicity-seekers were quick to come out of the woodwork.

William Rodriguo, a sometime Democratic politician from Harlem, came forward, claiming to be the "Charles Smith" who had phoned the police, touching off this latest incident. He stated that he had used a false name due to not wanting to get involved, but had later changed his mind. He added a further touch of mystery to the story, telling police that he had been told of the Collyers' deaths by an unknown man he had met in front of their house the morning of his phone call. The next day, on the 23rd, the crowd outside the decaying brownstone had grown to several thousand people. Langley had still not appeared, and the curious were hoping for a glimpse of him, or failing that, his remains.

A stream of autos crawled by the building...

One man showed up with a shovel and began digging in the building's front yard, but was removed by the police. A stream of autos from as far away as New Jersey and Connecticut crawled by the building in a regular procession. The daily papers thirsted to know about the contents of the house, rumored for years to contain numerous grand pianos, a Model T, and a boat.

Inspector Joseph Goldstein of the Tenth Division speculated that a thorough search of the entire house would occupy a police emergency squad for three weeks. They were to begin work later that day, following an inspection by the Department of Housing and Buildings and the Board of Health. The strategy would be for police officers to begin with a search of the top floor, dumping the contents into the backyard. It was decided that the items removed would not be taken away until the public administrator or an heir of the Collyers gave approval. A relative of the brothers, William Collyer of Yonkers, turned up at the house that day, relating to reporters that his mother and sister had visited the brothers in 1928, and noted that the house, at that time, contained no furniture, but was already filled with quite a bit of debris.

The clearing of the building began the next day on the 24th. This first stage of the operation, the clearing of the top floor, began that afternoon, headed by Inspector Goldstein.

Officers broke open several skylights to enter the building...

After Mr. McMullen declared Langley missing at 1:15 p.m., and after officials from the two city departments declared the building safe to enter, the officers of Emergency Squad 6 began their task by sending over a ladder from an adjoining rooftop. After climbing across, they broke open several skylights and a roof trapdoor, through which they entered the building. Once inside, they smashed windows in order to get some badly-needed ventilation. A large crowd, whose numbers now ran as high as 2,000 watched the spectacle from the street, windows, fire escapes, and rooftops, cheering each time a sizable object was thrown into the yard below. Among these items were a gas chandelier, the folding top of a horse-drawn carriage, a rusted bicycle, a child's chair, an automobile radiator, dressmaking dummies, a sawhorse, a rusted bedspring, a kerosene stove, a doll carriage, a checkerboard, and numerous bundles of newspapers. A team of sixteen men inspected each object as it was thrown out, looking for valuables and important papers to be saved. They found enough ledgers, correspondence, and legal documents to fill eight crates which were taken to the West 123rd street station to be looked over by someone from the public administrator's office.

Over 2,000 dust-covered volumes and five pianos...

At 3 p.m., Inspector Goldstein called off the search for Langley for that day, and sent his men to check out the basement. They found the walls lined with ceiling-to-floor bookcases containing over 2,000 dust-covered volumes, among them numerous books on the law and engineering. Reporters and a family member were allowed to have a look around, and among the newspapers and cardboard boxes there were as many as five pianos. With much effort, the officers cleared a path to a stairway, but were unable to open up the stairway itself. While clearing this area, they stumbled on a generator, which may have been used to produce electricity.

Some of the debris removed was piled in the front areaway, and included a kiddy car, three women's hats, a box of curtain rings, a green toy bus, some lead pipes, and a Metropolitan Opera program from 1914. At 4 p=2Em., the Emergency Squad forced their way into the first floor. Aided by searchlights powered by a portable generator, they made out a mahogany mantelpiece containing a large cracked mirror resting against a wall, an old RCA radio in a corner, and a large pile of furniture covered with dust standing in the middle of the floor. The windows were covered with a filthy green drapery.

At this point, the search was ended for the day, with the police boarding up the windows, and piling the collected debris in a section of the yard surrounded by a tall iron fence. Langley had still not been found, but the police were determined to return and finish their search.

March 26th, still no sign of the missing brother...

The following morning at 10 a.m., the officers resumed their search. It was now March 26th, with still no sign of the missing brother. The day was particularly windy, blowing some of the old newspapers down the street, where they were snatched up by the ever-present crowd as souvenirs. The overwhelming mass of debris the police removed from the house consisted largely of old newspapers, cardboard boxes, magazines, and pieces of wood. Among the other assorted things uncovered that day included a nursery refrigerator, a beaded lampshade, a box of toy tops, and a toy airplane.

In the basement, they found the chassis of the fabled Model-T Ford, thus confirming one rumor. Important documents and papers continued to turn up, and these were removed to the 123rd street station. Any useless material that could be combustible was carted away in two truckloads by the Department of Sanitation, to be burned in its incinerators. The first load weighed 6,424 pounds, and the second a bit less.

A further maze of tunnels and several new booby-traps...

One rumor that was put to rest was the existence of a secret basement tunnel connecting the brother's two buildings. In addition to discovering a further maze of tunnels, several new booby-traps were found, consisting of things such as cans, or large tree limbs (as large as twenty inches in diameter), set to drop on unwary intruders.

The police were becoming increasingly convinced that Langley was not to be found alive on the premises, but they were determined to continue their search of the entire house. Inspector Goldstein stated that the work would continue, "... until we are sure Langley Collyer is not in there, dead or alive." One theory was that his body might yet be found stuck in one of the booby-trapped tunnels. Assistant Chief Inspector Frank Fristensky, Jr. told the press that it would take them several more days before they had a clear picture of what the interior of the building contained. Attorney McMullen had already become concerned about the brother's tangled finances and their numerous bank accounts. He estimated their worth to be in the six-figure range, not including the real estate they owned.

Work continued on the 26th, much as it had the day before.

The Emergency Squad began work at 10:00 a.m., halting briefly at noon when some confusion arose over whether proper legal authorization for their work had been obtained.

.=2E.searchers tossed large amounts of material from the windows.
At 2:30 efforts to clear the top floor resumed, with the searchers tossing large amounts of material from the windows. Relatives watching the operation from the street complained to the police that they were being less than careful in discarding things, and risked discarding items of value, as well as important papers. This resulted in the officers being somewhat less energetic in clearing things out. One particular item that attracted attention was the discovery of a .22 caliber pistol and holster, along with ammunition of various types. This was turned over to the Police Ballistics Bureau.

A report submitted to the public administrator of New York County by Deputy Chief Inspector Conrad Rothengast stated that it was believed that Langley Collyer was dead based upon the facts that the brother had never been away from his home for more than twenty-four hours, and that the death of Homer would certainly have been cause for him to have at least contacted his attorney or his relatives.

The next day, the New York Times reported that the surrogate, a Mr. James A. Delahanty, was unable to appoint Francis J. Mulligan, the public administrator as temporary administrator of the Collyer brother's estate. While everyone in the case agreed that Langley Collyer was most likely dead, Mr. Delahanty felt that definite proof was required for such a move to be made. Various affidavits from such people as John R. McMullen and William Rodriguo were due to be submitted to Mr. Delahanty.

March 27th, still no trace of Langley...
As of the 27th, police searchers still had been unable to turn up any

trace of the missing Langley, although they did turn up a cigar box containing three more revolvers, a sixteen-gauge shotgun, a .22 caliber rifle, a .30 caliber rifle, a two-foot long bayonet, and a three-foot long cavalry saber. Near the spot where Homer's body had been discovered, they found another old cigar box containing thirty-four bank books from various savings banks. Eleven of them had been canceled, and they showed savings totaling $3,007 dollars.

By March 28th, the police were having their hands full following up on numerous tips they were receiving, concerning the whereabouts of the missing Langley.

Officers were dispatched to the Borough Hall-Jay Street Station in Brooklyn after a conductor reportedly saw him board the subway there. They also searched a group of boarded-up summer hotels and bungalows in Asbury Park, New Jersey; a place where the brothers had spent time between 1901 and 1907, and where it was thought Langley might be hiding.

In the meantime, surrogate Delahanty finally appointed Francis J. Mulligan as temporary administrator of Langley's estate, in addition to being made administrator of Homer's. Following these appointments, police halted their intensive search for Langley in the Fifth Avenue home, and decided, instead, to begin shipping the contents to an unused school building at 67 Rivington Street on the 31st, where they would be inspected for valuables and important papers. Items of obvious value were to go to this location, while things that were obviously trash would be removed by the Department of Sanitation.

Following leads in New Jersey...

On the following day, Mr. Mulligan, as administrator, visited the city morgue to claim the body of Homer. Funeral arrangements were set for April 1st, to be held at Cypress Hills Cemetery in Queens, where the family owned a plot. Police were still hard at work tracking down various leads. Their latest took them to New Jersey. A waitress in Tuckerton reported to police that she had served food to a customer who appeared to fit Langley Collyer's description, which by then, had been widely distributed. She added that the man had subsequently boarded a bus headed for Atlantic City. Police in that city then proceeded to make a sweep of hotels and rooming houses.

Police recommenced their search on the 31st as planned, beginning at 8:30 in the morning. It appeared that they would be able to clear about one room per day, and there were an estimated twelve rooms in the building. The workforce at the house now consisted of two detectives and five laborers hired by Mr. Mulligan. Their work concentrated on the front basement room, which was found to hold 3,000 books, numerous telephone directories, a Steinway piano, a horse's jawbone, a Model-T Ford's engine block, numerous campaign buttons, and large amounts of newspaper, as usual, tied up neatly in bundles.

Homer Collyer's funeral held on April 1st...

Homer Collyer's funeral was held on April 1st, but of the fifty-three people who were present, only two actually knew him. Both were neighbors. Seventeen cousins of the Collyers were also in attendance.

John R. McMullen also attended, hoping that perhaps that Langley would appear at last. Said Mr. McMullen to the press, "I had hopes until the last minute that Langley would be here if he were alive." When questioned if he believed Langley was still alive, he replied, "One guess is as good as another." The police search for the missing brother continued. They sent out 500 pictures of him to every New York City police precinct, and also to the police in eleven states. Efforts to clear the house were now in the second day. The detectives and laborers continued their methodical work. By the end of that day, nineteen tons of trash and objects had been removed. The bulk of this came from the first floor hallway.

It was decided by the public administrator that Langley's estate would pay for the use of a school building where valuable items from the home were being stored. The Department of Housing and Buildings, meanwhile, ruled that the house would eventually have to be repaired or demolished. On the 3rd, it was thought that the mystery of Langley's whereabouts had been solved when a body resembling his description was discovered floating in the East Bronx in Pugsley's Creek, but the excitement ended abruptly when the body was identified as an elderly man who had recently disappeared from a houseboat.

April 7th: 103 tons of rubbish removed to date ...
By the 7th of April, workers had removed approximately 103 tons of rubbish from the home, with twenty-two tons having been removed on that day alone. Among the more interesting items found at that point were five violins that were to be sent for appraisal. It was estimated by the supervising detectives that it would take another week to ten days to clear out the structure.

Down at the Missing Persons Bureau, Detective Charles Meyers offered the theory that "Everything points to Langley being dead in the building." He added that the results of an autopsy on Homer indicated that there had been no food or liquid in the invalid's stomach. Detective Meyers concluded that, "Homer died for lack of care." It simply did not add up that Langley would have allowed his brother to die unattended, or simply not show up at his funeral.

April 8th: Langley's body finally discovered...
It would ultimately turn out that Detective Meyers was correct, as on April the 8th, Langley's body was finally discovered, pinned by one of his own booby-traps in that same room on the second floor where Homer's body was previously found.

The work of clearing the house that day had proceeded as usual, with workers from the public administrator's office and police working their way through the second floor. By 3:30 that afternoon, about seventeen tons of material had been removed and loaded onto Department of Sanitation trucks. Shortly afterwards, a detective, Joseph Whitmore emerged from the building and asked reporters waiting on the scene to follow him. He led them to a corner drugstore. Placing a call to his headquarters, he reported, "We've got him." He went on to explain that he, and detective John Loughery, had located Langley's body. Loughery added, "We were scraping around in the rubbish when we saw a foot sticking out."

Within an hour, as word spread of the discovery of the body, a crowd of around 500 locals who had gathered to watch the day's work at the house, swelled to over 2,000.

Police higher-ups, including Commissioner Arthur W. Wallander, soon arrived on the scene. The commissioner commended detectives Whitmore and Loughery for their work in the investigation. Thomas A. Gonzales, the medical examiner, spent a half hour examining the corpse. He estimated that Langley had been dead at least two weeks, and possibly as long as four, and that the cause of death was either starvation or suffocation.

Langley died, trapped in debris...
Langley's body lay on its right side, inside one of the two-foot-wide tunnels that was part of the maze he had created, his head turned toward the area where his brother's cot had been, only eight feet away. The room, itself was filled with piles of newspapers, books, old furniture and tin cans. The materials that had apparently trapped Langley were a suitcase, three metal bread boxes, and bundles of newspapers. One particularly unpleasant detail was that the numerous rats that infested the house had gnawed at his partially decomposed body.

Jacob Iglitzen, who also happened to be the druggist from whose store the phone call had been placed, subsequently identified the body. He stated that he was able to recognize Langley's face, although it was somewhat decomposed. He also identified Langley's clothes. Overall, the evidence appeared to indicate that Langley had been killed by falling debris, and that his invalid brother, Homer, died from dehydration and malnutrition.

Attorney McMullen, told the press that he planned to confer the next day with Joseph A. Cox, an attorney for the city's public administrator, concerning the handling of the brother's assets, which were now estimated to be in the range of $100,000 distributed among various bank accounts and real-estate holdings. This finally laid to rest the popular notion that the brothers were multimillionaires.

Langley had died a month before his brother...
The next day, on April 10th, the medical examiner concluded that Langley Collyer had been smothered by the debris, which had collapsed upon him, and had been dead for at least a month before his brother, Homer. A funeral was held the next day on the 11th at Cypress Hills Cemetery in Brooklyn. The Reverend Dr. Charles T. Bridgeman, the assistant pastor of Trinity Church presided. There were forty persons in attendance, including many cousins. The saga of Langley Collyer was not quite finished, however.

A month later, the Commissioner of Housing and Buildings, Robert F. Wagner, Jr., announced that the house at 2078 Fifth Avenue still contained substantial filth and garbage, and that it remained "a distinct menace to health." He requested that the public administrator in charge of the brother's estate, Francis J. Mulligan, clear out the building, in order that the property could be surveyed. Findings would then be sent to the state Supreme Court so that the city could receive permission to demolish the building. On June 30th, Supreme Court Justice J. Edward Lumbard signed the order for demolition.

Collyer home to be demolished...
An inspector from the Department of Housing and Buildings had noted that the "roof beams were water soaked, rotted, and defective," and that all the floors throughout the entire building are sagging and defective." The city would next seek bids on the demolition of the building, and sometime after, the Collyer mansion was no more.

.=2E.and the property finally auctioned.
As a final chapter, the lot at the corner of 128th Street was publicly auctioned on March 1, 1951.

Unfortunately, Langley Collyer lived in an era when problems such as compulsive hoarding were regarded as eccentricities, something to be laughed at or ridiculed. Assuming that even had he been able to come to grips with the fact that he had a serious problem, there is little that would have been done for it at that point in history. Back in the first half of the 20th century, problems such as OCD were treated with psychoanalytic-type talk therapies, which produced little in the way of results.

Even today, we still read reports of individuals whose trash-filled properties have been condemned, or who were forced by law to clean up dwellings, which have been declared public nuisances or even health risks. Municipal governments and the media still seem to not understand what is going on in these situations, and that these are individuals in serious need of help. Sufferers of O-C disorders can be found to have varying degrees of insight. They may differ in their ability to recognize that they have a disorder, or that their behaviors are not those of the average person. It would appear that Langley Collyer, if he in fact had OCD, might have been one of those with a lower level of insight into his problem. It may well be that he believed his hoarding behaviors served a valuable purpose of saving money an ironic notion, considering that the brothers were relatively well off for the era they lived in.

It would also seem that in terms of reclusiveness, Langley and his brother became caught in an insidious loop. That is, as their behavior moved further and further away from the norm, and people's reactions to them became more critical and judgmental, they pulled in their boundaries and cut themselves off even more. This, in turn, would most likely have served to make them seem even more abnormal to outsiders, resulting in even more harsh treatment by the outside world.

Compulsive hoarding now regarded as treatable...
Nowadays, compulsive hoarding is regarded as treatable via behavioral therapy and medication. Sufferers can learn to clean up their dwellings, and to keep them that way.

In behavioral treatments for OCD, individuals are encouraged to gradually confront situations that cause them to feel anxious, while at the same time, resisting the performance of the compulsions they ordinarily use to relieve their anxiety. This approach is known as Exposure and Response Prevention.

In the case of hoarding, we are talking about gradually sorting out and discarding things that have been accumulated. This may be done under the direct supervision of a therapist working on the scene, or by giving the individual weekly or daily homework assignments. Before the actual work of therapy begins the therapist makes a thorough behavioral analysis in order to determine what is being saved, how it is being saved, and where it is being saved. This may involve either a home visit by the therapist to directly observe the scene, or the patient may bring in photographs showing views of all areas of the home.

Clutter and trash may be dealt with either by location or category, and in either case, is approached by first working on things that are easiest, and then working towards those that are more difficult. For instance, the therapist may pick a particular room, closet, or area for the individual to begin clearing out, and then, over time, assign tasks designed to accomplish this. Alternatively, as some people tend to save only certain types of things, therapy may start by earmarking these particular items for removal, wherever they may be found.

One example would be people who save excessive quantities of newspapers, magazines, etc. having to bundle and put out a certain amount of them each week. Or in the case of those who have accumulated large amounts of clothing (old or new), having to throw out or donate a set number of articles between therapy sessions. In addition to this activity, the therapist will work with the individual to establish a set of rules for what can and cannot be saved, and in the case of saved items, how to store or arrange them in a neat and organized fashion.

Some therapists will set up a rule governing how long an item may be kept without being used, before it is considered in need of disposal.

With my own patients, I have always used what I refer to as my "Three Year Rule." Under this rule, any item that has not been used in any way during the previous three years must be discarded. There can be exceptions, of course, as in the case of family heirlooms, antiques, valuable collections, family photos, or useful tools, etc.

Where people's lives and dwellings have been disorganized for long periods of time, these rules are necessary to establish some kind of order, and to prevent the person from falling into chaos again. In all cases, the ultimate goal is to get the sufferer to take personal responsibility for the state of their dwelling, and to accept that they really do have a problem.

Some people seem to think that the ultimate solution should be to descend upon a sufferer's home, and forcefully clean the place out. While this might remedy the immediate problem, nothing else really changes, and within a period of time, the dwelling will fill up with things again in the same way as before. In addition, the anger and anxiety on the part of the sufferer that would result from such a remedy would probably only push them away from seeking help in the future.

The story of Langley and his unfortunate brother remains as a cautionary tale - an example of just how serious hoarding can become when left untreated. With appropriate therapies, however, such extremes of behavior can be prevented from engulfing the lives of otherwise intelligent and potentially productive human beings.

Too_Many_Tools wrote:

> I do...many of my fellow friends who have shops overflowing with "good stuff".
>
> In my own case, I see it as a very slippery slope....one great thing after another can follow you home until the doors to the shop won't shut.
>
> Sometimes...no many times...you just have to say "No".
>
> Your thoughts?
>
> TMT
>
> http://abcnews.go.com/Health/story?id=3D2790669&page=3D1
>
> Medical Mystery: Compulsive Hoarders
> A Psychological Compulsion to Keep Everything, Even When It Ruins Your Life
> By CECILE BOUCHARDEAU
>
> Jan. 16, 2007- - We are all pack rats to some degree. We hoard, collect and buy more stuff than we have room to store.
>
> But what if something in our brains made us incapable of throwing things out? Janie Allocca and Lorraine Brennan both suffer from a psychological disorder called compulsive hoarding -- an urge to hold on to even the most mundane objects, even when they take over their lives.
>
> Watch "Primetime: Medical Mysteries" Wednesday at 10 p.m. ET, and go to

> ABCNEWS.com during the show to diagnose a real medical mystery.
>
> Lorraine Brennan has been hoarding for nearly 20 years. She lives in a two-story house in Massachusetts with her father, son and fianc=E9e. Most rooms in the house are cluttered, and some are even unusable. The bedroom-office that she shares with her fianc=E9e is overrun with stuff they tried unsuccessfully to get rid of at a yard sale. Lorraine's purse is bursting with junk mail and receipts.
>
> Brennan's hoarding is not only ruining her life, but affecting her entire family. Her son can't bring friends home from school. Brennan and her fianc=E9e have been engaged for eight years, but he hasn't been able to commit to marrying her because of the clutter.
>
>
> ## 'There's No Place to Sit Down'
>
> Many hoarders are also compulsive shoppers. Janie Allocca has accumulated so much stuff that she uses her own house as a storage facility and lives with her mother.
>
> "I remember collecting, and keeping, and hoarding things since I can remember," Allocca said. "And now I am just living around the piles and piles I need to get rid of."
>
> "I have so much stuff that my house is totally unlivable," she continued. "There's no place to sit down. I can't get to the kitchen. I can't have anyone over for tea even though I have everything for tea. My collecting is taking up the space where I normally would live."
>
> There's a fine line between simple clutter and extreme hoarding. Most hoarders, observers say, are physically incapable of throwing things out. They can't live in, or use, rooms like the kitchen for their intended use. They also experience extreme distress from their condition.
>
>
> ## The Brain of a Hoarder
>
> Hoarding is currently considered a subset of obsessive compulsive disorder, but that may soon change. New research is finding that hoarding may be a unique disorder completely separate from OCD.
>
> Dr. David Tolin, director of the Anxiety Disorders Center at the Institute of Living in Hartford, Conn., has devoted his career to studying what goes on inside the mind of a hoarder.
>
> "At the moment, compulsive hoarding hasn't been fully defined by the psychiatric and psychological communities," he said. "One of the things that we wanted to do was to understand some of the brain mechanisms behind compulsive hoarding."
>
> Allocca is part of a study Tolin is conducting to see which parts of a

> hoarder's brain become active when they are faced with making decisions. She is hooked up to a brain-scan machine and asked to look at pieces of her mail and decide whether she wants them to be thrown out. She then must watch the mail get shredded.
>
> At this point, two parts of a hoarder's brain become active. The brain's orbitofrontal cortex is involved in decision making and causes a hoarder to process this experience as a punishing one. At the same time, the hippocampus of a hoarder actively searches for memories about the object. The hoarder tries to remember the object: what it is and why they saved it in the first place. By contrast, people without hoarding problems just don't think about the object that much.
>
> ### 'A Painful and Effortful Process'
>
> "What we find is that the brain is acting very, very differently when a person hoards," Tolin said. "When the person is trying to make a decision about what to throw away, it seems that the person who is hoarding, is processing this activity as if it is deeply punishing."
>
> "The person who hoards is going through a very, very effortful search of their memory to try to think of as many things as they can about this item before they make the decision," Tolin added. "What this all amounts to then is a painful and effortful process of decision-making, that you and I might take for granted."
>
> There is no cure for hoarding, and there is no medication to treat the condition. Right now, cognitive behavioral therapy is the only way to help hoarders make decisions and deal with their emotions.
>
> ### Getting Help
>
> In Beth Johnson's "Clutter Workshop" in Hartford, hoarders and clutterers practice throwing out possessions they have grown attached to. Johnson also takes her clients on nonshopping -- or nonacquiring -- trips to teach them not to buy things they don't need.
>
> "I try to help them see the larger picture and how this item won't fit into their life," said Johnson. "If you have a jam-packed house, if you're adding to it on a weekly or daily basis, you're basically defeating yourself."
>
> Dr. Randy Frost, a professor of psychology at Smith College in Massachussetts, focuses on helping hoarders make their homes clutter-free.
>
> "One of the things we know about hoarding is that the beliefs people have about their possessions are so powerful, that it's very difficult for them to get out of this behavior," said Frost, who is also author of the upcoming book "Buried in Treasures." "If the person throws

> something away and experiences distress, and does it again and again,
> eventually, they won't have that extreme emotional response, throwing
> something away."
>
> Frost held a one-on-one session with Brennan to see if he could help
> her. After a few hours, she was able to throw away receipts and a few
> pieces of junk, but, as with most hoarders, there is still a long road
> ahead.
>
> One major motivator for Brennan is the possibility of losing her
> fianc=E9e if she doesn't clean up her home. When asked if she thought he
> would really leave, Lorraine said, "I don't want to find out. I don't
> want to end my relationship. I want to do better. I want to make it
> work. I don't want to live like this anymore. I really don't."
>
> Dr. David Tolin and Professor Randy Frost are co-authors of a self-help
> book called "Buried in Treasures," to be published on February 5th.

```
From -7083131340858984201
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: "Rod Speed" <rod.speed.aaa@gmail.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Wed, 17 Jan 2007 08:46:27 +1100
Lines: 17
Message-ID: <514vdmF1hiulkU1@mid.individual.net>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<tJarh.12026$yx6.3728@newsread2.news.pas.earthlink.net>
<a9fqq2pim5714b83igtg7bt3i6o5hnechg@4ax.com>
X-Trace: individual.net A8N6emkAc/bVmBMmj94ALQ4VXeKq3BdJv0XqbSQxaPGPK+TWM=
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.crafts.metalworking:117705 rec.woodworking:106562
misc.consumers.frugal-living:58712 rec.radio.amateur.equipment:7858
alt.recovery.clutter:21364
```

George Max <bluemax53201@removethis.yahoo.com> wrote:
> On Tue, 16 Jan 2007 20:38:49 GMT, Lew Hodgett
> <lewhodgett@earthlink.net> wrote:

>
>
>>
>> Also, a move every 5 years or so, gets rid of a lot of "stuff".
>>
>> Lew
>
> If *you* don't throw it out, eventually your kids will.

Not necessarily, I kept quite a bit of what my dad had kept
and would have kept a hell of a lot more of it if I had been
living in the same city instead of on the other side of the country.

```
From 5760105453931739595
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!s34g2000cwa.googlegroups.com!not-for-
mail
From: "Seerialmom" <seerialmom@yahoo.com>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 16 Jan 2007 17:36:00 -0800
Organization: http://groups.google.com
Lines: 1147
Message-ID: <1168997758.761444.288010@s34g2000cwa.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <1168983511.683267.4060@51g2000cwl.googlegroups.com>
NNTP-Posting-Host: 192.55.52.1
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1168997772 31734 127.0.0.1 (17 Jan 2007 01:36:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 Jan 2007 01:36:12 +0000 (UTC)
In-Reply-To: <1168983511.683267.4060@51g2000cwl.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727; InfoPath.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 fmfwpr01.fm.intel.com:911 (squid/2.5.STABLE12)
Complaints-To: groups-abuse@google.com
Injection-Info: s34g2000cwa.googlegroups.com; posting-host=192.55.52.1;
   posting-account=tLsavw0AAABwvJPOYtrFfsaGJUACz5Zi
Xref: g2news2.google.com rec.crafts.metalworking:117775 rec.woodworking:106603
misc.consumers.frugal-living:58763 rec.radio.amateur.equipment:7859
```

alt.recovery.clutter:21370

Too_Many_Tools wrote:
> You may also find this article of interest.....
>
> TMT
>
> Langley Collyer: The Mystery Hoarder Of Harlem
> Fred Penzel[1], Ph.D
> On March 21st, 1947, at 8:53 a.m., the New York City police department
> received a phone call from a man giving the name of Charles Smith,
> notifying them that he believed a man was dead inside a decaying
> building on Fifth Avenue in Harlem. Officers arrived on the scene by 10
> a.m., and cordoned off the house in order to hold back the crowd that
> had gathered. The police removed an iron grill-covered basement door
> from its hinges, only to find the entrance completely sealed off by a
> solid mass of debris. Thus was thrust before the public one of the
> best-known and most mysterious compulsive-hoarding cases of all time.
>
> Compulsive hoarding is a form of obsessive-compulsive disorder (OCD), a
> neurobiological condition, most likely genetically based. OCD comes in
> a wide variety of forms, of which hoarding is only one. Compulsive
> hoarders may collect only certain types of things, or they may
> indiscriminately save everything. We are not talking here about
> collecting things that are valuable or important such as art, coins, or
> stamps.
>
> Hoarders tend to save things of little or no value...
> Hoarders generally tend to save things that are of little or no value,
> or if the things they save do have real value, they tend to save them
> in ridiculously larger quantities than would ever be necessary. One of
> the main obsessive thoughts that causes sufferers to do this is their
> worry that if they throw a particular item away, it will be lost
> forever, and they may one day be in need of it in order to be able to
> use it, to be able to remember it, or do something connected with it.
>
> They seem to have difficulty discriminating between what is or will be
> useful, and what is not. Some hoarders can freely admit that the things
> they are saving are currently broken or damaged and unusable. They will
> stubbornly insist, however, that they will someday repair or refurbish
> the items and either make use of them or give them away.
>
> Throwing away something is seen as being irresponsible...
> Another reason for hoarding resembles the type of thinking seen in
> hyper-responsible obsessions. It is the idea that each thing they save
> and/or repair might be useful to others (rather than themselves), and
> that the hoarder would be responsible (and therefore blameful and
> guilty) for another person not having this vital item should the need
> arise. They may also rationalize that what they are doing is actually
> "recycling," and are performing a community service by conserving
> resources. Throwing away something that could possibly be reused is
> seen as being highly irresponsible. In actuality, there really is no

> need for what they have saved, there is no one to give the items to, and the only result is that the hoarder is burdened with a house full of junk.
>
> Some of the things most commonly saved include newspapers, magazines, lists, pens, pencils, empty boxes, pamphlets, old greeting cards, junk mail, old appliances, outdated books and even assorted labels, string, rubber bands, plastic containers, bottles, and bottle caps. In the most extreme cases, people have been known to save such things as empty matchbooks, used tissues, old cigarette butts, bird feathers, old cars, discarded paper cups, used aluminum foil, paper towels, lint, and hairs. Some of these sufferers will even rummage through other people's trash, and bring home obvious junk that to them, seems quite useful or repairable.
>
> Accumulate things create fire or health hazards...
>
> Compulsive savers can accumulate large amounts of things, creating storage problems and fire or health hazards. Their houses can take on the appearance of having been ransacked, with floors waist-deep in trash and debris, rooms filled wall-to-wall with overflowing paper bags and cardboard boxes. Many sufferers can only make their way around their homes by creating aisles around and through the trash. Problems with municipal authorities are not uncommon, and hoarders are sometimes evicted or charged with violation of zoning or public-health laws. Ironically, the majority of people who save things compulsively rarely use or look at these things. Their security comes from merely having the things around "just in case" and in not having to make what seem like difficult decisions about what to discard.
>
> Let us now return to our story.
>
> The Collyers were part of one of New York's oldest families...
>
> Its main figures are two brothers, Homer Lusk Collyer (b. Nov. 6th, 1881), and Langley Collyer (b. October 3rd, 1885). The Collyers were part of one of New York's oldest families, a branch of the well-known Livingstons. Their ancestors had come over to America on the ship "Speedwell" in 1664, about a week after the Mayflower. The family had been members of the congregation of Trinity Church since 1697. Their father, Dr. Herman L. Collyer was a successful and renowned gynecologist, and his father, William Collyer, was said to have been one of the leading shipbuilders in America. In 1909, Dr. Collyer moved his family from Murray Hill to a fine upper-middle-class home in Harlem. It was a three-story brownstone located at 2078 Fifth Avenue (at 128th Street). Beyond his fame as a physician, the doctor was known to be a bit eccentric, paddling a small canoe to work each day at City Hospital on Blackwell's Island in the East River. He would subsequently paddle home at the end of his day, and then carry the boat on his head back to his house.
>
> Dr. Collyer's two sons seemed destined for successful lives of their own. Both attended Columbia University, where Homer earned a law degree, and his younger brother graduated with a degree in mechanical engineering and chemistry. Homer went on to practice admiralty law, but

> Langley, so far as is known, never held employment, and spent his time playing the piano. He is reputed to have won prizes as a concert pianist, but this cannot be verified. Perhaps Langley's inability to establish a career was an early sign of personal difficulties he may already have been experiencing.
>
> In 1917, the brothers had their telephone disconnected...
>
> It was probably a warning of things to come when in 1917, the brothers had their telephone disconnected, after being billed for long distance calls they claimed to have never made. This may have been the beginning of what would become a growing isolation from the outside world. Six years later, in 1923, Dr. Collyer died. Several years prior to his death, for reasons unknown, he had moved from his Fifth Avenue home to one at 153 West 77th Street. His sons remained at the family home with their mother. It is possible that a family breakup may have occurred.
>
> Life seems to have taken an abnormal turn for the two brothers in the year preceding the death of their mother in 1929. It appears that their gas was shut off in 1928, and they also seemed to have given up the convenience of running water and steam heat, and began using kerosene to light their home and to cook with. Water was obtained from a public fountain four blocks from their home. This was all clearly out of step for people of their education and social status.
>
> No one was ever permitted to enter their house...
>
> Despite all this, nothing appeared out of the ordinary to those in the outside world. The brothers were said to be courteous, cultured, and shy. The only sign that something might be amiss was that no one was ever permitted to enter their house. Around 1928, Homer worked for another attorney, John R. McMullen, who later became the family legal advisor. Homer next worked for City Title Insurance doing research in the New York City Hall of Records. He was described, at the time, as being courtly, and dressing in 19th century attire, presenting a rather Victorian appearance. He was said to resemble a gentleman of the 1880's.
>
> In 1932, Homer purchased a building across the street at 2077 Fifth Avenue for $8,000. He planned to divide it into apartments and to rent them. This plan was never realized, as he suffered a stroke in 1933, becoming blind as the result of hemorrhages in both of his eyes. With one exception, he was reportedly never seen outside of his home again. Langley then gave up his music to take on the job of nursing his brother back to health. No physician was ever consulted. Langley apparently believed that the cure for his brother's blindness was for him to eat 100 oranges a week, and to keep his eyes closed at all times, in order to rest them. The brothers possessed a large library of medical books, and it would seem that Langley felt he had the information and knowledge necessary to treat his brother.
>
> An intact Model-T Ford was discovered in the basement...
>
> At some point in the 1930's, the West 77th Street home where their father had lived was sold, and the new owner, a Mrs. Peter Meyer, discovered an intact Model-T Ford in the basement. It is not clear how

> it got there. Mrs. Meyer is said to have paid a workman $150 to disassemble the car and put the pieces in the street. This somehow came to Langley's attention, and for reasons known only to him, he carried the car piece-by-piece back to the basement of his Fifth Avenue home. It would appear that along with the loss of their other utilities, the brothers had no electricity, as Langley apparently tried to connect a generator to the car's engine in order to provide power, but was unsuccessful.
>
> The brothers eventually came to the attention of the general public when they were mentioned in an article written by Helen Worden, a reporter for the World-Telegram. A real estate agent named Maurice Gruber was attempting to buy some farmland in Queens that belonged to the brothers. Their refusal to respond to his letters or to answer the door when he tried to see them in person resulted in Gruber keeping a vigil at their home. In her article, Worden referred to Langley Collyer as "the mystery man of Harlem," and included in it, a whole range of sensational rumors that had been circulating about the brothers and their home. It was said to contain all sorts of rich furnishings, a vast library of books, and huge amounts of money that Langley would not trust to banks.
>
> The brothers were depicted as wealthy hermits...
>
> Worden, herself, kept a watch on the Collyer's home, and finally caught up with her elusive quarry one night, as he was leaving the house to go on what was one of his regular after-dark shopping trips. She questioned Langley about a boat (his father's) and the Model-T Ford said to be in their basement. Langley confirmed these stories. Rather than clearing up the mystery, Ms. Worden's article seemed to have only increased the speculation and rumors about the brothers, and during the 1930's other articles were written about the brothers in the New York papers. The brothers were depicted as wealthy hermits, living in a storehouse of money and valuables. People visited the house, banging on the doors or attempting to see them, while neighborhood children committed various acts of vandalism that included breaking windows. As windows were smashed, Langley systematically boarded them up instead of replacing them.
>
> Throughout this time, and most likely the result of a case of compulsive hoarding, Langley was hard at work filling the once attractive home with huge amounts of newspapers, cardboard boxes, barrels, metal cans, tree branches, scrap metal, and other assorted trash. In the case of the newspapers, it is said that he believed that his brother Homer would someday regain his vision, and would then want to catch up on the news he had missed. He was known to prowl the streets at night, gathering items from curbside trash piles and bringing them home. No one knows how many years he had been actively engaged in this collecting. His foraging resulted in all three floors of the house being filled with literally tons of things he had collected. Perhaps it was his knowledge of engineering that enabled him to arrange the boxes and packing cases in interlocking arrangements that concealed a maze of tunnels that only he knew.
>

> The home became a fortress with booby-traps...
> Langley was said to harbor fears of being burglarized, and there had,
> in fact, been several attempted break-ins over the years by those
> perhaps lured by the tales of stockpiled riches. The home became a sort
> of fortress for the brothers, with booby-traps constructed of great
> piles of debris rigged with the aid of trip wires to fall on
> unsuspecting intruders. This, of course, only served to increase the
> brothers' growing isolation. If their goal was to keep the world out,
> they were succeeding.
>
> Although the brothers were by no means poor, Langley is also said to
> have regularly rummaged through garbage cans seeking food. He went
> begging at butcher shops for scraps, and was known to have walked as
> far as Williamsburg, in Brooklyn to purchase stale bread at the lowest
> possible cost. The Collyers again appeared in the newspapers in April
> 1939, when, armed with a court order, a city marshal together with
> representatives of the Consolidated Edison Company entered the
> brother's two fifth avenue buildings and removed the gas meters, which
> had been in a state of disuse since 1928. A crowd said to be as large
> as 1,000 people gathered outside their home to see what was happening.
>
> Homer's last appearance outside the house is said to have occurred a
> number of months later on January 1st, 1940. Sgt. John Collins, a city
> policeman from the 123rd street station who was familiar with the
> Collyers, spotted the two brothers carrying a large tree limb from
> across the street into their basement. Langley guided the branched end,
> while Homer held up the other end.
>
> Not paying taxes was a symptom of their reclusiveness...
> Although the brothers did everything they could to avoid public
> scrutiny, it had its own way of intruding into their solitude.
> Ironically, it was their reluctance to encounter the outside world that
> continually brought the world to their doorstep. It appears that not
> paying taxes and other bills was a symptom of their reclusiveness, and
> it caused them no end of trouble. The most highly publicized example
> occurred in August of 1942, when the Bowery Savings Bank foreclosed on
> a mortgage that amounted to $6,700 plus interest (no interest had been
> paid since 1940).
>
> After going to state Supreme Court, the bank obtained permission to
> evict the brothers from their home. The very same day, however, the
> Collyer's attorney, John R. McMullen, met with bank officials with an
> offer by his clients to repurchase the property. As the house was seen
> to be in very poor condition, it appeared that the Bowery Savings Bank
> was not all that eager to repossess it. Mr. McMullen had never actually
> been allowed in the brothers' house, so instead, Langley, who almost
> never appeared in daylight, had walked all the way to his attorney's
> office on Park Row to discuss the matter. Mr. F. Donald Richart, vice
> president in charge of real estate for the bank, consented to give the
> brothers "a generous amount of time" so that they could work out the
> details of the repurchase.
>
> Growing rumors that Homer had died...

> There were growing rumors on the street, around this time, that Homer had died and that his body was still in the house. Sgt. Collins of the 123rd street station (mentioned earlier), took it upon himself to look into the matter. He encountered Langley, and somehow got his permission, despite some reluctance, to enter the house through the basement door. In a surreal journey through a labyrinth of tunnels in the trash and homemade booby-traps that lasted a half hour, Langley led the officer to the bedroom where Homer was to be found. What happened next is told in Sgt. Collins own words. "I switched on my flashlight, and there was Homer sitting up like a mummy. He was on a cot, a burlap bag beneath him and an old overcoat on the foot of the cot, and he spoke directly to the officer. "I am Homer Collyer, a lawyer. I want your shield number. I am not dead. I am blind and paralyzed." Langley subsequently made a complaint to the police department about the incident, but no action was ever apparently taken on the matter.
>
> In the matter of the Bowery Savings Bank, it seems that no repurchase offer was ever worked out, so in October, Supreme Court Justice Bernard Botein signed an order permitting the city sheriff to evict the brothers from their brownstone. This same judge's decision, which had been issued in August, was now about to be carried out. The bank, still trying to not have to resort to force, repeatedly mailed eviction notices to the brothers, who never responded.
>
> The Bowery Savings Bank was not to be put off indefinitely. As the new owner of the building, they were required by the city to make repairs to the property according to the city's building and sanitary codes. At the end of September, they dispatched a crew of workmen to the house to begin carrying out the repairs that had been ordered by the Department of Health. A number of police officers and patrol cars were sent to the scene to manage the inevitable crowd that had gathered, as it always did whenever any activity took place at the Collyer home. As the workmen went about repairing a falling stone cornice, replacing missing window panes, and removing piles of junk from the rear of the property, Langley Collyer called out to them from an upper-story window, demanding to know by what right they were trespassing on his property. The contractor was then forced to stop work and obtain a copy of the city order, in order that the repairs might continue.
>
> The city sheriff carried out the eviction order...
> On November 19th, following the brothers' repeated refusal to respond to various notices, the bank requested that the city sheriff carry out the eviction order and enter the house by force, if necessary and remove the brothers. In short order, at 10 o'clock, there showed up at the Collyer's door two deputy sheriffs, Herman A. Murray and Gillespie Anderson, police captain Christian Zimmer of the 128th street police station, Dr. Marshall Rose, sheriff's physician, John Redfield of the Bowery Savings Bank, and Joseph and Herman Cohen, a father and son, respectively, who were both locksmiths. Mr. McMullen, the Collyer's attorney met them there. The group took turns pounding on the door for over an hour, but the only answers were echoes. A crowd collected on the sidewalk, hoping to get a glimpse of what was going on at the "haunted house," as it had come to be known in the neighborhood.

> The locksmiths then tried for another hour, in vain, to force the lock on the large wooden front doors, but were unsuccessful because of all the rust and corrosion. Going to the rear of the house, they were able to remove an iron grille-covered door leading to the basement with the help of the two deputies. Here, they found themselves stymied again, as they found their way barred by a mass of wire netting, behind which was a solid mass of crates, barrels, and large tin canisters from floor to ceiling. Seeking another entrance, they next moved on to another rear door, and tore away its rotted boards, only to find a further wall of garbage cans, trunks, crates, and pieces of rusted iron. Breaking in yet another rotted door next to this one, they were met with a similar obstruction.
>
> Covered with dust, and feeling frustrated, the team returned to the front of the building to form a new plan of action, and decided to now make their way into the building via a window. One of the locksmiths, Joseph Cohen, swung up from the top of the front stoop and made his way to the ledge of one of the building's high north windows, where he forced open the shutters. He then broke a windowpane with a hammer, and climbed in through the now empty frame. His son Herman stood outside the window on the ledge and peered in at his father, who by this time was half-choked with dust.
>
> The room was filled to overflowing...
>
> As with the other parts of the house encountered thus far, the room was filled to overflowing with various and sundry items - heaps of old sheet music, gilded picture frames, Christmas ornaments, broken plaster cherubs, piles of books, garden baskets, etc. Joseph Cohen finally managed to work his way downstairs to the front entrance where he and deputy Murray were able to open a path near the door. Clouds of choking dust enveloped them, making the going difficult, and breathing an effort. They eventually opened a parlor door and made it into a hallway where they encountered further barricades. Suddenly, they were greeted by a weary voice from out of the gloom, asking, "What is the meaning of this?" Deputy Murray replied, "I have an eviction notice." Langley then asked him, "Is Mr. McMullen here?" McMullen, who had by now worked his way to the barricade called out to his client, "They will put you out, Mr. Collyer, unless your keep the agreement." Langley replied, "Do what you think best." Following his attorney's advice, Langley then borrowed a pen from the deputy, and signed a check for the full amount, thus ending the invasion.
>
> But the Collyer's troubles were not yet over.
>
> The IRS was now pursuing Homer for income tax arrears...
>
> They came in for some further unwanted attention in February 1943, but this time from the Internal Revenue Service. The IRS was now pursuing Homer for what it claimed was $1900 in income tax arrears plus interest that had accumulated over the previous twelve years. Homer was notified that unless this sum was promptly paid, the house he owned at 2077 Fifth Avenue would be sold at auction on February 3rd. This was the building across the street he had purchased with the intent to divide

> into rentable apartments. The ever-patient Mr. McMullen hoped his
> client would come through at the last minute, as had happened
> previously, although the attorney had been unsuccessful in his attempts
> to contact the brothers.
>
> On the day of the auction, the IRS representatives waited for over an
> hour beyond the scheduled auction time, and finally, the property was
> put up for bid. When no bids were offered, and with Mr. McMullen
> present, the government took possession, although it was not eager to
> do so due to the poor condition of the property. It was so rundown,
> that it hardly seemed worth the effort. Beyond the building being of
> little worth, there were also the problems of the cost of the auction
> itself, not to mention the $3,000 in back taxes on the property owed to
> the City of New York that had been unpaid since 1938. According to the
> rules, the government would have to hold onto the property to allow
> Homer the chance to pay what he owed and get his property back. He
> never paid, and it does not appear that the government ever went any
> further in the matter of taking possession of the building, as will be
> seen.
>
> Over three years later, the Collyers once again found themselves in the
> news.
>
> The reclusive Langley refuesed to cooperate...
> On July 23, 1946, two police officers, Daniel Pesek and John Killoran,
> while on radio car patrol, heard noises coming from 2077 Fifth Avenue.
> Upon further investigation, the officers discovered two men stealing
> plumbing and electrical fixtures from the building. The two patrolmen
> tussled with the vandals, capturing one of them, a homeless man named
> George Smith, aged 25. Officer Killoran hurt his leg when he fell
> through a hole in the floor. The officers then attempted to contact
> Langley in order to get him to swear out a complaint against the thief,
> but speaking to them through his locked door, he refused to do so.
> Despite his lack of cooperation, Langley was named as the complainant,
> and notified that if he did not appear in court, the city would issue
> him a subpoena. He still refused to cooperate, but after officer Pesek
> tried several times to serve him with the subpoena, he relented. It
> seems that time and again, only the threat of legal action could pry
> loose the reclusive Langley from the decrepit building he and his
> brother called home.
>
> On July 27th, dressed in turn-of-the-century garments, he appeared in
> the city's Felony Court as complainant against Smith. What was
> particularly unclear about all this was that technically, the Collyers
> no longer owned 2077 Fifth Avenue. Langley clearly did not accept all
> this, and prior to signing the complaint, he stated, "My invalid
> brother, Homer Lusk Collyer, and I still own that house and we have the
> keys to it." He added, "The government seized the property on the
> contention we did not pay income taxes, but we are going to sue and get
> that property back, because the government can't demand income taxes
> from us when we had no income." The brothers had, in fact, never
> surrendered the keys to the building. He went on to relate that this
> was the third incident in which he had had to go to court to swear out

> a complaint against criminal intruders at his home.
>
> The brothers owned two land parcels in Queens County...
> The last time either of the Collyer's was seen alive, was the result of
> yet another tax problem with New York City. It seems that the brothers
> owned two land parcels in Queens County, which they had inherited from
> their father. The city had wanted this land for new streets and other
> purposes, and Langley, together with Mr. McMullen, had a meeting about
> this with the city's corporation counsel the previous October. After
> Langley refused two summonses to testify before Supreme Court Justice
> Charles C. Lockwood, the land was condemned by the city, and the
> brothers were awarded $7500, which was substantially less than its
> appraised value. Unfortunately, they would see none of this award, in
> any case, as the city claimed the brothers owed it $27,000 in back
> taxes. Interestingly, a news article about this in the New York Times
> mentions that the brother's only regular means of contact with the
> outside world was a crystal radio set.
>
> Which brings us back to the beginning of our story on the morning of
> March 21st, 1947, with the police receiving the phone call from the
> mysterious Mr. Charles Smith.
>
> An officer was was unable to open the front door...
> The police had received a number of such calls over the years, but as
> usual, they were obliged to respond. An officer was dispatched to the
> scene, but was unable to open the front door. He then put out a call to
> Police Emergency Squad 6, which arrived on the scene at 10:00 a.m. They
> began by cordoning off the Collyer's house in order to hold back the
> crowd of curious onlookers, which grew as large as 600 people. The
> officers began their search by using crowbars and axes to try to force
> an entrance into the house. They broke their way through an iron
> grille-covered door to the basement in the front of the house, but as
> had happened in the past, they immediately found themselves confronted
> by the usual floor-to-ceiling wall of crates, newspaper, furniture, and
> odd pieces of junk.
>
> Officers found the emaciated body of a white-haired man...
> For their second attempt to gain entry, the officers obtained ladders
> from the Fire Department and tried the windows on the upper floors.
> Unfortunately, many of the shutters on the windows couldn't be opened,
> and it wasn't until 12:10 p.m. that a patrolman William Barker was able
> to make his way through a second story window. Patrolman Barker was not
> seen for several minutes, and on his return to the window, called to
> his fellow officers, "There's a DOA here." In response, Detective John
> Loughery made his way up the ladder in order to view the body, as other
> officers began to batter in the wooden front doors with axes. They were
> again faced with another massive obstruction of neatly tied bundles of
> newspaper, as well as cardboard boxes filled with assorted contents.
> Although they tried to tear down the wall of debris, they were forced
> to admit defeat. Meanwhile, Detective Loughery related what he had seen
> - the emaciated body of a white-haired man dressed in a tattered gray
> bathrobe, sitting upright, and tentatively identified as Homer Collyer.
> The medical examiner, Arthur C. Allen, arrived at 3:45 p.m., and

> declared that the individual had been dead for approximately ten hours.
>
> The next order of business was to locate Langley, who was nowhere to be found on the premises. It was reasoned that if he were within the house, he would have made an appearance by this time, as he usually did. Police were perplexed about how Langley was able to enter and leave the building, but neighbors stated that he regularly entered and left on his daily shopping trips via the front basement's iron-bound door. After their own struggle to enter, the officers refused to believe that this was possible.
>
> The entire house was packed with debris of various kinds...
> According to the New York Times, the entranceway past the basement door contained "... an old stove, several umbrellas, numerous packages of newspapers, a gas mask canister, an old stove pipe, and a broken scooter." There were also numerous rats seen darting around and through the piled trash. An inspection of the rest of the premises through various windows and around the second floor where they had entered revealed that the entire house was packed with debris of various kinds. It appeared that the building was riddled with a maze of tunnels through which Langley had moved, pulling bales of newspaper in behind him, to prevent intruders from entering. The police also found tin cans and piles of heavy debris wired together to form booby traps, in which the cans would sound an alarm, and a mass of junk would fall on the unsuspecting invader.
>
> ...newspapers lying around that dated back to 1915.
> Homer Collyer's body was taken away in a body bag to the police van that would transport it to the morgue. An autopsy was to be conducted to determine the cause of death, although foul play was not suspected. The crowd, milling around on the sidewalk hoping to see what was going on inside, and trading stories about their unusual neighbors, and the fabled wealth that was rumored to be hidden in the house. Some believed the numerous cardboard boxes that filled the house were stuffed with cash. As they searched further, police found newspapers lying around that dated from as far back as 1915. Strewn everywhere were such things as hats, boxes of Christmas cards, a folding chair, a broken sled, and automobile seat, part of a piano frame, etc.
>
> The police were careful to put everything back in place, including the materials they had removed to be able to enter the building. They then boarded up the house at 5 p.m., at which time, Attorney McMullen arrived on the scene. He took charge of all papers, notes, and letters discovered there by the police, and stated to the press that he was sure his elderly client would soon be in touch with him. He also quoted Langley as having said that they were entitled to live their own lives.
>
> No one had any idea of where Langley might be found...
> The next day's papers puzzled over the missing Langley. No one had any idea of where he might be found, with the exception of Mr. McMullen, who told reporters, "Your guess is as good as mine, but I think he is in the house, myself." Detectives from the 123rd street station thought that he might still be out on one of his shopping trips to Brooklyn.

> These were sometimes known to last as long as twenty-four hours, because he made the trip on foot. Deputy Inspector Christopher Salsieder announced that if Langley did not show up by 1 p.m. on March 24th, a missing person's alarm would be issued. In the meantime, it was decided to not perform an autopsy, as the cause of death was believed to be the result of "ateriosclerotic heart disease," which, it was said, could be determined by external examination. Later reports seem to indicate, though, that an autopsy was finally performed.
>
> Of course, the usual publicity-seekers were quick to come out of the woodwork.
>
> William Rodriguo, a sometime Democratic politician from Harlem, came forward, claiming to be the "Charles Smith" who had phoned the police, touching off this latest incident. He stated that he had used a false name due to not wanting to get involved, but had later changed his mind. He added a further touch of mystery to the story, telling police that he had been told of the Collyers' deaths by an unknown man he had met in front of their house the morning of his phone call. The next day, on the 23rd, the crowd outside the decaying brownstone had grown to several thousand people. Langley had still not appeared, and the curious were hoping for a glimpse of him, or failing that, his remains.
>
> A stream of autos crawled by the building...
> One man showed up with a shovel and began digging in the building's front yard, but was removed by the police. A stream of autos from as far away as New Jersey and Connecticut crawled by the building in a regular procession. The daily papers thirsted to know about the contents of the house, rumored for years to contain numerous grand pianos, a Model T, and a boat.
>
> Inspector Joseph Goldstein of the Tenth Division speculated that a thorough search of the entire house would occupy a police emergency squad for three weeks. They were to begin work later that day, following an inspection by the Department of Housing and Buildings and the Board of Health. The strategy would be for police officers to begin with a search of the top floor, dumping the contents into the backyard. It was decided that the items removed would not be taken away until the public administrator or an heir of the Collyers gave approval. A relative of the brothers, William Collyer of Yonkers, turned up at the house that day, relating to reporters that his mother and sister had visited the brothers in 1928, and noted that the house, at that time, contained no furniture, but was already filled with quite a bit of debris.
>
> The clearing of the building began the next day on the 24th. This first stage of the operation, the clearing of the top floor, began that afternoon, headed by Inspector Goldstein.
>
> Officers broke open several skylights to enter the building...
> After Mr. McMullen declared Langley missing at 1:15 p.m., and after officials from the two city departments declared the building safe to enter, the officers of Emergency Squad 6 began their task by sending

> over a ladder from an adjoining rooftop. After climbing across, they
> broke open several skylights and a roof trapdoor, through which they
> entered the building. Once inside, they smashed windows in order to get
> some badly-needed ventilation. A large crowd, whose numbers now ran as
> high as 2,000 watched the spectacle from the street, windows, fire
> escapes, and rooftops, cheering each time a sizable object was thrown
> into the yard below. Among these items were a gas chandelier, the
> folding top of a horse-drawn carriage, a rusted bicycle, a child's
> chair, an automobile radiator, dressmaking dummies, a sawhorse, a
> rusted bedspring, a kerosene stove, a doll carriage, a checkerboard,
> and numerous bundles of newspapers. A team of sixteen men inspected
> each object as it was thrown out, looking for valuables and important
> papers to be saved. They found enough ledgers, correspondence, and
> legal documents to fill eight crates which were taken to the West 123rd
> street station to be looked over by someone from the public
> administrator's office.
>
> Over 2,000 dust-covered volumes and five pianos...
> At 3 p.m., Inspector Goldstein called off the search for Langley for
> that day, and sent his men to check out the basement. They found the
> walls lined with ceiling-to-floor bookcases containing over 2,000
> dust-covered volumes, among them numerous books on the law and
> engineering. Reporters and a family member were allowed to have a look
> around, and among the newspapers and cardboard boxes there were as many
> as five pianos. With much effort, the officers cleared a path to a
> stairway, but were unable to open up the stairway itself. While
> clearing this area, they stumbled on a generator, which may have been
> used to produce electricity.
>
> Some of the debris removed was piled in the front areaway, and included
> a kiddy car, three women's hats, a box of curtain rings, a green toy
> bus, some lead pipes, and a Metropolitan Opera program from 1914. At 4
> p.m., the Emergency Squad forced their way into the first floor. Aided
> by searchlights powered by a portable generator, they made out a
> mahogany mantelpiece containing a large cracked mirror resting against
> a wall, an old RCA radio in a corner, and a large pile of furniture
> covered with dust standing in the middle of the floor. The windows were
> covered with a filthy green drapery.
>
> At this point, the search was ended for the day, with the police
> boarding up the windows, and piling the collected debris in a section
> of the yard surrounded by a tall iron fence. Langley had still not been
> found, but the police were determined to return and finish their
> search.
>
> March 26th, still no sign of the missing brother...
> The following morning at 10 a.m., the officers resumed their search. It
> was now March 26th, with still no sign of the missing brother. The day
> was particularly windy, blowing some of the old newspapers down the
> street, where they were snatched up by the ever-present crowd as
> souvenirs. The overwhelming mass of debris the police removed from the
> house consisted largely of old newspapers, cardboard boxes, magazines,
> and pieces of wood. Among the other assorted things uncovered that day

> included a nursery refrigerator, a beaded lampshade, a box of toy tops, and a toy airplane.
>
> In the basement, they found the chassis of the fabled Model-T Ford, thus confirming one rumor. Important documents and papers continued to turn up, and these were removed to the 123rd street station. Any useless material that could be combustible was carted away in two truckloads by the Department of Sanitation, to be burned in its incinerators. The first load weighed 6,424 pounds, and the second a bit less.
>
> A further maze of tunnels and several new booby-traps...
> One rumor that was put to rest was the existence of a secret basement tunnel connecting the brother's two buildings. In addition to discovering a further maze of tunnels, several new booby-traps were found, consisting of things such as cans, or large tree limbs (as large as twenty inches in diameter), set to drop on unwary intruders.
>
> The police were becoming increasingly convinced that Langley was not to be found alive on the premises, but they were determined to continue their search of the entire house. Inspector Goldstein stated that the work would continue, "... until we are sure Langley Collyer is not in there, dead or alive." One theory was that his body might yet be found stuck in one of the booby-trapped tunnels. Assistant Chief Inspector Frank Fristensky, Jr. told the press that it would take them several more days before they had a clear picture of what the interior of the building contained. Attorney McMullen had already become concerned about the brother's tangled finances and their numerous bank accounts. He estimated their worth to be in the six-figure range, not including the real estate they owned.
>
> Work continued on the 26th, much as it had the day before.
>
> The Emergency Squad began work at 10:00 a.m., halting briefly at noon when some confusion arose over whether proper legal authorization for their work had been obtained.
>
> ...searchers tossed large amounts of material from the windows.
> At 2:30 efforts to clear the top floor resumed, with the searchers tossing large amounts of material from the windows. Relatives watching the operation from the street complained to the police that they were being less than careful in discarding things, and risked discarding items of value, as well as important papers. This resulted in the officers being somewhat less energetic in clearing things out. One particular item that attracted attention was the discovery of a .22 caliber pistol and holster, along with ammunition of various types. This was turned over to the Police Ballistics Bureau.
>
> A report submitted to the public administrator of New York County by Deputy Chief Inspector Conrad Rothengast stated that it was believed that Langley Collyer was dead based upon the facts that the brother had never been away from his home for more than twenty-four hours, and that the death of Homer would certainly have been cause for him to have at

> least contacted his attorney or his relatives.
>
> The next day, the New York Times reported that the surrogate, a Mr.
> James A. Delahanty, was unable to appoint Francis J. Mulligan, the
> public administrator as temporary administrator of the Collyer
> brother's estate. While everyone in the case agreed that Langley
> Collyer was most likely dead, Mr. Delahanty felt that definite proof
> was required for such a move to be made. Various affidavits from such
> people as John R. McMullen and William Rodriguo were due to be
> submitted to Mr. Delahanty.
>
> March 27th, still no trace of Langley...
> As of the 27th, police searchers still had been unable to turn up any
> trace of the missing Langley, although they did turn up a cigar box
> containing three more revolvers, a sixteen-gauge shotgun, a .22 caliber
> rifle, a .30 caliber rifle, a two-foot long bayonet, and a three-foot
> long cavalry saber. Near the spot where Homer's body had been
> discovered, they found another old cigar box containing thirty-four
> bank books from various savings banks. Eleven of them had been
> canceled, and they showed savings totaling $3,007 dollars.
>
> By March 28th, the police were having their hands full following up on
> numerous tips they were receiving, concerning the whereabouts of the
> missing Langley.
>
> Officers were dispatched to the Borough Hall-Jay Street Station in
> Brooklyn after a conductor reportedly saw him board the subway there.
> They also searched a group of boarded-up summer hotels and bungalows in
> Asbury Park, New Jersey; a place where the brothers had spent time
> between 1901 and 1907, and where it was thought Langley might be
> hiding.
>
> In the meantime, surrogate Delahanty finally appointed Francis J.
> Mulligan as temporary administrator of Langley's estate, in addition to
> being made administrator of Homer's. Following these appointments,
> police halted their intensive search for Langley in the Fifth Avenue
> home, and decided, instead, to begin shipping the contents to an unused
> school building at 67 Rivington Street on the 31st, where they would be
> inspected for valuables and important papers. Items of obvious value
> were to go to this location, while things that were obviously trash
> would be removed by the Department of Sanitation.
>
> Following leads in New Jersey...
> On the following day, Mr. Mulligan, as administrator, visited the city
> morgue to claim the body of Homer. Funeral arrangements were set for
> April 1st, to be held at Cypress Hills Cemetery in Queens, where the
> family owned a plot. Police were still hard at work tracking down
> various leads. Their latest took them to New Jersey. A waitress in
> Tuckerton reported to police that she had served food to a customer who
> appeared to fit Langley Collyer's description, which by then, had been
> widely distributed. She added that the man had subsequently boarded a
> bus headed for Atlantic City. Police in that city then proceeded to
> make a sweep of hotels and rooming houses.

>
> Police recommenced their search on the 31st as planned, beginning at 8:30 in the morning. It appeared that they would be able to clear about one room per day, and there were an estimated twelve rooms in the building. The workforce at the house now consisted of two detectives and five laborers hired by Mr. Mulligan. Their work concentrated on the front basement room, which was found to hold 3,000 books, numerous telephone directories, a Steinway piano, a horse's jawbone, a Model-T Ford's engine block, numerous campaign buttons, and large amounts of newspaper, as usual, tied up neatly in bundles.
>
> Homer Collyer's funeral held on April 1st...
> Homer Collyer's funeral was held on April 1st, but of the fifty-three people who were present, only two actually knew him. Both were neighbors. Seventeen cousins of the Collyers were also in attendance.
>
> John R. McMullen also attended, hoping that perhaps that Langley would appear at last. Said Mr. McMullen to the press, "I had hopes until the last minute that Langley would be here if he were alive." When questioned if he believed Langley was still alive, he replied, "One guess is as good as another." The police search for the missing brother continued. They sent out 500 pictures of him to every New York City police precinct, and also to the police in eleven states. Efforts to clear the house were now in the second day. The detectives and laborers continued their methodical work. By the end of that day, nineteen tons of trash and objects had been removed. The bulk of this came from the first floor hallway.
>
> It was decided by the public administrator that Langley's estate would pay for the use of a school building where valuable items from the home were being stored. The Department of Housing and Buildings, meanwhile, ruled that the house would eventually have to be repaired or demolished. On the 3rd, it was thought that the mystery of Langley's whereabouts had been solved when a body resembling his description was discovered floating in the East Bronx in Pugsley's Creek, but the excitement ended abruptly when the body was identified as an elderly man who had recently disappeared from a houseboat.
>
> April 7th: 103 tons of rubbish removed to date ...
> By the 7th of April, workers had removed approximately 103 tons of rubbish from the home, with twenty-two tons having been removed on that day alone. Among the more interesting items found at that point were five violins that were to be sent for appraisal. It was estimated by the supervising detectives that it would take another week to ten days to clear out the structure.
>
> Down at the Missing Persons Bureau, Detective Charles Meyers offered the theory that "Everything points to Langley being dead in the building." He added that the results of an autopsy on Homer indicated that there had been no food or liquid in the invalid's stomach. Detective Meyers concluded that, "Homer died for lack of care." It simply did not add up that Langley would have allowed his brother to die unattended, or simply not show up at his funeral.

> April 8th: Langley's body finally discovered...
>
> It would ultimately turn out that Detective Meyers was correct, as on April the 8th, Langley's body was finally discovered, pinned by one of his own booby-traps in that same room on the second floor where Homer's body was previously found.
>
> The work of clearing the house that day had proceeded as usual, with workers from the public administrator's office and police working their way through the second floor. By 3:30 that afternoon, about seventeen tons of material had been removed and loaded onto Department of Sanitation trucks. Shortly afterwards, a detective, Joseph Whitmore emerged from the building and asked reporters waiting on the scene to follow him. He led them to a corner drugstore. Placing a call to his headquarters, he reported, "We've got him." He went on to explain that he, and detective John Loughery, had located Langley's body. Loughery added, "We were scraping around in the rubbish when we saw a foot sticking out."
>
> Within an hour, as word spread of the discovery of the body, a crowd of around 500 locals who had gathered to watch the day's work at the house, swelled to over 2,000.
>
> Police higher-ups, including Commissioner Arthur W. Wallander, soon arrived on the scene. The commissioner commended detectives Whitmore and Loughery for their work in the investigation. Thomas A. Gonzales, the medical examiner, spent a half hour examining the corpse. He estimated that Langley had been dead at least two weeks, and possibly as long as four, and that the cause of death was either starvation or suffocation.
>
> Langley died, trapped in debris...
>
> Langley's body lay on its right side, inside one of the two-foot-wide tunnels that was part of the maze he had created, his head turned toward the area where his brother's cot had been, only eight feet away. The room, itself was filled with piles of newspapers, books, old furniture and tin cans. The materials that had apparently trapped Langley were a suitcase, three metal bread boxes, and bundles of newspapers. One particularly unpleasant detail was that the numerous rats that infested the house had gnawed at his partially decomposed body.
>
> Jacob Iglitzen, who also happened to be the druggist from whose store the phone call had been placed, subsequently identified the body. He stated that he was able to recognize Langley's face, although it was somewhat decomposed. He also identified Langley's clothes. Overall, the evidence appeared to indicate that Langley had been killed by falling debris, and that his invalid brother, Homer, died from dehydration and malnutrition.
>
> Attorney McMullen, told the press that he planned to confer the next day with Joseph A. Cox, an attorney for the city's public administrator, concerning the handling of the brother's assets, which

> were now estimated to be in the range of $100,000 distributed among various bank accounts and real-estate holdings. This finally laid to rest the popular notion that the brothers were multimillionaires.
>
> Langley had died a month before his brother...
> The next day, on April 10th, the medical examiner concluded that Langley Collyer had been smothered by the debris, which had collapsed upon him, and had been dead for at least a month before his brother, Homer. A funeral was held the next day on the 11th at Cypress Hills Cemetery in Brooklyn. The Reverend Dr. Charles T. Bridgeman, the assistant pastor of Trinity Church presided. There were forty persons in attendance, including many cousins. The saga of Langley Collyer was not quite finished, however.
>
> A month later, the Commissioner of Housing and Buildings, Robert F. Wagner, Jr., announced that the house at 2078 Fifth Avenue still contained substantial filth and garbage, and that it remained "a distinct menace to health." He requested that the public administrator in charge of the brother's estate, Francis J. Mulligan, clear out the building, in order that the property could be surveyed. Findings would then be sent to the state Supreme Court so that the city could receive permission to demolish the building. On June 30th, Supreme Court Justice J. Edward Lumbard signed the order for demolition.
>
> Collyer home to be demolished...
> An inspector from the Department of Housing and Buildings had noted that the "roof beams were water soaked, rotted, and defective," and that all the floors throughout the entire building are sagging and defective." The city would next seek bids on the demolition of the building, and sometime after, the Collyer mansion was no more.
>
> ...and the property finally auctioned.
> As a final chapter, the lot at the corner of 128th Street was publicly auctioned on March 1, 1951.
>
> Unfortunately, Langley Collyer lived in an era when problems such as compulsive hoarding were regarded as eccentricities, something to be laughed at or ridiculed. Assuming that even had he been able to come to grips with the fact that he had a serious problem, there is little that would have been done for it at that point in history. Back in the first half of the 20th century, problems such as OCD were treated with psychoanalytic-type talk therapies, which produced little in the way of results.
>
> Even today, we still read reports of individuals whose trash-filled properties have been condemned, or who were forced by law to clean up dwellings, which have been declared public nuisances or even health risks. Municipal governments and the media still seem to not understand what is going on in these situations, and that these are individuals in serious need of help. Sufferers of O-C disorders can be found to have varying degrees of insight. They may differ in their ability to recognize that they have a disorder, or that their behaviors are not those of the average person. It would appear that Langley Collyer, if

> he in fact had OCD, might have been one of those with a lower level of
> insight into his problem. It may well be that he believed his hoarding
> behaviors served a valuable purpose of saving money an ironic notion,
> considering that the brothers were relatively well off for the era they
> lived in.
>
> It would also seem that in terms of reclusiveness, Langley and his
> brother became caught in an insidious loop. That is, as their behavior
> moved further and further away from the norm, and people's reactions to
> them became more critical and judgmental, they pulled in their
> boundaries and cut themselves off even more. This, in turn, would most
> likely have served to make them seem even more abnormal to outsiders,
> resulting in even more harsh treatment by the outside world.
>
> Compulsive hoarding now regarded as treatable...
> Nowadays, compulsive hoarding is regarded as treatable via behavioral
> therapy and medication. Sufferers can learn to clean up their
> dwellings, and to keep them that way.
>
> In behavioral treatments for OCD, individuals are encouraged to
> gradually confront situations that cause them to feel anxious, while at
> the same time, resisting the performance of the compulsions they
> ordinarily use to relieve their anxiety. This approach is known as
> Exposure and Response Prevention.
>
> In the case of hoarding, we are talking about gradually sorting out and
> discarding things that have been accumulated. This may be done under
> the direct supervision of a therapist working on the scene, or by
> giving the individual weekly or daily homework assignments. Before the
> actual work of therapy begins the therapist makes a thorough behavioral
> analysis in order to determine what is being saved, how it is being
> saved, and where it is being saved. This may involve either a home
> visit by the therapist to directly observe the scene, or the patient
> may bring in photographs showing views of all areas of the home.
>
> Clutter and trash may be dealt with either by location or category, and
> in either case, is approached by first working on things that are
> easiest, and then working towards those that are more difficult. For
> instance, the therapist may pick a particular room, closet, or area for
> the individual to begin clearing out, and then, over time, assign tasks
> designed to accomplish this. Alternatively, as some people tend to save
> only certain types of things, therapy may start by earmarking these
> particular items for removal, wherever they may be found.
>
> One example would be people who save excessive quantities of
> newspapers, magazines, etc. having to bundle and put out a certain
> amount of them each week. Or in the case of those who have accumulated
> large amounts of clothing (old or new), having to throw out or donate a
> set number of articles between therapy sessions. In addition to this
> activity, the therapist will work with the individual to establish a
> set of rules for what can and cannot be saved, and in the case of saved
> items, how to store or arrange them in a neat and organized fashion.
>

> Some therapists will set up a rule governing how long an item may be
> kept without being used, before it is considered in need of disposal.
>
> With my own patients, I have always used what I refer to as my "Three
> Year Rule." Under this rule, any item that has not been used in any way
> during the previous three years must be discarded. There can be
> exceptions, of course, as in the case of family heirlooms, antiques,
> valuable collections, family photos, or useful tools, etc.
>
> Where people's lives and dwellings have been disorganized for long
> periods of time, these rules are necessary to establish some kind of
> order, and to prevent the person from falling into chaos again. In all
> cases, the ultimate goal is to get the sufferer to take personal
> responsibility for the state of their dwelling, and to accept that they
> really do have a problem.
>
> Some people seem to think that the ultimate solution should be to
> descend upon a sufferer's home, and forcefully clean the place out.
> While this might remedy the immediate problem, nothing else really
> changes, and within a period of time, the dwelling will fill up with
> things again in the same way as before. In addition, the anger and
> anxiety on the part of the sufferer that would result from such a
> remedy would probably only push them away from seeking help in the
> future.
>
> The story of Langley and his unfortunate brother remains as a
> cautionary tale - an example of just how serious hoarding can become
> when left untreated. With appropriate therapies, however, such extremes
> of behavior can be prevented from engulfing the lives of otherwise
> intelligent and potentially productive human beings.
>
>
>
>
> Too_Many_Tools wrote:
> > I do...many of my fellow friends who have shops overflowing with "good
> > stuff".
> >
> > In my own case, I see it as a very slippery slope....one great thing
> > after another can follow you home until the doors to the shop won't
> > shut.
> >
> > Sometimes...no many times...you just have to say "No".
> >
> > Your thoughts?
> >
> > TMT
> >
> >
> > http://abcnews.go.com/Health/story?id=3D2790669&page=3D1
> >
> > Medical Mystery: Compulsive Hoarders
> > A Psychological Compulsion to Keep Everything, Even When It Ruins Your

> > Life
> > By CECILE BOUCHARDEAU
> >
> > Jan. 16, 2007- - We are all pack rats to some degree. We hoard,
> > collect and buy more stuff than we have room to store.
> >
> > But what if something in our brains made us incapable of throwing
> > things out? Janie Allocca and Lorraine Brennan both suffer from a
> > psychological disorder called compulsive hoarding -- an urge to hold on
> > to even the most mundane objects, even when they take over their lives.
> >
> >
> > Watch "Primetime: Medical Mysteries" Wednesday at 10 p.m. ET, and go to
> > ABCNEWS.com during the show to diagnose a real medical mystery.
> >
> > Lorraine Brennan has been hoarding for nearly 20 years. She lives in a
> > two-story house in Massachusetts with her father, son and fianc=E9e.
> > Most rooms in the house are cluttered, and some are even unusable. The
> > bedroom-office that she shares with her fianc=E9e is overrun with stuff
> > they tried unsuccessfully to get rid of at a yard sale. Lorraine's
> > purse is bursting with junk mail and receipts.
> >
> > Brennan's hoarding is not only ruining her life, but affecting her
> > entire family. Her son can't bring friends home from school. Brennan
> > and her fianc=E9e have been engaged for eight years, but he hasn't been
> > able to commit to marrying her because of the clutter.
> >
> >
> > ## 'There's No Place to Sit Down'
> >
> > Many hoarders are also compulsive shoppers. Janie Allocca has
> > accumulated so much stuff that she uses her own house as a storage
> > facility and lives with her mother.
> >
> > "I remember collecting, and keeping, and hoarding things since I can
> > remember," Allocca said. "And now I am just living around the piles and
> > piles I need to get rid of."
> >
> > "I have so much stuff that my house is totally unlivable," she
> > continued. "There's no place to sit down. I can't get to the kitchen. I
> > can't have anyone over for tea even though I have everything for tea.
> > My collecting is taking up the space where I normally would live."
> >
> > There's a fine line between simple clutter and extreme hoarding. Most
> > hoarders, observers say, are physically incapable of throwing things
> > out. They can't live in, or use, rooms like the kitchen for their
> > intended use. They also experience extreme distress from their
> > condition.
> >
> >
> > ## The Brain of a Hoarder
> >
> > Hoarding is currently considered a subset of obsessive compulsive

> > disorder, but that may soon change. New research is finding that hoarding may be a unique disorder completely separate from OCD.
> >
> > Dr. David Tolin, director of the Anxiety Disorders Center at the Institute of Living in Hartford, Conn., has devoted his career to studying what goes on inside the mind of a hoarder.
> >
> > "At the moment, compulsive hoarding hasn't been fully defined by the psychiatric and psychological communities," he said. "One of the things that we wanted to do was to understand some of the brain mechanisms behind compulsive hoarding."
> >
> > Allocca is part of a study Tolin is conducting to see which parts of a hoarder's brain become active when they are faced with making decisions. She is hooked up to a brain-scan machine and asked to look at pieces of her mail and decide whether she wants them to be thrown out. She then must watch the mail get shredded.
> >
> > At this point, two parts of a hoarder's brain become active. The brain's orbitofrontal cortex is involved in decision making and causes a hoarder to process this experience as a punishing one. At the same time, the hippocampus of a hoarder actively searches for memories about the object. The hoarder tries to remember the object: what it is and why they saved it in the first place. By contrast, people without hoarding problems just don't think about the object that much.
> >
> >
> > ## 'A Painful and Effortful Process'
> >
> > "What we find is that the brain is acting very, very differently when a person hoards," Tolin said. "When the person is trying to make a decision about what to throw away, it seems that the person who is hoarding, is processing this activity as if it is deeply punishing."
> >
> > "The person who hoards is going through a very, very effortful search of their memory to try to think of as many things as they can about this item before they make the decision," Tolin added. "What this all amounts to then is a painful and effortful process of decision-making, that you and I might take for granted."
> >
> > There is no cure for hoarding, and there is no medication to treat the condition. Right now, cognitive behavioral therapy is the only way to help hoarders make decisions and deal with their emotions.
> >
> >
> > ## Getting Help
> >
> > In Beth Johnson's "Clutter Workshop" in Hartford, hoarders and clutterers practice throwing out possessions they have grown attached to. Johnson also takes her clients on nonshopping -- or nonacquiring -- trips to teach them not to buy things they don't need.
> >
> > "I try to help them see the larger picture and how this item won't fit

> > into their life," said Johnson. "If you have a jam-packed house, if
> > you're adding to it on a weekly or daily basis, you're basically
> > defeating yourself."
> >
> > Dr. Randy Frost, a professor of psychology at Smith College in
> > Massachussetts, focuses on helping hoarders make their homes
> > clutter-free.
> >
> >
> > "One of the things we know about hoarding is that the beliefs people
> > have about their possessions are so powerful, that it's very difficult
> > for them to get out of this behavior," said Frost, who is also author
> > of the upcoming book "Buried in Treasures." "If the person throws
> > something away and experiences distress, and does it again and again,
> > eventually, they won't have that extreme emotional response, throwing
> > something away."
> >
> > Frost held a one-on-one session with Brennan to see if he could help
> > her. After a few hours, she was able to throw away receipts and a few
> > pieces of junk, but, as with most hoarders, there is still a long road
> > ahead.
> >
> > One major motivator for Brennan is the possibility of losing her
> > fianc=E9e if she doesn't clean up her home. When asked if she thought he
> > would really leave, Lorraine said, "I don't want to find out. I don't
> > want to end my relationship. I want to do better. I want to make it
> > work. I don't want to live like this anymore. I really don't."
> >
> > Dr. David Tolin and Professor Randy Frost are co-authors of a self-help
> > book called "Buried in Treasures," to be published on February 5th.

That was quite the visual story alrighty. As I read it I could "see"
these two old guys in their brownstone. Wow. But the conclusion is
correct; telling a hoarder to "clean it up" or doing it for them when
they aren't there doesn't help. Thanks for sharing :)

```
From -4241870359054152811
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!aotearoa.belnet.be!news.belnet.be!nerim.net!proxad.net!
exabot.com!freenix!sn-xt-sjc-05!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: gheston@hiwaay.net (Gary Heston)
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
```

Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Wed, 17 Jan 2007 02:27:22 -0000
Organization: HiWAAY Internet Services
Message-ID: <12qr2caoca2trbb@corp.supernews.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<1168979274.433497.217640@l53g2000cwa.googlegroups.com>
<1168979795.366599.295220@q2g2000cwa.googlegroups.com>
<DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Originator: gheston@hiwaay.net (Gary Heston)
X-Complaints-To: abuse@supernews.com
Lines: 30
Xref: g2news2.google.com rec.crafts.metalworking:117789 rec.woodworking:106616
misc.consumers.frugal-living:58780 rec.radio.amateur.equipment:7860
alt.recovery.clutter:21376

In article <DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>,
Ignoramus16071 <ignoramus16071@NOSPAM.16071.invalid> wrote:
>My hoarding problem is this. I have a lot of valuable stuff left over
>from my ebay dealings. Like little T6061 aluminum plates and bars for
>example. Or super nice strong stainless painted steel handles. Super
>high quality. I may use a few "one day". In fact I will use some on my
>trailer project. Or a few pulleys. But, despite being valuable, they
>are not economical to try to sell them. Too little money, too much
>hassle, and quite possibly they would not sell at all. But I cannot
>throw them away in good conscience.

Are any of your aluminum plates 1/4" thick and big enough to cut 18"
triangles out of? I need some, and McMaster-Carr wants over $100 for
a piece of plate big enough for two. As I'd like six or eight, their
price is prohibitive. I might be interested in your pulleys, too,
depending on the size and configuration.

In other news, my late neighbor was apparently hoarding staircase
spindles--his survivors gave me about 500 this past weekend, about
430 of them the same size. They're overhead in the garage, now,
awaiting a project.

Gary

--
Gary Heston gheston@hiwaay.net http://www.thebreastcancersite.com/

Astronomers have developed a definition of "planet" which excludes Pluto.
I'm developing a definition of "scientist" which excludes astronomers.

From -4916761064396619077
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e

```
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.astraweb.com!
router2.astraweb.com!news-xfer.nntp.sonic.net!posts.news.sonic.net!
nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Tue, 16 Jan 2007 18:31:24 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 28
Message-ID: <45ad8a7f$0$80069$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 17 Jan 2007 02:31:28 GMT
NNTP-Posting-Host: 8cf4421d.news.sonic.net
X-Trace:
DXC=lUdQni::`M4hXjM8[0hm7=m4K\QM1CV^01OYf0H`?;X1gbTRSnXZm60<Qc7RIG=<O8mT::l9CD6k8L
9I3T_B0]X1
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.crafts.metalworking:117792 rec.woodworking:106618
misc.consumers.frugal-living:58782 rec.radio.amateur.equipment:7861
alt.recovery.clutter:21377
```

Count me in. And proud of it I might add.

I've always had an interest in electronics, even at a tender age. Not having much money to spend to build stuff, I had to cruise the neighborhood on trash day looking for discarded TV's and radios that I could use for parts. A couple of friends got into the act as well. This was a fun way to support a fun, and ultimately very profitable hobby.

Fast forward 40+ years, and I still have the stash of tubes I accumulated as a kid (and added to over the years). If I come across something that might be useful for free or cheap, I'll bag it and figure out where to put it later on. Picked up an old TV chassis a couple of weeks ago. Its an Admiral that was built in 1951. The owner wanted to keep the case to use in a high school play. A couple of hours of tinkering, and I got it working. Watched the football playoffs last weekend on a 17" black and white TV. The games were good, but watching them on an old TV I saved from the landfill, then repaired myself was a blast. Kept the shop nice and warm too!

I suppose anything can be taken to exteremes, but its a fine line. One persons trash is most certainly anothers treasure.

Steve

```
From 5576516520528789930
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Tue, 16 Jan 2007 20:55:56 -0600
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
From: Ignoramus16071 <ignoramus16071@NOSPAM.16071.invalid>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<1168979274.433497.217640@l53g2000cwa.googlegroups.com>
<1168979795.366599.295220@q2g2000cwa.googlegroups.com>
<DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
<12qr2caoca2trbb@corp.supernews.com>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Message-ID: <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com>
Date: Tue, 16 Jan 2007 20:55:56 -0600
Lines: 40
X-Trace: sv3-t6BN2O7rso7Lo+05EmcueqpxGJf2M/
QcM2SvIifyKrqI746hZV5Ml+f1MfTKxnWpuZZWkrP895jfY4r!svRTFi5hW/
oZR6NUrXEBogqdQwwVtoeJJB5km7ZE7ys0akzz8cjDgzKpFLV6Och5MGiwMTMcVw==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:117807 rec.woodworking:106622
misc.consumers.frugal-living:58799 rec.radio.amateur.equipment:7862
alt.recovery.clutter:21378
```

On Wed, 17 Jan 2007 02:27:22 -0000, Gary Heston <gheston@hiwaay.net> wrote:
> In article <DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>,
> Ignoramus16071 <ignoramus16071@NOSPAM.16071.invalid> wrote:
>>My hoarding problem is this. I have a lot of valuable stuff left over
>>from my ebay dealings. Like little T6061 aluminum plates and bars for
>>example. Or super nice strong stainless painted steel handles. Super
>>high quality. I may use a few "one day". In fact I will use some on my
>>trailer project. Or a few pulleys. But, despite being valuable, they

>>are not economical to try to sell them. Too little money, too much
>>hassle, and quite possibly they would not sell at all. But I cannot
>>throw them away in good conscience.
>
> Are any of your aluminum plates 1/4" thick and big enough to cut 18"
> triangles out of?

No, they are little square 5x5 plates, about 1/8" thick.

I do, however, have 3/8" about 8x14 plate and 1/2" 8x13 or so. Also aluminum.

Also I have big Al heatsinks, with which I can part very cheaply.

> I need some, and McMaster-Carr wants over $100 for
> a piece of plate big enough for two. As I'd like six or eight, their
> price is prohibitive. I might be interested in your pulleys, too,
> depending on the size and configuration.

IIRC, I have one about 5" pulley with 1 3/8" shaft hole with keyway and special tightening screws. I have more, but those I may need.

> In other news, my late neighbor was apparently hoarding staircase
> spindles--his survivors gave me about 500 this past weekend, about
> 430 of them the same size. They're overhead in the garage, now,
> awaiting a project.

scary stuff.

i

From -6332439656233018679
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-08!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: gheston@hiwaay.net (Gary Heston)
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Wed, 17 Jan 2007 03:32:31 -0000
Organization: HiWAAY Internet Services
Message-ID: <12qr66flt7hj634@corp.supernews.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>

<DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
<12qr2caoca2trbb@corp.supernews.com> <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com>
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Originator: gheston@hiwaay.net (Gary Heston)
X-Complaints-To: abuse@supernews.com
Lines: 57
Xref: g2news2.google.com rec.crafts.metalworking:117819 rec.woodworking:106628
misc.consumers.frugal-living:58806 rec.radio.amateur.equipment:7863
alt.recovery.clutter:21379

In article <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com>,
Ignoramus16071 <ignoramus16071@NOSPAM.16071.invalid> wrote:
>On Wed, 17 Jan 2007 02:27:22 -0000, Gary Heston <gheston@hiwaay.net> wrote:
>> In article <DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>,
>> Ignoramus16071 <ignoramus16071@NOSPAM.16071.invalid> wrote:
>>> [...] Like little T6061 aluminum plates [...]

>> Are any of your aluminum plates 1/4" thick and big enough to cut 18"
>> triangles out of?

>No, they are little square 5x5 plates, about 1/8" thick.

>I do, however, have 3/8" about 8x14 plate and 1/2" 8x13 or so. Also
>aluminum.

Any way to weld them together? I don't mind going thicker, I need these
for decking in my antenna tower. I see a new rotator and thrust bearing
in my future.

>Also I have big Al heatsinks, with which I can part very cheaply.

Regrettably, I don't need any at the moment.

>> I need some, and McMaster-Carr wants over $100 for
>> a piece of plate big enough for two. As I'd like six or eight, their
>> price is prohibitive. I might be interested in your pulleys, too,
>> depending on the size and configuration.

>IIRC, I have one about 5" pulley with 1 3/8" shaft hole with keyway
>and special tightening screws. I have more, but those I may need.

Price? You can email me; the address you see is valid.

>> In other news, my late neighbor was apparently hoarding staircase
>> spindles--his survivors gave me about 500 this past weekend, about
>> 430 of them the same size. They're overhead in the garage, now,
>> awaiting a project.

>scary stuff.

I have no idea what they were intended for. I'm checking with some of
my friends who do woodworking and home fixup projects who might be

interested in some of them. Stacking two of the 36" size (the 430 items)
would be a good height for a childrens' play gazebo or something of that
sort. Maybe build up sets of three for table legs, but they'd need to be
cut down a bit.

Othewise, they were headed for the curb and didn't cost me anything.

Gary

--
Gary Heston gheston@hiwaay.net   http://www.thebreastcancersite.com/

Astronomers have developed a definition of "planet" which excludes Pluto.
I'm developing a definition of "scientist" which excludes astronomers.

From -3023113282817852401
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Tue, 16 Jan 2007 21:05:10 -0800
Message-ID: <MPG.20174e60900d1cbb989712@192.168.42.197>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 31
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.crafts.metalworking:117838 rec.woodworking:106642
misc.consumers.frugal-living:58812 rec.radio.amateur.equipment:7864
alt.recovery.clutter:21382

In article <1168978480.402595.205700@m58g2000cwm.googlegroups.com>,
too_many_tools@yahoo.com (known to some as Too_Many_Tools) scribed...

> I do...many of my fellow friends who have shops overflowing with "good
> stuff".
>
> In my own case, I see it as a very slippery slope....one great thing
> after another can follow you home until the doors to the shop won't
> shut.
>
> Sometimes...no many times...you just have to say "No".
>
> Your thoughts?

It occurs in varying degrees. I've always seen scrounging of electronic goodies as more of a 'flow-thru' than a one-way path to my lab. Much stuff, of course, does end up on a one-way path to my workbench, but it's stuff that I constantly use (tools, soldering/desoldering gear, test gear, etc.)

The trick is learning what to shed, and when and how to shed it. Ham radio swap meets and Ebay are good paths.

Keep the peace(es).

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

```
From -4770386962578485263
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Stealth Pilot <tailwind@iinet.net.au>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Wed, 17 Jan 2007 19:21:34 +0900
Message-ID: <iqtrq2paku7on2i99kjeeuu746hb8h2mv0@4ax.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: dip-220-235-52-222.wa.westnet.com.au
X-Trace: quokka.wn.com.au 1169029269 220.235.52.222 (17 Jan 2007 19:21:09 +0800)
Lines: 36
X-Complaints-To: abuse@westnet.com.au
```

Path: g2news2.google.com!news3.google.com!news.glorb.com!quokka.wn.com.au!not-for-mail
Xref: g2news2.google.com rec.crafts.metalworking:117867 rec.woodworking:106659 misc.consumers.frugal-living:58831 rec.radio.amateur.equipment:7865 alt.recovery.clutter:21385

On 16 Jan 2007 12:14:42 -0800, "Too_Many_Tools"
<too_many_tools@yahoo.com> wrote:

>I do...many of my fellow friends who have shops overflowing with "good
>stuff".
>
>In my own case, I see it as a very slippery slope....one great thing
>after another can follow you home until the doors to the shop won't
>shut.
>
>Sometimes...no many times...you just have to say "No".
>
>Your thoughts?
>
>TMT

I have seen this problem.

it is completely over come by Ockleshaw's workshop principle.
Ockleshaw being the possesor of the most amazing workshop.

"if it looks useful it isnt.turf it out.

if it looks *really* useful keep it for a month.
if you havent touched it in that month turf it out.

If something is actually useful but hasnt been used in a year turf it out.

that way you will have a workshop full of only the gear that you actually need"

...of course ockleshaw had a second shed :-)

Stealth Pilot

From 2517758252881175210
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!

border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 Jan 2007 08:32:46 -0600
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
From: Ignoramus18435 <ignoramus18435@NOSPAM.18435.invalid>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
<12qr2caoca2trbb@corp.supernews.com> <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com> <12qr66flt7hj634@corp.supernews.com>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Message-ID: <rJWdnSE-z6ITrjPYnZ2dnUVZ_t_inZ2d@giganews.com>
Date: Wed, 17 Jan 2007 08:32:46 -0600
Lines: 30
X-Trace: sv3-WRWI/Tn6idMufXHClFx7EwNu7HQ9r/A7r73gbgG/b+pt/
WQ0APhkYmCazTTeVOayzft3guNAg0+xLNN!uZWXI6/
pBCCsIWVBainMpotIk7h7AWTnEQlpK82LRqutVl5M0AyoWAyeb6CN2mW4XPrCGK8ZGQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:117895 rec.woodworking:106685 misc.consumers.frugal-living:58838 rec.radio.amateur.equipment:7866 alt.recovery.clutter:21390

On Wed, 17 Jan 2007 03:32:31 -0000, Gary Heston <gheston@hiwaay.net> wrote:
> In article <Xc2dnc-Gw6ahDTDYnZ2dnUVZ_qLinZ2d@giganews.com>,
> Ignoramus16071 <ignoramus16071@NOSPAM.16071.invalid> wrote:
>>On Wed, 17 Jan 2007 02:27:22 -0000, Gary Heston <gheston@hiwaay.net> wrote:
>>> In article <DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>,
>>> Ignoramus16071 <ignoramus16071@NOSPAM.16071.invalid> wrote:
>>>> [...] Like little T6061 aluminum plates [...]
>
>>> Are any of your aluminum plates 1/4" thick and big enough to cut 18"
>>> triangles out of?
>
>>No, they are little square 5x5 plates, about 1/8" thick.
>
>>I do, however, have 3/8" about 8x14 plate and 1/2" 8x13 or so. Also
>>aluminum.
>
> Any way to weld them together? I don't mind going thicker, I need these
> for decking in my antenna tower. I see a new rotator and thrust bearing
> in my future.

I doubt that.

>>IIRC, I have one about 5" pulley with 1 3/8" shaft hole with keyway
>>and special tightening screws. I have more, but those I may need.
>

> Price? You can email me; the address you see is valid.

$10 will take it, shipping is $8.10 priority mail flat rate box.

i

From -2632575493890023387
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!news.shout.net!not-for-mail
From: M Berger <berger@shout.net>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: Wed, 17 Jan 2007 10:33:28 -0600
Organization: Shouting Ground Technologies, Inc.
Lines: 9
Message-ID: <eolj4n$tvu$1@roundup.shout.net>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<1168979274.433497.217640@l53g2000cwa.googlegroups.com>
<1168979795.366599.295220@q2g2000cwa.googlegroups.com>
<DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
NNTP-Posting-Host: trilafon.direwolf.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: roundup.shout.net 1169051607 30718 66.209.209.130 (17 Jan 2007 16:33:27 GMT)
X-Complaints-To: abuse@shout.net
NNTP-Posting-Date: Wed, 17 Jan 2007 16:33:27 +0000 (UTC)
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
In-Reply-To: <DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com>
Xref: g2news2.google.com rec.crafts.metalworking:117921 rec.woodworking:106722 misc.consumers.frugal-living:58853 rec.radio.amateur.equipment:7867 alt.recovery.clutter:21398

What makes them valuable if it's not economical to try
to sell them (and they take up your storage space)?

Ignoramus16071 wrote:
> My hoarding problem is this.... But, despite being valuable, they
> are not economical to try to sell them. Too little money, too much
> hassle, and quite possibly they would not sell at all.
>
> i

From -5644482862577233871
X-Google-Thread: 108122,268159793fb4204c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-in-01.newsfeed.easynews.com!news-in-02.newsfeed.easynews.com!easynews.com!easynews!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FYI: Subscribers to this NG
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Cosrh.42313$uA2.34979@newsfe07.phx>
Date: Wed, 17 Jan 2007 08:45:23 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1169052322 72.197.12.245 (Wed, 17 Jan 2007 09:45:22 MST)
NNTP-Posting-Date: Wed, 17 Jan 2007 09:45:22 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7868

According to
http://groups.google.com/group/rec.radio.amateur.boatanchors/related?lnk=rgam

About 467 folks

CL

From 1454940992439333898
X-Google-Thread: 108122,59e56d6916f5ffe7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q2g2000cwa.googlegroups.com!not-for-mail
From: "Karl" <wa7ycp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-28A
Date: 17 Jan 2007 08:48:44 -0800
Organization: http://groups.google.com
Lines: 46
Message-ID: <1169052524.400404.280100@q2g2000cwa.googlegroups.com>
References: <1168571288.858502.229120@11g2000cwr.googlegroups.com>
   <fmmck-893E72.14142713012007@nntp.aioe.org>

NNTP-Posting-Host: 199.164.167.176
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1169052540 1565 127.0.0.1 (17 Jan 2007 16:49:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 Jan 2007 16:49:00 +0000 (UTC)
In-Reply-To: <fmmck-893E72.14142713012007@nntp.aioe.org>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q2g2000cwa.googlegroups.com; posting-host=199.164.167.176;
   posting-account=zq9AfwwAAAC5oYG1V4z9Ya9QVyRhnStO
Xref: g2news2.google.com rec.radio.amateur.equipment:7869

Sounds good Fred and thanks for the input. I've gone ahead and ordered the battery from Icom in Bellevue, for that and the other to bands (1 and .7meters) since they are over 5-7 years old. Cheap to try at 7 bucks a battery. I'll really like the IC-x8 series. Even though they only have three PL tones on the memory they work well in high RF areas and simple to operate. I wish I could say the same for my VX5R. You have to become a damn computer whizz just to do anything on it. On the positve side it is easy to program with the RSS. I just like being able to make a change on the fly, working on several club's repeaters and links in the area. Also the Tx audio is great, if you take out that stupid "rubber".

Karl in Spokane

Fred McKenzie wrote:
> In article <1168571288.858502.229120@11g2000cwr.googlegroups.com>,
> wa7ycp@yahoo.com wrote:
>
> > After several years of trouble free operation I had a strange problem
> > the other day; it would go "nuts" readout weird and the red TX light
> > was on, but no RF out. I had to do a reset with the button inside.
> > Being an older radio my first suspicition was the Lith. back-up batter
> > was due, but I measure 2.99 v. Assuming it's a nominal 3v battery does
> > anyone have a though where to go next? I did put it on the bench
> > powered up. After taking the power away (12v) and returing it a few
> > hours later it losses memrory.
>
> WA7YCP-
>
> On one hand, this sounds as if a Phase Locked Loop had become unlocked,
> which might disrupt the frequency display and prevent transmitting. On
> the other hand, the lithium battery should prevent loss of memory.
>
> Other radios, both Icom and Kenwood, have 3.6 volt lithium cells. It is
> possible that your radio will lose memory below 3.0, but I've had them
> maintain memory when the battery was down to about one volt!
>

> A PLL might go out-of-lock because of loss of the reference frequency
> (usually a crystal oscillator) or drifted tuning of the VCO. There also
> might be a low voltage regulator that has low output, often caused by a
> leaky electrolytic capacitor.
>
> Fred
> K4DII

From 3382436226620224873
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Wed, 17 Jan 2007 11:37:39 -0600
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-
living,rec.radio.amateur.equipment,alt.recovery.clutter
From: Ignoramus18435 <ignoramus18435@NOSPAM.18435.invalid>
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
<1168979274.433497.217640@l53g2000cwa.googlegroups.com>
<1168979795.366599.295220@q2g2000cwa.googlegroups.com>
<DrGdnSiRPf1j3TDYnZ2dnUVZ_tfinZ2d@giganews.com> <eolj4n$tvu$1@roundup.shout.net>
User-Agent: slrn/0.9.8.1pl1 (Linux)
Message-ID: <7qidnf5uG5R4wzPYnZ2dnUVZ_qrinZ2d@giganews.com>
Date: Wed, 17 Jan 2007 11:37:41 -0600
Lines: 14
X-Trace: sv3-kjaDg+0fGc2QJdc7qC1oBwKpUajIvyq25+xQ39e7Kse7lwj2DN/
9aCTtaLckDZdv5qMcWoO59w3LlmG!YCCbmzhOhKPWt4cbyZ4yT8nc3fcARAii8KV4fi/
4TFUG9t1w16YHVM8hczrB98Kc0gczMMvvwg==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:117933 rec.woodworking:106736
misc.consumers.frugal-living:58862 rec.radio.amateur.equipment:7870
alt.recovery.clutter:21401

On Wed, 17 Jan 2007 10:33:28 -0600, M Berger <berger@shout.net> wrote:
> What makes them valuable if it's not economical to try
> to sell them (and they take up your storage space)?

Because I think that they well might be useful later. A few things
that I have, are going into the trailer, such as steel handles,

electrical box, a big handle, etc.

> Ignoramus16071 wrote:
>> My hoarding problem is this.... But, despite being valuable, they
>> are not economical to try to sell them. Too little money, too much
>> hassle, and quite possibly they would not sell at all.
>>
>> i

From 3780838394681447942
X-Google-Thread: 108122,13dfcddf319809bc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l53g2000cwa.googlegroups.com!not-for-mail
From: "pigeek" <pi_fan2004@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: CB radio and PA system for my car
Date: 17 Jan 2007 10:03:22 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1169057002.115684.243610@l53g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.91.112.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1169057008 12420 127.0.0.1 (17 Jan 2007 18:03:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 Jan 2007 18:03:28 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.9) Gecko/20061206 Firefox/1.5.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l53g2000cwa.googlegroups.com; posting-host=71.91.112.226;
   posting-account=ufNeRg0AAAA5RGmkrXeLvxsYYXMaWz1U
Xref: g2news2.google.com rec.radio.amateur.equipment:7871

i'm fairly new to the world of CB radios. my friend has one and got me interested, and i also liked the fact that i can get a PA system through one. i'll jsut throw it out there, what are some suggestions for a CB radio? i want one with PA capabilities. i also was wondering if yall had any speaker ideas, i know you need amps for some and i didnt know what kind of wattage requires an amp? i'm also interested in getting a police scanner, is it posible to get a combo or do you have to buy them separatly? Do i need any special kind of antena or a license to use a CB radio?

Any suggestions and help would be awesome!

Thanks
-davis

```
From -3771689122428101441
X-Google-Thread: 108122,13dfcddf319809bc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!news.kjsl.com!
ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio and PA system for my car
Date: 17 Jan 2007 18:25:12 GMT
Organization: The National Capital FreeNet
Lines: 13
Message-ID: <eolpm8$k5j$1@theodyn.ncf.ca>
References: <1169057002.115684.243610@l53g2000cwa.googlegroups.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1169058312 20659 134.117.136.48 (17 Jan 2007 18:25:12 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 17 Jan 2007 18:25:12 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7872

"pigeek" (pi_fan2004@yahoo.com) writes:
> i'm fairly new to the world of CB radios.

Well then you need to find the newsgroup that is about CB radio.

This isn't, it's about amateur radio equipment.

Something like rec.radio.cb is the place for you to be asking
your questions.

Amateur radio and CB are not the same thing.

  Michael


From -1083461132161966024
X-Google-Thread: 108122,13dfcddf319809bc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 Jan 2007 13:06:45 -0600
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
References: <1169057002.115684.243610@l53g2000cwa.googlegroups.com>
Subject: Re: CB radio and PA system for my car
Date: Wed, 17 Jan 2007 14:06:49 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <GIKdnRR5ysxY7jPYnZ2dnUVZ_oKnnZ2d@adelphia.com>
Lines: 21
NNTP-Posting-Host: 69.162.152.98
X-Trace: sv3-
iwPkjqH+c7t8iuqW4bWJyHlnNrSznjeK+0aVylXiZEu1K3aj5nAod1tgdCNtw8b6FAXWnigc3JV3DLF!
390ZZsWnQ8dw65QRW2DGIpgo6mVzGTFoHtNTdKAht5WungIbAKMcR3JH9NozPRMWPbOmgPEsHA1b!
M8WqIbfa/UEQR8IqrcYfYhsYWaSN
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7873

TROLL!

"pigeek" <pi_fan2004@yahoo.com> wrote in message
news:1169057002.115684.243610@l53g2000cwa.googlegroups.com...
> i'm fairly new to the world of CB radios. my friend has one and got me
> interested, and i also liked the fact that i can get a PA system
> through one. i'll jsut throw it out there, what are some suggestions
> for a CB radio? i want one with PA capabilities. i also was wondering
> if yall had any speaker ideas, i know you need amps for some and i
> didnt know what kind of wattage requires an amp? i'm also interested
> in getting a police scanner, is it posible to get a combo or do you
> have to buy them separatly? Do i need any special kind of antena or a
> license to use a CB radio?
>
> Any suggestions and help would be awesome!
>
> Thanks
> -davis
>

From 7750891903030383453
X-Google-Thread: 108122,268159793fb4204c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Subscribers to this NG
Date: Wed, 17 Jan 2007 19:41:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 16

Message-ID: <slrneqsudq.61d.gsm@cable.mendelson.com>
References: <Cosrh.42313$uA2.34979@newsfe07.phx>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: 89-139-99-233.bb.netvision.net.il
X-Trace: marvin.misty.com 1169062864 9807 89.139.99.233 (17 Jan 2007 19:41:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Wed, 17 Jan 2007 19:41:04 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:7874

Caveat Lector wrote:
> According to
> http://groups.google.com/group/rec.radio.amateur.boatanchors/related?lnk=rgam
>
> About 467 folks

Only 467 folks signed up with Google. Since Google spent $100,000,000 on BPL,
what do you expect? Most people who read it avoid, or boycott Google.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 Fax ONLY: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

From -8517873024097298926
X-Google-Thread: 1060db,78bc006f41fccf8e
X-Google-Thread: 1120ec,78bc006f41fccf8e
X-Google-Thread: f6c48,78bc006f41fccf8e
X-Google-Thread: 108122,78bc006f41fccf8e
X-Google-Thread: fafdc,78bc006f41fccf8e
X-Google-Attributes: gid1060db,gid1120ec,gidf6c48,gid108122,gidfafdc,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v45g2000cwv.googlegroups.com!not-for-mail
From: "Ries" <rniemi@fidalgo.net>
Newsgroups: rec.crafts.metalworking,rec.woodworking,misc.consumers.frugal-living,rec.radio.amateur.equipment,alt.recovery.clutter
Subject: Re: Compulsive Hoarding....Do You Know Someone LIke This?
Date: 17 Jan 2007 11:50:45 -0800
Organization: http://groups.google.com
Lines: 31
Message-ID: <1169063445.173220.297870@v45g2000cwv.googlegroups.com>
References: <1168978480.402595.205700@m58g2000cwm.googlegroups.com>
   <iqtrq2paku7on2i99kjeeuu746hb8h2mv0@4ax.com>
NNTP-Posting-Host: 66.233.57.238
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1169063461 28011 127.0.0.1 (17 Jan 2007 19:51:01 GMT)
X-Complaints-To: groups-abuse@google.com

NNTP-Posting-Date: Wed, 17 Jan 2007 19:51:01 +0000 (UTC)
In-Reply-To: <iqtrq2paku7on2i99kjeeuu746hb8h2mv0@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en-us) AppleWebKit/312.8 (KHTML, like Gecko) Safari/312.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v45g2000cwv.googlegroups.com; posting-host=66.233.57.238;
   posting-account=2NUF7Q0AAAB1NT40Qgr7ACuGAwxFY1RD
Xref: g2news2.google.com rec.crafts.metalworking:117970 rec.woodworking:106772 misc.consumers.frugal-living:58870 rec.radio.amateur.equipment:7875 alt.recovery.clutter:21408

Its interesting that when true hoarders collect things that are actually valuable, they usually manage to make them worthless by the time somebody else gets em.

There was guy down near Centralia Washington that collected cars- at his peak, he had something like 2000 of em. He was sure every one was "valuable" and would never sell. And as they sat, they rotted, tires grew thru the hoods, paint and chrome peeled, engines rusted solid, and when he finally died, and the family had to dispose of them, virtually none of them were worth anything, even as parts.

I have seen this same thing happen with tool collectors- the old guys are so sure that the stuff is worth a fortune, they routinely chase away people who would actually reuse, restore, or understand their tools, and want to pay reasonable prices for them- and so, in the end, it all becomes scrap.

There was a famous junkyard in Richmond Virginia, where the old guy saved Steam Railroad engines, and other huge machines. He never would sell, convinced he was sitting on a gold mine. Well, when he died, the relatives found he was- and it was the real estate. The land itself was worth a lot, the scrap metal on it was just that- scrap metal. A foundation was set up to save the oldest engines, and the relatives gave them away for free- and if it had happened 20 or 30 years earlier, there would have been a lot more to save- age, weather, and vandals had taken a severe toll. While alive, he cagily quoted prices of a hundred thousand dollars for a steam engine, and when he died, they were free for the hauling. Assuming you could afford to haul something that was 80 feet long and weighed 20 tons.

From -3396192834653940280
X-Google-Thread: 108122,988f6584f1fb111e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment

Subject: Re: IC-U18 programming: how?
Date: Wed, 03 Jan 2007 12:35:06 -0600
Lines: 20
Message-ID: <502banF1e5em4U1@mid.individual.net>
References: <1167834854.819101.42700@n51g2000cwc.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net vByrNPQZKgaxfL/sbqMeQwbudWALU/Ot+NOUbhsqggrFjUl/Fd
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915 Mnenhy/0.7.4.0
X-Accept-Language: en-us
In-Reply-To: <1167834854.819101.42700@n51g2000cwc.googlegroups.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:7775

w9wi wrote:
> This is a curiousity question only - I'm not wanting to actually
> program this radio - but...
>
> Does anyone know how this radio is programmed? I don't see any kind of
> connector for a computer, and a look at the schematic shows it can't be
> programmed through the external speaker/mike connectors. (unless
> they're doing something REALLY ingenious!) The schematic also doesn't
> show an obvious programming connector, though I may be missing
> something involving test points(grin). There is no keypad, so it can't
> be done that way. The service manual (as found online) doesn't address
> programming at all...
>
> Thanks for addressing my curiousity, and for tolerating a slightly
> off-topic (since this is a commercial rig) post!
>

You would use the ICOM EX-704 external proggrammer...

Bob N9LVU

From -1825223528605039382
X-Google-Thread: 1131b0,ad449a3f5f3cdb83,start
X-Google-Thread: 115730,ad449a3f5f3cdb83,start
X-Google-Thread: 108122,ad449a3f5f3cdb83,start
X-Google-Attributes: gid1131b0,gid115730,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s34g2000cwa.googlegroups.com!not-for-mail
From: jean.easter@googlemail.com
Newsgroups: sci.electronics.repair,sci.electronics.equipment,rec.radio.amateur.equipment
Subject: Telequipment s32 manual wanted
Date: 3 Jan 2007 10:36:41 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1167849401.393725.272440@s34g2000cwa.googlegroups.com>

NNTP-Posting-Host: 193.118.203.3
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167849407 28356 127.0.0.1 (3 Jan 2007 18:36:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Jan 2007 18:36:47 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.8.1.1)
Gecko/20061204 Firefox/2.0.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s34g2000cwa.googlegroups.com; posting-host=193.118.203.3;
   posting-account=l-auKAwAAABCW3ViMaoncwtO62bIsIEz
Xref: g2news2.google.com sci.electronics.repair:39265
sci.electronics.equipment:4796 rec.radio.amateur.equipment:7776

My S32 has blown up. Has anyone got a manual they could email me,
please? Any other ideas?

Thanks

Jean

From 2063369030426340461
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!machine3
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: Wed, 03 Jan 2007 19:28:41 GMT
Organization: ???
Lines: 39
Message-ID: <enh058$7bn$1@usenet01.srv.cis.pitt.edu>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
<12p8nqs1aar8vc6@corp.supernews.com>
<Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
<VoEmh.18381$h_1.12589@bignews6.bellsouth.net>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1167852520 7543 136.142.52.106 (3 Jan 2007
19:28:40 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Wed, 3 Jan 2007 19:28:40 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.equipment:7777

In article <VoEmh.18381$h_1.12589@bignews6.bellsouth.net>, "Jerry"
<joxendi@bellsouth.net> wrote:

>
>"Joseph Fenn" <jfenn@lava.net> wrote in message
>news:Pine.BSI.4.61.0612291228220.29863@malasada.lava.net...
>> There is one more rule pending.   I think its due to come out
>> on Jan 16th or 175h of Jan. Lets see what that one has to say
>> about CW or NOT.
>>   Joe
>
>
>Well, you are absolutely WRONG and/or you have not read the ruling very
>well. What the announcement refers to is the elimination of Element I as
>a requirement for a US Amateur license. There is no "prohibition" against
>the use of Morse. BBC is mistaken, and since when has the news media gotten
>a whole lot right in reporting the news? US Amateur still may certain use CW
>to their heart's content, and, indeed, with the exception of the changes
>announced prior the CW ruling, the allocations for the USE of CW remain in
>place.
>
>I suggest you go back and fully read the actual announcement where you will
>find that a "prohibition" against Morse Code is a myth.
>
>
>J
>>
>>
>> **
>> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
>> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS   *
>> **

So, how about my Radiotelegraph License. I suppose I will have to renew. Are
the code requirments still in effect? I suppose many of you who got the Extra
Class licesnses like me , also want to strive for the highest and get their
Radiotelegraph License with Ship Radar endorsments, and of course
Rafiotelephone also. I always thought they should have had a higher Amateur
class available.??

N6GS

From 953289955918269937
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 03 Jan 2007 14:36:56 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>

```
<12p8nqs1aar8vc6@corp.supernews.com>
<Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
<VoEmh.18381$h_1.12589@bignews6.bellsouth.net>
<enh058$7bn$1@usenet01.srv.cis.pitt.edu>
Subject: Re: CW is gone
Date: Wed, 3 Jan 2007 12:16:56 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <PO2dnR_1DLt0jgHYnZ2dnUVZ_tWhnZ2d@giganews.com>
Lines: 73
X-Trace: sv3-
YLWYIDDM8SjFqQRoklHZETUk7UydNOn1OKHUs3qladLQ6k4SLOV5eGSKAJgCnOVUIfniaXyhMrTjZrP!
WY6sp7xy6GHlTZopvR6K/ooXTyGoxogwE/arcYx7AU8PrsuSpgv0fxEFG1/l1mFvQzzT3U0p1w==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7778


Greg S wrote:
> Jerry wrote:
> >
> >Joseph Fenn wrote:
> >> There is one more rule pending.   I think its due to come out
> >> on Jan 16th or 175h of Jan.  Lets see what that one has to say
> >> about CW or NOT.
> >> Joe
> >
> >
> >Well, you are absolutely WRONG and/or you have not read the ruling very
> >well.  What the announcement refers to is the elimination of  Element I
as
> >a requirement for a US Amateur license.  There is no "prohibition"
against
> >the use of Morse. BBC is mistaken, and since when has the news media
gotten
> >a whole lot right in reporting the news? US Amateur still may certain use
CW
> >to their heart's content, and, indeed, with the exception of the changes
> >announced prior the CW ruling, the allocations for the USE of CW remain
in
> >place.
> >
> >I suggest you go back and fully read the actual announcement where you
will
> >find that a "prohibition" against Morse Code is a myth.
> >
> >
```

> >J
>
> So, how about my Radiotelegraph License. I suppose I will have to renew.
Are
> the code requirments still in effect? I suppose many of you who got the
Extra
> Class licesnses like me, also want to strive for the highest and get their
> Radiotelegraph License with Ship Radar endorsments, and of course
> Rafiotelephone also. I always thought they should have had a higher
Amateur
> class available.??
>
> N6GS

Apparently, the Morse proficiency requirement still stands for the
Commercial Radiotelegraph licenses:

http://wireless.fcc.gov/commoperators/t1.html
and
http://wireless.fcc.gov/commoperators/exam.html

Telegraphy Examinations Elements
Element 1 - 16 code groups per minute.
Element 2 - 20 code groups per minute.
Element 3 - 20 code groups per minute.
Element 4 - 25 code groups per minute

2nd class licensees must pass Element 1 (copy by hand) or Element 2 (copy by
typewriter).
1st class licensees must pass Element 3 (copy by hand) or Element 4 (copy by
typewriter).

An interesting thing to note: "The Commission will grant credit for
Telegraphy Elements 1 and 2 to applicants who hold an unexpired (or within
the grace period) FCC-issued Amateur Extra Class operator license."

So, if I read this right, the new no-code Amateur Extra-class license
holders who wish to apply for the 2nd 'Telegraph license will be given
credit for the Morse proficiency requirement w/o having to prove it.

Bryan WA7PRC

From 508933353070715055
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!
textfeed1.on.meganewsservers.com!meganewsservers.com!
feeder2.on.meganewsservers.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!

```
nntp.bluevalley.net!news.bluevalley.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 03 Jan 2007 16:46:10 -0600
From: Nate Bargmann <n0nb.DO.NOT.SPAM@ME.networksplus.net>
Subject: Re: CW is gone
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
     <1bEkh.65480$0D2.5833@newsfe15.phx>
     <Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
     <12p8nqs1aar8vc6@corp.supernews.com>
     <Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
     <VoEmh.18381$h_1.12589@bignews6.bellsouth.net>
     <enh058$7bn$1@usenet01.srv.cis.pitt.edu>
User-Agent: pan 0.119 (Karma Hunters)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <JIednVGPWZOvrwHYnZ2dnUVZ_oLinZ2d@bluevalley.net>
Date: Wed, 03 Jan 2007 16:46:10 -0600
Lines: 24
NNTP-Posting-Host: 12.158.148.131
X-Trace:
sv3-7VXge1LpKf7Qdn1j0td3GwyyCgTEzlDc1OD0A2nsge50i4nGASrkszGbn5DEWpwizj+o+6+mjc5x1b
Z!5u8MbcFkDvjkPbfHmupmA0KZCRKLbHUx32XWfg1ATivdbUHS4FvQwYbjG2Xwa/WkQnS9GHKCuER5!
tozlt53S6tMf9hSXDFLGSw==
X-Complaints-To: abuse@bluevalley.net
X-DMCA-Complaints-To: abuse@bluevalley.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7779
```

On Wed, 03 Jan 2007 19:28:41 +0000, GregS wrote:

> I always thought they should have had a higher Amateur
> class available.??

It used to be called the Amateur Extra and then they gave it privileges with Incentive Licensing back in the '60s. As I understand it, it was an acheivement certificate that did not confer any additional operating privileges above General prior to IL.

For all I care they could drop the current names and call it Amateur First Class, Amateur Second Class, and Amateur Third Class that would map well to Extra, General, and Technician as they will be after the R&O becomes effective. Or, as prior to WWII, Class A, Class B, Class C. I guess that's too logical for today's world. But, I digress. :-)

I suppose that now a person can get their BSEE, MSEE, PhD, etc.

73, de Nate >>

--

"The optimist proclaims that we live in the best of all possible worlds,
the pessimist fears this is true."

```
From 4664990900546633910
X-Google-Thread: 108122,988f6584f1fb111e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v33g2000cwv.googlegroups.com!not-for-mail
From: "w9wi" <dougw9wi@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-U18 programming: how?
Date: 3 Jan 2007 15:37:06 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1167867424.749853.220820@v33g2000cwv.googlegroups.com>
References: <1167834854.819101.42700@n51g2000cwc.googlegroups.com>
   <502banF1e5em4U1@mid.individual.net>
NNTP-Posting-Host: 12.118.236.58
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1167867440 8320 127.0.0.1 (3 Jan 2007 23:37:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Jan 2007 23:37:20 +0000 (UTC)
In-Reply-To: <502banF1e5em4U1@mid.individual.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v33g2000cwv.googlegroups.com; posting-host=12.118.236.58;
   posting-account=9voofw0AAAB7i_Qc_8qRHNgMk-MmusDD
Xref: g2news2.google.com rec.radio.amateur.equipment:7780
```

Robert Kubichek wrote:
> You would use the ICOM EX-704 external proggrammer...

My question is, how (maybe more accurately, *where*) does the
programmer attach to the radio?

```
From -1819740271177159928
X-Google-Thread: 108122,988f6584f1fb111e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!42g2000cwt.googlegroups.com!not-for-mail
From: "w9wi" <dougw9wi@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-U18 programming: how?
Date: 3 Jan 2007 15:37:22 -0800
```

Organization: http://groups.google.com
Lines: 6
Message-ID: <1167867440.253564.104740@42g2000cwt.googlegroups.com>
References: <1167834854.819101.42700@n51g2000cwc.googlegroups.com>
   <502banF1e5em4U1@mid.individual.net>
NNTP-Posting-Host: 12.118.236.58
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1167867456 8345 127.0.0.1 (3 Jan 2007 23:37:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Jan 2007 23:37:36 +0000 (UTC)
In-Reply-To: <502banF1e5em4U1@mid.individual.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 42g2000cwt.googlegroups.com; posting-host=12.118.236.58;
   posting-account=9voofw0AAAB7i_Qc_8qRHNgMk-MmusDD
Xref: g2news2.google.com rec.radio.amateur.equipment:7781

Robert Kubichek wrote:
> You would use the ICOM EX-704 external proggrammer...

My question is, how (maybe more accurately, *where*) does the
programmer attach to the radio?

From 3894459331852985855
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-10!sn-xt-sjc-01!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: Wed, 3 Jan 2007 14:13:51 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0701031410470.8651@malasada.lava.net>
In-Reply-To: <VoEmh.18381$h_1.12589@bignews6.bellsouth.net>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
 <1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
 <12p8nqs1aar8vc6@corp.supernews.com>
<Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
 <VoEmh.18381$h_1.12589@bignews6.bellsouth.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.equipment:7782

```
>
> I suggest you go back and fully read the actual announcement where you will
> find that a "prohibition" against Morse Code is a myth.
>
>
I am just relaying what came off the BBC and circulated world wide.
so dont blame me on their mistake if it truly is a mistake.
I hear more revisions from FCC are due out in Feb oo MARCH so maybe
it will rear  its ugly head again.
                        Joe



From -8355889904997211949
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: Wed, 3 Jan 2007 14:15:50 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0701031414460.8651@malasada.lava.net>
In-Reply-To: <irEmh.18383$h_1.1339@bignews6.bellsouth.net>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
 <1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
 <Pine.BSI.4.61.0612291159460.29863@malasada.lava.net>
 <irEmh.18383$h_1.1339@bignews6.bellsouth.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.equipment:7783


On Tue, 2 Jan 2007, Jerry wrote:
>
> Why are you so dead set that CW is prohibited in the US. Since when is BBC
> the "authority" on what our FCC does?
> There-is-no-prohibition-on-the-use-of-morse-code-in-the-USA!!!!!!!!!!!!!
> Some folks just can't READ!!!! :(
>
Donr blame me you nitwit
                  Joe



From 5423599962559715855
X-Google-Thread: 108122,bdb75c9c65f6a80c
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-08!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: Wed, 3 Jan 2007 14:20:26 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0701031418210.8651@malasada.lava.net>
In-Reply-To: <enh058$7bn$1@usenet01.srv.cis.pitt.edu>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
 <1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
 <12p8nqs1aar8vc6@corp.supernews.com>
<Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
 <VoEmh.18381$h_1.12589@bignews6.bellsouth.net>
<enh058$7bn$1@usenet01.srv.cis.pitt.edu>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 4
Xref: g2news2.google.com rec.radio.amateur.equipment:7784

I merely passed on what BBC said.  I had no way of denying it.
Nothing was mentioned by the BBC about all that crap you mentioned.
                        Joe



From 2334454511636879836
X-Google-Thread: 108122,988f6584f1fb111e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-U18 programming: how?
Date: Wed, 03 Jan 2007 18:48:22 -0600
Lines: 13
Message-ID: <50316nF1dpmj4U1@mid.individual.net>
References: <1167834854.819101.42700@n51g2000cwc.googlegroups.com>
<502banF1e5em4U1@mid.individual.net>
<1167867424.749853.220820@v33g2000cwv.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net 8+7ZoUPT88jB3Wr/8Q3L3QwOqVpbuR+SysVSW5uSp2Yegg8omE
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915 Mnenhy/0.7.4.0
X-Accept-Language: en-us
```

```
In-Reply-To: <1167867424.749853.220820@v33g2000cwv.googlegroups.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:7785

w9wi wrote:
> Robert Kubichek wrote:
>
>>You would use the ICOM EX-704 external proggrammer...
>
>
> My question is, how (maybe more accurately, *where*) does the
> programmer attach to the radio?
>
Looking at the schematic, it looks like it is through the mic/speaker jacks
via the clone switch..

Bob N9LVU



From 4145971668888491189
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews4.bellsouth.net.POSTED!5d6458a7!not-for-mail
From: "Jerry" <joxendi@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
<Pine.BSI.4.61.0612291159460.29863@malasada.lava.net>
<irEmh.18383$h_1.1339@bignews6.bellsouth.net>
<Pine.BSI.4.61.0701031414460.8651@malasada.lava.net>
Subject: Re: CW is gone
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <EL%mh.18265$641.18125@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbolgbbimimbadehnohnlmcoepmifmiilhkae
gldllghfleelgciaaellebhpcgmgnnbcgidkeokfcfcafjjieebhlpomoplfklhbfbbgdbemghfool
NNTP-Posting-Date: Wed, 03 Jan 2007 23:53:56 EST
Organization: BellSouth Internet Service
Date: Wed, 3 Jan 2007 23:57:15 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7786
```

```
"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0701031414460.8651@malasada.lava.net...
>
> On Tue, 2 Jan 2007, Jerry wrote:
>>
>> Why are you so dead set that CW is prohibited in the US. Since when is
>> BBC
>> the "authority" on what our FCC does?
>> There-is-no-prohibition-on-the-use-of-morse-code-in-the-USA!!!!!!!!!!!!!
>> Some folks just can't READ!!!! :(
>>
> Donr blame me you nitwit
>                  Joe

At least this "nitwit" knows what our FCC actually did!

J

>
```

```
From 5710751376555013453
X-Google-Thread: 1131b0,ad449a3f5f3cdb83
X-Google-Thread: 115730,ad449a3f5f3cdb83
X-Google-Thread: 108122,ad449a3f5f3cdb83
X-Google-Attributes: gid1131b0,gid115730,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!
news.nask.org.pl!news.internetia.pl!newsfeed.gazeta.pl!news.gazeta.pl!not-for-mail
From: "N Cook" <diverse8@gazeta.pl>
Newsgroups:
sci.electronics.repair,sci.electronics.equipment,rec.radio.amateur.equipment
Subject: Re: Telequipment s32 manual wanted
Date: Thu, 4 Jan 2007 09:10:48 -0000
Organization: "Portal Gazeta.pl -> http://www.gazeta.pl"
Lines: 21
Message-ID: <enigaa$fdt$2@inews.gazeta.pl>
References: <1167849401.393725.272440@s34g2000cwa.googlegroups.com>
NNTP-Posting-Host: 213.78.68.83
X-Trace: inews.gazeta.pl 1167901835 15805 213.78.68.83 (4 Jan 2007 09:10:35 GMT)
X-Complaints-To: usenet@agora.pl
NNTP-Posting-Date: Thu, 4 Jan 2007 09:10:35 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V5.00.2615.200
X-Priority: 3
X-Newsreader: Microsoft Outlook Express 5.00.2615.200
X-User: diverse8
X-MSMail-Priority: Normal
Xref: g2news2.google.com sci.electronics.repair:39335
sci.electronics.equipment:4805 rec.radio.amateur.equipment:7787
```

<jean.easter@googlemail.com> wrote in message
news:1167849401.393725.272440@s34g2000cwa.googlegroups.com...
> My S32 has blown up. Has anyone got a manual they could email me,
> please? Any other ideas?
>
> Thanks
>
> Jean
>

Some Telequipment repair briefs from my URL below
also D32 manual available by snail mail, my working email address also on
URL below

--
Diverse Devices, Southampton, England
electronic hints and repair briefs , schematics/manuals list on
http://home.graffiti.net/diverse:graffiti.net/

From -7330754207575280741
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.bluevalley.net!news.bluevalley.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 04 Jan 2007 07:07:31 -0600
From: Nate Bargmann <n0nb.DO.NOT.SPAM@ME.networksplus.net>
Subject: Re: CW is gone
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
     <1bEkh.65480$0D2.5833@newsfe15.phx>
     <Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
     <12p8nqs1aar8vc6@corp.supernews.com>
     <Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
     <VoEmh.18381$h_1.12589@bignews6.bellsouth.net>
     <Pine.BSI.4.61.0701031410470.8651@malasada.lava.net>
User-Agent: pan 0.119 (Karma Hunters)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <JIednVCPWZOOYQHYnZ2dnUVZ_oLinZ2d@bluevalley.net>
Date: Thu, 04 Jan 2007 07:07:31 -0600
Lines: 27
NNTP-Posting-Host: 12.158.148.131
X-Trace: sv3-
PgFHZtqacWwBcF8o2gZUHSutH9UVEjq3e4xpfRbqSsSzNL8jKGWVVZbzP2yPsRhV7eO42YOWPk4mHD6!
4xQWDi2Pgky0skp78UWdBPL3Mq6JTCYV0P5CSfPmfTZE/e6IVo8nj5df+IdLtz0wiM0c4r/CQY6W!
0ZtOUG0HrPxuqsSSeSGCUw==

X-Complaints-To: abuse@bluevalley.net
X-DMCA-Complaints-To: abuse@bluevalley.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7788

On Wed, 03 Jan 2007 14:13:51 -1000, Joseph Fenn wrote:

>>
>> I suggest you go back and fully read the actual announcement where you will
>> find that a "prohibition" against Morse Code is a myth.
>>
>>
> I am just relaying what came off the BBC and circulated world wide.
> so dont blame me on their mistake if it truly is a mistake.
> I hear more revisions from FCC are due out in Feb oo MARCH so maybe
> it will rear its ugly head again.

What revisions? There is nothing pending on the table right now as the
latest Report and Order will be the last one we see for some time.
Nothing is going to be revised. Did you bother to read the links that were
posted to the FCC's own web site, their own documents? Since when is the
BBC's word gospel and more importantly, why do you trust their "reporting"
more than the documents on your own regulatory agency's site?

Truly amazing...

- Nate >>

--

"The optimist proclaims that we live in the best of all possible worlds,
the pessimist fears this is true."

From 8892231187737935756
X-Google-Thread: 108122,236f3337d713c2e2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!fe05.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <459ada6c$0$16149$4fafbaef@reader3.news.tin.it>
Subject: Re: spare for drake l-4b
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1896
Message-ID: <v27nh.297760$Ea5.10141@fe05.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 04 Jan 2007 13:11:55 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7789

orteip wrote:
> You can indicate a vendor to me?

For Drake parts try http://stores.ebay.com/The-Mans-Amateur-Parts-Supply




From 585759621974006738
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!news.kjsl.com!
ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: 4 Jan 2007 17:07:01 GMT
Organization: The National Capital FreeNet
Lines: 39
Message-ID: <enjc7l$9pc$1@theodyn.ncf.ca>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<JIednVCPWZOOYQHYnZ2dnUVZ_oLinZ2d@bluevalley.net>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1167930421 10028 134.117.136.48 (4 Jan 2007 17:07:01 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 4 Jan 2007 17:07:01 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7790

Nate Bargmann (n0nb.DO.NOT.SPAM@ME.networksplus.net) writes:
> On Wed, 03 Jan 2007 14:13:51 -1000, Joseph Fenn wrote:
>
>>>
>>> I suggest you go back and fully read the actual announcement where you will
>>> find that a "prohibition" against Morse Code is a myth.
>>>
>>>
>> I am just relaying what came off the BBC and circulated world wide.
>> so dont blame me on their mistake if it truly is a mistake.
>> I hear more revisions from FCC are due out in Feb oo MARCH so maybe
>> it will rear  its ugly head again.
>
> What revisions?  There is nothing pending on the table right now as the
> latest Report and Order will be the last one we see for some time.
```

> Nothing is going to be revised. Did you bother to read the links that were
> posted to the FCC's own web site, their own documents? Since when is the
> BBC's word gospel and more importantly, why do you trust their "reporting"
> more than the documents on your own regulatory agency's site?
>

I got curious about this "BBC story", and did some searches last night. Didn't find an article that came from the BBC, but there was a story from some US newspaper (I didn't not the URL or which one) that had similar wording. SOmething like "for people used to talking in dots and dashes..." It was simply badly worded, but it had the tone that CW was now dead.

So I can imagine the BBC having some badly worded piece that said that CW was gone.

Of course, there are two other possibilities. Someone is spoofing the BBC, and figures if they credit such a well-known institution people will believe that CW is now killed off.

The other possibility is that somehow the BBC talked to someone who wanted to make some statement, or even honestly believed that CW is gone, and the BBC took that statement on faith.

  Michael VE2BVW

```
From -4000195877161962607
X-Google-Thread: 108122,ff05452b6bde165a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 04 Jan 2007 15:26:37 -0600
From: "Steve" <sbhanson@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Astron 35m PS
Date: Thu, 4 Jan 2007 16:26:37 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Rf2dneBqNqWQ7ADYnZ2dnUVZ_rKvnZ2d@adelphia.com>
Lines: 6
NNTP-Posting-Host: 76.179.223.69
X-Trace: sv3-yPguS4OvNM1/rR8raII1cC/
bHgYDl+H46vimeK5zSQb8YeXdHDcm5ILwOMhLDe+j8Cn7Ulls97LlXn5!
99W5xd74s271IDAVk4WLL+gXQ7HPOLDxNXYXhLAUP/8P5MrvZhVjZewMv4wAesy29B7+p92WFFhw!
EZjVRoBniVtLVVrYuKhbNc0x1t+4Vg==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7791
```

Anyone have an Astron 35m for sale?

ke1lg
sbhanson@adelphia.net

```
From 6720228687353939946
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.bluevalley.net!news.bluevalley.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 04 Jan 2007 16:17:31 -0600
From: Nate Bargmann <n0nb.DO.NOT.SPAM@ME.networksplus.net>
Subject: Re: CW is gone
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
     <JIednVCPWZOOYQHYnZ2dnUVZ_oLinZ2d@bluevalley.net>
     <enjc7l$9pc$1@theodyn.ncf.ca>
User-Agent: pan 0.119 (Karma Hunters)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <iYCdnQfCNbxm4QDYnZ2dnUVZ_rPinZ2d@bluevalley.net>
Date: Thu, 04 Jan 2007 16:17:31 -0600
Lines: 22
NNTP-Posting-Host: 12.158.148.131
X-Trace: sv3-11lQQRNTxue/0JiIPuWQBcHcS0BUGlCb+B+rYPAoqR0oajVMezk527h11P/
PTj2sTIcO5/C2X1Y2GH1!tN/vK0cKIZGmxRCTLcc9bFK2HyqvRAXqk4ssxPEXx+O6+
+aP5kWQRuUKY1kKZdkvWHQsujBqJI5m!kyFOFlPxyVkHb03ydjonLQ==
X-Complaints-To: abuse@bluevalley.net
X-DMCA-Complaints-To: abuse@bluevalley.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7792
```

Any of your scenerios could be correct, Michael.

In retrospect, I would assume a BBC reporter to do their homework. Also, a BBC reporter covering this issue *should* know that the UK dropped the code exam requirement sometime back and that the FCC is merely following suit.

I'm still puzzled as to why Mr. Fenn continues to say "wait and see" when there is clearly nothing to "wait and see" for and he has been given plenty of links to documentation showing that the exam requirement will be eliminated but that Morse Code is still legal on all amateur radio frequencies except for 60m.

I would like to know *what* revisions he "hears" will be made and from *whom*.

- Nate >

--

"The optimist proclaims that we live in the best of all possible worlds,
the pessimist fears this is true."

From 4878846364740291064
X-Google-Thread: 108122,99088ef97b10a6cd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Jan 2007 11:32:54 -0600
From: "Zommbee" <devarim@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: What to do with WILDLY modified HW-7
Date: Fri, 5 Jan 2007 09:32:51 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 71.231.249.190
X-Trace:
sv3-0AxTNk4y9NmuKLKvc1uIVd4ssr48THDWnEmuW6EkamjOfMSTN8LufXai46PlOwILsT15CxPbfxoa1Ae!N9tgRYaz5/HPVpRXgOtUcCOxsBncFmA9XlV1GA74zY0Unl1RRiqhFqU6fZFNiKjbLiSTshlN7Myy!2p/5xFgD7qCswNm9NmPvfLuJ4A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7793

Hello all,

I have a HW-7 that I recently acquired on a whim - it's been HEAVILY modified - RIT, CW filter, new front end on a home-built board, new power connector (yucky one), and other little mods and extra parts inside all over the place! And - you guessed it - it's stone cold dead. Any thoughts I where to begin trouble shooting such a wreck? Or is it worth even trying, given that most of the mods are on homemade boards with no documentation - no idea if they ever even worked. I've thought about just selling it again or ripping out everything and turning the case into a home built receiver of another design or housing an SST-20 xcvr in it.

Suggestions?

Thanks,

Dave WB7AWK

```
From 4796978337598882000
X-Google-Thread: 108122,1728aa65b9fecfe8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe17.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS B&K Model 500 Tube Tester
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <oSwnh.55565$Pv5.44854@newsfe17.lga>
Date: Fri, 5 Jan 2007 12:34:06 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe17.lga 1168022036 68.111.108.217 (Fri, 05 Jan 2007 11:33:56 MST)
NNTP-Posting-Date: Fri, 05 Jan 2007 11:33:56 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7794
```

I have for sale a B&K Dyna Quik Model 500 Tube Tester, SN 11383. It has a tube chart in the inside of the top cover, but no manual. It appears to be is working sometimes. I tested some tubes and some gave me a reading, but on others, I got no readings. I think some of the tube sockets may need cleaning. It also needs the ac pilot lite replaced. Cabinet is in fair condition. Price is $40 plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX

```
From 7780200727104078915
X-Google-Thread: 108228,5f978d52c7cf5d39,start
```

```
X-Google-Thread: 108122,5f978d52c7cf5d39,start
X-Google-Thread: 1109af,5f978d52c7cf5d39,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out04a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe07.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 2-EACH MOTOROLA SABER VHF 16-CH RADIOS-H43SAN7139CN-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0032_01C730BD.70075770"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <5Jxnh.6$xq7.0@newsfe07.phx>
Date: Fri, 5 Jan 2007 11:34:18 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe07.phx 1168025537 68.104.78.240 (Fri, 05 Jan 2007 12:32:17 MST)
NNTP-Posting-Date: Fri, 05 Jan 2007 12:32:17 MST
Organization: Cox
Xref: g2news2.google.com alt.ham-radio.marketplace:1669
rec.radio.amateur.equipment:7795 rec.radio.swap:10904

This is a multi-part message in MIME format.

------=_NextPart_000_0032_01C730BD.70075770
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 2-EACH MOTOROLA SABER VHF 16-CH RADIOS-H43SAN7139CN

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250069404903&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0032_01C730BD.70075770
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
```

```
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 2-EACH MOTOROLA SABER VHF 16-CH RADIOS-H43SAN7139CN</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250069404903&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250069404903&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0032_01C730BD.70075770--
```

```
From -4370216707834152325
X-Google-Thread: 108122,99088ef97b10a6cd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What to do with WILDLY modified HW-7
Date: Fri, 05 Jan 2007 14:48:43 -0500
Organization: Aioe.org NNTP Server
Lines: 24
Message-ID: <fmmck-7D1FE1.14484305012007@nntp.aioe.org>
References: <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com>
NNTP-Posting-Host: mSImAda8xaKyjoYc5wHoqg.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:7796
```

In article <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com>,
 "Zommbee" <devarim@hotmail.com> wrote:

> I have a HW-7 that I recently acquired on a whim - it's been HEAVILY modified - RIT, CW filter, new front end on a home-built board, new power connector (yucky one), and other little mods and extra parts inside all over the place! And - you guessed it - it's stone cold dead. Any thoughts I where to begin trouble shooting such a wreck? Or is it worth even trying, given that most of the mods are on homemade boards with no documentation - no idea if they ever even worked. I've thought about just selling it again or ripping out everything and turning the case into a home built receiver of another design or housing an SST-20 xcvr in it.
>
> Suggestions?

Dave-

If I had such a kit and the original manual, I'd un-build it and start the assembly process over again.

No, I don't want to buy yours! I already have an HW-7 that works.

Fred
K4DII

From 1099016496479481222
X-Google-Thread: 108122,99088ef97b10a6cd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Jan 2007 13:54:14 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com>
Subject: Re: What to do with WILDLY modified HW-7
Date: Fri, 5 Jan 2007 13:54:04 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <c4qdnY8Vkuh7MQPYnZ2dnUVZ_tWhnZ2d@comcast.com>
Lines: 31
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-LdDWiHHis94bOHlXJ9kXIYc600kcNaNE0Ed5tB1HEVq8VLSLDkv6rF+fEi0BgN6gfeY/
5IknWPvxt2r!uVE/
ueUGCJySI+HCs6GwXDq1J2tp3nng5nuVYf2wvSrcNFVnpjOJlTNLrt5JqXul8eDTp4V5iZU0!
0RFD0uBe+3BY6dsqm/g=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7797

"Zommbee" <devarim@hotmail.com> wrote in message
news:_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com...
> Hello all,
>
> I have a HW-7 that I recently acquired on a whim - it's been HEAVILY
> modified - RIT, CW filter, new front end on a home-built board, new
> power connector (yucky one), and other little mods and extra parts inside
> all over the place! And - you guessed it - it's stone cold dead. Any
> thoughts I where to begin trouble shooting such a wreck? Or is it worth
> even trying, given that most of the mods are on homemade boards with
> no documentation - no idea if they ever even worked. I've thought about
> just selling it again or ripping out everything and turning the case into
> a
> home built receiver of another design or housing an SST-20 xcvr in it.

>
> Suggestions?
>
> Thanks,
>
> Dave WB7AWK

You may wish to correspond with Mike Bryce, WB8VGE

He may have some ideas. too bad no one has offered new PC boards (FR-4 fiberglass and silk-screen for these old beasts - you could then rebuild with new components and salvage specific parts (tuned transformers) from the originals.

gb

From -3964550544987625489
X-Google-Thread: 108122,99088ef97b10a6cd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Jan 2007 14:21:53 -0600
From: "Zommbee" <devarim@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com> <fmmck-7D1FE1.14484305012007@nntp.aioe.org>
Subject: Re: What to do with WILDLY modified HW-7
Date: Fri, 5 Jan 2007 12:17:52 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <TMCdnTLSfOX8LgPYnZ2dnUVZ_oernZ2d@comcast.com>
Lines: 18
NNTP-Posting-Host: 71.231.249.190
X-Trace: sv3-z3FRNycHpFphPlEZBsKZHkb//ZX9Ksk8syD0ihxWXBmdHwGx2elifG+waX9IBBMuR6uelkmgUge5hhF!5M/sl4ameeibGkDww+dj+dVJ1HpogOWfA6hWOo4s8PWZ9SV7m1qOdeookrUZFiylt1UTeYKsYnqB!h1gzSuA88CikMv66IJ5uepSGWA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7798

> If I had such a kit and the original manual, I'd un-build it and start
> the assembly process over again.

Actually, that sounds like a very fun idea - strip the whole thing down,
saving the 'unique' parts - coils, switches, tuning cap, etc. and replace
the resistors and capacitors and just build it like a new kit! How fun
is that?

I have my plan! Thanks for the idea - don't know why it didn't occur
to me!

Dave WB7AWK

ps - and I even have the original manual from MY OWN HW-7 that
I got for Christmas in 1974 as a kid - long ago lost the rig but still
have the book.

```
From -8665747287648241511
X-Google-Thread: 108122,67b1624f95e21037,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s80g2000cwa.googlegroups.com!not-for-
mail
From: "5wpm" <webmaster@5wpm.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 5WPM.COM Classifieds
Date: 5 Jan 2007 13:02:45 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1168030965.306366.173510@s80g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.0.247.164
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168030979 17847 127.0.0.1 (5 Jan 2007 21:02:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 5 Jan 2007 21:02:59 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7)
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s80g2000cwa.googlegroups.com; posting-host=71.0.247.164;
   posting-account=pSWnrg0AAAAXc3bJ7ZXXaQboqHoEGqRC
Xref: g2news2.google.com rec.radio.amateur.equipment:7799
```

New Amateur radio classifieds website at http://5wpm.com/class

Free classifieds for the amateur radio community.

73

From -1509426260634452163
X-Google-Thread: 108122,99088ef97b10a6cd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Jan 2007 16:52:35 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com>
Subject: Re: What to do with WILDLY modified HW-7
Date: Fri, 5 Jan 2007 14:53:06 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <mfOdnWytaJkpSwPYnZ2dnUVZ_r2onZ2d@giganews.com>
Lines: 36
X-Trace: sv3-oAARzNAYMsWyNhJlCh6UtJywiAczHweiGBoMbNbj5XA59nHKey/dmG7nhY3murBusAT7v1N2J3uFITL!x9TJAP0nNU1d747CWWc3xHmOWpnpTZzdzhmaFmRTT2QxVNDiU5IEjYuHHJJ3Ghq31Eax/cF+NA==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7800

Zommbee wrote:
> Hello all,
>
> I have a HW-7 that I recently acquired on a whim - it's been HEAVILY
> modified - RIT, CW filter, new front end on a home-built board, new
> power connector (yucky one), and other little mods and extra parts inside
> all over the place! And - you guessed it - it's stone cold dead. Any
> thoughts I where to begin trouble shooting such a wreck? Or is it worth
> even trying, given that most of the mods are on homemade boards with
> no documentation - no idea if they ever even worked. I've thought about
> just selling it again or ripping out everything and turning the case into a
> home built receiver of another design or housing an SST-20 xcvr in it.
>
> Suggestions?
>
> Thanks,
>
> Dave WB7AWK
>

Dave,

If I recall correctly, the receiver section in the HW-7 left much to be desired (poor sensitivity & selectivity). So, from a functional standpoint, it'd likely not be worth "unmodifrying". Unless you want to reverse-engineer and repair what you have, you can look at it as a cabinet with lots of parts in it. On the other hand, if you want to return it to stock (for nostalgia purposes), maybe you can buy the manual from Fred! On the topic of kits, I hear nothing but rave reviews of Elecraft's products. Their K2 is a hot little rig and, I'd love to have one for myself.

73,
Bryan WA7PRC

From -4174858739132912985
X-Google-Thread: 108228,ae51b202f8444284,start
X-Google-Thread: 108122,ae51b202f8444284,start
X-Google-Thread: 1109af,ae51b202f8444284,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!out04a.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls PLUS UHF 403-470 MHz RADIO-EMS-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
boundary="----=_NextPart_000_0008_01C730E1.248B1CE0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <3uBnh.437$kM1.191@newsfe11.phx>
Date: Fri, 5 Jan 2007 15:49:54 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe11.phx 1168040959 68.104.78.240 (Fri, 05 Jan 2007 16:49:19 MST)
NNTP-Posting-Date: Fri, 05 Jan 2007 16:49:19 MST
Organization: Cox
Xref: g2news2.google.com alt.ham-radio.marketplace:1670 rec.radio.amateur.equipment:7801 rec.radio.swap:10909

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C730E1.248B1CE0
Content-Type: text/plain;

```
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls PLUS UHF 403-470 MHz RADIO-EMS-HAM

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250070345682&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C730E1.248B1CE0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls PLUS UHF 403-470 MHz RADIO-EMS-HAM</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250070345682&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250070345682&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C730E1.248B1CE0--



From 1005768183595635211
X-Google-Thread: 108122,99088ef97b10a6cd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!news.kjsl.com!
ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What to do with WILDLY modified HW-7
Date: 6 Jan 2007 05:11:30 GMT
Organization: The National Capital FreeNet
Lines: 44
Message-ID: <ennb22$fh9$1@theodyn.ncf.ca>
References: <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com>
<mfOdnWytaJkpSwPYnZ2dnUVZ_r2onZ2d@giganews.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1168060290 15913 134.117.136.48 (6 Jan 2007 05:11:30 GMT)
X-Complaints-To: complaints@ncf.ca
```

NNTP-Posting-Date: 6 Jan 2007 05:11:30 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7802

"Bryan" (bryan.swadenerNOSPAM@comcast.net) writes:
>
> If I recall correctly, the receiver section in the HW-7 left much to be
> desired (poor sensitivity & selectivity). So, from a functional standpoint,
> it'd likely not be worth "unmodifrying". Unless you want to
> reverse-engineer and repair what you have, you can look at it as a cabinet
> with lots of parts in it. On the other hand, if you want to return it to
> stock (for nostalgia purposes), maybe you can buy the manual from Fred! On
> the topic of kits, I hear nothing but rave reviews of Elecraft's products.
> Their K2 is a hot little rig and, I'd love to have one for myself.
>

I figured his complaint was that it's a jumble of wires so he's not sure what's in there.

But yes, given all the articles about modifying that rig at the time, his modified HW-7 likely is a better reflection of the rig than one that matches the way it was supposed to be put together.

It dates from a time when direct conversion receivers were seen as the New Big Thing, but before anyone had really caught on about how to build a good direct conversion receiver. A single mosfet mixer (I can't remember if there was an RF preamplifier ahead of it) was pretty lousy in terms of a direct conversion receiver. Oh, it likely did okay on SSB and CW, but it was lousy at ignoring the other signals, which is why there were all those mods. There was at least one article in QST where the receiver (either just the RF stages or the whole thing) was replaced with a far better receiver board, using a double balanced mixer.

It was akin to the Heathkit Lunchboxes, that were oh so common and did their bit to populate six and two metres, but weren't very good for much beyond local work, so they saw their share of mods too to get around the basic limitations of the design. The fact that they were cheap, and I seem to recall the HW-7 was relatively cheap too (certainly compared to a transceiver with a superhet receiver), likely added to the mods, because you wouldn't lose that much if you messed it up.

Of course, I am reminded of one receiver construction article in QST in the late fifties or early sixties where the author started with a commercial receiver kit, because it provided the chassis and tuning capacitors and coils at a relatively low cost, and then built his own receiver around it.

Michael VE2BVW

From -3809671777000574023
X-Google-Thread: 108122,99088ef97b10a6cd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 Jan 2007 23:45:13 -0600
From: "Zommbee" <devarim@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com>
<mfOdnWytaJkpSwPYnZ2dnUVZ_r2onZ2d@giganews.com> <ennb22$fh9$1@theodyn.ncf.ca>
Subject: Re: What to do with WILDLY modified HW-7
Date: Fri, 5 Jan 2007 21:42:57 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <E9idnVKsCdf3qgLYnZ2dnUVZ_s-rnZ2d@comcast.com>
Lines: 29
NNTP-Posting-Host: 71.231.249.190
X-Trace: sv3-lhyw09IzQGTT8qdzGTqOzEigVkKvt9QNuTfkjZZ2IWU1jyBB9K8tC+WmZea/mn2r0i+
+opjZKL0EgJl!A7Y7izeChu82ziPAMRyIpsJIDM+e9/
oQQ4HsnN2oHC3O7rzWrHGNGMLjRp5y9zSIJS58rvHindAt!AQzRLot18aAuLIGBD7l3mB8VPw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7803

> It was akin to the Heathkit Lunchboxes, that were oh so common and did
> their bit to populate six and two metres, but weren't very good for much
> beyond local work, so they saw their share of mods too to get around the
> basic limitations of the design. The fact that they were cheap, and I
> seem to recall the HW-7 was relatively cheap too (certainly compared to
> a transceiver with a superhet receiver), likely added to the mods,
> because you wouldn't lose that much if you messed it up.

As one who built a HW-7 in 1975 (they were $69.95), I worked the world
on 20 and 15 with a 14AVQ. It is what it is. When they work well, they
work well. I have over 300 QSOs - many DX - using a HW-7 (sold it
a long time ago). It in no way equates to a 'modern rig' in any sense. But
as I said - I worked a ton of DX with it back in the late 70's and early
80's.

The one I just got is more than just a little modified - it's almost not
recognizable inside. I'm leaning more to calling it a nice cabinet into
which
to build a decent QRP transmitter with a VFO, and use my TS-440 to
receive. (or 'unbuild it and rebuild it - still haven't made up my mind).

The 'modifier' of this HW-7 may never have got these mods to work at
all! All I know is it is stone dead (with voltages all over the board, so I

know power isn't the issue).

Dave WB7AWK

From 2516074809207402048
X-Google-Thread: 1109af,a47a1e56436c4a88,start
X-Google-Thread: 108122,a47a1e56436c4a88,start
X-Google-Thread: fc2a5,a47a1e56436c4a88,start
X-Google-Attributes: gid1109af,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q40g2000cwq.googlegroups.com!not-for-mail
From: wa6ilq@gmail.com
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Needed: Motorola R2400 service/repair manual
Date: 6 Jan 2007 02:08:40 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1168078120.260369.116870@q40g2000cwq.googlegroups.com>
NNTP-Posting-Host: 75.22.58.151
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168078132 32573 127.0.0.1 (6 Jan 2007 10:08:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 Jan 2007 10:08:52 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q40g2000cwq.googlegroups.com; posting-host=75.22.58.151;
   posting-account=-Lu8WA0AAADy0lzrwNkwNyf05YOErBrz
Xref: g2news2.google.com rec.radio.swap:10910 rec.radio.amateur.equipment:7804 rec.radio.amateur.homebrew:8569

The subject line says it all, a friend has acquired a new toy that is
way out of calibration, and needs the manual to bring it back to
life...
I'd like to locate a manual by march 1 for a birthday present.

reply to wa6ilq //a// gmail /./ com

From 4003473586329394297
X-Google-Thread: 108122,299a80e9eee21235,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-

filter.lga!newsfe19.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Hammarlund SP-600 Knobs and parts and KWM-1 more
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <loPnh.2957$oA1.2909@newsfe19.lga>
Date: Sat, 6 Jan 2007 09:38:54 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe19.lga 1168097937 68.111.108.217 (Sat, 06 Jan 2007 08:38:57 MST)
NNTP-Posting-Date: Sat, 06 Jan 2007 08:38:57 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7805

FA Hammarlund SP-600 receiver knobs. Bidding at $9.99 and NR. Auction is
over soon.
Also have other SP-600 parts and Hallicrafters S-40 Receiver and Collins
KWM-1 Transceiver.
See at: http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZhugQ2daQ2dbug
Thanks, Charlie Hugg, K5MBX

From 9080369452216822762
X-Google-Thread: 108122,24b2c052cfde48af,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe18.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TS-940SAT Loaded
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <0MPnh.18817$X97.14055@newsfe18.lga>
Date: Sat, 6 Jan 2007 10:04:13 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1168099452 68.111.108.217 (Sat, 06 Jan 2007 09:04:12 MST)
NNTP-Posting-Date: Sat, 06 Jan 2007 09:04:12 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7806

I have a very nice, clean Kenwood TS-940SAT from an estate. It has been stored for almost 10 years,
but works great. I have tested it over the past month with no problems. It looks almost new. All dial
lights and displays work as they should, no problems in this area. The SN is 7080XXX.
This TS-940SAT is loaded with filters: YK-88A-1 AM Filter; YK-88C-1 500 Hz CW Filter; YG-455C-1
CW Crystal Filter for the 455IF. It also has the VS-1 Voice Board installed as well as the Automatic
Antenna Tuner. I am asking $990 plus shipping for it. If you don't need the optional filters and voice
board, I will pull them out and sell the transceiver for $690, but I would prefer to sell it as a package. Thanks, Charlie Hugg, K5MBX

From 8590663143677771356
X-Google-Thread: 108122,1d620a064317896a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe18.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Heathkit HW-101 Transceiver
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <H_Pnh.18824$X97.3151@newsfe18.lga>
Date: Sat, 6 Jan 2007 10:19:52 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1168100391 68.111.108.217 (Sat, 06 Jan 2007 09:19:51 MST)
NNTP-Posting-Date: Sat, 06 Jan 2007 09:19:51 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7807

I have for sale a Heathkit HW-101 Transceiver. It is in very nice shape cosmetically and it works on
LSB, but when I put is in the upper sideband position, it does not receive.
It comes with the original manual and a Mobile Mic. No Power Supply. I can
send digital picture upon request. Price is $95 plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX

From -2641885692536939698
X-Google-Thread: 108122,c747846fa5625516,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe18.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Heathkit HP-23A AC Power Supply
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <FbQnh.18829$X97.17453@newsfe18.lga>
Date: Sat, 6 Jan 2007 10:33:42 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1168101221 68.111.108.217 (Sat, 06 Jan 2007 09:33:41 MST)
NNTP-Posting-Date: Sat, 06 Jan 2007 09:33:41 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7808

I have for sale a very nice Heathkit HP-23A AC Power Supply. It works with
many Heathkit
radios and will also power Collins KWM-1 or KWM-2 transceivers with minor
wiring mods. This one is original, with no mods. It looks and works great.
Price is $80 plus shipping from 79602. I can send digital pictures upon
request. Thanks, Charlie Hugg,
K5MBX

From -2944046282338838855
X-Google-Thread: 108122,58a320d00135d08c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe18.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood SP-940 Speaker
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028

```
Message-ID: <DqQnh.18834$X97.7467@newsfe18.lga>
Date: Sat, 6 Jan 2007 10:49:39 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1168102179 68.111.108.217 (Sat, 06 Jan 2007 09:49:39 MST)
NNTP-Posting-Date: Sat, 06 Jan 2007 09:49:39 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7809
```

I have for sale a Mint Kenwood SP-940 Speaker. This speaker has the High
1and 2 and Low filters.
It the A/B switch so it can be switched between 2 radios. It comes with the
original connecting cable.
There is not a mark on it and it sounds great. Price is $125 shipping in
CONUS. Thanks, Charlie
Hugg, K5MBX

```
From 7729925650876008990
X-Google-Thread: 108122,561529987dff27f1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe18.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood SM-220/BS-8 Monitor Scope
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <NJQnh.18840$X97.8398@newsfe18.lga>
Date: Sat, 6 Jan 2007 11:10:05 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe18.lga 1168103405 68.111.108.217 (Sat, 06 Jan 2007 10:10:05 MST)
NNTP-Posting-Date: Sat, 06 Jan 2007 10:10:05 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7810
```

I have a very nice Kenwood SM-220 Monitor Scope with the BS-8 Pan Adaptor
Option installed.
The scope works very well and is in great condition cosmatically. It has few
small scratches and marks around the outer trim of the front panel, but the
front panel and cabinet are near perfect. It is from an estate and has been
stored for almost 10 years. I checked it out for the past month and it
functions as it should. Price is $375 shipped in CONUS. I can send digital
pictures upon request. Thanks, Charlie Hugg, K5MBX

```
From 6533298550152024038
X-Google-Thread: 108122,c44f5707642a87ba,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
From: "George Folse III" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS  Ameritron
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0222_01C73199.158D2F40"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <A0Tnh.65706$gl2.63223@newsfe16.lga>
Date: Sat, 6 Jan 2007 13:46:36 -0600
NNTP-Posting-Host: 68.230.236.27
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.lga 1168112800 68.230.236.27 (Sat, 06 Jan 2007 12:46:40 MST)
NNTP-Posting-Date: Sat, 06 Jan 2007 12:46:40 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7811

This is a multi-part message in MIME format.

------=_NextPart_000_0222_01C73199.158D2F40
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I have FS a Ameritron ALS-600 and the ALS-600PS. It is only a few months =
old still under warranty, have all original boxes and manual $800.00 =
plus shipping from 70053

--=20
George K5WWO
------=_NextPart_000_0222_01C73199.158D2F40
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I have FS a Ameritron ALS-600 and the =
ALS-600PS. It=20
is only a few months old still under warranty, have all original boxes =
and=20
manual $800.00 plus shipping from 70053</FONT></DIV>
<DIV><FONT face=3DArial size=3D2><BR>-- <BR>George =
K5WWO</FONT></DIV></BODY></HTML>

------=_NextPart_000_0222_01C73199.158D2F40--
```

```
From 6190187816129894344
X-Google-Thread: 108122,a818b512b86e5a28,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 06 Jan 2007 14:36:38 -0600
From: "Steve" <sbhanson@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Kenwood R-1000 Receiver
Date: Sat, 6 Jan 2007 15:36:39 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <w_udnWPrT7PKlT3YnZ2dnUVZ_ualnZ2d@adelphia.com>
Lines: 7
NNTP-Posting-Host: 76.179.223.69
X-Trace: sv3-ZvNTNaGF1ZN3Y7oZO3jqXTEdwmGHmJlhxXPZvo9J6HIUh324MBkwoOeRwCUoCxE/
VApktyRdG0dhWOt!
aCALaOJyIXsjmped0rtmVq+nrf5tU+PT9KBaGS2r161WT4YVNgNVLlblPJHJSZc33HZD37VnR7nB!
tjsuULfjlBUrsa/VaxO0s65QAtgGog==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7812
```

Looking for clean R-1000.

Steve
ke1lg
sbhanson@adelphia.net

```
From -1766421713478481641
X-Google-Thread: 108122,9d1afbd2b35171b8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q40g2000cwq.googlegroups.com!not-for-
mail
From: rullery@Pioneer-Data.com
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Heil Goldline GM-4 with the DX and the dream machine
Date: 6 Jan 2007 12:59:16 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1168117155.661386.114530@q40g2000cwq.googlegroups.com>
NNTP-Posting-Host: 72.160.117.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168117162 29377 127.0.0.1 (6 Jan 2007 20:59:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 Jan 2007 20:59:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q40g2000cwq.googlegroups.com; posting-host=72.160.117.78;
   posting-account=GrsS1wwAAAC0nNl98ZqXeZBpfSZeBxFk
Xref: g2news2.google.com rec.radio.amateur.equipment:7813

FA: Heil Goldline GM-4 with the DX and the dream machine

Mic is in great shape. With  LX-1 Boom (missing base) I just mounted in
a hole in my desk corner. Hand switch is inluded with a yaesu 8 pin
cable.



http://cgi.ebay.com/Heil-Goldline-GM-4-with-the-DX-and-the-dream-machine-
el_W0QQitemZ130066298644



From -3586662922923205577
X-Google-Thread: 108122,bf1c5bbb0d49de55,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q40g2000cwq.googlegroups.com!not-for-
mail
From: "EB5AGV" <eb5agv@ctv.es>
Newsgroups: rec.radio.amateur.equipment
Subject: EB5AGV WEB update: workbench
Date: 6 Jan 2007 15:05:16 -0800
Organization: http://groups.google.com
Lines: 23
```

Message-ID: <1168124716.833699.196060@q40g2000cwq.googlegroups.com>
NNTP-Posting-Host: 83.36.20.86
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168124723 15571 127.0.0.1 (6 Jan 2007 23:05:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 Jan 2007 23:05:23 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.8.1.1) Gecko/20061204 Firefox/2.0.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q40g2000cwq.googlegroups.com; posting-host=83.36.20.86;
   posting-account=b3mJcQwAAAAHY4OnnjRXQw8Bqimume9E
Xref: g2news2.google.com rec.radio.amateur.equipment:7814

Hello!

Some time ago I started a new section on my WEB. It is called EB5AGV's Workbench. On it I hope to share with visitors my experiences fixing test and radio gear in an informal way (kind of Blog sometimes).

First installment was devoted to the HP-8640B signal generator.

Second one (and just uploaded!) talks about the Kenwood R-5000 DRM addition.

Address of the index page is:

http://jvgavila.com/workb.htm

Hope you enjoy it!

Regards,

JOSE
http://jvgavila.com

From -1542990055806647154
X-Google-Thread: 108122,99088ef97b10a6cd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What to do with WILDLY modified HW-7
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
References: <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com>
MIME-Version: 1.0

Content-Type: Text/Plain; charset=US-ASCII
Lines: 45
Message-ID: <dxtoh.1$Oa6.0@dfw-service2.ext.ray.com>
Date: Mon, 08 Jan 2007 15:35:37 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1168270537 138.126.48.166 (Mon, 08 Jan 2007 09:35:37 CST)
NNTP-Posting-Date: Mon, 08 Jan 2007 09:35:37 CST
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.amateur.equipment:7815

Dave,

If it was mine, assuming that the cabinet and front panel were in good original condition, I'd totally deconstruct it and rebuild it back to stock condition. That should be relatively easy since you have the manual. Someone commented that the HW-7 has a lousy receiver. That's absolutely true. Compared to an FTdx-9000 or IC-7800, it's laughable. However, over the decades that the HW-7 has been around, thousands of hams have made tens of thousands of successful QSOs with them, and many continue to do so. It's a fun rig to play with. With that in mind, it'd be worth my time to rebuild it. If nothing else, it would be a nice project for those cold winter nights!

No, I don't want to buy it. I have my projects lined up...

73,
Dean K5DH

In article <_5OdnSMGF5BaFgPYnZ2dnUVZ_segnZ2d@comcast.com>, devarim@hotmail.com says...
>
>Hello all,
>
>I have a HW-7 that I recently acquired on a whim - it's been HEAVILY
>modified - RIT, CW filter, new front end on a home-built board, new
>power connector (yucky one), and other little mods and extra parts insid
>e
>all over the place! And - you guessed it - it's stone cold dead. Any
>thoughts I where to begin trouble shooting such a wreck? Or is it worth
>even trying, given that most of the mods are on homemade boards with
>no documentation - no idea if they ever even worked. I've thought about
>just selling it again or ripping out everything and turning the case int
>o a
>home built receiver of another design or housing an SST-20 xcvr in it.
>
>Suggestions?
>
>Thanks,
>

```
>Dave WB7AWK
>
>



From -1067213603080212360
X-Google-Thread: 108122,dc6b1b659176f6e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe11.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: RigBlaster Plus
Message-ID: <gdq4q2lakf9jdu9lt865g6l2g6ajvltmva@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddckannfilpcpbbolnmndemkjlmfkcclekjllfjdfbijhjogphkajfcobocpeihfnehmf
ccdhiicpcmojmdgdpklbagjikbenhcenjibamblopoffgagolpanaadbokpicd
NNTP-Posting-Date: Mon, 08 Jan 2007 08:56:42 MST
Organization: Optimum Online
Date: Mon, 08 Jan 2007 10:56:39 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7816

WTB: RigBlaster Plus
Please reply with price and phone number.
Thanks...Rich



From -5266601365992211800
X-Google-Thread: 1109af,3dd77c7cf717cf70,start
X-Google-Thread: 114aac,3dd77c7cf717cf70,start
X-Google-Thread: 108122,3dd77c7cf717cf70,start
X-Google-Attributes: gid1109af,gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.texas.net!
news.texas.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 Jan 2007 11:36:03 -0600
From: oh_wow_man@
Newsgroups:
rec.radio.swapmeet.hamcomm.tailgate.parties,rec.radio.swap,rec.radio.shortwave,rec
.radio.amateur.equipment
Subject: San Antonio, Texas Swapmeet January 13, 2007
Date: Mon, 08 Jan 2007 11:36:31 -0600
```

Message-ID: <17u4q2hggipmmc1p17klee7seutqqqtbpd@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 91
NNTP-Posting-Host: 69.152.253.193
X-Trace: sv3-
hwTaXfRElS8eYj7zqMmDtVHx6cFbwezytU6pcXkyasGDdQCAebYCY5TP0mR5sM9K4tAN4tnJluk1R/K!
RBGjIokuz77R1Eam/dlvIA/5Tu4D4grJYW67XUNzQHcUaPBD5uUbLFFpKC84bcU8erepOsNUjPg+!
mI0FIKFFuzb2Mvc=
X-Complaints-To: abuse@texas.net
X-DMCA-Complaints-To: abuse@texas.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:10934 rec.radio.shortwave:64028 rec.radio.amateur.equipment:7817

Swapfest 2007 at Little Joe's Country Gold
The Swapfest will be Saturday, January 13, 2007. Swapfest hours are 8:00 am to 3:00 pm. We will be at the same location as last year, Little Joe's Country Gold, 7405 Old Pearsall Road (southwest side of San Antonio). For a map click here.
http://tinyurl.com/y8p4dy
Admission is $4 at the door. Swapfest set up will open at 6:30 am with the doors opening at 8 am.

Tailgating Available! - In past years, this has been totally an Indoor event, but this year tailgating IS allowed. Limited tailgating spaces are available at $5 each. Please no swapping before 8:00 AM Saturday.

PDF copy of Inside <http://w5sc.org/Docs/Data/2007_Flyer_inside.pdf> and Outside <http://w5sc.org/Docs/Data/2007_Flyer_outside.pdf> of flyer mailed out.

Here are some of the Dealers that will be at the Swapfest this year!
K-COMM <http://kcomm.biz/>
Jubilee Enterprises <http://www.shopjubilee.com/>
The Sign Man <http://www.thesignman.com/> of Baton Rouge
HF Projects <http://www.hfprojects.com/hfprojects/>

VE Testing
Come upgrade or get your first ham license at the Swapfest! We test at a nearby library. Pre-registration is encouraged. Contact hamtest@... <mailto:hamtest@...> .

The Swapfest VE test session will be from 9 � 11 AM at the Johnston Library, 6307 Sun Valley Drive

http://tinyurl.com/yxj7px
, off Medina Base Road and SW Loop 410 (exit 3 and 3B). Bring $14 test fee and photo ID. People upgrading also need to bring originals and photocopies of your ham license and applicable CSCEs. Email http://tinyurl.com/wvno6 for more info.

Prizes!
Alinco DJ-596 Dual Band 5 Watt HT Transceiver (Early Bird)

Icom 718 HF Transceiver (Grand Prize)

Tables are $8 at the door.

Dealer Tables are $12 each. For a Dealer Registration Form click here. <http://w5sc.org/Docs/SwapfestDealerRegistration2007.pdf> Dealers, you may park your RV in the parking lot Friday evening. Two admission tickets are provided with each dealer registration. Dealer set up is Friday evening from 6 PM to 9:30 PM and Saturday morning from 6:30 AM to 8 AM. If you have additional questions, please contact the 2007 Swapfest Chairman, J C Smith, N5RXS, home phone (210) 522-6167, cell phone (210) 849-3404, or email n5rxs@... <mailto:n5rxs@...> .

For an Advanced Registration Form click here.
<http://w5sc.org/Docs/Data/2007%20swap%20fest%20%20Registration.pdf>

ARRL Forum
Dr. David Woolweaver K5RAV, ARRL West Gulf Division Vice Director, will host the ARRL Forum from 11:30 AM to 12:30 PM.

Food and drinks are available on site at competitive prices, including coffee, hot chocolate, soda, breakfast tacos and more.

Talk-in will be on 146.94 (-, 179.9 PL), and "chat" will be on 444.100 (+, 179.9 PL). Be sure to say "hi" to the talk-in volunteers at the table by the back door.

Please address all Swapfest inquires to n5rxs@... <mailto:n5rxs@...> .

Club History
San Antonio Radio Club from 1919 to 2007

Bexar County's Communication Resource since 1919
The San Antonio Radio Club is one of the oldest Amateur Radio clubs that is still around and operating. It was founded in 1919 as the "Bexar County Radio Association" and reorganized in 1929 as the "San Antonio Radio Club". We are one of the oldest affiliated amateur radio Clubs of the American Radio Relay League (since January 2, 1920).

Come to the San Antonio Swapfest 2007!

73
N5IUT

From -1824599317553176368
X-Google-Thread: 108122,4bc8613565c023f1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
From: Radio <radReMoVe@mts.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Motorola Quantar 900 MHz Repeater
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <HOzoh.88506$gl2.26136@newsfe16.lga>
Date: Mon, 08 Jan 2007 16:44:53 -0600
NNTP-Posting-Host: 207.161.59.97
X-Complaints-To: http://support.highwinds-media.com
X-Trace: newsfe16.lga 1168296231 207.161.59.97 (Mon, 08 Jan 2007 15:43:51 MST)
NNTP-Posting-Date: Mon, 08 Jan 2007 15:43:51 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:7818

Motorola Quantar 900 MHz Repeater

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=200066441764

From -7202700933732357074
X-Google-Thread: 108122,f49530f6fbc34344,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog2.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 Jan 2007 19:41:28 -0600
Date: Mon, 08 Jan 2007 20:41:28 -0500
From: KC8GXW-Jim <kc8gxw@CENTURYTEL.NET>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: needed MRF 248
Content-Type: text/plain; charset=us-ascii; format=flowed

Content-Transfer-Encoding: 7bit
Message-ID: <b4ydnX53-YVVbz_YnZ2dnUVZ_ufinZ2d@centurytel.net>
Lines: 8
NNTP-Posting-Host: 207.118.250.109
X-Trace: sv3-
CLhoEuq3l+62jjMK3r5XlqEgwxxZUeQlB6t4VtSIa5uh+n+K+dD72uP9feK3vv1qpAJHD8usnGMruO4!
Qc9M6Zran7XmLy+yx0LTcifY8YJ6ZhUTfr3fvKjwpOD/43/1a9J7uLAHcpr/aC4WMjR107XgDdA4!
xhzd7EShuHgLrduZNBBDCJqpkiXAYIdghW5NndQ7
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7819

Have a RF Concepts 2 meter amp with 1 bad final
The driver is a single MRF 450 driving two SRF 3897's
The SRF 3897 is obsoleate and was replaced by MRF 248
Is there a better driver final combination to use? Is there a
inexpensive replacement for the SRF 3897?
Where would the best place to get a matched set of replacments for the
SRF 3897 of a matched set of the MRF 148?
Thanks

From -8806991504939453529
X-Google-Thread: 108122,f93e20cc72b67965,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TMD700
Date: Tue, 9 Jan 2007 14:51:56 +0100
Lines: 18
Message-ID: <50hkvjF1dnvhdU1@mid.individual.net>
X-Trace: individual.net Nvx3CJVMdL4Ql2N0fnZs1wMFMBJPTg/NNhzbPPNAi0dcLFXsTG
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:7820

Hello,

I do sometimes APRS in my car with a TMD700 G2.0 with a Garmin Etrex.
Some times a receive a message that is not interested for me.
My bullitin (BLN) menu is empty but my MSG-group is default programmed with
ALL,QST,CQ,KWD.
When i want receive messages only for me from stations who see me on APRS is

erase ALL,QST,CQ,KWD required ?

--
Met vriendelijke groet,

Hans Pluijgers
PA3HGT

www.pa3hgt.nl

From -5979448684734904410
X-Google-Thread: fcc6e,17874ef57375a5d8
X-Google-Thread: 10bf43,cc602a1d8c9988d2
X-Google-Thread: fb049,47a8dd401388b7f
X-Google-Thread: 108122,f09174d2c054f1e7,start
X-Google-Attributes: gidfcc6e,gid10bf43,gidfb049,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment
Subject: woger on RRAPage
Date: Tue, 09 Jan 2007 12:36:57 -0500
Message-ID: <0lk7q25ue5rrj7dlnulpssumfm5jbb70j5@4ax.com>
References: <45a3aba6$0$4788$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Date: 09 Jan 2007 16:42:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:24052 rec.radio.amateur.policy:61467 alt.ham-radio.vhf-uhf:3581 rec.radio.amateur.equipment:7821

On Tue, 9 Jan 2007 10:44:17 -0500, "Mark@kb9rqz.aspr"
<Mark@kp9rqz.asr> wrote:

>
you still aint me woger
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 627862111158621211

```
X-Google-Thread: 10c2ee,e5bb142cf220dd1,start
X-Google-Thread: fc8b1,e5bb142cf220dd1,start
X-Google-Thread: 108122,e5bb142cf220dd1,start
X-Google-Attributes: gid10c2ee,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!77g2000hsv.googlegroups.com!not-for-
mail
From: "rich" <rlucch2098@aol.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: FA: Pair of NOS Amperex 3B28's, Pair or RCA 807's, 866A & 5R4GTY
Date: 9 Jan 2007 18:53:18 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1168397598.133107.296800@77g2000hsv.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1168397600 11914 127.0.0.1 (10 Jan 2007 02:53:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 Jan 2007 02:53:20 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 77g2000hsv.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.antiques.radio+phono:43305
rec.radio.amateur.boatanchors:7121 rec.radio.amateur.equipment:7822
```

Two lots here folks, all NOS>
2-Amperex 3B28's>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220068460417&ssPageName=STRK:MESE:IT&ih=012

2- RCa 807's, etc>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220068460437&ssPageName=STRK:MESE:IT&ih=012

```
From 5971696556195024755
X-Google-Thread: 10f7a7,51c4cf62733b0ebd,start
X-Google-Thread: fcc6e,17874ef57375a5d8
X-Google-Thread: 10bf43,cc602a1d8c9988d2
X-Google-Thread: fb049,47a8dd401388b7f
X-Google-Thread: 108122,f09174d2c054f1e7
X-Google-Attributes: gid10f7a7,gidfcc6e,gid10bf43,gidfb049,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000hsf.googlegroups.com!not-for-
mail
From: Head2Mork4Head@yahoo.com
```

```
Newsgroups:
alt.usenet.kooks,rec.radio.amateur.antenna,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,rec.radio.amateur.equipment
Subject: Re: woger on RRAPage
Date: 9 Jan 2007 19:58:32 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1168401512.655182.228440@i39g2000hsf.googlegroups.com>
References: <45a3aba6$0$4788$88260bb3@free.teranews.com>
   <0lk7q25ue5rrj7dlnulpssumfm5jbb70j5@4ax.com>
NNTP-Posting-Host: 64.12.116.10
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1168401514 30010 127.0.0.1 (10 Jan 2007 03:58:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 Jan 2007 03:58:34 +0000 (UTC)
In-Reply-To: <0lk7q25ue5rrj7dlnulpssumfm5jbb70j5@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1;
yie6),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[mtc-td012 8.4.1], HTTP/1.1 cache-mtc-aa06.proxy.aol.com[400C740A] (Traffic-
Server/6.1.5 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000hsf.googlegroups.com; posting-host=64.12.116.10;
   posting-account=6Urhiw0AAABJ65O_UgE3CLEwRKv9z1qp
Xref: g2news2.google.com alt.usenet.kooks:289949 rec.radio.amateur.antenna:24077
rec.radio.amateur.policy:61504 alt.ham-radio.vhf-uhf:3582
rec.radio.amateur.equipment:7823

http://www.rrcom.com/you_&_your_stations_pictures/pic.jpeg

M...@kb9rqz.aprs wrote:
> On Tue, 9 Jan 2007 10:44:17 -0500, "Mark@kb9rqz.aspr"
> <Mark@kp9rqz.asr> wrote:
>
> >
> you still aint me woger
> http://kb9rqz.blogspot.com/
>
> --
> Posted via a free Usenet account from http://www.teranews.com



From -20515040951744310
X-Google-Thread: fcc6e,17874ef57375a5d8
X-Google-Thread: 10bf43,cc602a1d8c9988d2
X-Google-Thread: fb049,47a8dd401388b7f
X-Google-Thread: 108122,f09174d2c054f1e7
X-Google-Attributes: gidfcc6e,gid10bf43,gidfb049,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
```

zeus.nntpserver.com!10.1.1.50.MISMATCH!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment
Subject: Re: woger on RRAPage
Date: Tue, 09 Jan 2007 23:14:46 -0500
Message-ID: <e1q8q2l0mjup23jffio9hnfh04hlpd3g58@4ax.com>
References: <45a3aba6$0$4788$88260bb3@free.teranews.com>
<0lk7q25ue5rrj7dlnulpssumfm5jbb70j5@4ax.com>
<1168401512.655182.228440@i39g2000hsf.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Date: 10 Jan 2007 03:21:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:24078
rec.radio.amateur.policy:61508 alt.ham-radio.vhf-uhf:3583
rec.radio.amateur.equipment:7824

On 9 Jan 2007 19:58:32 -0800, Head2Mork4Head@yahoo.com wrote:

>http://www.rrcom.com/you_&_your_stations_pictures/pic.jpeg
>

interesting pic woger
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -8248008830433965603
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k21g2000cwa.googlegroups.com!not-for-mail
From: "art" <aunwin@insightbb.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy
Subject: Re: cut out the Bullshit or turn in your license and imporve the service SC
Date: 28 Dec 2006 18:57:33 -0800
Organization: http://groups.google.com
Lines: 44
Message-ID: <1167361053.909725.206720@k21g2000cwa.googlegroups.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>

```
   <mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
   <458455D4.6070709@coboxincORORATED.com>
NNTP-Posting-Host: 74.133.195.205
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1167361059 21418 127.0.0.1 (29 Dec 2006 02:57:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 29 Dec 2006 02:57:39 +0000 (UTC)
In-Reply-To: <458455D4.6070709@coboxincORORATED.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k21g2000cwa.googlegroups.com; posting-host=74.133.195.205;
   posting-account=9n28XgwAAABqArMkMQdWhp5TthEVV0k8
Xref: g2news2.google.com rec.radio.amateur.antenna:23638
rec.radio.amateur.equipment:7725 rec.radio.amateur.homebrew:8478
rec.radio.amateur.policy:60548

You have to hand it to him! He did a good job declaring his views
ragarding ham radio
ande he may be right. Ham radio is shurely on the downslide and we
can't blaim that on the FCC. We have the internet now that welcomes
everybody so it wouldn't hurt us if the FCC gave somebody else the
frequencies. We talk of public service well looking at this newsgroups
work it would be better for the whole world if America got off the
bands because we are not liked anymore and this newsgroup does not do
service to America other than showing who we really are.
Art




Christopher Cox wrote:
> Mark@kb9rqz.aprs wrote:
> > On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus,  KB7ADL"
> > <radiation17@bresnan.net> wrote:
> >
> >
> >>Ham radio died today.
> >>
> >>Sorry for all the brow beating, it won't be happening anymore.
> >>
> >>73 de KB7ADL, AKA Slow Code
> >
> >
> > bullshit
> > http://kb9rqz.blogspot.com/
> >
>
> I am actually surprised to find out it was/is Vince. He's an O.K. guy,
> puts in volunteer time and is very knowledgeable. While I firmly believe
> this alter personality detracted from Amateur radio (Slow Code),  Vince
```

> has done other things to advance it.
>
> Although I know Vince is very pro Morse code, I am having trouble
> believing it was him (being Mr. Slow Code)
>
> If it was/is him, turning in his license would only be a detriment to
> the community IMHO.
>
> Chris KC8FRJ

From -4192158054652424110
X-Google-Thread: 108122,7538734d4eea3e5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!84ef5383!not-for-mail
From: "Brian" <kb9bvn@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <1167320069.784684.212380@s34g2000cwa.googlegroups.com>
Subject: Re: Kenwood TS-140s TX output question.
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <b40lh.4829$yx6.3421@newsread2.news.pas.earthlink.net>
Date: Fri, 29 Dec 2006 03:37:43 GMT
NNTP-Posting-Host: 76.2.192.200
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1167363463 76.2.192.200 (Thu, 28 Dec
2006 19:37:43 PST)
NNTP-Posting-Date: Thu, 28 Dec 2006 19:37:43 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7726

Your TS140S has dirty sliders.

Have you tried tuner cleaner in the works?

I had to do this same thing to mine a couple years ago, it fixed it so I
could at least power down to about 8w.

I have heard of guys even replacing the sliders. I have no idea where you'd
get them though.

73 de KB9BVN

"gil" <gi1pi@yahoo.com> wrote in message news:1167320069.784684.212380@s34g2000cwa.googlegroups.com...

> My question is, how can I drop the power on my TS-140s? I am all cw op
> here and seems on cw its either all or nothing, a slight movement of
> the rf slider brings it up to over 100 watts and its hard to control
> the lower range. I would like to max out at around 50 watts.
>
> Any ideas?
>
> Thanks, Gil
>

```
From -4359137441905113606
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!postnews.google.com!
k21g2000cwa.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: cut out the Bullshit or turn in your license and imporve the service
SC
Date: 28 Dec 2006 19:49:09 -0800
Organization: http://groups.google.com
Lines: 51
Message-ID: <1167364149.514586.39870@k21g2000cwa.googlegroups.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
   <mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
   <458455D4.6070709@coboxincORORATED.com>
   <1167361053.909725.206720@k21g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.61
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1167364154 28550 127.0.0.1 (29 Dec 2006 03:49:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 29 Dec 2006 03:49:14 +0000 (UTC)
In-Reply-To: <1167361053.909725.206720@k21g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k21g2000cwa.googlegroups.com; posting-host=66.82.9.61;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.antenna:23647
rec.radio.amateur.equipment:7727 rec.radio.amateur.homebrew:8479
rec.radio.amateur.policy:60551
```

art wrote:
> You have to hand it to him! He did a good job declaring his views
> ragarding ham radio
> ande he may be right.

and his views on personal privacy (no such thing) that he wants to end
the existance of Ham radio

> Ham radio is shurely on the downslide and we
> can't blaim that on the FCC. We have the internet now that welcomes
> everybody so it wouldn't hurt us if the FCC gave somebody else the
> frequencies. We talk of public service well looking at this newsgroups
> work it would be better for the whole world if America got off the
> bands because we are not liked anymore and this newsgroup does not do
> service to America other than showing who we really are.
> Art
>
>
>
>
> Christopher Cox wrote:
> > Mark@kb9rqz.aprs wrote:
> > > On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus, KB7ADL"
> > > <radiation17@bresnan.net> wrote:
> > >
> > >
> > >>Ham radio died today.
> > >>
> > >>Sorry for all the brow beating, it won't be happening anymore.
> > >>
> > >>73 de KB7ADL, AKA Slow Code
> > >
> > >
> > > bullshit
> > > http://kb9rqz.blogspot.com/
> > >
> >
> > I am actually surprised to find out it was/is Vince. He's an O.K. guy,
> > puts in volunteer time and is very knowledgeable. While I firmly believe
> > this alter personality detracted from Amateur radio (Slow Code), Vince
> > has done other things to advance it.
> >
> > Although I know Vince is very pro Morse code, I am having trouble
> > believing it was him (being Mr. Slow Code)
> >
> > If it was/is him, turning in his license would only be a detriment to
> > the community IMHO.
> >
> > Chris KC8FRJ

From 8511215257546951317
X-Google-Thread: 108122,5feebbe6b26c882d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe03.lga.POSTED!53ab2750!not-for-mail
User-Agent: Microsoft-Entourage/11.3.2.061213
Subject: Re: Amateur radio enthusiasts fight to save Morse Code
From: Gary KW4Z <kw4z@charter.net>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <C1BA00C4.165C4%kw4z@charter.net>
Thread-Topic: Amateur radio enthusiasts fight to save Morse Code
Thread-Index: AccrABekVmwclpbzEduTzQARJDuoXg==
References: <evydnRa49Ji3lgnYnZ2dnUVZ_vfinZ2d@got.net>
Mime-version: 1.0
Content-type: text/plain;
    charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 29
X-Trace:
pgpdkimbbbabbbpekannfilpcpbbolnmiafhjigmagdmgkffejnjiiacbalnifaohphmomofokidhpbpba
mbdhpadhhfnfllankbcoajbmhacoifncoimclgfnibflmaenfnojecgjgcfcij
NNTP-Posting-Date: Thu, 28 Dec 2006 21:16:22 MST
Date: Thu, 28 Dec 2006 23:16:20 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7728

I doubt that any efforts will prevail. Too many are opposed to it and those that are opposed are the younger ones and potential new Amateurs. I hate to see it go, as a requirement, cause I am a true believer that you respect more what you pay for in blood or pain and suffering and although that is a stretch to equate code with pain the principal comes through and I think that's why many are not wanting it dropped. Amateur Radio though is the last bastion for the code, I believe, as the Commercial Radiotelegraph license became obsolete years ago for the maritime service and I still regret never getting that license with radar endorsement for I think I'd be living a lot happier and fatter right now with some of the jobs I saw posted back in the 80's.

I thought the code requirement was effectively dropped when they reduced the required speed to five words per minute.

```
  ..     ._ _   . _ ..  . _ ..
  _ .   _ _ _   _
  _ _ . _    . . _    . .   _      . _ . _ . _
```

On 12/28/06 1:21 PM, in article evydnRa49Ji3lgnYnZ2dnUVZ_vfinZ2d@got.net, "Joaquin Tall" <opalockamishabob@'86DASPAMnetscape.net> wrote:

> Complete article at link below:

>
> http://www.iht.com/articles/2006/12/26/yourmoney/morse.php

From 8122237853099164149
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s34g2000cwa.googlegroups.com!not-for-mail
From: "art" <aunwin@insightbb.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy
Subject: Re: cut out the Bullshit or turn in your license and imporve the service SC
Date: 28 Dec 2006 20:29:05 -0800
Organization: http://groups.google.com
Lines: 62
Message-ID: <1167366545.563639.106660@s34g2000cwa.googlegroups.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
   <mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
   <458455D4.6070709@coboxincORORATED.com>
   <1167361053.909725.206720@k21g2000cwa.googlegroups.com>
   <1167364149.514586.39870@k21g2000cwa.googlegroups.com>
NNTP-Posting-Host: 74.133.195.205
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1167366551 15360 127.0.0.1 (29 Dec 2006 04:29:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 29 Dec 2006 04:29:11 +0000 (UTC)
In-Reply-To: <1167364149.514586.39870@k21g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s34g2000cwa.googlegroups.com; posting-host=74.133.195.205;
   posting-account=9n28XgwAAABqArMkMQdWhp5TthEVV0k8
Xref: g2news2.google.com rec.radio.amateur.antenna:23653 rec.radio.amateur.equipment:7729 rec.radio.amateur.homebrew:8480 rec.radio.amateur.policy:60558

No he is being realistic. We have more CB sets out there than ham sets and they are no different to hams. If there is an emergency then CB ers would probably do a better job than hams and with less quibling. I think the writing is on the wall for ham radio since they dont provide a thing for the country It would be better if home security took over the frequency as we all now use the net instead. Have you heard anybody on the radio lately if you get my drify

Att

an old friend wrote:
> art wrote:
> > You have to hand it to him! He did a good job declaring his views
> > ragarding ham radio
> > ande he may be right.
>
> and his views on personal privacy (no such thing) that he wants to end
> the existance of Ham radio
>
> > Ham radio is shurely on the downslide and we
> > can't blaim that on the FCC. We have the internet now that welcomes
> > everybody so it wouldn't hurt us if the FCC gave somebody else the
> > frequencies. We talk of public service well looking at this newsgroups
> > work it would be better for the whole world if America got off the
> > bands because we are not liked anymore and this newsgroup does not do
> > service to America other than showing who we really are.
> > Art
> >
> >
> >
> >
> > Christopher Cox wrote:
> > > Mark@kb9rqz.aprs wrote:
> > > > On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus, KB7ADL"
> > > > <radiation17@bresnan.net> wrote:
> > > >
> > > >
> > > >>Ham radio died today.
> > > >>
> > > >>Sorry for all the brow beating, it won't be happening anymore.
> > > >>
> > > >>73 de KB7ADL, AKA Slow Code
> > > >
> > > >
> > > > bullshit
> > > > http://kb9rqz.blogspot.com/
> > > >
> > >
> > > I am actually surprised to find out it was/is Vince. He's an O.K. guy,
> > > puts in volunteer time and is very knowledgeable. While I firmly believe
> > > this alter personality detracted from Amateur radio (Slow Code), Vince
> > > has done other things to advance it.
> > >
> > > Although I know Vince is very pro Morse code, I am having trouble
> > > believing it was him (being Mr. Slow Code)
> > >
> > > If it was/is him, turning in his license would only be a detriment to
> > > the community IMHO.
> > >

```
> > > Chris KC8FRJ



From 5703153380262831846
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!48g2000cwx.googlegroups.com!not-for-
mail
From: "art" <aunwin@insightbb.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: A moment of silence my friends for a silent key.
Date: 28 Dec 2006 20:33:41 -0800
Organization: http://groups.google.com
Lines: 30
Message-ID: <1167366821.344302.125770@48g2000cwx.googlegroups.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
   <blbbo25epdssnp6sk1g1ss5sc3dmuc0007@4ax.com>
   <SNednTkkkupkAA_YnZ2dnUVZ_rqhnZ2d@deskmedia.com>
   <btu7p2p382261d68p90qh0uaqfu40pec8t@4ax.com>
NNTP-Posting-Host: 74.133.195.205
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1167366827 2236 127.0.0.1 (29 Dec 2006 04:33:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 29 Dec 2006 04:33:47 +0000 (UTC)
In-Reply-To: <btu7p2p382261d68p90qh0uaqfu40pec8t@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 48g2000cwx.googlegroups.com; posting-host=74.133.195.205;
   posting-account=9n28XgwAAABqArMkMQdWhp5TthEVV0k8
Xref: g2news2.google.com rec.radio.amateur.antenna:23654
rec.radio.amateur.equipment:7730 rec.radio.amateur.homebrew:8481

Heh Bill it is free membership here, leave them alone. You tell other
people to talk to them and then you do it yourself. Share and share
alike I say
Art



Bill Turner wrote:
> ORIGINAL MESSAGE:
>
> On Wed, 27 Dec 2006 10:22:55 -0600, "JIM"
>  <jslaird@goldfieldaccess.net> wrote:
>
> >I'll Bet there are a lot of old timer's just shaking in there Graves
```

> >at the way you have been presenting the hobby that they helped to grow.
>
> ------------ REPLY FOLLOWS ------------
>
> I'll bet there are even more newsgroup users who are tired of people
> posting messages that have nothing to do with the topic of the
> newsgroup.
>
> I'll spell it out for you: The three newsgroups you have posted to
> have nothing to do with a "moment of silence". There is newsgroup
> which is a catch-all for amateur radio related items:
> rec.radio.amateur.misc.
>
> Now that you know, I trust you will post correctly in the future.
>
> Bill, W6WRT

From -5553189095808261702
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: cut out the Bullshit or turn in your license and imporve the service
SC
Date: Thu, 28 Dec 2006 23:41:13 -0500
Message-ID: <sq69p2hue4g81lhemee43lohgncc80n0ik@4ax.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
<458455D4.6070709@coboxincORORATED.com>
<1167361053.909725.206720@k21g2000cwa.googlegroups.com>
<1167364149.514586.39870@k21g2000cwa.googlegroups.com>
<1167366545.563639.106660@s34g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 95
NNTP-Posting-Date: 29 Dec 2006 03:46:58 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23655
rec.radio.amateur.equipment:7731 rec.radio.amateur.homebrew:8482
rec.radio.amateur.policy:60561

On 28 Dec 2006 20:29:05 -0800, "art" <aunwin@insightbb.com> wrote:

>No he is being realistic

did you read his coments?

I think so

amoug his alegations were that code skill is related to intelgence
that it worked to filter lunatics (he himself disproves that one)
that oposing his views was proof of criminal intent

>. We have more CB sets out there than ham sets
>and they are no different to hams.

they are different not saying better or worse but often quite
different

> If there is an emergency then CB ers
>would probably do a better job than hams and with less quibling.
in local matters I agree with you in larger matter no the ability of
Ham radio organize nationaly is an advantage

> I
>think the writing is on the wall for ham radio since they dont provide
>a thing for the country

I don't and I hope that finaly being free of the shcackles SC was
devoted will in time allow us to prove that

> It would be better if home security took over
>the frequency as we all now use the net instead.

nah there is NOTHING the Govt can't fuck up

> Have you heard anybody
>on the radio lately if you get my drify

I have heard em mostl y queit plenty of room for people to work on
stuff and yes some nut jobs (on CB and HAM) and some decent folks
>Att
>
>
>
>an old friend wrote:
>> art wrote:
>> > You have to hand it to him! He did a good job declaring his views
>> > ragarding ham radio
>> > ande he may be right.
>>
>> and his views on personal privacy (no such thing) that he wants to end
>> the existance of Ham radio
>>

```
>> > Ham radio is shurely on the downslide and we
>> > can't blaim that on the FCC. We have the internet now that welcomes
>> > everybody so it wouldn't hurt us if the FCC gave somebody else the
>> > frequencies. We talk of public service well looking at this newsgroups
>> > work it would be better for the whole world if America got off the
>> > bands because we are not liked anymore and this newsgroup does not do
>> > service to America other than showing who we really are.
>> > Art
>> >
>> >
>> >
>> >
>> > Christopher Cox wrote:
>> > > Mark@kb9rqz.aprs wrote:
>> > > > On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus,  KB7ADL"
>> > > > <radiation17@bresnan.net> wrote:
>> > > >
>> > > >
>> > > >>Ham radio died today.
>> > > >>
>> > > >>Sorry for all the brow beating, it won't be happening anymore.
>> > > >>
>> > > >>73 de KB7ADL, AKA Slow Code
>> > > >
>> > > >
>> > > > bullshit
>> > > > http://kb9rqz.blogspot.com/
>> > > >
>> > >
>> > > I am actually surprised to find out it was/is Vince. He's an O.K. guy,
>> > > puts in volunteer time and is very knowledgeable. While I firmly believe
>> > > this alter personality detracted from Amateur radio (Slow Code),  Vince
>> > > has done other things to advance it.
>> > >
>> > > Although I know Vince is very pro Morse code, I am having trouble
>> > > believing it was him (being Mr. Slow Code)
>> > >
>> > > If it was/is him, turning in his license would only be a detriment to
>> > > the community IMHO.
>> > >
>> > > Chris KC8FRJ
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -4768105999418852484
X-Google-Thread: 108122,f762d4022e659fe6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Fri, 29 Dec 2006 06:45:11 -0600
From: "Edward Feustel" <efeustel@hughes.net>
Newsgroups: rec.radio.amateur.equipment
References: <1167229006.254260.197370@48g2000cwx.googlegroups.com>
<AbCdndQv9v6AFA_YnZ2dnUVZ_r2onZ2d@comcast.com>
<1167321758.639706.178690@79g2000cws.googlegroups.com>
Subject: Re: looking for TS930 parts
Date: Fri, 29 Dec 2006 07:25:15 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <_8ydnSsVsoNEkAjYnZ2dnUVZ_vqpnZ2d@giganews.com>
Lines: 29
X-Trace:
sv3-6qTEtxjOC3xnmRFFDKMLGdW4lKnBHys+9bfrPEqKwR6fCLNRx9+3bb5izpkmkTjDPaSJDhv8JhhSuH
c!Y/8TiKAsEhC4Wr3ojvri10ufahVdr1OKUSzqro/aFokyAVpqcgycil3LgynQIH62id10Xvfknw==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7732


"Ben" <bbubble62@hotmail.com> wrote in message
news:1167321758.639706.178690@79g2000cws.googlegroups.com...
> Thanks for all the feedback, it turns out that PLL-unit is bad.
> Looking for replacement ...
>
> -ben
>
> w9gb wrote:
>> "Ben" <bbubble62@hotmail.com> wrote in message
>> news:1167229006.254260.197370@48g2000cwx.googlegroups.com...
>> > Hi,
>> >
>> > For my TS930 I need two MF crystal filters, type MCF 44.93 MHz (kenwood
>> > part no. L71-0234-05). Can anyone tell me where to obtain these parts ?
>> >
>> >
>> > -Ben
>> >
>>
>> INRAD has other filters -- such as the NEW TS-930 Roofing Filter
>> New Year's Day - 20% off sale coming up next Monday !!
>> http://www.qth.com/inrad/
>> http://www.qth.com/inrad/TS930-Roofing-Filter-Manual.pdf
>
```

Try Piexx and get additional functionality!
Ed, N5EI

```
From -6091730686067796809
X-Google-Thread: 108122,f762d4022e659fe6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 29 Dec 2006 09:11:29 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1167229006.254260.197370@48g2000cwx.googlegroups.com>
<AbCdndQv9v6AFA_YnZ2dnUVZ_r2onZ2d@comcast.com>
<1167321758.639706.178690@79g2000cws.googlegroups.com>
<_8ydnSsVsoNEkAjYnZ2dnUVZ_vqpnZ2d@giganews.com>
Subject: Re: looking for TS930 parts
Date: Fri, 29 Dec 2006 09:11:24 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <jcqdnQe7jfu8rQjYnZ2dnUVZ_s2vnZ2d@comcast.com>
Lines: 22
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-
LE7SEVMXUj5jeWo6FYNvUie0OUN7PrlH3M1Uqy8P61xFvn20yCwhdwl1l8n5CbE4781P0jd0bHANBY/!
RJ/xDzCz7cgtBuc1cBHHICR4HHjFX6XKBe10/VABD+k2Qmvgp9l6RVadgzjkk3NTGyW6gLfjp5ow!
L+KC3vKDcV7EJS8LZAk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7733

"Edward Feustel" <efeustel@hughes.net> wrote in message
news:_8ydnSsVsoNEkAjYnZ2dnUVZ_vqpnZ2d@giganews.com...
>
> "Ben" <bbubble62@hotmail.com> wrote in message
> news:1167321758.639706.178690@79g2000cws.googlegroups.com...
>> Thanks for all the feedback, it turns out that PLL-unit is bad.
>> Looking for replacement ...
>>
>> -ben
>>
>>
```

> Try Piexx and get additional functionality!
> Ed, N5EI

Well, the Piexx solution is OK, IF the microprocessor control is bad
http://www.piexx.com/index.php?
main_page=product_info&products_id=25&zenid=ef5e0d99734e99b67e05f8778cc540c5

Manual for install
http://www.piexx.com/ts930/ts930manual.pdf

From 2990813495576893316
X-Google-Thread: 108122,5feebbe6b26c882d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews1.bellsouth.net.POSTED!d50ae390!not-for-mail
Message-ID: <459537F2.4A22B7CC@aol.com>
From: Gumby <gumby_dammit@aol.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur radio enthusiasts fight to save Morse Code
References: <evydnRa49Ji3lgnYnZ2dnUVZ_vfinZ2d@got.net>
<C1BA00C4.165C4%kw4z@charter.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcbohaimolkehhdpcnpnkmjoajgaedcpfbgeho
gfbfgkdifjhkgfdipoccifmainhjgpffljafbkoglklgkhgalkpjoagdfocfkebcagjjalgkeclkbb
NNTP-Posting-Date: Fri, 29 Dec 2006 10:44:36 EST
Organization: BellSouth Internet Group
Date: Fri, 29 Dec 2006 10:44:50 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7734

there will be more amateur operators testing for
tech then right to general at the same exam sessions.

More young and old operators will be using CW,
psk31, sstv, ssb and AM then ever before !

I compare CW to a 5 speed transmission (manual)

I use cw because I like it, I use the stick because I like it.

plenty of band space for all to use and enjoy,
use the mode you want not what others force you to use.

```
From -5552231085516592168
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
feeder.news-service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-11!sn-xt-
ams-04!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: Fri, 29 Dec 2006 12:02:18 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612291159460.29863@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
 <1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.equipment:7735
```

Not afcording to the BBC brpadcast few daus bacl. They say it is

finished in US.

Lets wait till Jan 16 or Jan17 and see what the follow up from
FCC says.
                  Joe

```
**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
**************************************************************************
```

```
From -3373990305988386408
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
```

```
sn-xt-sjc-05!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-
mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: Fri, 29 Dec 2006 22:22:04 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12pb58c9hpsue1f@corp.supernews.com>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
<Pine.BSI.4.61.0612291159460.29863@malasada.lava.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news2.google.com rec.radio.amateur.equipment:7736
```

In article <Pine.BSI.4.61.0612291159460.29863@malasada.lava.net>,
Joseph Fenn <jfenn@lava.net> wrote:

>Not afcording to the BBC brpadcast few daus bacl. They say it is
>finished in US.

If you're accurately reporting what the BBC broadcast actually said, then either the BBC announcer was completely wrong, or was being excessively dramatic.

>Lets wait till Jan 16 or Jan17 and see what the follow up from
>FCC says.

Sure. And, I'll bet you credits to navy beans that they do nothing at all to forbid CW.

They've already posted their "report and memorandum". They simply have not yet *formally* published it in the Federal Register (which they have to do in order to make it legally effective).

Go read it.

```
--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From 5812641216791140514
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
```

```
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: Fri, 29 Dec 2006 12:29:40 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
In-Reply-To: <12p8nqs1aar8vc6@corp.supernews.com>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
 <1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
 <12p8nqs1aar8vc6@corp.supernews.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.amateur.equipment:7737
```

There is one more rule pending.   I think its due to come out
on Jan 16th or 175h of Jan. Lets see what that one has to say
about CW or NOT.

Joe

```
*************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
*************************************************************************
```

```
From 1457835085976253195
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 29 Dec 2006 17:00:03 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
<12p8nqs1aar8vc6@corp.supernews.com>
<Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
Subject: Re: CW is gone
Date: Fri, 29 Dec 2006 17:59:45 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <i_KdnbjTcrduAAjYnZ2dnUVZ_oKnnZ2d@comcast.com>
Lines: 37
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-GUyy0u4uACuPR6uXC8slVvxfhJNlenasUSpx2cQZx53VO9/
rD3I7gC6AKsXF0rjchnDodFGQ5Mn7OE1!
vh1ZvzVPg9rEOy0XUWcG9W9DZ1W13J9vbhC50PFMcrzfWmnJj2PkdY0zXLUpVInnUyC7EdzboOXs!
w+xOHjJBjPswwRw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7738
```

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612291228220.29863@malasada.lava.net...

> There is one more rule pending.   I think its due to come out
> on Jan 16th or 175h of Jan. Lets see what that one has to say
> about CW or NOT.
>   Joe
>

The pending rule change has already been posted on the FCC site in its entirety. Go read it. It will probably be printed in the Federal Register about mid-January. It's effectivity date will probably be about mid-February.

There is nothing about banning CW. Matter of fact, it gives all Technicians the same HF privileges as the Novice & Tech Plus ops. Note that these are primarily CW privileges. The major thing it says it that element 1 (CW testing) is no longer required to for any class of license. It also corrects an omission on an earlier R & O about some data modes. There is nothing else in it. There is nothing about banning CW. There is nothing about changing band allocations for CW other than allowing the Techs the same HF privileges as the Tech Plus ops.

Generally before the FCC makes any significant ruling, they go through a lengthy process which includes an NPRM (Notice of Proposed Rule Making). This gives all interested organizations and individuals the chance to submit comments, data, concerns, etc.   There has NEVER been an NPRM on the topic of banning CW.

News agencies, since they are run by people, can make mistakes.

In this case you have the opportunity to read it directly for yourself rather than relying on a news agency. Why don't you?

Dee, N8UZE

```
From -6983383553686410263
X-Google-Thread: 108122,6b17792a4a12de09,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: MORE PARTS AND STUFF--LOOK
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <qYilh.603547$QZ1.339108@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 06aa79136bcb4124ad7084abb728f359
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1167440790
06aa79136bcb4124ad7084abb728f359 (Sat, 30 Dec 2006 01:06:30 GMT)
NNTP-Posting-Date: Sat, 30 Dec 2006 01:06:30 GMT
Organization: AT&T Worldnet
Date: Sat, 30 Dec 2006 01:06:30 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7739

Have just added more parts and stuff --take a look--HELP ME GET RID OF
THIS ACCUMULATION!

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx  heytubeguy
```

```
From -2996001713949618363
X-Google-Thread: 108122,5feebbe6b26c882d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-02!
sn-xt-sjc-11!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-
mail
From: Jack Hamilton <jfh@acm.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur radio enthusiasts fight to save Morse Code
Date: Fri, 29 Dec 2006 18:50:49 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <i6kbp2185nha5t4v4gj20he21qalnvc465@4ax.com>
References: <evydnRa49Ji3lgnYnZ2dnUVZ_vfinZ2d@got.net>
<C1BA00C4.165C4%kw4z@charter.net>
```

X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-NFilter: 1.2.0
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news2.google.com rec.radio.amateur.equipment:7740

Gary KW4Z <kw4z@charter.net> wrote:

>Amateur Radio though is the
>last bastion for the code, I believe, as the Commercial Radiotelegraph
>license became obsolete years ago for the maritime service

There's still something called a RadioTelegraph Operators Certificate
(as opposed to a Permit or License), which requires 20 wpm. "Examinees
must copy by ear and send by hand plain text and code groups in the
international Morse code",
<http://wireless.fcc.gov/commoperators/exam.html>.

Are there any radiotelegraph stations still in operation?

From 7478666827400624246
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bluevalley.net!
news.bluevalley.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 29 Dec 2006 21:59:54 -0600
From: Nate Bargmann <n0nb.DO.NOT.SPAM@ME.networksplus.net>
Subject: Re: CW is gone
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
     <1bEkh.65480$0D2.5833@newsfe15.phx>
     <Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
     <12p8nqs1aar8vc6@corp.supernews.com>
     <Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
User-Agent: pan 0.119 (Karma Hunters)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <ldudnR91Me2neQjYnZ2dnUVZ_ufinZ2d@bluevalley.net>
Date: Fri, 29 Dec 2006 21:59:54 -0600
Lines: 21
NNTP-Posting-Host: 12.158.148.131
X-Trace: sv3-KXkYpbbGT+ZZue6BFUoz/
tPh9SIubOoLdnbfagBe3ktHBids2CMZezYQGZI9tNIn6W7mrCW2hZSD2p2!
+3vthlT7ScesISvjYp4ssAZCK2NEL/IUEm7+Otnh1hoaTQij4XneChJ0s4idK2gdIjpE1aIy0JzT!
h+5PMMtAWgjPe2KgWFj8HA==
X-Complaints-To: abuse@bluevalley.net

X-DMCA-Complaints-To: abuse@bluevalley.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7741

On Fri, 29 Dec 2006 12:29:40 -1000, Joseph Fenn wrote:

> There is one more rule pending.   I think its due to come out
> on Jan 16th or 175h of Jan. Lets see what that one has to say
> about CW or NOT.

Read http://hraunfoss.fcc.gov/edocs_public/attachmatch/FCC-06-178A1.pdf
in particular Appendix A beginning on Page 18. That appendix shows the actual rule changes to Part 97 that will take place on the effective date. Nowhere is the use of Morse Code prohibited, only the exam requirement.

This is the text of the pending rule action you are refering to. Nothing will change except that we will know the effective date once it is published in the Federal Register.

- Nate >>

--

"The optimist proclaims that we live in the best of all possible worlds,
the pessimist fears this is true."

From -5309920735739828501
X-Google-Thread: 108122,f1da2b04ed15eeb8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bluevalley.net!news.bluevalley.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 29 Dec 2006 22:03:44 -0600
From: Nate Bargmann <n0nb.DO.NOT.SPAM@ME.networksplus.net>
Subject: Re: What Happens to Us that Passed General Written, but failed Morse Code Test?
Newsgroups: rec.radio.amateur.equipment
References: <emijdb02iv5@news3.newsguy.com>
     <GL_jh.135072$7G.12874@fe08.news.easynews.com>
User-Agent: pan 0.119 (Karma Hunters)
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Message-ID: <ldudnR51Me29eAjYnZ2dnUVZ_ufinZ2d@bluevalley.net>
Date: Fri, 29 Dec 2006 22:03:44 -0600
Lines: 29
NNTP-Posting-Host: 12.158.148.131
X-Trace: sv3-

QjywnhiAn4fMpSIvDZj+2kuox9gYlGsKTEU6vPuvgZzWdWOikQGcZZHjQLmpfEPHlDtoXt9YTscr38M!
GWaUPMs2K1hfAf/PmM673Ji4n+EtHyZyvi8xTWeo+2V/8IDmIbwCImqlUbwUIxUD3WWOkFQbteVV!
I0cKVfsRFlIJV+gWfRWEyQ==
X-Complaints-To: abuse@bluevalley.net
X-DMCA-Complaints-To: abuse@bluevalley.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7742

On Tue, 26 Dec 2006 01:18:30 +0000, Allan R. Batteiger wrote:

> Dave <sssdave@davss.davss> wrote in news:emijdb02iv5@news3.newsguy.com:
>
>> I passed my general written test 3 months ago, but failed the Morse
>> Code
>> test. Will I be able to automatically upgrade to General once the
>> rules change or do I need to take a new general written Test?
>>
>
> You will need to take a copy of your CSCE and a new exam Fee to a VE
> session. Fill out an applicaiton for General Glass. This is a paperwork
> upgrade that the VE must do. You will not automatically become a General,
> you must sumbit the paperwork to get it. However once you have filed the
> paper work you then immediatly have General class privilegdes using a /AG
> suffix to your call.

After the effective date, of course! :-)

For those that recall, this will be similar to the "paperwork upgrades" we
VE teams did after April 15, 2000.

- Nate >>

--

"The optimist proclaims that we live in the best of all possible worlds,
the pessimist fears this is true."

From 3997989403031511343
X-Google-Thread: 108122,af5e5a2ccef7c060
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio section of the 1976 U.S. Radio Shack catalog now on-line for

viewing
References: <vv4fm293ldmmjp8oov6rpgsbeal2iie444@4ax.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-846DB5.09163430122006@news.verizon.net>
Lines: 7
Date: Sat, 30 Dec 2006 14:16:39 GMT
NNTP-Posting-Host: 151.204.157.219
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1167488199 151.204.157.219 (Sat, 30 Dec 2006 09:16:39 EST)
NNTP-Posting-Date: Sat, 30 Dec 2006 09:16:39 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7743

In article <vv4fm293ldmmjp8oov6rpgsbeal2iie444@4ax.com>,
CB Nut <Not-a-real-email-address-55555554@hotmail.com> wrote:

> http://www.shadowstorm.com/cb/Radio-Shack-1976-Catalog.html

this was pretty cool thanks brinks back ol' memories when i was a kid
and looked fwd to reading the catalog

From -4412991663116854566
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.deskmedia.com!
news.deskmedia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 30 Dec 2006 13:25:50 -0600
Reply-To: "JIM" <cjjimmie@yahoo.com>
From: "JIM" <cjjimmie@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<blbbo25epdssnp6sk1g1ss5sc3dmuc0007@4ax.com>
<SNednTkkkupkAA_YnZ2dnUVZ_rqhnZ2d@deskmedia.com>
<btu7p2p382261d68p90qh0uaqfu40pec8t@4ax.com>
<1167366821.344302.125770@48g2000cwx.googlegroups.com>
Subject: Re: A moment of silence my friends for a silent key.
Date: Sat, 30 Dec 2006 13:25:42 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <1PSdndZAPL-iIAvYnZ2dnUVZ_vupnZ2d@deskmedia.com>
Lines: 46
NNTP-Posting-Host: 63.168.115.135
X-Trace: sv3-QeQXETSLZawfDesTaLYkOWn3Sf3Z6IdE0aoKwv/ey92Dg35CI/
4FSIVitZZF1GNXT0pimzevVBpiQbo!BWN5LUktYMioDtd9f0o3Dbd5GGchXBb1C+bpxRPI/
SI7rHQOPhQJRz7qHxhrw9XEg7kop2t21Yl9!QvWzv08G728zC7AY5yA=

```
X-Complaints-To: abuse@deskmedia.com
X-DMCA-Complaints-To: abuse@deskmedia.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:23744
rec.radio.amateur.equipment:7744 rec.radio.amateur.homebrew:8498

Art::
You are a Scholar and a Gentleman, and you are right on the point.
Thank You for your Honesty. A truly Noble Man you are. My friend ordered me
a Gordon West study guide.I thought it over and I feel I might just be able
to add a little bit of good to the Wonderful Hobby Of Ham Radio. Good men as
yourself will be needing help in the future. I learned a important thing.
Don't complain if your not willing to help. I will be honored to Follow in
the foot step's of those who have walked down the Road before me. I am but a
humble man in the eye's of my peer's.
Soon to be a New Be......
.....Jim....

"art" <aunwin@insightbb.com> wrote in message
news:1167366821.344302.125770@48g2000cwx.googlegroups.com...
> Heh Bill it is free membership here, leave them alone. You tell other
> people to talk to them and then you do it yourself. Share and share
> alike I say
> Art
>
>
> Bill Turner wrote:
>> ORIGINAL MESSAGE:
>>
>> On Wed, 27 Dec 2006 10:22:55 -0600, "JIM"
>>  <jslaird@goldfieldaccess.net> wrote:
>>
>> >I'll Bet there are a lot of old timer's just shaking in there Graves
>> >at the way you have been presenting the hobby that they helped to grow.
>>
>> ------------ REPLY FOLLOWS ------------
>>
>> I'll bet there are even more newsgroup users who are tired of people
>> posting messages that have nothing to do with the topic of the
>> newsgroup.
>>
>> I'll spell it out for you: The three newsgroups you have posted to
>> have nothing to do with a "moment of silence". There is  newsgroup
>> which is a catch-all for amateur radio related items:
>> rec.radio.amateur.misc.
>>
>> Now that you know, I trust you will post correctly in the future.
>>
>> Bill, W6WRT
>
```

```
From -77895055085050181
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sat, 30 Dec 2006 14:43:00 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
<Pine.BSI.4.61.0612291159460.29863@malasada.lava.net>
Subject: Re: CW is gone
Date: Sat, 30 Dec 2006 12:43:32 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <9_qdnYxK7efJUgvYnZ2dnUVZ_rOqnZ2d@giganews.com>
Lines: 27
X-Trace: sv3-RyNYEn08g/
OLF0iofPJpyPyfITuZ4HMxpFSskPlW74pGmrHAviXpNraXoqMI5aXwIJwX5bV4j8WVrzL!fSlv/
nQWMbuXAyrZ3n4DnZwtfVf5FBPy10W45vLLklra5BNB7BqLUWNtl1F5BeYxn93NgVja+A==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7745
```

Joseph Fenn wrote:

```
> Not afcording to the BBC brpadcast few daus bacl.  They say it is
>
> finished in US.
>
> Lets wait  till Jan 16 or Jan17 and see what the follow up from
> FCC says.
>                  Joe
>
> ***************************************************************************
> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
> ***************************************************************************
```

Hi Joe,

The BBC was in error (or you misinterpreted what they said). Though
testing for Morse proficiency will end, the *use* of Morse will still be
allowed. Read for yourself:
http://hraunfoss.fcc.gov/edocs_public/attachmatch/FCC-06-178A1.pdf

73,
Bryan WA7PRC

PS: cu on skn!

From 8233753466049418343
X-Google-Thread: fb049,5d97695b96fe4f57
X-Google-Thread: 108122,5d97695b96fe4f57
X-Google-Thread: 1109af,5d97695b96fe4f57
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny04.POSTED!4f97008e!not-for-mail
Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <iUyjh.3655$dw6.649@trndny02>
<5tm0p25m22nm3kr3ltkpb06bqvcpolkkte@4ax.com>
<45906d20$0$7650$4c368faf@roadrunner.com>
Subject: Re: FS: Motorola Radius M216 VHF 25 watt $100
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <J1Dlh.526$925.300@trndny04>
Date: Sat, 30 Dec 2006 23:57:29 GMT
NNTP-Posting-Host: 68.238.217.63
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1167523049 68.238.217.63 (Sat, 30 Dec 2006 18:57:29 EST)
NNTP-Posting-Date: Sat, 30 Dec 2006 18:57:29 EST
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3503
rec.radio.amateur.equipment:7746 rec.radio.swap:10837

It will do the 2 meter band without a problem.
Its now up for auction:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=330069351369

"Guy P. Distaffen" <guypd@rochester.rr.com> wrote in message
news:45906d20$0$7650$4c368faf@roadrunner.com...
> No radios in the US will do the 2 metre band, Barry.

```
>
> "Barry OGrady" <god_free_jones@yahoo.com> wrote in message
> news:5tm0p25m22nm3kr3ltkpb06bqvcpolkkte@4ax.com...
>> On Sun, 24 Dec 2006 17:36:14 GMT, "RF stuff" <pottsladd13@yahoo.com>
>> wrote:
>>
>>>Motorola Radius M216 VHF 16 channel 150-174mhz, 25 watt.
>>>Model#D33LRA77A5BK
>>>Serial#778FNU0605 I can NOT program this radio. It will do the Amateur 2
>>>meter band without a problem.
>>
>> But will it do the 2 metre band?
>>
>>>It is in good working order and ready to be placed into service. You get
>>>the
>>>radio, power cable and mic, no bracket.
>>>Picture at this link:
>>>http://mysite.verizon.net/vzequgiy/commctr1/id11.html
>>>$100.00 plus shipping
>>>Cont. US only, USPS money orders only.
>>>
>>
>> Barry
>> =====
>> Home page
>> http://members.iinet.net.au/~barry.og
>
>
```

```
From 5969009615373481699
X-Google-Thread: 108122,9522e97e764934e5,start
X-Google-Thread: fc2a5,9522e97e764934e5,start
X-Google-Thread: 107ada,9522e97e764934e5,start
X-Google-Thread: 10bf43,9522e97e764934e5,start
X-Google-Thread: 10e8ad,9522e97e764934e5,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,gid10e8ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newscon05.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr19.news.prodigy.com.POSTED!dde308f5!not-for-mail
From: "Nighthawk" <miner1@flash.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy,rec.radio.amateur.space
Subject: Visit Nighthawk's Forum
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
```

```
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <jtTlh.10746$ZT3.9390@newssvr19.news.prodigy.com>
NNTP-Posting-Host: 70.129.41.236
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr19.news.prodigy.com 1167590351 ST000 70.129.41.236 (Sun, 31 Dec
2006 13:39:11 EST)
NNTP-Posting-Date: Sun, 31 Dec 2006 13:39:11 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
[[PAPDONXJTORT@[_@CHOPP@FJ^ZTB\MV@BZMVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Sun, 31 Dec 2006 12:38:54 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:7747
rec.radio.amateur.homebrew:8504 rec.radio.amateur.misc:27516
rec.radio.amateur.policy:60838 rec.radio.amateur.space:559
```

If you have communications equipment you either want to buy, sell or give away, or you want to find out information on that new antenna, or radio you got for Christmas, visit Nighthawk's Forum

http://nighthawk.suddenlaunch2.com

```
From 6287533300310089605
X-Google-Thread: fc8b1,1df771ac0a499ae8,start
X-Google-Thread: 108122,1df771ac0a499ae8,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Jack Schmidling <arf@mc.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Hallicrafters S38B
Date: Sun, 31 Dec 2006 19:48:20 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12pgq37ibf8f229@corp.supernews.com>
User-Agent: Mozilla Thunderbird 0.9 (Windows/20041103)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6919
rec.radio.amateur.equipment:7748
```

Picked up an S38B to relive my childhood and it seems to work on AM about as well as my only other receiver, TS430.

I am going to make it my AM station receiver if and when I can get the
BFO to work. I still need the Kenwood to know where the Ranger is at.

I tried moving the E wire around as suggested in the manual but it did
not help. No heterodyne at all.

Anyone with any experience with this?

JACK K9ACT

--
PHOTO OF THE WEEK: http://schmidling.com/pow.htm
Astronomy, Beer, Cheese, Fiber,Gems, Sausage,Silver http://schmidling.com

From -4258895150583884762
X-Google-Thread: fc8b1,1df771ac0a499ae8
X-Google-Thread: 108122,1df771ac0a499ae8
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 31 Dec 2006 20:38:32 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <12pgq37ibf8f229@corp.supernews.com>
Subject: Re: Hallicrafters S38B
Date: Sun, 31 Dec 2006 20:38:26 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <wc-dnQh0GpO16QXYnZ2dnUVZ_vyunZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-JzgMYefkeuBqRBLu1oytMu/
YhCkOY0tXMILBbda6X+wl4sTu9ID+qWPNl8itSiYs2gVRrHXZrDvfyFr!
sk0s8fKLJROmFaBhaztReJ8LELUgNFfAUVWPoVYFFR4yexqht1uv/O+qxrkhsNdkxSnBcGJVxXJR!
1CuvxAOWYRrzj0TM0vI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6921
rec.radio.amateur.equipment:7749

"Jack Schmidling" <arf@mc.net> wrote in message
news:12pgq37ibf8f229@corp.supernews.com...

> Picked up an S38B to relive my childhood and it seems to work on AM about
> as well as my only other receiver, TS430.
>
> I am going to make it my AM station receiver if and when I can get the BFO
> to work. I still need the Kenwood to know where the Ranger is at.
>
> I tried moving the E wire around as suggested in the manual but it did not
> help. No heterodyne at all.
>
> Anyone with any experience with this?
>
> JACK K9ACT
>

Brian Ripley, K8BR of Ogden, Utah has a great site devoted to the care and
restoration of the Hallicrafters S-38 series.
http://www.the-s38-guy.com/

Your BFO question
http://www.the-s38-guy.com/Page_63.html

Back cover S38 series reproductions are available from
Bob's Antique Radio & Electronics - LaGrange Park, IL
http://www.radioantiques.com/mall.html

From 8228917929480478545
X-Google-Thread: fc8b1,1df771ac0a499ae8
X-Google-Thread: 108122,1df771ac0a499ae8
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!sn-xt-sjc-05!sn-xt-sjc-11!sn-xt-sjc-08!
sn-post-sjc-01!supernews.com!news.supernews.com!not-for-mail
From: AaronJ <noemail@noemail.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: Hallicrafters S38B
Date: Sun, 31 Dec 2006 22:24:35 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <fp4hp21eub3sd692r9nap1un8jm1us7ujl@4ax.com>
References: <12pgq37ibf8f229@corp.supernews.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6923
rec.radio.amateur.equipment:7750

Jack Schmidling <arf@mc.net> wrote:

>Picked up an S38B to relive my childhood and it seems to work on AM
>about as well as my only other receiver, TS430.
>
>I am going to make it my AM station receiver if and when I can get the
>BFO to work.

Just for fun, try a kludge BFO. Place an AM broadcast band radio (non-digital) as physically close to the S38 as you can get it. Tune the broadcast band radio until you hear a beat with the AM or CW signal you are listening to on the S38. The oscillator in the AM radio should leak into the S38 to cause the beat. Course it depends on somewhat poor shielding on both receivers to work. I sometimes used this method as a kid to listen to SSB and CW on those old SW receivers that didn't have a BFO. Those were the days... ;)

From -2986445837958940972
X-Google-Thread: 108122,31c6a1a1edc69750,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: good connectors?
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-ACBAA9.09124701012007@news.verizon.net>
Lines: 14
Date: Mon, 01 Jan 2007 14:12:52 GMT
NNTP-Posting-Host: 151.205.182.220
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1167660772 151.205.182.220 (Mon, 01 Jan 2007 09:12:52 EST)
NNTP-Posting-Date: Mon, 01 Jan 2007 09:12:52 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7751

hi

just wondering if anyone knows of a good usa based ''store'' that sells
high quality connectors like the ones found on the back of my mark v f

and the likke   6pin 8pin din?   and etc

as well as good quality mic connectors 8pin style

also the kenwood ts2000 13pin mini din

thanks

From 2199682656254920815

```
X-Google-Thread: 108122,31c6a1a1edc69750
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc02.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <m-ACBAA9.09124701012007@news.verizon.net>
Subject: Re: good connectors?
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <nobmh.6601$0F1.1563@trnddc02>
Date: Mon, 01 Jan 2007 17:19:15 GMT
NNTP-Posting-Host: 63.19.189.38
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1167671955 63.19.189.38 (Mon, 01 Jan 2007 12:19:15 EST)
NNTP-Posting-Date: Mon, 01 Jan 2007 12:19:15 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7752


"ml" <m@di.net> wrote in message
news:m-ACBAA9.09124701012007@news.verizon.net...
> hi
>
> just wondering if anyone knows of a good usa based ''store'' that sells
> high quality connectors  like the ones found on the back of my mark v f
>
> and the likke    6pin  8pin  din?   and etc
>
> as well as good quality mic connectors 8pin style
>
>
> also the kenwood ts2000 13pin mini din
>
>
> thanks

I believe I bought DIN connectors for my PRO II from Mouser- the best
machining I have ever seen in a DIN- unlike the usual stuff seen.

Dale W4OP




From -8500571136783854696
X-Google-Thread: 108122,464f5f978431a378,start
```

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 01 Jan 2007 14:21:35 -0600
From: "John" <noaddress@noaddress.invalid>
Newsgroups: rec.radio.amateur.equipment
References: <badmh.19445$ky2.12208@newsfe21.lga>
Subject: Re: TM 255A Battery
Date: Mon, 1 Jan 2007 15:14:00 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <y-SdnTqunbPS8ATYnZ2dnUVZ_sudnZ2d@comcast.com>
Lines: 11
NNTP-Posting-Host: 69.136.76.249
X-Trace: sv3-8Sp/Ld2NJYGEt8FP+DNBckK2yI/
gDc1JwJN5reUIdIS1DCDZ51BxwmVqF0jMkXvRZBRXO2nuQs2Hrc/!
0ET28LFYWuBPcGsNsvTZ56ssXLGsMGMwSWIL+a27wf9zH20Mg7qBlbpeL9bpJHkd/DfHu7qEMTU5!
nTFnyJ1EmVDb5hA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7753

>"George Folse III" <k5wwo@cox.net> wrote in message
>news:badmh.19445$ky2.12208@newsfe21.lga...
>I need a Lithium battery for my TM 255A. Part # W09-0599-05   3V 210mah.
>Anyone know where I could purchase one.

>George K5WWO

Do a Google search on the part number.
The second result has it for $6.00.

From 5294453973669624939
X-Google-Thread: fb049,adce4c9f9e9f24f5,start
X-Google-Thread: 108122,adce4c9f9e9f24f5,start
X-Google-Thread: 1109af,adce4c9f9e9f24f5,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!news-
out.readnews.com!news-xxxfer.readnews.com!in.100proofnews.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!4f97008e!not-for-mail

Reply-To: "RF stuff" <pottsladd13@yahoo.com>
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Kenwood TH45 with CTCSS needs repair
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <k0dmh.1443$925.1174@trndny04>
Date: Mon, 01 Jan 2007 19:10:08 GMT
NNTP-Posting-Host: 71.162.181.142
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1167678608 71.162.181.142 (Mon, 01 Jan 2007 14:10:08 EST)
NNTP-Posting-Date: Mon, 01 Jan 2007 14:10:08 EST
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3518
rec.radio.amateur.equipment:7754 rec.radio.swap:10868

Kenwood TH45 440 HT with CTCSS. Antenna connection needs work. This is for
the radio with rubber duck only. The radio does work, please see the
pictures on my site.
http://mysite.verizon.net/vzequgiy/commctr1/id11.html
No battery or charger.

$35.00 plus $8.10 USPS Priority Mail

thnx

pottsladd13@yahoo.com

From -1982775917012386972
X-Google-Thread: 108122,464f5f978431a378
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe21.lga.POSTED!53ab2750!not-for-mail
From: "George Folse III" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: TM 255A Battery
Lines: 34
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0333_01C72DA7.9BD5D8E0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <badmh.19445$ky2.12208@newsfe21.lga>
Date: Mon, 1 Jan 2007 13:20:30 -0600

```
NNTP-Posting-Host: 70.180.126.200
X-Complaints-To: admin@cox.net
X-Trace: newsfe21.lga 1167679239 70.180.126.200 (Mon, 01 Jan 2007 12:20:39 MST)
NNTP-Posting-Date: Mon, 01 Jan 2007 12:20:39 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7755

This is a multi-part message in MIME format.

------=_NextPart_000_0333_01C72DA7.9BD5D8E0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I need a Lithium battery for my TM 255A. Part # W09-0599-05     3V =
210mah. Anyone know where I could purchase one.

George K5WWO
------=_NextPart_000_0333_01C72DA7.9BD5D8E0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.3020" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I need a Lithium battery for my TM =
255A. Part #=20
W09-0599-05&nbsp;&nbsp;&nbsp; &nbsp;3V 210mah. Anyone know where I could =

purchase one.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2><BR>George =
K5WWO</FONT></DIV></BODY></HTML>

------=_NextPart_000_0333_01C72DA7.9BD5D8E0--




From -1076401697596638555
X-Google-Thread: fc8b1,10984154cfca6059
X-Google-Thread: 108122,10984154cfca6059
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 01 Jan 2007 20:26:30 -0600
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
```

Subject: Re: PHOTO OF THE WEEK, Ham Radio
From: Mike Coslo <mcoslo@comcast.net>
References: <12p1as3lind6t17@corp.supernews.com>
<1jf2p2tgkkidioov6cieb4j6558f44l2pi@4ax.com> <12p3t9jo63cff9@corp.supernews.com>
Organization: Your Company
Message-ID: <Xns98ABDA1FFF2F4mcoslocomcastnet@216.196.97.136>
User-Agent: Xnews/5.04.25
Date: Mon, 01 Jan 2007 20:26:30 -0600
Lines: 23
NNTP-Posting-Host: 71.58.71.232
X-Trace: sv3-SA4ZLhd4eEqxBjFgkvXveORMZIIT2uJSH5+q7BzrC+zOwaCh9l4TZHiFp1sa79jNn4/
H8wV5rxLxHQu!eh63/grDixajsOU60mXkQ3b8oAdRqjBo/
XGi9q6pstCy1UPpySVMgMclUdrMgi6FeT8ILjkNfUT0!jMLi1UHFCM/iYw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6932 rec.radio.amateur.equipment:7756

Jack Schmidling <arf@mc.net> wrote in news:12p3t9jo63cff9@corp.supernews.com:

> Jon Teske wrote:
>
>> Check the link at 1030 EST Dec 26 it appears to be broken.
>
> Seems to be a problem with low budget web hosts. Good news is it's up
> more than down.
>
>>I am
>> interested in seeing it since I was licensed only a short time
>> afterwards. My ticket issued Jan 56, but test done in 55. I was then
>> K9CAH so I was also licensed in the MidWest in Wisconsin. I was
>> 13.
>
> Wunder if you know/knew K9CAQ Wayne from Three Rivers Wi.

Holy Cow, Jack! Do you ever sleep? 8^) Plenty of interests there, and an entertaining web site.

- 73 de Mike KB3EIA -

From 2927527910109641459
X-Google-Thread: 108122,d930ab4a9a1c0e2c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!48g2000cwx.googlegroups.com!not-for-mail

From: "gil" <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Kenwood SP-430 new in box
Date: 1 Jan 2007 18:40:08 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1167705608.071153.183060@48g2000cwx.googlegroups.com>
NNTP-Posting-Host: 24.149.231.253
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167705614 1990 127.0.0.1 (2 Jan 2007 02:40:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 2 Jan 2007 02:40:14 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 48g2000cwx.googlegroups.com; posting-host=24.149.231.253;
   posting-account=W-cZMg0AAAD6pmUIPaJTixPoW2XfnzcF
Xref: g2news2.google.com rec.radio.amateur.equipment:7757

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=007&sspagename=STRK%3AMESE%3AIT&viewitem=&item=170065067000&rd=1&rd=1

From 4028735638359446794
X-Google-Thread: 108122,464f5f978431a378
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe24.lga.POSTED!53ab2750!not-for-mail
From: "George Folse III" <k5wwo@cox.net>
Newsgroups: rec.radio.amateur.equipment
References: <badmh.19445$ky2.12208@newsfe21.lga> <y-
SdnTqunbPS8ATYnZ2dnUVZ_sudnZ2d@comcast.com>
Subject: Re: TM 255A Battery
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <e1kmh.5598$hr3.714@newsfe24.lga>
Date: Mon, 1 Jan 2007 21:08:42 -0600
NNTP-Posting-Host: 70.180.126.200
X-Complaints-To: admin@cox.net
X-Trace: newsfe24.lga 1167707338 70.180.126.200 (Mon, 01 Jan 2007 20:08:58 MST)
NNTP-Posting-Date: Mon, 01 Jan 2007 20:08:58 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7758

I will try that. Thanks John

```
--
George
"John" <noaddress@noaddress.invalid> wrote in message
news:y-SdnTqunbPS8ATYnZ2dnUVZ_sudnZ2d@comcast.com...
> >"George Folse III" <k5wwo@cox.net> wrote in message
> >news:badmh.19445$ky2.12208@newsfe21.lga...
>>I need a Lithium battery for my TM 255A. Part # W09-0599-05     3V 210mah.
>>Anyone know where I could purchase one.
>
>>George K5WWO
>
> Do a Google search on the part number.
> The second result has it for $6.00.
>
>




From 8695242695187203499
X-Google-Thread: 108122,464f5f978431a378
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 01 Jan 2007 23:09:30 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <badmh.19445$ky2.12208@newsfe21.lga>
Subject: Re: TM 255A Battery
Date: Mon, 1 Jan 2007 23:09:27 -0600
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_00C2_01C72DF9.E2D27B20"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <GpWdnRmfXLuXdATYnZ2dnUVZ_tSunZ2d@comcast.com>
Lines: 51
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-55IctN8EMQ47b9QiVRPxRIJTVHmrWuOdF4hkNGLzibpnxu5U/
w3zLApgL5vC11BNxe6Fme6WeUqZf9d!D8QGvYFaNCDp2ElZj1/
RLzv8YYwXmX4hclTTw0Ii2P2vapDlsMXC3jhnKTaB+G3/EdcDR+h9XhSz!ZoVPi2c/UfUUfjuPyww=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7759
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_00C2_01C72DF9.E2D27B20
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

IN STOCK, Kenwood Parts
http://www.kenwoodparts.com/parts/search.php
  "George Folse III" <k5wwo@cox.net> wrote in message =
news:badmh.19445$ky2.12208@newsfe21.lga...
  I need a Lithium battery for my TM 255A. Part # W09-0599-05     3V =
210mah. Anyone know where I could purchase one.

  George K5WWO
------=_NextPart_000_00C2_01C72DF9.E2D27B20
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>IN STOCK, Kenwood Parts</FONT></DIV>
<DIV><FONT size=3D2><A=20
href=3D"http://www.kenwoodparts.com/parts/search.php">http://www.kenwoodp=
arts.com/parts/search.php</A></FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"George Folse III" &lt;<A=20
  href=3D"mailto:k5wwo@cox.net">k5wwo@cox.net</A>&gt; wrote in message =
<A=20
  =
href=3D"news:badmh.19445$ky2.12208@newsfe21.lga">news:badmh.19445$ky2.122=
08@newsfe21.lga</A>...</DIV>
  <DIV><FONT face=3DArial size=3D2>I need a Lithium battery for my TM =
255A. Part #=20
  W09-0599-05&nbsp;&nbsp;&nbsp; &nbsp;3V 210mah. Anyone know where I =
could=20
  purchase one.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2><BR>George=20
K5WWO</FONT></DIV></BLOCKQUOTE></BODY></HTML>

------=_NextPart_000_00C2_01C72DF9.E2D27B20--
```

```
From 593010762593050209
X-Google-Thread: fc8b1,10984154cfca6059
X-Google-Thread: 108122,10984154cfca6059
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!42g2000cwt.googlegroups.com!not-for-
mail
From: "sapper" <billvet6@excite.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: PHOTO OF THE WEEK, Ham Radio
Date: 1 Jan 2007 22:57:29 -0800
Organization: http://groups.google.com
Lines: 24
Message-ID: <1167721049.233614.275870@42g2000cwt.googlegroups.com>
References: <12p1as3lind6t17@corp.supernews.com>
NNTP-Posting-Host: 207.69.139.11
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1167721054 4766 127.0.0.1 (2 Jan 2007 06:57:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 2 Jan 2007 06:57:34 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.1)
Gecko/20061204 Firefox/2.0.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 42g2000cwt.googlegroups.com; posting-host=207.69.139.11;
   posting-account=i3BDqA0AAADMdsz005BHgaCIWTeBbUI8
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6934
rec.radio.amateur.equipment:7760
```

```
Jack Schmidling wrote:
> This seems like a good time to introduce one of my other life-long
> hobbies. In 1955, I accomplished one of my first major life goals. I
> passed all the tests for an Amateur Radio License. It was just the entry
> level "Novice Class" license but it allowed me to "talk" via Morse Code
> to people all over the world with simple equipment that I built myself.
>
> JACK K9ACT
>
> --
> PHOTO OF THE WEEK: http://schmidling.com/pow.htm
> Astronomy, Beer, Cheese, Fiber,Gems, Sausage,Silver http://schmidling.com

I really enjoy seeing pictures of the different radio equipment. Is
there a site that you guys
might know of that has picks and info about the differant radios.
People mention their equipment all the time in the different forums and
usually I don't know what they are talking about.I am a fairly new ham
and am trying to learn all I can.When someone says they have a
so and so type rig I would like to look it up and learn about it.
thanks
```

kc9irr

```
From 9107086778633295743
X-Google-Thread: fc8b1,10984154cfca6059
X-Google-Thread: 108122,10984154cfca6059
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!
53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <12p1as3lind6t17@corp.supernews.com>
<1167721049.233614.275870@42g2000cwt.googlegroups.com>
Subject: Re: PHOTO OF THE WEEK, Ham Radio
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <VUumh.28915$_44.6943@newsfe23.lga>
Date: Tue, 2 Jan 2007 09:30:58 -0600
NNTP-Posting-Host: 68.224.212.198
X-Complaints-To: admin@cox.net
X-Trace: newsfe23.lga 1167751861 68.224.212.198 (Tue, 02 Jan 2007 08:31:01 MST)
NNTP-Posting-Date: Tue, 02 Jan 2007 08:31:01 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6935
rec.radio.amateur.equipment:7761

"sapper" <billvet6@excite.com> wrote in message
news:1167721049.233614.275870@42g2000cwt.googlegroups.com...
> Is there a site that you guys
> might know of that has picks and info about the differant radios.
> People mention their equipment all the time in the different forums and
> usually I don't know what they are talking about.I am a fairly new ham
> and am trying to learn all I can.When someone says they have a
> so and so type rig I would like to look it up and learn about it.
> thanks
> kc9irr

Try this one: http://www.rigpix.com/

Glenn AA5PK
```

```
From 595890407675334184
X-Google-Thread: fc8b1,1df771ac0a499ae8
X-Google-Thread: 108122,1df771ac0a499ae8
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!aotearoa.belnet.be!news.belnet.be!newsgate.cistron.nl!xs4all!
amsnews11.chello.com!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!
sn-xt-ams-06!sn-xt-ams-08!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Jack Schmidling <arf@mc.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: Hallicrafters S38B
Date: Tue, 02 Jan 2007 14:01:45 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12pleh9k9aa0f09@corp.supernews.com>
User-Agent: Mozilla Thunderbird 0.9 (Windows/20041103)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <12pgq37ibf8f229@corp.supernews.com>
<fp4hp21eub3sd692r9nap1un8jm1us7ujl@4ax.com>
In-Reply-To: <fp4hp21eub3sd692r9nap1un8jm1us7ujl@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6950
rec.radio.amateur.equipment:7762
```

AaronJ wrote:

> Just for fun, try a kludge BFO. Place an AM broadcast band radio (non-digital)
> as physically close to the S38 as you can get it. Tune the broadcast band radio
> until you hear a beat with the AM or CW signal you are listening to on the S38.

Actually, I already did that but it's a pretty academic exercise.

After all is said, seems like there should be some way to control the feedback to both provide a beat and optimize the gain/selectivity.

I have no interest in CW or sideband with this radio but I do need some way to set my ranger on the station I am listening to.

Any thoughts on an outboard tweak?

js

--
PHOTO OF THE WEEK: http://schmidling.com/pow.htm
Astronomy, Beer, Cheese, Fiber,Gems, Sausage,Silver http://schmidling.com

From 6527340709017841854

```
X-Google-Thread: fc8b1,10984154cfca6059
X-Google-Thread: 108122,10984154cfca6059
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-06!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Jack Schmidling <arf@mc.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: PHOTO OF THE WEEK,  Ham Radio
Date: Tue, 02 Jan 2007 14:06:17 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12plepoqak1um8f@corp.supernews.com>
User-Agent: Mozilla Thunderbird 0.9 (Windows/20041103)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <12p1as3lind6t17@corp.supernews.com>
<1jf2p2tgkkidioov6cieb4j6558f44l2pi@4ax.com> <12p3t9jo63cff9@corp.supernews.com>
<Xns98ABDA1FFF2F4mcoslocomcastnet@216.196.97.136>
In-Reply-To: <Xns98ABDA1FFF2F4mcoslocomcastnet@216.196.97.136>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6952
rec.radio.amateur.equipment:7763
```

Mike Coslo wrote:

> Holy Cow, Jack! Do you ever sleep? 8^) Plenty of interests there, and an
> entertaining web site.

Thanks for the feedback. Get a lot more sleep now that I have swapped ham radio for astrophotography.

js

--
PHOTO OF THE WEEK: http://schmidling.com/pow.htm
Astronomy, Beer, Cheese, Fiber,Gems, Sausage,Silver http://schmidling.com

```
From -8027618856883904397
X-Google-Thread: fc8b1,1df771ac0a499ae8
X-Google-Thread: 108122,1df771ac0a499ae8
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.kjsl.com!ncf.ca!
FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: Hallicrafters S38B
Date: 2 Jan 2007 20:45:26 GMT
```

Organization: The National Capital FreeNet
Lines: 32
Message-ID: <eneg96$gjb$1@theodyn.ncf.ca>
References: <12pgq37ibf8f229@corp.supernews.com>
<fp4hp21eub3sd692r9nap1un8jm1us7ujl@4ax.com> <12pleh9k9aa0f09@corp.supernews.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1167770726 17003 134.117.136.48 (2 Jan 2007 20:45:26 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 2 Jan 2007 20:45:26 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6954
rec.radio.amateur.equipment:7764

Jack Schmidling (arf@mc.net) writes:
> AaronJ wrote:
>
>> Just for fun, try a kludge BFO. Place an AM broadcast band radio (non-digital)
>> as physically close to the S38 as you can get it. Tune the broadcast band radio
>> until you hear a beat with the AM or CW signal you are listening to on the S38.
>
> Actually, I already did that but it's a pretty academic exercise.
>
> After all is said, seems like there should be some way to control the
> feedback to both provide a beat and optimize the gain/selectivity.
>
There's no control for it? That seems odd.

The trick is to make the cathode resistor variable, and use that to
control the level of regeneration.

> I have no interest in CW or sideband with this radio but I do need some
> way to set my ranger on the station I am listening to.
>
> Any thoughts on an outboard tweak?
>
> js

Don't put it on transmit, but key the oscillator? Old rigs often
were set up that way, so you'd have a weak signal from the transmitter
to set the receiver to.

Or, they'd have some spotting function specifically for it.

  Michael VE2BVW

From 1606620530399080244
X-Google-Thread: 108122,236f3337d713c2e2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!feeder.news.tin.it!
spool.news.tin.it!not-for-mail

From: "orteip" <orteip@invalid.it>
Newsgroups: rec.radio.amateur.equipment
Subject: spare for drake l-4b
Date: Tue, 2 Jan 2007 23:19:25 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 16
Message-ID: <459ada6c$0$16149$4fafbaef@reader3.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.10.165.70
X-Trace: 1167776364 reader3.news.tin.it 16149 87.10.165.70:1143
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:7765

Hi to all.

The power switch of my PA L-4B drake they are out of order .

I try a seller that it sells the spare parts for this amplifier .

You can indicate a vendor to me?

It is a lot important. thanks

piero

From -8853483498283350100
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews6.bellsouth.net.POSTED!5d6458a7!not-for-mail
From: "Jerry" <joxendi@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
<12p8nqs1aar8vc6@corp.supernews.com>
<Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
Subject: Re: CW is gone
Lines: 35

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <VoEmh.18381$h_1.12589@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbokbcgfoemoaoeifepfmoaepjgpgpdfjchbp
ijblhipghefjpfibgpjogkmlgdpnehgdpklbagjikbenhccekciagdmgmbdjiogghbjjfoaiemglci
NNTP-Posting-Date: Tue, 02 Jan 2007 21:19:33 EST
Organization: BellSouth Internet Group
Date: Tue, 2 Jan 2007 21:18:10 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7766

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612291228220.29863@malasada.lava.net...
> There is one more rule pending.   I think its due to come out
> on Jan 16th or 175h of Jan. Lets see what that one has to say
> about CW or NOT.
>   Joe

Well, you are absolutely WRONG and/or you have not read the ruling very well. What the announcement refers to is the elimination of Element I as a requirement for a US Amateur license. There is no "prohibition" against the use of Morse. BBC is mistaken, and since when has the news media gotten a whole lot right in reporting the news? US Amateur still may certain use CW to their heart's content, and, indeed, with the exception of the changes announced prior the CW ruling, the allocations for the USE of CW remain in place.

I suggest you go back and fully read the actual announcement where you will find that a "prohibition" against Morse Code is a myth.

J
>
>
> **
> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS   *
> **
>
>
>
>

From -6917261500933967282
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews6.bellsouth.net.POSTED!5d6458a7!not-for-mail
From: "Jerry" <joxendi@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
<Pine.BSI.4.61.0612291159460.29863@malasada.lava.net>
Subject: Re: CW is gone
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <irEmh.18383$h_1.1339@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbojfahmndnfbbdkhbinlmcoepmifmiilhkbp
ijblhipghefjpfibgpjogkmlgdpnehgdpklbagjikbenhcdbdhnpjofbpbagcfbhfokipbhgdhggfd
NNTP-Posting-Date: Tue, 02 Jan 2007 21:22:06 EST
Organization: BellSouth Internet Group
Date: Tue, 2 Jan 2007 21:20:43 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7767

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612291159460.29863@malasada.lava.net...
> Not afcording to the BBC brpadcast few daus bacl. They say it is
>
> finished in US.
>
> Lets wait till Jan 16 or Jan17 and see what the follow up from
> FCC says.
>   Joe

Why are you so dead set that CW is prohibited in the US. Since when is BBC
the "authority" on what our FCC does?
There-is-no-prohibition-on-the-use-of-morse-code-in-the-USA!!!!!!!!!!!!!
Some folks just can't READ!!!! :(

J
>
> **
> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS   *
> **

>
>
>
>

From -6579721284437417487
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 02 Jan 2007 20:32:58 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
<12p8nqs1aar8vc6@corp.supernews.com>
<Pine.BSI.4.61.0612291228220.29863@malasada.lava.net>
<VoEmh.18381$h_1.12589@bignews6.bellsouth.net>
Subject: Re: CW is gone
Date: Tue, 2 Jan 2007 21:32:40 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <vbWdnU_L8aVHiAbYnZ2dnUVZ_qWvnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-
XMwQ7lmWVLjVod6mvCF4nom94BJEq8MLc9pSJp6ZyCVLJSIkZWKyTTYywSehvuJav45Wlu+kXcRKe8q!
wutCL3YbCxYTqUi/b3tZ5sc+/sQ4n9C7jwVGsxQJ3J7y/Q/XpzkF/oTN9tU4BPycnrkaIKnuSO7K!
Ia3wbQN0HkGdAD4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7768

"Jerry" <joxendi@bellsouth.net> wrote in message
news:VoEmh.18381$h_1.12589@bignews6.bellsouth.net...
>
> "Joseph Fenn" <jfenn@lava.net> wrote in message
> news:Pine.BSI.4.61.0612291228220.29863@malasada.lava.net...
>> There is one more rule pending.   I think its due to come out

>> on Jan 16th or 175h of Jan. Lets see what that one has to say
>> about CW or NOT.
>>   Joe
>
>
> Well, you are absolutely WRONG and/or you have not read the ruling very
> well. What the announcement refers to is the elimination of Element I
> as a requirement for a US Amateur license. There is no "prohibition"
> against the use of Morse. BBC is mistaken, and since when has the news
> media gotten a whole lot right in reporting the news? US Amateur still may
> certain use CW to their heart's content, and, indeed, with the exception
> of the changes announced prior the CW ruling, the allocations for the USE
> of CW remain in place.
>
> I suggest you go back and fully read the actual announcement where you
> will find that a "prohibition" against Morse Code is a myth.
>

Everyone has told him this and posted links to the actual R&O on the web
page. He absolutely refuses to compare what it says to what the BBC
reported. I suspect that he wants it prohibited and so is indulging in
wishful thinking.

Dee, N8UZE

From 8338047567248447692
X-Google-Thread: fc8b1,1df771ac0a499ae8
X-Google-Thread: 108122,1df771ac0a499ae8
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b2c36a81!not-for-mail
From: "COLIN LAMB" <k7fm@teleport.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <12pgq37ibf8f229@corp.supernews.com>
<fp4hp21eub3sd692r9nap1un8jm1us7ujl@4ax.com> <12pleh9k9aa0f09@corp.supernews.com>
<eneg96$gjb$1@theodyn.ncf.ca>
Subject: Re: Hallicrafters S38B
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <9OFmh.10085$X72.3103@newsread3.news.pas.earthlink.net>
Date: Wed, 03 Jan 2007 03:54:45 GMT
NNTP-Posting-Host: 4.242.171.210
X-Complaints-To: abuse@earthlink.net

X-Trace: newsread3.news.pas.earthlink.net 1167796485 4.242.171.210 (Tue, 02 Jan 2007 19:54:45 PST)
NNTP-Posting-Date: Tue, 02 Jan 2007 19:54:45 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6960
rec.radio.amateur.equipment:7769

The simplest way I can think of is to go over to the shelf of test equipment and grab the old Heath signal generator and attach a foot long wire close to the S-38. Then tune the generator to 455 kc (whoops, that is kHz). You will have a nice beat note.

Like the others have said, convert the if stage into an oscillator - then reduce the feedback to get it to stop oscillating. That will then be sort of a Q multiplier while in the feedback but not enough to oscillate stage. You would need a control to put in and out of oscillation. A pot, a variable capacitor or a switch.

Or, just a hum a few bars into the Ranger mike and tune for best audio.

73, Colin

From 3081023429948305928
X-Google-Thread: fc8b1,10984154cfca6059
X-Google-Thread: 108122,10984154cfca6059
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 02 Jan 2007 22:14:14 -0600
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: PHOTO OF THE WEEK, Ham Radio
From: Mike Coslo <mcoslo@comcast.net>
References: <12p1as3lind6t17@corp.supernews.com>
<1167721049.233614.275870@42g2000cwt.googlegroups.com>
<VUumh.28915$_44.6943@newsfe23.lga>
Organization: Your Company
Message-ID: <Xns98ACEC63DD0BFmcoslocomcastnet@216.196.97.136>
User-Agent: Xnews/5.04.25
Date: Tue, 02 Jan 2007 22:14:14 -0600
Lines: 20
NNTP-Posting-Host: 71.58.71.232
X-Trace: sv3-
BG2Rhpi6eiPvloBaHZp2ns8+kpeo8cYwDKxMvh7nCeLov+eF6EaIhaNS5WQ89E+wnQvzWRIwsFvZW0K!
CSvdnVBervLk+LG49vMossCD2wphqIzLIPyaP/QWaFC4AFqIIcKg2pT0nJ4KONCnbGdhgP39G21X!
iXcEvQhwmyg+bA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6961
rec.radio.amateur.equipment:7770

"Glenn" <aa5pk@hotmail.com> wrote in
news:VUumh.28915$_44.6943@newsfe23.lga:

> "sapper" <billvet6@excite.com> wrote in message
> news:1167721049.233614.275870@42g2000cwt.googlegroups.com...
>> Is there a site that you guys
>> might know of that has picks and info about the differant radios.
>> People mention their equipment all the time in the different forums
>> and usually I don't know what they are talking about.I am a fairly
>> new ham and am trying to learn all I can.When someone says they have
>> a so and so type rig I would like to look it up and learn about it.
>> thanks
>> kc9irr
>
> Try this one: http://www.rigpix.com/

     Also www.eham.net. Lots of reviews, but the pictures are smaller than
rigpix.

     - 73 de Mike KB3EIA -


From -10075566592229437
X-Google-Thread: 108122,ae3bf100a7e76a46,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n51g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: looking for pin on RS htx 242 sm mobile
Date: 2 Jan 2007 20:20:41 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1167798041.765031.85770@n51g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.82.9.60
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167798046 32331 127.0.0.1 (3 Jan 2007 04:20:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Jan 2007 04:20:46 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n51g2000cwc.googlegroups.com; posting-host=66.82.9.60;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7771
```

looking for the pin configure for the mic (looking to interface it for
a repater to cover my imedaiate area

(yes I live in a area where ht can't always reach a repeater

```
From 4103715563337430895
X-Google-Thread: fc8b1,10984154cfca6059
X-Google-Thread: 108122,10984154cfca6059
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n51g2000cwc.googlegroups.com!not-for-
mail
From: "sapper" <billvet6@excite.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: PHOTO OF THE WEEK, Ham Radio
Date: 2 Jan 2007 21:49:30 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1167803370.896342.15330@n51g2000cwc.googlegroups.com>
References: <12p1as3lind6t17@corp.supernews.com>
   <1167721049.233614.275870@42g2000cwt.googlegroups.com>
   <VUumh.28915$_44.6943@newsfe23.lga>
NNTP-Posting-Host: 207.69.139.8
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1167803376 3233 127.0.0.1 (3 Jan 2007 05:49:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Jan 2007 05:49:36 +0000 (UTC)
In-Reply-To: <VUumh.28915$_44.6943@newsfe23.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.1)
Gecko/20061204 Firefox/2.0.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n51g2000cwc.googlegroups.com; posting-host=207.69.139.8;
   posting-account=i3BDqA0AAADMdsz005BHgaCIWTeBbUI8
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6963
rec.radio.amateur.equipment:7772
```

Glenn wrote:
> "sapper" <billvet6@excite.com> wrote in message
news:1167721049.233614.275870@42g2000cwt.googlegroups.com...
> > Is there a site that you guys
> > might know of that has picks and info about the differant radios.
> > People mention their equipment all the time in the different forums and
> > usually I don't know what they are talking about.I am a fairly new ham
> > and am trying to learn all I can.When someone says they have a
> > so and so type rig I would like to look it up and learn about it.
> > thanks

> > kc9irr
>
> Try this one: http://www.rigpix.com/
>
> Glenn AA5PK

Thanks
Bill KC9IRR

From 2723769620297426186
X-Google-Thread: 108122,ae3bf100a7e76a46
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 03 Jan 2007 05:43:20 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1167798041.765031.85770@n51g2000cwc.googlegroups.com>
Subject: Re: looking for pin on RS htx 242 sm mobile
Date: Wed, 3 Jan 2007 03:28:30 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <TrudndyRE-RFCwbYnZ2dnUVZ_rCsnZ2d@giganews.com>
Lines: 13
X-Trace: sv3-nPMsbAULYAsf9fv64seDEH9pZYBno4KMETF7vGPZBeEsyg+5gqtibPa6/curGzzhKfxSMkFJUK6N/G4!DiZxj7w0TIZpQ91zOtOfOAlBbIZ/P7BjqAFfuUbsHUKoOB0M0EgmmUiT3dZTtGthS7vj849zXA==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7773

an old friend wrote:
> looking for the pin configure for the mic

Googling "HTX242" produced 64 hits. One or more of those may have the info
you seek.
http://mods.dk/ shows both owners and service manuals available for free*
download (Service Manual, page 69).

* a daily download limit applies to free account

Bryan

```
From 5657923539819675418
X-Google-Thread: 108122,988f6584f1fb111e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n51g2000cwc.googlegroups.com!not-for-mail
From: "w9wi" <dougw9wi@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-U18 programming: how?
Date: 3 Jan 2007 06:34:14 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1167834854.819101.42700@n51g2000cwc.googlegroups.com>
NNTP-Posting-Host: 4.153.69.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167834860 24336 127.0.0.1 (3 Jan 2007 14:34:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 3 Jan 2007 14:34:20 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.0.1) Gecko/20020830,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n51g2000cwc.googlegroups.com; posting-host=4.153.69.36;
   posting-account=9voofw0AAAB7i_Qc_8qRHNgMk-MmusDD
Xref: g2news2.google.com rec.radio.amateur.equipment:7774
```

This is a curiousity question only - I'm not wanting to actually program this radio - but...

Does anyone know how this radio is programmed? I don't see any kind of connector for a computer, and a look at the schematic shows it can't be programmed through the external speaker/mike connectors. (unless they're doing something REALLY ingenious!) The schematic also doesn't show an obvious programming connector, though I may be missing something involving test points(grin). There is no keypad, so it can't be done that way. The service manual (as found online) doesn't address programming at all...

Thanks for addressing my curiousity, and for tolerating a slightly off-topic (since this is a commercial rig) post!

```
From -1742024718330969611
X-Google-Thread: 112049,26c172b083f0d69e
X-Google-Thread: f5341,26c172b083f0d69e
X-Google-Thread: 108122,26c172b083f0d69e
X-Google-Thread: f64c6,26c172b083f0d69e
X-Google-Attributes: gid112049,gidf5341,gid108122,gidf64c6,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: al jones <alfredmjones@shotmail.com>
Subject: Re: PC Control program for Yaesu FRG-9600 (FRG-965) & Kenwood TS-940S
Newsgroups:
alt.comp.freeware,alt.radio.scanner.uk,rec.radio.amateur.equipment,uk.radio.amateu
r
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
References: <ic6dnQfce8UW3RHYnZ2dnUVZ8sqjnZ2d@bt.com>
<rrYih.158168$qd7.106899@fe1.news.blueyonder.co.uk>
<rfnpo2pc59g979c863etk8pebof572oe9q@4ax.com>
<458d468c$0$12893$834e42db@reader.greatnowhere.com>
<bsjqo25vmmdnm9jv8gppl0qtdp7g64cbdk@4ax.com>
Message-ID: <m9g38wzcg29v.1pakwcwevi81h.dlg@40tude.net>
Lines: 20
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 23 Dec 2006 18:51:13 GMT
Xref: g2news2.google.com alt.comp.freeware:89103 alt.radio.scanner.uk:2373
rec.radio.amateur.equipment:7672 uk.radio.amateur:61960
```

On Sat, 23 Dec 2006 15:49:06 +0000, Walt Davidson wrote:

> On Sat, 23 Dec 2006 14:02:02 -0000, "Magnum 2E0"
> <magnum@mag2781.freeserve.co.uk> wrote:
>
>>What was it they say Walt... "If you remember the 60's you weren't really
>>there" or something like that !!

Hey, I remember the 60's - or at least I think I do sometimes!

>>73 and Merry Christmas Ya old hippy ;o)
>
> I still have my original "flower power" bell.
> :-)
>
> Cordial season's greeting to you too, old chap!
>
> 73 de G3NYY

de kbnd0338 (well, not all of us were CW oriented!) out!

```
From 3651685465946577008
X-Google-Thread: 108122,85cba5eb715048e0
X-Google-Thread: fc2a5,85cba5eb715048e0
```

```
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bigfe9.POSTED!
ef55a73e!not-for-mail
From: ken scharf <wa2mzeNOSPAMBOTS@bellsouth.net>
User-Agent: Thunderbird 1.5.0.4 (X11/20060625)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Parts with FREE shipping
References: <Ihxih.2059$X72.1109@newsread3.news.pas.earthlink.net>
In-Reply-To: <Ihxih.2059$X72.1109@newsread3.news.pas.earthlink.net>
X-Enigmail-Version: 0.94.0.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <Q7kjh.5075$_X.2028@bigfe9>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
okpbgeeoboblnbegmoacjccfbefmnjkglhfokggfcodgcdmimlkppbhcodhjhpilaahihelibegjblkbih
bbjoldfngcmehnfngjmhgipcdbeicbegjhegfjmpeppmjp
NNTP-Posting-Date: Sat, 23 Dec 2006 19:48:48 EST
Organization: BellSouth Internet Group
Date: Sat, 23 Dec 2006 19:49:00 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7674
rec.radio.amateur.homebrew:8406

Brian wrote:
> Hey all,
>
> I'm trying to clean out the parts cabinet. So free shipping on all orders
> until I say otherwise.
>
> My parts are new, but old stock spurplus. They are not pulls, and they have
> never been used.  Most are gathered at hamfests, and some are gathered from
> eBay, some from surplus auctions, some just show up.
>
> See the website below for details.
>
> http://www.hamradparts.com
>
> 73 de KB9BVN
>
>
>
Don't need anything right now, but I'm bookmarking your web site for
future reference.  Even with shipping your seem reasonable.


From 7527919368426832672
X-Google-Thread: fb049,5d97695b96fe4f57,start
X-Google-Thread: 108122,5d97695b96fe4f57,start
```

```
X-Google-Thread: 1109af,5d97695b96fe4f57,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny02.POSTED!4f97008e!not-for-mail
From: "RF stuff" <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Motorola Radius M216 VHF 25 watt $100
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <iUyjh.3655$dw6.649@trndny02>
Date: Sun, 24 Dec 2006 17:36:14 GMT
NNTP-Posting-Host: 71.126.77.85
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1166981774 71.126.77.85 (Sun, 24 Dec 2006 12:36:14 EST)
NNTP-Posting-Date: Sun, 24 Dec 2006 12:36:14 EST
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3444
rec.radio.amateur.equipment:7675 rec.radio.swap:10810

Motorola Radius M216 VHF 16 channel 150-174mhz, 25 watt. Model#D33LRA77A5BK
Serial#778FNU0605 I can NOT program this radio. It will do the Amateur 2
meter band without a problem.
It is in good working order and ready to be placed into service. You get the
radio, power cable and mic, no bracket.
Picture at this link:
http://mysite.verizon.net/vzequgiy/commctr1/id11.html
$100.00 plus shipping
Cont. US only, USPS money orders only.




From -5932335948167398364
X-Google-Thread: fb049,5d97695b96fe4f57
X-Google-Thread: 108122,5d97695b96fe4f57
X-Google-Thread: 1109af,5d97695b96fe4f57
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feed.cgocable.net!
nx02.iad01.newshosting.com!newshosting.com!post01.iad01!roadrunner.com!not-for-
mail
From: "Guy P. Distaffen" <guypd@rochester.rr.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <iUyjh.3655$dw6.649@trndny02>
<5tm0p25m22nm3kr3ltkpb06bqvcpolkkte@4ax.com>
Subject: Re: FS: Motorola Radius M216 VHF 25 watt $100
Date: Mon, 25 Dec 2006 19:30:21 -0500
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 29
Message-ID: <45906d20$0$7650$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3447
rec.radio.amateur.equipment:7677 rec.radio.swap:10814

No radios in the US will do the 2 metre band, Barry.

"Barry OGrady" <god_free_jones@yahoo.com> wrote in message
news:5tm0p25m22nm3kr3ltkpb06bqvcpolkkte@4ax.com...
> On Sun, 24 Dec 2006 17:36:14 GMT, "RF stuff" <pottsladd13@yahoo.com>
> wrote:
>
>>Motorola Radius M216 VHF 16 channel 150-174mhz, 25 watt.
>>Model#D33LRA77A5BK
>>Serial#778FNU0605 I can NOT program this radio. It will do the Amateur 2
>>meter band without a problem.
>
> But will it do the 2 metre band?
>
>>It is in good working order and ready to be placed into service. You get
>>the
>>radio, power cable and mic, no bracket.
>>Picture at this link:
>>http://mysite.verizon.net/vzequgiy/commctr1/id11.html
>>$100.00 plus shipping
>>Cont. US only, USPS money orders only.
>>
>
> Barry
> =====
> Home page
> http://members.iinet.net.au/~barry.og




From 6270220771433309241
X-Google-Thread: 108122,f1da2b04ed15eeb8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
news-in-01.newsfeed.easynews.com!easynews.com!easynews!easynews-local!
fe08.news.easynews.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What Happens to Us that Passed General Written, but failed Morse Code
Test?
```

```
From: "Allan R. Batteiger" <arb@rtsi.com>
References: <emijdb02iv5@news3.newsguy.com>
Organization: Real-Time Services Inc.
User-Agent: Xnews/2006.08.24
X-Antivirus: avast! (VPS 0662-1, 12/24/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 17
Message-ID: <GL_jh.135072$7G.12874@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 26 Dec 2006 01:18:30 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7678

Dave <sssdave@davss.davss> wrote in news:emijdb02iv5@news3.newsguy.com:

>  I passed my general written test 3 months ago, but failed the Morse
>  Code
> test. Will I be able to automatically upgrade to General once the
> rules change or do I need to take a new general written Test?
>

You will need to take a copy of your CSCE and a new exam Fee to a VE
session.   Fill out an applicaiton for General Glass.   This is a paperwork
upgrade that the VE must do. You will not automatically become a General,
you must sumbit the paperwork to get it.  However once you have filed the
paper work you then immediatly have General class privilegdes using a /AG
suffix to your call.

Allan R. Battieger
WB5QNG


From -4999457251149589020
X-Google-Thread: 108228,b0b7c956a377fc68,start
X-Google-Thread: fc8b1,b0b7c956a377fc68,start
X-Google-Thread: 108122,b0b7c956a377fc68,start
X-Google-Thread: fc2a5,b0b7c956a377fc68,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe17.lga.POSTED!53ab2750!not-for-mail
From: "KC0EH" <cvest@cox.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.homebrew
Subject: WTD:MSR-2000 VHF XMTR
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
```

X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Dm%jh.32705$923.28123@newsfe17.lga>
Date: Mon, 25 Dec 2006 20:04:29 -0600
NNTP-Posting-Host: 68.103.64.62
X-Complaints-To: admin@cox.net
X-Trace: newsfe17.lga 1167098403 68.103.64.62 (Mon, 25 Dec 2006 19:00:03 MST)
NNTP-Posting-Date: Mon, 25 Dec 2006 19:00:03 MST
Organization: Cox
Xref: g2news2.google.com alt.ham-radio.marketplace:1641
rec.radio.amateur.boatanchors:6848 rec.radio.amateur.equipment:7679
rec.radio.amateur.homebrew:8429

Our club is looking for a spare transmitter board for our Motorola MSR-2000 VHF repeater.
Please state price and condition.

Charlie (KC0EH) Club Call (WR0CV)

From 2665068266342155883
X-Google-Thread: fc8b1,10984154cfca6059,start
X-Google-Thread: 108122,10984154cfca6059,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!sn-xt-sjc-05!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Jack Schmidling <arf@mc.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: PHOTO OF THE WEEK, Ham Radio
Date: Mon, 25 Dec 2006 22:56:28 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12p1as3lind6t17@corp.supernews.com>
User-Agent: Mozilla Thunderbird 0.9 (Windows/20041103)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6849
rec.radio.amateur.equipment:7680

This seems like a good time to introduce one of my other life-long hobbies. In 1955, I accomplished one of my first major life goals. I passed all the tests for an Amateur Radio License. It was just the entry level "Novice Class" license but it allowed me to "talk" via Morse Code to people all over the world with simple equipment that I built myself.

JACK K9ACT

--
PHOTO OF THE WEEK: http://schmidling.com/pow.htm
Astronomy, Beer, Cheese, Fiber,Gems, Sausage,Silver http://schmidling.com

```
From -4666491182830391375
X-Google-Thread: fc8b1,10984154cfca6059
X-Google-Thread: 108122,10984154cfca6059
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 26 Dec 2006 09:25:38 -0600
From: Jon Teske <jdteske@comcast.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: PHOTO OF THE WEEK,  Ham Radio
Date: Tue, 26 Dec 2006 10:25:37 -0500
Message-ID: <1jf2p2tgkkidioov6cieb4j6558f44l2pi@4ax.com>
References: <12p1as3lind6t17@corp.supernews.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Host: 68.55.189.180
X-Trace: sv3-MY903eR1keUJ+61qkm4niXVSd3W7TUNmx4bmBraWBMo2FEp6knYyi4jZSa2R/
j3XvBDdV2xdxPgiGx6!+IEijyIUYe/
NojGj7KFlexXIS9oaSm5QQnrvjWpKEGG7raLjzYgQEawOMxYOcCFFXfQplO2onPMp!LYy0GQtqEw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6850
rec.radio.amateur.equipment:7681
```

On Mon, 25 Dec 2006 22:56:28 -0600, Jack Schmidling <arf@mc.net> wrote:

>This seems like a good time to introduce one of my other life-long
>hobbies. In 1955, I accomplished one of my first major life goals. I
>passed all the tests for an Amateur Radio License. It was just the entry
>level "Novice Class" license but it allowed me to "talk" via Morse Code
>to people all over the world with simple equipment that I built myself.
>
>JACK K9ACT

Check the link at 1030 EST Dec 26 it appears to be broken. I am interested in seeing it since I was licensed only a short time afterwards. My ticket issued Jan 56, but test done in 55. I was then

K9CAH so I was also licensed in the MidWest in Wisconsin. I was
13.

Jon Teske W3JT

From -6442344178076000619
X-Google-Thread: 108122,b35746c284eb9eca,start
X-Google-Thread: 107ada,b35746c284eb9eca,start
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!42g2000cwt.googlegroups.com!not-for-mail
From: "marc" <amarcpassy@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: microphone impedance matching circuit?
Date: 26 Dec 2006 10:48:41 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1167158921.781633.215220@42g2000cwt.googlegroups.com>
NNTP-Posting-Host: 69.7.162.154
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167158925 5386 127.0.0.1 (26 Dec 2006 18:48:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Dec 2006 18:48:45 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.8)
Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 42g2000cwt.googlegroups.com; posting-host=69.7.162.154;
   posting-account=waQCNw0AAADuIVf2-SeZ5fkt3xlb6zPE
Xref: g2news2.google.com rec.radio.amateur.equipment:7682
rec.radio.amateur.misc:27392

I've just bought a nominal 150 Ohm Z Shure dynamic mic & I want to use
it with my FT-897, which expects a minimum 200 Ohm Z. Is there a good
impedance matching circuit out there that I could build? Do I need to?

Thanks.

From -2141241047676278231
X-Google-Thread: 108122,5417fabcaecdd6d2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f1g2000cwa.googlegroups.com!not-for-mail
From: "qslcanadagroups@gmail.com" <qslcanadagroups@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: QSL Cards
Date: 26 Dec 2006 11:26:37 -0800

```
Organization: http://groups.google.com
Lines: 51
Message-ID: <1167161197.369741.245890@f1g2000cwa.googlegroups.com>
NNTP-Posting-Host: 74.210.18.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167161201 29943 127.0.0.1 (26 Dec 2006 19:26:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Dec 2006 19:26:41 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Opera/9.01 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f1g2000cwa.googlegroups.com; posting-host=74.210.18.82;
   posting-account=XZVODwwAAABf0DzvtNyxNBvv0B2y6_Ke
Xref: g2news2.google.com rec.radio.amateur.equipment:7683
```

Name: Kirill
Call: VE3AXC

Merry Christmas and Happy New Year everyone! I will be a subscriber of this forum from now on, so nice meeting everybody!

On this note, please allow me to stray a bit off this forum's topic but my info might still be relevant for some. I myself have been a ham for 8 years; also run a small QSL card printing business (my printishop is located in Toronto, Canada) and have a web site specifically dedicated to that www.qslcanada.com

Reason I would like to post this message on this forum is to let your group know that I have a pretty good group referral discount program.

The idea is quite simple and there is no catch.... For each HAM who is referred by you and who wishes to place an minimum order of 500 cards, you would receive 100 (custom designed) cards of the same type free of charge. The offer is transferable, so if for example you let me know that you don't need any more cards, I will be happy to print additional 100 cards for your friend free of charge (or charge for 100 cards less)

This offer may be ideal for your group or a club you belong to. For example, if you
refer say 3 HAMs who would like to print a minimum 500 cards for themselves, you would receive 300 cards as appreciation for spreading the word about qslcanada
; you could transfer it to someone as a gift ; or each of 3 Hams would only pay
for 400 cards, since each one will get 100 cards free. To sum it up, each of the referral counts as 100 free cards in any shape or form.
Pse let me know if you have any questions.

So if bunch of Hams in this group who are into QSLing might be interested to giving someone a free gift or getting a good deal on the

next batch, pse let me know. The offer is valid any time in future.
www.qslcanada.com has quite a bit of samples, more info and e-ham
reviews

PS Have got to mention this, since it did happen before, where some
folks took this posting too personally. I just wanted to get this info
out there ONE TIME ONLY! Please don't call me any spammer names or hate
mail me. I believe this to be a fair group offer any hams by hams
enterprise deserves a little exposure to start out with.

I will try to participate in this group from now on, so best 73 to
everyone! Happy New Year!

From -5302939218753001550
X-Google-Thread: 108122,b35746c284eb9eca
X-Google-Thread: 107ada,b35746c284eb9eca
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 26 Dec 2006 14:54:41 -0600
Date: Tue, 26 Dec 2006 15:54:46 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: microphone impedance matching circuit?
References: <1167158921.781633.215220@42g2000cwt.googlegroups.com>
In-Reply-To: <1167158921.781633.215220@42g2000cwt.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <h-6dnWvT2t6MEQzYnZ2dnUVZ_uzinZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-ht9AnZGZqi/mplBcZfdY/sKZ+flNpZaJ3da6Xrm9/
MlG4xbkqmVQpr8URTCst30rE9k583phsxWt7Ba!
baODz33tXJcWMoiun7CzoapmHSjKoe3YASV1w28YkSDUxGrwXi+FWRxDPQQk9+4YMU79lsimExy1!
hzQgT9aT/58cjDF/L1c=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7684
rec.radio.amateur.misc:27396

marc wrote:

> I've just bought a nominal 150 Ohm Z Shure dynamic mic & I want to use
> it with my FT-897, which expects a minimum 200 Ohm Z. Is there a good
> impedance matching circuit out there that I could build? Do I need to?
>
> Thanks.
>

NOPE!

Nope!

From 1950505236886361678
X-Google-Thread: 108122,b35746c284eb9eca
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f1g2000cwa.googlegroups.com!not-for-mail
From: "marc" <amarcpassy@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: microphone impedance matching circuit?
Date: 26 Dec 2006 13:31:02 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1167168662.193761.324780@f1g2000cwa.googlegroups.com>
References: <1167158921.781633.215220@42g2000cwt.googlegroups.com>
   <h-6dnWvT2t6MEQzYnZ2dnUVZ_uzinZ2d@comcast.com>
NNTP-Posting-Host: 69.7.162.154
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167168667 28327 127.0.0.1 (26 Dec 2006 21:31:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Dec 2006 21:31:07 +0000 (UTC)
In-Reply-To: <h-6dnWvT2t6MEQzYnZ2dnUVZ_uzinZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.9) Gecko/20061206 Firefox/1.5.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f1g2000cwa.googlegroups.com; posting-host=69.7.162.154;
   posting-account=waQCNw0AAADuIVf2-SeZ5fkt3xlb6zPE
Xref: g2news2.google.com rec.radio.amateur.equipment:7685

Simple enough. Thanks

On Dec 26, 2:54 pm, Dave <W...@comcast.net> wrote:
> marc wrote:
> > I've just bought a nominal 150 Ohm Z Shure dynamic mic & I want to use
> > it with my FT-897, which expects a minimum 200 Ohm Z. Is there a good
> > impedance matching circuit out there that I could build? Do I need to?
>

> > Thanks.NOPE!
>
> Nope!

```
From -1051417101696699235
X-Google-Thread: 108122,257ead02c214401a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 26 Dec 2006 16:56:54 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <67dce$43ab0528$42a1c00b$29616@FUSE.NET>
<786po2pbn1ab8jfeebef0ajtqae1u9rjj0@4ax.com>
Subject: Re: Ethernet Router RFI
Date: Tue, 26 Dec 2006 16:56:52 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <xMqdncTEtr4rNQzYnZ2dnUVZ_rCsnZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-TkdpL2czLahzzbIZCjcdnGelrDeEbtmzzL4BKMeCeSwdrBlJFvdJ9Ia/
DgNBs8e0iALQQgGZotDpunu!t/
1Yvm7a+k8CQMWKHdliigs84zxhwxgHZJUmXrwU1ay1hCv+tODF6n9OcSH/bCuMT9wGztCUdIUK!
JGNotH5bjWbSc9U5hPw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7686
```

> On Thu, 22 Dec 2005 14:57:29 -0500, "Jim Leder" <k8cxm@spam.fuse.net>
> wrote:
>> After several months of just not listening to my 2 meter base station, I
>>finally took time to find the source of the interference that held the
>>squelch open on the repeater channel I listen to most often. Turned out it
>>was my Dlink DI-604 router. I borrowed a Linksys NR-041 router from my
>>neighbor and it works a little better. I can now listen to the 145.390
>>repeater, not because the Linksys puts out no RFI, but only because it
>>puts
>>it out in a different place (mostly in the 146.46-146.58 range). I will
>>probably invest in a newer router, probably wireless. Question I have is
>>does anyone have any experience with the new breed of wireless routers
>>that

>>are reasonable clean in the RFI/2 meter spectrum? Thanks.
>>

I would suggest FIRST, making sure you have the latest firmware for the D-Link router.
Know how to update the firmware properly -- it is covered on the D-Link web site.

Sister had a wireless D-Link router and the update/upgrade of firmware seemed to quiet down the RFI. Likely a poorly written piece of code by a programmer -- who has never heard of RF.

gb

From -8865657149418127436
X-Google-Thread: 108122,257ead02c214401a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!news.musoftware.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ethernet Router RFI
Date: Tue, 26 Dec 2006 17:05:03 -0600
Lines: 36
Message-ID: <4vdo50F1b8nokU1@mid.individual.net>
References: <67dce$43ab0528$42a1c00b$29616@FUSE.NET>
<786po2pbn1ab8jfeebef0ajtqae1u9rjj0@4ax.com>
<xMqdncTEtr4rNQzYnZ2dnUVZ_rCsnZ2d@comcast.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net yLZ4xZ3VZo2LzmaH0uuzwAuWh59hlw0h2IaWgjMf8Kgi8E5kpI
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915 Mnenhy/0.7.4.0
X-Accept-Language: en-us
In-Reply-To: <xMqdncTEtr4rNQzYnZ2dnUVZ_rCsnZ2d@comcast.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:7687

w9gb wrote:
>>On Thu, 22 Dec 2005 14:57:29 -0500, "Jim Leder" <k8cxm@spam.fuse.net>
>>wrote:
>>
>>>After several months of just not listening to my 2 meter base station, I
>>>finally took time to find the source of the interference that held the
>>>squelch open on the repeater channel I listen to most often. Turned out it
>>>was my Dlink DI-604 router. I borrowed a Linksys NR-041 router from my
>>>neighbor and it works a little better. I can now listen to the 145.390
>>>repeater, not because the Linksys puts out no RFI, but only because it
>>>puts

>>>it out in a different place (mostly in the 146.46-146.58 range). I will
>>>probably invest in a newer router, probably wireless. Question I have is
>>>does anyone have any experience with the new breed of wireless routers
>>>that
>>>are reasonable clean in the RFI/2 meter spectrum? Thanks.
>>>
>
>
> I would suggest FIRST, making sure you have the latest firmware for the
> D-Link router.
> Know how to update the firmware properly -- it is covered on the D-Link web
> site.
>
> Sister had a wireless D-Link router and the update/upgrade of firmware
> seemed to quiet down the RFI. Likely a poorly written piece of code by a
> programmer -- who has never heard of RF.
>
> gb
>
>

No, a 604 is a wired router, I would suspect it is a poorly wired or bad cable
that is a multiple wavelength of that particular frequency... I use the 604
(non print server) and 614 (print server) routers with no problems at all.

Bob N9LVU

From -8435911984993618716
X-Google-Thread: 108122,257ead02c214401a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!tudelft.nl!
txtfeed1.tudelft.nl!feeder1.cambrium.nl!feed.tweaknews.nl!news2.euro.net!
138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-08!sn-ams!sn-feed-ams-02!sn-post-
ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ethernet Router RFI
Date: Tue, 26 Dec 2006 23:31:14 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12p3c62q20s567a@corp.supernews.com>
References: <67dce$43ab0528$42a1c00b$29616@FUSE.NET>
<786po2pbn1ab8jfeebef0ajtqae1u9rjj0@4ax.com>
<xMqdncTEtr4rNQzYnZ2dnUVZ_rCsnZ2d@comcast.com>
<4vdo50F1b8nokU1@mid.individual.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news2.google.com rec.radio.amateur.equipment:7688

In article <4vdo50F1b8nokU1@mid.individual.net>,
Robert Kubichek <bobn9lvu@sbcglobal.net> wrote:

>No, a 604 is a wired router, I would suspect it is a poorly wired or bad cable
>that is a multiple wavelength of that particular frequency... I use the 604
>(non print server) and 614 (print server) routers with no problems at all.

There may be multiple revisions of the 604, with significantly different internals. I've had similar RFI problems with some routers and WAPs, and have concluded that some of them use buck-mode voltage regulators (DC-to-DC converters) which put out strong harmonics of their switching frequencies. Similar devices from the same manufacturer, a year or two newer or older, don't have these emission problems... I believe that the voltage converters in the trouble-free units probably incorporate a "spread spectrum" modulator on their switching oscillator, and thus emit a broad-but-low level of RF hash rather than discrete birdies.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -5266257226689872499
X-Google-Thread: 108122,bb6c38e8d8717c6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!news.germany.com!newsfeed.utanet.at!newsfeed01.chello.at!newsfeed.arcor.de!newsspool2.arcor-online.net!news.arcor.de.POSTED!not-for-mail
Message-Id: <1390022.ghXzVc9c8P@viviana>
From: Ralf Ballis - DL2MRB <dl2mrb@arcor.de>
Subject: MFJ-929 and a Yaesu FT-857
Newsgroups: rec.radio.amateur.equipment
Reply-To: dl2mrb@arcor.de
Date: Wed, 27 Dec 2006 01:37:52 +0100
User-Agent: KNode/0.7.7
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 13
Organization: Arcor
NNTP-Posting-Date: 27 Dec 2006 01:41:02 CET
NNTP-Posting-Host: a5ce4e8b.newsspool1.arcor-online.net
X-Trace:
DXC=2G`SGcbJV8_E47KDAk81NWic==]BZ:af^4Fo<]lROoRQ^YC2XCjHcbYgRaDc\fF7HY[6fPGO]?5USnd80LAoS;B]><Fl0]@Q2NT
X-Complaints-To: usenet-abuse@arcor.de
Xref: g2news2.google.com rec.radio.amateur.equipment:7689

Try to connect a MFJ-929 and a Yaesu FT-857. Use a MFJ-5114Y cable to connect.
Which parameter should I select on both for start tuning process by push the

tune button on tuner?

When select tuner on transceiver and the right transceiver selected on tuner nothing happens.

73

Ralf, DL2MRB
--
Vy 73 es 55 de Ralf, DL2MRB

From 977987492377081699
X-Google-Thread: 108122,21508d9bcf377abf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!73g2000cwn.googlegroups.com!not-for-mail
From: "NB2A" <nb2a@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: East Coast repeater linking
Date: 26 Dec 2006 16:49:31 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1167180571.200693.253430@73g2000cwn.googlegroups.com>
NNTP-Posting-Host: 69.114.58.139
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167180575 12850 127.0.0.1 (27 Dec 2006 00:49:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Dec 2006 00:49:35 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 73g2000cwn.googlegroups.com; posting-host=69.114.58.139;
   posting-account=dBRFNQ0AAACKYw8ohi0YXmP04KQE8JoQ
Xref: g2news2.google.com rec.radio.amateur.equipment:7690

Anyone interested in RF linking and IRLP linking into the NY city area please join our group.

http://groups.yahoo.com/group/LEARC/

From 7814781648616677728
X-Google-Thread: 108122,bb6c38e8d8717c6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-sjc-07!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)

Newsgroups: rec.radio.amateur.equipment
Subject: Re: MFJ-929 and a Yaesu FT-857
Date: Wed, 27 Dec 2006 00:56:22 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12p3h5mkcsecd4d@corp.supernews.com>
References: <1390022.ghXzVc9c8P@viviana>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news2.google.com rec.radio.amateur.equipment:7691

In article <1390022.ghXzVc9c8P@viviana>,
Ralf Ballis - DL2MRB <dl2mrb@arcor.de> wrote:

>Try to connect a MFJ-929 and a Yaesu FT-857. Use a MFJ-5114Y cable to
>connect.

>Which parameter should I select on both for start tuning process by push the
>tune button on tuner?

You'll need to inform the FT-857 that it has a CAT-compatible tuner
attached. Check your owner's manual. If I recall correctly, there
are two menu items that you'll need to set. One of them tells the
radio that there's a slave CAT device attached, and the other tells it
to talk to a tuner via the CAT port.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -4201065672131768268
X-Google-Thread: fc8b1,10984154cfca6059
X-Google-Thread: 108122,10984154cfca6059
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 26 Dec 2006 19:10:48 -0600
Date: Tue, 26 Dec 2006 20:10:48 -0500
From: KC8GXW-Jim <kc8gxw@CENTURYTEL.NET>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: PHOTO OF THE WEEK, Ham Radio
References: <12p1as3lind6t17@corp.supernews.com>
<1jf2p2tgkkidioov6cieb4j6558f44l2pi@4ax.com>

```
In-Reply-To: <1jf2p2tgkkidioov6cieb4j6558f44l2pi@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <pYidncPJdKiFVQzYnZ2dnUVZ_tninZ2d@centurytel.net>
Lines: 24
NNTP-Posting-Host: 66.112.59.194
X-Trace: sv3-0yJ1dWEpfvgkItqS7OhFbcI0MoWEQgtC9rmcEH8QhwMZ/
FG54Vp6ujqWe0yjDdf4kboQsIPxdYKYi5h!F6K0qNzAvNqdSseg3pxSuL341pYhL/
fBYjYCeWPaHpUfsNLEqOHM4rlkMzP+mxRlfSfZ3Yx9uYhV!
5JoxXxokupBt5pdFfuZfzQ6+tjJNp59S92YvtA==
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6858
rec.radio.amateur.equipment:7692

Jon Teske wrote:
> On Mon, 25 Dec 2006 22:56:28 -0600, Jack Schmidling <arf@mc.net>
> wrote:
>
>
>>This seems like a good time to introduce one of my other life-long
>>hobbies. In 1955, I accomplished one of my first major life goals. I
>>passed all the tests for an Amateur Radio License. It was just the entry
>>level "Novice Class" license but it allowed me to "talk" via Morse Code
>>to people all over the world with simple equipment that I built myself.
>>
>>JACK K9ACT
>
>
> Check the link at 1030 EST Dec 26 it appears to be broken. I am
> interested in seeing it since I was licensed only a short time
> afterwards. My ticket issued Jan 56, but test done in 55. I was then
> K9CAH so I was also licensed in the MidWest in Wisconsin. I was
> 13.
>
> Jon Teske W3JT

Link still works as of 8:09 pm est 12-26-06
Look at the slide show, a man of many telants


From -1991786817277245 68
X-Google-Thread: fc8b1,10984154cfca6059
X-Google-Thread: 108122,10984154cfca6059
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-sjc-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
```

From: Jack Schmidling <arf@mc.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: PHOTO OF THE WEEK, Ham Radio
Date: Tue, 26 Dec 2006 22:23:14 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12p3t9jo63cff9@corp.supernews.com>
User-Agent: Mozilla Thunderbird 0.9 (Windows/20041103)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <12p1as3lind6t17@corp.supernews.com>
<1jf2p2tgkkidioov6cieb4j6558f44l2pi@4ax.com>
In-Reply-To: <1jf2p2tgkkidioov6cieb4j6558f44l2pi@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6864
rec.radio.amateur.equipment:7693

Jon Teske wrote:

> Check the link at 1030 EST Dec 26 it appears to be broken.

Seems to be a problem with low budget web hosts. Good news is it's up more than down.

>I am
> interested in seeing it since I was licensed only a short time
> afterwards. My ticket issued Jan 56, but test done in 55. I was then
> K9CAH so I was also licensed in the MidWest in Wisconsin. I was
> 13.

Wunder if you know/knew K9CAQ Wayne from Three Rivers Wi.

js

--
PHOTO OF THE WEEK: http://schmidling.com/pow.htm
Astronomy, Beer, Cheese, Fiber,Gems, Sausage,Silver http://schmidling.com

From -1483438694463301374
X-Google-Thread: 108122,bb6c38e8d8717c6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!newsfeed.arcor.de!newsspool2.arcor-online.net!news.arcor.de.POSTED!not-for-mail
Message-ID: <1472599.YXPxcg9y9K@viviana>
From: Ralf Ballis - DL2MRB <dl2mrb@arcor.de>
Subject: Re: MFJ-929 and a Yaesu FT-857
Newsgroups: rec.radio.amateur.equipment

```
Reply-To: dl2mrb@arcor.de
Date: Wed, 27 Dec 2006 13:02:42 +0100
References: <1390022.ghXzVc9c8P@viviana> <12p3h5mkcsecd4d@corp.supernews.com>
User-Agent: KNode/0.7.7
MIME-Version: 1.0
Content-Type: text/plain; charset=iso-8859-15
Content-Transfer-Encoding: 8Bit
Lines: 21
Organization: Arcor
NNTP-Posting-Date: 27 Dec 2006 13:05:52 CET
NNTP-Posting-Host: ccb0b6b7.newsspool2.arcor-online.net
X-Trace: DXC=S@XTE_HYcn=RadXUBHgFh3A9EHlD;3Yc24Fo<]lROoR1Fl8W>\BH3Y2cJ<K?
_fLo6>[6fPGO]?5U3;]PQ>oWGEg:NGahidGN`A5
X-Complaints-To: usenet-abuse@arcor.de
Xref: g2news2.google.com rec.radio.amateur.equipment:7695

Thank you for answering.

Dave Platt wrote:

> One�of�them�tells�the
> radio that there's a slave CAT device attached, and the other tells it
> to talk to a tuner via the CAT port.

When I select a tuner on FT-857 options, CAT type option turn automatically
to tuner and isn't changeable.

Since I try to connect and several options on this tuner, think I notice a
burned smell coming out from this tuner.
Works normally, maybe some device burned down by using any wrong option on
this MFJ-929.

73

Ralf, DL2MRB
--
Vy 73 es 55 de Ralf, DL2MRB


From 4510744533144771800
X-Google-Thread: 108122,f762d4022e659fe6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!48g2000cwx.googlegroups.com!not-for-
mail
From: "Ben" <bbubble62@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: looking for TS930 parts
Date: 27 Dec 2006 06:16:46 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1167229006.254260.197370@48g2000cwx.googlegroups.com>
NNTP-Posting-Host: 86.83.104.148
```

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167229012 4427 127.0.0.1 (27 Dec 2006 14:16:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Dec 2006 14:16:52 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.1.1)
Gecko/20061204 Firefox/2.0.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 48g2000cwx.googlegroups.com; posting-host=86.83.104.148;
   posting-account=7xdgAAwAAADm7g_8Q4LEILqpnSI_sAFX
Xref: g2news2.google.com rec.radio.amateur.equipment:7696

Hi,

For my TS930 I need two MF crystal filters, type MCF 44.93 MHz (kenwood
part no. L71-0234-05). Can anyone tell me where to obtain these parts ?

-Ben

From 8230420826053112686
X-Google-Thread: 108122,f762d4022e659fe6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 08:48:42 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1167229006.254260.197370@48g2000cwx.googlegroups.com>
Subject: Re: looking for TS930 parts
Date: Wed, 27 Dec 2006 08:48:35 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <ZtGdnaJ6ZtlXGg_YnZ2dnUVZ_qisnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-nEcL47dvy3uZQrVRn9WyvRLGH7000eUro6QKJJpJryiQpCIjCZTatWap/
zgaKnySjiaHNht/ERfwlXC!xR0p/rwdN+1HFWtHD9UAU84o3THvs2XQDyY3rKBo2e4+P+/
pgfDJwncQBVMqMrZFBMqL1b3fvUfA!GR1SmDQ89t8p6iRAAhc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7697

"Ben" <bbubble62@hotmail.com> wrote in message
news:1167229006.254260.197370@48g2000cwx.googlegroups.com...
> Hi,
>
> For my TS930 I need two MF crystal filters, type MCF 44.93 MHz (kenwood
> part no. L71-0234-05). Can anyone tell me where to obtain these parts ?
>
>
> -Ben
>

Kenwood parts has that -- found on first search
http://www.kenwoodparts.com/parts/search.php

      L71-0234-05   TS-930S MCF BW 10KHZ 44.93 MM8      $56.33




From -5381588546331372712
X-Google-Thread: 108122,f762d4022e659fe6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 08:54:20 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1167229006.254260.197370@48g2000cwx.googlegroups.com>
Subject: Re: looking for TS930 parts
Date: Wed, 27 Dec 2006 08:54:18 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <AbCdndQv9v6AFA_YnZ2dnUVZ_r2onZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-
BNAiwMNmIGG0Mo9HNvB64X8TOdQl3Db5lV6SdPLNYHGo76ytk2zE9KbCUuiM9aSKwZaS4TLSY8CrRrY!
3I1ZzKzjEsE6KnV8+SnDF3GIJte4QcZvcnmciP96hCWvp8C/S88WRyjwXAqA0JbFzC38t/do3Qje!
6QK2Rysuyxm2sxSC+y4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7698
```

"Ben" <bbubble62@hotmail.com> wrote in message
news:1167229006.254260.197370@48g2000cwx.googlegroups.com...
> Hi,
>
> For my TS930 I need two MF crystal filters, type MCF 44.93 MHz (kenwood
> part no. L71-0234-05). Can anyone tell me where to obtain these parts ?
>
>
> -Ben
>

INRAD has other filters -- such as the NEW TS-930 Roofing Filter
New Year's Day - 20% off sale coming up next Monday !!
http://www.qth.com/inrad/
http://www.qth.com/inrad/TS930-Roofing-Filter-Manual.pdf

From 8936155783314412445
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.deskmedia.com!
news.deskmedia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 10:23:21 -0600
From: "JIM" <jslaird@goldfieldaccess.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<blbbo25epdssnp6sk1g1ss5sc3dmuc0007@4ax.com>
Subject: Re: A moment of silence my friends for a silent key.
Date: Wed, 27 Dec 2006 10:22:55 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <SNednTkkkupkAA_YnZ2dnUVZ_rqhnZ2d@deskmedia.com>
Lines: 48
NNTP-Posting-Host: 63.168.115.135
X-Trace: sv3-JK0Tn2dYVAxaVZQ/0Hvyc20sp38a+fYG0Al4fExKbHGZUp3W84Gu3yf/
nds2k6CRzAZzalEtdpHsMp4!zlrE2nM6hO9fCj9JBsItY8/a+pMYfgbShml/Ze36ShxSe4mkM9v0/
ELxa6eEQyjdw02gbVEEEf2f!X5aIyzWMd5WRJrloDqA=
X-Complaints-To: abuse@deskmedia.com
X-DMCA-Complaints-To: abuse@deskmedia.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly

X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:23547
rec.radio.amateur.equipment:7699 rec.radio.amateur.homebrew:8454

"Bill Turner" <noway@nowhow.com> wrote in message
news:blbbo25epdssnp6sk1g1ss5sc3dmuc0007@4ax.com...
> Please folks, do not reply to these off topic posts.
>
> If these idiots never get any replies, they will eventually give up
> and go away.
>
> Thanks,
>
> Bill, W6WRT

I just tuned into this News Group to find some and not all ham's like to speak better of there self's than they act.
I thought that was why people became Ham radio Operators and had gotten away from C.B. God I hate that C.B. I get sick thinking about it. I've been a S S B Radio Operator for a long time. Yes I prefer to that think that there are Three types of Radio. No need to go there and get my but kicked by the know it's on here. It has been said so many times no matter what the Hobby. There is always someone out there trying to take the fun out of anything good. And I just seen some of them here. I have been wanting to become a Ham operator for I'll bet at least 35 or 40 years. The code has always stopped me. And the But head's and those with attitude Overly goody two shoes crowds. I have a learning disorder. It does not make me retarded, it simply means that I learn better for me in a hands on manner. Code is plainly just to much for people like me.
Now My point to all this is once again I'm hanging on a tread, I just don't know why I would want to go into Ham and put up with these too kinds people when I'm already doing it and I don't like it any better now. The only plus that I can see at this point is more Frequencies. Ham was a Hobby that was intended to be HELPFUL IN ALL OF IT'S ASPECTS..........
Now look what it's coming to. Some don't want the no Code, other's do and if they remove the code I'm afraid it will let in all the nut's .Well my friends you folks all ready have them. And in the mean time your keeping Good honest people out. Honest people aren't Born........ It takes a Very strong willingness now days to be one.. Ask me it's hard and we don't always win so . Your art form, your hobby no matter what your calling it today is steadily going by the way side. And some of you are so caught up in yourselves that you just can't see it. Some of you are the Sign of your time. I'll Bet there are a lot of old timer's just shaking in there Graves at the way you have been presenting the hobby that they helped to grow. Kind people used to run the Ham band's and there are still some out there are you one of them. Or do you just think you are Action's speak louder and farther then the Air waves. I'm not even a Hammer and I can see that...... I'll be listening......

```
From 7332736099829887592
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: "Mark@kb9rqz.aspr" <Mark@kp9rqz.asr>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<blbbo25epdssnp6sk1g1ss5sc3dmuc0007@4ax.com>
<SNednTkkkupkAA_YnZ2dnUVZ_rqhnZ2d@deskmedia.com>
Subject: Re: A moment of silence my friends for a silent key.
Date: Wed, 27 Dec 2006 12:52:04 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Lines: 34
Message-ID: <4592a60a$0$15425$88260bb3@free.teranews.com>
NNTP-Posting-Date: 27 Dec 2006 16:57:47 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23555
rec.radio.amateur.equipment:7700 rec.radio.amateur.homebrew:8455


"JIM" <jslaird@goldfieldaccess.net> wrote in message
news:SNednTkkkupkAA_YnZ2dnUVZ_rqhnZ2d@deskmedia.com...
>
> "Bill Turner" <noway@nowhow.com> wrote in message
> news:blbbo25epdssnp6sk1g1ss5sc3dmuc0007@4ax.com...
>> Please folks, do not reply to these off topic posts.
>>
>> If these idiots never get any replies, they will eventually give up
>> and go away.
>>
>> Thanks,
>>
>> Bill, W6WRT
>
>
> I just tuned into this News Group to find some and not all ham's like to
> speak better of there self's than they act.
> I thought that was why people became Ham radio Operators and had gotten
> away from C.B. God I hate that C.B. I get sick thinking about it.  I've
> been a S S B Radio Operator for a long time. Yes I prefer to that think
> that there are Three types of Radio. No need to go there and get my but
```

> kicked by the know it's on here. It has been said so many times no matter
> what the Hobby. There is always someone out there trying to take the fun
> out of anything good. And I just seen some of them here. I have been
> wanting to become a Ham operator for I'll bet at least 35 or 40 years. The
> code has always stopped me. I have a learning disorder. It does not make
> me retarded

indeed it do make you reatrted im fact you give reterds a badname is just
the sume of your delsuion an hag dug youself in two deep aigan so in colsing
with the punce gotcha do you hav anyting cognet two say?
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -989293066623025025
X-Google-Thread: 108122,413877720415f8e5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 12:44:48 -0600
From: "Comcast newsgroups" <newsgroups2000@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: How to disable CW sidetone in TS-440s?
Date: Wed, 27 Dec 2006 10:44:47 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 71.231.249.190
X-Trace: sv3-klY4lbKenaqzV0FyUilSCPL/spUFO4B27f7RJRXUw5TJz7u9QUV0z0ocJ6s9c/K7p6e+ZrW/68tQRWw!BZiu8e5790xv9H5WjGChvcf6Y49uyGyzRMBuSQDhzjk0wuiws0uHfGyn1vpJI6Arxdw7TrtDIrBK!QiBRbtcyUVQ3sJ6FFazhlVJRcw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7701

Hello all,

I've googled this and found nothing. I want to disable the

CW sidetone, or at least turn it all the way down on my Kenwood TS-440. I use the sidetone in my keyer instead, and the two clash!

Anyone know if this can be done without hacking anything up? Like a DIP-switch or similar? Or a hidden volume pot?

Thanks

Dave WB7AWK

From -6951620423077108 71
X-Google-Thread: 108122,bdb75c9c65f6a80c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newsfeed.news2me.com!sn-xt-sjc-04!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: CW is gone
Date: Wed, 27 Dec 2006 12:34:19 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:7702

Just got word on the BBC last nite that CW is now non exitant in the US amaterur system. For info BBC takes over from PRI at 1000z each night except Sat/Sun at 1000Z and their second item they cent CQ CQ CQ several times then notified the world that CW is no longer allowed on the American Amateur bands at all. Listen in low end of the FM radio band and its the 2nd stn from the bottom which is (public radio) but changes to BBC at exactly 1000z and carries them every night except Sat and Sun.

Joe KH6JF

```
***************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
***************************************************************************
```

```
From 927304336920105209
X-Google-Thread: 108122,413877720415f8e5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news-lei1.dfn.de!
news1.uni-leipzig.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How to disable CW sidetone in TS-440s?
Date: Wed, 27 Dec 2006 17:49:05 -0600
Lines: 21
Message-ID: <4vgf3gF1bvag7U1@mid.individual.net>
References: <bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net WhfQYFnFQ7gJwgkM/U3bzg06i0ms7ZZR87LYxGf5QgRlN0UQW3
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915 Mnenhy/0.7.4.0
X-Accept-Language: en-us
In-Reply-To: <bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:7703

Comcast newsgroups wrote:
> Hello all,
>
> I've googled this and found nothing.  I want to disable the
> CW sidetone, or at least turn it all the way down on my
> Kenwood TS-440.  I use the sidetone in my keyer instead,
> and the two clash!
>
> Anyone know if this can be done without hacking anything
> up?  Like a DIP-switch or similar?  Or a hidden volume pot?
>
> Thanks
>
> Dave WB7AWK
>
>
Look for VR9 in the service manual to turn down the side tone output.

Its the only way that I can see to accomplish what you want.

Bob N9LVU


From -6257949892526753220
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
```

```
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.phx!newsfe15.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
Subject: Re: CW is gone
Lines: 38
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <1bEkh.65480$0D2.5833@newsfe15.phx>
Date: Wed, 27 Dec 2006 16:26:41 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe15.phx 1167265597 72.197.12.245 (Wed, 27 Dec 2006 17:26:37 MST)
NNTP-Posting-Date: Wed, 27 Dec 2006 17:26:37 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7704
```

Nah not really - CW is live and well -- just check the CW portion of the bands.
Remember lots of Hams don't speak each others language - but with CW and Q-Signals they can communicate the essentials

Also thousands of Hams are active during CW contests making hundreds and thousands of contacts

You really meant the requirement to pass a CW test to obtain a license is being phased out

This by no means will eliminate CW as a mode of Ham operation.

Dit Dit -- CL

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612271226100.12127@malasada.lava.net...

```
> Just got word on the BBC last nite that CW is now non exitant
> in the US amaterur system.  For info BBC takes over from PRI at
> 1000z each night except Sat/Sun at 1000Z and their second item
> they cent CQ CQ CQ several times then notified the world that
> CW is no longer allowed on the American Amateur bands at all.
> Listen in low end of the FM radio band and its the 2nd stn
> from the bottom which is (public radio) but changes to BBC at exactly
> 1000z  and carries them every night except
> Sat and Sun.
>                 Joe KH6JF
>
> ***************************************************************************
> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
```

> **
>
>
>

From 5642058769673524
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 18:37:05 -0600
From: "Zommbee" <devarim@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
Subject: Re: CW is gone
Date: Wed, 27 Dec 2006 16:37:04 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <W6WdneOuYYMsjA7YnZ2dnUVZ_tijnZ2d@comcast.com>
Lines: 12
NNTP-Posting-Host: 71.231.249.190
X-Trace: sv3-kTodHFVm1/
V4TV1L42bey9CgiskvCrYn4VwtdO5Zf6j6RESdfDQoyTaBN1shKe7VHf1WbpziyHwEUYN!
lxevC1btP06eeHPYp00IkmHiTvUh2pUskJoqCYM0RDfea2M2sSNqLhWSA8uxipMk9+UhvvK2EvIj!
A4vmp+y5tPRshYhqlAm/rMcNog==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7705

> Just got word on the BBC last nite that CW is now non exitant
> in the US amaterur system.

You have not heard correctly. The FCC dropped the requirement,
but it is VERY MUCH legal to use on the amateur bands. I'm on every
day on all useable bands with CW and perfectly content using it.

Dave WB7AWK
20-WPM Extra (yeah, I'm bragging a bit)

From 2297540575809203082
X-Google-Thread: 108122,413877720415f8e5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 18:38:31 -0600
From: "Zommbee" <devarim@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com>
<4vgf3gF1bvag7U1@mid.individual.net>
Subject: Re: How to disable CW sidetone in TS-440s?
Date: Wed, 27 Dec 2006 16:38:30 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <vIOdnTq0cIGajw7YnZ2dnUVZ_syunZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 71.231.249.190
X-Trace: sv3-CEIzi2PDenDw5qpVtQWfN13+sd6m8avO8j3hMc3OtAsDFcztS/
UyXJhRs+SsGNmj+vkNpmLmjyccnIJ!
ic2w+1nk4BNueuQcxdzBYVHykFqTJ+27zNPze5MKPoAHjir4IhOHtj0d3BJjE4b8wSS6Fwu8sESE!
O6jyldOOAvMngudRKVASC3eXZg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7706

>>
>>
> Look for VR9 in the service manual to turn down the side tone output.
>
> Its the only way that I can see to accomplish what you want.

Thanks for the info - right after I posted it, I found that myself as well.
That
indeed will do the trick - now to find pot VR9 on the IF board.... hopefully
it isn't too well hidden (why didn't they bring a Sidetone volume out to the
front or rear panel? I can't be the only one who doesn't like the sound of
the Kenwood sidetone!)

Dave WB7AWK

From -7017732862448314352
X-Google-Thread: 108122,413877720415f8e5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 18:53:19 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com>
Subject: Re: How to disable CW sidetone in TS-440s?
Date: Wed, 27 Dec 2006 19:53:02 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <Wt2dnTVFArjiiA7YnZ2dnUVZ_sqdnZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-bdOPw+YSnpf6R5U/N4k0kgJxDov9J1yPj9dNAVmlmFPHCXqez/
ELeOh2m3cjcJFYG1sQKnLmn1XwofJ!oaaVjFAidvypPBVcavn05XrJJfs5RAJcw017GaQZ7UhQG7OW/vP/
lofgSeHycm+zbi1iPbhI1xlr!f6blCokF8O3QjbY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7707

"Comcast newsgroups" <newsgroups2000@hotmail.com> wrote in message
news:bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com...
> Hello all,
>
> I've googled this and found nothing. I want to disable the
> CW sidetone, or at least turn it all the way down on my
> Kenwood TS-440. I use the sidetone in my keyer instead,
> and the two clash!
>
> Anyone know if this can be done without hacking anything
> up? Like a DIP-switch or similar? Or a hidden volume pot?
>
> Thanks
>
> Dave WB7AWK

Might be better to turn down the sidetone in the keyer. If you were to ever
use a straight key, you would need to turn the radio side tone back up.

Dee, N8UZE

```
From 6204947273534195829
X-Google-Thread: 108122,413877720415f8e5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How to disable CW sidetone in TS-440s?
Date: Wed, 27 Dec 2006 19:01:04 -0600
Lines: 22
Message-ID: <4vgjaeF1c45b3U1@mid.individual.net>
References: <bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com>
<4vgf3gF1bvag7U1@mid.individual.net>
<vIOdnTq0cIGajw7YnZ2dnUVZ_syunZ2d@comcast.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net hDyJ6DM+0cW0DDcLL012IQZceipbWkPAlhif8wRVYO18x5gZxp
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915 Mnenhy/0.7.4.0
X-Accept-Language: en-us
In-Reply-To: <vIOdnTq0cIGajw7YnZ2dnUVZ_syunZ2d@comcast.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:7708

Zommbee wrote:
>>>
>>Look for VR9 in the service manual to turn down the side tone output.
>>
>>Its the only way that I can see to accomplish what you want.
>
>
> Thanks for the info - right after I posted it, I found that myself as well.
> That
> indeed will do the trick - now to find pot VR9 on the IF board.... hopefully
> it isn't too well hidden (why didn't they bring a Sidetone volume out to the
> front or rear panel?  I can't be the only one who doesn't like the sound of
> the Kenwood sidetone!)
>
> Dave WB7AWK
>
>
Do a search for a tech manual, and look for cw side tone adjustment..
The tech manual shows how, and location of pot...
There are several on google that I found!

Bob N9LVU
```

```
From -6695239781608784868
X-Google-Thread: 108122,413877720415f8e5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 20:21:44 -0600
From: "Zommbee" <devarim@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com>
<Wt2dnTVFArjiiA7YnZ2dnUVZ_sqdnZ2d@comcast.com>
Subject: Re: How to disable CW sidetone in TS-440s?
Date: Wed, 27 Dec 2006 18:17:43 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <sJ6dnRXikc6ltw7YnZ2dnUVZ_sC3nZ2d@comcast.com>
Lines: 16
NNTP-Posting-Host: 71.231.249.190
X-Trace: sv3-KhSCUHzVdHruTHGA7X4+RI/
IL5eBM2YycalXndLdGEGsDxTtJi6/4VEXPjsVMZmNgSBJqpDmy2R9u95!5CaFq1uADbt/
i+oIWIpuKQNgE568r9fwA/ENJWmbempuN6VIX9CaU142/IQA/MmAhSbL/BIr3SOF!u7AuZbkfEwOD/
2E8JP9dDDpcUA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7709
```

>
> Might be better to turn down the sidetone in the keyer. If you were to
> ever use a straight key, you would need to turn the radio side tone back
> up.
>
> Dee, N8UZE

Good thought. But actually I normally monitor my CW on my R5000
receiver that sits next to the TS-440. But I will give that some thought.
Thanks for pointing it out...

Dave WB7AWK

From 2527880780580241290
X-Google-Thread: 108122,257ead02c214401a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 22:16:09 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <67dce$43ab0528$42a1c00b$29616@FUSE.NET>
<786po2pbn1ab8jfeebef0ajtqae1u9rjj0@4ax.com>
<xMqdncTEtr4rNQzYnZ2dnUVZ_rCsnZ2d@comcast.com>
<4vdo50F1b8nokU1@mid.individual.net>
Subject: Re: Ethernet Router RFI
Date: Wed, 27 Dec 2006 22:16:08 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <O-idnT4BDfeU2A7YnZ2dnUVZ_ragnZ2d@comcast.com>
Lines: 38
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-JPNxoxQqGXuZnhJqrAPiGhbaCOxKjwj/
+rlG2M1teL185HYTTJAszBULDLHyXYHf+2k2tbaDMNQkEfn!pbf+OM8/
ZtRHdsMcDDXNKYhvOeCuR6DgsB9KO2p+X9csgamBYYlUT1lbmDSHC9nagWSGo1w6K64z!
Cx79eoRVHBIsHmvmV7A=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7710

"Robert Kubichek" <bobn9lvu@sbcglobal.net> wrote in message
news:4vdo50F1b8nokU1@mid.individual.net...
> w9gb wrote:
>>>On Thu, 22 Dec 2005 14:57:29 -0500, "Jim Leder" <k8cxm@spam.fuse.net>
>>>wrote:
>>>
>>>>After several months of just not listening to my 2 meter base station, I
>>>>finally took time to find the source of the interference that held the
>>>>squelch open on the repeater channel I listen to most often. Turned out
>>>>it
>>>>was my Dlink DI-604 router. I borrowed a Linksys NR-041 router from my
>>>>neighbor and it works a little better. I can now listen to the 145.390
>>>>repeater, not because the Linksys puts out no RFI, but only because it
>>>>puts
>>>>it out in a different place (mostly in the 146.46-146.58 range). I will
>>>>probably invest in a newer router, probably wireless. Question I have is

```
>>>>does anyone have any experience with the new breed of wireless routers
>>>>that
>>>>are reasonable clean in the RFI/2 meter spectrum?  Thanks.
>
>
> No, a 604 is a wired router, I would suspect it is a poorly wired or bad
> cable
> that is a multiple wavelength of that particular frequency...  I use the
> 604
> ( non print server ) and 614 ( print server ) routers with no problems at
> all.
>
> Bob N9LVU

Remember that D-Link (and Linksys) will change the hardware chipsets within
a model number.  For example, one product has 5 different chipsets /
versions depending upon version number and serial numbers on bar code of
product -- SO a clean model may be a different version from a dirty RF one!

gb




From 1741057067427818874
X-Google-Thread: 108122,f1da2b04ed15eeb8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Dec 2006 22:21:46 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <emijdb02iv5@news3.newsguy.com>
Subject: Re: What Happens to Us that Passed General Written, but failed Morse Code
Test?
Date: Wed, 27 Dec 2006 22:21:45 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <jKydnXSEQb_H2w7YnZ2dnUVZ_ruknZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-tIna8I0IohMUS31K78d4RVRKBKaVb+0XvWJUHiAcb5yuxGIvVG0S0JDw9xy8NgQcgu8T/
lquopi9/wJ!UdS1r1nF9/RaUUvJ6hehZBm6Qy1XmKphUBKNtYN5oXf0bMbeBvpe/1ybQIWF2IfyIn/
frCl7ZJrb!0OyMgpurZlq0L8WDSH4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7711

"Dave" <sssdave@davss.davss> wrote in message
news:emijdb02iv5@news3.newsguy.com...
> I passed my general written test 3 months ago, but failed the Morse Code
> test. Will I be able to automatically upgrade to General once the rules
> change
> or do I need to take a new general written Test?
>

Very FEW things are automatic -- just due to a rule change.
When is anything in government automatic?
You don't get US social security -- unless you file the paperwork !
Most state drivers licenses are not either -- these days !

You have to take the initiative (to FCC and VE representatives) that you are
still alive and
you are still interested (passion and desire for "radio art") in becoming
licensed radio amateur.
"Radio art" is the FCC words from recent R&O -- it is NOT a cell phone, CB,
or FRS radio service.

gb




From 2323148616650394788
X-Google-Thread: 108122,413877720415f8e5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news-in-01.newsfeed.easynews.com!easynews.com!easynews!
newsfeed.news2me.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!
supernews.com!news.supernews.com!not-for-mail
From: AaronJ <noemail@noemail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How to disable CW sidetone in TS-440s?
Date: Wed, 27 Dec 2006 22:15:33 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <afk6p254lccvsg9ugith6kfv2u3o042rhm@4ax.com>
References: <bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com>
<Wt2dnTVFArjiiA7YnZ2dnUVZ_sqdnZ2d@comcast.com>
<sJ6dnRXikc6ltw7YnZ2dnUVZ_sC3nZ2d@comcast.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:7712
```

"Zommbee" <devarim@hotmail.com> wrote:

>
>
>>
>> Might be better to turn down the sidetone in the keyer. If you were to
>> ever use a straight key, you would need to turn the radio side tone back
>> up.
>>
>> Dee, N8UZE
>
>Good thought. But actually I normally monitor my CW on my R5000
>receiver that sits next to the TS-440. But I will give that some thought.

How about improving the 440 by a simple mod. Find the value of the inside pot, remove it, run some wires to a convenient spot and install an outside pot/knob like it should have had in the first place. You're not one of those guys who doesn't like to drill holes are you... ;)

```
From 6720612328559138137
X-Google-Thread: 108122,413877720415f8e5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 28 Dec 2006 00:04:05 -0600
From: "Zommbee" <devarim@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <bvKdnUuTvMS8Ig_YnZ2dnUVZ_uqvnZ2d@comcast.com>
<Wt2dnTVFArjiiA7YnZ2dnUVZ_sqdnZ2d@comcast.com>
<sJ6dnRXikc6ltw7YnZ2dnUVZ_sC3nZ2d@comcast.com>
<afk6p254lccvsg9ugith6kfv2u3o042rhm@4ax.com>
Subject: Re: How to disable CW sidetone in TS-440s?
Date: Wed, 27 Dec 2006 22:04:04 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <j6adnYyt-pnIww7YnZ2dnUVZ_qisnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 71.231.249.190
X-Trace:
sv3-2e9PS52gUkPggudDp9ur9rWeO47spIA9IFHwV1tsaYFz28hMNOJybFq2WQ6G4uQ34+iVVrd3261oZ7
E!QbKpGWnL1L4FOhSlzyH+/q6rhO2SB2lpUsgRoCwmDJ+nJVU4RkCKJhRdkGLbeE0MoXLdSU2tGtTU!
C1Vdatn0stiI1xvN9WMKHtdI2w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7713

> How about improving the 440 by a simple mod. Find the value of the inside
> pot,
> remove it, run some wires to a convenient spot and install an outside
> pot/knob
> like it should have had in the first place. You're not one of those guys
> who
> doesn't like to drill holes are you... ;)

hehehe - NOW we're talking! I consider myself a rebel (and lots of building
experience - "professional driver on closed course"). THAT is what I shall
do!!

Dave

From -7379659422330865334
X-Google-Thread: 108122,f1da2b04ed15eeb8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 28 Dec 2006 07:18:41 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <emijdb02iv5@news3.newsguy.com>
<jKydnXSEQb_H2w7YnZ2dnUVZ_ruknZ2d@comcast.com>
Subject: Re: What Happens to Us that Passed General Written, but failed Morse Code
Test?
Date: Thu, 28 Dec 2006 08:18:23 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <odadneaK3pCsWQ7YnZ2dnUVZ_oGlnZ2d@comcast.com>
Lines: 35
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-ScPLqxINYdF6MuRwiJe22wSap9RatEYQ/
DeHtx7kCR80d319J5wSmMmMEUhtRiF4IvarBRAOJYgCVhP!lAin+8mKaHV1o/
o0hjoRDVAf7Dqp0sEwxIFQ624ygcXc2T9QQts2Dc/6eIuM4X2PWpT+e55MzZWw!iuDnHOZqCUKNO1A=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7714


"w9gb" <spam_protect@arrl.net> wrote in message
news:jKydnXSEQb_H2w7YnZ2dnUVZ_ruknZ2d@comcast.com...
> "Dave" <sssdave@davss.davss> wrote in message
> news:emijdb02iv5@news3.newsguy.com...
>> I passed my general written test 3 months ago, but failed the Morse Code
>> test. Will I be able to automatically upgrade to General once the rules
>> change
>> or do I need to take a new general written Test?
>>
>
> Very FEW things are automatic -- just due to a rule change.
> When is anything in government automatic?
> You don't get US social security -- unless you file the paperwork !
> Most state drivers licenses are not either -- these days !
>
> You have to take the initiative (to FCC and VE representatives) that you
> are still alive and
> you are still interested (passion and desire for "radio art") in becoming
> licensed radio amateur.
> "Radio art" is the FCC words from recent R&O -- it is NOT a cell phone,
> CB, or FRS radio service.
>
> gb


You will have to take your paperwork into a VE session, pay the session fee,
and file the paperwork.  You can do this at anytime AFTER the effectivity
date of the rule change.  It has not yet been published in the Federal
Register so the effectivity date is not known.  At the time you file, your
CSCE must still be valid (i.e. not more than 365 days old).

Dee, N8UZE





From 793351666907442465
X-Google-Thread: 108122,7538734d4eea3e5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s34g2000cwa.googlegroups.com!not-for-
mail
From: "gil" <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-140s TX output question.
Date: 28 Dec 2006 07:34:29 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1167320069.784684.212380@s34g2000cwa.googlegroups.com>
NNTP-Posting-Host: 24.149.231.253
```

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1167320076 21584 127.0.0.1 (28 Dec 2006 15:34:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Dec 2006 15:34:36 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s34g2000cwa.googlegroups.com; posting-host=24.149.231.253;
   posting-account=W-cZMg0AAAD6pmUIPaJTixPoW2XfnzcF
Xref: g2news2.google.com rec.radio.amateur.equipment:7715

My question is, how can I drop the power on my TS-140s? I am all cw op
here and seems on cw its either all or nothing, a slight movement of
the rf slider brings it up to over 100 watts and its hard to control
the lower range. I would like to max out at around 50 watts.

Any ideas?

Thanks, Gil

From 8810619247403495422
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!newsfeeds.sol.net!posts.news.twtelecom.net!nnrp2.twtelecom.net!
not-for-mail
Date: Thu, 28 Dec 2006 09:51:37 -0600
From: JaySeeBee <af65_69remove@yahoo.com>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <4593e802$0$17208$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 28 Dec 2006 15:51:31 GMT
NNTP-Posting-Host: 81b22d58.news.twtelecom.net
X-Trace: DXC=j3_`5Qn;MBe30gWdKkK<ajC_A=>8kQj6mY;@_o827nGc?
CPh7hB4m:k8c@Xc5[XS^c_2_FDb>f@Ab
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7716

Joseph Fenn wrote:

> Just got word on the BBC last nite that CW is now non exitant
> in the US amaterur system. For info BBC takes over from PRI at
> 1000z each night except Sat/Sun at 1000Z and their second item
> they cent CQ CQ CQ several times then notified the world that
> CW is no longer allowed on the American Amateur bands at all.
> Listen in low end of the FM radio band and its the 2nd stn
> from the bottom which is (public radio) but changes to BBC at exactly
> 1000z and carries them every night except
> Sat and Sun.
>   Joe KH6JF
>
> **
> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS   *
> **

-...   ..-   --   -- . .-.

From -3189922009278031545
X-Google-Thread: 108122,f762d4022e659fe6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!79g2000cws.googlegroups.com!not-for-mail
From: "Ben" <bbubble62@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: looking for TS930 parts
Date: 28 Dec 2006 08:02:38 -0800
Organization: http://groups.google.com
Lines: 22
Message-ID: <1167321758.639706.178690@79g2000cws.googlegroups.com>
References: <1167229006.254260.197370@48g2000cwx.googlegroups.com>
   <AbCdndQv9v6AFA_YnZ2dnUVZ_r2onZ2d@comcast.com>
NNTP-Posting-Host: 86.83.104.148
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1167321764 25610 127.0.0.1 (28 Dec 2006 16:02:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Dec 2006 16:02:44 +0000 (UTC)
In-Reply-To: <AbCdndQv9v6AFA_YnZ2dnUVZ_r2onZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR 1.1.4322; .NET CLR 1.0.3705; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000cws.googlegroups.com; posting-host=86.83.104.148;
   posting-account=7xdgAAwAAADm7g_8Q4LEILqpnSI_sAFX
Xref: g2news2.google.com rec.radio.amateur.equipment:7717

Thanks for all the feedback, it turns out that PLL-unit is bad.
Looking for replacement ...

```
-ben

w9gb wrote:
> "Ben" <bbubble62@hotmail.com> wrote in message
> news:1167229006.254260.197370@48g2000cwx.googlegroups.com...
> > Hi,
> >
> > For my TS930 I need two MF crystal filters, type MCF 44.93 MHz (kenwood
> > part no. L71-0234-05). Can anyone tell me where to obtain these parts ?
> >
> >
> > -Ben
> >
>
> INRAD has other filters -- such as the NEW TS-930 Roofing Filter
> New Year's Day - 20% off sale coming up next Monday !!
> http://www.qth.com/inrad/
> http://www.qth.com/inrad/TS930-Roofing-Filter-Manual.pdf



From 6602688393515538299
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <noway@nowhow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: A moment of silence my friends for a silent key.
Date: Thu, 28 Dec 2006 09:20:45 -0800
Message-ID: <btu7p2p382261d68p90qh0uaqfu40pec8t@4ax.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<blbbo25epdssnp6sk1g1ss5sc3dmuc0007@4ax.com>
<SNednTkkkupkAA_YnZ2dnUVZ_rqhnZ2d@deskmedia.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node84-61-52-66.1dial.com
X-Trace: newsfeed.slurp.net 1167313581 66.52.61.84 (28 Dec 2006 08:46:21 -0500)
Lines: 22
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 66.52.61.84
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
newsgate.cistron.nl!transit.news.xs4all.nl!xs4all!news2.euro.net!
213.132.189.2.MISMATCH!multikabel.net!feed20.multikabel.net!news-
out1.kabelfoon.nl!newsfeed.kabelfoon.nl!bandi.nntp.kabelfoon.nl!
newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:23604
rec.radio.amateur.equipment:7718 rec.radio.amateur.homebrew:8467
```

ORIGINAL MESSAGE:

On Wed, 27 Dec 2006 10:22:55 -0600, "JIM"
<jslaird@goldfieldaccess.net> wrote:

>I'll Bet there are a lot of old timer's just shaking in there Graves
>at the way you have been presenting the hobby that they helped to grow.

------------ REPLY FOLLOWS ------------

I'll bet there are even more newsgroup users who are tired of people posting messages that have nothing to do with the topic of the newsgroup.

I'll spell it out for you: The three newsgroups you have posted to have nothing to do with a "moment of silence". There is newsgroup which is a catch-all for amateur radio related items: rec.radio.amateur.misc.

Now that you know, I trust you will post correctly in the future.

Bill, W6WRT

From -2225505601367426635
X-Google-Thread: 108122,fcd2be322e6c8cbe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!news.germany.com!aioe.org!aca7087d.ipt.aol.com!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-150 Resetting it's memory periodically
Date: Thu, 28 Dec 2006 13:06:08 -0500
Organization: AOL
Lines: 25
Message-ID: <fmmck-2812061306080001@aca7087d.ipt.aol.com>
References: <1163718110.991829.178570@f16g2000cwb.googlegroups.com> <m-A8D8B1.07103418112006@news.verizon.net> <s7b4p2puandrrtcrov5lirbfblif1fkhlf@4ax.com>
NNTP-Posting-Host: G8B436+yfxcxOWBcgqWzig.user.aioe.org
X-Complaints-To: abuse@aioe.org
Xref: g2news2.google.com rec.radio.amateur.equipment:7719

In article <s7b4p2puandrrtcrov5lirbfblif1fkhlf@4ax.com>, Howard Bingham <howardb@hal-pc.org> wrote:

> I had an older Yaesu with a similar problem & was solved by the memory
> battery replacement. This may take a technician to do, s some are
> really burried in the radio.

Howard-

I have a brand new Kenwood TM-742 that does it. I took it apart, thinking the battery might be bad but it wasn't. Then I noticed that about half of the plated-through holes on that circuit board weren't! (You have to use a magnifying glass)

Apparently temperature variations inside the car sitting in the Florida sun, causes shrinking and expansion of the circuit board, so parts that normally touch open up, removing battery power from the memory.

Perhaps it will solve the problem if I re-solder the holes with a tiny wire to connect top and bottom of the board. Unfortunately some of the holes are blocked by components on one side, and my soldering iron tip is much too big.

Fred
K4DII

From 3051528003467097959
X-Google-Thread: 108122,5feebbe6b26c882d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.got.net!news.got.net.POSTED!
not-for-mail
NNTP-Posting-Date: Thu, 28 Dec 2006 12:21:29 -0600
Date: Thu, 28 Dec 2006 10:21:33 -0800
From: Joaquin Tall <opalockamishabob@'86DASPAMnetscape.net>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Amateur radio enthusiasts fight to save Morse Code
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <evydnRa49Ji3lgnYnZ2dnUVZ_vfinZ2d@got.net>
Lines: 3
NNTP-Posting-Host: 69.19.254.234
X-Trace: sv3-p70A+4fTn3mouU0WAJK2/XVtPdeMukepCIxvX97qMh/8TXSC+E9IsRj/Cz0kjJbhshih/
ccky2eXCsg!
j2FNGzbN0+YRsCxAQJEPEosvikbv9CE8JGGzl9oIWhJceIJjGIUoylsUi43nIRPciP+WTqkuqyx1!Sw==
X-Complaints-To: abuse@got.net
X-DMCA-Complaints-To: abuse@got.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7720

Complete article at link below:

http://www.iht.com/articles/2006/12/26/yourmoney/morse.php

From 8257541987622809048
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-xt-sjc-10!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: Thu, 28 Dec 2006 13:50:09 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
In-Reply-To: <1bEkh.65480$0D2.5833@newsfe15.phx>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
 <1bEkh.65480$0D2.5833@newsfe15.phx>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 45
Xref: g2news2.google.com rec.radio.amateur.equipment:7721

On Wed, 27 Dec 2006, Caveat Lector wrote:

> Nah not really - CW is live and well -- just check the CW portion of the
> bands.
> Remember lots of Hams don't speak each others language - but with CW and
> Q-Signals they can communicate the essentials
>
> Also thousands of Hams are active during CW contests making hundreds and
> thousands of contacts
>
> You really meant the requirement to pass a CW test to obtain a license is
> being phased out
>
> This by no means will eliminate CW as a mode of Ham operation.
>
> Dit Dit -- CL
>
>
> "Joseph Fenn" <jfenn@lava.net> wrote in message
> news:Pine.BSI.4.61.0612271226100.12127@malasada.lava.net...
>> Just got word on the BBC last nite that CW is now non exitant
>> in the US amaterur system. For info BBC takes over from PRI at
>> 1000z each night except Sat/Sun at 1000Z and their second item
>> they cent CQ CQ CQ several times then notified the world that
>> CW is no longer allowed on the American Amateur bands at all.
>> Listen in low end of the FM radio band and its the 2nd stn
>> from the bottom which is (public radio) but changes to BBC at exactly
>> 1000z and carries them every night except
>> Sat and Sun.

```
>>                Joe KH6JF
>>
>> ***************************************************************************
>> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
>> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
>> ***************************************************************************


If what you say is true then why would the BBC bcst that sample of
CQ CQ CQ in cw and then announce that cw is no longer avilable
to US hams ????
                 Joe







From -756498698001573157
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!newsfeed.gamma.ru!
Gamma.RU!Radio-MSU.net!mtu.ru!sn-xt-sjc-05!sn-xt-sjc-06!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CW is gone
Date: Fri, 29 Dec 2006 00:20:44 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12p8nqs1aar8vc6@corp.supernews.com>
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net>
<1bEkh.65480$0D2.5833@newsfe15.phx>
<Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 72
Xref: g2news2.google.com rec.radio.amateur.equipment:7722

In article <Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>,
Joseph Fenn  <jfenn@lava.net> wrote:

>If what you say is true then why would the BBC bcst that sample of
>CQ CQ CQ in cw and then announce that cw is no longer avilable
>to US hams ????

Either the BBC was wrong (very wrong), or you misinterpreted what the
BBC said.  Nobody has forbidden US hams to use CW.

You can find out the facts by surfing to any of a number of Web sites,
the "WWW.ARRL.ORG" site being the most obvious first choice, I think.
```

Take a look at the following band-plan chart, updated only two weeks ago:

  http://www.arrl.org/FandES/field/regulations/Hambands_color.pdf

You'll see that CW is an authorized mode for U.S. hams in *every* portion of *every* ham band, except for the USB-only 60-meter band.

Or, download the following:

   http://hraunfoss.fcc.gov/edocs_public/attachmatch/FCC-06-178A1.pdf

which is the actual text of the FCC Report and Order.

Here's the situation as I understand it:

[1] In 2003, the WRC conference declared that member countries would no longer be required by treaty to insist that hams be proficient in Morse Code in order to transmit on frequencies below 30 MHz. It would be up to each individual country government to decide whether or not to require code proficiency.

[2] Quite a few countries quickly adopted rules changes, so that their own hams could have HF privileges without having to prove that they can use CW. In fact, Great Britain (home of the BBC) dropped the CW requirement some time ago.

[3] After a great deal of discussion, the FCC has decided to follow suit. In a month or two from now (probably), the rules change will go into effect, and it'll be possible for US hams to upgrade to General or Extra without having to pass a Morse Code proficiency test.

[4] Nothing in the FCC rulings forbids the use of CW. Period.

[5] There are still many CW contacts, contests, and nets taking place between US hams. CW remains one of the best available modes for making contact under weak-signal conditions, and is probably _the_ best such mode when you don't have computer assistance available.

Now, there was a different FCC rules change recently... one which was announced a few months ago, and actually took effect back on the 16th of this month. This "omnibus" change made a change in the band-plans for several of the HF bands. It had the effect of increasing the portion of several HF bands in which phone traffic can be carried, and reducing the portions of those bands which is *reserved* for CW and other narrow-bandwidth modes.

However, it's still legal to for US amateurs to use CW in the "phone" portions of the band, although most refrain from doing so except under emergency and other exceptional circumstances.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -5746825192651505139
X-Google-Thread: 108122,bdb75c9c65f6a80c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 28 Dec 2006 18:35:37 -0600
From: "Bryan" <bryan.swadenerNOSPAM@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612271226100.12127@malasada.lava.net> <1bEkh.65480$0D2.5833@newsfe15.phx> <Pine.BSI.4.61.0612281347550.29246@malasada.lava.net>
Subject: Re: CW is gone
Date: Thu, 28 Dec 2006 16:31:13 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <44Odnd9wu75H_wnYnZ2dnUVZ_h-3nZ2d@giganews.com>
Lines: 60
X-Trace: sv3-puo8SKkK8rVv2iBZRhwLVLgzZTNtsvtNOICq+Z90v2mHt6CvUZsY3mY7X6uabeogFY46Il5sn0JCjCH!wEIneJwBKWr7S26heNSLvRpdtdoDfLtDSfAge/3x8h5qDcPCBoWd4qsFwKz51sAUC9YjTdHlfw==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7723

Joseph Fenn wrote:

> On Wed, 27 Dec 2006, Caveat Lector wrote:
>
> > Nah not really - CW is live and well -- just check the CW portion of the
> > bands.
> > Remember lots of Hams don't speak each others language - but with CW and
> > Q-Signals they can communicate the essentials
> >
> > Also thousands of Hams are active during CW contests making hundreds and
> > thousands of contacts
> >

> > You really meant the requirement to pass a CW test to obtain a license
is
> > being phased out
> >
> > This by no means will eliminate CW as a mode of Ham operation.
> >
> > Dit Dit -- CL
> >
> >
> > Joseph Fenn wrote:
> >> Just got word on the BBC last nite that CW is now non exitant
> >> in the US amaterur system. For info BBC takes over from PRI at
> >> 1000z each night except Sat/Sun at 1000Z and their second item
> >> they cent CQ CQ CQ several times then notified the world that
> >> CW is no longer allowed on the American Amateur bands at all.
> >> Listen in low end of the FM radio band and its the 2nd stn
> >> from the bottom which is (public radio) but changes to BBC at exactly
> >> 1000z and carries them every night except
> >> Sat and Sun.
> >>   Joe KH6JF
> >>
> >>
****
> >> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG
KH6JF *
> >> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS
*
> >>
****
>
>
> If what you say is true then why would the BBC bcst that sample of
> CQ CQ CQ in cw and then announce that cw is no longer avilable
> to US hams ????
> Joe

Hi Joe,

Because they are in error, or you misinterpreted what they said.
Reference: WT Docket #05-235
(http://hraunfoss.fcc.gov/edocs_public/attachmatch/FCC-06-178A1.pdf)

73,
Bryan WA7PRC

PS: cu on skn!

From 6810260649557146057
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209

X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe02.lga.POSTED!53ab2750!not-for-mail
From: "saywhat" <no@fuk.no>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
<44694f8d.55520781@news.bigpond.com> <455B7709.6030500@slmember.on.net> <ie-dndZXQvVpffnYnZ2dnUVZ_rydnZ2d@centurytel.net> <456542D1.8070008@slmember.on.net>
<1164504079.141764.30960@f16g2000cwb.googlegroups.com>
Subject: Re: Best ARRL Hankbook issue
Lines: 74
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <jXZkh.736$PW1.424@newsfe02.lga>
X-Trace:
nphhjmdkmllhpdkekannfilpcpbbolnmejabfhbddlmkhchhgkfghfolbbibcmdjongjpfdcfnhfiamckfkloncafipjiehopkklaoondfgkbgigkbecejihphdobpgheojlggmcfeegpadp
NNTP-Posting-Date: Thu, 28 Dec 2006 18:11:43 MST
Date: Thu, 28 Dec 2006 20:25:52 -0500
Xref: g2news2.google.com alt.ham-radio:1472 alt.radio.amateur:363
rec.radio.amateur.equipment:7724

That was a very informative reply regarding the whole homebrew thing. Where CAN you find good circuits to build, by the way? I saw a cool schematic for an all-tube general coverage reciver, but on the same site was a harmonic-ridden two tube transmitter schematic. One band, no less.

I'm trying cook up an interesting homebrew project. Any ideas?

"Bret Ludwig" <bretldwig@yahoo.com> wrote in message
news:1164504079.141764.30960@f16g2000cwb.googlegroups.com...
>
> Argusy wrote:
>> That's the first one I ever bought (graduated that year, that's how I
>> know) but sadly, now gone.
>>
>> Graham AKA VK5CRC
>>
>>
>> Juan M. wrote:
>> > I still have my 64 edition.
>> >
>> > "Argusy" <argusy@slmember.on.net> wrote in message
>> > news:455B7709.6030500@slmember.on.net...

>> >
>> >>
>> >>J-McC wrote:
>> >>
>> >>>I used to really enjoy the ARRL handbook. I used to purchase a new
>> >>>one every so often here in Australia. I think the best valve ones
>> >>>were in the late 80's and then naturally it slowly evolved to
>> >>>semiconductors, integrated circuits and printed circuit boards and
>> >>>more sophistacted circuits etc.
>> >>
>> >>
>> >>Just took a look - I've still got a 1977 issue. Threw out the earlier
>> >>ones
>> >>when I moved around the countryside (RAAF Bases Amberley, Edinburgh,
>> >>Garbutt, Laverton (now some other name), not in any particular order)
>> >>
>> >>
>> >>>I think the old days of truly making your own receiver and or
>> >>>transmitter are allmost gone.
>
>
> It's not a question of can't. It's a question of don't want to.
>
> Look at a Mini-Circuits catalog sometime. What people would have given
> for those parts in 1940...0r 1960?
> http://www.minicircuits.com/
>
> My biggest beef with ARRL handbooks were they were too specific to
> Amateur radio. If you knew RF theory and good design practice you could
> build anything you wanted. They used to publish all these homebrew
> receivers that were actually poor designs because they assumed the
> amateur wanted a ham-band-only receiver and nothing else, and also did
> not have a generator to align them with. They were also very trendy in
> that when the new came in they promoted it to the exclusion of all
> else. For example, they went over 100% to solid state on PCBs in the
> early 70s, despite the fact a lot of hams never liked making PC boards
> and quit building when they were convinced the tube equipment was no
> good. They did not promote the idea that you needed good test equipment
> and encouraged the use of half-assed methods and procedures. When they
> did publish test equipment projects it was for the stuff you could buy
> cheaply, not for what you really needed that was expensive. They never
> published a frequency counter that was any good even though counters
> were high dollar relative to build cost until the 1990s.
>
> Still, there's a lot of good data there. My favorite ARRL books are
> 1955, 1962, 1965 and 1976. The RSGB books from that timeframe are also
> excellent and the W6SAI book can be as well, but he was a poor editor.
>

From 8899021832977891300

```
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsgate.cistron.nl!
xs4all!news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
Subject: Re: FRS Radioes question
Date: Tue, 19 Dec 2006 13:27:48 -0500
Message-ID: <0obgo2t1a1jsfm6kr6q3g4ietrdc7o0dk6@4ax.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<45881795$0$19247$6c4959f3@news.easynews.nl>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
NNTP-Posting-Date: 19 Dec 2006 17:33:23 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7619
rec.radio.shortwave:61884 rec.radio.amateur.policy:59218 alt.radio.scanner:4064

On Tue, 19 Dec 2006 11:47:13 -0500, "KB7ADL" <my.mail@noway.com>
wrote:

>
>"Joseph Fenn" <jfenn@lava.net> wrote in message
>news:Pine.BSI.4.61.0612101554350.10526@malasada.lava.net...
>>I bought 2 of these tiny little FRS radioes so could keep in touch
>> with wife when she takes her daily walks.   I called the FCC
>> and asked them if any kind of license is required to use thses.
>> They said certain chnls do require FCC license which costs $75 for
>> a 1 year period.  Chnls 1 thru 7 need this license also the
>> higher chnls I believe was 16 to 20 also require FCC license.
>> The others do not require any license or ID when used.
>> So I set both hers and mine to chnl 12 (frs free useage chnl).
>> These free chnls per docs have a range of up to 7 miles.  The
>> FCC licensed chnls with same unit have a range up to 14 miles.
>> When my wife was trying to reach me from a shopping center about
>> 10 miles away she did find a spot that worked.  But next time
>> we tried I Could'nt hear her well only a sylable or 2.
>> She says after she tried 4 or 5 times, some one came up and
>> said this is the "POLICE" do you need help!!!  How in the heck
>> does FCC get into the picture or better yet how does the FCC
>> even monitor these FRS chnls.  I thought they only monitor 911.
>>                          Joe
>>
```

```
>>
> Did it make you want to give your FRS a Botox facial? Try not to get any on
>your echo mic.
>
>
well now you are showing your sexual sickness under your own name and
call get some therapy
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -1584279062428832 72
X-Google-Thread: 108122,880c7ab229444937,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Collins R390 Or Heathkit Apache Cabinet.
Message-ID: <pocgo2li3lhgscboc61qc4e1dk3ihke9mr@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddckannfilpcpbbolnmogloegbjmebjbifallfjdfbijhjogphkajfcobocpeihfnehjo
lebajhnmahfpcdpkklaoondfgkbgigkhebfdcblnmkifdbfjnlkijlapclbdfj
NNTP-Posting-Date: Tue, 19 Dec 2006 11:44:47 MST
Organization: Optimum Online
Date: Tue, 19 Dec 2006 13:44:46 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7620

WTB: Collins R390 Or Heathkit Apache Cabinet.
Reply with price and phone number.
ritchi50@optonline.net
973-857-1195  NJ


From 8581097628492089782
X-Google-Thread: 108122,47a50b8bd230cdce,start
X-Google-Thread: fc8b1,47a50b8bd230cdce,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 19 Dec 2006 14:35:58 -0600
Date: Tue, 19 Dec 2006 15:35:52 -0500
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radi.amateurs.swap
Subject: New Amateur License
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <d9OdnWiwj7yy0BXYnZ2dnUVZ_qXinZ2d@comcast.com>
Lines: 16
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-S5E8q5M7oK5/
TYoZMiQ5yeEoemUbarUSATSboW5s2UlTUtlo3rucWOoTVU5AbYUI9T8ejCbRGvDpaaK!
wj2Un3NoIqP0/11OAYJ4+PkawvriAa3G12v0ihLSHvpnVF34FlaMh0vhwjFXJg4uARRkWGmPGJX7!
y8Y74kxT6gP8G9aHQo30
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7621
rec.radio.amateur.boatanchors:6795

Washington D.C.-

It was announced today that Kellogg's and the Federal Communications Commission have signed a pact to issue Amateur Radio Licenses on specially marked boxes of Corn Flakes.

In this unprecedented move the FCC believes this will not hurt amateur radio but allow all individuals to receive an Amateur Radio License without having to demonstrate any skills with the exception of being able to use a pair of scissors to cut out their operating permit from the breakfast cereal box.

Kellogg's spokesperson commented that they were proud to have been selected by the government to be the issuer of licenses for Amateur Radio in the US and hope to soon make an agreement with other cereal loving countries. They also expect that will be issuing certificates of achievement for DXCF for confirmed contacts with 100 corn flakers.

From -8503859797632564907
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!53ab2750!
not-for-mail
From: "Jim Hampton" <aa2qa@frontiernet.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<1166459112.916978.178480@48g2000cwx.googlegroups.com>
<4586c899$0$27432$ecde5a14@news.coretel.net>
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Lines: 60
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Je0ih.7987$Ka1.7378@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d49567942aa9b802daf2f1e35aea1adc73b36e4669705367bf3f63818b103bff1f6d8ba
f1c0e9fee8b6fb8c20b9c282114bbfbaa8267e83cc71d9d3d8b318d9addf7804ed96ca69e58a13e472
b8220e8f5f6525055b17866cd3e4d276a1b1a76190f2c21884503336f3c3
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Wed, 20 Dec 2006 01:21:45 UTC
Date: Wed, 20 Dec 2006 01:21:45 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:23264
rec.radio.amateur.boatanchors:6796 rec.radio.amateur.equipment:7623
rec.radio.amateur.policy:59244


"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in message
news:4586c899$0$27432$ecde5a14@news.coretel.net...
> "John S." <hjsjms@cs.com> wrote in message
> news:1166459112.916978.178480@48g2000cwx.googlegroups.com...
> >
> > H. Adam stevens, NQ5H wrote:
> >> "Old Time Ham" <old_fart@curmudgeons.com> wrote in message
> >> news:wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com...
> >> > Slow Code wrote:
> >> >> The 30 Steps below will help all No-Code Hams, it will also help you
> >> >> to
> >> >> find others just like yourself. These 30 steps should also be added
to
> >> >> the
> >> >> present writtens.
> >> >>
> >> >
> >> > Hilarious! I am going to print these out and give them out at the
next
```

> >> > Repeater Group meeting. (which I am forced to attend since it is also
> >> > the
> >> > local RACES group meeting :-(
> >>
> >> This just occurred to me:
> >>
> >>
> >> No-coders can never be Silent Keys
> >>
> >> Just dead mikes
> >
> > Listening to the bands these days I have come to the conclusion that
> > many Keys have indeed become Silent although they are not physically
> > dead.
> >
> > And yes, when more code operators die they are just as dead as any
> > other amateur radio operator who has passed away.
> >
>
> FWIW - when one "presses the mic button to talk" - they are considered to
be
> "KEYING" the mic. Therefore - anyone who is a ham - be they a "code" key
> user OR "key" a mic - would still pass as a "silent "key" "
> The code is GONE - there is nothing we can do about its demise - so lets
> start PROMOTING decent Radio Skills - beginning with the vanishment of
> insulting amongst the ranks first off - and those who "might" be
considering
> coming into the hobby.
>
>
>

Yep, geting rid of the insults just might result in more folks joining the
ranks of amateur radio.

73 from Rochester, NY
Jim AA2QA

From 2981129436808136O3
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!novia!
out04b.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!

news.highwinds-media.com!hw-filter.phx!newsfe06.phx.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<1166459112.916978.178480@48g2000cwx.googlegroups.com>
<4586c899$0$27432$ecde5a14@news.coretel.net>
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <FF2ih.148006$HO4.61647@newsfe06.phx>
Date: Tue, 19 Dec 2006 20:07:01 -0800
NNTP-Posting-Host: 72.199.106.166
X-Complaints-To: admin@cox.net
X-Trace: newsfe06.phx 1166587621 72.199.106.166 (Tue, 19 Dec 2006 21:07:01 MST)
NNTP-Posting-Date: Tue, 19 Dec 2006 21:07:01 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.antenna:23268
rec.radio.amateur.boatanchors:6798 rec.radio.amateur.equipment:7624
rec.radio.amateur.policy:59265

"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in message
news:4586c899$0$27432$ecde5a14@news.coretel.net...

> The code is GONE - there is nothing we can do about its demise -

Well, it's not that extreme. Is AM gone? (No, it just isn't very popular among the current crowd.)

Is RTTY gone? (No, it just isn't very popular among the current crowd.)

Is packet gone? (No, it just ... etc, etc, etc)

I'm going to quit now before I get too obvious :-)

"Sal"
In total agreement that radios-r-fun.

From 859426135589152632
X-Google-Thread: 108122,47a50b8bd230cdce
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.vnet-inc.com!news.vnet-
inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 19 Dec 2006 22:21:56 -0600
From: "Topaz305RK" <k7sam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <d9OdnWiwj7yy0BXYnZ2dnUVZ_qXinZ2d@comcast.com>
<o5qgo2d69e0hfodlvpp0h0r34d1jjoukpb@4ax.com>
Subject: Re: New Amateur License
Date: Tue, 19 Dec 2006 21:21:53 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <E_2dnTcTQ7r6JxXYnZ2dnUVZ_oipnZ2d@vnet-inc.com>
Lines: 4
NNTP-Posting-Host: 70.41.203.115
X-Trace: sv3-NKdaxE+fbMezdF/
+4+UHuwROoUmDeb5YOxtZI1XSp17sIRLF7sx+4fNp2+YKNK9LmwgOoKzyfEiEAsc!
wRImaNbCACfMMYTuM64Ch+ZsMnYXz0VVoOD0Zzc9fL+TkOkwgKk1oAOOTbLvdESVLfw/VBgsV1mK!
hFMyW9YDfQkl0hVpC1hPDrbCVdY=
X-Complaints-To: abuse@vnet-inc.com
X-DMCA-Complaints-To: abuse@vnet-inc.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7625
```

Jeeze - Quit whining already!!!

```
From -1807281967420769219
X-Google-Thread: 108122,26b58a001c13459a
X-Google-Thread: 107ada,26b58a001c13459a
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!cb0fcbe2!not-for-mail
Reply-To: "K�HB" <groupk0hb@earthlink.net>
From: "K�HB" <groupk0hb@earthlink.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <em5ql6$1jbu$1@agate.berkeley.edu>
Subject: Re: A Portable Generator
Lines: 7
Organization: www.adc.com  - The Broadband Company
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <3B4ih.1466$X72.738@newsread3.news.pas.earthlink.net>
Date: Wed, 20 Dec 2006 06:18:39 GMT
NNTP-Posting-Host: 4.252.21.98
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1166595519 4.252.21.98 (Tue, 19 Dec 2006 22:18:39 PST)
NNTP-Posting-Date: Tue, 19 Dec 2006 22:18:39 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7626 rec.radio.amateur.misc:27255

1KW, 2HP high revving 2-stroker --- lotsa luck with voltage regulation and AC frequency stability.

It's junk.

From -815313494024530479
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<1166459112.916978.178480@48g2000cwx.googlegroups.com>
<4586c899$0$27432$ecde5a14@news.coretel.net> <FF2ih.148006$HO4.61647@newsfe06.phx>
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: Wed, 20 Dec 2006 02:06:19 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 31
Message-ID: <4588e0df$0$13549$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 8a616723.news.coretel.net
X-Trace: DXC=<7S\:9m`H@5d`O^SSBJ[m9cYX6N<OEXQ;igk81]`cmd7Jbig\b<fC<;^lfaJJ?F9C=^kZ:PW1Ki=0

X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:23275
rec.radio.amateur.boatanchors:6799 rec.radio.amateur.equipment:7627
rec.radio.amateur.policy:59286

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:FF2ih.148006$HO4.61647@newsfe06.phx...
>
> "Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in message
> news:4586c899$0$27432$ecde5a14@news.coretel.net...
>
>> The code is GONE - there is nothing we can do about its demise -
>
> Well, it's not that extreme. Is AM gone? (No, it just isn't very popular
> among the current crowd.)
>
> Is RTTY gone? (No, it just isn't very popular among the current crowd.)
>
> Is packet gone? (No, it just ... etc, etc, etc)
>
> I'm going to quit now before I get too obvious :-)
>
>
> "Sal"
> In total agreement that radios-r-fun.
>
>

I didn't mean CW was "gone" in the sense of no longer able to be used! I meant only in the "testing" - which has spawned months if not years of hateful arguments - so it is pointless to remain at odds with others over it. Sure - CW, AM, RTTY, etc - are still all there to be used and enjoyed by those with personal preference. And as well - they should be! Use them to your hearts content!

From -5385274230771000786
X-Google-Thread: 108122,2c711c0f9e45c1a8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!newsgate.cistron.nl!xs4all!keepthis.news.telefonica.de!telefonica.de!news.belwue.de!kanaga.switch.ch!switch.ch!newsfeed-du-01.pub.2nd.sunrise.ch!not-for-mail
From: HB9WI <willyschwarz@swissmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: low bandwith for psk31 with IC-751A?
Date: Wed, 20 Dec 2006 10:25:53 +0000
Reply-To: NoSpam
Message-ID: <9f3io25f631d9s2er0cbup5jf8ofm9ioc3@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Organization: TDC Switzerland AG, http://www.sunrise.ch
NNTP-Posting-Host: 84.226.139.218
X-Trace: 1166610264 news.sunrise.ch 8559 84.226.139.218:4461
X-Complaints-To: abuse@sunrise.ch
Xref: g2news2.google.com rec.radio.amateur.equipment:7628
```

Is there a way to switch to the cw filter in the 751A when running
SSB mode without using the soldering iron?
73 HB9WI

```
From -2858432759624950028
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.freenet.de!213.132.189.2.MISMATCH!multikabel.net!
feed20.multikabel.net!sn-xt-ams-06!sn-xt-ams-03!sn-post-ams-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "H. Adam stevens, NQ5H" <NQ5H@ARRL.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: Wed, 20 Dec 2006 07:48:37 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12oifpma39d3l22@corp.supernews.com>
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<1166459112.916978.178480@48g2000cwx.googlegroups.com>
<4586c899$0$27432$ecde5a14@news.coretel.net> <FF2ih.148006$HO4.61647@newsfe06.phx>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 31
Xref: g2news2.google.com rec.radio.amateur.antenna:23279
rec.radio.amateur.boatanchors:6800 rec.radio.amateur.equipment:7629
rec.radio.amateur.policy:59293
```

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message

```
news:FF2ih.148006$HO4.61647@newsfe06.phx...
>
> "Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in message
> news:4586c899$0$27432$ecde5a14@news.coretel.net...
>
>> The code is GONE - there is nothing we can do about its demise -
>
> Well, it's not that extreme.  Is AM gone?  (No, it just isn't very popular
> among the current crowd.)
>
> Is RTTY gone?  (No, it just isn't very popular among the current crowd.)
>
> Is packet gone? (No, it just ... etc, etc, etc)
>
> I'm going to quit now before I get  too obvious  :-)
>
>
> "Sal"
> In total agreement that radios-r-fun.
>
>

At least Spark is gone.
-sniff

Unless your neighbor has an electric fence.





From 4991450580129187O1
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews6.bellsouth.net.POSTED!278bc1df!not-for-mail
From: "Jimmie D" <jimmiedee@bellsouth.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<1166459112.916978.178480@48g2000cwx.googlegroups.com>
<4586c899$0$27432$ecde5a14@news.coretel.net> <FF2ih.148006$HO4.61647@newsfe06.phx>
<12oifpma39d3l22@corp.supernews.com>
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
```

Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <ipbih.3867$h_1.1863@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbonkganaifojcjdjkhijdgpdmhmmopcpmige
jhimdfbobjmebikmbkkbbbiojkmebdpkklaoondfgkbgigdkeblkanfpmclodpaenoggmapnngflle
NNTP-Posting-Date: Wed, 20 Dec 2006 09:03:58 EST
Organization: BellSouth Internet Group
Date: Wed, 20 Dec 2006 09:04:40 -0500
Xref: g2news2.google.com rec.radio.amateur.antenna:23282
rec.radio.amateur.boatanchors:6801 rec.radio.amateur.equipment:7630
rec.radio.amateur.policy:59296

>
> At least Spark is gone.
> -sniff
>
> Unless your neighbor has an electric fence.
>
>
>

Spark wouldnt be gone either if it werent made illegal

From -5382785408502756145
X-Google-Thread: 108122,47a50b8bd230cdce
X-Google-Thread: fc8b1,47a50b8bd230cdce
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII
From: "Heriberto" <lu6dbu@tapalquenet.com.ar>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <d9OdnWiwj7yy0BXYnZ2dnUVZ_qXinZ2d@comcast.com>
Subject: Re: New Amateur License
Date: Wed, 20 Dec 2006 11:20:51 -0300
Lines: 40
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.00.2919.6600
X-MimeOLE: Produced By Microsoft MimeOLE V5.00.2919.6600
NNTP-Posting-Host: $$6cknoaitsc1p.news.x-privat.org
Message-ID: <45894454_2@x-privat.org>
Organization: X-Privat NNTP Server - http://www.x-privat.org
X-Authenticated-User: $$l1dodqu9tn$idhdv-zi5hlm-q

X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:7631
rec.radio.amateur.boatanchors:6802

Hi!
Afortunately cereal foods ins't very popular in my country (Argentina)

REgards

Heriberto
LU6DBU

"NoMoreSpam" <Disgustedham@qrparci.org> escribi� en el mensaje
news:d9OdnWiwj7yy0BXYnZ2dnUVZ_qXinZ2d@comcast.com...
> Washington D.C.-
>
> It was announced today that Kellogg's and the Federal Communications
Commission
> have signed a pact to issue Amateur Radio Licenses on specially marked
boxes of
> Corn Flakes.
>
> In this unprecedented move the FCC believes this will not hurt amateur
radio but
> allow all individuals to receive an Amateur Radio License without having
to
> demonstrate any skills with the exception of being able to use a pair of
scissors
> to cut out their operating permit from the breakfast cereal box.
>
> Kellogg's spokesperson commented that they were proud to have been
selected by the
> government to be the issuer of licenses for Amateur Radio in the US and
hope to
> soon make an agreement with other cereal loving countries. They also
expect that
> will be issuing certificates of achievement for DXCF for confirmed
contacts with
> 100 corn flakers.

From -3578518453145905632
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeed.kamp.net!
newsfeed.kamp.net!newsfeed.freenet.de!feeder.news-service.com!
138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-10!sn-xt-ams-05!sn-post-ams-02!sn-
post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "H. Adam stevens, NQ5H" <NQ5H@ARRL.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: Wed, 20 Dec 2006 10:12:44 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12oio7sat3pp727@corp.supernews.com>
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<1166459112.916978.178480@48g2000cwx.googlegroups.com>
<4586c899$0$27432$ecde5a14@news.coretel.net> <FF2ih.148006$HO4.61647@newsfe06.phx>
<12oifpma39d3l22@corp.supernews.com> <ipbih.3867$h_1.1863@bignews6.bellsouth.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news2.google.com rec.radio.amateur.antenna:23290
rec.radio.amateur.boatanchors:6804 rec.radio.amateur.equipment:7632
rec.radio.amateur.policy:59301


"Jimmie D" <jimmiedee@bellsouth.net> wrote in message
news:ipbih.3867$h_1.1863@bignews6.bellsouth.net...
>
>>
>> At least Spark is gone.
>> -sniff
>>
>> Unless your neighbor has an electric fence.
>>
>>
>>
>
> Spark wouldnt be gone either if it werent made illegal
>
True, but it was a little wide.

OTOH some power companies run great spark transmitters.

73
```

```
From 7304881758919587244
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
Subject: Re: FRS Radioes question
Date: Wed, 20 Dec 2006 10:09:18 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612201005450.11958@malasada.lava.net>
In-Reply-To: <45881795$0$19247$6c4959f3@news.easynews.nl>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
 <45881795$0$19247$6c4959f3@news.easynews.nl>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 8
Xref: g2news2.google.com rec.radio.amateur.equipment:7633
rec.radio.shortwave:62013 rec.radio.amateur.policy:59314 alt.radio.scanner:4071


No it made me go down to RadiShack and show one more time how to
"lock" it.  Use the MENU key first and tab thru its various
offerings until you reachthe "lock" key.   It was so tiny and
did'nt look like a lock key, just a black spot on the top of
the screen.    So now I got it locked and alls well.
                       Joe




From -4669021605333823065
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark@kb9rqz.aspr" <Mark@kp9rqz.asr>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<45881795$0$19247$6c4959f3@news.easynews.nl>
```

```
<Pine.BSI.4.61.0612201005450.11958@malasada.lava.net>
Subject: Re: FRS Radioes question
Date: Wed, 20 Dec 2006 15:12:15 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 15
Message-ID: <45898c62$0$15541$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 Dec 2006 19:17:55 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7634
rec.radio.shortwave:62014 rec.radio.amateur.policy:59315 alt.radio.scanner:4072


"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612201005450.11958@malasada.lava.net...
>
> No it made me go down to RadiShack and show one more time how to
> "lock" it.  Use the MENU key first and tab thru its various
> offerings until you reachthe "lock" key.   It was so tiny and
> did'nt look like a lock key, just a black spot on the top of
> the screen.    So now I got it locked and alls well.
>                        Joe
>
U ar a dunbmass
http://www.marksspamblog.blogspot.com/




--
Posted via a free Usenet account from http://www.teranews.com




From -3090945685280753750
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-post-
sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
Subject: Re: FRS Radioes question
Date: Wed, 20 Dec 2006 10:12:39 -1000
Organization: Posted via Supernews, http://www.supernews.com
```

```
Message-ID: <Pine.BSI.4.61.0612201010430.11958@malasada.lava.net>
In-Reply-To: <0obgo2t1a1jsfm6kr6q3g4ietrdc7o0dk6@4ax.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
 <45881795$0$19247$6c4959f3@news.easynews.nl>
<0obgo2t1a1jsfm6kr6q3g4ietrdc7o0dk6@4ax.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news2.google.com rec.radio.amateur.equipment:7635
rec.radio.shortwave:62015 rec.radio.amateur.policy:59316 alt.radio.scanner:4073

>> Did it make you want to give your FRS a Botox facial? Try not to get any on
>> your echo mic.
>>
>>
> well now you are showing your sexual sickness under your own name and
> call get some therapy

No it wanted to make me kick your ass!!!!
                         Joe



From 7410429657530920410
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark@kb9rqz.aspr" <Mark@kp9rqz.asr>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<45881795$0$19247$6c4959f3@news.easynews.nl>
<0obgo2t1a1jsfm6kr6q3g4ietrdc7o0dk6@4ax.com>
<Pine.BSI.4.61.0612201010430.11958@malasada.lava.net>
Subject: Re: FRS Radioes question
Date: Wed, 20 Dec 2006 15:14:55 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 18
Message-ID: <45898d02$0$15453$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 Dec 2006 19:20:34 GMT
X-Complaints-To: abuse@teranews.com
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7636
rec.radio.shortwave:62016 rec.radio.amateur.policy:59317 alt.radio.scanner:4074


"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612201010430.11958@malasada.lava.net...
>>> Did it make you want to give your FRS a Botox facial? Try not to get any
>>> on
>>> your echo mic.
>>>
>>>
>> well now you are showing your sexual sickness under your own name and
>> call get some therapy
>
> No it wanted to make me kick your ass!!!!
>                         Joe
>
U  R a dunmbass!
http://www.marksspamblog.blogspot.com/




--
Posted via a free Usenet account from http://www.teranews.com




From -3467564870891536271
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: Wed, 20 Dec 2006 15:27:15 -0500
Message-ID: <s37jo2pe2dutqfqiv9rec0gu1mevunu4ha@4ax.com>
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<1166459112.916978.178480@48g2000cwx.googlegroups.com>
<4586c899$0$27432$ecde5a14@news.coretel.net> <FF2ih.148006$HO4.61647@newsfe06.phx>
<4588e0df$0$13549$ecde5a14@news.coretel.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
Lines: 37
NNTP-Posting-Date: 20 Dec 2006 19:32:52 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23310
rec.radio.amateur.boatanchors:6809 rec.radio.amateur.equipment:7637
rec.radio.amateur.policy:59320

On Wed, 20 Dec 2006 02:06:19 -0500, "Radiosrfun"
<Radiosrfun@radiosrfun.com> wrote:

>"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
>news:FF2ih.148006$HO4.61647@newsfe06.phx...
>>
>> "Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in message
>> news:4586c899$0$27432$ecde5a14@news.coretel.net...
>>
>>> The code is GONE - there is nothing we can do about its demise -
>>
>> Well, it's not that extreme.  Is AM gone?  (No, it just isn't very popular
>> among the current crowd.)
>>
>> Is RTTY gone?  (No, it just isn't very popular among the current crowd.)
>>
>> Is packet gone? (No, it just ... etc, etc, etc)
>>
>> I'm going to quit now before I get  too obvious  :-)
>>
>>
>> "Sal"
>> In total agreement that radios-r-fun.
>>
>>
>
>I didn't mean CW was "gone" in the sense of no longer able to be used! I
>meant only in the "testing" - which has spawned months if not years of
>hateful arguments -
more like 2 decadesmof increasingly bitter and vicous fighting

>so it is pointless to remain at odds with others over
>it. Sure - CW, AM, RTTY, etc - are still all there to be used and enjoyed by
>those with personal preference. And as well - they should be! Use them to
>your hearts content!
>
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 1473601808221406065
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
```

```
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
Subject: does steve realy have a job?
Date: Wed, 20 Dec 2006 15:30:14 -0500
Message-ID: <7a7jo2hq3r72fpclkltn2h7lru6k213bls@4ax.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<45881795$0$19247$6c4959f3@news.easynews.nl>
<Pine.BSI.4.61.0612201005450.11958@malasada.lava.net>
<45898c62$0$15541$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Date: 20 Dec 2006 19:35:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7638
rec.radio.shortwave:62020 rec.radio.amateur.policy:59323 alt.radio.scanner:4075

On Wed, 20 Dec 2006 15:12:15 -0500, "Mark@kb9rqz.aspr"
<Mark@kp9rqz.asr> wrote:

>
>"Joseph Fenn" <jfenn@lava.net> wrote in message
>news:Pine.BSI.4.61.0612201005450.11958@malasada.lava.net...
>>
>> No it made me go down to RadiShack and show one more time how to
>> "lock" it.  Use the MENU key first and tab thru its various
>> offerings until you reachthe "lock" key.   It was so tiny and
>> did'nt look like a lock key, just a black spot on the top of
>> the screen.    So now I got it locked and alls well.
>>                       Joe
>>
>U ar a dunbmass

and you steve are a fraud and forger
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -4524615272924797845
X-Google-Thread: 108122,741c74d2216a9eb9
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 20 Dec 2006 15:02:41 -0600
Date: Wed, 20 Dec 2006 21:02:38 +0000
From: charlie <wehatespam@wymsey.co.uk>
User-Agent: Thunderbird 1.5.0.8 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<s8OdnbvKHI_IiBrYnZ2dnUVZ_vrinZ2d@comcast.com>
<12ofo7g64hk5810@corp.supernews.com>
<2ZCdnYcQFKaUmxXYnZ2dnUVZ_uOmnZ2d@comcast.com>
In-Reply-To: <2ZCdnYcQFKaUmxXYnZ2dnUVZ_uOmnZ2d@comcast.com>
X-Enigmail-Version: 0.94.1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <aZadnRBccsxvORTYnZ2dnUVZ8sPinZ2d@pipex.net>
Lines: 12
NNTP-Posting-Host: 85.210.178.68
X-Trace: sv3-
rFKJZL7xhwSeawH5OmIp4R3LdcSSMMMX7x5YNfrbFrnqiqgHjOTqjgrCLVHMhyhiXXpIKIMbfJCmzmd!
Apl+0Xi6Uf07ek6vH5yaU32lNxzh4Otc8j5BSqAlQ4Xd2uTB0CL/0RPHr9eg/hm4swzMUr3eXyi6!/
bMi53AiRHtzUULzYJB+W4m3aA==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7639
```

Bob Rinaldi w1cny wrote:

> I missed the 30 steps ! Would you send them again ?
> Thanks,
> Bob W1CNY

Please send them a little slower this time :)

--
www.wymsey.co.uk

```
From -5134386694514234800
X-Google-Thread: 108122,47a50b8bd230cdce
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 20 Dec 2006 15:49:56 -0600
Date: Wed, 20 Dec 2006 16:49:57 -0500
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New Amateur License
References: <d9OdnWiwj7yy0BXYnZ2dnUVZ_qXinZ2d@comcast.com>
<o5qgo2d69e0hfodlvpp0h0r34d1jjoukpb@4ax.com>
<E_2dnTcTQ7r6JxXYnZ2dnUVZ_oipnZ2d@vnet-inc.com>
In-Reply-To: <E_2dnTcTQ7r6JxXYnZ2dnUVZ_oipnZ2d@vnet-inc.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <p6-dnem76teYLRTYnZ2dnUVZ_qbinZ2d@comcast.com>
Lines: 6
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-0H3+Oz7WcKbf0aSsle1y5UTwk6kALpdqmMN/
meznNVBK6ClExcaej0+HT9bV2VkABtiPtZTDQas+xmD!ZRc9/lYcigWKadpsam6LQeO5n/
SkDo8nA+QhJRWbeUvkN3Ea+mFArUV0wx3UmIx9BoqxL6yFSSAR!IVr5GbAeCyx5Gv61Cjpn
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7640

Topaz305RK wrote:
> Jeeze - Quit whining already!!!
>
>
>
Jeeze, get a sense of humor already!!!



From 7821136911275623016
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-
sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
```

```
Subject: Re: FRS Radioes question
Date: Wed, 20 Dec 2006 15:31:07 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612201529200.1841@malasada.lava.net>
In-Reply-To: <45898d02$0$15453$88260bb3@free.teranews.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
 <45881795$0$19247$6c4959f3@news.easynews.nl>
<0obgo2t1a1jsfm6kr6q3g4ietrdc7o0dk6@4ax.com>
 <Pine.BSI.4.61.0612201010430.11958@malasada.lava.net>
 <45898d02$0$15453$88260bb3@free.teranews.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 9
Xref: g2news2.google.com rec.radio.amateur.equipment:7641
rec.radio.shortwave:62038 rec.radio.amateur.policy:59342 alt.radio.scanner:4076

>>
> U  R a dunmbass!
> http://www.marksspamblog.blogspot.com/
>
Wish all you queers (not gays) would shut up and quite wasteing
my time.
          Shitheads all of ya
                Joe




From -5959279185862414606
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
Subject: Re: FRS Radioes question
Date: Wed, 20 Dec 2006 20:34:50 -0500
Message-ID: <i4pjo2pp7gorsmtj0cdp6q1avjvie9hhcm@4ax.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<45881795$0$19247$6c4959f3@news.easynews.nl>
<0obgo2t1a1jsfm6kr6q3g4ietrdc7o0dk6@4ax.com>
<Pine.BSI.4.61.0612201010430.11958@malasada.lava.net>
<45898d02$0$15453$88260bb3@free.teranews.com>
<Pine.BSI.4.61.0612201529200.1841@malasada.lava.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Date: 21 Dec 2006 00:40:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7642
rec.radio.shortwave:62039 rec.radio.amateur.policy:59344 alt.radio.scanner:4077

On Wed, 20 Dec 2006 15:31:07 -1000, Joseph Fenn <jfenn@lava.net>
wrote:

>>>
>> U  R a dunmbass!
>> http://www.marksspamblog.blogspot.com/
>>
>Wish all you queers (not gays) would shut up and quite wasteing
>my time.
>          Shitheads all of ya
>                Joe
I wish you well with such sentiments but I feel you are likely to be a
successful as Myself
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -7440085001277297440
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!multikabel.net!
feed20.multikabel.net!news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark@kb9rqz.aspr" <Mark@kp9rqz.asr>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<45881795$0$19247$6c4959f3@news.easynews.nl>
<0obgo2t1a1jsfm6kr6q3g4ietrdc7o0dk6@4ax.com>
<Pine.BSI.4.61.0612201010430.11958@malasada.lava.net>
<45898d02$0$15453$88260bb3@free.teranews.com>
<Pine.BSI.4.61.0612201529200.1841@malasada.lava.net>
Subject: Re: FRS Radioes question
Date: Wed, 20 Dec 2006 20:39:45 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
```

```
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 16
Message-ID: <4589d923$0$15529$88260bb3@free.teranews.com>
NNTP-Posting-Date: 21 Dec 2006 00:45:23 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7643
rec.radio.shortwave:62040 rec.radio.amateur.policy:59348 alt.radio.scanner:4078


"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612201529200.1841@malasada.lava.net...
>>>
>> U  R a dunmbass!
>> http://www.marksspamblog.blogspot.com/
>>
> Wish all you queers (not gays) would shut up and quite wasteing
> my time.
>          Shitheads all of ya
>                Joe
gave me as I read a a nice hanukah present I have flew here for oral sex
without ever bathing
http://kb9rqz.blogspot.com/




--
Posted via a free Usenet account from http://www.teranews.com




From -7298868013510030513
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa
X-Google-Thread: 10bf43,124778295448c9fa
X-Google-Thread: 1009ad,124778295448c9fa
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
Subject: Re: FRS Radioes question
Date: Wed, 20 Dec 2006 20:41:14 -0500
Message-ID: <8hpjo21uoijcgcc8gk00ltmrejh2vfbntp@4ax.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<45881795$0$19247$6c4959f3@news.easynews.nl>
<0obgo2t1a1jsfm6kr6q3g4ietrdc7o0dk6@4ax.com>
<Pine.BSI.4.61.0612201010430.11958@malasada.lava.net>
<45898d02$0$15453$88260bb3@free.teranews.com>
<Pine.BSI.4.61.0612201529200.1841@malasada.lava.net>
```

```
<4589d923$0$15529$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Date: 21 Dec 2006 00:46:51 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7644
rec.radio.shortwave:62041 rec.radio.amateur.policy:59350 alt.radio.scanner:4079

On Wed, 20 Dec 2006 20:39:45 -0500, "Mark@kb9rqz.aspr"
<Mark@kp9rqz.asr> wrote:

>
>"Joseph Fenn" <jfenn@lava.net> wrote in message
>news:Pine.BSI.4.61.0612201529200.1841@malasada.lava.net...
>>>>
>>> U  R a dunmbass!
>>> http://www.marksspamblog.blogspot.com/
>>>
>> Wish all you queers (not gays) would shut up and quite wasteing
>> my time.
>>         Shitheads all of ya
>>               Joe
>gave me as I read a a nice hanukah present I have flew here for oral sex
>without ever bathing
stop the forgering steve
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 2505669358033948443
X-Google-Thread: 108122,c3dadaeb4d1c7c70
X-Google-Thread: fc8b1,c3dadaeb4d1c7c70
X-Google-Thread: 1109af,c3dadaeb4d1c7c70
X-Google-Thread: 108228,c3dadaeb4d1c7c70
X-Google-Thread: 114aac,c3dadaeb4d1c7c70
X-Google-Attributes: gid108122,gidfc8b1,gid1109af,gid108228,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n67g2000cwd.googlegroups.com!not-for-
mail
From: jsylivant@pobox.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap,alt.ham-
radio.marketplace,rec.radio.shortwave
Subject: Re: Collins, Drake etc to Ft. Wayne
Date: 20 Dec 2006 17:55:56 -0800
Organization: http://groups.google.com
Lines: 6
```

Message-ID: <1166666156.530037.28770@n67g2000cwd.googlegroups.com>
References: <lRN5h.24751$TV3.7609@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 24.40.134.240
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1166666162 4289 127.0.0.1 (21 Dec 2006 01:56:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Dec 2006 01:56:02 +0000 (UTC)
In-Reply-To: <lRN5h.24751$TV3.7609@newssvr21.news.prodigy.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.9)
Gecko/20061206 Firefox/1.5.0.9,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n67g2000cwd.googlegroups.com; posting-host=24.40.134.240;
   posting-account=No8b_w0AAABzVtWHS9WO8IcWVSqU6SIn
Xref: g2news2.google.com rec.radio.amateur.equipment:7645
rec.radio.amateur.boatanchors:6815 rec.radio.swap:10788 alt.ham-
radio.marketplace:1638 rec.radio.shortwave:62042

Hank,
Do you still have the Collins 32v3?

Jim Sylivant, K4CPW
k4cpw@qsl.net or jsylivant@pobox.com

From 1089045419198851118
X-Google-Thread: 108122,26b58a001c13459a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!DIALUPUSA.NET!not-for-mail
From: "Dr.Ace" <Ace@WH2T.com>
Newsgroups: rec.radio.amateur.equipment
References: <em5ql6$1jbu$1@agate.berkeley.edu>
Subject: Re: A Portable Generator
Date: Thu, 21 Dec 2006 05:43:11 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <e39ee$458a650d$4fc5903$1898@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 20
X-Trace: e39ee458a650da159fca601898
Xref: g2news2.google.com rec.radio.amateur.equipment:7646

"David Snyder Hale" <david@isi9.isinet.mtwilson.edu> wrote in message

```
news:em5ql6$1jbu$1@agate.berkeley.edu...
>I just came across an ad for these generators:
>
> http://www.portable-gas-generator.com/
>
> 1kW, $163
>
> Seems too cheap.  I'm a big believer of "you get what you pay for" --
> generally.  Has anyone any experience with these?  Thought? Comments?
>
> --
> Dave * N3WTK (DM04xf) * http://isi.mtwilson.edu * n3wtk@arrl.net

If it sounds too good to be true, it probably is .
Cavet Emptor (buyer beware).
  Ace - WH2T




From 6200027681851229280
X-Google-Thread: 108122,26b58a001c13459a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!news.germany.com!news.belwue.de!
newsfeed.arcor.de!newsspool4.arcor-online.net!news.arcor.de.POSTED!not-for-mail
Message-ID: <7800497.eeqSM7aIWr@viviana>
From: Ralf Ballis - DL2MRB <dl2mrb@arcor.de>
Subject: Re: A Portable Generator
Newsgroups: rec.radio.amateur.equipment
Reply-To: dl2mrb@arcor.de
Date: Thu, 21 Dec 2006 12:02:16 +0100
References: <em5ql6$1jbu$1@agate.berkeley.edu>
User-Agent: KNode/0.7.7
MIME-Version: 1.0
Content-Type: text/plain; charset=iso-8859-15
Content-Transfer-Encoding: 8Bit
Lines: 13
Organization: Arcor
NNTP-Posting-Date: 21 Dec 2006 12:05:20 CET
NNTP-Posting-Host: 0d1563a7.newsspool3.arcor-online.net
X-Trace:
DXC=cN;k^m>=ic>QbA1[CgMQ00McF=Q^Z^V384Fo<]lROoR1gUcjd<3m<;2_G1ViZV0B50^Rc8m>07aB=i
6Gj]X9?MZ515H93Bh[4d8
X-Complaints-To: usenet-abuse@arcor.de
Xref: g2news2.google.com rec.radio.amateur.equipment:7647

David Snyder Hale wrote:

> Seems too cheap.��I'm�a�big�believer�of�"you�get�what�you�pay�for"�--
> generally.��Has�anyone�any�experience�with�these?��Thought?�Comments?

At markets here they sell 4 strokes cheaper. Wee use it for some field days
```

in remote areas without problems.

73

Ralf, DL2MRB
--
Vy 73 es 55 de Ralf, DL2MRB

```
From -5473471344289372263
X-Google-Thread: 108122,faa0bb5a42accbbb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr14.news.prodigy.net.POSTED!9d73b09e!not-for-
mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: K9YA Telegraph celebrates another birthday
Lines: 23
Organization: Robert F. Heytow Memorial Radio Club
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Tbxih.35820$wP1.16385@newssvr14.news.prodigy.net>
NNTP-Posting-Host: 75.3.17.126
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.net 1166712691 ST000 75.3.17.126 (Thu, 21 Dec 2006
09:51:31 EST)
NNTP-Posting-Date: Thu, 21 Dec 2006 09:51:31 EST
X-UserInfo1:
SCSYQNON[J@WRQ@[N[O@_WH@YR_B@EXLLBWLOOAFMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Thu, 21 Dec 2006 14:51:31 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7648
```

K9YA Telegraph
The Good News About Amateur Radio

January 2007 marks our fourth year at the K9YA Telegraph.

As we wrote at the completion of our first year:

"Our success derives from you, our large, enthusiastic and devoted subscriber base worldwide, and to the writers whose contribution of personal stories-at once fascinating, humorous, enlightening and compelling-made the Telegraph staff's inaugural year one of consistent joy and fulfillment."

That truth remains unchanged, but ever more encompassing as more of you, drawn from the international ham community, have joined the Telegraph readership and lent your experience to enlighten, evoke and entertain.

The Telegraph staff continues in its fourth year-as in our first-ebullient. Thank you for your messages of praise and encouragement, and remember: we're always on the lookout for your good story, or two.

Download sample issues and subscribe for free at http://www.k9ya.org

---

From -5349762006896527947
X-Google-Thread: 108122,85cba5eb715048e0,start
X-Google-Thread: fc2a5,85cba5eb715048e0,start
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!84ef5383!not-for-mail
From: "Brian" <kb9bvn@earthlink.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Parts with FREE shipping
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <Ihxih.2059$X72.1109@newsread3.news.pas.earthlink.net>
Date: Thu, 21 Dec 2006 14:57:44 GMT
NNTP-Posting-Host: 76.2.195.106
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1166713064 76.2.195.106 (Thu, 21 Dec 2006 06:57:44 PST)
NNTP-Posting-Date: Thu, 21 Dec 2006 06:57:44 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7649 rec.radio.amateur.homebrew:8347

Hey all,

I'm trying to clean out the parts cabinet. So free shipping on all orders until I say otherwise.

My parts are new, but old stock spurplus. They are not pulls, and they have never been used. Most are gathered at hamfests, and some are gathered from eBay, some from surplus auctions, some just show up.

See the website below for details.

http://www.hamradparts.com

73 de KB9BVN

From -331278375950652341
X-Google-Thread: 108122,1a1e7508c841d371,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 21 Dec 2006 14:26:34 -0600
Date: Thu, 21 Dec 2006 20:26:33 +0000
From: charlie <wehatespam@wymsey.co.uk>
User-Agent: Thunderbird 1.5.0.8 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Which Rig?
X-Enigmail-Version: 0.94.1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <Boadndao3vFncBfYRVnyvgA@pipex.net>
Lines: 20
NNTP-Posting-Host: 81.179.133.14
X-Trace: sv3-HmvIVSo5GcjdBbbcd3ajY0/y3bw+OZSkpx1wJM477DK4DwB7xlemApOZVmz/
q3917lgJkWo0TNL+2OG!
Y55unevfNAzSa+yshba0U8YB4QzfKnT6nbVunDgXGZc7mRBvh75FfJMk7RcXBwfCOp2/tyFBYRzF!
BvIoFVfUFRkulA==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7650

In anticipation of the C & G eventually sending me a copy of my RAE I am going to purchase a QRP rig. The choice for me is between the Yaesu FT-817ND or the ICOM IC-703. Given that I live in a flat in a fairly built up area and that I will have to use a loft aerial then the difference between 5 & 10 watts is not really significant. I have enough loft space to construct a fanned dipole for 40 through 10m but also intend to do some portable & narrow boat operating.

I would be very interested to hear other peoples' experiences of these rigs, particularly with regard to the HF receivers on each rig and especially if anyone has used both. Currently my main interest is HF DX but I'm sure I will want to explore 6m and later on 2m.

Charlie.

```
--
www.wymsey.co.uk


From -740611676005157871
```

```
X-Google-Thread: fc8b1,83baa9192e5bd59b,start
X-Google-Thread: 108122,83baa9192e5bd59b,start
X-Google-Thread: fc2a5,83baa9192e5bd59b,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.phx!newsfe14.phx.POSTED!53ab2750!not-for-mail
From: "AAA Rf Products" <sales@aaarfproducts.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: Coax Cable, Connectors & Adapters
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <72Eih.1416$sp7.221@newsfe14.phx>
Date: Thu, 21 Dec 2006 14:39:01 -0800
NNTP-Posting-Host: 64.58.166.244
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.phx 1166740739 64.58.166.244 (Thu, 21 Dec 2006 15:38:59 MST)
NNTP-Posting-Date: Thu, 21 Dec 2006 15:38:59 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6820
rec.radio.amateur.equipment:7651 rec.radio.amateur.homebrew:8357
```

Please see www.aaarfproducts.com or call (San Clemente, CA, USA)
949 481 3154 or email sales@aaarfproducts.com

Low Prices

Quality Products

No Minimum Order

No Handling Charges

```
From 3016613740348766076
```

```
X-Google-Thread: 108122,ac164bbff3ae87eb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Date: Fri, 22 Dec 2006 08:51:53 -0500
From: "Liberals R. Intolerant" <liberalsrcrap@nospamgmail.com>
User-Agent: Thunderbird 1.5.0.9 (Windows/20061207)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Please Welcome Our New Friend!
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <458be2f9$0$16987$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7652

Please welcome our new friend, Amateur Radio! Amateur Radio was recently
reborn when the FCC finally agreed to remove the old outdated morse code
testing requirement to get an amateur license. This was something 20
years overdue. But now amateur radio can experience a rebirth and
reinvigorate itself.

CW can take its place among the other amateur radio modes which never
required any special testing. Now CW is an equal among them.

Welcome - Amateur Radio - back from the dead and dying!


From 251026804540982546
X-Google-Thread: 108122,ca8b39008a665353,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews5.bellsouth.net.POSTED!6862afdb!not-for-mail
From: "ArtLab" <artlab@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Pakratt 232 selling price
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 0661-1, 12/21/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <23Uih.4935$AY1.2536@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
```

```
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbolcnhallnbolbalfibiocjefaoefjppkeaj
ofhffplmbabclidipoccifmainhjgphjhjliikfflllbncfimlepebleakoahignnpbhhjapgcojabh
NNTP-Posting-Date: Fri, 22 Dec 2006 11:52:14 EST
Organization: BellSouth Internet Group
Date: Fri, 22 Dec 2006 11:52:24 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7653

Can someone please tell me what is a fair price for a Pakratt 232, in
excellent condition, with manual and cables ?

Thanks and best regards,

Art




From 8593410604608617005
X-Google-Thread: 108122,ac164bbff3ae87eb
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 22 Dec 2006 11:45:54 -0600
Date: Fri, 22 Dec 2006 12:45:58 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Please Welcome Our New Friend!
References: <458be2f9$0$16987$4c368faf@roadrunner.com>
In-Reply-To: <458be2f9$0$16987$4c368faf@roadrunner.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <s9ednZ5bkOpPhBHYnZ2dnUVZ_uDinZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 24.62.153.73
X-Trace:
sv3-9pgNRhZ1Cy6H7qmfhUaGNnfNwF1DAeGnrnGzgxofU1IxdUaFU4AyYsmIMF0SLRZziGj89e6EL8Xwwn
s!aQ5aVifKrZRZpP90FAsfxrwRLmGIt9nPbYW/tJJ4R9O9s/iGXTo62r3le/FaA2/08ufnL9pIjIsm!
FyJcKD+9X4R+UTpm14M=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7654
```

You may be correct!

It may be back from the dead!

And, it may be dying!

/s/ DD

Liberals R. Intolerant wrote:

> Please welcome our new friend, Amateur Radio! Amateur Radio was recently
> reborn when the FCC finally agreed to remove the old outdated morse code
> testing requirement to get an amateur license. This was something 20
> years overdue. But now amateur radio can experience a rebirth and
> reinvigorate itself.
>
> CW can take its place among the other amateur radio modes which never
> required any special testing. Now CW is an equal among them.
>
> Welcome - Amateur Radio - back from the dead and dying!

```
From 4157015821437102577
X-Google-Thread: 112049,26c172b083f0d69e,start
X-Google-Thread: f5341,26c172b083f0d69e,start
X-Google-Thread: 108122,26c172b083f0d69e,start
X-Google-Thread: f64c6,26c172b083f0d69e,start
X-Google-Attributes: gid112049,gidf5341,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Fri, 22 Dec 2006 14:31:06 -0600
From: "Trusty Trucker" <myemailconnection@hotmail.com>
Newsgroups:
alt.comp.freeware,alt.radio.scanner.uk,rec.radio.amateur.equipment,uk.radio.amateu
r
Subject: PC Control program for Yaesu FRG-9600 (FRG-965) & Kenwood TS-940S
Date: Fri, 22 Dec 2006 20:31:57 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-Antivirus: avast! (VPS 0662-0, 22/12/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <ic6dnQfce8UW3RHYnZ2dnUVZ8sqjnZ2d@bt.com>
Lines: 15
NNTP-Posting-Host: 86.142.131.244
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-vXHgsL189j6ngpDwr/veLHrxdA13stDv0j4Qb6zjV0/
```

a4H8BhfhGOQ4BOlFb+CNObvVdRxXmFFCL+jr!
iVQSLou74QySyXoPabo6Xy2RRUtbR0Vgop2YhHsiwrUqOXNWVUuaarek0B8difVKpnEqZH3maosK
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.comp.freeware:88907 alt.radio.scanner.uk:2364
rec.radio.amateur.equipment:7655 uk.radio.amateur:61912

Hi There,
Many thanks for reading this request.
Can anyone recommend a CAT program for principally the Yaesu FRG-9600
scanner (if it included CAT control of my TS-940S, it would be perfect!).
I want to be able to store sets of frequencies and get the rig to scan them,
etc.

Obvioudsly, the cheaper the better and must run on a PC.

Many Thanks and I will look forward to any suggestions.

Robert (GM0CSN)

From 1818577847728766178
X-Google-Thread: 112049,26c172b083f0d69e
X-Google-Thread: f5341,26c172b083f0d69e
X-Google-Thread: 108122,26c172b083f0d69e
X-Google-Thread: f64c6,26c172b083f0d69e
X-Google-Attributes: gid112049,gidf5341,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!proxad.net!proxad.net!
news.clara.net!wagner.news.clara.net!pe1.news.blueyonder.co.uk!blueyonder!
fe1.news.blueyonder.co.uk.POSTED!53ab2750!not-for-mail
From: "Joanne" <fluffyjo@blueyonder.co.uk>
Newsgroups:
alt.comp.freeware,alt.radio.scanner.uk,rec.radio.amateur.equipment,uk.radio.amateur
References: <ic6dnQfce8UW3RHYnZ2dnUVZ8sqjnZ2d@bt.com>
Subject: Re: PC Control program for Yaesu FRG-9600 (FRG-965) & Kenwood TS-940S
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <rrYih.158168$qd7.106899@fe1.news.blueyonder.co.uk>
Date: Fri, 22 Dec 2006 21:51:19 GMT
NNTP-Posting-Host: 82.42.113.220

X-Complaints-To: abuse@blueyonder.co.uk
X-Trace: fe1.news.blueyonder.co.uk 1166824279 82.42.113.220 (Fri, 22 Dec 2006 21:51:19 GMT)
NNTP-Posting-Date: Fri, 22 Dec 2006 21:51:19 GMT
Xref: g2news2.google.com alt.comp.freeware:88925 alt.radio.scanner.uk:2366 rec.radio.amateur.equipment:7656 uk.radio.amateur:61913

"Trusty Trucker" <myemailconnection@hotmail.com> wrote in message news:ic6dnQfce8UW3RHYnZ2dnUVZ8sqjnZ2d@bt.com...
> Hi There,
> Many thanks for reading this request.
> Can anyone recommend a CAT program for principally the Yaesu FRG-9600
> scanner (if it included CAT control of my TS-940S, it would be perfect!).
> I want to be able to store sets of frequencies and get the rig to scan
> them, etc.
>
> Obvioudsly, the cheaper the better and must run on a PC.
>
>
> Many Thanks and I will look forward to any suggestions.
>
> Robert (GM0CSN)

Maybe not what you are looking for, but i hope this is of use:-
http://www.tiny.cc/dMWxv

73's and have a cool yule folks!

>
>

From -3721497942083881180
X-Google-Thread: 108122,47a50b8bd230cdce
X-Google-Thread: fc8b1,47a50b8bd230cdce
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!newsfeed01.sul.t-online.de!t-online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe3-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Theo" <theodore.twyler@ntlworld.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <d9OdnWiwj7yy0BXYnZ2dnUVZ_qXinZ2d@comcast.com> <45894454_2@x-privat.org>
Subject: Re: New Amateur License
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal

X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <8CYih.22290$z01.17338@newsfe3-gui.ntli.net>
Date: Fri, 22 Dec 2006 22:02:44 GMT
NNTP-Posting-Host: 82.9.82.106
X-Trace: newsfe3-gui.ntli.net 1166824964 82.9.82.106 (Fri, 22 Dec 2006 22:02:44
GMT)
NNTP-Posting-Date: Fri, 22 Dec 2006 22:02:44 GMT
Organization: NTL
Xref: g2news2.google.com rec.radio.amateur.equipment:7657
rec.radio.amateur.boatanchors:6832

Well, they will probably put tokens on the labels of your corned beef instead!

From 7645006185402199488
X-Google-Thread: 112049,26c172b083f0d69e
X-Google-Thread: f5341,26c172b083f0d69e
X-Google-Thread: 108122,26c172b083f0d69e
X-Google-Thread: f64c6,26c172b083f0d69e
X-Google-Attributes: gid112049,gidf5341,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!proxad.net!proxad.net!
news.clara.net!wagner.news.clara.net!pe1.news.blueyonder.co.uk!blueyonder!
fe2.news.blueyonder.co.uk.POSTED!53ab2750!not-for-mail
From: "Joanne" <fluffyjo@blueyonder.co.uk>
Newsgroups:
alt.comp.freeware,alt.radio.scanner.uk,rec.radio.amateur.equipment,uk.radio.amateu
r
References: <ic6dnQfce8UW3RHYnZ2dnUVZ8sqjnZ2d@bt.com>
<rrYih.158168$qd7.106899@fe1.news.blueyonder.co.uk>
Subject: Re: PC Control program for Yaesu FRG-9600 (FRG-965) & Kenwood TS-940S
Lines: 37
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <PMYih.140417$Pk.6226@fe2.news.blueyonder.co.uk>
Date: Fri, 22 Dec 2006 22:14:07 GMT
NNTP-Posting-Host: 82.42.113.220
X-Complaints-To: abuse@blueyonder.co.uk
X-Trace: fe2.news.blueyonder.co.uk 1166825647 82.42.113.220 (Fri, 22 Dec 2006
22:14:07 GMT)
NNTP-Posting-Date: Fri, 22 Dec 2006 22:14:07 GMT
Xref: g2news2.google.com alt.comp.freeware:88931 alt.radio.scanner.uk:2367
rec.radio.amateur.equipment:7658 uk.radio.amateur:61916

"Joanne" <fluffyjo@blueyonder.co.uk> wrote in message

```
news:rrYih.158168$qd7.106899@fe1.news.blueyonder.co.uk...
>
> "Trusty Trucker" <myemailconnection@hotmail.com> wrote in message
> news:ic6dnQfce8UW3RHYnZ2dnUVZ8sqjnZ2d@bt.com...
>> Hi There,
>> Many thanks for reading this request.
>> Can anyone recommend a CAT program for principally the Yaesu FRG-9600
>> scanner (if it included CAT control of my TS-940S, it would be perfect!).
>> I want to be able to store sets of frequencies and get the rig to scan
>> them, etc.
>>
>> Obvioudsly, the cheaper the better and must run on a PC.
>>
>>
>> Many Thanks and I will look forward to any suggestions.
>>
>> Robert (GM0CSN)
>
> Maybe not what you are looking for, but i hope this is of use:-
> http://www.tiny.cc/dMWxv
>
>
> 73's and have a cool yule folks!


Grrrrr wrong link, sorry Rob

http://tinyurl.com/y5d2rk ... thats better
>
>>
>>
>
>
```

```
From -8621149232724064203
X-Google-Thread: 108122,48acb5b8972fe875,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feeder.xsnews.nl!sn-xt-
ams-06!sn-xt-ams-08!sn-post-ams-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Paul" <paulcolo@ghvalley.net>
Newsgroups: rec.radio.amateur.equipment
Subject: RCI-SWR Meter
Date: Fri, 22 Dec 2006 17:46:06 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12oov1ln5im1o91@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.00.2615.200
```

X-MimeOLE: Produced By Microsoft MimeOLE V5.00.2615.200
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:7659

I'm having trouble with a SWR Meter on a 2995DX Ranger.
The meter movement is non-existent near the operating frequencies.
It moves when the calibration knob is rotated to the SET.
But after that.... zero movement during the SWR function.
I can force the movement if I rotate the calibration knob
during the SWR function though. I have followed the test
instructions according to the instruction manual.
> mode= AM
> MIC GAIN= min.
> RF POWER= max.
> P-t-T>>> Calibrate---pointer= SET
> ACTIVATE SWR button.
> P-t-T and read directly on the scale.

Any suggestions as to what I'm doing wrong?
This is a newly purchased unit from a private party.

From -2351411446937101381
X-Google-Thread: 108122,257ead02c214401a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!949ad025!not-for-mail
From: Fred Cameron <fmaxsc*nospam*@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ethernet Router RFI
Organization: home
Reply-To: fmaxsc@gmail.com
Message-ID: <786po2pbn1ab8jfeebef0ajtqae1u9rjj0@4ax.com>
References: <67dce$43ab0528$42a1c00b$29616@FUSE.NET>
X-Newsreader: Forte Agent 4.1/32.1088 trialware
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Sat, 23 Dec 2006 02:50:17 GMT
NNTP-Posting-Host: 66.32.49.247
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1166842217 66.32.49.247 (Fri, 22 Dec
2006 18:50:17 PST)
NNTP-Posting-Date: Fri, 22 Dec 2006 18:50:17 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7660

On Thu, 22 Dec 2005 14:57:29 -0500, "Jim Leder" <k8cxm@spam.fuse.net>

wrote:

My Linksys wireless router causes nothing at all on any of my vhf
equipment.

> After several months of just not listening to my 2 meter base station, I
>finally took time to find the source of the interference that held the
>squelch open on the repeater channel I listen to most often. Turned out it
>was my Dlink DI-604 router. I borrowed a Linksys NR-041 router from my
>neighbor and it works a little better. I can now listen to the 145.390
>repeater, not because the Linksys puts out no RFI, but only because it puts
>it out in a different place (mostly in the 146.46-146.58 range). I will
>probably invest in a newer router, probably wireless. Question I have is
>does anyone have any experience with the new breed of wireless routers that
>are reasonable clean in the RFI/2 meter spectrum? Thanks.
>

From 6077566672557586765
X-Google-Thread: 108122,3d514102d1924b2e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!949ad025!not-for-mail
From: Fred Cameron <fmaxsc*nospam*@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT/FS Amp Supply LK800 NTC TNY
Organization: home
Reply-To: fmaxsc@gmail.com
Message-ID: <re6po29h6j4sdcolfnrha13vdh1glc1uro@4ax.com>
References: <vt3mq1dfc6ifgqugrjgce0v84srs22ht90@4ax.com>
X-Newsreader: Forte Agent 4.1/32.1088 trialware
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Date: Sat, 23 Dec 2006 02:54:19 GMT
NNTP-Posting-Host: 66.32.49.247
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1166842459 66.32.49.247 (Fri, 22 Dec
2006 18:54:19 PST)
NNTP-Posting-Date: Fri, 22 Dec 2006 18:54:19 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7661

Rich, I would give my right arm to have an amp& am afraid to ask, but
what do you want for it?

 Fred Maxwell

Greenville, SC
http://home.netcom.com/~fmaxsc/education.html

On Thu, 22 Dec 2005 15:42:45 -0500, ritchi50@optonline.net wrote:

>FT/FS Amp Supply LK800 NTC TNY
>Forsale Or Trade for ham gear etc.
>Hi
>I have a LK800 TNY NTC   No tune amp
>I bought it a month ago and spent 3200.00
>Beleive it or not.
>I see it arked on the high voltage board and I see where it is,
>looks like a diode?? Anyway, I replaced the fuses
>and it comes back on and voltage reads correct 3000 Volts
>The softstart light now does'nt come on so I do have a new one in the
>box to go with it.   It needs work and I'm moving on because I have
>another amp.
>So again Make offer or trade offer.
>Rich
>reply email
>ritchi50@optonline.net

From -8710227437309094752
X-Google-Thread: 108122,f1da2b04ed15eeb8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!pln-e!spln!dex!
extra.newsguy.com!newsp.newsguy.com!news3
From: Dave <sssdave@davss.davss>
Newsgroups: rec.radio.amateur.equipment
Subject: What Happens to Us that Passed General Written, but failed Morse Code
Test?
Date: Fri, 22 Dec 2006 22:47:17 -0800
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 4
Message-ID: <emijdb02iv5@news3.newsguy.com>
NNTP-Posting-Host: p-309.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 4.1/32.1088
Xref: g2news2.google.com rec.radio.amateur.equipment:7662

I passed my general written test 3 months ago, but failed the Morse Code
test. Will I be able to automatically upgrade to General once the rules change
or do I need to take a new general written Test?

From -5872646459294746301
X-Google-Thread: 108122,f1da2b04ed15eeb8
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-
sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What Happens to Us that Passed General Written, but failed Morse Code
Test?
Date: Sat, 23 Dec 2006 07:54:57 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12opo6hgpr4bi17@corp.supernews.com>
References: <emijdb02iv5@news3.newsguy.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news2.google.com rec.radio.amateur.equipment:7664

> I passed my general written test 3 months ago, but failed the Morse Code
>test. Will I be able to automatically upgrade to General once the rules change
>or do I need to take a new general written Test?

As I understand it, neither.  You'll need to go back to a VE session,
bring your CSCE (the certificate which documents the fact that you
passed the written exam), pay another exam fee (probably), and have
them submit the paperwork for your General.  The CSCE remains valid
for one year after the date on which you passed the exam.

So, it's not automatic, but you won't actually have to retake the exam.

--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From 7177305625461682941
X-Google-Thread: 112049,26c172b083f0d69e
X-Google-Thread: f5341,26c172b083f0d69e
X-Google-Thread: 108122,26c172b083f0d69e
X-Google-Thread: f64c6,26c172b083f0d69e
X-Google-Attributes: gid112049,gidf5341,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-
media.com!newspeer1-win.ntli.net!newsfe1-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "hugh.g.rekshun" <m1adu.m5adu@ntlworld.com>
Newsgroups:
alt.comp.freeware,alt.radio.scanner.uk,rec.radio.amateur.equipment,uk.radio.amateu
r
References: <ic6dnQfce8UW3RHYnZ2dnUVZ8sqjnZ2d@bt.com>
Subject: Re: PC Control program for Yaesu FRG-9600 (FRG-965) & Kenwood TS-940S
```

Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <5N6jh.4532$Wy6.4160@newsfe1-win.ntli.net>
Date: Sat, 23 Dec 2006 09:37:05 GMT
NNTP-Posting-Host: 86.1.176.64
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe1-win.ntli.net 1166866625 86.1.176.64 (Sat, 23 Dec 2006 09:37:05 GMT)
NNTP-Posting-Date: Sat, 23 Dec 2006 09:37:05 GMT
Organization: ntl Cablemodem News Service
Xref: g2news2.google.com alt.comp.freeware:89022 alt.radio.scanner.uk:2369 rec.radio.amateur.equipment:7665 uk.radio.amateur:61927

Is your as deaf as mine is !!!!
been modded (badly) and bloody deaf...

get a better receive from a tandy scanner..!!

"Trusty Trucker" <myemailconnection@hotmail.com> wrote in message news:ic6dnQfce8UW3RHYnZ2dnUVZ8sqjnZ2d@bt.com...
> Hi There,
> Many thanks for reading this request.
> Can anyone recommend a CAT program for principally the Yaesu FRG-9600
> scanner (if it included CAT control of my TS-940S, it would be perfect!).
> I want to be able to store sets of frequencies and get the rig to scan
> them, etc.
>
> Obvioudsly, the cheaper the better and must run on a PC.
>
>
> Many Thanks and I will look forward to any suggestions.
>
> Robert (GM0CSN)
>

From 6043270076241428036
X-Google-Thread: 108122,257ead02c214401a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-05!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Roger <GetValidAddress@my.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ethernet Router RFI

```
Date: Sat, 23 Dec 2006 04:43:13 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <2eupo298r1r990aof0aln4770udfo0n5rg@4ax.com>
References: <67dce$43ab0528$42a1c00b$29616@FUSE.NET>
<786po2pbn1ab8jfeebef0ajtqae1u9rjj0@4ax.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news2.google.com rec.radio.amateur.equipment:7666

On Sat, 23 Dec 2006 02:50:17 GMT, Fred Cameron
<fmaxsc*nospam*@ix.netcom.com> wrote:

>On Thu, 22 Dec 2005 14:57:29 -0500, "Jim Leder" <k8cxm@spam.fuse.net>
>wrote:
>
>My  Linksys wireless router causes nothing at all on any of my vhf
>equipment.

Likewise I'm using a D-Link with no problems.  The 144/440 rig sets
about 3 feet from the router and the CAT5e gigabit network cable runs
along with the coax for a ways and then parallels it for another 40 to
50 feet.

I can set a 2-meter HT here on the desk and it'll work just find.  If
I move it up against the computer cabinet it'll just open the squelch.
>
>
>
>
>
>> After several months of just not listening to my 2 meter base station, I
>>finally took time to find the source of the interference that held the
>>squelch open on the repeater channel I listen to most often. Turned out it
>>was my Dlink DI-604 router. I borrowed a Linksys NR-041 router from my
>>neighbor and it works a little better. I can now listen to the 145.390
>>repeater, not because the Linksys puts out no RFI, but only because it puts
>>it out in a different place (mostly in the 146.46-146.58 range). I will
>>probably invest in a newer router, probably wireless. Question I have is
>>does anyone have any experience with the new breed of wireless routers that
>>are reasonable clean in the RFI/2 meter spectrum?  Thanks.
>>
Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com


From 2525577272061089783
X-Google-Thread: 108122,caba9d88a1f8bd3d,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i12g2000cwa.googlegroups.com!not-for-
mail
From: paul@telco.demon.co.uk
Newsgroups: rec.radio.amateur.equipment
Subject: VX7-R Squelch noise problem.
Date: 23 Dec 2006 02:03:06 -0800
Organization: http://groups.google.com
Lines: 22
Message-ID: <1166868186.305707.43450@i12g2000cwa.googlegroups.com>
NNTP-Posting-Host: 80.177.174.199
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1166868190 1571 127.0.0.1 (23 Dec 2006 10:03:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 23 Dec 2006 10:03:10 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i12g2000cwa.googlegroups.com; posting-host=80.177.174.199;
   posting-account=C9Cp3Q0AAADgjOEsuZiXG6uaZax4Wc-I
Xref: g2news2.google.com rec.radio.amateur.equipment:7667
```

Hi,

I bought my VX7-R secondhand about two years ago and it has always had a problem with the squelch.

Even with the volume set to zero I get a 'thump' noise as the squelch operates. It sounds like a dc level is set wrongly somewhere in the squelch mute/unmute circuitry or a cap is slowly decaying and no longer blocking the dc.

The noise has become noticably louder over the last year and is now uncomfortably loud when using an earpiece.

If I had a circuit diagram and board layout I could probably fix this myself but I can't locate either.

Does anyone have a fix for this problem or the necessary diagrams?

Thanks,

Paul

```
From 9039016391719650431
X-Google-Thread: 112049,26c172b083f0d69e
X-Google-Thread: f5341,26c172b083f0d69e
X-Google-Thread: 108122,26c172b083f0d69e
X-Google-Thread: f64c6,26c172b083f0d69e
```

```
X-Google-Attributes: gid112049,gidf5341,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.buerger.net!open-
news-network.org!news1.greatnowhere.com!reader.greatnowhere.com!not-for-mail
From: "Magnum 2E0" <magnum@mag2781.freeserve.co.uk>
Newsgroups:
alt.comp.freeware,alt.radio.scanner.uk,rec.radio.amateur.equipment,uk.radio.amateu
r
References: <ic6dnQfce8UW3RHYnZ2dnUVZ8sqjnZ2d@bt.com>
<rrYih.158168$qd7.106899@fe1.news.blueyonder.co.uk>
<rfnpo2pc59g979c863etk8pebof572oe9q@4ax.com>
Subject: Re: PC Control program for Yaesu FRG-9600 (FRG-965) & Kenwood TS-940S
Date: Sat, 23 Dec 2006 14:02:02 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Lines: 30
Message-ID: <458d468c$0$12893$834e42db@reader.greatnowhere.com>
NNTP-Posting-Date: 23 Dec 2006 15:09:00 GMT
NNTP-Posting-Host: 8b6e049f.reader.greatnowhere.com
X-Trace:
DXC=P5HPG@=Nhc3WJK5kn[Y]K>]XKbj2VKD@:n1RJ3gdIg\;O:nSf8B>e:2SVm1BBT=1b7jCO9BOF<HZ;0
DVfcaaL0f023fW^X<1IK0Z6m5?^bYNd<6:RNh_PcYG95nZHCQC84f15eF\_bKScZ24cocjY]b>56FF\^5\
[bPd8lT_Ce?EY3k?^]g2\JbjYV:Kd3o0lQgBn:
X-Complaints-To: usenet@greatnowhere.com
Xref: g2news2.google.com alt.comp.freeware:89057 alt.radio.scanner.uk:2370
rec.radio.amateur.equipment:7668 uk.radio.amateur:61942

"Walt Davidson" <g3nyy@despammed.com> wrote in message
news:rfnpo2pc59g979c863etk8pebof572oe9q@4ax.com...
> On Fri, 22 Dec 2006 21:51:19 GMT, "Joanne" <fluffyjo@blueyonder.co.uk>
> wrote:
>
> > have a cool yule folks!
>
> ROTFL!  I haven't heard that one since the sixties.
> :-)
>
> Season's Greetings de G3NYY
>
> --
> Walt Davidson                               Email: g3nyy @despammed.com

What was it they say Walt... "If you remember the 60's you weren't really
there" or something like that !!

73 and Merry Christmas Ya old hippy ;o)

Graham
--
..--- . ----- -.-- ... ..-
```

Radio is only a Hobby. Don't let it rule your life...

73/51 - 2EO e0 e000h
Franklin Radio Group (www.farc.co.uk)

From -2560810106566193039
X-Google-Thread: 108122,bff02836cdf87cd9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
From: "The Doctor, Who?" <kenwood1701@hotmail.com>
Organization: TARDIS, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA :   YAESU FT-109RH, 220 MHZ HT.   last day
Content-Type: multipart/alternative;
 boundary="------------080604080207070708070607"
Lines: 40
Message-ID: <tKajh.3$7A6.1@newsfe10.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhkannfilpcpbbolnmbnkjhhegfkpgehjkoappennnphngbbbkemakaidflbjogfmkkh
balbcjjpcaigomjnoidaakfnmeokdcdnkmmkneghfebkfbhgindeflifgphkdl
NNTP-Posting-Date: Sat, 23 Dec 2006 07:07:21 MST
Date: Sat, 23 Dec 2006 09:12:00 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7669

This is a multi-part message in MIME format.
--------------080604080207070708070607
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130060300971

Thanks for looking and Seasons Greeting to all!

73

```
--------------080604080207070708070607
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial"><br>
<br>
<a class="moz-txt-link-freetext" href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130060300971">http://cgi.ebay.com/ws/
eBayISAPI.dll?ViewItem&amp;ssPageName=ADME:L:LCA:US:11&amp;item=130060300971</
a><br>
<br>
Thanks for looking and Seasons Greeting to all!<br>
<br>
73<br>
<br>
<br>
</font></font>
</body>
</html>

--------------080604080207070708070607--


From 3178378995167521910
X-Google-Thread: 108122,31edc0ada065c94,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!newsfeed.news2me.com!news-in-01.newsfeed.easynews.com!news-
in-02.newsfeed.easynews.com!easynews.com!easynews!feed.news.qwest.net!mpls-
nntp-04.inet.qwest.net!news.qwest.net!not-for-mail
Reply-To: "ed sharpe" <esharpe@uswest.net>
From: "ed sharpe" <esharpe@uswest.net>
Newsgroups: rec.radio.amateur.equipment
Subject: There's a new TOM SWIFT group, and you're invited!
Date: Sat, 23 Dec 2006 08:37:02 -0700
Organization: coury house / smecc - see us at www.smecc.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 38
Message-ID: <458d4d20$0$506$815e3792@news.qwest.net>
```

NNTP-Posting-Host: bd3e0080.news.qwest.net
X-Trace: DXC=Oi]4bcHP5lMjU6K3bllQ6EF85SKJoGf>DOJ34b[L?
gXAWI8<c2GnOVFhA]O42EZAlBT[Z@M5iB=3E6EVFVZRh;JJ
X-Complaints-To: abuse@qwest.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7670

There's a new TOM SWIFT group, and you're invited!

Remember this thought provoking youth science and technology fiction series?
Here is the place to meet others that were fans also. The address:
http://groups.yahoo.com/group/Tom-Swift/

We would like to invite you all to join a new Tom Swift discussion list,
launched this month:
This is a friendly gathering place for fans of any or all of the 5 Tom Swift Series written over the last century under the pen name Victor Appleton. Any aspects of the books and related materials are fair game, including discussions of the stories, collecting, fanfic, model building, historical and scientific context and anything that might be of interest to "science minded boys" of all ages.

It is our intent to keep this as open a list as possible with only enough moderation by diverse group of moderators to maintain a friendly environment. Polite and civil debate is welcomed and encouraged.

--
Thanks Ed Sharpe archivist for SMECC

Please check our web site at
 http://www.smecc.org
to see other engineering fields, communications and computation stuff we buy, and by all means when in Arizona drop in and see us.

address:

 coury house / smecc
5802 w palmaire ave
glendale az 85301

From -4130874582732752647
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radi
o.amateur.equipment
Subject: Re: You people still haven't told me why you're against skilled
operators.
Date: Sat, 16 Dec 2006 12:43:39 -0500
Message-ID: <p1c8o21o4jkna1886liu293eadp9i9g593@4ax.com>
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
<7tf6o2d8e7359unqdk2g1mejbul00ppqvi@4ax.com>
<RSPgh.6084$Gr2.2099@newssvr21.news.prodigy.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
NNTP-Posting-Date: 16 Dec 2006 16:49:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.misc:27157
rec.radio.amateur.policy:58454 rec.radio.amateur.antenna:23123
rec.radio.amateur.equipment:7569

On Sat, 16 Dec 2006 10:28:01 GMT, Cecil Moore <mycall@hotmail.com>
wrote:

>X-rated Vermonter wrote:
>> All you have established is that the amateur radio licensing
>> requirements should include a mental health test.
>
>Requiring an IQ higher than a person's CW
>speed would solve all the problems. :-)


well gee cicl that would REALY easy to make in some cases
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 3888222406468143527
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
```

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy
Subject: cut out the Bullshit or turn in your license and imporve the service SC
Date: Sat, 16 Dec 2006 12:54:22 -0500
Message-ID: <mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
NNTP-Posting-Date: 16 Dec 2006 16:59:57 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23125
rec.radio.amateur.equipment:7570 rec.radio.amateur.homebrew:8261
rec.radio.amateur.policy:58462

On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus, KB7ADL"
<radiation17@bresnan.net> wrote:

>Ham radio died today.
>
>Sorry for all the brow beating, it won't be happening anymore.
>
>73 de KB7ADL, AKA Slow Code

bullshit
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 6403457650353430790
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Message-ID: <458455D4.6070709@coboxincORORATED.com>
Date: Sat, 16 Dec 2006 15:23:48 -0500
From: Christopher Cox <chrisTOPHERcOX@coboxincORORATED.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r

```
ec.radio.amateur.policy
To:  Mark@kb9rqz.aprs
Subject: Re: cut out the Bullshit or turn in your license and imporve the
 service SC
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
In-Reply-To: <mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 28
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23129
rec.radio.amateur.equipment:7571 rec.radio.amateur.homebrew:8263
rec.radio.amateur.policy:58482

Mark@kb9rqz.aprs wrote:
> On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus,  KB7ADL"
> <radiation17@bresnan.net> wrote:
>
>
>>Ham radio died today.
>>
>>Sorry for all the brow beating, it won't be happening anymore.
>>
>>73 de KB7ADL, AKA Slow Code
>
>
> bullshit
> http://kb9rqz.blogspot.com/
>

I am actually surprised to find out it was/is Vince. He's an O.K. guy,
puts in volunteer time and is very knowledgeable. While I firmly believe
this alter personality detracted from Amateur radio (Slow Code),  Vince
has done other things to advance it.

Although I know Vince is very pro Morse code, I am having trouble
believing it was him (being Mr. Slow Code)

If it was/is him, turning in his license would only be a detriment to
the community IMHO.

Chris KC8FRJ


From -1833746794034997732
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy
Subject: Re: cut out the Bullshit or turn in your license and imporve the service SC
Date: Sat, 16 Dec 2006 16:44:51 -0500
Message-ID: <h4q8o21qaksmrnjfl979ftpvhkdr08tmr9@4ax.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
<458455D4.6070709@coboxincORORATED.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 38
NNTP-Posting-Date: 16 Dec 2006 20:50:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23134
rec.radio.amateur.equipment:7572 rec.radio.amateur.homebrew:8264
rec.radio.amateur.policy:58486

On Sat, 16 Dec 2006 15:23:48 -0500, Christopher Cox
<chrisTOPHERcOX@coboxincORORATED.com> wrote:

>Mark@kb9rqz.aprs wrote:
>> On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus, KB7ADL"
>> <radiation17@bresnan.net> wrote:
>>
>>
>>>Ham radio died today.
>>>
>>>Sorry for all the brow beating, it won't be happening anymore.
>>>
>>>73 de KB7ADL, AKA Slow Code
>>
>>
>> bullshit
>> http://kb9rqz.blogspot.com/
>>
>
>I am actually surprised to find out it was/is Vince. He's an O.K. guy,
>puts in volunteer time and is very knowledgeable. While I firmly believe
>this alter personality detracted from Amateur radio (Slow Code), Vince
>has done other things to advance it.

one can only judge by ones experences as far as I am concerned he is
slime
>
>Although I know Vince is very pro Morse code, I am having trouble
>believing it was him (being Mr. Slow Code)

```
>
>If it was/is him, turning in his license would only be a detriment to
>the community IMHO.

we can do without any ham that behaves as Slow does and without any
ham that would claim to be slow code wether he is or not
>
>Chris KC8FRJ
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 3783923867046510739
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Message-ID: <45847198.90807@coboxincORORATED.com>
Date: Sat, 16 Dec 2006 17:22:16 -0500
From: Christopher Cox <chrisTOPHERcOX@coboxincORORATED.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
To:  Mark@kb9rqz.aprs
Subject: Who are you?
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
<458455D4.6070709@coboxincORORATED.com>
<h4q8o21qaksmrnjfl979ftpvhkdr08tmr9@4ax.com>
In-Reply-To: <h4q8o21qaksmrnjfl979ftpvhkdr08tmr9@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 51
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23136
rec.radio.amateur.equipment:7573 rec.radio.amateur.homebrew:8265
rec.radio.amateur.policy:58487

Mark@kb9rqz.aprs wrote:
> On Sat, 16 Dec 2006 15:23:48 -0500, Christopher Cox
> <chrisTOPHERcOX@coboxincORORATED.com> wrote:
```

>
>
>>Mark@kb9rqz.aprs wrote:
>>
>>>On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus, KB7ADL"
>>><radiation17@bresnan.net> wrote:
>>>
>>>
>>>
>>>>Ham radio died today.
>>>>
>>>>Sorry for all the brow beating, it won't be happening anymore.
>>>>
>>>>73 de KB7ADL, AKA Slow Code
>>>
>>>
>>>bullshit
>>>http://kb9rqz.blogspot.com/
>>>
>>
>>I am actually surprised to find out it was/is Vince. He's an O.K. guy,
>>puts in volunteer time and is very knowledgeable. While I firmly believe
>>this alter personality detracted from Amateur radio (Slow Code), Vince
>>has done other things to advance it.
>
>
> one can only judge by ones experences as far as I am concerned he is
> slime
>
>>Although I know Vince is very pro Morse code, I am having trouble
>>believing it was him (being Mr. Slow Code)
>>
>>If it was/is him, turning in his license would only be a detriment to
>>the community IMHO.
>
>
> we can do without any ham that behaves as Slow does and without any
> ham that would claim to be slow code wether he is or not
>
>>Chris KC8FRJ
>
> http://kb9rqz.blogspot.com/
>

How do you know Vince, I mean other than a seeming like a, unbalanced at
times, Morse code advocate?

Chris KC8FRJ

From -4712369863043861790
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc

```
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Who are you?
Date: Sat, 16 Dec 2006 17:37:49 -0500
Message-ID: <b5t8o2tm3cec3104ad1jtn2anhpiou0b2l@4ax.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
<458455D4.6070709@coboxincORORATED.com>
<h4q8o21qaksmrnjfl979ftpvhkdr08tmr9@4ax.com> <45847198.90807@coboxincORORATED.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 66
NNTP-Posting-Date: 16 Dec 2006 21:43:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23137
rec.radio.amateur.equipment:7574 rec.radio.amateur.homebrew:8266
rec.radio.amateur.policy:58489

On Sat, 16 Dec 2006 17:22:16 -0500, Christopher Cox
<chrisTOPHERcOX@coboxincORORATED.com> wrote:

>Mark@kb9rqz.aprs wrote:
>> On Sat, 16 Dec 2006 15:23:48 -0500, Christopher Cox
>> <chrisTOPHERcOX@coboxincORORATED.com> wrote:
>>
>>
>>>Mark@kb9rqz.aprs wrote:
>>>
>>>>On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus,  KB7ADL"
>>>><radiation17@bresnan.net> wrote:
>>>>
>>>>
>>>>
>>>>>Ham radio died today.
>>>>>
>>>>>Sorry for all the brow beating, it won't be happening anymore.
>>>>>
>>>>>73 de KB7ADL, AKA Slow Code
>>>>
>>>>
>>>>bullshit
>>>>http://kb9rqz.blogspot.com/
>>>>
```

```
>>>
>>>I am actually surprised to find out it was/is Vince. He's an O.K. guy,
>>>puts in volunteer time and is very knowledgeable. While I firmly believe
>>>this alter personality detracted from Amateur radio (Slow Code),  Vince
>>>has done other things to advance it.
>>
>>
>> one can only judge by ones experences as far as I am concerned he is
>> slime
>>
>>>Although I know Vince is very pro Morse code, I am having trouble
>>>believing it was him (being Mr. Slow Code)
>>>
>>>If it was/is him, turning in his license would only be a detriment to
>>>the community IMHO.
>>
>>
>> we can do without any ham that behaves as Slow does and without any
>> ham that would claim to be slow code wether he is or not
>>
>>>Chris KC8FRJ
>>
>> http://kb9rqz.blogspot.com/
>>
>
>How do you know Vince, I mean other than a seeming like a, unbalanced at
>times, Morse code advocate?

that is How I know though his insane staement during recent his all
but incessant diatrbe of insult many derected at me by name

the Gay bashing and the bashing of the disable the tech indeed all new
hams of anysort

the person known here as SC is insane and inhumnne nutjob

if Vince in he then vince is not someone I care to know further, Vince
is merely claiming to be SC I still don't want to know him
>
>Chris KC8FRJ
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 7679959295165543191
X-Google-Thread: 108122,68b79beeaf14142e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
```

```
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr25.news.prodigy.net.POSTED!0e0965b7!not-for-mail
From: larry d clark <buddycl@nospam_swbell.net>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Rotor Doc's RL-1100 good, bad???
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0659-1, 12/16/2006), Outbound message
X-Antivirus-Status: Not-Tested
Lines: 5
Message-ID: <kV0hh.14078$wc5.11745@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 70.247.112.219
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1166318288 ST000 70.247.112.219 (Sat, 16 Dec
2006 20:18:08 EST)
NNTP-Posting-Date: Sat, 16 Dec 2006 20:18:08 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@MC@@S@WR\XYJJMBOPTDFRYB@GXLN@GZ_GYO^BTJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Sun, 17 Dec 2006 01:18:08 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7575
```

anyone have any experiences with a rotor RL-1100 by
c.a.t.s(the-rotor-doc)? looks interesting but i can't find any reviews.

larry
kd5foy

```
From -4272900189476286114
X-Google-Thread: 108122,ce9b3837be4e55ac,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 16 Dec 2006 20:04:25 -0600
From: N8GNI <N8GNI.2ixud4@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Manual for Douglas Microwave Company Wattmeter
Date: Sun, 17 Dec 2006 01:17:55 +0000
Message-ID: <N8GNI.2ixud4@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 5
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-
VckLQEkCqdBs3pX1W9o6hRiG2hnieEjNQ39Zd40YDqGh25ycYwUwebe3zBsjKoUyJoRNpFcewhw62QB!
```

ROMre+PKMZkqgyaS8Kg0r77CtlpbRmGP7bgVTdWuKJKSLAOiKvV+QCviDOCqD2c2BSnScBZL2yOo!
8E4Rg5k=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7576

Hi
I'm looking for an online source for a manual for a Douglas Microwave
Company Wattmeter, TS-1285/URM-120. User or service manul will help.
TIA
Harry
N8GNI

--
N8GNI

From 7418452250249362471
X-Google-Thread: fc8b1,ed636323d4eea1b3,start
X-Google-Thread: 108122,ed636323d4eea1b3,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!16g2000cwy.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: FA: Don't miss>E.F. JOHNSON 250-35 LOW-PASS FILTER for 72 OHMS>RARE!
Date: 16 Dec 2006 19:32:42 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1166326362.888228.286360@16g2000cwy.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1166326369 18885 127.0.0.1 (17 Dec 2006 03:32:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 17 Dec 2006 03:32:49 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 16g2000cwy.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6758
rec.radio.amateur.equipment:7577

```
No Bids @$10>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220058715199&ssPageName=STRK:MESE:IT&ih=012




From -6987077251989038381
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Date: Sat, 16 Dec 2006 22:42:11 -0500
From: Christopher Cox <chrisTOPHERcOX@coboxincORORATED.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Who are you?
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
<458455D4.6070709@coboxincORORATED.com>
<h4q8o21qaksmrnjfl979ftpvhkdr08tmr9@4ax.com> <45847198.90807@coboxincORORATED.com>
<b5t8o2tm3cec3104ad1jtn2anhpiou0b2l@4ax.com>
In-Reply-To: <b5t8o2tm3cec3104ad1jtn2anhpiou0b2l@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 86
Message-ID: <4584bc6b$0$7657$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23141
rec.radio.amateur.equipment:7578 rec.radio.amateur.homebrew:8273
rec.radio.amateur.policy:58543

Mark@kb9rqz.aprs wrote:
> On Sat, 16 Dec 2006 17:22:16 -0500, Christopher Cox
> <chrisTOPHERcOX@coboxincORORATED.com> wrote:
>
>
>>Mark@kb9rqz.aprs wrote:
>>
>>>On Sat, 16 Dec 2006 15:23:48 -0500, Christopher Cox
>>><chrisTOPHERcOX@coboxincORORATED.com> wrote:
>>>
>>>
```

>>>
>>>>Mark@kb9rqz.aprs wrote:
>>>>
>>>>
>>>>>On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus, KB7ADL"
>>>>><radiation17@bresnan.net> wrote:
>>>>>
>>>>>
>>>>>
>>>>>
>>>>>>Ham radio died today.
>>>>>>
>>>>>>Sorry for all the brow beating, it won't be happening anymore.
>>>>>>
>>>>>>73 de KB7ADL, AKA Slow Code
>>>>>
>>>>>
>>>>>bullshit
>>>>>http://kb9rqz.blogspot.com/
>>>>>
>>>>
>>>>I am actually surprised to find out it was/is Vince. He's an O.K. guy,
>>>>puts in volunteer time and is very knowledgeable. While I firmly believe
>>>>this alter personality detracted from Amateur radio (Slow Code), Vince
>>>>has done other things to advance it.
>>>
>>>
>>>one can only judge by ones experences as far as I am concerned he is
>>>slime
>>>
>>>
>>>>Although I know Vince is very pro Morse code, I am having trouble
>>>>believing it was him (being Mr. Slow Code)
>>>>
>>>>If it was/is him, turning in his license would only be a detriment to
>>>>the community IMHO.
>>>
>>>
>>>we can do without any ham that behaves as Slow does and without any
>>>ham that would claim to be slow code wether he is or not
>>>
>>>
>>>>Chris KC8FRJ
>>>
>>>http://kb9rqz.blogspot.com/
>>>
>>
>>How do you know Vince, I mean other than a seeming like a, unbalanced at
>>times, Morse code advocate?
>
>
> that is How I know though his insane staement during recent his all
> but incessant diatrbe of insult many derected at me by name

>
> the Gay bashing and the bashing of the disable the tech indeed all new
> hams of anysort
>
> the person known here as SC is insane and inhumnne nutjob
>
> if Vince in he then vince is not someone I care to know further, Vince
> is merely claiming to be SC I still don't want to know him
>
>>Chris KC8FRJ
>
> http://kb9rqz.blogspot.com/
>

Wow, read through some of your blog and other pages your blog refers to.
You are quite the lighting rod. You should not be surprised to receive
much attention any many areas.

Best of luck to you.

Chris KC8FRJ

```
From -2816468188340356957
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
213.132.189.2.MISMATCH!multikabel.net!feed20.multikabel.net!news2.euro.net!
66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Who are you?
Date: Sat, 16 Dec 2006 23:11:24 -0500
Message-ID: <6mg9o2h681veus5p3aeotcq7tipdtffv4a@4ax.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
<mjc8o21aejleg93ihviietqngd6jqa6003@4ax.com>
<458455D4.6070709@coboxincORORATED.com>
<h4q8o21qaksmrnjfl979ftpvhkdr08tmr9@4ax.com> <45847198.90807@coboxincORORATED.com>
<b5t8o2tm3cec3104ad1jtn2anhpiou0b2l@4ax.com>
<4584bc6b$0$7657$4c368faf@roadrunner.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

Lines: 105
NNTP-Posting-Date: 17 Dec 2006 03:16:57 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23142
rec.radio.amateur.equipment:7579 rec.radio.amateur.homebrew:8275
rec.radio.amateur.policy:58545

On Sat, 16 Dec 2006 22:42:11 -0500, Christopher Cox
<chrisTOPHERcOX@coboxincORORATED.com> wrote:

>Mark@kb9rqz.aprs wrote:
>> On Sat, 16 Dec 2006 17:22:16 -0500, Christopher Cox
>> <chrisTOPHERcOX@coboxincORORATED.com> wrote:
>>
>>
>>>Mark@kb9rqz.aprs wrote:
>>>
>>>>On Sat, 16 Dec 2006 15:23:48 -0500, Christopher Cox
>>>><chrisTOPHERcOX@coboxincORORATED.com> wrote:
>>>>
>>>>
>>>>
>>>>>Mark@kb9rqz.aprs wrote:
>>>>>
>>>>>
>>>>>>On Fri, 15 Dec 2006 22:31:31 -0600, "Vince Fiscus, KB7ADL"
>>>>>><radiation17@bresnan.net> wrote:
>>>>>>
>>>>>>
>>>>>>
>>>>>>
>>>>>>>Ham radio died today.
>>>>>>>
>>>>>>>Sorry for all the brow beating, it won't be happening anymore.
>>>>>>>
>>>>>>>73 de KB7ADL, AKA Slow Code
>>>>>>
>>>>>>
>>>>>>bullshit
>>>>>>http://kb9rqz.blogspot.com/
>>>>>>
>>>>>
>>>>>I am actually surprised to find out it was/is Vince. He's an O.K. guy,
>>>>>puts in volunteer time and is very knowledgeable. While I firmly believe
>>>>>this alter personality detracted from Amateur radio (Slow Code), Vince
>>>>>has done other things to advance it.
>>>>
>>>>
>>>>one can only judge by ones experences as far as I am concerned he is
>>>>slime
>>>>
>>>>
>>>>>Although I know Vince is very pro Morse code, I am having trouble

>>>>>believing it was him (being Mr. Slow Code)
>>>>>
>>>>>If it was/is him, turning in his license would only be a detriment to
>>>>>the community IMHO.
>>>>
>>>>
>>>>we can do without any ham that behaves as Slow does and without any
>>>>ham that would claim to be slow code wether he is or not
>>>>
>>>>
>>>>>Chris KC8FRJ
>>>>
>>>>http://kb9rqz.blogspot.com/
>>>>
>>>
>>>How do you know Vince, I mean other than a seeming like a, unbalanced at
>>>times, Morse code advocate?
>>
>>
>> that is How I know though his insane staement during recent his all
>> but incessant diatrbe of insult many derected at me by name
>>
>> the Gay bashing and the bashing of the disable the tech indeed all new
>> hams of anysort
>>
>> the person known here as SC is insane and inhumnne nutjob
>>
>> if Vince in he then vince is not someone I care to know further, Vince
>> is merely claiming to be SC I still don't want to know him
>>
>>>Chris KC8FRJ
>>
>> http://kb9rqz.blogspot.com/
>>
>
>
>Wow, read through some of your blog and other pages your blog refers to.
>You are quite the lighting rod. You should not be surprised to receive
>much attention any many areas.

attention is one thing

but your "friend" (or the person you are speaking well of) has in the
last few managed to insult over 300,000 of your fellow hams and likely
the future of Ham radio

sadly in America it is acceptable to blame the target of the attack
your "friend" is one those people he has stated he would rather not be
a Ham than Me allowed to use HF I sugesst he consider following
thorough on his words
>
>Best of luck to you.

luck I don't need

I can if needed make all the luck I need
>
>Chris KC8FRJ
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -1321507715589984736
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!dana
From: Dana <dana@panix.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Looking for a manual.
Date: Sun, 17 Dec 2006 08:34:51 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 6
Message-ID: <Pine.NEB.4.64.0612170832080.641@panix2.panix.com>
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
 <ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
 <fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
 <dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net>
 <Ri87h.10801$mR4.7276@tornado.texas.rr.com>
<Wdt7h.162$sf5.120@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1166362492 23627 166.84.1.2 (17 Dec 2006 13:34:52 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 17 Dec 2006 13:34:52 +0000 (UTC)
In-Reply-To: <Wdt7h.162$sf5.120@newsread4.news.pas.earthlink.net>
Return-Receipt-To: dana@panix.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7580
rec.radio.amateur.policy:58581 rec.radio.scanner:8334 rec.radio.shortwave:61685
rec.radio.swap:10743

Would anyone happen to have the manual for a radio shack htx-212 2 meter
rig in either pdf format or in .txt? I am blind, and need to try to figure

out how to set the pl tones on this rig. If you have one, or can point me
to a web site, that would be great. Just e-mail to this address.
Dana@panix.com Tnx.

```
From -8562863501070427117
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net>
<Ri87h.10801$mR4.7276@tornado.texas.rr.com>
<Wdt7h.162$sf5.120@newsread4.news.pas.earthlink.net>
<Pine.NEB.4.64.0612170832080.641@panix2.panix.com>
Subject: Re: Looking for a manual.
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <fNchh.51788$qp1.12018@tornado.texas.rr.com>
Date: Sun, 17 Dec 2006 14:48:43 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1166366923 67.10.92.242 (Sun, 17 Dec 2006 08:48:43
CST)
NNTP-Posting-Date: Sun, 17 Dec 2006 08:48:43 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7581
rec.radio.amateur.policy:58582 rec.radio.scanner:8335 rec.radio.shortwave:61690
rec.radio.swap:10746
```

"Dana" <dana@panix.com> wrote in message
news:Pine.NEB.4.64.0612170832080.641@panix2.panix.com...

> Would anyone happen to have the manual for a radio shack htx-212 2 meter

```
> rig in either pdf format or in .txt? I am blind, and need to try to figure
> out how to set the pl tones on this rig. If you have one, or can point me
> to a web site, that would be great. Just e-mail to this address.
> Dana@panix.com Tnx.
>

http://www.radioshack.com/graphics/uc/rsk/Support/ProductManuals/1901125_PM_EN.pdf

Hopefully someone can read it for you as I don't know that text to speech
can read this PDF.




From 8568721665544536873
X-Google-Thread: 108122,7cc2d15cbc11ca4e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HTX 212 Manual
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <zSchh.25397$B42.6828@newsfe12.phx>
Date: Sun, 17 Dec 2006 06:54:27 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1166367263 72.197.12.245 (Sun, 17 Dec 2006 07:54:23 MST)
NNTP-Posting-Date: Sun, 17 Dec 2006 07:54:23 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7582

It is on line at URL:
http://www.radioshack.com/graphics/uc/rsk/Support/ProductManuals/1901125_PM_EN.pdf

CL




From 985077597973221625
X-Google-Thread: 108122,c7efce2507abf0c2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe11.lga.POSTED!53ab2750!not-for-mail
From: "The Doctor, Who?" <kenwood1701@hotmail.com>
```

```
Organization: TARDIS, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:   YAESU FT-109RH,  220MHz, 5 WATT HANDI TALKIE,  QUICK CHARGER,
 SPEAKER MIC
Content-Type: multipart/alternative;
 boundary="------------040204070402090500090405"
Lines: 41
Message-ID: <Dudhh.24$wc.18@newsfe11.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddckannfilpcpbbolnmleppjncdelklgfmcoappennnphngbbbkbddbofaaicinbojdal
pceokhmcmmjmnbjnoidaakfnmeokdclnmfgoacgodhjjnhhgindeflifgphkdl
NNTP-Posting-Date: Sun, 17 Dec 2006 08:37:07 MST
Date: Sun, 17 Dec 2006 10:37:31 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7583

This is a multi-part message in MIME format.
--------------040204070402090500090405
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Posting this for a friend.  Take a look if you like.

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130060300971


73




--------------040204070402090500090405
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial">Posting this for a friend.&nbsp; Take a
look if you like.<br>
<br>
<a class="moz-txt-link-freetext" href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130060300971">http://cgi.ebay.com/ws/
```

```
eBayISAPI.dll?ViewItem&amp;ssPageName=ADME:L:LCA:US:11&amp;item=130060300971</
a><br>
<br>
<br>
73<br>
<br>
<br>
<br>
</font></font>
</body>
</html>

--------------040204070402090500090405--
```

```
From 6447521380476608036
X-Google-Thread: 108122,6371558533115686,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Dec 2006 11:12:45 -0600
From: Kenneth Grimm <kgrimm@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: BAMA Notice
Date: Sun, 17 Dec 2006 12:12:45 -0500
Organization: BAMA
Message-ID: <0kuao21s30t1q4rk0qtottndi31pe5ba5p@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
NNTP-Posting-Host: 69.168.21.97
X-Trace: sv3-jjPy5LKuohN9VssbmWZtAd6VOnBBZ0plcpriFQIJTlJOUQfZFkT1/IQ+sxhTQ/
3cusSW1RfaEyOjhvn!
dhhFJDCo+CFXsGlQPHSuOO2+KzlRzneI9qKfmCiao1Cxqnk4efbhD7LNrotOumZdKJSJUw8+f5Zs!
RDhbG81TK+N3s6zB7wZfMw==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7584
```

Notice: Effective January 1, 2007, BAMA will add only manuals with a direct connection to the tube era of ham radio. Only manuals for amateur radio transmitters, receivers, antenna tuners, antennas, keyers, etc. will be added to the collection.   The only test equipment that will be added will be those items already listed on the "Needed" list and those items created especially for the amateur radio market.

While I appreciate all the contributions of those whose interest is in
test equipment and military equipment, I simply cannot continue to
expand the BAMA collection in these areas at this time. I will not be
removing the test gear and military manuals currently on BAMA. The
BAMA collection will remain intact. I just won't be adding to these
areas for the time being.

I want to thank any and all of you who are reading this and have
contributed to the BAMA collection. Without your time and effort,
BAMA would not have been possible. Thanks again and best wishes to
all for the holidays.

73,

Ken K4XL
k4xl@arrl.net

*** BoatAnchor Manual Archive ***
On the web at http://bama.sbc.edu and http://bama.edebris.com
FTP site info: bama.sbc.edu login: anonymous p/w: youremailadr

From -4335392908453541488
X-Google-Thread: 108122,69ed22a99ff68d1c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!949ad025!not-for-mail
From: Fred Cameron <fmaxsc*nospam*@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: gun Trade for TS 50?
Organization: home
Reply-To: fmaxsc@gmail.com
Message-ID: <g93bo2ta2rsbtpdbvtvfq5buc4oqj6iqv3@4ax.com>
X-Newsreader: Forte Agent 4.1/32.1088 trialware
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Sun, 17 Dec 2006 18:36:51 GMT
NNTP-Posting-Host: 66.32.10.167
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1166380611 66.32.10.167 (Sun, 17 Dec 2006 10:36:51 PST)
NNTP-Posting-Date: Sun, 17 Dec 2006 10:36:51 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7585

I have a like new Sig239 9mm with the silver highlights, three clips,
fitted holster.

```
Fewer than 150 rounds through it

Will mail to the FFL of your choicein exchange for a TS50 with tuner


SC residents can simply exchange

73's Fred



From -4339365416561616723
X-Google-Thread: 108122,69ed22a99ff68d1c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.kjsl.com!ncf.ca!
FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: gun Trade for TS 50?
Date: 17 Dec 2006 18:55:19 GMT
Organization: The National Capital FreeNet
Lines: 17
Message-ID: <em43qn$5vo$1@theodyn.ncf.ca>
References: <g93bo2ta2rsbtpdbvtvfq5buc4oqj6iqv3@4ax.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1166381719 6136 134.117.136.48 (17 Dec 2006 18:55:19 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 17 Dec 2006 18:55:19 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7586

Fred Cameron (fmaxsc*nospam*@ix.netcom.com) writes:
> I have a like new Sig239 9mm with the silver highlights, three clips,
> fitted holster.
>
> Fewer than 150 rounds through it
>
> Will mail to the FFL of your choicein exchange for a TS50 with tuner
>
>
Well bozo, this isn't a buy and sell newsgroup, it's for the discussion
of amateur radio equipment.

And even if this was for buying and selling amateur radio equipment,
you are selling guns, which makes it doubly off-topic.

   Michael  VE2BVW




From -3140309706516761802
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
```

```
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!textspool1.readnews.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: Looking for a manual.
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net>
<Ri87h.10801$mR4.7276@tornado.texas.rr.com>
<Wdt7h.162$sf5.120@newsread4.news.pas.earthlink.net>
<Pine.NEB.4.64.0612170832080.641@panix2.panix.com>
Organization: Your Company
Message-ID: <Xns989C707FC9956spectrumhogstarbandn@198.186.192.196>
Followup-To: rec.radio.amateur.equipment
User-Agent: Xnews/2006.03.14
Date: 17 Dec 2006 18:57:09 GMT
Lines: 17
NNTP-Posting-Host: 6f2b3dfd.news.adtechcomputers.com
X-Trace: DXC=86L\aY>\o_I<<h;Yk>G0KMgC4_A5:nI@A<<=aEgO;R8GbJcbRPijE4GC3J1PgGc8^CR?
X7U2a5ffGemfRC[RMj?OGX7R=>CCRmFMmm3e6<MOVH=Tb\AQXSl1G
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7587
rec.radio.amateur.policy:58700 rec.radio.scanner:8339 rec.radio.shortwave:61701
rec.radio.swap:10751
```

> Would anyone happen to have the manual for a radio shack htx-212 2
> meter rig in either pdf format or in .txt? I am blind, and need to try
> to figure out how to set the pl tones on this rig. If you have one, or
> can point me to a web site, that would be great. Just e-mail to this
> address. Dana@panix.com Tnx.
>

http://www.mods.dk   has both the user manual and the service manual for this radio. You do not have to have an account to get a single download per week.

```
    Ed   K7AAT


From -402626514001028091
X-Google-Thread: 108122,69ed22a99ff68d1c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kp9rqz.asr>
Newsgroups: rec.radio.amateur.equipment
References: <g93bo2ta2rsbtpdbvtvfq5buc4oqj6iqv3@4ax.com>
<em43qn$5vo$1@theodyn.ncf.ca>
Subject: Re: gun Trade for TS 50?
Date: Sun, 17 Dec 2006 15:04:04 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 26
Message-ID: <458595f7$0$15459$88260bb3@free.teranews.com>
NNTP-Posting-Date: 17 Dec 2006 19:09:43 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7588


"Michael Black" <et472@FreeNet.Carleton.CA> wrote in message
news:em43qn$5vo$1@theodyn.ncf.ca...
> Fred Cameron (fmaxsc*nospam*@ix.netcom.com) writes:
>> I have a like new Sig239 9mm with the silver highlights, three clips,
>> fitted holster.
>>
>> Fewer than 150 rounds through it
>>
>> Will mail to the FFL of your choicein exchange for a TS50 with tuner
>>
>>
> Well bozo, this isn't a buy and sell newsgroup, it's for the discussion
> of amateur radio equipment.
>
> And even if this was for buying and selling amateur radio equipment,
> you are selling guns, which makes it doubly off-topic.
>
>   Michael  VE2BVW

>with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say kooks on parade?
http://kb9rqz.blogspot.com/
```

--
Posted via a free Usenet account from http://www.teranews.com

From -5219850692371445789
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <noway@nowhow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: A moment of silence my friends for a silent key.
Date: Sun, 17 Dec 2006 12:55:25 -0800
Message-ID: <blbbo25epdssnp6sk1g1ss5sc3dmuc0007@4ax.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node48-61-52-66.1dial.com
X-Trace: newsfeed.slurp.net 1166376063 66.52.61.48 (17 Dec 2006 12:21:03 -0500)
Lines: 8
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 66.52.61.48
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
hwmnpeer01.phx!news.highwinds-media.com!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:23169
rec.radio.amateur.equipment:7589 rec.radio.amateur.homebrew:8284

Please folks, do not reply to these off topic posts.

If these idiots never get any replies, they will eventually give up
and go away.

Thanks,

Bill, W6WRT

From -202990040513429019
X-Google-Thread: 108228,fd43f1162ff49d11,start
X-Google-Thread: 108122,fd43f1162ff49d11,start
X-Google-Thread: 1109af,fd43f1162ff49d11,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail

```
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1000 VHF 136-174 MHz-16Ch-5W Radio-Ham Freq
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0009_01C721F4.E4FB26B0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <sTkhh.21475$Zb5.6715@newsfe13.phx>
Date: Sun, 17 Dec 2006 16:03:30 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1166400088 68.104.78.240 (Sun, 17 Dec 2006 17:01:28 MST)
NNTP-Posting-Date: Sun, 17 Dec 2006 17:01:28 MST
Organization: Cox
Xref: g2news2.google.com alt.ham-radio.marketplace:1633
rec.radio.amateur.equipment:7590 rec.radio.swap:10755

This is a multi-part message in MIME format.

------=_NextPart_000_0009_01C721F4.E4FB26B0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1000 VHF 136-174 MHz-16Ch-5W Radio-Ham Freq

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250062788267&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0009_01C721F4.E4FB26B0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1000 VHF 136-174 MHz-16Ch-5W Radio-Ham Freq</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250062788267&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250062788267&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0009_01C721F4.E4FB26B0--



From 3798975022337733831
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!panix!panix2.panix.com!dana
From: Dana <dana@panix.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: Looking for a manual.
Date: Sun, 17 Dec 2006 23:50:36 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 6
Message-ID: <Pine.NEB.4.64.0612172349020.17565@panix2.panix.com>
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
 <ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
 <fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
 <dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net>
 <Ri87h.10801$mR4.7276@tornado.texas.rr.com>
<Wdt7h.162$sf5.120@newsread4.news.pas.earthlink.net>
 <Pine.NEB.4.64.0612170832080.641@panix2.panix.com>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1166417438 7881 166.84.1.2 (18 Dec 2006 04:50:38 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 18 Dec 2006 04:50:38 +0000 (UTC)
In-Reply-To: <Pine.NEB.4.64.0612170832080.641@panix2.panix.com>
Return-Receipt-To: dana@panix.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7591
rec.radio.amateur.policy:58774 rec.radio.scanner:8352 rec.radio.shortwave:61735
rec.radio.swap:10760
```

Hi all. Just wanted to say thanks to everyone who responded. I got the manual, then got it into .txt then got a ham to look for a picture of the rig on the net so he could tell me the button layout. I got all my pl tones in and everything is rorking just fine. Thanks from Dana in Griffin, Georgia. n4pge.

From 7826988053358093754
X-Google-Thread: 108122,26b58a001c13459a,start
X-Google-Thread: 107ada,26b58a001c13459a,start
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed2.dallas1.level3.net!news.level3.com!panix!newsfeed.media.kyoto-u.ac.jp!newsfeed.news.ucla.edu!newsfeed.berkeley.edu!ucberkeley!agate.berkeley.edu!not-for-mail
From: David Snyder Hale <david@isi9.isinet.mtwilson.edu>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: A Portable Generator
Followup-To: rec.radio.amateur.equipment
Date: Mon, 18 Dec 2006 10:31:02 +0000 (UTC)
Organization: Mount Wilson Observatory
Lines: 11
Message-ID: <em5ql6$1jbu$1@agate.berkeley.edu>
NNTP-Posting-Host: isifw.mtwilson.edu
X-Trace: agate.berkeley.edu 1166437862 52606 192.153.157.50 (18 Dec 2006 10:31:02 GMT)
X-Complaints-To: usenet@agate.berkeley.edu
NNTP-Posting-Date: Mon, 18 Dec 2006 10:31:02 +0000 (UTC)
User-Agent: tin/pre-1.4-980818 ("Laura") (UNIX) (SunOS/5.6 (sun4m))
Xref: g2news2.google.com rec.radio.amateur.equipment:7592 rec.radio.amateur.misc:27235

I just came across an ad for these generators:

http://www.portable-gas-generator.com/

1kW, $163

Seems too cheap. I'm a big believer of "you get what you pay for" --
generally. Has anyone any experience with these? Thought? Comments?

--
Dave * N3WTK (DM04xf) * http://isi.mtwilson.edu * n3wtk@arrl.net

From 6291288496725972121
X-Google-Thread: 108122,26b58a001c13459a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t46g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A Portable Generator
Date: 18 Dec 2006 02:36:19 -0800
Organization: http://groups.google.com
Lines: 18
Message-ID: <1166438179.083808.300940@t46g2000cwa.googlegroups.com>

```
References: <em5ql6$1jbu$1@agate.berkeley.edu>
NNTP-Posting-Host: 69.19.14.22
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1166438185 2324 127.0.0.1 (18 Dec 2006 10:36:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Dec 2006 10:36:25 +0000 (UTC)
In-Reply-To: <em5ql6$1jbu$1@agate.berkeley.edu>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t46g2000cwa.googlegroups.com; posting-host=69.19.14.22;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:7593
```

David Snyder Hale wrote:

> I just came across an ad for these generators:
>
> http://www.portable-gas-generator.com/
>
> 1kW, $163
>
> Seems too cheap. I'm a big believer of "you get what you pay for" --
> generally. Has anyone any experience with these? Thought? Comments?
>
> --
> Dave * N3WTK (DM04xf) * http://isi.mtwilson.edu * n3wtk@arrl.net

well 2 cycle stuff is often ok but a pain to be around when it is
running in household with a few cheapinverters and marine batteries it
serve very economicaly in an emergency

```
From 2294049113536326614
X-Google-Thread: 108122,26b58a001c13459a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.media.kyoto-u.ac.jp!news-
hub.kaist.ac.kr!newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!
feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A Portable Generator
Date: Mon, 18 Dec 2006 20:00:45 +0900
Organization: Korea Telecom
Lines: 24
Message-ID: <em5sac$mm$1@news2.kornet.net>
References: <em5ql6$1jbu$1@agate.berkeley.edu>
NNTP-Posting-Host: 59.8.214.232
X-Trace: news2.kornet.net 1166439564 726 59.8.214.232 (18 Dec 2006 10:59:24 GMT)
```

```
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Mon, 18 Dec 2006 10:59:24 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:7594

"David Snyder Hale" <david@isi9.isinet.mtwilson.edu> wrote in message
news:em5ql6$1jbu$1@agate.berkeley.edu...
>I just came across an ad for these generators:
>
> http://www.portable-gas-generator.com/
>
> 1kW, $163
>
> Seems too cheap.  I'm a big believer of "you get what you pay for" --
> generally.  Has anyone any experience with these?  Thought? Comments?
>
> --

It's a pretty small generator. In price per watt, it's a bit more expensive
than our 4400 watt Coleman, which cost us $500 on sale. For small, emergency
related things, I'm sure it's fine, but don't think you'll run anything like
a heater or microwave from it.



--
Say no to institutionalized interference.
Just say NO to HD/IBOC!





From -6572641611957927152
X-Google-Thread: 108122,26b58a001c13459a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!030b4766!not-for-mail
From: Dave Head <rally2xs@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A Portable Generator
Reply-To: Rally2xs@att.net
Message-ID: <tc3do29ohob9i7nakj6lq916iebkvcvosm@4ax.com>
References: <em5ql6$1jbu$1@agate.berkeley.edu>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
```

```
NNTP-Posting-Host: 61edb25bb9fbc3a13d9a7bd2f0b87308
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1166445924
61edb25bb9fbc3a13d9a7bd2f0b87308 (Mon, 18 Dec 2006 12:45:24 GMT)
NNTP-Posting-Date: Mon, 18 Dec 2006 12:45:24 GMT
Organization: AT&T Worldnet
Date: Mon, 18 Dec 2006 12:45:24 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7595

On Mon, 18 Dec 2006 10:31:02 +0000 (UTC), David Snyder Hale
<david@isi9.isinet.mtwilson.edu> wrote:

>I just came across an ad for these generators:
>
>http://www.portable-gas-generator.com/
>
>1kW, $163
>
>Seems too cheap.  I'm a big believer of "you get what you pay for" --
>generally.  Has anyone any experience with these?  Thought? Comments?

Dunno... cheaper one here:

http://www.duropower.com/



From -3145652356749944617
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
news2.euro.net!213.132.189.2.MISMATCH!multikabel.net!feed20.multikabel.net!sn-xt-
ams-06!sn-xt-ams-08!sn-ams!sn-feed-ams-03!sn-ams!sn-feed-ams-01!sn-post-ams-02!sn-
post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "H. Adam stevens, NQ5H" <NQ5H@ARRL.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: Mon, 18 Dec 2006 08:24:05 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12od946f9ts3d9e@corp.supernews.com>
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
```

X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com rec.radio.amateur.antenna:23193
rec.radio.amateur.boatanchors:6778 rec.radio.amateur.equipment:7596
rec.radio.amateur.policy:59124

"Old Time Ham" <old_fart@curmudgeons.com> wrote in message
news:wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com...
> Slow Code wrote:
>> The 30 Steps below will help all No-Code Hams, it will also help you to
>> find others just like yourself. These 30 steps should also be added to
>> the
>> present writtens.
>>
>
> Hilarious! I am going to print these out and give them out at the next
> Repeater Group meeting. (which I am forced to attend since it is also the
> local RACES group meeting :-(

This just occurred to me:

No-coders can never be Silent Keys

Just dead mikes

73, H.
NQ5H

From 7814649055459392254
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!128.230.129.106!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: recycled trash
Date: Mon, 18 Dec 2006 09:39:49 -0500

Message-ID: <ju9do25don3nv95rn8qfimbdb7453qp6hl@4ax.com>
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
NNTP-Posting-Date: 18 Dec 2006 13:45:23 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:23195
rec.radio.amateur.boatanchors:6780 rec.radio.amateur.equipment:7597
rec.radio.amateur.policy:59125

On Mon, 18 Dec 2006 08:24:05 -0600, "H. Adam stevens, NQ5H"
<NQ5H@ARRL.net> wrote:

>
>"Old Time Ham" <old_fart@curmudgeons.com> wrote in message
>news:wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com...
>> Slow Code wrote:
>>> The 30 Steps below will help all No-Code Hams, it will also help you to
>>> find others just like yourself. These 30 steps should also be added to
>>> the
>>> present writtens.
>>>
>>
>> Hilarious! I am going to print these out and give them out at the next
>> Repeater Group meeting. (which I am forced to attend since it is also the
>> local RACES group meeting :-(
>
>This just occurred to me:
>
>
>No-coders can never be Silent Keys
some could indeed be silent keys since some do use code

I OTOH will never called an SK except over my dead body :)
>
>Just dead mikes

but I personaly intend to live for ever:)
>
>
>
>
>
>73, H.
>NQ5H
>
http://kb9rqz.blogspot.com/

```
--
Posted via a free Usenet account from http://www.teranews.com



From 4671536789272272862
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elk.ncren.net!
usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!machine3
From: szekeres@pitt.edu (GregS)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: Mon, 18 Dec 2006 15:14:20 GMT
Organization: ???
Lines: 37
Message-ID: <em6b8d$9gg$1@usenet01.srv.cis.pitt.edu>
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1166454861 9744 136.142.52.106 (18 Dec 2006
15:14:21 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Mon, 18 Dec 2006 15:14:21 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.antenna:23196
rec.radio.amateur.boatanchors:6781 rec.radio.amateur.equipment:7598
rec.radio.amateur.policy:59127

In article <12od946f9ts3d9e@corp.supernews.com>, "H. Adam stevens, NQ5H"
<NQ5H@ARRL.net> wrote:
>
>"Old Time Ham" <old_fart@curmudgeons.com> wrote in message
>news:wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com...
>> Slow Code wrote:
>>> The 30 Steps below will help all No-Code Hams, it will also help you to
>>> find others just like yourself. These 30 steps should also be added to
>>> the
>>> present writtens.
>>>
>>
>> Hilarious! I am going to print these out and give them out at the next
>> Repeater Group meeting. (which I am forced to attend since it is also the
>> local RACES group meeting :-(
>
>This just occurred to me:
```

>
>
>No-coders can never be Silent Keys
>
>Just dead mikes
>
>
>
>
>
>73, H.
>NQ5H

I guess repeaters in general, whether it GMRS, commercial, or Ham, will still use CW identifiers, they even use it on satellites.. It seems strange, but it will be that way for a long time.

greg

N6GS

```
From -3020198543692473762
X-Google-Thread: 108122,9441222e37d7c03a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news*.tds.net.MISMATCH!newspeer.tds.net!216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-for-mail
From: "John, N9JG" <john@Xremove.MeYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
Subject: QRO vs. Command amplifiers
Lines: 25
Organization: CLM ARRL
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>
Date: Mon, 18 Dec 2006 15:58:33 GMT
NNTP-Posting-Host: 69.130.135.26
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1166457513 69.130.135.26 (Mon, 18 Dec 2006 09:58:33 CST)
NNTP-Posting-Date: Mon, 18 Dec 2006 09:58:33 CST
Xref: g2news2.google.com rec.radio.amateur.equipment:7599
```

I am currently using a Drake L-4B and am very happy with its reliability and compact dimensions (the PS is packaged separately and sits on the floor in back of the equipment table). However, the L-4B was not designed to operate on 160, 17, and 12 meters.

I have run across two companies with almost identical equipment - QRO Technologies and Command Technologies. I have been told that the companies at one time were one and the same. Anyway, both companies make similar amplifiers
QRO HF-2500DX http://www.qrotec.com/index1.html

Command HF-2500 http://www.command1.com/hf2500.asp

The outside dimensions and weights are slightly different. Does anyone have any comments on these two amplifiers? I am especially interested in quality of components and construction along with ruggedness. Factory support is also an important factor. Finally, I have noticed that QRO Technologies must have sold so much equipment prior to Xmas that they have gone South until 1-Apr-07. See http://www.qrotec.com/

Any comments or advice will be greatly appreciated.

John, N9JG

From -5581177436798525806
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!48g2000cwx.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: 18 Dec 2006 08:25:12 -0800
Organization: http://groups.google.com
Lines: 29
Message-ID: <1166459112.916978.178480@48g2000cwx.googlegroups.com>
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
NNTP-Posting-Host: 70.179.126.233
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1166459119 1499 127.0.0.1 (18 Dec 2006 16:25:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Dec 2006 16:25:19 +0000 (UTC)
In-Reply-To: <12od946f9ts3d9e@corp.supernews.com>
User-Agent: G2/1.0

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 48g2000cwx.googlegroups.com; posting-host=70.179.126.233;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:23200
rec.radio.amateur.boatanchors:6782 rec.radio.amateur.equipment:7600
rec.radio.amateur.policy:59132


H. Adam stevens, NQ5H wrote:
> "Old Time Ham" <old_fart@curmudgeons.com> wrote in message
> news:wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com...
> > Slow Code wrote:
> >> The 30 Steps below will help all No-Code Hams, it will also help you to
> >> find others just like yourself. These 30 steps should also be added to
> >> the
> >> present writtens.
> >>
> >
> > Hilarious! I am going to print these out and give them out at the next
> > Repeater Group meeting. (which I am forced to attend since it is also the
> > local RACES group meeting :-(
>
> This just occurred to me:
>
>
> No-coders can never be Silent Keys
>
> Just dead mikes

Listening to the bands these days I have come to the conclusion that
many Keys have indeed become Silent although they are not physically
dead.

And yes, when more code operators die they are just as dead as any
other amateur radio operator who has passed away.



From -3144654379747002690
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-xxxfer.readnews.com!
textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!
news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
```

```
t,rec.radio.amateur.policy
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<1166459112.916978.178480@48g2000cwx.googlegroups.com>
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: Mon, 18 Dec 2006 11:58:04 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Lines: 44
Message-ID: <4586c899$0$27432$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 87ba112b.news.coretel.net
X-Trace: DXC=7V68i^]3jPT5Xh0^m7M;oXcYX6N<OEXQ[V;M@Jbe`fdV]EeA@N1LbmX^g<Q?
LdCYX^HGP573O>_5X
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:23203
rec.radio.amateur.boatanchors:6783 rec.radio.amateur.equipment:7601
rec.radio.amateur.policy:59133

"John S." <hjsjms@cs.com> wrote in message
news:1166459112.916978.178480@48g2000cwx.googlegroups.com...
>
> H. Adam stevens, NQ5H wrote:
>> "Old Time Ham" <old_fart@curmudgeons.com> wrote in message
>> news:wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com...
>> > Slow Code wrote:
>> >> The 30 Steps below will help all No-Code Hams, it will also help you
>> >> to
>> >> find others just like yourself. These 30 steps should also be added to
>> >> the
>> >> present writtens.
>> >>
>> >
>> > Hilarious! I am going to print these out and give them out at the next
>> > Repeater Group meeting. (which I am forced to attend since it is also
>> > the
>> > local RACES group meeting :-(
>>
>> This just occurred to me:
>>
>>
>> No-coders can never be Silent Keys
>>
>> Just dead mikes
>
> Listening to the bands these days I have come to the conclusion that
> many Keys have indeed become Silent although they are not physically
> dead.
>
```

> And yes, when more code operators die they are just as dead as any
> other amateur radio operator who has passed away.
>

FWIW - when one "presses the mic button to talk" - they are considered to be "KEYING" the mic. Therefore - anyone who is a ham - be they a "code" key user OR "key" a mic - would still pass as a "silent "key" "
The code is GONE - there is nothing we can do about its demise - so lets start PROMOTING decent Radio Skills - beginning with the vanishment of insulting amongst the ranks first off - and those who "might" be considering coming into the hobby.

```
From 1084782436853719511
X-Google-Thread: 108122,9441222e37d7c03a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news*.tds.net.MISMATCH!
newspeer.tds.net!216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-
for-mail
From: "John, N9JG" <john@Xremove.MeYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
References: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>
Subject: Re: QRO vs. Command amplifiers
Lines: 7
Organization: CLM ARRL
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <x9Ahh.2465$eb5.2399@newsreading01.news.tds.net>
Date: Mon, 18 Dec 2006 17:24:45 GMT
NNTP-Posting-Host: 69.130.135.26
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1166462685 69.130.135.26 (Mon, 18 Dec 2006
11:24:45 CST)
NNTP-Posting-Date: Mon, 18 Dec 2006 11:24:45 CST
Xref: g2news2.google.com rec.radio.amateur.equipment:7602
```

Since my original posting I have learned that the Commander HF-2500 uses Eimac 3CX800A7 triodes, whereas the QRO HF-2500DX uses Svetlana 4CX800A/GU746 tetrodes. Some sources have stated that the IMD figures for the Eimac triode in a grounded-grid configuration are better than the Svetlana GU746 tetrode in grounded cathode grid-driven mode.

From 8780813308299113063
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f1g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: try just being helpful
Date: 18 Dec 2006 09:25:48 -0800
Organization: http://groups.google.com
Lines: 31
Message-ID: <1166462748.226885.121890@f1g2000cwa.googlegroups.com>
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
   <wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
   <12od946f9ts3d9e@corp.supernews.com>
   <1166459112.916978.178480@48g2000cwx.googlegroups.com>
   <4586c899$0$27432$ecde5a14@news.coretel.net>
NNTP-Posting-Host: 69.19.14.22
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1166462753 32206 127.0.0.1 (18 Dec 2006 17:25:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Dec 2006 17:25:53 +0000 (UTC)
In-Reply-To: <4586c899$0$27432$ecde5a14@news.coretel.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f1g2000cwa.googlegroups.com; posting-host=69.19.14.22;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:23205
rec.radio.amateur.boatanchors:6784 rec.radio.amateur.equipment:7603
rec.radio.amateur.policy:59137

Radiosrfun wrote:
> "John S." <hjsjms@cs.com> wrote in message
> news:1166459112.916978.178480@48g2000cwx.googlegroups.com...
> >

> FWIW - when one "presses the mic button to talk" - they are considered to be
> "KEYING" the mic. Therefore - anyone who is a ham - be they a "code" key
> user OR "key" a mic - would still pass as a "silent "key" "
> The code is GONE - there is nothing we can do about its demise - so lets
> start PROMOTING decent Radio Skills - beginning with the vanishment of
> insulting amongst the ranks first off - and those who "might" be considering
> coming into the hobby.

well said indeed althought still maintiain I will an SK only over my dead body

and Intend for that never to happen even have a plan to carry it out chinese say "man who finishes house dies" therefore I will never quite finish my home and live forever

but seriously the attiudes and "proCoders" were one of the biggest things working in favor of NoCode

Code use is now in the hands it should be in those that suport it . well on second even I, and I do hate the mode personaly would wish it a better fate than its supports are likely to contrive but for good or ill it their problem not mine

but insulting those you are requiting ro seeking to convince was never a good idea I hope they learn that soon

From -8778910251158532688
X-Google-Thread: 108122,9441222e37d7c03a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!uns-out.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QRO vs. Command amplifiers
Date: Mon, 18 Dec 2006 12:26:58 -0500
Message-ID: <tqjdo2t6u3ntb9ms5oga1sltogdeis5fgv@4ax.com>
References: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: xwing.vermontel.net!unknown@vtelinet-209-134-42-90.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 14
X-Trace: 4584c4586cf657de7c94925864
Xref: g2news2.google.com rec.radio.amateur.equipment:7604

I have owned a QRO HF-2500DX since 1997. I have never owned a Command, but know many who do.

The QRO uses Russian GU74b/4cx800a tetrodes, whereas the Command uses 3cx800a7 triodes. The Russian tetrodes are Russian mil spec, and have been in good supply at extremely low prices over the last 5-10 years (though they seem to have gone up a bit lately) whereas the Command's triodes are still pretty pricey. My impression is that the money saved on the tubes has gone into a more robust power supply and band switch in the QRO.

If I had it to do all over again, I would again go QRO.

Ray K1XV

```
From 340297745638213201
X-Google-Thread: 108122,9441222e37d7c03a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!gail.ripco.com!
newspeer.tds.net!216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-
for-mail
From: "John, N9JG" <john@Xremove.MeYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
References: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>
<tqjdo2t6u3ntb9ms5oga1sltogdeis5fgv@4ax.com>
Subject: Re: QRO vs. Command amplifiers
Lines: 21
Organization: CLM ARRL
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <3hAhh.2466$eb5.430@newsreading01.news.tds.net>
Date: Mon, 18 Dec 2006 17:32:47 GMT
NNTP-Posting-Host: 69.130.135.26
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1166463167 69.130.135.26 (Mon, 18 Dec 2006
11:32:47 CST)
NNTP-Posting-Date: Mon, 18 Dec 2006 11:32:47 CST
Xref: g2news2.google.com rec.radio.amateur.equipment:7605
```

How do you prevent getting a hernia when you lift the amplifier onto the shelf above the desk?

<X-rated Vermonter> wrote in message
news:tqjdo2t6u3ntb9ms5oga1sltogdeis5fgv@4ax.com...
>I have owned a QRO HF-2500DX since 1997. I have never owned a
> Command, but know many who do.
>
> The QRO uses Russian GU74b/4cx800a tetrodes, whereas the Command uses
> 3cx800a7 triodes. The Russian tetrodes are Russian mil spec, and have
> been in good supply at extremely low prices over the last 5-10 years
> (though they seem to have gone up a bit lately) whereas the Command's
> triodes are still pretty pricey. My impression is that the money
> saved on the tubes has gone into a more robust power supply and band
> switch in the QRO.
>
> If I had it to do all over again, I would again go QRO.

```
>
> Ray  K1XV




From -6834428013570243644
X-Google-Thread: 108122,9441222e37d7c03a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.154.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QRO vs. Command amplifiers
Date: Mon, 18 Dec 2006 12:58:49 -0500
Message-ID: <kildo2p55c1pgmr80ao9hjb3ph9hckq407@4ax.com>
References: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>
<tqjdo2t6u3ntb9ms5oga1sltogdeis5fgv@4ax.com>
<3hAhh.2466$eb5.430@newsreading01.news.tds.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-42-90.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 12
X-Trace: d28c04586d6db7de7c94b30345
Xref: g2news2.google.com rec.radio.amateur.equipment:7606

On Mon, 18 Dec 2006 17:32:47 GMT, "John, N9JG"
<john@Xremove.MeYgotwals.com> wrote:

>How do you prevent getting a hernia when you lift the amplifier onto the
>shelf above the desk?
>
+++++++
It stays on the desk.  If you want a lot of transformer, the result is
a lot of weight.  I might add that, while the tune up process is a
little different, this amplifier has highly repeatable tune settings,
so you just keep a little cheat sheet to tell you the tune and load
positions for each band.


From 7391762535228242678
X-Google-Thread: 108122,9441222e37d7c03a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
```

```
newspeer.tds.net!216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-
for-mail
From: "John, N9JG" <john@Xremove.MeYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
References: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>
<tqjdo2t6u3ntb9ms5oga1sltogdeis5fgv@4ax.com>
<3hAhh.2466$eb5.430@newsreading01.news.tds.net>
<kildo2p55c1pgmr80ao9hjb3ph9hckq407@4ax.com>
Subject: Re: QRO vs. Command amplifiers
Lines: 20
Organization: CLM ARRL
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Original
Message-ID: <8MAhh.2468$eb5.2141@newsreading01.news.tds.net>
Date: Mon, 18 Dec 2006 18:05:56 GMT
NNTP-Posting-Host: 69.130.135.26
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1166465156 69.130.135.26 (Mon, 18 Dec 2006
12:05:56 CST)
NNTP-Posting-Date: Mon, 18 Dec 2006 12:05:56 CST
Xref: g2news2.google.com rec.radio.amateur.equipment:7607

Seriously, thank you for your comments. I am not sure how soon I will move
on getting an amplifier like this, but right now the HF-2000DX is at the top
of my list. This amplifier got very good reviews in eHam.net.

<X-rated Vermonter> wrote in message
news:kildo2p55c1pgmr80ao9hjb3ph9hckq407@4ax.com...
> On Mon, 18 Dec 2006 17:32:47 GMT, "John, N9JG"
> <john@Xremove.MeYgotwals.com> wrote:
>
>>How do you prevent getting a hernia when you lift the amplifier onto the
>>shelf above the desk?
>>
> +++++++
> It stays on the desk.  If you want a lot of transformer, the result is
> a lot of weight.  I might add that, while the tune up process is a
> little different, this amplifier has highly repeatable tune settings,
> so you just keep a little cheat sheet to tell you the tune and load
> positions for each band.




From -7339559475998623504
X-Google-Thread: 108122,26b58a001c13459a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: A Portable Generator
Date: Mon, 18 Dec 2006 14:49:01 -0500
Organization: Aioe.org NNTP Server
Lines: 36
Message-ID: <fmmck-59567B.14490118122006@nntp.aioe.org>
References: <em5ql6$1jbu$1@agate.berkeley.edu>
NNTP-Posting-Host: YW+LfG6hiNA+a0fB1+lVUg.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:7608

In article <em5ql6$1jbu$1@agate.berkeley.edu>,
David Snyder Hale <david@isi9.isinet.mtwilson.edu> wrote:

> I just came across an ad for these generators:
>
> http://www.portable-gas-generator.com/
>
> 1kW, $163
>
> Seems too cheap. I'm a big believer of "you get what you pay for" --
> generally. Has anyone any experience with these? Thought? Comments?

David-

When you have a home power failure, you will need more than a 1 KW generator. Your refrigerator may use less than that when running, but its compressor's startup power requirement is probably well over 2 KW. The little generator might be nice to have camping, but not for emergency home power.

This little generator would be useful for running something like a chain saw or some lights, but not electronic equipment. The power might appear to be adequate to run a couple of rigs at Field Day, but the regulation/power spikes could damage your equipment.

I saw a comparable small generator at a Big Lots store for $150. At first I was quite tempted. I researched the Big Lots "Pro Source" generators, and only came up with the fact they were sold at Big Lots. Big Lots does not have any service parts, so where are you going to get a new air filter when the time comes? (You may be lucky and find another brand's filter that can be cut to size with a pair of scissors.)

Perhaps it would serve as a toy to play with and then discard.

Fred
K4DII

From -7383290047853572938
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9

```
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 18 Dec 2006 16:25:25 -0600
Date: Mon, 18 Dec 2006 17:25:26 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
In-Reply-To: <12od946f9ts3d9e@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <s8OdnbvKHI_IiBrYnZ2dnUVZ_vrinZ2d@comcast.com>
Lines: 29
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-5dVJtPaSn6iPOuiG1Yl31UmaQ1/on/Jls+AoHJp2phEx7R7+JH6aMOV0Ot6jMkPF47+
+W4jRs/FXUWX!ZoS1nNKsLp66GCZD3RtHnabjYvaghC+qjUp8vVMu1S/rLytjE1/
mj3cYqsam6zEMv0E6w30XKK9+!fJES0rnpxQIgNPtxEBA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:23212
rec.radio.amateur.boatanchors:6786 rec.radio.amateur.equipment:7609
rec.radio.amateur.policy:59158

H. Adam stevens, NQ5H wrote:

> "Old Time Ham" <old_fart@curmudgeons.com> wrote in message
> news:wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com...
>
>>Slow Code wrote:
>>
>>>The 30 Steps below will help all No-Code Hams, it will also help you to
>>>find others just like yourself. These 30 steps should also be added to
>>>the
>>>present writtens.
>>>
>>
```

>>Hilarious! I am going to print these out and give them out at the next
>>Repeater Group meeting. (which I am forced to attend since it is also the
>>local RACES group meeting :-(
>
>
> This just occurred to me:
>
>
> No-coders can never be Silent Keys
>
> Just dead mikes
>

Oh! Now youve gone and done it! QST will have to change the title of one of their columns :-)

```
From -8674748364619076837
X-Google-Thread: 108122,9441222e37d7c03a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 18 Dec 2006 19:18:37 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>
<x9Ahh.2465$eb5.2399@newsreading01.news.tds.net>
Subject: Re: QRO vs. Command amplifiers
Date: Mon, 18 Dec 2006 19:18:36 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <IdSdnQRs9ORwoBrYnZ2dnUVZ_vGinZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-
rAgODqq0M7V4K49jf9Ym06axdyTid1gIl1604twEwSWfPDF2d1jjrO8AW4zMo2ETc1nPQpLQuvhMrO5!
gtqTsunkz/oTaes29Oyb8NnUG7APmi15Ms0itKUGf7hsctgzy7ZIg/gTVG/C8vYzcgBZUvkcgYr5!
MflhD2ZTm0l4N1TdhkM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7610
```

"John, N9JG" <john@Xremove.MeYgotwals.com> wrote in message

news:x9Ahh.2465$eb5.2399@newsreading01.news.tds.net...
> Since my original posting I have learned that the Commander HF-2500 uses
> Eimac 3CX800A7 triodes, whereas the QRO HF-2500DX uses Svetlana
> 4CX800A/GU746 tetrodes. Some sources have stated that the IMD figures for
> the Eimac triode in a grounded-grid configuration are better than the
> Svetlana GU746 tetrode in grounded cathode grid-driven mode.
>
>

John,

IF I remember the old web sites both companies had a few years ago --
shortly after the split --
one took the TRIODE route (Commander) the other (QRO) the TETRODE route.

The rest is amateur radio history!

gb

From -3720180404841375894
X-Google-Thread: 108122,26b58a001c13459a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!73g2000cwn.googlegroups.com!not-for-mail
From: "KC4UAI" <kc4uai@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A Portable Generator
Date: 18 Dec 2006 20:39:13 -0800
Organization: http://groups.google.com
Lines: 21
Message-ID: <1166503153.614142.207700@73g2000cwn.googlegroups.com>
References: <em5ql6$1jbu$1@agate.berkeley.edu>
NNTP-Posting-Host: 70.3.26.220
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1166503159 9027 127.0.0.1 (19 Dec 2006 04:39:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Dec 2006 04:39:19 +0000 (UTC)
In-Reply-To: <em5ql6$1jbu$1@agate.berkeley.edu>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 73g2000cwn.googlegroups.com; posting-host=70.3.26.220;
   posting-account=knMWMQ0AAACma615_DQioSE9uvOCZgOy
Xref: g2news2.google.com rec.radio.amateur.equipment:7611

David Snyder Hale wrote:

> I just came across an ad for these generators:
>
> http://www.portable-gas-generator.com/
>
> 1kW, $163
>
> Seems too cheap. I'm a big believer of "you get what you pay for" --
> generally. Has anyone any experience with these? Thought? Comments?
>

Don't have any first hand experience with these, but in general I can say that 1 KW is not much power. 2 Stroke motors also are noisy, not very fuel efficient, usually hard to start and are not very reliable. 2 Stroke motors are very light for the horsepower they produce through so I'll bet the whole thing is very light.

The price is attractive considering it's about 50% of the going rate for that size..

From 1384404316745O3552
X-Google-Thread: 108122,9441222e37d7c03a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QRO vs. Command amplifiers
Date: Tue, 19 Dec 2006 11:16:55 +0100
Lines: 41
Message-ID: <4upsgiF1972sdU1@mid.individual.net>
References: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>
<tqjdo2t6u3ntb9ms5oga1sltogdeis5fgv@4ax.com>
<3hAhh.2466$eb5.430@newsreading01.news.tds.net>
<kildo2p55c1pgmr80ao9hjb3ph9hckq407@4ax.com>
<8MAhh.2468$eb5.2141@newsreading01.news.tds.net>
X-Trace: individual.net vUdmfZ/Z1vES5TTaGY1jsgCV+Ihk4pKTJwAj4zxaBjvkvxUgLZ
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.equipment:7612

Jhon ,

Did you take a look to Acom-amps ??

I had the Acom 1000 and now the Acom 2000 with a lot of joy.
I made some nice pics of both amps and you can see them on my webpage :
http://www.pa3hgt.nl

```
--
Met vriendelijke groeten,

Hans Pluijgers

callsign : PA3HGT
http://www.pa3hgt.nl




> Seriously, thank you for your comments. I am not sure how
> soon I will move on getting an amplifier like this, but
> right now the HF-2000DX is at the top of my list. This
> amplifier got very good reviews in eHam.net.
> <X-rated Vermonter> wrote in message
> news:kildo2p55c1pgmr80ao9hjb3ph9hckq407@4ax.com...
>> On Mon, 18 Dec 2006 17:32:47 GMT, "John, N9JG"
>> <john@Xremove.MeYgotwals.com> wrote:
>>
>>>How do you prevent getting a hernia when you lift the
>>>amplifier onto the shelf above the desk?
>>>
>> +++++++
>> It stays on the desk.  If you want a lot of transformer,
>> the result is a lot of weight.  I might add that, while
>> the tune up process is a little different, this
>> amplifier has highly repeatable tune settings, so you
>> just keep a little cheat sheet to tell you the tune and
>> load positions for each band.





From -8694773372134138997
X-Google-Thread: 108122,d6458c42f082c369,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: "The Doctor, Who?" <kenwood1701@hotmail.com>
Organization: TARDIS, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  ICOM  IC-03AT, 220MHz HANDY TALKIE, QUICK CHARGER, SPEAKER MIC
Content-Type: multipart/alternative;
```

boundary="------------000602010308020302030109"
Lines: 39
Message-ID: <MlPhh.1365$lC5.1274@newsfe12.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiiekannfilpcpbbolnmjombchadepbcmneeoappennnphngbbbkbhmkfdpdaceccpdnnlbfckiehkcmilfhjnoidaakfnmeokdcobbmhclmfgedjlfmhgindeflifgphkdl
NNTP-Posting-Date: Tue, 19 Dec 2006 03:41:48 MST
Date: Tue, 19 Dec 2006 05:46:14 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7613

This is a multi-part message in MIME format.
--------------000602010308020302030109
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Posting this for a friend, take a look if you like...

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ssPageName=ADME:L:LCA:US:11&item=130060913573

73 and Seasons Greetings!

--------------000602010308020302030109
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial">Posting this for a friend, take a
look if you like...<br>
<br>
<a class="moz-txt-link-freetext" href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130060913573">http://cgi.ebay.com/ws/
eBayISAPI.dll?ViewItem&amp;ssPageName=ADME:L:LCA:US:11&amp;item=130060913573</
a><br>
<br>
<br>
73 and Seasons Greetings!<br>
<br>
<br>
</font></font>
</body>
</html>
```

```
--------------000602010308020302030109--


From -1151948139913852365
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!sn-xt-sjc-05!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "H. Adam stevens, NQ5H" <NQ5H@ARRL.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: Tue, 19 Dec 2006 06:54:07 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12ofo7g64hk5810@corp.supernews.com>
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<s8OdnbvKHI_IiBrYnZ2dnUVZ_vrinZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 38
Xref: g2news2.google.com rec.radio.amateur.antenna:23233
rec.radio.amateur.boatanchors:6789 rec.radio.amateur.equipment:7614
rec.radio.amateur.policy:59202


"Dave" <W1MCE@comcast.net> wrote in message
news:s8OdnbvKHI_IiBrYnZ2dnUVZ_vrinZ2d@comcast.com...
> H. Adam stevens, NQ5H wrote:
>
>> "Old Time Ham" <old_fart@curmudgeons.com> wrote in message
>> news:wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com...
>>
>>>Slow Code wrote:
>>>
>>>>The 30 Steps below will help all No-Code Hams, it will also help you to
>>>>find others just like yourself. These 30 steps should also be added to
>>>>the
>>>>present writtens.
>>>>
>>>
```

```
>>>Hilarious! I am going to print these out and give them out at the next
>>>Repeater Group meeting. (which I am forced to attend since it is also the
>>>local RACES group meeting :-(
>>
>>
>> This just occurred to me:
>>
>>
>> No-coders can never be Silent Keys
>>
>> Just dead mikes
>>
>
> Oh! Now youve gone and done it!  QST will have to change the title of one
> of their columns :-)
>

Oh good, a sense of humor. I was beginning to worry.
At least QCWA won't have to change anything for 25 years.
=]8*O





From -7649369026357088643
X-Google-Thread: 108122,9441222e37d7c03a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
newspeer.tds.net!216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-for-mail
From: "John, N9JG" <john@Xremove.MeYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
References: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>
<tqjdo2t6u3ntb9ms5oga1sltogdeis5fgv@4ax.com>
<3hAhh.2466$eb5.430@newsreading01.news.tds.net>
<kildo2p55c1pgmr80ao9hjb3ph9hckq407@4ax.com>
<8MAhh.2468$eb5.2141@newsreading01.news.tds.net>
<4upsgiF1972sdU1@mid.individual.net>
Subject: Re: QRO vs. Command amplifiers
Lines: 33
Organization: CLM ARRL
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <Z8Shh.2571$eb5.821@newsreading01.news.tds.net>
Date: Tue, 19 Dec 2006 13:52:57 GMT
NNTP-Posting-Host: 69.130.135.26
X-Complaints-To: news@tds.net
```

X-Trace: newsreading01.news.tds.net 1166536377 69.130.135.26 (Tue, 19 Dec 2006 07:52:57 CST)
NNTP-Posting-Date: Tue, 19 Dec 2006 07:52:57 CST
Xref: g2news2.google.com rec.radio.amateur.equipment:7615

Hans, thanks for the information. The Acom 2000 appears to be an advanced amplifier and has received vg reviews on eham.net. It is difficult to find pricing for this amplifier, but from what I can tell it is at least $1500 (USD) more than the QRO HF-2000DX. Of course the Acom 2000 has many additional features (and complexities).

BTW, you have a very interesting website.

73 - John, N9JG

"PA3HGT" <tiswathe@blabla.com> wrote in message
news:4upsgiF1972sdU1@mid.individual.net...
> Jhon ,
>
> Did you take a look to Acom-amps ??
>
> I had the Acom 1000 and now the Acom 2000 with a lot of joy.
> I made some nice pics of both amps and you can see them on my webpage :
> http://www.pa3hgt.nl
>
>
>
> --
> Met vriendelijke groeten,
>
> Hans Pluijgers
>
> callsign : PA3HGT
> http://www.pa3hgt.nl
>
[snip]

From -1075974971157443162
X-Google-Thread: 108122,9441222e37d7c03a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QRO vs. Command amplifiers
Date: Tue, 19 Dec 2006 15:02:23 +0100
Lines: 54
Message-ID: <4uq9n9F19g6v9U1@mid.individual.net>
References: <JUyhh.2461$eb5.1926@newsreading01.news.tds.net>

```
<tqjdo2t6u3ntb9ms5oga1sltogdeis5fgv@4ax.com>
<3hAhh.2466$eb5.430@newsreading01.news.tds.net>
<kildo2p55c1pgmr80ao9hjb3ph9hckq407@4ax.com>
<8MAhh.2468$eb5.2141@newsreading01.news.tds.net>
<4upsgiF1972sdU1@mid.individual.net>
<Z8Shh.2571$eb5.821@newsreading01.news.tds.net>
X-Trace: individual.net dStoLkGyElBH5g5lFpxCZwRqLq+TlYLsINKPTLOJVr7NaRDrUj
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.equipment:7616

Hello John,

Thank you very much for the compliment.
The website is only in dutch 'cause my english is not so good but a photo
says more then 1000 words i think.
Acom 2000 amps are rare too find on the second hand marked.
For more info ... ask your friend Google , HI.




--
Met vriendelijke groeten,

Hans Pluijgers

callsign : PA3HGT
http://www.pa3hgt.nl



> Hans, thanks for the information. The Acom 2000 appears
> to be an advanced amplifier and has received vg reviews
> on eham.net. It is difficult to find pricing for this
> amplifier, but from what I can tell it is at least $1500
> (USD) more than the QRO HF-2000DX. Of course the Acom
> 2000 has many additional features (and complexities).
> BTW, you have a very interesting website.
>
> 73 - John, N9JG
>
> "PA3HGT" <tiswathe@blabla.com> wrote in message
> news:4upsgiF1972sdU1@mid.individual.net...
>> Jhon ,
>>
>> Did you take a look to Acom-amps ??
>>
>> I had the Acom 1000 and now the Acom 2000 with a lot of
>> joy. I made some nice pics of both amps and you can see them
```

>> on my webpage : http://www.pa3hgt.nl
>>
>>
>>
>> --
>> Met vriendelijke groeten,
>>
>> Hans Pluijgers
>>
>> callsign : PA3HGT
>> http://www.pa3hgt.nl
>>
> [snip]

From -7949153595656910858
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 19 Dec 2006 09:32:25 -0600
From: "Bob Rinaldi w1cny" <w1cny@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
<wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
<12od946f9ts3d9e@corp.supernews.com>
<s8OdnbvKHI_IiBrYnZ2dnUVZ_vrinZ2d@comcast.com>
<12ofo7g64hk5810@corp.supernews.com>
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
Date: Tue, 19 Dec 2006 10:32:24 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
X-RFC2646: Format=Flowed; Response
Message-ID: <2ZCdnYcQFKaUmxXYnZ2dnUVZ_uOmnZ2d@comcast.com>
Lines: 46
NNTP-Posting-Host: 67.186.167.11
X-Trace: sv3-
lVq9SdjmhmzcLEqa4X1o1kWBq8vEkq1pGcYFID699KwbZbLloJXGi+uFkyuIFvv1r+lb+f/29j09XY3!
a39neqPSvYZc9xPEvlAPZg+ASrWcfLP3HQvMX/GZ4+yYASuOFwDQd749+MaghyqLCdaCNLpHjHqG!
Ai6CA5iTTw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:23238
rec.radio.amateur.boatanchors:6790 rec.radio.amateur.equipment:7617
rec.radio.amateur.policy:59205

I missed the 30 steps ! Would you send them again ?
Thanks,
Bob W1CNY

"H. Adam stevens, NQ5H" <NQ5H@ARRL.net> wrote in message
news:12ofo7g64hk5810@corp.supernews.com...
>
> "Dave" <W1MCE@comcast.net> wrote in message
> news:s8OdnbvKHI_IiBrYnZ2dnUVZ_vrinZ2d@comcast.com...
>> H. Adam stevens, NQ5H wrote:
>>
>>> "Old Time Ham" <old_fart@curmudgeons.com> wrote in message
>>> news:wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com...
>>>
>>>>Slow Code wrote:
>>>>
>>>>>The 30 Steps below will help all No-Code Hams, it will also help you to
>>>>>find others just like yourself. These 30 steps should also be added to
>>>>>the
>>>>>present writtens.
>>>>>
>>>>
>>>>Hilarious! I am going to print these out and give them out at the next
>>>>Repeater Group meeting. (which I am forced to attend since it is also
>>>>the local RACES group meeting :-(
>>>
>>>
>>> This just occurred to me:
>>>
>>>
>>> No-coders can never be Silent Keys
>>>
>>> Just dead mikes
>>>
>>
>> Oh! Now youve gone and done it! QST will have to change the title of one
>> of their columns :-)
>>
>
> Oh good, a sense of humor. I was beginning to worry.
> At least QCWA won't have to change anything for 25 years.
> =]8*O
>

```
From -6083197852759501488
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Thread: 114aac,124778295448c9fa,start
X-Google-Thread: 10bf43,124778295448c9fa,start
X-Google-Thread: 1009ad,124778295448c9fa,start
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!feeder.xsnews.nl!
193.201.147.84.MISMATCH!xlned.com!feeder1.xlned.com!posting1.xlned.com!
reader1.easynews.nl!not-for-mail
From: "KB7ADL" <my.mail@noway.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,alt.radio
.scanner
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
Subject: Re: FRS Radioes question
Date: Tue, 19 Dec 2006 11:47:13 -0500
Organization: http://www.rara.org/
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Lines: 28
Message-ID: <45881795$0$19247$6c4959f3@news.easynews.nl>
X-Comments: Posted via reader1.easynews.nl at EasyNews Usenet Service
NNTP-Posting-Date: 19 Dec 2006 16:47:17 GMT
NNTP-Posting-Host: 412726c4.news.easynews.nl
X-Trace: DXC=<BHQ:e5:D<N[NN0E9f[d]MS67<[Hj;
[^Fm3_F43NZacOI84e:nT1deMKbF1UHJ[<[@7WH^Z4m79=@3aAck;_4^LN^IWT5@NT1gJ
X-Complaints-To: abuse@n-o-s-p-a-m.easynews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7618
rec.radio.shortwave:61879 rec.radio.amateur.policy:59209 alt.radio.scanner:4063
```

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612101554350.10526@malasada.lava.net...

>I bought 2 of these tiny little FRS radioes so could keep in touch
> with wife when she takes her daily walks.   I called the FCC
> and asked them if any kind of license is required to use thses.
> They said certain chnls do require FCC license which costs $75 for
> a 1 year period. Chnls 1 thru 7 need this license also the
> higher chnls I believe was 16 to 20 also require FCC license.
> The others do not require any license or ID when used.
> So I set both hers and mine to chnl 12 (frs free useage chnl).
> These free chnls per docs have a range of up to 7 miles. The
> FCC licensed chnls with same unit have a range up to 14 miles.
> When my wife was trying to reach me from a shopping center about
> 10 miles away she did find a spot that worked. But next time
> we tried I Could'nt hear her well only a sylable or 2.

> She says after she tried 4 or 5 times, some one came up and
> said this is the "POLICE" do you need help!!! How in the heck
> does FCC get into the picture or better yet how does the FCC
> even monitor these FRS chnls. I thought they only monitor 911.
>   Joe
>
>
 Did it make you want to give your FRS a Botox facial? Try not to get any on
your echo mic.

From 2708163588415922588
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.deskmedia.com!
news.deskmedia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Dec 2006 20:55:58 -0600
Date: Sun, 10 Dec 2006 20:55:59 -0600
From: Steve Bonine <spb@pobox.com>
User-Agent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US; rv:1.7.13)
Gecko/20060414
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
<elbn62$tj4$1@gargoyle.oit.duke.edu>
In-Reply-To: <elbn62$tj4$1@gargoyle.oit.duke.edu>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ev2dnYxj58UjVeHYnZ2dnUVZ_s_inZ2d@deskmedia.com>
Lines: 10
NNTP-Posting-Host: 199.199.147.37
X-Trace: sv3-CPD7Z0goR/
Zas4qARghmbn9UIhH7i3Gh3i0QHstECJ2g68JVOYIGZp+la7COtfpK3q2nxuNdJv2omyw!
gXaGOvdWcrSJwGq3Zuzl02/zU5WAb9wIgGHwsTtn1gJB510p/91nVjfTvMWmW3wy9RdG2j41JlFV!
pxIwlfNr2iIaDO6oRhg=
X-Complaints-To: abuse@deskmedia.com
X-DMCA-Complaints-To: abuse@deskmedia.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7516

kuzen001@duke.edu wrote:

> So looking at those cheap clocks in the discount stores might

> bring you the same sort of deal. Good luck!

I have bought two flavors of WWV-synced clocks recently at the big box stores. One was a small unit (2-inch display) and the other was a large analog wall clock. Both of them work great, even though one is on an interior wall in the basement. I'm truly amazed that they can hear WWV and yet the cost was under $20.

From -7557625611592071799
X-Google-Thread: 108122,9dff59b9ea499b93,start
X-Google-Thread: 108228,9dff59b9ea499b93,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Dec 2006 21:00:17 -0600
Subject: FA: 5 Electronics/Computer Books: Electronics, Microprocessors, Linear Electronics, etc.
Date: Sun, 10 Dec 2006 22:00:17 -0500
From: Don <don@sdkjouopz.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <101220062200176004%don@sdkjouopz.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 75.67.222.203
X-Trace: sv3-tBzKkzO0VSDMJU/vum3lsszs6jtX+2EKOpq2SVWiXbXXOb2k12s5aVyd7SK0/0yrd4dq8JCkpR2KfOO!dgll4wKU3s33HcddSMGc9Nh58BHgDaZxQh/720xqlqiTHEffm2Ro+jX1VbgQ9gYVatpI8qmcQbtV!MoPOdyFFDi3vwpK9YIA=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7517 alt.ham-radio.marketplace:1621

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320060833059

From 2756426892702049231
X-Google-Thread: fcc6e,b9db178af858d921
X-Google-Thread: 108122,b9db178af858d921
X-Google-Thread: 107ada,ab45730c920bfe0b
X-Google-Thread: 10bf43,ab45730c920bfe0b
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: "tools" <tools@attwb.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <ITIeh.8315$sf5.1226@newsread4.news.pas.earthlink.net>
<_nVeh.2$sB6.103526@news.sisna.com>
<1P2fh.8655$tM1.6912@newsread1.news.pas.earthlink.net>
Subject: Re: CW is ham history. It's what binds us and makes us unique.
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <E34fh.25$TQ6.152725@news.sisna.com>
Date: Sun, 10 Dec 2006 21:15:40 -0600
NNTP-Posting-Host: 67.54.226.80
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1165806948 67.54.226.80 (Sun, 10 Dec 2006 20:15:48 MST)
NNTP-Posting-Date: Sun, 10 Dec 2006 20:15:48 MST
Organization: Internet News Service
X-Received-Date: Sun, 10 Dec 2006 20:15:48 MST (news.sisna.com)
Xref: g2news2.google.com rec.radio.amateur.antenna:22864
rec.radio.amateur.equipment:7518 rec.radio.amateur.misc:27032
rec.radio.amateur.policy:57512

"Slow Code" <my.mail@no.spam> wrote in message
news:1P2fh.8655$tM1.6912@newsread1.news.pas.earthlink.net...
> "Fools" <tools@attwb.net> wrote in news:_nVeh.2$sB6.103526@news.sisna.com:
>
>>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:ITIeh.8315$sf5.1226@newsread4.news.pas.earthlink.net...
>>>
>>> Just listen to CB if you want to know what HF will sound like after
>>> code is eliminated.   The very fact that you can run into people like
>>> Markie on HF should give you a clue as to how bad it can get.
>>>
>>> SC   I
>>> like CB and HF. HF will be fine without code. Why we might even hear
>>> more that contests, we might hear more than "CQ CQ CQ this is......
>>> Thanks for the answer,............CQ CQ CQ..... Why people might even
>>> TALK about news, life, help, opinion, why the people could even
>>> communicate all day long and easily understand each other. Oh, but the
>>> loss of that secrete club language, code, would hurt the club members
>>> sooooooo much. Ain't progress a bitch?
>

>
> It's not progress. Dumbing things down is a step backwards.
>

So, I guess you are a whiz at computer code too? If not, why are you here blathering to the world? Or do you not support high quality computer users? The computer can do so much more than radio, it need to keep the riff raff out. CQ CQ CQ

From 8199053855066240819
X-Google-Thread: 108122,c120b70963d20817
X-Google-Thread: 107ada,c0fe5066d3ac04e4
X-Google-Thread: 10bf43,c0fe5066d3ac04e4
X-Google-Thread: fa029,c120b70963d20817
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: "tools" <tools@attwb.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner
References: <NTIeh.8320$sf5.3900@newsread4.news.pas.earthlink.net> <XCYeh.4050$ja6.2601@tornado.ohiordc.rr.com> <eP2fh.8664$tM1.689@newsread1.news.pas.earthlink.net>
Subject: Re: I don't want to share HF with lazy asses or tards.
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <884fh.27$Mz6.24601@news.sisna.com>
Date: Sun, 10 Dec 2006 21:20:22 -0600
NNTP-Posting-Host: 67.54.226.80
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1165807236 67.54.226.80 (Sun, 10 Dec 2006 20:20:36 MST)
NNTP-Posting-Date: Sun, 10 Dec 2006 20:20:36 MST
Organization: Internet News Service
X-Received-Date: Sun, 10 Dec 2006 20:20:36 MST (news.sisna.com)
Xref: g2news2.google.com rec.radio.amateur.equipment:7519 rec.radio.amateur.misc:27034 rec.radio.amateur.policy:57516 rec.radio.scanner:8276

"Slow Code" <my.mail@no.spam> wrote in message news:eP2fh.8664$tM1.689@newsread1.news.pas.earthlink.net...
> JDB <me@here.now> wrote in
> news:XCYeh.4050$ja6.2601@tornado.ohiordc.rr.com:
>
>> I heard a bunch of them also. After doing research on QRZ it appears
>> they were all 20 WPM Extra Class hams.

>
>
> I heard that too. Some nickel ham came in on the frequency with his lid
> operating habits and pissed them off. What else were 20 wpm Extras to do
> but put that little turd in his proper place, and why you listening to the
> extra portions of the bands anyway. Go play with your model Choo-Choo
> trains.
>
>
>> Slow Code wrote:
>>
>>>
>>> I heard a few more on 20 meters. Looking on QRZ they were all nickel
>>> Generals. It was a bad idea to get rid of the 13 wpm speed
>>> requirement.
>>>
>>> SC

OH MY GAWD!!!!! SUCH MANLY MEN!!!

```
From -4706972948577043213
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!news-east.rr.com!news-
feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Message-ID: <457CD60C.3090405@nettally.com>
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRS Radioes question
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 65
Date: Mon, 11 Dec 2006 03:51:04 GMT
NNTP-Posting-Host: 70.121.227.31
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1165809064 70.121.227.31 (Sun, 10 Dec 2006
22:51:04 EST)
NNTP-Posting-Date: Sun, 10 Dec 2006 22:51:04 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7520
```

If the radios are plainly marked FRS on the model plate, they can be used on any of the frequencies without a license. If they are GMRS models, you need the license ($75) due to higher power. If they are GMR/FRS models you "may" not need license if the radios are used on FRS channels "and" the power is rerstricted to 1/2 watt ERP (About 2 watts output). I suspect yours are of the GMRS/FRS variety.

The range claims of the manufacturers are BOGUS. If they work for many blocks in an urban environment and about 2 miles over flat terrain, you are getting your moneys worth.

As far as the "POLICE". 1) If you are in Canada there is some overlap with GMRS and police on a couple of 25KHz spaced channels channels. 2) In the US some police departments installed GMRS base stations in past and even so with an FRS radio or properly licenses GMRS radio, you are free to use the channel, however. 3) You might want to change channels to avoid a dispute, simply because they have guns and hancuffs. 4) If your radio can operate on a GMRS repeater (transmit +5 MHz), you need an FCC license AND permission of the repeater operator to use their repeater.

What model do you have?

Joseph Fenn wrote:

> I bought 2 of these tiny little FRS radioes so could keep in touch
> with wife when she takes her daily walks.   I called the FCC
> and asked them if any kind of license is required to use thses.
> They said certain chnls do require FCC license which costs $75 for
> a 1 year period. Chnls 1 thru 7 need this license also the
> higher chnls I believe was 16 to 20 also require FCC license.
> The others do not require any license or ID when used.
> So I set both hers and mine to chnl 12 (frs free useage chnl).
> These free chnls per docs have a range of up to 7 miles. The
> FCC licensed chnls with same unit have a range up to 14 miles.
> When my wife was trying to reach me from a shopping center about
> 10 miles away she did find a spot that worked. But next time
> we tried I Could'nt hear her well only a sylable or 2.
> She says after she tried 4 or 5 times, some one came up and
> said this is the "POLICE" do you need help!!! How in the heck
> does FCC get into the picture or better yet how does the FCC
> even monitor these FRS chnls. I thought they only monitor 911.
>   Joe
>
>
> ***
>
> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG
> KH6JF *
> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps
> AACS   *
> ***
>
>
>

>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From -410512656198998623
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe16.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
Subject: Re: FRS Radioes question
Lines: 47
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <AI4fh.20923$ej3.8578@newsfe16.phx>
Date: Sun, 10 Dec 2006 19:59:28 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.phx 1165809568 72.197.12.245 (Sun, 10 Dec 2006 20:59:28 MST)
NNTP-Posting-Date: Sun, 10 Dec 2006 20:59:28 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7521
```

I think there is some confusion between FRS Radios and GMRS Radios and some
units cover both.

First read about FRS Radio From The FCC
http://wireless.fcc.gov/services/index.htm?job=service_home&id=family

Then read about GMRS Radios From The FCC
http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile

Then read about the dual service radios
http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile

Hope this helps
CL

```
"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612101554350.10526@malasada.lava.net...
>I bought 2 of these tiny little FRS radioes so could keep in touch
> with wife when she takes her daily walks.   I called the FCC
> and asked them if any kind of license is required to use thses.
> They said certain chnls do require FCC license which costs $75 for
> a 1 year period.  Chnls 1 thru 7 need this license also the
> higher chnls I believe was 16 to 20 also require FCC license.
> The others do not require any license or ID when used.
> So I set both hers and mine to chnl 12 (frs free useage chnl).
> These free chnls per docs have a range of up to 7 miles.  The
> FCC licensed chnls with same unit have a range up to 14 miles.
> When my wife was trying to reach me from a shopping center about
> 10 miles away she did find a spot that worked.  But next time
> we tried I Could'nt hear her well only a sylable or 2.
> She says after she tried 4 or 5 times, some one came up and
> said this is the "POLICE" do you need help!!!  How in the heck
> does FCC get into the picture or better yet how does the FCC
> even monitor these FRS chnls.  I thought they only monitor 911.
>                          Joe
>
>
> **************************************************************************
> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
> **************************************************************************
>
>
>




From -6610547472571701339
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-xxxfer.readnews.com!
news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRS Radioes question
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<457CD60C.3090405@nettally.com>
Organization: Your Company
Message-ID: <Xns9895CCD43722Bspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 11 Dec 2006 04:01:31 GMT
Lines: 94
NNTP-Posting-Host: 3b94f727.news.adtechcomputers.com
```

X-Trace: DXC=W;@o[SA?cjjFIGPAdlO[KogC4_A5:nI@a<<=aEgO;R8gbJcbRPijE4gIcb=C[\nF<cR?
X7U2a5ffgemfRC[RMj?oGX7R=>CCRmfQQA?@\:6^Tje==iBHW4cTl
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7522

Both Joseph Fenn, and CL responded with good information. That leaves me with nothing to add, except that so-called response from the "Police" was highly likely to be some jerk out there listening in with his own FRS radio. Just change channels to avoid such types.

Ed K7AAT

PS: J. Fenn, pretty nice credentials you have..... !

THE-RFI-EMI-GUY <rhyolite@nettally.com> wrote in
news:457CD60C.3090405@nettally.com:

> If the radios are plainly marked FRS on the model plate, they can be used on any of the frequencies without a license. If they are GMRS models, you need the license ($75) due to higher power. If they are GMR/FRS models you "may" not need license if the radios are used on FRS channels "and" the power is rerstricted to 1/2 watt ERP (About 2 watts output). I suspect yours are of the GMRS/FRS variety.
>
> The range claims of the manufacturers are BOGUS. If they work for many blocks in an urban environment and about 2 miles over flat terrain, you are getting your moneys worth.
>
> As far as the "POLICE". 1) If you are in Canada there is some overlap with GMRS and police on a couple of 25KHz spaced channels channels. 2) In the US some police departments installed GMRS base stations in past

> and even so with an FRS radio or properly licenses GMRS radio, you are
> free to use the channel, however. 3) You might want to change channels
> to avoid a dispute, simply because they have guns and hancuffs. 4) If
> your radio can operate on a GMRS repeater (transmit +5 MHz), you need
> an FCC license AND permission of the repeater operator to use their
> repeater.
>
> What model do you have?
>
> Joseph Fenn wrote:
>
>> I bought 2 of these tiny little FRS radioes so could keep in touch
>> with wife when she takes her daily walks.   I called the FCC
>> and asked them if any kind of license is required to use thses.
>> They said certain chnls do require FCC license which costs $75 for
>> a 1 year period. Chnls 1 thru 7 need this license also the
>> higher chnls I believe was 16 to 20 also require FCC license.
>> The others do not require any license or ID when used.
>> So I set both hers and mine to chnl 12 (frs free useage chnl).
>> These free chnls per docs have a range of up to 7 miles. The
>> FCC licensed chnls with same unit have a range up to 14 miles.
>> When my wife was trying to reach me from a shopping center about
>> 10 miles away she did find a spot that worked. But next time
>> we tried I Could'nt hear her well only a sylable or 2.
>> She says after she tried 4 or 5 times, some one came up and
>> said this is the "POLICE" do you need help!!! How in the heck
>> does FCC get into the picture or better yet how does the FCC
>> even monitor these FRS chnls. I thought they only monitor 911.
>>   Joe
>>
>>
>> **
>> ****
>>
>> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG
>> KH6JF *
>> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps
>> AACS   *
>> **
>> ****
>>
>>
>>
>>
>

From -2125314085054078910
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.kjsl.com!ncf.ca!

FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Date: 11 Dec 2006 04:21:24 GMT
Organization: The National Capital FreeNet
Lines: 23
Message-ID: <elimc4$r1$1@theodyn.ncf.ca>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
<elbn62$tj4$1@gargoyle.oit.duke.edu>
<ev2dnYxj58UjVeHYnZ2dnUVZ_s_inZ2d@deskmedia.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1165810884 865 134.117.136.48 (11 Dec 2006 04:21:24 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 11 Dec 2006 04:21:24 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7523

Steve Bonine (spb@pobox.com) writes:
> kuzen001@duke.edu wrote:
>
>> So looking at those cheap clocks in the discount stores might
>> bring you the same sort of deal. Good luck!
>
> I have bought two flavors of WWV-synced clocks recently at the big box
> stores. One was a small unit (2-inch display) and the other was a large
> analog wall clock. Both of them work great, even though one is on an
> interior wall in the basement. I'm truly amazed that they can hear WWV
> and yet the cost was under $20.

Likely because they aren't "WWV-synced".

While in the past there were some clocks that got the time in digital
format from WWV, the more recent wave of "atomic clocks" receive WWVB
at 60KHz. The low frequency allows for strong propagation throughout
much of the day, and penetration where higher frequencies might
get shielded out.

  Michael VE2BVW

From 3673361076534505764
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-01!sn-xt-sjc-07!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRS Radioes question

Date: Mon, 11 Dec 2006 05:05:57 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12npppl2dtdilf8@corp.supernews.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 52
Xref: g2news2.google.com rec.radio.amateur.equipment:7524

In article <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>,
Joseph Fenn <jfenn@lava.net> wrote:

>I bought 2 of these tiny little FRS radioes so could keep in touch
>with wife when she takes her daily walks.   I called the FCC
>and asked them if any kind of license is required to use thses.
>They said certain chnls do require FCC license which costs $75 for
>a 1 year period. Chnls 1 thru 7 need this license also the
>higher chnls I believe was 16 to 20 also require FCC license.
>The others do not require any license or ID when used.
>So I set both hers and mine to chnl 12 (frs free useage chnl).
>These free chnls per docs have a range of up to 7 miles. The
>FCC licensed chnls with same unit have a range up to 14 miles.

Sure... if you're up at 3000 feet on a mountaintop, with a clear view
to the mountaintop on which the other person is standing :-)

More commonly, in a city or in the woods, FRS radios will work
tolerably well for a quarter-mile or so, often to half a mile. Beyond
that, they're marginal to useless.

If you have a GMRS (license-required) radio, which actually puts out a
full 5 watts or so on the GMRS channels (and *very* few of the
dual-mode radios do) you might go a couple of miles in city terrain.
Most of the dual-mode radios have no more power on the GMRS
frequencies than on the FRS and shared frequencies.

Claims of 7 - 14 miles for these radios are sheer marketingbabble -
they're incredibly optimistic.

>When my wife was trying to reach me from a shopping center about
>10 miles away she did find a spot that worked. But next time
>we tried I Could'nt hear her well only a sylable or 2.
>She says after she tried 4 or 5 times, some one came up and
>said this is the "POLICE" do you need help!!! How in the heck
>does FCC get into the picture or better yet how does the FCC
>even monitor these FRS chnls. I thought they only monitor 911.

The FCC itself almost certainly was not monitoring.

It might have been the police. Or, it might have been someone from a
community emergency preparedness group (CERT, or perhaps REACT) who

was monitoring and who was willing to call the police on your wife's behalf. Might even have been an off-duty policeman who keeps an FRS radio around to speak with her husband :-)

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -5112300523360986728
X-Google-Thread: fcc6e,b9db178af858d921
X-Google-Thread: 108122,b9db178af858d921
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <noway@nowhow.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: CW is ham history. It's what binds us and makes us unique.
Date: Mon, 11 Dec 2006 06:56:23 -0800
Message-ID: <0bsqn2d5sj49qq9papksavh4rh4kiksv6g@4ax.com>
References: <ITIeh.8315$sf5.1226@newsread4.news.pas.earthlink.net>
<_nVeh.2$sB6.103526@news.sisna.com>
<1P2fh.8655$tM1.6912@newsread1.news.pas.earthlink.net>
<E34fh.25$TQ6.152725@news.sisna.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node148-61-52-66.1dial.com
X-Trace: newsfeed.slurp.net 1165836129 66.52.61.148 (11 Dec 2006 06:22:09 -0500)
Lines: 8
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 66.52.61.148
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out1.kabelfoon.nl!
newsfeed.kabelfoon.nl!bandi.nntp.kabelfoon.nl!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:22874
rec.radio.amateur.equipment:7525

Please folks, do not reply to these off topic posts.

If these idiots never get any replies, they will eventually give up and go away.

Thanks,

Bill, W6WRT

From 5998483392628027753
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!news3.google.com!news2.volia.net!
solnet.ch!solnet.ch!newsfeed.freenet.de!feeder.news-service.com!
216.196.110.148.MISMATCH!border1.nntp.ams.giganews.com!nntp.giganews.com!sn-xt-
ams-06!sn-xt-ams-04!sn-post-ams-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRS Radioes question
Date: Mon, 11 Dec 2006 10:32:41 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612111024300.19043@malasada.lava.net>
In-Reply-To: <457CD60C.3090405@nettally.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
 <457CD60C.3090405@nettally.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news2.google.com rec.radio.amateur.equipment:7526

This FRS set came in a 2 unit package on sale for 29.95 for 2 of em.
And the instructions were explicit.  I called the FCC at Washn
just to find out which chnls were restricted to fcc license and
which were not.   1 thru 7  do require FCC license for useage
and cost is $75.  8 thru 14 If I remember correctily were free use
no license required.   15 and up were also restricted to FCC
licensing.     I parked on 12 and have been useing it with no
no problems as long as range did'nt exceed about 10 miles.
Instructions said limit was 7 miles coverage for the free chnls.
For the FCC chnls the range is 14 miles and the ouput power is
more than the free ones.  My wife even on chnl-12 was calling
me but could'nt reach me from about12 miles away, but lo and behold
the Police answered her and asked if she was in trouble.  I had no
idea the 911 people scanned those freqs too, but apparently they
do.    Thats a plus far as I can see.
                           Joe Fenn


**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
**************************************************************************






From 6483743061993876062
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!
```

nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old fiend" <Mark@kb9rqz.apr>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<457CD60C.3090405@nettally.com>
<Pine.BSI.4.61.0612111024300.19043@malasada.lava.net>
Subject: Re: FRS Radioes question
Date: Mon, 11 Dec 2006 16:04:48 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 37
Message-ID: <457dbb27$0$15482$88260bb3@free.teranews.com>
NNTP-Posting-Date: 11 Dec 2006 20:10:15 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7527

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612111024300.19043@malasada.lava.net...
> This FRS set came in a 2 unit package on sale for 29.95 for 2 of em.
> And the instructions were explicit. I called the FCC at Washn
> just to find out which chnls were restricted to fcc license and
> which were not.   1 thru 7 do require FCC license for useage
> and cost is $75. 8 thru 14 If I remember correctily were free use
> no license required.   15 and up were also restricted to FCC
> licensing.   I parked on 12 and have been useing it with no
> no problems as long as range did'nt exceed about 10 miles.
> Instructions said limit was 7 miles coverage for the free chnls.
> For the FCC chnls the range is 14 miles and the ouput power is
> more than the free ones. My wife even on chnl-12 was calling
> me but could'nt reach me from about12 miles away, but lo and behold
> the Police answered her and asked if she was in trouble. I had no
> idea the 911 people scanned those freqs too, but apparently they
> do.   Thats a plus far as I can see.
>   Joe Fenn
>
>
> ***
> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS   *
> ***
with the punce gotcha he wonders why I simple don't bother to ty
impoving my spelling do u hav anyting cognet two say?

http://www.marksspamblog.blogspot.com/

>

>
>

--
Posted via a free Usenet account from http://www.teranews.com

From -8324813373863394871
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 11 Dec 2006 17:17:48 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<457CD60C.3090405@nettally.com>
<Pine.BSI.4.61.0612111024300.19043@malasada.lava.net>
Subject: Re: FRS Radioes question
Date: Mon, 11 Dec 2006 18:17:34 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <55-dndWiofmBeuDYnZ2dnUVZ_tyinZ2d@comcast.com>
Lines: 37
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-
tANxmfuqABns7gfpTU4F6dCf7uL6P8fKf24QU+LWcSSHppOIL8URxXUWTQDFi7z1mb2FlCm1GBHQ1Sd!
TkpXHjIb9h8rXFn68waSA5smbyV1IxWUTbuNi8Fdr8hAaeRmntPZ+k5Kf2zJPds5eBriR8r7ogD7!
gEpVw6pqZRm3asE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7528

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0612111024300.19043@malasada.lava.net...
> This FRS set came in a 2 unit package on sale for 29.95 for 2 of em.
> And the instructions were explicit. I called the FCC at Washn
> just to find out which chnls were restricted to fcc license and
> which were not.   1 thru 7 do require FCC license for useage
> and cost is $75. 8 thru 14 If I remember correctily were free use

> no license required.   15 and up were also restricted to FCC
> licensing.   I parked on 12 and have been useing it with no
> no problems as long as range did'nt exceed about 10 miles.
> Instructions said limit was 7 miles coverage for the free chnls.

The "limit" has nothing to do with whether it is free or licensed. It is strictly a function of physics, terrain, and power level. If you actually get 7 miles or more, you are incredibly lucky. Under normal conditions, one mile is more like it.

> For the FCC chnls the range is 14 miles and the ouput power is
> more than the free ones.

As stated above, the range doesn't depend on whether they require a license or not. Since more power is allowed on the GMRS channels, they will have a slightly greater range. Still though, unless there is a GMRS repeater (relay station) around, the nomal range is well below the touted 14 miles.

> My wife even on chnl-12 was calling
> me but could'nt reach me from about12 miles away, but lo and behold
> the Police answered her and asked if she was in trouble. I had no
> idea the 911 people scanned those freqs too, but apparently they
> do.   Thats a plus far as I can see.
>   Joe Fenn
>

Dee, N8UZE

```
From 2294507961694902773
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!
216.168.1.162.MISMATCH!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRS Radioes question
Date: Mon, 11 Dec 2006 13:56:51 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612111344330.13816@malasada.lava.net>
In-Reply-To: <457CD60C.3090405@nettally.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
 <457CD60C.3090405@nettally.com>
MIME-Version: 1.0
Content-Type: MULTIPART/MIXED; BOUNDARY="1465796871-1141366244-1165881411=:13816"
X-Complaints-To: abuse@supernews.com
Lines: 46
Xref: g2news2.google.com rec.radio.amateur.equipment:7529
```

```
  This message is in MIME format.  The first part should be readable text,
  while the remaining parts are likely unreadable without MIME-aware tools.

--1465796871-1141366244-1165881411=:13816
Content-Type: TEXT/PLAIN; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: QUOTED-PRINTABLE





>
> What model do you have?
>
> Joseph Fenn wrote:
>
>>=20
>>=20
>>=20
>
> --=20
> Joe Leikhim K4SAT
> "The RFI-EMI-GUY"=A9
>
> "Treason doth never prosper: what's the reason?
> For if it prosper, none dare call it treason."
>
> "Follow The Money"  ;-P
>
Joe says again,
I bought them (2) in a plastic pack on sale at radio shack
2 weeks ago and they said FRS.  $29.95 on their big sale day
last week Saturday.   I read the data sheet that came with them
and the ranges quoted are (for the free chnls) 7 miles.  Chnls 1 to 7.
and think chnls 15 on up are FCC license required. Fpr the Licensed
chnls the range is 14 miles.   I chose 12 and locked both units
to 12 which is free useage.   I still wonder how the 911 crew
at Hawaiian Telcom got into the act but they did.  So must be
they monitor even the license free chnls.  I can understand if
they somehow have a scanner working on the licensed chnls thats
a good idea for sure.  You got the ranges wrong.  Its
7 and 14.  I live on a hill and my wife did find a hot spot at
the huge Ala Moana center and we carried on a conversation for
a few minutes then quit.  Thats over 10 miles from home.
                                Joe

--1465796871-1141366244-1165881411=:13816--


From 2931384427694054997
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!
```

sn-xt-sjc-05!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRS Radioes question
Date: Mon, 11 Dec 2006 14:06:43 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612111358250.13816@malasada.lava.net>
In-Reply-To: <AI4fh.20923$ej3.8578@newsfe16.phx>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
 <AI4fh.20923$ej3.8578@newsfe16.phx>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 77
Xref: g2news2.google.com rec.radio.amateur.equipment:7530

Joe says again.   I did call the FCC before useing them. She
specifically stated the chnls 1-7 required the $75 dollar license!!!!
The free Chnl I was useing was chnl 12.   The ranges you quoted
are not same as the specs.   Free chnls range 7 miles. FCC licensed
chnls are double that 14 miles. I was able to get thru to the wife
on chnl 12 which is a free chnl although spotty. She had to roam
around on 3rd deck of the shopping center till found a spot and
we proceeded loud and clear long as she remained there.   I live
on a Hill and can see the entire coast of leeward Oahu from
Diamond Head to Barbers Pt. Thats why I was able to get thru with
7 watts (as quoted in the specs). The radio itself does'nt say
anyting about GMRS but does mention chnls 1-7 require FCC license.
How the Police 911 crew managed to hear the wife I dont know.
They came on and said this the Police (she got scared and ceased
any further transmissions).   Thats was on chnl 12 as I said
a no licnse required chnl.
                        Joe

```
**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
**************************************************************************
```

On Sun, 10 Dec 2006, Caveat Lector wrote:

> I think there is some confusion between FRS Radios and GMRS Radios and some
> units cover both.
>
> First read about FRS Radio From The FCC
> http://wireless.fcc.gov/services/index.htm?job=service_home&id=family
>
> Then read about GMRS Radios From The FCC

```
> http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile
>
> Then read about the dual service radios
> http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile
>
> Hope this helps
> CL
>
>
> "Joseph Fenn" <jfenn@lava.net> wrote in message
> news:Pine.BSI.4.61.0612101554350.10526@malasada.lava.net...
>> I bought 2 of these tiny little FRS radioes so could keep in touch
>> with wife when she takes her daily walks.   I called the FCC
>> and asked them if any kind of license is required to use thses.
>> They said certain chnls do require FCC license which costs $75 for
>> a 1 year period.  Chnls 1 thru 7 need this license also the
>> higher chnls I believe was 16 to 20 also require FCC license.
>> The others do not require any license or ID when used.
>> So I set both hers and mine to chnl 12 (frs free useage chnl).
>> These free chnls per docs have a range of up to 7 miles.  The
>> FCC licensed chnls with same unit have a range up to 14 miles.
>> When my wife was trying to reach me from a shopping center about
>> 10 miles away she did find a spot that worked.  But next time
>> we tried I Could'nt hear her well only a sylable or 2.
>> She says after she tried 4 or 5 times, some one came up and
>> said this is the "POLICE" do you need help!!!  How in the heck
>> does FCC get into the picture or better yet how does the FCC
>> even monitor these FRS chnls.  I thought they only monitor 911.
>>                         Joe
>>
>>
>> ****************************************************************************
>> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
>> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
>> ****************************************************************************
>>
>>
>>
>
>
>


From -1031332209039491958
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!sn-xt-ams-06!sn-xt-ams-03!sn-ams!
sn-feed-ams-01!sn-post-ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: FRS Radioes question
Date: Mon, 11 Dec 2006 14:11:04 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612111408030.13816@malasada.lava.net>
In-Reply-To: <Xns9895CCD43722Bspectrumhogstarbandn@198.186.192.196>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
 <457CD60C.3090405@nettally.com>
<Xns9895CCD43722Bspectrumhogstarbandn@198.186.192.196>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 111
Xref: g2news2.google.com rec.radio.amateur.equipment:7531

Thanks Ed,
I had'nt thoght of that but by golly your likely right on snoopers
trying to get into the act!  I'll tell the wife next time she hears
"this is the police" to reply "up yours"!!!!
                    Joe

**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
**************************************************************************




On Sun, 11 Dec 2006, Ed wrote:

>
>
>
>
>
>
>  Both Joseph Fenn,  and CL  responded with good information.  That
> leaves me with nothing to add,  except that so-called response from the
> "Police" was highly likely to be some jerk out there listening in with
> his own FRS radio.   Just change channels to avoid such types.
>
>  Ed  K7AAT
>
>
>   PS:  J. Fenn,   pretty nice credentials you have..... !
>
>
>
>
>
>
>
>
```

>
>
>
>
>
>
>
>
> **THE-RFI-EMI-GUY** <rhyolite@nettally.com> wrote in
> news:457CD60C.3090405@nettally.com:
>
>> If the radios are plainly marked FRS on the model plate, they can be
>> used on any of the frequencies without a license. If they are GMRS
>> models, you need the license ($75) due to higher power. If they are
>> GMR/FRS models you "may" not need license if the radios are used on
>> FRS channels "and" the power is rerstricted to 1/2 watt ERP (About 2
>> watts output). I suspect yours are of the GMRS/FRS variety.
>>
>> The range claims of the manufacturers are BOGUS. If they work for many
>> blocks in an urban environment and about 2 miles over flat terrain,
>> you are getting your moneys worth.
>>
>> As far as the "POLICE". 1) If you are in Canada there is some overlap
>> with GMRS and police on a couple of 25KHz spaced channels channels. 2)
>> In the US some police departments installed GMRS base stations in past
>> and even so with an FRS radio or properly licenses GMRS radio, you are
>> free to use the channel, however. 3) You might want to change channels
>> to avoid a dispute, simply because they have guns and hancuffs. 4) If
>> your radio can operate on a GMRS repeater (transmit +5 MHz), you need
>> an FCC license AND permission of the repeater operator to use their
>> repeater.
>>
>> What model do you have?
>>
>> Joseph Fenn wrote:
>>
>>> I bought 2 of these tiny little FRS radioes so could keep in touch
>>> with wife when she takes her daily walks.   I called the FCC
>>> and asked them if any kind of license is required to use thses.
>>> They said certain chnls do require FCC license which costs $75 for
>>> a 1 year period. Chnls 1 thru 7 need this license also the
>>> higher chnls I believe was 16 to 20 also require FCC license.
>>> The others do not require any license or ID when used.
>>> So I set both hers and mine to chnl 12 (frs free useage chnl).
>>> These free chnls per docs have a range of up to 7 miles. The
>>> FCC licensed chnls with same unit have a range up to 14 miles.
>>> When my wife was trying to reach me from a shopping center about
>>> 10 miles away she did find a spot that worked. But next time
>>> we tried I Could'nt hear her well only a sylable or 2.
>>> She says after she tried 4 or 5 times, some one came up and
>>> said this is the "POLICE" do you need help!!! How in the heck
>>> does FCC get into the picture or better yet how does the FCC
>>> even monitor these FRS chnls. I thought they only monitor 911.

```
>>>                         Joe
>>>
>>>
>>> **********************************************************************
>>> ****
>>>
>>> * Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG
>>> KH6JF *
>>> * WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps
>>> AACS      *
>>> **********************************************************************
>>> ****
>>>
>>>
>>>
>>>
>>
>
>


From -7640019110994474350
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-
sjc-02!sn-xt-sjc-06!sn-post-sjc-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Date: Mon, 11 Dec 2006 14:16:50 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612111412210.13816@malasada.lava.net>
In-Reply-To: <elimc4$r1$1@theodyn.ncf.ca>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
<elbn62$tj4$1@gargoyle.oit.duke.edu>
 <ev2dnYxj58UjVeHYnZ2dnUVZ_s_inZ2d@deskmedia.com> <elimc4$r1$1@theodyn.ncf.ca>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 46
Xref: g2news2.google.com rec.radio.amateur.equipment:7532
```

Well Dunno but I have 2 of the big ones digital also displays indoor and outdoor temp. They are fed by wwvh just one island away from me on Kauai.   I have no problem it stays locked right to the second. Once in a while the Kauai WWVH goes down on both 5 and 10 mhz for hours if not days. Then the 2 clocks loose it of course. WWV on the mainland is almost inaudible out here most of the time except if conditions are good the 15mhz sig comes thru fairly well and the clocks sync on it.

Joe

****
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS   *
****

On Sun, 11 Dec 2006, Michael Black wrote:

> Steve Bonine (spb@pobox.com) writes:
>> kuzen001@duke.edu wrote:
>>
>>> So looking at those cheap clocks in the discount stores might
>>> bring you the same sort of deal. Good luck!
>>
>> I have bought two flavors of WWV-synced clocks recently at the big box
>> stores. One was a small unit (2-inch display) and the other was a large
>> analog wall clock. Both of them work great, even though one is on an
>> interior wall in the basement. I'm truly amazed that they can hear WWV
>> and yet the cost was under $20.
>
> Likely because they aren't "WWV-synced".
>
> While in the past there were some clocks that got the time in digital
> format from WWV, the more recent wave of "atomic clocks" receive WWVB
> at 60KHz. The low frequency allows for strong propagation throughout
> much of the day, and penetration where higher frequencies might
> get shielded out.
>
> Michael VE2BVW
>
>
>

From 8249867949033749732
X-Google-Thread: 107ada,b6238c427c6706df,start
X-Google-Thread: 10bf43,b6238c427c6706df,start
X-Google-Thread: fcc6e,b6238c427c6706df,start
X-Google-Thread: 108122,b6238c427c6706df,start
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radi
o.amateur.equipment
Subject: You people still haven't told me why you're against skilled operators.

From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 3
Message-ID: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
Date: Tue, 12 Dec 2006 00:40:25 GMT
NNTP-Posting-Host: 4.254.225.94
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165884025 4.254.225.94 (Mon, 11 Dec 2006 16:40:25 PST)
NNTP-Posting-Date: Mon, 11 Dec 2006 16:40:25 PST
Xref: g2news2.google.com rec.radio.amateur.misc:27076
rec.radio.amateur.policy:57591 rec.radio.amateur.antenna:22913
rec.radio.amateur.equipment:7533

You're all jealous of me. Is that it?

SC

From 8166128789843674501
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: kookathon
Date: Mon, 11 Dec 2006 19:49:22 -0500
Message-ID: <c2vrn2d6f50tf42r8t9kluof14itanb246@4ax.com>
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
NNTP-Posting-Date: 11 Dec 2006 23:54:50 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.misc:27081
rec.radio.amateur.policy:57598 rec.radio.amateur.antenna:22916
rec.radio.amateur.equipment:7534

On Tue, 12 Dec 2006 00:40:25 GMT, Slow Code <my.mail@no.spam> wrote:
You people still haven't told me why you're against skilled operators.
>You're all jealous of me. Is that it?
>
>SC

no we don't answer because we wanted skilled knowledgeable op unlike
you who agrees that your own proposals will result i No operators

the question is why do you want to KILL the ARS?
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -4128202829156305344
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
Subject: Re: You people still haven't told me why you're against skilled
operators.
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <e3nfh.4288$GB1.1437@tornado.texas.rr.com>
Date: Tue, 12 Dec 2006 00:52:26 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1165884746 67.10.92.242 (Mon, 11 Dec 2006 18:52:26
CST)
NNTP-Posting-Date: Mon, 11 Dec 2006 18:52:26 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.misc:27082
rec.radio.amateur.policy:57599 rec.radio.amateur.antenna:22917
rec.radio.amateur.equipment:7535

"Slow Code" <my.mail@no.spam> wrote in message
news:ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net...
> You're all jealous of me. Is that it?
>
> SC

Nah, you're just an idiot.

```
From -4062128892449421228
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: 
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radi
o.amateur.equipment
Subject: kookathon
Date: Mon, 11 Dec 2006 19:53:57 -0500
Message-ID: <hcvrn2timt3ocfngtm50a1ec32qqag1fve@4ax.com>
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
<e3nfh.4288$GB1.1437@tornado.texas.rr.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Date: 11 Dec 2006 23:59:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.misc:27083
rec.radio.amateur.policy:57600 rec.radio.amateur.antenna:22918
rec.radio.amateur.equipment:7536

On Tue, 12 Dec 2006 00:52:26 GMT, "U-Know-Who" <no-one@nowhere.com>
wrote:

>
>"Slow Code" <my.mail@no.spam> wrote in message
>news:ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net...
>> You're all jealous of me. Is that it?
>>
>> SC
>
>Nah, you're just an idiot.
>
yes Tom he is that too
http://kb9rqz.blogspot.com/

--
```

Posted via a free Usenet account from http://www.teranews.com

```
From -4337383031046932152
X-Google-Thread: 108122,b93d37b46702fff5
X-Google-Thread: 10bf43,b93d37b46702fff5
X-Google-Thread: 106d41,8126e97322c699d6
X-Google-Thread: 1109af,cf59864f51b1318e
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe11.lga.POSTED!53ab2750!not-for-mail
From: The Doctor <jamesevens75@hotmail.com>
Organization: TARDIS, Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.swap
Subject: Re: FS: PL-259's, Silver Plated, Teflon, $2.00 each
References: <EYhch.66213$Vu4.39204@newsfe10.phx>
<0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net>
<gq4k4.q57.17.1@news.alt.net>
<1165196664.897492.294550@73g2000cwn.googlegroups.com>
In-Reply-To: <1165196664.897492.294550@73g2000cwn.googlegroups.com>
Content-Type: multipart/alternative;
 boundary="------------030009040405070608070901"
Lines: 77
Message-ID: <Uonfh.271$655.5@newsfe11.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddckannfilpcpbbolnmghbkdagpfcgpodepoappennnphngbbbkikfhmmpghgjkhhkcdg
anoabnlccbopbcffjdlppccacmcfebmjfkmajefnpghkojhgindeflifgphkdl
NNTP-Posting-Date: Mon, 11 Dec 2006 18:15:32 MST
Date: Mon, 11 Dec 2006 20:15:32 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7537
rec.radio.amateur.policy:57601 rec.radio.cb:23272 rec.radio.swap:10671

This is a multi-part message in MIME format.
--------------030009040405070608070901
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

Bret Ludwig wrote:

```
>A. G. Bell wrote:
>
>
>>"Slow Code" <my.mail@no.spam> wrote in message
>>news:0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net...
```

```
>>
>>
>>>"W6KRC" <W6KRC@ARRL.net> wrote in news:EYhch.66213$Vu4.39204@newsfe10.phx:
>>>
>>>
>>>
>>>>For Sale: PL-259's, UHF Male connectors, high quality, silver plated,
>>>>Teflon insulation, new, $2.00 each, unlimited quantity available, no
>>>>minimum order.
>>>>
>>>>
>
>
> The 239 sucks donkey dick. Real equipment tends to have BNC or N
>connectors and has for thirty or forty years.
>
>
>
239 ??  duh

--------------030009040405070608070901
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Bret Ludwig wrote:<br>
<blockquote
 cite="mid1165196664.897492.294550@73g2000cwn.googlegroups.com"
 type="cite">
  <pre wrap="">A. G. Bell wrote:
  </pre>
  <blockquote type="cite">
    <pre wrap="">"Slow Code" <a class="moz-txt-link-rfc2396E"
href="mailto:my.mail@no.spam">&lt;my.mail@no.spam&gt;</a> wrote in message
<a class="moz-txt-link-freetext"
href="news:0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net">news:0Zoch.6171$t
M1.3495@newsread1.news.pas.earthlink.net</a>...
    </pre>
    <blockquote type="cite">
      <pre wrap="">"W6KRC" <a class="moz-txt-link-rfc2396E"
href="mailto:W6KRC@ARRL.net">&lt;W6KRC@ARRL.net&gt;</a> wrote in <a class="moz-
txt-link-freetext"
href="news:EYhch.66213$Vu4.39204@newsfe10.phx:">news:EYhch.66213$Vu4.39204@newsfe1
0.phx:</a>

      </pre>
      <blockquote type="cite">
```

```
        <pre wrap="">For Sale: PL-259's, UHF Male connectors, high quality, silver
plated,
Teflon insulation, new, $2.00 each, unlimited quantity available, no
minimum order.
        </pre>
      </blockquote>
    </blockquote>
  </blockquote>
  <pre wrap=""><!---->

 The <b>239</b> sucks donkey dick. Real equipment tends to have BNC or N
connectors and has for thirty or forty years.

  </pre>
</blockquote>
<b><font size="+1"><font face="Arial">239 ??&nbsp; duh</font></font></b><br>
</body>
</html>

--------------030009040405070608070901--



From 5739751418587557565
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radi
o.amateur.equipment
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
<e3nfh.4288$GB1.1437@tornado.texas.rr.com>
<hcvrn2timt3ocfngtm50a1ec32qqag1fve@4ax.com>
Subject: Re: kookathon
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <4Xnfh.10013$qp1.5109@tornado.texas.rr.com>
Date: Tue, 12 Dec 2006 01:52:00 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1165888320 67.10.92.242 (Mon, 11 Dec 2006 19:52:00
CST)
```

```
NNTP-Posting-Date: Mon, 11 Dec 2006 19:52:00 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.misc:27085
rec.radio.amateur.policy:57603 rec.radio.amateur.antenna:22922
rec.radio.amateur.equipment:7538


<Mark@kb9rqz.aprs> wrote in message
news:hcvrn2timt3ocfngtm50a1ec32qqag1fve@4ax.com...
> On Tue, 12 Dec 2006 00:52:26 GMT, "U-Know-Who" <no-one@nowhere.com>
> wrote:
>
>>
>>"Slow Code" <my.mail@no.spam> wrote in message
>>news:ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net...
>>> You're all jealous of me. Is that it?
>>>
>>> SC
>>
>>Nah, you're just an idiot.
>>
> yes Tom he is that too
> http://kb9rqz.blogspot.com/
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>

Mark, please man, STFU! I don't need your approval or agreement. Just post
your drivel, and leave mine alone.




From -3397702084711223593
X-Google-Thread: fc2a5,ce153bacb0985428
X-Google-Thread: fc8b1,ce153bacb0985428
X-Google-Thread: 108122,ce153bacb0985428
X-Google-Thread: 111d0a,ce153bacb0985428
X-Google-Thread: 113975,ce153bacb0985428
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!uns-out.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!KNOLOGY.NET-a2kHrUvQQWlmc!not-for-mail
From: "amdx" <amdx@knology.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,sci.electronics.basics,sci.astro.amateur
References: <1165673325.215679.235050@73g2000cwn.googlegroups.com>
Subject: Re: SolderSmoke #43: LP Filters, Titan, Feedback amps, Return Loss
Bridges, "Gonzo Gizmos"
Date: Mon, 11 Dec 2006 20:44:07 -0600
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <33bf7$457e174e$45011502$15699@KNOLOGY.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 61
X-Trace: 33bf7457e174ee0a4b0a715699
Xref: g2news2.google.com rec.radio.amateur.homebrew:8208
rec.radio.amateur.boatanchors:6684 rec.radio.amateur.equipment:7539
sci.electronics.basics:30486 sci.astro.amateur:46629


<bill.meara@gmail.com> wrote in message
news:1165673325.215679.235050@73g2000cwn.googlegroups.com...
> SolderSmoke!
> A SHOW FOR ELECTRONICS HOMEBREWERS!
>
> http://www.soldersmoke.com
>
> Listen at: http://www.soldersmoke.com
>
> SolderSmoke    #43  December 9, 2006
> -- LP filters.
> -- Feedback on feedback (in amps).
> -- Return loss calc.
> -- Exploring Titan.
> -- London tornado.
> -- Maxwell's equations.
> -- TRS 80 Model 100.
> -- Name-that-Noise.
> -- Book: "Gonzo Gizmos."
> -- MAILBAG: AK9N, N2NLY, NR5A, Ramakrishnan
>
> Tired of listening to Led Zepplin or NPR on your
> I-Pod?   Wouldn't you like to be able to carry with
> you the kinds of ham radio conversations that you
> listen to while in your radio shack?
> Mike,  KL7R, in Juneau, Alaska, and Bill, M0HBR, in
> London, England meet regularly on the ECHOLINK system
> to discuss their homebrew radio projects.  We are
> making them available as PODCASTS.
>
> RSS FEED:  You can subscribe to the program, have
> them downloaded to your MP-3 player, and listen to
> them at your convenience. To subscribe, just cut and
> paste this URL into your I-poder (or similar)
> software.
> http://www.soldersmoke.com/soldersmoke.rss
>
> If you don't have an MP3 player you can just go to the
> site below and listen to the latest program (and
> earlier editions) using the audio software on your
> computer.
>
> http://www.soldersmoke.com
>
> All our programs are available here.
>
> We hope you enjoy the program.  Please send us
> feedback.
>
> 73 from London
> Bill M0HBR N2CQR CU2JL
> http://www.gadgeteer.us
>
  Hi Bill,
 I can't get this address to display anything.
> http://www.soldersmoke.com/soldersmoke.rss
I want to download to a mp3.
                                         Mike





From -4091762433422898517
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radi
o.amateur.equipment
Subject: Re: kookathon
Date: Mon, 11 Dec 2006 23:17:02 -0500
Message-ID: <g6bsn2p0ib41uunbm7df3rre1f0e3mon9c@4ax.com>
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
<e3nfh.4288$GB1.1437@tornado.texas.rr.com>
<hcvrn2timt3ocfngtm50a1ec32qqag1fve@4ax.com>
<4Xnfh.10013$qp1.5109@tornado.texas.rr.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 41
NNTP-Posting-Date: 12 Dec 2006 03:22:33 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.misc:27086
rec.radio.amateur.policy:57606 rec.radio.amateur.antenna:22932
rec.radio.amateur.equipment:7540

On Tue, 12 Dec 2006 01:52:00 GMT, "U-Know-Who" <no-one@nowhere.com>
wrote:

>
><Mark@kb9rqz.aprs> wrote in message
>news:hcvrn2timt3ocfngtm50a1ec32qqag1fve@4ax.com...
>> On Tue, 12 Dec 2006 00:52:26 GMT, "U-Know-Who" <no-one@nowhere.com>
>> wrote:
>>
>>>
>>>"Slow Code" <my.mail@no.spam> wrote in message
>>>news:ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net...
>>>> You're all jealous of me. Is that it?
>>>>
>>>> SC
>>>
>>>Nah, you're just an idiot.
>>>
>> yes Tom he is that too
>> http://kb9rqz.blogspot.com/
>>
>> --
>> Posted via a free Usenet account from http://www.teranews.com
>>
>
>Mark, please man, STFU!

no Tom and do you have the slughest idea how stupid you looks after a
couple of of issuing orders you can't back up
>I don't need your approval or agreement.

funny I still have never claimed you did


>Just post
>your drivel, and leave mine alone.

well I try to avoid posting drivel although SC et all do make that
rough interesting to see you admit you post drivel
>
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 2640336794329428506
X-Google-Thread: 108122,4c3e989b39865335,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!f1g2000cwa.googlegroups.com!not-for-
mail
From: "micman" <studioc@raremethod.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: 360 Systems ShortCut Editor as new Closed tonight!
Date: 12 Dec 2006 05:36:37 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1165930597.355122.61110@f1g2000cwa.googlegroups.com>
NNTP-Posting-Host: 209.89.159.213
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165930603 6682 127.0.0.1 (12 Dec 2006 13:36:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Dec 2006 13:36:43 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en) AppleWebKit/312.8.1
(KHTML, like Gecko) Safari/312.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f1g2000cwa.googlegroups.com; posting-host=209.89.159.213;
   posting-account=kxW4UgwAAADg4PwR2enmpAU_GAlrA2sO
Xref: g2news2.google.com rec.radio.amateur.equipment:7541

Up for grabs with a low reerve, see and bid at :
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=130056138758&ssPageName=ADME:L:DSS:US:11.
This unit is in new condition, purchased a year ago, and never put into
service.




From 86322964748424007
X-Google-Thread: 108122,bc4d6a956a9e0662,start
X-Google-Thread: fc8b1,bc4d6a956a9e0662,start
X-Google-Thread: 106d41,bc4d6a956a9e0662,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!73g2000cwn.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: No Bids @$10>E.F. JOHNSON 250-35 LOW-PASS FILTER for 72 OHMS>RARE!
Date: 12 Dec 2006 08:06:20 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1165939579.909293.323330@73g2000cwn.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165939585 29966 127.0.0.1 (12 Dec 2006 16:06:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Dec 2006 16:06:25 +0000 (UTC)
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 73g2000cwn.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:7542
rec.radio.amateur.boatanchors:6691 rec.radio.cb:23282

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220058715199&ssPageName=STRK:MESE:IT&ih=012



From -6666087844422513538
X-Google-Thread: 108122,479bf709315455b2,start
X-Google-Thread: fc8b1,479bf709315455b2,start
X-Google-Thread: 106d41,479bf709315455b2,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!73g2000cwn.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>12 NOS CINCH 7-PIN TUBE SOCKETS USA PHENOLIC 4 SHIELDS
Date: 12 Dec 2006 08:08:03 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1165939683.261296.4500@73g2000cwn.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165939689 30175 127.0.0.1 (12 Dec 2006 16:08:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Dec 2006 16:08:09 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 73g2000cwn.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:7543
rec.radio.amateur.boatanchors:6692 rec.radio.cb:23283

These are Stainless Steel>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220058715686&ssPageName=STRK:MESE:IT&ih=012



From -7093516648356566065
X-Google-Thread: 108122,7e14d79f6c140bac,start
X-Google-Thread: fc8b1,7e14d79f6c140bac,start
X-Google-Thread: 106d41,7e14d79f6c140bac,start
```

```
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n67g2000cwd.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>TWO(2) BRAND-NEW RCA RADIOTRON 872A RECTIFIER TUBES>USA
Date: 12 Dec 2006 08:09:02 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1165939742.103162.211310@n67g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165939748 17844 127.0.0.1 (12 Dec 2006 16:09:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Dec 2006 16:09:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: n67g2000cwd.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:7544
rec.radio.amateur.boatanchors:6693 rec.radio.cb:23284

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220058716658&ssPageName=STRK:MESE:IT&ih=012



From 4351553617497330450
X-Google-Thread: 108122,1cb7e18d44565482,start
X-Google-Thread: fc8b1,1cb7e18d44565482,start
X-Google-Thread: 106d41,1cb7e18d44565482,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!80g2000cwy.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>NOS LEWIS & KAUFMAN, Ltd. LOS GATOS 254 ELECTRON TUBE>RARE
Date: 12 Dec 2006 08:10:10 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1165939810.499059.167490@80g2000cwy.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165939816 30493 127.0.0.1 (12 Dec 2006 16:10:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Dec 2006 16:10:16 +0000 (UTC)
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 80g2000cwy.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:7545
rec.radio.amateur.boatanchors:6694 rec.radio.cb:23285
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220058716039&ssPageName=STRK:MESE:IT&ih=012

```
From -2509839701609717522
X-Google-Thread: 108122,b93d37b46702fff5
X-Google-Thread: 10bf43,b93d37b46702fff5
X-Google-Thread: 106d41,8126e97322c699d6
X-Google-Thread: 1109af,cf59864f51b1318e
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <noway@nowhow.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.swap
Subject: Re: FS: PL-259's, Silver Plated, Teflon, $2.00 each
Date: Tue, 12 Dec 2006 08:45:00 -0800
Message-ID: <c0ntn21jv14t0aqnqgn28rts2khuk6njcq@4ax.com>
References: <EYhch.66213$Vu4.39204@newsfe10.phx>
<0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net>
<gq4k4.q57.17.1@news.alt.net>
<1165196664.897492.294550@73g2000cwn.googlegroups.com>
<Uonfh.271$655.5@newsfe11.lga>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node98-61-52-66.1dial.com
X-Trace: newsfeed.slurp.net 1165929040 66.52.61.98 (12 Dec 2006 08:10:40 -0500)
Lines: 11
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 66.52.61.98
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!63.218.45.11!
nx02.iad01.newshosting.com!newshosting.com!news.alt.net!newsfeed.slurp.net!not-
for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:7546
rec.radio.amateur.policy:57633 rec.radio.cb:23286 rec.radio.swap:10676
```

ORIGINAL MESSAGE:

>> The 239 sucks donkey dick.

```
------------ REPLY FOLLOWS ------------

I wonder if that is a quote from The Proceedings of the IEEE?

Bill, W6WRT


From 760357633884990375
X-Google-Thread: 108122,80ea074de488cf0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted:JOHNSON VIKING 500 PLATE TRANS
Message-ID: <cn80o2hibp0673hd69ku6i54pkojcqkse3@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiiekannfilpcpbbolnmiddomfmhaobodaphllfjdfbijhjogphkajfcobocpeihfnehkc
ahmogepfcippmgpkklaoondfgkbgiglldieaakolkgbbkbollnekbclkhfkbie
NNTP-Posting-Date: Wed, 13 Dec 2006 08:57:38 MST
Organization: Optimum Online
Date: Wed, 13 Dec 2006 10:57:38 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7548

Wanted:JOHNSON VIKING 500 PLATE TRANS
 PLATE TRANS (T-302)
Must be in good working order.
Please leave price and phone number to call.
Home Number Here: 973-857-1195  NJ
ritchi50@optonline.net




From -5464787672921092939
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
out04a.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
```

<AI4fh.20923$ej3.8578@newsfe16.phx>
<Pine.BSI.4.61.0612111358250.13816@malasada.lava.net>
<Xns98972F0E9E2F4jlwsecure@207.115.17.102>
Subject: Re: FRS Radioes question
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <kqVfh.60426$lL6.54586@newsfe08.phx>
Date: Wed, 13 Dec 2006 07:58:08 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1166025488 72.197.12.245 (Wed, 13 Dec 2006 08:58:08 MST)
NNTP-Posting-Date: Wed, 13 Dec 2006 08:58:08 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7549

Geez folks -- there is NO license fee or requirement for an FRS Radio --
URL:
http://wireless.fcc.gov/services/index.htm?job=service_home&id=family

There is a fee and license required for GMRS Radios -- URL:
http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile

Why does this thread re appear over and over again ??

I suggest you determine what kind of radio you have -- perhaps it is a
FRS/GMRS Dual Service Radio

In which case read the FCC URL above.

A telephone verbal is useless. The FCC official web site is the straight
word.

"John" <jlwsecure-usenet6@yahoo.com> wrote in message
news:Xns98972F0E9E2F4jlwsecure@207.115.17.102...
> Joseph Fenn <jfenn@lava.net> wrote in
> news:Pine.BSI.4.61.0612111358250.13816@malasada.lava.net:
>
>> Joe says again.   I did call the FCC before useing them. She
>> specifically stated the chnls 1-7 required the $75 dollar license!!!!
>
>
> Actually, the license fee is $85 for 5 years. The fees went up from $80
> to
> $85 a month or two ago.
>
>

From 1346457868004163373
X-Google-Thread: fc2a5,ce153bacb0985428
X-Google-Thread: fc8b1,ce153bacb0985428
X-Google-Thread: 108122,ce153bacb0985428
X-Google-Thread: 111d0a,ce153bacb0985428
X-Google-Thread: 113975,ce153bacb0985428
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!KNOLOGY.NET-a2kHrUvQQWlmc!not-for-mail
From: "amdx" <amdx@knology.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,sci.electronics.basics,sci.astro.amateur
References: <1165673325.215679.235050@73g2000cwn.googlegroups.com>
Subject: Re: SolderSmoke #43: LP Filters, Titan, Feedback amps, Return Loss
Bridges, "Gonzo Gizmos"
Date: Wed, 13 Dec 2006 12:42:27 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <ef36$4580496b$45011502$17305@KNOLOGY.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 40
X-Trace: 0ef364580496be0a4b0a717305
Xref: g2news2.google.com rec.radio.amateur.homebrew:8229
rec.radio.amateur.boatanchors:6713 rec.radio.amateur.equipment:7550
sci.electronics.basics:30540 sci.astro.amateur:46792

<bill.meara@gmail.com> wrote in message
news:1165673325.215679.235050@73g2000cwn.googlegroups.com...
> SolderSmoke!
> A SHOW FOR ELECTRONICS HOMEBREWERS!
>
> http://www.soldersmoke.com
>
> Listen at: http://www.soldersmoke.com
>
> SolderSmoke   #43 December 9, 2006
> Tired of listening to Led Zepplin or NPR on your
> I-Pod?   Wouldn't you like to be able to carry with
> you the kinds of ham radio conversations that you
> listen to while in your radio shack?
> Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in
> London, England meet regularly on the ECHOLINK system
> to discuss their homebrew radio projects. We are

```
> making them available as PODCASTS.
>
> http://www.soldersmoke.com
>
> 73 from London
> Bill M0HBR N2CQR CU2JL
> http://www.gadgeteer.us
>
  Hey thanks, Bill
 I downloaded a few of your programs and installed them on a MP3 player.
My first attempt at such a thing, it all went smoothly, I listened to the
discusion
while on the treadmill and while working the weight machines this morning, I
enjoyed the conversation. I'll be adding more soon.
  I bought a cheapy MP3 player at FYE, hold on now, list price is $29.99, it
is on sale for $19.99 and has a $10.00 rebate. So the final cost is about
$10.00!
 Works fine but it is bare bones.
                              Thanks again for the feed,
                                                      Mike




From 5600510986534899062
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-sjc-01!
supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRS Radioes question
Date: Wed, 13 Dec 2006 10:10:47 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612131005350.16299@malasada.lava.net>
In-Reply-To: <Xns98972F0E9E2F4jlwsecure@207.115.17.102>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
 <AI4fh.20923$ej3.8578@newsfe16.phx>
<Pine.BSI.4.61.0612111358250.13816@malasada.lava.net>
 <Xns98972F0E9E2F4jlwsecure@207.115.17.102>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news2.google.com rec.radio.amateur.equipment:7551



*************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
```

****

On Wed, 13 Dec 2006, John wrote:

> Joseph Fenn <jfenn@lava.net> wrote in
> news:Pine.BSI.4.61.0612111358250.13816@malasada.lava.net:
>
>> Joe says again.   I did call the FCC before useing them. She
>> specifically stated the chnls 1-7 required the $75 dollar license!!!!
>
>
> Actually, the license fee is $85 for 5 years. The fees went up from $80 to
> $85 a month or two ago.
>

Well tnxfor that info. No way I was gonna use the FCC licensed chnls anyway. I settled on chnl 12.   works out pretty well. I had to take it back to Radio Shack, as the "SCAN" function skipped all the free (no license needed) chnls and did'nt know how to get it on a no license chnl like 12.   The girl figured out how to do it and once I got one unit set up on 12, then the other girl did a scan and it automatically locked onto unit 1 on chnls 12.   I live on a hill and was able to exceed the 7 mile limit ay about 5 miles but the wife had to go upstairs on top floor of the big shopping center to get a solid copy on me.

Joe

```
From 5858123830374579948
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FRS Radioes question
Date: Wed, 13 Dec 2006 10:14:10 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612131012200.16299@malasada.lava.net>
In-Reply-To: <kqVfh.60426$lL6.54586@newsfe08.phx>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
 <AI4fh.20923$ej3.8578@newsfe16.phx>
<Pine.BSI.4.61.0612111358250.13816@malasada.lava.net>
 <Xns98972F0E9E2F4jlwsecure@207.115.17.102> <kqVfh.60426$lL6.54586@newsfe08.phx>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 40
```

Xref: g2news2.google.com rec.radio.amateur.equipment:7552

On Wed, 13 Dec 2006, Caveat Lector wrote:

> Geez folks -- there is NO license fee or requirement for an FRS Radio --
> URL:
> http://wireless.fcc.gov/services/index.htm?job=service_home&id=family
>
> There is a fee and license required for GMRS Radios -- URL:
> http://wireless.fcc.gov/services/index.htm?job=service_home&id=general_mobile
>
> Why does this thread re appear over and over again ??
>
> I suggest you determine what kind of radio you have -- perhaps it is a
> FRS/GMRS Dual Service Radio
>
> In which case read the FCC URL above.
>
> A telephone verbal is useless. The FCC official web site is the straight
> word.
>
> "John" <jlwsecure-usenet6@yahoo.com> wrote in message
> news:Xns98972F0E9E2F4jlwsecure@207.115.17.102...
>> Joseph Fenn <jfenn@lava.net> wrote in
>> news:Pine.BSI.4.61.0612111358250.13816@malasada.lava.net:
>>
>>> Joe says again.   I did call the FCC before useing them. She
>>> specifically stated the chnls 1-7 required the $75 dollar license!!!!
>>
>>
>> Actually, the license fee is $85 for 5 years. The fees went up from $80
>> to
>> $85 a month or two ago.

Simple enuff. The instructions nor the radioes show anything on them
regarding GMRS or FRS.
Joe

From -6457852757714320241
X-Google-Thread: 108122,85a84459bed40112,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: 19" BLANK RACK PANELS, NOS & Used + stuff

```
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <yxZfh.485875$QZ1.210887@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 799d033e5403495e5490b49d213da44a
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1166042334
799d033e5403495e5490b49d213da44a (Wed, 13 Dec 2006 20:38:54 GMT)
NNTP-Posting-Date: Wed, 13 Dec 2006 20:38:54 GMT
Organization: AT&T Worldnet
Date: Wed, 13 Dec 2006 20:38:54 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7553
```

Have several new and used 19 inch blank rack panels + other stuff AND I
will have
a few smaller panels tomorrow that are pre-punched - i.e. used- check
back

Tnx for looking, heytubeguy

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

```
From -7425434444758624870
X-Google-Thread: 108122,61c0b996cad277a8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Yaesu FT-897D& FT-1000MP Any Version
Message-ID: <f9j3o2d58ecme9pj5q0gvplcfd2fv41mse@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhkannfilpcpbbolnmibnpnaihefiabmkdllfjdfbijhjogphkajfcobocpeihfnehpm
einjligljcpcpopkklaoondfgkbgigkgeebgnhhcmgelecmdgngjfkdegidppb
NNTP-Posting-Date: Thu, 14 Dec 2006 15:16:20 MST
Organization: Optimum Online
Date: Thu, 14 Dec 2006 17:16:21 -0500
```

Xref: g2news2.google.com rec.radio.amateur.equipment:7555

WTB: Yaesu FT-897D& FT-1000MP Any Version
Please leave price and phone number
through email.
ritchi50@optonline.net

From -8806746615084889357
X-Google-Thread: 108122,f0095f7b8521a86a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!b8289220!not-for-mail
Reply-To: "David Thompson" <thompson@mindspring.com>
From: "David Thompson" <thompson@mindspring.com>
Newsgroups: rec.radio.amateur.equipment
Subject: YS-60 Pilot lights out
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <uulgh.23$pQ3.15@newsread4.news.pas.earthlink.net>
Date: Thu, 14 Dec 2006 23:54:02 GMT
NNTP-Posting-Host: 4.154.97.222
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1166140442 4.154.97.222 (Thu, 14 Dec 2006 15:54:02 PST)
NNTP-Posting-Date: Thu, 14 Dec 2006 15:54:02 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7556

I just got a Yaesu YS-60 Watt meter that works as its supposed to but the pilot lights are out. With such a dark meter face (I have the Welz equavalent and its not as dark too) its hard to read.

I have a manual for the Welz which is mostly in Japanese
but it has a schematic.

I have two questions:

1. What are the pilot lights in the YS-60? I assume 12V but what current.
I also assume they are soldered in.

2.   Is it worthwhile to get a manual for the YS-60?

Thanks in advance for the help.

73 Dave K4JRB

```
From -7282908346835222898
X-Google-Thread: 108122,af5e5a2ccef7c060,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!187885e1!
not-for-mail
From: CB Nut <Not-a-real-email-address-55555554@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: CB radio section of the 1976 U.S. Radio Shack catalog now on-line for
viewing
Message-ID: <vv4fm293ldmmjp8oov6rpgsbeal2iie444@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Fri, 15 Dec 2006 13:53:35 GMT
NNTP-Posting-Host: 71.111.220.248
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1166190815 71.111.220.248 (Fri, 15 Dec 2006 08:53:35 EST)
NNTP-Posting-Date: Fri, 15 Dec 2006 08:53:35 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7557
```

CB radio section of the 1976 United States Radio Shack catalog now on-line for viewing. I left the picture scans large, so you can read the fine print.

http://www.shadowstorm.com/cb/Radio-Shack-1976-Catalog.html

Main web page at;

Night Ranger's Radio Communication Page
http://www.shadowstorm.com/cb/index.html

Enjoy!

Night Ranger

```
From 8556439402635959599
X-Google-Thread: 108122,db1902b6901cfd3e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe17.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
```

Newsgroups: rec.radio.amateur.equipment
Subject: FA HQ-180C/Noise Silencer/SP-600 Parts/More Vintage Gear
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.3028
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.3028
Message-ID: <0Pygh.43632$1J1.40029@newsfe17.lga>
Date: Fri, 15 Dec 2006 09:03:37 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe17.lga 1166195004 68.111.108.217 (Fri, 15 Dec 2006 08:03:24 MST)
NNTP-Posting-Date: Fri, 15 Dec 2006 08:03:24 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7558

Please see my auctions ending this weekend for a near Mint Hammarlund
HQ-180C with rare Noise Silencer, a clean HW-101 Station, plus many
Hammarlund SP-600-JX parts. See at:
http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZhugQ2daQ2dbug
Thanks, Charlie Hugg, K5MBX

From 2124749811810436751
X-Google-Thread: 108122,c350decc9bf9fa72
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!64.59.134.4.MISMATCH!pd7cy3no!shaw.ca!newscon04.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr23.news.prodigy.net.POSTED!def87e47!not-for-mail
Newsgroups: rec.radio.amateur.equipment,alt.radio.gmrs
Subject: Re: FRS Radioes question
From: John <jlwsecure-usenet6@yahoo.com>
References: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
<AI4fh.20923$ej3.8578@newsfe16.phx>
<Pine.BSI.4.61.0612111358250.13816@malasada.lava.net>
<Xns98972F0E9E2F4jlwsecure@207.115.17.102> <kqVfh.60426$lL6.54586@newsfe08.phx>
<Pine.BSI.4.61.0612131012200.16299@malasada.lava.net>
Message-ID: <Xns989A74C2B6E14jlwsecure@207.115.33.102>
User-Agent: Xnews/2006.08.05
X-Squid-Repellent: Disclaimer: All messages are purely personal opinion and may
not represent actual fact.
X-UIP: Supporting the Usenet Improvement Project
X-UIP2: Google and other flame infested domains auto-killfiled.
Reply-To: jlwsecure-usenet6@yahoo.com
Lines: 14
NNTP-Posting-Host: 70.237.112.40
X-Complaints-To: abuse@prodigy.net

```
X-Trace: newssvr23.news.prodigy.net 1166200111 ST000 70.237.112.40 (Fri, 15 Dec
2006 11:28:31 EST)
NNTP-Posting-Date: Fri, 15 Dec 2006 11:28:31 EST
Organization: AT&T http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@OPTMBRPXBZNVOPXAPZX@QUDO@HTHOCULF@^PGDTFOG[]FEK[WDXJHVKHGFFIZHBL@FX\NIOC@F
WYNV\DMNS[HTLIXX\^BUGBXLR@PB@\FKCLXSWAIDFOKG^MFT[GZN^NWY_GVLSRGDYY^AW_MS_RW]
[KBYZMADO@Y[ABPSPE_TA@LTLFXVTC@RJM
Date: Fri, 15 Dec 2006 11:28:40 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7559
```

Joseph Fenn <jfenn@lava.net> wrote in
news:Pine.BSI.4.61.0612131012200.16299@malasada.lava.net:

>
> Simple enuff. The instructions nor the radioes show anything on them
> regarding GMRS or FRS.

Sorry you had to go through all this. Your experiences are very common. The FCC is to blame for permitting GMRS to share FRS frequencies and allow type acceptance of these radios. Things should have been left the same, only allowing production of 14 channel FRS radios. Big business has to have its way and force these low quality radios on the public, and then conveniently confuse the customer about licensing requirements and realistic performance.

```
From 6224553140841501510
X-Google-Thread: f4535,8b024c2b071d3742,start
X-Google-Thread: 1109af,8b024c2b071d3742,start
X-Google-Thread: 108122,8b024c2b071d3742,start
X-Google-Attributes: gidf4535,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Fri, 15 Dec 2006 15:18:30 -0600
From: Help About <dev@null.com>
Newsgroups: rec.audio.tubes,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: Electronic items
Date: Fri, 15 Dec 2006 16:18:27 -0500
Message-ID: <4846o21to32qj9tguocls47invm1qahue0@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
X-Trace: sv3-
vBvYG2CWwBXWuBAtjxKmFiBhX3tVDDWvxXS7lEgOFXcoKptyGT8IqwzKOu6Bgy9t5ZzMGgvzAcaFrLk!
Oxs8Qzt+H/a6b5suCsHqyqVea7M61DE65GH7QSgV+9r4v0yqHG/x1kSTZfpsx7Gt56k5oI8=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.audio.tubes:21967 rec.radio.swap:10712
rec.radio.amateur.equipment:7560

For Auction: HAM AND ELECTRONIC ITEMS

Transformers, 200 Amp military relays, delay relays,
tubes, meter, TVI filter, high current 12V DC noise
filter etc. on eBay.

Please take a look at the listings under this link:

http://search.ebay.com/_W0QQsassZaf4kQQhtZ-1

From 6989413053838693075
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.154.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: You people still haven't told me why you're against skilled
operators.
Date: Fri, 15 Dec 2006 19:37:51 -0500
Message-ID: <7tf6o2d8e7359unqdk2g1mejbul00ppqvi@4ax.com>
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-37-41.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 2
X-Trace: 76fa545833fe07de7c94b12217
Xref: g2news2.google.com rec.radio.amateur.misc:27137
rec.radio.amateur.policy:58400 rec.radio.amateur.antenna:23089
rec.radio.amateur.equipment:7561

All you have established is that the amateur radio licensing
requirements should include a mental health test.

From 7687620171528390396
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
63.218.45.10!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!
roadrunner.com!not-for-mail
Date: Fri, 15 Dec 2006 21:55:32 -0500
From: "Liberals R. Intolerant" <liberalsrcrap@nospamgmail.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radi
o.amateur.equipment
Subject: Re: You people still haven't told me why you're against skilled
operators.
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
In-Reply-To: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <45836022$0$7700$4c368faf@roadrunner.com>
Organization: Road Runner High Speed Online http://www.rr.com
X-Complaints-To: abuse@rr.com
Xref: g2news2.google.com rec.radio.amateur.misc:27139
rec.radio.amateur.policy:58413 rec.radio.amateur.antenna:23093
rec.radio.amateur.equipment:7562

Skilled at what? I am skilled at PSK31, MFSK, SSTV, DigitalTV, Packet,
APRS, RTTY, Throb, Olivia, Domino, and even CW. So if an operator is
skilled in most modes, then they are a skilled operator. You don't have
to be skilled in all modes to be a skilled operator.

Blow Code

Slow Code wrote:
> You're all jealous of me. Is that it?
>
> SC

From 6533673404455914815
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc

```
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: "Ron" <anon@anon>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: A moment of silence my friends for a silent key.
Date: Sat, 16 Dec 2006 03:31:34 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 15
Message-ID: <ht0ea.irb.17.1@news.alt.net>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Xref: g2news2.google.com rec.radio.amateur.antenna:23099
rec.radio.amateur.equipment:7564 rec.radio.amateur.homebrew:8255
rec.radio.amateur.policy:58431
```

"Vince Fiscus, KB7ADL" <radiation17@bresnan.net> wrote in message
news:gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com...

> Ham radio died today.
>
> Sorry for all the brow beating, it won't be happening anymore.
>
> 73 de KB7ADL, AKA Slow Code

If this is not a forgery, and if you are indeed Slow Code, you will be missed.
Carry on, buddy.

```
From -4000710676088530296
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.net.POSTED!00eff025!not-for-
mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
```

Newsgroups: rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: You people still haven't told me why you're against skilled operators.
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net> <7tf6o2d8e7359unqdk2g1mejbul00ppqvi@4ax.com>
In-Reply-To: <7tf6o2d8e7359unqdk2g1mejbul00ppqvi@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <RSPgh.6084$Gr2.2099@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 70.245.67.156
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1166264881 ST000 70.245.67.156 (Sat, 16 Dec 2006 05:28:01 EST)
NNTP-Posting-Date: Sat, 16 Dec 2006 05:28:01 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: FKPO@MC@OXSYGTHZ^BCBNWX@RJ_XPDLMN@GZ_GYO^ZWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Sat, 16 Dec 2006 10:28:01 GMT
Xref: g2news2.google.com rec.radio.amateur.misc:27143 rec.radio.amateur.policy:58432 rec.radio.amateur.antenna:23105 rec.radio.amateur.equipment:7565

X-rated Vermonter wrote:
> All you have established is that the amateur radio licensing
> requirements should include a mental health test.

Requiring an IQ higher than a person's CW
speed would solve all the problems. :-)
--
73, Cecil http://www.w5dxp.com

From -5477698798821499436
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l12g2000cwl.googlegroups.com!not-for-mail
From: "Denny" <k8do@mailblocks.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy
Subject: Re: A moment of silence my friends for a silent key.
Date: 16 Dec 2006 05:20:32 -0800
Organization: http://groups.google.com

Lines: 8
Message-ID: <1166275232.743156.142490@l12g2000cwl.googlegroups.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
   <ht0ea.irb.17.1@news.alt.net>
NNTP-Posting-Host: 24.247.246.156
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1166275238 30546 127.0.0.1 (16 Dec 2006 13:20:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 16 Dec 2006 13:20:38 +0000 (UTC)
In-Reply-To: <ht0ea.irb.17.1@news.alt.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.8)
Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l12g2000cwl.googlegroups.com; posting-host=24.247.246.156;
   posting-account=GhrC0g0AAACdrABM-CDx8Fhs5lKJR5q2
Xref: g2news2.google.com rec.radio.amateur.antenna:23109
rec.radio.amateur.equipment:7566 rec.radio.amateur.homebrew:8256
rec.radio.amateur.policy:58434

Mr. SC... I agree with your premise that losing the code requirement
will operate to the detriment of ham radio in the long term...
I do not agree with your premise that continuous spamming of multiple
groups with garbage postings did anything except make you feel
important... Good riddance...

denny / k8do

From 2585102284963168448
X-Google-Thread: 107ada,b6238c427c6706df
X-Google-Thread: 10bf43,b6238c427c6706df
X-Google-Thread: fcc6e,b6238c427c6706df
X-Google-Thread: 108122,b6238c427c6706df
X-Google-Attributes: gid107ada,gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!79g2000cws.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radi
o.amateur.equipment
Subject: Re: You people still haven't told me why you're against skilled
operators.
Followup-To: rec.radio.amateur.policy,rec.radio.amateur.antenna
Date: 16 Dec 2006 05:38:44 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1166276324.003428.120870@79g2000cws.googlegroups.com>
References: <ZTmfh.8550$sf5.3400@newsread4.news.pas.earthlink.net>
   <7tf6o2d8e7359unqdk2g1mejbul00ppqvi@4ax.com>

```
   <RSPgh.6084$Gr2.2099@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 4.225.101.207
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1166276330 418 127.0.0.1 (16 Dec 2006 13:38:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 16 Dec 2006 13:38:50 +0000 (UTC)
In-Reply-To: <RSPgh.6084$Gr2.2099@newssvr21.news.prodigy.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000cws.googlegroups.com; posting-host=4.225.101.207;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.misc:27147
rec.radio.amateur.policy:58436 rec.radio.amateur.antenna:23110
rec.radio.amateur.equipment:7567



Cecil Moore wrote:
> X-rated Vermonter wrote:
> > All you have established is that the amateur radio licensing
> > requirements should include a mental health test.
>
> Requiring an IQ higher than a person's CW
> speed would solve all the problems. :-)
> --
> 73, Cecil  http://www.w5dxp.com

Cecil, you're too funny!  In my case that would only have to be six
(6)!!!




From -5211448412449378717
X-Google-Thread: fcc6e,2ae97e7b90a2c8dc
X-Google-Thread: 108122,2ae97e7b90a2c8dc
X-Google-Thread: fc2a5,2ae97e7b90a2c8dc
X-Google-Thread: 10bf43,2ae97e7b90a2c8dc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j72g2000cwa.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: A moment of silence my friends for a silent key.
Date: 16 Dec 2006 09:03:49 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1166288629.682362.273790@j72g2000cwa.googlegroups.com>
References: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
```

NNTP-Posting-Host: 4.224.231.92
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1166288636 29071 127.0.0.1 (16 Dec 2006 17:03:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 16 Dec 2006 17:03:56 +0000 (UTC)
In-Reply-To: <gaadnUExUrY-6x7YnZ2dnUVZ_oWdnZ2d@bresnan.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j72g2000cwa.googlegroups.com; posting-host=4.224.231.92;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.antenna:23119 rec.radio.amateur.equipment:7568 rec.radio.amateur.homebrew:8260 rec.radio.amateur.policy:58449

Vince Fiscus, KB7ADL wrote:
> Ham radio died today.
>
> Sorry for all the brow beating, it won't be happening anymore.
>
> 73 de KB7ADL, AKA Slow Code

Awww, c'mon Slow!

To use the vernacular of the left, "It was the Exam, stupid." The mode hasn't changed... hell, it hasn't changed since the 1840's! What needs to change is your attitude about how to entice folks into the Morse Code fold. Since the government stick is gone, you'll have to sell Morse Code on its merits. And here's one last hint, you'll attract more folks if you use sugar. Good Luck.

From -3000054900256173900
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps90.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
From: Panzer240 <panzer240@hotmail.com>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com> <4576AA0A.3F649999@theseminary.net>
Organization: QAR
Message-ID: <Xns9891A5AB26542fw190a8@199.185.223.74>
User-Agent: Xnews/5.04.25
X-Face: $&/X$V,"S*#uz+{oLU'^h)QCF*4h'r$f("jr/$#M!Dt&CR9(9ju%ntlWj$kN7S{)n^fK'VC L|TA8NouNwLeq~OD-&Y(=FdX+lD@%H%=7w-w*vaS79ke<Cs%n)'&dm#<Ktc6:_[FhYWae&YI/GLrpD ehoTc4x)+XNdGI`,T((uEs~&1n0_5C2\\e[i|I%|cN6:]L%b5(WS}IiFEkC"q

X-Antivirus: avast! (VPS 0654-0, 12/06/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 47
Date: Wed, 06 Dec 2006 20:17:10 GMT
NNTP-Posting-Host: 24.222.95.26
X-Trace: edtnps90 1165436230 24.222.95.26 (Wed, 06 Dec 2006 13:17:10 MST)
NNTP-Posting-Date: Wed, 06 Dec 2006 13:17:10 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:7464

Father Mike <fathermike@theseminary.net> wrote in news:4576AA0A.3F649999
@theseminary.net:

> Alan WA4SCA wrote:
>>
>> I have been looking for an "Atomic" clock which can be set to UTC time
>> for the shack. Since the update feature only works in North America,
>> most of them can only be set to the local time zones. The couple of
>> sales people I talked to didn't even understand the question. Any
>> first hand recommendations? (I have already looked at eHam.)
>>
>> --
>> Alan
>> WA4SCA
>
> Hi Alan. look up LA Crosse on the web. i got mine a couple years back
> from Universal in Ohio. best price at that time. also my favorite
> shortwave shop. and, for your computer, google -alpha clock-. great
> little
> free program, small foot print.
>
> Father Michael.

Fow Windows XP, this is already built in to the OS. If you double click on the time down in the lower right hand corner of your screen, you will get a Date and Time Properties window to open. Click on the Internet Time tab. Here you can set which time server your computer checks with to get the time. By default it is set to time.windows.com, but you can set it to most any time server. The one I use is time.nist.gov This is the same standard the WWV uses and is also used by those "Atomic Time" clocks on one frequency or another. usually the LF one.

The default check interval is, if memory serves, once a week. But you can change this by doing a simple regedit. Goto Start-->Run and type regedit in the command box. Once regedit starts, navigate to HKEY_LOCAL_MACHINE \SYSTEM\ControlSet001\Services \W32Time\TimeProviders\NtpClient, then select SpecialPollInterval. Right click on it and select Modify and change decimal value from 604800 to some other value in seconds. e.g. I have mine set to 10800 which is 3 hours. This keeps my computer running to much less than one second error and is more than enough for me :D

Hope it helps

```
--
Panzer



From 2444252270233224533
X-Google-Thread: 10c2ee,cded5599eb1b1d23
X-Google-Thread: 108122,cded5599eb1b1d23
X-Google-Thread: fc8b1,cded5599eb1b1d23
X-Google-Attributes: gid10c2ee,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <45772BD5.6FD1F27E@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: FA: Big $23>RARE HALLICRAFTERS HT-2A "VILLAGE RADIO">VIET-NAM, NEW!
References: <1165420391.063331.7950@f1g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Wed, 06 Dec 2006 20:46:15 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165437975 24.110.34.161 (Wed, 06 Dec
2006 12:46:15 PST)
NNTP-Posting-Date: Wed, 06 Dec 2006 12:46:15 PST
Xref: g2news2.google.com rec.antiques.radio+phono:40191
rec.radio.amateur.equipment:7465 rec.radio.amateur.boatanchors:6608

rich wrote:
>
> Last one went for $2


   So?  WTH does this cross poted spam have to do with antique radios?


--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida
```

From -7613404404680606145
X-Google-Thread: 10c2ee,5488668f3180529e
X-Google-Thread: 108122,5488668f3180529e
X-Google-Thread: fc8b1,5488668f3180529e
X-Google-Attributes: gid10c2ee,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <45772C11.C9BA1059@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: @$16>PAIR(2) NOS RCA 826 RF POWER TRIODES for GONSET VHF AMP
References: <1165420535.669690.295350@j44g2000cwa.googlegroups.com>
<ReCdh.7854$wc5.2470@newssvr25.news.prodigy.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
Date: Wed, 06 Dec 2006 20:47:14 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165438034 24.110.34.161 (Wed, 06 Dec
2006 12:47:14 PST)
NNTP-Posting-Date: Wed, 06 Dec 2006 12:47:14 PST
Xref: g2news2.google.com rec.antiques.radio+phono:40192
rec.radio.amateur.equipment:7466 rec.radio.amateur.boatanchors:6609

L Ron Hubbub wrote:
>
> The only thing worse than Ebay ads in this newsgroup
> are Ebay ads with campy MIDI music !!!!!!!!!!
> ARGH!!!!!!!!!!!!!!

What else do you expect from a professional ebay spammer?

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 6396080280093049460
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <mfden2l9doomrp1cgq5o9hs079r9ohhfc3@4ax.com>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
<4576AA0A.3F649999@theseminary.net> <Xns9891A5AB26542fw190a8@199.185.223.74>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: ab2da61b09a84f99f290c41334470a0d
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1165440559
ab2da61b09a84f99f290c41334470a0d (Wed, 06 Dec 2006 21:29:19 GMT)
NNTP-Posting-Date: Wed, 06 Dec 2006 21:29:19 GMT
Date: Wed, 06 Dec 2006 21:29:19 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7467

Panzer,

Thanks for the effort, but I was looking for a completely separate
clock, not a computer program. I already have several of those!

--
Alan
WA4SCA

From -8537369293324598626
X-Google-Thread: 108122,5383e341ddbcd50b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pghconnect.com!
news.pghconnect.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 06 Dec 2006 16:46:07 -0600
From: "John Crane" <john_crane_97 at yahoo dot com>
Newsgroups: rec.radio.amateur.equipment
Subject: Heath SB-101 and 102 differences?
Date: Wed, 6 Dec 2006 16:46:09 -0600
X-Priority: 3
X-MSMail-Priority: Normal

X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <cbGdnedPebOy1erYnZ2dnUVZ_oernZ2d@pghconnect.com>
Lines: 4
NNTP-Posting-Host: 72.177.139.119
X-Trace: sv3-A0ufay1IboPUENkP+ja1GDvhihC31/TE7817oxMR6sTUpCvQjQXf/
mIUKj87LIA0Fd1T8Ngz0MgriBl!fbtuNvE7ApnOL/RNpwOy/3jVpZ5CmB/
s7WrEdi6wSuFUIDgpeH6ycZW3L6UEJ4lMy7sa8TFHb08k!FsQ00RqN39q62yDKcQi5qkk7gKHU
X-Complaints-To: abuse@globalpops.com
X-DMCA-Complaints-To: abuse@globalpops.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7468

I haven't found it on the net, but I'm sure someone knows -- what are the
basic differences between the Heatkit SB-101 and the 102?

From -8582523792318373869
X-Google-Thread: 108122,5383e341ddbcd50b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <cbGdnedPebOy1erYnZ2dnUVZ_oernZ2d@pghconnect.com>
Subject: Re: Heath SB-101 and 102 differences?
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <9UHdh.7295$sf5.3284@newsread4.news.pas.earthlink.net>
Date: Wed, 06 Dec 2006 22:56:05 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165445765 24.225.35.108 (Wed, 06 Dec
2006 14:56:05 PST)
NNTP-Posting-Date: Wed, 06 Dec 2006 14:56:05 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7469

Two main differances are the 102 has a transistor VFO (think Heath called it
a LMO) instead of a tube and the RF amp for the receiver is a differant
tube to give a little more sensitivity for 15 and 10 meters.

I think the 102 has an extra connector in the back for the transverters but not too sure about that.

"John Crane" <john_crane_97 at yahoo dot com> wrote in message
news:cbGdnedPebOy1erYnZ2dnUVZ_oernZ2d@pghconnect.com...
>I haven't found it on the net, but I'm sure someone knows -- what are the
>basic differences between the Heatkit SB-101 and the 102?
>

From -1128209326191185120
X-Google-Thread: 10d31e,1b75939abe27ba0c
X-Google-Thread: 1048f0,1b75939abe27ba0c
X-Google-Thread: 108122,1b75939abe27ba0c
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!123.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <457753B7.559B1615@cac.net>
Date: Wed, 06 Dec 2006 18:35:19 -0500
From: philthy <dbrider@cac.net>
X-Mailer: Mozilla 4.7 [en]C-{C-UDP; CRYSLER} (WinNT; I)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
Subject: Re: Liberty CRD Diesel '06: Interference with 2m radio transmissions
References: <1165174678.935878.226720@79g2000cws.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 18
X-Trace: dc5c4457753b27d4fdefe30671
Xref: g2news2.google.com rec.autos.makers.jeep+willys:32117 rec.autos.makers.chrysler:18364 rec.radio.amateur.equipment:7470

a ground from the battery is the best way to eliminate that type of noise

K7AAY wrote:

> With a Yaesu VX-5 powered from a Radio Shack car cord attached to the
> console cigar lighter socket, I get rapidly repeating noise likened by
> others to spark plug noise; but, no spark plugs on a diesel. Removing
> the card cord and transmitting on battery eliminates the problem.
>
> I'm about to switch from the VX-5 HT to a Kenwood TM-V7A; how may I
> avoid this problem when installing the mobile transceiver.

>
> Thank you in advance for your on-topic suggestions.
>
> 73s & best regards,
>
> K7AAY

From 8075787427007079986
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
38.119.100.148.MISMATCH!news-out2.newsfeeds.com!local!news.eskimo.com!eskimo.com!
not-for-mail
From: "tony j. podrasky" <hunybuny@eskimo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Date: Wed, 06 Dec 2006 21:44:26 -0800
Organization: Eskimo North www.eskimo.com (800) 246-6874
Lines: 33
Message-ID: <el89nt$rep$1@eskinews.eskimo.com>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
<4576EF7C.7090804@sbcglobal.net>
NNTP-Posting-Host: dialport41.west.eskimo.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: eskinews.eskimo.com 1165470269 28121 67.136.137.138 (7 Dec 2006 05:44:29
GMT)
X-Complaints-To: abuse@eskimo.com
NNTP-Posting-Date: 7 Dec 2006 05:44:29 GMT
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.13) Gecko/20060417
X-Accept-Language: en-us, en
In-Reply-To: <4576EF7C.7090804@sbcglobal.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:7471

Hi Alan;

I have a desktop Atomic Clock that can do UTC as well
as other time zones.

It has a data port on it so you can connect it to your
PC and pull in the time from it.

It comes with a MS-compatable program, plus I wrote one
for Linux.

I'm considering selling it (I have 2 of them) at $200.oo

If you're interested let me know and I'll give you more information on it.

73,
W6ESE - tony
NNNNZCZC

> Alan WA4SCA wrote:
>
>> I have been looking for an "Atomic" clock which can be set to UTC time
>> for the shack. Since the update feature only works in North America,
>> most of them can only be set to the local time zones. The couple of
>> sales people I talked to didn't even understand the question. Any
>> first hand recommendations? (I have already looked at eHam.)
>>
>>
>> --
>> Alan
>> WA4SCA
>

From 2005106769743146369
X-Google-Thread: 108122,5383e341ddbcd50b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!gail.ripco.com!news.eskimo.com!eskimo.com!not-for-mail
From: "tony j. podrasky" <hunybuny@eskimo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heath SB-101 and 102 differences?
Date: Wed, 06 Dec 2006 21:47:37 -0800
Organization: Eskimo North www.eskimo.com (800) 246-6874
Lines: 20
Message-ID: <el89tq$rg5$1@eskinews.eskimo.com>
References: <cbGdnedPebOy1erYnZ2dnUVZ_oernZ2d@pghconnect.com>
NNTP-Posting-Host: dialport41.west.eskimo.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: eskinews.eskimo.com 1165470458 28165 67.136.137.138 (7 Dec 2006 05:47:38 GMT)
X-Complaints-To: abuse@eskimo.com
NNTP-Posting-Date: 7 Dec 2006 05:47:38 GMT
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.13) Gecko/20060417
X-Accept-Language: en-us, en
In-Reply-To: <cbGdnedPebOy1erYnZ2dnUVZ_oernZ2d@pghconnect.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:7472

Hi John;

Definitely: the SB-102 has a solid state LMO. The SB-101 a tube.

As I Recall: a change in a couple of the receiving tubes and resistor values.

Nothing Earth-shattering took place.

Still my favorite rig of all times.

73,
W6ESE - tony
NNNNZCZC

John Crane wrote:
> I haven't found it on the net, but I'm sure someone knows -- what are the
> basic differences between the Heatkit SB-101 and the 102?
>
>

From -8174237890944683309
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!
nx02.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Date: Wed, 6 Dec 2006 22:25:26 -0800
Message-ID: <MPG.1fe153b45962f0119896e7@192.168.42.197>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 38
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7473

In article <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>,
APBIDDLE@UNITED.NET (known to some as Alan WA4SCA) scribed...

> I have been looking for an "Atomic" clock which can be set to UTC time
> for the shack. Since the update feature only works in North America,
> most of them can only be set to the local time zones. The couple of
> sales people I talked to didn't even understand the question. Any
> first hand recommendations? (I have already looked at eHam.)

May as well put in my $0.02 worth.

Last year, at a local ham swap meet, I bought a Trak Systems GPS station clock. Extremely well-built 1U rackmount package, doubles as a very stable frequency standard, and puts out an IRIG-B timecode stream as well so you can drive slave displays with it if you want.

Initial cost: $75 as a "tech special." Put a couple of hours into it for troubleshooting, and found the problem to be a bad firmware EPROM. Got the last release of firmware files from the manufacturer, made new EPROMs, and had a multi-thousand $$ GPS clock to call my own for about $120 total (counting time and parts).

There are other surplus clocks Out There. Some are more expensive than others. Datum and TrueTime (both now owned by Symmetricom), as well as Odetics (out of business) made numerous GPS-referenced clocks. Most are rack-mounted, most can be set either for GMT or local, and I've yet to see one in its class that didn't have a timecode output as well.

Prices vary from what I paid to $300 and up.

Happy hunting.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From 4294481458749855859
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!61.88.178.82.MISMATCH!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
From: "Andrew" <spammerssuck@ihatespam.com>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco>
<456fc9ad$0$9775$afc38c87@news.optusnet.com.au>
<pan.2006.12.04.02.00.37.838167@jesco>
Subject: Re: Any Motorola techs in here?
Date: Thu, 7 Dec 2006 21:25:32 +1100
X-Priority: 3

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 90
Message-ID: <4577ec1e$0$5745$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 211.30.201.238
X-Trace: 1165487135  5745 211.30.201.238
Xref: g2news2.google.com aus.radio.amateur.misc:5691 aus.radio.cb:3010
aus.radio.scanner:4944 rec.radio.amateur.equipment:7474
```

Not a problem, I hate usenet as no one shows any respect for each other.
take a look at the shit that goes in within this newsgroup

I generally use usenet or a forum when I want to find an answer, not post a
question and get a shitload of smart ass responses

I know i'm going to get flammed for saying this but I don't give a fuck

Andrew

```
"Jesco White" <no.m@il.as.yet.net> wrote in message
news:pan.2006.12.04.02.00.37.838167@jesco...
> On Fri, 01 Dec 2006 17:20:25 +1100, Andrew saiyd:
>
>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>> news:pan.2006.12.01.01.30.53.23141@jesco...
>>> On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:
>>>
>>>> Akmed wrote:
>>>>> Jesco White wrote:
>>>>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>>>>
>>>>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>>>>> G'day,
>>>>>>>>
>>>>>>>> Looking for specs on this amplifier:
>>>>>>>>
>>>>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>>>>
>>>>>>>> Don't know much at this stage, apart from 4Watts drive (@
>>>>>>>> 430-480MHz)=
>>>>>>>> approx. 150W output, draws well over 30A from my poor struggling
>>>>>>>> power
>>>>>>>> supply. I'm not game to up the drive any further until I know the
>>>>>>>> specs!
>>>>>>>>
>>>>>>>> Basically any specs or any info at all would be great, thanks in
>>>>>>>> advance.
>>>>>>>>
>>>>>>>> Cheers,
>>>>>>> Let's take a wild guess here, you want to use it on the UHf Chook
>>>>>>> Band
>>>>>>> to
>>>>>>> talk into the 5 w output repeaters, if that's the case, and I do
>>>>>>> hope
>>>>>>> I'm
>>>>>>> wrong, you'd be better off with a decent antenna system,
>>>>>> WRONG, I plan to cause havoc on the remaining analog police
>>>>>> repeaters-
>>>>>> ya idiot. There's more to the UHF band than CB radio you know.
>>>>>
>>>>>
>>>>> You better be CAREFUL as I will dob you into Simone Templar.
>>>>>
>>>> I bet that has him wetting himself and quaking in his uggies.
>>>
>>> LOL, quite.
>>>
>>> Amazing isn't it - cannot discuss power amplifiers in these
>>> Aussie groups without the usual knee-jerk assumptions, irrespective of
>>> being perfectly within the law to own and use in an appropriate manner.
>>> Apparently no Hams here use amplifiers I guess.
>>>
>> Welcome to aus.radio.scanner, please feel free to ask any other questions
>> that are not related to the topic of the newsgroup.
>
> It's a radio related group. Some who subscribe to ARS do not subscribe to
> other related groups and vic-versa.
>
>> I'd suggest joining www.batlabs.com and ask on there if you want to know
>> technical specs, whilst there are some people in this newsgroup who
>> actually know what they are talking about in relation to the technical
>> side of Radios. I am not one and there are a large portion of people who
>> response with smart ass remarks
>
> Well, that is Usenet - uncensored and therefore you get the full spectrum
> of human behaviour. I have no problem with that to be honest, MUCH more
> preferable than censorship or 'moderation'.
>
> Thanks for your suggestion re: batlabs, I did post a question there on
> this matter prior to posting to these groups. I have received a few good
> replies, but still seeking those elusive specifications.
>
>
>
> Cheers




From -3286336417388239608
X-Google-Thread: fb049,4824406ea34c9f51,start
X-Google-Thread: 108122,4824406ea34c9f51,start
```

```
X-Google-Thread: 1109af,4824406ea34c9f51,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Lowband mobile antenna & Maxtrac bracket.
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <xj_dh.2323$g_3.1526@trndny02>
Date: Thu, 07 Dec 2006 19:54:05 GMT
NNTP-Posting-Host: 71.162.182.226
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1165521245 71.162.182.226 (Thu, 07 Dec 2006 14:54:05 EST)
NNTP-Posting-Date: Thu, 07 Dec 2006 14:54:05 EST
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3362
rec.radio.amateur.equipment:7476 rec.radio.swap:10507

1-ASP 42-50mhz 1/4 wave mobile antenna. Coil and whip only. NO cable or
mount. $10.00 plus shipping.

1-Motorola Maxtrac high power & Maxtrac800 mounting bracket kit. HLN9404AR
NIB. $10.00 plus shipping.

pottsladd13@yahoo.com




From 6237550224091423693
X-Google-Thread: fb049,4824406ea34c9f51
X-Google-Thread: 108122,4824406ea34c9f51
X-Google-Thread: 1109af,4824406ea34c9f51
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out01a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-
out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Guy P. Distaffen" <guypd@rochester.rr.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <xj_dh.2323$g_3.1526@trndny02>
Subject: Re: Lowband mobile antenna & Maxtrac bracket.
Lines: 14
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <dV_dh.35286$zB4.2260@twister.nyroc.rr.com>
Date: Thu, 07 Dec 2006 20:34:17 GMT
NNTP-Posting-Host: 66.67.163.106
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1165523657 66.67.163.106 (Thu, 07 Dec 2006 15:34:17
EST)
NNTP-Posting-Date: Thu, 07 Dec 2006 15:34:17 EST
Organization: Road Runner
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3364
rec.radio.amateur.equipment:7477 rec.radio.swap:10508

    I gather I can modify this to operate on 6 M for ham radio?

"Thanks......." <pottsladd13@yahoo.com> wrote in message
news:xj_dh.2323$g_3.1526@trndny02...
> 1-ASP 42-50mhz 1/4 wave mobile antenna. Coil and whip only. NO cable or
> mount. $10.00 plus shipping.
>
> 1-Motorola Maxtrac high power & Maxtrac800 mounting bracket kit. HLN9404AR
> NIB. $10.00 plus shipping.
>
> pottsladd13@yahoo.com
>




From -1607397041801074416
X-Google-Thread: fb049,4824406ea34c9f51
X-Google-Thread: 108122,4824406ea34c9f51
X-Google-Thread: 1109af,4824406ea34c9f51
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny06.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <xj_dh.2323$g_3.1526@trndny02>
<dV_dh.35286$zB4.2260@twister.nyroc.rr.com>
Subject: Re: Lowband mobile antenna & Maxtrac bracket.
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <960eh.7385$Gp2.3635@trndny06>
Date: Thu, 07 Dec 2006 21:56:21 GMT
```

```
NNTP-Posting-Host: 68.238.198.243
X-Complaints-To: abuse@verizon.net
X-Trace: trndny06 1165528581 68.238.198.243 (Thu, 07 Dec 2006 16:56:21 EST)
NNTP-Posting-Date: Thu, 07 Dec 2006 16:56:21 EST
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3366
rec.radio.amateur.equipment:7478 rec.radio.swap:10511

I can't guarantee it. I've never tried it. I also came across another
42-50mhz mobile antenna.
Motorola Spectrum antenna, in very good condition as is the ASP.
"Guy P. Distaffen" <guypd@rochester.rr.com> wrote in message
news:dV_dh.35286$zB4.2260@twister.nyroc.rr.com...
>    I gather I can modify this to operate on 6 M for ham radio?
>
> "Thanks......." <pottsladd13@yahoo.com> wrote in message
> news:xj_dh.2323$g_3.1526@trndny02...
>> 1-ASP 42-50mhz 1/4 wave mobile antenna. Coil and whip only. NO cable or
>> mount. $10.00 plus shipping.
>>
>> 1-Motorola Maxtrac high power & Maxtrac800 mounting bracket kit.
>> HLN9404AR NIB. $10.00 plus shipping.
>>
>> pottsladd13@yahoo.com
>>
>
>




From -6462265163159581337
X-Google-Thread: 108122,559843ff7a568ff3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n67g2000cwd.googlegroups.com!not-for-
mail
From: robcioffi@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Using 2 antennas in car
Date: 7 Dec 2006 16:08:50 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1165536530.363742.265290@n67g2000cwd.googlegroups.com>
NNTP-Posting-Host: 216.36.85.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165536536 3702 127.0.0.1 (8 Dec 2006 00:08:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Dec 2006 00:08:56 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

Injection-Info: n67g2000cwd.googlegroups.com; posting-host=216.36.85.2;
   posting-account=MTvqUg0AAAAVzrolHsHIec4KOHAXvXzB
Xref: g2news2.google.com rec.radio.amateur.equipment:7479

I am trying to hook up 2 FM modulated devices in my car, so I am trying to find a clever way to do so. The problem I have is the reception is poor because the antenna is in the back window of the car, so I was thinking about splicing the antenna behind the radio unit to put a Y adapter, so I could add an antenna directly behind the radio unit so I could get good reception with the FM modulator. Does anyone know of any issues that could arise from this approach? Thanks

From 6961260688049691783
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
From: Slow Code <my.mail@no.spam>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<2320269.TxDrq9aXQa@www.usenetzone.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 19
Message-ID: <1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net>
Date: Fri, 08 Dec 2006 00:35:09 GMT
NNTP-Posting-Host: 4.254.229.196
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1165538109 4.254.229.196 (Thu, 07 Dec
2006 16:35:09 PST)
NNTP-Posting-Date: Thu, 07 Dec 2006 16:35:09 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22696
rec.radio.amateur.equipment:7480 rec.radio.amateur.policy:57055
rec.radio.swap:10514

N7ZZT - Eric Oyen <n7zzt@127.0.0.1> wrote in
news:2320269.TxDrq9aXQa@www.usenetzone.com:

> Slow Code wrote:
>
>> If the CW requirement is eliminated, there's going to be a lot more of
>> them on the bands.

>>
>> SC
>
> better learn how to filter man. otherwise, you are going to be in a lot
> of peoples faces and involved in more than one dance with the law.

CW wasn't all that bad of a filter, but most everyone wants to get rid of
it. After it's gone, I'll just have to stick to the non phone portions of
the HF bands were you still find real hams communicating.

SC

From 6998529146423358910
X-Google-Thread: fb049,4824406ea34c9f51
X-Google-Thread: 108122,4824406ea34c9f51
X-Google-Thread: 1109af,4824406ea34c9f51
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!
newsfeed.fjserv.net!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-
out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Guy P. Distaffen" <guypd@rochester.rr.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <xj_dh.2323$g_3.1526@trndny02>
<dV_dh.35286$zB4.2260@twister.nyroc.rr.com> <960eh.7385$Gp2.3635@trndny06>
Subject: Re: Lowband mobile antenna & Maxtrac bracket.
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <dE2eh.35292$zB4.21634@twister.nyroc.rr.com>
Date: Fri, 08 Dec 2006 00:49:13 GMT
NNTP-Posting-Host: 66.67.163.106
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1165538953 66.67.163.106 (Thu, 07 Dec 2006 19:49:13
EST)
NNTP-Posting-Date: Thu, 07 Dec 2006 19:49:13 EST
Organization: Road Runner
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3370
rec.radio.amateur.equipment:7481 rec.radio.swap:10516

??? I just figured since I was looking in a ham radio newsgroup, then this
would be something that could be used for it. Thanks for the info.

"Thanks......." <pottsladd13@yahoo.com> wrote in message
news:960eh.7385$Gp2.3635@trndny06...
>I can't guarantee it. I've never tried it. I also came across another
>42-50mhz mobile antenna.

```
> Motorola Spectrum antenna, in very good condition as is the ASP.
> "Guy P. Distaffen" <guypd@rochester.rr.com> wrote in message
> news:dV_dh.35286$zB4.2260@twister.nyroc.rr.com...
>>    I gather I can modify this to operate on 6 M for ham radio?
>>
>> "Thanks......." <pottsladd13@yahoo.com> wrote in message
>> news:xj_dh.2323$g_3.1526@trndny02...
>>> 1-ASP 42-50mhz 1/4 wave mobile antenna. Coil and whip only. NO cable or
>>> mount. $10.00 plus shipping.
>>>
>>> 1-Motorola Maxtrac high power & Maxtrac800 mounting bracket kit.
>>> HLN9404AR NIB. $10.00 plus shipping.
>>>
>>> pottsladd13@yahoo.com
>>>
>>
>>
>
>
```

```
From -5910061274692527213
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: kookathon
Date: Thu, 07 Dec 2006 20:37:29 -0500
Message-ID: <rdghn290ntimph06th3hdvbvi2eki9nho4@4ax.com>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<2320269.TxDrq9aXQa@www.usenetzone.com>
<1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Date: 08 Dec 2006 00:42:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:22698
rec.radio.amateur.equipment:7482 rec.radio.amateur.policy:57069
rec.radio.swap:10518
```

```
On Fri, 08 Dec 2006 00:35:09 GMT, Slow Code <my.mail@no.spam> wrote:

>N7ZZT - Eric Oyen <n7zzt@127.0.0.1> wrote in
>news:2320269.TxDrq9aXQa@www.usenetzone.com:
>
>> Slow Code wrote:
>>
>>> If the CW requirement is eliminated, there's going to be a lot more of
>>> them on the bands.
>>>
>>> SC
>>
>> better learn how to filter man. otherwise, you are going to be in a lot
>> of peoples faces and involved in more than one dance with the law.
>
>
>CW wasn't all that bad of a filter, but most everyone wants to get rid of
>it......

then steve it ought to go why can't you face that
>.... After it's gone, I'll just have to stick to the non phone portions of
>the HF bands were you still find real hams communicating.
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 8656932555779252793
X-Google-Thread: 108122,6f6e40528c999f57,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: NOS DUAL AIR VAR + PARTS....
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <JR3eh.447103$QZ1.145316@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 842caf674bd4e7e8ed57440693d687e9
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1165543913
842caf674bd4e7e8ed57440693d687e9 (Fri, 08 Dec 2006 02:11:53 GMT)
NNTP-Posting-Date: Fri, 08 Dec 2006 02:11:53 GMT
```

Organization: AT&T Worldnet
Date: Fri, 08 Dec 2006 02:11:53 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7483

Have several parts and other stuff too:

NIB DUAL 100PF Johnson
'N' CONNECTORS, WHEAT BULBS, CHIMNEY CLIPS, DIODES, ELECTROLYTICS,
BIRD PLUG-IN, BIRD COAXWITCH 72-2,

more stuff coming; have a look and tnx

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

HEYTUBEGUY

From 4792986192237035885
X-Google-Thread: 108122,ceb9e8a2f4664d0c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!news2.epix.net!news1.epix.net!not-for-mail
From: "Ledfoot" <Ledfoot@epix.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom radio
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <Oo5eh.1215$Oc.103890@news1.epix.net>
Date: Fri, 08 Dec 2006 03:57:34 GMT
NNTP-Posting-Host: 216.37.178.253
X-Complaints-To: abuse@epix.net
X-Trace: news1.epix.net 1165550254 216.37.178.253 (Thu, 07 Dec 2006 22:57:34 EST)
NNTP-Posting-Date: Thu, 07 Dec 2006 22:57:34 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7484

Hello all
I just got the new icom v8000 and download the software for the radio but my
question is does anyone know how to make the programming cable for the radio
it is the same cable for all icom radios the opc-478 cable with the 3.5mm
mini plug.

Thanks
KB3NUN

```
From 9125951893087547598
X-Google-Thread: 108122,559843ff7a568ff3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!
newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!
news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Using 2 antennas in car
Date: Fri, 8 Dec 2006 13:11:18 +0900
Organization: Korea Telecom
Lines: 15
Message-ID: <elaojm$298$1@news2.kornet.net>
References: <1165536530.363742.265290@n67g2000cwd.googlegroups.com>
NNTP-Posting-Host: 59.8.220.49
X-Trace: news2.kornet.net 1165551030 2344 59.8.220.49 (8 Dec 2006 04:10:30 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Fri, 8 Dec 2006 04:10:30 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:7485

<robcioffi@gmail.com> wrote in message
news:1165536530.363742.265290@n67g2000cwd.googlegroups.com...
>I am trying to hook up 2 FM modulated devices in my car, so I am trying
> to find a clever way to do so.  The problem I have is the reception is
> poor because the antenna is in the back window of the car, so I was
> thinking about splicing the antenna behind the radio unit to put a Y
> adapter, so I could add an antenna directly behind the radio unit so I
> could get good reception with the FM modulator.  Does anyone know of
> any issues that could arise from this approach?  Thanks
>

Your AM reception would go to hell for sure. Why not just put on a fender
mount antenna?
```

```
From -5647834579869191895
X-Google-Thread: 108122,d7fda4ab06d171a4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!n67g2000cwd.googlegroups.com!not-for-
mail
From: connectmobiles500@yahoo.com
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: for sale ps 3 at $500usd 60gb
Date: 7 Dec 2006 23:03:54 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1165561434.173056.4180@n67g2000cwd.googlegroups.com>
NNTP-Posting-Host: 216.139.164.85
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165561440 8088 127.0.0.1 (8 Dec 2006 07:04:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Dec 2006 07:04:00 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; en) Opera
8.51,gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 proxy:3128 (squid/2.5.STABLE11)
Complaints-To: groups-abuse@google.com
Injection-Info: n67g2000cwd.googlegroups.com; posting-host=216.139.164.85;
   posting-account=DIWCyw0AAAB3Y243rubSSnIRp6wmvjI8
Xref: g2news2.google.com rec.radio.amateur.equipment:7486


All,this are brand ne game comes with, Wireless Controller, AC Power
Cord, AV Cable, Ethernet Cable, USB Cable, along with manual for the
system. Accessories: System x 1 Wireless controller x 1 AC power cord x
1 AV cable x 1 (NTSC (US & Canada)) Ethernet cable x 1 USB cable x 1
Printed materials x 1 set  also comes with 1year international
warranty.

contact.connectmobiles500@yahoo.com




From -8734987867206674308
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!guardian.oit.duke.edu!
gargoyle.oit.duke.edu!not-for-mail
From: <kuzen001@duke.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Date: Fri, 8 Dec 2006 12:52:19 +0000 (UTC)
Organization: Duke University, Durham, NC, USA
Lines: 21
Sender:  <kuzen001@godzilla.acpub.duke.edu>
Message-ID: <elbn62$tj4$1@gargoyle.oit.duke.edu>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
NNTP-Posting-Host: godzilla.acpub.duke.edu
X-Trace: gargoyle.oit.duke.edu 1165582339 30308 152.3.233.25 (8 Dec 2006 12:52:19
GMT)
X-Complaints-To: news@news.duke.edu
NNTP-Posting-Date: Fri, 8 Dec 2006 12:52:19 +0000 (UTC)
User-Agent: tin/1.6.0-20030714 ("Vatersay") (UNIX) (SunOS/5.9 (sun4u))
```

Xref: g2news2.google.com rec.radio.amateur.equipment:7487

Alan WA4SCA <APBIDDLE@united.net> wrote:
> I have been looking for an "Atomic" clock which can be set to UTC time
> for the shack. Since the update feature only works in North America,
> most of them can only be set to the local time zones. The couple of
> sales people I talked to didn't even understand the question. Any

My wife has bought a handful of those gray plastic digitals
that set themselves to WWV at night; I was pleasantly surprised
to find that at least two of them can be set to UTC even though
the manual didn't mention it. I've got one in my shack now,
big thing that cost about $10 at a discount store, and shows
UTC time, plus a calendar and the ambient temp. It was a very
nice surprise to find a "UTC" setting on the time offset button!
So looking at those cheap clocks in the discount stores might
bring you the same sort of deal. Good luck!

____
Ken Kuzenski   AC4RD   ken . kuzenski at duke .edu
____
All disclaimers apply, see? www.duke.edu/~kuzen001

From -7640911915663235294
X-Google-Thread: fb049,4824406ea34c9f51
X-Google-Thread: 108122,4824406ea34c9f51
X-Google-Thread: 1109af,4824406ea34c9f51
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr25.news.prodigy.net.POSTED!1ea9d6b9!not-for-
mail
From: "Backfire Burrito=Skidmark" <gasdischarge@pullmyfinger.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <xj_dh.2323$g_3.1526@trndny02>
<dV_dh.35286$zB4.2260@twister.nyroc.rr.com> <960eh.7385$Gp2.3635@trndny06>
<dE2eh.35292$zB4.21634@twister.nyroc.rr.com>
Subject: Re: Lowband mobile antenna & Maxtrac bracket.
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <ngjeh.8901$wc5.7125@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 75.214.138.213
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1165607059 ST000 75.214.138.213 (Fri, 08 Dec
2006 14:44:19 EST)

NNTP-Posting-Date: Fri, 08 Dec 2006 14:44:19 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP[WSYCGPRU]B_H]]RKB_UDAZZ\DPCPDLXUNNHLHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Fri, 08 Dec 2006 19:44:19 GMT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3377
rec.radio.amateur.equipment:7488 rec.radio.swap:10527

"Guy P. Distaffen" <guypd@rochester.rr.com> wrote in message
news:dE2eh.35292$zB4.21634@twister.nyroc.rr.com...
> ??? I just figured since I was looking in a ham radio newsgroup, then
> this would be something that could be used for it. Thanks for the info.

Yes you can...sweep it with a MFJ-269 and see you need to remove about 2
inches of the rod....
Will work on 52Mhz just fine...

From -6871400517765696987
X-Google-Thread: 108122,228d7e2d7d71a01f,start
X-Google-Thread: 1109af,228d7e2d7d71a01f,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.phx!newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola CP200 16 channels UHF...Covers HAM & Comm..438-470 Sounds
GOOD w/Charger & Spkr-Mic
Lines: 40
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0013_01C71AFF.D5C8D580"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <Z7qeh.44712$lL6.1306@newsfe08.phx>
Date: Fri, 8 Dec 2006 19:34:10 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1165635193 68.104.78.240 (Fri, 08 Dec 2006 20:33:13 MST)
NNTP-Posting-Date: Fri, 08 Dec 2006 20:33:13 MST
Organization: Cox

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7490 rec.radio.swap:10535

This is a multi-part message in MIME format.

------=_NextPart_000_0013_01C71AFF.D5C8D580
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola CP200 16 channels UHF...Covers HAM & Comm..438-470 Sounds =
GOOD w/Charger & Spkr-Mic

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250059330184&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0013_01C71AFF.D5C8D580
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>
<DIV><FONT size=3D2>
<P>FA: Motorola CP200 16 channels UHF...Covers HAM &amp; Comm..438-470 =
Sounds=20
GOOD w/Charger &amp; Spkr-Mic</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250059330184&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250059330184&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></DIV></=
BODY></HTML>

------=_NextPart_000_0013_01C71AFF.D5C8D580--




From -4807188098276270001
X-Google-Thread: 108122,3bc9a55747e200ab,start
X-Google-Thread: 1109af,3bc9a55747e200ab,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe08.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
```

```
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA UHF HT1250 ls-Radio-403-470MHz-Ham-Nice-LQQK !
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001C_01C71B00.2BD444F0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <S9qeh.44713$lL6.10369@newsfe08.phx>
Date: Fri, 8 Dec 2006 19:36:35 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe08.phx 1165635314 68.104.78.240 (Fri, 08 Dec 2006 20:35:14 MST)
NNTP-Posting-Date: Fri, 08 Dec 2006 20:35:14 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7491 rec.radio.swap:10536

This is a multi-part message in MIME format.

------=_NextPart_000_001C_01C71B00.2BD444F0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA UHF HT1250 ls-Radio-403-470MHz-Ham-Nice-LQQK !=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250059334771&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001C_01C71B00.2BD444F0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA UHF HT1250 ls-Radio-403-470MHz-Ham-Nice-LQQK ! </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250059334771&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250059334771&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>
```

```
------=_NextPart_000_001C_01C71B00.2BD444F0--



From 5089741205526823204
X-Google-Thread: 108122,94ecb2507c2a7038,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Jack Schmidling <arf@mc.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD: HV Xformer
Date: Fri, 08 Dec 2006 22:07:31 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12nkdk5clq2cr1a@corp.supernews.com>
User-Agent: Mozilla Thunderbird 0.9 (Windows/20041103)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news2.google.com rec.radio.amateur.equipment:7492

I am looking for a 2500 VCT HV transformer at about 1/5 amp.

It wants to fit into this space: http://schmidling.com/pwsup1.jpg

Please email jack@schmidling.com

JACK K9ACT
--
PHOTO OF THE WEEK: http://schmidling.com/pow.htm
Astronomy, Beer, Cheese, Fiber,Gems, Sausage,Silver http://schmidling.com


From -3901024676784082657
X-Google-Thread: 108122,cbea7f158e1cbfb0,start
X-Google-Thread: 108228,cbea7f158e1cbfb0,start
X-Google-Thread: 1062f2,cbea7f158e1cbfb0,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 09 Dec 2006 07:53:58 -0600
Subject: FA: 1-Day-Left: 5 Books: Electronics, Microprocessors, Linear
Electronics, etc.
Date: Sat, 09 Dec 2006 08:53:58 -0500
From: Larry <larry@ksiksjdfpou.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
```

```
Message-ID: <09122006085358l804%larry@ksiksjdfpou.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 75.67.222.203
X-Trace:
sv3-5FmyM2CavqH22VBtjJuSbczsOm+MDwiXxcDOKlcSTYoUGr2LKdxKZ0goT02juihWRUNkwCwySxG76U
w!S/YKlK6ZUOfsDFb7Rk3qJCALzPKi+PvTVFKSkPyC5Ik86v6mn5C3FH9HeRSTj0rnT1OFcoFb6WOB!
+x1/QEBQFeI+StePlvDPk4et
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7493 alt.ham-
radio.marketplace:1611 misc.industry.electronics.marketplace:715


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320057562201


From 1116819838739804593
X-Google-Thread: fc2a5,ce153bacb0985428,start
X-Google-Thread: fc8b1,ce153bacb0985428,start
X-Google-Thread: 108122,ce153bacb0985428,start
X-Google-Thread: 111d0a,ce153bacb0985428,start
X-Google-Thread: 113975,ce153bacb0985428,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid111d0a,gid113975,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!73g2000cwn.googlegroups.com!not-for-
mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,sci.electronics.basics,sci.astro.amateur
Subject: SolderSmoke #43: LP Filters, Titan, Feedback amps, Return Loss Bridges,
"Gonzo Gizmos"
Date: 9 Dec 2006 06:08:45 -0800
Organization: http://groups.google.com
Lines: 51
Message-ID: <1165673325.215679.235050@73g2000cwn.googlegroups.com>
NNTP-Posting-Host: 86.141.199.47
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165673332 9718 127.0.0.1 (9 Dec 2006 14:08:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Dec 2006 14:08:52 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: 73g2000cwn.googlegroups.com; posting-host=86.141.199.47;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:8137
rec.radio.amateur.boatanchors:6648 rec.radio.amateur.equipment:7494
sci.electronics.basics:30403 sci.astro.amateur:46369

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke   #43 December 9, 2006
-- LP filters.
-- Feedback on feedback (in amps).
-- Return loss calc.
-- Exploring Titan.
-- London tornado.
-- Maxwell's equations.
-- TRS 80 Model 100.
-- Name-that-Noise.
-- Book: "Gonzo Gizmos."
-- MAILBAG: AK9N, N2NLY, NR5A, Ramakrishnan

Tired of listening to Led Zepplin or NPR on your
I-Pod?   Wouldn't you like to be able to carry with
you the kinds of ham radio conversations that you
listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in
London, England meet regularly on the ECHOLINK system
to discuss their homebrew radio projects. We are
making them available as PODCASTS.

RSS FEED: You can subscribe to the program, have
them downloaded to your MP-3 player, and listen to
them at your convenience. To subscribe, just cut and
paste this URL into your I-poder (or similar)
software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the
site below and listen to the latest program (and
earlier editions) using the audio software on your
computer.

http://www.soldersmoke.com

All our programs are available here.

We hope you enjoy the program. Please send us
feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

From 6618153487961538358
X-Google-Thread: 108122,574211916e9a7ef6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!out03b.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Jeff" <jeff181@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Stop bt "The Swap Shoppe"
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <2IFeh.36383$zB4.17094@twister.nyroc.rr.com>
Date: Sat, 09 Dec 2006 21:15:42 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1165698942 24.58.195.67 (Sat, 09 Dec 2006 16:15:42 EST)
NNTP-Posting-Date: Sat, 09 Dec 2006 16:15:42 EST
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:7495

Feel-free to post your wares...

http://members6.boardhost.com/theswapshoppe/

From 7614868634555095009
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Message-ID: <mhjmn2586eor0b127d4brc1j8st6prdtal@4ax.com>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>

```
<4576AA0A.3F649999@theseminary.net> <Xns9891A5AB26542fw190a8@199.185.223.74>
<mfden2l9doomrp1cgq5o9hs079r9ohhfc3@4ax.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
Date: Sun, 10 Dec 2006 00:01:38 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1165708898 24.174.167.251 (Sat, 09 Dec 2006 18:01:38
CST)
NNTP-Posting-Date: Sat, 09 Dec 2006 18:01:38 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7496

On Wed, 06 Dec 2006 21:29:19 GMT, Alan WA4SCA <APBIDDLE@UNITED.NET>
wrote:

>Panzer,
>
>Thanks for the effort, but I was looking for a completely separate
>clock, not a computer program.  I already have several of those!

Some of the MFJ atomic clocks might work -- check their web site.

bob
k5qwg


From 4948294049568351677
X-Google-Thread: fcc6e,741c74d2216a9eb9,start
X-Google-Thread: fc8b1,741c74d2216a9eb9,start
X-Google-Thread: 108122,741c74d2216a9eb9,start
X-Google-Thread: 10bf43,741c74d2216a9eb9,start
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: 30 helpful hints to help new and No-code hams. Monthly post.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 218
Message-ID: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
Date: Sun, 10 Dec 2006 00:52:53 GMT
NNTP-Posting-Host: 4.227.154.162
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165711973 4.227.154.162 (Sat, 09 Dec
```

2006 16:52:53 PST)
NNTP-Posting-Date: Sat, 09 Dec 2006 16:52:53 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22804
rec.radio.amateur.boatanchors:6653 rec.radio.amateur.equipment:7497
rec.radio.amateur.policy:57329

The 30 Steps below will help all No-Code Hams, it will also help you to find others just like yourself. These 30 steps should also be added to the present writtens.

Step One: Use as many "Q" signals as possible. Yes, I know they were invented solely for CW and are totally inappropriate for two meter FM, but they are fun and entertaining. They keep people guessing as to what you really meant. I.E. "I'm going to QSY to the phone." Can you really change frequencies to the phone? QSL used to mean, "I am acknowledging receipt", but now it appears to mean, "yes" or "OK". I guess I missed it when the ARRL changed the meaning. It is also best to use "OK" and "QSL" together. Redundancy is the better part of Lid-dom.

Step Two: Never laugh when you can say "HI HI". No one will ever know you aren't a long time CW rag-chewer if you don't tell them. They'll think you've been on since the days of Marconi.

Step Three: Utilize an alternative vocabulary. Use words like "destinated" and "negatory". It's OK to make up your own words here. I.E. "Yeah Tom, I "pheelbart zaphonix" occasionally myself."

Step Four: Always say "XX4XXX" (Insert your own call) "for I.D." As mentioned in Step One, anything that creates redundancy is always encouraged. That's why we have the Department of Redundancy Department. (Please note that you can follow your call with "for identification purposes" instead of "for I.D." While taking longer to say, it is worth more "LID points".

Step Five: The better the copy on two meter FM, the more you should use phonetics. Names should be especially used if they are short or common ones. I.E. "My name is Al... Alpha Lima" or "Jack.. Juliet Alpha Charlie Kilo." If at all possible use the less common HF phonetics "A4SM... America, Number Four, Sugar Mexico." And for maximum "LID points", make up unintelligible phonetics. "My name is Bob... Billibong Oregano Bumperpool."

Step Six: Always give the calls of yourself and everyone who is (or has been) in the group, whether they are still there or not. While this has been unnecessary for years, it is still a great memory test. You may also use "and the group" if you are an "old timer" or just have a bad memory. Extra points for saying everyone's call and then clearing in a silly way

"K2PKK, Chow, Chow."

Step Seven: Whenever possible, use the wrong terminology. It keeps people guessing. Use "modulation" when you mean "deviation", and vice-versa.

Step Eight: If someone asks for a break, always finish your turn, taking as long as possible before turning it over. Whenever possible, pass it around a few times first. This will discourage the breaker, and if it is an emergency, encourage him to switch to another repeater and not bother you.

Step Nine: Always ask involved questions of the person who is trying to sign out. Never let him get by with just a "yes" or "no" answer. Make it a question that will take him a long time to answer.

Step Ten: The less you know on a subject, the more you should speculate about it in the roundtable. Also the amount of time you spend on the subject should be inversely proportionate to your knowledge of the subject even though you have no damn clue.

Step Eleven: Always make sure you try to communicate with only a handheld and a rubber duck antenna. Also, make sure you work through a repeater that you can hear very well, but it cannot hear you. This will put out a kind of "LID mating call": "Well, Joe, I can hear the repeater just fine here. I wonder why it can't hear me?" You will score maximum LID points if you are mobile, and with the radio lying in the passenger seat.

Step Twelve: If you hear two amateurs start a conversation, wait until they are twenty seconds into their contact, and then break in to make a call, or better yet to use the auto-patch. Make sure you keep the repeater tied up for at least three minutes. This way, once the two have re-established contact, they won't even remember what they were talking about.

Step Thirteen: You hear someone on the repeater giving directions to a visiting amateur. Even if the directions are good, make sure you break in with your own "alternate route but better way to get there" version. This is most effective with several other "would-be LIDs", each giving a different route. By the time the visiting amateur unscrambles all the street names whizzing by in his mind, he should have moved out of the range of the repeater. This keeps you from having to stick around to help the guy get back out of town, later.

Step Fourteen: If an annoying station is bothering you, make sure your other "LID" buddies have a "coded" frequency list. Even though "CODES" are strictly forbidden on Amateur Radio, it's really neat to practice "James Bond" tactics.

Step Fifteen: Always use the National Calling Frequency for general conversations. The more uninteresting, the longer you should use it. Extra points are awarded if you have recently move from an adjacent frequency for no reason. Make sure when DX is "rolling" in on 52.525 that you hang out there and talk to your friends five miles down the road about the good old CB days!

Step Sixteen: Make sure that if you have a personal problem with someone, you should voice your opinion in a public forum, especially a net. Make sure you give their name, call, and any other identifying remarks. For maximum points, make sure the person in question is not on the repeater, or not available.

Step Seventeen: Make sure you say the first few words of each transmission twice, especially if it is the same thing each time. Like "roger, roger" or "fine business, fine business". I cannot stress enough about encouraging redundancy.

Step Eighteen: If you hear a conversation on a local repeater, break in and ask how each station is receiving you. Of course they will only see the signal of the repeater you are using, but it's that magic moment when you can find a fellow "LID", and get the report. Extra points are awarded if you are using a base station, and the repeater is less than twenty-five air miles from you.

Step Nineteen: Use the repeater for an hour or two at a time, preventing others from using it. Better yet, do it on a daily basis. Your quest is to make people so sick of hearing your voice every time they turn on their radio, they'll move to another frequency. This way you'll lighten the load on the repeater, leaving even more time for you to talk on it.

Step Twenty: See just how much flutter you can generate by operating at handheld power levels too far away from the repeater. Engage people in conversations when you know they wont be able to copy half of what your saying. Even when they say your uncopyable, continue to string them along by making further transmissions. See just how frustrated you can make the other amateur before he finally signs off in disgust.

Step Twenty One: Use lots of radio jargon. After all, it makes you feel important using words ordinary people don't say. Who cares if it makes you sound like you just fell off Channel 19 on the citizen's Band? Use phrases such as "Roger on that", "10-4", "I'm on the side", "Your making the trip" and "Negatory on that".

Step Twenty Two: Use excessive microphone gain. See just how loud you can make your audio. Make sure the audio gain is so high that other amateurs can hear any bugs crawling on your floor. If mobile, make sure the wind noise is loud enough that others have to strain to pick your words out from all the racket.

Step Twenty Three: Start every transmission with the word "Roger" or "QSL". Sure, you don't need to acknowledge that you received the other transmission in full. After all, you would simply ask for a repeat if you missed something. But consider it your gift to the other amateur to give him solace every few seconds that his transmissions are being received.

Step Twenty Four: When looking for a contact on a repeater, always say your "listening" or "monitoring" multiple times. I've always found that at least a half dozen times or so is good. Repeating your multiple "listening" ID's every 10 to 15 seconds is even better. Those people who didn't want to talk to you will eventually call you, hoping you'll go away after you have finally made a contact.

Step Twenty Five: Always use a repeater, even if you can work the other station easily on simplex ... especially if you can make the contact on simplex. The coverage of the repeater you use should be inversely proportional to your distance from the other station.

Step Twenty Six: When on repeaters using courtesy tones, you should always say "over". Courtesy tones are designed to let everyone know when you have unkeyed but don't let that stop you. Say "over", "back to you" or "go ahead". It serves no useful purpose but don't worry, it's still fun!

Step Twenty Seven: Use the repeater's autopatch for frivolous routine calls... especially during morning or evening commute times. While pulling into the neighborhood, call home to let them know you'll be there in two minutes.... or, call your spouse to complain about the bad day you had at work. After all, the club has "measured rate" service on their phone line so they get charged for each autopatch call. Your endeavor is to make so many patches in a year that you cost the club at least $20 in phone bills. That way you'll feel you got your money's worth for your dues!

Step Twenty Eight: Never say "My name is ....." It makes you sound human. If at all possible, use one of the following phrases: a) "The personal here is ..." b) "The handle here is..."

Step Twenty Nine: Use "73" and "88" incorrectly. Both are already considered plural, but add a "s" to the end anyway. Say "73's" or "88's".

Who cares if it means "best regards" and "love and kisses." Better yet,
say "seventy thirds"! (By the way, seventy thirds equals about 23.3).

Step Thirty: If the repeater is off the air for service, complain about
the fact that it was off the air as soon as it's turned back on. Act as
though your entire day has been ruined because the repeater wasn't
available when you wanted to use it. Even thought you have never paid a
penny to help out with the upkeep of it.

```
From 563652281589884312
X-Google-Thread: 1009ad,9c5c8e0fa60c3a89,start
X-Google-Thread: 108122,9c5c8e0fa60c3a89,start
X-Google-Thread: 10bf43,86d704863b8626ba
X-Google-Thread: fa029,232d47e091dfdab6
X-Google-Thread: 1109af,232d47e091dfdab6
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Morkie, I will conceed...SNIP...Another KB9RQZ Hijacked Thread
From: Slow Code <my.mail@no.spam>
References: <1164803366.424080.297200@l39g2000cwd.googlegroups.com>
<1164820771.722348.322090@n67g2000cwd.googlegroups.com>
<1164938185.794275.103550@j44g2000cwa.googlegroups.com>
<bf3vm256tmdmvsa36uk1hk20ldcp6lnq89@4ax.com>
<1165681941.677707.180430@j72g2000cwa.googlegroups.com>
<1165682560.860520.74880@f1g2000cwa.googlegroups.com>
<sjqln21js2c12akk56fcbj0ufbiv95qk9l@4ax.com>
<1165684039.165121.309700@j72g2000cwa.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 44
Message-ID: <TTIeh.8324$sf5.2007@newsread4.news.pas.earthlink.net>
Date: Sun, 10 Dec 2006 00:53:07 GMT
NNTP-Posting-Host: 4.227.154.162
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165711987 4.227.154.162 (Sat, 09 Dec
2006 16:53:07 PST)
NNTP-Posting-Date: Sat, 09 Dec 2006 16:53:07 PST
Xref: g2news2.google.com alt.radio.scanner:3996 rec.radio.amateur.equipment:7499
rec.radio.amateur.policy:57340 rec.radio.scanner:8248 rec.radio.swap:10574
```

"K4YZ" <stevenrobeson@yahoo.com> wrote in
news:1165684039.165121.309700@j72g2000cwa.googlegroups.com:

>
> Dork@kb9rqz.aprs wrote:
>> On 9 Dec 2006 08:42:41 -0800, "K4YZ" <stevenrobeson@yahoo.com> wrote:
>> .>snot-scam-and-sleaze@hotmail.com, better known as Brian P Burke,
>> N0IMD:
>> .>> Dork@kb9rqz.aprs wrote:
>> >> > On 30 Nov 2006 17:56:25 -0800, hot-ham-and-cheese@hotmail.com
>> >> > wrote:
>> .>> > >kb9rqz-1-lazy-fool@hotmail.com wrote:
>>
>> bunsh of you cowardly cyber vandalism
>
>   What's a "bunsh", Morkie?
>
>> >   Ahhhh, yes...More of the deceit and despair from the little mind
>> >   of
>> >an even litttler "man".
>>
>> stve my neuered cat is more a man than you
>
>   What's a "neuered" cat. Morkie?
>
>> >   Borng Saturday, Brain? No Cub Scouts to impress today?
>>
>> Morkie, I will conceed that you know two things that I will never
>> know...What it's like to lick my excrement off of another man's
>> genitals, and the going welfare rates in Michigan.
>> make a realy impresive statement
>
>   What's impressive is that you keep repeating it yet it makes a fool
> out of you, Morkie.
>
>   Seek help.
>
> Steve, K4YZ

I just wish KB9RQZ would stop pushing his gay agenda in the radio groups.
Having to listen to him butcher the english language is bad enough.

SC

From 8375029840927723151
X-Google-Thread: 1009ad,9e43fe8d9a216f86,start
X-Google-Thread: 108122,9e43fe8d9a216f86,start
X-Google-Thread: 10bf43,91b4c6ce9a7de34d
X-Google-Thread: 106d41,91b4c6ce9a7de34d
X-Google-Thread: fa029,9e43fe8d9a216f86,start
X-Google-Thread: 1109af,9e43fe8d9a216f86,start
X-Google-Attributes:
gid1009ad,gid108122,gid10bf43,gid106d41,gidfa029,gid1109af,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.c
b,rec.radio.scanner,rec.radio.swap
Subject: Re: More Heroes in ham or cb?
From: Slow Code <my.mail@no.spam>
References: <hbv5g.6at.17.1@news.alt.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 17
Message-ID: <RTIeh.8323$sf5.4098@newsread4.news.pas.earthlink.net>
Date: Sun, 10 Dec 2006 00:53:05 GMT
NNTP-Posting-Host: 4.227.154.162
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165711985 4.227.154.162 (Sat, 09 Dec
2006 16:53:05 PST)
NNTP-Posting-Date: Sat, 09 Dec 2006 16:53:05 PST
Xref: g2news2.google.com alt.radio.scanner:3995 rec.radio.amateur.equipment:7498
rec.radio.amateur.policy:57339 rec.radio.cb:23199 rec.radio.scanner:8247
rec.radio.swap:10573

"vcw" <zzz@vcwzzzbig.com> wrote in news:hbv5g.6at.17.1@news.alt.net:

> x-no-archive: yes
> do tell, turn on the ham radio and hear yet another
> fat ham relating his airborne commando or
> navy seal stories of how his heroic actions saved the
> day...      combat vets my ass!    unemployed losers
> is closer to the truth.
>
> who has more *radio heroes*    hams or cb?



There are more hero's on ham radio, but after CW is eliminated, old hero's
won't die, they'll just fade away...  just fade away.

SC



From -3069133622245849331
X-Google-Thread: 1009ad,9c5c8e0fa60c3a89
X-Google-Thread: 108122,9c5c8e0fa60c3a89
X-Google-Thread: 10bf43,86d704863b8626ba
X-Google-Thread: fa029,232d47e091dfdab6
X-Google-Thread: 1109af,232d47e091dfdab6
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
```

```
198.186.194.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
in.100proofnews.com!news.maxwell.syr.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Morkie, I will conceed that you know two things that I will never
know...What it's like to lick my excrement off of another man's genitals, and the
going welfare rates in Michigan.
Date: Sat, 09 Dec 2006 23:08:50 -0500
Message-ID: <3v1nn2dl6s7j0r9aodaudf3hk6vqpn8f34@4ax.com>
References: <1164803366.424080.297200@l39g2000cwd.googlegroups.com>
<1164820771.722348.322090@n67g2000cwd.googlegroups.com>
<1164938185.794275.103550@j44g2000cwa.googlegroups.com>
<bf3vm256tmdmvsa36uk1hk20ldcp6lnq89@4ax.com>
<1165681941.677707.180430@j72g2000cwa.googlegroups.com>
<1165682560.860520.74880@f1g2000cwa.googlegroups.com>
<sjqln21js2c12akk56fcbj0ufbiv95qk9l@4ax.com>
<1165684039.165121.309700@j72g2000cwa.googlegroups.com>
<TTIeh.8324$sf5.2007@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 52
NNTP-Posting-Date: 10 Dec 2006 03:14:18 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:4008 rec.radio.amateur.equipment:7500
rec.radio.amateur.policy:57377 rec.radio.scanner:8254 rec.radio.swap:10586

On Sun, 10 Dec 2006 00:53:07 GMT, Slow Code <my.mail@no.spam> wrote:

>"K4YZ" <stevenrobeson@yahoo.com> wrote in
>news:1165684039.165121.309700@j72g2000cwa.googlegroups.com:
>
>>
>> Dork@kb9rqz.aprs wrote:
>>> On 9 Dec 2006 08:42:41 -0800, "K4YZ" <stevenrobeson@yahoo.com> wrote:
>>> .>snot-scam-and-sleaze@hotmail.com, better known as Brian P Burke,
>>> N0IMD:
>>> .>> Dork@kb9rqz.aprs wrote:
>>> >> > On 30 Nov 2006 17:56:25 -0800, hot-ham-and-cheese@hotmail.com
>>> >> > wrote:
>>> .>> > >kb9rqz-1-lazy-fool@hotmail.com wrote:
>>>
>>> bunsh of you cowardly cyber vandalism
>>
>>      What's a "bunsh", Morkie?
>>
>>> >    Ahhhh, yes...More of the deceit and despair from the little mind
>>> >    of
>>> >an even litttler "man".
```

```
>>>
>>> stve my neuered cat is more a man than you
>>
>>      What's a "neuered" cat. Morkie?
>>
>>> >    Borng Saturday, Brain?  No Cub Scouts to impress today?
>>>
>>>  Morkie, I will conceed that you know two things that I will never
>>> know...What it's like to lick my excrement off of another man's
>>> genitals, and the going welfare rates in Michigan.
>>> make a realy impresive statement
>>
>>     What's impressive is that you keep repeating it yet it makes a fool
>> out of you, Morkie.
>>
>>     Seek help.
>>
>> Steve, K4YZ
>
>
>I just wish KB9RQZ would stop pushing his gay agenda in the radio groups.
>Having to listen to him butcher the english language is bad enough.

I do not push any gay agenda here I merely defensd myself from libel

I wish you and steve would stop pushing you anti BLT agenda here it
never belonged here but you guys insisted on making part of RRAP et al
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 1247172888130455419
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsgate.cistron.nl!
xs4all!news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: kookathon
Date: Sat, 09 Dec 2006 23:12:02 -0500
Message-ID: <d72nn29m5lfqimb5dbe7upqqt0l59vur64@4ax.com>
```

```
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Date: 10 Dec 2006 03:17:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:22825
rec.radio.amateur.boatanchors:6657 rec.radio.amateur.equipment:7501
rec.radio.amateur.policy:57380

On Sun, 10 Dec 2006 00:52:53 GMT, Slow Code <my.mail@no.spam> wrote:

>The 30 Steps below will help all No-Code Hams, it will also help you to

could you at least find some fresh troll biat this stuff stinks pretty
bad
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -1894560037492749989
X-Google-Thread: 108122,2f280a50d80b9d5d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
38.119.100.148.MISMATCH!news-out2.newsfeeds.com!local!news.eskimo.com!eskimo.com!
not-for-mail
From: "tony j. podrasky" <hunybuny@eskimo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ten-Tec ORION II and Linux
Date: Sat, 09 Dec 2006 20:37:44 -0800
Organization: Eskimo North www.eskimo.com (800) 246-6874
Lines: 21
Message-ID: <elg2up$okf$1@eskinews.eskimo.com>
NNTP-Posting-Host: dialport70.west.eskimo.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: eskinews.eskimo.com 1165725465 25231 67.136.147.110 (10 Dec 2006 04:37:45
GMT)
X-Complaints-To: abuse@eskimo.com
NNTP-Posting-Date: 10 Dec 2006 04:37:45 GMT
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.13) Gecko/20060417
X-Accept-Language: en-us, en
Xref: g2news2.google.com rec.radio.amateur.equipment:7502

GE OMs;
```

If anyone out there has an ORION, and is running Linux, I have written 3 programs to interface the Orion to the computer:

1. Tests communications between the Orion and the computer.

2. Allows you to control many of the Orion's functions from your keyboard.

3. Downloads the Orion's memorybank to your computer and uploads it back.

The tarball is only 200KB so most ISPs won't choke on it.

If you'd like a copy just send me e-mail: W6ESE@arrl.org

73,
W6ESE - tony
NNNNZCZC

```
From 4500164109596025405
X-Google-Thread: fcc6e,741c74d2216a9eb9
X-Google-Thread: fc8b1,741c74d2216a9eb9
X-Google-Thread: 108122,741c74d2216a9eb9
X-Google-Thread: 10bf43,741c74d2216a9eb9
X-Google-Attributes: gidfcc6e,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 10 Dec 2006 08:37:32 -0600
Date: Sun, 10 Dec 2006 09:37:32 -0500
From: Old Time Ham <old_fart@curmudgeons.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen
t,rec.radio.amateur.policy
Subject: Re: 30 helpful hints to help new and No-code hams. Monthly post.
References: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
In-Reply-To: <FTIeh.8313$sf5.5152@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <wIqdnfDAMaMxhuHYnZ2dnUVZ_tTinZ2d@comcast.com>
Lines: 9
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-g0PI9uKuE+SNj7diGJJGCVDeHnkz2bSm9gxmP5C8rrMxLauANHXyIB/
ZSBbijfQWVcLZeMEWSdoTDqc!
cM160q7ptjghSR6Jpf9Et9iBe9qi0bFSa5L8HCVsldUQhy9LLgDBwR7UxhXOwUiFdciLYYSHhpbV!
8SiMJUvqWAiYGpzmh0bW
X-Complaints-To: abuse@comcast.net
```

```
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:22832
rec.radio.amateur.boatanchors:6660 rec.radio.amateur.equipment:7503
rec.radio.amateur.policy:57397

Slow Code wrote:
> The 30 Steps below will help all No-Code Hams, it will also help you to
> find others just like yourself. These 30 steps should also be added to the
> present writtens.
>

Hilarious! I am going to print these out and give them out at the next
Repeater Group meeting. (which I am forced to attend since it is also
the local RACES group meeting :-(



From 3376012858801448301
X-Google-Thread: 1009ad,9e43fe8d9a216f86
X-Google-Thread: 108122,9e43fe8d9a216f86
X-Google-Thread: 10bf43,91b4c6ce9a7de34d
X-Google-Thread: 106d41,91b4c6ce9a7de34d
X-Google-Thread: fa029,9e43fe8d9a216f86
X-Google-Thread: 1109af,9e43fe8d9a216f86
X-Google-Attributes:
gid1009ad,gid108122,gid10bf43,gid106d41,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: "tools" <tools@attwb.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.c
b,rec.radio.scanner,rec.radio.swap
References: <hbv5g.6at.17.1@news.alt.net>
<RTIeh.8323$sf5.4098@newsread4.news.pas.earthlink.net>
Subject: Re: More Heroes in ham or cb?
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <qyVeh.5$7A6.48176@news.sisna.com>
Date: Sun, 10 Dec 2006 09:13:28 -0600
NNTP-Posting-Host: 67.54.226.80
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1165763862 67.54.226.80 (Sun, 10 Dec 2006 08:17:42 MST)
NNTP-Posting-Date: Sun, 10 Dec 2006 08:17:42 MST
Organization: Internet News Service
```

```
X-Received-Date: Sun, 10 Dec 2006 08:17:43 MST (news.sisna.com)
Xref: g2news2.google.com alt.radio.scanner:4012 rec.radio.amateur.equipment:7504
rec.radio.amateur.policy:57401 rec.radio.cb:23214 rec.radio.scanner:8259
rec.radio.swap:10590


"Slow Code" <my.mail@no.spam> wrote in message
news:RTIeh.8323$sf5.4098@newsread4.news.pas.earthlink.net...
> "vcw" <zzz@vcwzzzbig.com> wrote in news:hbv5g.6at.17.1@news.alt.net:
>
>> x-no-archive: yes
>> do tell, turn on the ham radio and hear yet another
>> fat ham relating his airborne commando or
>> navy seal stories of how his heroic actions saved the
>> day...      combat vets my ass!    unemployed losers
>> is closer to the truth.
>>
>> who has more *radio heroes*    hams or cb?
>
>
>
> There are more hero's on ham radio, but after CW is eliminated, old hero's
> won't die, they'll just fade away...  just fade away.
>
> SC
> Please provide proof that ham has more. As for fading, can I offer you
> some bleach to help with that?




From 446925306908608322
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<2320269.TxDrq9aXQa@www.usenetzone.com>
<1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net>
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <5bXeh.4582$qp1.1747@tornado.texas.rr.com>
Date: Sun, 10 Dec 2006 17:09:21 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1165770561 67.10.92.242 (Sun, 10 Dec 2006 11:09:21 CST)
NNTP-Posting-Date: Sun, 10 Dec 2006 11:09:21 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.antenna:22840 rec.radio.amateur.equipment:7505 rec.radio.amateur.policy:57412 rec.radio.swap:10597

"Slow Code" <my.mail@no.spam> wrote in message news:1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net...
> N7ZZT - Eric Oyen <n7zzt@127.0.0.1> wrote in
> news:2320269.TxDrq9aXQa@www.usenetzone.com:
>
>> Slow Code wrote:
>>
>>> If the CW requirement is eliminated, there's going to be a lot more of
>>> them on the bands.
>>>
>>> SC
>>
>> better learn how to filter man. otherwise, you are going to be in a lot
>> of peoples faces and involved in more than one dance with the law.
>
>
> CW wasn't all that bad of a filter, but most everyone wants to get rid of
> it. After it's gone, I'll just have to stick to the non phone portions of
> the HF bands were you still find real hams communicating.
>
> SC

Excellent idea! Why not begin now?

From -1526942786101630394
X-Google-Thread: 1009ad,9c5c8e0fa60c3a89
X-Google-Thread: 108122,9c5c8e0fa60c3a89
X-Google-Thread: 10bf43,86d704863b8626ba
X-Google-Thread: fa029,232d47e091dfdab6
X-Google-Thread: 1109af,232d47e091dfdab6
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!

```
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <1164803366.424080.297200@l39g2000cwd.googlegroups.com>
<1164820771.722348.322090@n67g2000cwd.googlegroups.com>
<1164938185.794275.103550@j44g2000cwa.googlegroups.com>
<bf3vm256tmdmvsa36uk1hk20ldcp6lnq89@4ax.com>
<1165681941.677707.180430@j72g2000cwa.googlegroups.com>
<1165682560.860520.74880@f1g2000cwa.googlegroups.com>
<sjqln21js2c12akk56fcbj0ufbiv95qk9l@4ax.com>
<1165684039.165121.309700@j72g2000cwa.googlegroups.com>
<TTIeh.8324$sf5.2007@newsread4.news.pas.earthlink.net>
<3v1nn2dl6s7j0r9aodaudf3hk6vqpn8f34@4ax.com>
Subject: Re: Morkie, I will conceed that you know two things that I will never
know...What it's like to lick my excrement off of another man's genitals, and the
going welfare rates in Michigan.
Lines: 56
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <rfXeh.4602$qp1.1536@tornado.texas.rr.com>
Date: Sun, 10 Dec 2006 17:13:59 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1165770839 67.10.92.242 (Sun, 10 Dec 2006 11:13:59
CST)
NNTP-Posting-Date: Sun, 10 Dec 2006 11:13:59 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com alt.radio.scanner:4016 rec.radio.amateur.equipment:7506
rec.radio.amateur.policy:57414 rec.radio.scanner:8262 rec.radio.swap:10598


<Mark@kb9rqz.aprs> wrote in message
news:3v1nn2dl6s7j0r9aodaudf3hk6vqpn8f34@4ax.com...
> On Sun, 10 Dec 2006 00:53:07 GMT, Slow Code <my.mail@no.spam> wrote:
>
>>"K4YZ" <stevenrobeson@yahoo.com> wrote in
>>news:1165684039.165121.309700@j72g2000cwa.googlegroups.com:
>>
>>>
>>> Dork@kb9rqz.aprs wrote:
>>>> On 9 Dec 2006 08:42:41 -0800, "K4YZ" <stevenrobeson@yahoo.com> wrote:
>>>> .>snot-scam-and-sleaze@hotmail.com, better known as Brian P Burke,
>>>> N0IMD:
>>>> .>> Dork@kb9rqz.aprs wrote:
>>>> >> > On 30 Nov 2006 17:56:25 -0800, hot-ham-and-cheese@hotmail.com
>>>> >> > wrote:
>>>> .>> > >kb9rqz-1-lazy-fool@hotmail.com wrote:
>>>>
```

>>>> bunsh of you cowardly cyber vandalism
>>>
>>>   What's a "bunsh", Morkie?
>>>
>>>> >   Ahhhh, yes...More of the deceit and despair from the little mind
>>>> >   of
>>>> >an even litttler "man".
>>>>
>>>> stve my neuered cat is more a man than you
>>>
>>>   What's a "neuered" cat. Morkie?
>>>
>>>> >   Borng Saturday, Brain? No Cub Scouts to impress today?
>>>>
>>>> Morkie, I will conceed that you know two things that I will never
>>>> know...What it's like to lick my excrement off of another man's
>>>> genitals, and the going welfare rates in Michigan.
>>>> make a realy impresive statement
>>>
>>>   What's impressive is that you keep repeating it yet it makes a fool
>>> out of you, Morkie.
>>>
>>>   Seek help.
>>>
>>> Steve, K4YZ
>>
>>
>>I just wish KB9RQZ would stop pushing his gay agenda in the radio groups.
>>Having to listen to him butcher the english language is bad enough.
>
> I do not push any gay agenda here I merely defensd myself from libel
>
> I wish you and steve would stop pushing you anti BLT agenda here it

WTF is wrong with bacon, lettuce, and tomato sandwiches?

From 6672368075845571200
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap

```
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
Date: Sun, 10 Dec 2006 12:41:36 -0500
Message-ID: <llhon299v5hff716sl1ce5f5t8hq7mde7e@4ax.com>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<2320269.TxDrq9aXQa@www.usenetzone.com>
<1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net>
<5bXeh.4582$qp1.1747@tornado.texas.rr.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Date: 10 Dec 2006 16:47:05 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:22842
rec.radio.amateur.equipment:7507 rec.radio.amateur.policy:57417
rec.radio.swap:10599

On Sun, 10 Dec 2006 17:09:21 GMT, "U-Know-Who" <no-one@nowhere.com>
wrote:

>
>"Slow Code" <my.mail@no.spam> wrote in message
>news:1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net...
>> N7ZZT - Eric Oyen <n7zzt@127.0.0.1> wrote in
>> news:2320269.TxDrq9aXQa@www.usenetzone.com:
>>
>>> Slow Code wrote:
>>>
>>>> If the CW requirement is eliminated, there's going to be a lot more of
>>>> them on the bands.
>>>>
>>>> SC
>>>
>>> better learn how to filter man. otherwise, you are going to be in a lot
>>> of peoples faces and involved in more than one dance with the law.
>>
>>
>> CW wasn't all that bad of a filter, but most everyone wants to get rid of
>> it. After it's gone, I'll just have to stick to the non phone portions of
>> the HF bands were you still find real hams communicating.
>>
>> SC
>
>Excellent idea! Why not begin now?
>
becuase he can't do that Tom he has to scold everybody surely you knwo
that
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com
```

From 5008782392513142938
X-Google-Thread: 108122,c9c93fd75c9b6aaa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!79g2000cws.googlegroups.com!not-for-mail
From: "wb5kyk" <wb5kyk@netquincy.us>
Newsgroups: rec.radio.amateur.equipment
Subject: Awards now available for contacts on QsoNet
Date: 10 Dec 2006 11:13:21 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1165778001.163651.208430@79g2000cws.googlegroups.com>
NNTP-Posting-Host: 12.111.132.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165778007 25642 127.0.0.1 (10 Dec 2006 19:13:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Dec 2006 19:13:27 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000cws.googlegroups.com; posting-host=12.111.132.10;
   posting-account=nrkCgQ0AAABAFWKb-ZjSQkVDIF6KEnYm
Xref: g2news2.google.com rec.radio.amateur.equipment:7508

Numbered awards are NOW available for your contacts on QsoNet (DXCC, WAC, WAZ AND WAS). These awards will be NUMBERED and dated and are available for multi bands and modes as well as single bands and modes ! WHO will be # 1 ? Send an email to wb5kyk@netquincy.us for further inforamtion.

From 6249451316301970380
X-Google-Thread: 108122,d7f50f792dc69ed4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe04.lga.POSTED!53ab2750!not-for-mail
From: John <john_stlmo@yahoo.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: Basic Dual band mobile ??
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <ULZeh.1348$7n3.1173@newsfe04.lga>

X-Trace:
noffecneefnkbhgfkannfilpcpbbolnmjaabbopedfmflbmnnbajgpffgmhkepgdnplpbfllafbhadhfcg
gncjkgdelhhjohffjdlppccacmcfebgffcompbkkaakmgahgindeflifgphkdl
NNTP-Posting-Date: Sun, 10 Dec 2006 13:05:08 MST
Date: Sun, 10 Dec 2006 14:04:44 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:7509

My wife recently passed here Tech. license and would like to have a dual
band 2mtr/440 rig in her car. Her requirements: "Will go up to 50/60
watts - Simple to operate (just turn it on, turn to (or push buttons on
mic) for the desired frequency/band, and talk..." She does want the DTMF
mic.

Can't get much simpler than that. She doesn't want to pick up the Hong
Kong police freqs or listen to aircraft landing... :)) The simpler the
better.

Any recommendations?

Thanks.

John
St. Louis MO

From 6982244882762510986
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news-lei1.dfn.de!
news1.uni-leipzig.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Date: Sun, 10 Dec 2006 18:39:39 -0600
Lines: 26
Message-ID: <4u3nmdF16bls7U1@mid.individual.net>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
<4576AA0A.3F649999@theseminary.net> <s7vdn2l8h955can6pfmrukbbcmbqsvdakg@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net OBrS3bn2hX1C5MBFfau+4QEcurCjNu7F1V049NkrWQCHkiVn9X
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915 Mnenhy/0.7.4.0
X-Accept-Language: en-us
In-Reply-To: <s7vdn2l8h955can6pfmrukbbcmbqsvdakg@4ax.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:7510

Alan WA4SCA wrote:
> Father Mike, Glenn, and Robert,

>
> Thanks for the solid information and sources!
>
> BTW, I actually do have a GPS clock for my computer. It works great,
> but I wanted something which I could keep in the shack which didn't
> require the computer to be up. My ancient Heathkit digital clock died
> after 20+ years, and I thought I would replace it, and opt for
> something I didn't have to hack with WWV every time the power failed.
>
>
>
>
> --
> Alan
> WA4SCA

Well, I have seen gps units interfaced to a mcpu and lcd display that shows gps info, which can also be time in any format you want.. 2 displays whether lcd or led can be set up from the same mcpu "Basic Stamp". It is very do-able and should be low cost "under $100" for sure... i can easily do it with what I have in the shack... I also sold one of those cell-site reference gps-time units for a bunch of $$$ that I only picked up for $55 bucks a few years ago...It would of been the best thing for a shack time reference unit..

Bob N9LVU

From 8928842455308196065
X-Google-Thread: fcc6e,b9db178af858d921,start
X-Google-Thread: 108122,b9db178af858d921,start
X-Google-Thread: 107ada,ab45730c920bfe0b
X-Google-Thread: 10bf43,ab45730c920bfe0b
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: CW is ham history. It's what binds us and makes us unique.
From: Slow Code <my.mail@no.spam>
References: <ITIeh.8315$sf5.1226@newsread4.news.pas.earthlink.net>
<_nVeh.2$sB6.103526@news.sisna.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 23
Message-ID: <1P2fh.8655$tM1.6912@newsread1.news.pas.earthlink.net>
Date: Mon, 11 Dec 2006 01:49:49 GMT
NNTP-Posting-Host: 4.230.3.159
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165801789 4.230.3.159 (Sun, 10 Dec 2006 17:49:49 PST)
NNTP-Posting-Date: Sun, 10 Dec 2006 17:49:49 PST

```
Xref: g2news2.google.com rec.radio.amateur.antenna:22850
rec.radio.amateur.equipment:7511 rec.radio.amateur.misc:27008
rec.radio.amateur.policy:57470

"Fools" <tools@attwb.net> wrote in news:_nVeh.2$sB6.103526@news.sisna.com:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:ITIeh.8315$sf5.1226@newsread4.news.pas.earthlink.net...
>>
>> Just listen to CB if you want to know what HF will sound like after
>> code is eliminated.   The very fact that you can run into people like
>> Markie on HF should give you a clue as to how bad it can get.
>>
>> SC                                                                I
>> like CB and HF. HF will be fine without code. Why we might even hear
>> more that contests, we might hear more than "CQ CQ CQ this is......
>> Thanks for the answer,............CQ CQ CQ..... Why people might even
>> TALK about news, life, help, opinion, why the people could even
>> communicate all day long and easily understand each other. Oh, but the
>> loss of that secrete club language, code, would hurt the club members
>> sooooooo much. Ain't progress a bitch?


It's not progress. Dumbing things down is a step backwards.

SC



From 6978899512974564273
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
From: Slow Code <my.mail@no.spam>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<2320269.TxDrq9aXQa@www.usenetzone.com>
<1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net>
<5bXeh.4582$qp1.1747@tornado.texas.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 33
Message-ID: <7P2fh.8659$tM1.1353@newsread1.news.pas.earthlink.net>
```

```
Date: Mon, 11 Dec 2006 01:49:55 GMT
NNTP-Posting-Host: 4.230.3.159
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165801795 4.230.3.159 (Sun, 10 Dec 2006
17:49:55 PST)
NNTP-Posting-Date: Sun, 10 Dec 2006 17:49:55 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22852
rec.radio.amateur.equipment:7512 rec.radio.amateur.policy:57474
rec.radio.swap:10622

"U-Know-Who" <no-one@nowhere.com> wrote in
news:5bXeh.4582$qp1.1747@tornado.texas.rr.com:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net...
>> N7ZZT - Eric Oyen <n7zzt@127.0.0.1> wrote in
>> news:2320269.TxDrq9aXQa@www.usenetzone.com:
>>
>>> Slow Code wrote:
>>>
>>>> If the CW requirement is eliminated, there's going to be a lot more
>>>> of them on the bands.
>>>>
>>>> SC
>>>
>>> better learn how to filter man. otherwise, you are going to be in a
>>> lot of peoples faces and involved in more than one dance with the law.
>>
>>
>> CW wasn't all that bad of a filter, but most everyone wants to get rid
>> of it. After it's gone, I'll just have to stick to the non phone
>> portions of the HF bands were you still find real hams communicating.
>>
>> SC
>
> Excellent idea! Why not begin now?


No need to yet, I'll want to begin after you and Markie get your Welfare
Extra's.

SC



From 8530072612400948031
X-Google-Thread: 108122,c120b70963d20817,start
X-Google-Thread: 107ada,c0fe5066d3ac04e4
X-Google-Thread: 10bf43,c0fe5066d3ac04e4
X-Google-Thread: fa029,c120b70963d20817,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
```

```
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner
Subject: Re: I don't want to share HF with lazy asses or tards.
From: Slow Code <my.mail@no.spam>
References: <NTIeh.8320$sf5.3900@newsread4.news.pas.earthlink.net>
<XCYeh.4050$ja6.2601@tornado.ohiordc.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 23
Message-ID: <eP2fh.8664$tM1.689@newsread1.news.pas.earthlink.net>
Date: Mon, 11 Dec 2006 01:50:02 GMT
NNTP-Posting-Host: 4.230.3.159
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165801802 4.230.3.159 (Sun, 10 Dec 2006
17:50:02 PST)
NNTP-Posting-Date: Sun, 10 Dec 2006 17:50:02 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7513
rec.radio.amateur.misc:27014 rec.radio.amateur.policy:57478 rec.radio.scanner:8270

JDB <me@here.now> wrote in
news:XCYeh.4050$ja6.2601@tornado.ohiordc.rr.com:

> I heard a bunch of them also. After doing research on QRZ it appears
> they were all 20 WPM Extra Class hams.


I heard that too.  Some nickel ham came in on the frequency with his lid
operating habits and pissed them off. What else were 20 wpm Extras to do
but put that little turd in his proper place, and why you listening to the
extra portions of the bands anyway.  Go play with your model Choo-Choo
trains.


> Slow Code wrote:
>
>>
>> I heard a few more on 20 meters.  Looking on QRZ they were all nickel
>> Generals.  It was a bad idea to get rid of the 13 wpm speed
>> requirement.
>>
>> SC




From 6037979625631026237
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: kookathon
Date: Sun, 10 Dec 2006 21:00:21 -0500
Message-ID: <isepn21mav5qoph2a0jbqk3hqbtojhp81e@4ax.com>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<2320269.TxDrq9aXQa@www.usenetzone.com>
<1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net>
<5bXeh.4582$qp1.1747@tornado.texas.rr.com>
<7P2fh.8659$tM1.1353@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 38
NNTP-Posting-Date: 11 Dec 2006 01:05:51 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:22857
rec.radio.amateur.equipment:7514 rec.radio.amateur.policy:57491
rec.radio.swap:10629

On Mon, 11 Dec 2006 01:49:55 GMT, Slow Code <my.mail@no.spam> wrote:

>"U-Know-Who" <no-one@nowhere.com> wrote in
>news:5bXeh.4582$qp1.1747@tornado.texas.rr.com:
>
>>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:1r2eh.8181$ql2.880@newsread3.news.pas.earthlink.net...
>>> N7ZZT - Eric Oyen <n7zzt@127.0.0.1> wrote in
>>> news:2320269.TxDrq9aXQa@www.usenetzone.com:
>>>
>>>> Slow Code wrote:
>>>>
>>>>> If the CW requirement is eliminated, there's going to be a lot more
>>>>> of them on the bands.
>>>>>
>>>>> SC
>>>>
>>>> better learn how to filter man. otherwise, you are going to be in a
>>>> lot of peoples faces and involved in more than one dance with the law.
>>>
>>>
>>> CW wasn't all that bad of a filter, but most everyone wants to get rid
>>> of it. After it's gone, I'll just have to stick to the non phone
>>> portions of the HF bands were you still find real hams communicating.
>>>
>>> SC
```

>>
>> Excellent idea! Why not begin now?
>
>
>No need to yet, I'll want to begin after you and Markie get your Welfare
>Extra's.

then you were lying when you are bitching yesterday
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -3210070367759475010
X-Google-Thread: 108122,c350decc9bf9fa72,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!
sn-xt-sjc-03!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FRS Radioes question
Date: Sun, 10 Dec 2006 16:03:07 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612101554350.10526@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news2.google.com rec.radio.amateur.equipment:7515

I bought 2 of these tiny little FRS radioes so could keep in touch
with wife when she takes her daily walks.   I called the FCC
and asked them if any kind of license is required to use thses.
They said certain chnls do require FCC license which costs $75 for
a 1 year period. Chnls 1 thru 7 need this license also the
higher chnls I believe was 16 to 20 also require FCC license.
The others do not require any license or ID when used.
So I set both hers and mine to chnl 12 (frs free useage chnl).
These free chnls per docs have a range of up to 7 miles. The
FCC licensed chnls with same unit have a range up to 14 miles.
When my wife was trying to reach me from a shopping center about
10 miles away she did find a spot that worked. But next time
we tried I Could'nt hear her well only a sylable or 2.
She says after she tried 4 or 5 times, some one came up and
said this is the "POLICE" do you need help!!! How in the heck
does FCC get into the picture or better yet how does the FCC
even monitor these FRS chnls. I thought they only monitor 911.

Joe

```
**************************************************************************
* Ham since 1937 HiSchool Sophomore ex W9ZUU, KP4EX, W4FAG, KH6ARG KH6JF *
* WW2 Vet since Sep 1940 to just After VJ day. US Signal Corps AACS      *
**************************************************************************
```

```
From -5023068612570085210
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Re: Any Motorola techs in here?
Date: Mon, 04 Dec 2006 12:47:16 +1100
Message-ID: <pan.2006.12.04.01.47.05.167642@jesco>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<Xns988BBDB3FE443spectrumhogstarbandn@198.186.192.196>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 32
X-Authenticated-User: $$e$z730wds2mzqqypc3ids
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news4.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5652
rec.radio.amateur.equipment:7414
```

On Fri, 01 Dec 2006 02:33:23 +0000, Ed saiyd:

```
>
>> Looking for specs on this amplifier:
>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>
>> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
>> approx. 150W output, draws well over 30A from my poor struggling power
>> supply. I'm not game to up the drive any further until I know the
>> specs!
>>
>> Basically any specs or any info at all would be great, thanks in
>> advance.
>
> Been a few years, but looks like a PA out of either a MSR2000 or
> MSF5000 repeater.  In any case, I'd say you were overdriving it with 4
```

> watts, as indicated by the 150 watts out. Its probably a 100 or 110 watt
> amplifer.   I believe that most Motorola exciters for such amplifiers
> put out either 1 watt or possibly 2 watts.

G'day Ed,

The general consensus is that it did indeed come from an MSF5000, I
started a thread over at batlabs just prior to posting to these groups,
which has paid off somewhat
(see: http://batboard.batlabs.com/viewtopic.php?t=63653&unwatch=topic)
but now of course there is also some conflicting info in the replies...
info on Motorola gear can be hard to find!

I'll play it safe and keep it below 3W until I get definite confirmation
of the specs being different. Cheers

From 370880704167189579
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Re: Any Motorola techs in here?
Date: Mon, 04 Dec 2006 12:47:46 +1100
Message-ID: <pan.2006.12.04.01.47.44.612298@jesco>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<456f9645_1@news.iprimus.com.au>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 40
X-Authenticated-User: $$e$z730wds2mzqqypc3ids
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5653 aus.radio.cb:2992
aus.radio.scanner:4915 rec.radio.amateur.equipment:7415

On Fri, 01 Dec 2006 12:41:03 +1000, Warren saiyd:

>
> "Jesco White" <no.m@il.as.yet.net> wrote in message
> news:pan.2006.12.01.00.44.23.849081@jesco...
>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>

>>>
>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>> G'day,
>>>>
>>>> Looking for specs on this amplifier:
>>>>
>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>
>>>> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
>>>> approx. 150W output, draws well over 30A from my poor struggling power
>>>> supply. I'm not game to up the drive any further until I know the specs!
>>>>
>>>> Basically any specs or any info at all would be great, thanks in
>>>> advance.
>>>>
>>>> Cheers,
>>>
>>> Let's take a wild guess here, you want to use it on the UHf Chook Band to
>>> talk into the 5 w output repeaters, if that's the case, and I do hope I'm
>>> wrong, you'd be better off with a decent antenna system,
>>
>> WRONG, I plan to cause havoc on the remaining analog police repeaters-
>> ya idiot. There's more to the UHF band than CB radio you know.
>>
>
> Well don't forget to wear a set of lead lined underpants, ya know what
> excess high frequency does to the male reproductive organs :-)

Indeed...!

From 4378770699722676083
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Re: Any Motorola techs in here?
Date: Mon, 04 Dec 2006 12:50:31 +1100
Message-ID: <pan.2006.12.04.01.50.29.811140@jesco>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>

```
<pan.2006.12.01.01.30.53.23141@jesco> <4570a956_1@news.iprimus.com.au>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 57
X-Authenticated-User: $$e$z730wds2mzqqypc3ids
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5654 aus.radio.cb:2993
aus.radio.scanner:4916 rec.radio.amateur.equipment:7416

On Sat, 02 Dec 2006 09:14:45 +1100, Marty saiyd:

> "Jesco White" <no.m@il.as.yet.net> wrote in message
> news:pan.2006.12.01.01.30.53.23141@jesco...
>> On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:
>>
>>> Akmed wrote:
>>>> Jesco White wrote:
>>>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>>>
>>>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>>>> G'day,
>>>>>>>
>>>>>>> Looking for specs on this amplifier:
>>>>>>>
>>>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>>>
>>>>>>> Don't know much at this stage, apart from 4Watts drive (@
>>>>>>> 430-480MHz)=
>>>>>>> approx. 150W output, draws well over 30A from my poor struggling
>>>>>>> power
>>>>>>> supply. I'm not game to up the drive any further until I know the
>>>>>>> specs!
>>>>>>>
>>>>>>> Basically any specs or any info at all would be great, thanks in
>>>>>>> advance.
>>>>>>>
>>>>>>> Cheers,
>>>>>> Let's take a wild guess here, you want to use it on the UHf Chook Band
>>>>>> to
>>>>>> talk into the 5 w output repeaters, if that's the case, and I do hope
>>>>>> I'm
>>>>>> wrong, you'd be better off with a decent antenna system,
>>>>> WRONG, I plan to cause havoc on the remaining analog police repeaters-
>>>>> ya idiot. There's more to the UHF band than CB radio you know.
>>>>
>>>>
>>>> You better be CAREFUL as I will dob you into Simone Templar.
>>>>
```

>>> I bet that has him wetting himself and quaking in his uggies.
>>
>> LOL, quite.
>>
>> Amazing isn't it - cannot discuss power amplifiers in these
>> Aussie groups without the usual knee-jerk assumptions, irrespective of
>> being perfectly within the law to own and use in an appropriate manner.
>> Apparently no Hams here use amplifiers I guess.
>
> May have something to do with the fact that you posted into a CB
> newsgroup????????????

You might want to learn more about interpreting Usenet headers before
trying and failing to flame in a successful manner. Good luck with
that.

```
From 5546140657115525722
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Re: Any Motorola techs in here?
Date: Mon, 04 Dec 2006 13:00:46 +1100
Message-ID: <pan.2006.12.04.02.00.37.838167@jesco>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco>
<456fc9ad$0$9775$afc38c87@news.optusnet.com.au>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 73
X-Authenticated-User: $$e$z730wds2mzqqypc3ids
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5655 aus.radio.cb:2994
aus.radio.scanner:4917 rec.radio.amateur.equipment:7417
```

On Fri, 01 Dec 2006 17:20:25 +1100, Andrew saiyd:

> "Jesco White" <no.m@il.as.yet.net> wrote in message
> news:pan.2006.12.01.01.30.53.23141@jesco...

>> On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:
>>
>>> Akmed wrote:
>>>> Jesco White wrote:
>>>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>>>
>>>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>>>> G'day,
>>>>>>>
>>>>>>> Looking for specs on this amplifier:
>>>>>>>
>>>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>>>
>>>>>>> Don't know much at this stage, apart from 4Watts drive (@
>>>>>>> 430-480MHz)=
>>>>>>> approx. 150W output, draws well over 30A from my poor struggling
>>>>>>> power
>>>>>>> supply. I'm not game to up the drive any further until I know the
>>>>>>> specs!
>>>>>>>
>>>>>>> Basically any specs or any info at all would be great, thanks in
>>>>>>> advance.
>>>>>>>
>>>>>>> Cheers,
>>>>>> Let's take a wild guess here, you want to use it on the UHf Chook Band
>>>>>> to
>>>>>> talk into the 5 w output repeaters, if that's the case, and I do hope
>>>>>> I'm
>>>>>> wrong, you'd be better off with a decent antenna system,
>>>>> WRONG, I plan to cause havoc on the remaining analog police repeaters-
>>>>> ya idiot. There's more to the UHF band than CB radio you know.
>>>>
>>>>
>>>> You better be CAREFUL as I will dob you into Simone Templar.
>>>>
>>> I bet that has him wetting himself and quaking in his uggies.
>>
>> LOL, quite.
>>
>> Amazing isn't it - cannot discuss power amplifiers in these
>> Aussie groups without the usual knee-jerk assumptions, irrespective of
>> being perfectly within the law to own and use in an appropriate manner.
>> Apparently no Hams here use amplifiers I guess.
>>
> Welcome to aus.radio.scanner, please feel free to ask any other questions
> that are not related to the topic of the newsgroup.

It's a radio related group. Some who subscribe to ARS do not subscribe to
other related groups and vic-versa.

> I'd suggest joining www.batlabs.com and ask on there if you want to know

> technical specs, whilst there are some people in this newsgroup who
> actually know what they are talking about in relation to the technical
> side of Radios. I am not one and there are a large portion of people who
> response with smart ass remarks

Well, that is Usenet - uncensored and therefore you get the full spectrum
of human behaviour. I have no problem with that to be honest, MUCH more
preferable than censorship or 'moderation'.

Thanks for your suggestion re: batlabs, I did post a question there on
this matter prior to posting to these groups. I have received a few good
replies, but still seeking those elusive specifications.

Cheers

```
From 33050297186257840
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Re: Any Motorola techs in here?
Date: Mon, 04 Dec 2006 13:08:43 +1100
Message-ID: <pan.2006.12.04.02.08.19.178762@jesco>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco> <456f9746_1@news.iprimus.com.au>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 36
X-Authenticated-User: $$e$z730wds2mzqqypc3ids
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5656 aus.radio.cb:2995
aus.radio.scanner:4919 rec.radio.amateur.equipment:7418
```

On Fri, 01 Dec 2006 12:45:20 +1000, Warren saiyd:
> G'day,
>
> Looking for specs on this amplifier:
>

> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>
> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
> approx. 150W output, draws well over 30A from my poor struggling power
> supply. I'm not game to up the drive any further until I know the specs!
>
> Basically any specs or any info at all would be great, thanks in advance.
>
>> Amazing isn't it - cannot discuss power amplifiers in these
>> Aussie groups without the usual knee-jerk assumptions, irrespective of
>> being perfectly within the law to own and use in an appropriate manner.
>> Apparently no Hams here use amplifiers I guess.
>
> Why bother power amplifier related postings in a CB Radio group then ?

Just to piss you off, Warren.

> state exactly what your using it for and post in the appropiare group.

No. I'm just looking for the specs. That was my query.

Can you define what in your view is an "appropiare" group?
IF you bothered to check the headers, you will see that the OP was
sent to: aus.radio.amateur.misc, aus.radio.cb, aus.radio.scanner,
rec.radio.amateur.equipment

If you believe you know of more "appropiare" groups, or just wish to
drop all pretence and continue developing this into an argument, please
enlighten us all, cheers.

From 286443202610396250
X-Google-Thread: 108122,303899b3018dc75
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Dec 2006 20:14:03 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-765 Receive Sensitivty - DEAD
From: "Mark Bailey" <mjb@jobsoft.com>
References: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com> <n-idnbWEVvYqv-
_YnZ2dnUVZ_sSdnZ2d@comcast.com> <N-adneX6nPlj2-_YnZ2dnUVZ_h-dnZ2d@comcast.com>
<feOdnU4wL_59-e7YnZ2dnUVZ_sWdnZ2d@comcast.com>
<Tq6dndEW28uZ5e7YnZ2dnUVZ_oWdnZ2d@comcast.com> <ekvtuo$gd1$1@news2.kornet.net>
Organization: Jobsoft
Date: Mon, 4 Dec 2006 02:14:04 GMT
X-Newsreader: News Rover 12.0.1 (http://www.NewsRover.com)
Message-ID: <X56dnQ2Lp-rxGe7YnZ2dnUVZ_uWdnZ2d@comcast.com>
Lines: 6

NNTP-Posting-Host: 70.90.228.189
X-Trace: sv3-xyOqRbQT7Qu+oagV/
p7Ie2KS2DTybOIsmedgasPAe11wT3isA2LVpbsQSgTq7byeLjKbfV3/MYR69NH!
5Sdw7umgQDohp9Djn2CAVOFNdobg1SiKDjFS+WK5meX7bj3vnHm1zHyDIKj3W1uvyuAO5V48gGsC!
lkOuZ5cC5nB0
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7419

Yeah, that is what scares me! :-) I am calling Icom first thing tomorrow
(Monday). I know it was still available up to a couple of year's ago (from
one of the posts on Yahoo Groups). If they do have them, and they're not
too expensive, I am going to order a couple of them. I actually have
located the relay on the Antenna Switch Unit already. I have a part # too.
So, if I can just get my hands on it! :-)

From 4118085861965006830
X-Google-Thread: 108122,f99a44182f2716fa,start
X-Google-Thread: fc2a5,f99a44182f2716fa,start
X-Google-Thread: f5845,f99a44182f2716fa,start
X-Google-Attributes: gid108122,gidfc2a5,gidf5845,public
X-Google-Language: GERMAN,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.nventure.com!
news.nventure.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Dec 2006 20:29:22 -0600
From: KC7ZWG <kc7zwg@kc7zwg.org>
Subject: FYI: New Radio Site!
Newsgroups: ncf.sigs.radio-tv.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sachsnet.hobby.amateur+cb-funk,su.org.ham-radio,tamu.hamradio.bulletins,tnn.radio.amateur
Followup-To: ncf.sigs.radio-tv.shortwave
Reply-To: kc7zwg@kc7zwg.com
Date: Sun, 03 Dec 2006 18:28:55 -0800
Organization: kc7zwg.org
User-Agent: KNode/0.10.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <07udnWt98cefFe7YnZ2dnUVZ_rOdnZ2d@nventure.com>
Lines: 29
NNTP-Posting-Host: 131.191.21.31
X-Trace: sv3-GFaGSdeJcGwKemCW3RKk7C0MZW/BvGk//
c2WQIDB5HtCMhC+wGnMt3pMieDlEVUENkjwtYSsXr6BStX!
HtJ49xjzbTWm0Gnc1K6AnbN4QmNiELTmBHXrK3c2KAIWbGhzYkwHcWDd2HnuOxQw8zLdetu5ZO4B!
3VWqjDKia4Sq77Ab5dxaDBUOZ6aClTs=
X-Complaints-To: abuse@nventure.com
X-DMCA-Complaints-To: abuse@nventure.com

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7420
rec.radio.amateur.homebrew:8085 tnn.radio.amateur:13



                        http://kc7zwg.org/



--
Martin Johnson - KC7ZWG
kc7zwg@kc7zwg.com - http://www.kc7zwg.com



From -7020288351895215005
X-Google-Thread: 10d31e,1b75939abe27ba0c
X-Google-Thread: 1048f0,1b75939abe27ba0c
X-Google-Thread: 108122,1b75939abe27ba0c
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe02.lga.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
Subject: Re: Liberty CRD Diesel '06: Interference with 2m radio transmissions
From: Red Jeep <no@way.com>
References: <1165174678.935878.226720@79g2000cws.googlegroups.com>
```

<WoSdnftluYvztO7YnZ2dnUVZ_r2dnZ2d@comcast.com>
Organization: Unspecified
Message-ID: <Xns988EDF39E7922314568729@69.28.186.121>
User-Agent: Xnews/5.04.25
Lines: 19
X-Trace:
nphhjmdkmllhpdkekannfilpcpbbolnmgoffojgfkpjemcinhbanndhlogddfllfdojfmonlcapllcgncc
oadggnggpghoogankbcoajbmhacoiflhfelogfichcbpmbenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 03 Dec 2006 20:56:58 MST
Date: Mon, 04 Dec 2006 03:56:58 GMT
Xref: g2news2.google.com rec.autos.makers.jeep+willys:31873
rec.autos.makers.chrysler:18300 rec.radio.amateur.equipment:7421

>
> First, use a direct connection to the battery terminals. Second, twist
> the connecting wires 2 or 3 twists per foot from the battery to your
> radio. Third, get a GOOD chassis ground connection for the radio.
>

Excellent advice. I would add: fuse both hot & ground for good measure at the battery ends of the connections. You could also loop the power cord a couple of times and put a ferrite bead on the power leads.

Always run heavier wire than you think you'll need. It reduces loss and someday you might want to put out more wattage.

If it's a temporary set-up, use one of those gel-cell booster batteried to power your radio.

73s!

From 3948187879468339962
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: Any Motorola techs in here?
From: "Warren" <NoSpam-><NoCode@yahoo.com.au>>
Date: Mon, 4 Dec 2006 13:57:41 +1000
Message-ID: <45739cbd$1_1@news.iprimus.com.au>
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco> <456f9746_1@news.iprimus.com.au>
<pan.2006.12.04.02.08.19.178762@jesco>
Lines: 16
NNTP-Posting-Host: 203.134.67.67

Organization: iPrimus Customer - reports relating to abuse should be sent to abuse@iprimus.com.au
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out02b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.nntp.be!propagator4-sterling.newsfeeds.com!news-in1.newsgroups.com!
newsfeed.pacific.net.au!token.pipenetworks.com!218.100.2.59.MISMATCH!not-for-mail
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
X-Trace: 1165204672 un-2park-reader-01.sydney.pipenetworks.com.au 1033
203.134.67.67:2804
Reply-to: "Warren" <.>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Original-NNTP-Posting-Host: 58.179.102.97
X-Original-NNTP-Posting-Host: 127.0.0.1
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Xref: g2news2.google.com aus.radio.amateur.misc:5659 aus.radio.cb:2996
aus.radio.scanner:4922 rec.radio.amateur.equipment:7422

>
> If you believe you know of more "appropiare" groups, or just wish to
> drop all pretence and continue developing this into an argument, please
> enlighten us all, cheers.
>

You seem to be the one pushing for an argument, I just can't see why you would bother posting in CB and Scanner groups, have look here, http://www.eserviceinfo.com/ there is a lot of Motorola stuff there,

Cheers,

Warren

From -1288539208203532278
X-Google-Thread: 10d31e,1b75939abe27ba0c
X-Google-Thread: 1048f0,1b75939abe27ba0c
X-Google-Thread: 108122,1b75939abe27ba0c
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7urf1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 24.76.182.68
From: Ken Weitzel <kweitzel@shaw.ca>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)

```
MIME-Version: 1.0
Newsgroups:
rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
Subject: Re: Liberty CRD Diesel '06: Interference with 2m radio transmissions
References: <1165174678.935878.226720@79g2000cws.googlegroups.com>
<WoSdnftluYvztO7YnZ2dnUVZ_r2dnZ2d@comcast.com>
<Xns988EDF39E7922314568729@69.28.186.121>
In-Reply-To: <Xns988EDF39E7922314568729@69.28.186.121>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <VJNch.422037$R63.329955@pd7urf1no>
Date: Mon, 04 Dec 2006 04:45:41 GMT
NNTP-Posting-Host: 24.66.94.143
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf1no 1165207541 24.66.94.143 (Sun, 03 Dec 2006 21:45:41 MST)
NNTP-Posting-Date: Sun, 03 Dec 2006 21:45:41 MST
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.autos.makers.jeep+willys:31879
rec.autos.makers.chrysler:18301 rec.radio.amateur.equipment:7423

Red Jeep wrote:
>> First, use a direct connection to the battery terminals. Second, twist
>> the connecting wires 2 or 3 twists per foot from the battery to your
>> radio. Third, get a GOOD chassis ground connection for the radio.
>>
>
>
> Excellent advice. I would add: fuse both hot & ground for good measure at
> the battery ends of the connections. You could also loop the power cord a
> couple of times and put a ferrite bead on the power leads.
>
> Always run heavier wire than you think you'll need. It reduces loss and
> someday you might want to put out more wattage.
>
> If it's a temporary set-up, use one of those gel-cell booster batteried to
> power your radio.
>
> 73s!

Hi...

With all due respect, don't even think about fusing ground.

Take care.

Ken


From -5770329257863071706
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
```

X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Re: Any Motorola techs in here?
Date: Mon, 04 Dec 2006 15:53:25 +1100
Message-ID: <pan.2006.12.04.04.53.14.256199@jesco>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco> <456f9746_1@news.iprimus.com.au>
<pan.2006.12.04.02.08.19.178762@jesco> <45739cbd$1_1@news.iprimus.com.au>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 37
X-Authenticated-User: $$e$z730wds2mzqqypc3ids
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news1.google.com!news.germany.com!news.ecp.fr!redpower.x-privat.org!x-privat.org!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5660 aus.radio.cb:2997
aus.radio.scanner:4923 rec.radio.amateur.equipment:7424

On Mon, 04 Dec 2006 13:57:41 +1000, Warren saiyd:

>
>>
>> If you believe you know of more "appropiare" groups, or just wish to
>> drop all pretence and continue developing this into an argument, please
>> enlighten us all, cheers.
>
> You seem to be the one pushing for an argument, I just can't see why you
> would bother posting in CB and Scanner groups,

Mate, these groups are inhabited by radio enthusiasts whose interests
don't necessarily begin or end with Amateur radio, CB radio or scanning.

Had I posted with robot-like compliance, I wouldn't have posted the
question at all, since there is no news group for Motorola commercial
equipment. I could use your same logic to not even post it to any of the
amateur radio groups as well.

I think you really do understand why it posted to these groups, it's just
common sense. I wondered before originally posting whether I'd hear from
some pedants, sure enough I did. Oh well, par for the course isn't it...
Some people don't necessarily read whatever groups you feel
are more appropriate, hence cross-posting to a range of radio related
groups.

All I was asking for were the specifications of a piece of radio equipment, nothing more. But some will never miss an opportunity, no matter how petty, to have a go at someone over the flimsiest of pretexts.

> have look here, http://www.eserviceinfo.com/ there is a lot of Motorola
> stuff there,

Thanks for the link Warren, will check it out.

From 3372073130862113678
X-Google-Thread: 108122,b93d37b46702fff5
X-Google-Thread: 10bf43,b93d37b46702fff5
X-Google-Thread: 106d41,8126e97322c699d6
X-Google-Thread: 1109af,cf59864f51b1318e
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.portbridge.com!
news.portbridge.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Dec 2006 00:06:07 -0600
From: Geary Morton <ginkgo@ipass.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.swap
Subject: Re: FS: PL-259's, Silver Plated, Teflon, $2.00 each
References: <EYhch.66213$Vu4.39204@newsfe10.phx>
<0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net>
<gq4k4.q57.17.1@news.alt.net>
<1165196664.897492.294550@73g2000cwn.googlegroups.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Date: Mon, 04 Dec 2006 01:06:07 -0500
Message-ID: <ginkgo-43FE8F.01060704122006@news.isp.giganews.com>
Lines: 19
NNTP-Posting-Host: 209.170.130.161
X-Trace: sv3-GOb4DQg0wwqyCnGqFVNXWJImxUp3w6BfN6vyDz1WLjoRDUATDw/CM3Df2YvPf/
93vD0ZhgHCMGk6DK7!Iox7x/
GIqNcvM8XgoOgIgtycT6ArKLWthL47EfgcEc+AmKafAALT2HsNPUK+jUjK5lXoHd+sB+Jc!Aif/
uFFYGOpTEaSO0/Sy58Yt7Dw=
X-Complaints-To: abuse@portbridge.com
X-DMCA-Complaints-To: abuse@portbridge.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7425
rec.radio.amateur.policy:56714 rec.radio.cb:23037 rec.radio.swap:10469

In article <1165196664.897492.294550@73g2000cwn.googlegroups.com>,
"Bret Ludwig" <bretldwig@yahoo.com> wrote:

> A. G. Bell wrote:
> > "Slow Code" <my.mail@no.spam> wrote in message
> > news:0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net...
> > > "W6KRC" <W6KRC@ARRL.net> wrote in news:EYhch.66213$Vu4.39204@newsfe10.phx:
> > >
> > > > For Sale: PL-259's, UHF Male connectors, high quality, silver plated,
> > > > Teflon insulation, new, $2.00 each, unlimited quantity available, no
> > > > minimum order.
> > >
>
>
> The 239 sucks donkey dick. Real equipment tends to have BNC or N
> connectors and has for thirty or forty years.

Hmmmmmm, well since he's only offering one gender, any buyer would
probably have a specific need that transcends your evaluation.

From 8128160030069876032
X-Google-Thread: 108122,303899b3018dc75
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Dec 2006 00:44:30 -0600
Date: Sun, 03 Dec 2006 22:44:30 -0800
From: Gary <gbelcas@comcast.net>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-765 Receive Sensitivty - DEAD
References: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com> <n-idnbWEVvYqv-
_YnZ2dnUVZ_sSdnZ2d@comcast.com> <N-adneX6nPlj2-_YnZ2dnUVZ_h-dnZ2d@comcast.com>
<feOdnU4wL_59-e7YnZ2dnUVZ_sWdnZ2d@comcast.com>
<Tq6dndEW28uZ5e7YnZ2dnUVZ_oWdnZ2d@comcast.com> <ekvtuo$gd1$1@news2.kornet.net>
<X56dnQ2Lp-rxGe7YnZ2dnUVZ_uWdnZ2d@comcast.com>
In-Reply-To: <X56dnQ2Lp-rxGe7YnZ2dnUVZ_uWdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <v6SdnVMSR-tTXu7YnZ2dnUVZ_ridnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 67.170.123.220
X-Trace: sv3-oQZ2JgGxUPh9Pq74wqTyHMcaZNTePEWeGswSNQ6sz4vJcC9CEmY/
6mC1JBq1MaB3vNKsog/MO/+Lrn1!GbFakwkBOd5ZbPAA0rJ8RhZWl1p17Zq1SLva7FUI62YhP/
klNP+xkm2BOd4NLKpQ/tQa6idQFpfi!IkUpDg/S2uTi7A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7426
```

Mark Bailey wrote:
> Yeah, that is what scares me! :-) I am calling Icom first thing tomorrow
> (Monday). I know it was still available up to a couple of year's ago (from
> one of the posts on Yahoo Groups). If they do have them, and they're not
> too expensive, I am going to order a couple of them. I actually have
> located the relay on the Antenna Switch Unit already. I have a part # too.
> So, if I can just get my hands on it! :-)

Mark,

Never really contemplated putting my hands on tuff-to-get specific
replacement components before. Hope they have one for you.

Gary

```
From -4824012370102255116
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out04b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Any Motorola techs in here?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <pan.2006.11.30.23.48.34.843665@jesco>
<Xns988BBDB3FE443spectrumhogstarbandn@198.186.192.196>
<pan.2006.12.04.01.47.05.167642@jesco>
Organization: Your Company
Message-ID: <Xns988EED56C3047spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 04 Dec 2006 07:13:59 GMT
Lines: 22
NNTP-Posting-Host: 22055182.news.adtechcomputers.com
X-Trace: DXC=:QG56iNI3Scf0OR[ak:C_fgC4_A5:nI@a<<=aEgO;R8g?1[NjD68g\lHiPf_j^Ee?
becf<A4o8l9c0W_Uo]cC15jF>X\<H4^BFiClZSOZdDK\f
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com aus.radio.amateur.misc:5662
rec.radio.amateur.equipment:7427
```

> The general consensus is that it did indeed come from an MSF5000, I
> started a thread over at batlabs just prior to posting to these
> groups, which has paid off somewhat
> (see: http://batboard.batlabs.com/viewtopic.php?t=63653&unwatch=topic
>) but now of course there is also some conflicting info in the
> replies... info on Motorola gear can be hard to find!
>

> I'll play it safe and keep it below 3W until I get definite
> confirmation of the specs being different. Cheers

Good idea. I worked on Motorola, etc, for the past 35 years, up to and including MSF5000 UHF like you have.   Best I can recollect, never had an PA that took more than 1 or 2 watts drive.....   I could be wrong, maybe.... its been a couple years.

Ed

From 2922419331347927091
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!news.linkpendium.com!news.linkpendium.com!
newsfeed.pacific.net.au!token.pipenetworks.com!218.100.2.59.MISMATCH!not-for-mail
Reply-To: "Warren" <.>
From: "Warren" <NoSpam-><NoCode@yahoo.com.au>>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco> <456f9746_1@news.iprimus.com.au>
<pan.2006.12.04.02.08.19.178762@jesco> <45739cbd$1_1@news.iprimus.com.au>
<pan.2006.12.04.04.53.14.256199@jesco>
Subject: Re: Any Motorola techs in here?
Date: Mon, 4 Dec 2006 17:22:57 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Original-NNTP-Posting-Host: 58.179.102.97
Message-ID: <4573ccd9$1_1@news.iprimus.com.au>
Organization: iPrimus Customer - reports relating to abuse should be sent to
abuse@iprimus.com.au
X-Original-NNTP-Posting-Host: 127.0.0.1
Lines: 60
NNTP-Posting-Host: 203.134.67.67
X-Trace: 1165216988 un-2park-reader-01.sydney.pipenetworks.com.au 1032
203.134.67.67:4780

X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Xref: g2news2.google.com aus.radio.amateur.misc:5663 aus.radio.cb:2998
aus.radio.scanner:4924 rec.radio.amateur.equipment:7428

Mate, these groups are inhabited by radio enthusiasts whose interests don't necessarily begin or end with Amateur radio, CB radio or scanning.

Had I posted with robot-like compliance, I wouldn't have posted the question at all, since there is no news group for Motorola commercial equipment. I could use your same logic to not even post it to any of the amateur radio groups as well.

I think you really do understand why it posted to these groups, it's just common sense. I wondered before originally posting whether I'd hear from some pedants, sure enough I did. Oh well, par for the course isn't it...
Some people don't necessarily read whatever groups you feel are more appropriate, hence cross-posting to a range of radio related groups.

All I was asking for were the specifications of a piece of radio equipment, nothing more. But some will never miss an opportunity, no matter how petty, to have a go at someone over the flimsiest of pretexts.

> have look here, http://www.eserviceinfo.com/ there is a lot of Motorola
> stuff there,

Thanks for the link Warren, will check it out.

Hello Jasco , I'm going to do something I don't do very often and that is apologise for jumping to conclusions, I must admit when I read your original posting I thought, here we go again, some UHf CBer wanting info on a very high powered Amp, so he can stomp on every one else, for that I do apologise, in my role as an emergency monitor I get quite a few of the power heads deliberately interfering with the emergency repeaters which I monitor daily, I have even had dead set deliberate interference during actual emergency calls and whilst in contact with the Police Comms Centre, as in, microphone in one hand and the phone in the other, the Police couldn't believe what they heard, so I tend to get a bit touchy when it comes to very high power on UHf CB.

now back to the Amp, I see on the circuit board there is JAS marked in several places, I'm wondering if this is the manufactures identification, if so you might get some info from this mob,

Jas Commerical Printers
Products : Printed circuit boards
Address : 38, Bombay Talkies Compound,, Somwari Bazar, N. B. Road, Malad West,,Mumbai-400064.Maharashtra.
Send : On-Line Trade Inquiry
http://www.easy2source.com/directoryinquiry.asp?Supplier_Id=9882&Cat_id=0&Lent=3

I ran a search on the net and came up with that mob, with a bit of luck they may be the manufactures and should have the info you require, wether the buggers will give the info is another thing , once again sorry for pissing you off,

Cheers,

Warren

```
From -2019452821294047305
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!newsfeed.pacific.net.au!
token.pipenetworks.com!218.100.2.59.MISMATCH!not-for-mail
Reply-To: "Warren" <.>
From: "Warren" <NoSpam-><NoCode@yahoo.com.au>>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco> <456f9746_1@news.iprimus.com.au>
<pan.2006.12.04.02.08.19.178762@jesco> <45739cbd$1_1@news.iprimus.com.au>
<pan.2006.12.04.04.53.14.256199@jesco> <4573ccd9$1_1@news.iprimus.com.au>
Subject: Re: Any Motorola techs in here?
Date: Mon, 4 Dec 2006 19:16:33 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Original-NNTP-Posting-Host: 58.179.102.97
Message-ID: <4573e779$1_1@news.iprimus.com.au>
Organization: iPrimus Customer - reports relating to abuse should be sent to
abuse@iprimus.com.au
X-Original-NNTP-Posting-Host: 127.0.0.1
Lines: 62
NNTP-Posting-Host: 203.134.67.67
X-Trace: 1165223804 un-2park-reader-01.sydney.pipenetworks.com.au 1037
203.134.67.67:2000
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Xref: g2news2.google.com aus.radio.amateur.misc:5665 aus.radio.cb:2999
aus.radio.scanner:4927 rec.radio.amateur.equipment:7429
```

>
> Hello Jasco , I'm going to do something I don't do very often and that is
> apologise for jumping to conclusions, I must admit when I read your
> original posting I thought, here we go again, some UHf CBer wanting info
> on a very high powered Amp, so he can stomp on every one else, for that I
> do apologise, in my role as an emergency monitor I get quite a few of the
> power heads deliberately interfering with the emergency repeaters which I
> monitor daily, I have even had dead set deliberate interference during
> actual emergency calls and whilst in contact with the Police Comms Centre,
> as in, microphone in one hand and the phone in the other, the Police
> couldn't believe what they heard, so I tend to get a bit touchy when it
> comes to very high power on UHf CB.
>
> now back to the Amp, I see on the circuit board there is JAS marked in
> several places, I'm wondering if this is the manufactures identification,
> if so you might get some info from this mob,
>
> Jas Commerical Printers
> Products : Printed circuit boards
> Address : 38, Bombay Talkies Compound,, Somwari Bazar, N. B. Road, Malad
> West,,Mumbai-400064.Maharashtra.
> Send : On-Line Trade Inquiry
> http://www.easy2source.com/directoryinquiry.asp?Supplier_Id=9882&Cat_id=0&Lent=3
>
> I ran a search on the net and came up with that mob, with a bit of luck
> they may be the manufactures and should have the info you require, wether
> the buggers will give the info is another thing , once again sorry for
> pissing you off,
>
> Cheers,
>
> Warren

Jasco,
Maybe here, more info on MSF5000 if you already haven't got this link ,
http://www.repeater-builder.com/motorola/msf/msf-tour.html .

The following info has nothing to do with Motorola , but I recently purchased a Philips 828 back end (25 Watt PA from 828 radio) which has been modded so as to run a hand held 2 Mtr , there was no info available with it regarding input power, and me being a silly bugger didn't think to ask the bloke I bought it from :-) (Hamfest), so at first I set the h/h to 5 W max, the amp output was 25W, then I set the radio to low power, 0.5 W , the output was then 20 W, so I came to the conclusion to run it at low power 0.5 W, as that would most probably be the safe input power, 5 W input only raised the output by around 5 W not worth potentially blowing the driver or something major, unless of course the driver had been changed to a more robust type ?, in your case, maybe try at 1W then say 3W and see what the output difference is , if it's only 5 or 10 W on higher input power of 3 W its probably safe to run it at 1 W input,

Cheers,

Warren

```
From -4621420385863193434
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Mon, 04 Dec 2006 19:53:30 +1000
From: atec 77 <"atec77 "@hotmail.com>
Organization: x-no-archive: yes
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
Subject: Re: Any Motorola techs in here?
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco> <456f9746_1@news.iprimus.com.au>
<pan.2006.12.04.02.08.19.178762@jesco> <45739cbd$1_1@news.iprimus.com.au>
<pan.2006.12.04.04.53.14.256199@jesco> <4573ccd9$1_1@news.iprimus.com.au>
<4573e779$1_1@news.iprimus.com.au>
In-Reply-To: <4573e779$1_1@news.iprimus.com.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0653-0, 03/12/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 63
Message-ID: <4573e93b$0$24707$61c65585@uv-55king-
reader-01.melbourne.pipenetworks.com.au>
NNTP-Posting-Host: 220.244.237.239
X-Trace: 1165224256 uv-55king-reader-01.melbourne.pipenetworks.com.au 24707
220.244.237.239:1395
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Path: g2news2.google.com!news3.google.com!news.glorb.com!quokka.wn.com.au!
tweak.pipenetworks.com!218.100.13.59.MISMATCH!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5667 aus.radio.cb:3000
aus.radio.scanner:4928 rec.radio.amateur.equipment:7430
```

Warren <NoSpam-> wrote:

>> Hello Jasco , I'm going to do something I don't do very often and that is
>> apologise for jumping to conclusions, I must admit when I read your
>> original posting I thought, here we go again, some UHf CBer wanting info
>> on a very high powered Amp, so he can stomp on every one else, for that I
>> do apologise, in my role as an emergency monitor I get quite a few of the
>> power heads deliberately interfering with the emergency repeaters which I
>> monitor daily, I have even had dead set deliberate interference during
>> actual emergency calls and whilst in contact with the Police Comms Centre,
>> as in, microphone in one hand and the phone in the other, the Police
>> couldn't believe what they heard, so I tend to get a bit touchy when it
>> comes to very high power on UHf CB.
>>
>> now back to the Amp, I see on the circuit board there is JAS marked in
>> several places, I'm wondering if this is the manufactures identification,
>> if so you might get some info from this mob,
>>
>> Jas Commerical Printers
>> Products : Printed circuit boards
>> Address : 38, Bombay Talkies Compound,, Somwari Bazar, N. B. Road, Malad
>> West,,Mumbai-400064.Maharashtra.
>> Send : On-Line Trade Inquiry
>> http://www.easy2source.com/directoryinquiry.asp?
Supplier_Id=9882&Cat_id=0&Lent=3
>>
>> I ran a search on the net and came up with that mob, with a bit of luck
>> they may be the manufactures and should have the info you require, wether
>> the buggers will give the info is another thing , once again sorry for
>> pissing you off,
>>
>> Cheers,
>>
>> Warren
>
>
>
> Jasco,
>   Maybe here, more info on MSF5000 if you already haven't got this
> link ,
> http://www.repeater-builder.com/motorola/msf/msf-tour.html .
>
> The following info has nothing to do with Motorola , but I recently
> purchased a Philips 828 back end (25 Watt PA from 828 radio) which has been
> modded so as to run a hand held 2 Mtr , there was no info available with it
> regarding input power, and me being a silly bugger didn't think to ask the
> bloke I bought it from :-) (Hamfest), so at first I set the h/h to 5 W
> max, the amp output was 25W, then I set the radio to low power, 0.5 W , the
> output was then 20 W, so I came to the conclusion to run it at low power 0.5
> W, as that would most probably be the safe input power, 5 W input only
> raised the output by around 5 W not worth potentially blowing the driver or
> something major, unless of course the driver had been changed to a more
> robust type ?, in your case, maybe try at 1W then say 3W and see what the
> output difference is , if it's only 5 or 10 W on higher input power of 3 W
> its probably safe to run it at 1 W input,

>
> Cheers,
>
> Warren
>
>
>

You are correct , I have made the conversion on several 828 PA with a
resistive network , latest is an 828 lowband vhf on 6 ,eters with 1 watt
in give 24 watts out , actual drive is about .55 watts via the resisters .

```
From 7470537013066585139
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news1.optus.net.au!optus!newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!
newsfeed.pacific.net.au!token.pipenetworks.com!218.100.2.59.MISMATCH!not-for-mail
Reply-To: "Warren" <.>
From: "Warren" <NoSpam-><NoCode@yahoo.com.au>>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco> <456f9746_1@news.iprimus.com.au>
<pan.2006.12.04.02.08.19.178762@jesco> <45739cbd$1_1@news.iprimus.com.au>
<pan.2006.12.04.04.53.14.256199@jesco> <4573ccd9$1_1@news.iprimus.com.au>
<4573e779$1_1@news.iprimus.com.au> <4573e93b$0$24707$61c65585@uv-55king-
reader-01.melbourne.pipenetworks.com.au>
Subject: Re: Any Motorola techs in here?
Date: Mon, 4 Dec 2006 20:15:15 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Original-NNTP-Posting-Host: 58.179.102.97
Message-ID: <4573f53b$1_1@news.iprimus.com.au>
Organization: iPrimus Customer - reports relating to abuse should be sent to
abuse@iprimus.com.au
X-Original-NNTP-Posting-Host: 127.0.0.1
Lines: 94
NNTP-Posting-Host: 203.134.67.67
X-Trace: 1165227396 un-2park-reader-01.sydney.pipenetworks.com.au 1035
203.134.67.67:2584
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
```

Xref: g2news2.google.com aus.radio.amateur.misc:5671 aus.radio.cb:3001 aus.radio.scanner:4929 rec.radio.amateur.equipment:7431

"atec 77" <"atec77 "@hotmail.com> wrote in message
news:4573e93b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au...
> Warren <NoSpam-> wrote:
>>> Hello Jasco , I'm going to do something I don't do very often and that
>>> is
>>> apologise for jumping to conclusions, I must admit when I read your
>>> original posting I thought, here we go again, some UHf CBer wanting info
>>> on a very high powered Amp, so he can stomp on every one else, for that
>>> I
>>> do apologise, in my role as an emergency monitor I get quite a few of
>>> the
>>> power heads deliberately interfering with the emergency repeaters which
>>> I
>>> monitor daily, I have even had dead set deliberate interference during
>>> actual emergency calls and whilst in contact with the Police Comms
>>> Centre,
>>> as in, microphone in one hand and the phone in the other, the Police
>>> couldn't believe what they heard, so I tend to get a bit touchy when it
>>> comes to very high power on UHf CB.
>>>
>>> now back to the Amp, I see on the circuit board there is JAS marked in
>>> several places, I'm wondering if this is the manufactures
>>> identification,
>>> if so you might get some info from this mob,
>>>
>>> Jas Commerical Printers
>>> Products : Printed circuit boards
>>> Address : 38, Bombay Talkies Compound,, Somwari Bazar, N. B. Road, Malad
>>> West,,Mumbai-400064.Maharashtra.
>>> Send : On-Line Trade Inquiry
>>> http://www.easy2source.com/directoryinquiry.asp?Supplier_Id=9882&Cat_id=0&Lent=3
>>>
>>> I ran a search on the net and came up with that mob, with a bit of luck
>>> they may be the manufactures and should have the info you require,
>>> wether
>>> the buggers will give the info is another thing , once again sorry for
>>> pissing you off,
>>>
>>> Cheers,
>>>
>>> Warren
>>
>>
>>
>> Jasco,
>>   Maybe here, more info on MSF5000 if you already haven't got
>> this

>> link ,
>> http://www.repeater-builder.com/motorola/msf/msf-tour.html .
>>
>> The following info has nothing to do with Motorola , but I recently
>> purchased a Philips 828 back end (25 Watt PA from 828 radio) which has
>> been
>> modded so as to run a hand held 2 Mtr , there was no info available with
>> it
>> regarding input power, and me being a silly bugger didn't think to ask
>> the
>> bloke I bought it from :-) (Hamfest), so at first I set the h/h to 5 W
>> max, the amp output was 25W, then I set the radio to low power, 0.5 W ,
>> the
>> output was then 20 W, so I came to the conclusion to run it at low power
>> 0.5
>> W, as that would most probably be the safe input power, 5 W input only
>> raised the output by around 5 W not worth potentially blowing the driver
>> or
>> something major, unless of course the driver had been changed to a more
>> robust type ?, in your case, maybe try at 1W then say 3W and see what the
>> output difference is , if it's only 5 or 10 W on higher input power of 3
>> W
>> its probably safe to run it at 1 W input,
>>
>> Cheers,
>>
>> Warren
>>
>>
>>
> You are correct , I have made the conversion on several 828 PA with a
> resistive network , latest is an 828 lowband vhf on 6 ,eters with 1 watt
> in give 24 watts out , actual drive is about .55 watts via the resisters .

Hello atec77, thanks for the verification, much appreciated, I really should have thought to ask the fellow I bought it from at the Gold Coast Hamfest, but it didn't occur to me at the time, I really went down to buy some N-Connectors as they have had them before, mixed types secondhand in a plastic bag for around $15 , wouldn't you know it, there wasn't any there haha, ah well, ya get that :-) ,

Cheers,

Warren

From -1010755806573092167
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36

```
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Mon, 04 Dec 2006 20:40:45 +1000
From: atec 77 <"atec77 "@hotmail.com>
Organization: x-no-archive: yes
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
Subject: Re: Any Motorola techs in here?
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco> <456f9746_1@news.iprimus.com.au>
<pan.2006.12.04.02.08.19.178762@jesco> <45739cbd$1_1@news.iprimus.com.au>
<pan.2006.12.04.04.53.14.256199@jesco> <4573ccd9$1_1@news.iprimus.com.au>
<4573e779$1_1@news.iprimus.com.au> <4573e93b$0$24707$61c65585@uv-55king-
reader-01.melbourne.pipenetworks.com.au> <4573f53b$1_1@news.iprimus.com.au>
In-Reply-To: <4573f53b$1_1@news.iprimus.com.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0653-0, 03/12/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 95
Message-ID: <4573f44e$0$24710$61c65585@uv-55king-
reader-01.melbourne.pipenetworks.com.au>
NNTP-Posting-Host: 220.244.237.239
X-Trace: 1165227089 uv-55king-reader-01.melbourne.pipenetworks.com.au 24710
220.244.237.239:2364
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Path: g2news2.google.com!news4.google.com!news.glorb.com!quokka.wn.com.au!
tweak.pipenetworks.com!218.100.13.59.MISMATCH!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5673 aus.radio.cb:3002
aus.radio.scanner:4932 rec.radio.amateur.equipment:7432

Warren <NoSpam-> wrote:
> "atec 77" <"atec77 "@hotmail.com> wrote in message
> news:4573e93b$0$24707$61c65585@uv-55king-
reader-01.melbourne.pipenetworks.com.au...
>> Warren <NoSpam-> wrote:
>>>> Hello Jasco , I'm going to do something I don't do very often and that
>>>> is
>>>> apologise for jumping to conclusions, I must admit when I read your
>>>> original posting I thought, here we go again, some UHf CBer wanting info
>>>> on a very high powered Amp, so he can stomp on every one else, for that
>>>> I
>>>> do apologise, in my role as an emergency monitor I get quite a few of
>>>> the
>>>> power heads deliberately interfering with the emergency repeaters which
>>>> I
>>>> monitor daily, I have even had dead set deliberate interference during
>>>> actual emergency calls and whilst in contact with the Police Comms
```

>>>> Centre,
>>>> as in, microphone in one hand and the phone in the other, the Police
>>>> couldn't believe what they heard, so I tend to get a bit touchy when it
>>>> comes to very high power on UHf CB.
>>>>
>>>> now back to the Amp, I see on the circuit board there is JAS marked in
>>>> several places, I'm wondering if this is the manufactures
>>>> identification,
>>>> if so you might get some info from this mob,
>>>>
>>>> Jas Commerical Printers
>>>> Products : Printed circuit boards
>>>> Address : 38, Bombay Talkies Compound,, Somwari Bazar, N. B. Road, Malad
>>>> West,,Mumbai-400064.Maharashtra.
>>>> Send : On-Line Trade Inquiry
>>>> http://www.easy2source.com/directoryinquiry.asp?
Supplier_Id=9882&Cat_id=0&Lent=3
>>>>
>>>> I ran a search on the net and came up with that mob, with a bit of luck
>>>> they may be the manufactures and should have the info you require,
>>>> wether
>>>> the buggers will give the info is another thing , once again sorry for
>>>> pissing you off,
>>>>
>>>> Cheers,
>>>>
>>>> Warren
>>>
>>>
>>> Jasco,
>>>   Maybe here, more info on MSF5000 if you already haven't got
>>> this
>>> link ,
>>> http://www.repeater-builder.com/motorola/msf/msf-tour.html .
>>>
>>> The following info has nothing to do with Motorola , but I recently
>>> purchased a Philips 828 back end (25 Watt PA from 828 radio) which has
>>> been
>>> modded so as to run a hand held 2 Mtr , there was no info available with
>>> it
>>> regarding input power, and me being a silly bugger didn't think to ask
>>> the
>>> bloke I bought it from :-) (Hamfest), so at first I set the h/h to 5 W
>>> max, the amp output was 25W, then I set the radio to low power, 0.5 W ,
>>> the
>>> output was then 20 W, so I came to the conclusion to run it at low power
>>> 0.5
>>> W, as that would most probably be the safe input power, 5 W input only
>>> raised the output by around 5 W not worth potentially blowing the driver
>>> or
>>> something major, unless of course the driver had been changed to a more
>>> robust type ?, in your case, maybe try at 1W then say 3W and see what the
>>> output difference is , if it's only 5 or 10 W on higher input power of 3

```
>>> W
>>> its probably safe to run it at 1 W input,
>>>
>>> Cheers,
>>>
>>> Warren
>>>
>>>
>>>
>> You are correct , I have made the conversion on several 828 PA with a
>> resistive network , latest is an 828 lowband vhf on 6 ,eters with 1 watt
>> in give 24 watts out , actual drive is about .55 watts via the resisters .
>
> Hello atec77, thanks for the verification, much appreciated, I really should
> have thought to ask the fellow I bought it from at the Gold Coast Hamfest,
> but it didn't occur to me at the time, I really went down to buy some
> N-Connectors as they have had them before, mixed types secondhand in a
> plastic bag for around $15 , wouldn't you know it, there wasn't any there
> haha, ah well, ya get that :-) ,
>
> Cheers,
>
> Warren
>
>
N/p
  crimps are very cheap . and the pliers are now affordable


From 5963442224453156171
X-Google-Thread: 10d31e,1b75939abe27ba0c
X-Google-Thread: 1048f0,1b75939abe27ba0c
X-Google-Thread: 108122,1b75939abe27ba0c
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed00.sul.t-
online.de!t-online.de!news.karotte.org!fu-berlin.de!uni-berlin.de!individual.net!
not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups:
rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
Subject: Re: Liberty CRD Diesel '06: Interference with 2m radio transmissions
Date: 4 Dec 2006 15:21:28 GMT
Lines: 9
Message-ID: <slrnen8f7o.qcr.bit-bucket@shell.config.com>
References: <1165174678.935878.226720@79g2000cws.googlegroups.com>
<WoSdnftluYvztO7YnZ2dnUVZ_r2dnZ2d@comcast.com>
<Xns988EDF39E7922314568729@69.28.186.121> <VJNch.422037$R63.329955@pd7urf1no>
X-Trace: individual.net WE12jf2uKcaD3cUdzY7h8we3xs/P39btTeJN9Ud+qLQmfYN2Vr
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.autos.makers.jeep+willys:31902
rec.autos.makers.chrysler:18321 rec.radio.amateur.equipment:7433
```

On Mon, 04 Dec 2006 04:45:41 GMT, Ken Weitzel wrote:
>
> With all due respect, don't even think about fusing ground.

Great! Now comes the interminably long thread where everyone argues
this Old Rule once again -- without anyone changing their mind -- and
with each post starting "With all due respect ..." containing little.

plonk the thread

```
From -8169583217702181076
X-Google-Thread: 10d31e,1b75939abe27ba0c
X-Google-Thread: 1048f0,1b75939abe27ba0c
X-Google-Thread: 108122,1b75939abe27ba0c
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!63.218.45.11!
nx02.iad01.newshosting.com!newshosting.com!post02.iad01!not-for-mail
Message-ID: <45744781.133D3F1@sympatico.ca>
Date: Mon, 04 Dec 2006 11:06:25 -0500
From: Mike Romain <romainm@sympatico.ca>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
Subject: Re: Liberty CRD Diesel '06: Interference with 2m radio transmissions
References: <1165174678.935878.226720@79g2000cws.googlegroups.com>
<WoSdnftluYvztO7YnZ2dnUVZ_r2dnZ2d@comcast.com>
<Xns988EDF39E7922314568729@69.28.186.121> <VJNch.422037$R63.329955@pd7urf1no>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 49
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.autos.makers.jeep+willys:31909
rec.autos.makers.chrysler:18322 rec.radio.amateur.equipment:7434
```

Ken Weitzel wrote:
>
> Red Jeep wrote:
> >> First, use a direct connection to the battery terminals. Second, twist
> >> the connecting wires 2 or 3 twists per foot from the battery to your
> >> radio. Third, get a GOOD chassis ground connection for the radio.
> >>
> >
> >
> > Excellent advice. I would add: fuse both hot & ground for good measure at
> > the battery ends of the connections. You could also loop the power cord a
> > couple of times and put a ferrite bead on the power leads.

> >
> > Always run heavier wire than you think you'll need. It reduces loss and
> > someday you might want to put out more wattage.
> >
> > If it's a temporary set-up, use one of those gel-cell booster batteried to
> > power your radio.
> >
> > 73s!
>
> Hi...
>
> With all due respect, don't even think about fusing ground.
>
> Take care.
>
> Ken

Fusing the ground is recommended and required to do it properly on a
GM. If the vehicle loses it's body or engine ground strap connection
for any reason (like corrosion for one) the starter or alternator or
body/lights, etc. can use the radio as a ground. This usually lets the
smoke out of the unit big time.

http://service.gm.com/techlineinfo/radio.html

I have installed hundreds of transmitters in one contract I had and when
they came back in for repairs over the years, on about 98% of power
short issues either vehicle related or transmitter system related had
the negative fuse blown before the positive one. There were lots of
cases of blown fuses due to ratty vehicle grounds also.

Mike
86/00 CJ7 Laredo, 33x9.5 BFG Muds, 'glass nose to tail in '00
88 Cherokee 235 BFG AT's
Canadian Off Road Trips Photos: Non members can still view!
Jan/06 http://www.imagestation.com/album/pictures.html?id=2115147590
(More Off Road album links at bottom of the view page)

From 5733603806555944996
X-Google-Thread: 108122,303899b3018dc75
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Dec 2006 12:03:28 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-765 Receive Sensitivty - DEAD
From: "Mark Bailey" <mjb@jobsoft.com>
References: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com> <n-idnbWEVvYqv-_YnZ2dnUVZ_sSdnZ2d@comcast.com> <N-adneX6nPlj2-_YnZ2dnUVZ_h-dnZ2d@comcast.com> <feOdnU4wL_59-e7YnZ2dnUVZ_sWdnZ2d@comcast.com>

```
<Tq6dndEW28uZ5e7YnZ2dnUVZ_oWdnZ2d@comcast.com> <ekvtuo$gd1$1@news2.kornet.net>
<X56dnQ2Lp-rxGe7YnZ2dnUVZ_uWdnZ2d@comcast.com> <v6SdnVMSR-
tTXu7YnZ2dnUVZ_ridnZ2d@comcast.com>
Organization: Jobsoft
Date: Mon, 4 Dec 2006 18:03:29 GMT
X-Newsreader: News Rover 12.0.1 (http://www.NewsRover.com)
Message-ID: <h46dnTnNa8Rt_-nYnZ2dnUVZ_vudnZ2d@comcast.com>
Lines: 4
NNTP-Posting-Host: 70.90.228.189
X-Trace: sv3-
GTy79Fsc9yv9NYuc46puENZ+hbhFmr8D227hSlLVKFdFYUcNSeTXfheoE89tYAhqJQzDKY/H90JawXy!
5iOR0QXJekhoAfZ1B6uhx456CBS2ehQWu0+NvujzpQJBoS+S3JmJDrFACxd96nv6EB4QPuDDsQuL!
DIt6z5ZewFKf
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7435
```

Well, ICOM had the RL201 part. She said they only show using 6 per year. :-) Must be a rare failure. They stock lots of the RL13's, though. Go figure. FWIW, they were prompt to get to me and get me squared away. Very pleasant and refreshing.

```
From 3814443250745167367
X-Google-Thread: 108122,b94bc58742f52d8a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Dec 2006 14:05:51 -0600
From: RADIOCONSTRUCTOR <RADIOCONSTRUCTOR.2ib5ph@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Parts For Sunair Gsr920 Hf Receiver
Date: Mon, 4 Dec 2006 19:39:57 +0000
Message-ID: <RADIOCONSTRUCTOR.2ib5ph@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 1
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-vtwzIHOzUqz0lGJVfKXyfZFxOB/+/Vkpn9uayzlrqcvHS/
osSLCxlxOhooXmBoJCdHZTcDVcJQ0tRvr!
MR5y7sq9uJ1baRgq+NiLkxzML3nKQ31uLtu2fJw0Bn4lfd+c7R1zyknlw9AY+4ifnyBzfxdrDW5B!
11jmQKtc8D6f1SnbuUmBmw==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7436
```

I have a Sunair HF receiver......GSR920 that I would love to restore;
problem is there is a small plug-in board at the top with two
fuses...some of the parts are burnt and I am unable to see the
values....CAN SOMEONE HELP WITH INFO. ABOUT PARTS, SCHEMATIC OR ONE
THAT IS FOR SALE.? Thanks.

--
RADIOCONSTRUCTOR

```
From -5872517395605374294
X-Google-Thread: fcc6e,acc6225a4b60ce92
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Thread: fc2a5,acc6225a4b60ce92
X-Google-Thread: 10bf43,acc6225a4b60ce92
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!80g2000cwy.googlegroups.com!not-for-
mail
From: "Alex" <samalex@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Classic Computer for a Ham Shack
Date: 4 Dec 2006 13:38:58 -0800
Organization: http://groups.google.com
Lines: 26
Message-ID: <1165268338.115791.307510@80g2000cwy.googlegroups.com>
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
   <VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 65.172.176.71
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165268344 31152 127.0.0.1 (4 Dec 2006 21:39:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Dec 2006 21:39:04 +0000 (UTC)
In-Reply-To: <VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 HBMCFTP:8080 (Squid/2.4.STABLE6)
Complaints-To: groups-abuse@google.com
Injection-Info: 80g2000cwy.googlegroups.com; posting-host=65.172.176.71;
   posting-account=PkcClwwAAAC0eY1Ot-MeZ6ruZNHF8oqb
Xref: g2news2.google.com rec.radio.amateur.antenna:22520
```

rec.radio.amateur.equipment:7437 rec.radio.amateur.homebrew:8087 rec.radio.amateur.policy:56735

Slow Code wrote:

> Hi Alex, You sound like a brand new no-code Tech. Welcome to ham radio.
>
> All those computers you mentioned will work fine, but if you really want to do any serious computer work you're going to want to invest in a Vic 20, or a TI-99, or a Commodore 64. Power users swear by'em.
>
> SC

Hi SC,

Yup, I got my tech ticket a few months ago, and I'm now working on learning code and studying for the general ticket. I hope maybe January or February, but not until I can get my ham nook setup in the garage plus move my radio from the car to the garage so I can actually focus on the radio :) It's hard learning how to ragchew while on the interstate. hehe

I do have a C64 on the way, and that plus what I have now should be enough to get me going. Too much fun!

Take care,

Alex

From -1190623809403539109
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.190.250.MISMATCH!transit3.readnews.com!news-out.readnews.com!textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
Subject: Re: Any Motorola techs in here?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <pan.2006.11.30.23.48.34.843665@jesco> <456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco> <1164934347.744268.231850@j44g2000cwa.googlegroups.com> <456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au> <pan.2006.12.01.01.30.53.23141@jesco> <456f9746_1@news.iprimus.com.au> <pan.2006.12.04.02.08.19.178762@jesco> <45739cbd$1_1@news.iprimus.com.au> <pan.2006.12.04.04.53.14.256199@jesco> <4573ccd9$1_1@news.iprimus.com.au>

Organization: Your Company
Message-ID: <Xns988F8C5EEC54Bspectrumhogstarbandn@198.186.192.196>
Followup-To: aus.radio.amateur.misc,rec.radio.amateur.equipment
User-Agent: Xnews/2006.03.14
Date: 04 Dec 2006 21:41:59 GMT
Lines: 18
NNTP-Posting-Host: 2c8c6742.news.adtechcomputers.com
X-Trace: DXC=o^[I^o?fVDidXX:;U1[f_igC4_A5:nI@a<<=aEgO;R8g[Rf7@WDM6Zh25C>IAi8lCmR?
X7U2a5ffgemfRC[RMj?oGX7R=>CCRmfe<ZhCG]Z4mm6IZ:jhQgn8f
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com aus.radio.amateur.misc:5679 aus.radio.cb:3003
aus.radio.scanner:4937 rec.radio.amateur.equipment:7438

>
> Had I posted with robot-like compliance, I wouldn't have posted the
> question at all, since there is no news group for Motorola commercial
> equipment. I could use your same logic to not even post it to any of
> the amateur radio groups as well.

Actually, now that I think about it, your question would best be posted on the moderated Yahoo group for professionals in the Land Mobile Radio industry..... LMR. http://finance.groups.yahoo.com/group/LMR/

You WILL get a decent and accurate answer to your question there.

Ed K7AAT

From 6749083490346030688
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!61.88.178.82.MISMATCH!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!newsfeed.pacific.net.au!
token.pipenetworks.com!218.100.2.59.MISMATCH!not-for-mail
From: "Marty" <none@none.none.no>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco> <4570a956_1@news.iprimus.com.au>
<pan.2006.12.04.01.50.29.811140@jesco>

```
Subject: Re: Any Motorola techs in here?
Date: Tue, 5 Dec 2006 10:48:41 +1100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 0653-2, 04/12/2006), Outbound message
X-Antivirus-Status: Clean
X-Original-NNTP-Posting-Host: 58.178.63.31
Message-ID: <4574b3dd$1_1@news.iprimus.com.au>
Organization: iPrimus Customer - reports relating to abuse should be sent to
abuse@iprimus.com.au
X-Original-NNTP-Posting-Host: 127.0.0.1
Lines: 95
NNTP-Posting-Host: 203.134.67.67
X-Trace: 1165276128 un-2park-reader-01.sydney.pipenetworks.com.au 1030
203.134.67.67:2682
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Xref: g2news2.google.com aus.radio.amateur.misc:5680 aus.radio.cb:3004
aus.radio.scanner:4938 rec.radio.amateur.equipment:7439

"Jesco White" <no.m@il.as.yet.net> wrote in message
news:pan.2006.12.04.01.50.29.811140@jesco...
> On Sat, 02 Dec 2006 09:14:45 +1100, Marty saiyd:
>
>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>> news:pan.2006.12.01.01.30.53.23141@jesco...
>>> On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:
>>>
>>>> Akmed wrote:
>>>>> Jesco White wrote:
>>>>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>>>>
>>>>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>>>>> G'day,
>>>>>>>>
>>>>>>>> Looking for specs on this amplifier:
>>>>>>>>
>>>>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>>>>
>>>>>>>> Don't know much at this stage, apart from 4Watts drive (@
>>>>>>>> 430-480MHz)=
>>>>>>>> approx. 150W output, draws well over 30A from my poor struggling
>>>>>>>> power
>>>>>>>> supply. I'm not game to up the drive any further until I know the
>>>>>>>> specs!
>>>>>>>>
>>>>>>>> Basically any specs or any info at all would be great, thanks in
>>>>>>>> advance.
>>>>>>>>
```

>>>>>>>> Cheers,
>>>>>>> Let's take a wild guess here, you want to use it on the UHf Chook
>>>>>>> Band
>>>>>>> to
>>>>>>> talk into the 5 w output repeaters, if that's the case, and I do
>>>>>>> hope
>>>>>>> I'm
>>>>>>> wrong, you'd be better off with a decent antenna system,
>>>>>> WRONG, I plan to cause havoc on the remaining analog police
>>>>>> repeaters-
>>>>>> ya idiot. There's more to the UHF band than CB radio you know.
>>>>>
>>>>>
>>>>> You better be CAREFUL as I will dob you into Simone Templar.
>>>>>
>>>> I bet that has him wetting himself and quaking in his uggies.
>>>
>>> LOL, quite.
>>>
>>> Amazing isn't it - cannot discuss power amplifiers in these
>>> Aussie groups without the usual knee-jerk assumptions, irrespective of
>>> being perfectly within the law to own and use in an appropriate manner.
>>> Apparently no Hams here use amplifiers I guess.
>>
>> May have something to do with the fact that you posted into a CB
>> newsgroup????????????
>
> You might want to learn more about interpreting Usenet headers before
> trying and failing to flame in a successful manner. Good luck with
> that.

From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Re: Any Motorola techs in here?
Date: Mon, 04 Dec 2006 12:50:31 +1100
Message-ID: <pan.2006.12.04.01.50.29.811140@jesco>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment

Hmm...

You see, I bet, and this is just a guess mind you, that the part of the
headers that solicited a comment was:

"Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment"

And in particular:

"aus.radio.cb"

Seeing as most people posting in this group about high powered UHF gear are actually referring to high powered UHF CB equipment.....

The fact that you posted no indication that you were seeking info for
Amateur operation but did refer to the frequency range being up to 480MHz,
again within the scope of UHF CB, probably only strengthened that fear...

But that's just my opinion, after all I'm still learning to read Usenet
headers...

From -4105789968656050795
X-Google-Thread: 108122,9657619441edbf9c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Mon, 04 Dec 2006 20:52:32 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FT8900 and satellite work
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <4f177$4574d1a9$4831cf4b$2530@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 10
X-Trace: 4f1774574d1a9ed946aee02530
Xref: g2news2.google.com rec.radio.amateur.equipment:7440

I'm totally new to satellite. I may be getting a FT 8900 for XMAS (I
hope)...

Anyone care to share their experience with this rig and satellite (or
anything, really)

Thanks,

John
AB8O

From -5430355871493359815
X-Google-Thread: 108122,b94bc58742f52d8a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l12g2000cwl.googlegroups.com!not-for-

```
mail
From: "Bret Ludwig" <bretldwig@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Parts For Sunair Gsr920 Hf Receiver
Date: 4 Dec 2006 18:17:50 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1165285070.210125.198400@l12g2000cwl.googlegroups.com>
References: <RADIOCONSTRUCTOR.2ib5ph@news.radiobanter.com>
NNTP-Posting-Host: 70.245.116.86
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165285075 20705 127.0.0.1 (5 Dec 2006 02:17:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Dec 2006 02:17:55 +0000 (UTC)
In-Reply-To: <RADIOCONSTRUCTOR.2ib5ph@news.radiobanter.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l12g2000cwl.googlegroups.com; posting-host=70.245.116.86;
   posting-account=28uu9A0AAADjRqxxBAS4nBG7PyX9WhKJ
Xref: g2news2.google.com rec.radio.amateur.equipment:7441


RADIOCONSTRUCTOR wrote:
> I have a Sunair HF receiver......GSR920 that I would love to restore;
> problem is there is a small plug-in board at the top with two
> fuses...some of the parts are burnt and I am unable to see the
> values....CAN SOMEONE HELP WITH INFO. ABOUT PARTS, SCHEMATIC OR ONE
> THAT IS FOR SALE.? Thanks.
>

 Have you tried local avionics places?



From -3106626384133933960
X-Google-Thread: 108122,16940206bb65ae3c
X-Google-Thread: 10bf43,16940206bb65ae3c
X-Google-Thread: fa029,16940206bb65ae3c
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps90.POSTED!53ab2750!not-for-mail
From: m II <c@in.the.hat>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.8) Gecko/20061029
SeaMonkey/1.0.6
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
```

```
hortwave,rec.radio.swap
Subject: Re: Readings on Reasons to Boycott Wal-Mart
References: <1164575311.838042.183860@45g2000cws.googlegroups.com>
<14254-456A791E-1822@storefull-3252.bay.webtv.net>
<MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
<tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com>
In-Reply-To: <tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <985dh.27547$rv4.21597@edtnps90>
Date: Tue, 05 Dec 2006 02:50:45 GMT
NNTP-Posting-Host: 204.191.164.31
X-Trace: edtnps90 1165287045 204.191.164.31 (Mon, 04 Dec 2006 19:50:45 MST)
NNTP-Posting-Date: Mon, 04 Dec 2006 19:50:45 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:7442
rec.radio.amateur.policy:56766 rec.radio.scanner:8186 rec.radio.shortwave:60496
rec.radio.swap:10477

Old Time Ham wrote:

> Just as bad, or worse, is TARGET. Not only fags, but FRENCH fags!


I think you meant 'Freedom Fags'







mike



From 6540175485583757990
X-Google-Thread: 108122,5842a0a9c3e994c7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: HD63A01V1P IC Chip in Icom IC-735
From: "Jon Bivin" <tctchief@hcis.net>
Date: Tue, 5 Dec 2006 02:26:20 -0600
Message-ID: <1165307271_2721@sp6iad.superfeed.net>
Lines: 6
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!news-out.spamkiller.net!
sp6iad.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Report:  Please report illegal or inappropriate use to <abuse@newsfeeds.com>.
```

Forward a copy of ALL headers INCLUDING the body. (DO NOT SEND ATTACHMENTS)
X-Comments2: IMPORTANT: Newsfeeds.com does not condone,support,nor tolerate spam or any illegal or copyrighted postings.
X-Comments: This message was posted through Newsfeeds.com
Organization: Superfeed.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7443

Anyone have a line on this chip? I'm pretty sure this is why I can't get the display or TX/RX.

Thanks, Jon-WB0VTM

----== Posted via Newsfeeds.Com - Unlimited-Unrestricted-Secure Usenet News==----
http://www.newsfeeds.com The #1 Newsgroup Service in the World! 120,000+ Newsgroups
----= East and West-Coast Server Farms - Total Privacy via Encryption =----

From -8747755972926672742
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews3.bellsouth.net.POSTED!db98089e!not-for-mail
Message-ID: <4575B030.A1D57EF7@carlos.net>
From: carlos <carlos_not_carla@carlos.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Classic Computer for a Ham Shack
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcbobdmkckemmepgcfodoahiomlmgfocoogcnjfonlhjpfmddgcanknjfcggagakcgdaihbbjoldfngcmehnhmaeijofgpcpdnnmbbcfhkmbddlpfeop
NNTP-Posting-Date: Tue, 05 Dec 2006 12:45:18 EST
Organization: BellSouth Internet Group
Date: Tue, 05 Dec 2006 12:45:20 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7444

hi alex,

I agree. no need for latest and greatest (and most expensiveist)

check out ibm site below, all these pc and laptops are just off ibm
lease,
most under three years old with the win o/s !!

built in sound, usb, network interface and these were not made in china
since
they were made here in north carolina by ibm before they sold that part
off to lenovo.

many under $ 250-300 with free shipping ups, you just pay sales tax.

we have five of them here at home for what I would have paid for a new
pc.

http://www-132.ibm.com/webapp/wcs/stores/servlet/HelpDisplay?
storeId=1&catalogId=-840&langId=-1&subject=2576394

```
From -3447753929710923984
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews3.bellsouth.net.POSTED!db98089e!not-for-mail
Message-ID: <4575B04A.6F8BC434@carlos.net>
From: carlos <carlos_not_carla@carlos.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Classic Computer for a Ham Shack
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcbojablnloljiadhmkjmmllabfgllcfjmllnj
fonlhjpfmddgcanknjfcggagakcgdaihbbjoldfngcmehnhmaeijofgpcpdnnmmbeclpggheoapega
NNTP-Posting-Date: Tue, 05 Dec 2006 12:45:43 EST
Organization: BellSouth Internet Group
Date: Tue, 05 Dec 2006 12:45:46 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7445
```

hi alex,

I agree. no need for latest and greatest (and most expensiveist)

check out ibm site below, all these pc and laptops are just off ibm

lease,
most under three years old with the win o/s !!

built in sound, usb, network interface and these were not made in china
since
they were made here in north carolina by ibm before they sold that part
off to lenovo.

many under $ 250-300 with free shipping ups, you just pay sales tax.

we have five of them here at home for what I would have paid for a new
pc.

http://www-132.ibm.com/webapp/wcs/stores/servlet/HelpDisplay?
storeId=1&catalogId=-840&langId=-1&subject=2576394

From 1319035394207901664
X-Google-Thread: 108122,7a8bb2def677897a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe13.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS AS NEW HTX-202 2 Meter HT
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <S_idh.3498$lI6.570@newsfe13.lga>
Date: Tue, 5 Dec 2006 12:36:43 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.lga 1165343794 68.111.108.217 (Tue, 05 Dec 2006 11:36:34 MST)
NNTP-Posting-Date: Tue, 05 Dec 2006 11:36:34 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7446

I have for sale a Radio Shack HTX-202 2 meter HT in the original box with
all accessories that
came in the box from the factory. This HT is practically brand new. It was
used a few times
and stored for several years. The memory battery had gone down, so I put in
a new internal battery and supplied some AA batteries in the AA battery
case(included) and it looks and works like new.
Price is $75. Thanks, Charlie Hugg, K5MBX

From -133816128472569648
X-Google-Thread: 108122,8455d540acd2a836,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Atlas 210X HF Transceiver
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <Zsjdh.59203$1w6.12038@newsfe16.lga>
Date: Tue, 5 Dec 2006 13:08:49 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.lga 1165345721 68.111.108.217 (Tue, 05 Dec 2006 12:08:41 MST)
NNTP-Posting-Date: Tue, 05 Dec 2006 12:08:41 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7447

FS: An Atlas 210X. This transceiver came from an estate. I did not get a manual or mic or power cord. I made a power cord to test the radio. In receive I hear some low level static coming
out of the receiver, but I was not able to hear any signals. I did not try it in transmit. The transceiver looks almost new, but I think it has set up for a long time, so it may need some of the capacitors changed.
I will take $95 plus shipping form 79602. I can send digital pictures.
Thanks,
Charlie Hugg, K5MBX

From -4932272645665936452
X-Google-Thread: 108122,8a9302c2d938efb1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Heil ICM Mic for Icom Radios/781
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <UKjdh.59969$1w6.51919@newsfe16.lga>

Date: Tue, 5 Dec 2006 13:27:57 -0600
NNTP-Posting-Host: 68.111.108.217
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.lga 1165346868 68.111.108.217 (Tue, 05 Dec 2006 12:27:48 MST)
NNTP-Posting-Date: Tue, 05 Dec 2006 12:27:48 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7448

I have for sale a Heil ICM Mic as new in the original box. It is for older
Icom Transceivers needing an amplified mic such as a Icom 781. It comes with
the correct Icom mic cable and 8 pin connector, and foam mic hood. This is a
desk mic and comes with the mic to base clip, but no base. Price is $69
plus shipping from 79602. Thanks, Charlie Hugg, K5MBX

From -5430996988976518520
X-Google-Thread: 10d31e,1b75939abe27ba0c
X-Google-Thread: 1048f0,1b75939abe27ba0c
X-Google-Thread: 108122,1b75939abe27ba0c
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews2.bellsouth.net.POSTED!45d30192!not-for-mail
Reply-To: <curtis>
From: <curtis6317@bellsouth.net>
Newsgroups:
rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
References: <1165174678.935878.226720@79g2000cws.googlegroups.com>
<457331DE.106C14F1@sympatico.ca>
Subject: Re: Liberty CRD Diesel '06: Interference with 2m radio transmissions
Lines: 46
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <qTjdh.418$BL4.195@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbokgbhohkhdkpiieeimbeoieflmffjfmngfc
hnkijelolibkopnknjfcggagakcgdaihbbjoldfngcmehncgomlpmafdojohgagghipkbjhfldconn
NNTP-Posting-Date: Tue, 05 Dec 2006 14:36:54 EST
Organization: BellSouth Internet Group
Date: Tue, 5 Dec 2006 14:36:58 -0500
Xref: g2news2.google.com rec.autos.makers.jeep+willys:32011
rec.autos.makers.chrysler:18338 rec.radio.amateur.equipment:7449

Well, I have a '99 TJ with a 40 watt police radio wired from the battery.

Noooo problems in 2 years. Automatic, air, GPS etc also.

When I transmit the GPS loses it's location however.

"Mike Romain" <romainm@sympatico.ca> wrote in message
news:457331DE.106C14F1@sympatico.ca...
> If you contact DC, they might send you the booklet on installing a
> transmitter into the vehicle. They get very specific on where the power
> and grounds can be run as well as the antenna wire.
>
> On GM's for instance, you have to have a 10 ga. dedicated fused power
> and ground line to the battery run far away from any vehicle harnesses
> to avoid voiding the vehicle warranty. Transmitters can interfere with
> things like the ABS and transmission modules, like some TJ's will go
> into neutral when the transmitter is keyed up, and any other electronic
> part.
>
> Here is a link to GM's instructions, I haven't found any online for
> Jeeps:
> http://service.gm.com/techlineinfo/radio.html
>
> Mike
> 86/00 CJ7 Laredo, 33x9.5 BFG Muds, 'glass nose to tail in '00
> 88 Cherokee 235 BFG AT's
> Canadian Off Road Trips Photos: Non members can still view!
> Jan/06 http://www.imagestation.com/album/pictures.html?id=2115147590
> (More Off Road album links at bottom of the view page)
>
> K7AAY wrote:
>>
>> With a Yaesu VX-5 powered from a Radio Shack car cord attached to the
>> console cigar lighter socket, I get rapidly repeating noise likened by
>> others to spark plug noise; but, no spark plugs on a diesel. Removing
>> the card cord and transmitting on battery eliminates the problem.
>>
>> I'm about to switch from the VX-5 HT to a Kenwood TM-V7A; how may I
>> avoid this problem when installing the mobile transceiver.
>>
>> Thank you in advance for your on-topic suggestions.
>>
>> 73s & best regards,
>>
>> K7AAY

From 3915448488474438377
X-Google-Thread: 108122,cedb3d0575f94855,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!73g2000cwn.googlegroups.com!not-for-mail

From: "gil" <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS LDG Z11 auto tuner
Date: 5 Dec 2006 18:29:03 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1165372143.776544.44690@73g2000cwn.googlegroups.com>
NNTP-Posting-Host: 24.149.231.253
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165372149 13256 127.0.0.1 (6 Dec 2006 02:29:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Dec 2006 02:29:09 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 73g2000cwn.googlegroups.com; posting-host=24.149.231.253;
   posting-account=W-cZMg0AAAD6pmUIPaJTixPoW2XfnzcF
Xref: g2news2.google.com rec.radio.amateur.equipment:7450

In great condition works and looks good, asking $80. shipped. With
manual and power cord.

Gil n2wjw

From 8141848233712298549
X-Google-Thread: 108122,cedb3d0575f94855
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j72g2000cwa.googlegroups.com!not-for-mail
From: "gil" <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS LDG Z11 auto tuner
Date: 5 Dec 2006 18:33:42 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1165372422.073001.212130@j72g2000cwa.googlegroups.com>
References: <1165372143.776544.44690@73g2000cwn.googlegroups.com>
NNTP-Posting-Host: 24.149.231.253
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165372428 13973 127.0.0.1 (6 Dec 2006 02:33:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Dec 2006 02:33:48 +0000 (UTC)
In-Reply-To: <1165372143.776544.44690@73g2000cwn.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com

```
Injection-Info: j72g2000cwa.googlegroups.com; posting-host=24.149.231.253;
   posting-account=W-cZMg0AAAD6pmUIPaJTixPoW2XfnzcF
Xref: g2news2.google.com rec.radio.amateur.equipment:7451

Sorry...address good in QRZ.COM
gil wrote:
> In great condition works and looks good, asking $80. shipped. With
> manual and power cord.
>
> Gil n2wjw




From 1699618587990956908
X-Google-Thread: 108122,73be4dc48ed99fcc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: "Atomic" clock for UTC/GMT?
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
NNTP-Posting-Host: 3d1f9d0b0679f0ffca54e37e7ef75c02
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1165396635
3d1f9d0b0679f0ffca54e37e7ef75c02 (Wed, 06 Dec 2006 09:17:15 GMT)
NNTP-Posting-Date: Wed, 06 Dec 2006 09:17:15 GMT
Date: Wed, 06 Dec 2006 09:17:15 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7452

I have been looking for an "Atomic" clock which can be set to UTC time
for the shack.  Since the update feature only works in North America,
most of them can only be set to the local time zones.  The couple of
sales people I talked to didn't even understand the question.  Any
first hand  recommendations?  (I have already looked at eHam.)



--
Alan
WA4SCA


From -2714040015143136087
X-Google-Thread: 108122,73be4dc48ed99fcc
```

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!90d53d5b!not-for-mail
Message-ID: <4576AA0A.3F649999@theseminary.net>
From: Father Mike <fathermike@theseminary.net>
X-Mailer: Mozilla 4.7 [en]C-CCK-MCD {Sony} (Win98; I)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Wed, 06 Dec 2006 11:31:29 GMT
NNTP-Posting-Host: 68.162.141.201
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165404689 68.162.141.201 (Wed, 06 Dec
2006 03:31:29 PST)
NNTP-Posting-Date: Wed, 06 Dec 2006 03:31:29 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7453

Alan WA4SCA wrote:
>
> I have been looking for an "Atomic" clock which can be set to UTC time
> for the shack. Since the update feature only works in North America,
> most of them can only be set to the local time zones. The couple of
> sales people I talked to didn't even understand the question. Any
> first hand recommendations? (I have already looked at eHam.)
>
> --
> Alan
> WA4SCA

Hi Alan. look up LA Crosse on the web. i got mine a couple years back
from Universal in Ohio. best price at that time. also my favorite
shortwave shop. and, for your computer, google -alpha clock-. great
little
free program, small foot print.

Father Michael.

From -4949321738953140623
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!

```
news.highwinds-media.com!hw-filter.lga!newsfe21.lga.POSTED!53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
Subject: Re: "Atomic" clock for UTC/GMT?
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <ehydh.6047$BD5.5750@newsfe21.lga>
Date: Wed, 6 Dec 2006 06:00:10 -0600
NNTP-Posting-Host: 68.224.212.198
X-Complaints-To: admin@cox.net
X-Trace: newsfe21.lga 1165406410 68.224.212.198 (Wed, 06 Dec 2006 05:00:10 MST)
NNTP-Posting-Date: Wed, 06 Dec 2006 05:00:10 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7454

"Alan WA4SCA" <APBIDDLE@UNITED.NET> wrote in message
news:f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com...
>I have been looking for an "Atomic" clock which can be set to UTC time
> for the shack.  Since the update feature only works in North America,
> most of them can only be set to the local time zones.  The couple of
> sales people I talked to didn't even understand the question.  Any
> first hand  recommendations?  (I have already looked at eHam.)
> --
> Alan
> WA4SCA

Sam's Club sells a digital "atomic" clock by SkyScan for less than $20.  It has a
2" LCD time (12/24 hr) display and below it a 1"
calendar and temperature display.
I have two in my shack, one for UTC and the other for Central time.
Glenn
AA5PK




From -3129980508371888994
X-Google-Thread: 108122,47218ccdf1d6c394,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!130.59.10.21.MISMATCH!
kanaga.switch.ch!switch.ch!news.rediris.es!newsserver.news.garr.it!
newsfeed.cineca.it!not-for-mail
From: Vincent <vincze33@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Panasonic RF-B65 how expand it to full frequency coverage?
```

```
Date: Wed, 06 Dec 2006 14:22:23 +0100
Organization: -
Lines: 13
Message-ID: <Xns9891923689C56vincze33starmailcom@130.186.1.185>
NNTP-Posting-Host: nat-75-158.casaccia.enea.it
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: news.cineca.it 1165411347 8525 192.107.75.158 (6 Dec 2006 13:22:27 GMT)
X-Complaints-To: news@cineca.it
NNTP-Posting-Date: Wed, 6 Dec 2006 13:22:27 +0000 (UTC)
User-Agent: Xnews/06.01.10
X-face: rPcN/*h1!=B(g!VmTh\9FC*VFq}hX4z!gRAb8#}-
csfulsfAzOART0Y#3D9^$*Wfa&tLM'@Dh(KheGl0k]IiI%w8$RlbYpETD=-cs/rCd]
{on1}\|)z62"(o9v,\8ps`Q|5xoFJXR\X&b2$V/0pE7:-!tb^xa5h=y'EW"K,1|R=gz:j74oz~"I#}
nQ+J-xn"?4s[Bx_,4q~LP"A+Y}5szF-hwcSv_eP[F8
Xref: g2news2.google.com rec.radio.amateur.equipment:7455

Hi all,
I've seached all the web but didn't found this information; long ago
this receiver was produced with full coverage 150 - 30000 kHz and
reduced versions like in Germany, whith coverage li�mited to 26100 kHz
(it didn't had the external antenna plug, too.

Does anyone here knows how to fix it?

Many thanks and best regards.


--
Stars shine like eyes


From -7779782482284602039
X-Google-Thread: 10c2ee,cded5599eb1b1d23,start
X-Google-Thread: 108122,cded5599eb1b1d23,start
X-Google-Thread: fc8b1,cded5599eb1b1d23,start
X-Google-Attributes: gid10c2ee,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f1g2000cwa.googlegroups.com!not-for-
mail
From: "rich" <rlucch2098@aol.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: Big $23>RARE HALLICRAFTERS HT-2A "VILLAGE RADIO">VIET-NAM, NEW!
Date: 6 Dec 2006 07:53:12 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1165420391.063331.7950@f1g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165420404 31561 127.0.0.1 (6 Dec 2006 15:53:24 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Dec 2006 15:53:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f1g2000cwa.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.antiques.radio+phono:40160
rec.radio.amateur.equipment:7456 rec.radio.amateur.boatanchors:6600

Last one went for $200:-(
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220055495419&ssPageName=STRK:MESE:IT&ih=012




From -2683763396621487303
X-Google-Thread: 10c2ee,13189b7fa0e90d95,start
X-Google-Thread: 108122,13189b7fa0e90d95,start
X-Google-Thread: fc8b1,13189b7fa0e90d95,start
X-Google-Attributes: gid10c2ee,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!80g2000cwy.googlegroups.com!not-for-
mail
From: "rich" <rlucch2098@aol.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: BEAUTIFUL HEATHKIT SB-600 REMOTE SPEAKER>Best I've seen
Date: 6 Dec 2006 07:54:22 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1165420461.964942.151660@80g2000cwy.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165420468 31832 127.0.0.1 (6 Dec 2006 15:54:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Dec 2006 15:54:28 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 80g2000cwy.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.antiques.radio+phono:40161
rec.radio.amateur.equipment:7457 rec.radio.amateur.boatanchors:6601

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220055495548&ssPageName=STRK:MESE:IT&ih=012
```

```
From 2639582063177668471
X-Google-Thread: 10c2ee,5488668f3180529e,start
X-Google-Thread: 108122,5488668f3180529e,start
X-Google-Thread: fc8b1,5488668f3180529e,start
X-Google-Attributes: gid10c2ee,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-
mail
From: "rich" <rlucch2098@aol.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: @$16>PAIR(2) NOS RCA 826 RF POWER TRIODES for GONSET VHF AMP
Date: 6 Dec 2006 07:55:35 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1165420535.669690.295350@j44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165420541 3598 127.0.0.1 (6 Dec 2006 15:55:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Dec 2006 15:55:41 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.antiques.radio+phono:40162
rec.radio.amateur.equipment:7458 rec.radio.amateur.boatanchors:6602

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220055495481&ssPageName=STRK:MESE:IT&ih=012



From -6659246112594728735
X-Google-Thread: 10c2ee,585aef74251fc1d5,start
X-Google-Thread: 108122,585aef74251fc1d5,start
X-Google-Thread: fc8b1,585aef74251fc1d5,start
X-Google-Attributes: gid10c2ee,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!postnews.google.com!
j44g2000cwa.googlegroups.com!not-for-mail
From: "rich" <rlucch2098@aol.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: @$20>NICE HOMEBREW FIELD-STRENGTH METER w/3-HAMMARLUND COILS
Date: 6 Dec 2006 07:56:41 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1165420601.389198.300870@j44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165420607 32129 127.0.0.1 (6 Dec 2006 15:56:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Dec 2006 15:56:47 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.antiques.radio+phono:40163
rec.radio.amateur.equipment:7459 rec.radio.amateur.boatanchors:6603

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220055495517&ssPageName=STRK:MESE:IT&ih=012




From -1193383691646547070
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!
newsfeed01.sul.t-online.de!t-online.de!fu-berlin.de!uni-berlin.de!individual.net!
not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Date: Wed, 06 Dec 2006 10:27:40 -0600
Lines: 20
Message-ID: <4576EF7C.7090804@sbcglobal.net>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net Yy/m+1GIzqrckI6e6GBGIA+YaGqemcrLV074ssWK8/BU2NYCPt
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915 Mnenhy/0.7.4.0
X-Accept-Language: en-us
In-Reply-To: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:7460

Alan WA4SCA wrote:
> I have been looking for an "Atomic" clock which can be set to UTC time
> for the shack.  Since the update feature only works in North America,
> most of them can only be set to the local time zones.  The couple of
> sales people I talked to didn't even understand the question.  Any
> first hand  recommendations?  (I have already looked at eHam.)
>
>
> --
```

> Alan
> WA4SCA

You can also get UTC time info from a GPS unit that has a data port..
UTC time info can also be pulled off the Internet from any time standard site...

I have done all 3, and find that a GPS unit with an external antenna is easy to
set up, and going the Internet route is free...

Bob N9LVU

From -6841755887504205074
X-Google-Thread: 10c2ee,5488668f3180529e
X-Google-Thread: 108122,5488668f3180529e
X-Google-Thread: fc8b1,5488668f3180529e
X-Google-Attributes: gid10c2ee,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr25.news.prodigy.net.POSTED!1133983c!not-for-mail
From: "L Ron Hubbub" <thebigone@cos.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <1165420535.669690.295350@j44g2000cwa.googlegroups.com>
Subject: Re: @$16>PAIR(2) NOS RCA 826 RF POWER TRIODES for GONSET VHF AMP
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <ReCdh.7854$wc5.2470@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 68.76.95.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1165422641 ST000 68.76.95.6 (Wed, 06 Dec 2006
11:30:41 EST)
NNTP-Posting-Date: Wed, 06 Dec 2006 11:30:41 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_AOHU_RQXXZJK@N[TDFZ\@@FXLM@TDOCQDJ@_@FNHB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Wed, 06 Dec 2006 16:30:41 GMT
Xref: g2news2.google.com rec.antiques.radio+phono:40170
rec.radio.amateur.equipment:7461 rec.radio.amateur.boatanchors:6605

The only thing worse than Ebay ads in this newsgroup
are Ebay ads with campy MIDI music !!!!!!!!!!
ARGH!!!!!!!!!!!!!

```
"rich" <rlucch2098@aol.com> wrote in message
news:1165420535.669690.295350@j44g2000cwa.googlegroups.com...
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220055495481&ssPageName=STRK:MESE:IT&ih=012
>
```

```
From 7446191599211265646
X-Google-Thread: 1045aa,da4ea7f81f7a9753,start
X-Google-Thread: 1062f2,da4ea7f81f7a9753,start
X-Google-Thread: 108122,da4ea7f81f7a9753,start
X-Google-Thread: fe7e4,da4ea7f81f7a9753,start
X-Google-Attributes: gid1045aa,gid1062f2,gid108122,gidfe7e4,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-
mail
From: "bobandcarole" <bobandcarole1010@hotmail.com>
Newsgroups:
alt.video.laserdisc,misc.industry.electronics.marketplace,rec.radio.amateur.equipm
ent,alt.tv.tech.hdtv
Subject: Re: Sexual fascism and the Mark Foley scandel
Followup-To: alt.politics.homosexuality,alt.education,alt.video.laserdisc ,
misc.industry.electronics.marketplace,rec.radio.amateur.equipment ,
alt.tv.tech.hdtv
Date: 6 Dec 2006 09:22:17 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1165425737.120469.25190@j44g2000cwa.googlegroups.com>
References: <1159881994.642663.229430@h48g2000cwc.googlegroups.com>
   <1162066010.997111.45530@i42g2000cwa.googlegroups.com>
   <1164787817.495319.179220@j44g2000cwa.googlegroups.com>
   <T7fbh.54807$39.24787@southeast.rr.com>
   <1165311819.048659.210350@l12g2000cwl.googlegroups.com>
NNTP-Posting-Host: 64.12.117.8
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165425746 17153 127.0.0.1 (6 Dec 2006 17:22:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 6 Dec 2006 17:22:26 +0000 (UTC)
In-Reply-To: <1165311819.048659.210350@l12g2000cwl.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[mtc-td121 8.4.1], HTTP/1.1 cache-mtc-ae04.proxy.aol.com[400C7508] (Traffic-
Server/6.1.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=64.12.117.8;
   posting-account=EkXhtw0AAABnBEBePqPQbRkFYJukCReZ
Xref: g2news2.google.com alt.video.laserdisc:2735
misc.industry.electronics.marketplace:714 rec.radio.amateur.equipment:7462
```

alt.tv.tech.hdtv:25317

> Apparently, Rep. Mark Foley is homosexual. And like many homosexual
> men, he likes young teen boys. We should pray for him that he gets a
> handle on this problem and refrains from harming any more kids.
>
>
> Meanwhile, we need to wake up. The fact that this is typical behavior
> for homosexuals doesn't stop us from continuing to elevate such folks
> to positions where they gain access to our kids.
>
>
> http://worldnetdaily.com/news/article.asp?ARTICLE_ID=52244

From 2335612330539685971
X-Google-Thread: 108122,73be4dc48ed99fcc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: "Atomic" clock for UTC/GMT?
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <s7vdn2l8h955can6pfmrukbbcmbqsvdakg@4ax.com>
References: <f62dn2he1b6nuf9cb770v8nepgupqpella@4ax.com> <4576AA0A.3F649999@theseminary.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
NNTP-Posting-Host: eabfc20a405f0106afe22ca103db4a47
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1165426187 eabfc20a405f0106afe22ca103db4a47 (Wed, 06 Dec 2006 17:29:47 GMT)
NNTP-Posting-Date: Wed, 06 Dec 2006 17:29:47 GMT
Date: Wed, 06 Dec 2006 17:29:47 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7463

Father Mike, Glenn, and Robert,

Thanks for the solid information and sources!

BTW, I actually do have a GPS clock for my computer. It works great, but I wanted something which I could keep in the shack which didn't require the computer to be up. My ancient Heathkit digital clock died after 20+ years, and I thought I would replace it, and opt for something I didn't have to hack with WWV every time the power failed.

--
Alan
WA4SCA

From -3500594501430154O8
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.swap
Subject: Re: Lets be RUDE and INSULT each OTHER for a change
Date: Fri, 01 Dec 2006 21:30:24 -0500
Message-ID: <f9p1n2l7145cdtg6o447pki6d2vl85j8kj@4ax.com>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com> <J9G4w1.BG3@news.boeing.com>
<CR4ch.5489$sf5.2543@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Date: 02 Dec 2006 01:35:52 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7364
rec.radio.amateur.policy:56495 rec.radio.amateur.antenna:22259
rec.radio.swap:10416

On Sat, 02 Dec 2006 01:41:54 GMT, Slow Code <my.mail@no.spam> wrote:

>"R. Scott" <spamtrap@w7psk.net> wrote in news:J9G4w1.BG3@news.boeing.com:
>
>> Its the old Crusty Crumudgeons like him that drive the new people away.
>>
>>
>>
>> Rick Scott
>
>
>It's the new people that don't want learn or be skilled at anything that

```
>will turn ham radio into CB and drive good hams away.

funny I have never met such a person
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -1177294995209860372
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
Date: Fri, 01 Dec 2006 21:35:11 -0500
Message-ID: <6ip1n2d7rm7pg7enf0ifsa4bcdgj6iot2q@4ax.com>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<eknvvr$182f$1@news.ndhu.edu.tw>
<oR4ch.5480$sf5.3721@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Date: 02 Dec 2006 01:40:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:22260
rec.radio.amateur.equipment:7365 rec.radio.amateur.policy:56497
rec.radio.swap:10417

On Sat, 02 Dec 2006 01:41:40 GMT, Slow Code <my.mail@no.spam> wrote:

>"John Smith" <assemblywizard@gmail.com> wrote in
>news:eknvvr$182f$1@news.ndhu.edu.tw:
>
>> Ahhhh....  Now it becomes clear to me, you were right to hang on with
>> your persistence, a revelation has occurred to me!
>>
>> Yes, yes you are!  You are the best argument to tossing the rig and
>> grabbing some chicken band equipment which has ever been posed to me!
```

```
>>
>> Ten-Four-Good-Buddy!
>
>
>No, no, no, John.  You need not toss your gear.

steve you are the best arguejment for anybpdyu to stay out of the ARS
>
>Your CB no-code buddies can and will come to you after the final stage of
>the dumbing down process is complete.
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 9216365448486696747
X-Google-Thread: 108122,16940206bb65ae3c
X-Google-Thread: 10bf43,16940206bb65ae3c
X-Google-Thread: fa029,16940206bb65ae3c
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: Hey Slow...This was GREAT! (but not based on fact)
Date: Fri, 01 Dec 2006 21:39:59 -0500
Message-ID: <dpp1n2513krpv1e28eprra2jlejqtc5fv0@4ax.com>
References: <1164575311.838042.183860@45g2000cws.googlegroups.com>
<14254-456A791E-1822@storefull-3252.bay.webtv.net>
<MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
<tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com>
<3uqbh.5498$1s6.5065@newsread2.news.pas.earthlink.net>
<1164896174.865738.113690@f1g2000cwa.googlegroups.com>
<1164976132.271001.64430@l12g2000cwl.googlegroups.com>
<tR4ch.5483$sf5.2247@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Date: 02 Dec 2006 01:45:23 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7366
rec.radio.amateur.policy:56500 rec.radio.scanner:8145 rec.radio.shortwave:60318
```

rec.radio.swap:10420

On Sat, 02 Dec 2006 01:41:45 GMT, Slow Code <my.mail@no.spam> wrote:

>N2EY@AOL.COM wrote in
>news:1164976132.271001.64430@l12g2000cwl.googlegroups.com:
>
>>
>>> Slow Code wrote:
>>>
>>> > The History Of The Middle Finger
>>
>> It's an urban legend. No truth to it.
>
>
>Pluck yew!
>
cowardly steve you clearly suffer from graphophobia fear of words

you only look foolish when you refuse to say fuck you when you mean fuck you

it is keeps you from being an effective comocator if you can't say what you mean
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -1504662964623216588
X-Google-Thread: 1009ad,ce2f2da18d0121c3
X-Google-Thread: fc8b1,ce2f2da18d0121c3
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Thread: 10bf43,ce2f2da18d0121c3
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: , what are you going to learn instead? anything would be more usefull
Date: Fri, 01 Dec 2006 21:42:55 -0500
Message-ID: <vvp1n25603osopn1rupqdp596spsghv0hd@4ax.com>
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 11
NNTP-Posting-Date: 02 Dec 2006 01:48:18 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3904 rec.radio.amateur.boatanchors:6532 rec.radio.amateur.equipment:7367 rec.radio.amateur.policy:56502

On Sat, 02 Dec 2006 01:41:55 GMT, Slow Code <my.mail@no.spam> wrote:

>
>You'd probably all piss and moan like you do about CW, if the FCC made
>that a test element too. You all just want handouts.

No I want a test releated to the skill and regs serving a valid
regultory prupose
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 8767658029275129076
X-Google-Thread: 1009ad,ce2f2da18d0121c3
X-Google-Thread: fc8b1,ce2f2da18d0121c3
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Thread: 10bf43,ce2f2da18d0121c3
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l12g2000cwl.googlegroups.com!not-for-mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: So you lids don't want to learn CW, what are you going to learn instead?
Date: 1 Dec 2006 18:46:19 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1165027579.108775.48680@l12g2000cwl.googlegroups.com>
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 4.224.231.129
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165027584 31089 127.0.0.1 (2 Dec 2006 02:46:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Dec 2006 02:46:24 +0000 (UTC)
In-Reply-To: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)

```
Complaints-To: groups-abuse@google.com
Injection-Info: l12g2000cwl.googlegroups.com; posting-host=4.224.231.129;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com alt.radio.scanner:3905 rec.radio.amateur.boatanchors:6533
rec.radio.amateur.equipment:7368 rec.radio.amateur.policy:56504
```

We're going to learn to ignore trolls and lids.

```
From -2207098758268135733
X-Google-Thread: 1009ad,ce2f2da18d0121c3
X-Google-Thread: fc8b1,ce2f2da18d0121c3
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Thread: 10bf43,ce2f2da18d0121c3
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 01 Dec 2006 21:05:04 -0600
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Fri, 01 Dec 2006 19:05:04 -0800
Subject: Re: So you lids don't want to learn CW, what are you going to
     learn instead?
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.policy
Message-ID: <C1962D60.4F8A6%dbowey@comcast.net>
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 21
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-wEJ+rFhP6/tr19xFUTlyPbmdQxbIwDkXFrKpkZHhO/
Pb3k4+wda8WppAi5MXQEaHRgLdEAXFBa907ur!Nbr2sr8Zy5ZhbmLXicenkwoGT/30a20Tc/
8+sOjVBlQg13ZmInyeCEGqKAMDqHiBknszd7QB
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:3906 rec.radio.amateur.boatanchors:6534
rec.radio.amateur.equipment:7369 rec.radio.amateur.policy:56505
```

On 12/1/06 5:41 PM, in article
DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net, "Slow Code"
<my.mail@no.spam> wrote:

>
> You'd probably all piss and moan like you do about CW, if the FCC made
> that a test element too. You all just want handouts.
>
> SC

Do you ever post anything positive?

Your posts aren't worth posting to the five boards you are boring to death.

I like CW so don't throw any of your nonsense my direction.

While I'm at it, it's not very smart to post a message responding to someone
without quoting them.

DB

From -278109368631527497
X-Google-Thread: 108122,bbd1bce0ba5e1ade,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!1dba5946!not-for-mail
From: Scan Da Bands <vzeip5vc@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Galaxy 95t2 and Magna Force 600 Amp
Message-ID: <dvs1n2lqj79lrdopdkb9d1uqq7i5csquq3@4ax.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
Date: Sat, 02 Dec 2006 03:33:22 GMT
NNTP-Posting-Host: 71.125.108.98
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1165030402 71.125.108.98 (Fri, 01 Dec 2006 22:33:22 EST)
NNTP-Posting-Date: Fri, 01 Dec 2006 22:33:22 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7370

Galaxy 95t2 and Magna Force 600 Amp.

This radio is setup perfectly with this amp. Both radio and amp have
fans for cool operation and operate they do.

$700 BEST OFFER

Specs On Galaxy 95t2 : Low Dead Key 15 swings to 100 - 125 watts

The Popular 95T with Improved Features!!

Built in 2-2SC2290 transistors for high power.
Features:
AM/FM/SSB.
Echo.
On/Off controllable Talk Back.
Variable RF Gain Control.
Variable power.
Low Profile heat sink.
Glow in the dark face plate.
large s-meter and much more.

Specs on Magna Force 600

Transistors 4 x 2SC2879
Dimensions H 4 3/4' x L 11' x W 6 3/4'
Class B
SSB Delay yes
Power Output (RMS) 300 Watts
Power Output (PEP) 625 Watts
Driven Power (RMS) 400 Watts
Driven Power (PEP) 1000 Watts

From 7728515357083294538
X-Google-Thread: 1009ad,ce2f2da18d0121c3
X-Google-Thread: fc8b1,ce2f2da18d0121c3
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Thread: 10bf43,ce2f2da18d0121c3
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: So you lids don't want to learn CW, what are you going to learn instead?
Date: Fri, 01 Dec 2006 23:05:31 -0500
Message-ID: <gqu1n2l50m0v0c86ei93bsipf7s2ukmtbm@4ax.com>
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
<C1962D60.4F8A6%dbowey@comcast.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Date: 02 Dec 2006 03:10:56 GMT
X-Complaints-To: abuse@teranews.com

```
Xref: g2news2.google.com alt.radio.scanner:3908 rec.radio.amateur.boatanchors:6536
rec.radio.amateur.equipment:7371 rec.radio.amateur.policy:56506

On Fri, 01 Dec 2006 19:05:04 -0800, Don Bowey <dbowey@comcast.net>
wrote:

>On 12/1/06 5:41 PM, in article
>DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net, "Slow Code"
><my.mail@no.spam> wrote:
>
>>
>> You'd probably all piss and moan like you do about CW, if the FCC made
>> that a test element too.  You all just want handouts.
>>
>> SC
>
>Do you ever post anything positive?

nope
>
>Your posts aren't worth posting to the five boards you are boring to death.
>
>I like CW so don't throw any of your nonsense my direction.

and bully for for you
>
>While I'm at it, it's not very smart to post a message responding to someone
>without quoting them.

sorry I realy must defnd SC/robeson here it si a smart thing to do
when you are trying to hide what you are responding to
>
>DB
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 7650217781641296127
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l12g2000cwl.googlegroups.com!not-for-
mail
From: "cmdr buzz corey" <cmdr-buzz-corey@mailcity.com>
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: kookathon
```

```
Date: 1 Dec 2006 22:12:42 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1165039962.428498.10900@l12g2000cwl.googlegroups.com>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
   <qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
   <092nm21e0l03abee9dv7jke6knp13c8mm3@4ax.com>
   <-uydnafrVP0VuvHYnZ2dnUVZ_t2dnZ2d@comcast.com>
   <1164773529.465292.176990@80g2000cwy.googlegroups.com>
   <nsqdnWMBlch8HvDYnZ2dnUVZ_s6dnZ2d@comcast.com>
NNTP-Posting-Host: 63.231.104.86
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165039967 18951 127.0.0.1 (2 Dec 2006 06:12:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Dec 2006 06:12:47 +0000 (UTC)
In-Reply-To: <nsqdnWMBlch8HvDYnZ2dnUVZ_s6dnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.5) Gecko/
20051012 Netscape/8.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l12g2000cwl.googlegroups.com; posting-host=63.231.104.86;
   posting-account=ANMgdQ0AAAA_X09SagkYnptM5IJu1UIz
Xref: g2news2.google.com rec.radio.cb:22995 rec.radio.swap:10423
rec.radio.amateur.policy:56511 rec.radio.amateur.equipment:7372
```

Dave wrote:

>
> Nope! Look at the photo of the front of the amplifier. The manufacturer clearly
> states "80-15 Meters"
>
> The seller has misrepresented the product :-)
>
> Now! Go look at this one "160057649761"

220051930613 was killed.

```
From -151003793708548344
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!80g2000cwy.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
```

```
Subject: Re: kookathon
Followup-To: rec.radio.cb,
Date: 1 Dec 2006 22:14:50 -0800
Organization: http://groups.google.com
Lines: 18
Message-ID: <1165040090.703914.259130@80g2000cwy.googlegroups.com>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
   <qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
   <092nm21e0l03abee9dv7jke6knp13c8mm3@4ax.com>
   <-uydnafrVP0VuvHYnZ2dnUVZ_t2dnZ2d@comcast.com>
   <1164773529.465292.176990@80g2000cwy.googlegroups.com>
   <nsqdnWMBlch8HvDYnZ2dnUVZ_s6dnZ2d@comcast.com>
   <1165039962.428498.10900@l12g2000cwl.googlegroups.com>
NNTP-Posting-Host: 66.82.9.61
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165040096 28924 127.0.0.1 (2 Dec 2006 06:14:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Dec 2006 06:14:56 +0000 (UTC)
In-Reply-To: <1165039962.428498.10900@l12g2000cwl.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 80g2000cwy.googlegroups.com; posting-host=66.82.9.61;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.cb:22996 rec.radio.swap:10424
rec.radio.amateur.policy:56512 rec.radio.amateur.equipment:7373
```

cmdr buzz corey wrote:
> Dave wrote:
>
> >
> > Nope! Look at the photo of the front of the amplifier. The manufacturer
clearly
> > states "80-15 Meters"
> >
> > The seller has misrepresented the product :-)
> >
> > Now! Go look at this one "160057649761"
>
> 220051930613 was killed.

one cartoon charter you over look you are posted to off topic(gruops
if you reply that will be fixed)

two even tin cb it is minor matter

```
From 4059477703626626479
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 02 Dec 2006 05:41:05 -0600
Date: Sat, 02 Dec 2006 11:41:06 +0000
From: charlie <wehatespam@wymsey.co.uk>
User-Agent: Thunderbird 1.5.0.8 (X11/20060911)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So you lids don't want to learn CW, what are you going to learn
 instead?
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
<1165027579.108775.48680@l12g2000cwl.googlegroups.com>
In-Reply-To: <1165027579.108775.48680@l12g2000cwl.googlegroups.com>
X-Enigmail-Version: 0.94.1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <pqqdnTOrlfLP--zYRVnyiQ@pipex.net>
Lines: 10
NNTP-Posting-Host: 81.178.111.203
X-Trace: sv3-NZum4yrIgYADwfTO/i8hfhbJEvd5Jhk3Zt3R1uNJef5/
DjJfOOXOO7IHDhgzH7c2DVWU4+8vGoBzocq!
bnZiRA9HPUVxpMoS1dqoIB+lIr7i03MqbWFjdAZLLg+jLjwWnlPq3FZ65nbTcaNFb1xICdg9LAPI!
MQpHGS3M8YzQIA==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7374

hot-ham-and-cheese@hotmail.com wrote:
> We're going to learn to ignore trolls and lids.
>

And to not cross post :)

Charlie.

--
www.wymsey.co.uk


From 5794574822851291830
X-Google-Thread: 1009ad,ce2f2da18d0121c3
X-Google-Thread: fc8b1,ce2f2da18d0121c3
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Thread: 10bf43,ce2f2da18d0121c3
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.speakeasy.net!
news.speakeasy.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 02 Dec 2006 07:25:09 -0600
Date: Sat, 02 Dec 2006 08:25:18 -0500
From: William Warren <william_warren@speakeasy.nonoise.net>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.policy
Subject: Please don't feed the troll
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
In-Reply-To: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <dKCdnckhEJ8o4-zYnZ2dnUVZ_q-dnZ2d@speakeasy.net>
Lines: 13
NNTP-Posting-Host: 66.92.86.246
X-Trace: sv3-
fye2tPslcilx00Dy7eHRsHB6DDbmciiLAVnO5pM0Oo3YBa+Rsubocs5By6OEtTYt4lEXShthOulrk6o!
wRGhNdsAZCilcfI0q9E6KcpY8Vs+G4kD6V5IP/q1q5owgfv7FmVF86LromU3kcrcEy4z8J0zFZWa!
Hws1ANyfxokdFIxgk2Yrv7Pd9Tqcts6vhAi2aQ==
X-Complaints-To: abuse@speakeasy.net
X-DMCA-Complaints-To: abuse@speakeasy.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:3911 rec.radio.amateur.boatanchors:6537
rec.radio.amateur.equipment:7375 rec.radio.amateur.policy:56517

Slow Code wrote:
[troll]

  \|||/
(o o)
,----ooO--(_)-------.
| Please            |
|   don't feed the  |
|     TROLL!        |
'--------------Ooo--'
|__|__|
|| ||
ooO Ooo


From -5703567837507608805
X-Google-Thread: 108122,9b1c39704cafef60,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.phx!newsfe09.phx.POSTED!
53ab2750!not-for-mail
```

From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Guide Lines For This News Group
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <mKhch.49782$4Z1.12687@newsfe09.phx>
Date: Sat, 2 Dec 2006 08:21:40 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe09.phx 1165076498 72.197.12.245 (Sat, 02 Dec 2006 09:21:38 MST)
NNTP-Posting-Date: Sat, 02 Dec 2006 09:21:38 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7376

Maybe this will help(a little) to get rid of the off topic posts

For what this News Group is about and applicable guide lines see URL:

http://www.faqs.org/faqs/radio/personal-intro/

Thanks for reading
73 CL

From 1406240361005355400
X-Google-Thread: 10bf43,3e0147763fd1c614
X-Google-Thread: 1009ad,fdce8d0171b78269,start
X-Google-Thread: fc8b1,fdce8d0171b78269,start
X-Google-Thread: 108122,fdce8d0171b78269,start
X-Google-Thread: 10bf43,3e0147763fd1c614
X-Google-Attributes: gid10bf43,gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio
.amateur.equipment,rec.radio.amateur.policy
Subject: Re: again my apologies but steve must have his full anddisgusting quote
Date: Sat, 02 Dec 2006 11:55:14 -0500
Message-ID: <7vb3n25dmjaob0kcb4r1a3uimf1t0rsgam@4ax.com>
References: <1165000778.287779.319400@16g2000cwy.googlegroups.com>
<45719dd4$0$20635$88260bb3@free.teranews.com>
<6ra3n21rmgdhmerbjvu755e5h81v6cohe7@4ax.com>
<4571a097$0$20616$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 38
NNTP-Posting-Date: 02 Dec 2006 16:00:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:56530 alt.radio.scanner:3913
rec.radio.amateur.boatanchors:6541 rec.radio.amateur.equipment:7377

On Sat, 2 Dec 2006 11:44:18 -0500, "an old fiend" <Mark@kb9rqz.apr>
wrote:

>
><Mark@kb9rqz.aprs> wrote in message
>news:6ra3n21rmgdhmerbjvu755e5h81v6cohe7@4ax.com...
>> On Sat, 2 Dec 2006 11:32:29 -0500, "an old fiend" <Mark@kb9rqz.apr>
>> wrote:
>>
>>>
>>><kb9rqz-1@hotmail.com> wrote in message
>>>news:1165000778.287779.319400@16g2000cwy.googlegroups.com...
 and to avoiid the charge of misquoting I gave it him
>>>>
 a Man attack has the right of self dense, the right and moral duty

I apolgize to anyone who may have been inconvemtaenced bause Robes
decided to trash the NG again today he has to remened what a an
asshole
 he truely every now and then (or maybe he final got fired and has
more
 time God help us

 by my count 50ish post from Robeson about 50of the ose were ever more
 of his cyber vadnalsim on my my post or him lying in claiming I am
not
 a Veteran of the US armed or claimed that he has been msiquote when
hI
 say he claims I have eat his shit. I have not done I have met
Robeson,
 as can be evedenced by the facts both of us are still alve if I had
met
 him I am certain that would not be the case
Robeson who never also has utterred 2 death threats  or flase
 praticingof Medicne bothare crimes with robeson you just can't tell
>>
I
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 962386343998957211
```

X-Google-Thread: 108122,303899b3018dc75,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 02 Dec 2006 13:58:49 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-765 Receive Sensitivty - DEAD
From: "Mark Bailey" <mjb@jobsoft.com>
Organization: Jobsoft
Date: Sat, 2 Dec 2006 19:58:49 GMT
X-Newsreader: News Rover 12.0.1 (http://www.NewsRover.com)
Message-ID: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 70.90.228.189
X-Trace: sv3-eJMI+bI/x8BdsNRd3LyIw7TUmp8khG5P4Mj6zsY/dMtZRWLMgyz7pD2OwHYxMkOAg/
EzbnAL4u2nYIb!
NXA+YeqWq7rCEIh328Rzhrp4reGDY+YOhYNE769rCPm5mIcDbn2NdOQKGxTkoNO+NjbZl8X1cK3F!
YMy1J+Da52ex
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7378

Hello,

I have an Icom IC-765. Recently, after we moved, I setup a random longwire antenna up outside and coupled it and ground to a length of 213/U and attached it to the SO-239 port on the back of the 765. I got absolutely NO receive signal/sensitivity whatsoever. Even on 10 and 15 mHz. I knew this could not be right. I checked the coax and PL-259 for a short - no problems there. I attached the antenna to another receiver and it was definitely pulling in signal. So, I then rigged an RCA phono plug and attached the coax center lead to the Receive Only Antenna jack just below the SO-239 and the receive signal shot to a full quieting WWV signal on both 10 and 15 mHz!!

So, clearly something has happened to the antenna path from the SO-239 inward. I popped the top and could see no visible solder breaks in and around the SO-239 backside. I suspect that the problem is occurring somewhere in the antenna tuner (well, maybe) as I think I understand that the receive only antenna jack bypasses the antenna tuner.

Has anyone experienced this before? is it fixable by modest mortals? It is a pain (and $) to ship the unit to Icom, so, I was hoping someone here might suggest some possible things to try first.

Thanks!

Mark Bailey, N4XHX

```
--------------------------------------------------------
Mark J. Bailey        Jobsoft Design & Development, Inc.
104 Arlington Place, Suite 100        Franklin, TN 37064
EMAIL: mjb@jobsoft.com      WEB: http://www.jobsoft.com/
Medimation / CardShot(tm)     http://www.medimation.com/
VOICE:(615)904-9559 FAX:(615)904-9576 CELL:(615)308-9099
```

```
From -1803200686622671294
X-Google-Thread: 108122,9c34f8759c255b27,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!out03a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-
out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Bob G." <bobbyg@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Neat ham site
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <bglch.32868$zB4.24950@twister.nyroc.rr.com>
Date: Sat, 02 Dec 2006 20:22:31 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1165090951 24.58.195.67 (Sat, 02 Dec 2006 15:22:31
EST)
NNTP-Posting-Date: Sat, 02 Dec 2006 15:22:31 EST
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:7379
```

www.hamwave.com

```
From 7758117199401488329
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
```

```
pc02.usenetserver.com!DIALUPUSA.NET!not-for-mail
From: "Dr.Ace" <Ace@WH2T.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<ht3ch.21505$Q7.5199@bignews6.bellsouth.net>
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
Date: Sat, 2 Dec 2006 16:45:01 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2905
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <edbd7$4571f3b8$4e156be$17092@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 19
X-Trace: edbd74571f3b8a144f31b17092
Xref: g2news2.google.com rec.radio.amateur.antenna:22331
rec.radio.amateur.equipment:7380 rec.radio.amateur.policy:56557
rec.radio.swap:10440


"jakdedert" <jakdedert@bellsouth.net> wrote in message
news:ht3ch.21505$Q7.5199@bignews6.bellsouth.net...
> Slow Code wrote:
>> If the CW requirement is eliminated, there's going to be a lot more of
>> them on the bands. SC
>>
> Did you ever see a poster on a newsgroup that you'd just like to slap the
> sh*t out of?
>
> I've not seen him, but you have...in the mirror.
>
> jak
>

I second that motion .
   Ace - WH2T




From 8300202952767669597
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-
mail
```

From: X-rated Vermonter <k1xvnospam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Classic Computer for a Ham Shack
Date: Sat, 02 Dec 2006 16:58:55 -0500
Reply-To: k1xvnospam@arrl.net
Message-ID: <3nt3n2tfqib57da8csa0kiknnct1j2641b@4ax.com>
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-36-188.vermontel.net
X-Cache: nnntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 13
X-Trace: d0d584571f71f7de7c94b20660
Xref: g2news2.google.com rec.radio.amateur.equipment:7381

On 28 Nov 2006 07:25:10 -0800, "Alex" <samalex@gmail.com> wrote:

>Hey Guys,
>
>I'm a new ham radio operator, but I've been working with computers for
>most of my life. I'm now in the process of setting-up my first 'ham
>shack', and instead of going with the latest and greatest, I hope to
>employee several classic computers to help me along. I have quite a
>collection in my closet I plan on pulling out, but I'd like opinions of
>others on what they would use in such a situation.

++++++++++
Sounds like a bad idea. Instead of "Slow Code", you will be "Slow
Baud".

From 2317888585422156474
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!79g2000cws.googlegroups.com!not-for-mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the shit out of?
Date: 2 Dec 2006 14:10:47 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1165097447.758841.127430@79g2000cws.googlegroups.com>

```
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 4.224.228.145
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165097453 8256 127.0.0.1 (2 Dec 2006 22:10:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Dec 2006 22:10:53 +0000 (UTC)
In-Reply-To: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000cws.googlegroups.com; posting-host=4.224.228.145;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.antenna:22334
rec.radio.amateur.equipment:7382 rec.radio.amateur.policy:56559
rec.radio.swap:10441


No.  Most hams seems to have it under control.

How 'bout you?




From -5700566847848333412
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
Date: Sat, 02 Dec 2006 18:57:14 -0500
Message-ID: <jl44n256bhdgamhtmhmm1e0n4b9ok5m5oc@4ax.com>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<ht3ch.21505$Q7.5199@bignews6.bellsouth.net>
<edbd7$4571f3b8$4e156be$17092@DIALUPUSA.NET>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Date: 02 Dec 2006 23:02:36 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:22337
```

```
rec.radio.amateur.equipment:7383 rec.radio.amateur.policy:56565
rec.radio.swap:10443

On Sat, 2 Dec 2006 16:45:01 -0500, "Dr.Ace" <Ace@WH2T.com> wrote:

>
>"jakdedert" <jakdedert@bellsouth.net> wrote in message
>news:ht3ch.21505$Q7.5199@bignews6.bellsouth.net...
>> Slow Code wrote:
>>> If the CW requirement is eliminated, there's going to be a lot more of
>>> them on the bands. SC
>>>
>> Did you ever see a poster on a newsgroup that you'd just like to slap the
>> sh*t out of?
>>
>> I've not seen him, but you have...in the mirror.
>>
>> jak
>>
>
>I second that motion .
>   Ace - WH2T
>
Ii has been moved and seconded in accord with robesrts Rules of Order
I call the question
and vote Aye
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -1504408916951542753
X-Google-Thread: fcc6e,acc6225a4b60ce92,start
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Thread: fc2a5,acc6225a4b60ce92,start
X-Google-Thread: 10bf43,acc6225a4b60ce92,start
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Classic Computer for a Ham Shack
From: Slow Code <my.mail@no.spam>
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 57
```

Message-ID: <VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net>
Date: Sun, 03 Dec 2006 00:35:01 GMT
NNTP-Posting-Host: 4.254.231.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165106101 4.254.231.5 (Sat, 02 Dec 2006 16:35:01 PST)
NNTP-Posting-Date: Sat, 02 Dec 2006 16:35:01 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22340 rec.radio.amateur.equipment:7384 rec.radio.amateur.homebrew:8067 rec.radio.amateur.policy:56578

"Alex" <samalex@gmail.com> wrote in
news:1164727510.256694.183240@h54g2000cwb.googlegroups.com:

> Hey Guys,
>
> I'm a new ham radio operator, but I've been working with computers for
> most of my life. I'm now in the process of setting-up my first 'ham
> shack', and instead of going with the latest and greatest, I hope to
> employee several classic computers to help me along. I have quite a
> collection in my closet I plan on pulling out, but I'd like opinions of
> others on what they would use in such a situation.
>
> First, I do want to connect my radio to the computer, and many of the
> technologies used by ham radio operators, like slow scan TV, packet
> radio, etc, can be used on most of the classic computers in some form
> or fashion. This I don't think I'll have a problem, no matter which
> systemI go with.
>
> One of the main things I do want to do is have the computer on my home
> network. I don't need a web browser or even a GUI interface... the
> main thing I would really need is Telnet and FTP. I also want
> something with a word processor and spreadsheet program -- even
> Visicalc would be nice to use.
>
> And finally I want something fun.. which is the entire point of this
> venture :) I know some older computers still have huge repositories of
> software online, and whether it's a game or neat utility, I'd love to
> setup a classic computer I can really use and have fun with while in my
> 'ham shack'.
>
> Here's a list of computers I have around me now:
> Tandy Color Computer 2
> Tandy Color Computer 3 (128K model)
> Commodore Amiga 500
> Apple II (original, not PLUS)
> Mac Classic
>
> And though I don't currently own one, I'm looking at getting a
> Commodore 128 as well, either from a friend of possibly from ebay.
>
> Anyway, just curious what others would choose if you had to pick a
> computer or even a couple of older computers to use again. Also if

> there's any ham operators out there with experience with older systems,
> I'd love some feedback!
>
> Take care, and thanks in advance for any ideas.
>
> Alex

Hi Alex, You sound like a brand new no-code Tech. Welcome to ham radio.

All those computers you mentioned will work fine, but if you really want
to do any serious computer work you're going to want to invest in a Vic
20, or a TI-99, or a Commodore 64. Power users swear by'em.

SC

From -9206502426569631031
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
From: Slow Code <my.mail@no.spam>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<ht3ch.21505$Q7.5199@bignews6.bellsouth.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 17
Message-ID: <_Yoch.6170$tM1.1930@newsread1.news.pas.earthlink.net>
Date: Sun, 03 Dec 2006 00:35:06 GMT
NNTP-Posting-Host: 4.254.231.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165106106 4.254.231.5 (Sat, 02 Dec 2006
16:35:06 PST)
NNTP-Posting-Date: Sat, 02 Dec 2006 16:35:06 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22342
rec.radio.amateur.equipment:7385 rec.radio.amateur.policy:56582
rec.radio.swap:10444

jakdedert <jakdedert@bellsouth.net> wrote in
news:ht3ch.21505$Q7.5199@bignews6.bellsouth.net:

> Did you ever see a poster on a newsgroup that you'd just like to slap

> the sh*t out of?

Yes unfortunately and an awful lot of them too.

They all hate the CW requirement and want ham radio to get dumbed down
more, but if I had to single just one of them out for a good slapping, I'd
probably say it's Markie that needs it the most.

Now if Markie learned cw to 13 or 20 wpm, I'd congratulate him
and say, "Welcome to Ham radio Markie."

SC

From 5887358387006392949
X-Google-Thread: 108122,b93d37b46702fff5,start
X-Google-Thread: 10bf43,b93d37b46702fff5,start
X-Google-Thread: 106d41,8126e97322c699d6
X-Google-Thread: 1109af,cf59864f51b1318e
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.swap
Subject: Re: FS: PL-259's, Silver Plated, Teflon, $2.00 each
From: Slow Code <my.mail@no.spam>
References: <EYhch.66213$Vu4.39204@newsfe10.phx>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 11
Message-ID: <0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net>
Date: Sun, 03 Dec 2006 00:35:08 GMT
NNTP-Posting-Host: 4.254.231.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165106108 4.254.231.5 (Sat, 02 Dec 2006
16:35:08 PST)
NNTP-Posting-Date: Sat, 02 Dec 2006 16:35:08 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7386
rec.radio.amateur.policy:56583 rec.radio.cb:23016 rec.radio.swap:10445

"W6KRC" <W6KRC@ARRL.net> wrote in news:EYhch.66213$Vu4.39204@newsfe10.phx:

> For Sale: PL-259's, UHF Male connectors, high quality, silver plated,
> Teflon insulation, new, $2.00 each, unlimited quantity available, no
> minimum order.

CB'ers don't normally go quality. Got any nickel plated crimp-ons from Radio
Shack for them?

SC

From 2885535569330848638
X-Google-Thread: 1009ad,ce2f2da18d0121c3
X-Google-Thread: fc8b1,ce2f2da18d0121c3
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Thread: 10bf43,ce2f2da18d0121c3
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Please learn CW sign. Thanks to Bill W.
From: Slow Code <my.mail@no.spam>
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net> <dKCdnckhEJ8o4-zYnZ2dnUVZ_q-dnZ2d@speakeasy.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 20
Message-ID: <8Zoch.6177$tM1.800@newsread1.news.pas.earthlink.net>
Date: Sun, 03 Dec 2006 00:35:16 GMT
NNTP-Posting-Host: 4.254.231.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165106116 4.254.231.5 (Sat, 02 Dec 2006 16:35:16 PST)
NNTP-Posting-Date: Sat, 02 Dec 2006 16:35:16 PST
Xref: g2news2.google.com alt.radio.scanner:3918 rec.radio.amateur.boatanchors:6548 rec.radio.amateur.equipment:7387 rec.radio.amateur.policy:56589

```
> Slow Code wrote:
> []
>
>   \|||/
> (o o)
> ,----ooO--(_)-------.
>| Please            |
>|      Learn        |
>|            CW!    |
> '--------------Ooo--'
>|__|__|
>|| ||
> ooO Ooo
>
```

Thanks for the sign Bill. :)

SC

From -2442381428020026362
X-Google-Thread: 1009ad,ce2f2da18d0121c3
X-Google-Thread: fc8b1,ce2f2da18d0121c3
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Thread: 10bf43,ce2f2da18d0121c3
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: So you lids don't want to learn CW, what are you going to learn instead?
From: Slow Code <my.mail@no.spam>
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
<1165027579.108775.48680@l12g2000cwl.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 13
Message-ID: <9Zoch.6178$tM1.5658@newsread1.news.pas.earthlink.net>
Date: Sun, 03 Dec 2006 00:35:17 GMT
NNTP-Posting-Host: 4.254.231.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1165106117 4.254.231.5 (Sat, 02 Dec 2006 16:35:17 PST)
NNTP-Posting-Date: Sat, 02 Dec 2006 16:35:17 PST
Xref: g2news2.google.com alt.radio.scanner:3919 rec.radio.amateur.boatanchors:6549
rec.radio.amateur.equipment:7388 rec.radio.amateur.policy:56590

hot-ham-and-cheese@hotmail.com wrote in
news:1165027579.108775.48680@l12g2000cwl.googlegroups.com:

>
> We're going to learn to ignore trolls and lids.

That's ok with me, just don't ignore CW.

Keep Practicing.

SC

From 2963076548332857886
X-Google-Thread: 108122,303899b3018dc75
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!

nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 02 Dec 2006 19:04:55 -0600
Date: Sat, 02 Dec 2006 17:04:54 -0800
From: Gary <gbelcas@comcast.net>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-765 Receive Sensitivty - DEAD
References: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com>
In-Reply-To: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <n-idnbWEVvYqv-_YnZ2dnUVZ_sSdnZ2d@comcast.com>
Lines: 42
NNTP-Posting-Host: 67.170.123.220
X-Trace: sv3-b10V6UalyZLWIkabk68BZWnBZjXHQjrxoOKgmKHUWJXWS+oWyj/cNc48JqNpqlN3tr//
PfuCc1BoaWN!
EIKpNaE1yqoBFzGUrm6EIy9H3GEoV39uMT0Ci1HzhZfE2xTmiEr8aXzxP4T69rT9ppyQ6s9agvWf!
udhVqeQLbknzyQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7389

Mark Bailey wrote:
> Hello,
>
> I have an Icom IC-765. Recently, after we moved, I setup a random longwire
> antenna up outside and coupled it and ground to a length of 213/U and
> attached it to the SO-239 port on the back of the 765. I got absolutely NO
> receive signal/sensitivity whatsoever. Even on 10 and 15 mHz. I knew this
> could not be right. I checked the coax and PL-259 for a short - no problems
> there. I attached the antenna to another receiver and it was definitely
> pulling in signal. So, I then rigged an RCA phono plug and attached the
> coax center lead to the Receive Only Antenna jack just below the SO-239 and
> the receive signal shot to a full quieting WWV signal on both 10 and 15
> mHz!!
>
> So, clearly something has happened to the antenna path from the SO-239
> inward. I popped the top and could see no visible solder breaks in and
> around the SO-239 backside. I suspect that the problem is occurring
> somewhere in the antenna tuner (well, maybe) as I think I understand that
> the receive only antenna jack bypasses the antenna tuner.
>
> Has anyone experienced this before? is it fixable by modest mortals? It is
> a pain (and $) to ship the unit to Icom, so, I was hoping someone here might
> suggest some possible things to try first.
>
> Thanks!

```
>
> Mark Bailey, N4XHX
>
>
> ________________________________________________________
> Mark J. Bailey        Jobsoft Design & Development, Inc.
> 104 Arlington Place, Suite 100        Franklin, TN 37064
> EMAIL: mjb@jobsoft.com      WEB: http://www.jobsoft.com/
> Medimation / CardShot(tm)     http://www.medimation.com/
> VOICE:(615)904-9559 FAX:(615)904-9576 CELL:(615)308-9099
```

Mark, one quick thought here. When you contact an antenna to the
so-239, you need to have the 'rcv ant out' jumpered to the 'ant in'
phono plug to bring sigs into the reciever. Good luck.

Gary
ka9rao

```
From -1705679830301232048
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: : kookathon on clockwork
Date: Sat, 02 Dec 2006 20:04:55 -0500
Message-ID: <8l84n2lljoslik79eoe22bvbltah6rutdk@4ax.com>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<ht3ch.21505$Q7.5199@bignews6.bellsouth.net>
<_Yoch.6170$tM1.1930@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
NNTP-Posting-Date: 03 Dec 2006 00:10:17 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:22350
rec.radio.amateur.equipment:7390 rec.radio.amateur.policy:56597
rec.radio.swap:10448
```

On Sun, 03 Dec 2006 00:35:06 GMT, Slow Code <my.mail@no.spam> wrote:

\>jakdedert <jakdedert@bellsouth.net> wrote in
\>news:ht3ch.21505$Q7.5199@bignews6.bellsouth.net:

```
>
>> Did you ever see a poster on a newsgroup that you'd just like to slap
>> the sh*t out of?
>
>
>Yes unfortunately and an awful lot of them too.
>
>They all hate the CW requirement and want ham radio to get dumbed down
>more, but if I had to single just one of them out for a good slapping, I'd
>probably say it's Markie that needs it the most.
>
>Now if Markie learned cw to 13 or 20 wpm, I'd congratulate him
>and say, "Welcome to Ham radio Markie."

: kookathon on clockwork
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 4031102446866362753
X-Google-Thread: 1009ad,ce2f2da18d0121c3
X-Google-Thread: fc8b1,ce2f2da18d0121c3
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Thread: 10bf43,ce2f2da18d0121c3
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.policy
Subject: : kookathon on clockwork
Date: Sat, 02 Dec 2006 20:07:33 -0500
Message-ID: <lp84n29ugf2mhrnhuh8epdgh43a7kvnal3@4ax.com>
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
<1165027579.108775.48680@l12g2000cwl.googlegroups.com>
<9Zoch.6178$tM1.5658@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 03 Dec 2006 00:12:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3921 rec.radio.amateur.boatanchors:6550
rec.radio.amateur.equipment:7391 rec.radio.amateur.policy:56602
```

On Sun, 03 Dec 2006 00:35:17 GMT, Slow Code <my.mail@no.spam> wrote:

>hot-ham-and-cheese@hotmail.com wrote in
>news:1165027579.108775.48680@l12g2000cwl.googlegroups.com:
>
>>
>> We're going to learn to ignore trolls and lids.
>
>
>
>That's ok with me, just don't ignore CW.

that is something we ned to let die off and with you to prmote it is
DOOMed
>
>Keep Practicing.
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -2742651937951783076
X-Google-Thread: fcc6e,acc6225a4b60ce92
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Thread: fc2a5,acc6225a4b60ce92
X-Google-Thread: 10bf43,acc6225a4b60ce92
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: kookathon on clockwork
Date: Sat, 02 Dec 2006 20:15:10 -0500
Message-ID: <3894n2t4fqkg169sq5bv75ctdrit785g5v@4ax.com>
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
<VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 56
NNTP-Posting-Date: 03 Dec 2006 00:20:31 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:22355
rec.radio.amateur.equipment:7392 rec.radio.amateur.homebrew:8069
rec.radio.amateur.policy:56608

On Sun, 03 Dec 2006 00:35:01 GMT, Slow Code <my.mail@no.spam> wrote:

>"Alex" <samalex@gmail.com> wrote in
>news:1164727510.256694.183240@h54g2000cwb.googlegroups.com:
>
>> Hey Guys,
>>
>> I'm a new ham radio operator, but I've been working with computers for
>> most of my life. I'm now in the process of setting-up my first 'ham
>> shack', and instead of going with the latest and greatest, I hope to
>> employee several classic computers to help me along. I have quite a
>> collection in my closet I plan on pulling out, but I'd like opinions of
>> others on what they would use in such a situation.
>>
>> First, I do want to connect my radio to the computer, and many of the
>> technologies used by ham radio operators, like slow scan TV, packet
>> radio, etc, can be used on most of the classic computers in some form
>> or fashion. This I don't think I'll have a problem, no matter which
>> systemI go with.
>>
>> One of the main things I do want to do is have the computer on my home
>> network. I don't need a web browser or even a GUI interface... the
>> main thing I would really need is Telnet and FTP. I also want
>> something with a word processor and spreadsheet program -- even
>> Visicalc would be nice to use.
>>
>> And finally I want something fun.. which is the entire point of this
>> venture :) I know some older computers still have huge repositories of
>> software online, and whether it's a game or neat utility, I'd love to
>> setup a classic computer I can really use and have fun with while in my
>> 'ham shack'.
>>
>> Here's a list of computers I have around me now:
>> Tandy Color Computer 2
>> Tandy Color Computer 3 (128K model)
>> Commodore Amiga 500
>> Apple II (original, not PLUS)
>> Mac Classic
>>
>> And though I don't currently own one, I'm looking at getting a
>> Commodore 128 as well, either from a friend of possibly from ebay.
>>
>> Anyway, just curious what others would choose if you had to pick a
>> computer or even a couple of older computers to use again. Also if
>> there's any ham operators out there with experience with older systems,
>> I'd love some feedback!
>>
>> Take care, and thanks in advance for any ideas.
>>
>> Alex
>
>

>Hi Alex, You sound like a brand new no-code Tech. Welcome to ham radio.

kookathon on clockwork
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 3877778306845144151
X-Google-Thread: 108122,b93d37b46702fff5
X-Google-Thread: 10bf43,b93d37b46702fff5
X-Google-Thread: 106d41,8126e97322c699d6
X-Google-Thread: 1109af,cf59864f51b1318e
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.swap
Subject: kookathon on clockwork
Date: Sat, 02 Dec 2006 20:17:55 -0500
Message-ID: <uc94n2tjsln4unq061pjmnj3dtv7u6lvao@4ax.com>
References: <EYhch.66213$Vu4.39204@newsfe10.phx>
<0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 03 Dec 2006 00:23:18 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7393
rec.radio.amateur.policy:56610 rec.radio.cb:23023 rec.radio.swap:10451

On Sun, 03 Dec 2006 00:35:08 GMT, Slow Code <my.mail@no.spam> wrote:

>"W6KRC" <W6KRC@ARRL.net> wrote in news:EYhch.66213$Vu4.39204@newsfe10.phx:
>
>> For Sale: PL-259's, UHF Male connectors, high quality, silver plated,
>> Teflon insulation, new, $2.00 each, unlimited quantity available, no
>> minimum order.
>
>
>CB'ers don't normally go quality. Got any nickel plated crimp-ons from Radio
>Shack for them?

kookathon on clockwork

trolling the cb gruop again steve and you say cber are so bad shame on
you

```
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -7303849535528160512
X-Google-Thread: 1009ad,ce2f2da18d0121c3
X-Google-Thread: fc8b1,ce2f2da18d0121c3
X-Google-Thread: 108122,ce2f2da18d0121c3
X-Google-Thread: 10bf43,ce2f2da18d0121c3
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.policy
Subject: Thanks to Bill W.<<<admiting to being a boozer too steve
Date: Sat, 02 Dec 2006 20:20:29 -0500
Message-ID: <8h94n2d1s06cdi43lklqf44j2amraafiid@4ax.com>
References: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net> <dKCdnckhEJ8o4-
zYnZ2dnUVZ_q-dnZ2d@speakeasy.net>
<8Zoch.6177$tM1.800@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
NNTP-Posting-Date: 03 Dec 2006 00:25:50 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3922 rec.radio.amateur.boatanchors:6552
rec.radio.amateur.equipment:7394 rec.radio.amateur.policy:56612

On Sun, 03 Dec 2006 00:35:16 GMT, Slow Code <my.mail@no.spam> wrote:

>
>> Slow Code wrote:
>> []
>>
>>   \|||/
>> (o o)
>> ,----ooO--(_)-------.
>>| Please            |
>>|      Learn        |
>>|            CW!    |
>> '--------------Ooo--'
>>|__|__|
>>|| ||
```

>> ooO Ooo
>>
>
>
>Thanks for the sign Bill. :)

sadly you just make me pity you all the watched my mother die of Booze
was not a pretty sight
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -7365797928964040704
X-Google-Thread: 108122,b93d37b46702fff5
X-Google-Thread: 10bf43,b93d37b46702fff5
X-Google-Thread: 106d41,8126e97322c699d6
X-Google-Thread: 1109af,cf59864f51b1318e
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.alt.net
From: "A. G. Bell" <hello?@marksakook>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.swap
Subject: Re: FS: PL-259's, Silver Plated, Teflon, $2.00 each
Date: Sat, 2 Dec 2006 22:08:18 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 20
Message-ID: <gq4k4.q57.17.1@news.alt.net>
References: <EYhch.66213$Vu4.39204@newsfe10.phx>
<0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Xref: g2news2.google.com rec.radio.amateur.equipment:7395
rec.radio.amateur.policy:56623 rec.radio.cb:23024 rec.radio.swap:10453

"Slow Code" <my.mail@no.spam> wrote in message
news:0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net...
> "W6KRC" <W6KRC@ARRL.net> wrote in news:EYhch.66213$Vu4.39204@newsfe10.phx:
>
> > For Sale: PL-259's, UHF Male connectors, high quality, silver plated,
> > Teflon insulation, new, $2.00 each, unlimited quantity available, no
> > minimum order.
>
>

> CB'ers don't normally go quality. Got any nickel plated crimp-ons from
Radio
> Shack for them?
>
> SC

Even with those the CBers won't use a crimping tool. Too expensive. They
just squeeze the crap out of the ends with greasy pliers.

From -6889621523862940581
X-Google-Thread: 108122,303899b3018dc75
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 02 Dec 2006 21:39:42 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-765 Receive Sensitivty - DEAD
From: "Mark Bailey" <mjb@jobsoft.com>
References: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com> <n-idnbWEVvYqv-
_YnZ2dnUVZ_sSdnZ2d@comcast.com>
Organization: Jobsoft
Date: Sun, 3 Dec 2006 03:39:43 GMT
X-Newsreader: News Rover 12.0.1 (http://www.NewsRover.com)
Message-ID: <N-adneX6nPlj2-_YnZ2dnUVZ_h-dnZ2d@comcast.com>
Lines: 7
NNTP-Posting-Host: 70.90.228.189
X-Trace: sv3-
TPOBH4E1Nm1eut8Z0rfxx9v4uHgESzhIASnUWlO8rHtjlIjioiQUQdw2VULZDoiILxHLRjPZfYMAnDp!
oLF6ruarsK0drLRn6ftZw1AWma4ieMLjo2jITyVx233C9LyI3LE9gou8BK33ReOUYNtcCu+v67v6!
dgAUbZYiDkzG
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7396

Well, very glad you mentioned that as I had forgotten that I had removed the
jumper during the move. I grabbed it, but, still no change! :-(So, it
looks like the issue will prove more problematic. Icom had a KB item
#5BBA49629A that talked about replacing Tuner Relay Unit relay RL13
(LY2-0-DC12V). I wonder if there is any way to determine that this might be
the culprit without dismantling the Tuner Unit (sort of a pain it
appears)???

From -5670250332004188117

X-Google-Thread: fcc6e,acc6225a4b60ce92
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Thread: fc2a5,acc6225a4b60ce92
X-Google-Thread: 10bf43,acc6225a4b60ce92
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bright.net!
news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 02 Dec 2006 22:46:56 -0600
Date: Sun, 03 Dec 2006 04:46:56 +0000
From: Scott <acepilot@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Classic Computer for a Ham Shack
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
<VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net>
In-Reply-To: <VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <V4SdnbQmHK5dy-_YnZ2dnUVZ_vqdnZ2d@bright.net>
Lines: 68
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-kbVH9iZf8163EllA4iwkX1DY6R7l9XE8jM0wuqzqRAXW8712L/
ASnyZXGuWOhj0+fJ727pRHZpI7/of!pVp1L2QrRs6IQGlP2OM6AHG0/
dQSuNmlm9KuoR8pjHwwpF9gCLzkLsQlGv9hUjQLvlVS7XNS2Ei7!nmT9kyItZw==
X-Complaints-To: abuse@bright.net
X-DMCA-Complaints-To: abuse@bright.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:22391
rec.radio.amateur.equipment:7397 rec.radio.amateur.homebrew:8075
rec.radio.amateur.policy:56638

I second that! The VIC-20 is awesome (and easy to write machine
language programs for it). My first ham use for the VIC-20 was a CW
keyer program. I still have two VIC-20s and a C-64...

Scott
N0EDV

Slow Code wrote:

> "Alex" <samalex@gmail.com> wrote in
> news:1164727510.256694.183240@h54g2000cwb.googlegroups.com:
>

>
>>Hey Guys,
>>
>>I'm a new ham radio operator, but I've been working with computers for
>>most of my life. I'm now in the process of setting-up my first 'ham
>>shack', and instead of going with the latest and greatest, I hope to
>>employee several classic computers to help me along. I have quite a
>>collection in my closet I plan on pulling out, but I'd like opinions of
>>others on what they would use in such a situation.
>>
>>First, I do want to connect my radio to the computer, and many of the
>>technologies used by ham radio operators, like slow scan TV, packet
>>radio, etc, can be used on most of the classic computers in some form
>>or fashion. This I don't think I'll have a problem, no matter which
>>systemI go with.
>>
>>One of the main things I do want to do is have the computer on my home
>>network. I don't need a web browser or even a GUI interface... the
>>main thing I would really need is Telnet and FTP. I also want
>>something with a word processor and spreadsheet program -- even
>>Visicalc would be nice to use.
>>
>>And finally I want something fun.. which is the entire point of this
>>venture :) I know some older computers still have huge repositories of
>>software online, and whether it's a game or neat utility, I'd love to
>>setup a classic computer I can really use and have fun with while in my
>>'ham shack'.
>>
>>Here's a list of computers I have around me now:
>>Tandy Color Computer 2
>>Tandy Color Computer 3 (128K model)
>>Commodore Amiga 500
>>Apple II (original, not PLUS)
>>Mac Classic
>>
>>And though I don't currently own one, I'm looking at getting a
>>Commodore 128 as well, either from a friend of possibly from ebay.
>>
>>Anyway, just curious what others would choose if you had to pick a
>>computer or even a couple of older computers to use again. Also if
>>there's any ham operators out there with experience with older systems,
>>I'd love some feedback!
>>
>>Take care, and thanks in advance for any ideas.
>>
>>Alex
>
>
>
> Hi Alex, You sound like a brand new no-code Tech. Welcome to ham radio.
>
> All those computers you mentioned will work fine, but if you really want
> to do any serious computer work you're going to want to invest in a Vic

> 20, or a TI-99, or a Commodore 64. Power users swear by'em.
>
> SC

From -7084438972667997839
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe15.lga.POSTED!53ab2750!not-for-mail
Message-Id: <2320269.TxDrq9aXQa@www.usenetzone.com>
From: N7ZZT - Eric Oyen <n7zzt@127.0.0.1>
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Followup-To: rec.radio.amateur.antenna
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
Lines: 10
User-Agent: KNode/0.10.1
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-No_Archive: yes
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Date: Sun, 03 Dec 2006 03:05:51 -0700
NNTP-Posting-Host: 70.176.191.133
X-Complaints-To: admin@cox.net
X-Trace: newsfe15.lga 1165140105 70.176.191.133 (Sun, 03 Dec 2006 03:01:45 MST)
NNTP-Posting-Date: Sun, 03 Dec 2006 03:01:45 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.antenna:22401
rec.radio.amateur.equipment:7398 rec.radio.amateur.policy:56645
rec.radio.swap:10456

Slow Code wrote:

> If the CW requirement is eliminated, there's going to be a lot more of
> them on the bands.
>
> SC

better learn how to filter man. otherwise, you are going to be in a lot of
peoples faces and involved in more than one dance with the law.

```
From 8252629412140828897
X-Google-Thread: fcc6e,acc6225a4b60ce92
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Thread: fc2a5,acc6225a4b60ce92
X-Google-Thread: 10bf43,acc6225a4b60ce92
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!sn-xt-sjc-04!sn-xt-
sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Classic Computer for a Ham Shack
Date: Sun, 03 Dec 2006 10:48:14 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12n5vug58gbrg57@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
<VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net> <V4SdnbQmHK5dy-
_YnZ2dnUVZ_vqdnZ2d@bright.net>
In-Reply-To: <V4SdnbQmHK5dy-_YnZ2dnUVZ_vqdnZ2d@bright.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 72
Xref: g2news2.google.com rec.radio.amateur.antenna:22422
rec.radio.amateur.equipment:7399 rec.radio.amateur.homebrew:8077
rec.radio.amateur.policy:56654
```

What you really need is an Altair.

Dave N

Scott wrote:
> I second that! The VIC-20 is awesome (and easy to write machine
> language programs for it). My first ham use for the VIC-20 was a CW
> keyer program. I still have two VIC-20s and a C-64...
>
> Scott
> N0EDV
>
> Slow Code wrote:
>
>> "Alex" <samalex@gmail.com> wrote in
>> news:1164727510.256694.183240@h54g2000cwb.googlegroups.com:

>>
>>> Hey Guys,
>>>
>>> I'm a new ham radio operator, but I've been working with computers for
>>> most of my life. I'm now in the process of setting-up my first 'ham
>>> shack', and instead of going with the latest and greatest, I hope to
>>> employee several classic computers to help me along. I have quite a
>>> collection in my closet I plan on pulling out, but I'd like opinions of
>>> others on what they would use in such a situation.
>>>
>>> First, I do want to connect my radio to the computer, and many of the
>>> technologies used by ham radio operators, like slow scan TV, packet
>>> radio, etc, can be used on most of the classic computers in some form
>>> or fashion. This I don't think I'll have a problem, no matter which
>>> systemI go with.
>>>
>>> One of the main things I do want to do is have the computer on my home
>>> network. I don't need a web browser or even a GUI interface... the
>>> main thing I would really need is Telnet and FTP. I also want
>>> something with a word processor and spreadsheet program -- even
>>> Visicalc would be nice to use.
>>>
>>> And finally I want something fun.. which is the entire point of this
>>> venture :) I know some older computers still have huge repositories of
>>> software online, and whether it's a game or neat utility, I'd love to
>>> setup a classic computer I can really use and have fun with while in my
>>> 'ham shack'.
>>>
>>> Here's a list of computers I have around me now:
>>> Tandy Color Computer 2
>>> Tandy Color Computer 3 (128K model)
>>> Commodore Amiga 500
>>> Apple II (original, not PLUS)
>>> Mac Classic
>>>
>>> And though I don't currently own one, I'm looking at getting a
>>> Commodore 128 as well, either from a friend of possibly from ebay.
>>>
>>> Anyway, just curious what others would choose if you had to pick a
>>> computer or even a couple of older computers to use again. Also if
>>> there's any ham operators out there with experience with older systems,
>>> I'd love some feedback!
>>>
>>> Take care, and thanks in advance for any ideas.
>>> Alex
>>
>>
>>
>>
>> Hi Alex, You sound like a brand new no-code Tech. Welcome to ham radio.
>> All those computers you mentioned will work fine, but if you really want
>> to do any serious computer work you're going to want to invest in a Vic
>> 20, or a TI-99, or a Commodore 64. Power users swear by'em.

```
>> SC


From -8155224727985753389
X-Google-Thread: fcc6e,acc6225a4b60ce92
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Thread: fc2a5,acc6225a4b60ce92
X-Google-Thread: 10bf43,acc6225a4b60ce92
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-
sjc-06!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Classic Computer for a Ham Shack
Date: Sun, 03 Dec 2006 12:01:54 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1n06n2l5iote3d7qmmrllpjf999d6b1tco@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
<VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net> <V4SdnbQmHK5dy-
_YnZ2dnUVZ_vqdnZ2d@bright.net> <12n5vug58gbrg57@corp.supernews.com>
X-Newsreader: Forte Agent 4.0/32.1071
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 7
Xref: g2news2.google.com rec.radio.amateur.antenna:22424
rec.radio.amateur.equipment:7400 rec.radio.amateur.homebrew:8079
rec.radio.amateur.policy:56657

On Sun, 03 Dec 2006 10:48:14 -0600, "David G. Nagel" <nagel@core.com> wrote:

>What you really need is an Altair.

...or an Imsai, or an Intel SDK. 8;)

-- Larry


From 4696038075933362412
X-Google-Thread: fcc6e,acc6225a4b60ce92
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Thread: fc2a5,acc6225a4b60ce92
X-Google-Thread: 10bf43,acc6225a4b60ce92
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!
newscon06.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr11.news.prodigy.net.POSTED!00eff025!not-for-
```

```
mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Classic Computer for a Ham Shack
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
<VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net> <V4SdnbQmHK5dy-
_YnZ2dnUVZ_vqdnZ2d@bright.net> <12n5vug58gbrg57@corp.supernews.com>
In-Reply-To: <12n5vug58gbrg57@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <WuDch.907$hI.279@newssvr11.news.prodigy.net>
NNTP-Posting-Host: 70.252.166.164
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.net 1165165622 ST000 70.252.166.164 (Sun, 03 Dec
2006 12:07:02 EST)
NNTP-Posting-Date: Sun, 03 Dec 2006 12:07:02 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@IONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAFMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Sun, 03 Dec 2006 17:07:02 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:22427
rec.radio.amateur.equipment:7401 rec.radio.amateur.homebrew:8080
rec.radio.amateur.policy:56660

David G. Nagel wrote:
> What you really need is an Altair.

An IBM-650 would probably do the job.
--
73, Cecil  http://www.w5dxp.com


From -5367255382462794179
X-Google-Thread: fcc6e,acc6225a4b60ce92
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Thread: fc2a5,acc6225a4b60ce92
X-Google-Thread: 10bf43,acc6225a4b60ce92
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.bright.net!news.bright.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Dec 2006 11:49:47 -0600
Date: Sun, 03 Dec 2006 17:49:47 +0000
From: Scott <acepilot@bloomer.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy
Subject: Re: Classic Computer for a Ham Shack
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
<VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net> <V4SdnbQmHK5dy-
_YnZ2dnUVZ_vqdnZ2d@bright.net> <12n5vug58gbrg57@corp.supernews.com>
<1n06n2l5iote3d7qmmrllpjf999d6b1tco@4ax.com>
In-Reply-To: <1n06n2l5iote3d7qmmrllpjf999d6b1tco@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Zv-dnSL7W9Smk-7YnZ2dnUVZ_uqdnZ2d@bright.net>
Lines: 17
NNTP-Posting-Host: 64.33.199.218
X-Trace: sv3-mJ2vlqI46sER/
MsfRNmDkInp4nLQdRDcR6Hd0G9s1wbNvnzHwn+AmXYX8tDBXP2bZbX21w6PYyKSAdQ!
MjCTUF62oKrV5qV0Ypx6FGcJHiGsFZCCsY5uVrUo/pjVTDmwJKmqjW2xY06910L4bGogW++PiUq0!
lkeCnqqk7Q==
X-Complaints-To: abuse@bright.net
X-DMCA-Complaints-To: abuse@bright.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:22440
rec.radio.amateur.equipment:7402 rec.radio.amateur.homebrew:8081
rec.radio.amateur.policy:56669

Yes, forgot about the SDK-85.  Used that in tech school way back in
1981.  That was a smoking little bare-bones computer system...

Scott




pltrgyst wrote:
> On Sun, 03 Dec 2006 10:48:14 -0600, "David G. Nagel" <nagel@core.com> wrote:
>
>
>>What you really need is an Altair.
>
>
> ...or an Imsai, or an Intel SDK. 8;)
>
> -- Larry


From -1550007738857476837
X-Google-Thread: 108122,a7963c4f8bc06da4
```

```
X-Google-Thread: fc2a5,acc6225a4b60ce92
X-Google-Thread: 10bf43,acc6225a4b60ce92
X-Google-Thread: fcc6e,acc6225a4b60ce92
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Dec 2006 12:08:11 -0600
From: "Count Floyd" <CountFloyd@MonsterChillerHorrorTheater>
Organization: SCTV
Message-ID: <g40vCXBzNU8x-pn2-zRdCZdWrUQre@localhost>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.amateur.antenna
Subject: Re: Classic Computer for a Ham Shack
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
<VYoch.6166$tM1.86@newsread1.news.pas.earthlink.net> <V4SdnbQmHK5dy-
_YnZ2dnUVZ_vqdnZ2d@bright.net> <12n5vug58gbrg57@corp.supernews.com>
<WuDch.907$hI.279@newssvr11.news.prodigy.net>
User-Agent: ProNews/2 V1.58.cp116
MIME-Version: 1.0
Content-Type: text/plain; charset=US-ASCII
Content-Transfer-Encoding: 8bit
Date: Sun, 03 Dec 2006 12:08:11 -0600
Lines: 12
NNTP-Posting-Host: 69.163.229.220
X-Trace: sv3-WXRPCB8wK5ZjmUdzV1H/
AXnDO5fQCsjnSt0Y83NWwEQWxKGKCq3l4lZtlT2/65clQfDDOVW8p1cT29F!
kmPhwbuEiN6tpay2tWbSFBP4JlQCjmdY4MAt6GAKNaU3zXw1APZoi61r9qKNPkfeTXVjDPjJ6LM4!
18K4mYZKxl1zeCCQX1Q/fS0=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7403
rec.radio.amateur.homebrew:8082 rec.radio.amateur.policy:56673
rec.radio.amateur.antenna:22443

On Sun, 3 Dec 2006 17:07:02 UTC, Cecil Moore <mycall@hotmail.com>
wrote:

> David G. Nagel wrote:
> > What you really need is an Altair.
>
> An IBM-650 would probably do the job.
Any IBM PS/2 model would be perfect.  They can be had for next to
nothing and are well-nigh indestructible.

--
"What do you mean there's no movie?"
```

```
From 3761663248053408198
X-Google-Thread: 108122,9370ef5cfb5d9ce6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.nventure.com!
news.nventure.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Dec 2006 13:27:31 -0600
From: Martin Johnson <ac7lk@aol.com>
Subject: FYI: New Radio Website
Newsgroups: rec.radio.amateur.equipment
Reply-To: ac7lk@aol.com
Date: Sun, 03 Dec 2006 11:25:44 -0800
User-Agent: KNode/0.10.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <gsedneH1WpC-uO7YnZ2dnUVZ_tednZ2d@nventure.com>
Lines: 3
NNTP-Posting-Host: 131.191.21.31
X-Trace: 
sv3-9ewvHuDlKx8Ja2wxPjT6En9z8fxe7MomAe8zIdfWrwbSWj4zf9sTBcxFX34XGh39eLrsJmGt6sdgNW
t!W1Hhhrd/E3tkh0/+hKJxMdPrQrm9v39rY4yn+yviawXtIBhXBT4h8yBLMhofWl6xgbWoc14/4B7R!
y5SGmHDgOMmGjJyTLMBvO4598qnU2J0=
X-Complaints-To: abuse@nventure.com
X-DMCA-Complaints-To: abuse@nventure.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint 
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7404


                http://kc7zwg.com




From 264132930861774064
X-Google-Thread: 10d31e,1b75939abe27ba0c,start
X-Google-Thread: 1048f0,1b75939abe27ba0c,start
X-Google-Thread: 108122,1b75939abe27ba0c,start
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!79g2000cws.googlegroups.com!not-for-
mail
From: "K7AAY" <john.bartley@gmail.com>
Newsgroups: 
rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
Subject: Liberty CRD Diesel '06: Interference with 2m radio transmissions
Date: 3 Dec 2006 11:37:58 -0800
Organization: http://groups.google.com
```

Lines: 15
Message-ID: <1165174678.935878.226720@79g2000cws.googlegroups.com>
NNTP-Posting-Host: 206.124.154.68
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1165174685 3454 127.0.0.1 (3 Dec 2006 19:38:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Dec 2006 19:38:05 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 79g2000cws.googlegroups.com; posting-host=206.124.154.68;
   posting-account=fIOyvQ0AAAAn0JogHYur9rk-lMRfPNt_
Xref: g2news2.google.com rec.autos.makers.jeep+willys:31833
rec.autos.makers.chrysler:18283 rec.radio.amateur.equipment:7405

With a Yaesu VX-5 powered from a Radio Shack car cord attached to the
console cigar lighter socket, I get rapidly repeating noise likened by
others to spark plug noise; but, no spark plugs on a diesel. Removing
the card cord and transmitting on battery eliminates the problem.

I'm about to switch from the VX-5 HT to a Kenwood TM-V7A; how may I
avoid this problem when installing the mobile transceiver.

Thank you in advance for your on-topic suggestions.

73s & best regards,

K7AAY

From 774644758421411701
X-Google-Thread: 10d31e,1b75939abe27ba0c
X-Google-Thread: 1048f0,1b75939abe27ba0c
X-Google-Thread: 108122,1b75939abe27ba0c
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Dec 2006 13:45:50 -0600
Date: Sun, 03 Dec 2006 14:45:50 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
Subject: Re: Liberty CRD Diesel '06: Interference with 2m radio transmissions

References: <1165174678.935878.226720@79g2000cws.googlegroups.com>
In-Reply-To: <1165174678.935878.226720@79g2000cws.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <WoSdnftluYvztO7YnZ2dnUVZ_r2dnZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-
TdFMAKUF3367RQJehzWJRhJZtTyzt39n3GmGSCd4WwA+Ja7zAOSWIrS44bNqWtKfh15S4yPjm8HZh49!
xoZ/RF9dDsizq1LTd1w7VUlYB5p3ot6VRxhpr8ORbKx8UvQjIQid2rYoiejNRqlDyaPMk4d8A5OO!
rHLf0BVkC8CiZJsNaSQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.autos.makers.jeep+willys:31834
rec.autos.makers.chrysler:18284 rec.radio.amateur.equipment:7406

K7AAY wrote:
> With a Yaesu VX-5 powered from a Radio Shack car cord attached to the
> console cigar lighter socket, I get rapidly repeating noise likened by
> others to spark plug noise; but, no spark plugs on a diesel. Removing
> the card cord and transmitting on battery eliminates the problem.
>
> I'm about to switch from the VX-5 HT to a Kenwood TM-V7A; how may I
> avoid this problem when installing the mobile transceiver.
>
>
> Thank you in advance for your on-topic suggestions.
>
> 73s & best regards,
>
> K7AAY
>

Fuel injectors are the most likely source of the noise.

First, use a direct connection to the battery terminals. Second, twist the connecting wires 2 or 3 twists per foot from the battery to your radio. Third, get a GOOD chassis ground connection for the radio.

If noise persists talk with the CRD service techs regarding slightly slowing down the rise time of the fuel injectors or adding a suppression diode across the fuel injector coils [it is unlikely you will get any support in this area, but worth a try]

From 1748005130707032753
X-Google-Thread: 10d31e,1b75939abe27ba0c
X-Google-Thread: 1048f0,1b75939abe27ba0c

X-Google-Thread: 108122,1b75939abe27ba0c
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
Message-ID: <457331DE.106C14F1@sympatico.ca>
Date: Sun, 03 Dec 2006 15:21:50 -0500
From: Mike Romain <romainm@sympatico.ca>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
Subject: Re: Liberty CRD Diesel '06: Interference with 2m radio transmissions
References: <1165174678.935878.226720@79g2000cws.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
Organization: Newshosting.com - Highest quality at a great price!
www.newshosting.com
X-Complaints-To: abuse@newshosting.com
Xref: g2news2.google.com rec.autos.makers.jeep+willys:31835
rec.autos.makers.chrysler:18285 rec.radio.amateur.equipment:7407

If you contact DC, they might send you the booklet on installing a transmitter into the vehicle. They get very specific on where the power and grounds can be run as well as the antenna wire.

On GM's for instance, you have to have a 10 ga. dedicated fused power and ground line to the battery run far away from any vehicle harnesses to avoid voiding the vehicle warranty. Transmitters can interfere with things like the ABS and transmission modules, like some TJ's will go into neutral when the transmitter is keyed up, and any other electronic part.

Here is a link to GM's instructions, I haven't found any online for Jeeps:
http://service.gm.com/techlineinfo/radio.html

Mike
86/00 CJ7 Laredo, 33x9.5 BFG Muds, 'glass nose to tail in '00
88 Cherokee 235 BFG AT's
Canadian Off Road Trips Photos: Non members can still view!
Jan/06 http://www.imagestation.com/album/pictures.html?id=2115147590
(More Off Road album links at bottom of the view page)

K7AAY wrote:
>
> With a Yaesu VX-5 powered from a Radio Shack car cord attached to the
> console cigar lighter socket, I get rapidly repeating noise likened by
> others to spark plug noise; but, no spark plugs on a diesel. Removing
> the card cord and transmitting on battery eliminates the problem.

```
>
> I'm about to switch from the VX-5 HT to a Kenwood TM-V7A; how may I
> avoid this problem when installing the mobile transceiver.
>
> Thank you in advance for your on-topic suggestions.
>
> 73s & best regards,
>
> K7AAY


From 4591110123793353838
X-Google-Thread: 108122,c0b29d2d7525e8a7,start
X-Google-Thread: 1109af,c0b29d2d7525e8a7,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.phx!newsfe09.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: TXRX HIGH POWER BANDPASS FILTER 806-960MHZ-RACK MTG-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_002D_01C716D6.3E17FB80"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <ypGch.55591$4Z1.48770@newsfe09.phx>
Date: Sun, 3 Dec 2006 12:26:22 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe09.phx 1165177566 68.104.78.240 (Sun, 03 Dec 2006 13:26:06 MST)
NNTP-Posting-Date: Sun, 03 Dec 2006 13:26:06 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7408 rec.radio.swap:10462

This is a multi-part message in MIME format.

------=_NextPart_000_002D_01C716D6.3E17FB80
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: TXRX HIGH POWER BANDPASS FILTER 806-960MHZ-RACK MTG-HAM

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250057112174&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_002D_01C716D6.3E17FB80
```

```
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: TXRX HIGH POWER BANDPASS FILTER 806-960MHZ-RACK MTG-HAM</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250057112174&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250057112174&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_002D_01C716D6.3E17FB80--



From 3363126175118149145
X-Google-Thread: 108122,303899b3018dc75
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Dec 2006 17:59:27 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-765 Receive Sensitivty - DEAD
From: "Mark Bailey" <mjb@jobsoft.com>
References: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com> <n-idnbWEVvYqv-
_YnZ2dnUVZ_sSdnZ2d@comcast.com> <N-adneX6nPlj2-_YnZ2dnUVZ_h-dnZ2d@comcast.com>
Organization: Jobsoft
Date: Sun, 3 Dec 2006 23:59:28 GMT
X-Newsreader: News Rover 12.0.1 (http://www.NewsRover.com)
Message-ID: <feOdnU4wL_59-e7YnZ2dnUVZ_sWdnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 70.90.228.189
X-Trace: sv3-
zCbjGgXbJaVMAr5IazK4GR2bMXaXuMY3ss4l4euozsRdaEMUfaS8KMsLWuNltpYn4GQmhgQM4aNbEEA!
KnxoraFkLR2LCMASvI0dwXY/5SO+eUTxawpkEgL5pQmHDSDZ/GAscQn9KY5j2FtMN7OKIaTeXM7n!
ds1JgKfGG7rS
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7409

Gary,

FWIW, I found a PDF of the Service Manual for 765 and a Yahoo Group that had some good threads on this very problem. Seems likely that my problem is a failed RL201 relay on the Antenna Switch Unit. I was able to easily get the Tuner Unit out (after finding those threads) and pull the Tuner Unit with RL13 out of the loop and found that the relay RL201 which switches the tuner out on Receive worked on one side and not the other.

So, hopefully replacing that relay will do the trick!

FYI

Mark

From 9178677184939729077
X-Google-Thread: 10d31e,1b75939abe27ba0c
X-Google-Thread: 1048f0,1b75939abe27ba0c
X-Google-Thread: 108122,1b75939abe27ba0c
X-Google-Attributes: gid10d31e,gid1048f0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!postnews.google.com!
l12g2000cwl.googlegroups.com!not-for-mail
From: "K7AAY" <john.bartley@gmail.com>
Newsgroups:
rec.autos.makers.jeep+willys,rec.autos.makers.chrysler,rec.radio.amateur.equipment
Subject: Re: Liberty CRD Diesel '06: Interference with 2m radio transmissions
Date: 3 Dec 2006 16:53:50 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1165193630.603298.17900@l12g2000cwl.googlegroups.com>
References: <1165174678.935878.226720@79g2000cws.googlegroups.com>
   <457331DE.106C14F1@sympatico.ca>
NNTP-Posting-Host: 206.124.154.68
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165193635 18015 127.0.0.1 (4 Dec 2006 00:53:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Dec 2006 00:53:55 +0000 (UTC)
In-Reply-To: <457331DE.106C14F1@sympatico.ca>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l12g2000cwl.googlegroups.com; posting-host=206.124.154.68;
   posting-account=fIOyvQ0AAAAn0JogHYur9rk-lMRfPNt_
Xref: g2news2.google.com rec.autos.makers.jeep+willys:31853
rec.autos.makers.chrysler:18299 rec.radio.amateur.equipment:7410

Mike Romain wrote:
> If you contact DC, they might send you the booklet on installing a
> transmitter into the vehicle. They get very specific on where the power
> and grounds can be run as well as the antenna wire.

<snip>

Thank you for your on-topic reply!

I do have the equivalent for a 2006 Charger Police Edition, which may
be downloaded from the very last link at http://www.503bartley.com and
will look for a similar "outfitter's guide" for the Liberty.

From 822756711279584731
X-Google-Thread: 108122,303899b3018dc75
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Dec 2006 19:21:08 -0600
Date: Sun, 03 Dec 2006 17:21:06 -0800
From: Gary <gbelcas@comcast.net>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-765 Receive Sensitivty - DEAD
References: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com> <n-idnbWEVvYqv-_YnZ2dnUVZ_sSdnZ2d@comcast.com> <N-adneX6nPlj2-_YnZ2dnUVZ_h-dnZ2d@comcast.com> <feOdnU4wL_59-e7YnZ2dnUVZ_sWdnZ2d@comcast.com>
In-Reply-To: <feOdnU4wL_59-e7YnZ2dnUVZ_sWdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Tq6dndEW28uZ5e7YnZ2dnUVZ_oWdnZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 67.170.123.220
X-Trace: sv3-7W7XXUFnW72p6/ZEKYuO6BauTc/O1gPf/W3ATb+NhJ03GkL6RRjS4oj5bU8ynkWH94DAINfZG7ttMfB!lSoO36P2mW4BVtRZVMhTkDMlt4ex0NssNuvS7sg/V2uIS58+zcX7ZTv1uP2as1nmtILE3nJKgiUa!cJK8NPAaUXUmdg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7411

Mark Bailey wrote:
> Gary,
>

> FWIW, I found a PDF of the Service Manual for 765 and a Yahoo Group that had
> some good threads on this very problem. Seems likely that my problem is a
> failed RL201 relay on the Antenna Switch Unit. I was able to easily get the
> Tuner Unit out (after finding those threads) and pull the Tuner Unit with
> RL13 out of the loop and found that the relay RL201 which switches the tuner
> out on Receive worked on one side and not the other.
>
> So, hopefully replacing that relay will do the trick!
>
> FYI
>
> Mark

Mark

Tnx for the update. That's good news; sounds like the fix may not be
too painful/scary. I've really enjoyed my '765 over the years and given
the prices of most new rigs, will continue to do so! I've been out of
hf for a time but am stringing a high dipole this week. Looking forward
to bringing this 765 back to life. See you out there..

Gary

From 2642153032898544375
X-Google-Thread: 108122,303899b3018dc75
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!nntp.kreonet.re.kr!kreonet.re.kr!
newsfeed.skline.co.kr!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-765 Receive Sensitivty - DEAD
Date: Mon, 4 Dec 2006 10:35:25 +0900
Organization: Korea Telecom
Lines: 14
Message-ID: <ekvtuo$gd1$1@news2.kornet.net>
References: <p-mdndmwQdFkR-zYnZ2dnUVZ_vqdnZ2d@comcast.com> <n-idnbWEVvYqv-
_YnZ2dnUVZ_sSdnZ2d@comcast.com> <N-adneX6nPlj2-_YnZ2dnUVZ_h-dnZ2d@comcast.com>
<feOdnU4wL_59-e7YnZ2dnUVZ_sWdnZ2d@comcast.com>
<Tq6dndEW28uZ5e7YnZ2dnUVZ_oWdnZ2d@comcast.com>
NNTP-Posting-Host: 59.8.218.6
X-Trace: news2.kornet.net 1165196056 16801 59.8.218.6 (4 Dec 2006 01:34:16 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Mon, 4 Dec 2006 01:34:16 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.equipment:7412

>
> Tnx for the update. That's good news; sounds like the fix may not be too
> painful/scary. I've really enjoyed my '765 over the years and given the
> prices of most new rigs, will continue to do so! I've been out of hf for
> a time but am stringing a high dipole this week. Looking forward
> to bringing this 765 back to life. See you out there..
>
> Gary

Trick may be actually FINDING the relay, if it's one of those proprietary
Icom goodies. I had to advertise for a used stepper relay for my 720A, since
Icom no longer carries any parts for the 720A.

From 5211728353098066277
X-Google-Thread: 108122,b93d37b46702fff5
X-Google-Thread: 10bf43,b93d37b46702fff5
X-Google-Thread: 106d41,8126e97322c699d6
X-Google-Thread: 1109af,cf59864f51b1318e
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!73g2000cwn.googlegroups.com!not-for-mail
From: "Bret Ludwig" <bretldwig@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.swap
Subject: Re: FS: PL-259's, Silver Plated, Teflon, $2.00 each
Date: 3 Dec 2006 17:44:24 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1165196664.897492.294550@73g2000cwn.googlegroups.com>
References: <EYhch.66213$Vu4.39204@newsfe10.phx>
   <0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net>
   <gq4k4.q57.17.1@news.alt.net>
NNTP-Posting-Host: 68.91.249.124
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1165196669 25563 127.0.0.1 (4 Dec 2006 01:44:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Dec 2006 01:44:29 +0000 (UTC)
In-Reply-To: <gq4k4.q57.17.1@news.alt.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 73g2000cwn.googlegroups.com; posting-host=68.91.249.124;
   posting-account=28uu9A0AAADjRqxxBAS4nBG7PyX9WhKJ
Xref: g2news2.google.com rec.radio.amateur.equipment:7413
rec.radio.amateur.policy:56705 rec.radio.cb:23034 rec.radio.swap:10465

A. G. Bell wrote:
> "Slow Code" <my.mail@no.spam> wrote in message
> news:0Zoch.6171$tM1.3495@newsread1.news.pas.earthlink.net...
> > "W6KRC" <W6KRC@ARRL.net> wrote in news:EYhch.66213$Vu4.39204@newsfe10.phx:
> >
> > > For Sale: PL-259's, UHF Male connectors, high quality, silver plated,
> > > Teflon insulation, new, $2.00 each, unlimited quantity available, no
> > > minimum order.
> >

The 239 sucks donkey dick. Real equipment tends to have BNC or N
connectors and has for thirty or forty years.

```
From 1754509133481467041
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l12g2000cwl.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: Killed illegal auctions
Date: 30 Nov 2006 08:33:25 -0800
Organization: http://groups.google.com
Lines: 16
Message-ID: <1164904405.104577.186370@l12g2000cwl.googlegroups.com>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
   <qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
   <AVqbh.5882$_H5.3973@tornado.texas.rr.com>
   <1164852905.316782.63530@h54g2000cwb.googlegroups.com>
   <1164896572.669959.24790@j44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.61
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164904410 13353 127.0.0.1 (30 Nov 2006 16:33:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Nov 2006 16:33:30 +0000 (UTC)
In-Reply-To: <1164896572.669959.24790@j44g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l12g2000cwl.googlegroups.com; posting-host=66.82.9.61;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.cb:22958 rec.radio.swap:10354
rec.radio.amateur.policy:56188 rec.radio.amateur.equipment:7314
```

K4YZ wrote:
> nobodys old freind wrote:
> > U-Know-Who wrote:
>
> > > Shutup, Stupid Chimp.
> >
> > don't insult chimps or any other primate Tom
>
>   Defending the old family tree, I see, Morkie.

still can't even spell my name or refain from violationg the tos of
your ISP
>
> Steve, K4YZ

From -2270317668991072646
X-Google-Thread: 1009ad,e1fd89b1bbd3ed65
X-Google-Thread: 108122,e1fd89b1bbd3ed65
X-Google-Attributes: gid1009ad,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail
From: Bill Jeffrey <wjeffreyAT@alum.DOTmit.edu>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.radio.scanner,rec.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FS: UHF Radios HH & RF parts
References: <q_K9h.7876$CR6.2145@tornado.tampabay.rr.com>
In-Reply-To: <q_K9h.7876$CR6.2145@tornado.tampabay.rr.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <e5Kbh.64$Zb5.44@newsfe13.phx>
Date: Thu, 30 Nov 2006 16:48:51 -0700
NNTP-Posting-Host: 70.190.182.206
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1164930506 70.190.182.206 (Thu, 30 Nov 2006 16:48:26 MST)
NNTP-Posting-Date: Thu, 30 Nov 2006 16:48:26 MST
Organization: Cox
Xref: g2news2.google.com alt.radio.scanner:3886 rec.radio.amateur.equipment:7315

Mitch -

So if they are for sale, what is the price?
If you are asking for "best offer", then it is an auction.

Bill

IRAD wrote:

> I have the following for sale, not auction. All Radios are working unless
> stated.
> Mitch

From 1320453968861430367
X-Google-Thread: 114671,e066b41fb93c7d36,start
X-Google-Thread: 10bdb7,e066b41fb93c7d36,start
X-Google-Thread: fd5d6,e066b41fb93c7d36,start
X-Google-Thread: 108122,e066b41fb93c7d36,start
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Any Motorola techs in here?
Date: Fri, 01 Dec 2006 10:48:38 +1100
Message-ID: <pan.2006.11.30.23.48.34.843665@jesco>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 17
X-Authenticated-User: $$e$z730wds2mzqqypc3ids
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news4.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5590 aus.radio.cb:2977
aus.radio.scanner:4859 rec.radio.amateur.equipment:7316

G'day,

Looking for specs on this amplifier:

http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
http://img484.imageshack.us/my.php?image=pa1modzp8.jpg

Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
approx. 150W output, draws well over 30A from my poor struggling power
supply. I'm not game to up the drive any further until I know the specs!

Basically any specs or any info at all would be great, thanks in advance.

Cheers,

```
From -5255141693229019677
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news1.optus.net.au!optus!
newsfeed.pacific.net.au!token.pipenetworks.com!218.100.2.59.MISMATCH!not-for-mail
Reply-To: "Warren" <.>
From: "Warren" <NoSpam-><NoCode@yahoo.com.au>>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
Subject: Re: Any Motorola techs in here?
Date: Fri, 1 Dec 2006 10:32:20 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Original-NNTP-Posting-Host: 58.179.99.170
Message-ID: <456f781a_1@news.iprimus.com.au>
Organization: iPrimus Customer - reports relating to abuse should be sent to
abuse@iprimus.com.au
X-Original-NNTP-Posting-Host: 127.0.0.1
Lines: 29
NNTP-Posting-Host: 203.134.67.67
X-Trace: 1164933148 un-2park-reader-01.sydney.pipenetworks.com.au 1029
203.134.67.67:2178
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Xref: g2news2.google.com aus.radio.amateur.misc:5591 aus.radio.cb:2978
aus.radio.scanner:4860 rec.radio.amateur.equipment:7317
```

"Jesco White" <no.m@il.as.yet.net> wrote in message
news:pan.2006.11.30.23.48.34.843665@jesco...

> G'day,
>
> Looking for specs on this amplifier:
>
> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>
> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
> approx. 150W output, draws well over 30A from my poor struggling power
> supply. I'm not game to up the drive any further until I know the specs!
>
> Basically any specs or any info at all would be great, thanks in advance.
>
> Cheers,

Let's take a wild guess here, you want to use it on the UHf Chook Band to talk into the 5 w output repeaters, if that's the case, and I do hope I'm wrong, you'd be better off with a decent antenna system,

Cheers,

Warren

```
From -4692783227931813503
X-Google-Thread: fcc6e,949e667b83ab59bc,start
X-Google-Thread: 108122,949e667b83ab59bc,start
X-Google-Thread: 10bf43,949e667b83ab59bc,start
X-Google-Thread: 1109af,949e667b83ab59bc,start
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Ever hear an operator on the bands that you'd just like to slap the shit
out of?
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 4
Message-ID: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
Date: Fri, 01 Dec 2006 00:40:48 GMT
NNTP-Posting-Host: 4.230.9.164
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1164933648 4.230.9.164 (Thu, 30 Nov 2006
16:40:48 PST)
NNTP-Posting-Date: Thu, 30 Nov 2006 16:40:48 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22193
rec.radio.amateur.equipment:7318 rec.radio.amateur.policy:56273
rec.radio.swap:10365
```

If the CW requirement is eliminated, there's going to be a lot more of them on the bands.

SC

```
From -5575349199475289233
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
```

X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Re: Any Motorola techs in here?
Date: Fri, 01 Dec 2006 11:44:34 +1100
Message-ID: <pan.2006.12.01.00.44.23.849081@jesco>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 29
X-Authenticated-User: $$e$z730wds2mzqqypc3ids
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5592 aus.radio.cb:2979
aus.radio.scanner:4861 rec.radio.amateur.equipment:7319

On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:

>
> "Jesco White" <no.m@il.as.yet.net> wrote in message
> news:pan.2006.11.30.23.48.34.843665@jesco...
>> G'day,
>>
>> Looking for specs on this amplifier:
>>
>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>
>> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
>> approx. 150W output, draws well over 30A from my poor struggling power
>> supply. I'm not game to up the drive any further until I know the specs!
>>
>> Basically any specs or any info at all would be great, thanks in advance.
>>
>> Cheers,
>
> Let's take a wild guess here, you want to use it on the UHf Chook Band to
> talk into the 5 w output repeaters, if that's the case, and I do hope I'm
> wrong, you'd be better off with a decent antenna system,

WRONG, I plan to cause havoc on the remaining analog police repeaters-
ya idiot. There's more to the UHF band than CB radio you know.

```
From 8269662691665791662
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-
mail
From: "Akmed" <johnvonlaws@hotmail.com>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
Subject: Re: Any Motorola techs in here?
Date: 30 Nov 2006 16:52:27 -0800
Organization: http://groups.google.com
Lines: 32
Message-ID: <1164934347.744268.231850@j44g2000cwa.googlegroups.com>
References: <pan.2006.11.30.23.48.34.843665@jesco>
   <456f781a_1@news.iprimus.com.au>
   <pan.2006.12.01.00.44.23.849081@jesco>
NNTP-Posting-Host: 203.48.130.67
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164934353 25314 127.0.0.1 (1 Dec 2006 00:52:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 1 Dec 2006 00:52:33 +0000 (UTC)
In-Reply-To: <pan.2006.12.01.00.44.23.849081@jesco>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=203.48.130.67;
   posting-account=t11__w0AAACj1PKYgSzhUj66NAdWcMmM
Xref: g2news2.google.com aus.radio.amateur.misc:5593 aus.radio.cb:2980
aus.radio.scanner:4862 rec.radio.amateur.equipment:7320
```

Jesco White wrote:
> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>
> >
> > "Jesco White" <no.m@il.as.yet.net> wrote in message
> > news:pan.2006.11.30.23.48.34.843665@jesco...
> >> G'day,
> >>
> >> Looking for specs on this amplifier:
> >>
> >> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
> >> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
> >>
> >> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
> >> approx. 150W output, draws well over 30A from my poor struggling power

```
> >> supply. I'm not game to up the drive any further until I know the specs!
> >>
> >> Basically any specs or any info at all would be great, thanks in advance.
> >>
> >> Cheers,
> >
> > Let's take a wild guess here, you want to use it on the UHf Chook Band to
> > talk into the 5 w output repeaters, if that's the case, and I do hope I'm
> > wrong, you'd be better off with a decent antenna system,
>
> WRONG, I plan to cause havoc on the remaining analog police repeaters-
> ya idiot. There's more to the UHF band than CB radio you know.
```

You better be CAREFUL as I will dob you into Simone Templar.

```
From -1712666369890813075
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Fri, 01 Dec 2006 11:16:13 +1000
From: atec 77 <"atec77 "@hotmail.com>
Organization: x-no-archive: yes
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
Subject: Re: Any Motorola techs in here?
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au>   <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
In-Reply-To: <1164934347.744268.231850@j44g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0652-4, 30/11/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 30
Message-ID: <456f7b9b$0$24707$61c65585@uv-55king-
reader-01.melbourne.pipenetworks.com.au>
NNTP-Posting-Host: 220.245.124.44
X-Trace: 1164934043 uv-55king-reader-01.melbourne.pipenetworks.com.au 24707
220.245.124.44:1238
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Path: g2news2.google.com!news4.google.com!news.glorb.com!quokka.wn.com.au!
tweak.pipenetworks.com!218.100.13.59.MISMATCH!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5594 aus.radio.cb:2981
aus.radio.scanner:4864 rec.radio.amateur.equipment:7321
```

```
Akmed wrote:
> Jesco White wrote:
>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>
>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>> G'day,
>>>>
>>>> Looking for specs on this amplifier:
>>>>
>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>
>>>> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
>>>> approx. 150W output, draws well over 30A from my poor struggling power
>>>> supply. I'm not game to up the drive any further until I know the specs!
>>>>
>>>> Basically any specs or any info at all would be great, thanks in advance.
>>>>
>>>> Cheers,
>>> Let's take a wild guess here, you want to use it on the UHf Chook Band to
>>> talk into the 5 w output repeaters, if that's the case, and I do hope I'm
>>> wrong, you'd be better off with a decent antenna system,
>> WRONG, I plan to cause havoc on the remaining analog police repeaters-
>> ya idiot. There's more to the UHF band than CB radio you know.
>
>
> You better be CAREFUL as I will dob you into Simone Templar.
>
I bet that has him wetting himself and quaking in his uggies.


From -8097713938315655061
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!ctu-
peer!Spring.edu.tw!news.nctu.edu.tw!news.ntu.edu.tw!news.ndhu.edu.tw!not-for-mail
From: "John Smith" <assemblywizard@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
Date: Thu, 30 Nov 2006 17:15:54 -0800
Organization: ��ߥF�ؤj�� InterNetNews site
Lines: 15
Message-ID: <eknvvr$182f$1@news.ndhu.edu.tw>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
Reply-To: "John Smith" <assemblywizard@gmail.com>
```

NNTP-Posting-Host: 66-81-60-72.nocal.dialup.o1.com
X-Trace: news.ndhu.edu.tw 1164935996 41039 66.81.60.72 (1 Dec 2006 01:19:56 GMT)
X-Complaints-To: usenet@news.ndhu.edu.tw
NNTP-Posting-Date: Fri, 1 Dec 2006 01:19:56 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4963.1700
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4963.1700
Xref: g2news2.google.com rec.radio.amateur.antenna:22199
rec.radio.amateur.equipment:7322 rec.radio.amateur.policy:56287
rec.radio.swap:10370

Ahhhh.... Now it becomes clear to me, you were right to hang on with
your persistence, a revelation has occurred to me!

Yes, yes you are! You are the best argument to tossing the rig and
grabbing some chicken band equipment which has ever been posed to me!

Ten-Four-Good-Buddy!
JS

"Slow Code" <my.mail@no.spam> wrote in message
news:kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net...
> If the CW requirement is eliminated, there's going to be

From 6109006678942601609
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Re: Any Motorola techs in here?
Date: Fri, 01 Dec 2006 12:31:06 +1100
Message-ID: <pan.2006.12.01.01.30.53.23141@jesco>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 40
X-Authenticated-User: $$e$z730wds2mzqqypc3ids

```
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!newsfeed.icl.net!proxad.net!
news.cs.univ-paris8.fr!ciril.fr!newsfeed.x-privat.org!x-privat.org!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5595 aus.radio.cb:2982
aus.radio.scanner:4865 rec.radio.amateur.equipment:7323

On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:

> Akmed wrote:
>> Jesco White wrote:
>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>
>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>> G'day,
>>>>>
>>>>> Looking for specs on this amplifier:
>>>>>
>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>
>>>>> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
>>>>> approx. 150W output, draws well over 30A from my poor struggling power
>>>>> supply. I'm not game to up the drive any further until I know the specs!
>>>>>
>>>>> Basically any specs or any info at all would be great, thanks in advance.
>>>>>
>>>>> Cheers,
>>>> Let's take a wild guess here, you want to use it on the UHf Chook Band to
>>>> talk into the 5 w output repeaters, if that's the case, and I do hope I'm
>>>> wrong, you'd be better off with a decent antenna system,
>>> WRONG, I plan to cause havoc on the remaining analog police repeaters-
>>> ya idiot. There's more to the UHF band than CB radio you know.
>>
>>
>> You better be CAREFUL as I will dob you into Simone Templar.
>>
> I bet that has him wetting himself and quaking in his uggies.

LOL, quite.

Amazing isn't it - cannot discuss power amplifiers in these
Aussie groups without the usual knee-jerk assumptions, irrespective of
being perfectly within the law to own and use in an appropriate manner.
Apparently no Hams here use amplifiers I guess.



From 807892631246329303
X-Google-Thread: 1009ad,e1fd89b1bbd3ed65
X-Google-Thread: 108122,e1fd89b1bbd3ed65
X-Google-Attributes: gid1009ad,gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-
wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!
news.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-
for-mail
Reply-To: "IRAD" <mcguyver@cfl.rr.com>
From: "IRAD" <mcguyver@cfl.rr.com>
Newsgroups: alt.radio.scanner,rec.radio.amateur,rec.radio.amateur.equipment
References: <q_K9h.7876$CR6.2145@tornado.tampabay.rr.com>
<e5Kbh.64$Zb5.44@newsfe13.phx>
Subject: Re: FS: UHF Radios HH & RF parts
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <UWLbh.2869$7T5.2249@tornado.tampabay.rr.com>
Date: Fri, 01 Dec 2006 01:53:56 GMT
NNTP-Posting-Host: 70.118.33.213
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1164938036 70.118.33.213 (Thu, 30 Nov 2006
20:53:56 EST)
NNTP-Posting-Date: Thu, 30 Nov 2006 20:53:56 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com alt.radio.scanner:3892 rec.radio.amateur.equipment:7324

All radios listed, $200. All parts are sold except for RF parts.


"Bill Jeffrey" <wjeffreyAT@alum.DOTmit.edu> wrote in message
news:e5Kbh.64$Zb5.44@newsfe13.phx...
> Mitch -
>
> So if they are for sale, what is the price?
> If you are asking for "best offer", then it is an auction.
>
> Bill
> -----------------
>
> IRAD wrote:
>
>> I have the following for sale, not auction. All Radios are working unless
>> stated.
>> Mitch




From 5501930465123205268
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
```

```
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: Any Motorola techs in here?
From: "R1rob" <r1robTAKE_THISOUT@hotmail.com>
Date: Fri, 1 Dec 2006 12:59:04 +1100
Message-ID: <456f8b92$0$19406$afc38c87@news.optusnet.com.au>
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco>
Lines: 62
NNTP-Posting-Host: 203.164.140.181
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.xsnews.nl!
feeder.xsnews.nl!newsfeed.bit.nl!feeder2.cambrium.nl!feed.tweaknews.nl!
193.201.147.83.MISMATCH!news-out.superfeed.co.uk!propagator2-
sterling.newsfeeds.com!news-in2.newsgroups.com!newsfeed.pacific.net.au!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
X-Trace: 1164938131  19406 203.164.140.181
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com aus.radio.amateur.misc:5596 aus.radio.cb:2983
aus.radio.scanner:4866 rec.radio.amateur.equipment:7325

"Jesco White" <no.m@il.as.yet.net> wrote in message
news:pan.2006.12.01.01.30.53.23141@jesco...
> On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:
>
>> Akmed wrote:
>>> Jesco White wrote:
>>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>>
>>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>>> G'day,
>>>>>>
>>>>>> Looking for specs on this amplifier:
>>>>>>
>>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>>
>>>>>> Don't know much at this stage, apart from 4Watts drive (@
>>>>>> 430-480MHz)=
>>>>>> approx. 150W output, draws well over 30A from my poor struggling
>>>>>> power
>>>>>> supply. I'm not game to up the drive any further until I know the
```

```
>>>>>> specs!
>>>>>>
>>>>>> Basically any specs or any info at all would be great, thanks in
>>>>>> advance.
>>>>>>
>>>>>> Cheers,
>>>>> Let's take a wild guess here, you want to use it on the UHf Chook Band
>>>>> to
>>>>> talk into the 5 w output repeaters, if that's the case, and I do hope
>>>>> I'm
>>>>> wrong, you'd be better off with a decent antenna system,
>>>> WRONG, I plan to cause havoc on the remaining analog police repeaters-
>>>> ya idiot. There's more to the UHF band than CB radio you know.
>>>
>>>
>>> You better be CAREFUL as I will dob you into Simone Templar.
>>>
>> I bet that has him wetting himself and quaking in his uggies.
>
> LOL, quite.
>
> Amazing isn't it - cannot discuss power amplifiers in these
> Aussie groups without the usual knee-jerk assumptions, irrespective of
> being perfectly within the law to own and use in an appropriate manner.
> Apparently no Hams here use amplifiers I guess.
>
```

You mean there are some Hams left?
BPL will fix that. lol

Rob

```
From -3732717719126054810
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Fri, 01 Dec 2006 12:01:59 +1000
From: atec 77 <"atec77 "@hotmail.com>
Organization: x-no-archive: yes
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
```

MIME-Version: 1.0
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
Subject: Re: Any Motorola techs in here?
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco>
In-Reply-To: <pan.2006.12.01.01.30.53.23141@jesco>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0652-4, 30/11/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 42
Message-ID: <456f8654$0$24708$61c65585@uv-55king-
reader-01.melbourne.pipenetworks.com.au>
NNTP-Posting-Host: 220.245.124.44
X-Trace: 1164936789 uv-55king-reader-01.melbourne.pipenetworks.com.au 24708
220.245.124.44:1819
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Path: g2news2.google.com!news4.google.com!news.glorb.com!quokka.wn.com.au!
tweak.pipenetworks.com!218.100.13.59.MISMATCH!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5597 aus.radio.cb:2984
aus.radio.scanner:4868 rec.radio.amateur.equipment:7326

Jesco White wrote:
> On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:
>
>> Akmed wrote:
>>> Jesco White wrote:
>>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>>
>>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>>> G'day,
>>>>>>
>>>>>> Looking for specs on this amplifier:
>>>>>>
>>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>>
>>>>>> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
>>>>>> approx. 150W output, draws well over 30A from my poor struggling power
>>>>>> supply. I'm not game to up the drive any further until I know the specs!
>>>>>>
>>>>>> Basically any specs or any info at all would be great, thanks in advance.
>>>>>>
>>>>>> Cheers,
>>>>> Let's take a wild guess here, you want to use it on the UHf Chook Band to
>>>>> talk into the 5 w output repeaters, if that's the case, and I do hope I'm
>>>>> wrong, you'd be better off with a decent antenna system,
>>>> WRONG, I plan to cause havoc on the remaining analog police repeaters-

```
>>>> ya idiot. There's more to the UHF band than CB radio you know.
>>>
>>> You better be CAREFUL as I will dob you into Simone Templar.
>>>
>> I bet that has him wetting himself and quaking in his uggies.
>
> LOL, quite.
>
> Amazing isn't it - cannot discuss power amplifiers in these
> Aussie groups without the usual knee-jerk assumptions, irrespective of
> being perfectly within the law to own and use in an appropriate manner.
> Apparently no Hams here use amplifiers I guess.
>
I own a very nice Henry thanks , not used for a while but at 400 watts
it doesn't get even beyond warm on tune when running .


From -5275455624973032821
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Fri, 01 Dec 2006 12:02:35 +1000
From: atec 77 <"atec77 "@hotmail.com>
Organization: x-no-archive: yes
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
Subject: Re: Any Motorola techs in here?
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco>
<456f8b92$0$19406$afc38c87@news.optusnet.com.au>
In-Reply-To: <456f8b92$0$19406$afc38c87@news.optusnet.com.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0652-4, 30/11/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 55
Message-ID: <456f8678$0$24708$61c65585@uv-55king-
reader-01.melbourne.pipenetworks.com.au>
NNTP-Posting-Host: 220.245.124.44
X-Trace: 1164936825 uv-55king-reader-01.melbourne.pipenetworks.com.au 24708
220.245.124.44:1819
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Path: g2news2.google.com!news4.google.com!news.glorb.com!quokka.wn.com.au!
tweak.pipenetworks.com!218.100.13.59.MISMATCH!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:5598 aus.radio.cb:2985
```

aus.radio.scanner:4869 rec.radio.amateur.equipment:7327

R1rob wrote:
> "Jesco White" <no.m@il.as.yet.net> wrote in message
> news:pan.2006.12.01.01.30.53.23141@jesco...
>> On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:
>>
>>> Akmed wrote:
>>>> Jesco White wrote:
>>>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>>>
>>>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>>>> G'day,
>>>>>>>
>>>>>>> Looking for specs on this amplifier:
>>>>>>>
>>>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>>>
>>>>>>> Don't know much at this stage, apart from 4Watts drive (@
>>>>>>> 430-480MHz)=
>>>>>>> approx. 150W output, draws well over 30A from my poor struggling
>>>>>>> power
>>>>>>> supply. I'm not game to up the drive any further until I know the
>>>>>>> specs!
>>>>>>>
>>>>>>> Basically any specs or any info at all would be great, thanks in
>>>>>>> advance.
>>>>>>>
>>>>>>> Cheers,
>>>>>> Let's take a wild guess here, you want to use it on the UHf Chook Band
>>>>>> to
>>>>>> talk into the 5 w output repeaters, if that's the case, and I do hope
>>>>>> I'm
>>>>>> wrong, you'd be better off with a decent antenna system,
>>>>> WRONG, I plan to cause havoc on the remaining analog police repeaters-
>>>>> ya idiot. There's more to the UHF band than CB radio you know.
>>>>
>>>> You better be CAREFUL as I will dob you into Simone Templar.
>>>>
>>> I bet that has him wetting himself and quaking in his uggies.
>> LOL, quite.
>>
>> Amazing isn't it - cannot discuss power amplifiers in these
>> Aussie groups without the usual knee-jerk assumptions, irrespective of
>> being perfectly within the law to own and use in an appropriate manner.
>> Apparently no Hams here use amplifiers I guess.
>>
>
>
> You mean there are some Hams left?
> BPL will fix that. lol

```
>
> Rob
>
  BPL is so close to being rejected it's no longer a joke.


From -7704283141063924004
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-
mail
From: "Bret Ludwig" <bretldwig@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
Date: 30 Nov 2006 18:33:59 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1164940438.946521.207980@j44g2000cwa.googlegroups.com>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
   <eknvvr$182f$1@news.ndhu.edu.tw>
NNTP-Posting-Host: 69.148.242.227
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164940471 7811 127.0.0.1 (1 Dec 2006 02:34:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 1 Dec 2006 02:34:31 +0000 (UTC)
In-Reply-To: <eknvvr$182f$1@news.ndhu.edu.tw>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=69.148.242.227;
   posting-account=28uu9A0AAADjRqxxBAS4nBG7PyX9WhKJ
Xref: g2news2.google.com rec.radio.amateur.antenna:22207
rec.radio.amateur.equipment:7328 rec.radio.amateur.policy:56306
rec.radio.swap:10377


John Smith wrote:
> Ahhhh....  Now it becomes clear to me, you were right to hang on with
> your persistence, a revelation has occurred to me!
>
> Yes, yes you are!  You are the best argument to tossing the rig and
> grabbing some chicken band equipment which has ever been posed to me!
>
```

Most of the chicken bandits in my area run ham equipment, commonly
Yaesus and KWM-2s.

```
From -4685126584812780350
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!out01b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in01.usenetserver.com!news.usenetserver.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
Subject: Re: Any Motorola techs in here?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <pan.2006.11.30.23.48.34.843665@jesco>
Organization: Your Company
Message-ID: <Xns988BBDB3FE443spectrumhogstarbandn@198.186.192.196>
Followup-To: aus.radio.amateur.misc,rec.radio.amateur.equipment
User-Agent: Xnews/2006.03.14
Date: 01 Dec 2006 02:33:23 GMT
Lines: 28
NNTP-Posting-Host: eca3a372.news.adtechcomputers.com
X-Trace:
DXC==]l^L3G@oldZ=N]>\A8jdhgC4_A5:nI@a<<=aEgO;R8gH]LC^5G=Ncd46==9]g7a5lecf<A4o8l9c0
W_Uo]cC15jF>X\<H4^BFid?n;7k5QN1f
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com aus.radio.amateur.misc:5599 aus.radio.cb:2986
aus.radio.scanner:4870 rec.radio.amateur.equipment:7329
```

>
> Looking for specs on this amplifier:
>
> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>
> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
> approx. 150W output, draws well over 30A from my poor struggling power
> supply. I'm not game to up the drive any further until I know the
> specs!
>
> Basically any specs or any info at all would be great, thanks in
> advance.

Been a few years, but looks like a PA out of either a MSR2000 or

MSF5000 repeater. In any case, I'd say you were overdriving it with 4 watts, as indicated by the 150 watts out. Its probably a 100 or 110 watt amplifer.   I believe that most Motorola exciters for such amplifiers put out either 1 watt or possibly 2 watts.

Ed   K7AAT

From -2635761492252130970
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: Any Motorola techs in here?
From: "Warren" <NoSpam-><NoCode@yahoo.com.au>>
Date: Fri, 1 Dec 2006 12:41:03 +1000
Message-ID: <456f9645_1@news.iprimus.com.au>
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
Lines: 36
NNTP-Posting-Host: 203.134.67.67
Organization: iPrimus Customer - reports relating to abuse should be sent to
abuse@iprimus.com.au
Path: g2news2.google.com!news1.google.com!news.germany.com!feed.xsnews.nl!
feeder.xsnews.nl!news-out.superfeed.co.uk!propagator2-sterling.newsfeeds.com!news-
in2.newsgroups.com!newsfeed.pacific.net.au!token.pipenetworks.com!
218.100.2.59.MISMATCH!not-for-mail
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
X-Trace: 1164940872 un-2park-reader-01.sydney.pipenetworks.com.au 1029
203.134.67.67:3441
Reply-to: "Warren" <.>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Original-NNTP-Posting-Host: 58.179.99.170
X-Original-NNTP-Posting-Host: 127.0.0.1
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Xref: g2news2.google.com aus.radio.amateur.misc:5600 aus.radio.cb:2987
aus.radio.scanner:4871 rec.radio.amateur.equipment:7330

"Jesco White" <no.m@il.as.yet.net> wrote in message
news:pan.2006.12.01.00.44.23.849081@jesco...

> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>
>>
>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>> G'day,
>>>
>>> Looking for specs on this amplifier:
>>>
>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>
>>> Don't know much at this stage, apart from 4Watts drive (@ 430-480MHz)=
>>> approx. 150W output, draws well over 30A from my poor struggling power
>>> supply. I'm not game to up the drive any further until I know the specs!
>>>
>>> Basically any specs or any info at all would be great, thanks in
>>> advance.
>>>
>>> Cheers,
>>
>> Let's take a wild guess here, you want to use it on the UHf Chook Band to
>> talk into the 5 w output repeaters, if that's the case, and I do hope I'm
>> wrong, you'd be better off with a decent antenna system,
>
> WRONG, I plan to cause havoc on the remaining analog police repeaters-
> ya idiot. There's more to the UHF band than CB radio you know.
>

Well don't forget to wear a set of lead lined underpants, ya know what
excess high frequency does to the male reproductive organs :-)

From 647306670352181714
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.net!
prodigy.net!newsfeed.pacific.net.au!token.pipenetworks.com!218.100.2.59.MISMATCH!
not-for-mail
Reply-To: "Warren" <.>
From: "Warren" <NoSpam-><NoCode@yahoo.com.au>>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>

```
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco>
Subject: Re: Any Motorola techs in here?
Date: Fri, 1 Dec 2006 12:45:20 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Original-NNTP-Posting-Host: 58.179.99.170
Message-ID: <456f9746_1@news.iprimus.com.au>
Organization: iPrimus Customer - reports relating to abuse should be sent to
abuse@iprimus.com.au
X-Original-NNTP-Posting-Host: 127.0.0.1
Lines: 9
NNTP-Posting-Host: 203.134.67.67
X-Trace: 1164941129 un-2park-reader-01.sydney.pipenetworks.com.au 1030
203.134.67.67:3515
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Xref: g2news2.google.com aus.radio.amateur.misc:5601 aus.radio.cb:2988
aus.radio.scanner:4872 rec.radio.amateur.equipment:7331

> Amazing isn't it - cannot discuss power amplifiers in these
> Aussie groups without the usual knee-jerk assumptions, irrespective of
> being perfectly within the law to own and use in an appropriate manner.
> Apparently no Hams here use amplifiers I guess.

Why bother  power amplifier related postings in a CB Radio group then ?
state exactly what your using it for and post in the appropiare group.




From 5139790810788598421
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Classic Computer for a Ham Shack
Message-ID: <7f8vm2t5f0flni0a2sjr0gtv61s422258f@4ax.com>
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 59
Date: Fri, 01 Dec 2006 03:35:18 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
```

X-Trace: tornado.texas.rr.com 1164944118 24.174.167.251 (Thu, 30 Nov 2006 21:35:18 CST)
NNTP-Posting-Date: Thu, 30 Nov 2006 21:35:18 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7332

On 28 Nov 2006 07:25:10 -0800, "Alex" <samalex@gmail.com> wrote:

>Hey Guys,
>
>I'm a new ham radio operator, but I've been working with computers for
>most of my life. I'm now in the process of setting-up my first 'ham
>shack', and instead of going with the latest and greatest, I hope to
>employee several classic computers to help me along. I have quite a
>collection in my closet I plan on pulling out, but I'd like opinions of
>others on what they would use in such a situation.
>
>First, I do want to connect my radio to the computer, and many of the
>technologies used by ham radio operators, like slow scan TV, packet
>radio, etc, can be used on most of the classic computers in some form
>or fashion. This I don't think I'll have a problem, no matter which
>systemI go with.
>
>One of the main things I do want to do is have the computer on my home
>network. I don't need a web browser or even a GUI interface... the
>main thing I would really need is Telnet and FTP. I also want
>something with a word processor and spreadsheet program -- even
>Visicalc would be nice to use.
>
>And finally I want something fun.. which is the entire point of this
>venture :) I know some older computers still have huge repositories of
>software online, and whether it's a game or neat utility, I'd love to
>setup a classic computer I can really use and have fun with while in my
>'ham shack'.
>
>Here's a list of computers I have around me now:
>Tandy Color Computer 2
>Tandy Color Computer 3 (128K model)
>Commodore Amiga 500
>Apple II (original, not PLUS)
>Mac Classic
>
>And though I don't currently own one, I'm looking at getting a
>Commodore 128 as well, either from a friend of possibly from ebay.
>
>Anyway, just curious what others would choose if you had to pick a
>computer or even a couple of older computers to use again. Also if
>there's any ham operators out there with experience with older systems,
>I'd love some feedback!
>
>Take care, and thanks in advance for any ideas.
>
>Alex

YOur best bet would be to get the ARRL CDs for QST magazine; get the
one for the 1970s and the one for the 1980s, and browse for articles
on your computers. But as the other guy said, software would be
awfully hard to find, unless you could find some old programs you
could type out yourself.

Best bet would be to simply get a cheapo more or less modern PC with a
good sound card; some of the newer digital modes are pretty amazing.

bob
k5qwg

From 388205370891232
X-Google-Thread: 108122,f110b193b9e3075c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.amateur.equipment:7335
Newsgroups: rec.radio.amateur.equipment
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!boeing.com!not-for-mail
From: "R. Scott" <spamtrap@w7psk.net>
Subject: Re: Automotive style GPSes with NMEA-0183 HW interface?
Message-ID: <J9EJtp.879@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 28
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Response
References: <J9EIJ2.7M8@news.boeing.com>
Date: Mon, 27 Nov 2006 18:39:25 GMT

"Ken Finney" <kenneth.c.finney@boeing.com> wrote in message
news:J9EIJ2.7M8@news.boeing.com...
>I need a GPS that was a HARDWARE NMEA-0183 interface to put into my car so
>I
> can run APRS (Automatic Position Reporting System). The books say MOST of
> the GPSes made have this feature, but it is such an obscure thing that
> none
> of the GPSes I've looked at mention it at all (on the box or on the
> website), and I can't really open up the boxes to read the manual. Some
> of
> them mention they use the NMEA-0183 protocol, but then say they transmit
> the
> protocol over Bluetooth or USB. I need a GPS that has the NMEA-0183
> hardware interface using a serial port.   I know I can get a cheap Garmin

> eTrex (about $99) that has it, but I'd really like to get one of the newer
> automotive-style GPSes that are on sale everywhere. Anyone know of a
> website that lists which GPSes have NMEA-0183 serial ports or which
> of the automotive-style ones have it?

Dunno if this will help but the NWAPRS Page recommends this one

http://www.avmapnavigation.com/index.php?swt=0103&ipr=27

From -4080935794363483066
X-Google-Thread: 108122,f110b193b9e3075c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.amateur.equipment:7334
Newsgroups: rec.radio.amateur.equipment
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!boeing.com!not-for-mail
From: "Ken Finney" <kenneth.c.finney@boeing.com>
Subject: Re: Automotive style GPSes with NMEA-0183 HW interface?
Message-ID: <J9ELuu.92E@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 36
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Response
References: <J9EIJ2.7M8@news.boeing.com> <J9EJtp.879@news.boeing.com>
Date: Mon, 27 Nov 2006 19:23:18 GMT

"R. Scott" <spamtrap@w7psk.net> wrote in message
news:J9EJtp.879@news.boeing.com...
>
> "Ken Finney" <kenneth.c.finney@boeing.com> wrote in message
> news:J9EIJ2.7M8@news.boeing.com...
>>I need a GPS that was a HARDWARE NMEA-0183 interface to put into my car so
>>I
>> can run APRS (Automatic Position Reporting System). The books say MOST
>> of
>> the GPSes made have this feature, but it is such an obscure thing that
>> none
>> of the GPSes I've looked at mention it at all (on the box or on the
>> website), and I can't really open up the boxes to read the manual. Some

```
>> of
>> them mention they use the NMEA-0183 protocol, but then say they transmit
>> the
>> protocol over Bluetooth or USB.  I need a GPS that has the NMEA-0183
>> hardware interface using a serial port.   I know I can get a cheap Garmin
>> eTrex (about $99) that has it, but I'd really like to get one of the
>> newer
>> automotive-style GPSes that are on sale everywhere.  Anyone know of a
>> website that lists which GPSes have NMEA-0183 serial ports or which
>> of the automotive-style ones have it?
>
> Dunno if this will help but the NWAPRS Page recommends this one
>
> http://www.avmapnavigation.com/index.php?swt=0103&ipr=27
>

That's exactly what I want, except the price!  $849 versus the sub-$200 ones
that are on sale everywhere.  Hopefully, I will be able to find one of the
sub-$200 ones that will work.  Thanks for the NWAPRS name, I think I need to
read the 7000+ messages on their yahoo group.




From -806620568532531094
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.amateur.equipment:7333
rec.radio.amateur.policy:56313 rec.radio.amateur.antenna:22214
rec.radio.swap:10380
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!boeing.com!not-for-mail
From: "R. Scott" <spamtrap@w7psk.net>
Subject: Re: kookathon
Message-ID: <J9G4w1.BG3@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 14
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
References: <12mc2o9nfu05s32@corp.supernews.com>
```

<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com>
Date: Tue, 28 Nov 2006 15:12:01 GMT

Do Like I did, Put SC on ignore.

He obviously wants to drive everyone from Ham Radio. He has a Bile taste in his mouth from a bad experiance so he now wishes everyone to have a bad experiance. He will not rest till he drives everyone from Ham Radio. So I ignore him as he no longer provides value for my reading time.

Its the old Crusty Crumudgeons like him that drive the new people away.

Rick Scott W7PSK

From 1164299988429116268
X-Google-Thread: 108122,f110b193b9e3075c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.amateur.equipment:7336
Newsgroups: rec.radio.amateur.equipment
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!boeing.com!not-for-mail
From: "Ken Finney" <kenneth.c.finney@boeing.com>
Subject: Automotive style GPSes with NMEA-0183 HW interface?
Message-ID: <J9EIJ2.7M8@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 16
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
Date: Mon, 27 Nov 2006 18:11:26 GMT

I need a GPS that was a HARDWARE NMEA-0183 interface to put into my car so I can run APRS (Automatic Position Reporting System). The books say MOST of the GPSes made have this feature, but it is such an obscure thing that none of the GPSes I've looked at mention it at all (on the box or on the website), and I can't really open up the boxes to read the manual. Some of them mention they use the NMEA-0183 protocol, but then say they transmit the protocol over Bluetooth or USB. I need a GPS that has the NMEA-0183 hardware interface using a serial port.   I know I can get a cheap Garmin eTrex (about $99) that has it, but I'd really like to get one of the newer

automotive-style GPSes that are on sale everywhere. Anyone know of a
website that lists which GPSes have NMEA-0183 serial ports or which
of the automotive-style ones have it?

```
From -6006805246757152631
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!80g2000cwy.googlegroups.com!not-for-
mail
From: JIMMIEDEE123@YAHOO.COM
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Classic Computer for a Ham Shack
Date: 30 Nov 2006 21:53:46 -0800
Organization: http://groups.google.com
Lines: 80
Message-ID: <1164952426.922406.148270@80g2000cwy.googlegroups.com>
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
   <7f8vm2t5f0flni0a2sjr0gtv61s422258f@4ax.com>
NNTP-Posting-Host: 204.108.8.5
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164952432 8291 127.0.0.1 (1 Dec 2006 05:53:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 1 Dec 2006 05:53:52 +0000 (UTC)
In-Reply-To: <7f8vm2t5f0flni0a2sjr0gtv61s422258f@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 80g2000cwy.googlegroups.com; posting-host=204.108.8.5;
   posting-account=zCf1Uw0AAAAC_RNkZf7dTivygQcRNODI
Xref: g2news2.google.com rec.radio.amateur.equipment:7337
```

Bob Miller wrote:

```
> On 28 Nov 2006 07:25:10 -0800, "Alex" <samalex@gmail.com> wrote:
>
> >Hey Guys,
> >
> >I'm a new ham radio operator, but I've been working with computers for
> >most of my life.  I'm now in the process of setting-up my first 'ham
> >shack', and instead of going with the latest and greatest, I hope to
> >employee several classic computers to help me along.  I have quite a
> >collection in my closet I plan on pulling out, but I'd like opinions of
> >others on what they would use in such a situation.
> >
> >First, I do want to connect my radio to the computer, and many of the
```

> >technologies used by ham radio operators, like slow scan TV, packet
> >radio, etc, can be used on most of the classic computers in some form
> >or fashion. This I don't think I'll have a problem, no matter which
> >systemI go with.
> >
> >One of the main things I do want to do is have the computer on my home
> >network. I don't need a web browser or even a GUI interface... the
> >main thing I would really need is Telnet and FTP. I also want
> >something with a word processor and spreadsheet program -- even
> >Visicalc would be nice to use.
> >
> >And finally I want something fun.. which is the entire point of this
> >venture :) I know some older computers still have huge repositories of
> >software online, and whether it's a game or neat utility, I'd love to
> >setup a classic computer I can really use and have fun with while in my
> >'ham shack'.
> >
> >Here's a list of computers I have around me now:
> >Tandy Color Computer 2
> >Tandy Color Computer 3 (128K model)
> >Commodore Amiga 500
> >Apple II (original, not PLUS)
> >Mac Classic
> >
> >And though I don't currently own one, I'm looking at getting a
> >Commodore 128 as well, either from a friend of possibly from ebay.
> >
> >Anyway, just curious what others would choose if you had to pick a
> >computer or even a couple of older computers to use again. Also if
> >there's any ham operators out there with experience with older systems,
> >I'd love some feedback!
> >
> >Take care, and thanks in advance for any ideas.
> >
> >Alex
>
> YOur best bet would be to get the ARRL CDs for QST magazine; get the
> one for the 1970s and the one for the 1980s, and browse for articles
> on your computers. But as the other guy said, software would be
> awfully hard to find, unless you could find some old programs you
> could type out yourself.
>
> Best bet would be to simply get a cheapo more or less modern PC with a
> good sound card; some of the newer digital modes are pretty amazing.
>
> bob
> k5qwg

I used to use my color computer for an Antenna rotor controller. The
joystick port took feed back from the rotator to tell which way it was
pointing and I had built a relay board that plugged into the expansion
bus. These were cool little computers to play around with and you could

find them in yard sells for nearly nothing. At one time I had 8 of them
all at once and probably went through about 15 of them. I remember
getting an alternate OS for it and running pascal. I think the oprating
system was called OS9???.
They were a blast, think I still have a couple in the attic. Also had
an Apple II+. Then someone gave me a whole bunch of Apple II clones,
must have been 15 or 20 of them. Most didnt work when I got them but I
was able to get all but 3 or 4 going. They were all fun to play with
but wouldnt be my choice for a ham shack computer. The color computer
did have one thing nice going for it though. It seemed to be fairly
tolerant of RF in the shack. I cant say this for a lot of the other
computers especially the appales.

From -3218488804504453516
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!
newsfeed.fjserv.net!news.maxwell.syr.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: kookathon
Date: Fri, 01 Dec 2006 00:57:03 -0500
Message-ID: <0ugvm21f58k5mek8gq3elmh92a34ckis2q@4ax.com>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com> <J9G4w1.BG3@news.boeing.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
NNTP-Posting-Date: 01 Dec 2006 05:02:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7338
rec.radio.amateur.policy:56314 rec.radio.amateur.antenna:22215
rec.radio.swap:10381

On Tue, 28 Nov 2006 15:12:01 GMT, "R. Scott" <spamtrap@w7psk.net>
wrote:

>Do Like I did, Put SC on ignore.

well that just sorta pastes over the cockraoch they are still there
never saw any percentage in avoiding the truth
>
>He obviously wants to drive everyone from Ham Radio. He has a Bile taste in
>his mouth from a bad experiance so he now wishes everyone to have a bad
>experiance. He will not rest till he drives everyone from Ham Radio. So I
>ignore him as he no longer provides value for my reading time.
>
>Its the old Crusty Crumudgeons like him that drive the new people away.

agreed but a counter point is needed to help conter his sort
>
>
>
>Rick Scott W7PSK
>
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -5485105721047653758
X-Google-Thread: 108122,43b132c7d5fae7e4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!4d609cba!
not-for-mail
From: "Ted Mahler" <ted_mahler@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <ekkk12$t3s$1@home.itg.ti.com>
<1164845393.002165.204690@14g2000cws.googlegroups.com>
<wqqbh.20381$yV.11607@trnddc07>
<1164864493.122711.74650@80g2000cwy.googlegroups.com>
Subject: Re: Nems Clark FIM
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <pQPbh.17781$Uz.7313@trnddc05>
Date: Fri, 01 Dec 2006 06:20:05 GMT
NNTP-Posting-Host: 71.96.172.55
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1164954005 71.96.172.55 (Fri, 01 Dec 2006 01:20:05 EST)
NNTP-Posting-Date: Fri, 01 Dec 2006 01:20:05 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7339

Here are some photos of the unit:

http://tedsrockets.homestead.com/nems_clarke.html

Still no luck in finding out a model number or finding docs.

Ted Mahler

```
From -8601412386011701100
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
From: "Andrew" <spammerssuck@ihatespam.com>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco>
Subject: Re: Any Motorola techs in here?
Date: Fri, 1 Dec 2006 17:20:25 +1100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Lines: 61
Message-ID: <456fc9ad$0$9775$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 211.30.201.238
X-Trace: 1164954029  9775 211.30.201.238
Xref: g2news2.google.com aus.radio.amateur.misc:5605 aus.radio.cb:2989
aus.radio.scanner:4880 rec.radio.amateur.equipment:7340
```

Welcome to aus.radio.scanner, please feel free to ask any other questions that are not related to the topic of the newsgroup.

I'd suggest joining www.batlabs.com and ask on there if you want to know technical specs, whilst there are some people in this newsgroup who actually know what they are talking about in relation to the technical side of Radios. I am not one and there are a large portion of people who response with smart ass remarks

Andrew

"Jesco White" <no.m@il.as.yet.net> wrote in message
news:pan.2006.12.01.01.30.53.23141@jesco...
> On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:
>
>> Akmed wrote:
>>> Jesco White wrote:
>>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>>
>>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>>> G'day,
>>>>>>
>>>>>> Looking for specs on this amplifier:
>>>>>>
>>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>>
>>>>>> Don't know much at this stage, apart from 4Watts drive (@
>>>>>> 430-480MHz)=
>>>>>> approx. 150W output, draws well over 30A from my poor struggling
>>>>>> power
>>>>>> supply. I'm not game to up the drive any further until I know the
>>>>>> specs!
>>>>>>
>>>>>> Basically any specs or any info at all would be great, thanks in
>>>>>> advance.
>>>>>>
>>>>>> Cheers,
>>>>> Let's take a wild guess here, you want to use it on the UHf Chook Band
>>>>> to
>>>>> talk into the 5 w output repeaters, if that's the case, and I do hope
>>>>> I'm
>>>>> wrong, you'd be better off with a decent antenna system,
>>>> WRONG, I plan to cause havoc on the remaining analog police repeaters-
>>>> ya idiot. There's more to the UHF band than CB radio you know.
>>>
>>>
>>> You better be CAREFUL as I will dob you into Simone Templar.
>>>
>> I bet that has him wetting himself and quaking in his uggies.
>
> LOL, quite.
>
> Amazing isn't it - cannot discuss power amplifiers in these
> Aussie groups without the usual knee-jerk assumptions, irrespective of
> being perfectly within the law to own and use in an appropriate manner.
> Apparently no Hams here use amplifiers I guess.
>

From 7941259292950098647

X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com> <J9G4w1.BG3@news.boeing.com>
Subject: Re: kookathon
Date: Fri, 1 Dec 2006 01:44:56 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Lines: 23
Message-ID: <456fce2e$0$5799$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 9202b5e3.news.coretel.net
X-Trace: DXC=32SA?fGTBWdjG6OmVT5L5fcYX6N<OEXQkKj7g3C2N>Lj^j5K<hfY`aij;FfIYPDffb?
h=714K245n
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7341
rec.radio.amateur.policy:56316 rec.radio.amateur.antenna:22217
rec.radio.swap:10382

"R. Scott" <spamtrap@w7psk.net> wrote in message
news:J9G4w1.BG3@news.boeing.com...

> Do Like I did, Put SC on ignore.
>
> He obviously wants to drive everyone from Ham Radio. He has a Bile taste
> in his mouth from a bad experiance so he now wishes everyone to have a bad
> experiance. He will not rest till he drives everyone from Ham Radio. So
> I ignore him as he no longer provides value for my reading time.
>
> Its the old Crusty Crumudgeons like him that drive the new people away.
>
>
>
> Rick Scott W7PSK
>
>

He isn't driving "me" away from ham. People like him - come and go every day
in my life. I look past them.
I just wish "others" in "here" did that! His posts are ruining "these"
newsgroups.

From -6685223007115685O3
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.194.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com> <J9G4w1.BG3@news.boeing.com>
<456fce2e$0$5799$ecde5a14@news.coretel.net>
Subject: Re: kookathon
Date: Fri, 1 Dec 2006 01:59:05 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Lines: 31
Message-ID: <456fd180$0$5805$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 9202b5e3.news.coretel.net
X-Trace: DXC=m<TVoi@o7BL<O_?
HbJ5>JIcYX6N<OEXQKeb\SH<^>k^G=O_nIG`M@dKj;FfIYPDffBP>2Ci;7?[_K
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7342
rec.radio.amateur.policy:56317 rec.radio.amateur.antenna:22218
rec.radio.swap:10383

"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in message
news:456fce2e$0$5799$ecde5a14@news.coretel.net...
> "R. Scott" <spamtrap@w7psk.net> wrote in message
> news:J9G4w1.BG3@news.boeing.com...
>> Do Like I did, Put SC on ignore.
>>
>> He obviously wants to drive everyone from Ham Radio. He has a Bile taste

>> in his mouth from a bad experiance so he now wishes everyone to have a
>> bad experiance. He will not rest till he drives everyone from Ham Radio.
>> So I ignore him as he no longer provides value for my reading time.
>>
>> Its the old Crusty Crumudgeons like him that drive the new people away.
>>
>>
>>
>> Rick Scott W7PSK
>>
>>
>
> He isn't driving "me" away from ham. People like him - come and go every
> day in my life. I look past them.
> I just wish "others" in "here" did that! His posts are ruining "these"
> newsgroups.
>
>

And for what it is worth, I've been an Extra for about 12 years now. No one
yet - knows what SC is/was! He's never said, that "I" know of. Though I have
my "Extra" - I kept my "Novice" call sign.

From 695428515380062006
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!207.14.113.39!news.alt.net
From: "Ralph" <anon@anon>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: kookathon
Date: Fri, 1 Dec 2006 08:45:30 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 37
Message-ID: <gltm1.2hl.17.1@news.alt.net>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com> <J9G4w1.BG3@news.boeing.com>
<456fce2e$0$5799$ecde5a14@news.coretel.net>
<456fd180$0$5805$ecde5a14@news.coretel.net>
Mime-Version: 1.0
Content-Type: text/plain;
     format=flowed;

```
     charset="Windows-1252";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Xref: g2news2.google.com rec.radio.amateur.equipment:7343
rec.radio.amateur.policy:56369 rec.radio.amateur.antenna:22221
rec.radio.swap:10384


"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in message
news:456fd180$0$5805$ecde5a14@news.coretel.net...
> "Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in message
> news:456fce2e$0$5799$ecde5a14@news.coretel.net...
>> "R. Scott" <spamtrap@w7psk.net> wrote in message
>> news:J9G4w1.BG3@news.boeing.com...
>>> Do Like I did, Put SC on ignore.
>>>
>>> He obviously wants to drive everyone from Ham Radio. He has  a Bile
>>> taste in his mouth from a bad experiance so he now wishes everyone to
>>> have a bad experiance.  He will not rest till he drives everyone from
>>> Ham Radio. So I ignore him as he no longer provides value for my reading
>>> time.
>>>
>>> Its the old Crusty Crumudgeons like him that drive the new people away.
>>>
>>>
>>>
>>> Rick Scott W7PSK
>>>
>>>
>>
>> He isn't driving "me" away from ham. People like him - come and go every
>> day in my life. I look past them.
>> I just wish "others" in "here" did that! His posts are ruining "these"
>> newsgroups.
>>
>>
>
> And for what it is worth, I've been an Extra for about 12 years now. No
> one yet - knows what SC is/was! He's never said, that "I" know of. Though
> I have my "Extra" - I kept my "Novice" call sign.
>
That is "ok", you can keep any "call" sign you want. "Nobody" cares.
Why all the quotation marks?????



From 3114001609131781277
X-Google-Thread: 108122,f110b193b9e3075c
X-Google-Attributes: gid108122,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Automotive style GPSes with NMEA-0183 HW interface?
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <il80n29t5mg67h17ctgt4vofr3qgaeg9cj@4ax.com>
References: <J9EIJ2.7M8@news.boeing.com> <J9EJtp.879@news.boeing.com> <J9ELuu.92E@news.boeing.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
NNTP-Posting-Host: 3278c5ac2ffbe3d2259fd69fc92551b7
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1164977283 3278c5ac2ffbe3d2259fd69fc92551b7 (Fri, 01 Dec 2006 12:48:03 GMT)
NNTP-Posting-Date: Fri, 01 Dec 2006 12:48:03 GMT
Date: Fri, 01 Dec 2006 12:48:03 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7344

They and Kenwood had displays at the recent TAPR-DCC. The Kenwood rep mentioned that they, unlike any of the other major GPS manufacturers, are willing to work with Kenwood on tweaks that make them even more APRS friendly. As a retired pilot, I got a chuckle out of one of the display formats which mimicked an aircraft Horizontal Situation Indicator, HSI. I gather they are primarily a European avionics firm looking to expand and move into the consumer market, which may account for some of the price.

--
Alan
WA4SCA

From 2408790808738368512
X-Google-Thread: 108122,3dbbe78a7376c414,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Only Fair" <rajohngm@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Energize 2500mah problem
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal

X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <zIVbh.401950$QZ1.10554@bgtnsc04-news.ops.worldnet.att.net>
Date: Fri, 01 Dec 2006 13:01:19 GMT
NNTP-Posting-Host: 12.73.240.215
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1164978079 12.73.240.215 (Fri, 01 Dec
2006 13:01:19 GMT)
NNTP-Posting-Date: Fri, 01 Dec 2006 13:01:19 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:7345

I find the Energizer 2500mah double A batteries have major problem that causes them not to hold a charge. When I require the use of these batteries I find they are dead after only a few weeks of shelf life. The Energizer 2100mah cells are great with no problems what so ever and they have an outstanding shelf life. When I called Energizer to discuss the problem with the 2500mah, they deny any problems with these batteries and inform me the problem is my charger. I have use 3 different charges and the problem remains. I recommend no one purchase the Energizer 2500 mah batteries due to their failure to hold a charge. I will never purchase Energizer batteries again because the Energizer Company fails to support the customer. Has anyone else have this problem?

Bob, AA8X

From -5069179010887233954
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 01 Dec 2006 07:49:07 -0600
Date: Fri, 01 Dec 2006 08:49:12 -0500
From: Old Time Ham <old_fart@curmudgeons.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: kookathon
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com> <J9G4w1.BG3@news.boeing.com>

```
In-Reply-To: <J9G4w1.BG3@news.boeing.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <jbednQVe9eJOr-3YnZ2dnUVZ_v6dnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-c3OQZqyCLgrFX8THLsx+2gypZQH+eoYLU+GB6neWV37NDESByffp+fzBf15/
qKtMHAweC76iIkvXhB5!
hawRxt8J7jwS6VMrqdlMdatni1mZVHgWX7IRfx8bK6CCfzdWk2W0gDXrq6NkGScdFCuJFYJfqPQI!
Gm2EXsLHNBpwTEbuBO1F
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7346
rec.radio.amateur.policy:56378 rec.radio.amateur.antenna:22222
rec.radio.swap:10385

R. Scott wrote:
> Do Like I did, Put SC on ignore.
>
> He obviously wants to drive everyone from Ham Radio. He has  a Bile taste in
> his mouth from a bad experiance so he now wishes everyone to have a bad
> experiance.  He will not rest till he drives everyone from Ham Radio.  So I
> ignore him as he no longer provides value for my reading time.
>
> Its the old Crusty Crumudgeons like him that drive the new people away.
>
>
>
> Rick Scott W7PSK
>
>
What is interesting is for every post SC makes, you whining crybabies
make 10!

As for driving people away, Ham Radio needs more QUALITY not QUANTITY!


From -4184578939919174236
X-Google-Thread: 108122,3dbbe78a7376c414
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!newsfeed.freenet.de!
feeder.news-service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-05!sn-ams!
sn-feed-ams-01!sn-post-ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Energize 2500mah problem
Date: Fri, 01 Dec 2006 10:31:57 -0500
```

Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <qfi0n2lq27fci7gh2hqi5n143hm4hsmik9@4ax.com>
References: <zIVbh.401950$QZ1.10554@bgtnsc04-news.ops.worldnet.att.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news2.google.com rec.radio.amateur.equipment:7347

On Fri, 01 Dec 2006 13:01:19 GMT, "Only Fair"
<rajohngm@worldnet.att.net> wrote:

>I find the Energizer 2500mah double A batteries have major problem that
>causes them not to hold a charge. When I require the use of these batteries
>I find they are dead after only a few weeks of shelf life. The Energizer
>2100mah cells are great with no problems what so ever and they have an
>outstanding shelf life. When I called Energizer to discuss the problem with
>the 2500mah, they deny any problems with these batteries and inform me the
>problem is my charger. I have use 3 different charges and the problem
>remains. I recommend no one purchase the Energizer 2500 mah batteries due to
>their failure to hold a charge. I will never purchase Energizer batteries
>again because the Energizer Company fails to support the customer. Has
>anyone else have this problem?
>
>Bob, AA8X
>

If these are NiMh batteries I have found that to be the normal self
discharge situation. .

John Ferrell W8CCW

From -5863462907966977101
X-Google-Thread: 108122,3dbbe78a7376c414
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Only Fair" <rajohngm@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
References: <zIVbh.401950$QZ1.10554@bgtnsc04-news.ops.worldnet.att.net>
<qfi0n2lq27fci7gh2hqi5n143hm4hsmik9@4ax.com>
Subject: Re: Energize 2500mah problem
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <jPYbh.402934$QZ1.12484@bgtnsc04-news.ops.worldnet.att.net>
Date: Fri, 01 Dec 2006 16:33:19 GMT

NNTP-Posting-Host: 12.73.245.221
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1164990799 12.73.245.221 (Fri, 01 Dec 2006 16:33:19 GMT)
NNTP-Posting-Date: Fri, 01 Dec 2006 16:33:19 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:7348

John, yes they are NiMh and today have found other people are having
problems with the 2500mah series.
Bob, AA8X

"John Ferrell" <johnferrell@sprintmail.com> wrote in message
news:qfi0n2lq27fci7gh2hqi5n143hm4hsmik9@4ax.com...
> On Fri, 01 Dec 2006 13:01:19 GMT, "Only Fair"
> <rajohngm@worldnet.att.net> wrote:
>
>>I find the Energizer 2500mah double A batteries have major problem that
>>causes them not to hold a charge. When I require the use of these
>>batteries
>>I find they are dead after only a few weeks of shelf life. The Energizer
>>2100mah cells are great with no problems what so ever and they have an
>>outstanding shelf life. When I called Energizer to discuss the problem
>>with
>>the 2500mah, they deny any problems with these batteries and inform me the
>>problem is my charger. I have use 3 different charges and the problem
>>remains. I recommend no one purchase the Energizer 2500 mah batteries due
>>to
>>their failure to hold a charge. I will never purchase Energizer batteries
>>again because the Energizer Company fails to support the customer. Has
>>anyone else have this problem?
>>
>>Bob, AA8X
>>
> If these are NiMh batteries I have found that to be the normal self
> discharge situation. .
>
> John Ferrell W8CCW

From 5427922284446042426
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!news.highwinds-media.com!

bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews6.bellsouth.net.POSTED!db98089e!not-for-mail
Message-ID: <45705BF1.6DD4847B@jimbo.net>
From: jim <jimbo@jimbo.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: Killed illegal auctions
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
<qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcboldanenngfkhdejdmonioijgjeoblhjllpp
cbglfpbhmbphjkcpidpooibhdhclgeihbbjoldfngcmehnjgbjnfjenfondbgljfciffmppadnoapd
NNTP-Posting-Date: Fri, 01 Dec 2006 11:44:33 EST
Organization: BellSouth Internet Group
Date: Fri, 01 Dec 2006 11:44:33 -0500
Xref: g2news2.google.com rec.radio.cb:22982 rec.radio.swap:10387
rec.radio.amateur.policy:56381 rec.radio.amateur.equipment:7349

one dude on ebay selling the rm italy amps,
private auctions so nobody sees who buy them.

low drive, you know that type of amp,

anyway, fcc emails me back they only care about
the large wholesalers.

I give up.

From 3747922449093529712
X-Google-Thread: 108122,3dbbe78a7376c414
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!
newscon06.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.net.POSTED!def87e47!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Energize 2500mah problem
From: John <jlwsecure-usenet6@yahoo.com>
References: <zIVbh.401950$QZ1.10554@bgtnsc04-news.ops.worldnet.att.net>
<qfi0n2lq27fci7gh2hqi5n143hm4hsmik9@4ax.com> <jPYbh.402934$QZ1.12484@bgtnsc04-news.ops.worldnet.att.net>
Message-ID: <Xns988C7A2B67095jlwsecure@207.115.17.102>
User-Agent: Xnews/2006.08.05

X-Squid-Repellent: Disclaimer: All messages are purely personal opinion and may not represent actual fact.
Reply-To: jlwsecure-usenet6@yahoo.com
Lines: 10
NNTP-Posting-Host: 71.144.12.251
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1164992422 ST000 71.144.12.251 (Fri, 01 Dec 2006 12:00:22 EST)
NNTP-Posting-Date: Fri, 01 Dec 2006 12:00:22 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PGG[[D]RUKR]LXBZINO_XBUSXB@DTMNHWB_EYLJZ]BGIELNVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFNTCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Fri, 01 Dec 2006 17:00:22 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7350

"Only Fair" <rajohngm@worldnet.att.net> wrote in
news:jPYbh.402934$QZ1.12484@bgtnsc04-news.ops.worldnet.att.net:

> John, yes they are NiMh and today have found other people are having
> problems with the 2500mah series.
> Bob, AA8X
>

I use 2500 ma. I have several sets. They work fine for me. Yes, you cannot have them sit around. NiMh cells do have a self-discharge. The conditions you mention seem perfectly normal for nimh cells.

From 8503305054244770439
X-Google-Thread: 108122,3dbbe78a7376c414
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!image.surnet.ru!mtu.ru!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Energize 2500mah problem
Date: Fri, 01 Dec 2006 19:30:35 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12n10mr52m29tf9@corp.supernews.com>
References: <zIVbh.401950$QZ1.10554@bgtnsc04-news.ops.worldnet.att.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 48
Xref: g2news2.google.com rec.radio.amateur.equipment:7351

In article <zIVbh.401950$QZ1.10554@bgtnsc04-news.ops.worldnet.att.net>,
Only Fair <rajohngm@worldnet.att.net> wrote:

>I find the Energizer 2500mah double A batteries have major problem that causes them not to hold a charge. When I require the use of these batteries I find they are dead after only a few weeks of shelf life. The Energizer 2100mah cells are great with no problems what so ever and they have an outstanding shelf life. When I called Energizer to discuss the problem with the 2500mah, they deny any problems with these batteries and inform me the problem is my charger. I have use 3 different charges and the problem remains. I recommend no one purchase the Energizer 2500 mah batteries due to their failure to hold a charge. I will never purchase Energizer batteries again because the Energizer Company fails to support the customer. Has anyone else have this problem?

I don't have direct experience with those specific models. However, I have read (and noticed myself) that NiMH cells have a much greater self-discharge rate than NiCD cells do. One source states that typical NiCd batteries tend to self-discharge by around 10% per month, that typical NiMH batteries are up in the 25%-per-month range, and that there is a tradeoff between NiMH self-discharge rate and total battery capacity. Self-discharge can be reduced, it seems, by selecting the hydride material to improve hydrogen bonding, but this typically reduces the battery capacity.

It seems likely to me, based on this reading and on what you report, that the 2100 and 2100 mAH Energizer batteries may have been designed and optimized for two different sorts of use strategy. The 2100s may use a hydride with stronger hydrogen bonding, which would reduce self-discharge and give a long shelf/storage life. The 2500s sound as if they use a weaker-binding hydride, optimizing for the greatest amount of storage capacity when freshly charged, but with a more rapid self-discharge.

I've heard similar tales from a guy who makes extensive use of battery-powered electric hand tools. In his application (occasional use) he strongly prefers NiCd batteries, since he can charge them up and depend on the tool still working in a few months. The NiMH batteries seem to be preferred by people who use their tools constantly, and need recharge them every few days anyhow - the faster self-discharge simply doesn't matter for these folks and the greater battery capacity is a win.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 482251702067526577
X-Google-Thread: 108122,3dbbe78a7376c414
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!aioe.org!not-for-mail
From: John Smith <assemblywizard@gmail.com>

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Energize 2500mah problem
Date: Fri, 01 Dec 2006 11:57:04 -0800
Organization: Aioe.org NNTP Server
Lines: 11
Message-ID: <ekq1cr$1v7$1@aioe.org>
References: <zIVbh.401950$QZ1.10554@bgtnsc04-news.ops.worldnet.att.net>
<12n10mr52m29tf9@corp.supernews.com>
NNTP-Posting-Host: urdsRNhoJjd/O6CsV1iNZA.user.aioe.org
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
In-Reply-To:
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
Xref: g2news2.google.com rec.radio.amateur.equipment:7352

Dave Platt wrote:
> In article <zIVbh.401950$QZ1.10554@bgtnsc04-news.ops.worldnet.att.net>,
> Only Fair <rajohngm@worldnet.att.net> wrote:
>
>> I find the Energizer 2500mah double A batteries have major problem that

Sounds like trickle charger, charging at a few milliamps higher than the
shelf discharge rate would be a good DIY project!

Regards,
JS



From 3531776859734411180
X-Google-Thread: 114671,e066b41fb93c7d36
X-Google-Thread: 10bdb7,e066b41fb93c7d36
X-Google-Thread: fd5d6,e066b41fb93c7d36
X-Google-Thread: 108122,e066b41fb93c7d36
X-Google-Attributes: gid114671,gid10bdb7,gidfd5d6,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news1.optus.net.au!optus!newsfeed.pacific.net.au!token.pipenetworks.com!
218.100.2.59.MISMATCH!not-for-mail
From: "Marty" <none@none.none.no>
Newsgroups:
aus.radio.amateur.misc,aus.radio.cb,aus.radio.scanner,rec.radio.amateur.equipment
References: <pan.2006.11.30.23.48.34.843665@jesco>
<456f781a_1@news.iprimus.com.au> <pan.2006.12.01.00.44.23.849081@jesco>
<1164934347.744268.231850@j44g2000cwa.googlegroups.com>
<456f7b9b$0$24707$61c65585@uv-55king-reader-01.melbourne.pipenetworks.com.au>
<pan.2006.12.01.01.30.53.23141@jesco>
Subject: Re: Any Motorola techs in here?
Date: Sat, 2 Dec 2006 09:14:45 +1100
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 0652-6, 01/12/2006), Outbound message
X-Antivirus-Status: Clean
X-Original-NNTP-Posting-Host: 58.178.6.158
Message-ID: <4570a956_1@news.iprimus.com.au>
Organization: iPrimus Customer - reports relating to abuse should be sent to
abuse@iprimus.com.au
X-Original-NNTP-Posting-Host: 127.0.0.1
Lines: 56
NNTP-Posting-Host: 203.134.67.67
X-Trace: 1165011289 un-2park-reader-01.sydney.pipenetworks.com.au 1030
203.134.67.67:2917
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Xref: g2news2.google.com aus.radio.amateur.misc:5621 aus.radio.cb:2990
aus.radio.scanner:4894 rec.radio.amateur.equipment:7353

"Jesco White" <no.m@il.as.yet.net> wrote in message
news:pan.2006.12.01.01.30.53.23141@jesco...
> On Fri, 01 Dec 2006 11:16:13 +1000, atec 77 saiyd:
>
>> Akmed wrote:
>>> Jesco White wrote:
>>>> On Fri, 01 Dec 2006 10:32:20 +1000, Warren saiyd:
>>>>
>>>>> "Jesco White" <no.m@il.as.yet.net> wrote in message
>>>>> news:pan.2006.11.30.23.48.34.843665@jesco...
>>>>>> G'day,
>>>>>>
>>>>>> Looking for specs on this amplifier:
>>>>>>
>>>>>> http://img100.imageshack.us/my.php?image=pa2modhi7.jpg
>>>>>> http://img484.imageshack.us/my.php?image=pa1modzp8.jpg
>>>>>>
>>>>>> Don't know much at this stage, apart from 4Watts drive (@
>>>>>> 430-480MHz)=
>>>>>> approx. 150W output, draws well over 30A from my poor struggling
>>>>>> power
>>>>>> supply. I'm not game to up the drive any further until I know the
>>>>>> specs!
>>>>>>
>>>>>> Basically any specs or any info at all would be great, thanks in
>>>>>> advance.
>>>>>>
>>>>>> Cheers,
>>>>> Let's take a wild guess here, you want to use it on the UHf Chook Band
>>>>> to
>>>>> talk into the 5 w output repeaters, if that's the case, and I do hope
>>>>> I'm
>>>>> wrong, you'd be better off with a decent antenna system,
>>>> WRONG, I plan to cause havoc on the remaining analog police repeaters-
>>>> ya idiot. There's more to the UHF band than CB radio you know.
```

>>>
>>>
>>> You better be CAREFUL as I will dob you into Simone Templar.
>>>
>> I bet that has him wetting himself and quaking in his uggies.
>
> LOL, quite.
>
> Amazing isn't it - cannot discuss power amplifiers in these
> Aussie groups without the usual knee-jerk assumptions, irrespective of
> being perfectly within the law to own and use in an appropriate manner.
> Apparently no Hams here use amplifiers I guess.

May have something to do with the fact that you posted into a CB
newsgroup????????????

>

From -8549675861675715424
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Classic Computer for a Ham Shack
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-E95C56.18095901122006@news.verizon.net>
Lines: 55
Date: Fri, 01 Dec 2006 23:10:02 GMT
NNTP-Posting-Host: 68.161.30.86
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1165014602 68.161.30.86 (Fri, 01 Dec 2006 18:10:02 EST)
NNTP-Posting-Date: Fri, 01 Dec 2006 18:10:02 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7354

In article <1164727510.256694.183240@h54g2000cwb.googlegroups.com>,
 "Alex" <samalex@gmail.com> wrote:

> Hey Guys,
>
> I'm a new ham radio operator, but I've been working with computers for
> most of my life. I'm now in the process of setting-up my first 'ham
> shack', and instead of going with the latest and greatest, I hope to
> employee several classic computers to help me along. I have quite a

> collection in my closet I plan on pulling out, but I'd like opinions of
> others on what they would use in such a situation.
>
> First, I do want to connect my radio to the computer, and many of the
> technologies used by ham radio operators, like slow scan TV, packet
> radio, etc, can be used on most of the classic computers in some form
> or fashion. This I don't think I'll have a problem, no matter which
> systemI go with.
>
> One of the main things I do want to do is have the computer on my home
> network. I don't need a web browser or even a GUI interface... the
> main thing I would really need is Telnet and FTP. I also want
> something with a word processor and spreadsheet program -- even
> Visicalc would be nice to use.
>
> And finally I want something fun.. which is the entire point of this
> venture :) I know some older computers still have huge repositories of
> software online, and whether it's a game or neat utility, I'd love to
> setup a classic computer I can really use and have fun with while in my
> 'ham shack'.
>
> Here's a list of computers I have around me now:
> Tandy Color Computer 2
> Tandy Color Computer 3 (128K model)
> Commodore Amiga 500
> Apple II (original, not PLUS)
> Mac Classic
>
> And though I don't currently own one, I'm looking at getting a
> Commodore 128 as well, either from a friend of possibly from ebay.
>
> Anyway, just curious what others would choose if you had to pick a
> computer or even a couple of older computers to use again. Also if
> there's any ham operators out there with experience with older systems,
> I'd love some feedback!
>
> Take care, and thanks in advance for any ideas.
>
> Alex

i didn't save any links but in the past surfing/googling at college
web sites and ftp site found lots of software for those legacy
computers because they just never deleted the stuff so it's mostly
still up there   if you can google the right string   or find some of
the more famous old ftp sites that slip my mind   if you run 'fetch' on
the newest mac it might even be in the defaults

From -6119314989228345615
X-Google-Thread: 1009ad,e1fd89b1bbd3ed65
X-Google-Thread: 108122,e1fd89b1bbd3ed65
X-Google-Attributes: gid1009ad,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: alt.radio.scanner,rec.radio.amateur,rec.radio.amateur.equipment
Subject: Re: FS: UHF Radios HH & RF parts
Date: Fri, 1 Dec 2006 13:41:10 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0612011337280.21794@malasada.lava.net>
In-Reply-To: <e5Kbh.64$Zb5.44@newsfe13.phx>
References: <q_K9h.7876$CR6.2145@tornado.tampabay.rr.com>
<e5Kbh.64$Zb5.44@newsfe13.phx>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com alt.radio.scanner:3898 rec.radio.amateur.equipment:7355

So what do you have. If you have an AZDEN PCS9000 or even the
mike coord with the 12 pin mike connector cord I would like one
of those.
Joe jfenn@lava.net

```
**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*      Hi State ARMY MARS COORDINATOR                    *
**********************************************************
```

On Thu, 30 Nov 2006, Bill Jeffrey wrote:

> Mitch -
>
> So if they are for sale, what is the price?
> If you are asking for "best offer", then it is an auction.
>
> Bill
> -----------------
>
> IRAD wrote:
>
>> I have the following for sale, not auction. All Radios are working unless
>> stated.
>> Mitch

From 2275280305219886933
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc

```
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!bigfeed!
bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!725764fe!
not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap
 the shit out of?
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
In-Reply-To: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <ht3ch.21505$Q7.5199@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbopljidlkhfoaekgimoaailigemeifbblmea
ikpfefobcgnieccminedjmjemeieanepaknfgenngalajphadjaddhpggenmeffhnnlojlkbmffbff
NNTP-Posting-Date: Fri, 01 Dec 2006 19:07:41 EST
Organization: BellSouth Internet Group
Date: Fri, 01 Dec 2006 18:04:53 -0600
Xref: g2news2.google.com rec.radio.amateur.antenna:22241
rec.radio.amateur.equipment:7356 rec.radio.amateur.policy:56470
rec.radio.swap:10400

Slow Code wrote:
> If the CW requirement is eliminated, there's going to be a lot more of
> them on the bands.
>
> SC
>
Did you ever see a poster on a newsgroup that you'd just like to slap
the sh*t out of?

I've not seen him, but you have...in the mirror.

jak




From 8923616052042249516
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 01 Dec 2006 18:48:10 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
<7f8vm2t5f0flni0a2sjr0gtv61s422258f@4ax.com>
<1164952426.922406.148270@80g2000cwy.googlegroups.com>
Subject: Re: Classic Computer for a Ham Shack
Date: Fri, 1 Dec 2006 19:48:00 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <T6CdnfzGqIfXUO3YnZ2dnUVZ_vudnZ2d@comcast.com>
Lines: 83
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-27Ng0fq/
PGshNQ7sAGbrhb3MVQ+9pq7GtNzPpOzFV57PNvlHXey7RJrO4idqKnPLKlBAWiRcJrKr2Yj!
UB0Pbhix97pAkSJjSRtyUZDAEXEP3lGX9GeRIHyV1xV4gUrLvxAWuQA5sXMPEfvjUdGC5IUQ+KRh!
x3IkTZIUXQLCtwY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7357


<JIMMIEDEE123@YAHOO.COM> wrote in message
news:1164952426.922406.148270@80g2000cwy.googlegroups.com...
>
> Bob Miller wrote:
>> On 28 Nov 2006 07:25:10 -0800, "Alex" <samalex@gmail.com> wrote:
>>
>> >Hey Guys,
>> >
>> >I'm a new ham radio operator, but I've been working with computers for
>> >most of my life.  I'm now in the process of setting-up my first 'ham
>> >shack', and instead of going with the latest and greatest, I hope to
>> >employee several classic computers to help me along.  I have quite a
>> >collection in my closet I plan on pulling out, but I'd like opinions of
>> >others on what they would use in such a situation.
>> >
>> >First, I do want to connect my radio to the computer, and many of the
>> >technologies used by ham radio operators, like slow scan TV, packet
>> >radio, etc, can be used on most of the classic computers in some form
>> >or fashion.  This I don't think I'll have a problem, no matter which
>> >systemI go with.
>> >
>> >One of the main things I do want to do is have the computer on my home
```

>> >network. I don't need a web browser or even a GUI interface... the
>> >main thing I would really need is Telnet and FTP. I also want
>> >something with a word processor and spreadsheet program -- even
>> >Visicalc would be nice to use.
>> >
>> >And finally I want something fun.. which is the entire point of this
>> >venture :) I know some older computers still have huge repositories of
>> >software online, and whether it's a game or neat utility, I'd love to
>> >setup a classic computer I can really use and have fun with while in my
>> >'ham shack'.
>> >
>> >Here's a list of computers I have around me now:
>> >Tandy Color Computer 2
>> >Tandy Color Computer 3 (128K model)
>> >Commodore Amiga 500
>> >Apple II (original, not PLUS)
>> >Mac Classic
>> >
>> >And though I don't currently own one, I'm looking at getting a
>> >Commodore 128 as well, either from a friend of possibly from ebay.
>> >
>> >Anyway, just curious what others would choose if you had to pick a
>> >computer or even a couple of older computers to use again. Also if
>> >there's any ham operators out there with experience with older systems,
>> >I'd love some feedback!
>> >
>> >Take care, and thanks in advance for any ideas.
>> >
>> >Alex
>>
>> YOur best bet would be to get the ARRL CDs for QST magazine; get the
>> one for the 1970s and the one for the 1980s, and browse for articles
>> on your computers. But as the other guy said, software would be
>> awfully hard to find, unless you could find some old programs you
>> could type out yourself.
>>
>> Best bet would be to simply get a cheapo more or less modern PC with a
>> good sound card; some of the newer digital modes are pretty amazing.
>>
>> bob
>> k5qwg
>
>
> I used to use my color computer for an Antenna rotor controller. The
> joystick port took feed back from the rotator to tell which way it was
> pointing and I had built a relay board that plugged into the expansion
> bus. These were cool little computers to play around with and you could
> find them in yard sells for nearly nothing. At one time I had 8 of them
> all at once and probably went through about 15 of them. I remember
> getting an alternate OS for it and running pascal. I think the oprating
> system was called OS9???.
> They were a blast, think I still have a couple in the attic.

Yep. It was OS9. I had the Radio Shack Color Computers at one time and
adored them. Now they wouldn't even be able to handle the simplest things I
use a computer for.

Dee, N8UZE

From 8954896120840165032
X-Google-Thread: fcc6e,949e667b83ab59bc
X-Google-Thread: 108122,949e667b83ab59bc
X-Google-Thread: 10bf43,949e667b83ab59bc
X-Google-Thread: 1109af,949e667b83ab59bc
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ever hear an operator on the bands that you'd just like to slap the
shit out of?
From: Slow Code <my.mail@no.spam>
References: <kSKbh.5851$1s6.1519@newsread2.news.pas.earthlink.net>
<eknvvr$182f$1@news.ndhu.edu.tw>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 18
Message-ID: <oR4ch.5480$sf5.3721@newsread4.news.pas.earthlink.net>
Date: Sat, 02 Dec 2006 01:41:40 GMT
NNTP-Posting-Host: 4.230.0.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165023700 4.230.0.204 (Fri, 01 Dec 2006
17:41:40 PST)
NNTP-Posting-Date: Fri, 01 Dec 2006 17:41:40 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22245
rec.radio.amateur.equipment:7358 rec.radio.amateur.policy:56475
rec.radio.swap:10401

"John Smith" <assemblywizard@gmail.com> wrote in
news:eknvvr$182f$1@news.ndhu.edu.tw:

> Ahhhh.... Now it becomes clear to me, you were right to hang on with
> your persistence, a revelation has occurred to me!
>
> Yes, yes you are! You are the best argument to tossing the rig and
> grabbing some chicken band equipment which has ever been posed to me!
>
> Ten-Four-Good-Buddy!

No, no, no, John. You need not toss your gear.

Your CB no-code buddies can and will come to you after the final stage of
the dumbing down process is complete.

SC

From 2356521066417282420
X-Google-Thread: 108122,16940206bb65ae3c
X-Google-Thread: 10bf43,16940206bb65ae3c
X-Google-Thread: fa029,16940206bb65ae3c
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: Hey Slow...This was GREAT! (but not based on fact)
From: Slow Code <my.mail@no.spam>
References: <1164575311.838042.183860@45g2000cws.googlegroups.com>
<14254-456A791E-1822@storefull-3252.bay.webtv.net>
<MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
<tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com>
<3uqbh.5498$1s6.5065@newsread2.news.pas.earthlink.net>
<1164896174.865738.113690@f1g2000cwa.googlegroups.com>
<1164976132.271001.64430@l12g2000cwl.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 14
Message-ID: <tR4ch.5483$sf5.2247@newsread4.news.pas.earthlink.net>
Date: Sat, 02 Dec 2006 01:41:45 GMT
NNTP-Posting-Host: 4.230.0.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165023705 4.230.0.204 (Fri, 01 Dec 2006 17:41:45 PST)
NNTP-Posting-Date: Fri, 01 Dec 2006 17:41:45 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7359
rec.radio.amateur.policy:56478 rec.radio.scanner:8138 rec.radio.shortwave:60311
rec.radio.swap:10403

N2EY@AOL.COM wrote in
news:1164976132.271001.64430@l12g2000cwl.googlegroups.com:

>
>> Slow Code wrote:
>>
>> > The History Of The Middle Finger
>

> It's an urban legend. No truth to it.

Pluck yew!

SC

From -6814165190739721761
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: kookathon
From: Slow Code <my.mail@no.spam>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com> <J9G4w1.BG3@news.boeing.com>
<456fce2e$0$5799$ecde5a14@news.coretel.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 33
Message-ID: <yR4ch.5486$sf5.1417@newsread4.news.pas.earthlink.net>
Date: Sat, 02 Dec 2006 01:41:50 GMT
NNTP-Posting-Host: 4.230.0.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165023710 4.230.0.204 (Fri, 01 Dec 2006
17:41:50 PST)
NNTP-Posting-Date: Fri, 01 Dec 2006 17:41:50 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7360
rec.radio.amateur.policy:56481 rec.radio.amateur.antenna:22249
rec.radio.swap:10406

"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in
news:456fce2e$0$5799$ecde5a14@news.coretel.net:

> "R. Scott" <spamtrap@w7psk.net> wrote in message
> news:J9G4w1.BG3@news.boeing.com...
>> Do Like I did, Put SC on ignore.
>>
>> He obviously wants to drive everyone from Ham Radio. He has a Bile
>> taste in his mouth from a bad experiance so he now wishes everyone to
>> have a bad experiance. He will not rest till he drives everyone from
>> Ham Radio. So I ignore him as he no longer provides value for my

>> reading time.
>>
>> Its the old Crusty Crumudgeons like him that drive the new people away.
>>
>>
>>
>> Rick Scott W7PSK
>>
>>
>
> He isn't driving "me" away from ham. People like him - come and go every
> day in my life. I look past them.
> I just wish "others" in "here" did that! His posts are ruining "these"
> newsgroups.

You think this is bad, you ain't seen bad. Just wait until the Lids take
over HF after CW is eliminated, then you'll be sorry.

That is, You'll be sorry unless you like what CB sounds like.

SC

From -1163044068572211548
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: Re: Lets be RUDE and INSULT each OTHER for a change
From: Slow Code <my.mail@no.spam>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com> <J9G4w1.BG3@news.boeing.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 13
Message-ID: <CR4ch.5489$sf5.2543@newsread4.news.pas.earthlink.net>
Date: Sat, 02 Dec 2006 01:41:54 GMT
NNTP-Posting-Host: 4.230.0.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165023714 4.230.0.204 (Fri, 01 Dec 2006
17:41:54 PST)
NNTP-Posting-Date: Fri, 01 Dec 2006 17:41:54 PST

Xref: g2news2.google.com rec.radio.amateur.equipment:7361
rec.radio.amateur.policy:56484 rec.radio.amateur.antenna:22251
rec.radio.swap:10409

"R. Scott" <spamtrap@w7psk.net> wrote in news:J9G4w1.BG3@news.boeing.com:

> Its the old Crusty Crumudgeons like him that drive the new people away.
>
>
>
> Rick Scott

It's the new people that don't want learn or be skilled at anything that
will turn ham radio into CB and drive good hams away.

SC

From 8255424767178584675
X-Google-Thread: 1009ad,ce2f2da18d0121c3,start
X-Google-Thread: fc8b1,ce2f2da18d0121c3,start
X-Google-Thread: 108122,ce2f2da18d0121c3,start
X-Google-Thread: 10bf43,ce2f2da18d0121c3,start
X-Google-Attributes: gid1009ad,gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.policy
Subject: So you lids don't want to learn CW, what are you going to learn instead?
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 5
Message-ID: <DR4ch.5490$sf5.1087@newsread4.news.pas.earthlink.net>
Date: Sat, 02 Dec 2006 01:41:55 GMT
NNTP-Posting-Host: 4.230.0.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1165023715 4.230.0.204 (Fri, 01 Dec 2006
17:41:55 PST)
NNTP-Posting-Date: Fri, 01 Dec 2006 17:41:55 PST
Xref: g2news2.google.com alt.radio.scanner:3901 rec.radio.amateur.boatanchors:6531
rec.radio.amateur.equipment:7362 rec.radio.amateur.policy:56485

You'd probably all piss and moan like you do about CW, if the FCC made
that a test element too. You all just want handouts.

SC

```
From 7985274715609711067
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: kookathon
Date: Fri, 01 Dec 2006 21:28:36 -0500
Message-ID: <b5p1n2d725meur91g53srj7066ita6lf5d@4ax.com>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com> <J9G4w1.BG3@news.boeing.com>
<456fce2e$0$5799$ecde5a14@news.coretel.net>
<yR4ch.5486$sf5.1417@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 40
NNTP-Posting-Date: 02 Dec 2006 01:34:04 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7363
rec.radio.amateur.policy:56493 rec.radio.amateur.antenna:22256
rec.radio.swap:10413

On Sat, 02 Dec 2006 01:41:50 GMT, Slow Code <my.mail@no.spam> wrote:

>"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in
>news:456fce2e$0$5799$ecde5a14@news.coretel.net:
>
>> "R. Scott" <spamtrap@w7psk.net> wrote in message
>> news:J9G4w1.BG3@news.boeing.com...
>>> Do Like I did, Put SC on ignore.
>>>
>>> He obviously wants to drive everyone from Ham Radio. He has  a Bile
>>> taste in his mouth from a bad experiance so he now wishes everyone to
>>> have a bad experiance.  He will not rest till he drives everyone from
>>> Ham Radio.  So I ignore him as he no longer provides value for my
>>> reading time.
>>>
>>> Its the old Crusty Crumudgeons like him that drive the new people away.
>>>
>>>
>>>
```

>>> Rick Scott W7PSK
>>>
>>>
>>
>> He isn't driving "me" away from ham. People like him - come and go every
>> day in my life. I look past them.
>> I just wish "others" in "here" did that! His posts are ruining "these"
>> newsgroups.
>
>
>You think this is bad, you ain't seen bad. Just wait until the Lids take
>over HF after CW is eliminated, then you'll be sorry.

steve I hear the band now I heard before the last restructing
>
>That is, You'll be sorry unless you like what CB sounds like.

CB sund better than choas on 80m
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -8281404472215330972
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: kookathon
Date: Mon, 27 Nov 2006 19:56:49 -0500
Message-ID: <n92nm2d65d0qc7l9okl6hcu9mh3gbsk8ck@4ax.com>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
NNTP-Posting-Date: 28 Nov 2006 00:02:06 GMT
X-Complaints-To: abuse@teranews.com

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7265
rec.radio.amateur.policy:55697 rec.radio.amateur.antenna:22023
rec.radio.swap:10282

On Tue, 28 Nov 2006 00:22:50 GMT, Slow Code <my.mail@no.spam> wrote:

>"amdx" <amdx@knology.net> wrote in
>news:da011$45664c05$45011502$16738@KNOLOGY.NET:
>
>>
>> "Charlie" <charlie@ease.biz> wrote in message
>> news:12mc2o9nfu05s32@corp.supernews.com...
>>> Enough IS enough children!! You all are acting like babies!
>>>
>>> Please people..let's let the Spirit of the Holidays prevail in our
>>> hearts.
>>>
>>> --
>>>
>>> 73,Charlie-AD5TH (20 wpm Extra - 1995)
>>> www.ad5th.com
>>>
>>>
>>  Well, uh, uh, slow code started it!
>
>
>I most certainly did not start it.  I'm the nicest person on usenet.
>

bullshit you have had nothing nice to say since you arrived sc
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -7104643736506934279
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: kookathon
Date: Mon, 27 Nov 2006 19:56:11 -0500
Message-ID: <092nm21e0l03abee9dv7jke6knp13c8mm3@4ax.com>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
```

```
<qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 28 Nov 2006 00:01:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.cb:22783 rec.radio.swap:10281
rec.radio.amateur.policy:55696 rec.radio.amateur.equipment:7264

On Tue, 28 Nov 2006 00:22:46 GMT, Slow Code <my.mail@no.spam> wrote:

>"cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in
>news:1164651522.698411.180000@n67g2000cwd.googlegroups.com:
>
>> Three illegal cb amplifiers shot down:
>>
>>  300053874139, 220051519006, 130050641047
>>
>> And this one is next.
>>
>> 220051930613
>
>
>Thanks Buzz,  I  hope the FCC fines their sorry CB retard asses.
get a life
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 5693546668691830742
X-Google-Thread: 108122,b818cda7cf6606e8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!feeder.news-
service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-03!sn-ams!sn-feed-
ams-03!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Dean <roamer@firstinter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Shure "Dispatcher" microphone
Date: Mon, 27 Nov 2006 18:58:52 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <ks5nm2tb7nefm5i5svkd3ofqnl7puljlvr@4ax.com>
Reply-To: roamer@firstinter.net
References: <kiaem21p3ksevqviq3bg8pra53jeotodjo@4ax.com> <GJCdneYNDb-
fpPrYnZ2dnUVZ_s2dnZ2d@comcast.com>
X-Newsreader: Forte Agent 3.1/32.783
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.equipment:7266

On Fri, 24 Nov 2006 12:25:01 -0600, "w9gb" <spam_protect@arrl.net>
wrote:

>Dean -
>
>I have a Shure Model 450 in NOS condition (plug has not even been wired onto
>cord)
>Uses a magnetic cartridge and has switchable impedance (Hi/Lo).  Here is the
>Shure data sheet on it.
>http://www.shure.com/stellent/groups/public/@gms_gmi_web_ug/documents/
web_resource/us_pro_450_ug.pdf
>
>Greg
>w9gb
>


Sorry, but my favorite was, and is, the 'Dispatcher'.

Dean



From 4188448759103679298
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-11!sn-xt-sjc-08!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: Jack Hamilton <jfh@acm.org>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: Lets be RUDE and INSULT each OTHER for a change
Date: Mon, 27 Nov 2006 19:32:38 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <edbnm25me9nhqcsmmdil2dq991b0dnr6qn@4ax.com>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
X-NFilter: 1.2.0
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news2.google.com rec.radio.amateur.equipment:7267
rec.radio.amateur.policy:55718 rec.radio.amateur.antenna:22025
rec.radio.swap:10285

Slow Code <my.mail@no.spam> wrote:

>"amdx" <amdx@knology.net> wrote in
>news:da011$45664c05$45011502$16738@KNOLOGY.NET:
>
>>
>> "Charlie" <charlie@ease.biz> wrote in message
>> news:12mc2o9nfu05s32@corp.supernews.com...
>>> Enough IS enough children!! You all are acting like babies!
>>>
>>> Please people..let's let the Spirit of the Holidays prevail in our
>>> hearts.
>>>
>>> --
>>>
>>> 73,Charlie-AD5TH (20 wpm Extra - 1995)
>>> www.ad5th.com
>>>
>>>
>>  Well, uh, uh, slow code started it!
>
>
>I most certainly did not start it.  I'm the nicest person on usenet.
>
>I'm here to help guide and motive people on how they can make themselves
>better radio amateurs, unfortunately, some of those I'm trying to help
>prefer to be stupid and lazy, and they flame people that try to help them
>and they are down right rude. You can see the no-code license was a bad
>idea, we need to require all hams pass a code test to bring intelligence
>and civility back to ham radio and the repeaters.

Why don't you start by being civil on Usenet?




From 3693730292295506841
X-Google-Thread: 108122,59a42802740ea155
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l39g2000cwd.googlegroups.com!not-for-
mail
From: "Tom" <holden_family@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Question about receiving broadcast (AM/FM) radio
Date: 27 Nov 2006 20:19:02 -0800
```

```
Organization: http://groups.google.com
Lines: 29
Message-ID: <1164687542.742076.155860@l39g2000cwd.googlegroups.com>
References: <ek21l6$81d$1@reader2.panix.com>
   <1164219869.664167@newsreg.cos.agilent.com>
   <ek282m$af4$1@reader2.panix.com>
NNTP-Posting-Host: 64.229.176.169
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164687548 16623 127.0.0.1 (28 Nov 2006 04:19:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Nov 2006 04:19:08 +0000 (UTC)
In-Reply-To: <ek282m$af4$1@reader2.panix.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l39g2000cwd.googlegroups.com; posting-host=64.229.176.169;
   posting-account=8CgUbAsAAAD8qZJWx020RrIv8JjtKI3c
Xref: g2news2.google.com rec.radio.amateur.equipment:7268
```

Paul Ciszek wrote:
[SNIP]

> Is there anything similar to the GE or Radio Shack that gets shortwave?
> More to the point: In the middle of the continental US (Colorado), can
> I pick up international news in English? Someone told me once that the
> BBC was going to stop its shortwave broadcasts for the US because we
> weren't offsetting the cost.

The RS-12-903 is discontinued according to this reviewer:
http://www.geocities.com/rbrucecarter/12_603.htm.
and the GE SuperRadio 3 is an underperfomer according to this one:
http://www.dobe.com/wts/funk/GESRIIIreview.html, but still available as
a Thomson Multimedia product from Amazon.com.

A high-value for money radio for MW, SW, and VHF-FM is the Kaito KA-1103, or the same radio direct from China via eBay, the Degen DE-1103. Highly sensitive, with good selectivity, digital display and tuning (oodles of memories) and capable of SSB/CW reception. User group at http://groups.yahoo.com/group/de1103/ . Many user reviews at http://www.eham.net/reviews/detail/5071 with a 4.7/5 average rating (that's a value rating not a performance rating). The Eton E5 is similar electronically (same factory) but with a better user interface; its price is in the range of the Sony 7600GR but latter has synchronous AM detector for reduced distortion on fading signals - reviews http://www.eham.net/reviews/detail/1534.

Tom

From -894375814437172162

```
X-Google-Thread: 108122,e6ca4610d5252e04
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!bloom-
beacon.mit.edu!panix!panix2.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Post including attachments
Date: Tue, 28 Nov 2006 00:04:51 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 26
Message-ID: <Pine.NEB.4.64.0611280001470.4122@panix2.panix.com>
References: <5jIah.24595$E02.10030@newsb.telia.net>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: MULTIPART/MIXED; BOUNDARY="0-1461344903-1164690291=:4122"
X-Trace: reader2.panix.com 1164690293 24699 166.84.1.2 (28 Nov 2006 05:04:53 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 28 Nov 2006 05:04:53 +0000 (UTC)
To: =?ISO-8859-1?Q?SM=D8IMJ?= <sm0imj@telia.com>
In-Reply-To: <5jIah.24595$E02.10030@newsb.telia.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:7269

  This message is in MIME format.  The first part should be readable text,
  while the remaining parts are likely unreadable without MIME-aware tools.

--0-1461344903-1164690291=:4122
Content-Type: TEXT/PLAIN; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: QUOTED-PRINTABLE



On Mon, 27 Nov 2006, SM=D8IMJ wrote:

> Is it impossible to post a message including attachments to this newsgrou=
p?
>
> //Hans
>

Some ISPs will not allow attached files to be posted to any NG, but they=20
may allow attached files to be posted on one or more of the binary=20
newsgroups (try a search on your ISP for binary NGs). One ISP I had long=20
ago would allow attached files to any post on any NG, but the ISP I have=20
now will return an error message.

Also, some newsreaders can't handle attached files on NG posts, either.

--0-1461344903-1164690291=:4122--


From 6923071774009440225
X-Google-Thread: 10cf58,3ad0e5268057ef39
```

```
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
Subject: Re: HP 3582A ?
Date: Tue, 28 Nov 2006 00:22:15 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 70
Message-ID: <Pine.NEB.4.64.0611280009130.4122@panix2.panix.com>
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
 <TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
 <1164497559.930697.316100@j44g2000cwa.googlegroups.com>
 <KUKah.23771$lD6.17504@tornado.tampabay.rr.com>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1164691335 28553 166.84.1.2 (28 Nov 2006 05:22:15 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 28 Nov 2006 05:22:15 +0000 (UTC)
In-Reply-To: <KUKah.23771$lD6.17504@tornado.tampabay.rr.com>
Xref: g2news2.google.com rec.audio.pro:80128 rec.audio.opinion:56092
rec.audio.tech:15156 rec.radio.amateur.equipment:7270



On Mon, 27 Nov 2006, Les Cargill wrote:

> Bret Ludwig wrote:
>> Arny Krueger wrote:
>>
>> <<snip>>
>>
>>> You can find an audio interface that will outperform say a HP 334 for $30.
>>> For $200 you're in the same league as some of the older, but not all that
>>> old AP stuff.
>>
>>
>>  Trying to use a PC as a general purpose bench instrument is like the
>> old race car guys that I used to hang out with. They would build a new
>> big block Chevy and a Turbo 400 behind it every couple of seasons. They
>> put in a dually one ton truck and pulled a trailer that would have been
>> just about right for an old single axle B Mack around for the season.
>> They got about five miles to the gallon under load too.
>>
>>  When I got older, I'd ask them why they didn't buy a real truck, you
>> know, air brakes, Fuller Roadranger, like a used Yellow or Roadway day
```

>> truck. Well, license and insurance cost too much and you needed a
>> "chauffeurs license" to drive it. (Those pre-CDL days!)
>>
>> Well okay, at least put a diesel and an Allison in the pickup, why
>> don't you? Because we don't know how to work on them and you can't get
>> them in the junkyard for a hundred bucks.
>>
>> Eventually they got tired of building "motors" (sic) for the tow truck
>> and not the race car and put a 3208 Cat or a turbo 4-53 and an Allison
>> or a Clark five speed in there. They then got like ten miles to the
>> galllon and the truck rusted out twenty years later and the engine and
>> trans still ran.
>>
>> The PC does okay as a controller or as a dedicated production test box
>> with a buffered, isolated interface. But it is not like a scope or gen
>> or analyzer that sits on the bench.
>>
>
> *If* the thing under test is amenable to it, there's little
> or no hope of improving on a PC soundcard

Are you talking about any PC _sound_card?

  and Matlab as a combo. Might
> need a breadboard to adapt the signals, but if it's in range,
> it'll outrun just about anything for the money.

A PC _sound_card? Meant for _audio_ frequency ranges? Like single diget Hz
to 20-30 kHz? You think I'd rather have that than a decent DC to RF (X
mHz) oscilloscope 10 v/div down to 1-10 mv/div sensitivity? Time base
seconds/div to microseconds/div or less? And, can measure DC. Maybe if
you want to do some FFT or other DSP on an audio signal you can have the
soundcard. I'll pick the dedicated gear with specs that fit the ap.

> You're assuming you can trust the test equipment. Sometimes,
> you can't....

You mean you don't need to _assume_ the soundcard is working or you don't
need to worry about sw bugs or invalid process or tollerances or other
spec-dependent limitations? So, if the computer says "X" then it is
absolutely true, valid, straight from the horses mouth? No ands, ifs, or
buts? Do you know what the term "parasitic" means as it applies to chips?

> --
> Les Cargill
>

From 2605416038637059485
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39

```
X-Google-Attributes: gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!98f7de63!not-for-mail
From: "David Morgan \(MAMS\)" <mams@NOSPAm-a-m-s.com>
Newsgroups: rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
<KUKah.23771$lD6.17504@tornado.tampabay.rr.com>
<Pine.NEB.4.64.0611280009130.4122@panix2.panix.com>
Subject: Re: HP 3582A ?
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <1SPah.38787$a_2.35162@trnddc01>
Date: Tue, 28 Nov 2006 05:32:45 GMT
NNTP-Posting-Host: 71.97.2.14
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1164691965 71.97.2.14 (Tue, 28 Nov 2006 00:32:45 EST)
NNTP-Posting-Date: Tue, 28 Nov 2006 00:32:45 EST
Xref: g2news2.google.com rec.audio.opinion:56094 rec.audio.tech:15157
rec.radio.amateur.equipment:7271
```

"Straydog" <asd@panix.com> wrote in message...

> Do you know what the term "parasitic" means as it applies to chips?

And I thought it was all about microbes, barnacles, and other blood suckers.

```
From 4352970126832101063
X-Google-Thread: 108122,585fa5ad92392513,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer2.se.telia.net!
se.telia.net!masternews.telia.net.!newsb.telia.net.POSTED!not-for-mail
From: =?ISO-8859-1?Q?SM=D8IMJ?= <sm0imj@telia.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Any experience of the pyramid antenna?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 10
```

Message-ID: <OeQah.24637$E02.9847@newsb.telia.net>
Date: Tue, 28 Nov 2006 05:59:10 GMT
NNTP-Posting-Host: 81.228.27.52
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1164693550 81.228.27.52 (Tue, 28 Nov 2006 06:59:10 CET)
NNTP-Posting-Date: Tue, 28 Nov 2006 06:59:10 CET
Organization: Telia Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:7272

Hi,
Does anyone have any type of experience of the (I think it's called)
Pyramid Antenna?
It's a sort of folded dipole with each leg one sixth of the total length
(total length is one wave length).
See picture here http://www.mypix.se/ShowFriend.asp?AID=JPJMIOPPLQG
Thinking about on like this for 80m placed on the roof.

73's
Hans - SM�IMJ

From 7092687441301393134
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
From: "Mr.T" <MrT@home>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
<KUKah.23771$lD6.17504@tornado.tampabay.rr.com>
<Pine.NEB.4.64.0611280009130.4122@panix2.panix.com>
Subject: Re: HP 3582A ?
Date: Tue, 28 Nov 2006 18:12:21 +1100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Lines: 48
Message-ID: <456be18d$0$9775$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 220.239.144.52
X-Trace: 1164697998 9775 220.239.144.52
Xref: g2news2.google.com rec.audio.pro:80133 rec.audio.opinion:56099
rec.audio.tech:15159 rec.radio.amateur.equipment:7273

"Straydog" <asd@panix.com> wrote in message
news:Pine.NEB.4.64.0611280009130.4122@panix2.panix.com...
> Are you talking about any PC _sound_card?

The fact that you even ask that shows how little you know about them.
However some like the Lynx compare pretty well to an AP test set within
their designed range, for a LOT less money.

> A PC _sound_card? Meant for _audio_ frequency ranges?

Yes, amazing isn't it that is exactly what audio people want to measure, but
try <1Hz to > 90kHz for some sound cards, with <0.001% N+D.

>You think I'd rather have that than a decent DC to RF (X
> mHz) oscilloscope 10 v/div down to 1-10 mv/div sensitivity?

Shit just about any sound card can do that voltage range with a 20 cent
resistive divider. Shame you didn't mention the real problem, if you want a
high input impedance you need a high quality buffer amp. Of course those
simply measuring audio gear don't need it.

>Time base
> seconds/div to microseconds/div or less? And, can measure DC. Maybe if
> you want to do some FFT or other DSP on an audio signal you can have the
> soundcard. I'll pick the dedicated gear with specs that fit the ap.

Good for you, especially if your application is not audio. Funny though how
most dedicated test gear is connected to a PC data aquisition system these
days, at least in most metrology labs. The ability to make repeated
measurements unattended, with data manipulation, analysis and presentation
is something not many labs would be without anymore.

> You mean you don't need to _assume_ the soundcard is working or you don't
> need to worry about sw bugs or invalid process or tollerances or other
> spec-dependent limitations? So, if the computer says "X" then it is
> absolutely true, valid, straight from the horses mouth? No ands, ifs, or
> buts? Do you know what the term "parasitic" means as it applies to chips?

Calibration standards apply to ANY test gear, analog or digital, PC based or
stand alone.
Anybody with knowledge of metrology understands how to make proper
measurements, those who don't believe their test gear's badge is all the
calibration that's necessary :-(

MrT.

From -5071327085889678270
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39

```
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-
wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!
news.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-
for-mail
From: Les Cargill <lcargill@cfl.rr.com>
Reply-To:  uh-uh@nope.com
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040803
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
Subject: Re: HP 3582A ?
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
<KUKah.23771$lD6.17504@tornado.tampabay.rr.com>
<Pine.NEB.4.64.0611280009130.4122@panix2.panix.com>
In-Reply-To: <Pine.NEB.4.64.0611280009130.4122@panix2.panix.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 95
Message-ID: <GTSah.27259$lD6.15016@tornado.tampabay.rr.com>
Date: Tue, 28 Nov 2006 08:59:18 GMT
NNTP-Posting-Host: 65.33.96.135
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1164704358 65.33.96.135 (Tue, 28 Nov 2006
03:59:18 EST)
NNTP-Posting-Date: Tue, 28 Nov 2006 03:59:18 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.audio.pro:80136 rec.audio.opinion:56104
rec.audio.tech:15160 rec.radio.amateur.equipment:7274

Straydog wrote:

>
>
> On Mon, 27 Nov 2006, Les Cargill wrote:
>
>> Bret Ludwig wrote:
>>
>>> Arny Krueger wrote:
>>>
>>> <<snip>>
>>>
>>>> You can find an audio interface that will outperform say a HP 334
>>>> for $30.
```

>>>> For $200 you're in the same league as some of the older, but not all
>>>> that
>>>> old AP stuff.
>>>
>>>
>>>
>>> Trying to use a PC as a general purpose bench instrument is like the
>>> old race car guys that I used to hang out with. They would build a new
>>> big block Chevy and a Turbo 400 behind it every couple of seasons. They
>>> put in a dually one ton truck and pulled a trailer that would have been
>>> just about right for an old single axle B Mack around for the season.
>>> They got about five miles to the gallon under load too.
>>>
>>> When I got older, I'd ask them why they didn't buy a real truck, you
>>> know, air brakes, Fuller Roadranger, like a used Yellow or Roadway day
>>> truck. Well, license and insurance cost too much and you needed a
>>> "chauffeurs license" to drive it. (Those pre-CDL days!)
>>>
>>> Well okay, at least put a diesel and an Allison in the pickup, why
>>> don't you? Because we don't know how to work on them and you can't get
>>> them in the junkyard for a hundred bucks.
>>>
>>> Eventually they got tired of building "motors" (sic) for the tow truck
>>> and not the race car and put a 3208 Cat or a turbo 4-53 and an Allison
>>> or a Clark five speed in there. They then got like ten miles to the
>>> galllon and the truck rusted out twenty years later and the engine and
>>> trans still ran.
>>>
>>> The PC does okay as a controller or as a dedicated production test box
>>> with a buffered, isolated interface. But it is not like a scope or gen
>>> or analyzer that sits on the bench.
>>>
>>
>> *If* the thing under test is amenable to it, there's little
>> or no hope of improving on a PC soundcard
>
>
> Are you talking about any PC _sound_card?
>

Yes.

> and Matlab as a combo. Might
>
>> need a breadboard to adapt the signals, but if it's in range,
>> it'll outrun just about anything for the money.
>
>
> A PC _sound_card? Meant for _audio_ frequency ranges? Like single diget
> Hz to 20-30 kHz? You think I'd rather have that than a decent DC to RF
> (X mHz) oscilloscope 10 v/div down to 1-10 mv/div sensitivity? Time base
> seconds/div to microseconds/div or less? And, can measure DC. Maybe if
> you want to do some FFT or other DSP on an audio signal you can have the

> soundcard. I'll pick the dedicated gear with specs that fit the ap.
>
>> You're assuming you can trust the test equipment. Sometimes,
>> you can't....
>
>
> You mean you don't need to _assume_ the soundcard is working or you
> don't need to worry about sw bugs or invalid process or tollerances or
> other spec-dependent limitations? So, if the computer says "X" then it
> is absolutely true, valid, straight from the horses mouth? No ands, ifs,
> or buts? Do you know what the term "parasitic" means as it applies to
> chips?
>

Absolutely. *In this case*, the rig beat out some rather expensive
specialized test gear. We also needed several hours of captured data.

We had eight or nine scopes and three logic analyzers; the PC
complemented 'em nicely. What works depends on the test.

>
>> --
>> Les Cargill
>>

--
Les Cargill

From -3652847998655891635
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny07.POSTED!da4e77e4!
not-for-mail
Reply-To: "JOHN D" <jawnd393one@yahoo.com>
From: "JOHN D" <jawnd393one@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
<evJ9h.6046$IW2.4244@trndny03>
<hjLah.4145$tM1.1849@newsread1.news.pas.earthlink.net>
Subject: Re: Happy turkey day you no-code turkeys.
Lines: 29

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <KmTah.10681$d42.1104@trndny07>
Date: Tue, 28 Nov 2006 09:32:26 GMT
NNTP-Posting-Host: 71.120.55.159
X-Complaints-To: abuse@verizon.net
X-Trace: trndny07 1164706346 71.120.55.159 (Tue, 28 Nov 2006 04:32:26 EST)
NNTP-Posting-Date: Tue, 28 Nov 2006 04:32:26 EST
Xref: g2news2.google.com rec.radio.amateur.antenna:22036
rec.radio.amateur.equipment:7275 rec.radio.amateur.policy:55726
rec.radio.shortwave:60052 rec.radio.swap:10289


"Slow Code" <my.mail@no.spam> wrote in message
news:hjLah.4145$tM1.1849@newsread1.news.pas.earthlink.net...
> "JOHN D" <jawnd393one@yahoo.com> wrote in
> news:evJ9h.6046$IW2.4244@trndny03:
>
> >
> > Why am I wasteing my time brushing up on radio & electronic theory and
> > studying schematics when, apparantly, all I need is better cw skills to
> > enable me to fix my radios.
>
>
> You need both to be a well balance operator.  If you're willing and
> motivated enough to be able to learn and communicate with CW, you're also
> more likely to be motivated to advance yourself technically in other areas
> of radio as well.  You won't be one of those unmotivated no-code appliance
> operators you hear on repeaters who spend their days kerchunking all the
> machines in the area.
>
> SC

 I guess my 2m in the car qualifies as an appliance radio. My HF radios are
mostly all old tube type. Real radios have a warm glow. I came upon a
bargain that I couldn't pass up on a Yaesu FT-901. I'm still trying to
decide if it's too new for me. I still practice with code tapes but I ain't
getting much better but, I'm proud of my 5 wpm extra class licence.
John




From 5218104345542784616
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Nov 2006 06:11:52 -0600
Date: Tue, 28 Nov 2006 07:11:53 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: kookathon
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
<qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
<092nm21e0l03abee9dv7jke6knp13c8mm3@4ax.com>
In-Reply-To: <092nm21e0l03abee9dv7jke6knp13c8mm3@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <-uydnafrVP0VuvHYnZ2dnUVZ_t2dnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-
C1flFqJ7hz5GucSrT2HQYg6zWYJU64PMb0P2oWVknNndkT8yJuXsQ7JG6z1wrYpDUD0HwARFwmLjLr9!
wAUqXKZeBHt+5wUwJ0yfGpKYuvXAHNyQAT7UEfgTf7FGEK6bUykIOODE1xDnMSTMwcQdbMCgP2GM!
II84dxT4hiOE0L9dXJk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.cb:22795 rec.radio.swap:10290
rec.radio.amateur.policy:55729 rec.radio.amateur.equipment:7276

Gee!  When I look at the photo I read 80 to 15 meter amplifier in the title
block on the amplifier for auction # 220051930613.

That advertises it as an amateur band amplifier.

/s/ DD, W1MCE

Mark@kb9rqz.aprs wrote:

> On Tue, 28 Nov 2006 00:22:46 GMT, Slow Code <my.mail@no.spam> wrote:
>
>
>>"cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in
>>news:1164651522.698411.180000@n67g2000cwd.googlegroups.com:
>>
>>
>>>Three illegal cb amplifiers shot down:
>>>
>>> 300053874139, 220051519006, 130050641047
```

```
>>>
>>>And this one is next.
>>>
>>>220051930613
>>
>>
>>Thanks Buzz,  I  hope the FCC fines their sorry CB retard asses.
>
> get a life
>
>>SC
>
> http://kb9rqz.blogspot.com/
>
```

```
From -4653837763938727774
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Nov 2006 07:32:39 -0600
From: "Arny Krueger" <arnyk@hotpop.com>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
<KUKah.23771$lD6.17504@tornado.tampabay.rr.com>
<Pine.NEB.4.64.0611280009130.4122@panix2.panix.com>
Subject: Re: HP 3582A ?
Date: Tue, 28 Nov 2006 08:30:35 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <KYadnea7-vTqp_HYnZ2dnUVZ_t6dnZ2d@comcast.com>
Lines: 70
NNTP-Posting-Host: 71.227.115.95
X-Trace: sv3-zG1CM1PDeSMd7y8UzcewN7DMxaKAXWX8Gyx15TXywdX/ZYNcalwARurMFmUdl/
itEU6gP7G16Lg9Rs/!JPS4/
uOaBeefzWq+o7/+9rDFZrfomPK3FQOGcH2pCqmjhE2krL5a4p2GLmu4cHGu9Vw5n6sjxcYb!
DnECrPY6rQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.audio.pro:80165 rec.audio.opinion:56106 rec.audio.tech:15168 rec.radio.amateur.equipment:7277

"Straydog" <asd@panix.com> wrote in message
news:Pine.NEB.4.64.0611280009130.4122@panix2.panix.com

>> *If* the thing under test is amenable to it, there's
>> little or no hope of improving on a PC soundcard

> Are you talking about any PC _sound_card?

Let's put it this way. A lot of good audio development and test was done with equipment such as the HP 333/334. Conventional wisdom is that if you can't measure it with a 333, you can't hear it either. A 333 pretty well ran out of gas around 0.02% THD. IOW if you hooked a perfect signal source up to a 333 and nulled it carefully, that would be a good residual. The residual THD of a typical Realtek audio interface on a modern motherboard is less than that.

> and Matlab as a combo. Might
>> need a breadboard to adapt the signals, but if it's in
>> range, it'll outrun just about anything for the money.

All you need is a a modern PC and a freeware audio testing program - RMA55.

> A PC _sound_card? Meant for _audio_ frequency ranges?

Unh huh.

> Like single diget Hz to 20-30 kHz?

Well up to 20 KHz or so.

> You think I'd rather
> have that than a decent DC to RF (X mHz) oscilloscope 10
> v/div down to 1-10 mv/div sensitivity?

Try verifying the specs of a $39.95 DVD players audio outputs with a scope.

In the real world of general purpose troubleshooting and development you would ideally have both.

> And, can measure DC.

That's what voltmeters are for, chum.

> Maybe if you want to do some FFT or other DSP on an
> audio signal you can have the soundcard.

You seem to be seeing the light.

> I'll pick the dedicated gear with specs that fit the ap.

Of course.

>> You're assuming you can trust the test equipment.
>> Sometimes, you can't....

> You mean you don't need to _assume_ the soundcard is
> working or you don't need to worry about sw bugs or
> invalid process or tollerances or other spec-dependent
> limitations? So, if the computer says "X" then it is
> absolutely true, valid, straight from the horses mouth?

Measurements are what they are. Their utility is always in the interpretation.

> No ands, ifs, or buts? Do you know what the term
> "parasitic" means as it applies to chips?

It means, "Where is my dual-trace scope?"

```
From 8328812660113822110
X-Google-Thread: 108122,16940206bb65ae3c
X-Google-Thread: 10bf43,16940206bb65ae3c
X-Google-Thread: fa029,16940206bb65ae3c
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Nov 2006 08:31:11 -0600
Date: Tue, 28 Nov 2006 09:31:11 -0500
From: Old Time Ham <old_fart@curmudgeons.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: Readings on Reasons to Boycott Wal-Mart
References: <1164575311.838042.183860@45g2000cws.googlegroups.com>
<14254-456A791E-1822@storefull-3252.bay.webtv.net>
<MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
In-Reply-To: <MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com>
```

```
Lines: 17
NNTP-Posting-Host: 68.37.243.231
X-Trace:
sv3-3FEl05MZAqmOqazerp0J2e0GDoPrpxnMOlx1lX8bDxaK3Ht5vGmQPLGSPr0GMQ5GXvHPmf4Cpg0pXE
G!sQPlBxfqModqsAivXk5mkpNOx2Z0UAmEBq7VvBugjhIyA/jGCSTg80xzJX+9SY81C2bS16TKTPFe!
oUxF59nlftVIijFF2i93
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7278
rec.radio.amateur.policy:55732 rec.radio.scanner:8105 rec.radio.shortwave:60058
rec.radio.swap:10291

Slow Code wrote:
> cuhulin@webtv.net wrote in
> news:14254-456A791E-1822@storefull-3252.bay.webtv.net:
>
>> Maybe I should stop shopping at Wal Mart.I can do my food shopping at
>> the Piggly Wiggly food store at Westland Plaza,one and a half miles East
>> behind doggy's couch.As for other thingys,there is Metocenter Mall just
>> across Highway 80 from me and lots of all kinds of other stores near me.
>> cuhulin
>
>
> Do shop somewhere else because if you shop at Walmart you're supporting
> Fags.
>
> SC
>
Just as bad, or worse, is TARGET. Not only fags, but FRENCH fags!


From 5366870916999590399
X-Google-Thread: 108122,a7963c4f8bc06da4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "Alex" <samalex@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Classic Computer for a Ham Shack
Date: 28 Nov 2006 07:25:10 -0800
Organization: http://groups.google.com
Lines: 46
Message-ID: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 65.172.176.71
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164727514 29887 127.0.0.1 (28 Nov 2006 15:25:14 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Tue, 28 Nov 2006 15:25:14 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 HBMCFTP:8080 (Squid/2.4.STABLE6)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=65.172.176.71;
   posting-account=PkcClwwAAAC0eY1Ot-MeZ6ruZNHF8oqb
Xref: g2news2.google.com rec.radio.amateur.equipment:7279
```

Hey Guys,

I'm a new ham radio operator, but I've been working with computers for most of my life. I'm now in the process of setting-up my first 'ham shack', and instead of going with the latest and greatest, I hope to employee several classic computers to help me along. I have quite a collection in my closet I plan on pulling out, but I'd like opinions of others on what they would use in such a situation.

First, I do want to connect my radio to the computer, and many of the technologies used by ham radio operators, like slow scan TV, packet radio, etc, can be used on most of the classic computers in some form or fashion. This I don't think I'll have a problem, no matter which systemI go with.

One of the main things I do want to do is have the computer on my home network. I don't need a web browser or even a GUI interface... the main thing I would really need is Telnet and FTP. I also want something with a word processor and spreadsheet program -- even Visicalc would be nice to use.

And finally I want something fun.. which is the entire point of this venture :) I know some older computers still have huge repositories of software online, and whether it's a game or neat utility, I'd love to setup a classic computer I can really use and have fun with while in my 'ham shack'.

Here's a list of computers I have around me now:
Tandy Color Computer 2
Tandy Color Computer 3 (128K model)
Commodore Amiga 500
Apple II (original, not PLUS)
Mac Classic

And though I don't currently own one, I'm looking at getting a Commodore 128 as well, either from a friend of possibly from ebay.

Anyway, just curious what others would choose if you had to pick a computer or even a couple of older computers to use again. Also if there's any ham operators out there with experience with older systems, I'd love some feedback!

Take care, and thanks in advance for any ideas.

Alex

```
From 985561092364214624
X-Google-Thread: fc8b1,e2c73badc269f5da,start
X-Google-Thread: 108122,e2c73badc269f5da,start
X-Google-Thread: 106d41,e2c73badc269f5da,start
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: FA: Icom IC-701 & Kenwood TS-520 DC CABLE ASSY's>NEW
Date: 28 Nov 2006 07:48:34 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1164728914.517918.150530@j44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164728919 806 127.0.0.1 (28 Nov 2006 15:48:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Nov 2006 15:48:39 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6493
rec.radio.amateur.equipment:7280 rec.radio.cb:22799
```

Both are listed here and only at $9.99>
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

```
From 7984875160787907723
X-Google-Thread: fc8b1,96d2408a31b5e821,start
X-Google-Thread: 108122,96d2408a31b5e821,start
X-Google-Thread: 106d41,96d2408a31b5e821,start
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: FA: Brand-new STAINLESS "CINCH" TUBE SHIELDS & SOCKETS @$10
Date: 28 Nov 2006 07:51:44 -0800
Organization: http://groups.google.com
```

```
Lines: 3
Message-ID: <1164729104.920384.292470@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164729108 1370 127.0.0.1 (28 Nov 2006 15:51:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Nov 2006 15:51:48 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6494
rec.radio.amateur.equipment:7281 rec.radio.cb:22800
```

All USA Made, 4 actual listings, none over $10.
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

```
From -5110323007845662990
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!KNOLOGY.NET-a2kHrUvQQWlmc!not-for-mail
From: "amdx" <amdx@knology.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
Subject: Re: Lets be RUDE and INSULT each OTHER for a change
Date: Tue, 28 Nov 2006 12:52:34 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <1105c$456c8572$45011502$2981@KNOLOGY.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 67
X-Trace: 1105c456c8572e0a4b0a702981
Xref: g2news2.google.com rec.radio.amateur.equipment:7282
```

```
rec.radio.amateur.policy:55736 rec.radio.amateur.antenna:22051
rec.radio.swap:10295


"Slow Code" <my.mail@no.spam> wrote in message
news:ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net...
> "amdx" <amdx@knology.net> wrote in
> news:da011$45664c05$45011502$16738@KNOLOGY.NET:
>
>>
>> "Charlie" <charlie@ease.biz> wrote in message
>> news:12mc2o9nfu05s32@corp.supernews.com...
>>> Enough IS enough children!! You all are acting like babies!
>>>
>>> Please people..let's let the Spirit of the Holidays prevail in our
>>> hearts.
>>>
>>> --
>>>
>>> 73,Charlie-AD5TH (20 wpm Extra - 1995)
>>> www.ad5th.com
>>>
>>>
>>  Well, uh, uh, slow code started it!
>
>
> I most certainly did not start it.  I'm the nicest person on usenet.
>
> I'm here to help guide and motive people on how they can make themselves
> better radio amateurs, unfortunately, some of those I'm trying to help
> prefer to be stupid and lazy, and they flame people that try to help them
> and they are down right rude. You can see the no-code license was a bad
> idea, we need to require all hams pass a code test to bring intelligence
> and civility back to ham radio and the repeaters.  I prefer getting the
> code requirement back up to somewhere between 13 and 20 wpm for all hams.
>
> SC
  Hi Slow Code,
  I don't normally open your posts ( didn't note the sender this time) so I
don't
know if your the nicest person on usenet or a jerk. I do know that your
posts
seem to turn into arguments about personalities and disrupt the flow of
helpful
info that can pass on rec.radio.amateur.antenna.
  I think this newsgroup is dying a slow death and suspect many are leaving
because
of drivel such as yours. I know I have contemplated dropping
rec.radio.amateur.antenna
off of my list, there is just to much on the net to put up with much
garbage.

>>You can see the no-code license was a bad idea, we need to require all
```

>>hams pass a
>>code test to bring intelligence and civility back to ham radio and the
>>repeaters.

I have been listening to the hams bands for years and noted plenty of room for
intelligence and civility, I don't think no-code has added in more room.
The biggest problem I have noted is intentional interference on polite roundtable
conversation.
Hmm! That seems to be what you do, only you do it on multiple frequencies
(newsgroups) at the same time.
Mike

```
From -6900005620077452906
X-Google-Thread: 108122,2cdaa0f37499789e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "K1LTJ" <apmatthews@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TH-F6 Swollen Battery
Date: 28 Nov 2006 11:48:26 -0800
Organization: http://groups.google.com
Lines: 52
Message-ID: <1164743306.756812.207060@h54g2000cwb.googlegroups.com>
References: <1164345053.144374.169550@h54g2000cwb.googlegroups.com>
   <PMGdnQRlaPXCqPrYnZ2dnUVZ_sydnZ2d@comcast.com>
   <m-474D80.17105225112006@news.verizon.net>
   <05lhm2hvhrvdi876ao0pr2dna4m0tbafrq@4ax.com>
NNTP-Posting-Host: 208.230.123.33
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164743312 2330 127.0.0.1 (28 Nov 2006 19:48:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Nov 2006 19:48:32 +0000 (UTC)
In-Reply-To: <05lhm2hvhrvdi876ao0pr2dna4m0tbafrq@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 4.0; T312461;
Maxthon; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=208.230.123.33;
   posting-account=GN3y0gwAAAAHZIq7vNOfZALf4FKC-ST_
Xref: g2news2.google.com rec.radio.amateur.equipment:7283
```

Roger wrote:

> On Sat, 25 Nov 2006 22:10:53 GMT, ml <m@di.net> wrote:
>
> >In article <PMGdnQRlaPXCqPrYnZ2dnUVZ_sydnZ2d@comcast.com>,
> > "w9gb" <spam_protect@arrl.net> wrote:
> >
> >> "K1LTJ" <apmatthews@comcast.net> wrote in message
> >> news:1164345053.144374.169550@h54g2000cwb.googlegroups.com...
> >> >I have a TH-F6 which I have had for about 2 1/2 years. It has been very
> >> > well treated, and care has been taken to treat the battery properly. I
> >> > noticed that the battery would no longer hold a charge. I tried to
> >> > remove the battery, and it was extremely difficult. It turns out that
> >> > the battery was slightly swollen, and pressing against the HT case.
> >> > LI-ion batteries trouble me a bit. I have seen some explosions and
> >> > fires in RC aircraft using them. I wonder if anyone else has had a
> >> > similar problem with the PB-42L stock battery with the TH-F6?
> >> >
> >> > Al / K1LTJ
> >> >
> >>
> >> I would replace the battery and check your charging system (not over
> >> charging)
> >>
> >> w9gb
> >
> >be sure to dispose the battery they can explode w/o warning
>
> If it won't take a charge it's probably past that danger point, but
> OTOH was probably close to it about the time the swelling ocurred.
> <:-))
>
>
> >
> >swelling is a danger sign
> Roger Halstead (K8RI & ARRL life member)
> (N833R, S# CD-2 Worlds oldest Debonair)
> www.rogerhalstead.com

Thank for the comments Roger. Yes, the first thing I did was dispose of
the battery. I have only used the stock wall wart charger with the
TH-F6. I checked the output voltage of the wall wart, and it was fine.
If I hadn't tried to remove the battery, I might not have been aware
there was a problem. I put this post here, in part, to make others
aware that there might be a problem here. It might be a good idea to
remove the battery, and check it from time to time. Li batteries make
me a bit nervous, and I was concerned when I found this problem, and
thought it would be a good idea to make this post.

Thanks
Al / K1LTJ

From 7131319680589062855

```
X-Google-Thread: 108122,a7963c4f8bc06da4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Nov 2006 17:35:15 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1164727510.256694.183240@h54g2000cwb.googlegroups.com>
Subject: Re: Classic Computer for a Ham Shack
Date: Tue, 28 Nov 2006 18:35:05 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <4YWdncRK1M0uWvHYnZ2dnUVZ_t6dnZ2d@comcast.com>
Lines: 68
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-fuQLKAEJu7kDsomD/5YJgXF4aAeJ1TYvD4V/
hPs00lxCbJcA7XIVj2+P3bUnCLwO+2vS2tJHgWF5P2g!CJ8m8J/
gOxzgKnOsma67AJtUjQGOAVONRiivM6hVUTLR1sLb1NkXzrb7dHnai+xknceZXTWaChex!
KWWn7qqHVexwEhA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7284
```

"Alex" <samalex@gmail.com> wrote in message
news:1164727510.256694.183240@h54g2000cwb.googlegroups.com...

> Hey Guys,
>
> I'm a new ham radio operator, but I've been working with computers for
> most of my life. I'm now in the process of setting-up my first 'ham
> shack', and instead of going with the latest and greatest, I hope to
> employee several classic computers to help me along. I have quite a
> collection in my closet I plan on pulling out, but I'd like opinions of
> others on what they would use in such a situation.
>
> First, I do want to connect my radio to the computer, and many of the
> technologies used by ham radio operators, like slow scan TV, packet
> radio, etc, can be used on most of the classic computers in some form
> or fashion. This I don't think I'll have a problem, no matter which
> systemI go with.
>
> One of the main things I do want to do is have the computer on my home
> network. I don't need a web browser or even a GUI interface... the
> main thing I would really need is Telnet and FTP. I also want

> something with a word processor and spreadsheet program -- even
> Visicalc would be nice to use.
>
> And finally I want something fun.. which is the entire point of this
> venture :) I know some older computers still have huge repositories of
> software online, and whether it's a game or neat utility, I'd love to
> setup a classic computer I can really use and have fun with while in my
> 'ham shack'.
>
> Here's a list of computers I have around me now:
> Tandy Color Computer 2
> Tandy Color Computer 3 (128K model)
> Commodore Amiga 500
> Apple II (original, not PLUS)
> Mac Classic
>
> And though I don't currently own one, I'm looking at getting a
> Commodore 128 as well, either from a friend of possibly from ebay.
>
> Anyway, just curious what others would choose if you had to pick a
> computer or even a couple of older computers to use again. Also if
> there's any ham operators out there with experience with older systems,
> I'd love some feedback!
>
> Take care, and thanks in advance for any ideas.
>
> Alex
>

With almost all of the ones you mention, you would probably have to buy a Multi-Mode Controller to run any of the digital modes as several of them do not have sound cards. In some cases, you would have to home brew a connection cable as I believe some of them have non-standard serial ports. Any terminal program will then suffice to run the multi-mode controller. However, Multi-Mode Controllers are rather expensive and it might be wiser to simply invest in a new computer with a sound card (which may very well cost substantially less than the multi-mode controller).

Software for computers this old is almost unobtainable even via the internet. I loved the Tandy Color Computer series (had the original, then the 2 and finally the 3). But I got rid of them when the technology moved substantially past them. Loading programs from floppies or cassettes just doesn't cut it these days (no hard drive for most of these).

Dee, N8UZE

From -3815956070313422330
X-Google-Thread: fc8b1,96d2408a31b5e821
X-Google-Thread: 108122,96d2408a31b5e821
X-Google-Thread: 106d41,96d2408a31b5e821

```
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!16g2000cwy.googlegroups.com!not-for-
mail
From: "cmdr buzz corey" <cmdr-buzz-corey@mailcity.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: FA: Brand-new STAINLESS "CINCH" TUBE SHIELDS & SOCKETS @$10
Date: 28 Nov 2006 16:13:10 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1164759190.273185.30750@16g2000cwy.googlegroups.com>
References: <1164729104.920384.292470@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 70.58.184.237
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164759196 5045 127.0.0.1 (29 Nov 2006 00:13:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 29 Nov 2006 00:13:16 +0000 (UTC)
In-Reply-To: <1164729104.920384.292470@h54g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 16g2000cwy.googlegroups.com; posting-host=70.58.184.237;
   posting-account=ANMgdQ0AAAA_X09SagkYnptM5IJu1UIz
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6496
rec.radio.amateur.equipment:7285 rec.radio.cb:22809
```

Richie wrote:
> All USA Made, 4 actual listings, none over $10.
> http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

These are not stainless steel. They are plated.

```
From 8624842638235361577
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!80g2000cwy.googlegroups.com!not-for-
mail
From: "cmdr buzz corey" <cmdr-buzz-corey@mailcity.com>
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: kookathon
Date: 28 Nov 2006 20:12:09 -0800
Organization: http://groups.google.com
Lines: 9
```

```
Message-ID: <1164773529.465292.176990@80g2000cwy.googlegroups.com>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
   <qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
   <092nm21e0l03abee9dv7jke6knp13c8mm3@4ax.com>
   <-uydnafrVP0VuvHYnZ2dnUVZ_t2dnZ2d@comcast.com>
NNTP-Posting-Host: 70.58.184.237
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164773535 8022 127.0.0.1 (29 Nov 2006 04:12:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 29 Nov 2006 04:12:15 +0000 (UTC)
In-Reply-To: <-uydnafrVP0VuvHYnZ2dnUVZ_t2dnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 80g2000cwy.googlegroups.com; posting-host=70.58.184.237;
   posting-account=ANMgdQ0AAAA_X09SagkYnptM5IJu1UIz
Xref: g2news2.google.com rec.radio.cb:22819 rec.radio.swap:10304
rec.radio.amateur.policy:55761 rec.radio.amateur.equipment:7286
```

Dave wrote:

> Gee! When I look at the photo I read 80 to 15 meter amplifier in the title
> block on the amplifier for auction # 220051930613.
>
> That advertises it as an amateur band amplifier.

Nope, advertised plain as day as a cb amplifier.

```
From -4915553442906046626
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 10f7a7,7ec45813fcf11a5,start
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid10f7a7,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "I PUNCE" <markpunce@yahoo.com>
Newsgroups:
rec.radio.cb,alt.usenet.kooks,rec.radio.swap,rec.radio.amateur.policy,rec.radio.am
ateur.equipment
Subject: Re: kookathon
Date: 28 Nov 2006 21:58:01 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1164779880.911146.273810@h54g2000cwb.googlegroups.com>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
   <qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
   <092nm21e0l03abee9dv7jke6knp13c8mm3@4ax.com>
   <-uydnafrVP0VuvHYnZ2dnUVZ_t2dnZ2d@comcast.com>
   <1164773529.465292.176990@80g2000cwy.googlegroups.com>
NNTP-Posting-Host: 205.188.116.200
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164779886 23306 127.0.0.1 (29 Nov 2006 05:58:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 29 Nov 2006 05:58:06 +0000 (UTC)
In-Reply-To: <1164773529.465292.176990@80g2000cwy.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1;
yie6),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScHs f p eN:t cCUp s ]), HTTP/1.1 Turboweb
[dtc-tb024 8.4.1], HTTP/1.1 cache-dtc-ad06.proxy.aol.com[CDBC74C8] (Traffic-
Server/6.1.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=205.188.116.200;
   posting-account=bZxC7w0AAACLQ3SNsCY-6JhHg9HUE_bg
Xref: g2news2.google.com rec.radio.cb:22830 alt.usenet.kooks:274857
rec.radio.swap:10305 rec.radio.amateur.policy:55771
rec.radio.amateur.equipment:7287


cmdr buzz corey wrote:
> Dave wrote:
> > Gee!  When I look at the photo I read 80 to 15 meter amplifier in the title
> > block on the amplifier for auction # 220051930613.
> >
> > That advertises it as an amateur band amplifier.
>
> Nope, advertised plain as day as a cb amplifier.

I PUNCE




From -952406142761755372
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 10f7a7,7ec45813fcf11a5
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid10f7a7,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l12g2000cwl.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.cb,alt.usenet.kooks,rec.radio.swap,rec.radio.amateur.policy,rec.radio.am
ateur.equipment
Subject: Re: kookathon
Followup-To: ,alt.usenet.kooks,
Date: 28 Nov 2006 21:59:25 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1164779965.732337.124340@l12g2000cwl.googlegroups.com>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
   <qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
   <092nm21e0l03abee9dv7jke6knp13c8mm3@4ax.com>
   <-uydnafrVP0VuvHYnZ2dnUVZ_t2dnZ2d@comcast.com>
   <1164773529.465292.176990@80g2000cwy.googlegroups.com>
   <1164779880.911146.273810@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164779970 23442 127.0.0.1 (29 Nov 2006 05:59:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 29 Nov 2006 05:59:30 +0000 (UTC)
In-Reply-To: <1164779880.911146.273810@h54g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l12g2000cwl.googlegroups.com; posting-host=66.82.9.90;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.cb:22832 alt.usenet.kooks:274858
rec.radio.swap:10306 rec.radio.amateur.policy:55773
rec.radio.amateur.equipment:7288
```

I PUNCE wrote:

> cmdr buzz corey wrote:
> > Dave wrote:
> > > Gee! When I look at the photo I read 80 to 15 meter amplifier in the title
> > > block on the amplifier for auction # 220051930613.
> > >
> > > That advertises it as an amateur band amplifier.
> >
> > Nope, advertised plain as day as a cb amplifier.
>
> I PUNCE

no you dunce

```
From -5003265747904283726
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
```

NNTP-Posting-Date: Wed, 29 Nov 2006 06:58:09 -0600
Date: Wed, 29 Nov 2006 07:58:11 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: kookathon
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
<qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
<092nm21e0l03abee9dv7jke6knp13c8mm3@4ax.com> <-
uydnafrVP0VuvHYnZ2dnUVZ_t2dnZ2d@comcast.com>
<1164773529.465292.176990@80g2000cwy.googlegroups.com>
In-Reply-To: <1164773529.465292.176990@80g2000cwy.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <nsqdnWMBlch8HvDYnZ2dnUVZ_s6dnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-
sDHbHaVJcdKxsBgWapNcP+GzW8Zp9RJDAChOnl1Gb2MkKksbAJz8hk9fA2IbGedfDRoGZ8Szti4Piac!
8gGQzredHPPNbqEf3ULoXQZnlX6ioMFPmwBICH5oCtV47RXvDVm6E7qN+lMDZyJlS+ip08PemrSX!
CNFNG51uhxyKbOkN4QA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.cb:22850 rec.radio.swap:10307
rec.radio.amateur.policy:55811 rec.radio.amateur.equipment:7289

cmdr buzz corey wrote:

> Dave wrote:
>
>>Gee! When I look at the photo I read 80 to 15 meter amplifier in the title
>>block on the amplifier for auction # 220051930613.
>>
>>That advertises it as an amateur band amplifier.
>
>
> Nope, advertised plain as day as a cb amplifier.
>

Nope! Look at the photo of the front of the amplifier. The manufacturer clearly
states "80-15 Meters"

The seller has misrepresented the product :-)

Now! Go look at this one "160057649761"

From -7485440418180574721
X-Google-Thread: 108122,16940206bb65ae3c
X-Google-Thread: 10bf43,16940206bb65ae3c
X-Google-Thread: fa029,16940206bb65ae3c
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.net.POSTED!1133983c!not-for-
mail
From: "L Ron Hubbub" <thebigone@cos.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
References: <1164575311.838042.183860@45g2000cws.googlegroups.com>
<14254-456A791E-1822@storefull-3252.bay.webtv.net>
<MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
<tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com>
Subject: Re: Rea ding son Rea sons to Boytoy Wal-Mart
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <s7hbh.7378$yf7.1367@newssvr21.news.prodigy.net>
NNTP-Posting-Host: 68.76.95.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.net 1164811864 ST000 68.76.95.6 (Wed, 29 Nov 2006
09:51:04 EST)
NNTP-Posting-Date: Wed, 29 Nov 2006 09:51:04 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDCA[S@IBUTXBBNFO_\CUSXB@DTMNHWB_EYLJZ]BGIELNVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Wed, 29 Nov 2006 14:51:04 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7290
rec.radio.amateur.policy:55813 rec.radio.scanner:8111 rec.radio.shortwave:60117
rec.radio.swap:10308

>Not only fags, but FRENCH fags!

You mean John Kerry and his lovely wife monster ?

From 7926718659104968236
X-Google-Thread: 108122,43b132c7d5fae7e4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!tethys.csu.net!nntp.csufresno.edu!news.tamu.edu!news.smu.edu!news.ti.com!not-for-mail
From: "Ted Mahler" <ted_mahler@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Nems Clark FIM
Date: Wed, 29 Nov 2006 12:37:22 -0600
Organization: Texas Instruments
Lines: 9
Message-ID: <ekkk12$t3s$1@home.itg.ti.com>
Reply-To: "Ted Mahler" <ted_mahler@hotmail.com>
NNTP-Posting-Host: cna0455928.sh.sc.ti.com
X-Trace: home.itg.ti.com 1164825442 29820 158.218.196.174 (29 Nov 2006 18:37:22 GMT)
X-Complaints-To: usenet@news.ti.com
NNTP-Posting-Date: 29 Nov 2006 18:37:22 GMT
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Xref: g2news2.google.com rec.radio.amateur.equipment:7291

I have acquired a Nems Clarke Field Intensity Meter and cannot located much, heck , any information on this particular model. It looks similar to the 120-E but this one is all transistorized. Technology looks to be late 60's or early 70's. Does anyone know ANYTHING about this unit? Google has let me down and I cannot locate a picture, a instruction book, or a description.

Ted Mahler

From 2517410115873279284
X-Google-Thread: 108122,16940206bb65ae3c
X-Google-Thread: 10bf43,16940206bb65ae3c
X-Google-Thread: fa029,16940206bb65ae3c
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 29 Nov 2006 17:37:17 -0600
Date: Wed, 29 Nov 2006 18:37:19 -0500

From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: Rea ding son Rea sons to Boytoy Wal-Mart
References: <1164575311.838042.183860@45g2000cws.googlegroups.com>
<14254-456A791E-1822@storefull-3252.bay.webtv.net>
<MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
<tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com>
<s7hbh.7378$yf7.1367@newssvr21.news.prodigy.net>
In-Reply-To: <s7hbh.7378$yf7.1367@newssvr21.news.prodigy.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <EIudnZc4zdkwhPPYnZ2dnUVZ_uadnZ2d@comcast.com>
Lines: 16
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-kmb/JQ/KLuMuHaiyyalp8xtNocZfEnHwAC5XGK6wwC1Myeo/
LbCXPxtU0FB4aJJBIZoulD0ths3Z1pA!
E66tbjogWGX3LC72VK4Cxvns4eaGIS1nl4H83pitqou5asOqLFlZ8TzA4bnNXgwRZLSJuacxRMic!
0sqXNqfsAY2yWohlWSQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7292
rec.radio.amateur.policy:55987 rec.radio.scanner:8115 rec.radio.shortwave:60180
rec.radio.swap:10319

L Ron Hubbub wrote:

>>Not only fags, but FRENCH fags!
>
>
> You mean John Kerry and his lovely wife monster ?
>
>

Senator Kerry's wife is NOT FRENCH!!

She is African-American [really]!!

Senator Kerry has a real problem. He is a Liberal Democrat from the Peoples Socialist Republic of Massachusetts.

From -5623526863898047029

```
X-Google-Thread: 108122,43b132c7d5fae7e4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!14g2000cws.googlegroups.com!not-for-mail
From: "Bret Ludwig" <bretldwig@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Nems Clark FIM
Date: 29 Nov 2006 16:09:53 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1164845393.002165.204690@14g2000cws.googlegroups.com>
References: <ekkk12$t3s$1@home.itg.ti.com>
NNTP-Posting-Host: 70.245.116.86
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164845399 15896 127.0.0.1 (30 Nov 2006 00:09:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Nov 2006 00:09:59 +0000 (UTC)
In-Reply-To: <ekkk12$t3s$1@home.itg.ti.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US; rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 14g2000cws.googlegroups.com; posting-host=70.245.116.86;
   posting-account=28uu9A0AAADjRqxxBAS4nBG7PyX9WhKJ
Xref: g2news2.google.com rec.radio.amateur.equipment:7293
```

Ted Mahler wrote:

> I have acquired a Nems Clarke Field Intensity Meter and cannot located much,
> heck , any information on this particular model. It looks similar to the
> 120-E but this one is all transistorized. Technology looks to be late 60's
> or early 70's. Does anyone know ANYTHING about this unit? Google has let me
> down and I cannot locate a picture, a instruction book, or a description.
>
>

Is it a broadcast model or one for lab use? Nems-Clark bought out the
RCA models and I think Potomac acquired those from there.

```
From 4501794242434718663
X-Google-Thread: 108122,43b132c7d5fae7e4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!4d609cba!not-for-mail
From: "Ted Mahler" <ted_mahler@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <ekkk12$t3s$1@home.itg.ti.com>
```

```
<1164845393.002165.204690@14g2000cws.googlegroups.com>
Subject: Re: Nems Clark FIM
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <wqqbh.20381$yV.11607@trnddc07>
Date: Thu, 30 Nov 2006 01:25:48 GMT
NNTP-Posting-Host: 71.96.172.55
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1164849948 71.96.172.55 (Wed, 29 Nov 2006 20:25:48 EST)
NNTP-Posting-Date: Wed, 29 Nov 2006 20:25:48 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7294

I am not sure how to tell. It is a portable unit (has a handle) and has a
place to put it on a tripod. Its lid folds upright and has the antenna in
it. I believe it was for going into the field and recording signal strength.

Ted

"Bret Ludwig" <bretldwig@yahoo.com> wrote in message
news:1164845393.002165.204690@14g2000cws.googlegroups.com...
>
> Ted Mahler wrote:
>> I have acquired a Nems Clarke Field Intensity Meter and cannot located
>> much,
>> heck , any information on this particular model. It looks similar to the
>> 120-E but this one is all transistorized. Technology looks to be late
>> 60's
>> or early 70's. Does anyone know ANYTHING about this unit? Google has let
>> me
>> down and I cannot locate a picture, a instruction book, or a description.
>>
>>
>
> Is it a broadcast model or one for lab use? Nems-Clark bought out the
> RCA models and I think Potomac acquired those from there.
>




From -2994068368143896918
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
```

```
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
From: Slow Code <my.mail@no.spam>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
<evJ9h.6046$IW2.4244@trndny03>
<hjLah.4145$tM1.1849@newsread1.news.pas.earthlink.net>
<KmTah.10681$d42.1104@trndny07>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 38
Message-ID: <Mtqbh.5487$1s6.1959@newsread2.news.pas.earthlink.net>
Date: Thu, 30 Nov 2006 01:29:16 GMT
NNTP-Posting-Host: 4.230.66.141
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1164850156 4.230.66.141 (Wed, 29 Nov
2006 17:29:16 PST)
NNTP-Posting-Date: Wed, 29 Nov 2006 17:29:16 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22133
rec.radio.amateur.equipment:7295 rec.radio.amateur.policy:55994
rec.radio.shortwave:60184 rec.radio.swap:10320

"JOHN D" <jawnd393one@yahoo.com> wrote in
news:KmTah.10681$d42.1104@trndny07:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:hjLah.4145$tM1.1849@newsread1.news.pas.earthlink.net...
>> "JOHN D" <jawnd393one@yahoo.com> wrote in
>> news:evJ9h.6046$IW2.4244@trndny03:
>>
>> >
>> > Why am I wasteing my time brushing up on radio & electronic theory
>> > and studying schematics when, apparantly, all I need is better cw
>> > skills to enable me to fix my radios.
>>
>>
>> You need both to be a well balance operator.  If you're willing and
>> motivated enough to be able to learn and communicate with CW, you're
>> also more likely to be motivated to advance yourself technically in
>> other areas of radio as well.  You won't be one of those unmotivated
>> no-code appliance operators you hear on repeaters who spend their days
>> kerchunking all the machines in the area.
>>
>> SC
>
>  I guess my 2m in the car qualifies as an appliance radio. My HF radios
>  are
```

> mostly all old tube type. Real radios have a warm glow. I came upon a
> bargain that I couldn't pass up on a Yaesu FT-901. I'm still trying to
> decide if it's too new for me. I still practice with code tapes but I
> ain't getting much better but, I'm proud of my 5 wpm extra class
> licence. John

It says Extra class on your paper, but it's not a Real Extra class
license. They quit issuing those after restructuring. What you
got is a Welfare hand-out Extra.

SC

From 4774170027232567410
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
From: Slow Code <my.mail@no.spam>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
<evJ9h.6046$IW2.4244@trndny03>
<hjLah.4145$tM1.1849@newsread1.news.pas.earthlink.net>
<afcqm25ht3m5fsrc3uug3tkfv3aioaiqu0@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 34
Message-ID: <Otqbh.5488$1s6.267@newsread2.news.pas.earthlink.net>
Date: Thu, 30 Nov 2006 01:29:18 GMT
NNTP-Posting-Host: 4.230.66.141
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1164850158 4.230.66.141 (Wed, 29 Nov
2006 17:29:18 PST)
NNTP-Posting-Date: Wed, 29 Nov 2006 17:29:18 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22134
rec.radio.amateur.equipment:7296 rec.radio.amateur.policy:55995
rec.radio.shortwave:60185 rec.radio.swap:10321

Fred Furlly wrote in news:afcqm25ht3m5fsrc3uug3tkfv3aioaiqu0@4ax.com:

> On Tue, 28 Nov 2006 00:22:37 GMT, Slow Code <my.mail@no.spam> wrote:

>
>>"JOHN D" <jawnd393one@yahoo.com> wrote in
>>news:evJ9h.6046$IW2.4244@trndny03:
>>
>>>
>>> Why am I wasteing my time brushing up on radio & electronic theory and
>>> studying schematics when, apparently, all I need is better cw skills
>>> to enable me to fix my radios.
>>
>>
>>You need both to be a well balance operator. If you're willing and
>>motivated enough to be able to learn and communicate with CW, you're
>>also more likely to be motivated to advance yourself technically in
>>other areas of radio as well. You won't be one of those unmotivated
>>no-code appliance operators you hear on repeaters who spend their days
>>kerchunking all the machines in the area.
>>
>>SC
>
>   You are SOOOOO Full of yourself SC!
>
>   You bet! Its a good thing to know Code, and darn right you are to
> be proud of Learning How to Code. . . But hey, wait a minute. . ..
> What the heck makes you now believe that just because YOU wanted it,
> and went out and learned how, that now EVERYBODY HAS TO LEARN IT TOO!?

You don't have to learn anything Fred. You can use FRS, Cell phones, and
11 meters.

SC

From 5345748334045573654
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.swap
Subject: Re: Lets be RUDE and INSULT each OTHER for a change
From: Slow Code <my.mail@no.spam>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
<ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
<1105c$456c8572$45011502$2981@KNOLOGY.NET>
Organization: None

User-Agent: Xnews/5.04.25
Lines: 76
Message-ID: <Wtqbh.5493$1s6.108@newsread2.news.pas.earthlink.net>
Date: Thu, 30 Nov 2006 01:29:26 GMT
NNTP-Posting-Host: 4.230.66.141
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1164850166 4.230.66.141 (Wed, 29 Nov 2006 17:29:26 PST)
NNTP-Posting-Date: Wed, 29 Nov 2006 17:29:26 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7297 rec.radio.amateur.policy:56000 rec.radio.amateur.antenna:22136 rec.radio.swap:10323

"amdx" <amdx@knology.net> wrote in
news:1105c$456c8572$45011502$2981@KNOLOGY.NET:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net...
>> "amdx" <amdx@knology.net> wrote in
>> news:da011$45664c05$45011502$16738@KNOLOGY.NET:
>>
>>>
>>> "Charlie" <charlie@ease.biz> wrote in message
>>> news:12mc2o9nfu05s32@corp.supernews.com...
>>>> Enough IS enough children!! You all are acting like babies!
>>>>
>>>> Please people..let's let the Spirit of the Holidays prevail in our
>>>> hearts.
>>>>
>>>> --
>>>>
>>>> 73,Charlie-AD5TH (20 wpm Extra - 1995)
>>>> www.ad5th.com
>>>>
>>>>
>>> Well, uh, uh, slow code started it!
>>
>>
>> I most certainly did not start it. I'm the nicest person on usenet.
>>
>> I'm here to help guide and motive people on how they can make
>> themselves better radio amateurs, unfortunately, some of those I'm
>> trying to help prefer to be stupid and lazy, and they flame people that
>> try to help them and they are down right rude. You can see the no-code
>> license was a bad idea, we need to require all hams pass a code test to
>> bring intelligence and civility back to ham radio and the repeaters. I
>> prefer getting the code requirement back up to somewhere between 13 and
>> 20 wpm for all hams.
>>
>> SC
>   Hi Slow Code,
>   I don't normally open your posts (didn't note the sender this time)

```
>   so I
> don't
> know if your the nicest person on usenet or a jerk. I do know that your
> posts
> seem to turn into arguments about personalities and disrupt the flow of
> helpful
> info that can pass on rec.radio.amateur.antenna.
>   I think this newsgroup is dying a slow death and suspect many are
>   leaving
> because
> of drivel such as yours. I know I have contemplated dropping
> rec.radio.amateur.antenna
> off of my list, there is just to much on the net to put up with much
> garbage.
>
>>>You can see the no-code license was a bad idea, we need to require all
>>>hams pass a
>>>code test to bring intelligence and civility back to ham radio and the
>>>repeaters.
>
>  I have been listening to the hams bands for years and noted plenty of
>  room
> for
> intelligence and civility, I don't think no-code has added in more room.
>   The biggest problem I have noted is intentional interference on polite
> roundtable
> conversation.
>     Hmm! That seems to be what you do, only you do it on multiple
> frequencies
> (newsgroups) at the same time.
>                                              Mike


No one will enjoy being a ham with the bands totally sound like 11 meters.

SC



From 1713565297356187139
X-Google-Thread: 108122,16940206bb65ae3c
X-Google-Thread: 10bf43,16940206bb65ae3c
X-Google-Thread: fa029,16940206bb65ae3c
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
```

Subject: Re: Readings on Reasons to Boycott Wal-Mart
From: Slow Code <my.mail@no.spam>
References: <1164575311.838042.183860@45g2000cws.googlegroups.com>
<14254-456A791E-1822@storefull-3252.bay.webtv.net>
<MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
<tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 53
Message-ID: <3uqbh.5498$1s6.5065@newsread2.news.pas.earthlink.net>
Date: Thu, 30 Nov 2006 01:29:35 GMT
NNTP-Posting-Host: 4.230.66.141
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1164850175 4.230.66.141 (Wed, 29 Nov 2006 17:29:35 PST)
NNTP-Posting-Date: Wed, 29 Nov 2006 17:29:35 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7298 rec.radio.amateur.policy:56003 rec.radio.scanner:8117 rec.radio.shortwave:60189 rec.radio.swap:10325

Old Time Ham <old_fart@curmudgeons.com> wrote in
news:tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com:

> Slow Code wrote:
>> cuhulin@webtv.net wrote in
>> news:14254-456A791E-1822@storefull-3252.bay.webtv.net:
>>
>>> Maybe I should stop shopping at Wal Mart.I can do my food shopping at
>>> the Piggly Wiggly food store at Westland Plaza,one and a half miles
>>> East behind doggy's couch.As for other thingys,there is Metocenter
>>> Mall just across Highway 80 from me and lots of all kinds of other
>>> stores near me. cuhulin
>>
>>
>> Do shop somewhere else because if you shop at Walmart you're supporting
>> Fags.
>>
>> SC
>>
> Just as bad, or worse, is TARGET. Not only fags, but FRENCH fags!

The History Of The Middle Finger

Well, now......here's something I never knew before, and now that I know it, I feel compelled to send it on to my more intelligent friends in the hope that they, too, will feel edified. Isn't history more fun when you know something about it?

Before the Battle of Agincourt in 1415, the French, anticipating victory over the English, proposed to cut off the middle finger of all captured

English soldiers. Without the middle finger it would be impossible to draw the renowned English longbow and therefore they would be incapable of fighting in the future. This famous English longbow was made of the native English Yew tree, and the act of drawing the longbow was known as "plucking the yew" (or "pluck yew").

Much to the bewilderment of the French, the English won a major upset and began mocking the French by waving their middle fingers at the defeated French, saying, See, we can still pluck yew!

Since 'pluck yew' is rather difficult to say, the difficult consonant cluster at the beginning has gradually changed to a labiodentals fricative F', and thus the words often used in conjunction with the one-finger-salute!

It is also because of the pheasant feathers on the arrows used with the longbow that the symbolic gesture is known as "giving the bird."

IT IS STILL AN APPROPRIATE SALUTE TO THE FRENCH TODAY!
And yew thought yew knew every plucking thing!

```
From 6044272782546208852
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-mail
From: "kb9rqz-3@hotmail.com" <kb9rqz-3@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.swap
Subject: kookathon
Date: 29 Nov 2006 17:35:16 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1164850516.549205.79940@j44g2000cwa.googlegroups.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
   <12mbhhhsf907rbf@corp.supernews.com>
   <pkk9h.6202$ya1.1099@news02.roc.ny>
   <I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
   <evJ9h.6046$IW2.4244@trndny03>
   <hjLah.4145$tM1.1849@newsread1.news.pas.earthlink.net>
   <KmTah.10681$d42.1104@trndny07>
   <Mtqbh.5487$1s6.1959@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.61
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164850522 8817 127.0.0.1 (30 Nov 2006 01:35:22 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Nov 2006 01:35:22 +0000 (UTC)
In-Reply-To: <Mtqbh.5487$1s6.1959@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=66.82.9.61;
   posting-account=vabA-g0AAAC3tggcfSrWfhO2dbMGKxv2
Xref: g2news2.google.com rec.radio.amateur.antenna:22139
rec.radio.amateur.equipment:7299 rec.radio.amateur.policy:56007
rec.radio.shortwave:60190 rec.radio.swap:10326



Slow Code wrote:
> "JOHN D" <jawnd393one@yahoo.com> wrote in
> news:KmTah.10681$d42.1104@trndny07:

> It says Extra class on your paper, but it's not a Real Extra class
> license. They quit issuing those after restructuring.  What you
> got is a Welfare hand-out Extra.

why do you hate the ARS?
>
> SC




From -6217656236144394521
X-Google-Thread: 108122,a00dc11ba0ce39c5
X-Google-Thread: 10bf43,a00dc11ba0ce39c5
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!16g2000cwy.googlegroups.com!not-for-
mail
From: "old freind" <kb9rqz-4@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: kookathon
Date: 29 Nov 2006 17:43:41 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1164851021.691927.219600@16g2000cwy.googlegroups.com>
References: <12mc2o9nfu05s32@corp.supernews.com>
   <da011$45664c05$45011502$16738@KNOLOGY.NET>
   <ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
   <1105c$456c8572$45011502$2981@KNOLOGY.NET>
   <Wtqbh.5493$1s6.108@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.61
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164851027 29039 127.0.0.1 (30 Nov 2006 01:43:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Nov 2006 01:43:47 +0000 (UTC)
In-Reply-To: <Wtqbh.5493$1s6.108@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 16g2000cwy.googlegroups.com; posting-host=66.82.9.61;
   posting-account=G85FXw0AAABf14c6VsBZuAM6H05SJRil
Xref: g2news2.google.com rec.radio.amateur.equipment:7300
rec.radio.amateur.policy:56012 rec.radio.amateur.antenna:22141
rec.radio.swap:10328

Slow Code wrote:
> "amdx" <amdx@knology.net> wrote in
> news:1105c$456c8572$45011502$2981@KNOLOGY.NET:
>

> > (newsgroups) at the same time.
> >                                              Mike
>
>
> No one will enjoy being a ham with the bands totally sound like 11 meters.

then you don't enoy ham radio right now give it up
>
> SC



From 5913274193489702191
X-Google-Thread: 108122,16940206bb65ae3c
X-Google-Thread: 10bf43,16940206bb65ae3c
X-Google-Thread: fa029,16940206bb65ae3c
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "old freind" <kb9rqz-4@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: crapthon this is beoynd mere kookery
Date: 29 Nov 2006 17:47:36 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1164851256.773107.300770@h54g2000cwb.googlegroups.com>
References: <1164575311.838042.183860@45g2000cws.googlegroups.com>
   <14254-456A791E-1822@storefull-3252.bay.webtv.net>
   <MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
   <tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com>
   <3uqbh.5498$1s6.5065@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.61
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164851262 29598 127.0.0.1 (30 Nov 2006 01:47:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Nov 2006 01:47:42 +0000 (UTC)
In-Reply-To: <3uqbh.5498$1s6.5065@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=66.82.9.61;
   posting-account=G85FXw0AAABf14c6VsBZuAM6H05SJRil
Xref: g2news2.google.com rec.radio.amateur.equipment:7301
rec.radio.amateur.policy:56015 rec.radio.scanner:8119 rec.radio.shortwave:60194
rec.radio.swap:10330


Slow Code wrote:
> Old Time Ham <old_fart@curmudgeons.com> wrote in
> news:tOudnTtttKyy1fHYnZ2dnUVZ_sqdnZ2d@comcast.com:
>
\
> The History Of The Middle Finger
>
>
> Well, now......here's something I never knew before, and now that I know


you are one those this conastanly drags down the nNGS this has no place
ina radio NG




From 2658132026811406111
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
<qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
Subject: Re: Killed illegal auctions
```

```
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <AVqbh.5882$_H5.3973@tornado.texas.rr.com>
Date: Thu, 30 Nov 2006 01:58:56 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1164851936 67.10.92.242 (Wed, 29 Nov 2006 19:58:56
CST)
NNTP-Posting-Date: Wed, 29 Nov 2006 19:58:56 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.cb:22921 rec.radio.swap:10331
rec.radio.amateur.policy:56017 rec.radio.amateur.equipment:7302


"Slow Code" <my.mail@no.spam> wrote in message
news:qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net...
> "cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in
> news:1164651522.698411.180000@n67g2000cwd.googlegroups.com:
>
>> Three illegal cb amplifiers shot down:
>>
>>  300053874139, 220051519006, 130050641047
>>
>> And this one is next.
>>
>> 220051930613
>
>
> Thanks Buzz,  I  hope the FCC fines their sorry CB retard asses.
>
> SC

Shutup, Stupid Chimp.





From 5095403799356149054
X-Google-Thread: fc8b1,96d2408a31b5e821
X-Google-Thread: 108122,96d2408a31b5e821
X-Google-Thread: 106d41,96d2408a31b5e821
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
References: <1164729104.920384.292470@h54g2000cwb.googlegroups.com>
```

```
<1164759190.273185.30750@16g2000cwy.googlegroups.com>
Subject: Re: FA: Brand-new STAINLESS "CINCH" TUBE SHIELDS & SOCKETS @$10
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <xZqbh.5887$_H5.4191@tornado.texas.rr.com>
Date: Thu, 30 Nov 2006 02:03:09 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1164852189 67.10.92.242 (Wed, 29 Nov 2006 20:03:09
CST)
NNTP-Posting-Date: Wed, 29 Nov 2006 20:03:09 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6509
rec.radio.amateur.equipment:7303 rec.radio.cb:22924


"cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in message
news:1164759190.273185.30750@16g2000cwy.googlegroups.com...
>
> Richie wrote:
>> All USA Made, 4 actual listings, none over $10.
>> http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom
>
> These are not stainless steel. They are plated.
>

So is the plate in your head, hence your dementia.




From 2293462047372220473
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "old freind" <kb9rqz-4@hotmail.com>
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: Killed illegal auctions
Date: 29 Nov 2006 18:15:05 -0800
Organization: http://groups.google.com
Lines: 24
Message-ID: <1164852905.316782.63530@h54g2000cwb.googlegroups.com>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
```

```
   <qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
   <AVqbh.5882$_H5.3973@tornado.texas.rr.com>
NNTP-Posting-Host: 66.82.9.61
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164852910 14832 127.0.0.1 (30 Nov 2006 02:15:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Nov 2006 02:15:10 +0000 (UTC)
In-Reply-To: <AVqbh.5882$_H5.3973@tornado.texas.rr.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=66.82.9.61;
   posting-account=G85FXw0AAABf14c6VsBZuAM6H05SJRil
Xref: g2news2.google.com rec.radio.cb:22929 rec.radio.swap:10333
rec.radio.amateur.policy:56022 rec.radio.amateur.equipment:7304
```

U-Know-Who wrote:
> "Slow Code" <my.mail@no.spam> wrote in message
> news:qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net...
> > "cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in
> > news:1164651522.698411.180000@n67g2000cwd.googlegroups.com:
> >
> >> Three illegal cb amplifiers shot down:
> >>
> >> 300053874139, 220051519006, 130050641047
> >>
> >> And this one is next.
> >>
> >> 220051930613
> >
> >
> > Thanks Buzz, I hope the FCC fines their sorry CB retard asses.
> >
> > SC
>
> Shutup, Stupid Chimp.

don't insult chimps or any other primate Tom

```
From -3642877788095766586
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
```

```
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com> <Wzv9h.3034$YY.2842@newsfe12.phx>
<8jLah.4138$tM1.74@newsread1.news.pas.earthlink.net>
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
Lines: 40
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <bnrbh.5899$_H5.5186@tornado.texas.rr.com>
Date: Thu, 30 Nov 2006 02:30:31 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1164853831 67.10.92.242 (Wed, 29 Nov 2006 20:30:31
CST)
NNTP-Posting-Date: Wed, 29 Nov 2006 20:30:31 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7305
rec.radio.amateur.policy:56029 rec.radio.amateur.antenna:22145
rec.radio.swap:10335


"Slow Code" <my.mail@no.spam> wrote in message
news:8jLah.4138$tM1.74@newsread1.news.pas.earthlink.net...
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
> news:Wzv9h.3034$YY.2842@newsfe12.phx:
>
>>
>> "Old Time Ham" <old_fart@curmudgeons.com> wrote in message
>> news:ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com...
>>>
>>
>>> > I feel your pain.  It must suck for you to have to live in Lid-ville.
>>> >
>>
>>  it';s slow if you are a 5 WPM lid that has no
>>> pride in themselves, but for REAL Hams it is efficient, and fast.
```

>>
>> I just looked up "lid" - a poor operator, one who does not follow proper
>> procedures or sends sloppy Morse code. (Not me on either count. It's a
>> silly insult to throw around when you don't know somebody.)
>>
>> Moderator, can we rename this thread? I think "Mode Rage" sounds right.
>>
>> (If it keeps going, I can claim that you're not real hams if you don't
>> do Amateur TV at 1.2 GHz. Then what?)
>
>
> No Sal, You'd still be a retard. Doing ATV doesn't any require skill, and
> it doesn't have it own test element either. A CB'er could go ATV, maybe
> thats why you're good at it.
>
> Come back after you learn CW to 20 wpm, and I'll pat you on the back and
> say "Welcome to Ham radio, Well Done."
>
> SC

Did you forget about that customary nut licking thing you do to CW
operators?

From -2725399349066031882
X-Google-Thread: 108122,5bf77a669d679d05,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 29 Nov 2006 21:19:52 -0600
Date: Wed, 29 Nov 2006 22:19:51 -0500
From: Steve Stivers <steve.stivers@gmail.com>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Small versatile TNC
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Z8mdnRESpYJF0PPYnZ2dnUVZ_o-dnZ2d@insightbb.com>
Lines: 16
NNTP-Posting-Host: 74.140.162.45
X-Trace: sv3-
hu2bOek4KlkHZXXlq9FrvS0AP9z3JLNhdWiG2iaqL9+AnIhOxNxP2qoPqtz0AMvoxlqtT/arRY1l3/h!
YdiHHxAvBr3DO7lb1CEDQ+yq2VcXMFGMDsQZ/Z44MuSMkSfaRsxtJjwMLnp/VemB2qkLYVGcj8F5!
zVbuCIjDlqLu2r5O9A==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7306

We now carry the Elcom uTNT products.

They can be used with your radio and GPS as a small portable APRS
tracking station. The internal battery makes it very portable.

Dimensions 21 X 60 X 43 mm or 0.8 X 2.3 X 1.7 inch.

They also make good full function TNCs. USB connectivity is built in to
provide connection with laptops that don't have serial ports.

http://thedigitalham.com/tdhwiki/Elcom_Products

Fast Shipment

Steve Stivers
KI4KGO

From -4394055400394727461
X-Google-Thread: 108122,2cdaa0f37499789e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsgate.cistron.nl!
xs4all!feeder2.cambrium.nl!feeder1.cambrium.nl!feed.tweaknews.nl!
138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-04!sn-post-ams-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: Roger <GetValidAddress@my.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TH-F6 Swollen Battery
Date: Wed, 29 Nov 2006 22:36:00 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <togsm215eg3qn4vsrkereia8hqr64v38h6@4ax.com>
References: <1164345053.144374.169550@h54g2000cwb.googlegroups.com>
<PMGdnQRlaPXCqPrYnZ2dnUVZ_sydnZ2d@comcast.com>
<m-474D80.17105225112006@news.verizon.net>
<05lhm2hvhrvdi876ao0pr2dna4m0tbafrq@4ax.com>
<1164743306.756812.207060@h54g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 95
Xref: g2news2.google.com rec.radio.amateur.equipment:7307

On 28 Nov 2006 11:48:26 -0800, "K1LTJ" <apmatthews@comcast.net> wrote:

>

>Roger wrote:
>> On Sat, 25 Nov 2006 22:10:53 GMT, ml <m@di.net> wrote:
>>
>> >In article <PMGdnQRlaPXCqPrYnZ2dnUVZ_sydnZ2d@comcast.com>,
>> > "w9gb" <spam_protect@arrl.net> wrote:
>> >
>> >> "K1LTJ" <apmatthews@comcast.net> wrote in message
>> >> news:1164345053.144374.169550@h54g2000cwb.googlegroups.com...
>> >> >I have a TH-F6 which I have had for about 2 1/2 years. It has been very
>> >> > well treated, and care has been taken to treat the battery properly. I
>> >> > noticed that the battery would no longer hold a charge. I tried to
>> >> > remove the battery, and it was extremely difficult. It turns out that
>> >> > the battery was slightly swollen, and pressing against the HT case.
>> >> > LI-ion batteries trouble me a bit. I have seen some explosions and
>> >> > fires in RC aircraft using them. I wonder if anyone else has had a
>> >> > similar problem with the PB-42L stock battery with the TH-F6?
>> >> >
>> >> > Al / K1LTJ
>> >> >
>> >>
>> >> I would replace the battery and check your charging system (not over
>> >> charging)
>> >>
>> >> w9gb
>> >
>> >be sure to dispose the battery they can explode w/o warning
>>
>> If it won't take a charge it's probably past that danger point, but
>> OTOH was probably close to it about the time the swelling ocurred.
>> <:-))
>>
>>
>> >
>> >swelling is a danger sign
>> Roger Halstead (K8RI & ARRL life member)
>> (N833R, S# CD-2 Worlds oldest Debonair)
>> www.rogerhalstead.com
>
>Thank for the comments Roger. Yes, the first thing I did was dispose of
>the battery. I have only used the stock wall wart charger with the
>TH-F6. I checked the output voltage of the wall wart, and it was fine.
>If I hadn't tried to remove the battery, I might not have been aware
>there was a problem. I put this post here, in part, to make others
>aware that there might be a problem here. It might be a good idea to
>remove the battery, and check it from time to time. Li batteries make
>me a bit nervous, and I was concerned when I found this problem, and
>thought it would be a good idea to make this post.

Over the past few years we've seen some great strides made in both battery capacity and current density. We've seen an extremely expensive recall due to a few failed Lithium batteries. Some of those failures were spectacular. The batteries don't usually explode with much force but the results, as I said, can be spectacular and dangerous if you are close.

This brings to mind a question.
Just how far will we be *allowed* to go with battery capacity and current density?

There are two ways of extending the charge quantity in a battery. Increasing current density, the physical size of the battery, or a combination of both. Both have some distinct drawbacks. The one of size is obvious. The drawback(s) for increased current density OTOH are not so readily apparent.

Batteries of high current density are characterized by a very low internal resistance. That means the results of shorting out a 2 AH dry cell and shorting out a 2 AH Lithium battery are quite different. Both have the same charge, or Joules of energy BUT the rate at which that energy can be taken out of the battery is much greater with the Lithium battery than the dry cell. IOW the current flow is not limited by a high internal resistance, but is extremely high due to a very low internal resistance.

A watt is one joule per second. It's also 1.5 Volts pushing 0.66 amp through 1 ohm for 1 second. A watt is also (I^2)*R so anything we do to increase the current flow will dramatically increase the power released per unit of time.

As Lithium batteries are already spectacular in this respect we really don't have a long way to go before there could be a lot of force released when a battery is shorted either internally or externally.

>
>Thanks
>Al / K1LTJ

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com

From -8048749905387341202
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!out03b.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe10.phx.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>

Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.swap
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com> <Wzv9h.3034$YY.2842@newsfe12.phx>
<8jLah.4138$tM1.74@newsread1.news.pas.earthlink.net>
<bnrbh.5899$_H5.5186@tornado.texas.rr.com>
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <pvtbh.580$Vu4.548@newsfe10.phx>
Date: Wed, 29 Nov 2006 20:55:49 -0800
NNTP-Posting-Host: 72.199.106.166
X-Complaints-To: admin@cox.net
X-Trace: newsfe10.phx 1164862549 72.199.106.166 (Wed, 29 Nov 2006 21:55:49 MST)
NNTP-Posting-Date: Wed, 29 Nov 2006 21:55:49 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7308
rec.radio.amateur.policy:56044 rec.radio.amateur.antenna:22151
rec.radio.swap:10339

{Caught on a "U-Know-Who" quoteback; I have this guy blocked.]

"Slow Code" <my.mail@no.spam> wrote in message
>
> No Sal, You'd still be a retard. Doing ATV doesn't any require skill, and
> it doesn't have it own test element either. A CB'er could go ATV, maybe
> thats why you're good at it.
>
> Come back after you learn CW to 20 wpm, and I'll pat you on the back and
> say "Welcome to Ham radio, Well Done."

Better to keep your hands to yourself. I don't know where they've been.

From 6896922491605773038
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc

X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com> <Wzv9h.3034$YY.2842@newsfe12.phx>
<8jLah.4138$tM1.74@newsread1.news.pas.earthlink.net>
<bnrbh.5899$_H5.5186@tornado.texas.rr.com> <pvtbh.580$Vu4.548@newsfe10.phx>
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <tGtbh.5946$_H5.3017@tornado.texas.rr.com>
Date: Thu, 30 Nov 2006 05:07:37 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1164863257 67.10.92.242 (Wed, 29 Nov 2006 23:07:37
CST)
NNTP-Posting-Date: Wed, 29 Nov 2006 23:07:37 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7309
rec.radio.amateur.policy:56046 rec.radio.amateur.antenna:22153
rec.radio.swap:10341

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:pvtbh.580$Vu4.548@newsfe10.phx...
> {Caught on a "U-Know-Who" quoteback; I have this guy blocked.]
>
> "Slow Code" <my.mail@no.spam> wrote in message
>>
>> No Sal, You'd still be a retard. Doing ATV doesn't any require skill, and
>> it doesn't have it own test element either. A CB'er could go ATV, maybe

>> thats why you're good at it.
>>
>> Come back after you learn CW to 20 wpm, and I'll pat you on the back and
>> say "Welcome to Ham radio, Well Done."
>
> Better to keep your hands to yourself. I don't know where they've been.
>
>

He does have that male orgasm radio fetish that he keeps referring to
constantly. I know what you mean.

```
From 6760009563076592288
X-Google-Thread: 108122,43b132c7d5fae7e4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!80g2000cwy.googlegroups.com!not-for-
mail
From: "Bret Ludwig" <bretldwig@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Nems Clark FIM
Date: 29 Nov 2006 21:28:13 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1164864493.122711.74650@80g2000cwy.googlegroups.com>
References: <ekkk12$t3s$1@home.itg.ti.com>
   <1164845393.002165.204690@14g2000cws.googlegroups.com>
   <wqqbh.20381$yV.11607@trnddc07>
NNTP-Posting-Host: 70.245.178.39
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164864499 27563 127.0.0.1 (30 Nov 2006 05:28:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Nov 2006 05:28:19 +0000 (UTC)
In-Reply-To: <wqqbh.20381$yV.11607@trnddc07>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 80g2000cwy.googlegroups.com; posting-host=70.245.178.39;
   posting-account=28uu9A0AAADjRqxxBAS4nBG7PyX9WhKJ
Xref: g2news2.google.com rec.radio.amateur.equipment:7310
```

Ted Mahler wrote:
> I am not sure how to tell. It is a portable unit (has a handle) and has a
> place to put it on a tripod. Its lid folds upright and has the antenna in
> it. I believe it was for going into the field and recording signal strength.
>
> Ted

Depending on its frequency range it may be quite valuable, as it sounds like you have the progenitor to the classic Potomac FIM.They are $12-15,000 new.

From 1911021862807027034
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.swap
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
Date: Thu, 30 Nov 2006 02:24:11 -0500
Message-ID: <un1tm2lb1o0gpa3mfv3me6fkc942uq0t83@4ax.com>
References: <b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com> <XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net> <m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx> <Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com> <Wzv9h.3034$YY.2842@newsfe12.phx> <8jLah.4138$tM1.74@newsread1.news.pas.earthlink.net> <bnrbh.5899$_H5.5186@tornado.texas.rr.com> <pvtbh.580$Vu4.548@newsfe10.phx>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 30 Nov 2006 06:29:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7311 rec.radio.amateur.policy:56053 rec.radio.amateur.antenna:22156 rec.radio.swap:10343

On Wed, 29 Nov 2006 20:55:49 -0800, "Sal M. Onella" <salmonella@food.poisoning.org> wrote:

>{Caught on a "U-Know-Who" quoteback; I have this guy blocked.]
>
>"Slow Code" <my.mail@no.spam> wrote in message
>>
>> No Sal, You'd still be a retard. Doing ATV doesn't any require skill, and
>> it doesn't have it own test element either. A CB'er could go ATV, maybe
>> thats why you're good at it.
>>
>> Come back after you learn CW to 20 wpm, and I'll pat you on the back and

```
>> say "Welcome to Ham radio, Well Done."
>
>Better to keep your hands to yourself.  I don't know where they've been.
indeed he should with his generous nature one might wish to sterlize
them with fire
>
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 4858562641270862648
X-Google-Thread: 108122,f916602578e16c6b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "DJboutit" <Recordking@Hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Texas CB Forum
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <MJvbh.10316$Gk5.1255@tornado.texas.rr.com>
Date: Thu, 30 Nov 2006 07:27:40 GMT
NNTP-Posting-Host: 72.181.189.162
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1164871660 72.181.189.162 (Thu, 30 Nov 2006 01:27:40
CST)
NNTP-Posting-Date: Thu, 30 Nov 2006 01:27:40 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7312

For anybody in Texas to come & chat about this great hobby CB Radio & to
meet others from Texas into CB www.texascbforum.co.nr




From -7066220965292973279
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d
X-Google-Thread: 108122,a6ccbaf9ccb8401d
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-
mail
```

From: "K4YZ" <k4yz_02@yahoo.com>
Newsgroups:
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: Killed illegal auctions
Date: 30 Nov 2006 06:22:52 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1164896572.669959.24790@j44g2000cwa.googlegroups.com>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
   <qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
   <AVqbh.5882$_H5.3973@tornado.texas.rr.com>
   <1164852905.316782.63530@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 205.188.116.200
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164896578 5577 127.0.0.1 (30 Nov 2006 14:22:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Nov 2006 14:22:58 +0000 (UTC)
In-Reply-To: <1164852905.316782.63530@h54g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb
[dtc-tb062 8.4.1], HTTP/1.1 cache-dtc-ad06.proxy.aol.com[CDBC74C8] (Traffic-
Server/6.1.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=205.188.116.200;
   posting-account=qLzSlw0AAAB-_furlNKlTRKIcgg3DyRw
Xref: g2news2.google.com rec.radio.cb:22954 rec.radio.swap:10351
rec.radio.amateur.policy:56179 rec.radio.amateur.equipment:7313

nobodys old freind wrote:
> U-Know-Who wrote:

> > Shutup, Stupid Chimp.
>
> don't insult chimps or any other primate Tom

Defending the old family tree, I see, Morkie.

Steve, K4YZ

From 7377110648248471535
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
From: Slow Code <my.mail@no.spam>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 19
Message-ID: <I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
Date: Fri, 24 Nov 2006 01:37:44 GMT
NNTP-Posting-Host: 4.228.228.40
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1164332264 4.228.228.40 (Thu, 23 Nov
2006 17:37:44 PST)
NNTP-Posting-Date: Thu, 23 Nov 2006 17:37:44 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:21905
rec.radio.amateur.equipment:7214 rec.radio.amateur.policy:55361
rec.radio.shortwave:59678 rec.radio.swap:10098

"Steve Stone" <zzspfleck@citlink.netzz> wrote in
news:pkk9h.6202$ya1.1099@news02.roc.ny:

>
>> It's us REAL HAMS...us CW operators
>> that should be slinging the mud.
>
> When you real hams, sitting on your fat asses come out of your musty
> shacks and use your superior skills to help out your neighbors during
> local emergencies I'll have some respect for you.
> Join an ARES or RACES group.. or even a Skywarn net.
> Until then you are just a waste of bandwidth and good potato chips.

Fine, then you losers don't come asking us to help you fix your radio's
after you break them. We got more important ham things we can be doing
than fixing a no-code hams broken radio.

SC

From -5959947815173954934
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Thread: 114aac,c968c9d3612c6c9e
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeeder.wxs.nl!
amsnews11.chello.com!news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap,rec.radio.shortwave
Subject: crapthon goes on
Date: Thu, 23 Nov 2006 21:15:01 -0500
Message-ID: <39lcm25nhgakc5b736d5pvssccqdqisdet@4ax.com>
References: <5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com>
<B1s9h.2640$ql2.135@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 53
NNTP-Posting-Date: 24 Nov 2006 01:20:25 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7215
rec.radio.amateur.policy:55375 rec.radio.amateur.antenna:21909
rec.radio.swap:10106 rec.radio.shortwave:59684

On Fri, 24 Nov 2006 01:37:37 GMT, Slow Code <my.mail@no.spam> wrote:

>Old Time Ham <old_fart@curmudgeons.com> wrote in
>news:ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com:
>
>> Slow Code wrote:
>>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>>> news:0YQ8h.70$UC2.60@newsfe08.phx:
>>>
>>>> [Following seen on quote-back; I believe I have the OP twitted out.]
>>>>
>>>>> No-coders must go to the end of the line for refreshments at
>>>>> meetings. Code hams must be served first and should take more treats
>>>>> than they want and need. When all the code hams are served and there
>>>>> is nothing left, no-codes get the left-over Coffee grounds and Cookie
>>>>> crumbs. This will teach no-codes that by working harder to be better
>>>>> hams,
>>>> Not better hams ... just slo-o-o-wer hams! Morse is the most
>>>> inefficient means of communication we have. A kid can burp-speak the
>>>> alphabet faster than you can send it in Morse.
>>>
>>>
>>> I feel your pain. It must suck for you to have to live in Lid-ville.
>>>

```
>>>
>>> SC
>>
>> Do any of you no-code lids remember the demonstration on Late night TV
>> when a couple of CW ops demonstrated and proved CW is MUCH faster than
>> "text messaging?"  Yeah, it';s slow if you are a 5 WPM lid that has no
>> pride in themselves, but for REAL Hams it is efficient, and fast.
>
>
>
>They don't like to be reminded about that contest.

I don't mind t all I nor has any Nocoders ever stated that phone text
messages where each letter key has several leter is as good as morse
code for speed
>  It shows the
>difference between skilled and un-skilled.
nope
>  It also gets back to that
>liberal political correctness thing.

nope it has to do with not promting the unworthy
> Everyone has to be equal, since not
>everyone is good enough to rise to the top, they got to drag the top down.

you aint the top of anything
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -2207115315870773811
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: crapthon goes on
Date: Thu, 23 Nov 2006 21:15:49 -0500
Message-ID: <edlcm2h9u2socern4u4vlp1siq26v8n13p@4ax.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
```

```
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
NNTP-Posting-Date: 24 Nov 2006 01:21:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21910
rec.radio.amateur.equipment:7216 rec.radio.amateur.policy:55376
rec.radio.shortwave:59685 rec.radio.swap:10107

On Fri, 24 Nov 2006 01:37:44 GMT, Slow Code <my.mail@no.spam> wrote:

>"Steve Stone" <zzspfleck@citlink.netzz> wrote in
>news:pkk9h.6202$ya1.1099@news02.roc.ny:
>
>>
>>> It's us REAL HAMS...us CW operators
>>> that should be slinging the mud.
>>
>> When you real hams, sitting on your fat asses come out of your musty
>> shacks and use your superior skills to help out your neighbors during
>> local emergencies I'll have some respect for you.
>> Join an ARES or RACES group.. or even a Skywarn net.
>> Until then you are just a waste of bandwidth and good potato chips.
>
>
>Fine, then you losers don't come asking us to help you fix your radio's
>after you break them.

no prblem OTOH I have yet to break a radio
> We got more important ham things we can be doing
>than fixing a no-code hams broken radio.

yes like spreading you homophobia
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 7665081906140868751
X-Google-Thread: 108122,2cdaa0f37499789e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "K1LTJ" <apmatthews@comcast.net>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: TH-F6 Swollen Battery
Date: 23 Nov 2006 21:10:53 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1164345053.144374.169550@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 71.234.140.144
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164345057 17559 127.0.0.1 (24 Nov 2006 05:10:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Nov 2006 05:10:57 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=71.234.140.144;
   posting-account=GN3y0gwAAAAHZIq7vNOfZALf4FKC-ST_
Xref: g2news2.google.com rec.radio.amateur.equipment:7217
```

I have a TH-F6 which I have had for about 2 1/2 years. It has been very
well treated, and care has been taken to treat the battery properly. I
noticed that the battery would no longer hold a charge. I tried to
remove the battery, and it was extremely difficult. It turns out that
the battery was slightly swollen, and pressing against the HT case.
LI-ion batteries trouble me a bit. I have seen some explosions and
fires in RC aircraft using them. I wonder if anyone else has had a
similar problem with the PB-42L stock battery with the TH-F6?

Al / K1LTJ

```
From -470528397689260245
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!novia!
out04b.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe12.phx.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
```

```
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com>
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <Wzv9h.3034$YY.2842@newsfe12.phx>
Date: Thu, 23 Nov 2006 21:39:01 -0800
NNTP-Posting-Host: 72.199.106.166
X-Complaints-To: admin@cox.net
X-Trace: newsfe12.phx 1164346742 72.199.106.166 (Thu, 23 Nov 2006 22:39:02 MST)
NNTP-Posting-Date: Thu, 23 Nov 2006 22:39:02 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7218
rec.radio.amateur.policy:55395 rec.radio.amateur.antenna:21915
rec.radio.swap:10118
```

"Old Time Ham" <old_fart@curmudgeons.com> wrote in message
news:ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com...
>

> > I feel your pain. It must suck for you to have to live in Lid-ville.
> >

 it';s slow if you are a 5 WPM lid that has no
> pride in themselves, but for REAL Hams it is efficient, and fast.

I just looked up "lid" - a poor operator, one who does not follow proper
procedures or sends sloppy Morse code. (Not me on either count. It's a
silly insult to throw around when you don't know somebody.)

Moderator, can we rename this thread? I think "Mode Rage" sounds right.

(If it keeps going, I can claim that you're not real hams if you don't do
Amateur TV at 1.2 GHz. Then what?)

```
From 4709393869605480187
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
```

X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
pd7cy5no!shaw.ca!news.alt.net
From: "Not Lloyd" <anon@anon>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
Date: Fri, 24 Nov 2006 03:43:27 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 65
Message-ID: <g2vtm.pfa.19.1@news.alt.net>
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com> <Wzv9h.3034$YY.2842@newsfe12.phx>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:7219
rec.radio.amateur.policy:55406 rec.radio.amateur.antenna:21918
rec.radio.swap:10123

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:Wzv9h.3034$YY.2842@newsfe12.phx...

"Old Time Ham" <old_fart@curmudgeons.com> wrote in message
news:ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com...
>

> > I feel your pain. It must suck for you to have to live in Lid-ville.
> >

it';s slow if you are a 5 WPM lid that has no
> pride in themselves, but for REAL Hams it is efficient, and fast.

I just looked up "lid" - a poor operator, one who does not follow proper
procedures or sends sloppy Morse code. (Not me on either count. It's a
silly insult to throw around when you don't know somebody.)

Moderator, can we rename this thread? I think "Mode Rage" sounds right.

(If it keeps going, I can claim that you're not real hams if you don't do Amateur TV at 1.2 GHz. Then what?)
>
There is no moderator here. Mark, however, considers himself to the de-facto self-appointed Knight-In-Shining-Armor/protector/moderator who defends no-coders against the onslaught of us pro-coders. Of course it is worth noting that Mark is the only no-coder in this group.

Mark has not mastered the art of even 5wpm and stubbornly maintains that he will never do so. He posits that he should be handed a General or above license because he feels CW is outdated. This from a guy who cannot author a cohesive sentence and who, despite many freeware spell check programs, refuses to make an effort toward rendering his third grade level disjointed posts readable.

Mark continues to assert that he is trying to clean up this newsgroup (rrap) while in reality his fifty to sixty (often more) daily posts have driven many of the previous Hams away.

When Mark blundered into this newsgroup with his trash, it was the old cliche', There Went The Neighborhood.

Of course Mark will have to comment. As Slow Code has previously noted, Mark simply cannot let a post go by without crapping on it. As always, Mark will change the subject line.
Sorry, Mork. I won't read your response. I no longer read the fifty to sixty posts you change the Subject line on.

--
nor can he spell his insults correctly if he is going to attack my
spellinghis should be beyond repaorch
Mark Morgan

From -3078835156732253157
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc

```
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: Coffee grounds make lloyd davies look stoopid
From: Steveo <moparholic@hotmail.com>
Organization: http://NewsReader.Com/ 30 GB Month
Message-ID: <20061124035357.508$QG_-_@newsreader.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com> <Wzv9h.3034$YY.2842@newsfe12.phx>
<g2vtm.pfa.19.1@news.alt.net>
X-NRC-Trace: NewsReader.Com lq3BNQC/+V@3DJVFiS_qS,6T37uJi/@DsHfqL@X/y9tS,pc
Date: 24 Nov 2006 08:53:14 GMT
Lines: 5
NNTP-Posting-Host: 8a387fb6.nr3.newsreader.com
X-Trace:
DXC=4MP31@XOlM_c;n3Wfj12Y\OA8_@f\K_iR[1geCV>QNoZMl\^UbcYA:YNd7biGRhQTWYA@MLbHKH8]Y
D_iBcBmeLV
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7220
rec.radio.amateur.policy:55408 rec.radio.amateur.antenna:21919
rec.radio.swap:10125

"Not Lloyd" <anon@anon> wrote:
> Sorry, Mork. I won't read your response. I no longer read the fifty to
> sixty posts you change the Subject line on.
>
Hey ass fuck, dogie adair n8wwm welcomes you aboard.



From 4032558637203835540
X-Google-Thread: 108122,b818cda7cf6606e8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-
sjc-11!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Dean <roamer@firstinter.net>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Shure "Dispatcher" microphone
Date: Fri, 24 Nov 2006 10:23:51 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <kiaem21p3ksevqviq3bg8pra53jeotodjo@4ax.com>
Reply-To: roamer@firstinter.net
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 4
Xref: g2news2.google.com rec.radio.amateur.equipment:7221

Title says it all. If you have one in good to excellant condx, email;
me with price.
Thanks,
Dean

From 3885832080349252223
X-Google-Thread: 108122,2cdaa0f37499789e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Nov 2006 12:09:35 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <1164345053.144374.169550@h54g2000cwb.googlegroups.com>
Subject: Re: TH-F6 Swollen Battery
Date: Fri, 24 Nov 2006 12:09:29 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <PMGdnQRlaPXCqPrYnZ2dnUVZ_sydnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-GbQdIvXQClQqDqr54PKkFW7/
iKQgkr05urgnbes2QpEVb2x6iopAypBPanLXqxQ3hYaH0aG5FuJFbYy!XnXPZakrMrMc7o0UEEd/
WO7YACB0uTsZVm6mKNQBp21KKSCIk/bqFRo4FGRKDEKf0H9/MxrishXe!wTaWxrAe9kEA+rYhvMk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7222

"K1LTJ" <apmatthews@comcast.net> wrote in message

news:1164345053.144374.169550@h54g2000cwb.googlegroups.com...
>I have a TH-F6 which I have had for about 2 1/2 years. It has been very
> well treated, and care has been taken to treat the battery properly. I
> noticed that the battery would no longer hold a charge. I tried to
> remove the battery, and it was extremely difficult. It turns out that
> the battery was slightly swollen, and pressing against the HT case.
> LI-ion batteries trouble me a bit. I have seen some explosions and
> fires in RC aircraft using them. I wonder if anyone else has had a
> similar problem with the PB-42L stock battery with the TH-F6?
>
> Al / K1LTJ
>

I would replace the battery and check your charging system (not over charging)

w9gb

```
From 8308793508195860557
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l39g2000cwd.googlegroups.com!not-for-
mail
From: "AC7PN" <brunius@rockisland.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
Date: 24 Nov 2006 10:13:17 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1164391997.538434.178960@l39g2000cwd.googlegroups.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.29.198.109
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164392003 31216 127.0.0.1 (24 Nov 2006 18:13:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Nov 2006 18:13:23 +0000 (UTC)
In-Reply-To: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.8)
Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l39g2000cwd.googlegroups.com; posting-host=69.29.198.109;
```

```
   posting-account=cLNYEA0AAAC5vxJQFmeSOB-D0TN3bz0d
Xref: g2news2.google.com rec.radio.amateur.antenna:21926
rec.radio.amateur.equipment:7223 rec.radio.amateur.policy:55426
rec.radio.shortwave:59737 rec.radio.swap:10130
```

Slow Code wrote:

> and Happy Thanksgiving Pro-Coders.
>
> SC

The purpose amateur radio is communications. Real HAMs can communicate with CW and they also speak English, Spanish, and French. Those who can only speak English are stupid, idiots, turkeys, and are only wimpy HAMs. Real HAMs are also a little narrow minded, intolerant and arrogant. If you are one of those open minded and tolerant people you are not a real HAM and you are probably a liberal, left-wing, homo-faggot.

```
From 7181135488367975772
X-Google-Thread: 108122,b818cda7cf6606e8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Nov 2006 12:25:06 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <kiaem21p3ksevqviq3bg8pra53jeotodjo@4ax.com>
Subject: Re: Wanted: Shure "Dispatcher" microphone
Date: Fri, 24 Nov 2006 12:25:01 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <GJCdneYNDb-fpPrYnZ2dnUVZ_s2dnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-zIX76MushiUmw82JPcq2iIWbxwVZffgfWQkkFqSgmb/OeJD+
+44fZQye0nTPz1xVNUoixRe0yJQd06R!H3ausleBp8t5B7/wCrs1LmywUBty/TCniG4Mz/
MGVgCeAzCeya0C08hylCWQuVlL3RAKJNsAqXsW!NdUMnsRx4XRCk/cheGM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7224
```

Dean -

I have a Shure Model 450 in NOS condition (plug has not even been wired onto cord)
Uses a magnetic cartridge and has switchable impedance (Hi/Lo). Here is the Shure data sheet on it.
http://www.shure.com/stellent/groups/public/@gms_gmi_web_ug/documents/web_resource/us_pro_450_ug.pdf

Greg
w9gb

"Dean" <roamer@firstinter.net> wrote in message
news:kiaem21p3ksevqviq3bg8pra53jeotodjo@4ax.com...
> Title says it all. If you have one in good to excellant condx, email;
> me with price.
> Thanks,
> Dean

From -2512431481281473775
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny03.POSTED!da4e77e4!not-for-mail
Reply-To: "JOHN D" <jawnd393one@yahoo.com>
From: "JOHN D" <jawnd393one@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.swap
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
Subject: Re: Happy turkey day you no-code turkeys.
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <evJ9h.6046$IW2.4244@trndny03>
Date: Fri, 24 Nov 2006 21:29:46 GMT
NNTP-Posting-Host: 71.120.55.159
X-Complaints-To: abuse@verizon.net
X-Trace: trndny03 1164403786 71.120.55.159 (Fri, 24 Nov 2006 16:29:46 EST)
NNTP-Posting-Date: Fri, 24 Nov 2006 16:29:46 EST
Xref: g2news2.google.com rec.radio.amateur.antenna:21938

rec.radio.amateur.equipment:7225 rec.radio.amateur.policy:55437
rec.radio.shortwave:59755 rec.radio.swap:10136

Why am I wasteing my time brushing up on radio & electronic theory and
studying schematics when, apparantly, all I need is better cw skills to
enable me to fix my radios.

From -875117966355231053
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
Date: Fri, 24 Nov 2006 17:31:30 -0500
Message-ID: <6isem2lku81skure2pvs4gvc51sikpn75b@4ax.com>
References: <5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com> <Wzv9h.3034$YY.2842@newsfe12.phx>
<g2vtm.pfa.19.1@news.alt.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 24 Nov 2006 21:36:47 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7226
rec.radio.amateur.policy:55449 rec.radio.amateur.antenna:21946
rec.radio.swap:10144

On Fri, 24 Nov 2006 03:43:27 -0500, "Not Lloyd" <anon@anon> wrote:

>
>"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
>news:Wzv9h.3034$YY.2842@newsfe12.phx...
>
>"Old Time Ham" <old_fart@curmudgeons.com> wrote in message

```
>news:ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com...
>>
>
>> > I feel your pain.  It must suck for you to have to live in Lid-ville.
>> >
>
> it';s slow if you are a 5 WPM lid that has no
>> pride in themselves, but for REAL Hams it is efficient, and fast.
>
>I just looked up "lid" - a poor operator, one who does not follow proper
>procedures or sends sloppy Morse code. (Not me on either count.  It's a
>silly insult to throw around when you don't know somebody.)
>
>Moderator, can we rename this thread?  I think "Mode Rage" sounds right.
>
>(If it keeps going, I can claim that you're not real hams if you don't do
>Amateur TV at 1.2 GHz.  Then what?)
>>
>There is no moderator here. Mark, however, considers himself to the de-facto
>self-appointed Knight-In-Shining-Armor/protector/moderator who defends
>no-coders against the onslaught of us pro-coders. Of course it is worth
>noting that Mark is the only no-coder in this group.

that of course depend on the meaning of the prhase no coder there are
many Nocoder here that is what the fight is a bout after all

amazing how you it seems can master tha rt of CW at high (( but you
fail to prove you have this skill) but can't learn to quote correctly
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -9176977451500620006
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
Date: Fri, 24 Nov 2006 17:34:10 -0500
Message-ID: <vnsem2do74nsojmk4ke0d0vptutt0neieb@4ax.com>
```

References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
<evJ9h.6046$IW2.4244@trndny03>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
NNTP-Posting-Date: 24 Nov 2006 21:39:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21947
rec.radio.amateur.equipment:7227 rec.radio.amateur.policy:55450
rec.radio.shortwave:59762 rec.radio.swap:10145

On Fri, 24 Nov 2006 21:29:46 GMT, "JOHN D" <jawnd393one@yahoo.com>
wrote:

>
>Why am I wasteing my time brushing up on radio & electronic theory and
>studying schematics when, apparantly, all I need is better cw skills to
>enable me to fix my radios.
>

indeed why own a radio at all we are told all you need is Cw skill and
the message will get through even without it

of course I see it CW skill is neede since it works without a radio
we need to QSO with the silent keys and collect that rare dx althought
how we get a QSL card form th eheaven or hel is cchalenge
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 1473797616378286059
X-Google-Thread: 108778,e1fd89b1bbd3ed65,start
X-Google-Thread: 1009ad,e1fd89b1bbd3ed65,start
X-Google-Thread: 108122,e1fd89b1bbd3ed65,start
X-Google-Attributes: gid108778,gid1009ad,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!news-east.rr.com!news-wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Reply-To: "IRAD" <mcguyver@cfl.rr.com>
From: "IRAD" <mcguyver@cfl.rr.com>
Newsgroups: alt.radio.amateur,alt.radio.scanner,rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.equipment
Subject: FS: UHF Radios HH & RF parts
Lines: 33

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <q_K9h.7876$CR6.2145@tornado.tampabay.rr.com>
Date: Fri, 24 Nov 2006 23:11:18 GMT
NNTP-Posting-Host: 70.118.33.213
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1164409878 70.118.33.213 (Fri, 24 Nov 2006 18:11:18 EST)
NNTP-Posting-Date: Fri, 24 Nov 2006 18:11:18 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com alt.radio.amateur:347 alt.radio.scanner:3850 rec.radio.amateur.equipment:7228

I have the following for sale, not auction. All Radios are working unless stated.

2 - Uniden SPU51KT, one with battery, no antennas, one has broken ON/OFF switch

3 - EF Johnson Model 242-5876, no batteries or antennas. FCC ID # ATH2425876 - all power up and TX/RX

1 - Uniden SPU416K, no battery or antenna, works fine.

Photots of all available upon request, asking best offer for all units or consider trades.

Electronic / RF parts/Connectors

31 - PCB mount SMB jacks - gold NEW
15 - SMA Nickel PBC Mount Jacks
2500 - Diodes Inc, MPSA42B-XN TO-92 transistors
40pcs - C&K 7101 SPDT PCB Right angle toggle switches
1080 - MIL SPEC JANTX2N2369A Transistors (metal can) NEW
10 - MACOM P/N 5862-5004-10 PCB MOunt RF connectors
1 - Dynatech FSCM 50667 / Qx6-618K002 - SP6T SMA to SMA coaxial Relay NEW, 20-26VDC, DC to 26.5GHz

Best offers (MIL SPEC parts, semi-rare). I accept PAYPAL or MO. Company checks. Photos upon request. Let me know if you need more information.

Mitch

From -6172531576653307766
X-Google-Thread: 108122,dc8a2045af45eff1,start

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!newsfeeds.ihug.co.nz!
ihug.co.nz!ken-transit.news.telstra.net!ken-spool.news.telstra.net!lon-
in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-
mail
From: David <dhuisman@bigpond.net.au>
Reply-To: dhuisman@bigpond.net.au
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Tait TM8110 Documentation
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <n9N9h.71332$rP1.30088@news-server.bigpond.net.au>
Date: Sat, 25 Nov 2006 01:39:31 GMT
NNTP-Posting-Host: 203.51.2.70
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1164418771 203.51.2.70 (Sat, 25 Nov 2006
12:39:31 EST)
NNTP-Posting-Date: Sat, 25 Nov 2006 12:39:31 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.equipment:7229

Hi,

I have purchased a number of TM8110 Radios. At present I am designing
the interface between a control unit and the Tait Radio (Serial Data)
but I cannot find the pinout and information regarding serial coms via
the 15 way auxiliary connector at the rear of the radio. Does anyone
have a pin out for this connector and any description of serial
communications ?

Thanks

Regards

David

From 6795535903633884491
X-Google-Thread: 108122,2cdaa0f37499789e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TH-F6 Swollen Battery
References: <1164345053.144374.169550@h54g2000cwb.googlegroups.com>

```
<PMGdnQRlaPXCqPrYnZ2dnUVZ_sydnZ2d@comcast.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-474D80.17105225112006@news.verizon.net>
Lines: 25
Date: Sat, 25 Nov 2006 22:10:53 GMT
NNTP-Posting-Host: 151.205.97.13
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1164492653 151.205.97.13 (Sat, 25 Nov 2006 17:10:53 EST)
NNTP-Posting-Date: Sat, 25 Nov 2006 17:10:53 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7230

In article <PMGdnQRlaPXCqPrYnZ2dnUVZ_sydnZ2d@comcast.com>,
 "w9gb" <spam_protect@arrl.net> wrote:

> "K1LTJ" <apmatthews@comcast.net> wrote in message
> news:1164345053.144374.169550@h54g2000cwb.googlegroups.com...
> >I have a TH-F6 which I have had for about 2 1/2 years. It has been very
> > well treated, and care has been taken to treat the battery properly. I
> > noticed that the battery would no longer hold a charge. I tried to
> > remove the battery, and it was extremely difficult. It turns out that
> > the battery was slightly swollen, and pressing against the HT case.
> > LI-ion batteries trouble me a bit. I have seen some explosions and
> > fires in RC aircraft using them. I wonder if anyone else has had a
> > similar problem with the PB-42L stock battery with the TH-F6?
> >
> > Al / K1LTJ
> >
>
> I would replace the battery and check your charging system (not over
> charging)
>
> w9gb

be sure to dispose the battery they can explode w/o warning

swelling  is a danger sign


From -2007845416717210491
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-
mail
From: "Bret Ludwig" <bretldwig@yahoo.com>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
Subject: Re: HP 3582A ?
Date: 25 Nov 2006 15:32:40 -0800
Organization: http://groups.google.com
```

```
Lines: 35
Message-ID: <1164497559.930697.316100@j44g2000cwa.googlegroups.com>
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
   <TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
   <osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
NNTP-Posting-Host: 68.91.249.124
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164497564 25288 127.0.0.1 (25 Nov 2006 23:32:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 25 Nov 2006 23:32:44 +0000 (UTC)
In-Reply-To: <osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=68.91.249.124;
   posting-account=28uu9A0AAADjRqxxBAS4nBG7PyX9WhKJ
Xref: g2news2.google.com rec.audio.pro:79869 rec.audio.opinion:55967
rec.audio.tech:15085 rec.radio.amateur.equipment:7231
```

Arny Krueger wrote:

<<snip>>

>
> You can find an audio interface that will outperform say a HP 334 for $30.
> For $200 you're in the same league as some of the older, but not all that
> old AP stuff.

Trying to use a PC as a general purpose bench instrument is like the old race car guys that I used to hang out with. They would build a new big block Chevy and a Turbo 400 behind it every couple of seasons. They put in a dually one ton truck and pulled a trailer that would have been just about right for an old single axle B Mack around for the season. They got about five miles to the gallon under load too.

When I got older, I'd ask them why they didn't buy a real truck, you know, air brakes, Fuller Roadranger, like a used Yellow or Roadway day truck. Well, license and insurance cost too much and you needed a "chauffeurs license" to drive it. (Those pre-CDL days!)

Well okay, at least put a diesel and an Allison in the pickup, why don't you? Because we don't know how to work on them and you can't get them in the junkyard for a hundred bucks.

Eventually they got tired of building "motors" (sic) for the tow truck and not the race car and put a 3208 Cat or a turbo 4-53 and an Allison or a Clark five speed in there. They then got like ten miles to the galllon and the truck rusted out twenty years later and the engine and trans still ran.

The PC does okay as a controller or as a dedicated production test box

with a buffered, isolated interface. But it is not like a scope or gen
or analyzer that sits on the bench.

```
From 1255741562420041639
X-Google-Thread: 108122,2cdaa0f37499789e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Roger <GetValidAddress@my.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TH-F6 Swollen Battery
Date: Sat, 25 Nov 2006 18:45:10 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <05lhm2hvhrvdi876ao0pr2dna4m0tbafrq@4ax.com>
References: <1164345053.144374.169550@h54g2000cwb.googlegroups.com>
<PMGdnQRlaPXCqPrYnZ2dnUVZ_sydnZ2d@comcast.com>
<m-474D80.17105225112006@news.verizon.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news2.google.com rec.radio.amateur.equipment:7232

On Sat, 25 Nov 2006 22:10:53 GMT, ml <m@di.net> wrote:

>In article <PMGdnQRlaPXCqPrYnZ2dnUVZ_sydnZ2d@comcast.com>,
> "w9gb" <spam_protect@arrl.net> wrote:
>
>> "K1LTJ" <apmatthews@comcast.net> wrote in message
>> news:1164345053.144374.169550@h54g2000cwb.googlegroups.com...
>> >I have a TH-F6 which I have had for about 2 1/2 years. It has been very
>> > well treated, and care has been taken to treat the battery properly. I
>> > noticed that the battery would no longer hold a charge. I tried to
>> > remove the battery, and it was extremely difficult. It turns out that
>> > the battery was slightly swollen, and pressing against the HT case.
>> > LI-ion batteries trouble me a bit. I have seen some explosions and
>> > fires in RC aircraft using them. I wonder if anyone else has had a
>> > similar problem with the PB-42L stock battery with the TH-F6?
>> >
>> > Al / K1LTJ
>> >
>>
>> I would replace the battery and check your charging system (not over
>> charging)
>>
>> w9gb
>
```

>be sure to dispose the battery they can explode w/o warning

If it won't take a charge it's probably past that danger point, but
OTOH was probably close to it about the time the swelling ocurred.
<:-))

>
>swelling is a danger sign
Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com

From 9017214960980823863
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
news2.euro.net!postnews2.euro.net!news.wanadoo.nl!not-for-mail
From: Sander deWaal <nospam@wanadoo.nl>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
Subject: Re: HP 3582A ?
Date: Sun, 26 Nov 2006 01:28:07 +0100
Organization: soundprojects.com
Message-ID: <2qnhm21icogdojj2r8hg6f5thamodsiie6@4ax.com>
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
NNTP-Posting-Date: 26 Nov 2006 00:28:14 GMT
NNTP-Posting-Host: hz-8109.adsl.wanadoo.nl
X-Trace: 1164500894 dr1.euro.net 36227 62.234.161.9:2221
X-Complaints-To: abuse@wanadoo.nl
Xref: g2news2.google.com rec.audio.pro:79872 rec.audio.opinion:55971
rec.audio.tech:15086 rec.radio.amateur.equipment:7233

"Bret Ludwig" <bretldwig@yahoo.com> said:

> The PC does okay as a controller or as a dedicated production test box
>with a buffered, isolated interface. But it is not like a scope or gen
>or analyzer that sits on the bench.

Then let me scare you: the LeCroy Wavesurfer we have at work, runs on
Windows XP and has an USB connector....... ;-)

--
- Ever seen someone with 5.1 ears? So, what does that tell you? -

From -5029181302303880283
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j72g2000cwa.googlegroups.com!not-for-mail
From: "Bret Ludwig" <bretldwig@yahoo.com>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
Subject: Re: HP 3582A ?
Date: 25 Nov 2006 16:59:01 -0800
Organization: http://groups.google.com
Lines: 21
Message-ID: <1164502741.092224.16140@j72g2000cwa.googlegroups.com>
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
   <TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
   <osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
   <1164497559.930697.316100@j44g2000cwa.googlegroups.com>
   <2qnhm21icogdojj2r8hg6f5thamodsiie6@4ax.com>
NNTP-Posting-Host: 68.91.249.124
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164502746 28891 127.0.0.1 (26 Nov 2006 00:59:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 26 Nov 2006 00:59:06 +0000 (UTC)
In-Reply-To: <2qnhm21icogdojj2r8hg6f5thamodsiie6@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j72g2000cwa.googlegroups.com; posting-host=68.91.249.124;
   posting-account=28uu9A0AAADjRqxxBAS4nBG7PyX9WhKJ
Xref: g2news2.google.com rec.audio.pro:79873 rec.audio.opinion:55972
rec.audio.tech:15088 rec.radio.amateur.equipment:7234

Sander deWaal wrote:
> "Bret Ludwig" <bretldwig@yahoo.com> said:
>
>

> > The PC does okay as a controller or as a dedicated production test box
> >with a buffered, isolated interface. But it is not like a scope or gen
> >or analyzer that sits on the bench.
>
>
>
> Then let me scare you: the LeCroy Wavesurfer we have at work, runs on
> Windows XP and has an USB connector....... ;-)
>

As does the HP /Agilent Infiniium. As long as you use no other
software at all it works pretty well, but QNX would have been a very
much better choice.

Is this a former Yokogawa or Iwatsu product?

```
From 8209854101806921874
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Nov 2006 19:20:57 -0600
From: "Arny Krueger" <arnyk_at_comcast_dot_net>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
Subject: Re: HP 3582A ?
Date: Sat, 25 Nov 2006 20:21:11 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <0fWdne-83JhndvXYnZ2dnUVZ_sOdnZ2d@comcast.com>
Lines: 43
NNTP-Posting-Host: 71.207.101.163
X-Trace: sv3-
Sh7hxUFbKpna9EQJPYj+zwDfQZniaqtpY7eBD0lFq1K9h1h5O7oKNwvRGzeYiWpSbmolC7lfbjAk5gz!
AKVwsCsqNQ+gIiqTmjoB0x5rMYlj48bq7GegYHvOL0aRTiI3jVCxlUxl6dYCbGzFLUowiUT/cYop!
MQ4cAO6yZoQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.audio.pro:79876 rec.audio.opinion:55974
rec.audio.tech:15089 rec.radio.amateur.equipment:7235


"Bret Ludwig" <bretldwig@yahoo.com> wrote in message
news:1164497559.930697.316100@j44g2000cwa.googlegroups.com...
> Arny Krueger wrote:
>
> <<snip>>
>
>>
>> You can find an audio interface that will outperform say a HP 334 for
>> $30.
>> For $200 you're in the same league as some of the older, but not all that
>> old AP stuff.
>
> Trying to use a PC as a general purpose bench instrument is like the
> old race car guys that I used to hang out with. They would build a new
> big block Chevy and a Turbo 400 behind it every couple of seasons. They
> put in a dually one ton truck and pulled a trailer that would have been
> just about right for an old single axle B Mack around for the season.
> They got about five miles to the gallon under load too.
>
> When I got older, I'd ask them why they didn't buy a real truck, you
> know, air brakes, Fuller Roadranger, like a used Yellow or Roadway day
> truck. Well, license and insurance cost too much and you needed a
> "chauffeurs license" to drive it. (Those pre-CDL days!)

> Well okay, at least put a diesel and an Allison in the pickup, why
> don't you? Because we don't know how to work on them and you can't get
> them in the junkyard for a hundred bucks.

Letsee Bret. If I want to have audio test equipment that will measure
spurious responses> 100 dB down,, I either buy a M-Audio AP 24192 for $179
and  2 watt 5k pot to use as an attenuator for testing power amps and the
like for about $10 more, or I pony up $4,500 - $10,000 for a used Audio
Precision rig that is a whole lot better and easier to use, but in the end
also measures spurious responses > 100 dB down.

How about renting one? Well one source offers new AP equipment for rent at
1/10 of new price *per month*, and another offers a legacy AP System One for
$650 a month.

You pays your money and you makes your choice...




From -206345602669955091
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
```

```
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-
mail
From: "Bret Ludwig" <bretldwig@yahoo.com>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
Subject: Re: Best ARRL Hankbook issue
Date: 25 Nov 2006 17:21:19 -0800
Organization: http://groups.google.com
Lines: 60
Message-ID: <1164504079.141764.30960@f16g2000cwb.googlegroups.com>
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
   <44694f8d.55520781@news.bigpond.com>
   <455B7709.6030500@slmember.on.net>
   <ie-dndZXQvVpffnYnZ2dnUVZ_rydnZ2d@centurytel.net>
   <456542D1.8070008@slmember.on.net>
NNTP-Posting-Host: 68.91.249.124
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164504084 32123 127.0.0.1 (26 Nov 2006 01:21:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 26 Nov 2006 01:21:24 +0000 (UTC)
In-Reply-To: <456542D1.8070008@slmember.on.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US;
rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=68.91.249.124;
   posting-account=28uu9A0AAADjRqxxBAS4nBG7PyX9WhKJ
Xref: g2news2.google.com alt.ham-radio:1367 alt.radio.amateur:348
rec.radio.amateur.equipment:7236


Argusy wrote:
> That's the first one I ever bought (graduated that year, that's how I
> know) but sadly, now gone.
>
> Graham AKA VK5CRC
>
>
> Juan M. wrote:
> > I still have my 64 edition.
> >
> > "Argusy" <argusy@slmember.on.net> wrote in message
> > news:455B7709.6030500@slmember.on.net...
> >
> >>
> >>J-McC wrote:
> >>
> >>>I used to really enjoy the ARRL handbook.  I used to purchase a new
> >>>one every so often here in Australia.  I think the best valve ones
```

> >>>were in the late 80's and then naturally it slowly evolved to
> >>>semiconductors, integrated circuits and printed circuit boards and
> >>>more sophistacted circuits etc.
> >>
> >>
> >>Just took a look - I've still got a 1977 issue. Threw out the earlier ones
> >>when I moved around the countryside (RAAF Bases Amberley, Edinburgh,
> >>Garbutt, Laverton (now some other name), not in any particular order)
> >>
> >>
> >>>I think the old days of truly making your own receiver and or
> >>>transmitter are allmost gone.

It's not a question of can't. It's a question of don't want to.

Look at a Mini-Circuits catalog sometime. What people would have given for those parts in 1940...0r 1960?
http://www.minicircuits.com/

My biggest beef with ARRL handbooks were they were too specific to Amateur radio. If you knew RF theory and good design practice you could build anything you wanted. They used to publish all these homebrew receivers that were actually poor designs because they assumed the amateur wanted a ham-band-only receiver and nothing else, and also did not have a generator to align them with. They were also very trendy in that when the new came in they promoted it to the exclusion of all else. For example, they went over 100% to solid state on PCBs in the early 70s, despite the fact a lot of hams never liked making PC boards and quit building when they were convinced the tube equipment was no good. They did not promote the idea that you needed good test equipment and encouraged the use of half-assed methods and procedures. When they did publish test equipment projects it was for the stuff you could buy cheaply, not for what you really needed that was expensive. They never published a frequency counter that was any good even though counters were high dollar relative to build cost until the 1990s.

Still, there's a lot of good data there. My favorite ARRL books are 1955, 1962, 1965 and 1976. The RSGB books from that timeframe are also excellent and the W6SAI book can be as well, but he was a poor editor.

From -4825824801026323219
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out03b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!

```
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<1164391997.538434.178960@l39g2000cwd.googlegroups.com>
Subject: Re: Happy turkey day you no-code turkeys.
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <sS8ah.35276$zT4.26592@newsfe11.phx>
Date: Sat, 25 Nov 2006 20:37:43 -0800
NNTP-Posting-Host: 72.199.106.166
X-Complaints-To: admin@cox.net
X-Trace: newsfe11.phx 1164515864 72.199.106.166 (Sat, 25 Nov 2006 21:37:44 MST)
NNTP-Posting-Date: Sat, 25 Nov 2006 21:37:44 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.antenna:21970
rec.radio.amateur.equipment:7237 rec.radio.amateur.policy:55567
rec.radio.swap:10213
```

"AC7PN" <brunius@rockisland.com> wrote in message
news:1164391997.538434.178960@l39g2000cwd.googlegroups.com...

> The purpose amateur radio is communications. Real HAMs can communicate
> with CW and they also speak English, Spanish, and French. Those who can
> only speak English are stupid, idiots, turkeys, and are only wimpy
> HAMs. Real HAMs are also a little narrow minded, intolerant and
> arrogant. If you are one of those open minded and tolerant people you
> are not a real HAM and you are probably a liberal, left-wing,
> homo-faggot.

Five sentences ... none of them correct. This person should be writing
laws.

```
From -8316780303816945400
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
```

```
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
Date: Sat, 25 Nov 2006 23:40:56 -0500
Message-ID: <jm6im2tu0hitkqhlib7o1l20vg0sav7rpr@4ax.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<1164391997.538434.178960@l39g2000cwd.googlegroups.com>
<sS8ah.35276$zT4.26592@newsfe11.phx>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
NNTP-Posting-Date: 26 Nov 2006 03:46:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21971
rec.radio.amateur.equipment:7238 rec.radio.amateur.policy:55568
rec.radio.swap:10214

On Sat, 25 Nov 2006 20:37:43 -0800, "Sal M. Onella"
<salmonella@food.poisoning.org> wrote:

>
>"AC7PN" <brunius@rockisland.com> wrote in message
>news:1164391997.538434.178960@l39g2000cwd.googlegroups.com...
>
>> The purpose amateur radio is communications. Real HAMs can communicate
>> with CW and they also speak English, Spanish, and French. Those who can
>> only speak English are stupid, idiots, turkeys, and are only wimpy
>> HAMs. Real HAMs are also a little narrow minded, intolerant and
>> arrogant. If you are one of those open minded and tolerant people you
>> are not a real HAM and you are probably a liberal, left-wing,
>> homo-faggot.
>
>Five sentences ... none of them correct.  This person should be writing
>laws.
>
>
lol
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 8002672744468649б7
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
```

X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Eeyore <rabbitsfriendsandrelations@hotmail.com>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
Subject: Re: HP 3582A ?
Date: Sun, 26 Nov 2006 10:51:39 +0000
Organization: Eeyore's gloomy place
Message-ID: <456971BB.A1257184@hotmail.com>
X-Mailer: Mozilla 4.8 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
<0fWdne-83JhndvXYnZ2dnUVZ_sOdnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news2.google.com rec.audio.pro:79897 rec.audio.opinion:55977
rec.audio.tech:15094 rec.radio.amateur.equipment:7239

Arny Krueger wrote:

> or I pony up $4,500 - $10,000 for a used Audio
> Precision rig that is a whole lot better and easier to use, but in the end
> also measures spurious responses > 100 dB down.

I've seen them on ebay for under $2000 (it may have been Euros).

Graham

From -2498292407702707721
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!83.128.0.11.MISMATCH!news-out1.kabelfoon.nl!newsfeed.kabelfoon.nl!
bandi.nntp.kabelfoon.nl!news2.euro.net!postnews2.euro.net!news.wanadoo.nl!not-for-mail

From: Sander deWaal <nospam@wanadoo.nl>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
Subject: Re: HP 3582A ?
Date: Sun, 26 Nov 2006 19:53:38 +0100
Organization: soundprojects.com
Message-ID: <hfojm2h0r39unvc866hf7hsrnvhupog3p5@4ax.com>
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
<2qnhm21icogdojj2r8hg6f5thamodsiie6@4ax.com>
<1164502741.092224.16140@j72g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 26 Nov 2006 18:53:51 GMT
NNTP-Posting-Host: hz-8109.adsl.wanadoo.nl
X-Trace: 1164567231 dr1.euro.net 27801 62.234.161.9:1398
X-Complaints-To: abuse@wanadoo.nl
Xref: g2news2.google.com rec.audio.pro:79948 rec.audio.opinion:55983
rec.audio.tech:15101 rec.radio.amateur.equipment:7240

"Bret Ludwig" <bretldwig@yahoo.com> said:

>> LeCroy ....

> Is this a former Yokogawa or Iwatsu product?

Dunno, and don't care, either.
It works, which is as much as one might expect from a Windows XP-based
thingy ;-)

I still prefer the sturdy old AP1, though.
I'm getting too old to get used to all new thingies they buy in order
to lower our profit taxes.............

--
- Ever seen someone with 5.1 ears? So, what does that tell you? -

From -4919764793764717l0
X-Google-Thread: 108122,4230ae86b9a47d7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-mail

From: "electro" <jeyoung@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-840 - Reduce Minimum Power
Date: 26 Nov 2006 11:28:13 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1164569293.124917.122080@j44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 64.231.91.80
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164569296 19678 127.0.0.1 (26 Nov 2006 19:28:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 26 Nov 2006 19:28:16 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=64.231.91.80;
   posting-account=4WnsRwsAAAAd-uH1ZntYjHihDWjx8n79
Xref: g2news2.google.com rec.radio.amateur.equipment:7241

I use an FT-840 and would like to add an external 6 meter transverter.
The problem is the FT-840 puts out about 10 watts at it's lowest power
setting. My transverter is designed for 5 watt input maximum.

Does anyone know how to adjust the radio for a reduced minimum power
output? What I was hoping was to reduce the minimum only and try to
keep the maximum output settings to 100w.

From -3121634544822559523
X-Google-Thread: 1109af,5fc1b170e8d439e6,start
X-Google-Thread: 108122,5fc1b170e8d439e6,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 26 Nov 2006 13:39:15 -0600
From: Mike Nowlen <mike.nowlen@gmail.com >
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.commercial-lmr,rec.radio.lmr-commercial,rec.radio.lmr-commerical
Subject: ICOM CK-11 Cable Kit for IC435 Series Transcivers: $25   p3
Date: Sun, 26 Nov 2006 14:39:12 -0500
Message-ID: <farjm25rd4p5unqlbof0hv763216ts5trs@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9

```
NNTP-Posting-Host: 69.255.25.48
X-Trace: sv3-Tg0VwR4OpEz91C2/
mvhKMsuFeZ9Ykl59ptOAUZj1hrXa1zTxcr+F7ZoAS7UPFaGaMa19NHecs5+k17U!eynJp+VzEou7yj1/
rL3KOeEW6bDkQqVY4RY2TnjYP/AsxWCFNCBUv3dq7/zDEMIW8IuQk6gRSSD6!xCpYNcnl9w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:10225 rec.radio.amateur.equipment:7242
```

New Icom remote cable kit complete with mounting and hardware in
original box for Icom Series Commercial Mobile Transceivers

CK-11 for IC435:

$25 + actual shipping costs. Email with zip code for shipping costs.

Thanks for reading
mnowlen@comcast.net

```
From -2778632982991510504
X-Google-Thread: 108122,2dd30d15108e00fd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l12g2000cwl.googlegroups.com!not-for-
mail
From: a.frontera@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: I like Qrp & i'm novice. Icom 703 or Yaesu 817 ?
Date: 26 Nov 2006 17:35:42 -0800
Organization: http://groups.google.com
Lines: 36
Message-ID: <1164591342.490672.81630@l12g2000cwl.googlegroups.com>
NNTP-Posting-Host: 85.18.136.65
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164591346 29610 127.0.0.1 (27 Nov 2006 01:35:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 27 Nov 2006 01:35:46 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; it; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l12g2000cwl.googlegroups.com; posting-host=85.18.136.65;
   posting-account=mgES8Q0AAAAcylEAitDIb__jcfNXhjtv
Xref: g2news2.google.com rec.radio.amateur.equipment:7243
```

Hello to all,
thanks 4 reading. I'm Iz8ffc, in Rome, Italy.
I've to BUY my FIRST radio ! to use in 30% in portable mode, when i'm

out at sea or among mountains and 70% in my rig , at home !
I like these 2 radios, and i'm so in doubt about witch one i've to buy.

80% of my qso are in CW and i need a good receiver. ONLY a good
receiver.
Which one is the best ? Please help me !

I'm not interested at other bands such as VHF or UHF so 817 isn't in my
thoughs...
but several times om from around the world advice me the 817 because is
(in their opinion) the best in rx !

Here there are my question:
1) Is the tuner of 703 useful ? Tune EVERY antenna ? i know that will
not tune wire antenna..but little dipoles, strange antenna ? Or you
advice me to use my LDG z100 AUTOTUNER ?

2) Is the 703 very versatile , portable to use in a field ? Or is it
very complicated ?

3) Maybe i've to buy a 706 and i resolve all my doubts?

The three things because i don't want to buy 817:
1) It has a little display and doesn't have a DSP , and AUTOTUNER.

Mind you that i'm not interested at v and uhf!
SO: WHICH ONE DO YOU ADVICE ME ? THANK YOU A LOT

73 Joseph
Iz8FFC

From 7195378961993754727
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr29.news.prodigy.net.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment,rec.antiques.radio+phono

References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com>
<10h9h.18130$B31.2441@newssvr27.news.prodigy.net>
<YYCdnXiPw5D3kvvYnZ2dnUVZ_tqdnZ2d@comcast.com>
Subject: Re: HP 3582A ?
Lines: 57
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <etrah.16081$9v5.11989@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 64.149.47.248
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1164592074 ST000 64.149.47.248 (Sun, 26 Nov 2006 20:47:54 EST)
NNTP-Posting-Date: Sun, 26 Nov 2006 20:47:54 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSUGW[[DYJWUCQLXEBCBNWX@RJ_XPDLMN@GZ_GYO^BSZUSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Mon, 27 Nov 2006 01:47:54 GMT
Xref: g2news2.google.com rec.radio.amateur.homebrew:7990 rec.audio.pro:79986
rec.audio.opinion:56018 rec.audio.tech:15114 rec.radio.amateur.equipment:7244
rec.antiques.radio+phono:39294

Pete
Thanks for the tip on the ARM button now I'm getting closer to what I know...
Next I've got figure out what all the FFT is about.
Hank
"Pete KE9OA" <p.gianako@comcast.net> wrote in message
news:YYCdnXiPw5D3kvvYnZ2dnUVZ_tqdnZ2d@comcast.com...
> Hi Hank,
>
> This unit should operate like any other spectrum analyzer. Make sure that
> you have it for recursive operation. This button is just above the "ARM"
> button.
> It took me a little while to figure mine out too.
>
> Pete
>
> "Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
> news:10h9h.18130$B31.2441@newssvr27.news.prodigy.net...
>> Pete
>> I saw it and got it several days ago but I sure can't make the thing
>> work like a spectrrum analyzer. And I know how to use a HP 141T and its
>> plugins! I don't think there's anything wrong with it as it behaves per
>> the manual Any other help appreciated. Perhaps someone has used one for
>> music study as I want to.
>>

```
>> --
>>
>> 73
>> Hank WD5JFR
>>
>> "Pete KE9OA" <p.gianako@comcast.net> wrote in message
>> news:M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com...
>>> Agilent has a PDF version of the 3582 manual on their website, as a free
>>> download.
>>>
>>> Pete
>>>
>>> "jack" <jdwalton@comcast.net> wrote in message
>>> news:TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com...
>>>> One thing which you can do with these older analyzers is measure much
>>>> higher
>>>> voltages than possible on a sound card FFT, much lower frequencies --
>>>> they
>>>> were used for vibration analysis as well as audio -- they are also very
>>>> well
>>>> isolated -- you can find a repro of the manual on EBay for ten bucks.
>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>




From -699588621496227856
X-Google-Thread: 108122,81217c3540f66aa8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "electro" <jeyoung@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: NIR-12 DSP Filter Firmware
Date: 26 Nov 2006 20:28:40 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1164601720.758023.307260@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 64.231.91.80
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164601724 30110 127.0.0.1 (27 Nov 2006 04:28:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 27 Nov 2006 04:28:44 +0000 (UTC)
```

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=64.231.91.80;
   posting-account=4WnsRwsAAAAd-uH1ZntYjHihDWjx8n79
Xref: g2news2.google.com rec.radio.amateur.equipment:7245

By chance does anyone know the latest (last) firmware version for the NIR-12 DSP filter? Since this unit is out of production, I wonder if a newer firmware can be copied to a disk then burnt or flashed to a new ROM chip.

Any thoughts?

From 3172731380897838363
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Nov 2006 06:27:34 -0600
From: "Arny Krueger" <arnyk@hotpop.com>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
<0fWdne-83JhndvXYnZ2dnUVZ_sOdnZ2d@comcast.com> <456971BB.A1257184@hotmail.com>
Subject: Re: HP 3582A ?
Date: Mon, 27 Nov 2006 07:25:31 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <I5idnTy54q8rRPfYnZ2dnUVZ_uqdnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 71.227.115.95
X-Trace: sv3-ZqiNDLgPDvRM707V77SODdDTk6T8DDeV8Ljj+RNO2Ik9MTMQm5WvU4slEDvI/
QWc1v6Cy2R3cLUWUSQ!IyvOWagLBL2g1nntI/ecAoNyxsJdK9hrt9l20XiAiQYKdnWrAoKuMAC9/
mGlY2BKEyOyrGqBa1E6!FHNxNU5O4w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.audio.pro:80015 rec.audio.opinion:56037
rec.audio.tech:15120 rec.radio.amateur.equipment:7246
```

"Eeyore" <rabbitsfriendsandrelations@hotmail.com> wrote in
message news:456971BB.A1257184@hotmail.com
> Arny Krueger wrote:
>
>> or I pony up $4,500 - $10,000 for a used Audio
>> Precision rig that is a whole lot better and easier to
>> use, but in the end also measures spurious responses >
>> 100 dB down.
>
> I've seen them on ebay for under $2000 (it may have been
> Euros).

I looked at recent US eBay closings before I made my previouis post.

```
From -2210760523029583074
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!news-in-01.newsfeed.easynews.com!
easynews.com!easynews!newsfeed.news2me.com!newshub.sdsu.edu!pln-e!spln!lex!
extra.newsguy.com!newsp.newsguy.com!news3
From: George M. Middius <cmndr [underscore] george [at] comcast [dot] net>
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
Subject: Re: HP 3582A ?
Date: Mon, 27 Nov 2006 08:52:24 -0500
Organization: Anti-Cyborg Resistance, North America
Lines: 14
Message-ID: <abrlm2t73uj2snlurbtvbbla5ak7srng13@4ax.com>
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
<0fWdne-83JhndvXYnZ2dnUVZ_sOdnZ2d@comcast.com> <456971BB.A1257184@hotmail.com>
<I5idnTy54q8rRPfYnZ2dnUVZ_uqdnZ2d@comcast.com>
Reply-To: do not reply
NNTP-Posting-Host: p-845.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

X-Newsreader: Forte Agent 2.0/32.652
Xref: g2news2.google.com rec.audio.pro:80022 rec.audio.opinion:56038 rec.audio.tech:15128 rec.radio.amateur.equipment:7247

The Krooborg tries out its rusty old fact-by-assertion module.

> I looked at recent US eBay closings before I made my previouis post.

An obvious lie. Come back when you have something truthful to post.

--

Krooscience: The antidote to education, experience, and excellence.

From 2744839111303155744
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes: gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr29.news.prodigy.net.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups: rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment,rec.antiques.radio+phono
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com> <TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com> <M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com> <10h9h.18130$B31.2441@newssvr27.news.prodigy.net> <YYCdnXiPw5D3kvvYnZ2dnUVZ_tqdnZ2d@comcast.com> <etrah.16081$9v5.11989@newssvr29.news.prodigy.net>
Subject: Re: HP 3582A ?
Lines: 71
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <5qEah.16239$9v5.12349@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 70.234.33.184

X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1164645121 ST000 70.234.33.184 (Mon, 27 Nov 2006 11:32:01 EST)
NNTP-Posting-Date: Mon, 27 Nov 2006 11:32:01 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@SJDZBUYR_PXGZID]_\@VR]^@B@MCPWZKB]MPXHBTWICYFWUQBKZQLYJX_ITFD_KFVLUN[DOM_A_NSYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXGQCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Mon, 27 Nov 2006 16:32:01 GMT
Xref: g2news2.google.com rec.radio.amateur.homebrew:7991 rec.audio.pro:80048 rec.audio.opinion:56039 rec.audio.tech:15132 rec.radio.amateur.equipment:7248 rec.antiques.radio+phono:39335

FYI
I just got my eBay CD with the ops and service manual and first glance tells me that it has what I need. It's 202 pages and much more comprehensive than the Agilent download and has examples on how to use it.
Thanks to all who tried to help me.

--

73
Hank WD5JFR
"Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
news:etrah.16081$9v5.11989@newssvr29.news.prodigy.net...
> Pete
> Thanks for the tip on the ARM button now I'm getting closer to what I
> know...
> Next I've got figure out what all the FFT is about.
> Hank
> "Pete KE9OA" <p.gianako@comcast.net> wrote in message
> news:YYCdnXiPw5D3kvvYnZ2dnUVZ_tqdnZ2d@comcast.com...
>> Hi Hank,
>>
>> This unit should operate like any other spectrum analyzer. Make sure that
>> you have it for recursive operation. This button is just above the "ARM"
>> button.
>> It took me a little while to figure mine out too.
>>
>> Pete
>>
>> "Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
>> news:10h9h.18130$B31.2441@newssvr27.news.prodigy.net...
>>> Pete
>>> I saw it and got it several days ago but I sure can't make the thing
>>> work like a spectrrum analyzer. And I know how to use a HP 141T and its
>>> plugins! I don't think there's anything wrong with it as it behaves per
>>> the manual Any other help appreciated. Perhaps someone has used one for
>>> music study as I want to.
>>>
>>> --
>>>

```
>>> 73
>>> Hank WD5JFR
>>>
>>> "Pete KE9OA" <p.gianako@comcast.net> wrote in message
>>> news:M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com...
>>>> Agilent has a PDF version of the 3582 manual on their website, as a
>>>> free download.
>>>>
>>>> Pete
>>>>
>>>> "jack" <jdwalton@comcast.net> wrote in message
>>>> news:TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com...
>>>>> One thing which you can do with these older analyzers is measure much
>>>>> higher
>>>>> voltages than possible on a sound card FFT, much lower frequencies --
>>>>> they
>>>>> were used for vibration analysis as well as audio -- they are also
>>>>> very well
>>>>> isolated -- you can find a repro of the manual on EBay for ten bucks.
>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>
```

```
From 7259346029387496707
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr29.news.prodigy.net.POSTED!c4667c2f!not-for-
mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
```

```
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com>
<10h9h.18130$B31.2441@newssvr27.news.prodigy.net>
<YYCdnXiPw5D3kvvYnZ2dnUVZ_tqdnZ2d@comcast.com>
<etrah.16081$9v5.11989@newssvr29.news.prodigy.net>
<5qEah.16239$9v5.12349@newssvr29.news.prodigy.net>
Subject: Re: HP 3582A ?
Lines: 76
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <qDEah.16247$9v5.8591@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 70.234.33.184
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1164645974 ST000 70.234.33.184 (Mon, 27 Nov
2006 11:46:14 EST)
NNTP-Posting-Date: Mon, 27 Nov 2006 11:46:14 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSUGW[[DYJWUCQLXEBCBNWX@RJ_XPDLMN@GZ_GYO^BSZUSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Mon, 27 Nov 2006 16:46:14 GMT
Xref: g2news2.google.com rec.radio.amateur.homebrew:7992 rec.audio.pro:80052
rec.audio.opinion:56040 rec.audio.tech:15134 rec.radio.amateur.equipment:7249
rec.antiques.radio+phono:39337

Oops, ops only, no service
"Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
news:5qEah.16239$9v5.12349@newssvr29.news.prodigy.net...
> FYI
> I just got my eBay CD with the ops and service manual and first glance
> tells me that it has what I need.  It's 202 pages and much more
> comprehensive than the Agilent download and has examples on how to use it.
> Thanks to all who tried to  help me.
>
> --
>
> 73
> Hank WD5JFR
> "Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
> news:etrah.16081$9v5.11989@newssvr29.news.prodigy.net...
>> Pete
>> Thanks for the tip on the ARM button now I'm getting closer to what I
>> know...
>> Next I've got figure out what all the FFT is about.
>> Hank
>> "Pete KE9OA" <p.gianako@comcast.net> wrote in message
>> news:YYCdnXiPw5D3kvvYnZ2dnUVZ_tqdnZ2d@comcast.com...
>>> Hi Hank,
```

>>>
>>> This unit should operate like any other spectrum analyzer. Make sure
>>> that you have it for recursive operation. This button is just above the
>>> "ARM" button.
>>> It took me a little while to figure mine out too.
>>>
>>> Pete
>>>
>>> "Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
>>> news:10h9h.18130$B31.2441@newssvr27.news.prodigy.net...
>>>> Pete
>>>> I saw it and got it several days ago but I sure can't make the thing
>>>> work like a spectrrum analyzer. And I know how to use a HP 141T and
>>>> its plugins! I don't think there's anything wrong with it as it behaves
>>>> per the manual Any other help appreciated. Perhaps someone has used
>>>> one for music study as I want to.
>>>>
>>>> --
>>>>
>>>> 73
>>>> Hank WD5JFR
>>>>
>>>> "Pete KE9OA" <p.gianako@comcast.net> wrote in message
>>>> news:M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com...
>>>>> Agilent has a PDF version of the 3582 manual on their website, as a
>>>>> free download.
>>>>>
>>>>> Pete
>>>>>
>>>>> "jack" <jdwalton@comcast.net> wrote in message
>>>>> news:TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com...
>>>>>> One thing which you can do with these older analyzers is measure much
>>>>>> higher
>>>>>> voltages than possible on a sound card FFT, much lower frequencies --
>>>>>> they
>>>>>> were used for vibration analysis as well as audio -- they are also
>>>>>> very well
>>>>>> isolated -- you can find a repro of the manual on EBay for ten bucks.
>>>>>>
>>>>>>
>>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>

```
From -8232096357612099816
X-Google-Thread: 108122,e6ca4610d5252e04,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
newspeer1.se.telia.net!se.telia.net!masternews.telia.net.!newsb.telia.net.POSTED!
not-for-mail
From: =?ISO-8859-1?Q?SM=D8IMJ?= <sm0imj@telia.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Post including attachments
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <5jIah.24595$E02.10030@newsb.telia.net>
Date: Mon, 27 Nov 2006 20:57:37 GMT
NNTP-Posting-Host: 81.228.27.52
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1164661057 81.228.27.52 (Mon, 27 Nov 2006 21:57:37 CET)
NNTP-Posting-Date: Mon, 27 Nov 2006 21:57:37 CET
Organization: Telia Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:7250

Is it impossible to post a message including attachments to this newsgroup?

//Hans


From -7107867666913270170
X-Google-Thread: 108122,e6ca4610d5252e04
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe09.lga.POSTED!
53ab2750!not-for-mail
From: ricknj10@hotmail.com (Rick)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Post including attachments
Reply-To: ricknj10@hotmail.com
Message-ID: <456b51e1.113754750@news.optonline.net>
References: <5jIah.24595$E02.10030@newsb.telia.net>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 6
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligkannfilpcpbbolnmgfaflpaeghgpccfiapnppbkdjmafifihoidlffkfapjbmgjcjl
hegjgbmnjpipbelaapknkhfihhpcoldjobgjibpiljefjmhgindeflifgphkdl
NNTP-Posting-Date: Mon, 27 Nov 2006 14:00:37 MST
Organization: Optimum Online
```

Date: Mon, 27 Nov 2006 21:00:38 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7251

>Is it impossible to post a message including attachments to this newsgroup?
>

Yes. Just post text.

From 3044285697521346O8
X-Google-Thread: 108122,e6ca4610d5252e04
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!news-in-01.newsfeed.easynews.com!easynews.com!easynews!
newspeer.tds.net!216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-for-mail
From: "John, N9JG" <john@Xremove.MeYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
References: <5jIah.24595$E02.10030@newsb.telia.net>
Subject: Re: Post including attachments
Lines: 9
Organization: CLM ARRL
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <9LKah.1183$eb5.1181@newsreading01.news.tds.net>
Date: Mon, 27 Nov 2006 23:44:05 GMT
NNTP-Posting-Host: 69.130.135.26
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1164671045 69.130.135.26 (Mon, 27 Nov 2006
17:44:05 CST)
NNTP-Posting-Date: Mon, 27 Nov 2006 17:44:05 CST
Xref: g2news2.google.com rec.radio.amateur.equipment:7252

No, some readers may not like it, but your attachment will come through.
"SM�IMJ" <sm0imj@telia.com> wrote in message
news:5jIah.24595$E02.10030@newsb.telia.net...
> Is it impossible to post a message including attachments to this
> newsgroup?
>
> //Hans

From 6974307291901111574
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39

```
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Attributes: gid10cf58,gid10d85e,gidfb1f8,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-
feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: Les Cargill <lcargill@cfl.rr.com>
Reply-To:  uh-uh@nope.com
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040803
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment
Subject: Re: HP 3582A ?
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
<1164497559.930697.316100@j44g2000cwa.googlegroups.com>
In-Reply-To: <1164497559.930697.316100@j44g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 47
Message-ID: <KUKah.23771$lD6.17504@tornado.tampabay.rr.com>
Date: Mon, 27 Nov 2006 23:54:18 GMT
NNTP-Posting-Host: 65.33.96.135
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1164671658 65.33.96.135 (Mon, 27 Nov 2006
18:54:18 EST)
NNTP-Posting-Date: Mon, 27 Nov 2006 18:54:18 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.audio.pro:80105 rec.audio.opinion:56071
rec.audio.tech:15153 rec.radio.amateur.equipment:7253

Bret Ludwig wrote:
> Arny Krueger wrote:
>
> <<snip>>
>
>>You can find an audio interface that will outperform say a HP 334 for $30.
>>For $200 you're in the same league as some of the older, but not all that
>>old AP stuff.
>
>
>  Trying to use a PC as a general purpose bench instrument is like the
> old race car guys that I used to hang out with. They would build a new
> big block Chevy and a Turbo 400 behind it every couple of seasons. They
> put in a dually one ton truck and pulled a trailer that would have been
> just about right for an old single axle B Mack around for the season.
> They got about five miles to the gallon under load too.
>
```

> When I got older, I'd ask them why they didn't buy a real truck, you
> know, air brakes, Fuller Roadranger, like a used Yellow or Roadway day
> truck. Well, license and insurance cost too much and you needed a
> "chauffeurs license" to drive it. (Those pre-CDL days!)
>
> Well okay, at least put a diesel and an Allison in the pickup, why
> don't you? Because we don't know how to work on them and you can't get
> them in the junkyard for a hundred bucks.
>
> Eventually they got tired of building "motors" (sic) for the tow truck
> and not the race car and put a 3208 Cat or a turbo 4-53 and an Allison
> or a Clark five speed in there. They then got like ten miles to the
> galllon and the truck rusted out twenty years later and the engine and
> trans still ran.
>
> The PC does okay as a controller or as a dedicated production test box
> with a buffered, isolated interface. But it is not like a scope or gen
> or analyzer that sits on the bench.
>

If the thing under test is amenable to it, there's little
or no hope of improving on a PC soundcard and Matlab as a combo. Might
need a breadboard to adapt the signals, but if it's in range,
it'll outrun just about anything for the money.

You're assuming you can trust the test equipment. Sometimes,
you can't....

--
Les Cargill

From -1228464066616883313
X-Google-Thread: 108122,e6ca4610d5252e04
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Post including attachments
From: Bert Hyman <bert@iphouse.com>
References: <5jIah.24595$E02.10030@newsb.telia.net>
<9LKah.1183$eb5.1181@newsreading01.news.tds.net>
Organization: Not that you'd notice
Message-ID: <Xns9888BA71796D3VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.08.24
Date: 28 Nov 2006 00:19:20 GMT
Lines: 17
NNTP-Posting-Date: 27 Nov 2006 18:19:20 CST
NNTP-Posting-Host: cb1a3e4f.newsreader.iphouse.net
X-Trace: DXC=0C7\dh^J>i2Lc3:0\M=Qh<UU[C:R=]Mb:eHS>e[L>830?R=eBjQNcJ?
c230oU7d711X7@2h;nGb4=aSM8Y<j=VH7
X-Complaints-To: abuse@iphouse.net

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7254

In news:9LKah.1183$eb5.1181@newsreading01.news.tds.net "John, N9JG"
<john@Xremove.MeYgotwals.com> wrote:

> No, some readers may not like it, but your attachment will come
> through.

Maybe, maybe not.

Some servers will reject such posts.

> "SM�IMJ" <sm0imj@telia.com> wrote in message
> news:5jIah.24595$E02.10030@newsb.telia.net...
>> Is it impossible to post a message including attachments to this
>> newsgroup?

--
Bert Hyman    St. Paul, MN  bert@iphouse.com



From -3489656617289529822
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
From: Slow Code <my.mail@no.spam>
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com> <Wzv9h.3034$YY.2842@newsfe12.phx>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 32
Message-ID: <8jLah.4138$tM1.74@newsread1.news.pas.earthlink.net>
Date: Tue, 28 Nov 2006 00:22:28 GMT
```

```
NNTP-Posting-Host: 4.230.12.15
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164673348 4.230.12.15 (Mon, 27 Nov 2006
16:22:28 PST)
NNTP-Posting-Date: Mon, 27 Nov 2006 16:22:28 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7255
rec.radio.amateur.policy:55633 rec.radio.amateur.antenna:22004
rec.radio.swap:10245

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in
news:Wzv9h.3034$YY.2842@newsfe12.phx:

>
> "Old Time Ham" <old_fart@curmudgeons.com> wrote in message
> news:ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com...
>>
>
>> > I feel your pain.  It must suck for you to have to live in Lid-ville.
>> >
>
>  it';s slow if you are a 5 WPM lid that has no
>> pride in themselves, but for REAL Hams it is efficient, and fast.
>
> I just looked up "lid" - a poor operator, one who does not follow proper
> procedures or sends sloppy Morse code. (Not me on either count.  It's a
> silly insult to throw around when you don't know somebody.)
>
> Moderator, can we rename this thread?  I think "Mode Rage" sounds right.
>
> (If it keeps going, I can claim that you're not real hams if you don't
> do Amateur TV at 1.2 GHz.  Then what?)


No Sal, You'd still be a retard. Doing ATV doesn't any require skill, and
it doesn't have it own test element either. A CB'er could go ATV, maybe
thats why you're good at it.

Come back after you learn CW to 20 wpm, and I'll pat you on the back and
say "Welcome to Ham radio, Well Done."

SC



From -6865217876583338728
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
```

newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
From: Slow Code <my.mail@no.spam>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<1164450905.259460.308730@j44g2000cwa.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 18
Message-ID: <gjLah.4144$tM1.2821@newsread1.news.pas.earthlink.net>
Date: Tue, 28 Nov 2006 00:22:36 GMT
NNTP-Posting-Host: 4.230.12.15
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164673356 4.230.12.15 (Mon, 27 Nov 2006 16:22:36 PST)
NNTP-Posting-Date: Mon, 27 Nov 2006 16:22:36 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22006
rec.radio.amateur.equipment:7256 rec.radio.amateur.policy:55638
rec.radio.shortwave:60007 rec.radio.swap:10248

"RHF" <rhf-newsgroups@pacbell.net> wrote in
news:1164450905.259460.308730@j44g2000cwa.googlegroups.com:

>
>
> On Nov 21, 4:31 pm, Slow Code <my.m...@no.spam> wrote:
>> and Happy Thanksgiving Pro-Coders.
>>
>> SC
>
> SC - So why didn't you Key-Up and Send-It ~ RHF

I did, but this is the only way to reach the no-codes hams, this and CB,
but I don't do CB.

SC

From -5179822136626344142
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail

```
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
From: Slow Code <my.mail@no.spam>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
<evJ9h.6046$IW2.4244@trndny03>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 17
Message-ID: <hjLah.4145$tM1.1849@newsread1.news.pas.earthlink.net>
Date: Tue, 28 Nov 2006 00:22:37 GMT
NNTP-Posting-Host: 4.230.12.15
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164673357 4.230.12.15 (Mon, 27 Nov 2006
16:22:37 PST)
NNTP-Posting-Date: Mon, 27 Nov 2006 16:22:37 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:22007
rec.radio.amateur.equipment:7257 rec.radio.amateur.policy:55639
rec.radio.shortwave:60008 rec.radio.swap:10249
```

"JOHN D" <jawnd393one@yahoo.com> wrote in
news:evJ9h.6046$IW2.4244@trndny03:

>
> Why am I wasteing my time brushing up on radio & electronic theory and
> studying schematics when, apparantly, all I need is better cw skills to
> enable me to fix my radios.

You need both to be a well balance operator. If you're willing and motivated enough to be able to learn and communicate with CW, you're also more likely to be motivated to advance yourself technically in other areas of radio as well. You won't be one of those unmotivated no-code appliance operators you hear on repeaters who spend their days kerchunking all the machines in the area.

SC

```
From 1234170284422137663
X-Google-Thread: 106d41,7f843ba845e7f1ca
X-Google-Thread: 1109af,a6ccbaf9ccb8401d,start
X-Google-Thread: 10bf43,a6ccbaf9ccb8401d,start
X-Google-Thread: 108122,a6ccbaf9ccb8401d,start
X-Google-Attributes: gid106d41,gid1109af,gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
```

```
rec.radio.cb,rec.radio.swap,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: Killed illegal auctions
From: Slow Code <my.mail@no.spam>
References: <1164651522.698411.180000@n67g2000cwd.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 15
Message-ID: <qjLah.4151$tM1.4135@newsread1.news.pas.earthlink.net>
Date: Tue, 28 Nov 2006 00:22:46 GMT
NNTP-Posting-Host: 4.230.12.15
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164673366 4.230.12.15 (Mon, 27 Nov 2006
16:22:46 PST)
NNTP-Posting-Date: Mon, 27 Nov 2006 16:22:46 PST
Xref: g2news2.google.com rec.radio.cb:22774 rec.radio.swap:10255
rec.radio.amateur.policy:55645 rec.radio.amateur.equipment:7258

"cmdr buzz corey" <cmdr-buzz-corey@mailcity.com> wrote in
news:1164651522.698411.180000@n67g2000cwd.googlegroups.com:

> Three illegal cb amplifiers shot down:
>
>  300053874139, 220051519006, 130050641047
>
> And this one is next.
>
> 220051930613


Thanks Buzz,  I  hope the FCC fines their sorry CB retard asses.

SC



From -8982458745316639312
X-Google-Thread: 108122,a00dc11ba0ce39c5,start
X-Google-Thread: 10bf43,a00dc11ba0ce39c5,start
X-Google-Thread: fcc6e,c379550d8ebe2308
X-Google-Thread: 1109af,a00dc11ba0ce39c5,start
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: Lets be RUDE and INSULT each OTHER for a change
From: Slow Code <my.mail@no.spam>
References: <12mc2o9nfu05s32@corp.supernews.com>
<da011$45664c05$45011502$16738@KNOLOGY.NET>
Organization: None
User-Agent: Xnews/5.04.25
```

```
Lines: 31
Message-ID: <ujLah.4154$tM1.3793@newsread1.news.pas.earthlink.net>
Date: Tue, 28 Nov 2006 00:22:50 GMT
NNTP-Posting-Host: 4.230.12.15
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164673370 4.230.12.15 (Mon, 27 Nov 2006
16:22:50 PST)
NNTP-Posting-Date: Mon, 27 Nov 2006 16:22:50 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7259
rec.radio.amateur.policy:55648 rec.radio.amateur.antenna:22012
rec.radio.swap:10258

"amdx" <amdx@knology.net> wrote in
news:da011$45664c05$45011502$16738@KNOLOGY.NET:

>
> "Charlie" <charlie@ease.biz> wrote in message
> news:12mc2o9nfu05s32@corp.supernews.com...
>> Enough IS enough children!! You all are acting like babies!
>>
>> Please people..let's let the Spirit of the Holidays prevail in our
>> hearts.
>>
>> --
>>
>> 73,Charlie-AD5TH (20 wpm Extra - 1995)
>> www.ad5th.com
>>
>>
>  Well, uh, uh, slow code started it!


I most certainly did not start it.  I'm the nicest person on usenet.

I'm here to help guide and motive people on how they can make themselves
better radio amateurs, unfortunately, some of those I'm trying to help
prefer to be stupid and lazy, and they flame people that try to help them
and they are down right rude. You can see the no-code license was a bad
idea, we need to require all hams pass a code test to bring intelligence
and civility back to ham radio and the repeaters.  I prefer getting the
code requirement back up to somewhere between 13 and 20 wpm for all hams.

SC



From 7533628416219021460
X-Google-Thread: 108122,16940206bb65ae3c,start
X-Google-Thread: 10bf43,16940206bb65ae3c,start
X-Google-Thread: fa029,16940206bb65ae3c,start
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c,start
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: Readings on Reasons to Boycott Wal-Mart
From: Slow Code <my.mail@no.spam>
References: <1164575311.838042.183860@45g2000cws.googlegroups.com>
<14254-456A791E-1822@storefull-3252.bay.webtv.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 15
Message-ID: <MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
Date: Tue, 28 Nov 2006 00:25:16 GMT
NNTP-Posting-Host: 4.230.12.15
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164673516 4.230.12.15 (Mon, 27 Nov 2006
16:25:16 PST)
NNTP-Posting-Date: Mon, 27 Nov 2006 16:25:16 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7260
rec.radio.amateur.policy:55658 rec.radio.scanner:8083 rec.radio.shortwave:60013
rec.radio.swap:10261

cuhulin@webtv.net wrote in
news:14254-456A791E-1822@storefull-3252.bay.webtv.net:

> Maybe I should stop shopping at Wal Mart.I can do my food shopping at
> the Piggly Wiggly food store at Westland Plaza,one and a half miles East
> behind doggy's couch.As for other thingys,there is Metocenter Mall just
> across Highway 80 from me and lots of all kinds of other stores near me.
> cuhulin

Do shop somewhere else because if you shop at Walmart you're supporting
Fags.

SC

From -6567943179251539676
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec

```
.radio.swap
Subject: kookathon
Date: Mon, 27 Nov 2006 19:35:57 -0500
Message-ID: <ev0nm2lof686t557dlk7u8kqv6ju3ofi8g@4ax.com>
References: <5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com> <Wzv9h.3034$YY.2842@newsfe12.phx>
<8jLah.4138$tM1.74@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
NNTP-Posting-Date: 27 Nov 2006 23:41:15 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7261
rec.radio.amateur.policy:55673 rec.radio.amateur.antenna:22016
rec.radio.swap:10268

On Tue, 28 Nov 2006 00:22:28 GMT, Slow Code <my.mail@no.spam> wrote:

>"Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>news:Wzv9h.3034$YY.2842@newsfe12.phx:
>
>>
>> "Old Time Ham" <old_fart@curmudgeons.com> wrote in message
>> news:ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com...
>>>
>>
>>> > I feel your pain.  It must suck for you to have to live in Lid-ville.
>>> >
>>
>>  it';s slow if you are a 5 WPM lid that has no
>>> pride in themselves, but for REAL Hams it is efficient, and fast.
>>
>> I just looked up "lid" - a poor operator, one who does not follow proper
>> procedures or sends sloppy Morse code. (Not me on either count.  It's a
>> silly insult to throw around when you don't know somebody.)
>>
>> Moderator, can we rename this thread?  I think "Mode Rage" sounds right.
>>
>> (If it keeps going, I can claim that you're not real hams if you don't
>> do Amateur TV at 1.2 GHz.  Then what?)
>
>
>No Sal, You'd still be a retard. Doing ATV doesn't any require skill, and
>it doesn't have it own test element either. A CB'er could go ATV, maybe
>thats why you're good at it.
```

then describe YOUR atv gear Steve and ho many contacts you have what is you best dx on ATV Mine is about 60 miles on 10 watts no a realible path and something I can only fdo in summr round here and it was international to
>
>Come back after you learn CW to 20 wpm, and I'll pat you on the back and
>say "Welcome to Ham radio, Well Done."

why do you want to kill the ars sc?

I realy wish youd answer that question
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 176325391977627756
X-Google-Thread: 108122,16940206bb65ae3c
X-Google-Thread: 10bf43,16940206bb65ae3c
X-Google-Thread: fa029,16940206bb65ae3c
X-Google-Thread: 114aac,3208bef7a2172782
X-Google-Thread: 1109af,16940206bb65ae3c
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: kookathon
Date: Mon, 27 Nov 2006 19:41:10 -0500
Message-ID: <qb1nm2h2vr928ljc00rgu6anjqe9s5o8gv@4ax.com>
References: <1164575311.838042.183860@45g2000cws.googlegroups.com> <14254-456A791E-1822@storefull-3252.bay.webtv.net> <MlLah.4167$tM1.870@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 27 Nov 2006 23:46:35 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7262 rec.radio.amateur.policy:55681 rec.radio.scanner:8093 rec.radio.shortwave:60023 rec.radio.swap:10270

On Tue, 28 Nov 2006 00:25:16 GMT, Slow Code <my.mail@no.spam> wrote:

```
>cuhulin@webtv.net wrote in
>news:14254-456A791E-1822@storefull-3252.bay.webtv.net:
>
>> Maybe I should stop shopping at Wal Mart.I can do my food shopping at
>> the Piggly Wiggly food store at Westland Plaza,one and a half miles East
>> behind doggy's couch.As for other thingys,there is Metocenter Mall just
>> across Highway 80 from me and lots of all kinds of other stores near me.
>> cuhulin
>
>
>Do shop somewhere else because if you shop at Walmart you're supporting
>Fags.

do get help for your hatefullness and tr to either become a better ham
or turn in your license for the good of the service
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -4517099368184784502
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: kookathon
Date: Mon, 27 Nov 2006 19:45:26 -0500
Message-ID: <mj1nm2p8dinj514tdvdqo6l3kp2f6gdbeg@4ax.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<I1s9h.2644$ql2.1195@newsread3.news.pas.earthlink.net>
<evJ9h.6046$IW2.4244@trndny03>
<hjLah.4145$tM1.1849@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
NNTP-Posting-Date: 27 Nov 2006 23:51:20 GMT
X-Complaints-To: abuse@teranews.com
```

```
Xref: g2news2.google.com rec.radio.amateur.antenna:22018
rec.radio.amateur.equipment:7263 rec.radio.amateur.policy:55685
rec.radio.shortwave:60027 rec.radio.swap:10272

On Tue, 28 Nov 2006 00:22:37 GMT, Slow Code <my.mail@no.spam> wrote:

>"JOHN D" <jawnd393one@yahoo.com> wrote in
>news:evJ9h.6046$IW2.4244@trndny03:
>
>>
>> Why am I wasteing my time brushing up on radio & electronic theory and
>> studying schematics when, apparantly, all I need is better cw skills to
>> enable me to fix my radios.
>
>
>You need both to be a well balance operator.
maybe

> If you're willing and
>motivated enough to be able to learn and communicate with CW, you're also
>more likely to be motivated to advance yourself technically in other areas
>of radio as well.

maybe it obviously did not work with you

>You won't be one of those unmotivated no-code appliance
>operators you hear on repeaters who spend their days kerchunking all the
>machines in the area.

most of those are extras Steve
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 7026603208637116238
X-Google-Thread: 108228,fe4f983a86d388cd
X-Google-Thread: 108122,fe4f983a86d388cd
X-Google-Thread: 1109af,fe4f983a86d388cd
X-Google-Thread: 1118be,fe4f983a86d388cd
X-Google-Attributes: gid108228,gid108122,gid1109af,gid1118be,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!shaw.ca!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr29.news.prodigy.net.POSTED!8499d90d!not-for-
mail
From: J.P. <jpasano@hotmail.com>
Newsgroups: alt.ham-
```

```
radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.compo
nents
Subject: Re: FA: Electronic surplus parts & Equipment - No longer a registered
Ebay user
Message-ID: <mqr6m2ph7g301a2o2v1m8t4oa34m4lebmd@4ax.com>
References: <CaH7h.5218$y92.1371@tornado.tampabay.rr.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Host: 70.133.147.133
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1164144366 ST000 70.133.147.133 (Tue, 21 Nov
2006 16:26:06 EST)
NNTP-Posting-Date: Tue, 21 Nov 2006 16:26:06 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_A\S@]WZ]S[X_D]_\@VR]^@B@MCPWZKB]MPXHDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Tue, 21 Nov 2006 21:26:06 GMT
Xref: g2news2.google.com alt.ham-radio.marketplace:1586
rec.radio.amateur.equipment:7164 rec.radio.swap:10034
sci.electronics.components:7803

On Sat, 18 Nov 2006 17:13:06 GMT, "IRAD" <mcguyver@cfl.rr.com> wrote:

>For Auction - ebay
>Electronic Parts, RF connectors, Computer parts, Large and small lots.
>http://myworld.ebay.com/newandbarelyused
>



From -5863068154873593577
X-Google-Thread: fcc6e,2eb3be1ec206fa27,start
X-Google-Thread: 108122,2eb3be1ec206fa27,start
X-Google-Thread: 10bf43,2eb3be1ec206fa27,start
X-Google-Thread: 114aac,2eb3be1ec206fa27,start
X-Google-Thread: 1109af,2eb3be1ec206fa27,start
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Happy turkey day you no-code turkeys.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 4
```

```
Message-ID: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
Date: Wed, 22 Nov 2006 00:31:39 GMT
NNTP-Posting-Host: 4.228.228.227
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1164155499 4.228.228.227 (Tue, 21 Nov
2006 16:31:39 PST)
NNTP-Posting-Date: Tue, 21 Nov 2006 16:31:39 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:21815
rec.radio.amateur.equipment:7165 rec.radio.amateur.policy:55089
rec.radio.shortwave:59465 rec.radio.swap:10040
```

and Happy Thanksgiving Pro-Coders.

SC

```
From 3990497583666054466
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.ama
teur.policy
Subject: Re: I'm like Moses.
From: Slow Code <my.mail@no.spam>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164038232.247833.324380@h48g2000cwc.googlegroups.com>
<y7s8h.1378$tM1.252@newsread1.news.pas.earthlink.net>
<1164071214.644168.303610@e3g2000cwe.googlegroups.com>
<1164154907.738553.118970@h54g2000cwb.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 26
Message-ID: <OTM8h.1813$sf5.1695@newsread4.news.pas.earthlink.net>
Date: Wed, 22 Nov 2006 00:31:42 GMT
NNTP-Posting-Host: 4.228.228.227
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1164155502 4.228.228.227 (Tue, 21 Nov
2006 16:31:42 PST)
NNTP-Posting-Date: Tue, 21 Nov 2006 16:31:42 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:21816
rec.radio.amateur.equipment:7166 rec.radio.amateur.policy:55091
```

hot-ham-and-cheese@hotmail.com wrote in
news:1164154907.738553.118970@h54g2000cwb.googlegroups.com:

>

> N2EY@AOL.COM wrote:
>> Slow Code wrote:
>>
>> > It's found in First Hiram Chapter 2, verse 73:
>> >
>> > "and Slow Code, servant of the Lord, smote the Lids with his
>> > cattle prod and the Lids were healed. All that saw were
>> > amazed and fell to the floor and gave thanks to Slow Code
>> > and the bands were made clean that day, and many CB'ers were
>> > also converted. And they began preaching and speaking in CW"
>> >
>> Now we know what Len has been doing.....
>
> Jim, I thought you were Snow Code....

Jim couldn't be me, he hasn't the backbone to support what's right. You and him will be the first ones complaining how bad the operators on the bands are after code is eliminated, and I won't be able to laugh about it because it will affect me too.

SC

```
From 3653035637875774584
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: crapthon goes on
Date: Tue, 21 Nov 2006 19:35:30 -0500
Message-ID: <7q67m2dvv225sm5gvhlsat6036vt4jgv1e@4ax.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
NNTP-Posting-Date: 21 Nov 2006 23:40:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21817
rec.radio.amateur.equipment:7167 rec.radio.amateur.policy:55100
rec.radio.shortwave:59467 rec.radio.swap:10042
```

On Wed, 22 Nov 2006 00:31:39 GMT, Slow Code <my.mail@no.spam> wrote:

>
>and Happy Thanksgiving Pro-Coders.
>
>SC
crapthon goes on
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -5005727524756544959
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: crapthon
Date: Tue, 21 Nov 2006 19:42:00 -0500
Message-ID: <7677m2p7bsccq2g2bkqmadmdjnnps7dh66@4ax.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164038232.247833.324380@h48g2000cwc.googlegroups.com>
<y7s8h.1378$tM1.252@newsread1.news.pas.earthlink.net>
<1164071214.644168.303610@e3g2000cwe.googlegroups.com>
<1164154907.738553.118970@h54g2000cwb.googlegroups.com>
<OTM8h.1813$sf5.1695@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 34
NNTP-Posting-Date: 21 Nov 2006 23:47:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21818
rec.radio.amateur.equipment:7168 rec.radio.amateur.policy:55103

On Wed, 22 Nov 2006 00:31:42 GMT, Slow Code <my.mail@no.spam> wrote:

>hot-ham-and-cheese@hotmail.com wrote in
>news:1164154907.738553.118970@h54g2000cwb.googlegroups.com:
>
>>
>> N2EY@AOL.COM wrote:
>>> Slow Code wrote:
>>>

>>> > It's found in First Hiram Chapter 2, verse 73:
>>> >
>>> > "and Slow Code, servant of the Lord, smote the Lids with his
>>> > cattle prod and the Lids were healed. All that saw were
>>> > amazed and fell to the floor and gave thanks to Slow Code
>>> > and the bands were made clean that day, and many CB'ers were
>>> > also converted. And they began preaching and speaking in CW"
>>> >
>>> Now we know what Len has been doing.....
>>
>> Jim, I thought you were Snow Code....
>
>
>Jim couldn't be me, he hasn't the backbone to support what's right.

sure he could
> You
>and him will be the first ones complaining how bad the operators on the
>bands are after code is eliminated, and I won't be able to laugh about it
>because it will affect me too.

nah Jim and you might
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 1215363259497976506
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-mail
From: "an_old_friend" <kb9rqz69@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
Date: 21 Nov 2006 17:49:21 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1164160161.390468.177910@f16g2000cwb.googlegroups.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 67.150.88.206
Mime-Version: 1.0

```
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164160167 2254 127.0.0.1 (22 Nov 2006 01:49:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 22 Nov 2006 01:49:27 +0000 (UTC)
In-Reply-To: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
yie6),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=67.150.88.206;
   posting-account=oH2fLw0AAABqqyeVR8r5eZKtK68XLxPK
Xref: g2news2.google.com rec.radio.amateur.antenna:21824
rec.radio.amateur.equipment:7169 rec.radio.amateur.policy:55105
rec.radio.shortwave:59470 rec.radio.swap:10044


Slow Code wrote:
> and Happy Thanksgiving Pro-Coders.
>
> SC

soew coed,
gav hsa a biggest dikc than you




From 3510820868883487786
X-Google-Thread: 112d1e,9889c9c3acddab67
X-Google-Thread: fcc6e,9889c9c3acddab67
X-Google-Thread: 108122,9889c9c3acddab67
X-Google-Thread: 107cee,9889c9c3acddab67
X-Google-Attributes: gid112d1e,gidfcc6e,gid108122,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!news.highwinds-media.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews4.bellsouth.net.POSTED!278bc1df!not-for-mail
From: "Jimmie D" <jimmiedee@bellsouth.net>
Newsgroups:
sci.electronics.design,rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.e
lectronics.misc
References: <1163659473.135906.202910@b28g2000cwb.googlegroups.com>
Subject: Re: rf bandpass filters 2.4GHz
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <CkP8h.15155$K9.5916@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
```

X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbokikhlohelgobinnbpalnanimbkaggbjpip
hcpdkakjjjlacphlbjpbippnceoinfcpnepdphkjcmpjombedmbajedpfgibkcnmdahefeiakpdebd
NNTP-Posting-Date: Tue, 21 Nov 2006 22:18:58 EST
Organization: BellSouth Internet Service
Date: Tue, 21 Nov 2006 22:23:34 -0500
Xref: g2news2.google.com sci.electronics.design:125731
rec.radio.amateur.antenna:21827 rec.radio.amateur.equipment:7170
sci.electronics.misc:8164

<kevin.pavin@gmail.com> wrote in message
news:1163659473.135906.202910@b28g2000cwb.googlegroups.com...
> Hi all,
>
> I am transmitting in channel 3 of 802.11b, centered at 2.422Ghz.
> Details aside, let me just say that it is very important for my
> application that I sharpen up the spectral mask beyond that of the
> 802.11b standard. To be specific I need to purchase a bandpass filter
> such that I get attenation of greater than 60dB at +- 15Mhz from the
> center, i..e outside of [2.407Ghz, 2.437Ghz]. I am looking for
> suggestions on where to purchase such filter(s) with the usual
> parameters in mind, cost, lead time, etc.
>
> I did see the filters that hyperlink sells, but it would take many of
> their 8 pole filters in series to get what I need and they additionally
> don't sell filters for one of the channels i would need. Maybe I need
> to go custom on this? Any suggestions are greatly appreciated.
> Thanks,
>
> Kevin
>

Perhaps you could get one of the hyperlink models and modify it.

From 1504792516265147946
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.swap
Subject: crapthon goes on
Date: 21 Nov 2006 21:34:18 -0800

```
Organization: http://groups.google.com
Lines: 11
Message-ID: <1164173658.738674.145330@f16g2000cwb.googlegroups.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
   <1164160161.390468.177910@f16g2000cwb.googlegroups.com>
NNTP-Posting-Host: 66.82.9.67
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164173664 31194 127.0.0.1 (22 Nov 2006 05:34:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 22 Nov 2006 05:34:24 +0000 (UTC)
In-Reply-To: <1164160161.390468.177910@f16g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=66.82.9.67;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:21837
rec.radio.amateur.equipment:7171 rec.radio.amateur.policy:55109
rec.radio.shortwave:59484 rec.radio.swap:10046


an_old_friend wrote:
> Slow Code wrote:
> > and Happy Thanksgiving Pro-Coders.
> >
> > SC
>
> soew coed,
> gav hsa a biggest dikc than you
no you are a fraud



From -6749653913511139684
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "Douche Bag" <loumaagsucks@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: crapthon goes on
Date: 22 Nov 2006 06:19:35 -0800
Organization: http://groups.google.com
Lines: 12
```

```
Message-ID: <1164205174.892070.111260@b28g2000cwb.googlegroups.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
   <1164160161.390468.177910@f16g2000cwb.googlegroups.com>
   <1164173658.738674.145330@f16g2000cwb.googlegroups.com>
NNTP-Posting-Host: 72.75.70.225
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164205179 10786 127.0.0.1 (22 Nov 2006 14:19:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 22 Nov 2006 14:19:39 +0000 (UTC)
In-Reply-To: <1164173658.738674.145330@f16g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.8)
Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=72.75.70.225;
   posting-account=lz0K7A0AAAA0k0bp6MTD4cusVBwJX_LS
Xref: g2news2.google.com rec.radio.amateur.antenna:21842
rec.radio.amateur.equipment:7172 rec.radio.amateur.policy:55113
rec.radio.shortwave:59501 rec.radio.swap:10049

FUCKIN' DRUNKARD
an_old_friend wrote:
> an_old_friend wrote:
> > Slow Code wrote:
> > > and Happy Thanksgiving Pro-Coders.
> > >
> > > SC
> >
> > soew coed,
> > gav hsa a biggest dikc than you
> no you are a fraud




From 5066955622982482866
X-Google-Thread: 108122,59a42802740ea155,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.194.247.MISMATCH!news-out.readnews.com!news-
xxxfer.readnews.com!panix!not-for-mail
From: nospam@nospam.com (Paul Ciszek)
Newsgroups: rec.radio.amateur.equipment
Subject: Question about receiving broadcast (AM/FM) radio
Date: Wed, 22 Nov 2006 17:33:26 +0000 (UTC)
Organization: Public Access Networks Corp.
Lines: 29
Sender: pciszek at panix dot com (Paul Ciszek)
Message-ID: <ek21l6$81d$1@reader2.panix.com>
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader2.panix.com 1164216806 8237 166.84.1.1 (22 Nov 2006 17:33:26 GMT)
```

X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 22 Nov 2006 17:33:26 +0000 (UTC)
X-no-markup: yes
Originator: pciszek at panix dot com (Paul Ciszek)
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Xref: g2news2.google.com rec.radio.amateur.equipment:7173

I realize that this is the wrong sort of "radio" newsgroup, but I cannot find any newsgroup dedicated to consumer AM/FM receivers. I figure you folks would have opinions on the relative merits of digital vs. analog tuners.

Which is better for pulling in a weak, distant radio station: a top-of-the-line analog tuner, or a digital tuner with quartz crystal oscillator, phase locked loop, etc.?

I am seeking a "good portable radio". None of the portables that I have owned have been able to pull in weak stations as well as my no-name car radio. Now, according to what I was told in some courses over a decade ago, I thought the "best" radio receivers used a quartz crystal local oscillator and phase locked loop to "lock on" to the received signal. However, the high end radios people have been refering me to (like the Tivoli Portable Audio Lab) have analog tuners. I have to admit that part of the charm of a digital tuner is the laziness it allows: key up 1340kHZ or 91.5MHz and you're there.

I doubt that my no-name car radio was expensive even when the car was new. There should be a portable radio out there that works at least as well. Any recommendations? It wouldn't necessarily have to have a speaker; headphones would be fine.

--
```
Please reply to:            | "One of the hardest parts of my job is to
pciszek at panix dot com    |  connect Iraq to the War on Terror."
Autoreply is disabled       |            -- G. W. Bush, 9/7/2006
```

From 7322341958432556014
X-Google-Thread: 108122,59a42802740ea155
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Nov 2006 11:45:32 -0600
From: "John Doe" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
References: <ek21l6$81d$1@reader2.panix.com>
Subject: Re: Question about receiving broadcast (AM/FM) radio
Date: Wed, 22 Nov 2006 12:45:25 -0500
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <VrKdnVjTjo8hEfnYnZ2dnUVZ_u-dnZ2d@adelphia.com>
Lines: 35
NNTP-Posting-Host: 69.162.152.98
X-Trace: sv3-gLlp+x0lBNfV4hYrzMuVVXTEZGMqo23/h1gqAd/
v9m4tZuwns1WLT1Dfyywn6io81VPUp0ujNBGMp7b!
2ovSXtgJha1vPPWol2DVm500l+bWUyMKrgigUyPXSUMYpcULHkv/DY2fE9NJV/VL0u3vPWU5jEOj!
y4RPAEfTc09Nu1iLOb/Id+mCAux6
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7174

put up a beverage antenna!

"Paul Ciszek" <nospam@nospam.com> wrote in message
news:ek21l6$81d$1@reader2.panix.com...
>I realize that this is the wrong sort of "radio" newsgroup, but I
> cannot find any newsgroup dedicated to consumer AM/FM receivers.  I
> figure you folks would have opinions on the relative merits of
> digital vs. analog tuners.
>
> Which is better for pulling in a weak, distant radio station: a
> top-of-the-line analog tuner, or a digital tuner with quartz crystal
> oscillator, phase locked loop, etc.?
>
> I am seeking a "good portable radio".  None of the portables that I
> have owned have been able to pull in weak stations as well as my
> no-name car radio.  Now, according to what I was told in some courses
> over a decade ago, I thought the "best" radio receivers used a quartz
> crystal local oscillator and phase locked loop to "lock on" to the
> received signal.  However, the high end radios people have been
> refering me to (like the Tivoli Portable Audio Lab) have analog
> tuners.  I have to admit that part of the charm of a digital tuner
> is the laziness it allows:  key up 1340kHZ or 91.5MHz and you're
> there.
>
> I doubt that my no-name car radio was expensive even when the car
> was new.  There should be a portable radio out there that works at
> least as well.  Any recommendations?  It wouldn't necessarily have
> to have a speaker; headphones would be fine.
>
> --
> Please reply to:             | "One of the hardest parts of my job is to
> pciszek at panix dot com     |  connect Iraq to the War on Terror."
> Autoreply is disabled        |             -- G. W. Bush, 9/7/2006
```

From 343134069981885930
X-Google-Thread: 108122,59a42802740ea155
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newstrans.cos.agilent.com!not-for-mail
From: "Al Lorona" <al_lorona@agilent.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Question about receiving broadcast (AM/FM) radio
Date: Wed, 22 Nov 2006 10:38:02 -0800
Organization: None
Lines: 56
Message-ID: <1164219869.664167@newsreg.cos.agilent.com>
References: <ek21l6$81d$1@reader2.panix.com>
NNTP-Posting-Host: newsreg.cos.agilent.com
X-Trace: newstrans.cos.agilent.com 1164220687 10934 130.29.134.111 (22 Nov 2006
18:38:07 GMT)
X-Complaints-To: usenet@newstrans.cos.agilent.com
NNTP-Posting-Date: Wed, 22 Nov 2006 18:38:07 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Cache-Post-Path: newsreg.cos.agilent.com!unknown@scs1nai136042.scs.agilent.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Xref: g2news2.google.com rec.radio.amateur.equipment:7175

"Paul Ciszek" <nospam@nospam.com> wrote in message
news:ek21l6$81d$1@reader2.panix.com...

> Which is better for pulling in a weak, distant radio station: a top-of-the-line analog tuner, or a digital tuner with quartz crystal oscillator, phase locked loop, etc.?
>

Hi, Paul,

Believe it or not the best receivers seem still to be the old-fashioned analog tuners, partly because of an inherently lower phase noise level in analog tuners and partly because a couple of manufacturers have put some great engineering into putting out really good portables.

One is the GE Superadio which always gets great reviews everywhere, and the other is a little-known Radio Shack Chinese clone of the Superadio, their catalog #12-903, which I believe is a little bit more solidly built than the GE and closely approaches its performance.

Any portable with a jack for an external antenna is a plus because you can run a lot of wire outside an bring it in through a window. This is much better than even the large 8-inch ferrite rods in the GE and Radio Shack. (Both models have connectors for external long wire type antennas.)

My recommendation is to stay away from the Sony ICF-SW7600GR which a lot of people like because of its digital tuning and synchronous AM mode but I have one and there is no comparison between it and the RS 12-903, for example. It eats batteries like nobody's business and doesn't sound as good as the RS. One of the other big advantages of the GE and RS are their beautiful audio quality thanks to well-designed wide IF bandwidths and large speakers. And you can expect your batteries to last more than 200 hours!

Another word about synchronous AM: on the Sony mentioned above, it does help on a moderately noisy signal but it raises the phase noise even higher compared to normal AM mode. In addition, on the very weakest signals near the noise floor Synchronous AM isn't effective at all because it needs a minimum S/N ratio to work properly.

One last model that you may hear discussed is the CCRadio Plus. I wrote a review of it on Amazon.com which was later pulled for no apparent reason although some other folks claimed that the manufacturer had pressured amazon.com to reconsider any negative reviews of the product. Whatever happened, I had some solid engineering data in that review to support my opinion that it was a mediocre receiver, certainly not the stellar product that the ads claim.

Sorry for the extra long post. Good luck in your decision and enjoy AM DX'ing.

Regards,

Al W6LX

From 3719174964850010349
X-Google-Thread: 108122,f897dc2ee2fd3f01
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe14.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Palstar AT Auto FS
Message-ID: <te89m2tutkq570hek70kuedun3pfs3mla8@4ax.com>
References: <rhf3m217kic8rf01fb6gercued9gq9kn8g@4ax.com> <%8s8h.564$eb5.346@newsreading01.news.tds.net>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28

Date: Wed, 22 Nov 2006 14:17:40 -0500
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.lga 1164223045 70.161.108.207 (Wed, 22 Nov 2006 12:17:25 MST)
NNTP-Posting-Date: Wed, 22 Nov 2006 12:17:25 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7176

Selling my Palstar AT Auto, three months old, has Version 1.01, all accessories in factory box. Asking $955.00, shipped to mainland USA, or picked up 23323, $900.00 FIRM. It works well, but just didn't fit in my antenna systems to my satisfaction. 160 M using OCF, 75 & 40 M using G5RV/OCF/Loop, 20 M to 10 M using a MA5B beam, 6 M a 5 element beam. Pro3 & Pro2 through PW-1, RF generators.

Now using dedicated AT1500CV for 160, another dedicated AT1500CV 75/40 and the PW-1 auto tuner has little task into resonant beams on 20-10 and 6. Three antennas on 75/40 puts too much memory match on the software and a lot of computer interfacing without antenna data input. Beautiful tuner for a basic transceiver/amp/2 antennas station.

On Tue, 21 Nov 2006 00:56:27 GMT, "John, N9JG"
<john@Xremove.MeYgotwals.com> wrote:

>Why are you selling it?
>
>"Sonny Hood" <wrhood@cox.net> wrote in message
>news:rhf3m217kic8rf01fb6gercued9gq9kn8g@4ax.com...
>> Palstar AT Auto tuner less than 3 months old, excellent shape, all
>> cables & accessories, factory box. Shipped Main land USA & Ins. FedEx
>> Grd $955.00   US Postal money order or Cashiers check (3 day to clear)
>> Pickup 23323 $915.00 <k4wys@cox.net>
>>
>

From 2834191527073725116
X-Google-Thread: 108122,59a42802740ea155
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!panix!not-for-mail
From: nospam@nospam.com (Paul Ciszek)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Question about receiving broadcast (AM/FM) radio
Date: Wed, 22 Nov 2006 19:23:02 +0000 (UTC)
Organization: Public Access Networks Corp.
Lines: 50
Sender: pciszek at panix dot com (Paul Ciszek)
Message-ID: <ek282m$af4$1@reader2.panix.com>
References: <ek21l6$81d$1@reader2.panix.com>

<1164219869.664167@newsreg.cos.agilent.com>
NNTP-Posting-Host: panix1.panix.com
X-Trace: reader2.panix.com 1164223382 10724 166.84.1.1 (22 Nov 2006 19:23:02 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 22 Nov 2006 19:23:02 +0000 (UTC)
X-no-markup: yes
Originator: pciszek at panix dot com (Paul Ciszek)
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Xref: g2news2.google.com rec.radio.amateur.equipment:7177

In article <1164219869.664167@newsreg.cos.agilent.com>,
Al Lorona <al_lorona@agilent.com> wrote:
>
>Believe it or not the best receivers seem still to be the old-fashioned
>analog tuners, partly because of an inherently lower phase noise level in
>analog tuners and partly because a couple of manufacturers have put some
>great engineering into putting out really good portables.
>
>One is the GE Superadio which always gets great reviews everywhere, and the
>other is a little-known Radio Shack Chinese clone of the Superadio, their
>catalog #12-903, which I believe is a little bit more solidly built than the
>GE and closely approaches its performance.

Is the GE Superadio III as good? (Sometimes the model name stays the
same, but later versions aren't the same product at all.)

>Any portable with a jack for an external antenna is a plus because you can
>run a lot of wire outside an bring it in through a window. This is much
>better than even the large 8-inch ferrite rods in the GE and Radio Shack.
>(Both models have connectors for external long wire type antennas.)

I understand the merits of big antennas, but the whole idea of a portable
is that you can pick it up and take it to the office, lab, etc. without
having to get permission to string wires. Do these radios come with some
sort of default antenna (like the traditional telescoping chrome rod)?

>
>My recommendation is to stay away from the Sony ICF-SW7600GR which a lot of
>people like because of its digital tuning and synchronous AM mode but I have
>one and there is no comparison between it and the RS 12-903, for example. It
>eats batteries like nobody's business and doesn't sound as good as the RS.
>One of the other big advantages of the GE and RS are their beautiful audio
>quality thanks to well-designed wide IF bandwidths and large speakers. And
>you can expect your batteries to last more than 200 hours!

Is there anything similar to the GE or Radio Shack that gets shortwave?
More to the point: In the middle of the continental US (Colorado), can
I pick up international news in English? Someone told me once that the
BBC was going to stop its shortwave broadcasts for the US because we
weren't offsetting the cost.

Shortwave wasn't part of my original interest, but I got curious after

```
one guy claimed that any shortwave radio has to be better quality than
a mass-market AM/FM radio.

--
Please reply to:            | "One of the hardest parts of my job is to
pciszek at panix dot com    |  connect Iraq to the War on Terror."
Autoreply is disabled       |            -- G. W. Bush, 9/7/2006


From 3882473868373044023
X-Google-Thread: 108122,6d72f99fa629d3fe,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!
53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: MISC FS
Message-ID: <vq89m25hdddgflqq2aa0amfqbdmb15fs3e@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
Date: Wed, 22 Nov 2006 14:30:31 -0500
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe23.lga 1164223817 70.161.108.207 (Wed, 22 Nov 2006 12:30:17 MST)
NNTP-Posting-Date: Wed, 22 Nov 2006 12:30:17 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7178

ESTATE of Sherman E. Foster, WA9USE (11/22/06),The following have been
tested and checked out; Offers will be considered.

1 ea.    Drake TR-4 HF SSB Transceiver        S/N 32305

Receives & Transmits 130-90 Watts (Finals Replaced), Manual, Needs
Microphone No factory boxes w/ Drake Model AC-4 Transceiver Power
Supply   S/N 39511     Minimum              $250.00 plus S&H

1 ea.    Ameco Model BIU SWR meter w/ coupler  $15.00 plus S&H

The below items were removed from his radio shack and there is no
guarantee as to the operating condition and or warranty. Offers will
be considered.
                         Boxed and Ready to Ship
1 ea.    Robot Model 1200C SSTV Interface
1 ea.    Robot Model 800 SSTV Interface & Key board
1 ea.    Robot Model 400 SSTV Control
All of the above are in two boxes w/ manuals     Minimum   $125.00
plus S&H
```

Miscellaneous Items

1 ea.	EICO Tube Tester Model 625	$35.00
1 ea.	EICO Oscilloscope Model 435 S/N 5548	$25.00
1 ea.	Regency 5 Amp Power Supply Model P-107	$10.00
1 ea.	"Accurate" Transistor Tester Model 158	$10.00
1 ea.	Magnum 6 Speech Processor	$10.00

Please E-MAIL <k4wys@cox.net>, or call (757) 487-0357 Shipping NOT included in any prices.

From -2593296762719123994
X-Google-Thread: 108122,59a42802740ea155
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!out01b.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-xfer.nntp.sonic.net!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Question about receiving broadcast (AM/FM) radio
Date: 22 Nov 2006 19:42:24 GMT
Organization: The National Capital FreeNet
Lines: 97
Message-ID: <ek2970$qv2$1@theodyn.ncf.ca>
References: <ek21l6$81d$1@reader2.panix.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1164224544 27618 134.117.136.48 (22 Nov 2006 19:42:24 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 22 Nov 2006 19:42:24 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7179

Paul Ciszek (nospam@nospam.com) writes:
> I realize that this is the wrong sort of "radio" newsgroup, but I cannot find any newsgroup dedicated to consumer AM/FM receivers. I figure you folks would have opinions on the relative merits of digital vs. analog tuners.
>

rec.radio.shortwave is the proper group, it's intended for any distant listening of radio stations, not just shortwave. (THis isn't a retro-definition, it was there from the start and "shortwave" just seemed like the best way to name the group.)

You have to "define" best, when shopping for a radio. In a lot of consumer equipment, the radio sections are an afterthought, and certainly not intended for much beyond local stations. That's what most people are interested in, if they even care about radio, so there's no real incentive for manufacturers to design good radios. So if you ask for "best", it may turn out that the salesmen are thinking in terms of sound or some other function, when you are talking "radio that is good at receiving distant signals". And cost isn't necessarily a factor. Since an expensive stereo receiver may be sought after for sound and features, the cost may not be reflected in the radio. Of course, in the past, there were some very good stereo receivers with good reception qualities.

I once got into an argument with someone about their having a "good FM receiver" when it turned out to be a portable shortwave receiver that included FM. They thought since they'd paid a lot for it, the FM section is naturally good. But the FM section would not use any of the circuitry from shortwave section, so it was a "feature" added to sell more radios, and the designer likely wouldn't have allocated much to the FM section, since it would raise the cost or reduce the shortwaver performance.

Car radios have traditionally been good because of the environment they are operating in. One minute they could be near a radio station, and if they overload then that whipes out the other stations. The next, they could be way out in the middle of nowhere, where all the stations are distant. Or a combination, where you need to separate out a strong signal from a weaker signal. So car radios traditionally were designed better. An rf stage at the antenna, better selectivity in the intermediate frequency.

Meanwhile, other AM/FM radios have pretty much kept the same design for decades, with very little innovation unless you get a really expensive radio. And since the "standard" design doesn't take into consideration much beyond local stations, there's no incentive to change.

If this was for a non-portable use, the cheapest solution would be to buy a car radio at a garage sale for a few dollars, power it up with a power supply, and there you have it. A relatively decent redio for a few dollars. I've had a Delco digitally tuned radio next to my bed for a decade, and it's pretty much the best AM/FM radio I've had. Certainly on FM, it beats anything I've tried. (And if the need is semi-portable, get a speaker in a cabinet and strap the car radio to the top.)

Most people never tune the bands to try for those distant stations, so they don't get an idea of what might be better. Distant AM stations at night are easy to receive, sensitivity isn't usually an issue. But separating them out may require something better. On FM, distant stations often require good radio conditions, so no matter what the radio, you will need height to get a distant station on a regular basis. But an FM receiver's ability to stand up to strong signals is important, because too many low end radios (and the expensive units that don't spend much on the FM radio) overload from strong signals. You can never hear the weaker signals, even when they are receivable, because the local signals overload the receivers and mask the weak signals. But here again, better selectivity becomes important, so you can hear the distant station that's adjacent to a local and far stronger signal. (And in the past, when radio was more important, there were high end receivers that dealt with this, having two selectivity positions, one for normal reception and a narrower one for when a signal was weaker.)

Digitally tuned radios mean you are more likely to check those distant stations. Keep the local stations on the memories, and then tune around the band, knowing you can easily get back to the locals. Or when conditions are good, when you find a station pop it into a memory, so you can tune about while waiting for an identification on the first station. There are some FM stations here that are just over the horizon, and are receivable sporadically, and since I like the stations, I keep them in memory. It's really easy to check them, so I am more likely to check them. And digital readout makes it far easier to know what frequency the station is on (which helps to identifiy it's location.)

Analog tuning has the advantage that when trying to deal with a weak signal adjacent to a stronger signal, being able to tune around a bit can sometimes help to separate the stations. You don't have that ability with digital tuning. Again, some of the better stereo receivers in the past included some odd (and I have no idea how successful) designs that tried to compensate for this, trying to give the best of both worlds). Or things like shortwave receivers allow for finer tuning steps. They'd allow 1KHz steps on AM because that's needed for shortwave tuning and the AM section is usually part of the shortwave section. And if they include FM reception, they might have 50KHz steps instead of 200KHz steps, to accomodate different standards around the world, but which incidentally allows for finer tuning on FM.

   Michael VE2BVW

From 5470361811990476416
X-Google-Thread: 108122,59a42802740ea155
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe17.lga.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Question about receiving broadcast (AM/FM) radio
References: <ek21l6$81d$1@reader2.panix.com>
In-Reply-To: <ek21l6$81d$1@reader2.panix.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 47
Message-ID: <9U19h.98$Hj4.10@newsfe17.lga>
Date: Wed, 22 Nov 2006 14:52:46 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: admin@cox.net

X-Trace: newsfe17.lga 1164225157 24.254.177.70 (Wed, 22 Nov 2006 12:52:37 MST)
NNTP-Posting-Date: Wed, 22 Nov 2006 12:52:37 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7180

Paul Ciszek wrote:
> I realize that this is the wrong sort of "radio" newsgroup, but I
> cannot find any newsgroup dedicated to consumer AM/FM receivers. I
> figure you folks would have opinions on the relative merits of
> digital vs. analog tuners.
>
> Which is better for pulling in a weak, distant radio station: a
> top-of-the-line analog tuner, or a digital tuner with quartz crystal
> oscillator, phase locked loop, etc.?
>
> I am seeking a "good portable radio". None of the portables that I
> have owned have been able to pull in weak stations as well as my
> no-name car radio. Now, according to what I was told in some courses
> over a decade ago, I thought the "best" radio receivers used a quartz
> crystal local oscillator and phase locked loop to "lock on" to the
> received signal. However, the high end radios people have been
> refering me to (like the Tivoli Portable Audio Lab) have analog
> tuners. I have to admit that part of the charm of a digital tuner
> is the laziness it allows: key up 1340kHZ or 91.5MHz and you're
> there.
>
> I doubt that my no-name car radio was expensive even when the car
> was new. There should be a portable radio out there that works at
> least as well. Any recommendations? It wouldn't necessarily have
> to have a speaker; headphones would be fine.
>

One of the BEST things I have seen to improve AM radio reception is the
Select-a-Tenna (http://www.selectatenna.com/). Tune your portable radio
to the frequency, place the Select-a-Tenna next to the radio and adjust
the Select-a-Tenna for best reception. No wires to connect, no
batteries or power to plug in to. There are now other models of
Selectatenna that are powered or can connect with wires to you receiver
but I have been using one for years on a very inexpensive portable radio
and I can pick up stations loud and clear that I couldn't even hear
without it.

I am not affiliated with the company that makes them, nor do I sell
them. I just have one and am impressed with its performance.

Please note this is for the AM broadcast band only.

--
I have never met a liberal street cop.

```
From 859232070951158255
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.hawaiiantel.net!
news.hawaiiantel.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Nov 2006 16:08:31 -0600
From: Sun Tzu <SunTzu@TODAY_YOU_DIE_DEAD.org>
Subject: Re: I'm like Moses.
Newsgroups: 
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Followup-To: alt.radio.scanner
Date: Wed, 22 Nov 2006 12:12:12 -1000
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
User-Agent: KNode/0.10.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <Ze-dnQTG0bvCV_nYnZ2dnUVZ_rqdnZ2d@hawaiiantel.net>
Lines: 12
NNTP-Posting-Host: 72.234.178.216
X-Trace: sv3-nlBttHll2vHSWnohlcM3rkeaL0+zuri2h6tSXo/
lx3KM2ubcI3oNFdhvRqapWRtOkgHDsDLpenovdRm!
ei2M9PmU9xkeCnidD6sFWHSOwYKSFOYXhCwASFFq31KTvxcDwtpX/DAAC+jWPEyQRh0KmQB4H2ZA!
x9KzmLu1bZl3GjtRTCqijk4M
X-Complaints-To: abuse@hawaiiantel.net
X-DMCA-Complaints-To: abuse@hawaiiantel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint 
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:3832 rec.radio.amateur.antenna:21852 
rec.radio.amateur.equipment:7181 rec.radio.amateur.policy:55122

Slow Code wrote:

> Moses tried to lead people out of Egypt, and I'm trying to lead people
> out of Lid-ville.  And also like Moses, I'm finding some don't want to
> leave.   They think it's too much work to leave Lid-ville.
> 
> Well sure it's work, but look at the benefits, Quality hams.
> 
> SC


Moses wasnt a jackass - you are!!
```

```
From -1842812940769448909
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Nov 2006 17:44:52 -0600
From: "Juan M." <jdmollanNOSPAMPLEASE@juno.com>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
<44694f8d.55520781@news.bigpond.com> <455B7709.6030500@slmember.on.net>
Subject: Re: Best ARRL Hankbook issue
Date: Wed, 22 Nov 2006 15:44:36 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <ie-dndZXQvVpffnYnZ2dnUVZ_rydnZ2d@centurytel.net>
Lines: 53
NNTP-Posting-Host: 69.29.216.25
X-Trace: sv3-0iqTTWDMhDzZDoXgEwZ5WXiVtya97TYoobJzMqATsTw39kSotDwZtB/
elqYq9p3eXfJvRECCnc7Oi/E!ZYc9BKeJ7l7GckjGikr82zREk4qH3flSBJ75/uAfSX5mHTw7E0kcWI/
myUChlSUEBU1igbNMe+cB!WdgMM7fGJ8647EXYy/SzIbQD+CZ7UG87Yfi/bSc=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio:1365 alt.radio.amateur:345
rec.radio.amateur.equipment:7182
```

I still have my 64 edition.

```
"Argusy" <argusy@slmember.on.net> wrote in message
news:455B7709.6030500@slmember.on.net...
>
>
> J-McC wrote:
>> I used to really enjoy the ARRL handbook.  I used to purchase a new
>> one every so often here in Australia.  I think the best valve ones
>> were in the late 80's and then naturally it slowly evolved to
>> semiconductors, integrated circuits and printed circuit boards and
>> more sophistacted circuits etc.
>
>
> Just took a look - I've still got a 1977 issue. Threw out the earlier ones
> when I moved around the countryside (RAAF Bases Amberley, Edinburgh,
```

> Garbutt, Laverton (now some other name), not in any particular order)
>
>> I think the old days of truly making your own receiver and or
>> transmitter are allmost gone.
>
> I agree
>
>>
>> I have become old any eyesight is now growing dim! <snip>
>
> Well, eyesight's not dim, but I can't read without specs anymore
>
>>
>> When I look at some of the modern Ham gear I am amazed at how complex
>> and tiny they have become. I supposed all we really have left now is
>> making aerials and dxing.
>
> Yeah...
>
>>
>> Next time I am in the city I must checkout the latest ARRL Handbook as
>> I still enjoying reading them in bed.
>
> I can't do that anymore - book's too heavy, and my eyes get bloodshot.
> BTW, I still have William Orr's 1978 'Radio Handbook' as well. That's also
> good for a read occasionally, as well
>
>>
>> Jim McCardle ex VK3ZOE in Australia. jmccardl@bigpond.net.au
>
> <snip>
>
> Argusy
> AKA Graham (VK5CRC but "deaf" for 20 years)
>

From 7642273643357778258
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap

Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
From: Slow Code <my.mail@no.spam>
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 20
Message-ID: <Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net>
Date: Thu, 23 Nov 2006 00:01:48 GMT
NNTP-Posting-Host: 4.254.226.143
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1164240108 4.254.226.143 (Wed, 22 Nov 2006 16:01:48 PST)
NNTP-Posting-Date: Wed, 22 Nov 2006 16:01:48 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7183 rec.radio.amateur.policy:55131 rec.radio.amateur.antenna:21855 rec.radio.swap:10053

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in news:0YQ8h.70$UC2.60@newsfe08.phx:

> [Following seen on quote-back; I believe I have the OP twitted out.]
>
> >No-coders must go to the end of the line for refreshments at meetings.
> >Code hams must be served first and should take more treats than they
> >want and need. When all the code hams are served and there is nothing
> >left, no-codes get the left-over Coffee grounds and Cookie crumbs. This
> >will teach no-codes that by working harder to be better hams,
>
> Not better hams ... just slo-o-o-wer hams! Morse is the most
> inefficient means of communication we have. A kid can burp-speak the
> alphabet faster than you can send it in Morse.

I feel your pain. It must suck for you to have to live in Lid-ville.

SC

From -3555545141654857695
X-Google-Thread: fcc6e,2ab0dc8618951445,start
X-Google-Thread: 108122,2ab0dc8618951445,start
X-Google-Thread: 10bf43,2ab0dc8618951445,start
X-Google-Thread: 1109af,2ab0dc8618951445,start

X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: CW Exams / Examples Wanted
From: Slow Code <my.mail@no.spam>
References: <1164202843.748455.224200@h54g2000cwb.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 78
Message-ID: <Ox59h.2174$ql2.1447@newsread3.news.pas.earthlink.net>
Date: Thu, 23 Nov 2006 00:01:50 GMT
NNTP-Posting-Host: 4.254.226.143
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1164240110 4.254.226.143 (Wed, 22 Nov
2006 16:01:50 PST)
NNTP-Posting-Date: Wed, 22 Nov 2006 16:01:50 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:21856
rec.radio.amateur.equipment:7184 rec.radio.amateur.policy:55132
rec.radio.swap:10054

"W1SDM" <helgapataki@yahoo.com> wrote in
news:1164202843.748455.224200@h54g2000cwb.googlegroups.com:

> Hello,
>
> I am in the process of writing a program that will be available via the
> Internet, which will generate random QSO's similar to those on the
> Morse Code exam.
>
> Since I haven't taken the test yet, I only have some examples from
> websites that I have found using a google search. I am not sure how old
> the examples I am looking at are, so I don't know if the "style" of the
> exams has changed. Also, I have seen some "example" questions that will
> be asked concerning the QSO, and I don't know if there is a question
> "pool" available somewhere.
>
> Could someone who is VERY familiar with the exams take a look at
> http://www.mindformation.com/cgi-bin/qso_generator.pl and see if the
> QSO's that are generated resemble those in "real life?" Once you are on
> that page, you can reload the page or "click" on the word "Create" at
> the bottom of the page, to create another QSO.
>
> Right now all that page does is generate a random QSO using the
> information I have available to me at this time.
>
> Should more and or different information be presented?
>

> Here is a list of questions (obvious ones) that I have so far that could be used as the "pool" of questions (10 questions would be randomly selected) :
> ---
> What is the callsign of the station being called?
> What is the callsign of the calling station?
> What is the name of the operator being called?
> What is the name of the calling operator?
> What is the calling operators job?
> In what city did the transmitting operator live?
> In what state did the transmitting operator live?
> What kind of antenna are they using?
> How high is the antenna?
> How old is the transmitting operator?
> What is the transmitting power level?
> What brand of radio did the operator have?
> What model of radio did the operator have?
> What was the weather described as?
> ---
>
> Once the program is completed it will generate a random QSO, create and embed an .mp3 file of the QSO in Morse Code, and display a list of questions about the QSO on a web page. After the questions are answered you will be shown the text of the QSO to see if you got 25 characters in a row, just in case you didn't answer at least 7 questions correctly.
>
> This is my attempt to create something as close as possible to what you(I) will actually experience when taking the Morse Code exam, so you(I) can be comfortable with the process before actually taking the test.
>
> So, any advice, hints, thoughts, suggestions, let me know. You may reply here or send me email.
>
> Thanks!
>
> --
> Tom Green
> helgapataki((a t))yahoo.com
> W1SDM

It sounds to me like you have it all covered. One extra thing you can do is just have it send random words for about four or five minutes, then people can check their copy with what was sent.

Also, make sure it can send code up to 20 to 25 wpm. Some people might want to practice to be real hams.

SC

From -2077454286511742825
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
From: Slow Code <my.mail@no.spam>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<usg7m2dpptlqm40a033mgt187fh23u4gb3@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 10
Message-ID: <Wx59h.2179$ql2.1187@newsread3.news.pas.earthlink.net>
Date: Thu, 23 Nov 2006 00:01:58 GMT
NNTP-Posting-Host: 4.254.226.143
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1164240118 4.254.226.143 (Wed, 22 Nov
2006 16:01:58 PST)
NNTP-Posting-Date: Wed, 22 Nov 2006 16:01:58 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:21858
rec.radio.amateur.equipment:7185 rec.radio.amateur.policy:55135
rec.radio.swap:10056

Joe Bloe <abaslon@comcast.net> wrote in
news:usg7m2dpptlqm40a033mgt187fh23u4gb3@4ax.com:

> Dito. . . Oh yea, are you a "Daa" or just simply a "Dit"?

You need to know how to use both well in order to be a skilled
communicator, otherwise you're just a CB'er with a piece of paper.

SC

From -7778531222879824771
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail

```
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Re: I'm like Moses.
From: Slow Code <my.mail@no.spam>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164038232.247833.324380@h48g2000cwc.googlegroups.com>
<y7s8h.1378$tM1.252@newsread1.news.pas.earthlink.net>
<1164071214.644168.303610@e3g2000cwe.googlegroups.com>
<1164154907.738553.118970@h54g2000cwb.googlegroups.com>
<1164234471.784451.226030@e3g2000cwe.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 28
Message-ID: <Yx59h.2181$ql2.1447@newsread3.news.pas.earthlink.net>
Date: Thu, 23 Nov 2006 00:02:00 GMT
NNTP-Posting-Host: 4.254.226.143
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1164240120 4.254.226.143 (Wed, 22 Nov
2006 16:02:00 PST)
NNTP-Posting-Date: Wed, 22 Nov 2006 16:02:00 PST
Xref: g2news2.google.com alt.radio.scanner:3833 rec.radio.amateur.antenna:21860
rec.radio.amateur.equipment:7186 rec.radio.amateur.policy:55137
```

N2EY@AOL.COM wrote in
news:1164234471.784451.226030@e3g2000cwe.googlegroups.com:

> hot-ham-and-cheese@hotmail.com wrote:
>> N2EY@AOL.COM wrote:
>> > Slow Code wrote:
>> >
>> > > It's found in First Hiram Chapter 2, verse 73:
>> > >
>> > > "and Slow Code, servant of the Lord, smote the Lids with his
>> > > cattle prod and the Lids were healed. All that saw were
>> > > amazed and fell to the floor and gave thanks to Slow Code
>> > > and the bands were made clean that day, and many CB'ers were
>> > > also converted. And they began preaching and speaking in CW"
>> > >
>> > Now we know what Len has been doing.....
>>
>> Jim, I thought you were Snow Code....
>
> You're mistaken.
>
> IMHO, "Slow Code" writes like Len. The "First Hiram Chapter 2, verse
> 73" nonsense convinced me.

I'm not Len, If I were Len I would have slit my wrists long ago.

SC

```
From -7316639540598991768
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: crapthon goes on
Date: Wed, 22 Nov 2006 20:07:23 -0500
Message-ID: <e1t9m2li7fkitri6krq9024qotfg8gfji3@4ax.com>
References: <08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Date: 23 Nov 2006 00:12:38 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7187
rec.radio.amateur.policy:55152 rec.radio.amateur.antenna:21867
rec.radio.swap:10063

On Thu, 23 Nov 2006 00:01:48 GMT, Slow Code <my.mail@no.spam> wrote:

>"Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>news:0YQ8h.70$UC2.60@newsfe08.phx:
>
>>  [Following seen on quote-back;  I believe I have the OP twitted out.]
>>
>> >No-coders must go to the end of the line for refreshments at meetings.
>> >Code hams must be served first and should take more treats than they
>> >want and need. When all the code hams are served and there is nothing
>> >left, no-codes get the left-over Coffee grounds and Cookie crumbs. This
>> >will teach no-codes that by working harder to be better hams,
>>
>> Not better hams ... just slo-o-o-wer hams!  Morse is the most
>> inefficient means of communication we have.  A kid can burp-speak the
>> alphabet faster than you can send it in Morse.
>
```

```
>
>I feel your pain.  It must suck for you to have to live in Lid-ville.

you feel knothing the humna parts of you are missing
>
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -5381037995812794127
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: crapthon goes on
Date: Wed, 22 Nov 2006 20:07:56 -0500
Message-ID: <i2t9m25tf8nj9lp34dsmlrt6ecsoogb93r@4ax.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164038232.247833.324380@h48g2000cwc.googlegroups.com>
<y7s8h.1378$tM1.252@newsread1.news.pas.earthlink.net>
<1164071214.644168.303610@e3g2000cwe.googlegroups.com>
<1164154907.738553.118970@h54g2000cwb.googlegroups.com>
<1164234471.784451.226030@e3g2000cwe.googlegroups.com>
<Yx59h.2181$ql2.1447@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
NNTP-Posting-Date: 23 Nov 2006 00:13:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3835 rec.radio.amateur.antenna:21868
rec.radio.amateur.equipment:7188 rec.radio.amateur.policy:55153

On Thu, 23 Nov 2006 00:02:00 GMT, Slow Code <my.mail@no.spam> wrote:

>N2EY@AOL.COM wrote in
>news:1164234471.784451.226030@e3g2000cwe.googlegroups.com:
>
>> hot-ham-and-cheese@hotmail.com wrote:
```

```
>>> N2EY@AOL.COM wrote:
>>> > Slow Code wrote:
>>> >
>>> > > It's found in First Hiram Chapter 2, verse 73:
>>> > >
>>> > > "and Slow Code, servant of the Lord, smote the Lids with his
>>> > > cattle prod and the Lids were healed. All that saw were
>>> > > amazed and fell to the floor and gave thanks to Slow Code
>>> > > and the bands were made clean that day, and many CB'ers were
>>> > > also converted. And they began preaching and speaking in CW"
>>> > >
>>> > Now we know what Len has been doing.....
>>>
>>> Jim, I thought you were Snow Code....
>>
>> You're mistaken.
>>
>> IMHO, "Slow Code" writes like Len. The "First Hiram Chapter 2, verse
>> 73" nonsense convinced me.
>
>
>I'm not Len, If I were Len I would have slit my wrists long ago.
>
>SC

then get to it slit your wrists
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 6671585649941891532
X-Google-Thread: fcc6e,2ab0dc8618951445
X-Google-Thread: 108122,2ab0dc8618951445
X-Google-Thread: 10bf43,2ab0dc8618951445
X-Google-Thread: 1109af,2ab0dc8618951445
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: crapthon goes on
Date: Wed, 22 Nov 2006 20:11:36 -0500
Message-ID: <q9t9m2hve9dgs07hisprpcv2jut46em6bc@4ax.com>
References: <1164202843.748455.224200@h54g2000cwb.googlegroups.com>
<Ox59h.2174$ql2.1447@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
```

MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 82
NNTP-Posting-Date: 23 Nov 2006 00:16:50 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21870
rec.radio.amateur.equipment:7189 rec.radio.amateur.policy:55158
rec.radio.swap:10066

On Thu, 23 Nov 2006 00:01:50 GMT, Slow Code <my.mail@no.spam> wrote:

>"W1SDM" <helgapataki@yahoo.com> wrote in
>news:1164202843.748455.224200@h54g2000cwb.googlegroups.com:
>
>> Hello,
>>
>> I am in the process of writing a program that will be available via the
>> Internet, which will generate random QSO's similar to those on the
>> Morse Code exam.
>>
>> Since I haven't taken the test yet, I only have some examples from
>> websites that I have found using a google search. I am not sure how old
>> the examples I am looking at are, so I don't know if the "style" of the
>> exams has changed. Also, I have seen some "example" questions that will
>> be asked concerning the QSO, and I don't know if there is a question
>> "pool" available somewhere.
>>
>> Could someone who is VERY familiar with the exams take a look at
>> http://www.mindformation.com/cgi-bin/qso_generator.pl and see if the
>> QSO's that are generated resemble those in "real life?" Once you are on
>> that page, you can reload the page or "click" on the word "Create" at
>> the bottom of the page, to create another QSO.
>>
>> Right now all that page does is generate a random QSO using the
>> information I have available to me at this time.
>>
>> Should more and or different information be presented?
>>
>> Here is a list of questions (obvious ones) that I have so far that
>> could be used as the "pool" of questions (10 questions would be
>> randomly selected) :
>> ---
>> What is the callsign of the station being called?
>> What is the callsign of the calling station?
>> What is the name of the operator being called?
>> What is the name of the calling operator?
>> What is the calling operators job?
>> In what city did the transmitting operator live?
>> In what state did the transmitting operator live?
>> What kind of antenna are they using?
>> How high is the antenna?
>> How old is the transmitting operator?

```
>> What is the transmitting power level?
>> What brand of radio did the operator have?
>> What model of radio did the operator have?
>> What was the weather described as?
>> -------------------------------------------------------
>>
>> Once the program is completed it will generate a random QSO, create and
>> embed an .mp3 file of the QSO in Morse Code, and display a list of
>> questions about the QSO on a web page. After the questions are answered
>> you will be shown the text of the QSO to see if you got 25 characters
>> in a row, just in case you didn't answer at least 7 questions
>> correctly.
>>
>> This is my attempt to create something as close as possible to what
>> you(I) will actually experience when taking the Morse Code exam, so
>> you(I) can be comfortable with the process before actually taking the
>> test.
>>
>> So, any advice, hints, thoughts, suggestions, let me know. You may
>> reply here or send me email.
>>
>> Thanks!
>>
>> --
>> Tom Green
>> helgapataki((a t))yahoo.com
>> W1SDM
>
>
>It sounds to me like you have it all covered.  One extra thing you can do
>is just have it send random words for about four or five minutes, then
>people can check their copy with what was sent.
>
>Also, make sure it can send code up to 20 to 25 wpm.  Some people might
>want to practice to be real hams.
>
>SC
crapthon goes on
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 6969879365393706476
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: crapthon goes on
Date: Wed, 22 Nov 2006 20:48:03 -0500
Message-ID: <6ev9m2p3244hjfv5cvf4lbr8tvnsag8jfn@4ax.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<1164160161.390468.177910@f16g2000cwb.googlegroups.com>
<1164173658.738674.145330@f16g2000cwb.googlegroups.com>
<1164205174.892070.111260@b28g2000cwb.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Date: 23 Nov 2006 00:53:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21871
rec.radio.amateur.equipment:7190 rec.radio.amateur.policy:55166
rec.radio.shortwave:59563 rec.radio.swap:10067

On 22 Nov 2006 06:19:35 -0800, "Douche Bag" <loumaagsucks@hotmail.com>
wrote:

>FUCKIN' DRUNKARD

you tlaking about yourself?
>an_old_friend wrote:
>> an_old_friend wrote:
>> > Slow Code wrote:
>> > > and Happy Thanksgiving Pro-Coders.
>> > >
>> > > SC
>> >
>> > soew coed,
>> > gav hsa a biggest dikc than you
>> no you are a fraud
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 5204397282702772781
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-10!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Argusy <argusy@slmember.on.net>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
Subject: Re: Best ARRL Hankbook issue
Date: Thu, 23 Nov 2006 17:12:25 +1030
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <456542D1.8070008@slmember.on.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.0.2) Gecko/20021120 Netscape/7.01 (NSCD7.01)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com> <44694f8d.55520781@news.bigpond.com> <455B7709.6030500@slmember.on.net> <ie-dndZXQvVpffnYnZ2dnUVZ_rydnZ2d@centurytel.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 64
Xref: g2news2.google.com alt.ham-radio:1366 alt.radio.amateur:346 rec.radio.amateur.equipment:7191

That's the first one I ever bought (graduated that year, that's how I know) but sadly, now gone.

Graham AKA VK5CRC

Juan M. wrote:
> I still have my 64 edition.
>
> "Argusy" <argusy@slmember.on.net> wrote in message
> news:455B7709.6030500@slmember.on.net...
>
>>
>>J-McC wrote:
>>
>>>I used to really enjoy the ARRL handbook. I used to purchase a new
>>>one every so often here in Australia. I think the best valve ones
>>>were in the late 80's and then naturally it slowly evolved to
>>>semiconductors, integrated circuits and printed circuit boards and
>>>more sophistacted circuits etc.
>>
>>
>>Just took a look - I've still got a 1977 issue. Threw out the earlier ones
>>when I moved around the countryside (RAAF Bases Amberley, Edinburgh,
>>Garbutt, Laverton (now some other name), not in any particular order)
>>
>>
>>>I think the old days of truly making your own receiver and or
>>>transmitter are allmost gone.
>>
>>I agree

>>
>>
>>>I have become old any eyesight is now growing dim! <snip>
>>
>>Well, eyesight's not dim, but I can't read without specs anymore
>>
>>
>>>When I look at some of the modern Ham gear I am amazed at how complex
>>>and tiny they have become. I supposed all we really have left now is
>>>making aerials and dxing.
>>
>>Yeah...
>>
>>
>>>Next time I am in the city I must checkout the latest ARRL Handbook as
>>>I still enjoying reading them in bed.
>>
>>I can't do that anymore - book's too heavy, and my eyes get bloodshot.
>>BTW, I still have William Orr's 1978 'Radio Handbook' as well. That's also
>>good for a read occasionally, as well
>>
>>
>>>Jim McCardle ex VK3ZOE in Australia. jmccardl@bigpond.net.au
>>
>><snip>
>>
>>Argusy
>>AKA Graham (VK5CRC but "deaf" for 20 years)
>>
>
>
>

From 2741057102871098426
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Nov 2006 02:17:23 -0600
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment,rec.antiques.radio+phono

```
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
Subject: Re: HP 3582A ?
Date: Thu, 23 Nov 2006 02:17:28 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com>
Lines: 18
NNTP-Posting-Host: 71.228.3.96
X-Trace: sv3-Tnsp5sQvTRY3IzIu+B/
J948YodlLZi6Bdzx5fzcZXxkis5mpKn8jEz7FsmMDmc00D00MHRsI4b4tLy7!EO36r/
K0Z6w2y8A6sCEVvbh6OSUcr/gBiBGtl7O/y0AodC+zX0r3zpa2KJwv3uUc07OF1BfbsR4c!LjIBIrXx/
XNc
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.homebrew:7949 rec.audio.pro:79617
rec.audio.opinion:55665 rec.audio.tech:15057 rec.radio.amateur.equipment:7192
rec.antiques.radio+phono:38966

Agilent has a PDF version of the 3582 manual on their website, as a free
download.

Pete

"jack" <jdwalton@comcast.net> wrote in message
news:TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com...
> One thing which you can do with these older analyzers is measure much
> higher
> voltages than possible on a sound card FFT, much lower frequencies -- they
> were used for vibration analysis as well as audio -- they are also very
> well
> isolated -- you can find a repro of the manual on EBay for ten bucks.
>
>
>




From 2014007331204070335
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
```

X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment,rec.antiques.radio+phono
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com>
Subject: Re: HP 3582A ?
Lines: 35
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <10h9h.18130$B31.2441@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.143.50.241
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1164287101 ST000 70.143.50.241 (Thu, 23 Nov 2006 08:05:01 EST)
NNTP-Posting-Date: Thu, 23 Nov 2006 08:05:01 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_AOXTMBP\Y]RHV_STDFZ\@@FXLM@TDOCQDJ@_@FNTCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Thu, 23 Nov 2006 13:05:01 GMT
Xref: g2news2.google.com rec.radio.amateur.homebrew:7950 rec.audio.pro:79631
rec.audio.opinion:55675 rec.audio.tech:15061 rec.radio.amateur.equipment:7193
rec.antiques.radio+phono:38973

Pete
I saw it and got it several days ago but I sure can't make the thing work
like a spectrrum analyzer. And I know how to use a HP 141T and its plugins!
I don't think there's anything wrong with it as it behaves per the manual
Any other help appreciated. Perhaps someone has used one for music study as
I want to.

--

73
Hank WD5JFR

"Pete KE9OA" <p.gianako@comcast.net> wrote in message
news:M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com...
> Agilent has a PDF version of the 3582 manual on their website, as a free
> download.
>
> Pete

```
>
> "jack" <jdwalton@comcast.net> wrote in message
> news:TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com...
>> One thing which you can do with these older analyzers is measure much
>> higher
>> voltages than possible on a sound card FFT, much lower frequencies --
>> they
>> were used for vibration analysis as well as audio -- they are also very
>> well
>> isolated -- you can find a repro of the manual on EBay for ten bucks.
>>
>>
>>
>
>
```

```
From -2838409150194295820
X-Google-Thread: fcc6e,2ab0dc8618951445
X-Google-Thread: 108122,2ab0dc8618951445
X-Google-Thread: 1109af,2ab0dc8618951445
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: muldawer@gmail.com
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: 5 Radio Frequency Interference Ferrite (RFI) Reducers for Round Cables
Date: 23 Nov 2006 05:48:10 -0800
Organization: http://groups.google.com
Lines: 25
Message-ID: <1164289689.977500.279700@e3g2000cwe.googlegroups.com>
References: <1164202843.748455.224200@h54g2000cwb.googlegroups.com>
   <Ox59h.2174$ql2.1447@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 70.110.19.98
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164289695 17037 127.0.0.1 (23 Nov 2006 13:48:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 23 Nov 2006 13:48:15 +0000 (UTC)
In-Reply-To: <Ox59h.2174$ql2.1447@newsread3.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=70.110.19.98;
   posting-account=5muBfA0AAAAIboRFUE1VOY_MP77Wnzit
Xref: g2news2.google.com rec.radio.amateur.antenna:21878
rec.radio.amateur.equipment:7194 rec.radio.swap:10077
```

5 Radio Frequency Interference Ferrite (RFI) Reducers for Round Cables

Cut down on RFI (radio frequency interference) with this effective and easy to use clamp-type split ferrite choke core. Simply snap it over any coax cable, AC or audio cord.

Features/Specifications: Split ferrite RFI reducer for round cables
Clamp-type fitting
Uses high-performance ferrites (Nickel-Zinc) that reduce high frequency noise
Split ferrite assembly are fully enclosed in a Nylon case
Can be installed before or after product setup and assembly

Package Includes: RFI reducer for round cables

Product Requirements:
Suitable round cable

RFI filters can be pretty important when cables are run through big bundles of other cables or near strong power supplies. Put this RFI reducer on your round coax, AC, or audio cord to improve the signal quality. This Radio Frequency Interference Reducer is made with high-performance ferrites (Nickel-Zinc) to ensure a better filter process. It is small, only 1.2 inches long and snaps on in an instant.

```
From 4442173264221579059
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Nov 2006 08:51:39 -0600
Date: Thu, 23 Nov 2006 09:51:39 -0500
From: Old Time Ham <old_fart@curmudgeons.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
```

```
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net>
In-Reply-To: <Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-0ZJ7rdT51A2XOPIGwCsWbT1d26777nME26i1Lj0acJcwOUhxpwmiuZTRs/OU4n/
NPzLsLLXBLQUNa/p!
U0p+BlPx4LbbvwRRvh1x2RcHIMhqgh9nJoIMXcaMEWHzS5QEpT3lVIPKWYvSf0atwn9rap/nx+/q!
dFLwUJApws0GmXK1li17
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7195
rec.radio.amateur.policy:55252 rec.radio.amateur.antenna:21879
rec.radio.swap:10078

Slow Code wrote:
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
> news:0YQ8h.70$UC2.60@newsfe08.phx:
>
>>  [Following seen on quote-back;  I believe I have the OP twitted out.]
>>
>>> No-coders must go to the end of the line for refreshments at meetings.
>>> Code hams must be served first and should take more treats than they
>>> want and need. When all the code hams are served and there is nothing
>>> left, no-codes get the left-over Coffee grounds and Cookie crumbs. This
>>> will teach no-codes that by working harder to be better hams,
>> Not better hams ... just slo-o-o-wer hams!  Morse is the most
>> inefficient means of communication we have.  A kid can burp-speak the
>> alphabet faster than you can send it in Morse.
>
>
> I feel your pain.  It must suck for you to have to live in Lid-ville.
>
>
> SC

Do any of you no-code lids remember the demonstration on Late night TV
when a couple of CW ops demonstrated and proved CW is MUCH faster than
"text messaging?"  Yeah, it';s slow if you are a 5 WPM lid that has no
pride in themselves, but for REAL Hams it is efficient, and fast.


From 2361159161040432732
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
```

X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Smokey" <nospamtelegraph@intergate.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
Date: Thu, 23 Nov 2006 10:05:55 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12mbhhhsf907rbf@corp.supernews.com>
Reply-To: "Smokey" <nospamtelegraph@intergate.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news2.google.com rec.radio.amateur.antenna:21881
rec.radio.amateur.equipment:7196 rec.radio.amateur.policy:55254
rec.radio.shortwave:59623 rec.radio.swap:10079

Why are these no-code idiots so DEFENSIVE? They're winning! What have these morons got to have an attitude about? It's us REAL HAMS...us CW operators that should be slinging the mud. All they have to do is be conceived, then try to figger out how to push the mike button now and...voila...they're so-called "hams." And the puff bags in Washington and Newington have handed them all the spectrum to use for their CB operations.

SLOW CODE...keep at it. I think your comments are right on the mark.

From 4586519730996469634
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!53ab2750!
not-for-mail
Reply-To: "Steve Stone" <zzspfleck@citlink.netyy>

From: "Steve Stone" <zzspfleck@citlink.netzz>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.swap
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com>
Subject: Re: Happy turkey day you no-code turkeys.
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <pkk9h.6202$ya1.1099@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956490a539f226c80f2555cd51e11232d97c8db5689b15bc820434629d9ffe0e1db9ee489364a50146201d231cb9692d560ccd3529ac4ce7960f4a08231af6cc0ed53226afb6ccf9b1057d76b3933c348b65bd888ad35506fe7940ad8d68ec171217d7f6223b61dd048
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Thu, 23 Nov 2006 16:51:33 UTC
Date: Thu, 23 Nov 2006 16:51:33 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:21882
rec.radio.amateur.equipment:7197 rec.radio.amateur.policy:55255
rec.radio.shortwave:59628 rec.radio.swap:10081

> It's us REAL HAMS...us CW operators
> that should be slinging the mud.

When you real hams, sitting on your fat asses come out of your musty shacks
and use your superior skills to help out your neighbors during local
emergencies I'll have some respect for you.
Join an ARES or RACES group.. or even a Skywarn net.
Until then you are just a waste of bandwidth and good potato chips.

From -9055326620824677623
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
out04a.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-

```
for-mail
From: "etagg" <etagg@twcny.rr.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<usg7m2dpptlqm40a033mgt187fh23u4gb3@4ax.com>
<Wx59h.2179$ql2.1187@newsread3.news.pas.earthlink.net>
Subject: Re: Happy turkey day you no-code turkeys.
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <2Lk9h.25156$zB4.806@twister.nyroc.rr.com>
Date: Thu, 23 Nov 2006 17:19:58 GMT
NNTP-Posting-Host: 24.58.25.31
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1164302398 24.58.25.31 (Thu, 23 Nov 2006 12:19:58
EST)
NNTP-Posting-Date: Thu, 23 Nov 2006 12:19:58 EST
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.antenna:21884
rec.radio.amateur.equipment:7198 rec.radio.amateur.policy:55257
rec.radio.swap:10082

and your a waste of a bag of skin
"Slow Code" <my.mail@no.spam> wrote in message
news:Wx59h.2179$ql2.1187@newsread3.news.pas.earthlink.net...
> Joe Bloe <abaslon@comcast.net> wrote in
> news:usg7m2dpptlqm40a033mgt187fh23u4gb3@4ax.com:
>
> >   Dito. . .  Oh yea, are you a "Daa" or just  simply a "Dit"?
>
>
> You need to know how to use both well in order to be a skilled
> communicator, otherwise you're just a CB'er with a piece of paper.
>
> SC




From 1456660344395229263
X-Google-Thread: fc8b1,460f7998badf0973,start
X-Google-Thread: 108122,460f7998badf0973,start
X-Google-Thread: 1109af,460f7998badf0973,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Nov 2006 11:32:31 -0600
```

```
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
Subject: FA: SB-620 Scanalyzer *Factory Built*
Date: Thu, 23 Nov 2006 12:32:41 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <S_qdnRFBgqqyRvjYnZ2dnUVZ_o-dnZ2d@comcast.com>
Lines: 4
NNTP-Posting-Host: 69.253.143.89
X-Trace: sv3-
j9BlLOb7kCZVJ+3VDkdAKPgvuWmkzcWAEoHelDkZU8dt68IfSlYO5b8YXZ1H2qjKhOkUTlZFjGOfTQ4!
JbENNXIpysOQTqKnXeMLsoA7cdm8nlMLvZzdwo3Vn6UM09Zni1iaAY38QOsdPkSIL0Dh+LCkzKPn!
yMWbAxXN
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6438
rec.radio.amateur.equipment:7199 rec.radio.swap:10083

Ends this weekend.  Wired for 455 IF
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=019&sspagename=STRK%3AMESE%3AIT&viewitem=&item=290052468159&rd=1&rd=1




From 8490425622435311794
X-Google-Thread: fc8b1,8831437e3c2186c9,start
X-Google-Thread: 108122,8831437e3c2186c9,start
X-Google-Thread: 1109af,8831437e3c2186c9,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Nov 2006 11:34:49 -0600
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
Subject: FA: SB-102 **Beautiful** ends this wknd!
Date: Thu, 23 Nov 2006 12:35:00 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <IvqdnSvgee8kRvjYnZ2dnUVZ_tKdnZ2d@comcast.com>
Lines: 4
NNTP-Posting-Host: 69.253.143.89
X-Trace: sv3-u4uCbswoxbmYfZGcPfCVpllF/YED1argqU6yG8zF8t9hlIEVH5oXE/uDsnK7w/
xoWStCtxbrIs8/Ka2!EQltPIRBPwZOc/kVP+QxCD5N/DWGDBcz1/
NJWkzzSfMKZsL2MJ3k4VSL36D69aeEq0xEzZRPYNpf!wZ3ajPEU
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6439
rec.radio.amateur.equipment:7200 rec.radio.swap:10084
```

Check it here...
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=019&sspagename=STRK%3AMESE%3AIT&viewitem=&item=290052472110&rd=1&rd=1

```
From 1454317919753502806
X-Google-Thread: 108122,1fa19cb66b8c9ca,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: muldawer@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 5 Radio Frequency Interference Ferrite (RFI) Reducers for Round
Cables
Date: 23 Nov 2006 10:06:19 -0800
Organization: http://groups.google.com
Lines: 29
Message-ID: <1164305179.838076.282330@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 70.110.19.98
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164305185 4313 127.0.0.1 (23 Nov 2006 18:06:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 23 Nov 2006 18:06:25 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=70.110.19.98;
   posting-account=5muBfA0AAAAIboRFUE1VOY_MP77Wnzit
Xref: g2news2.google.com rec.radio.amateur.equipment:7201
```

5 Radio Frequency Interference Ferrite (RFI) Reducers for Round Cables

Cut down on RFI (radio frequency interference) with this effective and easy to use clamp-type split ferrite choke core. Simply snap it over any coax cable, AC or audio cord.

Features/Specifications: Split ferrite RFI reducer for round cables
Clamp-type fitting
Uses high-performance ferrites (Nickel-Zinc) that reduce high frequency noise
Split ferrite assembly are fully enclosed in a Nylon case
Can be installed before or after product setup and assembly

Package Includes: RFI reducer for round cables

Product Requirements:
Suitable round cable

RFI filters can be pretty important when cables are run through big bundles of other cables or near strong power supplies. Put this RFI reducer on your round coax, AC, or audio cord to improve the signal quality. This Radio Frequency Interference Reducer is made with high-performance ferrites (Nickel-Zinc) to ensure a better filter process. It is small, only 1.2 inches long and snaps on in an instant. Here is a picture of the product in use:
http://64.70.175.67/images/FS/RFI/RFI2.jpg

$10.00 (shipping inc.) I accept Paypal!

```
From -9215585499315262794
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap
Subject: crapthon goes on
Date: Thu, 23 Nov 2006 13:13:29 -0500
Message-ID: <55pbm2l4jq7r5t5qannl6r7ocenkgggno4@4ax.com>
References: <08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
```

<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-
dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
NNTP-Posting-Date: 23 Nov 2006 17:18:52 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7202
rec.radio.amateur.policy:55289 rec.radio.amateur.antenna:21886
rec.radio.swap:10086

On Thu, 23 Nov 2006 09:51:39 -0500, Old Time Ham
<old_fart@curmudgeons.com> wrote:

>Slow Code wrote:
>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>> news:0YQ8h.70$UC2.60@newsfe08.phx:
>>
>>> [Following seen on quote-back; I believe I have the OP twitted out.]
>>>
>>>> No-coders must go to the end of the line for refreshments at meetings.
>>>> Code hams must be served first and should take more treats than they
>>>> want and need. When all the code hams are served and there is nothing
>>>> left, no-codes get the left-over Coffee grounds and Cookie crumbs. This
>>>> will teach no-codes that by working harder to be better hams,
>>> Not better hams ... just slo-o-o-wer hams! Morse is the most
>>> inefficient means of communication we have. A kid can burp-speak the
>>> alphabet faster than you can send it in Morse.
>>
>>
>> I feel your pain. It must suck for you to have to live in Lid-ville.
>>
>>
>> SC
>
>Do any of you no-code lids remember the demonstration on Late night TV
>when a couple of CW ops demonstrated and proved CW is MUCH faster than
>"text messaging?" Yeah, it';s slow if you are a 5 WPM lid that has no
>pride in themselves, but for REAL Hams it is efficient, and fast.

so what?
the longbow was a better weapon in many ways than the crossbow or the
musket why did they replace it
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -7140374851856894369
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: crapthon goes on
Date: Thu, 23 Nov 2006 13:15:23 -0500
Message-ID: <t8pbm2lrq57m5ogk5v8v6o28p23sctm02f@4ax.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
NNTP-Posting-Date: 23 Nov 2006 17:20:39 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21887
rec.radio.amateur.equipment:7203 rec.radio.amateur.policy:55291
rec.radio.shortwave:59639 rec.radio.swap:10087

On Thu, 23 Nov 2006 10:05:55 -0600, "Smokey"
<nospamtelegraph@intergate.com> wrote:

>Why are these no-code idiots so DEFENSIVE?

no we are being OFFENSIVE that is why we are winning
> They're winning! What have these
>morons got to have an attitude about? It's us REAL HAMS...us CW operators
>that should be slinging the mud. All they have to do is be conceived, then
>try to figger out how to push the mike button now and...voila...they're
>so-called "hams." And the puff bags in Washington and Newington have handed
>them all the spectrum to use for their CB operations.
>
>SLOW CODE...keep at it. I think your comments are right on the mark.
>
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com
```

```
From 3783768840923104522
X-Google-Thread: fcc6e,2ab0dc8618951445
X-Google-Thread: 108122,2ab0dc8618951445
X-Google-Thread: 1109af,2ab0dc8618951445
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: 5 Radio Frequency Interference Ferrite (RFI) Reducers for Round
Cables
Date: 23 Nov 2006 20:24:14 GMT
Lines: 7
Message-ID: <slrnemc0re.2usq.bit-bucket@shell.config.com>
References: <1164202843.748455.224200@h54g2000cwb.googlegroups.com>
<Ox59h.2174$ql2.1447@newsread3.news.pas.earthlink.net>
<1164289689.977500.279700@e3g2000cwe.googlegroups.com>
X-Trace: individual.net g6R3BaMPTMQrvjucpPZkxgH7W9CHVbtNEZDJ6iIZ34leGQhx7n
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.antenna:21891
rec.radio.amateur.equipment:7204 rec.radio.swap:10090

On 23 Nov 2006 05:48:10 -0800, muldawer@gmail.com wrote:

> 5 Radio Frequency Interference Ferrite (RFI) Reducers for Round Cables

Rule #3 in play here.

      http://bruce.pennypacker.org/spamrules.html


From 3217029345499666859
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Nov 2006 15:15:22 -0600
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com>
```

<10h9h.18130$B31.2441@newssvr27.news.prodigy.net>
Subject: Re: HP 3582A ?
Date: Thu, 23 Nov 2006 15:15:20 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <YYCdnXiPw5D3kvvYnZ2dnUVZ_tqdnZ2d@comcast.com>
Lines: 48
NNTP-Posting-Host: 71.228.3.96
X-Trace: sv3-QbuH5k7uskzSk6I1IvegQkYRqs0D0qm5uY+N85ZRkhoDFdL17N95ghr70/
aTAws+4MuuOTzBeMRoAJI!
XNen5RsWmSJQHAIHWFklSdrS7KvVBkpWmW7MphU3Cu329k7EdEy1iF7fpDkflpeHyd9voKJ+XfBB!
gqzX67cEmUYO
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.homebrew:7953 rec.audio.pro:79660
rec.audio.opinion:55721 rec.audio.tech:15066 rec.radio.amateur.equipment:7205
rec.antiques.radio+phono:39008

Hi Hank,

This unit should operate like any other spectrum analyzer. Make sure that
you have it for recursive operation. This button is just above the "ARM"
button.
It took me a little while to figure mine out too.

Pete

"Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
news:10h9h.18130$B31.2441@newssvr27.news.prodigy.net...
> Pete
> I saw it and got it several days ago but I sure can't make the thing work
> like a spectrrum analyzer. And I know how to use a HP 141T and its
> plugins! I don't think there's anything wrong with it as it behaves per
> the manual Any other help appreciated. Perhaps someone has used one for
> music study as I want to.
>
> --
>
> 73
> Hank WD5JFR
>
> "Pete KE9OA" <p.gianako@comcast.net> wrote in message
> news:M46dnSbmypKOxPjYnZ2dnUVZ_o2dnZ2d@comcast.com...
>> Agilent has a PDF version of the 3582 manual on their website, as a free
>> download.
>>

```
>> Pete
>>
>> "jack" <jdwalton@comcast.net> wrote in message
>> news:TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com...
>>> One thing which you can do with these older analyzers is measure much
>>> higher
>>> voltages than possible on a sound card FFT, much lower frequencies --
>>> they
>>> were used for vibration analysis as well as audio -- they are also very
>>> well
>>> isolated -- you can find a repro of the manual on EBay for ten bucks.
>>>
>>>
>>>
>>
>>
>
>
```

```
From 3411922143444563983
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Nov 2006 15:42:55 -0600
Date: Thu, 23 Nov 2006 16:42:55 -0500
From: Old Time Ham <old_fart@curmudgeons.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
In-Reply-To: <pkk9h.6202$ya1.1099@news02.roc.ny>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <yrGdnZicZpZCiPvYnZ2dnUVZ_qKdnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-
J3PjDvOiBlVtA5wEfBuXb1wjiQjfgPx7+fJkuf4vGYv4Yh7Xk46Z28BtfKHFQz0ggxtXENzYmeJuZii!
Cv5g3VZJ44J2FKjGNDvYohbLdQuObXKvqfZ5Fg1tnitEc+ViMe5pPTfQJgZ66hEOBuenex3Re6p7!DoS/
```

```
0z96vlfJ4RhVn9Y7
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:21893
rec.radio.amateur.equipment:7206 rec.radio.amateur.policy:55328
rec.radio.shortwave:59658 rec.radio.swap:10091

Steve Stone wrote:
>> It's us REAL HAMS...us CW operators
>> that should be slinging the mud.
>
> When you real hams, sitting on your fat asses come out of your musty shacks
> and use your superior skills to help out your neighbors during local
> emergencies I'll have some respect for you.
> Join an ARES or RACES group.. or even a Skywarn net.
> Until then you are just a waste of bandwidth and good potato chips.
>
>
>
>

I am in both RACES and SKYWARN and just about puke every time some CB
reject say's "What's your 20?." I am forced to respond, "My location is
____, you jackass."


From -8789090150292464824
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: crapthon goes on
Date: Thu, 23 Nov 2006 16:51:22 -0500
Message-ID: <1t5cm2pob329scq7rh2tp8iqms7b210a4j@4ax.com>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<yrGdnZicZpZCiPvYnZ2dnUVZ_qKdnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
```

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Date: 23 Nov 2006 20:56:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:21894
rec.radio.amateur.equipment:7207 rec.radio.amateur.policy:55329
rec.radio.shortwave:59659 rec.radio.swap:10092

On Thu, 23 Nov 2006 16:42:55 -0500, Old Time Ham
<old_fart@curmudgeons.com> wrote:

>Steve Stone wrote:
>>> It's us REAL HAMS...us CW operators
>>> that should be slinging the mud.
>>
>> When you real hams, sitting on your fat asses come out of your musty shacks
>> and use your superior skills to help out your neighbors during local
>> emergencies I'll have some respect for you.
>> Join an ARES or RACES group.. or even a Skywarn net.
>> Until then you are just a waste of bandwidth and good potato chips.
>>
>>
>>
>>
>
>I am in both RACES and SKYWARN and just about puke every time some CB
>reject say's "What's your 20?." I am forced to respond, "My location is
>____, you jackass."

so you choose to break to break the rules because else defys your
peronsonal taste just more proof you are a poor ham at best
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 4694382007999857300
X-Google-Thread: 112d1e,9889c9c3acddab67
X-Google-Thread: fcc6e,9889c9c3acddab67
X-Google-Thread: 108122,9889c9c3acddab67
X-Google-Thread: 107cee,9889c9c3acddab67
X-Google-Attributes: gid112d1e,gidfcc6e,gid108122,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!sn-xt-sjc-05!sn-xt-sjc-11!sn-xt-sjc-08!
sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Chris Jones <lugnut808@nospam.yahoo.com>
Newsgroups:
sci.electronics.design,rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.e
lectronics.misc
Subject: Re: rf bandpass filters 2.4GHz
```

Followup-To: sci.electronics.design
Date: Thu, 23 Nov 2006 22:10:23 +0000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12mc72e72c5j395@corp.supernews.com>
References: <1163659473.135906.202910@b28g2000cwb.googlegroups.com>
User-Agent: KNode/0.7.7
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news2.google.com sci.electronics.design:126237
rec.radio.amateur.antenna:21895 rec.radio.amateur.equipment:7208
sci.electronics.misc:8193

kevin.pavin@gmail.com wrote:

> Hi all,
>
> I am transmitting in channel 3 of 802.11b, centered at 2.422Ghz.
> Details aside, let me just say that it is very important for my
> application that I sharpen up the spectral mask beyond that of the
> 802.11b standard. To be specific I need to purchase a bandpass filter
> such that I get attenation of greater than 60dB at +- 15Mhz from the
> center, i..e outside of [2.407Ghz, 2.437Ghz]. I am looking for
> suggestions on where to purchase such filter(s) with the usual
> parameters in mind, cost, lead time, etc.
>
> I did see the filters that hyperlink sells, but it would take many of
> their 8 pole filters in series to get what I need and they additionally
> don't sell filters for one of the channels i would need. Maybe I need
> to go custom on this? Any suggestions are greatly appreciated.
> Thanks,
>
> Kevin

Send your spec to these guys, they should be able to help you or at least
tell you whether it can be done. I hope you can afford their products.
Their tunable notch filters are very nice and might be one way of avoiding
a custom design, though I don't know if they cover your frequency.
http://www.klmicrowave.com/index.shtml

From -4616920547395056898
X-Google-Thread: fcc6e,2eb3be1ec206fa27
X-Google-Thread: 108122,2eb3be1ec206fa27
X-Google-Thread: 10bf43,2eb3be1ec206fa27
X-Google-Thread: 114aac,2eb3be1ec206fa27
X-Google-Thread: 1109af,2eb3be1ec206fa27
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net!usenet
From: Lloyd <lloyd@no.spammmmm>

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.swap
Subject: Re: Happy turkey day you no-code turkeys.
Date: Thu, 23 Nov 2006 22:16:57 +0000 (UTC)
Organization: http://www.TarrNews.net - FREE NNTP Access
Lines: 27
Message-ID: <120987.108707.10.4.good.buddy@tarrnews.net>
References: <LTM8h.1811$sf5.868@newsread4.news.pas.earthlink.net>
<12mbhhhsf907rbf@corp.supernews.com> <pkk9h.6202$ya1.1099@news02.roc.ny>
<yrGdnZicZpZCiPvYnZ2dnUVZ_qKdnZ2d@comcast.com>
NNTP-Posting-Host: 127.0.0.1
User-Agent: Xnews/5.04.8
Xref: g2news2.google.com rec.radio.amateur.antenna:21896
rec.radio.amateur.equipment:7209 rec.radio.amateur.policy:55331
rec.radio.shortwave:59662 rec.radio.swap:10093

On Thu, 23 Nov 2006 16:42:55 -0500, Old Time Ham <old_fart@curmudgeons.com> wrote:
> Steve Stone wrote:
> >> It's us REAL HAMS...us CW operators
> >> that should be slinging the mud.
> >
> > When you real hams, sitting on your fat asses come out of your musty shacks
> > and use your superior skills to help out your neighbors during local
> > emergencies I'll have some respect for you.
> > Join an ARES or RACES group.. or even a Skywarn net.
> > Until then you are just a waste of bandwidth and good potato chips.
> >
> >
> >
> >
>
> I am in both RACES and SKYWARN and just about puke every time some CB
> reject say's "What's your 20?." I am forced to respond, "My location is
> ____, you jackass."

10 signals are obsolete and are being officially dropped by most police departments in favor of plain English. The announcement has been all over CNN and FNN. Apparently, police professional organizations and Homeland Security have recommended that 10 codes be dropped, and most police departments are about to comply.

The use of 10 codes will now be the offical mark of a backward operator, just as we have always known.

From 2820496839737192476
X-Google-Thread: fcc6e,765f9536506008bd,start
X-Google-Thread: fc8b1,765f9536506008bd,start
X-Google-Thread: f7653,765f9536506008bd,start
X-Google-Thread: 11480d,765f9536506008bd,start
X-Google-Thread: 108122,765f9536506008bd,start
X-Google-Thread: fc2a5,765f9536506008bd,start

```
X-Google-Thread: 10bf43,765f9536506008bd,start
X-Google-Thread: 10e8ad,765f9536506008bd,start
X-Google-Attributes:
gidfcc6e,gidfc8b1,gidf7653,gid11480d,gid108122,gidfc2a5,gid10bf43,gid10e8ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.nventure.com!
news.nventure.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Nov 2006 17:02:42 -0600
From: Martin Johnson <ac7lk@aol.com>
Subject: FYI: Found this Radio site
Newsgroups:
rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radi
o.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.am
ateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.packet,rec.radio.amat
eur.policy,rec.radio.amateur.space,rec.radio.amateur.spacerec.radio.scanner
Followup-To: clem.hamradio
Reply-To: ac7lk@aol.com
Date: Thu, 23 Nov 2006 15:02:22 -0800
User-Agent: KNode/0.10.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <3oCdnQLTALoPtfvYnZ2dnUVZ_oSdnZ2d@nventure.com>
Lines: 6
NNTP-Posting-Host: 131.191.21.31
X-Trace: sv3-K44dKgPHwD2lRaaMeuoRNBLl+ob8wfQDokwW/
zUlWH+BZUOgYVr5Y31xhZ4TLOiKcHHbnT2DnzB5mYP!
WTd2NJtUbRB4rbhwOm1IhIjAxe6BhutB7e1vI5tgU7tLszu7HqeXgm+zRJw0kSLSWEX4tspZNfwY!
GabhBRu+Yl768BD8OePFUavskLRBajA=
X-Complaints-To: abuse@nventure.com
X-DMCA-Complaints-To: abuse@nventure.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:21897
rec.radio.amateur.boatanchors:6442 rec.radio.amateur.digital.misc:431
rec.radio.amateur.dx:2630 rec.radio.amateur.equipment:7210
rec.radio.amateur.homebrew:7954 rec.radio.amateur.policy:55337
rec.radio.amateur.space:490


intersting amateur mode :

http://www.kc7zwg.org

is this illegal?


From -4191083345930063384
X-Google-Thread: 10aaeb,3f43106733090dbd,start
X-Google-Thread: fcc6e,3f43106733090dbd,start
```

```
X-Google-Thread: 11480d,3f43106733090dbd,start
X-Google-Thread: 108122,3f43106733090dbd,start
X-Google-Thread: fc2a5,3f43106733090dbd,start
X-Google-Thread: f5845,3f43106733090dbd,start
X-Google-Attributes:
gid10aaeb,gidfcc6e,gid11480d,gid108122,gidfc2a5,gidf5845,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.nventure.com!
news.nventure.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Nov 2006 17:05:36 -0600
From: Martin Johnson <ac7lk@aol.com>
Subject: OOPS FYI: UPDATE !
Newsgroups:
alabama.birmingham.radio.amateur,clem.hamradio,rec.radio.amateur,rec.radio.amateur
.antenna,rec.radio.amateur.digital,rec.radio.amateur.dx,rec.radio.amateur.equipmen
t,rec.radio.amateur.homebrew,rec.radio.amateur.swap,rec.rado.amateur.equipment,tam
u.hamradio.bulletins,tnn.radio.amateur
Followup-To: alabama.birmingham.radio.amateur
Reply-To: ac7lk@aol.com
Date: Thu, 23 Nov 2006 15:05:14 -0800
User-Agent: KNode/0.10.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <qIOdnZdU4v_dtPvYnZ2dnUVZ_uCdnZ2d@nventure.com>
Lines: 9
NNTP-Posting-Host: 131.191.21.31
X-Trace: sv3-
tVukPw+M02vMbkwd4iSgMO64mbumDitAgG4oxzGEMc1l0+nCxrf85UxAD3q2rdiNK0nK0EH54IEgLfD!
vKYfJqyLFO3tgv7tY8lf7T3Ctlcj2MkBCwBHo0Nr1wwaV8yws2dfLF6/rAkUsEiER1nT1FY08YbI!
JcKlNG06sn4goUiFDqsqrE5AYqO05ek=
X-Complaints-To: abuse@nventure.com
X-DMCA-Complaints-To: abuse@nventure.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alabama.birmingham.radio.amateur:119
rec.radio.amateur.antenna:21898 rec.radio.amateur.dx:2631
rec.radio.amateur.equipment:7211 rec.radio.amateur.homebrew:7955
tnn.radio.amateur:11
```

sorry, i checked the wrong link
here is the real one:

never seen this done before.....
what is it anyway???

http://www.kc7zwg.org

is this illegal amateur radio activity ?

From -6856722799712240045
X-Google-Thread: 108122,f900be610c95d9c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny08.POSTED!a053cb13!not-for-mail
From: "Bill KB3GUN" <kb3gunlessspam@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Icom IC-7000 All-Mode HF/VHF/UHF Tranceiver
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <MUr9h.17185$mM1.12489@trndny08>
Date: Fri, 24 Nov 2006 01:28:12 GMT
NNTP-Posting-Host: 141.151.238.101
X-Complaints-To: abuse@verizon.net
X-Trace: trndny08 1164331692 141.151.238.101 (Thu, 23 Nov 2006 20:28:12 EST)
NNTP-Posting-Date: Thu, 23 Nov 2006 20:28:12 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7212

Up for Auction: Icom IC-7000. For details and photos, blease see the listing on ebay.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=180055242709

73
Bill -KB3GUN

From 5816545703115487806
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Thread: 114aac,c968c9d3612c6c9e
X-Google-Attributes: gid108122,gid10bf43,gidfcc6e,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.amateur.antenna,rec
.radio.swap,rec.radio.shortwave
Subject: Re: Coffee grounds and cookie crumbs make good teaching aids.
From: Slow Code <my.mail@no.spam>
References: <8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>

<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
<XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
<m5h7m2df7jluj33hm22n9hosvs3205mtug@4ax.com> <0YQ8h.70$UC2.60@newsfe08.phx>
<Mx59h.2173$ql2.1399@newsread3.news.pas.earthlink.net> <ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 38
Message-ID: <B1s9h.2640$ql2.135@newsread3.news.pas.earthlink.net>
Date: Fri, 24 Nov 2006 01:37:37 GMT
NNTP-Posting-Host: 4.228.228.40
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1164332257 4.228.228.40 (Thu, 23 Nov 2006 17:37:37 PST)
NNTP-Posting-Date: Thu, 23 Nov 2006 17:37:37 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7213 rec.radio.amateur.policy:55358 rec.radio.amateur.antenna:21903 rec.radio.swap:10096 rec.radio.shortwave:59677

Old Time Ham <old_fart@curmudgeons.com> wrote in
news:ka-dnVNxSpLhKPjYnZ2dnUVZ_qOdnZ2d@comcast.com:

> Slow Code wrote:
>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>> news:0YQ8h.70$UC2.60@newsfe08.phx:
>>
>>> [Following seen on quote-back; I believe I have the OP twitted out.]
>>>
>>>> No-coders must go to the end of the line for refreshments at
>>>> meetings. Code hams must be served first and should take more treats
>>>> than they want and need. When all the code hams are served and there
>>>> is nothing left, no-codes get the left-over Coffee grounds and Cookie
>>>> crumbs. This will teach no-codes that by working harder to be better
>>>> hams,
>>> Not better hams ... just slo-o-o-wer hams! Morse is the most
>>> inefficient means of communication we have. A kid can burp-speak the
>>> alphabet faster than you can send it in Morse.
>>
>>
>> I feel your pain. It must suck for you to have to live in Lid-ville.
>>
>>
>> SC
>
> Do any of you no-code lids remember the demonstration on Late night TV
> when a couple of CW ops demonstrated and proved CW is MUCH faster than
> "text messaging?" Yeah, it';s slow if you are a 5 WPM lid that has no
> pride in themselves, but for REAL Hams it is efficient, and fast.

They don't like to be reminded about that contest. It shows the difference between skilled and un-skilled. It also gets back to that liberal political correctness thing. Everyone has to be equal, since not everyone is good enough to rise to the top, they got to drag the top down.

SC

```
From 8235383910220178991
X-Google-Thread: fc2a5,3ad0e5268057ef39,start
X-Google-Thread: 10cf58,3ad0e5268057ef39,start
X-Google-Thread: 10d85e,3ad0e5268057ef39,start
X-Google-Thread: fb1f8,3ad0e5268057ef39,start
X-Google-Thread: 108122,3ad0e5268057ef39,start
X-Google-Thread: 10c2ee,3ad0e5268057ef39,start
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
Subject: HP 3582A ?
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 70.142.54.81
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1163980496 ST000 70.142.54.81 (Sun, 19 Nov
2006 18:54:56 EST)
NNTP-Posting-Date: Sun, 19 Nov 2006 18:54:56 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP[MBXSEFRUARSH]]RKB_UDAZZ\DPCPDLXUNNHPHBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Sun, 19 Nov 2006 23:54:56 GMT
Xref: g2news2.google.com rec.radio.amateur.homebrew:7902 rec.audio.pro:79093
rec.audio.opinion:55172 rec.audio.tech:14914 rec.radio.amateur.equipment:7114
rec.antiques.radio+phono:38649
```

I'm not certain to which group I should post this question, so I'm shot gunning hoping to find it. If anyone can point me, please do. However....

Has anyone used the HP 3582A audio spectrum analyzer to plot the freq response of audio devices like mikes, speakers, etc. Knowing the mike response I'd like to see the spectrum of plucked guitar strings and their harmonics and see how different manufacturers sound varies in a plot. I got a 3582A at a swap meet, its complex and probably overkill but that's what I have and I am anxious to try it out and would appreciate any tips.
Thanks

--

73
Hank WD5JFR

From -5819389608170897206
X-Google-Thread: 108122,b52d4c26b5f46a70
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
204.127.204.224.MISMATCH!wns14feed!worldnet.att.net!24.30.200.11!news-east.rr.com!
news-wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Gardiner 3.4 - 4.2 GHZ Multicoupler: Ham Equip????
References: <1163979146.247478.270250@j44g2000cwa.googlegroups.com>
In-Reply-To: <1163979146.247478.270250@j44g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 21
Message-ID: <sV68h.7076$y92.3510@tornado.tampabay.rr.com>
Date: Mon, 20 Nov 2006 00:46:16 GMT
NNTP-Posting-Host: 70.121.227.31
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1163983576 70.121.227.31 (Sun, 19 Nov 2006 19:46:16 EST)
NNTP-Posting-Date: Sun, 19 Nov 2006 19:46:16 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7115

Probably was used for driving a bank of TVRO receivers from a single LNA at a cable TV head end.

joshhemming@fastmail.fm wrote:

```
>I bought a Gardiner Communications Corp. 3.4 - 4.2 GHZ Multicoupler at
>a flea market today.  Is this part used for amateur radio, or is it for
>something else such as satellite communications?
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P




From -5821920159739461550
X-Google-Thread: 114aac,9db1e69cb9a5a4c8
X-Google-Thread: 108122,9db1e69cb9a5a4c8
X-Google-Thread: 107ada,9db1e69cb9a5a4c8
X-Google-Attributes: gid114aac,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: craigm <none@domain.invalid>
Subject: Re: Ten-Tec RX340 Spectrum Display?
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.misc
Followup-To: rec.radio.shortwave
References: <1163966497.608553.109150@f16g2000cwb.googlegroups.com>
<1163976535.158667.270160@k70g2000cwa.googlegroups.com>
Lines: 14
User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <uh68h.12$EZ2.139401@news.sisna.com>
Date: Sun, 19 Nov 2006 18:04:24 -0600
NNTP-Posting-Host: 67.54.184.100
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1163981018 67.54.184.100 (Sun, 19 Nov 2006 17:03:38 MST)
NNTP-Posting-Date: Sun, 19 Nov 2006 17:03:38 MST
Organization: Internet News Service
X-Received-Date: Sun, 19 Nov 2006 17:03:39 MST (news.sisna.com)
Xref: g2news2.google.com rec.radio.shortwave:59263
rec.radio.amateur.equipment:7116 rec.radio.amateur.misc:26265

miso@sushi.com wrote:

>
> Somebody Somewhere wrote:
>> Is there a stand-alone, or PC software-based, RF spectrum display that
```

>> can interface with the 455khz IF output of a Ten-Tec RX340? I don't
>> really want PC control of the RX340, just a spectrum display. Thanks.
>
> I don't think this is likely since you would need an A/D samping around
> a megahertz, which isn't stock hardware on a PC. There are SDRs that
> will give you a panoramic display on your PC.

If you mix the 455 kHz output to 10.7 MHz, you could use the AOR display.

From -6138979710234126513
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: bajohnson29@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: My Take on CW - for Powerhouse
Date: 19 Nov 2006 16:52:48 -0800
Organization: http://groups.google.com
Lines: 70
Message-ID: <1163983968.927628.10530@b28g2000cwb.googlegroups.com>
References: <eobqm.flm.19.1@news.alt.net><EOj4h.1180$B35.1163@newsfe07.lga>
   <ephku.ash.17.1@news.alt.net>
   <Zkl6h.577$G91.516@newsfe04.lga>
   <fc9ck.23r.19.1@news.alt.net>
   <oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 68.255.21.130
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163983972 27350 127.0.0.1 (20 Nov 2006 00:52:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Nov 2006 00:52:52 +0000 (UTC)
In-Reply-To: <oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=68.255.21.130;
   posting-account=yk5RFAwAAAAQf2ICf6wF1EmTvNr9ucOz
Xref: g2news2.google.com rec.radio.amateur.equipment:7117
rec.radio.amateur.policy:54821 rec.radio.scanner:7951 rec.radio.shortwave:59264
rec.radio.swap:9988

Well, I'm excited about learning code. I have been given some great

websites for practice. And I'm going to try to test in January 2007.
I don't know if I can be ready that quick - but I'm going to give it a
shot. Also, I have been encouraged by several hams to learn the
sounds as complete thoughts instead of learning just letter
recognition. A bit like learning to read, I guess - so I will try that
method. Thanks for the hints.
Slow Code wrote:
> ToeJam <toejam@bigfoot.kn> wrote in news:fc9ck.23r.19.1@news.alt.net:
>
> > PowerHouse Communications wrote:
> >> "ToeJam" <toejam@bigfoot.kn> wrote in message
> >> news:ephku.ash.17.1@news.alt.net...
> >>
> >>>PowerHouse Communications wrote:
> >>>
> >>>>Who cares! CW doesn't belong in a SCANNER group. Discuss it in a
> >>>>more appropriate group; there are MANY of them, and this is not one of
> >>>>them!
> >>>>
> >>>>
> >>>>"ToeJam" <toejam@bigfoot.kn> stuck his ToeJammed bigfoot up his ass
> >>>>and wrote in message news:eobqm.flm.19.1@news.alt.net...
> >>>>
> >>>>The need for CW has been waining for many years now and technology has
> >>>>eliminated a need for it. Why do we still need CW? How many Hams
> >>>>still use CW? <SNIP>
> >>>>
> >>>>
> >>>You could have fooled me. From what I see here, there are more Ham
> >>>related postings than Scanner postings. Are you jummping all over the
> >>>other folks that are posting Ham related material too? Or did you just
> >>>get up on the wrong side of the bed? I'm not new to Usenet and don't
> >>>normally post off topic material, but when I see more postings
> >>>concerning a subject not related to the newsgroup, I figure maybe folks
> >>>gyrated from scanners to Ham. So don't go preaching to me with your
> >>>shitty attitude. You could have phrased your response a bit kinder
> >>>instead of being an asshole about it. I'll lurk and see how you
> >>>personally deal with the other Ham related postings. And FWIW,
> >>>Scanners are strongly related to Ham radio, always have been and always
> >>>will be.
> >>>
> >>
> >>
> >> No offense, but I don't see the other HAM related postings... All that
> >> off-topic crap is filtered out by my newsreader... Sorry, I didn't
> >> mean to make you feel like I was singling you out, I just don't see the
> >> other crap, there for I don't have a need to "deal" with it...
> >>
> >>
> >>
> >
> > No offense taken. And yes, if you turn your filer off or use another
> > reader, you will see a flood of HAM related material here, more so than

> > scanners. It actually took me by surprise to see so much. I usually
> > try to stay on topic on Usenet but with this newsgroup, it's hard to
> > tell what the on topic discussion should be about. Later.
>
>
> No matter what facet of radio you enjoy, the topic is to protect it by
> improving the quality of the hobbiests involved. That's why most will
> agree if you know morse code, you'll be a better skilled hobbiest and will
> improve your nich of the hobby and/or radio service you're involved with.
> A valuable knowledge base for those of coming into the services and
> hobby.
>
> Tnx, 73 Good luck in the contest.
>
> SC

From -6855858108318382369
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes: gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Nov 2006 18:58:38 -0600
Newsgroups: rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radio.amateur.equipment,rec.antiques.radio+phono
Subject: Re: HP 3582A ?
From: someone <someone@arcanemethod.com>
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
Organization: fair
Followup-To: rec.radio.amateur.homebrew,rec.audio.pro
User-Agent: Xnews/5.04.25
Message-ID: <aOadnahee6cjYP3YnZ2dnUVZ_qCdnZ2d@giganews.com>
Date: Sun, 19 Nov 2006 18:58:38 -0600
Lines: 19
X-Trace: sv3-LLsVD4rH2uoerDt/iQaLkLIMMmVgEzczKbMqtBTVJiwuXy7kcla83ut+T1wG0VuXg5G+PbZuBOna09i!ehpbXPFM72HqjUP6ZSXfSt7FeA2KvhkpPXYCgrDbUEhB3E5G8d+P4xU84tPg3Kz8BpJrdU5lw5UO
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32

Xref: g2news2.google.com rec.radio.amateur.homebrew:7903 rec.audio.pro:79100
rec.audio.opinion:55186 rec.audio.tech:14920 rec.radio.amateur.equipment:7118
rec.antiques.radio+phono:38656

"Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in
news:k968h.8441$Sw1.7887@newssvr13.news.prodigy.com:

> I'm not certain to which group I should post this question, so I'm
> shot gunning hoping to find it. If anyone can point me, please do.
> However.... Has anyone used the HP 3582A audio spectrum analyzer to
> plot the freq response of audio devices like mikes, speakers, etc.
> Knowing the mike response I'd like to see the spectrum of plucked
> guitar strings and their harmonics and see how different manufacturers
> sound varies in a plot. I got a 3582A at a swap meet, its complex and
> probably overkill but that's what I have and I am anxious to try it
> out and would appreciate any tips. Thanks
>

The 3582A is just one of many two-channel FFT analyzers which can be used
to measure the frequency response of a system (output re input). What
specifically is your question? Perhaps all you need is to get an operating
manual and learn how to use it?

From 6116329234895636136
X-Google-Thread: 108122,b3e17b0de51c3909
X-Google-Thread: 107ada,b3e17b0de51c3909
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Nov 2006 19:54:14 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <cH%6h.25$z01.22@newsfe04.lga>
<otGdnefTKs4CncDYnZ2dnUVZ_tednZ2d@comcast.com>
<1163915701.680098.278170@j44g2000cwa.googlegroups.com>
Subject: Re: CQWW CW Logger Program ?
Date: Sun, 19 Nov 2006 20:54:07 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <Ubidnc9me7Jbl_zYnZ2dnUVZ_oydnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-
IMFpKMLZlo7pIb+3FSRSMt4e47bfd8PST4r3fuajg0AgGVf90syksNj89+2h03hxvlRCrotzdV+DwHb!
MN2ylTrLk7Ew0dEB2lwfuGUxfB2AhzLX7e8AuwKSh+MnpUYNNdGOsNXYfHIRSaMWqZgGZEHQAsAr!
ryg6PtKNZFdiQaw=

```
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7119
rec.radio.amateur.misc:26270


"Brian" <kelly@dvol.com> wrote in message
news:1163915701.680098.278170@j44g2000cwa.googlegroups.com...
>
> Dee Flint wrote:
>> The most user friendly program is at www.n3fjp.com
>> It's a great program, user friendly (don't even really need to read the
>> help
>> files to get started), automatically checks for duplicates, allows
>> monitoring the online DX clusters if you are so inclined, allows rig
>> control
>> if you are so inclined, allows keying the radio from the computer if you
>> are
>> so inclined, creates Cabrillo files for contest submission and adif files
>> for importing into general logging programs.  There's other neat features
>> but that's a good start.  It is also quite inexpensive.
>
> There's a downside to the N3JFP logger Dee - the country files
> (CTY.DAT) are only irregularly updated and I haven't found a way to
> update them before each contest via AD1C's service.
>
>> Dee, N8UZE
>
> w3rv
>


However, it is often a good choice for the person who has never used contest
software before due to its intuitive interface.  All the other software that
I have experimented with takes time to get familiar with.

Dee, N8UZE




From 4655515995585535786
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

```
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-
mail
From: X-rated Vermonter
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Re: I'm like Moses.
Date: Sun, 19 Nov 2006 21:03:22 -0500
Message-ID: <l632m2h3mfeh9aj0gtaa23nd592r0nb33u@4ax.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-41-244.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 11
X-Trace: 248b345610cef7de7c94b30605
Xref: g2news2.google.com alt.radio.scanner:3797 rec.radio.amateur.antenna:21734
rec.radio.amateur.equipment:7120 rec.radio.amateur.policy:54829
```

On Sun, 19 Nov 2006 00:26:33 GMT, Slow Code <my.mail@no.spam> wrote:

>Moses tried to lead people out of Egypt, and I'm trying to lead people
>out of Lid-ville. And also like Moses, I'm finding some don't want to
>leave.   They think it's too much work to leave Lid-ville.
>
>Well sure it's work, but look at the benefits, Quality hams.
>
>SC

++++++
Yes, you are a legend in your own mind.

```
From 1106029793003034586
X-Google-Thread: 114aac,9db1e69cb9a5a4c8
X-Google-Thread: 108122,9db1e69cb9a5a4c8
X-Google-Thread: 107ada,9db1e69cb9a5a4c8
X-Google-Attributes: gid114aac,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe19.lga.POSTED!53ab2750!not-for-mail
From: Dino Papas <kl0s@cox.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Ten-Tec RX340 Spectrum Display?
References: <1163966497.608553.109150@f16g2000cwb.googlegroups.com>
<1163976535.158667.270160@k70g2000cwa.googlegroups.com>
User-Agent: MT-NewsWatcher/3.5.2 (PPC Mac OS X)
Message-ID: <kl0s-130510.21094719112006@news.lga.highwinds-media.com>
Lines: 38
```

Date: Sun, 19 Nov 2006 21:09:47 -0500
NNTP-Posting-Host: 68.0.33.67
X-Complaints-To: admin@cox.net
X-Trace: newsfe19.lga 1163988588 68.0.33.67 (Sun, 19 Nov 2006 19:09:48 MST)
NNTP-Posting-Date: Sun, 19 Nov 2006 19:09:48 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.shortwave:59272
rec.radio.amateur.equipment:7121 rec.radio.amateur.misc:26271

I'm using the AVCOM SDM-42B display with my RX-340...to use this unit you have to have the accessory 45 MHz IF unit installed which then interfaces with the 1st wideband mixer output at 45.455 MHz. I THINK the low end of the chain at 455 Khz may not be wide enough to give you a decent display width. Usually run the display with a width of about 100 KHz which lets you see lots of signals (and some birdies too unfortunately). AVCOM has software that when connected to the SDM will display the same info on your PC. The software was originally intended for their spectrum analyzers so many of the measurement functions do not operate with the SDM. I/O is thru a serial port--they used to have an accessory adapter that interfaced via the PC's parallel printer port but I could never get it to work until they upgraded my unit to a serial I/O. The communication with the PC is only one-way so you couldn't control the RX-340 with this unit even if you wanted to.

Be advised the unit is pricey (even after they significantly reduced it a year or so ago) and support for that unit is VERY low on the company's totem pole of products....but it sure is nice to be able to see the band.

As far as I know this is the only hardware spectrum display unit you can use with the RX-340. The AOR units have only 10.7 MHz inputs. BTW, with the 45 MHz converter installed you retain the use of a second channel at 10.7 MHz for another receiver -- I've got the Icom R7100 hooked to that port so the SDM-42B supports both radios.

Dino KL0S/4

In article <1163976535.158667.270160@k70g2000cwa.googlegroups.com>,
 miso@sushi.com wrote:

> Somebody Somewhere wrote:
> > Is there a stand-alone, or PC software-based, RF spectrum display that
> > can interface with the 455khz IF output of a Ten-Tec RX340? I don't
> > really want PC control of the RX340, just a spectrum display. Thanks.
>
> I don't think this is likely since you would need an A/D samping around
> a megahertz, which isn't stock hardware on a PC. There are SDRs that
> will give you a panoramic display on your PC.

From -8393668758163807925
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-
mail
From: X-rated Vermonter
Newsgroups: rec.radio.amateur.equipment
Subject: Re: I'm like Moses.
Date: Sun, 19 Nov 2006 21:51:29 -0500
Message-ID: <r062m2t1d9kflj7outo3hvnat3vg744m9j@4ax.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-41-244.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 11
X-Trace: d8ca2456118357de7c94b18043
Xref: g2news2.google.com rec.radio.amateur.equipment:7122

On Sun, 19 Nov 2006 00:26:33 GMT, Slow Code <my.mail@no.spam> wrote:

>Moses tried to lead people out of Egypt, and I'm trying to lead people
>out of Lid-ville.  And also like Moses, I'm finding some don't want to
>leave.   They think it's too much work to leave Lid-ville.
>
>Well sure it's work, but look at the benefits, Quality hams.
>
>SC
++++++++
You are a legend in your own mind.


From 5322532848364581641
X-Google-Thread: 114aac,9db1e69cb9a5a4c8
X-Google-Thread: 108122,9db1e69cb9a5a4c8
X-Google-Thread: 107ada,9db1e69cb9a5a4c8
X-Google-Attributes: gid114aac,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Nov 2006 22:51:55 -0600
From: "Guy Atkins" <dxNOSPAM@guyatkins.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <1163966497.608553.109150@f16g2000cwb.googlegroups.com>
Subject: Re: Ten-Tec RX340 Spectrum Display?
Date: Sun, 19 Nov 2006 20:51:57 -0800
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
```

Message-ID: <9I6dncelBOX2qfzYnZ2dnUVZ_vSdnZ2d@comcast.com>
Lines: 27
NNTP-Posting-Host: 24.19.69.112
X-Trace: sv3-eWjYVr/
PEah62vD1b6UGzNzxT4gYlJFQv4gGq1JwESTXUqQAjg+eGNiSgZOzPAUj9PjmR+kdRGhj410!
Cxu8hCkTedzwE+XphAeuaZ2upzmet/tJDuaMf9sqj9M9+x8/QlMt8kQdBbKyyeUorz8KuuUM8EjV!
gnBLzh+o4awl7J/X
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.shortwave:59287
rec.radio.amateur.equipment:7123 rec.radio.amateur.misc:26272

Check out the specifications of a new receiver coming in January from RF Space: www.rfspace.com/sdriq.html

A feature of this new receiver is the ability to serve as a panadapter display for other receivers via any IF frequency within the HF range (455 kHz qualifies). I'm thinking of getting one for the 190 kHz RF recording capability, so I don't tie up my SDR-1000 while DXing. The SDR-1000 needs to be left on a single frequency while recording a swath of RF.

The SDR-IQ's price is $449 (receiver, software, no enclosure), and $499 (receiver, software, plus enclosure).

73,

Guy Atkins
Puyallup, WA USA
www.sdr-1000.blogspot.com

"Somebody Somewhere" <YCTHULHU@aol.com> wrote in message
news:1163966497.608553.109150@f16g2000cwb.googlegroups.com...
> Is there a stand-alone, or PC software-based, RF spectrum display that
> can interface with the 455khz IF output of a Ten-Tec RX340? I don't
> really want PC control of the RX340, just a spectrum display. Thanks.
>

From -4060282330617028925
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes:

gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!newsfeed.icl.net!
newsfeed.fjserv.net!colt.net!feeder.news-service.com!newsgate.cistron.nl!xs4all!
skynet.be!newspost001!tjb!not-for-mail
Date: Mon, 20 Nov 2006 09:49:30 +0100
From: Zilog <VMI@Advalvas.be>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
Subject: Re: HP 3582A ?
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
In-Reply-To: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <45616c1a$0$21496$ba620e4c@news.skynet.be>
Organization: -= Belgacom Usenet Service =-
NNTP-Posting-Host: f8357c85.news.skynet.be
X-Trace: 1164012570 news.skynet.be 21496 87.67.33.13:12019
X-Complaints-To: usenet-abuse@skynet.be
Xref: g2news2.google.com rec.radio.amateur.homebrew:7906 rec.audio.pro:79157
rec.audio.opinion:55212 rec.audio.tech:14933 rec.radio.amateur.equipment:7124
rec.antiques.radio+phono:38688

Henry Kolesnik wrote:
> I'm not certain to which group I should post this question, so I'm shot
> gunning hoping to find it. If anyone can point me, please do. However....
> Has anyone used the HP 3582A audio spectrum analyzer to plot the freq
> response of audio devices like mikes, speakers, etc. Knowing the mike
> response I'd like to see the spectrum of plucked guitar strings and their
> harmonics and see how different manufacturers sound varies in a plot. I got
> a 3582A at a swap meet, its complex and probably overkill but that's what I
> have and I am anxious to try it out and would appreciate any tips.
> Thanks
>
Hi,
Have a check here:
http://www.buildyourguitar.com/resources/lemme/index.htm
It can help you I think,

Zilog

From 979598212263126716
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39

```
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!7b20fae2!not-for-mail
From: "Mike Young" <boat042-spam@yahoo.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
Subject: Re: HP 3582A ?
Lines: 23
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="Windows-1252";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <qBf8h.8520$6t.4406@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 70.131.97.111
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1164019158 ST000 70.131.97.111 (Mon, 20 Nov
2006 05:39:18 EST)
NNTP-Posting-Date: Mon, 20 Nov 2006 05:39:18 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
O@ZAR[SEBBTACFD[LZKJOPHAWB\^PBQLGPQRZ_MHEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Mon, 20 Nov 2006 10:39:18 GMT
Xref: g2news2.google.com rec.radio.amateur.homebrew:7907 rec.audio.pro:79162
rec.audio.opinion:55215 rec.audio.tech:14935 rec.radio.amateur.equipment:7125
rec.antiques.radio+phono:38691
```

"Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
news:k968h.8441$Sw1.7887@newssvr13.news.prodigy.com...

> I'm not certain to which group I should post this question, so I'm shot
> gunning hoping to find it. If anyone can point me, please do.
> However....
> Has anyone used the HP 3582A audio spectrum analyzer to plot the freq
> response of audio devices like mikes, speakers, etc. Knowing the mike
> response I'd like to see the spectrum of plucked guitar strings and their
> harmonics and see how different manufacturers sound varies in a plot. I
> got a 3582A at a swap meet, its complex and probably overkill but that's
> what I have and I am anxious to try it out and would appreciate any tips.
> Thanks

Another option, FWIW, is to use the PC to capture and analyze. The audible spectrum would seem to be quite unchallenging for common desktops. Compression schemes such as MP3 and WMA, after all, operate on the frequency domain. In fact, Windows Media Player delivers the FFT stream to visualization modules. There's likely free software somewhere that can do what you're looking to do. OTOH, you then have the soundcard's non-linearities to deal with, which is likely not on par with lab or even studio grade equipment.

```
From -3136952382669425610
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Nov 2006 05:18:38 -0600
From: "Arny Krueger" <arnyk@hotpop.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<qBf8h.8520$6t.4406@newssvr11.news.prodigy.com>
Subject: Re: HP 3582A ?
Date: Mon, 20 Nov 2006 06:18:38 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <CLCdna5ZmZKTEvzYnZ2dnUVZ_tCdnZ2d@comcast.com>
Lines: 39
NNTP-Posting-Host: 71.227.115.95
X-Trace: sv3-CqO0SndQAfedg/
aHLfKyoiwHE7mqkMzFnfK84a8lGVaeBBn24JBtvTkliyeblyjYSJbFN/+rpuXko8o!SXRgaFByB/
GRxBUxTxS2USJLgV7wSXkLDKqOVtTlkmzel5aOdFbhPxItawujLNuJqJ1GJVhPMFrC!C0K8vLMXRA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.homebrew:7908 rec.audio.pro:79167
rec.audio.opinion:55216 rec.audio.tech:14936 rec.radio.amateur.equipment:7126
rec.antiques.radio+phono:38692

"Mike Young" <boat042-spam@yahoo.com> wrote in message
news:qBf8h.8520$6t.4406@newssvr11.news.prodigy.com
> "Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
> news:k968h.8441$Sw1.7887@newssvr13.news.prodigy.com...

>> I'm not certain to which group I should post this
>> question, so I'm shot gunning hoping to find it.  If
>> anyone can point me, please do. However....
>> Has anyone used the HP 3582A  audio spectrum analyzer to
>> plot the freq response of audio devices like mikes,
>> speakers, etc.  Knowing the mike response I'd like to
>> see the spectrum of plucked guitar strings and their
>> harmonics and see how different manufacturers sound
>> varies in a plot.  I got a 3582A at a swap meet, its
>> complex and probably overkill but that's what I have and I am anxious to
>> try it out and would appreciate any
>> tips. Thanks
>
> Another option, FWIW, is to use the PC to capture and
> analyze. The audible spectrum would seem to be quite
> unchallenging for common desktops. Compression schemes
> such as MP3 and WMA, after all, operate on the frequency
> domain. In fact, Windows Media Player delivers the FFT
> stream to visualization modules. There's likely free
> software somewhere that can do what you're looking to do.
> OTOH, you then have the soundcard's non-linearities to
> deal with, which is likely not on par with lab or even
> studio grade equipment.

There are studio grade PC audio interfaces, and some are among the
highest-performing audio components around. Some are on a par with  the very
best lab equipment.

There is free PC software called RMAA that will automatically conduct a
representative suite of audio tests, and produce reports in a few minutes:

http://audio.rightmark.org/products/rmaa.shtml




From -1939444804449220967
X-Google-Thread: 108122,51394027e76f375b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe09.lga.POSTED!53ab2750!not-for-mail
From: "Jeff James, W2NBC" <w2nbc@optonline.net>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
```

MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: The Boatanchor Classifieds
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <8vi8h.5$JW5.1@newsfe09.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligkannfilpcpbbolnmgonohimpblfmlickpcmiahnbfabdfekpkfkcfgjepjeidlpcpm
lncbgibomaffiohklemgflmlllnpcckgmljblpbnidmdggbcfagklmiblli jll
NNTP-Posting-Date: Mon, 20 Nov 2006 06:57:24 MST
Organization: Optimum Online
Date: Mon, 20 Nov 2006 08:57:22 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:7127

The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Dedicated to Vintage Amateur Radio..

From -2856436084316465867
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
Subject: Re: HP 3582A ?
Date: 20 Nov 2006 09:13:15 -0500
Organization: Former users of Netcom shell (1989-2000)
Lines: 15
Message-ID: <ejsd5r$gc8$1@panix2.panix.com>
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1164031996 11045 166.84.1.2 (20 Nov 2006 14:13:16 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 20 Nov 2006 14:13:16 +0000 (UTC)
Xref: g2news2.google.com rec.radio.amateur.homebrew:7910 rec.audio.pro:79179
rec.audio.opinion:55223 rec.audio.tech:14944 rec.radio.amateur.equipment:7128
rec.antiques.radio+phono:38695

Henry Kolesnik <kolesnik@sbcglobal.net> wrote:

>I'm not certain to which group I should post this question, so I'm shot
>gunning hoping to find it. If anyone can point me, please do. However....
>Has anyone used the HP 3582A audio spectrum analyzer to plot the freq
>response of audio devices like mikes, speakers, etc. Knowing the mike
>response I'd like to see the spectrum of plucked guitar strings and their
>harmonics and see how different manufacturers sound varies in a plot. I got
>a 3582A at a swap meet, its complex and probably overkill but that's what I
>have and I am anxious to try it out and would appreciate any tips.

Yes, lots of people have used HP FFT analyzers for all kinds of things.
There isn't a lot of trickery... they pretty much work.
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

```
From 2951109990484976764
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Nov 2006 08:36:25 -0600
From: "jack" <jdwalton@comcast.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
Subject: Re: HP 3582A ?
Date: Mon, 20 Nov 2006 09:38:54 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
Lines: 7
NNTP-Posting-Host: 69.249.69.72
X-Trace: sv3-19CuYRqtizw/
YMjwdP6gNVGSkuWZxkT+SwrPmM4ScGgBf4D6PXPR81xmtoVISB12oQccyNrj34sWTo5!
KbS+uPRMBVcVXKkPGUqSH/zfxof5WriRA1H7c/oGtRuRhDXzgLJuq7DrPPg1MqVG+mxYFgbPBMGe!
5yn6w47NDevw
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.homebrew:7911 rec.audio.pro:79187 rec.audio.opinion:55224 rec.audio.tech:14945 rec.radio.amateur.equipment:7129 rec.antiques.radio+phono:38698

One thing which you can do with these older analyzers is measure much higher voltages than possible on a sound card FFT, much lower frequencies -- they were used for vibration analysis as well as audio -- they are also very well isolated -- you can find a repro of the manual on EBay for ten bucks.

From -4893975163327050692
X-Google-Thread: 108122,7ca1fc1d700aa698,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe14.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: SSTV
Message-ID: <vgf3m21bns0av5apm2ffapphh2mmnr4trm@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Mon, 20 Nov 2006 09:39:48 -0500
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.lga 1164033579 70.161.108.207 (Mon, 20 Nov 2006 07:39:39 MST)
NNTP-Posting-Date: Mon, 20 Nov 2006 07:39:39 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7130

GREAT DEAL! "ROBOT" SSTV Units, Robot 400, Robot 800 & Robot 1200C w/ manuals all packed in two boxes ready to ship. Buyer never sent money! Will sell for $125 plus S&H from 23320 Zip Code. Part of an estate, units are as is, removed from shack of WA9USE.
<k4wys@cox.net>

From -1261454822064375932
X-Google-Thread: 108122,f897dc2ee2fd3f01,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe14.lga.POSTED!53ab2750!not-for-mail

```
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Palstar AT Auto FS
Message-ID: <rhf3m217kic8rf01fb6gercued9gq9kn8g@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Mon, 20 Nov 2006 09:40:51 -0500
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe14.lga 1164033642 70.161.108.207 (Mon, 20 Nov 2006 07:40:42 MST)
NNTP-Posting-Date: Mon, 20 Nov 2006 07:40:42 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7131
```

Palstar AT Auto tuner less than 3 months old, excellent shape, all
cables & accessories, factory box. Shipped Main land USA & Ins. FedEx
Grd $955.00   US Postal money order or Cashiers check (3 day to clear)
Pickup 23323 $915.00 <k4wys@cox.net>

```
From -5901566508326417146
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Nov 2006 08:45:09 -0600
From: "Arny Krueger" <arnyk@hotpop.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
Subject: Re: HP 3582A ?
Date: Mon, 20 Nov 2006 09:45:09 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
Lines: 29
```

NNTP-Posting-Host: 71.227.115.95
X-Trace: sv3-
lVg8ydCi8b2DEiJOjDscAmo76ix3Shf4wfQC7vbYgkjAlCvQ7k5iNFgGF8XTEQA6q9vOoCPw5erm9M9!
H3fk0ECWBfda4VQ8Y3BYWi+HvpGDURwkluGK6rhCgA4oitUYJSkSGRdPKlaS3a8gurvLIsurZXan!
lYrByA1QPg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.homebrew:7912 rec.audio.pro:79189 rec.audio.opinion:55226 rec.audio.tech:14946 rec.radio.amateur.equipment:7132 rec.antiques.radio+phono:38699

"jack" <jdwalton@comcast.net> wrote in message news:TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com

> One thing which you can do with these older analyzers is
> measure much higher voltages than possible on a sound
> card FFT,

Easy enough to address. I use a 5K RN50 potentiomenter for the purpose. If I want an accurate voltage measurement of audio, I use a voltmeter.

> much lower frequencies -- they were used for
> vibration analysis as well as audio

Not much difference between most vibrations and what a subwoofer does. If an audio interface is flat within 0.1 dB at 20 Hz, then it is pretty good an octave or two below that!

> -- they are also very well isolated

There is this amazingly good audio isolation transformer at Radio Shack. Sells for under $20 a pair...

> -- you can find a repro of the manual on EBay for ten bucks.

You can find an audio interface that will outperform say a HP 334 for $30. For $200 you're in the same league as some of the older, but not all that old AP stuff.

From 2382055353211823488
X-Google-Thread: fc2a5,3ad0e5268057ef39
X-Google-Thread: 10cf58,3ad0e5268057ef39
X-Google-Thread: 10d85e,3ad0e5268057ef39
X-Google-Thread: fb1f8,3ad0e5268057ef39
X-Google-Thread: 108122,3ad0e5268057ef39
X-Google-Thread: 10c2ee,3ad0e5268057ef39

```
X-Google-Attributes:
gidfc2a5,gid10cf58,gid10d85e,gidfb1f8,gid108122,gid10c2ee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Nov 2006 08:47:58 -0600
From: "Arny Krueger" <arnyk@hotpop.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.audio.pro,rec.audio.opinion,rec.audio.tech,rec.radi
o.amateur.equipment,rec.antiques.radio+phono
References: <k968h.8441$Sw1.7887@newssvr13.news.prodigy.com>
<TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com>
<osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com>
Subject: Re: HP 3582A ?
Date: Mon, 20 Nov 2006 09:47:59 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <xdWdnQL7lfeDXfzYnZ2dnUVZ_r2dnZ2d@comcast.com>
Lines: 18
NNTP-Posting-Host: 71.227.115.95
X-Trace: sv3-
JSgeBpOWkyhq5HVQbTMimMfIeYlVdtqzXqIilfp7hliVEQMCrmynMNVh2J6WpDaCJL+lfWXjA1UMFv4!
rCDjjS75bkBfcvaLB6e49WWXAms9uqkcPh+cw4gQKLg5pTjyO1XMVqQWBa/KO9iWyIYxDTMWHDVf!Ukk/
Oqv8RA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.homebrew:7913 rec.audio.pro:79191
rec.audio.opinion:55227 rec.audio.tech:14947 rec.radio.amateur.equipment:7133
rec.antiques.radio+phono:38700
```

"Arny Krueger" <arnyk@hotpop.com> wrote in message
news:osadnViG4rXoIvzYnZ2dnUVZ_oednZ2d@comcast.com

> "jack" <jdwalton@comcast.net> wrote in message
> news:TqudnRNSmd_0IPzYnZ2dnUVZ_rSdnZ2d@comcast.com
>
>> One thing which you can do with these older analyzers is
>> measure much higher voltages than possible on a sound
>> card FFT,
>
> Easy enough to address. I use a 5K RN50 potentiomenter
> for the purpose. If I want an accurate voltage
> measurement of audio, I use a voltmeter.

Correction - make that RV4N - example:

http://www.alliedelec.com/Search/ProductDetail.asp?SKU=753-1445

From 7495174448583597703
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-mail
From: "squad97" <rlink87074@aol.com>
Newsgroups: alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: I'm like Moses.
Date: 20 Nov 2006 07:40:32 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1164037231.948512.301730@j44g2000cwa.googlegroups.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 65.27.214.241
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164037237 12463 127.0.0.1 (20 Nov 2006 15:40:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Nov 2006 15:40:37 +0000 (UTC)
In-Reply-To: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=65.27.214.241;
   posting-account=P1s03A0AAACS4iNqJF0cM2yGVZJtV0Kk
Xref: g2news2.google.com alt.radio.scanner:3799 rec.radio.amateur.antenna:21744 rec.radio.amateur.equipment:7134 rec.radio.amateur.policy:54853

Slow Code wrote:
> Moses tried to lead people out of Egypt, and I'm trying to lead people
> out of Lid-ville. And also like Moses, I'm finding some don't want to
> leave.   They think it's too much work to leave Lid-ville.
>
> Well sure it's work, but look at the benefits, Quality hams.
>
> SC

I just joined this group, thinking I would get in on quality radio discussions. I didn't realize I had mistakenly joined a bunch of juvenile males interested in only out-dissing each other . Are any of you serious about radio?

```
From 1362838161581220148
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.freenet.de!
news.space.net!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: SeppoP <seppo_pietikainen@xyahoox.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Re: I'm like Moses.
Date: Mon, 20 Nov 2006 17:51:23 +0200
Lines: 22
Message-ID: <4se17sFv3hh1U1@mid.individual.net>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net O5k/o4AyXTgmzsurhwlC9wJnVCw6jZpOHwrYi+K9bWawQ0AyWZ
User-Agent: Thunderbird 1.5.0.8 (X11/20061025)
In-Reply-To: <1164037231.948512.301730@j44g2000cwa.googlegroups.com>
Xref: g2news2.google.com alt.radio.scanner:3800 rec.radio.amateur.antenna:21745
rec.radio.amateur.equipment:7135 rec.radio.amateur.policy:54854

squad97 wrote:
> Slow Code wrote:
>> Moses tried to lead people out of Egypt, and I'm trying to lead people
>> out of Lid-ville.  And also like Moses, I'm finding some don't want to
>> leave.   They think it's too much work to leave Lid-ville.
>>
>> Well sure it's work, but look at the benefits, Quality hams.
>>
>> SC
> I just joined this group, thinking I would get in on quality radio
> discussions.  I didn't realize I had mistakenly joined a bunch of
> juvenile males  interested in only out-dissing each other .  Are any of
> you serious about radio?
>

Very few, it seems. It's just (yet) another originally interesting n.g. gone to
the dogs...
Well, that's what you (we) get from non-moderated groups...

--
```

From 6872552052319113566
X-Google-Thread: 1009ad,5930c2aa4725eef5,start
X-Google-Thread: fcc6e,6be39ccdbf35daa2
X-Google-Thread: 108122,47848ed5eb5707e5
X-Google-Thread: 10bf43,47848ed5eb5707e5
X-Google-Thread: 10f7a7,5930c2aa4725eef5,start
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,gid10f7a7,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old fiend" <Mark@kb9rqz.apsr>
Newsgroups: alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,alt.usenet.kooks
References: <Itq7h.3078$AO3.107@newsfe12.lga>
Subject: Re: Wouff Hong for antenna newsgroup (filters)
Date: Mon, 20 Nov 2006 12:01:21 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Lines: 26
Message-ID: <4561d287$0$21122$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 Nov 2006 16:06:31 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3802 rec.radio.amateur.antenna:21747 rec.radio.amateur.equipment:7136 rec.radio.amateur.policy:54867 alt.usenet.kooks:271687

"Rick" <ricknj10@hotmail.com> wrote in message
news:Itq7h.3078$AO3.107@newsfe12.lga...
> Since I began using Outlook Express as my newsreader I have been able to
> implement subject line filters which are nearly perfect in eliminating the
> QRM. Every few days I add to this filter as needed.
> If you use Outlook Express and are not familiar with filters you are
> missing out on a real useful feature.
> All you have to do is hit tools/message rules/News. Then build a new
> filter "where the subject line contains words" and then put in the words
> that will be used to eliminate the QRM. Works as good as a Wouff Hong.
> Here's my current list:
>
> contains 'cw-forever' or 'slow code' or 'democrat' or 'Fcc took' or
> 'rumsfeld' or 'cw' or 'poll' or 'dumber' or 'blog' or 'crapthon' or
> 'crapathon' or 'cattle' or '...' or 'flonking' or 'punce' or 'passed tech'
>

> Rick K2XT
with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -2578845706699901916
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old fiend" <Mark@kb9rqz.apsr>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
Subject: Re: I'm like Moses.
Date: Mon, 20 Nov 2006 12:08:17 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 24
Message-ID: <4561d427$0$21090$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 Nov 2006 16:13:27 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3803 rec.radio.amateur.antenna:21748
rec.radio.amateur.equipment:7137 rec.radio.amateur.policy:54868
```

"squad97" <rlink87074@aol.com> wrote in message
news:1164037231.948512.301730@j44g2000cwa.googlegroups.com...
>
> Slow Code wrote:
>> Moses tried to lead people out of Egypt, and I'm trying to lead people
>> out of Lid-ville. And also like Moses, I'm finding some don't want to
>> leave.   They think it's too much work to leave Lid-ville.

>>
>> Well sure it's work, but look at the benefits, Quality hams.
>>
>> SC
> I just joined this group, thinking I would get in on quality radio
> discussions. I didn't realize I had mistakenly joined a bunch of
> juvenile males interested in only out-dissing each other . Are any of
> you serious about radio?

with the punce gotcha he wonders why I simple don't bother to ty
impoving my spelling do u hav anyting cognet two say?

my blog
http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -7505738301105587l6
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Re: I'm like Moses.
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
In-Reply-To: <1164037231.948512.301730@j44g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <Gem8h.5297$yE6.1487@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 71.149.146.207
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1164046374 ST000 71.149.146.207 (Mon, 20 Nov
2006 13:12:54 EST)
NNTP-Posting-Date: Mon, 20 Nov 2006 13:12:54 EST
Organization: SBC http://yahoo.sbc.com

```
X-UserInfo1:
Q[O]STVEMBRSP_@YMZJ\_Q\@TJ_ZTB\MV@BZMVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Mon, 20 Nov 2006 18:12:54 GMT
Xref: g2news2.google.com alt.radio.scanner:3804 rec.radio.amateur.antenna:21749
rec.radio.amateur.equipment:7138 rec.radio.amateur.policy:54877

squad97 wrote:
> I just joined this group, thinking I would get in on quality radio
> discussions.  I didn't realize I had mistakenly joined a bunch of
> juvenile males interested in only out-dissing each other .  Are any of
> you serious about radio?

Which group is "this group"? You cross-posted to
three other groups.
--
73, Cecil  http://www.w5dxp.com



From 8496601807656438615
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!
208.49.83.154!uns-out.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: "labtech1" <labtech_one@yahoo.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
<Gem8h.5297$yE6.1487@newssvr14.news.prodigy.com>
Subject: Re: I'm like Moses.
Date: Mon, 20 Nov 2006 15:34:01 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <3ea76$45621135$471dd939$11586@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 26
X-Trace: 3ea7645621135e2b87c9c11586
Xref: g2news2.google.com alt.radio.scanner:3805 rec.radio.amateur.antenna:21753
rec.radio.amateur.equipment:7139 rec.radio.amateur.policy:54894

well thats WHERE the problem lies, if the retards would keep the thread in
```

```
the Ham Radio NG things would be fine. After reading ( a few of) the
messages, it makes me wish ham radio would die out. They complain about
'qual;ity' operators and CB'ers but then they get
here and act worse that the worst. And yes I'm cross posting this message so
that ALL the
ham radio retards can see it, with the hopes  ( but it seems these shit
stains have NO CONSIDERATION for other people ) will STOP cross posting to
NG's that have no
bearing on their 'debates'


"Cecil Moore" <mycall@hotmail.com> wrote in message
news:Gem8h.5297$yE6.1487@newssvr14.news.prodigy.com...
> squad97 wrote:
> > I just joined this group, thinking I would get in on quality radio
> > discussions.  I didn't realize I had mistakenly joined a bunch of
> > juvenile males interested in only out-dissing each other .  Are any of
> > you serious about radio?
>
> Which group is "this group"? You cross-posted to
> three other groups.
> --
> 73, Cecil  http://www.w5dxp.com




From 3269162803438016099
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "Andy the Perv Timberlake" <andy_theperv_timberlake@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf
Subject: Re: my knew blog
Date: 20 Nov 2006 13:25:23 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1164057923.361503.231200@e3g2000cwe.googlegroups.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
   <1163783200.277520.276020@h48g2000cwc.googlegroups.com>
   <7dbsl2l5n30p0pneggqstus73jiffr4spo@4ax.com>
NNTP-Posting-Host: 65.54.98.110
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164057930 632 127.0.0.1 (20 Nov 2006 21:25:30 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Mon, 20 Nov 2006 21:25:30 +0000 (UTC)
In-Reply-To: <7dbsl2l5n30p0pneggqstus73jiffr4spo@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=65.54.98.110;
   posting-account=sVik3A0AAADzyKivjrehSo4K7uVsLz2Y
Xref: g2news2.google.com rec.radio.amateur.policy:54908
rec.radio.amateur.equipment:7140 rec.radio.amateur.misc:26294 alt.ham-radio.vhf-
uhf:3197


Mark@kb9rqz.aprs wrote:
> On 17 Nov 2006 09:06:40 -0800, "Andy the Perv Timberlake"
> <andy_theperv_timberlake@yahoo.com> wrote:
>
> >an old freind wrote:
> >> it about woger
> >>
> >> http://whywogersucks.blogspot.com/
> >
> >You wrote it because when you called Roger on the telephone and asked
> >if you could suck Roger's dick you were turned down. As usual, huh
> >Davies?
>
> no woger I did not write it nor have I have spoken to woger or called
> him

No, you've been too busy having sex with underaged males.



From 6608923635499083417
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old fiend" <Mark@kb9rqz.apsr>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
<Gem8h.5297$yE6.1487@newssvr14.news.prodigy.com>
<3ea76$45621135$471dd939$11586@ALLTEL.NET>
Subject: Re: I'm like Moses.
Date: Mon, 20 Nov 2006 16:27:20 -0500
Organization: punce.org
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 39
Message-ID: <456210df$0$21129$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 Nov 2006 20:32:31 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3806 rec.radio.amateur.antenna:21755
rec.radio.amateur.equipment:7141 rec.radio.amateur.policy:54910


"labtech1" <labtech_one@yahoo.com> wrote in message
news:3ea76$45621135$471dd939$11586@ALLTEL.NET...
> well thats WHERE the problem lies, if the retards would keep the thread in
> the Ham Radio NG things would be fine. After reading ( a few of) the
> messages, it makes me wish ham radio would die out. They complain about
> 'qual;ity' operators and CB'ers but then they get
> here and act worse that the worst. And yes I'm cross posting this message
> so
> that ALL the
> ham radio retards can see it, with the hopes  ( but it seems these shit
> stains have NO CONSIDERATION for other people ) will STOP cross posting to
> NG's that have no
> bearing on their 'debates'
 with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/




>
> "Cecil Moore" <mycall@hotmail.com> wrote in message
> news:Gem8h.5297$yE6.1487@newssvr14.news.prodigy.com...
>> squad97 wrote:
>> > I just joined this group, thinking I would get in on quality radio
>> > discussions.  I didn't realize I had mistakenly joined a bunch of
>> > juvenile males interested in only out-dissing each other .  Are any of
>> > you serious about radio?
>>
>> Which group is "this group"? You cross-posted to
>> three other groups.
>> --
>> 73, Cecil  http://www.w5dxp.com
>
>



--
```

Posted via a free Usenet account from http://www.teranews.com

```
From -1223882379144904088
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.volia.net!newsfeed01.sul.t-
online.de!newsfeed00.sul.t-online.de!t-online.de!tiscali!newsfeed1.ip.tiscali.net!
proxad.net!usenet-fr.net!ircam.fr!freenix!sn-xt-sjc-05!sn-xt-sjc-01!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Charlie" <charlie@ease.biz>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Re: I'm like Moses. No - You're like a SHITHEAD
Date: Mon, 20 Nov 2006 16:17:29 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12m4ac4569t6fda@corp.supernews.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
<Gem8h.5297$yE6.1487@newssvr14.news.prodigy.com>
<3ea76$45621135$471dd939$11586@ALLTEL.NET>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 38
Xref: g2news2.google.com alt.radio.scanner:3807 rec.radio.amateur.antenna:21756
rec.radio.amateur.equipment:7142 rec.radio.amateur.policy:54918
```

--

"labtech1" <labtech_one@yahoo.com> wrote in message
news:3ea76$45621135$471dd939$11586@ALLTEL.NET...

> well thats WHERE the problem lies, if the retards would keep the thread in
> the Ham Radio NG things would be fine. After reading (a few of) the
> messages, it makes me wish ham radio would die out. They complain about
> 'qual;ity' operators and CB'ers but then they get
> here and act worse that the worst. And yes I'm cross posting this message
> so
> that ALL the
> ham radio retards can see it, with the hopes (but it seems these shit

```
> stains have NO CONSIDERATION for other people ) will STOP cross posting to
> NG's that have no
> bearing on their 'debates'
>
>
> "Cecil Moore" <mycall@hotmail.com> wrote in message
> news:Gem8h.5297$yE6.1487@newssvr14.news.prodigy.com...
>> squad97 wrote:
>> > I just joined this group, thinking I would get in on quality radio
>> > discussions.  I didn't realize I had mistakenly joined a bunch of
>> > juvenile males interested in only out-dissing each other .  Are any of
>> > you serious about radio?
>>
>> Which group is "this group"? You cross-posted to
>> three other groups.
>> --
>> 73, Cecil  http://www.w5dxp.com
>
>
>




From 4038448982143539744
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews2.bellsouth.net.POSTED!278bc1df!not-for-mail
From: "Jimmie D" <jimmiedee@bellsouth.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
Subject: Re: I'm like Moses.
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <5Zp8h.3015$m9.795@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbonajdlbfhhegocnokdlhpkhnpfiahfdblfd
```

fcppkcaoblpmdjkblahielgmpocbjfkdmkllegdncmpbddogiadnijllkbdaakneaagogdojjmjppk
NNTP-Posting-Date: Mon, 20 Nov 2006 17:27:13 EST
Organization: BellSouth Internet Group
Date: Mon, 20 Nov 2006 17:27:26 -0500
Xref: g2news2.google.com alt.radio.scanner:3808 rec.radio.amateur.antenna:21757
rec.radio.amateur.equipment:7143 rec.radio.amateur.policy:54919

"squad97" <rlink87074@aol.com> wrote in message
news:1164037231.948512.301730@j44g2000cwa.googlegroups.com...
>
> Slow Code wrote:
>> Moses tried to lead people out of Egypt, and I'm trying to lead people
>> out of Lid-ville. And also like Moses, I'm finding some don't want to
>> leave.   They think it's too much work to leave Lid-ville.
>>
>> Well sure it's work, but look at the benefits, Quality hams.
>>
>> SC
> I just joined this group, thinking I would get in on quality radio
> discussions. I didn't realize I had mistakenly joined a bunch of
> juvenile males interested in only out-dissing each other . Are any of
> you serious about radio?
>

Quite a few of us are but we have been invaded by the idiot squad lately. A carefully made kill file will solve the problem and make the newsgroup much nicer. I have a friend who is writing a patch fpr IE that will allow you to kill entire threads according to whom initates it. I will make it available as soon as I get it. Most of the juvenille behavior is a result of those with no true interest in amateur radio, they just want to stir the pot and be heard kind of like those who yell obscenities on the air just to hear peolpe respond.

From -3843384630071919052
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.vhf-uhf
Subject: crapathon goes on
Date: Mon, 20 Nov 2006 18:47:01 -0500
Message-ID: <lif4m2pt0jvef19egfcvvnch9gcuk2ru51@4ax.com>

```
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<1163783200.277520.276020@h48g2000cwc.googlegroups.com>
<7dbsl2l5n30p0pneggqstus73jiffr4spo@4ax.com>
<1164057923.361503.231200@e3g2000cwe.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Date: 20 Nov 2006 22:52:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54939
rec.radio.amateur.equipment:7144 rec.radio.amateur.misc:26305 alt.ham-radio.vhf-
uhf:3199

On 20 Nov 2006 13:25:23 -0800, "Andy the Perv Timberlake"
<andy_theperv_timberlake@yahoo.com> wrote:

>
>Mark@kb9rqz.aprs wrote:
>> On 17 Nov 2006 09:06:40 -0800, "Andy the Perv Timberlake"
>> <andy_theperv_timberlake@yahoo.com> wrote:
>>
>> >an old freind wrote:
>> >> it about woger
>> >>
>> >> http://whywogersucks.blogspot.com/
>> >
>> >You wrote it because when you called Roger on the telephone and asked
>> >if you could suck Roger's dick you were turned down. As usual, huh
>> >Davies?
>>
>> no woger I did not write it nor have I have spoken to woger or called
>> him
>
>No, you've been too busy having sex with underaged males.

hardly  but thentrith is beyond your abilitesi woger
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -7727765122599979366
X-Google-Thread: 1009ad,5930c2aa4725eef5
X-Google-Thread: fcc6e,6be39ccdbf35daa2
X-Google-Thread: 108122,47848ed5eb5707e5
X-Google-Thread: 10bf43,47848ed5eb5707e5
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
```

headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: stil a crime
Date: Mon, 20 Nov 2006 18:50:52 -0500
Message-ID: <8qf4m2t915h0sfdbh8uht1hm4l4740thm9@4ax.com>
References: <Itq7h.3078$AO3.107@newsfe12.lga>
<4561d287$0$21122$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Date: 20 Nov 2006 22:56:04 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3810 rec.radio.amateur.antenna:21760
rec.radio.amateur.equipment:7145 rec.radio.amateur.policy:54948

On Mon, 20 Nov 2006 12:01:21 -0500, "an old fiend" <Mark@kb9rqz.apsr>
wrote:

>

and you keep comtiing it
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 3860870326377666724
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: stop theblasphemy
Date: Mon, 20 Nov 2006 18:52:04 -0500
Message-ID: <grf4m2p8kd299onqtcrbopnjpea01uq2i2@4ax.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 20 Nov 2006 22:57:15 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3811 rec.radio.amateur.antenna:21761 rec.radio.amateur.equipment:7146 rec.radio.amateur.policy:54949

On 20 Nov 2006 07:40:32 -0800, "squad97" <rlink87074@aol.com> wrote:

>
>Slow Code wrote:
>> Moses tried to lead people out of Egypt, and I'm trying to lead people
>> out of Lid-ville.  And also like Moses, I'm finding some don't want to
>> leave.   They think it's too much work to leave Lid-ville.
>>
>> Well sure it's work, but look at the benefits, Quality hams.
>>
>> SC
>I just joined this group, thinking I would get in on quality radio
>discussions.  I didn't realize I had mistakenly joined a bunch of
>juvenile males  interested in only out-dissing each other .  Are any of
>you serious about radio?

I am and Hot ham and chesse Len anderson also is but the rest ran out
of anything to do but post vilesness or the outright blasphemy of this
threads title
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 1226108774570921020
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups: alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: I'm like Moses.
Date: 20 Nov 2006 16:53:34 -0800
Organization: http://groups.google.com
Lines: 20
Message-ID: <1164070414.171723.30830@m7g2000cwm.googlegroups.com>
```

```
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
   <1164037231.948512.301730@j44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 4.224.231.204
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1164070419 15348 127.0.0.1 (21 Nov 2006 00:53:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Nov 2006 00:53:39 +0000 (UTC)
In-Reply-To: <1164037231.948512.301730@j44g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=4.224.231.204;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com alt.radio.scanner:3813 rec.radio.amateur.antenna:21763
rec.radio.amateur.equipment:7147 rec.radio.amateur.policy:54963



squad97 wrote:
> Slow Code wrote:
> > Moses tried to lead people out of Egypt, and I'm trying to lead people
> > out of Lid-ville.  And also like Moses, I'm finding some don't want to
> > leave.   They think it's too much work to leave Lid-ville.
> >
> > Well sure it's work, but look at the benefits, Quality hams.
> >
> > SC

> I just joined this group, thinking I would get in on quality radio
> discussions.  I didn't realize I had mistakenly joined a bunch of
> juvenile males  interested in only out-dissing each other .  Are any of
> you serious about radio?

I am.

The FCC just posted the newest restructuring in the Federal Register.




From -1110017438584777497
X-Google-Thread: 108122,c7c378002ebf2d72,start
X-Google-Thread: 107ada,c7c378002ebf2d72,start
X-Google-Thread: 10bf43,c7c378002ebf2d72,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: AB8MQ hates us because we made him take two tests.
From: Slow Code <my.mail@no.spam>
```

Organization: None
User-Agent: Xnews/5.04.25
Lines: 9
Message-ID: <d7s8h.1365$tM1.938@newsread1.news.pas.earthlink.net>
Date: Tue, 21 Nov 2006 00:54:33 GMT
NNTP-Posting-Host: 4.227.160.162
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164070473 4.227.160.162 (Mon, 20 Nov 2006 16:54:33 PST)
NNTP-Posting-Date: Mon, 20 Nov 2006 16:54:33 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7148 rec.radio.amateur.misc:26318 rec.radio.amateur.policy:54965

and I still don't think Woger knows the material on the test.

At least N0VFP and N9OGL don't get into bad moods and try to destroy the newsgroups when they fail.   Woger can learn something from them, but he's chooses Markie for his mentor.   It must be a gay thing.

SC

From -8238750368656511474
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: alt.radio.swap,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: I'm like Moses.
From: Slow Code <my.mail@no.spam>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net> <1164038232.247833.324380@h48g2000cwc.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 32
Message-ID: <y7s8h.1378$tM1.252@newsread1.news.pas.earthlink.net>
Date: Tue, 21 Nov 2006 00:54:54 GMT
NNTP-Posting-Host: 4.227.160.162
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164070494 4.227.160.162 (Mon, 20 Nov 2006 16:54:54 PST)
NNTP-Posting-Date: Mon, 20 Nov 2006 16:54:54 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:21765 rec.radio.amateur.equipment:7149 rec.radio.amateur.policy:54973

"KC4UAI" <kc4uai@gmail.com> wrote in
news:1164038232.247833.324380@h48g2000cwc.googlegroups.com:

>
> Slow Code wrote:
>> Moses tried to lead people out of Egypt, and I'm trying to lead people
>> out of Lid-ville. And also like Moses, I'm finding some don't want to
>> leave.   They think it's too much work to leave Lid-ville.
>>
>> Well sure it's work, but look at the benefits, Quality hams.
>>
>
> Dude... Your Bible knowledge is a bit lacking. Everybody wanted to
> leave Egypt, but after the travel took more time and effort than they
> hoped, some wanted to go back.

No, No, No, You are all Heathens!!!!

I know the Bible. I read it every Friggen day while I listen to Code. My
favorite Bible passage is an End-Times passage and I'm actually mentioned
in it. It's found in First Hiram Chapter 2, verse 73:

"and Slow Code, servant of the Lord, smote the Lids with his
cattle prod and the Lids were healed. All that saw were
amazed and fell to the floor and gave thanks to Slow Code
and the bands were made clean that day, and many CB'ers were
also converted. And they began preaching and speaking in CW"

SC

From -3664779699687878112
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: Re: I'm like Moses.
From: Slow Code <my.mail@no.spam>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
<Gem8h.5297$yE6.1487@newssvr14.news.prodigy.com>
<3ea76$45621135$471dd939$11586@ALLTEL.NET>
Organization: None

User-Agent: Xnews/5.04.25
Lines: 12
Message-ID: <z7s8h.1379$tM1.1172@newsread1.news.pas.earthlink.net>
Date: Tue, 21 Nov 2006 00:54:55 GMT
NNTP-Posting-Host: 4.227.160.162
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164070495 4.227.160.162 (Mon, 20 Nov 2006 16:54:55 PST)
NNTP-Posting-Date: Mon, 20 Nov 2006 16:54:55 PST
Xref: g2news2.google.com alt.radio.scanner:3817 rec.radio.amateur.antenna:21766 rec.radio.amateur.equipment:7150

"labtech1" <labtech_one@yahoo.com> wrote in
news:3ea76$45621135$471dd939$11586@ALLTEL.NET:

> WHAAAAAAAAAAA!

There, I shortened your post for you.

Happy to help.

SC

From 4696991615669187657
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: My Take on CW - for Powerhouse
From: Slow Code <my.mail@no.spam>
References: <ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<1163983968.927628.10530@b28g2000cwb.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 35
Message-ID: <J7s8h.1385$tM1.1270@newsread1.news.pas.earthlink.net>
Date: Tue, 21 Nov 2006 00:55:05 GMT
NNTP-Posting-Host: 4.227.160.162
X-Complaints-To: abuse@earthlink.net

X-Trace: newsread1.news.pas.earthlink.net 1164070505 4.227.160.162 (Mon, 20 Nov 2006 16:55:05 PST)
NNTP-Posting-Date: Mon, 20 Nov 2006 16:55:05 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7151 rec.radio.amateur.policy:54977 rec.radio.scanner:7976 rec.radio.shortwave:59348 rec.radio.swap:10002

bajohnson29@yahoo.com wrote in
news:1163983968.927628.10530@b28g2000cwb.googlegroups.com:

> Well, I'm excited about learning code. I have been given some great
> websites for practice. And I'm going to try to test in January 2007.
> I don't know if I can be ready that quick - but I'm going to give it a
> shot. Also, I have been encouraged by several hams to learn the
> sounds as complete thoughts instead of learning just letter
> recognition. A bit like learning to read, I guess - so I will try that
> method. Thanks for the hints.

Good luck with it. :) We love helping people that want to good hams get a license. That's a good point on learning CW. As you get better and faster at it, you don't hear individual letters, you hear and your mind memorizes the sound of whole words.

Markie will probably flame you for wanting to learn CW, but just ignore Markie, he's a retard.

SC

> Slow Code wrote:
>> No matter what facet of radio you enjoy, the topic is to protect it by
>> improving the quality of the hobbiests involved. That's why most will
>> agree if you know morse code, you'll be a better skilled hobbiest and
>> will improve your nich of the hobby and/or radio service you're
>> involved with. A valuable knowledge base for those of coming into the
>> services and hobby.
>>
>> Tnx, 73 Good luck in the contest.
>>
>> SC

From 2637005149456357398
X-Google-Thread: fc8b1,6ba6d767e0260861,start
X-Google-Thread: 108122,6ba6d767e0260861,start
X-Google-Thread: 10bf43,6ba6d767e0260861,start
X-Google-Attributes: gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail

Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Subscribe FREE to the K9YA Telegraph
From: Slow Code <my.mail@no.spam>
References: <ozk8h.14737$yl4.9631@newssvr12.news.prodigy.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 43
Message-ID: <s8s8h.1396$tM1.889@newsread1.news.pas.earthlink.net>
Date: Tue, 21 Nov 2006 00:55:52 GMT
NNTP-Posting-Host: 4.227.160.162
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164070552 4.227.160.162 (Mon, 20 Nov 2006 16:55:52 PST)
NNTP-Posting-Date: Mon, 20 Nov 2006 16:55:52 PST
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6399 rec.radio.amateur.equipment:7152 rec.radio.amateur.policy:54983

"K9YA Telegraph" <no_reply@yahoo.com> wrote in
news:ozk8h.14737$yl4.9631@newssvr12.news.prodigy.com:

> Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All
> About Ham Radio.
>
> The K9YA Telegraph is a FREE, monthly, general interest Amateur Radio
> publication read by hams in more than 100 countries. The K9YA Telegraph
> contains the stories and features most wanted by our subscribers,
> because it is written by our subscribers. An e-Zine, it is delivered
> monthly to your e-mail inbox as a full-color PDF file.
>
> If you're in the mood for Morse, hankering for history, gluttonous for
> gear, ravished for a review, needing nostalgia, or just plain famished
> for fun, you'll find it in the K9YA Telegraph. To check out back issues,
> subscribe or write an article, visit the K9YA Telegraph Web site at
> http://www.k9ya.org.
>
> December 2006
>
> The Road to Bugdom By Philip Cala-Lazar, K9PL
>
> Dateline: O'ahu By Ann Shaver, WH2E
>
> One VFO Short of a DX'er By Charles J. Guenther, NI�C
>
> W.A.S. With a Watt and a Wire By Dick Sylvan, W9CBT
>
> The Wealth Effect at WQPC By Rod Newkirk, VA3ZBB/W9BRD
>
> Ham Quips By Dick Sylvan, W9CBT
>
>
>
> Copyright � 2006 Robert F. Heytow Memorial Radio Club. All rights

```
> reserved.


I found this in the swap group.  All you good hams might want to
subscribe, the rest of you like Markie, Ham-and-Cheese, and U-Know-Who
will probably try to crap on it.

SC



From 5414904158594377553
X-Google-Thread: 108122,f897dc2ee2fd3f01
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!
216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-for-mail
From: "John, N9JG" <john@Xremove.MeYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
References: <rhf3m217kic8rf01fb6gercued9gq9kn8g@4ax.com>
Subject: Re: Palstar AT Auto FS
Lines: 11
Organization: CLM ARRL
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <%8s8h.564$eb5.346@newsreading01.news.tds.net>
Date: Tue, 21 Nov 2006 00:56:27 GMT
NNTP-Posting-Host: 69.130.135.26
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1164070587 69.130.135.26 (Mon, 20 Nov 2006
18:56:27 CST)
NNTP-Posting-Date: Mon, 20 Nov 2006 18:56:27 CST
Xref: g2news2.google.com rec.radio.amateur.equipment:7153

Why are you selling it?

"Sonny Hood" <wrhood@cox.net> wrote in message
news:rhf3m217kic8rf01fb6gercued9gq9kn8g@4ax.com...
> Palstar AT Auto tuner less than 3 months old, excellent shape, all
> cables & accessories, factory box. Shipped Main land USA & Ins. FedEx
> Grd $955.00   US Postal money order or Cashiers check (3 day to clear)
> Pickup 23323  $915.00 <k4wys@cox.net>
>




From -3895024936132921995
X-Google-Thread: 108122,c80075d404ad70a4,start
X-Google-Thread: 10bf43,c80075d404ad70a4,start
X-Google-Thread: 1109af,c80075d404ad70a4,start
```

X-Google-Attributes: gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: What is this signal on 4.005 MHz?
From: Slow Code <my.mail@no.spam>
References: <4XP7h.16766$B31.12605@newssvr27.news.prodigy.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 29
Message-ID: <%8s8h.1401$tM1.63@newsread1.news.pas.earthlink.net>
Date: Tue, 21 Nov 2006 00:56:27 GMT
NNTP-Posting-Host: 4.227.160.162
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164070587 4.227.160.162 (Mon, 20 Nov
2006 16:56:27 PST)
NNTP-Posting-Date: Mon, 20 Nov 2006 16:56:27 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7154
rec.radio.amateur.policy:54985 rec.radio.swap:10004

"Matt J. McCullar" <mccullar@flash.net> wrote in
news:4XP7h.16766$B31.12605@newssvr27.news.prodigy.net:

> I'm hearing a strong digital signal of some sort when my radio is in CW mode, on 4.005 MHz in north Texas during the evening hours. Sounds like high-speed Morse code. I've done a web search with no luck, except that Vatican Radio supposedly transmits on that frequency. Any idea what this is and where it's coming from?
>
> Thanks!
>
> Matt J. McCullar, KJ5BA
> Arlington, TX

I can't believe a ham would ask this question. Everyone complains about having to learn CW, that they want to modernize and shouldn't have to learn it, but when they hear a more modern mode that they should know what it is, they don't know it.

It's just like I said, Hams just want an easy license they don't care to modernize. If they did care they would be modernizing. Radio teletype has been around a long time, if they're too lazy to do CW, why aren't they doing teletype.

If we still had a real CW test, people would study theory more and know what they're hearing. But Nooooo, we can't have real radio tests.

SC

```
From 4173996683726062734
X-Google-Thread: fcc6e,6be39ccdbf35daa2
X-Google-Thread: 108122,47848ed5eb5707e5
X-Google-Thread: 10bf43,47848ed5eb5707e5
X-Google-Thread: 1109af,47848ed5eb5707e5
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Wouff Hong for antenna newsgroup (jackass filters)
From: Slow Code <my.mail@no.spam>
References: <Itq7h.3078$AO3.107@newsfe12.lga> <hxq7h.3079$AO3.1294@newsfe12.lga>
<Zdt7h.165$sf5.54@newsread4.news.pas.earthlink.net>
<1163968259.977007.188980@k70g2000cwa.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 57
Message-ID: <c9s8h.1402$tM1.1081@newsread1.news.pas.earthlink.net>
Date: Tue, 21 Nov 2006 00:56:40 GMT
NNTP-Posting-Host: 4.227.160.162
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1164070600 4.227.160.162 (Mon, 20 Nov
2006 16:56:40 PST)
NNTP-Posting-Date: Mon, 20 Nov 2006 16:56:40 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:21768
rec.radio.amateur.equipment:7155 rec.radio.amateur.policy:54986
rec.radio.swap:10005

"olekinghole9007" <revfoxweek9@yahoo.com> wrote in
news:1163968259.977007.188980@k70g2000cwa.googlegroups.com:

> Lloyd Wiseman wrote:
>> "Rick" <ricknj10@hotmail.com> wrote in
>> news:hxq7h.3079$AO3.1294@newsfe12.lga:
>>
>> >
>> >> Works as good as a Wouff Hong.
>> >
>> > I should have said "Works ALMOST as well as a Wouff Hong."
>> > Because a real Wouff Hong, properly administered, would eliminate not
>> > only the QRM but the QRM'er - a beautiful thing.
>> >
>> > Rick  K2XT
>>
>>
>> Get used to the QRM, because after CW is eliminated you're going to
>> wish your rig did come with Rettysnitch and wouff hong filters...
>>
>> But I forget, due to the lack of support for good tests a lot of you
```

>> people must like hearing Lids.
>>
>> SC
>
> Wouff Hong ???
> Rettysnitch ???
> WTF are we in the 19th Century here???
> Baaaaaaaaa hahahahhahahahahhahaha!!!!!!!
>
> Jeezus H Christmas on a rocket powered sled at the Nevada test site
> will you OBSOLETE hams PLEASE join the 21st century.
>
> I mean consider that the terms Wouff Hong and Rettysnitch
> DO NOT even appear ANYPLACE on or within Wikipedia!
>
> That alone should tell you something! (..of course now you
> can be some crusty old fart, cloistered ham radio nerd or
> some asshole who took the "Bash Book" route to get his ham
> license will now dash up and create an entry in Wikipaeda
> just to inflate his own ego and asscheeks and claim he did
> something.....go ahead, be my guest! In the meantime I'm
> heading back to 20 Meters to have some fun with the contest
> freaks. I made up a callsign and semi-rare section and these
> CLOWN-testers are beating a path to my speaker to work me
> just so they can see their callsign in print in some half-ass
> magazine from CT.   How F-N pathetic!) ---> PFHBLTTT!!!!!!!!
>
> ps: you should have seen how many DX clowntesters I duped
> a few weeks ago using a "creative" callsign, section and running
> 10 watts into the 40M dipole instead of the beam...suckers!

You shouldn't do things like that, the FCC will come after you like they
went after old Two-Test.

SC

From 7873526104002298829
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: crapthon goes on

```
Date: Mon, 20 Nov 2006 20:16:18 -0500
Message-ID: <7qk4m2t1qinlhfhtfa21cke34ec0n3gei5@4ax.com>
References: <ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<1163983968.927628.10530@b28g2000cwb.googlegroups.com>
<J7s8h.1385$tM1.1270@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 21 Nov 2006 00:21:31 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7156
rec.radio.amateur.policy:54991 rec.radio.scanner:7979 rec.radio.shortwave:59355
rec.radio.swap:10008

On Tue, 21 Nov 2006 00:55:05 GMT, Slow Code <my.mail@no.spam> wrote:

>bajohnson29@yahoo.com wrote in
>news:1163983968.927628.10530@b28g2000cwb.googlegroups.com:
>
>> Well, I'm excited about learning code.  I have been given some great
>> websites for practice.  And I'm going to try to test in January 2007.
>> I don't know if I can be ready that quick - but I'm going to give it a
>> shot.  Also, I have been encouraged  by several hams to learn the
>> sounds as complete thoughts instead of learning just letter
>> recognition.  A bit like learning to read, I guess - so I will try that
>> method.  Thanks for the hints.
>
>
>
>Good luck with it. :)  We love helping people that want to good hams get a
>license.
when are you turning in yours to help with that effort?
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 8705309360011099393
X-Google-Thread: 108122,c7c378002ebf2d72
X-Google-Thread: 107ada,c7c378002ebf2d72
X-Google-Thread: 10bf43,c7c378002ebf2d72
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
```

```
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: crapthon goes on
Date: Mon, 20 Nov 2006 20:26:43 -0500
Message-ID: <odl4m2dtp5gl68cimaai4j5sa2gd2q66sl@4ax.com>
References: <d7s8h.1365$tM1.938@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Date: 21 Nov 2006 00:31:55 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7157
rec.radio.amateur.misc:26339 rec.radio.amateur.policy:55001

On Tue, 21 Nov 2006 00:54:33 GMT, Slow Code <my.mail@no.spam> wrote:

>
>
>and I still don't think Woger knows the material on the test.
>
>At least N0VFP and N9OGL don't get into bad moods and try to destroy the
>newsgroups when they fail.   Woger can learn something from them, but he's
>chooses Markie for his mentor.   It must be a gay thing.

you realy need to get help sc
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -1989460392752319323
X-Google-Thread: fc8b1,6ba6d767e0260861
X-Google-Thread: 108122,6ba6d767e0260861
X-Google-Thread: 10bf43,6ba6d767e0260861
X-Google-Attributes: gidfc8b1,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: crpthon keeps right on flowing
Date: Mon, 20 Nov 2006 20:30:23 -0500
Message-ID: <3kl4m21098sdpfl3bjdc31rppab9gt5248@4ax.com>
References: <ozk8h.14737$yl4.9631@newssvr12.news.prodigy.com>
<s8s8h.1396$tM1.889@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
```

Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 46
NNTP-Posting-Date: 21 Nov 2006 00:35:35 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6401
rec.radio.amateur.equipment:7158 rec.radio.amateur.policy:55006

On Tue, 21 Nov 2006 00:55:52 GMT, Slow Code <my.mail@no.spam> wrote:

>"K9YA Telegraph" <no_reply@yahoo.com> wrote in
>news:ozk8h.14737$yl4.9631@newssvr12.news.prodigy.com:
>
>> Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All
>> About Ham Radio.
>>
>> The K9YA Telegraph is a FREE, monthly, general interest Amateur Radio
>> publication read by hams in more than 100 countries. The K9YA Telegraph
>> contains the stories and features most wanted by our subscribers,
>> because it is written by our subscribers. An e-Zine, it is delivered
>> monthly to your e-mail inbox as a full-color PDF file.
>>
>> If you're in the mood for Morse, hankering for history, gluttonous for
>> gear, ravished for a review, needing nostalgia, or just plain famished
>> for fun, you'll find it in the K9YA Telegraph. To check out back issues,
>> subscribe or write an article, visit the K9YA Telegraph Web site at
>> http://www.k9ya.org.
>>
>> December 2006
>>
>> The Road to Bugdom By Philip Cala-Lazar, K9PL
>>
>> Dateline: O'ahu By Ann Shaver, WH2E
>>
>> One VFO Short of a DX'er By Charles J. Guenther, NI�C
>>
>> W.A.S. With a Watt and a Wire By Dick Sylvan, W9CBT
>>
>> The Wealth Effect at WQPC By Rod Newkirk, VA3ZBB/W9BRD
>>
>> Ham Quips By Dick Sylvan, W9CBT
>>
>>
>>
>> Copyright � 2006 Robert F. Heytow Memorial Radio Club. All rights
>> reserved.
>
>
>I found this in the swap group.

and you choose to spread out the fertilizer some more

http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -6553100699026261847
X-Google-Thread: 108122,c80075d404ad70a4
X-Google-Thread: 10bf43,c80075d404ad70a4
X-Google-Thread: 1109af,c80075d404ad70a4
X-Google-Attributes: gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: What is this signal on 4.005 MHz?
Date: Mon, 20 Nov 2006 20:31:05 -0500
Message-ID: <1ml4m2t4bs04c19q4dlt6munhr41r86jng@4ax.com>
References: <4XP7h.16766$B31.12605@newssvr27.news.prodigy.net>
<%8s8h.1401$tM1.63@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 21 Nov 2006 00:36:16 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7159
rec.radio.amateur.policy:55007 rec.radio.swap:10012

On Tue, 21 Nov 2006 00:56:27 GMT, Slow Code <my.mail@no.spam> wrote:

>"Matt J. McCullar" <mccullar@flash.net> wrote in
>news:4XP7h.16766$B31.12605@newssvr27.news.prodigy.net:
>
>> I'm hearing a strong digital signal of some sort when my radio is in CW
>> mode, on 4.005 MHz in north Texas during the evening hours. Sounds like
>> high-speed Morse code. I've done a web search with no luck, except that
>> Vatican Radio supposedly transmits on that frequency. Any idea what
>> this is and where it's coming from?
>>
>> Thanks!
>>
>> Matt J. McCullar, KJ5BA
>> Arlington, TX
>
>
>I can't believe a ham would ask this question.
then you are just stupid like your other nick "hey stupid"
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -6668163658154055587
X-Google-Thread: 114aac,9db1e69cb9a5a4c8
X-Google-Thread: 108122,9db1e69cb9a5a4c8
X-Google-Thread: 107ada,9db1e69cb9a5a4c8
X-Google-Attributes: gid114aac,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.forethought.net!
news.forethought.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Nov 2006 20:29:45 -0600
From: Eric F. Richards <efricha@dim.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Ten-Tec RX340 Spectrum Display?
Date: Mon, 20 Nov 2006 19:29:45 -0700
Organization: What organization?
Message-ID: <v9b3m294b4fm3p77js311pddtq7j5m1mvj@4ax.com>
References: <1163966497.608553.109150@f16g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Host: 66.53.21.46
X-Trace: sv3-1hPduvyKo8yX0joF/LP2f2GGhDVZstMPso+FtvvsZgy/
yNZ5cIayrbXJjM3ykVhauufjEa37yzEowBM!qGwqDqPnPjJDd5vndmSvDM89/
buRcxe8oEeqUdnk9X7McRjnd0G4QH9APEyrbxjR+t/c0XyBefaI!4bFm1IECIrZVC4seIYg=
X-Complaints-To: abuse@forethought.net
X-DMCA-Complaints-To: abuse@forethought.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.shortwave:59369
rec.radio.amateur.equipment:7160 rec.radio.amateur.misc:26346

"Somebody Somewhere" <YCTHULHU@aol.com> wrote:

> Is there a stand-alone, or PC software-based, RF spectrum display that
> can interface with the 455khz IF output of a Ten-Tec RX340? I don't
> really want PC control of the RX340, just a spectrum display. Thanks.

I bought a spectrum analyzer at a hamfest that I use as a panadapter for my RX340. Usually it is connected to the first IF (45.445 MHz), and I use a broadband amplifier to bring the very low-level signal up so the spectrum analyzer can use it.

I haven't found the other IF outs to be all that useful for a panadapter.

BTW, I paid about $200 for the spectrum analyzer -- it's not all that
expensive a way to go.

--
Eric F. Richards
efricha@dim.com
"Nature abhors a vacuum tube." -- Myron Glass,
often attributed to J. R. Pierce, Bell Labs, c. 1940

From -6490727283229559244
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!64.59.134.4.MISMATCH!
pd7cy1no!pd7cy2no!shaw.ca!pd7urf2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.148.71.210
From: Opus- <jbuchy@shaw.ca>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Re: stop theblasphemy
Organization: Ministry of Silly Walks
Reply-To: Linux@sucks.ass
Message-ID: <ghr4m25ubo4m7k5e5ukvlrgqnoaf6ia1nt@4ax.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1164037231.948512.301730@j44g2000cwa.googlegroups.com>
<grf4m2p8kd299onqtcrbopnjpea01uq2i2@4ax.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
Date: Tue, 21 Nov 2006 03:11:12 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf2no 1164078672 24.70.95.207 (Mon, 20 Nov 2006 20:11:12 MST)
NNTP-Posting-Date: Mon, 20 Nov 2006 20:11:12 MST
Xref: g2news2.google.com alt.radio.scanner:3825 rec.radio.amateur.antenna:21774
rec.radio.amateur.equipment:7161 rec.radio.amateur.policy:55016

On Mon, 20 Nov 2006 18:52:04 -0500, Mark@kb9rqz.aprs spake thusly:

>On 20 Nov 2006 07:40:32 -0800, "squad97" <rlink87074@aol.com> wrote:
>
>>
>>Slow Code wrote:

```
>>> Moses tried to lead people out of Egypt, and I'm trying to lead people
>>> out of Lid-ville.  And also like Moses, I'm finding some don't want to
>>> leave.   They think it's too much work to leave Lid-ville.
>>>
>>> Well sure it's work, but look at the benefits, Quality hams.
>>>
>>> SC
>>I just joined this group, thinking I would get in on quality radio
>>discussions.  I didn't realize I had mistakenly joined a bunch of
>>juvenile males  interested in only out-dissing each other .  Are any of
>>you serious about radio?
>
>I am and Hot ham and chesse Len anderson also is but the rest ran out
>of anything to do but post vilesness or the outright blasphemy of this
>threads title

But...but..but what about me??

;-)
--
Opus62@gmail.com
(Jim, single dad to Lesleigh [Autistic] 04/20/94)

"What, Me Worry?" A. E. Newman

Please note: All unsolicited e-mail sent to me may, at
my discretion, be posted in this newsgroup verbatim.


From -2172845387117875641
X-Google-Thread: 108122,894d9872abd57e4d,start
X-Google-Thread: fc8b1,894d9872abd57e4d,start
X-Google-Thread: 106d41,894d9872abd57e4d,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: NEW YAESU YO-100 O'SCOPE 9mhz/455khz I.F. KIT>FITS Many
Date: 21 Nov 2006 07:36:42 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1164123402.830656.210390@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164123408 1786 127.0.0.1 (21 Nov 2006 15:36:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Nov 2006 15:36:48 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:7162
rec.radio.amateur.boatanchors:6408 rec.radio.cb:22470

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220050190943&ssPageName=STRK:MESE:IT&ih=012



From -1857427926762430526
X-Google-Thread: 108122,8272f5c13ede14bd,start
X-Google-Thread: fc8b1,8272f5c13ede14bd,start
X-Google-Thread: 106d41,8272f5c13ede14bd,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: Wm. NYE CLASSIC 322-003 MORSE CODE KEY w/NAVY KNOB>MINT
Date: 21 Nov 2006 07:37:44 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1164123464.079671.289500@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1164123470 10872 127.0.0.1 (21 Nov 2006 15:37:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Nov 2006 15:37:50 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:7163
rec.radio.amateur.boatanchors:6409 rec.radio.cb:22471

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220050190924&ssPageName=STRK:MESE:IT&ih=012



From 4019724724522065772
X-Google-Thread: 112d1e,9889c9c3acddab67
X-Google-Thread: fcc6e,9889c9c3acddab67
X-Google-Thread: 108122,9889c9c3acddab67
X-Google-Thread: 107cee,9889c9c3acddab67
X-Google-Attributes: gid112d1e,gidfcc6e,gid108122,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: kevin.pavin@gmail.com
Newsgroups: sci.electronics.design,rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics.misc
Subject: Re: rf bandpass filters 2.4GHz
Date: 16 Nov 2006 07:58:26 -0800
Organization: http://groups.google.com
Lines: 31
Message-ID: <1163692706.251581.116570@h48g2000cwc.googlegroups.com>
References: <1163659473.135906.202910@b28g2000cwb.googlegroups.com>
   <%jU6h.104$Az4.738745@news.sisna.com>
NNTP-Posting-Host: 18.62.12.146
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163692711 3363 127.0.0.1 (16 Nov 2006 15:58:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Nov 2006 15:58:31 +0000 (UTC)
In-Reply-To: <%jU6h.104$Az4.738745@news.sisna.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.8) Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=18.62.12.146;
   posting-account=c-Wp4w0AAACZHMJZcvAyVin0CCUsQ2Uc
Xref: g2news2.google.com sci.electronics.design:123704 rec.radio.amateur.antenna:21629 rec.radio.amateur.equipment:7064 sci.electronics.misc:8034

Sorry I mispoke earlier. Let me restate this. Hyperlink has an 8pole filter for several of the 802.11b channels that has the mask -3db at +-10Mhz, -5db at +-15Mhz, -20dB +- 20Mhz.

Essentially I want to keep 2.417 to 2.437 Ghz, so one of their filters centered at 802.11b, channel 4 would be ideal, except that they only sell centered at the standard channels (channel 3 and 6 are the closest), so in short I was wondering if anyone knows of a vendor that sells such a filter centered at 2.427Ghz. Thanks for any suggestions.

RST Engineering (jw) wrote:
> You don't need to go custom. You need to understand the impossibility of
> what you are asking for.
> Jim
>
>
>
>
> <kevin.pavin@gmail.com> wrote in message
> news:1163659473.135906.202910@b28g2000cwb.googlegroups.com...
> > Hi all,
>

>
> Maybe I need
> > to go custom on this? Any suggestions are greatly appreciated.
> > Thanks,
> >
> > Kevin
> >

From -5602149400328346415
X-Google-Thread: 112d1e,9889c9c3acddab67
X-Google-Thread: fcc6e,9889c9c3acddab67
X-Google-Thread: 108122,9889c9c3acddab67
X-Google-Thread: 107cee,9889c9c3acddab67
X-Google-Attributes: gid112d1e,gidfcc6e,gid108122,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!78df62d6!not-for-mail
From: Joerg <notthisjoergsch@removethispacbell.net>
User-Agent: Mozilla/5.0 (Windows; U; WinNT4.0; en-US; rv:1.6) Gecko/20040113
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
sci.electronics.design,rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics.misc
Subject: Re: rf bandpass filters 2.4GHz
References: <1163659473.135906.202910@b28g2000cwb.googlegroups.com>
<%jU6h.104$Az4.738745@news.sisna.com>
<1163692706.251581.116570@h48g2000cwc.googlegroups.com>
In-Reply-To: <1163692706.251581.116570@h48g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <S217h.6770$Sw1.4354@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 75.26.161.183
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1163697458 ST000 75.26.161.183 (Thu, 16 Nov
2006 12:17:38 EST)
NNTP-Posting-Date: Thu, 16 Nov 2006 12:17:38 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OX[MR\OGRZRUBRH]^JKBOW@@YJ_ZTB\MV@BJ]Q]KEYUNDQUCCNSUAACY@L[ZX__HGFD]JBJNSFXTOOGA_V
WY^_HG@FW_HUTHOH]TBPGCO\P^PLP^@[GLHUK@WLECKFVL^TYG[@RMWQXIWM[SDDYWNLG_G[_BWUCHFY_Y
@AS@Q[B\APPF@DCZM_PG_VSCPQZM
Date: Thu, 16 Nov 2006 17:17:38 GMT
Xref: g2news2.google.com sci.electronics.design:123755
rec.radio.amateur.antenna:21630 rec.radio.amateur.equipment:7065
sci.electronics.misc:8035

Hello Kevin,

> Sorry I mispoke earlier. Let me restate this. Hyperlink has an 8pole
> filter for several of the 802.11b channels that has the mask -3db at +-
> 10Mhz, -5db at +-15Mhz, -20dB +- 20Mhz.
>
> Essentially I want to keep 2.417 to 2.437 Ghz, so one of their filters
> centered at 802.11b, channel 4 would be ideal, except that they only
> sell centered at the standard channels (channel 3 and 6 are the
> closest), so in short I was wondering if anyone knows of a vendor that
> sells such a filter centered at 2.427Ghz. Thanks for any suggestions.
>

That looks like you'd have to call them for a custom version which will
probably be lots of $$. Or roll your own which requires a lot of
RF/microwave knowledge. Or hire a consultant :-)

Problem is, if you are most likely the only one needing this there won't
be an existing market and chances that any other company has the right
product could be close to zilch.

--
Regards, Joerg

http://www.analogconsultants.com

```
From -1800766220434177853
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeeds.sol.net!
10.218.45.202.MISMATCH!newspump.sol.net!news-out.readnews.com!
postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
References: <eobqm.flm.19.1@news.alt.net><ephku.ash.17.1@news.alt.net>
<Zkl6h.577$G91.516@newsfe04.lga>   <fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<1163646517.871700.252220@m7g2000cwm.googlegroups.com>
<DZ6dnRmXbIOiQsbYnZ2dnUVZ_tOdnZ2d@comcast.com>
<455be1a0$0$5786$ecde5a14@news.coretel.net>
<1163692571.053809.128140@f16g2000cwb.googlegroups.com>
Subject: Re: My Take on CW - for Powerhouse
Date: Thu, 16 Nov 2006 14:17:18 -0500
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 109
Message-ID: <455cb83a$0$5789$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 87c62492.news.coretel.net
X-Trace: DXC=SPGQFa=R2?
cQVC_YniD=\jcYX6N<OEXQkQdP;3=7[^6e^j5K<hfY`aiGmAIF1ClObmU`2m63R98Fd
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7066
rec.radio.amateur.policy:54532 rec.radio.scanner:7863 rec.radio.shortwave:59021
rec.radio.swap:9886

<hjsjms@cs.com> wrote in message
news:1163692571.053809.128140@f16g2000cwb.googlegroups.com...
>
> Radiosrfun wrote:
>> > <fcathell@msn.com> wrote in message
>> > news:1163646517.871700.252220@m7g2000cwm.googlegroups.com...
>> >> You know, CW may be obsolete, but having to learn the code instilled a
>> >> bit of discipline and sense of purpose in getting a ham license. Of
>> >> course things like mathematics, science and such that require mental
>> >> discipline are no longer politically correct so are generally not
>> >> required in education today because we certainly don't want to bruise
>> >> anyone's ego or tax their MTV indoctrinated brains. So, I guess the
>> >> code will have to go.
>> >>
>> >> Frank
>> >> K3YAZ
>> >> Tucson
>> >>
>>
>> It isn't so much the "code" being removed which has dumbed it down, it
>> used
>> to be you "had" to know electronics to get a license. Blame it on the
>> Study
>> Guides which really don't teach SHIT.
>
> Regarding testing for a ham license, I think that is a good idea.  I
> just think we should be testing for skills that show some ability by
> the operator to set up and operate a rig safely.  And we should test
> his ability to communicate effectively and  courteously in a widely
> used form of communication that can be understood by emergency
> responders:  voice.
>
>
>>
>> Personally, instead of seeing this CODE argument going on forever and not
>> solving a damned thing, using the above post of the other necessities of
>> life - if you intend to get anywhere - let's argue - and understandably
>> so
```

>> and more welcome than the code argument - why the classes are being
>> dumbed
>> down for our kids! Around here, the schools are wanting to build near
>> professional sports arenas and I'm speaking "millions of dollars" - for
>> the
>> "Football" games - to hell with the studies. They "used" to give you
>> basic
>> supplies when you went to school, now you buy your own. The "School
>> Board"
>> seats are more hotly contested than some of the "State and Local"
>> government
>> seats. Yet the education level isn't improving.
>
> I don't know about your area, but mine has two distinct tracks for
> kids. Those that are headed for a college education receive various
> levels of advanced classes based on ability (more or less). Those that
> are on the vocational track receive math and english at a level to get
> them past NCLB requirements and the equivalent of shop classes. The
> stadiums are for the most part outdoor with bleachers looking over a
> multipurpose playing field that has a running track around it. And
> this is one of the higher income areas of the country.
>
> I do agree that sports in high school and college can be taken to
> absurd levels of importance. In many locations, especially urban ones
> the high school is essentially a farm club for colleges which are a
> farm club for major league sports. I would love to see the system
> taken back several notches but there is too much money at stake for
> that to happen.
>
>
>> No child left behind? Eh, not if they're foot ball players. IF NOT -
>> they're
>> screwed.
>>
>> Just my 2 cents.
>

Regarding the "education". They teach "some" college level prep classes. As to those with lesser ambition/grades, they have "classes" - period. There is "Vo Tech" - but you had to have a certain grade average to get in "there". As to shop, one school I know of - sold all their shop equipment years ago - that being the same school "I" went to and got my start in electronics training. I've never heard much of other schools having "shop" class around here. The "stadiums" at some of these schools here reach into the "millions" of dollars, upping the taxes on all who live there. Those stadiums are damned close to being equivalent to a "Pro" Field. Hell, our local "state" University doesn't even match some of them. That is pathetic. Yes, kids need sports to teach sportsmanship and competition, but come on - "EDUCATION" being "reading, writing, arithmatic" and so on are more important. AND as I said, they fight for school board seats hotter than some local and state government races. It is "sickening".

They've eliminated the "Wood, Electronics, Metal (including welding) and

Electrical" shops here. Now, I realize "Electronics" may not be as hot to some as it once was, but it still has value in our country. So too does "Electrical" systems/wiring, "Welding", etc. Do we not need "skilled" labor anymore? No wonder this country is going to hell. Pretty soon all other countries will out smart us in every field. Those who were pushing "no child left behind" - need to get things back on track for "develpment" of "marketable" skills."
We're still going to need things wired, welded, soldered, electronics to mainain the "cell phone craze" and so on.

I realize most parents are working and unlike the past - at least one parent made sure we did our chores, studying and so on..... things have changed dramatically. They need to change dramatically again. Get these kids interested in something. Even computers seem to be falling out of grace with a lot of them - aside from chatting. I guess they equate computers to "work".

```
From 2373753484606182737
X-Google-Thread: 112d1e,9889c9c3acddab67
X-Google-Thread: fcc6e,9889c9c3acddab67
X-Google-Thread: 108122,9889c9c3acddab67
X-Google-Thread: 107cee,9889c9c3acddab67
X-Google-Attributes: gid112d1e,gidfcc6e,gid108122,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Nov 2006 16:19:57 -0600
From: "Tam/WB2TT" <t-tammaru@c0mca$t.net>
Newsgroups:
sci.electronics.design,rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.e
lectronics.misc
References: <1163659473.135906.202910@b28g2000cwb.googlegroups.com>
<%jU6h.104$Az4.738745@news.sisna.com>
<1163692706.251581.116570@h48g2000cwc.googlegroups.com>
Subject: Re: rf bandpass filters 2.4GHz
Date: Thu, 16 Nov 2006 17:20:07 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <XtydnceJRJ-QecHYnZ2dnUVZ_v-dnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 69.142.63.253
X-Trace: sv3-BaFOLy1jI2Ya4eIQti8aRKKg+IbUkq6msjZe/
Y8OrvHJXXTgOF84CeV85VsZ2EoNzqbRphG371O02nD!
cT4ILApfS7lKCcaG0zEspgzeRtCIzHcbGqfXVXmcKM+TKB+gMACkBssg8Rl2nn8pUzg7MH7PY0qM!
TtjTNY7wm3cpAQU=
X-Complaints-To: abuse@comcast.net
```

X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com sci.electronics.design:123930 rec.radio.amateur.antenna:21638 rec.radio.amateur.equipment:7067 sci.electronics.misc:8039

<kevin.pavin@gmail.com> wrote in message news:1163692706.251581.116570@h48g2000cwc.googlegroups.com...
> Sorry I mispoke earlier. Let me restate this. Hyperlink has an 8pole
> filter for several of the 802.11b channels that has the mask -3db at +-
> 10Mhz, -5db at +-15Mhz, -20dB +- 20Mhz.
>
> Essentially I want to keep 2.417 to 2.437 Ghz, so one of their filters
> centered at 802.11b, channel 4 would be ideal, except that they only
> sell centered at the standard channels (channel 3 and 6 are the
> closest), so in short I was wondering if anyone knows of a vendor that
> sells such a filter centered at 2.427Ghz. Thanks for any suggestions.
>
>

Can't you do this at IF?

Tam

From -5586877698621289370
X-Google-Thread: 108122,29c41290eafe243a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-mail
From: c454785569@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: mts2000- programmable scan?
Date: 16 Nov 2006 14:42:28 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1163716947.984788.112900@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 70.109.245.166
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163716953 15971 127.0.0.1 (16 Nov 2006 22:42:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Nov 2006 22:42:33 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.8) Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com

Injection-Info: k70g2000cwa.googlegroups.com; posting-host=70.109.245.166;
   posting-account=U0Jbgg0AAAB28FJa1cksiQ57nZctUSph
Xref: g2news2.google.com rec.radio.amateur.equipment:7068

I just bought an MTS2000 radio (VHF 48 Ch. - H01KDD9PW1BN) and am wondering if the scan list can be user programmable.

When I brought it to Motorola for programming, they told me I had to provide them with the scan list for each bank because it was NOT user programmable, however the information on the following links shows otherwise.

http://www.montcopa.org/eoc/EDS/RadioSystem/Training/MTS-2000%20Program%20Scan.pdf

Any thoughts?

Thanks!!

From -462566251364684765
X-Google-Thread: 108122,fcd2be322e6c8cbe,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-mail
From: the.ewok@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu VX-150 Resetting it's memory periodically
Date: 16 Nov 2006 15:01:51 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1163718110.991829.178570@f16g2000cwb.googlegroups.com>
NNTP-Posting-Host: 216.85.153.126
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163718116 3079 127.0.0.1 (16 Nov 2006 23:01:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Nov 2006 23:01:56 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-GB; rv:1.8.1) Gecko/20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=216.85.153.126;
   posting-account=QTGpKA0AAABdswhEhICFulav3_f03v7y
Xref: g2news2.google.com rec.radio.amateur.equipment:7069

Hi, I have a VX-150 that's 1 month old. It periodically resets it's memory.
Initially I thought it was to do with the power in my truck.

However this is not the case. It has done it even without the power connected.

Anyone have Ideas?
K0BAZ

```
From -6255824626666391196
X-Google-Thread: 112d1e,9889c9c3acddab67
X-Google-Thread: fcc6e,9889c9c3acddab67
X-Google-Thread: 108122,9889c9c3acddab67
X-Google-Thread: 107cee,9889c9c3acddab67
X-Google-Attributes: gid112d1e,gidfcc6e,gid108122,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Baron <me@home.com>
Subject: Re: rf bandpass filters 2.4GHz
Newsgroups:
sci.electronics.design,rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.e
lectronics.misc
Followup-To: sci.electronics.design
Date: Thu, 16 Nov 2006 23:25:16 +0000
References: <1163659473.135906.202910@b28g2000cwb.googlegroups.com>
<%jU6h.104$Az4.738745@news.sisna.com>
<1163692706.251581.116570@h48g2000cwc.googlegroups.com> <XtydnceJRJ-
QecHYnZ2dnUVZ_v-dnZ2d@comcast.com>
Lines: 26
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
NNTP-Posting-Host: 213.78.120.113
Message-ID: <455cf32b@212.67.96.135>
X-Trace: 16 Nov 2006 23:24:27 GMT, 213.78.120.113
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!newsfeed.news2me.com!news-
in-01.newsfeed.easynews.com!news-in-02.newsfeed.easynews.com!easynews.com!
easynews!news.he.net!chekhov.conxion.net!212.67.96.135!213.78.120.113
Xref: g2news2.google.com sci.electronics.design:123974
rec.radio.amateur.antenna:21640 rec.radio.amateur.equipment:7070
sci.electronics.misc:8040
```

Tam/WB2TT wrote:

>
> <kevin.pavin@gmail.com> wrote in message
> news:1163692706.251581.116570@h48g2000cwc.googlegroups.com...
>> Sorry I mispoke earlier. Let me restate this. Hyperlink has an
>> 8pole filter for several of the 802.11b channels that has the mask
>> -3db at +- 10Mhz, -5db at +-15Mhz, -20dB +- 20Mhz.
>>
>> Essentially I want to keep 2.417 to 2.437 Ghz, so one of their
>> filters centered at 802.11b, channel 4 would be ideal, except that
>> they only sell centered at the standard channels (channel 3 and 6 are

>> the closest), so in short I was wondering if anyone knows of a vendor
>> that
>> sells such a filter centered at 2.427Ghz. Thanks for any
>> suggestions.
>>
>>
> Can't you do this at IF?
>
> Tam

He might with a hi Q cavity.

--
Baron:

From -1016118564903579355
X-Google-Thread: 108122,b3e17b0de51c3909
X-Google-Thread: 107ada,b3e17b0de51c3909
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Nov 2006 18:21:51 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <cH%6h.25$z01.22@newsfe04.lga>
Subject: Re: CQWW CW Logger Program ?
Date: Thu, 16 Nov 2006 19:21:43 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <otGdnefTKs4CncDYnZ2dnUVZ_tednZ2d@comcast.com>
Lines: 30
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-mq8I1LM7c0Hw/5EIzvk0Yf4LQuroNXBqsyzXHDTQoYVDjJ/Ogj/
c6gRlRz6gIREcsL0ahymNwo/LIWz!KxLzpI22VyNIPwajylOfKYkdO2FnP/jERyaiS+lVXMFt0InxO/
6qtIyWCsiyi0OqOUn23lsDS7lX!Ad+Ve4i4RNnxCRQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7071
rec.radio.amateur.misc:26156

The most user friendly program is at www.n3fjp.com
It's a great program, user friendly (don't even really need to read the help
files to get started), automatically checks for duplicates, allows

monitoring the online DX clusters if you are so inclined, allows rig control if you are so inclined, allows keying the radio from the computer if you are so inclined, creates Cabrillo files for contest submission and adif files for importing into general logging programs. There's other neat features but that's a good start. It is also quite inexpensive.

Dee, N8UZE

"John" <john_stlmo@yahoo.com> wrote in message news:cH%6h.25$z01.22@newsfe04.lga...

> Looking for a good Cabrillo type logging program for the upcoming CQWW CW
> contest - logging each contact by hand and then transferring to a home
> made logging sheet gets kinda old pretty quick...
>
> Needs to be in Cabrillo format for submission.
>
> Any suggestions? Prefer free or small fee (under $50).
>
> Thanks.
>
> John
>
> reply here or: john _ stlmo at yahoo dot com
>

From -7117933164653255849
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Thread: 10bf43,962631fbb7e3a1a1
X-Google-Thread: fa029,962631fbb7e3a1a1
X-Google-Thread: 1109af,962631fbb7e3a1a1
X-Google-Thread: 114aac,8fa61e3b3731c1b8,start
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!elnk-pas-nf1!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap,rec.radio.shortwave
Subject: Re: Adios
From: Slow Code <my.mail@no.spam>
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>
<aiO6h.7784$ig4.3869@newsread2.news.pas.earthlink.net>
<oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 27
Message-ID: <QL77h.8545$ig4.2725@newsread2.news.pas.earthlink.net>

Date: Fri, 17 Nov 2006 00:55:12 GMT
NNTP-Posting-Host: 4.254.224.28
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1163724912 4.254.224.28 (Thu, 16 Nov
2006 16:55:12 PST)
NNTP-Posting-Date: Thu, 16 Nov 2006 16:55:12 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7072
rec.radio.amateur.policy:54553 rec.radio.scanner:7866 rec.radio.swap:9891
rec.radio.shortwave:59044

"honestjohn" <honestjohn@centurytel.net> wrote in
news:oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net:

>
> "Slow Code" <my.mail@no.spam> wrote in message
>
>> I know what you're both saying is true. Since ham radio has been dumbed
>> down I'm hearing a lot more Lids, Kids, and space cadets on the ham
>> bands too and radio's don't come with Lid filters. We need to keep CW
>> and increase the speed requirement to somewhere 13 and 20 wpm. We
>> can't risk dumbing down the service further.
>>
> Can't happen because it's not P.C. (politically correct). Would you
> want to be guilty of discrimination against retarded CBers?   Hell no!
> So chill, dude.
>
> HJ

Definition of Political Correctness:

A doctrine fostered by a delusional, illogical liberal minority, and
rabidly promoted by an unscrupulous old media, which holds forth the
proposition that it is entirely possible to pick up a turd by the
clean end.

From 179352604657126172
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap

Subject: Re: My Take on CW - for Powerhouse
From: Slow Code <my.mail@no.spam>
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 35
Message-ID: <UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net>
Date: Fri, 17 Nov 2006 00:55:16 GMT
NNTP-Posting-Host: 4.254.224.28
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1163724916 4.254.224.28 (Thu, 16 Nov 2006 16:55:16 PST)
NNTP-Posting-Date: Thu, 16 Nov 2006 16:55:16 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7073 rec.radio.amateur.policy:54556 rec.radio.scanner:7867 rec.radio.shortwave:59046 rec.radio.swap:9893

"Brian Denley" <b.denley@comcast.net> wrote in
news:dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com:

> So, in other words, if you don't know how to develop film, you have no
> business doing digital photography? Brilliant!
>
> --
> Brian Denley

Right, That why there is CB. You don't have to know how it works you just get on it and act stupid. We can't have ham radio be like that, we want skill. Quality, not quantity.

I know a lot of you don't like that because it means more work, but we get a higher quality operator.

> "Slow Code" <my.mail@no.spam> wrote in message
> news:oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net...
>> No matter what facet of radio you enjoy, the topic is to protect it by
>> improving the quality of the hobbiests involved. That's why most will
>> agree if you know morse code, you'll be a better skilled hobbiest and
>> will improve your nich of the hobby and/or radio service you're
>> involved with. A valuable knowledge base for those of coming into the
>> services and hobby.
>>
>> Tnx, 73 Good luck in the contest.
>>
>> SC
>
>

>
>

```
From -7778089171049129997
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net>
Subject: Re: My Take on CW - for Powerhouse
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <Ri87h.10801$mR4.7276@tornado.texas.rr.com>
Date: Fri, 17 Nov 2006 01:32:33 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1163727153 67.10.92.242 (Thu, 16 Nov 2006 19:32:33
CST)
NNTP-Posting-Date: Thu, 16 Nov 2006 19:32:33 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7074
rec.radio.amateur.policy:54560 rec.radio.scanner:7868 rec.radio.shortwave:59049
rec.radio.swap:9895
```

"Slow Code" <my.mail@no.spam> wrote in message
news:UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net...
> "Brian Denley" <b.denley@comcast.net> wrote in
> news:dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com:
>
>> So, in other words, if you don't know how to develop film, you have no

```
>> business doing digital photography?  Brilliant!
>>
>> --
>> Brian Denley
>
>
> Right, That why there is CB.  You don't have to know how it works you just
> get on it and act stupid.  We can't have ham radio be like that, we want
> skill. Quality, not quantity.
>
> I know a lot of you don't like that because it means more work, but we get
> a higher quality operator.
>
>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net...
>>> No matter what facet of radio you enjoy, the topic is to protect it by
>>> improving the quality of the hobbiests involved.  That's why most will
>>> agree if you know morse code, you'll be a better skilled hobbiest and
>>> will improve your nich of the hobby and/or radio service you're
>>> involved with. A  valuable knowledge base for those of coming into the
>>> services and hobby.
>>>
>>> Tnx, 73 Good luck in the contest.
>>>
>>> SC
>>


But at the end of the day SC, no one wants to talk to you. 10-4 good buddy?




From -9109766000002216822
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Thread: 10bf43,962631fbb7e3a1a1
X-Google-Thread: fa029,962631fbb7e3a1a1
X-Google-Thread: 1109af,962631fbb7e3a1a1
X-Google-Thread: 114aac,8fa61e3b3731c1b8
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Nov 2006 20:45:36 -0600
From: "honestjohn" <honestjohn@centurytel.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap,rec.radio.shortwave
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>
<aiO6h.7784$ig4.3869@newsread2.news.pas.earthlink.net>
```

```
<oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net>
<QL77h.8545$ig4.2725@newsread2.news.pas.earthlink.net>
Subject: Re: Adios
Date: Thu, 16 Nov 2006 20:42:55 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <3M2dnZ95tI7Nv8DYnZ2dnUVZ_tmdnZ2d@centurytel.net>
Lines: 35
NNTP-Posting-Host: 207.119.68.254
X-Trace: sv3-
FGu2OiUUy5pcXfRsb3zqeKykcEunMb5JZ7qzeg6zBLpKKKphfGh8aDLsIau6wNlI6LgrVeShTxn8Z2V!
CMFsFf+1RqkPYFTDMga7EM6X9F1zmPvkAg5IziPIeh5m2lQ0hOiNTbENTVelY7xJvqmsTcWxqhqv!
xO822LKcEykVbTQ70n+MmxEhVA7XQoAJDo0iIhNm3g==
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7075
rec.radio.amateur.policy:54565 rec.radio.scanner:7870 rec.radio.swap:9901
rec.radio.shortwave:59066
```

"Slow Code" <my.mail@no.spam> wrote in message
news:QL77h.8545$ig4.2725@newsread2.news.pas.earthlink.net...
> "honestjohn" <honestjohn@centurytel.net> wrote in
> news:oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net:
>
> >
> > "Slow Code" <my.mail@no.spam> wrote in message
> >
> >> I know what you're both saying is true. Since ham radio has been dumbed
> >> down I'm hearing a lot more Lids, Kids, and space cadets on the ham
> >> bands too and radio's don't come with Lid filters. We need to keep CW
> >> and increase the speed requirement to somewhere 13 and 20 wpm. We
> >> can't risk dumbing down the service further.
> >>
> > Can't happen because it's not P.C. (politically correct). Would you
> > want to be guilty of discrimination against retarded CBers? Hell no!
> > So chill, dude.
> >
> > HJ
>
>
> Definition of Political Correctness:
>
> A doctrine fostered by a delusional, illogical liberal minority, and
> rabidly promoted by an unscrupulous old media, which holds forth the
> proposition that it is entirely possible to pick up a turd by the
> clean end.

>
I agree! But you can't fight the liberal faggot tide, just relax and enjoy
the PC ass-fuckin.

HJ

From 4457467079192676493
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Thread: 10bf43,962631fbb7e3a1a1
X-Google-Thread: fa029,962631fbb7e3a1a1
X-Google-Thread: 1109af,962631fbb7e3a1a1
X-Google-Thread: 114aac,8fa61e3b3731c1b8
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net
From: "Not Steve" <anon@anon>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap,rec.radio.shortwave
Subject: Re: Adios
Date: Fri, 17 Nov 2006 03:59:55 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 46
Message-ID: <fgi8o.o7v.19.1@news.alt.net>
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>
<aiO6h.7784$ig4.3869@newsread2.news.pas.earthlink.net>
<oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net>
<QL77h.8545$ig4.2725@newsread2.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:7076
rec.radio.amateur.policy:54571 rec.radio.scanner:7871 rec.radio.swap:9905
rec.radio.shortwave:59080

"Slow Code" <my.mail@no.spam> wrote in message
news:QL77h.8545$ig4.2725@newsread2.news.pas.earthlink.net...
"honestjohn" <honestjohn@centurytel.net> wrote in
news:oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net:

>
> "Slow Code" <my.mail@no.spam> wrote in message
>
>> I know what you're both saying is true. Since ham radio has been dumbed
>> down I'm hearing a lot more Lids, Kids, and space cadets on the ham
>> bands too and radio's don't come with Lid filters. We need to keep CW
>> and increase the speed requirement to somewhere 13 and 20 wpm. We

```
>> can't risk dumbing down the service further.
>>
> Can't happen because it's not P.C. (politically correct).  Would you
> want to be guilty of discrimination against retarded CBers?   Hell no!
> So chill, dude.
>
> HJ


Definition of Political Correctness:

A doctrine fostered by a delusional, illogical liberal minority, and
rabidly promoted by an unscrupulous old media, which holds forth the
proposition that it is entirely possible to pick up a turd by the
clean end.
///////////////////////////////////

Hmmmmmmmmm

Not unlike what Katie Couric and Matt Lauer do on a daily basis. Or, for
that matter, what CBS, NBC, ABC, and CNN do daily.
When a Republican goes awry, the Media plasters it on Page One. When a
drunken Democrat does so, the Media lauds the Democrat for "getting help"
and calls it a "Courageous Step."
Chappaquiddick, anybody?  Mary Jo Kopechne ring any bells?
Now, when it comes to "picking up a turd by the clean end", which end would
that put Senator Kennedy on?
```

```
From 7273649103548369442
X-Google-Thread: 108122,b3e17b0de51c3909
X-Google-Thread: 107ada,b3e17b0de51c3909
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-
mail
From: "Denny" <k8do@mailblocks.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: CQWW CW Logger Program ?
Date: 17 Nov 2006 04:13:48 -0800
Organization: http://groups.google.com
Lines: 29
Message-ID: <1163765628.079129.104450@j44g2000cwa.googlegroups.com>
References: <cH%6h.25$z01.22@newsfe04.lga>
NNTP-Posting-Host: 24.247.246.156
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
```

X-Trace: posting.google.com 1163765633 14813 127.0.0.1 (17 Nov 2006 12:13:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Nov 2006 12:13:53 +0000 (UTC)
In-Reply-To: <cH%6h.25$z01.22@newsfe04.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.8)
Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=24.247.246.156;
   posting-account=GhrC0g0AAACdrABM-CDx8Fhs5lKJR5q2
Xref: g2news2.google.com rec.radio.amateur.equipment:7077
rec.radio.amateur.misc:26163

N1MM's LOGGER program... Can be used as a simple logging program.. But
has all the bells-n-whistles you can imagine (and some you can't) if
you want to use all its features... Has a community of users who will
help you and a chat group...
And is free - not shareware, or pay me later - f r e e .... Go to:

http://groups.yahoo.com/group/N1MMLogger/

enjoy - denny / k8do
<who has used most of the logging / rig control, programs out there, is
a life time subscriber to TRLOG, CT. and others, and N1MM is among the
best...

John wrote:
> Looking for a good Cabrillo type logging program for the upcoming CQWW
> CW contest - logging each contact by hand and then transferring to a
> home made logging sheet gets kinda old pretty quick...
>
> Needs to be in Cabrillo format for submission.
>
> Any suggestions? Prefer free or small fee (under $50).
>
> Thanks.
>
> John
>
> reply here or: john _ stlmo at yahoo dot com

From 1370759945319935300
X-Google-Thread: 108122,b3e17b0de51c3909
X-Google-Thread: 107ada,b3e17b0de51c3909
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
news.dfncis.de!not-for-mail
From: Fabian Kurz <usenet@fkurz.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc

Subject: Re: CQWW CW Logger Program ?
Followup-To: rec.radio.amateur.misc
Date: 17 Nov 2006 15:22:04 GMT
Lines: 36
Sender: Fabian Kurz <dj1yfk@dl0tud.tu-dresden.de>
Message-ID: <4s62csFu6bv3U1@mid.dfncis.de>
References: <cH%6h.25$z01.22@newsfe04.lga>
X-Trace: news.dfncis.de WUoEhr/8yjl6BMDquviPOgIWWOLtfGXev72aLcBD7YUEoB
X-Orig-Path: not-for-mail
User-Agent: tin/1.6.2-20030910 ("Pabbay") (UNIX) (FreeBSD/5.3-RELEASE (i386))
Xref: g2news2.google.com rec.radio.amateur.equipment:7078
rec.radio.amateur.misc:26166

In rec.radio.amateur.misc John wrote:
> Looking for a good Cabrillo type logging program for the upcoming CQWW
> CW contest - logging each contact by hand and then transferring to a
> home made logging sheet gets kinda old pretty quick...
>
> Needs to be in Cabrillo format for submission.
>
> Any suggestions? Prefer free or small fee (under $50).

XPost & Fup to rec.radio.amateur.misc.

My first choice (for single OP, unassisted): CT(Win) by K1EA,
available at http://www.k1ea.com/. It's free, easy to use and
offers all features you'll need to get started. Saves the log in
Cabrillo format, export to ADIF possible to import it into your
general purpose logging program.
CT is one of the most used contest loggers for many years now,
for a good reason.

More advanced: Win-Test (http://www.win-test.com/). Not free, but
worth the price, if you need the rich features it offers.
Especially great networking capabilities for multi-operator
environments (probably not important in your case), good SO2R
support etc.

Other free Contest loggers: N1MM (Mentioned in another post. It
works fine, but it's a bit too bloated for my taste.), SD
(http://www.ei5di.com/ similar to CT).

Hope to meet you in CQWW, I'll be Single OP Allband High Power
with SO2R (using good old CT).

73,
--
Fabian Kurz, DJ1YFK * Dresden, Germany * http://fkurz.net/
Online Log: http://dl0tud.tu-dresden.de/~dj1yfk/log.html

From 2277157349005200436
X-Google-Thread: 108122,ac7587ba97c595e3

```
X-Google-Thread: fa029,3eeef53954acb5a9
X-Google-Thread: 114aac,e798e7f46b0e9335
X-Google-Thread: 107ada,e798e7f46b0e9335
X-Google-Attributes: gid108122,gidfa029,gid114aac,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Andy the Perv Timberlake" <andy_theperv_timberlake@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,rec.radio.amateu
r.misc
Subject: Re: id theft remains a crime
Date: 17 Nov 2006 09:04:15 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1163783054.981055.272260@m73g2000cwd.googlegroups.com>
References: <1163548552.117155.287850@h54g2000cwb.googlegroups.com>
   <1163549346.219417.8850@h54g2000cwb.googlegroups.com>
   <1163554502.367463.234910@m73g2000cwd.googlegroups.com>
   <0jtkl21odhqvi8bpsdli8kkimnbcatdrvl@4ax.com>
   <hiO6h.7790$ig4.1428@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 65.54.154.48
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163783061 9318 127.0.0.1 (17 Nov 2006 17:04:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Nov 2006 17:04:21 +0000 (UTC)
In-Reply-To: <hiO6h.7790$ig4.1428@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.154.48;
   posting-account=sVik3A0AAADzyKivjrehSo4K7uVsLz2Y
Xref: g2news2.google.com rec.radio.amateur.equipment:7079 rec.radio.scanner:7873
rec.radio.shortwave:59103 rec.radio.amateur.misc:26169


Gavrielah Wiseman wrote:
> Mark in the Dark, wrote in
> news:0jtkl21odhqvi8bpsdli8kkimnbcatdrvl@4ax.com:
>
> > On 14 Nov 2006 17:35:02 -0800, Gav_HoJackoff@yahoo.com wrote:
> >
> >>
> >
> > id theft remains a crime
>
>
> My boyfriend Lloyd Davies says it ain't.
>
> Gopherface W-loving Tunder
```

BWHAHAHAHAHAHA poor Gopherface Tunder! He just loves getting sodomized
by his boyfriend Lloyd Davies!

```
From -2411410376336910786
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Thread: 10f7a7,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,gid10f7a7,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "Andy the Perv Timberlake" <andy_theperv_timberlake@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf,alt.usenet.kooks
Subject: Re: my knew blog
Date: 17 Nov 2006 09:06:40 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1163783200.277520.276020@h48g2000cwc.googlegroups.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
NNTP-Posting-Host: 65.54.154.48
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163783205 1044 127.0.0.1 (17 Nov 2006 17:06:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Nov 2006 17:06:45 +0000 (UTC)
In-Reply-To: <45575dd6$0$21192$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=65.54.154.48;
   posting-account=sVik3A0AAADzyKivjrehSo4K7uVsLz2Y
Xref: g2news2.google.com rec.radio.amateur.policy:54582
rec.radio.amateur.equipment:7080 rec.radio.amateur.misc:26170 alt.ham-radio.vhf-
uhf:3166 alt.usenet.kooks:270136
```

an old freind wrote:

> it about woger
>
> http://whywogersucks.blogspot.com/

You wrote it because when you called Roger on the telephone and asked
if you could suck Roger's dick you were turned down. As usual, huh
Davies?

```
From 4201367001766149753
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!news.germany.com!
newsfeed1.funet.fi!newsfeeds.funet.fi!skynet.be!66.150.105.54.MISMATCH!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf
Subject: Re: my knew blog
Date: Fri, 17 Nov 2006 16:46:38 -0500
Message-ID: <7dbsl2l5n30p0pneggqstus73jiffr4spo@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<1163783200.277520.276020@h48g2000cwc.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
NNTP-Posting-Date: 17 Nov 2006 20:51:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54615
rec.radio.amateur.equipment:7081 rec.radio.amateur.misc:26182 alt.ham-radio.vhf-
uhf:3167

On 17 Nov 2006 09:06:40 -0800, "Andy the Perv Timberlake"
<andy_theperv_timberlake@yahoo.com> wrote:

>an old freind wrote:
>> it about woger
>>
>> http://whywogersucks.blogspot.com/
>
>You wrote it because when you called Roger on the telephone and asked
>if you could suck Roger's dick you were turned down. As usual, huh
>Davies?

no woger I did not write it nor have I have spoken to woger or called
him
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 1300119465668509225
X-Google-Thread: 108122,8e89e1d59f6fca59
```

```
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: crapthon goes on
Date: Fri, 17 Nov 2006 16:50:09 -0500
Message-ID: <kjbsl2hvu6f856v1q4rpeknh3is8927krq@4ax.com>
References: <eobqm.flm.19.1@news.alt.net><ephku.ash.17.1@news.alt.net>
<Zkl6h.577$G91.516@newsfe04.lga> <fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<1163646517.871700.252220@m7g2000cwm.googlegroups.com>
<fq8ol2lp1utavjpvfdjch5ekveffr94ml6@4ax.com>
<1163691236.255766.135060@i42g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
NNTP-Posting-Date: 17 Nov 2006 20:55:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7082
rec.radio.amateur.policy:54620 rec.radio.scanner:7880 rec.radio.shortwave:59115
rec.radio.swap:9918

On 16 Nov 2006 07:33:56 -0800, fcathell@msn.com wrote:

>"guess you have forgotten the antics of the 80 m crowd all code tested"
>
>Well, I guess this proves there are assholes in every group! You can't
>beat 80M for this.
>
>Frank

but it proves that code testing does not filter very well
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -4015131309230144862
X-Google-Thread: 108122,b3e17b0de51c3909
X-Google-Thread: 107ada,b3e17b0de51c3909
```

X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Nov 2006 16:57:30 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
References: <cH%6h.25$z01.22@newsfe04.lga> <1163765628.079129.104450@j44g2000cwa.googlegroups.com>
Subject: Re: CQWW CW Logger Program ?
Date: Fri, 17 Nov 2006 17:57:23 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <b_6dnf2RppjHo8PYnZ2dnUVZ_qGdnZ2d@comcast.com>
Lines: 37
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-gBK1t/bNNRG2dv2trlCuGup0g4sc/dFIUEsH8W717tJU4FTEE13X12oEK5JvJ5dyIqbe/jkplkt6BX8!fHZjAppoO5Cu0+D4yWHbcsJiQJnHIHm0PlgYaBhLoPs+Cfvu9qL8NqkhQwHsSBNaUQVIIGF8DPIX!IOGEGeK6U0C6E8Q=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7083 rec.radio.amateur.misc:26188

"Denny" <k8do@mailblocks.com> wrote in message news:1163765628.079129.104450@j44g2000cwa.googlegroups.com...
> N1MM's LOGGER program... Can be used as a simple logging program.. But
> has all the bells-n-whistles you can imagine (and some you can't) if
> you want to use all its features... Has a community of users who will
> help you and a chat group...
> And is free - not shareware, or pay me later - f r e e .... Go to:
>
> http://groups.yahoo.com/group/N1MMLogger/
>
> enjoy - denny / k8do
> <who has used most of the logging / rig control, programs out there, is
> a life time subscriber to TRLOG, CT. and others, and N1MM is among the
> best...
>
>
>

I agree that N1MM is very good. For a beginner in computer logging of contests, it has a steeper learning curve than the N3FJP programs. While you do have to purchase the N3FJP program, it is so easy and intuitive to use that it is great for the inexperienced. I will admit N3FJP doesn't have quite as many features but it does do all the basic stuff (basic rig control, dxspot access, etc). Again that makes it good for contest beginners.

Here is my list of preferred contest logging programs in order:

1. N3FJP if he has one for the particular contest.
2. N1MM when there is not an N3FJP program available
3. GENLOG when neither of the above has a program or module for the contest.

Dee, N8UZE

```
From 2051281271844198193
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Thread: 10bf43,962631fbb7e3a1a1
X-Google-Thread: fa029,962631fbb7e3a1a1
X-Google-Thread: 1109af,962631fbb7e3a1a1
X-Google-Thread: 114aac,8fa61e3b3731c1b8
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap,rec.radio.shortwave
Subject: Re: Adios
From: Slow Code <my.mail@no.spam>
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>
<aiO6h.7784$ig4.3869@newsread2.news.pas.earthlink.net>
<oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net>
<QL77h.8545$ig4.2725@newsread2.news.pas.earthlink.net>
<3M2dnZ95tI7Nv8DYnZ2dnUVZ_tmdnZ2d@centurytel.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 41
Message-ID: <Ndt7h.155$sf5.137@newsread4.news.pas.earthlink.net>
Date: Sat, 18 Nov 2006 01:20:45 GMT
NNTP-Posting-Host: 4.227.154.43
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1163812845 4.227.154.43 (Fri, 17 Nov
2006 17:20:45 PST)
NNTP-Posting-Date: Fri, 17 Nov 2006 17:20:45 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7084
```

```
rec.radio.amateur.policy:54632 rec.radio.scanner:7882 rec.radio.swap:9925
rec.radio.shortwave:59126

"honestjohn" <honestjohn@centurytel.net> wrote in
news:3M2dnZ95tI7Nv8DYnZ2dnUVZ_tmdnZ2d@centurytel.net:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:QL77h.8545$ig4.2725@newsread2.news.pas.earthlink.net...
>> "honestjohn" <honestjohn@centurytel.net> wrote in
>> news:oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net:
>>
>> >
>> > "Slow Code" <my.mail@no.spam> wrote in message
>> >
>> >> I know what you're both saying is true. Since ham radio has been
>> >> dumbed down I'm hearing a lot more Lids, Kids, and space cadets on
>> >> the ham bands too and radio's don't come with Lid filters. We need
>> >> to keep CW and increase the speed requirement to somewhere 13 and 20
>> >> wpm.  We can't risk dumbing down the service further.
>> >>
>> > Can't happen because it's not P.C. (politically correct).  Would you
>> > want to be guilty of discrimination against retarded CBers?   Hell
>> > no! So chill, dude.
>> >
>> > HJ
>>
>>
>> Definition of Political Correctness:
>>
>> A doctrine fostered by a delusional, illogical liberal minority, and
>> rabidly promoted by an unscrupulous old media, which holds forth the
>> proposition that it is entirely possible to pick up a turd by the
>> clean end.
>>
> I agree!  But you can't fight the liberal faggot tide, just relax and
> enjoy the PC ass-fuckin.
>
> HJ


No. Don't wimp out. Fight while you can.

SC



From -4177374213267726563
X-Google-Thread: 108122,a4fcd65a135ae6e4,start
X-Google-Thread: 114aac,c968c9d3612c6c9e
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: 106d41,8b41f92264fb32dc
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid106d41,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,rec.radio
.cb,rec.radio.swap
Subject: Re: I listened to 11 meters last night and it still sounds shitty.
From: Slow Code <my.mail@no.spam>
References: <8C94h.3640$L6.65@newsread3.news.pas.earthlink.net>
<22eel2psmeaq9mbrf4trorene71mc1n44g@4ax.com>
<Ht86h.6404$L6.4470@newsread3.news.pas.earthlink.net>
<bm8kl2doroo59vtjfcmt5olerscovrltdn@4ax.com>
<8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 42
Message-ID: <Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
Date: Sat, 18 Nov 2006 01:20:50 GMT
NNTP-Posting-Host: 4.227.154.43
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1163812850 4.227.154.43 (Fri, 17 Nov
2006 17:20:50 PST)
NNTP-Posting-Date: Fri, 17 Nov 2006 17:20:50 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7085
rec.radio.shortwave:59127 rec.radio.amateur.policy:54636 rec.radio.cb:22278
rec.radio.swap:9927

"U-Know-Who" <no-one@nowhere.com> wrote in
news:5p87h.10804$mR4.3562@tornado.texas.rr.com:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net...
>> tnom@mucks.net wrote in
>> news:08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com:
>>
>>>
>>>>Learn CW, make something of your self. Don't be a loser
>>>>all your life.
>>>>
>>>>SC
>>>
>>> A guy that has nothing better to do than hang out on a newsgroup
>>> for the sole purpose of putting down others is the best example of a
>>> loser that I can think of.
>>
>>
```

>> Why do you keep puting people down then? Low self esteem?
>>
>> Limiting yourself to eleven meters will do that to you.
>>
>> SC
>
> Again, SC gives fuel to the fire against upgrading to code.
>
> Had your open wire shorted lately, SC? You do know what that is, right?
> LOL!!!!

Hey man, thanks for the great idea! :)

I can hook ladder line to my cattle prod and clear out a whole row of
no-coders in one shot. Empty seats for all 20wpm code tested Extra's in
seconds.

You know, sometimes you're a smart little piss-ant. Not often, but
sometimes. How's your CW practice coming along?

SC

From -4503392710008381283
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: My Take on CW - for Powerhouse
From: Slow Code <my.mail@no.spam>
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net>
<Ri87h.10801$mR4.7276@tornado.texas.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 45
Message-ID: <Wdt7h.162$sf5.120@newsread4.news.pas.earthlink.net>
Date: Sat, 18 Nov 2006 01:20:54 GMT
NNTP-Posting-Host: 4.227.154.43

X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1163812854 4.227.154.43 (Fri, 17 Nov 2006 17:20:54 PST)
NNTP-Posting-Date: Fri, 17 Nov 2006 17:20:54 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7086 rec.radio.amateur.policy:54639 rec.radio.scanner:7885 rec.radio.shortwave:59129 rec.radio.swap:9930

"U-Know-Who" <no-one@nowhere.com> wrote in
news:Ri87h.10801$mR4.7276@tornado.texas.rr.com:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net...
>> "Brian Denley" <b.denley@comcast.net> wrote in
>> news:dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com:
>>
>>> So, in other words, if you don't know how to develop film, you have no
>>> business doing digital photography? Brilliant!
>>>
>>> --
>>> Brian Denley
>>
>>
>> Right, That why there is CB. You don't have to know how it works you
>> just get on it and act stupid. We can't have ham radio be like that,
>> we want skill. Quality, not quantity.
>>
>> I know a lot of you don't like that because it means more work, but we
>> get a higher quality operator.
>>
>>
>>> "Slow Code" <my.mail@no.spam> wrote in message
>>> news:oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net...
>>>> No matter what facet of radio you enjoy, the topic is to protect it
>>>> by improving the quality of the hobbiests involved. That's why most
>>>> will agree if you know morse code, you'll be a better skilled
>>>> hobbiest and will improve your nich of the hobby and/or radio service
>>>> you're involved with. A valuable knowledge base for those of coming
>>>> into the services and hobby.
>>>>
>>>> Tnx, 73 Good luck in the contest.
>>>>
>>>> SC
>>>
>
>
> But at the end of the day SC, no one wants to talk to you.

Why talk at all? Skilled operators know CW.

SC

```
From -5415039623358312705
X-Google-Thread: fcc6e,6be39ccdbf35daa2
X-Google-Thread: 108122,47848ed5eb5707e5,start
X-Google-Thread: fc2a5,47848ed5eb5707e5,start
X-Google-Thread: 10bf43,47848ed5eb5707e5,start
X-Google-Thread: fa029,47848ed5eb5707e5,start
X-Google-Thread: 1109af,47848ed5eb5707e5,start
X-Google-Attributes:
gidfcc6e,gid108122,gidfc2a5,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Wouff Hong for antenna newsgroup (filters)
From: Lloyd Wiseman <davies@wiseman_hojnacki.org>
References: <Itq7h.3078$AO3.107@newsfe12.lga> <hxq7h.3079$AO3.1294@newsfe12.lga>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 21
Message-ID: <Zdt7h.165$sf5.54@newsread4.news.pas.earthlink.net>
Date: Sat, 18 Nov 2006 01:20:57 GMT
NNTP-Posting-Host: 4.227.154.43
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1163812857 4.227.154.43 (Fri, 17 Nov
2006 17:20:57 PST)
NNTP-Posting-Date: Fri, 17 Nov 2006 17:20:57 PST
Xref: g2news2.google.com rec.radio.amateur.antenna:21665
rec.radio.amateur.equipment:7087 rec.radio.amateur.homebrew:7890
rec.radio.amateur.policy:54642 rec.radio.scanner:7886 rec.radio.swap:9931
```

"Rick" <ricknj10@hotmail.com> wrote in
news:hxq7h.3079$AO3.1294@newsfe12.lga:

```
>
>> Works as good as a Wouff Hong.
>
> I should have said "Works ALMOST as well as a Wouff Hong."
> Because a real Wouff Hong, properly administered, would eliminate not
> only the QRM but the QRM'er - a beautiful thing.
>
> Rick  K2XT
```

Get used to the QRM, because after CW is eliminated you're going to wish
your rig did come with Rettysnitch and wouff hong filters...

But I forget, due to the lack of support for good tests a lot of you
people must like hearing Lids.

SC

```
From -518958011351379803
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Thread: 10bf43,962631fbb7e3a1a1
X-Google-Thread: fa029,962631fbb7e3a1a1
X-Google-Thread: 1109af,962631fbb7e3a1a1
X-Google-Thread: 114aac,8fa61e3b3731c1b8
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!aotearoa.belnet.be!news.belnet.be!skynet.be!
66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap,rec.radio.shortwave
Subject: crapthon goes on
Date: Fri, 17 Nov 2006 21:20:10 -0500
Message-ID: <1ersl2dthkf2ipoimun8j06bn6ph5fbe34@4ax.com>
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>
<aiO6h.7784$ig4.3869@newsread2.news.pas.earthlink.net>
<oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net>
<QL77h.8545$ig4.2725@newsread2.news.pas.earthlink.net>
<3M2dnZ95tI7Nv8DYnZ2dnUVZ_tmdnZ2d@centurytel.net>
<Ndt7h.155$sf5.137@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
NNTP-Posting-Date: 18 Nov 2006 01:25:21 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7088
rec.radio.amateur.policy:54646 rec.radio.scanner:7889 rec.radio.swap:9935
rec.radio.shortwave:59138

On Sat, 18 Nov 2006 01:20:45 GMT, Slow Code <my.mail@no.spam> wrote:

>"honestjohn" <honestjohn@centurytel.net> wrote in
>news:3M2dnZ95tI7Nv8DYnZ2dnUVZ_tmdnZ2d@centurytel.net:
>
>>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:QL77h.8545$ig4.2725@newsread2.news.pas.earthlink.net...
>>> "honestjohn" <honestjohn@centurytel.net> wrote in
>>> news:oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net:
>>>
```

```
>>> >
>>> > "Slow Code" <my.mail@no.spam> wrote in message
>>> >
>>> >> I know what you're both saying is true. Since ham radio has been
>>> >> dumbed down I'm hearing a lot more Lids, Kids, and space cadets on
>>> >> the ham bands too and radio's don't come with Lid filters. We need
>>> >> to keep CW and increase the speed requirement to somewhere 13 and 20
>>> >> wpm.  We can't risk dumbing down the service further.
>>> >>
>>> > Can't happen because it's not P.C. (politically correct).  Would you
>>> > want to be guilty of discrimination against retarded CBers?   Hell
>>> > no! So chill, dude.
>>> >
>>> > HJ
>>>
>>>
>>> Definition of Political Correctness:
>>>
>>> A doctrine fostered by a delusional, illogical liberal minority, and
>>> rabidly promoted by an unscrupulous old media, which holds forth the
>>> proposition that it is entirely possible to pick up a turd by the
>>> clean end.
>>>
>> I agree!  But you can't fight the liberal faggot tide, just relax and
>> enjoy the PC ass-fuckin.
>>
>> HJ
>
>
>No. Don't wimp out. Fight while you can.
if you are going to fight as badly as you do SC why bother
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -8347911648576354046
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
```

```
hortwave,rec.radio.swap
Subject: crapthon goes on
Date: Fri, 17 Nov 2006 21:21:20 -0500
Message-ID: <6grsl2la0t35d8lsujt86eduj3ams05gmq@4ax.com>
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net>
<Ri87h.10801$mR4.7276@tornado.texas.rr.com>
<Wdt7h.162$sf5.120@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 49
NNTP-Posting-Date: 18 Nov 2006 01:26:32 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7089
rec.radio.amateur.policy:54647 rec.radio.scanner:7890 rec.radio.shortwave:59139
rec.radio.swap:9936

On Sat, 18 Nov 2006 01:20:54 GMT, Slow Code <my.mail@no.spam> wrote:

>"U-Know-Who" <no-one@nowhere.com> wrote in
>news:Ri87h.10801$mR4.7276@tornado.texas.rr.com:
>
>>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:UL77h.8548$ig4.5075@newsread2.news.pas.earthlink.net...
>>> "Brian Denley" <b.denley@comcast.net> wrote in
>>> news:dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com:
>>>
>>>> So, in other words, if you don't know how to develop film, you have no
>>>> business doing digital photography?  Brilliant!
>>>>
>>>> --
>>>> Brian Denley
>>>
>>>
>>> Right, That why there is CB.  You don't have to know how it works you
>>> just get on it and act stupid.  We can't have ham radio be like that,
>>> we want skill. Quality, not quantity.
>>>
>>> I know a lot of you don't like that because it means more work, but we
>>> get a higher quality operator.
>>>
>>>
>>>> "Slow Code" <my.mail@no.spam> wrote in message
>>>> news:oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net...
>>>>> No matter what facet of radio you enjoy, the topic is to protect it
>>>>> by improving the quality of the hobbiests involved.  That's why most
```

```
>>>>> will agree if you know morse code, you'll be a better skilled
>>>>> hobbiest and will improve your nich of the hobby and/or radio service
>>>>> you're involved with. A  valuable knowledge base for those of coming
>>>>> into the services and hobby.
>>>>>
>>>>> Tnx, 73 Good luck in the contest.
>>>>>
>>>>> SC
>>>>
>>
>>
>> But at the end of the day SC, no one wants to talk to you.
>
>
>Why talk at all?  Skilled operators know CW.
indeed a quarter of mine are CW se you in hell sometime?
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -2977337893369223676
X-Google-Thread: 108228,cd61741008225a90,start
X-Google-Thread: 108122,cd61741008225a90,start
X-Google-Thread: 1109af,cd61741008225a90,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!novia!
out04a.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Very Clean-HT1250 ls 403-470MHz-16Ch-Two Batteries-Speaker/Mic-Rapid
Charger-Ham/Comm
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0016_01C70A79.9FD97E20"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <rAu7h.9643$Kt6.7234@newsfe11.phx>
Date: Fri, 17 Nov 2006 18:53:09 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe11.phx 1163818391 68.104.78.240 (Fri, 17 Nov 2006 19:53:11 MST)
```

```
NNTP-Posting-Date: Fri, 17 Nov 2006 19:53:11 MST
Organization: Cox
Xref: g2news2.google.com alt.ham-radio.marketplace:1578
rec.radio.amateur.equipment:7090 rec.radio.swap:9942

This is a multi-part message in MIME format.

------=_NextPart_000_0016_01C70A79.9FD97E20
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Very Clean-HT1250 ls 403-470MHz-16Ch-Two Batteries-Speaker/Mic-Rapid =
Charger...Ham/Comm






------=_NextPart_000_0016_01C70A79.9FD97E20
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.5730.11" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Very Clean-HT1250 ls 403-470MHz-16Ch-Two =
Batteries-Speaker/Mic-Rapid=20
Charger...Ham/Comm</P>
<P><FONT size=3D3></FONT>&nbsp;</P>
<P><FONT size=3D3></FONT>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0016_01C70A79.9FD97E20--




From -2743356336205106962
X-Google-Thread: 108122,fcd2be322e6c8cbe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-150 Resetting it's memory periodically
```

References: <1163718110.991829.178570@f16g2000cwb.googlegroups.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-A8D8B1.07103418112006@news.verizon.net>
Lines: 20
Date: Sat, 18 Nov 2006 12:10:30 GMT
NNTP-Posting-Host: 141.149.44.10
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1163851830 141.149.44.10 (Sat, 18 Nov 2006 07:10:30 EST)
NNTP-Posting-Date: Sat, 18 Nov 2006 07:10:30 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7091

In article <1163718110.991829.178570@f16g2000cwb.googlegroups.com>,
the.ewok@gmail.com wrote:

> Hi, I have a VX-150 that's 1 month old. It periodically resets it's
> memory.
> Initially I thought it was to do with the power in my truck.
> However this is not the case. It has done it even without the power
> connected.
>
> Anyone have Ideas?
> K0BAZ

give the yaesu tech's a call maybe they can walk you thru something

try a master reset on the radio

i had a ht (not yaesu) that did that it was the little battery inside
not makeing good contact

hope this helps at least a tiny bit

From 6177656033742241914
X-Google-Thread: 108122,56787a1fc9ecfc1e,start
X-Google-Thread: 108228,56787a1fc9ecfc1e,start
X-Google-Thread: 1062f2,56787a1fc9ecfc1e,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Nov 2006 08:20:51 -0600
Subject: FA: 1-Day-Left: 7 ELECTRONICS Books: Practical, Useful, Digital, Linear, TTL, etc.
Date: Sat, 18 Nov 2006 09:20:51 -0500
From: Andy <andy@anskopas.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <181120060920519549%andy@anskopas.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit

```
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 75.67.222.203
X-Trace: sv3-lo0rMRKbvAzRMbY3CjAceuevfSEktPOMltnexXu5xfVO9hpfayGThJ/
27GK8eP+wF5gZo180ctZnUHZ!iXCHP8eJXH/NTD/
oV7aceM5GTNMKPdKa9PVJ83SUGKg7SR+3YqTwY5IWAeIna0NXxGpIO1fFBd+u!vrrlFZ8E8U4G0gbfU+0=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7092 alt.ham-
radio.marketplace:1579 misc.industry.electronics.marketplace:700
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320048422701

```
From -9101335126551535275
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 114aac,c968c9d3612c6c9e
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: 106d41,8b41f92264fb32dc
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Nov 2006 08:36:24 -0600
Date: Sat, 18 Nov 2006 09:36:24 -0500
From: Old Time Ham <old_fart@curmudgeons.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,rec.radio
.cb,rec.radio.swap
Subject: Re: I listened to 11 meters last night and it still sounds shitty.
References: <8C94h.3640$L6.65@newsread3.news.pas.earthlink.net>
<22eel2psmeaq9mbrf4trorene71mc1n44g@4ax.com>
<Ht86h.6404$L6.4470@newsread3.news.pas.earthlink.net>
<bm8kl2doroo59vtjfcmt5olerscovrltdn@4ax.com>
<8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
In-Reply-To: <Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

```
Message-ID: <b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-
LIsFJpWg943mZ48na02f24txEQOZ35TTS8mt5mPMwXyhY4iY+wG8VbFY+xI2gR5Ae8Ss9m9KqHQgpa9!
537t63v3ldxnaQUBQ/UJ+iyXiN8m0XhBkqYUoDX1EmLYdEabsVAy/hUzVHT8pkBEchAxRJu8mYFB!
XcHjPMSSloN98u+qckvC
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7093
rec.radio.shortwave:59161 rec.radio.amateur.policy:54684 rec.radio.cb:22294
rec.radio.swap:9949
```

Slow Code wrote:

>
> Hey man, thanks for the great idea! :)
>
> I can hook ladder line to my cattle prod and clear out a whole row of
> no-coders in one shot. Empty seats for all 20wpm code tested Extra's in
> seconds.
>
> You know, sometimes you're a smart little piss-ant. Not often, but
> sometimes. How's your CW practice coming along?
>
> SC

I like this thinking. Since I have both a 20WPM Extra AND a 2nd Class
Commercial Radiotelegraph, I would expect the no-coders to bring me food
and drink, as well.

```
From 8556681463919239526
X-Google-Thread: 108228,fe4f983a86d388cd,start
X-Google-Thread: 108122,fe4f983a86d388cd,start
X-Google-Thread: 1109af,fe4f983a86d388cd,start
X-Google-Thread: 1118be,fe4f983a86d388cd,start
X-Google-Attributes: gid108228,gid108122,gid1109af,gid1118be,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
newspeer1.nwr.nac.net!newspeer.monmouth.com!news-east.rr.com!news-
wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!
news.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-
for-mail
Reply-To: "IRAD" <mcguyver@cfl.rr.com>
From: "IRAD" <mcguyver@cfl.rr.com>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.compo
```

```
nents
Subject: FA: Electronic surplus parts & Equipment
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <CaH7h.5218$y92.1371@tornado.tampabay.rr.com>
Date: Sat, 18 Nov 2006 17:13:06 GMT
NNTP-Posting-Host: 70.118.32.170
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1163869986 70.118.32.170 (Sat, 18 Nov 2006
12:13:06 EST)
NNTP-Posting-Date: Sat, 18 Nov 2006 12:13:06 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com alt.ham-radio.marketplace:1581
rec.radio.amateur.equipment:7094 rec.radio.swap:9950
sci.electronics.components:7687
```

For Auction - ebay
Electronic Parts, RF connectors, Computer parts, Large and small lots.
http://myworld.ebay.com/newandbarelyused

```
From 1753081764129610481
X-Google-Thread: 108122,7dc1f55372b46e02,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "Bucko" <buckic@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TH-F7E(F6A in USA) vs. Yaesu VX7
Date: 18 Nov 2006 13:13:06 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1163884386.592628.26810@m7g2000cwm.googlegroups.com>
NNTP-Posting-Host: 83.131.207.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163884391 21525 127.0.0.1 (18 Nov 2006 21:13:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Nov 2006 21:13:11 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.8)
Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=83.131.207.226;
   posting-account=gqeF6Q0AAAAHGY9jsPpCewqbX_0_Kc_V
Xref: g2news2.google.com rec.radio.amateur.equipment:7095
```

Hello!
I want to buy a new handheld. I was reading the reviews and user opinions for the last few days, and I still can't decide which one is the ONE. Please if you could help me. I know that both(F7E and VX7) have very good 2m/70cm TRX. I don't really need 6m. But I can't find which is better in other (ham and non-ham) bands? Which has better quality build, sound, hardware, software...? Reeception in bad conditions?etc.
As I can see both are "old" models(from cca 2001-2002). Are there plans for newer models from Kenwood and Yaesu soon?

Thank you

73

From -805939434759111073
X-Google-Thread: 108122,8aaf3e0813deb6b8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:MORE PARTS + AMPEREX RECV TUBES
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <0AL7h.302856$QZ1.153609@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 2e216aed32e4348537b193ea252d8ad7
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1163887996
2e216aed32e4348537b193ea252d8ad7 (Sat, 18 Nov 2006 22:13:16 GMT)
NNTP-Posting-Date: Sat, 18 Nov 2006 22:13:16 GMT
Organization: AT&T Worldnet
Date: Sat, 18 Nov 2006 22:13:16 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:7096

Just listed a few more parts with more coming + a super buy on some
Amperex receiving type tubes at
1/2 the first listed price:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking, heytubeguy

From 3297386073065028436
X-Google-Thread: 108122,29c41290eafe243a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-mail
From: "Will" <echocomms@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: mts2000- programmable scan?
Date: 18 Nov 2006 14:17:55 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1163888275.003452.189940@m7g2000cwm.googlegroups.com>
References: <1163716947.984788.112900@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 206.148.196.61
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163888280 2166 127.0.0.1 (18 Nov 2006 22:18:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Nov 2006 22:18:00 +0000 (UTC)
In-Reply-To: <1163716947.984788.112900@k70g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.01; Windows 95),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=206.148.196.61;
   posting-account=zTlDnQ0AAAC4Wa0d0rD2J1grlwP43tva
Xref: g2news2.google.com rec.radio.amateur.equipment:7097

That IS correct, the SCAN can be set for user programmable or programmed scan list.

I use the rotory switch for Talkaround, DIRECT, and one of the side push buttons to enable SCAN and with a long press goes into scan programming using the "delete" button.

From -1427545305500564457
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 114aac,c968c9d3612c6c9e
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: fcc6e,4e4bfc7d62cd1e0e,start
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gidfcc6e,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:

rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,rec.radio
.amateur.antenna,rec.radio.swap
Subject: Coffee grounds and cookie crumbs make good teaching aids.
From: Slow Code <my.mail@no.spam>
References: <8C94h.3640$L6.65@newsread3.news.pas.earthlink.net>
<22eel2psmeaq9mbrf4trorene71mc1n44g@4ax.com>
<Ht86h.6404$L6.4470@newsread3.news.pas.earthlink.net>
<bm8kl2doroo59vtjfcmt5olerscovrltdn@4ax.com>
<8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 37
Message-ID: <XvN7h.622$sf5.395@newsread4.news.pas.earthlink.net>
Date: Sun, 19 Nov 2006 00:25:27 GMT
NNTP-Posting-Host: 4.254.231.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1163895927 4.254.231.5 (Sat, 18 Nov 2006
16:25:27 PST)
NNTP-Posting-Date: Sat, 18 Nov 2006 16:25:27 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7098
rec.radio.shortwave:59188 rec.radio.amateur.policy:54729
rec.radio.amateur.antenna:21694 rec.radio.swap:9954

Old Time Ham <old_fart@curmudgeons.com> wrote in
news:b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com:

> Slow Code wrote:
>
>>
>> Hey man, thanks for the great idea! :)
>>
>> I can hook ladder line to my cattle prod and clear out a whole row of
>> no-coders in one shot. Empty seats for all 20wpm code tested Extra's
>> in seconds.
>>
>> You know, sometimes you're a smart little piss-ant. Not often, but
>> sometimes. How's your CW practice coming along?
>>
>> SC
>
> I like this thinking. Since I have both a 20WPM Extra AND a 2nd Class
> Commercial Radiotelegraph, I would expect the no-coders to bring me food
> and drink, as well.

Good point, Yes, very good point.

No-coders must go to the end of the line for refreshments at meetings. Code hams must be served first and should take more treats than they want and need. When all the code hams are served and there is nothing left, no-codes get the left-over Coffee grounds and Cookie crumbs. This will teach no-codes that by working harder to be better hams, they will not only get more radio spectrum, they'll also get treats at club meetings and won't have to sit on the floor with an empty stomach.

No-codes can still dig their treats out of garbage cans and toilet bowls if they wish, but they'll have to share them with any CB'ers that might also be at the meeting.

SC

From 477014619694795660
X-Google-Thread: 1009ad,5e063ca2a2bee5fd,start
X-Google-Thread: fcc6e,5e063ca2a2bee5fd,start
X-Google-Thread: 108122,5e063ca2a2bee5fd,start
X-Google-Thread: 10bf43,5e063ca2a2bee5fd,start
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: I'm like Moses.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 7
Message-ID: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
Date: Sun, 19 Nov 2006 00:26:33 GMT
NNTP-Posting-Host: 4.254.231.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1163895993 4.254.231.5 (Sat, 18 Nov 2006 16:26:33 PST)
NNTP-Posting-Date: Sat, 18 Nov 2006 16:26:33 PST
Xref: g2news2.google.com alt.radio.scanner:3771 rec.radio.amateur.antenna:21697 rec.radio.amateur.equipment:7099 rec.radio.amateur.policy:54736

Moses tried to lead people out of Egypt, and I'm trying to lead people out of Lid-ville. And also like Moses, I'm finding some don't want to leave.   They think it's too much work to leave Lid-ville.

Well sure it's work, but look at the benefits, Quality hams.

SC

```
From 203328173265929550
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Re: I'm like Moses.
Date: 18 Nov 2006 18:13:32 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1163902412.520379.253360@e3g2000cwe.googlegroups.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 4.224.228.157
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163902417 16555 127.0.0.1 (19 Nov 2006 02:13:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Nov 2006 02:13:37 +0000 (UTC)
In-Reply-To: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=4.224.228.157;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com alt.radio.scanner:3776 rec.radio.amateur.antenna:21703
rec.radio.amateur.equipment:7100 rec.radio.amateur.policy:54744


Slow Code wrote:
> Moses tried to lead people out of Egypt, and I'm trying to lead people
> out of Lid-ville.  And also like Moses, I'm finding some don't want to
> leave.   They think it's too much work to leave Lid-ville.
>
> Well sure it's work, but look at the benefits, Quality hams.
>
> SC

You're nothing like Moses - you worship a false god.

You're more like the King who cut the baby in half.



From -309574239327287757
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
```

```
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!newsfeed.kreonet.re.kr!
nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Re: I'm like Moses.
Date: Sun, 19 Nov 2006 12:04:28 +0900
Organization: Korea Telecom
Lines: 24
Message-ID: <ejohid$fr$1@news2.kornet.net>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<1163902412.520379.253360@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 218.155.50.112
X-Trace: news2.kornet.net 1163905421 507 218.155.50.112 (19 Nov 2006 03:03:41 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Sun, 19 Nov 2006 03:03:41 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com alt.radio.scanner:3777 rec.radio.amateur.antenna:21707
rec.radio.amateur.equipment:7101 rec.radio.amateur.policy:54748

<hot-ham-and-cheese@hotmail.com> wrote in message
news:1163902412.520379.253360@e3g2000cwe.googlegroups.com...
>
> Slow Code wrote:
>> Moses tried to lead people out of Egypt, and I'm trying to lead people
>> out of Lid-ville.  And also like Moses, I'm finding some don't want to
>> leave.   They think it's too much work to leave Lid-ville.
>>
>> Well sure it's work, but look at the benefits, Quality hams.
>>
>> SC
>
> You're nothing like Moses - you worship a false god.
>
> You're more like the King who cut the baby in half.

1)  The king (Soloman) never cut the baby in half. He directed it be done in
order to find which of the two women's baby it really was (the real mother
opted to give it to the other woman to save it's life.. so Soloman gave it
to the real mother.)

2) Soloman was widely (and is still) revered as the wisest of kings.
```

From -1519274753460818898
X-Google-Thread: 108122,b3e17b0de51c3909
X-Google-Thread: 107ada,b3e17b0de51c3909
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-mail
From: "Brian" <kelly@dvol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: CQWW CW Logger Program ?
Date: 18 Nov 2006 21:55:01 -0800
Organization: http://groups.google.com
Lines: 38
Message-ID: <1163915701.680098.278170@j44g2000cwa.googlegroups.com>
References: <cH%6h.25$z01.22@newsfe04.lga>
   <otGdnefTKs4CncDYnZ2dnUVZ_tednZ2d@comcast.com>
NNTP-Posting-Host: 66.19.241.84
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163915706 3200 127.0.0.1 (19 Nov 2006 05:55:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Nov 2006 05:55:06 +0000 (UTC)
In-Reply-To: <otGdnefTKs4CncDYnZ2dnUVZ_tednZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.1) Gecko/20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=66.19.241.84;
   posting-account=x8FxjAwAAACQYdVK-ARYehfjhw2rEkmK
Xref: g2news2.google.com rec.radio.amateur.equipment:7102 rec.radio.amateur.misc:26233

Dee Flint wrote:

> The most user friendly program is at www.n3fjp.com
> It's a great program, user friendly (don't even really need to read the help
> files to get started), automatically checks for duplicates, allows
> monitoring the online DX clusters if you are so inclined, allows rig control
> if you are so inclined, allows keying the radio from the computer if you are
> so inclined, creates Cabrillo files for contest submission and adif files
> for importing into general logging programs. There's other neat features
> but that's a good start. It is also quite inexpensive.

There's a downside to the N3JFP logger Dee - the country files
(CTY.DAT) are only irregularly updated and I haven't found a way to
update them before each contest via AD1C's service.

> Dee, N8UZE

```
w3rv


>
> "John" <john_stlmo@yahoo.com> wrote in message
> news:cH%6h.25$z01.22@newsfe04.lga...
> > Looking for a good Cabrillo type logging program for the upcoming CQWW CW
> > contest - logging each contact by hand and then transferring to a home
> > made logging sheet gets kinda old pretty quick...
> >
> > Needs to be in Cabrillo format for submission.
> >
> > Any suggestions?  Prefer free or small fee (under $50).
> >
> > Thanks.
> >
> > John
> >
> > reply here or: john _ stlmo at yahoo dot com
> >



From -7855324806225680413
X-Google-Thread: 108122,a4fcd65a135ae6e4
X-Google-Thread: 114aac,c968c9d3612c6c9e
X-Google-Thread: 10bf43,8b41f92264fb32dc
X-Google-Thread: 106d41,8b41f92264fb32dc
X-Google-Thread: 1109af,295c4e966031749f
X-Google-Attributes: gid108122,gid114aac,gid10bf43,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.policy,rec.radio
.cb,rec.radio.swap
Subject: crapathon goes on
Date: Sun, 19 Nov 2006 02:23:22 -0500
Message-ID: <ii10m29efbl8jo40bu52sto85v1er09n7h@4ax.com>
References: <bm8kl2doroo59vtjfcmt5olerscovrltdn@4ax.com>
<8nt6h.7441$ig4.4616@newsread2.news.pas.earthlink.net>
<981ll2pts7dgb62ju5m1tul5peqk3tui3e@4ax.com>
<eiO6h.7787$ig4.6832@newsread2.news.pas.earthlink.net>
<08inl2ljgeuhiunnnevmc3nohg21uts1n5@4ax.com>
<SL77h.8547$ig4.4450@newsread2.news.pas.earthlink.net>
<5p87h.10804$mR4.3562@tornado.texas.rr.com>
<Sdt7h.159$sf5.18@newsread4.news.pas.earthlink.net>
<b8WdnTlOHKD1h8LYnZ2dnUVZ_uGdnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
Lines: 22
NNTP-Posting-Date: 19 Nov 2006 06:28:31 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7103
rec.radio.shortwave:59216 rec.radio.amateur.policy:54756 rec.radio.cb:22337
rec.radio.swap:9962

On Sat, 18 Nov 2006 09:36:24 -0500, Old Time Ham
<old_fart@curmudgeons.com> wrote:

>Slow Code wrote:
>
>>
>> Hey man, thanks for the great idea!  :)
>>
>> I can hook ladder line to my cattle prod and clear out a whole row of
>> no-coders in one shot.  Empty seats for all 20wpm code tested Extra's in
>> seconds.
>>
>> You know, sometimes you're a smart little piss-ant. Not often, but
>> sometimes.  How's your CW practice coming along?
>>
>> SC
>
>I like this thinking. Since I have both a 20WPM Extra AND a 2nd Class
>Commercial Radiotelegraph, I would expect the no-coders to bring me food
>and drink, as well.
you should expect something like only if you are mental defective
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -4911909260762161161
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: crapathon goes on
Date: Sun, 19 Nov 2006 02:34:56 -0500
Message-ID: <n720m29m424vqd7j9ffb8vsh5tl8vfmmju@4ax.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Date: 19 Nov 2006 06:40:27 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3783 rec.radio.amateur.antenna:21710
rec.radio.amateur.equipment:7104 rec.radio.amateur.policy:54769

On Sun, 19 Nov 2006 00:26:33 GMT, Slow Code <my.mail@no.spam> wrote:

>Moses tried to lead people out of Egypt, and I'm trying to lead people
>out of Lid-ville.  And also like Moses, I'm finding some don't want to
>leave.   They think it's too much work to leave Lid-ville.

now that is Blasphemy SC

and it is certain of spoliing your message
>
>Well sure it's work, but look at the benefits, Quality hams.
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 7585314205661728648
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.alt.net
From: "Not Lloyd" <anon@anon>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Myna Bird speaks...
Date: Sun, 19 Nov 2006 03:50:48 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 3
Message-ID: <flqfk.2a8.17.1@news.alt.net>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<n720m29m424vqd7j9ffb8vsh5tl8vfmmju@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
```

```
Xref: g2news2.google.com alt.radio.scanner:3787 rec.radio.amateur.antenna:21711
rec.radio.amateur.equipment:7105 rec.radio.amateur.policy:54777

The group Myna Bird squawks again.




From 8122347310297400182
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: Re: I'm like Moses.
Date: 19 Nov 2006 05:48:57 -0800
Organization: http://groups.google.com
Lines: 29
Message-ID: <1163944137.383375.148540@j44g2000cwa.googlegroups.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
   <1163902412.520379.253360@e3g2000cwe.googlegroups.com>
   <ejohid$fr$1@news2.kornet.net>
NNTP-Posting-Host: 4.224.228.176
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163944142 7741 127.0.0.1 (19 Nov 2006 13:49:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Nov 2006 13:49:02 +0000 (UTC)
In-Reply-To: <ejohid$fr$1@news2.kornet.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=4.224.228.176;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com alt.radio.scanner:3790 rec.radio.amateur.antenna:21712
rec.radio.amateur.equipment:7106 rec.radio.amateur.policy:54784


Brenda Ann wrote:
> <hot-ham-and-cheese@hotmail.com> wrote in message
> news:1163902412.520379.253360@e3g2000cwe.googlegroups.com...
> >
> > Slow Code wrote:
> >> Moses tried to lead people out of Egypt, and I'm trying to lead people
> >> out of Lid-ville.  And also like Moses, I'm finding some don't want to
> >> leave.   They think it's too much work to leave Lid-ville.
> >>
> >> Well sure it's work, but look at the benefits, Quality hams.
> >>
> >> SC
> >
> > You're nothing like Moses - you worship a false god.
> >
> > You're more like the King who cut the baby in half.
>
> 1)  The king (Soloman) never cut the baby in half. He directed it be done in
> order to find which of the two women's baby it really was (the real mother
> opted to give it to the other woman to save it's life.. so Soloman gave it
> to the real mother.)

In the case of Slow Code, he actually intends to cut the baby in half.

> 2) Soloman was widely (and is still) revered as the wisest of kings.

In that sense, he greatly differs from Slow Code.




From -979279739146240193
X-Google-Thread: 108122,13ee8a937c49f771,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "mountainfrog" <bergfrosch@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: Standard C 408 & 508
Date: 19 Nov 2006 07:35:20 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1163950519.931004.317470@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163950524 23571 127.0.0.1 (19 Nov 2006 15:35:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Nov 2006 15:35:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-GB; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.19.14.36;
   posting-account=Xi4bVw0AAADNu90rYqD8NKJ6bx2xypOi
Xref: g2news2.google.com rec.radio.amateur.equipment:7107

Still looking for handhelds Standard C 408 and/or C 508 in good working
condition.
```

```
From 2875425010184897801
X-Google-Thread: 1009ad,5e063ca2a2bee5fd
X-Google-Thread: fcc6e,5e063ca2a2bee5fd
X-Google-Thread: 108122,5e063ca2a2bee5fd
X-Google-Thread: 10bf43,5e063ca2a2bee5fd
X-Google-Attributes: gid1009ad,gidfcc6e,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!feeder.news.tin.it!
nntp.eutelia.it!skynet.be!66.150.105.54.MISMATCH!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.policy
Subject: crapathon goes on
Date: Sun, 19 Nov 2006 13:26:09 -0500
Message-ID: <cd81m2lm7r0jkhnt74qlmgodrnh1vqjmgb@4ax.com>
References: <ZwN7h.631$sf5.626@newsread4.news.pas.earthlink.net>
<n720m29m424vqd7j9ffb8vsh5tl8vfmmju@4ax.com> <flqfk.2a8.17.1@news.alt.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Date: 19 Nov 2006 17:31:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3792 rec.radio.amateur.antenna:21721
rec.radio.amateur.equipment:7108 rec.radio.amateur.policy:54799

On Sun, 19 Nov 2006 03:50:48 -0500, "Not Lloyd" <anon@anon> wrote:

>The group Myna Bird squawks again.
>
yes you do craping on and on with NOTHING to say
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -5640081002869846500
X-Google-Thread: 108122,9cbd85c35c4ec5aa,start
X-Google-Thread: fc2a5,9cbd85c35c4ec5aa,start
X-Google-Thread: 1109af,9cbd85c35c4ec5aa,start
X-Google-Attributes: gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feed.cgocable.net!
read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
```

Subject: FS: Service Manuals and some Surplus Items
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <Wq28h.2757$J32.1508@read1.cgocable.net>
Date: Sun, 19 Nov 2006 14:40:35 -0500
NNTP-Posting-Host: 24.141.95.162
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1163965238 24.141.95.162 (Sun, 19 Nov 2006 14:40:38
EST)
NNTP-Posting-Date: Sun, 19 Nov 2006 14:40:38 EST
Organization: Cogeco Cable
Xref: g2news2.google.com rec.radio.amateur.equipment:7109
rec.radio.amateur.homebrew:7900 rec.radio.swap:9978

Have a quantity of Radio Communications Service Manuals, both Commercial &
Amateur that I have rescued from the Dumpster. Most ot them are in Like New
Condition.

Please check my site: www.rodemi.com   for what is available. I am
updating the site as time allows.
I recently retired from the Commercial 2-way radio business

Thanks for looking....Norm VE3CZI
Email me Directly: <insert Call Sign> at arrl.net ....<call sign> is
ve3czi

From -2073395912481489526
X-Google-Thread: 114aac,9db1e69cb9a5a4c8,start
X-Google-Thread: 108122,9db1e69cb9a5a4c8,start
X-Google-Thread: 107ada,9db1e69cb9a5a4c8,start
X-Google-Attributes: gid114aac,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-
mail
From: "Somebody Somewhere" <YCTHULHU@aol.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Ten-Tec RX340 Spectrum Display?
Date: 19 Nov 2006 12:01:37 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1163966497.608553.109150@f16g2000cwb.googlegroups.com>
NNTP-Posting-Host: 75.43.180.140
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163966503 31119 127.0.0.1 (19 Nov 2006 20:01:43 GMT)
X-Complaints-To: groups-abuse@google.com

NNTP-Posting-Date: Sun, 19 Nov 2006 20:01:43 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705; Media Center PC 3.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=75.43.180.140;
   posting-account=ymNBUA0AAAAgJdZ1t9P56OTzQT2IDEBS
Xref: g2news2.google.com rec.radio.shortwave:59243
rec.radio.amateur.equipment:7110 rec.radio.amateur.misc:26257

Is there a stand-alone, or PC software-based, RF spectrum display that
can interface with the 455khz IF output of a Ten-Tec RX340? I don't
really want PC control of the RX340, just a spectrum display. Thanks.

From 7668428749780239183
X-Google-Thread: fcc6e,6be39ccdbf35daa2
X-Google-Thread: 108122,47848ed5eb5707e5
X-Google-Thread: 10bf43,47848ed5eb5707e5
X-Google-Thread: fa029,47848ed5eb5707e5
X-Google-Thread: 106d41,251960180bac5ae9,start
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gidfa029,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-mail
From: "olekinghole9007" <revfoxweek9@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.cb
Subject: Re: Wouff Hong for antenna newsgroup (jackass filters)
Date: 19 Nov 2006 12:31:00 -0800
Organization: http://groups.google.com
Lines: 49
Message-ID: <1163968259.977007.188980@k70g2000cwa.googlegroups.com>
References: <Itq7h.3078$AO3.107@newsfe12.lga>
   <hxq7h.3079$AO3.1294@newsfe12.lga>
   <Zdt7h.165$sf5.54@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 209.204.64.141
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163968265 7399 127.0.0.1 (19 Nov 2006 20:31:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Nov 2006 20:31:05 +0000 (UTC)
In-Reply-To: <Zdt7h.165$sf5.54@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 slipstream1.snip.net:3128 (squid/2.5.STABLE10)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=209.204.64.141;
   posting-account=oZVY_w0AAAAS_Sed_thFR6FJ_olh0o5Q
Xref: g2news2.google.com rec.radio.amateur.antenna:21725

rec.radio.amateur.equipment:7111 rec.radio.amateur.policy:54808
rec.radio.scanner:7944 rec.radio.cb:22344

Lloyd Wiseman wrote:
> "Rick" <ricknj10@hotmail.com> wrote in
> news:hxq7h.3079$AO3.1294@newsfe12.lga:
>
> >
> >> Works as good as a Wouff Hong.
> >
> > I should have said "Works ALMOST as well as a Wouff Hong."
> > Because a real Wouff Hong, properly administered, would eliminate not
> > only the QRM but the QRM'er - a beautiful thing.
> >
> > Rick K2XT
>
>
> Get used to the QRM, because after CW is eliminated you're going to wish
> your rig did come with Rettysnitch and wouff hong filters...
>
> But I forget, due to the lack of support for good tests a lot of you
> people must like hearing Lids.
>
> SC

Wouff Hong ???
Rettysnitch ???
WTF are we in the 19th Century here???
Baaaaaaaaa hahahahhahahahahhahaha!!!!!!!

Jeezus H Christmas on a rocket powered sled at the Nevada test site
will you OBSOLETE hams PLEASE join the 21st century.

I mean consider that the terms Wouff Hong and Rettysnitch
DO NOT even appear ANYPLACE on or within Wikipedia!

That alone should tell you something! (..of course now you
can be some crusty old fart, cloistered ham radio nerd or
some asshole who took the "Bash Book" route to get his ham
license will now dash up and create an entry in Wikipaeda
just to inflate his own ego and asscheeks and claim he did
something.....go ahead, be my guest! In the meantime I'm
heading back to 20 Meters to have some fun with the contest
freaks. I made up a callsign and semi-rare section and these
CLOWN-testers are beating a path to my speaker to work me
just so they can see their callsign in print in some half-ass
magazine from CT.   How F-N pathetic!) ---> PFHBLTTT!!!!!!!!

ps: you should have seen how many DX clowntesters I duped
a few weeks ago using a "creative" callsign, section and running
10 watts into the 40M dipole instead of the beam...suckers!

From -2199672277607735973
X-Google-Thread: 114aac,9db1e69cb9a5a4c8
X-Google-Thread: 108122,9db1e69cb9a5a4c8
X-Google-Thread: 107ada,9db1e69cb9a5a4c8
X-Google-Attributes: gid114aac,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-mail
From: miso@sushi.com
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Ten-Tec RX340 Spectrum Display?
Date: 19 Nov 2006 14:48:55 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1163976535.158667.270160@k70g2000cwa.googlegroups.com>
References: <1163966497.608553.109150@f16g2000cwb.googlegroups.com>
NNTP-Posting-Host: 216.27.181.190
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163976540 23764 127.0.0.1 (19 Nov 2006 22:49:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Nov 2006 22:49:00 +0000 (UTC)
In-Reply-To: <1163966497.608553.109150@f16g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.2; en-US; rv:1.8.0.8) Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=216.27.181.190;
   posting-account=l2TzZAwAAAAsCKt7rXUtDXzcqYdjYZDP
Xref: g2news2.google.com rec.radio.shortwave:59252 rec.radio.amateur.equipment:7112 rec.radio.amateur.misc:26259

Somebody Somewhere wrote:
> Is there a stand-alone, or PC software-based, RF spectrum display that
> can interface with the 455khz IF output of a Ten-Tec RX340? I don't
> really want PC control of the RX340, just a spectrum display. Thanks.

I don't think this is likely since you would need an A/D samping around
a megahertz, which isn't stock hardware on a PC. There are SDRs that
will give you a panoramic display on your PC.

From 1395528710892838897
X-Google-Thread: 108122,b52d4c26b5f46a70,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j44g2000cwa.googlegroups.com!not-for-mail
From: joshhemming@fastmail.fm
Newsgroups: rec.radio.amateur.equipment

```
Subject: Gardiner 3.4 - 4.2 GHZ Multicoupler: Ham Equip????
Date: 19 Nov 2006 15:32:26 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1163979146.247478.270250@j44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 4.254.193.7
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163979151 11468 127.0.0.1 (19 Nov 2006 23:32:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Nov 2006 23:32:31 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j44g2000cwa.googlegroups.com; posting-host=4.254.193.7;
   posting-account=7OzzoAwAAACdXN1jMQl1vS1LAsWJlTDo
Xref: g2news2.google.com rec.radio.amateur.equipment:7113
```

I bought a Gardiner Communications Corp. 3.4 - 4.2 GHZ Multicoupler at
a flea market today. Is this part used for amateur radio, or is it for
something else such as satellite communications?

```
From 8591039021321861492
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf
Subject: Re: ... -.-.  -. . . -.. ... ... ..-. ..-
Date: Tue, 14 Nov 2006 17:23:15 -0500
Message-ID: <9dgkl2td0ng8t2eu7r2foabbf6cli85fm0@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net>
<fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com>
<2Dp6h.14200$zB4.3884@twister.nyroc.rr.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 14 Nov 2006 21:28:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54325
```

```
rec.radio.amateur.equipment:7014 rec.radio.amateur.misc:26050 alt.ham-radio.vhf-
uhf:3152

On Tue, 14 Nov 2006 20:25:34 GMT, "Pat Stevens"
<patstevens2@rochester.rr.com> wrote:

>
><Mark@kb9rqz.aprs> wrote in message
>news:fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com...
>> On Tue, 14 Nov 2006 00:55:12 GMT, Slow Code <my.mail@no.spam> wrote:
>>
>>
>> ... -.-.  -. . . -.. ... ... ..-. ..-
>
>scneedssfu?
>
>I think you should foreget the code and go back to just using the regular
>letters.  You don't make sense in either format.
you lost a leter from the the last four were intended to be stfu

but the pint is made
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -1224688537430997673
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Thread: 10f7a7,ac7587ba97c595e3
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!elnk-pas-
nf1!newsfeed.earthlink.net!pd7cy1no!pd7cy2no!shaw.ca!pd7urf2no.POSTED!53ab2750!
not-for-mail
X-Trace-PostClient-IP: 70.68.181.129
From: Cardinal Snarky of the Fannish Inquisition <inquisition@smof.org>
Subject: Re: crapathon contiues
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Message-Id: <pan.2006.11.15.00.34.09.182735@smof.org>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<3i9hl2prl7ap4nba3slos92m2hac16v1kg@4ax.com>
<pan.2006.11.13.23.33.00.714116@bisexuals.for.lgbt.freedom>
```

```
<u70il21qhbovdrajle1a8eb40346vicca1@4ax.com>
X-Keywords: Investigation, JOTS, Bugs Bunny, Verisign, spook words
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 79
Date: Wed, 15 Nov 2006 00:34:12 GMT
NNTP-Posting-Host: 64.59.135.176
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf2no 1163550852 64.59.135.176 (Tue, 14 Nov 2006 17:34:12 MST)
NNTP-Posting-Date: Tue, 14 Nov 2006 17:34:12 MST
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.policy:54352
rec.radio.amateur.antenna:21565 rec.radio.amateur.equipment:7015
rec.radio.amateur.misc:26058 alt.ham-radio.vhf-uhf:3153 alt.usenet.kooks:268892

On Mon, 13 Nov 2006 18:34:48 -0500, Mark sat in thee Comfee Chaire, and
didst finally confess, after taking Muche Tea:
> On Mon, 13 Nov 2006 23:33:03 GMT, The Secretary of HomIntern wrote:
>>On Mon, 13 Nov 2006 12:09:13 -0500, Mark k'lamed:
>>> On Mon, 13 Nov 2006 10:41:46 GMT, Demon Lord of Confusion wrote:
>>>>On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to confuse
>>>>the issue further by squeaking:
>>>>
>>>>> it about woger
>>>>
>>>>You know, I don't think I've ever encountered another group that was
>>>>literally almost entirely composed of RL stalkers.
>>>
>>> nah there are only 2-3 rl stalker on RRAP Roger Wismen aka woger et al.
>>> Robeson callisgn K4yz aka arf arf and maybe Slowcode and perhaps one
>>> other they just operate under so many sock puppets is seem like more
>>
>>Possibly, but they constitute the greater portion of effective regulars.
>
> obviously you do not read the gruop but then you are a <BITCHSLAP>

You'd best watch yourself, k00k. That kind of word isn't for any of your
sort to utter. You may have only won the Golden Killfile, but it's still
a kook award.

--
_______________________________________________________________________
Hail Eris!
Demon Prince of Absurdity

"And no, I did not have sex with my son. But if I did I certainly
wouldn't tell you. Something so beautiful and precious should be kept
private." -- Kathy L. Mosesian, or possibly not really her, confesses
she may be a liar and committer of incest with her own son, in MID:
<cfcd3f4660694e3afeaadaa2723e9ab1@msgid.frell.theremailer.net>

The reporter asked Colin Powell (or George Bush), "What proof do you
```

have that Iraq has weapons of mass destruction?"
He replied, "We kept the receipts." -- Bill Hicks

"They thought I was fair game. I was an instrument of purpose to achieve
their desires and not 100 percent real and ALSO that they had me by the
short curlies because I thought that the world revolved around them and
therefore I think that I am fair game and rightly so. If they want to
play dirty, I get to too. It's not a one-way street. I will use the
physcial strength that I have over them, my superior 5'7-3/4" height
advantage, the boxing moves I paid to learn, the suprise of pussyfooting
up to them with their back to me in a public place 18 1/2 years after
the fact and thus not only do will they not know that I am but a pica's
distance away from them, but that I even exist on earth." -- Chris Tsao
is secretly John Wentzky's psychic twin. MID:
<1161246083.152300.195760@m73g2000cwd.googlegroups.com>

Looney Maroon nominee for August 2006 Johnny D Wentzky foamed:
"You never asked someone who goes into areas of the internet that are
only for adults who has an underage id somehow or another if they are a
cop posing as an underage person online?
I guess lots of people just don't watch dateline or read stories much.
Why don;t you go to pervertedjustice,com and see what they do. They are
awash in their self-proclaimed glory after they lied to membners of the
public.
They are awash in their self-proclaimed glory after they posed as an
underage person and agreed to do all sorts of sex acts wioth adult
males, and they are adults posing as teenager themselves. They make
themsleves into liars by falsely impersonating underage persons and by
not fuilfilling the words they tell the victims online in their chats.
Why don't you read it where they tell these victims of their deceit
about how they have been with grown men and such? Why don't you read it
where they say, "That would be cool." after someone makes an advance
towards an adult who is posing as a teenager? And, where they agree to
meet the person, etc.
Lost control, didn't you?
Is that why you feel as if you need to lie so much now? I see where lots
of these false impersonation games are not sticking. They feel as if
they can lie and then order the victims to get counseling in the
gayblade, governmental, pro-choice tax leech counseling centers. They
are doing nothing more than usury and fraud in many cases." -- Wentzky
almost comes out of the closet as a pedo/ephebophile in MID:
<H%%Eg.28916$Uq1.22411@bignews6.bellsouth.net>

From 3980741629479037812
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Thread: 10f7a7,ac7587ba97c595e3
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
Subject: Re: crapathon contiues
Date: Tue, 14 Nov 2006 19:36:57 -0500
Message-ID: <c7okl2l1ud9k6tp5mgph7qslplmh2c5130@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<3i9hl2prl7ap4nba3slos92m2hac16v1kg@4ax.com>
<pan.2006.11.13.23.33.00.714116@bisexuals.for.lgbt.freedom>
<u70il21qhbovdrajle1a8eb40346vicca1@4ax.com>
<pan.2006.11.15.00.34.09.182735@smof.org>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
NNTP-Posting-Date: 14 Nov 2006 23:42:07 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54353
rec.radio.amateur.antenna:21566 rec.radio.amateur.equipment:7016
rec.radio.amateur.misc:26059 alt.ham-radio.vhf-uhf:3154 alt.usenet.kooks:268894

On Wed, 15 Nov 2006 00:34:12 GMT, Cardinal Snarky of the Fannish
Inquisition <inquisition@smof.org> wrote:

>On Mon, 13 Nov 2006 18:34:48 -0500, Mark sat in thee Comfee Chaire, and
>didst finally confess, after taking Muche Tea:
>> On Mon, 13 Nov 2006 23:33:03 GMT, The Secretary of HomIntern wrote:
>>>On Mon, 13 Nov 2006 12:09:13 -0500, Mark k'lamed:
>>>> On Mon, 13 Nov 2006 10:41:46 GMT, Demon Lord of Confusion wrote:
>>>>>On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to confuse
>>>>>the issue further by squeaking:
>>>>>
>>>>>> it about woger
>>>>>
>>>>>You know, I don't think I've ever encountered another group that was
>>>>>literally almost entirely composed of RL stalkers.
>>>>
>>>> nah there are only 2-3 rl stalker on RRAP Roger Wismen aka woger et al.
>>>> Robeson callisgn K4yz aka arf arf and maybe Slowcode and perhaps one
>>>> other they just operate under so many sock puppets is seem like more
>>>
>>>Possibly, but they constitute the greater portion of effective regulars.
>>
>> obviously you do not read the gruop but then you are a <BITCHSLAP>
>
>You'd best watch yourself, k00k. That kind of word isn't for any of your
>sort to utter. You may have only won the Golden Killfile, but it's still
```

>a kook award.
why should I watch myself you are likely even less dangerous than ole woger
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From 8645581566236790695
X-Google-Thread: 108122,42ace0ff303b734c,start
X-Google-Thread: f64c6,42ace0ff303b734c,start
X-Google-Attributes: gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Jesco White <no.m@il.as.yet.net>
Organization: Boone County Coonhound Society
Subject: Motorola TTE1752A amplifier specs wanted
Date: Wed, 15 Nov 2006 11:39:11 +1100
Message-ID: <pan.2006.11.15.00.39.11.247922@jesco>
Newsgroups: rec.radio.amateur.equipment,uk.radio.amateur
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: $$6dknqiimje7l7$.news.x-privat.org
Lines: 48
X-Authenticated-User: $$e$z730wds2mzqqypc3ids
X-Complaints-To: abuse@x-privat.org
Path: g2news2.google.com!news1.google.com!news.germany.com!news.newsland.it!
newsfeed.x-privat.org!x-privat.org!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:7017 uk.radio.amateur:58440
```

Hello All,

I am looking for any info relating to the Motorola TTE1752A, which is basically an RF amplifier on UHF freqs around 450-500MHz (I think!).

There is next to nothing coming up in Google, apart from the following: "
Re: [Repeater-Builder] Repeater Amp - TTE1752A

mch
Sat, 08 Nov 2003 22:10:02 -0800

Since I don't think you've received any specifics on this yet, I'll give you an educated guess... UHF 100W. I say UHF because the 'E' in TTE, if it follows the Motorola standard nomenclature, means UHF. I am not so sure about the 100W, but at least it gives you some idea.

Generally speaking...
A = Below 30 MHz
B = VHF Low Band (30-50 MHz)
C = Mid band (72-76 MHz)
D = VHF High Band (150-174 MHz)

E = UHF (406-512 MHz)
F = 800/900 MHz

Could it be out of an MSR2000? I don't have any manuals here at home or I might be able to tell you more.

Joe M.

Adam C. Feuer wrote:
>
> Came across an MSF style looking amplifier. Model number TTE1752A. It
> has two pigtails with N-Male connectors, a poitive and negetive wire,
> and another grey wire with a molex type plug on it.
>
> Look for any and all information on this amp especially band, input, and
> output specs"

Thanks in advance for any help,

Regards,

--
Jesco

From -133767507837542079
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place is packed.
From: Slow Code <my.mail@no.spam>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net> <xr76h.4701$mR4.217@tornado.texas.rr.com> <Jt86h.6405$L6.2017@newsread3.news.pas.earthlink.net> <pP86h.24302$rG.15395@tornado.texas.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 40
Message-ID: <ant6h.7442$ig4.4928@newsread2.news.pas.earthlink.net>

```
Date: Wed, 15 Nov 2006 00:41:42 GMT
NNTP-Posting-Host: 4.254.230.174
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1163551302 4.254.230.174 (Tue, 14 Nov
2006 16:41:42 PST)
NNTP-Posting-Date: Tue, 14 Nov 2006 16:41:42 PST
Xref: g2news2.google.com rec.radio.swap:9818 rec.radio.amateur.equipment:7019
rec.radio.amateur.policy:54359 rec.radio.scanner:7829

"U-Know-Who" <no-one@nowhere.com> wrote in
news:pP86h.24302$rG.15395@tornado.texas.rr.com:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:Jt86h.6405$L6.2017@newsread3.news.pas.earthlink.net...
>> "U-Know-Who" <no-one@nowhere.com> wrote in
>> news:xr76h.4701$mR4.217@tornado.texas.rr.com:
>>
>>>
>>> "Slow Code" <my.mail@no.spam> wrote in message
>>> news:TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net...
>>>>I want to make a no-code sit on the floor.
>>>>
>>>> SC
>>>
>>> Don't be surprised when you wear the cattle prod home embedded in your
>>> rectum.
>>
>>
>> Shut-up.
>>
>> You tiny no-code piss-ants talk tough when there ain't a cattle prod
>> around, now go learn your CW.
>>
>> SC
>
> I'd actually prefer to take the cattle prod away from you, shove it in
> your ass sideways, then shove it in your mouth and tape the switch
> closed. Sissy-boi.


Do you go by little-piss-ant on CB too?

Really, CB is a dead-end street, if you want to process further than the
rules allow, you have to be illegal. On ham radio you can do lots of
things legally.  Learn CW, make something of your self. Don't be a loser
all your life.

SC


From -5374727151247260903
X-Google-Thread: 10bf43,664102be58e9494c,start
```

```
X-Google-Thread: 1109af,f0dd11c49024869d
X-Google-Thread: 108122,664102be58e9494c,start
X-Google-Attributes: gid10bf43,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Done
From: Slow Code <my.mail@no.spam>
References: <dJSdnZCRZMW8qsTYnZ2dnUVZ_tadnZ2d@comcast.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 13
Message-ID: <7nt6h.7440$ig4.5957@newsread2.news.pas.earthlink.net>
Date: Wed, 15 Nov 2006 00:41:39 GMT
NNTP-Posting-Host: 4.254.230.174
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1163551299 4.254.230.174 (Tue, 14 Nov
2006 16:41:39 PST)
NNTP-Posting-Date: Tue, 14 Nov 2006 16:41:39 PST
Xref: g2news2.google.com rec.radio.amateur.policy:54357 rec.radio.swap:9817
rec.radio.amateur.equipment:7018

KD6EVM <nelsonca@comcast.net> wrote in
news:dJSdnZCRZMW8qsTYnZ2dnUVZ_tadnZ2d@comcast.com:

> I have subscribed to this group for years.
>
> It has become more BS than relating to swapping radios.
>
> Good bye>


Tnx, 73, Good luck in the contest.

SC



From -8527012615106732106
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf
Subject: Re: my knew blog
```

From: Slow Code <my.mail@no.spam>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net>
<fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com>
<2Dp6h.14200$zB4.3884@twister.nyroc.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 25
Message-ID: <ent6h.7446$ig4.4059@newsread2.news.pas.earthlink.net>
Date: Wed, 15 Nov 2006 00:41:46 GMT
NNTP-Posting-Host: 4.254.230.174
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1163551306 4.254.230.174 (Tue, 14 Nov 2006 16:41:46 PST)
NNTP-Posting-Date: Tue, 14 Nov 2006 16:41:46 PST
Xref: g2news2.google.com rec.radio.amateur.policy:54363 rec.radio.amateur.equipment:7020 rec.radio.amateur.misc:26066 alt.ham-radio.vhf-uhf:3155

"Pat Stevens" <patstevens2@rochester.rr.com> wrote in
news:2Dp6h.14200$zB4.3884@twister.nyroc.rr.com:

>
> <Mark@kb9rqz.aprs> wrote in message
> news:fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com...
>> On Tue, 14 Nov 2006 00:55:12 GMT, Slow Code <my.mail@no.spam> wrote:
>>
>>
>> ... -.-. -. . . -.. ... .-. ..-
>
> scneedssfu?
>
> I think you should foreget the code and go back to just using the
> regular letters. You don't make sense in either format.

Pat,

Please ignore the turd Markie just laid on this thread. If
you try to figure it out, you'll just get a headache. Tnx.

73, Good luck in the contest.

SC

From 7199923395329569153
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: I'm taking a cattle prod to the next club meeting.  I hope the place
is packed.
Date: Tue, 14 Nov 2006 19:48:21 -0500
Message-ID: <6uokl2pnfn4u4lnph11jilue4t1ppj5i22@4ax.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<xr76h.4701$mR4.217@tornado.texas.rr.com>
<Jt86h.6405$L6.2017@newsread3.news.pas.earthlink.net>
<pP86h.24302$rG.15395@tornado.texas.rr.com>
<ant6h.7442$ig4.4928@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
NNTP-Posting-Date: 14 Nov 2006 23:53:29 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9820 rec.radio.amateur.equipment:7021
rec.radio.amateur.policy:54369 rec.radio.scanner:7830

On Wed, 15 Nov 2006 00:41:42 GMT, Slow Code <my.mail@no.spam> wrote:

>"U-Know-Who" <no-one@nowhere.com> wrote in
>news:pP86h.24302$rG.15395@tornado.texas.rr.com:
>
>>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:Jt86h.6405$L6.2017@newsread3.news.pas.earthlink.net...
>>> "U-Know-Who" <no-one@nowhere.com> wrote in
>>> news:xr76h.4701$mR4.217@tornado.texas.rr.com:
>>>
>>>>
>>>> "Slow Code" <my.mail@no.spam> wrote in message
>>>> news:TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net...
>>>>>I want to make a no-code sit on the floor.
>>>>>
>>>>> SC
>>>>
>>>> Don't be surprised when you wear the cattle prod home embedded in your
>>>> rectum.
>>>
>>>
>>> Shut-up.
>>>
>>> You tiny no-code piss-ants talk tough when there ain't a cattle prod
>>> around, now go learn your CW.
>>>
>>> SC
```

```
>>
>> I'd actually prefer to take the cattle prod away from you, shove it in
>> your ass sideways, then shove it in your mouth and tape the switch
>> closed. Sissy-boi.
>
>
>Do you go by little-piss-ant on CB too?
>
>Really, CB is a dead-end street, if you want to process further than the
>rules allow, you have to be illegal. On ham radio you can do lots of
>things legally.  Learn CW, make something of your self. Don't be a loser
>all your life.

 ... -.-.  -. . . -.. ... ... ..-. ..-
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 8364673521212561385
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: 
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf
Subject: ... -.-.  -. . . -.. ... ... ..-. ..-
Date: Tue, 14 Nov 2006 19:50:43 -0500
Message-ID: <22pkl2h9ool4oe8skrd9s47uatenugjfba@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net>
<fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com>
<2Dp6h.14200$zB4.3884@twister.nyroc.rr.com>
<ent6h.7446$ig4.4059@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
NNTP-Posting-Date: 14 Nov 2006 23:55:51 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54372
rec.radio.amateur.equipment:7022 rec.radio.amateur.misc:26072 alt.ham-radio.vhf-
```

```
uhf:3156

On Wed, 15 Nov 2006 00:41:46 GMT, Slow Code <my.mail@no.spam> wrote:

>"Pat Stevens" <patstevens2@rochester.rr.com> wrote in
>news:2Dp6h.14200$zB4.3884@twister.nyroc.rr.com:
>
>>
>> <Mark@kb9rqz.aprs> wrote in message
>> news:fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com...
>>> On Tue, 14 Nov 2006 00:55:12 GMT, Slow Code <my.mail@no.spam> wrote:
>>>
>>>
>>> ... -.-.  -. . . -.. ... ... ..-. ..-
>>
>> scneedssfu?
>>
>> I think you should foreget the code and go back to just using the
>> regular letters.  You don't make sense in either format.
>
>
>Pat,
>
>Please ignore the turd Markie just laid on this thread.
you are the only craping in the NG sc

 ... -.-.  -. . . -.. ... ... ..-. ..-
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -3891023402778762592
X-Google-Thread: 10bf43,664102be58e9494c
X-Google-Thread: 1109af,f0dd11c49024869d
X-Google-Thread: 108122,664102be58e9494c
X-Google-Attributes: gid10bf43,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.equipment
Subject: ... -.-.  -. . . -.. ... ... ..-. ..-
Date: Tue, 14 Nov 2006 19:54:06 -0500
Message-ID: <59pkl2h3vor08tbtadp8nnf6o367k73raq@4ax.com>
References: <dJSdnZCRZMW8qsTYnZ2dnUVZ_tadnZ2d@comcast.com>
<7nt6h.7440$ig4.5957@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
Lines: 18
NNTP-Posting-Date: 14 Nov 2006 23:59:12 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54375 rec.radio.swap:9823
rec.radio.amateur.equipment:7023

On Wed, 15 Nov 2006 00:41:39 GMT, Slow Code <my.mail@no.spam> wrote:

>KD6EVM <nelsonca@comcast.net> wrote in
>news:dJSdnZCRZMW8qsTYnZ2dnUVZ_tadnZ2d@comcast.com:
>
>> I have subscribed to this group for years.
>>
>> It has become more BS than relating to swapping radios.
>>
>> Good bye>
>
>
>Tnx, 73, Good luck in the contest.

 ... -.-.  -. . . -.. ... ... ..-. ..-
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -6135303416755939373
X-Google-Thread: fc8b1,8c7ec822e3136c12,start
X-Google-Thread: 108122,8c7ec822e3136c12,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Nov 2006 22:02:18 -0600
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Heathkit HW-16 questions
From: k5dh@qsl.net (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Message-ID: <UrudnbY_C7nWDMfYnZ2dnUVZ_s2dnZ2d@centurytel.net>
Date: Tue, 14 Nov 2006 22:02:19 -0600
Lines: 40
NNTP-Posting-Host: 207.119.54.145
X-Trace: sv3-RSA3TNKGm5/TWD3FhnAOJAzFJ8dxPQLmB/
0kMWQGamd43VwwL2JiL84b0BATf2W4t+0yqrrtDRbGF6V!
N4ubegwdG58crrSl0xPD9urPUSsgSvM5a0e+kqof54nAmcby5+cQtZJhgvJuKzhUOZgaD0UjuFZY!
GWQGCV4UCSAxip6TPM0xZsxiryoxL9CQ6G1IENk=
```

X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6323 rec.radio.amateur.equipment:7024

I'm resurrecting an HW-16 that I picked up at a swap meet last month. I've gotten it working, aligned it per the manual, and the tubes are all good. Output power is about 45 Watts on 40m and 80m, and about 30 Watts on 15m, about what I expected. I do have some questions for you HW-16 experts to ponder:

(1) The receiver is the most sensitive in the middle of the VFO range, and the sensitivity falls off a lot toward the ends of the VFO travel, regardless of where I have it tuned when I do the alignment. All of the alignment adjustments work like the manual says they should. Any ideas on what might be wrong? I've owned HW-16s in the past and I don't recall this being the case with them (poor memory?).

(2) How would I change the audio frequency of the neon reflex sidetone oscillator? 1 KHz is too high for me. I'd prefer something around 750 Hz or so.

(3) The transmitter is chirpy. I know, all HW-16's are chirpy. I found a mod on line which suggests adding a 220 pF mica cap from the screen grid of the oscillator tube to ground to combat the chirp. I tried it, and I find that if I add capacitance there, the oscillator gets extremely sluggish. I tried various values from 100 pF to about 250 pF. Any thoughts on this?

(4) How can I increase the level of the spotting signal that's heard in the receiver? If I could bring it up high enough, I'd consider disabling the harsh sidetone oscillator and just listen to the transmitted signal as my sidetone, which is what I do with my homebrew tube transmitters and Drake 2B receiver.

Your thoughts on any of this would be appreciated.

Thanks and 73,
Dean K5DH

From -1805027793653789848
X-Google-Thread: 1009ad,849d03850b9fbf80

```
X-Google-Thread: 108122,849d03850b9fbf80
X-Google-Thread: 10f7a7,ecb5f70693253ce3
X-Google-Thread: 10bf43,849d03850b9fbf80
X-Google-Thread: 1109af,2f89a8b654b0f1bd
X-Google-Attributes: gid1009ad,gid108122,gid10f7a7,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feed.cgocable.net!
pd7cy1no!pd7cy2no!shaw.ca!pd7urf1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.68.181.129
From: TransWench <popesnarky@meow.org>
Organization: Teh Empire of MEOW
Subject: Re: ... -.-. -. . . -.. ... ... ..-. ..-
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Message-Id: <pan.2006.11.15.06.00.33.307503@meower.flonker.kookologist.sf-
fan.callahanian>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,alt.usenet.kooks,rec.radio.amateur.p
olicy,rec.radio.swap
References: <45579efa$0$5787$ecde5a14@news.coretel.net>
<au86h.6416$L6.4812@newsread3.news.pas.earthlink.net>
<j06il2do94egc75shmdou5ke0lrj7d6idn@4ax.com>
<1163533416.259553.199210@f16g2000cwb.googlegroups.com>
Reply-To: Lola <popesnarky@gmail.com>
X-FoxWench: Feather
X-Lepheaux: Idiot
X-Keywords: jihad, AT&T, Tzanhanim, Whitewater, MOD
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 47
Date: Wed, 15 Nov 2006 06:00:37 GMT
NNTP-Posting-Host: 64.59.135.176
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf1no 1163570437 64.59.135.176 (Tue, 14 Nov 2006 23:00:37 MST)
NNTP-Posting-Date: Tue, 14 Nov 2006 23:00:37 MST
Xref: g2news2.google.com alt.radio.scanner:3726 rec.radio.amateur.equipment:7025
alt.usenet.kooks:269047 rec.radio.amateur.policy:54411 rec.radio.swap:9831

I was busily flonking away in AUK, when The Goddess Eris Herself suddenly
made me reply to Wabbit, posting as I PUNCE:
> Mark@kb9rqz.aprs wrote:
>> On Tue, 14 Nov 2006 00:55:34 GMT, Slow Code wrote:
>> >"Radiosrfun" wrote:
>> >
>> >> Congradulations people, you've successfully allowed SC to dominate
>> >> the newsgroup. He is apparently the topic in more than one thread.
>> >> This newsgroup is SHOT IN THE ASS. I'm not even sure why I bother to
>> >> read it. There is nothing but SC garbage. NO decent "swap" threads,
>> >> etc.
>> >
>> >I want to swap horror stories on how dumbing down ham radio has hurt
>> >it. Anyone here got any?  Tnx, 73,
>>
```

>> it is has never happened since Incetive Licensing dumbed it down with
>> high speed Morse Code tests
>> >
>> >Good luck in the contest.
>
> I PUNCE

Well, you suck, at any rate. Your homo/biphobia is very lame.

--
____
Hail Eris! All hail Discordia!! Kallisti!!! mhm 29x21
Pope Snarky Goodfella of the undulating cable, JM,
CK, POEE, KOTHASK, GGGHD, HCNB, IAC, MWFA
COOSN-029-06-71069
Email popesnarky *at* gmail.com
I want a boyfriend who is sensitive and caring,
but they already have boyfriends.
http://groups.yahoo.com/group/Cabal_of_the_Holy_Pretzel/join
"email is not a private form of communication." -- Dustin Cook, in
Message-ID: <1157484607.556401.25070@h48g2000cwc.googlegroups.com>
"Dustin is FILTH in my opinion. And not for any reason other than
posting Rhonda's personal info." -- Respondant

"After the Swift Boat Veterans who served with Kerry in Vietnam claimed
that Kerry lied about his heroism, the Democrats wanted to make a
similar ad attacking Bush, but they couldn't find anyone who served with
him." -- Anonymous

"You would no longer be here if I were to stop praying for you." Andrew
B. Chung's delusions of grandeur are getting out of hand, in MID:
<1160653810.937331.31980@e3g2000cwe.googlegroups.com>

From -3336113611361101066
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Thread: 10f7a7,ac7587ba97c595e3
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.cgocable.net!
pd7cy1no!pd7cy2no!shaw.ca!pd7urf3no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.68.181.129
From: The God of Odd Statements <godofodd@statements.likeyours>
Subject: Re: crapathon contiues
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Message-Id: <pan.2006.11.15.07.04.00.384651@statements.likeyours>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec

```
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<3i9hl2prl7ap4nba3slos92m2hac16v1kg@4ax.com>
<pan.2006.11.13.23.33.00.714116@bisexuals.for.lgbt.freedom>
<u70il21qhbovdrajle1a8eb40346vicca1@4ax.com>
<pan.2006.11.15.00.34.09.182735@smof.org>
<c7okl2l1ud9k6tp5mgph7qslplmh2c5130@4ax.com>
X-Keywords: m118, Privacy, Information Terrorism, Kenya, ASPIC
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 94
Date: Wed, 15 Nov 2006 07:04:04 GMT
NNTP-Posting-Host: 64.59.135.176
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf3no 1163574244 64.59.135.176 (Wed, 15 Nov 2006 00:04:04 MST)
NNTP-Posting-Date: Wed, 15 Nov 2006 00:04:04 MST
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.policy:54414
rec.radio.amateur.antenna:21583 rec.radio.amateur.equipment:7026
rec.radio.amateur.misc:26096 alt.ham-radio.vhf-uhf:3157 alt.usenet.kooks:269079

On Tue, 14 Nov 2006 19:36:57 -0500, Mark did most oddly state:
> On Wed, 15 Nov 2006 00:34:12 GMT, Cardinal Snarky of the Fannish
> Inquisition wrote:
>>On Mon, 13 Nov 2006 18:34:48 -0500, Mark sat in thee Comfee Chaire, and
>>didst finally confess, after taking Muche Tea:
>>> On Mon, 13 Nov 2006 23:33:03 GMT, The Secretary of HomIntern wrote:
>>>>On Mon, 13 Nov 2006 12:09:13 -0500, Mark k'lamed:
>>>>> On Mon, 13 Nov 2006 10:41:46 GMT, Demon Lord of Confusion wrote:
>>>>>>On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to
>>>>>>confuse the issue further by squeaking:
>>>>>>
>>>>>>> it about woger
>>>>>>
>>>>>>You know, I don't think I've ever encountered another group that was
>>>>>>literally almost entirely composed of RL stalkers.
>>>>>
>>>>> nah there are only 2-3 rl stalker on RRAP Roger Wismen aka woger et
>>>>> al. Robeson callisgn K4yz aka arf arf and maybe Slowcode and perhaps
>>>>> one other they just operate under so many sock puppets is seem like
>>>>> more
>>>>
>>>>Possibly, but they constitute the greater portion of effective
>>>>regulars.
>>>
>>> obviously you do not read the gruop but then you are a <BITCHSLAP>
>>
>>You'd best watch yourself, k00k. That kind of word isn't for any of your
>>sort to utter. You may have only won the Golden Killfile, but it's still
>>a kook award.
> why should I watch myself you are likely even less dangerous than ole
```

> woger

More than one k00k has gone on to win multiple awards after winning the GK, and look up "Edmond Wollmann", "Raymond Karczewski", "Richard Bullis", and "Richard M(orton) Scoville" for examples of what it can mean to win them. Usenet is not intrinsically "real life", but if you insist on making it that way, it will only be so for you. Mind you, in a group full of real-lifing stalkers, I suppose it's real for all of you.

--
____
Hail Eris! mhm 29x21; TM#5
Demon Lord of Confusion
COOSN-029-06-71069
Supreme High Overlord of rec.radio.*
Chuck Lysaght: Tarred & Feathered!

"Q: What do you call someone in the White House who is honest, caring, and well-read?
A: A tourist." -- Anonymous

"It would be offly hard for any of you to abuse me on usenet. Really. I have the advantage. I could easily turn alt.usenet.kooks into a cesspool of encoded posts. Bringing the noise ratio up so high as to make the group worthless. Anybody who can code could do this, why nobody has bothered before now is beyond me. The ultimate spamming engine.. 'BAWAHAHA'" -- Dustbin "Outer Filth" K00k's delusions of grandeur reached new heights, in Message-ID: <Xns98355D29419B9HHI2948AJD832@69.28.186.121>
"Immorality: The morality of those who are having a better time." -- H. L. Mencken

"Consider that language a moment. 'Purposefully and materially supported hostilities against the United States' is in the eye of the beholder, and this administration has proven itself to be astonishingly impatient with criticism of any kind. The broad powers given to Bush by this legislation allow him to capture, indefinitely detain, and refuse a hearing to any American citizen who speaks out against Iraq or any other part of the so-called 'War on Terror.'

"If you write a letter to the editor attacking Bush, you could be deemed as purposefully and materially supporting hostilities against the United States. If you organize or join a public demonstration against Iraq, or against the administration, the same designation could befall you. One dark-comedy aspect of the legislation is that senators or House members who publicly disagree with Bush, criticize him, or organize investigations into his dealings could be placed under the same designation. In effect, Congress just gave Bush the power to lock them up." -- William Rivers Pitt

"It has become clear in recent months that a critical mass of the American people have seen through the lies of the Bush administration; with the

president's polls at an historic low, growing resistance to the war Iraq,
and the Democrats likely to take back the Congress in mid-term elections,
the Bush administration is on the ropes. And so it is particularly
worrying that President Bush has seen fit, at this juncture to, in effect,
declare himself dictator." -- Frank Morales
http://www.uruknet.biz/?p=m27769&hd=0&size=1&l=e&fark

"No man in History, including JESUS CHRIST, has directly revealed to
the World the SATANIC WEAPON used to enslave mankind -- INTELLECTUAL
THOUGHT!!" -- Ray Karczewski repeatedly proves his words in every post
he makes

```
From -1879580942282345130
X-Google-Thread: 108122,90008e11ebef4514
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "KC7SQC" <SharpTrading@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Want to trade?
Date: 15 Nov 2006 00:57:33 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1163581052.930243.167740@b28g2000cwb.googlegroups.com>
References: <1159379273.502342.58260@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 67.160.9.191
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163581058 16198 127.0.0.1 (15 Nov 2006 08:57:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Nov 2006 08:57:38 +0000 (UTC)
In-Reply-To: <1159379273.502342.58260@i3g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=67.160.9.191;
   posting-account=AGxZxQ0AAADQR03S9lUpeG62fh5A80fE
Xref: g2news2.google.com rec.radio.amateur.equipment:7027
```

KC7SQC wrote:
> I am in Kirkland, WA and am looking to trade FOR a Icom 7800, Icom
> 756Pro3, Icom 7000, Icom IC-2720H, Icom IC-91AD/A, Yaesu FT-2000, Yaesu
> FT-817ND, Kenwood TS-2000, Kenwood TS-480H, Kenwood TM-V708A, Kenwood
> TM-D700A or something similar. (Not looking for an older boat anchor).
>
> I have a Ford Explorer and tons of other items to trade (and some
> cash). Here is a small list of my items to trade:
> http://sharptradingcompany.com/used.html

Anyone wanting to trade? I have several registerable (not-stolen) hand
guns.

```
From -6971051849240791783
X-Google-Thread: 108122,3df42462ffddfbe7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!guardian.oit.duke.edu!
gargoyle.oit.duke.edu!not-for-mail
From: <kuzen001@duke.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problem with an IC-706 & SWR spikes
Date: Wed, 15 Nov 2006 12:36:47 +0000 (UTC)
Organization: Duke University, Durham, NC, USA
Lines: 19
Sender:  <kuzen001@godzilla.acpub.duke.edu>
Message-ID: <ejf1kv$htd$1@gargoyle.oit.duke.edu>
References: <ej9rd0$qvk$1@gargoyle.oit.duke.edu>
<1163454652.477427.326990@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: godzilla.acpub.duke.edu
X-Trace: gargoyle.oit.duke.edu 1163594207 18349 152.3.233.25 (15 Nov 2006 12:36:47
GMT)
X-Complaints-To: news@news.duke.edu
NNTP-Posting-Date: Wed, 15 Nov 2006 12:36:47 +0000 (UTC)
User-Agent: tin/1.6.0-20030714 ("Vatersay") (UNIX) (SunOS/5.9 (sun4u))
Xref: g2news2.google.com rec.radio.amateur.equipment:7028
```

sailtamarack@yahoo.ca wrote:
> This is a well known problem and is discussed in the following thread:
> http://www.eham.net/forums/Elmers/108193
> The Icom service bulletin 928 is @
> http://home.comcast.net/~ad5x/images/Presentations/IcomBulletin928.pdf
> An easier fix than 928 by AD5X @
> http://home.comcast.net/~ad5x/images/Presentations/IC706InstabilityRevA.pdf

Roger, I sent an email but would like to thank you here,
also, just in case you don't get the email. This info is
exactly what I needed--and didn't find in my quick google
search last week. I tried AD5X's version--it took about
ten minutes, all told, and when I was done the 706 once
again tunes up just perfectly on 15. THANKS, Roger!

```
 _______________________________________________
 Ken Kuzenski   AC4RD   ken . kuzenski at duke .edu
 _______________________________________________
All disclaimers apply, see?  www.duke.edu/~kuzen001
```

```
From 4940044804049759256
X-Google-Thread: 108122,2700031f77aba5ae,start
X-Google-Attributes: gid108122,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!postnews.google.com!
m73g2000cwd.googlegroups.com!not-for-mail
From: shoppa@trailing-edge.com
Newsgroups: rec.radio.amateur.equipment
Subject: Q7 in Heath HD-1410 keyer
Date: 15 Nov 2006 06:20:08 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1163600408.709740.269890@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 170.121.15.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163600414 12175 127.0.0.1 (15 Nov 2006 14:20:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Nov 2006 14:20:14 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=170.121.15.35;
   posting-account=mAyfxAwAAABWbrxnXxYpn9RczUJc3B8w
Xref: g2news2.google.com rec.radio.amateur.equipment:7029

I was noodling around with my HD-1410 keyer while tuning up my Eico 720. Then the AC power had a brownout, and a bright orange flash and loud pop came out of the keyer. Opening it up reveals that Q7 is now a bunch of little pieces of burnt plastic. The keyer beeps the internal sidetone but now no longer keys the transmitter.

About a quarter century ago when I built the keyer, I remember something similar happening (except I think it failed shorted), and I seem to recall that Q7 is just a NPN maybe HV transistor, probably something like a MSA42. Can someone confirm this?

Tim.

From -1143555922474166634
X-Google-Thread: fc8b1,1f93a1ffbe3529fe,start
X-Google-Thread: 108122,1f93a1ffbe3529fe,start
X-Google-Thread: 1109af,1f93a1ffbe3529fe,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Nov 2006 08:41:45 -0600
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Subject: FA: Hallicrafters SX-117   Nice one!!!
Date: Wed, 15 Nov 2006 09:41:51 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <ntWdnfVoQvq3usbYnZ2dnUVZ_s-dnZ2d@comcast.com>
Lines: 4
NNTP-Posting-Host: 69.253.143.89
X-Trace: sv3-
U8ivgOEYcwtTofRT2NlqbPMm6Aui1NYoUtHioTd+3S0vLTB2gsI9bRhQXphMx20I6QZ1r0rQnCl8pBS!
kIDLH1LMNzBxrvpe+HqWEU3JOW66llowVsanuKjjWrkU/EtmpzYU42W7D0mDxaxtBrgcACW9gSBc!
OSjZB7IP
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6328
rec.radio.amateur.equipment:7030 rec.radio.swap:9834

You can have-a-look here...
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=019&sspagename=STRK%3AMESE%3AIT&viewitem=&item=290050113993&rd=1&rd=1

From 8922916738077555029
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-
out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Pat Stevens" <patstevens2@rochester.rr.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.vhf-uhf
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net>
<fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com>
<2Dp6h.14200$zB4.3884@twister.nyroc.rr.com>
<sJq6h.489$6d2.107@twister.nyroc.rr.com>
Subject: Re: ... -.-. -. . . -.. ... .-. ..-
Lines: 24

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <cTF6h.1604$6d2.1039@twister.nyroc.rr.com>
Date: Wed, 15 Nov 2006 14:55:04 GMT
NNTP-Posting-Host: 66.67.165.26
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1163602504 66.67.165.26 (Wed, 15 Nov 2006 09:55:04
EST)
NNTP-Posting-Date: Wed, 15 Nov 2006 09:55:04 EST
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.policy:54419
rec.radio.amateur.equipment:7031 rec.radio.amateur.misc:26099 alt.ham-radio.vhf-
uhf:3158

Yeah, I have finally noticed that he is one of the trolls, too.  This groups
if just filled with them.

"Guy P. Distaffen" <guypd@rochester.rr.com> wrote in message
news:sJq6h.489$6d2.107@twister.nyroc.rr.com...
> Pat Stevens wrote:
>> <Mark@kb9rqz.aprs> wrote in message
>> news:fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com...
>>> On Tue, 14 Nov 2006 00:55:12 GMT, Slow Code <my.mail@no.spam> wrote:
>>>
>>>
>>> ... -.-.  -. . . -.. ... ... ..-. ..-
>>
>> scneedssfu?
>>
>> I think you should foreget the code and go back to just using the regular
>> letters.  You don't make sense in either format.
>>
>>
>
> Nothing that he writes makes sense and he just keeps feeding the trolls.
> Just ignore him and add him to your kill file.




From 22868946719389736
X-Google-Thread: 108122,713b8da37e818d5f,start
X-Google-Thread: fc8b1,713b8da37e818d5f,start
X-Google-Thread: 106d41,713b8da37e818d5f,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
```

```
Subject: FA: @$10>DRAKE 1525EM TOUCH-TONE HAND MICROPHONE w/PAPERS NICE:)
Date: 15 Nov 2006 07:37:14 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1163605033.784393.59880@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163605039 27860 127.0.0.1 (15 Nov 2006 15:37:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Nov 2006 15:37:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:7032
rec.radio.amateur.boatanchors:6329 rec.radio.cb:22174

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220047642987&ssPageName=STRK:MESE:IT&ih=012




From -7279594137841601468
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Adios
Message-ID: <92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Wed, 15 Nov 2006 17:43:10 GMT
NNTP-Posting-Host: 24.148.146.86
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1163612590 24.148.146.86 (Wed, 15 Nov
2006 09:43:10 PST)
NNTP-Posting-Date: Wed, 15 Nov 2006 09:43:10 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7033

On Mon, 13 Nov 2006 19:32:19 -0800, KD6EVM <nelsonca@comcast.net>
wrote:
```

```
>Long time subscriber saying adios....
>
>When the BS outweighs practical communication, the longtimers vacate.
>
>Those of you who bemone the rise of ebay have destroyed the alternative
>with your whining and petty bickering. Good job!

Just take a little vacation.
Noise is simply a problem to deal with. Perhaps we should add another
Q code, QBS!
When I first got on the air with a very shakey rig I heard someone
call "CQ CQ no LIDS KIDS or SPACE CADETS" and I realized that not all
HAMS would live up to my expectations.

Filters are your friends both on the radio and the internet.
John Ferrell W8CCW



From -8446762147753908790
X-Google-Thread: fc8b1,1f93a1ffbe3529fe
X-Google-Thread: 108122,1f93a1ffbe3529fe
X-Google-Thread: 1109af,1f93a1ffbe3529fe
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Nov 2006 13:12:32 -0600
Date: Wed, 15 Nov 2006 14:12:35 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
Subject: Re: FA:  Hallicrafters SX-117   Nice one!!!
References: <ntWdnfVoQvq3usbYnZ2dnUVZ_s-dnZ2d@comcast.com>
In-Reply-To: <ntWdnfVoQvq3usbYnZ2dnUVZ_s-dnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <3KadnVbXmsM9-8bYnZ2dnUVZ_uCdnZ2d@comcast.com>
Lines: 11
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-T8UocElqYRpajmdHX29JeOuqjUaX+Zk8EavlZnonOSGeRDHkFQlA/
OT+V1mmGbqKo1wq1iCC/OoWmQJ!SZuz+Qh65QZQuR/
3LXSjKd4JpzlzA34+iyr47x0w8bbmLpaPIbyZojDUxIiFeSmqGcxyX/MyVRPA!37dM+rd2KhXBWWkgwyg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6332
rec.radio.amateur.equipment:7034 rec.radio.swap:9838

Dave Edwards wrote:

> You can have-a-look here...
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=019&sspagename=STRK%3AMESE%3AIT&viewitem=&item=290050113993&rd=1&rd=1
>
>

That is one beautiful looking radio!

/s/ DD, W1MCE

From 625493210840651149
X-Google-Thread: 108122,3df42462ffddfbe7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problem with an IC-706 & SWR spikes
Date: 15 Nov 2006 11:32:38 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1163619158.818278.186810@k70g2000cwa.googlegroups.com>
References: <ej9rd0$qvk$1@gargoyle.oit.duke.edu>
   <1163454652.477427.326990@i42g2000cwa.googlegroups.com>
   <ejf1kv$htd$1@gargoyle.oit.duke.edu>
NNTP-Posting-Host: 70.66.131.246
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163619164 15172 127.0.0.1 (15 Nov 2006 19:32:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 15 Nov 2006 19:32:44 +0000 (UTC)
In-Reply-To: <ejf1kv$htd$1@gargoyle.oit.duke.edu>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=70.66.131.246;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:7035

Ken,

Thanks for the update. Its always nice to know when something works out. Phil (AD5X) has a good site - you can find lots of good stuff there.

Roger

```
From 3559651063709369750
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.volia.net!newsfeed.utanet.at!
feeder4.cambrium.nl!feeder3.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!
sn-xt-ams-06!sn-xt-ams-05!sn-post-ams-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Argusy <argusy@slmember.on.net>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
Subject: Re: Best ARRL Hankbook issue
Date: Thu, 16 Nov 2006 06:52:33 +1030
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <455B7709.6030500@slmember.on.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.0.2) Gecko/20021120
Netscape/7.01 (NSCD7.01)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
<44694f8d.55520781@news.bigpond.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 48
Xref: g2news2.google.com alt.ham-radio:1364 alt.radio.amateur:343
rec.radio.amateur.equipment:7036
```

J-McC wrote:

> I used to really enjoy the ARRL handbook. I used to purchase a new one every so often here in Australia. I think the best valve ones were in the late 80's and then naturally it slowly evolved to semiconductors, integrated circuits and printed circuit boards and more sophistacted circuits etc.

Just took a look - I've still got a 1977 issue. Threw out the earlier ones when I moved around the countryside (RAAF Bases Amberley, Edinburgh, Garbutt, Laverton (now some other name), not in any particular order)

> I think the old days of truly making your own receiver and or transmitter are allmost gone.

I agree

>
> I have become old any eyesight is now growing dim! <snip>

Well, eyesight's not dim, but I can't read without specs anymore

>
> When I look at some of the modern Ham gear I am amazed at how complex
> and tiny they have become. I supposed all we really have left now is
> making aerials and dxing.

Yeah...

>
> Next time I am in the city I must checkout the latest ARRL Handbook as
> I still enjoying reading them in bed.

I can't do that anymore - book's too heavy, and my eyes get bloodshot.
BTW, I still have William Orr's 1978 'Radio Handbook' as well. That's
also good for a read occasionally, as well

>
> Jim McCardle ex VK3ZOE in Australia. jmccardl@bigpond.net.au

<snip>

Argusy
AKA Graham (VK5CRC but "deaf" for 20 years)

From -7502878662954301282
X-Google-Thread: 108122,2700031f77aba5ae
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!news.germany.com!news.newsland.it!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Q7 in Heath HD-1410 keyer
Date: Wed, 15 Nov 2006 16:33:48 -0500
Organization: Aioe.org NNTP Server
Lines: 26
Message-ID: <fmmck-8733DD.16334815112006@nntp.aioe.org>
References: <1163600408.709740.269890@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: O0Hp5uIfh83ECU9a0AB+oQ.user.aioe.server.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:7037

In article <1163600408.709740.269890@m73g2000cwd.googlegroups.com>, shoppa@trailing-edge.com wrote:

> I was noodling around with my HD-1410 keyer while tuning up my Eico
> 720. Then the AC power had a brownout, and a bright orange flash and
> loud pop came out of the keyer. Opening it up reveals that Q7 is now a
> bunch of little pieces of burnt plastic. The keyer beeps the internal
> sidetone but now no longer keys the transmitter.
>
> About a quarter century ago when I built the keyer, I remember
> something similar happening (except I think it failed shorted), and I
> seem to recall that Q7 is just a NPN maybe HV transistor, probably
> something like a MSA42. Can someone confirm this?

Tim-

According to a diagram I found of the HD-1410, Q7 is a Heath 417-294. This crosses to an MPSA42 Motorola transistor, per the cross reference at http://www.d8apro.com/heath3.htm with specs shown as NPN, 300V, 500mA, TO-92, 50 MHz.

Be sure to check Q6 (also a 417-294) and D5 (57-27, 1N2071).

73,
Fred
K4DII

```
From -7361548303728427594
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!out04b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-
out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Guy P. Distaffen" <guypd@rochester.rr.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf
Subject: Re: ... -.-.  -. . . -.. ... ... ..-. ..-
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net>
<fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com>
<2Dp6h.14200$zB4.3884@twister.nyroc.rr.com>
<sJq6h.489$6d2.107@twister.nyroc.rr.com>
<cTF6h.1604$6d2.1039@twister.nyroc.rr.com>
In-Reply-To: <cTF6h.1604$6d2.1039@twister.nyroc.rr.com>
Content-Type: multipart/mixed;
```

```
 boundary="------------050108060706060706050105"
Lines: 42
Message-ID: <SsM6h.17017$xw1.13688@twister.nyroc.rr.com>
Date: Wed, 15 Nov 2006 22:24:50 GMT
NNTP-Posting-Host: 66.67.164.197
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1163629490 66.67.164.197 (Wed, 15 Nov 2006 17:24:50
EST)
NNTP-Posting-Date: Wed, 15 Nov 2006 17:24:50 EST
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.policy:54452
rec.radio.amateur.equipment:7038 rec.radio.amateur.misc:26120 alt.ham-radio.vhf-
uhf:3159

This is a multi-part message in MIME format.
--------------050108060706060706050105
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Pat Stevens wrote:
> Yeah, I have finally noticed that he is one of the trolls, too.  This groups
> if just filled with them.
>
> "Guy P. Distaffen" <guypd@rochester.rr.com> wrote in message
> news:sJq6h.489$6d2.107@twister.nyroc.rr.com...
>>
>> Nothing that he writes makes sense and he just keeps feeding the trolls.
>> Just ignore him and add him to your kill file.
>
>

His disability isn't that he can't write since he is dyslexic, but
rather that he doesn't think and figures that if he argues with the
other trolls, that something will changes.

The definition of insanity...to do the same thing over and over again,
but expect different results.

--------------050108060706060706050105
Content-Type: text/x-vcard; charset=utf-8;
 name="guypd.vcf"
Content-Transfer-Encoding: 7bit
Content-Disposition: attachment;
 filename="guypd.vcf"

begin:vcard
fn:Guy Distaffen
n:Distaffen;Guy
email;internet:guypd@rochester.rr.com
tel;home:(585) 302-5503
x-mozilla-html:TRUE
version:2.1
end:vcard
```

```
--------------050108060706060706050105--


From 612083515198716313
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf
Subject: Re: ... -.-.  -. . . -.. ... ... ..-. ..-
Date: Wed, 15 Nov 2006 18:26:59 -0500
Message-ID: <qg8nl2dnn17edrcr4uim7g06kjrk8b80go@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net>
<fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com>
<2Dp6h.14200$zB4.3884@twister.nyroc.rr.com>
<sJq6h.489$6d2.107@twister.nyroc.rr.com>
<cTF6h.1604$6d2.1039@twister.nyroc.rr.com>
<SsM6h.17017$xw1.13688@twister.nyroc.rr.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Date: 15 Nov 2006 22:32:08 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54454
rec.radio.amateur.equipment:7039 rec.radio.amateur.misc:26121 alt.ham-radio.vhf-
uhf:3160

On Wed, 15 Nov 2006 22:24:50 GMT, "Guy P. Distaffen"
<guypd@rochester.rr.com> wrote:

>Pat Stevens wrote:
>> Yeah, I have finally noticed that he is one of the trolls, too.  This groups
>> if just filled with them.
>>
>> "Guy P. Distaffen" <guypd@rochester.rr.com> wrote in message
>> news:sJq6h.489$6d2.107@twister.nyroc.rr.com...
>>>
>>> Nothing that he writes makes sense and he just keeps feeding the trolls.
>>> Just ignore him and add him to your kill file.
>>
>>
```

>
>His disability isn't that he can't write since he is dyslexic, but
>rather that he doesn't think and figures that if he argues with the
>other trolls, that something will changes.

something does
>
>The definition of insanity...to do the same thing over and over again,
>but expect different results.
and you therefore are by your own diffeination insane
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -6246912363987099569
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Thread: 10bf43,962631fbb7e3a1a1,start
X-Google-Thread: fa029,962631fbb7e3a1a1,start
X-Google-Thread: 1109af,962631fbb7e3a1a1,start
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Adios
From: Slow Code <my.mail@no.spam>
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 34
Message-ID: <aiO6h.7784$ig4.3869@newsread2.news.pas.earthlink.net>
Date: Thu, 16 Nov 2006 00:29:58 GMT
NNTP-Posting-Host: 4.254.225.232
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1163636998 4.254.225.232 (Wed, 15 Nov
2006 16:29:58 PST)
NNTP-Posting-Date: Wed, 15 Nov 2006 16:29:58 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7040
rec.radio.amateur.policy:54469 rec.radio.scanner:7843 rec.radio.swap:9852

John Ferrell <johnferrell@sprintmail.com> wrote in
news:92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com:

> On Mon, 13 Nov 2006 19:32:19 -0800, KD6EVM <nelsonca@comcast.net>
> wrote:
>

>>Long time subscriber saying adios....
>>
>>When the BS outweighs practical communication, the longtimers vacate.
>>
>>Those of you who bemone the rise of ebay have destroyed the alternative
>>with your whining and petty bickering. Good job!
>
> Just take a little vacation.
> Noise is simply a problem to deal with. Perhaps we should add another
> Q code, QBS!
> When I first got on the air with a very shakey rig I heard someone
> call "CQ CQ no LIDS KIDS or SPACE CADETS" and I realized that not all
> HAMS would live up to my expectations.
>
> Filters are your friends both on the radio and the internet.
> John Ferrell W8CCW

I know what you're both saying is true. Since ham radio has been dumbed down I'm hearing a lot more Lids, Kids, and space cadets on the ham bands too and radio's don't come with Lid filters. We need to keep CW and increase the speed requirement to somewhere 13 and 20 wpm. We can't risk dumbing down the service further.

Tnx, 73, Good luck in the contest.

SC

```
From 4297907110430679262
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: fa029,3eeef53954acb5a9
X-Google-Thread: 114aac,e798e7f46b0e9335
X-Google-Thread: 107ada,e798e7f46b0e9335
X-Google-Attributes: gid108122,gidfa029,gid114aac,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news.maxwell.syr.edu!elnk-pas-nf1!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,rec.radio.amateu
r.misc
Subject: Re: id theft remains a crime
From: Gavrielah Wiseman <wiseman@Hojnacki.com>
References: <1163548552.117155.287850@h54g2000cwb.googlegroups.com>
<1163549346.219417.8850@h54g2000cwb.googlegroups.com>
<1163554502.367463.234910@m73g2000cwd.googlegroups.com>
<0jtkl21odhqvi8bpsdli8kkimnbcatdrvl@4ax.com>
Organization: Beer
User-Agent: Xnews/5.04.25
Lines: 13
```

```
Message-ID: <hiO6h.7790$ig4.1428@newsread2.news.pas.earthlink.net>
Date: Thu, 16 Nov 2006 00:30:05 GMT
NNTP-Posting-Host: 4.254.225.232
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1163637005 4.254.225.232 (Wed, 15 Nov
2006 16:30:05 PST)
NNTP-Posting-Date: Wed, 15 Nov 2006 16:30:05 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7041 rec.radio.scanner:7844
rec.radio.shortwave:58926 rec.radio.amateur.misc:26131

Mark in the Dark, wrote in
news:0jtkl21odhqvi8bpsdli8kkimnbcatdrvl@4ax.com:

> On 14 Nov 2006 17:35:02 -0800, Gav_HoJackoff@yahoo.com wrote:
>
>>
>
> id theft remains a crime


My boyfriend Lloyd Davies says it ain't.

GW



From 5996157647093282688
X-Google-Thread: 108122,8e89e1d59f6fca59,start
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59,start
X-Google-Thread: 1109af,8e89e1d59f6fca59,start
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: My Take on CW - for Powerhouse
From: Slow Code <my.mail@no.spam>
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 61
Message-ID: <oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
Date: Thu, 16 Nov 2006 00:30:12 GMT
NNTP-Posting-Host: 4.254.225.232
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1163637012 4.254.225.232 (Wed, 15 Nov
2006 16:30:12 PST)
NNTP-Posting-Date: Wed, 15 Nov 2006 16:30:12 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:7042
rec.radio.amateur.policy:54477 rec.radio.scanner:7845 rec.radio.shortwave:58931
rec.radio.swap:9854

ToeJam <toejam@bigfoot.kn> wrote in news:fc9ck.23r.19.1@news.alt.net:

> PowerHouse Communications wrote:
>> "ToeJam" <toejam@bigfoot.kn> wrote in message
>> news:ephku.ash.17.1@news.alt.net...
>>
>>>PowerHouse Communications wrote:
>>>
>>>>Who cares!  CW doesn't belong in a SCANNER group.  Discuss it in a
>>>>more appropriate group; there are MANY of them, and this is not one of
>>>>them!
>>>>
>>>>
>>>>"ToeJam" <toejam@bigfoot.kn> stuck his ToeJammed bigfoot up his ass
>>>>and wrote in message news:eobqm.flm.19.1@news.alt.net...
>>>>
>>>>The need for CW has been waining for many years now and technology has
>>>>eliminated a need for it.  Why do we still need CW?  How many Hams
>>>>still use CW? <SNIP>
>>>>
>>>>
>>>You could have fooled me. From what I see here, there are more Ham
>>>related postings than Scanner postings.  Are you jummping all over the
>>>other folks that are posting Ham related material too?  Or did you just
>>>get up on the wrong side of the bed?  I'm not new to Usenet and don't
>>>normally post off topic material, but when I see more postings
>>>concerning a subject not related to the newsgroup, I figure maybe folks
>>>gyrated from scanners to Ham.  So don't go preaching to me with your
>>>shitty attitude.  You could have phrased your response a bit kinder
>>>instead of being an asshole about it.  I'll lurk and see how you
>>>personally deal with the other Ham related postings.  And FWIW,
>>>Scanners are strongly related to Ham radio, always have been and always
>>>will be.
>>>
>>
>>
>> No offense, but I don't see the other HAM related postings...  All that
>> off-topic crap is filtered out by my newsreader...  Sorry, I didn't
>> mean to make you feel like I was singling you out, I just don't see the
>> other crap, there for I don't have a need to "deal" with it...
>>
>>
>>
>
> No offense taken.  And yes, if you turn your filer off or use another
> reader, you will see a flood of HAM related material here, more so than
> scanners.  It actually took me by surprise to see so much.  I usually
```

> try to stay on topic on Usenet but with this newsgroup, it's hard to
> tell what the on topic discussion should be about. Later.

No matter what facet of radio you enjoy, the topic is to protect it by improving the quality of the hobbiests involved. That's why most will agree if you know morse code, you'll be a better skilled hobbiest and will improve your nich of the hobby and/or radio service you're involved with. A valuable knowledge base for those of coming into the services and hobby.

Tnx, 73 Good luck in the contest.

SC

```
From -6038862189880964289
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Thread: 10bf43,962631fbb7e3a1a1
X-Google-Thread: fa029,962631fbb7e3a1a1
X-Google-Thread: 1109af,962631fbb7e3a1a1
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Nov 2006 18:38:11 -0600
From: "honestjohn" <honestjohn@centurytel.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>
<aiO6h.7784$ig4.3869@newsread2.news.pas.earthlink.net>
Subject: Re: Adios
Date: Wed, 15 Nov 2006 18:37:42 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <oaCdnSp2_dpuL8bYnZ2dnUVZ_sadnZ2d@centurytel.net>
Lines: 16
NNTP-Posting-Host: 72.161.92.208
X-Trace: sv3-
g5TvEFaWJkqEqg4hKyoxUMuqdtyPcZC7zWpbYNWBbqSZ317+97HbVTWR3H7DEDzXqdmNQdDCXbbnMoa!/
3A8UEJGi/plcdgMDtQqS5oRxeKprOWHUCsNoaPA0o7BpGNBx7PLzFL/bYWRZe9FDzv4CgVsCjxB!mrS/
7tn032J/0ShfFX8aO8TjrpC2nCwTirPJGG4w
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:7043
rec.radio.amateur.policy:54482 rec.radio.scanner:7846 rec.radio.swap:9857
```

"Slow Code" <my.mail@no.spam> wrote in message

> I know what you're both saying is true. Since ham radio has been dumbed
> down I'm hearing a lot more Lids, Kids, and space cadets on the ham bands
> too and radio's don't come with Lid filters. We need to keep CW and
> increase the speed requirement to somewhere 13 and 20 wpm. We can't risk
> dumbing down the service further.
>

Can't happen because it's not P.C. (politically correct). Would you want to be guilty of discrimination against retarded CBers?   Hell no! So chill, dude.

HJ

```
From -1119334915949109115
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Nov 2006 19:10:53 -0600
From: "Brian Denley" <b.denley@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
Subject: Re: My Take on CW - for Powerhouse
Date: Wed, 15 Nov 2006 20:10:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 24.61.18.207
X-Trace: sv3-
Yfl63ingFl2MOucI9vtPmtxK0s+2QmQD2pIZc5hlta3ALHt7NAT9TU5o84pvg35M2Mc3cWeu5zNRaka!/
```

XwLBZjdZ5dG+pr0XGAyXNuzzfHrAQbdYZws/lF7yBk0kNGLHisFzC1NCce18B3llK1Bi/FFTs5s!
XIQnwlMF1Zr4
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7044
rec.radio.amateur.policy:54486 rec.radio.scanner:7847 rec.radio.shortwave:58938
rec.radio.swap:9859

So, in other words, if you don't know how to develop film, you have no
business doing digital photography? Brilliant!

--
Brian Denley
http://home.comcast.net/~b.denley/index.html

"Slow Code" <my.mail@no.spam> wrote in message
news:oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net...
> No matter what facet of radio you enjoy, the topic is to protect it by
> improving the quality of the hobbiests involved. That's why most will
> agree if you know morse code, you'll be a better skilled hobbiest and will
> improve your nich of the hobby and/or radio service you're involved with.
> A valuable knowledge base for those of coming into the services and
> hobby.
>
> Tnx, 73 Good luck in the contest.
>
> SC

From -3926094170670266727
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Thread: 10bf43,962631fbb7e3a1a1
X-Google-Thread: fa029,962631fbb7e3a1a1
X-Google-Thread: 1109af,962631fbb7e3a1a1
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: crapthon goes on
Date: Wed, 15 Nov 2006 20:55:42 -0500
Message-ID: <97hnl25j66itbdfd3tdtmtnmcbg3g18597@4ax.com>
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>

```
<aiO6h.7784$ig4.3869@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 16 Nov 2006 01:00:52 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7045
rec.radio.amateur.policy:54495 rec.radio.scanner:7849 rec.radio.swap:9866

On Thu, 16 Nov 2006 00:29:58 GMT, Slow Code <my.mail@no.spam> wrote:

>John Ferrell <johnferrell@sprintmail.com> wrote in
>news:92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com:
>
>> On Mon, 13 Nov 2006 19:32:19 -0800, KD6EVM <nelsonca@comcast.net>
>> wrote:
>>
>>>Long time subscriber saying adios....
>>>
>>>When the BS outweighs practical communication, the longtimers vacate.
>>>
>>>Those of you who bemone the rise of ebay have destroyed the alternative
>>>with your whining and petty bickering. Good job!
>>
>> Just take a little vacation.
>> Noise is simply a problem to deal with. Perhaps we should add another
>> Q code, QBS!
>> When I first got on the air with a very shakey rig I heard someone
>> call "CQ CQ no LIDS KIDS or SPACE CADETS" and I realized that not all
>> HAMS would live up to my expectations.
>>
>> Filters are your friends both on the radio and the internet.
>> John Ferrell W8CCW
>
>
>I know what you're both saying is true. Since ham radio has been dumbed
>down I'm hearing a lot more Lids, Kids, and space cadets on the ham bands
>too and radio's don't come with Lid filters. We need to keep CW and
>increase the speed requirement to somewhere 13 and 20 wpm.  We can't risk
>dumbing down the service further.
>

no Mr Stpuid (your other nick) we want to end the current dumbed down
mode welfare system
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com
```

```
From 3696419626137926149
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: crapthon goes on
Date: Wed, 15 Nov 2006 20:58:06 -0500
Message-ID: <9chnl2l06g16vtpthedsso7qmbt4robthf@4ax.com>
References: <eobqm.flm.19.1@news.alt.net> <EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 57
NNTP-Posting-Date: 16 Nov 2006 01:03:14 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7046
rec.radio.amateur.policy:54500 rec.radio.scanner:7850 rec.radio.shortwave:58951
rec.radio.swap:9868

On Thu, 16 Nov 2006 00:30:12 GMT, Slow Code <my.mail@no.spam> wrote:

>ToeJam <toejam@bigfoot.kn> wrote in news:fc9ck.23r.19.1@news.alt.net:
>
>> PowerHouse Communications wrote:
>>> "ToeJam" <toejam@bigfoot.kn> wrote in message
>>> news:ephku.ash.17.1@news.alt.net...
>>>
>>>>PowerHouse Communications wrote:
>>>>
>>>>>Who cares!  CW doesn't belong in a SCANNER group.  Discuss it in a
>>>>>more appropriate group; there are MANY of them, and this is not one of
>>>>>them!
>>>>>
>>>>>
>>>>>"ToeJam" <toejam@bigfoot.kn> stuck his ToeJammed bigfoot up his ass
>>>>>and wrote in message news:eobqm.flm.19.1@news.alt.net...
>>>>>
>>>>>The need for CW has been waining for many years now and technology has
>>>>>eliminated a need for it.  Why do we still need CW?  How many Hams
>>>>>still use CW? <SNIP>
```

>>>>>
>>>>>
>>>>You could have fooled me. From what I see here, there are more Ham
>>>>related postings than Scanner postings. Are you jummping all over the
>>>>other folks that are posting Ham related material too? Or did you just
>>>>get up on the wrong side of the bed? I'm not new to Usenet and don't
>>>>normally post off topic material, but when I see more postings
>>>>concerning a subject not related to the newsgroup, I figure maybe folks
>>>>gyrated from scanners to Ham. So don't go preaching to me with your
>>>>shitty attitude. You could have phrased your response a bit kinder
>>>>instead of being an asshole about it. I'll lurk and see how you
>>>>personally deal with the other Ham related postings. And FWIW,
>>>>Scanners are strongly related to Ham radio, always have been and always
>>>>will be.
>>>>
>>>
>>>
>>> No offense, but I don't see the other HAM related postings... All that
>>> off-topic crap is filtered out by my newsreader... Sorry, I didn't
>>> mean to make you feel like I was singling you out, I just don't see the
>>> other crap, there for I don't have a need to "deal" with it...
>>>
>>>
>>>
>>
>> No offense taken. And yes, if you turn your filer off or use another
>> reader, you will see a flood of HAM related material here, more so than
>> scanners. It actually took me by surprise to see so much. I usually
>> try to stay on topic on Usenet but with this newsgroup, it's hard to
>> tell what the on topic discussion should be about. Later.
>
>
>No matter what facet of radio you enjoy, the topic is to protect it by
>improving the quality of the hobbiests involved.
which is why we need to end code testing
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 1649403969265974711
X-Google-Thread: fc8b1,8c7ec822e3136c12
X-Google-Thread: 108122,8c7ec822e3136c12
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: WD=?ISO-8859-1?B?2A==?=HCO - Biz <wd0hco@ev1.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: Heathkit HW-16 questions
Date: Wed, 15 Nov 2006 20:56:30 -0600

Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <C1812F7E.2768%wd0hco@ev1.net>
User-Agent: Microsoft-Outlook-Express-Macintosh-Edition/5.02.2022
References: <UrudnbY_C7nWDMfYnZ2dnUVZ_s2dnZ2d@centurytel.net>
Mime-version: 1.0
Content-type: text/plain; charset="ISO-8859-1"
Content-transfer-encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 114
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6335
rec.radio.amateur.equipment:7047

Glad to help Dean-O....

> (1) The receiver is the most sensitive in the middle
> of the VFO range, and the sensitivity falls off a lot
> toward the ends of the VFO travel, regardless of where
> I have it tuned when I do the alignment. All of the
> alignment adjustments work like the manual says they
> should. Any ideas on what might be wrong? I've owned
> HW-16s in the past and I don't recall this being the
> case with them (poor memory?).

No your memory is correct - I am making the assumption you have noticed this on all bands. More than likely one of the 3595 khz xtals in the xtal filter has changed activity level - let's try bypassing it - run a wire between C65 and the point at C66/R39. You should get a much wider IF sig now. Now check your sensitivity at both ends of the dial.

> (2) How would I change the audio frequency of the neon
> reflex sidetone oscillator? 1 KHz is too high for me.
> I'd prefer something around 750 Hz or so.

You can try changing R64 1.5M to 5M. Remember T=RC so a lower resistance value should lower the osc freq. You might want to put a pot to adjust freq. To decrease volume increase resistance R63 - try a 1K to start.

> (3) The transmitter is chirpy. I know, all HW-16's are
> chirpy. I found a mod on line which suggests adding a
> 220 pF mica cap from the screen grid of the oscillator
> tube to ground to combat the chirp. I tried it, and I
> find that if I add capacitance there, the oscillator
> gets extremely sluggish. I tried various values from
> 100 pF to about 250 pF. Any thoughts on this?

Yea this mod has been a around a long time. It's really for lazy hams that don't know no better. Chirp is caused by B+ instability (I.E. Voltage drops when hit the key - No Volt regulation) sooooo look at the skezmatic - see how the ENTIRE transmitter's B+ is tied to Point B (310 VDC). Whose brilliant idea was this ?!?!?!

First thing to do is ISOLATE the oscillator V7. Disconnect the wire coming from C4/R3/R4 to Point B buss. Tie this wire to Pont A in the power supply.

Skezzzzmatic shows that this is the B+ supply for the receiver. It only provides only +175 VDC but it's more than enough for V7 to oscillate cleanly at only a slightly reduced level.

The Point A voltage is actually pretty stable when transmitting. Because the 700 VDC voltage drop from R207/R206 and R203 to 175 VDC that voltage changes very little at this point.

Doing this mod will make the HW-16 sound like a Kenwood/Yaesu/Icom on CW.

If you want to make it sound like a Ten Tec - place an OB2 volt regulator inline with the B+ power wire. OB2 will take the voltage down to 125 vdc but it will be rock solid. V7 Oscillator will be a pure T9er. OB2 is a gas tube so its cold - solder a wire to input pin and output pin and stick the whole thing inside a shrink tube. you can then place it underneath the chassis... or you could punch a hole and put a tube socket near V7.

> (4) How can I increase the level of the spotting signal
> that's heard in the receiver? If I could bring it up
> high enough, I'd consider disabling the harsh sidetone
> oscillator and just listen to the transmitted signal as
> my sidetone, which is what I do with my homebrew tube
> transmitters and Drake 2B receiver.

Side tone level comes from Bias Switch Q1 which does not quite switch OFF the receiver - R49 10K - try a 10k trim pot and adjust level to your liking.

> Your thoughts on any of this would be appreciated.

No thoughts - I've done these mods.... and have many more...

Spot Button - One thing I REALLY hate about the '16 is the fact your have to key up the transmitter to find out where the heck you are on the receiver dial. This is what is called QRM - which in CW stands for interference - This reflects on a really piss poor HFE (Human Factors Engineering) sooooo...

How about mounting a DPDT push button switch. One Pole would be used to key up the transmitter from the key jack. The other Pole would be connected between C7 and PIN 9 on the V8 DRIVER. Now when you push the SPOT switch - it keys up the transmitter and also disconnects the input into the DRIVER/PA so it doesn't go out over the air. You will find that lil oscillator is plenty strong Side Tone and the rest of us don't have to hear you "trying to find yourself"

RF Power - Pretty crappy power control. You adjust the RF power by varying the B+ into the V9 PA. Pretty damn STOOOPID design - Here is a better way....

Disconnect and tie the wires from points 2 and 3 of the R13 Power Level POT point together. Now the V9 PA will be going at FULL BLAST at all times.

Now disconnect the wire from B buss to R6. Wire B buss to Point 3 of the

Power Level Pot. Shot a wire from Point 2 of the power level pot to R6.

You have just duplicated the same circuit but attached it to the IPA. Now you can go from full power down to about 2 or 3 watts. If you increase R14 you can get it down into the Milliwatt range and still go up to full power with a twist of a knob. YEEEHAAA - HW-16 makes a great QRP rig!

Have fun and don't worry about screwing it - wadda going to loose $20-50 ???

Got a HG-10B VFO ?? Remove one rear plate on STATOR (Fixed) of the variable cap. A slight trim adjustment and your HG-10B Now has a expanded CW band. Yes you loose the top end of the ham band and you have to do more "cranking" to move around from end to end - but it's more accurately set and is more frequency stable.

> Thanks and 73, - Biz WD�HCO

> Dean K5DH
>

From -6559235993371552320
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-mail
From: fcathell@msn.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: My Take on CW - for Powerhouse
Date: 15 Nov 2006 19:08:37 -0800
Organization: http://groups.google.com
Lines: 33
Message-ID: <1163646517.871700.252220@m7g2000cwm.googlegroups.com>
References: <eobqm.flm.19.1@news.alt.net><EOj4h.1180$B35.1163@newsfe07.lga>
   <ephku.ash.17.1@news.alt.net>
   <Zkl6h.577$G91.516@newsfe04.lga>
   <fc9ck.23r.19.1@news.alt.net>
   <oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
   <dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
NNTP-Posting-Host: 71.36.120.248
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163646523 5968 127.0.0.1 (16 Nov 2006 03:08:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Nov 2006 03:08:43 +0000 (UTC)

```
In-Reply-To: <dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=71.36.120.248;
   posting-account=Wj0bTg0AAAA5NdOWlmGVc9TF77qhX1YZ
Xref: g2news2.google.com rec.radio.amateur.equipment:7048
rec.radio.amateur.policy:54516 rec.radio.scanner:7853 rec.radio.shortwave:58965
rec.radio.swap:9874
```

You know, CW may be obsolete, but having to learn the code instilled a bit of discipline and sense of purpose in getting a ham license. Of course things like mathematics, science and such that require mental discipline are no longer politically correct so are generally not required in education today because we certainly don't want to bruise anyone's ego or tax their MTV indoctrinated brains. So, I guess the code will have to go.

Frank
K3YAZ
Tucson

Brian Denley wrote:
> So, in other words, if you don't know how to develop film, you have no business doing digital photography? Brilliant!
>
> --
> Brian Denley
> http://home.comcast.net/~b.denley/index.html
>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net...
> > No matter what facet of radio you enjoy, the topic is to protect it by improving the quality of the hobbiests involved. That's why most will agree if you know morse code, you'll be a better skilled hobbiest and will improve your nich of the hobby and/or radio service you're involved with.
> > A valuable knowledge base for those of coming into the services and hobby.
> >
> > Tnx, 73 Good luck in the contest.
> >
> > SC

```
From 2017075656324890554
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Thread: 10bf43,962631fbb7e3a1a1
X-Google-Thread: fa029,962631fbb7e3a1a1
X-Google-Thread: 1109af,962631fbb7e3a1a1
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Adios
Message-ID: <15mnl2hmhlek0lvc2omuu7f162k2kvd1ho@4ax.com>
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<92kml2l0knhme8qsfb2pbir0p3k97bcu69@4ax.com>
<aiO6h.7784$ig4.3869@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Thu, 16 Nov 2006 03:18:09 GMT
NNTP-Posting-Host: 24.148.146.86
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1163647089 24.148.146.86 (Wed, 15 Nov
2006 19:18:09 PST)
NNTP-Posting-Date: Wed, 15 Nov 2006 19:18:09 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7049
rec.radio.amateur.policy:54517 rec.radio.scanner:7854 rec.radio.swap:9875



>
>I know what you're both saying is true. Since ham radio has been dumbed
>down I'm hearing a lot more Lids, Kids, and space cadets on the ham bands
>too and radio's don't come with Lid filters. We need to keep CW and
>increase the speed requirement to somewhere 13 and 20 wpm.  We can't risk
>dumbing down the service further.
>
>Tnx, 73, Good luck in the contest.
>
>SC
>
An unwanted signal is QRM...
  Times are changing.
John Ferrell W8CCW



From -1276006240722312855
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Nov 2006 21:47:10 -0600
From: "Brian Denley" <b.denley@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
References: <eobqm.flm.19.1@news.alt.net><EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net>   <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<1163646517.871700.252220@m7g2000cwm.googlegroups.com>
Subject: Re: My Take on CW - for Powerhouse
Date: Wed, 15 Nov 2006 22:47:04 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <DZ6dnRmXbIOiQsbYnZ2dnUVZ_tOdnZ2d@comcast.com>
Lines: 45
NNTP-Posting-Host: 24.61.18.207
X-Trace: sv3-ZCuKTyy6ljJII6irJDRcSS8vRE8s+5FxTLdV/
7dpeA0C+f50kfNynTdRkUAXmRrsv0CuARMjrNtNeqV!ZO/ScvVuCZO/
MoQTpej8BUzjCwu8rsPGa3q1IetV4M4KiO/q9jApE/Yu02zJXP/wBWlJBOIxOtZp!bmCmtAIZr3qR
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7050
rec.radio.amateur.policy:54520 rec.radio.scanner:7855 rec.radio.shortwave:58968
rec.radio.swap:9876

Increase the theory test requirements. Kick some life into the hobby!

--
Brian Denley
http://home.comcast.net/~b.denley/index.html

<fcathell@msn.com> wrote in message
news:1163646517.871700.252220@m7g2000cwm.googlegroups.com...
> You know, CW may be obsolete, but having to learn the code instilled a
> bit of discipline and sense of purpose in getting a ham license. Of
> course things like mathematics, science and such that require mental
> discipline are no longer politically correct so are generally not
> required in education today because we certainly don't want to bruise
> anyone's ego or tax their MTV indoctrinated brains. So, I guess the
> code will have to go.
>
> Frank

```
> K3YAZ
> Tucson
>
> Brian Denley wrote:
>> So, in other words, if you don't know how to develop film, you have no
>> business doing digital photography?  Brilliant!
>>
>> --
>> Brian Denley
>> http://home.comcast.net/~b.denley/index.html
>>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net...
>> > No matter what facet of radio you enjoy, the topic is to protect it by
>> > improving the quality of the hobbiests involved.  That's why most will
>> > agree if you know morse code, you'll be a better skilled hobbiest and
>> > will
>> > improve your nich of the hobby and/or radio service you're involved
>> > with.
>> > A  valuable knowledge base for those of coming into the services and
>> > hobby.
>> >
>> > Tnx, 73 Good luck in the contest.
>> >
>> > SC
>
```

```
From 8705201966571779021
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!green.octanews.net!news-
out.octanews.net!mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!news.coretel.net!not-for-mail
From: "Radiosrfun" <Radiosrfun@radiosrfun.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
References: <eobqm.flm.19.1@news.alt.net><EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net>   <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<1163646517.871700.252220@m7g2000cwm.googlegroups.com>
<DZ6dnRmXbIOiQsbYnZ2dnUVZ_tOdnZ2d@comcast.com>
Subject: Re: My Take on CW - for Powerhouse
```

Date: Wed, 15 Nov 2006 23:01:37 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Lines: 35
Message-ID: <455be1a0$0$5786$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: b9740734.news.coretel.net
X-Trace: DXC=fik_R?
T2J6K\lEN_TWE^]CcYX6N<OEXQKQdP;3=7[^6E@XOQQQH=dbDoE^ie\R=dnIHhf>JKPedNN
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7051
rec.radio.amateur.policy:54521 rec.radio.scanner:7856 rec.radio.shortwave:58971
rec.radio.swap:9878

> <fcathell@msn.com> wrote in message
> news:1163646517.871700.252220@m7g2000cwm.googlegroups.com...
>> You know, CW may be obsolete, but having to learn the code instilled a
>> bit of discipline and sense of purpose in getting a ham license. Of
>> course things like mathematics, science and such that require mental
>> discipline are no longer politically correct so are generally not
>> required in education today because we certainly don't want to bruise
>> anyone's ego or tax their MTV indoctrinated brains. So, I guess the
>> code will have to go.
>>
>> Frank
>> K3YAZ
>> Tucson
>>

It isn't so much the "code" being removed which has dumbed it down, it used to be you "had" to know electronics to get a license. Blame it on the Study Guides which really don't teach SHIT.

Personally, instead of seeing this CODE argument going on forever and not solving a damned thing, using the above post of the other necessities of life - if you intend to get anywhere - let's argue - and understandably so and more welcome than the code argument - why the classes are being dumbed down for our kids! Around here, the schools are wanting to build near professional sports arenas and I'm speaking "millions of dollars" - for the "Football" games - to hell with the studies. They "used" to give you basic supplies when you went to school, now you buy your own. The "School Board" seats are more hotly contested than some of the "State and Local" government seats. Yet the education level isn't improving.
No child left behind? Eh, not if they're foot ball players. IF NOT - they're screwed.

Just my 2 cents.

```
From 2858702096885297502
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!postnews.google.com!
i42g2000cwa.googlegroups.com!not-for-mail
From: fcathell@msn.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: My Take on CW - for Powerhouse
Date: 15 Nov 2006 20:22:48 -0800
Organization: http://groups.google.com
Lines: 46
Message-ID: <1163650968.100972.319150@i42g2000cwa.googlegroups.com>
References: <eobqm.flm.19.1@news.alt.net><ephku.ash.17.1@news.alt.net>
   <Zkl6h.577$G91.516@newsfe04.lga>
   <fc9ck.23r.19.1@news.alt.net>
   <oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
   <dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
   <1163646517.871700.252220@m7g2000cwm.googlegroups.com>
   <DZ6dnRmXbIOiQsbYnZ2dnUVZ_tOdnZ2d@comcast.com>
   <455be1a0$0$5786$ecde5a14@news.coretel.net>
NNTP-Posting-Host: 71.36.120.248
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163650973 29599 127.0.0.1 (16 Nov 2006 04:22:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Nov 2006 04:22:53 +0000 (UTC)
In-Reply-To: <455be1a0$0$5786$ecde5a14@news.coretel.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=71.36.120.248;
   posting-account=Wj0bTg0AAAA5NdOWlmGVc9TF77qhX1YZ
Xref: g2news2.google.com rec.radio.amateur.equipment:7052
rec.radio.amateur.policy:54522 rec.radio.scanner:7857 rec.radio.shortwave:58977
rec.radio.swap:9880
```

I know this is getting OT, but I agree. Ever see the stats on what the school board people and administrators get paid compared to teachers? Ever look at the ratio of school board administrative staff to teachers? In New York some years ago investigative reporting indicated that there were approximately 7 administrators per teacher and most had "company" cars. Now we know where the money goes and why real education doesn't matter.

Frank

Radiosrfun wrote:
> > <fcathell@msn.com> wrote in message
> > news:1163646517.871700.252220@m7g2000cwm.googlegroups.com...
> >> You know, CW may be obsolete, but having to learn the code instilled a
> >> bit of discipline and sense of purpose in getting a ham license. Of
> >> course things like mathematics, science and such that require mental
> >> discipline are no longer politically correct so are generally not
> >> required in education today because we certainly don't want to bruise
> >> anyone's ego or tax their MTV indoctrinated brains. So, I guess the
> >> code will have to go.
> >>
> >> Frank
> >> K3YAZ
> >> Tucson
> >>
>
> It isn't so much the "code" being removed which has dumbed it down, it used
> to be you "had" to know electronics to get a license. Blame it on the Study
> Guides which really don't teach SHIT.
>
> Personally, instead of seeing this CODE argument going on forever and not
> solving a damned thing, using the above post of the other necessities of
> life - if you intend to get anywhere - let's argue - and understandably so
> and more welcome than the code argument - why the classes are being dumbed
> down for our kids! Around here, the schools are wanting to build near
> professional sports arenas and I'm speaking "millions of dollars" - for the
> "Football" games - to hell with the studies. They "used" to give you basic
> supplies when you went to school, now you buy your own. The "School Board"
> seats are more hotly contested than some of the "State and Local" government
> seats. Yet the education level isn't improving.
> No child left behind? Eh, not if they're foot ball players. IF NOT - they're
> screwed.
>
> Just my 2 cents.

From 2868404939384478708
X-Google-Thread: 108122,90008e11ebef4514
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.net!prodigy.net!news.maxwell.syr.edu!
news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!
not-for-mail
From: Ray <noemail@donot.mail.me>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Want to trade?
Message-ID: <ufrnl25q932freo1bvh36942uv8pk0v84l@4ax.com>
References: <1159379273.502342.58260@i3g2000cwc.googlegroups.com>

```
<1163581052.930243.167740@b28g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Thu, 16 Nov 2006 04:51:21 GMT
NNTP-Posting-Host: 66.24.242.90
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1163652681 66.24.242.90 (Wed, 15 Nov 2006 23:51:21
EST)
NNTP-Posting-Date: Wed, 15 Nov 2006 23:51:21 EST
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:7053

On 15 Nov 2006 00:57:33 -0800, "KC7SQC" <SharpTrading@gmail.com>
wrote:

>
>KC7SQC wrote:
>> I am in Kirkland, WA and am looking to trade FOR a Icom 7800, Icom
>> 756Pro3, Icom 7000, Icom IC-2720H, Icom IC-91AD/A, Yaesu FT-2000, Yaesu
>> FT-817ND, Kenwood TS-2000, Kenwood TS-480H, Kenwood TM-V708A, Kenwood
>> TM-D700A or something similar.  (Not looking for an older boat anchor).
>>
>> I have a Ford Explorer and tons of other items to trade (and some
>> cash).  Here is a small list of my items to trade:
>> http://sharptradingcompany.com/used.html
>
>Anyone wanting to trade? I have several registerable (not-stolen) hand
>guns.

What've ya got?  Looking for something in the larger caliber
autoloading category.  Have two wheel guns now, one .357, the other
.454.  You wouldn't happen to have anything by Magnum Research, would
you?


From -3252402411450953178
X-Google-Thread: 112d1e,9889c9c3acddab67,start
X-Google-Thread: fcc6e,9889c9c3acddab67,start
X-Google-Thread: 108122,9889c9c3acddab67,start
X-Google-Thread: 107cee,9889c9c3acddab67,start
X-Google-Attributes: gid112d1e,gidfcc6e,gid108122,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: kevin.pavin@gmail.com
Newsgroups:
sci.electronics.design,rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.e
lectronics.misc
Subject: rf bandpass filters 2.4GHz
Date: 15 Nov 2006 22:44:33 -0800
```

Organization: http://groups.google.com
Lines: 19
Message-ID: <1163659473.135906.202910@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 18.97.5.188
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163659478 17704 127.0.0.1 (16 Nov 2006 06:44:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Nov 2006 06:44:38 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US; rv:1.7.7)
Gecko/20050414 Firefox/1.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=18.97.5.188;
   posting-account=c-Wp4w0AAACZHMJZcvAyVin0CCUsQ2Uc
Xref: g2news2.google.com sci.electronics.design:123551
rec.radio.amateur.antenna:21620 rec.radio.amateur.equipment:7054
sci.electronics.misc:8031

Hi all,

I am transmitting in channel 3 of 802.11b, centered at 2.422Ghz.
Details aside, let me just say that it is very important for my
application that I sharpen up the spectral mask beyond that of the
802.11b standard. To be specific I need to purchase a bandpass filter
such that I get attenation of greater than 60dB at +- 15Mhz from the
center, i..e outside of [2.407Ghz, 2.437Ghz]. I am looking for
suggestions on where to purchase such filter(s) with the usual
parameters in mind, cost, lead time, etc.

I did see the filters that hyperlink sells, but it would take many of
their 8 pole filters in series to get what I need and they additionally
don't sell filters for one of the channels i would need. Maybe I need
to go custom on this? Any suggestions are greatly appreciated.
Thanks,

Kevin

From 6004865314308489065
X-Google-Thread: 108122,9d6f9fba6682e67b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny06.POSTED!e3303ecb!not-for-mail
From: "Carl Domanico" <vze2686b@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Collins 30L-1 Round
Lines: 14
X-Priority: 3

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <7fU6h.4898$T_.1256@trndny06>
Date: Thu, 16 Nov 2006 07:16:19 GMT
NNTP-Posting-Host: 70.107.197.181
X-Complaints-To: abuse@verizon.net
X-Trace: trndny06 1163661379 70.107.197.181 (Thu, 16 Nov 2006 02:16:19 EST)
NNTP-Posting-Date: Thu, 16 Nov 2006 02:16:19 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7055

Hi, I'm looking for a Collins 30L-1 Round Emblem, High Frequency, Linear
Amplifer. Not looking for any junk, actually I want one in excellent
condition, Must be Round Emblem... Prefer one that has already been
refurbished, things such as power supply, caps , etc...So as I do not have
to do it...Although I've restored a few of them...I just want one in
Excellent to Mint Condition...
If anyone out there has one of these amps, please feel free to e-mail me and
if you like call 718-331-7427

Thanks a Lot
Carl
N2MFW

From -3089705989935017511
X-Google-Thread: 112d1e,9889c9c3acddab67
X-Google-Thread: fcc6e,9889c9c3acddab67
X-Google-Thread: 108122,9889c9c3acddab67
X-Google-Thread: 107cee,9889c9c3acddab67
X-Google-Attributes: gid112d1e,gidfcc6e,gid108122,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!
news.sisna.com!not-for-mail
From: "RST Engineering \(jw\)" <jim@rstengineering.com>
Newsgroups:
sci.electronics.design,rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics.misc
References: <1163659473.135906.202910@b28g2000cwb.googlegroups.com>
Subject: Re: rf bandpass filters 2.4GHz
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <%jU6h.104$Az4.738745@news.sisna.com>
Date: Wed, 15 Nov 2006 23:21:22 -0800

```
NNTP-Posting-Host: 70.41.242.222
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1163661691 70.41.242.222 (Thu, 16 Nov 2006 00:21:31 MST)
NNTP-Posting-Date: Thu, 16 Nov 2006 00:21:31 MST
Organization: Internet News Service
X-Received-Date: Thu, 16 Nov 2006 00:21:31 MST (news.sisna.com)
Xref: g2news2.google.com sci.electronics.design:123557
rec.radio.amateur.antenna:21623 rec.radio.amateur.equipment:7056
sci.electronics.misc:8033
```

You don't need to go custom. You need to understand the impossibility of
what you are asking for.
Jim

<kevin.pavin@gmail.com> wrote in message
news:1163659473.135906.202910@b28g2000cwb.googlegroups.com...
> Hi all,

  Maybe I need
> to go custom on this? Any suggestions are greatly appreciated.
> Thanks,
>
> Kevin
>

```
From -3422156355812002542
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: My Take on CW - for Powerhouse
Date: Thu, 16 Nov 2006 03:38:30 -0500
Message-ID: <fq8ol2lp1utavjpvfdjch5ekveffr94ml6@4ax.com>
References: <eobqm.flm.19.1@news.alt.net><EOj4h.1180$B35.1163@newsfe07.lga>
<ephku.ash.17.1@news.alt.net> <Zkl6h.577$G91.516@newsfe04.lga>
<fc9ck.23r.19.1@news.alt.net>
<oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
```

```
<dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
<1163646517.871700.252220@m7g2000cwm.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 39
NNTP-Posting-Date: 16 Nov 2006 07:43:37 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:7057
rec.radio.amateur.policy:54524 rec.radio.scanner:7858 rec.radio.shortwave:58982
rec.radio.swap:9881

On 15 Nov 2006 19:08:37 -0800, fcathell@msn.com wrote:

>You know, CW may be obsolete, but having to learn the code instilled a
>bit of discipline and sense of purpose in getting a ham license

guess you have forgotten the antics of the 80 m crowd all code tested

>. Of
>course things like mathematics, science and such that require mental
>discipline are no longer politically correct so are generally not
>required in education today because we certainly don't want to bruise
>anyone's ego or tax their MTV indoctrinated brains. So, I guess the
>code will have to go.
>
>Frank
>K3YAZ
>Tucson
>
>Brian Denley wrote:
>> So, in other words, if you don't know how to develop film, you have no
>> business doing digital photography?  Brilliant!
>>
>> --
>> Brian Denley
>> http://home.comcast.net/~b.denley/index.html
>>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net...
>> > No matter what facet of radio you enjoy, the topic is to protect it by
>> > improving the quality of the hobbiests involved.  That's why most will
>> > agree if you know morse code, you'll be a better skilled hobbiest and will
>> > improve your nich of the hobby and/or radio service you're involved with.
>> > A  valuable knowledge base for those of coming into the services and
>> > hobby.
>> >
>> > Tnx, 73 Good luck in the contest.
>> >
>> > SC
http://kb9rqz.blogspot.com/
```

--
Posted via a free Usenet account from http://www.teranews.com

From 6502485488549629267
X-Google-Thread: fc8b1,8c7ec822e3136c12
X-Google-Thread: 108122,8c7ec822e3136c12
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!
53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: Heathkit HW-16 questions
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
References: <UrudnbY_C7nWDMfYnZ2dnUVZ_s2dnZ2d@centurytel.net>
<C1812F7E.2768%wd0hco@ev1.net>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=ISO-8859-1
Lines: 164
Message-ID: <TLZ6h.1$aM3.0@dfw-service2.ext.ray.com>
Date: Thu, 16 Nov 2006 13:32:35 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1163683955 138.126.48.166 (Thu, 16 Nov 2006
07:32:35 CST)
NNTP-Posting-Date: Thu, 16 Nov 2006 07:32:35 CST
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6337
rec.radio.amateur.equipment:7058

Thanks Biz! I was hoping you'd chime in, since you're the
resident HW-16 "guru" around these parts! I've printed off
your msg text and will begin experimenting on my rig as soon
as I can. It's too scruffy to "restore", but definitely a
good candidate for playing around with.

73,
Dean K5DH

In article <C1812F7E.2768%wd0hco@ev1.net>, wd0hco@ev1.net says...
>
>Glad to help Dean-O....
>
>> (1) The receiver is the most sensitive in the middle
>> of the VFO range, and the sensitivity falls off a lot
>> toward the ends of the VFO travel, regardless of where
>> I have it tuned when I do the alignment. All of the
>> alignment adjustments work like the manual says they
>> should. Any ideas on what might be wrong? I've owned

```
>> HW-16s in the past and I don't recall this being the
>> case with them (poor memory?).
>
>No your memory is correct - I am making the assumption you have noticed
>this
>on all bands. More than likely one of the 3595 khz xtals in the xtal fil
>ter
>has changed activity level - let's try bypassing it - run a wire between
> C65
>and the point at C66/R39. You should get a much wider IF sig now. Now ch
>eck
>your sensitivity at both ends of the dial.
>
>> (2) How would I change the audio frequency of the neon
>> reflex sidetone oscillator?  1 KHz is too high for me.
>> I'd prefer something around 750 Hz or so.
>
>You can try changing R64 1.5M to 5M. Remember T=RC so a lower resistance
>value should lower the osc freq. You might want to put a pot to adjust f
>req.
>To decrease volume increase resistance R63 - try a 1K to start.
>
>> (3) The transmitter is chirpy.  I know, all HW-16's are
>> chirpy.  I found a mod on line which suggests adding a
>> 220 pF mica cap from the screen grid of the oscillator
>> tube to ground to combat the chirp.  I tried it, and I
>> find that if I add capacitance there, the oscillator
>> gets extremely sluggish.  I tried various values from
>> 100 pF to about 250 pF.  Any thoughts on this?
>
>Yea this mod has been a around a long time. It's really for lazy hams th
>at
>don't know no better. Chirp is caused by B+ instability (I.E. Voltage dr
>ops
>when hit the key - No Volt regulation) sooooo look at the skezmatic - se
>e
>how the ENTIRE transmitter's B+ is tied to Point B (310 VDC). Whose
>brilliant idea was this ?!?!?!
>
>First thing to do is ISOLATE the oscillator V7. Disconnect the wire comi
>ng
>from C4/R3/R4 to Point B buss. Tie this wire to Pont A in the power supp
>ly.
>Skezzzzmatic shows that this is the B+ supply for the receiver. It only
>provides only +175 VDC but it's more than enough for V7 to oscillate cle
>anly
>at only a slightly reduced level.
>
>The Point A voltage is actually pretty stable when transmitting. Because
> the
>700 VDC voltage drop from R207/R206 and R203 to 175 VDC that voltage cha
>nges
>very little at this point.
```

>
>Doing this mod will make the HW-16 sound like a Kenwood/Yaesu/Icom on CW
>.
>
>If you want to make it sound like a Ten Tec - place an OB2 volt regulato
>r
>inline with the B+ power wire. OB2 will take the voltage down to 125 vdc
> but
>it will be rock solid. V7 Oscillator will be a pure T9er. OB2 is a gas t
>ube
>so its cold - solder a wire to input pin and output pin and stick the wh
>ole
>thing inside a shrink tube. you can then place it underneath the chassis
>...
>or you could punch a hole and put a tube socket near V7.
>
>> (4) How can I increase the level of the spotting signal
>> that's heard in the receiver? If I could bring it up
>> high enough, I'd consider disabling the harsh sidetone
>> oscillator and just listen to the transmitted signal as
>> my sidetone, which is what I do with my homebrew tube
>> transmitters and Drake 2B receiver.
>
>Side tone level comes from Bias Switch Q1 which does not quite switch OF
>F
>the receiver - R49 10K - try a 10k trim pot and adjust level to your lik
>ing.
>
>> Your thoughts on any of this would be appreciated.
>
>No thoughts - I've done these mods.... and have many more...
>
>Spot Button - One thing I REALLY hate about the '16 is the fact your hav
>e to
>key up the transmitter to find out where the heck you are on the receive
>r
>dial. This is what is called QRM - which in CW stands for interference -
>This reflects on a really piss poor HFE (Human Factors Engineering)
>sooooo...
>
>How about mounting a DPDT push button switch. One Pole would be used to
>key
>up the transmitter from the key jack. The other Pole would be connected
>between C7 and PIN 9 on the V8 DRIVER. Now when you push the SPOT switch
> -
>it keys up the transmitter and also disconnects the input into the DRIVE
>R/PA
>so it doesn't go out over the air. You will find that lil oscillator is
>plenty strong Side Tone and the rest of us don't have to hear you "tryin
>g to
>find yourself"
>
>RF Power - Pretty crappy power control. You adjust the RF power by varyi

```
>ng
>the B+ into the V9 PA. Pretty damn STOOOPID design - Here is a better
>way....
>
>Disconnect and tie the wires from points 2 and 3 of the R13 Power Level
>POT
>point together. Now the V9 PA will be going at FULL BLAST at all times.
>
>Now disconnect the wire from B buss to R6. Wire B buss to Point 3 of the
>Power Level Pot. Shot a wire from Point 2 of the power level pot to R6.
>
>You have just duplicated the same circuit but attached it to the IPA. No
>w
>you can go from full power down to about 2 or 3 watts. If you increase R
>14
>you can get it down into the Milliwatt range and still go up to full pow
>er
>with a twist of a knob. YEEEHAAA - HW-16 makes a great QRP rig!
>
>Have fun and don't worry about screwing it - wadda going to loose $20-50
> ???
>
>Got a HG-10B VFO ?? Remove one rear plate on STATOR (Fixed) of the varia
>ble
>cap. A slight trim adjustment and your HG-10B Now has a expanded CW band
>.
>Yes you loose the top end of the ham band and you have to do more "crank
>ing"
>to move around from end to end - but it's more accurately set and is mor
>e
>frequency stable.
>
>> Thanks and 73, - Biz WD�HCO
>
>> Dean K5DH
>>
>



From 2847627951468514916
X-Google-Thread: 108122,d8a8b40701ba7d1a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!d2519eb0!
not-for-mail
From: "Ziggy" <aaa@aaa.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TM-V7A  FS
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <lZ_6h.3921$m72.3568@trnddc03>
Date: Thu, 16 Nov 2006 14:55:13 GMT
NNTP-Posting-Host: 71.254.18.80
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1163688913 71.254.18.80 (Thu, 16 Nov 2006 09:55:13 EST)
NNTP-Posting-Date: Thu, 16 Nov 2006 09:55:13 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:7059
```

I have a Kenwood TM-V7A for sale. It comes with manual, mic, original box and also has extension cable for remote front display. $150.00

```
From 4228224075309564449
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811
X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: fcathell@msn.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: My Take on CW - for Powerhouse
Date: 16 Nov 2006 07:33:56 -0800
Organization: http://groups.google.com
Lines: 53
Message-ID: <1163691236.255766.135060@i42g2000cwa.googlegroups.com>
References: <eobqm.flm.19.1@news.alt.net><ephku.ash.17.1@news.alt.net>
   <Zkl6h.577$G91.516@newsfe04.lga>
   <fc9ck.23r.19.1@news.alt.net>
   <oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
   <dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
   <1163646517.871700.252220@m7g2000cwm.googlegroups.com>
   <fq8ol2lp1utavjpvfdjch5ekveffr94ml6@4ax.com>
NNTP-Posting-Host: 71.36.120.248
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163691241 25516 127.0.0.1 (16 Nov 2006 15:34:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Nov 2006 15:34:01 +0000 (UTC)
In-Reply-To: <fq8ol2lp1utavjpvfdjch5ekveffr94ml6@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=71.36.120.248;
   posting-account=Wj0bTg0AAAA5NdOWlmGVc9TF77qhX1YZ
Xref: g2news2.google.com rec.radio.amateur.equipment:7060
rec.radio.amateur.policy:54527 rec.radio.scanner:7859 rec.radio.shortwave:58998
rec.radio.swap:9883

"guess you have forgotten the antics of the 80 m crowd all code tested"

Well, I guess this proves there are assholes in every group! You can't
beat 80M for this.

Frank

Mark@kb9rqz.aprs wrote:
> On 15 Nov 2006 19:08:37 -0800, fcathell@msn.com wrote:
>
> >You know, CW may be obsolete, but having to learn the code instilled a
> >bit of discipline and sense of purpose in getting a ham license
>
> guess you have forgotten the antics of the 80 m crowd all code tested
>
> >. Of
> >course things like mathematics, science and such that require mental
> >discipline are no longer politically correct so are generally not
> >required in education today because we certainly don't want to bruise
> >anyone's ego or tax their MTV indoctrinated brains. So, I guess the
> >code will have to go.
> >
> >Frank
> >K3YAZ
> >Tucson
> >
> >Brian Denley wrote:
> >> So, in other words, if you don't know how to develop film, you have no
> >> business doing digital photography? Brilliant!
> >>
> >> --
> >> Brian Denley
> >> http://home.comcast.net/~b.denley/index.html
> >>
> >> "Slow Code" <my.mail@no.spam> wrote in message
> >> news:oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net...
> >> > No matter what facet of radio you enjoy, the topic is to protect it by
> >> > improving the quality of the hobbiests involved. That's why most will
> >> > agree if you know morse code, you'll be a better skilled hobbiest and will
> >> > improve your nich of the hobby and/or radio service you're involved with.
> >> > A valuable knowledge base for those of coming into the services and
> >> > hobby.
> >> >
> >> > Tnx, 73 Good luck in the contest.

> >> >
> >> > SC
> http://kb9rqz.blogspot.com/
>
> --
> Posted via a free Usenet account from http://www.teranews.com

From 3060993601464853932
X-Google-Thread: 108122,b3e17b0de51c3909,start
X-Google-Thread: 107ada,b3e17b0de51c3909,start
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe04.lga.POSTED!53ab2750!not-for-mail
From: John <john_stlmo@yahoo.com>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: CQWW CW Logger Program ?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <cH%6h.25$z01.22@newsfe04.lga>
X-Trace:
noffecneefnkbhgfkannfilpcpbbolnmhifekobimhbodihnocllcdkmiddkookdhehpcmjfegmkbgibkh
mkochjefnjalifkenjmjidaleobfiakmgddmfodlmgppodenfnojecgjgcfcij
NNTP-Posting-Date: Thu, 16 Nov 2006 08:44:08 MST
Date: Thu, 16 Nov 2006 09:44:07 -0600
Xref: g2news2.google.com rec.radio.amateur.equipment:7061
rec.radio.amateur.misc:26153

Looking for a good Cabrillo type logging program for the upcoming CQWW CW contest - logging each contact by hand and then transferring to a home made logging sheet gets kinda old pretty quick...

Needs to be in Cabrillo format for submission.

Any suggestions? Prefer free or small fee (under $50).

Thanks.

John

reply here or: john _ stlmo at yahoo dot com

From -7976009614602000320
X-Google-Thread: 108122,8e89e1d59f6fca59
X-Google-Thread: 10bf43,dbb7cd73f17d7426
X-Google-Thread: fa029,d4300e9fed989811

X-Google-Thread: 114aac,8e89e1d59f6fca59
X-Google-Thread: 1109af,8e89e1d59f6fca59
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-mail
From: hjsjms@cs.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: My Take on CW - for Powerhouse
Date: 16 Nov 2006 07:56:11 -0800
Organization: http://groups.google.com
Lines: 63
Message-ID: <1163692571.053809.128140@f16g2000cwb.googlegroups.com>
References: <eobqm.flm.19.1@news.alt.net><ephku.ash.17.1@news.alt.net>
   <Zkl6h.577$G91.516@newsfe04.lga>
   <fc9ck.23r.19.1@news.alt.net>
   <oiO6h.7796$ig4.2675@newsread2.news.pas.earthlink.net>
   <dMKdncD9Qt0AJ8bYnZ2dnUVZ_sCdnZ2d@comcast.com>
   <1163646517.871700.252220@m7g2000cwm.googlegroups.com>
   <DZ6dnRmXbIOiQsbYnZ2dnUVZ_tOdnZ2d@comcast.com>
   <455be1a0$0$5786$ecde5a14@news.coretel.net>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163692576 2941 127.0.0.1 (16 Nov 2006 15:56:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Nov 2006 15:56:16 +0000 (UTC)
In-Reply-To: <455be1a0$0$5786$ecde5a14@news.coretel.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.equipment:7062
rec.radio.amateur.policy:54528 rec.radio.scanner:7861 rec.radio.shortwave:59000
rec.radio.swap:9884

Radiosrfun wrote:
> > <fcathell@msn.com> wrote in message
> > news:1163646517.871700.252220@m7g2000cwm.googlegroups.com...
> >> You know, CW may be obsolete, but having to learn the code instilled a
> >> bit of discipline and sense of purpose in getting a ham license. Of
> >> course things like mathematics, science and such that require mental
> >> discipline are no longer politically correct so are generally not
> >> required in education today because we certainly don't want to bruise
> >> anyone's ego or tax their MTV indoctrinated brains. So, I guess the
> >> code will have to go.
> >>
> >> Frank

> >> K3YAZ
> >> Tucson
> >>
>
> It isn't so much the "code" being removed which has dumbed it down, it used
> to be you "had" to know electronics to get a license. Blame it on the Study
> Guides which really don't teach SHIT.

Regarding testing for a ham license, I think that is a good idea. I just think we should be testing for skills that show some ability by the operator to set up and operate a rig safely. And we should test his ability to communicate effectively and courteously in a widely used form of communication that can be understood by emergency responders: voice.

>
> Personally, instead of seeing this CODE argument going on forever and not
> solving a damned thing, using the above post of the other necessities of
> life - if you intend to get anywhere - let's argue - and understandably so
> and more welcome than the code argument - why the classes are being dumbed
> down for our kids! Around here, the schools are wanting to build near
> professional sports arenas and I'm speaking "millions of dollars" - for the
> "Football" games - to hell with the studies. They "used" to give you basic
> supplies when you went to school, now you buy your own. The "School Board"
> seats are more hotly contested than some of the "State and Local" government
> seats. Yet the education level isn't improving.

I don't know about your area, but mine has two distinct tracks for kids. Those that are headed for a college education receive various levels of advanced classes based on ability (more or less). Those that are on the vocational track receive math and english at a level to get them past NCLB requirements and the equivalent of shop classes. The stadiums are for the most part outdoor with bleachers looking over a multipurpose playing field that has a running track around it. And this is one of the higher income areas of the country.

I do agree that sports in high school and college can be taken to absurd levels of importance. In many locations, especially urban ones the high school is essentially a farm club for colleges which are a farm club for major league sports. I would love to see the system taken back several notches but there is too much money at stake for that to happen.

> No child left behind? Eh, not if they're foot ball players. IF NOT - they're
> screwed.
>
> Just my 2 cents.

From -4836644670084486168

```
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Nov 2006 09:58:06 -0600
Date: Thu, 16 Nov 2006 10:58:08 -0500
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Adios
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
In-Reply-To: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <GtWdnVzJlKcSF8HYnZ2dnUVZ_vydnZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-U94dQ4S83FZFDOOF7/TXIha0OV1VilboqP3KijanJg/
Pn7VJWM3uEVBQVkIy2tUlZsoIiM8FGlVJxJI!
Q7C0KamjvI4RfkqG18B0TW5ULdvsZAbFM0dsJr6A22wa4Wjh2HP22//p1j+0dKQzEYm3qAaDapZg!
NUX78b4OD5a3Scywafsx
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7063

KD6EVM wrote:
> Long time subscriber saying adios....
>
> When the BS outweighs practical communication, the longtimers vacate.
>
> Those of you who bemone the rise of ebay have destroyed the alternative
> with your whining and petty bickering. Good job!


Don't you just love these egotistical assholes who have to ANNOUNCE that they
are unsubscribing, hoping that they will get a bunch of email begging them to
stay?

Don't let the door hit your ass on the way out, whiner!


From -6057552521844153108
X-Google-Thread: 114aac,6424c39a11bd5c99,start
X-Google-Thread: 108122,6424c39a11bd5c99,start
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: dl2sba@web.de
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: WANTED: LOWE HF-150 - definition remote protocol
Date: 10 Nov 2006 10:02:39 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1163181759.638177.167530@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 88.64.144.55
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163181765 4563 127.0.0.1 (10 Nov 2006 18:02:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Nov 2006 18:02:45 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; de; rv:1.8.1) Gecko/20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=88.64.144.55;
   posting-account=O_AmEQ0AAABYUJFQ4RDXwN7M4oFc01Z5
Xref: g2news2.google.com rec.radio.shortwave:58367
rec.radio.amateur.equipment:6914

Can someone give me a hint, where i can find the definition of the LOWE
HF-150 external (Keypad) protocol?

Thanks in advance

Dietmar, DL2SBA

From -1198911867893496036
X-Google-Thread: 108122,e88e6a5d0b651511
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Nov 2006 13:16:41 -0600
Date: Fri, 10 Nov 2006 14:16:41 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-211
References: <1163178604.045953.279480@m7g2000cwm.googlegroups.com>
In-Reply-To: <1163178604.045953.279480@m7g2000cwm.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

```
Message-ID: <CoSdnVf7XM-HTcnYnZ2dnUVZ_q6dnZ2d@comcast.com>
Lines: 16
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-
GHyApjxtVk1bluLyVKr0r77tNSxJPuAJi2Kg+JhsltK7Gs2cwJ38yNzOtlYMSgOR5M344DcU5YAn8B/!
kO4NWzkisQd8lvMe3jh6G/b0FBc3jjI3XT1HRx5Ozw8j5ZBMPuMkUM2Q89JD4JrKQ3ecdYZTIkce!
prNQYkgs2gVjD1ZgViE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6915
```

Paul wrote:

> I m wondering if someone might have had the same problem as I do.....I
> have a full 10 watts on fm, both simplex and repeater operation, but
> only about 1-3 watts on ssb, and cw....the reports that I have had on
> all of the modes are good, but just down on ssb and cw....can anyone
> help...thanks Paul
>

How are you measuring the SSB output?

1 to 3 watts indicated on a moving needle type meter will be very close to 10 watts PEP.

/s/ DD

```
From -7168135656217180761
X-Google-Thread: 114aac,6424c39a11bd5c99
X-Google-Thread: 108122,6424c39a11bd5c99
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Nov 2006 21:38:03 -0600
From: "mike maghakian" <maghakian@comcast.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <1163181759.638177.167530@m73g2000cwd.googlegroups.com>
Subject: Re: WANTED: LOWE HF-150 - definition remote protocol
Date: Fri, 10 Nov 2006 19:38:04 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <cP6dnWZYvpYB2MjYnZ2dnUVZ_sWdnZ2d@comcast.com>
```

```
Lines: 15
NNTP-Posting-Host: 67.185.128.85
X-Trace: sv3-e0lxsh2f7747rQ/
eNENarvs7Te35zymuSC7jLj05JTfIMcdnjqS6VP8zbN4W48dPuYE2lKxNXCQ0BXX!
FkTlMDpK1R+z5ScCPHrp4XcNekypujeQHoCvTkaBYe2PP8teWYIDzDvAP1G/UbrVYalDBTj5fzD7!
JdrBXVOkmq37YL4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.shortwave:58422
rec.radio.amateur.equipment:6916

join the LOWE group on yahoo groups, they know just about everthing on Lowe
receivers



<dl2sba@web.de> wrote in message
news:1163181759.638177.167530@m73g2000cwd.googlegroups.com...
> Can someone give me a hint, where i can find the definition of the LOWE
> HF-150 external (Keypad) protocol?
>
> Thanks in advance
>
> Dietmar, DL2SBA
>





From -2723814129393199575
X-Google-Thread: 108122,bc91569154868fa1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: Boffin2@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: tr-7800
Date: 11 Nov 2006 01:48:43 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1163238523.076079.163380@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 222.152.173.216
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163238526 13183 127.0.0.1 (11 Nov 2006 09:48:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Nov 2006 09:48:46 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
```

1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=222.152.173.216;
   posting-account=GuDgmA0AAACtDR4WWuKv5xoEUpSp7lKK
Xref: g2news2.google.com rec.radio.amateur.equipment:6917

I have picked up a dead tr-7800 at a junk sale

The price was good - the transmit was dead but apparently the receive worked.

When I got it home I could hear static but the led frequency display did not even power up.

I can not locate even a circuit diagram on the web - can anybody point me at any resource that might be useful in getting this transmitter to at least receive.

thanks
Bruce

From -8591634513945879888
X-Google-Thread: 114aac,6424c39a11bd5c99
X-Google-Thread: 108122,6424c39a11bd5c99
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: dl2sba@web.de
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: WANTED: LOWE HF-150 - definition remote protocol
Date: 11 Nov 2006 06:17:36 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1163254656.545647.113990@i42g2000cwa.googlegroups.com>
References: <1163181759.638177.167530@m73g2000cwd.googlegroups.com>
   <cP6dnWZYvpYB2MjYnZ2dnUVZ_sWdnZ2d@comcast.com>
NNTP-Posting-Host: 88.64.156.197
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163254662 27189 127.0.0.1 (11 Nov 2006 14:17:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Nov 2006 14:17:42 +0000 (UTC)
In-Reply-To: <cP6dnWZYvpYB2MjYnZ2dnUVZ_sWdnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; de; rv:1.8.1) Gecko/20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=88.64.156.197;
   posting-account=O_AmEQ0AAABYUJFQ4RDXwN7M4oFc01Z5
Xref: g2news2.google.com rec.radio.shortwave:58434

rec.radio.amateur.equipment:6918

Mike, thanks for the hint - direct hit!

Dietmar

> join the LOWE group on yahoo groups, they know just about everthing on Lowe
> receivers

From -2095898635236333859
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Thread: 106d41,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
,rec.radio.cb
Subject: id theft is crime
Date: Sat, 11 Nov 2006 15:56:19 -0500
Message-ID: <77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
<1163134375.478399.291360@m73g2000cwd.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Date: 11 Nov 2006 20:01:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:53834
rec.radio.amateur.equipment:6919 rec.radio.amateur.boatanchors:6263
rec.radio.cb:21928

On 9 Nov 2006 20:52:55 -0800, "I PUNCE" <markpunce@yahoo.com> wrote:

>

id theft is crime
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -623067064706279864

```
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Thread: 106d41,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
,rec.radio.cb
Subject: Re: id theft is crime
Date: 11 Nov 2006 13:00:40 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1163278840.735637.82570@h48g2000cwc.googlegroups.com>
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
   <1163134375.478399.291360@m73g2000cwd.googlegroups.com>
   <77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
NNTP-Posting-Host: 4.224.231.102
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163278844 14767 127.0.0.1 (11 Nov 2006 21:00:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Nov 2006 21:00:44 +0000 (UTC)
In-Reply-To: <77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=4.224.231.102;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.policy:53843
rec.radio.amateur.equipment:6920 rec.radio.amateur.boatanchors:6264
rec.radio.cb:21929


M...@kb9rqz.aprs wrote:
> On 9 Nov 2006 20:52:55 -0800, "I PUNCE" <markpunce@yahoo.com> wrote:
>
> >
>
> id theft is crime


Wish Kenwood would come up with a noise-cancelling keyboard...



From 1398915692236348516
X-Google-Thread: 108122,ed3cf7b249461ae1,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "mountainfrog" <bergfrosch@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: C508 and C 408
Date: 11 Nov 2006 14:03:55 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1163282635.504020.128050@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 66.82.9.56
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163282640 24106 127.0.0.1 (11 Nov 2006 22:04:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Nov 2006 22:04:00 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-GB; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=66.82.9.56;
   posting-account=Xi4bVw0AAADNu90rYqD8NKJ6bx2xyp0i
Xref: g2news2.google.com rec.radio.amateur.equipment:6921

Looking for small Standard handhelds C 508/508A in like new condition.
Great if it comes with carrying case.




From 4821149377901257478
X-Google-Thread: 108122,ecfa78b554b254f5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: I need a Svetlana 572b amplifier tube
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <iwt5h.46591$Fi1.6055@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 00:02:22 GMT
NNTP-Posting-Host: 12.77.58.157
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163289742 12.77.58.157 (Sun, 12 Nov
2006 00:02:22 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 00:02:22 GMT
Organization: AT&T Worldnet
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:6922

Hope someone has an extra 572b tube.  I broke a tube trying to remove the
cap.




From 5078709668023742120
X-Google-Thread: 108122,1e546d508505e804,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need 572b amplifier tube
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <GBt5h.46594$Fi1.34514@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 00:08:06 GMT
NNTP-Posting-Host: 12.77.58.157
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163290086 12.77.58.157 (Sun, 12 Nov
2006 00:08:06 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 00:08:06 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6923

pls answer via email if you have a 572b amplifier tube.
billreed@w4pls.com




From -6762943269825832701
X-Google-Thread: 108122,f8ec826dcd959b4e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need 572-b amplifier tube
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <iHt5h.46608$Fi1.23876@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 00:14:06 GMT
NNTP-Posting-Host: 12.77.58.157
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163290446 12.77.58.157 (Sun, 12 Nov
2006 00:14:06 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 00:14:06 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6924

email me if you have a 572-b amplifier tube
billreed@w4pls.com




From 5012025538060047264
X-Google-Thread: 108122,15380f5a7e22f16f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: need 572 tube
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <HMt5h.46624$Fi1.34151@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 00:19:51 GMT
NNTP-Posting-Host: 12.77.58.157
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163290791 12.77.58.157 (Sun, 12 Nov
2006 00:19:51 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 00:19:51 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6925

need 572b amp tube. reply billreed@w4pls.com




From 3214610951004997339
X-Google-Thread: 108122,a0f5f70dd86f54ba,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need a 572-b amp tube
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <f5u5h.46690$Fi1.31554@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 00:41:47 GMT
NNTP-Posting-Host: 12.77.58.157
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163292107 12.77.58.157 (Sun, 12 Nov
2006 00:41:47 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 00:41:47 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6926

answer via billreed@w4pls.com




From 7856736964471403207
X-Google-Thread: 1109af,6f1c217d26735496,start
X-Google-Thread: 108122,6f1c217d26735496,start
X-Google-Thread: 10bf43,6f1c217d26735496,start
X-Google-Thread: fa029,6f1c217d26735496,start
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: I'm taking a cattle prod to the next club meeting.  I hope the place is
packed.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 3
Message-ID: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
Date: Sun, 12 Nov 2006 01:18:43 GMT
NNTP-Posting-Host: 4.227.160.145
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1163294323 4.227.160.145 (Sat, 11 Nov
2006 17:18:43 PST)
```

NNTP-Posting-Date: Sat, 11 Nov 2006 17:18:43 PST
Xref: g2news2.google.com rec.radio.swap:9684 rec.radio.amateur.equipment:6927
rec.radio.amateur.policy:53875 rec.radio.scanner:7702

I want to make a no-code sit on the floor.

SC

From -5274882699224711384
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Thread: 106d41,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
,rec.radio.cb
Subject: Re: id theft is crime, is Why we need to keep Code.
From: Slow Code <my.mail@no.spam>
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
<1163134375.478399.291360@m73g2000cwd.googlegroups.com>
<77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
<1163278840.735637.82570@h48g2000cwc.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 20
Message-ID: <VDu5h.5288$0r.5107@newsread1.news.pas.earthlink.net>
Date: Sun, 12 Nov 2006 01:18:45 GMT
NNTP-Posting-Host: 4.227.160.145
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1163294325 4.227.160.145 (Sat, 11 Nov
2006 17:18:45 PST)
NNTP-Posting-Date: Sat, 11 Nov 2006 17:18:45 PST
Xref: g2news2.google.com rec.radio.amateur.policy:53876
rec.radio.amateur.equipment:6928 rec.radio.amateur.boatanchors:6266
rec.radio.cb:21936

hot-ham-and-cheese@hotmail.com wrote in
news:1163278840.735637.82570@h48g2000cwc.googlegroups.com:

>
> M...@kb9rqz.aprs wrote:
>> On 9 Nov 2006 20:52:55 -0800, "I PUNCE" <markpunce@yahoo.com> wrote:
>>
>> >
>>
>> id theft is crime
>

>
> Wish Kenwood would come up with a noise-cancelling keyboard...

If we eliminate the Code requirement, you'll be wishing Kenwood could come up with a Lid Filter. Markie is proof you'll need one.

SC

```
From 3914966442953408579
X-Google-Thread: 108122,7ca1592b10928944,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: I need a 572-b amp tube
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <GIv5h.47020$Fi1.12786@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 02:32:06 GMT
NNTP-Posting-Host: 12.77.57.252
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163298726 12.77.57.252 (Sun, 12 Nov
2006 02:32:06 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 02:32:06 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6929
```

anyone that has one to sell email me billreed@w4pls.com
Thanks in advance
bill

```
From -2880033906976473880
X-Google-Thread: 108122,d4c342df316fd959
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <455689C5.3F3D280E@nosapamming.org>
From: guido <guido@nosapamming.org>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
```

```
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need TS-870S Service Manual (Urgent)
References: <454c2de8$1_2@filemon2.isp.telecable.es>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sun, 12 Nov 2006 02:41:10 GMT
NNTP-Posting-Host: 12.76.214.194
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163299270 12.76.214.194 (Sun, 12 Nov
2006 02:41:10 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 02:41:10 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6930

http://www.radioamateur.eu/KENWOOD.html

manual kenwood 870S download pdf

salute



From -7195447891237591330
X-Google-Thread: 108122,d4c342df316fd959
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <455689EE.E9351068@nosapamming.org>
From: guido <guido@nosapamming.org>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need TS-870S Service Manual (Urgent)
References: <454c2de8$1_2@filemon2.isp.telecable.es>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sun, 12 Nov 2006 02:41:51 GMT
NNTP-Posting-Host: 12.76.214.194
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163299311 12.76.214.194 (Sun, 12 Nov
2006 02:41:51 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 02:41:51 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6931

http://www.radioamateur.eu/KENWOOD.html
```

manual kenwood 870S download pdf

salute

From -871661612058824029
X-Google-Thread: 108122,d4c342df316fd959
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <45568A00.7AAB75A5@nosapamming.org>
From: guido <guido@nosapamming.org>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need TS-870S Service Manual (Urgent)
References: <454c2de8$1_2@filemon2.isp.telecable.es>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sun, 12 Nov 2006 02:42:09 GMT
NNTP-Posting-Host: 12.76.214.194
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163299329 12.76.214.194 (Sun, 12 Nov 2006 02:42:09 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 02:42:09 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6932

http://www.radioamateur.eu/KENWOOD.html

manual kenwood 870S download pdf

salute

From -2361103689454982271
X-Google-Thread: 108122,d4c342df316fd959
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <45568A09.2781C4FA@nosapamming.org>
From: guido <guido@nosapamming.org>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need TS-870S Service Manual (Urgent)
References: <454c2de8$1_2@filemon2.isp.telecable.es>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sun, 12 Nov 2006 02:42:18 GMT
NNTP-Posting-Host: 12.76.214.194
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163299338 12.76.214.194 (Sun, 12 Nov 2006 02:42:18 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 02:42:18 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6933

http://www.radioamateur.eu/KENWOOD.html

manual kenwood 870S download pdf

salute

From 5638293278584073529
X-Google-Thread: 108122,36382630bce93696,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!wn13feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: testing
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <pWv5h.47065$Fi1.37196@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 02:46:45 GMT
NNTP-Posting-Host: 12.77.57.252
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163299605 12.77.57.252 (Sun, 12 Nov 2006 02:46:45 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 02:46:45 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6934

testing

```
From -4710096829275717250
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: slow code threatens assult on NoCoder can this be a "good Ham"
Date: Sun, 12 Nov 2006 00:49:19 -0500
Message-ID: <mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
NNTP-Posting-Date: 12 Nov 2006 04:54:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9705 rec.radio.amateur.equipment:6935
rec.radio.amateur.policy:53920 rec.radio.scanner:7707

On Sun, 12 Nov 2006 01:18:43 GMT, Slow Code <my.mail@no.spam> wrote:

>I want to make a no-code sit on the floor.

you try it at any club and I bet you will end in jail sc
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -2490363665091431577
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Thread: 106d41,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
```

```
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
,rec.radio.cb
Subject: Re: id theft is crime,
Date: Sun, 12 Nov 2006 00:49:46 -0500
Message-ID: <6fddl29v5kcro8su3ttf3qr9dofnlir1b4@4ax.com>
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
<1163134375.478399.291360@m73g2000cwd.googlegroups.com>
<77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
<1163278840.735637.82570@h48g2000cwc.googlegroups.com>
<VDu5h.5288$0r.5107@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Date: 12 Nov 2006 04:54:50 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:53921
rec.radio.amateur.equipment:6936 rec.radio.amateur.boatanchors:6268
rec.radio.cb:21942

On Sun, 12 Nov 2006 01:18:45 GMT, Slow Code <my.mail@no.spam> wrote:

>hot-ham-and-cheese@hotmail.com wrote in
>news:1163278840.735637.82570@h48g2000cwc.googlegroups.com:
>
>>
>> M...@kb9rqz.aprs wrote:
>>> On 9 Nov 2006 20:52:55 -0800, "I PUNCE" <markpunce@yahoo.com> wrote:
>>>
>>> >
>>>
>>> id theft is crime
>>
>>
>> Wish Kenwood would come up with a noise-cancelling keyboard...
>
>
>
>If we eliminate the Code requirement, you'll be wishing Kenwood could come up
>with a Lid Filter.  Markie is proof you'll need one.

you are prrof that no such thing exists
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 3993114162700519632
```

```
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Thread: 107ada,c269ed4feb90c53c
X-Google-Thread: 114aac,c269ed4feb90c53c
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "The Poet" <tcsshortwave@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Fortunately we still have Bush as President.
Date: 12 Nov 2006 01:57:22 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1163325442.201220.9260@e3g2000cwe.googlegroups.com>
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 207.69.137.34
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163325447 29875 127.0.0.1 (12 Nov 2006 09:57:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Nov 2006 09:57:27 +0000 (UTC)
In-Reply-To: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=207.69.137.34;
   posting-account=v5825A0AAACKuEV8AMQMrnFgFKg06OIf
Xref: g2news2.google.com rec.radio.amateur.equipment:6937
rec.radio.amateur.misc:25930 rec.radio.shortwave:58533
```

Slow Code wrote:

> The Democrats can't totally destroy the country without an America hater
> in the White house.
>
> SC

We already DO have an 'America hater' in the White House, and his name is 'Shrub'.

He already HAS nearly destroyed the country and the Constitution. The Democrats are the country's only hope for a return to sanity, and the vast majority of the nation's voters understood that.

```
From 1356409076093371762
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
```

```
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!feed.news.qwest.net!
mpls-nntp-04.inet.qwest.net!news.qwest.net!not-for-mail
Date: Sun, 12 Nov 2006 02:53:01 -0800
From: PhattyMo <PhattyMo@nospam.gmail>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: slow code threatens assult on NoCoder can this be a "good Ham"
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
In-Reply-To: <mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <4556fc76$0$510$815e3792@news.qwest.net>
Organization: Qwest Communications Corporation
NNTP-Posting-Host: 079ee7ff.news.qwest.net
X-Trace:
DXC=VDO<MMEI^5em_niang2CmoF85SKJoGf>doneOQibcCPe3<4fknPZf>hTi]mQXjR>fh;V80FX7WkagH
UC75;[4E0fVS4abNnWU[o
X-Complaints-To: abuse@qwest.net
Xref: g2news2.google.com rec.radio.swap:9715 rec.radio.amateur.equipment:6938
rec.radio.amateur.policy:53961 rec.radio.scanner:7709

Mark@kb9rqz.aprs wrote:
> On Sun, 12 Nov 2006 01:18:43 GMT, Slow Code <my.mail@no.spam> wrote:
>
>> I want to make a no-code sit on the floor.
>
> you try it at any club and I bet you will end in jail sc
>> SC
> http://kb9rqz.blogspot.com/
>


Let him do it,Jail is the best place for him.


From -4970860622480646888
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net
From: "Not Steve" <anon@anon>
Newsgroups:
```

```
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: slow code threatens assult on NoCoder can this be a "good Ham"
Date: Sun, 12 Nov 2006 07:11:39 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 30
Message-ID: <f3kma.k5d.19.1@news.alt.net>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
<4556fc76$0$510$815e3792@news.qwest.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.swap:9716 rec.radio.amateur.equipment:6939
rec.radio.amateur.policy:53962 rec.radio.scanner:7711


"PhattyMo" <PhattyMo@nospam.gmail> wrote in message
news:4556fc76$0$510$815e3792@news.qwest.net...
Mark@kb9rqz.aprs wrote:
> On Sun, 12 Nov 2006 01:18:43 GMT, Slow Code <my.mail@no.spam> wrote:
>
>> I want to make a no-code sit on the floor.
>
> you try it at any club and I bet you will end in jail sc
>> SC
> http://kb9rqz.blogspot.com/
>


Let him do it,Jail is the best place for him.
**************

The bottom line remains. No-Coders should salute their superiors and should
give up their chairs as a matter of courtesy.
Doing so is a simple show of respect.

No-Coders should be made to stand at the back of the room until they can
pass no less than 5wpm. Then, and only then, will they be allowed to come to
the front to whine.









From -7343208466588702416
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter <k1xvnospam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Fortunately we still have Bush as President.
Date: Sun, 12 Nov 2006 08:04:13 -0500
Reply-To: k1xvnospam@arrl.net
Message-ID: <et6el2d5cg0vo4evmgq7qkfvs7tehg8vhf@4ax.com>
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
<ugb5l219n7l75uvrfektbt3kajk3mj7llv@4ax.com>
<3jl6l25sm5hpbomh6m9mbugsi547msmjrb@4ax.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-42-117.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 16
X-Trace: 7bf9c45571b837de7c94b27140
Xref: g2news2.google.com rec.radio.amateur.equipment:6940

On Thu, 09 Nov 2006 11:25:54 -0500, pltrgyst
<pltrgyst@spamlessxhost.org> wrote:

>On Wed, 08 Nov 2006 23:27:32 -0500, X-rated Vermonter wrote:
>
>
>>>The Democrats can't totally destroy the country without an America hater
>>>in the White house.
>>
>>Does Bush know any CW?
>
>Bush can't even spell CW.
>
>-- Larry
++++++++++
I always knew he was a CBer.


From 4288045769177084857
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 10f7a7,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid10f7a7,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old freind" <Mark@kb9rqz.aprs>
```

```
Newsgroups:
rec.radio.amateur.policy,alt.usenet.kooks,rec.radio.amateur.equipment,rec.radio.am
ateur.boatanchors
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
<1163134375.478399.291360@m73g2000cwd.googlegroups.com>
<77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
<1163278840.735637.82570@h48g2000cwc.googlegroups.com>
<ZVy5h.5361$0r.2774@newsread1.news.pas.earthlink.net>
Subject: Re: id theft is crime
Date: Sun, 12 Nov 2006 08:06:23 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 21
Message-ID: <45570f76$0$21090$88260bb3@free.teranews.com>
NNTP-Posting-Date: 12 Nov 2006 12:11:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:53968 alt.usenet.kooks:267238
rec.radio.amateur.equipment:6941 rec.radio.amateur.boatanchors:6269


"Dave Heil" <k8mn@earthlink.net> wrote in message
news:ZVy5h.5361$0r.2774@newsread1.news.pas.earthlink.net...
> hot-ham-and-cheese@hotmail.com wrote:
>> M...@kb9rqz.aprs wrote:
>>> On 9 Nov 2006 20:52:55 -0800, "I PUNCE" <markpunce@yahoo.com> wrote:
>>>
>>> id theft is crime
>>
>>
>> Wish Kenwood would come up with a noise-cancelling keyboard...
>
> I just wish Mark would make up his mind whether it is more important to
> find his id or to continue his new program to stamp out defecation in
> South Carolina.
>
I ejoy dafacaton upon penetrtoin
> Dave K8MN
>




--
Posted via a free Usenet account from http://www.teranews.com



From -7981684393415333081
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Thread: 107ada,c269ed4feb90c53c
```

```
X-Google-Thread: 114aac,c269ed4feb90c53c
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!fb4330df!not-for-mail
From: smacktalk@netscape.net
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Fortunately we still have Bush as President.
Message-ID: <bt7el2d3jab8t605cp363fuc43budgo3a4@4ax.com>
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0647-0, 11/09/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 10
Date: Sun, 12 Nov 2006 13:22:34 GMT
NNTP-Posting-Host: 151.204.151.34
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1163337754 151.204.151.34 (Sun, 12 Nov 2006 08:22:34 EST)
NNTP-Posting-Date: Sun, 12 Nov 2006 08:22:34 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:6942
rec.radio.amateur.misc:25935 rec.radio.shortwave:58541

On Thu, 09 Nov 2006 00:45:34 GMT, Slow Code <my.mail@no.spam> wrote:

>
>The Democrats can't totally destroy the country without an America hater
>in the White house.
>
>SC
When are you stupid 31%ers going to get over it?  No one gives a fuck
what you think anymore; chickenhawk bitches like yourself have just
been rendered irrelevant.


From 7757850978720679832
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Thread: 107ada,c269ed4feb90c53c
X-Google-Thread: 114aac,c269ed4feb90c53c
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.154.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4557224D.8090603@fuse.net>
Date: Sun, 12 Nov 2006 08:31:57 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
```

```
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Fortunately we still have Bush as President.
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
<1163325442.201220.9260@e3g2000cwe.googlegroups.com>
In-Reply-To: <1163325442.201220.9260@e3g2000cwe.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 21
X-Trace: ee6934557310bed946aee31064
Xref: g2news2.google.com rec.radio.amateur.equipment:6943
rec.radio.amateur.misc:25936 rec.radio.shortwave:58543

The Poet wrote:
> Slow Code wrote:
>
>>The Democrats can't totally destroy the country without an America hater
>>in the White house.
>>
>>SC
>
>
>
> We already DO have an 'America hater' in the White House, and his name
> is 'Shrub'.
>
> He already HAS nearly destroyed the country and the Constitution.  The
> Democrats are the country's only hope for a return to sanity, and the
> vast majority of the nation's voters understood that.
>
you're being too kind
When I grew up I was taught that every boy could grow up to be President.
I never imagined it would be the rich kid flunkie in the back forever
daydreaming in class.


From -8767405928517153729
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Thread: 107ada,c269ed4feb90c53c
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-
xt-sjc-10!sn-xt-sjc-01!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Fortunately we still have Bush as President.
Date: Sun, 12 Nov 2006 08:39:04 -0500
Organization: The Listener at The Gates of Dawn
Message-ID: <455723F8.777650A9@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
```

```
MIME-Version: 1.0
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
<1163325442.201220.9260@e3g2000cwe.googlegroups.com> <4557224D.8090603@fuse.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com rec.radio.amateur.equipment:6944
rec.radio.amateur.misc:25937



jawod wrote:

> The Poet wrote:
> > Slow Code wrote:
> >
> >>The Democrats can't totally destroy the country without an America hater
> >>in the White house.
> >>
> >>SC
> >
> >
> >
> > We already DO have an 'America hater' in the White House, and his name
> > is 'Shrub'.
> >
> > He already HAS nearly destroyed the country and the Constitution.  The
> > Democrats are the country's only hope for a return to sanity, and the
> > vast majority of the nation's voters understood that.
> >
> you're being too kind
> When I grew up I was taught that every boy could grow up to be President.
> I never imagined it would be the rich kid flunkie in the back forever
> daydreaming in class.

Awww... you're thinking of John 'Fraud' Kerry, though he didn't make it.




From 7938550477978095779
X-Google-Thread: 108122,67a770e9592c34f1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: NOS AMPEREX TUBES+CRL SWITCHES
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <pFF5h.251486$QZ1.136812@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 08631d96cb3dcd0cd4a38baf3e92fba3
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1163339477
08631d96cb3dcd0cd4a38baf3e92fba3 (Sun, 12 Nov 2006 13:51:17 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 13:51:17 GMT
Organization: AT&T Worldnet
Date: Sun, 12 Nov 2006 13:51:17 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6945
```

NOS Amperex utbes in original boxes + CRL 3&4 wafer switches (more coming): will be adding other stuff as well-check often:

see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking, 73 heytubeguy

```
From -2075594005615947035
X-Google-Thread: 108122,2240a7a7b14d4700,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-
for-mail
Reply-To: "Bill" <billreed@w4pls.com>
From: "Bill" <billreed@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: test
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <I1G5h.48995$Fi1.13349@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 14:17:12 GMT
NNTP-Posting-Host: 12.77.57.246
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163341032 12.77.57.246 (Sun, 12 Nov
2006 14:17:12 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 14:17:12 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6946
```

test

```
From 1863777542410051747
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 10f7a7,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid10f7a7,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old freind" <Mark@kb9rqz.aprs>
Newsgroups:
rec.radio.amateur.policy,alt.usenet.kooks,rec.radio.amateur.equipment,rec.radio.am
ateur.boatanchors
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
<1163134375.478399.291360@m73g2000cwd.googlegroups.com>
<77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
<1163278840.735637.82570@h48g2000cwc.googlegroups.com>
<ZVy5h.5361$0r.2774@newsread1.news.pas.earthlink.net>
<45570f76$0$21090$88260bb3@free.teranews.com>
Subject: Re: id theft is crime
Date: Sun, 12 Nov 2006 09:27:05 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 32
Message-ID: <4557225f$0$21088$88260bb3@free.teranews.com>
NNTP-Posting-Date: 12 Nov 2006 13:32:15 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:53979 alt.usenet.kooks:267262
rec.radio.amateur.equipment:6947 rec.radio.amateur.boatanchors:6271


"an old freind" <Mark@kb9rqz.aprs> wrote in message
news:45570f76$0$21090$88260bb3@free.teranews.com...
>
> "Dave Heil" <k8mn@earthlink.net> wrote in message
> news:ZVy5h.5361$0r.2774@newsread1.news.pas.earthlink.net...
>> hot-ham-and-cheese@hotmail.com wrote:
>>> M...@kb9rqz.aprs wrote:
>>>> On 9 Nov 2006 20:52:55 -0800, "I PUNCE" <markpunce@yahoo.com> wrote:
>>>>
>>>> id theft is crime
>>>
>>>
>>> Wish Kenwood would come up with a noise-cancelling keyboard...
>>
```

```
>> I just wish Mark would make up his mind whether it is more important to
>> find his id or to continue his new program to stamp out defecation in
>> South Carolina.
>>
> I ejoy dafacaton upon penetrtoin
>> Dave K8MN
>>
stop fogreing my fake emale adress or i will report u two ur isp tis is a
fynal waring
>
>
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>




--
Posted via a free Usenet account from http://www.teranews.com




From -1636432150065290515
X-Google-Thread: 108122,2240a7a7b14d4700
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Reply-To: "Bill" <billreed@w4pls.com>
From: "Bill" <billreed@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: test
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <iNG5h.49152$Fi1.2614@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 15:07:58 GMT
NNTP-Posting-Host: 12.77.57.246
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163344078 12.77.57.246 (Sun, 12 Nov
2006 15:07:58 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 15:07:58 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6948

test
```

From -7323539964518443738
X-Google-Thread: 108122,a7dbf45c94adf73f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Why can't I see my posts?????
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <SQG5h.49167$Fi1.49107@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 15:11:46 GMT
NNTP-Posting-Host: 12.77.57.246
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163344306 12.77.57.246 (Sun, 12 Nov
2006 15:11:46 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 15:11:46 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6949

Can't see my posts or answers to my posts.
billreed@w4pls.com

From -5799156271656655706
X-Google-Thread: 108122,a7dbf45c94adf73f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old freind" <Mark@kb9rqz.aprs>
Newsgroups: rec.radio.amateur.equipment
References: <SQG5h.49167$Fi1.49107@bgtnsc05-news.ops.worldnet.att.net>
Subject: Re: Why can't I see my posts?????
Date: Sun, 12 Nov 2006 10:35:24 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 8
Message-ID: <45573263$0$21188$88260bb3@free.teranews.com>
NNTP-Posting-Date: 12 Nov 2006 14:40:35 GMT

X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6950

"Bill" <billreed@att.net> wrote in message
news:SQG5h.49167$Fi1.49107@bgtnsc05-news.ops.worldnet.att.net...
> Can't see my posts or answers to my posts.
> billreed@w4pls.com

with teh punce gotcha do u hav anyting cognet two say?

--
Posted via a free Usenet account from http://www.teranews.com

From 6354974542016868562
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Nov 2006 09:47:53 -0600
From: "honestjohn" <honestjohn@centurytel.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
<4556fc76$0$510$815e3792@news.qwest.net> <f3kma.k5d.19.1@news.alt.net>
Subject: Re: slow code threatens assult on NoCoder can this be a "good Ham"
Date: Sun, 12 Nov 2006 09:03:05 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <yIOdnduA4a-038rYnZ2dnUVZ_vednZ2d@centurytel.net>
Lines: 33
NNTP-Posting-Host: 72.161.94.121
X-Trace: sv3-12yajrImhIvJe+rH5lATvop/
UFMf8o2Cj3GEaoAlVPNgKuhTLaLnwbgQ2arcrgHpKtQPYYXUXZg017c!
ZsRF0yUkyBxr7vPt8DLuOrfqJGkkl9WhQ374yFx2I5iCDHzxivE2BKvS3liB0xXS01Mj6UGKuRRw!
sTQb6d/2b/nWBJ1o89J4Iv1G25BCGLAMn/krAY5Y
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly

```
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:9722 rec.radio.amateur.equipment:6951
rec.radio.amateur.policy:53992 rec.radio.scanner:7714


"Not Steve" <anon@anon> wrote in message news:f3kma.k5d.19.1@news.alt.net...
>
> "PhattyMo" <PhattyMo@nospam.gmail> wrote in message
> news:4556fc76$0$510$815e3792@news.qwest.net...
> Mark@kb9rqz.aprs wrote:
> > On Sun, 12 Nov 2006 01:18:43 GMT, Slow Code <my.mail@no.spam> wrote:
> >
> >> I want to make a no-code sit on the floor.
> >
> > you try it at any club and I bet you will end in jail sc
> >> SC
> > http://kb9rqz.blogspot.com/
> >
>
>
> Let him do it,Jail is the best place for him.
> **************
>
> The bottom line remains. No-Coders should salute their superiors and
should
> give up their chairs as a matter of courtesy.
> Doing so is a simple show of respect.
>
> No-Coders should be made to stand at the back of the room until they can
> pass no less than 5wpm. Then, and only then, will they be allowed to come
to
> the front to whine.
>
Would they have to sit in the back of the bus and us their own water
fountains, also?




From 1129376478595771817
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: id theft is crime
Date: Sun, 12 Nov 2006 13:31:07 -0500
Message-ID: <q2qel2ha6ct1gobt0ubengmdf230q1e9uk@4ax.com>
```

References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
<1163134375.478399.291360@m73g2000cwd.googlegroups.com>
<77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
<1163278840.735637.82570@h48g2000cwc.googlegroups.com>
<ZVy5h.5361$0r.2774@newsread1.news.pas.earthlink.net>
<45570f76$0$21090$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Date: 12 Nov 2006 17:36:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54015
rec.radio.amateur.equipment:6952 rec.radio.amateur.boatanchors:6273

On Sun, 12 Nov 2006 08:06:23 -0500, "an old freind" <Mark@kb9rqz.aprs>
wrote:

>
more forgery more crime

http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -3114982243965730432
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: id theft is crime
Date: Sun, 12 Nov 2006 13:31:26 -0500
Message-ID: <g3qel29fqrb6o5n3e5o3o70g4p975bvnh1@4ax.com>
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
<1163134375.478399.291360@m73g2000cwd.googlegroups.com>
<77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
<1163278840.735637.82570@h48g2000cwc.googlegroups.com>
<ZVy5h.5361$0r.2774@newsread1.news.pas.earthlink.net>
<45570f76$0$21090$88260bb3@free.teranews.com>
<4557225f$0$21088$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Date: 12 Nov 2006 17:36:32 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54016
rec.radio.amateur.equipment:6953 rec.radio.amateur.boatanchors:6274

On Sun, 12 Nov 2006 09:27:05 -0500, "an old freind" <Mark@kb9rqz.aprs>
wrote:

>

more forgery more crime
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -7218733367217603519
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: slow code threatens assult on NoCoder can this be a "good Ham"
Date: Sun, 12 Nov 2006 13:38:15 -0500
Message-ID: <reqel2hk8ubes98ps2r7ki79sq3csvj2rk@4ax.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
<4556fc76$0$510$815e3792@news.qwest.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
NNTP-Posting-Date: 12 Nov 2006 17:43:25 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9731 rec.radio.amateur.equipment:6954
rec.radio.amateur.policy:54022 rec.radio.scanner:7722

On Sun, 12 Nov 2006 02:53:01 -0800, PhattyMo <PhattyMo@nospam.gmail>
wrote:

>Mark@kb9rqz.aprs wrote:

```
>> On Sun, 12 Nov 2006 01:18:43 GMT, Slow Code <my.mail@no.spam> wrote:
>>
>>> I want to make a no-code sit on the floor.
>>
>> you try it at any club and I bet you will end in jail sc
>>> SC
>> http://kb9rqz.blogspot.com/
>>
>
>
>Let him do it,Jail is the best place for him.
```

indeed it is but being a good guy myself I am pointing out to him the
results of his insane suggestion

besides that way aftter he pulls and gets busted I can be a more
vituous in saying I told you so
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -2943435112382690202
X-Google-Thread: 10bf43,ac7587ba97c595e3,start
X-Google-Thread: fcc6e,ac7587ba97c595e3,start
X-Google-Thread: 108122,ac7587ba97c595e3,start
X-Google-Thread: 107ada,ac7587ba97c595e3,start
X-Google-Thread: fb049,ac7587ba97c595e3,start
X-Google-Thread: 10f7a7,ac7587ba97c595e3,start
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old freind" <Mark@kb9rqz.aprs>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
Subject: my knew blog
Date: Sun, 12 Nov 2006 13:40:48 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 5
Message-ID: <45575dd6$0$21192$88260bb3@free.teranews.com>
NNTP-Posting-Date: 12 Nov 2006 17:45:58 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54024
```

rec.radio.amateur.antenna:21404 rec.radio.amateur.equipment:6955
rec.radio.amateur.misc:25956 alt.ham-radio.vhf-uhf:3127 alt.usenet.kooks:267398

it about woger

http://whywogersucks.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 5287876199094038441
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf
Subject: id theft remains a crime
Date: Sun, 12 Nov 2006 13:54:01 -0500
Message-ID: <7drel2p1l5khd40ubihhd83klnn56hu493@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
NNTP-Posting-Date: 12 Nov 2006 17:59:06 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54036
rec.radio.amateur.antenna:21406 rec.radio.amateur.equipment:6956
rec.radio.amateur.misc:25960 alt.ham-radio.vhf-uhf:3129

On Sun, 12 Nov 2006 13:40:48 -0500, "an old freind" <Mark@kb9rqz.aprs>
wrote:

>it about woger
>
>http://whywogersucks.blogspot.com/
and I hardly write about ole woger except when I am repling to him
http://kb9rqz.blogspot.com/

--

Posted via a free Usenet account from http://www.teranews.com

```
From -5653089845421286105
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place
is packed.
Date: 12 Nov 2006 11:12:13 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1163358732.974481.36640@b28g2000cwb.googlegroups.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 4.225.99.116
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163358739 13043 127.0.0.1 (12 Nov 2006 19:12:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Nov 2006 19:12:19 +0000 (UTC)
In-Reply-To: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=4.225.99.116;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.swap:9735 rec.radio.amateur.equipment:6957
rec.radio.amateur.policy:54041 rec.radio.scanner:7723
```

What kind of weird club is this? Do you shave your head and wear lots
of patent leather?

```
From 3353197333846092609
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Thread: 106d41,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: Re: Why we need to keep Code.
Date: 12 Nov 2006 11:13:56 -0800
Organization: http://groups.google.com
Lines: 25
Message-ID: <1163358836.686995.238400@m7g2000cwm.googlegroups.com>
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
   <1163134375.478399.291360@m73g2000cwd.googlegroups.com>
   <77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
   <1163278840.735637.82570@h48g2000cwc.googlegroups.com>
   <VDu5h.5288$0r.5107@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 4.225.99.116
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163358842 14504 127.0.0.1 (12 Nov 2006 19:14:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Nov 2006 19:14:02 +0000 (UTC)
In-Reply-To: <VDu5h.5288$0r.5107@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=4.225.99.116;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.policy:54042
rec.radio.amateur.equipment:6958 rec.radio.amateur.boatanchors:6275
rec.radio.cb:21990

Slow Code wrote:
> hot-ham-and-cheese@hotmail.com wrote in
> news:1163278840.735637.82570@h48g2000cwc.googlegroups.com:
>
> >
> > M...@kb9rqz.aprs wrote:
> >> On 9 Nov 2006 20:52:55 -0800, "I PUNCE" <markpunce@yahoo.com> wrote:
> >>
> >> >
> >>
> >> id theft is crime
> >
> >
> > Wish Kenwood would come up with a noise-cancelling keyboard...
>
>
>
> If we eliminate the Code requirement, you'll be wishing Kenwood could come up
> with a Lid Filter. Markie is proof you'll need one.

```
>
> SC

You're all the proof I need.



From 9083246979244380130
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Nov 2006 13:18:34 -0600
From: "honestjohn" <honestjohn@centurytel.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<1163358732.974481.36640@b28g2000cwb.googlegroups.com>
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place
is packed.
Date: Sun, 12 Nov 2006 12:31:26 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net>
Lines: 10
NNTP-Posting-Host: 72.161.94.121
X-Trace: sv3-X8EGL21vREUtThzWFm04Bq/4C/
EaRBITts3XkiSv2268Hd11thS+TmgxyTVxB4ZehmgM1ddwQiUvThr!
h1f7YSckkUwm5OhcJB60bjSJf86K66gQPwHY48KkLYsWgCAtBJVo8V0+g6GsH9Sp5SuBv1jw3neB!
FQdzmfqvV4HwGJHrPGq0Bckweo4KDO5vKZFLdhX+
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:9736 rec.radio.amateur.equipment:6959
rec.radio.amateur.policy:54044 rec.radio.scanner:7724


<hot-ham-and-cheese@hotmail.com> wrote in message
news:1163358732.974481.36640@b28g2000cwb.googlegroups.com...
>
> What kind of weird club is this?  Do you shave your head and wear lots
> of patent leather?
```

```
>
Don't forget the nipple piercing!




From -8394137544324036781
X-Google-Thread: 108122,55e434c1b5cdefdd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Reply-To: "Bill" <billreed@w4pls.com>
From: "Bill" <billreed@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: testS
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <1uK5h.49881$Fi1.32457@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 19:20:29 GMT
NNTP-Posting-Host: 12.77.57.246
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163359229 12.77.57.246 (Sun, 12 Nov
2006 19:20:29 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 19:20:29 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6960

Tests




From -1464650847628928137
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old freind" <Mark@kb9rqz.aprs>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<1163358732.974481.36640@b28g2000cwb.googlegroups.com>
<fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net>
```

```
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place
is packed.
Date: Sun, 12 Nov 2006 14:21:27 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 15
Message-ID: <45576760$0$21084$88260bb3@free.teranews.com>
NNTP-Posting-Date: 12 Nov 2006 18:26:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9737 rec.radio.amateur.equipment:6961
rec.radio.amateur.policy:54045 rec.radio.scanner:7725


"honestjohn" <honestjohn@centurytel.net> wrote in message
news:fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net...
>
> <hot-ham-and-cheese@hotmail.com> wrote in message
> news:1163358732.974481.36640@b28g2000cwb.googlegroups.com...
>>
>> What kind of weird club is this?  Do you shave your head and wear lots
>> of patent leather?
>>
> Don't forget the nipple piercing!
u makeing me hot two tott
http://home.mchsi.com/~north1959/professorblumpkin.jpg




--
Posted via a free Usenet account from http://www.teranews.com



From -1915710534559223827
X-Google-Thread: 108122,1ac65765228f1c2f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-
for-mail
Reply-To: "Bill" <billreed@w4pls.com>
From: "Bill" <billreed@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: I need a 572b amp tube
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <HvK5h.49888$Fi1.15427@bgtnsc05-news.ops.worldnet.att.net>
Date: Sun, 12 Nov 2006 19:22:15 GMT
NNTP-Posting-Host: 12.77.57.246
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1163359335 12.77.57.246 (Sun, 12 Nov
2006 19:22:15 GMT)
NNTP-Posting-Date: Sun, 12 Nov 2006 19:22:15 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6962

If available email
billreed@w4pls.com
thanks




From 7471087699796398312
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place
is packed.
Date: 12 Nov 2006 11:52:36 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1163361156.266427.137250@m73g2000cwd.googlegroups.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
   <1163358732.974481.36640@b28g2000cwb.googlegroups.com>
   <fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net>
   <45576760$0$21084$88260bb3@free.teranews.com>
NNTP-Posting-Host: 4.225.99.116
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163361162 21232 127.0.0.1 (12 Nov 2006 19:52:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Nov 2006 19:52:42 +0000 (UTC)
In-Reply-To: <45576760$0$21084$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=4.225.99.116;
```

posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.swap:9739 rec.radio.amateur.equipment:6963
rec.radio.amateur.policy:54049 rec.radio.scanner:7726

an old freind wrote:
> "honestjohn" <honestjohn@centurytel.net> wrote in message
> news:fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net...
> >
> > <hot-ham-and-cheese@hotmail.com> wrote in message
> > news:1163358732.974481.36640@b28g2000cwb.googlegroups.com...
> >>
> >> What kind of weird club is this? Do you shave your head and wear lots
> >> of patent leather?
> >>
> > Don't forget the nipple piercing!

> u makeing me hot two tott

Not me! It's Slow that has the cattle prod.

From 1760865219800482053
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place
is packed.
Date: Sun, 12 Nov 2006 15:08:54 -0500
Message-ID: <apvel2p4ebg1utv7v391edvrrpm45hp7ng@4ax.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<1163358732.974481.36640@b28g2000cwb.googlegroups.com>
<fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net>
<45576760$0$21084$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 12 Nov 2006 19:13:59 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9741 rec.radio.amateur.equipment:6964
rec.radio.amateur.policy:54055 rec.radio.scanner:7727

On Sun, 12 Nov 2006 14:21:27 -0500, "an old freind" <Mark@kb9rqz.aprs>
wrote:

>
>"honestjohn" <honestjohn@centurytel.net> wrote in message
>news:fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net...
>>
>> <hot-ham-and-cheese@hotmail.com> wrote in message
>> news:1163358732.974481.36640@b28g2000cwb.googlegroups.com...
>>>
>>> What kind of weird club is this? Do you shave your head and wear lots
>>> of patent leather?
>>>
>> Don't forget the nipple piercing!
>u makeing me hot two tott
forgery again

but SC and his friends like Robeson are definately into the BDSM
school of lincensure
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From 1516890765943166751
X-Google-Thread: 108122,a7dbf45c94adf73f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe23.lga.POSTED!
53ab2750!not-for-mail
From: no.spam@junk.mail.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Why can't I see my posts?????
Sender: no.spam@junk.mail.net
Organization: Spam costs EVERYone except the spammers
Reply-To: no.spam@junk.mail.net
Message-ID: <6h0fl2923g084fhmsmrnetjtedhbvmjmv0@4ax.com>
References: <SQG5h.49167$Fi1.49107@bgtnsc05-news.ops.worldnet.att.net>
X-Newsreader: Forte Agent 2.0/32.640
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Sun, 12 Nov 2006 15:21:31 -0500
NNTP-Posting-Host: 68.228.157.130
X-Complaints-To: admin@cox.net
X-Trace: newsfe23.lga 1163362893 68.228.157.130 (Sun, 12 Nov 2006 13:21:33 MST)
NNTP-Posting-Date: Sun, 12 Nov 2006 13:21:33 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:6965
```

```
On Sun, 12 Nov 2006 15:11:46 GMT, "Bill" <billreed@att.net> wrote:

>Can't see my posts or answers to my posts.
>billreed@w4pls.com
>

Perhaps because you are stupid... Too bad you'll never see this_



From -5335859461641310313
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "an old freind" <Mark@kb9rqz.aprs>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<1163358732.974481.36640@b28g2000cwb.googlegroups.com>
<fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net>
<45576760$0$21084$88260bb3@free.teranews.com>
<1163361156.266427.137250@m73g2000cwd.googlegroups.com>
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place
is packed.
Date: Sun, 12 Nov 2006 15:37:30 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 23
Message-ID: <45577932$0$21151$88260bb3@free.teranews.com>
NNTP-Posting-Date: 12 Nov 2006 19:42:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9747 rec.radio.amateur.equipment:6966
rec.radio.amateur.policy:54071 rec.radio.scanner:7728


<hot-ham-and-cheese@hotmail.com> wrote in message
news:1163361156.266427.137250@m73g2000cwd.googlegroups.com...
>
> an old freind wrote:
>> "honestjohn" <honestjohn@centurytel.net> wrote in message
>> news:fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net...
>> >
>> > <hot-ham-and-cheese@hotmail.com> wrote in message
>> > news:1163358732.974481.36640@b28g2000cwb.googlegroups.com...
>> >>
>> >> What kind of weird club is this?  Do you shave your head and wear lots
>> >> of patent leather?
>> >>
>> > Don't forget the nipple piercing!
>
>> u makeing me hot two tott
>
> Not me!  It's Slow that has the cattle prod.
more gay basing i see why you do?
http://kb9rqz.blogspot.com/




--
Posted via a free Usenet account from http://www.teranews.com




From -5701159326957094730
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place
is packed.
Date: Sun, 12 Nov 2006 15:43:15 -0500
Message-ID: <eq1fl21m04oa0n9hp9dlbdkthe7k929dj6@4ax.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<1163358732.974481.36640@b28g2000cwb.googlegroups.com>
<fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net>
<45576760$0$21084$88260bb3@free.teranews.com>
<1163361156.266427.137250@m73g2000cwd.googlegroups.com>
<45577932$0$21151$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
NNTP-Posting-Date: 12 Nov 2006 19:48:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9748 rec.radio.amateur.equipment:6967
rec.radio.amateur.policy:54074 rec.radio.scanner:7730
```

```
On Sun, 12 Nov 2006 15:37:30 -0500, "an old freind" <Mark@kb9rqz.aprs>
wrote:

>
><hot-ham-and-cheese@hotmail.com> wrote in message
>news:1163361156.266427.137250@m73g2000cwd.googlegroups.com...
>>
>> an old freind wrote:
>>> "honestjohn" <honestjohn@centurytel.net> wrote in message
>>> news:fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net...
>>> >
>>> > <hot-ham-and-cheese@hotmail.com> wrote in message
>>> > news:1163358732.974481.36640@b28g2000cwb.googlegroups.com...
>>> >>
>>> >> What kind of weird club is this?  Do you shave your head and wear lots
>>> >> of patent leather?
>>> >>
>>> > Don't forget the nipple piercing!
>>
>>> u makeing me hot two tott
>>
>> Not me!  It's Slow that has the cattle prod.
>more gay basing i see why you do?
>http://kb9rqz.blogspot.com/

another forgery number 19 on on the day
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -5601038282400156359
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Nov 2006 14:59:00 -0600
From: "honestjohn" <honestjohn@centurytel.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<1163358732.974481.36640@b28g2000cwb.googlegroups.com>
<fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net>
<45576760$0$21084$88260bb3@free.teranews.com>
<apvel2p4ebg1utv7v391edvrrpm45hp7ng@4ax.com>
```

```
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place
is packed.
Date: Sun, 12 Nov 2006 14:11:10 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <iYydnUHqrfCJFsrYnZ2dnUVZ_s-dnZ2d@centurytel.net>
Lines: 29
NNTP-Posting-Host: 72.161.94.121
X-Trace: sv3-qwFLFZAZDnTwJ0QLAF12WqFzVWB8D5bUBGQG6cYXU5Rib/
IkLl40AlQ3dPNTre+4PyRg1e5pzZuCJVY!
WEzpRlCJqL74mHdKvPxhxq62EEFkjESzxqSOA95SHWzDFyDce0374mHtL9lFgwqqUjRKfwVKC7bz!
YvS1bdu+v/dgJy52gklX+zr3c6fTTWy7xR5D3qGS
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:9749 rec.radio.amateur.equipment:6968
rec.radio.amateur.policy:54076 rec.radio.scanner:7731


<Mark@kb9rqz.aprs> wrote in message
news:apvel2p4ebg1utv7v391edvrrpm45hp7ng@4ax.com...
> On Sun, 12 Nov 2006 14:21:27 -0500, "an old freind" <Mark@kb9rqz.aprs>
> wrote:
>
> >
> >"honestjohn" <honestjohn@centurytel.net> wrote in message
> >news:fbKdnTgUHuAX7srYnZ2dnUVZ_tqdnZ2d@centurytel.net...
> >>
> >> <hot-ham-and-cheese@hotmail.com> wrote in message
> >> news:1163358732.974481.36640@b28g2000cwb.googlegroups.com...
> >>>
> >>> What kind of weird club is this?  Do you shave your head and wear lots
> >>> of patent leather?
> >>>
> >> Don't forget the nipple piercing!
> >u makeing me hot two tott
> forgery again
>
> but SC and his friends like Robeson are definately into the BDSM
> school of lincensure
> http://kb9rqz.blogspot.com/
>
That's good to know, I guess.

HJ
```

From 2532333333453585705
X-Google-Thread: 108122,3da280be3ecbdefc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "C. J. Clegg" <reply.in.group@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Best places for buying components for homebrew projects
Date: Sun, 12 Nov 2006 16:32:42 -0500
Organization: MV Communications, Inc.
Lines: 14
Message-ID: <pan.2006.11.12.21.32.41.387498@nospam.no>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1163367165 95314 207.22.49.17 (12 Nov 2006 21:32:43 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 12 Nov 2006 21:32:43 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:6969

What are some of the best places for buying components for homebrew
equipment, these days?

I'm looking for places with good stock, good variety, and good websites.

Right now I'm mainly looking for B&W Miniductor stock and transmitting
capacitors, for making antenna traps, but I'm also looking to build a
linear amplifier for use with my FT-817 ... and after that, who knows?

I've lost track of the good places over the years, and many of them have
gone out of business, so any suggestions for the current best places would
be much appreciated.

From -2322583711924639640
X-Google-Thread: 108122,3da280be3ecbdefc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Nov 2006 16:37:23 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2006.11.12.21.32.41.387498@nospam.no>
Subject: Re: Best places for buying components for homebrew projects
Date: Sun, 12 Nov 2006 16:37:21 -0600
X-Priority: 3

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <Ic-dna9i2eC-P8rYnZ2dnUVZ_umdnZ2d@comcast.com>
Lines: 49
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-
iWXcuwV5t3899EVNNh57+bWyRhTiztifpRkdAt802ZTph2Ubw9geVfJE2Dkm77UUlm6+s96mqBfK/Ss!/
BsOA2VALf//z7zDYBxhGwOAC5NztQrAsn3ZjHFyI+tS8GuWDV4TQVde6BVjkQrSJQTb0IgWNrx0!
4hZzC7313KV99A1MBlM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6970
```

"C. J. Clegg" <reply.in.group@nospam.no> wrote in message
news:pan.2006.11.12.21.32.41.387498@nospam.no...

>
> What are some of the best places for buying components for homebrew
> equipment, these days?
>
> I'm looking for places with good stock, good variety, and good websites.
>
> Right now I'm mainly looking for B&W Miniductor stock and transmitting
> capacitors, for making antenna traps, but I'm also looking to build a
> linear amplifier for use with my FT-817 ... and after that, who knows?
>
> I've lost track of the good places over the years, and many of them have
> gone out of business, so any suggestions for the current best places would
> be much appreciated.
>

Start with RF Parts for standard transmitting capacitors, tubes and
associated parts for amplifier building. Yes, you might find cheaper -
somewhere -- but start here.
http://www.rfparts.com/

WD7S is a good source for major assemblies for advanced or experienced
builders (no "teaching" technical support should be assumed).
http://home.earthlink.net/~wd7s/contents.htm

Get to know your local metal scrap and garbage/junk man -- so much stuff is
thrown out these days -- that could be useful for amateur radio projects is
amazing -- the current "new amateur (Novice) -- seems to have little
interest in building or the necessary basic skills to even start.

B&W Miniductors --- those favorites of do-it-yourselfer's - Barker &
Williamson's (B&W) Miniductor and Air Dux coil stocks-are getting harder to
find. When you do locate a source, you'll find the inductors are rather

expensive. Typically from $15 to $100 each !!
http://www.bwantennas.com/coils/coilcat.htm

QST August 1997 article. page 33 by Robert H. Johns, W3JIP
"Making your own air wound coils and inductors !"
http://www.arrl.org/tis/info/pdf/9708033.pdf

IF you are going to be building an triode and tetrode amplifier --
then you should seriously consider usage of the G3SEK Control Board (over 1,000 sold to builders):
http://www.ifwtech.co.uk/g3sek/

w9gb

From 3406237659022177630
X-Google-Thread: 108122,c3dadaeb4d1c7c70,start
X-Google-Thread: fc8b1,c3dadaeb4d1c7c70,start
X-Google-Thread: 1109af,c3dadaeb4d1c7c70,start
X-Google-Thread: 108228,c3dadaeb4d1c7c70,start
X-Google-Thread: 114aac,c3dadaeb4d1c7c70,start
X-Google-Attributes: gid108122,gidfc8b1,gid1109af,gid108228,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr21.news.prodigy.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap,alt.ham-radio.marketplace,rec.radio.shortwave
Subject: Collins, Drake etc to Ft. Wayne
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <lRN5h.24751$TV3.7609@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 70.142.37.41
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1163373009 ST000 70.142.37.41 (Sun, 12 Nov 2006 18:10:09 EST)
NNTP-Posting-Date: Sun, 12 Nov 2006 18:10:09 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: S[OERYWDPZRORRDXN[O@_WH@YR_B@EXLLBWLOOAF@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFNTINTDDMVW[X\THOPXZRVOCJTUTPC_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Sun, 12 Nov 2006 23:10:09 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6971

rec.radio.amateur.boatanchors:6276 rec.radio.swap:9753 alt.ham-radio.marketplace:1570 rec.radio.shortwave:58604

It looks like I'm going to the Ft. Wayne hamfest, will be there Nov 17 and Nov 18 till about 1 or 2 PM.
I plan on bringing the following if there's any interest:
Collins 30S-1 $1600.00
Collins 32V3 $1600.00 spare final and matching Astatic T-3 mike
Collins 30L-1 $600.00 Round 2 spare finals
Collins KWM2 Round $600.00
Collins 651S-1 $1100.00
Drake L75 $1000.00 One 3-500Z with internal supply 160 thru 10
Central Electronics 100V $600.00
Cubic R-3030 dual communications receiver VLF HF $1600.00
ITT Mackay Marine R 3021A VLF HF $600.00
Hallicrafters SX 62A $200.00
Hallicrafters S-40B very clean $125.00
All items in above average condition, very little wiggle room on price as they're going to eBay if not sold or traded.
I'll be driving I 44 Tulsa to St Loius and perhaps a bit beyond afternoon Nov 16 and on Nov 17 driving I 70 to Indianapolis and I 69 to Ft Wayne arrving early Friday afternoon. I might be able to stop along the way depending on where and the time.
 I'd also consider a trade on good acoustic dreadnought guitar from Martin HD 28, Taylor 810 or 910 or Gibson or a good older 5 string banjo.
Let me know
Hank wd5jfr

From 4169856652408423653
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Thread: 107ada,c269ed4feb90c53c
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!208.49.83.154.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4557C10E.9030407@fuse.net>
Date: Sun, 12 Nov 2006 19:49:18 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Fortunately we still have Bush as President.
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net> <1163325442.201220.9260@e3g2000cwe.googlegroups.com> <4557224D.8090603@fuse.net> <455723F8.777650A9@milestones.com>
In-Reply-To: <455723F8.777650A9@milestones.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed

```
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 21
X-Trace: 498eb4557c1baed946aee14556
Xref: g2news2.google.com rec.radio.amateur.equipment:6972
rec.radio.amateur.misc:25980


>>When I grew up I was taught that every boy could grow up to be President.
>>I never imagined it would be the rich kid flunkie in the back forever
>>daydreaming in class.
>
>
> Awww... you're thinking of John 'Fraud' Kerry, though he didn't make it.
>
Some people say Bushie was born with a silver spoon up his nose but I
know that didn't happen until his 30's.

Let's see, prior to that was his drinking problem and, oh yeah, running
a major league franchise into the ground...NO, wait...there also was a
phony oil company that he ran into the ground.

Iraq? Afghanistan? Katrina?
Bushie's just doing his usual "heckuva" job.

Any wonder that Dems gained Congress?

BTW, the only fraud associated with Kerry was Karl Rove's invention.


From -3732385621097238697
X-Google-Thread: 108122,cd9e90227c149481,start
X-Google-Thread: 108228,cd9e90227c149481,start
X-Google-Thread: 1062f2,cd9e90227c149481,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Nov 2006 20:28:47 -0600
Subject: FA: 7 ELECTRONICS Books: Practical, Useful, Digital, Linear, TTL, etc.
Date: Sun, 12 Nov 2006 21:28:47 -0500
From: Jon <jon@jokjopasd.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <12112006212847456l%jon@jokjopasd.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
```

```
X-Trace:
sv3-97fR3Ltn8VbQu1osoSdu4jWlxmna2LxMsNnd4DzPD1xc75VYxXC2Ucn3ELYIY6f+ojRfxrGj5mEcQC
S!i0zgOPdagnw0njQA1jnv9vKBTSOdLnwtEBwKtue0u3q5m3C7rj1Wh54ikLUSJpTkNfU2pz34FF+K!
nBArcD6DKE/M/bbBCxI=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6973 alt.ham-
radio.marketplace:1571 misc.industry.electronics.marketplace:695


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320048422701



From 1258007949038937740
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!feed.news.qwest.net!mpls-nntp-04.inet.qwest.net!
news.qwest.net!not-for-mail
Date: Sun, 12 Nov 2006 21:26:11 -0800
From: PhattyMo <PhattyMo@nospam.gmail>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: slow code threatens assult on NoCoder can this be a "good Ham"
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
<4556fc76$0$510$815e3792@news.qwest.net> <f3kma.k5d.19.1@news.alt.net>
<yIOdnduA4a-038rYnZ2dnUVZ_vednZ2d@centurytel.net>
In-Reply-To: <yIOdnduA4a-038rYnZ2dnUVZ_vednZ2d@centurytel.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 33
Message-ID: <4558018f$0$507$815e3792@news.qwest.net>
Organization: Qwest Communications Corporation
NNTP-Posting-Host: dd70396e.news.qwest.net
X-Trace: DXC=<^n8G=6b?
Lf=HXcWAI9^Y`F85SKJoGf>df4BAbV@6gkl3<4fknPZf>hTi]mQXjR>fh;V80FX7WkagbSlK]J]=0Nm^MX
I6PAlJPi
X-Complaints-To: abuse@qwest.net
Xref: g2news2.google.com rec.radio.swap:9759 rec.radio.amateur.equipment:6974
rec.radio.amateur.policy:54111 rec.radio.scanner:7747
```

```
honestjohn wrote:
> "Not Steve" <anon@anon> wrote in message news:f3kma.k5d.19.1@news.alt.net...
>> "PhattyMo" <PhattyMo@nospam.gmail> wrote in message
>> news:4556fc76$0$510$815e3792@news.qwest.net...
>> Mark@kb9rqz.aprs wrote:
>>> On Sun, 12 Nov 2006 01:18:43 GMT, Slow Code <my.mail@no.spam> wrote:
>>>
>>>> I want to make a no-code sit on the floor.
>>> you try it at any club and I bet you will end in jail sc
>>>> SC
>>> http://kb9rqz.blogspot.com/
>>>
>>
>> Let him do it,Jail is the best place for him.
>> **************
>>
>> The bottom line remains. No-Coders should salute their superiors and
> should
>> give up their chairs as a matter of courtesy.
>> Doing so is a simple show of respect.
>>
>> No-Coders should be made to stand at the back of the room until they can
>> pass no less than 5wpm. Then, and only then, will they be allowed to come
> to
>> the front to whine.
>>
> Would they have to sit in the back of the bus and us their own water
> fountains, also?
>
>

Apparently so.



From 5612441108194970920
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Thread: 10f7a7,ac7587ba97c595e3
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!64.59.134.4.MISMATCH!
pd7cy1no!pd7cy2no!shaw.ca!pd7urf1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.68.181.129
From: Demon Lord of Confusion <verwarring@verwirren.confused>
Organization: Worldwide Carrot
Subject: Re: my knew blog
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
```

Message-Id: <pan.2006.11.13.10.41.37.997282@verwirren.confused>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
Reply-To: The Ugliest Pigfucker In The Universe <way.ugly@oh.yeah>
X-Keywords: Undercover, NCCS, Meta-hackers, ^?, DERA
MIME-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 8bit
Lines: 71
Date: Mon, 13 Nov 2006 10:41:46 GMT
NNTP-Posting-Host: 64.59.135.176
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf1no 1163414506 64.59.135.176 (Mon, 13 Nov 2006 03:41:46 MST)
NNTP-Posting-Date: Mon, 13 Nov 2006 03:41:46 MST
Xref: g2news2.google.com rec.radio.amateur.policy:54118
rec.radio.amateur.antenna:21467 rec.radio.amateur.equipment:6975
rec.radio.amateur.misc:25985 alt.ham-radio.vhf-uhf:3136 alt.usenet.kooks:267829

On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to confuse
the issue further by squeaking:

> it about woger

You know, I don't think I've ever encountered another group that was
literally almost entirely composed of RL stalkers.

--
____
Hail Eris! mhm 29x21; TM#5; COOSN-029-06-71069
The God of Odd Statements, the Ugliest Pigfucker In The Universe
Stupidity Takes Its Toll. Please Have Exact Change.

If you never read anything else in any of my sigs, read this:
http://www.msnbc.msn.com/id/15321167/
http://borealin.livejournal.com/15104.html
Or watch it here:
http://www.youtube.com/watch?v=uqxmPjB0WSs
Then, if you manage to read/watch all that, try this:
http://www.newamericancentury.org/RebuildingAmericasDefenses.pdf
And Molly Ivins had a few choice words to say about it, weeks before:
http://www.truthout.org/docs_2006/092906B.shtml
Here's Chris Floyd: Fatal Vision: The Deeper Evil Behind the Detainee
Bill: http://www.truthout.org/docs_2006/100206A.shtml

"Q: What's the difference between the Vietnam War and the Iraq War?
A: George W. Bush had a plan to get out of the Vietnam War." -- Anon.

Thread where outing begins: http://tinyurl.com/hojf8
George Pickett Memorial Trophy, Special Ops Cody Memorial Purple Heart,
and the Order of the Holey Sockpuppet winner <wfh_jr@hotmail.com> on
outing personal contact info in x-poasted subject lines:

"Plenty of people post under their real names and do not attempt to hide their contact info. You are scared of being 'outed' because you are a pathological abuser of usenet, and people rightly despise you for it. You're afraid of being reported to the authorities or, better, visited by a couple of guys with baseball bats. Other people don't have this obsessive fear. Ward Hardman himself has posted plenty of personal information - nothing that anyone else added was hidden in any way. You're so fucking scared you've built up this whole sick mythology about different categories of bad dudes who 'out' scum like you.

"Meanwhile you are the ugliest pigfucker in the universe. You are the coward without ethics. You call me a 'newbie' - ha! what an asshole you are. Those who want to remain anonymous do so. There is absolutely no way you could identify me, not unless you had the sort of subpoena power that only gets turned on for big-time terrorists. That's because I chose to be anonymous. Some people don't. Only really stupid dicks like you choose the sort of semi-anonymity which leaves you in constant fear.

"What a dickless wonder you are 'Snarky' you fat asshole."
-- in MID: <1156587081.123977.43800@m79g2000cwm.googlegroups.com>

"I am the only one who has outer filthed Ward" -- James C. "Crackhead" Cracked voluntarily self-immolates, in MID:
1159678991.838385.310840@m7g2000cwm.googlegroups.com

"When I told Abbie Hoffman that he was the first one who made me laugh since Lenny Bruce died, Hoffman said, "Really? He was my god." The combination of satirical irreverence and sense of justice that Bruce and Hoffman shared was the real spirit behind the Yippies--a term I coined to describe a phenomenon that already existed: an organic coalition of stoned hippies and political activists who engaged in such actions as throwing money on the floor of the New York Stock Exchange, then explaining to reporters the meaning of that symbolism. Folksinger Phil Ochs summed it up: "A demonstration should turn you on, not turn you off." So when journalists link the Yippies with misleading bedfellows, at best it's careless shorthand; at worst it's deliberate demonization. Osama bin Laden wanted an aircraft to crash into the Pentagon. Abbie Hoffman merely wanted to levitate it." -- Paul Krassner, http://tinyurl.com/ehu3v

From -4439689994700274873
X-Google-Thread: 108122,3df42462ffddfbe7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!guardian.oit.duke.edu!gargoyle.oit.duke.edu!not-for-mail
From: <kuzen001@duke.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Problem with an IC-706 & SWR spikes
Date: Mon, 13 Nov 2006 13:19:28 +0000 (UTC)
Organization: Duke University, Durham, NC, USA
Lines: 36
Sender: <kuzen001@godzilla.acpub.duke.edu>

Message-ID: <ej9rd0$qvk$1@gargoyle.oit.duke.edu>
NNTP-Posting-Host: godzilla.acpub.duke.edu
X-Trace: gargoyle.oit.duke.edu 1163423968 27636 152.3.233.25 (13 Nov 2006 13:19:28 GMT)
X-Complaints-To: news@news.duke.edu
NNTP-Posting-Date: Mon, 13 Nov 2006 13:19:28 +0000 (UTC)
User-Agent: tin/1.6.0-20030714 ("Vatersay") (UNIX) (SunOS/5.9 (sun4u))
Xref: g2news2.google.com rec.radio.amateur.equipment:6976

IC-706MkIIG was working perfectly. Typical setup is 30 watts output, PSK31 or RTTY, via short length of coax to an MFJ tuner, thence to ladderline running to 250' low horizontal loop. Working with no problems BEFORE I decided to rearrange my radio area. Rearranged my gear and ran into trouble as soon as I fired things back up.

On two bands the SWR is never less than nearly 2:1, as indicated by the MFJ meter, but much much higher by the 706's internal meter. Try to tune the antenna system; if you dial in less inductor than it wants, or a capacitor setting it doesn't like, SWR suddenly spikes to infinity and the tx shuts off after a second. (Tuning is done at lowest power setting, not 30 watts.)

The 706 works fine on 6, 10, 12, 20, 30, and 40. (I worked a guy in California on 12, just checking things, and after we cleared a ZL called ME on the frequency--ZL on 30 watts is clearly "working fine.") But on 15 and 17 meters, it will NOT achieve a low SWR, and sooner or later it WILL oscillate or denooberate or whatever it is doing and spike the SWR, and shut down.

I tried a lot of things--different coax, etc.; nothing made a difference. (I was thinking at the time that it was the rearranging equipment that caused the problem.) Then I did the systematic testing and found the problem is only on 15 and 17 meters. (Fifteen's my favorite band, too.) Now the only two things I can think of are A.) some problem with the big loop, that presents some weird resonance on 15 and 17. Or more likely, B.) some problem with a component in the 706, one in the output section that is specific to 15 and 17 meters.

Thoughts? TIA!

____
Ken Kuzenski   AC4RD   ken . kuzenski at duke .edu
____
All disclaimers apply, see? www.duke.edu/~kuzen001

From -2023291272598295370
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3

X-Google-Thread: 10f7a7,ac7587ba97c595e3
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
Subject: crapathon contiues
Date: Mon, 13 Nov 2006 12:09:13 -0500
Message-ID: <3i9hl2prl7ap4nba3slos92m2hac16v1kg@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Date: 13 Nov 2006 16:14:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54133
rec.radio.amateur.antenna:21481 rec.radio.amateur.equipment:6977
rec.radio.amateur.misc:25990 alt.ham-radio.vhf-uhf:3137 alt.usenet.kooks:268048

On Mon, 13 Nov 2006 10:41:46 GMT, Demon Lord of Confusion
<verwarring@verwirren.confused> wrote:

>On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to confuse
>the issue further by squeaking:
>
>> it about woger
>
>You know, I don't think I've ever encountered another group that was
>literally almost entirely composed of RL stalkers.

nah there are only 2-3 rl stalker on RRAP Roger Wismen aka woger et
al. Robeson callisgn K4yz aka arf arf and maybe Slowcode and perhaps
one other they just operate under so many sock puppets is seem like
more
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -1570184345203087779
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496

```
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: slow code threatens assult on NoCoder can this be a "good Ham"
Date: Mon, 13 Nov 2006 12:13:54 -0500
Message-ID: <4g9hl292u3jqqc79j2lv6l464d055a6kr1@4ax.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
<4556fc76$0$510$815e3792@news.qwest.net> <f3kma.k5d.19.1@news.alt.net>
<yIOdnduA4a-038rYnZ2dnUVZ_vednZ2d@centurytel.net>
<4558018f$0$507$815e3792@news.qwest.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 38
NNTP-Posting-Date: 13 Nov 2006 16:19:00 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9762 rec.radio.amateur.equipment:6978
rec.radio.amateur.policy:54138 rec.radio.scanner:7764

On Sun, 12 Nov 2006 21:26:11 -0800, PhattyMo <PhattyMo@nospam.gmail>
wrote:

>honestjohn wrote:
>> "Not Steve" <anon@anon> wrote in message news:f3kma.k5d.19.1@news.alt.net...
>>> "PhattyMo" <PhattyMo@nospam.gmail> wrote in message
>>> news:4556fc76$0$510$815e3792@news.qwest.net...
>>> Mark@kb9rqz.aprs wrote:
>>>> On Sun, 12 Nov 2006 01:18:43 GMT, Slow Code <my.mail@no.spam> wrote:
>>>>
>>>>> I want to make a no-code sit on the floor.
>>>> you try it at any club and I bet you will end in jail sc
>>>>> SC
>>>> http://kb9rqz.blogspot.com/
>>>>
>>>
>>> Let him do it,Jail is the best place for him.
>>> **************
>>>
>>> The bottom line remains. No-Coders should salute their superiors and
>> should
>>> give up their chairs as a matter of courtesy.
>>> Doing so is a simple show of respect.
>>>
>>> No-Coders should be made to stand at the back of the room until they can
```

>>> pass no less than 5wpm. Then, and only then, will they be allowed to come
>> to
>>> the front to whine.
>>>
>> Would they have to sit in the back of the bus and us their own water
>> fountains, also?
>>
>>
>
>Apparently so.

as well other from of labour on their behalf it seems
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -1053686270628368527
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Thread: 10f7a7,ac7587ba97c595e3
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!news.maxwell.syr.edu!
news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!
not-for-mail
From: "Guy P. Distaffen" <guypd@rochester.rr.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
Subject: Re: my knew blog
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
In-Reply-To: <pan.2006.11.13.10.41.37.997282@verwirren.confused>
Content-Type: text/plain; charset=UTF-8; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <7N16h.21559$0L1.2838@twister.nyroc.rr.com>
Date: Mon, 13 Nov 2006 17:17:55 GMT
NNTP-Posting-Host: 66.67.161.5
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1163438275 66.67.161.5 (Mon, 13 Nov 2006 12:17:55
EST)
NNTP-Posting-Date: Mon, 13 Nov 2006 12:17:55 EST
Organization: Road Runner
```

```
Xref: g2news2.google.com rec.radio.amateur.policy:54141
rec.radio.amateur.antenna:21483 rec.radio.amateur.equipment:6979
rec.radio.amateur.misc:25993 alt.ham-radio.vhf-uhf:3138 alt.usenet.kooks:268058

Demon Lord of Confusion wrote:
> On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to confuse
> the issue further by squeaking:
>
>> it about woger
>
> You know, I don't think I've ever encountered another group that was
> literally almost entirely composed of RL stalkers.
>
I think the biggest problem, is that people keep feeding the trolls.  I
have a pretty big kill file now and they keep coming up with new names,
so I keep adding them.


From 6144419517017756305
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-
mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf
Subject: crapthon contiues
Date: Mon, 13 Nov 2006 12:25:19 -0500
Message-ID: <nhahl215mdvo7brkfrl6i6be4srcbfdvbd@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<7N16h.21559$0L1.2838@twister.nyroc.rr.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 13 Nov 2006 16:30:25 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54142
rec.radio.amateur.antenna:21484 rec.radio.amateur.equipment:6980
rec.radio.amateur.misc:25994 alt.ham-radio.vhf-uhf:3139

On Mon, 13 Nov 2006 17:17:55 GMT, "Guy P. Distaffen"
<guypd@rochester.rr.com> wrote:
```

```
>Demon Lord of Confusion wrote:
>> On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to confuse
>> the issue further by squeaking:
>>
>>> it about woger
>>
>> You know, I don't think I've ever encountered another group that was
>> literally almost entirely composed of RL stalkers.
>>
>I think the biggest problem, is that people keep feeding the trolls.  I
>have a pretty big kill file now and they keep coming up with new names,
>so I keep adding them.
well you need to stop feeding post to the kooks at auk but the trols
if they go unfed start making rl trouble so yes I feed to the trolls
to keep them our of my Real Life
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 7489591620825692026
X-Google-Thread: 108122,3df42462ffddfbe7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problem with an IC-706 & SWR spikes
Date: 13 Nov 2006 13:50:52 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1163454652.477427.326990@i42g2000cwa.googlegroups.com>
References: <ej9rd0$qvk$1@gargoyle.oit.duke.edu>
NNTP-Posting-Host: 70.66.131.246
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163454658 25995 127.0.0.1 (13 Nov 2006 21:50:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 13 Nov 2006 21:50:58 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=70.66.131.246;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6981

Ken,

This is a well known problem and is discussed in the following thread:
```

http://www.eham.net/forums/Elmers/108193

The Icom service bulletin 928 is @
http://home.comcast.net/~ad5x/images/Presentations/IcomBulletin928.pdf

An easier fix than 928 by AD5X @
http://home.comcast.net/~ad5x/images/Presentations/IC706InstabilityRevA.pdf

Good luck - Roger

```
From 6122646374977185445
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Thread: 10f7a7,ac7587ba97c595e3
X-Google-Attributes:
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7urf1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.68.181.129
From: The Secretary of HomIntern <YkR4N53909@WòéM.6Ró>
Organization: The International Homosexual Conspiracy
Subject: Re: crapathon contiues
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Message-Id: <pan.2006.11.13.23.33.00.714116@bisexuals.for.lgbt.freedom>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<3i9hl2prl7ap4nba3slos92m2hac16v1kg@4ax.com>
Reply-To: Demon of Mockery and Silliness <reverse@the.polarity.oftheneutron.flow>
X-Keywords: Bletchley Park, SL-1, Merlin, Cable & Wireless, r00t
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 202
Date: Mon, 13 Nov 2006 23:33:03 GMT
NNTP-Posting-Host: 64.59.135.176
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf1no 1163460783 64.59.135.176 (Mon, 13 Nov 2006 16:33:03 MST)
NNTP-Posting-Date: Mon, 13 Nov 2006 16:33:03 MST
Xref: g2news2.google.com rec.radio.amateur.policy:54197
rec.radio.amateur.antenna:21503 rec.radio.amateur.equipment:6982
rec.radio.amateur.misc:26006 alt.ham-radio.vhf-uhf:3140 alt.usenet.kooks:268258
```

```
On Mon, 13 Nov 2006 12:09:13 -0500, Mark k'lamed:
> On Mon, 13 Nov 2006 10:41:46 GMT, Demon Lord of Confusion wrote:
>>On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to confuse
>>the issue further by squeaking:
>>
>>> it about woger
>>
>>You know, I don't think I've ever encountered another group that was
>>literally almost entirely composed of RL stalkers.
>
> nah there are only 2-3 rl stalker on RRAP Roger Wismen aka woger et al.
> Robeson callisgn K4yz aka arf arf and maybe Slowcode and perhaps one other
> they just operate under so many sock puppets is seem like more

Possibly, but they constitute the greater portion of effective regulars.

--
___________________________________________________________________________
Hail Eris! "The personal _is_ political."
Bent Depraved N. Deviant Cock-Smoker, Esq., Superfaggot
COOSN-029-06-71069
"Stupidity excuses nothing.  It's only a reason...." -- Phxbrd
Economic Left/Right: -7.63 Social Libertarian/Authoritarian: -7.38
"The whining has just begun." -- John Wentzky
Killfiled by: directory; Anim8rfsk
"It's not nice to misrepresent Mother Nature."
http://www.lowgenius.net/kookway.htm
TEH WAY OF THE K00K
Never learn from your mistakes.
Always practice your mistakes; you may get them right.
Always pick on those smarter and tougher than you.
Always believe that only you know the TRVTH.
Never allow logic or reason get in the way of a good k00k.
When being overwhelmed by logic and reason: k00ksuit!
If you are going to be wrong, do it at the top of your lungs.
When caught in a lie: LIE!
When in doubt: Order the Crab Won Ton
Plagiarism is your friend. Use it.
Whenever contradicted; morph, start calling people names, and make false
accusations. Include the children of your target in your allegations,
even if they don't have any.
(06-Jun-05) When nobody else will listen, post to your own fan group.
(06-Jun-05) Obviously, since you have your own fan group, this must mean
that you have fans. Post prolifically to your fan group - you wouldn't
want to disappoint them!
(10-May-2005)Everyone reads usenet. Approval here means approval
everywhere.
Post numerous blank posts, or posts containing only a message id.
Post numerous copy&paste web articles from crackerpot websites.
Never forget to call kookologists "k00ks."
If there are several, call them "sockpuppets" too
When all else fails, accuse various and sundry kookologists of e-mailing
viruses to you.  This is a sure-fire method of garnering sympathy and
```

ensuring that the General Public will always see things your way. An especially effective sub-strategy here is to accuse them of infecting you with the 'Sasser' worm via e-mail.

Quote notorious scientists or writers - it makes it look as if they approve the drivel you are writing!

(9-Jul-05) Anytime your computer is infected with a virus, bogged down by spyware, attacked over your internet connection, or otherwise suffers from preventable problems, government agencies are responsible and are trying to silence you and are monitoring your computer files.

Ignore all traffic signs and feel free to trespass, you don't have to obey any rules.

Scare your enemies with lawsuits, police escorts and whines.

Always back up your empty (albeit noisy) threats with phony LARTs, false police reports, and harassing letters to the FBI and other gubbermint agencies.

Be vigilant in your redundancy. The more you repeat yourself, the more likely others will believe you!

If you can't find anyone as crazy as yourself to support you in the flamewars you start with the normal population, create sock puppets and use anonymous remailers that shamelessly hang on every word you write.

(17-Mar-05) When dealing with law enforcement, remember that it is they who have the problem, not you. Be sure to inform them of this at every available opportunity, as they will surely appreciate your constructive criticism. Be sure to make them aware that YOU KNOW YOUR RIGHTS! ("The cops like that, when people know their rights. That way they don't have to read them to you on the way to the station." - George Carlin)

The more your fake personalities adulate you, the more respect you'll get!

When confronted with a reality that you don't like: Announce loudly that you are departing, never to return as long as there's an Internet. Come back in three or four days and claim you were drunk, hacked, abducted by alience, or forged. Alternately you can just not even mention your prior departure, and if anyone asks you about it, either ignore them or respond with something along the lines of "YOUR NOT THE BOSS OF ME! *PLONK*!" People really know you mean business then.

Always remain clueproof.

(20-Mar-05) Anyone who does not believe that you are the reincarnation of [$DEITY_OR_PROPHET] is obviously an infidel lacking in faith whose soul in in peril of everlasting damnation.

When responding to one line challenges, post paragraphs of rants and screed in response.

Incoherency is not a roadblock to poasting.

Neither is illiteracy.

Delusions poasted often enough become fact.

Claim you will destroy <insert newsfroup> for attacking you.

When spnaked, send cmsg for Fanboi newsfroup(s).

Find your Lame, Use your Lame, Be your Lame!

Post Edit when the TRVTH hurts.

Always sneck the offending newsfroups.

Always poast pictures of yourself so you can be admired in all your k00ky glory.

Always accuse others of the very acts you are guilty of.

Post lots of boasts about your high IQ and incredible talents.

(20-Mar-05) If you repeat a lie often enough, it becomes the truth.
Anybody who fails to understand this is engaged in a deliberate campaign of misinformation and character assassination.
Always <plonk> somebody just before replying the plonkee!
The k00k considers itself the most intelligent person in any conversation, possibly on the planet. Other people are benighted and ignorant, and have been waiting their whole lives for the k00k to rescue them from intellectual darkness.
Write a self-published book and claim it a success. Bonus points for comparing it to "Mein Kampf" and/or the Bible.
Declare yourself equal to a deity of your choice.
Claim that you've come from other planets.
Claim thousands of past lives.
Frothing complaints carry far more weight when you send them from "legal@" some domain.
Nothing strikes terror into the hearts of your detractors more than telling them that you're archiving their messages for possible use in the future.
Never forget that everyone else posting to Usenet is a paid disinformation agent looking to discredit you.
Usenet is governed by US law. If a poster in Romania killfiles you, he's obviously violating your 1st Amendment rights and can be sued.
Every news admin in the world hangs out in NANAU, and they're just dying to nuke the account of that meanyhead who just called you "fucknozzle". Drop 'em a line - that's what they're there for, after all.
AUK will be closed down. Just you wait and see.
They've nuked hundreds of accounts in the name of free speech and *yours* will be next.
The k00k will, without any trace of irony, lie, manipulate, impersonate, censor, and declare themselves powerful in ways ranging from the ability to have an account shut down to being God Herself, in order to convince people that they are not liars, manipulators, censors, or insane.
Abuse women while telling how many hundreds you've loved. Nevermind that you're one ugly motherfucker and that there were 30,000 femininas that thought you were a scumbag with bad teeth.
Remember that your ko0ky klaims are 'facts', and that 'facts' do not require proof.
Do not neglect to poast your responses to forums that the originator doesn't read. This will make the people in that forum very impressed with how you tear him to shreds without him being able to respond. They like it even better if you are off-topic for that forum.
Keep in mind that lack of evidence supporting your konspiracy theory actually _is_ evidence, of how effective the konspiracy is in hiding.
(06-Oct-05) When spanked, always retreat to the safety of the Ad Hominem.
(04-Aug-2005) When spanked mercilessly for days on end, proving with each poast just what an illiterate and ignorant fool you are, ALWAYS claim ownership of [person(s),froup(s)]. This works on so many levels. It inspires dread in your opponents that they will no longer be able to poast in their home froup and that they will eventually have to pay rent, to name just two.
Any problems with your poasts are the fault of the konspirators, who are trying to stop you from preventing the extinction of humanity.

Konspiracies that are able to subvert whole governments are always unable to silence konspiracy ko0ks.
The entire United States government is willing to spend millions of dollars for the sole purpose of harassing you.
Hollywood is making movies based on your personal life.
Do not consult psychiatrists or other mental health professionals. They are part of the konspiracy, and will sedate you and lock you away and keep you drugged if you tell them the truth.
Numerology and Astrology are respectable sciences and are useful for proving your case.
Everyone is Tim Hill, or David Green, or...
There is a fine line between trolling and kookery. Find that line and cross it repeatedly. When you are killfiled and/or LARTed for net.abuse as a result, claim victory. If you lose multiple accounts, this merely proves that you are indeed a world-class troll, with a black-belt in manipulation.
If you respond to every post someone else makes, they're obsessed. If they respond to less than 1% of your posts, they're even more obsessed.
Publishing people's real names, addresses, and phone numbers when there's no other way for you to come out of a flamewar with any dignity is cool, and proves that you are a master of secret internet information stores, and absolutely not to be fucked with.
Everyone is out to get you. You can put a stop to this by telling everyone that they're out to get you at every available opportunity.
You are the only sane one.
Those that give you a hard time about morally bankrupt things you yourself admit to are just persecutioners of the new inquisition.
Yelling in all caps and cursing at your detractors is debate. Your detractors laughing at you with sarcastic remarks is obvious anger and jealousy.
If doing something results in the loss of your account, legal hassles, or blunt trauma injury, do it again. It always works better the second time.
Asterisks, lots and lots of Asterisks.
Poking holes in kookscreed is stalking, and is a felony.
K00ks LOVE to "connect the dots". They are, of course, dots that only the k00k can see.
"They laughed at Einstein, too!"

...with thanks to Aratzio, Dr. Flonkenstein, Dan Baldwin, Cujo, CJ Osterwald, Jade, Bookman, and John Henry, of AUK. Meow. Original thread at http://tinyurl.com/3fsho - some posts may not appear due to x-no-archive headers. The spelling mistakes are intentional, dolt.

```
From -8653021827860710745
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Thread: 10f7a7,ac7587ba97c595e3
X-Google-Attributes:
```

```
gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,gid10f7a7,public
X-Google-Language: ENGLISH,UTF8
Path: g2news2.google.com!news2.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf,alt.usenet.kooks
Subject: Re: crapathon contiues
Date: Mon, 13 Nov 2006 18:34:48 -0500
Message-ID: <u70il21qhbovdrajle1a8eb40346vicca1@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<3i9hl2prl7ap4nba3slos92m2hac16v1kg@4ax.com>
<pan.2006.11.13.23.33.00.714116@bisexuals.for.lgbt.freedom>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 21
NNTP-Posting-Date: 13 Nov 2006 22:39:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54198
rec.radio.amateur.antenna:21504 rec.radio.amateur.equipment:6983
rec.radio.amateur.misc:26007 alt.ham-radio.vhf-uhf:3141 alt.usenet.kooks:268260

On Mon, 13 Nov 2006 23:33:03 GMT, The Secretary of HomIntern
<YkR4N53909@WòéM.6Ró> wrote:

>On Mon, 13 Nov 2006 12:09:13 -0500, Mark k'lamed:
>> On Mon, 13 Nov 2006 10:41:46 GMT, Demon Lord of Confusion wrote:
>>>On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to confuse
>>>the issue further by squeaking:
>>>
>>>> it about woger
>>>
>>>You know, I don't think I've ever encountered another group that was
>>>literally almost entirely composed of RL stalkers.
>>
>> nah there are only 2-3 rl stalker on RRAP Roger Wismen aka woger et al.
>> Robeson callisgn K4yz aka arf arf and maybe Slowcode and perhaps one other
>> they just operate under so many sock puppets is seem like more
>
>Possibly, but they constitute the greater portion of effective regulars.

obviously you do not read the gruop but then you are a kook
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com
```

```
From 437597075200614633
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
Subject: Re: I'm taking a cattle prod to the next club meeting.  I hope the place
is packed.
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <xr76h.4701$mR4.217@tornado.texas.rr.com>
Date: Mon, 13 Nov 2006 23:44:29 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1163461469 67.10.92.242 (Mon, 13 Nov 2006 17:44:29
CST)
NNTP-Posting-Date: Mon, 13 Nov 2006 17:44:29 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.swap:9773 rec.radio.amateur.equipment:6984
rec.radio.amateur.policy:54200 rec.radio.scanner:7790


"Slow Code" <my.mail@no.spam> wrote in message
news:TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net...
>I want to make a no-code sit on the floor.
>
> SC

Don't be surprised when you wear the cattle prod home embedded in your
rectum.
```

```
From -8584210411302020156
X-Google-Thread: 108122,3da280be3ecbdefc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Nov 2006 18:00:56 -0600
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2006.11.12.21.32.41.387498@nospam.no> <Ic-dna9i2eC-
P8rYnZ2dnUVZ_umdnZ2d@comcast.com>
Subject: Re: Best places for buying components for homebrew projects
Date: Mon, 13 Nov 2006 19:00:37 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <F4GdnYh7X86lmsTYnZ2dnUVZ_tSdnZ2d@comcast.com>
Lines: 64
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-
prIfztkZbELccDrQJMy24SGzEfsn6CvnDtpWfkUYCgF6Mt38lsfTua3WhUDw71SOdpL5Wo6UfPnOsSW!
22faRQOSIQegMQGaRLGW+eVcw8OT/SZeySWvfmGOrT6Or23Tj3Zuys8H6z3tXi70xowX+71C/ZLl!
szS7Afv0E+eJJ8CU
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6985

"w9gb" <spam_protect@arrl.net> wrote in message
news:Ic-dna9i2eC-P8rYnZ2dnUVZ_umdnZ2d@comcast.com...
> "C. J. Clegg" <reply.in.group@nospam.no> wrote in message
> news:pan.2006.11.12.21.32.41.387498@nospam.no...
>>
>> What are some of the best places for buying components for homebrew
>> equipment, these days?
>>
>> I'm looking for places with good stock, good variety, and good websites.
>>
>> Right now I'm mainly looking for B&W Miniductor stock and transmitting
>> capacitors, for making antenna traps, but I'm also looking to build a
>> linear amplifier for use with my FT-817 ... and after that, who knows?
>>
>> I've lost track of the good places over the years, and many of them have
>> gone out of business, so any suggestions for the current best places would
>> be much appreciated.
>>
>
> Start with RF Parts for standard transmitting capacitors, tubes and associated
> parts for amplifier building.  Yes, you might find cheaper - somewhere -- but
> start here.
> http://www.rfparts.com/
>
```

> WD7S is a good source for major assemblies for advanced or experienced builders (no "teaching" technical support should be assumed).
> http://home.earthlink.net/~wd7s/contents.htm
>
> Get to know your local metal scrap and garbage/junk man -- so much stuff is thrown out these days -- that could be useful for amateur radio projects is amazing -- the current "new amateur (Novice) -- seems to have little interest in building or the necessary basic skills to even start.
>
> B&W Miniductors --- those favorites of do-it-yourselfer's - Barker & Williamson's (B&W) Miniductor and Air Dux coil stocks-are getting harder to find. When you do locate a source, you'll find the inductors are rather expensive. Typically from $15 to $100 each !!
> http://www.bwantennas.com/coils/coilcat.htm
>
> QST August 1997 article. page 33 by Robert H. Johns, W3JIP
> "Making your own air wound coils and inductors !"
> http://www.arrl.org/tis/info/pdf/9708033.pdf
>
> IF you are going to be building an triode and tetrode amplifier --
> then you should seriously consider usage of the G3SEK Control Board (over 1,000 sold to builders):
> http://www.ifwtech.co.uk/g3sek/
>
> w9gb

I'd like to add Dan's Small Parts web site to that list. No toobs, but lots of RF-related parts. Great prices too.
http://www.danssmallpartsandkits.net/

--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

Some days you're the dog, some days the hydrant.

From -8061584576183422634
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail

From: "Pat Stevens" <patstevens2@rochester.rr.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.vhf-uhf
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<7N16h.21559$0L1.2838@twister.nyroc.rr.com>
<nhahl215mdvo7brkfrl6i6be4srcbfdvbd@4ax.com>
Subject: Re: crapthon contiues
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <CS76h.13376$zB4.1619@twister.nyroc.rr.com>
Date: Tue, 14 Nov 2006 00:13:22 GMT
NNTP-Posting-Host: 66.67.167.212
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1163463202 66.67.167.212 (Mon, 13 Nov 2006 19:13:22 EST)
NNTP-Posting-Date: Mon, 13 Nov 2006 19:13:22 EST
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.policy:54210
rec.radio.amateur.antenna:21506 rec.radio.amateur.equipment:6986
rec.radio.amateur.misc:26008 alt.ham-radio.vhf-uhf:3142

How in the world are they causing trouble to you in real life? You aren't
too bright, if you think that trolling in a newsgroup, is going to protect
you in real life.

<Mark@kb9rqz.aprs> wrote in message
news:nhahl215mdvo7brkfrl6i6be4srcbfdvbd@4ax.com...
> On Mon, 13 Nov 2006 17:17:55 GMT, "Guy P. Distaffen"
> <guypd@rochester.rr.com> wrote:
>
>>Demon Lord of Confusion wrote:
>>> On Sun, 12 Nov 2006 13:40:48 -0500, an old freind attempted to confuse
>>> the issue further by squeaking:
>>>
>>>> it about woger
>>>
>>> You know, I don't think I've ever encountered another group that was
>>> literally almost entirely composed of RL stalkers.
>>>
>>I think the biggest problem, is that people keep feeding the trolls. I
>>have a pretty big kill file now and they keep coming up with new names,
>>so I keep adding them.
> well you need to stop feeding post to the kooks at auk but the trols
> if they go unfed start making rl trouble so yes I feed to the trolls
> to keep them our of my Real Life
> http://kb9rqz.blogspot.com/
>

```
> --
> Posted via a free Usenet account from http://www.teranews.com
>




From -4692294761020990304
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!news2.euro.net!newshub3.home.nl!
newshub1.home.nl!home.nl!skynet.be!66.150.105.54.MISMATCH!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: I'm taking a cattle prod to the next club meeting.  I hope the place
is packed.
Date: Mon, 13 Nov 2006 19:26:08 -0500
Message-ID: <d73il2lkpmd7f1394uam2435927splg1hs@4ax.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<xr76h.4701$mR4.217@tornado.texas.rr.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Date: 13 Nov 2006 23:31:16 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9774 rec.radio.amateur.equipment:6987
rec.radio.amateur.policy:54214 rec.radio.scanner:7791

On Mon, 13 Nov 2006 23:44:29 GMT, "U-Know-Who" <no-one@nowhere.com>
wrote:

>
>"Slow Code" <my.mail@no.spam> wrote in message
>news:TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net...
>>I want to make a no-code sit on the floor.
>>
>> SC
>
>Don't be surprised when you wear the cattle prod home embedded in your
>rectum.


in pint of fact he should be suprised if that happens he tries that
```

sort of thing he is most likely not to go home at all if he is lucky
the copps will take him away
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -8842601873704620925
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.volia.net!koehntopp.de!
newsfeed.freenet.de!feeder.news-service.com!news2.euro.net!66.150.105.54.MISMATCH!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf
Subject: Re: crapthon contiues
Date: Mon, 13 Nov 2006 19:27:22 -0500
Message-ID: <b93il25u7jtdblmu6ep1qqm9jgi9ds6cp3@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<7N16h.21559$0L1.2838@twister.nyroc.rr.com>
<nhahl215mdvo7brkfrl6i6be4srcbfdvbd@4ax.com>
<CS76h.13376$zB4.1619@twister.nyroc.rr.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
NNTP-Posting-Date: 13 Nov 2006 23:32:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54215
rec.radio.amateur.antenna:21508 rec.radio.amateur.equipment:6988
rec.radio.amateur.misc:26009 alt.ham-radio.vhf-uhf:3143

On Tue, 14 Nov 2006 00:13:22 GMT, "Pat Stevens"
<patstevens2@rochester.rr.com> wrote:

>How in the world are they causing trouble to you in real life?

by contacting my neighboor and harrassing folsk with the US amil

> You aren't
>too bright, if you think that trolling in a newsgroup, is going to protect
>you in real life.

I don't think it I know it does answer the rtroll giving them the
attnention they pleaed for they stopp harrassing my neightboors

http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -9153744939619202670
X-Google-Thread: 106d41,5e1e1d421bb19b9f
X-Google-Thread: 1009ad,8c40becdb40bf091,start
X-Google-Thread: 108122,8c40becdb40bf091,start
X-Google-Thread: 10bf43,39d9b8dbb30d0c04
X-Google-Thread: 1109af,8c40becdb40bf091,start
X-Google-Attributes: gid106d41,gid1009ad,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.cb,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.polic
y,rec.radio.swap
Subject: Re: CB Feud Leads To Shootout
From: Slow Code <my.mail@no.spam>
References: <9u4fl250141pmdrm2bh5lq564icvavknk8@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 29
Message-ID: <st86h.6394$L6.308@newsread3.news.pas.earthlink.net>
Date: Tue, 14 Nov 2006 00:54:48 GMT
NNTP-Posting-Host: 4.254.224.224
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1163465688 4.254.224.224 (Mon, 13 Nov
2006 16:54:48 PST)
NNTP-Posting-Date: Mon, 13 Nov 2006 16:54:48 PST
Xref: g2news2.google.com rec.radio.cb:22082 alt.radio.scanner:3688
rec.radio.amateur.equipment:6989 rec.radio.amateur.policy:54222
rec.radio.swap:9777

J Coffey <nospam@inhouse.com> wrote in
news:9u4fl250141pmdrm2bh5lq564icvavknk8@4ax.com:

> APOPKA, Fla. -- Two men decided to end a long-running feud with an old
> fashioned shootout, according to an Associated Press report.
>
> The men met up at in an Apopka Wal-Mart parking lot Saturday for a
> fight. One was grazed with a bullet, the other sprayed with Mace.
>
> Both men told police they knew each other only from arguing for six

> years over the CB radio airwaves.
>
>
> The men were arrested and taken to the Orange County Jail. Forty-eight
> year-old Frank Lukasik, of Longwood, was charged with aggravated
> battery after police said he shot 47-year-old Paul Goldman.
>
> Goldman was arrested on a charge of battery causing bodily harm after
> authorities said he sprayed the chemical at Lukasik.
>
> http://www.local6.com/news/10299812/detail.html#

No-codes are violent I tell you.

Why does everyone want more of them in ham radio, I just don't
understand it.

SC

From -4345352075629387028
X-Google-Thread: fa029,3636b504786ae5f
X-Google-Thread: 1009ad,b9a16bde206a7fd6,start
X-Google-Thread: 108122,b9a16bde206a7fd6,start
X-Google-Thread: 10bf43,b9a16bde206a7fd6,start
X-Google-Thread: 1109af,b9a16bde206a7fd6,start
X-Google-Attributes: gidfa029,gid1009ad,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.
policy,rec.radio.swap
Subject: Re: Could You Folks Share ?? Hams / CBer's
From: Slow Code <my.mail@no.spam>
References: <9midl2tv8qf08ib6t7sc4g9e5nqhmg1i7f@4ax.com>
<4556fccf$0$510$815e3792@news.qwest.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 18
Message-ID: <wt86h.6397$L6.4198@newsread3.news.pas.earthlink.net>
Date: Tue, 14 Nov 2006 00:54:52 GMT
NNTP-Posting-Host: 4.254.224.224
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1163465692 4.254.224.224 (Mon, 13 Nov
2006 16:54:52 PST)
NNTP-Posting-Date: Mon, 13 Nov 2006 16:54:52 PST
Xref: g2news2.google.com rec.radio.scanner:7797 alt.radio.scanner:3689
rec.radio.amateur.equipment:6990 rec.radio.amateur.policy:54225
rec.radio.swap:9780

PhattyMo <PhattyMo@nospam.gmail> wrote in
news:4556fccf$0$510$815e3792@news.qwest.net:

> ScanDaBands wrote:
>> Share the DRUGS you're on , from the looks of some of these messages ,
>> they must be very good ....
>
>
> What,You've noticed it too?
>
> *phew!*
> For a while I thought *I* was the crazy one..

You two are crazy, you don't need any drugs, now go find some police,
firemen or baby monitors to listen to.

SC

```
From 3736432435692311062
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf
Subject: Re: crapthon contiues
From: Slow Code <my.mail@no.spam>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<7N16h.21559$0L1.2838@twister.nyroc.rr.com>
<nhahl215mdvo7brkfrl6i6be4srcbfdvbd@4ax.com>
<CS76h.13376$zB4.1619@twister.nyroc.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 21
Message-ID: <yt86h.6398$L6.1411@newsread3.news.pas.earthlink.net>
Date: Tue, 14 Nov 2006 00:54:54 GMT
NNTP-Posting-Host: 4.254.224.224
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1163465694 4.254.224.224 (Mon, 13 Nov
2006 16:54:54 PST)
NNTP-Posting-Date: Mon, 13 Nov 2006 16:54:54 PST
Xref: g2news2.google.com rec.radio.amateur.policy:54226
rec.radio.amateur.antenna:21511 rec.radio.amateur.equipment:6991
```

rec.radio.amateur.misc:26011 alt.ham-radio.vhf-uhf:3144

"Pat Stevens" <patstevens2@rochester.rr.com> wrote in
news:CS76h.13376$zB4.1619@twister.nyroc.rr.com:

> How in the world are they causing trouble to you in real life? You
> aren't too bright, if you think that trolling in a newsgroup, is going
> to protect you in real life.

Please ignore the Turd Markie just dropped on this thread. If
you try to figure it out, you'll just get a headache.   TNX.

SC

> Mark in the Dark, wrote in message
> news:nhahl215mdvo7brkfrl6i6be4srcbfdvbd@4ax.com...

-Snip-

From -7537480578915751295
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner
Subject: Re: I'm taking a cattle prod to the next club meeting. I hope the place is packed.
From: Slow Code <my.mail@no.spam>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<xr76h.4701$mR4.217@tornado.texas.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 20
Message-ID: <Jt86h.6405$L6.2017@newsread3.news.pas.earthlink.net>
Date: Tue, 14 Nov 2006 00:55:05 GMT
NNTP-Posting-Host: 4.254.224.224
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1163465705 4.254.224.224 (Mon, 13 Nov 2006 16:55:05 PST)
NNTP-Posting-Date: Mon, 13 Nov 2006 16:55:05 PST

```
Xref: g2news2.google.com rec.radio.swap:9782 rec.radio.amateur.equipment:6992
rec.radio.amateur.policy:54233 rec.radio.scanner:7798

"U-Know-Who" <no-one@nowhere.com> wrote in
news:xr76h.4701$mR4.217@tornado.texas.rr.com:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net...
>>I want to make a no-code sit on the floor.
>>
>> SC
>
> Don't be surprised when you wear the cattle prod home embedded in your
> rectum.


Shut-up.

You tiny no-code piss-ants talk tough when there ain't a cattle prod
around, now go learn your CW.

SC



From 3353527529323856459
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf
Subject: Re: my knew blog
From: Slow Code <my.mail@no.spam>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 14
Message-ID: <Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net>
Date: Tue, 14 Nov 2006 00:55:12 GMT
NNTP-Posting-Host: 4.254.224.224
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1163465712 4.254.224.224 (Mon, 13 Nov
2006 16:55:12 PST)
NNTP-Posting-Date: Mon, 13 Nov 2006 16:55:12 PST
Xref: g2news2.google.com rec.radio.amateur.policy:54237
rec.radio.amateur.equipment:6993 rec.radio.amateur.misc:26017 alt.ham-radio.vhf-
```

uhf:3146

"an old freind" <Mark@kb9rqz.aprs> wrote in
news:45575dd6$0$21192$88260bb3@free.teranews.com:

> http://whywogersucks.blogspot.com/

ROFLMAO

Someone has Waaaay to much time on their hands.

LOL

SC

From 6876177513101858684
X-Google-Thread: 1009ad,849d03850b9fbf80,start
X-Google-Thread: 108122,849d03850b9fbf80,start
X-Google-Thread: 10bf43,849d03850b9fbf80,start
X-Google-Thread: 1109af,2f89a8b654b0f1bd
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: Sc
From: Slow Code <my.mail@no.spam>
References: <45579efa$0$5787$ecde5a14@news.coretel.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 16
Message-ID: <au86h.6416$L6.4812@newsread3.news.pas.earthlink.net>
Date: Tue, 14 Nov 2006 00:55:34 GMT
NNTP-Posting-Host: 4.254.224.224
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1163465734 4.254.224.224 (Mon, 13 Nov 2006 16:55:34 PST)
NNTP-Posting-Date: Mon, 13 Nov 2006 16:55:34 PST
Xref: g2news2.google.com alt.radio.scanner:3694 rec.radio.amateur.equipment:6994
rec.radio.amateur.policy:54242 rec.radio.swap:9785

"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in
news:45579efa$0$5787$ecde5a14@news.coretel.net:

> Congradulations people, you've successfully allowed SC to dominate the
> newsgroup. He is apparently the topic in more than one thread. This
> newsgroup is SHOT IN THE ASS. I'm not even sure why I bother to read it.

> There is nothing but SC garbage. NO decent "swap" threads, etc.

I want to swap horror stories on how dumbing down ham radio has hurt it.
Anyone here got any? Tnx, 73,

Good luck in the contest.

SC

```
From 7351182334442853303
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: slow code threatens assult on NoCoder can this be a "good Ham"
From: Slow Code <my.mail@no.spam>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
<4556fc76$0$510$815e3792@news.qwest.net> <f3kma.k5d.19.1@news.alt.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 32
Message-ID: <hu86h.6417$L6.4829@newsread3.news.pas.earthlink.net>
Date: Tue, 14 Nov 2006 00:55:41 GMT
NNTP-Posting-Host: 4.254.224.224
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1163465741 4.254.224.224 (Mon, 13 Nov
2006 16:55:41 PST)
NNTP-Posting-Date: Mon, 13 Nov 2006 16:55:41 PST
Xref: g2news2.google.com rec.radio.swap:9786 rec.radio.amateur.equipment:6995
rec.radio.amateur.policy:54243 rec.radio.scanner:7799
```

"Not Steve" <anon@anon> wrote in news:f3kma.k5d.19.1@news.alt.net:

>
> "PhattyMo" <PhattyMo@nospam.gmail> wrote in message
> news:4556fc76$0$510$815e3792@news.qwest.net...
> Mark@kb9rqz.aprs wrote:
>> On Sun, 12 Nov 2006 01:18:43 GMT, Slow Code <my.mail@no.spam> wrote:
>>
>>> I want to make a no-code sit on the floor.
>>

```
>> you try it at any club and I bet you will end in jail sc
>>> SC
>> http://kb9rqz.blogspot.com/
>>
>
>
> Let him do it,Jail is the best place for him.
> **************
>
> The bottom line remains. No-Coders should salute their superiors and
> should give up their chairs as a matter of courtesy.
> Doing so is a simple show of respect.
>
> No-Coders should be made to stand at the back of the room until they can
> pass no less than 5wpm. Then, and only then, will they be allowed to
> come to the front to whine.
>


ROFL

SC



From 8400061193160604951
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Thread: 106d41,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
,rec.radio.cb
Subject: Re: Why we need to keep Code.
From: Slow Code <my.mail@no.spam>
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
<1163134375.478399.291360@m73g2000cwd.googlegroups.com>
<77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
<1163278840.735637.82570@h48g2000cwc.googlegroups.com>
<VDu5h.5288$0r.5107@newsread1.news.pas.earthlink.net>
<1163358836.686995.238400@m7g2000cwm.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 33
Message-ID: <Ku86h.6420$L6.1396@newsread3.news.pas.earthlink.net>
Date: Tue, 14 Nov 2006 00:56:10 GMT
NNTP-Posting-Host: 4.254.224.224
X-Complaints-To: abuse@earthlink.net
```

```
X-Trace: newsread3.news.pas.earthlink.net 1163465770 4.254.224.224 (Mon, 13 Nov
2006 16:56:10 PST)
NNTP-Posting-Date: Mon, 13 Nov 2006 16:56:10 PST
Xref: g2news2.google.com rec.radio.amateur.policy:54246
rec.radio.amateur.equipment:6996 rec.radio.amateur.boatanchors:6297
rec.radio.cb:22086

hot-ham-and-cheese@hotmail.com wrote in
news:1163358836.686995.238400@m7g2000cwm.googlegroups.com:

>
> Slow Code wrote:
>> hot-ham-and-cheese@hotmail.com wrote in
>> news:1163278840.735637.82570@h48g2000cwc.googlegroups.com:
>>
>> >
>> > M...@kb9rqz.aprs wrote:
>> >> On 9 Nov 2006 20:52:55 -0800, "I PUNCE" <markpunce@yahoo.com> wrote:
>> >>
>> >> >
>> >>
>> >> id theft is crime
>> >
>> >
>> > Wish Kenwood would come up with a noise-cancelling keyboard...
>>
>>
>>
>> If we eliminate the Code requirement, you'll be wishing Kenwood could
>> come up with a Lid Filter.  Markie is proof you'll need one.
>>
>> SC
>
> You're all the proof I need.


What are you listening to, CB? I'm not on CB, so you don't need a filter
for me.

SC



From -42578088697942709
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
```

```
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: ... -.-.  -. . . -.. ... ... ..-. ..-
Date: Mon, 13 Nov 2006 20:03:50 -0500
Message-ID: <df5il213juffc19bkk907ogtbunr4ad2t9@4ax.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<xr76h.4701$mR4.217@tornado.texas.rr.com>
<Jt86h.6405$L6.2017@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Date: 14 Nov 2006 00:08:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9788 rec.radio.amateur.equipment:6997
rec.radio.amateur.policy:54255 rec.radio.scanner:7803

On Tue, 14 Nov 2006 00:55:05 GMT, Slow Code <my.mail@no.spam> wrote:

>"U-Know-Who" <no-one@nowhere.com> wrote in
>news:xr76h.4701$mR4.217@tornado.texas.rr.com:
>
>>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net...
>>>I want to make a no-code sit on the floor.
>>>
>>> SC
>>
>> Don't be surprised when you wear the cattle prod home embedded in your
>> rectum.
>
>
>Shut-up.
>
>You tiny no-code piss-ants talk tough when there ain't a cattle prod
>around, now go learn your CW.

... -.-.  -. . . -.. ... ... ..-. ..-
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -8691292572971673605
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
```

```
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
Subject: Re: slow code threatens assult on NoCoder can this be a "good Ham"
Date: Mon, 13 Nov 2006 20:04:41 -0500
Message-ID: <rg5il2dmgjm07csff25ffc4f5v0oh1g1li@4ax.com>
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<mdddl2prijb4m8lu3fhth72f3tv6nrqovd@4ax.com>
<4556fc76$0$510$815e3792@news.qwest.net> <f3kma.k5d.19.1@news.alt.net>
<hu86h.6417$L6.4829@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
NNTP-Posting-Date: 14 Nov 2006 00:09:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:9789 rec.radio.amateur.equipment:6999
rec.radio.amateur.policy:54258 rec.radio.scanner:7804

On Tue, 14 Nov 2006 00:55:41 GMT, Slow Code <my.mail@no.spam> wrote:

>"Not Steve" <anon@anon> wrote in news:f3kma.k5d.19.1@news.alt.net:
>
>>
>> "PhattyMo" <PhattyMo@nospam.gmail> wrote in message
>> news:4556fc76$0$510$815e3792@news.qwest.net...
>> Mark@kb9rqz.aprs wrote:
>>> On Sun, 12 Nov 2006 01:18:43 GMT, Slow Code <my.mail@no.spam> wrote:
>>>
>>>> I want to make a no-code sit on the floor.
>>>
>>> you try it at any club and I bet you will end in jail sc
>>>> SC
>>> http://kb9rqz.blogspot.com/
>>>
>>
>>
>> Let him do it,Jail is the best place for him.
>> **************
>>
>> The bottom line remains. No-Coders should salute their superiors and
>> should give up their chairs as a matter of courtesy.
>> Doing so is a simple show of respect.
>>
>> No-Coders should be made to stand at the back of the room until they can
>> pass no less than 5wpm. Then, and only then, will they be allowed to
>> come to the front to whine.
>>
>
>
>ROFL

... -.-.  -. . . -.. ... ... ..-. ..-
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -5727206629020731708
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: fcc6e,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.amateur.misc,alt.ham-radio.vhf-uhf
Subject: ... -.-.  -. . . -.. ... ... ..-. ..-
Date: Mon, 13 Nov 2006 20:04:22 -0500
Message-ID: <bg5il2tdrcucpa7f14ihg8ff27dhlq7afl@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<pan.2006.11.13.10.41.37.997282@verwirren.confused>
<7N16h.21559$0L1.2838@twister.nyroc.rr.com>
<nhahl215mdvo7brkfrl6i6be4srcbfdvbd@4ax.com>
<CS76h.13376$zB4.1619@twister.nyroc.rr.com>
<yt86h.6398$L6.1411@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
NNTP-Posting-Date: 14 Nov 2006 00:09:29 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54257
rec.radio.amateur.antenna:21522 rec.radio.amateur.equipment:6998
rec.radio.amateur.misc:26026 alt.ham-radio.vhf-uhf:3147

On Tue, 14 Nov 2006 00:54:54 GMT, Slow Code <my.mail@no.spam> wrote:

>"Pat Stevens" <patstevens2@rochester.rr.com> wrote in
```

```
>news:CS76h.13376$zB4.1619@twister.nyroc.rr.com:
>
>> How in the world are they causing trouble to you in real life?  You
>> aren't too bright, if you think that trolling in a newsgroup, is going
>> to protect you in real life.
>
>
>
>Please ignore the Turd Markie just dropped on this thread. If
>you try to figure it out, you'll just get a headache.   TNX.

... -.-.  -. . . -.. ... ... ..-. ..-
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 3203176696558441490
X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!newshub.sdsu.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ha
m-radio.vhf-uhf
Subject: ... -.-.  -. . . -.. ... ... ..-. ..-
Date: Mon, 13 Nov 2006 20:05:27 -0500
Message-ID: <fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com>
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 14 Nov 2006 00:10:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54260
rec.radio.amateur.equipment:7000 rec.radio.amateur.misc:26027 alt.ham-radio.vhf-
uhf:3148

On Tue, 14 Nov 2006 00:55:12 GMT, Slow Code <my.mail@no.spam> wrote:

>"an old freind" <Mark@kb9rqz.aprs> wrote in
>news:45575dd6$0$21192$88260bb3@free.teranews.com:
>
```

>> http://whywogersucks.blogspot.com/
>
>
>ROFLMAO
>
>
>Someone has Waaaay to much time on their hands.

... -.-. -. . . -.. ... .-. ..-
>
>LOL
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -8057768957578338218
X-Google-Thread: 10bf43,9023a02edbd7b548
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Thread: 106d41,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
,rec.radio.cb
Subject: ... -.-. -. . . -.. ... .-. ..-
Date: Mon, 13 Nov 2006 20:06:13 -0500
Message-ID: <si5il2djhpt3jlkfl4f310sp90bmsqr6jk@4ax.com>
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
<1163134375.478399.291360@m73g2000cwd.googlegroups.com>
<77ecl2los8tmdf7t5u08i4s298plbh77du@4ax.com>
<1163278840.735637.82570@h48g2000cwc.googlegroups.com>
<VDu5h.5288$0r.5107@newsread1.news.pas.earthlink.net>
<1163358836.686995.238400@m7g2000cwm.googlegroups.com>
<Ku86h.6420$L6.1396@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 42
NNTP-Posting-Date: 14 Nov 2006 00:11:20 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:54262
rec.radio.amateur.equipment:7001 rec.radio.amateur.boatanchors:6299
rec.radio.cb:22090

```
On Tue, 14 Nov 2006 00:56:10 GMT, Slow Code <my.mail@no.spam> wrote:

>hot-ham-and-cheese@hotmail.com wrote in
>news:1163358836.686995.238400@m7g2000cwm.googlegroups.com:
>
>>
>> Slow Code wrote:
>>> hot-ham-and-cheese@hotmail.com wrote in
>>> news:1163278840.735637.82570@h48g2000cwc.googlegroups.com:
>>>
>>> >
>>> > M...@kb9rqz.aprs wrote:
>>> >> On 9 Nov 2006 20:52:55 -0800, "I PUNCE" <markpunce@yahoo.com> wrote:
>>> >>
>>> >> >
>>> >>
>>> >> id theft is crime
>>> >
>>> >
>>> > Wish Kenwood would come up with a noise-cancelling keyboard...
>>>
>>>
>>>
>>> If we eliminate the Code requirement, you'll be wishing Kenwood could
>>> come up with a Lid Filter.  Markie is proof you'll need one.
>>>
>>> SC
>>
>> You're all the proof I need.
>
>
>What are you listening to, CB? I'm not on CB, so you don't need a filter
>for me.

then you have been lying in your posts

but we need a filter from the bad hams s like yourself

... -.-.  -. . . -.. ... ... ..-. ..-
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 7635140097839592795
X-Google-Thread: 106d41,5e1e1d421bb19b9f
X-Google-Thread: 1009ad,8c40becdb40bf091
X-Google-Thread: 108122,8c40becdb40bf091
```

X-Google-Thread: 10bf43,39d9b8dbb30d0c04
X-Google-Thread: 1109af,8c40becdb40bf091
X-Google-Attributes: gid106d41,gid1009ad,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups: rec.radio.cb,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: ... -.-. -. . . -.. ... .-. ..-
Date: Mon, 13 Nov 2006 20:06:49 -0500
Message-ID: <ck5il25880fe0t98pdkj61dgo1sf3eb5n9@4ax.com>
References: <9u4fl250141pmdrm2bh5lq564icvavknk8@4ax.com> <st86h.6394$L6.308@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Date: 14 Nov 2006 00:11:57 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.cb:22091 alt.radio.scanner:3700 rec.radio.amateur.equipment:7002 rec.radio.amateur.policy:54263 rec.radio.swap:9791

On Tue, 14 Nov 2006 00:54:48 GMT, Slow Code <my.mail@no.spam> wrote:

>J Coffey <nospam@inhouse.com> wrote in
>news:9u4fl250141pmdrm2bh5lq564icvavknk8@4ax.com:
>
>> APOPKA, Fla. -- Two men decided to end a long-running feud with an old
>> fashioned shootout, according to an Associated Press report.
>>
>> The men met up at in an Apopka Wal-Mart parking lot Saturday for a
>> fight. One was grazed with a bullet, the other sprayed with Mace.
>>
>> Both men told police they knew each other only from arguing for six
>> years over the CB radio airwaves.
>>
>>
>> The men were arrested and taken to the Orange County Jail. Forty-eight
>> year-old Frank Lukasik, of Longwood, was charged with aggravated
>> battery after police said he shot 47-year-old Paul Goldman.
>>
>> Goldman was arrested on a charge of battery causing bodily harm after
>> authorities said he sprayed the chemical at Lukasik.
>>
>> http://www.local6.com/news/10299812/detail.html#
>
>
>No-codes are violent I tell you.

```
you are the one claiming you intend to ASSULT them on masses

... -.-.  -. . . -.. ... ... ..-. ..-
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -3432511616523810460
X-Google-Thread: fa029,3636b504786ae5f
X-Google-Thread: 1009ad,b9a16bde206a7fd6
X-Google-Thread: 108122,b9a16bde206a7fd6
X-Google-Thread: 10bf43,b9a16bde206a7fd6
X-Google-Thread: 1109af,b9a16bde206a7fd6
X-Google-Attributes: gidfa029,gid1009ad,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newshub.sdsu.edu!news-
spur1.maxwell.syr.edu!news.maxwell.syr.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.scanner,alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.
policy,rec.radio.swap
Subject: ... -.-.  -. . . -.. ... ... ..-. ..-
Date: Mon, 13 Nov 2006 20:08:23 -0500
Message-ID: <un5il2dlu6sosm8hna0b65o0j55h2scvo0@4ax.com>
References: <9midl2tv8qf08ib6t7sc4g9e5nqhmg1i7f@4ax.com>
<4556fccf$0$510$815e3792@news.qwest.net>
<wt86h.6397$L6.4198@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Date: 14 Nov 2006 00:13:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.scanner:7806 alt.radio.scanner:3702
rec.radio.amateur.equipment:7003 rec.radio.amateur.policy:54268
rec.radio.swap:9794

On Tue, 14 Nov 2006 00:54:52 GMT, Slow Code <my.mail@no.spam> wrote:

>PhattyMo <PhattyMo@nospam.gmail> wrote in
>news:4556fccf$0$510$815e3792@news.qwest.net:
>
>> ScanDaBands wrote:
>>> Share the DRUGS you're on , from the looks of some of these messages ,
>>> they must be very good ........
>>
>>
>> What,You've noticed it too?
```

```
>>
>> *phew!*
>> For a while I thought *I* was the crazy one..
>
>
>You two are crazy, you don't need any drugs, now go find some police,
>firemen or baby monitors to listen to.

... -.-.  -. . . -.. ... ... ..-. ..-
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -7536439074546205954
X-Google-Thread: 1009ad,849d03850b9fbf80
X-Google-Thread: 108122,849d03850b9fbf80
X-Google-Thread: 10bf43,849d03850b9fbf80
X-Google-Thread: 1109af,2f89a8b654b0f1bd
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
wap
Subject: ... -.-.  -. . . -.. ... ... ..-. ..-
Date: Mon, 13 Nov 2006 20:13:42 -0500
Message-ID: <j06il2do94egc75shmdou5ke0lrj7d6idn@4ax.com>
References: <45579efa$0$5787$ecde5a14@news.coretel.net>
<au86h.6416$L6.4812@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Date: 14 Nov 2006 00:18:50 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:3704 rec.radio.amateur.equipment:7004
rec.radio.amateur.policy:54273 rec.radio.swap:9796

On Tue, 14 Nov 2006 00:55:34 GMT, Slow Code <my.mail@no.spam> wrote:

>"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in
>news:45579efa$0$5787$ecde5a14@news.coretel.net:
>
>> Congradulations people, you've successfully allowed SC to dominate the
>> newsgroup. He is apparently the topic in more than one thread. This
>> newsgroup is SHOT IN THE ASS. I'm not even sure why I bother to read it.
>> There is nothing but SC garbage. NO decent "swap" threads, etc.
>
>
>
>I want to swap horror stories on how dumbing down ham radio has hurt it.
>Anyone here got any?  Tnx, 73,

it is has never happened since Incetive Licensing dumbed it down with
high speed Morse Code tests
>
>Good luck in the contest.
>
>SC
... -.-.  -. . . -.. ... ... ..-. ..-
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -4339773123978839 74
X-Google-Thread: 1109af,6f1c217d26735496
X-Google-Thread: 108122,6f1c217d26735496
X-Google-Thread: 10bf43,6f1c217d26735496
X-Google-Thread: fa029,6f1c217d26735496
X-Google-Attributes: gid1109af,gid108122,gid10bf43,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scan
ner
References: <TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net>
<xr76h.4701$mR4.217@tornado.texas.rr.com>
<Jt86h.6405$L6.2017@newsread3.news.pas.earthlink.net>
Subject: Re: I'm taking a cattle prod to the next club meeting.  I hope the place
is packed.
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <pP86h.24302$rG.15395@tornado.texas.rr.com>
Date: Tue, 14 Nov 2006 01:18:13 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1163467093 67.10.92.242 (Mon, 13 Nov 2006 19:18:13
CST)
```

NNTP-Posting-Date: Mon, 13 Nov 2006 19:18:13 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.swap:9797 rec.radio.amateur.equipment:7005
rec.radio.amateur.policy:54275 rec.radio.scanner:7807

"Slow Code" <my.mail@no.spam> wrote in message
news:Jt86h.6405$L6.2017@newsread3.news.pas.earthlink.net...
> "U-Know-Who" <no-one@nowhere.com> wrote in
> news:xr76h.4701$mR4.217@tornado.texas.rr.com:
>
>>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:TDu5h.5287$0r.2695@newsread1.news.pas.earthlink.net...
>>>I want to make a no-code sit on the floor.
>>>
>>> SC
>>
>> Don't be surprised when you wear the cattle prod home embedded in your
>> rectum.
>
>
> Shut-up.
>
> You tiny no-code piss-ants talk tough when there ain't a cattle prod
> around, now go learn your CW.
>
> SC

I'd actually prefer to take the cattle prod away from you, shove it in your
ass sideways, then shove it in your mouth and tape the switch closed.
Sissy-boi.

From -2511286277561234951
X-Google-Thread: 108122,7015b425530bdd8c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Nov 2006 21:32:16 -0600
Date: Mon, 13 Nov 2006 19:32:19 -0800
From: KD6EVM <nelsonca@comcast.net>
Reply-To: nelsonca@comcast.net
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Adios
Content-Type: text/plain; charset=ISO-8859-1; format=flowed

Content-Transfer-Encoding: 7bit
Message-ID: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
Lines: 6
NNTP-Posting-Host: 67.166.131.124
X-Trace: sv3-oq5vZBiLMmdmSR7auU55aTNdARFstqZv24f7Z+zsHxwZY4YRDFikls/7xJ98eC2fQaYSI9P3o3+FHfi!gOAH2VIvD9W5jSjbCESlwPPgKoVV75XcpY7TcmxZVbikf7cQCZU/5aOf5QMx5SrpXITODocgDqBp!KFMD5767cSB/rIQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:7006

Long time subscriber saying adios....

When the BS outweighs practical communication, the longtimers vacate.

Those of you who bemone the rise of ebay have destroyed the alternative
with your whining and petty bickering. Good job!

From 2597995461509102784
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "Denny" <k8do@mailblocks.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Adios
Date: 14 Nov 2006 04:17:04 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1163506624.190737.63810@b28g2000cwb.googlegroups.com>
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
NNTP-Posting-Host: 24.247.246.156
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163506629 24752 127.0.0.1 (14 Nov 2006 12:17:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Nov 2006 12:17:09 +0000 (UTC)
In-Reply-To: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.8) Gecko/20061025 Firefox/1.5.0.8,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=24.247.246.156;
   posting-account=GhrC0g0AAACdrABM-CDx8Fhs5lKJR5q2
Xref: g2news2.google.com rec.radio.amateur.equipment:7007

I had to open my filters to see what you are discussing - yes it is

polluted and causing declining use by normal folks - but use your spam
filters... Post and reply to only relevant people and keep the group
going...

denny / k8do

KD6EVM wrote:
> Long time subscriber saying adios....
>
> When the BS outweighs practical communication, the longtimers vacate.
>
> Those of you who bemone the rise of ebay have destroyed the alternative
> with your whining and petty bickering. Good job!

From -6423034915494098598
X-Google-Thread: 108122,ec1fdaf362d2764a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe21.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: SSTV
Message-ID: <r7ijl2tqb1v4fs20m83h0uafkcjjk86b5k@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Tue, 14 Nov 2006 08:47:50 -0500
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe21.lga 1163512037 70.161.108.207 (Tue, 14 Nov 2006 06:47:17 MST)
NNTP-Posting-Date: Tue, 14 Nov 2006 06:47:17 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:7008

GREAT DEAL! "ROBOT" SSTV Units, Robot 400, Robot 800 & Robot 1200C w/
manuals all packed in two boxes ready to ship. Buyer never sent
money! Will sell for $125 plus S&H from 23320 Zip Code. Part of an
estate, units are as is, removed from shack of WA9USE.
<k4wys@cox.net>

From 1207123879341052058
X-Google-Thread: 108122,7015b425530bdd8c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!

border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.net!
prodigy.net!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!
newshosting.com.MISMATCH!nx01.iad01.newshosting.com!newshosting.com!news.alt.net!
news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
References: <p7WdneUAE4RdpcTYnZ2dnUVZ_sWdnZ2d@comcast.com>
<1163506624.190737.63810@b28g2000cwb.googlegroups.com>
Subject: Re: Adios
Date: Tue, 14 Nov 2006 07:30:31 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 25
Message-ID: <4559e11a$0$34555$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 14 Nov 2006 15:30:34 GMT
NNTP-Posting-Host: 8bab0734.news.sonic.net
X-Trace: DXC=?3OabZBm;iZIWLYFW?
eAiWm4K\QM1CV^P1OYf0H`?;XQ1:GBO_`ae:U<Qc7RIG=<OXmT::l9CD6kXmK?N0:g3lf_
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:7009

Gotta agree with Denny. There are just a few folks here that
cause problems. Ignore them. There are lots of decent folks
here that post regularly, and many more lurkers.

Steve

"Denny" <k8do@mailblocks.com> wrote in message
news:1163506624.190737.63810@b28g2000cwb.googlegroups.com...
>I had to open my filters to see what you are discussing - yes it is
> polluted and causing declining use by normal folks - but use your spam
> filters... Post and reply to only relevant people and keep the group
> going...
>
> denny / k8do
>
> KD6EVM wrote:
>> Long time subscriber saying adios....
>>
>> When the BS outweighs practical communication, the longtimers vacate.
>>
>> Those of you who bemone the rise of ebay have destroyed the alternative
>> with your whining and petty bickering. Good job!
>

From 3045000479675588841

```
X-Google-Thread: fc8b1,65d280a603854e4d,start
X-Google-Thread: 106d41,65d280a603854e4d,start
X-Google-Thread: 108122,65d280a603854e4d,start
X-Google-Attributes: gidfc8b1,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.cb,rec.radio.amateur.equipment
Subject: FA: @$10>DRAKE 1525EM TOUCH-TONE HAND MICROPHONE w/PAPERS
Date: 14 Nov 2006 08:09:59 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1163520599.583032.293130@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163520606 28049 127.0.0.1 (14 Nov 2006 16:10:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Nov 2006 16:10:06 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7)
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6306 rec.radio.cb:22112
rec.radio.amateur.equipment:7010

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220047642987&ssPageName=STRK:MESE:IT&ih=012




From 4424488159974791223
X-Google-Thread: 1009ad,849d03850b9fbf80
X-Google-Thread: 108122,849d03850b9fbf80
X-Google-Thread: 10f7a7,ecb5f70693253ce3,start
X-Google-Thread: 10bf43,849d03850b9fbf80
X-Google-Thread: 1109af,2f89a8b654b0f1bd
X-Google-Attributes: gid1009ad,gid108122,gid10f7a7,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-
mail
From: "I PUNCE" <markpunce@yahoo.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,alt.usenet.kooks,rec.radio.amateur.p
olicy,rec.radio.swap
Subject: Re: ... -.-. -. . . -.. ... ... ..-. ..-
Date: 14 Nov 2006 11:43:36 -0800
Organization: http://groups.google.com
Lines: 31
Message-ID: <1163533416.259553.199210@f16g2000cwb.googlegroups.com>
```

```
References: <45579efa$0$5787$ecde5a14@news.coretel.net>
   <au86h.6416$L6.4812@newsread3.news.pas.earthlink.net>
   <j06il2do94egc75shmdou5ke0lrj7d6idn@4ax.com>
NNTP-Posting-Host: 4.129.75.4
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163533421 28218 127.0.0.1 (14 Nov 2006 19:43:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Nov 2006 19:43:41 +0000 (UTC)
In-Reply-To: <j06il2do94egc75shmdou5ke0lrj7d6idn@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
yie6),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=4.129.75.4;
   posting-account=bZxC7w0AAACLQ3SNsCY-6JhHg9HUE_bg
Xref: g2news2.google.com alt.radio.scanner:3718 rec.radio.amateur.equipment:7011
alt.usenet.kooks:268762 rec.radio.amateur.policy:54308 rec.radio.swap:9809



Mark@kb9rqz.aprs wrote:
> On Tue, 14 Nov 2006 00:55:34 GMT, Slow Code <my.mail@no.spam> wrote:
>
> >"Radiosrfun" <Radiosrfun@radiosrfun.com> wrote in
> >news:45579efa$0$5787$ecde5a14@news.coretel.net:
> >
> >> Congradulations people, you've successfully allowed SC to dominate the
> >> newsgroup. He is apparently the topic in more than one thread. This
> >> newsgroup is SHOT IN THE ASS. I'm not even sure why I bother to read it.
> >> There is nothing but SC garbage. NO decent "swap" threads, etc.
> >
> >
> >
> >I want to swap horror stories on how dumbing down ham radio has hurt it.
> >Anyone here got any?  Tnx, 73,
>
> it is has never happened since Incetive Licensing dumbed it down with
> high speed Morse Code tests
> >
> >Good luck in the contest.
> >
> >SC
> ... -.-.  -. . . -.. ... ... ..-. ..-
> http://kb9rqz.blogspot.com/
>
> --
> Posted via a free Usenet account from http://www.teranews.com

I PUNCE



From 5058138414671423100
```

X-Google-Thread: 10bf43,ac7587ba97c595e3
X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Pat Stevens" <patstevens2@rochester.rr.com>
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.vhf-uhf
References: <45575dd6$0$21192$88260bb3@free.teranews.com> <Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net> <fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com>
Subject: Re: ... -.-. -. . . -.. ... .-. ..-
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <2Dp6h.14200$zB4.3884@twister.nyroc.rr.com>
Date: Tue, 14 Nov 2006 20:25:34 GMT
NNTP-Posting-Host: 66.67.165.36
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1163535934 66.67.165.36 (Tue, 14 Nov 2006 15:25:34 EST)
NNTP-Posting-Date: Tue, 14 Nov 2006 15:25:34 EST
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.policy:54313 rec.radio.amateur.equipment:7012 rec.radio.amateur.misc:26043 alt.ham-radio.vhf-uhf:3150

<Mark@kb9rqz.aprs> wrote in message
news:fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com...
> On Tue, 14 Nov 2006 00:55:12 GMT, Slow Code <my.mail@no.spam> wrote:
>
>
> ... -.-. -. . . -.. ... .-. ..-

scneedssfu?

I think you should foreget the code and go back to just using the regular letters. You don't make sense in either format.

From -3641847285924465500
X-Google-Thread: 10bf43,ac7587ba97c595e3

X-Google-Thread: 108122,ac7587ba97c595e3
X-Google-Thread: 107ada,ac7587ba97c595e3
X-Google-Thread: fb049,ac7587ba97c595e3
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!
news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!
not-for-mail
From: "Guy P. Distaffen" <guypd@rochester.rr.com>
User-Agent: Thunderbird 1.5.0.8 (Windows/20061025)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ham-radio.vhf-uhf
Subject: Re: ... -.-. -. . . -.. ... .-. ..-
References: <45575dd6$0$21192$88260bb3@free.teranews.com>
<Qt86h.6411$L6.5165@newsread3.news.pas.earthlink.net>
<fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com>
<2Dp6h.14200$zB4.3884@twister.nyroc.rr.com>
In-Reply-To: <2Dp6h.14200$zB4.3884@twister.nyroc.rr.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <sJq6h.489$6d2.107@twister.nyroc.rr.com>
Date: Tue, 14 Nov 2006 21:40:40 GMT
NNTP-Posting-Host: 66.67.160.243
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1163540440 66.67.160.243 (Tue, 14 Nov 2006 16:40:40
EST)
NNTP-Posting-Date: Tue, 14 Nov 2006 16:40:40 EST
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.policy:54315
rec.radio.amateur.equipment:7013 rec.radio.amateur.misc:26045 alt.ham-radio.vhf-uhf:3151

Pat Stevens wrote:
> <Mark@kb9rqz.aprs> wrote in message
> news:fi5il29ff02evcva6j6ckmju7veqlj14eb@4ax.com...
>> On Tue, 14 Nov 2006 00:55:12 GMT, Slow Code <my.mail@no.spam> wrote:
>>
>>
>> ... -.-. -. . . -.. ... .-. ..-
>
> scneedssfu?
>
> I think you should foreget the code and go back to just using the regular
> letters. You don't make sense in either format.
>
>

Nothing that he writes makes sense and he just keeps feeding the trolls.
  Just ignore him and add him to your kill file.

From -2909895401509547264
X-Google-Thread: 108122,9c8ff4772d6466fd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!f2b9e7ad!not-for-mail
From: "Steve" <123@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Dead Yaesu ft-890 Help!
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbodcmlpkllphiihnaofhcoohannfldcdgcjp
gcapfifgapbmafeoiibdihlbobnpojbgjhmnnmpgicogmaeildigekfibgpibbbacojniclhddoogo
NNTP-Posting-Date: Sun, 05 Nov 2006 12:14:47 EST
Organization: BellSouth Internet Group
Date: Sun, 5 Nov 2006 12:14:58 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6864

Went to fire up the Yaesu Ft-890 and it won't power up. I have power to the
radio but pushing the power button does nothing.
Used it a few days ago and everything was fine. There was no storm here so
it didn't get zapped.
Is there some kind of fuse inside this radio?
I have limited electronic knowledge, so is there something I can check that
may be a common failure to this rig that I might be able to do?
Bought it on ebay last year and its been flawless, but to me its not worth a
few hundred to ship it out to be fixed.

From 7437719839098703187
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Nov 2006 14:05:13 -0600
From: "w9gb" <spam_protect@arrl.net>

Newsgroups: rec.radio.amateur.equipment
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
Subject: Re: Dead Yaesu ft-890 Help!
Date: Sun, 5 Nov 2006 14:06:09 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <_66dneO5p55k3tPYnZ2dnUVZ_vGdnZ2d@comcast.com>
Lines: 24
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-
WtZq9Dngr9jOcXuVlVPTZlYAqA2cAukoNsWyrJZRvGwah5ViPIfJ1lntTm2owxr4TwBJRPyMC5Gi0MY!
a3QjWILC8KTMUaL9iXg9m/ynMUWlLP1lBrtrHjej901HZO2ic7pQwQAWf+fM2UfiuYhhy3l0ErKQ!
X+1g4DeTovSaCZ4H/4s=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6865

"Steve" <123@hotmail.com> wrote in message
news:b_o3h.7254$3L.7178@bignews2.bellsouth.net...
> Went to fire up the Yaesu Ft-890 and it won't power up. I have power to
> the radio but pushing the power button does nothing.
> Used it a few days ago and everything was fine. There was no storm here so
> it didn't get zapped.
> Is there some kind of fuse inside this radio?
> I have limited electronic knowledge, so is there something I can check
> that may be a common failure to this rig that I might be able to do?
> Bought it on ebay last year and its been flawless, but to me its not worth
> a few hundred to ship it out to be fixed.
>

Well, you answered your own question ...

"I have limited electronic knowledge -- its not worth a few hundred to ship it out to be fixed."

Sell it on eBay as a "Broken" or "Tech Special" -- you will get some of your money back to buy a new radio (with warranty) at your favorite amateur radio store for Christmas.

gb

From 3222271016887127277
X-Google-Thread: 108122,f8a54f3cf22a9bfc
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Nov 2006 14:10:19 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <bOn2h.52982$vi3.7752@bignews3.bellsouth.net>
Subject: Re: New Yahoo Group for Alpha Amplifiers...
Date: Sun, 5 Nov 2006 14:11:24 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <VYSdnYyvDfW22NPYnZ2dnUVZ_oCdnZ2d@comcast.com>
Lines: 10
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-ZRivo3xE2m7dun/
daFpnBFZVWbitWvm+654wbqVvGfxepNgYmMexeCEXzxIpZryHYosc2p2MHSLq+Oa!Yj6NRaUNzTiS93l/
ILx7gImSaMSkmgucEA4pCLl+/j3Km7CYd4jzQGdoq1u0wwGKQ7tNafA/XsNg!GJcOuzbpZeb+JBRXT+U=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6866

"laborkei" <laborkeiNOSPAM@hotmail.com> wrote in message
news:bOn2h.52982$vi3.7752@bignews3.bellsouth.net...
> http://groups.yahoo.com/group/Alpha_Amps/
>
> Alpha 9500's are shipping soon !
>

9 members in a group for past 12 months?




From 7812570463149879446
X-Google-Thread: 108122,375bfe86f45d6ffe,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!
newsfeed.yul.equant.net!news-santiago!helcaraxe.dcc.uchile.cl!not-for-mail
From: "�lvaro Monares G." <Nothis_almonare@ing.uchile.cl_nithis>
Newsgroups: rec.radio.amateur.equipment
Subject: GP300
Date: Sun, 5 Nov 2006 17:22:17 -0300
```

Organization: DCC - Universidad de Chile
Lines: 8
Message-ID: <eilh2r$984$1@helcaraxe.dcc.uchile.cl>
NNTP-Posting-Host: anakena.dcc.uchile.cl
X-Trace: helcaraxe.dcc.uchile.cl 1162758043 9476 192.80.24.6 (5 Nov 2006 20:20:43 GMT)
X-Complaints-To: newsmaster@dcc.uchile.cl
NNTP-Posting-Date: Sun, 5 Nov 2006 20:20:43 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:6867

Hello, I want to know which is the channel spacing in the motorola GP300?
12.5Khz ? And second where can I found the software for programming,
I hear one called gp300spa.

Best regards from Chile
Alvaro Monares G.

From 139052490479092998
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dead Yaesu ft-890 Help!
Date: 5 Nov 2006 21:35:51 -0800
Organization: http://groups.google.com
Lines: 52
Message-ID: <1162791350.965102.146610@k70g2000cwa.googlegroups.com>
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
NNTP-Posting-Host: 70.66.131.246
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162791355 1133 127.0.0.1 (6 Nov 2006 05:35:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Nov 2006 05:35:55 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=70.66.131.246;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6868

Steve,

I asuume by "won't power up" you mean completely dead - no lights meters etc.

The FT-890 uses an external power supply. Are you using the Yaesu FP-800 Power Supply or another supply? The manual warns users about reversing the power input leads!!

Try the following:

1. Check the power supply leads to see if you have 13.8 volts. You will need a digital volt meter but these are pretty cheap at Radio Shack or your local hardware store. Disconnect the supply from the receiver and record the voltage.

2. Even if you have 13.8 volts the supply may not be able to provide enough current if it is defective. Check it with an automobile light bulb. This will show if there is enough current to power the receiver. Record the voltage with the light on - still around 13.8V??

3. Reconnect the power supply and measure the voltage as you turn the power on and off. Any change? If everything is OK so far the power supply is OK

4. If your meter has an amp scale put the meter to the amps range (2 amps or more). Disconnect the red lead only (leave black attached) and put the meter in series. (one probe to the red lead and one to the + output of power suply). Measure the current with radio power switch on. Any current flowing?? If you get nothing at all you may have a loose power connection internally in the radio, a defective power switch or unfortunately an internal power circuit problem.

Are you confident enough to open the unit and poke around with your meter??

Good luck - Roger

Steve wrote:

> Went to fire up the Yaesu Ft-890 and it won't power up. I have power to the
> radio but pushing the power button does nothing.
> Used it a few days ago and everything was fine. There was no storm here so
> it didn't get zapped.
> Is there some kind of fuse inside this radio?
> I have limited electronic knowledge, so is there something I can check that
> may be a common failure to this rig that I might be able to do?
> Bought it on ebay last year and its been flawless, but to me its not worth a
> few hundred to ship it out to be fixed.

From -6906443506488458З
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!f2b9e7ad!not-for-mail
From: "Steve" <123@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
<1162791350.965102.146610@k70g2000cwa.googlegroups.com>
Subject: Re: Dead Yaesu ft-890 Help!
Lines: 70
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <XxF3h.9286$3L.7937@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcboidedlgehjmjhffamlgcgaeikdonmnpkgjo
gmedgmncngmbnaglhnjkpgkcmfgefkejpkaddlfoepjfjneogacaefbbbclnichiggoficodkpomim
NNTP-Posting-Date: Mon, 06 Nov 2006 07:05:11 EST
Organization: BellSouth Internet Group
Date: Mon, 6 Nov 2006 07:05:19 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6869

Power supply OK. Even tried a brand new car battery to make sure. No lights
or anything comes on.
I have enough nerve to take the covers off and poke around a bit as I have
nothing to lose at this point.
Am retired and divorced once and buying this radio was chore, so if this is
scrapped there will be no replacement.
It has the auto tuner built in, what would be a fair price to ask for it for
parts?
Thanks for help.

<sailtamarack@yahoo.ca> wrote in message
news:1162791350.965102.146610@k70g2000cwa.googlegroups.com...
> Steve,
>
> I asuume by "won't power up" you mean completely dead - no lights
> meters etc.
>
> The FT-890 uses an external power supply. Are you using the Yaesu
> FP-800 Power Supply or another supply? The manual warns users about
> reversing the power input leads!!
>
> Try the following:

```
>
> 1.  Check the power supply leads to see if you have 13.8 volts.  You
> will need a digital volt meter but these are pretty cheap at Radio
> Shack or your local hardware store.  Disconnect the supply from the
> receiver and record the voltage.
>
> 2.  Even if you have 13.8 volts the supply may not be able to provide
> enough current if it is defective.  Check it with an automobile light
> bulb.  This will show if there is enough current to power the receiver.
> Record the voltage with the light on - still around 13.8V??
>
> 3.  Reconnect the power supply and measure the voltage as you turn the
> power on and off.  Any change?  If everything is OK so far the power
> supply is OK
>
> 4.  If your meter has an amp scale put the meter to the amps range (2
> amps or more).  Disconnect the red lead only (leave black attached)
> and put the meter in series. (one probe to the red lead and one to the
> + output of power suply).  Measure the current with radio power switch
> on.  Any current flowing??  If you get nothing at all you may have a
> loose power connection internally in the radio, a defective power
> switch or unfortunately an internal power circuit problem.
>
> Are you confident enough to open the unit and poke around with your
> meter??
>
> Good luck - Roger
>
>
>
>
> Steve wrote:
>> Went to fire up the Yaesu Ft-890 and it won't power up. I have power to
>> the
>> radio but pushing the power button does nothing.
>> Used it a few days ago and everything was fine. There was no storm here
>> so
>> it didn't get zapped.
>> Is there some kind of fuse inside this radio?
>> I have limited electronic knowledge,  so is there something I can check
>> that
>> may be a common failure to this rig that I might be able to do?
>> Bought it on ebay last year and its been flawless, but to me its not
>> worth a
>> few hundred to ship it out to be fixed.
>



From -2780567830750321566
X-Google-Thread: 108122,375bfe86f45d6ffe
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Nov 2006 06:44:19 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <eilh2r$984$1@helcaraxe.dcc.uchile.cl>
Subject: Re: GP300
Date: Mon, 6 Nov 2006 06:44:29 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <5dadnT_BVbK-s9LYnZ2dnUVZ_qWdnZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-dcS9eMlLU7lKNrYfcS2fO9EBH97+XbnMLf7FTYBhDF//0utUPPY3iKiKSlg58/
Jii+OsL1PeKdrDYJ/!Hg4Q/
SHcEnQmoyMRXMeDPbhBdPaXwE+svmdfcPQbNyUsnRUhagjuDgdLkjPEGm6+gZC6Hzt7r2bI!
5D6Ohiy81AauAXwE/3U=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6870
```

"�lvaro Monares G." <Nothis_almonare@ing.uchile.cl_nithis> wrote in message
news:eilh2r$984$1@helcaraxe.dcc.uchile.cl...

> Hello, I want to know which is the channel spacing in the motorola GP300?
> 12.5Khz ? And second where can I found the software for programming,
> I hear one called gp300spa.
>
> Best regards from Chile
> Alvaro Monares G.
>

Go to: Bat Labs
http://www.batlabs.com/

Bat Labs GP300 page:
http://www.batlabs.com/gp300.html

Test set service cable
http://www.batlabs.com/images/gp300svc.gif

One approach
http://www.qsl.net/eb4eqa/gp300_rib/gp300_rib.htm

From 2087810920970989339
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "Denny" <k8do@mailblocks.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dead Yaesu ft-890 Help!
Date: 6 Nov 2006 06:59:26 -0800
Organization: http://groups.google.com
Lines: 88
Message-ID: <1162825166.425539.213760@i42g2000cwa.googlegroups.com>
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
  <1162791350.965102.146610@k70g2000cwa.googlegroups.com>
  <XxF3h.9286$3L.7937@bignews2.bellsouth.net>
NNTP-Posting-Host: 24.247.246.156
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162825171 15092 127.0.0.1 (6 Nov 2006 14:59:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Nov 2006 14:59:31 +0000 (UTC)
In-Reply-To: <XxF3h.9286$3L.7937@bignews2.bellsouth.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7) Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=24.247.246.156;
  posting-account=GhrC0g0AAACdrABM-CDx8Fhs5lKJR5q2
Xref: g2news2.google.com rec.radio.amateur.equipment:6871

Steve, ask around about the local ham radio club... There will be folks in the club who will be happy to give you a hand trouble shooting your radio...

As you drive around keep an eye open for the tell tale beam on a tower where a ham lives... Just ask folks you know or meet if they know any ham radio operators... Ask the guy next to you at the donut shop... Walk into the Radio Shack store and ask... If you are in mid Michigan give me a buzz on here and I will make arrangments for someone to help you... The CB shop at the local truck stop may be able to offer advice...

The electronics professor at the local unversity or college... Ask around the high school and there is likely to be someone who knows someone... There is help if you just work at finding it... The radio is unlikely to be scrap...

good luck - denny / k8do

Steve wrote:

> Power supply OK. Even tried a brand new car battery to make sure. No lights

> or anything comes on.
> I have enough nerve to take the covers off and poke around a bit as I have
> nothing to lose at this point.
> Am retired and divorced once and buying this radio was chore, so if this is
> scrapped there will be no replacement.
> It has the auto tuner built in, what would be a fair price to ask for it for
> parts?
> Thanks for help.
>
> <sailtamarack@yahoo.ca> wrote in message
> news:1162791350.965102.146610@k70g2000cwa.googlegroups.com...
> > Steve,
> >
> > I asuume by "won't power up" you mean completely dead - no lights
> > meters etc.
> >
> > The FT-890 uses an external power supply. Are you using the Yaesu
> > FP-800 Power Supply or another supply? The manual warns users about
> > reversing the power input leads!!
> >
> > Try the following:
> >
> > 1. Check the power supply leads to see if you have 13.8 volts. You
> > will need a digital volt meter but these are pretty cheap at Radio
> > Shack or your local hardware store. Disconnect the supply from the
> > receiver and record the voltage.
> >
> > 2. Even if you have 13.8 volts the supply may not be able to provide
> > enough current if it is defective. Check it with an automobile light
> > bulb. This will show if there is enough current to power the receiver.
> > Record the voltage with the light on - still around 13.8V??
> >
> > 3. Reconnect the power supply and measure the voltage as you turn the
> > power on and off. Any change? If everything is OK so far the power
> > supply is OK
> >
> > 4. If your meter has an amp scale put the meter to the amps range (2
> > amps or more). Disconnect the red lead only (leave black attached)
> > and put the meter in series. (one probe to the red lead and one to the
> > + output of power suply). Measure the current with radio power switch
> > on. Any current flowing?? If you get nothing at all you may have a
> > loose power connection internally in the radio, a defective power
> > switch or unfortunately an internal power circuit problem.
> >
> > Are you confident enough to open the unit and poke around with your
> > meter??
> >
> > Good luck - Roger
> >
> >
> >
> >
> > Steve wrote:

> >> Went to fire up the Yaesu Ft-890 and it won't power up. I have power to
> >> the
> >> radio but pushing the power button does nothing.
> >> Used it a few days ago and everything was fine. There was no storm here
> >> so
> >> it didn't get zapped.
> >> Is there some kind of fuse inside this radio?
> >> I have limited electronic knowledge, so is there something I can check
> >> that
> >> may be a common failure to this rig that I might be able to do?
> >> Bought it on ebay last year and its been flawless, but to me its not
> >> worth a
> >> few hundred to ship it out to be fixed.
> >

From -2468783164002417202
X-Google-Thread: 108122,f8a54f3cf22a9bfc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: "Denny" <k8do@mailblocks.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New Yahoo Group for Alpha Amplifiers...
Date: 6 Nov 2006 07:38:01 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1162827481.751150.222990@h48g2000cwc.googlegroups.com>
References: <bOn2h.52982$vi3.7752@bignews3.bellsouth.net>
   <VYSdnYyvDfW22NPYnZ2dnUVZ_oCdnZ2d@comcast.com>
NNTP-Posting-Host: 24.247.246.156
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162827487 23158 127.0.0.1 (6 Nov 2006 15:38:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Nov 2006 15:38:07 +0000 (UTC)
In-Reply-To: <VYSdnYyvDfW22NPYnZ2dnUVZ_oCdnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7)
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=24.247.246.156;
   posting-account=GhrC0g0AAACdrABM-CDx8Fhs5lKJR5q2
Xref: g2news2.google.com rec.radio.amateur.equipment:6872

Have you priced it? Might that be a factor?
The rep of the 'autotune' Alpha amps is nothing to write home about...
Might that be a factor?
Folks like Commander, QRO, Acom, and Tokyo make amps that put out more
power at far less cost and that do not shut down in the middle of
working a new country,,, Might that be a factor?

Don't take my rhetorical questions as an attack on Alpha... I wish them
well, but their product appeals to a very small niche market...

denny

w9gb wrote:

> > Alpha 9500's are shipping soon !
> >
>
> 9 members in a group for past 12 months?

```
From -8277120449824871340
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dead Yaesu ft-890 Help!
Date: 6 Nov 2006 09:18:35 -0800
Organization: http://groups.google.com
Lines: 32
Message-ID: <1162833515.357052.25080@k70g2000cwa.googlegroups.com>
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
   <1162791350.965102.146610@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 70.66.131.246
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162833520 11054 127.0.0.1 (6 Nov 2006 17:18:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Nov 2006 17:18:40 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=70.66.131.246;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6873
```

Steve,

Denny had some good ideas on how to get your radio fixed by local hams
etc. A radio that is completely dead is easy to troubleshoot -
intermittents are much trickier.

Have you checked the power cable to the radio? Unplug it from the rig
and use the meter and lightbulb to verify that all is OK on the
connecter end that plugs in to the radio. There should be fuses in the

positive and negative leads of the cable. You need to test them with a meter. Often they look OK to the eye but they are blown. If you don't have a meter try replacements of the correct amperage rating.

If you decide to take the covers off here are a few tips. Disconnect the power cable. Get a container to store the screws. They often get lost and it is impossible to find exact replacements. Do not remove any boards etc. - this is best left to someone with experience and proper test equipment. Look in the vicinity of the power socket - anything burnt or scorched traces on the boards?

I took a preliminary look at the circuit drawings for the FT-890. It looks like there is a relay that is activated by the power switch. When the radio was working did you hear a "click" when you turned it on?? If this relay is blown this is not an expensive repair.

Steve - it can be discouraging when this happens but don't give up on your radio. Local hams are often willing to help out. There are some FT-890 owners on the Yahoo group at
http://groups.yahoo.com/group/FT-890

Good luck - Roger

```
From -2132123788162930754
X-Google-Thread: 1109af,2a50aac0f1154015,start
X-Google-Thread: fc8b1,2a50aac0f1154015,start
X-Google-Thread: 108122,2a50aac0f1154015,start
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-
service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Wanted:  WW2 radio items for B-17G restoration
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 69
Message-ID: <rAL3h.5$gh3.0@dfw-service2.ext.ray.com>
Date: Mon, 06 Nov 2006 18:57:27 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1162839447 138.126.48.166 (Mon, 06 Nov 2006
12:57:27 CST)
NNTP-Posting-Date: Mon, 06 Nov 2006 12:57:27 CST
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.swap:9525 rec.radio.amateur.boatanchors:6237
rec.radio.amateur.equipment:6874
```

Hi all,

I'm gathering original WW2 radio equipment for use in the restoration of B-17G Flying Fortress 44-8543A, "Chuckie", operated by the Vintage Flying Museum of Fort Worth, TX. Yesterday I did a quick inventory of the equipment we have in storage. We have most of what we need, but we still lack some very important pieces.

We need the following SCR-274-N command radio items:

BC-442 antenna relay ass'y with RF ammeter and vacuum cap
BC-450 control box for three receivers
BC-451 control box for four transmitters
BC-458 transmitter, 5.3 - 7.0 mc
Any and all types of connectors associated with SCR-274-N
Ceramic "beads" used as insulation on the antenna leads

We need the following SCR-287-A liason radio items:

FT-142 mounting tray for BC-306 antenna coupler
PL-59 connector (need 2)
PL-61 connector (need 2)
PL-64 connector (need 1)
SA-13 knife switch (I think it's a 3PDT)
RL-30B trailing wire antenna motor and spool ass'y
F-10 trailing wire antenna fairlead ass'y
MC-163 trailing wire antenna element
DM-28 dynamotor for BC-348 receiver
J-37 telegraph key (NOT a Winslow part, too new!)
Ceramic "beads" used as insulation on the antenna leads

The equipment must be in excellent original condition with no modifications, but it does not have to be electrically operational.

We are a small museum, and we have no money to buy this kind of stuff. It takes all of the money we can muster to keep the Museum open and the B-17 flying. We're looking for donations here. We are a 501c(3) non-profit organization. All donations of equipment, money, and services are tax deductible. If you have any of the equipment we need, please consider donating it to us, and help us to share history with future generations. Thousands of people a year tour the B-17 at air shows and in our hangar. Chuckie is one of only TEN B-17's still flyable in North America, and not all of those ten are flown with any regularity.

Here is the URL for the Museum's web site:

http://www.VintageFlyingMuseum.org

Thanks in advance for your kind consideration, and also a big

Texas-size thanks to those of you who have donated equipment
and services to us recently:

KB1LNA, Charles Geis (complete BC-375-E transmitter station)
KX8XX, Mark Schmidt (UNUSED tuning unit TU-26B w/orig. box!)
Jim Bane of Jevic Trucking Co. (transportation services)

I donated a BC-348-R receiver, BC-459-A transmitter, and T-17
pilot's hand mic from my own collection!

73 to all,
Dean Hemphill, K5DH
B-17G 44-8543 "Chuckie" volunteer crew member
Vintage Flying Museum
Fort Worth, Texas

From -8338637747658078865
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews2.bellsouth.net.POSTED!f2b9e7ad!not-for-mail
From: "Steve" <123@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
<1162791350.965102.146610@k70g2000cwa.googlegroups.com>
<1162833515.357052.25080@k70g2000cwa.googlegroups.com>
Subject: Re: Dead Yaesu ft-890 Help!
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <WML3h.9421$3L.1496@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbokljdalaekiiffhoioomifokoionflnaljo
gmedgmncngmbnaglhnjkpgkcmfgefkejpkaddlfoepjfjnfkjhccloleflbbnnbhfokipbhgdhggfd
NNTP-Posting-Date: Mon, 06 Nov 2006 14:10:46 EST
Organization: BellSouth Internet Group
Date: Mon, 6 Nov 2006 14:10:59 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6875

<sailtamarack@yahoo.ca> wrote in message
news:1162833515.357052.25080@k70g2000cwa.googlegroups.com...
>

> I took a preliminary look at the circuit drawings for the FT-890. It
> looks like there is a relay that is activated by the power switch.
> When the radio was working did you hear a "click" when you turned it
> on?? If this relay is blown this is not an expensive repair.

Yes when the radio worked I indeed did hear a click. That's how I knew the radio wasn't working without even looking at it.
That distinct click wasn't there and I looked at the rig and saw nothing was on.
I was hoping it was the power supply but I tried to hook the rig to a new car battery and nothing happened.
The fuses in the line are ok and there is power at the molex connector end that plugs into the radio.
Thanks for replies and suggestions.
Steve N8NYU

From 5292072138579423690
X-Google-Thread: 108122,e3ab17a9286149d6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeeds.sol.net!posts.news.twtelecom.net!nnrp2.twtelecom.net!not-for-mail
From: "N7QR" <m@tek.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Timewave DSP-9+ version 3
Date: Mon, 6 Nov 2006 13:46:44 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 13
Message-ID: <454fad44$0$76686$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 06 Nov 2006 21:46:44 GMT
NNTP-Posting-Host: 78925325.news.twtelecom.net
X-Trace:
DXC=NgF0[KVGU\<mYRb=@P^B[1C_A=>8kQj6=MOj3YM9`=a8N80T5U:;gG9AC5c83M1oA1G3Ao8JgXHV3
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6876

Looking for one that works and is in good physical condition in the $40-$50 range for use with a boat anchor.

tnx es 73,

Russ N7QR
Please reply with out the x's:
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

```
From 8791760737750864160
X-Google-Thread: 109f11,bfce615f2ba0313a,start
X-Google-Thread: 10cf58,bfce615f2ba0313a,start
X-Google-Thread: 115730,bfce615f2ba0313a,start
X-Google-Thread: 108122,bfce615f2ba0313a,start
X-Google-Thread: 1062f2,bfce615f2ba0313a,start
X-Google-Attributes: gid109f11,gid10cf58,gid115730,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Rowdy" <tiptoeace@hotmail.com>
Newsgroups:
rec.audio.misc,rec.audio.pro,sci.electronics.equipment,rec.radio.amateur.equipment
,misc.industry.electronics.marketplace
Subject: FA: TEKTRONIX 335 MINI Portable DUAL TRACE ANALOG OSCILLOSCOPE
Date: 6 Nov 2006 15:01:38 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1162854098.880780.4080@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 192.91.75.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162854104 17066 127.0.0.1 (6 Nov 2006 23:01:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Nov 2006 23:01:44 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 proxyle02 (NetCache NetApp/6.0.3P2D2)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=192.91.75.30;
   posting-account=XEUh-wwAAAAwSq4OQranNSHKMiH1oB9y
Xref: g2news2.google.com rec.audio.misc:2924 rec.audio.pro:77152
sci.electronics.equipment:4503 rec.radio.amateur.equipment:6877
misc.industry.electronics.marketplace:687

Very cool....Manufactured by Sony/Tektronix. Dual-trace and Delayed
sweep.

2.5x2.0" display

DC to 35MHz, dual-trace (alternate and chop)
        scope face about 2.5" by 2"
        vertical deflection: 1mV to 10V/division
        sweep rates: 0.5 sec to 0.2 us/division, 10x magnifier (for
20ns/div)
```

```
        sweep modes: automatic, normal, single-sweep
        other features: variable hold-off, delayed sweep, x-y mode
        portable, line-powered (115/230VAC), or external supply
(12/24VDC)
```

For more details, goto:

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=001&sspagename=STRK%3AMESE%3AIT&viewitem=&item=110052663210&rd=1&rd=1

```
From 8020192449423509648
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dead Yaesu ft-890 Help!
Date: 6 Nov 2006 16:47:40 -0800
Organization: http://groups.google.com
Lines: 25
Message-ID: <1162860460.031071.93740@h54g2000cwb.googlegroups.com>
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
   <1162791350.965102.146610@k70g2000cwa.googlegroups.com>
   <1162833515.357052.25080@k70g2000cwa.googlegroups.com>
   <WML3h.9421$3L.1496@bignews2.bellsouth.net>
NNTP-Posting-Host: 70.66.131.246
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162860465 5821 127.0.0.1 (7 Nov 2006 00:47:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Nov 2006 00:47:45 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=70.66.131.246;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6878
```

Steve,

I only have the downloaded schematics to work with. I was not able to find a free service manual download on the net so I can only make some assumptions about circuit operation.

The schematics show the power coming in, via the molex connector, to the PA board. There is a filter circuit consisting of some capacitors and a large inductor. The output feeds a relay (clicks at power on) which provides power to the rig. The relay is controlled by the front panel switch and a transistor control circuit associated with the PTT.

One thing to try is to check the keyer switch settings on the top of the radio. The Break In switch may be in the wrong position. Is it in full or semi?? Try both? Is the keyer in manual?? Remove the microphone as well in case there is a PTT problem with it.

You could try measuring voltages starting at the molex connector with the cover off. Put the black probe to ground and trace the circuit with the red probe. Look for loose connections, burnt traces etc. There is a set of schematics in pdf form at http://www.kb2ljj.com

Let me know how you make out - Roger

From -6404312332436408314
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
<1162791350.965102.146610@k70g2000cwa.googlegroups.com>
<1162833515.357052.25080@k70g2000cwa.googlegroups.com>
<WML3h.9421$3L.1496@bignews2.bellsouth.net>
<1162860460.031071.93740@h54g2000cwb.googlegroups.com>
Subject: Re: Dead Yaesu ft-890 Help!
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <ehR3h.3203$L6.1756@newsread3.news.pas.earthlink.net>
Date: Tue, 07 Nov 2006 01:26:34 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1162862794 24.225.35.108 (Mon, 06 Nov 2006 17:26:34 PST)
NNTP-Posting-Date: Mon, 06 Nov 2006 17:26:34 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6879

<sailtamarack@yahoo.ca> wrote in message
news:1162860460.031071.93740@h54g2000cwb.googlegroups.com...
> Steve,
>

> I only have the downloaded schematics to work with. I was not able to
> find a free service manual download on the net so I can only make some
> assumptions about circuit operation.
>

Did you look at this url for a manual

http://www.cqham.ru/sch_eng.html

From -8659773341952204867
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dead Yaesu ft-890 Help!
Date: 6 Nov 2006 19:01:21 -0800
Organization: http://groups.google.com
Lines: 22
Message-ID: <1162868481.399613.319870@i42g2000cwa.googlegroups.com>
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
   <1162791350.965102.146610@k70g2000cwa.googlegroups.com>
   <1162833515.357052.25080@k70g2000cwa.googlegroups.com>
   <WML3h.9421$3L.1496@bignews2.bellsouth.net>
   <1162860460.031071.93740@h54g2000cwb.googlegroups.com>
   <ehR3h.3203$L6.1756@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 70.66.131.246
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1162868486 2183 127.0.0.1 (7 Nov 2006 03:01:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Nov 2006 03:01:26 +0000 (UTC)
In-Reply-To: <ehR3h.3203$L6.1756@newsread3.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=70.66.131.246;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6880

Ralph,

They had a lot of manuals but no FT-890 service manuals. However,
they had the user manual and schematic.

Thanks Roger

Ralph Mowery wrote:
> <sailtamarack@yahoo.ca> wrote in message
> news:1162860460.031071.93740@h54g2000cwb.googlegroups.com...
> > Steve,
> >
> > I only have the downloaded schematics to work with. I was not able to
> > find a free service manual download on the net so I can only make some
> > assumptions about circuit operation.
> >
>
>
> Did you look at this url for a manual
>
> http://www.cqham.ru/sch_eng.html

From 8507593611418858962
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dead Yaesu ft-890 Help!
Date: 6 Nov 2006 20:29:47 -0800
Organization: http://groups.google.com
Lines: 26
Message-ID: <1162873787.206478.206280@f16g2000cwb.googlegroups.com>
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
   <1162791350.965102.146610@k70g2000cwa.googlegroups.com>
   <1162833515.357052.25080@k70g2000cwa.googlegroups.com>
   <WML3h.9421$3L.1496@bignews2.bellsouth.net>
NNTP-Posting-Host: 70.66.131.246
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1162873792 15075 127.0.0.1 (7 Nov 2006 04:29:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Nov 2006 04:29:52 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=70.66.131.246;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6881

Steve,

I searched through the Yahoo Group - Amateur Repairs for similar "dead"

FT-890 problems. I found one which may be of interest.

As the unit ages oxide builds up on the connector mating surfaces and sometimes leads to erratic operation. In one case, an FT-890 had exactly your symptons - dead and the front panel power switch did nothing. The solution was to disconnect all power and external connections and remove the covers (saving the screws). Then carefully disconnect and reconnect, one by one, all the connectors on the various boards. The disconnect/reconnect scrapes away some of the oxide on the connectors and restores a low resistance connection. Then reassemble the unit and try powering up again. Make sure you have discharged yourself for static (wear cotton clothes and no nylon carpet!!) prior to starting the job.

If this solves your problem you may be OK for a while. In a few months it may come back. In that case you should buy some deoxidant from a radio repair outlet and use it on the contacts for a longer term solution.

Hope one of these ideas works and it is not a component failure.

Regards - Roger

```
From -5699251451636678004
X-Google-Thread: 108228,3870f4b36173c51c,start
X-Google-Thread: 108122,3870f4b36173c51c,start
X-Google-Thread: 1109af,3870f4b36173c51c,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!bigfeed2.bellsouth.net!news.bellsouth.net!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe11.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: OOPs-Resetting Computer Clock-Test-Sorry!!!
Lines: 28
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000F_01C701E8.366C5BE0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <HAU3h.41651$%X1.38268@newsfe11.phx>
Date: Mon, 6 Nov 2006 21:12:06 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe11.phx 1162876327 68.104.78.240 (Mon, 06 Nov 2006 22:12:07 MST)
NNTP-Posting-Date: Mon, 06 Nov 2006 22:12:07 MST
Organization: Cox
```

```
Xref: g2news2.google.com alt.ham-radio.marketplace:1501
rec.radio.amateur.equipment:6882 rec.radio.swap:9543

This is a multi-part message in MIME format.

------=_NextPart_000_000F_01C701E8.366C5BE0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

OOPs-Resetting Computer Clock-Test-Sorry!!!

------=_NextPart_000_000F_01C701E8.366C5BE0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>OOPs-Resetting Computer =
Clock-Test-Sorry!!!</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_000F_01C701E8.366C5BE0--




From -3864161471726981856
X-Google-Thread: 108122,d4c342df316fd959
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-
mail
From: "vk3efp@gmail.com" <vk3efp@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need TS-870S Service Manual (Urgent)
Date: 7 Nov 2006 04:13:57 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1162901637.301431.221320@f16g2000cwb.googlegroups.com>
References: <454c2de8$1_2@filemon2.isp.telecable.es>
NNTP-Posting-Host: 60.240.57.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162901642 11905 127.0.0.1 (7 Nov 2006 12:14:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Nov 2006 12:14:02 +0000 (UTC)
```

In-Reply-To: <454c2de8$1_2@filemon2.isp.telecable.es>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7)
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=60.240.57.131;
   posting-account=P5gZEw0AAAAbpEG71VZzVCT5-7jYwKB-
Xref: g2news2.google.com rec.radio.amateur.equipment:6883

Hi Fabian,

I have a copy of the TS 870s service manual in pdf format.
It is about 41Mb in zipped form. Let me know the best way to get it to
you.

Regards

De VK3EFP

From -4114573418787049826
X-Google-Thread: 108122,7697fa58a09d2946,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: "vk3efp@gmail.com" <vk3efp@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT 50r Technical Supplement
Date: 7 Nov 2006 04:17:16 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1162901836.045635.152110@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 60.240.57.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162901841 12599 127.0.0.1 (7 Nov 2006 12:17:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Nov 2006 12:17:21 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7)
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=60.240.57.131;
   posting-account=P5gZEw0AAAAbpEG71VZzVCT5-7jYwKB-
Xref: g2news2.google.com rec.radio.amateur.equipment:6884

Hi all,

I am looking for the Technical supplement for the FT 50r.
I have the schematics and other info, but I really need the service
manual.

Any help would be greatly appreciated.

Regards de VK3EFP

From 3257666368268108649
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!f2b9e7ad!not-for-mail
From: "Steve" <123@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
Subject: Re: Dead Yaesu ft-890 Help!
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <e474h.10434$3L.9151@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbojogiigglbpdjhideklomjpjeaakplcjffo
jgnbnbfcbnodneaokgmnbpkllbhpjibgjhmnnmpgicogmaljipohdjooilegohkpfgbclfkiiafgkf
NNTP-Posting-Date: Tue, 07 Nov 2006 16:41:30 EST
Organization: BellSouth Internet Group
Date: Tue, 7 Nov 2006 16:41:42 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6885

Believe it or not I got it working! I am shocked. Not sure what I did.
This rig might of been mobile as I got a mobile bracket with it and the
power cable was questionable around the fuses (bends in wire) so I replaced
it.
With your suggestions I opened the radio up and started tracing the wires
from behind the molex connector and found where it connected to the circuit
board.
I took the wires loose and cleaned it up cause I kept seeing the voltage on
the multimeter swing. A couple of times I heard the relays partially click
but no power.
Anyways, with the radio in halves I got it to power up, however when I put
it back together it was dead again with no partial relay click.
I took it apart again to the point where it would power up and slowly put
things back and checked power after each segment.
Now the radio is all back tohther and so far still working.
Perhaps something came loose cause I know the pervious owner did a Mars mod
on the radio and who knows what was done if there were other owners.
Thanks for everyones help.

From 3638432771814006445
X-Google-Thread: 108122,72b18f6f3790ebe1,start
X-Google-Thread: 10bf43,72b18f6f3790ebe1,start
X-Google-Thread: 1109af,72b18f6f3790ebe1,start
X-Google-Thread: 114aac,72b18f6f3790ebe1,start
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shortwave
Subject: Every single thread I start Mark thinks he has to crap on it.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 10
Message-ID: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
Date: Wed, 08 Nov 2006 00:34:07 GMT
NNTP-Posting-Host: 4.254.226.92
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1162946047 4.254.226.92 (Tue, 07 Nov 2006 16:34:07 PST)
NNTP-Posting-Date: Tue, 07 Nov 2006 16:34:07 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:6886
rec.radio.amateur.policy:53415 rec.radio.swap:9555 rec.radio.shortwave:58030

And then normally, Markie's gibberish is so stupid it's funny, and someone else follows-up and teases him, which causes Markie to fire back with more gibberish and the whole point of my post to save ham radio from becoming like CB is lost under all the turds piled on it.

But that's OK. I'm not whining. I'll just make more threads.

Tnx, 73, and keep on Crappin.

SC

From -4617505341404945476
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!

nnntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shortwave
Subject: slow code crapathon contiues
Date: Tue, 07 Nov 2006 21:58:20 -0500
Message-ID: <uoh2l29tf9urvau4fngqn4e0ti2tdhpenk@4ax.com>
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Date: 08 Nov 2006 02:03:48 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6887
rec.radio.amateur.policy:53456 rec.radio.swap:9561 rec.radio.shortwave:58045

On Wed, 08 Nov 2006 00:34:07 GMT, Slow Code <my.mail@no.spam> wrote:

just calling crap crap sc
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 3658087256421897883
X-Google-Thread: 108122,16879d6fef6b89e7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "Egnever" <nevereg@googlemail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Freeplay Summit battery replacement
Date: 8 Nov 2006 05:16:43 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1162991802.956500.39910@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 86.128.241.99
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162991808 23659 127.0.0.1 (8 Nov 2006 13:16:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Nov 2006 13:16:48 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/20061010 Firefox/2.0,gzip(gfe),gzip(gfe)

Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=86.128.241.99;
   posting-account=zV-RSg0AAABhIOwP-uCekfZ9vw36YmQe
Xref: g2news2.google.com rec.radio.amateur.equipment:6888

Hi

I would like to replace the power pack with something with a larger capacity. I followed the instructions to remove the two black trims and 5 screws, and can take out the power pack, but it consists of 3 AA(?) cells wrapped in a moulded plastic container, arranged in a triangular cross section, with a wire running to the motherboard. The question is, has anyone else experience of replacing this?

From 2689205052289619696
X-Google-Thread: 108122,d4c342df316fd959
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-mail
From: "vk3efp@gmail.com" <vk3efp@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need TS-870S Service Manual (Urgent)
Date: 8 Nov 2006 06:08:44 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1162994924.664124.65280@e3g2000cwe.googlegroups.com>
References: <454c2de8$1_2@filemon2.isp.telecable.es>
   <1162901637.301431.221320@f16g2000cwb.googlegroups.com>
NNTP-Posting-Host: 60.240.57.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162994929 1770 127.0.0.1 (8 Nov 2006 14:08:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Nov 2006 14:08:49 +0000 (UTC)
In-Reply-To: <1162901637.301431.221320@f16g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7) Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=60.240.57.131;
   posting-account=P5gZEw0AAAAbpEG71VZzVCT5-7jYwKB-
Xref: g2news2.google.com rec.radio.amateur.equipment:6889

Hi Guys,

I have received a few emails about the TS 870 service manual. I checked and it is now available on www.mods.dk under Kenwood and then manuals. This is probably the best option for multiple downloads, however if you have trouble getting it from mods dk I am happy to work out way to get it to you. I once heard of a download server that enables the file to be uploaded to it so that another can download it after receiving an email invitation, I'll try to find out about this method, since most email accounts will not allow 40Mb files.

Regards de VK3EFP

```
From -3158059304040319325
X-Google-Thread: 108122,eb851e430fe9ccb2,start
X-Google-Thread: fc8b1,eb851e430fe9ccb2,start
X-Google-Thread: 106d41,eb851e430fe9ccb2,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: COLLINS KWM-2 312B-5 "TUBE-SUB" 6AU6/7543 >ACE ELectronics
Date: 8 Nov 2006 08:42:27 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1163004147.712851.63340@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163004152 16161 127.0.0.1 (8 Nov 2006 16:42:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Nov 2006 16:42:32 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6890
rec.radio.amateur.boatanchors:6244 rec.radio.cb:21855
```

Big $21>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220045043383&ssPageName=STRK:MESE:IT&ih=012

```
From 1476028585278292951
X-Google-Thread: 108122,59aee46c8d1e952a,start
X-Google-Thread: fc8b1,59aee46c8d1e952a,start
X-Google-Thread: 106d41,59aee46c8d1e952a,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
```

```
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: KENWOOD MC-35 Hi-Z DYNAMIC NOISE CANCELLING MICROPHONE
Date: 8 Nov 2006 08:43:28 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163004212 1320 127.0.0.1 (8 Nov 2006 16:43:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Nov 2006 16:43:32 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6891
rec.radio.amateur.boatanchors:6245 rec.radio.cb:21856

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220045043328&ssPageName=STRK:MESE:IT&ih=012



From -7945341773051257628
X-Google-Thread: 108122,d0a7cc175b33aa73,start
X-Google-Thread: 106d41,d0a7cc175b33aa73,start
X-Google-Attributes: gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb
Subject: FA: 4 NOS Fader/dual speaker CAR Controls from the 50's-60's
Date: 8 Nov 2006 08:54:49 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1163004889.456675.111810@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163004894 3716 127.0.0.1 (8 Nov 2006 16:54:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Nov 2006 16:54:54 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7)
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6892 rec.radio.cb:21857
```

Remember when these were the "cats Pajamas" :-)
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220045043406&ssPageName=STRK:MESE:IT&ih=012

```
From 8356302669705834508
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!128.230.129.106!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.aprs>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shor
twave
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
Subject: Re: Every single thread I start Mark thinks he has to crap on it.
Date: Wed, 8 Nov 2006 16:11:25 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 21
Message-ID: <45523b1e$0$12177$88260bb3@free.teranews.com>
NNTP-Posting-Date: 08 Nov 2006 20:16:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6893
rec.radio.amateur.policy:53535 rec.radio.swap:9586 rec.radio.shortwave:58131
```

"Slow Code" <my.mail@no.spam> wrote in message
news:3C94h.3636$L6.439@newsread3.news.pas.earthlink.net...

> And then normally, Markie's gibberish is so stupid it's funny, and someone
> else follows-up and teases him, which causes Markie to fire back with more
> gibberish and the whole point of my post to save ham radio from becoming
> like CB is lost under all the turds piled on it.
>
> But that's OK. I'm not whining. I'll just make more threads.
>
> Tnx, 73, and keep on Crappin.
>
> SC

I have lied about my rank and that is all I have told some lies that
have lead Stevie off on wild goose chases about my identity that is it

andI have have said in the mix something these post is a lie as I was
making em, nor was under oath
http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -2884955921800280335
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shortwave
Subject: id theft remains a crime
Date: Wed, 08 Nov 2006 16:20:38 -0500
Message-ID: <sgi4l299fjqr2p77m4si0jn24vdnrfomcp@4ax.com>
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
<45523b1e$0$12177$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Date: 08 Nov 2006 20:25:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6894
rec.radio.amateur.policy:53538 rec.radio.swap:9587 rec.radio.shortwave:58133

On Wed, 8 Nov 2006 16:11:25 -0500, <Mark@kb9rqz.aprs> wrote:

>

id theft remains a crime
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 2730713696512865184

```
X-Google-Thread: 108122,e4b96feaccff006d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Nov 2006 15:31:41 -0600
From: "Steve" <sbhanson@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB:  2500M 2-meter
Date: Wed, 8 Nov 2006 16:31:40 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <QKKdna3nIZQg0c_YnZ2dnUVZ_sGdnZ2d@adelphia.com>
Lines: 8
NNTP-Posting-Host: 76.179.223.69
X-Trace: sv3-0oV0uS9jbKvlrLRoNju6+UzA+jZ+ivu2xf78Vuc9pN/TqOkL+nhYoznFhxwZa/
oC6Tdd0USW2tIo/2U!0YhmTHKFl9QrOWBthc5Kxw+aG91+XE3Z9TH91HXaLNa4FISbGiEsfBiP3Fd/
diyChUdbf7pQM2AC!mHxhqin1n7m0p4gzfneUwU8oLoE/ew==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6895

Looking for clean 2500M 2-meter.

Thanks,

Steve in Maine
ke1lg





From 1725766264344562688
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Nov 2006 16:36:01 -0600
Date: Wed, 08 Nov 2006 17:36:03 -0500
From: Dave <W1MCE@comcast.net>
```

```
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shor
twave
Subject: Re: Every single thread I start Mark thinks he has to crap on it.
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
<45523b1e$0$12177$88260bb3@free.teranews.com>
In-Reply-To: <45523b1e$0$12177$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <q5qdnUQ1D4hMxs_YnZ2dnUVZ_oWdnZ2d@comcast.com>
Lines: 33
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-QyM21ucnpdAJqelQn00Zk7OJaX2qWBTCpBP2whGl9Jcv0VJpMs/
3oNtwK200tOYKHSC1EhAY5oGORTr!8/
poLYQ1lsOSg8oaMqWFzM5ibi7MjU8sGUjKKD2urK70kR94qRQZqWw3XnV9O1SJRrqEdpRPF9oK!
qxs5Qy6pxaT9m1MKON0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6896
rec.radio.amateur.policy:53548 rec.radio.swap:9593 rec.radio.shortwave:58150

Mark@kb9rqz.aprs wrote:

> "Slow Code" <my.mail@no.spam> wrote in message
> news:3C94h.3636$L6.439@newsread3.news.pas.earthlink.net...
>
>>And then normally, Markie's gibberish is so stupid it's funny, and someone
>>else follows-up and teases him, which causes Markie to fire back with more
>>gibberish and the whole point of my post to save ham radio from becoming
>>like CB is lost under all the turds piled on it.
>>
>>But that's OK.  I'm not whining. I'll just make more threads.
>>
>>Tnx, 73, and keep on Crappin.
>>
>>SC
>
> I have lied about my rank and that is all I have told some lies that
> have lead Stevie off on wild goose chases about my identity that is it
>
> andI have have said in the mix something these post is a lie as I was
> making em, nor was under oath
> http://www.marksspamblog.blogspot.com/
>
>
```

>

I apologize for cross posting, but I do not know the prime group for this reply.

When the truth is known, a lie is a deliberate attempt or a deliberate action to mislead.

A lie does not require an oath to become a lie. A lie is a LIE in all circumstances.

From 7324483539529064223
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark@kb9rqz.aps" <Mark@kb9rqz.aprs>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shortwave
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net> <45523b1e$0$12177$88260bb3@free.teranews.com> <q5qdnUQ1D4hMxs_YnZ2dnUVZ_oWdnZ2d@comcast.com>
Subject: Re: Every single thread I start Mark thinks he has to crap on it.
Date: Wed, 8 Nov 2006 17:47:33 -0500
Organization: punce.org
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Lines: 43
Message-ID: <455251a5$0$12162$88260bb3@free.teranews.com>
NNTP-Posting-Date: 08 Nov 2006 21:52:37 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6897 rec.radio.amateur.policy:53549 rec.radio.swap:9594 rec.radio.shortwave:58152

"Dave" <W1MCE@comcast.net> wrote in message news:q5qdnUQ1D4hMxs_YnZ2dnUVZ_oWdnZ2d@comcast.com...
> Mark@kb9rqz.aprs wrote:
>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:3C94h.3636$L6.439@newsread3.news.pas.earthlink.net...
>>
>>>And then normally, Markie's gibberish is so stupid it's funny, and
>>>someone

```
>>>else follows-up and teases him, which causes Markie to fire back with
>>>more
>>>gibberish and the whole point of my post to save ham radio from becoming
>>>like CB is lost under all the turds piled on it.
>>>
>>>But that's OK.  I'm not whining. I'll just make more threads.
>>>
>>>Tnx, 73, and keep on Crappin.
>>>
>>>SC
>>
>> I have lied about my rank and that is all I have told some lies that
>> have lead Stevie off on wild goose chases about my identity that is it
>>
>> andI have have said in the mix something these post is a lie as I was
>> making em, nor was under oath
>> http://www.marksspamblog.blogspot.com/
>>
>>
>>
>
> I apologize for cross posting, but I do not know the prime group for this
> reply.
>
> When the truth is known, a lie is a deliberate attempt or a deliberate
> action to mislead.
>
> A lie does not require an oath to become a lie. A lie is a LIE in all
> circumstances.
with the punce gotcha he wonders why I simple don't bother to ty impoving my
spelling do u hav anyting cognet two say?



--
Posted via a free Usenet account from http://www.teranews.com




From -7114942417311094067
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shor
twave
```

Subject: Re: Every single thread I start Mark thinks he has to crap on it.
Date: Wed, 08 Nov 2006 18:18:00 -0500
Message-ID: <1cp4l2lud656mapjogpvh90blr49qrfumo@4ax.com>
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
<45523b1e$0$12177$88260bb3@free.teranews.com>
<q5qdnUQ1D4hMxs_YnZ2dnUVZ_oWdnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
NNTP-Posting-Date: 08 Nov 2006 22:23:00 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6898
rec.radio.amateur.policy:53555 rec.radio.swap:9597 rec.radio.shortwave:58161

On Wed, 08 Nov 2006 17:36:03 -0500, Dave <W1MCE@comcast.net> wrote:

>Mark@kb9rqz.aprs wrote:
>
>> "Slow Code" <my.mail@no.spam> wrote in message
>> news:3C94h.3636$L6.439@newsread3.news.pas.earthlink.net...
>>
>>>And then normally, Markie's gibberish is so stupid it's funny, and someone
>>>else follows-up and teases him, which causes Markie to fire back with more
>>>gibberish and the whole point of my post to save ham radio from becoming
>>>like CB is lost under all the turds piled on it.
>>>
>>>But that's OK. I'm not whining. I'll just make more threads.
>>>
>>>Tnx, 73, and keep on Crappin.
>>>
>>>SC
>>
>> I have lied about my rank and that is all I have told some lies that
>> have lead Stevie off on wild goose chases about my identity that is it
>>
>> andI have have said in the mix something these post is a lie as I was
>> making em, nor was under oath
>> http://www.marksspamblog.blogspot.com/
>>
>>
>>
>
>I apologize for cross posting, but I do not know the prime group for this reply.
>
>When the truth is known, a lie is a deliberate attempt or a deliberate action to
>mislead.
>
>A lie does not require an oath to become a lie. A lie is a LIE in all
circumstances.

do you have a point in posting this drivel?

http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -6577252346495404089
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shor
twave
Subject: id theft remains a crime
Date: Wed, 08 Nov 2006 18:18:16 -0500
Message-ID: <ddp4l25grqdq0na606vff1kc5bnt43tnej@4ax.com>
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
<45523b1e$0$12177$88260bb3@free.teranews.com>
<q5qdnUQ1D4hMxs_YnZ2dnUVZ_oWdnZ2d@comcast.com>
<455251a5$0$12162$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Date: 08 Nov 2006 22:23:18 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6899
rec.radio.amateur.policy:53556 rec.radio.swap:9598 rec.radio.shortwave:58162
```

On Wed, 8 Nov 2006 17:47:33 -0500, "Mark@kb9rqz.aps"
<Mark@kb9rqz.aprs> wrote:

>

id theft remains a crime
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -6566484091959733352
X-Google-Thread: 108122,c269ed4feb90c53c,start
X-Google-Thread: 107ada,c269ed4feb90c53c,start
```

```
X-Google-Thread: 114aac,c269ed4feb90c53c,start
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Fortunately we still have Bush as President.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 5
Message-ID: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
Date: Thu, 09 Nov 2006 00:45:34 GMT
NNTP-Posting-Host: 4.254.227.45
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1163033134 4.254.227.45 (Wed, 08 Nov
2006 16:45:34 PST)
NNTP-Posting-Date: Wed, 08 Nov 2006 16:45:34 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:6900
rec.radio.amateur.misc:25711 rec.radio.shortwave:58172
```

The Democrats can't totally destroy the country without an America hater in the White house.

SC

```
From -3060536034957886817
X-Google-Thread: 108122,9c8ff4772d6466fd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dead Yaesu ft-890 Help!
Date: 8 Nov 2006 17:08:19 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1163034499.016152.21810@m7g2000cwm.googlegroups.com>
References: <b_o3h.7254$3L.7178@bignews2.bellsouth.net>
   <e474h.10434$3L.9151@bignews2.bellsouth.net>
NNTP-Posting-Host: 70.66.131.246
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163034504 27971 127.0.0.1 (9 Nov 2006 01:08:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Nov 2006 01:08:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=70.66.131.246;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6901
```

Steve,

Thats great news!! Thanks for the reply -it was nice to hear that it
all worked out for you.

Enjoy your rig - Roger

```
From -176577158466205139
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!uns-out.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Fortunately we still have Bush as President.
Date: Wed, 08 Nov 2006 23:27:32 -0500
Message-ID: <ugb5l219n7l75uvrfektbt3kajk3mj7llv@4ax.com>
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-42-188.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 9
X-Trace: d215e4552bc447de7c94b25664
Xref: g2news2.google.com rec.radio.amateur.equipment:6902
```

On Thu, 09 Nov 2006 00:45:34 GMT, Slow Code <my.mail@no.spam> wrote:

>
>The Democrats can't totally destroy the country without an America hater
>in the White house.
>
>SC

+++++++++
Does Bush know any CW?

```
From 6339049880856468314
```

```
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 09 Nov 2006 07:05:08 -0600
Date: Thu, 09 Nov 2006 08:05:11 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shor
twave
Subject: Re: Every single thread I start Mark thinks he has to crap on it.
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
<45523b1e$0$12177$88260bb3@free.teranews.com>
<q5qdnUQ1D4hMxs_YnZ2dnUVZ_oWdnZ2d@comcast.com>
<455251a5$0$12162$88260bb3@free.teranews.com>
In-Reply-To: <455251a5$0$12162$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <g_ednVFgXbsZus7YnZ2dnUVZ_uqdnZ2d@comcast.com>
Lines: 27
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-yOt3VMUBvRLBeb80mI+2PGwTMH8zpR/
2xwzZfpQ7cP1QAZI9IpRUt8YH0hKZq+o91i5TFKNiFyAWt7f!UQ1+M/
ldt4qQ8JpH6PFzbU7YZZXb7p4JFJvZMrgemEoxtuMIQc+oYx36AGhe/gh7eqGugWozhw0S!cj/40UJ/
cTEufeuqNzc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6903
rec.radio.amateur.policy:53606 rec.radio.swap:9614 rec.radio.shortwave:58232
```

Mark@kb9rqz.aps wrote:

SNIPPED
>>
>>I apologize for cross posting, but I do not know the prime group for this
>>reply.
>>
>>When the truth is known, a lie is a deliberate attempt or a deliberate
>>action to mislead.
>>

>>A lie does not require an oath to become a lie. A lie is a LIE in all
>>circumstances.
>
> with the punce gotcha he wonders why I simple don't bother to ty impoving my
> spelling do u hav anyting cognet two say?
>
>
>

A Spell Checker would be quite a help. I use mine 100% of the time.

I may not use the correct word, but the word I do use is spelled correctly.

:-)

/s/ DD

```
From 8084697880507212337
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Thread: 107ada,c269ed4feb90c53c
X-Google-Thread: 114aac,c269ed4feb90c53c
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 09 Nov 2006 07:05:59 -0600
Date: Thu, 09 Nov 2006 08:06:01 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Fortunately we still have Bush as President.
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
In-Reply-To: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <g_ednVBgXbsqus7YnZ2dnUVZ_uqdnZ2d@comcast.com>
Lines: 9
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-Z4DdvQLIHDtBRmfL1/I+9zOxlpBn4Kjtb1jn3BYzRFlVCAU8HFiTNCnJ0Tscd2Ub1xsatwjxNCSNh9o!qQhfquN7GP6NkGQfn8g74fN3RKi2DBWaKgDPEbH1GnLqsfYgmIQxQdc0mVKHUlULM3S/mzHLLNEC!tuB4+tAHu0IhIxglbFE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
```

X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6904
rec.radio.amateur.misc:25732 rec.radio.shortwave:58233

Slow Code wrote:

> The Democrats can't totally destroy the country without an America hater
> in the White house.
>
> SC

She'll be there in 2009!

From 9104898429518722623
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Thread: 107ada,c269ed4feb90c53c
X-Google-Thread: 114aac,c269ed4feb90c53c
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 09 Nov 2006 09:01:52 -0600
Date: Thu, 09 Nov 2006 10:01:52 -0500
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Fortunately we still have Bush as President.
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
<g_ednVBgXbsqus7YnZ2dnUVZ_uqdnZ2d@comcast.com>
In-Reply-To: <g_ednVBgXbsqus7YnZ2dnUVZ_uqdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <EvqdnYbnJeB9387YnZ2dnUVZ_qudnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-
dA3Pl0P0BLMKzQT+PK0iS00NS3+Z2xXUdFSp3BaA7Njj6oiS+CHHA+xJ7B9AKnChggoetfieHUPjtNP!
o7aU8zOauNdCAAAuSjjqd95hNxeEz4mL2KwI6CiOon2PuqjZaRCCYxnyn1dNt0mZzWDz4th63xlM!
qavmHlWfvGxa+Wda4gr3
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6905
rec.radio.amateur.misc:25742 rec.radio.shortwave:58245

Dave wrote:

```
> Slow Code wrote:
>
>> The Democrats can't totally destroy the country without an America hater
>> in the White house.
>> SC
>
> She'll be there in 2009!
>

You mean 2008. By that time we will be overrun with illegal aliens, but no
matter, as Al-queda, after celebrating our elections, is now formulating plans
for the biggest terror attacks yet, knowing Congress will have no guts to do
anything about them.

If you need 4X4, better work it now, because the first thing the Iranians will
do is nuke Israel.


From -5352002873113437507
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shor
twave
Subject: Re: Every single threadSlow code has to crap on it.
Date: Thu, 09 Nov 2006 11:02:43 -0500
Message-ID: <r7k6l2hjh3al6rc3psli43e4socrc59a9f@4ax.com>
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
<45523b1e$0$12177$88260bb3@free.teranews.com>
<q5qdnUQ1D4hMxs_YnZ2dnUVZ_oWdnZ2d@comcast.com>
<455251a5$0$12162$88260bb3@free.teranews.com>
<g_ednVFgXbsZus7YnZ2dnUVZ_uqdnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
NNTP-Posting-Date: 09 Nov 2006 15:07:46 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6906
rec.radio.amateur.policy:53626 rec.radio.swap:9615 rec.radio.shortwave:58250

On Thu, 09 Nov 2006 08:05:11 -0500, Dave <W1MCE@comcast.net> wrote:

>Mark@kb9rqz.aps wrote:
>
```

```
>SNIPPED
>>>
>>>I apologize for cross posting, but I do not know the prime group for this
>>>reply.
>>>
>>>When the truth is known, a lie is a deliberate attempt or a deliberate
>>>action to mislead.
>>>
>>>A lie does not require an oath to become a lie. A lie is a LIE in all
>>>circumstances.
>>
>> with the punce gotcha he wonders why I simple don't bother to ty impoving my
>> spelling do u hav anyting cognet two say?
>>
>>
>>
>
>A Spell Checker would be quite a help. I use mine 100% of the time.

hardly since the above is deliberatly mispeeled by someone who then
posts it under my name
>
>I may not use the correct word, but the word I do use is spelled correctly.
>
>:-)
>
>/s/ DD
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -8861954781632241625
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!sn-xt-sjc-05!sn-xt-
sjc-07!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Fortunately we still have Bush as President.
Date: Thu, 09 Nov 2006 11:25:54 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <3jl6l25sm5hpbomh6m9mbugsi547msmjrb@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <0Su4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
<ugb5l219n7l75uvrfektbt3kajk3mj7llv@4ax.com>
X-Newsreader: Forte Agent 4.0/32.1071
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.equipment:6907

On Wed, 08 Nov 2006 23:27:32 -0500, X-rated Vermonter wrote:


>>The Democrats can't totally destroy the country without an America hater
>>in the White house.
>
>Does Bush know any CW?

Bush can't even spell CW.

-- Larry



From -5910393484383692933
X-Google-Thread: 108122,c269ed4feb90c53c
X-Google-Thread: 107ada,c269ed4feb90c53c
X-Google-Thread: 114aac,c269ed4feb90c53c
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 09 Nov 2006 11:41:27 -0600
Date: Thu, 09 Nov 2006 12:41:29 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Fortunately we still have Bush as President.
References: <OSu4h.4107$0r.1781@newsread1.news.pas.earthlink.net>
<g_ednVBgXbsqus7YnZ2dnUVZ_uqdnZ2d@comcast.com>
<EvqdnYbnJeB9387YnZ2dnUVZ_qudnZ2d@comcast.com>
In-Reply-To: <EvqdnYbnJeB9387YnZ2dnUVZ_qudnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <7fKdnXoPx_fa9c7YnZ2dnUVZ_q2dnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 24.62.153.73
X-Trace: sv3-
bmj8qhr7o969e7C6aZ1CYMSZdMuZVwgABnoJQ3yszsJaP6grMejpcv5bMpyRMpb0Koxu7AlkDW1+e94!
8tZ/G+Z3qocaYFudQqRoZR2WNWyclvr4oNat/q7d68fQj5A08/FTEbf6BfuPXB8wThiDpPLYc/Xv!
HOR6g7figmTqRW2o96g=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

```
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6908
rec.radio.amateur.misc:25752 rec.radio.shortwave:58261

NoMoreSpam wrote:

> Dave wrote:
>
>> Slow Code wrote:
>>
>>> The Democrats can't totally destroy the country without an America hater
>>> in the White house.
>>> SC
>>
>>
>> She'll be there in 2009!
>>
>
> You mean 2008. By that time we will be overrun with illegal aliens, but
> no matter, as Al-queda, after celebrating our elections, is now
> formulating plans for the biggest terror attacks yet, knowing Congress
> will have no guts to do anything about them.
>
> If you need 4X4, better work it now, because the first thing the
> Iranians will do is nuke Israel.

Nope! I mean 2009!!!  The next president takes office in January 2009.

Now, congress and guts. The Socialist Party of the USA [AKA Democrats] will
fund, directly or indirectly, Al-Quada NOT to attack us.  If we are attacked
they will threaten sanctions. If the sanctions threat doesn't work they will
debate the existence of Al-Quada at the UN. If that doesn't work, then Al Gore
will hug some trees. :-)

PEACE at ANY PRICE is called appeasement. We all know where that led in the 1930s.

The war on terror will run well into the mid 21st century. You better believe it!



From -312743737632826237
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shor
twave
```

Subject: Re: Every single thread I start Mark thinks he has to crap on it.
From: Slow Code <my.mail@no.spam>
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
<45523b1e$0$12177$88260bb3@free.teranews.com>
<q5qdnUQ1D4hMxs_YnZ2dnUVZ_oWdnZ2d@comcast.com>
<455251a5$0$12162$88260bb3@free.teranews.com>
<g_ednVFgXbsZus7YnZ2dnUVZ_uqdnZ2d@comcast.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 40
Message-ID: <DLO4h.4555$l25.2038@newsread4.news.pas.earthlink.net>
Date: Thu, 09 Nov 2006 23:23:15 GMT
NNTP-Posting-Host: 4.227.160.73
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1163114595 4.227.160.73 (Thu, 09 Nov 2006 15:23:15 PST)
NNTP-Posting-Date: Thu, 09 Nov 2006 15:23:15 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:6909
rec.radio.amateur.policy:53647 rec.radio.swap:9625 rec.radio.shortwave:58289

Dave <W1MCE@comcast.net> wrote in
news:g_ednVFgXbsZus7YnZ2dnUVZ_uqdnZ2d@comcast.com:

> Mark@kb9rqz.aps wrote:
>
> SNIPPED
>>>
>>>I apologize for cross posting, but I do not know the prime group for
>>>this reply.
>>>
>>>When the truth is known, a lie is a deliberate attempt or a deliberate
>>>action to mislead.
>>>
>>>A lie does not require an oath to become a lie. A lie is a LIE in all
>>>circumstances.
>>
>> with the punce gotcha he wonders why I simple don't bother to ty
>> impoving my spelling do u hav anyting cognet two say?
>>
>>
>>
>
> A Spell Checker would be quite a help. I use mine 100% of the time.
>
> I may not use the correct word, but the word I do use is spelled
> correctly.
>
>:-)
>
> /s/ DD

Markie takes pride in all the various ways he can mis-spell something.
Try not to figure out what Markie is saying, it will just give you a
headache and it's not important anyway.

SC

From 3978459575938707565
X-Google-Thread: 108122,72b18f6f3790ebe1
X-Google-Thread: 10bf43,72b18f6f3790ebe1
X-Google-Thread: 1109af,72b18f6f3790ebe1
X-Google-Thread: 114aac,72b18f6f3790ebe1
X-Google-Attributes: gid108122,gid10bf43,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.xsnews.nl!
feeder.xsnews.nl!feeder3.cambrium.nl!feed.tweaknews.nl!news2.euro.net!
66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shor
twave
Subject: crapthon conitues
Date: Thu, 09 Nov 2006 21:35:35 -0500
Message-ID: <eap7l2d2cst358gcd9cafnd2cg27i0sl4p@4ax.com>
References: <3C94h.3636$L6.439@newsread3.news.pas.earthlink.net>
<45523b1e$0$12177$88260bb3@free.teranews.com>
<q5qdnUQ1D4hMxs_YnZ2dnUVZ_oWdnZ2d@comcast.com>
<455251a5$0$12162$88260bb3@free.teranews.com>
<g_ednVFgXbsZus7YnZ2dnUVZ_uqdnZ2d@comcast.com>
<DLO4h.4555$l25.2038@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 48
NNTP-Posting-Date: 10 Nov 2006 01:40:38 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6910
rec.radio.amateur.policy:53668 rec.radio.swap:9638 rec.radio.shortwave:58308

On Thu, 09 Nov 2006 23:23:15 GMT, Slow Code <my.mail@no.spam> wrote:

>Dave <W1MCE@comcast.net> wrote in
>news:g_ednVFgXbsZus7YnZ2dnUVZ_uqdnZ2d@comcast.com:
>
>> Mark@kb9rqz.aps wrote:
>>
>> SNIPPED
>>>>
>>>>I apologize for cross posting, but I do not know the prime group for

```
>>>>this reply.
>>>>
>>>>When the truth is known, a lie is a deliberate attempt or a deliberate
>>>>action to mislead.
>>>>
>>>>A lie does not require an oath to become a lie. A lie is a LIE in all
>>>>circumstances.
>>>
>>> with the punce gotcha he wonders why I simple don't bother to ty
>>> impoving my spelling do u hav anyting cognet two say?
>>>
>>>
>>>
>>
>> A Spell Checker would be quite a help. I use mine 100% of the time.
>>
>> I may not use the correct word, but the word I do use is spelled
>> correctly.
>>
>>:-)
>>
>> /s/ DD
>
>
>
>Markie takes pride in all the various ways he can mis-spell something.

lying again SC you just can't tell the truth


>Try not to figure out what Markie is saying, it will just give you a
>headache and it's not important anyway.

and you you follow on and on
>
>SC
>
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 4587147438108419337
X-Google-Thread: 108122,287e472d35b2d78b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!news.maxwell.syr.edu!
newsfeed.media.kyoto-u.ac.jp!newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!
kreonet.re.kr!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur,rec.radio.amateur.swap
```

Subject: Help: Need Icom part
Date: Fri, 10 Nov 2006 13:06:50 +0900
Organization: Korea Telecom
Lines: 17
Message-ID: <ej0trp$ef5$1@news2.kornet.net>
NNTP-Posting-Host: 59.8.217.105
X-Trace: news2.kornet.net 1163131577 14821 59.8.217.105 (10 Nov 2006 04:06:17 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Fri, 10 Nov 2006 04:06:17 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:6911

Looking for a working (properly) filter unit (including the infamous stepper relay) for an IC-720A.

Alternately, if anyone has an NOS RL2 relay Part number SR-53-44C, that would be great as well.

TIA

Brenda Ann
K7BAD

--
Say no to institutionalized interference.
Just say NO to HD/IBOC!

From 576692587707553864
X-Google-Thread: 10bf43,9023a02edbd7b548,start
X-Google-Thread: 10f7a7,9023a02edbd7b548,start
X-Google-Thread: 108122,59aee46c8d1e952a
X-Google-Thread: fc8b1,59aee46c8d1e952a
X-Google-Thread: 106d41,59aee46c8d1e952a
X-Google-Attributes: gid10bf43,gid10f7a7,gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "I PUNCE" <markpunce@yahoo.com>
Newsgroups: rec.radio.amateur.policy,alt.usenet.kooks,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: Re: FA: KENWOOD MC-35 Hi-Z DYNAMIC NOISE CANCELLING MICROPHONE
Date: 9 Nov 2006 20:52:55 -0800
Organization: http://groups.google.com
Lines: 8

Message-ID: <1163134375.478399.291360@m73g2000cwd.googlegroups.com>
References: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 4.154.49.93
Mime-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
X-Trace: posting.google.com 1163134381 16366 127.0.0.1 (10 Nov 2006 04:53:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Nov 2006 04:53:01 +0000 (UTC)
In-Reply-To: <1163004208.099961.191920@h54g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
yie6),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=4.154.49.93;
   posting-account=bZxC7w0AAACLQ3SNsCY-6JhHg9HUE_bg
Xref: g2news2.google.com rec.radio.amateur.policy:53689 alt.usenet.kooks:265518
rec.radio.amateur.equipment:6912 rec.radio.amateur.boatanchors:6253
rec.radio.cb:21894

wa2rqy wrote:
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220045043328&ssPageName=STRK:MESE:IT&ih=012

I PUNCE

From -6735785535915323271
X-Google-Thread: 108122,e88e6a5d0b651511,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-mail
From: "Paul" <paulsfab@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-211
Date: 10 Nov 2006 09:10:04 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1163178604.045953.279480@m7g2000cwm.googlegroups.com>
NNTP-Posting-Host: 209.180.171.136
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1163178608 29029 127.0.0.1 (10 Nov 2006 17:10:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Nov 2006 17:10:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7)
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com

Injection-Info: m7g2000cwm.googlegroups.com; posting-host=209.180.171.136;
   posting-account=D3Xcnw0AAAC-VEu6aX0mHHju5sgPa1BJ
Xref: g2news2.google.com rec.radio.amateur.equipment:6913

I m wondering if someone might have had the same problem as I do.....I
have a full 10 watts on fm, both simplex and repeater operation, but
only about 1-3 watts on ssb, and cw....the reports that I have had on
all of the modes are good, but just down on ssb and cw....can anyone
help...thanks Paul

From 3658728833339166919
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: 114aac,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Attributes: gid108122,gid114aac,gidfc2a5,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.homebrew,rec.rad
io.amateur.antenna
Subject: Re: Response to SC
From: Slow Code <my.mail@no.spam>
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 511
Message-ID: <SgS0h.730$LI4.24@newsread2.news.pas.earthlink.net>
Date: Sun, 29 Oct 2006 00:07:14 GMT
NNTP-Posting-Host: 4.228.228.238
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1162080434 4.228.228.238 (Sat, 28 Oct
2006 17:07:14 PDT)
NNTP-Posting-Date: Sat, 28 Oct 2006 17:07:14 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6762
rec.radio.shortwave:56933 rec.radio.amateur.homebrew:7604
rec.radio.amateur.antenna:20730

"Roadrunner NNTP" <noone@nowhere.com> wrote in
news:MzK0h.33021$ta3.31232@tornado.texas.rr.com:

> I've had enough of SC in newsgroups!
>
> Please don't answer his flaming posts. I would like for my 14 amateur
> radio operator girl child (who is working on her code) to be able to use
> newsgroups without this abuse. We should not have to put up with it
> either.
>
> Copy and forward the following to abuse@earthlink.net. They should be

```
> able to identify him from the headers and their logs.
>
>
> Dear Earthlink Abuse . . .
>
>
>
> Please get this clown off of usenet.  There are several hobby groups
> where he posts regularly his inflammatory material, often with
> profanities.  Our kids who are in the hobby certainly don't need to be
> exposed to this stuff.
>
>
>
> Thanks.
>
>
>
> Long time internet user and parent.
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
> Path:
> be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!border2.nntp.dca.gigan
> ews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
> elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsre
> ad2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
>
> Newsgroups:
> rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.scanner,rec.
> radio.swap
>
> Subject: Stamp collecting doesn't require taking a code test.
>
> From: Slow Code <my.mail@no.spam>
>
> Organization: None
>
> User-Agent: Xnews/5.04.25
>
> Lines: 3
```

```
>
> Message-ID: <Xwx0h.349$LI4.140@newsread2.news.pas.earthlink.net>
>
> Date: Sat, 28 Oct 2006 00:30:47 GMT
>
> NNTP-Posting-Host: 4.227.154.108
>
> X-Complaints-To: abuse@earthlink.net
>
> X-Trace: newsread2.news.pas.earthlink.net 1161995447 4.227.154.108 (Fri,
> 27 Oct 2006 17:30:47 PDT)
>
> NNTP-Posting-Date: Fri, 27 Oct 2006 17:30:47 PDT
>
> Xref: be1.texas.rr.com rec.radio.amateur.antenna:257939
> rec.radio.amateur.policy:343886 rec.radio.scanner:266398
> rec.radio.swap:457098
>
>
>
> Maybe you people could try stamp collecting.
>
>
>
> SC
>
>
>
>
>
> Path:
> be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!border2.nntp.dca.gigan
> ews.com!nntp.giganews.com!nntp1.phx1.gblx.net!nntp.gblx.net!nntp.gblx.net
> !newsfeed.news2me.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.ne
> t!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!
> 3dd4ce4a!not-for-mail
>
> Newsgroups:
> rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.swap
>
> Subject: VE's should be allowed to use a cattle prod to make people take
> a code test.
>
> From: Slow Code <my.mail@no.spam>
>
> Organization: None
>
> User-Agent: Xnews/5.04.25
>
> Lines: 5
>
> Message-ID: <D6c0h.19671$UG4.17151@newsread2.news.pas.earthlink.net>
>
```

> Date: Fri, 27 Oct 2006 00:09:07 GMT
>
> NNTP-Posting-Host: 4.254.227.60
>
> X-Complaints-To: abuse@earthlink.net
>
> X-Trace: newsread2.news.pas.earthlink.net 1161907747 4.254.227.60 (Thu,
> 26 Oct 2006 17:09:07 PDT)
>
> NNTP-Posting-Date: Thu, 26 Oct 2006 17:09:07 PDT
>
> Xref: be1.texas.rr.com rec.radio.amateur.antenna:257845
> rec.radio.amateur.policy:343742 rec.radio.swap:457040
>
>
>
> And if they fail the code test they get zapped again.
>
>
>
> Bringing back 'spark' will be good for ham radio.
>
>
>
>
>
> Path:
> be1.texas.rr.com!news-wrt-01.tampabay.rr.com!news-wrt-01.southeast.rr.com
> !news-feed-01.southeast.rr.com!news.rr.com!cycny01.gnilink.net!peer01.wes
> t.cox.net!cox.net!newscon02.news.prodigy.net!prodigy.net!border1.nntp.dca
> .giganews.com!nntp.giganews.com!postnews.google.com!news4.google.com!news
> hub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthli
> nk.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
>
> Newsgroups:
> rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.swap
>
> Subject: Re: I don't remember horse and buggy, outhouses, or churning
> butter
>
> From: Slow Code <my.mail@no.spam>
>
> References: <gUx%g.12447$Lv3.2784@newsread1.news.pas.earthlink.net>
> <1161746253.858141.126300@m73g2000cwd.googlegroups.com>
> <5e980$453f9e94$45011502$31488@KNOLOGY.NET>
>
> Organization: None
>
> User-Agent: Xnews/5.04.25
>
> Lines: 23
>
> Message-ID: <OLS%g.19218$UG4.1065@newsread2.news.pas.earthlink.net>

```
>
> Date: Wed, 25 Oct 2006 23:51:10 GMT
>
> NNTP-Posting-Host: 4.227.154.38
>
> X-Complaints-To: abuse@earthlink.net
>
> X-Trace: newsread2.news.pas.earthlink.net 1161820270 4.227.154.38 (Wed,
> 25 Oct 2006 16:51:10 PDT)
>
> NNTP-Posting-Date: Wed, 25 Oct 2006 16:51:10 PDT
>
> Xref: be1.texas.rr.com rec.radio.amateur.policy:343846
> rec.radio.amateur.antenna:257917 rec.radio.swap:457083
>
>
>
> lazy ass Mike "amdx" <amdx@knology.net> wrote in
>
> news:5e980$453f9e94$45011502$31488@KNOLOGY.NET:
>
>>
>
>>> Slow Code wrote:
>
>>
>
>>>> New hams just don't appreciate things anymore.
>
>>
>
>> I don't remember,
>
>> cutting wood for winter, foraging the woods for berries,
>
>> turning the crank on a model T, building a spear to kill a deer,
>
>> washing my clothes in the river, making candles to light the night.
>
>> And I do appreciate that I don't have to do these things anymore.
>
>>                                                    Mike
>
>
>
>
>
> Right, and why homebrew anymore when you can call HRO or AES and buy
> your
>
> appliance off the shelf.
>
>
```

>
>
>
> 73,
>
> Back to my CW and projects.
>
>
>
> SC
>
>
>
> SC
>
>
>
>
>
> Path:
> be1.texas.rr.com!news-wrt-01.tampabay.rr.com!news-wrt-01.southeast.rr.com
> !news-feed-01.southeast.rr.com!news.rr.com!cycny01.gnilink.net!peer01.wes
> t.cox.net!cox.net!newscon02.news.prodigy.net!prodigy.net!border1.nntp.dca
> .giganews.com!nntp.giganews.com!postnews.google.com!news4.google.com!news
> hub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthli
> nk.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
>
> Newsgroups:
> rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.swap
>
> Subject: Re: I don't remember horse and buggy, outhouses, or churning
> butter
>
> From: Slow Code <my.mail@no.spam>
>
> References: <gUx%g.12447$Lv3.2784@newsread1.news.pas.earthlink.net>
> <1161746253.858141.126300@m73g2000cwd.googlegroups.com>
> <5e980$453f9e94$45011502$31488@KNOLOGY.NET>
>
> Organization: None
>
> User-Agent: Xnews/5.04.25
>
> Lines: 23
>
> Message-ID: <OLS%g.19218$UG4.1065@newsread2.news.pas.earthlink.net>
>
> Date: Wed, 25 Oct 2006 23:51:10 GMT
>
> NNTP-Posting-Host: 4.227.154.38
>
> X-Complaints-To: abuse@earthlink.net
>

```
> X-Trace: newsread2.news.pas.earthlink.net 1161820270 4.227.154.38 (Wed,
> 25 Oct 2006 16:51:10 PDT)
>
> NNTP-Posting-Date: Wed, 25 Oct 2006 16:51:10 PDT
>
> Xref: be1.texas.rr.com rec.radio.amateur.policy:343846
> rec.radio.amateur.antenna:257917 rec.radio.swap:457083
>
>
>
> lazy ass Mike "amdx" <amdx@knology.net> wrote in
>
> news:5e980$453f9e94$45011502$31488@KNOLOGY.NET:
>
>>
>
>>> Slow Code wrote:
>
>>
>
>>>> New hams just don't appreciate things anymore.
>
>>
>
>> I don't remember,
>
>> cutting wood for winter, foraging the woods for berries,
>
>> turning the crank on a model T, building a spear to kill a deer,
>
>> washing my clothes in the river, making candles to light the night.
>
>> And I do appreciate that I don't have to do these things anymore.
>
>>                                                   Mike
>
>
>
>
>
> Right, and why homebrew anymore when you can call HRO or AES and buy
> your
>
> appliance off the shelf.
>
>
>
>
>
> 73,
>
> Back to my CW and projects.
>
```

```
>
>
> SC
>
>
>
>
>
> Path:
> be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!border2.nntp.dca.gigan
> ews.com!nntp.giganews.com!news.maxwell.syr.edu!elnk-pas-nf1!newsfeed.eart
> hlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net
> .POSTED!3dd4ce4a!not-for-mail
>
> Newsgroups:
> rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.swap,rec.rad
> io.shortwave
>
> Subject: Re: Is the code requirement really keeping good people out of
> ham radio?
>
> From: Slow Code <my.mail@no.spam>
>
> References: <1158527339.352992.28170@i42g2000cwa.googlegroups.com>
> <bhGPg.9337$v%4.106@newsread1.news.pas.earthlink.net>
> <c3iug29tid5kod1f1olqktlvn5kkicgg7j@4ax.com> <450FE04F.7060501@fuse.net>
> <ia79h21f1uhjc1pd68ud3j86nbmlnemdvi@4ax.com>
> <b3_Rg.1384$Y24.335@newsread4.news.pas.earthlink.net>
> <ltvgh21b35rlg7smc8o5n2509m34afg1pk@4ax.com>
> <HJednVoOhasYvYTYnZ2dnUVZ_uudnZ2d@comcast.com>
> <1161835676.853678.129230@i3g2000cwc.googlegroups.com>
> <n1g0k2h8kugbpj65vjk8fc96uk5hsl70k8@4ax.com>
>
> Organization: None
>
> User-Agent: Xnews/5.04.25
>
> Lines: 14
>
> Message-ID: <76c0h.19656$UG4.15739@newsread2.news.pas.earthlink.net>
>
> Date: Fri, 27 Oct 2006 00:08:35 GMT
>
> NNTP-Posting-Host: 4.254.227.60
>
> X-Complaints-To: abuse@earthlink.net
>
> X-Trace: newsread2.news.pas.earthlink.net 1161907715 4.254.227.60 (Thu,
> 26 Oct 2006 17:08:35 PDT)
>
> NNTP-Posting-Date: Thu, 26 Oct 2006 17:08:35 PDT
>
> Xref: be1.texas.rr.com rec.radio.amateur.antenna:257842
> rec.radio.amateur.policy:343730 rec.radio.swap:457038
> rec.radio.shortwave:537344
>
>
>
> Opus- <jbuchy@shaw.ca> wrote in
>
> news:n1g0k2h8kugbpj65vjk8fc96uk5hsl70k8@4ax.com:
>
>
>
>> Don't you have some offs to fuck?
>
>>
>
>
>
>
>
> Why do no-coders always break down in the middle of an argument and
> start
>
> spewing profanities?  I just don't understand it.  It must be do to
> their
>
> limited mental abilities.
>
>
>
> Opus being a Cannuk probably doesn't help either.
>
>
>
> SC
>
>
>
>
>
> Path:
> be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!border2.nntp.dca.gigan
> ews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
> elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsre
> ad2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
>
> Newsgroups:
> rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.poli
> cy
>
> Subject: If you had to learn morse code for a ham license would you stay
> on CB?
>
> From: Slow Code <my.mail@no.spam>
```

>
> Organization: None
>
> User-Agent: Xnews/5.04.25
>
> Lines: 8
>
> Message-ID: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
>
> Date: Sat, 28 Oct 2006 00:30:35 GMT
>
> NNTP-Posting-Host: 4.227.154.108
>
> X-Complaints-To: abuse@earthlink.net
>
> X-Trace: newsread2.news.pas.earthlink.net 1161995435 4.227.154.108 (Fri,
> 27 Oct 2006 17:30:35 PDT)
>
> NNTP-Posting-Date: Fri, 27 Oct 2006 17:30:35 PDT
>
> Xref: be1.texas.rr.com rec.radio.amateur.equipment:209077
> rec.radio.amateur.misc:299083 rec.radio.amateur.policy:343877
>
>
>
>
>
> 5wpm ain't really learning it. I can fart 5 wpm.
>
>
>
> Lets kick the requirement up there to between 13 and 20 wpm for all
>
> classes. And no-codes that haven't passed it after a year get booted
> which
>
> will help clean up the repeaters.
>
>
>
> SC
>
>
>
>
>
> m.News. EarthLink Members should use their best judgment when posting to
> any newsgroup. Many groups have charters, published guidelines, FAQs, or
> "community standards" describing what is and is not considered
> appropriate. Usenet can be a valuable resource if used properly. The
> continued posting of off-topic articles is prohibited. Commercial
> advertisements are off-topic in most newsgroups, especially regional
> groups not specifically named for such. The presence of such articles in

> a group is not indicative of the group's "intended" use. Please
> familiarize yourself with basic Usenet netiquette before posting to a
> newsgroup.
>
> EarthLink considers "multiposting" to 10 or more groups within a two
> week sliding window to be excessive. EarthLink servers currently limit
> the number of allowable "cross-posts" to 9.
>
> EarthLink Members may not cancel messages other than their own messages.
> A Member may cancel posts forged in that Member's name. We may cancel
> any postings which violate this AUP.

Whaaaaaaaaaaaa!!

Have you ever sat on the toilet and tried to fart your callsign in
morse code?

You're so wound up, I bet you could fart your call at a nearly
perfect 1000Hz square wave.

SC

From 1929803798295203750
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: 114aac,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Attributes: gid108122,gid114aac,gidfc2a5,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.homebrew,rec.radio.amateur.antenna
Subject: Re: Response to SC
Date: Sat, 28 Oct 2006 20:21:49 -0400
Message-ID: <nus7k29pdmqeg8vroukcjmba8ifemqcsi5@4ax.com>
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
<SgS0h.730$LI4.24@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
NNTP-Posting-Date: 28 Oct 2006 23:26:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6763
rec.radio.shortwave:56936 rec.radio.amateur.homebrew:7605
rec.radio.amateur.antenna:20732

```
On Sun, 29 Oct 2006 00:07:14 GMT, Slow Code <my.mail@no.spam> wrote:

>"Roadrunner NNTP" <noone@nowhere.com> wrote in
>news:MzK0h.33021$ta3.31232@tornado.texas.rr.com:
>
>> I've had enough of SC in newsgroups!
>>
>> Please don't answer his flaming posts.  I would like for my 14 amateur
>> radio operator girl child (who is working on her code) to be able to use
>> newsgroups without this abuse.  We should not have to put up with it

>> EarthLink Members may not cancel messages other than their own messages.
>> A Member may cancel posts forged in that Member's name. We may cancel
>> any postings which violate this AUP.
>
>
>Whaaaaaaaaaaaa!!
that is right sociopath rules don't apply to you
>
>
>Have you ever sat on the toilet and tried to fart your callsign in
>morse code?
get some thrapy
>
>You're so wound up, I bet you could fart your call at a nearly
>perfect 1000Hz square wave.
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -7391130298520871320
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 20:18:03 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
<12k7judir4tn3d8@corp.supernews.com>
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Sat, 28 Oct 2006 20:18:03 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <FMydnfu6jd7WnNnYnZ2dnUVZ_tadnZ2d@comcast.com>
Lines: 44
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-YRg5kQeh9m/5gqSIXSvK/FH950AaAwMP+SelFMNkQdHAY2pkIVLUevYWl+2GDEohN0BXEOXHVuVpN9D!f2IdW85Who+N/G1Cbxa/lgB3/N3KfWK7Z25oZU38nsc3MnmiXUcJlgxADUKsLkc6LqcQjrVlyb/Q!Vo55WMeKcBuBz7bfQEc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6764

"Charlie" <charlie@ease.biz> wrote in message news:12k7judir4tn3d8@corp.supernews.com...

> HRO is now carrying the new Tokyo HyPower HL-1.5k and will be able to
> deliver the end of November and begin support.
>
> 1. www.hamradio.com
> --
> 73,Charlie-AD5TH
> www.ad5th.com
>

Charlie -

Thanks for the HRO link - I did not see that they have "pre-announced" this change on their web site.

Based on the dates on their web site the sales/support will likely coincide with Tokyo HyPower being granted a FCC certification under Part 2 equipment authorization standards.

FCC R&O WT Docket 04-140 ("Omnibus" Amateur Radio proceeding), adopted on October 4, 2006 and released on October 10, 2006
http://www.arrl.org/announce/regulatory/wt04-140/faq.html
Q. What were the changes eliminating certain restrictions on equipment manufacturers?

A. Simply put, the guidelines on external RF amplifiers were clarified. They must still be granted a certification under Part 2 equipment authorization standards and may not be easily modifiable to non-amateur service use. They can not exhibit the ability to amplify in the 26 - 28 MHz frequency range. The FCC also decided not to include a definition of kits as they apply to RF amplifiers.

Changes to the 75 / 80 meter band are receiving the most "on-air" comments !!
New band chart -- as listed in FCC R&O, subject to clarification (typos in FCC R&O -- noted by many observers !!!).

http://www.arrl.org/announce/regulatory/wt04-140/Hambands3_color.pdf

w9gb

From -2698185303423303516
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e64g2000cwd.googlegroups.com!not-for-mail
From: k8vf_mark@centurytel.net
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on CB?
Date: 28 Oct 2006 20:56:05 -0700
Organization: http://groups.google.com
Lines: 70
Message-ID: <1162094165.644149.230040@e64g2000cwd.googlegroups.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
   <1162011495.648000.21730@f16g2000cwb.googlegroups.com>
   <lm17k2pjvadt9erj5jh8c4iklvkfov1589@4ax.com>
NNTP-Posting-Host: 207.118.248.58
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162094171 2071 127.0.0.1 (29 Oct 2006 03:56:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Oct 2006 03:56:11 +0000 (UTC)
In-Reply-To: <lm17k2pjvadt9erj5jh8c4iklvkfov1589@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp 5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e64g2000cwd.googlegroups.com; posting-host=207.118.248.58;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news2.google.com rec.radio.amateur.equipment:6765 rec.radio.amateur.misc:25047 rec.radio.amateur.policy:52094

Mark@kb9rqz.aprs wrote:
> On 27 Oct 2006 21:58:15 -0700, k8vf_mark@centurytel.net wrote:
>
> >
> >Slow Code wrote:
> >> 5wpm ain't really learning it. I can fart 5 wpm.
> >>

> >> Lets kick the requirement up there to between 13 and 20 wpm for all
> >> classes. And no-codes that haven't passed it after a year get booted which
> >> will help clean up the repeaters.
> >>
> >> SC
> >
> >Ok, I am a traditionalist, sorry.
> >
> >5wpm should not be an impediment to anyone with normal faculties and
> >normal physical dexterity.
> not the legal issue and rest is subejct to deabte ifrst on the meaning
> of the terms you are using
> >I could do 5 wpm at 7 or 8 and I did not know a ham operator...my dad
> >taught me after he came home from Army as Radio op. Never used it for
> >15 or so years.
> so?
> >
> >At 25 I took a novice class (finally) and was doing over 20wpm in 2-3
> >weeks.
>
> good for you I am OTOH spent 5 years nbot managing 5 wpm for novice
> license till I gave up
> >
> >For anything above the entry license, a code increase would be
> >warranted to operate in the best cw bands, maybe.
>
> there are NO CW only band (except maybe is 12 or 15 or one of those
> Warc bands)
> >
> >When I took my General, Advanced, and Extra I had to do it at the FCC
> >office and took and sent code from the Director, Detroit office. Talk
> >about nervous!
> >I dont think you can compare the V.E.C. experience (as good a job as
> >they do) with that for excitement and stress.
> >When you came out of the MCNamara Bldg in Detroit, you knew you had
> >taken a test. You knew you had earned your ticket!
> >
> >No, I would not stay on C.B.......as good a service as it is, it cannot
> >compare with the people of Ham Radio.
> http://kb9rqz.blogspot.com/
>
> --
> Posted via a free Usenet account from http://www.teranews.com

What is your point.?

I amswered his query in a positive way.

You obviously know there ARE cw portions of bands PLUS a cw only band
which is OBVIOUSLY what was referred to.

If you could not manage 5wpm in 5 years then you have an unusual
difficulty, or you were not taking the time to do it and stay with it.

Remember I said "normal faculties and normal physical dexterity". A person with ADD or Dyslexia may not be able to , and others with other issues may not. (I know lots of blind guys who are hams, they dont think blindness is an impediment to ham radio or the code)

He asked if cw would keep us from Amateur radio. I amswered the question indicating I did not think cw was a difficult impediment and used examples why from my own experience.

From -4919590640912993067
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on
CB?
Date: Sat, 28 Oct 2006 23:59:46 -0400
Message-ID: <4n98k2hk8tdg9c7587ih3pb9e4ti3ki15s@4ax.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
<1162011495.648000.21730@f16g2000cwb.googlegroups.com>
<lm17k2pjvadt9erj5jh8c4iklvkfov1589@4ax.com>
<1162094165.644149.230040@e64g2000cwd.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 74
NNTP-Posting-Date: 29 Oct 2006 03:04:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6766
rec.radio.amateur.misc:25048 rec.radio.amateur.policy:52095

On 28 Oct 2006 20:56:05 -0700, k8vf_mark@centurytel.net wrote:

>
>Mark@kb9rqz.aprs wrote:
>> On 27 Oct 2006 21:58:15 -0700, k8vf_mark@centurytel.net wrote:
>>
>> >
>> >Slow Code wrote:
>> >> 5wpm ain't really learning it. I can fart 5 wpm.
>> >>
>> >> Lets kick the requirement up there to between 13 and 20 wpm for all
>> >> classes. And no-codes that haven't passed it after a year get booted which
>> >> will help clean up the repeaters.

>> >>
>> >> SC
>> >
>> >Ok, I am a traditionalist, sorry.
>> >
>> >5wpm should not be an impediment to anyone with normal faculties and
>> >normal physical dexterity.
>> not the legal issue and rest is subejct to deabte ifrst on the meaning
>> of the terms you are using
>> >I could do 5 wpm at 7 or 8 and I did not know a ham operator...my dad
>> >taught me after he came home from Army as Radio op. Never used it for
>> >15 or so years.
>> so?
>> >
>> >At 25 I took a novice class (finally) and was doing over 20wpm in 2-3
>> >weeks.
>>
>> good for you I am OTOH spent 5 years nbot managing 5 wpm for novice
>> license till I gave up
>> >
>> >For anything above the entry license, a code increase would be
>> >warranted to operate in the best cw bands, maybe.
>>
>> there are NO CW only band (except maybe is 12 or 15 or one of those
>> Warc bands)
>> >
>> >When I took my General, Advanced, and Extra I had to do it at the FCC
>> >office and took and sent code from the Director, Detroit office. Talk
>> >about nervous!
>> >I dont think you can compare the V.E.C. experience (as good a job as
>> >they do) with that for excitement and stress.
>> >When you came out of the MCNamara Bldg in Detroit, you knew you had
>> >taken a test. You knew you had earned your ticket!
>> >
>> >No, I would not stay on C.B.......as good a service as it is, it cannot
>> >compare with the people of Ham Radio.
>> http://kb9rqz.blogspot.com/
>>
>> --
>> Posted via a free Usenet account from http://www.teranews.com
>
>What is your point.?
>
>I amswered his query in a positive way.
his query was not positive
>
>You obviously know there ARE cw portions of bands PLUS a cw only band
>which is OBVIOUSLY what was referred to.
>
>If you could not manage 5wpm in 5 years then you have an unusual
>difficulty, or you were not taking the time to do it and stay with it.
>Remember I said "normal faculties and normal physical dexterity". A
>person with ADD or Dyslexia may not be able to , and others with other

>issues may not. (I know lots of blind guys who are hams, they dont
>think blindness is an impediment to ham radio or the code)
interesting that you mention dyslexia
>
>He asked if cw would keep us from Amateur radio. I amswered the
>question indicating I did not think cw was a difficult impediment and
>used examples why from my own experience.
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 4964116729462970849
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-mail
From: k8vf_mark@centurytel.net
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on
CB?
Date: 28 Oct 2006 21:07:28 -0700
Organization: http://groups.google.com
Lines: 87
Message-ID: <1162094847.970234.209460@e3g2000cwe.googlegroups.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
   <1162011495.648000.21730@f16g2000cwb.googlegroups.com>
   <lm17k2pjvadt9erj5jh8c4iklvkfov1589@4ax.com>
   <1162094165.644149.230040@e64g2000cwd.googlegroups.com>
   <4n98k2hk8tdg9c7587ih3pb9e4ti3ki15s@4ax.com>
NNTP-Posting-Host: 207.118.248.58
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162094852 30264 127.0.0.1 (29 Oct 2006 04:07:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Oct 2006 04:07:32 +0000 (UTC)
In-Reply-To: <4n98k2hk8tdg9c7587ih3pb9e4ti3ki15s@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp
5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=207.118.248.58;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news2.google.com rec.radio.amateur.equipment:6767
rec.radio.amateur.misc:25050 rec.radio.amateur.policy:52097

M...@kb9rqz.aprs wrote:
> On 28 Oct 2006 20:56:05 -0700, k8vf_mark@centurytel.net wrote:
>
> >
> >Mark@kb9rqz.aprs wrote:
> >> On 27 Oct 2006 21:58:15 -0700, k8vf_mark@centurytel.net wrote:
> >>
> >> >
> >> >Slow Code wrote:
> >> >> 5wpm ain't really learning it. I can fart 5 wpm.
> >> >>
> >> >> Lets kick the requirement up there to between 13 and 20 wpm for all
> >> >> classes. And no-codes that haven't passed it after a year get booted which
> >> >> will help clean up the repeaters.
> >> >>
> >> >> SC
> >> >
> >> >Ok, I am a traditionalist, sorry.
> >> >
> >> >5wpm should not be an impediment to anyone with normal faculties and
> >> >normal physical dexterity.
> >> not the legal issue and rest is subejct to deabte ifrst on the meaning
> >> of the terms you are using
> >> >I could do 5 wpm at 7 or 8 and I did not know a ham operator...my dad
> >> >taught me after he came home from Army as Radio op. Never used it for
> >> >15 or so years.
> >> so?
> >> >
> >> >At 25 I took a novice class (finally) and was doing over 20wpm in 2-3
> >> >weeks.
> >>
> >> good for you I am OTOH spent 5 years nbot managing 5 wpm for novice
> >> license till I gave up
> >> >
> >> >For anything above the entry license, a code increase would be
> >> >warranted to operate in the best cw bands, maybe.
> >>
> >> there are NO CW only band (except maybe is 12 or 15 or one of those
> >> Warc bands)
> >> >
> >> >When I took my General, Advanced, and Extra I had to do it at the FCC
> >> >office and took and sent code from the Director, Detroit office. Talk
> >> >about nervous!
> >> >I dont think you can compare the V.E.C. experience (as good a job as
> >> >they do) with that for excitement and stress.
> >> >When you came out of the MCNamara Bldg in Detroit, you knew you had
> >> >taken a test. You knew you had earned your ticket!
> >> >
> >> >No, I would not stay on C.B.......as good a service as it is, it cannot
> >> >compare with the people of Ham Radio.
> >> http://kb9rqz.blogspot.com/
> >>
> >> --

> >> Posted via a free Usenet account from http://www.teranews.com
> >
> >What is your point.?
> >
> >I amswered his query in a positive way.
> his query was not positive
> >
> >You obviously know there ARE cw portions of bands PLUS a cw only band
> >which is OBVIOUSLY what was referred to.
> >
> >If you could not manage 5wpm in 5 years then you have an unusual
> >difficulty, or you were not taking the time to do it and stay with it.
> >Remember I said "normal faculties and normal physical dexterity". A
> >person with ADD or Dyslexia may not be able to , and others with other
> >issues may not. (I know lots of blind guys who are hams, they dont
> >think blindness is an impediment to ham radio or the code)
> interesting that you mention dyslexia
> >
> >He asked if cw would keep us from Amateur radio. I amswered the
> >question indicating I did not think cw was a difficult impediment and
> >used examples why from my own experience.
> http://kb9rqz.blogspot.com/
>
> --
> Posted via a free Usenet account from http://www.teranews.com

If you have dyslexia then youdo not have normal faculties and dexterity
and the post did not refer to you,. Why bother responding?

I SPECIFICALLY EXCLUDED you in my original post.

From -2625532119586903548
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on CB?
Date: 28 Oct 2006 21:10:31 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1162095031.259961.323320@h48g2000cwc.googlegroups.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>

```
   <1162011495.648000.21730@f16g2000cwb.googlegroups.com>
   <lm17k2pjvadt9erj5jh8c4iklvkfov1589@4ax.com>
   <1162094165.644149.230040@e64g2000cwd.googlegroups.com>
   <4n98k2hk8tdg9c7587ih3pb9e4ti3ki15s@4ax.com>
   <1162094847.970234.209460@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 66.82.9.45
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162095036 4144 127.0.0.1 (29 Oct 2006 04:10:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Oct 2006 04:10:36 +0000 (UTC)
In-Reply-To: <1162094847.970234.209460@e3g2000cwe.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=66.82.9.45;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:6768
rec.radio.amateur.misc:25051 rec.radio.amateur.policy:52098


k8vf_m...@centurytel.net wrote:
> M...@kb9rqz.aprs wrote:
> > On 28 Oct 2006 20:56:05 -0700, k8vf_mark@centurytel.net wrote:

>
> If you have dyslexia then youdo not have normal faculties and dexterity
> and the post did not refer to you,. Why bother responding?
My factulites are prefectly normal as is my dexterity
>
> I SPECIFICALLY EXCLUDED you in my original post.



From -4543451003465944913
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!feeder.news-service.com!
feeder.news-service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-11!sn-xt-
ams-04!sn-ams!sn-feed-ams-03!sn-ams!sn-feed-ams-02!sn-post-ams-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Charlie" <charlie@ease.biz>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Sun, 29 Oct 2006 02:13:48 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12k8omdcmcmqj8c@corp.supernews.com>
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
<12k7judir4tn3d8@corp.supernews.com>
<FMydnfu6jd7WnNnYnZ2dnUVZ_tadnZ2d@comcast.com>
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 60
Xref: g2news2.google.com rec.radio.amateur.equipment:6769

On a related note I emailed THP for a quote on the new HL-500V 500W solid
satate 2M amp I was considering.
They want $2300 + $250 shipping..a little pricey for this country boy so I
ordered a TE 1454 from Burghardt instead and Astron RS70M for a total of
around $780

--

73,Charlie-AD5TH
www.ad5th.com

"w9gb" <spam_protect@arrl.net> wrote in message
news:FMydnfu6jd7WnNnYnZ2dnUVZ_tadnZ2d@comcast.com...
> "Charlie" <charlie@ease.biz> wrote in message
> news:12k7judir4tn3d8@corp.supernews.com...
>> HRO is now carrying the new Tokyo HyPower HL-1.5k and will be able to
>> deliver the end of November and begin support.
>>
>> 1. www.hamradio.com
>> --
>> 73,Charlie-AD5TH
>> www.ad5th.com
>>
>
> Charlie -
>
> Thanks for the HRO link - I did not see that they have "pre-announced"
> this change on their web site.
>
> Based on the dates on their web site the sales/support will likely
> coincide with Tokyo HyPower being granted a FCC certification under Part 2
> equipment authorization standards.
>
> FCC R&O WT Docket 04-140 ("Omnibus" Amateur Radio proceeding), adopted on
> October 4, 2006 and released on October 10, 2006
> http://www.arrl.org/announce/regulatory/wt04-140/faq.html
> Q. What were the changes eliminating certain restrictions on equipment
> manufacturers?
>
> A. Simply put, the guidelines on external RF amplifiers were clarified.
> They must still be granted a certification under Part 2 equipment
> authorization standards and may not be easily modifiable to non-amateur
> service use. They can not exhibit the ability to amplify in the 26 - 28

> MHz frequency range. The FCC also decided not to include a definition of
> kits as they apply to RF amplifiers.
>
> Changes to the 75 / 80 meter band are receiving the most "on-air" comments
> !!
> New band chart -- as listed in FCC R&O, subject to clarification (typos in
> FCC R&O -- noted by many observers !!!).
> http://www.arrl.org/announce/regulatory/wt04-140/Hambands3_color.pdf
>
>
> w9gb
>
>
>

From 8798275790238833785
X-Google-Thread: 108122,571ecdd692a54206
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <4544DCCA.44AF92BA@liondude.net>
From: joe <lithium_ion_dude@liondude.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile phone batteries - new uses ?
References: <1161827787.603287.125280@m73g2000cwd.googlegroups.com>
<45414966.10003@hotmail.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
Date: Sun, 29 Oct 2006 16:54:36 GMT
NNTP-Posting-Host: 12.76.215.83
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1162140876 12.76.215.83 (Sun, 29 Oct
2006 16:54:36 GMT)
NNTP-Posting-Date: Sun, 29 Oct 2006 16:54:36 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6770

hi,

best bet is to recycle them at your local retail store,
target, walmart, home depot, lowes, etc.

you'll need special charger(s) for these batteries,
otherwise they can overheat and safety vent opens
and or cell can rupture (explode is also possible)

better idea is to use common Nicke Hydride
NiMh batteries available at above retailers.

be safe, do more research on lithium battery technology.

lion dude..

From 6498235805587973750
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: 114aac,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Attributes: gid108122,gid114aac,gidfc2a5,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-
wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!
news.rr.com!news-post.tampabay.rr.com!tornado.southeast.rr.com.POSTED!53ab2750!
not-for-mail
From: "Merlin-7 KI4ILB" <merlin-7@sc.rr.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.homebrew,rec.rad
io.amateur.antenna
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
<SgS0h.730$LI4.24@newsread2.news.pas.earthlink.net>
<nus7k29pdmqeg8vroukcjmba8ifemqcsi5@4ax.com>
Subject: Re: Response to SC
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <Vo91h.1331$nG1.778@tornado.southeast.rr.com>
Date: Sun, 29 Oct 2006 21:52:53 GMT
NNTP-Posting-Host: 75.176.152.86
X-Complaints-To: abuse@rr.com
X-Trace: tornado.southeast.rr.com 1162158773 75.176.152.86 (Sun, 29 Oct 2006
16:52:53 EST)
NNTP-Posting-Date: Sun, 29 Oct 2006 16:52:53 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6771
rec.radio.shortwave:57000 rec.radio.amateur.homebrew:7616
rec.radio.amateur.antenna:20771

If Slow Code left, I would miss him.

I do not agree with him most of the time. As a matter of fact, he is dead wrong a lot of the time.

At least he stands up for what he believes in.

I myself, do not think that every ham should have to be able to send/copy code at 20wpm no more that I think they should be tested on psk,rtty, slow scan tv. etc.

Some people have a passion for code and some have a passion for other modes. I use them all from time to time, and to be honest, after I move next year, I am going to work on my code a bit more when I have the time to do so.

However, I will still give him a hard time about his ranting. After all I have not heard anyone tell him that he is not a real ham because he does not have psk nailed down..HI HI
Joe
KI4ILB

```
From 7240356385053927799
X-Google-Thread: 102fc8,23bab7152d5ac4ae,start
X-Google-Thread: 10bc16,23bab7152d5ac4ae,start
X-Google-Thread: 10a749,23bab7152d5ac4ae,start
X-Google-Thread: 108122,23bab7152d5ac4ae,start
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e64g2000cwd.googlegroups.com!not-for-
mail
From: "63Avanti" <google@sterkel.org>
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: best anti-RF ignition wiring TYPE
Followup-To: alt.autos.studebaker, rec.autos.tech, rec.audio.car,
rec.radio.amateur.equipment
Date: 29 Oct 2006 14:25:38 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
NNTP-Posting-Host: 209.151.122.216
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162160744 19178 127.0.0.1 (29 Oct 2006 22:25:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Oct 2006 22:25:44 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e64g2000cwd.googlegroups.com; posting-host=209.151.122.216;
   posting-account=WK6wyAwAAAA64EMl0bXjQdf8tEXAV8FB
Xref: g2news2.google.com alt.autos.studebaker:36334 rec.autos.tech:30088
rec.audio.car:11358 rec.radio.amateur.equipment:6772
```

best anti-RF ignition wiring TYPE

background:
I am getting my vintage AM/FM Delco reconditioned with the intent of getting that "cruis'n feeling" I will also add non-vintage sound deadening, and other electrical/static improvements noted here and elsewhere. Thanks for the help.

My query in a different area. In the sixties, I was always changing ignition cables attempting to minimize "ignition buzz" on my radio. (not really a problem since the mid-70s). Back then, I found one type that worked ok, but I cannot find it any more. (Most of this help in the 60's came from that Hams, thus I am including them in this question)

Now for the "new" question.
What "TYPE" of ignition wiring for maximum should I get for my Avanti (with modern electronic distributor) R2?

From -4002576896634426058
X-Google-Thread: 108122,73aa239b93bf89b2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe21.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Nice Ameritron ALS-600 HF Amp
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <BV91h.1209$IC.921@newsfe21.lga>
Date: Sun, 29 Oct 2006 16:31:00 -0600
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: admin@cox.net
X-Trace: newsfe21.lga 1162160865 68.109.223.91 (Sun, 29 Oct 2006 15:27:45 MST)
NNTP-Posting-Date: Sun, 29 Oct 2006 15:27:45 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:6773

I have a very nice Ameritron ALS-600 Solid State 600 watt HF Amplifier with the ALS-600PS Power Supply for $875 plus shipping from 79602. Amp is in very nice shape and works perfectly. Comes with
original shipping cartons and manual. Thanks, Charlie Hugg, K5MBX

```
From 3220383543313802183
X-Google-Thread: 108122,7f300fa69df53be2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe19.lga.POSTED!53ab2750!not-for-mail
From: no.spam@junk.mail.net
Newsgroups: rec.radio.amateur.equipment
Subject: ft-1500 adms-2f
Sender: no.spam@junk.mail.net
Organization: Spam costs EVERYone except the spammers
Reply-To: no.spam@junk.mail.net
Message-ID: <4ebak290tuhr3p17o1lfiri1t4ag4ps5vg@4ax.com>
X-Newsreader: Forte Agent 2.0/32.640
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Sun, 29 Oct 2006 17:42:54 -0500
NNTP-Posting-Host: 68.228.157.130
X-Complaints-To: admin@cox.net
X-Trace: newsfe19.lga 1162161759 68.228.157.130 (Sun, 29 Oct 2006 15:42:39 MST)
NNTP-Posting-Date: Sun, 29 Oct 2006 15:42:39 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:6774
```

Looking for the ft-1500 programming interface and software. A CD version would be nice.

```
From -2017299472988452882
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Oct 2006 16:53:42 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Sun, 29 Oct 2006 16:53:41 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <YK6dnZLqoZhqrdjYnZ2dnUVZ_o-dnZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 67.176.141.93
```

X-Trace: sv3-VmrwoeJ78pGpgl8ltiMO4jLvNRQQGKuNpfGu0qUjy2zISEurrWQbirr8B88nKjcJ/ORePw7AlJNM3Ua!AKjmxJxzqSDVBvXHP8wXv5bLBOxaNBvoAkUEAXQmKWLbU8Awm8qncz3tZlC+/s+MrhAt5yohv4vR!fA/o6hUUK0Z8khEekYk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6775

"C. J. Clegg" <reply.in.group@nospam.no> wrote in message
news:pan.2006.10.28.12.59.21.216939@nospam.no...
>
> I have finally had enough of waiting forever for the FCC to get rid of
> their kill-a-fly-with-a-sledgehammer approach to HF amp regulation, so
> that I can get an amp for legal use with my FT-817.
>
> Have any of you had any problems getting a Tokyo Hy-Power QRP amplifier
> past the border watchdogs and into the USA?
>
> I try to be law-abiding but I'm tired of the FCC's inability to enforce
> the rules against the few, so they penalize everybody. I'd just like to
> get a reasonable power level out of the FT-817, for times when 5W isn't
> enough, and for legal use on legal ham bands with my legal Extra-class
> license.
>
> Thanks...
>

FT-817 web pages:

KA7OEI
http://www.ussc.com/~turner/ft817pg.shtml

Bob Wolpert, K6XX
http://www.k6xx.com/ft817/ft817.html

From 8979768183548829859
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Oct 2006 17:11:14 -0600
From: tnom@mucks.net

```
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
Date: Sun, 29 Oct 2006 18:11:17 -0500
Organization: Group One News Network
Message-ID: <75dak2hg2dlrgu4gtu4d2dg6vneks76c3e@4ax.com>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
X-Trace: sv3-RDwMsuZ/s+s/B6x+oa0GSfchw7P/UMfxof6I/21R4QC0jKmTpfim/
+WD0dmggEorVelwrkJOBgtysWe!
RKeaaEc1FXmaikbX7gJ3O1VVaS6oHFDueYOxlsc2lHWRHFOAsZlgZhhqjxANcPE93x5ExJc=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.autos.studebaker:36335 rec.autos.tech:30090
rec.audio.car:11360 rec.radio.amateur.equipment:6776

On 29 Oct 2006 14:25:38 -0800, "63Avanti" <google@sterkel.org> wrote:

>best anti-RF ignition wiring TYPE
>
>background:
>I am getting my vintage AM/FM Delco reconditioned with the intent of
>getting that "cruis'n feeling"  I will also add non-vintage sound
>deadening, and other electrical/static improvements noted here and
>elsewhere.  Thanks for the help.
>
>My query in a different area.  In the sixties, I was always changing
>ignition cables attempting to minimize "ignition buzz" on my radio.
>(not really a problem since the mid-70s). Back then, I found one type
>that worked ok, but I cannot find it any more.  (Most of this help in
>the 60's came from that Hams, thus I am including them in this
>question)
>
>Now for the "new" question.
>What "TYPE" of ignition wiring for maximum should I get for my Avanti
>(with modern electronic distributor) R2?

Most all new cars use anti-rf plugs and cables.. Just get a set of
quality resistor plugs and resistor wires.


From 2655044563136265860
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
```

X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-mail
From: do_not_spam_me@my-deja.com
Newsgroups: alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
Date: 29 Oct 2006 16:06:23 -0800
Organization: http://groups.google.com
Lines: 25
Message-ID: <1162166783.528785.88970@k70g2000cwa.googlegroups.com>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
NNTP-Posting-Host: 71.209.161.159
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162166788 6898 127.0.0.1 (30 Oct 2006 00:06:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Oct 2006 00:06:28 +0000 (UTC)
In-Reply-To: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; AT&T CSM6.0; T312461),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=71.209.161.159;
   posting-account=7nNSNgwAAACRLkf2lJhtjt0HZhRreQlC
Xref: g2news2.google.com alt.autos.studebaker:36338 rec.autos.tech:30092 rec.audio.car:11361 rec.radio.amateur.equipment:6777

63Avanti wrote:

> I am getting my vintage AM/FM Delco reconditioned with the intent of getting that "cruis'n feeling" I will also add non-vintage sound deadening, and other electrical/static improvements noted here and elsewhere. Thanks for the help.

> In the sixties, I was always changing ignition cables attempting to minimize "ignition buzz" on my radio.   (not really a problem since the mid-70s). Back then, I found one type that worked ok, but I cannot find it any more. (

> What "TYPE" of ignition wiring for maximum should I get for my Avanti (with modern electronic distributor) R2?

There are only 2 types of RF supression wire: resistive and inductive. The latter is often referred to as "magnetic" and is widely available, but it doesn't seem to work any better than the resistive type. A significant amount of igniton noise comes from the connection between the plug and the plug wire, and grounded metal shields over the boots can help here. There are wire kits with these boots, mostly for German cars, or they can be made with metal tubing slipped snugly over the metal bases of the plugs.

From -5840732956695698219
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on
CB?
From: Slow Code <my.mail@no.spam>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
<1162011495.648000.21730@f16g2000cwb.googlegroups.com>
<lm17k2pjvadt9erj5jh8c4iklvkfov1589@4ax.com>
<1162094165.644149.230040@e64g2000cwd.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 79
Message-ID: <X3c1h.1628$zf.848@newsread3.news.pas.earthlink.net>
Date: Mon, 30 Oct 2006 00:55:19 GMT
NNTP-Posting-Host: 4.254.230.194
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1162169719 4.254.230.194 (Sun, 29 Oct
2006 16:55:19 PST)
NNTP-Posting-Date: Sun, 29 Oct 2006 16:55:19 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:6778
rec.radio.amateur.misc:25107 rec.radio.amateur.policy:52205

k8vf_mark@centurytel.net wrote in
news:1162094165.644149.230040@e64g2000cwd.googlegroups.com:

>
> Mark@kb9rqz.aprs wrote:
>> On 27 Oct 2006 21:58:15 -0700, k8vf_mark@centurytel.net wrote:
>>
>> >
>> >Slow Code wrote:
>> >> 5wpm ain't really learning it. I can fart 5 wpm.
>> >>
>> >> Lets kick the requirement up there to between 13 and 20 wpm for all
>> >> classes. And no-codes that haven't passed it after a year get booted
>> >> which will help clean up the repeaters.
>> >>
>> >> SC
>> >
>> >Ok, I am a traditionalist, sorry.

```
>> >
>> >5wpm should not be an impediment to anyone with normal faculties and
>> >normal physical dexterity.
>> not the legal issue and rest is subejct to deabte ifrst on the meaning
>> of the terms you are using
>> >I could do 5 wpm at 7 or 8 and I did not know a ham operator...my dad
>> >taught me after he came home from Army as Radio op.  Never used it for
>> >15 or so years.
>> so?
>> >
>> >At 25 I took a novice class (finally) and was doing over 20wpm in 2-3
>> >weeks.
>>
>> good for you I am OTOH spent 5 years nbot managing 5 wpm for novice
>> license till I gave up
>> >
>> >For anything above the entry license, a code increase would be
>> >warranted to operate in the best cw bands, maybe.
>>
>> there are NO CW only band (except maybe is 12 or 15 or one of those
>> Warc bands)
>> >
>> >When I took my General, Advanced, and Extra I had to do it at the FCC
>> >office and took and sent code from the Director, Detroit office.  Talk
>> >about nervous!
>> >I dont think you can compare the V.E.C. experience (as good a job as
>> >they do) with that for excitement and stress.
>> >When you came out of the MCNamara Bldg in Detroit, you knew you had
>> >taken a test. You knew you had earned your ticket!
>> >
>> >No, I would not stay on C.B.......as good a service as it is, it
>> >cannot compare with the people of Ham Radio.
>> http://kb9rqz.blogspot.com/
>>
>> --
>> Posted via a free Usenet account from http://www.teranews.com
>
> What is your point.?
>
> I amswered his query in a positive way.
>
> You obviously know there ARE cw portions of bands PLUS a cw only band
> which is OBVIOUSLY what was referred to.
>
> If you could not manage 5wpm in 5 years then you have an unusual
> difficulty, or you were not taking the time to do it and stay with it.
> Remember I said "normal faculties and normal physical dexterity".  A
> person with ADD or Dyslexia may not be able to , and others with other
> issues may not. ( I know lots of blind guys who are hams, they dont
> think blindness is an impediment to ham radio or the code)
>
> He asked if cw would keep us from Amateur radio. I amswered the
> question indicating I did not think cw was a difficult impediment and
```

> used examples why from my own experience.

Don't argue with Mark unless you like to argure. Mark will toss out every bit of illogic he can to try to justify his case for being a bad hams, and he wants to let others like himself in so they can tear down the service.

SC

From -1613649223113701284
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Thread: 10bf43,56365461ff0a19d0,start
X-Google-Attributes: gid108122,gidfc2a5,gidfcc6e,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.antenna,rec.radio.amateur.policy
Subject: Re: Response to SC
From: Slow Code <my.mail@no.spam>
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
<SgS0h.730$LI4.24@newsread2.news.pas.earthlink.net>
<nus7k29pdmqeg8vroukcjmba8ifemqcsi5@4ax.com>
<Vo91h.1331$nG1.778@tornado.southeast.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 39
Message-ID: <o4c1h.1643$zf.236@newsread3.news.pas.earthlink.net>
Date: Mon, 30 Oct 2006 00:55:48 GMT
NNTP-Posting-Host: 4.254.230.194
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1162169748 4.254.230.194 (Sun, 29 Oct 2006 16:55:48 PST)
NNTP-Posting-Date: Sun, 29 Oct 2006 16:55:48 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:6779
rec.radio.amateur.homebrew:7618 rec.radio.amateur.antenna:20785
rec.radio.amateur.policy:52218

"Merlin-7 KI4ILB" <merlin-7@sc.rr.com> wrote in
news:Vo91h.1331$nG1.778@tornado.southeast.rr.com:

> If Slow Code left, I would miss him.
>
> I do not agree with him most of the time. As a matter of fact, he is
> dead
> wrong a lot of the time.
>
> At least he stands up for what he believes in.

>
> I myself, do not think that every ham should have to be able to
> send/copy
> code at 20wpm no more that I think they should be tested on psk,rtty,
> slow scan tv. etc.
>
> Some people have a passion for code and some have a passion for other
> modes. I use them all from time to time, and to be honest, after I move
> next year, I am going to work on my code a bit more when I have the time
> to do so.
>
> However, I will still give him a hard time about his ranting. After all
> I
> have not heard anyone tell him that he is not a real ham because he does
> not have psk nailed down..HI HI
> Joe
> KI4ILB

I was part of the big RRAP CW and anti-ARRL fights of the late 90's up until restructuring went into effect, then my posting tapered off. I'll disappear again once the FCC totally kills off ham radio by eliminating the code requirement. When that happens, I'll wear a strip of black electricians tape around my arm in memorial and observe twenty-four hours of radio silence in memory of a once proud service.

Rest in Peace, Ham Radio. You were a good and faithful friend.

SC

From 190095943220479582
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Thread: 10bf43,56365461ff0a19d0
X-Google-Attributes: gid108122,gidfc2a5,gidfcc6e,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Oct 2006 19:00:10 -0600
Date: Sun, 29 Oct 2006 20:00:13 -0500
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.antenna,rec.radio.amateur.policy
Subject: Re: Response to SC
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>

```
<SgS0h.730$LI4.24@newsread2.news.pas.earthlink.net>
<nus7k29pdmqeg8vroukcjmba8ifemqcsi5@4ax.com>
<Vo91h.1331$nG1.778@tornado.southeast.rr.com>
<o4c1h.1643$zf.236@newsread3.news.pas.earthlink.net>
In-Reply-To: <o4c1h.1643$zf.236@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <0_ednf6_o_oG09jYnZ2dnUVZ_tednZ2d@comcast.com>
Lines: 49
NNTP-Posting-Host: 71.233.173.68
X-Trace: sv3-NFBRR/KfI7sbH0MpR/
88Syi9YKCjpUCS9bOP0nvkirqbsGO4woO9oK5g3LDPw60FVRMhOmXTSZMLgBQ!/
8XWAutqP2mM9M2hZgWPvAbsvc+rOqa/qUD47EacUP73aI3vZPNfDN3TlYrtpODubkXAaCbCXcqB!
3maOaUU/WUbsUAfQTZMW
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6780
rec.radio.amateur.homebrew:7619 rec.radio.amateur.antenna:20787
rec.radio.amateur.policy:52229

Top posted ... opps!

Please, why don't you try 24 years of r.r.a.X silence instead of 24 hours of
fictitious promises.

Slow Code wrote:

> "Merlin-7 KI4ILB" <merlin-7@sc.rr.com> wrote in
> news:Vo91h.1331$nG1.778@tornado.southeast.rr.com:
>
>
>> If Slow Code left, I would miss him.
>>
>> I do not agree with him most of the time. As a matter of fact, he is
>> dead
>>wrong a lot of the time.
>>
>> At least he stands up for what he believes in.
>>
>> I myself, do not think that every ham should have to be able to
>> send/copy
>>code at 20wpm no more that I think they should be tested on psk,rtty,
>>slow scan tv. etc.
>>
>> Some people have a passion for code and some have a passion for other
>>modes. I use them all from time to time, and to be honest, after I move
>>next year, I am going to work on my code a bit more when I have the time
>>to do so.
>>
```

>> However, I will still give him a hard time about his ranting. After all
>> I
>>have not heard anyone tell him that he is not a real ham because he does
>>not have psk nailed down..HI HI
>> Joe
>> KI4ILB
>
>
>
> I was part of the big RRAP CW and anti-ARRL fights of the late 90's up
> until restructuring went into effect, then my posting tapered off. I'll
> disappear again once the FCC totally kills off ham radio by eliminating
> the code requirement. When that happens, I'll wear a strip of black
> electricians tape around my arm in memorial and observe twenty-four hours
> of radio silence in memory of a once proud service.
>
> Rest in Peace, Ham Radio. You were a good and faithful friend.
>
> SC

From -869562865318316863
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on
CB?
Date: Sun, 29 Oct 2006 20:31:17 -0500
Message-ID: <8dlak29gg0pi97ilpnqctj6j82c87ji5tp@4ax.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
<1162011495.648000.21730@f16g2000cwb.googlegroups.com>
<lm17k2pjvadt9erj5jh8c4iklvkfov1589@4ax.com>
<1162094165.644149.230040@e64g2000cwd.googlegroups.com>
<X3c1h.1628$zf.848@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 87
NNTP-Posting-Date: 30 Oct 2006 00:36:11 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6781
rec.radio.amateur.misc:25122 rec.radio.amateur.policy:52241

On Mon, 30 Oct 2006 00:55:19 GMT, Slow Code <my.mail@no.spam> wrote:

>k8vf_mark@centurytel.net wrote in
>news:1162094165.644149.230040@e64g2000cwd.googlegroups.com:
>
>>
>> Mark@kb9rqz.aprs wrote:
>>> On 27 Oct 2006 21:58:15 -0700, k8vf_mark@centurytel.net wrote:
>>>
>>> >
>>> >Slow Code wrote:
>>> >> 5wpm ain't really learning it. I can fart 5 wpm.
>>> >>
>>> >> Lets kick the requirement up there to between 13 and 20 wpm for all
>>> >> classes. And no-codes that haven't passed it after a year get booted
>>> >> which will help clean up the repeaters.
>>> >>
>>> >> SC
>>> >
>>> >Ok, I am a traditionalist, sorry.
>>> >
>>> >5wpm should not be an impediment to anyone with normal faculties and
>>> >normal physical dexterity.
>>> not the legal issue and rest is subejct to deabte ifrst on the meaning
>>> of the terms you are using
>>> >I could do 5 wpm at 7 or 8 and I did not know a ham operator...my dad
>>> >taught me after he came home from Army as Radio op. Never used it for
>>> >15 or so years.
>>> so?
>>> >
>>> >At 25 I took a novice class (finally) and was doing over 20wpm in 2-3
>>> >weeks.
>>>
>>> good for you I am OTOH spent 5 years nbot managing 5 wpm for novice
>>> license till I gave up
>>> >
>>> >For anything above the entry license, a code increase would be
>>> >warranted to operate in the best cw bands, maybe.
>>>
>>> there are NO CW only band (except maybe is 12 or 15 or one of those
>>> Warc bands)
>>> >
>>> >When I took my General, Advanced, and Extra I had to do it at the FCC
>>> >office and took and sent code from the Director, Detroit office. Talk
>>> >about nervous!
>>> >I dont think you can compare the V.E.C. experience (as good a job as
>>> >they do) with that for excitement and stress.
>>> >When you came out of the MCNamara Bldg in Detroit, you knew you had
>>> >taken a test. You knew you had earned your ticket!
>>> >
>>> >No, I would not stay on C.B.......as good a service as it is, it
>>> >cannot compare with the people of Ham Radio.
>>> http://kb9rqz.blogspot.com/
>>>

```
>>> --
>>> Posted via a free Usenet account from http://www.teranews.com
>>
>> What is your point.?
>>
>> I amswered his query in a positive way.
>>
>> You obviously know there ARE cw portions of bands PLUS a cw only band
>> which is OBVIOUSLY what was referred to.
>>
>> If you could not manage 5wpm in 5 years then you have an unusual
>> difficulty, or you were not taking the time to do it and stay with it.
>> Remember I said "normal faculties and normal physical dexterity".  A
>> person with ADD or Dyslexia may not be able to , and others with other
>> issues may not. ( I know lots of blind guys who are hams, they dont
>> think blindness is an impediment to ham radio or the code)
>>
>> He asked if cw would keep us from Amateur radio. I amswered the
>> question indicating I did not think cw was a difficult impediment and
>> used examples why from my own experience.
>
>
>Don't argue with Mark unless you like to argure.
well arguement is the point of argueing
> Mark will toss out every
>bit of illogic he can to try to justify his case for being a bad hams, and
>he wants to let others like himself in so they can tear down the service.

I am already in SC you are a bad ham by the staards publish3ed by the
ARRL
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 6755266286787324326
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Thread: 10bf43,56365461ff0a19d0
X-Google-Attributes: gid108122,gidfc2a5,gidfcc6e,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.volia.net!newsfeed01.sul.t-
online.de!t-online.de!news.csl-gmbh.net!feeder.news-service.com!news2.euro.net!
66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.antenna,r
```

```
ec.radio.amateur.policy
Subject: Re: Response to SC
Date: Sun, 29 Oct 2006 20:44:48 -0500
Message-ID: <j7mak2lfmppit9lh9uqago00sgk7i60juo@4ax.com>
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
<SgS0h.730$LI4.24@newsread2.news.pas.earthlink.net>
<nus7k29pdmqeg8vroukcjmba8ifemqcsi5@4ax.com>
<Vo91h.1331$nG1.778@tornado.southeast.rr.com>
<o4c1h.1643$zf.236@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
NNTP-Posting-Date: 30 Oct 2006 00:49:43 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6782
rec.radio.amateur.homebrew:7621 rec.radio.amateur.antenna:20797
rec.radio.amateur.policy:52260

On Mon, 30 Oct 2006 00:55:48 GMT, Slow Code <my.mail@no.spam> wrote:

>"Merlin-7 KI4ILB" <merlin-7@sc.rr.com> wrote in
>news:Vo91h.1331$nG1.778@tornado.southeast.rr.com:
>
>>  If Slow Code left, I would miss him.
>>
>>  I do not agree with him most of the time. As a matter of fact, he is
>>  dead
>> wrong a lot of the time.
>>
>>  At least he stands up for what he believes in.
>>
>>  I myself, do not think that every ham should have to be able to
>>  send/copy
>> code at 20wpm no more that I think they should be tested on psk,rtty,
>> slow scan tv. etc.
>>
>>  Some people have a passion for code and some have a passion for other
>> modes. I use them all from time to time, and to be honest, after I move
>> next year, I am going to work on my code a bit more when I have the time
>> to do so.
>>
>>  However, I will still give him a hard time about his ranting. After all
>>  I
>> have not heard anyone tell him that he is not a real ham because he does
>> not have psk nailed down..HI HI
>>  Joe
>>  KI4ILB
>
>
>I was part of the big RRAP CW and anti-ARRL fights of the late 90's up
>until restructuring went into effect, then my posting tapered off.  I'll
```

>disappear again once the FCC totally kills off ham radio by eliminating
>the code requirement.
you planing to turn in your licens ein protest
> When that happens, I'll wear a strip of black
>electricians tape around my arm in memorial and observe twenty-four hours
>of radio silence in memory of a once proud service.
>
>Rest in Peace, Ham Radio. You were a good and faithful friend.
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -956923736646316406
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "C. J. Clegg" <reply.in.group@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Sun, 29 Oct 2006 21:12:29 -0500
Organization: MV Communications, Inc.
Lines: 13
Message-ID: <pan.2006.10.30.02.12.29.668869@nospam.no>
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
<12k7judir4tn3d8@corp.supernews.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1162174350 68167 207.22.49.17 (30 Oct 2006 02:12:30 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 30 Oct 2006 02:12:30 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:6783

On Sat, 28 Oct 2006 16:46:47 -0500, Charlie wrote:

> HRO is now carying the new Tokyo Hight Power HL-1.5k fx and will be able to
> deliver the end of November

Good afternoon, Charlie.

Yeah, I saw that. Nice amp. Unfortunately way overkill for the FT-817,
and anyway I need something that can run from 13.8 volts.

HRO still won't be carrying the THP low-drive amps, until the FCC wakes up
and realizes what a dumb rule that is...

From -9114975851635069287
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "C. J. Clegg" <reply.in.group@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Sun, 29 Oct 2006 21:14:09 -0500
Organization: MV Communications, Inc.
Lines: 10
Message-ID: <pan.2006.10.30.02.14.09.675607@nospam.no>
References: <pan.2006.10.28.12.59.21.216939@nospam.no> <I6-dnZTe7-AVM97YnZ2dnUVZ_tydnZ2d@comcast.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1162174450 68167 207.22.49.17 (30 Oct 2006 02:14:10 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 30 Oct 2006 02:14:10 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:6784

On Sat, 28 Oct 2006 15:24:56 -0400, Dave wrote:

> Try buying a rig with 50 or more watts output. that's the USA law!

Thanks, I don't know why I didn't think of that. <sigh>

The rig is what it is, and the law is stupid and serves no purpose.

But, thanks for the advice... :-)

From 7562216499096792430
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "C. J. Clegg" <reply.in.group@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Sun, 29 Oct 2006 21:17:27 -0500
Organization: MV Communications, Inc.
Lines: 14
Message-ID: <pan.2006.10.30.02.17.27.13785@nospam.no>
References: <pan.2006.10.28.12.59.21.216939@nospam.no>

```
<eaadnQ1Zl4fp6d7YnZ2dnUVZ_q2dnZ2d@comcast.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1162174647 68167 207.22.49.17 (30 Oct 2006 02:17:27 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Mon, 30 Oct 2006 02:17:27 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:6785
```

On Sat, 28 Oct 2006 10:17:58 -0500, w9gb wrote:

> The big issue is that unless you have the technical skills for repair (Extra
> Class amateur and the GROL no longer have that meaning)

Yeah, that's unfortunately true.

I have the skills and knowledge, may be rather short on the tools and test
equipment and time, and perhaps the manual dexterity these days... :-(

Anyway, THP seems to have a pretty good reputation and I'm willing to take
my chances...

```
From 4530576978683093430
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7urf1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.68.144.152
From: Matt Ion <soundy106@gmail.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
In-Reply-To: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0643-8, 10/27/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 27
Message-ID: <COd1h.223913$R63.125357@pd7urf1no>
```

Date: Mon, 30 Oct 2006 02:53:22 GMT
NNTP-Posting-Host: 64.59.144.75
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf1no 1162176802 64.59.144.75 (Sun, 29 Oct 2006 19:53:22 MST)
NNTP-Posting-Date: Sun, 29 Oct 2006 19:53:22 MST
Organization: Shaw Residential Internet
Xref: g2news2.google.com alt.autos.studebaker:36345 rec.autos.tech:30095
rec.audio.car:11362 rec.radio.amateur.equipment:6786

63Avanti wrote:
> best anti-RF ignition wiring TYPE
>
> background:
> I am getting my vintage AM/FM Delco reconditioned with the intent of
> getting that "cruis'n feeling" I will also add non-vintage sound
> deadening, and other electrical/static improvements noted here and
> elsewhere. Thanks for the help.
>
> My query in a different area. In the sixties, I was always changing
> ignition cables attempting to minimize "ignition buzz" on my radio.
> (not really a problem since the mid-70s). Back then, I found one type
> that worked ok, but I cannot find it any more. (Most of this help in
> the 60's came from that Hams, thus I am including them in this
> question)
>
> Now for the "new" question.
> What "TYPE" of ignition wiring for maximum should I get for my Avanti
> (with modern electronic distributor) R2?

Are you sure, first of all, that it's ignition noise you're experiencing, and
not alternator whine, or EMI from another source? Or is this just all
precautionary?

First thing I'd recommend, IF there's noise, is confirming the source of it,
before putting the time and effort into addressing one possible source.

From 8245320759687756052
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "Mike" <ocr1@earthlink.com>
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
Date: 29 Oct 2006 19:11:25 -0800
Organization: http://groups.google.com

```
Lines: 13
Message-ID: <1162177884.985182.33250@i42g2000cwa.googlegroups.com>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
   <COd1h.223913$R63.125357@pd7urf1no>
NNTP-Posting-Host: 4.232.183.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162177890 11133 127.0.0.1 (30 Oct 2006 03:11:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Oct 2006 03:11:30 +0000 (UTC)
In-Reply-To: <COd1h.223913$R63.125357@pd7urf1no>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=4.232.183.35;
   posting-account=xZIk7wwAAABbMh4r4dpV9AsSN_wPJHeo
Xref: g2news2.google.com alt.autos.studebaker:36347 rec.autos.tech:30096
rec.audio.car:11363 rec.radio.amateur.equipment:6787
```

Yep...as Matt says.........

I've got a so, so AM-FM radio with "inexpensive" plug wires.

The ignition is quite...but the alternator whines a bit. I know for a fact it's the alternator because it's one of the one wire types that comes in at about 1600 rpm when cold. So a first start at low rpm...no chargeing....the radio is noise free. As soon as the alternator comes in....whiiinnne.....

Mike

```
From 7585513112157861699
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Message-ID: <vgrak2p7c1fsi46id8kqj8hhjc1327guv2@4ax.com>
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
<eaadnQ1Zl4fp6d7YnZ2dnUVZ_q2dnZ2d@comcast.com>
<pan.2006.10.30.02.17.27.13785@nospam.no>
X-Newsreader: Forte Agent 4.1/32.1088
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
Lines: 22
Date: Mon, 30 Oct 2006 03:15:36 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1162178136 24.174.167.251 (Sun, 29 Oct 2006 21:15:36
CST)
NNTP-Posting-Date: Sun, 29 Oct 2006 21:15:36 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6788

On Sun, 29 Oct 2006 21:17:27 -0500, "C. J. Clegg"
<reply.in.group@nospam.no> wrote:

>On Sat, 28 Oct 2006 10:17:58 -0500, w9gb wrote:
>
>> The big issue is that unless you have the technical skills for repair (Extra
>> Class amateur and the GROL no longer have that meaning)
>
>Yeah, that's unfortunately true.
>
>I have the skills and knowledge, may be rather short on the tools and test
>equipment and time, and perhaps the manual dexterity these days... :-(
>
>Anyway, THP seems to have a pretty good reputation and I'm willing to take
>my chances...
>

Another alternative is a Ten Tec amp they last produced in the 1970s
for qrp rigs.

bob
k5qwg


From -2892297374164258248
X-Google-Thread: 106d41,9388be254342a28d,start
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Thread: 10bf43,56365461ff0a19d0
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,gidfcc6e,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-
mail
From: "MarQueerMyDear" <dear_marqueer_marky@mail2princess.com>
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amat
eur.antenna,rec.radio.amateur.policy
Subject: Re: Response Marqueer
Date: 29 Oct 2006 19:43:10 -0800
Organization: http://groups.google.com
Lines: 53
Message-ID: <1162179790.316284.25260@f16g2000cwb.googlegroups.com>
```

```
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
   <SgS0h.730$LI4.24@newsread2.news.pas.earthlink.net>
   <nus7k29pdmqeg8vroukcjmba8ifemqcsi5@4ax.com>
   <Vo91h.1331$nG1.778@tornado.southeast.rr.com>
   <o4c1h.1643$zf.236@newsread3.news.pas.earthlink.net>
   <j7mak2lfmppit9lh9uqago00sgk7i60juo@4ax.com>
NNTP-Posting-Host: 4.152.105.56
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162179794 17294 127.0.0.1 (30 Oct 2006 03:43:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Oct 2006 03:43:14 +0000 (UTC)
In-Reply-To: <j7mak2lfmppit9lh9uqago00sgk7i60juo@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1;
yie6),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=4.152.105.56;
   posting-account=6aC5ZQ0AAADhTzXlZDlHNVqLI6Q869m4
Xref: g2news2.google.com rec.radio.cb:21469 rec.radio.amateur.equipment:6789
rec.radio.amateur.homebrew:7622 rec.radio.amateur.antenna:20801
rec.radio.amateur.policy:52267


Mark@kb9rqz.aprs wrote:
> On Mon, 30 Oct 2006 00:55:48 GMT, Slow Code <my.mail@no.spam> wrote:
>
> >"Merlin-7 KI4ILB" <merlin-7@sc.rr.com> wrote in
> >news:Vo91h.1331$nG1.778@tornado.southeast.rr.com:
> >
> >>  If Slow Code left, I would miss him.
> >>
> >>  I do not agree with him most of the time. As a matter of fact, he is
> >>  dead
> >> wrong a lot of the time.
> >>
> >>  At least he stands up for what he believes in.
> >>
> >>  I myself, do not think that every ham should have to be able to
> >>  send/copy
> >> code at 20wpm no more that I think they should be tested on psk,rtty,
> >> slow scan tv. etc.
> >>
> >>  Some people have a passion for code and some have a passion for other
> >> modes. I use them all from time to time, and to be honest, after I move
> >> next year, I am going to work on my code a bit more when I have the time
> >> to do so.
> >>
> >>  However, I will still give him a hard time about his ranting. After all
> >>  I
> >> have not heard anyone tell him that he is not a real ham because he does
> >> not have psk nailed down..HI HI
> >>  Joe
> >>  KI4ILB
> >
> >
> >I was part of the big RRAP CW and anti-ARRL fights of the late 90's up
> >until restructuring went into effect, then my posting tapered off.  I'll
> >disappear again once the FCC totally kills off ham radio by eliminating
> >the code requirement.
> you planing to turn in your licens ein protest
> > When that happens, I'll wear a strip of black
> >electricians tape around my arm in memorial and observe twenty-four hours
> >of radio silence in memory of a once proud service.
> >
> >Rest in Peace, Ham Radio.  You were a good and faithful friend.
> >
> >SC
> http://kb9rqz.blogspot.com/
>
> --
> Posted via a free Usenet account from http://www.teranews.com


STFU faggot




From -6245109601384842104
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "N8N" <njnagel@hotmail.com>
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
Date: 29 Oct 2006 19:44:01 -0800
Organization: http://groups.google.com
Lines: 35
Message-ID: <1162179841.088309.66670@e3g2000cwe.googlegroups.com>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
   <COd1h.223913$R63.125357@pd7urf1no>
NNTP-Posting-Host: 68.98.128.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162179846 16646 127.0.0.1 (30 Oct 2006 03:44:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Oct 2006 03:44:06 +0000 (UTC)
In-Reply-To: <COd1h.223913$R63.125357@pd7urf1no>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7)
```

```
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=68.98.128.103;
   posting-account=x_sH1QwAAAB1Deouz-vxkZ0E86ZW6-6P
Xref: g2news2.google.com alt.autos.studebaker:36349 rec.autos.tech:30099
rec.audio.car:11364 rec.radio.amateur.equipment:6790


Matt Ion wrote:
> 63Avanti wrote:
> > best anti-RF ignition wiring TYPE
> >
> > background:
> > I am getting my vintage AM/FM Delco reconditioned with the intent of
> > getting that "cruis'n feeling"  I will also add non-vintage sound
> > deadening, and other electrical/static improvements noted here and
> > elsewhere.  Thanks for the help.
> >
> > My query in a different area.  In the sixties, I was always changing
> > ignition cables attempting to minimize "ignition buzz" on my radio.
> > (not really a problem since the mid-70s). Back then, I found one type
> > that worked ok, but I cannot find it any more.  (Most of this help in
> > the 60's came from that Hams, thus I am including them in this
> > question)
> >
> > Now for the "new" question.
> > What "TYPE" of ignition wiring for maximum should I get for my Avanti
> > (with modern electronic distributor) R2?
>
> Are you sure, first of all, that it's ignition noise you're experiencing, and
> not alternator whine, or EMI from another source?  Or is this just all
> precautionary?
>
> First thing I'd recommend, IF there's noise, is confirming the source of it,
> before putting the time and effort into addressing one possible source.

Just to clarify, he's talking about an Avanti here; having an
all-fiberglass body, suppressing ANY source of noise is of utmost
importance.

nate




From 2438152929405304588
X-Google-Thread: 106d41,9388be254342a28d
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Thread: 10bf43,56365461ff0a19d0
X-Google-Attributes: gid106d41,gid108122,gidfc2a5,gidfcc6e,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.tele.dk!
```

```
feed118.news.tele.dk!news.tele.dk!small.news.tele.dk!skynet.be!
66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amat
eur.antenna,rec.radio.amateur.policy
Subject: id theft is a crime
Date: Sun, 29 Oct 2006 23:55:49 -0500
Message-ID: <sb1bk2p8t70i61a8qb2n8k2fer7s9g09q6@4ax.com>
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
<SgS0h.730$LI4.24@newsread2.news.pas.earthlink.net>
<nus7k29pdmqeg8vroukcjmba8ifemqcsi5@4ax.com>
<Vo91h.1331$nG1.778@tornado.southeast.rr.com>
<o4c1h.1643$zf.236@newsread3.news.pas.earthlink.net>
<j7mak2lfmppit9lh9uqago00sgk7i60juo@4ax.com>
<1162179790.316284.25260@f16g2000cwb.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
NNTP-Posting-Date: 30 Oct 2006 04:00:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.cb:21472 rec.radio.amateur.equipment:6791
rec.radio.amateur.homebrew:7624 rec.radio.amateur.antenna:20803
rec.radio.amateur.policy:52275

On 29 Oct 2006 19:43:10 -0800, "MarQueerMyDear"
<dear_marqueer_marky@mail2princess.com> wrote:

>



>> Posted via a free Usenet account from http://www.teranews.com
>
>
>STFU faggot
no I do not take orders from criminals beside you don't even WANT to
shut up you want me to post so you can continue to spew your hate

Id theft is a crime and you remain a criminal a coward and a poor ham
if you are a ahm at all
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 5937234355334951337
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
```

X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
Date: Sun, 29 Oct 2006 22:59:59 -0600
Lines: 43
Message-ID: <4qlf6dFnoqovU1@individual.net>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
<COd1h.223913$R63.125357@pd7urf1no>
<1162179841.088309.66670@e3g2000cwe.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net RctpdlIHfAlTlgz6HjboEwRYocRMRpTF8g9wFtUC3fnsi82qDq
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915 Mnenhy/0.7.4.0
X-Accept-Language: en-us
In-Reply-To: <1162179841.088309.66670@e3g2000cwe.googlegroups.com>
Xref: g2news2.google.com alt.autos.studebaker:36352 rec.autos.tech:30103 rec.audio.car:11365 rec.radio.amateur.equipment:6792

N8N wrote:
> Matt Ion wrote:
>
>>63Avanti wrote:
>>
>>>best anti-RF ignition wiring TYPE
>>>
>>>background:
>>>I am getting my vintage AM/FM Delco reconditioned with the intent of
>>>getting that "cruis'n feeling" I will also add non-vintage sound
>>>deadening, and other electrical/static improvements noted here and
>>>elsewhere. Thanks for the help.
>>>
>>>My query in a different area. In the sixties, I was always changing
>>>ignition cables attempting to minimize "ignition buzz" on my radio.
>>>(not really a problem since the mid-70s). Back then, I found one type
>>>that worked ok, but I cannot find it any more. (Most of this help in
>>>the 60's came from that Hams, thus I am including them in this
>>>question)
>>>
>>>Now for the "new" question.
>>>What "TYPE" of ignition wiring for maximum should I get for my Avanti
>>>(with modern electronic distributor) R2?
>>
>>Are you sure, first of all, that it's ignition noise you're experiencing, and
>>not alternator whine, or EMI from another source? Or is this just all

```
>>precautionary?
>>
>>First thing I'd recommend, IF there's noise, is confirming the source of it,
>>before putting the time and effort into addressing one possible source.
>
>
> Just to clarify, he's talking about an Avanti here; having an
> all-fiberglass body, suppressing ANY source of noise is of utmost
> importance.
>
> nate
>
And it could be noise from a DC motor (fans for air/radiator). It could come a
variety of sources. I would narrow it down, and it shouldn't be too
hard to do either....

Bob



From -4244631994543571O8
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newsfeed.news2me.com!peer01.west.cox.net!cox.net!
hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!newsfe13.phx.POSTED!
53ab2750!not-for-mail
From: SilverStude <rfjohnstone@cox.net>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
In-Reply-To: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 29
Message-ID: <m7m1h.2943$SI6.1957@newsfe13.phx>
Date: Mon, 30 Oct 2006 07:29:08 -0500
NNTP-Posting-Host: 70.177.179.242
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1162210898 70.177.179.242 (Mon, 30 Oct 2006 05:21:38 MST)
NNTP-Posting-Date: Mon, 30 Oct 2006 05:21:38 MST
Organization: Cox
Xref: g2news2.google.com alt.autos.studebaker:36360 rec.autos.tech:30115
rec.audio.car:11372 rec.radio.amateur.equipment:6794

63Avanti wrote:
> best anti-RF ignition wiring TYPE
```

>
> background:
> I am getting my vintage AM/FM Delco reconditioned with the intent of
> getting that "cruis'n feeling" I will also add non-vintage sound
> deadening, and other electrical/static improvements noted here and
> elsewhere. Thanks for the help.
>
> My query in a different area. In the sixties, I was always changing
> ignition cables attempting to minimize "ignition buzz" on my radio.
> (not really a problem since the mid-70s). Back then, I found one type
> that worked ok, but I cannot find it any more. (Most of this help in
> the 60's came from that Hams, thus I am including them in this
> question)
>
> Now for the "new" question.
> What "TYPE" of ignition wiring for maximum should I get for my Avanti
> (with modern electronic distributor) R2?
>

Generally, to cut down the static noise (RFI) on older cars, you would find condensers on the alternator, distributor,   wiper motor, and on the radio itself. There was also ignition shielding and resistor wires and plugs. The values on the condensers are all different, so swapping them may cause problems rather than being a remedy. I've never seen any on a heater or A/C fan motor, but it's also a source of RFI. Even sliding your butt on the seat covers will create a charge. You remember those little flexible tails that used to be attached to the chassis and drag on the ground?.

```
From -6303917096912695487
X-Google-Thread: fc8b1,916c54d4ac03f31f,start
X-Google-Thread: 1109af,916c54d4ac03f31f,start
X-Google-Thread: 108122,916c54d4ac03f31f,start
X-Google-Attributes: gidfc8b1,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wns14feed!
worldnet.att.net!209.244.4.230!newsfeed1.dallas1.level3.net!
newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-
service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment
Subject: Wanted: Heathkit HW-16 VFO dial
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 8
Message-ID: <Pbn1h.1$KZ2.0@dfw-service2.ext.ray.com>
Date: Mon, 30 Oct 2006 13:34:39 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1162215279 138.126.48.166 (Mon, 30 Oct 2006
07:34:39 CST)
```

```
NNTP-Posting-Date: Mon, 30 Oct 2006 07:34:39 CST
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6173 rec.radio.swap:9248
rec.radio.amateur.equipment:6795
```

Hey guys,

I'm in need of a VFO dial for a Heathkit HW-16 that I'm
restoring. Anyone have a spare they can part with?

73,
Dean K5DH

```
From 2199572229528601159
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!53ab2750!
not-for-mail
From: "Paul Johnson" <thejohnsons@frontiernet.net>
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
<COd1h.223913$R63.125357@pd7urf1no>
<1162179841.088309.66670@e3g2000cwe.googlegroups.com>
<4qlf6dFnoqovU1@individual.net>
Subject: Re: best anti-RF ignition wiring TYPE
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <HQn1h.4323$ya1.4308@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956490a539f226c80f2c9dea02c48c6f70b376fdba17f0e8b3b4881da3fe0840b68e7
f4d1d5319b200c52d2caaeadb2946408d2295ec050d831a3ffb04f0904c88a2fa018c33ff03f832ff9
2f0d66be1b0175e0e5d181233b39f95607791d05649c2009920fb6baaddb
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Mon, 30 Oct 2006 14:18:15 UTC
Date: Mon, 30 Oct 2006 14:18:15 GMT
Xref: g2news2.google.com alt.autos.studebaker:36371 rec.autos.tech:30122
rec.audio.car:11373 rec.radio.amateur.equipment:6796
```

Why even worry? My '64 R-2 was so noisy that I couldn't hear the FM anyhow<G>.
Paul Johnson

```
From -3079908702878006266
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Thread: 10b087,9bfe16e3e08c740e,start
X-Google-Attributes: gid102fc8,gid10bc16,gid108122,gid10b087,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e64g2000cwd.googlegroups.com!not-for-
mail
From: "63Avanti" <google@sterkel.org>
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.radio.amateur.equipment,alt.autos.corvette
Subject: Re: best anti-RF ignition wiring TYPE
Followup-To: alt.autos.studebaker, rec.autos.tech, rec.radio.amateur.equipment,
alt.autos.corvette
Date: 30 Oct 2006 06:30:33 -0800
Organization: http://groups.google.com
Lines: 18
Message-ID: <1162218633.667228.172490@e64g2000cwd.googlegroups.com>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
NNTP-Posting-Host: 70.196.205.117
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162218639 14381 127.0.0.1 (30 Oct 2006 14:30:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Oct 2006 14:30:39 +0000 (UTC)
In-Reply-To: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1) Gecko/
20061010 Firefox/2.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e64g2000cwd.googlegroups.com; posting-host=70.196.205.117;
   posting-account=WK6wyAwAAAA64EMl0bXjQdf8tEXAV8FB
Xref: g2news2.google.com alt.autos.studebaker:36372 rec.autos.tech:30123
rec.radio.amateur.equipment:6797 alt.autos.corvette:6743
```

now this is interesting,
I remember fabricating for my neighbor's '62 Ford a metal can with braided shielded wires to cover his distributor and cables out to the plugs. I no longer knew when he drove out of his driveway by watching the patterns on my TV (UHF). ;)

Now for the question.
Any one know if these boots, if self-fabricated, are essentially a CYLINDER, grounded by contact with the engine block?

On Oct 29, 6:06 pm, do_not_spam...@my-deja.com wrote:
. A
> significant amount of igniton noise comes from the connection between
> the plug and the plug wire, and grounded metal shields over the boots
> can help here. There are wire kits with these boots, mostly for German
> cars, or they can be made with metal tubing slipped snugly over the
> metal bases of the plugs.

From 2174522765966313599
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
Date: 30 Oct 2006 10:01:02 -0500
Organization: Former users of Netcom shell (1989-2000)
Lines: 29
Message-ID: <ei543e$kpc$1@panix2.panix.com>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
<1162166783.528785.88970@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1162220463 23871 166.84.1.2 (30 Oct 2006 15:01:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 30 Oct 2006 15:01:03 +0000 (UTC)
Xref: g2news2.google.com alt.autos.studebaker:36374 rec.autos.tech:30124
rec.audio.car:11374 rec.radio.amateur.equipment:6798

In article <1162166783.528785.88970@k70g2000cwa.googlegroups.com>,
 <do_not_spam_me@my-deja.com> wrote:
>
>
>There are only 2 types of RF supression wire: resistive and inductive.
> The latter is often referred to as "magnetic" and is widely available,
>but it doesn't seem to work any better than the resistive type. A
>significant amount of igniton noise comes from the connection between
>the plug and the plug wire, and grounded metal shields over the boots
>can help here. There are wire kits with these boots, mostly for German
>cars, or they can be made with metal tubing slipped snugly over the
>metal bases of the plugs.

I recommend getting a copy of the ARRL Hints and Kinks for Radio Amateurs
book... get one of the mid-fifties editions and there is a whole section

on eliminating ignition noise with homebrew shielding over the plug wires and shield cans over the distributor.

I agree that with modern resistive wires, things will be a lot better. Back in the fifties, plug wires were normally copper. Often folks would buy it on long rolls and terminate it in the shop themselves. Today, plug wires have a conductive element that is conductive plastic, usually a nylon with carbon in it, and the wire itself has a few kilohms of resistance. That, combined with a modern coil design, means you get less high frequency ringing after the initial spark impulse which cuts way down on the noise.
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From -3334981921253117984
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
Date: 30 Oct 2006 10:05:18 -0500
Organization: Former users of Netcom shell (1989-2000)
Lines: 13
Message-ID: <ei54be$iir$1@panix2.panix.com>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
<COd1h.223913$R63.125357@pd7urf1no>
<1162179841.088309.66670@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1162220718 2540 166.84.1.2 (30 Oct 2006 15:05:18 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Mon, 30 Oct 2006 15:05:18 +0000 (UTC)
Xref: g2news2.google.com alt.autos.studebaker:36375 rec.autos.tech:30126
rec.audio.car:11375 rec.radio.amateur.equipment:6799

N8N <njnagel@hotmail.com> wrote:
>
>Just to clarify, he's talking about an Avanti here; having an
>all-fiberglass body, suppressing ANY source of noise is of utmost
>importance.

I did not realize it was an Avanti. In that case, I think I would be worried less about noise issues than making sure the radio antenna had a proper centerpoise, because it can't use the metal body. The more

signal you get, the more noise you can live with.
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From -4965336939838504777
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!
prodigy.net!uns-out.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!
ALLTEL.NET-a2DWKHE.cnsIc!not-for-mail
From: Win <w0lz@winlyn.us >
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Mon, 30 Oct 2006 09:34:58 -0600
Message-ID: <oq6ck2d1kmh2fekvjjoqeer8aveinclu4f@4ax.com>
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
<YK6dnZLqoZhqrdjYnZ2dnUVZ_o-dnZ2d@comcast.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 6
X-Trace: cab0e45461b59e2b92c8b13942
Xref: g2news2.google.com rec.radio.amateur.equipment:6800

On the surface these amps look like one hell of a buy. It will be
interesting to get some reports, and see a service plan. For the
purpose of marketing in this country, I would think they should change
the name to something more generic......like Yeawood or Kenesu.

Win.

From -7112908343828100565
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Thread: 10b087,9bfe16e3e08c740e
X-Google-Attributes: gid102fc8,gid10bc16,gid108122,gid10b087,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: Dan_Thomas_nospam@yahoo.com
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.radio.amateur.equipment,alt.autos.corvette
Subject: Re: best anti-RF ignition wiring TYPE
Date: 30 Oct 2006 08:58:40 -0800

Organization: http://groups.google.com
Lines: 22
Message-ID: <1162227520.881033.274110@m73g2000cwd.googlegroups.com>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
   <1162218633.667228.172490@e64g2000cwd.googlegroups.com>
NNTP-Posting-Host: 205.206.137.85
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162227526 4612 127.0.0.1 (30 Oct 2006 16:58:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Oct 2006 16:58:46 +0000 (UTC)
In-Reply-To: <1162218633.667228.172490@e64g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=205.206.137.85;
   posting-account=ecz6awwAAABSPjs8Z35jg0u3WtxD1yt3
Xref: g2news2.google.com alt.autos.studebaker:36381 rec.autos.tech:30132
rec.radio.amateur.equipment:6801 alt.autos.corvette:6746

63Avanti wrote:
> now this is interesting,
> I remember fabricating for my neighbor's '62 Ford a metal can with
> braided shielded wires to cover his distributor and cables out to the
> plugs. I no longer knew when he drove out of his driveway by watching
> the patterns on my TV (UHF). ;)
>
> Now for the question.
> Any one know if these boots, if self-fabricated, are essentially a
> CYLINDER, grounded by contact with the engine block?

          On piston-engined aircraft the plugs, wires, and magneto
distributor caps are all metal and are grounded. The shielded cable is
grounded at the mag end and the plug end. There's no ignition noise
from such a setup.

   Go here: http://www.sacskyranch.com/eng67.htm

             Dan

From -5136035803216623604
X-Google-Thread: 108122,a4a7d14cb83f1ec7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!aioe.org!fmmck
From: Fred McKenzie <fmmck@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: kenwood 450s problem.

Date: Mon, 30 Oct 2006 13:33:35 -0500
Organization: Aioe.org NNTP Server
Lines: 21
Message-ID: <fmmck-C73367.13333530102006@nntp.aioe.org>
References: <ZAc%g.122052$ED.7349@read2.cgocable.net>
NNTP-Posting-Host: pJLMQbQDQXB1vmprEyGA9g.user.web.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: MT-NewsWatcher/3.5.2 (Intel Mac OS X)
Xref: g2news2.google.com rec.radio.amateur.equipment:6802

In article <ZAc%g.122052$ED.7349@read2.cgocable.net>,
Ian Smith <rapids@cogeco.ca> wrote:

> Hi,
>   I seem to have a problem with my kenwood 450s. I can transmit fine on
> 80 and 40 meters but when I go to 20 nothing plus there is what sounds
> like an echo when I try to transmit.

Ian-

Charlie's suggestion to try it with a dummy load is a good idea. That would (probably) eliminate stray RF as the source of the echo.

It would also provide a non-reactive load, in case your output stage happens to be oscillating at some frequency determined by the tuner. A further check on this would require a spectrum analyzer, ham-scan or a panadapter to see if you are transmitting on more than one frequency.

73,
Fred
K4DII

From -3526087007024299291
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
From: ricknj10@hotmail.com (Rick)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Reply-To: ricknj10@hotmail.com
Message-ID: <454644cf.9303625@news.optonline.net>
References: <pan.2006.10.28.12.59.21.216939@nospam.no> <12k7judir4tn3d8@corp.supernews.com> <pan.2006.10.30.02.12.29.668869@nospam.no>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 19
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhkannfilpcpbbolnmgihlgjjhbbaiehenapnppbkdjmafifihoidlffkfapjbmgjcpa

```
dgeieflhefnhnllmdmaimhepnlddlfdondhonklolichnbhgindeflifgphkdl
NNTP-Posting-Date: Mon, 30 Oct 2006 11:37:02 MST
Organization: Optimum Online
Date: Mon, 30 Oct 2006 18:37:01 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6803
```

>HRO still won't be carrying the THP low-drive amps, until the FCC wakes up
>and realizes what a dumb rule that is...

From a practical standpoint, what does it matter how much power an ilegal operator is running? I mean if these yokals are already out of their band (I presume the FCC is concerned about the freebanders) what does it matter if they are running 25 watt transceivers or kw amps? It's 16 db difference, who cares? The real concern ought to be that they are operating on frequencies that are not assigned for them. If them operating there is a problem, why not go after them and put them off the air. In fact (I amaze myself with my insight sometimes !) wouldn't it be easier to locate them if they were running some power? Wouldn't it make direction finding easier?

Rick K2XT

```
From -1309259560452029053
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc08.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
<12k7judir4tn3d8@corp.supernews.com> <pan.2006.10.30.02.12.29.668869@nospam.no>
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <eKr1h.6220$d95.1507@trnddc08>
Date: Mon, 30 Oct 2006 18:44:26 GMT
NNTP-Posting-Host: 63.19.232.45
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1162233866 63.19.232.45 (Mon, 30 Oct 2006 13:44:26 EST)
NNTP-Posting-Date: Mon, 30 Oct 2006 13:44:26 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:6804
```

"C. J. Clegg" <reply.in.group@nospam.no> wrote in message
news:pan.2006.10.30.02.12.29.668869@nospam.no...
> On Sat, 28 Oct 2006 16:46:47 -0500, Charlie wrote:
>
>> HRO is now carying the new Tokyo Hight Power HL-1.5k fx and will be able
>> to
>> deliver the end of November
>
> Good afternoon, Charlie.
>
> Yeah, I saw that. Nice amp. Unfortunately way overkill for the FT-817,
> and anyway I need something that can run from 13.8 volts.
>

A 25W to 50W amp is quite easy to build using the CCI Motorola designs. Then
you can taylor it to your needs- built in auto or manual tuner, QSK
switching etc.

Dale W4OP

From 5394481805354351877
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Mon, 30 Oct 2006 19:01:36 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12kcj0gk1cji006@corp.supernews.com>
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
<12k7judir4tn3d8@corp.supernews.com> <pan.2006.10.30.02.12.29.668869@nospam.no>
<454644cf.9303625@news.optonline.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 61
Xref: g2news2.google.com rec.radio.amateur.equipment:6805

>>HRO still won't be carrying the THP low-drive amps, until the FCC wakes up
>>and realizes what a dumb rule that is...
>
>From a practical standpoint, what does it matter how much power an
>ilegal operator is running? I mean if these yokals are already out of
>their band (I presume the FCC is concerned about the freebanders) what
>does it matter if they are running 25 watt transceivers or kw amps?
>It's 16 db difference, who cares?

A bootlegger operating with 25 watts is likely to interfere with legitimate licensed operators of the band in question.

A bootlegger operating with a kilowatt "linear" amplifier is likely to interfere with legitimate licensed operators of the band in question, and with users of bands which are harmonically related to the band in question (a lot of the cheap "linear" amps are anything but linear, and splatter quite badly), and with TV and radio reception for a significant distance around the transmission site (fundamental overload affecting the wide-open RF front end circuitry), and with people listening to stereo and using the telephone (rectification breakthrough).

The number of people who are adversely affected by the unlicensed operation goes up quite sharply once an outboard amplifier is added to the equation.

> The real concern ought to be that
> they are operating on frequencies that are not assigned for them. If
> them operating there is a problem, why not go after them and put them
> off the air. In fact (I amaze myself with my insight sometimes !)
> wouldn't it be easier to locate them if they were running some power?
> Wouldn't it make direction finding easier?

You do have a point there, at least for base-station operation. Unfortunately, it's rather more difficult to take advantage of the "louder is easier to locate" issue when the illegal operator is mobile... and it's my impression that a lot of the illegally-high-powered CB and freeband operators are mobile.

Also, the "locate them and shut them down" approach assumes that resources are available to actually locate the illegal operators. The FCC seems to have largely abandoned (or, at least, seriously scaled back) its own field-enforcement efforts, over the past couple of decades... if I recall correctly this dates back as far as the Carter administration. The FCC now seems to be depending largely on the ham community to report suspected cases of freeband/unlicensed-10-meter operation.

I suspect that the FCC is trying to deal with the problem at an "earlier" stage of the chain... stopping production and sale of the amplifiers, rather than trying to track down individual users. They don't seem to be particularly active/effective even at that, though, considering the ease with which one can locate numerous companies making/selling such amps (and easily-modifiable freeband-capable radios).

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From -597264993093720483
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 30 Oct 2006 20:20:14 -0600
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
<YK6dnZLqoZhqrdjYnZ2dnUVZ_o-dnZ2d@comcast.com>
<oq6ck2d1kmh2fekvjjoqeer8aveinclu4f@4ax.com>
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Mon, 30 Oct 2006 20:21:13 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <eL-dnST6btdCL9vYnZ2dnUVZ_o-dnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-OD7dtwjktvqH2WzsN9c/vqM/QvB/
g0AdMwkMUftS3yZaZ+rkhRGirBV+yGPdtqlaUCXGKcWvEdzJIuc!
EJLraV2+e4MLjOasqpvB6p+VgM5W4A8w/+uHrqRJzuBBLFyuZP/CLmui3B5zPywXM57UqXna/5oz!
BoDEWMvJoRXWw5siDYk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6806

"Win" <w0lz@winlyn.us > wrote in message
news:oq6ck2d1kmh2fekvjjoqeer8aveinclu4f@4ax.com...

> On the surface these amps look like one hell of a buy. It will be
> interesting to get some reports, and see a service plan. For the
> purpose of marketing in this country, I would think they should change
> the name to something more generic......like Yeawood or Kenesu.
>
> Win.

I think they wanted Microsoft -- but that name was taken !

gb

From 2286646264563113935
X-Google-Thread: 108122,8d3aacc5e3a4899d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe16.lga.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Help Need on Dentron QRO Clipperton Amp
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <ooC1h.11928$Jt3.7136@newsfe16.lga>
Date: Tue, 31 Oct 2006 00:52:09 -0600
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: admin@cox.net
X-Trace: newsfe16.lga 1162277524 68.109.223.91 (Mon, 30 Oct 2006 23:52:04 MST)
NNTP-Posting-Date: Mon, 30 Oct 2006 23:52:04 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:6807

I need a good schematic and or Service Manual for a Dentron Clipperton QRO
Amplifier.
I am having trouble with the tunned input circuit.
Thanks, Charlie Hugg, K5MBX

____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 7867766722431809505
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!news-
feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!
tornado.southeast.rr.com.POSTED!53ab2750!not-for-mail
From: RadioGuy <RadioGuy@radioguy.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on
CB?

```
Message-ID: <MPG.1fb0be204e9c2106989a66@news-server.carolina.rr.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Lines: 21
Date: Tue, 31 Oct 2006 06:58:28 GMT
NNTP-Posting-Host: 71.75.185.54
X-Complaints-To: abuse@rr.com
X-Trace: tornado.southeast.rr.com 1162277908 71.75.185.54 (Tue, 31 Oct 2006
01:58:28 EST)
NNTP-Posting-Date: Tue, 31 Oct 2006 01:58:28 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6808
rec.radio.amateur.misc:25204 rec.radio.amateur.policy:52422

In article <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>,
my.mail@no.spam says...
>
> 5wpm ain't really learning it.  I can fart 5 wpm.

You can fart.  I'll give you that.
>
> Lets kick the requirement up there to between 13 and 20 wpm for all
> classes.

WHy do you care?  You can't even legally transmit.

> And no-codes that haven't passed it after a year get booted which
> will help clean up the repeaters.

The repeaters are very clean where I am.  Everyone is courteous from the
Extra class operators down to the Techs.  You're the only one with a
problem!
>
> SC
>



From 2842899106179626317
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Thread: 10b087,9bfe16e3e08c740e
X-Google-Attributes: gid102fc8,gid10bc16,gid108122,gid10b087,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: do_not_spam_me@my-deja.com
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.radio.amateur.equipment,alt.autos.corvette
Subject: Re: best anti-RF ignition wiring TYPE
```

Date: 30 Oct 2006 23:10:19 -0800
Organization: http://groups.google.com
Lines: 27
Message-ID: <1162278619.542104.264300@m7g2000cwm.googlegroups.com>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
   <1162218633.667228.172490@e64g2000cwd.googlegroups.com>
NNTP-Posting-Host: 71.209.161.159
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162278624 20687 127.0.0.1 (31 Oct 2006 07:10:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 31 Oct 2006 07:10:24 +0000 (UTC)
In-Reply-To: <1162218633.667228.172490@e64g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; AT&T CSM6.0;
T312461),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=71.209.161.159;
   posting-account=7nNSNgwAAACRLkf2lJhtjt0HZhRreQlC
Xref: g2news2.google.com alt.autos.studebaker:36423 rec.autos.tech:30152
rec.radio.amateur.equipment:6809 alt.autos.corvette:6763

63Avanti wrote:

> On Oct 29, 6:06 pm, do_not_spam...@my-deja.com wrote:

> > A significant amount of igniton noise comes from the connection between
> > the plug and the plug wire, and grounded metal shields over the boots
> > can help here. There are wire kits with these boots, mostly for German
> > cars, or they can be made with metal tubing slipped snugly over the
> > metal bases of the plugs.

> now this is interesting,
> I remember fabricating for my neighbor's '62 Ford a metal can with
> braided shielded wires to cover his distributor and cables out to the
> plugs. I no longer knew when he drove out of his driveway by watching
> the patterns on my TV (UHF). ;)

> Any one know if these boots, if self-fabricated, are essentially a
> CYLINDER, grounded by contact with the engine block?

Yes. I made some from conduit that extended about 2" above the plugs.
I found it didn't mater whether or not the tops were covered with
metal, but I applied a bead of silicone RTV to prevent the sharp edges
from cutting through the wire insulation. I slit the bottom of each
tube lengthwise to make it easier to press it easier to press around
the hex part of the plug.

From 6768669595711767175
X-Google-Thread: 108122,fb9f84f374b06395

```
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!
news.rr.com!news-wrt-01.rdc-nyc.rr.com!news-wrt-01.ohiordc.rr.com!news-
server.columbus.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-
post.tampabay.rr.com!tornado.southeast.rr.com.POSTED!53ab2750!not-for-mail
From: RadioGuy <RadioGuy@radioguy.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on
CB?
Message-ID: <MPG.1fb0c2c3ebe7747d989a70@news-server.carolina.rr.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
<1162011495.648000.21730@f16g2000cwb.googlegroups.com>
<lm17k2pjvadt9erj5jh8c4iklvkfov1589@4ax.com>
<1162094165.644149.230040@e64g2000cwd.googlegroups.com>
<X3c1h.1628$zf.848@newsread3.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Lines: 11
Date: Tue, 31 Oct 2006 07:18:28 GMT
NNTP-Posting-Host: 71.75.185.54
X-Complaints-To: abuse@rr.com
X-Trace: tornado.southeast.rr.com 1162279108 71.75.185.54 (Tue, 31 Oct 2006
02:18:28 EST)
NNTP-Posting-Date: Tue, 31 Oct 2006 02:18:28 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6810
rec.radio.amateur.misc:25215 rec.radio.amateur.policy:52433

In article <X3c1h.1628$zf.848@newsread3.news.pas.earthlink.net>,
my.mail@no.spam says...
>
> Don't argue with Mark unless you like to argure.  Mark will toss out every
> bit of illogic he can to try to justify his case for being a bad hams, and
> he wants to let others like himself in so they can tear down the service.
>
> SC
>
>
You just described yourself to a tee!!!!!!!!!!


From -1594595331240731844
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on
CB?
From: Slow Code <my.mail@no.spam>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
<MPG.1fb0be204e9c2106989a66@news-server.carolina.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 27
Message-ID: <d5S1h.588$l25.443@newsread4.news.pas.earthlink.net>
Date: Wed, 01 Nov 2006 00:43:53 GMT
NNTP-Posting-Host: 4.228.228.97
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1162341833 4.228.228.97 (Tue, 31 Oct
2006 16:43:53 PST)
NNTP-Posting-Date: Tue, 31 Oct 2006 16:43:53 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:6811
rec.radio.amateur.misc:25268 rec.radio.amateur.policy:52496
```

RadioGay <RadioGuy@radioguy.com> wrote in
news:MPG.1fb0be204e9c2106989a66@news-server.carolina.rr.com:

> In article <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>,
> my.mail@no.spam says...
>>
>> 5wpm ain't really learning it. I can fart 5 wpm.
>
> You can fart. I'll give you that.
>>
>> Lets kick the requirement up there to between 13 and 20 wpm for all
>> classes.
>
> WHy do you care? You can't even legally transmit.
>
>> And no-codes that haven't passed it after a year get booted which
>> will help clean up the repeaters.
>
> The repeaters are very clean where I am. Everyone is courteous from the
> Extra class operators down to the Techs. You're the only one with a
> problem!

I'm sure you think 27.185Mhz sounds clean too. Run along now, your
buddies are probably breakin for ya.

SC

```
From -1876586356377393410
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: stop the cyber vandalism SC
Date: Tue, 31 Oct 2006 20:12:58 -0500
Message-ID: <f4tfk21tf9gjb1vbho1e3cl7lj7ot0m7l2@4ax.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
<MPG.1fb0be204e9c2106989a66@news-server.carolina.rr.com>
<d5S1h.588$l25.443@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Date: 01 Nov 2006 00:17:52 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6812
rec.radio.amateur.misc:25298 rec.radio.amateur.policy:52530

On Wed, 01 Nov 2006 00:43:53 GMT, Slow Code <my.mail@no.spam> wrote:

>RadioGay <RadioGuy@radioguy.com> wrote in

stop the cyber vandalism SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -6330912531798212284
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!news-server.columbus.rr.com!
cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!
southeast.rr.com.POSTED!53ab2750!not-for-mail
From: RadioGuy <RadioGuy@radioguy.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on
```

```
CB?
Message-ID: <MPG.1fb1cd63f947f793989a7d@news-server.carolina.rr.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
<MPG.1fb0be204e9c2106989a66@news-server.carolina.rr.com>
<d5S1h.588$l25.443@newsread4.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Lines: 32
Date: Wed, 01 Nov 2006 02:15:51 GMT
NNTP-Posting-Host: 71.75.185.54
X-Complaints-To: abuse@rr.com
X-Trace: southeast.rr.com 1162347351 71.75.185.54 (Tue, 31 Oct 2006 21:15:51 EST)
NNTP-Posting-Date: Tue, 31 Oct 2006 21:15:51 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6813
rec.radio.amateur.misc:25313 rec.radio.amateur.policy:52552

In article <d5S1h.588$l25.443@newsread4.news.pas.earthlink.net>,
my.mail@no.spam says...
> RadioGay <RadioGuy@radioguy.com> wrote in
> news:MPG.1fb0be204e9c2106989a66@news-server.carolina.rr.com:
>
> > In article <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>,
> > my.mail@no.spam says...
> >>
> >> 5wpm ain't really learning it.  I can fart 5 wpm.
> >
> > You can fart.  I'll give you that.
> >>
> >> Lets kick the requirement up there to between 13 and 20 wpm for all
> >> classes.
> >
> > WHy do you care?  You can't even legally transmit.
> >
> >> And no-codes that haven't passed it after a year get booted which
> >> will help clean up the repeaters.
> >
> > The repeaters are very clean where I am.  Everyone is courteous from the
> > Extra class operators down to the Techs.  You're the only one with a
> > problem!
>
>
> I'm sure you think 27.185Mhz sounds clean too.  Run along now, your
> buddies are probably breakin for ya.
>
> SC
>
You would know whos breakin since Citizens Band is the only band you can
legally operate on you idiot with no license!
```

```
From 7428512186456072117
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Thread: 10bf43,56365461ff0a19d0
X-Google-Attributes: gid108122,gidfc2a5,gidfcc6e,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!news-
server.columbus.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-
post.tampabay.rr.com!southeast.rr.com.POSTED!53ab2750!not-for-mail
From: RadioGuy <RadioGuy@radioguy.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.antenna,r
ec.radio.amateur.policy
Subject: Re: Response to SC
Message-ID: <MPG.1fb1d529a82a361c989a8e@news-server.carolina.rr.com>
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
<SgS0h.730$LI4.24@newsread2.news.pas.earthlink.net>
<nus7k29pdmqeg8vroukcjmba8ifemqcsi5@4ax.com>
<Vo91h.1331$nG1.778@tornado.southeast.rr.com>
<o4c1h.1643$zf.236@newsread3.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Lines: 45
Date: Wed, 01 Nov 2006 02:49:01 GMT
NNTP-Posting-Host: 71.75.185.54
X-Complaints-To: abuse@rr.com
X-Trace: southeast.rr.com 1162349341 71.75.185.54 (Tue, 31 Oct 2006 21:49:01 EST)
NNTP-Posting-Date: Tue, 31 Oct 2006 21:49:01 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6814
rec.radio.amateur.homebrew:7637 rec.radio.amateur.antenna:20893
rec.radio.amateur.policy:52568

In article <o4c1h.1643$zf.236@newsread3.news.pas.earthlink.net>,
my.mail@no.spam says...
> "Merlin-7 KI4ILB" <merlin-7@sc.rr.com> wrote in
> news:Vo91h.1331$nG1.778@tornado.southeast.rr.com:
>
> >  If Slow Code left, I would miss him.
> >
> >  I do not agree with him most of the time. As a matter of fact, he is
> >  dead
> > wrong a lot of the time.
> >
> >  At least he stands up for what he believes in.
> >
> >  I myself, do not think that every ham should have to be able to
> >  send/copy
> > code at 20wpm no more that I think they should be tested on psk,rtty,
> > slow scan tv. etc.
> >
> >  Some people have a passion for code and some have a passion for other
> > modes. I use them all from time to time, and to be honest, after I move
> > next year, I am going to work on my code a bit more when I have the time
> > to do so.
> >
> >  However, I will still give him a hard time about his ranting. After all
> >  I
> > have not heard anyone tell him that he is not a real ham because he does
> > not have psk nailed down..HI HI
> >  Joe
> >  KI4ILB
>
>
> I was part of the big RRAP CW and anti-ARRL fights of the late 90's up
> until restructuring went into effect, then my posting tapered off.  I'll
> disappear again once the FCC totally kills off ham radio by eliminating
> the code requirement.  When that happens, I'll wear a strip of black
> electricians tape around my arm in memorial and observe twenty-four hours
> of radio silence in memory of a once proud service.
>
> Rest in Peace, Ham Radio.  You were a good and faithful friend.
>
> SC
>
We could only hope you observe 24 years of newsgroup silence.  By then
you'd be in the grave.



From 4926773241211112192
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bresnan.com!
news.bresnan.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 31 Oct 2006 21:46:24 -0600
Reply-To: "Bob M." <x-no-archive: yes>
From: "Bob M." <no@nospam.com>
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
Subject: Re: best anti-RF ignition wiring TYPE
Date: Tue, 31 Oct 2006 20:46:24 -0700
Organization: none
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <guGdnaSBUogNhdXYnZ2dnUVZ_u-dnZ2d@bresnan.com>
Lines: 14
NNTP-Posting-Host: 69.145.217.139
X-Trace: sv3-
inpmryyspahnERDAkBKOzdBUqx9SqYHO4NvuhwoXa07cGBNlyXXmwYAzlwj+sSe5aY8O3SDSIwNT301!
Q3DKMrQ3qtdj7EVcAWnm7xcASxqyvjghgQ4LSAxK1MU1KDVIpM+Oydor2BSbphlw784RkvP3MYRy!nh6/
ntCH8WDKbA==
X-Complaints-To: abuse@bresnan.net
X-DMCA-Complaints-To: abuse@bresnan.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.autos.studebaker:36499 rec.autos.tech:30173
rec.audio.car:11403 rec.radio.amateur.equipment:6815
```

"63Avanti" <google@sterkel.org> wrote in message
news:1162160738.756482.26750@e64g2000cwd.googlegroups.com...

> best anti-RF ignition wiring TYPE
>
> background:
> I am getting my vintage AM/FM Delco reconditioned with the intent of
> getting that "cruis'n feeling" I will also add non-vintage sound
> deadening, and other electrical/static improvements noted here and
> elsewhere. Thanks for the help.

Check www.magnecor.com for EMI-reducing spark plug wires.

```
From 4840896639139418577
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!pd7cy3no!pd7cy4no!shaw.ca!pd7urf2no.POSTED!
53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.72.140.152
From: "Brooksie" <brooksie1@gmail.com>
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
<guGdnaSBUogNhdXYnZ2dnUVZ_u-dnZ2d@bresnan.com>
Subject: Re: best anti-RF ignition wiring TYPE
Lines: 22
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <b4V1h.231188$1T2.116096@pd7urf2no>
Date: Wed, 01 Nov 2006 04:07:35 GMT
NNTP-Posting-Host: 64.59.135.176
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf2no 1162354055 64.59.135.176 (Tue, 31 Oct 2006 21:07:35 MST)
NNTP-Posting-Date: Tue, 31 Oct 2006 21:07:35 MST
Organization: Shaw Residential Internet
Xref: g2news2.google.com alt.autos.studebaker:36502 rec.autos.tech:30174
rec.audio.car:11404 rec.radio.amateur.equipment:6816

That's the same outfit that told me they could supply 7mm wires but only if
I wasn't putting the stainless shielding back in place.

Brooksie

"Bob M." <no@nospam.com> wrote in message
news:guGdnaSBUogNhdXYnZ2dnUVZ_u-dnZ2d@bresnan.com...
>
> "63Avanti" <google@sterkel.org> wrote in message
> news:1162160738.756482.26750@e64g2000cwd.googlegroups.com...
>> best anti-RF ignition wiring TYPE
>>
>> background:
>> I am getting my vintage AM/FM Delco reconditioned with the intent of
>> getting that "cruis'n feeling"  I will also add non-vintage sound
>> deadening, and other electrical/static improvements noted here and
>> elsewhere.  Thanks for the help.
>
> Check www.magnecor.com for EMI-reducing spark plug wires.
>




From -4377534720361040365
X-Google-Thread: 108122,acc842318b0262d8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!64.59.134.4.MISMATCH!pd7cy1no!pd7cy2no!shaw.ca!pd7urf1no.POSTED!
53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.149.191.4
From: "Robert" <ve6ajd@shaw.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Any Information Would Be Appreciated
Lines: 9
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <PG02h.241406$R63.193030@pd7urf1no>
Date: Wed, 01 Nov 2006 12:46:39 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf1no 1162385199 24.70.95.207 (Wed, 01 Nov 2006 05:46:39 MST)
NNTP-Posting-Date: Wed, 01 Nov 2006 05:46:39 MST
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:6817

I currently have a HTX 202 and I am trying to fiind a good covert headset on E-Bay because I work as Maintenance and I can have the radio on at work as long as it can't be heard while I am working in the building because the tenants might take it the wrong way.

So if someone could help me and send me some links to sales if they have some or can help me out it would be appreciated.

From 7476695736776766477
X-Google-Thread: 102fc8,23bab7152d5ac4ae
X-Google-Thread: 10bc16,23bab7152d5ac4ae
X-Google-Thread: 10a749,23bab7152d5ac4ae
X-Google-Thread: 108122,23bab7152d5ac4ae
X-Google-Attributes: gid102fc8,gid10bc16,gid10a749,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!logbridge.uoregon.edu!arclight.uoregon.edu!
newsfeeder.srv.cs.cmu.edu!nn.andrew.cmu.edu!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups:
alt.autos.studebaker,rec.autos.tech,rec.audio.car,rec.radio.amateur.equipment
Subject: Re: best anti-RF ignition wiring TYPE
Date: Wed, 01 Nov 2006 13:44:55 GMT
Organization: Sometimes
Lines: 30
Message-ID: <eia8d1$rkg$3@usenet01.srv.cis.pitt.edu>
References: <1162160738.756482.26750@e64g2000cwd.googlegroups.com>
<1162166783.528785.88970@k70g2000cwa.googlegroups.com>
<ei543e$kpc$1@panix2.panix.com>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1162388705 28304 136.142.52.106 (1 Nov 2006
13:45:05 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Wed, 1 Nov 2006 13:45:05 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com alt.autos.studebaker:36513 rec.autos.tech:30177
rec.audio.car:11409 rec.radio.amateur.equipment:6818

In article <ei543e$kpc$1@panix2.panix.com>, kludge@panix.com (Scott Dorsey) wrote:
>In article <1162166783.528785.88970@k70g2000cwa.googlegroups.com>,
> <do_not_spam_me@my-deja.com> wrote:
>>
>>
>>There are only 2 types of RF supression wire: resistive and inductive.
>> The latter is often referred to as "magnetic" and is widely available,
>>but it doesn't seem to work any better than the resistive type. A
>>significant amount of igniton noise comes from the connection between
>>the plug and the plug wire, and grounded metal shields over the boots
>>can help here. There are wire kits with these boots, mostly for German
>>cars, or they can be made with metal tubing slipped snugly over the
>>metal bases of the plugs.
>
>I recommend getting a copy of the ARRL Hints and Kinks for Radio Amateurs
>book... get one of the mid-fifties editions and there is a whole section
>on eliminating ignition noise with homebrew shielding over the plug wires
>and shield cans over the distributor.
>
>I agree that with modern resistive wires, things will be a lot better. Back
>in the fifties, plug wires were normally copper. Often folks would buy it
>on long rolls and terminate it in the shop themselves. Today, plug wires
>have a conductive element that is conductive plastic, usually a nylon with
>carbon in it, and the wire itself has a few kilohms of resistance. That,
>combined with a modern coil design, means you get less high frequency ringing
>after the initial spark impulse which cuts way down on the noise.

They also sold spark plugs with built in resistors.

greg

From -2110958016864455857
X-Google-Thread: 108122,b3e5d08ce3acf79f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: NOS NATIONAL RF CHOKES+ STUFF
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <IU92h.4533$Fi1.3386@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 07516cabdaf44ab7c1aaa5413b62153d
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1162422952
07516cabdaf44ab7c1aaa5413b62153d (Wed, 01 Nov 2006 23:15:52 GMT)

```
NNTP-Posting-Date: Wed, 01 Nov 2006 23:15:52 GMT
Organization: AT&T Worldnet
Date: Wed, 01 Nov 2006 23:15:52 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6819
```

Have listed several small NOS National RF chokes; see at :

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

+ other stuff, tnx   heytubeguy

```
From 4454560092137600628
X-Google-Thread: 108122,73b5029af19f99d6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
indigo.octanews.net!news-out.octanews.net!mauve.octanews.net!
198.186.190.95.MISMATCH!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: magazine article on computer interface
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns986EA3607DDCspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 02 Nov 2006 00:00:02 GMT
Lines: 14
NNTP-Posting-Host: c7fadd2b.news.adtechcomputers.com
X-Trace: DXC=ERW9ccPXJ8Z]\gY6A9AfkVgC4_A5:nI@Q<<=aEgO;R8W^d:4:NCfm`_b^c]eFAL91_R?
X7U2a5ffWemfRC[RMj?_0[]M_>MNBVWa54\I2N7Z:Q7m28OcM]ZKY
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6820
```

Sometime in the past couple months I read a one page writeup on an inexpensive device being marketed that provides an analog to digital interface to computers.   I think you could use a linear 0 to 5 VDC input such as from a wind speed sensor and feed it to the conversion device which would provide a digital output to your computer.

I only subscribe to QST and CQ magazines, but I give them away when I'm done with them so I can't go back and find that article.   Anyone else see what I'm asking about?

Ed   K7AAT

```
From 5208465389572848465
X-Google-Thread: 108122,73b5029af19f99d6
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.251.MISMATCH!transit4.readnews.com!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: magazine article - Nevermind!!!
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns986EA3607DDCspectrumhogstarbandn@198.186.192.196>
Organization: Your Company
Message-ID: <Xns986EA53A4FC0Cspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 02 Nov 2006 00:10:57 GMT
Lines: 14
NNTP-Posting-Host: c7fadd2b.news.adtechcomputers.com
X-Trace: DXC=dQn7GVQ;>FJeeYMO2AV3VGgC4_A5:nI@A<<=aEgO;R8G^d:4:NCfm`O`;U;52ePmEIR?
X7U2a5ffGemfRC[RMj?O0[]M_>MNBVGa54\I2N7Z:AJiQegb^GLSC
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6821
```

> Sometime in the past couple months I read a one page writeup on an
> inexpensive device being marketed that provides an analog to digital
> interface to computers. I think you could use a linear 0 to 5 VDC
> input such as from a wind speed sensor and feed it to the conversion
> device which would provide a digital output to your computer.
>

NEVERMIND! I just found out it is in the October Issue, page 33, of QST.

Ed

```
From -1867873254160429420
X-Google-Thread: 114671,1da2b54aa2fc5c7c,start
X-Google-Thread: 108122,1da2b54aa2fc5c7c,start
X-Google-Thread: f64c6,1da2b54aa2fc5c7c,start
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!newsfeed.pacific.net.au!
token.pipenetworks.com!218.100.2.59.MISMATCH!not-for-mail
Date: Thu, 02 Nov 2006 11:33:07 +1000
From: atec77 <""atec77 \"@ hotmail.com">
Organization: x-no-archive: yes
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Icom 208H 'optional extras'...
```

References: <pan.2006.11.02.01.00.49.365331@anunnakis@area51.org>
In-Reply-To: <pan.2006.11.02.01.00.49.365331@anunnakis@area51.org>
Content-Type: text/plain; charset=ISO-8859-2; format=flowed
Content-Transfer-Encoding: 8bit
X-Antivirus: avast! (VPS 0645-0, 01/11/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 29
Message-ID: <45494ad4$0$4672$61c65585@un-2park-reader-01.sydney.pipenetworks.com.au>
NNTP-Posting-Host: 220.245.121.167
X-Trace: 1162431188 un-2park-reader-01.sydney.pipenetworks.com.au 4672 220.245.121.167:2057
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Xref: g2news2.google.com aus.radio.amateur.misc:4931 rec.radio.amateur.equipment:6822 uk.radio.amateur:57268

Je�us wrote:
> Picked up a 208H yesterday. Nice rig all round, especially if space is an
> issue. I'm quite impressed with the receiver, also a healthy 50W on UHF
> doesn't hurt. You get a reasonable length separation cable for the
> controller, BUT the mic cable is only about a metre long and connects
> to the main body of the radio, so basically you cannot remote mount the
> main unit any real distance. Why bother supplying a decent length cable
> for head but not for the mic makes no sense to me.
>
> The other thing is no bracket supplied for the controller/remote head...
> Of course, you can buy these things as 'optional extras', and presumably
> pay right through the nose for them too.
>
> I tried velcro for mounting the head, however its just a tad too heavy
> to be reliable. Looking at the OEM bracket, it ain't much at all, and in
> fact uses velcro to secure to the head. If I had the appropriate tools
> (which I don't) it would be pretty easy to fabricate one. I'll keep my
> eyes open, something should come along that'll suit.
>
> Anyway, I was thinking why not use ordinary CAT5 or similar for the mic
> cable and/or the separation cable? Has anyone done this, and if so a
> wiring diagram?
>
> Failing any of the above, if you know of any aftermarket equivalents for
> any of the above, also for the data cable, please spill the beans... most
> appreciated :)
>

I suspect you will need a decent shielded cable for an extended mike
cable , although cat5/6 foil wrap and some .001 caps might do it ?.

From -8980732752713366661
X-Google-Thread: 114671,1da2b54aa2fc5c7c
X-Google-Thread: 108122,1da2b54aa2fc5c7c
X-Google-Thread: f64c6,1da2b54aa2fc5c7c
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII

Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news1.optus.net.au!optus!
snewsf0.syd.ops.aspac.uu.net!news.netspace.net.au!not-for-mail
From: "sparky" <vk7hgo@netspace.net.au>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Icom 208H 'optional extras'...
Date: Thu, 2 Nov 2006 14:07:34 +1100
Organization: Internet Customer
Lines: 37
Message-ID: <eibned$v6n$1@otis.netspace.net.au>
References: <pan.2006.11.02.01.00.49.365331@anunnakis@area51.org>
<45494ad4$0$4672$61c65585@un-2park-reader-01.sydney.pipenetworks.com.au>
NNTP-Posting-Host: 220-253-138-199.tas.netspace.net.au
X-Trace: otis.netspace.net.au 1162436877 31959 220.253.138.199 (2 Nov 2006
03:07:57 GMT)
X-Complaints-To: usenet@otis.netspace.net.au
NNTP-Posting-Date: Thu, 2 Nov 2006 03:07:57 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Xref: g2news2.google.com aus.radio.amateur.misc:4934
rec.radio.amateur.equipment:6823 uk.radio.amateur:57271

Do you have the manual for the radio they are all listed in the back.
OPC-440 5.0 mtr
OPC-647 2.5 mtr
for mic extension..
"atec77" <""atec77 \"@ hotmail.com"> wrote in message
news:45494ad4$0$4672$61c65585@un-2park-reader-01.sydney.pipenetworks.com.au...
> Je�us wrote:
>> Picked up a 208H yesterday. Nice rig all round, especially if space is an
>> issue. I'm quite impressed with the receiver, also a healthy 50W on UHF
>> doesn't hurt. You get a reasonable length separation cable for the
>> controller, BUT the mic cable is only about a metre long and connects
>> to the main body of the radio, so basically you cannot remote mount the
>> main unit any real distance. Why bother supplying a decent length cable
>> for head but not for the mic makes no sense to me.
>>
>> The other thing is no bracket supplied for the controller/remote head...
>> Of course, you can buy these things as 'optional extras', and presumably
>> pay right through the nose for them too.
>>
>> I tried velcro for mounting the head, however its just a tad too heavy
>> to be reliable. Looking at the OEM bracket, it ain't much at all, and in
>> fact uses velcro to secure to the head. If I had the appropriate tools
>> (which I don't) it would be pretty easy to fabricate one. I'll keep my
>> eyes open, something should come along that'll suit.
>>
>> Anyway, I was thinking why not use ordinary CAT5 or similar for the mic
>> cable and/or the separation cable? Has anyone done this, and if so a
>> wiring diagram?

>>
>> Failing any of the above, if you know of any aftermarket equivalents for
>> any of the above, also for the data cable, please spill the beans... most
>> appreciated :)
>>
> I suspect you will need a decent shielded cable for an extended mike cable
> , although cat5/6 foil wrap and some .001 caps might do it ?.

From 7059787079311560200
X-Google-Thread: 108122,9a7b04817f4c6962,start
X-Google-Thread: fc2a5,9a7b04817f4c6962,start
X-Google-Thread: 107ada,9a7b04817f4c6962,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!84ef5383!not-for-mail
From: "Brian" <kb9bvn@earthlink.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Ten Tec Band Modules Needed
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <_Hd2h.1263$l25.127@newsread4.news.pas.earthlink.net>
Date: Thu, 02 Nov 2006 03:35:22 GMT
NNTP-Posting-Host: 76.2.195.78
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1162438522 76.2.195.78 (Wed, 01 Nov 2006
19:35:22 PST)
NNTP-Posting-Date: Wed, 01 Nov 2006 19:35:22 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6824
rec.radio.amateur.homebrew:7640 rec.radio.amateur.misc:25393

I have a friend that just bought a used Ten Tec Scout, it came with a 40m
and a 80m band module. He is looking for 30m and maybe 15/17m as well.

If you have any of these you'd like to sell, please send me an email.

73 de KB9BVN

From 4288032929913202733
X-Google-Thread: 114671,1da2b54aa2fc5c7c

```
X-Google-Thread: 108122,1da2b54aa2fc5c7c
X-Google-Thread: f64c6,1da2b54aa2fc5c7c
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!newsfeed01.sul.t-
online.de!t-online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!
news.highwinds-media.com!newspeer1-win.ntli.net!newsfe2-gui.ntli.net.POSTED!
53ab2750!not-for-mail
From: "Brian 2W0BDW" <notsaying@here.com>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur
References: <pan.2006.11.02.01.00.49.365331@anunnakis@area51.org>
Subject: Re: Icom 208H 'optional extras'...
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <JNk2h.70264$pa.9596@newsfe2-gui.ntli.net>
Date: Thu, 02 Nov 2006 11:39:21 GMT
NNTP-Posting-Host: 82.6.115.199
X-Trace: newsfe2-gui.ntli.net 1162467561 82.6.115.199 (Thu, 02 Nov 2006 11:39:21
GMT)
NNTP-Posting-Date: Thu, 02 Nov 2006 11:39:21 GMT
Organization: NTL
Xref: g2news2.google.com aus.radio.amateur.misc:4941
rec.radio.amateur.equipment:6825 uk.radio.amateur:57283
```

>
> Anyway, I was thinking why not use ordinary CAT5 or similar for the mic
> cable and/or the separation cable? Has anyone done this, and if so a
> wiring diagram?
>

I have done this to my IC2800 with no problems whatsoever. the radio is with the spare wheel and the mic plugs into a socket mounted in the dash with the cable (CAT5) being routed around the car.

Also I have extended the display lead in a similar way (but due to not having a 6 way plug/socket for the dispaly out came the 'iron and heatshrink and more CAT5) again no problems and due to the fact that I couldn't be bothered to measure, the cables are long enough to mount the radio in the back of a huge camper and still use it from the front seat!

```
From 3308611592079556707
X-Google-Thread: 114671,1da2b54aa2fc5c7c
X-Google-Thread: 108122,1da2b54aa2fc5c7c
X-Google-Thread: f64c6,1da2b54aa2fc5c7c
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
bigfeed3.bellsouth.net!news.bellsouth.net!news-in.ntli.net!newsrout1-win.ntli.net!
ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe1-
win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian 2W0BDW" <notsaying@here.com>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur
References: <pan.2006.11.02.01.00.49.365331@anunnakis@area51.org>
<JNk2h.70264$pa.9596@newsfe2-gui.ntli.net>
Subject: Re: Icom 208H 'optional extras'...
Lines: 42
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <Kdl2h.22252$j4.11704@newsfe1-win.ntli.net>
Date: Thu, 02 Nov 2006 12:09:14 GMT
NNTP-Posting-Host: 82.6.115.199
X-Trace: newsfe1-win.ntli.net 1162469354 82.6.115.199 (Thu, 02 Nov 2006 12:09:14
GMT)
NNTP-Posting-Date: Thu, 02 Nov 2006 12:09:14 GMT
Organization: NTL
Xref: g2news2.google.com aus.radio.amateur.misc:4943
rec.radio.amateur.equipment:6826 uk.radio.amateur:57289

"Brian 2W0BDW" <notsaying@here.com> wrote in message
news:JNk2h.70264$pa.9596@newsfe2-gui.ntli.net...
>
>>
>> Anyway, I was thinking why not use ordinary CAT5 or similar for the mic
>> cable and/or the separation cable? Has anyone done this, and if so a
>> wiring diagram?
>>
>
> I have done this to my IC2800 with no problems whatsoever. the radio is
> with the spare wheel and the mic plugs into a socket mounted in the dash
> with the cable (CAT5) being routed around the car.
>
> Also I have extended the display lead in a similar way (but due to not
> having a 6 way plug/socket for the dispaly out came the 'iron and
> heatshrink and more CAT5) again no problems and due to the fact that I
> couldn't be bothered to measure, the cables are long enough to mount the
> radio in the back of a huge camper and still use it from the front seat!

Sillybilly I missed out the important 'wiring diagram':

use a test meter on ohms or a continuity tester to cheeck that:

pin 1 (plug) goes to pin 1 (socket)
pin 2 (plug) goes to pin 2 (socket)......................................

....)
pin 8 (plug) goes to pin 8 (socket)
This will give a 'straight through' extension.

The socket I used was a wall mounted type, which I adapted to suit the fitting space available in the car, and the wires connected via IDC on the back .

I have HEARD of people using CAT5 patchlead and gender changer (double socket) but not tried it. I just used/adapted what I had in my 'junk box'

If in doubt and near Cardiff let me know, I have loads of CAT5 cable. I'm sure we could 'hook something up!'
All the best

From -1861564385392175046
X-Google-Thread: 108122,59786d54bfb6c4a6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!newsfeed.news2me.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr14.news.prodigy.com.POSTED!93e560a6!not-for-mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Google Radio Groups
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <7yn2h.220$7F3.73@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 68.126.153.42
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1162478851 ST000 68.126.153.42 (Thu, 02 Nov 2006 09:47:31 EST)
NNTP-Posting-Date: Thu, 02 Nov 2006 09:47:31 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: [[OUS_[DABSAW_US\X^DM^\BZJ]T@FLNLBWLOOAFMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^RSNVLGTFTKHTXHHP[NB_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Thu, 02 Nov 2006 14:47:31 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6827

Google Radio Groups

Please join My Google Radio groups and get them off to start.

A Group about Shortwave Radio, amateur, GMRS, Goverment, Freq Charts, Band Plans, Radios, specs, Places to buy, Lic info. Repeaters, Etc.

http://groups-beta.google.com/group/uhf-radio

http://groups-beta.google.com/group/vhf-radio

http://groups-beta.google.com/group/shortwave-radio

http://groups-beta.google.com/group/gmrsradio

http://members.aol.com/scott93727/radio.htm

```
From -2085523843503652867
X-Google-Thread: 108122,9a7b04817f4c6962
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
newspeer.tds.net!216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-
for-mail
From: "John, N9JG" <john@Xremove.MeYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
References: <_Hd2h.1263$l25.127@newsread4.news.pas.earthlink.net>
Subject: Re: Ten Tec Band Modules Needed
Lines: 14
Organization: CLM ARRL
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <AGn2h.492$jV7.12@newsreading01.news.tds.net>
Date: Thu, 02 Nov 2006 14:56:32 GMT
NNTP-Posting-Host: 69.130.139.206
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1162479392 69.130.139.206 (Thu, 02 Nov 2006
08:56:32 CST)
NNTP-Posting-Date: Thu, 02 Nov 2006 08:56:32 CST
Xref: g2news2.google.com rec.radio.amateur.equipment:6828
```

If you have not already done so, you should also post on
tentec@contesting.com

"Brian" <kb9bvn@earthlink.net> wrote in message
news:_Hd2h.1263$l25.127@newsread4.news.pas.earthlink.net...
>I have a friend that just bought a used Ten Tec Scout, it came with a 40m
>and a 80m band module. He is looking for 30m and maybe 15/17m as well.
>
> If you have any of these you'd like to sell, please send me an email.
>

> 73 de KB9BVN
>

```
From -4309322339371961232
X-Google-Thread: 108122,f8a54f3cf22a9bfc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews3.bellsouth.net.POSTED!8ed1fb9b!not-for-mail
Reply-To: "laborkei" <laborkeiNOSPAM@hotmail.com>
From: "laborkei" <laborkeiNOSPAM@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New Yahoo Group for Alpha Amplifiers...
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <bOn2h.52982$vi3.7752@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcboecpifokgkgpomempookjcfmmjofaghebgk
jcdbobjfloiloiohahiliggidapnppejpkaddlfoepjfjnjkknpbpkpkalemdnpiemmhgefmiapjod
NNTP-Posting-Date: Thu, 02 Nov 2006 10:04:39 EST
Organization: BellSouth Internet Group
Date: Thu, 2 Nov 2006 10:04:40 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6829
```

http://groups.yahoo.com/group/Alpha_Amps/

Alpha 9500's are shipping soon !

```
From -3261819461558881033
X-Google-Thread: 108122,59786d54bfb6c4a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!out01b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe13.phx.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
```

Newsgroups: rec.radio.amateur.equipment
References: <7yn2h.220$7F3.73@newssvr14.news.prodigy.com>
Subject: Re: Google Radio Groups
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <Izq2h.368$3K7.37@newsfe13.phx>
Date: Thu, 2 Nov 2006 10:14:00 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: admin@cox.net
X-Trace: newsfe13.phx 1162491240 72.197.12.245 (Thu, 02 Nov 2006 11:14:00 MST)
NNTP-Posting-Date: Thu, 02 Nov 2006 11:14:00 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:6830

And hopefully they are moderated so we don't get the awful posts that have invaded the rec.radio.... NG's
CL

"Scott Smith" <scott93727@prodigy.net> wrote in message
news:7yn2h.220$7F3.73@newssvr14.news.prodigy.com...
> Google Radio Groups
>
> Please join My Google Radio groups and get them off to start.
>
> A Group about Shortwave Radio, amateur, GMRS, Goverment, Freq Charts, Band
> Plans, Radios, specs, Places to buy, Lic info. Repeaters, Etc.
>
> http://groups-beta.google.com/group/uhf-radio
>
> http://groups-beta.google.com/group/vhf-radio
>
> http://groups-beta.google.com/group/shortwave-radio
>
> http://groups-beta.google.com/group/gmrsradio
>
> http://members.aol.com/scott93727/radio.htm
>
>

From -4478785723443023098
X-Google-Thread: 108122,3c84edd91fea22ae,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe22.lga.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>

```
Newsgroups: rec.radio.amateur.equipment
Subject: MicroMatch
Message-ID: <9apkk216meiun7bipv68bnvim2ls4dufdt@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Thu, 02 Nov 2006 16:38:37 -0500
NNTP-Posting-Host: 70.161.108.207
X-Complaints-To: admin@cox.net
X-Trace: newsfe22.lga 1162503516 70.161.108.207 (Thu, 02 Nov 2006 14:38:36 MST)
NNTP-Posting-Date: Thu, 02 Nov 2006 14:38:36 MST
Organization: Cox
Xref: g2news2.google.com rec.radio.amateur.equipment:6831
```

I have an M C Jones MicroMatch (Microwave Devices) and the pot in the indicator unit (Model 262 w/ Model 261 Coupler Unit) was replaced with a 500 ohm potentiometer. What is the correct value to allow the scale to match the pointer, and is it straight or tampered? Would like to have a copy of the schematic, if anyone can e-mail it to me.
<k4wys@cox.net>

```
From -8810998108612079579
X-Google-Thread: 108122,ad61da8c5684ba53,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake R-4B Receiver  NICE!!
Message-ID: <28tkk297lc1s4qjbt467r9ruanega2bv05@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhkannfilpcpbbolnmidgocajcbbjichdnllfjdfbijhjogphkajfcobocpeihfnehoh
ahiliggidapnppejpkaddlfoepjfjnpmhlgcncbglccdkfeojlggmcfeegpadp
NNTP-Posting-Date: Thu, 02 Nov 2006 15:46:33 MST
Organization: Optimum Online
Date: Thu, 02 Nov 2006 17:45:27 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6832
```

FS: Drake R-4B Receiver NICE!!

> Looks and works Beautiful.

> Price: 275.00................... Now 195.00   Plus shipping
Will not be dead on arrival. Its a nice one!!!
ritchi50@optonline.net

From 3797134995612508132
X-Google-Thread: 108122,1da2b54aa2fc5c7c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.sti.net!news.sti.net.POSTED!
not-for-mail
NNTP-Posting-Date: Thu, 02 Nov 2006 16:46:50 -0600
From: nobody@nowhere.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 208H 'optional extras'...
Date: Thu, 02 Nov 2006 14:46:54 -0800
Message-ID: <c0tkk2pdv80stqi3kmlmdg67porl52vtht@4ax.com>
References: <pan.2006.11.02.01.00.49.365331@anunnakis@area51.org>
X-Newsreader: Forte Agent 2.0/32.646
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 41
NNTP-Posting-Host: 64.118.100.61
X-Trace: sv3-MbHOtTO6JpaqNEz+N33uVXLoFmwCdRweZXZKG0EMy+rCFzNzNec9KHOkquKak/
h0AN1q+HqFRcjBnbe!9vOheEYKThjiJ63q7lGjuBwtY4HfAXa3K5goAJb/
9tkxz9uDalwSAuwGmUWWtyE9KOAmzAvbR8cW!zW+MU+dhYb8l6Q==
X-Complaints-To: abuse@sti.net
X-DMCA-Complaints-To: abuse@sti.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6833

On Thu, 02 Nov 2006 12:01:11 +1100, Je�us
<127.0.0.1@wilddslcrap.net.au> wrote:

>Picked up a 208H yesterday. Nice rig all round, especially if space is an
>issue. I'm quite impressed with the receiver, also a healthy 50W on UHF
>doesn't hurt. You get a reasonable length separation cable for the
>controller, BUT the mic cable is only about a metre long and connects
>to the main body of the radio, so basically you cannot remote mount the
>main unit any real distance. Why bother supplying a decent length cable
>for head but not for the mic makes no sense to me.
>
>The other thing is no bracket supplied for the controller/remote head...
>Of course, you can buy these things as 'optional extras', and presumably
>pay right through the nose for them too.
>
>I tried velcro for mounting the head, however its just a tad too heavy
>to be reliable. Looking at the OEM bracket, it ain't much at all, and in

>fact uses velcro to secure to the head. If I had the appropriate tools
>(which I don't) it would be pretty easy to fabricate one. I'll keep my
>eyes open, something should come along that'll suit.
>
>Anyway, I was thinking why not use ordinary CAT5 or similar for the mic
>cable and/or the separation cable? Has anyone done this, and if so a
>wiring diagram?
>
>Failing any of the above, if you know of any aftermarket equivalents for
>any of the above, also for the data cable, please spill the beans... most
>appreciated :)

I'm using a standard Cat5 cable you'd use for your computer. Don't
use a crossover cable as it won't work and just might wipe something
out on the radio. I put in a 6 foot cable and it works just fine.
The only problem is that it slides all over the place as the cat5
cable is smooth.

One thing really nice with this radio is it has narrow fm and 500
memories. I just used the bracket it comes with and put velcro on the
bottom of it. Got it stuck to the front of my dashboard.

Its a great radio.

From -4283663384935348669
X-Google-Thread: 108122,95f05eced0c20130,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe10.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Collins 75S-3C Round Emblem...
Message-ID: <qntkk256p442f79cmna63s4g7a3po9nau2@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhkannfilpcpbbolnmodaadnomihibhpfmllfjdfbijhjogphkajfcobocpeihfnehoh
ahiliggidapnppejpkaddlfoepjfjnmncmkiffehmelolifjnlkijlapclbdfj
NNTP-Posting-Date: Thu, 02 Nov 2006 15:54:57 MST
Organization: Optimum Online
Date: Thu, 02 Nov 2006 17:53:50 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6834

FS: Collins 75S-3C Round Emblem...

> Looks and works very nice. Also has clean chassis.
> I have pictures. Make offer.
Please don't ask what I want for it, Just make offer.
Ready to sell right away. And the receiver will not be dead on
arrival.
ritchi50@optonline.net

From 7978119524137570374
X-Google-Thread: 114671,1da2b54aa2fc5c7c
X-Google-Thread: 108122,1da2b54aa2fc5c7c
X-Google-Thread: f64c6,1da2b54aa2fc5c7c
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII
Reply-To: "jonz" <yagotta@bejoking.com>
From: "jonz" <leunig@dunno.com>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur
References: <pan.2006.11.02.01.00.49.365331@anunnakis@area51.org>
Subject: Re: Icom 208H 'optional extras'...
Date: Fri, 3 Nov 2006 12:33:04 +1100
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
NNTP-Posting-Host: 60.240.5.46
X-Original-NNTP-Posting-Host: 60.240.5.46
Message-ID: <454a9c86@dnews.tpgi.com.au>
X-Trace: dnews.tpgi.com.au!tpg.com.au 1162517638 60.240.5.46 (3 Nov 2006 12:33:58
+1100)
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!solnet.ch!solnet.ch!nntp.gblx.net!nntp3.phx1!dnews.tpgi.com.au!
tpg.com.au!not-for-mail
Xref: g2news2.google.com aus.radio.amateur.misc:4950
rec.radio.amateur.equipment:6835 uk.radio.amateur:57369

"Je�us" <127.0.0.1@wilddslcrap.net.au> wrote in message
news:pan.2006.11.02.01.00.49.365331@anunnakis@area51.org
> Picked up a 208H yesterday. Nice rig all round, especially if space
> is an issue. I'm quite impressed with the receiver, also a healthy
> 50W on UHF doesn't hurt. You get a reasonable length separation cable
> for the controller, BUT the mic cable is only about a metre long and
> connects
> to the main body of the radio, so basically you cannot remote mount
> the main unit any real distance. Why bother supplying a decent length
> cable for head but not for the mic makes no sense to me.
>
> The other thing is no bracket supplied for the controller/remote
> head... Of course, you can buy these things as 'optional extras', and
> presumably pay right through the nose for them too.
>
> I tried velcro for mounting the head, however its just a tad too heavy

> to be reliable. Looking at the OEM bracket, it ain't much at all, and
> in fact uses velcro to secure to the head. If I had the appropriate
> tools (which I don't) it would be pretty easy to fabricate one. I'll
> keep my eyes open, something should come along that'll suit.
>
> Anyway, I was thinking why not use ordinary CAT5 or similar for the
> mic cable and/or the separation cable? Has anyone done this, and if
> so a wiring diagram?
>
> Failing any of the above, if you know of any aftermarket equivalents
> for any of the above, also for the data cable, please spill the
> beans... most appreciated :)

the fact the mike is not mounted on the control head seems to me be a
major design fault. after all, phillips, tait, etc. got it right all that
time ago...a retrograde step indeed.. just my two bobs worth...........j
(sorry no solutions :^))

From -8163616745138415082
X-Google-Thread: 108122,1e6ef18bd40cf8b9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h54g2000cwb.googlegroups.com!not-for-mail
From: "n4aeq" <tucker@conninc.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Alliance tenna rotor wiring
Date: 3 Nov 2006 07:44:18 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1162568658.792354.101870@h54g2000cwb.googlegroups.com>
NNTP-Posting-Host: 24.177.78.254
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162568664 12612 127.0.0.1 (3 Nov 2006 15:44:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Nov 2006 15:44:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 ncnwproxy01:3128 (squid/2.5.STABLE1)
Complaints-To: groups-abuse@google.com
Injection-Info: h54g2000cwb.googlegroups.com; posting-host=24.177.78.254;
   posting-account=OxP90AwAAADMku3DN_7kLIMyWO_79wJO
Xref: g2news2.google.com rec.radio.amateur.equipment:6837

Many years ago in the TV bussiness we would use a alliance tenna rotor
4 - wire on a 3 - wire
channel master control box. Now i have the same combination i need to
install on my 6 meter beam

however i fot got the wiring setup?
 Does any remember the proper wiring, i think it was combine 1&2 or 3&4
or maybe just dont use #4 but i cant remember the wiring now.

From 5072179032278066889
X-Google-Thread: 114671,1da2b54aa2fc5c7c
X-Google-Thread: 108122,1da2b54aa2fc5c7c
X-Google-Thread: f64c6,1da2b54aa2fc5c7c
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news2.euro.net!
62.253.162.218.MISMATCH!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!
news.highwinds-media.com!newspeer1-win.ntli.net!newsfe7-gui.ntli.net.POSTED!
53ab2750!not-for-mail
From: "Brian 2W0BDW" <notsaying@here.com>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur
References: <JNk2h.70264$pa.9596@newsfe2-gui.ntli.net>
<Kdl2h.22252$j4.11704@newsfe1-win.ntli.net>
<pan.2006.11.02.22.19.19.845276@anunnakis@area51.org>
Subject: Re: Icom 208H 'optional extras'...
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <gkK2h.117$GX2.27@newsfe7-gui.ntli.net>
Date: Fri, 03 Nov 2006 16:42:52 GMT
NNTP-Posting-Host: 82.6.115.199
X-Trace: newsfe7-gui.ntli.net 1162572172 82.6.115.199 (Fri, 03 Nov 2006 16:42:52
GMT)
NNTP-Posting-Date: Fri, 03 Nov 2006 16:42:52 GMT
Organization: NTL
Xref: g2news2.google.com aus.radio.amateur.misc:4988
rec.radio.amateur.equipment:6838 uk.radio.amateur:57399

>>
>> Sillybilly I missed out the important 'wiring diagram':
>>
>> use a test meter on ohms or a continuity tester to cheeck that:
>>
>> pin 1 (plug) goes to pin 1 (socket)
>> pin 2 (plug) goes to pin 2
>> (socket)....................................
>> ....)
>> pin 8 (plug) goes to pin 8 (socket)
>> This will give a 'straight through' extension.
>
> Thanks very much Brian, most appreciated. I'm assuming the above wiring
> is for the mic? it's good to see that it is all quite straightforward and

> obviously can handle pretty long lengths too.
>

Yes that's the mic lead. Got the tape measure out and measured the rough length of the extended mic lead, it's about 10 meters.

The 'head' on the 2800 only has 6 wires and I just 'snipped & extended' for that using the 'extra (unused)' wires as earth/ground.

From 5710642054846281216
X-Google-Thread: 114671,1da2b54aa2fc5c7c
X-Google-Thread: 108122,1da2b54aa2fc5c7c
X-Google-Thread: f64c6,1da2b54aa2fc5c7c
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!meganewsservers.com!
feeder2.on.meganewsservers.com!zen.net.uk!demorgan.zen.co.uk!
cockburn.zen.co.uk.POSTED!not-for-mail
From: "Robin" <me@here.com>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur
References: <pan.2006.11.02.01.00.49.365331@anunnakis@area51.org>
Subject: Re: Icom 208H 'optional extras'...
Date: Fri, 3 Nov 2006 21:09:17 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 14
Message-ID: <454bb00d$0$2440$db0fefd9@news.zen.co.uk>
Organization: Zen Internet
NNTP-Posting-Host: 217.155.205.177
X-Trace: 1162588173 cockburn.zen.co.uk 2440 217.155.205.177:2805
X-Complaints-To: abuse@zen.co.uk
Xref: g2news2.google.com aus.radio.amateur.misc:4989
rec.radio.amateur.equipment:6839 uk.radio.amateur:57420

"Je�us" <127.0.0.1@wilddslcrap.net.au> wrote in message
news:pan.2006.11.02.01.00.49.365331@anunnakis@area51.org...

> Picked up a 208H yesterday. Nice rig all round, especially if space is an
> issue. I'm quite impressed with the receiver, also a healthy 50W on UHF

2M of cat 5 and a back to back coupler work fine for one of my cars that has the 208e in it.
And heavy duty velcro mounts the head unit to the dasboard, and the hook strip sticks the radio body to the carpet.

Robin

From 3044664580011477045
X-Google-Thread: 114671,1da2b54aa2fc5c7c
X-Google-Thread: 108122,1da2b54aa2fc5c7c
X-Google-Thread: f64c6,1da2b54aa2fc5c7c
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
From: "Jason Reilly" <jazon.reillySTOP@optuznet.com.auJUNK>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur
References: <454a9c86@dnews.tpgi.com.au>
<pan.2006.11.03.06.59.55.92887@anunnakis@area51.org>
<eh9mk2d03ps0dn8s85p1mmgslvbevuvgsf@4ax.com>
Subject: Re: Icom 208H 'optional extras'...
Date: Sat, 4 Nov 2006 08:16:37 +1100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 79
Message-ID: <454bb1b4$0$29167$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 203.164.143.180
X-Trace: 1162588597 29167 203.164.143.180
Xref: g2news2.google.com aus.radio.amateur.misc:4990
rec.radio.amateur.equipment:6840 uk.radio.amateur:57421

I've done something similar with my 208H as well.
I've used flat telephone style cable about 1.5 metres long, no ferrites, and
a RJ45 back to back adaptor to connect the standard mike. Works fine,
though I'm told I have some buzz on TX if I have my vehicle headlights on -
not sure if it's alternator whine, or being induced through my unshielded
section of cable, have yet to investigate that.

--
To reply directly from this news group message,
please remove the STOP and JUNK and change
all 'z' to 's' in my email identity shown here.
"Nick B." <nickb333@gmail.com> wrote in message
news:eh9mk2d03ps0dn8s85p1mmgslvbevuvgsf@4ax.com...
> On Fri, 03 Nov 2006 18:00:06 +1100, Je�us
> <127.0.0.1@wilddslcrap.net.au> wrote:
>
>>On Fri, 03 Nov 2006 12:33:04 +1100, jonz proclaimed:
>>
>>> "Je�us" <127.0.0.1@wilddslcrap.net.au> wrote in message
>>> news:pan.2006.11.02.01.00.49.365331@anunnakis@area51.org

>>>> Picked up a 208H yesterday. Nice rig all round, especially if space
>>>> is an issue. I'm quite impressed with the receiver, also a healthy
>>>> 50W on UHF doesn't hurt. You get a reasonable length separation cable
>>>> for the controller, BUT the mic cable is only about a metre long and
>>>> connects
>>>> to the main body of the radio, so basically you cannot remote mount
>>>> the main unit any real distance. Why bother supplying a decent length
>>>> cable for head but not for the mic makes no sense to me.
>>>>
>>>> The other thing is no bracket supplied for the controller/remote
>>>> head... Of course, you can buy these things as 'optional extras', and
>>>> presumably pay right through the nose for them too.
>>>>
>>>> I tried velcro for mounting the head, however its just a tad too heavy
>>>> to be reliable. Looking at the OEM bracket, it ain't much at all, and
>>>> in fact uses velcro to secure to the head. If I had the appropriate
>>>> tools (which I don't) it would be pretty easy to fabricate one. I'll
>>>> keep my eyes open, something should come along that'll suit.
>>>>
>>>> Anyway, I was thinking why not use ordinary CAT5 or similar for the
>>>> mic cable and/or the separation cable? Has anyone done this, and if
>>>> so a wiring diagram?
>>>>
>>>> Failing any of the above, if you know of any aftermarket equivalents
>>>> for any of the above, also for the data cable, please spill the
>>>> beans... most appreciated :)
>>>
>>>   the fact the mike is not mounted on the control head seems to me be a
>>> major design fault. after all, phillips, tait, etc. got it right all
>>> that
>>> time ago...a retrograde step indeed.. just my two bobs
>>> worth...........j
>>> (sorry no solutions :^))
>>
>>In hindsight it could be a real benefit if installed in a vehicle, as you
>>could mount the head damn near anywhere due to it's small size and the
>>cable is very thin... * except* as mentioned, they do not supply a lengthy
>>cable for the mic, which is disappointing IMO. They probably couldn't
>>have the mic socket on the head due to lack of space... The Icom 2720's
>>mic connects to the head though. Now, if they could combine the best
>>points of these two radios into one, they'd really be onto something.
>
> I use a 2m cat-5 cable and a back-to-back coupler. Fitted a clip-on
> ferrite to the cable where it plugs into the body. To mount the front
> panel I use a piece of plastic electrial trunking which is U-shaped
> channel and mounted this on a convenient universal joint I just
> happened to have laying around. The front panel then slides into the
> channel sideways and is gripped securely.
>
> Tried the velcro method, lasted almost a day before I devised the
> above. Icom's MB-58 looks pathetic as it requires velcro to grip
> rather than sliding in securely. You would think they might have
> duplicated the front panel slide/lock facility.

> --
> Nick B.

From 8096971871245626767
X-Google-Thread: 114671,1da2b54aa2fc5c7c
X-Google-Thread: 108122,1da2b54aa2fc5c7c
X-Google-Thread: f64c6,1da2b54aa2fc5c7c
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 03 Nov 2006 17:22:41 -0600
Reply-To: <F1LBY>
From: <F1LBY>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur.equipment,uk.radio.amateur
References: <pan.2006.11.02.01.00.49.365331@anunnakis@area51.org>
Subject: Re: Icom 208H 'optional extras'...
Date: Fri, 3 Nov 2006 23:20:00 -0000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <toOdnRejX_jcUtbYnZ2dnUVZ8tudnZ2d@pipex.net>
Lines: 11
NNTP-Posting-Host: 81.6.233.13
X-Trace: sv3-kMfKkqCfQhiWKAHsvdrY/
ayvNoFqMgmMzSWvs63ccnosn3i34atFkNYGdTNjWe2/+HhnB0DBRnS70pu!
CgzldmHAIGkgYLFecxFXHIATGKqtVNKn6Rf5shNDpLSAkCVwGDmx1CRnIJlqGH8b2vjFynyfo5YX!
Is4Ew8ciOIk4XVJ9
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com aus.radio.amateur.misc:4992
rec.radio.amateur.equipment:6841 uk.radio.amateur:57427

> Anyway, I was thinking why not use ordinary CAT5 or similar for the mic
> cable and/or the separation cable? Has anyone done this, and if so a
> wiring diagram?

I dunno about that but I've extended my IC706 separation cable with STP
cable (CAT5 with shield) very successfully. Cable 10m long no problems.

73

From 1092335509066781420
X-Google-Thread: 108122,ba985c200c6550c3,start
X-Google-Thread: fc2a5,ba985c200c6550c3,start
X-Google-Thread: 107ada,ba985c200c6550c3,start
X-Google-Thread: 10bf43,ba985c200c6550c3,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Anyone written the FCC and told them to keep the code requirement?
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 6
Message-ID: <hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net>
Date: Sat, 04 Nov 2006 00:16:13 GMT
NNTP-Posting-Host: 4.254.231.121
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1162599373 4.254.231.121 (Fri, 03 Nov 2006 16:16:13 PST)
NNTP-Posting-Date: Fri, 03 Nov 2006 16:16:13 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:6842 rec.radio.amateur.homebrew:7657 rec.radio.amateur.misc:25466 rec.radio.amateur.policy:52822

If you have, Thanks.

73
de Slow Code

From -8987421302439303652
X-Google-Thread: 108122,8968b03343a3fb1d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS:Icom SP-20 Speaker.
Message-ID: <bvmnk29hpom3u7udtcos60isndc04dbim5@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

```
Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
adnpoonaeilogjoikannfilpcpbbolnmboaicpdhmpkabjcfllfjdfbijhjogphkajfcobocpeihfnehlj
fgfhblpipfahopejpkaddlfoepjfjndipidmbjncmlmgklollnekbclkhfkbie
NNTP-Posting-Date: Fri, 03 Nov 2006 17:18:18 MST
Organization: Optimum Online
Date: Fri, 03 Nov 2006 19:17:09 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6843

FS:Icom SP-20 Speaker.
  Matching speaker for the Icom IC-R9000, IC-781, IC-761, IC-775, etc.
Speaker has built-in switchable audio filters and can connect and
switch between 2 radios.  It is one of the best sounding factory
communications speakers made because of its large size and sealed
enclosure.  Unit works perfectly and is very clean
Price: 125.00   Shipped
ritchi50@optonline.net



From 4770151853612085453
X-Google-Thread: 108122,e6bc8f4a53c9fb28,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake MN-4
Message-ID: <bjnnk2d9k2tcp7nn4bcj7g2a2h5imhuh8g@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
adnpoonaeilogjoikannfilpcpbbolnmcnccfngbfkikajkgllfjdfbijhjogphkajfcobocpeihfnehlj
fgfhblpipfahopejpkaddlfoepjfjnfeafafneeebpcbfdglbbcfickjagekga
NNTP-Posting-Date: Fri, 03 Nov 2006 17:28:36 MST
Organization: Optimum Online
Date: Fri, 03 Nov 2006 19:27:28 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6844

FS: Drake MN-4
 Matching Network Antenna Tuner, rated at 300 watts
Works and looks fine.
Price 75.00
ritchi50@optonline.net
```

```
From 4624853078444745725
X-Google-Thread: 108122,ea37fd8a97ff3f93,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-
media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Electro Voice RE27 Studio Microphone
Message-ID: <jfonk21bou7b4da0lcd6n1fjlrlesd9h06@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiiekannfilpcpbbolnmgjihahmmabbdofhnllfjdfbijhjogphkajfcobocpeihfnehlj
fgfhblpipfahopejpkaddlfoepjfjnhdobjlbgdjoifophbcnegbbojhamihnb
NNTP-Posting-Date: Fri, 03 Nov 2006 17:43:41 MST
Organization: Optimum Online
Date: Fri, 03 Nov 2006 19:42:33 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6845

FS Electro Voice RE27 Studio Microphone
Works and looks GREAT!!!!!
You will have  quality sound on Hf.
Sound like a pro.
Make offer, ready to sell.
Comes with Microphone desk stand.
Non Smoker!!
ritchi50@optonline.net



From -7177091780925583620
X-Google-Thread: 108122,ba985c200c6550c3
X-Google-Thread: fc2a5,ba985c200c6550c3
X-Google-Thread: 107ada,ba985c200c6550c3
X-Google-Thread: 10bf43,ba985c200c6550c3
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
References: <hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net>
```

Subject: Re: Anyone written the FCC and told them to keep the code requirement?
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <ZxR2h.5257$lx6.424@tornado.texas.rr.com>
Date: Sat, 04 Nov 2006 00:55:21 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1162601721 67.10.92.242 (Fri, 03 Nov 2006 18:55:21 CST)
NNTP-Posting-Date: Fri, 03 Nov 2006 18:55:21 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6846 rec.radio.amateur.homebrew:7658 rec.radio.amateur.misc:25484 rec.radio.amateur.policy:52847

"Slow Code" <my.mail@no.spam> wrote in message news:hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net...
>
>
> If you have, Thanks.
>
> 73
> de Slow Code

Nah, all HF bands are for sale. Lord help the rest of the world after the FCC finishes their work. People like SC are the reason for this.

From 6414464849824134452
X-Google-Thread: 108122,57b9c3030fa6f88c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Yaesu FT-900 HF Mobile
Message-ID: <lutnk2lvkb7a981bhjbiafthh79pks42dv@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:

```
adnpoonaeilogjoikannfilpcpbbolnmefclgeblgmigdcahllfjdfbijhjogphkajfcobocpeihfnehlj
fgfhblpipfahopejpkaddlfoepjfjnijmhbbcgnanepolbbcnegbbojhamihnb
NNTP-Posting-Date: Fri, 03 Nov 2006 19:17:01 MST
Organization: Optimum Online
Date: Fri, 03 Nov 2006 21:15:54 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6847

FS: Yaesu FT-900 HF Mobile
Has built in antenna tuner.
Have remote cable/bracket/Power Cable/Microphone.
Works great!!
Price: 450.00
ritchi50@optonline.net


From 4756440293961461717
X-Google-Thread: 108122,849350ea1067b7ee,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Johnson Viking 500
Message-ID: <geunk217hijrib147rp5mv0bdrv0s9km7k@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
adnpoonaeilogjoikannfilpcpbbolnmhgbefhmdmcbioimallfjdfbijhjogphkajfcobocpeihfnehlj
fgfhblpipfahopejpkaddlfoepjfjnibfhccigdiimjogeglbbcfickjagekga
NNTP-Posting-Date: Fri, 03 Nov 2006 19:25:26 MST
Organization: Optimum Online
Date: Fri, 03 Nov 2006 21:24:20 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6848

WTB: Johnson Viking 500
Please state condition and price.
ritchi50@optonline.net


From 5025097523123732256
X-Google-Thread: 108122,f1e4c0b6e61de6b6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: FS: Yaesu ft-8900R 28/50/144/440 MHz
Message-ID: <9jvnk21lm9hv359mspbl7mhtv9d3al2bn1@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiiekannfilpcpbbolnmahiblajihfacemalllfjdfbijhjogphkajfcobocpeihfnehlj
fgfhblpipfahopejpkaddlfoepjfjnclijdhmhokaneamcbpincjkllopekodc
NNTP-Posting-Date: Fri, 03 Nov 2006 19:45:04 MST
Organization: Optimum Online
Date: Fri, 03 Nov 2006 21:43:58 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6849
```

FS: Yaesu ft-8900R 28/50/144/440 MHz
Works and looks fine.
Price: 325.00
ritchi50@optonline.net

```
From -3616892664914964310
X-Google-Thread: 108122,d4c342df316fd959,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Date: Sat, 04 Nov 2006 07:06:26 +0100
From: Fabian <mirar@la.firma>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Need TS-870S Service Manual (Urgent)
X-Priority: 1 (Highest)
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: 85.152.140.187
Message-ID: <454c2de8$1_2@filemon2.isp.telecable.es>
X-Trace: filemon2.isp.telecable.es 1162620392 85.152.140.187 (4 Nov 2006 07:06:32
+0100)
Organization: TeleCable, S.A.U.
Lines: 9
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
newsfeed.telecable.es!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:6850
```

In the last contest my 870 go to heaven of receivers, the station of
80mts. (1Kw) kill the rx when i work in 40mts., thanks and good DX!
--

Atentamente,

Fabi�n xatu(arroba)telecable.es

Gij�n, Principado de Asturias
Espa�

From -4331895760695046940
X-Google-Thread: 108122,d4c342df316fd959
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!news2.volia.net!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need TS-870S Service Manual (Urgent)
Date: Sat, 4 Nov 2006 09:49:10 +0100
Lines: 24
Message-ID: <4r32g5Fp44d4U1@individual.net>
References: <454c2de8$1_2@filemon2.isp.telecable.es>
X-Trace: individual.net UjqhFQU4vaIeJTvXvHu9TgCfnTKfMAaROy/sj3kWvEE0vaPoAB
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.equipment:6851

http://www.kb2ljj.com/

--
Met vriendelijke groeten,

Hans Pluijgers

callsign : PA3HGT
http://www.pa3hgt.nl

> In the last contest my 870 go to heaven of receivers, the
> station of 80mts. (1Kw) kill the rx when i work in
> 40mts., thanks and good DX! --
>
> Atentamente,
>
> Fabi�n xatu(arroba)telecable.es
> Gij�n, Principado de Asturias
> Espa�a

From 8952590732964495951
X-Google-Thread: 108122,ba985c200c6550c3
X-Google-Thread: fc2a5,ba985c200c6550c3

```
X-Google-Thread: 107ada,ba985c200c6550c3
X-Google-Thread: 10bf43,ba985c200c6550c3
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
Subject: Re: Anyone written the FCC and told them to keep the code requirement?
Date: Sat, 04 Nov 2006 14:05:46 -0500
Message-ID: <34ppk2hk8sudht712ap04fitgaa70gd8m1@4ax.com>
References: <hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
NNTP-Posting-Date: 04 Nov 2006 18:10:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6852
rec.radio.amateur.homebrew:7663 rec.radio.amateur.misc:25505
rec.radio.amateur.policy:52897

On Sat, 04 Nov 2006 00:16:13 GMT, Slow Code <my.mail@no.spam> wrote:

>
>
>If you have, Thanks.
>
>73
>de Slow Code
nope not here
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 3097625204056212963
X-Google-Thread: 108122,ba985c200c6550c3
X-Google-Thread: fc2a5,ba985c200c6550c3
X-Google-Thread: 107ada,ba985c200c6550c3
X-Google-Thread: 10bf43,ba985c200c6550c3
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.web-ster.com!news.web-
ster.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Nov 2006 13:30:59 -0600
Date: Sat, 04 Nov 2006 11:31:10 -0800
```

From: Tim Wescott <tim@seemywebsite.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.6) Gecko/20040113
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Anyone written the FCC and told them to keep the code requirement?
References: <hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net>
In-Reply-To: <hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Z9qdnZxJW9nud9HYnZ2dnUVZ_s2dnZ2d@web-ster.com>
Lines: 20
NNTP-Posting-Host: 65.182.233.156
X-Trace: sv3-
K8jFhCAIEAgenoNqLA8CZHNiSucTQLVkZmnDEG7uT8Ja6uVvwgNkinVf9Q6vuXXmvQgpnfCxFY11NGE!
nx+P4xjPjZWZIKBYS0J94ySzgC6+8yGpMxJ+LFZXO+ZU2Y6Dv/4+z4NmEwx7sMETv7WcVxe7qzAv!
DzEG2bFDaMsGFqz3
X-Complaints-To: abuse@web-ster.com
X-DMCA-Complaints-To: abuse@web-ster.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6853
rec.radio.amateur.homebrew:7666 rec.radio.amateur.misc:25515
rec.radio.amateur.policy:52910

Slow Code wrote:

> If you have, Thanks.
>
> 73
> de Slow Code

Don't forget the requirement to understand the construction, theory and maintenance of spark transmitters.

--

Tim Wescott
Wescott Design Services
http://www.wescottdesign.com

Posting from Google? See http://cfaj.freeshell.org/google/

"Applied Control Theory for Embedded Systems" came out in April.
See details at http://www.wescottdesign.com/actfes/actfes.html

From -431326281297917832
X-Google-Thread: 108122,ba985c200c6550c3

X-Google-Thread: fc2a5,ba985c200c6550c3
X-Google-Thread: 107ada,ba985c200c6550c3
X-Google-Thread: 10bf43,ba985c200c6550c3
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny08.POSTED!832b2370!not-for-mail
From: "James Philopena" <jphilopena@verizon.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
References: <hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net>
Subject: Re: Anyone written the FCC and told them to keep the code requirement?
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <AL73h.1005$sw6.573@trndny08>
Date: Sat, 04 Nov 2006 21:38:40 GMT
NNTP-Posting-Host: 72.64.2.61
X-Complaints-To: abuse@verizon.net
X-Trace: trndny08 1162676320 72.64.2.61 (Sat, 04 Nov 2006 16:38:40 EST)
NNTP-Posting-Date: Sat, 04 Nov 2006 16:38:40 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:6854
rec.radio.amateur.homebrew:7668 rec.radio.amateur.misc:25521
rec.radio.amateur.policy:52922

"Slow Code" <my.mail@no.spam> wrote in message
news:hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net...
>
>
> If you have, Thanks.
>
> 73
> de Slow Code

No, but I asked them to start testing on PSK, RTTY, APRS, Computer Interface
Logic and Theory and a half dozen other digital points. Does that help?

KB1NXE

From -929118123185931965
X-Google-Thread: 108228,d95361d9e8a0e5,start
X-Google-Thread: 108122,d95361d9e8a0e5,start
X-Google-Thread: 1109af,d95361d9e8a0e5,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!out04a.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!news.highwinds-
media.com!hw-filter.phx!newsfe10.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:MOTOROLA HT1250 ls Radio-UHF-403-470 MHZ-DTMF-SP/MIC-EXTRAS-Ham !
Lines: 47
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0012_01C7001F.00E285A0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <EC83h.107019$Ry4.39706@newsfe10.phx>
Date: Sat, 4 Nov 2006 14:39:16 -0800
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe10.phx 1162679844 68.104.78.240 (Sat, 04 Nov 2006 15:37:24 MST)
NNTP-Posting-Date: Sat, 04 Nov 2006 15:37:24 MST
Organization: Cox
Xref: g2news2.google.com alt.ham-radio.marketplace:1496
rec.radio.amateur.equipment:6855 rec.radio.swap:9476

This is a multi-part message in MIME format.

------=_NextPart_000_0012_01C7001F.00E285A0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

MOTOROLA HT1250 ls Radio-UHF-DTMF-SP/MIC-EXTRAS-Ham !

This is a very clean and good operating radio...puts out a very clean =
and strong signal and has a excellent receiver section...


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250046252177&=
ssPageName=3DSTRK:MESE:IT&ih=3D015=20



------=_NextPart_000_0012_01C7001F.00E285A0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
```

```
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>MOTOROLA HT1250 ls Radio-UHF-DTMF-SP/MIC-EXTRAS-Ham !</DIV>
<DIV>&nbsp;</DIV>
<DIV>This is a very clean and good operating radio...puts out a very =
clean and=20
strong signal and has a excellent receiver section...</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250046252177&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250046252177&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<DIV>&nbsp;</DIV></BODY></HTML>

------=_NextPart_000_0012_01C7001F.00E285A0--
```

```
From -7267620263227356523
X-Google-Thread: 108122,ba985c200c6550c3
X-Google-Thread: fc2a5,ba985c200c6550c3
X-Google-Thread: 107ada,ba985c200c6550c3
X-Google-Thread: 10bf43,ba985c200c6550c3
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
Subject: Re: Anyone written the FCC and told them to keep the code requirement?
From: Slow Code <my.mail@no.spam>
References: <hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net>
<AL73h.1005$sw6.573@trndny08>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 23
Message-ID: <jO93h.2460$0r.1804@newsread1.news.pas.earthlink.net>
Date: Sat, 04 Nov 2006 23:58:07 GMT
NNTP-Posting-Host: 4.254.225.249
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1162684687 4.254.225.249 (Sat, 04 Nov
2006 15:58:07 PST)
NNTP-Posting-Date: Sat, 04 Nov 2006 15:58:07 PST
Xref: g2news2.google.com rec.radio.amateur.equipment:6856
rec.radio.amateur.homebrew:7674 rec.radio.amateur.misc:25524
rec.radio.amateur.policy:52935
```

```
"James Philopena" <jphilopena@verizon.net> wrote in
news:AL73h.1005$sw6.573@trndny08:

>
> "Slow Code" <my.mail@no.spam> wrote in message
> news:hZQ2h.1647$L6.319@newsread3.news.pas.earthlink.net...
>>
>>
>> If you have, Thanks.
>>
>> 73
>> de Slow Code
>
> No, but I asked them to start testing on PSK, RTTY, APRS, Computer
> Interface Logic and Theory and a half dozen other digital points.  Does
> that help?
>
> KB1NXE


I like it.

SC
```

```
From -7125370859579139721
X-Google-Thread: 108122,d4c342df316fd959
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Nov 2006 19:29:07 -0600
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need TS-870S Service Manual (Urgent)
Date: Sat, 04 Nov 2006 18:30:10 -0700
Message-ID: <vkfqk2h5ejvbutp7opig4665h6187ob105@4ax.com>
References: <454c2de8$1_2@filemon2.isp.telecable.es>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
NNTP-Posting-Host: 4.240.240.79
X-Trace:
sv3-7p3O+pswSrzvUs8u6xIsYgAhp3yfGPJsYy4vAGp9xm05vPLD+DNzSAqdseZlAiFd1tIVFXFxkYSMAB
G!ecmwCffu6PX/LhjlBXUCCs/mTpPHNZCsdMhY9jVuNm9ARUX0u4xvamH4WHESAtyE7AvHKjbDxYmN!WK/
FTo8wH3KwQ+lRy7L8fVT26fvz
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6857

On Sat, 04 Nov 2006 07:06:26 +0100, Fabian <mirar@la.firma> wrote:

>In the last contest my 870 go to heaven of receivers, the station of
>80mts. (1Kw) kill the rx when i work in 40mts., thanks and good DX!

There are two pilot lamps used for fuses next to the input connectors
on the receiver board. With luck you have burned one of these out.

Try as I might for now I can't find the P/Ns.

From 4290805244550896641
X-Google-Thread: 108122,8d8821e2781f56ca,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-mail
From: "m3fvs" <hotchin_2k@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT707 fault, help
Date: 4 Nov 2006 19:02:19 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1162695739.370642.82130@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 82.21.166.142
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162695743 10621 127.0.0.1 (5 Nov 2006 03:02:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Nov 2006 03:02:23 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.7) Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=82.21.166.142;
   posting-account=095jow0AAADN949sRfbpbFjKtjAMLQxL
Xref: g2news2.google.com rec.radio.amateur.equipment:6858

hi all,
i was wondering if any body could shed abit of light on a fault i have
with my FT707,
when switched on the display shows random numbers it reads, 9x.xxx.xx
(x been a constantly changing number)
there is no rx or tx on any band, yet there is audio, and the MARK does
work, but only on 20m
there is no xtals in the set.
it's a 707 with WARC bands
i have no clue as to what it could be...any help would be great.

73 to all
Mart, M3FVS

From -5675474405213040946
X-Google-Thread: 108122,8d8821e2781f56ca
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!d89a2db8!
not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <1162695739.370642.82130@k70g2000cwa.googlegroups.com>
Subject: Re: Yaesu FT707 fault, help
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <evd3h.273$244.207@trnddc01>
Date: Sun, 05 Nov 2006 04:10:50 GMT
NNTP-Posting-Host: 63.19.174.186
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1162699850 63.19.174.186 (Sat, 04 Nov 2006 23:10:50 EST)
NNTP-Posting-Date: Sat, 04 Nov 2006 23:10:50 EST
Xref: g2news2.google.com rec.radio.amateur.equipment:6859

"m3fvs" <hotchin_2k@hotmail.com> wrote in message
news:1162695739.370642.82130@k70g2000cwa.googlegroups.com...
> hi all,
> i was wondering if any body could shed abit of light on a fault i have
> with my FT707,
> when switched on the display shows random numbers it reads, 9x.xxx.xx
> (x been a constantly changing number)
> there is no rx or tx on any band, yet there is audio, and the MARK does
> work, but only on 20m
> there is no xtals in the set.
> it's a 707 with WARC bands
> i have no clue as to what it could be...any help would be great.
>
> 73 to all
> Mart, M3FVS
>
Hi Mart,

Do you mean the heterodyne oscillator crystals are missing? If this is the
case then there will be no conversion and thus no freq readout and no RX or

TX.
Do you have a schematic and a scope?

Dale W4OP

```
From 8904571865597595731
X-Google-Thread: 108122,d4c342df316fd959
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Date: Sun, 05 Nov 2006 10:31:08 +0100
From: Fabian <mirar@la.firma>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need TS-870S Service Manual (Urgent)
X-Priority: 1 (Highest)
References: <454c2de8$1_2@filemon2.isp.telecable.es>
<vkfqk2h5ejvbutp7opig4665h6187ob105@4ax.com>
In-Reply-To: <vkfqk2h5ejvbutp7opig4665h6187ob105@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: 85.152.140.187
Message-ID: <454daf65$1_4@filemon2.isp.telecable.es>
X-Trace: filemon2.isp.telecable.es 1162719077 85.152.140.187 (5 Nov 2006 10:31:17
+0100)
Organization: TeleCable, S.A.U.
Lines: 21
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeed.telecable.es!
not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:6860
```

Thank you for the information, exactly the PL1 (or PL2, I do not
remember it) was burned but it is not quite, for the present time I
continue looking for the breakdown, thanks!

Atentamente,

Fabi�n xatu(arroba)telecable.es
Gij�n, Principado de Asturias
Espa�a

Wes Stewart escribi�:
> On Sat, 04 Nov 2006 07:06:26 +0100, Fabian <mirar@la.firma> wrote:
>
>> In the last contest my 870 go to heaven of receivers, the station of
>> 80mts. (1Kw) kill the rx when i work in 40mts., thanks and good DX!
>
> There are two pilot lamps used for fuses next to the input connectors
> on the receiver board. With luck you have burned one of these out.
>

```
> Try as I might for now I can't find the P/Ns.
>



From 3557773479410215675
X-Google-Thread: 108122,2d7fec3d0952f00,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Date: Sun, 05 Nov 2006 11:10:27 +0100
From: Fabian <mirar@la.firma>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: About TS-870 Crash
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: 85.152.140.187
Message-ID: <454db89c$1_2@filemon2.isp.telecable.es>
X-Trace: filemon2.isp.telecable.es 1162721436 85.152.140.187 (5 Nov 2006 11:10:36
+0100)
Organization: TeleCable, S.A.U.
Lines: 13
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed.telecable.es!
not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:6861

The message is brings 870 over of my, has not lost the receipt
completely, a great fall of signs is obvious and in 20mts. The
sensibility is of 1microV, that is great with regard to them 0,2microV
that deberia to have.
If it happens to someone a little, please to send message, from already
thank you.
--

Atentamente,

Fabi�n xatu(arroba)telecable.es
Gij�n, Principado de Asturias
Espa�

From 2932533489428477783
X-Google-Thread: 10bf43,294138cf6b405425,start
X-Google-Thread: fcc6e,294138cf6b405425,start
X-Google-Thread: 108122,294138cf6b405425,start
X-Google-Thread: fa029,294138cf6b405425,start
X-Google-Thread: fb049,294138cf6b405425,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.aprs>
Newsgroups:
```

```
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: my dad
Date: Sun, 5 Nov 2006 11:22:17 -0500
Organization: punce
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 29
Message-ID: <454e02d2$0$12128$88260bb3@free.teranews.com>
NNTP-Posting-Date: 05 Nov 2006 15:27:14 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:53003
rec.radio.amateur.antenna:21056 rec.radio.amateur.equipment:6862
rec.radio.scanner:7586 alt.ham-radio.vhf-uhf:3029

 http://home.mchsi.com/~north1959/professorblumpkin.jpg







>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>



 with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?
 http://www.marksspamblog.blogspot.com/



--
Posted via a free Usenet account from http://www.teranews.com
```

```
From -5671497136946087684
X-Google-Thread: 10bf43,294138cf6b405425
X-Google-Thread: fcc6e,294138cf6b405425
X-Google-Thread: 108122,294138cf6b405425
X-Google-Thread: fa029,294138cf6b405425
X-Google-Thread: fb049,294138cf6b405425
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: id theft remains a crime
Date: Sun, 05 Nov 2006 11:25:11 -0500
Message-ID: <824sk29r29a6ffd2pggc9sbpej6f2hcj2v@4ax.com>
References: <454e02d2$0$12128$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Date: 05 Nov 2006 15:30:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:53006
rec.radio.amateur.antenna:21057 rec.radio.amateur.equipment:6863
rec.radio.scanner:7587 alt.ham-radio.vhf-uhf:3030

On Sun, 5 Nov 2006 11:22:17 -0500, <Mark@kb9rqz.aprs> wrote:

>
and with such stupid shit too
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 6768594644247963097
X-Google-Thread: fc8b1,21f6b546b87938ef,start
X-Google-Thread: 108122,21f6b546b87938ef,start
X-Google-Thread: 1131b0,21f6b546b87938ef,start
X-Google-Attributes: gidfc8b1,gid108122,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups:
```

```
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair
Subject: Heathkit IM-2400 battery voltage?
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <5yT_g.16803$vJ2.11458@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 70.143.34.188
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1161561345 ST000 70.143.34.188 (Sun, 22 Oct
2006 19:55:45 EDT)
NNTP-Posting-Date: Sun, 22 Oct 2006 19:55:45 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP[MBXSEFRUARSH]]RKB_UDAZZ\DPCPDLXUNNH\KMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Sun, 22 Oct 2006 23:55:45 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6091
rec.radio.amateur.equipment:6711 sci.electronics.repair:33677
```

I got one of these handheld counters and there's no battery pack so I need to know the voltage. Any help appreiacted.
tnx

--

73
Hank WD5JFR

```
From -7233575663802670567
X-Google-Thread: 10bf43,2077c88b37074173
X-Google-Thread: 107ada,9f5d196caf35f851
X-Google-Thread: 108122,2077c88b37074173
X-Google-Attributes: gid10bf43,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
128.230.129.106!news.maxwell.syr.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.ars
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: id theft is a crime
Date: Sun, 22 Oct 2006 19:58:58 -0400
Message-ID: <md1oj2tipgaoc50cihrintfk13s4vsign0@4ax.com>
References: <4538dc91$0$19742$88260bb3@free.teranews.com>
```

```
<dtrhj2hb6hhm25up6t43npa34pblnh6c88@4ax.com>
<ep7jj2p97phad9f0bcu0k3o6ui8rkb9bu3@4ax.com>
<754gi2tmfvlort85pqfj3j4ufigl9htkj9@4ax.com>
<L6y_g.10635$Lv3.8687@newsread1.news.pas.earthlink.net>
<qcklj2pb6klj63v17p8ui54d4k12s6q9gs@4ax.com>
<JiT_g.11059$Lv3.7782@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Date: 22 Oct 2006 23:03:57 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:51289
rec.radio.amateur.misc:24655 rec.radio.amateur.equipment:6712

On Sun, 22 Oct 2006 23:39:21 GMT, Slow Code <my.mail@no.spam> wrote:

>'Mark in the Dark' wrote in
id theft reamins a crime sc
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -5256776975262345824
X-Google-Thread: fc8b1,21f6b546b87938ef
X-Google-Thread: 108122,21f6b546b87938ef
X-Google-Thread: 1131b0,21f6b546b87938ef
X-Google-Attributes: gidfc8b1,gid108122,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps82.POSTED!53ab2750!not-for-mail
From: "Homer J Simpson" <nobody@nowhere.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair
References: <5yT_g.16803$vJ2.11458@newssvr12.news.prodigy.com>
Subject: Re: Heathkit IM-2400 battery voltage?
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <EXU_g.31745$H7.29426@edtnps82>
Date: Mon, 23 Oct 2006 01:31:16 GMT
NNTP-Posting-Host: 209.121.230.219
X-Trace: edtnps82 1161567076 209.121.230.219 (Sun, 22 Oct 2006 19:31:16 MDT)
NNTP-Posting-Date: Sun, 22 Oct 2006 19:31:16 MDT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6092
rec.radio.amateur.equipment:6713 sci.electronics.repair:33683
```

"Henry Kolesnik" <kolesnik@sbcglobal.net> wrote in message
news:5yT_g.16803$vJ2.11458@newssvr12.news.prodigy.com...

> I got one of these handheld counters and there's no battery pack so I need
> to know the voltage. Any help appreiacted.

There are a bunch of Heath lists, most on there are hams.

http://www.heathkit-museum.com/

From -5090849576265969180
X-Google-Thread: fc8b1,21f6b546b87938ef
X-Google-Thread: 108122,21f6b546b87938ef
X-Google-Thread: 1131b0,21f6b546b87938ef
X-Google-Attributes: gidfc8b1,gid108122,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews8.bellsouth.net.POSTED!1c8a30eb!not-for-mail
From: John <look@sig.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair
Subject: Re: Heathkit IM-2400 battery voltage?
Message-ID: <uu6oj2dfqea7vfacajl1ck4l8hsl4b9s02@4ax.com>
References: <5yT_g.16803$vJ2.11458@newssvr12.news.prodigy.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbolkilkclpgbjmolcgpdplclekgoedenbjbm
fckbadfpceigggenhcokpdiifknenhbpdbhojbajjenkiihamkeoplfblhlfficlgclbkmcgnepegb
NNTP-Posting-Date: Sun, 22 Oct 2006 21:33:59 EDT

Organization: BellSouth Internet Group
Date: Sun, 22 Oct 2006 21:34:08 -0400
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6093
rec.radio.amateur.equipment:6714 sci.electronics.repair:33684

On Sun, 22 Oct 2006 23:55:45 GMT, "Henry Kolesnik"
<kolesnik@sbcglobal.net> wrote:

> I got one of these handheld counters and there's no battery pack so I need
>to know the voltage. Any help appreiacted.
>tnx

There's a manual for the IM2410 counter here:
http://bama.edebris.com/manuals/heath/im2410/

It's probably worth a look.

John

From -3202595126044918411
X-Google-Thread: 108122,4c6ebe22f9e04fa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 22 Oct 2006 21:09:25 -0500
Subject: FA: 5 Books: ELECTRONICS, DSP, Digital Logic, Systems, Communications...
Date: Sun, 22 Oct 2006 22:09:32 -0400
From: Martin <martin@mosojwaox.com>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <2210200622093293028%martin@mosojwaox.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
GoK6MIYFalZGYIChKiwimYiD97vrmXWSVSFzkTWKdwF0HXHDqjdlbl9pMWLQXpI3Oawi3sUYjZQTeQf!
2v0leT3pvAsotMtojWayf+esbgM+YGqG3hFnfN3LoIYaJGGG/IeD4VEEgXr77d06C4E6/sVTTZG6!I/
rZ6Y4wIzDm2sNXErFeVgQ=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6715

```
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320040961102


From 3491183460336936319
X-Google-Thread: fc8b1,21f6b546b87938ef
X-Google-Thread: 108122,21f6b546b87938ef
X-Google-Thread: 1131b0,21f6b546b87938ef
X-Google-Attributes: gidfc8b1,gid108122,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <453C280B.AF79755F@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair
Subject: Re: Heathkit IM-2400 battery voltage?
References: <5yT_g.16803$vJ2.11458@newssvr12.news.prodigy.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
Date: Mon, 23 Oct 2006 02:27:15 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1161570435 24.110.34.161 (Sun, 22 Oct
2006 19:27:15 PDT)
NNTP-Posting-Date: Sun, 22 Oct 2006 19:27:15 PDT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6094
rec.radio.amateur.equipment:6716 sci.electronics.repair:33687

Henry Kolesnik wrote:
>
>  I got one of these handheld counters and there's no battery pack so I need
> to know the voltage.  Any help appreciated.
> tnx


   Why not ask Heathkit?  They are still in business.
http://www.heathkit.com/



--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida
```

From -5618054629621384791
X-Google-Thread: fc8b1,21f6b546b87938ef
X-Google-Thread: 108122,21f6b546b87938ef
X-Google-Thread: 1131b0,21f6b546b87938ef
X-Google-Attributes: gidfc8b1,gid108122,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr12.news.prodigy.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair
References: <5yT_g.16803$vJ2.11458@newssvr12.news.prodigy.com>
<453C280B.AF79755F@earthlink.net>
Subject: Re: Heathkit IM-2400 battery voltage?
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <cL3%g.16923$vJ2.15604@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 70.143.34.188
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1161611336 ST000 70.143.34.188 (Mon, 23 Oct 2006 09:48:56 EDT)
NNTP-Posting-Date: Mon, 23 Oct 2006 09:48:56 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDON^ZUKRTD[@JIROFXBWR\HPCTL@XT^OBPLAH[\RYIBK^RAQFW[ML\THRCKV^GGZKJMGV^^_JSCFF
UA_QXFGVSCYRPILH]TRVKC^LSN@DX_HCAFX__@J\DAJBVMY\ZWZCZLPA^MVH_P@\
\EOMW\YSXHG__IJQY_@M[A[[AXQ_XDSTAR]\PG]NVAQUVM
Date: Mon, 23 Oct 2006 13:48:56 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6097
rec.radio.amateur.equipment:6717 sci.electronics.repair:33697

I failed to mention that the IM-2400 is a handheld about the size of a large
TV remote. It looks like it may have had nicads in it they're missing and
all I see a red wire with no connector dangling, no ground but I think I
could use the grond of the PC board. So I need to know the voltage. BTW
the BAMA site has a desk model, AC powered.
tnx

--

73
Hank WD5JFR
"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:453C280B.AF79755F@earthlink.net...
> Henry Kolesnik wrote:

```
>>
>>  I got one of these handheld counters and there's no battery pack so I
>> need
>> to know the voltage.  Any help appreciated.
>> tnx
>
>
>   Why not ask Heathkit?  They are still in business.
> http://www.heathkit.com/
>
>
> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida
```

```
From -8445536183516310848
X-Google-Thread: fc8b1,21f6b546b87938ef
X-Google-Thread: 108122,21f6b546b87938ef
X-Google-Thread: 1131b0,21f6b546b87938ef
X-Google-Attributes: gidfc8b1,gid108122,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
pd7cy3no!pd7cy4no!shaw.ca!pd7urf1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 24.76.109.5
From: Ken Weitzel <kweitzel@shaw.ca>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair
Subject: Re: Heathkit IM-2400 battery voltage?
References: <5yT_g.16803$vJ2.11458@newssvr12.news.prodigy.com>
<453C280B.AF79755F@earthlink.net>
<cL3%g.16923$vJ2.15604@newssvr12.news.prodigy.com>
In-Reply-To: <cL3%g.16923$vJ2.15604@newssvr12.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 27
Message-ID: <ad4%g.185142$R63.13436@pd7urf1no>
Date: Mon, 23 Oct 2006 14:20:54 GMT
NNTP-Posting-Host: 24.66.94.143
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf1no 1161613254 24.66.94.143 (Mon, 23 Oct 2006 08:20:54 MDT)
NNTP-Posting-Date: Mon, 23 Oct 2006 08:20:54 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6098
```

rec.radio.amateur.equipment:6718 sci.electronics.repair:33698

Henry Kolesnik wrote:
> I failed to mention that the IM-2400 is a handheld about the size of a large
> TV remote. It looks like it may have had nicads in it they're missing and
> all I see a red wire with no connector dangling, no ground but I think I
> could use the grond of the PC board. So I need to know the voltage. BTW
> the BAMA site has a desk model, AC powered.

Hi...

I have one... the back panel says:

(quote)

EIA-416

Five - 1.2v ni-cad batteries
(heath co. part no. 418-32)

CAUTION: operational hazard may exist
if any battery charger other than the model
specified in the manual is used

(end quote)

Take care.

Ken

From -3205371076005672851
X-Google-Thread: fc8b1,21f6b546b87938ef
X-Google-Thread: 108122,21f6b546b87938ef
X-Google-Thread: 1131b0,21f6b546b87938ef
X-Google-Attributes: gidfc8b1,gid108122,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.com.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair
References: <5yT_g.16803$vJ2.11458@newssvr12.news.prodigy.com>
<453C280B.AF79755F@earthlink.net>
<cL3%g.16923$vJ2.15604@newssvr12.news.prodigy.com>
<ad4%g.185142$R63.13436@pd7urf1no>
Subject: Re: Heathkit IM-2400 battery voltage?
Lines: 40
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869

X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <Bm4%g.16929$vJ2.8298@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 70.143.34.188
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1161613857 ST000 70.143.34.188 (Mon, 23 Oct 2006 10:30:57 EDT)
NNTP-Posting-Date: Mon, 23 Oct 2006 10:30:57 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDCAOXTMBP\Y]RHV_STDFZ\@@FXLM@TDOCQDJ@_@FNXACNVOPCWZBL[\YUWHANGYZEFNHFZPNLOBUNSS^_LGEVWEY\PHO@YJSSWBBDT\PFD^ESBTXVCCMTD]JCJLE_IJMFNRY]SWE[S[D_CNB__ZK^VGVCKHA[S@COB^[@ZQSDFQ\BPMS@DZVUKQTJL
Date: Mon, 23 Oct 2006 14:30:57 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6099 rec.radio.amateur.equipment:6719 sci.electronics.repair:33702

Ken
Boy am I embarassed becasue mine says the same thing, you can sure see a lot by just looking. I thought I'd be than that at 65, woe is me.
Thanks

--

73
Hank WD5JFR
"Ken Weitzel" <kweitzel@shaw.ca> wrote in message
news:ad4%g.185142$R63.13436@pd7urf1no...
> Henry Kolesnik wrote:
>> I failed to mention that the IM-2400 is a handheld about the size of a
>> large TV remote. It looks like it may have had nicads in it they're
>> missing and all I see a red wire with no connector dangling, no ground
>> but I think I could use the grond of the PC board. So I need to know the
>> voltage. BTW the BAMA site has a desk model, AC powered.
>
> Hi...
>
> I have one... the back panel says:
>
> (quote)
>
> EIA-416
>
> Five - 1.2v ni-cad batteries
> (heath co. part no. 418-32)
>
> CAUTION: operational hazard may exist
> if any battery charger other than the model
> specified in the manual is used
>
> (end quote)
>
> Take care.

>
> Ken

From 5640187211314754794
X-Google-Thread: fc8b1,21f6b546b87938ef
X-Google-Thread: 108122,21f6b546b87938ef
X-Google-Thread: 1131b0,21f6b546b87938ef
X-Google-Attributes: gidfc8b1,gid108122,gid1131b0,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
pd7cy3no!pd7cy4no!shaw.ca!pd7urf3no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 24.76.109.5
From: Ken Weitzel <kweitzel@shaw.ca>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.repair
Subject: Re: Heathkit IM-2400 battery voltage?
References: <5yT_g.16803$vJ2.11458@newssvr12.news.prodigy.com>
<453C280B.AF79755F@earthlink.net>
<cL3%g.16923$vJ2.15604@newssvr12.news.prodigy.com>
<ad4%g.185142$R63.13436@pd7urf1no>
<Bm4%g.16929$vJ2.8298@newssvr12.news.prodigy.com>
In-Reply-To: <Bm4%g.16929$vJ2.8298@newssvr12.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <Hq4%g.179899$5R2.136448@pd7urf3no>
Date: Mon, 23 Oct 2006 14:35:19 GMT
NNTP-Posting-Host: 24.66.94.143
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7urf3no 1161614119 24.66.94.143 (Mon, 23 Oct 2006 08:35:19 MDT)
NNTP-Posting-Date: Mon, 23 Oct 2006 08:35:19 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6100
rec.radio.amateur.equipment:6720 sci.electronics.repair:33703

Henry Kolesnik wrote:
> Ken
> Boy am I embarassed becasue mine says the same thing, you can sure see a lot
> by just looking. I thought I'd be than that at 65, woe is me.
> Thanks
>

Hi Henry...

Not a problem, I'll trade you ages :)

Should have mentioned that the manual will still be around here, so if you'd like any pages scanned just let me know.

Take care.

Ken

From -5315104791989083085
X-Google-Thread: 108122,4542edddd103d1d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p02!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Estate Items
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <yv5%g.4869$uJ2.1103@dukeread03>
Date: Mon, 23 Oct 2006 10:48:57 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1161618526 68.109.223.91 (Mon, 23 Oct 2006 11:48:46 EDT)
NNTP-Posting-Date: Mon, 23 Oct 2006 11:48:46 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6721

I have for sale the fellowing items from a couple of estates. Most of the
gear has been stored for several years.
1. A nice TenTec Century/21 Transceiver. It works and looks almost new, but
the PTO is stuck. Needs PTO servicing. It has been stored for over 10
years.
Receivers well; Full output. Price$145.
2. Atlas 210X nice shape, works. Price $175.
3. Azden PCS-4000 2 Meter Mobile Transceiver with mobile mount. Looks great,
but needs work. No transmit. Has mic and manual. Price $40.
4. Tokyo Hy-Power UHF HT, Model HT-7, Micro FM Transceiver/Micro 7. NIB, but
no batteries. $35.
5. Pace Communicator MX, 2 Meter HT with manual, needs batteries, $25.
6. Cushcraft Ringo Ranger II, Model ARX-2B, 2 Meter base antenna, $40.
All item plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake

Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 6355972776191248238
X-Google-Thread: 108122,a4a7d14cb83f1ec7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.cgocable.net!read2.cgocable.net.POSTED!53ab2750!not-for-mail
From: Ian Smith <rapids@cogeco.ca>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: kenwood 450s problem.
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <ZAc%g.122052$ED.7349@read2.cgocable.net>
Date: Mon, 23 Oct 2006 19:52:29 -0400
NNTP-Posting-Host: 24.57.139.74
X-Complaints-To: news@cogeco.net
X-Trace: read2.cgocable.net 1161647545 24.57.139.74 (Mon, 23 Oct 2006 19:52:25 EDT)
NNTP-Posting-Date: Mon, 23 Oct 2006 19:52:25 EDT
Organization: Cogeco Cable
Xref: g2news2.google.com rec.radio.amateur.equipment:6722

Hi,

I seem to have a problem with my kenwood 450s. I can transmit fine on 80 and 40 meters but when I go to 20 nothing plus there is what sounds like an echo when I try to transmit. The antenna tuner says the SWR is Ok. I use a G5RV antenna and thought that this may be the problem. I have just installed an "ENDFEDZ" 20m end fed dipole, the results are the same. I can receive OK and there is no difference on the transmit side when I bypass the tuner and connect either antenna directly to the radio. Any help / suggestions would be gratefully appreciated.

Many thanks
Ian
VA3SOF

From -6306228386078491593
X-Google-Thread: 108122,4a35b2e9d84c45d1,start
X-Google-Thread: f7653,4a35b2e9d84c45d1,start
X-Google-Attributes: gid108122,gidf7653,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!usenet.INS.cwru.edu!nntp.service.ohio-state.edu!not-for-mail
From: Netsock <nospam@home.com>

Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: WTB: VHF GE Master II or the like
Date: Tue, 24 Oct 2006 08:30:51 -0400
Organization: None
Lines: 6
Message-ID: <0f1sj2lpv2bf14pt6ag5acrctppbudjmg4@4ax.com>
Reply-To: nospam@home.com
NNTP-Posting-Host: 128.146.248.129
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: charm.magnus.acs.ohio-state.edu 1161693086 24102 128.146.248.129 (24 Oct 2006 12:31:26 GMT)
X-Complaints-To: abuse@osu.edu
NNTP-Posting-Date: 24 Oct 2006 12:31:26 GMT
X-Newsreader: Forte Agent 3.1/32.783
Xref: g2news2.google.com rec.radio.amateur.equipment:6723 rec.radio.amateur.digital.misc:426

Wanted;

A 100 watt (minimum) VHF rig to be used with Packet, specifically,
APRS on 144.39 MHz, so rock bound (crystal control) okay.

TIA

From -7753618529946308032
X-Google-Thread: 108122,a4a7d14cb83f1ec7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!sn-xt-sjc-05!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Charlie" <charlie@ease.biz>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: kenwood 450s problem.
Date: Tue, 24 Oct 2006 08:25:41 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12js533cm2dk263@corp.supernews.com>
References: <ZAc%g.122052$ED.7349@read2.cgocable.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news2.google.com rec.radio.amateur.equipment:6724

How does it perform into a known good dummy load? If you don't have one get
one ..about $39 from MFJ

1. http://www.mfjenterprises.com/products.php?prodid=MFJ-260C

--

73,Charlie-AD5TH
www.ad5th.com

"Ian Smith" <rapids@cogeco.ca> wrote in message
news:ZAc%g.122052$ED.7349@read2.cgocable.net...
> Hi,
>   I seem to have a problem with my kenwood 450s. I can transmit fine on 80
> and 40 meters but when I go to 20 nothing plus there is what sounds like
> an echo when I try to transmit. The antenna tuner says the SWR is Ok.
> I use a G5RV antenna and thought that this may be the problem. I have just
> installed an "ENDFEDZ" 20m end fed dipole, the results are the same. I can
> receive OK and there is no difference on the transmit side when I bypass
> the tuner and connect either antenna directly to the radio. Any help /
> suggestions would be gratefully appreciated.
>
> Many thanks
> Ian
> VA3SOF

From -8937623361504886523
X-Google-Thread: 108122,4a35b2e9d84c45d1
X-Google-Thread: f7653,4a35b2e9d84c45d1
X-Google-Attributes: gid108122,gidf7653,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-05!sn-post-ams-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: Bill Cromwell <w_r_cromwell@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.digital.misc
Subject: Re: WTB: VHF GE Master II or the like
Date: Tue, 24 Oct 2006 12:04:18 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <pan.2006.10.24.16.04.17.970122@yahoo.com>
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table (Debian GNU/Linux))
References: <0f1sj2lpv2bf14pt6ag5acrctppbudjmg4@4ax.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.equipment:6725
rec.radio.amateur.digital.misc:427

On Tue, 24 Oct 2006 08:30:51 -0400, Netsock wrote:

> Wanted;
>
> A 100 watt (minimum) VHF rig to be used with Packet, specifically,
> APRS on 144.39 MHz, so rock bound (crystal control) okay.
>
> TIA

I tried to send you info about the ones I have available in your private email. I guess we both know you are unreachable. If you act the same way with your home address I will have no place to send a radio anyway.

Bill

```
From 6994098099149687439
X-Google-Thread: 108122,bc75362c4b80b08d,start
X-Google-Thread: fc8b1,bc75362c4b80b08d,start
X-Google-Thread: 106d41,bc75362c4b80b08d,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: NOS Kenwood Spinner Knob & 6 Riser feet!
Date: 24 Oct 2006 20:05:54 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1161745554.154390.56170@f16g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1161745559 10621 127.0.0.1 (25 Oct 2006 03:05:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Oct 2006 03:05:59 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6726
rec.radio.amateur.boatanchors:6109 rec.radio.cb:21229
```

NEW KENWOOD SPINNER MAIN TUNING KNOB>TS-830S OTHERS TOO
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220039648257&ssPageName=STRK:MESE:IT&ih=012

SIX(6) ORIGINAL KENWOOD EXTENSION FEET w/SCREWS TS-830S
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220039648246&ssPageName=STRK:MESE:IT&ih=012

```
From 3919860763916549817
X-Google-Thread: 108122,99d33328ece43efe,start
X-Google-Thread: fc8b1,99d33328ece43efe,start
X-Google-Thread: 106d41,99d33328ece43efe,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>TWO(2) 6146W RF AUDIO TUBES, RAYTHEON SYLVANIA>Neat-O:)
Date: 24 Oct 2006 20:07:02 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1161745622.419612.97030@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1161745628 10853 127.0.0.1 (25 Oct 2006 03:07:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Oct 2006 03:07:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6727
rec.radio.amateur.boatanchors:6110 rec.radio.cb:21230

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220039648237&ssPageName=STRK:MESE:IT&ih=012



From 8630193869246698835
X-Google-Thread: 108122,6b480840c52be2dd,start
X-Google-Thread: fc8b1,6b480840c52be2dd,start
X-Google-Thread: 106d41,6b480840c52be2dd,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: HEATHKIT POWER SUPPLY CABLE ASSEMBLY SB-102 to HP-23B:)
Date: 24 Oct 2006 20:07:52 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1161745672.768665.99180@m73g2000cwd.googlegroups.com>
```

```
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1161745678 22698 127.0.0.1 (25 Oct 2006 03:07:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Oct 2006 03:07:58 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5); .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6728
rec.radio.amateur.boatanchors:6111 rec.radio.cb:21231

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220039648269&ssPageName=STRK:MESE:IT&ih=012



From -8301892871160185163
X-Google-Thread: fcc6e,fc208ffcdde24715
X-Google-Thread: 10bf43,fc208ffcdde24715
X-Google-Thread: 1109af,fc208ffcdde24715
X-Google-Thread: 107ada,474412015b4c5b20,start
X-Google-Thread: 108122,474412015b4c5b20,start
X-Google-Attributes: gidfcc6e,gid10bf43,gid1109af,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.aprs>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateu
r.misc,rec.radio.amateur.equipment
References: <0qc%g.14037$Y24.149@newsread4.news.pas.earthlink.net>
<12jqmaqekbr7d00@corp.supernews.com> <3dcd1b6f.91075257@alvillage.net>
<453df019$0$1355$834e42db@reader.greatnowhere.com>
<3dc1b6e.910f5257@alvillage.net> <pan.2006.10.24.23.21.27.535273@pan>
Subject: Re: Would you join the ARRL if you found out they were only interested in
selling memberships?
Date: Wed, 25 Oct 2006 15:33:49 -0400
Organization: punce
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 40
Message-ID: <453faf32$0$19697$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 Oct 2006 18:38:43 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:20487
rec.radio.amateur.policy:51545 rec.radio.swap:8942 rec.radio.amateur.misc:24786
rec.radio.amateur.equipment:6729


"Robert Grizzard" <grizzarv@mindspring.com.invalid> wrote in message
news:pan.2006.10.24.23.21.27.535273@pan...
> On Tue, 24 Oct 2006 11:34:28 +0000, in rec.radio.swap, "Chris"
> <daviesc838@nospam.alvillage.net> wrote:
>
>> [snip]
>>
>> You can't even quote a Usenet post properly.  Work on that before
>> attempting more complicated things like critiquing SC.
>
> PKB.
>
> You aren't buying, selling, or swapping anything, so why are you
> crossposting to rec.radio.swap?  More to the point, why aren't you setting
> a followup to your crosspost?
>
> There's a plethora of information on Usenet at http://snipurl.com/10buv
> Search for the word "crossposting".
>
> HTH
>
> HAND
>
> F'up set.
>
> --
> To design the perfect anti-Unix, write an operating system that thinks
> it knows what you're doing better than you do. And then adds injury to
> insult by getting it wrong.
> - esr
>
with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/





--
Posted via a free Usenet account from http://www.teranews.com



From -2308958757570064035
X-Google-Thread: fcc6e,fc208ffcdde24715
X-Google-Thread: 10bf43,fc208ffcdde24715
X-Google-Thread: 1109af,fc208ffcdde24715
X-Google-Thread: 107ada,474412015b4c5b20
```

X-Google-Thread: 108122,474412015b4c5b20
X-Google-Attributes: gidfcc6e,gid10bf43,gid1109af,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.swap,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Would you join the ARRL if you found out they were only interested in selling memberships?
Date: Wed, 25 Oct 2006 16:37:48 -0400
Message-ID: <goivj2dbrdm93qslgs7g070embao6056gv@4ax.com>
References: <0qc%g.14037$Y24.149@newsread4.news.pas.earthlink.net>
<12jqmaqekbr7d00@corp.supernews.com> <3dcd1b6f.91075257@alvillage.net>
<453df019$0$1355$834e42db@reader.greatnowhere.com>
<3dc1b6e.910f5257@alvillage.net> <pan.2006.10.24.23.21.27.535273@pan>
<453faf32$0$19697$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Date: 25 Oct 2006 19:42:38 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:20493
rec.radio.amateur.policy:51558 rec.radio.swap:8945 rec.radio.amateur.misc:24794
rec.radio.amateur.equipment:6730

On Wed, 25 Oct 2006 15:33:49 -0400, <Mark@kb9rqz.aprs> wrote:

>

id theft remains a crime
> http://www.marksspamblog.blogspot.com/
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 3331416202020040122
X-Google-Thread: fb049,addc48979e1454c1,start
X-Google-Thread: 1031e1,addc48979e1454c1,start
X-Google-Thread: 108122,addc48979e1454c1,start
X-Google-Thread: 1109af,addc48979e1454c1,start
X-Google-Attributes: gidfb049,gid1031e1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-

uhf,pa.forsale,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola Radius M216 VHF 25 watt $1.00
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <UCR%g.4380$PA3.3857@trndny04>
Date: Wed, 25 Oct 2006 22:33:24 GMT
NNTP-Posting-Host: 68.238.209.248
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1161815604 68.238.209.248 (Wed, 25 Oct 2006 18:33:24 EDT)
NNTP-Posting-Date: Wed, 25 Oct 2006 18:33:24 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:3014 pa.forsale:724 rec.radio.amateur.equipment:6731 rec.radio.swap:8960

Still up for auction 25 watt M216 VHF.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=330043047797

From -5753130238030157536
X-Google-Thread: 108122,571ecdd692a54206,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "Mike" <mikey2tan@yahoo.com.sg>
Newsgroups: rec.radio.amateur.equipment
Subject: Mobile phone batteries - new uses ?
Date: 25 Oct 2006 18:56:27 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1161827787.603287.125280@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 220.255.155.186
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1161827793 7881 127.0.0.1 (26 Oct 2006 01:56:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 26 Oct 2006 01:56:33 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686 (x86_64); en-US; rv:1.7.10) Gecko/20050715 Firefox/1.0.6 SUSE/1.0.6-16,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=220.255.155.186;
   posting-account=WIAeCwwAAABp_dH1BsOJ1dQBzMOWONwW
Xref: g2news2.google.com rec.radio.amateur.equipment:6732

Hi,

Like everyone, I've a number of mobile phones which I don't use anymore. I was thinking I could make use of those rechargeable batteries which are going to waste. How do I put them to use in small devices like portable radios, toys. They seem to have 3 battery terminals -
how do I wire them ? What is the voltage ? How to ensure that I don't blow my radio up ?

Thanks in advance for your inputs,

Mike Tan

```
From -1818315542626605683
X-Google-Thread: 108122,e3d7040c98abe0f4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "hananl" <hlepek@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Am transmitter - vlsi project
Date: 26 Oct 2006 09:54:15 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1161881655.361761.51420@m7g2000cwm.googlegroups.com>
NNTP-Posting-Host: 128.139.226.37
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1161881660 8736 127.0.0.1 (26 Oct 2006 16:54:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 26 Oct 2006 16:54:20 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 proxy7 (NetCache NetApp/6.0.3P2)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=128.139.226.37;
   posting-account=GqmHGA0AAAAZje6AHEG7lkkf6XmMKoGZ
Xref: g2news2.google.com rec.radio.amateur.equipment:6733
```

Hi,
I need to design an AM transmitter as a vlsi project (it needs to be located on smart dust later on).
Does anyone have any good suggestions were to start from? I am familiar with vlsi, but don't really know how to implement such a big idea, into a vlsi simulation and circuit design.
Looking on trasmitter's schemes didn't help, 'cause that's all resistors, amplifiers and capacitors. How do I translate it into vlsi design?
Be very glad to any guidance...
Thanks.

From -1751260874153318689
X-Google-Thread: 108122,df797247ea18c825,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom 775DSP HF Transceiver
Message-ID: <3a02k25ees8f10b1mjtre7ahrlp90705bs@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
adnpoonaeilogjoikannfilpcpbbolnmolipfaajeijocikillfjdfbijhjogphkajfcobocpeihfnehhj
kagobaddmdgfhhmbifoooaedibpgndfnghfojbfjgijfiebcnegbbojhamihnb
NNTP-Posting-Date: Thu, 26 Oct 2006 11:42:21 MST
Organization: Optimum Online
Date: Thu, 26 Oct 2006 14:41:15 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6734

FS: Icom 775DSP HF Transceiver
Works and looks VERY NICE!!!!
THis was top of the line Icom still a very nice rig to own
and be proud of. Bright display and no scratches or dents. Non
smoker.   Price: 1550.00
Does 200Watts!!!!
For more information, go to:
http://www.icomamerica.com/support/archive/amateur/ic-775dsp.asp

If interested contact me: ritchi50@optonline.net

From 7281037003179644261
X-Google-Thread: 108122,fa29300d2c54b439,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!out04b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-
out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "A.E. 352" <ae352@iwon.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New Icom X-3
Lines: 3

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <pbb0h.11106$0L1.98@twister.nyroc.rr.com>
Date: Thu, 26 Oct 2006 23:05:57 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1161903957 24.58.195.67 (Thu, 26 Oct 2006 19:05:57
EDT)
NNTP-Posting-Date: Thu, 26 Oct 2006 19:05:57 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:6735
```

http://www.rigpix.com/icom/x3.htm

```
From -8528205377872453812
X-Google-Thread: 108122,571ecdd692a54206
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe11.lga.POSTED!53ab2750!not-for-mail
Message-ID: <45414966.10003@hotmail.com>
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile phone batteries - new uses ?
References: <1161827787.603287.125280@m73g2000cwd.googlegroups.com>
In-Reply-To: <1161827787.603287.125280@m73g2000cwd.googlegroups.com>
Content-Type: multipart/alternative;
 boundary="------------030207000704010100020108"
Lines: 82
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddckannfilpcpbbolnmoflnedghknfbhpjgoappennnphngbbbkmpbnbehnhjpflnlmfk
facdoafdcemiomlmdmaimhepnlddlffeehmamijfaeodhmhgindeflifgphkdl
NNTP-Posting-Date: Thu, 26 Oct 2006 16:47:53 MST
Date: Thu, 26 Oct 2006 19:48:54 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6736
```

This is a multi-part message in MIME format.

```
--------------030207000704010100020108
```

```
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Hi Mike, be very careful with that type of battery.
Charging them should be done with the charger meant for them (one
battery at a time).
Lithium Ion batteries are great but If charged wrongly they can explode!!!!
With a lot of force!!!!
Good luck and 73

JJ
==========================================

Mike wrote:

> Hi,
>
>Like everyone, I've a number of mobile phones which I don't use
>anymore.  I was thinking I could make use of those rechargeable
>batteries which are going to waste.   How do I put them to use in small
>devices like portable radios, toys.   They seem to have 3 battery
>terminals -
>how do I wire them  ?  What is the voltage ?  How to ensure that I
>don't blow my radio up ?
>
>Thanks in advance for your inputs,
>
>Mike Tan
>
>
>



--------------030207000704010100020108
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Hi Mike, be very careful with that type of battery.&nbsp; <br>
Charging them should be done with the charger meant for them (one
battery at a time).<br>
Lithium Ion batteries are great but If charged wrongly they can <b>explode!!!!<br>
With a lot of force!!!!</b><br>
Good luck and 73<b><br>
</b><br>
JJ<br>
==========================================<br>
```

```
<br>
Mike wrote:<br>
<br>
<blockquote
 cite="mid1161827787.603287.125280@m73g2000cwd.googlegroups.com"
 type="cite">
  <pre wrap=""> Hi,

Like everyone, I've a number of mobile phones which I don't use
anymore.  I was thinking I could make use of those rechargeable
batteries which are going to waste.   How do I put them to use in small
devices like portable radios, toys.   They seem to have 3 battery
terminals -
how do I wire them  ?  What is the voltage ?  How to ensure that I
don't blow my radio up ?

Thanks in advance for your inputs,

Mike Tan

  </pre>
</blockquote>
<br>
</body>
</html>

--------------030207000704010100020108--


From 1676381233340786049
X-Google-Thread: 108122,fa87f73cc3529380,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!
newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr14.news.prodigy.com.POSTED!93e560a6!not-for-
mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Fresno, CA GMRS Repeater
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <TBg0h.3602$T_1.1179@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 68.126.153.42
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1161926131 ST000 68.126.153.42 (Fri, 27 Oct
2006 01:15:31 EDT)
NNTP-Posting-Date: Fri, 27 Oct 2006 01:15:31 EDT
Organization: SBC http://yahoo.sbc.com
```

X-UserInfo1:
[[OUS_[DABSAW_US\X^DM^\BZJ]T@FLNLBWLOOAFEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Fri, 27 Oct 2006 05:15:31 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6737

Fresno, CA GMRS Repeater

http://www.wqbq405.org/

RX: 462.725 TX: 467.725

From -6637377027173953273
X-Google-Thread: 108228,6546fa42c752a76a,start
X-Google-Thread: 108122,6546fa42c752a76a,start
X-Google-Thread: 1109af,6546fa42c752a76a,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
out02a.usenetserver.com!news.usenetserver.com!in02.usenetserver.com!
news.usenetserver.com!in03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!
news.highwinds-media.com!hw-filter.phx!newsfe10.phx.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:MOTOROLA UHF HT1250 ls-Radio-403-470MHz-Ham-Real Nice !
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
    boundary="----=_NextPart_000_0008_01C6F9C3.C82C4040"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <R6t0h.115$Ry4.50@newsfe10.phx>
Date: Fri, 27 Oct 2006 12:31:09 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: admin@cox.net
X-Trace: newsfe10.phx 1161977393 68.104.78.240 (Fri, 27 Oct 2006 12:29:53 MST)
NNTP-Posting-Date: Fri, 27 Oct 2006 12:29:53 MST
Organization: Cox
Xref: g2news2.google.com alt.ham-radio.marketplace:1486
rec.radio.amateur.equipment:6738 rec.radio.swap:9061

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6F9C3.C82C4040
Content-Type: text/plain;
    charset="iso-8859-1"

```
Content-Transfer-Encoding: quoted-printable

FA:MOTOROLA UHF HT1250 ls-Radio-403-470MHz-Ham-Real Nice !=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250043639416&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C6F9C3.C82C4040
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:MOTOROLA UHF HT1250 ls-Radio-403-470MHz-Ham-Real Nice ! </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250043639416&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250043639416&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C6F9C3.C82C4040--




From -7766668957909223380
X-Google-Thread: 108122,fb9f84f374b06395,start
X-Google-Thread: 107ada,fb9f84f374b06395,start
X-Google-Thread: 10bf43,fb9f84f374b06395,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: If you had to learn morse code for a ham license would you stay on CB?
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 8
Message-ID: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
Date: Sat, 28 Oct 2006 00:30:35 GMT
NNTP-Posting-Host: 4.227.154.108
X-Complaints-To: abuse@earthlink.net
```

```
X-Trace: newsread2.news.pas.earthlink.net 1161995435 4.227.154.108 (Fri, 27 Oct
2006 17:30:35 PDT)
NNTP-Posting-Date: Fri, 27 Oct 2006 17:30:35 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6740
rec.radio.amateur.misc:24907 rec.radio.amateur.policy:51838
```

5wpm ain't really learning it. I can fart 5 wpm.

Lets kick the requirement up there to between 13 and 20 wpm for all classes. And no-codes that haven't passed it after a year get booted which will help clean up the repeaters.

SC

```
From 2218155127074420683
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 27 Oct 2006 19:37:25 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
Subject: Re: If you had to learn morse code for a ham license would you stay on
CB?
Date: Fri, 27 Oct 2006 20:37:06 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <SoydnZLEi4zYO9_YnZ2dnUVZ_qudnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 68.61.216.97
X-Trace: sv3-bN5ublZqaDQ0KKo4UAdOcLQSIVUOf21BD0SUz3rAtIw3xJgO8zemjkxZPOefpGC/
y9e8UTyCnDyrdsE!
Q3X9iZei9ycdI7+txd6JCSDrPOXJjAxiaHrPayLhYThb+Q+lW5K0eDA8xjAGidBl8WGzlq67UT9x!/
K1vU3teps1OAZc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6741
rec.radio.amateur.misc:24917 rec.radio.amateur.policy:51855
```

"Slow Code" <my.mail@no.spam> wrote in message
news:Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net...
>
> 5wpm ain't really learning it. I can fart 5 wpm.
>
> Lets kick the requirement up there to between 13 and 20 wpm for all
> classes. And no-codes that haven't passed it after a year get booted which
> will help clean up the repeaters.
>
> SC

No significant repeater problems here.

Dee, N8UZE

```
From 4062725473689122631
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: slow code craps some more
Date: Fri, 27 Oct 2006 23:05:52 -0400
Message-ID: <p7i5k2lv6779bs89od0sonh9g5scqc9lfo@4ax.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Date: 28 Oct 2006 02:10:43 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6742
rec.radio.amateur.misc:24932 rec.radio.amateur.policy:51881
```

On Sat, 28 Oct 2006 00:30:35 GMT, Slow Code <my.mail@no.spam> wrote:

>
>5wpm ain't really learning it. I can fart 5 wpm.
>
>Lets kick the requirement up there to between 13 and 20 wpm for all
>classes. And no-codes that haven't passed it after a year get booted which
>will help clean up the repeaters.

no repeater problems here
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -9063030652058628098
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-
mail
From: k8vf_mark@centurytel.net
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: If you had to learn morse code for a ham license would you stay on
CB?
Date: 27 Oct 2006 21:58:15 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1162011495.648000.21730@f16g2000cwb.googlegroups.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 207.118.248.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1162011501 17632 127.0.0.1 (28 Oct 2006 04:58:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Oct 2006 04:58:21 +0000 (UTC)
In-Reply-To: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp
5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=207.118.248.35;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news2.google.com rec.radio.amateur.equipment:6743
rec.radio.amateur.misc:24942 rec.radio.amateur.policy:51897
```

Slow Code wrote:
> 5wpm ain't really learning it. I can fart 5 wpm.
>
> Lets kick the requirement up there to between 13 and 20 wpm for all
> classes. And no-codes that haven't passed it after a year get booted which
> will help clean up the repeaters.
>
> SC

Ok, I am a traditionalist, sorry.

5wpm should not be an impediment to anyone with normal faculties and normal physical dexterity.
I could do 5 wpm at 7 or 8 and I did not know a ham operator...my dad taught me after he came home from Army as Radio op. Never used it for 15 or so years.

At 25 I took a novice class (finally) and was doing over 20wpm in 2-3 weeks.

For anything above the entry license, a code increase would be warranted to operate in the best cw bands, maybe.

When I took my General, Advanced, and Extra I had to do it at the FCC office and took and sent code from the Director, Detroit office. Talk about nervous!
I dont think you can compare the V.E.C. experience (as good a job as they do) with that for excitement and stress.
When you came out of the MCNamara Bldg in Detroit, you knew you had taken a test. You knew you had earned your ticket!

No, I would not stay on C.B.......as good a service as it is, it cannot compare with the people of Ham Radio.

From -1861385982860782900
X-Google-Thread: 108122,c9c8fa415b21ea05,start
X-Google-Thread: 1062f2,c9c8fa415b21ea05,start
X-Google-Attributes: gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 06:46:41 -0500
Subject: FA: 1-Day-Left: 5 Books: ELECTRONICS, DSP, Digital Logic, Systems, Communications...
Date: Sat, 28 Oct 2006 07:46:50 -0400
From: Don <don@sjopopasdf.com>
Newsgroups: rec.radio.amateur.equipment,misc.industry.electronics.marketplace
Message-ID: <2810200607465068311%don@sjopopasdf.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
iqCdb73onAyU1Bvm2LiXQX+WvUhcJWVcdZcF65LW5qbUUyluzc6HUqRXiA3MZu+33VjE7lMZeS+8nV!
gLnKlBqu3aPovZj7409pYjpT1Es+urfsgDTXXTUoyK8+JFbUp6T0Pv6TAZ/8AbTwoASrxP22GyuV!
0WR6tWsy8En3lcINLozf

```
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6744
misc.industry.electronics.marketplace:684


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320040961102


From 8859763506206224106
X-Google-Thread: 10dafd,994a7285a0c99287
X-Google-Thread: 108122,994a7285a0c99287
X-Google-Thread: 1062f2,994a7285a0c99287
X-Google-Attributes: gid10dafd,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 06:47:22 -0500
Subject: FA: 1-Day-Left: CISCO AIR-ANT58G28SDA-N AIRONET 5.8 GHZ 28dbi DISH
ANTENNA
Date: Sat, 28 Oct 2006 07:47:32 -0400
From: Don <don@sjopopasdf.com>
Newsgroups:
alt.marketplace.online.ebay,rec.radio.amateur.equipment,misc.industry.electronics.
marketplace
Message-ID: <281020060747329327%don@sjopopasdf.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-Y2KXAZ25L4+uuJhxLPtZ7CIKOm83hg/V+s7dNEZ3F4bey32bSeWbe5j/
w9wqgtjCgrTQc07DnZCoGYR!LDQH2fdYBTvR+rNYaMUoVzmXd/
s+iukzFai038ahCgA5r+zcXEEQUtj105O/KPFNUepMWNlTAAWe!VP8t164wU217ZCyzmZeU
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.marketplace.online.ebay:24411
rec.radio.amateur.equipment:6745 misc.industry.electronics.marketplace:685


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320041036223
```

```
From 4354607223686792213
X-Google-Thread: 108122,a73419f84af5619d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.mv.net!not-for-mail
From: "C. J. Clegg" <reply.in.group@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Importing Tokyo HyPower HF Amps to USA
Date: Sat, 28 Oct 2006 08:59:23 -0400
Organization: MV Communications, Inc.
Lines: 16
Message-ID: <pan.2006.10.28.12.59.21.216939@nospam.no>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
X-Trace: pyrite.mv.net 1162040363 31585 207.22.49.17 (28 Oct 2006 12:59:23 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 28 Oct 2006 12:59:23 +0000 (UTC)
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Xref: g2news2.google.com rec.radio.amateur.equipment:6746
```

I have finally had enough of waiting forever for the FCC to get rid of their kill-a-fly-with-a-sledgehammer approach to HF amp regulation, so that I can get an amp for legal use with my FT-817.

Have any of you had any problems getting a Tokyo Hy-Power QRP amplifier past the border watchdogs and into the USA?

I try to be law-abiding but I'm tired of the FCC's inability to enforce the rules against the few, so they penalize everybody. I'd just like to get a reasonable power level out of the FT-817, for times when 5W isn't enough, and for legal use on legal ham bands with my legal Extra-class license.

Thanks...

```
From 712378921941707452
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 10:17:08 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Sat, 28 Oct 2006 10:17:58 -0500
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <eaadnQ1Zl4fp6d7YnZ2dnUVZ_q2dnZ2d@comcast.com>
Lines: 51
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-Eg37Afkg9uKiPRHnDBpN7VsgLXEy7w5VbEK6hiQ06MXqGOjOl9+moxyfQqNh/4M4/
d2qqzU6cfz0X8q!fP5DxXzjcx+QeWWew7VrGFBlWhoJ5m3ckB97CIjxchYv39fC9HFeS0l0Hah/
ZK6IrPZere2VPbWm!Nub8GfaCxAoxwWkJ+zA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6747

"C. J. Clegg" <reply.in.group@nospam.no> wrote in message
news:pan.2006.10.28.12.59.21.216939@nospam.no...
>
> I have finally had enough of waiting forever for the FCC to get rid of
> their kill-a-fly-with-a-sledgehammer approach to HF amp regulation, so
> that I can get an amp for legal use with my FT-817.
>
> Have any of you had any problems getting a Tokyo Hy-Power QRP amplifier
> past the border watchdogs and into the USA?
>
> I try to be law-abiding but I'm tired of the FCC's inability to enforce
> the rules against the few, so they penalize everybody. I'd just like to
> get a reasonable power level out of the FT-817, for times when 5W isn't
> enough, and for legal use on legal ham bands with my legal Extra-class
> license.
>
> Thanks...
>

The big issue is that unless you have the technical skills for repair (Extra
Class amateur and the GROL no longer have that meaning) -- you have to send
the Tokyo-HyPower ampfliers back to Japan for repair / service.
I have seen at least 5 units over past 2 years that the poor OM, complains
he does not have the $$ to send it back to Japan for repair --
so he begs me for a few $$ to take it or repair it or scrap it for parts so
he can then buy an MFJ or something else -- he can fix himself for get fixed
in USA.

Comments have been made by Tokyo HyPower earlier this year that they will
have a US distributor in near future.
FCC's recent Report and Order (R&O) in WT Docket 04-140 seems to move in
this same direction (HF amp regulation relaxation) -
BUT not for "dirty" RF amplifiers (such as the RM Italy products and Palomar
clones on eBay).

BTW, the HF Projects group has been building 50 watt "shoes" for the QRP transceivers for a few years --
and now has the HF SuperPacker Pro 100W Amplifier 7x5.5x3 inch, 3 lb footprint
http://groups.yahoo.com/group/hfprojects/

Why don;t you "get on the US build band wagon" of building your own amplifier (with your fellow US amateurs in a group) --
then you can actually repair that amplifier -- when you have a problem --
and save some $$$ and time
serial number 2 was just finished by a builder on October 2nd.
http://www.hfprojects.com/hfprojects/

gb

From -5729044708036459500
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 10:20:13 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Sat, 28 Oct 2006 10:21:04 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <0YOdnUHbJuiw6N7YnZ2dnUVZ_oqdnZ2d@comcast.com>
Lines: 39
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-O0je/AA6EQ2XhFrmPo+X/7JiMEfQp7mZMeWSH2JsAT+hWIEOPMdHjXLQpwy8bcCe4/4pKkV3usKt/Wn!KnqPtdXdYyqTVqQLaeHV1mE1NXmOzDPTw3wEA2+qItU7DEQR0XWKUGYeZ6fBWDtw1p+F4HVx94Tp!SdEIyeWj9cH+XSeGc5U=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6748

"C. J. Clegg" <reply.in.group@nospam.no> wrote in message

news:pan.2006.10.28.12.59.21.216939@nospam.no...
>
> I have finally had enough of waiting forever for the FCC to get rid of
> their kill-a-fly-with-a-sledgehammer approach to HF amp regulation, so
> that I can get an amp for legal use with my FT-817.
>
> Have any of you had any problems getting a Tokyo Hy-Power QRP amplifier
> past the border watchdogs and into the USA?
>
> I try to be law-abiding but I'm tired of the FCC's inability to enforce
> the rules against the few, so they penalize everybody. I'd just like to
> get a reasonable power level out of the FT-817, for times when 5W isn't
> enough, and for legal use on legal ham bands with my legal Extra-class
> license.
>
> Thanks...
>

Better yet, here is the actual posting from the serial number 2 builder:

I was a co-author on the original HF SuperPacker article in Dec 2005 QST (along with Jonathan, WA3WDK). Jonathan and I consulted with Virgil as he designed the SuperPacker Pro. I worked on one of the prototypes and did some debugging of serial number 1.

Thus, it is not a surprise that I was able to successfully build the SuperPacker Pro. On the other hand, this project required no debugging. It worked for me the first time I powered it up.

I am happy to answer any questions about the build. If you post to this group also send me a copy by email. Find my email address on QRZ.com.

I hope everyone who builds the SuperPacker Pro has as much fun as I did. For sure, you will have a great little 100 watt (13 db gain) amp!

Andy Mitz WA3LTJ

From 3849901819825767033
X-Google-Thread: 108122,e9711cbb82f0c057,start
X-Google-Thread: 114aac,e9711cbb82f0c057,start
X-Google-Thread: fc2a5,e9711cbb82f0c057,start
X-Google-Thread: fcc6e,e9711cbb82f0c057,start
X-Google-Attributes: gid108122,gid114aac,gidfc2a5,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "Roadrunner NNTP" <noone@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.homebrew,rec.rad

io.amateur.antenna
Subject: Response to SC
Lines: 462
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
Date: Sat, 28 Oct 2006 15:21:16 GMT
NNTP-Posting-Host: 71.40.249.76
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1162048876 71.40.249.76 (Sat, 28 Oct 2006 10:21:16 CDT)
NNTP-Posting-Date: Sat, 28 Oct 2006 10:21:16 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6749 rec.radio.shortwave:56906 rec.radio.amateur.homebrew:7595 rec.radio.amateur.antenna:20701

I've had enough of SC in newsgroups!

Please don't answer his flaming posts. I would like for my 14 amateur radio operator girl child (who is working on her code) to be able to use newsgroups without this abuse. We should not have to put up with it either.

Copy and forward the following to abuse@earthlink.net. They should be able to identify him from the headers and their logs.

Dear Earthlink Abuse . . .

Please get this clown off of usenet. There are several hobby groups where he posts regularly his inflammatory material, often with profanities. Our kids who are in the hobby certainly don't need to be exposed to this stuff.

Thanks.

Long time internet user and parent.

Path: be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail

Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap

Subject: Stamp collecting doesn't require taking a code test.

From: Slow Code <my.mail@no.spam>

Organization: None

User-Agent: Xnews/5.04.25

Lines: 3

Message-ID: <Xwx0h.349$LI4.140@newsread2.news.pas.earthlink.net>

Date: Sat, 28 Oct 2006 00:30:47 GMT

NNTP-Posting-Host: 4.227.154.108

X-Complaints-To: abuse@earthlink.net

X-Trace: newsread2.news.pas.earthlink.net 1161995447 4.227.154.108 (Fri, 27 Oct 2006 17:30:47 PDT)

NNTP-Posting-Date: Fri, 27 Oct 2006 17:30:47 PDT

Xref: be1.texas.rr.com rec.radio.amateur.antenna:257939 rec.radio.amateur.policy:343886 rec.radio.scanner:266398 rec.radio.swap:457098

Maybe you people could try stamp collecting.

SC

Path:
be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!border2.nntp.dca.giganews.com!
nntp.giganews.com!nntp1.phx1.gblx.net!nntp.gblx.net!nntp.gblx.net!
newsfeed.news2me.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.swap

Subject: VE's should be allowed to use a cattle prod to make people take a code test.

From: Slow Code <my.mail@no.spam>

Organization: None

User-Agent: Xnews/5.04.25

Lines: 5

Message-ID: <D6c0h.19671$UG4.17151@newsread2.news.pas.earthlink.net>

Date: Fri, 27 Oct 2006 00:09:07 GMT

NNTP-Posting-Host: 4.254.227.60

X-Complaints-To: abuse@earthlink.net

X-Trace: newsread2.news.pas.earthlink.net 1161907747 4.254.227.60 (Thu, 26 Oct 2006 17:09:07 PDT)

NNTP-Posting-Date: Thu, 26 Oct 2006 17:09:07 PDT

Xref: be1.texas.rr.com rec.radio.amateur.antenna:257845
rec.radio.amateur.policy:343742 rec.radio.swap:457040

And if they fail the code test they get zapped again.

Bringing back 'spark' will be good for ham radio.

Path:

be1.texas.rr.com!news-wrt-01.tampabay.rr.com!news-wrt-01.southeast.rr.com!news-
feed-01.southeast.rr.com!news.rr.com!cycny01.gnilink.net!peer01.west.cox.net!
cox.net!newscon02.news.prodigy.net!prodigy.net!border1.nntp.dca.giganews.com!
nntp.giganews.com!postnews.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-
pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail

Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.swap

Subject: Re: I don't remember horse and buggy, outhouses, or churning butter

From: Slow Code <my.mail@no.spam>

References: <gUx%g.12447$Lv3.2784@newsread1.news.pas.earthlink.net>
<1161746253.858141.126300@m73g2000cwd.googlegroups.com>
<5e980$453f9e94$45011502$31488@KNOLOGY.NET>

Organization: None

User-Agent: Xnews/5.04.25

Lines: 23

Message-ID: <OLS%g.19218$UG4.1065@newsread2.news.pas.earthlink.net>

Date: Wed, 25 Oct 2006 23:51:10 GMT

NNTP-Posting-Host: 4.227.154.38

X-Complaints-To: abuse@earthlink.net

X-Trace: newsread2.news.pas.earthlink.net 1161820270 4.227.154.38 (Wed, 25
Oct 2006 16:51:10 PDT)

NNTP-Posting-Date: Wed, 25 Oct 2006 16:51:10 PDT

Xref: be1.texas.rr.com rec.radio.amateur.policy:343846
rec.radio.amateur.antenna:257917 rec.radio.swap:457083

lazy ass Mike "amdx" <amdx@knology.net> wrote in

news:5e980$453f9e94$45011502$31488@KNOLOGY.NET:

>

>> Slow Code wrote:

>

>>> New hams just don't appreciate things anymore.

>
> I don't remember,
>
> cutting wood for winter, foraging the woods for berries,
>
> turning the crank on a model T, building a spear to kill a deer,
>
> washing my clothes in the river, making candles to light the night.
>
> And I do appreciate that I don't have to do these things anymore.
>
> Mike

Right, and why homebrew anymore when you can call HRO or AES and buy your appliance off the shelf.

73,

Back to my CW and projects.

SC

SC

Path:
be1.texas.rr.com!news-wrt-01.tampabay.rr.com!news-wrt-01.southeast.rr.com!news-feed-01.southeast.rr.com!news.rr.com!cycny01.gnilink.net!peer01.west.cox.net!cox.net!newscon02.news.prodigy.net!prodigy.net!border1.nntp.dca.giganews.com!nntp.giganews.com!postnews.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail

Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.swap

Subject: Re: I don't remember horse and buggy, outhouses, or churning butter

From: Slow Code <my.mail@no.spam>

References: <gUx%g.12447$Lv3.2784@newsread1.news.pas.earthlink.net>
<1161746253.858141.126300@m73g2000cwd.googlegroups.com>
<5e980$453f9e94$45011502$31488@KNOLOGY.NET>

Organization: None

User-Agent: Xnews/5.04.25

Lines: 23

Message-ID: <OLS%g.19218$UG4.1065@newsread2.news.pas.earthlink.net>

Date: Wed, 25 Oct 2006 23:51:10 GMT

NNTP-Posting-Host: 4.227.154.38

X-Complaints-To: abuse@earthlink.net

X-Trace: newsread2.news.pas.earthlink.net 1161820270 4.227.154.38 (Wed, 25 Oct 2006 16:51:10 PDT)

NNTP-Posting-Date: Wed, 25 Oct 2006 16:51:10 PDT

Xref: be1.texas.rr.com rec.radio.amateur.policy:343846
rec.radio.amateur.antenna:257917 rec.radio.swap:457083

lazy ass Mike "amdx" <amdx@knology.net> wrote in

news:5e980$453f9e94$45011502$31488@KNOLOGY.NET:

>

>> Slow Code wrote:

>

>>> New hams just don't appreciate things anymore.

>

> I don't remember,

> cutting wood for winter, foraging the woods for berries,

> turning the crank on a model T, building a spear to kill a deer,

> washing my clothes in the river, making candles to light the night.
>
> And I do appreciate that I don't have to do these things anymore.
>
> Mike

Right, and why homebrew anymore when you can call HRO or AES and buy your

appliance off the shelf.

73,

Back to my CW and projects.

SC

Path: be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!border2.nntp.dca.giganews.com!nntp.giganews.com!news.maxwell.syr.edu!elnk-pas-nf1!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail

Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.policy,rec.radio.swap,rec.radio.shortwave

Subject: Re: Is the code requirement really keeping good people out of ham radio?

From: Slow Code <my.mail@no.spam>

References: <1158527339.352992.28170@i42g2000cwa.googlegroups.com>
<bhGPg.9337$v%4.106@newsread1.news.pas.earthlink.net>
<c3iug29tid5kod1f1olqktlvn5kkicgg7j@4ax.com> <450FE04F.7060501@fuse.net>
<ia79h21f1uhjc1pd68ud3j86nbmlnemdvi@4ax.com>
<b3_Rg.1384$Y24.335@newsread4.news.pas.earthlink.net>
<ltvgh21b35rlg7smc8o5n2509m34afg1pk@4ax.com>
<HJednVoOhasYvYTYnZ2dnUVZ_uudnZ2d@comcast.com>
<1161835676.853678.129230@i3g2000cwc.googlegroups.com>

```
<n1g0k2h8kugbpj65vjk8fc96uk5hsl70k8@4ax.com>

Organization: None

User-Agent: Xnews/5.04.25

Lines: 14

Message-ID: <76c0h.19656$UG4.15739@newsread2.news.pas.earthlink.net>

Date: Fri, 27 Oct 2006 00:08:35 GMT

NNTP-Posting-Host: 4.254.227.60

X-Complaints-To: abuse@earthlink.net

X-Trace: newsread2.news.pas.earthlink.net 1161907715 4.254.227.60 (Thu, 26
Oct 2006 17:08:35 PDT)

NNTP-Posting-Date: Thu, 26 Oct 2006 17:08:35 PDT

Xref: be1.texas.rr.com rec.radio.amateur.antenna:257842
rec.radio.amateur.policy:343730 rec.radio.swap:457038
rec.radio.shortwave:537344
```

Opus- <jbuchy@shaw.ca> wrote in

news:n1g0k2h8kugbpj65vjk8fc96uk5hsl70k8@4ax.com:

> Don't you have some offs to fuck?
>

Why do no-coders always break down in the middle of an argument and start spewing profanities? I just don't understand it. It must be do to their limited mental abilities.

Opus being a Cannuk probably doesn't help either.

SC

Path:
be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!border2.nntp.dca.giganews.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail

Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy

Subject: If you had to learn morse code for a ham license would you stay on CB?

From: Slow Code <my.mail@no.spam>

Organization: None

User-Agent: Xnews/5.04.25

Lines: 8

Message-ID: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>

Date: Sat, 28 Oct 2006 00:30:35 GMT

NNTP-Posting-Host: 4.227.154.108

X-Complaints-To: abuse@earthlink.net

X-Trace: newsread2.news.pas.earthlink.net 1161995435 4.227.154.108 (Fri, 27 Oct 2006 17:30:35 PDT)

NNTP-Posting-Date: Fri, 27 Oct 2006 17:30:35 PDT

Xref: be1.texas.rr.com rec.radio.amateur.equipment:209077 rec.radio.amateur.misc:299083 rec.radio.amateur.policy:343877

5wpm ain't really learning it. I can fart 5 wpm.

Lets kick the requirement up there to between 13 and 20 wpm for all

classes. And no-codes that haven't passed it after a year get booted which will help clean up the repeaters.

SC

m.News. EarthLink Members should use their best judgment when posting to any newsgroup. Many groups have charters, published guidelines, FAQs, or "community standards" describing what is and is not considered appropriate. Usenet can be a valuable resource if used properly. The continued posting of off-topic articles is prohibited. Commercial advertisements are off-topic in most newsgroups, especially regional groups not specifically named for such. The presence of such articles in a group is not indicative of the group's "intended" use. Please familiarize yourself with basic Usenet netiquette before posting to a newsgroup.

EarthLink considers "multiposting" to 10 or more groups within a two week sliding window to be excessive. EarthLink servers currently limit the number of allowable "cross-posts" to 9.

EarthLink Members may not cancel messages other than their own messages. A Member may cancel posts forged in that Member's name. We may cancel any postings which violate this AUP.

From -2529839147200225882
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: 114aac,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Attributes: gid108122,gid114aac,gidfc2a5,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 10:56:56 -0500
Date: Sat, 28 Oct 2006 11:56:56 -0400
From: Old Time Ham <old_fart@curmudgeons.com>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.homebrew,rec.radio.amateur.antenna
Subject: Re: Response to SC
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
In-Reply-To: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>

Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <WKGdnWtkRP5V4N7YnZ2dnUVZ_r6dnZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-B8LrBdGv3ekc2f9j6SycV3k0iLQJvEBGmtjPf+sZvlEidt97EHOS65EjrRTcTcKpxl/
F0zutZOyCf46!
MssDDnz9aJ3Rvt0Mm7NQYS5en45+eknE1u6A98mtcKfI8fYiswI2ElaEzKI1LpDJlI2gIxv5O2WB!
HjxZZxQwIU3jMTR762Rp
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6750
rec.radio.shortwave:56910 rec.radio.amateur.homebrew:7596
rec.radio.amateur.antenna:20702

Roadrunner NNTP wrote:
> I've had enough of SC in newsgroups!
>
> Please don't answer his flaming posts. I would like for my 14 amateur radio
> operator girl child (who is working on her code) to be able to use
> newsgroups without this abuse. We should not have to put up with it either.
>
> Copy and forward the following to abuse@earthlink.net. They should be able
> to identify him from the headers and their logs.
>
>
> Dear Earthlink Abuse . . .
>
>
>
> Please get this clown off of usenet. There are several hobby groups where
> he posts regularly his inflammatory material, often with profanities. Our
> kids who are in the hobby certainly don't need to be exposed to this stuff.
>
>
>
> Thanks.
>
>

It appears to me the only profanity was directed AT Slow Code. I am sure
Earthlink will give your (anonymous) complaint the attention it
deserves. You have elevated childish whining to a new level!

From 2363220514885626092
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: 114aac,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057

```
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Attributes: gid108122,gid114aac,gidfc2a5,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
sn-xt-sjc-03!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-
mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.homebrew,rec.rad
io.amateur.antenna
Subject: Re: Response to SC
Date: Sat, 28 Oct 2006 12:01:17 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <ljv6k21j2og31vecirirk6hfbojq5o7jke@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
X-Newsreader: Forte Agent 4.0/32.1071
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.amateur.equipment:6751
rec.radio.shortwave:56913 rec.radio.amateur.homebrew:7597
rec.radio.amateur.antenna:20704
```

On Sat, 28 Oct 2006 15:21:16 GMT, "Roadrunner NNTP" <noone@nowhere.com> wrote:

>I've had enough of SC in newsgroups!
>
>Please don't answer his flaming posts. I would like for my 14 amateur radio
>operator girl child (who is working on her code) to be able to use
>newsgroups without this abuse. We should not have to put up with it either.

You don't. Use a kill file. If you don't, you have only yourself to blame.

It;s much less expensive in the long run than screwing around with everyone's
first amendment rights.

-- Larry

```
From -6457807533551976994
X-Google-Thread: 108122,fb9f84f374b06395
X-Google-Thread: 107ada,fb9f84f374b06395
X-Google-Thread: 10bf43,fb9f84f374b06395
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
```

Subject: Re: If you had to learn morse code for a ham license would you stay on CB?
Date: Sat, 28 Oct 2006 12:37:45 -0400
Message-ID: <lm17k2pjvadt9erj5jh8c4iklvkfov1589@4ax.com>
References: <Lwx0h.339$LI4.180@newsread2.news.pas.earthlink.net>
<1162011495.648000.21730@f16g2000cwb.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 46
NNTP-Posting-Date: 28 Oct 2006 15:42:37 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6752
rec.radio.amateur.misc:24946 rec.radio.amateur.policy:51913

On 27 Oct 2006 21:58:15 -0700, k8vf_mark@centurytel.net wrote:

>
>Slow Code wrote:
>> 5wpm ain't really learning it. I can fart 5 wpm.
>>
>> Lets kick the requirement up there to between 13 and 20 wpm for all
>> classes. And no-codes that haven't passed it after a year get booted which
>> will help clean up the repeaters.
>>
>> SC
>
>Ok, I am a traditionalist, sorry.
>
>5wpm should not be an impediment to anyone with normal faculties and
>normal physical dexterity.
not the legal issue and rest is subejct to deabte ifrst on the meaning
of the terms you are using
>I could do 5 wpm at 7 or 8 and I did not know a ham operator...my dad
>taught me after he came home from Army as Radio op. Never used it for
>15 or so years.
so?
>
>At 25 I took a novice class (finally) and was doing over 20wpm in 2-3
>weeks.

good for you I am OTOH spent 5 years nbot managing 5 wpm for novice
license till I gave up
>
>For anything above the entry license, a code increase would be
>warranted to operate in the best cw bands, maybe.

there are NO CW only band (except maybe is 12 or 15 or one of those
Warc bands)
>
>When I took my General, Advanced, and Extra I had to do it at the FCC
>office and took and sent code from the Director, Detroit office. Talk

```
>about nervous!
>I dont think you can compare the V.E.C. experience (as good a job as
>they do) with that for excitement and stress.
>When you came out of the MCNamara Bldg in Detroit, you knew you had
>taken a test. You knew you had earned your ticket!
>
>No, I would not stay on C.B.......as good a service as it is, it cannot
>compare with the people of Ham Radio.
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 1971646609800420113
X-Google-Thread: 108122,e9711cbb82f0c057
X-Google-Thread: 114aac,e9711cbb82f0c057
X-Google-Thread: fc2a5,e9711cbb82f0c057
X-Google-Thread: fcc6e,e9711cbb82f0c057
X-Google-Attributes: gid108122,gid114aac,gidfc2a5,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.aprs
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.homebrew,rec.rad
io.amateur.antenna
Subject: Re: Response to SC
Date: Sat, 28 Oct 2006 12:59:37 -0400
Message-ID: <1p27k2l3881ruhd6pa6dqciqi24e7l48fm@4ax.com>
References: <MzK0h.33021$ta3.31232@tornado.texas.rr.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Date: 28 Oct 2006 16:04:35 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6753
rec.radio.shortwave:56915 rec.radio.amateur.homebrew:7598
rec.radio.amateur.antenna:20708

On Sat, 28 Oct 2006 15:21:16 GMT, "Roadrunner NNTP"
<noone@nowhere.com> wrote:

>I've had enough of SC in newsgroups!
>
>Please don't answer his flaming posts.  I would like for my 14 amateur radio
>operator girl child (who is working on her code) to be able to use
>newsgroups without this abuse.  We should not have to put up with it either.
>
as a steady High value target of SC I can tell you he can not realy be
```

stoped I for one have choosen to accept his abuse in Silence having
come to agree with other in abotht the BLGT and Jewish world that
agree "silence equals death" yes you see more of this clown (and his
allies and sockpuppets since I began a campaign of resisting such
harrassment ghhe has choosen to step up the level with some goal only
he knows (if even he knows what ihis gaol is) I regret that excerising
my duty to myself myself and others like myself from this sort attack
has caused you any inconvence.

OTOH your 14 yo needs tomlearns that the world issoemtimes a hostile
place. I uncourage you to see this as a learning experence and theach
your daughter that there are those that get very upset over
encountering anything or anybody different
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 5609194077585469843
X-Google-Thread: 108122,248bf584a8ae6e0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: RARE NAT. 6/2 Meter VFO + MO
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <6nM0h.139198$QZ1.62921@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 96c1c03583b278af3f2f856851d6dadc
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1162056258
96c1c03583b278af3f2f856851d6dadc (Sat, 28 Oct 2006 17:24:18 GMT)
NNTP-Posting-Date: Sat, 28 Oct 2006 17:24:18 GMT
Organization: AT&T Worldnet
Date: Sat, 28 Oct 2006 17:24:18 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6754

A vintage, somewhat rare National 6/2 Meter VFO in very good, operating
condition; see it and some more stuff at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx heytubeguy

```
From -4930866739271870216
X-Google-Thread: 108122,85deb47a8db1bee7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Drake RV-4C VFO  NICE!!!!
Message-ID: <ci47k25r0eqe3n0n98qf9jd9tjsf9vj7ip@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhkannfilpcpbbolnmllohhnlnjhchfkbmllfjdfbijhjogphkajfcobocpeihfnehno
eeigbfbbdonpjimbifoooaedibpgndepheocadnodbcmifhlimokjclcciclpf
NNTP-Posting-Date: Sat, 28 Oct 2006 10:25:39 MST
Organization: Optimum Online
Date: Sat, 28 Oct 2006 13:24:32 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6755

Drake RV-4C VFO  NICE!!!!
Looks and works GREAT!!
No letters fading, just a nice match up
to your Drake station. Has cables of course.
Price: 200.00
ritchi50@optonline.net


From -1522150109209779183
X-Google-Thread: 108122,491d2e62ae462f2e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: DRAKE L75 Amplifier W/Box LIKE NEW!!!!
Message-ID: <ke57k2pr0alh1qgg071a6o9qemrue517lg@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
```

X-Trace:
mgjcfpjdppbciligkannfilpcpbbolnmimbcieaagkjbahofllfjdfbijhjogphkajfcobocpeihfnehno
eeigbfbbdonpjimbifoooaedibpgndkkdmjmjpdddbhikibpincjkllopekodc
NNTP-Posting-Date: Sat, 28 Oct 2006 10:40:44 MST
Organization: Optimum Online
Date: Sat, 28 Oct 2006 13:39:37 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6756

FS: DRAKE L75 Amplifier W/Box LIKE NEW!!!!
Come with Manual and the Original Box.
Looks hardly used!! Looks BRAND NEW!!!!
Works very well!! No scratches, No Dents,Nothing!!
Shiny and like NEW!!!! In and out.
Very Rare to see one forsale and you won't see one in this condition.
Price: 1200.00
ritchi50@optonline.net

From 7798529944799469232
X-Google-Thread: 108122,bedca9bee09f5e73,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 14:05:26 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Subaudible tones on old Icom IC-2000
Date: Sat, 28 Oct 2006 14:05:49 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <7cSdnepwqPhrNN7YnZ2dnUVZ_oKdnZ2d@insightbb.com>
Lines: 7
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-
sELGe+gi8upLezHNDfHStXHiCdU4ef5vworkOblPCK9FcwwWlW0b0sJ7FvuuEbpHlCsTeC5d3csEqtM!
ho8IcvA75K75TT0fzW+17DBwyYGbV+hAKYdaPSDNYs4PZthd0iI3Bg/gGusul3gUdz2RY8Ke8/Ta!
5AnqCuydiOmK8R463g==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6757

How do you get the subaudible tones to work on the Icom IC-2000? The
procedure in my manual does not work. (Or, maybe I'm interpreting it wrong.)

--
Bob Donahue ND9B

```
From 7723728779627441853
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 14:24:56 -0500
Date: Sat, 28 Oct 2006 15:24:56 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
In-Reply-To: <pan.2006.10.28.12.59.21.216939@nospam.no>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <I6-dnZTe7-AVM97YnZ2dnUVZ_tydnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 71.233.173.68
X-Trace: sv3-R2fT40VXVyByLrzTJSHnYDJLlV4+Wy1kzFlTnG/M2Fqt8A/ZD3B1pS7SneJ1Mc2/g/
1zo9Ar+q6KxwM!
RaxzxSngFG6fvhOaYPBrYDoPMTMjqeww38HNmbdkzDpstTbYcF9g31s+LBBXpKICnHq2cup1z3XN!
n6XPfHaV1F9EfY9qH9rJ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6758
```

Try buying a rig with 50 or more watts output. that's the USA law!

C. J. Clegg wrote:

> I have finally had enough of waiting forever for the FCC to get rid of
> their kill-a-fly-with-a-sledgehammer approach to HF amp regulation, so
> that I can get an amp for legal use with my FT-817.
>
> Have any of you had any problems getting a Tokyo Hy-Power QRP amplifier
> past the border watchdogs and into the USA?
>
> I try to be law-abiding but I'm tired of the FCC's inability to enforce

```
> the rules against the few, so they penalize everybody.  I'd just like to
> get a reasonable power level out of the FT-817, for times when 5W isn't
> enough, and for legal use on legal ham bands with my legal Extra-class
> license.
>
> Thanks...
>




From 1516188301612529146
X-Google-Thread: 108122,bedca9bee09f5e73
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.insightbb.com!
news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 15:13:20 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Subaudible tones on old Icom IC-2000
Date: Sat, 28 Oct 2006 15:13:20 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <c8adnZOiyc99JN7YnZ2dnUVZ_tWdnZ2d@insightbb.com>
Lines: 8
NNTP-Posting-Host: 74.132.84.118
X-Trace: sv3-
lRPi9bKzKZsmhhItgNX7k15RlkLA2vZl3obv+jhnmKxIeVXbRYLh9B7wusfcnuS59HUOhCrUwvlT/G2!
1uNCIaHDKiUxYNtTPeF8iVjU0uucRF+zLmfHf6FLb/gpezGiFF+0Uw30veCRZUNgHYv9If8jJauE!
Cx+qlb3xaqDc3Zh2sw==
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6759

How do you get the subaudible tones to work on the Icom IC-2000? The
procedure in my manual does not work. (Or, maybe I'm interpreting it wrong.)

--
Bob Donahue ND9B





From 4621711292938740465
```

X-Google-Thread: 108122,bedca9bee09f5e73
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Oct 2006 16:40:04 -0500
From: "w9gb" <spam_protect@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <7cSdnepwqPhrNN7YnZ2dnUVZ_oKdnZ2d@insightbb.com>
Subject: Re: Subaudible tones on old Icom IC-2000
Date: Sat, 28 Oct 2006 16:40:06 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <DY6dnT9YIYWpU97YnZ2dnUVZ_qSdnZ2d@comcast.com>
Lines: 27
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-LtHEiZFkrajx0Bx8Uj0HQ6MxH5r50Ya3fbfuUxRrnqsxWmv+m/uUeAGQLrfM//
XOhvcNMv7x6z4L2HL!fIRbFaTbSDXJjrf8TRIiQlqAwIyBppnFoV5+TEirmaTco/nC55c9imDHIYimeT/
r2ymao3gziS4c!prWwIjn3Cd2HDym3eeE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6760

"Bob D." <bobmgtd@insightbb.com> wrote in message
news:7cSdnepwqPhrNN7YnZ2dnUVZ_oKdnZ2d@insightbb.com...

> How do you get the subaudible tones to work on the Icom IC-2000? The
> procedure in my manual does not work. (Or, maybe I'm interpreting it
> wrong.)
> --
> Bob Donahue ND9B

Icom IC-2000 Manual
http://www.icom.co.jp/manual/external/transceivers/IC-2000_H.pdf

Repeater operation - and set-up of CTCSS (sub audible tones) is on pages 13 and 14

This REQUIRES the usage of the SET mode.
Page 2 of the manual shows you where this button is on the front panel and how to use it.

Page 5 shows you the front panel -- see the #4 TONE indicator at the top of LCD ?

You MUST rotate your front dial to set the CTCSS frequency. THEN, the [DUP] button must be pushed to finally set to EXIT the SET mode.

gb

From -9092509532126717084
X-Google-Thread: 108122,a73419f84af5619d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsgate.cistron.nl!
xs4all!news2.euro.net!213.132.189.2.MISMATCH!multikabel.net!feed20.multikabel.net!
newsfeed.freenet.de!feeder.news-service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!
sn-xt-ams-08!sn-ams!sn-feed-ams-02!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Charlie" <charlie@ease.biz>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Importing Tokyo HyPower HF Amps to USA
Date: Sat, 28 Oct 2006 16:46:47 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12k7judir4tn3d8@corp.supernews.com>
References: <pan.2006.10.28.12.59.21.216939@nospam.no>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 31
Xref: g2news2.google.com rec.radio.amateur.equipment:6761

HRO is now carying the new Tokyo Hight Power HL-1.5k fx and will be able to
deliver the end of November

1. www.hamradio.com

--

73,Charlie-AD5TH
www.ad5th.com

"C. J. Clegg" <reply.in.group@nospam.no> wrote in message
news:pan.2006.10.28.12.59.21.216939@nospam.no...
>
> I have finally had enough of waiting forever for the FCC to get rid of
> their kill-a-fly-with-a-sledgehammer approach to HF amp regulation, so
> that I can get an amp for legal use with my FT-817.
>
> Have any of you had any problems getting a Tokyo Hy-Power QRP amplifier
> past the border watchdogs and into the USA?
>

> I try to be law-abiding but I'm tired of the FCC's inability to enforce
> the rules against the few, so they penalize everybody. I'd just like to
> get a reasonable power level out of the FT-817, for times when 5W isn't
> enough, and for legal use on legal ham bands with my legal Extra-class
> license.
>
> Thanks...
>

```
From -1870537671449173877
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!DIALUPUSA.NET!not-for-mail
From: "Dr.Ace" <Ace@WH2T.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <4YGdnUxqKr-
aUorYnZ2dnUVZ_rudnZ2d@rcn.net> <4519F92A.5080301@fuse.net>
<MuWdnTd4eoqemYfYnZ2dnUVZ_tydnZ2d@rcn.net>
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Sat, 14 Oct 2006 19:22:36 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2905
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <e7c9c$45316f27$4fc604c$30163@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
```

Lines: 65
X-Trace: e7c9c45316f27a159c5e930163
Xref: g2news2.google.com rec.radio.swap:8574 rec.radio.amateur.boatanchors:6000
rec.radio.amateur.equipment:6661 rec.radio.scanner:7204 alt.ham-radio.vhf-uhf:2927
rec.radio.amateur.misc:24068 alt.ham-radio.marketplace:1460

"Chuck Harris" <cf-NO-SPAM-harris@erols.com> wrote in message
news:MuWdnTd4eoqemYfYnZ2dnUVZ_tydnZ2d@rcn.net...
> jawod wrote:
>>
>>> I am sort of curious as to why my posting of the actual FCC part 97
>>> rules
>>> that cover linear amplifiers drew exactly zero comments.
>>>
>>> -Chuck Harris
>>
>> What is there on which to comment? "Can't argue with the horse's mouth"
>
> Well, I sort of thought it might draw a few "Oh, gee, I guess commercially
> made ham linears have to be FCC type accepted after all"'s.
>
> The guy making the CB linears fails a whole laundry list of requirements
> for type acceptance of a Ham linear.
>
> And because he isn't a ham, he cannot legally build even *one* such unit,
> let alone go into production.
>
> -Chuck Harris

� 2.815 External radio frequency power amplifiers.

* * * * *

(b) No person shall manufacture, sell or lease, offer for sale or lease (including advertising for sale or lease) or import, ship or distribute for the purpose of selling or leasing or offering for sale or lease, any external radio frequency power amplifier capable of operation on any frequency or frequencies below 144 MHz unless the amplifier has received a grant of certification in accordance with subpart J of this part and other relevant parts of this chapter. These amplifiers shall comply with the following:

(1) The external radio frequency power amplifier shall not be capable of amplification in the frequency band 26-28 MHz.

(2) The amplifier shall not be capable of easy modification to permit its use as an amplifier in the frequency band 26-28 MHz.

(3) No more than 10 external radio frequency power amplifiers may be constructed for evaluation purposes in preparation for the submission of an application for a grant of certification.

(4) If the external radio frequency power amplifier is intended for operation in the Amateur Radio Service under Part 97 of this Part, the requirements of Sections 97.315 and 97.317 of this chapter shall be met.

Ace - WH2T

From -2369612242983005729
X-Google-Thread: 108122,55680d1ea3becaa0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn13feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Vintage Hallicrafters S-20R Sky Champion
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <LdqYg.68156$QZ1.8577@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 15 Oct 2006 12:56:11 GMT
NNTP-Posting-Host: 12.77.57.245
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1160916971 12.77.57.245 (Sun, 15 Oct 2006 12:56:11 GMT)
NNTP-Posting-Date: Sun, 15 Oct 2006 12:56:11 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6662

Outside very nice, dial cord broken, Inside little rough. All tubes work.
Can send pix. replay by email
billreed@w4pls.com if interested. Make offer.

From 2500100101488161039

```
X-Google-Thread: 108122,4710dda82e1e5e0b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hello
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <XuqYg.68207$QZ1.19394@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 15 Oct 2006 13:14:31 GMT
NNTP-Posting-Host: 12.77.57.245
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1160918071 12.77.57.245 (Sun, 15 Oct
2006 13:14:31 GMT)
NNTP-Posting-Date: Sun, 15 Oct 2006 13:14:31 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6663

test




From -871430221983485203
X-Google-Thread: fc8b1,31d677b0174cdd0b,start
X-Google-Thread: 108122,31d677b0174cdd0b,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out04a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: SWAP: Drake T4-X for SX-117
Date: Sun, 15 Oct 2006 08:42:16 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 22
Message-ID: <453256d9$0$34549$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 15 Oct 2006 15:42:18 GMT
NNTP-Posting-Host: 8868849a.news.sonic.net
X-Trace: DXC==gi<Q535Ki\PGh>Ykf9I[Zm4K\QM1CV^P1OYf0H`?;XQH<8@Nkg0[h^<Qc7RIG=<OX77?
```

[Hh@]cbV@in71lfS]TP
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6004 rec.radio.amateur.equipment:6664

Probably a long shot, but if anyone is interested in swapping
my Drake T4-X for your Halli SX-117, please contact me
directly.

The Drake comes with the power supply/speaker (MX-5?).
It is being offered as found, and will almost certainly need
to be re-capped. Front panel cosmetics are good. The radio
will need a good cleaning....lots of dust on the top of
the chassis. The cabinet top shows wear and will need
to be repainted to be nice. Under the chassis, its pristene
and not modified or hacked in any way.

Looking for an SX-117 in good to excellent cosmetic
condition. Must be complete and restorable to original
operating condition with NO hacks.

If interested, contact me soon. Once I start working on
the Drake I'll probably keep it and look for an R4.

Steve

From -4484994439586240800
X-Google-Thread: 108122,e9d214a1978898aa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "DJboutit" <Recordking@Hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Radio Pirates Forum
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <tbvYg.105472$5o5.34539@tornado.texas.rr.com>
Date: Sun, 15 Oct 2006 18:35:05 GMT
NNTP-Posting-Host: 72.181.189.162
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1160937305 72.181.189.162 (Sun, 15 Oct 2006 13:35:05 CDT)
NNTP-Posting-Date: Sun, 15 Oct 2006 13:35:05 CDT
Organization: Road Runner High Speed Online http://www.rr.com

```
Xref: g2news2.google.com rec.radio.amateur.equipment:6665

http://www.radiopirates.co.nr/ come chat with with station ops & just
listeners many sections to keep you busy




From -501132698490529939
X-Google-Thread: 108122,7079d3497ff747d6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.xsnews.nl!
feeder.xsnews.nl!feeder.news-service.com!feeder.news-service.com!
83.128.0.11.MISMATCH!news-out1.kabelfoon.nl!newsfeed.kabelfoon.nl!
bandi.nntp.kabelfoon.nl!zen.net.uk!demorgan.zen.co.uk!nntp.theplanet.net!
inewsm1.nntp.theplanet.net!news.theplanet.net!not-for-mail
From: "Smog" <me@home.feet.up>
Newsgroups: rec.radio.amateur.equipment
Subject: FA - Mint Icom IC746, boxed with mic, manual and PC lead (UK)
Date: Sun, 15 Oct 2006 19:47:40 +0100
Lines: 7
Message-ID: <egtvop$gkp$1@news8.svr.pol.co.uk>
NNTP-Posting-Host: 84.69.54.128
X-Trace: news8.svr.pol.co.uk 1160938073 17049 84.69.54.128 (15 Oct 2006 18:47:53
GMT)
NNTP-Posting-Date: 15 Oct 2006 18:47:53 GMT
X-Complaints-To: abuse@theplanet.net
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Antivirus: avast! (VPS 0641-4, 13/10/2006), Outbound message
X-Antivirus-Status: Clean
Xref: g2news2.google.com rec.radio.amateur.equipment:6666

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=300038504773

--

Jim




From 647505647449982334
X-Google-Thread: 108122,15f2ef62d4e1b0fc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
```

```
NNTP-Posting-Date: Sun, 15 Oct 2006 16:07:52 -0500
From: Joe Davis <Joe.Davis.2fqn79@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: HEATHKIT SB-102 SB-401 SB-301 SB-101 CABINET>NICE:-)
Date: Sun, 15 Oct 2006 16:32:08 +0000
Message-ID: <Joe.Davis.2fqn79@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References:  <1159887854.056969.108130@c28g2000cwb.googlegroups.com>
Lines: 6
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-QSsX3Rlpx7x04x2Tonpl4geM+nCpVNzJ4zwe5WJhpQlVkCpyDordKdm09my6qGZkF/
HgTc3X6MBag59!
K6Ub8MpzjIe8pCJ5hpKuqy+wl97Gpl0x8UWC6QrFdypVr2uj8E8LIBzd0obr2f4NWviGKt/9sUzR!
LjKFTkUZnwN0
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6667
```

Richie Wrote:

> http://tinyurl.com/v74h5

OK so whar do u want for them?

wa4rqg3@netzero.net

--
Joe Davis

```
From -3266348950514281270
X-Google-Thread: fb049,a6a13c13a01b3364,start
X-Google-Thread: 108122,a6a13c13a01b3364,start
X-Google-Thread: 1109af,a6a13c13a01b3364,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Three (3) Motorola Radius M216's VHF $1.00
Lines: 16
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <0wzYg.1022$AR6.971@trndny02>
Date: Sun, 15 Oct 2006 23:30:04 GMT
NNTP-Posting-Host: 71.162.186.247
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1160955004 71.162.186.247 (Sun, 15 Oct 2006 19:30:04 EDT)
NNTP-Posting-Date: Sun, 15 Oct 2006 19:30:04 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2929
rec.radio.amateur.equipment:6668 rec.radio.swap:8592
```

For auction, 3 Radius M216's. 1-25 watt, 2-45 watt.
Starting bid is $1.00

25 watt
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=014&item=330039604862&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

45 watt
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=014&item=330039605643&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

45 watt
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=014&item=330039606701&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

These just came out of service and work just fine. They will do the 2 meter Amateur band.

```
From 7444362496026556532
X-Google-Thread: fb049,a6a13c13a01b3364
X-Google-Thread: 108122,a6a13c13a01b3364
X-Google-Thread: 1109af,a6a13c13a01b3364
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!newspump.sol.net!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA: Three (3) Motorola Radius M216's VHF $1.00
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <0wzYg.1022$AR6.971@trndny02>
Organization: Your Company
Message-ID: <Xns985DB50C21B51spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 16 Oct 2006 00:45:09 GMT
Lines: 17
```

NNTP-Posting-Host: d9242338.news.adtechcomputers.com
X-Trace: DXC=MfON;iWGcF@dc=I5iC?
H4DgC4_A5:nI@A<<=aEgO;R8G^4JdobCJ[8EI_BDfiSH[cLecf<A4o8l9C0W_Uo]cC15J8kHcNc;UmeNlV
Vj]lL0TgHjX97_hSeb2J
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2930
rec.radio.amateur.equipment:6669 rec.radio.swap:8595

>
> These just came out of service and work just fine. They will do the 2
> meter Amateur band.
>

Unless memory fails me, those units will do 2M fine.... but just above 146.000 MHz.

They are excellent rigs, though. I've had several on 2M and 440 in the past.

Ed K7AAT

From 8734638611300337647
X-Google-Thread: 10dafd,996dad533a4c853,start
X-Google-Thread: 108122,996dad533a4c853,start
X-Google-Thread: 1062f2,996dad533a4c853,start
X-Google-Attributes: gid10dafd,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 15 Oct 2006 20:57:30 -0500
Subject: FA: CISCO AIR-ANT58G28SDA-N AIRONET 5.8 GHZ 28dbi DISH ANTENNA
Date: Sun, 15 Oct 2006 21:57:34 -0400
From: Tom <tom@tmomsoaop.com>
Newsgroups:
alt.marketplace.online.ebay,rec.radio.amateur.equipment,misc.industry.electronics.
marketplace
Message-ID: <151020062157343753%tom@tmomsoaop.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-pZUrKX+vFZhMt/ir2Rfx4w3XZYPWYUCjXV0NIsBm6/50MCjM4Ij4WTtZyNAUX2T/
iJ4ZcUMKzZQ0wD5!MIdzwvFD2aOgCqXsQYGqr/
6gwvQyTvO1TlEIqqndrtwNIvumPs6JQKx77wqDBm+F5z2dJH3ut6mp!f9g4LHb53TaYUo9Lm38=

```
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.marketplace.online.ebay:23315
rec.radio.amateur.equipment:6670 misc.industry.electronics.marketplace:678


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320038667757


From 3547984218989538211
X-Google-Thread: 108122,a6a13c13a01b3364
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!news-east.rr.com!
news.rr.com!news-wrt-01.rdc-nyc.rr.com!news-wrt-01.ohiordc.rr.com!news-
server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment
From: Thomas Laus <lausts@acm.org>
Subject: Re: FA: Three (3) Motorola Radius M216's VHF $1.00
References: <0wzYg.1022$AR6.971@trndny02>
<Xns985DB50C21B51spectrumhogstarbandn@198.186.192.196>
Message-ID: <slrnej6q63.1n7r.lausts@laus.org>
User-Agent: slrn/0.9.8.1 (FreeBSD)
Lines: 30
Date: Mon, 16 Oct 2006 11:07:19 GMT
NNTP-Posting-Host: 71.79.254.61
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1160996839 71.79.254.61 (Mon, 16 Oct 2006 07:07:19
EDT)
NNTP-Posting-Date: Mon, 16 Oct 2006 07:07:19 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6671

On 2006-10-16, Ed <Huckleberry_REMOVE_@bigvalley.net> wrote:
>
>>
>> These just came out of service and work just fine. They will do the 2
>> meter Amateur band.
>>
>
>
>    Unless memory fails me,  those units will do 2M fine.... but just above
> 146.000 MHz.
>
>    They are  excellent rigs, though.  I've had several on 2M and 440 in the
> past.
>
>
```

>   Ed   K7AAT
>
>

They will program below 146.00 by pressing the SHIFT key when entering
the numbers for the frequency. You enter 145.1700 as !$%.!&)) and save
this information. The correct frequency shows in the data field once it
has been entered. You will get a warning about the radio needing to be
recalibrated, but it will work below 146.00.

Tom
--
Public Keys:
PGP KeyID = 0x5F22FDC1
GnuPG KeyID = 0x620836CF

From 4968705733765546751
X-Google-Thread: 108122,b869f2063c494bd1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!feeder.news.tin.it!
spool.news.tin.it!not-for-mail
From: "orteip" <orteip@invalid.it>
Newsgroups: rec.radio.amateur.equipment
Subject: th 77 service repair manual
Date: Mon, 16 Oct 2006 13:59:09 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 14
Message-ID: <4533740a$0$5856$4fafbaef@reader3.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.16.165.131
X-Trace: 1160999946 reader3.news.tin.it 5856 87.16.165.131:2014
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:6672

Hi. to all

I serch fo my th 77 e the sevice manual because the eq. is fail.

If you have this send me at

orteip06
@
tin.it

73
piero from italy

```
From -2934127403572517408
X-Google-Thread: 108122,31fc1ca1ef9b7868,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny07.POSTED!1dba5946!
not-for-mail
From: Scan Da Bands <vzeip5vc@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Optoelectronics Optocom / IBM 390 E
Message-ID: <qf57j2pca9g9qrr1mlv9atqbud4pstuv62@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
Date: Mon, 16 Oct 2006 14:25:58 GMT
NNTP-Posting-Host: 70.105.236.152
X-Complaints-To: abuse@verizon.net
X-Trace: trndny07 1161008758 70.105.236.152 (Mon, 16 Oct 2006 10:25:58 EDT)
NNTP-Posting-Date: Mon, 16 Oct 2006 10:25:58 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6673
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=110044578425

```
From -3675937313918846350
X-Google-Thread: 108122,b869f2063c494bd1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
news.newsland.it!feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: "WX" <tttttt@tttttt.yyy>
Newsgroups: rec.radio.amateur.equipment
References: <4533740a$0$5856$4fafbaef@reader3.news.tin.it>
Subject: Re: th 77 service repair manual
Date: Mon, 16 Oct 2006 16:54:03 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 23
Message-ID: <45339d0d$0$5846$4fafbaef@reader3.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 82.55.183.101
```

```
X-Trace: 1161010445 reader3.news.tin.it 5846 82.55.183.101:1902
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:6674


"orteip" <orteip@invalid.it> ha scritto nel messaggio
news:4533740a$0$5856$4fafbaef@reader3.news.tin.it...
| Hi. to all
|
| I serch fo my th 77 e the sevice manual because the  eq. is fail.
|
| If you have this send me at
|
| orteip06
| @
| tin.it
|
| 73
| piero from  italy
|
|

Hi , Piero.

73's




From -7178937325659933871
X-Google-Thread: 108122,b869f2063c494bd1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
news.newsland.it!feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: "orteip" <orteip@invalid.it>
Newsgroups: rec.radio.amateur.equipment
References: <4533740a$0$5856$4fafbaef@reader3.news.tin.it>
<45339d0d$0$5846$4fafbaef@reader3.news.tin.it>
Subject: Re: th 77 service repair manual
Date: Mon, 16 Oct 2006 17:30:51 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 13
Message-ID: <4533a5a8$1$39887$4fafbaef@reader4.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.16.165.131
X-Trace: 1161012649 reader4.news.tin.it 39887 87.16.165.131:2153
```

```
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:6675
```

.>
> Hi , Piero.
>
> 73's
>
>

:-)))))

73. the world is small   .

```
From -6792507623771026637
X-Google-Thread: 108122,f5c0f6bf270e447f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "=?iso-8859-1?q?Lu=EDs_Fernandes?=" <luisbfernandes@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM IC-746 baclight lamp wanted
Date: 16 Oct 2006 14:57:21 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1161035841.153640.116450@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 85.240.248.205
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1161035846 13964 127.0.0.1 (16 Oct 2006 21:57:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 16 Oct 2006 21:57:26 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=85.240.248.205;
   posting-account=nJU78A0AAADjjRmw2Lsr1pbY3L7ECMNG
Xref: g2news2.google.com rec.radio.amateur.equipment:6676
```

Hi,

I have an ICOM IC-746 with backlight lamp damaged (the famous
transistors talked on the web are good).

I need to get the Fluorescent lamp from the LCD, or even the LCD (if it
has the lamp) to repair my radio.

If you have one please tell me.

Best regards,

Luis Fernandes

luisbfernandes@gmail.com

```
From 2142693675886921692
X-Google-Thread: fc8b1,8778ad35aaabf7db,start
X-Google-Thread: 106d41,8778ad35aaabf7db,start
X-Google-Thread: 108122,8778ad35aaabf7db,start
X-Google-Attributes: gidfc8b1,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.cb,rec.radio.amateur.equipment
Subject: FA: TWO(2) NOS GE 6JS6C RF OUTPUT TUBES - YAESU FT-101>NEAT
Date: 17 Oct 2006 07:50:42 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1161096641.966261.318980@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1161096647 23684 127.0.0.1 (17 Oct 2006 14:50:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 17 Oct 2006 14:50:47 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6026 rec.radio.cb:20824
rec.radio.amateur.equipment:6677
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220037213107&ssPageName=STRK:MESE:IT&ih=012

```
From 6674182436302924447
X-Google-Thread: fc8b1,7dadf56bf31c55fa,start
X-Google-Thread: 106d41,7dadf56bf31c55fa,start
X-Google-Thread: 108122,7dadf56bf31c55fa,start
X-Google-Thread: 112d1e,7dadf56bf31c55fa,start
X-Google-Thread: 1118be,7dadf56bf31c55fa,start
X-Google-Attributes: gidfc8b1,gid106d41,gid108122,gid112d1e,gid1118be,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.cb,rec.radio.amateur.equipment,sci.electro
nics.design,sci.electronics.components
Subject: FA: 3 Lots of 1lbs each IC's, General Instru. Mosfets, Motorola/RCA
Mosfets(?)
Date: 17 Oct 2006 07:56:34 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1161096994.709088.271260@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1161097000 29062 127.0.0.1 (17 Oct 2006 14:56:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 17 Oct 2006 14:56:40 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6027 rec.radio.cb:20825
rec.radio.amateur.equipment:6678 sci.electronics.design:110667
sci.electronics.components:7166
```

All worth a look-see, all new, some old, some new, quite an assortment>

100+ General Instruments MOSFETS 3N140 P16901A GRAB-BAG
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220037213158&ssPageName=STRK:MESE:IT&ih=012

1lb PLUS OF VARIOUS NEW IC's>SO MANY>DON'T MISS OUT:-)
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220037213124&ssPageName=STRK:MESE:IT&ih=012

100+ MOTOROLA RCA MOSFETS(?) DON'TMISS GRAB-BAG MYSTERY
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220037213144&ssPageName=STRK:MESE:IT&ih=012

```
From -2603292774065285323
X-Google-Thread: 108122,80f17b00bdbc130c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "John" <john_stlmo@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-990 wanted
```

Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2905
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <4E7Zg.133$KJ3.7@newsfe06.lga>
X-Trace:
lalincmlnekeejjfkannfilpcpbbolnmpgehncahcoiccnmkocllcdkmiddkookdhehpcmjfegmkbgibdo
coolmoeoehlibfjccfofacecbhpncphbojheeaeacagfkcenfnojecgjgcfcij
NNTP-Posting-Date: Tue, 17 Oct 2006 09:36:16 MST
Date: Tue, 17 Oct 2006 11:27:42 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6679

Looking for an xlnt to mint condition 990 - prefer all filters -

Shipping to 63116 or will pick up within reasonable distance.

Thanks.

John

From -3996541761837476904
X-Google-Thread: 1109af,700bee7a665e4d17,start
X-Google-Thread: 108122,700bee7a665e4d17,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "John" <john_stlmo@yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Swap - new FT-897D for...
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2905
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <KK7Zg.136$KJ3.121@newsfe06.lga>
X-Trace:
lalincmlnekeejjfkannfilpcpbbolnmdklekageilnobnjoocllcdkmiddkookdhehpcmjfegmkbgibdo
coolmoeoehlibfjccfofacecbhpncpoigcnpgogkjeohepenfnojecgjgcfcij
NNTP-Posting-Date: Tue, 17 Oct 2006 09:43:22 MST
Date: Tue, 17 Oct 2006 11:43:52 -0500
Xref: g2news2.google.com rec.radio.swap:8663 rec.radio.amateur.equipment:6680

Just purchased a new Yaesu FT-897D (HF/UHF/VHF) rig - had it only 3 days
(received it 10-13-06) -- it's a super radio but not for me...I'm used to
the bigger rigs with large displays and not so menu driven.

Will trade for Xlnt or Mint condition Yaesu 1000MP, Yaesu FT-990, FT-980 or similar, plus cash. No issues and prefer with filters.

Serious offers only - shipping to 63116 or I'll pick up if reasonable distance.

Thanks.

John

```
From -3229167523456632778
X-Google-Thread: 108228,17c7abc3a8102e68,start
X-Google-Thread: 108122,17c7abc3a8102e68,start
X-Google-Thread: 1109af,17c7abc3a8102e68,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!peer02.cox.net!
cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 2-EA MOTOROLA 2WAY VHF CT-RADIOS-SCAN-SP/MIC-CHGRS-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C6F22F.796673E0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <TGhZg.32665$tO5.17652@fed1read10>
Date: Tue, 17 Oct 2006 21:01:54 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1161144115 68.104.78.240 (Wed, 18 Oct 2006 00:01:55 EDT)
NNTP-Posting-Date: Wed, 18 Oct 2006 00:01:55 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1467
rec.radio.amateur.equipment:6681 rec.radio.swap:8691
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_000A_01C6F22F.796673E0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA: 2-EA MOTOROLA 2WAY VHF CT-RADIOS-SCAN-SP/MIC-CHGRS-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250040158955&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000A_01C6F22F.796673E0
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 2-EA MOTOROLA 2WAY VHF CT-RADIOS-SCAN-SP/MIC-CHGRS-HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250040158955&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250040158955&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000A_01C6F22F.796673E0--




From 1869100147866339714
X-Google-Thread: 108122,ac48d252ff061df9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-
mail
From: "Joe" <scannerman@inteliport.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Maha MH-C777Plus Charger Question
Date: 18 Oct 2006 15:48:14 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1161211694.441909.286280@f16g2000cwb.googlegroups.com>
NNTP-Posting-Host: 208.7.213.61
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1161211699 28468 127.0.0.1 (18 Oct 2006 22:48:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 18 Oct 2006 22:48:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.7)
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=208.7.213.61;
   posting-account=fQ9ZSAwAAAA8T5NlI0IHXBkQFNSM4ge7
Xref: g2news2.google.com rec.radio.amateur.equipment:6682

Hi all,
I am new to the group. I have tried to search the group in hope of finding my question but no such luck. I have a qustion. Does anyone know if this charger will analyze a single AA battery? I had also planned on charging up some ht battery packs with it as well as a 13.2v cordless drill battery with it as well. I will be using it to mostly charge batterys and occasinally anaylze them as well. Like i say my main batts that I use are AA batterys. I have been looking at this model but I just not so sure on it. Also would the Trition JR charge and discharge and analyze a single AA battery? As well as analyze a 13.2v drill battery? Would would you guys recommend?

Thanks,
Joe

From -8401260333842128839
X-Google-Thread: 108122,f7efe1dbf839125,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: test 123
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <%RyZg.82512$QZ1.56435@bgtnsc04-news.ops.worldnet.att.net>
Date: Wed, 18 Oct 2006 23:34:19 GMT
NNTP-Posting-Host: 12.77.57.246
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1161214459 12.77.57.246 (Wed, 18 Oct 2006 23:34:19 GMT)
NNTP-Posting-Date: Wed, 18 Oct 2006 23:34:19 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6683

test 123

```
From 2578595976344137898
X-Google-Thread: 108122,65b1b8456bd2a51d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: test 12345
Lines: 25
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0014_01C6F2ED.263A3E40"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <1XyZg.82530$QZ1.43762@bgtnsc04-news.ops.worldnet.att.net>
Date: Wed, 18 Oct 2006 23:39:41 GMT
NNTP-Posting-Host: 12.77.57.246
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1161214781 12.77.57.246 (Wed, 18 Oct
2006 23:39:41 GMT)
NNTP-Posting-Date: Wed, 18 Oct 2006 23:39:41 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6684

This is a multi-part message in MIME format.

------=_NextPart_000_0014_01C6F2ED.263A3E40
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

test 12345
------=_NextPart_000_0014_01C6F2ED.263A3E40
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>test 12345</FONT></DIV></BODY></HTML>

------=_NextPart_000_0014_01C6F2ED.263A3E40--
```

```
From -3206561857672657957
X-Google-Thread: 108122,6601c706a5e36807,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: test 123456
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <RZyZg.82540$QZ1.69115@bgtnsc04-news.ops.worldnet.att.net>
Date: Wed, 18 Oct 2006 23:42:41 GMT
NNTP-Posting-Host: 12.77.57.246
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1161214961 12.77.57.246 (Wed, 18 Oct
2006 23:42:41 GMT)
NNTP-Posting-Date: Wed, 18 Oct 2006 23:42:41 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:6685

test 123456
```

```
From 7299338474435870303
X-Google-Thread: 1109af,700bee7a665e4d17
X-Google-Thread: 108122,700bee7a665e4d17
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
References: <KK7Zg.136$KJ3.121@newsfe06.lga>
Subject: Re: Swap - new FT-897D for...
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <O1zZg.82553$QZ1.4481@bgtnsc04-news.ops.worldnet.att.net>
Date: Wed, 18 Oct 2006 23:46:54 GMT
NNTP-Posting-Host: 12.77.57.246
```

```
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1161215214 12.77.57.246 (Wed, 18 Oct
2006 23:46:54 GMT)
NNTP-Posting-Date: Wed, 18 Oct 2006 23:46:54 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.swap:8706 rec.radio.amateur.equipment:6686

how much to buy?
"John" <john_stlmo@yahoo.com> wrote in message
news:KK7Zg.136$KJ3.121@newsfe06.lga...
> Just purchased a new Yaesu FT-897D (HF/UHF/VHF) rig - had it only 3 days
> (received it 10-13-06) -- it's a  super radio but not for me...I'm used to
> the bigger rigs with large displays and not so menu driven.
>
> Will trade for Xlnt or Mint condition Yaesu 1000MP, Yaesu FT-990, FT-980
> or similar, plus cash.  No issues and prefer with filters.
>
> Serious offers only - shipping to 63116 or I'll pick up if reasonable
> distance.
>
> Thanks.
>
> John
>
>
>
>




From 5014761799009754938
X-Google-Thread: 108122,6601c706a5e36807
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out01a.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!news-
out.readnews.com!postnews3.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: test 123456
From: Steveo <moparholic@hotmail.com>
Organization: nah
Message-ID: <20061018220647.559$Bt@newsreader.com>
Newsgroups: rec.radio.amateur.equipment
References: <RZyZg.82540$QZ1.69115@bgtnsc04-news.ops.worldnet.att.net>
X-NRC-Trace: NewsReader.Com ZuABK0SSpt2wr=vJGEv/l@vyAr6SFjtYkvBlr-sU_VqV2N1c
Date: 19 Oct 2006 02:05:37 GMT
Lines: 7
NNTP-Posting-Host: 7f2c6775.nr3.newsreader.com
X-Trace: DXC=33?
UE48kOLN@ZGN[o7GVE@OA8_@f\K_iBXh8X;oWcZG@2jBZLD51j4ENd7biGRhQTG<@WejEU8`YK0haRe:=f
2jL
X-Complaints-To: abuse@newsreader.com
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:6687

"Bill" <billreed@w4pls.com> wrote:
> test 123456
>
It works, asswipe. Try alt.test next time.

--
                  http://NewsReader.Com/


From -335744924752889599
X-Google-Thread: 108122,f7efe1dbf839125
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.volia.net!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: test 123
Date: 19 Oct 2006 03:25:22 GMT
Lines: 7
Message-ID: <slrnejds12.14cl.bit-bucket@shell.config.com>
References: <%RyZg.82512$QZ1.56435@bgtnsc04-news.ops.worldnet.att.net>
X-Trace: individual.net 1b8VP2U6I5BZPFyz5jOCoQ0KBjLowhWpeajqEa3Kr+qiaArY2j
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:6688

On Wed, 18 Oct 2006 23:34:19 GMT, Bill wrote:
> test 123


Your test failed.  There are a beau-coup ...test ng's and all your lame
posts showed up here.



From 5933121126422223575
X-Google-Thread: 108122,ac48d252ff061df9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!news.uslec.net!not-for-mail
Date: Thu, 19 Oct 2006 02:35:42 -0400
From: Ed <zzz@fast.net>
User-Agent: Mozilla/5.0 (X11; U; Linux x86_64; en-US; rv:1.7.13) Gecko/20061010
Debian/1.7.13-0ubuntu5.10.2
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Maha MH-C777Plus Charger Question
References: <1161211694.441909.286280@f16g2000cwb.googlegroups.com>
```

In-Reply-To: <1161211694.441909.286280@f16g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 55
Message-ID: <45371ba0$0$2540$cc2e38e6@news.uslec.net>
Organization: USLEC
NNTP-Posting-Host: 132d2665.news.uslec.net
X-Trace:
DXC=38BQlRW_j4Lj`=i9@XM8YEG3V[U]m4JkLidIlV<IPB=MLD56T2SCHGJl>fgB6\gA;Af2oH5IkF6:K
X-Complaints-To: abuse@uslec.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6689

Hi Joe:

Maha MH-C777Plus II

Supports Ni Cad, Ni Metal Hydride, and Lithium Ion/Polymer chemistries only!

Using Ni chemistries of 1.2v/cell or more (AA, AAA, C, or D or equiv. rechargeable battery pacs or cells)

Charge + Trickle function: 1 to 12 cells in series. [1.2v to 14.4v]

Also Analyzes (Discharge and hold function only) 3 or more cells only (No 1.2/2.4v cells alone)

Also Conditions (Discharge + Charge + Trickle function) 3 or more cells only. (No 1.2/2.4v cells alone)

For the analyzing function, it need a minimum of 3 cells to determine battery quality. I.E., Good, Shorted, Leaky, Reversed Polarity w/in a cell, etc.

You cannot do the discharge function if a battery pac has internal protection diodes, but you can do the charge!

If charging an expensive Ni battery pac for the first time, do monitor the total output in Ma/Hr, especially during the 90% to 115% period of rated capacity for excessive heat buildup.

Note: the first charging cycle on brand new batteries is likely to not fully charge the battery. Subsequent charging cycles will be more uniform and approach full at ~115% of rated capacity.

Although the charger monitors delta T & delta -V, the cell covering construction, cardboard, film or plastic pkg can fool the T sensor.

Avoid charging cells w/ low factory capacities, like 400Ma/Hr or less!
Avoid mixing batteries or those w/ different histories!

Long term trickle charging Ni-Cads will build-up internal xtal size, resistance and subsequent "memory". Use the Re-condition cycle on such Ni-Cads every 2 months or so.

I recommend this unit for techies who have time to learn the technology and monitor this Maha with its fast advanced charging cycle. [800Ma +/- 50 for Ni chemistry]

Hope this helps.
Bye.
Ed.

From 2227774394435921863
X-Google-Thread: 1109af,25031e577775bdcf,start
X-Google-Thread: 108122,25031e577775bdcf,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!4.24.21.153!newsfeed3.dallas1.level3.net!newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS/FT: Icom PS-125, unused
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 10
Message-ID: <tn3_g.1$tA2.0@dfw-service2.ext.ray.com>
Date: Fri, 20 Oct 2006 12:34:33 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1161347673 138.126.48.166 (Fri, 20 Oct 2006 07:34:33 CDT)
NNTP-Posting-Date: Fri, 20 Oct 2006 07:34:33 CDT
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.swap:8789 rec.radio.amateur.equipment:6690

I have a new/unused Icom PS-125 that I got free with my Pro 3 purchase earlier this year. I've never had the PS-125 out of its box, so it's literally new and mint. I'd like to trade even-up for a Yaesu FT-60R dual-band handheld, or I'll sell the p/s for $175 plus shipping. I will ship via FedEx Ground to keep your costs down.

73,
Dean K5DH

```
From -1099333347682961375
X-Google-Thread: 10bf43,2077c88b37074173,start
X-Google-Thread: fcc6e,2077c88b37074173,start
X-Google-Thread: 108122,2077c88b37074173,start
X-Google-Thread: fa029,2077c88b37074173,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Markie Morgan" <kb9qrz@hummer.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner
Subject: I punced in aigian
Date: Fri, 20 Oct 2006 11:21:25 -0400
Organization: dxlexiciac homo
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 16
Message-ID: <4538dc91$0$19742$88260bb3@free.teranews.com>
NNTP-Posting-Date: 20 Oct 2006 14:26:25 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:50865
rec.radio.amateur.antenna:20174 rec.radio.amateur.equipment:6691
rec.radio.scanner:7360
```

ok I back four anoter tuff day on the news grupes it my job tis waht I do
so
bringit on you loosers

show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
happy new years it means and it can be better one if Wismen Robson and
SC a few just decided to not to be as hateful

with the punce gotcha he wonders why I simple don't bother to ty
impoving my spelling do u hav anyting cognet two say?

http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From 7133394663876540148
X-Google-Thread: 10bf43,2077c88b37074173
X-Google-Thread: fcc6e,2077c88b37074173
X-Google-Thread: 108122,2077c88b37074173
X-Google-Thread: fa029,2077c88b37074173
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.org
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner
Subject: id theft is a crime
Date: Fri, 20 Oct 2006 11:48:22 -0400
Message-ID: <dtrhj2hb6hhm25up6t43npa34pblnh6c88@4ax.com>
References: <4538dc91$0$19742$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Date: 20 Oct 2006 14:53:09 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:50867
rec.radio.amateur.antenna:20176 rec.radio.amateur.equipment:6692
rec.radio.scanner:7361

On Fri, 20 Oct 2006 11:21:25 -0400, "Markie Morgan"
<kb9qrz@hummer.com> wrote:

>
it is you know
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com
```

```
From 7157363133783485426
X-Google-Thread: 108122,3a8852ce34ee702f,start
X-Google-Thread: 108228,3a8852ce34ee702f,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 20 Oct 2006 18:13:32 -0500
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.amateur.swap
Subject: FA: Yaesu FT-8100R like new dual band dual recieve
From: "Rich" <rullery@pioneer-data.com>
```

```
Reply-to: rullery@pioneer-data.com
Date: Fri, 20 Oct 2006 23:13:31 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <4OudnVYz2biBxaTYnZ2dnUVZ_tudnZ2d@centurytel.net>
Lines: 6
NNTP-Posting-Host: 72.160.87.145
X-Trace: sv3-J7PNkEhWynhK/Vd3cef4HTG3bmjneSunZLuYpRKVCCRTZgJl/
93sV45C53wY1dwrC2uWHsDWI+G2iCr!
4Nu86vwOGr0EohdZXqMmxrTSZ+Q2xMWLS9TFtde1L585XWf+jOt+QFmu70AfXDqC+eVFLzLD1bXM!
ExwgNqo1FneOBh4A080IrgLtUrsAtOzuwXM3
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6693 alt.ham-
radio.marketplace:1470


Like new excellent condition Never mobile with original box and manual, I
kid you not, this has spent most of its days in the box. S/N: 9M280040.
NICE!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130039212326


From 1978810105923522002
X-Google-Thread: 108122,a4e7f3d3a8982a0f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe09.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  YAESU  and  TPL  220MHz  EQUIPMENT--  ONE DAY LEFT
Content-Type: multipart/alternative;
 boundary="------------040806020104040806090104"
Lines: 53
Message-ID: <Dfd_g.167$zi7.137@newsfe09.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligkannfilpcpbbolnmnahljjhcakbkpggjoappennnphngbbbkldloolidgaadjagahk
fpjoddleacaekmlmdmaimhepnlddlfkjaolhieepjlaibdhgindeflifgphkdl
NNTP-Posting-Date: Fri, 20 Oct 2006 16:48:51 MST
```

```
Date: Fri, 20 Oct 2006 19:49:12 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6694

This is a multi-part message in MIME format.
--------------040806020104040806090104
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Hi all,  I'm posting this for a friend.  He has nice pictures.


Yaesu FT-127RA memorizer.  A 220MHz mobile transceiver

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130037111039

================================================================================

TPL 220MHz  100 WATT Amplifier

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130037149883




--------------040806020104040806090104
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial">Hi all,&nbsp; I'm posting this for a
friend.&nbsp; He has nice pictures.<br>
<br>
<br>
Yaesu FT-127RA memorizer.&nbsp; A 220MHz mobile transceiver&nbsp; <br>
</font></font><font size="2"><span
 style="font-size: 14pt; font-family: Arial;"><font size="3"><span
 style="color: blue; font-family: Arial;"><span><strong></strong></span></span></
font></span></font><br>
<font size="+1"><font face="Arial"><a class="moz-txt-link-freetext" href="http://
cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130037111039">http://cgi.ebay.com/ws/
eBayISAPI.dll?ViewItem&amp;ssPageName=ADME:L:LCA:US:11&amp;item=130037111039</
a><br>
<br>
================================================================================<b
r>
```

```
<br>
TPL 220MHz&nbsp; 100 WATT Amplifier<br>
<br>
<a class="moz-txt-link-freetext" href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130037149883">http://cgi.ebay.com/ws/
eBayISAPI.dll?ViewItem&amp;ssPageName=ADME:L:LCA:US:11&amp;item=130037149883</
a><br>
<br>
<br>
</font></font>
</body>
</html>

--------------040806020104040806090104--


From 7275131674816192555
X-Google-Thread: 10bf43,2077c88b37074173
X-Google-Thread: fcc6e,2077c88b37074173
X-Google-Thread: 108122,2077c88b37074173
X-Google-Thread: fa029,2077c88b37074173
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!multikabel.net!
feed20.multikabel.net!sn-xt-ams-06!sn-xt-ams-08!sn-ams!sn-feed-ams-02!sn-post-
ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner
Subject: Re: id theft is a crime
Date: Sat, 21 Oct 2006 00:17:28 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <ep7jj2p97phad9f0bcu0k3o6ui8rkb9bu3@4ax.com>
Reply-To: pltrgyst@spamlessxhost.org
References: <4538dc91$0$19742$88260bb3@free.teranews.com>
<dtrhj2hb6hhm25up6t43npa34pblnh6c88@4ax.com>
X-Newsreader: Forte Agent 4.0/32.1071
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.amateur.policy:51018
rec.radio.amateur.antenna:20211 rec.radio.amateur.equipment:6695
rec.radio.scanner:7365

On Fri, 20 Oct 2006 11:48:22 -0400, Mark@kb9rqz.org wrote:

>On Fri, 20 Oct 2006 11:21:25 -0400, "Markie Morgan"
><kb9qrz@hummer.com> wrote:
>
>it is you know
```

>http://kb9rqz.blogspot.com/

As a ham since 1959, you've got to be the biggest asshole I've ever seen
sporting a call sign.

{plonk}

-- Larry

From -2243615676253026548
X-Google-Thread: 10bf43,2077c88b37074173
X-Google-Thread: fcc6e,2077c88b37074173
X-Google-Thread: 108122,2077c88b37074173
X-Google-Thread: fa029,2077c88b37074173
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.ars
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner
Subject: Re: id theft is a crime
Date: Sat, 21 Oct 2006 00:30:12 -0400
Message-ID: <0i8jj2d51fm1tna9psgu1dskqmqh9p24p3@4ax.com>
References: <4538dc91$0$19742$88260bb3@free.teranews.com>
<dtrhj2hb6hhm25up6t43npa34pblnh6c88@4ax.com>
<ep7jj2p97phad9f0bcu0k3o6ui8rkb9bu3@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
NNTP-Posting-Date: 21 Oct 2006 03:34:57 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:51019
rec.radio.amateur.antenna:20212 rec.radio.amateur.equipment:6696
rec.radio.scanner:7366

On Sat, 21 Oct 2006 00:17:28 -0400, pltrgyst
<pltrgyst@spamlessxhost.org> wrote:

>On Fri, 20 Oct 2006 11:48:22 -0400, Mark@kb9rqz.org wrote:
>
>>On Fri, 20 Oct 2006 11:21:25 -0400, "Markie Morgan"
>><kb9qrz@hummer.com> wrote:
>>
>>it is you know
>>http://kb9rqz.blogspot.com/
>
>As a ham since 1959, you've got to be the biggest asshole I've ever seen
>sporting a call sign.

funny no call no ham

>
>{plonk}
>
>-- Larry
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -7472288175032954517
X-Google-Thread: 10bf43,2077c88b37074173
X-Google-Thread: fcc6e,2077c88b37074173
X-Google-Thread: 108122,2077c88b37074173
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
news.albasani.net!news.motzarella.org!aioe.org!Mark
From: Mark@kb9rqz.net (Mark@kb9rqz.net)
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: id theft is a crim
Date: Sat, 21 Oct 2006 13:11:22 +0200 (CEST)
Organization: .
Lines: 16
Message-ID: <754gi2tmfvlort85pqfj3j4ufigl9htkj9@4ax.com>
References: <4538dc91$0$19742$88260bb3@free.teranews.com>
<dtrhj2hb6hhm25up6t43npa34pblnh6c88@4ax.com>
<ep7jj2p97phad9f0bcu0k3o6ui8rkb9bu3@4ax.com>
NNTP-Posting-Host: KvOaR+b2Q1hDNnO1T+dehQ.user.aioe.org
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@aioe.org
X-Newsreader: Forte Free Agent 3.3/32.846
Xref: g2news2.google.com rec.radio.amateur.policy:51032
rec.radio.amateur.antenna:20221 rec.radio.amateur.equipment:6697

On Sat, 21 Oct 2006 00:17:28 -0400, pltrgyst <pltrgyst@spamlessxhost.org> wrote:
> X-Newsreader: Forte Agent 4.0/32.1071
> MIME-Version: 1.0
> Content-Type: text/plain; charset=us-ascii
> Content-Transfer-Encoding: 7bit
> X-Complaints-To: abuse@supernews.com
> Lines: 14

> As a ham since 1959, you've got to be the biggest asshole I've ever seen

```
> sporting a call sign.
>
> {plonk}
to bad since I haev rpeorted you abuse to supernews.com ashole.

http://kb9rqz.blogspot.com/



From -8439023024092969695
X-Google-Thread: 10dafd,994a7285a0c99287,start
X-Google-Thread: 108122,994a7285a0c99287,start
X-Google-Thread: fcc6e,994a7285a0c99287,start
X-Google-Thread: 1062f2,994a7285a0c99287,start
X-Google-Attributes: gid10dafd,gid108122,gidfcc6e,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Oct 2006 06:59:54 -0500
Subject: FA: 1-Day-Left: CISCO AIR-ANT58G28SDA-N AIRONET 5.8 GHZ 28dbi DISH
ANTENNA
Date: Sat, 21 Oct 2006 08:00:01 -0400
From: George <george@jopsggao.com>
Newsgroups:
alt.marketplace.online.ebay,rec.radio.amateur.equipment,rec.radio.amateur.antenna,
misc.industry.electronics.marketplace
Message-ID: <2110200608000182814%george@jopsggao.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace:
sv3-9lbwPsLE1YKtnt8hW2A1uYChrEV+xBm9WrwgDgMYeGYIsBaJBM5a+KhryLMJZchfxTHHTJsdlOIwin
1!VhHvWAY5VdPbabZ1nW/KiH1Mpi7pZE3b+EtVux3nBcs9DumIVTwzUdKy0wTVOokDKU9vP1iZCJK7!
fboADpcQS7zjDYJI6DK6kw==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.marketplace.online.ebay:23749
rec.radio.amateur.equipment:6698 rec.radio.amateur.antenna:20224
misc.industry.electronics.marketplace:679


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320038667757


From 7661077901070512514
X-Google-Thread: 108122,a0a357d17ebc5b30,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Oct 2006 07:06:45 -0500
From: "Denis Sharon" <denis.sharon@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Hallicrafters SX-62 Part
Date: Sat, 21 Oct 2006 08:06:56 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <ef-dnQ9WhObIkKfYnZ2dnUVZ_s6dnZ2d@comcast.com>
Lines: 9
NNTP-Posting-Host: 71.234.130.99
X-Trace: 
sv3-7uCYxKAh4hrCr00QiErU5F7u3vldoEQPo3giBBctJgirU8uTHtVJPWnZOtkByBdOsPp67mT9huiOlP
u!0qNh2vYEDP7nTzxIJiwsGokWg5U2VtbHBWN8GLFF4jaxkTCZvvVG415E7hjnobCIl79QUWIzTJav!
2l6FrbNt4onyGM6Xmt8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint 
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6699
```

Hello. I am in desperate need of the glass frequency dial for an SX-62. My sweetheart was thrilled to inherit a very nice SX-62B but the frequency scale was subsequently broken in transit. She was VERY disheartened. I was too. If you have an SX-62 parts unit with a good inner frequency scale glass, please reply ONLY directly to denis.sharon [at] att.net, not to the list. Thanks. Denis Sharon W1AOK

```
From -7533158404170684502
X-Google-Thread: 10bf43,2077c88b37074173
X-Google-Thread: fcc6e,2077c88b37074173
X-Google-Thread: 108122,2077c88b37074173
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.ars
Newsgroups: 
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: id theft is a crime
```

```
Date: Sat, 21 Oct 2006 12:21:37 -0400
Message-ID: <m7ikj2tnqkakf4cnp5scubmqp676sq0fap@4ax.com>
References: <4538dc91$0$19742$88260bb3@free.teranews.com>
<dtrhj2hb6hhm25up6t43npa34pblnh6c88@4ax.com>
<ep7jj2p97phad9f0bcu0k3o6ui8rkb9bu3@4ax.com>
<754gi2tmfvlort85pqfj3j4ufigl9htkj9@4ax.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
NNTP-Posting-Date: 21 Oct 2006 15:26:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:51056
rec.radio.amateur.antenna:20235 rec.radio.amateur.equipment:6700

On Sat, 21 Oct 2006 13:11:22 +0200 (CEST), Mark@kb9rqz.net
(Mark@kb9rqz.net) wrote:

>
>On Sat, 21 Oct 2006 00:17:28 -0400, pltrgyst <pltrgyst@spamlessxhost.org> wrote:
>> X-Newsreader: Forte Agent 4.0/32.1071
>> MIME-Version: 1.0
>> Content-Type: text/plain; charset=us-ascii
>> Content-Transfer-Encoding: 7bit
>> X-Complaints-To: abuse@supernews.com
>> Lines: 14
>
>> As a ham since 1959, you've got to be the biggest asshole I've ever seen
>> sporting a call sign.
>>
>> {plonk}
>to bad since I haev rpeorted you abuse to supernews.com ashole.
>
>http://kb9rqz.blogspot.com/
an interesting Forge since I have done nothing of the sort
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 4346651053679289809
X-Google-Thread: 10bf43,2077c88b37074173
X-Google-Thread: fcc6e,2077c88b37074173
X-Google-Thread: 108122,2077c88b37074173
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
```

rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: id theft is a crim
From: Slow Code <my.mail@no.spam>
References: <4538dc91$0$19742$88260bb3@free.teranews.com>
<dtrhj2hb6hhm25up6t43npa34pblnh6c88@4ax.com>
<ep7jj2p97phad9f0bcu0k3o6ui8rkb9bu3@4ax.com>
<754gi2tmfvlort85pqfj3j4ufigl9htkj9@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 31
Message-ID: <L6y_g.10635$Lv3.8687@newsread1.news.pas.earthlink.net>
Date: Sat, 21 Oct 2006 23:32:59 GMT
NNTP-Posting-Host: 4.254.226.200
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1161473579 4.254.226.200 (Sat, 21 Oct 2006 16:32:59 PDT)
NNTP-Posting-Date: Sat, 21 Oct 2006 16:32:59 PDT
Xref: g2news2.google.com rec.radio.amateur.policy:51093
rec.radio.amateur.antenna:20259 rec.radio.amateur.equipment:6701

Mark@kb9rqz.net (Mark@kb9rqz.net) wrote in
news:754gi2tmfvlort85pqfj3j4ufigl9htkj9@4ax.com:

>
> On Sat, 21 Oct 2006 00:17:28 -0400, pltrgyst
> <pltrgyst@spamlessxhost.org> wrote:
>> X-Newsreader: Forte Agent 4.0/32.1071
>> MIME-Version: 1.0
>> Content-Type: text/plain; charset=us-ascii
>> Content-Transfer-Encoding: 7bit
>> X-Complaints-To: abuse@supernews.com
>> Lines: 14
>
>> As a ham since 1959, you've got to be the biggest asshole I've ever
>> seen sporting a call sign.
>>
>> {plonk}
> to bad since I haev rpeorted you abuse to supernews.com ashole.

ROFL, Mark in the Dark

That's my new phrase for Markie: "Mark in the Dark"

We can overlook typo's now and then, but Mark butchers the english language.

LEARN CW, LEARN TO SPELL Markie.

SC

From 4973177863996153O1
X-Google-Thread: 108122,777fde55015e3eec,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news.glorb.com!newscon02.news.prodigy.net!prodigy.net!news-east.rr.com!news.rr.com!news-server.columbus.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM Delta 100 questions
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 21
Message-ID: <g7y_g.1895$vC1.1499@tornado.tampabay.rr.com>
Date: Sat, 21 Oct 2006 23:33:32 GMT
NNTP-Posting-Host: 70.121.227.31
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1161473612 70.121.227.31 (Sat, 21 Oct 2006 19:33:32 EDT)
NNTP-Posting-Date: Sat, 21 Oct 2006 19:33:32 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6702

ICOM Delta 100 questions

I would like to hear from anyone on the board having experience with these. I have one I have been meaning to install and have some questions;

1. Control language between digital microphone and control head. I would like to emulate with a PIC and make two bands track each other for satellite work.

2. Band expansion mods for Japan market radio. I have a "mod from a Japanese site but haven't tried it.

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 5136586737113869204
X-Google-Thread: 10bf43,2077c88b37074173

```
X-Google-Thread: fcc6e,2077c88b37074173
X-Google-Thread: 108122,2077c88b37074173
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.ars
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: id theft is a crime
Date: Sat, 21 Oct 2006 22:04:48 -0400
Message-ID: <qcklj2pb6klj63v17p8ui54d4k12s6q9gs@4ax.com>
References: <4538dc91$0$19742$88260bb3@free.teranews.com>
<dtrhj2hb6hhm25up6t43npa34pblnh6c88@4ax.com>
<ep7jj2p97phad9f0bcu0k3o6ui8rkb9bu3@4ax.com>
<754gi2tmfvlort85pqfj3j4ufigl9htkj9@4ax.com>
<L6y_g.10635$Lv3.8687@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Date: 22 Oct 2006 01:09:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:51137
rec.radio.amateur.antenna:20274 rec.radio.amateur.equipment:6703

On Sat, 21 Oct 2006 23:32:59 GMT, Slow Code <my.mail@no.spam> wrote:

>Mark@kb9rqz.net (Mark@kb9rqz.net) wrote in
>news:754gi2tmfvlort85pqfj3j4ufigl9htkj9@4ax.com:
>
>>
>> On Sat, 21 Oct 2006 00:17:28 -0400, pltrgyst
>> <pltrgyst@spamlessxhost.org> wrote:
>>> X-Newsreader: Forte Agent 4.0/32.1071
>>> MIME-Version: 1.0
>>> Content-Type: text/plain; charset=us-ascii
>>> Content-Transfer-Encoding: 7bit
>>> X-Complaints-To: abuse@supernews.com
>>> Lines: 14
>>
>>> As a ham since 1959, you've got to be the biggest asshole I've ever
>>> seen sporting a call sign.
>>>
>>> {plonk}
>> to bad since I haev rpeorted you abuse to supernews.com ashole.
>
>
>
>ROFL, Mark in the Dark
>
```

>That's my new phrase for Markie: "Mark in the Dark"
>
>We can overlook typo's now and then, but Mark butchers the
>english language.
I did not write the post you are repling to
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -2973020979310377901
X-Google-Thread: 108122,914f0690917c7a10,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  KENWOOD TM-3530A, 220MHz MOBILE HAM RADIO, NICE-  LAST DAY
Content-Type: multipart/alternative;
 boundary="------------060902090001030002080902"
Lines: 39
Message-ID: <yDB_g.391$M27.386@newsfe12.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiiekannfilpcpbbolnmcjjofomgcdjakfohoappennnphngbbbkbonpnnjgbjcljkggio
gmjcmajmcbkehegolclmipcngnhhledejdmihhngoogdfahgindeflifgphkdl
NNTP-Posting-Date: Sat, 21 Oct 2006 20:32:46 MST
Date: Sat, 21 Oct 2006 23:33:10 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6704

This is a multi-part message in MIME format.
--------------060902090001030002080902
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

Hello all, posting this one also for a friend.
Nice pictures.
Last day.

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130037480703

```
--------------060902090001030002080902
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Arial">Hello all,&nbsp; posting this one also
for a friend. <br>
Nice pictures.<br>
Last day.<br>
<br>
<br>
<a class="moz-txt-link-freetext" href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130037480703">http://cgi.ebay.com/ws/
eBayISAPI.dll?ViewItem&amp;ssPageName=ADME:L:LCA:US:11&amp;item=130037480703</
a><br>
<br>
<br>
</font></font>
</body>
</html>

--------------060902090001030002080902--


From -7966901838325796903
X-Google-Thread: 108228,4fb8f97b0a33dfc6,start
X-Google-Thread: 108122,4fb8f97b0a33dfc6,start
X-Google-Thread: 1109af,4fb8f97b0a33dfc6,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!peer02.cox.net!
cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "Narri Org" <NarriSurplus@narri.org>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: STANDARD RP70U UHF REPEATER w/CELWAVE MINI-DUPLEXER-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C6F571.30A46EB0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
```

```
Message-ID: <P4F_g.33561$tO5.13991@fed1read10>
Date: Sun, 22 Oct 2006 00:29:52 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1161502127 68.104.78.240 (Sun, 22 Oct 2006 03:28:47 EDT)
NNTP-Posting-Date: Sun, 22 Oct 2006 03:28:47 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1472
rec.radio.amateur.equipment:6705 rec.radio.swap:8837

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C6F571.30A46EB0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: STANDARD RP70U UHF REPEATER w/CELWAVE MINI-DUPLEXER-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D300040904557&=
ssPageName=3DSTRK:MESE:IT&ih=3D020

------=_NextPart_000_000A_01C6F571.30A46EB0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: STANDARD RP70U UHF REPEATER w/CELWAVE MINI-DUPLEXER-HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D300040904557&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D020">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D300040904557&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D020</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000A_01C6F571.30A46EB0--



From -8487942206993200652
X-Google-Thread: 108228,11f6f6a8b384c8a3,start
X-Google-Thread: 108122,11f6f6a8b384c8a3,start
X-Google-Thread: 1109af,11f6f6a8b384c8a3,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA UHF HT1250 ls-2WAY Radio-403-470MHz-Ham-EXTRAS
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_000A_01C6F573.B219B070"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <DlF_g.33562$tO5.9@fed1read10>
Date: Sun, 22 Oct 2006 00:47:48 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1161503203 68.104.78.240 (Sun, 22 Oct 2006 03:46:43 EDT)
NNTP-Posting-Date: Sun, 22 Oct 2006 03:46:43 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1473
rec.radio.amateur.equipment:6706 rec.radio.swap:8838

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C6F573.B219B070
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA UHF HT1250 ls-2WAY Radio-403-470MHz-Ham-EXTRAS=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250041598655&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000A_01C6F573.B219B070
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA UHF HT1250 ls-2WAY Radio-403-470MHz-Ham-EXTRAS </P>
<P><FONT size=3D3><A=20
```

```
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250041598655&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250041598655&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000A_01C6F573.B219B070--




From 5320905607914805656
X-Google-Thread: 108122,7180733eb4ca2952,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: MORE EF JOHNSON STUFF
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <ZfP_g.332086$QM6.224284@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: be06e6fb5c9d317947a0326cf63fc758
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1161543801
be06e6fb5c9d317947a0326cf63fc758 (Sun, 22 Oct 2006 19:03:21 GMT)
NNTP-Posting-Date: Sun, 22 Oct 2006 19:03:21 GMT
Organization: AT&T Worldnet
Date: Sun, 22 Oct 2006 19:03:21 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6707

More EF Johnson parts listed:  feet +  6N2 VFO; see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking: have some National items coming soon: NCX-5 + PS,
NCL-2000

HEYTUBEGUY





From -8066796933933906451
X-Google-Thread: fc8b1,939a057b88a1525a,start
X-Google-Thread: 108122,939a057b88a1525a,start
X-Google-Thread: 1109af,939a057b88a1525a,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 22 Oct 2006 14:44:46 -0500
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
Subject: FA:  Big amp cabinet  HP
Date: Sun, 22 Oct 2006 15:44:48 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <RMmdneQrepGyV6bYnZ2dnUVZ_tydnZ2d@comcast.com>
Lines: 5
NNTP-Posting-Host: 69.253.143.89
X-Trace: sv3-LGomPXb+9mQyBdQvLL0AdHgoDpjR4DqA07kTe2sWynOBTqAFAN/
t2ysMvFZ+sl8+hq0ZV9+anrHLhqz!QFxdG8p0uv6OQmbPn4CO/bFH4tFCniYKSwBfPvc5l3SQ/
BKjoau7QP3RQirLtM678hNkv1g4y2+D!4D0Y4rSW
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6089
rec.radio.amateur.equipment:6708 rec.radio.swap:8863

Yup..a 'biggun'

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=019&sspagename=STRK%3AMESE%3AIT&viewitem=&item=290042412763&rd=1&rd=1




From 930645341065543175
X-Google-Thread: fc8b1,761156100f9249f5,start
X-Google-Thread: 108122,761156100f9249f5,start
X-Google-Thread: 1109af,761156100f9249f5,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 22 Oct 2006 14:48:28 -0500
From: "Dave Edwards" <kd2e@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
```

```
Subject: FA:  AC VTVM   beautiful item
Date: Sun, 22 Oct 2006 15:48:28 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <s9idnfRW1cORVqbYnZ2dnUVZ_t-dnZ2d@comcast.com>
Lines: 6
NNTP-Posting-Host: 69.253.143.89
X-Trace: sv3-
zp7F2ATKFDAhL5y31KXZ+wUBqfInBEoqnCqventEiE3YK4Zrbjp4lz2g2juZqKTzPJ4a3/X9UVGN8rW!/
y4leZ5aP2cuVMDtowdz28hIxfKQiqur+pQLY51ZEss1/UckWYTHQtrhlPFb3BoMW4i8XjsNmkgN!
eA4qD68O
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:6090
rec.radio.amateur.equipment:6709 rec.radio.swap:8865

My regular VTVM does AC readings, so I don't know what good this is...but
its so friggin nice looking!!!
Check it out here....
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=019&sspagename=STRK%3AMESE%3AIT&viewitem=&item=290042401300&rd=1&rd=1




From -741003470025822586
X-Google-Thread: 10bf43,2077c88b37074173
X-Google-Thread: 107ada,9f5d196caf35f851
X-Google-Thread: 108122,2077c88b37074173
X-Google-Attributes: gid10bf43,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: id theft is a crime
From: Slow Code <my.mail@no.spam>
References: <4538dc91$0$19742$88260bb3@free.teranews.com>
<dtrhj2hb6hhm25up6t43npa34pblnh6c88@4ax.com>
<ep7jj2p97phad9f0bcu0k3o6ui8rkb9bu3@4ax.com>
<754gi2tmfvlort85pqfj3j4ufigl9htkj9@4ax.com>
<L6y_g.10635$Lv3.8687@newsread1.news.pas.earthlink.net>
<qcklj2pb6klj63v17p8ui54d4k12s6q9gs@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
```

```
Lines: 42
Message-ID: <JiT_g.11059$Lv3.7782@newsread1.news.pas.earthlink.net>
Date: Sun, 22 Oct 2006 23:39:21 GMT
NNTP-Posting-Host: 4.254.231.165
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1161560361 4.254.231.165 (Sun, 22 Oct
2006 16:39:21 PDT)
NNTP-Posting-Date: Sun, 22 Oct 2006 16:39:21 PDT
Xref: g2news2.google.com rec.radio.amateur.policy:51282
rec.radio.amateur.misc:24649 rec.radio.amateur.equipment:6710
```

'Mark in the Dark' wrote in
news:qcklj2pb6klj63v17p8ui54d4k12s6q9gs@4ax.com:

```
> On Sat, 21 Oct 2006 23:32:59 GMT, Slow Code <my.mail@no.spam> wrote:
>
>>Mark@kb9rqz.net (Mark@kb9rqz.net) wrote in
>>news:754gi2tmfvlort85pqfj3j4ufigl9htkj9@4ax.com:
>>
>>>
>>> On Sat, 21 Oct 2006 00:17:28 -0400, pltrgyst
>>> <pltrgyst@spamlessxhost.org> wrote:
>>>> X-Newsreader: Forte Agent 4.0/32.1071
>>>> MIME-Version: 1.0
>>>> Content-Type: text/plain; charset=us-ascii
>>>> Content-Transfer-Encoding: 7bit
>>>> X-Complaints-To: abuse@supernews.com
>>>> Lines: 14
>>>
>>>> As a ham since 1959, you've got to be the biggest asshole I've ever
>>>> seen sporting a call sign.
>>>>
>>>> {plonk}
>>> to bad since I haev rpeorted you abuse to supernews.com ashole.
>>
>>
>>
>>ROFL, Mark in the Dark
>>
>>That's my new phrase for Markie:  "Mark in the Dark"
>>
>>We can overlook typo's now and then, but Mark butchers the
>>english language.
> I did not write the post you are repling to
```

I know that Mark in the Dark. I'm laughing at all the amunition you give everyone to tease you with. It wouldn't be funny if there wasn't a little truth in it.

Learn CW!

SC

```
From -8625085965606213795
X-Google-Thread: 108122,6a968033d896d393,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Drake TR-4CW/RIT  LIKE NEW!!!
Message-ID: <6sv2i2526tnm2athdqjkp5e0vgbrf11hi8@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligijjdnojopddcmjimpamidldhgliajbppllfjdfbijhjogphkajfcobocpeihfnehnf
clcnlhcamccojcmbifoooaedibpgndfiheopmhdcejdnefgolpanaadbokpicd
NNTP-Posting-Date: Mon, 02 Oct 2006 14:08:12 MST
Organization: Optimum Online
Date: Mon, 02 Oct 2006 17:07:23 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6559

FS Drake TR-4CW/RIT  LIKE NEW!!!
I have a MINT CONDITION Drake TR-4CW  with RIT.   Works GREAT!
Serial #  44687
If you're looking for a really nice piece to add to you collection,
this is it!!!!
Look no further.
Please make offer.......Ready to sell.
ritchi50@optonline.net



From -3911351305195613800
X-Google-Thread: 108122,607a5398cd87accd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 02 Oct 2006 21:54:39 -0500
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Repairing Icom 735 - BPF diodes
Date: Mon, 02 Oct 2006 19:54:37 -0700
Reply-To: gfiber@comcast.net
Message-ID: <nej3i2decsua4e6nvf7c18eqdoumfmimbh@4ax.com>
References: <1159738014.605849.232010@m7g2000cwm.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
```

MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 62
NNTP-Posting-Host: 24.16.33.185
X-Trace: sv3-rw1cEp6OGJDkObiQpl3pcMT0MbUyAz5bc9Ypj2KFk7D8+BmG7OYwYN1lJvSUjx2PsRxAUvvyLYINeqM!lJyVZuTeqlHHxjiEyDzMDTuGWsQkKN8FuMD9A0CRL6FoDco81vRwA2B09fy8J73jmi8Xsx3rCTpb!lswoTpQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6560

On 1 Oct 2006 14:26:54 -0700, sailtamarack@yahoo.ca wrote:

>I would like to repair an Icom 735 that is not able to receive from 4 to 11 MHz. Two diodes (D11 & D13) in the receive bandpass filter section are blown (due to operation near another high power transmitter/antenna).
>
>These diodes are on the main board which can be accessed by removing the bottom cover. However they can only be replaced by unsoldering/soldering on the bottom of the main board. I have several questions for anyone who has made repairs to this rig:
>
>1. It is easy to remove the screws holding down the board but there is extensive wiring connected to this board. Does the board have to be totally removed in order to get at this area? How difficult is this job? Any tips or tricks you might recommend?
>
>2. The diodes are 1ss53 which is a Japanese switching diode. They are hard to find. Has anyone found a direct replacement for this part that gives equal or better performance? (I do not want to change any of the bias resistors).
>
>Thanks - Roger

The board is not that hard. YES there will be cables you will need to disconnect. Have your digital camera handy or just a paper and pencil and make a quick sketch of the board I used to do that before the camera says and sometimes its still easier than photos. When disconnecting multi pin connectors, pick on end and mark the wire color so you will get the connector reinstalled correctly.

I think one coax gets disconnected that goes through the from of the 735. There is an other or so too that you will see get tight as you try to life the board so disconnect it too. Just don't get then confused, maybe take a moment and mark them with masking tape.

Basically you will unscrew to board. Now with the front of the radio towards you gently lift the front of the circuit board. " walk " the board towards the front lifting it above the front of the radio.

You are working towards getting the rear connectors out of the back panel and clear of the rear lip. PAY attention to any cables that need removing and do so as you go.

Once the rear connectors are clear of the rear chassis lip you can then flip the back edge of the circuit board up and over to get to the diode solder joints.

Its really easier than this write up sounds. I have talked several through it over the telephone as you need to do the same thing to install the CW filter.

Over the years many have tried substituting those diode, even to installing pin diodes. While I was at Icom tried them at Icom and found no performance enhancement. We had one person remove and replace his band pass filter diodes with pin type and we could not fix that rig. We even installed original diodes back into it. It was an IC-751.

Call Icom's parts department for the diodes. Another source of Japanese parts used to be MCM audio

Gary K8IZ

```
From -636434303427825261
X-Google-Thread: 108122,2a8227fec6174543
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe11.lga.POSTED!53ab2750!not-for-mail
Message-ID: <4521D3BB.5060709@pobox.com>
From: Ken Roser <kroser@pobox.com>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM HM56 Capacitor replacement
References: <xMUTg.25$KL.16@newsfe12.lga> <fmmck-0210061428070001@172.166.229.235>
In-Reply-To: <fmmck-0210061428070001@172.166.229.235>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 52
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimdneehphgdgjpenpfdnlipjodoghajcgkfccnojbpaamdkajeld
bddgbpclpocminjccfofacecbhpncpdcpokidjjmcpicekenfnojecgjgcfcij
NNTP-Posting-Date: Mon, 02 Oct 2006 20:06:35 MST
```

Organization: Optimum Online
Date: Mon, 02 Oct 2006 23:06:35 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6561

Here's the details. ICOM has a service bulletin that describes the problem and fix. You'll need to replace 5 surface mount capacitors. I ordered the parts from ICOM and the total cost is about $8. A link to the bulletin is
http://www.icomamerica.com/support/kb/Article.aspx?Download=180

The text of the bulletin is reproduced below:

"HM56/56A - Electrolytic Capacitor replacement

A common failure of the HM56/56A microphone, causing the radio to remain in TX mode when the mic is connected, is failure of the electrolytic capacitors on the microphone circuit board. Generally, replacing all 5 capacitors on the board repairs the problem and allows the microphone to work properly again. This repair is not a guarantee, simply a common failure point and reference for repair.

The 5 capacitors on the board are labeled as C3, C4, C7, C13 and C14. They can be ordered from the Icom parts department using the following part numbers:"

(see the bulletin for a photograph and parts list)

Fred McKenzie wrote:
> In article <xMUTg.25$KL.16@newsfe12.lga>, Ken Roser <kroser@pobox.com> wrote:
>
>> Apparently there exists a problem with the HM56 microphone that causes
>> the radio to key up spontaneously due to capacitor failures on this
>> microphone.
>>
>> Can anyone provide some assistance on the details of this procedure.
>> Supposedly there are 5 surface mount capacitors that need replacement.
>
> Ken-
>
> This is the first I've heard that someone had solved the problem, which is
> apparently common. Mine keys the transmitter when power is first
> applied. After several seconds, the transmitter unkeys and everything is
> OK until powered down. Replacing the CMOS battery didn't help.
>
> Somewhere I found a copy of the HM-56A diagram and parts list, possibly at
> www.mods.dk. I suspected that a transistor connected to the CPU's reset
> line was leaking and slowing down the power-on reset. I had not
> considered capacitor leakage as a possible cause.
>
> Please post if you learn more.
>

> 73,
> Fred
> K4DII

From 106723371184549466
X-Google-Thread: 108122,607a5398cd87accd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Repairing Icom 735 - BPF diodes
Date: 2 Oct 2006 22:07:17 -0700
Organization: http://groups.google.com
Lines: 75
Message-ID: <1159852037.099682.266030@m7g2000cwm.googlegroups.com>
References: <1159738014.605849.232010@m7g2000cwm.googlegroups.com>
   <nej3i2decsua4e6nvf7c18eqdoumfmimbh@4ax.com>
NNTP-Posting-Host: 70.66.158.62
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159852041 8523 127.0.0.1 (3 Oct 2006 05:07:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Oct 2006 05:07:21 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=70.66.158.62;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6562

Gary P. Fiber wrote:
> On 1 Oct 2006 14:26:54 -0700, sailtamarack@yahoo.ca wrote:
>
> >I would like to repair an Icom 735 that is not able to receive from 4
> >to 11 MHz. Two diodes (D11 & D13) in the receive bandpass filter
> >section are blown (due to operation near another high power
> >transmitter/antenna).
> >
> >These diodes are on the main board which can be accessed by removing
> >the bottom cover. However they can only be replaced by
> >unsoldering/soldering on the bottom of the main board. I have several
> >questions for anyone who has made repairs to this rig:
> >
> >1. It is easy to remove the screws holding down the board but there is
> >extensive wiring connected to this board. Does the board have to be
> >totally removed in order to get at this area? How difficult is this
> >job? Any tips or tricks you might recommend?
> >

> >2. The diodes are 1ss53 which is a Japanese switching diode. They are
> >hard to find. Has anyone found a direct replacement for this part that
> >gives equal or better performance? (I do not want to change any of the
> >bias resistors).
> >
> >Thanks - Roger
>
> The board is not that hard. YES there will be cables you will need to
> disconnect. Have your digital camera handy or just a paper and pencil
> and make a quick sketch of the board I used to do that before the
> camera says and sometimes its still easier than photos. When
> disconnecting multi pin connectors, pick on end and mark the wire
> color so you will get the connector reinstalled correctly.
>
> I think one coax gets disconnected that goes through the from of the
> 735. There is an other or so too that you will see get tight as you
> try to life the board so disconnect it too. Just don't get then
> confused, maybe take a moment and mark them with masking tape.
>
> Basically you will unscrew to board. Now with the front of the radio
> towards you gently lift the front of the circuit board. " walk " the
> board towards the front lifting it above the front of the radio.
>
> You are working towards getting the rear connectors out of the back
> panel and clear of the rear lip. PAY attention to any cables that need
> removing and do so as you go.
>
> Once the rear connectors are clear of the rear chassis lip you can
> then flip the back edge of the circuit board up and over to get to the
> diode solder joints.
>
> Its really easier than this write up sounds. I have talked several
> through it over the telephone as you need to do the same thing to
> install the CW filter.
>
> Over the years many have tried substituting those diode, even to
> installing pin diodes. While I was at Icom tried them at Icom and
> found no performance enhancement. We had one person remove and replace
> his band pass filter diodes with pin type and we could not fix that
> rig. We even installed original diodes back into it. It was an IC-751.
>
> Call Icom's parts department for the diodes. Another source of
> Japanese parts used to be MCM audio
>
> Gary K8IZ

Thanks Gary for taking the time to write a detailed response. It sure
helps when someone who has done it before offers tips and
encouragement. Good to hear that Icom still has the parts.

Interesting about the PIN diodes. I was reading some of the old posts
about this subject and there was some debate about whether it worked
but no one had done any tests to confirm it one way or another.

```
73 - Roger



From -4385551316559851164
X-Google-Thread: fc8b1,737dded06d4ecbb1,start
X-Google-Thread: 108122,737dded06d4ecbb1,start
X-Google-Thread: 106d41,737dded06d4ecbb1,start
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: FA: @$12>HEATHKIT HP-23B POWER SUPPLY for SB/HW SERIES+COLLINS:)
Date: 3 Oct 2006 08:01:26 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1159887686.757052.270080@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159887692 3358 127.0.0.1 (3 Oct 2006 15:01:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Oct 2006 15:01:32 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5727
rec.radio.amateur.equipment:6563 rec.radio.cb:20406

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220032848441&ssPageName=STRK:MESE:IT&ih=012



From 2626485065463887613
X-Google-Thread: fc8b1,e3acf37c198967a6,start
X-Google-Thread: 108122,e3acf37c198967a6,start
X-Google-Thread: 106d41,e3acf37c198967a6,start
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: FA: @$10>TURNER 350C Hi-Z CERAMIC PTT HAND MICROPHONE w/BOX ETC!
Date: 3 Oct 2006 08:03:22 -0700
Organization: http://groups.google.com
```

```
Lines: 2
Message-ID: <1159887802.049327.226770@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159887805 3713 127.0.0.1 (3 Oct 2006 15:03:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Oct 2006 15:03:25 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5728
rec.radio.amateur.equipment:6564 rec.radio.cb:20407

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220032848411&ssPageName=STRK:MESE:IT&ih=012



From -953479230099183942
X-Google-Thread: fc8b1,15f2ef62d4e1b0fc,start
X-Google-Thread: 108122,15f2ef62d4e1b0fc,start
X-Google-Thread: 106d41,15f2ef62d4e1b0fc,start
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c28g2000cwb.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: FA: HEATHKIT SB-102 SB-401 SB-301 SB-101 CABINET>NICE:-)
Date: 3 Oct 2006 08:04:14 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1159887854.056969.108130@c28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159887859 2048 127.0.0.1 (3 Oct 2006 15:04:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Oct 2006 15:04:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c28g2000cwb.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5729
rec.radio.amateur.equipment:6565 rec.radio.cb:20408

http://cgi.ebay.com/ws/eBayISAPI.dll?
```

```
ViewItem&rd=1&item=220032848429&ssPageName=STRK:MESE:IT&ih=012



From -5498836121562358152
X-Google-Thread: fc8b1,6ec002e1e205c66e,start
X-Google-Thread: 108122,6ec002e1e205c66e,start
X-Google-Thread: 106d41,6ec002e1e205c66e,start
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: FA: No Bids:-( VINTAGE TRIMM "PROFESSIONAL" HEADPHONES 3.8K OHMS>NICE
Date: 3 Oct 2006 08:05:11 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1159887911.795659.293480@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159887915 2204 127.0.0.1 (3 Oct 2006 15:05:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Oct 2006 15:05:15 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5730
rec.radio.amateur.equipment:6566 rec.radio.cb:20409

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220032848391&ssPageName=STRK:MESE:IT&ih=012



From 7581967172020765267
X-Google-Thread: 10bf43,53d4e066ee38309b,start
X-Google-Thread: fcc6e,53d4e066ee38309b,start
X-Google-Thread: 108122,53d4e066ee38309b,start
X-Google-Thread: fa029,53d4e066ee38309b,start
X-Google-Thread: fb049,53d4e066ee38309b,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark Morgan" <kb9rqz@blumpkin.net>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
```

Subject: Re: my dad an me pics
Date: Tue, 3 Oct 2006 14:19:50 -0400
Organization: Blumpkin Specialist
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 34
Message-ID: <45229d04$0$19715$88260bb3@free.teranews.com>
NNTP-Posting-Date: 03 Oct 2006 17:25:39 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:48301
rec.radio.amateur.antenna:19320 rec.radio.amateur.equipment:6567
rec.radio.scanner:6890 alt.ham-radio.vhf-uhf:2884

dad
http://home.mchsi.com/~north1959/professorblumpkin.jpg

and now me.........
http://i10.tinypic.com/29ygohw.jpg

we morgan are hamson mens

>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>

with the punce gotcha he wonders why I simple don't bother to ty
impoving my spelling do u hav anyting cognet two say?

my blog
http://www.marksspamblog.blogspot.com/

>
>
>
>
>

--
Posted via a free Usenet account from http://www.teranews.com

```
From 5328161737257258058
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: forgin woger the kook
Date: Tue, 03 Oct 2006 14:29:51 -0400
Message-ID: <n0b5i2psf6tuscdqododsg30dkmbugppib@4ax.com>
References: <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
<1159408644.869806.269500@m73g2000cwd.googlegroups.com>
<1159458726.936208.189000@h48g2000cwc.googlegroups.com>
<1159484156.488392.125080@b28g2000cwb.googlegroups.com>
<p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
<1159533309.588256.297120@b28g2000cwb.googlegroups.com>
<1159538508.572650.62340@h48g2000cwc.googlegroups.com>
<1159794618.471460.116990@m73g2000cwd.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Date: 03 Oct 2006 17:34:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6568
rec.radio.amateur.misc:23327 alt.radio.scanner:3197 rec.radio.amateur.policy:48312

On 2 Oct 2006 06:10:18 -0700, "Mark C. Morgan"
<markie_morgan_rapesboys@yahoo.com> wrote:

forgin woger the kook
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -6217230888836445022
X-Google-Thread: 10bf43,53d4e066ee38309b
X-Google-Thread: fcc6e,53d4e066ee38309b
X-Google-Thread: 108122,53d4e066ee38309b
X-Google-Thread: fa029,53d4e066ee38309b
```

```
X-Google-Thread: fb049,53d4e066ee38309b
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!postnews.google.com!
m73g2000cwd.googlegroups.com!not-for-mail
From: "kb9rqz-2@hotmail.com" <kb9rqz-2@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: forgin woger the kook
Date: 3 Oct 2006 11:39:01 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159900741.806902.239510@m73g2000cwd.googlegroups.com>
References: <45229d04$0$19715$88260bb3@free.teranews.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159900748 3160 127.0.0.1 (3 Oct 2006 18:39:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Oct 2006 18:39:08 +0000 (UTC)
In-Reply-To: <45229d04$0$19715$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=66.82.9.90;
   posting-account=a7K0SA0AAADJhiRpuowwQAePXZnEQc8e
Xref: g2news2.google.com rec.radio.amateur.policy:48323
rec.radio.amateur.antenna:19329 rec.radio.amateur.equipment:6569
rec.radio.scanner:6894 alt.ham-radio.vhf-uhf:2887


Mark Morgan wrote:
>
forgin woger the kook




From -7373182046081516281
X-Google-Thread: 10bf43,53d4e066ee38309b
X-Google-Thread: fcc6e,53d4e066ee38309b
X-Google-Thread: 108122,53d4e066ee38309b
X-Google-Thread: fa029,53d4e066ee38309b
X-Google-Thread: fb049,53d4e066ee38309b
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!feeder.news-
service.com!feeder.news-service.com!news2.euro.net!66.150.105.54.MISMATCH!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
```

```
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: forger
Date: Tue, 03 Oct 2006 18:17:33 -0400
Message-ID: <k1o5i2pjg63u0k48gm1ged38d6nnm8jodf@4ax.com>
References: <45229d04$0$19715$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Date: 03 Oct 2006 21:22:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:48345
rec.radio.amateur.antenna:19351 rec.radio.amateur.equipment:6570
rec.radio.scanner:6898 alt.ham-radio.vhf-uhf:2890

On Tue, 3 Oct 2006 14:19:50 -0400, "Mark Morgan" <kb9rqz@blumpkin.net>
wrote:

fugring woger on the loose
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 8564383699740676809
X-Google-Thread: 108122,607a5398cd87accd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 04 Oct 2006 08:05:38 -0500
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Repairing Icom 735 - BPF diodes
Date: Wed, 04 Oct 2006 06:05:35 -0700
Reply-To: gfiber@comcast.net
Message-ID: <p0c7i2pnnk03vhonkbludu1figk023s1em@4ax.com>
References: <1159738014.605849.232010@m7g2000cwm.googlegroups.com>
<nej3i2decsua4e6nvf7c18eqdoumfmimbh@4ax.com>
<1159852037.099682.266030@m7g2000cwm.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 99
NNTP-Posting-Host: 24.16.33.185
X-Trace: sv3-
srmbDkYbAu65uMVLMSfElPOYjFnQJToAtgwTjd87pFdejThxfLG2EmFFG0tN0mU71LlfVS1Tzt1sbiI!
C254D8xl2VFHbtsNAN0w7rWVEise/a8YyyzGjRtt/sp/0RI8sjK5/WT/ylYqw6HxPOE/WPSwkR06!
```

dVxNciA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6571

On 2 Oct 2006 22:07:17 -0700, sailtamarack@yahoo.ca wrote:

>
>Gary P. Fiber wrote:
>> On 1 Oct 2006 14:26:54 -0700, sailtamarack@yahoo.ca wrote:
>>
>> >I would like to repair an Icom 735 that is not able to receive from 4
>> >to 11 MHz. Two diodes (D11 & D13) in the receive bandpass filter
>> >section are blown (due to operation near another high power
>> >transmitter/antenna).
>> >
>> >These diodes are on the main board which can be accessed by removing
>> >the bottom cover. However they can only be replaced by
>> >unsoldering/soldering on the bottom of the main board. I have several
>> >questions for anyone who has made repairs to this rig:
>> >
>> >1. It is easy to remove the screws holding down the board but there is
>> >extensive wiring connected to this board. Does the board have to be
>> >totally removed in order to get at this area? How difficult is this
>> >job? Any tips or tricks you might recommend?
>> >
>> >2. The diodes are 1ss53 which is a Japanese switching diode. They are
>> >hard to find. Has anyone found a direct replacement for this part that
>> >gives equal or better performance? (I do not want to change any of the
>> >bias resistors).
>> >
>> >Thanks - Roger
>>
>> The board is not that hard. YES there will be cables you will need to
>> disconnect. Have your digital camera handy or just a paper and pencil
>> and make a quick sketch of the board I used to do that before the
>> camera says and sometimes its still easier than photos. When
>> disconnecting multi pin connectors, pick on end and mark the wire
>> color so you will get the connector reinstalled correctly.
>>
>> I think one coax gets disconnected that goes through the from of the
>> 735. There is an other or so too that you will see get tight as you
>> try to life the board so disconnect it too. Just don't get then
>> confused, maybe take a moment and mark them with masking tape.
>>
>> Basically you will unscrew to board. Now with the front of the radio
>> towards you gently lift the front of the circuit board. " walk " the
>> board towards the front lifting it above the front of the radio.
>>

>> You are working towards getting the rear connectors out of the back
>> panel and clear of the rear lip. PAY attention to any cables that need
>> removing and do so as you go.
>>
>> Once the rear connectors are clear of the rear chassis lip you can
>> then flip the back edge of the circuit board up and over to get to the
>> diode solder joints.
>>
>> Its really easier than this write up sounds. I have talked several
>> through it over the telephone as you need to do the same thing to
>> install the CW filter.
>>
>> Over the years many have tried substituting those diode, even to
>> installing pin diodes. While I was at Icom tried them at Icom and
>> found no performance enhancement. We had one person remove and replace
>> his band pass filter diodes with pin type and we could not fix that
>> rig. We even installed original diodes back into it. It was an IC-751.
>>
>> Call Icom's parts department for the diodes. Another source of
>> Japanese parts used to be MCM audio
>>
>> Gary K8IZ
>
>Thanks Gary for taking the time to write a detailed response. It sure
>helps when someone who has done it before offers tips and
>encouragement. Good to hear that Icom still has the parts.
>
>Interesting about the PIN diodes. I was reading some of the old posts
>about this subject and there was some debate about whether it worked
>but no one had done any tests to confirm it one way or another.
>
>73 - Roger

I see I had a few misspellings. I meant camera days not says...
I remember one coaxial cable that runs from top to bottom through the
space between the chassis and front of the radio. I seem to remember
you will need to disconnect that cable.

I am not exactly sure if Icom still has those diodes but they were
used in quite a number of radios. I am sure if they don't someone
there will have a replacement recommendation.

You are correct the results were very mixed replacing the PN junction
diodes with pin diodes even though the pin diodes are better for RF
switching.

Some swear by the pin diodes and others don't. We could not see a
difference and the pin diodes are quite expensive. test gear did not
show any real difference, on the air testing was questionable with two
radio side by side on the same antenna.

Just give your self a couple of hours to do the job. It likely will
not take that long but you will not be rushed.

Gary K8IZ

```
From -4360285941836973190
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: Illiterate Mark Morgan the kook
Date: 4 Oct 2006 06:12:10 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1159967530.027904.9270@b28g2000cwb.googlegroups.com>
References: <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
   <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
   <1159458726.936208.189000@h48g2000cwc.googlegroups.com>
   <1159484156.488392.125080@b28g2000cwb.googlegroups.com>
   <p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
   <1159533309.588256.297120@b28g2000cwb.googlegroups.com>
   <1159538508.572650.62340@h48g2000cwc.googlegroups.com>
   <1159794618.471460.116990@m73g2000cwd.googlegroups.com>
   <n0b5i2psf6tuscdqododsg30dkmbugppib@4ax.com>
NNTP-Posting-Host: 65.54.98.110
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159967535 10964 127.0.0.1 (4 Oct 2006 13:12:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 4 Oct 2006 13:12:15 +0000 (UTC)
In-Reply-To: <n0b5i2psf6tuscdqododsg30dkmbugppib@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.98.110;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.equipment:6572
rec.radio.amateur.misc:23421 alt.radio.scanner:3222 rec.radio.amateur.policy:48475
```

Mark@kb9rqz.net wrote:
> forgin

Learn to spell, dipshit.

```
From -3089422718693753061
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: Re: Illiterate woger the kook
Date: Wed, 04 Oct 2006 11:43:13 -0400
Message-ID: <8kl7i2hdsjhpd793rddnqnj33iivol6446@4ax.com>
References: <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
<1159458726.936208.189000@h48g2000cwc.googlegroups.com>
<1159484156.488392.125080@b28g2000cwb.googlegroups.com>
<p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
<1159533309.588256.297120@b28g2000cwb.googlegroups.com>
<1159538508.572650.62340@h48g2000cwc.googlegroups.com>
<1159794618.471460.116990@m73g2000cwd.googlegroups.com>
<n0b5i2psf6tuscdqododsg30dkmbugppib@4ax.com>
<1159967530.027904.9270@b28g2000cwb.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Date: 04 Oct 2006 14:48:32 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6573
rec.radio.amateur.misc:23460 alt.radio.scanner:3227 rec.radio.amateur.policy:48542

On 4 Oct 2006 06:12:10 -0700, kb9rqz_child_molester@yahoo.com wrote:

stfu child molestor
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -2298359715257367070
X-Google-Thread: 108228,c70deb87cabcdcae,start
X-Google-Thread: 108122,c70deb87cabcdcae,start
X-Google-Thread: 1109af,c70deb87cabcdcae,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!bigfeed2.bellsouth.net!
news.bellsouth.net!peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-
mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA :PAIR of MOTOROLA HT750 UHF 2WAY RADIOS-GMRS-HAM-EXTRAS
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_006F_01C6E7B6.A55DCD50"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <8AUUg.16800$tO5.731@fed1read10>
Date: Wed, 4 Oct 2006 13:11:47 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1159992708 68.104.78.240 (Wed, 04 Oct 2006 16:11:48 EDT)
NNTP-Posting-Date: Wed, 04 Oct 2006 16:11:48 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1440
rec.radio.amateur.equipment:6574 rec.radio.swap:8233

This is a multi-part message in MIME format.

------=_NextPart_000_006F_01C6E7B6.A55DCD50
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA :PAIR of MOTOROLA HT750 UHF 2WAY RADIOS-GMRS-HAM-EXTRAS=20

GOOD CONDITION,,,

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250036034215&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_006F_01C6E7B6.A55DCD50
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
```

```
<P>FA :PAIR of MOTOROLA HT750 UHF 2WAY RADIOS-GMRS-HAM-EXTRAS </P>
<P>GOOD CONDITION,,,</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250036034215&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250036034215&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_006F_01C6E7B6.A55DCD50--




From 835425955164134644
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: Re: Illiterate child raper mark morgan the kook
Date: 5 Oct 2006 07:08:44 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1160057324.497744.4090@i3g2000cwc.googlegroups.com>
References: <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
   <1159458726.936208.189000@h48g2000cwc.googlegroups.com>
   <1159484156.488392.125080@b28g2000cwb.googlegroups.com>
   <p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
   <1159533309.588256.297120@b28g2000cwb.googlegroups.com>
   <1159538508.572650.62340@h48g2000cwc.googlegroups.com>
   <1159794618.471460.116990@m73g2000cwd.googlegroups.com>
   <n0b5i2psf6tuscdqododsg30dkmbugppib@4ax.com>
   <1159967530.027904.9270@b28g2000cwb.googlegroups.com>
   <8kl7i2hdsjhpd793rddnqnj33iivol6446@4ax.com>
NNTP-Posting-Host: 65.54.154.43
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160057329 14286 127.0.0.1 (5 Oct 2006 14:08:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 5 Oct 2006 14:08:49 +0000 (UTC)
In-Reply-To: <8kl7i2hdsjhpd793rddnqnj33iivol6446@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=65.54.154.43;
```

```
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.equipment:6575
rec.radio.amateur.misc:23543 alt.radio.scanner:3250 rec.radio.amateur.policy:48740


Mark@kb9rqz.net wrote:
> On 4 Oct 2006 06:12:10 -0700, kb9rqz_child_molester@yahoo.com wrote:
>
> stfu you know im a child molestor

You sure are, Marqueer!




From -1078434565871869481
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: get flushed woger
Date: Thu, 05 Oct 2006 11:58:26 -0400
Message-ID: <psaai25kd9i88hq6m57oufchqo3a4lpdo2@4ax.com>
References: <1159484156.488392.125080@b28g2000cwb.googlegroups.com>
<p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
<1159533309.588256.297120@b28g2000cwb.googlegroups.com>
<1159538508.572650.62340@h48g2000cwc.googlegroups.com>
<1159794618.471460.116990@m73g2000cwd.googlegroups.com>
<n0b5i2psf6tuscdqododsg30dkmbugppib@4ax.com>
<1159967530.027904.9270@b28g2000cwb.googlegroups.com>
<8kl7i2hdsjhpd793rddnqnj33iivol6446@4ax.com>
<1160057324.497744.4090@i3g2000cwc.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
NNTP-Posting-Date: 05 Oct 2006 15:02:58 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6576
rec.radio.amateur.misc:23580 alt.radio.scanner:3251 rec.radio.amateur.policy:48798

On 5 Oct 2006 07:08:44 -0700, kb9rqz_child_molester@yahoo.com wrote:
get flushed woger
http://kb9rqz.blogspot.com/
```

--
Posted via a free Usenet account from http://www.teranews.com

From -9032025361143339640
X-Google-Thread: 108122,af3da992efec4f52,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "KA2JBY" <mcgiver488@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-757 transmitter bursting into osillation
Date: 5 Oct 2006 09:07:19 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1160064439.054165.107900@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 216.194.21.252
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160064444 914 127.0.0.1 (5 Oct 2006 16:07:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 5 Oct 2006 16:07:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=216.194.21.252;
   posting-account=9KCEjw0AAAB3czLy_uVqXCCfhaFT11vM
Xref: g2news2.google.com rec.radio.amateur.equipment:6577

Bought radio with blown final which I repalaced with same gain color dot . You can key the transmitter on ssb as soon as you talk off it goes into never never land . tried changing the 1000 uf cap at the b+ input no help. I don't know what stage is talking off. the tools at hand are a 35 mhz scope and a freq counter and of course a dmm with cap checker.

help
jon b

From -1848044157277041721
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-mail

```
From: "Mark Morgan, Child Molester" <kb9rqz_child_molester@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: get to dying of your AIDS, Markie
Date: 6 Oct 2006 05:43:30 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1160138610.445036.144570@m7g2000cwm.googlegroups.com>
References: <1159484156.488392.125080@b28g2000cwb.googlegroups.com>
   <p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
   <1159533309.588256.297120@b28g2000cwb.googlegroups.com>
   <1159538508.572650.62340@h48g2000cwc.googlegroups.com>
   <1159794618.471460.116990@m73g2000cwd.googlegroups.com>
   <n0b5i2psf6tuscdqododsg30dkmbugppib@4ax.com>
   <1159967530.027904.9270@b28g2000cwb.googlegroups.com>
   <8kl7i2hdsjhpd793rddnqnj33iivol6446@4ax.com>
   <1160057324.497744.4090@i3g2000cwc.googlegroups.com>
   <psaai25kd9i88hq6m57oufchqo3a4lpdo2@4ax.com>
NNTP-Posting-Host: 65.54.154.153
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160138615 27799 127.0.0.1 (6 Oct 2006 12:43:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Oct 2006 12:43:35 +0000 (UTC)
In-Reply-To: <psaai25kd9i88hq6m57oufchqo3a4lpdo2@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=65.54.154.153;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.equipment:6578
rec.radio.amateur.misc:23657 alt.radio.scanner:3263 rec.radio.amateur.policy:48885

Mark@kb9rqz.net wrote:
> get

Get to dying of your AIDS, Marqueer!




From -8142658944303471786
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
```

```
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: get flushed woger and thereby clean up ham radio
Date: Fri, 06 Oct 2006 09:25:41 -0400
Message-ID: <3amci2llek8rs0kfda2msqnvp2ebhosak4@4ax.com>
References: <1159533309.588256.297120@b28g2000cwb.googlegroups.com>
<1159538508.572650.62340@h48g2000cwc.googlegroups.com>
<1159794618.471460.116990@m73g2000cwd.googlegroups.com>
<n0b5i2psf6tuscdqododsg30dkmbugppib@4ax.com>
<1159967530.027904.9270@b28g2000cwb.googlegroups.com>
<8kl7i2hdsjhpd793rddnqnj33iivol6446@4ax.com>
<1160057324.497744.4090@i3g2000cwc.googlegroups.com>
<psaai25kd9i88hq6m57oufchqo3a4lpdo2@4ax.com>
<1160138610.445036.144570@m7g2000cwm.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Date: 06 Oct 2006 12:30:14 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6579
rec.radio.amateur.misc:23698 alt.radio.scanner:3266 rec.radio.amateur.policy:48926

On 6 Oct 2006 05:43:30 -0700, "Mark Morgan, Child Molester"
<kb9rqz_child_molester@yahoo.com> wrote:

stfu rapist
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 5638507749816837266
X-Google-Thread: 108122,17793a5d2cd6f297,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!news.nask.pl!
news.nask.org.pl!newsfeed.pionier.net.pl!news.dialog.net.pl!not-for-mail
From: zz <zz@eltis.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-3220h question
Date: Fri, 06 Oct 2006 18:17:27 +0200
Organization: Dialog Net
Lines: 6
Message-ID: <jb0di29ukumej17e6n678u7mllnc9a9016@4ax.com>
NNTP-Posting-Host: xdsl-7043.wroclaw.dialog.net.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.dialog.net.pl 1160151447 961 84.40.136.131 (6 Oct 2006 16:17:27 GMT)
```

```
X-Complaints-To: abuse@dialog.net.pl
NNTP-Posting-Date: Fri, 6 Oct 2006 16:17:27 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
Xref: g2news2.google.com rec.radio.amateur.equipment:6580

My equipment is IC-3220H with UT-55 modul, micrphon HM-56
(no UT-50, no UT-51). Is possible to send 1750Hz tone for reapeater.
If yes, in which way?
                                                              73
                                                       Zbigniew
                                                      SQ6MIZ



From -7068259225522653495
X-Google-Thread: 108122,e67c0b4995e0951,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!newsfeed.gamma.ru!
Gamma.RU!newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.icl.net!proxad.net!
193.252.118.146.MISMATCH!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
X-Newsreader:      NNTP SCRIBBLER
Content-Type: text/html;
From: melanie@franceweb.com
ReplyTo: melanie@franceweb.com
Subject: FEMME MARIEES DELAISSEES LA CHATTE EN FEU
Newsgroups: rec.radio.amateur.equipment
Date: 06 Oct 2006 22:27:00 GMT
Lines: 7
Message-ID: <4526d833$0$27369$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 07 Oct 2006 00:27:00 CEST
NNTP-Posting-Host: 193.248.68.202
X-Trace: 1160173620 news.orange.fr 27369 193.248.68.202:3301
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:6581


<html>
<HEAD><body><center>
<a href='http://www.muredefeu.com/fr/index.html?id=14907' target='_blank_'><img
src='http://media.muredefeu.com/fr/mb600400/600x400_01.gif' border=0></a>
<br><br><br>
<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse:
collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></
tr><tr><td width="100%" bgcolor="#000000"><center><a href="http://www.e-
advertize.com/index.php?choix=NNTPScribbler&Langue=en"><font
color="#00FF00"><b>This message was sent with NNTP Scribbler (www.e-
advertize.com).</b></font></a></center></td></tr><tr><td height="4"
bgcolor="#000000"></td></tr></table></center>


From -3330031248340177869
X-Google-Thread: 108122,6f6a9f9d8a6f2fef,start
```

X-Google-Thread: fc2a5,6f6a9f9d8a6f2fef,start
X-Google-Thread: 10bf43,6f6a9f9d8a6f2fef,start
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.policy
Subject: Code, for SC
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <K_AVg.14606$5o5.4494@tornado.texas.rr.com>
Date: Fri, 06 Oct 2006 22:43:54 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1160174634 67.10.92.242 (Fri, 06 Oct 2006 17:43:54
CDT)
NNTP-Posting-Date: Fri, 06 Oct 2006 17:43:54 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6582
rec.radio.amateur.homebrew:7297 rec.radio.amateur.policy:48958

I have an idea. This should thin the ranks of amateurs and let Big Brother have the bands as is desired. We all know the FCC wants to sell the bands to the highest bidder. In addition to the code requirement, lets have proficiency testing in SSB, FM, RTTY, PSK-31 and Packet. That should just about kill the code proponents off, as they are mostly too old, addled, and unable to learn. That way, even they won't be able to use *their* bands without these proficiencies.

Sounds like a plan, eh?

HTH

From -3833792951377144983
X-Google-Thread: 108122,6f6a9f9d8a6f2fef
X-Google-Thread: fc2a5,6f6a9f9d8a6f2fef
X-Google-Thread: 10bf43,6f6a9f9d8a6f2fef
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail

NNTP-Posting-Date: Fri, 06 Oct 2006 19:10:51 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.policy
References: <K_AVg.14606$5o5.4494@tornado.texas.rr.com>
Subject: Re: Code, for SC
Date: Fri, 6 Oct 2006 20:10:37 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <AKydnaOKRqIWbbvYnZ2dnUVZ_tGdnZ2d@comcast.com>
Lines: 22
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-u8x55FrE24X5Q2ARaWKpT0MLAkqSzIkhCkJYer+FSvxG/A/
vW1Oy0Y9qByTo0iPjGF4W5XP4PlYwk/d!
uyHk3lSBDu0U9hgQVRde6MLp5AYQTq9XK5iJiL69MlkH+4sPjkNjs5OFMANcwkHb9PmPxh9MnG09!
T78rX7TtFZSFvtEJ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6583
rec.radio.amateur.homebrew:7298 rec.radio.amateur.policy:48960

"U-Know-Who" <no-one@nowhere.com> wrote in message
news:K_AVg.14606$5o5.4494@tornado.texas.rr.com...
>I have an idea. This should thin the ranks of amateurs and let Big Brother
>have the bands as is desired. We all know the FCC wants to sell the bands
>to the highest bidder. In addition to the code requirement, lets have
>proficiency testing in SSB, FM, RTTY, PSK-31 and Packet. That should just
>about kill the code proponents off, as they are mostly too old, addled, and
>unable to learn. That way, even they won't be able to use *their* bands
>without these proficiencies.
>
> Sounds like a plan, eh?
>
> HTH

And just who do you think developed these modes? How new do you think these
modes are? It seems like everyone I contact on the "new" mode of PSK31 is
retired and has been for many years.

From -1485093137948684923
X-Google-Thread: 108122,6f6a9f9d8a6f2fef
X-Google-Thread: fc2a5,6f6a9f9d8a6f2fef
X-Google-Thread: 10bf43,6f6a9f9d8a6f2fef
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy
Subject: Re: Code, for SC
Date: 6 Oct 2006 17:30:51 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1160181051.207519.101700@e3g2000cwe.googlegroups.com>
References: <K_AVg.14606$5o5.4494@tornado.texas.rr.com>
   <AKydnaOKRqIWbbvYnZ2dnUVZ_tGdnZ2d@comcast.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160181056 28870 127.0.0.1 (7 Oct 2006 00:30:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 7 Oct 2006 00:30:56 +0000 (UTC)
In-Reply-To: <AKydnaOKRqIWbbvYnZ2dnUVZ_tGdnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=69.19.14.23;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:6584
rec.radio.amateur.homebrew:7299 rec.radio.amateur.policy:48968

Dee Flint wrote:
>

>
> And just who do you think developed these modes? How new do you think these
> modes are? It seems like everyone I contact on the "new" mode of PSK31 is
> retired and has been for many years.

sample check Dee: how many people that you contact on ANY mode are not
retired and have been for years

went to our Radio meeting tues night and a talk was given on the "New"
mode PSK-31

if your sample is skewed towrd retirees as badly as mine........

From -1443470807762441458
X-Google-Thread: 108122,6f6a9f9d8a6f2fef

```
X-Google-Thread: fc2a5,6f6a9f9d8a6f2fef
X-Google-Thread: 10bf43,6f6a9f9d8a6f2fef
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.policy
Subject: Re: Code, for SC
From: Slow Code <my.mail@no.spam>
References: <K_AVg.14606$5o5.4494@tornado.texas.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 28
Message-ID: <9ACVg.5934$Y24.5304@newsread4.news.pas.earthlink.net>
Date: Sat, 07 Oct 2006 00:32:05 GMT
NNTP-Posting-Host: 4.227.160.132
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1160181125 4.227.160.132 (Fri, 06 Oct
2006 17:32:05 PDT)
NNTP-Posting-Date: Fri, 06 Oct 2006 17:32:05 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6585
rec.radio.amateur.homebrew:7301 rec.radio.amateur.policy:48972
```

"U-Know-Who" <no-one@nowhere.com> wrote in
news:K_AVg.14606$5o5.4494@tornado.texas.rr.com:

> I have an idea. This should thin the ranks of amateurs and let Big
> Brother have the bands as is desired. We all know the FCC wants to sell
> the bands to the highest bidder. In addition to the code requirement,
> lets have proficiency testing in SSB, FM, RTTY, PSK-31 and Packet. That
> should just about kill the code proponents off, as they are mostly too
> old, addled, and unable to learn. That way, even they won't be able to
> use *their* bands without these proficiencies.
>
> Sounds like a plan, eh?
>
> HTH

I could go for that.

The more testing, the better. Then outsiders would look at the amateur radio service and see valuable and capable operators, they would see our spectrum wasn't being wasted by people that only know how to talk into a microphone to communicate.

Thanks. :-) Great idea.

```
SC



From 3981258392226680361
X-Google-Thread: 108122,6f6a9f9d8a6f2fef
X-Google-Thread: fc2a5,6f6a9f9d8a6f2fef
X-Google-Thread: 10bf43,6f6a9f9d8a6f2fef
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!multikabel.net!
feed20.multikabel.net!news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.policy
Subject: when you going to stop welching on your bets SC?
Date: Fri, 06 Oct 2006 20:35:03 -0400
Message-ID: <dhtdi2hj2b2mq0145f230031r7qhc4tugb@4ax.com>
References: <K_AVg.14606$5o5.4494@tornado.texas.rr.com>
<9ACVg.5934$Y24.5304@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Date: 06 Oct 2006 23:39:35 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6586
rec.radio.amateur.homebrew:7302 rec.radio.amateur.policy:48992

On Sat, 07 Oct 2006 00:32:05 GMT, Slow Code <my.mail@no.spam> wrote:

when you going to stop welching on your bets SC?
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 7452769363539626031
X-Google-Thread: 108122,6f6a9f9d8a6f2fef
X-Google-Thread: fc2a5,6f6a9f9d8a6f2fef
X-Google-Thread: 10bf43,6f6a9f9d8a6f2fef
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
```

```
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.policy
References: <K_AVg.14606$5o5.4494@tornado.texas.rr.com>
<9ACVg.5934$Y24.5304@newsread4.news.pas.earthlink.net>
<dhtdi2hj2b2mq0145f230031r7qhc4tugb@4ax.com>
Subject: Re: when you going to stop welching on your bets SC?
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <lKCVg.14645$5o5.9563@tornado.texas.rr.com>
Date: Sat, 07 Oct 2006 00:42:57 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1160181777 67.10.92.242 (Fri, 06 Oct 2006 19:42:57
CDT)
NNTP-Posting-Date: Fri, 06 Oct 2006 19:42:57 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6587
rec.radio.amateur.homebrew:7304 rec.radio.amateur.policy:49005


<Mark@kb9rqz.net> wrote in message
news:dhtdi2hj2b2mq0145f230031r7qhc4tugb@4ax.com...
> On Sat, 07 Oct 2006 00:32:05 GMT, Slow Code <my.mail@no.spam> wrote:
>
> when you going to stop welching on your bets SC?
> http://kb9rqz.blogspot.com/

Stop hijacking threads, you idiot.




From -7186435133314080620
X-Google-Thread: 108122,6f6a9f9d8a6f2fef
X-Google-Thread: fc2a5,6f6a9f9d8a6f2fef
X-Google-Thread: 10bf43,6f6a9f9d8a6f2fef
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy
Subject: Re: when you going to stop welching on your bets SC?
Date: 6 Oct 2006 17:45:04 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1160181904.205698.186540@m7g2000cwm.googlegroups.com>
References: <K_AVg.14606$5o5.4494@tornado.texas.rr.com>
```

```
   <9ACVg.5934$Y24.5304@newsread4.news.pas.earthlink.net>
   <dhtdi2hj2b2mq0145f230031r7qhc4tugb@4ax.com>
   <lKCVg.14645$5o5.9563@tornado.texas.rr.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160181909 9895 127.0.0.1 (7 Oct 2006 00:45:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 7 Oct 2006 00:45:09 +0000 (UTC)
In-Reply-To: <lKCVg.14645$5o5.9563@tornado.texas.rr.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=69.19.14.23;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:6588
rec.radio.amateur.homebrew:7305 rec.radio.amateur.policy:49008

U-Know-Who wrote:
> <Mark@kb9rqz.net> wrote in message
> news:dhtdi2hj2b2mq0145f230031r7qhc4tugb@4ax.com...
> > On Sat, 07 Oct 2006 00:32:05 GMT, Slow Code <my.mail@no.spam> wrote:
> >
> > when you going to stop welching on your bets SC?
> > http://kb9rqz.blogspot.com/
>
> Stop hijacking threads, you idiot.
not hijacking them myself Sc hijacked them



From -2823280236243897525
X-Google-Thread: 1109af,bd89dfb206bf6349
X-Google-Thread: 108122,bd89dfb206bf6349
X-Google-Thread: 108228,bd89dfb206bf6349
X-Google-Thread: 1062f2,bd89dfb206bf6349
X-Google-Attributes: gid1109af,gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-
wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!
news.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-
for-mail
Message-ID: <452705BD.7000405@nettally.com>
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Subject: Re: FS Pre-Bay Sale Ham Yellow Sheets (many Items Listed)
```

```
References: <U50Ug.27154$YA5.19661@tornado.tampabay.rr.com>
In-Reply-To: <U50Ug.27154$YA5.19661@tornado.tampabay.rr.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 154
Date: Sat, 07 Oct 2006 01:39:19 GMT
NNTP-Posting-Host: 70.121.227.31
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1160185159 70.121.227.31 (Fri, 06 Oct 2006
21:39:19 EDT)
NNTP-Posting-Date: Fri, 06 Oct 2006 21:39:19 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.swap:8326 rec.radio.amateur.equipment:6589
alt.ham-radio.marketplace:1442 misc.industry.electronics.marketplace:665

FS AEA KT-3 Keyer/Trainer with manual Good condition, actually works!

>
> $40 shipped (USPS) in US. I take Paypal.
>
> FS Kenwood TR-2200A (AKA DRAKE TR-22) 2 meter portable transceiver!
> Loaded with crystals, this unit actually works and the pilot lamp
> works as well. Includes original mike and telescoping antenna in good
> shape. The case is a bit rough but with proper cleaning and olive drab
> paint shoul look quite presentable. Someone wired a permanent DC cable
> to it, but should be able to restore to original battery power.
>
> $45 shipped (USPS) in US. I accept Paypal.
>
> http://www.rigpix.com/kenwood/tr2200a.htm
>
-----------------------------------------------------------------------------------
--------------------------------------------
>
> FS: GMRS - SECURENET MOTOROLA PORTABLE REPEATER STUFF GMRS /\/\()-|-()!
>
> OK what I have to sell is the following
>
> Genuine Motorola MX-300 Channel Elements _New Old Stock_ for GMRS
> Repeater Station pair 462.575 TX and 467.575 MHz RX. The TX element
> works with the 24.4 MHz offset element (included) required for use in
> the Motorola  P44SYS3180B Securenet Portable Repeater. But Wait, there
> is more:
>
> Included is a carton of clean MX-300 parts, some new, consisting of
> several 440-470 MHz band radios, enough to build the RF decks for a
> complete repeater and have spare parts left over.
>
> These are all for the 440-470 MHz band. model P44sys3180b. If you have
> a  406-420 MHz model with my parts you can convert the 406-420 model
> to 440-470 MHz pretty much by just plugging in a few RF modules. Or,
> provide your own box and controller and you can build your own repeater!
>
```

> Price $99 shipped USPS to US I accept PayPal.
>
> I will provide a service manual for the Securenet P44sys3180b repeater
> for an additional $10 to the buyer of these items.
>

>
> FS LGC Wireless AMPS Fiberoptic/CAT5 BDA RF Remote Antenna Unit DAS8A-4
>
> If you know what this is, you might want a spare. This is the small
> stylish white RF box that goes at the reradiating antenna. Has a CAT5
> connector on one end and an SMA on the other..
>
> $35 Shipped in US via USPS. I accept Paypal!
>
> FS Tiny AMPS phone Ericsson AF738
>
> Good condition
>
> Sorry no battery.
>
> $14 shipped via USPS in US. I accept PayPal
>

>
>
> FS Realistic TRC-465 AM/SSB CB Radio. Excellent physical and
> electrical condition, in the original box with all acessories. Plus
> service manual. Lightly used, this is unmodified and clean unit
> without any appearance of wear. I am including a LARSEN NMO-27 black
> base loading coil (missing the ~42" whip).
>
>
> $59 Shipping included via USPS. I accept Paypal.
>

>
> For Sale: HP3586B Frequency selective level meter VLF receiver
>
> Description :
>
> HP 3586B Selective Level Meter 3586B: Meets North American Bell
> requirements, 50Hz to 32.5MHz frequency range with 75ohm unbalanced
> signal input, 4kHz to 1MHz frequency range with 124ohm balanced signal
> input, 4kHz to 1MHz frequency range with 135ohm balanced Input
>
> This unit has the high stability oscillator and is excellent
> condition. No dents, no scratches, and no dust inside whatsoever. I
> believe it was rack mounted at an environmentally controlled site and
> seldom used. I don't have the feet and the small blank panels (where

> the rack ears normally go) but these are common size. This unit works fantastic and has a new NICAD memory battery installed. I replaced one of the jacks in front with a BNC (easily reversed mod that screwed in). I also put a nice black anodized aluminum spinner knob on the VFO shaft encoder for ease of tuning. It makes for a very sensitive VLF receiver and can measure extremely low levels with great accuracy. By the way, the RF output jack on rear enables you to sweep filters etc.
>
> The service manual is included._
>
> $495 plus shipping from central florida
>

>
>
> For Sale AN/GRR-24 Receiver UHF 243 MHz Guard Receiver
>
> Untested (no ac cord), appears complete, case has wear.
>
> $75 plus shipping
>

>
> For Sale: M2 2MCP22 Circularly Polarized Satellite, EME, DX Antenna 12.25 dBc
>
> I bought this with intent to re-install my satellite station. However I don't need the 22 element model as the 18'7" boom is a bit much for my location.
>
> This antenna is spec'd from 144 to 148 MHz 1.4:1 VSWR and so will be good for all modes of operation in 2 meter band. M2 makes a fine antenna (list price $305 new) and is very easy to deal with. Since this item is used and is assembled, it is for pick up only in the 32765 central Florida area. You can transport it with an SUV or minivan as the boom has been disassembled into three sections approx 7 feet long.
>
> Price $100. Pick up in 32765
>

>
>
> For Sale: APCOR Whitebox UHF MEDCOM Telemetry Radio
>
> For sale $55 plus shipping.
>
> Help me clean out my garage! This unit appears to be in fine condition and inside appears to be clean and untouched. If you check my last posting, I am selling some other similar Motorola MX-300 components

> which include MX-300 Channel Elements _New Old Stock_ for GMRS
> Repeater Station pair 462.575 TX and 467.575 MHz RX . So if you are
> real handy, you could convert this to a GMRS repeater.
>

>
>
> For Sale: Matheson model 8065 Freon leak hunter.
> For CO2, Helium and R12 gas leak detection. I haven't tried with R134
> but suspect it will work. This is a
> lab grade detector that runs off AA batteries. It is like a large gun
> and has an internal fan to pull the gas into the probe. Condition is
> like new $185 Shipped in US
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 448706630665004255
X-Google-Thread: 1109af,bd89dfb206bf6349
X-Google-Thread: 108122,bd89dfb206bf6349
X-Google-Thread: 108228,bd89dfb206bf6349
X-Google-Thread: 1062f2,bd89dfb206bf6349
X-Google-Attributes: gid1109af,gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!news-feed-01.tampabay.rr.com!news.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Subject: FS Pre-Bay Sale Ham Yellow Sheets (many Items Listed)
References: <U50Ug.27154$YA5.19661@tornado.tampabay.rr.com>
In-Reply-To: <U50Ug.27154$YA5.19661@tornado.tampabay.rr.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 154
Message-ID: <8vDVg.1520$Tq3.818@tornado.tampabay.rr.com>

Date: Sat, 07 Oct 2006 01:35:00 GMT
NNTP-Posting-Host: 70.121.227.31
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1160184900 70.121.227.31 (Fri, 06 Oct 2006 21:35:00 EDT)
NNTP-Posting-Date: Fri, 06 Oct 2006 21:35:00 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.swap:8327 rec.radio.amateur.equipment:6590 alt.ham-radio.marketplace:1443 misc.industry.electronics.marketplace:666

FS AEA KT-3 Keyer/Trainer with manual Good condition, actually works!

>
> $40 shipped (USPS) in US. I take Paypal.
>
> FS Kenwood TR-2200A (AKA DRAKE TR-22) 2 meter portable transceiver!
> Loaded with crystals, this unit actually works and the pilot lamp
> works as well. Includes original mike and telescoping antenna in good
> shape. The case is a bit rough but with proper cleaning and olive drab
> paint shoul look quite presentable. Someone wired a permanent DC cable
> to it, but should be able to restore to original battery power.
>
> $45 shipped (USPS) in US. I accept Paypal.
>
> http://www.rigpix.com/kenwood/tr2200a.htm
>

>
> FS: GMRS - SECURENET MOTOROLA PORTABLE REPEATER STUFF GMRS /\/\()-|-()!
>
> OK what I have to sell is the following
>
> Genuine Motorola MX-300 Channel Elements _New Old Stock_ for GMRS
> Repeater Station pair 462.575 TX and 467.575 MHz RX. The TX element
> works with the 24.4 MHz offset element (included) required for use in
> the Motorola P44SYS3180B Securenet Portable Repeater. But Wait, there
> is more:
>
> Included is a carton of clean MX-300 parts, some new, consisting of
> several 440-470 MHz band radios, enough to build the RF decks for a
> complete repeater and have spare parts left over.
>
> These are all for the 440-470 MHz band. model P44sys3180b. If you have
> a 406-420 MHz model with my parts you can convert the 406-420 model
> to 440-470 MHz pretty much by just plugging in a few RF modules. Or,
> provide your own box and controller and you can build your own repeater!
>
> Price $99 shipped USPS to US I accept PayPal.
>
> I will provide a service manual for the Securenet P44sys3180b repeater
> for an additional $10 to the buyer of these items.
>

>
> FS LGC Wireless AMPS Fiberoptic/CAT5 BDA RF Remote Antenna Unit DAS8A-4
>
> If you know what this is, you might want a spare. This is the small
> stylish white RF box that goes at the reradiating antenna. Has a CAT5
> connector on one end and an SMA on the other..
>
> $35 Shipped in US via USPS. I accept Paypal!
>
> FS Tiny AMPS phone Ericsson AF738
>
> Good condition
>
> Sorry no battery.
>
> $14 shipped via USPS in US. I accept PayPal
>

>
>
> FS Realistic TRC-465 AM/SSB CB Radio. Excellent physical and
> electrical condition, in the original box with all acessories. Plus
> service manual. Lightly used, this is unmodified and clean unit
> without any appearance of wear. I am including a LARSEN NMO-27 black
> base loading coil (missing the ~42" whip).
>
>
> $59 Shipping included via USPS. I accept Paypal.
>

>
> For Sale: HP3586B Frequency selective level meter VLF receiver
>
> Description :
>
> HP 3586B Selective Level Meter 3586B: Meets North American Bell
> requirements, 50Hz to 32.5MHz frequency range with 75ohm unbalanced
> signal input, 4kHz to 1MHz frequency range with 124ohm balanced signal
> input, 4kHz to 1MHz frequency range with 135ohm balanced Input
>
> This unit has the high stability oscillator and is excellent
> condition. No dents, no scratches, and no dust inside whatsoever. I
> believe it was rack mounted at an environmentally controlled site and
> seldom used. I don't have the feet and the small blank panels (where
> the rack ears normally go) but these are common size. This unit works
> fantastic and has a new NICAD memory battery installed. I replaced one
> of the jacks in front with a BNC (easily reversed mod that screwed
> in). I also put a nice black anodized aluminum spinner knob on the VFO
> shaft encoder for ease of tuning. It makes for a very sensitive VLF

> receiver and can measure extremely low levels with great accuracy. By the way, the RF output jack on rear enables you to sweep filters etc.
>
> The service manual is included._
>
> $495 plus shipping from central florida
>

>
>
> For Sale AN/GRR-24 Receiver UHF 243 MHz Guard Receiver
>
> Untested (no ac cord), appears complete, case has wear.
>
> $75 plus shipping
>

>
> For Sale: M2 2MCP22 Circularly Polarized Satellite, EME, DX Antenna 12.25 dBc
>
> I bought this with intent to re-install my satellite station. However I don't need the 22 element model as the 18'7" boom is a bit much for my location.
>
> This antenna is spec'd from 144 to 148 MHz 1.4:1 VSWR and so will be good for all modes of operation in 2 meter band. M2 makes a fine antenna (list price $305 new) and is very easy to deal with. Since this item is used and is assembled, it is for pick up only in the 32765 central Florida area. You can transport it with an SUV or minivan as the boom has been disassembled into three sections approx 7 feet long.
>
> Price $100. Pick up in 32765
>

>
>
> For Sale: APCOR Whitebox UHF MEDCOM Telemetry Radio
>
> For sale $55 plus shipping.
>
> Help me clean out my garage! This unit appears to be in fine condition and inside appears to be clean and untouched. If you check my last posting, I am selling some other similar Motorola MX-300 components which include MX-300 Channel Elements _New Old Stock_ for GMRS Repeater Station pair 462.575 TX and 467.575 MHz RX . So if you are real handy, you could convert this to a GMRS repeater.
>

```
-----------------------------------------
>
>
> For Sale: Matheson model 8065 Freon leak hunter.
> For CO2, Helium and R12 gas leak detection. I haven't tried with R134
> but suspect it will work. This is a
> lab grade detector that runs off AA batteries. It is like a large gun
> and has an internal fan to pull the gas into the probe. Condition is
> like new $185 Shipped in US
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P




From -4104619472384464520
X-Google-Thread: 108122,235eb21930e0051c,start
X-Google-Thread: 1062f2,235eb21930e0051c,start
X-Google-Attributes: gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 07 Oct 2006 06:35:58 -0500
Subject: FA: 1-Day-Left: 5 Books: ELECTRONICS, Photoelectronics, Digital Logic,
etc.
Date: Sat, 07 Oct 2006 07:35:58 -0400
From: Rich <rich@rjosjoqw.com>
Newsgroups: rec.radio.amateur.equipment,misc.industry.electronics.marketplace
Message-ID: <071020060735580019%rich@rjosjoqw.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-XmSETtH0wXIQsDFSvUNyKSVUKxEhXIigRrKblFTd3DZb9CpTW2c8/
NvMiUwWPLOjLXb8N4LHPiEEivn!0wDR6xKAyDE4xt5AeAA9huqyCpX9FZFfA6x22i/
3SLQTjbYjHUb6S2qLfEmOi6mrADJnlyLPdsPv!gqWviLoLhfE0KOP2KZc=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

Xref: g2news2.google.com rec.radio.amateur.equipment:6591
misc.industry.electronics.marketplace:667

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320034074448

From 1379522359060270246
X-Google-Thread: 108122,e56909a43cc37629,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!63.218.45.10!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe09.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FT: Collins 30L-1 Amplifier Winged Emblem
Message-ID: <dmtfi25iftlnfkmslio50sif9nn15ohal5@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligkannfilpcpbbolnmfiohcfaifckogdokllfjdfbijhjogphkajfcobocpeihfnehdb
mhccnmcapffjfpmbifoooaedibpgndmcmbmajifgobdhiebcnegbbojhamihnb
NNTP-Posting-Date: Sat, 07 Oct 2006 11:50:51 MST
Organization: Optimum Online
Date: Sat, 07 Oct 2006 14:49:54 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6592

FT: Collins 30L-1 Amplifier Winged Emblem
Looking to trade for Ham gear,etc.
Just let me know what you're willing to trade.
Looks and works fine.
ritchi50@optonline.net

From -8102125209930268530
X-Google-Thread: fc8b1,efa445e0a73f1eae,start
X-Google-Thread: 106d41,efa445e0a73f1eae,start
X-Google-Thread: 108122,efa445e0a73f1eae,start
X-Google-Attributes: gidfc8b1,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c28g2000cwb.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.cb,rec.radio.amateur.equipment
Subject: FA: NOS Tube Sockets, Turner & Yaesu Mike, Heath HP-23B, Too Much to

```
List!
Date: 7 Oct 2006 14:55:23 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1160258123.636849.127590@c28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160258127 13643 127.0.0.1 (7 Oct 2006 21:55:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 7 Oct 2006 21:55:27 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c28g2000cwb.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5854 rec.radio.cb:20623
rec.radio.amateur.equipment:6594

Everything is right here, some end tomorrow.......GL!
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom




From 6781448340410696306
X-Google-Thread: 108122,17793a5d2cd6f297
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 07 Oct 2006 20:31:29 -0500
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-3220h question
Date: Sat, 07 Oct 2006 18:31:24 -0700
Reply-To: gfiber@comcast.net
Message-ID: <b2lgi2l968r5a5snu329bheg6c9s9ktiku@4ax.com>
References: <jb0di29ukumej17e6n678u7mllnc9a9016@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Host: 24.16.33.185
X-Trace: sv3-OzFLESaPXPwIbVrIVlSMJhdf/wPYLAIfV2+PI7IMHIDP1yzsb+qu7GNAAm2AjSzKOZKS/
nTqOWKnjvN!jICgCPGRMZ82QgxWNqxQ/
ZMIzTgQfsr7gBbS80D8lhTfSg8J22P+QJChhute0EpxnWrwvTF/5ZcJ!8xybiOo=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6595

On Fri, 06 Oct 2006 18:17:27 +0200, zz <zz@eltis.pl> wrote:

>My equipment is IC-3220H with UT-55 modul, micrphon HM-56
>(no UT-50, no UT-51). Is possible to send 1750Hz tone for reapeater.
>If yes, in which way?
>                                                            73
>                                                     Zbigniew
>                                                    SQ6MIZ
If you have a European or Italian version press and hold the " TONE "
button on the mic for 1 to 2 seconds every time when you transmit.
This is shown on Page 20 of the IC-3220 manual.

If you have a US version then the 1750 Hz is not available, but
nothing stopping you from building up a small tone generator for that
purpose.

Gary K8IZ



From -6311022671420772198
X-Google-Thread: fc2a5,f077fffb1802d039,start
X-Google-Thread: fc8b1,f077fffb1802d039,start
X-Google-Thread: 108122,f077fffb1802d039,start
X-Google-Thread: 107ada,f077fffb1802d039,start
X-Google-Thread: 111d0a,f077fffb1802d039,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
Subject: SolderSmoke #34: Interview with Ashhar Farhan, BITX-20 designer
Date: 7 Oct 2006 23:09:52 -0700
Organization: http://groups.google.com
Lines: 58
Message-ID: <1160287792.089919.118830@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 86.141.199.77
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160287796 17031 127.0.0.1 (8 Oct 2006 06:09:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 8 Oct 2006 06:09:56 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=86.141.199.77;
```

```
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:7326
rec.radio.amateur.boatanchors:5868 rec.radio.amateur.equipment:6596
rec.radio.amateur.misc:23789 sci.electronics.basics:26862
```

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke #34 (October 7, 2006) is now available
on http://www.soldersmoke.com

Ashhar Farhan joined us from India for #34:

-- BITX-20 transceiver.
-- HB in India.
-- EMRFD.
-- W7ZOI influence.
-- Hans Summers.
-- Quadrature rigs.
-- DSB and PSK31.
-- Homebrew test gear.
-- The importance of measurement
-- Farhan's 'scope.
-- Homebrew heartaches.
-- Homebrew spirit.
-- Symmetry.

Tired of listening to Led Zepplin or NPR on your I-Pod?   Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.soldersmoke.com

All our programs are available here.

We hope you enjoy the program. Please send us
feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

```
From 7059243598091607807
X-Google-Thread: 115730,1ecfae5a6004a70d,start
X-Google-Thread: 1131b0,1ecfae5a6004a70d,start
X-Google-Thread: 108122,1ecfae5a6004a70d,start
X-Google-Attributes: gid115730,gid1131b0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Ian VK3YQN" <ianh.oz@gmail.com>
Newsgroups:
sci.electronics.equipment,sci.electronics.repair,rec.radio.amateur.equipment
Subject: REQ: Systron-Donner 400 Function Generator schematics
Date: 8 Oct 2006 00:37:16 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1160293036.539125.48310@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 202.63.44.172
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160293042 27659 127.0.0.1 (8 Oct 2006 07:37:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 8 Oct 2006 07:37:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
2.0.50727; .NET CLR 3.0.04324.17),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 ipcop.digitalideas.com.au:800 (squid/2.5.STABLE14), 1.0
proxy5.mel.dft.com.au:80 (squid/2.6.STABLE3-20060920)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=202.63.44.172;
   posting-account=st51oA0AAADeomKUmRFVDvGsjOgE5667
Xref: g2news2.google.com sci.electronics.equipment:4222
sci.electronics.repair:32799 rec.radio.amateur.equipment:6597
```

Hi,

I've been looking (without success) for a service manual or schematics
for a Systron-Donner / Datapulse 400 Function Generator.

If anyone has these or could scan at least the sine-shaping circuit
(which in mine has gone faulty) or point me in the right direction of
where I could obtain this information I'd be most grateful.

Thanks in advance,

Ian Holland
VK3YQN

From 5105379104523097041
X-Google-Thread: 10bf43,53d4e066ee38309b
X-Google-Thread: fcc6e,53d4e066ee38309b
X-Google-Thread: 108122,53d4e066ee38309b
X-Google-Thread: fa029,53d4e066ee38309b
X-Google-Thread: fb049,53d4e066ee38309b
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.net>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: my dad an me pics
Date: Sun, 8 Oct 2006 14:26:35 -0400
Organization: Blumpkin Specialist
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 35
Message-ID: <452935e0$0$19748$88260bb3@free.teranews.com>
NNTP-Posting-Date: 08 Oct 2006 17:31:13 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:49204
rec.radio.amateur.antenna:19607 rec.radio.amateur.equipment:6598
rec.radio.scanner:7052 alt.ham-radio.vhf-uhf:2905

dad
http://home.mchsi.com/~north1959/professorblumpkin.jpg

and now me.........
http://i10.tinypic.com/29ygohw.jpg

we morgan are hamson mens

>>
>>
>>
>>
>>
>>

```
>>
>>
>>
>>
>>
>>
>>
 with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/

>
>
>
>
>




--
Posted via a free Usenet account from http://www.teranews.com




From 2627778974663294962
X-Google-Thread: 10bf43,53d4e066ee38309b
X-Google-Thread: fcc6e,53d4e066ee38309b
X-Google-Thread: 108122,53d4e066ee38309b
X-Google-Thread: fa029,53d4e066ee38309b
X-Google-Thread: fb049,53d4e066ee38309b
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: id theift is a crime
Date: Sun, 08 Oct 2006 14:29:43 -0400
Message-ID: <csgii2t69fitf17o4g9ug28ss62aomkv2e@4ax.com>
References: <452935e0$0$19748$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Date: 08 Oct 2006 17:34:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:49207
rec.radio.amateur.antenna:19608 rec.radio.amateur.equipment:6599
```

rec.radio.scanner:7053 alt.ham-radio.vhf-uhf:2908

On Sun, 8 Oct 2006 14:26:35 -0400, <Mark@kb9rqz.net> wrote:

id theift is a crime
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -5976824582029181090
X-Google-Thread: 108122,607a5398cd87accd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!nntp.infostrada.it!twister1.libero.it.POSTED!not-for-mail
From: "Daniele" <marius.gd@xy-tiscali.it>
Newsgroups: rec.radio.amateur.equipment
References: <1159738014.605849.232010@m7g2000cwm.googlegroups.com>
Subject: Re: Repairing Icom 735 - BPF diodes
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <60eWg.140001$zy5.1872948@twister1.libero.it>
Date: Sun, 08 Oct 2006 21:24:18 GMT
NNTP-Posting-Host: 151.37.151.251
X-Complaints-To: abuse@libero.it
X-Trace: twister1.libero.it 1160342658 151.37.151.251 (Sun, 08 Oct 2006 23:24:18 MET DST)
NNTP-Posting-Date: Sun, 08 Oct 2006 23:24:18 MET DST
Organization: [Infostrada]
Xref: g2news2.google.com rec.radio.amateur.equipment:6600

Hi
1SS53 are just switching diodes, nothing special. You can replace them with any 1N914 or other fast silicon small current switch diode.
Greetings

<sailtamarack@yahoo.ca> ha scritto nel messaggio news:1159738014.605849.232010@m7g2000cwm.googlegroups.com...
>
> 2. The diodes are 1ss53 which is a Japanese switching diode. They are hard to find. Has anyone found a direct replacement for this part that gives equal or better performance? (I do not want to change any of the bias resistors).
>
> Thanks - Roger

>

```
From -120288230574707882
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.com.POSTED!991f3b2e!not-for-mail
From: Glenn <gdickso@swbell.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
References: <eegols$1e24$1@registered.motzarella.org>
<C1316300.43595%dbowey@comcast.net> <eeh7ka$1oee$1@registered.motzarella.org>
In-Reply-To: <eeh7ka$1oee$1@registered.motzarella.org>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 29
Message-ID: <ATfWg.10100$vJ2.5193@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 208.191.177.141
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1160350304 ST000 208.191.177.141 (Sun, 08 Oct
2006 19:31:44 EDT)
NNTP-Posting-Date: Sun, 08 Oct 2006 19:31:44 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@IONRBWARWDX]ZHD]_HBWB]^PCPDLXUNNHPHBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Sun, 08 Oct 2006 23:31:44 GMT
Xref: g2news2.google.com rec.radio.swap:8383 rec.radio.amateur.boatanchors:5886
rec.radio.amateur.equipment:6601 rec.radio.scanner:7066 alt.ham-radio.vhf-uhf:2909
rec.radio.amateur.misc:23799 alt.ham-radio.marketplace:1445
```

Maybe he did or didn't, but I did....

```
The Professor wrote:
> You didn't forward shit you crybaby. LOL
>
> www.telstar-electronics.com
>
>
> "Don Bowey" <dbowey@comcast.net> wrote in message
> news:C1316300.43595%dbowey@comcast.net...
>
>>On 9/16/06 4:54 AM, in article eegols$1e24$1@registered.motzarella.org,
>>"Brian Griffey" <telstarelectronics@yahoo.com> wrote:
>>
>>
>>>I build these in my basemant.
>>>
>>>www.telstar-electronics.com
>>>
>>>
>>
>>Thanks.
>>
>>Forwarded to FCC.
>>
>>
>
>
>



From -261364165966781667
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
From: Slow Code <my.mail@no.spam>
References: <eegols$1e24$1@registered.motzarella.org>
<C1316300.43595%dbowey@comcast.net> <eeh7ka$1oee$1@registered.motzarella.org>
<ATfWg.10100$vJ2.5193@newssvr12.news.prodigy.com>
Organization: None
```

```
User-Agent: Xnews/5.04.25
Lines: 8
Message-ID: <aRgWg.8912$o71.8714@newsread3.news.pas.earthlink.net>
Date: Mon, 09 Oct 2006 00:37:26 GMT
NNTP-Posting-Host: 4.254.230.170
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1160354246 4.254.230.170 (Sun, 08 Oct
2006 17:37:26 PDT)
NNTP-Posting-Date: Sun, 08 Oct 2006 17:37:26 PDT
Xref: g2news2.google.com rec.radio.swap:8388 rec.radio.amateur.boatanchors:5887
rec.radio.amateur.equipment:6602 rec.radio.scanner:7070 alt.ham-radio.vhf-uhf:2910
rec.radio.amateur.misc:23804 alt.ham-radio.marketplace:1446
```

Glenn <gdickso@swbell.net> wrote in
news:ATfWg.10100$vJ2.5193@newssvr12.news.prodigy.com:

> Maybe he did or didn't, but I did....

You suffer from little radio syndrome? Ten-Four? Breaker, Breaker?

SC

```
From -1742093622493023014
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: troling right along
Date: Sun, 08 Oct 2006 20:47:08 -0400
Message-ID: <307ji2hijsi7oe4g99ad1v52b3n0jbin4g@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
<C1316300.43595%dbowey@comcast.net> <eeh7ka$1oee$1@registered.motzarella.org>
<ATfWg.10100$vJ2.5193@newssvr12.news.prodigy.com>
<aRgWg.8912$o71.8714@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Date: 08 Oct 2006 23:51:44 GMT
```

```
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:8401 rec.radio.amateur.boatanchors:5894
rec.radio.amateur.equipment:6603 rec.radio.scanner:7075 alt.ham-radio.vhf-uhf:2911
rec.radio.amateur.misc:23820 alt.ham-radio.marketplace:1447

On Mon, 09 Oct 2006 00:37:26 GMT, Slow Code <my.mail@no.spam> wrote:

troling right along
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 5690527595282901377
X-Google-Thread: 108122,ce9fa8c7e9afb186,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Central Electronics 100V transmitter
Date: 9 Oct 2006 06:42:16 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1160401336.155060.322950@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160401340 24900 127.0.0.1 (9 Oct 2006 13:42:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 9 Oct 2006 13:42:20 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=64.216.97.21;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news2.google.com rec.radio.amateur.equipment:6604

In great shape but does not transmit.  See my ebay auction for more
details.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=019&item=320036381824




From -1490978468465575301
X-Google-Thread: 108122,af3da992efec4f52
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
```

```
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-757 transmitter bursting into osillation
Date: 9 Oct 2006 09:54:16 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1160412856.225819.230630@m7g2000cwm.googlegroups.com>
References: <1160064439.054165.107900@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.228.25.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160412861 5952 127.0.0.1 (9 Oct 2006 16:54:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 9 Oct 2006 16:54:21 +0000 (UTC)
In-Reply-To: <1160064439.054165.107900@i3g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=68.228.25.103;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:6605


KA2JBY wrote:
> Bought radio with blown final which I repalaced with same gain color
> dot . You can key the transmitter on ssb as soon as you talk off it
> goes into never never land . tried changing the 1000 uf cap at the b+
> input no help. I don't know what stage is talking off. the tools at
> hand are a 35 mhz scope and a freq counter and of course a dmm with cap
> checker.
>
> help
> jon b   ,,,,,,,,,Jon, I have found that the most critical thing in these high
power devices is the BIAS... Get the service manual and make sure the PA bias is
correct .. could be the reason for original failure ...GL  Harold



From -7647952078597455448
X-Google-Thread: 108122,2d23a5cbf7d71370,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: FLUKE IC Tester
Reply-To: w1ksz@earthlink.net
Message-ID: <dheli2l2k3gfj382a2falf915ncv1ku0v1@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
```

MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Mon, 09 Oct 2006 21:08:05 GMT
NNTP-Posting-Host: 24.41.20.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1160428085 24.41.20.5 (Mon, 09 Oct 2006 14:08:05 PDT)
NNTP-Posting-Date: Mon, 09 Oct 2006 14:08:05 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6606

In my packing I found a Fluke TRENDAR 200 IC TESTCLIP that I do not
need. It looks complete and includes the manual. Used for in-circuit
and chip testing of most 74XX series devices. Foam rubber inside is
ratty, but the plastic carrying case is like new.
$45 plus shipping.

73, Dick, W1KSZ

From -4899329093632167129
X-Google-Thread: 108122,a141d18af530af47
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr27.news.prodigy.net.POSTED!93e560a6!not-for-mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: GP68 Motorola Radio User Group
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <D4EWg.14556$7I1.12057@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 68.126.153.42
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1160449443 ST000 68.126.153.42 (Mon, 09 Oct 2006 23:04:03 EDT)
NNTP-Posting-Date: Mon, 09 Oct 2006 23:04:03 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: TSU[@I_A\S@USWTXZBNVZ_IJGPIFRM@OMPUT_FMNJZ]BGIELNVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFNTCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Tue, 10 Oct 2006 03:04:03 GMT

```
Xref: g2news2.google.com rec.radio.amateur.equipment:6607
```

GP68 Motorola Radio User Group

Manuals, Specs, Links, Downloads,

Best Battery Prices, pictures, etc.

http://groups.google.com/group/GP68gp68

GP68gp68@googlegroups.com

http://www.vehiclerepair.org/gp68/

```
From -2255444432754431740
X-Google-Thread: 108122,e4f5e72516a617a3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!1dba5946!not-for-mail
From: Scan Da Bands <vzeip5vc@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Optocom with Bitbanger - IBM 390E
Message-ID: <dt6ni2p4jid175qfup9t99n3lavltpdkfp@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Tue, 10 Oct 2006 13:11:40 GMT
NNTP-Posting-Host: 70.105.226.179
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1160485900 70.105.226.179 (Tue, 10 Oct 2006 09:11:40 EDT)
NNTP-Posting-Date: Tue, 10 Oct 2006 09:11:40 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6608
```

Optocom with Bitbanger

IBM 390E with a ton of Optocom WORKING software

$650 or might trade , looking for 10 meter stuff at the moment.

tommyboysUNDERSCOREads@verizon.net

```
From -768734778729l8113
X-Google-Thread: 108122,fcfa260568c83581,start
X-Google-Thread: fc8b1,fcfa260568c83581,start
X-Google-Thread: 106d41,fcfa260568c83581,start
```

```
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: 3 HIGH QUALITY EDGEWISE PANEL METERS>CALRAD & PHILMORE
Date: 10 Oct 2006 07:48:59 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1160491739.059690.156690@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160491745 15030 127.0.0.1 (10 Oct 2006 14:49:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Oct 2006 14:49:05 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6609
rec.radio.amateur.boatanchors:5922 rec.radio.cb:20667

A great deal @$10>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220035089238&ssPageName=STRK:MESE:IT&ih=012




From 5073232441410099576
X-Google-Thread: 108122,798430197b27000e,start
X-Google-Thread: fc8b1,798430197b27000e,start
X-Google-Thread: 106d41,798430197b27000e,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>46 BRAND-NEW TUBE SOCKETS MINIATURES & OCTALS>BUILDERS?
Date: 10 Oct 2006 07:50:08 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1160491808.315725.121150@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160491813 15200 127.0.0.1 (10 Oct 2006 14:50:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Oct 2006 14:50:13 +0000 (UTC)
```

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6610
rec.radio.amateur.boatanchors:5923 rec.radio.cb:20668

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220035089224&ssPageName=STRK:MESE:IT&ih=012



From -8715813023188463599
X-Google-Thread: 108122,dbb63bd42b530c22,start
X-Google-Thread: fc8b1,dbb63bd42b530c22,start
X-Google-Thread: 106d41,dbb63bd42b530c22,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>YAESU MH-12A2B HANDY-TALKIE SPEAKER MICROPHONE
Date: 10 Oct 2006 07:51:19 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1160491879.482776.126690@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160491884 13165 127.0.0.1 (10 Oct 2006 14:51:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Oct 2006 14:51:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6611
rec.radio.amateur.boatanchors:5924 rec.radio.cb:20669

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220035089207&ssPageName=STRK:MESE:IT&ih=012



From -8501892242072902245
X-Google-Thread: 108122,116f415a45a4ee4a,start
X-Google-Thread: fc8b1,116f415a45a4ee4a,start
X-Google-Thread: 106d41,116f415a45a4ee4a,start
```

```
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>2 HANDY PROBES, 1 NEW SIMPSON, 1 USED TEKTRONIX>HANDY:)
Date: 10 Oct 2006 07:52:32 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1160491952.265818.249480@m7g2000cwm.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160491957 13308 127.0.0.1 (10 Oct 2006 14:52:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Oct 2006 14:52:37 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6612
rec.radio.amateur.boatanchors:5925 rec.radio.cb:20670

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220035089247&ssPageName=STRK:MESE:IT&ih=012



From 607722942247180624
X-Google-Thread: 108122,116f415a45a4ee4a
X-Google-Thread: fc8b1,116f415a45a4ee4a
X-Google-Thread: 106d41,116f415a45a4ee4a
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>2 HANDY PROBES, 1 NEW SIMPSON, 1 USED TEKTRONIX>HANDY:)
Date: 10 Oct 2006 07:52:49 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1160491969.920624.156560@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.254.112.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160491975 13350 127.0.0.1 (10 Oct 2006 14:52:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Oct 2006 14:52:55 +0000 (UTC)
User-Agent: G2/1.0
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=69.254.112.235;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6613
rec.radio.amateur.boatanchors:5926 rec.radio.cb:20671

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220035089247&ssPageName=STRK:MESE:IT&ih=012



From 6214421331213549575
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Oct 2006 10:30:02 -0500
From: "." <none@none.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
Subject: Re: QRP-ARCI
Date: Tue, 10 Oct 2006 11:29:47 -0400
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <PIqdnYwPt-3nIbbYnZ2dnUVZ_t-dnZ2d@adelphia.com>
Lines: 14
NNTP-Posting-Host: 69.160.167.218
X-Trace:
sv3-3FfKf2BdQbsA+Yhn2jmX4TrsxTOTZh55R4J6z5l4II6X707wP7nKLF5wBccFN9q1QVzfPs6DOOpl6A
J!ipLR8aq+BWmBCGQHuwjdZbPeOSkey4evalXnDJpTKz0xmRxVPU4KUkofbtfTA5jkHDwut0GiY7Zh!
i48CAXJPuqZdBtqnNIlzpbt4abgT
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:49538
rec.radio.amateur.misc:23867 rec.radio.amateur.boatanchors:5927
rec.radio.amateur.equipment:6614 rec.radio.amateur.homebrew:7362

Good riddance! Both John and Karl whose bellicose, fragile

egos contributed to the ruin of QRP-L by chasing off brilliant

contributing engineers and operators then ultimately forced the

exile of QRP-L from its home on listserv.lehigh.edu . Cheers to

QRP-ARCI with exercising their Freedom of Disassociation

and dumping Beavis-n-Butthead!

From -7232244818242214991
X-Google-Thread: 108122,bf432f932027c641,start
X-Google-Thread: fc2a5,bf432f932027c641,start
X-Google-Thread: 107ada,bf432f932027c641,start
X-Google-Thread: 10bf43,bf432f932027c641,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
References: <452bc60e$0$2995$ec3e2dad@news.usenetmonster.com>
Subject: Re: (THIS IS SO REAL PEOPLE) IM ASKING FOR DONATIONS FOR HEART SURGERY
Date: Tue, 10 Oct 2006 12:45:54 -0400
Organization: Blumpkin Specialist
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 23
Message-ID: <452bc14c$0$19672$88260bb3@free.teranews.com>
NNTP-Posting-Date: 10 Oct 2006 15:50:36 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6615
rec.radio.amateur.homebrew:7363 rec.radio.amateur.misc:23868
rec.radio.amateur.policy:49539

```
"mike" <bphtzywr@bngrxwuq.com> wrote in message
news:452bc60e$0$2995$ec3e2dad@news.usenetmonster.com...
>               hello i always figured this would never happen to me but my
> heart is having serious issuses do to a birth defect (i was born with a
> hole in my heart)and need money to have the surgery to get the hole fix so
> i am asking for donations to help with the cost since i dont have
> insurance so if you have a paypal account please look into your heart and
> donate a dollar or two my paypal emial is mcollins7373@msn.com i need
> around 20,000 dollars usd to have the surgery done. This is my last resort
> for money i have
>               tried goverment agencies family and friends and to my
> dissapointment nothing happened SO PLEASE I NEED HELP thank you so much
> mike collins
>
>               P.S. THANKS FOR ALL THE HATE MAIL WHERE WOULD THE WORLD BE
> WITHOUT HATERS
>
>
geuss waht im trying toget the cheep poeple at teh welfair to pay four my
penis inmplant an it ben like puling teeth to get those two pay.




--
Posted via a free Usenet account from http://www.teranews.com




From -1253151955363534592
X-Google-Thread: f7653,5d3380f44b527416,start
X-Google-Thread: 11480d,5d3380f44b527416,start
X-Google-Thread: 108122,5d3380f44b527416,start
X-Google-Thread: fc2a5,5d3380f44b527416,start
X-Google-Thread: 107ada,5d3380f44b527416,start
X-Google-Attributes: gidf7653,gid11480d,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.net>
Newsgroups:
rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,re
c.radio.amateur.homebrew,rec.radio.amateur.misc
References: <452ba865$0$4677$ec3e2dad@news.usenetmonster.com>
Subject: Re: IM ASKING FOR DONATIONS FOR HEART SURGERY
Date: Tue, 10 Oct 2006 12:46:49 -0400
Organization: Blumpkin Specialist
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 24
```

```
Message-ID: <452bc186$0$19615$88260bb3@free.teranews.com>
NNTP-Posting-Date: 10 Oct 2006 15:51:34 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.digital.misc:408
rec.radio.amateur.dx:2566 rec.radio.amateur.equipment:6616
rec.radio.amateur.homebrew:7364 rec.radio.amateur.misc:23869


"mike" <mcollins7373@msn.com> wrote in message
news:452ba865$0$4677$ec3e2dad@news.usenetmonster.com...
>              hello i always figured this would never happen to me but my
> heart is having serious issuses do to a birth defect (i was born with a
> hole in my heart)and need money to have the surgery to get the hole fix so
> i am asking for donations to help with the cost since i dont have
> insurance so if you have a paypal account please look into your heart and
> donate a dollar or two my paypal emial is mcollins7373@msn.com i need
> around 20,000 dollars usd to have the surgery done. This is my last resort
> for money i have tried goverment agencies family and friends and to my
> dissapointment nothing happened SO PLEASE I NEED HELP thank you so much
> mike collins
>
>
>
>
> uW18P>^&K2[o%09E*`x[9K%bwh'bt/QIr8!Vk
> MwoA)75ElpSj?Z[U`)tK`%OLP#m2qLF<MuIR5q.lYC;M:1Lc>: aQcG]SjrTf$

geuss waht im trying toget the cheep poeple at teh welfair to pay four my
penis inmplant an it ben like puling teeth to get those two pay.




--
Posted via a free Usenet account from http://www.teranews.com




From -7350616970537251666
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Oct 2006 12:29:51 -0500
Message-ID: <452BD88F.3090309@nospamw2agn.net>
Date: Tue, 10 Oct 2006 13:29:51 -0400
From: W2AGN <w2agn@nospamw2agn.net>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
```

```
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
To: "." <none@none.com>
Subject: Re: QRP-ARCI
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<PIqdnYwPt-3nIbbYnZ2dnUVZ_t-dnZ2d@adelphia.com>
In-Reply-To: <PIqdnYwPt-3nIbbYnZ2dnUVZ_t-dnZ2d@adelphia.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-O4RYJshLXlDXGrSjZpHSbxIqRK8YXu+Jjw5CH0tkk+3qYhc5FXwQ/
CrfSP22W7KMPyDRP9kYpXqEKAe!
BZE4+VaR3j1nGWZ61dr35XZmF9O9O5x676dQnJgVdabYwZgKq7eN5glI2SSVN122NLJqHDB24Tf3!9+x3
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:49542
rec.radio.amateur.misc:23871 rec.radio.amateur.boatanchors:5931
rec.radio.amateur.equipment:6617 rec.radio.amateur.homebrew:7365

. wrote:
> Good riddance!  Both John and Karl whose bellicose, fragile
>
> egos contributed to the ruin of QRP-L by chasing off brilliant
>
> contributing engineers and operators then ultimately forced the
>
> exile of QRP-L from its home on listserv.lehigh.edu .  Cheers to
>
> QRP-ARCI with exercising their Freedom of Disassociation
>
> and dumping Beavis-n-Butthead!
>
>
>
BULL! The credibility of your comments is summed up quite nicely by your
cowardly anonymous email address (none@none.com).

John W2AGN


From -9163638037373245234
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
```

X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Oct 2006 12:30:02 -0500
Date: Tue, 10 Oct 2006 13:30:02 -0400
From: W2AGN <w2agn@nospamw2agn.net>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur,alt.ham.radio,rec.ham-radio
Subject: Re: QRP-ARCI
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<PIqdnYwPt-3nIbbYnZ2dnUVZ_t-dnZ2d@adelphia.com>
In-Reply-To: <PIqdnYwPt-3nIbbYnZ2dnUVZ_t-dnZ2d@adelphia.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <U7SdnQmnTtgHRbbYnZ2dnUVZ_tmdnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 68.37.243.231
X-Trace: sv3-KTCLBNjbcGSoE/DI7sPbQ3iJCvOAy375OlCQI1h2rJNrAaAwm5IglkLg+HMsR+
+huPul67ZDcBbpU4K!536Vtq3yKqF8u3kKJhrfenOaP/
oSMVW79STjTt1hESn68OXGJ6e+30WFVX29w1NvR8rmNrtuYcHf!XrGsy2hePpQKy4xGxJe0
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:49543
rec.radio.amateur.misc:23872 rec.radio.amateur.boatanchors:5932
rec.radio.amateur.equipment:6618 rec.radio.amateur.homebrew:7366

. wrote:
> Good riddance! Both John and Karl whose bellicose, fragile
>
> egos contributed to the ruin of QRP-L by chasing off brilliant
>
> contributing engineers and operators then ultimately forced the
>
> exile of QRP-L from its home on listserv.lehigh.edu . Cheers to
>
> QRP-ARCI with exercising their Freedom of Disassociation
>
> and dumping Beavis-n-Butthead!
>
>
>

BULL! The credibility of your comments is summed up quite nicely by your cowardly anonymous email address (none@none.com).

John W2AGN

```
From 4547919518942333199
X-Google-Thread: f7653,5d3380f44b527416
X-Google-Thread: 11480d,5d3380f44b527416
X-Google-Thread: 108122,5d3380f44b527416
X-Google-Thread: fc2a5,5d3380f44b527416
X-Google-Thread: 107ada,5d3380f44b527416
X-Google-Attributes: gidf7653,gid11480d,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c28g2000cwb.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,re
c.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: IM ASKING FOR DONATIONS FOR HEART SURGERY
Date: 10 Oct 2006 12:33:19 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1160508799.718062.133210@c28g2000cwb.googlegroups.com>
References: <452ba865$0$4677$ec3e2dad@news.usenetmonster.com>
   <452bc186$0$19615$88260bb3@free.teranews.com>
NNTP-Posting-Host: 66.82.9.86
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160508804 24883 127.0.0.1 (10 Oct 2006 19:33:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Oct 2006 19:33:24 +0000 (UTC)
In-Reply-To: <452bc186$0$19615$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c28g2000cwb.googlegroups.com; posting-host=66.82.9.86;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.digital.misc:409
rec.radio.amateur.dx:2567 rec.radio.amateur.equipment:6619
rec.radio.amateur.homebrew:7368 rec.radio.amateur.misc:23879
```

Mark@kb9rqz.net wrote:
> "mike" <mcollins7373@msn.com> wrote in message
> news:452ba865$0$4677$ec3e2dad@news.usenetmonster.com...
>

id theft is a crime

```
From -8398519230532416100
```

```
X-Google-Thread: 108122,bf432f932027c641
X-Google-Thread: fc2a5,bf432f932027c641
X-Google-Thread: 107ada,bf432f932027c641
X-Google-Thread: 10bf43,bf432f932027c641
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
Subject: Re: (THIS IS SO REAL PEOPLE) IM ASKING FOR DONATIONS FOR HEART SURGERY
Date: 10 Oct 2006 12:33:59 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1160508839.316047.116040@b28g2000cwb.googlegroups.com>
References: <452bc60e$0$2995$ec3e2dad@news.usenetmonster.com>
   <452bc14c$0$19672$88260bb3@free.teranews.com>
NNTP-Posting-Host: 66.82.9.86
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160508843 24966 127.0.0.1 (10 Oct 2006 19:34:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Oct 2006 19:34:03 +0000 (UTC)
In-Reply-To: <452bc14c$0$19672$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=66.82.9.86;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:6620
rec.radio.amateur.homebrew:7369 rec.radio.amateur.misc:23880
rec.radio.amateur.policy:49613


Mark@kb9rqz.net wrote:
> "mike" <bphtzywr@bngrxwuq.com> wrote in message

id theft is a crime




From 7647592266235762316
X-Google-Thread: 108228,fe593746cf6fea9e,start
X-Google-Thread: 108122,fe593746cf6fea9e,start
X-Google-Thread: 1109af,fe593746cf6fea9e,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
```

```
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Like New Pair of Motorola HT750 UHF 403-470 MHz Portable Radios-New
Chargers-Commercial-Ham
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C6EC6D.556CC560"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <b5TWg.32349$tO5.153@fed1read10>
Date: Tue, 10 Oct 2006 13:09:35 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1160510919 68.104.78.240 (Tue, 10 Oct 2006 16:08:39 EDT)
NNTP-Posting-Date: Tue, 10 Oct 2006 16:08:39 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1452
rec.radio.amateur.equipment:6621 rec.radio.swap:8449

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6EC6D.556CC560
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Like New Pair of Motorola HT750 UHF 403-470 MHz Portable Radios-New =
Chargers-Commercial-Ham

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250037901778&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C6EC6D.556CC560
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA: Like New Pair of Motorola HT750 UHF 403-470 MHz Portable =
Radios-New=20
Chargers-Commercial-Ham</P>
<P><FONT size=3D3><A=20
```

```
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250037901778&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250037901778&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></FONT></DIV><=
/BODY></HTML>

------=_NextPart_000_0008_01C6EC6D.556CC560--
```

```
From -7744975459141153475
X-Google-Thread: 108122,bf432f932027c641
X-Google-Thread: fc2a5,bf432f932027c641
X-Google-Thread: 107ada,bf432f932027c641
X-Google-Thread: 10bf43,bf432f932027c641
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "Douche Bag" <loumaagsucks@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
Subject: Re: (THIS IS SO REAL PEOPLE) IM ASKING FOR DONATIONS FOR HEART SURGERY
Date: 10 Oct 2006 17:40:10 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1160527210.572830.117910@h48g2000cwc.googlegroups.com>
References: <452bc60e$0$2995$ec3e2dad@news.usenetmonster.com>
   <452bc14c$0$19672$88260bb3@free.teranews.com>
   <1160508839.316047.116040@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.238.161.138
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160527215 4651 127.0.0.1 (11 Oct 2006 00:40:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Oct 2006 00:40:15 +0000 (UTC)
In-Reply-To: <1160508839.316047.116040@b28g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7)
Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=68.238.161.138;
   posting-account=lz0K7A0AAAA0k0bp6MTD4cusVBwJX_LS
Xref: g2news2.google.com rec.radio.amateur.equipment:6622
rec.radio.amateur.homebrew:7371 rec.radio.amateur.misc:23888
rec.radio.amateur.policy:49633
```

I need donations for my penis reduction.I was born with a huge schloong
and it's very difficult to carry around in my pants. Please help me
with my pain. I need this reduction operation now.

an old freind wrote:

```
> Mark@kb9rqz.net wrote:
> > "mike" <bphtzywr@bngrxwuq.com> wrote in message
>
> id theft is a crime



From -7573062278425928414
X-Google-Thread: 108122,8b245539bc01381b,start
X-Google-Thread: 107ada,8b245539bc01381b,start
X-Google-Thread: 10bf43,8b245539bc01381b,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: N9OGL is ignoring my threads about Omega One.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 8
Message-ID: <18XWg.9929$o71.4@newsread3.news.pas.earthlink.net>
Date: Wed, 11 Oct 2006 00:44:45 GMT
NNTP-Posting-Host: 4.254.226.183
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1160527485 4.254.226.183 (Tue, 10 Oct
2006 17:44:45 PDT)
NNTP-Posting-Date: Tue, 10 Oct 2006 17:44:45 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6623
rec.radio.amateur.misc:23892 rec.radio.amateur.policy:49641


ROFL

Yep,

He can't keep an HF station going.

SC



From -4296615800336159446
X-Google-Thread: 108122,8b245539bc01381b
X-Google-Thread: 107ada,8b245539bc01381b
X-Google-Thread: 10bf43,8b245539bc01381b
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
```

```
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: slow code crap
Date: Tue, 10 Oct 2006 21:32:31 -0400
Message-ID: <2cioi2dei1ib7d04ianlee3omq1sa6h10n@4ax.com>
References: <18XWg.9929$o71.4@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Date: 11 Oct 2006 00:37:08 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6624
rec.radio.amateur.misc:23900 rec.radio.amateur.policy:49656

On Wed, 11 Oct 2006 00:44:45 GMT, Slow Code <my.mail@no.spam> wrote:

you don't talk about radio you insult everyone you dislike
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 8006050418594862552
X-Google-Thread: 108122,bf432f932027c641
X-Google-Thread: fc2a5,bf432f932027c641
X-Google-Thread: 107ada,bf432f932027c641
X-Google-Thread: 10bf43,bf432f932027c641
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.amateur.policy
Subject: Re: (THIS IS SO REAL PEOPLE) IM ASKING FOR DONATIONS FOR HEART SURGERY
Date: 10 Oct 2006 18:42:54 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1160530974.778194.99840@e3g2000cwe.googlegroups.com>
References: <452bc60e$0$2995$ec3e2dad@news.usenetmonster.com>
   <452bc14c$0$19672$88260bb3@free.teranews.com>
   <1160508839.316047.116040@b28g2000cwb.googlegroups.com>
   <1160527210.572830.117910@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.82.9.86
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160530979 13561 127.0.0.1 (11 Oct 2006 01:42:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Oct 2006 01:42:59 +0000 (UTC)
```

```
In-Reply-To: <1160527210.572830.117910@h48g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=66.82.9.86;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:6625
rec.radio.amateur.homebrew:7374 rec.radio.amateur.misc:23904
rec.radio.amateur.policy:49658


Douche Bag wrote:
>
help ham radio SC turn in your license



From -1271585756407467607
X-Google-Thread: f7653,5d3380f44b527416
X-Google-Thread: 11480d,5d3380f44b527416
X-Google-Thread: 108122,5d3380f44b527416
X-Google-Thread: fc2a5,5d3380f44b527416
X-Google-Thread: 107ada,5d3380f44b527416
X-Google-Attributes: gidf7653,gid11480d,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!
216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-for-mail
Reply-To: "steve  carey" <scarey@tds.net>
From: "steve  carey" <scarey@tds.net>
Newsgroups:
rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,re
c.radio.amateur.homebrew,rec.radio.amateur.misc
References: <452ba865$0$4677$ec3e2dad@news.usenetmonster.com>
<452bc186$0$19615$88260bb3@free.teranews.com>
Subject: Re: IM ASKING FOR DONATIONS FOR HEART SURGERY
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <gP1Xg.5409$5i7.5291@newsreading01.news.tds.net>
Date: Wed, 11 Oct 2006 08:20:28 GMT
NNTP-Posting-Host: 69.21.209.218
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1160554828 69.21.209.218 (Wed, 11 Oct 2006
03:20:28 CDT)
NNTP-Posting-Date: Wed, 11 Oct 2006 03:20:28 CDT
Organization: tds.net
Xref: g2news2.google.com rec.radio.amateur.digital.misc:411
rec.radio.amateur.dx:2568 rec.radio.amateur.equipment:6626
rec.radio.amateur.homebrew:7375 rec.radio.amateur.misc:23914
```

```
it goes along with the hole in your head
<Mark@kb9rqz.net> wrote in message
news:452bc186$0$19615$88260bb3@free.teranews.com...
>
> "mike" <mcollins7373@msn.com> wrote in message
> news:452ba865$0$4677$ec3e2dad@news.usenetmonster.com...
>>              hello i always figured this would never happen to me but my
>> heart is having serious issuses do to a birth defect (i was born with a
>> hole in my heart)and need money to have the surgery to get the hole fix
>> so i am asking for donations to help with the cost since i dont have
>> insurance so if you have a paypal account please look into your heart and
>> donate a dollar or two my paypal emial is mcollins7373@msn.com i need
>> around 20,000 dollars usd to have the surgery done. This is my last
>> resort for money i have tried goverment agencies family and friends and
>> to my dissapointment nothing happened SO PLEASE I NEED HELP thank you so
>> much mike collins
>>
>>
>>
>>
>> uW18P>^&K2[o%09E*`x[9K%bwh'bt/QIr8!Vk
>> MwoA)75ElpSj?Z[U`)tK`%OLP#m2qLF<MuIR5q.lYC;M:1Lc>: aQcG]SjrTf$
>
> geuss waht im trying toget the cheep poeple at teh welfair to pay four my
> penis inmplant an it ben like puling teeth to get those two pay.
>
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>




From 6655524106011237582
X-Google-Thread: 108122,eb2a0f6e2225e1bf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr25.news.prodigy.net.POSTED!93e560a6!not-for-mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: 1 Pair Midland 70-245BMX GMRS Radio repeaters
Lines: 85
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <lU9Xg.13947$6S3.4306@newssvr25.news.prodigy.net>
```

NNTP-Posting-Host: 68.126.153.42
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1160587921 ST000 68.126.153.42 (Wed, 11 Oct 2006 13:32:01 EDT)
NNTP-Posting-Date: Wed, 11 Oct 2006 13:32:01 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: TSU[@SJGVZU[C\LR]X^@Z]UDEZXXPGLLEXRZKB]MPXHZUSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFNTCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Wed, 11 Oct 2006 17:32:01 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6627

For sale 1 Pair plus base charger wil consider GMRS mobile for trade

email scott93727@aol.com

Midland 70-245BMX UHF Walkie-Talkie GMRS Radio

16 Channels, 5 Watts, UHF 450 - 470 MHz

MODEL: 70-245BMX Canadian Government/Police version

FCC ID: AK57PH70245B

RF OUTPUT POWER on High: 5W, on Low: 2W

CHANNELS: 16

CTCSS Board Build-in.

This versatile tranceiver was designed specifically for public service users with features ideal for Fire, Police, EMS and disaster management organizations.

This professionally refurbished radio has been bench tested to factory specs and was re-programmed with 16 GMRS channels (please see full list below).

Channel	TX	RX	Type
01	462.5500	462.5500	GMRS Simplex
02	462.5625	462.5625	GMRS Simplex
03	462.5750	462.5750	GMRS Simplex
04	462.5875	462.5875	GMRS Simplex
05	462.6000	462.6000	GMRS Simplex
06	462.6125	462.6125	GMRS Simplex
07	462.6250	462.6250	GMRS Simplex

08 462.6375 462.6375 GMRS Simplex

09 462.6500 462.6500 GMRS Simplex

10 462.6625 462.6625 GMRS Simplex

11 462.6750 462.6750 GMRS Simplex

12 462.6875 462.6875 GMRS Simplex

13 462.7000 462.7000 GMRS Simplex

14 462.7125 462.7125 GMRS Simplex

15 462.7250 462.7250 GMRS Simplex

16 467.7250 462.7250 GMRS Offset

Tested - guaranteed to work.. May have some light scuffing or some numbers either scribed into the case or black marker on the case. Battery, charger and antenna are not included. We tested them with our antenna and battery.

This unit using identical antenna as Motorola MT 1000/P200.

We do have chargers available for these units in different auction.

Payment accepted by Money-order, VISA/MC/Discover by Paypal.

Winning bidder to add shipping/handling/insurance to the US/Canada stated below.

No local pick ups please.

Other destinations based on additional cost.

Please check out our other auctions and save on additional shipping.

Thank you for your interest and good luck bidding!

Canadians: GST/PST is included in the bid price - no extra taxes to pay!

From 7990013342896043917
X-Google-Thread: 108122,aaa873c86f89455,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-mail

From: "yaesumofo" <yaesumofo@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC 91AD
Date: 11 Oct 2006 10:45:10 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1160588710.891198.293140@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 24.127.14.239
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160588715 2645 127.0.0.1 (11 Oct 2006 17:45:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Oct 2006 17:45:15 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Avant Browser; Avant Browser; .NET CLR 1.1.4322; .NET CLR 2.0.50727; WinFX RunTime 3.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=24.127.14.239;
   posting-account=UXv4uw0AAABkB5XhZzoBEoLfuE4lvMse
Xref: g2news2.google.com rec.radio.amateur.equipment:6628

The IC91ad is is an extreemely cool DIGITAL ham radio with loads of
scanning features.and over 1000 memories
I have created a new less uptight Yahoo group devoted to this cool
radio so if you are interested come join us at
http://groups.yahoo.com/group/IC91AD
Enjoy.
Yaesumofo

From 5130078156130470788
X-Google-Thread: 108122,eb2a0f6e2225e1bf
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 1 Pair Midland 70-245BMX GMRS Radio repeaters
Date: 11 Oct 2006 19:13:06 GMT
Organization: The National Capital FreeNet
Lines: 101
Message-ID: <egjfo2$4n2$1@theodyn.ncf.ca>
References: <lU9Xg.13947$6S3.4306@newssvr25.news.prodigy.net>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1160593986 4834 134.117.136.48 (11 Oct 2006 19:13:06 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 11 Oct 2006 19:13:06 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6629

"Scott Smith" (scott93727@prodigy.net) writes:
> For sale 1 Pair plus base charger wil consider GMRS mobile for trade
>
And this isn't a buy and sell newsgroup either, and again, even if it was, what you are selling is not amateur radio equipment, which this newsgorup is about.

To make those two stupid mistakes worse, you don't even know that you shouldn't be posting the same message separately to different newsgroups. If you really had to spam the newsgroups (and it is far better to find the most appropriate newsgroup, but given you are hitting irrelevant newsgroups to begin with, I imagine finding the appropriate newsgroup is beyond your mental capacity), you do it by crossposting to the newsgroups with a single message.

Michael VE2BVW
> email scott93727@aol.com
>
> Midland 70-245BMX UHF Walkie-Talkie GMRS Radio
>
> 16 Channels, 5 Watts, UHF 450 - 470 MHz
>
> MODEL: 70-245BMX Canadian Government/Police version
>
> FCC ID: AK57PH70245B
>
> RF OUTPUT POWER on High: 5W, on Low: 2W
>
> CHANNELS: 16
>
> CTCSS Board Build-in.
>
> This versatile tranceiver was designed specifically for public service users
> with features ideal for Fire, Police, EMS and disaster management
> organizations.
>
> This professionally refurbished radio has been bench tested to factory specs
> and was re-programmed with 16 GMRS channels (please see full list below).
>
> Channel TX RX Type
>
> 01 462.5500 462.5500 GMRS Simplex
>
> 02 462.5625 462.5625 GMRS Simplex
>
> 03 462.5750 462.5750 GMRS Simplex
>
> 04 462.5875 462.5875 GMRS Simplex
>
> 05 462.6000 462.6000 GMRS Simplex
>
> 06 462.6125 462.6125 GMRS Simplex

>
> 07 462.6250 462.6250 GMRS Simplex
>
> 08 462.6375 462.6375 GMRS Simplex
>
> 09 462.6500 462.6500 GMRS Simplex
>
> 10 462.6625 462.6625 GMRS Simplex
>
> 11 462.6750 462.6750 GMRS Simplex
>
> 12 462.6875 462.6875 GMRS Simplex
>
> 13 462.7000 462.7000 GMRS Simplex
>
> 14 462.7125 462.7125 GMRS Simplex
>
> 15 462.7250 462.7250 GMRS Simplex
>
> 16 467.7250 462.7250 GMRS Offset
>
>
>
> Tested - guaranteed to work.. May have some light scuffing or some numbers
> either scribed into the case or black marker on the case. Battery, charger
> and antenna are not included. We tested them with our antenna and battery.
>
> This unit using identical antenna as Motorola MT 1000/P200.
>
> We do have chargers available for these units in different auction.
>
> Payment accepted by Money-order, VISA/MC/Discover by Paypal.
>
> Winning bidder to add shipping/handling/insurance to the US/Canada stated
> below.
>
> No local pick ups please.
>
> Other destinations based on additional cost.
>
> Please check out our other auctions and save on additional shipping.
>
> Thank you for your interest and good luck bidding!
>
> Canadians: GST/PST is included in the bid price - no extra taxes to pay!
>
>

From 5607041921406450897
X-Google-Thread: 108122,8b245539bc01381b

X-Google-Thread: 107ada,8b245539bc01381b
X-Google-Thread: 10bf43,8b245539bc01381b
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: "Hylee Pistov" <*.*@anon>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: slow code crap
Date: Wed, 11 Oct 2006 17:45:19 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 12
Message-ID: <cge47.sbj.19.1@news.alt.net>
References: <18XWg.9929$o71.4@newsread3.news.pas.earthlink.net>
<2cioi2dei1ib7d04ianlee3omq1sa6h10n@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:6630
rec.radio.amateur.misc:23928 rec.radio.amateur.policy:49678

<Mark@kb9rqz.net> wrote in message
news:2cioi2dei1ib7d04ianlee3omq1sa6h10n@4ax.com...
On Wed, 11 Oct 2006 00:44:45 GMT, Slow Code <my.mail@no.spam> wrote:

you don't talk about radio you insult everyone you dislike
/

Dittos on your end, Dimwit.
Stop your whining.

From -6132964954612136795
X-Google-Thread: f7653,a30f059725db1ced,start
X-Google-Thread: 108122,a30f059725db1ced,start
X-Google-Attributes: gidf7653,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 11 Oct 2006 17:48:01 -0500
From: "Yaesubluemofo" <yaesubluemofo@gmail.com>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment
Subject: NEW IC91 AD Yahoo group
Date: Wed, 11 Oct 2006 15:48:02 -0700
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <x9idnf7LD9086bDYnZ2dnUVZ_v2dnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 24.127.14.239
X-Trace: sv3-Mx18Vsq/yvt4oXkS3lJhnYH0PH5Rm0zHhgCFM1lnTfZEwr441NV4bcUvd3A/
srERLcoNaRqwiXneBID!GQmik9DmqKxq1yjP4mPmI04R/sRxrFcmGX5U0rgBc0OtvoJK+Pq/
ywJqCLi8B8a5y/4JKEG0rlbi!ZqK1NeU9spH56Qg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.digital.misc:412
rec.radio.amateur.equipment:6631

Hello Are you interested in the New digital capable Icom IC91 AD? What about
D-Star?
If so Come join us at the New more laid back IC-91AD Yahoo group.
We are just starting out so come join us and watch us grow.
The reason for this group is simple. I have vast experience in the area of
owning and moderating newsgroup type lists. The other groups devoted to this
radio have gone nowhere. I am serious about making this THE group. we
already have files for modding the radio the manual and other files are
available for the asking.
This group will have a laid back approach.
occasional Jokes are allowed.
Anyway I will add the 91AD to the list of groups that I own and hopefully
this will become the single point of interest for this incredible digital
capable radio.

http://groups.yahoo.com/group/IC91AD/

MOFO




From -8187967556375443336
X-Google-Thread: 108122,36068003c6a98a25,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "musiciandelight" <cppng@rogers.com>
Newsgroups: rec.radio.amateur.equipment
Subject: YAESU FT-10R
Date: 11 Oct 2006 19:06:18 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1160618778.745002.110140@i42g2000cwa.googlegroups.com>
```

```
NNTP-Posting-Host: 74.108.6.95
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160618784 29198 127.0.0.1 (12 Oct 2006 02:06:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Oct 2006 02:06:24 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=74.108.6.95;
   posting-account=kQbqygwAAAD20BZMoCo6PBniMJB46gwo
Xref: g2news2.google.com rec.radio.amateur.equipment:6632
```

Hi I have VHF Yaesu FT-10R radeo. When I set the frequency below
128MHZ, the display flashing and no signal received, Frequencies higher
than 128MHZ are OK. Can anyone tell me the reason, any setup required.

Thanks

Musiciandelight

```
From -3278485468736279804
X-Google-Thread: 108122,c65581231dea5586,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!
bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: NOS BIRD '43' PLUGS: 9 IN ALL
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <4diXg.251109$QM6.171001@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 7953eccabc82deea966429f4d8043915
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1160622016
7953eccabc82deea966429f4d8043915 (Thu, 12 Oct 2006 03:00:16 GMT)
NNTP-Posting-Date: Thu, 12 Oct 2006 03:00:16 GMT
Organization: AT&T Worldnet
Date: Thu, 12 Oct 2006 03:00:16 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6633
```

I have 9 NOS Bird Model 43 plugs at various sizes + a few more Johnson
parts coming shortly too: Tnx for looking:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

heytubeguy

```
From -4992583064961088982
X-Google-Thread: 108122,36068003c6a98a25
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe09.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: YAESU FT-10R
References: <1160618778.745002.110140@i42g2000cwa.googlegroups.com>
In-Reply-To: <1160618778.745002.110140@i42g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <uviXg.125$os2.15@newsfe09.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligkannfilpcpbbolnmohiffiociddaiolooappennnphngbbbkfpdjmojfknkcfefekd
pecgebpffadgfmgolclmipcngnhhlebiobdomflenoehhlhgindeflifgphkdl
NNTP-Posting-Date: Wed, 11 Oct 2006 20:19:54 MST
Date: Wed, 11 Oct 2006 23:20:59 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6634
```

It's beyond it's range to receive. There is not much you can do

73

musiciandelight wrote:

>Hi I have VHF Yaesu FT-10R radeo. When I set the frequency below
>128MHZ, the display flashing and no signal received, Frequencies higher
>than 128MHZ are OK. Can anyone tell me the reason, any setup required.
>
>Thanks
>
>Musiciandelight
>

>
>

```
From -2912143029575515505
X-Google-Thread: 108122,88a445f71b2a63ba,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!teal.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Installation in a Ford E450
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns9859D0CC1DB4Bspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 12 Oct 2006 03:30:27 GMT
Lines: 13
NNTP-Posting-Host: 144cd89a.news.adtechcomputers.com
X-Trace: DXC=UEXN=4F]_hh;>kBkM`GFNegC4_A5:nI@a<<=aEgO;R8gjBFHMg]Yo7al0hLmGa:NIdR?
X7U2a5ffgemfRC[RMj?o0[]M_>MNBVgOEiBhdbPH7nXM6FM8fOBKc
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6635
```

I have a motorhome on a Ford E450 chassis. I wish to install a mobile radio in the cab area, and run the DC wiring through the firewall, to the battery. Preferable, the wiring will go through on the driver's side.... it does seem a lot less congested there.

My question: has anyone done installations on such a vehicle? Can you suggest a good location to run a pair of #14 wires through the firewall? ANy ready made access or do I need to drill?

Ed   K7AAT

```
From -2021487589661446289
X-Google-Thread: 108122,af3da992efec4f52
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
out01a.usenetserver.com!news.usenetserver.com!in01.usenetserver.com!
news.usenetserver.com!news-xfer.nntp.sonic.net!posts.news.sonic.net!
nnrp0.nntp.sonic.net!not-for-mail
Date: Wed, 11 Oct 2006 22:18:39 -0700
From: Rockinghorse Winner <rockinghorse@anonymous.to>
Organization: Borscht Belt Babes
User-Agent: Thunderbird 1.5.0.4 (X11/20060607)
```

```
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-757 transmitter bursting into osillation
References: <1160064439.054165.107900@i3g2000cwc.googlegroups.com>
In-Reply-To: <1160064439.054165.107900@i3g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <452dd020$0$34516$742ec2ed@news.sonic.net>
NNTP-Posting-Date: 12 Oct 2006 05:18:24 GMT
NNTP-Posting-Host: 9bcba83b.news.sonic.net
X-Trace: 
DXC=0io^j2`PfU5Y0EWB5=DDP<m4K\QM1CV^01OYf0H`?;X1^VS4\6ND3C2@J=Z2:k:nc93`HJh1Y<Pk<=
hkL\iX?b[<
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6637
```

Inductors in final stage all shielded from each other?

--

god bless

http://www.Hello-Radio.Com

http://home.xandros.com/products/home/home_edition.html

```
From -4446747672990596550
X-Google-Thread: 108122,88a445f71b2a63ba
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!feeder.news-service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-
ams-04!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Installation in a Ford E450
Date: Thu, 12 Oct 2006 10:23:29 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <qrjsi2hsb25m5mcsrasgab2lpmu7l596k2@4ax.com>
References: <Xns9859D0CC1DB4Bspectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 4.0/32.1071
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:6638
```

On 12 Oct 2006 03:30:27 GMT, Ed <Huckleberry_REMOVE_@bigvalley.net>
wrote:

>

>
> I have a motorhome on a Ford E450 chassis. I wish to install a mobile
>radio in the cab area, and run the DC wiring through the firewall, to the
>battery. Preferable, the wiring will go through on the driver's side....
>it does seem a lot less congested there.
>
> My question: has anyone done installations on such a vehicle? Can you
>suggest a good location to run a pair of #14 wires through the firewall?
>ANy ready made access or do I need to drill?
>
> Ed   K7AAT

When I need to get through the Firewall on a vehical I usually go
through the rubber collar around the steering column.
John Ferrell W8CCW

From -146696792786381458
X-Google-Thread: 108122,8b245539bc01381b
X-Google-Thread: 107ada,8b245539bc01381b
X-Google-Thread: 10bf43,8b245539bc01381b
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: slow code crap
Date: 12 Oct 2006 09:57:04 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1160672224.121876.178040@m7g2000cwm.googlegroups.com>
References: <18XWg.9929$o71.4@newsread3.news.pas.earthlink.net>
   <2cioi2dei1ib7d04ianlee3omq1sa6h10n@4ax.com>
   <cge47.sbj.19.1@news.alt.net>
NNTP-Posting-Host: 69.19.14.32
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160672229 20978 127.0.0.1 (12 Oct 2006 16:57:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Oct 2006 16:57:09 +0000 (UTC)
In-Reply-To: <cge47.sbj.19.1@news.alt.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=69.19.14.32;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:6639
rec.radio.amateur.misc:23959 rec.radio.amateur.policy:49740

Hylee Pistov wrote:

> <Mark@kb9rqz.net> wrote in message
> news:2cioi2dei1ib7d04ianlee3omq1sa6h10n@4ax.com...
> On Wed, 11 Oct 2006 00:44:45 GMT, Slow Code <my.mail@no.spam> wrote:
>
> you don't talk about radio you insult everyone you dislike
> /
>
> Dittos on your end, Dimwit.
> Stop your whining.

funny how I do type about the radio issues of the day sc does not

From 793608212989767860
X-Google-Thread: 108122,3229f50b0d8a1f78,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: "BW" <winstead@airmail.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Improved Roadtalker 10 Meter DX Transceiver
Date: 12 Oct 2006 10:07:21 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1160672841.165126.12010@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.90.213.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160672854 28760 127.0.0.1 (12 Oct 2006 17:07:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Oct 2006 17:07:34 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=66.90.213.4;
   posting-account=mC2q_g0AAABSgNF6-mwrSjYYa8weBjaN
Xref: g2news2.google.com rec.radio.amateur.equipment:6640

Combine this radio with any ol' 11 Meter antenna and listen to the
world come alive! This popular Model 3837 Sears Roadtalker Transceiver

has the built-in AC power supply for plug'n'play base operation as well

as the 13.8VDC option. Extremely nice condition rig that ranges from
28.300 to 28.745 MHz with clarifier that works in both transmit and
receive modes. 25 watt PEP input power and digital display.
Includes original microphone, owner's manual, AC and DC power cords,
mounting bracket and conversion data.
Hard to imagine more enjoyable entertainment for the dollar during long

winter days and nights. $75 PayPal or Postal Money Order plus 13#

```
shipping via your choice of UPS or USPS from 75605.



From 1057507221487265001
X-Google-Thread: 108122,3229f50b0d8a1f78
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "BW" <winstead@airmail.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Improved Roadtalker 10 Meter DX Transceiver
Date: 12 Oct 2006 10:08:30 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1160672910.911529.175880@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.90.213.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160672918 22985 127.0.0.1 (12 Oct 2006 17:08:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Oct 2006 17:08:38 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=66.90.213.4;
   posting-account=mC2q_g0AAABSgNF6-mwrSjYYa8weBjaN
Xref: g2news2.google.com rec.radio.amateur.equipment:6641

Combine this radio with any ol' 11 Meter antenna and listen to the
world come alive!  This popular Model 3837 Sears Roadtalker Transceiver

has the built-in AC power supply for plug'n'play base operation as well

as the 13.8VDC option.  Extremely nice condition rig that ranges from
28.300 to 28.745 MHz with clarifier that works in both transmit and
receive modes.  25 watt PEP input power and digital display.
Includes original microphone, owner's manual, AC and DC power cords,
mounting bracket and conversion data.
Hard to imagine more enjoyable entertainment for the dollar during long

winter days and nights.  $75 PayPal or Postal Money Order plus 13#
shipping via your choice of UPS or USPS from 75605.



From 3424072040190568237
X-Google-Thread: 108122,88a445f71b2a63ba
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
```

border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Installation in a Ford E450
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9859D0CC1DB4Bspectrumhogstarbandn@198.186.192.196>
<qrjsi2hsb25m5mcsrasgab2lpmu7l596k2@4ax.com>
Organization: Your Company
Message-ID: <Xns985A7190DCD1Cspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 12 Oct 2006 18:07:29 GMT
Lines: 15
NNTP-Posting-Host: 3d97c398.news.adtechcomputers.com
X-Trace:
DXC=0JZd1SfMUBD1H3;A[4ZP5AgC4_A5:nI@A<<=aEgO;R8G14nbo\4h`[OWH;L]i_e:hOecf<A4o8l9C0
W_Uo]cC15J8kHcNc;UmeN8EJC0;oD]8L03a\\Xb7Q6I
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6642

> When I need to get through the Firewall on a vehical I usually go
> through the rubber collar around the steering column.
> John Ferrell W8CCW
>

Yes, have done that too.... but this vehicle has no rubber collar around steering mechanism or even the wiring harness pass through.   Thanks for input, though.

Ed

From 5480754778440861222
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 12 Oct 2006 15:55:47 -0500
From: krackula <krackula@i.am>

```
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Thu, 12 Oct 2006 13:55:48 -0700
Organization: TiGAs LAiR
Message-ID: <qrati2lanmdcj2sdemhmd3j8np2su4t75n@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
<C1316300.43595%dbowey@comcast.net> <eeh7ka$1oee$1@registered.motzarella.org>
<ATfWg.10100$vJ2.5193@newssvr12.news.prodigy.com>
<aRgWg.8912$o71.8714@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Agent 1.8/32.553
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Host: 67.182.63.30
X-Trace:
sv3-1RnwwO5I7ay4NFAlH3Bisv7d5G7O0suTM42NODt130f31zFG1Ic3UfJCaexcT75ywYBltaYjhg8B1Q
o!4fBbhLG7iHRKOkOArNRf3E8ORChCAL/oabWWqIQfwB2DCh0xMZWRG17OzpXdAQbafXS86czX9NA/!
8LGtUQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:8525 rec.radio.amateur.boatanchors:5976
rec.radio.amateur.equipment:6643 rec.radio.scanner:7165 alt.ham-radio.vhf-uhf:2920
rec.radio.amateur.misc:23969 alt.ham-radio.marketplace:1455

On Mon, 09 Oct 2006 00:37:26 GMT, Slow Code <my.mail@no.spam> wrote:

>Glenn <gdickso@swbell.net> wrote in
>news:ATfWg.10100$vJ2.5193@newssvr12.news.prodigy.com:
>
>> Maybe he did or didn't, but I did....
>
>You suffer from little radio syndrome?  Ten-Four? Breaker, Breaker?
>
>SC


probably got a " limp " mic cord  and  low " power output  " .
40 roger there little buddie  !!!


k


From 4611082192827848128
X-Google-Thread: 10bf43,538afd6d01f74ea,start
X-Google-Thread: fcc6e,538afd6d01f74ea,start
```

X-Google-Thread: 108122,538afd6d01f74ea,start
X-Google-Thread: fa029,538afd6d01f74ea,start
X-Google-Thread: 10985d,538afd6d01f74ea,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gid10985d,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!newsfeed1.ip.tiscali.net!news.tele.dk!news.tele.dk!small.news.tele.dk!skynet.be!66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,alt.sports.college.michigan
Subject: Re: I punce in aigaon
Date: Thu, 12 Oct 2006 18:09:48 -0400
Organization: Dysxlexik bisexual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 20
Message-ID: <452eb039$0$19636$88260bb3@free.teranews.com>
NNTP-Posting-Date: 12 Oct 2006 21:14:33 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:49749 rec.radio.amateur.antenna:19809 rec.radio.amateur.equipment:6644 rec.radio.scanner:7167 alt.sports.college.michigan:449

ok I back four anoter tuff day on the news grupes it my job tis waht I do so bringit on you loosers

show-na-to-va (that is the greeting for this time of year as a JEW rendered phonicticaly)
happy new years it means and it can be better one if Wismen Robson and SC a few just decided to not to be as hateful

with the punce gotcha he wonders why I simple don't bother to ty impoving my spelling do u hav anyting cognet two say?

my blog
http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From 7578658233687570969
X-Google-Thread: 10bf43,538afd6d01f74ea
X-Google-Thread: fcc6e,538afd6d01f74ea
X-Google-Thread: 108122,538afd6d01f74ea
X-Google-Thread: fa029,538afd6d01f74ea
X-Google-Thread: 10985d,538afd6d01f74ea
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gid10985d,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.sports.college.michigan
Subject: id theft is a crime
Date: Thu, 12 Oct 2006 18:19:12 -0400
Message-ID: <7qfti2d09g1gdglgd2trrn09ehmhtbe4pm@4ax.com>
References: <452eb039$0$19636$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Date: 12 Oct 2006 21:23:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:49751
rec.radio.amateur.antenna:19811 rec.radio.amateur.equipment:6645
rec.radio.scanner:7168 alt.sports.college.michigan:450

On Thu, 12 Oct 2006 18:09:48 -0400, <Mark@kb9rqz.com> wrote:

>ok I back four anoter tuff day on the news grupes it my job tis waht I do
id theft is a crimes
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -5220943994995935374
X-Google-Thread: 108122,def5ca713a22b0c6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!news.maxwell.syr.edu!
sn-xt-sjc-05!sn-xt-sjc-01!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!
corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: NEWS FROM FCC
```

Date: Thu, 12 Oct 2006 13:09:45 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0610121307180.23835@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 74
Xref: g2news2.google.com rec.radio.amateur.equipment:6646

```
**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************
```

Subject: FYI---New freqs etc
Parts/Attachments:

ARRL Bulletin 19 ARLB019
>From ARRL Headquarters
Newington CT October 12, 2006
To all radio amateurs
SB QST ARL ARLB019
ARLB019 FCC releases long-awaited ''Omnibus'' Amateur Radio Report and Order
Ending a protracted waiting period, the FCC's Report and Order in the so-called ''Omnibus'' Amateur Radio proceeding, WT Docket 04-140, was adopted October 4 and released October 10, 2006. In it, the FCC adopted nearly all of the proposed changes in the Notice of Proposed Rulemaking released back in 2004. The FCC has:
+ expanded the phone subbands in the 75 and 40 meter bands;
+ permitted auxiliary stations to transmit on portions of the 2 meter band;
permitted the use of spread spectrum on 222-225 MHz;
+ permitted amateurs to retransmit communications from the International Space Station;
+ permitted amateur licensees to designate a specific Amateur Radio club to receive their call sign in memoriam;
+ prohibited an applicant from filing more than one application for a specific vanity call sign;
  eliminated certain restrictions on equipment manufacturers;
permitted Amateur Radio stations in Alaska and surrounding waters more flexibility in providing emergency communications;
clarified that ''amateur stations may, at all times and on all frequencies authorized to the control operator, make transmissions necessary to meet essential communication needs and to facilitate relief actions'';
deleted the frequency bands and segments specified for RACES stations;
and
deleted the requirement for public announcement of test locations and times.
In addition, the FCC took several other miscellaneous actions.

In ''refarming'' the frequencies currently authorized to Novice and Technician Plus licensees, the Commission increased the voice * 90%segments from General, Advanced and Amateur Extra licensees.
On 75 meters, Generals will be able to use voice from 3800-4000 kHz, an increase of 50 kHz. Advanced class licensees will be able to use voice from 3700-4000, an increase of 75 kHz, and Amateur Extras will be able to use voice from 3600 to 4000 kHz, a generous increase of 150 kHz.

On 40 meters, Advanced and Extra Class licensees will be able to use voice from 7125-7300 kHz, an increase of 25 kHz. General class licensees will be able to use voice on 7175-7300 kHz, an increase of 50 kHz.

On 15 meters, General class operators will have phone privileges on 21275-21450 kHz, an increase of 25 kHz.
ARRL President Joel Harrison, W5ZN, expressed the ARRL's gratitude to the FCC Commissioners in a letter dated October 11: ''On behalf of the ARRL and the Commission's licensees in the Amateur Radio Service I want to express appreciation for your release yesterday of the Report and Order in WT Docket 04-140 (FCC 06-149) amending Part 97 ENDof the Commission's Rules. The Commission's action in clearing this pending proceeding will assist the Amateur Radio Service in meeting its objectives, particularly with regard to providing emergency and public service communications.''
The changes will go into effect 30 days after the R&O is published in the Federal Register.
    (courtesy of KH6JF if anyone on this group is interested)
                   Joe/ABM6JF/KH6JF

From 3456316130575824157
X-Google-Thread: 108122,455f97fe3f0e0948,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 12 Oct 2006 19:14:48 -0500
From: "Steve" <sbhanson@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Ten-Tec 244 Digital Display
Date: Thu, 12 Oct 2006 20:14:46 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <iP2dnUTY2fLlR7PYnZ2dnUVZ_oudnZ2d@adelphia.com>
Lines: 9
NNTP-Posting-Host: 24.48.206.238
X-Trace: sv3-jdS81Nb77SoaMWpHarPaBJhlUB2FKTDCXCJgbd5OqyU8gg1/

EAO7iFsBxcETyzE8aZA9hzNSl6I+TUl!
6Fd1gA5PNR99fMtLsgL1YGsJMWAnKzQ9QMriBv+Vr8WbccYXkfn/f+3eeqQWQLL/N+8Zarr4oVjn!
yKNAsD+AvvdrxUGnHi6o/2cvmpBvsQ==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6647

Looking for TT 244 Digital display for TT Triton 540.

sbhanson@adelphia.net

Many thanks,

KE1LG

From -7750399064705266940
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
From: Slow Code <my.mail@no.spam>
References: <eegols$1e24$1@registered.motzarella.org>
<C1316300.43595%dbowey@comcast.net> <eeh7ka$1oee$1@registered.motzarella.org>
<ATfWg.10100$vJ2.5193@newssvr12.news.prodigy.com>
<aRgWg.8912$o71.8714@newsread3.news.pas.earthlink.net>
<qrati2lanmdcj2sdemhmd3j8np2su4t75n@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 27
Message-ID: <WWAXg.10750$o71.8765@newsread3.news.pas.earthlink.net>
Date: Fri, 13 Oct 2006 00:17:58 GMT
NNTP-Posting-Host: 4.254.227.201
X-Complaints-To: abuse@earthlink.net

```
X-Trace: newsread3.news.pas.earthlink.net 1160698678 4.254.227.201 (Thu, 12 Oct
2006 17:17:58 PDT)
NNTP-Posting-Date: Thu, 12 Oct 2006 17:17:58 PDT
Xref: g2news2.google.com rec.radio.swap:8531 rec.radio.amateur.boatanchors:5977
rec.radio.amateur.equipment:6648 rec.radio.scanner:7169 alt.ham-radio.vhf-uhf:2923
rec.radio.amateur.misc:23984 alt.ham-radio.marketplace:1456

krackula <krackula@i.am> wrote in
news:qrati2lanmdcj2sdemhmd3j8np2su4t75n@4ax.com:

> On Mon, 09 Oct 2006 00:37:26 GMT, Slow Code <my.mail@no.spam> wrote:
>
>>Glenn <gdickso@swbell.net> wrote in
>>news:ATfWg.10100$vJ2.5193@newssvr12.news.prodigy.com:
>>
>>> Maybe he did or didn't, but I did....
>>
>>You suffer from little radio syndrome?  Ten-Four? Breaker, Breaker?
>>
>>SC
>
>
> probably got a " limp " mic cord  and  low " power output  " .
> 40 roger there little buddie  !!!
>
>
> k


That's what has always cracked me up about CB WADIO cops.  Why do they
attack others on the internet when they should be cleaning up the 11 meter
airwaves in their home towns. What a bunch of Loons.

SC



From 7263849766475066013
X-Google-Thread: 108122,88a445f71b2a63ba
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Installation in a Ford E450
Date: Thu, 12 Oct 2006 20:37:44 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <jonti2p2pqp4u73u1iebt2nqq0l3l6vl2j@4ax.com>
References: <Xns9859D0CC1DB4Bspectrumhogstarbandn@198.186.192.196>
<qrjsi2hsb25m5mcsrasgab2lpmu7l596k2@4ax.com>
<Xns985A7190DCD1Cspectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 4.0/32.1071
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
X-Complaints-To: abuse@supernews.com
Lines: 22
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.ecp.fr!feed.ac-
versailles.fr!uvsq.fr!freenix!sn-xt-sjc-04!sn-xt-sjc-06!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:6649

On 12 Oct 2006 18:07:29 GMT, Ed <Huckleberry_REMOVE_@bigvalley.net>
wrote:

>
>> When I need to get through the Firewall on a vehical I usually go
>> through the rubber collar around the steering column.
>> John Ferrell W8CCW
>>
>
>
>
>   Yes, have done that too.... but this vehicle has no rubber collar around
>steering mechanism or even the wiring harness pass through.   Thanks for
>input, though.
>
>
>
>   Ed
In my 1999 Winnie (it may be an F-350) the cigarette lighter and the
Diagnostic plug are alone on a 20 amp fuse. You might want to just
pick up that circuit if you are under 20 amps.
John Ferrell W8CCW


From -3129878505839619220
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: clean up ham radio SC start by truning in your license
Date: Thu, 12 Oct 2006 20:50:44 -0400
Message-ID: <7moti2pbs2l341riv2oiivsbtqjbd9kksc@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
<C1316300.43595%dbowey@comcast.net> <eeh7ka$1oee$1@registered.motzarella.org>
```

```
<ATfWg.10100$vJ2.5193@newssvr12.news.prodigy.com>
<aRgWg.8912$o71.8714@newsread3.news.pas.earthlink.net>
<qrati2lanmdcj2sdemhmd3j8np2su4t75n@4ax.com>
<WWAXg.10750$o71.8765@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Date: 12 Oct 2006 23:55:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:8538 rec.radio.amateur.boatanchors:5981
rec.radio.amateur.equipment:6650 rec.radio.scanner:7175 alt.ham-radio.vhf-uhf:2924
rec.radio.amateur.misc:23998 alt.ham-radio.marketplace:1457

On Fri, 13 Oct 2006 00:17:58 GMT, Slow Code <my.mail@no.spam> wrote:

>krackula <krackula@i.am> wrote in

>
>That's what has always cracked me up about CB WADIO cops.  Why do they
>attack others on the internet when they should be cleaning up the 11 meter
>airwaves in their home towns. What a bunch of Loons.
clean up ham radio SC start by truning in your license
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -8809132931725624713
X-Google-Thread: 108122,88a445f71b2a63ba
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!transit4.readnews.com!news-
out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Installation in a Ford E450
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9859D0CC1DB4Bspectrumhogstarbandn@198.186.192.196>
<qrjsi2hsb25m5mcsrasgab2lpmu7l596k2@4ax.com>
<Xns985A7190DCD1Cspectrumhogstarbandn@198.186.192.196>
<jonti2p2pqp4u73u1iebt2nqq0l3l6vl2j@4ax.com>
Organization: Your Company
Message-ID: <Xns985AC2066550Cspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 13 Oct 2006 02:02:02 GMT
Lines: 13
NNTP-Posting-Host: a408181a.news.adtechcomputers.com
```

X-Trace: DXC=mKTF:Zo1=aPaTW?f1gG?hTgC4_A5:nI@Q<<=aEgO;R8WN?
bP\P;fBUZIQnZHB]JWe\ecf<A4o8l9S0W_Uo]cC15Z8kHcNc;Ume^0V?Y^DiHP`TdS6eXNeoI[X
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6651

> In my 1999 Winnie (it may be an F-350) the cigarette lighter and the
> Diagnostic plug are alone on a 20 amp fuse. You might want to just
> pick up that circuit if you are under 20 amps.
> John Ferrell W8CCW
>

My E450 (not F) has an additional cig lighter type socket a few inches above the cig lighter socket on the dash. I would much prefer to wire directly to the battery, but will consider your suggestion if I can not find a decent way to route wire to the engine compartment. Thanks.

Ed

From 1040399778691285196
X-Google-Thread: 108122,36068003c6a98a25
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "musiciandelight" <cppng@rogers.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: YAESU FT-10R
Date: 12 Oct 2006 20:09:32 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1160708972.315845.205950@i42g2000cwa.googlegroups.com>
References: <1160618778.745002.110140@i42g2000cwa.googlegroups.com>
<uviXg.125$os2.15@newsfe09.lga>
NNTP-Posting-Host: 74.108.6.95
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160708977 17677 127.0.0.1 (13 Oct 2006 03:09:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 13 Oct 2006 03:09:37 +0000 (UTC)
In-Reply-To: <uviXg.125$os2.15@newsfe09.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=74.108.6.95;
posting-account=kQbqygwAAAD20BZMoCo6PBniMJB46gwo
Xref: g2news2.google.com rec.radio.amateur.equipment:6652

Thanks JJ, I though it covers the full VHF range.
JJ wrote:
> It's beyond it's range to receive. There is not much you can do

```
>
> 73
>
>
> musiciandelight wrote:
>
> >Hi I have VHF Yaesu FT-10R radeo. When I set the frequency below
> >128MHZ, the display flashing and no signal received, Frequencies higher
> >than 128MHZ are OK. Can anyone tell me the reason, any setup required.
> >
> >Thanks
> >
> >Musiciandelight
> >
> >
> >



From -5067731262362428157
X-Google-Thread: 108122,88a445f71b2a63ba
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Installation in a Ford E450
Date: Thu, 12 Oct 2006 22:11:24 -0500
Lines: 22
Message-ID: <4p8eetFhpi9iU1@individual.net>
References: <Xns9859D0CC1DB4Bspectrumhogstarbandn@198.186.192.196>
<qrjsi2hsb25m5mcsrasgab2lpmu7l596k2@4ax.com>
<Xns985A7190DCD1Cspectrumhogstarbandn@198.186.192.196>
<jonti2p2pqp4u73u1iebt2nqq0l3l6vl2j@4ax.com>
<Xns985AC2066550Cspectrumhogstarbandn@198.186.192.196>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net FyaO9sxkz4dFWNdqX0lWlAhlv0a+S/bKyQA9h+D8Jh4sh3n31n
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915 Mnenhy/0.7.4.0
X-Accept-Language: en-us
In-Reply-To: <Xns985AC2066550Cspectrumhogstarbandn@198.186.192.196>
Xref: g2news2.google.com rec.radio.amateur.equipment:6653

Ed wrote:
>>In my 1999 Winnie (it may be an F-350) the cigarette lighter and the
>>Diagnostic plug are alone on a 20 amp fuse. You might want to just
>>pick up that circuit if you are under 20 amps.
>>John Ferrell W8CCW
>>
>
```

>
>   My E450 (not F) has an additional cig lighter type socket a few
> inches above the cig lighter socket on the dash.   I would much prefer to
> wire directly to the battery, but will consider your suggestion if I can
> not find a decent way to route wire to the engine compartment. Thanks.
>
>   Ed

There is usually enough room alongside where the wiring harness passes through the firewall, also alongside where the heater/air goes through. On some Ford trucks there was a rubber plug in the floor behind the drivers seat. Also if you have an on-the-floor shifter, that's also a good spot to pass a pair of wires. If you have to drill, do it if possible on the side kick panels, then route the wires into the engine compartment from the wheel wells...

Bob N9LVU

From -1810185228612773094
X-Google-Thread: f7653,5d3380f44b527416
X-Google-Thread: 11480d,5d3380f44b527416
X-Google-Thread: 108122,5d3380f44b527416
X-Google-Thread: fc2a5,5d3380f44b527416
X-Google-Thread: 107ada,5d3380f44b527416
X-Google-Attributes: gidf7653,gid11480d,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!ecngs!feeder.ecngs.de!216.196.110.149.MISMATCH!border2.nntp.ams.giganews.com!nntp.giganews.com!pe2.news.blueyonder.co.uk!blueyonder!pe1.news.blueyonder.co.uk!blueyonder!fe2.news.blueyonder.co.uk.POSTED!53ab2750!not-for-mail
Message-ID: <452F6A2D.6080003@yahoo.co.uk>
From: Wolfgang Fartbubble <swift240@yahoo.co.uk>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: IM ASKING FOR DONATIONS FOR HEART SURGERY
References: <452ba865$0$4677$ec3e2dad@news.usenetmonster.com>
In-Reply-To: <452ba865$0$4677$ec3e2dad@news.usenetmonster.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0641-4, 13/10/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 32
Date: Fri, 13 Oct 2006 10:27:59 GMT
NNTP-Posting-Host: 82.37.192.24
X-Complaints-To: abuse@blueyonder.co.uk
X-Trace: fe2.news.blueyonder.co.uk 1160735279 82.37.192.24 (Fri, 13 Oct 2006 11:27:59 BST)
NNTP-Posting-Date: Fri, 13 Oct 2006 11:27:59 BST
Xref: g2news2.google.com rec.radio.amateur.digital.misc:417 rec.radio.amateur.dx:2574 rec.radio.amateur.equipment:6654 rec.radio.amateur.homebrew:7415 rec.radio.amateur.misc:24016

mike wrote:
> hello i always figured this would never happen to me but my heart is having serious issuses do to a birth defect (i was born with a hole in my heart)and need money to have the surgery to get the hole fix so i am asking for donations to help with the cost since i dont have insurance so if you have a paypal account please look into your heart and donate a dollar or two my paypal emial is mcollins7373@msn.com i need around 20,000 dollars usd to have the surgery done. This is my last resort for money i have tried goverment agencies family and friends and to my dissapointment nothing happened SO PLEASE I NEED HELP thank you so much mike collins
>
>
>
>
> uW18P>^&K2[o%09E*`x[9K%bwh'bt/QIr8!Vk MwoA)75ElpSj?
Z[U`)tK`%OLP#m2qLF<MuIR5q.lYC;M:1Lc>: aQcG]SjrTf$
>
>
> ---
> avast! Antivirus: Inbound message clean.
> Virus Database (VPS): 0641-4, 13/10/2006
> Tested on: 13/10/2006 11:27:34
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>

Put the arse hole on the KILL list.

I have.......

---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0641-4, 13/10/2006
Tested on: 13/10/2006 11:27:57
avast! - copyright (c) 1988-2006 ALWIL Software.
http://www.avast.com

From -9185958535149355124
X-Google-Thread: 108122,17a24e1f5f4efc90,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment

Subject: FA: EF JOHNSON PARTS & BIRD PLUGS
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <wJMXg.60159$QZ1.12473@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: ab7a471ffaab01da3e42acd0c6ba0d91
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1160746972
ab7a471ffaab01da3e42acd0c6ba0d91 (Fri, 13 Oct 2006 13:42:52 GMT)
NNTP-Posting-Date: Fri, 13 Oct 2006 13:42:52 GMT
Organization: AT&T Worldnet
Date: Fri, 13 Oct 2006 13:42:52 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6655

Will be listing a few Johnson items each day-check often- + take a look
at the NOS Bird '43' plugs too:
Tnx for looking:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

heytubeguy

From 6929991166356149271
X-Google-Thread: 108122,6df010d810f54184,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f16g2000cwb.googlegroups.com!not-for-mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Central Electronics 100V transmitter, only two days left!
Date: 13 Oct 2006 10:44:09 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1160761449.164086.277870@f16g2000cwb.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1160761452 22103 127.0.0.1 (13 Oct 2006 17:44:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 13 Oct 2006 17:44:12 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f16g2000cwb.googlegroups.com; posting-host=64.216.97.21;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28

```
Xref: g2news2.google.com rec.radio.amateur.equipment:6656
```

Only two days left on this gem!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=019&item=320036381824

```
From 1345171159559523686
X-Google-Thread: 108122,88a445f71b2a63ba
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.octanews.net!
teal.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Installation in a Ford E450
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns9859D0CC1DB4Bspectrumhogstarbandn@198.186.192.196>
<qrjsi2hsb25m5mcsrasgab2lpmu7l596k2@4ax.com>
<Xns985A7190DCD1Cspectrumhogstarbandn@198.186.192.196>
<jonti2p2pqp4u73u1iebt2nqq0l3l6vl2j@4ax.com>
<Xns985AC2066550Cspectrumhogstarbandn@198.186.192.196>
<4p8eetFhpi9iU1@individual.net>
Organization: Your Company
Message-ID: <Xns985B7180FFC66spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 13 Oct 2006 18:07:02 GMT
Lines: 19
NNTP-Posting-Host: fa63f5d1.news.adtechcomputers.com
X-Trace: DXC=_KC;\NfDfY_aTW?f1gG?hTgC4_A5:nI@Q<<=aEgO;R8WN?
bP\P;fBUZ5D5;0<aWNlRecf<A4o8l9S0W_Uo]cC15Z8kHcNc;Ume^COK:YZZBO7Q3UZLRES06jZ
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6657
```

> There is usually enough room alongside where the wiring harness passes
> through the firewall, also alongside where the heater/air goes
> through. On some Ford trucks there was a rubber plug in the floor
> behind the drivers seat. Also if you have an on-the-floor shifter,
> that's also a good spot to pass a pair of wires. If you have to drill,
> do it if possible on the side kick panels, then route the wires into
> the engine compartment from the wheel wells...
>
> Bob N9LVU
>

Bob, some of that info above may be applicable to my vehicle. I'll have to get out there and dig around some more to see what the best of those options may be. Thanks.

Ed

```
From 9094703271152455004
X-Google-Thread: 108122,c7b22ba52bbef2de,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc08.POSTED!b329e1bf!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Icom IC-775DSP Transceiver
From: Dale <d.dyess@hotmail.com>
Organization: Your Company
Message-ID: <Xns985B99E983B19ddyesshotmailcom@199.45.49.11>
User-Agent: Xnews/5.04.25
Lines: 4
Date: Fri, 13 Oct 2006 20:07:47 GMT
NNTP-Posting-Host: 71.113.215.137
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1160770067 71.113.215.137 (Fri, 13 Oct 2006 16:07:47 EDT)
NNTP-Posting-Date: Fri, 13 Oct 2006 16:07:47 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6658

5 days left on auction

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:31&item=200036182196


From 1337094901542581270
X-Google-Thread: 108122,bf432f932027c641
X-Google-Thread: fc2a5,bf432f932027c641
X-Google-Thread: 107ada,bf432f932027c641
X-Google-Thread: 10bf43,bf432f932027c641
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border1.nntp.ams.giganews.com!feed.xsnews.nl!feeder.xsnews.nl!feeder1.cambrium.nl!
feeder3.cambrium.nl!feed.tweaknews.nl!195.14.215.231.MISMATCH!news.netcologne.de!
newsfeed-fusi2.netcologne.de!newsfeed01.chello.at!newscore.univie.ac.at!
217.188.199.134.MISMATCH!keepthis.news.telefonica.de!telefonica.de!npeer.de.kpn-
eurorings.net!border2.nntp.ams.giganews.com!nntp.giganews.com!
newsfeed101.telia.com!nf02.dk.telia.net!out02b.usenetserver.com!
news.usenetserver.com!in02.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-out.readnews.com!
postnews3.readnews.com!posts.news.usenetmonster.com!
nnrp0.asbnva.usenetmonster.com!not-for-mail
From: "mike" <bphtzywr@bngrxwuq.com>
Subject: (THIS IS SO REAL PEOPLE) IM ASKING FOR DONATIONS FOR HEART SURGERY
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
```

```
radio.amateur.policy
Sender: mike <bphtzywr@bngrxwuq.com>
Reply-To: mcollins7373@msn.com
Organization: home gamer
Date: Tue, 10 Oct 2006 08:20:51 -0600
X-Priority: 3
X-Library: Indy 9.00.10
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4133.2400
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4133.2400
Lines: 9
Message-ID: <452bc60e$0$2995$ec3e2dad@news.usenetmonster.com>
NNTP-Posting-Host: fc00b7c8.news.usenetmonster.com
X-Trace:
DXC=Xb1:icg^8gR:7=dmoOoTDRfmBVYh0PF`V7:fG3B6S`dSSWLSHoCCk@]NEO9kD9OLWYh[aF7?
nhS9Z^YQ7HIL=>D_iC^1S7PiTdSAe6HhY<\nj_a<<dT1DET7[
X-Complaints-To: killthespammer@usenetmonster.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6659
rec.radio.amateur.homebrew:7424 rec.radio.amateur.misc:24046
rec.radio.amateur.policy:49871
```

hello i always figured this would never happen to me but my heart is having serious issuses do to a birth defect (i was born with a hole in my heart)and need money to have the surgery to get the hole fix so i am asking for donations to help with the cost since i dont have insurance so if you have a paypal account please look into your heart and donate a dollar or two my paypal emial is mcollins7373@msn.com i need around 20,000 dollars usd to have the surgery done. This is my last resort for money i have

tried goverment agencies family and friends and to my dissapointment nothing happened SO PLEASE I NEED HELP thank you so much mike collins

P.S. THANKS FOR ALL THE HATE MAIL WHERE WOULD THE WORLD BE WITHOUT HATERS

```
E#YtndPa8PFHBK(w+.g35'e1#d_2@(T@aB]X GILd&dpLWXChv1DGnt@IqJwOwVRUUuiJ^I2FiNR?!
PJ"dbNVCsTn0"j2MVALZEl
```

```
From 6718659247325990205
X-Google-Thread: 108122,720dbe8472189ac9,start
X-Google-Thread: 108228,720dbe8472189ac9,start
X-Google-Thread: 1062f2,720dbe8472189ac9,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 14 Oct 2006 07:03:37 -0500
Subject: FA: 1-Day-Left: 3 Books: FIBER OPTICS, OPTICAL, Data Comm,
Telecommunications, etc.
```

```
Date: Sat, 14 Oct 2006 08:03:39 -0400
From: John <john@Jopawoaoc.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <141020060803397381%john@Jopawoaoc.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-oZ9MrjWBA1E/
bYoX1lHdY+uz3xY2gAnKZQimEh2JyodVeXN7JyQ9+3AcApcq3j+JwbhK2W9kHG5ktXT!
iYyJ76oSKRUwSxXbWumdkljunsj65dZ0ue0qxSA7yKIrAzS7LENhuDEiJOKxp7EuxSn57u36WUE1!
AJoIi6H104/Zeq71ZDCb
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6660 alt.ham-
radio.marketplace:1459 misc.industry.electronics.marketplace:669


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320036408441


From -4741976907695952735
X-Google-Thread: 108122,32f700eaedb2f487,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ameritron AL-811H Amp
Message-ID: <60lnh2pm1p52i6tenl5rintral4tlg6abe@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimdgdpohbegfhcpbhdllfjdfbijhjogphkajfcobocpeihfnehkf
kloncafipjiehomofpmendkdkbjfbmefpijedfpokbcffmbcnegbbojhamihnb
NNTP-Posting-Date: Thu, 28 Sep 2006 06:55:11 MST
Organization: Optimum Online
Date: Thu, 28 Sep 2006 09:54:20 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6508
```

FS: Ameritron AL-811H Amp
 This is a used amp, But LOOKS BRAND NEW!!!!! No scratches or dents, nothing. Works 100 PERCENT!!! Well taken care of, Its 3 years old. You wouldn't know the difference of a new one or this one. Price: 525.00 Plus shipping
ritchi50@optonline.net

```
From 6576430663120648663
X-Google-Thread: 108122,f39ccc58ff1ae93b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 28 Sep 2006 10:07:00 -0500
From: lnytns456 <lnytns456.2eup6n@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Standard a3500 EEProm programmer
Date: Thu, 28 Sep 2006 13:31:11 +0000
Message-ID: <lnytns456.2eup6n@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 7
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-
XRFmCqf4p0VkwxVH6yl2MrwKeeA9AIX7Vx6Gs4aO6NH0ICf9rO7lHt5J+rJB0O85m6kEAmdwZxsDoFz!
w49QMQoCC5SiamY4GiS+sMwYJx5x9c34PyLv8Jt6TULNfhRRUVM4dQeLOBZlrQFlHr86m51BOmpS!
6g0MLTGgJ2UL
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6509
```

Hello all, I am new to this group, and I am partially looking for a Standard Communications EEProm Programmer for the GX3000 Two way radios, I have not been able to find one anywhere, so I figured I would put up a post on here to see what I might find as random sales and such.....

Thanks if you can help me with this little problem

Charles

GMRS Lic holder, and Repeater o/o

--
lnytns456

From 8622033683231450081
X-Google-Thread: 10bf43,a110333f6d30d1e9
X-Google-Thread: 108122,a110333f6d30d1e9
X-Google-Thread: fa029,a110333f6d30d1e9
X-Google-Thread: fb049,a110333f6d30d1e9
X-Google-Attributes: gid10bf43,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark Morgan" <kb9rqz@blumpkin.net>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.scanner,alt.ham-radio.vhf-uhf
Subject: i punce in aigan
Date: Thu, 28 Sep 2006 11:44:55 -0400
Organization: Blumpkin Specialist
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Lines: 22
Message-ID: <451be0f9$0$19689$88260bb3@free.teranews.com>
NNTP-Posting-Date: 28 Sep 2006 14:49:29 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:47316
rec.radio.amateur.equipment:6510 rec.radio.scanner:6634 alt.ham-radio.vhf-uhf:2830

ok I back four anoter tuff day on the news grupes it my job tis waht I do
so
bringit on you loosers

show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
happy new years it means and it can be better one if Wismen Robson and
SC a few just decided to not to be as hateful

with the punce gotcha he wonders why I simple don't bother to ty
impoving my spelling do u hav anyting cognet two say?

my blog
http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From 2007400496049362729
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "kb9rqz-2@hotmail.com" <kb9rqz-2@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: show na to va woger
Date: 28 Sep 2006 08:52:07 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159458726.936208.189000@h48g2000cwc.googlegroups.com>
References: <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
   <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
   <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
   <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
   <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
   <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
   <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
   <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
   <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159458730 23329 127.0.0.1 (28 Sep 2006 15:52:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Sep 2006 15:52:10 +0000 (UTC)
In-Reply-To: <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=66.82.9.53;
   posting-account=a7K0SA0AAADJhiRpuowwQAePXZnEQc8e
Xref: g2news2.google.com rec.radio.amateur.equipment:6511
```

rec.radio.amateur.misc:22797 alt.radio.scanner:3034 rec.radio.amateur.policy:47319

marqueer@mail2world.com wrote:
>
show na to va woger

From -2446695116372141777
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-mail
From: "kb9rqz-2@hotmail.com" <kb9rqz-2@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
Date: 28 Sep 2006 09:00:16 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1159459216.319850.296270@e3g2000cwe.googlegroups.com>
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
   <201cd$451b28af$d1cc41f9$16757@snip.allthenewsgroups.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159459221 24591 127.0.0.1 (28 Sep 2006 16:00:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Sep 2006 16:00:21 +0000 (UTC)
In-Reply-To: <201cd$451b28af$d1cc41f9$16757@snip.allthenewsgroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=66.82.9.53;
   posting-account=a7K0SA0AAADJhiRpuowwQAePXZnEQc8e
Xref: g2news2.google.com rec.radio.amateur.antenna:18871
rec.radio.amateur.equipment:6512 rec.radio.amateur.homebrew:7169
rec.radio.amateur.policy:47323 rec.radio.swap:7953

Mike little lamp wrote:
> "Slow Code" <my.mail@no.spam> wrote in message
> news:twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net...
> > Why are you people against having good hams?
>

> Go back to rec.radio.amateur.policy Lloyd.
no to hell would be better

```
From -284421354530136114
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 28 Sep 2006 13:14:46 -0500
Date: Thu, 28 Sep 2006 14:14:46 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
<4nvtacFc77jhU1@individual.net>
<1159398320.388587.235320@b28g2000cwb.googlegroups.com>
<oaydnYisrsw5kYbYnZ2dnUVZ_rydnZ2d@comcast.com>
<451b0552$0$19695$88260bb3@free.teranews.com>
In-Reply-To: <451b0552$0$19695$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <25qdnRRVeYmKjIHYnZ2dnUVZ_tydnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 71.233.173.68
X-Trace: sv3-CubKdUpnrTLMTQ8G6O/69cfkeVbCl2aLHGwb4rNf/
QC+WMlibOednbQipB09yPWpqqP0uJLy+91ICyq!
y9begEPzG0Ecc93LLO+ErJTiJHizPiCyMmcu+5QS+Y5joxYdqTcWBHNCEI9PtJjICbkbBrr6fwNV!
c8+PxEXafShbpy0oz9gw
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:18874
rec.radio.amateur.equipment:6513 rec.radio.amateur.homebrew:7171
rec.radio.amateur.policy:47339 rec.radio.swap:7955
```

Mark Morgan wrote:

```
SNIPPED
>>
>>Is this un-readable USA english from a USA ham?
>>
>
> with the punce gotcha he wonders why I simple don't bother to ty
>  impoving my spelling do u hav anyting cognet two say?
>
>  my blog
>  http://www.marksspamblog.blogspot.com/
>
>
>
>

Do you? I can't read your version of 'inklyshe'




From -6425332320996797234
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 28 Sep 2006 11:55:14 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1159469714.001201.50540@b28g2000cwb.googlegroups.com>
References: <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
   <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
   <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
   <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
   <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
   <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
   <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
   <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.98.29
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159469719 21235 127.0.0.1 (28 Sep 2006 18:55:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Sep 2006 18:55:19 +0000 (UTC)
In-Reply-To: <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.98.29;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.policy:47362
rec.radio.amateur.equipment:6514 rec.radio.amateur.misc:22825
alt.radio.scanner:3037
```

kb9rqz-1@hotmail.com wrote:

> show na to va woger

Translates to "I just swallowed a penis." Poor Markie, he can't help
being queer.

```
From 8361879585084456051
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Markie caught in another lie!
Date: 28 Sep 2006 11:59:37 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1159469977.612136.72850@b28g2000cwb.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <45154c1c$0$19687$88260bb3@free.teranews.com>
   <1159120605.604878.326540@h48g2000cwc.googlegroups.com>
   <1159278148.979026.26280@e3g2000cwe.googlegroups.com>
   <r3nih2hltd8c6htbh660l2qrt20grt5nqv@4ax.com>
   <1159301525.986839.162600@k70g2000cwa.googlegroups.com>
   <1159306939.263759.50030@k70g2000cwa.googlegroups.com>
   <1159359885.011255.172110@d34g2000cwd.googlegroups.com>
   <1159397385.138608.201820@m7g2000cwm.googlegroups.com>
NNTP-Posting-Host: 65.54.98.29
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159469981 17793 127.0.0.1 (28 Sep 2006 18:59:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Sep 2006 18:59:41 +0000 (UTC)
In-Reply-To: <1159397385.138608.201820@m7g2000cwm.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.98.29;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.policy:47367
rec.radio.amateur.equipment:6515 rec.radio.amateur.misc:22829
alt.radio.scanner:3038
```

kb9rqz-1@hotmail.com wrote:
> sh

Markie spams when he gets caught in another lie!

```
From 7104619556947316392
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Rewoger caught in another lie!
Date: Thu, 28 Sep 2006 17:21:31 -0400
Message-ID: <16foh215l6hjdehpinercann1ud6s5rhbp@4ax.com>
References: <45154c1c$0$19687$88260bb3@free.teranews.com>
<1159120605.604878.326540@h48g2000cwc.googlegroups.com>
<1159278148.979026.26280@e3g2000cwe.googlegroups.com>
<r3nih2hltd8c6htbh660l2qrt20grt5nqv@4ax.com>
<1159301525.986839.162600@k70g2000cwa.googlegroups.com>
<1159306939.263759.50030@k70g2000cwa.googlegroups.com>
<1159359885.011255.172110@d34g2000cwd.googlegroups.com>
<1159397385.138608.201820@m7g2000cwm.googlegroups.com>
<1159469977.612136.72850@b28g2000cwb.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
NNTP-Posting-Date: 28 Sep 2006 20:28:22 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:47388
rec.radio.amateur.equipment:6516 rec.radio.amateur.misc:22842
alt.radio.scanner:3039

On 28 Sep 2006 11:59:37 -0700, markie_morgan_rapesboys@yahoo.com
wrote:

>
>kb9rqz-1@hotmail.com wrote:
>> sh
>
>Markie spams when he gets caught in another lie!
no just wishing you happy new year and you prevert it in your pedphlia
shit
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 142058944522732223
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: Thu, 28 Sep 2006 17:22:35 -0400
Message-ID: <98foh2pa29u122b0kkcn15rhsm64lqdc5g@4ax.com>
References: <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
<1159277722.347757.183420@i42g2000cwa.googlegroups.com>
<1159289638.134123.268990@d34g2000cwd.googlegroups.com>
<1159303436.382766.203250@m73g2000cwd.googlegroups.com>
<f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
<1159361355.723165.245600@m73g2000cwd.googlegroups.com>
<1159397741.822223.232500@i42g2000cwa.googlegroups.com>
<1159469714.001201.50540@b28g2000cwb.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Date: 28 Sep 2006 20:28:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:47389
rec.radio.amateur.equipment:6517 rec.radio.amateur.misc:22843
alt.radio.scanner:3040

On 28 Sep 2006 11:55:14 -0700, markie_morgan_rapesboys@yahoo.com
wrote:

>
>kb9rqz-1@hotmail.com wrote:
>> show na to va woger
>
>Translates to "I just swallowed a penis." Poor Markie, he can't help
>being queer.
no woger it mean as explained happey new year

http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 8749564991147185188
X-Google-Thread: 10bf43,6a1fa9cda603169,start
X-Google-Thread: fcc6e,6a1fa9cda603169,start
X-Google-Thread: 108122,6a1fa9cda603169,start
X-Google-Thread: fa029,6a1fa9cda603169,start
X-Google-Thread: fb049,6a1fa9cda603169,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark Morgan" <kb9rqz@blumpkin.net>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject:  my dad an me pics
Date: Thu, 28 Sep 2006 17:42:23 -0400
Organization: Blumpkin Specialist
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 32
Message-ID: <451c34c1$0$19732$88260bb3@free.teranews.com>
NNTP-Posting-Date: 28 Sep 2006 20:46:57 GMT
```

```
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:47425
rec.radio.amateur.antenna:18880 rec.radio.amateur.equipment:6518
rec.radio.scanner:6649 alt.ham-radio.vhf-uhf:2837

dad
 http://home.mchsi.com/~north1959/professorblumpkin.jpg

 and now me.........
 http://i10.tinypic.com/29ygohw.jpg

we morgan are hamson mens

>
>
>
>
>
>
>
>
>
>
>
>
>
 with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/







--
Posted via a free Usenet account from http://www.teranews.com




From 6137642219395451427
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "Mark C. Morgan" <markie_morgan_rapesboys@yahoo.com>
```

```
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: Markie spams!
Date: 28 Sep 2006 15:55:56 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1159484156.488392.125080@b28g2000cwb.googlegroups.com>
References: <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
   <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
   <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
   <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
   <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
   <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
   <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
   <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
   <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
   <1159458726.936208.189000@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.155.47
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159484162 24983 127.0.0.1 (28 Sep 2006 22:56:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Sep 2006 22:56:02 +0000 (UTC)
In-Reply-To: <1159458726.936208.189000@h48g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.155.47;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:6519
rec.radio.amateur.misc:22888 alt.radio.scanner:3041 rec.radio.amateur.policy:47440
```

kb9rqz-2@hotmail.com wrote:

> show na to va woger

Markie fucks up again!

```
From -3761805501521640879
X-Google-Thread: 108122,48895e8653cb13dc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
```

```
From: "safetypro" <bfdp1@msn.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Dressler ARA 100HDX   NIB $450
Date: 28 Sep 2006 16:15:16 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1159485316.565240.308060@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 71.33.20.3
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159485322 28029 127.0.0.1 (28 Sep 2006 23:15:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Sep 2006 23:15:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; MSN 9.0;MSN 9.1; MSNbQ002; MSNmen-us; MSNcOTH;
MPLUS),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=71.33.20.3;
   posting-account=cZ6CBwwAAABOkngaQkAXZMXi8nVpBCYN
Xref: g2news2.google.com rec.radio.amateur.equipment:6520

Dressler NIB  (still sealed in shipping box) $450 shipped     ARA100HDX

covers 40 kHz to 100 MHz and is designed for the interception of weak
signals even in the presence of strong broadcast station signals. The
ARA 100HDX is a alternative for those who do not have the space for a
traditional outside wire antenna. It is compact and unobtrusive. The
output impedance of the antenna is always 50-75 ohms, independent of
frequency. This allows efficient connection directly to the receiver
without an additional antenna tuner. The ARA100HDX will not overdrive
most portables.

Universal sells for $550




From 323964914687960519
X-Google-Thread: 108122,6f130efe868c2474,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Ten Tec ARGO V
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
```

```
Message-ID: <aLYSg.12956$2G1.12372@trnddc07>
Date: Thu, 28 Sep 2006 23:18:30 GMT
NNTP-Posting-Host: 63.19.191.14
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1159485510 63.19.191.14 (Thu, 28 Sep 2006 19:18:30 EDT)
NNTP-Posting-Date: Thu, 28 Sep 2006 19:18:30 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6521

Looking for a mint ARGO V, preferably with fan/TCXO.
Dale W4OP




From -8780384622837534813
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
From: Slow Code <my.mail@no.spam>
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
<XWiSg.15024$Ij.13307@newssvr14.news.prodigy.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 16
Message-ID: <SOYSg.3988$o71.1637@newsread3.news.pas.earthlink.net>
Date: Thu, 28 Sep 2006 23:22:26 GMT
NNTP-Posting-Host: 4.254.230.147
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1159485746 4.254.230.147 (Thu, 28 Sep
2006 16:22:26 PDT)
NNTP-Posting-Date: Thu, 28 Sep 2006 16:22:26 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18884
rec.radio.amateur.equipment:6522 rec.radio.amateur.homebrew:7174
rec.radio.amateur.policy:47452 rec.radio.swap:7974

Cecil Moore <mycall@hotmail.com> wrote in
news:XWiSg.15024$Ij.13307@newssvr14.news.prodigy.com:

> Slow Code wrote:
>> Why are you people against having good hams?
>
> We're certainly are not against good hams. If code
```

> skill is representative of hams like you, we are
> against any other low-IQ-products-of-incest being
> allowed into this otherwise nice hobby.

Do you think discussions on repeaters are as technical today as they were 25 Years ago?

SC

From -2770122600668045946
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <451C6139.5C259EA6@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net> <XWiSg.15024$Ij.13307@newssvr14.news.prodigy.com> <SOYSg.3988$o71.1637@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
Date: Thu, 28 Sep 2006 23:57:25 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1159487845 24.110.34.161 (Thu, 28 Sep 2006 16:57:25 PDT)
NNTP-Posting-Date: Thu, 28 Sep 2006 16:57:25 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18889 rec.radio.amateur.equipment:6523 rec.radio.amateur.homebrew:7175 rec.radio.amateur.policy:47478 rec.radio.swap:7979

Slow Code wrote:
>
> Cecil Moore <mycall@hotmail.com> wrote in
> news:XWiSg.15024$Ij.13307@newssvr14.news.prodigy.com:

>
> > Slow Code wrote:
> >> Why are you people against having good hams?
> >
> > We're certainly are not against good hams. If code
> > skill is representative of hams like you, we are
> > against any other low-IQ-products-of-incest being
> > allowed into this otherwise nice hobby.
>
> Do you think discussions on repeaters are as technical today as they were
> 25 Years ago?
>
> SC

25 years? Probably about the same, since repeaters had been around at least 10 years by then. You could by a repeater over the counter with tone squelch, and several other toys built in, so they were no more complicated than a 2 meter handheld. My high school Amateur radio club built a two meter repeater of of Motorola and GE strips, homebrew powers supplies, diplexer, and timers in the late '60s. What is the big deal, unless you have multiple sites and voting receivers? We were just a bunch of RF crazy teenagers with less than $50 to spend, and we wanted to build a repeater. A few months later we were given a surplus WE Touch TOne decoder module, and added a phone patch.

Like everything else the club did, we raised the funds by repairing old electronics and selling it to buy the parts we needed for the next project. the only new piece of equipment we ever purchases was a HW-16, in kit form. BTW, CW was the least used form of communications from the club's station. they could do that at home, but we had some nice antennas, the two meter repeater, and several full coverage HF rigs.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 2060784281558458770
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!
newsgate.cistron.nl!xs4all!news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
```

From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: Re: woger spams!
Date: Thu, 28 Sep 2006 22:05:29 -0400
Message-ID: <p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
References: <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
<1159303436.382766.203250@m73g2000cwd.googlegroups.com>
<f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
<1159361355.723165.245600@m73g2000cwd.googlegroups.com>
<1159397741.822223.232500@i42g2000cwa.googlegroups.com>
<1159408644.869806.269500@m73g2000cwd.googlegroups.com>
<1159458726.936208.189000@h48g2000cwc.googlegroups.com>
<1159484156.488392.125080@b28g2000cwb.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
NNTP-Posting-Date: 29 Sep 2006 01:10:06 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6524
rec.radio.amateur.misc:22914 alt.radio.scanner:3050 rec.radio.amateur.policy:47506

On 28 Sep 2006 15:55:56 -0700, "Mark C. Morgan"
<markie_morgan_rapesboys@yahoo.com> wrote:

>
>kb9rqz-2@hotmail.com wrote:
>
>> show na to va woger
>
>Markie fucks up again!

nope
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

---

From -1665045346360295187
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail

```
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
Date: Thu, 28 Sep 2006 22:05:29 -0400
Message-ID: <4gvoh2dcrjqm6bg6jn17dro6jucrvhnelq@4ax.com>
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
<XWiSg.15024$Ij.13307@newssvr14.news.prodigy.com>
<SOYSg.3988$o71.1637@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
NNTP-Posting-Date: 29 Sep 2006 01:10:32 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18900
rec.radio.amateur.equipment:6525 rec.radio.amateur.homebrew:7178
rec.radio.amateur.policy:47513 rec.radio.swap:7988

On Thu, 28 Sep 2006 23:22:26 GMT, Slow Code <my.mail@no.spam> wrote:

>Cecil Moore <mycall@hotmail.com> wrote in
>news:XWiSg.15024$Ij.13307@newssvr14.news.prodigy.com:
>
>> Slow Code wrote:
>>> Why are you people against having good hams?
>>
>> We're certainly are not against good hams. If code
>> skill is representative of hams like you, we are
>> against any other low-IQ-products-of-incest being
>> allowed into this otherwise nice hobby.
>
>
>Do you think discussions on repeaters are as technical today as they were
>25 Years ago?
no s suspect they are more thecnical at time then they were25 years
ago
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com
```

```
From 7028725412764437090
X-Google-Thread: 10bf43,6a1fa9cda603169
X-Google-Thread: fcc6e,6a1fa9cda603169
X-Google-Thread: 108122,6a1fa9cda603169
X-Google-Thread: fa029,6a1fa9cda603169
```

```
X-Google-Thread: fb049,6a1fa9cda603169
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.net
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: Re: my dad an me pics
Date: Thu, 28 Sep 2006 22:08:16 -0400
Message-ID: <vvvoh29l2n027v78ar1qbndhfmvvnl88ak@4ax.com>
References: <451c34c1$0$19732$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Date: 29 Sep 2006 01:12:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:47525
rec.radio.amateur.antenna:18905 rec.radio.amateur.equipment:6526
rec.radio.scanner:6672 alt.ham-radio.vhf-uhf:2846

On Thu, 28 Sep 2006 17:42:23 -0400, "Mark Morgan"
<kb9rqz@blumpkin.net> wrote:
more forgery such frightened folks
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 4578995049268152828
X-Google-Thread: 108122,f35ce2a0fde64063,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS KDK 2 Meter Transceiver
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <bq%Sg.974$uJ2.118@dukeread03>
Date: Thu, 28 Sep 2006 21:21:23 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
```

X-Trace: dukeread03 1159496455 68.109.223.91 (Thu, 28 Sep 2006 22:20:55 EDT)
NNTP-Posting-Date: Thu, 28 Sep 2006 22:20:55 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6527

FS: KDK Model FM-2015R 2 Meter Transceiver, 15 Watts, Mic, Manual, Looks and works like
new. Fixed Tone, Price is $45. Very little time on this radio.
Shipping from 79602 is extra. Thanks, Charlie Hugg, K5MBX

From -2775944123841164445
X-Google-Thread: 10bf43,a110333f6d30d1e9
X-Google-Thread: 108122,a110333f6d30d1e9
X-Google-Thread: fa029,a110333f6d30d1e9
X-Google-Thread: fb049,a110333f6d30d1e9
X-Google-Attributes: gid10bf43,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "kb9rqz-3@hotmail.com" <kb9rqz-3@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.scanner,alt.ham-radio.vhf-uhf
Subject: get help
Date: 28 Sep 2006 21:36:59 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1159504619.303649.264490@b28g2000cwb.googlegroups.com>
References: <451be0f9$0$19689$88260bb3@free.teranews.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159504624 11522 127.0.0.1 (29 Sep 2006 04:37:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 29 Sep 2006 04:37:04 +0000 (UTC)
In-Reply-To: <451be0f9$0$19689$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=66.82.9.90;
posting-account=vabA-g0AAAC3tggcfSrWfhO2dbMGKxv2
Xref: g2news2.google.com rec.radio.amateur.policy:47550
rec.radio.amateur.equipment:6528 rec.radio.scanner:6679 alt.ham-radio.vhf-uhf:2848

ab8mq wrote:
> ok I back four anoter tuff day on the news grupes it my job tis waht I do
> so

get help woger

```
From 7886729680596081453
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: Markie spams!
Date: 29 Sep 2006 05:35:09 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1159533309.588256.297120@b28g2000cwb.googlegroups.com>
References: <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
   <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
   <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
   <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
   <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
   <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
   <1159458726.936208.189000@h48g2000cwc.googlegroups.com>
   <1159484156.488392.125080@b28g2000cwb.googlegroups.com>
   <p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
NNTP-Posting-Host: 65.54.97.191
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159533315 18665 127.0.0.1 (29 Sep 2006 12:35:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 29 Sep 2006 12:35:15 +0000 (UTC)
In-Reply-To: <p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.97.191;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.equipment:6529
rec.radio.amateur.misc:22985 alt.radio.scanner:3064 rec.radio.amateur.policy:47613
```

```
Mark@kb9rqz.net wrote:
> On 28 Sep 2006 15:55:56 -0700, "Mark C. Morgan"
> <markie_morgan_rapesboys@yahoo.com> wrote:
>
> >
> >kb9rqz-2@hotmail.com wrote:
> >
> >> show na to va woger
> >
> >Markie fucks up again!
> nope

Yep.



From 1577851812028409099
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "kb9rqz-3@hotmail.com" <kb9rqz-3@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: woger the wabbit hops
Date: 29 Sep 2006 07:01:48 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159538508.572650.62340@h48g2000cwc.googlegroups.com>
References: <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
   <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
   <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
   <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
   <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
   <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
   <1159458726.936208.189000@h48g2000cwc.googlegroups.com>
   <1159484156.488392.125080@b28g2000cwb.googlegroups.com>
   <p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
   <1159533309.588256.297120@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159538512 18772 127.0.0.1 (29 Sep 2006 14:01:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 29 Sep 2006 14:01:52 +0000 (UTC)
In-Reply-To: <1159533309.588256.297120@b28g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=66.82.9.90;
   posting-account=vabA-g0AAAC3tggcfSrWfhO2dbMGKxv2
Xref: g2news2.google.com rec.radio.amateur.equipment:6530
```

```
rec.radio.amateur.misc:22986 alt.radio.scanner:3065 rec.radio.amateur.policy:47621


kb9rqz_child_molester@yahoo.com wrote:
>
woger the wabbit hops




From 347089812089128565
X-Google-Thread: 114a57,734f495a328540e0
X-Google-Thread: 108122,734f495a328540e0
X-Google-Thread: 1109af,734f495a328540e0
X-Google-Attributes: gid114a57,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.hf,rec.radio.amateur.equipment,rec.radio.swap
References: <HdzRg.5772$2G1.5705@trnddc07>
Subject: Re: (SOLD)Two (2) Uniden HR2510 10mtr mobiles $300.00
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <IRdTg.42$Pk2.5@trnddc08>
Date: Fri, 29 Sep 2006 18:46:00 GMT
NNTP-Posting-Host: 71.162.182.215
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1159555560 71.162.182.215 (Fri, 29 Sep 2006 14:46:00 EDT)
NNTP-Posting-Date: Fri, 29 Sep 2006 14:46:00 EDT
Xref: g2news2.google.com alt.ham-radio.hf:536 rec.radio.amateur.equipment:6531
rec.radio.swap:8036

Radio's are sold!!!
"Thanks......." <pottsladd13@yahoo.com> wrote in message
news:HdzRg.5772$2G1.5705@trnddc07...
> Both radio's are complete with mic,bracket, power cable, and original
> boxes. One has a copy of the manual, other has original. These units are
> in good condition and work very well.
> $300.00 for the pair plus shipping from 19518
> I'll only ship to Cont. US. USPS money orders only.
> Any questions please email direct.
>
>
> pottsladd13@yahoo.com
>
```

```
From 7238539768870655417
X-Google-Thread: fb049,2db11becafce1efe,start
X-Google-Thread: 108122,2db11becafce1efe,start
X-Google-Thread: 1109af,2db11becafce1efe,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Three (3) Motorola Radius M216's VHF 16ch
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <ZVdTg.43$Pk2.33@trnddc08>
Date: Fri, 29 Sep 2006 18:50:33 GMT
NNTP-Posting-Host: 71.162.182.215
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1159555833 71.162.182.215 (Fri, 29 Sep 2006 14:50:33 EDT)
NNTP-Posting-Date: Fri, 29 Sep 2006 14:50:33 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2862
rec.radio.amateur.equipment:6532 rec.radio.swap:8037

These are Radius M216's in very good condition and work perfectly. They were
just removed from service.
These radio's can do the 2 meter Amateur band.
$175.00 each plus shipping.

1-D33LRA77A5BK
1-D43LRA7PA5BK
1-D43LRA7PA5BK

All radio's are complete with mics, brackets and power cables. I can NOT
program these radio's.

If interested please email direct.

pottsladd at yahoo.com




From 1874476232910867407
X-Google-Thread: fc8b1,3d4f9e9fe4ad5427,start
X-Google-Thread: 108122,3d4f9e9fe4ad5427,start
X-Google-Thread: fc2a5,3d4f9e9fe4ad5427,start
X-Google-Thread: 10bf43,3d4f9e9fe4ad5427,start
X-Google-Thread: 106d41,7ccd68f480071000
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,gid10bf43,gid106d41,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.cb
References: <W9%Sg.1297$DU3.483@tornado.texas.rr.com>
Subject: Re: Look at what Griffey thinks his amp will do...
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <6JiTg.3269$DU3.692@tornado.texas.rr.com>
Date: Sat, 30 Sep 2006 00:18:10 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1159575490 67.10.92.242 (Fri, 29 Sep 2006 19:18:10 CDT)
NNTP-Posting-Date: Fri, 29 Sep 2006 19:18:10 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5644 rec.radio.amateur.equipment:6533 rec.radio.amateur.homebrew:7193 rec.radio.amateur.policy:47742 rec.radio.cb:20235

"U-Know-Who" <no-one@nowhere.com> wrote in message
news:W9%Sg.1297$DU3.483@tornado.texas.rr.com...
>
> 516 watts PEP, huh? You are ignorant.
>
> http://www.telstar-electronics.com/SkyWave%202879AB.pdf
>

From -4649019421017457668
X-Google-Thread: 108122,3d4f9e9fe4ad5427
X-Google-Thread: fc2a5,3d4f9e9fe4ad5427
X-Google-Thread: 10bf43,3d4f9e9fe4ad5427
X-Google-Thread: 106d41,7ccd68f480071000
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.cb

```
Subject: Re: Look at what Griffey thinks his amp will do...
Followup-To: ,rec.radio.cb
Date: 29 Sep 2006 18:06:57 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159578417.041444.102200@i3g2000cwc.googlegroups.com>
References: <W9%Sg.1297$DU3.483@tornado.texas.rr.com>
   <6JiTg.3269$DU3.692@tornado.texas.rr.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159578422 5527 127.0.0.1 (30 Sep 2006 01:07:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 30 Sep 2006 01:07:02 +0000 (UTC)
In-Reply-To: <6JiTg.3269$DU3.692@tornado.texas.rr.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=66.82.9.90;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:6534
rec.radio.amateur.homebrew:7194 rec.radio.amateur.policy:47772 rec.radio.cb:20236

U-Know-Who wrote:
> "U-Know-Who" <no-one@nowhere.com> wrote in message
>
tomm way are you enaged in more of the crossposting you claim to hate



From -1678268629249156127
X-Google-Thread: fc8b1,e59519db1b4a40eb,start
X-Google-Thread: 108122,e59519db1b4a40eb,start
X-Google-Thread: fc2a5,e59519db1b4a40eb,start
X-Google-Thread: 10bf43,e59519db1b4a40eb,start
X-Google-Thread: 106d41,e59519db1b4a40eb,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,gid10bf43,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.cb
Subject: Griffey changes his mind...derates to 322 watts PEP
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
```

```
Message-ID: <8FkTg.3291$DU3.2720@tornado.texas.rr.com>
Date: Sat, 30 Sep 2006 02:30:28 GMT
NNTP-Posting-Host: 67.10.92.242
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1159583428 67.10.92.242 (Fri, 29 Sep 2006 21:30:28
CDT)
NNTP-Posting-Date: Fri, 29 Sep 2006 21:30:28 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5650
rec.radio.amateur.equipment:6535 rec.radio.amateur.homebrew:7196
rec.radio.amateur.policy:47787 rec.radio.cb:20240
```

Possible, but with more distortion (oops, he calls it compression) than he claims.

http://www.telstar-electronics.com/SkyWave%202879AB.pdf

Now was that all so hard, Brian? Did you peruse some websites to rethink your internet theories? "LOL"

```
From 2828692045330614118
X-Google-Thread: 108228,9610506370f58fb5,start
X-Google-Thread: 108122,9610506370f58fb5,start
X-Google-Thread: 1109af,9610506370f58fb5,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA CP200 Radio-UHF-16Ch-Hset-EMS-HAM-Small-EXTRAS
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0008_01C6E404.759551C0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <nmlTg.10039$tO5.9963@fed1read10>
Date: Fri, 29 Sep 2006 20:18:43 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1159586323 68.104.78.240 (Fri, 29 Sep 2006 23:18:43 EDT)
NNTP-Posting-Date: Fri, 29 Sep 2006 23:18:43 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1423
rec.radio.amateur.equipment:6536 rec.radio.swap:8064
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6E404.759551C0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA CP200 Radio-UHF-16Ch-Hset-EMS-HAM-Small-EXTRAS=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250034548209&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C6E404.759551C0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA CP200 Radio-UHF-16Ch-Hset-EMS-HAM-Small-EXTRAS </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250034548209&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250034548209&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C6E404.759551C0--




From -1166146911621260581
X-Google-Thread: 108228,30fde64b7557c4f4,start
X-Google-Thread: 108122,30fde64b7557c4f4,start
X-Google-Thread: 1109af,30fde64b7557c4f4,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA CP200 Radio-UHF-16Ch-Smic-EMS-HAM-Small-EXTRAS
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
```

```
     boundary="----=_NextPart_000_0011_01C6E404.AADF97A0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <NnlTg.10041$tO5.844@fed1read10>
Date: Fri, 29 Sep 2006 20:20:12 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1159586413 68.104.78.240 (Fri, 29 Sep 2006 23:20:13 EDT)
NNTP-Posting-Date: Fri, 29 Sep 2006 23:20:13 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1424
rec.radio.amateur.equipment:6537 rec.radio.swap:8065

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C6E404.AADF97A0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA CP200 Radio-UHF-16Ch-Smic-EMS-HAM-Small-EXTRAS

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250034549612&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0011_01C6E404.AADF97A0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA CP200 Radio-UHF-16Ch-Smic-EMS-HAM-Small-EXTRAS</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250034549612&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250034549612&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0011_01C6E404.AADF97A0--
```

```
From 6310765184751578518
X-Google-Thread: 108228,3b18d37311512a8e,start
X-Google-Thread: 108122,3b18d37311512a8e,start
X-Google-Thread: 1109af,3b18d37311512a8e,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!
news.highwinds-media.com!peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!
not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: ICOM F-21 440-470MHz Hand Held Radio
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001A_01C6E405.16223DB0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <BqlTg.10044$tO5.6404@fed1read10>
Date: Fri, 29 Sep 2006 20:23:12 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1159586593 68.104.78.240 (Fri, 29 Sep 2006 23:23:13 EDT)
NNTP-Posting-Date: Fri, 29 Sep 2006 23:23:13 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1426
rec.radio.amateur.equipment:6538 rec.radio.swap:8066

This is a multi-part message in MIME format.

------=_NextPart_000_001A_01C6E405.16223DB0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: ICOM F-21 440-470MHz Hand Held Radio

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250032267253&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001A_01C6E405.16223DB0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: ICOM F-21 440-470MHz Hand Held Radio</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250032267253&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250032267253&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_001A_01C6E405.16223DB0--



From 1149848357338818911
X-Google-Thread: 108228,b899846c7b5419b0,start
X-Google-Thread: 108122,b899846c7b5419b0,start
X-Google-Thread: 1109af,b899846c7b5419b0,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:Pair of 900 Mhz GTX Hand Held Radios-Chargers-Ham/Commercial
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0023_01C6E405.90553330"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <OtlTg.10046$tO5.10012@fed1read10>
Date: Fri, 29 Sep 2006 20:26:37 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1159586798 68.104.78.240 (Fri, 29 Sep 2006 23:26:38 EDT)
NNTP-Posting-Date: Fri, 29 Sep 2006 23:26:38 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1427
rec.radio.amateur.equipment:6539 rec.radio.swap:8067

This is a multi-part message in MIME format.

------=_NextPart_000_0023_01C6E405.90553330
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA:Pair of 900 Mhz GTX Hand Held Radios-Chargers-Ham/Commercial=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250032075750&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0023_01C6E405.90553330
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA:Pair of 900 Mhz GTX Hand Held Radios-Chargers-Ham/Commercial </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250032075750&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250032075750&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></FONT></DIV><=
/BODY></HTML>

------=_NextPart_000_0023_01C6E405.90553330--



From -2415567348683902740
X-Google-Thread: 108122,134c0c553f7c9bc2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!grolier!usenet-fr.net!
proxad.net!193.252.118.146.MISMATCH!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
From: "D.K." <bla.bla@bla.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: Antenna Rotator Ar-500 instr. manual
Date: Sat, 30 Sep 2006 11:40:01 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 9
Message-ID: <451e3b60$0$27409$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 30 Sep 2006 11:39:44 CEST
NNTP-Posting-Host: 83.115.221.127
```

```
X-Trace: 1159609184 news.orange.fr 27409 83.115.221.127:1307
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:6540
```

Hi,
I have bought an antenna rotator AR-500 on eBay but the seller didn't have any instruction manual concerning the remote programmable unit.
Can somebody help me to find one ?
Thanks in advance

D.K.

```
From 6513415443209970886
X-Google-Thread: 108122,5c749b92cee44b37,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: NOS JOHNSON + OTHER STUFF
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <LBuTg.4859$QZ1.922@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 1222466fa9b7dedd75a256ab7ab058ea
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1159624171
1222466fa9b7dedd75a256ab7ab058ea (Sat, 30 Sep 2006 13:49:31 GMT)
NNTP-Posting-Date: Sat, 30 Sep 2006 13:49:31 GMT
Organization: AT&T Worldnet
Date: Sat, 30 Sep 2006 13:49:31 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6541
```

Am listing NOS and a few used EF Johnson parts along other stuff too at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

If you are in need of one of these parts, get them while available.

Tnx for looking: heytubeguy

```
From 515844260897370140
```

X-Google-Thread: fc8b1,e59519db1b4a40eb
X-Google-Thread: 108122,e59519db1b4a40eb
X-Google-Thread: fc2a5,e59519db1b4a40eb
X-Google-Thread: 10bf43,e59519db1b4a40eb
X-Google-Thread: 106d41,e59519db1b4a40eb
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,gid10bf43,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.cb
Subject: trolinmg right along
Followup-To: ,rec.radio.cb
Date: 30 Sep 2006 09:07:32 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159632452.068769.150480@m73g2000cwd.googlegroups.com>
References: <8FkTg.3291$DU3.2720@tornado.texas.rr.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159632458 14782 127.0.0.1 (30 Sep 2006 16:07:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 30 Sep 2006 16:07:38 +0000 (UTC)
In-Reply-To: <8FkTg.3291$DU3.2720@tornado.texas.rr.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=66.82.9.90;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5666 rec.radio.amateur.equipment:6542 rec.radio.amateur.homebrew:7202 rec.radio.amateur.policy:47827 rec.radio.cb:20248

U-Know-Who wrote:
>
again with the trolling Tom what a matter can't you deal with him by yourself

From -5160616589236253566
X-Google-Thread: 108122,3d1ea16fe7fafdb3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: Bob W7AVK <rsrolfne@atnet.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7) Gecko/20040616
X-Accept-Language: en-us, en

MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Yaesu Filters
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <DFwTg.82$XZ7.142476@news.sisna.com>
Date: Sat, 30 Sep 2006 09:13:51 -0700
NNTP-Posting-Host: 207.254.16.133
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1159632611 207.254.16.133 (Sat, 30 Sep 2006 10:10:11 MDT)
NNTP-Posting-Date: Sat, 30 Sep 2006 10:10:11 MDT
Organization: Internet News Service
X-Received-Date: Sat, 30 Sep 2006 10:10:12 MDT (news.sisna.com)
Xref: g2news2.google.com rec.radio.amateur.equipment:6543

For Sale - New Old Stock, in original boxes, never installed.

Yaesu optional filters.
XF-8.2M-601-01
XF-8.9HSN
XF-8.9HSW
XF-455C

These are for several of the older Yeasu radios.

$42 each inlucdes postage

73 Bob W7AVK

From 4418188039593039899
X-Google-Thread: 106d41,874eaf28b885f3f2
X-Google-Thread: 1109af,5377fb90062c6850,start
X-Google-Thread: 108122,5377fb90062c6850,start
X-Google-Thread: 108228,5377fb90062c6850,start
X-Google-Attributes: gid106d41,gid1109af,gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!news.datemas.de!not-for-mail
From: "Radio Buff" <RB@nospam.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: SkyWave 2879AB Mobile RF Linear Amplifier
Followup-To: rec.radio.cb
Date: Sat, 30 Sep 2006 15:22:30 -0400
Organization: Radio Buff
Lines: 46
Message-ID: <efmg5p$nrr$1@news.datemas.de>
References: <1159643562.250191.308320@h48g2000cwc.googlegroups.com>
X-Trace: Ps7sw0p0CXasChsUpl3aa0ywx+3/u1nmDTIOtMRF4gokz2eU2Dekb3aUwOUQLljRqZQsHSktAq+vgVpfsf8tZxX3IlTfezf+y5zf9B9ClTCmz6W3qXTAh3mOWx9W9OVHqnZmNhPm8/+whFVWnX19zLMtuKnQj52Dn41dBLfXisY=

X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Sat, 30 Sep 2006 19:22:34 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:20251 rec.radio.swap:8088 rec.radio.amateur.equipment:6544 alt.ham-radio.marketplace:1430

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message news:1159643562.250191.308320@h48g2000cwc.googlegroups.com...
Premium Quality PC Board, Components and Chassis

13.8VDC

10 Meter Amateur Radio Band Coverage

All Mode (CW, AM, FM, SSB)

Toshiba 2SC2879 Push-Pull Configuration with Beta/Gain Matched Transistors

Regulated Class-AB Biasing

High Output Power

High Efficiency Heat Sink

Polarized Detachable Power Cord

Fuse Protected

Extremely Low Stand-By Power

Remote Operation Ready

Carrier Operated Relay (COR) or Multiplexed Keying?

SSB Delay to Eliminate Relay Chatter

High Reliability Design

Low Harmonic Content

90 Day Limited Warranty

? Contact Telstar Electronics for details on using this feature

www.telstar-electronics.com
>

From -3130483313589202711
X-Google-Thread: 108122,56026a31a4f5821d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "amyotte" <amyotte@personainternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: De Forest Crosley 1722
Date: Sat, 30 Sep 2006 19:58:09 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 0639-4, 09/29/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 13
Message-ID: <451ef785$0$19634$88260bb3@free.teranews.com>
NNTP-Posting-Date: 30 Sep 2006 23:02:29 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6545

I have just posted some pics to alt.binaries.picture.radio of the De Forest Crosley 1722 radio I picked up yesterday. The cabinet has a couple of minor veneer issues but the underside of the chassis is where the work will be.

Anyone have any info on this?

I have the info I could find on the net, blurry schematics, but would like a cleaner scan if available.

Thanks
Brian

--
Posted via a free Usenet account from http://www.teranews.com

From -5515624914618787665
X-Google-Thread: 108122,56026a31a4f5821d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail

```
From: "amyotte" <amyotte@personainternet.com>
Newsgroups: rec.radio.amateur.equipment
References: <451ef785$0$19634$88260bb3@free.teranews.com>
Subject: Re: De Forest Crosley 1722
Date: Sat, 30 Sep 2006 20:25:40 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 0639-4, 09/29/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 23
Message-ID: <451efdf7$0$19690$88260bb3@free.teranews.com>
NNTP-Posting-Date: 30 Sep 2006 23:29:59 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6546

oops - wrong group - sorry
Brian
"amyotte" <amyotte@personainternet.com> wrote in message
news:451ef785$0$19634$88260bb3@free.teranews.com...
>I have just posted some pics to alt.binaries.picture.radio of the De Forest
>Crosley 1722 radio I picked up yesterday.  The cabinet has a couple of
>minor veneer issues but the underside of the chassis is where the work will
>be.
>
> Anyone have any info on this?
>
> I have the info I could find on the net, blurry schematics, but would like
> a cleaner scan if available.
>
> Thanks
> Brian
>
>
> --
> Posted via a free Usenet account from http://www.teranews.com
>




--
Posted via a free Usenet account from http://www.teranews.com




From -2502486200303258067
X-Google-Thread: 108122,a141d18af530af47,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!
```

prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr12.news.prodigy.com.POSTED!93e560a6!not-for-mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: GP68 Motorola Radio User Group
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <wSOTg.7667$vJ2.7350@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 68.126.153.42
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1159707164 ST000 68.126.153.42 (Sun, 01 Oct 2006 08:52:44 EDT)
NNTP-Posting-Date: Sun, 01 Oct 2006 08:52:44 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP]URYWGAJ@UW]ASY@CDN_HAQB^H@IPDLXUNNHLHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@FUG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXAQBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Sun, 01 Oct 2006 12:52:44 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6547

GP68 Motorola Radio User Group

Manuals, Specs, Links, Downloads,

Best Battery Prices, pictures, etc.

http://groups.google.com/group/GP68gp68

GP68gp68@googlegroups.com

http://www.vehiclerepair.org/gp68/

From -8242454693010376034
X-Google-Thread: 108122,d88be13bb50e380f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
Subject: F.A. Homebrew 10M FM rig- gorgeous
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal

X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <PPTTg.6902$Zj3.558@trnddc03>
Date: Sun, 01 Oct 2006 18:31:11 GMT
NNTP-Posting-Host: 63.19.188.52
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1159727471 63.19.188.52 (Sun, 01 Oct 2006 14:31:11 EDT)
NNTP-Posting-Date: Sun, 01 Oct 2006 14:31:11 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6548

http://search.ebay.com/search/search.dll?
sofocus=bs&sbrftog=1&from=R10&catref=C6&satitle=10m+fm+homebrew&sacat=1500%26catre
f%3DC6&sargn=-1%26saslc%3D2&sadis=200&fpos=28736&ftrt=1&ftrv=1&saprclo=&saprchi=&f
sop=2&fsoo=2

From 5644808522879015282
X-Google-Thread: 108122,ec32fae4b49e8f4b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Vintage Gear: Drake MN-2700, B-1000, Viking 122, Swan Transceivers,
More
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <WRTTg.1419$uJ2.487@dukeread03>
Date: Sun, 1 Oct 2006 13:33:58 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1159727606 68.109.223.91 (Sun, 01 Oct 2006 14:33:26 EDT)
NNTP-Posting-Date: Sun, 01 Oct 2006 14:33:26 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6549

I have up for auction some nice vintage gear including a Drake MN-2700,
B-1000 Balun, BC-348Q Receiver, Viking 122 VFO, Swan SW120 and SW140
Transceivers, and more.
See at http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZhugQ2daQ2dbug
Thanks, Charlie Hugg, K5MBX

____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters

Virtual Museum at http://hug-a-bug.com

From 1680691903805543252
X-Google-Thread: 108122,74346f17100a751a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Power Supplies, QRP Amp., Antenna Switches more
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <15UTg.1424$uJ2.719@dukeread03>
Date: Sun, 1 Oct 2006 13:50:05 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1159728573 68.109.223.91 (Sun, 01 Oct 2006 14:49:33 EDT)
NNTP-Posting-Date: Sun, 01 Oct 2006 14:49:33 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6550

FA: Icom PS-15 Power Supply, Kenwood PS-40 Power Supply, TenTec Model 405
QRP Amplifier,
B&W and Heathkit Antenna Switches, plus more vintage gear. See at:
http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZhugQ2daQ2dbug
Thanks, Charlie Hugg, K5MBX

From -349499405336605252
X-Google-Thread: 108122,2a8227fec6174543,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Ken Roser <kroser@pobox.com>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM HM56 Capacitor replacement
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6

```
Message-ID: <xMUTg.25$KL.16@newsfe12.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimoflmnjoamcpnlcgidnlipjodoghajcgkedogegkdjmffgkpnge
ncjimdonmcbbagjccfofacecbhpncpkbplkiogngbinlapenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 01 Oct 2006 12:35:57 MST
Organization: Optimum Online
Date: Sun, 01 Oct 2006 15:35:56 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6551
```

Apparently there exists a problem with the HM56 microphone that causes the radio to key up spontaneously due to capacitor failures on this microphone.

Can anyone provide some assistance on the details of this procedure. Supposedly there are 5 surface mount capacitors that need replacement.

```
From -7460087473001967327
X-Google-Thread: 108122,aab7383b4d48e9df,start
X-Google-Thread: 108228,aab7383b4d48e9df,start
X-Google-Thread: 1062f2,aab7383b4d48e9df,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 01 Oct 2006 20:44:20 -0500
Subject: FA: 3 Books: FIBER OPTICS, Telecommunications, Optical, Data
Communications...
Date: Sun, 01 Oct 2006 21:44:19 -0400
From: Jeff <jeff@jskopoiaac.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <011020062144195683%jeff@jskopoiaac.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-sVbMBhhojq9LYlSTeYOGnxQ8CUInM/8lXeTefTFPRLRsgLsK/
15VACuyJhi+IKAdEZp3Z63FvCXdNyv!t3M2VRcXJhpTXizAc18OYaBFPbWllXzL/
jvQuOd9cZMBcyin2OhzTvbA79J3zomju+UkmHrb36np!EQyduh8Qpz5DUuY/3q1M5g==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6553 alt.ham-
radio.marketplace:1435 misc.industry.electronics.marketplace:656
```

```
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320034074429


From -8373948067252806208
X-Google-Thread: 108122,f7569892db157514,start
X-Google-Thread: 108228,f7569892db157514,start
X-Google-Thread: 1062f2,f7569892db157514,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 01 Oct 2006 20:45:13 -0500
Subject: FA: 5 Books: ELECTRONICS, Photoelectronics, Digital Logic, etc.
Date: Sun, 01 Oct 2006 21:45:13 -0400
From: Jeff <jeff@jskopoiaac.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <011020062145138885%jeff@jskopoiaac.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-OrR+ujqYi6R3edCH529cU5O69amJ7a+bqChAIbblxd0VKi1HEDg/
wa4NHKqLSKL9H5g1GYMAUkLc9oy!Z/x+E8TGSy/
V58Gjmv9bIVfadkO04Uq1Es7F8aUldGrnihBFSboriBoSUDJEHfPLuNl5ySP1RptJ!
fl+vgNZvpCIi+fGEk/ugLA==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6554 alt.ham-
radio.marketplace:1436 misc.industry.electronics.marketplace:657


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320034074448


From 5804600232610619661
X-Google-Thread: 1109af,bd89dfb206bf6349,start
X-Google-Thread: 108122,bd89dfb206bf6349,start
X-Google-Thread: 108228,bd89dfb206bf6349,start
X-Google-Thread: 1062f2,bd89dfb206bf6349,start
X-Google-Attributes: gid1109af,gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
```

69.28.186.77.MISMATCH!hwmnpeer03.lga!hwmnpeer01.lga!news.highwinds-media.com!news-
server.columbus.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Subject: FS Pre-Bay Sale Ham Yellow Sheets (many Items Listed)
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 143
Message-ID: <U50Ug.27154$YA5.19661@tornado.tampabay.rr.com>
Date: Mon, 02 Oct 2006 03:56:36 GMT
NNTP-Posting-Host: 70.121.227.31
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1159761396 70.121.227.31 (Sun, 01 Oct 2006
23:56:36 EDT)
NNTP-Posting-Date: Sun, 01 Oct 2006 23:56:36 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.swap:8149 rec.radio.amateur.equipment:6555
alt.ham-radio.marketplace:1437 misc.industry.electronics.marketplace:660

FS AEA KT-3 Keyer/Trainer with manual Good condition, actually works!

$40 shipped (USPS) in US. I take Paypal.

FS Kenwood TR-2200A (AKA DRAKE TR-22) 2 meter portable transceiver!
Loaded with crystals, this unit actually works and the pilot lamp works
as well. Includes original mike and telescoping antenna in good shape.
The case is a bit rough but with proper cleaning and olive drab paint
shoul look quite presentable. Someone wired a permanent DC cable to it,
but should be able to restore to original battery power.

$45 shipped (USPS) in US. I accept Paypal.

http://www.rigpix.com/kenwood/tr2200a.htm

FS: GMRS - SECURENET MOTOROLA PORTABLE REPEATER STUFF GMRS /\/\()-|-()!

OK what I have to sell is the following

Genuine Motorola MX-300 Channel Elements _New Old Stock_ for GMRS
Repeater Station pair 462.575 TX and 467.575 MHz RX. The TX element
works with the 24.4 MHz offset element (included) required for use in
the Motorola P44SYS3180B Securenet Portable Repeater. But Wait, there
is more:

Included is a carton of clean MX-300 parts, some new, consisting of
several 440-470 MHz band radios, enough to build the RF decks for a

complete repeater and have spare parts left over.

These are all for the 440-470 MHz band. model P44sys3180b. If you have a 406-420 MHz model with my parts you can convert the 406-420 model to 440-470 MHz pretty much by just plugging in a few RF modules. Or, provide your own box and controller and you can build your own repeater!

Price $99 shipped USPS to US I accept PayPal.

I will provide a service manual for the Securenet P44sys3180b repeater for an additional $10 to the buyer of these items.

FS LGC Wireless AMPS Fiberoptic/CAT5 BDA RF Remote Antenna Unit DAS8A-4

If you know what this is, you might want a spare. This is the small stylish white RF box that goes at the reradiating antenna. Has a CAT5 connector on one end and an SMA on the other..

$35 Shipped in US via USPS. I accept Paypal!

FS Tiny AMPS phone Ericsson AF738

Good condition

Sorry no battery.

$14 shipped via USPS in US. I accept PayPal

FS Realistic TRC-465 AM/SSB CB Radio. Excellent physical and electrical condition, in the original box with all acessories. Plus service manual. Lightly used, this is unmodified and clean unit without any appearance of wear. I am including a LARSEN NMO-27 black base loading coil (missing the ~42" whip).

$59 Shipping included via USPS. I accept Paypal.

For Sale: HP3586B Frequency selective level meter VLF receiver

Description :

HP 3586B Selective Level Meter 3586B: Meets North American Bell requirements, 50Hz to 32.5MHz frequency range with 75ohm unbalanced signal input, 4kHz to 1MHz frequency range with 124ohm balanced signal input, 4kHz to 1MHz frequency range with 135ohm balanced Input

This unit has the high stability oscillator and is excellent condition. No dents, no scratches, and no dust inside whatsoever. I believe it was rack mounted at an environmentally controlled site and seldom used. I don't have the feet and the small blank panels (where the rack ears normally go) but these are common size. This unit works fantastic and has a new NICAD memory battery installed. I replaced one of the jacks in front with a BNC (easily reversed mod that screwed in). I also put a nice black anodized aluminum spinner knob on the VFO shaft encoder for ease of tuning. It makes for a very sensitive VLF receiver and can measure extremely low levels with great accuracy. By the way, the RF output jack on rear enables you to sweep filters etc.

The service manual is included._

$495 plus shipping from central florida

For Sale AN/GRR-24 Receiver UHF 243 MHz Guard Receiver

Untested (no ac cord), appears complete, case has wear.

$75 plus shipping

For Sale: M2 2MCP22 Circularly Polarized Satellite, EME, DX Antenna 12.25 dBc

I bought this with intent to re-install my satellite station. However I don't need the 22 element model as the 18'7" boom is a bit much for my location.

This antenna is spec'd from 144 to 148 MHz 1.4:1 VSWR and so will be good for all modes of operation in 2 meter band. M2 makes a fine antenna (list price $305 new) and is very easy to deal with. Since this item is used and is assembled, it is for pick up only in the 32765 central Florida area. You can transport it with an SUV or minivan as the boom has been disassembled into three sections approx 7 feet long.

Price $100. Pick up in 32765

For Sale: APCOR Whitebox UHF MEDCOM Telemetry Radio

For sale $55 plus shipping.

Help me clean out my garage! This unit appears to be in fine condition and inside appears to be clean and untouched. If you check my last posting, I am selling some other similar Motorola MX-300 components which include MX-300 Channel Elements _New Old Stock_ for GMRS Repeater Station pair 462.575 TX and 467.575 MHz RX . So if you are real handy, you could convert this to a GMRS repeater.

For Sale: Matheson model 8065 Freon leak hunter.
For CO2, Helium and R12 gas leak detection. I haven't tried with R134
but suspect it will work. This is a
lab grade detector that runs off AA batteries. It is like a large gun
and has an internal fan to pull the gas into the probe. Condition is
like new $185 Shipped in US

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From -8230430181669958048
X-Google-Thread: fc2a5,830a1420bc05b420,start
X-Google-Thread: 108122,830a1420bc05b420,start
X-Google-Attributes: gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: terry.widdowson@btopenworld.com
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: FS ABE Elettronica L60 UHF amplifier and 2 BPFs
Date: 2 Oct 2006 04:59:36 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1159790376.822275.199330@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 86.132.68.180
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159790382 15208 127.0.0.1 (2 Oct 2006 11:59:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Oct 2006 11:59:42 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; BTT V3.0; YPC
3.2.0; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=86.132.68.180;
   posting-account=bomrWQ0AAADYpr6KeBhLj4FhPienCapr
Xref: g2news2.google.com rec.radio.amateur.homebrew:7233
rec.radio.amateur.equipment:6556
```

A friend of mine has an ABE L60/TH, 60W p.s. UHF band (470 to 860 MHz)
amplifier, with a 3 cavity and a 6 cavity 500W tuneable filters also
supplied by ABE. All in mint condition. The part numbers are:

L60/TH/U/Ch 68 amplifier

L60/TH/U/Ch 68 STD I bandpass
L60/TH/U/Ch 68 STD I notch

The two filters are mounted on a 1U 19 inch rack mount, also mint.
He has asked me to sell them, any offers before they go on ebay?
Cheers,
Terry

```
From -5960900068762069491
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Mark C. Morgan" <markie_morgan_rapesboys@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.ama
teur.policy
Subject: Markie dances!
Date: 2 Oct 2006 06:10:18 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1159794618.471460.116990@m73g2000cwd.googlegroups.com>
References: <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
   <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
   <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
   <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
   <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
   <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
   <1159458726.936208.189000@h48g2000cwc.googlegroups.com>
   <1159484156.488392.125080@b28g2000cwb.googlegroups.com>
   <p5voh2t5g4ant8js34hpg81od5s4tc1dc1@4ax.com>
   <1159533309.588256.297120@b28g2000cwb.googlegroups.com>
   <1159538508.572650.62340@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.155.43
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159794624 26298 127.0.0.1 (2 Oct 2006 13:10:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Oct 2006 13:10:24 +0000 (UTC)
In-Reply-To: <1159538508.572650.62340@h48g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.155.43;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
```

Xref: g2news2.google.com rec.radio.amateur.equipment:6557
rec.radio.amateur.misc:23251 alt.radio.scanner:3176 rec.radio.amateur.policy:48180

kb9rqz-3@hotmail.com wrote:
> woger the wabbit hops

Markie the lisping cocksucking child raper dances.

From 413787708991437078
X-Google-Thread: 108122,2a8227fec6174543
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
news.newsland.it!aioe.org!emma.aioe.org!aioe.org!NewsWatcher!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM HM56 Capacitor replacement
Date: Mon, 02 Oct 2006 14:28:01 -0400
Organization: Aioe.org NNTP Server
Lines: 26
Message-ID: <fmmck-0210061428070001@172.166.229.235>
References: <xMUTg.25$KL.16@newsfe12.lga>
NNTP-Posting-Host: 7bQTlqFk2eAgHQpC4taamQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 3.0.0
Xref: g2news2.google.com rec.radio.amateur.equipment:6558

In article <xMUTg.25$KL.16@newsfe12.lga>, Ken Roser <kroser@pobox.com> wrote:

> Apparently there exists a problem with the HM56 microphone that causes
> the radio to key up spontaneously due to capacitor failures on this
> microphone.
>
> Can anyone provide some assistance on the details of this procedure.
> Supposedly there are 5 surface mount capacitors that need replacement.

Ken-

This is the first I've heard that someone had solved the problem, which is apparently common. Mine keys the transmitter when power is first applied. After several seconds, the transmitter unkeys and everything is OK until powered down. Replacing the CMOS battery didn't help.

Somewhere I found a copy of the HM-56A diagram and parts list, possibly at www.mods.dk. I suspected that a transistor connected to the CPU's reset line was leaking and slowing down the power-on reset. I had not considered capacitor leakage as a possible cause.

Please post if you learn more.

73,
Fred
K4DII

```
From -7138212122218074944
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: billy_shittydrawers_smith@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: An Insult To One's Deceased Mother? Look to KB9RQZ For That Kind Of
"Response"
Date: 23 Sep 2006 07:14:44 -0700
Organization: http://groups.google.com
Lines: 50
Message-ID: <1159020884.241768.76590@d34g2000cwd.googlegroups.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
   <12h17gktf0opa87@corp.supernews.com>
   <3dcnsdd1b6e.991075257@alvillage.net>
   <f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com>
   <3dcd8911b6e.aa1075257@alvillage.net>
   <1158970877.909707@newsreg.cos.agilent.com>
   <tg19h2pmostadvtipvt59touiov3fnkgth@4ax.com>
   <1159018160.003284.12770@i3g2000cwc.googlegroups.com>
   <k4fah2922nogvqrsld3vhoduibrr848igi@4ax.com>
NNTP-Posting-Host: 65.54.98.100
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159020888 15420 127.0.0.1 (23 Sep 2006 14:14:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 23 Sep 2006 14:14:48 +0000 (UTC)
In-Reply-To: <k4fah2922nogvqrsld3vhoduibrr848igi@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=65.54.98.100;
   posting-account=Fb0piA0AAAD5aqfdjrmQBH2oEHYEo7NO
Xref: g2news2.google.com rec.radio.amateur.equipment:6403
rec.radio.amateur.policy:45970 rec.radio.scanner:6470 rec.radio.shortwave:53778
rec.radio.swap:7757
```

```
nospam wrote:
> You are the one that posted about my dead mother. I am getting close
> to finding out who you are. Its not KB9RQZ. You are using his name and
> call.  I have paid a someone to help me find out who you are. You
> crossed the line when you made the comment about my dead mother.

You are sensitive about having sex with your dead mother?

>You
> think this is a joke what you are doing on here. I'm not going to make
> any threats here but we will meet some day. Keep posting


He isn't interested in a quickie in a public restroom, George Michael.

>
> On 23 Sep 2006 06:29:20 -0700, k4yz_01@yahoo.com wrote:
>
> >
> >nospam wrote:
> >> On Fri, 22 Sep 2006 17:31:27 -0700, "Al Lorona"
> >
> >> Al, these guys don't care what we think. You should of read what they
> >> said about my dead mother. I'm doing some research right now as who
> >> said that and I am so sick of this I am ready to go on a road trip. He
> >> doesn't realize that I am a disgrunted postal worker. Shouldn't of
> >> said that about my dead mother!
> >
> >    KB9RQZ (Mark 'Morkie Moron' Morgan) feels right at home absuing the
> >memory of my deceased daughter in order to try and gain "messaging
> >leverage"...I have no doubt that he's your culprit.
> >
> >     Why does Morkie keep insisting that I am "lying" when all I am
> >doing is quoting HIM verbatim?
> >
> >    I'm not.
> >
> >    Here's YOUR words AGAIN, Morkie:
> >
> >Message-ID: <1158542716.987841.319690@m73g2000cwd.googlegroups.com>
> >
> >     KB9RQZ Said:  "oh learning code is easy"
> >
> >     There you have it, folks!  Morkie says learning code is easy!
> >
> >     Quoted Word For Word!
> >
> >Steve, K4YZ



From -4846084846073782317
X-Google-Thread: 10bf43,8ff870397cb8a7aa
```

```
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
<1158627319.033909.250040@i3g2000cwc.googlegroups.com>
<1158631813.879090.64090@h48g2000cwc.googlegroups.com>
<e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
<Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
Subject: Re: KB9RQZ and that colon capper N0VFP Lloyd Davies are responsible for
all the trash here.
Date: Sat, 23 Sep 2006 11:56:21 -0400
Organization: Chassell rainbow coalition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 50
Message-ID: <45154c1c$0$19687$88260bb3@free.teranews.com>
NNTP-Posting-Date: 23 Sep 2006 15:00:44 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:45976
rec.radio.amateur.equipment:6404 rec.radio.amateur.misc:22299
alt.radio.scanner:2980


"Slow Code" <my.mail@no.spam> wrote in message
news:Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net...
> Mark@kb9rqz.com wrote in news:e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com:
>
>> On 18 Sep 2006 19:10:13 -0700, "mark_sucks"
>> <mark_the_fudge_packer@hotmail.com> wrote:
>>
>>>
>>>kb9rqz-2@hotmail.com wrote:
>>>> Slow Code wrote:
>>>> >
>>>> slow code stalker at large
>>>
>>>I have to plop this one in there....
>>>
>>>I have been reading your stupid shit for over 3 years and I cannot take
>>>it anymore!
>> bullshit you can't have been reading my stuff the last 3year I have
>> only been posting since jun a year ago
```

>
>
> I remember Marks stupid ass posts in the late 1990's and when he left I
> hoped he would give up on ham radio and stay on CB. But he came back and
> now him, Lloooydie, and Woger have wrecked usenet and ham radio. I hope
> they're happy.
>
> SC
>

1) I was draft into the US Army.
2) I is a member of the Chemcal Cops.
3) The military wont let me retire.
4) I dosn't serve under the name 'Mark Morgan but that's okay cuz the FBI, DOD, and CIA have all told me I cando it.
5) I is on-the-lam from stalking former marines and fatal attraction ex-shemale
6) I was recently, paying $5/hr. to access my ISP
7) I has a 248 IQ, but can't figure out how to use a spell checker.
8) I is a bi-sexual Pagan male ham who like to be spanked.
9) I can't find any action on the military base in Central IL, so I hav to ask people on USENET.

with the punce gotcha he wonders why I simple don't bother to ty
impoving my spelling do u hav anyting cognet two say?

my blog
http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -1320938823682213519
X-Google-Thread: 108122,a21275ac957d52ac,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Drake TR-7 HF Transceiver
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <2TcRg.385$uJ2.75@dukeread03>
Date: Sat, 23 Sep 2006 11:01:20 -0500

NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1159027262 68.109.223.91 (Sat, 23 Sep 2006 12:01:02 EDT)
NNTP-Posting-Date: Sat, 23 Sep 2006 12:01:02 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6405

FS Drake TR-7 HF Transceiver. This TR-7 has the optional CW and AM Filters. It is in very good condition and works great. It has the sticky Drake cabinet, but is not all scratched up like some of them are. All of the dial and meter lights work. I purchased it from the original owner who did not use it much. Copy of the manual included. Price is $400 plus shipping. I also have the Drake PS-7 Power Supply that came with it, but it does not work. It looks good, but will not power up the TR-7. I have been using another PS-7 with the TR-7. I will sell the PS-7 for $50 plus shipping after the TR-7 sells.
Thanks, Charlie Hugg, K5MBX

From 6888471069911536610
X-Google-Thread: 108122,479346ea1855f345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.freenet.de!feeder.news-service.com!news2.euro.net!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-05!sn-ams!sn-feed-ams-03!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Bob Headrick" <bobh@proaxis.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: variac wiring
Date: Sat, 23 Sep 2006 12:39:31 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12hb3bocbru40e9@corp.supernews.com>
References: <1158951812.206826.33540@m73g2000cwd.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news2.google.com rec.radio.amateur.equipment:6406

"Cheesehead" <dplotusnotes@yahoo.com> wrote in message
news:1158951812.206826.33540@m73g2000cwd.googlegroups.com...
> Allright i bought an old variac from a deceased electronics guru. He
> had it wired for 120. the wire ing was in bad shape. so i tested it
> to verify it works and then i scraped the wire. the variac has been
> sitting for about a month. Now i need to use it and forgot how he had
> it wired up. an you all help?
> here is a pic so you can see what im talking about.
>
> http://i30.photobucket.com/albums/c311/kc8tpr/Variac.jpg

If you want to run it at 120V with an output of 0-140V or so then connect the 120V line to the terminals marked 230V line, with the neutral (white) connection at the top. The output is on the output terminals with white on the top and black (hot) at the bottom. You should probably make some kind of cover for the terminals - the bottom left terminal will be at ~ 140V all the time and there are dangerous voltages on most of the terminals. It would also be a good idea to connect a ground lead to the frame.

- Bob W7OV

From -1019653094072487994
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <qa6bh2dgcnt9a6n3l8coi4edg4tb1ketf0@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
X-Newsreader: Forte Agent 3.2/32.830

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimcbccmbaoejcjmkggfkbniaamobbiakdjjffgpnhkhbhmggbpne
meapghiibamkefmlgninajkkbffdpnmdilfnfbpboangnienfnojecgjgcfcij
NNTP-Posting-Date: Sat, 23 Sep 2006 13:29:16 MST
Organization: Optimum Online
Date: Sat, 23 Sep 2006 16:31:11 -0400
Xref: g2news2.google.com rec.radio.swap:7759 rec.radio.amateur.boatanchors:5501
rec.radio.amateur.equipment:6407 rec.radio.scanner:6475

On Sat, 23 Sep 2006 10:59:35 GMT, "Guy P. Distaffen"
<guypd@rochester.rr.com> wrote:

>"Al Klein" <rukbat@pern.invalid> wrote in message
>news:scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com...
>> On Fri, 22 Sep 2006 18:07:29 -0500, "Dr.Ace" <Ace@WH2T.com> wrote:

>>>Home brew ham gear does NOT require ANY "type acceptance" at all..
>>>Commercial ham gear must be type accepted.

>> There's no type acceptance for ham gear.

>    My understanding for the US, is that according to the FCC, if you sell
>ham gear as a business, it has to be type accepted

There no FCC procedure for "type acceptance" of ham gear, so ham gear
can't *BE* type accepted.

There's certification for commercially produced ham gear, but that's a
totally different process from type acceptance, and it looks for
totally different things.  Calling certified gear "type accepted" is
like calling a ham a CBer - using the wrong term (which seems to be
common practice in English for a couple of decades now)

>    Also, if you sell an amplifier as a business, it can't operate the 12 or
>10 meter band.  However, it can be modified to operate it

But not by something as simple as cutting a prominent wire that's
labeled "don't cut this wire".  By changing capacitors and inductors,
yes - but that's home-brewing.


From 4706448258343750436
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
```

news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 23 Sep 2006 15:40:46 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
<f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com> <3dcd8911b6e.aa1075257@alvillage.net>
<1158970877.909707@newsreg.cos.agilent.com>
<tg19h2pmostadvtipvt59touiov3fnkgth@4ax.com>
<1159018160.003284.12770@i3g2000cwc.googlegroups.com>
<k4fah2922nogvqrsld3vhoduibrr848igi@4ax.com>
Subject: Re: An Insult To One's Deceased Mother? Look to KB9RQZ For That Kind Of
"Response"
Date: Sat, 23 Sep 2006 15:40:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <IZednVWwV-hTBojYnZ2dnUVZ_oudnZ2d@comcast.com>
Lines: 51
NNTP-Posting-Host: 71.226.69.91
X-Trace: sv3-ykrmuQOEy0KH3yj62uZjN8UBAvS3KKNBaBeogd3CctR0nVsvY/
ytZFemz1C6NS73B0jpyQVqxcvmoWX!QIxvyvkGFcs8rVYQLwU61otRgCcdo7pLeIoXtbgoByIc4/
jksxJmDpguhYO59RiS1On0BOcpuEJb!SyRNbg/feEQR
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6408

Please quit cross posting this crap

BTW.... Welcome to my killfile

PLONK

"nospam" <nospam@nospam.net> wrote in message
news:k4fah2922nogvqrsld3vhoduibrr848igi@4ax.com...
> You are the one that posted about my dead mother. I am getting close
> to finding out who you are. Its not KB9RQZ. You are using his name and
> call. I have paid a someone to help me find out who you are. You
> crossed the line when you made the comment about my dead mother. You
> think this is a joke what you are doing on here. I'm not going to make
> any threats here but we will meet some day. Keep posting
>
>
> On 23 Sep 2006 06:29:20 -0700, k4yz_01@yahoo.com wrote:
>
>>
>>nospam wrote:

```
>>> On Fri, 22 Sep 2006 17:31:27 -0700, "Al Lorona"
>>
>>> Al, these guys don't care what we think. You should of read what they
>>> said about my dead mother. I'm doing some research right now as who
>>> said that and I am so sick of this I am ready to go on a road trip. He
>>> doesn't realize that I am a disgrunted postal worker. Shouldn't of
>>> said that about my dead mother!
>>
>>    KB9RQZ (Mark 'Morkie Moron' Morgan) feels right at home absuing the
>>memory of my deceased daughter in order to try and gain "messaging
>>leverage"...I have no doubt that he's your culprit.
>>
>>     Why does Morkie keep insisting that I am "lying" when all I am
>>doing is quoting HIM verbatim?
>>
>>    I'm not.
>>
>>    Here's YOUR words AGAIN, Morkie:
>>
>>Message-ID: <1158542716.987841.319690@m73g2000cwd.googlegroups.com>
>>
>>     KB9RQZ Said:  "oh learning code is easy"
>>
>>     There you have it, folks!  Morkie says learning code is easy!
>>
>>     Quoted Word For Word!
>>
>>Steve, K4YZ
>



From -8005801310601779601
X-Google-Thread: 108122,f97b8a2233d5bf8b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!newsfeed.freenet.de!
border2.nntp.ams.giganews.com!nntp.giganews.com!sn-xt-ams-06!sn-xt-ams-08!sn-ams!
sn-feed-ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: AZDEN PCS4000 Memory Retention
Date: Sat, 23 Sep 2006 13:29:45 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0609231318450.2017@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news2.google.com rec.radio.amateur.equipment:6409
```

I have trouble retaining the memories chosen for the 4 freqcy
chnls. I removed the internal (very tiny 3 v nicad) unit and
brought out connector wires from the rear and attached 3 regular
1.3 V volt nicads (double A size) and wired them in series.
This worked ok except the charging time was quite lengthy so
left the rig turned on for a aouple of days till the externals
charged up.   This worked and kept the memories in tack, but
it affected the actual freq stored in each chnl thusly.
Cant set the freq offset to exactly +/- 25 or 250 or any other
even number.   It only accepts 26 or 251 or 601 as the +/-
(I/E adds one digit instead of 5 or 10. Still works but am
told "you cound like little off freqxy on xmit".
Joe/kh6jf

```
**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************
```

From -6755874627170665l4
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <4515DA99.3A371D66@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: PayPal horror stories
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
<12gjg5c7v745776@corp.supernews.com>
<D%lOg.16604$c07.4284@fed1read04>
<eecrj6$c5e$1@news2.kornet.net>
<1158291225.890645.27670@d34g2000cwd.googlegroups.com>
<450AC969.AEA1EE0C@earthlink.net>
<1158337419.720905.167230@p79g2000cwp.googlegroups.com>

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
Date: Sun, 24 Sep 2006 01:10:24 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1159060224 24.110.34.161 (Sat, 23 Sep 2006 18:10:24 PDT)
NNTP-Posting-Date: Sat, 23 Sep 2006 18:10:24 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6410 rec.radio.amateur.homebrew:7052 rec.radio.amateur.policy:46016 rec.radio.shortwave:53799

Too_Many_Tools wrote:
>
> You might not care about your credit rating but you will care when a lien is placed against your home.
>
> And if you were as financially astute as you like to think you are, you would know that companies and the Government use your credit report to decide whether they will hire you, give you a security clearance, determine the rates they charge you...and many other issues that affect you.

I am 100% disabled. I can not get a job, so I don't have to worry about a security clearance.

> Your credit rating matters.

In most cases, but not always.

> And I also note that many of those who are bad credit risks deal in cash only...because it is the only way others will deal with them.

I got in the habit of paying in cash about 35 years ago when I owned a business, and my suppliers gave a 1.5% discount for paying cash within 10 days of the monthly statement being mailed. I paid cash for vehicles whenever possible to save the finance charges. In 54 years I have financed one new truck, and one home, 30 years ago. I have no need for credit, because if I can't afford something, I'll do without it. The VA takes care of all of my medical needs, and everything else is paid for. I'm getting old and with my health problems I have no idea how long I'll be around. Its not the big deal it was when I was 20 years old.

--
Service to my country? Been there, Done that, and I've got my DD214 to

prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -4838885948804866197
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <4515DE32.CC9A7A8@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: Re: PayPal horror stories
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
<12gjg5c7v745776@corp.supernews.com>   <D%lOg.16604$c07.4284@fed1read04>
<eecrj6$c5e$1@news2.kornet.net>
<1158291225.890645.27670@d34g2000cwd.googlegroups.com>
<450AC969.AEA1EE0C@earthlink.net> <12glldnl1mdsn5c@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 61
Date: Sun, 24 Sep 2006 01:25:46 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1159061146 24.110.34.161 (Sat, 23 Sep
2006 18:25:46 PDT)
NNTP-Posting-Date: Sat, 23 Sep 2006 18:25:46 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6411
rec.radio.amateur.homebrew:7054 rec.radio.amateur.policy:46018
rec.radio.shortwave:53801

Joel Kolstad wrote:
>
> Hi Michael,
>
> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
> news:450AC969.AEA1EE0C@earthlink.net...

> >   What's a credit rating? I haven't used credit for anything for over
> > 20 years. Its been cash up front, or nothing.
>
> Ironically, your credit rating will actually be "less than perfect" then! :-)
>
> Assuming you don't need a new mortgage any time soon, I suppose you're set.
>
> Do you have a credit card? I know it's possible, but it sure seems like a
> pain to live without one these days... especially for things like renting
> cars.

I applied for a credit card in 1972 and was turned down because I was an E2 in the US Army. You had to be an E6 with five years to qualify, so I decided I was never going to waste my time applying again. The credit card companies have probably spent more trying to get me to apply for a card since them, than I would have used that Chevron card for.

I really can't travel very far, so I have no need to rent a car. In fact, my truck was out of commission for over a week before I was able to crawl under it and cut the damaged exhaust system apart and fix it. I asked the young man who volunteers for the "Computers for Disabled Veterans" project get me a few groceries, but otherwise I didn't miss the truck. He is learning computer repair, in exchange for helping me finish more computers.

I have always lead a simple lifestyle. Sure there are lots of things around, but I rarely buy anything new. Only when I can't fix something, or build it from what I can find. Its very satisfying to look at something you've built and have someone ask, Wow! Where did you buy that? :)

I have picked up a couple truckloads of free angle iron bed frames to build some work carts, but first, I have to build a welding table. I have a lead on free reject sheets of plywood from a local mill to make shelving out of. Any sheet that has a splice, or is missing any glue is rejected. I want to build some shelving to store the spare computer parts, and wood trays to hold Hard drives, CDROM drives and Floppy drives. That way they can be sorted, tested, and ready to drop into a computer, as needed.

BTW, I was given another Compaq like yours with the VGA connector sheared off the motherboard. It works with a replacement AGP card, but you know me. I'm going to replace the connector so I can see if the onboard video is still ok. ;-)

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From -2898385021203530083
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!53ab2750!
not-for-mail
From: "al goss" <renal@frontiernet.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<qa6bh2dgcnt9a6n3l8coi4edg4tb1ketf0@4ax.com>
Subject: Re: CB radio amplifiers for sale CHEAP!
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <lNlRg.1397$Ka1.783@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d49567942aa9b802daf2f1e35aea1adc73b36e4669705367bf3f6968ab2a3911f0b4cd4
f775eefc9748e24317aa2fc4d2abe4c4382d47a029290603779e8ae1b62120a6e968c23122b398ebd2
0d4a0fbb4edcc607af41e2951a5e264bc57b7a4911229cc54db98e0c8b67
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Sun, 24 Sep 2006 02:09:21 UTC
Date: Sun, 24 Sep 2006 02:09:21 GMT
Xref: g2news2.google.com rec.radio.swap:7765 rec.radio.amateur.boatanchors:5504
rec.radio.amateur.equipment:6412 rec.radio.scanner:6477
```

type accepted means CB gear must be
not amateur radio gear.
erg

```
"Al Klein" <rukbat@pern.invalid> wrote in message
news:qa6bh2dgcnt9a6n3l8coi4edg4tb1ketf0@4ax.com...
> On Sat, 23 Sep 2006 10:59:35 GMT, "Guy P. Distaffen"
> <guypd@rochester.rr.com> wrote:
>
>>"Al Klein" <rukbat@pern.invalid> wrote in message
>>news:scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com...
>>> On Fri, 22 Sep 2006 18:07:29 -0500, "Dr.Ace" <Ace@WH2T.com> wrote:
>
>>>>Home brew ham gear does NOT require ANY "type acceptance" at all..
>>>>Commercial ham gear must be type accepted.
>
>>> There's no type acceptance for ham gear.
>
>>    My understanding for the US, is that according to the FCC, if you sell
>>ham gear as a business, it has to be type accepted
>
> There no FCC procedure for "type acceptance" of ham gear, so ham gear
> can't *BE* type accepted.
>
> There's certification for commercially produced ham gear, but that's a
> totally different process from type acceptance, and it looks for
> totally different things.  Calling certified gear "type accepted" is
> like calling a ham a CBer - using the wrong term (which seems to be
> common practice in English for a couple of decades now)
>
>>    Also, if you sell an amplifier as a business, it can't operate the 12
>> or
>>10 meter band.  However, it can be modified to operate it
>
> But not by something as simple as cutting a prominent wire that's
> labeled "don't cut this wire".  By changing capacitors and inductors,
> yes - but that's home-brewing.




From 2928974229873649603
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!
feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Sun, 24 Sep 2006 11:21:32 +0900
```

```
Organization: Korea Telecom
Lines: 14
Message-ID: <ef4prf$o53$1@news2.kornet.net>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<qa6bh2dgcnt9a6n3l8coi4edg4tb1ketf0@4ax.com> <lNlRg.1397$Ka1.783@news01.roc.ny>
NNTP-Posting-Host: 218.155.119.37
X-Trace: news2.kornet.net 1159064239 24739 218.155.119.37 (24 Sep 2006 02:17:19
GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Sun, 24 Sep 2006 02:17:19 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.swap:7766 rec.radio.amateur.boatanchors:5505
rec.radio.amateur.equipment:6413 rec.radio.scanner:6479
```

"al goss" <renal@frontiernet.net> wrote in message
news:lNlRg.1397$Ka1.783@news01.roc.ny...

> type accepted means CB gear must be
> not amateur radio gear.
> erg

I think what people may be thinking about is that ham gear must be Part 15 certified (for the receiver) if it's commercially built, whereas home brew gear need not be.

```
From -4789340643969200025
X-Google-Thread: 108122,f97b8a2233d5bf8b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!
216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-for-mail
From: litle ole me <""nobody \"@ nowhere.com">
User-Agent: Thunderbird 1.5.0.7 (Macintosh/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: AZDEN PCS4000 Memory Retention
References: <Pine.BSI.4.61.0609231318450.2017@malasada.lava.net>
In-Reply-To: <Pine.BSI.4.61.0609231318450.2017@malasada.lava.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 29
Message-ID: <rNmRg.1233$5i7.336@newsreading01.news.tds.net>
Date: Sun, 24 Sep 2006 03:17:43 GMT
NNTP-Posting-Host: 69.130.147.6
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1159067863 69.130.147.6 (Sat, 23 Sep 2006
22:17:43 CDT)
NNTP-Posting-Date: Sat, 23 Sep 2006 22:17:43 CDT
Organization: tds.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6416

Joseph Fenn wrote:
> I have trouble retaining the memories chosen for the 4 freqcy
> chnls.  I removed the internal (very tiny 3 v nicad) unit and
> brought out connector wires from the rear and attached 3 regular
> 1.3 V volt nicads (double A size) and wired them in series.
> This worked ok except the charging time was quite lengthy so
> left the rig turned on for a aouple of days till the externals
> charged up.    This worked and kept the memories in tack, but
> it affected the  actual freq stored in each chnl thusly.
> Cant set the freq offset to exactly +/- 25 or 250 or any other
> even number.   It only accepts  26 or 251 or 601 as the +/-
> (I/E adds one digit instead of 5 or 10.  Still works but am
> told "you cound like little off freqxy on xmit".
>                           Joe/kh6jf
>
>
>
> **********************************************************
> * Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
> * Army MARS PRECEDED by AARS (Army Amateur Radio System) * *       Hi
> State ARMY MARS COORDINATOR                      *
> **********************************************************
>
that is rather bizarre.  the only thing i could possibly add would be
to be certain that you reset the processor after the battery was
charged....  perhaps in the loss and restoration of battery backup and
main power up and down, something the uP got scrambled, and is being
very well maintained in the incorrect state by your cool replacment
backup battery.


From 6581200630725471044
X-Google-Thread: 108122,7ca9215bfcd59d87,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
```

tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "DJboutit" <Recordking@Hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Check Out Radio Pirates Forum
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <LQmRg.4755$nX4.3785@tornado.texas.rr.com>
Date: Sun, 24 Sep 2006 03:21:15 GMT
NNTP-Posting-Host: 72.181.189.162
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1159068075 72.181.189.162 (Sat, 23 Sep 2006 22:21:15 CDT)
NNTP-Posting-Date: Sat, 23 Sep 2006 22:21:15 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6417

http://www.radiopirates.co.nr/ For Pirates to come and chat about the world
of pirate radio also to get tips about how to start your now station.

From -2964554550073224093
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 23 Sep 2006 23:16:54 -0500
Date: Sun, 24 Sep 2006 00:15:28 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.6) Gecko/20060730
SeaMonkey/1.0.4
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>

```
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
In-Reply-To: <u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <d9WdndSqVbIrm4vYnZ2dnUVZ_ridnZ2d@rcn.net>
Lines: 98
NNTP-Posting-Host: 71.163.20.164
X-Trace: sv3-CNv0/qXQHPucGC4bkdP1sH+kpOnkFTf+s6l9DvzDIL12R1qO/
dag3HjMGjsr4zpv4qtzjaTWQvxlrlN!Bd/
AK8pGzhYt6Ty40F8ivculme2IgPBYK5tcPuXND7pa7lbCCZiDf/DnL4sWSJdPv68aa+Xcp2Nt!
9K4XUFQ6FE5P
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7769 rec.radio.amateur.boatanchors:5508
rec.radio.amateur.equipment:6418 rec.radio.scanner:6482 alt.ham-radio.vhf-uhf:2734
rec.radio.amateur.misc:22321 alt.ham-radio.marketplace:1386
```

S 97.315 Type acceptance of external RF power amplifiers.

(a) No more than 1 unit of 1 model of an external RF power amplifier capable of operation below 144 MHz may be constructed or modified during any calendar year by an amateur operator for use at a station without a grant of type acceptance. No amplifier capable of operation below 144 MHz may be constructed or modified by a non-amateur operator without a grant of type acceptance from the FCC.

(b) Any external RF power amplifier or external RF power amplifier kit (see S 2.815 of the FCC Rules), manufactured, imported or modified for use in a station or attached at any station must be type accepted for use in the amateur service in accordance with Subpart J of Part 2 of the FCC Rules. This requirement does not apply if one or more of the following conditions are met:

(1) The amplifier is not capable of operation on frequencies below 144 MHz. For the purpose of this part, an amplifier will be deemed to be incapable of operation below 144 MHz if it is not capable of being easily modified to increase its amplification characteristics below 120 MHz and either:

(i) The mean output power of the amplifier decreases, as frequency decreases from 144 MHz, to a point where 0 dB or less gain is exhibited at 120 MHz; or

(ii) The amplifier is not capable of amplifying signals below 120 MHz even for brief periods without sustaining permanent damage to its amplification circuitry.

(2) The amplifier was manufactured before April 28, 1978, and has been issued a marketing waiver by the FCC, or the amplifier was purchased before

April 28, 1978, by an amateur operator for use at that amateur operator's station.

(3) The amplifier was:

(i) Constructed by the licensee, not from an external RF power amplifier kit, for use at the licensee's station; or

(ii) Modified by the licensee for use at the licensee's station.

(4) The amplifier is sold by an amateur operator to another amateur operator or to a dealer.

(5) The amplifier is purchased in used condition by an equipment dealer from an amateur operator and the amplifier is further sold to another amateur operator for use at that operator's station.

(c) A list of type accepted equipment may be inspected at FCC headquarters in Washington, DC or at any FCC field location. Any external RF power amplifier appearing on this list as type accepted for use in the amateur service may be marketed for use in the amateur service.

S 97.317 Standards for type acceptance of external RF power amplifiers.

(a) To receive a grant of type acceptance, the amplifier must satisfy the spurious emission standards of S 97.307(d) or (e) of this Part, as applicable, when the amplifier is:

(1) Operated at its full output power;

(2) Placed in the "standby" or "off" positions, but still connected to the transmitter; and

(3) Driven with at least 50 W mean RF input power (unless higher drive level is specified).

(b) To receive a grant of type acceptance, the amplifier must not be capable of operation on any frequency or frequencies between 24 MHz and 35 MHz. The amplifier will be deemed incapable of such operation if it:

(1) Exhibits no more than 6 dB gain between 24 MHz and 26 MHz and between 28 MHz and 35 MHz. (This gain will be determined by the ratio of the input RF driving signal (mean power measurement) to the mean RF output power of the amplifier); and

(2) Exhibits no amplification (0 dB gain) between 26 MHz and 28 MHz.

(c) Type acceptance may be denied when denial would prevent the use of these amplifiers in services other than the amateur service. The following features will result in dismissal or denial of an application for the type acceptance:

(1) Any accessible wiring which, when altered, would permit operation of the amplifier in a manner contrary to the FCC Rules;

(2) Circuit boards or similar circuitry to facilitate the addition of components to change the amplifier's operating characteristics in a manner contrary to the FCC Rules;

(3) Instructions for operation or modification of the amplifier in a manner contrary to the FCC Rules;

(4) Any internal or external controls or adjustments to facilitate operation of the amplifier in a manner contrary to the FCC Rules;

(5) Any internal RF sensing circuitry or any external switch, the purpose of which is to place the amplifier in the transmit mode;

(6) The incorporation of more gain in the amplifier than is necessary to operate in the amateur service; for purposes of this paragraph, the amplifier must:

(i) Not be capable of achieving designed output power when driven with less than 40 W mean RF input power;

(ii) Not be capable of amplifying the input RF driving signal by more than 15 dB, unless the amplifier has a designed transmitter power of less than 1.5 kW (in such a case, gain must be reduced by the same number of dB as the transmitter power relationship to 1.5 kW; This gain limitation is determined by the ratio of the input RF driving signal to the RF output power of the amplifier where both signals are expressed in peak envelope power or mean power);

(iii) Not exhibit more gain than permitted by paragraph (c)(6)(ii) of this Section when driven by an RF input signal of less than 50 W mean power; and

(iv) Be capable of sustained operation at its designed power level.

(7) Any attenuation in the input of the amplifier which, when removed or modified, would permit the amplifier to function at its designed transmitter power when driven by an RF frequency input signal of less than 50 W mean power; or

(8) Any other features designed to facilitate operation in a telecommunication service other than the Amateur Radio Services, such as the Citizens Band (CB) Radio Service.

```
From -2377848501846l0497
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!news-
out.readnews.com!news-xxxfer.readnews.com!news-east.rr.com!news.rr.com!
peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
Message-Id: <2535048.DafC992Fjo@www.usenetzone.com>
From: N7ZZT <n7zzt@127.0.0.1>
Subject: Re: CB radio amplifiers for sale CHEAP!
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Followup-To: rec.radio.swap
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <4YGdnUxqKr-
```

aUorYnZ2dnUVZ_rudnZ2d@rcn.net>
Lines: 33
User-Agent: KNode/0.10.1
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-No_Archive: yes
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Date: Mon, 25 Sep 2006 12:03:57 -0700
NNTP-Posting-Host: 70.190.56.163
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1159210952 70.190.56.163 (Mon, 25 Sep 2006 15:02:32 EDT)
NNTP-Posting-Date: Mon, 25 Sep 2006 15:02:32 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.swap:7790 rec.radio.amateur.boatanchors:5529 rec.radio.amateur.equipment:6449 rec.radio.scanner:6528 alt.ham-radio.vhf-uhf:2765 rec.radio.amateur.misc:22457 alt.ham-radio.marketplace:1402

Chuck Harris wrote:

>
> Hmm, you think that spelling is a reflection on intelligence? Spelling is a rather arbitrary transliteration of vocal sounds into written text. I have known some incredibly brilliant people that couldn't spell their way out of a wet paper bag, and I have known some extremely facile spellers that couldn't reason their way out of that same bag.
>
> The kids on IRC are using home grown abbreviations to cut down on the number of symbols they need to type to convey a message... Hams do the same thing when using RTTY, or CW.
>

Chuck,
you do point out an interesting fact:
in the last 15 years or so, the written language of the internet has come into its own. it is not unlike English in many respects (American English is an "evolved" language, much like "net speak").

today's kids know this language well and it does, in fact, convey a lot of information with a minimum of keystrokes. replacing letter combinations (the ATE sound) with numbers (like 8) can shorten word lengths while still sounding the same.

there is already research going on per this subject and several prominent papers have been presented over the last few years.... it won't be too long before someone actually engineers an alphabet for the net. that will be neat to see.

and to think, hams are the ones that actually originated tis concept with CW starting over 70 years ago.

DE N7ZZT

```
From 4512663870160809469
X-Google-Thread: 108122,acf1b7ab296386bc,start
X-Google-Thread: 1109af,acf1b7ab296386bc,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread07.POSTED!53ab2750!not-for-mail
Reply-To: "Radioal" <al.dolgosh@hamradio.org>
From: "Radioal" <al.dolgosh@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:  Last day - Rare Icom Sign
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <%XuRg.1366$b23.1158@dukeread07>
Date: Sun, 24 Sep 2006 08:35:09 -0400
NNTP-Posting-Host: 68.9.38.22
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1159101307 68.9.38.22 (Sun, 24 Sep 2006 08:35:07 EDT)
NNTP-Posting-Date: Sun, 24 Sep 2006 08:35:07 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6419 rec.radio.swap:7770
```

A one-of-a-kind rare Icom illuminated sign - just the ticket for the avid
Icom user and collector!

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=190033258289&indexURL=0&photoDisplayType=2#ebayphotohosting

---

```
From 3944643219733726678
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!gnilink.net!newsfeed3.dallas1.level3.net!
newsfeed2.dallas1.level3.net!news.level3.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner
```

```
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: 24 Sep 2006 10:30:03 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 24
Message-ID: <ef64pb$avt$1@panix2.panix.com>
References: <eegols$1e24$1@registered.motzarella.org>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<qa6bh2dgcnt9a6n3l8coi4edg4tb1ketf0@4a <ef4prf$o53$1@news2.kornet.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1159108203 24005 166.84.1.2 (24 Sep 2006 14:30:03 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sun, 24 Sep 2006 14:30:03 +0000 (UTC)
Xref: g2news2.google.com rec.radio.swap:7771 rec.radio.amateur.boatanchors:5509
rec.radio.amateur.equipment:6420 rec.radio.scanner:6488

Brenda Ann <brendad@shinbiro.com> wrote:
>"al goss" <renal@frontiernet.net> wrote in message
>> type accepted means CB gear must be
>> not amateur radio gear.
>
>I think what people may be thinking about is that ham gear must be Part 15
>certified (for the receiver) if it's commercially built, whereas home brew
>gear need not be.

True, but Part 15 testing has nothing to do with type acceptance.  AND,
amateur radio gear is still required to meet the Part 15 radiation
specifications even if the equipment is homebrew.  You don't need to
send it off to a certification lab, but if you're radiating trash out
of band, you're in violation of the law.

I'll say that the broadcast service normally requires type acceptance
on transmitters as well, BUT there's still an exception for homebrew
broadcast gear... your local AM station can put a homebuilt transmitter
on the air as long as it meets the technical specifications and it has
a nameplate on the front stating that it was homebuilt.  (The wording
required is quite specific but it's listed in Part 73.)
--scott
--
"C'est un Nagra.  C'est suisse, et tres, tres precis."


From -5005981063160462200
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
```

Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <8nadh2d1ab2bcb7a0t785664q7u0ci7p7b@4ax.com>
References: <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<qa6bh2dgcnt9a6n3l8coi4edg4tb1ketf0@4ax.com> <lNlRg.1397$Ka1.783@news01.roc.ny>
<ef4prf$o53$1@news2.kornet.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimndpmbonppicjodbkfkbniaamobbiakdjjffgpnhkhbhmggbpjf
elapnlpkapminnmlgninajkkbffdpnkfnndbohpcjknjchenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 24 Sep 2006 08:56:26 MST
Organization: Optimum Online
Date: Sun, 24 Sep 2006 11:58:18 -0400
Xref: g2news2.google.com rec.radio.swap:7772 rec.radio.amateur.boatanchors:5510
rec.radio.amateur.equipment:6421 rec.radio.scanner:6489

On Sun, 24 Sep 2006 11:21:32 +0900, "Brenda Ann"
<brendad@shinbiro.com> wrote:

>I think what people may be thinking about is that ham gear must be Part 15
>certified (for the receiver) if it's commercially built, whereas home brew
>gear need not be.

It still has to meet Part 15 specs (all incident radiation devices
do), it just doesn't have to be certified before you use it.

From -1189933262889076081
X-Google-Thread: 10bf43,bfead0dc7075e7a6
X-Google-Thread: fcc6e,bfead0dc7075e7a6
X-Google-Thread: 108122,bfead0dc7075e7a6
X-Google-Thread: fa029,bfead0dc7075e7a6
X-Google-Thread: fb049,bfead0dc7075e7a6
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!news.germany.com!
newsfeed.freenet.de!feeder.news-service.com!news2.euro.net!66.150.105.54.MISMATCH!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail

From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,alt.ham-radio.vhf-uhf
Subject: Re: I punch in agian
Date: Sun, 24 Sep 2006 12:45:44 -0400
Organization: Chassell rainbow coalition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 59
Message-ID: <4516a991$0$19652$88260bb3@free.teranews.com>
NNTP-Posting-Date: 24 Sep 2006 15:51:47 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:46070
rec.radio.amateur.antenna:18666 rec.radio.amateur.equipment:6422
rec.radio.scanner:6492 alt.ham-radio.vhf-uhf:2737

ok I back four anoter tuff day on the news grupes it my job tis waht I do
so
bringit on you loosers

show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
happy new years it means and it can be better one if Wismen Robson and
SC a few just decided to not to be as hateful

>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>

```
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/
>
>




--
Posted via a free Usenet account from http://www.teranews.com




From -8019168485165567139
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews8.bellsouth.net.POSTED!35f0e4eb!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
<12gjg5c7v745776@corp.supernews.com>   <D%lOg.16604$c07.4284@fed1read04>
<eecrj6$c5e$1@news2.kornet.net>
<1158291225.890645.27670@d34g2000cwd.googlegroups.com>
```

<450AC969.AEA1EE0C@earthlink.net>
<1158337419.720905.167230@p79g2000cwp.googlegroups.com>
<4515DA99.3A371D66@earthlink.net>
Subject: Re: PayPal horror stories HEH!   My 8 cents worth...
Lines: 66
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <qIyRg.28910$vX5.18302@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcboobdnphjpckfmkhlfnlcecipenneodaleda
bfkjbgmcacjhmophnmhdegblpmdgehmofpmendkdkbjfbmanopimhdnfgicipidpjdffkndkaaabno
NNTP-Posting-Date: Sun, 24 Sep 2006 12:51:34 EDT
Organization: BellSouth Internet Group
Date: Sun, 24 Sep 2006 11:51:33 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6423
rec.radio.amateur.homebrew:7062 rec.radio.amateur.policy:46078
rec.radio.shortwave:53829

I had been on ebray since they billed via postal mail and gave $10.00 credit to start

you out.

Recently I had the wonderful experience of having paid my ebay via Payless Pal and when

I went to pay the small bill.. a few bucks.   THEY made an 8 cent error in the

bill transfer and so I figured they would just bill it on the next months cycle.

BUT! What they did was to debit a closed bank account.

I had opened a checking account to get a Payless Pal account and closed

it so my real money was never in jeopardy. So what the idiots had done then was

to bill me an additional $15.00 for a bounced debit they should have never made.

In the mean time ebray has gotten so big I could not get any 'Real response from a

Real person'   Like dealing with the government! I could find no Phone number to call and explain THEIR ERROR.

I just kept getting junk Spam replies from ebray.

It makes them feel good telling me I can not use ebray.   pftpftpft!

So I have since closed my ebray account.

AND my Payless Pal account a soon as I heard ebray had bought them.

For several months ebray kept billing me with additional "late charges"

HA HA ebray and Payless Pal get stuffed!

All over 8 cents they have lost a lot more than that in business since I am also

disabled and did shop over 100 items on ebray. It WAS convenient to use

and not walk through so many flea markets and hamfests. My rating WAS over 98%

Couldn't please everyone, and some sent me junk from trash cans smell and all . lol

Thanks for the vent.. off my soap box now and shopping elsewheres. :-p

From 7342177857504330371
X-Google-Thread: 10bf43,bfead0dc7075e7a6
X-Google-Thread: fcc6e,bfead0dc7075e7a6
X-Google-Thread: 108122,bfead0dc7075e7a6
X-Google-Thread: fa029,bfead0dc7075e7a6
X-Google-Thread: fb049,bfead0dc7075e7a6
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "kb9rqz-3@hotmail.com" <kb9rqz-3@hotmail.com>
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,alt.ham-radio.vhf-uhf
Subject: show-na-to-va (that is the greeting for this time of year as a JEW

```
rendered phonicticaly)
Date: 24 Sep 2006 10:07:43 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1159117663.017908.283480@i3g2000cwc.googlegroups.com>
References: <4513d816$0$19693$88260bb3@free.teranews.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159117667 31371 127.0.0.1 (24 Sep 2006 17:07:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Sep 2006 17:07:47 +0000 (UTC)
In-Reply-To: <4513d816$0$19693$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=69.19.14.23;
   posting-account=vabA-g0AAAC3tggcfSrWfhO2dbMGKxv2
Xref: g2news2.google.com rec.radio.amateur.policy:46106
rec.radio.amateur.antenna:18667 rec.radio.amateur.equipment:6424
rec.radio.scanner:6493 alt.ham-radio.vhf-uhf:2739


Mark@kb9rqz.com wrote:
forgery
show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
happy new years it means and it can be better one if Wismen Robson and
SC a few just decided to not to be as hateful



From -3855072484326993553
X-Google-Thread: 114a57,734f495a328540e0,start
X-Google-Thread: 108122,734f495a328540e0,start
X-Google-Thread: 1109af,734f495a328540e0,start
X-Google-Attributes: gid114a57,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc07.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.hf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Two (2) Uniden HR2510 10mtr mobiles $300.00
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <HdzRg.5772$2G1.5705@trnddc07>
```

```
Date: Sun, 24 Sep 2006 17:27:03 GMT
NNTP-Posting-Host: 71.162.176.79
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1159118823 71.162.176.79 (Sun, 24 Sep 2006 13:27:03 EDT)
NNTP-Posting-Date: Sun, 24 Sep 2006 13:27:03 EDT
Xref: g2news2.google.com alt.ham-radio.hf:535 rec.radio.amateur.equipment:6425
rec.radio.swap:7774

Both radio's are complete with mic,bracket, power cable, and original boxes.
One has a copy of the manual, other has original. These units are in good
condition and work very well.
$300.00 for the pair plus shipping from 19518
I'll only ship to Cont. US. USPS money orders only.
Any questions please email direct.


pottsladd13@yahoo.com




From -2015693181665795115
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 24 Sep 2006 12:38:27 -0500
From: funkbastler <funkbastler@eudoramail.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Sun, 24 Sep 2006 12:38:26 -0500
Message-ID: <9igdh213cl3hd5ddk28c6rprbn0osavat1@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<eemglj$7b0$1@registered.motzarella.org>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Trace: sv3-
```

```
oRsAkWP4eT0ubxG85C3FEYkSDbUXrBzC0qCwC4yrMxQEYeHnc9iSvy6AVpAQrDux805bhpLCg4m+vZk!
EXYHMr93YhYVpaQHOtj6wNZRvdObPmoQPo/B0bC1H54ZU7/Td5UvWQBmEEhgXribO0j7kg==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7775 rec.radio.amateur.boatanchors:5511
rec.radio.amateur.equipment:6426 rec.radio.scanner:6495 alt.ham-radio.vhf-uhf:2740
rec.radio.amateur.misc:22354 alt.ham-radio.marketplace:1388

On Mon, 18 Sep 2006 12:14:37 -0400, "The Professor"
<telstarelectronics@yahoo.com> wrote:

>>
>Says the clueless newbie. It's a 10 meter amplifier dumbass....LOL
>

Dang!  I didn't know the 10 meter band went all the way down to 26 MHz.

--
-fb-



From -9181742438669263761
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
Date: 24 Sep 2006 10:51:13 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1159120273.259756.298770@h48g2000cwc.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
   <akdmk.8qe.19.1@news.alt.net>
   <zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
   <1158749993.662762.65150@m73g2000cwd.googlegroups.com>
   <6mlQg.14302$bM.12419@newsread4.news.pas.earthlink.net>
   <1158841687.924233.224130@m73g2000cwd.googlegroups.com>
   <1158859291.803405.226990@k70g2000cwa.googlegroups.com>
   <1158930433.056064.24100@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159120277 21349 127.0.0.1 (24 Sep 2006 17:51:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Sep 2006 17:51:17 +0000 (UTC)
In-Reply-To: <1158930433.056064.24100@k70g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.23;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.policy:46158
rec.radio.amateur.equipment:6427 rec.radio.amateur.misc:22364
alt.radio.scanner:2982

kb9rqz_child_molester@yahoo.com wrote:
>
show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
happy new years it means and it can be better one if Wismen Robson and
SC a few just decided to not to be as hateful



From 3060457696232034815
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "GG" <gerty-gravel@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: Re: PayPal horror stories HEH! My 8 cents worth...
Date: 24 Sep 2006 10:51:38 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1159120297.806509.298230@m7g2000cwm.googlegroups.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
   <6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
   <12gjg5c7v745776@corp.supernews.com>
   <D%lOg.16604$c07.4284@fed1read04>
   <eecrj6$c5e$1@news2.kornet.net>
   <1158291225.890645.27670@d34g2000cwd.googlegroups.com>
   <450AC969.AEA1EE0C@earthlink.net>
   <1158337419.720905.167230@p79g2000cwp.googlegroups.com>
   <4515DA99.3A371D66@earthlink.net>
   <qIyRg.28910$vX5.18302@bignews8.bellsouth.net>
NNTP-Posting-Host: 162.40.51.111
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159120303 5547 127.0.0.1 (24 Sep 2006 17:51:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Sep 2006 17:51:43 +0000 (UTC)
In-Reply-To: <qIyRg.28910$vX5.18302@bignews8.bellsouth.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=162.40.51.111;
   posting-account=SjnyLg0AAAAD_9tWnzc5O6rrdLF3wRNJ
Xref: g2news2.google.com rec.radio.amateur.equipment:6428
rec.radio.amateur.homebrew:7063 rec.radio.amateur.policy:46159
rec.radio.shortwave:53833
```

You closed the bank account that the PP acount was baised on. That was not in good faith.

GG

```
From -8664942495109660638
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
Date: 24 Sep 2006 10:56:45 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1159120605.604878.326540@h48g2000cwc.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <45154c1c$0$19687$88260bb3@free.teranews.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159120610 6366 127.0.0.1 (24 Sep 2006 17:56:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 24 Sep 2006 17:56:50 +0000 (UTC)
In-Reply-To: <45154c1c$0$19687$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.23;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.policy:46166
rec.radio.amateur.equipment:6429 rec.radio.amateur.misc:22371
alt.radio.scanner:2983


Mark@kb9rqz.com wrote:
>
show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
happy new years it means and it can be better one if Wismen Robson and
SC a few just decided to not to be as hateful



From -8042704417743472431
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!
news.supernews.com!not-for-mail
From: "Mike" <no@where.man>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: Re: PayPal horror stories HEH!   My 8 cents worth...
Date: Sun, 24 Sep 2006 15:36:48 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12hdnig1qlbkt93@news.supernews.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
<12gjg5c7v745776@corp.supernews.com>   <D%lOg.16604$c07.4284@fed1read04>
<eecrj6$c5e$1@news2.kornet.net>
```

```
<1158291225.890645.27670@d34g2000cwd.googlegroups.com>
<450AC969.AEA1EE0C@earthlink.net>
<1158337419.720905.167230@p79g2000cwp.googlegroups.com>
<4515DA99.3A371D66@earthlink.net> <qIyRg.28910$vX5.18302@bignews8.bellsouth.net>
In-Reply-To: <qIyRg.28910$vX5.18302@bignews8.bellsouth.net>
MIME-Version: 1.0
Content-Type: text/plain;
	format=flowed;
	charset="iso-8859-1";
	reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Windows Mail 6.0.5600.16384
X-MimeOLE: Produced By Microsoft MimeOLE V6.0.5600.16384
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com rec.radio.amateur.equipment:6430
rec.radio.amateur.homebrew:7064 rec.radio.amateur.policy:46208
rec.radio.shortwave:53845

"Mr Fed UP" <mrfedup@bellsouth.net> wrote in message
news:qIyRg.28910$vX5.18302@bignews8.bellsouth.net...
>I had been on ebray since they billed via postal mail and gave $10.00
>credit to start
>
> you out.
>
> Recently I had the wonderful experience of having paid my ebay via Payless
> Pal and when
>
> I went to pay the small bill.. a few bucks.   THEY made an 8 cent error in
> the
>
> bill transfer and so I figured they would just bill it on the next months
> cycle.
>
> BUT! What they did was to debit a closed bank account.
>
> I had opened a checking account to get a Payless Pal account and closed

So you closed a bank account and didn't tell PayPal?    This whole mess is
your fault.

eBay is the best.   I've bought hundreds of items worth many thousands of
dollars.   Most of it could never be found locally for the same price.
Anytime I'm looking to buy *anything*, I look at eBay first.

Mike



From 7213912092994565487
```

```
X-Google-Thread: 10bf43,c1e048e3f0e708e9
X-Google-Thread: fcc6e,c1e048e3f0e708e9
X-Google-Thread: 108122,c1e048e3f0e708e9
X-Google-Thread: fa029,c1e048e3f0e708e9
X-Google-Thread: fb049,c1e048e3f0e708e9
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: forge
Date: 25 Sep 2006 12:13:19 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1159211599.769698.163210@m7g2000cwm.googlegroups.com>
References: <451815a7$0$19626$88260bb3@free.teranews.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159211605 12643 127.0.0.1 (25 Sep 2006 19:13:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 25 Sep 2006 19:13:25 +0000 (UTC)
In-Reply-To: <451815a7$0$19626$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.policy:46435
rec.radio.amateur.antenna:18730 rec.radio.amateur.equipment:6450
rec.radio.scanner:6529 alt.ham-radio.vhf-uhf:2767
```

Mark@kb9rqz.com wrote:
forge

```
From 73844957310767341
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com>
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligijjdnojopddcmjimnjdokhecnbdffkfdfkbniaamobbiakdjjffgpnhkhbhmggbpjf
elapnlpkapminnmlgninajkkbffdpnnpmoklopcehkembpenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 24 Sep 2006 15:53:27 MST
Organization: Optimum Online
Date: Sun, 24 Sep 2006 18:55:19 -0400
Xref: g2news2.google.com rec.radio.swap:7776 rec.radio.amateur.boatanchors:5512
rec.radio.amateur.equipment:6431 rec.radio.scanner:6504 alt.ham-radio.vhf-uhf:2744
rec.radio.amateur.misc:22394 alt.ham-radio.marketplace:1392

On Sun, 24 Sep 2006 12:49:18 +1000, Barry OGrady
<god_free_jones@yahoo.com> wrote:

>Aside from spelling metre as meter you are confusing can't and may. You can
>sell whatever you like anywhere but there are many things you may not sell.

American English: "Can" = "May". "Can" seems to be preferred in
common usage. (Then again, just look at how some of our kids spell on
Usenet and in IRC and, knowing that any of them can grow up to be
president, be very afraid.)

>>   I think the stink arose on the posting, because the person posting the
>>original listing, advertised it as a CB radio amplifier

>He may have been blasted for top posting.

Neither of us who took issue with his post mentioned his top-posting.
We both blasted him on pure content.

```
From -5901594138925358766
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews5.bellsouth.net.POSTED!35f0e4eb!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
<12gjg5c7v745776@corp.supernews.com>   <D%lOg.16604$c07.4284@fed1read04>
<eecrj6$c5e$1@news2.kornet.net>
<1158291225.890645.27670@d34g2000cwd.googlegroups.com>
<450AC969.AEA1EE0C@earthlink.net>
<1158337419.720905.167230@p79g2000cwp.googlegroups.com>
<4515DA99.3A371D66@earthlink.net>   <qIyRg.28910$vX5.18302@bignews8.bellsouth.net>
<1159120297.806509.298230@m7g2000cwm.googlegroups.com>
Subject: Re: PayPal horror stories HEH! My 8 cents worth...
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <_uERg.22598$eW5.8809@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbomhjplibaakfijbliabfkdgdcebgfjgjbkh
ebekjmpoifhlieenhcokpdiifknenhakckebbflldaemmkkadgfboolcfeigdlphdbpkpbdmpmlgfj
NNTP-Posting-Date: Sun, 24 Sep 2006 19:26:50 EDT
Organization: BellSouth Internet Group
Date: Sun, 24 Sep 2006 18:19:20 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6432
rec.radio.amateur.homebrew:7069 rec.radio.amateur.policy:46243
rec.radio.shortwave:53859
```

"GG" <gerty-gravel@hotmail.com> wrote in message
news:1159120297.806509.298230@m7g2000cwm.googlegroups.com...
>

> You closed the bank account that the PP acount was baised on. That was
> not in good faith.
>
> GG

Nope... closed account ebray opened with that was used long ago.
Was active via Payless Pal till they made a mess of it all so I closed that
account
so they couldn't rob me just for THEIR 8 cents MISTAKE.   Plus their
withdraw
penalty, plus their late fees.   UGH!
Had they replied with an 8 cent request there was more than 8 cents in
my Payless pal account at the time.   Just as reasonable as the Gvnmt LOL

Just the same as auto deposit from anyplace... they have access to get what
ever they want and you have to litigate it to get your own money back.
Being on SS disab' I'd starve before I got my money back if any were taken.
I never trust them with my whole paycheck.... I wonder why anyone does.
  Oh!.... That's so they can get in the news by being e-robbed. Phished etc.

Good luck Y'all

I also keep my Norton AV etc up to date and turned on ALLWAYS

From -3061217758166062577
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: An Insult To One's Deceased Mother? k4yz
Date: Sun, 24 Sep 2006 19:48:40 -0400
Message-ID: <h66eh2dnugg6k51pkkj0n2u4cho0dgp6mg@4ax.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
<f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com> <3dcd8911b6e.aa1075257@alvillage.net>
<1158970877.909707@newsreg.cos.agilent.com>
<tg19h2pmostadvtipvt59touiov3fnkgth@4ax.com>
<1159018160.003284.12770@i3g2000cwc.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

```
Content-Transfer-Encoding: 7bit
Lines: 24
NNTP-Posting-Date: 24 Sep 2006 22:53:17 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6433
rec.radio.amateur.policy:46246 rec.radio.scanner:6507 rec.radio.shortwave:53860
rec.radio.swap:7777

On 23 Sep 2006 06:29:20 -0700, k4yz_01@yahoo.com wrote:

>
>nospam wrote:
>> On Fri, 22 Sep 2006 17:31:27 -0700, "Al Lorona"
>
>> Al, these guys don't care what we think. You should of read what they
>> said about my dead mother. I'm doing some research right now as who
>> said that and I am so sick of this I am ready to go on a road trip. He
>> doesn't realize that I am a disgrunted postal worker. Shouldn't of
>> said that about my dead mother!
>
>    KB9RQZ (Mark 'Morkie Moron' Morgan) feels right at home absuing the
>memory of my deceased daughter in order to try and gain "messaging
>leverage"...I have no doubt that he's your culprit.
only after you have threatened my murder arest been harrasing me for 8
years accusing me a being a rapist child molestor accusing my father
of being a rapist and Fatherin law of being a molestor my mother of
being a prostitute

after that I certainly feel right at home poking their after you
daughter is dead and beyond any harm unlike your wife and living
daughters
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 2727513264745224135
X-Google-Thread: 108122,f97b8a2233d5bf8b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AZDEN PCS4000 Memory Retention
Date: Sun, 24 Sep 2006 14:17:38 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0609241412370.16565@malasada.lava.net>
In-Reply-To: <rNmRg.1233$5i7.336@newsreading01.news.tds.net>
References: <Pine.BSI.4.61.0609231318450.2017@malasada.lava.net>
 <rNmRg.1233$5i7.336@newsreading01.news.tds.net>
```

```
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.equipment:6434

>>
> that is rather bizarre.  the only thing i could possibly add would be
> to be certain that you reset the processor after the battery was charged....
> perhaps in the loss and restoration of battery backup and
> main power up and down, something the uP got scrambled, and is being very
> well maintained in the incorrect state by your cool replacment backup
> battery.
>
Yeah I left the Unit on for 2 days just to charge the external
BU batteries.   But still no retention of settings.   I originally
had 3 AAA type celles in the same place outboard so next thing to
try will be  use 2 only.  Maybe 3 was the cause of the added
digit of "1"  on the offsets.  Thsese were all lithydride types.
               Tnx for response
                    Joe




From -3069240879125649039
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 24 Sep 2006 22:58:45 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Sun, 24 Sep 2006 20:58:43 -0700
Subject: Re: CB radio amplifiers for sale CHEAP!
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Message-ID: <C13CA203.44B9C%dbowey@comcast.net>
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
```

```
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 21
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-fgCqQBm6kGy0d+/6BlcgnpxxG/
nzUeqHOAzpRpAAiLBhfMQBP0mx+56xMan9f2lhWv3MHYlul5DKL6u!7Qh8dXJQqLDW8/
sajmGzfstEE+H7EBZPZRXXUPmnm5n/95NoOSV8+uvCgTGR5Xu45qCXMzpk
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7780 rec.radio.amateur.boatanchors:5513
rec.radio.amateur.equipment:6435 rec.radio.scanner:6511 alt.ham-radio.vhf-uhf:2747
rec.radio.amateur.misc:22401 alt.ham-radio.marketplace:1394

On 9/24/06 3:55 PM, in article r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com,
"Al Klein" <rukbat@pern.invalid> wrote:

> On Sun, 24 Sep 2006 12:49:18 +1000, Barry OGrady
> <god_free_jones@yahoo.com> wrote:
>
>> Aside from spelling metre as meter you are confusing can't and may. You can
>> sell whatever you like anywhere but there are many things you may not sell.
>
> American English: "Can" = "May".

That is not correct.  If you ask "can I eat a caramel, my reply is you may
(permission) if you can (ability).  For all I know you're toothless and have
no ability to chew.


If you correctly ask "may I have a caramel" the correct reply is, "yes, you
may."

Don




From -2838187075907180903
X-Google-Thread: 10bf43,bfead0dc7075e7a6
X-Google-Thread: fcc6e,bfead0dc7075e7a6
X-Google-Thread: 108122,bfead0dc7075e7a6
X-Google-Thread: fa029,bfead0dc7075e7a6
X-Google-Thread: fb049,bfead0dc7075e7a6
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "hamguy@arrl.net" <mamarat2003@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: Re: I punch in agian
Date: 25 Sep 2006 05:21:58 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1159186918.035779.236700@i3g2000cwc.googlegroups.com>
References: <4513d816$0$19693$88260bb3@free.teranews.com>
NNTP-Posting-Host: 212.150.75.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159186923 10860 127.0.0.1 (25 Sep 2006 12:22:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 25 Sep 2006 12:22:03 +0000 (UTC)
In-Reply-To: <4513d816$0$19693$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=212.150.75.35;
   posting-account=ZNeKcA0AAABC3RSNXMF55OZUUPj1nRcw
Xref: g2news2.google.com rec.radio.amateur.policy:46376
rec.radio.amateur.antenna:18718 rec.radio.amateur.equipment:6436
rec.radio.scanner:6513 alt.ham-radio.vhf-uhf:2750

You're the loser, moron.

Check out www.hamwave.com

Mark@kb9rqz.com wrote:
> ok I back four anoter tuff day on the news grupes it my job tis waht I do
> so
>  bringit on you loosers




From 5724821806435567341
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
```

news.highwinds-media.com!hw-filter.lga!newsfe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <p2jfh2t9tua3nv0b11jovhr9pnki9lvot7@4ax.com>
References: <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <C13CA203.44B9C%dbowey@comcast.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimcbfobomdikhppkelfkbniaamobbiakdjlkcpkeahangnidoapo
ppajonjcljdkcjmlgninajkkbffdpnmcinammpeijlfbamenfnojecgjgcfcij
NNTP-Posting-Date: Mon, 25 Sep 2006 05:30:58 MST
Organization: Optimum Online
Date: Mon, 25 Sep 2006 08:32:48 -0400
Xref: g2news2.google.com rec.radio.swap:7781 rec.radio.amateur.boatanchors:5515
rec.radio.amateur.equipment:6437 rec.radio.scanner:6514 alt.ham-radio.vhf-uhf:2753
rec.radio.amateur.misc:22415 alt.ham-radio.marketplace:1395

On Sun, 24 Sep 2006 20:58:43 -0700, Don Bowey <dbowey@comcast.net>
wrote:

>If you correctly ask "may I have a caramel" the correct reply is, "yes, you
>may."

You don't listen to the conversation of many people under 20, do you?

From -8112998919505750911
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Mon, 25 Sep 2006 07:43:51 -0500
Date: Mon, 25 Sep 2006 08:42:11 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.6) Gecko/20060730
SeaMonkey/1.0.4
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com>
In-Reply-To: <r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <4YGdnUxqKr-aUorYnZ2dnUVZ_rudnZ2d@rcn.net>
Lines: 35
NNTP-Posting-Host: 71.163.20.164
X-Trace: sv3-x6WCMYT/MPNcIiExO20oLIlQJxVdjwj5NvNG/
6CEsGcT5k7EqBCJuh6hbaUy7ZqUzlLyVGdfkpJ5mFU!
lAKLLA6Q+lgb6IpdlcVxzSVBH7ZGFROTd25Hswzhy4RFmYKL746Timad4SK0sV+FMYmg7P221Uob!
QiOQsC857zpJ
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7782 rec.radio.amateur.boatanchors:5516
rec.radio.amateur.equipment:6438 rec.radio.scanner:6515 alt.ham-radio.vhf-uhf:2754
rec.radio.amateur.misc:22420 alt.ham-radio.marketplace:1396
```

Al Klein wrote:

```
> On Sun, 24 Sep 2006 12:49:18 +1000, Barry OGrady
> <god_free_jones@yahoo.com> wrote:
>
>> Aside from spelling metre as meter you are confusing can't and may. You can
>> sell whatever you like anywhere but there are many things you may not sell.
>
> American English: "Can" = "May".  "Can" seems to be preferred in
```

> common usage. (Then again, just look at how some of our kids spell on
> Usenet and in IRC and, knowing that any of them can grow up to be
> president, be very afraid.)

Hmm, you think that spelling is a reflection on intelligence? Spelling is a rather arbitrary transliteration of vocal sounds into written text. I have known some incredibly brilliant people that couldn't spell their way out of a wet paper bag, and I have known some extremely facile spellers that couldn't reason their way out of that same bag.

The kids on IRC are using home grown abbreviations to cut down on the number of symbols they need to type to convey a message... Hams do the same thing when using RTTY, or CW.

>
>>>   I think the stink arose on the posting, because the person posting the
>>> original listing, advertised it as a CB radio amplifier
>
>> He may have been blasted for top posting.
>
> Neither of us who took issue with his post mentioned his top-posting.
> We both blasted him on pure content.

I am sort of curious as to why my posting of the actual FCC part 97 rules that cover linear amplifiers drew exactly zero comments.

-Chuck Harris

```
From 8870460654379340163
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups: 
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 25 Sep 2006 06:08:21 -0700
Organization: http://groups.google.com
Lines: 47
Message-ID: <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
References: <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
   <1158592583.320144.215770@k70g2000cwa.googlegroups.com>
   <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
NNTP-Posting-Host: 65.54.155.41
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159189706 18085 127.0.0.1 (25 Sep 2006 13:08:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 25 Sep 2006 13:08:26 +0000 (UTC)
In-Reply-To: <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=65.54.155.41;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.policy:46393
rec.radio.amateur.equipment:6439 rec.radio.amateur.misc:22430
alt.radio.scanner:2987


MarkMoron@kb9rqz.com wrote:
> On 20 Sep 2006 03:57:49 -0700, "Not Cocksucker Lloyd"
> <not_time_turd_lloyd@yahoo.com> wrote:
>
> >
> >MarkMoron@kb9rqz.com wrote:
> >> On 19 Sep 2006 05:55:17 -0700, "Not Cocksucker Lloyd"
> >> <not_time_turd_lloyd@yahoo.com> wrote:
> >>
> >> >
> >> >kb9rqz-2@hotmail.com wrote:
> >> >> Not Cocksucker Lloyd wrote:
> >> >> > kb9rqz-1@hotmail.com wrote:
> >> >> > > Indy Ham wrote:
> >> >> > > > My god. Are you serious?? "Niggers out..."
> >> >> > > >
> >> >> > > > HAHAHAHA Are we back in 1955 again or something?
> >> >> > > yeah the attirudes of of many hams are stuck there
> >> >> >
> >> >> > Poor Markie, his perverted lifestyle is unacceptable in any era.
> >> >> wrong agin woger
> >> >
> >> >Ask around, pervert.
> >> already done so
> >
> >Liar.
> sure I have

No you haven't. Nobody would talk to you.
```

> indeed if I were that reviled you would be safe using yYOUR real name
> for your missives

Markie, your illiteracy would stick out irregardless which sockpuppet
you posted under.

> >
> >
> >> it is the sick jokes like you andRobeson
> >
> >Nope, most perople don't think your lifestyle is acceptable.
> that is not what Gallup and other poosters have found

Gallup posts here? BWHAHAHAHAHAHAHA! Your idiocy knows no bounds!
What's "Poosters?"

```
From 4578425146287095814
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!news-east.rr.com!news-
wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!
news.rr.com!news-post.tampabay.rr.com!southeast.rr.com.POSTED!53ab2750!not-for-
mail
From: Nunya Bizness <ask@imight.tel>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
References: <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <C13CA203.44B9C%dbowey@comcast.net>
<p2jfh2t9tua3nv0b11jovhr9pnki9lvot7@4ax.com>
```

```
In-Reply-To: <p2jfh2t9tua3nv0b11jovhr9pnki9lvot7@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <XQQRg.19773$Qg.16244@southeast.rr.com>
Date: Mon, 25 Sep 2006 13:29:27 GMT
NNTP-Posting-Host: 24.74.167.221
X-Complaints-To: abuse@rr.com
X-Trace: southeast.rr.com 1159190967 24.74.167.221 (Mon, 25 Sep 2006 09:29:27 EDT)
NNTP-Posting-Date: Mon, 25 Sep 2006 09:29:27 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.swap:7783 rec.radio.amateur.boatanchors:5517
rec.radio.amateur.equipment:6440 rec.radio.scanner:6516 alt.ham-radio.vhf-uhf:2756
rec.radio.amateur.misc:22434 alt.ham-radio.marketplace:1397

Al Klein wrote:
> On Sun, 24 Sep 2006 20:58:43 -0700, Don Bowey <dbowey@comcast.net>
> wrote:
>
>> If you correctly ask "may I have a caramel" the correct reply is, "yes, you
>> may."
>
> You don't listen to the conversation of many people under 20, do you?

I do... and it's amazing they can communicate at all.

So if everyone under 20 confuses "can" and "may" does this make the
misuse of either word correct?  Hardly.  If a million people do a stupid
thing, it's still a stupid thing.

Believe it or not, grammar does have a place in this world.  It's the
correct means by which we communicate.  If we can't communicate
correctly, we shouldn't be surprised when things don't go the way we
want them.

Just my 2 cents.





From -6336267328765783471
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
```

```
news.usenetserver.com!pc03.usenetserver.com!DIALUPUSA.NET!not-for-mail
From: "Dr.Ace" <Ace@WH2T.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <C13CA203.44B9C%dbowey@comcast.net>
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Mon, 25 Sep 2006 09:53:50 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2905
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <95f6d$4517ddbf$4fc667d$25404@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 27
X-Trace: 95f6d4517ddbfa159c3d825404
Xref: g2news2.google.com rec.radio.swap:7784 rec.radio.amateur.boatanchors:5520
rec.radio.amateur.equipment:6441 rec.radio.scanner:6517 alt.ham-radio.vhf-uhf:2757
rec.radio.amateur.misc:22435 alt.ham-radio.marketplace:1398


"Don Bowey" <dbowey@comcast.net> wrote in message
news:C13CA203.44B9C%dbowey@comcast.net...
> On 9/24/06 3:55 PM, in article r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com,
> "Al Klein" <rukbat@pern.invalid> wrote:
>
>> American English: "Can" = "May".
>
> That is not correct.  If you ask "can I eat a caramel, my reply is you may
> (permission) if you can (ability).  For all I know you're toothless and
> have
> no ability to chew.
>
>
> If you correctly ask "may I have a caramel" the correct reply is, "yes,
> you
> may."
>
> Don
>
```

Can = A metal container
May = A month of the year

Ace - WH2T

```
From 3746847062327147960
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 25 Sep 2006 09:34:11 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <C13CA203.44B9C%dbowey@comcast.net>
<95f6d$4517ddbf$4fc667d$25404@DIALUPUSA.NET>
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Mon, 25 Sep 2006 09:34:11 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <lrmdnTwBHol-dYrYnZ2dnUVZ_qednZ2d@comcast.com>
Lines: 32
NNTP-Posting-Host: 71.226.69.91
X-Trace: sv3-TYI2SCWy3uxhNwhGl/xQ/yRFTpfnz84aBX1MmQDxLmWhNc3/SgDuc/
9SMU6JI2JMbt735CK655bk2VV!ZRYCgaUgkoicsVG5sOOzYubbItuHIVGA+lRFzS8adGi/
sOWvt5LsDCsmV1vPH5B64osCbaDnMtC0!gAiPsrNSnikX
X-Complaints-To: abuse@comcast.net
```

```
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7785 rec.radio.amateur.boatanchors:5521
rec.radio.amateur.equipment:6442 rec.radio.scanner:6518 alt.ham-radio.vhf-uhf:2758
rec.radio.amateur.misc:22436 alt.ham-radio.marketplace:1399


"Dr.Ace" <Ace@WH2T.com> wrote in message
news:95f6d$4517ddbf$4fc667d$25404@DIALUPUSA.NET...
>
> "Don Bowey" <dbowey@comcast.net> wrote in message
> news:C13CA203.44B9C%dbowey@comcast.net...
>> On 9/24/06 3:55 PM, in article
>> r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com,
>> "Al Klein" <rukbat@pern.invalid> wrote:
>>
>>> American English: "Can" = "May".
>>
>> That is not correct.  If you ask "can I eat a caramel, my reply is you
>> may
>> (permission) if you can (ability).  For all I know you're toothless and
>> have
>> no ability to chew.
>>
>>
>> If you correctly ask "may I have a caramel" the correct reply is, "yes,
>> you
>> may."
>>
>> Don
>>
>
> Can = A metal container
> May = A month of the year

And Grammer is inna kitchen bakin cookies :-)




From -4224117811815172392
X-Google-Thread: 10bf43,bfead0dc7075e7a6
X-Google-Thread: fcc6e,bfead0dc7075e7a6
X-Google-Thread: 108122,bfead0dc7075e7a6
X-Google-Thread: fa029,bfead0dc7075e7a6
X-Google-Thread: fb049,bfead0dc7075e7a6
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
```

```
From: "old freind" <kb9rqz-4@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: show-na-to-va
Date: 25 Sep 2006 08:19:53 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159197593.825716.176120@h48g2000cwc.googlegroups.com>
References: <4513d816$0$19693$88260bb3@free.teranews.com>
   <1159186918.035779.236700@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159197597 10731 127.0.0.1 (25 Sep 2006 15:19:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 25 Sep 2006 15:19:57 +0000 (UTC)
In-Reply-To: <1159186918.035779.236700@i3g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.23;
   posting-account=G85FXw0AAABf14c6VsBZuAM6H05SJRil
Xref: g2news2.google.com rec.radio.amateur.policy:46406
rec.radio.amateur.antenna:18722 rec.radio.amateur.equipment:6443
rec.radio.scanner:6519 alt.ham-radio.vhf-uhf:2759


hamguy@arrl.net wrote:
>
show-na-to-va



From -3401501376760507667
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
i42g2000cwa.googlegroups.com!not-for-mail
From: "old freind" <kb9rqz-4@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 25 Sep 2006 08:23:44 -0700
Organization: http://groups.google.com
Lines: 11
```

```
Message-ID: <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
References: <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
   <1158592583.320144.215770@k70g2000cwa.googlegroups.com>
   <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159197829 11246 127.0.0.1 (25 Sep 2006 15:23:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 25 Sep 2006 15:23:49 +0000 (UTC)
In-Reply-To: <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.23;
   posting-account=G85FXw0AAABf14c6VsBZuAM6H05SJRil
Xref: g2news2.google.com rec.radio.amateur.policy:46409
rec.radio.amateur.equipment:6444 rec.radio.amateur.misc:22441
alt.radio.scanner:2988
```

```
markie_morgan_rapesboys@yahoo.com wrote:
>

> > >Liar.
> > sure I have
>
> No you haven't. Nobody would talk to you.

show-na-to-va
```

```
From 8219317451056928111
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 25 Sep 2006 10:31:33 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Mon, 25 Sep 2006 08:31:32 -0700
Subject: Re: CB radio amplifiers for sale CHEAP!
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Message-ID: <C13D4464.44C67%dbowey@comcast.net>
References: <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <C13CA203.44B9C%dbowey@comcast.net>
<p2jfh2t9tua3nv0b11jovhr9pnki9lvot7@4ax.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 15
NNTP-Posting-Host: 24.20.154.195
X-Trace:
sv3-7kDO2iQNbOBLhkddFBZxlrETTOMaw6jGYlG0Onz5cGw9U6LZhkxEC3LsPXjJP5BgdTSgZzj7qKhuxA
T!Vd26c3C4d/lMSG4uXK33e89jhZu99uX3oat28oKhHLcQeOFn8soeva8chEIl7OWNA64yfkl2
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7786 rec.radio.amateur.boatanchors:5526
rec.radio.amateur.equipment:6445 rec.radio.scanner:6520 alt.ham-radio.vhf-uhf:2762
rec.radio.amateur.misc:22450 alt.ham-radio.marketplace:1400

On 9/25/06 5:32 AM, in article p2jfh2t9tua3nv0b11jovhr9pnki9lvot7@4ax.com,
"Al Klein" <rukbat@pern.invalid> wrote:

> On Sun, 24 Sep 2006 20:58:43 -0700, Don Bowey <dbowey@comcast.net>
> wrote:
>
>> If you correctly ask "may I have a caramel" the correct reply is, "yes, you
>> may."
>
> You don't listen to the conversation of many people under 20, do you?

Yes, but that just tells me there are too many uneducated or lazy people.

Don

From -5882015150467714878
X-Google-Thread: 108122,a4a4e7251b09ddbd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: "The Undecided" <undecided@boh.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-2000 vs IC-756ProIII
Date: Mon, 25 Sep 2006 20:15:18 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Lines: 17
Message-ID: <45181cb3$0$47968$4fafbaef@reader3.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.8.251.213
X-Trace: 1159208116 reader3.news.tin.it 47968 87.8.251.213:2239
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:6446

Hello,
I'm very undecided between these two rigs, please, could someone who tested both or know them give me a suggestion ?
FT-2000 will be available to buy within a few weeks and I'd like to be convinced to choose it.
Of course I read eham reviews (http://www.eham.net/reviews/detail/5641) and it seems to me that FT could be the best choice.

BTW, this sentence from AD9P is fantastic "Now I could just convince my wife that I need both", I do believe I'll need to do it too ... :))

Thanks for any help.

Luis

From 7096958139661959304
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5

X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-05!sn-ams!sn-feed-ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Joel Kolstad" <JKolstad71HatesSpam@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: PayPal horror stories
Date: Mon, 25 Sep 2006 13:39:05 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12hgfjb7ql3v3a3@corp.supernews.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com> <6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com> <12gjg5c7v745776@corp.supernews.com> <D%lOg.16604$c07.4284@fed1read04> <eecrj6$c5e$1@news2.kornet.net> <1158291225.890645.27670@d34g2000cwd.googlegroups.com> <450AC969.AEA1EE0C@earthlink.net> <12glldnl1mdsn5c@corp.supernews.com> <4515DE32.CC9A7A8@earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:6451 rec.radio.amateur.homebrew:7080 rec.radio.amateur.policy:46444 rec.radio.shortwave:53912

Hi Michael,

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message news:4515DE32.CC9A7A8@earthlink.net...
>   BTW, I was given another Compaq like yours with the VGA connector
> sheared off the motherboard. It works with a replacement AGP card, but
> you know me. I'm going to replace the connector so I can see if the
> onboard video is still ok. ;-)

Wow... someone probably just reefed on a video cable that was still screwed into the connector and ripped it off?

I would wager that you'll find it will work just fine if you can successfully re-attach a connector (and repair any damaged traces!)

---Joel

```
From 1188307814841147558
X-Google-Thread: 10bf43,26511e0d926c8b30,start
X-Google-Thread: fcc6e,26511e0d926c8b30,start
X-Google-Thread: 108122,26511e0d926c8b30,start
X-Google-Thread: fa029,26511e0d926c8b30,start
X-Google-Thread: fb049,26511e0d926c8b30,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: my dad
Date: Mon, 25 Sep 2006 17:51:08 -0400
Organization: Chassell rainbow coalition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 34
Message-ID: <45184ab3$0$19734$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 Sep 2006 21:31:31 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:46452
rec.radio.amateur.antenna:18737 rec.radio.amateur.equipment:6452
rec.radio.scanner:6530 alt.ham-radio.vhf-uhf:2768
```

http://home.mchsi.com/~north1959/professorblumpkin.jpg

```
with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/





--
Posted via a free Usenet account from http://www.teranews.com




From -8227972277933222834
X-Google-Thread: fb049,afed39be50194c0f,start
X-Google-Thread: 108122,afed39be50194c0f,start
X-Google-Thread: 1109af,afed39be50194c0f,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: Wanted: Motorola Converta-com MTS2000 800mhz
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <NUYRg.10276$2G1.9992@trnddc07>
Date: Mon, 25 Sep 2006 22:39:41 GMT
NNTP-Posting-Host: 71.126.76.198
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1159223981 71.126.76.198 (Mon, 25 Sep 2006 18:39:41 EDT)
NNTP-Posting-Date: Mon, 25 Sep 2006 18:39:41 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2769
rec.radio.amateur.equipment:6453 rec.radio.swap:7792

I'm looking for a Motorola Converta-com for the Jedi series radio's. I need
one that will work with the MTS2000 Flashport 800mhz TypeII portable.

Thanks,

pottsladd13@yahoo.com
```

```
From 6363533838514751810
X-Google-Thread: 10bf43,26511e0d926c8b30
X-Google-Thread: fcc6e,26511e0d926c8b30
X-Google-Thread: 108122,26511e0d926c8b30
X-Google-Thread: fa029,26511e0d926c8b30
X-Google-Thread: fb049,26511e0d926c8b30
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
References: <45184ab3$0$19734$88260bb3@free.teranews.com>
Subject: Re: my dad
Date: Mon, 25 Sep 2006 18:35:35 -0400
Organization: Chassell rainbow coalition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 32
Message-ID: <45184e41$0$19607$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 Sep 2006 21:46:42 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:46455
rec.radio.amateur.antenna:18738 rec.radio.amateur.equipment:6454
rec.radio.scanner:6532 alt.ham-radio.vhf-uhf:2770
```

<Mark@kb9rqz.com> wrote in message
news:45184ab3$0$19734$88260bb3@free.teranews.com...

> http://home.mchsi.com/~north1959/professorblumpkin.jpg
>

and now me.........
http://i10.tinypic.com/29ygohw.jpg

strking remsenblance ay?

with the punce gotcha he wonders why I simple don't bother to ty
impoving my spelling do u hav anyting cognet two say?

my blog
http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 452662317923016201
X-Google-Thread: 10bf43,26511e0d926c8b30
X-Google-Thread: fcc6e,26511e0d926c8b30
X-Google-Thread: 108122,26511e0d926c8b30
X-Google-Thread: fa029,26511e0d926c8b30
X-Google-Thread: fb049,26511e0d926c8b30
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.scanner,alt.ham-radio.vhf-uhf
References: <45184ab3$0$19734$88260bb3@free.teranews.com>
Subject: Re: my dad
Date: Mon, 25 Sep 2006 18:41:50 -0400
Organization: Chassell rainbow coalition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 33
Message-ID: <45184e42$0$19607$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 Sep 2006 21:46:43 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:46456 rec.radio.amateur.antenna:18739 rec.radio.amateur.equipment:6455 rec.radio.scanner:6533 alt.ham-radio.vhf-uhf:2771

<Mark@kb9rqz.com> wrote in message
news:45184ab3$0$19734$88260bb3@free.teranews.com...
> http://home.mchsi.com/~north1959/professorblumpkin.jpg
>

and now me.........
http://i10.tinypic.com/29ygohw.jpg

strking remsenblance ay?

with the punce gotcha he wonders why I simple don't bother to ty
impoving my spelling do u hav anyting cognet two say?

my blog
http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -6083797347881766946
X-Google-Thread: 10bf43,bfead0dc7075e7a6
X-Google-Thread: fcc6e,bfead0dc7075e7a6
X-Google-Thread: 108122,bfead0dc7075e7a6
X-Google-Thread: fa029,bfead0dc7075e7a6
X-Google-Thread: fb049,bfead0dc7075e7a6
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: Re: I punch in agian
From: Slow Code <my.mail@no.spam>
References: <4516a991$0$19652$88260bb3@free.teranews.com>
Organization: None
User-Agent: Xnews/5.04.25

```
Lines: 20
Message-ID: <83_Rg.1382$Y24.735@newsread4.news.pas.earthlink.net>
Date: Mon, 25 Sep 2006 23:59:00 GMT
NNTP-Posting-Host: 4.254.229.50
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1159228740 4.254.229.50 (Mon, 25 Sep
2006 16:59:00 PDT)
NNTP-Posting-Date: Mon, 25 Sep 2006 16:59:00 PDT
Xref: g2news2.google.com rec.radio.amateur.policy:46464
rec.radio.amateur.antenna:18741 rec.radio.amateur.equipment:6456
rec.radio.scanner:6536 alt.ham-radio.vhf-uhf:2773

<Mark@kb9rqz.com> wrote in
news:4516a991$0$19652$88260bb3@free.teranews.com:

>  ok I back four anoter tuff day on the news grupes it my job tis waht I
>  do
> so
>  bringit on you loosers
>
> show-na-to-va (that is the greeting for this time of year as a JEW
> rendered phonicticaly)
> happy new years it means and it can be better one if Wismen Robson and
> SC a few just decided to not to be as hateful


ROFL

Why do you have to tease the retard?  It's not helping my effort to save ham
radio from becoming like CB.

SC



From -7105499941331273684
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <r1tgh29quhjg0r0dbshtmmcpc1el0laphu@4ax.com>
References: <o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
```

```
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <C13CA203.44B9C%dbowey@comcast.net>
<p2jfh2t9tua3nv0b11jovhr9pnki9lvot7@4ax.com> <C13D4464.44C67%dbowey@comcast.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimleilmfiaplplofpefkbniaamobbiakdjlkcpkeahangnidoapo
ppajonjcljdkcjmlgninajkkbffdpnkahamldiagopabdnenfnojecgjgcfcij
NNTP-Posting-Date: Mon, 25 Sep 2006 17:28:07 MST
Organization: Optimum Online
Date: Mon, 25 Sep 2006 20:29:56 -0400
Xref: g2news2.google.com rec.radio.swap:7802 rec.radio.amateur.boatanchors:5537
rec.radio.amateur.equipment:6457 rec.radio.scanner:6541

On Mon, 25 Sep 2006 08:31:32 -0700, Don Bowey <dbowey@comcast.net>
wrote:

>On 9/25/06 5:32 AM, in article p2jfh2t9tua3nv0b11jovhr9pnki9lvot7@4ax.com,
>"Al Klein" <rukbat@pern.invalid> wrote:
>
>> On Sun, 24 Sep 2006 20:58:43 -0700, Don Bowey <dbowey@comcast.net>
>> wrote:
>>
>>> If you correctly ask "may I have a caramel" the correct reply is, "yes, you
>>> may."
>>
>> You don't listen to the conversation of many people under 20, do you?
>
>Yes, but that just tells me there are too many uneducated or lazy people.

I'd say lazy.  Too lazy to learn, perhaps.


From 2665567199890804935
X-Google-Thread: 10bf43,bfead0dc7075e7a6
X-Google-Thread: fcc6e,bfead0dc7075e7a6
X-Google-Thread: 108122,bfead0dc7075e7a6
X-Google-Thread: fa029,bfead0dc7075e7a6
X-Google-Thread: fb049,bfead0dc7075e7a6
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
```

```
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: blow code blows it again
Date: 25 Sep 2006 18:32:34 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159234354.789698.90260@d34g2000cwd.googlegroups.com>
References: <4516a991$0$19652$88260bb3@free.teranews.com>
   <83_Rg.1382$Y24.735@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159234360 4069 127.0.0.1 (26 Sep 2006 01:32:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Sep 2006 01:32:40 +0000 (UTC)
In-Reply-To: <83_Rg.1382$Y24.735@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.policy:46489
rec.radio.amateur.antenna:18745 rec.radio.amateur.equipment:6458
rec.radio.scanner:6544 alt.ham-radio.vhf-uhf:2778


Slow Code wrote:
>
blow code blows it again



From 8856879135849938569
X-Google-Thread: 10bf43,26511e0d926c8b30
X-Google-Thread: fcc6e,26511e0d926c8b30
X-Google-Thread: 108122,26511e0d926c8b30
X-Google-Thread: fa029,26511e0d926c8b30
X-Google-Thread: fb049,26511e0d926c8b30
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: e is prehaps the dumbest of the folks currently online that is likely why
he refuses to give his name
Date: 25 Sep 2006 18:49:54 -0700
Organization: http://groups.google.com
Lines: 5
```

```
Message-ID: <1159235394.283780.238770@i3g2000cwc.googlegroups.com>
References: <45184ab3$0$19734$88260bb3@free.teranews.com>
   <45184e42$0$19607$88260bb3@free.teranews.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159235399 6680 127.0.0.1 (26 Sep 2006 01:49:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Sep 2006 01:49:59 +0000 (UTC)
In-Reply-To: <45184e42$0$19607$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.policy:46506
rec.radio.amateur.antenna:18749 rec.radio.amateur.equipment:6459
rec.radio.scanner:6549 alt.ham-radio.vhf-uhf:2780


Mark@kb9rqz.com wrote:
> <Mark@kb9rqz.com> wrote in message
more forgery and despictable attackson my dad



From -3189424550682884459
X-Google-Thread: 108122,3b811a439ca2db92,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: bernd@west.de
Newsgroups: rec.radio.amateur.equipment
Subject: WTP: Yaesu FP-27
Date: 26 Sep 2006 00:16:37 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1159254997.088291.204330@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 141.113.85.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159255002 23589 127.0.0.1 (26 Sep 2006 07:16:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Sep 2006 07:16:42 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; dcdev001;
SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=141.113.85.21;
   posting-account=UQfW5A0AAABelCCp-KN5Y7s2RUIsZP41
Xref: g2news2.google.com rec.radio.amateur.equipment:6460
```

Hello,
I'm urgently looking for a Yaesu FP-27 internal power-supply. This part is out of stock everywhere so if somebody knows a source please let me know.

73
Bernd, DK5BM

From -3489756856231852527
X-Google-Thread: 1109af,b04c2a82f226268c,start
X-Google-Thread: 108122,b04c2a82f226268c,start
X-Google-Thread: fc8b1,b04c2a82f226268c,start
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!
53ab2750!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Wanted: VT-4-C / 211A vacuum tubes for display -- "duds" OK
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 22
Message-ID: <wy9Sg.1$dY.0@dfw-service2.ext.ray.com>
Date: Tue, 26 Sep 2006 13:03:24 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1159275804 138.126.48.166 (Tue, 26 Sep 2006
08:03:24 CDT)
NNTP-Posting-Date: Tue, 26 Sep 2006 08:03:24 CDT
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.swap:7823 rec.radio.amateur.equipment:6461
rec.radio.amateur.boatanchors:5544

Hi all,

I am in need of four (4) type VT-4-C / 211A vacuum tubes for display only. "Dud" tubes would be just fine as long as they look OK. These will be installed in the BC-375-E transmitter that is on display in the exhibit hall at our Museum hangar. That radio will eventually be installed in the radio compartment of our B-17G Flying Fortress bomber. I am looking for a donation here, and once again I stress that I'm NOT looking for good tubes because they are only for display. We are a 501(c)(3) non-profit aviation museum, and all donations are tax-deductible. Can someone help us out with 1, 2, 3, or 4 tubes?

Thanks and 73!

Dean Hemphill, K5DH
B-17G 44-8543A "Chuckie" Volunteer Crew Member
Vintage Flying Museum
Fort Worth, Texas
http://www.VintageFlyingMuseum.org

```
From 2524931978744755677
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 26 Sep 2006 06:35:22 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
References: <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
   <1158592583.320144.215770@k70g2000cwa.googlegroups.com>
   <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
   <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.98.109
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159277727 16485 127.0.0.1 (26 Sep 2006 13:35:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Sep 2006 13:35:27 +0000 (UTC)
In-Reply-To: <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=65.54.98.109;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.policy:46720
rec.radio.amateur.equipment:6462 rec.radio.amateur.misc:22559
alt.radio.scanner:2997


old freind wrote:
> markie_morgan_rapesboys@yahoo.com wrote:
> >
>
> > > >Liar.
> > > sure I have
> >
> > No you haven't. Nobody would talk to you.
>
> show-na-to-va

lech lehizdayen




From -8989276062496269141
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: show-na-to-va (that is the greeting for this time of year from a JEW
registered pedophile Mark C. Morgan)
Date: 26 Sep 2006 06:42:29 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1159278148.979026.26280@e3g2000cwe.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <45154c1c$0$19687$88260bb3@free.teranews.com>
   <1159120605.604878.326540@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.98.109
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159278155 9604 127.0.0.1 (26 Sep 2006 13:42:35 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Tue, 26 Sep 2006 13:42:35 +0000 (UTC)
In-Reply-To: <1159120605.604878.326540@h48g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=65.54.98.109;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.policy:46724
rec.radio.amateur.equipment:6463 rec.radio.amateur.misc:22563
alt.radio.scanner:2998


an old friend wrote:
> Mark@kb9rqz.com wrote:
> >
> show-

leh lehizdayen




From 7798758562629135281
X-Google-Thread: 1109af,b04c2a82f226268c
X-Google-Thread: 108122,b04c2a82f226268c
X-Google-Thread: fc8b1,b04c2a82f226268c
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!
newspeer.monmouth.com!newsswitch.lcs.mit.edu!bloom-beacon.mit.edu!panix!
panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: Wanted:  VT-4-C / 211A vacuum tubes for display -- "duds" OK
Date: 26 Sep 2006 10:23:51 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 23
Message-ID: <efbd5n$o2d$1@panix2.panix.com>
References: <wy9Sg.1$dY.0@dfw-service2.ext.ray.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1159280631 60 166.84.1.2 (26 Sep 2006 14:23:51 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 26 Sep 2006 14:23:51 +0000 (UTC)
Xref: g2news2.google.com rec.radio.swap:7825 rec.radio.amateur.equipment:6464
rec.radio.amateur.boatanchors:5545

In article <wy9Sg.1$dY.0@dfw-service2.ext.ray.com>,
-=H=- <k5dh@raytheon.com> wrote:
>Hi all,
>
>I am in need of four (4) type VT-4-C / 211A vacuum tubes
```

>for display only. "Dud" tubes would be just fine as long
>as they look OK. These will be installed in the BC-375-E
>transmitter that is on display in the exhibit hall at our
>Museum hangar. That radio will eventually be installed in
>the radio compartment of our B-17G Flying Fortress bomber.
>I am looking for a donation here, and once again I stress
>that I'm NOT looking for good tubes because they are only
>for display. We are a 501(c)(3) non-profit aviation museum,
>and all donations are tax-deductible. Can someone help us
>out with 1, 2, 3, or 4 tubes?

The 211A is in current production by a number of manufacturers, and
the high end audio guys really like them. You might try asking on
rec.audio.high-end if anybody has any pulls. You may be forced to
use Chinese ones, mind you, but that is probably fine.
--scott
--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From 8610043508142474303
X-Google-Thread: 10bf43,26511e0d926c8b30
X-Google-Thread: fcc6e,26511e0d926c8b30
X-Google-Thread: 108122,26511e0d926c8b30
X-Google-Thread: fa029,26511e0d926c8b30
X-Google-Thread: fb049,26511e0d926c8b30
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark Morgan" <kb9rqz@bareback.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: my dad
Date: Tue, 26 Sep 2006 12:01:53 -0400
Organization: Blumpkin Specialiast
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 36
Message-ID: <451941ef$0$19703$88260bb3@free.teranews.com>
NNTP-Posting-Date: 26 Sep 2006 15:06:23 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:46737
rec.radio.amateur.antenna:18766 rec.radio.amateur.equipment:6465
rec.radio.scanner:6566 alt.ham-radio.vhf-uhf:2788

http://home.mchsi.com/~north1959/professorblumpkin.jpg

```
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
 with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/

>
>



--
Posted via a free Usenet account from http://www.teranews.com




From -2131445246661082399
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <45194FA0.79D139CD@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
```

X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: PayPal horror stories
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
<12gjg5c7v745776@corp.supernews.com>   <D%lOg.16604$c07.4284@fed1read04>
<eecrj6$c5e$1@news2.kornet.net>
<1158291225.890645.27670@d34g2000cwd.googlegroups.com>
<450AC969.AEA1EE0C@earthlink.net> <12glldnl1mdsn5c@corp.supernews.com>
<4515DE32.CC9A7A8@earthlink.net> <12hgfjb7ql3v3a3@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 34
Date: Tue, 26 Sep 2006 16:05:30 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1159286730 24.110.34.161 (Tue, 26 Sep 2006 09:05:30 PDT)
NNTP-Posting-Date: Tue, 26 Sep 2006 09:05:30 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6466
rec.radio.amateur.homebrew:7107 rec.radio.amateur.policy:46739
rec.radio.shortwave:53993

Joel Kolstad wrote:
>
> Hi Michael,
>
> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
> news:4515DE32.CC9A7A8@earthlink.net...
> >   BTW, I was given another Compaq like yours with the VGA connector
> > sheared off the motherboard. It works with a replacement AGP card, but
> > you know me. I'm going to replace the connector so I can see if the
> > onboard video is still ok. ;-)
>
> Wow... someone probably just reefed on a video cable that was still screwed
> into the connector and ripped it off?
>
> I would wager that you'll find it will work just fine if you can successfully
> re-attach a connector (and repair any damaged traces!)
>
> ---Joel

No damaged traces, but someone covered the exposed terminals with black electrical tape over the HDE15 knockout. The 15 pins aren't too hard, but removing the two spring loaded mounting clips is the bear. If the onboard video is bad, I'll remove it and put one of the old DE-9 filler plates over the hole.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From -1440889128288447683
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 26 Sep 2006 09:53:58 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
References: <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
   <1158592583.320144.215770@k70g2000cwa.googlegroups.com>
   <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
   <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
   <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159289643 5725 127.0.0.1 (26 Sep 2006 16:54:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Sep 2006 16:54:03 +0000 (UTC)
In-Reply-To: <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=66.82.9.89;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.policy:46782
rec.radio.amateur.equipment:6467 rec.radio.amateur.misc:22569
alt.radio.scanner:3000


kb9rqz_child_molester@yahoo.com wrote:
>
show na tovah woger




From 3648104364310135044
X-Google-Thread: 1109af,b04c2a82f226268c
X-Google-Thread: 108122,b04c2a82f226268c
X-Google-Thread: fc8b1,b04c2a82f226268c
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!
newsfeed01.sul.t-online.de!t-online.de!fu-berlin.de!uni-berlin.de!individual.net!
not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Re: Wanted:  VT-4-C / 211A vacuum tubes for display -- "duds" OK
Date: 26 Sep 2006 16:55:29 GMT
Lines: 30
Message-ID: <slrnehims1.3oc.bit-bucket@shell.config.com>
References: <wy9Sg.1$dY.0@dfw-service2.ext.ray.com>
<efbd5n$o2d$1@panix2.panix.com>
Reply-To: Reply to the .sig address <NOSPAM_bit-bucket@config.com>
X-Trace: individual.net PhWTSOQuIJb38OlmSH7Izwe0ztQy6+L2BrKkpWViRG1Wjts1eB
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.swap:7829 rec.radio.amateur.equipment:6468
rec.radio.amateur.boatanchors:5548

On 26 Sep 2006 10:23:51 -0400, Scott Dorsey wrote:
> In article <wy9Sg.1$dY.0@dfw-service2.ext.ray.com>,
> -=H=- <k5dh@raytheon.com> wrote:
>>
>>I am in need of four (4) type VT-4-C / 211A vacuum tubes
>>for display only.  "Dud" tubes would be just fine as long
>>as they look OK.  These will be installed in the BC-375-E
>>transmitter that is on display in the exhibit hall at our
>>Museum hangar.  That radio will eventually be installed in
>>the radio compartment of our B-17G Flying Fortress bomber.
>>I am looking for a donation here, and once again I stress
>>that I'm NOT looking for good tubes because they are only
>>for display.  We are a 501(c)(3) non-profit aviation museum,
>>and all donations are tax-deductible.  Can someone help us
```

>>out with 1, 2, 3, or 4 tubes?
>
> The 211A is in current production by a number of manufacturers, and
> the high end audio guys really like them. You might try asking on
> rec.audio.high-end if anybody has any pulls.

> You may be forced to use Chinese ones, mind you, but that is probably
> fine.

Ahhh... From The Flying Tigers quartermaster's stock.

Jonesy

```
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    *** Killfiling google posts: <http//jonz.net/ng.htm>
```

```
From 7017153501583l5720
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: woger self hateing  a JEW registered pedophile ?
Date: Tue, 26 Sep 2006 12:59:52 -0400
Message-ID: <r3nih2hltd8c6htbh660l2qrt20grt5nqv@4ax.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
<1158627319.033909.250040@i3g2000cwc.googlegroups.com>
<1158631813.879090.64090@h48g2000cwc.googlegroups.com>
<e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
<Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
<45154c1c$0$19687$88260bb3@free.teranews.com>
<1159120605.604878.326540@h48g2000cwc.googlegroups.com>
<1159278148.979026.26280@e3g2000cwe.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Date: 26 Sep 2006 16:04:17 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:46795
rec.radio.amateur.equipment:6469 rec.radio.amateur.misc:22581
alt.radio.scanner:3001
```

On 26 Sep 2006 06:42:29 -0700, kb9rqz_child_molester@yahoo.com wrote:

woger self hateing a JEW registered pedophile ?
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -5153947930271164375
X-Google-Thread: 10bf43,26511e0d926c8b30
X-Google-Thread: fcc6e,26511e0d926c8b30
X-Google-Thread: 108122,26511e0d926c8b30
X-Google-Thread: fa029,26511e0d926c8b30
X-Google-Thread: fb049,26511e0d926c8b30
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: woger self hateing  a JEW registered pedophile ?
Date: Tue, 26 Sep 2006 13:00:24 -0400
Message-ID: <t4nih2d4muhirp5ak9c82edifimupgcct8@4ax.com>
References: <45184ab3$0$19734$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Date: 26 Sep 2006 16:04:48 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:46797
rec.radio.amateur.antenna:18768 rec.radio.amateur.equipment:6470
rec.radio.scanner:6567 alt.ham-radio.vhf-uhf:2793
```

On Mon, 25 Sep 2006 17:51:08 -0400, <Mark@kb9rqz.com> wrote:

woger self hateing a JEW registered pedophile ?
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From 5238925807274541474

```
X-Google-Thread: 108122,a571dd008ace8e25,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS 2 Meter Transceivers cheap
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <ZxeSg.635$uJ2.193@dukeread03>
Date: Tue, 26 Sep 2006 13:44:29 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1159296249 68.109.223.91 (Tue, 26 Sep 2006 14:44:09 EDT)
NNTP-Posting-Date: Tue, 26 Sep 2006 14:44:09 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6471

I have two VHF Transceivers for sale cheap:
1. Icom IC-27H, 2 Meters, 45 Watts, has Mic, Manual, Mobile Mt. Tone Board.
This transceiver
looks new and transmits with full output. But the receiver audio is very
low. I would guess that the
audio transistor is out. Everything else works great. Price is $55;
2. KDK Model FM-2015R 2 Meters, 15 Watts, Mic, Manual, Looks and works like
new. Fixed Tone,
Price is $60. Very little time on both of these radios.
Shipping from 79602 is extra. Thanks, Charlie Hugg, K5MBX
```

```
From -2911198795017477663
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: "N0VFP" <lloyd_n0vfp@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Markie is a self hating JEW and a registered pedophile ?
Date: 26 Sep 2006 13:12:06 -0700
```

```
Organization: http://groups.google.com
Lines: 10
Message-ID: <1159301525.986839.162600@k70g2000cwa.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <45154c1c$0$19687$88260bb3@free.teranews.com>
   <1159120605.604878.326540@h48g2000cwc.googlegroups.com>
   <1159278148.979026.26280@e3g2000cwe.googlegroups.com>
   <r3nih2hltd8c6htbh660l2qrt20grt5nqv@4ax.com>
NNTP-Posting-Host: 65.54.155.55
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159301532 2688 127.0.0.1 (26 Sep 2006 20:12:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Sep 2006 20:12:12 +0000 (UTC)
In-Reply-To: <r3nih2hltd8c6htbh660l2qrt20grt5nqv@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; MSN
9.0;MSN 9.1; MSNbMSNI; MSNmen-us; MSNcIA; MPLUS),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=65.54.155.55;
   posting-account=I1axzw0AAADsW75j_Q6yJDAMR2rP9flh
Xref: g2news2.google.com rec.radio.amateur.policy:46951
rec.radio.amateur.equipment:6472 rec.radio.amateur.misc:22599
alt.radio.scanner:3003



MarkMoron@kb9rqz.com wrote:
> On 26 Sep 2006 06:42:29 -0700, kb9rqz_child_molester@yahoo.com wrote:
>
>
> woger iam aself hateing JEW adn a registered pedophile ?
> http://kb9rqz.blogspot.com/

We know you are, Marqueer.




From 1670347587564303935
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: billy_shittydrawers_smith@yahoo.com
Newsgroups:
```

rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 26 Sep 2006 13:43:56 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
References: <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
   <1158592583.320144.215770@k70g2000cwa.googlegroups.com>
   <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
   <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
   <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
   <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 65.54.155.55
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159303442 7284 127.0.0.1 (26 Sep 2006 20:44:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Sep 2006 20:44:02 +0000 (UTC)
In-Reply-To: <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.155.55;
   posting-account=Fb0piA0AAAD5aqfdjrmQBH2oEHYEo7NO
Xref: g2news2.google.com rec.radio.amateur.policy:46967
rec.radio.amateur.equipment:6473 rec.radio.amateur.misc:22614
alt.radio.scanner:3004

an old friend wrote:
> show na tovah woger

Translates to Markie admitting he licked feces off of his daddy's penis!

From -7944304304825573603
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf

```
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: Tue, 26 Sep 2006 17:14:46 -0400
Message-ID: <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
References: <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
<ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
<1158749869.817402.53860@m73g2000cwd.googlegroups.com>
<l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
<1159189700.968013.270450@h48g2000cwc.googlegroups.com>
<1159197823.973924.271250@i42g2000cwa.googlegroups.com>
<1159277722.347757.183420@i42g2000cwa.googlegroups.com>
<1159289638.134123.268990@d34g2000cwd.googlegroups.com>
<1159303436.382766.203250@m73g2000cwd.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Date: 26 Sep 2006 20:19:10 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:46974
rec.radio.amateur.equipment:6474 rec.radio.amateur.misc:22618
alt.radio.scanner:3005

On 26 Sep 2006 13:43:56 -0700, billy_shittydrawers_smith@yahoo.com
wrote:

>
>an old friend wrote:
>> show na tovah woger
>
>Translates to Markie admitting he licked feces off of his daddy's penis!
no woger we know you are self a self hating jew

it means happy new year
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -241651190756431262
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
```

```
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
k70g2000cwa.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: show-na-to-va woger
Date: 26 Sep 2006 14:42:19 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159306939.263759.50030@k70g2000cwa.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <45154c1c$0$19687$88260bb3@free.teranews.com>
   <1159120605.604878.326540@h48g2000cwc.googlegroups.com>
   <1159278148.979026.26280@e3g2000cwe.googlegroups.com>
   <r3nih2hltd8c6htbh660l2qrt20grt5nqv@4ax.com>
   <1159301525.986839.162600@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159306944 16013 127.0.0.1 (26 Sep 2006 21:42:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 26 Sep 2006 21:42:24 +0000 (UTC)
In-Reply-To: <1159301525.986839.162600@k70g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=66.82.9.53;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.policy:47016
rec.radio.amateur.equipment:6475 rec.radio.amateur.misc:22643
alt.radio.scanner:3006


N0VFP wrote:
>
show-na-to-va woger



From -8211505455408044401
X-Google-Thread: fcc6e,3946db13a1a563fc,start
X-Google-Thread: 108122,3946db13a1a563fc,start
X-Google-Thread: fc2a5,3946db13a1a563fc,start
X-Google-Thread: 10bf43,3946db13a1a563fc,start
```

```
X-Google-Thread: 1109af,3946db13a1a563fc,start
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.swap
Subject: CW not CB
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 3
Message-ID: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
Date: Tue, 26 Sep 2006 23:15:37 GMT
NNTP-Posting-Host: 4.227.160.74
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1159312537 4.227.160.74 (Tue, 26 Sep
2006 16:15:37 PDT)
NNTP-Posting-Date: Tue, 26 Sep 2006 16:15:37 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18778
rec.radio.amateur.equipment:6476 rec.radio.amateur.homebrew:7118
rec.radio.amateur.policy:47039 rec.radio.swap:7845

Why are you people against having good hams?

SC


From 856997852029882161
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.swap
Subject: ARS is not CW
Date: Tue, 26 Sep 2006 19:23:20 -0400
Message-ID: <bidjh25avcr4gaivu303u0frpnfgu76kr5@4ax.com>
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
```

```
NNTP-Posting-Date: 26 Sep 2006 22:27:46 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18782
rec.radio.amateur.equipment:6477 rec.radio.amateur.homebrew:7121
rec.radio.amateur.policy:47062 rec.radio.swap:7853

On Tue, 26 Sep 2006 23:15:37 GMT, Slow Code <my.mail@no.spam> wrote:

>Why are you people against having good hams?
>
who is against it

I am all for revoking your license for example
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 1174444988744089508
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!0d6cb185!not-for-mail
From: "Neal Hudson" <nealwh@sbcglobal.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <4YGdnUxqKr-
aUorYnZ2dnUVZ_rudnZ2d@rcn.net>
Subject: Re: CB radio amplifiers for sale CHEAP!
```

```
Lines: 50
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <bUkSg.5850$e66.2310@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 75.4.225.125
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1159322247 ST000 75.4.225.125 (Tue, 26 Sep
2006 21:57:27 EDT)
NNTP-Posting-Date: Tue, 26 Sep 2006 21:57:27 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDCA[S@ORTLYBZNTOFXBWR\HPCTL@XT^OBPLAH[\RYIBK^RAQFW[ML\THRCKV^GGZKJMGV^^_JSCFF
UA_QXFGVSCYRPILH]TRVKC^LSN@DX_HCAFX__@J\DAJBVMY\ZWZCZLPA^MVH_P@\
\EOMW\YSXHG__IJQY_@M[A[[AXQ_XDSTAR]\PG]NVAQUVM
Date: Wed, 27 Sep 2006 01:57:27 GMT
Xref: g2news2.google.com rec.radio.swap:7865 rec.radio.amateur.boatanchors:5568
rec.radio.amateur.equipment:6478 rec.radio.scanner:6585 alt.ham-radio.vhf-uhf:2803
rec.radio.amateur.misc:22675 alt.ham-radio.marketplace:1405

Actually I thought the 11 Meter band was given to CB in 1955 and not 1957. A
very mute point indeed.


"Chuck Harris" <cf-NO-SPAM-harris@erols.com> wrote in message
news:4YGdnUxqKr-aUorYnZ2dnUVZ_rudnZ2d@rcn.net...
> Al Klein wrote:
> > On Sun, 24 Sep 2006 12:49:18 +1000, Barry OGrady
> > <god_free_jones@yahoo.com> wrote:
> >
> >> Aside from spelling metre as meter you are confusing can't and may. You
can
> >> sell whatever you like anywhere but there are many things you may not
sell.
> >
> > American English: "Can" = "May".  "Can" seems to be preferred in
> > common usage.  (Then again, just look at how some of our kids spell on
> > Usenet and in IRC and, knowing that any of them can grow up to be
> > president, be very afraid.)
>
> Hmm, you think that spelling is a reflection on intelligence?  Spelling is
a
> rather arbitrary transliteration of vocal sounds into written text.  I
have
> known some incredibly brilliant people that couldn't spell their way out
of
> a wet paper bag, and I have known some extremely facile spellers that
> couldn't reason their way out of that same bag.
>
> The kids on IRC are using home grown abbreviations to cut down on the
number
> of symbols they need to type to convey a message... Hams do the same thing
> when using RTTY, or CW.
>
> >
> >>>    I think the stink arose on the posting, because the person posting
the
> >>> original listing, advertised it as a CB radio amplifier
> >
> >> He may have been blasted for top posting.
> >
> > Neither of us who took issue with his post mentioned his top-posting.
> > We both blasted him on pure content.
>
> I am sort of curious as to why my posting of the actual FCC part 97 rules
> that cover linear amplifiers drew exactly zero comments.
>
> -Chuck Harris




From 8963464118517955203
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!uns-out.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4519F92A.5080301@fuse.net>
Date: Wed, 27 Sep 2006 00:08:10 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
```

<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <4YGdnUxqKr-
aUorYnZ2dnUVZ_rudnZ2d@rcn.net>
In-Reply-To: <4YGdnUxqKr-aUorYnZ2dnUVZ_rudnZ2d@rcn.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 13
X-Trace: 4d42d4519f996ed94689c01510
Xref: g2news2.google.com rec.radio.swap:7870 rec.radio.amateur.boatanchors:5570
rec.radio.amateur.equipment:6479 rec.radio.scanner:6591 alt.ham-radio.vhf-uhf:2809
rec.radio.amateur.misc:22682 alt.ham-radio.marketplace:1407

> I am sort of curious as to why my posting of the actual FCC part 97 rules
> that cover linear amplifiers drew exactly zero comments.
>
> -Chuck Harris

What is there on which to comment? "Can't argue with the horse's mouth"

(not quite right, is it?)

Here's another one: "If you can't dish it out, don't cook it." I have a
friend who came up with a whole page of malaprops (collected sayings
from his wife)

From -5544834176249929496
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!peer01.west.cox.net!
cox.net!p02!dukeread06.POSTED!53ab2750!not-for-mail
Reply-To: "Bowser" <usually@home.org>
From: "Bowser" <usually@home.org>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>

```
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <4YGdnUxqKr-
aUorYnZ2dnUVZ_rudnZ2d@rcn.net> <bUkSg.5850$e66.2310@newssvr13.news.prodigy.com>
Subject: Re: CB radio amplifiers for sale CHEAP!
Lines: 63
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.0000
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2600.0000
Message-ID: <LSmSg.2697$eZ4.902@dukeread06>
Date: Wed, 27 Sep 2006 04:12:27 -0000
NNTP-Posting-Host: 68.225.143.89
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1159330347 68.225.143.89 (Wed, 27 Sep 2006 00:12:27 EDT)
NNTP-Posting-Date: Wed, 27 Sep 2006 00:12:27 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.swap:7871 rec.radio.amateur.boatanchors:5571
rec.radio.amateur.equipment:6480 rec.radio.scanner:6592 alt.ham-radio.vhf-uhf:2810
rec.radio.amateur.misc:22683 alt.ham-radio.marketplace:1408

Actually, you mean "moot point", not "Mute point"...


"Neal Hudson" <nealwh@sbcglobal.net> wrote in message
news:bUkSg.5850$e66.2310@newssvr13.news.prodigy.com...
> Actually I thought the 11 Meter band was given to CB in 1955 and not 1957.
A
> very mute point indeed.
>
>
> "Chuck Harris" <cf-NO-SPAM-harris@erols.com> wrote in message
> news:4YGdnUxqKr-aUorYnZ2dnUVZ_rudnZ2d@rcn.net...
> > Al Klein wrote:
> > > On Sun, 24 Sep 2006 12:49:18 +1000, Barry OGrady
> > > <god_free_jones@yahoo.com> wrote:
> > >
> > >> Aside from spelling metre as meter you are confusing can't and may.
You
> can
> > >> sell whatever you like anywhere but there are many things you may not
> sell.
> > >
> > > American English: "Can" = "May".  "Can" seems to be preferred in
> > > common usage.  (Then again, just look at how some of our kids spell on
> > > Usenet and in IRC and, knowing that any of them can grow up to be
> > > president, be very afraid.)
> >
> > Hmm, you think that spelling is a reflection on intelligence?  Spelling
is
> a
> > rather arbitrary transliteration of vocal sounds into written text.  I
> have
> > known some incredibly brilliant people that couldn't spell their way out
> of
> > a wet paper bag, and I have known some extremely facile spellers that
> > couldn't reason their way out of that same bag.
> >
> > The kids on IRC are using home grown abbreviations to cut down on the
> number
> > of symbols they need to type to convey a message... Hams do the same
thing
> > when using RTTY, or CW.
> >
> > >
> > >>>    I think the stink arose on the posting, because the person
posting
> the
> > >>> original listing, advertised it as a CB radio amplifier
> > >
> > >> He may have been blasted for top posting.
> > >
> > > Neither of us who took issue with his post mentioned his top-posting.
> > > We both blasted him on pure content.
> >
> > I am sort of curious as to why my posting of the actual FCC part 97
rules
> > that cover linear amplifiers drew exactly zero comments.
> >
> > -Chuck Harris
>
>
```

```
From -3958201040188652248
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 26 Sep 2006 23:54:27 -0500
Date: Wed, 27 Sep 2006 00:52:36 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.6) Gecko/20060730
SeaMonkey/1.0.4
```

MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <4YGdnUxqKr-
aUorYnZ2dnUVZ_rudnZ2d@rcn.net> <4519F92A.5080301@fuse.net>
In-Reply-To: <4519F92A.5080301@fuse.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <MuWdnTd4eoqemYfYnZ2dnUVZ_tydnZ2d@rcn.net>
Lines: 19
NNTP-Posting-Host: 71.163.20.164
X-Trace: sv3-0SN69ExrO+rS+pe4qZ67qUwXaTCnJDOZHuZl1HWgtqGR+GtdrH//
Zjs932DpqKd2PkXNOcRTfayId/Q!
3tbAtNi5InvlqSBSjhYj0pTcDXwv3q5tfJjBW8cpv6DmpBjotYHBmVxNXNOvtjNtmNOEsMDMxVwo!
JFcnZ9l/pjB5
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7873 rec.radio.amateur.boatanchors:5572
rec.radio.amateur.equipment:6481 rec.radio.scanner:6594 alt.ham-radio.vhf-uhf:2811
rec.radio.amateur.misc:22685 alt.ham-radio.marketplace:1409

jawod wrote:
>
>> I am sort of curious as to why my posting of the actual FCC part 97 rules
>> that cover linear amplifiers drew exactly zero comments.
>>
>> -Chuck Harris
>
> What is there on which to comment? "Can't argue with the horse's mouth"

Well, I sort of thought it might draw a few "Oh, gee, I guess commercially made ham linears have to be FCC type accepted after all"'s.

The guy making the CB linears fails a whole laundry list of requirements for type acceptance of a Ham linear.

And because he isn't a ham, he cannot legally build even *one* such unit, let alone go into production.

-Chuck Harris

```
From -6193078200543641985
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!postnews.google.com!
d34g2000cwd.googlegroups.com!not-for-mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Markie wants to suck people off!
Date: 27 Sep 2006 05:24:45 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1159359885.011255.172110@d34g2000cwd.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <45154c1c$0$19687$88260bb3@free.teranews.com>
   <1159120605.604878.326540@h48g2000cwc.googlegroups.com>
   <1159278148.979026.26280@e3g2000cwe.googlegroups.com>
   <r3nih2hltd8c6htbh660l2qrt20grt5nqv@4ax.com>
   <1159301525.986839.162600@k70g2000cwa.googlegroups.com>
   <1159306939.263759.50030@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.155.57
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159359889 12227 127.0.0.1 (27 Sep 2006 12:24:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 12:24:49 +0000 (UTC)
In-Reply-To: <1159306939.263759.50030@k70g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=65.54.155.57;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.policy:47147
rec.radio.amateur.equipment:6482 rec.radio.amateur.misc:22710
alt.radio.scanner:3016
```

an old friendless cocksucker wrote:

> N0VFP wrote:
> >
> show-na-to-va woger

Translation "Show me your dick". Now he's Roger, first you claimed he
was Robeson .

```
From -3252501384563240658
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
m73g2000cwd.googlegroups.com!not-for-mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 27 Sep 2006 05:49:15 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
References: <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
   <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
   <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
   <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
   <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
   <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
NNTP-Posting-Host: 65.54.155.57
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159361361 3737 127.0.0.1 (27 Sep 2006 12:49:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 12:49:21 +0000 (UTC)
In-Reply-To: <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.155.57;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.policy:47162
rec.radio.amateur.equipment:6483 rec.radio.amateur.misc:22725
```

alt.radio.scanner:3017

MarkMoron@kb9rqz.com wrote:
> On 26 Sep 2006 13:43:56 -0700, billy_shittydrawers_smith@yahoo.com
> wrote:
>
> >
> >an old friend wrote:
> >> show na tovah woger
> >
> >Translates to Markie admitting he licked feces off of his daddy's penis!
> no woger we know you are self a self hating jew

Markie makes good sentence!
Except for the fact Roger isn't Jewish, Markie. You claim to be, then
before you claimed to be a Pagan. You can't get your lies straight.

From -6332444049270639825
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: 27 Sep 2006 10:36:07 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 15
Message-ID: <efe28n$rag$1@panix2.panix.com>
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com> <r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6
<bUkSg.5850$e66.2310@newssvr13.news.prodigy.com>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1159367767 13386 166.84.1.2 (27 Sep 2006 14:36:07 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 27 Sep 2006 14:36:07 +0000 (UTC)
Xref: g2news2.google.com rec.radio.swap:7882 rec.radio.amateur.boatanchors:5575
rec.radio.amateur.equipment:6484 rec.radio.scanner:6605 alt.ham-radio.vhf-uhf:2815
rec.radio.amateur.misc:22730 alt.ham-radio.marketplace:1410

Neal Hudson <nealwh@sbcglobal.net> wrote:
>Actually I thought the 11 Meter band was given to CB in 1955 and not 1957. A
>very mute point indeed.

That was the Class D citizens band. I believe Class C is also in the 27 MC
range, with low bandwidth digital modulation for remote control, etc.

Whatever happened to classes A and B? I recall Class A was AM on the 460 MC
band.... took a huge amount of bandwidth both because of the modulation
method and the fact the transmitters were generally not very stable...
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From -8208760574316418710
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: 27 Sep 2006 10:38:17 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 22
Message-ID: <efe2cp$jtg$1@panix2.panix.com>
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com> <r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6
<MuWdnTd4eoqemYfYnZ2dnUVZ_tydnZ2d@rcn.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader2.panix.com 1159367897 11965 166.84.1.2 (27 Sep 2006 14:38:17 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 27 Sep 2006 14:38:17 +0000 (UTC)
Xref: g2news2.google.com rec.radio.swap:7883 rec.radio.amateur.boatanchors:5576
rec.radio.amateur.equipment:6485 rec.radio.scanner:6606 alt.ham-radio.vhf-uhf:2816
rec.radio.amateur.misc:22731 alt.ham-radio.marketplace:1411

Chuck Harris <cf-NO-SPAM-harris@erols.com> wrote:

>
>Well, I sort of thought it might draw a few "Oh, gee, I guess commercially
>made ham linears have to be FCC type accepted after all"'s.
>
>The guy making the CB linears fails a whole laundry list of requirements
>for type acceptance of a Ham linear.
>
>And because he isn't a ham, he cannot legally build even *one* such unit,
>let alone go into production.

I don't think anyone except him thinks otherwise.

The thing is... what will the FCC do about it? And are they going to do
anything about the touch lamps sold at my local Wal-Mart which spew trash
all over the HF band, or the local computer store which has a roll of
"FCC Part 15 approved" stickers which they put on uncertified (and often
uncompliant) PCs?
--scott

--
"C'est un Nagra. C'est suisse, et tres, tres precis."

From 1148327908450588856
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "Denny" <k8do@mailblocks.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
Date: 27 Sep 2006 07:57:03 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1159369023.093934.313340@i42g2000cwa.googlegroups.com>
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 24.247.246.156
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159369028 2299 127.0.0.1 (27 Sep 2006 14:57:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 14:57:08 +0000 (UTC)
In-Reply-To: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.7) Gecko/20060909 Firefox/1.5.0.7,gzip(gfe),gzip(gfe)

Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=24.247.246.156;
   posting-account=GhrC0g0AAACdrABM-CDx8Fhs5lKJR5q2
Xref: g2news2.google.com rec.radio.amateur.antenna:18813
rec.radio.amateur.equipment:6486 rec.radio.amateur.homebrew:7129
rec.radio.amateur.policy:47174 rec.radio.swap:7884

Slow Code wrote:
> Why are you people against having good hams?
>
> SC

As a confirmed CW op of 40+ years duration I am not against 'good hams'... However, I find your barrage of postings to multiple groups to be tiring, pointless, and senseless...

denny / k8do

From 1974458205615702614
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.amateur.antenna:18817
rec.radio.amateur.equipment:6488 rec.radio.amateur.homebrew:7130
rec.radio.amateur.policy:47178 rec.radio.swap:7887
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!boeing.com!not-for-mail
From: "R. Scott" <spamtrap@w7psk.net>
Subject: Re: CW not CB
Message-ID: <J69E8q.Hyy@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 13
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
Date: Wed, 27 Sep 2006 16:10:05 GMT

"Slow Code" <my.mail@no.spam> wrote in message
news:twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net...
> Why are you people against having good hams?
>
> SC

I'm not against having good hams, but can you tell me what your Inane
proposals have to do with that. Over 30 years I've seen tons of 20WPM Jerks
on the bands. CW has nothing to do with the people we get in.

From 1502695775905829111
X-Google-Thread: 10bf43,a110333f6d30d1e9,start
X-Google-Thread: 108122,a110333f6d30d1e9,start
X-Google-Thread: fa029,a110333f6d30d1e9,start
X-Google-Thread: fb049,a110333f6d30d1e9,start
X-Google-Attributes: gid10bf43,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark Morgan" <kb9rqz@blumpkin.net>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.scanner,alt.ham-radio.vhf-uhf
Subject: i punce in aigan
Date: Wed, 27 Sep 2006 13:17:00 -0400
Organization: Blumpkin Specialist
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 21
Message-ID: <451aa510$0$19682$88260bb3@free.teranews.com>
NNTP-Posting-Date: 27 Sep 2006 16:21:36 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:47179 rec.radio.amateur.equipment:6489 rec.radio.scanner:6608 alt.ham-radio.vhf-uhf:2820

ok I back four anoter tuff day on the news grupes it my job tis waht I do
so
bringit on you loosers

show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
happy new years it means and it can be better one if Wismen Robson and
SC a few just decided to not to be as hateful

with the punce gotcha he wonders why I simple don't bother to ty impoving my spelling do u hav anyting cognet two say?

my blog
http://www.marksspamblog.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From 6687684860333221299
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews7.bellsouth.net.POSTED!725764fe!not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
In-Reply-To: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <EqySg.18854$tT6.18444@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbobilhpboheehlbjodanfkgiiekphaegojih
eoanndoppmaoekklbokbojkncoffpenmoebahngadmnepdikigieobdmbieigfbbokcphmohahbbgf
NNTP-Posting-Date: Wed, 27 Sep 2006 13:21:40 EDT
Organization: BellSouth Internet Group
Date: Wed, 27 Sep 2006 12:19:30 -0500
Xref: g2news2.google.com rec.radio.amateur.antenna:18820
rec.radio.amateur.equipment:6490 rec.radio.amateur.homebrew:7131
rec.radio.amateur.policy:47180 rec.radio.swap:7888
```

Slow Code wrote:
> Why are you people against having good hams?
>

Well...I quit eating red meat regularly about 20 some-odd years ago. I feel much better now with all that out of my system.

I do enjoy a slab or two of good ham at Christmas, though.

jak

> SC
>

```
From 6332030201603061505
X-Google-Thread: 108122,90008e11ebef4514,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "KC7SQC" <SharpTrading@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Want to trade?
Date: 27 Sep 2006 10:47:53 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1159379273.502342.58260@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 67.170.73.73
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159379277 18747 127.0.0.1 (27 Sep 2006 17:47:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 17:47:57 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=67.170.73.73;
   posting-account=AGxZxQ0AAADQR03S9lUpeG62fh5A80fE
Xref: g2news2.google.com rec.radio.amateur.equipment:6491
```

I am in Kirkland, WA and am looking to trade FOR a Icom 7800, Icom 756Pro3, Icom 7000, Icom IC-2720H, Icom IC-91AD/A, Yaesu FT-2000, Yaesu FT-817ND, Kenwood TS-2000, Kenwood TS-480H, Kenwood TM-V708A, Kenwood TM-D700A or something similar. (Not looking for an older boat anchor).

I have a Ford Explorer and tons of other items to trade (and some cash). Here is a small list of my items to trade:
http://sharptradingcompany.com/used.html

Ron

From 47339840108616932
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: "MnMikew" <mnmiikkew@aol.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
Date: Wed, 27 Sep 2006 13:13:31 -0500
Lines: 10
Message-ID: <4nvtacFc77jhU1@individual.net>
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
X-Trace: individual.net Y1fmFuh0mhCtMjh9f+Y8KwFmyrt28dbsAhXXI8iVPr4MkOFu4O
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Xref: g2news2.google.com rec.radio.amateur.antenna:18827
rec.radio.amateur.equipment:6492 rec.radio.amateur.homebrew:7133
rec.radio.amateur.policy:47184 rec.radio.swap:7895

"Slow Code" <my.mail@no.spam> wrote in message
news:twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net...

> Why are you people against having good hams?
>
> SC

If you're one then it's already fucked.

From -4622806846882614916
X-Google-Thread: 108122,e2b281a7138c3c45,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read08.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>

```
Newsgroups: rec.radio.amateur.equipment
Subject: Top Quality RF Connectors, Adapters & Cable Assemblies
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <4dzSg.885$La2.309@fed1read08>
Date: Wed, 27 Sep 2006 11:17:13 -0700
NNTP-Posting-Host: 64.58.166.244
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1159380928 64.58.166.244 (Wed, 27 Sep 2006 14:15:28 EDT)
NNTP-Posting-Date: Wed, 27 Sep 2006 14:15:28 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6493


Please visit
AAARFProducts.com

Any 10 SMA Male to SMA Male cable assemblies for $99.00

RG-58C/U or RG-223/U

Mix & match any 10

Length available: 12", 18", 24", 30", 36", 48", 60", 72", 84", & 96"

High quality & made in USA




From 560852196806967778
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "LenAnderson@ieee.org" <LenAnderson@ieee.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
Date: 27 Sep 2006 12:19:08 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1159384748.262629.177230@e3g2000cwe.googlegroups.com>
```

```
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
   <EqySg.18854$tT6.18444@bignews7.bellsouth.net>
NNTP-Posting-Host: 207.200.116.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159384753 9071 127.0.0.1 (27 Sep 2006 19:19:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 19:19:13 +0000 (UTC)
In-Reply-To: <EqySg.18854$tT6.18444@bignews7.bellsouth.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 spider-
ntc-tc02.proxy.aol.com[CFC8710A] (Prism/1.1.3), HTTP/1.1 cache-ntc-
ab06.proxy.aol.com[CFC87446] (Traffic-Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=207.200.116.70;
   posting-account=B-meew0AAAC92cncI-9uzS6wDORD-xwy
Xref: g2news2.google.com rec.radio.amateur.antenna:18832
rec.radio.amateur.equipment:6494 rec.radio.amateur.homebrew:7134
rec.radio.amateur.policy:47190 rec.radio.swap:7896

From:  jakdedert on Wed, Sep 27 2006 10:19 am

>Slow Code wrote:

>> Why are you people against having good hams?
>
>Well...I quit eating red meat regularly about 20 some-odd years ago.  I
>feel much better now with all that out of my system.
>
>I do enjoy a slab or two of good ham at Christmas, though.

   My wife and I had aged ham at Easter.  Tasted like chicken.



From 8897148225239572802
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.buerger.net!open-
news-network.org!news1.greatnowhere.com!reader.greatnowhere.com!not-for-mail
From: "Telstar Electronics" <BGriffey@lycos.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
```

.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <4YGdnUxqKr-
aUorYnZ2dnUVZ_rudnZ2d@rcn.net> <4519F92A.5080301@fuse.net>
<MuWdnTd4eoqemYfYnZ2dnUVZ_tydnZ2d@rcn.net>
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Wed, 27 Sep 2006 16:40:32 -0400
Organization: I WIN AGAIN
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 35
Message-ID: <451ae36c$0$1349$834e42db@reader.greatnowhere.com>
NNTP-Posting-Date: 27 Sep 2006 20:47:40 GMT
NNTP-Posting-Host: 62750225.reader.greatnowhere.com
X-Trace:
DXC=d`=FeI>]Wo:TNF:lP331H;]XKbj2VKD@:n1RJ3gdIg\;Uhg91@<l]D5oELbdlkCW740SHLH>W8]F:<
j\`2NBaND;R\H15hm9jW7eGccmQ\Tm6;Cj]XFB1lUQ75la:JHgZYb<l4YnU[9?cI40^=S<gk?
d=0oE64UJPi?P0@aG1k:OP8a9GQ0^D8gFDF4
X-Complaints-To: usenet@greatnowhere.com
Xref: g2news2.google.com rec.radio.swap:7900 rec.radio.amateur.boatanchors:5588
rec.radio.amateur.equipment:6495 rec.radio.scanner:6611 alt.ham-radio.vhf-uhf:2822
rec.radio.amateur.misc:22739 alt.ham-radio.marketplace:1413

"Chuck Harris" <cf-NO-SPAM-harris@erols.com> wrote in message
news:MuWdnTd4eoqemYfYnZ2dnUVZ_tydnZ2d@rcn.net...
> jawod wrote:
>>
>>> I am sort of curious as to why my posting of the actual FCC part 97
>>> rules
>>> that cover linear amplifiers drew exactly zero comments.
>>>
>>> -Chuck Harris
>>
>> What is there on which to comment? "Can't argue with the horse's mouth"
>
> Well, I sort of thought it might draw a few "Oh, gee, I guess commercially
> made ham linears have to be FCC type accepted after all"'s.
>
> The guy making the CB linears fails a whole laundry list of requirements
> for type acceptance of a Ham linear.

>
> And because he isn't a ham, he cannot legally build even *one* such unit,
> let alone go into production.
>
> -Chuck Harris
>

Oh I'm producing many more than one and they are selling like hot cakes.
There's not a damn thing you can do about it either so deal with it,
asshole.

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZtelstarQ2delectronics

www.telstar-electronics.com

http://auctions.yahoo.com/i:SkyWave%202879AB%20-%20Mobile%20RF%20Linear%20Amplifier:117239910

From -327194624998219020
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
<EqySg.18854$tT6.18444@bignews7.bellsouth.net>
<1159384748.262629.177230@e3g2000cwe.googlegroups.com>
In-Reply-To: <1159384748.262629.177230@e3g2000cwe.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <hDBSg.17676$Ij.3549@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.254.205.99
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1159390797 ST000 70.254.205.99 (Wed, 27 Sep 2006 16:59:57 EDT)
NNTP-Posting-Date: Wed, 27 Sep 2006 16:59:57 EDT
Organization: SBC http://yahoo.sbc.com

```
X-UserInfo1:
TSUGWUSOQBPSCFD[LZKJOPHAWB\^PBQLGPQRZUEK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Wed, 27 Sep 2006 20:59:57 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:18835
rec.radio.amateur.equipment:6496 rec.radio.amateur.homebrew:7138
rec.radio.amateur.policy:47201 rec.radio.swap:7902
```

LenAnderson@ieee.org wrote:

>   My wife and I had aged ham at Easter. Tasted like chicken.

I have a turkey ham sandwich in my hand at the moment.

--
73, Cecil http://www.w5dxp.com

```
From -1623666023666760972
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: show na to va woger
Date: 27 Sep 2006 15:49:45 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1159397385.138608.201820@m7g2000cwm.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <45154c1c$0$19687$88260bb3@free.teranews.com>
   <1159120605.604878.326540@h48g2000cwc.googlegroups.com>
   <1159278148.979026.26280@e3g2000cwe.googlegroups.com>
   <r3nih2hltd8c6htbh660l2qrt20grt5nqv@4ax.com>
   <1159301525.986839.162600@k70g2000cwa.googlegroups.com>
   <1159306939.263759.50030@k70g2000cwa.googlegroups.com>
   <1159359885.011255.172110@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159397389 1244 127.0.0.1 (27 Sep 2006 22:49:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 22:49:49 +0000 (UTC)
```

```
In-Reply-To: <1159359885.011255.172110@d34g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=66.82.9.53;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.policy:47229
rec.radio.amateur.equipment:6497 rec.radio.amateur.misc:22758
alt.radio.scanner:3018

kb9rqz_child_molester@yahoo.com wrote:
>
show na to va woger




From -2978897223397060466
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 27 Sep 2006 15:55:41 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
References: <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
   <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
   <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
   <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
   <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
   <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
   <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159397747 8620 127.0.0.1 (27 Sep 2006 22:55:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 22:55:47 +0000 (UTC)
```

```
In-Reply-To: <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=66.82.9.53;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.policy:47237
rec.radio.amateur.equipment:6498 rec.radio.amateur.misc:22766
alt.radio.scanner:3020


markie_morgan_rapesboys@yahoo.com wrote:
show na to va woger




From -2969383147124886173
X-Google-Thread: 10bf43,a110333f6d30d1e9
X-Google-Thread: 108122,a110333f6d30d1e9
X-Google-Thread: fa029,a110333f6d30d1e9
X-Google-Thread: fb049,a110333f6d30d1e9
X-Google-Attributes: gid10bf43,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.scanner,alt.ham-
radio.vhf-uhf
Subject: show na to va woger
Date: 27 Sep 2006 15:56:12 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1159397772.205336.188990@b28g2000cwb.googlegroups.com>
References: <451aa510$0$19682$88260bb3@free.teranews.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159397777 8675 127.0.0.1 (27 Sep 2006 22:56:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 22:56:17 +0000 (UTC)
In-Reply-To: <451aa510$0$19682$88260bb3@free.teranews.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=66.82.9.53;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.policy:47238
rec.radio.amateur.equipment:6499 rec.radio.scanner:6617 alt.ham-radio.vhf-uhf:2824
```

Mark Morgan wrote:
> ok I back four anoter tuff day on the news grupes it my job tis waht I do show na to va woger

From 1957360860712814456
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
Date: 27 Sep 2006 16:05:20 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1159398320.388587.235320@b28g2000cwb.googlegroups.com>
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
   <4nvtacFc77jhU1@individual.net>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159398325 10123 127.0.0.1 (27 Sep 2006 23:05:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 23:05:25 +0000 (UTC)
In-Reply-To: <4nvtacFc77jhU1@individual.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=66.82.9.53;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.antenna:18838 rec.radio.amateur.equipment:6500 rec.radio.amateur.homebrew:7146 rec.radio.amateur.policy:47242 rec.radio.swap:7916

MnMikew wrote:
> "Slow Code" <my.mail@no.spam> wrote in message
> news:twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net...
> > Why are you people against having good hams?
> >
> > SC
>
> If you're one then it's already fucked.

sthat heis superior and Wismen in his many avatar is superior and that
Robeson who threatens the murder of people he disagrees with all are
according to SC superior hams

From 8236807057912113374
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Sep 2006 18:43:32 -0500
Date: Wed, 27 Sep 2006 19:43:36 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
<4nvtacFc77jhU1@individual.net>
<1159398320.388587.235320@b28g2000cwb.googlegroups.com>
In-Reply-To: <1159398320.388587.235320@b28g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <oaydnYisrsw5kYbYnZ2dnUVZ_rydnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 71.233.173.68
X-Trace:
sv3-903oAAoxhnxfz4XstisXyjNJ3aJFYtlSo0mbu1N3ZlWWMjxM9A1ru4ApAe8b2lGYmwxCeVLyn5QMwm
E!OUEQG++5HIUMQBB8tpBRakn0uopY/0BBbldacFyUjJ4MpMNm81ysqfFXFDleCNNOiK3oQPVE/gme!
xspfS11J4t1LwpO3NbTv
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:18840
rec.radio.amateur.equipment:6501 rec.radio.amateur.homebrew:7152
rec.radio.amateur.policy:47250 rec.radio.swap:7921

kb9rqz-1@hotmail.com wrote:

```
> MnMikew wrote:
>
>>"Slow Code" <my.mail@no.spam> wrote in message
>>news:twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net...
>>
>>>Why are you people against having good hams?
>>>
>>>SC
>>
>>If you're one then it's already fucked.
>
> sthat heis superior and Wismen in his many avatar is superior and that
> Robeson who threatens the murder of people he disagrees with  all are
> according to SC superior hams
>

Is this un-readable USA english from a USA ham?



From 7456153423118232781
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "LenAnderson@ieee.org" <LenAnderson@ieee.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.swap
Subject: Re: CW not CB
Date: 27 Sep 2006 16:52:09 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1159401129.637366.183720@m7g2000cwm.googlegroups.com>
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
   <EqySg.18854$tT6.18444@bignews7.bellsouth.net>
   <1159384748.262629.177230@e3g2000cwe.googlegroups.com>
   <hDBSg.17676$Ij.3549@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 207.200.116.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159401134 10748 127.0.0.1 (27 Sep 2006 23:52:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 27 Sep 2006 23:52:14 +0000 (UTC)
In-Reply-To: <hDBSg.17676$Ij.3549@newssvr14.news.prodigy.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
```

X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s]), HTTP/1.1 spider-ntc-tc02.proxy.aol.com[CFC8710A] (Prism/1.1.3), HTTP/1.1 cache-ntc-ab06.proxy.aol.com[CFC87446] (Traffic-Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=207.200.116.70;
   posting-account=B-meew0AAAC92cncI-9uzS6wDORD-xwy
Xref: g2news2.google.com rec.radio.amateur.antenna:18842
rec.radio.amateur.equipment:6502 rec.radio.amateur.homebrew:7154
rec.radio.amateur.policy:47253 rec.radio.swap:7925

Cecil Moore wrote:
> LenAnderson@ieee.org wrote:
> >   My wife and I had aged ham at Easter. Tasted like chicken.
>
> I have a turkey ham sandwich in my hand at the moment.

   Enjoy! :-)

   Everyone else ought to remember the definition of ham: "Ham is
   the butchered meat of swine."

   There...now THAT's a troll!   :-)

From 8666524168445056O6
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: "Mark Morgan" <kb9rqz@blumpkin.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
<4nvtacFc77jhU1@individual.net>
<1159398320.388587.235320@b28g2000cwb.googlegroups.com>
<oaydnYisrsw5kYbYnZ2dnUVZ_rydnZ2d@comcast.com>
Subject: Re: CW not CB
Date: Wed, 27 Sep 2006 20:07:46 -0400
Organization: Blumpkin Specialist
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869

```
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 31
Message-ID: <451b0552$0$19695$88260bb3@free.teranews.com>
NNTP-Posting-Date: 27 Sep 2006 23:12:19 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18843
rec.radio.amateur.equipment:6503 rec.radio.amateur.homebrew:7155
rec.radio.amateur.policy:47255 rec.radio.swap:7926


"Dave" <W1MCE@comcast.net> wrote in message
news:oaydnYisrsw5kYbYnZ2dnUVZ_rydnZ2d@comcast.com...
> kb9rqz-1@hotmail.com wrote:
>
>> MnMikew wrote:
>>
>>>"Slow Code" <my.mail@no.spam> wrote in message
>>>news:twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net...
>>>
>>>>Why are you people against having good hams?
>>>>
>>>>SC
>>>
>>>If you're one then it's already fucked.
>>
>> sthat heis superior and Wismen in his many avatar is superior and that
>> Robeson who threatens the murder of people he disagrees with  all are
>> according to SC superior hams
>>
>
> Is this un-readable USA english from a USA ham?
>
with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/




--
Posted via a free Usenet account from http://www.teranews.com



From -6952065032085134900
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
```

```
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!news-out.readnews.com!spool-big1.readnews.com!
diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "Mike little lamp" <precise4beans@yahoo.com>
From: "Mike little lamp" <precise4beans@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.policy,rec.radio.swap
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
Subject: Re: CW not CB
Date: Wed, 27 Sep 2006 21:42:03 -0400
Lines: 7
Organization: goals of the committee
MIME-Version: 1.0
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Message-ID: <201cd$451b28af$d1cc41f9$16757@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc4a-209-204-65-249.sniparpa.net
X-Trace: 201cd451b28af7469e45c16757
Xref: g2news2.google.com rec.radio.amateur.antenna:18851
rec.radio.amateur.equipment:6504 rec.radio.amateur.homebrew:7158
rec.radio.amateur.policy:47264 rec.radio.swap:7930


"Slow Code" <my.mail@no.spam> wrote in message
news:twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net...
> Why are you people against having good hams?

Go back to rec.radio.amateur.policy Lloyd.




From 149933083126297988
X-Google-Thread: fcc6e,3946db13a1a563fc
X-Google-Thread: 108122,3946db13a1a563fc
X-Google-Thread: fc2a5,3946db13a1a563fc
X-Google-Thread: 10bf43,3946db13a1a563fc
X-Google-Thread: 1109af,3946db13a1a563fc
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 27 Sep 2006 20:53:16 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
```

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.swap
References: <twiSg.6707$UG4.5234@newsread2.news.pas.earthlink.net>
<EqySg.18854$tT6.18444@bignews7.bellsouth.net>
<1159384748.262629.177230@e3g2000cwe.googlegroups.com>
<hDBSg.17676$Ij.3549@newssvr14.news.prodigy.com>
<1159401129.637366.183720@m7g2000cwm.googlegroups.com>
Subject: Re: CW not CB
Date: Wed, 27 Sep 2006 20:53:14 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <m4ednVjF1PeRtobYnZ2dnUVZ_rKdnZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 71.226.69.91
X-Trace: sv3-yp7Xh+wnazZ8pImXMvpq8QftTCpw2LcbqsLH2VgUpgGPmrecCNuMQV3DQMAdcNJaQ2oEg4kWhnNT36s!Gewx4y5HPuqZkBANjTkG/olds67El5BbRKNr1HektpM669K75DO2JUQkjquOJmstVFl26F7aLpft!pfoCOLKF/VuW
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:18853
rec.radio.amateur.equipment:6505 rec.radio.amateur.homebrew:7160
rec.radio.amateur.policy:47270 rec.radio.swap:7936

<LenAnderson@ieee.org> wrote in message
news:1159401129.637366.183720@m7g2000cwm.googlegroups.com...
>
> Cecil Moore wrote:
>> LenAnderson@ieee.org wrote:
>> >   My wife and I had aged ham at Easter. Tasted like chicken.
>>
>> I have a turkey ham sandwich in my hand at the moment.
>
>   Enjoy! :-)
>
>   Everyone else ought to remember the definition of ham: "Ham is
>   the butchered meat of swine."
>
>
>
>
>   There...now THAT's a troll!   :-)

either way, its still a dead farm animal

```
From 596803463277468603
X-Google-Thread: 10f7a7,c956086916b53f39,start
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10f7a7,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: marqueer@mail2world.com
Newsgroups:
alt.usenet.kooks,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scan
ner,rec.radio.amateur.policy
Subject: Re: MORK loves nigger cock---->slow code craves it!
Date: 27 Sep 2006 18:57:24 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1159408644.869806.269500@m73g2000cwd.googlegroups.com>
References: <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
   <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
   <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
   <1159189700.968013.270450@h48g2000cwc.googlegroups.com>
   <1159197823.973924.271250@i42g2000cwa.googlegroups.com>
   <1159277722.347757.183420@i42g2000cwa.googlegroups.com>
   <1159289638.134123.268990@d34g2000cwd.googlegroups.com>
   <1159303436.382766.203250@m73g2000cwd.googlegroups.com>
   <f16jh2hveccmhsur3nlimuankc8ei25k5f@4ax.com>
   <1159361355.723165.245600@m73g2000cwd.googlegroups.com>
   <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 4.152.243.22
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159408650 29603 127.0.0.1 (28 Sep 2006 01:57:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 28 Sep 2006 01:57:30 +0000 (UTC)
In-Reply-To: <1159397741.822223.232500@i42g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=4.152.243.22;
   posting-account=DMZYzw0AAAA2QM8fuFGiE33a7rC06ZWV
Xref: g2news2.google.com alt.usenet.kooks:243077 rec.radio.amateur.equipment:6506
rec.radio.amateur.misc:22774 alt.radio.scanner:3029 rec.radio.amateur.policy:47272
```

kb9rqz-1@hotmail.com wrote:

> markie_morgan_rapesboys@yahoo.com wrote:
> show na to va woger

shamma-lamma-ding-dong is how markie greets dicks at the truck stop toilet.

```
From 2700050090172581407
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes: gidfc8b1,gid108122,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-
radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <4YGdnUxqKr-
aUorYnZ2dnUVZ_rudnZ2d@rcn.net> <4519F92A.5080301@fuse.net>
<MuWdnTd4eoqemYfYnZ2dnUVZ_tydnZ2d@rcn.net>
<451ae36c$0$1349$834e42db@reader.greatnowhere.com>
Subject: Re: CB radio amplifiers for sale CHEAP!
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <jWHSg.165$gM1.64@fed1read12>
Date: Wed, 27 Sep 2006 21:09:51 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1159416591 72.199.97.186 (Thu, 28 Sep 2006 00:09:51 EDT)
NNTP-Posting-Date: Thu, 28 Sep 2006 00:09:51 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5608
rec.radio.amateur.equipment:6507 alt.ham-radio.vhf-uhf:2829
rec.radio.amateur.misc:22777 alt.ham-radio.marketplace:1414
```

[Non-ham crossposting was deleted.]

"Telstar Electronics" <BGriffey@lycos.net> wrote in message
news:451ae36c$0$1349$834e42db@reader.greatnowhere.com...

< snip >

> There's not a damn thing you can do about it either so deal with it,
> asshole.

See, this bloke was able to sum up the whole CB scene, albeit unwittingly.

From -7426508244463506283
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: KB9RQZ and that colon capper N0VFP Lloyd Davies are responsible for
all the trash here.
From: Slow Code <my.mail@no.spam>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
<1158627319.033909.250040@i3g2000cwc.googlegroups.com>
<1158631813.879090.64090@h48g2000cwc.googlegroups.com>
<e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
<Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
<1158750534.421576.291170@d34g2000cwd.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 38
Message-ID: <dmlQg.14309$bM.12000@newsread4.news.pas.earthlink.net>
Date: Thu, 21 Sep 2006 00:51:21 GMT
NNTP-Posting-Host: 4.254.229.102
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1158799881 4.254.229.102 (Wed, 20 Sep
2006 17:51:21 PDT)
NNTP-Posting-Date: Wed, 20 Sep 2006 17:51:21 PDT
Xref: g2news2.google.com rec.radio.amateur.policy:45588
rec.radio.amateur.equipment:6355 rec.radio.amateur.misc:22088
alt.radio.scanner:2944

peewee_lloyd_davies@yahoo.com wrote in
news:1158750534.421576.291170@d34g2000cwd.googlegroups.com:

```
> Sheepfucker and shemale pic poster
> Slow Code Toad wrote:
>> Mark@kb9rqz.com wrote in
>> news:e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com:
>>
>> > On 18 Sep 2006 19:10:13 -0700, "mark_sucks"
>> > <mark_the_fudge_packer@hotmail.com> wrote:
>> >
>> >>
>> >>kb9rqz-2@hotmail.com wrote:
>> >>> Slow Code wrote:
>> >>> >
>> >>> slow code stalker at large
>> >>
>> >>I have to plop this one in there....
>> >>
>> >>I have been reading your stupid shit for over 3 years and I cannot
>> >>take it anymore!
>> > bullshit you can't have been reading my stuff the last 3year I have
>> > only been posting since jun a year ago
>>
>>
>> I remember Marks stupid ass posts in the late 1990's and when he left I
>> hoped he would give up on ham radio and stay on CB.  But he came back
>> and now him, Lloooydie, and Woger have wrecked usenet and ham radio. I
>> hope they're happy.
>
> Your posts and shitty "broadcasts" have contributed to it more, Toad.


What a Loon!  In one thread you think I'm Lloyd and in this thread you
think I'm Todd.   You're as confused as Mark and just as stupid.  Maybe
that's why you two get along so well with each other.

SC



From -6646396326910668570
X-Google-Thread: 108122,813e55640df73fb9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-
xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DOC2" <lensman@intergate.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-511s
Date: Wed, 20 Sep 2006 21:41:59 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12h3uvfi30n96fd@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
X-Complaints-To: abuse@supernews.com
Lines: 5
Xref: g2news2.google.com rec.radio.amateur.equipment:6356
```

I am looking for a kenwood ts 511s.
Had one when I was first licensed and just wanted one for nostalgia.
lensman@intergate.com

```
From 1654501794908437497
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: slow kook on the loose
Date: 20 Sep 2006 20:37:13 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1158809833.469684.157390@k70g2000cwa.googlegroups.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
   <12h17gktf0opa87@corp.supernews.com>
   <3dcnsdd1b6e.991075257@alvillage.net>
   <f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com>
   <3dcd8911b6e.aa1075257@alvillage.net>
   <45113AE7.6060309@fuse.net>
   <%llQg.14298$bM.5306@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158809838 32344 127.0.0.1 (21 Sep 2006 03:37:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 03:37:18 +0000 (UTC)
In-Reply-To: <%llQg.14298$bM.5306@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:6357
rec.radio.amateur.policy:45594 rec.radio.swap:7709
```

Slow Code wrote:
>

slow kook on the loose

```
From -3116357525528329590
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: gay bashers are not welcome anywhere that is why they use fake names like
Slow Code
Date: 20 Sep 2006 20:39:15 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1158809955.499244.48550@i3g2000cwc.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
   <dmlQg.14309$bM.12000@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158809960 32612 127.0.0.1 (21 Sep 2006 03:39:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 03:39:20 +0000 (UTC)
In-Reply-To: <dmlQg.14309$bM.12000@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.policy:45598
rec.radio.amateur.equipment:6358 rec.radio.amateur.misc:22094
alt.radio.scanner:2945
```

Slow Code wrote:
>
gay bashers are not welcome anywhere that is why they use fake names
like Slow Code

```
From 164757571206637940
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: gay bashers are not welcome anywhere that is why they use fake names like
Slow Code
Date: 20 Sep 2006 20:39:38 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1158809978.411855.267380@b28g2000cwb.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
   <akdmk.8qe.19.1@news.alt.net>
   <zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
   <1158749993.662762.65150@m73g2000cwd.googlegroups.com>
   <6mlQg.14302$bM.12419@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158809982 29031 127.0.0.1 (21 Sep 2006 03:39:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 03:39:42 +0000 (UTC)
In-Reply-To: <6mlQg.14302$bM.12419@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.policy:45599
rec.radio.amateur.equipment:6359 rec.radio.amateur.misc:22095
alt.radio.scanner:2946
```

Slow Code wrote:

> "\

gay bashers are not welcome anywhere that is why they use fake names

```
like Slow Code



From -5732248769167351989
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: gay bashers are not welcome anywhere that is why they use fake names like
Slow Code
Date: 20 Sep 2006 20:46:27 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1158810387.206689.303060@b28g2000cwb.googlegroups.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
   <12h17gktf0opa87@corp.supernews.com>
   <1mlQg.14299$bM.1960@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158810392 1343 127.0.0.1 (21 Sep 2006 03:46:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 03:46:32 +0000 (UTC)
In-Reply-To: <1mlQg.14299$bM.1960@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:6360
rec.radio.amateur.policy:45605 rec.radio.scanner:6419 rec.radio.shortwave:53562
rec.radio.swap:7712

Slow Code wrote:
>
gay bashers are not welcome anywhere that is why they use fake names
like Slow Code



From 2015202915934744218
X-Google-Thread: 10bf43,3c438a0329cf4fdf
```

```
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP
Date: 21 Sep 2006 05:28:07 -0700
Organization: http://groups.google.com
Lines: 45
Message-ID: <1158841687.924233.224130@m73g2000cwd.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
   <akdmk.8qe.19.1@news.alt.net>
   <zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
   <1158749993.662762.65150@m73g2000cwd.googlegroups.com>
   <6mlQg.14302$bM.12419@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 65.54.97.193
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158841693 15213 127.0.0.1 (21 Sep 2006 12:28:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 12:28:13 +0000 (UTC)
In-Reply-To: <6mlQg.14302$bM.12419@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.97.193;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.policy:45623
rec.radio.amateur.equipment:6361 rec.radio.amateur.misc:22109
alt.radio.scanner:2952


Slow Code Toad wrote:
> "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com> wrote in
> news:1158749993.662762.65150@m73g2000cwd.googlegroups.com:
>
> >
> > Slow Code Toad wrote:
> >> "Indy Ham" <nospam@privatenospam.com> wrote in
> >> news:akdmk.8qe.19.1@news.alt.net:
```

```
> >>
> >> >> Fags and No-coders are not Welcome in RRAP
> >> >>
> >> >> Lloyd, Roger, Markie, Get Out!
> >> >>
> >> >>
> >> >> SC
> >> >
> >> > That may be a little more acceptable. HAHAHA
> >>
> >>
> >>
> >> I remember when RRAP was respectable, then Mark morgan came back and
> >> Woger found someone he could pick on with ease, like taking candy from
> >> a baby. It doesn't help for Mark to admit he doesn't have anything
> >> against homos, and Woger teases him about it.  I have to admit I've got
> >> caught up in it too when the only reason I came back was to try to make
> >> the group
> >
> > Because you are so easily trolled, Toad.
> >
> >> respectable again and try to get usenetter hams to support keeping the
> >> code requirement.  But with Mark here now and not enough good folk left
> >> in the group, I'll probably just bow out, and the stupid and lazy can
> >> take over ham radio.
> >
> > You mean the lazy hams who make "broadcasts" in the 13. MHz frequency
> > range?
>
>
>
> What a Loon!
You sure are, Toad.

Now don't talk with your mouth full of your daddy's cock.




From -7240044231997001872
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Markie Morgan KB9RQZ pedophile at large
Date: 21 Sep 2006 05:29:33 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1158841773.282695.259780@m7g2000cwm.googlegroups.com>
```

```
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
   <1158793620.375466.293500@m7g2000cwm.googlegroups.com>
NNTP-Posting-Host: 65.54.97.193
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158841778 15419 127.0.0.1 (21 Sep 2006 12:29:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 12:29:38 +0000 (UTC)
In-Reply-To: <1158793620.375466.293500@m7g2000cwm.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=65.54.97.193;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.equipment:6362
rec.radio.amateur.misc:22110 alt.radio.scanner:2953


an old freindless pedophile wrote:
> peewee_lloyd_davies@yahoo.com wrote:
> > Sheepfucker and shemale pic poster
>
> > Your posts and shitty "broadcasts" have contributed to it more, Toad.
> wo

Mark Morgan, pedoiphile at large!



From 1520310067411265056
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: KB9RQZ and that colon capper N0VFP Lloyd Davies are responsible for
all the trash here.
Date: 21 Sep 2006 05:30:58 -0700
Organization: http://groups.google.com
Lines: 56
```

```
Message-ID: <1158841858.325371.252420@d34g2000cwd.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
   <dmlQg.14309$bM.12000@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 65.54.97.193
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158841862 7797 127.0.0.1 (21 Sep 2006 12:31:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 12:31:02 +0000 (UTC)
In-Reply-To: <dmlQg.14309$bM.12000@newsread4.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=65.54.97.193;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.policy:45624
rec.radio.amateur.equipment:6363 rec.radio.amateur.misc:22111
alt.radio.scanner:2954


Slow Code Toad wrote:
> peewee_lloyd_davies@yahoo.com wrote in
> news:1158750534.421576.291170@d34g2000cwd.googlegroups.com:
>
> > Sheepfucker and shemale pic poster
> > Slow Code Toad wrote:
> >> Mark@kb9rqz.com wrote in
> >> news:e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com:
> >>
> >> > On 18 Sep 2006 19:10:13 -0700, "mark_sucks"
> >> > <mark_the_fudge_packer@hotmail.com> wrote:
> >> >
> >> >>
> >> >>kb9rqz-2@hotmail.com wrote:
> >> >>> Slow Code wrote:
> >> >>> >
> >> >>> slow code stalker at large
> >> >>
> >> >>I have to plop this one in there....
> >> >>
> >> >>I have been reading your stupid shit for over 3 years and I cannot
> >> >>take it anymore!
> >> > bullshit you can't have been reading my stuff the last 3year I have
> >> > only been posting since jun a year ago
> >>
> >>
> >> I remember Marks stupid ass posts in the late 1990's and when he left I
```

> >> hoped he would give up on ham radio and stay on CB. But he came back
> >> and now him, Lloooydie, and Woger have wrecked usenet and ham radio. I
> >> hope they're happy.
> >
> > Your posts and shitty "broadcasts" have contributed to it more, Toad.
>
>
> What a Loon!

You sure are basement dweller.

"N9OGL" <toddaugherty@yahoo.com> pegs the IRONY meter "with" his
stupidity in<1127811466.165152.74910@g43g2000cwa.googlegroups.com>:
"I know whith someone like you with your learning disability you
don't understand that if you want to make it in this world you need a
education, and not just a high school education."

Toad claims to be smarter, but fails to show it when he scribbled in
his mangled English in
<1141133519.708574.16440@u72g2000cwu.googlegroups.com>:
"You be suprised dumb ass what I can write, I'm a hell of lot smarter
then you dumb ass"

N9OGL the illiterate moron steps on his own words in
<1143982923.052054.100...@z34g2000cwc.googlegroups.com>:
"lean how to spell it write, moron."

From -2185171461875987497
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: nospam <nospam@nospam.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Re: Markie Morgan KB9RQZ pedophile at large
Date: Thu, 21 Sep 2006 07:33:25 -0500
Organization: netINS InterNetNews site
Lines: 17
Message-ID: <bi15h254ctpb7u1g17rmeklk6t4gtrm09l@4ax.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
<1158627319.033909.250040@i3g2000cwc.googlegroups.com>
<1158631813.879090.64090@h48g2000cwc.googlegroups.com>
<e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
<Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
<1158750534.421576.291170@d34g2000cwd.googlegroups.com>
<1158793620.375466.293500@m7g2000cwm.googlegroups.com>
<1158841773.282695.259780@m7g2000cwm.googlegroups.com>

```
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1158842006 5474 67.55.159.6 (21 Sep 2006 12:33:26 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Thu, 21 Sep 2006 12:33:26 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:6364
rec.radio.amateur.misc:22112 alt.radio.scanner:2955

Take this crap somewhere else. We are sick of it.



On 21 Sep 2006 05:29:33 -0700, "Not Cocksucker Lloyd"
<not_time_turd_lloyd@yahoo.com> wrote:

>
>an old freindless pedophile wrote:
>> peewee_lloyd_davies@yahoo.com wrote:
>> > Sheepfucker and shemale pic poster
>>
>> > Your posts and shitty "broadcasts" have contributed to it more, Toad.
>> wo
>
>Mark Morgan, pedoiphile at large!



From 8950073311588600715
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Re: Markie Morgan KB9RQZ pedophile at large
Date: 21 Sep 2006 05:45:34 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1158842734.081362.308520@i3g2000cwc.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
   <1158793620.375466.293500@m7g2000cwm.googlegroups.com>
   <1158841773.282695.259780@m7g2000cwm.googlegroups.com>
   <bi15h254ctpb7u1g17rmeklk6t4gtrm09l@4ax.com>
NNTP-Posting-Host: 65.54.97.193
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158842738 9972 127.0.0.1 (21 Sep 2006 12:45:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 12:45:38 +0000 (UTC)
In-Reply-To: <bi15h254ctpb7u1g17rmeklk6t4gtrm09l@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=65.54.97.193;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:6365
rec.radio.amateur.misc:22117 alt.radio.scanner:2956


nospam wrote:
> Take this crap somewhere else. We are sick of it.

Get back in bed with your mother, she's getting cold.

And fuck off.

> On 21 Sep 2006 05:29:33 -0700, "Not Cocksucker Lloyd"
> <not_time_turd_lloyd@yahoo.com> wrote:
>
> >
> >an old freindless pedophile wrote:
> >> peewee_lloyd_davies@yahoo.com wrote:
> >> > Sheepfucker and shemale pic poster
> >>
> >> > Your posts and shitty "broadcasts" have contributed to it more, Toad.
> >> wo
> >
> >Mark Morgan, pedoiphile at large!



From -4553642998924452458
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!logbridge.uoregon.edu!arclight.uoregon.edu!
news.netins.net!not-for-mail
From: nospam <nospam@nospam.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Re: Markie Morgan KB9RQZ pedophile at large
Date: Thu, 21 Sep 2006 08:56:20 -0500
```

Organization: netINS InterNetNews site
Lines: 28
Message-ID: <5b65h2tg6nifi24mj701p23epftpjtvr0h@4ax.com>
References: <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
<1158631813.879090.64090@h48g2000cwc.googlegroups.com>
<e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
<Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
<1158750534.421576.291170@d34g2000cwd.googlegroups.com>
<1158793620.375466.293500@m7g2000cwm.googlegroups.com>
<1158841773.282695.259780@m7g2000cwm.googlegroups.com>
<bi15h254ctpb7u1g17rmeklk6t4gtrm09l@4ax.com>
<1158842734.081362.308520@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1158846986 8090 67.55.159.6 (21 Sep 2006 13:56:26 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Thu, 21 Sep 2006 13:56:26 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:6366
rec.radio.amateur.misc:22136 alt.radio.scanner:2959

Get ready for a surprise big mouth. My mother is dead and you just
pissed me off big time.

On 21 Sep 2006 05:45:34 -0700, markie_morgan_rapesboys@yahoo.com
wrote:

>
>nospam wrote:
>> Take this crap somewhere else. We are sick of it.
>
>Get back in bed with your mother, she's getting cold.
>
>And fuck off.
>
>> On 21 Sep 2006 05:29:33 -0700, "Not Cocksucker Lloyd"
>> <not_time_turd_lloyd@yahoo.com> wrote:
>>
>> >
>> >an old freindless pedophile wrote:
>> >> peewee_lloyd_davies@yahoo.com wrote:
>> >> > Sheepfucker and shemale pic poster
>> >>
>> >> > Your posts and shitty "broadcasts" have contributed to it more, Toad.
>> >> wo
>> >
>> >Mark Morgan, pedoiphile at large!

From -7184400433330576234
X-Google-Thread: 108122,38de0bee4685249c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: KB9YGD Norman P. Triantafilos
Date: 21 Sep 2006 07:28:37 -0700
Organization: http://groups.google.com
Lines: 77
Message-ID: <1158848917.375890.104340@h48g2000cwc.googlegroups.com>
References: <1158340510.949781.323420@i3g2000cwc.googlegroups.com>
   <1158777465.274497.130990@d34g2000cwd.googlegroups.com>
   <1158788411.493831.91790@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 68.155.218.56
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158848922 1996 127.0.0.1 (21 Sep 2006 14:28:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 14:28:42 +0000 (UTC)
In-Reply-To: <1158788411.493831.91790@m73g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=68.155.218.56;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6367

Thank you for contacting the Abuse Complaint Administrator of the
Cypherpunks Tonga Remailer.
The administrator has processed your request to not receive emails from
this anonymous remailer. This remailer will no longer send emails to
the
email address(es) for which you requested a block. Note that due to
fact
that Internet email can arrive at the destination out-of-sequence, it
is
possible, though unlikely, that you may receive emails from this
remailer that were sent prior to your blocking request, but have not
yet
been received by you.

We again wish to apologize for any inconvenience that may have been
caused to you.

Sincerely,

-- The Cypherpunks Tonga Remailer Administrator

Ah ha ha ha

Hammertime

Hammertime wrote:

> Poor old KB9YGD Norman P Triantafilos 2634 Warren Street Lake Station
> IN 46405
> Phone 219 962 8416
>
> Norman lives in a garage shack, he owes back Federal Tax of around 30,000.00 he hates America, he is Greek so don't turn your back on him.
>
> Norman is being watched by neighbors, he has no friends, we use to call him crazy Norm, he has one child out of wedlock (bastard) that he never does anything for him, the kid looks just like him (poor kid).
>
> Norman keeps all his money in his home, he can't put it in the bank because the IRS would levy on it due to the back tax he owes.(he has lots of bucks stashed in his house)
>
> Norman's cat Tiggy just croaked (thinks more of a damn cat than his own kid) now old Norman is all alone with his pistol, he is very insecure and dangerous to himself and neighbors, they are keeping an eye on old crazy Norm.
>
> Norman get some professional help, you need it. Norman has lots of Ham gear and tools in his garage in the back, the neighbors have cut his coax a couple times for ripping up their tv's and phones, poor Norman he is a recovering alcoholic, I use to smoke a little pot with him but he couldn't handle it and the booze together.
>
> Now Norman claims to be a saint, a reformed drug and alcohol abuser, ah our past eh Norm, remember that black whore who took your 30.00 bucks, ah ha ha I got some of that pussy in the back seat of your caddy and you got ripped off, or did you pay to just watch, ah ha ha, you freak.
>
> See Norm, when you talk about me it gets back, remember we were friends and I know plenty about your personal life and the years we worked together at the EJ&E RR, I'm not ashamed of anything I have done in my life, it was all a great experience and I wouldn't trade it for nothing, I have enjoyed my life, some good some not so good, at least I'm not a lonely old bastard who hates as you do, I have a wife and a nice home that's almost paid off from my settlement, 5 more years and I'm on easy street, I can go and buy anything I want at anytime, I have not lost anything especially myself as you have, I have friends and relatives close, I have grandkids that adore me, what do you have? you are such a miserable old bastard who is so paranoid someone is going to get something you have.
>
> Wake up Norman life is too short to be a mean old nasty asshole that hates and is envious of others, you won't listen, you will die an old nasty bastard who no one will give a shit about.
>

```
> Hammertime



From -3481606868035026296
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news1.optus.net.au!optus!news.optus.net.au!53ab2750!not-for-mail
From: Simon <vk2ua-spamout@yahoo.com>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
In-Reply-To: <C13327FD.43932%dbowey@comcast.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <4512aec3_6@news.peopletelecom.com.au>
Lines: 24
X-Original-NNTP-Posting-Host: news.peopletelecom.com.au
X-Original-NNTP-Posting-Host: 202.154.92.95
X-Original-Trace: 22 Sep 2006 00:31:35 +1000, 202.154.92.95
Date: Thu, 21 Sep 2006 14:31:36 GMT
NNTP-Posting-Host: 203.194.27.1
X-Complaints-To: abuse@comindico.com.au
X-Trace: news.optus.net.au 1158849096 203.194.27.1 (Fri, 22 Sep 2006 00:31:36 EST)
NNTP-Posting-Date: Fri, 22 Sep 2006 00:31:36 EST
Organization: Comindico Australia - reports relating to abuse should be sent to
abuse@comindico.com.au
Xref: g2news2.google.com rec.radio.swap:7719 rec.radio.amateur.boatanchors:5472
rec.radio.amateur.equipment:6368 rec.radio.scanner:6428 alt.ham-radio.vhf-uhf:2706
rec.radio.amateur.misc:22137 alt.ham-radio.marketplace:1363

Don Bowey wrote:
> On 9/17/06 11:13 AM, in article eek38a$1g59$1@registered.motzarella.org,
> "The Professor" <telstarelectronics@yahoo.com> wrote:
>
>> "Al Klein" <rukbat@pern.invalid> wrote in message
>> news:8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com...
```

```
>>> On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
>>> <telstarelectronics@yahoo.com> wrote:
>>>
>>>> I build these in my basemant.
>>> Even if it WAS legal to use them, yours aren't type approved, so it
>>> would be illegal to use yours.
>>>
>>> Jut a word to the gullible.
>>>
>> Says you....LOL
>
> Says those of us who are familiar with FCC Regulations.
>
>
>
>
Since when have CB amplifiers been recognised as boatanchors or is this
topic just spam from unthinking cross posting?


From 2932785124952866951
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: gay bashers are not welcome anywhere that is why they use fake names like
Slow Code
Date: 21 Sep 2006 10:21:31 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1158859291.803405.226990@k70g2000cwa.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
   <akdmk.8qe.19.1@news.alt.net>
   <zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
   <1158749993.662762.65150@m73g2000cwd.googlegroups.com>
   <6mlQg.14302$bM.12419@newsread4.news.pas.earthlink.net>
   <1158841687.924233.224130@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158859297 29572 127.0.0.1 (21 Sep 2006 17:21:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 17:21:37 +0000 (UTC)
In-Reply-To: <1158841687.924233.224130@m73g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.policy:45665
rec.radio.amateur.equipment:6369 rec.radio.amateur.misc:22140
alt.radio.scanner:2961


Not Cocksucker Lloyd wrote:
>
gay bashers are not welcome anywhere that is why they use fake names
like Slow Code




From -1327205137151369359
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: gay bashers are not welcome anywhere that is why they use fake names like
Slow Code
Date: 21 Sep 2006 10:21:52 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1158859312.503247.301600@m73g2000cwd.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
   <dmlQg.14309$bM.12000@newsread4.news.pas.earthlink.net>
   <1158841858.325371.252420@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

```
X-Trace: posting.google.com 1158859318 29603 127.0.0.1 (21 Sep 2006 17:21:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 21 Sep 2006 17:21:58 +0000 (UTC)
In-Reply-To: <1158841858.325371.252420@d34g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.policy:45666
rec.radio.amateur.equipment:6370 rec.radio.amateur.misc:22141
alt.radio.scanner:2962
```

Not Cocksucker Lloyd wrote:
>

gay bashers are not welcome anywhere that is why they use fake names
like Slow Code

```
From -1735393101538102082
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
X-Complaints-To: abuse@cv.net
```

```
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligijjdnojopddcmjimajopciglgeniefehfkbniaamobbiakdjekehbghnemcimjfogd
fepofamghcicbgmlgninajkkbffdpncpmbcgjkjpcnchnnenfnojecgjgcfcij
NNTP-Posting-Date: Thu, 21 Sep 2006 16:46:11 MST
Organization: Optimum Online
Date: Thu, 21 Sep 2006 19:48:10 -0400
Xref: g2news2.google.com rec.radio.swap:7724 rec.radio.amateur.boatanchors:5480
rec.radio.amateur.equipment:6371 rec.radio.scanner:6434 alt.ham-radio.vhf-uhf:2711
rec.radio.amateur.misc:22174 alt.ham-radio.marketplace:1367
```

On Thu, 21 Sep 2006 14:31:36 GMT, Simon <vk2ua-spamout@yahoo.com>
wrote:

>Since when have CB amplifiers been recognised as boatanchors or is this
>topic just spam from unthinking cross posting?

Running more than 4 watts on 27 MHz in the US has been illegal since
CB became legal here - 1961 IIRC. I don't know what the rules are in
Oz.

```
From 1801481308808071359
X-Google-Thread: 108122,38de0bee4685249c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: KB9YGD Norman P. Triantafilos
Date: 21 Sep 2006 19:18:44 -0700
Organization: http://groups.google.com
Lines: 108
Message-ID: <1158891524.217091.315660@e3g2000cwe.googlegroups.com>
References: <1158340510.949781.323420@i3g2000cwc.googlegroups.com>
   <1158777465.274497.130990@d34g2000cwd.googlegroups.com>
   <1158788411.493831.91790@m73g2000cwd.googlegroups.com>
   <1158848917.375890.104340@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 70.157.120.194
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158891529 32516 127.0.0.1 (22 Sep 2006 02:18:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Sep 2006 02:18:49 +0000 (UTC)
In-Reply-To: <1158848917.375890.104340@h48g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=70.157.120.194;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6372
```

Another shot down you freak...

Thank you for contacting the Abuse Complaint Administrator of the
Cyberiade.it Anonymous Remailer

The administrator has processed your request to not receive emails from

this anonymous remailer.

This remailer will no longer send emails to the email address(es) for
which you requested a block. Note that due to
fact that Internet email can arrive at the destination out-of-sequence,
it
is possible, though unlikely, that you may receive emails from this
remailer that were sent prior to your blocking request, but have not
yet been received by you.

We again wish to apologize for any inconvenience that may have been
caused to you.

Sincerely,

-- Cyberiade.it Anonymous Remailer Administrator

Ah ha ha ha

Hammertime

Hammertime wrote:
> Thank you for contacting the Abuse Complaint Administrator of the
> Cypherpunks Tonga Remailer.
> The administrator has processed your request to not receive emails from
> this anonymous remailer. This remailer will no longer send emails to
> the
> email address(es) for which you requested a block. Note that due to
> fact
> that Internet email can arrive at the destination out-of-sequence, it
> is
> possible, though unlikely, that you may receive emails from this
> remailer that were sent prior to your blocking request, but have not
> yet
> been received by you.
>
> We again wish to apologize for any inconvenience that may have been
> caused to you.
>
> Sincerely,
>
> -- The Cypherpunks Tonga Remailer Administrator
>

> Ah ha ha ha
>
> Hammertime
>
>
> Hammertime wrote:
> > Poor old KB9YGD Norman P Triantafilos 2634 Warren Street Lake Station
> > IN 46405
> > Phone 219 962 8416
> >
> > Norman lives in a garage shack, he owes back Federal Tax of around
> > 30,000.00 he hates America, he is Greek so don't turn your back on him.
> >
> > Norman is being watched by neighbors, he has no friends, we use to call
> > him crazy Norm, he has one child out of wedlock (bastard) that he never
> > does anything for him, the kid looks just like him (poor kid).
> >
> > Norman keeps all his money in his home, he can't put it in the bank
> > because the IRS would levy on it due to the back tax he owes.(he has
> > lots of bucks stashed in his house)
> >
> > Norman's cat Tiggy just croaked (thinks more of a damn cat than his own
> > kid) now old Norman is all alone with his pistol, he is very insecure
> > and dangerous to himself and neighbors, they are keeping an eye on old
> > crazy Norm.
> >
> > Norman get some professional help, you need it. Norman has lots of Ham
> > gear and tools in his garage in the back, the neighbors have cut his
> > coax a couple times for ripping up their tv's and phones, poor Norman
> > he is a recovering alcoholic, I use to smoke a little pot with him but
> > he couldn't handle it and the booze together.
> >
> > Now Norman claims to be a saint, a reformed drug and alcohol abuser, ah
> > our past eh Norm, remember that black whore who took your 30.00 bucks,
> > ah ha ha I got some of that pussy in the back seat of your caddy and
> > you got ripped off, or did you pay to just watch, ah ha ha, you freak.
> >
> > See Norm, when you talk about me it gets back, remember we were friends
> > and I know plenty about your personal life and the years we worked
> > together at the EJ&E RR, I'm not ashamed of anything I have done in my
> > life, it was all a great experience and I wouldn't trade it for
> > nothing, I have enjoyed my life, some good some not so good, at least
> > I'm not a lonely old bastard who hates as you do, I have a wife and a
> > nice home that's almost paid off from my settlement, 5 more years and
> > I'm on easy street, I can go and buy anything I want at anytime, I have
> > not lost anything especially myself as you have, I have friends and
> > relatives close, I have grandkids that adore me, what do you have? you
> > are such a miserable old bastard who is so paranoid someone is going to
> > get something you have.
> >
> > Wake up Norman life is too short to be a mean old nasty asshole that
> > hates and is envious of others, you won't listen, you will die an old
> > nasty bastard who no one will give a shit about.

```
> >
> > Hammertime



From 2063820647078659412
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.kjsl.com!ncf.ca!
FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: 22 Sep 2006 03:49:54 GMT
Organization: The National Capital FreeNet
Lines: 28
Message-ID: <eevmh2$efd$1@theodyn.ncf.ca>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1158896994 14829 134.117.136.48 (22 Sep 2006 03:49:54 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 22 Sep 2006 03:49:54 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6373

Al Klein (rukbat@pern.invalid) writes:
> On Thu, 21 Sep 2006 14:31:36 GMT, Simon <vk2ua-spamout@yahoo.com>
> wrote:
>
>>Since when have CB amplifiers been recognised as boatanchors or is this
>>topic just spam from unthinking cross posting?
>
> Running more than 4 watts on 27 MHz in the US has been illegal since
> CB became legal here - 1961 IIRC.  I don't know what the rules are in
> Oz.

It's always been illegal, but the amplifiers could be sold.  All those
"illegal for Class D Citizen Band use" in the Lafayette catalog on
the CB page decades ago were being sold for CB use.  And those and the
more underground amplifiers is what brought about the FCC rule in
the late seventies that put limits on amateur radio amplifiers.
Previously it had been too easy to sell amplifiers that were clearly
intended for CB (the giveaways were the low drive requirements and
the frequency range that wasn't much beyond the limits of the CB band),
but sold under the guise of "amateur radio amplifiers".  The new
rules of thirty years ago made all such amplifiers illegal.

Nevertheless, they have nothing to do with boatanchors.  They are
```

made today, they likely don't use tubes, they are intended for CB and
not amateur radio, and likely I'm likely forgetting other reasons.

Michael VE2BVW

From 7945271087873087213
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Fri, 22 Sep 2006 04:51:02 +0000 (UTC)
Organization: MGT Consulting
Lines: 23
Message-ID: <slrneh6qhk.omm.gsm@cable.mendelson.com>
References: <eegols$1e24$1@registered.motzarella.org> <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com> <eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net> <4512aec3_6@news.peopletelecom.com.au> <o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com> <eevmh2$efd$1@theodyn.ncf.ca>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: dsl217-132-43-61.bb.netvision.net.il
X-Trace: marvin.misty.com 1158900662 20836 217.132.43.61 (22 Sep 2006 04:51:02 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Fri, 22 Sep 2006 04:51:02 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:6374

Michael Black wrote:
> Previously it had been too easy to sell amplifiers that were clearly
> intended for CB (the giveaways were the low drive requirements and
> the frequency range that wasn't much beyond the limits of the CB band),
> but sold under the guise of "amateur radio amplifiers". The new
> rules of thirty years ago made all such amplifiers illegal.
>
> Nevertheless, they have nothing to do with boatanchors. They are
> made today, they likely don't use tubes, they are intended for CB and
> not amateur radio, and likely I'm likely forgetting other reasons.

Ten-Tec made an amplifier called the 405 for the Argonuat 505 and 509.
It's solid state but due to it's age may qualify as a boat anchor.
5 watts in 50 or so out.

Fairly rare due to the FCC rules, which BTW were dropped recently.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 Fax ONLY: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

```
From -2446243683761371668
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Re: Markie Morgan KB9RQZ pedophile at large
Date: 22 Sep 2006 05:55:31 -0700
Organization: http://groups.google.com
Lines: 36
Message-ID: <1158929731.701592.139820@e3g2000cwe.googlegroups.com>
References: <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
   <1158793620.375466.293500@m7g2000cwm.googlegroups.com>
   <1158841773.282695.259780@m7g2000cwm.googlegroups.com>
   <bi15h254ctpb7u1g17rmeklk6t4gtrm09l@4ax.com>
   <1158842734.081362.308520@i3g2000cwc.googlegroups.com>
   <5b65h2tg6nifi24mj701p23epftpjtvr0h@4ax.com>
NNTP-Posting-Host: 65.54.98.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158929735 25846 127.0.0.1 (22 Sep 2006 12:55:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Sep 2006 12:55:35 +0000 (UTC)
In-Reply-To: <5b65h2tg6nifi24mj701p23epftpjtvr0h@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=65.54.98.103;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.equipment:6375
rec.radio.amateur.misc:22217 alt.radio.scanner:2968
```

nospam wrote:
> Get ready for a surprise big mouth. My mother is dead

```
You fuck your dead mother? BWHAHAHAHAHAHAHA!

>and you just  pissed me off big time.

And a little pissant like you isn't about to do anything.

Now fuck off.

> On 21 Sep 2006 05:45:34 -0700, markie_morgan_rapesboys@yahoo.com
> wrote:
>
> >
> >nospam wrote:
> >> Take this crap somewhere else. We are sick of it.
> >
> >Get back in bed with your mother, she's getting cold.
> >
> >And fuck off.
> >
> >> On 21 Sep 2006 05:29:33 -0700, "Not Cocksucker Lloyd"
> >> <not_time_turd_lloyd@yahoo.com> wrote:
> >>
> >> >
> >> >an old freindless pedophile wrote:
> >> >> peewee_lloyd_davies@yahoo.com wrote:
> >> >> > Sheepfucker and shemale pic poster
> >> >>
> >> >> > Your posts and shitty "broadcasts" have contributed to it more, Toad.
> >> >> wo
> >> >
> >> >Mark Morgan, pedoiphile at large!



From 7403315164615329367
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: gay Markie is the Rosie O'Donnell of the newsgroup!
Date: 22 Sep 2006 05:56:44 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1158929804.416641.115890@m73g2000cwd.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
```

```
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
   <dmlQg.14309$bM.12000@newsread4.news.pas.earthlink.net>
   <1158841858.325371.252420@d34g2000cwd.googlegroups.com>
   <1158859312.503247.301600@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 65.54.98.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158929810 14364 127.0.0.1 (22 Sep 2006 12:56:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Sep 2006 12:56:50 +0000 (UTC)
In-Reply-To: <1158859312.503247.301600@m73g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.98.103;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.policy:45765
rec.radio.amateur.equipment:6376 rec.radio.amateur.misc:22218
alt.radio.scanner:2969


kb9rqz-1@hotmail.com wrote:
> gay

Markie admits he's gay!



From 2221043084374816875
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: gay Markie
Date: 22 Sep 2006 06:07:13 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1158930433.056064.24100@k70g2000cwa.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
   <akdmk.8qe.19.1@news.alt.net>
   <zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
   <1158749993.662762.65150@m73g2000cwd.googlegroups.com>
   <6mlQg.14302$bM.12419@newsread4.news.pas.earthlink.net>
   <1158841687.924233.224130@m73g2000cwd.googlegroups.com>
   <1158859291.803405.226990@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.98.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158930438 27612 127.0.0.1 (22 Sep 2006 13:07:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Sep 2006 13:07:18 +0000 (UTC)
In-Reply-To: <1158859291.803405.226990@k70g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=65.54.98.103;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.policy:45769
rec.radio.amateur.equipment:6377 rec.radio.amateur.misc:22222
alt.radio.scanner:2970


kb9rqz-1@hotmail.com wrote:
> gay

Yes, you are!




From 5554544045281161628
X-Google-Thread: 108122,fb5e314f1b3f7452,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: nospam <nospam@nospam.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Attention: Need info on the person posting here as
kb9rqz_child_molester@yahoo.com
Date: Fri, 22 Sep 2006 08:15:26 -0500
Organization: netINS InterNetNews site
Lines: 5
Message-ID: <n5o7h21oqlec9guks065dammt52vgo7rh5@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1158930930 28188 67.55.159.6 (22 Sep 2006 13:15:30 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Fri, 22 Sep 2006 13:15:30 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:6378

Hello, I am requesting any info names, addresses etc of the person or
persons here that are constantly attacking people and their family
members on the rec.radio newsgroups. If you know who just posted here
under the name kb9rqz_child_molester@yahoo.com please post who and
where he is. I know it coming from the google news server. Thanks

From -6784867700430772566
X-Google-Thread: 10bf43,bfead0dc7075e7a6,start
X-Google-Thread: fcc6e,bfead0dc7075e7a6,start
X-Google-Thread: 108122,bfead0dc7075e7a6,start
X-Google-Thread: fa029,bfead0dc7075e7a6,start
X-Google-Thread: fb049,bfead0dc7075e7a6,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: Re: I punch in agian
Date: Fri, 22 Sep 2006 09:28:57 -0400
Organization: Chassell rainbow coalition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 54
Message-ID: <4513d816$0$19693$88260bb3@free.teranews.com>
NNTP-Posting-Date: 22 Sep 2006 12:33:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:45770
rec.radio.amateur.antenna:18545 rec.radio.amateur.equipment:6379
rec.radio.scanner:6439 alt.ham-radio.vhf-uhf:2717

 ok I back four anoter tuff day on the news grupes it my job tis waht I do
so
 bringit on you loosers

>
>
>

>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
with the punce gotcha he wonders why I simple don't bother to ty
impoving my spelling do u hav anyting cognet two say?

my blog
http://www.marksspamblog.blogspot.com/

>

--
Posted via a free Usenet account from http://www.teranews.com

From 7582368726943500678
X-Google-Thread: 1109af,ff7ec47c00ebdf1c

```
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Sat, 23 Sep 2006 00:40:12 +1000
From: Simon <vk2ua-spamout@yahoo.com>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
In-Reply-To: <o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <45140251$1_4@news.peopletelecom.com.au>
Lines: 16
X-Original-NNTP-Posting-Host: news.peopletelecom.com.au
NNTP-Posting-Host: news.people.net.au
X-Trace: news.waia.asn.au 1158936110 202.154.92.95 (22 Sep 2006 22:41:50 +0800)
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!news.waia.asn.au!
news.peopletelecom.com.au!not-for-mail
Xref: g2news2.google.com rec.radio.swap:7732 rec.radio.amateur.boatanchors:5485
rec.radio.amateur.equipment:6380 rec.radio.scanner:6440 alt.ham-radio.vhf-uhf:2719
rec.radio.amateur.misc:22226 alt.ham-radio.marketplace:1371
```

Al Klein wrote:

> On Thu, 21 Sep 2006 14:31:36 GMT, Simon <vk2ua-spamout@yahoo.com>
> wrote:
>
>> Since when have CB amplifiers been recognised as boatanchors or is this
>> topic just spam from unthinking cross posting?
>
> Running more than 4 watts on 27 MHz in the US has been illegal since
> CB became legal here - 1961 IIRC. I don't know what the rules are in
> Oz.

Al, yes more or less the same rules in Oz - type approval etc, but this gear is not considered as a collectable boatanchor though, so a bit off topic in the boatanchors forum - maybe an excess of cross-posting.

Simon

```
From -2952108758437361895
X-Google-Thread: 108122,a68e6a4b152d2ed6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!
news-server.columbus.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!
tornado.socal.rr.com.POSTED!53ab2750!not-for-mail
From: "Don Hendrix" <sales@aaarfproducts.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Top Quality RF Connectors, Adapters, Cable Assemblies & More
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <ujXQg.6452$%i.5963@tornado.socal.rr.com>
Date: Fri, 22 Sep 2006 20:02:34 GMT
NNTP-Posting-Host: 66.74.102.253
X-Complaints-To: abuse@rr.com
X-Trace: tornado.socal.rr.com 1158955354 66.74.102.253 (Fri, 22 Sep 2006 13:02:34
PDT)
NNTP-Posting-Date: Fri, 22 Sep 2006 13:02:34 PDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6387

Please visit AAARFProducts.com




From -7229272765598536142
X-Google-Thread: 108228,2475521fb93321a,start
X-Google-Thread: 108122,2475521fb93321a,start
X-Google-Thread: 1109af,2475521fb93321a,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 2-EACH 900 MHZ Motorola GTX Radios and Chargers-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000E_01C6DE38.CAF55B50"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <CPVQg.543$tO5.334@fed1read10>
Date: Fri, 22 Sep 2006 11:18:13 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1158949218 68.104.78.240 (Fri, 22 Sep 2006 14:20:18 EDT)
NNTP-Posting-Date: Fri, 22 Sep 2006 14:20:18 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1372
rec.radio.amateur.equipment:6381 rec.radio.swap:7734

This is a multi-part message in MIME format.

------=_NextPart_000_000E_01C6DE38.CAF55B50
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 2-EACH 900 MHZ Motorola GTX Radios and Chargers-HAM

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250032075750&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000E_01C6DE38.CAF55B50
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 2-EACH 900 MHZ Motorola GTX Radios and Chargers-HAM</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250032075750&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250032075750&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000E_01C6DE38.CAF55B50--




From -3430449114917379512
X-Google-Thread: 108228,c902fa74c61aa86a,start
X-Google-Thread: 108122,c902fa74c61aa86a,start
X-Google-Thread: 1109af,c902fa74c61aa86a,start
```

```
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:MOTOROLA CP200 Radio-UHF-16Ch EMS-FIRE-HAM-Small-EXTRAS
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0017_01C6DE38.FAF56980"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <SQVQg.544$tO5.77@fed1read10>
Date: Fri, 22 Sep 2006 11:19:33 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1158949298 68.104.78.240 (Fri, 22 Sep 2006 14:21:38 EDT)
NNTP-Posting-Date: Fri, 22 Sep 2006 14:21:38 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1373
rec.radio.amateur.equipment:6382 rec.radio.swap:7735

This is a multi-part message in MIME format.

------=_NextPart_000_0017_01C6DE38.FAF56980
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:MOTOROLA CP200 Radio-UHF-16Ch EMS-FIRE-HAM-Small-EXTRAS=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250032248221&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0017_01C6DE38.FAF56980
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:MOTOROLA CP200 Radio-UHF-16Ch EMS-FIRE-HAM-Small-EXTRAS </P>
```

```
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250032248221&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250032248221&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0017_01C6DE38.FAF56980--
```

```
From 8016066794435789446
X-Google-Thread: 108228,4c8e60f5b17a3426,start
X-Google-Thread: 108122,4c8e60f5b17a3426,start
X-Google-Thread: 1109af,4c8e60f5b17a3426,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: ICOM IC-F21 UHF-16-CH-440-470MHZ 2WAY RADIO-No Rsrv - HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0020_01C6DE39.3A04C0D0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <wSVQg.545$tO5.355@fed1read10>
Date: Fri, 22 Sep 2006 11:21:19 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1158949404 68.104.78.240 (Fri, 22 Sep 2006 14:23:24 EDT)
NNTP-Posting-Date: Fri, 22 Sep 2006 14:23:24 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1374
rec.radio.amateur.equipment:6383 rec.radio.swap:7736

This is a multi-part message in MIME format.

------=_NextPart_000_0020_01C6DE39.3A04C0D0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: ICOM IC-F21 UHF-16-CH-440-470MHZ 2WAY RADIO-No Rsrv - HAM

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250032267253&=
ssPageName=3DSTRK:MESE:IT&ih=3D015
```

```
------=_NextPart_000_0020_01C6DE39.3A04C0D0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: ICOM IC-F21 UHF-16-CH-440-470MHZ 2WAY RADIO-No Rsrv - HAM</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250032267253&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250032267253&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0020_01C6DE39.3A04C0D0--



From -2109630291154709111
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr29.news.prodigy.net.POSTED!758ec0cd!not-for-
mail
From: "Porgy Tirebiter" <biteme@gmail.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
Subject: Re: CB radio amplifiers for sale CHEAP!
```

```
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 69.235.41.123
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1158949470 ST000 69.235.41.123 (Fri, 22 Sep
2006 14:24:30 EDT)
NNTP-Posting-Date: Fri, 22 Sep 2006 14:24:30 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP\WBURERRRSP_@YMZJ\_Q\@TJ_ZTB\MV@BZMVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Fri, 22 Sep 2006 18:24:30 GMT
Xref: g2news2.google.com rec.radio.swap:7737 rec.radio.amateur.boatanchors:5486
rec.radio.amateur.equipment:6384 rec.radio.scanner:6445 alt.ham-radio.vhf-uhf:2721
rec.radio.amateur.misc:22233 alt.ham-radio.marketplace:1375


"Simon" <vk2ua-spamout@yahoo.com> wrote in message
news:45140251$1_4@news.peopletelecom.com.au...
> Al Klein wrote:
>> On Thu, 21 Sep 2006 14:31:36 GMT, Simon <vk2ua-spamout@yahoo.com>
>> wrote:
>>
>>> Since when have CB amplifiers been recognised as boatanchors or is this
>>> topic just spam from unthinking cross posting?
>>
>> Running more than 4 watts on 27 MHz in the US has been illegal since
>> CB became legal here - 1961 IIRC.  I don't know what the rules are in
>> Oz.
>
> Al, yes more or less the same rules in Oz - type approval etc, but this
> gear is not considered as a collectable boatanchor though, so a bit off
> topic in the boatanchors forum - maybe an excess of cross-posting.
>
> Simon

Actually it was 1957 when they took the 11 meter band from the HAMS and
created the "Class-D" Citizens radio service....The callsigns
were 11W1234 series of calls.
If this guy wanted to market these amplifiers and not attract the wrong
attention all he would have to say is they are for amateur use only, with
broadband coverage from 28 to 30Mhz.HAM gear does NOT require ANY "type
acceptance" at all..
It's not real hard to figure that they would indeed work on 21/24 and
27Mhz....food for thought....
```

From -6173009630483889254
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: 22 Sep 2006 18:55:05 GMT
Organization: The National Capital FreeNet
Lines: 21
Message-ID: <ef1bi9$bad$1@theodyn.ncf.ca>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1158951305 11597 134.117.136.48 (22 Sep 2006 18:55:05 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 22 Sep 2006 18:55:05 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6385

"Porgy Tirebiter" (biteme@gmail.com) writes:
> Actually it was 1957 when they took the 11 meter band from the HAMS and
> created the "Class-D" Citizens radio service....The callsigns
> were 11W1234 series of calls.
> If this guy wanted to market these amplifiers and not attract the wrong
> attention all he would have to say is they are for amateur use only, with
> broadband coverage from 28 to 30Mhz.HAM gear does NOT require ANY "type
> acceptance" at all..

You'd better look at the US regulations.

As I said, the existence of amplifiers for CB (but usually marketed
as something else) caused the FCC to bring in regulations in the late
seventies about amplifiers. It had always been illegal to use such
amplifiers on CB, but the new rules meant it was illegal to sell them.
The laws had nothing to do with amateur radio, but it did impact on amateur
radio. Those rules about amplifiers in that range are quite restrictive
compared to the general rules of amateur radio, and they exist because
another service was operating illegally.

Michael VE2BVW

```
From 4387494659041051027
X-Google-Thread: 108122,479346ea1855f345,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Cheesehead" <dplotusnotes@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: variac wiring
Date: 22 Sep 2006 12:03:32 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1158951812.206826.33540@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.223.164.83
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158951818 15706 127.0.0.1 (22 Sep 2006 19:03:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 22 Sep 2006 19:03:38 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.223.164.83;
   posting-account=_Ww8SgwAAADj6tMC6ZW_o8ZoN3kLCIQT
Xref: g2news2.google.com rec.radio.amateur.equipment:6386
```

Allright i bought an old variac from a deceased electronics guru. He had it wired for 120. the wire ing was in bad shape. so i tested it to verify it works and then i scraped the wire. the variac has been sitting for about a month. Now i need to use it and forgot how he had it wired up. an you all help?
here is a pic so you can see what im talking about.

http://i30.photobucket.com/albums/c311/kc8tpr/Variac.jpg

thanks,

steve

```
From 794286783952672200
X-Google-Thread: 108122,14b09009e5272756,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-
mail
From: "Mike" <questorz@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-2600M turns off when keyed up (SWR OK on Antenna/Coax)
Date: 22 Sep 2006 17:31:23 -0700
```

Organization: http://groups.google.com
Lines: 11
Message-ID: <1158971483.099507.215630@m7g2000cwm.googlegroups.com>
NNTP-Posting-Host: 65.80.152.169
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158971488 24800 127.0.0.1 (23 Sep 2006 00:31:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 23 Sep 2006 00:31:28 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=65.80.152.169;
   posting-account=ugoDLg0AAADTExJXoarXjpVLIZyotmAP
Xref: g2news2.google.com rec.radio.amateur.equipment:6391

I have a Yaesu FT-2600M that turns off when keyed up, then comes right back on (in all power settings). I know the radio has high SWR protection and have tested the SWR on my antenna (Comet GP9N with 9913) and it's extremely low with an Icom IC-V8000 radio at full power. Does anyone know what could cause this? It wasn't used for a year or so before this and was working fine. It was mounted in my work van for 3 years. Under the cover it looks bran new with no blown components or smells. Thanks for any help.

--Mike

From -1031157900365809158
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newstrans.cos.agilent.com!not-for-mail
From: "Al Lorona" <al_lorona@agilent.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
Date: Fri, 22 Sep 2006 17:31:27 -0700
Organization: None
Lines: 20
Message-ID: <1158970877.909707@newsreg.cos.agilent.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
<f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com> <3dcd8911b6e.aa1075257@alvillage.net>
NNTP-Posting-Host: newsreg.cos.agilent.com

X-Trace: newstrans.cos.agilent.com 1158971491 4854 130.29.134.111 (23 Sep 2006 00:31:31 GMT)
X-Complaints-To: usenet@newstrans.cos.agilent.com
NNTP-Posting-Date: Sat, 23 Sep 2006 00:31:31 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Cache-Post-Path: newsreg.cos.agilent.com!unknown@scs1nai139065.scs.agilent.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Xref: g2news2.google.com rec.radio.amateur.equipment:6392 rec.radio.amateur.policy:45823 rec.radio.scanner:6450 rec.radio.shortwave:53733 rec.radio.swap:7744

>
> You also top post, and that makes it obvious that you have a lot yet to learn about Usenet.

Chris,

Normally I would agree that killfiles and delete buttons are certainly indicated in a case like this, but there is a certain amount of newsgroup etiquette that is warranted on your part, too. You can't just do whatever you want on a newsgroup with no accountability and expect everyone else to modify their behavior to accomodate yours. You even cite Usenet etiquette in your own post, so how about doing your share in applying said etiquette to yourself?

Regards,

Al

From 4734197888811340112
X-Google-Thread: 114a57,eb94444d775870ed,start
X-Google-Thread: 108122,eb94444d775870ed,start
X-Google-Thread: 1109af,eb94444d775870ed,start
X-Google-Attributes: gid114a57,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.hf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Uniden HR2510 10 mtr mobile $155.00 shipped
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869

X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <z3ZQg.114$KK.1@trnddc08>
Date: Fri, 22 Sep 2006 22:02:07 GMT
NNTP-Posting-Host: 71.126.71.145
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1158962527 71.126.71.145 (Fri, 22 Sep 2006 18:02:07 EDT)
NNTP-Posting-Date: Fri, 22 Sep 2006 18:02:07 EDT
Xref: g2news2.google.com alt.ham-radio.hf:532 rec.radio.amateur.equipment:6388
rec.radio.swap:7739

Uniden President HR2510 10mtr mobile.
Complete with original box, bracket, mic, power cable and copy of owners
manual. Boxed up and ready for shipment, last buyer backed out, so take it
while you can get it.
$155.00 shipped Cont. US only. USPS money orders only.

pottsladd13 at yahoo dot com

From 8174708151136221722
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!uns-out.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!DIALUPUSA.NET!not-for-mail
From: "Dr.Ace" <Ace@WH2T.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Fri, 22 Sep 2006 18:07:29 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2905
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962

```
X-RFC2646: Format=Flowed; Response
Message-ID: <d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 35
X-Trace: d9bd745145d0fa159e06820694
Xref: g2news2.google.com rec.radio.swap:7740 rec.radio.amateur.boatanchors:5490
rec.radio.amateur.equipment:6389 rec.radio.scanner:6447 alt.ham-radio.vhf-uhf:2723
rec.radio.amateur.misc:22237 alt.ham-radio.marketplace:1377


"Porgy Tirebiter" <biteme@gmail.com> wrote in message
news:yTVQg.3490$GR.3411@newssvr29.news.prodigy.net...

Snipped

>>> Running more than 4 watts on 27 MHz in the US has been illegal since
>>> CB became legal here - 1961 IIRC.  I don't know what the rules are in
>>> Oz.
>>
>> Al, yes more or less the same rules in Oz - type approval etc, but this
>> gear is not considered as a collectable boatanchor though, so a bit off
>> topic in the boatanchors forum - maybe an excess of cross-posting.
>>
>> Simon
>
> Actually it was 1957 when they took the 11 meter band from the HAMS and
> created the "Class-D" Citizens radio service....The callsigns
> were 11W1234 series of calls.
> If this guy wanted to market these amplifiers and not attract the wrong
> attention all he would have to say is they are for amateur use only, with
> broadband coverage from 28 to 30Mhz.HAM gear does NOT require ANY "type
> acceptance" at all..
> It's not real hard to figure that they would indeed work on 21/24 and
> 27Mhz....food for thought....
>
>
>

Home brew ham gear does NOT require ANY "type acceptance" at all..
Commercial ham gear must be type accepted.
  Ace - WH2T





From 445809269520305599
X-Google-Thread: 10bf43,bfead0dc7075e7a6
X-Google-Thread: fcc6e,bfead0dc7075e7a6
X-Google-Thread: 108122,bfead0dc7075e7a6
X-Google-Thread: fa029,bfead0dc7075e7a6
X-Google-Thread: fb049,bfead0dc7075e7a6
```

```
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!uns-out.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4514716E.3000300@fuse.net>
Date: Fri, 22 Sep 2006 19:27:42 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: Re: I punch in agian
References: <4513d816$0$19693$88260bb3@free.teranews.com>
In-Reply-To: <4513d816$0$19693$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 55
X-Trace: e00f845147206ed94689c00537
Xref: g2news2.google.com rec.radio.amateur.policy:45815
rec.radio.amateur.antenna:18581 rec.radio.amateur.equipment:6390
rec.radio.scanner:6449 alt.ham-radio.vhf-uhf:2725

Mark@kb9rqz.com wrote:
>  ok I back four anoter tuff day on the news grupes it my job tis waht I do
> so
>  bringit on you loosers
>
>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
```

```
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>  with the punce gotcha he wonders why I simple don't bother to ty
>  impoving my spelling do u hav anyting cognet two say?
>
>  my blog
>  http://www.marksspamblog.blogspot.com/
>
>
>
>
>
PLEASE, don't bother, really


From -7354175267908892433
X-Google-Thread: 10bf43,c1e048e3f0e708e9,start
X-Google-Thread: fcc6e,c1e048e3f0e708e9,start
X-Google-Thread: 108122,c1e048e3f0e708e9,start
X-Google-Thread: fa029,c1e048e3f0e708e9,start
X-Google-Thread: fb049,c1e048e3f0e708e9,start
X-Google-Attributes: gid10bf43,gidfcc6e,gid108122,gidfa029,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec
.radio.scanner,alt.ham-radio.vhf-uhf
Subject: I punce in aigain
Date: Mon, 25 Sep 2006 14:37:58 -0400
Organization: Chassell rainbow coalition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 57
```

Message-ID: <451815a7$0$19626$88260bb3@free.teranews.com>
NNTP-Posting-Date: 25 Sep 2006 17:45:11 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:46427
rec.radio.amateur.antenna:18727 rec.radio.amateur.equipment:6447
rec.radio.scanner:6526 alt.ham-radio.vhf-uhf:2763

ok I back four anoter tuff day on the news grupes it my job tis waht I do
so
bringit on you loosers

show-na-to-va (that is the greeting for this time of year as a JEW
rendered phonicticaly)
happy new years it means and it can be better one if Wismen Robson and
SC a few just decided to not to be as hateful

>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>

>
with the punce gotcha he wonders why I simple don't bother to ty
 impoving my spelling do u hav anyting cognet two say?

 my blog
 http://www.marksspamblog.blogspot.com/
>
>

--
Posted via a free Usenet account from http://www.teranews.com

From 6672024342739836704
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!arclight.uoregon.edu!news.netins.net!not-for-mail
From: nospam <nospam@nospam.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
Date: Fri, 22 Sep 2006 20:00:55 -0500
Organization: netINS InterNetNews site
Lines: 29
Message-ID: <tg19h2pmostadvtipvt59touiov3fnkgth@4ax.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
<f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com> <3dcd8911b6e.aa1075257@alvillage.net>
<1158970877.909707@newsreg.cos.agilent.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1158973257 26349 67.55.159.6 (23 Sep 2006 01:00:57 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sat, 23 Sep 2006 01:00:57 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:6393
rec.radio.amateur.policy:45824 rec.radio.scanner:6451 rec.radio.shortwave:53734
rec.radio.swap:7745

On Fri, 22 Sep 2006 17:31:27 -0700, "Al Lorona"

```
<al_lorona@agilent.com> wrote:

>>
>> You also top post, and that makes it obvious that you have a lot yet to
>> learn about Usenet.
>
>Chris,
>
>Normally I would agree that killfiles and delete buttons are certainly
>indicated in a case like this, but there is a certain amount of newsgroup
>etiquette that is warranted on your part, too. You can't just do whatever
>you want on a newsgroup with no accountability and expect everyone else to
>modify their behavior to accomodate yours. You even cite Usenet etiquette in
>your own post, so how about doing your share in applying said etiquette to
>yourself?
>
>Regards,
>
>Al
>
>
Al, these guys don't care what we think. You should of read what they
said about my dead mother. I'm doing some research right now as who
said that and I am so sick of this I am ready to go on a road trip. He
doesn't realize that I am a disgrunted postal worker. Shouldn't of
said that about my dead mother!




From 9190431368828911511
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Mon, 25 Sep 2006 14:41:29 -0400
Message-ID: <d98gh2dc4q2rn03f9qngv2l5ori8bu7u5d@4ax.com>
References: <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
```

```
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
<rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
<u8sbh298no9lkbtch3tr5egib2ud0vqk7e@4ax.com>
<r03eh29hnlivkgdl8ka0vlcfl34cbk1bv6@4ax.com> <4YGdnUxqKr-
aUorYnZ2dnUVZ_rudnZ2d@rcn.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 47
NNTP-Posting-Date: 25 Sep 2006 17:46:29 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.swap:7789 rec.radio.amateur.boatanchors:5528
rec.radio.amateur.equipment:6448 rec.radio.scanner:6527 alt.ham-radio.vhf-uhf:2764
rec.radio.amateur.misc:22456 alt.ham-radio.marketplace:1401

On Mon, 25 Sep 2006 08:42:11 -0400, Chuck Harris
<cf-NO-SPAM-harris@erols.com> wrote:

>Al Klein wrote:
>> On Sun, 24 Sep 2006 12:49:18 +1000, Barry OGrady
>> <god_free_jones@yahoo.com> wrote:
>>
>>> Aside from spelling metre as meter you are confusing can't and may. You can
>>> sell whatever you like anywhere but there are many things you may not sell.
>>
>> American English: "Can" = "May".  "Can" seems to be preferred in
>> common usage.  (Then again, just look at how some of our kids spell on
>> Usenet and in IRC and, knowing that any of them can grow up to be
>> president, be very afraid.)
>
>Hmm, you think that spelling is a reflection on intelligence?  Spelling is a
>rather arbitrary transliteration of vocal sounds into written text.  I have
>known some incredibly brilliant people that couldn't spell their way out of
>a wet paper bag, and I have known some extremely facile spellers that
>couldn't reason their way out of that same bag.
>
>The kids on IRC are using home grown abbreviations to cut down on the number
>of symbols they need to type to convey a message... Hams do the same thing
>when using RTTY, or CW.
>
>>
>>>>    I think the stink arose on the posting, because the person posting the
>>>> original listing, advertised it as a CB radio amplifier
>>
>>> He may have been blasted for top posting.
>>
>> Neither of us who took issue with his post mentioned his top-posting.
>> We both blasted him on pure content.
>
```

>I am sort of curious as to why my posting of the actual FCC part 97 rules
>that cover linear amplifiers drew exactly zero comments.
because Facts have nothing to do the bashing going on

personaly I think telestar is pushing the envelope a bit but I hardly
care I may find a legal use for one of those amps if the FCC gets off
its ass and publishes the R&O

notice for examply the title of the thread CB amps and the CB grouop
is no where in sight
>
>-Chuck Harris
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

---

From -3006852745806440181
X-Google-Thread: 108122,14b09009e5272756
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!
216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-for-mail
From: litle ole me <""nobody \"@ nowhere.com">
User-Agent: Thunderbird 1.5.0.7 (Macintosh/20060909)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-2600M turns off when keyed up (SWR OK on Antenna/Coax)
References: <1158971483.099507.215630@m7g2000cwm.googlegroups.com>
In-Reply-To: <1158971483.099507.215630@m7g2000cwm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <_t1Rg.1203$5i7.1086@newsreading01.news.tds.net>
Date: Sat, 23 Sep 2006 03:03:22 GMT
NNTP-Posting-Host: 69.130.146.157
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1158980602 69.130.146.157 (Fri, 22 Sep 2006
22:03:22 CDT)
NNTP-Posting-Date: Fri, 22 Sep 2006 22:03:22 CDT
Organization: tds.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6394

Mike wrote:
> I have a Yaesu FT-2600M that turns off when keyed up, then comes right
> back on (in all power settings). I know the radio has high SWR
> protection and have tested the SWR on my antenna (Comet GP9N with 9913)
> and it's extremely low with an Icom IC-V8000 radio at full power. Does
> anyone know what could cause this? It wasn't used for a year or so
> before this and was working fine. It was mounted in my work van for 3
> years. Under the cover it looks bran new with no blown components or

```
> smells. Thanks for any help.
>
> --Mike
>
make sure the power connections are all strong and clean.  perhaps the
fuse needs replacement, or the ground connection has oxidized.

I have seen similar things when radios try to draw higher current, and
the voltage drops to below threshold voltage for the radio, causing the
processor to restart..


From -7358230783612448686
X-Google-Thread: 108122,14b09009e5272756
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!newsfe09.lga.POSTED!53ab2750!not-for-mail
Message-ID: <4514BB4F.3050203@hotmail.com>
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-2600M turns off when keyed up (SWR OK on Antenna/Coax)
References: <1158971483.099507.215630@m7g2000cwm.googlegroups.com>
In-Reply-To: <1158971483.099507.215630@m7g2000cwm.googlegroups.com>
Content-Type: multipart/alternative;
 boundary="------------030702040200040503080908"
Lines: 78
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligijjdnojopddcmjimeajhmnbblljienigoappennnphngbbbkldloolidgaadjagaef
hlmpdloebcaeinjdmncjnbhokjiikadcpngphnoolfdomdhgindeflifgphkdl
NNTP-Posting-Date: Fri, 22 Sep 2006 21:42:55 MST
Date: Sat, 23 Sep 2006 00:42:55 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6395

This is a multi-part message in MIME format.
--------------030702040200040503080908
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Mike wrote:

>I have a Yaesu FT-2600M that turns off when keyed up, then comes right
>back on (in all power settings). I know the radio has high SWR
>protection and have tested the SWR on my antenna (Comet GP9N with 9913)
```

```
>and it's extremely low with an Icom IC-V8000 radio at full power. Does
>anyone know what could cause this? It wasn't used for a year or so
>before this and was working fine. It was mounted in my work van for 3
>years. Under the cover it looks bran new with no blown components or
>smells. Thanks for any help.
>
>--Mike
>
>
>
Hi Mike,

RF could be getting back into the radio.   RF  can do some funky things.
Make BOTH power leads  go directly to the battery and for safety sake
fuse BOTH.
Also use heavy enough wire, say 14 gauge or better.  Make sure the
antenna connections are clean and good.
SWR protection just backs off the power to a safe level if the antenna
is messed up but will not shut down the radio.
If all else fails reset the CPU.  THen reinstall the memories because
they will be lost.
73 and good luck!

--------------030702040200040503080908
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Mike wrote:<br>
<blockquote
 cite="mid1158971483.099507.215630@m7g2000cwm.googlegroups.com"
 type="cite">
  <pre wrap="">I have a Yaesu FT-2600M that turns off when keyed up, then comes
right
back on (in all power settings). I know the radio has high SWR
protection and have tested the SWR on my antenna (Comet GP9N with 9913)
and it's extremely low with an Icom IC-V8000 radio at full power. Does
anyone know what could cause this? It wasn't used for a year or so
before this and was working fine. It was mounted in my work van for 3
years. Under the cover it looks bran new with no blown components or
smells. Thanks for any help.

--Mike

  </pre>
</blockquote>
Hi Mike,<br>
```

```
<br>
RF<b> <i>could</i></b> be getting back into the radio. &nbsp; RF&nbsp; can do
some funky things.<br>
Make BOTH power leads&nbsp; go directly to the battery and for safety sake
fuse BOTH.<br>
Also use heavy enough wire, say 14 gauge or better.&nbsp; Make sure the
antenna connections are clean and good.<br>
SWR protection just backs off the power to a safe level if the antenna
is messed up but will not shut down the radio.<br>
If all else fails reset the CPU.&nbsp; THen reinstall the memories because
they will be lost.<br>
73 and good luck!<br>
</body>
</html>

--------------030702040200040503080908--



From -687241181036844466
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
```

mgjcfpjdppbciligijjdnojopddcmjimakjidelelgkhmmlofkbniaamobbiakdjddpjglhdkhkffnfdci
cbifjdcpndiokdmlgninajkkbffdpnjfehcjhdipcomnacenfnojecgjgcfcij
NNTP-Posting-Date: Fri, 22 Sep 2006 21:51:06 MST
Organization: Optimum Online
Date: Sat, 23 Sep 2006 00:53:03 -0400
Xref: g2news2.google.com rec.radio.swap:7747 rec.radio.amateur.boatanchors:5495
rec.radio.amateur.equipment:6396 rec.radio.scanner:6458 alt.ham-radio.vhf-uhf:2728
rec.radio.amateur.misc:22267 alt.ham-radio.marketplace:1378

On Fri, 22 Sep 2006 18:07:29 -0500, "Dr.Ace" <Ace@WH2T.com> wrote:

>Home brew ham gear does NOT require ANY "type acceptance" at all..
>Commercial ham gear must be type accepted.

There's no type acceptance for ham gear.

From 9007643499428403606
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
Message-Id: <1318543.TF9YdkMBtZ@www.usenetzone.com>
From: N7ZZT <n7zzt@127.0.0.1>
Subject: Re: CB radio amplifiers for sale CHEAP!
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Followup-To: rec.radio.swap
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<eemglj$7b0$1@registered.motzarella.org>
Lines: 27
User-Agent: KNode/0.10.1
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-No_Archive: yes
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Date: Sat, 23 Sep 2006 03:04:29 -0700
NNTP-Posting-Host: 70.190.56.163
X-Complaints-To: abuse@cox.net

X-Trace: fed1read09 1159005813 70.190.56.163 (Sat, 23 Sep 2006 06:03:33 EDT)
NNTP-Posting-Date: Sat, 23 Sep 2006 06:03:33 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.swap:7751 rec.radio.amateur.boatanchors:5497
rec.radio.amateur.equipment:6397 rec.radio.scanner:6462 alt.ham-radio.vhf-uhf:2729
rec.radio.amateur.misc:22270 alt.ham-radio.marketplace:1379

The Professor wrote:

>> Says those of us who are familiar with FCC Regulations.
>>
>>
> Says the clueless newbie. It's a 10 meter amplifier dumbass....LOL

anyone with any radio knowledge at all knows that a "10 meter" amp is more
than broad enough to be used on 11 meters with very little retuning
required (hell, the band edges are less than 600 Khz apart!).

now, there are ways to make a 10 meter amp unusable on 11, but then, it
would be mostly unusable on the lower end of 10 as well. :(

so...... the label of a "10 meter amp" os pretty much meaningless, unless
you can come up with a bandpass filter that has a 90+db/decade slope and a
cutoff just 40 Khz from the edge of band you want to work (good luck with
that as the filter would be unwieldy in both size and cost). things like
this can be easily done on the upper UHF spectrum where wavelengths are
short and parts are easy to fabricate..... not so in the upper HF
(wavelengths >6 meters). can you imaging a cavity filter for 10 meters? it
would be as big as a house and have a bandwidth narrower than your
transmitters operating frequency plus its associated sidebands (am or fm)
and wider still than any ssb signal (on 10 meters)

the math on this is indisputable.

From -1960132560043260187
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!out03b.usenetserver.com!
news.usenetserver.com!in01.usenetserver.com!news.usenetserver.com!
in03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-
out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Guy P. Distaffen" <guypd@rochester.rr.com>

```
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<4512aec3_6@news.peopletelecom.com.au>
<o196h2lg272qdjp9or67p2ct5ioj1ur0b3@4ax.com>
<45140251$1_4@news.peopletelecom.com.au>
<yTVQg.3490$GR.3411@newssvr29.news.prodigy.net>
<d9bd7$45145d0f$4fc45cd$20694@DIALUPUSA.NET>
<scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com>
Subject: Re: CB radio amplifiers for sale CHEAP!
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <rs8Rg.47739$uH6.19778@twister.nyroc.rr.com>
Date: Sat, 23 Sep 2006 10:59:35 GMT
NNTP-Posting-Host: 66.67.165.103
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1159009175 66.67.165.103 (Sat, 23 Sep 2006 06:59:35
EDT)
NNTP-Posting-Date: Sat, 23 Sep 2006 06:59:35 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.swap:7753 rec.radio.amateur.boatanchors:5498
rec.radio.amateur.equipment:6398 rec.radio.scanner:6464 alt.ham-radio.vhf-uhf:2730
rec.radio.amateur.misc:22274 alt.ham-radio.marketplace:1380
```

My understanding for the US, is that according to the FCC, if you sell ham gear as a business, it has to be type accepted, but you can "home brew" anything you want to use on the ham bands for personal use. If you sell your personal equipment, it doesn't need to be type accepted, either.

Also, if you sell an amplifier as a business, it can't operate the 12 or 10 meter band. However, it can be modified to operate it, but that fits in the "home brew" category, again.

I think the stink arose on the posting, because the person posting the original listing, advertised it as a CB radio amplifier, which is illegal in the US and from what I understand, most other countries. Notice that the original poster has not posted in a while, I believe he probably has been warned, because it is off-topic and cross-posted to more than 5 groups, which is considered spam according to the TOS with most ISPs.

"Al Klein" <rukbat@pern.invalid> wrote in message
news:scf9h2dlna72ckqndl9ju09jbut5bikq3s@4ax.com...
> On Fri, 22 Sep 2006 18:07:29 -0500, "Dr.Ace" <Ace@WH2T.com> wrote:
>
>>Home brew ham gear does NOT require ANY "type acceptance" at all..
>>Commercial ham gear must be type accepted.
>

> There's no type acceptance for ham gear.

```
From 4048884229080279093
X-Google-Thread: 108122,51440ea20d360cba,start
X-Google-Thread: 108228,51440ea20d360cba,start
X-Google-Thread: 1062f2,51440ea20d360cba,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 23 Sep 2006 06:24:20 -0500
Subject: FA: 1-Day-Left: 4 ELECTRONICS Books: OP AMPs, Digital IC's, Circuits,
CDROM, etc.
Date: Sat, 23 Sep 2006 07:24:19 -0400
From: David <david@dsopjoapu.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <2309200607241939398%david@dsopjoapu.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-sfDlxyupUxEpUDBIp+9Ex5nPpo/
0UKWADjSe2fTc9+JyamHDb6B6FsXr46oFeqeFdSXlYFUSnGgDsbT!
0ILugZoC7lVrr64yFjXfO43PKixXfWzIZG+cvvuxpbGfABXuoshQKQN/tJzmrQ/TSe03MjPcQfQD!
ZEETPgoycttTc4hSmXfnyQ==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6399 alt.ham-
radio.marketplace:1381 misc.industry.electronics.marketplace:639
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320027981946

```
From -2081394559255775178
X-Google-Thread: 108122,14b09009e5272756
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 23 Sep 2006 08:13:55 -0500
```

From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1158971483.099507.215630@m7g2000cwm.googlegroups.com>
<4514BB4F.3050203@hotmail.com>
Subject: Re: Yaesu FT-2600M turns off when keyed up (SWR OK on Antenna/Coax)
Date: Sat, 23 Sep 2006 09:13:47 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <AYKdnehe3sKJrojYnZ2dnUVZ_rqdnZ2d@comcast.com>
Lines: 39
NNTP-Posting-Host: 68.61.218.179
X-Trace:
sv3-1jzW9i+3PA8Fi1aUPtyjPUw1D6YS8G7XaLewwzYohTK5nXtuHa4Hrb5fi8ZjJx+Uy7B0lVfk/
6QKTYS!RD7ngKCzTdn+LJW5B1hTSlC1mIDwtUVa/
g1k3mI+CWeLT+8ivynDQJWd6+SXD5vjBu1ZVhSQDk7K!6OqwzccsY/bXtDHV
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6400

"JJ" <jamesevns75@hotmail.com> wrote in message
news:4514BB4F.3050203@hotmail.com...
> Mike wrote:
>
>>I have a Yaesu FT-2600M that turns off when keyed up, then comes right
>>back on (in all power settings). I know the radio has high SWR
>>protection and have tested the SWR on my antenna (Comet GP9N with 9913)
>>and it's extremely low with an Icom IC-V8000 radio at full power. Does
>>anyone know what could cause this? It wasn't used for a year or so
>>before this and was working fine. It was mounted in my work van for 3
>>years. Under the cover it looks bran new with no blown components or
>>smells. Thanks for any help.
>>
>>--Mike
>>
>>
>>
> Hi Mike,
>
> RF could be getting back into the radio. RF can do some funky things.
> Make BOTH power leads go directly to the battery and for safety sake
> fuse BOTH.
> Also use heavy enough wire, say 14 gauge or better. Make sure the
> antenna connections are clean and good.
> SWR protection just backs off the power to a safe level if the antenna
> is messed up but will not shut down the radio.

> If all else fails reset the CPU. THen reinstall the memories because
> they will be lost.
> 73 and good luck!
>

What power supply are you running it with? Perhaps the problem lies there.
I've seen radios shut down on key up and come right back on when the power
supply is inadequate or bad.

Dee, N8UZE

```
From -7973022591068368799
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: k4yz_01@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: An Insult To One's Deceased Mother?  Look to KB9RQZ For That Kind Of
"Response"
Date: 23 Sep 2006 06:29:20 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1159018160.003284.12770@i3g2000cwc.googlegroups.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
   <12h17gktf0opa87@corp.supernews.com>
   <3dcnsdd1b6e.991075257@alvillage.net>
   <f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com>
   <3dcd8911b6e.aa1075257@alvillage.net>
   <1158970877.909707@newsreg.cos.agilent.com>
   <tg19h2pmostadvtipvt59touiov3fnkgth@4ax.com>
NNTP-Posting-Host: 64.12.116.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1159018165 9088 127.0.0.1 (23 Sep 2006 13:29:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 23 Sep 2006 13:29:25 +0000 (UTC)
In-Reply-To: <tg19h2pmostadvtipvt59touiov3fnkgth@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[mtc-te013 8.4.1], HTTP/1.1 cache-mtc-aa06.proxy.aol.com[400C740A] (Traffic-
```

Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=64.12.116.10;
   posting-account=Qk-zTg0AAADBXaKvb_MZ41YgmjjGgjfy
Xref: g2news2.google.com rec.radio.amateur.equipment:6401
rec.radio.amateur.policy:45938 rec.radio.scanner:6466 rec.radio.shortwave:53770
rec.radio.swap:7755

nospam wrote:
> On Fri, 22 Sep 2006 17:31:27 -0700, "Al Lorona"

> Al, these guys don't care what we think. You should of read what they
> said about my dead mother. I'm doing some research right now as who
> said that and I am so sick of this I am ready to go on a road trip. He
> doesn't realize that I am a disgrunted postal worker. Shouldn't of
> said that about my dead mother!

KB9RQZ (Mark 'Morkie Moron' Morgan) feels right at home absuing the memory of my deceased daughter in order to try and gain "messaging leverage"...I have no doubt that he's your culprit.

Why does Morkie keep insisting that I am "lying" when all I am doing is quoting HIM verbatim?

I'm not.

Here's YOUR words AGAIN, Morkie:

Message-ID: <1158542716.987841.319690@m73g2000cwd.googlegroups.com>

KB9RQZ Said: "oh learning code is easy"

There you have it, folks! Morkie says learning code is easy!

Quoted Word For Word!

Steve, K4YZ

From -3911663213098856060
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
solaris.cc.vt.edu!news.vt.edu!news.netins.net!not-for-mail
From: nospam <nospam@nospam.net>
Newsgroups:

rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: An Insult To One's Deceased Mother? Look to KB9RQZ For That Kind Of "Response"
Date: Sat, 23 Sep 2006 09:04:57 -0500
Organization: netINS InterNetNews site
Lines: 41
Message-ID: <k4fah2922nogvqrsld3vhoduibrr848igi@4ax.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
<f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com> <3dcd8911b6e.aa1075257@alvillage.net>
<1158970877.909707@newsreg.cos.agilent.com>
<tg19h2pmostadvtipvt59touiov3fnkgth@4ax.com>
<1159018160.003284.12770@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1159020299 18233 67.55.159.6 (23 Sep 2006 14:04:59 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sat, 23 Sep 2006 14:04:59 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:6402
rec.radio.amateur.policy:45964 rec.radio.scanner:6468 rec.radio.shortwave:53776
rec.radio.swap:7756

You are the one that posted about my dead mother. I am getting close to finding out who you are. Its not KB9RQZ. You are using his name and call. I have paid a someone to help me find out who you are. You crossed the line when you made the comment about my dead mother. You think this is a joke what you are doing on here. I'm not going to make any threats here but we will meet some day. Keep posting

On 23 Sep 2006 06:29:20 -0700, k4yz_01@yahoo.com wrote:

>
>nospam wrote:
>> On Fri, 22 Sep 2006 17:31:27 -0700, "Al Lorona"
>
>> Al, these guys don't care what we think. You should of read what they
>> said about my dead mother. I'm doing some research right now as who
>> said that and I am so sick of this I am ready to go on a road trip. He
>> doesn't realize that I am a disgrunted postal worker. Shouldn't of
>> said that about my dead mother!
>
>   KB9RQZ (Mark 'Morkie Moron' Morgan) feels right at home absuing the
>memory of my deceased daughter in order to try and gain "messaging
>leverage"...I have no doubt that he's your culprit.
>
>   Why does Morkie keep insisting that I am "lying" when all I am
>doing is quoting HIM verbatim?
>

```
>    I'm not.
>
>    Here's YOUR words AGAIN, Morkie:
>
>Message-ID: <1158542716.987841.319690@m73g2000cwd.googlegroups.com>
>
>     KB9RQZ Said:  "oh learning code is easy"
>
>     There you have it, folks!  Morkie says learning code is easy!
>
>     Quoted Word For Word!
>
>Steve, K4YZ
```

```
From 8170895589039835392
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <34fug2lhnr3qmu4gsakel5jmmtpirt6k9s@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org>
<631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com>
<eemgpi$7da$1@registered.motzarella.org>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimknmbdbahldgdnhnnfkbniaamobbiakdjlkcpkeahangnidoamm
jgoihfbdeanhdmmlgninajkkbffdpnfldoegebhhgjkoomenfnojecgjgcfcij
NNTP-Posting-Date: Mon, 18 Sep 2006 19:46:44 MST
```

Organization: Optimum Online
Date: Mon, 18 Sep 2006 20:55:28 -0400
Xref: g2news2.google.com rec.radio.swap:7645 rec.radio.amateur.boatanchors:5458
rec.radio.amateur.equipment:6305 rec.radio.scanner:6364 alt.ham-radio.vhf-uhf:2684
rec.radio.amateur.misc:21897 alt.ham-radio.marketplace:1345

On Mon, 18 Sep 2006 12:16:44 -0400, "The Professor"
<telstarelectronics@yahoo.com> wrote:

>"Al Klein" <rukbat@pern.invalid> wrote in message
>news:631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com...
>> On Sun, 17 Sep 2006 14:13:26 -0400, "The Professor"
>> <telstarelectronics@yahoo.com> wrote:

>>>> Jut a word to the gullible.

>>>Says you....LOL

>> "10 Meter Amateur Radio Band Coverage (26-30MHz)"

>Exactly right it is a 10 meter ham amplifier dummy.

>> Prima Facie Illegal. They can't be sold IN the United States, or TO
>> the united States.

>I sell them in the good old USA everyday!

Lots of people commit felonies every day The fact that you sell them
doesn't change the fact that the FCC says that "10 meter" amps that go
below 28 MHz are illegal.

>> Next time you want to talk about the law, read it first - you'll look
>> less foolish and less crooked.

>Shut up you clueless newbie....LOL

This "newbie"'s been licensed half a century, ham and 1st phone. Have
you been alive that long?

From -6373215515991538464
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: "Indy Ham" <nospam@privatenospam.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP

```
Date: Mon, 18 Sep 2006 20:28:49 -0700
Organization: Indy Hams
Lines: 10
Message-ID: <akdmk.8qe.19.1@news.alt.net>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx> <450E0D36.2050406@fuse.net>
<ahr63.thc.17.1@news.alt.net>
<1158574099.257846.178570@i3g2000cwc.googlegroups.com>
<2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.policy:45197
rec.radio.amateur.equipment:6306 rec.radio.amateur.misc:21898
alt.radio.scanner:2898

> Fags and No-coders are not Welcome in RRAP
>
> Lloyd, Roger, Markie, Get Out!
>
>
> SC

That may be a little more acceptable. HAHAHA




From -7772696310132820547
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: "Indy Ham" <nospam@privatenospam.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP <<<SC comes out as Gay
basher
Date: Mon, 18 Sep 2006 20:37:27 -0700
Organization: Indy Hams
Lines: 28
Message-ID: <ake6q.lju.17.1@news.alt.net>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx>   <450E0D36.2050406@fuse.net>
<ahr63.thc.17.1@news.alt.net>
```

<1158574099.257846.178570@i3g2000cwc.googlegroups.com>
<2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
<1158627272.665627.264400@d34g2000cwd.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.policy:45200
rec.radio.amateur.equipment:6307 rec.radio.amateur.misc:21899
alt.radio.scanner:2899

> no
> gay basher
> and fine example of why we need to end code testing soon

Code testing should NOT be thrown away. It is the one thing that keeps SOME of the lazy bastards off of HF. At least off HF legally! I hated to see the 13 and 20 WPM requirements lifted. I took the 20 WPM right off the bat. 5 is easy... there are 6 and 7 year olds, and 60 and 70 year olds who pass that. 13 isn't hard either. 20 just takes some practice. I went from no license, to extra in 1 year... when I was 15 years old. I went from knowing no code at all, to 20 WPM in 3 weeks of 2 hours per day listening to code tapes and copying the ARRL bulletins.

Code is a tradition. And don't try and compare code to slavery or something completely ignorant like that. They are apples and oranges.

Now, im sure you will all want to attack me for what I have said. So, go ahead. It doesn't matter to me. I have my extra. So, I really don't care either way. Quite honestly, I don't even operate anymore. The mentality of the people on HF has dropped so badly, I hardly ever operate except to speak to a family member once a week that is in Canada. And I talk on 440 simplex to a couple people here locally.

Reading this newsgroup reminds me of why I don't get on HF anymore. 75 meters and this newsgroup and many things in common.

From -3535109642766871910
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com

```
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP <<<SC comes out as Gay
basher
Date: Tue, 19 Sep 2006 00:12:29 -0400
Message-ID: <qgrug2lskji572qc9j640cp5ppf4vrjohm@4ax.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx>   <450E0D36.2050406@fuse.net>
<ahr63.thc.17.1@news.alt.net>
<1158574099.257846.178570@i3g2000cwc.googlegroups.com>
<2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
<1158627272.665627.264400@d34g2000cwd.googlegroups.com>
<ake6q.lju.17.1@news.alt.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Date: 19 Sep 2006 03:16:48 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:45212
rec.radio.amateur.equipment:6308 rec.radio.amateur.misc:21909
alt.radio.scanner:2903

On Mon, 18 Sep 2006 20:37:27 -0700, "Indy Ham"
<nospam@privatenospam.com> wrote:

>> no
>> gay basher
>> and fine example of why we need to end code testing soon
>
>
>Code testing should NOT be thrown away. It is the one thing that keeps SOME
>of the lazy bastards off of HF.
and allows others on
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -1070744117019927024
X-Google-Thread: 108122,592c5d20274f1044,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!93e560a6!not-for-mail
From: "Scott Smith" <scott93727@prodigy.net>
```

Newsgroups: rec.radio.amateur.equipment
Subject: New GP68 Motorola Google Group
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <PEOPg.1975$TV3.1260@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 68.126.153.42
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1158657711 ST000 68.126.153.42 (Tue, 19 Sep 2006 05:21:51 EDT)
NNTP-Posting-Date: Tue, 19 Sep 2006 05:21:51 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[OUS_[DABSAW_US\X^DM^\BZJ]T@FLNLBWLOOAFQATJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZFWGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Tue, 19 Sep 2006 09:21:51 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6309

GP68 Motorola Radio User Group

Manuals, Specs, Links, Downloads,

Best Battery Prices, pictures, etc.

http://groups.google.com/group/GP68gp68

GP68gp68@googlegroups.com

http://www.vehiclerepair.org/gp68/

From -7212112496418917414
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 19 Sep 2006 05:55:17 -0700

```
Organization: http://groups.google.com
Lines: 27
Message-ID: <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
   <1158592583.320144.215770@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.98.100
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158670521 14256 127.0.0.1 (19 Sep 2006 12:55:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 12:55:21 +0000 (UTC)
In-Reply-To: <1158592583.320144.215770@k70g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=65.54.98.100;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.policy:45224
rec.radio.amateur.equipment:6310 rec.radio.amateur.misc:21916
alt.radio.scanner:2909


kb9rqz-2@hotmail.com wrote:
> Not Cocksucker Lloyd wrote:
> > kb9rqz-1@hotmail.com wrote:
> > > Indy Ham wrote:
> > > > My god. Are you serious?? "Niggers out..."
> > > >
> > > > HAHAHAHA Are we back in 1955 again or something?
> > > yeah the attirudes of of many hams are stuck there
> >
> > Poor Markie, his perverted lifestyle is unacceptable in any era.
> wrong agin woger

Ask around, pervert.

>YOU ae unacceptable

Then why do you whine so about gay bashing?


>I have no trouble living in the
> open and using my name you have to hide behind your curtains

You've yet to post under your name, Marqueer, and you hide your true
address behind a post office box. Lying hypocrite cocksucking faggot
```

and child raper Markie lies again!

From -4400221207795833924
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP then leave Toad, you faggot!
Date: 19 Sep 2006 05:56:38 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1158670598.016726.89260@b28g2000cwb.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 65.54.98.100
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158670602 14391 127.0.0.1 (19 Sep 2006 12:56:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 12:56:42 +0000 (UTC)
In-Reply-To: <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.98.100;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.policy:45225 rec.radio.amateur.equipment:6311 rec.radio.amateur.misc:21917 alt.radio.scanner:2910

Sniveling Cunt Toad Dogshit, N9OGL wrote:
> "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com> wrote in
> news:1158574099.257846.178570@i3g2000cwc.googlegroups.com:
>
> >

```
> > Indy Ham wrote:
> >> My god. Are you serious?? "Niggers out..."
> >>
> >> HAHAHAHA Are we back in 1955 again or something?
> > yeah the attirudes of of many hams are stuck there
> >
> >>
> >> You fat back suckin' redneck.
> >>
> >>
> >>
> >> "jawod" <jawod@fuse.net> wrote in message
> >> news:450E0D36.2050406@fuse.net...
> >> > Norman Triantafilos wrote:
> >> >> niggers suck
>
> Fags and No-coders are not Welcome in RRAP

Then you need to leave, faggot.

> Lloyd, Roger, Markie, Get Out!

You get out and fuck off, Toad.




From 4008004420125535512
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP <<<Markie comes out as Gay
Date: 19 Sep 2006 05:57:42 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1158670662.491551.114370@e3g2000cwe.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
   <1158627272.665627.264400@d34g2000cwd.googlegroups.com>
   <ake6q.lju.17.1@news.alt.net>
   <qgrug2lskji572qc9j640cp5ppf4vrjohm@4ax.com>
NNTP-Posting-Host: 65.54.98.100
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158670667 14518 127.0.0.1 (19 Sep 2006 12:57:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 12:57:47 +0000 (UTC)
In-Reply-To: <qgrug2lskji572qc9j640cp5ppf4vrjohm@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=65.54.98.100;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.policy:45226
rec.radio.amateur.equipment:6312 rec.radio.amateur.misc:21918
alt.radio.scanner:2911



MarkMoron@kb9rqz.com wrote:
> On Mon, 18 Sep 2006 20:37:27 -0700, "Indy Ham"
> <nospam@privatenospam.com> wrote:
>
> >> no
> >> gay basher
> >> and fine example of why we need to end code testing soon
> >
> >
> >Code testing should NOT be thrown away. It is the one thing that keeps SOME
> >of the lazy bastards off of HF.
> and allows others on

You mean like fellow gay Toad?




From 3495859381474622708
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: 106d41,eb9259c8ef1ba4ca
X-Google-Thread: 114aac,899c3d775918f3bc
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortw
ave
Subject: Re: Let's take back ham radio!
Date: 19 Sep 2006 06:01:11 -0700
Organization: http://groups.google.com
Lines: 33
```

Message-ID: <1158670871.911123.154130@i42g2000cwa.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
   <P8nIg.683992$GD7.562826@fe08.news.easynews.com>
   <1156711072.958112.288970@h48g2000cwc.googlegroups.com>
   <AE01745833.243141558F9@get.help>
   <1156717704.817464.144850@p79g2000cwp.googlegroups.com>
   <8psvv.hpa.17.1@news.alt.net>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158670877 15186 127.0.0.1 (19 Sep 2006 13:01:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 13:01:17 +0000 (UTC)
In-Reply-To: <8psvv.hpa.17.1@news.alt.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.equipment:6313
rec.radio.amateur.policy:45229 rec.radio.cb:19619 rec.radio.shortwave:53377

OK, who are you going to take it from. And what are you going to do
once you get it.

Not Lloyd wrote:
> "an old freind" <kb9rqz___ars@hotmail.com> wrote in message
> news:1156717704.817464.144850@p79g2000cwp.googlegroups.com...
>
> get help wrote:
> > On 27 Aug 2006 13:37:53 -0700, a welfare ham <kb9rqz___ars@hotmail.com>
> wrote:
> >
> > > in a time where numbers are declining but that does not maater to al
> > > since the No Code techs are not hams anyway according to AL
> >
> Indeed I'm not.
>
> --
> Mark caught forging using Steve's name.
> "Steve's" post has headers:
>
> > X-Complaints-To: abuse@aioe.org
> > X-Submitted-By: 66.82.9.42
>
> Your reply contains headers:
>
> > NNTP-Posting-Host: 66.82.9.42
> > Injection-Info: 38g2000cwa.googlegroups.com; posting-host=66.82.9.42

```
>
> 'Nuff said.
>
> www.marksspamblog.blogspot.com



From 63800234639401452
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: Tue, 19 Sep 2006 11:02:47 -0400
Message-ID: <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx> <450E0D36.2050406@fuse.net>
<ahr63.thc.17.1@news.alt.net>
<1158574099.257846.178570@i3g2000cwc.googlegroups.com>
<1158585195.653014.142710@i42g2000cwa.googlegroups.com>
<1158592583.320144.215770@k70g2000cwa.googlegroups.com>
<1158670517.611139.286020@d34g2000cwd.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
NNTP-Posting-Date: 19 Sep 2006 14:07:07 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:45258
rec.radio.amateur.equipment:6314 rec.radio.amateur.misc:21948
alt.radio.scanner:2913

On 19 Sep 2006 05:55:17 -0700, "Not Cocksucker Lloyd"
<not_time_turd_lloyd@yahoo.com> wrote:

>
>kb9rqz-2@hotmail.com wrote:
>> Not Cocksucker Lloyd wrote:
>> > kb9rqz-1@hotmail.com wrote:
>> > > Indy Ham wrote:
>> > > > My god. Are you serious?? "Niggers out..."
>> > > >
```

>> > > > HAHAHAHA Are we back in 1955 again or something?
>> > > yeah the attirudes of of many hams are stuck there
>> >
>> > Poor Markie, his perverted lifestyle is unacceptable in any era.
>> wrong agin woger
>
>Ask around, pervert.
already done so

it is the sick jokes like you andRobeson
>
>>YOU ae unacceptable
>
>Then why do you whine so about gay bashing?
becaus e it is imoral even when you are the target woger
>
>
>>I have no trouble living in the
>> open and using my name you have to hide behind your curtains
>
>You've yet to post under your name, Marqueer
lyingaagin
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -8141149517424149079
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: 106d41,eb9259c8ef1ba4ca
X-Google-Thread: 114aac,899c3d775918f3bc
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe02.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<P8nIg.683992$GD7.562826@fe08.news.easynews.com>
<1156711072.958112.288970@h48g2000cwc.googlegroups.com>
<AE01745833.243141558F9@get.help>
<1156717704.817464.144850@p79g2000cwp.googlegroups.com>
<8psvv.hpa.17.1@news.alt.net>
<1158670871.911123.154130@i42g2000cwa.googlegroups.com>

Subject: Re: Let's take back ham radio!
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 0637-2, 09/15/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <aFUPg.658$2N.141@newsfe02.lga>
X-Trace:
nphhjmdkmllhpdkeijjdnojopddcmjimojfahlplccgfkhappbgnphacaiellkogmjmlglfpnnaoofmnjo
lebajhnmahfpcdmofpmendkdkbjfbmjelpmabbnapdhggfmdgngjfkdegidppb
NNTP-Posting-Date: Tue, 19 Sep 2006 09:11:50 MST
Date: Tue, 19 Sep 2006 11:12:01 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:6315
rec.radio.amateur.policy:45278 rec.radio.cb:19623 rec.radio.shortwave:53397

"John S." <hjsjms@cs.com> wrote in message
news:1158670871.911123.154130@i42g2000cwa.googlegroups.com...
> OK, who are you going to take it from. And what are you going to do
> once you get it.
>

Those idiots couldn't take back an overdue library book.

BH

From -2376347114133465475
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: 106d41,eb9259c8ef1ba4ca
X-Google-Thread: 114aac,899c3d775918f3bc
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortw
ave
Subject: Re: Let's take back ham radio!
Date: 19 Sep 2006 09:16:16 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1158682576.273922.318500@i42g2000cwa.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>

```
   <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
   <P8nIg.683992$GD7.562826@fe08.news.easynews.com>
   <1156711072.958112.288970@h48g2000cwc.googlegroups.com>
   <AE01745833.243141558F9@get.help>
   <1156717704.817464.144850@p79g2000cwp.googlegroups.com>
   <8psvv.hpa.17.1@news.alt.net>
   <1158670871.911123.154130@i42g2000cwa.googlegroups.com>
   <aFUPg.658$2N.141@newsfe02.lga>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158682581 12044 127.0.0.1 (19 Sep 2006 16:16:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 16:16:21 +0000 (UTC)
In-Reply-To: <aFUPg.658$2N.141@newsfe02.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.equipment:6316
rec.radio.amateur.policy:45279 rec.radio.cb:19625 rec.radio.shortwave:53398


Brian Hill wrote:
> "John S." <hjsjms@cs.com> wrote in message
> news:1158670871.911123.154130@i42g2000cwa.googlegroups.com...
> > OK, who are you going to take it from.  And what are you going to do
> > once you get it.
> >
>
>
> Those idiots couldn't take back an overdue library book.

indeed the floks like Wisemen and Slow code Heil and Robeson inheritied
the ARS from people of some vision and and have slowly had it pried out
of their hands.

they have failed to adapt and change with the time and thus lostthe the
place of the ARS in techinical inovation (wether that can be regained I
don't know) the have lost control of the ARS now. sadly the Nocoders
have not manged to fully grab control either
>
> BH



From 3336671466507211187
X-Google-Thread: 108122,cdaec07d3a29526a
X-Google-Thread: 106d41,cdaec07d3a29526a
X-Google-Thread: fc8b1,cdaec07d3a29526a
X-Google-Attributes: gid108122,gid106d41,gidfc8b1,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "Telstar Electronics" <briangriffey@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.boatanchors
Subject: Re: FA: @$10>HEATHKIT CT-1 CAPACI-TESTER by DAYSTROM>with Manual:-)
Date: 19 Sep 2006 10:37:09 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1158687429.769630.54840@i3g2000cwc.googlegroups.com>
References: <1158633389.313622.32140@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158687435 9575 127.0.0.1 (19 Sep 2006 17:37:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 17:37:15 +0000 (UTC)
In-Reply-To: <1158633389.313622.32140@m73g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=216.203.30.4;
   posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news2.google.com rec.radio.amateur.equipment:6317 rec.radio.cb:19627 rec.radio.amateur.boatanchors:5463

wa2rqy wrote:
> You can't go wrong here, eye tube alone is worth it!
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220028022008&ssPageName=STRK:MESE:IT&ih=012

Very cool meter... looks to be in fantastic shape.

www.telstar-electronics.com

From -4837155405301603974
X-Google-Thread: 108122,11fa21d93365d380
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!news.newsland.it!aioe.org!emma.aioe.org!aioe.org!NewsWatcher!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Convering HW-101 to 17 and 30 meters
Date: Tue, 19 Sep 2006 15:16:33 -0400
Organization: Aioe.org NNTP Server
Lines: 47
Message-ID: <fmmck-1909061516330001@172.137.225.138>
References: <1158611056.991430.207340@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: F1FwR/rePRT18mY3gqrGPA.user.aioe.org

X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 3.0.0
Xref: g2news2.google.com rec.radio.amateur.equipment:6318

In article <1158611056.991430.207340@i42g2000cwa.googlegroups.com>,
"Rocketeer" <cscholl@izzy.net> wrote:

> Hello the Group!
>
> I have an Heathkit HW-101 that operates well on 80/75/40/20 and is useless on 15/10 meters because of all the higher frequency junk in this area. The Area is Ann Arbor/Ypsilanti near the WAAM antenna group.
>
> I want to sacrifice the 15 meter and one of the 10 meter positions for the 30 and 17 meter bands. From what I can see on the diagrams and the crystals being used, I think all I would need are crystals in the proper cans at the frequencies 18.895 for the 30 mter range and 26.896 for the 17 meter range.
>
> I realize that just changing out the crystals may not be all that is
>
> needed, however, this is the first step. Any Heathkit resources out there?
>
> And are the crystal cans of the HC6/U variety or the HC33?

Curtis-

The heterodyne crystals are HC6. I have one for 40 meters in my collection, although it is probably the bad one I saved. I think it was soldered into the PCB. If so, a wire-lead version should work as well.

Be aware that the heterodyne oscillator is one of the weak points of the radio. It requires a very high-Q crystal or it won't oscillate. You may be able to modify the circuit to increase feedback, and improve its performance.

According to my notes, the 20 Meter and 15 Meter heterodyne coils are the same part number. I don't know whether they use the same one for both positions, or have two that are individually tuned.

Considering the problems you face, it might be easier to convert 20 Meters to 30 and to convert 15 Meters to 17. Converting one of the Ten meter positions will be more of a challange.

73,
Fred
K4DII

From -8657515744856714744
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: 106d41,eb9259c8ef1ba4ca
X-Google-Thread: 114aac,899c3d775918f3bc
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.amateur.equipment:6319
rec.radio.amateur.policy:45291 rec.radio.cb:19638 rec.radio.shortwave:53418
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
boeing.com!not-for-mail
From: "R. Scott" <spamtrap@w7psk.net>
Subject: Re: Let's take back ham radio!
Message-ID: <J5ut7G.Cz1@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 17
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<P8nIg.683992$GD7.562826@fe08.news.easynews.com>
<1156711072.958112.288970@h48g2000cwc.googlegroups.com>
<AE01745833.243141558F9@get.help>
<1156717704.817464.144850@p79g2000cwp.googlegroups.com>
<8psvv.hpa.17.1@news.alt.net>
<1158670871.911123.154130@i42g2000cwa.googlegroups.com>
<aFUPg.658$2N.141@newsfe02.lga> <1158682576.273922.31
Date: Tue, 19 Sep 2006 19:09:17 GMT

> they have failed to adapt and change with the time and thus lostthe the
> place of the ARS in techinical inovation (wether that can be regained I
> don't know) the have lost control of the ARS now. sadly the Nocoders
> have not manged to fully grab control either
>>
>> BH

Received my License in 1977.

Funny I don't feel like I've lost anything, I've gained a lot since I
started, but haven't lost (well maybe the 220mhz
theft by lying scum of UPS but that's another story)

Scotty W7PSK

```
From 6402566159298462485
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.wightman.ca!
news.wightman.ca.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 19 Sep 2006 15:16:44 -0500
From: "Spokesman" <his@spam.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org>
<631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com>
<eemgpi$7da$1@registered.motzarella.org>
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Tue, 19 Sep 2006 16:16:36 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <Bb-dnVeYjpCwzY3YnZ2dnUVZ_vqdnZ2d@wightman.ca>
Lines: 48
NNTP-Posting-Host: 216.110.224.163
X-Trace: sv3-xMcCnLPJl+SUcXeQwKWIJHUCpOaw8tvBGk+FRrukZ/
HInVF4AxoXkrA0XMCuwqK85cAaV75Y1O7mLHe!0Naso58b42g2uHVrCwIs9d+Cq0kO8EK/uN80h/m/
xUEKPPIgd7gykHhuR9VG23N9Mmd6X8BfQDJE!YLBav/7lBCuObSw=
X-Complaints-To: abuse@wightman.ca
X-DMCA-Complaints-To: abuse@wightman.ca
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7652 rec.radio.amateur.boatanchors:5464
rec.radio.amateur.equipment:6320 rec.radio.scanner:6372 alt.ham-radio.vhf-uhf:2694
rec.radio.amateur.misc:21978 alt.ham-radio.marketplace:1357
```

```
"The Professor" <telstarelectronics@yahoo.com> wrote in message
news:eemgpi$7da$1@registered.motzarella.org...
>
> "Al Klein" <rukbat@pern.invalid> wrote in message
> news:631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com...
> > On Sun, 17 Sep 2006 14:13:26 -0400, "The Professor"
> > <telstarelectronics@yahoo.com> wrote:
> >
> >>
> >>"Al Klein" <rukbat@pern.invalid> wrote in message
> >>news:8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com...
> >>> On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
> >>> <telstarelectronics@yahoo.com> wrote:
> >>>
> >>>>I build these in my basemant.
> >>>
> >>> Even if it WAS legal to use them, yours aren't type approved, so it
> >>> would be illegal to use yours.
> >>>
> >>> Jut a word to the gullible.
> >>>
> >>Says you....LOL
> >>
> >>www.telstar-electronics.com
> >>
> > "10 Meter Amateur Radio Band Coverage (26-30MHz)"
> >
> Exactly right it is a 10 meter ham amplifier dummy.
> >
> > Prima Facie Illegal.  They can't be sold IN the United States, or TO
> > the united States.
> >
> I sell them in the good old USA everyday!
> >
> > Next time you want to talk about the law, read it first - you'll look
> > less foolish and less crooked.
> >
> Shut up you clueless newbie....LOL

Go away you dumb rectum.



>
>






From 2645368173373825456
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
```

```
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.cgocable.net!
newsfeed.telusplanet.net!newsfeed.telus.net!clgrps13.POSTED!53ab2750!not-for-mail
From: Gizmo <gizmotski@telus.net>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org>
<631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com>
<eemgpi$7da$1@registered.motzarella.org> <Bb-
dnVeYjpCwzY3YnZ2dnUVZ_vqdnZ2d@wightman.ca>
In-Reply-To: <Bb-dnVeYjpCwzY3YnZ2dnUVZ_vqdnZ2d@wightman.ca>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 44
Message-ID: <ugZPg.31974$E67.8097@clgrps13>
Date: Tue, 19 Sep 2006 21:26:50 GMT
NNTP-Posting-Host: 198.53.38.185
X-Trace: clgrps13 1158701210 198.53.38.185 (Tue, 19 Sep 2006 15:26:50 MDT)
NNTP-Posting-Date: Tue, 19 Sep 2006 15:26:50 MDT
Xref: g2news2.google.com rec.radio.swap:7653 rec.radio.amateur.boatanchors:5465
rec.radio.amateur.equipment:6321 rec.radio.scanner:6375 alt.ham-radio.vhf-uhf:2695
rec.radio.amateur.misc:21979 alt.ham-radio.marketplace:1358

Spokesman wrote:
> "The Professor" <telstarelectronics@yahoo.com> wrote in message
> news:eemgpi$7da$1@registered.motzarella.org...
>> "Al Klein" <rukbat@pern.invalid> wrote in message
>> news:631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com...
>>> On Sun, 17 Sep 2006 14:13:26 -0400, "The Professor"
>>> <telstarelectronics@yahoo.com> wrote:
>>>
>>>> "Al Klein" <rukbat@pern.invalid> wrote in message
>>>> news:8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com...
>>>>> On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
>>>>> <telstarelectronics@yahoo.com> wrote:
>>>>>
>>>>>> I build these in my basemant.
>>>>> Even if it WAS legal to use them, yours aren't type approved, so it
>>>>> would be illegal to use yours.
>>>>>
>>>>> Jut a word to the gullible.
```

>>>>>
>>>> Says you....LOL
>>>>
>>>> www.telstar-electronics.com
>>>>
>>> "10 Meter Amateur Radio Band Coverage (26-30MHz)"
>>>
>> Exactly right it is a 10 meter ham amplifier dummy.
>>> Prima Facie Illegal. They can't be sold IN the United States, or TO
>>> the united States.
>>>
>> I sell them in the good old USA everyday!
>>> Next time you want to talk about the law, read it first - you'll look
>>> less foolish and less crooked.
>>>
>> Shut up you clueless newbie....LOL
>
> Go away you dumb rectum.
>
>
>
>>
>
>
Boy oh boy, you sure put him in his place. Bet he will never try
that again...............

From 4651194162304437895
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP
From: Slow Code <my.mail@no.spam>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx> <450E0D36.2050406@fuse.net>
<ahr63.thc.17.1@news.alt.net>
<1158574099.257846.178570@i3g2000cwc.googlegroups.com>
<2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
<akdmk.8qe.19.1@news.alt.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 25

Message-ID: <zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
Date: Tue, 19 Sep 2006 23:58:23 GMT
NNTP-Posting-Host: 4.254.226.125
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158710303 4.254.226.125 (Tue, 19 Sep 2006 16:58:23 PDT)
NNTP-Posting-Date: Tue, 19 Sep 2006 16:58:23 PDT
Xref: g2news2.google.com rec.radio.amateur.policy:45305 rec.radio.amateur.equipment:6322 rec.radio.amateur.misc:21985 alt.radio.scanner:2919

"Indy Ham" <nospam@privatenospam.com> wrote in
news:akdmk.8qe.19.1@news.alt.net:

>> Fags and No-coders are not Welcome in RRAP
>>
>> Lloyd, Roger, Markie, Get Out!
>>
>>
>> SC
>
> That may be a little more acceptable. HAHAHA

I remember when RRAP was respectable, then Mark morgan came back and Woger found someone he could pick on with ease, like taking candy from a baby. It doesn't help for Mark to admit he doesn't have anything against homos, and Woger teases him about it. I have to admit I've got caught up in it too when the only reason I came back was to try to make the group respectable again and try to get usenetter hams to support keeping the code requirement. But with Mark here now and not enough good folk left in the group, I'll probably just bow out, and the stupid and lazy can take over ham radio.

SC

From 591941563814824412
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2,start
X-Google-Thread: 108122,2a4c5cf894fd0ce2,start
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2,start
X-Google-Thread: fa029,2a4c5cf894fd0ce2,start
X-Google-Thread: 114aac,2a4c5cf894fd0ce2,start
X-Google-Thread: 1109af,2a4c5cf894fd0ce2,start
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec

```
.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Ham radios don't come with kill-filters or plonk buttons.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 9
Message-ID: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
Date: Tue, 19 Sep 2006 23:58:25 GMT
NNTP-Posting-Host: 4.254.226.125
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158710305 4.254.226.125 (Tue, 19 Sep
2006 16:58:25 PDT)
NNTP-Posting-Date: Tue, 19 Sep 2006 16:58:25 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18476
rec.radio.amateur.equipment:6323 rec.radio.amateur.policy:45307
rec.radio.scanner:6377 rec.radio.shortwave:53436 rec.radio.swap:7658
```

It's written tests and CW that keep the sick, lame, and lazy, out of your receiver, not a plonk button or kill-filter. Don't degrade receiver performance. Support keeping CW, and increasing the speed requirement, and make the passing score for writtens 85%.

TNX, 73 de Slow Code :-)

```
From -144743352772753854
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827,start
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827,start
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: KB9RQZ and that colon capper N0VFP Lloyd Davies are responsible for all
the trash here.
From: Slow Code <my.mail@no.spam>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
<1158627319.033909.250040@i3g2000cwc.googlegroups.com>
<1158631813.879090.64090@h48g2000cwc.googlegroups.com>
<e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 25
Message-ID: <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
Date: Tue, 19 Sep 2006 23:58:28 GMT
```

```
NNTP-Posting-Host: 4.254.226.125
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158710308 4.254.226.125 (Tue, 19 Sep
2006 16:58:28 PDT)
NNTP-Posting-Date: Tue, 19 Sep 2006 16:58:28 PDT
Xref: g2news2.google.com rec.radio.amateur.policy:45309
rec.radio.amateur.equipment:6324 rec.radio.amateur.misc:21988
alt.radio.scanner:2921

Mark@kb9rqz.com wrote in news:e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com:

> On 18 Sep 2006 19:10:13 -0700, "mark_sucks"
> <mark_the_fudge_packer@hotmail.com> wrote:
>
>>
>>kb9rqz-2@hotmail.com wrote:
>>> Slow Code wrote:
>>> >
>>> slow code stalker at large
>>
>>I have to plop this one in there....
>>
>>I have been reading your stupid shit for over 3 years and I cannot take
>>it anymore!
> bullshit you can't have been reading my stuff the last 3year I have
> only been posting since jun a year ago


I remember Marks stupid ass posts in the late 1990's and when he left I
hoped he would give up on ham radio and stay on CB.  But he came back and
now him, Lloooydie, and Woger have wrecked usenet and ham radio. I hope
they're happy.

SC


From -6405266043511630554
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!feeder.news-
service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-03!sn-ams!sn-feed-
ams-01!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Mahmoud Ahmadinejad" <read@book.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.shortwave,rec.radio.swap
```

```
Subject: Re: Ham radios don't come with kill-filters or plonk buttons.
Date: Tue, 19 Sep 2006 19:02:57 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12h11ljpcc6mf19@corp.supernews.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4807.1700
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4807.1700
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.antenna:18477
rec.radio.amateur.equipment:6325 rec.radio.amateur.policy:45312
rec.radio.scanner:6379 rec.radio.shortwave:53439 rec.radio.swap:7662

"No Code", just like "No War", is just another failed Neo-Liberal policy.

"Slow Code" <my.mail@no.spam> wrote in message
news:Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net...
> It's written tests and CW that keep the sick, lame, and lazy, out of
> your receiver, not a plonk button or kill-filter. Don't degrade receiver
> performance.  Support keeping CW, and increasing the speed requirement,
> and make the passing score for writtens 85%.
>
> TNX, 73  de Slow Code  :-)
>
>
>




From 6577223055502631029
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: "Indy Ham" <nospam@privatenospam.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP
Date: Tue, 19 Sep 2006 17:49:44 -0700
Organization: Indy Hams
Lines: 6
Message-ID: <amoob.d93.17.1@news.alt.net>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx> <450E0D36.2050406@fuse.net>
<ahr63.thc.17.1@news.alt.net>
```

<1158574099.257846.178570@i3g2000cwc.googlegroups.com>
<2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
<akdmk.8qe.19.1@news.alt.net>
<zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.policy:45315
rec.radio.amateur.equipment:6326 rec.radio.amateur.misc:21992
alt.radio.scanner:2922

I'll probably just bow out, and the stupid and lazy can take over
> ham radio.

Why give up???

From -9099097319968001036
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
news-feed-01.rdc-nyc.rr.com!news.rr.com!news-out.nyc.rr.com!news-wrt-01.rdc-
nyc.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Downonit <Down@gag.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.shortwave,rec.radio.swap
Message-ID: <2006091921164750073%Down@gagnet>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: Re: Ham radios don't come with kill-filters or plonk buttons.
User-Agent: Unison/1.6.2
Lines: 11
Date: Wed, 20 Sep 2006 01:16:47 GMT
NNTP-Posting-Host: 24.161.95.233
X-Complaints-To: abuse@rr.com
X-Trace: news-wrt-01.rdc-nyc.rr.com 1158715007 24.161.95.233 (Tue, 19 Sep 2006
21:16:47 EDT)
NNTP-Posting-Date: Tue, 19 Sep 2006 21:16:47 EDT

Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18479
rec.radio.amateur.equipment:6327 rec.radio.amateur.policy:45318
rec.radio.scanner:6381 rec.radio.shortwave:53460 rec.radio.swap:7667

On 2006-09-19 19:58:25 -0400, Slow Code <my.mail@no.spam> said:

> It's written tests and CW that keep the sick, lame, and lazy, out of
> your receiver, not a plonk button or kill-filter. Don't degrade receiver
> performance. Support keeping CW, and increasing the speed requirement,
> and make the passing score for writtens 85%.
> TNX, 73 de Slow Code :-)
>

Nonsense but thanks for playing!

From 3182577021478533822
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
multikabel.net!feed20.multikabel.net!sn-xt-ams-06!sn-xt-ams-05!sn-ams!sn-feed-
ams-03!sn-ams!sn-feed-ams-02!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Roy Lewallen <w7el@eznec.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: A humble request for "SlowCode" and contemporaries
Date: Tue, 19 Sep 2006 18:49:08 -0700
Organization: EZNEC Antenna Software
Message-ID: <12h17gktf0opa87@corp.supernews.com>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
In-Reply-To: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news2.google.com rec.radio.amateur.antenna:18480
rec.radio.amateur.equipment:6328 rec.radio.amateur.policy:45321
rec.radio.scanner:6383 rec.radio.shortwave:53472 rec.radio.swap:7668

As a reader and frequent contributor to the rec.radio.amateur.antenna newsgroup, I see a large and increasing volume of messages cross posted to a large handful of groups which have nothing to do with antennas. Not surprisingly, I don't see any of the regular contributors to this newsgroup participating in the endless arguments about Morse code, testing requirements, and what it takes to be a "real" amateur. These threads seem to be increasing in number daily, involving the same participants, and have grown to the point that the signal-to-noise ratio of rec.radio.amateur.antenna newsgroup is getting seriously degraded. It's becoming necessary to fish through multiple off-topic threads to find the postings involving antennas.

There's no point in including rec.radio.amateur.antenna in the list of newsgroups you send these postings to. There are certainly groups whose readers are much more interested in participating or reading about these topics.

So my request is: Please don't include rec.radio.amateur.antenna in the list of newsgroups you send the original posting to. And when replying to a thread whose topic doesn't involve antennas, simply delete rec.radio.amateur.antenna from the list of newsgroups receiving the reply, before clicking "Send". This won't detract in any way from your discussions, and will be a relief for rec.radio.amateur.antenna readers and participants.

Thanks and 73,
Roy Lewallen, W7EL

From -2318390300111755051
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4510ACBE.7030100@fuse.net>
Date: Tue, 19 Sep 2006 22:51:42 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: Ham radios don't come with kill-filters or plonk buttons.
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h11ljpcc6mf19@corp.supernews.com>
In-Reply-To: <12h11ljpcc6mf19@corp.supernews.com>

Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 9
X-Trace: e0d4b4510ad53ed94689c02224
Xref: g2news2.google.com rec.radio.amateur.antenna:18483
rec.radio.amateur.equipment:6329 rec.radio.amateur.policy:45324
rec.radio.scanner:6386 rec.radio.shortwave:53483 rec.radio.swap:7669

Mahmoud Ahmadinejad wrote:
> "No Code", just like "No War", is just another failed Neo-Liberal policy.
>
Yes, WAR has worked out SO WELL for the NeoCons. (Actually, it has.
Lots of money to be made on the backs of American soldiers.)

First time I've seen the term Neo-Liberal...I kinda like it.

From -1287860282240559572
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!news.maxwell.syr.edu!
nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: Ham radios don't come with kill-filters or plonk buttons.
Date: Wed, 20 Sep 2006 00:13:40 -0400
Message-ID: <avf1h2httjn52pa8nbgu17ebvpskki1ss1@4ax.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Date: 20 Sep 2006 03:17:59 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18486
rec.radio.amateur.equipment:6330 rec.radio.amateur.policy:45337
rec.radio.scanner:6388 rec.radio.shortwave:53499 rec.radio.swap:7670

On Tue, 19 Sep 2006 23:58:25 GMT, Slow Code <my.mail@no.spam> wrote:

>It's written tests and CW that keep the sick, lame, and lazy, out of
>your receiver, not a plonk button or kill-filter. Don't degrade receiver
>performance. Support keeping CW, and increasing the speed requirement,
>and make the passing score for writtens 85%.
>
>TNX, 73 de Slow Code :-)
troling right along I see
>
>
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From -5947457099816558256
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Slow Code gay bashing some more
Date: 19 Sep 2006 21:19:05 -0700
Organization: http://groups.google.com
Lines: 43
Message-ID: <1158725945.109096.149920@b28g2000cwb.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158725951 10972 127.0.0.1 (20 Sep 2006 04:19:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Sep 2006 04:19:11 +0000 (UTC)
In-Reply-To: <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
```

```
Xref: g2news2.google.com rec.radio.amateur.policy:45339
rec.radio.amateur.equipment:6331 rec.radio.amateur.misc:22002
alt.radio.scanner:2924


Slow Code wrote:
> Mark@kb9rqz.com wrote in news:e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com:
>
> > On 18 Sep 2006 19:10:13 -0700, "mark_sucks"
> > <mark_the_fudge_packer@hotmail.com> wrote:
> >
> >>
> >>kb9rqz-2@hotmail.com wrote:
> >>> Slow Code wrote:
> >>> >
> >>> slow code stalker at large
> >>
> >>I have to plop this one in there....
> >>
> >>I have been reading your stupid shit for over 3 years and I cannot take
> >>it anymore!
> > bullshit you can't have been reading my stuff the last 3year I have
> > only been posting since jun a year ago
>
>
> I remember Marks stupid ass posts in the late 1990's and when he left I
> hoped he would give up on ham radio and stay on CB.
well you got half your wish I stayed on CB as well as Ham radio
>  But he came back and
> now him, Lloooydie, and Woger have wrecked usenet and ham radio.
such power you credi t me with but real SC i must decline the honor

the wrecking of Ham radio as you choose to define it is your own doing
along with Heil Robesonn Jim  old posters like Yo Doc and MD you killed
the hamradio you sought to save, basicaly by trying to ram it down the
throats of the rest of us

in the 1990 the NoCoders would like have settled for something wht
Canada has in place now, presreving a lot of what you wanted

>I hope
> they're happy.
not till the R&O come out

>
> SC



From -4841844360255424800
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
```

```
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: modern thought is not Welcome in RRAP
Date: 19 Sep 2006 21:21:20 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1158726080.387128.77190@h48g2000cwc.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
   <akdmk.8qe.19.1@news.alt.net>
   <zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
   <amoob.d93.17.1@news.alt.net>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158726085 11258 127.0.0.1 (20 Sep 2006 04:21:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Sep 2006 04:21:25 +0000 (UTC)
In-Reply-To: <amoob.d93.17.1@news.alt.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.policy:45341
rec.radio.amateur.equipment:6332 rec.radio.amateur.misc:22004
alt.radio.scanner:2925
```

Indy Ham wrote:

> I'll probably just bow out, and the stupid and lazy can take over
> > ham radio.
>
> Why give up???

becuase he lacks much in the way of guts

```
From -4916880081428859793
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
```

```
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-
out.readnews.com!spool-big1.readnews.com!diablo3.voicenet.com!
snip.allthenewsgroups.com!not-for-mail
Reply-To: "Son of a Mahmoud Ahmadinejad" <boringflatusk@yahoo.com>
From: "Son of a Mahmoud Ahmadinejad" <boringflatusk@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.shortwave,rec.radio.swap
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
Subject: Re: Ham radios don't come with kill-filters or plonk buttons.
Date: Wed, 20 Sep 2006 01:07:17 -0400
Lines: 18
Organization: broccolifartings
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Message-ID: <d6333$4510cc87$d1cc56e1$8787@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc1b-209-204-86-225.sniparpa.net
X-Trace: d63334510cc877469f3448787
Xref: g2news2.google.com rec.radio.amateur.antenna:18488
rec.radio.amateur.equipment:6333 rec.radio.amateur.policy:45349
rec.radio.scanner:6390 rec.radio.shortwave:53501 rec.radio.swap:7672
```

"Slow Code" <my.mail@no.spam> wrote in message
news:Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net...

> It's written tests and CW that keep the sick, lame, and lazy, out of
> your receiver, not a plonk button or kill-filter.

Sure!

I guess that you were not around during the heyday
of the 14.313 and 75 Meter Jamming Wars of
the late 70's and 80's.

ALL of the QRM'ers involved had a General or better
and in those days you had to pass a 13 WPM code test

to even GET ON the HF spectrum.

Your argument is as pointless as your ball-shaped fart head.

```
From -6413404536066332701
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 20 Sep 2006 03:57:49 -0700
Organization: http://groups.google.com
Lines: 47
Message-ID: <1158749869.817402.53860@m73g2000cwd.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
   <1158592583.320144.215770@k70g2000cwa.googlegroups.com>
   <1158670517.611139.286020@d34g2000cwd.googlegroups.com>
   <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
NNTP-Posting-Host: 65.54.98.107
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158749875 6224 127.0.0.1 (20 Sep 2006 10:57:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Sep 2006 10:57:55 +0000 (UTC)
In-Reply-To: <ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.98.107;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.policy:45426
rec.radio.amateur.equipment:6334 rec.radio.amateur.misc:22022
alt.radio.scanner:2929
```

```
MarkMoron@kb9rqz.com wrote:
> On 19 Sep 2006 05:55:17 -0700, "Not Cocksucker Lloyd"
> <not_time_turd_lloyd@yahoo.com> wrote:
>
> >
> >kb9rqz-2@hotmail.com wrote:
> >> Not Cocksucker Lloyd wrote:
> >> > kb9rqz-1@hotmail.com wrote:
> >> > > Indy Ham wrote:
> >> > > > My god. Are you serious?? "Niggers out..."
> >> > > >
> >> > > > HAHAHAHA Are we back in 1955 again or something?
> >> > > yeah the attirudes of of many hams are stuck there
> >> >
> >> > Poor Markie, his perverted lifestyle is unacceptable in any era.
> >> wrong agin woger
> >
> >Ask around, pervert.
> already done so

Liar.


> it is the sick jokes like you andRobeson

Nope, most perople don't think your lifestyle is acceptable.

> >
> >>YOU ae unacceptable
> >
> >Then why do you whine so about gay bashing?
> becaus e it is imoral even when you are the target woger

What's "woger?" ARe you lisping because of sucking your shemale wife
off again?

> >
> >
> >>I have no trouble living in the
> >> open and using my name you have to hide behind your curtains
> >
> >You've yet to post under your name, Marqueer
> lyingaagin

Your posts in the  Google archives say otherwise.



From 8768570144397952543
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
```

```
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP
Date: 20 Sep 2006 03:59:53 -0700
Organization: http://groups.google.com
Lines: 32
Message-ID: <1158749993.662762.65150@m73g2000cwd.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
   <akdmk.8qe.19.1@news.alt.net>
   <zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 65.54.98.107
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158749999 6468 127.0.0.1 (20 Sep 2006 10:59:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Sep 2006 10:59:59 +0000 (UTC)
In-Reply-To: <zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.98.107;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.policy:45428
rec.radio.amateur.equipment:6335 rec.radio.amateur.misc:22023
alt.radio.scanner:2930


Slow Code Toad wrote:
> "Indy Ham" <nospam@privatenospam.com> wrote in
> news:akdmk.8qe.19.1@news.alt.net:
>
> >> Fags and No-coders are not Welcome in RRAP
> >>
> >> Lloyd, Roger, Markie, Get Out!
> >>
> >>
> >> SC
> >
> > That may be a little more acceptable. HAHAHA
>
```

>
>
> I remember when RRAP was respectable, then Mark morgan came back and Woger
> found someone he could pick on with ease, like taking candy from a baby.
> It doesn't help for Mark to admit he doesn't have anything against homos,
> and Woger teases him about it. I have to admit I've got caught up in it
> too when the only reason I came back was to try to make the group

Because you are so easily trolled, Toad.

> respectable again and try to get usenetter hams to support keeping the
> code requirement. But with Mark here now and not enough good folk left in
> the group, I'll probably just bow out, and the stupid and lazy can take over
> ham radio.

You mean the lazy hams who make "broadcasts" in the 13. MHz frequency
range?

From -3046429783760929337
X-Google-Thread: 10bf43,8ff870397cb8a7aa
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-mail
From: peewee_lloyd_davies@yahoo.com
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Re: KB9RQZ and that colon capper N0VFP Lloyd Davies are responsible for all the trash here.
Date: 20 Sep 2006 04:08:54 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 65.54.98.107
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158750539 13352 127.0.0.1 (20 Sep 2006 11:08:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Sep 2006 11:08:59 +0000 (UTC)
In-Reply-To: <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;

```
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=65.54.98.107;
   posting-account=hhK0dQ0AAADty9Zux-UTqaosOMA-iJfP
Xref: g2news2.google.com rec.radio.amateur.policy:45434
rec.radio.amateur.equipment:6336 rec.radio.amateur.misc:22027
alt.radio.scanner:2931

Sheepfucker and shemale pic poster
Slow Code Toad wrote:
> Mark@kb9rqz.com wrote in news:e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com:
>
> > On 18 Sep 2006 19:10:13 -0700, "mark_sucks"
> > <mark_the_fudge_packer@hotmail.com> wrote:
> >
> >>
> >>kb9rqz-2@hotmail.com wrote:
> >>> Slow Code wrote:
> >>> >
> >>> slow code stalker at large
> >>
> >>I have to plop this one in there....
> >>
> >>I have been reading your stupid shit for over 3 years and I cannot take
> >>it anymore!
> > bullshit you can't have been reading my stuff the last 3year I have
> > only been posting since jun a year ago
>
>
> I remember Marks stupid ass posts in the late 1990's and when he left I
> hoped he would give up on ham radio and stay on CB.  But he came back and
> now him, Lloooydie, and Woger have wrecked usenet and ham radio. I hope
> they're happy.

Your posts and shitty "broadcasts" have contributed to it more, Toad.



From -1231906700288844783
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!news.alt.net!
usenet
From: "Chris" <daviesc338@nospam.alvillage.net>
Newsgroups:
```

rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
Followup-To:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Date: Wed, 20 Sep 2006 11:53:30 +0000 (UTC)
Organization: Alabama Village Broadband Cable
Lines: 14
Message-ID: <3dcnsdd1b6e.991075257@alvillage.net>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com>
NNTP-Posting-Host: 10.0.3.12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news2.google.com rec.radio.amateur.antenna:18491
rec.radio.amateur.equipment:6337 rec.radio.amateur.policy:45456
rec.radio.scanner:6393 rec.radio.shortwave:53510 rec.radio.swap:7676

On Tue, 19 Sep 2006 18:49:08 -0700, Roy Lewallen <w7el@eznec.com> wrote:

> So my request is: Please don't include rec.radio.amateur.antenna in the
> list of newsgroups you send the original posting to. And when replying
> to a thread whose topic doesn't involve antennas, simply delete

My request is: Please learn about kill files, and please learn how to
take action yourself by killing all posts crossposted to groups other
than rec.radio.amateur.antenna. You'll have a much greater chance of
changing yourself than you will of getting everyone else to do your
bidding, and you'll be a whole lot less frustrated once you do figure
that simple task out.

I have a theory about hams who can't even master a news reader, but I'll
leave that discussion for another thread.

From 2092746570266895050
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: nospam <nospam@nospam.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
Date: Wed, 20 Sep 2006 06:58:01 -0500

Organization: netINS InterNetNews site
Lines: 24
Message-ID: <f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1158753482 15137 67.55.159.6 (20 Sep 2006 11:58:02 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 20 Sep 2006 11:58:02 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:6338
rec.radio.amateur.policy:45457 rec.radio.scanner:6394 rec.radio.shortwave:53511
rec.radio.swap:7677

Chris, we don't mind using the filters. The problem is they (you) are
changing the subject every single day so we are constantly making new
kill filters. THATS the problem.

On Wed, 20 Sep 2006 11:53:30 +0000 (UTC), "Chris"
<daviesc338@nospam.alvillage.net> wrote:

>On Tue, 19 Sep 2006 18:49:08 -0700, Roy Lewallen <w7el@eznec.com> wrote:
>> So my request is: Please don't include rec.radio.amateur.antenna in the
>> list of newsgroups you send the original posting to. And when replying
>> to a thread whose topic doesn't involve antennas, simply delete
>
>My request is: Please learn about kill files, and please learn how to
>take action yourself by killing all posts crossposted to groups other
>than rec.radio.amateur.antenna. You'll have a much greater chance of
>changing yourself than you will of getting everyone else to do your
>bidding, and you'll be a whole lot less frustrated once you do figure
>that simple task out.
>
>I have a theory about hams who can't even master a news reader, but I'll
>leave that discussion for another thread.

From 4577288726878021919
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!news.alt.net!usenet
From: "Chris" <daviesc338@nospam.alvillage.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
Followup-To: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Date: Wed, 20 Sep 2006 12:48:48 +0000 (UTC)
Organization: Alabama Village Broadband Cable
Lines: 32
Message-ID: <3dcd8911b6e.aa1075257@alvillage.net>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net> <12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net> <f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com>
NNTP-Posting-Host: 10.0.3.12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news2.google.com rec.radio.amateur.antenna:18492 rec.radio.amateur.equipment:6339 rec.radio.amateur.policy:45458 rec.radio.scanner:6396 rec.radio.shortwave:53513 rec.radio.swap:7678

On Wed, 20 Sep 2006 06:58:01 -0500, nospam <nospam@nospam.net> wrote:
> Chris, we don't mind using the filters. The problem is they (you) are
> changing the subject every single day so we are constantly making new
> kill filters. THATS the problem.
>
>
>
> On Wed, 20 Sep 2006 11:53:30 +0000 (UTC), "Chris"
> <daviesc338@nospam.alvillage.net> wrote:
>
> >On Tue, 19 Sep 2006 18:49:08 -0700, Roy Lewallen <w7el@eznec.com> wrote:
> >> So my request is: Please don't include rec.radio.amateur.antenna in the
> >> list of newsgroups you send the original posting to. And when replying
> >> to a thread whose topic doesn't involve antennas, simply delete
> >
> >My request is: Please learn about kill files, and please learn how to
> >take action yourself by killing all posts crossposted to groups other
> >than rec.radio.amateur.antenna. You'll have a much greater chance of
> >changing yourself than you will of getting everyone else to do your
> >bidding, and you'll be a whole lot less frustrated once you do figure
> >that simple task out.
> >
> >I have a theory about hams who can't even master a news reader, but I'll
> >leave that discussion for another thread.

No, YOU are the problem. A proper kill filter will kill all crossposts,
no matter what the identity of the poster may be. If you really knew

how to use a kill filter (and you obviously don't), morphing posters would present no problem at all.

You also top post, and that makes it obvious that you have a lot yet to learn about Usenet.

From 4368269278805294606
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
bigfeed3.bellsouth.net!news.bellsouth.net!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <45113AE7.6060309@fuse.net>
Date: Wed, 20 Sep 2006 08:58:15 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
<f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com> <3dcd8911b6e.aa1075257@alvillage.net>
In-Reply-To: <3dcd8911b6e.aa1075257@alvillage.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 15
X-Trace: 2e2fe45113b59ed94689c27133
Xref: g2news2.google.com rec.radio.amateur.equipment:6340
rec.radio.amateur.policy:45459 rec.radio.scanner:6397 rec.radio.shortwave:53515
rec.radio.swap:7679

>
>
> No, YOU are the problem. A proper kill filter will kill all crossposts,
> no matter what the identity of the poster may be. If you really knew
> how to use a kill filter (and you obviously don't), morphing posters
> would present no problem at all.
>
> You also top post, and that makes it obvious that you have a lot yet to
> learn about Usenet.

Hey man,

Instead of insulting someone and trying to prop yourself up with your
expertise, why not just share your "wealth"?

```
From 8705805649595505081
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A humble request for "SlowCode" and contemporaries
Message-ID: <fhh2h2pd53bt1hs2tn9ufjsqfp4ve7m2p4@4ax.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
X-Newsreader: Forte Agent 4.0/32.1071
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
Date: Wed, 20 Sep 2006 13:50:55 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1158760255 24.174.167.251 (Wed, 20 Sep 2006 08:50:55
CDT)
NNTP-Posting-Date: Wed, 20 Sep 2006 08:50:55 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6341
```

On Wed, 20 Sep 2006 11:53:30 +0000 (UTC), "Chris"
<daviesc338@nospam.alvillage.net> wrote:

>On Tue, 19 Sep 2006 18:49:08 -0700, Roy Lewallen <w7el@eznec.com> wrote:
>> So my request is: Please don't include rec.radio.amateur.antenna in the
>> list of newsgroups you send the original posting to. And when replying
>> to a thread whose topic doesn't involve antennas, simply delete
>
>My request is: Please learn about kill files, and please learn how to
>take action yourself by killing all posts crossposted to groups other
>than rec.radio.amateur.antenna.

Kill filters are helpful, but only to a certain degree. I have 6 kill
filters for the "slow code" gang, but they have so many aliases, a lot
of the crap still gets through. And the same crap is inundating many
of the other amateur radio news groups. Some of the responsibility has
to be put on the duds who have nothing better to do all day long than
contemplate their slow code navels.

bob
k5qwg

You'll have a much greater chance of
>changing yourself than you will of getting everyone else to do your
>bidding, and you'll be a whole lot less frustrated once you do figure
>that simple task out.
>
>I have a theory about hams who can't even master a news reader, but I'll
>leave that discussion for another thread.

```
From -3119181983808026944
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr29.news.prodigy.net.POSTED!1133983c!not-for-
mail
From: "EchoBlip" <EB@ruckmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.shortwave,rec.radio.swap
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h11ljpcc6mf19@corp.supernews.com> <4510ACBE.7030100@fuse.net>
Subject: Re: Ham radios don't come with kill-filters or plonk buttons.
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <6_bQg.2972$GR.1367@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 70.238.242.11
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1158761474 ST000 70.238.242.11 (Wed, 20 Sep
2006 10:11:14 EDT)
NNTP-Posting-Date: Wed, 20 Sep 2006 10:11:14 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_@SRDSZUKB\LY\RMD]_\@VR]^@B@MCPWZKB]MPXHTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Wed, 20 Sep 2006 14:11:14 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:18493
rec.radio.amateur.equipment:6342 rec.radio.amateur.policy:45461
rec.radio.scanner:6399 rec.radio.shortwave:53516 rec.radio.swap:7682

mmmm, I like Neo Nazi myself.

Wake up White people!

like sea food? How about a bowl of  Ku Klux Clam chowder?

"jawod" <jawod@fuse.net> wrote in message news:4510ACBE.7030100@fuse.net...
> Mahmoud Ahmadinejad wrote:
>> "No Code", just like "No War", is just another failed Neo-Liberal policy.
>>
> Yes, WAR has worked out SO WELL for the NeoCons.  (Actually, it has. Lots
> of money to be made on the backs of American soldiers.)
>
>
>
> First time I've seen the term Neo-Liberal...I kinda like it.




From -8171665933517048860
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
In-Reply-To: <3dcnsdd1b6e.991075257@alvillage.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <ZocQg.6491$Ij.1210@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.132.142.117
```

```
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1158763193 ST000 70.132.142.117 (Wed, 20 Sep
2006 10:39:53 EDT)
NNTP-Posting-Date: Wed, 20 Sep 2006 10:39:53 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSGWUSOQBPSCFD[LZKJOPHAWB\^PBQLGPQRZ_MHEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Wed, 20 Sep 2006 14:39:53 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6343
rec.radio.amateur.policy:45462 rec.radio.scanner:6400 rec.radio.shortwave:53517
rec.radio.swap:7683

Chris wrote:
> My request is: ... and please learn how to
> take action yourself by killing all posts crossposted to groups other
> than rec.radio.amateur.antenna.

Please explain how to do that with Thunderbird.
--
73, Cecil  http://www.w5dxp.com


From 2774840891982475221
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net!usenet
From: "Chris" <daviesc338@nospam.alvillage.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
hortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
Followup-To: rec.radio.amateur.policy
Date: Wed, 20 Sep 2006 15:54:26 +0000 (UTC)
Organization: Alabama Village Broadband Cable
Lines: 26
Message-ID: <3dcd1b6e.ff1075257@alvillage.net>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
<ZocQg.6491$Ij.1210@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 10.0.3.12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news2.google.com rec.radio.amateur.equipment:6344
rec.radio.amateur.policy:45464 rec.radio.scanner:6403 rec.radio.shortwave:53521
```

rec.radio.swap:7686

On Wed, 20 Sep 2006 14:39:53 GMT, Cecil Moore <mycall@hotmail.com> wrote:
> Chris wrote:
> > My request is: ... and please learn how to
> > take action yourself by killing all posts crossposted to groups other
> > than rec.radio.amateur.antenna.
>
> Please explain how to do that with Thunderbird.

You should make sure that you have a proper news reader and then configure it as has been outlined in the news.answers FAQs for the last 20 years or so. If Thunderbird won't cut the mustard, then you should drop it in in favor of one of the other three or four *free* newsreaders which can do the job.

Usenet users should take responsibility for their own environment and stop asking others to do it for them. Too many people have a cheesy newsreader (such as Google Groups) and are too lazy to find a good one. They are often the people who complain the most loudly about crossposts instead of doing something about it themselves.

(Hint: People using newsreaders which can filter on the Newsgroups header should develop a filter which uses that header. If an article is crossposted, there will be at least one comma in that header. To kill all crossposted articles, kill all articles with a comma in the Newsgroups header. You can also use the Xref header to do the same thing by searching for two or more colons.)

```
From -6575277825129187036
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntpserver.com!
zeus.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: Wed, 20 Sep 2006 13:40:40 -0400
Message-ID: <l6v2h2d4qap1e89batu9rbhqvk2i98aouo@4ax.com>
References: <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx> <450E0D36.2050406@fuse.net>
<ahr63.thc.17.1@news.alt.net>
<1158574099.257846.178570@i3g2000cwc.googlegroups.com>
<1158585195.653014.142710@i42g2000cwa.googlegroups.com>
<1158592583.320144.215770@k70g2000cwa.googlegroups.com>
```

```
<1158670517.611139.286020@d34g2000cwd.googlegroups.com>
<ri10h25iqbd8o8gfjpvvgfhc9k5sa71aqk@4ax.com>
<1158749869.817402.53860@m73g2000cwd.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
NNTP-Posting-Date: 20 Sep 2006 16:45:12 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:45474
rec.radio.amateur.equipment:6345 rec.radio.amateur.misc:22052
alt.radio.scanner:2936

On 20 Sep 2006 03:57:49 -0700, "Not Cocksucker Lloyd"
<not_time_turd_lloyd@yahoo.com> wrote:

>
>MarkMoron@kb9rqz.com wrote:
>> On 19 Sep 2006 05:55:17 -0700, "Not Cocksucker Lloyd"
>> <not_time_turd_lloyd@yahoo.com> wrote:
>>
>> >
>> >kb9rqz-2@hotmail.com wrote:
>> >> Not Cocksucker Lloyd wrote:
>> >> > kb9rqz-1@hotmail.com wrote:
>> >> > > Indy Ham wrote:
>> >> > > > My god. Are you serious?? "Niggers out..."
>> >> > > >
>> >> > > > HAHAHAHA Are we back in 1955 again or something?
>> >> > > yeah the attirudes of of many hams are stuck there
>> >> >
>> >> > Poor Markie, his perverted lifestyle is unacceptable in any era.
>> >> wrong agin woger
>> >
>> >Ask around, pervert.
>> already done so
>
>Liar.
sure I have

indeed if I were that reviled you would be safe using yYOUR real name
for your missives
>
>
>> it is the sick jokes like you andRobeson
>
>Nope, most perople don't think your lifestyle is acceptable.
that is not what Gallup and other poosters have found
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com
```

```
From 6214114952676973478
X-Google-Thread: 108122,38de0bee4685249c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "the watchman" <NAMHCTAW@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: K9KXQ
Date: 20 Sep 2006 11:37:46 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1158777465.274497.130990@d34g2000cwd.googlegroups.com>
References: <1158340510.949781.323420@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 71.115.24.218
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158777470 15105 127.0.0.1 (20 Sep 2006 18:37:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Sep 2006 18:37:50 +0000 (UTC)
In-Reply-To: <1158340510.949781.323420@i3g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Opera/9.01 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=71.115.24.218;
   posting-account=QvkXag0AAADOacGzDCg1JvJX__yaTgVl
Xref: g2news2.google.com rec.radio.amateur.equipment:6346

This guy is the biggest idiot on the usenet!



From 3842245543015374915
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!feeder.news-service.com!213.193.255.2.MISMATCH!news2.euro.net!
postnews2.euro.net!news.wanadoo.nl!not-for-mail
Date: Wed, 20 Sep 2006 21:22:11 +0200
From: know code <know_code@wanadoo.nl>
Reply-To:  "know code"@invalid_address.com
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
```

```
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083039.228531.172470@i42g2000cwa.googlegroups.com>
<1158083305.213074.168490@d34g2000cwd.googlegroups.com>
<9HCNg.22642$WV2.9834@newsfe2-gui.ntli.net>
In-Reply-To: <9HCNg.22642$WV2.9834@newsfe2-gui.ntli.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <451194e4$0$28058$dbd45001@news.wanadoo.nl>
Organization: Wanadoo
NNTP-Posting-Date: 20 Sep 2006 19:22:12 GMT
NNTP-Posting-Host: s5591cd23.adsl.wanadoo.nl
X-Trace: 1158780132 dr1.euro.net 28058 85.145.205.35:4202
X-Complaints-To: abuse@wanadoo.nl
Xref: g2news2.google.com sci.electronics.basics:25827 sci.physics.electromag:4491
rec.radio.shortwave:53532 rec.radio.amateur.equipment:6347 uk.radio.amateur:52327

Brian Reay wrote:
> "Mike Gathergood (G4KFK)" <mike@g4kfk.co.uk> wrote in message
> news:1158083305.213074.168490@d34g2000cwd.googlegroups.com...
>> Radium wrote:
>>> What is FEC?
>> Forward Error Correction. Google it  :-)
>
>
> Just to add to Mike's comment, FEC works by send the same message several
> times- in simple terms, in the hope that one with get through correctly.

You may want to read up on Viterbi, Sequential, Turbo Product Codes
(TPC) and Low Density Parity Check (LDPC) forms of FEC to see how they
work and see if that statement still holds true!

It's truly amazing how many errors Turbo codes and LDPC codes can
actually correct even with only an additional 5% of error correction
coding on top of the data stream in some cases!


From -4313584410022680786
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news.maxwell.syr.edu!
news.netins.net!not-for-mail
From: nospam <nospam@nospam.net>
```

Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
Date: Wed, 20 Sep 2006 15:57:15 -0500
Organization: netINS InterNetNews site
Lines: 39
Message-ID: <gna3h2hskc5s9n5mdtfvrm7eumpuap06lr@4ax.com>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
<f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com> <3dcd8911b6e.aa1075257@alvillage.net>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1158785837 3666 67.55.159.6 (20 Sep 2006 20:57:17 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 20 Sep 2006 20:57:17 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:6348
rec.radio.amateur.policy:45550 rec.radio.scanner:6412 rec.radio.shortwave:53539
rec.radio.swap:7697

Chris, I guarentee I am not the problem. I will bet you are one of the
people spewing all the garbage on here.

On Wed, 20 Sep 2006 12:48:48 +0000 (UTC), "Chris"
<daviesc338@nospam.alvillage.net> wrote:

>On Wed, 20 Sep 2006 06:58:01 -0500, nospam <nospam@nospam.net> wrote:
>> Chris, we don't mind using the filters. The problem is they (you) are
>> changing the subject every single day so we are constantly making new
>> kill filters. THATS the problem.
>>
>>
>>
>> On Wed, 20 Sep 2006 11:53:30 +0000 (UTC), "Chris"
>> <daviesc338@nospam.alvillage.net> wrote:
>>
>> >On Tue, 19 Sep 2006 18:49:08 -0700, Roy Lewallen <w7el@eznec.com> wrote:
>> >> So my request is: Please don't include rec.radio.amateur.antenna in the
>> >> list of newsgroups you send the original posting to. And when replying
>> >> to a thread whose topic doesn't involve antennas, simply delete
>> >
>> >My request is: Please learn about kill files, and please learn how to
>> >take action yourself by killing all posts crossposted to groups other
>> >than rec.radio.amateur.antenna. You'll have a much greater chance of
>> >changing yourself than you will of getting everyone else to do your
>> >bidding, and you'll be a whole lot less frustrated once you do figure
>> >that simple task out.
>> >
>> >I have a theory about hams who can't even master a news reader, but I'll
>> >leave that discussion for another thread.

>
>No, YOU are the problem. A proper kill filter will kill all crossposts,
>no matter what the identity of the poster may be. If you really knew
>how to use a kill filter (and you obviously don't), morphing posters
>would present no problem at all.
>
>You also top post, and that makes it obvious that you have a lot yet to
>learn about Usenet.

From 6133830321198266998
X-Google-Thread: 108122,38de0bee4685249c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: KB9YGD Norman P. Triantafilos
Date: 20 Sep 2006 14:40:11 -0700
Organization: http://groups.google.com
Lines: 51
Message-ID: <1158788411.493831.91790@m73g2000cwd.googlegroups.com>
References: <1158340510.949781.323420@i3g2000cwc.googlegroups.com>
   <1158777465.274497.130990@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 68.155.218.56
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158788417 9738 127.0.0.1 (20 Sep 2006 21:40:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Sep 2006 21:40:17 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=68.155.218.56;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6349

Poor old KB9YGD Norman P Triantafilos 2634 Warren Street Lake Station
IN 46405
Phone 219 962 8416

Norman lives in a garage shack, he owes back Federal Tax of around 30,000.00 he hates America, he is Greek so don't turn your back on him.

Norman is being watched by neighbors, he has no friends, we use to call him crazy Norm, he has one child out of wedlock (bastard) that he never does anything for him, the kid looks just like him (poor kid).

Norman keeps all his money in his home, he can't put it in the bank because the IRS would levy on it due to the back tax he owes.(he has lots of bucks stashed in his house)

Norman's cat Tiggy just croaked (thinks more of a damn cat than his own kid) now old Norman is all alone with his pistol, he is very insecure and dangerous to himself and neighbors, they are keeping an eye on old crazy Norm.

Norman get some professional help, you need it. Norman has lots of Ham gear and tools in his garage in the back, the neighbors have cut his coax a couple times for ripping up their tv's and phones, poor Norman he is a recovering alcoholic, I use to smoke a little pot with him but he couldn't handle it and the booze together.

Now Norman claims to be a saint, a reformed drug and alcohol abuser, ah our past eh Norm, remember that black whore who took your 30.00 bucks, ah ha ha I got some of that pussy in the back seat of your caddy and you got ripped off, or did you pay to just watch, ah ha ha, you freak.

See Norm, when you talk about me it gets back, remember we were friends and I know plenty about your personal life and the years we worked together at the EJ&E RR, I'm not ashamed of anything I have done in my life, it was all a great experience and I wouldn't trade it for nothing, I have enjoyed my life, some good some not so good, at least I'm not a lonely old bastard who hates as you do, I have a wife and a nice home that's almost paid off from my settlement, 5 more years and I'm on easy street, I can go and buy anything I want at anytime, I have not lost anything especially myself as you have, I have friends and relatives close, I have grandkids that adore me, what do you have? you are such a miserable old bastard who is so paranoid someone is going to get something you have.

Wake up Norman life is too short to be a mean old nasty asshole that hates and is envious of others, you won't listen, you will die an old nasty bastard who no one will give a shit about.

Hammertime

From -3555245996403971969
X-Google-Thread: 108122,a6cf9952ab04e5e4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!multikabel.net!
feed20.multikabel.net!news.tele.dk!news.tele.dk!small.news.tele.dk!
lnewsinpeer00.lnd.ops.eu.uu.net!emea.uu.net!newsfeed.icl.net!newsfeed.fjserv.net!
news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!
twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Gary" <radioactive@cityweb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ham/Radio stuff for sale
Lines: 3

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <XkjQg.44028$xV.38508@twister.nyroc.rr.com>
Date: Wed, 20 Sep 2006 22:33:27 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1158791607 24.58.195.67 (Wed, 20 Sep 2006 18:33:27 EDT)
NNTP-Posting-Date: Wed, 20 Sep 2006 18:33:27 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:6350

http://members5.boardhost.com/kc2ftn/

From -188271585405185532
X-Google-Thread: 108122,73f35eacfc8cf827
X-Google-Thread: 107ada,8ff870397cb8a7aa
X-Google-Thread: 1009ad,73f35eacfc8cf827
X-Google-Attributes: gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m7g2000cwm.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: woger stalker at large
Date: 20 Sep 2006 16:07:00 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1158793620.375466.293500@m7g2000cwm.googlegroups.com>
References: <fhGPg.9340$v%4.507@newsread1.news.pas.earthlink.net>
   <1158627319.033909.250040@i3g2000cwc.googlegroups.com>
   <1158631813.879090.64090@h48g2000cwc.googlegroups.com>
   <e0pug21nn7hka3qfnjosdqc76g3q89ik7o@4ax.com>
   <Eu%Pg.9887$v%4.5444@newsread1.news.pas.earthlink.net>
   <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158793624 23739 127.0.0.1 (20 Sep 2006 23:07:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 20 Sep 2006 23:07:04 +0000 (UTC)
In-Reply-To: <1158750534.421576.291170@d34g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m7g2000cwm.googlegroups.com; posting-host=69.19.14.23;

```
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:6351
rec.radio.amateur.misc:22073 alt.radio.scanner:2939


peewee_lloyd_davies@yahoo.com wrote:
> Sheepfucker and shemale pic poster

> Your posts and shitty "broadcasts" have contributed to it more, Toad.
woger stalker at large




From -6514573422603679554
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes: gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
From: Slow Code <my.mail@no.spam>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com> <3dcnsdd1b6e.991075257@alvillage.net>
<f1b2h21p0mmkpmsmelqo3tfov093aa05kr@4ax.com> <3dcd8911b6e.aa1075257@alvillage.net>
<45113AE7.6060309@fuse.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 23
Message-ID: <%llQg.14298$bM.5306@newsread4.news.pas.earthlink.net>
Date: Thu, 21 Sep 2006 00:51:07 GMT
NNTP-Posting-Host: 4.254.229.102
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1158799867 4.254.229.102 (Wed, 20 Sep
2006 17:51:07 PDT)
NNTP-Posting-Date: Wed, 20 Sep 2006 17:51:07 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6352
rec.radio.amateur.policy:45579 rec.radio.swap:7703

jawod <jawod@fuse.net> wrote in news:45113AE7.6060309@fuse.net:

>
>>
>>
>> No, YOU are the problem.  A proper kill filter will kill all
>> crossposts, no matter what the identity of the poster may be.  If you
>> really knew how to use a kill filter (and you obviously don't),
>> morphing posters would present no problem at all.
>>
>> You also top post, and that makes it obvious that you have a lot yet to
>> learn about Usenet.
>
> Hey man,
>
> Instead of insulting someone and trying to prop yourself up with your
> expertise, why not just share your "wealth"?
>


Ham radios don't come with kill-filters or plonk buttons.   (CB Filter)

SC



From -7131767220871079398
X-Google-Thread: fcc6e,2a4c5cf894fd0ce2
X-Google-Thread: 108122,2a4c5cf894fd0ce2
X-Google-Thread: 10bf43,2a4c5cf894fd0ce2
X-Google-Thread: fa029,2a4c5cf894fd0ce2
X-Google-Thread: 114aac,2a4c5cf894fd0ce2
X-Google-Thread: 1109af,2a4c5cf894fd0ce2
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.shortwave,rec.radio.swap
Subject: Re: A humble request for "SlowCode" and contemporaries
From: Slow Code <my.mail@no.spam>
References: <Bu%Pg.9885$v%4.4258@newsread1.news.pas.earthlink.net>
<12h17gktf0opa87@corp.supernews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 63
Message-ID: <1mlQg.14299$bM.1960@newsread4.news.pas.earthlink.net>
Date: Thu, 21 Sep 2006 00:51:09 GMT
NNTP-Posting-Host: 4.254.229.102
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1158799869 4.254.229.102 (Wed, 20 Sep
2006 17:51:09 PDT)
NNTP-Posting-Date: Wed, 20 Sep 2006 17:51:09 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18505
rec.radio.amateur.equipment:6353 rec.radio.amateur.policy:45580
rec.radio.scanner:6415 rec.radio.shortwave:53546 rec.radio.swap:7704

Roy Lewallen <w7el@eznec.com> wrote in
news:12h17gktf0opa87@corp.supernews.com:

> As a reader and frequent contributor to the rec.radio.amateur.antenna
> newsgroup, I see a large and increasing volume of messages cross posted
```

> to a large handful of groups which have nothing to do with antennas. Not
> surprisingly, I don't see any of the regular contributors to this
> newsgroup participating in the endless arguments about Morse code,
> testing requirements, and what it takes to be a "real" amateur. These
> threads seem to be increasing in number daily, involving the same
> participants, and have grown to the point that the signal-to-noise ratio
> of rec.radio.amateur.antenna newsgroup is getting seriously degraded.
> It's becoming necessary to fish through multiple off-topic threads to
> find the postings involving antennas.
>
> There's no point in including rec.radio.amateur.antenna in the list of
> newsgroups you send these postings to. There are certainly groups whose
> readers are much more interested in participating or reading about these
> topics.
>
> So my request is: Please don't include rec.radio.amateur.antenna in the
> list of newsgroups you send the original posting to. And when replying
> to a thread whose topic doesn't involve antennas, simply delete
> rec.radio.amateur.antenna from the list of newsgroups receiving the
> reply, before clicking "Send". This won't detract in any way from your
> discussions, and will be a relief for rec.radio.amateur.antenna readers
> and participants.
>
> Thanks and 73,
> Roy Lewallen, W7EL

Roy. I appreciate your point and I'm sorry for disturbing the
newsgroup. It won't happen again, I promise. I'm glad we have
RRAA because I had antenna questions they couldn't answer over
in rec.radio.cb

Does one long continuous wave(CW) make your antenna warm in the winter?

What kind of antenna do you use to receive CW, a vertical co-linear
ground-plane or some form of half-wave Dipole? What's Best?

Does antenna polarization matter if the CW is high speed and received
with a computer?

A lot of hams now are Appliance Operators and hate CW, how can they
keep CW of their antennas?

I heard like if you hook the coax to your dipole antenna in reverse, CW
comes out backwards, Like POTS would come out as STOP. Is that true?

Thanks Roy, keep up the good work! You're doing a good job. 73

SC

From 7391983545619316649
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP
From: Slow Code <my.mail@no.spam>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx> <450E0D36.2050406@fuse.net>
<ahr63.thc.17.1@news.alt.net>
<1158574099.257846.178570@i3g2000cwc.googlegroups.com>
<2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
<akdmk.8qe.19.1@news.alt.net>
<zu%Pg.9883$v%4.7918@newsread1.news.pas.earthlink.net>
<1158749993.662762.65150@m73g2000cwd.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 43
Message-ID: <6mlQg.14302$bM.12419@newsread4.news.pas.earthlink.net>
Date: Thu, 21 Sep 2006 00:51:14 GMT
NNTP-Posting-Host: 4.254.229.102
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1158799874 4.254.229.102 (Wed, 20 Sep 2006 17:51:14 PDT)
NNTP-Posting-Date: Wed, 20 Sep 2006 17:51:14 PDT
Xref: g2news2.google.com rec.radio.amateur.policy:45583
rec.radio.amateur.equipment:6354 rec.radio.amateur.misc:22083
alt.radio.scanner:2942

"Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com> wrote in
news:1158749993.662762.65150@m73g2000cwd.googlegroups.com:

>
> Slow Code Toad wrote:
>> "Indy Ham" <nospam@privatenospam.com> wrote in
>> news:akdmk.8qe.19.1@news.alt.net:

```
>>
>> >> Fags and No-coders are not Welcome in RRAP
>> >>
>> >> Lloyd, Roger, Markie, Get Out!
>> >>
>> >>
>> >> SC
>> >
>> > That may be a little more acceptable. HAHAHA
>>
>>
>>
>> I remember when RRAP was respectable, then Mark morgan came back and
>> Woger found someone he could pick on with ease, like taking candy from
>> a baby. It doesn't help for Mark to admit he doesn't have anything
>> against homos, and Woger teases him about it.  I have to admit I've got
>> caught up in it too when the only reason I came back was to try to make
>> the group
>
> Because you are so easily trolled, Toad.
>
>> respectable again and try to get usenetter hams to support keeping the
>> code requirement.  But with Mark here now and not enough good folk left
>> in the group, I'll probably just bow out, and the stupid and lazy can
>> take over ham radio.
>
> You mean the lazy hams who make "broadcasts" in the 13. MHz frequency
> range?



What a Loon!  In one thread you think I'm Lloyd and in this thread you
think I'm Todd.   You're as confused as Mark and just as stupid.  Maybe
that's why you two get along with each other so well.

SC



From -4728346622649812780
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!elnk-pas-nf1!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <450DD383.D8B8883B@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
```

Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.basics
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER,
 ENIGMA,
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
<eek32o$1fuo$1@registered.motzarella.org> <GvgPg.19538$cz3.10943@edtnps82>
<qOgPg.35$k74.23@newsfe06.lga>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
Date: Sun, 17 Sep 2006 23:01:16 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1158534076 24.110.34.161 (Sun, 17 Sep
2006 16:01:16 PDT)
NNTP-Posting-Date: Sun, 17 Sep 2006 16:01:16 PDT
Xref: g2news2.google.com rec.radio.amateur.homebrew:6953
rec.radio.amateur.boatanchors:5432 rec.radio.amateur.equipment:6255
rec.radio.amateur.misc:21781 sci.electronics.basics:25664

xpyttl wrote:
>
> "Homer J Simpson" <nobody@nowhere.com> wrote in message
> news:GvgPg.19538$cz3.10943@edtnps82...
> >
> > "The Professor" <telstarelectronics@yahoo.com> wrote in message
> > news:eek32o$1fuo$1@registered.motzarella.org...
> >
> >> stop spamming the group asshole.
> >
> > Why is it spamming?
>
> Bill included rec.radio.amateur.misc in the list of newsgroups he posted the
> original message to. Since rram seems to be reserved for flames, discussion
> of amateur radio is evidently off-topic.
>
> ..

The crap on news:sci.electronics.misc is crossposted from news:sci.electronics.policy, which is a watering hole for the biggest idiots on usenet.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -8996263593897939651
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <450DD47B.8E451A1A@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.basics
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER, ENIGMA,
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com> <eek32o$1fuo$1@registered.motzarella.org>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Sun, 17 Sep 2006 23:05:25 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1158534325 24.110.34.161 (Sun, 17 Sep 2006 16:05:25 PDT)
NNTP-Posting-Date: Sun, 17 Sep 2006 16:05:25 PDT
Xref: g2news2.google.com rec.radio.amateur.homebrew:6954 rec.radio.amateur.boatanchors:5433 rec.radio.amateur.equipment:6256 rec.radio.amateur.misc:21782 sci.electronics.basics:25665

The Professor wrote:
>
> stop spamming the group asshole.
>
> www.telstar-electronics.com
>

Thanks for your spam, Professor. I forwarded it to: FCCINFO@fcc.gov to see what they think of your CB linears.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 6434703864780040225
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Sep 2006 18:27:43 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Sun, 17 Sep 2006 16:27:41 -0700
Subject: Re: CB radio amplifiers for sale CHEAP!
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Message-ID: <C13327FD.43932%dbowey@comcast.net>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 23
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-PmMQKRVTT/VtTyC6eNmthoQ/rjbR7nzq4R2xi9BV/
ucf1JBm461ttI1CDpV10YSGoI4wKlLZ1qoqPjt!
CKbd8gGAqsrqL7Da9ICuyvu8At6g5ucyTULrbc+si3OrPwTGu3jAOIgqqDpcsvOYXPhbbSWG
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7602 rec.radio.amateur.boatanchors:5434
rec.radio.amateur.equipment:6257 rec.radio.scanner:6336 alt.ham-radio.vhf-uhf:2670
rec.radio.amateur.misc:21783 alt.ham-radio.marketplace:1333

On 9/17/06 11:13 AM, in article eek38a$1g59$1@registered.motzarella.org,
"The Professor" <telstarelectronics@yahoo.com> wrote:

>
> "Al Klein" <rukbat@pern.invalid> wrote in message
> news:8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com...
>> On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
>> <telstarelectronics@yahoo.com> wrote:
>>
>>> I build these in my basemant.
>>
>> Even if it WAS legal to use them, yours aren't type approved, so it
>> would be illegal to use yours.
>>
>> Jut a word to the gullible.
>>
> Says you....LOL

Says those of us who are familiar with FCC Regulations.





From -7172289652482180960
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: 17 Sep 2006 16:30:10 -0700
Organization: http://groups.google.com
Lines: 36
Message-ID: <1158535810.373380.117100@i3g2000cwc.googlegroups.com>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
   <450C4583.1090209@fuse.net>
   <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
   <eehr0s$s79$1@news2.kornet.net>
   <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
   <pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
   <450D4EAE.6070003@fuse.net>
   <1158529915.420544.256690@i42g2000cwa.googlegroups.com>
   <d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com>
NNTP-Posting-Host: 4.225.99.250
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158535814 11273 127.0.0.1 (17 Sep 2006 23:30:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 17 Sep 2006 23:30:14 +0000 (UTC)
In-Reply-To: <d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=4.225.99.250;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.antenna:18421
rec.radio.amateur.equipment:6258 rec.radio.amateur.policy:44973
rec.radio.swap:7603
```

Mark@kb9rqz.com wrote:
> On 17 Sep 2006 14:51:55 -0700, hot-ham-and-cheese@hotmail.com wrote:
>
> >
> >jawod wrote:
> >> >
> >> > I like the way Rush Limbaugh puts it:
> >> >
> >> > "If you're offended, that's your problem."
> >> >
> >> > SC
> >>
> >> Rush LIMBAUGH?!?
> >>
> >> Do people still listen to that drugged-out loser?
> >
> >Interesting. Liberals looks at drug abuse as a victimless crime, just
> >people need some help, free needles, methadone, and billions in drug
> >counseling and counseling centers.
> >
> >All their rock and roll heroes and hollywood legends are stoned all of
> >the time.
> >
> >But when Rush avails himself to to these legal views that the liberals
> >have put into place...
> >
> >"he's a drugged-out loser."
> amazing hw that works
>
> http://kb9rqz.blogspot.com/

Rush absolutely should have taken the same deal that the dems set up
for themselves and their "drugged-out" loser children. Wonder why jobs
go overseas? Few in America can pass a drug test.

```
From -2918145367429046880
X-Google-Thread: 108122,1cda9b2f2abb02c7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: The James Rogers Story Part 1...
Date: 17 Sep 2006 16:35:14 -0700
Organization: http://groups.google.com
Lines: 47
Message-ID: <1158536114.005225.43070@h48g2000cwc.googlegroups.com>
References: <20060909211754.1BCE617105@mail.cypherpunks.to>
NNTP-Posting-Host: 70.157.232.16
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158536119 12021 127.0.0.1 (17 Sep 2006 23:35:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 17 Sep 2006 23:35:19 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=70.157.232.16;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6259
```

NORMAN TRIANTAFILOS Story Part A. (The Story of a Coward)

Norman was born in Gary Indiana he is now 60 years old, it would seem with age you get a little more intelligence, but not the case with old Norman, he just gets more psychotic.

Norman resides at 2634 Warren Street Lake Station IN 46405
Phone number is 219-962-8416 a little shack garage that's converted into living quaters that imo should be condemed.

Norman has many alias, why because he is psychopathic; psychoneurotic with the mind of a criminal, Norman suffers from dementia praecox, a severe mental disorder characterized by some, but not necessarily all, of the following features: emotional blunting, intellectual deterioration, social isolation, disorganized speech and behavior, delusions, and hallucinations.

Norman has a general class amateur radio license with the call letters of "KB9YGD" he characterizes himself as "The Real Ham" in reality he is nothing more than a whinning child, he is dangerous and carries a gun (9mm auto pistol) with him at all times due to his insecurities, be aware that he could snap at any given moment and cause harm to himself or others.

I have informed the Lake Station Indiana athorities and they are well aware of this criminal and watching him, they have several reports on him from neighbors who live close and in fear of his psychotic manners, he especially hates blacks and uses the word "nigger" he imho is a racist and may be a card carring KKK member.

WA9TSQ Bernard S Gawronski of 951 N 100 W CHESTERTON IN 46304 was receiving threating emails from Norman over a dispute at the PCARC meetings, all were sent in an annomymous reamailer from Norman Triantafolis, this I have proof of.

Norman was an alcoholic doper who stayed high the majority of his life, he claims he has reformed, but one has to wonder if he still is on the booze or drugs from some of the posts he submitts here on these groups, he lost his job at the E,J & E Railway for reasons unknown, I have heard but can not verify he was fired for reasons of a mental disorder.

"DISCLAIMER" These are my opinions, some are facts and some are speculation, you decide for yourself....

Hammertime

```
From -4755063258480712740
X-Google-Thread: 108122,1ab1a1f88ddd1d46,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Sep 2006 18:38:49 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ranger RCI 2950 10 meter Mobile Rig
Date: Sun, 17 Sep 2006 19:38:23 -0400
Reply-To: wz1u@comcast.net
Message-ID: <b2nrg2htvu9n1ergvo6j1dq0pvi66hoon4@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Host: 24.91.230.242
X-Trace: sv3-
JypfWIIc1+qrQ5mi7ubzknW3AC18RK5Z6WwZRy0opk5PFyOIjYRkBEFo6wEsdQptTdsA4HlrTc8y44T!
dNPwtOOFd/X5K6zmg4g4/TfBrYgLRE+T01Dvg+yNq+Aznj04LjUqd+m8TdNCfsELTWEWOwPqvO7m!Ze+/
EA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6260

I have for sale in excellent condition a Ranger RCI 2950 10 meter mobile rig. It comes with the manual, mobile bracket, dc cable and microphone. I have digital pictures if needed. I will take $150 plus shipping. If you have any other questions email me.. WZ1U Steve / Lakeville, Ma.

From -2837846868633173911
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Mon, 18 Sep 2006 08:47:55 +0900
Organization: Korea Telecom
Lines: 34
Message-ID: <eekmk6$jrb$1@news2.kornet.net>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net> <450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net> <eehr0s$s79$1@news2.kornet.net> <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net> <pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net> <450D4EAE.6070003@fuse.net> <1158529915.420544.256690@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 218.155.50.159
X-Trace: news2.kornet.net 1158536646 20331 218.155.50.159 (17 Sep 2006 23:44:06 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Sun, 17 Sep 2006 23:44:06 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.antenna:18422 rec.radio.amateur.equipment:6261 rec.radio.amateur.policy:44977 rec.radio.swap:7605

```
<hot-ham-and-cheese@hotmail.com> wrote in message
news:1158529915.420544.256690@i42g2000cwa.googlegroups.com...
>
> jawod wrote:
>> >
>> > I like the way Rush Limbaugh puts it:
>> >
>> > "If you're offended, that's your problem."
>> >
>> > SC
>>
>> Rush LIMBAUGH?!?
>>
>> Do people still listen to that drugged-out loser?
>
> Interesting.  Liberals looks at drug abuse as a victimless crime, just
> people need some help, free needles, methadone, and billions in drug
> counseling and counseling centers.
>
> All their rock and roll heroes and hollywood legends are stoned all of
> the time.
>
> But when Rush avails himself to to these legal views that the liberals
> have put into place...
>
> "he's a drugged-out loser."


Nah, they're ALL drugged out losers. Some have lost more than others.  Rush
is fortunate in that he got busted before he could do more damage to himself
than just his hearing loss.  Most of the rest are at least half brain dead.




From 3292576489655195204
X-Google-Thread: 108122,9fd61a3d35688d84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Sep 2006 20:18:55 -0500
Subject: Re: hp z3801a wtb help
Date: Sun, 17 Sep 2006 18:18:55 -0700
From: artie <artie.m@gNOSPAMmail.com>
Newsgroups: rec.radio.amateur.equipment
Message-ID: <170920061818551482%artie.m@gNOSPAMmail.com>
References: <m-ACC550.05162717092006@news.verizon.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
```

```
Mail-Copies-To: nobody
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 20
X-Trace: sv3-RAxKiRp7Jow53eqdcsCTcjRXh+KcpH/
9hqqqaKBTItie7NDG6l5bgJfl3FdAYp3AhF35W1CRxoooiix!
ImogBfSoVJomiGcyewpwK2wkrDjx629HGL6TOXae3nzDNCbRGLMNjH2zHyGdJ9URQDsoHQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6262

In article <m-ACC550.05162717092006@news.verizon.net>, ml <m@di.net>
wrote:

> hi
>
>
> I've been looking a  good while now , ebay and other places for a
> hp Z3801A   havn't found one in many months
>
> if anyone one knows of one for sale  please let me know
>
> myles  at at   -dti.net
>
>
> thanks

Keep watching -- I'm looking for another one as well.

--
Namaste--


From 2258976813691375619
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!proxad.net!usenet-fr.net!
ircam.fr!freenix!sn-xt-sjc-05!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Sun, 17 Sep 2006 18:33:50 -0700
Organization: Remove number to reply
```

```
Message-ID: <12grtrtmbkuuqfa@corp.supernews.com>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
<eehr0s$s79$1@news2.kornet.net> <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
<pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
<450D4EAE.6070003@fuse.net>
<1158529915.420544.256690@i42g2000cwa.googlegroups.com>
<d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news2.google.com rec.radio.amateur.antenna:18424
rec.radio.amateur.equipment:6263 rec.radio.amateur.policy:44994
rec.radio.swap:7608


<Mark@kb9rqz.com> wrote in message
news:d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com...
> On 17 Sep 2006 14:51:55 -0700, hot-ham-and-cheese@hotmail.com wrote:
>
>>
>>jawod wrote:
>>> >
>>> > I like the way Rush Limbaugh puts it:
>>> >
>>> > "If you're offended, that's your problem."
>>> >
>>> > SC
>>>
>>> Rush LIMBAUGH?!?
>>>
>>> Do people still listen to that drugged-out loser?
>>
>>Interesting.  Liberals looks at drug abuse as a victimless crime, just
>>people need some help, free needles, methadone, and billions in drug
>>counseling and counseling centers.
>>
>>All their rock and roll heroes and hollywood legends are stoned all of
>>the time.
>>
>>But when Rush avails himself to to these legal views that the liberals
>>have put into place...
>>
>>"he's a drugged-out loser."
```

> amazing hw that works

Libs are too non-linear to even realize how hypocritical they are.

From 3764464292430081653
X-Google-Thread: 10dafd,e1219562406ae66b,start
X-Google-Thread: 1113b0,e1219562406ae66b,start
X-Google-Thread: 112acb,e1219562406ae66b,start
X-Google-Thread: 108122,e1219562406ae66b,start
X-Google-Thread: 1062f2,e1219562406ae66b,start
X-Google-Attributes: gid10dafd,gid1113b0,gid112acb,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Sep 2006 20:53:25 -0500
Subject: FA: 4 ELECTRONICS Books: OP AMPs, Digital IC's, Circuits, CDROM, etc.
Date: Sun, 17 Sep 2006 21:53:25 -0400
From: Benjamin <benjamin@jsopaosqs.com>
Newsgroups:
alt.marketplace.online.ebay,rec.arts.books.marketplace,alt.marketplace.books,rec.radio.amateur.equipment,misc.industry.electronics.marketplace
Message-ID: <170920062153257682%benjamin@jsopaosqs.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-TlKrCRGCmiFcxBumQcL84QV7JRVIZp1ExpTwiunBQ4E1/Odw0diODWINeij6HZ/
G7EliFrl7nTAiGLU!qHlVYyS15sy97ev9vgNJWnzJMP7Un/
+Q5027Xdtf6xXga98NJp2qWstp9oawArD9OxOZbLUKnfCp!PsXDlZeHdrCDxDYXEgctKZE+Xg==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.marketplace.online.ebay:21866
rec.arts.books.marketplace:6586 alt.marketplace.books:6828
rec.radio.amateur.equipment:6264 misc.industry.electronics.marketplace:636

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320027981946

From 2237114280723490502
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe

```
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <450E01BF.9080102@fuse.net>
Date: Sun, 17 Sep 2006 22:17:35 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
<eehr0s$s79$1@news2.kornet.net> <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
<pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
<450D4EAE.6070003@fuse.net>
<1158529915.420544.256690@i42g2000cwa.googlegroups.com>
<d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com> <12grtrtmbkuuqfa@corp.supernews.com>
In-Reply-To: <12grtrtmbkuuqfa@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 37
X-Trace: 16a4f450e0256ed946c8216659
Xref: g2news2.google.com rec.radio.amateur.antenna:18428
rec.radio.amateur.equipment:6265 rec.radio.amateur.policy:45022
rec.radio.swap:7611

Richard Crowley wrote:
>
> <Mark@kb9rqz.com> wrote in message
> news:d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com...
>
>> On 17 Sep 2006 14:51:55 -0700, hot-ham-and-cheese@hotmail.com wrote:
>>
>>>
>>> jawod wrote:
>>>
>>>> >
>>>> > I like the way Rush Limbaugh puts it:
>>>> >
>>>> > "If you're offended, that's your problem."
>>>> >
>>>> > SC
>>>>
>>>> Rush LIMBAUGH?!?
>>>>
>>>> Do people still listen to that drugged-out loser?
>>>
```

>>>
>
>
> Libs are too non-linear to even realize how hypocritical they are.

Hmmm. A radio personality who railed against drugged out hippies and
"tree huggers" is caught in the act of illegally obtaining drugs for his
own use. Purchasing drugs in a parking lot with shoe boxes full of cash
for his local pusher.

Who is hypocritical? Linearity is a curious concept when applying it to
this obese fraud.

Al Franken had it right: "Rush Limbaugh is a Big Fat Idiot".

If YOU'RE offended that's YOUR problem.

From 3205105810434262650
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligijjdnojopddcmjimennmnelmhlgiomknfkbniaamobbiakdjjffgpnhkhbhmggbpbk
mmiolepdcpmninmlgninajkkbffdpnkdkbgjjlhmghfgigenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 17 Sep 2006 19:31:44 MST

```
Organization: Optimum Online
Date: Sun, 17 Sep 2006 22:29:59 -0400
Xref: g2news2.google.com rec.radio.swap:7612 rec.radio.amateur.boatanchors:5436
rec.radio.amateur.equipment:6266 rec.radio.scanner:6337 alt.ham-radio.vhf-uhf:2671
rec.radio.amateur.misc:21793 alt.ham-radio.marketplace:1334

On Sun, 17 Sep 2006 14:13:26 -0400, "The Professor"
<telstarelectronics@yahoo.com> wrote:

>
>"Al Klein" <rukbat@pern.invalid> wrote in message
>news:8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com...
>> On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
>> <telstarelectronics@yahoo.com> wrote:
>>
>>>I build these in my basemant.
>>
>> Even if it WAS legal to use them, yours aren't type approved, so it
>> would be illegal to use yours.
>>
>> Jut a word to the gullible.
>>
>Says you....LOL
>
>www.telstar-electronics.com
>
"10 Meter Amateur Radio Band Coverage (26-30MHz)"

Prima Facie Illegal.  They can't be sold IN the United States, or TO
the united States.

Next time you want to talk about the law, read it first - you'll look
less foolish and less crooked.


From 1158235954310758799
X-Google-Thread: 108122,fb275f7076361bab
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "w6tni" <w6tni@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Code Readers
Date: 17 Sep 2006 19:33:20 -0700
Organization: http://groups.google.com
Lines: 43
Message-ID: <1158546800.576701.174370@d34g2000cwd.googlegroups.com>
References: <12gpk9mfk9d4l50@corp.supernews.com>
   <I4-dnUmWaKJBpJDYnZ2dnUVZ_qqdnZ2d@comcast.com>
NNTP-Posting-Host: 72.193.78.85
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

X-Trace: posting.google.com 1158546806 6527 127.0.0.1 (18 Sep 2006 02:33:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Sep 2006 02:33:26 +0000 (UTC)
In-Reply-To: <I4-dnUmWaKJBpJDYnZ2dnUVZ_qqdnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=72.193.78.85;
   posting-account=EtphJQ0AAABHvNVF_pfccW_bjq9QS6kH
Xref: g2news2.google.com rec.radio.amateur.equipment:6267

Dee Flint wrote:
> "Jack Schmidling" <arf@mc.net> wrote in message
> news:12gpk9mfk9d4l50@corp.supernews.com...
> > In spite of being a ham for 50 years, radio operator in the Coast Guard
> > and an Extra, I have never been able to copy code in my head. My brain
> > crashes after 3 or 4 characters. Take away my typewriter and I might as
> > well be a CB'er.
> >
> > I see MFJ has a gadget they claim you can set next to the speaker and read
> > the text.
> >
> > Seems like a great tool to assist the memory.
> >
> > Do they work?
>
> Yes it works if the code is well sent and the signal is reasonably strong.
>
> >
> > I just downloaded a program called GetCW and glad I didn't have to pay for
> > it. If this works, I would like to talk to someone who can help me get it
> > going.
> >
>
> Yes this program works. Again the code must be well sent and the signal
> reasonable strong. I personally think it works a little better than the MFJ
> code reader as you can set the filtering level.
>
> With the free version, you must go into the setup menu everytime you start
> the program and specifically select the sound card. It doesn't "remember"
> what you set the last time or what the default is and you cannot save the
> setup in the free version.
>
> From what I have read on "head copy", one needs to start hearing the group
> of letters that form the words not try to string them together out of
> individual letters. I can't do this yet myself as I don't work it enough.
> However I do hear "CQ" as a group and instantly know what it means without
> even having to think about the individual letters. And I do some
> contesting, I hear the abbreviation "test" as a group and recognize it as a
> "word" without having to think the individual letters.
>

> Dee, N8UZE

```
From 4303853445139724530
X-Google-Thread: 108122,fb275f7076361bab
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "w6tni" <w6tni@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Code Readers info a typewriter  is called a mill when copying cw
Followup-To: rec.radio.amateur.equipment
Date: 17 Sep 2006 19:35:54 -0700
Organization: http://groups.google.com
Lines: 32
Message-ID: <1158546953.949777.318040@i42g2000cwa.googlegroups.com>
References: <12gpk9mfk9d4l50@corp.supernews.com>
   <EXcPg.2617$UG4.2197@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 72.193.78.85
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158546958 6880 127.0.0.1 (18 Sep 2006 02:35:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Sep 2006 02:35:58 +0000 (UTC)
In-Reply-To: <EXcPg.2617$UG4.2197@newsread2.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=72.193.78.85;
   posting-account=EtphJQ0AAABHvNVF_pfccW_bjq9QS6kH
Xref: g2news2.google.com rec.radio.amateur.equipment:6268
```

Ralph Mowery wrote:
> "Jack Schmidling" <arf@mc.net> wrote in message
> news:12gpk9mfk9d4l50@corp.supernews.com...
> > In spite of being a ham for 50 years, radio operator in the Coast Guard
> > and an Extra, I have never been able to copy code in my head. My brain
> > crashes after 3 or 4 characters. Take away my typewriter and I might as
> > well be a CB'er.
> >
> > I see MFJ has a gadget they claim you can set next to the speaker and read
> > the text.
> >
> > Seems like a great tool to assist the memory.
> >
> > Do they work?
> >
> > I just downloaded a program called GetCW and glad I didn't have to pay for
> > it. If this works, I would like to talk to someone who can help me get it

> > going.
> >
> >
>
> You may want to go here and try another free program. Some of the multimode
> programs are suspose to work well.
>
> http://www.muenster.de/~welp/sb.htm
>
> Didn't they call the ones with a typewriter a ditty bobber or something like
> that ? Didn't really learn the code or how to type but when the characters
> were sent the finger hits the correct key. Not putting you down, just the
> way I heard the military taught the code to some.

From 6811245855217847543
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!zeus.nntpserver.com!
66.150.105.250.MISMATCH!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Sun, 17 Sep 2006 22:51:04 -0400
Message-ID: <rb2sg2ls2l8p26qs32om9ffouu5bj2qe9j@4ax.com>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
<eehr0s$s79$1@news2.kornet.net> <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
<pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
<450D4EAE.6070003@fuse.net>
<1158529915.420544.256690@i42g2000cwa.googlegroups.com>
<d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com> <12grtrtmbkuuqfa@corp.supernews.com>
<450E01BF.9080102@fuse.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Date: 18 Sep 2006 01:55:24 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18430
rec.radio.amateur.equipment:6269 rec.radio.amateur.policy:45023
rec.radio.swap:7613

On Sun, 17 Sep 2006 22:17:35 -0400, jawod <jawod@fuse.net> wrote:

>Richard Crowley wrote:
>>
>> <Mark@kb9rqz.com> wrote in message
>> news:d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com...
>>
>>> On 17 Sep 2006 14:51:55 -0700, hot-ham-and-cheese@hotmail.com wrote:
off topic materail clipped

funny nothing left
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -149184710033537389
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <450E0D36.2050406@fuse.net>
Date: Sun, 17 Sep 2006 23:06:30 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: Black People are not Welcome in RRAP
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx>
In-Reply-To: <eeh0pj$id3$1@usenet2.ath.cx>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 27
X-Trace: 7051a450e0dcded946c8221941
Xref: g2news2.google.com rec.radio.amateur.policy:45042
rec.radio.amateur.equipment:6270 rec.radio.amateur.misc:21796
alt.radio.scanner:2877

```
Norman Triantafilos wrote:
> niggers suck
>
> <kb9rqz@hotmail.com> wrote in message
> news:1151082732.880134.164780@m73g2000cwd.googlegroups.com...
>
>>On Sun, 25 Jun 2006 03:41:27 GMT, Doug Freyburger
>><dfreybur@yahoo.comNOSPAM> wrote:
>>
>>>This (rec.radio.amateur.policy) is a WHITES ONLY group.
>>>
>>>Niggers keep out!
>>>
>>>
>>>Hail Asgard!
>>>Doug Freyburger
>>
>>Nigers and balks arent the same things but Iwolud agree teh nigers
>>like wismen arent welcoem but they kepe posting anyway.  Black poeple
>>dont comearound here anyways becaues they arent smart enough tog et
>>a license.
>>
>
>
>
You putrid trailer trash neanderthals.  This is what happens when
generations engage in incest.  Not pretty.


From 3155264409917797179
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: "Indy Ham" <nospam@privatenospam.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: Black People are not Welcome in RRAP
Date: Sun, 17 Sep 2006 21:00:32 -0700
Organization: Indy Hams
Lines: 38
Message-ID: <ahr63.thc.17.1@news.alt.net>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx> <450E0D36.2050406@fuse.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Xref: g2news2.google.com rec.radio.amateur.policy:45044
rec.radio.amateur.equipment:6271 rec.radio.amateur.misc:21798
alt.radio.scanner:2878

My god. Are you serious?? "Niggers out..."

HAHAHAHA Are we back in 1955 again or something?

You fat back suckin' redneck.




"jawod" <jawod@fuse.net> wrote in message news:450E0D36.2050406@fuse.net...
> Norman Triantafilos wrote:
>> niggers suck
>>
>> <kb9rqz@hotmail.com> wrote in message
>> news:1151082732.880134.164780@m73g2000cwd.googlegroups.com...
>>
>>>On Sun, 25 Jun 2006 03:41:27 GMT, Doug Freyburger
>>><dfreybur@yahoo.comNOSPAM> wrote:
>>>
>>>>This (rec.radio.amateur.policy) is a WHITES ONLY group.
>>>>
>>>>Niggers keep out!
>>>>
>>>>
>>>>Hail Asgard!
>>>>Doug Freyburger
>>>
>>>Nigers and balks arent the same things but Iwolud agree teh nigers
>>>like wismen arent welcoem but they kepe posting anyway.  Black poeple
>>>dont comearound here anyways becaues they arent smart enough tog et
>>>a license.
>>>
>>
>>
>>
> You putrid trailer trash neanderthals.  This is what happens when
> generations engage in incest.  Not pretty.




From 7771443211967145621
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 18 Sep 2006 03:08:19 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158574103 7865 127.0.0.1 (18 Sep 2006 10:08:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Sep 2006 10:08:23 +0000 (UTC)
In-Reply-To: <ahr63.thc.17.1@news.alt.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=66.82.9.42;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.policy:45053
rec.radio.amateur.equipment:6272 rec.radio.amateur.misc:21802
alt.radio.scanner:2882


Indy Ham wrote:
> My god. Are you serious?? "Niggers out..."
>
> HAHAHAHA Are we back in 1955 again or something?
yeah the attirudes of of many hams are stuck there

>
> You fat back suckin' redneck.
>
>
>
> "jawod" <jawod@fuse.net> wrote in message news:450E0D36.2050406@fuse.net...
> > Norman Triantafilos wrote:
> >> niggers suck



From 8557474943064977135
```

```
X-Google-Thread: 108122,45d174e4d6bdf57
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe11.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Part 2  Soon....
References: <920cae381d7a29a1337a9a38aba9c536@deuxpi.ca>
In-Reply-To: <920cae381d7a29a1337a9a38aba9c536@deuxpi.ca>
Content-Type: multipart/alternative;
 boundary="------------050304040704070600030405"
Lines: 37
Message-ID: <QAuPg.111$Dr2.74@newsfe11.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimlkefolalmeeikpopoappennnphngbbbkndiocmnbpnndbcmbal
hoclhmccgagckkhgpiilkojkpfalgloknhfjljedckmbcdhgindeflifgphkdl
NNTP-Posting-Date: Mon, 18 Sep 2006 03:32:16 MST
Date: Mon, 18 Sep 2006 06:32:21 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6273

This is a multi-part message in MIME format.
--------------050304040704070600030405
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Anonyma wrote:

>Hi boys & girls...soooooon it will be time for  part 2 of the losers
story...stayed tuned!  ``The Shadow``  Only The shadow Knows What Evil Lurks In
The Hearts Of MUSLIMS...
>
>
>



--------------050304040704070600030405
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Anonyma wrote:<br>
<blockquote cite="mid920cae381d7a29a1337a9a38aba9c536@deuxpi.ca"
 type="cite">
  <pre wrap="">Hi boys &amp; girls...sooooon it will be time for  part 2 of the
losers story...stayed tuned!  ``The Shadow``  Only The shadow Knows What Evil
Lurks In The Hearts Of <big><big><font
 color="#ff0000"><b>MUSLIMS...</b></font></big></big>

  </pre>
</blockquote>
<br>
</body>
</html>

--------------050304040704070600030405--
```

```
From 1487996077098549473
X-Google-Thread: 108122,b8052c804b80b8b0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: <Thierry>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-1000MP MKV headset  sound level
Date: Mon, 18 Sep 2006 13:44:05 +0200
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
NNTP-Posting-Host: ip-88-207-129-85.tvsurf.pt.lu
Message-ID: <450e868d@news.vo.lu>
X-Trace: news.vo.lu 1158579853 88.207.129.85 (18 Sep 2006 13:44:13 +0200)
Path: g2news2.google.com!news4.google.com!news2.volia.net!npeer.de.kpn-
eurorings.net!news.vo.lu!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:6274
```

My FT-1000MP MKV-Field has a problem. May be could help me before I contact a dealer.
The control button of my headset exits A and B (below left of the rtx) doesn't produce any effect (or show both the same level of audio). The sound is now loud and no more softy as before in the speaker. So I can more adjust the sound.
Is there a device or component that blew out or a cabling or menu to check ?

Thanks
Thierry

```
From -5873921378404663242
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 18 Sep 2006 06:13:15 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.155.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158585201 5727 127.0.0.1 (18 Sep 2006 13:13:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Sep 2006 13:13:21 +0000 (UTC)
In-Reply-To: <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=65.54.155.36;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.policy:45059
rec.radio.amateur.equipment:6275 rec.radio.amateur.misc:21805
alt.radio.scanner:2883


kb9rqz-1@hotmail.com wrote:
> Indy Ham wrote:
> > My god. Are you serious?? "Niggers out..."
> >
> > HAHAHAHA Are we back in 1955 again or something?
> yeah the attirudes of of many hams are stuck there
```

Poor Markie, his perverted lifestyle is unacceptable in any era.

From -1026127893421764155
X-Google-Thread: 108122,fb275f7076361bab
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <12gpk9mfk9d4l50@corp.supernews.com>
<EXcPg.2617$UG4.2197@newsread2.news.pas.earthlink.net>
<1158546953.949777.318040@i42g2000cwa.googlegroups.com>
Subject: Re: Code Readers info a typewriter is called a mill when copying cw
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <jSxPg.20629$c07.16924@fed1read04>
Date: Mon, 18 Sep 2006 07:15:47 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1158588943 72.197.12.245 (Mon, 18 Sep 2006 10:15:43 EDT)
NNTP-Posting-Date: Mon, 18 Sep 2006 10:15:43 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6276

As I recall a Mill is a all caps typewriter used to copy messages and
radiograms by the Military.
On our Navy transport planes, we had such a device at the Radio Operators
position.

See URL:
http://www.telegraph-office.com/pages/wireless_gallery.html

But Mill has historical reference -- see Henry Mill - URL:
http://inventors.about.com/gi/dynamic/offsite.htm?site=http://www.maxmon.com/
1714ad.htm

CL --- hunt and pecking

From -1421710208927993804
X-Google-Thread: 10bf43,3c438a0329cf4fdf

```
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: "kb9rqz-2@hotmail.com" <kb9rqz-2@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: modern thoughts are not Welcome in RRAP
Date: 18 Sep 2006 08:16:23 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1158592583.320144.215770@k70g2000cwa.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158592587 20828 127.0.0.1 (18 Sep 2006 15:16:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Sep 2006 15:16:27 +0000 (UTC)
In-Reply-To: <1158585195.653014.142710@i42g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=66.82.9.42;
   posting-account=a7K0SA0AAADJhiRpuowwQAePXZnEQc8e
Xref: g2news2.google.com rec.radio.amateur.policy:45096
rec.radio.amateur.equipment:6277 rec.radio.amateur.misc:21839
alt.radio.scanner:2890

Not Cocksucker Lloyd wrote:
> kb9rqz-1@hotmail.com wrote:
> > Indy Ham wrote:
> > > My god. Are you serious?? "Niggers out..."
> > >
> > > HAHAHAHA Are we back in 1955 again or something?
> > yeah the attirudes of of many hams are stuck there
>
> Poor Markie, his perverted lifestyle is unacceptable in any era.
wrong agin woger YOU ae unacceptable I have no trouble living in the
open and using my name you have to hide behind your curtains
```

```
From -9092445455883966709
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!
newsfeed01.sul.t-online.de!t-online.de!news.germany.com!news.motzarella.org!not-
for-mail
From: "The Professor" <telstarelectronics@yahoo.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER,
ENIGMA,
Date: Mon, 18 Sep 2006 12:12:51 -0400
Organization: Telstar Electronics
Lines: 25
Message-ID: <eemgi9$74s$1@registered.motzarella.org>
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
<eek32o$1fuo$1@registered.motzarella.org> <450DD47B.8E451A1A@earthlink.net>
X-Trace: U2FsdGVkX1/
sCmNdlSq8GSXPhzZ6kST4Ov16FnxAlw8D2qLcMOa8MROk11cr2EZCN4NZ00E2Ic3uR1XdJej2F0EhCq4LR
FIqjApzcNI82QS06p5iFAZIQ6i6ect23DxuGoTdXdwXrvRUtylxUT7a8x1sec5ffmPgqdItASCXZyxS3vv
ISBCZDbD6ZunmqqfgIKnAUFOEV8E=
X-Complaints-To: abuse@motzarella.org
NNTP-Posting-Date: Mon, 18 Sep 2006 16:12:57 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.homebrew:6959
rec.radio.amateur.boatanchors:5437 rec.radio.amateur.equipment:6278
rec.radio.amateur.misc:21845 sci.electronics.basics:25699
```

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:450DD47B.8E451A1A@earthlink.net...

> The Professor wrote:
>>
>> stop spamming the group asshole.
>>
>> www.telstar-electronics.com
>>
>
>
>   Thanks for your spam, Professor. I forwarded it to: FCCINFO@fcc.gov

```
> to see what they think of your CB linears.
>
>
You are the most clueless asshole in the group and you didn't forward
anything to anyone you whiner.

It's a 10 meter amp if you must know..... LOL
> --
> Service to my country? Been there, Done that, and I've got my DD214
>
Go swab the dick asshole.
```

```
From 2177968292775880341
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
newsfeed.kamp.net!newsfeed.kamp.net!news.motzarella.org!not-for-mail
From: "The Professor" <telstarelectronics@yahoo.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Mon, 18 Sep 2006 12:14:37 -0400
Organization: Telstar Electronics
Lines: 27
Message-ID: <eemglj$7b0$1@registered.motzarella.org>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
X-Trace:
U2FsdGVkX1/1dw1rAPX+XjYIVJKz5RObfKLk73xdmWICqoLmmQdKqVT1RmcLp9SmJdrqnJUGKNcEWp0wHM
R7BKrfGKnlxgqtiXXitLiGMBzuGiZCs+Ccpbkmb1tkK+t/N3eVn4G0bPmuLUIzc7+
+KP5DFyxrw1QoAm6S4jGvPS0myUsE0ztVfCfYLxbJ7AQJdS8VMgjv9kM=
X-Complaints-To: abuse@motzarella.org
NNTP-Posting-Date: Mon, 18 Sep 2006 16:14:43 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.swap:7622 rec.radio.amateur.boatanchors:5438
```

```
rec.radio.amateur.equipment:6279 rec.radio.scanner:6353 alt.ham-radio.vhf-uhf:2673
rec.radio.amateur.misc:21846 alt.ham-radio.marketplace:1335


"Don Bowey" <dbowey@comcast.net> wrote in message
news:C13327FD.43932%dbowey@comcast.net...
> On 9/17/06 11:13 AM, in article eek38a$1g59$1@registered.motzarella.org,
> "The Professor" <telstarelectronics@yahoo.com> wrote:
>
>>
>> "Al Klein" <rukbat@pern.invalid> wrote in message
>> news:8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com...
>>> On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
>>> <telstarelectronics@yahoo.com> wrote:
>>>
>>>> I build these in my basemant.
>>>
>>> Even if it WAS legal to use them, yours aren't type approved, so it
>>> would be illegal to use yours.
>>>
>>> Jut a word to the gullible.
>>>
>> Says you....LOL
>
> Says those of us who are familiar with FCC Regulations.
>
>
Says the clueless newbie. It's a 10 meter amplifier dumbass....LOL




From -1861202275271716986
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!news.germany.com!news.motzarella.org!not-for-mail
From: "The Professor" <telstarelectronics@yahoo.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Mon, 18 Sep 2006 12:16:44 -0400
Organization: Telstar Electronics
```

```
Lines: 38
Message-ID: <eemgpi$7da$1@registered.motzarella.org>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org>
<631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com>
X-Trace: U2FsdGVkX1/
yW+nBYxY6wx1BSynGZGqRWuyLg0m6SWAQXFjshMyybASHiCxtkvfJ0tR4rPW3ea1S+nUuSLpHevwVmTJTJ
9tZotZ4XZdPKYuxnb/
BZbAFlTV402m+fRlizsDbZu6tdwWXsQacN7jm9vEAhnFdI3z8PB1Ty+nceIQMHtccOYBRgcJP+NheA5EuD
mRHb8Y6t7w=
X-Complaints-To: abuse@motzarella.org
NNTP-Posting-Date: Mon, 18 Sep 2006 16:16:51 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.swap:7623 rec.radio.amateur.boatanchors:5439
rec.radio.amateur.equipment:6280 rec.radio.scanner:6354 alt.ham-radio.vhf-uhf:2674
rec.radio.amateur.misc:21847 alt.ham-radio.marketplace:1336


"Al Klein" <rukbat@pern.invalid> wrote in message
news:631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com...
> On Sun, 17 Sep 2006 14:13:26 -0400, "The Professor"
> <telstarelectronics@yahoo.com> wrote:
>
>>
>>"Al Klein" <rukbat@pern.invalid> wrote in message
>>news:8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com...
>>> On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
>>> <telstarelectronics@yahoo.com> wrote:
>>>
>>>>I build these in my basemant.
>>>
>>> Even if it WAS legal to use them, yours aren't type approved, so it
>>> would be illegal to use yours.
>>>
>>> Jut a word to the gullible.
>>>
>>Says you....LOL
>>
>>www.telstar-electronics.com
>>
> "10 Meter Amateur Radio Band Coverage (26-30MHz)"
>
Exactly right it is a 10 meter ham amplifier dummy.
>
> Prima Facie Illegal.  They can't be sold IN the United States, or TO
> the united States.
>
I sell them in the good old USA everyday!
```

>
> Next time you want to talk about the law, read it first - you'll look
> less foolish and less crooked.
>

Shut up you clueless newbie....LOL

```
From -4606517212773193062
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!news.germany.com!
news.motzarella.org!not-for-mail
From: "The Professor" <telstarelectronics@yahoo.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Mon, 18 Sep 2006 12:22:21 -0400
Organization: Telstar Electronics
Lines: 8
Message-ID: <eemh43$7ih$1@registered.motzarella.org>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org>
<631sg25ccumamjjnp02j6g6lllfkr02m4p@4ax.com>
<eemgpi$7da$1@registered.motzarella.org>
X-Trace: U2FsdGVkX18PC94K71ZmVs2Vc/
IiEmKzfmldfgPqBi+F7xK5U+ge9pi1QTTnN4lOB9DTIoeJjS4DhhEvS6XrgCD4cssoMUVMjOD/
MOeqaUQqG9CLb7naPoLNXAsxY4qS9yl+Sag7CtUmmYZvwZOJO60iGwO3POR2nrz4WCB3651fpDqSgkCP81
l19pipmwf0hWbvi/vyzgg=
X-Complaints-To: abuse@motzarella.org
NNTP-Posting-Date: Mon, 18 Sep 2006 16:22:27 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.swap:7624 rec.radio.amateur.boatanchors:5440
rec.radio.amateur.equipment:6281 rec.radio.scanner:6355 alt.ham-radio.vhf-uhf:2675
rec.radio.amateur.misc:21848 alt.ham-radio.marketplace:1337
```

Oh I almost forgot.........get yours here!

www.telstar-electronics.com

> Shut up you clueless newbie....LOL
>

```
From -5510704176941812708
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 18 Sep 2006 12:31:05 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Mon, 18 Sep 2006 10:31:03 -0700
Subject: Re: CB radio amplifiers for sale CHEAP!
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Message-ID: <C13425E7.43B3C%dbowey@comcast.net>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
<eek38a$1g59$1@registered.motzarella.org> <C13327FD.43932%dbowey@comcast.net>
<eemglj$7b0$1@registered.motzarella.org>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 37
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-H6MH2qaeEnIQxuA07LytX9t4xqbQOQ8wE2JKer9BLIt+IDKQ2B6cZd6KvdaO/
ET76emWvb8n9S2kEBh!8TwhNdpBzyLvsPn/
0hZ2UusXmNGWrjnz8jdOc4g2DFbos2BVOKZkagg6yBY6aIH4j9hxS2y9
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7626 rec.radio.amateur.boatanchors:5442
rec.radio.amateur.equipment:6282 rec.radio.scanner:6356 alt.ham-radio.vhf-uhf:2676
rec.radio.amateur.misc:21849 alt.ham-radio.marketplace:1338
```

On 9/18/06 9:14 AM, in article eemglj$7b0$1@registered.motzarella.org, "The Professor" <telstarelectronics@yahoo.com> wrote:

```
>
> "Don Bowey" <dbowey@comcast.net> wrote in message
> news:C13327FD.43932%dbowey@comcast.net...
>> On 9/17/06 11:13 AM, in article eek38a$1g59$1@registered.motzarella.org,
>> "The Professor" <telstarelectronics@yahoo.com> wrote:
>>
>>>
>>> "Al Klein" <rukbat@pern.invalid> wrote in message
>>> news:8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com...
>>>> On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
>>>> <telstarelectronics@yahoo.com> wrote:
>>>>
>>>>> I build these in my basemant.
>>>>
>>>> Even if it WAS legal to use them, yours aren't type approved, so it
>>>> would be illegal to use yours.
>>>>
>>>> Jut a word to the gullible.
>>>>
>>> Says you....LOL
>>
>> Says those of us who are familiar with FCC Regulations.
>>
>>
> Says the clueless newbie. It's a 10 meter amplifier dumbass....LOL
>
>
```

Sez you, you smarmy, liar. One of the posts I sent to the FCC was from the guy who makes the units, claiming they were for CB.

By the way, This "newbie" got his first ham license in 1952, and his first Commercial License in 1955.

```
From -6077997147964701552
X-Google-Thread: 108122,663c625f79ec7b89
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!
newsfeed01.sul.t-online.de!t-online.de!newsfeed.hanau.net!newsfeed2.scan-plus.net!
newsfeed.ision.net!newsfeed2.easynews.net!ision!newsfeed.arcor.de!feed.xsnews.nl!
feeder.xsnews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-03!sn-post-ams-01!
sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Stuart" <n5lbz@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Harris RF-350K/RT-1446 parts need
Date: Mon, 18 Sep 2006 12:45:36 -0500
```

Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12gtncojfniek1d@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.equipment:6283

I am trying to repair my radio after I got hit by lightning. I need the synthesizer board. The Harris part # for the synthesizer board is

10085-5600. If anyone has a spare board they would be willing to part with I would like to hear from you.

Stuart

n5lbz@arrl.net

Outgoing mail is certified Virus Free
Checked by McAFEE on-Line subscription
Anti-Virus.

From -7613666274647276543
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <450EF113.A5BAA06D@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.basics
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER, ENIGMA,
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>

<eek32o$1fuo$1@registered.motzarella.org> <450DD47B.8E451A1A@earthlink.net>
<eemgi9$74s$1@registered.motzarella.org>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Mon, 18 Sep 2006 19:20:14 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1158607214 24.110.34.161 (Mon, 18 Sep 2006 12:20:14 PDT)
NNTP-Posting-Date: Mon, 18 Sep 2006 12:20:14 PDT
Xref: g2news2.google.com rec.radio.amateur.homebrew:6961
rec.radio.amateur.boatanchors:5443 rec.radio.amateur.equipment:6284
rec.radio.amateur.misc:21855 sci.electronics.basics:25705

The Professor wrote:
>
> It's a 10 meter amp if you must know..... LOL

Not when its advertised to 30 MHz

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 6799574352300441251
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe04.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.basics
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
<eek32o$1fuo$1@registered.motzarella.org> <450DD47B.8E451A1A@earthlink.net>
<eemgi9$74s$1@registered.motzarella.org>
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER, ENIGMA,

```
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 0637-2, 09/15/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <2DCPg.33$_h1.15@newsfe04.lga>
X-Trace:
noffecneefnkbhgfijjdnojopddcmjimoglliihkgeileaiapbgnphacaiellkogmjmlglfpnnaoofmndg
ejiekepafajloimofpmendkdkbjfbmloejfpghhdjbpmihglbbcfickjagekga
NNTP-Posting-Date: Mon, 18 Sep 2006 12:40:46 MST
Date: Mon, 18 Sep 2006 14:40:53 -0500
Xref: g2news2.google.com rec.radio.amateur.homebrew:6962
rec.radio.amateur.boatanchors:5444 rec.radio.amateur.equipment:6285
rec.radio.amateur.misc:21856 sci.electronics.basics:25709


"The Professor" <telstarelectronics@yahoo.com> wrote in message
news:eemgi9$74s$1@registered.motzarella.org...
>
> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
> news:450DD47B.8E451A1A@earthlink.net...
>> The Professor wrote:
>>>
>>> stop spamming the group asshole.
>>>
>>> www.telstar-electronics.com
>>>
>>
>>
>>   Thanks for your spam, Professor.  I forwarded it to: FCCINFO@fcc.gov
>> to see what they think of your CB linears.
>>
>>
> You are the most clueless asshole in the group and you didn't forward
> anything to anyone you whiner.
>
> It's a 10 meter amp if you must know..... LOL
>> --
>> Service to my country? Been there, Done that, and I've got my DD214
>>
> Go swab the dick asshole.
>

Griffey! Why are you always such a socially inept spaz?

BH
```

```
From 321223971117892413
X-Google-Thread: 108122,11fa21d93365d380,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "Rocketeer" <cscholl@izzy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Convering HW-101 to 17 and 30 meters
Date: 18 Sep 2006 13:24:17 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1158611056.991430.207340@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 141.214.17.5
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158611062 1419 127.0.0.1 (18 Sep 2006 20:24:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 18 Sep 2006 20:24:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=141.214.17.5;
   posting-account=85sDuAwAAAAvEMd1H98w5M-bcqU4Xaiz
Xref: g2news2.google.com rec.radio.amateur.equipment:6286
```

Hello the Group!

I have an Heathkit HW-101 that operates well on 80/75/40/20 and is useless on 15/10 meters because of all the higher frequency junk in this area. The Area is Ann Arbor/Ypsilanti near the WAAM antenna group.

I want to sacrifice the 15 meter and one of the 10 meter positions for the 30 and 17 meter bands. From what I can see on the diagrams and the crystals being used, I think all I would need are crystals in the proper cans at the frequencies 18.895 for the 30 mter range and 26.896 for the 17 meter range.

I realize that just changing out the crystals may not be all that is

needed, however, this is the first step. Any Heathkit resources out there?

And are the crystal cans of the HC6/U variety or the HC33?

Curtis Scholl
csch...@izzy.net

From 5671210490369691390
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsgate.cistron.nl!xs4all!news2.euro.net!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-08!sn-ams!sn-feed-ams-03!sn-xt-ams-03!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.basics
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER, ENIGMA,
Date: Mon, 18 Sep 2006 21:31:34 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12gu41mbpofch59@corp.supernews.com>
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com> <450DD47B.8E451A1A@earthlink.net> <eemgi9$74s$1@registered.motzarella.org> <450EF113.A5BAA06D@earthlink.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news2.google.com rec.radio.amateur.homebrew:6965 rec.radio.amateur.boatanchors:5448 rec.radio.amateur.equipment:6287 rec.radio.amateur.misc:21859 sci.electronics.basics:25711

In article <450EF113.A5BAA06D@earthlink.net>,
Michael A. Terrell <mike.terrell@earthlink.net> wrote:

>The Professor wrote:
>>
>> It's a 10 meter amp if you must know..... LOL
>
>
> Not when its advertised to 30 MHz

And, it appears not to comply with several specific FCC regulations:

- It has gain through the CB frequencies (violates 97.317 (b)) and is thus not eligible for certification, which is required for amps operating below 144 MHz. The FCC may be about to relax or eliminate the 97.317 rules about external amps operating in this frequency range, but for the moment this reg is still part of the law.

- Its second- and third-harmonic distortion levels are roughly 10 dB too high to meet the -43 dBc requirement (violates 97.307 (d)).

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

```
From -7239334151630746261
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <450F2121.F7C249B2@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER,
 ENIGMA,
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
<eek32o$1fuo$1@registered.motzarella.org> <450DD47B.8E451A1A@earthlink.net>
<eemgi9$74s$1@registered.motzarella.org> <2DCPg.33$_h1.15@newsfe04.lga>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
Date: Mon, 18 Sep 2006 22:45:23 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1158619523 24.110.34.161 (Mon, 18 Sep
2006 15:45:23 PDT)
NNTP-Posting-Date: Mon, 18 Sep 2006 15:45:23 PDT
Xref: g2news2.google.com rec.radio.amateur.homebrew:6967
rec.radio.amateur.boatanchors:5449 rec.radio.amateur.equipment:6288
rec.radio.amateur.misc:21865 sci.electronics.basics:25716
```

Brian Hill wrote:
>
> "The Professor" <telstarelectronics@yahoo.com> wrote in message
> news:eemgi9$74s$1@registered.motzarella.org...
> >

```
> > "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
> > news:450DD47B.8E451A1A@earthlink.net...
> >> The Professor wrote:
> >>>
> >>> stop spamming the group asshole.
> >>>
> >>> www.telstar-electronics.com
> >>>
> >>
> >>
> >>   Thanks for your spam, Professor.  I forwarded it to: FCCINFO@fcc.gov
> >> to see what they think of your CB linears.
> >>
> >>
> > You are the most clueless asshole in the group and you didn't forward
> > anything to anyone you whiner.
> >
> > It's a 10 meter amp if you must know..... LOL
> >> --
> >> Service to my country? Been there, Done that, and I've got my DD214
> >>
> > Go swab the dick asshole.
> >
>
> Griffey! Why are you always such a socially inept spaz?
>
> BH


   20 generations of imbreeding tend to do that to rednecks.


--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From 1188248215821027339
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps82.POSTED!53ab2750!not-for-mail
From: "Homer J Simpson" <nobody@nowhere.com>
Newsgroups:
```

rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.basics
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com> <450DD47B.8E451A1A@earthlink.net> <eemgi9$74s$1@registered.motzarella.org> <450EF113.A5BAA06D@earthlink.net> <12gu41mbpofch59@corp.supernews.com>
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER, ENIGMA,
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <8mFPg.24256$cz3.6399@edtnps82>
Date: Mon, 18 Sep 2006 22:47:32 GMT
NNTP-Posting-Host: 209.121.230.219
X-Trace: edtnps82 1158619652 209.121.230.219 (Mon, 18 Sep 2006 16:47:32 MDT)
NNTP-Posting-Date: Mon, 18 Sep 2006 16:47:32 MDT
Xref: g2news2.google.com rec.radio.amateur.homebrew:6968 rec.radio.amateur.boatanchors:5450 rec.radio.amateur.equipment:6289 rec.radio.amateur.misc:21866 sci.electronics.basics:25717

"Dave Platt" <dplatt@radagast.org> wrote in message news:12gu41mbpofch59@corp.supernews.com...

> And, it appears not to comply with several specific FCC regulations:
>
> - It has gain through the CB frequencies (violates 97.317 (b)) and is
>   thus not eligible for certification, which is required for amps
>   operating below 144 MHz. The FCC may be about to relax or eliminate
>   the 97.317 rules about external amps operating in this frequency
>   range, but for the moment this reg is still part of the law.
>
> - Its second- and third-harmonic distortion levels are roughly
>   10 dB too high to meet the -43 dBc requirement (violates 97.307
>   (d)).

Perhaps it's designed for IPods? Most everything seems to be!

```
From 654702978274402994
X-Google-Thread: 108122,fc8415ddc78708f3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!news-
server.columbus.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!
tornado.socal.rr.com.POSTED!53ab2750!not-for-mail
From: "Don Hendrix" <sales@aaarfproducts.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Top Quality RF Products @ Very Competitive Prices
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <AuFPg.7647$xg7.7039@tornado.socal.rr.com>
Date: Mon, 18 Sep 2006 22:56:32 GMT
NNTP-Posting-Host: 66.74.102.253
X-Complaints-To: abuse@rr.com
X-Trace: tornado.socal.rr.com 1158620192 66.74.102.253 (Mon, 18 Sep 2006 15:56:32
PDT)
NNTP-Posting-Date: Mon, 18 Sep 2006 15:56:32 PDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6290

Please visit www.AAARFProducts.com
```

```
From -7626545699428152406
X-Google-Thread: 108122,9fd61a3d35688d84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: hp z3801a wtb help
References: <m-ACC550.05162717092006@news.verizon.net>
<170920061818551482%artie.m@gNOSPAMmail.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-238F12.19391218092006@news.verizon.net>
Lines: 22
Date: Mon, 18 Sep 2006 23:39:18 GMT
NNTP-Posting-Host: 68.161.35.173
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1158622758 68.161.35.173 (Mon, 18 Sep 2006 19:39:18 EDT)
```

NNTP-Posting-Date: Mon, 18 Sep 2006 19:39:18 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6291

In article <170920061818551482%artie.m@gNOSPAMmail.com>,
 artie <artie.m@gNOSPAMmail.com> wrote:

> In article <m-ACC550.05162717092006@news.verizon.net>, ml <m@di.net>
> wrote:
>
> > hi
> >
> >
> > I've been looking a good while now , ebay and other places for a
> > hp Z3801A   havn't found one in many months
> >
> > if anyone one knows of one for sale please let me know
> >
> > myles at at   -dti.net
> >
> >
> > thanks
>
> Keep watching -- I'm looking for another one as well.

hey no fair, if you already have one, and i have none gee wiz

From -3754781030857859836
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.radio.scanner
Subject: Fags and No-codes are not Welcome in RRAP
From: Slow Code <my.mail@no.spam>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx> <450E0D36.2050406@fuse.net>
<ahr63.thc.17.1@news.alt.net>
<1158574099.257846.178570@i3g2000cwc.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 26
Message-ID: <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
Date: Mon, 18 Sep 2006 23:50:22 GMT
NNTP-Posting-Host: 4.254.226.63

```
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158623422 4.254.226.63 (Mon, 18 Sep
2006 16:50:22 PDT)
NNTP-Posting-Date: Mon, 18 Sep 2006 16:50:22 PDT
Xref: g2news2.google.com rec.radio.amateur.policy:45141
rec.radio.amateur.equipment:6292 rec.radio.amateur.misc:21870
alt.radio.scanner:2892

"kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com> wrote in
news:1158574099.257846.178570@i3g2000cwc.googlegroups.com:

>
> Indy Ham wrote:
>> My god. Are you serious?? "Niggers out..."
>>
>> HAHAHAHA Are we back in 1955 again or something?
> yeah the attirudes of of many hams are stuck there
>
>>
>> You fat back suckin' redneck.
>>
>>
>>
>> "jawod" <jawod@fuse.net> wrote in message
>> news:450E0D36.2050406@fuse.net...
>> > Norman Triantafilos wrote:
>> >> niggers suck

Fags and No-coders are not Welcome in RRAP

Lloyd, Roger, Markie, Get Out!


SC


From -2806326453405665254
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
From: Slow Code <my.mail@no.spam>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
```

```
<eehr0s$s79$1@news2.kornet.net> <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
<pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
<450D4EAE.6070003@fuse.net>
<1158529915.420544.256690@i42g2000cwa.googlegroups.com>
<d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com> <12grtrtmbkuuqfa@corp.supernews.com>
<450E01BF.9080102@fuse.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 46
Message-ID: <6hGPg.9332$v%4.7262@newsread1.news.pas.earthlink.net>
Date: Mon, 18 Sep 2006 23:50:26 GMT
NNTP-Posting-Host: 4.254.226.63
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158623426 4.254.226.63 (Mon, 18 Sep
2006 16:50:26 PDT)
NNTP-Posting-Date: Mon, 18 Sep 2006 16:50:26 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18451
rec.radio.amateur.equipment:6293 rec.radio.amateur.policy:45142
rec.radio.swap:7631

jawod <jawod@fuse.net> wrote in news:450E01BF.9080102@fuse.net:

> Richard Crowley wrote:
>>
>> <Mark@kb9rqz.com> wrote in message
>> news:d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com...
>>
>>> On 17 Sep 2006 14:51:55 -0700, hot-ham-and-cheese@hotmail.com wrote:
>>>
>>>>
>>>> jawod wrote:
>>>>
>>>>> >
>>>>> > I like the way Rush Limbaugh puts it:
>>>>> >
>>>>> > "If you're offended, that's your problem."
>>>>> >
>>>>> > SC
>>>>>
>>>>> Rush LIMBAUGH?!?
>>>>>
>>>>> Do people still listen to that drugged-out loser?
>>>>
>>>>
>>
>>
>> Libs are too non-linear to even realize how hypocritical they are.
>
> Hmmm.  A radio personality who railed against drugged out hippies and
> "tree huggers" is caught in the act of illegally obtaining drugs for his
> own use.  Purchasing drugs in a parking lot with shoe boxes full of cash
> for his local pusher.
>
```

> Who is hypocritical? Linearity is a curious concept when applying it to
> this obese fraud.
>
> Al Franken had it right: "Rush Limbaugh is a Big Fat Idiot".
>
> If YOU'RE offended that's YOUR problem.

And you're a liberal k00k, hope you're not offended...

But if you are, that's your problem.

SC

From -4778181295771115568
X-Google-Thread: fcc6e,9be3a012673fa194,start
X-Google-Thread: 108122,9be3a012673fa194,start
X-Google-Thread: 10bf43,260ca522dd20d47d
X-Google-Thread: 1109af,9be3a012673fa194,start
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: what Code testing realy does to the ARS
From: Slow Code <my.mail@no.spam>
References: <1158542716.987841.319690@m73g2000cwd.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 15
Message-ID: <MhGPg.9349$v%4.6271@newsread1.news.pas.earthlink.net>
Date: Mon, 18 Sep 2006 23:51:08 GMT
NNTP-Posting-Host: 4.254.226.63
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158623468 4.254.226.63 (Mon, 18 Sep 2006 16:51:08 PDT)
NNTP-Posting-Date: Mon, 18 Sep 2006 16:51:08 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18454 rec.radio.amateur.equipment:6294 rec.radio.amateur.policy:45153 rec.radio.swap:7633

"an old friend" <kb9rqz@yahoo.com> wrote in
news:1158542716.987841.319690@m73g2000cwd.googlegroups.com:

> the worst of it is in my judgement that it makes it rough to sell the
> ARS to even an interested person makes us look like luddites. even
> worse for me to sell after Robeson can tell the lie oh learning code is
> easy. I can't tell that lie

I wonder if I ran the above through google translater, and printed it out
in Egyption hieroglyphics if it would be easier to understand.

SC

```
From -4774589314662745394
X-Google-Thread: fcc6e,9be3a012673fa194
X-Google-Thread: 108122,9be3a012673fa194
X-Google-Thread: 10bf43,260ca522dd20d47d
X-Google-Thread: 1109af,9be3a012673fa194
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: what Code testing realy does to the ARS
Date: 18 Sep 2006 17:31:21 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1158625881.430441.126960@i3g2000cwc.googlegroups.com>
References: <1158542716.987841.319690@m73g2000cwd.googlegroups.com>
   <MhGPg.9349$v%4.6271@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 4.224.228.14
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158625887 4721 127.0.0.1 (19 Sep 2006 00:31:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 00:31:27 +0000 (UTC)
In-Reply-To: <MhGPg.9349$v%4.6271@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=4.224.228.14;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.antenna:18456
rec.radio.amateur.equipment:6295 rec.radio.amateur.policy:45160
rec.radio.swap:7635
```

Slow Code wrote:
> "an old friend" <kb9rqz@yahoo.com> wrote in
> news:1158542716.987841.319690@m73g2000cwd.googlegroups.com:
>
> > the worst of it is in my judgement that it makes it rough to sell the
> > ARS to even an interested person makes us look like luddites. even

> > worse for me to sell after Robeson can tell the lie oh learning code is
> > easy. I can't tell that lie
>
>
>
> I wonder if I ran the above through google translater, and printed it out
> in Egyption hieroglyphics if it would be easier to understand.

Morse Code is that way for a lot of people.

From 2920477553062963075
X-Google-Thread: fcc6e,9be3a012673fa194
X-Google-Thread: 108122,9be3a012673fa194
X-Google-Thread: 10bf43,260ca522dd20d47d
X-Google-Thread: 1109af,9be3a012673fa194
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
news2.euro.net!66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: what Code testing realy does to the ARS
Date: Mon, 18 Sep 2006 20:47:45 -0400
Message-ID: <bgfug257b7keqgglivo945iunjssa29de7@4ax.com>
References: <1158542716.987841.319690@m73g2000cwd.googlegroups.com>
<MhGPg.9349$v%4.6271@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Date: 18 Sep 2006 23:52:04 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18459
rec.radio.amateur.equipment:6296 rec.radio.amateur.policy:45167
rec.radio.swap:7637

On Mon, 18 Sep 2006 23:51:08 GMT, Slow Code <my.mail@no.spam> wrote:

>"an old friend" <kb9rqz@yahoo.com> wrote in
>news:1158542716.987841.319690@m73g2000cwd.googlegroups.com:
>
 the worst of it is in my judgement that it makes it rough to sell the
 ARS to even an interested person makes us look like luddites. even
worse for me to sell after Robeson can tell the lie oh learning code
is
 easy. I can't tell that lie

```
off topic coments removed

ignine that SC said nothing of relavance again
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From 6684389301274584534
X-Google-Thread: fcc6e,9be3a012673fa194
X-Google-Thread: 108122,9be3a012673fa194
X-Google-Thread: 10bf43,260ca522dd20d47d
X-Google-Thread: 1109af,9be3a012673fa194
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!multikabel.net!
feed20.multikabel.net!newshub2.home.nl!home.nl!news2.euro.net!
66.150.105.54.MISMATCH!nntpserver.com!zeus.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: what Code testing realy does to the ARS
Date: Mon, 18 Sep 2006 20:48:12 -0400
Message-ID: <phfug29lmlnmol53pgborsivneokdp6l0f@4ax.com>
References: <1158542716.987841.319690@m73g2000cwd.googlegroups.com>
<MhGPg.9349$v%4.6271@newsread1.news.pas.earthlink.net>
<1158625881.430441.126960@i3g2000cwc.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Date: 18 Sep 2006 23:52:40 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18460
rec.radio.amateur.equipment:6297 rec.radio.amateur.policy:45168
rec.radio.swap:7638

On 18 Sep 2006 17:31:21 -0700, hot-ham-and-cheese@hotmail.com wrote:

>
>Slow Code wrote:
>> "an old friend" <kb9rqz@yahoo.com> wrote in
>> news:1158542716.987841.319690@m73g2000cwd.googlegroups.com:
>>
>> > the worst of it is in my judgement that it makes it rough to sell the
>> > ARS to even an interested person makes us look like luddites. even
>> > worse for me to sell after Robeson can tell the lie oh learning code is
>> > easy. I can't tell that lie
```

```
>>
>>
>>
>> I wonder if I ran the above through google translater, and printed it out
>> in Egyption hieroglyphics if it would be easier to understand.
>
>Morse Code is that way for a lot of people.
yea but another real language I can read
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -747604411239862667
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "kb9rqz-2@hotmail.com" <kb9rqz-2@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: Fags and No-codes are not Welcome in RRAP <<<SC comes out as Gay
basher
Date: 18 Sep 2006 17:54:32 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1158627272.665627.264400@d34g2000cwd.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <450E0D36.2050406@fuse.net>
   <ahr63.thc.17.1@news.alt.net>
   <1158574099.257846.178570@i3g2000cwc.googlegroups.com>
   <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158627278 17659 127.0.0.1 (19 Sep 2006 00:54:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 00:54:38 +0000 (UTC)
In-Reply-To: <2hGPg.9329$v%4.2295@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=66.82.9.42;
```

```
   posting-account=a7K0SA0AAADJhiRpuowwQAePXZnEQc8e
Xref: g2news2.google.com rec.radio.amateur.policy:45175
rec.radio.amateur.equipment:6298 rec.radio.amateur.misc:21884
alt.radio.scanner:2895


Slow Code wrote:
> "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com> wrote in
> news:1158574099.257846.178570@i3g2000cwc.googlegroups.com:

> Fags and No-coders are not Welcome in RRAP
>
> Lloyd, Roger, Markie, Get Out!
no
gay basher
and fine example of why we need to end code testing soon
>
>
> SC




From -5009479940544672632
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "kb9rqz-2@hotmail.com" <kb9rqz-2@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: slow code stalker at large
Date: 18 Sep 2006 17:58:27 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1158627507.868544.269100@i3g2000cwc.googlegroups.com>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
   <450C4583.1090209@fuse.net>
   <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
   <eehr0s$s79$1@news2.kornet.net>
   <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
   <pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
   <450D4EAE.6070003@fuse.net>
   <1158529915.420544.256690@i42g2000cwa.googlegroups.com>
   <d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com>
   <12grtrtmbkuuqfa@corp.supernews.com>
   <450E01BF.9080102@fuse.net>
   <6hGPg.9332$v%4.7262@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.42
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158627513 8450 127.0.0.1 (19 Sep 2006 00:58:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 00:58:33 +0000 (UTC)
In-Reply-To: <6hGPg.9332$v%4.7262@newsread1.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=66.82.9.42;
   posting-account=a7K0SA0AAADJhiRpuowwQAePXZnEQc8e
Xref: g2news2.google.com rec.radio.amateur.antenna:18461
rec.radio.amateur.equipment:6299 rec.radio.amateur.policy:45183
rec.radio.swap:7639
```

Slow Code wrote:
>
slow code stalker at large

```
From 4213739077598149446
X-Google-Thread: 108122,11fa21d93365d380
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!f4af025b!not-for-mail
From: "Norm Mann" <folder0735@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1158611056.991430.207340@i42g2000cwa.googlegroups.com>
Subject: Re: Convering HW-101 to 17 and 30 meters
Lines: 37
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <8lHPg.7485$832.7143@trnddc04>
Date: Tue, 19 Sep 2006 01:03:00 GMT
NNTP-Posting-Host: 71.102.210.121
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1158627780 71.102.210.121 (Mon, 18 Sep 2006 21:03:00 EDT)
NNTP-Posting-Date: Mon, 18 Sep 2006 21:03:00 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6300
```

"Rocketeer" <cscholl@izzy.net> wrote in message
news:1158611056.991430.207340@i42g2000cwa.googlegroups.com...
> Hello the Group!
>   I have an Heathkit HW-101 that operates well on 80/75/40/20 and is

> useless on 15/10 meters because of all the higher frequency junk in
> this area. The Area is Ann Arbor/Ypsilanti near the WAAM antenna group.
>   I want to sacrifice the 15 meter and one of the 10 meter positions
> for the 30 and 17 meter bands. From what I can see on the diagrams and
> the crystals being used, I think all I would need are crystals in the
> proper cans at the frequencies 18.895 for the 30 mter range and 26.896
> for the 17 meter range.
>   I realize that just changing out the crystals may not be all that is
> needed, however, this is the first step. Any Heathkit resources out
> there?
> And are the crystal cans of the HC6/U variety or the HC33?
>

Are you sure you wouldn't rather sell the '101 and use the money to help
fund a radio with the bands already built in? The crystals are part of the
necessary changes, but you'll also have coils and caps to change or modify
on the switchboards, perhaps finding new taps on the output coil. Looking
at the manual, it seems that some of the switches appear to be sliding
shorts, so you may have to reposition the 20M band components.
This will reduce whatever value it may have and when you're done, it will
still be a 20 to 30-year old radio with a non-standard modification.
That being said, go for it! There are various ways to get information,
manuals etc. Use a search engine. Sorry, I think crystals are HC6, but
can't be sure. It's always possible that a change was made after I got
mine, in early '70s.

HTH

-NM

From 3735403699850500442
X-Google-Thread: 108122,393d224603335abd,start
X-Google-Thread: 106d41,393d224603335abd,start
X-Google-Thread: fc8b1,393d224603335abd,start
X-Google-Attributes: gid108122,gid106d41,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.boatanchors
Subject: FA: @$12> 21 SPARE TUBES FOR HEATHKIT SB-301 RECEIVER>Others Too!
Date: 18 Sep 2006 19:32:55 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1158633175.714223.182660@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158633181 22124 127.0.0.1 (19 Sep 2006 02:33:01 GMT)

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 02:33:01 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6301 rec.radio.cb:19589
rec.radio.amateur.boatanchors:5454

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220028022051&ssPageName=STRK:MESE:IT&ih=012



From 3966893842783411638
X-Google-Thread: 108122,3f846ded9ccd2ea2,start
X-Google-Thread: 106d41,3f846ded9ccd2ea2,start
X-Google-Thread: fc8b1,3f846ded9ccd2ea2,start
X-Google-Attributes: gid108122,gid106d41,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.boatanchors
Subject: FA: @$11>BUNCH-O-SMALL PARTS for COLLINS R-390A RECEIVER + 6AK6
Date: 18 Sep 2006 19:34:00 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1158633240.877723.288860@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158633246 383 127.0.0.1 (19 Sep 2006 02:34:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 02:34:06 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6302 rec.radio.cb:19590
rec.radio.amateur.boatanchors:5455

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220028022028&ssPageName=STRK:MESE:IT&ih=012



From -4249746825330452327
X-Google-Thread: 108122,38fa79c6762cb7e7,start
```

```
X-Google-Thread: 106d41,38fa79c6762cb7e7,start
X-Google-Thread: fc8b1,38fa79c6762cb7e7,start
X-Google-Attributes: gid108122,gid106d41,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.boatanchors
Subject: FA: @$10>TWO(2) REALISTIC 6JE6C 6LQ6 RF AMPLIFIER TUBES>SWAN 500
Date: 18 Sep 2006 19:34:55 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1158633295.452600.133440@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158633300 504 127.0.0.1 (19 Sep 2006 02:35:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 19 Sep 2006 02:35:00 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6303 rec.radio.cb:19591
rec.radio.amateur.boatanchors:5456

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220028021981&ssPageName=STRK:MESE:IT&ih=012



From -2337551780296952514
X-Google-Thread: 108122,cdaec07d3a29526a,start
X-Google-Thread: 106d41,cdaec07d3a29526a,start
X-Google-Thread: fc8b1,cdaec07d3a29526a,start
X-Google-Attributes: gid108122,gid106d41,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.boatanchors
Subject: FA: @$10>HEATHKIT CT-1 CAPACI-TESTER by DAYSTROM>with Manual:-)
Date: 18 Sep 2006 19:36:29 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1158633389.313622.32140@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158633395 715 127.0.0.1 (19 Sep 2006 02:36:35 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Tue, 19 Sep 2006 02:36:35 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6304 rec.radio.cb:19592
rec.radio.amateur.boatanchors:5457
```

You can't go wrong here, eye tube alone is worth it!
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220028022008&ssPageName=STRK:MESE:IT&ih=012

```
From 3864399078714516134
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!
news.rr.com!news-wrt-01.rdc-nyc.rr.com!news-wrt-01.ohiordc.rr.com!news-
server.columbus.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!
tornado.socal.rr.com.POSTED!53ab2750!not-for-mail
From: "Ron Baker,    Pluralitas!" <stoshu@bellsouth.net.pa>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <LXMNg.5176$rE5.923@tornado.socal.rr.com>
Date: Wed, 13 Sep 2006 05:47:23 GMT
NNTP-Posting-Host: 66.91.254.63
X-Complaints-To: abuse@rr.com
X-Trace: tornado.socal.rr.com 1158126443 66.91.254.63 (Tue, 12 Sep 2006 22:47:23
PDT)
NNTP-Posting-Date: Tue, 12 Sep 2006 22:47:23 PDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com sci.electronics.basics:25156 sci.physics.electromag:4313
rec.radio.shortwave:52614 rec.radio.amateur.equipment:6103 uk.radio.amateur:51757
```

"Radium" <glucegen1@excite.com> wrote in message
news:1158078895.162736.320120@b28g2000cwb.googlegroups.com...
> Hi:
>
> Hypothetical situation: a PCM audio signal [24-bit and monoaural] is
> transmitted through an analog 3 Mhz AM carrier, an AM receiver on the
> other end [tuned to 3 Mhz] picks up the signal, and the reciever is
> attached to a device that can recieve, process, and decode the PCM
> audio back to analog and then send it to a loudspeaker. However -- in
> this theoretical situation -- the environment is filled with EMI, RFI,
> and heterodynes that affect all AM stations.
>
> My question: Will the received PCM audio signal remain noticeably
> "clean" to the listener or will he/she notice the EMI, RFI, and
> heterodynes affecting the audio?

Depends.
What is the transmitter power? What is the separation
between the transmitter and receiver?

>
> I ask because I think -- but definitely don't know -- that because the
> received signal is digital, it is less likely that the EMI, RFI, and
> heterodynes would cause noticeable auditory disruptions when compared
> to analog. Do I guess correct?

If there is a decent SNR you are correct.
If the SNR falls below a certain value then
the reverse is true.

From 1772197879364259O
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <45079C47.36EED055@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:

```
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
Date: Wed, 13 Sep 2006 05:51:30 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1158126690 24.110.34.161 (Tue, 12 Sep
2006 22:51:30 PDT)
NNTP-Posting-Date: Tue, 12 Sep 2006 22:51:30 PDT
Xref: g2news2.google.com sci.electronics.basics:25157 sci.physics.electromag:4314
rec.radio.shortwave:52615 rec.radio.amateur.equipment:6104 uk.radio.amateur:51758

Tim Williams wrote:
>
> "Don Bowey" <dbowey@comcast.net> wrote in message
> news:C12CA30B.42D16%dbowey@comcast.net...
> > There is no such thing as a .00000000001 dB signal
>
> Sure there is.  It's very close in amplitude to a 0.0dB signal. ;-)


   dB without a reference is meaningless.  How can you have a ratio
without a reference?



--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida



From -3706226366462808269
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.81.251.MISMATCH!in01.usenetserver.com!news.usenetserver.com!
newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!newsfeed.kreonet.re.kr!
```

nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom Tuning?...Help Please
Date: Wed, 13 Sep 2006 14:57:35 +0900
Organization: Korea Telecom
Lines: 42
Message-ID: <ee86dt$ll4$1@news2.kornet.net>
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
NNTP-Posting-Host: 218.155.51.192
X-Trace: news2.kornet.net 1158126845 22180 218.155.51.192 (13 Sep 2006 05:54:05 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Wed, 13 Sep 2006 05:54:05 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:6105

"Clayton" <Evans8119@aol.com> wrote in message
news:1158126365.996464.41560@e63g2000cwd.googlegroups.com...
> Hi,
> I have an Icom IC-290A that I am working on...The problem being that
> when I turn the tuning knob it doesn't change frequencies,it acts as if
> the knob is slipping.
> After determining that it wasn't the knob slipping I proceeded to
> disassemble the front to get at the tuning potentiometer.
> If your familiar with this unit you know that the potentiometer is
> continuous and has teeth that catch when you turn the knob to make
> tuning easier.
> Now when I hook up my ohm meter to the wiper and to either end of the
> potentiometer all I get is an OL reading and when I turn the shaft the
> reading jumps around wildly. If I connect the meter to the wiper and to
> the case of the(I am assuming this is correct?) potentiometer I should
> get a reading of Zero ohms but again the only reading I get is OL.
>
> Am I safe in saying that the potentiometer is bad?
>
> If so how do I go about figuring out what type of potentiometer I need
> to replace the bad one?
> The schematic doesn't tell me what value it is and there isn't a parts
> list or part number either.
>
> I hope I have made myself clear enough to be understood,if not please
> let me know so I can try and make things clearer.
>
> Any help on this would be greatly appreciated.

That radio shouldn't even use a potentiometer for tuning. IIRC, it uses a digital sensor similar to the one used in a computer mouse. On one side there is an infrared LED, on the other a photosensitive transistor or diode. In between is a wheel with many square teeth on it. As you turn the tuning knob, it moves the wheel and alternately interrupts the light from the LED from getting to the phototransistor. As this happens it causes a pulse that is sent to the tuning IC to change the frequency. On either side of the wheel to center should be a microswitch that tells the IC which way (lower or higher) the frequency should change.

```
From -8458925899534611489
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!news-server.columbus.rr.com!cyclone2.kc.rr.com!
news2.kc.rr.com!tornado.socal.rr.com.POSTED!53ab2750!not-for-mail
From: "Ron Baker,    Pluralitas!" <stoshu@bellsouth.net.pa>
Newsgroups: 
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Lines: 74
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <ncNNg.4715$%i.1300@tornado.socal.rr.com>
Date: Wed, 13 Sep 2006 06:05:07 GMT
NNTP-Posting-Host: 66.91.254.63
X-Complaints-To: abuse@rr.com
X-Trace: tornado.socal.rr.com 1158127507 66.91.254.63 (Tue, 12 Sep 2006 23:05:07 
PDT)
NNTP-Posting-Date: Tue, 12 Sep 2006 23:05:07 PDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com sci.electronics.basics:25158 sci.physics.electromag:4316 
rec.radio.shortwave:52617 rec.radio.amateur.equipment:6106 uk.radio.amateur:51759
```

"Radium" <glucegen1@excite.com> wrote in message
news:1158090567.329797.187350@m73g2000cwd.googlegroups.com...

>
> Mike Gathergood (G4KFK) wrote:
>> Radium wrote:
>> > Mike Gathergood (G4KFK) wrote:
>> > > Radium wrote:
>> > > > My question: Will the received PCM audio signal remain noticeably
>> > > > "clean" to the listener or will he/she notice the EMI, RFI, and
>> > > > heterodynes affecting the audio?
>> > > >
>> > > > I ask because I think -- but definitely don't know -- that because
>> > > > the
>> > > > received signal is digital, it is less likely that the EMI, RFI,
>> > > > and
>> > > > heterodynes would cause noticeable auditory disruptions when
>> > > > compared
>> > > > to analog. Do I guess correct?
>> > >
>> > > You guess correct, assuming that FEC is applied to the digital signal
>> > > before it is used to modulate the transmitter.
>> >
>> > What if FEC is not used?
>>
>
>> With no FEC, your receiver would be more prone to those errors that you
>> were worried about in the first place.
>
> What would these errors sound like?
>
>>
>> >
>> > >
>> > > But you wouldn't do it that way anyway. Raw PCM is too bandwidth
>> > > inefficient. You'd use MPEG layer 2, or apt-X, or something like that
>> > > to reduce the bandwidth without noticeably degrading the audio
>> > > quality.
>> > > You'd probably also multiplex several different channels (programmes)
>> > > together onto one RF carrier as well, to make better statistical use
>> > > of
>> > > the RF bandwidth.
>>
>> Just to amplify on this, anything that you can do to reduce the
>> bandwidth of the digital signal before it's used to modulate the
>> transmitter will help. One very big advantage is that you can wind down
>> the bandwidth of the receiver, thus reducing the level of background
>> noise in the system.
>>
>
>> Why did you choose 3MHz?
>
> 44,100 X 24 = 1,058,400
>
> 1,058,400 bps requires that the frequency of the carrier be at least
> 2,646,000 Hz. To make it safe, use 3 MHz.

>
>> What's the application?
>
> Well, my application was more to do with reception than transmission.
>
> I'd like to know what I would hear on a 3MHz AM carrier whose receiver
> [both the AM and the linear PCM part] is at its maximum bandwidth. The
> 3 Mhz AM receiver is attached to a linear-PCM receiver [once again,
> both receivers have the maximum bandwidth possible for them]. The
> linear-PCM receiver is attached to a DAC which converts the linear-PCM
> signal to analog. This analog signal [which was PCM] is then sent to a
> loudspeaker. Just to make things more interesting, the antennae and
> receivers are so sensitive that they can pick signals as low as
> .00000001 dB.

dB is a ratio, not a power.

From 2815783991777212990
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "Clayton" <Evans8119@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom Tuning?...Help Please
Date: 12 Sep 2006 23:09:00 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1158127740.218432.233240@i3g2000cwc.googlegroups.com>
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
   <ee86dt$1l4$1@news2.kornet.net>
NNTP-Posting-Host: 207.200.116.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158127745 8981 127.0.0.1 (13 Sep 2006 06:09:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 06:09:05 +0000 (UTC)
In-Reply-To: <ee86dt$1l4$1@news2.kornet.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; SV1; FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [ntc-te124 8.4.1], HTTP/1.1 cache-ntc-ac08.proxy.aol.com[CFC87489] (Traffic-Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=207.200.116.137;
   posting-account=tp2JsQ0AAADqjU5oZLMjcmLcp3UFW3ez
Xref: g2news2.google.com rec.radio.amateur.equipment:6107

Hi,
Well,from what I can see this is a potentiometer.
There isn't any infrared LED or photosensitive transistor or diode.
Now you have me wondering what's going on...?

Thank you

```
From -4013983096093617060
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: miso@sushi.com
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 23:52:14 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1158130334.792294.286930@h48g2000cwc.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083039.228531.172470@i42g2000cwa.googlegroups.com>
   <1158083305.213074.168490@d34g2000cwd.googlegroups.com>
   <9HCNg.22642$WV2.9834@newsfe2-gui.ntli.net>
   <1158086607.075012.89540@e3g2000cwe.googlegroups.com>
   <slrnege4fv.i43.gsm@cable.mendelson.com>
NNTP-Posting-Host: 216.27.181.190
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158130340 20370 127.0.0.1 (13 Sep 2006 06:52:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 06:52:20 +0000 (UTC)
In-Reply-To: <slrnege4fv.i43.gsm@cable.mendelson.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.2; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=216.27.181.190;
   posting-account=l2TzZAwAAAAsCKt7rXUtDXzcqYdjYZDP
Xref: g2news2.google.com sci.electronics.basics:25162 sci.physics.electromag:4317
rec.radio.shortwave:52618 rec.radio.amateur.equipment:6108 uk.radio.amateur:51762
```

```
Geoffrey S. Mendelson wrote:
> miso@sushi.com wrote:
> > As a bit of trivia, Reed Solomon encoding was invented without a way to
> > decode it. That's what you get when you let mathematicians run wild.
> > For absolutely nothing of any value other than bragging rights, name
> > the guy who invented the decoding scheme for Reed Solomon. [Hopefully
> > this isn't wikied someplace. I did one class in grad school on error
> > detection and correction, and it was a pain in the ass if you get into
> > the theory. Implementation is quite simple.]
>
> It makes sense. The encoding software had to be ready to put into a probe
> before the launch date. Once it was up it could not be changed.
>
> Decoding software was another matter. Since they had years, maybe even decades
> to decode the data, and it did not have to be real time, they could continue
> to work on it.
>
> All they had to do is not loose the tapes. :-(
>
> Geoff.
>
>
> --
> Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
> IL Voice: (07)-7424-1667  Fax ONLY: 972-2-648-1443 U.S. Voice: 1-215-821-1838
> Visit my 'blog at http://geoffstechno.livejournal.com/

I'm not sure what you mean by the "probe". The deal with Reed Solomon
is it is a non-binary code, which was a big deal at the time. The
buzzword is Galois mathematics. There wasn't any hardware that could
handle the code when it was invented.



From 8701628206163306138
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.81.251.MISMATCH!in01.usenetserver.com!news.usenetserver.com!
newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!newsfeed.kreonet.re.kr!
nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom Tuning?...Help Please
Date: Wed, 13 Sep 2006 17:12:24 +0900
Organization: Korea Telecom
Lines: 27
Message-ID: <ee8eam$p5m$1@news2.kornet.net>
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
<ee86dt$ll4$1@news2.kornet.net>
<1158127740.218432.233240@i3g2000cwc.googlegroups.com>
```

NNTP-Posting-Host: 218.155.51.192
X-Trace: news2.kornet.net 1158134934 25782 218.155.51.192 (13 Sep 2006 08:08:54 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Wed, 13 Sep 2006 08:08:54 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:6109

"Clayton" <Evans8119@aol.com> wrote in message
news:1158127740.218432.233240@i3g2000cwc.googlegroups.com...
>
> Hi,
> Well,from what I can see this is a potentiometer.
> There isn't any infrared LED or photosensitive transistor or diode.
> Now you have me wondering what's going on...?
>
> Thank you
>

Clayton,

Just looked at the schematic. It's definately not a potentiometer. It doesn't show the internal workings of the device, but it's definately an encoder of one type or another. One leg has +5VDC to it, the other two go to the logic board as connections SA1 and SA2. It's possible that it's nothing more than a momentary contact switch that sends pulses to the logic board for up/down frequency.

E-mail me and I can send you the schematic.

Brenda Ann

From -3817843840315755588
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "rEn" <az_renegade@cox.net>
Newsgroups: rec.radio.amateur.equipment
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
Subject: Re: Icom Tuning?...Help Please
Lines: 3

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <bZRNg.3366$AP2.539@fed1read10>
Date: Wed, 13 Sep 2006 04:32:11 -0700
NNTP-Posting-Host: 68.99.95.234
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1158147015 68.99.95.234 (Wed, 13 Sep 2006 07:30:15 EDT)
NNTP-Posting-Date: Wed, 13 Sep 2006 07:30:15 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6110
```

Just an observation, but does that model radio have a lock feature?

```
From -6961306229140062430
X-Google-Thread: fddad,dc9272e59d83576a,start
X-Google-Thread: 108122,dc9272e59d83576a,start
X-Google-Thread: 1109af,dc9272e59d83576a,start
X-Google-Attributes: gidfddad,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: "Charlie Alexander" <charlie@dehowemachine.com>
Newsgroups: cmh.forsale,rec.ham-
radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: For Sale - Icom PS-125 FS Never Used
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <LvSNg.1$x_3.60476@news.sisna.com>
Date: Wed, 13 Sep 2006 08:07:01 -0400
NNTP-Posting-Host: 67.54.254.127
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1158149227 67.54.254.127 (Wed, 13 Sep 2006 06:07:07 MDT)
NNTP-Posting-Date: Wed, 13 Sep 2006 06:07:07 MDT
Organization: Internet News Service
X-Received-Date: Wed, 13 Sep 2006 06:07:07 MDT (news.sisna.com)
Xref: g2news2.google.com cmh.forsale:870 rec.radio.amateur.equipment:6111
rec.radio.swap:7479
```

For Sale: Icom 25 Amp Power Supply

I have an Icom PS-125 I rec'd when I bought my Icom 746PRO, and I do not use
it (as I had a 20 A Astron in my shack).
So I decided to sell it.

I have not used it at all.

Price 145.00 Shipped to the 48

W8WCA
Charlie Alexander

From -3035770260510128951
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
Subject: Re: Icom Tuning?...Help Please
Lines: 38
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <eTSNg.51753$Qb2.3597@trnddc08>
Date: Wed, 13 Sep 2006 12:32:10 GMT
NNTP-Posting-Host: 63.19.182.165
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1158150730 63.19.182.165 (Wed, 13 Sep 2006 08:32:10 EDT)
NNTP-Posting-Date: Wed, 13 Sep 2006 08:32:10 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6112

"Clayton" <Evans8119@aol.com> wrote in message
news:1158126365.996464.41560@e63g2000cwd.googlegroups.com...
> Hi,
> I have an Icom IC-290A that I am working on...The problem being that
> when I turn the tuning knob it doesn't change frequencies,it acts as if
> the knob is slipping.
> After determining that it wasn't the knob slipping I proceeded to
> disassemble the front to get at the tuning potentiometer.
> If your familiar with this unit you know that the potentiometer is
> continuous and has teeth that catch when you turn the knob to make
> tuning easier.
> Now when I hook up my ohm meter to the wiper and to either end of the
> potentiometer all I get is an OL reading and when I turn the shaft the
> reading jumps around wildly. If I connect the meter to the wiper and to
> the case of the(I am assuming this is correct?) potentiometer I should
> get a reading of Zero ohms but again the only reading I get is OL.

>
> Am I safe in saying that the potentiometer is bad?
>
> If so how do I go about figuring out what type of potentiometer I need
> to replace the bad one?
> The schematic doesn't tell me what value it is and there isn't a parts
> list or part number either.
>
> I hope I have made myself clear enough to be understood,if not please
> let me know so I can try and make things clearer.
>
> Any help on this would be greatly appreciated.
> Thank you
>

You really should not be working on this rig if you think tuning is
accomplished by a pot. This era rig has to use a mechanical or optical
encoder. Send it in to a repair location.

Dale W4OP

From 1487285011632451745
X-Google-Thread: 108122,93294baff6357e67,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!
prodigy.net!newsdst02.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Collins etc to Peoria
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <D9UNg.1288$7I1.1134@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.143.34.221
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1158156003 ST000 70.143.34.221 (Wed, 13 Sep
2006 10:00:03 EDT)
NNTP-Posting-Date: Wed, 13 Sep 2006 10:00:03 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@MON^ZUKRTD[@JIROFXBWR\HPCTL@XT^OBPLAH[\RZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Wed, 13 Sep 2006 14:00:03 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6113

I'm thinking of taking my Collins 32V-3, 30S-1, 651S-1 to the Peoria swap this weekend. Asking prices are $2000.00, $1600.00. $1000.00 respectivley. I would consider trading for older US made dreadnought guitar by Martin, Taylor or Gibson or perhaps an older US made 5 string banjo. Also have a Cubic R3030 dual VLF, HF Rx; $2000 and a Drake L75 for $1000. Driving up from Tulsa. Any interest?

--

73
Hank WD5JFR

```
From 2158704570909292362
X-Google-Thread: 108122,396d026f206d9186,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Collins 30L-1 WE Emblem  Amp
Message-ID: <ib4gg2lidqkn8fjsuspva84d4gnc2ugevv@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimoppggdgopigilkdmllfjdfbijhjogphkajfcobocpeihfnehkc
ahmogepfcippmgmofpmendkdkbjfbmhlanblfnabefdiblollnekbclkhfkbie
NNTP-Posting-Date: Wed, 13 Sep 2006 07:11:48 MST
Organization: Optimum Online
Date: Wed, 13 Sep 2006 10:11:04 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6114
```

FS: Collins 30L-1 WE Emblem Amp
Price: 625.00   Or Trade
ritchi50@optonline.net

```
From -6305206349842090683
X-Google-Thread: 108122,93294baff6357e67
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 13 Sep 2006 09:14:11 -0500
Date: Wed, 13 Sep 2006 10:13:46 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Collins etc to Peoria
References: <D9UNg.1288$7I1.1134@newssvr27.news.prodigy.net>
In-Reply-To: <D9UNg.1288$7I1.1134@newssvr27.news.prodigy.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <fNidnaXbJPSpj5XYnZ2dnUVZ_vmdnZ2d@comcast.com>
Lines: 9
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-
HOz2KCjM0HZWTGVyQ5rfuWTBx2Y6absCvMGRbh7PUo41p0vWaAcHfRYJZfavibj87zZGIvBGzPNzZjY!
sKrRE4mXziLhNG96/zm/WaCu9WphvpIxJzKX+EM5ZcCZl++AMNFbrL0HblTYQpJz0fz7cJ+Ou7BH!
NMb5ley+Jj0j4YXhCzHg
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6115

Henry Kolesnik wrote:
> I'm thinking of taking my Collins 32V-3, 30S-1, 651S-1 to the Peoria swap
> this weekend.  Asking prices are $2000.00, $1600.00. $1000.00 respectivley.
> I would consider trading for older US made dreadnought guitar by Martin,
> Taylor or Gibson or perhaps an older US made 5 string banjo.  Also have a
> Cubic R3030 dual VLF, HF Rx; $2000 and a Drake L75 for $1000. Driving up
> from Tulsa. Any interest?
>
At those prices I would plan on driving them back to Tulsa, also.



From 7689764331779245060
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 13 Sep 2006 10:02:47 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
```

```
Date: Wed, 13 Sep 2006 08:02:45 -0700
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Message-ID: <C12D6BA5.42E4A%dbowey@comcast.net>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 14
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-oAUEopXZFTb1zl5e+432iL0eS5XaSO2Utk2nWPk7DSL8V0Fr7/
KIh32HlyRUmcviyVRiwqnB+aHifKP!TNmkLSQCyAlCnpRiMWFOojKchpiuu3H/
w7+Wuh2sTLLijTPaa+2Y/t7iJw0nXEpjYn6Hsry2
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com sci.electronics.basics:25192 sci.physics.electromag:4323
rec.radio.shortwave:52643 rec.radio.amateur.equipment:6116 uk.radio.amateur:51773
```

On 9/12/06 10:04 PM, in article ZkMNg.71$iI7.62@newsfe04.lga, "Tim Williams" <tmoranwms@charter.net> wrote:

> "Don Bowey" <dbowey@comcast.net> wrote in message
> news:C12CA30B.42D16%dbowey@comcast.net...
>> There is no such thing as a .00000000001 dB signal
>
> Sure there is. It's very close in amplitude to a 0.0dB signal. ;-)
>
> Tim

Yes Master.... I had a momentary lapse of acumen, but it is clear now. dBm to the people. :-)

```
From 8238427242113398131
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
```

X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe04.lga.POSTED!53ab2750!not-for-mail
From: "Tim Williams" <tmoranwms@charter.net>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <mFVNg.18$Nq1.6@newsfe04.lga>
X-Trace:
noffecneefnkbhgfijjdnojopddcmjimanokhiimmkpfhokfhbanndhlogddfllfghofhfkemglgiicohnkefdmpamognnbkmlgninajkkbffdpnngnobjloedbbkhblenfnojecgjgcfcij
NNTP-Posting-Date: Wed, 13 Sep 2006 08:42:10 MST
Date: Wed, 13 Sep 2006 10:43:33 -0500
Xref: g2news2.google.com sci.electronics.basics:25197 sci.physics.electromag:4324
rec.radio.shortwave:52648 rec.radio.amateur.equipment:6117 uk.radio.amateur:51776

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:45079C47.36EED055@earthlink.net...

> dB without a reference is meaningless. How can you have a ratio
> without a reference?

Easy. "dB" in general usually refers to acoustic power, where the reference
is some ungodly small power level (10^-12W/m^2 IIRC?).

I forget if there's a similar radio context used...

Tim

--
Deep Fryer: a very philosophical monk.
Website: http://webpages.charter.net/dawill/tmoranwms

```
From 4470810509365003161
X-Google-Thread: 108122,33ce63f8dc94b9b5,start
X-Google-Thread: fc2a5,33ce63f8dc94b9b5,start
X-Google-Thread: 10bf43,33ce63f8dc94b9b5,start
X-Google-Thread: 114aac,33ce63f8dc94b9b5,start
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!news.alt.net!news-out.readnews.com!spool-big1.readnews.com!
diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "Rodnay" <purple5golftee@yahoo.nosp.com>
From: "Rodnay" <purple5golftee@yahoo.nosp.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: PayPal horror stories
Date: Wed, 13 Sep 2006 11:05:15 -0400
Lines: 6
Organization: it's Rooooooooooooodney!
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Message-ID: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc3b-209-204-89-86.sniparpa.net
X-Trace: 1f7e0450829667469fcf322166
Xref: g2news2.google.com rec.radio.amateur.equipment:6118
rec.radio.amateur.homebrew:6889 rec.radio.amateur.policy:44409
rec.radio.shortwave:52649
```

A new site with dozens of horror stories from
people who've done business using Paypal

http://www.paypalwarning.com/

PayPal is just like POISON IVY --------> don't touch it with a 12' pole.

```
From 6544070503873487528
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "Hammertime" <hammertimeb5@excite.com>
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 13 Sep 2006 09:13:35 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1158164015.774078.141680@b28g2000cwb.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
   <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
   <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
   <1157855675.321484.92140@d34g2000cwd.googlegroups.com>
   <1157925641.856784.272770@p79g2000cwp.googlegroups.com>
   <1158037211.847716.238740@i42g2000cwa.googlegroups.com>
   <1158077947.722619.293590@i42g2000cwa.googlegroups.com>
   <1158111173.674965.221150@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.155.193.171
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158164021 10139 127.0.0.1 (13 Sep 2006 16:13:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 16:13:41 +0000 (UTC)
In-Reply-To: <1158111173.674965.221150@i42g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=68.155.193.171;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6119
```

Norman, you know we aren't solving anything by these silly posts, how about you and I going one on one to settle this dispute, are you man enough?

Hammertime

```
From -3817045611043592493
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Wed, 13 Sep 2006 11:35:59 -0500
From: "Samuel Hunt" <shunt010@hotmail.com>
```

Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<LXMNg.5176$rE5.923@tornado.socal.rr.com>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: Wed, 13 Sep 2006 17:33:48 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <4rmdnVsEXNLyrpXYRVnytA@bt.com>
Lines: 13
NNTP-Posting-Host: 86.140.78.187
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-8p0iIG+IFUHjcDpIMkxrt8WmE1LiNJGJ06uQ+aIiS/3X3lI/
Szur9r8UILwMtqSp9aHtKsRBG7fp7Jx!
BF23coImg7IC0XhkqJtG15pnceXXT29sKvtCTseor5dR9c7BmO1+5wVH8vW7Rg==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com sci.electronics.basics:25206 sci.physics.electromag:4331
rec.radio.shortwave:52659 rec.radio.amateur.equipment:6120 uk.radio.amateur:51778

The answer is this:

It would be far more suceptable to interference than the AM equivalent.

The far higher bandwidth gives you a far higher noise bandwidth than the narrower AM equivalent.

So because of the large bandwidth, AM would beat it hands-down.

Sam

From -3342705784513740419
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!multikabel.net!
feed20.multikabel.net!news2.euro.net!62.253.162.218.MISMATCH!news-in.ntli.net!

newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe7-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian Reay" <see@website.invalid>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Lines: 40
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <gHWNg.1115$2g5.754@newsfe7-win.ntli.net>
Date: Wed, 13 Sep 2006 16:52:28 GMT
NNTP-Posting-Host: 82.3.79.193
X-Complaints-To: http://www.virgin.net/netreport
X-Trace: newsfe7-win.ntli.net 1158166348 82.3.79.193 (Wed, 13 Sep 2006 17:52:28 BST)
NNTP-Posting-Date: Wed, 13 Sep 2006 17:52:28 BST
Organization: Virgin Net Usenet Service
Xref: g2news2.google.com sci.electronics.basics:25208 sci.physics.electromag:4333 rec.radio.shortwave:52660 rec.radio.amateur.equipment:6121 uk.radio.amateur:51779

"Radium" <glucegen1@excite.com> wrote in message
news:1158090567.329797.187350@m73g2000cwd.googlegroups.com...

> This analog signal [which was PCM] is then sent to a
> loudspeaker. Just to make things more interesting, the antennae and
> receivers are so sensitive that they can pick signals as low as
> .00000001 dB. Most likely, what would I hear?

I think you need to be a bit clearer in your thinking. I see several people have commented on your use of dB and it seems Mike dealing with the digital side so I'll not pick up on those. I'd like to comment on " the antennae and receivers are so sensitive that they can pick signals as low as........" and your other comment about wide bandwidth.

Firstly, a "sensitive antenna" isn't a good concept, better to think in terms of gain.

However, more importantly, sensitivity isn't just about how "small" a signal your receiver system can "pick up"- you can (in theory) just add more and more gain. The issue is the ratio of the signal to the noise- that is the noise your receiver introduces and that which is "picked up" by the antenna. Winding up the gain doesn't help much with the latter- the noise in the available bandwith is amplified as well. Often a good way to get a better signal to noise ratio is to reduce the bandwidth so, before you get too hung up on having a wide bandwidth, think about what you need to do the job.

I also notice someone mentioned Galois- there was a thread some time back in uk.radio.amateur where I explained the maths behind these. I'd sure a search of Google Groups will turn it up.

--
73
Brian
www.g8osn.org.uk

From -4236114833923558910
X-Google-Thread: 108122,93294baff6357e67
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
References: <D9UNg.1288$7I1.1134@newssvr27.news.prodigy.net>
<fNidnaXbJPSpj5XYnZ2dnUVZ_vmdnZ2d@comcast.com>
Subject: Re: Collins etc to Peoria
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <IyWNg.1359$7I1.216@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.143.34.221
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1158165800 ST000 70.143.34.221 (Wed, 13 Sep 2006 12:43:20 EDT)
NNTP-Posting-Date: Wed, 13 Sep 2006 12:43:20 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
F[OERYWDPZRORRDXN[O@_WH@YR_B@EXLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Wed, 13 Sep 2006 16:43:20 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6122

gotta start somewhere, it's easier to come down than go up
"NoMoreSpam" <Disgustedham@qrparci.org> wrote in message

news:fNidnaXbJPSpj5XYnZ2dnUVZ_vmdnZ2d@comcast.com...
> Henry Kolesnik wrote:
>> I'm thinking of taking my Collins 32V-3, 30S-1, 651S-1 to the Peoria swap
>> this weekend. Asking prices are $2000.00, $1600.00. $1000.00
>> respectivley.
>> I would consider trading for older US made dreadnought guitar by Martin,
>> Taylor or Gibson or perhaps an older US made 5 string banjo. Also have a
>> Cubic R3030 dual VLF, HF Rx; $2000 and a Drake L75 for $1000. Driving up
>> from Tulsa. Any interest?
>>
> At those prices I would plan on driving them back to Tulsa, also.

```
From -8769780694133901489
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "kb9rqz-2@hotmail.com" <kb9rqz-2@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: =?iso-8859-1?q?woger_try_http://www.mipsor.state.mi.us/=AD=ADmipsor?=
Date: 13 Sep 2006 10:29:45 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1158168585.357161.64530@p79g2000cwp.googlegroups.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158168590 22255 127.0.0.1 (13 Sep 2006 17:29:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 17:29:50 +0000 (UTC)
In-Reply-To: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=66.82.9.82;
   posting-account=a7K0SA0AAADJhiRpuowwQAePXZnEQc8e
Xref: g2news2.google.com rec.radio.amateur.equipment:6123
rec.radio.amateur.homebrew:6891 rec.radio.amateur.policy:44434
rec.radio.shortwave:52675
```

Rodnay wrote:

>
just burying the spam

From -6672507396205828427
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
Subject: Re: PayPal horror stories
Date: Wed, 13 Sep 2006 13:41:55 -0400
Organization: Moron
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 14
Message-ID: <450835dc$0$19696$88260bb3@free.teranews.com>
NNTP-Posting-Date: 13 Sep 2006 16:46:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6124
rec.radio.amateur.homebrew:6892 rec.radio.amateur.policy:44449
rec.radio.shortwave:52679

"Rodnay" <purple5golftee@yahoo.nosp.com> wrote in message
news:1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com...
>A new site with dozens of horror stories from
> people who've done business using Paypal
>
> http://www.paypalwarning.com/
>
> PayPal is just like POISON IVY --------> don't touch it with a 12' pole.
>
with the punce gotcha he wonders why I simple don't bother to ty impoving my
spelling do u hav anyting cognet two say?

--

Posted via a free Usenet account from http://www.teranews.com

---

```
From 2468518249598173483
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 13 Sep 2006 12:52:14 -0500
Date: Wed, 13 Sep 2006 13:51:49 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: Re: PayPal horror stories
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
In-Reply-To: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <3OCdnYbr1s_T2JXYnZ2dnUVZ_v-dnZ2d@comcast.com>
Lines: 10
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-bpVB0FuNy9/
v7ksLGEQEhObgaeOL8TOnTALM6wweh+aNcilx0HefOdNU78qe1hbT3DqxEv7U4YcIg/a!
OYWwOBW2gNwPXYLaImc/PIJLYl6VcqB7ohe213B4xJNS336dLZdC8oH9I9FymJlSwfymzajdGMRQ!
s03zpgpBT6hMtaDZwxrZ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6125
rec.radio.amateur.homebrew:6893 rec.radio.amateur.policy:44450
rec.radio.shortwave:52681
```

Rodnay wrote:

> A new site with dozens of horror stories from
> people who've done business using Paypal
>
> http://www.paypalwarning.com/
>
> PayPal is just like POISON IVY --------> don't touch it with a 12' pole.

That site would be more convincing if it wasn't a come-on to use THEIR version of "Paypal." Paypal is OK, IF you use common sense.

From 2888481001112329360
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 13 Sep 2006 13:15:33 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Wed, 13 Sep 2006 11:15:30 -0700
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Message-ID: <C12D98D2.42F51%dbowey@comcast.net>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 20
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-2JX5TYCARN5/YoRV5B+cDkERXoJHNJVBV9a09nI9U/
OlkoK+RBdxb3HMWJ9yQQCUURDc+HrQBbFQ4Uv!
Djz8V28BivaMNysLduX6gE02eJhxCyeYIbolTcIG8BelZM1302z3EgNdLftbYyeQ9aKpTTJE
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com sci.electronics.basics:25224 sci.physics.electromag:4336
rec.radio.shortwave:52688 rec.radio.amateur.equipment:6126 uk.radio.amateur:51780

On 9/13/06 8:43 AM, in article mFVNg.18$Nq1.6@newsfe04.lga, "Tim Williams"
<tmoranwms@charter.net> wrote:

> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message

> news:45079C47.36EED055@earthlink.net...
>>   dB without a reference is meaningless. How can you have a ratio
>> without a reference?
>
> Easy. "dB" in general usually refers to acoustic power, where the reference
> is some ungodly small power level (10^-12W/m^2 IIRC?).
>
> I forget if there's a similar radio context used...
>
> Tim

There is no exception; dB is meaningless without a reference. Decibel is
used in radio also.

Don

From -1299708386051137684
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe03.lga.POSTED!53ab2750!not-for-mail
From: "Unrevealed Source" <unrevealed_source@nospam.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.shortwave
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
Subject: Re: PayPal horror stories
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <AfYNg.57$wK4.27@newsfe03.lga>
X-Trace: pgpdkimbbbabbbpeijjdnojopddcmjimfibfjnmmcnbnfldlhgnfefjilnhhefkkmhaddoglakalfejhaglefaipcfgpejhoihpanchcakojjmfojcpbgjhepdadjkekhgindeflifgphkdl
NNTP-Posting-Date: Wed, 13 Sep 2006 11:39:28 MST
Date: Wed, 13 Sep 2006 14:38:36 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6127 rec.radio.amateur.homebrew:6895 rec.radio.amateur.policy:44454 rec.radio.shortwave:52692

Never had a problem with Paypal. Ever. In fact, I generally don't bid on
auctions UNLESS the seller takes Paypal.

Is it just a coincidence that this collection of horror stories is selling
an alternative?

"Rodnay" <purple5golftee@yahoo.nosp.com> wrote in message
news:1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com...
>A new site with dozens of horror stories from
> people who've done business using Paypal
>
> http://www.paypalwarning.com/
>
> PayPal is just like POISON IVY --------> don't touch it with a 12' pole.

```
From 2546100317671959990
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <45085508.2671FCF2@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
Date: Wed, 13 Sep 2006 18:59:45 GMT
NNTP-Posting-Host: 24.110.34.161
```

```
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158173985 24.110.34.161 (Wed, 13 Sep
2006 11:59:45 PDT)
NNTP-Posting-Date: Wed, 13 Sep 2006 11:59:45 PDT
Xref: g2news2.google.com sci.electronics.basics:25232 sci.physics.electromag:4338
rec.radio.shortwave:52694 rec.radio.amateur.equipment:6128 uk.radio.amateur:51784
```

Tim Williams wrote:

>
> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
> news:45079C47.36EED055@earthlink.net...
> >   dB without a reference is meaningless. How can you have a ratio
> > without a reference?
>
> Easy. "dB" in general usually refers to acoustic power, where the reference
> is some ungodly small power level (10^-12W/m^2 IIRC?).
>
> I forget if there's a similar radio context used...

You need to do a lot of studying on how to use the dB. Without a reference, it is meaningless. The classic use in audio was 1 mW into 600 Ohms = 0 dBm, and yes, there are a number of RF uses for the dB. Either in reference to one of several different reference levels, or as an absolute ratio, such as the input to output level of an amplifier.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From -6533941457826965001
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
h48g2000cwc.googlegroups.com!not-for-mail
From: "Radium" <glucegen1@excite.com>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 13 Sep 2006 12:54:01 -0700
Organization: http://groups.google.com
Lines: 16
```

```
Message-ID: <1158177240.978138.234030@h48g2000cwc.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <LXMNg.5176$rE5.923@tornado.socal.rr.com>
   <4rmdnVsEXNLyrpXYRVnytA@bt.com>
NNTP-Posting-Host: 69.167.144.91
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158177246 496 127.0.0.1 (13 Sep 2006 19:54:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 19:54:06 +0000 (UTC)
In-Reply-To: <4rmdnVsEXNLyrpXYRVnytA@bt.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8b) Gecko/
20050217,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.167.144.91;
   posting-account=lXUL4Q0AAAA2JxMmVRdUd7bMtBM7ensS
Xref: g2news2.google.com sci.electronics.basics:25245 sci.physics.electromag:4342
rec.radio.shortwave:52698 rec.radio.amateur.equipment:6129 uk.radio.amateur:51790


Samuel Hunt wrote:
> The answer is this:

> It would be far more suceptable to interference than the AM equivalent.

Including heterodynes?

> The far higher bandwidth gives you a far higher noise bandwidth than the
> narrower AM equivalent.
>
> So because of the large bandwidth, AM would beat it hands-down.
>
>
> Sam




From 4108967686737192345
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "ve3..." <ve3iut@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: Re: PayPal horror stories
Date: 13 Sep 2006 13:48:54 -0700
```

Organization: http://groups.google.com
Lines: 21
Message-ID: <1158180534.610502.290400@i42g2000cwa.googlegroups.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
   <AfYNg.57$wK4.27@newsfe03.lga>
NNTP-Posting-Host: 67.70.196.125
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158180540 8763 127.0.0.1 (13 Sep 2006 20:49:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 20:49:00 +0000 (UTC)
In-Reply-To: <AfYNg.57$wK4.27@newsfe03.lga>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=67.70.196.125;
   posting-account=KVnPjwwAAADUVFuqgrGOINnfYq1AbgCw
Xref: g2news2.google.com rec.radio.amateur.equipment:6130
rec.radio.amateur.homebrew:6897 rec.radio.amateur.policy:44462
rec.radio.shortwave:52703

Unrevealed Source wrote:
> Never had a problem with Paypal. Ever. In fact, I generally don't bid on
> auctions UNLESS the seller takes Paypal.
>
> Is it just a coincidence that this collection of horror stories is selling
> an alternative?

""
"""""""
Because of phishing, trojans, and other very smart crooks trying to get
into my account, and also because of Paypal complaints that are legion,
there is no way I would link up my main bank account with Paypal. When
I sell something on ebay, I request payment by a money order, when I
buy something on ebay I pay by money order. If the seller wants Paypal
only, I move on to the next listing. I have noticed that more and more
sellers are glad to accept money orders, especially individuals who are
selling their own stuff. I have had no problems with Paypal but there
are just too many really clever scammers working the internet. I
maintain a tiny account in a different bank to handle fees: if I do get
hit by a crook, or by Paypal, the loot would only be about $5.00. In
addition, in Canada, interbank money transfers are safe and inexpensive.

From -3806587541454113163
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail

NNTP-Posting-Date: Wed, 13 Sep 2006 16:01:27 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
<eTSNg.51753$Qb2.3597@trnddc08>
Subject: Re: Icom Tuning?...Help Please
Date: Wed, 13 Sep 2006 16:01:32 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <gLGdnQfU1Iw67JXYnZ2dnUVZ_oadnZ2d@comcast.com>
Lines: 53
NNTP-Posting-Host: 71.228.3.96
X-Trace: sv3-SqP91wM0qSXE3fXUg1v+Y6On621vyC/k7uqv5cmqZ9wGUKMjcP4ox1dK5DyH/KcJ8U/
tM6ZJwH5NFrr!U5jgHs1ecUCCpuBVAi6iwVSA+ZxeCBd+pA2L/
yl3/4dBoIOT7z7L6biIUYuKfyzC+gB9W+iwA0pj!rxVwTecmjGKt
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6131

The fact that it has a V+ connection suggest that it is a quadrature optical
encoder. When you turn the encoder clockwise, channel A leads channel B;
counterclockwise rotation, channel B leads channel A. That is how you get
the directional cueing.
You need to check if there is 5V at the V+ terminal. Your wild meter
readings tell me that the unit is outputting the 5V pulses when rotating.
Get ahold of the schematic from mods.dk and go through the circuit. You
could have a bad uP, in which case the radio is now trash. Hopefully, that
isn't the case.

Pete

"Dale Parfitt" <par@parelectronics.com> wrote in message
news:eTSNg.51753$Qb2.3597@trnddc08...
>
> "Clayton" <Evans8119@aol.com> wrote in message
> news:1158126365.996464.41560@e63g2000cwd.googlegroups.com...
>> Hi,
>> I have an Icom IC-290A that I am working on...The problem being that
>> when I turn the tuning knob it doesn't change frequencies,it acts as if
>> the knob is slipping.
>> After determining that it wasn't the knob slipping I proceeded to
>> disassemble the front to get at the tuning potentiometer.
>> If your familiar with this unit you know that the potentiometer is
>> continuous and has teeth that catch when you turn the knob to make
>> tuning easier.
>> Now when I hook up my ohm meter to the wiper and to either end of the

>> potentiometer all I get is an OL reading and when I turn the shaft the
>> reading jumps around wildly. If I connect the meter to the wiper and to
>> the case of the(I am assuming this is correct?) potentiometer I should
>> get a reading of Zero ohms but again the only reading I get is OL.
>>
>> Am I safe in saying that the potentiometer is bad?
>>
>> If so how do I go about figuring out what type of potentiometer I need
>> to replace the bad one?
>> The schematic doesn't tell me what value it is and there isn't a parts
>> list or part number either.
>>
>> I hope I have made myself clear enough to be understood,if not please
>> let me know so I can try and make things clearer.
>>
>> Any help on this would be greatly appreciated.
>> Thank you
>>
> You really should not be working on this rig if you think tuning is
> accomplished by a pot. This era rig has to use a mechanical or optical
> encoder. Send it in to a repair location.
>
> Dale W4OP
>

From 7105796448539078210
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!news.newsland.it!aioe.org!emma.aioe.org!aioe.org!not-for-mail
From: "Fred Spectrum" <fred@spectrum.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: Wed, 13 Sep 2006 22:06:56 +0100
Organization: Aioe.org NNTP Server
Lines: 13
Message-ID: <ee9rin$hvs$1@emma.aioe.org>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<LXMNg.5176$rE5.923@tornado.socal.rr.com>   <4rmdnVsEXNLyrpXYRVnytA@bt.com>
<1158177240.978138.234030@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 3/bkkox7f910FMKxdvr+6g.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
X-Priority: 3
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.shortwave:52706

rec.radio.amateur.equipment:6132 uk.radio.amateur:51793

You got a heterodyne fetish, Radium? There must be some kind of support group for that.

http://groups.google.co.uk/group/rec.radio.shortwave/browse_frm/thread/9042147f1f731a78/0541acb4599d8f13?lnk=st&q=&rnum=14&hl=en#0541acb4599d8f13

"Radium" <glucegen1@excite.com> wrote in message news:1158177240.978138.234030@h48g2000cwc.googlegroups.com...

> Including heterodynes?

```
From -8957851064678148570
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "Radium" <glucegen1@excite.com>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 13 Sep 2006 14:14:07 -0700
Organization: http://groups.google.com
Lines: 56
Message-ID: <1158182047.857320.71610@h48g2000cwc.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083656.858518.115480@e3g2000cwe.googlegroups.com>
   <1158089553.947219.179300@i42g2000cwa.googlegroups.com>
   <1158090567.329797.187350@m73g2000cwd.googlegroups.com>
   <gHWNg.1115$2g5.754@newsfe7-win.ntli.net>
NNTP-Posting-Host: 69.167.144.91
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158182053 24855 127.0.0.1 (13 Sep 2006 21:14:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 21:14:13 +0000 (UTC)
In-Reply-To: <gHWNg.1115$2g5.754@newsfe7-win.ntli.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8b) Gecko/
20050217,gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.167.144.91;
   posting-account=lXUL4Q0AAAA2JxMmVRdUd7bMtBM7ensS
Xref: g2news2.google.com sci.electronics.basics:25253 sci.physics.electromag:4345
rec.radio.shortwave:52708 rec.radio.amateur.equipment:6133 uk.radio.amateur:51794

Brian Reay wrote:
> "Radium" <glucegen1@excite.com> wrote in message
> news:1158090567.329797.187350@m73g2000cwd.googlegroups.com...
> >This analog signal [which was PCM] is then sent to a
> > loudspeaker. Just to make things more interesting, the antennae and
> > receivers are so sensitive that they can pick signals as low as
> > .00000001 dB. Most likely, what would I hear?
>
>
> I think you need to be a bit clearer in your thinking. I see several people
> have commented on your use of dB and it seems Mike dealing with the digital
> side so I'll not pick up on those. I'd like to comment on " the antennae
> and receivers are so sensitive that they can pick signals as low as........"
> and your other comment about wide bandwidth.
>

> Firstly, a "sensitive antenna" isn't a good concept, better to think in
> terms of gain.

Okay, in this theoretical experiment of mine, the gain is set at
maximum thats physically-possible

>
> However, more importantly, sensitivity isn't just about how "small" a signal
> your receiver system can "pick up"- you can (in theory) just add more and
> more gain.

Okay.

> The issue is the ratio of the signal to the noise- that is the
> noise your receiver introduces and that which is "picked up" by the antenna.

> Winding up the gain doesn't help much with the latter- the noise in the
> available bandwith is amplified as well.

Hopefully I can get some frightening-yet-enjoyable heterodynes from far
outer space amplified in my hypothetical audio system.

> Often a good way to get a better
> signal to noise ratio is to reduce the bandwidth so, before you get too hung
> up on having a wide bandwidth, think about what you need to do the job.

Okay.

>

```
> I also notice someone mentioned Galois- there was a thread some time back in
> uk.radio.amateur where I explained the maths behind these. I'd sure a search
> of Google Groups will turn it up.
>
> --
> 73
> Brian
> www.g8osn.org.uk



From 7299634787064567962
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: Re: PayPal horror stories
Reply-To: w1ksz@earthlink.net
Message-ID: <6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
Date: Wed, 13 Sep 2006 21:37:40 GMT
NNTP-Posting-Host: 24.41.20.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158183460 24.41.20.5 (Wed, 13 Sep 2006
14:37:40 PDT)
NNTP-Posting-Date: Wed, 13 Sep 2006 14:37:40 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6134
rec.radio.amateur.homebrew:6899 rec.radio.amateur.policy:44465
rec.radio.shortwave:52711

One compelling reason to ONLY fund PayPal with a Credit Card that
will charge-back unauthorized activity and to request a check if you
have more than $20 in your account.
They cannot take what they don't have.

RS

On Wed, 13 Sep 2006 11:05:15 -0400, "Rodnay"
```

```
<purple5golftee@yahoo.nosp.com> wrote:

>A new site with dozens of horror stories from
>people who've done business using Paypal
>
>http://www.paypalwarning.com/
>
>PayPal is just like POISON IVY --------> don't touch it with a 12' pole.



From 4228772799833984085
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<AfYNg.57$wK4.27@newsfe03.lga>
<1158180534.610502.290400@i42g2000cwa.googlegroups.com>
Subject: Re: PayPal horror stories
Date: Wed, 13 Sep 2006 17:39:04 -0400
Organization: Moron
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 30
Message-ID: <45086d6e$0$19712$88260bb3@free.teranews.com>
NNTP-Posting-Date: 13 Sep 2006 20:43:26 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6135
rec.radio.amateur.homebrew:6900 rec.radio.amateur.policy:44466
rec.radio.shortwave:52712


"ve3..." <ve3iut@hotmail.com> wrote in message
news:1158180534.610502.290400@i42g2000cwa.googlegroups.com...
>
> Unrevealed Source wrote:
>> Never had a problem with Paypal.  Ever.  In fact, I generally don't bid
>> on
>> auctions UNLESS the seller takes Paypal.
>>
```

>> Is it just a coincidence that this collection of horror stories is
>> selling
>> an alternative?
>
""
"""""""
> Because of phishing, trojans, and other very smart crooks trying to get
> into my account, and also because of Paypal complaints that are legion,
> there is no way I would link up my main bank account with Paypal. When
> I sell something on ebay, I request payment by a money order, when I
> buy something on ebay I pay by money order. If the seller wants Paypal
> only, I move on to the next listing. I have noticed that more and more
> sellers are glad to accept money orders, especially individuals who are
> selling their own stuff. I have had no problems with Paypal but there
> are just too many really clever scammers working the internet. I
> maintain a tiny account in a different bank to handle fees: if I do get
> hit by a crook, or by Paypal, the loot would only be about $5.00. In
> addition, in Canada, interbank money transfers are safe and inexpensive.
>
with the punce gotcha he wonders why I simple don't bother to ty impoving my
spelling do u hav anyting cognet two say?

--
Posted via a free Usenet account from http://www.teranews.com

From 4831016874212643283
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Wed, 13 Sep 2006 16:50:50 -0500
From: "Samuel Hunt" <shunt010@hotmail.com>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<LXMNg.5176$rE5.923@tornado.socal.rr.com>   <4rmdnVsEXNLyrpXYRVnytA@bt.com>
<1158177240.978138.234030@h48g2000cwc.googlegroups.com>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: Wed, 13 Sep 2006 22:50:50 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <OIWdneL8fvKn4JXYRVnyvA@bt.com>
Lines: 49
NNTP-Posting-Host: 86.140.78.187
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-FwaHaRtM/SNZO1+jPb5GW8BTm2jJuLOX61dYAkMK6/
mj+wXuLUFhD6R3ht184W0fVCfNVVV6nYTssap!
ciujT8LQQGaqcXDauxOrNgEn8S9oh7S8qbVfKNaiJhd0ZR+VZhEttgqYhRai5w==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com sci.electronics.basics:25260 sci.physics.electromag:4346
rec.radio.shortwave:52713 rec.radio.amateur.equipment:6136 uk.radio.amateur:51796

>> It would be far more suceptable to interference than the AM equivalent.
>
> Including heterodynes?

Theoretically, with optimal decoding, you require around 3dB C:N to decode an AM digital signal.

3dB C:N as opposed to the 20dB C:N that you need to get a good AM signal sounds to be a winner.

But AM would be about 30khz bandwidth, and this PCM signal would be 3mhz.

That means that the bandwidth gives you at least 20dB less sensitivity, so comparing the signal bandwidth-wise, you only require 0dB C:N across the same bandwidth to get the AM signal.

So you have a 3dB advantage for conventional AM over PCM.

Next, let us look at the nature of AM and heterodynes.

By the nature of audio AM, you will find that a single heterodyne can degrade the C:N to as low as 10dB before it becomes perceptible.

So therefore in the same bandwidth with PCM, you then have -10dB C:N, which is not enough to decode the PCM.

Therefore, PCM is inferior to AM, and you would not only be wasting precious bandwidth, and face considerable issues with other transmissions and the physical design of the antenna, transmitters and receivers, you would also find that it is nowhere near as effective.

Maybe studying something like GSM compression or MP3 compression formats, FEC and COFDM or similar may be your answer.

COFDM with a good FEC system is one of the most robust methods to transfer digital data in the presence of heterodynes there is. With the correct encoding and decoding techniques, you can have easily -80dB C:N because of a heterodyne some 80dB stronger than your signal, and the data would be still decoded correctly. Theoretically you could have hetrodynes thousands of dB stronger than the carrier, but unfortunately the reciever technologies are nowhere near that advanced yet, but even with cheap decoders, you could aim for around 80dB as a realistic goal under ideal situations (which is what you appear to advocate).

Sam
M1FJB

From -3919708145624559060
X-Google-Thread: 108122,3dbae367f2c28d0b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Skype and Ham Radio
Date: 13 Sep 2006 15:41:02 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1158187262.707921.224640@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 70.66.158.62
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158187268 25091 127.0.0.1 (13 Sep 2006 22:41:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 22:41:08 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=70.66.158.62;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6137

A few days ago a local ham and I were discussing QsoNet (qsonet.com) and its effect on the future of ham radio. My posting on QsoNet in this newsgroup generated some interesting feedback.

There is no doubt that VoIP is having a big impact on ham radio. Early programs like IRLP were beneficial in linking repeaters and provided a cost-effective alternative to satellite, land-line or UHF connections. Next generation programs like Echolink and eQSO have RF connection capability but also allow PC based users to interconnect PC-PC, (a free telephone alternative). To me these programs appear to be the same as

IRC, Messenger and all the other PC based VoIP software.

Then along comes Skype. People are signing up in droves and it is now owned by eBay. Recently I heard some hams on the local repeater talk about their Skype calls to other hams. The comment was that it was better than HF without all the noise, fading and interference. On one occasion they left the repeater for Skype in order to finish their QSO because it was more private.

I do not run Skype on my machine but my friend showed me the directory, listing all the hams (using their callsign as ID) that had signed up. I was a bit surprised to see how many fellow hams were now using this program.

My question to those of you reading this newsgroup is as follows: Talking around the world is now free, easy and noise free. Do you think Skype and programs like it (QsoNet, PC Echolink) are contributing to the demise of amateur radio?   Is the mystery or mystique of radio communications evaporating due to these programs and "out-of-the-box" radios.

I think this is the future and I don't like it!!

Roger - a "relic" ham

From 4590218818818910741
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: PayPal horror stories
Date: Wed, 13 Sep 2006 19:11:35 -0400
Message-ID: <k04hg2h09marl25i26vmk47e3vn9r0pej7@4ax.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com> <AfYNg.57$wK4.27@newsfe03.lga> <1158180534.610502.290400@i42g2000cwa.googlegroups.com> <45086d6e$0$19712$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4

NNTP-Posting-Date: 13 Sep 2006 22:15:49 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6138
rec.radio.amateur.homebrew:6902 rec.radio.amateur.policy:44469
rec.radio.shortwave:52725

On Wed, 13 Sep 2006 17:39:04 -0400, <Mark@kb9rqz.com> wrote:

forgery woger
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

From -186526424340813912
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe02.lga.POSTED!53ab2750!not-for-mail
From: "Tim Williams" <tmoranwms@charter.net>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
<45085508.2671FCF2@earthlink.net>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <RL0Og.133$Bb4.42@newsfe02.lga>
X-Trace:
nphhjmdkmllhpdkeijjdnojopddcmjimcmcnfkbemegjpgpghbanndhlogddfllfghofhfkemglgiicohn
kefdmpamognnbkmlgninajkkbffdpnpnajocbajgbepphfenfnojecgjgcfcij

NNTP-Posting-Date: Wed, 13 Sep 2006 16:46:57 MST
Date: Wed, 13 Sep 2006 18:49:06 -0500
Xref: g2news2.google.com sci.electronics.basics:25266 sci.physics.electromag:4347
rec.radio.shortwave:52727 rec.radio.amateur.equipment:6139 uk.radio.amateur:51798

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:45085508.2671FCF2@earthlink.net...
>   You need to do a lot of studying on how to use the dB.

I know full well what a logarithm is; don't patronize me.

My point was that some otherwise ambiguous dB scales (at least one) have a
defined absolute basis.

Tim

--
Deep Fryer: a very philosophical monk.
Website: http://webpages.charter.net/dawill/tmoranwms

From -1279446037380017089
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!03ce4474!not-for-mail
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Organization: Internet Argonaut
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
<45085508.2671FCF2@earthlink.net> <RL0Og.133$Bb4.42@newsfe02.lga>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1

```
Content-Transfer-Encoding: 7bit
User-Agent: MT-NewsWatcher/3.5.1 (Intel Mac OS X)
X-Face: ,cNluD^cTg560%T8O&<Kwl!N>2R3MND4m%ln@,jFig:T/?4`pG(&J/So4b#dr        L[}
ZxZ0m*vGk7]@)+cK-~F2Oywqc2-5Zcr`?1ys#:dGEv%BlKRh"Vebh!P``bcD}2$}}        ?
U},D#0a<X#?i8!eCtVUxI>D*(AmZi(=NzA9%)Wc5C5ZODdwa~%7iN-+\RfW=c:@3w-,
L\Pzawef*7X!9VN#7d;~6Ka-
Message-ID: <telamon_spamshield-
E5BC7E.19380913092006@newsclstr02.news.prodigy.com>
Lines: 45
NNTP-Posting-Host: 207.105.206.163
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1158201490 ST000 207.105.206.163 (Wed, 13 Sep
2006 22:38:10 EDT)
NNTP-Posting-Date: Wed, 13 Sep 2006 22:38:10 EDT
X-UserInfo1:
TSU[@IONVZU[RRDYKZODM^P@VZ\LPCXLLBWLOOAFQATJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Thu, 14 Sep 2006 02:38:10 GMT
Xref: g2news2.google.com sci.electronics.basics:25288 sci.physics.electromag:4353
rec.radio.shortwave:52763 rec.radio.amateur.equipment:6140 uk.radio.amateur:51800
```

In article <RL0Og.133$Bb4.42@newsfe02.lga>,
"Tim Williams" <tmoranwms@charter.net> wrote:

> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
> news:45085508.2671FCF2@earthlink.net...
> >   You need to do a lot of studying on how to use the dB.
>
> I know full well what a logarithm is; don't patronize me.
>
> My point was that some otherwise ambiguous dB scales (at least one) have a
> defined absolute basis.

Like Michael stated dB is a logarithmic reference-less ratio value.

You can use dB for things like amplifiers that have a gain or attenuators that have a loss for example. The gain of an amplifier can be expressed in dB because the reference value is the input value of the amplifier, which will allow you to calculate the output value but if you are speaking of a value of power or voltage by itself then you need an absolute scale with a reference quantity.

Absolute scales would be dBV, dBuV, and dBm. In those terms the reference is 1 volt, 1 micro-volt (0.000001 volt), and 1 milliwatt (.001 watt).

The reason you need a reference value is noise prevents you from measuring 0 Volts and 0 watts accurately so you need to use a small reference value in its place and so everyone agreed to use these values.

Definitions are:

dBV   = 20 * log (volts / 1)
dBuV = 20 * log (volts / 0.000001)
dBm = 10 * log (power / .001)

So for example:
 30 dBm = 1.0 watt
   0 dBm = 0.001 watt (the reference value)
-30 dBm = 0.000001 watt

Most of the time in radio dBm, dBuV, and watts are used.

--
Telamon
Ventura, California

From -1678331890377279029
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <4508CFB1.73681971@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
<45085508.2671FCF2@earthlink.net> <RL0Og.133$Bb4.42@newsfe02.lga>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Thu, 14 Sep 2006 03:43:13 GMT
NNTP-Posting-Host: 24.110.34.161

```
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158205393 24.110.34.161 (Wed, 13 Sep
2006 20:43:13 PDT)
NNTP-Posting-Date: Wed, 13 Sep 2006 20:43:13 PDT
Xref: g2news2.google.com sci.electronics.basics:25299 sci.physics.electromag:4355
rec.radio.shortwave:52786 rec.radio.amateur.equipment:6141 uk.radio.amateur:51801

Tim Williams wrote:
>
> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
> news:45085508.2671FCF2@earthlink.net...
> >   You need to do a lot of studying on how to use the dB.
>
> I know full well what a logarithm is; don't patronize me.
>
> My point was that some otherwise ambiguous dB scales (at least one) have a
> defined absolute basis.


   I'm not "Patronizing" you.  You were using it in the wrong context.



--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida



From 3331045574513511303
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-
media.com!newspeer1-win.ntli.net!newsfe2-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian Reay" <see@website.invalid>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
```

```
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
<45085508.2671FCF2@earthlink.net> <RL0Og.133$Bb4.42@newsfe02.lga>
<telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <4s6Og.23223$7D6.6579@newsfe2-win.ntli.net>
Date: Thu, 14 Sep 2006 06:15:28 GMT
NNTP-Posting-Host: 86.27.48.92
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe2-win.ntli.net 1158214528 86.27.48.92 (Thu, 14 Sep 2006 07:15:28
BST)
NNTP-Posting-Date: Thu, 14 Sep 2006 07:15:28 BST
Organization: ntl Cablemodem News Service
Xref: g2news2.google.com sci.electronics.basics:25311 sci.physics.electromag:4358
rec.radio.shortwave:52806 rec.radio.amateur.equipment:6142 uk.radio.amateur:51802


"Telamon" <telamon_spamshield@pacbell.net.is.invalid> wrote in message
news:telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com...
 > Absolute scales would be dBV, dBuV, and dBm. In those terms the
> reference is 1 volt, 1 micro-volt (0.000001 volt), and 1 milliwatt
> (.001 watt).
>
> The reason you need a reference value is noise prevents you from
> measuring 0 Volts and 0 watts accurately so you need to use a small
> reference value in its place and so everyone agreed to use these
> values.

Given you are discussing use of the dB, I think the above leaves a bit out.
You can't use 0W as your reference because, given the definition of the dB,
you'd need to divide by 0 which, as I'm sure you know, isn't acceptable.

--
73
Brian
www.g8osn.org.uk





From 792984010772118165
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
```

mail
From: "Clayton" <Evans8119@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom Tuning?...Help Please
Date: 14 Sep 2006 01:34:28 -0700
Organization: http://groups.google.com
Lines: 34
Message-ID: <1158222868.066595.280530@h48g2000cwc.googlegroups.com>
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
   <eTSNg.51753$Qb2.3597@trnddc08>
   <gLGdnQfU1Iw67JXYnZ2dnUVZ_oadnZ2d@comcast.com>
NNTP-Posting-Host: 207.200.116.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158222873 12379 127.0.0.1 (14 Sep 2006 08:34:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 14 Sep 2006 08:34:33 +0000 (UTC)
In-Reply-To: <gLGdnQfU1Iw67JXYnZ2dnUVZ_oadnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; SV1; FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [ntc-tc071 8.4.1], HTTP/1.1 cache-ntc-ac08.proxy.aol.com[CFC87489] (Traffic-Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=207.200.116.137;
   posting-account=tp2JsQ0AAADqjU5oZLMjcmLcp3UFW3ez
Xref: g2news2.google.com rec.radio.amateur.equipment:6143

Hi Brenda Ann,
Ok,I got a closer look at the switch and it isn't a pot(not that I was doubting you)that's for sure.
Thank you for the offer on the schematic,I just got one downloaded.
Is there a way to test this switch(out of circuit) to see if its the culprit?
Do you think that this is even what could be causing my problem?
I did notice that if I turned the knob real fast I could get a 5-10 KHz change on the display but that's it.

Hi rEn,
I'm not seeing a lock feature on the rig or in the manual.
That would be great if that was the problem though,but I can get a a few 5-10 KHz change on the display when I turn the knob but that's it...its like its slipping in a way only everything feels tight.

Dale,
Your right,I probably shouldn't be working on it but there's no better way to learn. Plus when you don't have the money to get it professionally worked there's not much else to do.

Hi Pete,
Ok,I will put the encoder back in and check for 5 volts on the V+

terminal.
If I do get 5 volts then I might have a bad uP(what's that?)is there a
way to test that as well?
I sure hope the radio isn't trash,I would really love to run it as it
has a bunch of features non of my other radios have and I sure wouldn't
be able to afford one with these features.

Thanks for the help everyone its most appreciated

```
From 6677087968895398607
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.clear.net.nz!
news.clear.net.nz.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 07:13:09 -0500
From: jasen <jasen@free.net.nz>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 14 Sep 2006 09:29:49 GMT
Organization: Debian GNU/Linux site
Message-ID: <eeb7ed$plg$4@gonzo.homenet>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net>
<1158110898.180866.158150@d34g2000cwd.googlegroups.com>
X-Face: ?)Aw4rXwN5u0~$nqKj`xPz>xHCwgi^q+^?Ri*+R(&uv2=E1Q0Zk(>h!
~o2ID@6{uf8s;a+M[5[U[QT7xFN%^gR"=tuJw%TXXR'Fp~W;(T"1(739R%m0Yyyv*gkGoPA.
$b,D.w:z+<'"=-lVT?6{T?=R^:W5g|E2#EhjKCa+nt":4b}
dU7GYB*HBxn&Td$@f%.kl^:7X8rQWd[NTc"P"u6nkisze/Q;8"9Z{peQF,w)7UjV$c|RO/mQW/
NMgWfr5*$-Z%u46"/00mx-,\R'fLPe.)^
User-Agent: slrn/0.9.8.1 (Debian)
X-Original-NNTP-Posting-Host: news.compass.net.nz
X-Original-Trace: 15 Sep 2006 00:13:03 +1200, news.compass.net.nz
Lines: 20
NNTP-Posting-Host: 203.97.37.6
X-Trace:
sv3-1HbgcB2Zh5eQLc+zh0x3gPewnKaZ9SA5aZX5bSRlZuya1DnK80xUXkiLbKnKNsSO7as1qtmkkX0By4
```

```
w!kjp8urT8fqlgZ/GPWERzvR0AkGidBMUQx58wmTCWqjnnN7TTAdm0b2SPhyrt0A==
X-Complaints-To: Complaints to abuse@clear.net.nz
X-DMCA-Complaints-To: Complaints to abuse@clear.net.nz
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com sci.electronics.basics:25327 sci.physics.electromag:4367
rec.radio.shortwave:52825 rec.radio.amateur.equipment:6144 uk.radio.amateur:51836

On 2006-09-13, Radium <glucegen1@excite.com> wrote:


>> > Easy for you to ask. I doubt any store has the device. And the
>> > equipment required to amplify .00000000001 dB to an audible level would
>> > take up the entire room.
>>
>
>> There is no such thing as a .00000000001 dB signal
>
> Whats stops a .00000000001 dB signal from existing?

Nothing, it's just indistinguishable from a 0db signal.

In other words it's about half the amplitide of a 3db signal...

It's a logarythmic scale.

Bye.
   Jasen



From 3805765494971132586
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.clear.net.nz!
news.clear.net.nz.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 07:13:10 -0500
From: jasen <jasen@free.net.nz>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 14 Sep 2006 09:24:48 GMT
Organization: Debian GNU/Linux site
Message-ID: <eeb750$plg$3@gonzo.homenet>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
```

```
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net>
X-Face: ?)Aw4rXwN5u0~$nqKj`xPz>xHCwgi^q+^?Ri*+R(&uv2=E1Q0Zk(>h!
~o2ID@6{uf8s;a+M[5[U[QT7xFN%^gR"=tuJw%TXXR'Fp~W;(T"1(739R%m0Yyyv*gkGoPA.
$b,D.w:z+<'"=-lVT?6{T?=R^:W5g|E2#EhjKCa+nt":4b}
dU7GYB*HBxn&Td$@f%.kl^:7X8rQWd[NTc"P"u6nkisze/Q;8"9Z{peQF,w)7UjV$c|RO/mQW/
NMgWfr5*$-Z%u46"/00mx-,\R'fLPe.)^
User-Agent: slrn/0.9.8.1 (Debian)
X-Original-NNTP-Posting-Host: news.compass.net.nz
X-Original-Trace: 15 Sep 2006 00:13:03 +1200, news.compass.net.nz
Lines: 15
NNTP-Posting-Host: 203.97.37.6
X-Trace: sv3-
WVRabAvRg5QFbEOp1lmGmVeBKQgLpE+ImXyOwG2+uT3GkLr04O1vKnqYwUvsgC9YT060+T1naLdtTIe!
DH88ZgBMasyjhNirhru+D3TGVpKFRsQPSNGfFWo6h3/1gZ0yM0ghw9P9mbqwBQ==
X-Complaints-To: Complaints to abuse@clear.net.nz
X-DMCA-Complaints-To: Complaints to abuse@clear.net.nz
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com sci.electronics.basics:25328 sci.physics.electromag:4368
rec.radio.shortwave:52826 rec.radio.amateur.equipment:6145 uk.radio.amateur:51837

On 2006-09-13, Don Bowey <dbowey@comcast.net> wrote:
> On 9/12/06 3:57 PM, in article
> 1158101873.512051.309060@d34g2000cwd.googlegroups.com, "Radium"
><glucegen1@excite.com> wrote:

>
> In fringe areas, analog cell phones could be well understood despite the
> poor signal-to-noise ratio.  Digital cell phones in a fringe area just quit
> working, or lose sync and you hear bits of other conversations.
>

with GSM phones I got a "guitar sounding" effect in marginal areas

Bye.
   Jasen



From 3587877802551755778
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <45095D2A.E87A2DB0@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net>
<1158110898.180866.158150@d34g2000cwd.googlegroups.com>
<eeb7ed$plg$4@gonzo.homenet>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 34
Date: Thu, 14 Sep 2006 13:46:37 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158241597 24.110.34.161 (Thu, 14 Sep
2006 06:46:37 PDT)
NNTP-Posting-Date: Thu, 14 Sep 2006 06:46:37 PDT
Xref: g2news2.google.com sci.electronics.basics:25337 sci.physics.electromag:4370
rec.radio.shortwave:52853 rec.radio.amateur.equipment:6146 uk.radio.amateur:51844

jasen wrote:
>
> On 2006-09-13, Radium <glucegen1@excite.com> wrote:
>
> >> > Easy for you to ask. I doubt any store has the device. And the
> >> > equipment required to amplify .00000000001 dB to an audible level would
> >> > take up the entire room.
> >>
> >
> >> There is no such thing as a .00000000001 dB signal
> >
> > Whats stops a .00000000001 dB signal from existing?
>
> Nothing, it's just indistinguishable from a 0db signal.
>
```

> In other words it's about half the amplitide of a 3db signal...
>
> It's a logarythmic scale.
>
> Bye.
> Jasen

No, without a reference, its use is meaningless. He was trying to use dB for an absolute signal level, not a ratio.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 6983245350917659208
X-Google-Thread: 10bf43,5e527bf4b31f44c2,start
X-Google-Thread: 107ada,5e527bf4b31f44c2,start
X-Google-Thread: fc8b1,5e527bf4b31f44c2,start
X-Google-Thread: 108122,5e527bf4b31f44c2,start
X-Google-Thread: fc2a5,5e527bf4b31f44c2,start
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 10:17:04 -0500
Date: Thu, 14 Sep 2006 11:16:41 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
Subject: QRP-ARCI
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
Lines: 7
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-
rwmocxANIWHxCR3AQatAZFOuYqnmP3UPP0GFgGoxCeLoaLue+LTU4iK0MeXUhr7c+ld8x2w4xzBH1r0!
kRwSGEB32oIZq/0uUweeRFeXIjSFZZH71gQNLiiL1CReV3IJzzlAK0V1UY0kW58Ib2ydn3Pya3SA!
vh31UbjX+GWEAVFS3Ohj
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:44552
rec.radio.amateur.misc:21549 rec.radio.amateur.boatanchors:5364
rec.radio.amateur.equipment:6147 rec.radio.amateur.homebrew:6912
```

For a disgusting example of what happens when a small minded petty group decides to have a vendetta against a member.

http://w2agn/qrparci.html

Also what happens when we allow any foreign power, including the British, to take over an American institution.

```
From -3822001899623118759
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 10:50:39 -0500
Date: Thu, 14 Sep 2006 11:50:19 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.6) Gecko/20060730
SeaMonkey/1.0.4
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
Subject: Re: QRP-ARCI
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
In-Reply-To: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
Lines: 13
NNTP-Posting-Host: 66.44.105.246
X-Trace: sv3-KzgJhIIzN+NVaYkIx+SlER/ky5SlMg+cfGJv2k+fGedo0Ui7ytE+VCmjle9fLiwi/
5uieCGcVWlSgk+!
eQxANRRJg9SB5e4XdXMHl6/0lGwHUNGSGfv8ouSADpRIpuwilcU2SXnHexCiWI3tYFx1dINvDvkU!UA==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:44554
rec.radio.amateur.misc:21551 rec.radio.amateur.boatanchors:5365
rec.radio.amateur.equipment:6148 rec.radio.amateur.homebrew:6913

NoMoreSpam wrote:
> For a disgusting example of what happens when a small minded petty group
> decides to have a vendetta against a member.
>
> http://w2agn/qrparci.html
>
> Also what happens when we allow any foreign power, including the
> British, to take over an American institution.

Your righteous indignation would probably have worked better if you
had provided a valid URL.

-Chuck

From 5236082360357304458
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 11:59:22 -0500
Message-ID: <45098A53.4000707@qrparci.org>
Date: Thu, 14 Sep 2006 12:58:59 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
To: Chuck Harris <cf-NO-SPAM-harris@erols.com>
Subject: Re: QRP-ARCI
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
In-Reply-To: <zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-LiMXO747CrILrIrX9i1zczH/vrxwUnq+71p+ZtN64hJlMGgg/
CVio7UARHMfvibenKv4kSkM4LVmBNq!ZmTm9ygHEuc2BhxqgDbkUCP626kiDh/

```
93F+kBbSOsIFKKI4t30xvA/uEMnWxYliVIqErCmLQ12c=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:44577
rec.radio.amateur.misc:21572 rec.radio.amateur.boatanchors:5366
rec.radio.amateur.equipment:6149 rec.radio.amateur.homebrew:6914

Chuck Harris wrote:
> NoMoreSpam wrote:
>> For a disgusting example of what happens when a small minded petty
>> group decides to have a vendetta against a member.
>>
>> http://w2agn/qrparci.html
>>
>> Also what happens when we allow any foreign power, including the
>> British, to take over an American institution.
>
> Your righteous indignation would probably have worked better if you
> had provided a valid URL.
>
> -Chuck

You are correct. That's what happens when one gets freally p*ssed off! The URL
should be:

http://w2agn.net/qrparci.html

Thanks Chuck!



From 2367689318837429147
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 12:00:07 -0500
Message-ID: <45098A80.4040501@qrparci.org>
Date: Thu, 14 Sep 2006 12:59:44 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
```

```
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
To: Chuck Harris <cf-NO-SPAM-harris@erols.com>
Subject: Re: QRP-ARCI
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
In-Reply-To: <zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-lely23ajcMrb9eNhZ51X7zgkv69aODsQaHf0aRE2HmwVAUPuq8pyGd1ZgvtLrISaypEE/
zAL5Nwxe8u!
3Yk3gAfumE52ihlWRwHD2Yi1UtkXcrCVXIIRL7djHVF2XgCtGhuEsh6iRAdQeD3OZFoXM4q7f1Y=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:44578
rec.radio.amateur.misc:21573 rec.radio.amateur.boatanchors:5367
rec.radio.amateur.equipment:6150 rec.radio.amateur.homebrew:6915

Chuck Harris wrote:
> NoMoreSpam wrote:
>> For a disgusting example of what happens when a small minded petty
>> group decides to have a vendetta against a member.
>>
>> http://w2agn/qrparci.html
>>
>> Also what happens when we allow any foreign power, including the
>> British, to take over an American institution.
>
> Your righteous indignation would probably have worked better if you
> had provided a valid URL.
>
> -Chuck

You are correct. That's what happens when one gets really p*ssed off! The URL
should be:

http://w2agn.net/qrparci.html

Thanks Chuck!


From -5088704451219360515
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
```

X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 12:00:33 -0500
Date: Thu, 14 Sep 2006 13:00:10 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
Subject: Re: QRP-ARCI
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
In-Reply-To: <zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-AG9gml4N4v7zFmUFL+l/
pr7OvcK7QmAuYIc4HuagOrf8+ybGvfQuk2GlEh3L+FJSyQSnUPhS/KOy4vX!
hPcSzY9a6gfXdb3812NClZ/eriEndId1QWihjQ4crmZS1r6xtkcpP3mX9JgJott1zkR2hLLBDNbw!
CYGV9+n6VFRug0NdhlvU
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:44579
rec.radio.amateur.misc:21574 rec.radio.amateur.boatanchors:5368
rec.radio.amateur.equipment:6151 rec.radio.amateur.homebrew:6916

Chuck Harris wrote:
> NoMoreSpam wrote:
>> For a disgusting example of what happens when a small minded petty
>> group decides to have a vendetta against a member.
>>
>> http://w2agn/qrparci.html
>>
>> Also what happens when we allow any foreign power, including the
>> British, to take over an American institution.
>
> Your righteous indignation would probably have worked better if you
> had provided a valid URL.
>
> -Chuck

You are correct. That's what happens when one gets really p*ssed off! The URL should be:

http://w2agn.net/qrparci.html

Thanks Chuck!

```
From 8842614392561969119
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: "K7ITM" <k7itm@msn.com>
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Overheating AA batteries
Date: 14 Sep 2006 10:27:20 -0700
Organization: http://groups.google.com
Lines: 61
Message-ID: <1158254840.360428.316620@k70g2000cwa.googlegroups.com>
References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
   <EdFMg.30957$ry2.6768@bignews3.bellsouth.net>
   <34c6g2pv3c1iktjatf4sfsrfk1mkj69chg@4ax.com>
NNTP-Posting-Host: 192.25.240.225
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158254845 25874 127.0.0.1 (14 Sep 2006 17:27:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 14 Sep 2006 17:27:25 +0000 (UTC)
In-Reply-To: <34c6g2pv3c1iktjatf4sfsrfk1mkj69chg@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=192.25.240.225;
   posting-account=phdUIAwAAABBVjeZzACGtATOLRtXatU-
Xref: g2news2.google.com rec.crafts.metalworking:91856
rec.radio.amateur.homebrew:6918 rec.radio.amateur.equipment:6152
```

Chemistry lesson for the day:

Be careful what you call the cathode and what you call the anode. Oxidation ALWAYS occurs at the Anode, and reduction always occurs at the cathode. The oxidation process results in a chemical losing electrons, and the reduction process results in a chemical gaining electrons. (Mnemonics: "oxidation" and "anode" both start with vowels; "reduction" and "cathode" both start with consonants. "LEO sez GER": Loss of Electrons is Oxidation. Gain of Electrons is Reduction.) In a cell delivering power, the ANODE is the NEGATIVE terminal--the electrons given up in the oxidation chemical reaction come out there. If you re-charge the cell, the roles of anode and cathode are reversed. You feed electrons into the negative terminal, and (with luck) cause a reduction reaction where the chemical at that pole picks up the electrons and is converted back to what it was when the battery was freshly charged.

Cheers,
Tom

Mark Rand wrote:
> On Sat, 09 Sep 2006 16:11:20 -0400, ken scharf
> <wa2mzeNOSPAMBOTS@bellsouth.net> wrote:
>
> >bart wrote:
> >> This evening the GF noticed that the remote control wasn't working &
> >> was hot.
> >> I pulled out the extremely hot AA batteries.
> >> It looks like the spring contact in the remote control, on the
> >> negative side had worn away the plastic covering on the side of the
> >> battery & shorted the side metal battery casing to the negative
> >> contact, thereby causing the overheating.
> >> In my many years of battery dissection, I've never seen the side
> >> casing of a battery being positive before!
> >> These were "Golden Power" alkaline batteries, made in China.
> >> They were the original batteries that came with the remote (for a
> >> Shaw digital cable box).
> >> Anyone ever seen a positive case AA battery before, or is this a new (
> >> dumb) idea?
> >I've seen many Alkaline batteries with the outside casing connected to
> >the 'tit' on top as the positive and the bottom flat connector was
> >insulated from the body of the battery. alkaline batteries have
> >different chemistry from carbon zinc resulting in an inverted
> >construction. This may actually be the norm, but in the larger sizes
> >the plastic outer wrap hides the details.   Just looked at a DuraCell
> >"D" and it is of the inverted construction, but the insulation of the
> >battery bottom (-) terminal from the case of the battery is hidden
> >under the plastic wrapping.
>
>
> Since it's the cathode that gets eaten in whichever reaction is used for the
> battery type, it might make sense to have the anode as the case.
>
> I could have done with this 25 years ago when I got sent abroad for work for
> three of months and came back to find that the transistor radio batteries had
> leaked all over one of my (expensive) loudspeakers :-(
>
> Mark Rand
> RTFM

From 3508325603508918716

```
X-Google-Thread: 108122,bd88b5daeeb4b927,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS TenTec 937 Powe Supply
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <2fLOg.8673$B14.2700@dukeread03>
Date: Fri, 15 Sep 2006 23:40:34 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1158381630 68.109.223.91 (Sat, 16 Sep 2006 00:40:30 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 00:40:30 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6204
```

FS TenTec 937 Power Supply, 115/230 VAC, 13.8 VDC, 11amp intermittant, 7amp continuous (made by Astron?) for SCOUT (555/556). This Unit is AS NEW, not a mark on it, works perfectly. Price is $55 plus shipping. Thanks, Charlie Hugg, K5MBX

```
From 3710722820312409465
X-Google-Thread: 10dafd,4e04fee6a83347bd,start
X-Google-Thread: 108122,4e04fee6a83347bd,start
X-Google-Thread: 108228,4e04fee6a83347bd,start
X-Google-Thread: 1062f2,4e04fee6a83347bd,start
X-Google-Attributes: gid10dafd,gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 16 Sep 2006 06:27:28 -0500
Subject: FA: 1-Day-Left: Electronics BREADBOARD Experiments Laboratory,
Components, and more...
Date: Sat, 16 Sep 2006 07:27:28 -0400
From: Ben <ben@dkjpaspown.com>
Newsgroups: alt.marketplace.online.ebay,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <160920060727289298%ben@dkjpaspown.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
```

```
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-mYGQ258YMKnf9oU5C33qM0gbJGUGAaLBmPU/HSUUM715b4HtWrRdOUv1X0tq/
ClJLYprub/mlkgcVq0!
5qwBGKM0w2zr8LOu9tpM9zORod4DvxsIA5VUxqlosgAihnEwrvl06ls6RV5OFZj/qXj+T9gSX4Iz!
qydxn2zcl3NVYNO0xTzC
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.marketplace.online.ebay:21848
rec.radio.amateur.equipment:6205 alt.ham-radio.marketplace:1306
misc.industry.electronics.marketplace:635


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320026900152



From 7300008928569797437
X-Google-Thread: 1109af,ff7ec47c00ebdf1c,start
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c,start
X-Google-Thread: 108122,ff7ec47c00ebdf1c,start
X-Google-Thread: fa029,ff7ec47c00ebdf1c,start
X-Google-Thread: fb049,ff7ec47c00ebdf1c,start
X-Google-Thread: 107ada,ff7ec47c00ebdf1c,start
X-Google-Thread: 108228,ff7ec47c00ebdf1c,start
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.volia.net!news.ecp.fr!
news.motzarella.org!not-for-mail
From: "Brian Griffey" <telstarelectronics@yahoo.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: CB radio amplifiers for sale CHEAP!
Date: Sat, 16 Sep 2006 07:54:34 -0400
Organization: Telstar Electronics
Lines: 5
Message-ID: <eegols$1e24$1@registered.motzarella.org>
X-Trace: U2FsdGVkX1/
F2+jQbrdCtNE0kGELTfdGXsVb0G9sd6rFZ9qYsZObyyJj3uiZTaZf+86yiNRKxTliiomaUtOTPVCm2Y1ll
fnDxDefviKpAKohyDt7ueGffHblDJxbmKs+salzvfuZ0Pm/
IczS4yYggK5WoM+I9zcmBy3Y9txppbaZYhtqhaqfQbbX0Y6PZzZro5ZIjRXdVq8=
X-Complaints-To: abuse@motzarella.org
NNTP-Posting-Date: Sat, 16 Sep 2006 11:54:37 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
```

X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.swap:7542 rec.radio.amateur.boatanchors:5394
rec.radio.amateur.equipment:6206 rec.radio.scanner:6300 alt.ham-radio.vhf-uhf:2647
rec.radio.amateur.misc:21667 alt.ham-radio.marketplace:1307

I build these in my basemant.

www.telstar-electronics.com

From -2094893158825904150
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.7 (Windows/20060909)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
In-Reply-To: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <S1TOg.1901$GR.264@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 70.255.142.142
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1158413554 ST000 70.255.142.142 (Sat, 16 Sep
2006 09:32:34 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 09:32:34 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJSCTS@]S\YYVBOD]_\@VR]^@B@MCPWZKB]MPXHTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Sat, 16 Sep 2006 13:32:34 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:18360
rec.radio.amateur.equipment:6207 rec.radio.amateur.policy:44757
rec.radio.swap:7543

Slow Code wrote:
> Step 2: The passing score for written exams needs to be raised to 85%.

```
If 85% is good, wouldn't 100% be better?

> Step 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.

If 13/20 is good, wouldn't 30 wpm be better?
--
73, Cecil  http://www.w5dxp.com


From 2664624504013990090
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c,start
X-Google-Thread: 107ada,99e737fa6a11118c,start
X-Google-Thread: 1009ad,99e737fa6a11118c,start
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.freenet.de!news.buerger.net!open-news-network.org!
usenet.ath.cx!usenet2.ath.cx!not-for-mail
From: "Norman  Triantafilos" <KB9YGD@lycos.net>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: Re: Black People are not Welcome in RRAP
Date: Sat, 16 Sep 2006 10:12:56 -0400
Organization: Greek
Lines: 22
Message-ID: <eeh0pj$id3$1@usenet2.ath.cx>
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
X-Complaints-To: abuse@usenet.ath.cx
NNTP-Posting-Date: Sat, 16 Sep 2006 14:13:07 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.policy:44759
rec.radio.amateur.equipment:6208 rec.radio.amateur.misc:21668
alt.radio.scanner:2850

niggers suck
>
<kb9rqz@hotmail.com> wrote in message
news:1151082732.880134.164780@m73g2000cwd.googlegroups.com...
>
> On Sun, 25 Jun 2006 03:41:27 GMT, Doug Freyburger
> <dfreybur@yahoo.comNOSPAM> wrote:
>> This (rec.radio.amateur.policy) is a WHITES ONLY group.
>>
```

```
>> Niggers keep out!
>>
>>
>> Hail Asgard!
>> Doug Freyburger
>
> Nigers and balks arent the same things but Iwolud agree teh nigers
> like wismen arent welcoem but they kepe posting anyway.  Black poeple
> dont comearound here anyways becaues they arent smart enough tog et
> a license.
>




From -7727643706652350372
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!news.coretel.net!not-for-mail
From: "L." <nospam@tnospam.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<S1TOg.1901$GR.264@newssvr29.news.prodigy.net>
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Sat, 16 Sep 2006 11:06:10 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Lines: 66
Message-ID: <450c12d9$0$21520$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: fbcce4cc.news.coretel.net
X-Trace: DXC=JR?
B7LAVcN^l]^S^C`kNORcYX6N<OEXQ[nY<DD4N7S`Vf2f_6AjcV;PJ[>hlFVTXS\ETAn>VmKQ9U
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:18366
rec.radio.amateur.equipment:6209 rec.radio.amateur.policy:44766
rec.radio.swap:7544

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:S1TOg.1901$GR.264@newssvr29.news.prodigy.net...
> Slow Code wrote:
```

>> Step 2: The passing score for written exams needs to be raised to 85%.
>
> If 85% is good, wouldn't 100% be better?
>
>> Step 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> If 13/20 is good, wouldn't 30 wpm be better?
> --
> 73, Cecil http://www.w5dxp.com

I had quit following this mundane thread for a while, looking in only on occasion. I must wonder - it is being "recommended" "apparently" by "slow code" to raise the CW rates to 13wpm General and 20wpm Extra.
DUH - we "were" there already.

I've said before and I'll say it again. I'm not a "code" lover, but I've learned it and used it and sometimes listen to it. Will it save a life? Probably not - but still - the chance is there just the same as for any other mode. You use what you have available. CODE did NOT keep the crap off the ham bands, so to put it back in or KEEP it in, is sort of useless to argue about. While "I" think 5 wpm is about as easy as you're going to get - it seems far too many still cry about it. Yes, you could make the written tests tougher - but that sucks too - because in a sense - they're "not" any tougher when you're being given the answers in a book. And most of those books cover "just" enough to pass the exams - they by no means "teach" you electronics. In days gone by - you had to have at least a basic grasp of electronics to be able to pass the exams. I'm not saying you had to be a "Technician" with years of experience - I'm saying you had to know more than these books teach. At that time - you had NO clue what the FCC would ask. I've still got sample study guides sent by the FCC if asked - and they were "vague".

CODE, EXAMS - nothing will keep the riffraff off the bands. This is a lawless society anymore - people do as they damned well please. CB got quiet in many areas not due to Cell Phones - it happened long before. It happened in many places based on what I've learned - because of the garbage. Ham will be the same way if it isn't respected. We're in a NO WIN situation.

I find it amazing, people with illegal amps and radios will defend them to the hilt - like a murderer caught with a smoking gun - claiming his/her innocence. If the government agency deems them illegal - then they are - no excuses. Just like the speed laws - if the road is marked 25, that is what it is - plain and simple. If we all took responsbility for our actions - maybe things wouldn't be so damned bad. I know lots of cbers who got out of cb BECAUSE those with the illegal amps and radios "splashed" so bad, they couldn't even talk on the radio. So, tell me again - how those illegal radios and amps are helping? Hams have a rule of using the minimum necessary to carry out the communications. IT DOES WORK! QRP (Low Power) is part of the challenge! 500- 1000 watts or more - any dummy can do. If you want to be known as an "Alligator" station - ALL mouth and NO ears.... keep using that garbage. Who wants to talk to them? That is as irritating as static on an AM radio station. Listen to Channel 6 on the CB - there is a guy who constantly talks - HOW he hears anyone is beside me. I think he talks just to hear himself talk. AND being he is in the south, he has to be running some power. If everyone operated like that, the bands would be total chaos, no one talking to anyone - only to themselves. How the FCC hasn't busted him yet - is amazing.

Just my 2 cents.

L.

```
From -8369935319777734901
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 16 Sep 2006 10:14:57 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Sat, 16 Sep 2006 08:14:56 -0700
Subject: Re: CB radio amplifiers for sale CHEAP!
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Message-ID: <C1316300.43595%dbowey@comcast.net>
References: <eegols$1e24$1@registered.motzarella.org>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 14
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-GfDRWwERwo6T7dWA96Dta/
SNecHCMWzhVXSseVu1AnMpaxGaMXYXzjYq2HzUxEvqQbO6E1xbmGocCXZ!
LHco5o7fTpHo4qxsWSznwODLTQNYfmKLyAEX37FvlOrM2EwR+yuQH9BM7tVR8FS8vGP0gZcm
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7545 rec.radio.amateur.boatanchors:5396
rec.radio.amateur.equipment:6210 rec.radio.scanner:6302 alt.ham-radio.vhf-uhf:2648
rec.radio.amateur.misc:21671 alt.ham-radio.marketplace:1309
```

On 9/16/06 4:54 AM, in article eegols$1e24$1@registered.motzarella.org,
"Brian Griffey" <telstarelectronics@yahoo.com> wrote:

> I build these in my basemant.
>
> www.telstar-electronics.com
>
>

Thanks.

Forwarded to FCC.

```
From -3225909424437484103
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!news.motzarella.org!
not-for-mail
From: "The Professor" <telstarelectronics@yahoo.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Sat, 16 Sep 2006 12:09:43 -0400
Organization: Telstar Electronics
Lines: 23
Message-ID: <eeh7ka$1oee$1@registered.motzarella.org>
References: <eegols$1e24$1@registered.motzarella.org>
<C1316300.43595%dbowey@comcast.net>
X-Trace:
U2FsdGVkX183sgmQuwaXKoEMCeUrY9LPnhJKeQBZtcFRFN3PMtE5WK2BXpxt3EKB6UHYtwOTgJDZsdVY1+
cA5JT7LRCfxPgUx0l/c+hqLit//Q/
ox16FTd07j4hDTRIbar2VjQMcLpTzYIjUuLthISa2me1bH57BtmOpSGGx+SDTK+y11X7c94fIt4GkcffEc
tddHb89ROg=
X-Complaints-To: abuse@motzarella.org
NNTP-Posting-Date: Sat, 16 Sep 2006 16:09:47 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
```

```
Xref: g2news2.google.com rec.radio.swap:7546 rec.radio.amateur.boatanchors:5397
rec.radio.amateur.equipment:6211 rec.radio.scanner:6303 alt.ham-radio.vhf-uhf:2649
rec.radio.amateur.misc:21672 alt.ham-radio.marketplace:1310

You didn't forward shit you crybaby. LOL

www.telstar-electronics.com

>
"Don Bowey" <dbowey@comcast.net> wrote in message
news:C1316300.43595%dbowey@comcast.net...
> On 9/16/06 4:54 AM, in article eegols$1e24$1@registered.motzarella.org,
> "Brian Griffey" <telstarelectronics@yahoo.com> wrote:
>
>> I build these in my basemant.
>>
>> www.telstar-electronics.com
>>
>>
>
> Thanks.
>
> Forwarded to FCC.
>
>




From 8287454354778027039
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!bigfeed3.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews1.bellsouth.net.POSTED!baefb1e5!not-for-mail
From: "Sparky" <ecregger@bellsouff.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<S1TOg.1901$GR.264@newssvr29.news.prodigy.net>
<450c12d9$0$21520$ecde5a14@news.coretel.net>
Subject: Re: Ham radio can help President Bush and America's war on terror.
Lines: 103
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
```

```
X-RFC2646: Format=Flowed; Response
Message-ID: <5pVOg.468$zF5.362@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcboggfmdnpcgnbkmbiekfanmadjecgbmcbfnb
alhhjejkajkdnencnohkaabhndkoefhfmjcikamagghflconanjkbbnfdniipcfghccjlhodhihlcn
NNTP-Posting-Date: Sat, 16 Sep 2006 12:13:53 EDT
Organization: BellSouth Internet Group
Date: Sat, 16 Sep 2006 12:13:42 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:18371
rec.radio.amateur.equipment:6212 rec.radio.amateur.policy:44767
rec.radio.swap:7547


"L." <nospam@tnospam.com> wrote in message
news:450c12d9$0$21520$ecde5a14@news.coretel.net...
> "Cecil Moore" <mycall@hotmail.com> wrote in message
> news:S1TOg.1901$GR.264@newssvr29.news.prodigy.net...
>> Slow Code wrote:
>>> Step 2: The passing score for written exams needs to be raised to 85%.
>>
>> If 85% is good, wouldn't 100% be better?
>>
>>> Step 3: Code elements should be 13 wpm for General, and 20 wpm for
>>> Extra.
>>
>> If 13/20 is good, wouldn't 30 wpm be better?
>> --
>> 73, Cecil  http://www.w5dxp.com
>
> I had quit following this mundane thread for a while, looking in only on
> occasion. I must wonder - it is being "recommended" "apparently" by "slow
> code" to raise the CW rates to 13wpm General and 20wpm Extra.
> DUH - we "were" there already.
>
> I've said before and I'll say it again. I'm not a "code" lover, but I've
> learned it and used it and sometimes listen to it. Will it save a life?
> Probably not - but still - the chance is there just the same as for any
> other mode. You use what you have available. CODE did NOT keep the crap
> off the ham bands, so to put it back in or KEEP it in, is sort of useless
> to argue about. While "I" think 5 wpm is about as easy as you're going to
> get - it seems far too many still cry about it. Yes, you could make the
> written tests tougher - but that sucks too - because in a sense - they're
> "not" any tougher when you're being given the answers in a book. And most
> of those books cover "just" enough to pass the exams - they by no means
> "teach" you electronics. In days gone by - you had to have at least a
> basic grasp of electronics to be able to pass the exams. I'm not saying
> you had to be a "Technician" with years of experience - I'm saying you had
> to know more than these books teach. At that time - you had NO clue what
> the FCC would ask. I've still got sample study guides sent by the FCC if
> asked - and they were "vague".
>
```

> CODE, EXAMS - nothing will keep the riffraff off the bands. This is a lawless society anymore - people do as they damned well please. CB got quiet in many areas not due to Cell Phones - it happened long before. It happened in many places based on what I've learned - because of the garbage. Ham will be the same way if it isn't respected. We're in a NO WIN situation.
>
> I find it amazing, people with illegal amps and radios will defend them to the hilt - like a murderer caught with a smoking gun - claiming his/her innocence. If the government agency deems them illegal - then they are - no excuses. Just like the speed laws - if the road is marked 25, that is what it is - plain and simple. If we all took responsbility for our actions - maybe things wouldn't be so damned bad. I know lots of cbers who got out of cb BECAUSE those with the illegal amps and radios "splashed" so bad, they couldn't even talk on the radio. So, tell me again - how those illegal radios and amps are helping? Hams have a rule of using the minimum necessary to carry out the communications. IT DOES WORK! QRP (Low Power) is part of the challenge! 500- 1000 watts or more - any dummy can do. If you want to be known as an "Alligator" station - ALL mouth and NO ears.... keep using that garbage. Who wants to talk to them? That is as irritating as static on an AM radio station. Listen to Channel 6 on the CB - there is a guy who constantly talks - HOW he hears anyone is beside me. I think he talks just to hear himself talk. AND being he is in the south, he has to be running some power. If everyone operated like that, the bands would be total chaos, no one talking to anyone - only to themselves. How the FCC hasn't busted him yet - is amazing.
>
> Just my 2 cents.
>
> L.
>

Remember the "No child left behind" policy of our educators of some years ago? What you are seeing today is largely a result of that philosophy. No responsibility, accountability or respect for others or oneself.

I worked as a radio dispatcher in the Air Force during my Sixties tour. That was the foundation of my radio experience. I owned a CB set for a year before I actually transmitted. The style was so alien and "cutesy" it made me want to barf. Then the syntheisized 40 channel rigs came out and everyone could afford one. End of CB for me.

I then went on to get my commercial ticket with radar endorsement. A year later I got a ham ticket and two years later I got my Extra. Code does not come easy for me. It was a constant uphill battle to pass the 20 wpm code test. But eventually I passed it.

Turning on the radio today, there are still some good folks on ham radio and not all of them are old timers. But a lot of the same types that ruined CB and now ruining ham radio. I can't remember the last time that I actually transmitted with my station. I'm about ready to sell it off and chalk it up to history.

Amplifiers are not intrinsically bad. Abusing amplifiers is bad. If you work
75 or 80 meter telephony, an amp is an absolute must have, especially if you
have a less than full size dipole at a decent height.

I enjoyed ham radio more when folks knew a bit about electronics. It gave us
something to talk about that we all hand in common. Ditto CW. No one had
more trouble learning CW than me, believe me. It still gives me a headache
to operate CW for more than a few minutes, but I wanted that Extra Class
ticket and that was the only way to get it back then.

From 2911586831744659920
X-Google-Thread: 108122,3429e5c01eedc0de,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Collins 30L-1 WE Emblem Amp......
Message-ID: <ct9og25qo66ubqa7pau51v640h7uhpf9cv@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimkcaklbknkdonnajillfjdfbijhjogphkajfcobocpeihfneheh
fbalojgohingbgmofpmendkdkbjfbmjdgennoeonbngbppbpincjkllopekodc
NNTP-Posting-Date: Sat, 16 Sep 2006 09:35:44 MST
Organization: Optimum Online
Date: Sat, 16 Sep 2006 12:35:00 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6213

FS: Collins 30L-1 WE Emblem Amp
Price: 625.00   Or Trade
ritchi50@optonline.net

From -8037734495453574377
X-Google-Thread: 108122,7f97e80f8e354296,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe03.lga.POSTED!53ab2750!not-for-mail
Message-Id: <34ntt3-sqb.ln1@kd1yv8.oneyv.dyndns.org>
From: kd1yv8 <kd1yv8@nospam.com>

Subject: Hamfest TOMORROW in Western Conn.
Newsgroups: rec.radio.amateur.equipment
Reply-To: kd1yv8@nospam.com
Lines: 28
Organization: kd1yv8
User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-Trace:
pgpdkimbbbabbbpeijjdnojopddcmjimddaoofafmhfahegedkmamiedhgkoaggmhonnjondjbojpdfjlbjfiajfbmdhpmmoipjakjjichicpnggmbpdkockbpdonllnpkpgbggmkcdoddmf
NNTP-Posting-Date: Sat, 16 Sep 2006 10:30:08 MST
Date: Sat, 16 Sep 2006 12:59:15 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6214

WESTERN CONNECTICUT HAMFEST
Sponsored by: Candlewood Amateur Radio Association - CARA

Ham Radio gear and Batteries for Emergency Communications!
Seminars on Emergency Communications and others!

Sunday, September 17, 2006
Edmond Town Hall, Route 25, Newtown, CT Exit 10 off of I-84

Admission $5.00, Kids Under 12 FREE.
Table Set-up at 7:00 AM.
Open to the public 8:30 AM to 12:30 PM
Tables $12.50 Tailgating $8.00. (Both INCLUDE 1 admission).

ARRL Sanctioned. Talk-in on 147.300 (+) PL 100.0.
Seminars
- Software Defined Radio
- Big Batteries for Ham Use
- Emergency Communications What's a Digital For?

Handicapped Access. Ham Radio Equipment.
Batteries for Emergency Comms. Computers. Door Prizes.
Refreshments. Ample Parking. Rain or shine.

Only 12 minutes from Brewster, NY, 15 minutes from Waterbury, CT.

For information
call: (203) 938 4880 or (203) 775 1946

From -1029678359332061598
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!DIALUPUSA.NET!not-for-mail
From: "Dr.Ace" <Webmaster @ WH2T dot com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx>
Subject: Re: Black People are not Welcome in RRAP
Date: Sat, 16 Sep 2006 12:35:26 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2905
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <32c4f$450c3497$4e15300$12493@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 27
X-Trace: 32c4f450c3497a144f6a512493
Xref: g2news2.google.com rec.radio.amateur.policy:44770
rec.radio.amateur.equipment:6215 rec.radio.amateur.misc:21674
alt.radio.scanner:2853


"Norman Triantafilos" <KB9YGD@lycos.net> wrote in message
news:eeh0pj$id3$1@usenet2.ath.cx...
> niggers suck
>>
> <kb9rqz@hotmail.com> wrote in message
> news:1151082732.880134.164780@m73g2000cwd.googlegroups.com...
>>
>> On Sun, 25 Jun 2006 03:41:27 GMT, Doug Freyburger
>> <dfreybur@yahoo.comNOSPAM> wrote:
>>> This (rec.radio.amateur.policy) is a WHITES ONLY group.
>>>
>>> Niggers keep out!
>>>
>>>
>>> Hail Asgard!
>>> Doug Freyburger
>>
>> Nigers and balks arent the same things but Iwolud agree teh nigers
>> like wismen arent welcoem but they kepe posting anyway.  Black poeple
>> dont comearound here anyways becaues they arent smart enough tog et
>> a license.
>>
>
>
```

```
From -9069713325958725851
X-Google-Thread: 108122,38452030aab638d2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ARRL Convention In San Diego - Sept 22 thru 24th
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <kLWOg.18992$c07.1866@fed1read04>
Date: Sat, 16 Sep 2006 10:45:55 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1158428752 72.197.12.245 (Sat, 16 Sep 2006 13:45:52 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 13:45:52 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6216

http://www.sandarc-conv2006.org/index.html
```

```
From 2004952515963753824
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.154.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <450C4583.1090209@fuse.net>
Date: Sat, 16 Sep 2006 14:42:11 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
```

```
Subject: Re: Ham radio can help President Bush and America's war on terror.
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
In-Reply-To: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 6
X-Trace: dd368450c4616ed946c8203527
Xref: g2news2.google.com rec.radio.amateur.antenna:18375
rec.radio.amateur.equipment:6217 rec.radio.amateur.policy:44773
rec.radio.swap:7556


>
>
> Email these to President Bush and tell him you want to help with the war
> on terror by voting the bums in Congress out of office.



From -1134390845954156838
X-Google-Thread: 108122,b8bc054b7afab008,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Lunar 2 meter Amplifier
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <OHXOg.13626$B14.1808@dukeread03>
Date: Sat, 16 Sep 2006 13:50:27 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1158432622 68.109.223.91 (Sat, 16 Sep 2006 14:50:22 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 14:50:22 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6218

FS An Excellent Lunar Electronics Model 2M10-80P Solid State 2 meter linear
amplifier. This amp has a built in 11db preamp for receive and it puts out
80 watts of power with 10 to 18 watts drive.  It covers 144 to 148 MHz and
works in SSB or FM modes. It requires 31.8 volts at 15 amps. Price is $125.
Thanks, Charlie Hugg, K5MBX
```

From -1570680398579671764
X-Google-Thread: 108122,59f9c506aa0e4bbd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Lunar 2 meter Amplifier/Correction
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <H_XOg.13629$B14.8612@dukeread03>
Date: Sat, 16 Sep 2006 14:10:36 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1158433831 68.109.223.91 (Sat, 16 Sep 2006 15:10:31 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 15:10:31 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6219

Sorry, That should have been 13.8 Volts, 31.8
Charlie, K5MBX

From 3586987049343247040
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr25.news.prodigy.net.POSTED!0d06e27e!not-for-mail
From: "Tom Donaly" <dtdonaly@sbcglobal.net>
User-Agent: Mozilla Thunderbird 0.7.1 (Windows/20040626)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>

```
<450C4583.1090209@fuse.net>
In-Reply-To: <450C4583.1090209@fuse.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 4.243.131.63
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1158438112 ST000 4.243.131.63 (Sat, 16 Sep
2006 16:21:52 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 16:21:52 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_AO@W[CTTX@JK\_ZTDFZ\@@FXLM@TDOCQDJ@_@FN\CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Sat, 16 Sep 2006 20:21:52 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:18379
rec.radio.amateur.equipment:6220 rec.radio.amateur.policy:44781
rec.radio.swap:7560

jawod wrote:

>
>>
>>
>> Email these to President Bush and tell him you want to help with the war
>> on terror by voting the bums in Congress out of office.
>
>

Yes, we need a new set of bums who will vote our way, and pass
legislation guaranteeing every American the right to put up a
radio antenna entirely free of legal and contractual restrictions.
73,
Tom Donaly, KA6RUH


From 530677709704961613
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "kb9rqz-1@hotmail.com" <kb9rqz-1@hotmail.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner,rec.radio.amateur.policy
Subject: troling rigth along
```

```
Date: 16 Sep 2006 14:32:27 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1158442347.626626.181180@i3g2000cwc.googlegroups.com>
References: <5504e793.85b72467@yahoo.comNOSPAM>
   <1151082732.880134.164780@m73g2000cwd.googlegroups.com>
   <eeh0pj$id3$1@usenet2.ath.cx>
   <g3oog2lu6dfuq4av1gts6cmavancafo7b2@4ax.com>
NNTP-Posting-Host: 66.82.9.77
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158442353 20826 127.0.0.1 (16 Sep 2006 21:32:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 16 Sep 2006 21:32:33 +0000 (UTC)
In-Reply-To: <g3oog2lu6dfuq4av1gts6cmavancafo7b2@4ax.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=66.82.9.77;
   posting-account=5Hknag0AAAAYK6HZFUZ0xesJztp68g7I
Xref: g2news2.google.com rec.radio.amateur.policy:44797
rec.radio.amateur.equipment:6222 rec.radio.amateur.misc:21692
alt.radio.scanner:2860


no_one@home.com wrote:
>
eom




From -2741832672511850490
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!
newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!
news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Sun, 17 Sep 2006 06:44:29 +0900
Organization: Korea Telecom
Lines: 33
Message-ID: <eehr0s$s79$1@news2.kornet.net>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
```

```
<450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 218.155.50.226
X-Trace: news2.kornet.net 1158442844 28905 218.155.50.226 (16 Sep 2006 21:40:44
GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Sat, 16 Sep 2006 21:40:44 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.antenna:18380
rec.radio.amateur.equipment:6223 rec.radio.amateur.policy:44801
rec.radio.swap:7561
```

"Tom Donaly" <dtdonaly@sbcglobal.net> wrote in message
news:A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net...

```
> jawod wrote:
>
>>
>>>
>>>
>>> Email these to President Bush and tell him you want to help with the war
>>> on terror by voting the bums in Congress out of office.
>>
>>
>
> Yes, we need a new set of bums who will vote our way, and pass
> legislation guaranteeing every American the right to put up a
> radio antenna entirely free of legal and contractual restrictions.
> 73,
> Tom Donaly, KA6RUH
```

I honestly can't tell whether you are being facetious or not, but you've struck upon my rawest nerve.

Whatever happened to personal property rights in the US? Since when can't a person do anything within reason on their own property? CC&R's were originally meant to keep people from stacking trash a mile deep or parking junk cars on their lawns in perpetuity. This is fine. When they started telling people they couldn't have a TV antenna, satellite dish or ham/cb antenna, as well as what color they could paint their house and whether they could have a tacky lawn gnome, I think they went too far. People are far too easily offended by the stupidest things these days. Grow a SKIN, folks. It's a free country (debatably).

```
From 1393852388787445939
X-Google-Thread: 108228,89e18f8e2d6237a9,start
X-Google-Thread: 108122,89e18f8e2d6237a9,start
```

```
X-Google-Thread: 1109af,89e18f8e2d6237a9,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cox.net!news-
xfer.cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Nice pair of 900 MHz Motorola GTX's for 900MHz-Chargers-Convert to
900 HAM
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C6D9A2.0A54B250"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <1C_Og.4165$AP2.1348@fed1read10>
Date: Sat, 16 Sep 2006 15:09:00 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1158444541 68.104.78.240 (Sat, 16 Sep 2006 18:09:01 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 18:09:01 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1317
rec.radio.amateur.equipment:6224 rec.radio.swap:7562

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6D9A2.0A54B250
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Nice pair of 900 MHz Motorola GTX's for 900MHz-Chargers-Convert to =
900 HAM

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250027942649&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C6D9A2.0A54B250
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT size=3D2>
<P>FA: Nice pair of 900 MHz Motorola GTX's for 900MHz-Chargers-Convert =
to 900=20
HAM</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250027942649&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250027942649&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C6D9A2.0A54B250--




From -2662619172866096249
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.neonova.net!
news.neonova.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 16 Sep 2006 17:24:26 -0500
From: "Rod Maupin" <gridman@ywave.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
<eehr0s$s79$1@news2.kornet.net>
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Sat, 16 Sep 2006 15:24:25 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
Lines: 9
NNTP-Posting-Host: 216.227.117.96
X-Trace: sv3-
tX3FVKeXcitJB2jz88tRYJJ2rG+eIIsw3bn0+8eG2Sx7xWK1engPm4k4DmeV5iaYn3x7FmDYPN6kaKH!
jbcfcLbab7CqmDR1zAXKefFqGfraj8IhUxifzXLnpKsDQ3guaxQl+sK7roGdD1SJ8qQg5jRJMuPV!
Vj7tV88rMUHAaQ==
X-Complaints-To: abuse@neonova.net
X-DMCA-Complaints-To: abuse@neonova.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

Xref: g2news2.google.com rec.radio.amateur.antenna:18383
rec.radio.amateur.equipment:6225 rec.radio.amateur.policy:44807
rec.radio.swap:7563

> Grow a SKIN, folks.

I agree. Lighten up people. I'm sick of being politically correct. I
mean, anything anyone says has the potential to offend someone.

So just get over it. Life's not meant to be this serious.

From 7409135574582219325
X-Google-Thread: 108122,45d174e4d6bdf57,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsgate.cistron.nl!
xs4all!news.wiretrip.org!news.dizum.com!sewer-output!mail2news
From: Anonyma <anon-bounces@deuxpi.ca>
X-Anon-Help: <http://www.deuxpi.ca/anon>
     <mailto:deuxpi-admin@deuxpi.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Part 2 Soon....
Message-ID: <920cae381d7a29a1337a9a38aba9c536@deuxpi.ca>
Date: Sat, 16 Sep 2006 18:45:16 -0400 (EDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6226

Hi boys & girls...sooooon it will be time for part 2 of the losers
story...stayed tuned! ``The Shadow`` Only The shadow Knows What Evil Lurks In
The Hearts Of Men...

From -1700727761404650 82
X-Google-Thread: 10bf43,3c438a0329cf4fdf
X-Google-Thread: 108122,99e737fa6a11118c
X-Google-Thread: 107ada,99e737fa6a11118c
X-Google-Thread: 1009ad,99e737fa6a11118c
X-Google-Attributes: gid10bf43,gid108122,gid107ada,gid1009ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.equipment,rec.radio.amateur.misc,alt.ra
dio.scanner
Subject: Re: Black People are not Welcome in RRAP
From: Radio Buff <Ham.r@dio.Buff>

```
References: <5504e793.85b72467@yahoo.comNOSPAM>
<1151082732.880134.164780@m73g2000cwd.googlegroups.com>
<eeh0pj$id3$1@usenet2.ath.cx> <g3oog2lu6dfuq4av1gts6cmavancafo7b2@4ax.com>
Organization: Radio Buff
User-Agent: Xnews/5.04.25
Lines: 39
Message-ID: <kI%Og.13107$xQ1.10236@newsread3.news.pas.earthlink.net>
Date: Sat, 16 Sep 2006 23:24:00 GMT
NNTP-Posting-Host: 4.254.227.62
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1158449040 4.254.227.62 (Sat, 16 Sep
2006 16:24:00 PDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 16:24:00 PDT
Xref: g2news2.google.com rec.radio.amateur.policy:44812
rec.radio.amateur.equipment:6227 rec.radio.amateur.misc:21696
alt.radio.scanner:2862

no_one@home.com wrote in news:g3oog2lu6dfuq4av1gts6cmavancafo7b2@4ax.com:

> Yeah, I agree, niggers do suck.  The worst kinka nigger is a white
> nigger. One just like you.  One who posts "niggers suck" in an amateur
> radio newsgroup.
>
> True story:  In Feb/Mar 1965 somebody called M. Ali a nigger.  "Mr.
> Nigger to you said Ali.  I'm the heavyweight champ of the world".
>
> On Sat, 16 Sep 2006 10:12:56 -0400, "Norman  Triantafilos"
> <KB9YGD@lycos.net> wrote:
>
>>niggers suck
>>>
>><kb9rqz@hotmail.com> wrote in message
>>news:1151082732.880134.164780@m73g2000cwd.googlegroups.com...
>>>
>>> On Sun, 25 Jun 2006 03:41:27 GMT, Doug Freyburger
>>> <dfreybur@yahoo.comNOSPAM> wrote:
>>>> This (rec.radio.amateur.policy) is a WHITES ONLY group.
>>>>
>>>> Niggers keep out!
>>>>
>>>>
>>>> Hail Asgard!
>>>> Doug Freyburger
>>>
>>> Nigers and balks arent the same things but Iwolud agree teh nigers
>>> like wismen arent welcoem but they kepe posting anyway.  Black poeple
>>> dont comearound here anyways becaues they arent smart enough tog et
>>> a license.
>>>
>>
>
```

Could you niggers take this conversation somewhere else. Thanks. 73

Radio Buff

From -5382581967989863220
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
From: Slow Code <my.mail@no.spam>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
<eehr0s$s79$1@news2.kornet.net> <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 18
Message-ID: <pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
Date: Sat, 16 Sep 2006 23:24:05 GMT
NNTP-Posting-Host: 4.254.227.62
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1158449045 4.254.227.62 (Sat, 16 Sep
2006 16:24:05 PDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 16:24:05 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18385
rec.radio.amateur.equipment:6228 rec.radio.amateur.policy:44814
rec.radio.swap:7566

"Rod Maupin" <gridman@ywave.com> wrote in
news:xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net:

>
>> Grow a SKIN, folks.
>
> I agree. Lighten up people. I'm sick of being politically correct. I
> mean, anything anyone says has the potential to offend someone.
>
> So just get over it. Life's not meant to be this serious.

I like the way Rush Limbaugh puts it:

"If you're offended, that's your problem."

SC

```
From -4793647947262762846
X-Google-Thread: fcc6e,68c986ea7497703,start
X-Google-Thread: 108122,68c986ea7497703,start
X-Google-Thread: 10bf43,68c986ea7497703,start
X-Google-Thread: 1109af,f6c848d5302add81
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: license rules
From: Slow Code <my.mail@no.spam>
References: <1158398307.711857.245170@b28g2000cwb.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 33
Message-ID: <yI%Og.13117$xQ1.1640@newsread3.news.pas.earthlink.net>
Date: Sat, 16 Sep 2006 23:24:14 GMT
NNTP-Posting-Host: 4.254.227.62
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1158449054 4.254.227.62 (Sat, 16 Sep
2006 16:24:14 PDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 16:24:14 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18386
rec.radio.amateur.equipment:6229 rec.radio.amateur.policy:44820
rec.radio.swap:7567

"KD8EFO" <rchprks@netzero.com> wrote in
news:1158398307.711857.245170@b28g2000cwb.googlegroups.com:

> slow code!
>
> as a new licensee (tech light) i have to agree with your views on 1
> year non renewable license for tech ticket. i got into amature radio to
> get away from those idiots on 11 meters with their 2kw linears and no
> brains. i made my 2nd transmition as a ham yesterday and was informed
> that that tone grouping that i heard was a morse identifier for the
> repeater (letter P for pontiac mich) i was embarased but by the
> afternoon i had hooked  up with an old ham who lent me a practice key.
> the guy didn't know me at all. this is what ham is about, all that this
> tech license has done is make me want my general ticket.
>
>
>                                 73
>
>                          rick parkes
```

>

Good luck with it. :) You'll find CW is fun, rewarding and will add to
your overall enjoyment of ham radio. See if there are people in your area
that do on the air code practice sessions. If you have an HF receiver, you
can tune in CW transmitions on lower portions of the bands.

73

SC

```
From 8883824762226113212
X-Google-Thread: fcc6e,68c986ea7497703
X-Google-Thread: 108122,68c986ea7497703
X-Google-Thread: 10bf43,68c986ea7497703
X-Google-Thread: 1109af,f6c848d5302add81
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: slow code stalker at large
Date: 16 Sep 2006 19:12:47 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1158459167.746367.240730@m73g2000cwd.googlegroups.com>
References: <1158398307.711857.245170@b28g2000cwb.googlegroups.com>
   <yI%Og.13117$xQ1.1640@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.77
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158459173 28082 127.0.0.1 (17 Sep 2006 02:12:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 17 Sep 2006 02:12:53 +0000 (UTC)
In-Reply-To: <yI%Og.13117$xQ1.1640@newsread3.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=66.82.9.77;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:18391
rec.radio.amateur.equipment:6230 rec.radio.amateur.policy:44837
rec.radio.swap:7572
```

Slow Code wrote:
> "
slow code stalker at large

```
From -2676531939516335612
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: slow code stalker at large
Date: 16 Sep 2006 19:13:10 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1158459190.393266.242690@m73g2000cwd.googlegroups.com>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
   <450C4583.1090209@fuse.net>
   <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
   <eehr0s$s79$1@news2.kornet.net>
   <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
   <pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.77
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158459196 28131 127.0.0.1 (17 Sep 2006 02:13:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 17 Sep 2006 02:13:16 +0000 (UTC)
In-Reply-To: <pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=66.82.9.77;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:18392
rec.radio.amateur.equipment:6231 rec.radio.amateur.policy:44838
rec.radio.swap:7573
```

Slow Code wrote:
>
slow code stalker at large

```
From -5379560859397837189
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.octanews.net!
mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!news.coretel.net!not-for-mail
From: "L." <nospam@tnospam.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<S1TOg.1901$GR.264@newssvr29.news.prodigy.net>
<450c12d9$0$21520$ecde5a14@news.coretel.net>
<5pVOg.468$zF5.362@bignews1.bellsouth.net>
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Sat, 16 Sep 2006 22:30:45 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Lines: 114
Message-ID: <450cb34b$0$21534$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: b87dcc28.news.coretel.net
X-Trace: DXC=9=UUdk5cN0[J7BffjVQ>V[cYX6N<OEXQ[nY<DD4N7S`VfG8[[X1Pc0YRB5@La3Q\
[QmPaRla^4fiQ
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:18393
rec.radio.amateur.equipment:6232 rec.radio.amateur.policy:44846
rec.radio.swap:7574

"Sparky" <ecregger@bellsouff.net> wrote in message
news:5pVOg.468$zF5.362@bignews1.bellsouth.net...
>
> "L." <nospam@tnospam.com> wrote in message
> news:450c12d9$0$21520$ecde5a14@news.coretel.net...
>> "Cecil Moore" <mycall@hotmail.com> wrote in message
>> news:S1TOg.1901$GR.264@newssvr29.news.prodigy.net...
>>> Slow Code wrote:
>>>> Step 2: The passing score for written exams needs to be raised to 85%.
>>>
>>> If 85% is good, wouldn't 100% be better?
>>>
>>>> Step 3: Code elements should be 13 wpm for General, and 20 wpm for
>>>> Extra.
```

>>>
>>> If 13/20 is good, wouldn't 30 wpm be better?
>>> --
>>> 73, Cecil http://www.w5dxp.com
>>
>> I had quit following this mundane thread for a while, looking in only on
>> occasion. I must wonder - it is being "recommended" "apparently" by "slow
>> code" to raise the CW rates to 13wpm General and 20wpm Extra.
>> DUH - we "were" there already.
>>
>> I've said before and I'll say it again. I'm not a "code" lover, but I've
>> learned it and used it and sometimes listen to it. Will it save a life?
>> Probably not - but still - the chance is there just the same as for any
>> other mode. You use what you have available. CODE did NOT keep the crap
>> off the ham bands, so to put it back in or KEEP it in, is sort of useless
>> to argue about. While "I" think 5 wpm is about as easy as you're going to
>> get - it seems far too many still cry about it. Yes, you could make the
>> written tests tougher - but that sucks too - because in a sense - they're
>> "not" any tougher when you're being given the answers in a book. And most
>> of those books cover "just" enough to pass the exams - they by no means
>> "teach" you electronics. In days gone by - you had to have at least a
>> basic grasp of electronics to be able to pass the exams. I'm not saying
>> you had to be a "Technician" with years of experience - I'm saying you
>> had to know more than these books teach. At that time - you had NO clue
>> what the FCC would ask. I've still got sample study guides sent by the
>> FCC if asked - and they were "vague".
>>
>> CODE, EXAMS - nothing will keep the riffraff off the bands. This is a
>> lawless society anymore - people do as they damned well please. CB got
>> quiet in many areas not due to Cell Phones - it happened long before. It
>> happened in many places based on what I've learned - because of the
>> garbage. Ham will be the same way if it isn't respected. We're in a NO
>> WIN situation.
>>
>> I find it amazing, people with illegal amps and radios will defend them
>> to the hilt - like a murderer caught with a smoking gun - claiming
>> his/her innocence. If the government agency deems them illegal - then
>> they are - no excuses. Just like the speed laws - if the road is marked
>> 25, that is what it is - plain and simple. If we all took responsbility
>> for our actions - maybe things wouldn't be so damned bad. I know lots of
>> cbers who got out of cb BECAUSE those with the illegal amps and radios
>> "splashed" so bad, they couldn't even talk on the radio. So, tell me
>> again - how those illegal radios and amps are helping? Hams have a rule
>> of using the minimum necessary to carry out the communications. IT DOES
>> WORK! QRP (Low Power) is part of the challenge! 500- 1000 watts or more -
>> any dummy can do. If you want to be known as an "Alligator" station - ALL
>> mouth and NO ears.... keep using that garbage. Who wants to talk to them?
>> That is as irritating as static on an AM radio station. Listen to
>> Channel 6 on the CB - there is a guy who constantly talks - HOW he hears
>> anyone is beside me. I think he talks just to hear himself talk. AND
>> being he is in the south, he has to be running some power. If everyone
>> operated like that, the bands would be total chaos, no one talking to
>> anyone - only to themselves. How the FCC hasn't busted him yet - is

>> amazing.
>>
>> Just my 2 cents.
>>
>> L.
>>
>
> Remember the "No child left behind" policy of our educators of some years
> ago? What you are seeing today is largely a result of that philosophy. No
> responsibility, accountability or respect for others or oneself.
>
> I worked as a radio dispatcher in the Air Force during my Sixties tour.
> That was the foundation of my radio experience. I owned a CB set for a
> year before I actually transmitted. The style was so alien and "cutesy" it
> made me want to barf. Then the syntheisized 40 channel rigs came out and
> everyone could afford one. End of CB for me.
>
> I then went on to get my commercial ticket with radar endorsement. A year
> later I got a ham ticket and two years later I got my Extra. Code does not
> come easy for me. It was a constant uphill battle to pass the 20 wpm code
> test. But eventually I passed it.
>
> Turning on the radio today, there are still some good folks on ham radio
> and not all of them are old timers. But a lot of the same types that
> ruined CB and now ruining ham radio. I can't remember the last time that I
> actually transmitted with my station. I'm about ready to sell it off and
> chalk it up to history.
>
> Amplifiers are not intrinsically bad. Abusing amplifiers is bad. If you
> work 75 or 80 meter telephony, an amp is an absolute must have, especially
> if you have a less than full size dipole at a decent height.
>
> I enjoyed ham radio more when folks knew a bit about electronics. It gave
> us something to talk about that we all hand in common. Ditto CW. No one
> had more trouble learning CW than me, believe me. It still gives me a
> headache to operate CW for more than a few minutes, but I wanted that
> Extra Class ticket and that was the only way to get it back then.
>

Believe me, I'm not "knocking" amps, just the "evidenced" misuse (abuse) of
them. Yes, they "do" have their use and place. But most of those using them
"THINK" they have to "rule the airwaves" to converse. Their splattering
ruins it for ALL.

L.

From 7016303178792405680
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c

```
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Message-ID: <8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
References: <eegols$1e24$1@registered.motzarella.org>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimoeelmoojdpjcegdefkbniaamobbiakdjjffgpnhkhbhmggbpcb
fcognbbhieklofmlgninajkkbffdpneokfjkmahmdoibfienfnojecgjgcfcij
NNTP-Posting-Date: Sat, 16 Sep 2006 20:05:36 MST
Organization: Optimum Online
Date: Sat, 16 Sep 2006 23:03:54 -0400
Xref: g2news2.google.com rec.radio.swap:7576 rec.radio.amateur.boatanchors:5403
rec.radio.amateur.equipment:6233 rec.radio.scanner:6314 alt.ham-radio.vhf-uhf:2658
rec.radio.amateur.misc:21716 alt.ham-radio.marketplace:1320
```

On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
<telstarelectronics@yahoo.com> wrote:

>I build these in my basemant.

Even if it WAS legal to use them, yours aren't type approved, so it
would be illegal to use yours.

Jut a word to the gullible.

```
From 5621875130445360058
X-Google-Thread: 108122,fb275f7076361bab,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-
sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Jack Schmidling <arf@mc.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Code Readers
```

Date: Sat, 16 Sep 2006 22:38:16 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12gpk9mfk9d4l50@corp.supernews.com>
User-Agent: Mozilla Thunderbird 0.9 (Windows/20041103)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news2.google.com rec.radio.amateur.equipment:6234

In spite of being a ham for 50 years, radio operator in the Coast Guard and an Extra, I have never been able to copy code in my head. My brain crashes after 3 or 4 characters. Take away my typewriter and I might as well be a CB'er.

I see MFJ has a gadget they claim you can set next to the speaker and read the text.

Seems like a great tool to assist the memory.

Do they work?

I just downloaded a program called GetCW and glad I didn't have to pay for it. If this works, I would like to talk to someone who can help me get it going.

Thanks,

Jack NR9Q

--
PHOTO OF THE WEEK: http://schmidling.com/pow.htm
Astronomy, Beer, Cheese, Fiber,Gems, Sausage,Silver http://schmidling.com

From -1072544045294957811
X-Google-Thread: 108122,c4eb7f194a3675d5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.nask.pl!news.nask.org.pl!newsfeed.pionier.net.pl!news.dialog.net.pl!not-for-mail
From: zz <zz@eltis.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: Question for IC-3220H users
Date: Sun, 17 Sep 2006 09:49:00 +0200
Organization: Dialog Net
Lines: 6
Message-ID: <cevpg294t6hmn3tmg9gtvtq2l2f7sscah4@4ax.com>
NNTP-Posting-Host: xdsl-7043.wroclaw.dialog.net.pl

```
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.dialog.net.pl 1158479341 29638 84.40.136.131 (17 Sep 2006 07:49:01
GMT)
X-Complaints-To: abuse@dialog.net.pl
NNTP-Posting-Date: Sun, 17 Sep 2006 07:49:01 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
Xref: g2news2.google.com rec.radio.amateur.equipment:6235

My equipment is IC-3220H with UT-55 modul, micrphon HM-56
(no UT-50, no UT-51). Is possible to send 1750Hz tone for reapeater.
If yes, in which way?
                                                              73
                                                       Zbigniew
                                                      SQ6MIZ



From -7386578453586999302
X-Google-Thread: 108122,9fd61a3d35688d84,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: hp z3801a wtb help
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-ACC550.05162717092006@news.verizon.net>
Lines: 12
Date: Sun, 17 Sep 2006 09:16:27 GMT
NNTP-Posting-Host: 68.161.35.173
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1158484587 68.161.35.173 (Sun, 17 Sep 2006 05:16:27 EDT)
NNTP-Posting-Date: Sun, 17 Sep 2006 05:16:27 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6236

hi



I've been looking a  good while now , ebay and other places for a
hp Z3801A   havn't found one in many months

if anyone one knows of one for sale  please let me know

myles  at at   -dti.net


thanks



From -5181084166203908331
```

X-Google-Thread: 108122,fb275f7076361bab
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Sep 2006 07:04:44 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <12gpk9mfk9d4l50@corp.supernews.com>
Subject: Re: Code Readers
Date: Sun, 17 Sep 2006 08:04:37 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <I4-dnUmWaKJBpJDYnZ2dnUVZ_qqdnZ2d@comcast.com>
Lines: 43
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-OewZxZKgVLccMgYzLAUvi3xBQ0+/
l1h87iIE+sAZ59DuUq63S7ZRcix0GDoHDGzRlhxbF3u7IgrWnR6!
rZAI6zrL61IHJLt8oC4bfTHT2MFbGLYG+junxSJg2JF/IffFcNEQ/5IC5TmvWWKkSiGYbuR32dn/!
Q20smD/DFb0fpvep
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6237

"Jack Schmidling" <arf@mc.net> wrote in message
news:12gpk9mfk9d4l50@corp.supernews.com...
> In spite of being a ham for 50 years, radio operator in the Coast Guard
> and an Extra, I have never been able to copy code in my head. My brain
> crashes after 3 or 4 characters. Take away my typewriter and I might as
> well be a CB'er.
>
> I see MFJ has a gadget they claim you can set next to the speaker and read
> the text.
>
> Seems like a great tool to assist the memory.
>
> Do they work?

Yes it works if the code is well sent and the signal is reasonably strong.

>
> I just downloaded a program called GetCW and glad I didn't have to pay for
> it. If this works, I would like to talk to someone who can help me get it
> going.

>

Yes this program works. Again the code must be well sent and the signal reasonable strong. I personally think it works a little better than the MFJ code reader as you can set the filtering level.

With the free version, you must go into the setup menu everytime you start the program and specifically select the sound card. It doesn't "remember" what you set the last time or what the default is and you cannot save the setup in the free version.

From what I have read on "head copy", one needs to start hearing the group of letters that form the words not try to string them together out of individual letters. I can't do this yet myself as I don't work it enough. However I do hear "CQ" as a group and instantly know what it means without even having to think about the individual letters. And I do some contesting, I hear the abbreviation "test" as a group and recognize it as a "word" without having to think the individual letters.

Dee, N8UZE

From -3257646939316168311
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <450D4EAE.6070003@fuse.net>
Date: Sun, 17 Sep 2006 09:33:34 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
<eehr0s$s79$1@news2.kornet.net> <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
<pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
In-Reply-To: <pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com

```
Lines: 13
X-Trace: 04496450d4f18ed946c8222478
Xref: g2news2.google.com rec.radio.amateur.antenna:18408
rec.radio.amateur.equipment:6238 rec.radio.amateur.policy:44896
rec.radio.swap:7580
```

>
> I like the way Rush Limbaugh puts it:
>
> "If you're offended, that's your problem."
>
> SC

Rush LIMBAUGH?!?

Do people still listen to that drugged-out loser?

New quote from Rush: "If I'm offensive, that's EVERYONE'S problem"

```
From -6095744249687978157
X-Google-Thread: 108122,fb275f7076361bab
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!elnk-pas-
nf1!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <12gpk9mfk9d4l50@corp.supernews.com>
Subject: Re: Code Readers
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <EXcPg.2617$UG4.2197@newsread2.news.pas.earthlink.net>
Date: Sun, 17 Sep 2006 14:27:48 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1158503268 24.225.35.108 (Sun, 17 Sep
2006 07:27:48 PDT)
NNTP-Posting-Date: Sun, 17 Sep 2006 07:27:48 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6239
```

"Jack Schmidling" <arf@mc.net> wrote in message
news:12gpk9mfk9d4l50@corp.supernews.com...
> In spite of being a ham for 50 years, radio operator in the Coast Guard
> and an Extra, I have never been able to copy code in my head. My brain

> crashes after 3 or 4 characters. Take away my typewriter and I might as
> well be a CB'er.
>
> I see MFJ has a gadget they claim you can set next to the speaker and read
> the text.
>
> Seems like a great tool to assist the memory.
>
> Do they work?
>
> I just downloaded a program called GetCW and glad I didn't have to pay for
> it. If this works, I would like to talk to someone who can help me get it
> going.
>
>

You may want to go here and try another free program. Some of the multimode
programs are suspose to work well.

http://www.muenster.de/~welp/sb.htm

Didn't they call the ones with a typewriter a ditty bobber or something like
that ? Didn't really learn the code or how to type but when the characters
were sent the finger hits the correct key. Not putting you down, just the
way I heard the military taught the code to some.

From -8599459535585656382
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
feed.xsnews.nl!feeder.xsnews.nl!213.193.255.2.MISMATCH!news2.euro.net!
66.150.105.54.MISMATCH!zeus.nntpserver.com!66.150.105.250.MISMATCH!
hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur,alt.ham.radio,rec.ham-radio
Subject: Re: QRP-ARCI
Date: Sun, 17 Sep 2006 10:44:42 -0400
Organization: Chassell rainbow coalition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 148
Message-ID: <450d524c$0$19651$88260bb3@free.teranews.com>
NNTP-Posting-Date: 17 Sep 2006 13:49:00 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:44910
rec.radio.amateur.misc:21752 rec.radio.amateur.boatanchors:5412
rec.radio.amateur.equipment:6240 rec.radio.amateur.homebrew:6946

<Mark@kb9rqz.com> wrote in message news:...
>
> "Don Bowey" <dbowey@comcast.net> wrote in message
> news:C12F22A7.4329E%dbowey@comcast.net...
>> On 9/14/06 1:45 PM, in article
>> 4509b263$0$19693$88260bb3@free.teranews.com,
>> "Mark@kb9rqz.com" <Mark@kb9rqz.com> wrote:
>>
>>>
>>> "NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
>>> news:_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com...
>>>> Mark@kb9rqz.com wrote:
>>>>> "NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
>>>>> news:-t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com...
>>>>>> Mark@kb9rqz.com wrote:
>>>>>>
>>>>>>> quit floding teh gruop with ur off tpoic nonsance you post it trhee
>>>>>>> times you sppamming fool.
>>>>>>> with the punce gotcha he wonders why I simple don't bother to ty
>>>>>>> impoving my spelling do u hav anyting cognet two say?
>>>>>>>
>>>>>>>
>>>>>>>
>>>>>> Are you really that stupid, or do you just play a moron on Usenet?
>>>>>>
>>>>> you show yourself as Robeson or one of clones by YOUR obession with
>>>>> sex
>>>>> as if you aren't getting any
>>>>>
>>>>> do yourself a favor get alife or get laid you will enjoy life more
>>>>
>>>>
>>>> Sex? I didn't see any reference to sex. I did, however, look at your
>>>> "blog," etc., and found the answer to my question.
>>>>
>>>> You are not only a moron, but possibly a dangerous psychotic one.
>>>>
>>>> You are going into the "delete without reading" filter.
>>>>
>>> that you would like me and any that dares disagreewithyou to get off
>>> the nets yes I know what you want robeson or Robeson clone
>>> http://kb9rqz.blogspot.com/
>>>

```
>>>
>>> with the punce gotcha he wonders why I simple don't bother to ty
>>> impoving my
>>> spelling do u hav anyting cognet two say?
>>> you are pretty dumb loousely translated it mean "fuck you"
>>>
>>>
>> Clearly you are an ignorant, vulgar fool.
>>
 I don't like Homophobes but even worse than Homophobes are thoose the
 use gay bashing selctively for own ends. I can respect a homophobe that
 is consistant and honest about it but these hypocrites
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
```

>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
 with the punce gotcha he wonders why I simple don't bother to ty impoving
my
 spelling do u hav anyting cognet two say?

>

--

```
Posted via a free Usenet account from http://www.teranews.com



From 7757768981987537624
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "PowerHouse Communications" <PowerHouse@PrivateBox.Net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
References: <eegols$1e24$1@registered.motzarella.org>
Subject: Re: CB radio amplifiers for sale CHEAP!
Lines: 3
Organization: PowerHouse Communications
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <0vdPg.6$k74.0@newsfe06.lga>
X-Trace:
lalincmlnekeejjfijjdnojopddcmjimagojikjglfgfcbhpglbjopabbebgdkiiehjakbjeecnpjeoibk
mmiolepdcpmninmlgninajkkbffdpnddgmmpmhbdgbapccenfnojecgjgcfcij
NNTP-Posting-Date: Sun, 17 Sep 2006 08:05:32 MST
Date: Sun, 17 Sep 2006 10:07:53 -0500
Xref: g2news2.google.com rec.radio.swap:7582 rec.radio.amateur.boatanchors:5414
rec.radio.amateur.equipment:6241 rec.radio.scanner:6324 alt.ham-radio.vhf-uhf:2667
rec.radio.amateur.misc:21754 alt.ham-radio.marketplace:1329

Feed the forgers, morons...  Go ahead, why not!




From -8658636088583196433
X-Google-Thread: 108122,45d174e4d6bdf57
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!news.germany.com!usenet.ath.cx!usenet2.ath.cx!not-for-mail
From: "Norman  Triantafilos" <KB9YGD@lycos.net>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: Part 2  Soon....
Date: Sun, 17 Sep 2006 12:24:00 -0400
Organization: PUSTIS
Lines: 10
Message-ID: <eejsrf$1khp$1@usenet2.ath.cx>
X-Complaints-To: abuse@usenet.ath.cx
NNTP-Posting-Date: Sun, 17 Sep 2006 16:24:15 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Priority: 3
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:6242

Anonyma <anon-bounces@deuxpi.ca> wrote:
> Hi boys & girls...sooooooon it will be time for  part 2 of the losers
> story...stayed tuned!  ``The Shadow``  Only The shadow Knows What Evil
> Lurks In The Hearts Of Men...
>
Two part retards like these?

http://i9.tinypic.com/49ju2o4.jpg




From -5580905279267044188
X-Google-Thread: fc2a5,4d8712d2438150bf,start
X-Google-Thread: fc8b1,4d8712d2438150bf,start
X-Google-Thread: 108122,4d8712d2438150bf,start
X-Google-Thread: 107ada,4d8712d2438150bf,start
X-Google-Thread: 111d0a,4d8712d2438150bf,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
Subject: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER, ENIGMA,
Date: 17 Sep 2006 10:46:21 -0700
Organization: http://groups.google.com
Lines: 55
Message-ID: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 194.72.9.18
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158515187 23677 127.0.0.1 (17 Sep 2006 17:46:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 17 Sep 2006 17:46:27 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=194.72.9.18;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:6947
rec.radio.amateur.boatanchors:5419 rec.radio.amateur.equipment:6243
rec.radio.amateur.misc:21756 sci.electronics.basics:25643
```

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.soldersmoke.com

Listen at: http://www.soldersmoke.com

SolderSmoke #32 (September 16, 2006) is now available on http://www.soldersmoke.com

Topics covered in #32:

-- HW-101 FT101 Hybrid Rigs.
-- BNC and RCA phono connectors.
-- Changing the clutch and oil on an HW-101.
-- Third order intercept rules of thumb.
-- Modular circuit boards.
-- Babbage difference engine.
-- Hardware to crack enigma.
-- Bills video of his DSB rig.
-- MAILBAG: KC2IGJ, G4GOY, WL7M, D. Gaskill, Gary Beach

Tired of listening to Led Zepplin or NPR on your I-Pod?   Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software.
http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.soldersmoke.com

All our programs are available here.

We hope you enjoy the program. Please send us
feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

```
From 7503016408526360938
X-Google-Thread: 108122,b51b87f17835483c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon02.news.prodigy.net!
prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!93e560a6!not-for-mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: GP68 Motorola Radio User Group
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <3bgPg.2833$e66.1391@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 75.10.127.47
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1158516543 ST000 75.10.127.47 (Sun, 17 Sep
2006 14:09:03 EDT)
NNTP-Posting-Date: Sun, 17 Sep 2006 14:09:03 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
T[OUS_[DABSAW_US\X^DM^\BZJ]T@FLNLBWLOOAFQATJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Sun, 17 Sep 2006 18:09:03 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6244
```

GP68 Motorola Radio User Group

Manuals, Specs, Links, Downloads,

Best Battery Prices, pictures, etc.

http://groups.google.com/group/GP68gp68

GP68gp68@googlegroups.com

http://www.vehiclerepair.org/gp68/

```
From 2090002806542038713
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeed0.kamp.net!
newsfeed.kamp.net!news.motzarella.org!not-for-mail
From: "The Professor" <telstarelectronics@yahoo.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER,
ENIGMA,
Date: Sun, 17 Sep 2006 14:10:28 -0400
Organization: Telstar Electronics
Lines: 63
Message-ID: <eek32o$1fuo$1@registered.motzarella.org>
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
X-Trace: U2FsdGVkX1+JATEYjJOtsu3GzWaQUSTIBFWw9DWJt1ilXfWD8gCLp/
a+NrGEgWn4O2QCzV3ysa0F4rMK+gqCTXYHGgbVfBMOt+lXfi4Q0S2TpN2GWh+PSe59Id1blW7zgmeIhhp2
jgBDXCH51NfGFI1VnS8BZ+SjixLpBE1yZPu7V2wkglEcbXv/rlj+8at+5SPeUY/0/kQ=
X-Complaints-To: abuse@motzarella.org
NNTP-Posting-Date: Sun, 17 Sep 2006 18:10:33 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.homebrew:6948
rec.radio.amateur.boatanchors:5420 rec.radio.amateur.equipment:6245
rec.radio.amateur.misc:21758 sci.electronics.basics:25645
```

stop spamming the group asshole.

www.telstar-electronics.com

<bill.meara@gmail.com> wrote in message
news:1158515181.447997.53890@m73g2000cwd.googlegroups.com...

> SolderSmoke!
> A SHOW FOR ELECTRONICS HOMEBREWERS!
>
> http://www.soldersmoke.com
>
> Listen at: http://www.soldersmoke.com
>

> SolderSmoke #32 (September 16, 2006) is now available
> on http://www.soldersmoke.com
>
> Topics covered in #32:
>
> -- HW-101 FT101 Hybrid Rigs.
> -- BNC and RCA phono connectors.
> -- Changing the clutch and oil on an HW-101.
> -- Third order intercept rules of thumb.
> -- Modular circuit boards.
> -- Babbage difference engine.
> -- Hardware to crack enigma.
> -- Bills video of his DSB rig.
> -- MAILBAG: KC2IGJ, G4GOY, WL7M, D. Gaskill, Gary
> Beach
>
> Tired of listening to Led Zepplin or NPR on your
> I-Pod?   Wouldn't you like to be able to carry with
> you the kinds of ham radio conversations that you
> listen to while in your radio shack?
> Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in
> London, England meet regularly on the ECHOLINK system
> to discuss their homebrew radio projects. We are
> making them available as PODCASTS.
>
> RSS FEED: You can subscribe to the program, have
> them downloaded to your MP-3 player, and listen to
> them at your convenience. To subscribe, just cut and
> paste this URL into your I-poder (or similar)
> software.
> http://www.soldersmoke.com/soldersmoke.rss
>
> If you don't have an MP3 player you can just go to the
> site below and listen to the latest program (and
> earlier editions) using the audio software on your
> computer.
>
> http://www.soldersmoke.com
>
> All our programs are available here.
>
> We hope you enjoy the program. Please send us
> feedback.
>
> 73 from London
> Bill M0HBR N2CQR CU2JL
> http://www.gadgeteer.us
>

From -5407954932141675900

```
X-Google-Thread: 1109af,ff7ec47c00ebdf1c
X-Google-Thread: fc8b1,ff7ec47c00ebdf1c
X-Google-Thread: 108122,ff7ec47c00ebdf1c
X-Google-Thread: fa029,ff7ec47c00ebdf1c
X-Google-Thread: fb049,ff7ec47c00ebdf1c
X-Google-Thread: 107ada,ff7ec47c00ebdf1c
X-Google-Thread: 108228,ff7ec47c00ebdf1c
X-Google-Attributes:
gid1109af,gidfc8b1,gid108122,gidfa029,gidfb049,gid107ada,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!news.motzarella.org!
not-for-mail
From: "The Professor" <telstarelectronics@yahoo.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio
.scanner,alt.ham-radio.vhf-uhf,rec.radio.amateur.misc,alt.ham-radio.marketplace
Subject: Re: CB radio amplifiers for sale CHEAP!
Date: Sun, 17 Sep 2006 14:13:26 -0400
Organization: Telstar Electronics
Lines: 18
Message-ID: <eek38a$1g59$1@registered.motzarella.org>
References: <eegols$1e24$1@registered.motzarella.org>
<8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com>
X-Trace: U2FsdGVkX183vbiD2MMDjJKFCWvkYpBVO5l2OyW7Vx7icbmEZ/
w9kqkPoYM1jgkKBJ80Vynhe4Y0NLjcZVj7P38N+1PEvgcM+BEEqcMNwrFTlxm7DXgrF537kttOf+jJQGZM
YqtOn1dKIwb8esFNo3VAesFVx7GRHkiCtihLXNfTRB3/70Q4te3czKPR/a9kDkeyTnTNsB0=
X-Complaints-To: abuse@motzarella.org
NNTP-Posting-Date: Sun, 17 Sep 2006 18:13:31 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.swap:7590 rec.radio.amateur.boatanchors:5421
rec.radio.amateur.equipment:6246 rec.radio.scanner:6327 alt.ham-radio.vhf-uhf:2669
rec.radio.amateur.misc:21759 alt.ham-radio.marketplace:1331


"Al Klein" <rukbat@pern.invalid> wrote in message
news:8nepg2t80bb9ftinvchrbc9410o6j7438g@4ax.com...
> On Sat, 16 Sep 2006 07:54:34 -0400, "Brian Griffey"
> <telstarelectronics@yahoo.com> wrote:
>
>>I build these in my basemant.
>
> Even if it WAS legal to use them, yours aren't type approved, so it
> would be illegal to use yours.
>
> Jut a word to the gullible.
>
Says you....LOL

www.telstar-electronics.com
```

From 5669836162292723615
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps82.POSTED!53ab2750!not-for-mail
From: "Homer J Simpson" <nobody@nowhere.com>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
<eek32o$1fuo$1@registered.motzarella.org>
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER,
ENIGMA,
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <GvgPg.19538$cz3.10943@edtnps82>
Date: Sun, 17 Sep 2006 18:31:02 GMT
NNTP-Posting-Host: 209.121.230.219
X-Trace: edtnps82 1158517862 209.121.230.219 (Sun, 17 Sep 2006 12:31:02 MDT)
NNTP-Posting-Date: Sun, 17 Sep 2006 12:31:02 MDT
Xref: g2news2.google.com rec.radio.amateur.homebrew:6949
rec.radio.amateur.boatanchors:5423 rec.radio.amateur.equipment:6247
rec.radio.amateur.misc:21760 sci.electronics.basics:25647

"The Professor" <telstarelectronics@yahoo.com> wrote in message
news:eek32o$1fuo$1@registered.motzarella.org...

> stop spamming the group asshole.

Why is it spamming?

From 7973576539683142905
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf

```
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "xpyttl" <xpyttl_NOSPAM@earthling.net>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
<eek32o$1fuo$1@registered.motzarella.org> <GvgPg.19538$cz3.10943@edtnps82>
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER,
ENIGMA,
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <qOgPg.35$k74.23@newsfe06.lga>
X-Trace:
lalincmlnekeejjfijjdnojopddcmjimnnkecmihopffekepnicfceledepkikoolhlefpnpglhfdcnhgj
pocbdgeblnbcnbmofpmendkdkbjfbmjleglfnoeghekmdkgolpanaadbokpicd
NNTP-Posting-Date: Sun, 17 Sep 2006 11:51:02 MST
Date: Sun, 17 Sep 2006 14:50:58 -0400
Xref: g2news2.google.com rec.radio.amateur.homebrew:6950
rec.radio.amateur.boatanchors:5425 rec.radio.amateur.equipment:6248
rec.radio.amateur.misc:21761 sci.electronics.basics:25648

"Homer J Simpson" <nobody@nowhere.com> wrote in message
news:GvgPg.19538$cz3.10943@edtnps82...
>
> "The Professor" <telstarelectronics@yahoo.com> wrote in message
> news:eek32o$1fuo$1@registered.motzarella.org...
>
>> stop spamming the group asshole.
>
> Why is it spamming?

Bill included rec.radio.amateur.misc in the list of newsgroups he posted the
original message to.  Since rram seems to be reserved for flames, discussion
of amateur radio is evidently off-topic.

..




From 5545378338717464840
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
```

```
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 17 Sep 2006 13:53:40 -0500
Date: Sun, 17 Sep 2006 19:53:51 +0100
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6) Gecko/
20060729 SeaMonkey/1.0.4
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER,
 ENIGMA,
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
<eek32o$1fuo$1@registered.motzarella.org>
In-Reply-To: <eek32o$1fuo$1@registered.motzarella.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <QJqdnTS1Md8pBJDYnZ2dnUVZ8t2dnZ2d@pipex.net>
Lines: 21
NNTP-Posting-Host: 81.178.254.145
X-Trace: sv3-QF7KyAms/RRfDBIFSfpUifDpM7Cm6l0nBHx3h/
cOiRsHutZFRlF2en6ncPsNjOTfifhpBcN5bUfXr1W!
Nfo4mT33VlfqJHXckucTxNOp7UMb9iYhwzQ9UbzIcLa5tXpG534WRfHiHMDXW6nVwMyfCJ3kwnax!
SzbpS0LUoNDbR8ovqKuBM/mWxfM=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.homebrew:6951
rec.radio.amateur.boatanchors:5426 rec.radio.amateur.equipment:6249
rec.radio.amateur.misc:21762 sci.electronics.basics:25649

The Professor wrote:
> stop spamming the group asshole.
>
> www.telstar-electronics.com   <------------- !!!!!!
------------
> <bill.meara@gmail.com> wrote in message
> news:1158515181.447997.53890@m73g2000cwd.googlegroups.com...
>> SolderSmoke!
>> A SHOW FOR ELECTRONICS HOMEBREWERS!
etc etc
=================================
Oh ,I see, the Professor is selling (partly illegal)CB Power amplifiers.
```

Probably no solder smoke on his premises ......just carton boxes filled
with equipment ,ready for shipment to truckers' watering holes.

Bill , I enjoy listening to your podcasts ....keep up the good work.
Just ignore the above junk seller ,who apparently is NOT capable to
produce any civilised and intelligent response.

Frank   GM0CSZ / KN6WH

From -7751435658946362180
X-Google-Thread: 108122,663c625f79ec7b89,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-06!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Stuart" <n5lbz@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Harris RF-350K/RT-1446 parts need
Date: Sun, 17 Sep 2006 09:00:22 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12gr9d43nole605@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:6250

I am trying to repair my radio after I got hit by lightning. I need a
special IC made by Harris
U5 located on the synthesizer board. The Harris part # for the synthesizer
board is
10085-5600 and for the IC 10085-5260. If anyone has a spare board or chip
they would be willing
to part with I would like to hear from you.
Stuart
n5lbz@arrl.net

--

Outgoing mail is certified Virus Free
Checked by McAFEE on-Line subscription
Anti-Virus.

From 919009948983135341

```
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: 17 Sep 2006 14:37:42 -0700
Organization: http://groups.google.com
Lines: 32
Message-ID: <1158529062.855243.114760@m73g2000cwd.googlegroups.com>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
   <eefdt6$eis$1@news2.kornet.net>
NNTP-Posting-Host: 4.224.168.182
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158529068 26593 127.0.0.1 (17 Sep 2006 21:37:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 17 Sep 2006 21:37:48 +0000 (UTC)
In-Reply-To: <eefdt6$eis$1@news2.kornet.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=4.224.168.182;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.antenna:18418
rec.radio.amateur.equipment:6251 rec.radio.amateur.policy:44956
rec.radio.swap:7595


Brenda Ann wrote:
> --
> Say no to institutionalized interference.
> Just say NO to HD/IBOC!
> "Slow Code" <my.mail@no.spam> wrote in message
> news:nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net...
> > But we need to improve the operators first.
> >
> >
> > Step 1: No more automatic renewals. Individuals must retest and
> >            pass all elements required for their license class.
> >
> > Step 2: The passing score for written exams needs to be raised to 85%.
> >
> > Step 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
> >
```

> > Step 4: Make the no-code license one year non-renewable.
> >
> >
> > Email these to President Bush and tell him you want to help with the war
> > on terror. Thanks.
> >
>
> He'd be more likely to declare ham radio a security risk and classify the
> frequencies.. :)

When I was HL9ACT, mobile operation was disallowed in South Korea. All
ham radio was disallowed in North Korea.

Under FDR, amateur radio was Disallowed in America.

From -5623285263658691553
X-Google-Thread: fc2a5,4d8712d2438150bf
X-Google-Thread: fc8b1,4d8712d2438150bf
X-Google-Thread: 108122,4d8712d2438150bf
X-Google-Thread: 107ada,4d8712d2438150bf
X-Google-Thread: 111d0a,4d8712d2438150bf
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed.hal-mli.net!feeder1.hal-mli.net!news.alt.net!usenet
From: Lloyd Resinsmoke <lloyd@no.spammmmm>
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.basics
Subject: Re: SolderSmoke #32: HW101 (clutch) FT-101, CONNECTORS, 3RD ORDER,
ENIGMA,
Date: Sun, 17 Sep 2006 21:46:40 +0000 (UTC)
Organization: http://www.TarrNews.net - FREE NNTP Access
Lines: 19
Message-ID: <RSMKE17833.245889@tarrnews.net>
References: <1158515181.447997.53890@m73g2000cwd.googlegroups.com>
<eek32o$1fuo$1@registered.motzarella.org> <GvgPg.19538$cz3.10943@edtnps82>
<qOgPg.35$k74.23@newsfe06.lga>
NNTP-Posting-Host: 127.0.0.1
User-Agent: Xnews/5.04.89
Xref: g2news2.google.com rec.radio.amateur.homebrew:6952
rec.radio.amateur.boatanchors:5429 rec.radio.amateur.equipment:6252
rec.radio.amateur.misc:21779 sci.electronics.basics:25657

On Sun, 17 Sep 2006 14:50:58 -0400, xpyttl <xpyttl_NOSPAM@earthling.net> wrote:
> "Homer J Simpson" <nobody@nowhere.com> wrote in message
> news:GvgPg.19538$cz3.10943@edtnps82...
> >
> > "The Professor" <telstarelectronics@yahoo.com> wrote in message
> > news:eek32o$1fuo$1@registered.motzarella.org...
> >

> >> stop spamming the group asshole.
> >
> > Why is it spamming?
>
> Bill included rec.radio.amateur.misc in the list of newsgroups he posted the
> original message to. Since rram seems to be reserved for flames, discussion
> of amateur radio is evidently off-topic.

Every on-topic post helps rram, even if only a little bit. Keep these
posts up. I added soldersmoke to my bashpodder list, and will be
listening to the podcast to see what it's all about. Number 32 sounds
very interesting so far.

```
From 3304738835826825260
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: 17 Sep 2006 14:51:55 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1158529915.420544.256690@i42g2000cwa.googlegroups.com>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
   <450C4583.1090209@fuse.net>
   <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
   <eehr0s$s79$1@news2.kornet.net>
   <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
   <pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
   <450D4EAE.6070003@fuse.net>
NNTP-Posting-Host: 4.224.168.182
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158529919 28855 127.0.0.1 (17 Sep 2006 21:51:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 17 Sep 2006 21:51:59 +0000 (UTC)
In-Reply-To: <450D4EAE.6070003@fuse.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=4.224.168.182;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.antenna:18419
```

rec.radio.amateur.equipment:6253 rec.radio.amateur.policy:44957
rec.radio.swap:7597

jawod wrote:
> >
> > I like the way Rush Limbaugh puts it:
> >
> > "If you're offended, that's your problem."
> >
> > SC
>
> Rush LIMBAUGH?!?
>
> Do people still listen to that drugged-out loser?

Interesting. Liberals looks at drug abuse as a victimless crime, just
people need some help, free needles, methadone, and billions in drug
counseling and counseling centers.

All their rock and roll heroes and hollywood legends are stoned all of
the time.

But when Rush avails himself to to these legal views that the liberals
have put into place...

"he's a drugged-out loser."

From -2306219074725771698
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!zeus.nntpserver.com!66.150.105.250.MISMATCH!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Sun, 17 Sep 2006 18:15:52 -0400
Message-ID: <d8irg2dj5knvrk7u9tsqtrluchriavlrqt@4ax.com>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
<450C4583.1090209@fuse.net> <A1ZOg.1768$6S3.1139@newssvr25.news.prodigy.net>
<eehr0s$s79$1@news2.kornet.net> <xt2dnTmor8YH5JHYnZ2dnUVZ_tSdnZ2d@neonova.net>
<pI%Og.13110$xQ1.10931@newsread3.news.pas.earthlink.net>
<450D4EAE.6070003@fuse.net>
<1158529915.420544.256690@i42g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 3.3/32.846

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
NNTP-Posting-Date: 17 Sep 2006 21:20:15 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18420
rec.radio.amateur.equipment:6254 rec.radio.amateur.policy:44962
rec.radio.swap:7600

On 17 Sep 2006 14:51:55 -0700, hot-ham-and-cheese@hotmail.com wrote:

>
>jawod wrote:
>> >
>> > I like the way Rush Limbaugh puts it:
>> >
>> > "If you're offended, that's your problem."
>> >
>> > SC
>>
>> Rush LIMBAUGH?!?
>>
>> Do people still listen to that drugged-out loser?
>
>Interesting.  Liberals looks at drug abuse as a victimless crime, just
>people need some help, free needles, methadone, and billions in drug
>counseling and counseling centers.
>
>All their rock and roll heroes and hollywood legends are stoned all of
>the time.
>
>But when Rush avails himself to to these legal views that the liberals
>have put into place...
>
>"he's a drugged-out loser."
amazing hw that works

http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 5148019084807677913
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe06.lga.POSTED!53ab2750!not-for-mail
From: "Tim Williams" <tmoranwms@charter.net>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
<45085508.2671FCF2@earthlink.net> <RL0Og.133$Bb4.42@newsfe02.lga>
<telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <iuhOg.13$q%3.4@newsfe06.lga>
X-Trace:
lalincmlnekeejjfijjdnojopddcmjimoajphbfiijmhibaphbanndhlogddfllfihnaholmckglmalnbk
cbadagagnikmopmlgninajkkbffdpnjfkmkfbbbjemoglaenfnojecgjgcfcij
NNTP-Posting-Date: Thu, 14 Sep 2006 11:48:46 MST
Date: Thu, 14 Sep 2006 13:50:57 -0500
Xref: g2news2.google.com sci.electronics.basics:25362 sci.physics.electromag:4385
rec.radio.shortwave:52886 rec.radio.amateur.equipment:6153 uk.radio.amateur:51857

"Telamon" <telamon_spamshield@pacbell.net.is.invalid> wrote in message
news:telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com...
>> My point was that some otherwise ambiguous dB scales (at least one) have
>> a
>> defined absolute basis.
>
> Like Michael stated dB is a logarithmic reference-less ratio value.

So what is acoustic dB?
http://home.new.rr.com/trumpetb/audio/dBexamp.html
SPL, I should say.

There it lies, x dB on the left scale.

Tim

--
Deep Fryer: a very philosophical monk.

Website: http://webpages.charter.net/dawill/tmoranwms

```
From -3703395465536298599
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <4509A7FC.2CE7D6DE@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
<45085508.2671FCF2@earthlink.net> <RL0Og.133$Bb4.42@newsfe02.lga>
<telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com>
<iuhOg.13$q%3.4@newsfe06.lga>
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
Lines: 28
Date: Thu, 14 Sep 2006 19:05:55 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158260755 24.110.34.161 (Thu, 14 Sep
2006 12:05:55 PDT)
NNTP-Posting-Date: Thu, 14 Sep 2006 12:05:55 PDT
Xref: g2news2.google.com sci.electronics.basics:25365 sci.physics.electromag:4386
rec.radio.shortwave:52890 rec.radio.amateur.equipment:6154 uk.radio.amateur:51861
```

Tim Williams wrote:

>

```
> "Telamon" <telamon_spamshield@pacbell.net.is.invalid> wrote in message
> news:telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com...
> >> My point was that some otherwise ambiguous dB scales (at least one) have
> >> a
> >> defined absolute basis.
> >
> > Like Michael stated dB is a logarithmic reference-less ratio value.
>
> So what is acoustic dB?
> http://home.new.rr.com/trumpetb/audio/dBexamp.html
> SPL, I should say.
>
> There it lies, x dB on the left scale.


   That is a SPL chart with the dB levels referenced to 0 dB SPL =
0.0002 �bar.



--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida



From 3923743191226699936
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
Subject: Re: QRP-ARCI
Date: Thu, 14 Sep 2006 15:06:22 -0400
Organization: Moron
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 180
Message-ID: <45099b25$0$19646$88260bb3@free.teranews.com>
NNTP-Posting-Date: 14 Sep 2006 18:10:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:44580
rec.radio.amateur.misc:21578 rec.radio.amateur.boatanchors:5370
rec.radio.amateur.equipment:6155 rec.radio.amateur.homebrew:6920

"NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
news:FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com...
> Chuck Harris wrote:
>> NoMoreSpam wrote:
>>> For a disgusting example of what happens when a small minded petty group
>>> decides to have a vendetta against a member.
>>>
>>> http://w2agn/qrparci.html
>>>
>>> Also what happens when we allow any foreign power, including the
>>> British, to take over an American institution.
>>
>> Your righteous indignation would probably have worked better if you
>> had provided a valid URL.
>>
>> -Chuck
>
> You are correct. That's what happens when one gets really p*ssed off! The
> URL
> should be:
>
> http://w2agn.net/qrparci.html
>
> Thanks Chuck!
>
quit floding teh gruop with ur off tpoic nonsance you post it trhee times
you sppamming fool.

with the punce gotcha he wonders why I simple don't bother to ty impoving my spelling do u hav anyting cognet two say?

--
Posted via a free Usenet account from http://www.teranews.com

From 6377157838900799320
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <4509A879.A2A86F1B@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net

Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
<45085508.2671FCF2@earthlink.net> <RL0Og.133$Bb4.42@newsfe02.lga>
<telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com>
<iuhOg.13$q%3.4@newsfe06.lga>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
Date: Thu, 14 Sep 2006 19:08:00 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1158260880 24.110.34.161 (Thu, 14 Sep 2006 12:08:00 PDT)
NNTP-Posting-Date: Thu, 14 Sep 2006 12:08:00 PDT
Xref: g2news2.google.com sci.electronics.basics:25366 sci.physics.electromag:4387 rec.radio.shortwave:52891 rec.radio.amateur.equipment:6156 uk.radio.amateur:51862

Tim Williams wrote:
>
> "Telamon" <telamon_spamshield@pacbell.net.is.invalid> wrote in message
> news:telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com...
> >> My point was that some otherwise ambiguous dB scales (at least one) have
> >> a
> >> defined absolute basis.
> >
> > Like Michael stated dB is a logarithmic reference-less ratio value.
>
> So what is acoustic dB?
> http://home.new.rr.com/trumpetb/audio/dBexamp.html
> SPL, I should say.
>
> There it lies, x dB on the left scale.

Read this Sound Level Meter manual if you want to understand that chart.

<http://rsk.imageg.net/graphics/uc/rsk/Support/ProductManuals/3304050_PM_EN.pdf>

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 2331902627200195610
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.icl.net!
newsfeed.fjserv.net!newsfeed.esat.net!reader01.news.esat.net!not-for-mail
From: class-a-licence-pkearn-12wpm@eircom.org.net.edu\g\g\g\g (zpk)
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: Thu, 14 Sep 2006 19:14:48 GMT
Organization: Esat Net Customer
Lines: 12
Message-ID: <4509a9ae.90047077@news.iol.ie>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
<45085508.2671FCF2@earthlink.net> <RL0Og.133$Bb4.42@newsfe02.lga>
<telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com>
<iuhOg.13$q%3.4@newsfe06.lga> <4509A7FC.2CE7D6DE@earthlink.net>
NNTP-Posting-Host: dialup0209.ts551.cwt.esat.net
X-Trace: reader01.news.esat.net 1158261198 9536 193.203.140.209 (14 Sep 2006
19:13:18 GMT)
X-Complaints-To: abuse@esat.net
NNTP-Posting-Date: Thu, 14 Sep 2006 19:13:18 +0000 (UTC)
X-Newsreader: Forte Free Agent 1.21/32.243
Xref: g2news2.google.com sci.electronics.basics:25367 sci.physics.electromag:4388
rec.radio.shortwave:52892 rec.radio.amateur.equipment:6157 uk.radio.amateur:51864

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote:

>   That is a SPL chart with the dB levels referenced to 0 dB SPL =
> 0.0002 �bar.

errrr,,, excuse me ...but....

<scratches head trying to see>

since when has a fraction of microBar had any effect
on an rf link using any sort of modulation ?

From -7564640362052847347
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!colt.net!
newsfeed.esat.net!reader01.news.esat.net!not-for-mail
From: class-a-licence-pkearn-12wpm@eircom.org.net.edu\g\g\g\g (zpk)
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: Thu, 14 Sep 2006 19:16:19 GMT
Organization: Esat Net Customer
Lines: 19
Message-ID: <4509aa67.90231952@news.iol.ie>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net> <ZkMNg.71$iI7.62@newsfe04.lga>
<45079C47.36EED055@earthlink.net> <mFVNg.18$Nq1.6@newsfe04.lga>
<45085508.2671FCF2@earthlink.net> <RL0Og.133$Bb4.42@newsfe02.lga>
<telamon_spamshield-E5BC7E.19380913092006@newsclstr02.news.prodigy.com>
<iuhOg.13$q%3.4@newsfe06.lga> <4509A7FC.2CE7D6DE@earthlink.net>
<4509a9ae.90047077@news.iol.ie>
NNTP-Posting-Host: dialup0209.ts551.cwt.esat.net
X-Trace: reader01.news.esat.net 1158261289 9536 193.203.140.209 (14 Sep 2006
19:14:49 GMT)
X-Complaints-To: abuse@esat.net
NNTP-Posting-Date: Thu, 14 Sep 2006 19:14:49 +0000 (UTC)
X-Newsreader: Forte Free Agent 1.21/32.243
Xref: g2news2.google.com sci.electronics.basics:25368 sci.physics.electromag:4389

```
rec.radio.shortwave:52893 rec.radio.amateur.equipment:6158 uk.radio.amateur:51865

class-a-licence-pkearn-12wpm@eircom.org.net.edu\g\g\g\g (zpk) wrote:

> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote:
>
> >    That is a SPL chart with the dB levels referenced to 0 dB SPL =
> > 0.0002 �bar.
>
> errrr,,, excuse me ...but....
> <scratches head trying to see>
> since when has a fraction of microBar had any effect
> on an rf link using any sort of modulation ?


ahhh..now i see where  uBars come in...

ok..

caryy on.



From -2360443926974603015
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 14:38:58 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
Subject: Re: QRP-ARCI
Date: Thu, 14 Sep 2006 14:38:57 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <3KidnevSVZdPMpTYnZ2dnUVZ_vGdnZ2d@comcast.com>
Lines: 18
NNTP-Posting-Host: 71.226.69.91
X-Trace: sv3-EDyM5XIICT6zuMatUdhRfXBvb3pGJ2BG7EijDzITL/MXiSYS/
NP4xQkw4ayHmUi4vUbOmz0LlEzgzwd!JtNgYKruBqxFkRtwPzija/yaDTLAsKvw8Kh4YGB/8nYvU5/
sgjdfmy8XPXptvUeSnCeYkHg57Ii3!ZhKxSWnC62BO
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

Xref: g2news2.google.com rec.radio.amateur.equipment:6159

Why is this crap being crossposted?? Why is this crap even posted in the first place??

Naahhhhh.... not worth the effort

Welcome to my killfile

"NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
news:k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com...
> For a disgusting example of what happens when a small minded petty group
> decides to have a vendetta against a member.
>
> http://w2agn/qrparci.html
>
> Also what happens when we allow any foreign power, including the British,
> to take over an American institution.

From -8990966023117087650
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 14:52:47 -0500
Date: Thu, 14 Sep 2006 15:52:24 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
Subject: Re: QRP-ARCI
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
<45099b25$0$19646$88260bb3@free.teranews.com>
In-Reply-To: <45099b25$0$19646$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <-t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 68.44.216.166

```
X-Trace: sv3-
wEz6R2STdsITXFH3zMX2Bm1+nInTiR4RPTMgalLeWccW9GZc2IiHs8B8ZvtJgJSoYPLU1acv5RDS8O/!
p0r9QQ/E8r/g9P1pKmtiVE4++VFq1BHjKmrrKZ8d4FbPYuTmutXt2AHh2WF1iuKI2g8XAn5kMP2Y!
MKAiIyKlYK7CbiobucQE
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:44583
rec.radio.amateur.misc:21580 rec.radio.amateur.boatanchors:5373
rec.radio.amateur.equipment:6160 rec.radio.amateur.homebrew:6921

Mark@kb9rqz.com wrote:

>>
> quit floding teh gruop with ur off tpoic nonsance you post it trhee times
> you sppamming fool.

> with the punce gotcha he wonders why I simple don't bother to ty impoving my
> spelling do u hav anyting cognet two say?
>
>
>

Are you really that stupid, or do you just play a moron on Usenet?


From -5197424824031924546
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
<45099b25$0$19646$88260bb3@free.teranews.com> <-
t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
Subject: Re: QRP-ARCI
Date: Thu, 14 Sep 2006 16:21:22 -0400
Organization: Moron
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 141
Message-ID: <4509acb9$0$19724$88260bb3@free.teranews.com>
NNTP-Posting-Date: 14 Sep 2006 19:25:45 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:44585
rec.radio.amateur.misc:21581 rec.radio.amateur.boatanchors:5374
rec.radio.amateur.equipment:6161 rec.radio.amateur.homebrew:6922


"NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
news:-t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com...
> Mark@kb9rqz.com wrote:
>
>>>
>> quit floding teh gruop with ur off tpoic nonsance you post it trhee times
>> you sppamming fool.
>
>> with the punce gotcha he wonders why I simple don't bother to ty impoving
>> my spelling do u hav anyting cognet two say?
>>
>>
>>
>
> Are you really that stupid, or do you just play a moron on Usenet?
>
no it has to do with beignthe victum of a no punce no class radio ops
```

with the punce gotcha he wonders why I simple don't bother to ty impoving my spelling do u hav anyting cognet two say?

--
Posted via a free Usenet account from http://www.teranews.com

```
From 6061282794181929038
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!
hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
<45099b25$0$19646$88260bb3@free.teranews.com> <-
t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
Subject: Re: QRP-ARCI
Date: Thu, 14 Sep 2006 16:30:20 -0400
Organization: Moron
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 153
Message-ID: <4509aed3$0$19639$88260bb3@free.teranews.com>
NNTP-Posting-Date: 14 Sep 2006 19:34:43 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:44588
rec.radio.amateur.misc:21584 rec.radio.amateur.boatanchors:5375
rec.radio.amateur.equipment:6162 rec.radio.amateur.homebrew:6923


"NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
news:-t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com...
> Mark@kb9rqz.com wrote:
>
>>>
>> quit floding teh gruop with ur off tpoic nonsance you post it trhee times
>> you sppamming fool.
>
>> with the punce gotcha he wonders why I simple don't bother to ty impoving
>> my spelling do u hav anyting cognet two say?
>>
>>
>>
>
```

> Are you really that stupid, or do you just play a moron on Usenet?
>
you show yourself as Robeson or one of clones by YOUR obession with sex
as if you aren't getting any

do yourself a favor get alife or get laid you will enjoy life more

with the punce gotcha he wonders why I simple don't bother to ty impoving my spelling do u hav anyting cognet two say?

```
--
Posted via a free Usenet account from http://www.teranews.com
```

```
From 2057034928833664290
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 15:39:23 -0500
Date: Thu, 14 Sep 2006 16:39:00 -0400
From: NoMoreSpam <Disgustedham@qrparci.org>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
```

```
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
Subject: Re: QRP-ARCI
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
<45099b25$0$19646$88260bb3@free.teranews.com> <-
t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
<4509aed3$0$19639$88260bb3@free.teranews.com>
In-Reply-To: <4509aed3$0$19639$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com>
Lines: 26
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-HzzKpFfD9D822jEMbsKXRbffRQ8ZGeUDcMlaTVtlhv3OXg/
xgjvUFylGEjoAvl4S1DrWbsKRv01FPyT!tci7t95NhbF/
ztI3BuB0d9jZ3Zae6c3myD+b4CTzkahMtu1pV4L7SoGbK3qyMy8Vp+pn7L4GqY72!/
UtUpDrXXknybIoaDtm2
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:44589
rec.radio.amateur.misc:21585 rec.radio.amateur.boatanchors:5376
rec.radio.amateur.equipment:6163 rec.radio.amateur.homebrew:6924
```

Mark@kb9rqz.com wrote:
> "NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
> news:-t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com...
>> Mark@kb9rqz.com wrote:
>>
>>> quit floding teh gruop with ur off tpoic nonsance you post it trhee times
>>> you sppamming fool.
>>> with the punce gotcha he wonders why I simple don't bother to ty impoving
>>> my spelling do u hav anyting cognet two say?
>>>
>>>
>>>
>> Are you really that stupid, or do you just play a moron on Usenet?
>>
> you show yourself as Robeson or one of clones by YOUR obession with sex
> as if you aren't getting any
>
> do yourself a favor get alife or get laid you will enjoy life more

Sex? I didn't see any reference to sex. I did, however, look at your "blog," etc., and found the answer to my question.

You are not only a moron, but possibly a dangerous psychotic one.

You are going into the "delete without reading" filter.

From -8865679647568967O
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur,alt.ham.radio,rec.ham-radio
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
<45099b25$0$19646$88260bb3@free.teranews.com> <-t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
<4509aed3$0$19639$88260bb3@free.teranews.com>
<_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com>
Subject: Re: QRP-ARCI
Date: Thu, 14 Sep 2006 16:45:33 -0400
Organization: Moron
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 99
Message-ID: <4509b263$0$19693$88260bb3@free.teranews.com>
NNTP-Posting-Date: 14 Sep 2006 19:49:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:44590
rec.radio.amateur.misc:21586 rec.radio.amateur.boatanchors:5377
rec.radio.amateur.equipment:6164 rec.radio.amateur.homebrew:6925

"NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
news:_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com...
> Mark@kb9rqz.com wrote:
>> "NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
>> news:-t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com...
>>> Mark@kb9rqz.com wrote:

>>>
>>>> quit floding teh gruop with ur off tpoic nonsance you post it trhee
>>>> times you sppamming fool.
>>>> with the punce gotcha he wonders why I simple don't bother to ty
>>>> impoving my spelling do u hav anyting cognet two say?
>>>>
>>>>
>>>>
>>> Are you really that stupid, or do you just play a moron on Usenet?
>>>
>> you show yourself as Robeson or one of clones by YOUR obession with sex
>> as if you aren't getting any
>>
>> do yourself a favor get alife or get laid you will enjoy life more
>
>
> Sex? I didn't see any reference to sex. I did, however, look at your
> "blog," etc., and found the answer to my question.
>
> You are not only a moron, but possibly a dangerous psychotic one.
>
> You are going into the "delete without reading" filter.
>
that you would like me and any that dares disagreewithyou to get off
the nets yes I know what you want robeson or Robeson clone
http://kb9rqz.blogspot.com/

```
with the punce gotcha he wonders why I simple don't bother to ty impoving my
spelling do u hav anyting cognet two say?
you are pretty dumb loousely translated it mean "fuck you"




--
Posted via a free Usenet account from http://www.teranews.com




From -3956559952827009200
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
```

border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-
xt-sjc-09!sn-xt-sjc-07!sn-post-sjc-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Joel Kolstad" <JKolstad71HatesSpam@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: Re: PayPal horror stories
Date: Thu, 14 Sep 2006 13:50:50 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12gjg5c7v745776@corp.supernews.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news2.google.com rec.radio.amateur.equipment:6165
rec.radio.amateur.homebrew:6926 rec.radio.amateur.policy:44591
rec.radio.shortwave:52905

"Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net> wrote in message
news:6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com...
> One compelling reason to ONLY fund PayPal with a Credit Card that
> will charge-back unauthorized activity and to request a check if you
> have more than $20 in your account.
> They cannot take what they don't have.

No, but PayPal has always maintained that the "service" they provide is merely transferring money around, so if you have your bank charge-back something that went through PayPal they *will* dispute the chargeback, and since they can demonstrate that they transferred the money from you to a seller, it's highly unlikely the bank will side with you. As far as the bank is concerned, you sent Paypal some money and they then sent it on to someone else -- unless you can dispute *that*, you're out of luck. The bank doesn't care what "someone else" might have done with the money subsequently.

That being said, PayPal does have their own fraud protection system these days. IMO, dealing with PayPal isn't as safe as buying directly with a credit card, but it's *much* safer than sending a check, money order, etc.

---Joel

From 6628674880956041792
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2

X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 14 Sep 2006 17:15:52 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Thu, 14 Sep 2006 15:15:51 -0700
Subject: Re: QRP-ARCI
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur,alt.ham.radio,rec.ham-radio
Message-ID: <C12F22A7.4329E%dbowey@comcast.net>
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
<45099b25$0$19646$88260bb3@free.teranews.com> <-
t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
<4509aed3$0$19639$88260bb3@free.teranews.com>
<_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com>
<4509b263$0$19693$88260bb3@free.teranews.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 45
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-8bFzIhcbY4T2eCTiroPNAizbPG2aeISrarc/oiDoX7y9aS/lPy2tlrShA02V4vlczs2V/
xK8GoKL4Wl!
6xtpC9H1+wsykrrTo9XbVjclhXas48jlTVRDGR9zyR4w1q6NFfX1vRnLLMxVIXk4uKScbdNl
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.policy:44596
rec.radio.amateur.misc:21588 rec.radio.amateur.boatanchors:5378
rec.radio.amateur.equipment:6166 rec.radio.amateur.homebrew:6927

On 9/14/06 1:45 PM, in article 4509b263$0$19693$88260bb3@free.teranews.com, "Mark@kb9rqz.com" <Mark@kb9rqz.com> wrote:

>
> "NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
> news:_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com...
>> Mark@kb9rqz.com wrote:
>>> "NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
>>> news:-t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com...
>>>> Mark@kb9rqz.com wrote:

```
>>>>
>>>>> quit floding teh gruop with ur off tpoic nonsance you post it trhee
>>>>> times you sppamming fool.
>>>>> with the punce gotcha he wonders why I simple don't bother to ty
>>>>> impoving my spelling do u hav anyting cognet two say?
>>>>>
>>>>>
>>>>>
>>>> Are you really that stupid, or do you just play a moron on Usenet?
>>>>
>>> you show yourself as Robeson or one of clones by YOUR obession with sex
>>> as if you aren't getting any
>>>
>>> do yourself a favor get alife or get laid you will enjoy life more
>>
>>
>> Sex? I didn't see any reference to sex. I did, however, look at your
>> "blog," etc., and found the answer to my question.
>>
>> You are not only a moron, but possibly a dangerous psychotic one.
>>
>> You are going into the "delete without reading" filter.
>>
> that you would like me and any that dares disagreewithyou to get off
> the nets yes I know what you want robeson or Robeson clone
> http://kb9rqz.blogspot.com/
>
>
> with the punce gotcha he wonders why I simple don't bother to ty impoving my
> spelling do u hav anyting cognet two say?
> you are pretty dumb loousely translated it mean "fuck you"
>
>
Clearly you are an ignorant, vulgar fool.



From 2529052857301126239
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Thu, 14 Sep 2006 17:18:20 -0500
From: Mark Rand <randm@internettie.co.uk>
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Overheating AA batteries
Date: Thu, 14 Sep 2006 23:18:19 +0100
Message-ID: <h5ljg29i5gc3s4hjo3bcgns9qfi8gkbill@4ax.com>
```

References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
<EdFMg.30957$ry2.6768@bignews3.bellsouth.net>
<34c6g2pv3c1iktjatf4sfsrfk1mkj69chg@4ax.com>
<1158254840.360428.316620@k70g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
X-Trace: sv3-dswE6369/WnbmKdku2kZUWnWPeq8/
YH6qk2vx+P3GNGjM60yZ82RXDRFvwYhwV2WeG99jqtd6RoWAYq!+xC+xIQI3t7bPsR/
90PNQYjIobFOY1iD/lm91yd5ZLOw88WtswSQhrs7iq9mSgXTqGpZn5Ah
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:91922
rec.radio.amateur.homebrew:6928 rec.radio.amateur.equipment:6167

On 14 Sep 2006 10:27:20 -0700, "K7ITM" <k7itm@msn.com> wrote:

>Chemistry lesson for the day:
>
>Be careful what you call the cathode and what you call the anode.
>Oxidation ALWAYS occurs at the Anode, and reduction always occurs at
>the cathode. The oxidation process results in a chemical losing
>electrons, and the reduction process results in a chemical gaining
>electrons. (Mnemonics: "oxidation" and "anode" both start with
>vowels; "reduction" and "cathode" both start with consonants. "LEO sez
>GER": Loss of Electrons is Oxidation. Gain of Electrons is
>Reduction.) In a cell delivering power, the ANODE is the NEGATIVE
>terminal--the electrons given up in the oxidation chemical reaction
>come out there. If you re-charge the cell, the roles of anode and
>cathode are reversed. You feed electrons into the negative terminal,
>and (with luck) cause a reduction reaction where the chemical at that
>pole picks up the electrons and is converted back to what it was when
>the battery was freshly charged.
>
>Cheers,
>Tom
>
>

Guilty as charged (groan).
It's just like my account with the bank where debits remove money instead of
adding money like they should do :-)

Mark Rand
RTFM

```
From 6802195398683093607
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: <Mark@kb9rqz.com>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
<45099b25$0$19646$88260bb3@free.teranews.com> <-
t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
<4509aed3$0$19639$88260bb3@free.teranews.com>
<_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com>
<4509b263$0$19693$88260bb3@free.teranews.com> <C12F22A7.4329E%dbowey@comcast.net>
Subject: Re: QRP-ARCI
Date: Thu, 14 Sep 2006 18:42:07 -0400
Organization: Chassell rainbow coalition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Lines: 142
Message-ID: <4509cdb7$0$19699$88260bb3@free.teranews.com>
NNTP-Posting-Date: 14 Sep 2006 21:46:31 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:44604
rec.radio.amateur.misc:21591 rec.radio.amateur.boatanchors:5379
rec.radio.amateur.equipment:6169 rec.radio.amateur.homebrew:6930


"Don Bowey" <dbowey@comcast.net> wrote in message
news:C12F22A7.4329E%dbowey@comcast.net...
> On 9/14/06 1:45 PM, in article
> 4509b263$0$19693$88260bb3@free.teranews.com,
> "Mark@kb9rqz.com" <Mark@kb9rqz.com> wrote:
>
>>
>> "NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
>> news:_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com...
>>> Mark@kb9rqz.com wrote:
```

>>>> "NoMoreSpam" <Disgustedham@qrparci.org> wrote in message
>>>> news:-t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com...
>>>>> Mark@kb9rqz.com wrote:
>>>>>
>>>>>> quit floding teh gruop with ur off tpoic nonsance you post it trhee
>>>>>> times you sppamming fool.
>>>>>> with the punce gotcha he wonders why I simple don't bother to ty
>>>>>> impoving my spelling do u hav anyting cognet two say?
>>>>>>
>>>>>>
>>>>>>
>>>>> Are you really that stupid, or do you just play a moron on Usenet?
>>>>>
>>>> you show yourself as Robeson or one of clones by YOUR obession with sex
>>>> as if you aren't getting any
>>>>
>>>> do yourself a favor get alife or get laid you will enjoy life more
>>>
>>>
>>> Sex? I didn't see any reference to sex. I did, however, look at your
>>> "blog," etc., and found the answer to my question.
>>>
>>> You are not only a moron, but possibly a dangerous psychotic one.
>>>
>>> You are going into the "delete without reading" filter.
>>>
>> that you would like me and any that dares disagreewithyou to get off
>> the nets yes I know what you want robeson or Robeson clone
>> http://kb9rqz.blogspot.com/
>>
>>
>> with the punce gotcha he wonders why I simple don't bother to ty impoving
>> my
>> spelling do u hav anyting cognet two say?
>> you are pretty dumb loousely translated it mean "fuck you"
>>
>>
> Clearly you are an ignorant, vulgar fool.
>
I don't like Homophobes but even worse than Homophobes are thoose the
use gay bashing selctively for own ends. I can respect a homophobe that
is consistant and honest about it but these hypocrites

with the punce gotcha he wonders why I simple don't bother to ty impoving my spelling do u hav anyting cognet two say?

--
Posted via a free Usenet account from http://www.teranews.com

```
From 6819041807146228908
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
Subject: Re: QRP-ARCI
Date: Thu, 14 Sep 2006 18:42:56 -0400
Message-ID: <fmmjg2laaarrs3njl0fkbjak1riattqjo0@4ax.com>
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
```

```
<45099b25$0$19646$88260bb3@free.teranews.com> <-
t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
NNTP-Posting-Date: 14 Sep 2006 21:47:14 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:44605
rec.radio.amateur.misc:21592 rec.radio.amateur.boatanchors:5380
rec.radio.amateur.equipment:6170 rec.radio.amateur.homebrew:6931

On Thu, 14 Sep 2006 15:52:24 -0400, NoMoreSpam
<Disgustedham@qrparci.org> wrote:

>Mark@kb9rqz.com wrote:
>
>>>
>> quit floding teh gruop with ur off tpoic nonsance you post it trhee times
>> you sppamming fool.
>
>> with the punce gotcha he wonders why I simple don't bother to ty impoving my
>> spelling do u hav anyting cognet two say?
>>
>>
>>
>
>Are you really that stupid, or do you just play a moron on Usenet?
that is just mforger posting as as Me since some folks are so
frightened of me they have to try and discredit me
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 2034234619479425062
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
```

```
o.amateur,alt.ham.radio,rec.ham-radio
Subject: Re: QRP-ARCI
Date: Thu, 14 Sep 2006 18:46:06 -0400
Message-ID: <2smjg2h21phatsirabm71p7lm02ephvvfq@4ax.com>
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
<45099b25$0$19646$88260bb3@free.teranews.com> <-
t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
<4509aed3$0$19639$88260bb3@free.teranews.com>
<_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com>
<4509b263$0$19693$88260bb3@free.teranews.com> <C12F22A7.4329E%dbowey@comcast.net>
<4509cdb7$0$19699$88260bb3@free.teranews.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Date: 14 Sep 2006 21:50:21 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.policy:44607
rec.radio.amateur.misc:21593 rec.radio.amateur.boatanchors:5381
rec.radio.amateur.equipment:6171 rec.radio.amateur.homebrew:6932

On Thu, 14 Sep 2006 18:42:07 -0400, <Mark@kb9rqz.com> wrote:

>
>"Don Bowey" <dbowey@comcast.net> wrote in message
>news:C12F22A7.4329E%dbowey@comcast.net...
>> On 9/14/06 1:45 PM, in article
>> 4509b263$0$19693$88260bb3@free.teranews.com,
>> "Mark@kb9rqz.com" <Mark@kb9rqz.com> wrote:

>> Clearly you are an ignorant, vulgar fool.
>>
>I don't like Homophobes but even worse than Homophobes are thoose the
>use gay bashing selctively for own ends. I can respect a homophobe that
>is consistant and honest about it but these hypocrites
interesting that some is stealing my lines to insert them into threads
where I haven't posted
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 6438118294123661910
X-Google-Thread: 10bf43,5e527bf4b31f44c2
X-Google-Thread: 107ada,5e527bf4b31f44c2
X-Google-Thread: fc8b1,5e527bf4b31f44c2
X-Google-Thread: 108122,5e527bf4b31f44c2
X-Google-Thread: fc2a5,5e527bf4b31f44c2
```

```
X-Google-Attributes: gid10bf43,gid107ada,gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!shaw.ca!news.alt.net!
gaynet
From: Lloyd Morgan <lloyd@no.spammmmm>
Newsgroups:
rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.a
mateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radi
o.amateur,alt.ham.radio,rec.ham-radio
Subject: Re: QRP-ARCI
Followup-To: rec.radio.amateur.policy,rec.radio.amateur.misc
Date: Thu, 14 Sep 2006 23:45:06 +0000 (UTC)
Organization: http://www.TarrNews.net - FREE NNTP Access
Lines: 28
Message-ID: <HMPLE7833.2458F8789@tarrnews.net>
References: <k8-dnako2r3s75TYnZ2dnUVZ_sWdnZ2d@comcast.com>
<zfSdnTperaTN55TYnZ2dnUVZ_o2dnZ2d@rcn.net>
<FKWdnbvQZqksF5TYnZ2dnUVZ_uqdnZ2d@comcast.com>
<45099b25$0$19646$88260bb3@free.teranews.com> <-
t6dnWUPOfCSLpTYnZ2dnUVZ_oydnZ2d@comcast.com>
<4509aed3$0$19639$88260bb3@free.teranews.com>
<_6edna0IioxmIJTYnZ2dnUVZ_vmdnZ2d@comcast.com>
<4509b263$0$19693$88260bb3@free.teranews.com> <C12F22A7.4329E%dbowey@comcast.net>
<4509cdb7$0$19699$88260bb3@free.teranews.com>
NNTP-Posting-Host: 127.0.0.1
User-Agent: Xnews/5.04.89
Xref: g2news2.google.com rec.radio.amateur.policy:44608
rec.radio.amateur.misc:21594 rec.radio.amateur.boatanchors:5382
rec.radio.amateur.equipment:6172 rec.radio.amateur.homebrew:6933
```

On Thu, 14 Sep 2006 18:42:07 -0400, Mark@kb9rqz.com <Mark@kb9rqz.com> wrote:

>
> I don't like Homophobes but even worse than Homophobes are thoose the
> use gay bashing selctively for own ends. I can respect a homophobe that

And others don't like homophiles who walk around with a chip on their shoulder and get in everyone's face with their sexual preferences.

Homophilia is the other face of homophobia, and it appears that you suffer from the former malady. Stop looking at everyone else through the prism of your own sexual tension, and stop projecting your fears upon those who are different from you.

Your untrue and fearful cries of "homophobe" are a way of absolving yourself from any responsibility for your own life situation. It is the same thing that blacks do when they overuse the term of "racist," and most of us can see right through that kind of rhetoric no matter who uses it.

You, sir, are playing the blame game, but it doesn't work any longer. It's been worn out long ago. Come up with something real, or else continue to remain a newsgroup fool.

In message <1150581379.052544.216200@r2g2000cwb.googlegroups.com>,
Mark Morgan replied "yes I did. your point?" when accused of
confessing publicly to having beer enemas.

```
From 7035802642859126763
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com> <12gjg5c7v745776@corp.supernews.com>
Subject: Re: PayPal horror stories
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <D%lOg.16604$c07.4284@fed1read04>
Date: Thu, 14 Sep 2006 16:57:34 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1158278243 72.197.12.245 (Thu, 14 Sep 2006 19:57:23 EDT)
NNTP-Posting-Date: Thu, 14 Sep 2006 19:57:23 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6173
rec.radio.amateur.homebrew:6934 rec.radio.amateur.policy:44617
rec.radio.shortwave:52927
```

Interesting threads

What about setting up two checking accounts (main and secondary) - the
secondary is not linked to anything (overdraft, credit card, savings, etc)

Then keep a small amount in the secondary account ($5 or zero)

Now when some one sends you funds - tell Paypal to send it to the secondary
account - when received quickly transfer to your main account.

When you buy thru Palpal -- quickly deposit the required amount in the secondary fund

In both case -- keep track of things until the transaction is complete

Whatta ya think ??

CL -- been doing that for some time now

From 1453117093496786300
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc07.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
<eTSNg.51753$Qb2.3597@trnddc08>
Subject: Re: Icom Tuning?...Help Please
Lines: 44
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <qemOg.18612$c22.2948@trnddc07>
Date: Fri, 15 Sep 2006 00:13:10 GMT
NNTP-Posting-Host: 63.19.163.250
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1158279190 63.19.163.250 (Thu, 14 Sep 2006 20:13:10 EDT)
NNTP-Posting-Date: Thu, 14 Sep 2006 20:13:10 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6174

"Dale Parfitt" <par@parelectronics.com> wrote in message
news:eTSNg.51753$Qb2.3597@trnddc08...
>
> "Clayton" <Evans8119@aol.com> wrote in message
> news:1158126365.996464.41560@e63g2000cwd.googlegroups.com...
>> Hi,
>> I have an Icom IC-290A that I am working on...The problem being that
>> when I turn the tuning knob it doesn't change frequencies,it acts as if
>> the knob is slipping.
>> After determining that it wasn't the knob slipping I proceeded to
>> disassemble the front to get at the tuning potentiometer.
>> If your familiar with this unit you know that the potentiometer is
>> continuous and has teeth that catch when you turn the knob to make

>> tuning easier.
>> Now when I hook up my ohm meter to the wiper and to either end of the
>> potentiometer all I get is an OL reading and when I turn the shaft the
>> reading jumps around wildly. If I connect the meter to the wiper and to
>> the case of the(I am assuming this is correct?) potentiometer I should
>> get a reading of Zero ohms but again the only reading I get is OL.
>>
>> Am I safe in saying that the potentiometer is bad?
>>
>> If so how do I go about figuring out what type of potentiometer I need
>> to replace the bad one?
>> The schematic doesn't tell me what value it is and there isn't a parts
>> list or part number either.
>>
>> I hope I have made myself clear enough to be understood,if not please
>> let me know so I can try and make things clearer.
>>
>> Any help on this would be greatly appreciated.
>> Thank you
>>
> My apologies Clayton- my comment was inappropriate regarding you working
> on the 290.

A scope on the encoder will tell you immediately whether it is working. The
mecahnical ones were much more prone to failure than optical encoders.
As Pete said, if it has +5 on it, it is likely optical.

73,
Dale W4OP

From -5852315929755031573
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: PayPal horror stories
Date: Fri, 15 Sep 2006 09:23:28 +0900
Organization: Korea Telecom
Lines: 32
Message-ID: <eecrj6$c5e$1@news2.kornet.net>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com> <12gjg5c7v745776@corp.supernews.com>
<D%lOg.16604$c07.4284@fed1read04>

```
NNTP-Posting-Host: 59.8.210.127
X-Trace: news2.kornet.net 1158279591 12462 59.8.210.127 (15 Sep 2006 00:19:51 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Fri, 15 Sep 2006 00:19:51 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.equipment:6175
rec.radio.amateur.homebrew:6935 rec.radio.amateur.policy:44620
rec.radio.shortwave:52930




--
Say no to institutionalized interference.
Just say NO to HD/IBOC!
"Caveat Lector" <CL@nowhere.com> wrote in message
news:D%lOg.16604$c07.4284@fed1read04...
> Interesting threads
>
> What about setting up two checking accounts  (main and secondary) - the
> secondary is not linked to anything (overdraft, credit card, savings, etc)
>
> Then keep a small amount in the secondary account ($5 or zero)
>
> Now when some one sends you funds - tell Paypal to send it to the
> secondary account - when received quickly transfer to your main account.
>
> When you buy thru Palpal -- quickly deposit the required amount in the
> secondary fund
>
> In both case -- keep track of things until the transaction is complete
>
> Whatta ya think ??
>
> CL -- been doing that for some time now

Problem is that if PayPal tries to take funds out of the account that aren't
there, YOU get charge with NSF, including whatever outrageous fee your bank
charges for NSF checks, and in some states (Idaho comes to mind) you can
actually be charged with a felony.





From -6867190458509814330
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!mauve.octanews.net!
green.octanews.net!news-out.octanews.net!cox.net!news-xfer.cox.net!p02!
fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <CL@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com> <12gjg5c7v745776@corp.supernews.com>
<D%lOg.16604$c07.4284@fed1read04> <eecrj6$c5e$1@news2.kornet.net>
Subject: Re: PayPal horror stories
Lines: 52
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <A0oOg.16621$c07.10868@fed1read04>
Date: Thu, 14 Sep 2006 19:15:07 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1158286496 72.197.12.245 (Thu, 14 Sep 2006 22:14:56 EDT)
NNTP-Posting-Date: Thu, 14 Sep 2006 22:14:56 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6176
rec.radio.amateur.homebrew:6936 rec.radio.amateur.policy:44635
rec.radio.shortwave:52959


"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:eecrj6$c5e$1@news2.kornet.net...
>
>
> --
> Say no to institutionalized interference.
> Just say NO to HD/IBOC!
> "Caveat Lector" <CL@nowhere.com> wrote in message
> news:D%lOg.16604$c07.4284@fed1read04...
>> Interesting threads
>>
>> What about setting up two checking accounts  (main and secondary) - the
>> secondary is not linked to anything (overdraft, credit card, savings,
>> etc)
>>
>> Then keep a small amount in the secondary account ($5 or zero)
>>
>> Now when some one sends you funds - tell Paypal to send it to the
>> secondary account - when received quickly transfer to your main account.
>>
>> When you buy thru Palpal -- quickly deposit the required amount in the
>> secondary fund
```

>>
>> In both case -- keep track of things until the transaction is complete
>>
>> Whatta ya think ??
>>
>> CL -- been doing that for some time now
>
> Problem is that if PayPal tries to take funds out of the account that
> aren't there, YOU get charge with NSF, including whatever outrageous fee
> your bank charges for NSF checks, and in some states (Idaho comes to mind)
> you can actually be charged with a felony.
>Golly Brenda Ann'
That could happen on your main account if you aren't careful (joint checking accounts get really messy with two folks writing checks.)

The secondary account is strictly for Paypal - nothing else.
I said open up a ligit secondary account
I said when you use Paypal to purchase
First transfer the money to your secondary account
Both the money and the account are legit and there waiting for paypal
Of course you must give Paypal your legit account humber for the secondary account

In other words - I don't want any one (not even my wife - we have separate accounts - keeps things in order) to have access to my Main account.

CL -- works so far. Crossing typing fingers.

From -7427355565312154818
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom Tuning?...Help Please
Message-ID: <cv4kg2lig511lfqrd5a8e4qujdehoron02@4ax.com>
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
X-Newsreader: Forte Agent 4.0/32.1071
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 40
Date: Fri, 15 Sep 2006 02:50:41 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1158288641 24.174.167.251 (Thu, 14 Sep 2006 21:50:41 CDT)

```
NNTP-Posting-Date: Thu, 14 Sep 2006 21:50:41 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6177

On 12 Sep 2006 22:46:06 -0700, "Clayton" <Evans8119@aol.com> wrote:

>Hi,
>I have an Icom IC-290A that I am working on...The problem being that
>when I turn the tuning knob it doesn't change frequencies,it acts as if
>the knob is slipping.

I had the same problem with an Icom 735. The tuning knob turns an
encoder, which had stopped working. Icom no longer sold the encoder. I
found a repairman who figured out which diodes were burned out, and he
replaced them and got the encoder working again. You might look for a
good repair guy.

Bob
k5qwg



>After determining that it wasn't the knob slipping I proceeded to
>disassemble the front to get at the tuning potentiometer.
>If your familiar with this unit you know that the potentiometer is
>continuous and has teeth that catch when you turn the knob to make
>tuning easier.
>Now when I hook up my ohm meter to the wiper and to either end of the
>potentiometer all I get is an OL reading and when I turn the shaft the
>reading jumps around wildly. If I connect the meter to the wiper and to
>the case of the(I am assuming this is correct?) potentiometer I should
>get a reading of Zero ohms but again the only reading I get is OL.
>
>Am I safe in saying that the potentiometer is bad?
>
>If so how do I go about figuring out what type of potentiometer I need
>to replace the bad one?
>The schematic doesn't tell me what value it is and there isn't a parts
>list or part number either.
>
>I hope I have made myself clear enough to be understood,if not please
>let me know so I can try and make things clearer.
>
>Any help on this would be greatly appreciated.
>Thank you


From 4125949753269858821
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: Re: PayPal horror stories
Date: 14 Sep 2006 20:33:45 -0700
Organization: http://groups.google.com
Lines: 37
Message-ID: <1158291225.890645.27670@d34g2000cwd.googlegroups.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
   <6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
   <12gjg5c7v745776@corp.supernews.com>
   <D%lOg.16604$c07.4284@fed1read04>
   <eecrj6$c5e$1@news2.kornet.net>
NNTP-Posting-Host: 4.252.214.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158291231 16841 127.0.0.1 (15 Sep 2006 03:33:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Sep 2006 03:33:51 +0000 (UTC)
In-Reply-To: <eecrj6$c5e$1@news2.kornet.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=4.252.214.131;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news2.google.com rec.radio.amateur.equipment:6178
rec.radio.amateur.homebrew:6937 rec.radio.amateur.policy:44644
rec.radio.shortwave:52967
```

And be sent to a collection agency...and have your credit rating
trashed.

Happens all the time.

TMT

Brenda Ann wrote:
> --
> Say no to institutionalized interference.
> Just say NO to HD/IBOC!
> "Caveat Lector" <CL@nowhere.com> wrote in message
> news:D%lOg.16604$c07.4284@fed1read04...
> > Interesting threads
> >
> > What about setting up two checking accounts (main and secondary) - the
> > secondary is not linked to anything (overdraft, credit card, savings, etc)
> >
> > Then keep a small amount in the secondary account ($5 or zero)
> >

> > Now when some one sends you funds - tell Paypal to send it to the
> > secondary account - when received quickly transfer to your main account.
> >
> > When you buy thru Palpal -- quickly deposit the required amount in the
> > secondary fund
> >
> > In both case -- keep track of things until the transaction is complete
> >
> > Whatta ya think ??
> >
> > CL -- been doing that for some time now
>
> Problem is that if PayPal tries to take funds out of the account that aren't
> there, YOU get charge with NSF, including whatever outrageous fee your bank
> charges for NSF checks, and in some states (Idaho comes to mind) you can
> actually be charged with a felony.

From 7865062180416609903
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 15 Sep 2006 00:35:59 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
<cv4kg2lig511lfqrd5a8e4qujdehoron02@4ax.com>
Subject: Re: Icom Tuning?...Help Please
Date: Fri, 15 Sep 2006 00:35:58 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <hYydnY4jk_sippfYnZ2dnUVZ_vCdnZ2d@comcast.com>
Lines: 53
NNTP-Posting-Host: 71.228.3.96
X-Trace: sv3-Yuo2imbcNy7AHMSmYunF4eqV0zt/
UEpwQZrgilcu5X5uTGv7W6m0vE8x+V110kz3YAC6yHF1eWIXm5z!
mvMPdU6B0Jhfh7hKPzT+oy1yk6nIOkRrqj3FL46T7khDAPE229guWLAXNEHlyPMPy5PNGTq9WH6N!
8xEy0lSbDPFR
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6179

It's funny that when Clayton turns the encoder quickly there is a frequency change. I repaired a Kenwood R5000 a few months back that had the same problem. The cheap plastic disc inside of the encoder was slipping from the tuning shaft. I was able to super-glue the assembly back together and get it working again. If it was my own receiver, I would have probably replaced the encoder with either a Grayhill or Bourns optical encoder.

Pete

"Bob Miller" <NOSPAM@neosoft.com> wrote in message
news:cv4kg2lig511lfqrd5a8e4qujdehoron02@4ax.com...
> On 12 Sep 2006 22:46:06 -0700, "Clayton" <Evans8119@aol.com> wrote:
>
>>Hi,
>>I have an Icom IC-290A that I am working on...The problem being that
>>when I turn the tuning knob it doesn't change frequencies,it acts as if
>>the knob is slipping.
>
> I had the same problem with an Icom 735. The tuning knob turns an
> encoder, which had stopped working. Icom no longer sold the encoder. I
> found a repairman who figured out which diodes were burned out, and he
> replaced them and got the encoder working again. You might look for a
> good repair guy.
>
> Bob
> k5qwg
>
>
>>After determining that it wasn't the knob slipping I proceeded to
>>disassemble the front to get at the tuning potentiometer.
>>If your familiar with this unit you know that the potentiometer is
>>continuous and has teeth that catch when you turn the knob to make
>>tuning easier.
>>Now when I hook up my ohm meter to the wiper and to either end of the
>>potentiometer all I get is an OL reading and when I turn the shaft the
>>reading jumps around wildly. If I connect the meter to the wiper and to
>>the case of the(I am assuming this is correct?) potentiometer I should
>>get a reading of Zero ohms but again the only reading I get is OL.
>>
>>Am I safe in saying that the potentiometer is bad?
>>
>>If so how do I go about figuring out what type of potentiometer I need
>>to replace the bad one?
>>The schematic doesn't tell me what value it is and there isn't a parts
>>list or part number either.
>>
>>I hope I have made myself clear enough to be understood,if not please
>>let me know so I can try and make things clearer.
>>
>>Any help on this would be greatly appreciated.
>>Thank you

From -984781537970123228
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-mail
From: "Clayton" <Evans8119@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom Tuning?...Help Please
Date: 15 Sep 2006 00:03:12 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1158303792.315040.287380@d34g2000cwd.googlegroups.com>
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
   <cv4kg2lig511lfqrd5a8e4qujdehoron02@4ax.com>
   <hYydnY4jk_sippfYnZ2dnUVZ_vCdnZ2d@comcast.com>
NNTP-Posting-Host: 207.200.116.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158303797 14208 127.0.0.1 (15 Sep 2006 07:03:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Sep 2006 07:03:17 +0000 (UTC)
In-Reply-To: <hYydnY4jk_sippfYnZ2dnUVZ_vCdnZ2d@comcast.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; SV1; FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [ntc-td063 8.4.1], HTTP/1.1 cache-ntc-ac08.proxy.aol.com[CFC87489] (Traffic-Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=207.200.116.137;
   posting-account=tp2JsQ0AAADqjU5oZLMjcmLcp3UFW3ez
Xref: g2news2.google.com rec.radio.amateur.equipment:6180

Hi Dale,
Well,unfortunately I don't have a scope(Yet...I know a scope is a must have when working with this stuff,that's why its at the top of my"Must Have List")so I am going to take a chance that the encoder is okay once I reinstall it and test for the 5 volts on the V+ terminal.

Hi Bob,
I wish that were an option,but right not it just isn't going to happen. This stuff has always been a big interest to me so what better way to learn.

Hi Pete,
Hey,I better take the encoder back apart(I had it apart once and cleaned it...there's not much to an encoder is there)I never thought to check and see if the disk with all the teeth was slipping on the shaft. I will check that before I put the encoder back in circuit.

You mention replacing yours with a Grayhill or Bourns optical
encoder...If I find that my encoder is the culprit can you just put in
any old encoder? as long as it fits the space and voltage requirements?

Here I go putting the cart in front of the horse again,I better check
the things you all have mentioned first before I do anything else.
I'll let you all know what I come up with.

Thank you everyone.

From 3714623724991450959
X-Google-Thread: 108122,e3f9b32b57a89fa7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!agate.berkeley.edu!not-for-mail
From: David Snyder Hale <david@noemail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio now officially DEAD at Radio Shack
Date: Fri, 15 Sep 2006 08:23:25 +0000 (UTC)
Organization: Mount Wilson Observatory
Lines: 12
Sender: David Snyder Hale <david@isi9.isinet.mtwilson.edu>
Message-ID: <eedntt$13sa$1@agate.berkeley.edu>
References: <slrnbgau25.imv.bball@green.home.org>
<3qjbgv0dqkqo1i2clb54lgqphe5qrsc4oo@4ax.com>
<faydnRKj2OT9LV_ZnZ2dnUVZ_qudnZ2d@centurytel.net>
<55s6c296ku3vlfsn91ufgavpklfu2a8bv8@4ax.com>
NNTP-Posting-Host: isifw.mtwilson.edu
X-Trace: agate.berkeley.edu 1158308605 36746 192.153.157.50 (15 Sep 2006 08:23:25
GMT)
X-Complaints-To: usenet@agate.berkeley.edu
NNTP-Posting-Date: Fri, 15 Sep 2006 08:23:25 +0000 (UTC)
User-Agent: tin/pre-1.4-980818 ("Laura") (UNIX) (SunOS/5.6 (sun4m))
Xref: g2news2.google.com rec.radio.amateur.equipment:6181

helmsman <helmsman@royaloak.net> wrote:
> Radio shack has been officially dead for years as far as I'm
> concerned, all they do is sell phones, toys and Sat set ups.

I buy components there all the time. Granted, they are not my
one-stop-shopping place, nor are they the first place I go to,
but when I'm in a pinch and need something now then they often
have very simple, common components (an opamp, led, connector,
pot, etc.)

--
Dave * N3WTK (DM04xf) * http://isi.mtwilson.edu

From 2080536828315419838
X-Google-Thread: 108122,3dbae367f2c28d0b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!multikabel.net!feed20.multikabel.net!news.tele.dk!news.tele.dk!small.news.tele.dk!newsrouter-eu.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-05!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Skype and Ham Radio
Date: Fri, 15 Sep 2006 06:40:24 -0700
Organization: Remove number to reply
Message-ID: <12glba3m8mittac@corp.supernews.com>
References: <1158187262.707921.224640@b28g2000cwb.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
    format=flowed;
    charset="iso-8859-1";
    reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news2.google.com rec.radio.amateur.equipment:6182

sailtamarack wrote ...
> My question to those of you reading this newsgroup is as follows:
> Talking around the world is now free, easy and noise free. Do you
> think Skype and programs like it (QsoNet, PC Echolink) are
> contributing
> to the demise of amateur radio?   Is the mystery or mystique of radio
> communications evaporating due to these programs and "out-of-the-box"
> radios.
>
> I think this is the future and I don't like it!!

"demise of amateur radio"? Perhaps it depends on how we define "amateur radio". If it is simply a way to communicate with others, I think you may be right. OTOH, people who have been though disasters that destroyed "conventional" communication channels know that anything dependent on the internet (whether landline-based, or even satellite-based which are still depenent on terrestial terminal facilities) is completely unreliable except under ideal circumstances.   I fear that as hams are attracted to this shiny new, easy, "free" mode of communications, our ability to use "old-fashioned" point-to-point RF (by whatever mode) will atrophy.

```
From 2952518204445384244
X-Google-Thread: 108122,7588d9bab9dcf8d4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!k70g2000cwa.googlegroups.com!not-for-
mail
From: vu3sdo@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Purchase of Kenwood TS-50
Date: 15 Sep 2006 06:59:58 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1158328797.998111.22370@k70g2000cwa.googlegroups.com>
NNTP-Posting-Host: 125.22.50.245
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158328803 9547 127.0.0.1 (15 Sep 2006 14:00:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Sep 2006 14:00:03 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: k70g2000cwa.googlegroups.com; posting-host=125.22.50.245;
   posting-account=W1Dzjg0AAADgGp5cjGSCUVMVsjpi-7HU
Xref: g2news2.google.com rec.radio.amateur.equipment:6183

Where can i purchase Kenwood TS-50 in india




From 3180499226811581230
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!elnk-pas-nf1!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <450AC969.AEA1EE0C@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
```

c.radio.shortwave
Subject: Re: PayPal horror stories
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
        <6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
        <12gjg5c7v745776@corp.supernews.com>
        <D%lOg.16604$c07.4284@fed1read04>
        <eecrj6$c5e$1@news2.kornet.net>
<1158291225.890645.27670@d34g2000cwd.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Fri, 15 Sep 2006 15:40:46 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1158334846 24.110.34.161 (Fri, 15 Sep 2006 08:40:46 PDT)
NNTP-Posting-Date: Fri, 15 Sep 2006 08:40:46 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6184
rec.radio.amateur.homebrew:6938 rec.radio.amateur.policy:44677
rec.radio.shortwave:53013

Too_Many_Tools wrote:
>
> And be sent to a collection agency...and have your credit rating
> trashed.
>
> Happens all the time.

What's a credit rating? I haven't used credit for anything for over
20 years. Its been cash up front, or nothing.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 5942469618640062772
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:

rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: PayPal horror stories
Date: 15 Sep 2006 09:23:39 -0700
Organization: http://groups.google.com
Lines: 36
Message-ID: <1158337419.720905.167230@p79g2000cwp.googlegroups.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
   <6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
   <12gjg5c7v745776@corp.supernews.com>
   <D%lOg.16604$c07.4284@fed1read04>
   <eecrj6$c5e$1@news2.kornet.net>
   <1158291225.890645.27670@d34g2000cwd.googlegroups.com>
   <450AC969.AEA1EE0C@earthlink.net>
NNTP-Posting-Host: 4.252.215.157
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158337425 30969 127.0.0.1 (15 Sep 2006 16:23:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Sep 2006 16:23:45 +0000 (UTC)
In-Reply-To: <450AC969.AEA1EE0C@earthlink.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=4.252.215.157;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news2.google.com rec.radio.amateur.equipment:6185
rec.radio.amateur.homebrew:6939 rec.radio.amateur.policy:44680
rec.radio.shortwave:53016

You might not care about your credit rating but you will care when a lien is placed against your home.

And if you were as financially astute as you like to think you are, you would know that companies and the Government use your credit report to decide whether they will hire you, give you a security clearance, determine the rates they charge you...and many other issues that affect you.

Your credit rating matters.

And I also note that many of those who are bad credit risks deal in cash only...because it is the only way others will deal with them.

TMT
Michael A. Terrell wrote:
> Too_Many_Tools wrote:
> >
> > And be sent to a collection agency...and have your credit rating
> > trashed.
> >
> > Happens all the time.

>
>
>   What's a credit rating? I haven't used credit for anything for over
> 20 years. Its been cash up front, or nothing.
>
>
> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida

From 2794411912438213686
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Joel Kolstad" <JKolstad71HatesSpam@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,re
c.radio.shortwave
Subject: Re: PayPal horror stories
Date: Fri, 15 Sep 2006 09:32:54 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12glldnl1mdsn5c@corp.supernews.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
<12gjg5c7v745776@corp.supernews.com>   <D%lOg.16604$c07.4284@fed1read04>
<eecrj6$c5e$1@news2.kornet.net>
<1158291225.890645.27670@d34g2000cwd.googlegroups.com>
<450AC969.AEA1EE0C@earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:6186
rec.radio.amateur.homebrew:6940 rec.radio.amateur.policy:44682
rec.radio.shortwave:53018

Hi Michael,

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:450AC969.AEA1EE0C@earthlink.net...
>   What's a credit rating? I haven't used credit for anything for over
> 20 years. Its been cash up front, or nothing.

Ironically, your credit rating will actually be "less than perfect" then! :-)

Assuming you don't need a new mortgage any time soon, I suppose you're set.

Do you have a credit card? I know it's possible, but it sure seems like a pain to live without one these days... especially for things like renting cars.

---Joel

From -2997806520557062628
X-Google-Thread: 108122,33ce63f8dc94b9b5
X-Google-Thread: fc2a5,33ce63f8dc94b9b5
X-Google-Thread: 10bf43,33ce63f8dc94b9b5
X-Google-Thread: 114aac,33ce63f8dc94b9b5
X-Google-Attributes: gid108122,gidfc2a5,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!sn-xt-sjc-05!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Joel Kolstad" <JKolstad71HatesSpam@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: PayPal horror stories
Date: Fri, 15 Sep 2006 09:41:28 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12glltpbjdmk85@corp.supernews.com>
References: <1f7e0$45082966$d1cc5956$22166@snip.allthenewsgroups.com>
<6eugg2lhifqpomku6q6dpeol34h76n88rs@4ax.com>
<12gjg5c7v745776@corp.supernews.com>   <D%lOg.16604$c07.4284@fed1read04>
<eecrj6$c5e$1@news2.kornet.net>
<1158291225.890645.27670@d34g2000cwd.googlegroups.com>
<450AC969.AEA1EE0C@earthlink.net>
<1158337419.720905.167230@p79g2000cwp.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 32
Xref: g2news2.google.com rec.radio.amateur.equipment:6187
rec.radio.amateur.homebrew:6941 rec.radio.amateur.policy:44683
rec.radio.shortwave:53019

"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message
news:1158337419.720905.167230@p79g2000cwp.googlegroups.com...

> And if you were as financially astute as you like to think you are, you
> would know that companies and the Government use your credit report to
> decide whether they will hire you, give you a security clearance,
> determine the rates they charge you...and many other issues that affect
> you.

I'm hoping it'll soon be illegal for companies to use credit reports in determining whether or not they want to hire people. I'm pretty conservative myself, and I have excellent credit, but making it harder for someone who has bad credit to *get a job* strikes me as absurd: Sure, most people have bad credit due to spending too much on HDTVs or fancy cars or whatever and *not* on baby formula and generic brand blue jeans, but even so, the humanitarian in me says it's better to let these people at least get a job and *try* to get their monetary affairs in order than keeping them jobless and forcing them onto the welfare rolls. From an economic point of view, I'd rather have individual companies bear the purported risk that those with bad credit are supposedly more likely to steal, defraud the employer, etc. than foist all those people onto the taxpayer's teat.

For security clearances looking at credit reports seems reasonable... I'm told that for security clearances at a high enough level the feds go all the way back to your childhood to dig up dirt on you that could be used in a blackmail setup.

For interest rates... well... hard to say; I can see more of a legitimate risk there than with hiring.

---Joel Kolstad

From -3681211958055123299
X-Google-Thread: 108122,19fcb4d7a9c5376e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!tornado.southeast.rr.com.POSTED!53ab2750!not-for-mail
From: "kb7nla" <blablabla@screwspammers.com>
Newsgroups: rec.radio.amateur.equipment
Subject: kenwood ts-450sat mods
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.00.2615.200
X-MIMEOLE: Produced By Microsoft MimeOLE V5.00.2615.200
Message-ID: <9BAOg.36872$lk6.7387@tornado.southeast.rr.com>
Date: Fri, 15 Sep 2006 16:33:09 GMT

NNTP-Posting-Host: 24.163.48.56
X-Complaints-To: abuse@rr.com
X-Trace: tornado.southeast.rr.com 1158337989 24.163.48.56 (Fri, 15 Sep 2006 12:33:09 EDT)
NNTP-Posting-Date: Fri, 15 Sep 2006 12:33:09 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6188

Hi there i just have a question. I am considering getting a kenwood
ts450sat because it's a solid radio I know and cause it's already set up for
a blind ham, a major plus to me, not to mention I already know how to use
it :) anwyay I have noticed that the ability to find mods and info has
about dried up, all I see nwo is ads for crap on ebay that bear no
resemblance to what I search for, even ham radio mods newsgroups seem to be
gone, so i taught I would ask here if someone can post a goo site or sites
that have all the mod info for all mods available to the radio
thanks
b7nla
kb7nla>atnc dot rr dot com   <

From 5685738089160651905
X-Google-Thread: 108122,38de0bee4685249c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: The Watchman is: Norman P. Triantafilos KB9YGD
Date: 15 Sep 2006 10:15:11 -0700
Organization: http://groups.google.com
Lines: 38
Message-ID: <1158340510.949781.323420@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 70.157.114.173
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158340516 8163 127.0.0.1 (15 Sep 2006 17:15:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 15 Sep 2006 17:15:16 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=70.157.114.173;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6189

The Watchman is:
Norman P Triantafilos
KB9YGD

2634 Warren Street Lake Station IN 46405

Poor Norman, you really done it this time, sending that shit to my friends, they all forwarded it to me, it is no wonder you have no FRIENDS, your just a mean nasty old bastard that no one likes.

For a man who is 60 years of age it would seem by now you would have some sort of sense about you, but you know some people stay suck on stupid all their life, like you.

Hey just to let you know I have a copy of that picture you sent me of Don K9RRG sleeping on the train that you doctored up (very nasty) you are shamefull Norman no wonder Don took all that crap to the Verizon Telephone Company and turned it in to them, I hope they prosecute you to the fullest extent that the law allows.

Anyone who reads this listen to Norm KB9YGD on 146.520 simplex and sometimes on 146.775 repeater and in the evening 3955 he usually leaves before 10:00 cst this simplex frequency is in NW Indiana, also 27.365 (channel 36) cb that's where he truly belongs.

Poor Norman, I told you to stop sending that stupid ignorant crap to me, you wouldn't listen, only a MORON would do the things you do, I've filed a complaint to Bellsouth about these natsy pictures you send, I knew as stupid as you are you would start some kind of shit that would backfire on you.

The PCARC will see some of the emails and nasty pictures you have sent, I've made plenty of copies to pass around at the meeting, I'm getting Bernie to come so we can tell a little ditty about you, ah ha ha ha you'll be the talk of the town, that's what you wanted ain't it to be the center of attention?

it's Hammertime

From -2886245054760719039
X-Google-Thread: 108122,8c64498ceb13a6f6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!feeder.news-service.com!newsgate.cistron.nl!xs4all!news.wiretrip.org!news.dizum.com!sewer-output!mail2news
From: Borked Pseudo Mailed <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment
Subject: K9KXQ
Message-ID: <3cb48cff78023bb31748ffc4b3b6d165@pseudo.borked.net>
Date: Fri, 15 Sep 2006 12:53:46 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6190

```
What an idiot this guy is.guys like this is what ruins good newsgroups.``The
Deacon``



From 4565099226934686731
X-Google-Thread: 108122,19fcb4d7a9c5376e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!123.NET-a2dgdNsfNH65I!not-for-mail
From: helmsman <helmsman@royaloak.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: kenwood ts-450sat mods
Date: Fri, 15 Sep 2006 17:29:07 -0400
Message-ID: <lo6mg2pc24h04poeamce93ocrt6o3n3pdp@4ax.com>
References: <9BAOg.36872$lk6.7387@tornado.southeast.rr.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 18
X-Trace: 8019f450b1b247d4fdec518516
Xref: g2news2.google.com rec.radio.amateur.equipment:6191

On Fri, 15 Sep 2006 16:33:09 GMT, "kb7nla"
<blablabla@screwspammers.com> wrote:

>Hi there  i just have a question. I am considering getting a kenwood
>ts450sat because it's a solid radio I know and cause it's already set up for
>a blind ham, a major plus  to me, not to mention I already know how to use
>it :)  anwyay I have noticed that the ability to find mods and info has
>about dried up, all I see nwo is ads for crap on ebay that bear no
>resemblance to what I search for, even ham radio mods newsgroups seem to be
>gone, so i taught I would ask here if someone can post a goo site or sites
>that have all the mod info for all mods available to the radio
>thanks
>b7nla
>kb7nla>atnc dot rr dot com    <
>
Try here http://www.qrz.com/download/mods-t-z/ts450690.txt
Save the books, the terminal providers
will soon control all knowledge.


From -2458668397890177793
X-Google-Thread: 108122,a189c8acfdde3345
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 15 Sep 2006 16:31:27 -0500
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
<cv4kg2lig511lfqrd5a8e4qujdehoron02@4ax.com>
<hYydnY4jk_sippfYnZ2dnUVZ_vCdnZ2d@comcast.com>
<1158303792.315040.287380@d34g2000cwd.googlegroups.com>
Subject: Re: Icom Tuning?...Help Please
Date: Fri, 15 Sep 2006 16:31:27 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <tY6dnbL7n8cyhpbYnZ2dnUVZ_oqdnZ2d@comcast.com>
Lines: 42
NNTP-Posting-Host: 71.228.3.96
X-Trace: sv3-FEeibQcxxQPuGKg/bbcuYd1js5G3aMtuGwSuQfNYv1ri7fuUaUUlDAUHIgGGL/
x8v3LcM/RMhDXs5V2!fpgPetwP98jTL2/
KUtDnerFi5LjVcSjbYJcOQfB4f8iWyyRSvnIlCxhKPni7lZy5QWX+B2ufhjCr!lgL4djve0snZ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6192

Hi Clayton,

You should be fine with any Quadrature encoder. 32 pulses per revolution is about right for the type to order. As long as you have V+ and ground hooked up properly, it will work. The only mistake that can happen is if Output A is interchanged with Output B. In that case, the receiver would tune backwards.

Pete

"Clayton" <Evans8119@aol.com> wrote in message
news:1158303792.315040.287380@d34g2000cwd.googlegroups.com...
>
> Hi Dale,
> Well,unfortunately I don't have a scope(Yet...I know a scope is a must
> have when working with this stuff,that's why its at the top of my"Must
> Have List")so I am going to take a chance that the encoder is okay once
> I reinstall it and test for the 5 volts on the V+ terminal.
>
> Hi Bob,
> I wish that were an option,but right not it just isn't going to happen.
> This stuff has always been a big interest to me so what better way to
> learn.

>
> Hi Pete,
> Hey,I better take the encoder back apart(I had it apart once and
> cleaned it...there's not much to an encoder is there)I never thought to
> check and see if the disk with all the teeth was slipping on the shaft.
> I will check that before I put the encoder back in circuit.
>
> You mention replacing yours with a Grayhill or Bourns optical
> encoder...If I find that my encoder is the culprit can you just put in
> any old encoder? as long as it fits the space and voltage requirements?
>
> Here I go putting the cart in front of the horse again,I better check
> the things you all have mentioned first before I do anything else.
> I'll let you all know what I come up with.
>
> Thank you everyone.
>

From 6681403355129851583
X-Google-Thread: 108122,19fcb4d7a9c5376e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!123.NET-a2dgdNsfNH65I!not-for-mail
From: helmsman <helmsman@royaloak.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: kenwood ts-450sat mods
Date: Fri, 15 Sep 2006 18:49:59 -0400
Message-ID: <vfbmg2lo570ipevm42qirurmaa8c0oq0t3@4ax.com>
References: <9BAOg.36872$lk6.7387@tornado.southeast.rr.com>
<lo6mg2pc24h04poeamce93ocrt6o3n3pdp@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 22
X-Trace: 00467450b2df57d4fdec504237
Xref: g2news2.google.com rec.radio.amateur.equipment:6193

On Fri, 15 Sep 2006 17:29:07 -0400, helmsman <helmsman@royaloak.net>
wrote:

>On Fri, 15 Sep 2006 16:33:09 GMT, "kb7nla"
><blablabla@screwspammers.com> wrote:
>
>>Hi there i just have a question. I am considering getting a kenwood
>>ts450sat because it's a solid radio I know and cause it's already set up for

>>a blind ham, a major plus to me, not to mention I already know how to use
>>it :) anwyay I have noticed that the ability to find mods and info has
>>about dried up, all I see nwo is ads for crap on ebay that bear no
>>resemblance to what I search for, even ham radio mods newsgroups seem to be
>>gone, so i taught I would ask here if someone can post a goo site or sites
>>that have all the mod info for all mods available to the radio
>>thanks
>>b7nla
>>kb7nla>atnc dot rr dot com   <
>>
>Try here http://www.qrz.com/download/mods-t-z/ts450690.txt
Or here http://www.mods.dk/index.php?ModelId=522&RadioRec=kenwood
Save the books, the terminal providers
will soon control all knowledge.

From 5723117864703326956
X-Google-Thread: fcc6e,df6d5d2f0e8826fe,start
X-Google-Thread: 108122,df6d5d2f0e8826fe,start
X-Google-Thread: 10bf43,df6d5d2f0e8826fe,start
X-Google-Thread: 1109af,df6d5d2f0e8826fe,start
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Ham radio can help President Bush and America's war on terror.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 19
Message-ID: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
Date: Fri, 15 Sep 2006 23:25:07 GMT
NNTP-Posting-Host: 4.254.226.21
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1158362707 4.254.226.21 (Fri, 15 Sep
2006 16:25:07 PDT)
NNTP-Posting-Date: Fri, 15 Sep 2006 16:25:07 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:18342
rec.radio.amateur.equipment:6194 rec.radio.amateur.policy:44698
rec.radio.swap:7525

But we need to improve the operators first.

Step 1: No more automatic renewals. Individuals must retest and
            pass all elements required for their license class.

Step 2: The passing score for written exams needs to be raised to 85%.

Step 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.

Step 4: Make the no-code license one year non-renewable.

Email these to President Bush and tell him you want to help with the war
on terror. Thanks.

73

SC

From 2045930711844664473
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Fri, 15 Sep 2006 19:37:38 -0400
Message-ID: <j9emg2tkbvcslmcqflfr8k20qdrnepnn1n@4ax.com>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Date: 15 Sep 2006 22:41:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:18345
rec.radio.amateur.equipment:6195 rec.radio.amateur.policy:44710
rec.radio.swap:7528

On Fri, 15 Sep 2006 23:25:07 GMT, Slow Code <my.mail@no.spam> wrote:

>But we need to improve the operators first.
then trun in YOUR license
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com

```
From 2542203632027005081
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Sat, 16 Sep 2006 08:48:19 +0900
Organization: Korea Telecom
Lines: 28
Message-ID: <eefdt6$eis$1@news2.kornet.net>
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 218.155.119.223
X-Trace: news2.kornet.net 1158363878 14940 218.155.119.223 (15 Sep 2006 23:44:38
GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Fri, 15 Sep 2006 23:44:38 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.antenna:18346
rec.radio.amateur.equipment:6196 rec.radio.amateur.policy:44718
rec.radio.swap:7529



--
Say no to institutionalized interference.
Just say NO to HD/IBOC!
"Slow Code" <my.mail@no.spam> wrote in message
news:nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net...
> But we need to improve the operators first.
>
>
> Step 1: No more automatic renewals. Individuals must retest and
>             pass all elements required for their license class.
>
> Step 2: The passing score for written exams needs to be raised to 85%.
>
> Step 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Step 4: Make the no-code license one year non-renewable.
>
>
```

> Email these to President Bush and tell him you want to help with the war
> on terror. Thanks.
>

He'd be more likely to declare ham radio a security risk and classify the
frequencies.. :)

From 525836955598826536
X-Google-Thread: 108122,2226fabd4aab374f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom IC-720A HF Transceiver
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <C9HOg.6408$B14.1567@dukeread03>
Date: Fri, 15 Sep 2006 19:01:41 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1158364898 68.109.223.91 (Fri, 15 Sep 2006 20:01:38 EDT)
NNTP-Posting-Date: Fri, 15 Sep 2006 20:01:38 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6197

FS: AS NEW Icom IC-720A HF transceiver. This transceiver is as new, used a
very few hours and stored. There is not a mark on it. Comes with Power Cord,
copy of the manual, and Icom IC-HM-7 mic.
This radio works, but the volumn control is scratchy and the Band
Switch/Relays need cleaning.
I have to rotate through the bands a couple of times to get it to work right
on each band.
There can not be any wear. It has to be a cleaning problem. Price is $275
plus shipping from 79602
I can send digital picture upon request.
Thanks, Charlie Hugg, K5MBX

From -2826393317022775839
X-Google-Thread: 108122,8c64498ceb13a6f6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ
Date: 15 Sep 2006 19:11:15 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1158372675.586647.113840@d34g2000cwd.googlegroups.com>
References: <3cb48cff78023bb31748ffc4b3b6d165@pseudo.borked.net>
NNTP-Posting-Host: 70.157.226.177
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158372680 25326 127.0.0.1 (16 Sep 2006 02:11:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 16 Sep 2006 02:11:20 +0000 (UTC)
In-Reply-To: <3cb48cff78023bb31748ffc4b3b6d165@pseudo.borked.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=70.157.226.177;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6198
```

Another alias you use there old wiskey nose, you are the one who ruins
these groups with your moronic posts, get a life you old moron and stop
hiding, come out of that closet gay dude...

Borked Pseudo Mailed wrote:
> What an idiot this guy is.guys like this is what ruins good newsgroups.``The Deacon``

```
From -6105162272174912586
X-Google-Thread: 108122,cfd51e7b6710c41d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: KB9YGD Moron Norman CB'r 27805
Date: 15 Sep 2006 19:21:12 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1158373272.516159.118360@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 70.157.226.177
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158373278 20212 127.0.0.1 (16 Sep 2006 02:21:18 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 16 Sep 2006 02:21:18 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=70.157.226.177;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6199
```

Searching thru these usenets I see old moron Norman KB9YGD has made a real nusance of himself, he likes to talk the talk but can't walk the walk.

Norman is a general class operator who I was informed is transmiting out of band, he sends cw over and over on CB.

For a man who is 60 years old you have not learned a thing from life, your just a nasty old lonely lunatic who is in need of professional help.

```
From -6770323536501830762
X-Google-Thread: fcc6e,df6d5d2f0e8826fe
X-Google-Thread: 108122,df6d5d2f0e8826fe
X-Google-Thread: 10bf43,df6d5d2f0e8826fe
X-Google-Thread: 1109af,df6d5d2f0e8826fe
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 15 Sep 2006 21:54:44 -0500
From: "Brian Denley" <b.denley@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.swap
References: <nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net>
Subject: Re: Ham radio can help President Bush and America's war on terror.
Date: Fri, 15 Sep 2006 22:54:43 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <zJSdnXyiZMnp-pbYnZ2dnUVZ_qGdnZ2d@comcast.com>
Lines: 24
NNTP-Posting-Host: 24.61.18.207
X-Trace: sv3-
mY7LjqpfAvoTeoqHbaGE+FskjhANGqzdUz0aKhVGQk2dTOvyu5Ni+RZuiuskqeBuB+TRI5bD/R2qwml!
W6zsuw9c09/s7I0bfBRq1fEJ4Y2hG/nMFUultdOd48Vyo11FFsmXDM1eEAIOVBAFsRBnZhUsDpxm!
myBDr3rAyHMY
```

```
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:18351
rec.radio.amateur.equipment:6200 rec.radio.amateur.policy:44737
rec.radio.swap:7533

Who will read him the e-mail ?

--
Brian Denley
http://home.comcast.net/~b.denley/index.html

"Slow Code" <my.mail@no.spam> wrote in message
news:nDGOg.12696$xQ1.8143@newsread3.news.pas.earthlink.net...
> But we need to improve the operators first.
>
>
> Step 1: No more automatic renewals. Individuals must retest and
>            pass all elements required for their license class.
>
> Step 2: The passing score for written exams needs to be raised to 85%.
>
> Step 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Step 4: Make the no-code license one year non-renewable.
>
>
> Email these to President Bush and tell him you want to help with the war




From -2907983510245198205
X-Google-Thread: 108122,914f2c5c128572b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Drake MN-2700 and B-1000 Tuner
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <WNKOg.7803$B14.1825@dukeread03>
Date: Fri, 15 Sep 2006 23:09:30 -0500
```

NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1158379766 68.109.223.91 (Sat, 16 Sep 2006 00:09:26 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 00:09:26 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6201

FS Nice Drake MN-2700 Antenna Tuner. It is the high power version and this
one has the Drake B-1000 Balun installed. It has the sticky cabinet, but it
is in nice shape. I also have the original shipping carton and the original
Drake Quality Control Tag dated March 29, 1979. This tuner has been store
for over 20 years and has seen little use. It works great. Price is $575
plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX

From 3735440877141118139
X-Google-Thread: 108122,50f40f5444dd959d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Bird 43 with 3 Slugs
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <p0LOg.8234$B14.2937@dukeread03>
Date: Fri, 15 Sep 2006 23:24:57 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1158380693 68.109.223.91 (Sat, 16 Sep 2006 00:24:53 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 00:24:53 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6202

FS Excellent Bird 43 Wattmeter with 3 slugs: 2500H 2500watt 2-3-Mhz,
250H 250 watt 2-30Mhz, and 100C 100watt 100-25-Mhz. Meter and Slugs look
almost new. The Manual for the Bird 43 is included along with a factory
leather
handle for the meter. Price is $275 for the pachage. Thanks, Charlie Hugg,
K5MBX

```
From 2582699913045114059
X-Google-Thread: 108122,d9ec725097bf19cd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p02!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom IC-12AT 1200Mhz HT
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <D9LOg.8510$B14.3577@dukeread03>
Date: Fri, 15 Sep 2006 23:34:47 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1158381283 68.109.223.91 (Sat, 16 Sep 2006 00:34:43 EDT)
NNTP-Posting-Date: Sat, 16 Sep 2006 00:34:43 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6203
```

FS Icom IC-12AT 1200Mhz Handi Talkie. This 1.2 Gig HT is in nice working order. It has a good W&W
Associates 8.4 Volt,1400mAH Battery. There is no Charger, but you can charge it from any12 Volt source. There are some scratches on the back of the radio, but overall it is in good cosmetic shape.
Price is $125 plus shipping from 79602. Thanks, Charlie Hugg, K5MBX

```
From -5916670284447273072
X-Google-Thread: 108122,5eaf18632fcebb82
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc03.POSTED!1e49b9c4!not-for-mail
From: mike <spamme0@go.com>
Reply-To:  spamme0@go.com
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice on Oscilloscopes Sought
References: <d7524$4500dd57$453d9423$2747@FUSE.NET>
In-Reply-To: <d7524$4500dd57$453d9423$2747@FUSE.NET>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
```

Content-Transfer-Encoding: 7bit
Lines: 89
Message-ID: <5LPMg.1368$xr.5@trnddc03>
Date: Sun, 10 Sep 2006 08:09:37 GMT
NNTP-Posting-Host: 71.117.182.244
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1157875777 71.117.182.244 (Sun, 10 Sep 2006 04:09:37 EDT)
NNTP-Posting-Date: Sun, 10 Sep 2006 04:09:37 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6052

jawod wrote:

> Being relatively new to ham radio, I am considering some form of oscilloscope. I am intrigued by PC-based systems (eg., BitScope Pocket Analyzer)
>
> I've read a few NG posts about used HP scopes and a few negative remarks about PC scopes.
>
> My question:
>
> Given my neophyte status and the likelihood that I would use a scope for anything more the basic / with learning, moderate/ complexity,
> ... is the PC-based scope a good choice for me?
> Cost is under $400, not incl. a $40 analog probe.
>
> John
> AB8O

Download one of the programs that turns your sound card into a low frequrncy scope. You can do audio stuff, spectrum analysis, etc.
You can learn a lot without spending any money.

If you have a specific application and know what you're doing, a card that plugs into a PC can be useful. For most of us, it's not a viable option. It's a real PITA to go find the mouse and click a bunch of menus when you could have changed the gain on your standalone scope with the turn of one switch.

Next, join your local ham radio club or get friendly with the folks on a local repeater. Ask your question there. Most hams are helpful. We also have more scopes than we'll ever use and can often be talked into loaning them out. Try to borrow something like a TEK 453 or 465. They're plentiful and won't give you a hernia carrying them out to your car.

If you work in electronics, go convince the service manager that it would be a company benefit to loan you an old scope. About 15 years ago, ISO9000 made it a requirement that every piece of equipment on the production line have a current cal sticker. That got so expensive that management had all the little-used stuff pulled and sold or put in storage. I'll bet there's tons of scopes in storage that will never be used again. Shine up that silver tongue and see what you can unleash.

Rule number one...don't get in a hurry to buy something.
Good deals come along. Visit some ham radio swapmeets, club meetings

etc. I've been able to snag 2GS/S 4 channel DSOs for free. Be patient.
A silver tongue and brown nose will take you far ;-)
Try to get probes with the scope. Typically, probes will cost you more
than the scope did. Ditto for manuals.

I'd recommend a limit of $20 for your first scope. That $400 scope
will still be there later when you're experienced enough to decide if
you can use it.

If you get some experienced help evaluating the possibilities, a scope
that's not fully working can be a great deal. Just be aware that some
types of problems are more difficult/impossible to fix than others.
Older scopes are fixable...newer ones, not so much...you just can't get
the parts.
That's where the experienced help comes in.

ALWAYS assume a used scope is busted. I've never bought one that was
fully functional...and the seller anways assured me it all
worked...right!! If you buy it at a busted price, you won't be
disappointed. I just bought a TEK 7K scope with plugins. "Sure it
works.." Well, I beg to disagree. Looks like they took a busted
mainframe and filled it with busted plugins. Busted price and I can fix
it, no foul...
Get help.

I don't like EBAY for scopes. Surely there are many good deals to be
had. I just haven't figgered out how to tell which ones. Beware of
anything that says, "no way to test it." I once had an interchange with
an ebay seller on that subject. He slipped up and replied from the
corporate email of the largest refurbished equipment dealer in the
world. When I challenged his inability to test it, he vanished.
Hmmmm...wonder if it was repairable?

Unless you can get a real deal, stay away from a digital scope for your
first one.
For most of us, a DSO is a VERY useful tool in a VERY limited number of
situations. I find it mostly confusing. I use mine mostly for
troubleshooting because it gives me a digital readout of the DC voltage.
Most of us don't need a $20K low resolution digital voltmeter.
But a free low resolution digital voltmeter ain't so bad.
If I don't see the waveform I expect, I always dig out the analog scope.
I've been confused more times than I like to admit. For most GP
applications, you should get a DSO with WAY more bandwith than you think
you'll need. That often puts it into the "can't afford" category.

mike

From 16206901227801209
X-Google-Thread: 108122,6bc113632950992a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!

```
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!peer01.cox.net!
cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom IC-12AT 1200Mhz HT
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <Q2VMg.6017$B14.2681@dukeread03>
Date: Sun, 10 Sep 2006 09:12:08 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157897520 68.109.223.91 (Sun, 10 Sep 2006 10:12:00 EDT)
NNTP-Posting-Date: Sun, 10 Sep 2006 10:12:00 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6053
```

FS Icom IC-12AT 1200Mhz Handi Talkie. This 1.2 Gig HT is in nice working order. It has a good W&W
Associates 8.4 Volt,1400mAH Battery. There is no Charger, but you can charge it from any12 Volt source. There are some scratches on the back of the radio, but overall it is in good cosmetic shape.
Price is $175 shipped in CONUS. Thanks, Charlie Hugg, K5MBX

```
From 7412885442741397439
X-Google-Thread: fc8b1,bb7a0461c7bc6229,start
X-Google-Thread: 108122,bb7a0461c7bc6229,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!
216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-for-mail
From: litle ole me <""nobody \"@ nowhere.com">
User-Agent: Thunderbird 1.5.0.5 (Macintosh/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: klm echo II/echo 70
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <afVMg.765$5i7.470@newsreading01.news.tds.net>
Date: Sun, 10 Sep 2006 14:25:10 GMT
NNTP-Posting-Host: 69.130.144.52
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1157898310 69.130.144.52 (Sun, 10 Sep 2006
09:25:10 CDT)
NNTP-Posting-Date: Sun, 10 Sep 2006 09:25:10 CDT
```

Organization: tds.net
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5326 rec.radio.amateur.equipment:6054

might not use tubes, but this should qualify as boatanchor.

looking for a klm echo II 2m ssb transceiver.
also lookin gfor echo 70.

you gots? mabe we can make a deal...

reply here or email to bill at penceboNOSPAMokkeeping dot com

remove NOSPAM as you properly format the email...
thanks for looking...

From 533494617439997511
X-Google-Thread: 108122,9a4a762ce4ee76e5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu FT-8800R Dual Band Transceiver
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <dhVMg.6020$B14.2361@dukeread03>
Date: Sun, 10 Sep 2006 09:27:29 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157898441 68.109.223.91 (Sun, 10 Sep 2006 10:27:21 EDT)
NNTP-Posting-Date: Sun, 10 Sep 2006 10:27:21 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6055

FS Excellent Yaesu FT-8800R Dual Band Moblie Tranceiver. It is in very nice condition and comes with the original box, power cord, mic, and manual. Price is $295. Thanks, Charlie Hugg, K5MBX

From 3829797478887246564
X-Google-Thread: 108122,8bdf12a04ac5ff71,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!

border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS 15meter Band Module for TenTec Scout
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <ZwVMg.6023$B14.3679@dukeread03>
Date: Sun, 10 Sep 2006 09:44:17 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157899449 68.109.223.91 (Sun, 10 Sep 2006 10:44:09 EDT)
NNTP-Posting-Date: Sun, 10 Sep 2006 10:44:09 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6056

I have for sale a new TenTec Scout 15 meter Band Module. Price
is $35 shipped in CONUS.
Thanks, Charlie Hugg, K5MBX

From -393406332610283412
X-Google-Thread: 108122,d95152242b1f8557,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p02!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Very Nice Kenwood TM-732 Dual Band Transceiver
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <yoWMg.6032$B14.5324@dukeread03>
Date: Sun, 10 Sep 2006 10:43:34 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157903006 68.109.223.91 (Sun, 10 Sep 2006 11:43:26 EDT)
NNTP-Posting-Date: Sun, 10 Sep 2006 11:43:26 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6057

FS Kenwood TM-732   2/440 Dual Band Transceiver. 50 watts, in very nice
shape with the manual, power cord, mobile mount. Works perfectly. Price

$225. Thanks, Charlie Hugg, K5MBX

```
From -4630072220136923540
X-Google-Thread: 108122,4c901876d15714e0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: QsoNet and the Virtual Ionosphere
Date: 10 Sep 2006 10:34:20 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1157909660.615022.193670@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 70.66.158.62
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157909665 7136 127.0.0.1 (10 Sep 2006 17:34:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Sep 2006 17:34:25 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=70.66.158.62;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6058
```

A fellow ham suggested I visit www.qsonet.com. Here is a summary of what I found.

Are you tired of buying or building amateur radio equipment? Perhaps putting up an antenna isn't fun anymore. Maybe straining for DX is taking too much effort. Well don't despair - there is an alternative.

You need to consider becoming one of the "next generation" hams. Communicate around the world using your computer and special "radio" software. Traditional VoIP programs like eQSO, Echolink and Skype don't make you feel like a "real ham". You need to take the next step and use the Virtual Ionosphere and the CQ100 Transceiver. Call CQ, twiddle the knobs, send CW and RTTY, use ham lingo and make contacts around the world. However, you will need a ham ticket and $89 (after the trial period) in order to use this next generation "radio" simulator.

Geez - I hope this isn't a glimpse of the future. I think I'll just keep building stuff and be a "relic" ham.

Roger

From -2268883672706094634
X-Google-Thread: 108122,62bcfeecff60df18,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.litech.org!cox.net!news-xfer.cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS TenTec 937 Power Supply
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <YhYMg.6041$B14.4228@dukeread03>
Date: Sun, 10 Sep 2006 12:53:05 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157910776 68.109.223.91 (Sun, 10 Sep 2006 13:52:56 EDT)
NNTP-Posting-Date: Sun, 10 Sep 2006 13:52:56 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6059

FS TenTec 937 Power Supply, 115/230 VAC, 13.8 VDC, 11amp intermittant, 7amp continuous (made by Astron?) for SCOUT (555/556). This Unit is AS NEW, not a mark on it, works perfectly. Price is $55 plus shipping. Thanks, Charlie Hugg, K5MBX

From 62387947994535084
X-Google-Thread: 108122,a1f3c26fc4b370fe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!aioe.org!emma.aioe.org!aioe.org!NewsWatcher!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heathkit SB 604 speaker info needed, please.
Date: Sun, 10 Sep 2006 15:18:15 -0400
Organization: Aioe.org NNTP Server
Lines: 17
Message-ID: <fmmck-1009061518150001@172.145.39.225>
References: <1157825666.643585.146080@i42g2000cwa.googlegroups.com>

NNTP-Posting-Host: DD/1t0WZTHoAY7AECcpQnQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 3.0.0
Xref: g2news2.google.com rec.radio.amateur.equipment:6060

In article <1157825666.643585.146080@i42g2000cwa.googlegroups.com>, "carkenord@juno.com" <carkenord@juno.com> wrote:

> What is the ohmic value of the Heath SB 604 speaker?

Lee-

Apparently the SB-604 matches the SB-104 transceiver. I don't have any more detailed info on it, but the SB-104 operation manual shows a "4 Ohm Speaker SB-604" connected to the SPKR jack on the back of the transceiver.

In another place, the manual indicates that the SB-104 can be connected to any speaker in the range of 3.2 to 16 Ohms.

73,
Fred
K4DII

From -8764838147149977530
X-Google-Thread: 108122,4c901876d15714e0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "M0WWS (G1LVN)" <gareth.paley@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QsoNet and the Virtual Ionosphere
Date: 10 Sep 2006 12:23:47 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1157916227.639536.13960@i3g2000cwc.googlegroups.com>
References: <1157909660.615022.193670@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 86.131.111.206
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157916231 16400 127.0.0.1 (10 Sep 2006 19:23:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Sep 2006 19:23:51 +0000 (UTC)
In-Reply-To: <1157909660.615022.193670@h48g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.5) Gecko/20060127 Netscape/8.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=86.131.111.206;
   posting-account=lTDJbwwAAADUFyWXeVaAQm8KHXZ6OonH
Xref: g2news2.google.com rec.radio.amateur.equipment:6061

sailtamarack@yahoo.ca wrote:
> A fellow ham suggested I visit www.qsonet.com. Here is a summary of
> what I found.
> ------------
>

Here's what I found:

doesn't work on Win98

Bad concept too. Probably work a lot better if the interface was a cobra GLT148 and you had 40 channels. No seriously, IMHO it would work great as a virtual CB set.

Why on earth do they ask for scans of licence documents when there is absolutely no connection to RF?

Just my 2p.

```
From -8533277595287940196
X-Google-Thread: 108122,4c901876d15714e0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: sailtamarack@yahoo.ca
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QsoNet and the Virtual Ionosphere
Date: 10 Sep 2006 13:04:09 -0700
Organization: http://groups.google.com
Lines: 27
Message-ID: <1157918649.310971.237490@i3g2000cwc.googlegroups.com>
References: <1157909660.615022.193670@h48g2000cwc.googlegroups.com>
   <1157916227.639536.13960@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 70.66.158.62
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157918653 30124 127.0.0.1 (10 Sep 2006 20:04:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Sep 2006 20:04:13 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=70.66.158.62;
   posting-account=gXcV3gwAAACKhdV_aZ9TbpV32cSAnBGe
Xref: g2news2.google.com rec.radio.amateur.equipment:6062
```

M0WWS (G1LVN) wrote
> Here's what I found:

> Bad concept too. Probably work a lot better if the interface was a
> cobra GLT148 and you had 40 channels. No seriously, IMHO it would work
> great as a virtual CB set.

Are there still any CBers left now that the sunspots are low and there is little if any "skip" for them?? In order to appeal to CBers you would have to add a linear amplifier option to the program.

>
> Why on earth do they ask for scans of licence documents when there is
> absolutely no connection to RF?

Because they want to restrict use to people with a ham license in an effort to keep out the general riff-raff. Scanning the license and waiting for approval makes it feel more exclusive and special. Once they get CW working they can even start restricting band privileges and have a nasty no-code debate on their forums!!

The "next generation" ham will think this software is great. No problems with propagation for contest weekends. The server owner can even add a little QSB and noise for those seeking a real challenge. Why not add a QSL bureau (for an extra fee) and have awards etc.

Roger

From -5431894562065902352
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: "the watchman" <NAMHCTAW@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 10 Sep 2006 15:00:41 -0700
Organization: http://groups.google.com
Lines: 103
Message-ID: <1157925641.856784.272770@p79g2000cwp.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
<slrneb8avr.22ff.bit-bucket@shell.config.com>
<1154218812.353382.177860@p79g2000cwp.googlegroups.com>
<1156022297.091823.228530@i3g2000cwc.googlegroups.com>
<1157589240.359648.16140@e3g2000cwe.googlegroups.com>
<1157820932.455422.142320@i3g2000cwc.googlegroups.com>
<1157855675.321484.92140@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 71.115.24.218
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157925646 15641 127.0.0.1 (10 Sep 2006 22:00:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Sep 2006 22:00:46 +0000 (UTC)

In-Reply-To: <1157855675.321484.92140@d34g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Opera/9.00 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=71.115.24.218;
   posting-account=QvkXag0AAADOacGzDCg1JvJX__yaTgVl
Xref: g2news2.google.com rec.radio.amateur.equipment:6063

Ah ha ha i dont know about all that JR...but you barely escaped doing some jail time for threating to kill tom ABM out in iowa... my my how easily we forget scumbag...remember 3.932.5 the popcorn net...ya ole` TOM allmost got you you no good lieing backstaber....dont you remember when the HOBART Indiana police came over your house at 1040 rand street!Ya and your old cokehead buddys to old rabit(steve moser) is in prison now roger (roger merritt) ah who knows... and then there is Mike & bill dr bill ah ha ha ha... we been watching you lowlife scumbags for a long time and the worst was old dumbass greg hamilton wow... what a loser! you didnt have enough money to attend the meetings JIM because you and your old lady spent all the money on COKE & BOOZE! And dont forget how you skined old don valenti over the tower work you did for him...Ah ha ha...& then you didnt liked to hear guys with newer and better sounding radios on the air...Equipment that you couldnt have cause of you DRUG HABIT! ``The Watchman`` I Am Watching You...
Hammertime wrote:
> Poor old Norm the Nose,(KB9YGD) no one ever liked you, they all made fun of you when you were in your drunken stupor, you remind me of the drunken Southern Hillbilly that pulled your CB radio through your window and made off with it, is there such a thing as a Greek Hillbilly? if there is you fit the description
>
> I don't know about Mike, haven't seen him/her in 10 years but you seem to know quite a bit about he/she I've got a pix of you with him/her dressed up as a woman at the PCARC meeting, you two are very close in that pix, from what I understand you and he/she went to these meetings together all the time, I never seen Mike/Michelle at those meetings when I went, only after he became a she accompanied by Norm KB9YGD
>
> I hope you have at least changed your habits of hygiene or do you still stink like a rotten sewer especially from that hole in your face called a mouth, take a bath and give the good people of PCARC a break from the stinch of your bad body odor that oozes from your presence.
>
> Got your coax cut did you, and the Lake Station Police were called out to cite you for interference to your good neighbors entertainment systems, my my, the good neighbors have had enough, they are walking the streets on Vigo,Vermillion and Warren getting a petition signed to get you out of the TV's, phones and stereo's, you are a bad man and no real ham, only a "real pig".
>
> have a good day, I am. ah ha ha ha
>
> there's no time like Hammertime
>

>
> the watchman wrote:
> > ah ha ha... I think that you are talking about yourself...sounds like
> > you are the guy that did all that stuff and now you are feeling guilty!
> > And we were told that you and mike... were good buddies b4 he became a
> > heshe! ah ha ha ha...``The Watchman`` I Am Watching You...
> > Hameertime wrote:
> > > Watchman wrote:
> > > > Ya no one liked him when he was a cber called JR except ole`bill and
> > > > scarlet charlotte... and a few other drunk COKE HEADS... oh and mike
> > > > hughes... then he became a memorized extra no coder and they run him
> > > > out of hobart indiana ah ha ha ha... wonder when he will get run out of
> > > > ky!
> > > >
> > > > He don't want to discuss equipment, he would rather post foolish crap,
> > > > bann him....hey d*****s where did you lear how to SPELL...
> > >
> > > Don't be fooled by the watchman, in reality he is Norman P Triantafilos
> > > KB9YGD
> > > 2634 Warren Street Lake Station IN 46405 he has many Aliases so he can
> > > hide,
> > >
> > > I know old Norm the Nose personally, where do you think he got that
> > > name "Norm the Nose" draw your own conclusions. Scarlet Charlotte was a
> > > transvestite that Norm the Nose befriended, makes one wonder what
> > > frindge benifits ole Norm the Nose received from Scarlet Charolette,
> > > you know that old saying about the Greeks, and Norm the Nose has a
> > > Greek heritage, ah ha ha.
> > >
> > > Ole Norm the Nose was a CBer with the handle "sugarman", or "Mr. Norm",
> > > he always talked out of band, (27805mhz on his illegal modified cobra
> > > 2000 GTL) to his girl friend Peggy Lou, imo she was a prostitute he was
> > > pimping,(yes he drove a Cadillac)Norm the Nose was an alcoholic who
> > > stayed drunk most of the time, he lost his license to a DUI in Lake
> > > Station,In.
> > >
> > > Mr. Norm had a wife once upon a time that was , imo she was
> > > undesireable, couldn't keep her hands off of ole Norm the Nose friends
> > > when they would go on an alcoholic pill popping binge, she had a
> > > daughter that old Norm the Nose had a little trouble with, draw your
> > > own conclusions too.(it's on record).
> > >
> > > Now ole Norm the nose is a memorized no code Ham with a general license
> > > fouling up the airways, you should have stayed with cb it was more
> > > fitting, Norm the Nose would get drunk and use the lowest of langauge,
> > > cb ops would taunt him all night, he would cuss and spit in the mic,
> > > the stuff Norm the Nose said would make a sailor blush, he would talk
> > > about boogering CBer's in the rectum, the worst of sexual acts toward
> > > the good citizen band ops, some were female ops that couldn't defend
> > > themselves, but he didn't care it was the alcohol and pills that drove
> > > him.
> > >
> > > That's it for now but more to come!!! next I'll expose his arest

```
> > > record, ah ha ha (when you have skeletons in the closet what goes
> > > around comes around)
> > >
> > > it's Hammertime, ah ha ha.... (it's not slander when it's the truth)
```

```
From 8553568172359189222
X-Google-Thread: 108122,325ddbdd8a36254,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: stonwerk@shaw.ca
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Motorola MT2000
Date: 10 Sep 2006 17:05:47 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1157933147.535520.247050@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 70.65.7.175
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157933151 2197 127.0.0.1 (11 Sep 2006 00:05:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Sep 2006 00:05:51 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en) AppleWebKit/312.8
(KHTML, like Gecko) Safari/312.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=70.65.7.175;
   posting-account=R1fm_gwAAABO8EF_oI5W8IV7SqFvUv9N
Xref: g2news2.google.com rec.radio.amateur.equipment:6064
```

FA: Motorola MT2000

http://tinyurl.com/o4gz9

```
From -5026802627555811640
X-Google-Thread: 108122,38de8342f1852f4a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q16g2000cwq.googlegroups.com!not-for-
mail
From: Morse999@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Battery Pack needed for Yaesu FT-209RH
Date: 10 Sep 2006 19:24:17 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1157941457.112915.152610@q16g2000cwq.googlegroups.com>
```

```
NNTP-Posting-Host: 86.128.224.193
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157941462 11935 127.0.0.1 (11 Sep 2006 02:24:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Sep 2006 02:24:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; DigExt;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q16g2000cwq.googlegroups.com; posting-host=86.128.224.193;
   posting-account=5XWsuA0AAACqkesYZZ2dDm_QVsvmEg_i
Xref: g2news2.google.com rec.radio.amateur.equipment:6065

Can anyone tell me where I can find a battery pack for the Yaesu
FT-209RH hand held 2 meter rig.
G0TZD




From 8412580111878460949
X-Google-Thread: 108122,4c901876d15714e0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <4504D0E1.8000705@fuse.net>
Date: Sun, 10 Sep 2006 22:58:41 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QsoNet and the Virtual Ionosphere
References: <1157909660.615022.193670@h48g2000cwc.googlegroups.com>
In-Reply-To: <1157909660.615022.193670@h48g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 35
X-Trace: 570204504d16fe098318603048
Xref: g2news2.google.com rec.radio.amateur.equipment:6066

sailtamarack@yahoo.ca wrote:
> A fellow ham suggested I visit www.qsonet.com.  Here is a summary of
> what I found.
> ------------
>
> Are you tired of buying or building amateur radio equipment?
ACtually, no.
```

```
Perhaps
> putting up an antenna isn't fun anymore.  Maybe straining for DX is
> taking too much effort.
I love this stuff.
Well don't despair - there is an alternative.
>
> You need to consider becoming one of the "next generation" hams.
> Communicate around the world using your computer and special "radio"
> software.  Traditional VoIP programs like eQSO, Echolink and Skype
> don't make you feel like a "real ham".  You need to take the next step
> and use the Virtual Ionosphere and the CQ100 Transceiver.  Call CQ,
> twiddle the knobs, send CW and RTTY, use ham lingo and make contacts
> around the world.  However, you will need a ham ticket and $89 (after
> the trial period) in order to use this next generation "radio"
> simulator.
Twiddle the knobs, indeed.  $89 is a lot to spend to basically access a
newsgroup-pretending-to-be-an-"ionosphere"
>
> -------------
> Geez - I hope this isn't a glimpse of the future.  I think I'll just
> keep building stuff and be a "relic" ham.

This is definitely NOT the future of ham radio.  UNLESS, there is NO
future to ham radio.
>
>
> Roger
>


From 5389143321703986929
X-Google-Thread: 108122,132079d95acbcca8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "Clayton" <Evans8119@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Instructokeyer Manual/schematic?
Date: 11 Sep 2006 01:03:02 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1157961782.827105.14850@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 207.200.116.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157961786 9082 127.0.0.1 (11 Sep 2006 08:03:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Sep 2006 08:03:06 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; SV1;
FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
```

```
[ntc-tc073 8.4.1], HTTP/1.1 cache-ntc-ac08.proxy.aol.com[CFC87489] (Traffic-
Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=207.200.116.137;
   posting-account=tp2JsQ0AAADqjU5oZLMjcmLcp3UFW3ez
Xref: g2news2.google.com rec.radio.amateur.equipment:6067
```

Hi,
I am looking for a Manual(a schematic would be nice as well but isn't
necessary) for a Instructokeyer Model- IK-440

It was built by Curtis Electro Devices,Inc.
In Mountain View California

Does anybody know of a place online that one can be downloaded from or
maybe somebody could scan and email to me?

Any help with this would be greatly appreciated.
Thank you

```
From 3793738157095070972
X-Google-Thread: 108122,4c901876d15714e0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "M0WWS (G1LVN)" <gareth.paley@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: QsoNet and the Virtual Ionosphere
Date: 11 Sep 2006 02:19:28 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1157966368.660636.127850@i3g2000cwc.googlegroups.com>
References: <1157909660.615022.193670@h48g2000cwc.googlegroups.com>
   <1157916227.639536.13960@i3g2000cwc.googlegroups.com>
   <1157918649.310971.237490@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 86.131.111.206
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157966373 20738 127.0.0.1 (11 Sep 2006 09:19:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 11 Sep 2006 09:19:33 +0000 (UTC)
In-Reply-To: <1157918649.310971.237490@i3g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; (R1
1.5)),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=86.131.111.206;
   posting-account=lTDJbwwAAADUFyWXeVaAQm8KHXZ6OonH
Xref: g2news2.google.com rec.radio.amateur.equipment:6068
```

sailtamarack@yahoo.ca wrote:
> M0WWS (G1LVN) wrote
> > Here's what I found:
>
> > Bad concept too. Probably work a lot better if the interface was a
> > cobra GLT148 and you had 40 channels. No seriously, IMHO it would work
> > great as a virtual CB set.
>
> Are there still any CBers left now that the sunspots are low and there
> is little if any "skip" for them?? In order to appeal to CBers you
> would have to add a linear amplifier option to the program.

No but there's millions of IRC and voice (skype etc) users who would be
on CB if the internet didn't provide the same thing. The CB metaphor
wouldn't be lost on them.

```
From 8712345768992630624
X-Google-Thread: 108122,43eb5ff96963d867,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake L-4B Amp W/PS  NICE!!!!
Message-ID: <jsrag2dsg0851rle9cf0moft5ahttt23ct@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligijjdnojopddcmjimhcnoeidbhjjphihhllfjdfbijhjogphkajfcobocpeihfnehfl
pahpnmodomkalimofpmendkdkbjfbmonnkphmkdopcknngbpincjkllopekodc
NNTP-Posting-Date: Mon, 11 Sep 2006 07:16:34 MST
Organization: Optimum Online
Date: Mon, 11 Sep 2006 10:15:51 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6069
```

FS: Drake L-4B Amp W/PS NICE!!!!
The amp and power supply is GORGEOUS!!!!
The inside is GORGEOUS as well. Not to many
in this condition.   And works like a charm!!
Have pics............975.00
Email for pictures.
ritchi50@optonline.net

From 6421621434844460701
X-Google-Thread: 108122,98640d77f105d4b1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake L75 Like NEW W/Original Box
Message-ID: <t6nbg2d7l8hgitgd6de76j9580rlsco0kf@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhijjdnojopddcmjimjdmandjogldklagmllfjdfbijhjogphkajfcobocpeihfnehfl
pahpnmodomkalimofpmendkdkbjfbmnfdaafcdnfpilkleglbbcfickjagekga
NNTP-Posting-Date: Mon, 11 Sep 2006 15:02:56 MST
Organization: Optimum Online
Date: Mon, 11 Sep 2006 18:02:13 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6070

FS: Drake L75 Like NEW W/Original Box
In Perfect working order.
And looks like NEW!!.
You don'tt see many of these forsale.
Best offer.
ritchi50@optonline.net

From -7577285685736335771
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 11 Sep 2006 21:54:10 -0500
From: "scrook" <dingiswayo324_at_yahoo.com>
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
<EdFMg.30957$ry2.6768@bignews3.bellsouth.net>
<34c6g2pv3c1iktjatf4sfsrfk1mkj69chg@4ax.com>
Subject: Re: Overheating AA batteries
Date: Mon, 11 Sep 2006 22:54:11 -0400

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <mJqdnayywZfPvJvYnZ2dnUVZ_r2dnZ2d@comcast.com>
Lines: 49
NNTP-Posting-Host: 24.128.218.117
X-Trace: sv3-5pHMPGN/
2scXVYxSUVGolIMNI5cBqtRGZyX74RvDlGuRQ0gEJiAL0sH6dpzoVQYM1DU9CkOSGLcEcDF!
NyRrD8RUUsCQFMGJ6xMsNOOcuVzJIUskJu0oUw+1pd5WJj+ZHUShK3diwBvlIYae4emtO1odcp1S!
0eZQAbeugRXc
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:91406
rec.radio.amateur.homebrew:6858 rec.radio.amateur.equipment:6071

Positive can/case is standard alkaline cell construction. The correct
question would be "has anyone ever seen a negative cased alkaline cell?"


"Mark Rand" <randm@internettie.co.uk> wrote in message
news:34c6g2pv3c1iktjatf4sfsrfk1mkj69chg@4ax.com...
> On Sat, 09 Sep 2006 16:11:20 -0400, ken scharf
> <wa2mzeNOSPAMBOTS@bellsouth.net> wrote:
>
>>bart wrote:
>>> This evening the GF noticed that the remote control wasn't working &
>>> was hot.
>>> I pulled out the extremely hot AA batteries.
>>> It looks like the spring contact in the remote control, on the
>>> negative side had worn away the plastic covering on the side of the
>>> battery & shorted the side metal battery casing to the negative
>>> contact, thereby causing the overheating.
>>> In my many years of battery dissection, I've never seen the side
>>> casing of a battery being positive before!
>>> These were "Golden Power" alkaline batteries, made in China.
>>> They were the original batteries that came with the remote ( for a
>>> Shaw digital cable box).
>>> Anyone ever seen a positive case AA battery before, or is this a new (
>>> dumb) idea?
>>I've seen many Alkaline batteries with the outside casing connected to
>>the 'tit' on top as the positive and the bottom flat connector was
>>insulated from the body of the battery.  alkaline batteries have
>>different chemistry from carbon zinc resulting in an inverted
>>construction. This may actually be the norm, but in the larger sizes
>>the plastic outer wrap hides the details.   Just looked at a DuraCell
>>"D" and it is of the inverted construction, but the insulation of the
>>battery bottom (-) terminal from the case of the battery is hidden
```

```
>>under the plastic wrapping.
>
>
> Since it's the cathode that gets eaten in whichever reaction is used for
> the
> battery type, it might make sense to have the anode as the case.
>
> I could have done with this 25 years ago when I got sent abroad for work
> for
> three of months and came back to find that the transistor radio batteries
> had
> leaked all over one of my (expensive) loudspeakers :-(
>
> Mark Rand
> RTFM
```

```
From 2712611313277182270
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 11 Sep 2006 22:00:11 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1158037211.847716.238740@i42g2000cwa.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
   <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
   <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
   <1157855675.321484.92140@d34g2000cwd.googlegroups.com>
   <1157925641.856784.272770@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 68.155.193.171
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158037217 8568 127.0.0.1 (12 Sep 2006 05:00:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 05:00:17 +0000 (UTC)
In-Reply-To: <1157925641.856784.272770@p79g2000cwp.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=68.155.193.171;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:6072

Once again you have the facts wrong, being old and stupid is your
problem Sugar Man.

Give me some more of your facts, I've got a nice little folder with all
sorts of facts about you that I'm saving for a special occasion that's
going to net me a great deal of pleasure, not to mention monetarily.

I love this, it's more fun than watching you get the shit knocked out
of you and off the bar stool, or arrested for child molestation.

ah ha ha ha

no time like Hammertime




From 260703301199800623
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 11 Sep 2006 23:44:20 -0700
Organization: http://groups.google.com
Lines: 39
Message-ID: <1158043460.861003.25030@e3g2000cwe.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
   <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
   <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
   <1157855675.321484.92140@d34g2000cwd.googlegroups.com>
   <1157925641.856784.272770@p79g2000cwp.googlegroups.com>
   <1158037211.847716.238740@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.155.193.171
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158043465 31078 127.0.0.1 (12 Sep 2006 06:44:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 06:44:25 +0000 (UTC)
In-Reply-To: <1158037211.847716.238740@i42g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=68.155.193.171;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
```

Xref: g2news2.google.com rec.radio.amateur.equipment:6073

The Watchman is:
Norman P Triantafilos
KB9YGD
2634 Warren Street Lake Station IN 46405

Hey there old wiskey nose, just got some info on you, I love this,
seems you have really made a nusance of yourself with all the hams up
there, they dislike you and I can certainly understand, Bernie wants to
get involved with the law suit and the majority of the hams at the
club, you've really made a mess up ther haven't you,well your about to
get a good leson and I'm going to have that old shack and that Icom Pro
II along with that dirty amp your tearing your neighbors home
entertainment equipment up with, maybe I leave you that old cobra 2000
gtl so you'll have something to talk on that really suits you, my my
you've been real busy slandering my good name and my wife who fed you a
wonderful dinner.

I just happen to have copies of the slanderous and defamation emails
you have sent out to several of my friends, remember what I told you
about what goes around comes around, even Mike who is a dear friend and
a para legal wants to give me a little legal advise to help me.

it's really Hammertime...
Hammertime wrote:

> Once again you have the facts wrong, being old and stupid is your
> problem Sugar Man.
>
> Give me some more of your facts, I've got a nice little folder with all
> sorts of facts about you that I'm saving for a special occasion that's
> going to net me a great deal of pleasure, not to mention monetarily.
>
> I love this, it's more fun than watching you get the shit knocked out
> of you and off the bar stool, or arrested for child molestation.
>
> ah ha ha ha
>
> no time like Hammertime

From 2878827157212848000
X-Google-Thread: 108122,c4eb7f194a3675d5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!news.nask.pl!news.nask.org.pl!newsfeed.pionier.net.pl!
news.dialog.net.pl!not-for-mail
From: zz <zz@eltis.pl>
Newsgroups: rec.radio.amateur.equipment

```
Subject: Question for IC-3220H users
Date: Tue, 12 Sep 2006 16:22:08 +0200
Organization: Dialog Net
Lines: 6
Message-ID: <4cgdg21hojmpmnu40mcd8rtk6753k1cabq@4ax.com>
NNTP-Posting-Host: xdsl-7043.wroclaw.dialog.net.pl
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.dialog.net.pl 1158070939 12303 84.40.136.131 (12 Sep 2006 14:22:19
GMT)
X-Complaints-To: abuse@dialog.net.pl
NNTP-Posting-Date: Tue, 12 Sep 2006 14:22:19 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.3/32.846
Xref: g2news2.google.com rec.radio.amateur.equipment:6074

My equipment is IC-3220H with UT-55 modul, micrphon HM-56
(no UT-50, no UT-51). Is possible to send 1750Hz tone for reapeater.
If yes, in which way?
                                                              73
                                                       Zbigniew
                                                      SQ6MIZ



From 4279465971359764
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 12 Sep 2006 07:31:01 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1158071461.243418.132890@p79g2000cwp.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
   <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
   <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
   <1157855675.321484.92140@d34g2000cwd.googlegroups.com>
   <1157925641.856784.272770@p79g2000cwp.googlegroups.com>
   <1158037211.847716.238740@i42g2000cwa.googlegroups.com>
   <1158043460.861003.25030@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 68.155.193.171
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158071466 31176 127.0.0.1 (12 Sep 2006 14:31:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 14:31:06 +0000 (UTC)
```

```
In-Reply-To: <1158043460.861003.25030@e3g2000cwe.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=68.155.193.171;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6075

Here ya go Norman, another one of you Anonymizing Remailers shot down,
and I did file a complaint against you. You can run but you can't hide,
these anonymous emails are going to bite you in the ass, your nothing
but a coward who hides behind a cloak.

Lets see if you'll hide on my visit, you gonna bring that Star 9MM with
you and shoot at me when I confront you at the meeting and stand before
all the members and tell them what kind of low life you are, or you
gonna try and beat me up like you have threaten me before...

it's Hammertime

"Thank you for contacting the Abuse Complaint Administrator of the
metacolo Anonymizing Remailer.

The administrator has processed your request to not receive emails from
this anonymous remailer. This remailer will no longer send emails to
theemail address(es) for which you requested a block. Note that due to
fact that Internet email can arrive at the destination out-of-sequence,
it
is possible, though unlikely, that you may receive emails from this
remailer that were sent prior to your blocking request, but have not
yet been received by you.

We again wish to apologize for any inconvenience that may have been
caused to you."

Sincerely,

-- The metacolo Anonymizing Remailer Administrator



From -6355783686652820160
X-Google-Thread: 108122,156bc20f9fab48fb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
newsgate.cistron.nl!xs4all!feeder.news-service.com!193.201.147.80.MISMATCH!
newsrouter-eu.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-
xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Jimmy Mac" <dontyouspamme@this.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola MaxTrac 800 conversion to 902 RX Only?
```

Date: Tue, 12 Sep 2006 08:06:00 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12gdj6uqgp5jc2c@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news2.google.com rec.radio.amateur.equipment:6076

Hi,

Does anyone here know where I can dig up a firmware upgrade binary to enable conventional mode on a MaxTrac 840? I've found that it's the HLN5569A.

TIA!

pse reply to jim at manicarcade <you know what> com

From 7620314841716088394
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "the watchman" <NAMHCTAW@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 12 Sep 2006 09:19:07 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1158077947.722619.293590@i42g2000cwa.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
   <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
   <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
   <1157855675.321484.92140@d34g2000cwd.googlegroups.com>
   <1157925641.856784.272770@p79g2000cwp.googlegroups.com>
   <1158037211.847716.238740@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.115.24.218
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158077953 18643 127.0.0.1 (12 Sep 2006 16:19:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 16:19:13 +0000 (UTC)
In-Reply-To: <1158037211.847716.238740@i42g2000cwa.googlegroups.com>

```
User-Agent: G2/1.0
X-HTTP-UserAgent: Opera/9.00 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=71.115.24.218;
   posting-account=QvkXag0AAADOacGzDCg1JvJX__yaTgVl
Xref: g2news2.google.com rec.radio.amateur.equipment:6077

stupid people do stupid things....
Hammertime wrote:
> Once again you have the facts wrong, being old and stupid is your
> problem Sugar Man.
>
> Give me some more of your facts, I've got a nice little folder with all
> sorts of facts about you that I'm saving for a special occasion that's
> going to net me a great deal of pleasure, not to mention monetarily.
>
> I love this, it's more fun than watching you get the shit knocked out
> of you and off the bar stool, or arrested for child molestation.
>
> ah ha ha ha
>
> no time like Hammertime




From -5971615779511893683
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "the watchman" <NAMHCTAW@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: JIM ROGERS/K9KXQ
Date: 12 Sep 2006 09:23:37 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1158078217.767213.204460@p79g2000cwp.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
   <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
   <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
   <1157855675.321484.92140@d34g2000cwd.googlegroups.com>
   <1157925641.856784.272770@p79g2000cwp.googlegroups.com>
   <1158037211.847716.238740@i42g2000cwa.googlegroups.com>
   <1158043460.861003.25030@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 71.115.24.218
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158078223 16659 127.0.0.1 (12 Sep 2006 16:23:43 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Tue, 12 Sep 2006 16:23:43 +0000 (UTC)
In-Reply-To: <1158043460.861003.25030@e3g2000cwe.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Opera/9.00 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=71.115.24.218;
   posting-account=QvkXag0AAADOacGzDCg1JvJX__yaTgVl
Xref: g2news2.google.com rec.radio.amateur.equipment:6078

K9KXQ ya you need lots of advice rogers cause you are dumber than a
box of rocks!Hey when they gona run you out of KY like they did in
hobart IN!
James A Rodgers
6840 HANSON ROAD
MADISONVILLE KY 42431

From 7674810510008859712
X-Google-Thread: 111d0a,1ffd30c8d21b40ba,start
X-Google-Thread: 1110fe,1ffd30c8d21b40ba,start
X-Google-Thread: 114aac,1ffd30c8d21b40ba,start
X-Google-Thread: 108122,1ffd30c8d21b40ba,start
X-Google-Thread: f64c6,1ffd30c8d21b40ba,start
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "Radium" <glucegen1@excite.com>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 09:34:55 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.167.144.91
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158078900 18460 127.0.0.1 (12 Sep 2006 16:35:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 16:35:00 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8b) Gecko/20050217,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.167.144.91;
   posting-account=lXUL4Q0AAAA2JxMmVRdUd7bMtBM7ensS
Xref: g2news2.google.com sci.electronics.basics:25078 sci.physics.electromag:4284
rec.radio.shortwave:52507 rec.radio.amateur.equipment:6079 uk.radio.amateur:51674

Hi:

Hypothetical situation: a PCM audio signal [24-bit and monoaural] is transmitted through an analog 3 Mhz AM carrier, an AM receiver on the other end [tuned to 3 Mhz] picks up the signal, and the reciever is attached to a device that can recieve, process, and decode the PCM audio back to analog and then send it to a loudspeaker. However -- in this theoretical situation -- the environment is filled with EMI, RFI, and heterodynes that affect all AM stations.

My question: Will the received PCM audio signal remain noticeably "clean" to the listener or will he/she notice the EMI, RFI, and heterodynes affecting the audio?

I ask because I think -- but definitely don't know -- that because the received signal is digital, it is less likely that the EMI, RFI, and heterodynes would cause noticeable auditory disruptions when compared to analog. Do I guess correct?

Thanks,

Radium

From -6686948905280166007
X-Google-Thread: 108122,b7100a9ebea969ea,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood TS-50 HF Mobile....
Message-ID: <n2qdg2l86b7p1bk6kp8699dli98t7hubco@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimnmjmgokkcbpfnfmgllfjdfbijhjogphkajfcobocpeihfnehdl
aldomjgngokhmcmofpmendkdkbjfbmofcopjjjebancijoglbbcfickjagekga
NNTP-Posting-Date: Tue, 12 Sep 2006 10:04:06 MST
Organization: Optimum Online
Date: Tue, 12 Sep 2006 13:03:23 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6081

FS: Kenwood TS-50 HF Mobile....

Very nice TS-50 in original box/manual/Microphone/Power Cord/Etc
Works and looks GREAT!!!
Price: 395.00
ritchi50@optonline.net

From -4463064917122093954
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "Mike Gathergood (G4KFK)" <mike@g4kfk.co.uk>
Newsgroups: sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 10:35:28 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 62.253.96.44
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158082533 29939 127.0.0.1 (12 Sep 2006 17:35:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 17:35:33 +0000 (UTC)
In-Reply-To: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=62.253.96.44;
   posting-account=fTcdIQ0AAAC07gA1BA9FOc-RumYX4ZMS
Xref: g2news2.google.com sci.electronics.basics:25087 sci.physics.electromag:4286 rec.radio.shortwave:52520 rec.radio.amateur.equipment:6082 uk.radio.amateur:51680

Radium wrote:
> My question: Will the received PCM audio signal remain noticeably
> "clean" to the listener or will he/she notice the EMI, RFI, and
> heterodynes affecting the audio?
>
> I ask because I think -- but definitely don't know -- that because the
> received signal is digital, it is less likely that the EMI, RFI, and
> heterodynes would cause noticeable auditory disruptions when compared
> to analog. Do I guess correct?

You guess correct, assuming that FEC is applied to the digital signal
before it is used to modulate the transmitter.

But you wouldn't do it that way anyway. Raw PCM is too bandwidth
inefficient. You'd use MPEG layer 2, or apt-X, or something like that
to reduce the bandwidth without noticeably degrading the audio quality.
You'd probably also multiplex several different channels (programmes)
together onto one RF carrier as well, to make better statistical use of
the RF bandwidth.

Cheers
Mike

From -7787285378812350816
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "Radium" <glucegen1@excite.com>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 10:43:59 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1158083039.228531.172470@i42g2000cwa.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.167.144.91
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158083043 31157 127.0.0.1 (12 Sep 2006 17:44:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 17:44:03 +0000 (UTC)
In-Reply-To: <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8b) Gecko/20050217,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.167.144.91;
   posting-account=lXUL4Q0AAAA2JxMmVRdUd7bMtBM7ensS
Xref: g2news2.google.com sci.electronics.basics:25090 sci.physics.electromag:4287
rec.radio.shortwave:52525 rec.radio.amateur.equipment:6083 uk.radio.amateur:51687

Mike Gathergood (G4KFK) wrote:
> Radium wrote:
> > My question: Will the received PCM audio signal remain noticeably
> > "clean" to the listener or will he/she notice the EMI, RFI, and
> > heterodynes affecting the audio?
> >
> > I ask because I think -- but definitely don't know -- that because the
> > received signal is digital, it is less likely that the EMI, RFI, and
> > heterodynes would cause noticeable auditory disruptions when compared
> > to analog. Do I guess correct?

> You guess correct,
> assuming that FEC is applied to the digital signal
> before it is used to modulate the transmitter.

What is FEC?

> But you wouldn't do it that way anyway. Raw PCM is too bandwidth
> inefficient.

Isn't 3 Mhz enough to transmit a data rate of 1.06 mbps?

44,100 X 24 = 1,058,400

> You'd use MPEG layer 2, or apt-X, or something like that
> to reduce the bandwidth without noticeably degrading the audio quality.
> You'd probably also multiplex several different channels (programmes)
> together onto one RF carrier as well, to make better statistical use of
> the RF bandwidth.
>
>
> Cheers
> Mike

```
From -8171755196750945944
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-mail
From: "Mike Gathergood (G4KFK)" <mike@g4kfk.co.uk>
Newsgroups: sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 10:48:25 -0700
Organization: http://groups.google.com
```

Lines: 15
Message-ID: <1158083305.213074.168490@d34g2000cwd.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083039.228531.172470@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 62.253.96.44
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158083310 30124 127.0.0.1 (12 Sep 2006 17:48:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 17:48:30 +0000 (UTC)
In-Reply-To: <1158083039.228531.172470@i42g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=62.253.96.44;
   posting-account=fTcdIQ0AAAC07gA1BA9FOc-RumYX4ZMS
Xref: g2news2.google.com sci.electronics.basics:25092 sci.physics.electromag:4288 rec.radio.shortwave:52528 rec.radio.amateur.equipment:6084 uk.radio.amateur:51689

Radium wrote:
> What is FEC?

Forward Error Correction. Google it :-)

> Isn't 3 Mhz enough to transmit a data rate of 1.06 mbps?

Yes - but the chipsets to compress the digitised audio are much cheaper
than the notional value of the bandwidth you would be trashing with
your 24bit PCM.

Cheers
Mike

From 8926907751610047488
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-mail
From: "Radium" <glucegen1@excite.com>
Newsgroups: sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?

```
Date: 12 Sep 2006 10:54:16 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1158083656.858518.115480@e3g2000cwe.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.167.144.91
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158083662 30895 127.0.0.1 (12 Sep 2006 17:54:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 17:54:22 +0000 (UTC)
In-Reply-To: <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8b) Gecko/
20050217,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=69.167.144.91;
   posting-account=lXUL4Q0AAAA2JxMmVRdUd7bMtBM7ensS
Xref: g2news2.google.com sci.electronics.basics:25093 sci.physics.electromag:4289
rec.radio.shortwave:52529 rec.radio.amateur.equipment:6085 uk.radio.amateur:51692


Mike Gathergood (G4KFK) wrote:
> Radium wrote:
> > My question: Will the received PCM audio signal remain noticeably
> > "clean" to the listener or will he/she notice the EMI, RFI, and
> > heterodynes affecting the audio?
> >
> > I ask because I think -- but definitely don't know -- that because the
> > received signal is digital, it is less likely that the EMI, RFI, and
> > heterodynes would cause noticeable auditory disruptions when compared
> > to analog. Do I guess correct?
>
> You guess correct, assuming that FEC is applied to the digital signal
> before it is used to modulate the transmitter.

What if FEC is not used?

>
> But you wouldn't do it that way anyway. Raw PCM is too bandwidth
> inefficient. You'd use MPEG layer 2, or apt-X, or something like that
> to reduce the bandwidth without noticeably degrading the audio quality.
> You'd probably also multiplex several different channels (programmes)
> together onto one RF carrier as well, to make better statistical use of
> the RF bandwidth.
>
> Cheers
> Mike



From 988880304968153152
```

```
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!news-
out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-
win.ntli.net!newsfe2-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian Reay" <see@website.invalid>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083039.228531.172470@i42g2000cwa.googlegroups.com>
<1158083305.213074.168490@d34g2000cwd.googlegroups.com>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <9HCNg.22642$WV2.9834@newsfe2-gui.ntli.net>
Date: Tue, 12 Sep 2006 18:07:01 GMT
NNTP-Posting-Host: 82.3.78.214
X-Complaints-To: http://www.virgin.net/netreport
X-Trace: newsfe2-gui.ntli.net 1158084421 82.3.78.214 (Tue, 12 Sep 2006 19:07:01
BST)
NNTP-Posting-Date: Tue, 12 Sep 2006 19:07:01 BST
Organization: Virgin Net Usenet Service
Xref: g2news2.google.com sci.electronics.basics:25095 sci.physics.electromag:4290
rec.radio.shortwave:52535 rec.radio.amateur.equipment:6086 uk.radio.amateur:51694
```

"Mike Gathergood (G4KFK)" <mike@g4kfk.co.uk> wrote in message
news:1158083305.213074.168490@d34g2000cwd.googlegroups.com...
>
> Radium wrote:
>> What is FEC?
>
> Forward Error Correction. Google it :-)

Just to add to Mike's comment, FEC works by send the same message several times- in simple terms, in the hope that one with get through correctly. It is simple to implement, your recieving system just needs to be able to identify a correct message and use it, not spot a bad message and initiate either a request for resend or applly some sort of correction method (assuming there is error correcting code in the message).

--
73
Brian
www.g8osn.org.uk

```
From -7197843692573143459
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: miso@sushi.com
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 11:43:27 -0700
Organization: http://groups.google.com
Lines: 39
Message-ID: <1158086607.075012.89540@e3g2000cwe.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083039.228531.172470@i42g2000cwa.googlegroups.com>
   <1158083305.213074.168490@d34g2000cwd.googlegroups.com>
   <9HCNg.22642$WV2.9834@newsfe2-gui.ntli.net>
NNTP-Posting-Host: 216.27.181.190
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158086612 6086 127.0.0.1 (12 Sep 2006 18:43:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 18:43:32 +0000 (UTC)
In-Reply-To: <9HCNg.22642$WV2.9834@newsfe2-gui.ntli.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.2; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=216.27.181.190;
   posting-account=l2TzZAwAAAAsCKt7rXUtDXzcqYdjYZDP
Xref: g2news2.google.com sci.electronics.basics:25097 sci.physics.electromag:4291
rec.radio.shortwave:52545 rec.radio.amateur.equipment:6087 uk.radio.amateur:51696
```

Brian Reay wrote:

> "Mike Gathergood (G4KFK)" <mike@g4kfk.co.uk> wrote in message
> news:1158083305.213074.168490@d34g2000cwd.googlegroups.com...
> >
> > Radium wrote:
> >> What is FEC?
> >
> > Forward Error Correction. Google it :-)
>
>
> Just to add to Mike's comment, FEC works by send the same message several
> times- in simple terms, in the hope that one with get through correctly. It
> is simple to implement, your recieving system just needs to be able to
> identify a correct message and use it, not spot a bad message and initiate
> either a request for resend or applly some sort of correction method
> (assuming there is error correcting code in the message).
>
>
> --
> 73
> Brian
> www.g8osn.org.uk

These comms are in one direction, so you don't resend a packet as there
is no way to make such a request. In practice, the codes have both
error detection and correction capabilities, so to the degree the
coding allows, the signal can be corrected with the bits that were
received. Note nobody mentioned a modulation scheme for sending this
data.

As a bit of trivia, Reed Solomon encoding was invented without a way to
decode it. That's what you get when you let mathematicians run wild.
For absolutely nothing of any value other than bragging rights, name
the guy who invented the decoding scheme for Reed Solomon. [Hopefully
this isn't wikied someplace. I did one class in grad school on error
detection and correction, and it was a pain in the ass if you get into
the theory. Implementation is quite simple.]

From -7222558934220586873
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "Mike Gathergood (G4KFK)" <mike@g4kfk.co.uk>
Newsgroups: sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur

Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 12:32:34 -0700
Organization: http://groups.google.com
Lines: 41
Message-ID: <1158089553.947219.179300@i42g2000cwa.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083656.858518.115480@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 62.253.96.44
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158089559 14835 127.0.0.1 (12 Sep 2006 19:32:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 19:32:39 +0000 (UTC)
In-Reply-To: <1158083656.858518.115480@e3g2000cwe.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=62.253.96.44;
   posting-account=fTcdIQ0AAAC07gA1BA9FOc-RumYX4ZMS
Xref: g2news2.google.com sci.electronics.basics:25101 sci.physics.electromag:4293 rec.radio.shortwave:52547 rec.radio.amateur.equipment:6088 uk.radio.amateur:51707

Radium wrote:
> Mike Gathergood (G4KFK) wrote:
> > Radium wrote:
> > > My question: Will the received PCM audio signal remain noticeably
> > > "clean" to the listener or will he/she notice the EMI, RFI, and
> > > heterodynes affecting the audio?
> > >
> > > I ask because I think -- but definitely don't know -- that because the
> > > received signal is digital, it is less likely that the EMI, RFI, and
> > > heterodynes would cause noticeable auditory disruptions when compared
> > > to analog. Do I guess correct?
> >
> > You guess correct, assuming that FEC is applied to the digital signal
> > before it is used to modulate the transmitter.
>
> What if FEC is not used?

With no FEC, your receiver would be more prone to those errors that you
were worried about in the first place.

>
> >
> > But you wouldn't do it that way anyway. Raw PCM is too bandwidth
> > inefficient. You'd use MPEG layer 2, or apt-X, or something like that
> > to reduce the bandwidth without noticeably degrading the audio quality.
> > You'd probably also multiplex several different channels (programmes)
> > together onto one RF carrier as well, to make better statistical use of
> > the RF bandwidth.

Just to amplify on this, anything that you can do to reduce the bandwidth of the digital signal before it's used to modulate the transmitter will help. One very big advantage is that you can wind down the bandwidth of the receiver, thus reducing the level of background noise in the system.

Why did you choose 3MHz? What's the application?

Cheers
Mike

```
From 236521969120294263
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "Mike Gathergood (G4KFK)" <mike@g4kfk.co.uk>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 12:36:01 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1158089760.998259.271770@i3g2000cwc.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083039.228531.172470@i42g2000cwa.googlegroups.com>
   <1158083305.213074.168490@d34g2000cwd.googlegroups.com>
   <9HCNg.22642$WV2.9834@newsfe2-gui.ntli.net>
NNTP-Posting-Host: 62.253.96.44
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158089766 15266 127.0.0.1 (12 Sep 2006 19:36:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 19:36:06 +0000 (UTC)
In-Reply-To: <9HCNg.22642$WV2.9834@newsfe2-gui.ntli.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=62.253.96.44;
   posting-account=fTcdIQ0AAAC07gA1BA9FOc-RumYX4ZMS
Xref: g2news2.google.com sci.electronics.basics:25103 sci.physics.electromag:4294
rec.radio.shortwave:52549 rec.radio.amateur.equipment:6089 uk.radio.amateur:51708
```

Brian Reay wrote:
> Just to add to Mike's comment, FEC works by send the same message several
> times- in simple terms, in the hope that one with get through correctly. It
> is simple to implement, your recieving system just needs to be able to
> identify a correct message and use it, not spot a bad message and initiate
> either a request for resend or applly some sort of correction method
> (assuming there is error correcting code in the message).

FEC is generally used in applications where you don't have time to request a retransmission of an errored packet, and/or where the transmission path is simplex, and/or where there are multiplex receivers for a single transmitter.

If you have the luxuries of time and a full-duplex point-to-point environment, ARQ is better.

Cheers
Mike

```
From 6925221814040300595
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Radium" <glucegen1@excite.com>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 12:49:27 -0700
Organization: http://groups.google.com
Lines: 67
Message-ID: <1158090567.329797.187350@m73g2000cwd.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083656.858518.115480@e3g2000cwe.googlegroups.com>
   <1158089553.947219.179300@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.167.144.91
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158090573 16581 127.0.0.1 (12 Sep 2006 19:49:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 19:49:33 +0000 (UTC)
In-Reply-To: <1158089553.947219.179300@i42g2000cwa.googlegroups.com>
```

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8b) Gecko/20050217,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.167.144.91;
   posting-account=lXUL4Q0AAAA2JxMmVRdUd7bMtBM7ensS
Xref: g2news2.google.com sci.electronics.basics:25104 sci.physics.electromag:4295 rec.radio.shortwave:52550 rec.radio.amateur.equipment:6090 uk.radio.amateur:51714

Mike Gathergood (G4KFK) wrote:
> Radium wrote:
> > Mike Gathergood (G4KFK) wrote:
> > > Radium wrote:
> > > > My question: Will the received PCM audio signal remain noticeably
> > > > "clean" to the listener or will he/she notice the EMI, RFI, and
> > > > heterodynes affecting the audio?
> > > >
> > > > I ask because I think -- but definitely don't know -- that because the
> > > > received signal is digital, it is less likely that the EMI, RFI, and
> > > > heterodynes would cause noticeable auditory disruptions when compared
> > > > to analog. Do I guess correct?
> > >
> > > You guess correct, assuming that FEC is applied to the digital signal
> > > before it is used to modulate the transmitter.
> >
> > What if FEC is not used?
>

> With no FEC, your receiver would be more prone to those errors that you
> were worried about in the first place.

What would these errors sound like?

>
> >
> > >
> > > But you wouldn't do it that way anyway. Raw PCM is too bandwidth
> > > inefficient. You'd use MPEG layer 2, or apt-X, or something like that
> > > to reduce the bandwidth without noticeably degrading the audio quality.
> > > You'd probably also multiplex several different channels (programmes)
> > > together onto one RF carrier as well, to make better statistical use of
> > > the RF bandwidth.
>
> Just to amplify on this, anything that you can do to reduce the
> bandwidth of the digital signal before it's used to modulate the
> transmitter will help. One very big advantage is that you can wind down
> the bandwidth of the receiver, thus reducing the level of background
> noise in the system.
>

> Why did you choose 3MHz?

44,100 X 24 = 1,058,400

1,058,400 bps requires that the frequency of the carrier be at least 2,646,000 Hz. To make it safe, use 3 MHz.

> What's the application?

Well, my application was more to do with reception than transmission.

I'd like to know what I would hear on a 3MHz AM carrier whose receiver [both the AM and the linear PCM part] is at its maximum bandwidth. The 3 Mhz AM receiver is attached to a linear-PCM receiver [once again, both receivers have the maximum bandwidth possible for them]. The linear-PCM receiver is attached to a DAC which converts the linear-PCM signal to analog. This analog signal [which was PCM] is then sent to a loudspeaker. Just to make things more interesting, the antennae and receivers are so sensitive that they can pick signals as low as .00000001 dB. Most likely, what would I hear?

>
> Cheers
> Mike

From 5905235611240563420
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!198.186.190.251.MISMATCH!spool-scsi2.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: Tue, 12 Sep 2006 20:01:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 25
Message-ID: <slrnege4fv.i43.gsm@cable.mendelson.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083039.228531.172470@i42g2000cwa.googlegroups.com>
<1158083305.213074.168490@d34g2000cwd.googlegroups.com>
<9HCNg.22642$WV2.9834@newsfe2-gui.ntli.net>
<1158086607.075012.89540@e3g2000cwe.googlegroups.com>
Reply-To: gsm@mendelson.com

```
NNTP-Posting-Host: dsl217-132-48-122.bb.netvision.net.il
X-Trace: marvin.misty.com 1158091264 14775 217.132.48.122 (12 Sep 2006 20:01:04
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 12 Sep 2006 20:01:04 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com sci.electronics.basics:25106 sci.physics.electromag:4297
rec.radio.shortwave:52551 rec.radio.amateur.equipment:6091 uk.radio.amateur:51717
```

miso@sushi.com wrote:
> As a bit of trivia, Reed Solomon encoding was invented without a way to
> decode it. That's what you get when you let mathematicians run wild.
> For absolutely nothing of any value other than bragging rights, name
> the guy who invented the decoding scheme for Reed Solomon. [Hopefully
> this isn't wikied someplace. I did one class in grad school on error
> detection and correction, and it was a pain in the ass if you get into
> the theory. Implementation is quite simple.]

It makes sense. The encoding software had to be ready to put into a probe before the launch date. Once it was up it could not be changed.

Decoding software was another matter. Since they had years, maybe even decades to decode the data, and it did not have to be real time, they could continue to work on it.

All they had to do is not loose the tapes. :-(

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 Fax ONLY: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

```
From 677416681853028429
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "Mike Gathergood (G4KFK)" <mike@g4kfk.co.uk>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 13:07:06 -0700
Organization: http://groups.google.com
```

Lines: 33
Message-ID: <1158091626.797079.309260@b28g2000cwb.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083656.858518.115480@e3g2000cwe.googlegroups.com>
   <1158089553.947219.179300@i42g2000cwa.googlegroups.com>
   <1158090567.329797.187350@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 62.253.96.44
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158091632 19937 127.0.0.1 (12 Sep 2006 20:07:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 20:07:12 +0000 (UTC)
In-Reply-To: <1158090567.329797.187350@m73g2000cwd.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=62.253.96.44;
   posting-account=fTcdIQ0AAAC07gA1BA9FOc-RumYX4ZMS
Xref: g2news2.google.com sci.electronics.basics:25107 sci.physics.electromag:4301 rec.radio.shortwave:52552 rec.radio.amateur.equipment:6092 uk.radio.amateur:51721

Radium wrote:
> What would these errors sound like?

An error in a PCM system would manifest itself as a difference between what you put in at the analogue input to the transmitter, and what you got out of the analogue output of the receiver.

The magnitude and polarity of the difference would depend entirely on whether the bit error was the MSB (polarity would be wrong), or one of the LSBs (the amplitude would be wrong). It wouldn't "sound" like anything in particular.

> Well, my application was more to do with reception than transmission.
>
> I'd like to know what I would hear on a 3MHz AM carrier whose receiver
> [both the AM and the linear PCM part] is at its maximum bandwidth. The
> 3 Mhz AM receiver is attached to a linear-PCM receiver [once again,
> both receivers have the maximum bandwidth possible for them]. The
> linear-PCM receiver is attached to a DAC which converts the linear-PCM
> signal to analog. This analog signal [which was PCM] is then sent to a
> loudspeaker. Just to make things more interesting, the antennae and
> receivers are so sensitive that they can pick signals as low as
> .00000001 dB. Most likely, what would I hear?

Have a look here: http://www.imdb.com/title/tt0375210/   :-)

Seriously though, I have no idea. Why don't you try it and post the results here?

Cheers
Mike

```
From 4743868985651186561
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.nethere.com!
news.nethere.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 12 Sep 2006 16:47:48 -0500
From: "Bob May" <bobmay@nethere.com>
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
<EdFMg.30957$ry2.6768@bignews3.bellsouth.net>
<34c6g2pv3c1iktjatf4sfsrfk1mkj69chg@4ax.com>
<mJqdnayywZfPvJvYnZ2dnUVZ_r2dnZ2d@comcast.com>
Subject: Re: Overheating AA batteries
Date: Tue, 12 Sep 2006 14:51:53 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.00.2615.200
X-MimeOLE: Produced By Microsoft MimeOLE V5.00.2615.200
Message-ID: <sK6dncYRL5WYtprYnZ2dnUVZ_q2dnZ2d@nethere.com>
Lines: 10
NNTP-Posting-Host: 66.63.131.65
X-Trace: sv3-QO9Y7YMbOLzkhA7dmd/
cGDun7leCiV+v8NYPYMDZmsQB7t+NLuTKui4tngolJL7zbucHW/prMTRHc+Y!TwiEm/
OI1tmWRMRTJeVv9dj0hiOEy3SXJajzYhHbOz44cL9oFOdA3C50k+AAo2t0MsppjeJ2LRKr!
sVEtGIwL5O4=
X-Complaints-To: abuse@nethere.com
X-DMCA-Complaints-To: abuse@nethere.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:91496
rec.radio.amateur.homebrew:6873 rec.radio.amateur.equipment:6093
```

I thought all of the carbon/zinc type batteries had negative cases. The little button on the top is the positive contact for the battery and the other end is essentially flat on most batteries today with some having a stamped bottom and sides in contact.

--
Yeppie, Bush is such an idiot that He usually outwits
everybody else. How dumb!

```
From 6306134163133583401
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "Radium" <glucegen1@excite.com>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 15:57:53 -0700
Organization: http://groups.google.com
Lines: 59
Message-ID: <1158101873.512051.309060@d34g2000cwd.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083656.858518.115480@e3g2000cwe.googlegroups.com>
   <1158089553.947219.179300@i42g2000cwa.googlegroups.com>
   <1158090567.329797.187350@m73g2000cwd.googlegroups.com>
   <1158091626.797079.309260@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.167.144.91
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158101878 12456 127.0.0.1 (12 Sep 2006 22:57:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 12 Sep 2006 22:57:58 +0000 (UTC)
In-Reply-To: <1158091626.797079.309260@b28g2000cwb.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8b) Gecko/
20050217,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=69.167.144.91;
   posting-account=lXUL4Q0AAAA2JxMmVRdUd7bMtBM7ensS
Xref: g2news2.google.com sci.electronics.basics:25122 sci.physics.electromag:4309
rec.radio.shortwave:52568 rec.radio.amateur.equipment:6094 uk.radio.amateur:51745
```

Mike Gathergood (G4KFK) wrote:

> Radium wrote:
>
> > What would these errors sound like?

> An error in a PCM system would manifest itself as a difference between
> what you put in at the analogue input to the transmitter, and what you
> got out of the analogue output of the receiver.
>

> The magnitude and polarity of the difference would depend entirely on
> whether the bit error was the MSB (polarity would be wrong), or one of
> the LSBs (the amplitude would be wrong). It wouldn't "sound" like
> anything in particular.

What about the heterodyne tones present on analog AM radio? Would they
be audible on a linear-PCM receiver that receives PCM signals on an AM
station?

> > Well, my application was more to do with reception than transmission.
> >
> > I'd like to know what I would hear on a 3MHz AM carrier whose receiver
> > [both the AM and the linear PCM part] is at its maximum bandwidth. The
> > 3 Mhz AM receiver is attached to a linear-PCM receiver [once again,
> > both receivers have the maximum bandwidth possible for them]. The
> > linear-PCM receiver is attached to a DAC which converts the linear-PCM
> > signal to analog. This analog signal [which was PCM] is then sent to a
> > loudspeaker. Just to make things more interesting, the antennae and
> > receivers are so sensitive that they can pick signals as low as
> > .00000001 dB. Most likely, what would I hear?
>
> Have a look here: http://www.imdb.com/title/tt0375210/   :-)
>

> Seriously though, I have no idea. Why don't you try it and post the
> results here?

Easy for you to ask. I doubt any store has the device. And the
equipment required to amplify .00000000001 dB to an audible level would
take up the entire room.

So the best I could do -- at least for the moment -- is guess.

I am aware though that just because the PCM-receiver is digital does
not mean its completely immune to heterodynes, EMI, or RFI. If the
heterodyne, EMI or RFI has a waveform that sufficiently resembles a PCM
signal, it may very well be picked up by the PCM-receiver that is
connected to the AM receiver.

Physically, the digital reciever is still an electronic device and
hence it has some reception of EMI, RFI, and heterodynes. Its just not
affected as much as an analog receiver would be.

> Cheers
> Mike

I've seen that "white noise" movie. But thats more like Sci-Fi. Yet it
is one thing that gave me the interest to hear whatever is buried DEEP
in background noise.

From -529560216385506590

```
X-Google-Thread: 108122,38de8342f1852f4a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe10.lga.POSTED!53ab2750!not-for-mail
Message-ID: <45075447.6070106@hotmail.com>
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Battery Pack needed for Yaesu FT-209RH
References: <1157941457.112915.152610@q16g2000cwq.googlegroups.com>
In-Reply-To: <1157941457.112915.152610@q16g2000cwq.googlegroups.com>
Content-Type: multipart/alternative;
 boundary="------------040705020102090500040201"
Lines: 55
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhijjdnojopddcmjimahohcobhldepeenloappennnphngbbbkjfialhaocjgcejckcb
oklfhhenbdcpkfihpanchcakojjmfobnicfplcklenjfgghgindeflifgphkdl
NNTP-Posting-Date: Tue, 12 Sep 2006 17:43:39 MST
Date: Tue, 12 Sep 2006 20:43:51 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6095

This is a multi-part message in MIME format.
--------------040705020102090500040201
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Morse999@gmail.com wrote:

>Can anyone tell me where I can find a battery pack for the Yaesu
>FT-209RH hand held 2 meter rig.
>G0TZD
>
>
>
W&W batteries on Long Island, they have them

http://www.ww-manufacturing.com/aboutus.asp



73

--------------040705020102090500040201
Content-Type: text/html; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<a class="moz-txt-link-abbreviated"
href="mailto:Morse999@gmail.com">Morse999@gmail.com</a> wrote:<br>
<blockquote
 cite="mid1157941457.112915.152610@q16g2000cwq.googlegroups.com"
 type="cite">
  <pre wrap="">Can anyone tell me where I can find a battery pack for the Yaesu
FT-209RH hand held 2 meter rig.
G0TZD

  </pre>
</blockquote>
<font size="+1"><font face="Arial">W&amp;W batteries on Long Island,
they have them<br>
<br>
<a class="moz-txt-link-freetext" href="http://www.ww-manufacturing.com/
aboutus.asp">http://www.ww-manufacturing.com/aboutus.asp</a><br>
<br>
<br>
<br>
73 <br>
</font></font>
</body>
</html>

--------------040705020102090500040201--


From -4913634983010359946
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 12 Sep 2006 19:46:54 -0500
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Tue, 12 Sep 2006 17:46:51 -0700
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
```

sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
Message-ID: <C12CA30B.42D16%dbowey@comcast.net>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 73
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-2dO7I0NLIN2PK9y/
Mph3HMH+NPkkkphxtOuW5ee2sInRDJlze05gqRhbIw4DStSIY0bKw+7LBTScWSR!4iqtp6ewL/
4eYbuRu261fUQ1CWw5SQN7Cywy0O84I7A6qP3SMR1WKmdadX37zEURzKzc08O5
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com sci.electronics.basics:25129 sci.physics.electromag:4310
rec.radio.shortwave:52586 rec.radio.amateur.equipment:6096 uk.radio.amateur:51753

On 9/12/06 3:57 PM, in article
1158101873.512051.309060@d34g2000cwd.googlegroups.com, "Radium"
<glucegen1@excite.com> wrote:

>
> Mike Gathergood (G4KFK) wrote:
>> Radium wrote:
>>> What would these errors sound like?
>
>> An error in a PCM system would manifest itself as a difference between
>> what you put in at the analogue input to the transmitter, and what you
>> got out of the analogue output of the receiver.
>>
>> The magnitude and polarity of the difference would depend entirely on
>> whether the bit error was the MSB (polarity would be wrong), or one of
>> the LSBs (the amplitude would be wrong). It wouldn't "sound" like
>> anything in particular.
>
> What about the heterodyne tones present on analog AM radio? Would they
> be audible on a linear-PCM receiver that receives PCM signals on an AM
> station?
>
>>> Well, my application was more to do with reception than transmission.
>>>
>>> I'd like to know what I would hear on a 3MHz AM carrier whose receiver
>>> [both the AM and the linear PCM part] is at its maximum bandwidth. The

>>> 3 Mhz AM receiver is attached to a linear-PCM receiver [once again,
>>> both receivers have the maximum bandwidth possible for them]. The
>>> linear-PCM receiver is attached to a DAC which converts the linear-PCM
>>> signal to analog. This analog signal [which was PCM] is then sent to a
>>> loudspeaker. Just to make things more interesting, the antennae and
>>> receivers are so sensitive that they can pick signals as low as
>>> .00000001 dB. Most likely, what would I hear?
>>
>> Have a look here: http://www.imdb.com/title/tt0375210/   :-)
>>
>
>> Seriously though, I have no idea. Why don't you try it and post the
>> results here?
>
> Easy for you to ask. I doubt any store has the device. And the
> equipment required to amplify .00000000001 dB to an audible level would
> take up the entire room.

There is no such thing as a .00000000001 dB signal
>
> So the best I could do -- at least for the moment -- is guess.
>
> I am aware though that just because the PCM-receiver is digital does
> not mean its completely immune to heterodynes, EMI, or RFI. If the
> heterodyne, EMI or RFI has a waveform that sufficiently resembles a PCM
> signal, it may very well be picked up by the PCM-receiver that is
> connected to the AM receiver.
>
> Physically, the digital reciever is still an electronic device and
> hence it has some reception of EMI, RFI, and heterodynes. Its just not
> affected as much as an analog receiver would be.

In fringe areas, analog cell phones could be well understood despite the
poor signal-to-noise ratio. Digital cell phones in a fringe area just quit
working, or lose sync and you hear bits of other conversations.

>
>> Cheers
>> Mike
>
> I've seen that "white noise" movie. But thats more like Sci-Fi. Yet it
> is one thing that gave me the interest to hear whatever is buried DEEP
> in background noise.
>

From 2040358179104814204
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91

```
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe10.lga.POSTED!53ab2750!not-for-mail
Message-ID: <4507557D.5090901@hotmail.com>
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Overheating AA batteries
References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
<EdFMg.30957$ry2.6768@bignews3.bellsouth.net>
<34c6g2pv3c1iktjatf4sfsrfk1mkj69chg@4ax.com>
<mJqdnayywZfPvJvYnZ2dnUVZ_r2dnZ2d@comcast.com>
<sK6dncYRL5WYtprYnZ2dnUVZ_q2dnZ2d@nethere.com>
In-Reply-To: <sK6dncYRL5WYtprYnZ2dnUVZ_q2dnZ2d@nethere.com>
Content-Type: multipart/alternative;
 boundary="------------000804030603010302090600"
Lines: 67
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhijjdnojopddcmjimhkdkpfjnlgflhceioappennnphngbbbkjfialhaocjgcejckcb
oklfhhenbdcpkfihpanchcakojjmfondgonajkcfgnaomohgindeflifgphkdl
NNTP-Posting-Date: Tue, 12 Sep 2006 17:48:48 MST
Date: Tue, 12 Sep 2006 20:49:01 -0400
Xref: g2news2.google.com rec.crafts.metalworking:91530
rec.radio.amateur.homebrew:6882 rec.radio.amateur.equipment:6097

This is a multi-part message in MIME format.
--------------000804030603010302090600
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

Sorry, but I JUST have to ask,   Are you the Bob May who was on that
TV show (in that "suit") in the late 1960's??

73

Bob May wrote:

>I thought all of the carbon/zinc type batteries had negative cases. The
>little button on the top is the positive contact for the battery and the
>other end is essentially flat on most batteries today with some having a
>stamped bottom and sides in contact.

```
>
>--
>Yeppie, Bush is such an idiot that He usually outwits
>everybody else.  How dumb!
>
>
>
>


--------------000804030603010302090600
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Sorry,&nbsp; but I <b>JUST</b> have to ask,&nbsp;&nbsp; Are you the Bob May who
was
on that<br>
TV show ( in that "suit")&nbsp; in the late 1960's??<br>
<br>
73<br>
<br>
<br>
<br>
Bob May wrote:<br>
<blockquote cite="midsK6dncYRL5WYtprYnZ2dnUVZ_q2dnZ2d@nethere.com"
 type="cite">
  <pre wrap="">I thought all of the carbon/zinc type batteries had negative cases.
The
little button on the top is the positive contact for the battery and the
other end is essentially flat on most batteries today with some having a
stamped bottom and sides in contact.

--
Yeppie, Bush is such an idiot that He usually outwits
everybody else.  How dumb!


  </pre>
</blockquote>
<br>
</body>
</html>

--------------000804030603010302090600--
```

```
From -5287484680198584489
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "Radium" <glucegen1@excite.com>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateu
r.equipment,uk.radio.amateur
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Date: 12 Sep 2006 18:28:18 -0700
Organization: http://groups.google.com
Lines: 82
Message-ID: <1158110898.180866.158150@d34g2000cwd.googlegroups.com>
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
   <1158082528.159812.35610@b28g2000cwb.googlegroups.com>
   <1158083656.858518.115480@e3g2000cwe.googlegroups.com>
   <1158089553.947219.179300@i42g2000cwa.googlegroups.com>
   <1158090567.329797.187350@m73g2000cwd.googlegroups.com>
   <1158091626.797079.309260@b28g2000cwb.googlegroups.com>
   <1158101873.512051.309060@d34g2000cwd.googlegroups.com>
   <C12CA30B.42D16%dbowey@comcast.net>
NNTP-Posting-Host: 69.167.144.91
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158110903 4124 127.0.0.1 (13 Sep 2006 01:28:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 01:28:23 +0000 (UTC)
In-Reply-To: <C12CA30B.42D16%dbowey@comcast.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8b) Gecko/
20050217,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=69.167.144.91;
   posting-account=lXUL4Q0AAAA2JxMmVRdUd7bMtBM7ensS
Xref: g2news2.google.com sci.electronics.basics:25133 sci.physics.electromag:4311
rec.radio.shortwave:52590 rec.radio.amateur.equipment:6098 uk.radio.amateur:51754


Don Bowey wrote:
> On 9/12/06 3:57 PM, in article
> 1158101873.512051.309060@d34g2000cwd.googlegroups.com, "Radium"
> <glucegen1@excite.com> wrote:
>
> >
> > Mike Gathergood (G4KFK) wrote:
> >> Radium wrote:
> >>> What would these errors sound like?
```

> >
> >> An error in a PCM system would manifest itself as a difference between
> >> what you put in at the analogue input to the transmitter, and what you
> >> got out of the analogue output of the receiver.
> >>
> >> The magnitude and polarity of the difference would depend entirely on
> >> whether the bit error was the MSB (polarity would be wrong), or one of
> >> the LSBs (the amplitude would be wrong). It wouldn't "sound" like
> >> anything in particular.
> >
> > What about the heterodyne tones present on analog AM radio? Would they
> > be audible on a linear-PCM receiver that receives PCM signals on an AM
> > station?
> >
> >>> Well, my application was more to do with reception than transmission.
> >>>
> >>> I'd like to know what I would hear on a 3MHz AM carrier whose receiver
> >>> [both the AM and the linear PCM part] is at its maximum bandwidth. The
> >>> 3 Mhz AM receiver is attached to a linear-PCM receiver [once again,
> >>> both receivers have the maximum bandwidth possible for them]. The
> >>> linear-PCM receiver is attached to a DAC which converts the linear-PCM
> >>> signal to analog. This analog signal [which was PCM] is then sent to a
> >>> loudspeaker. Just to make things more interesting, the antennae and
> >>> receivers are so sensitive that they can pick signals as low as
> >>> .00000001 dB. Most likely, what would I hear?
> >>
> >> Have a look here: http://www.imdb.com/title/tt0375210/   :-)
> >>
> >
> >> Seriously though, I have no idea. Why don't you try it and post the
> >> results here?
> >
> > Easy for you to ask. I doubt any store has the device. And the
> > equipment required to amplify .00000000001 dB to an audible level would
> > take up the entire room.
>

> There is no such thing as a .00000000001 dB signal

Whats stops a .00000000001 dB signal from existing?

> >
> > So the best I could do -- at least for the moment -- is guess.
> >
> > I am aware though that just because the PCM-receiver is digital does
> > not mean its completely immune to heterodynes, EMI, or RFI. If the
> > heterodyne, EMI or RFI has a waveform that sufficiently resembles a PCM
> > signal, it may very well be picked up by the PCM-receiver that is
> > connected to the AM receiver.
> >
> > Physically, the digital reciever is still an electronic device and
> > hence it has some reception of EMI, RFI, and heterodynes. Its just not
> > affected as much as an analog receiver would be.

```
>
>
> In fringe areas, analog cell phones could be well understood despite the
> poor signal-to-noise ratio.  Digital cell phones in a fringe area just quit
> working, or lose sync and you hear bits of other conversations.
>
>
>
>
>
> >
> >> Cheers
> >> Mike
> >
> > I've seen that "white noise" movie. But thats more like Sci-Fi. Yet it
> > is one thing that gave me the interest to hear whatever is buried DEEP
> > in background noise.
> >



From -5149520343608457934
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 12 Sep 2006 18:32:53 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1158111173.674965.221150@i42g2000cwa.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
   <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
   <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
   <1157855675.321484.92140@d34g2000cwd.googlegroups.com>
   <1157925641.856784.272770@p79g2000cwp.googlegroups.com>
   <1158037211.847716.238740@i42g2000cwa.googlegroups.com>
   <1158077947.722619.293590@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.155.193.171
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158111179 4862 127.0.0.1 (13 Sep 2006 01:32:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 01:32:59 +0000 (UTC)
In-Reply-To: <1158077947.722619.293590@i42g2000cwa.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=68.155.193.171;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6099


the watchman wrote:
> stupid people do stupid things....
> Hammertime wrote:
> > Once again you have the facts wrong, being old and stupid is your
> > problem Sugar Man.
> >
> > Give me some more of your facts, I've got a nice little folder with all
> > sorts of facts about you that I'm saving for a special occasion that's
> > going to net me a great deal of pleasure, not to mention monetarily.
> >
> > I love this, it's more fun than watching you get the shit knocked out
> > of you and off the bar stool, or arrested for child molestation.
> >
> > ah ha ha ha
> >
> > no time like Hammertime

Finally we both agree on something, you do some of the most ignorant
shit I have ever seen, after all the shit you stirred up at the club
meeting it's a wonder Bernie didn't beat your ass.

Hammertime, ah ha ha ha




From 3158705541976351005
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!pln-e!spln!rex!
extra.newsguy.com!newsp.newsguy.com!not-for-mail
From: dnichols@d-and-d.com (DoN. Nichols)
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Overheating AA batteries
Date: 13 Sep 2006 02:55:26 GMT
Organization: D & D Data, Vienna, VA
Lines: 35
Message-ID: <ee7ruu02ggg@news3.newsguy.com>
References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
<34c6g2pv3c1iktjatf4sfsrfk1mkj69chg@4ax.com>
<mJqdnayywZfPvJvYnZ2dnUVZ_r2dnZ2d@comcast.com>
<sK6dncYRL5WYtprYnZ2dnUVZ_q2dnZ2d@nethere.com>
Reply-To: dnichols@d-and-d.com (Donald Nichols)
```

NNTP-Posting-Host: p-339.newsdawg.com
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Originator: dnichols@d-and-d.com (DoN. Nichols)
Xref: g2news2.google.com rec.crafts.metalworking:91559
rec.radio.amateur.homebrew:6886 rec.radio.amateur.equipment:6100

According to Bob May <bobmay@nethere.com>:

> I thought all of the carbon/zinc type batteries had negative cases.

Most did -- but the zinc/carbon individual cells are relatively rare now. An example of the zinc-carbon ones without a negative case are the ones which were used to make high voltage batteries (even the 9V ones) were a wax ring (shaped sort of like a tire) with a zinc plate at one end and carbon at the other, with the sal-ammoniac (IIRC) in between. All of the wax rings were joined end to end by melting the wax, and this connected all the cells in series.

> The little button on the top is the positive contact for the battery and the other end is essentially flat on most batteries today with some having a stamped bottom and sides in contact.

The "little button on the top" was a metal cap over the end of the central carbon rod which was the actual positive terminal.

However, the Alkaline cells use a different chemistry (I'm not sure of the details -- but it could be looked up), and the positive terminal makes the case -- which requires a strange form factor to deal with all the equipment designed to orient the button properly as a positive terminal. A standard flashlight would not care, but most electronic stuff powered by batteries does care, which is why they continue to shape things so the button is positive, even if it is connected to the case. The common coin cells are different, because there were never any of those with the button as positive.

Enjoy,
DoN.

--
Email: <dnichols@d-and-d.com> | Voice (all times): (703) 938-4564
(too) near Washington D.C. | http://www.d-and-d.com/dnichols/DoN.html
--- Black Holes are where God is dividing by zero ---

From 4045923441441059240
X-Google-Thread: 111d0a,1ffd30c8d21b40ba
X-Google-Thread: 1110fe,1ffd30c8d21b40ba
X-Google-Thread: 114aac,1ffd30c8d21b40ba
X-Google-Thread: 108122,1ffd30c8d21b40ba
X-Google-Thread: f64c6,1ffd30c8d21b40ba
X-Google-Attributes: gid111d0a,gid1110fe,gid114aac,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe04.lga.POSTED!

53ab2750!not-for-mail
From: "Tim Williams" <tmoranwms@charter.net>
Newsgroups:
sci.electronics.basics,sci.physics.electromag,rec.radio.shortwave,rec.radio.amateur.equipment,uk.radio.amateur
References: <1158078895.162736.320120@b28g2000cwb.googlegroups.com>
<1158082528.159812.35610@b28g2000cwb.googlegroups.com>
<1158083656.858518.115480@e3g2000cwe.googlegroups.com>
<1158089553.947219.179300@i42g2000cwa.googlegroups.com>
<1158090567.329797.187350@m73g2000cwd.googlegroups.com>
<1158091626.797079.309260@b28g2000cwb.googlegroups.com>
<1158101873.512051.309060@d34g2000cwd.googlegroups.com>
<C12CA30B.42D16%dbowey@comcast.net>
Subject: Re: Receiving Pulse-Code Modulation on AM radio at 3 Mhz?
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <ZkMNg.71$iI7.62@newsfe04.lga>
X-Trace:
noffecneefnkbhgfijjdnojopddcmjimpchaobnkgnjpdbpkhbanndhlogddfllfihnaholmckglmalnabjffocnhliminommlgninajkkbffdpncglgpdhekjjkiggienfnojecgjgcfcij
NNTP-Posting-Date: Tue, 12 Sep 2006 22:06:01 MST
Date: Wed, 13 Sep 2006 00:04:17 -0500
Xref: g2news2.google.com sci.electronics.basics:25154 sci.physics.electromag:4312
rec.radio.shortwave:52609 rec.radio.amateur.equipment:6101 uk.radio.amateur:51756

"Don Bowey" <dbowey@comcast.net> wrote in message
news:C12CA30B.42D16%dbowey@comcast.net...

> There is no such thing as a .00000000001 dB signal

Sure there is. It's very close in amplitude to a 0.0dB signal. ;-)

Tim

--
Deep Fryer: a very philosophical monk.
Website: http://webpages.charter.net/dawill/tmoranwms

From -3896342757103121355
X-Google-Thread: 108122,a189c8acfdde3345,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e63g2000cwd.googlegroups.com!not-for-mail
From: "Clayton" <Evans8119@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom Tuning?...Help Please

```
Date: 12 Sep 2006 22:46:06 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1158126365.996464.41560@e63g2000cwd.googlegroups.com>
NNTP-Posting-Host: 207.200.116.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1158126371 5717 127.0.0.1 (13 Sep 2006 05:46:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 13 Sep 2006 05:46:11 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; SV1;
FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[ntc-te124 8.4.1], HTTP/1.1 cache-ntc-ac08.proxy.aol.com[CFC87489] (Traffic-
Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: e63g2000cwd.googlegroups.com; posting-host=207.200.116.137;
   posting-account=tp2JsQ0AAADqjU5oZLMjcmLcp3UFW3ez
Xref: g2news2.google.com rec.radio.amateur.equipment:6102
```

Hi,
I have an Icom IC-290A that I am working on...The problem being that when I turn the tuning knob it doesn't change frequencies,it acts as if the knob is slipping.
After determining that it wasn't the knob slipping I proceeded to disassemble the front to get at the tuning potentiometer.
If your familiar with this unit you know that the potentiometer is continuous and has teeth that catch when you turn the knob to make tuning easier.
Now when I hook up my ohm meter to the wiper and to either end of the potentiometer all I get is an OL reading and when I turn the shaft the reading jumps around wildly. If I connect the meter to the wiper and to the case of the(I am assuming this is correct?) potentiometer I should get a reading of Zero ohms but again the only reading I get is OL.

Am I safe in saying that the potentiometer is bad?

If so how do I go about figuring out what type of potentiometer I need to replace the bad one?
The schematic doesn't tell me what value it is and there isn't a parts list or part number either.

I hope I have made myself clear enough to be understood,if not please let me know so I can try and make things clearer.

Any help on this would be greatly appreciated.
Thank you

```
From 5890692711922128939
X-Google-Thread: 108122,4e1021dc622f59e1,start
```

```
X-Google-Thread: 106d41,4e1021dc622f59e1,start
X-Google-Thread: fc8b1,4e1021dc622f59e1,start
X-Google-Thread: 112d4a,a8a2ec01a6852450
X-Google-Thread: f59f1,4e1021dc622f59e1,start
X-Google-Attributes: gid108122,gid106d41,gidfc8b1,gid112d4a,gidf59f1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.boatanchors,alt.militar
y.collecting,alt.marketplace.collectables
Subject: FA: @$10>US ARMY H-16/u HEADPHONES FROM M3 & SHERMAN TANKS WWII
Date: 5 Sep 2006 08:28:22 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1157470102.338901.204360@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157470107 20884 127.0.0.1 (5 Sep 2006 15:28:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Sep 2006 15:28:27 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6002 rec.radio.cb:18824
rec.radio.amateur.boatanchors:5270 alt.military.collecting:536
alt.marketplace.collectables:6566

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220023114649&ssPageName=STRK:MESE:IT&ih=012



From 1155693779360363730
X-Google-Thread: 108122,e5d277d00315e8f4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: chumpy36@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Need help with connectors
Date: 5 Sep 2006 11:19:18 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1157480358.154663.172750@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 66.156.7.42
Mime-Version: 1.0
```

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157480364 20404 127.0.0.1 (5 Sep 2006 18:19:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Sep 2006 18:19:24 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=66.156.7.42;
   posting-account=nqH5SQ0AAAA6xHk1eSBrpz8lPrP_x4H_
Xref: g2news2.google.com rec.radio.amateur.equipment:6003

I have some motorola gp88s that I use for two way in a motorsports application. I recently got two vx500 vertex radios that I want to use as a backup system. However I need to change the connector end on the car wiring harness in order to make this work. The accessory jack of the two radios is different.

Questions:

1. Where can I buy these connector ends? Are they called a specific name? I've found different names like x00 or s1 connector or x03. And I'm having a hard time finding a place that sell just the end.

2. Is there an adapter made to make this work? From motorola accessory jack to the vertex?

Thanks for any help

JAson

From -4601818076490704411
X-Google-Thread: 108122,5fc80698c7888260,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: mike <mike@nospam.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Does anybody know who is posting this Crap???
Date: Tue, 05 Sep 2006 16:13:11 -0500
Organization: netINS InterNetNews site
Lines: 1
Message-ID: <h0qrf25oges3fshfbv6rdb6i1c0etku407@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1157490793 26902 67.55.159.6 (5 Sep 2006 21:13:13 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Tue, 5 Sep 2006 21:13:13 +0000 (UTC)

```
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:6004

It is ruining this newsgroup



From -1938423954119714680
X-Google-Thread: 108122,33f56d3c83b81055,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!aotearoa.belnet.be!news.belnet.be!newsgate.cistron.nl!xs4all!
news.wiretrip.org!news.dizum.com!sewer-output!mail2news
From: Borked Pseudo Mailed <nobody@pseudo.borked.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Crap...
Message-ID: <57337f816ea88be152ea8a5d50c49620@pseudo.borked.net>
Date: Tue,  5 Sep 2006 17:23:31 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6005

What crap you talking about Mike! ``The  Deacon``




From 8414643752210255734
X-Google-Thread: 108122,de12b8c56b678795,start
X-Google-Thread: 1109af,de12b8c56b678795,start
X-Google-Thread: 108228,de12b8c56b678795,start
X-Google-Attributes: gid108122,gid1109af,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 05 Sep 2006 19:34:52 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-
radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: FA: Lionel bug made from Vibroplex plans during the war
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Wed, 6 Sep 2006 00:34:52 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <5IGdnZlxkMkwimPZnZ2dnUVZ_omdnZ2d@centurytel.net>
Lines: 4
NNTP-Posting-Host: 72.160.70.246
X-Trace: sv3-
b50VNinBVQGqEpswIQ6wHxOEDRvc2CE+6BmpadiIanHTVn057Rjt+dQfS+wfFfQarcVGgl8Vr+j58Qw!
5y97+sz9Mix+zJbEhHo2W7WJ2DwVTJI2MlpyKO+L/3TzaTs/pHLJ/3tuX49JJIxL73wOIgdOIuHi!
1tAECHpBHal5VisMjBifuebXcBwuMR6mrcRW
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6006 rec.radio.swap:7304
alt.ham-radio.marketplace:1251

Vintage Vibroplex ? BugHam Radio cw morse code No Reser
Lionel bug made from Vibroplex plans during the war

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=130023941284

From 2048481150852905753
X-Google-Thread: 108122,a548051953c88701,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TM-732 Dual Band Transceiver
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <AQBLg.5388$B14.2247@dukeread03>
Date: Wed, 6 Sep 2006 10:30:41 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157556640 68.109.223.91 (Wed, 06 Sep 2006 11:30:40 EDT)
NNTP-Posting-Date: Wed, 06 Sep 2006 11:30:40 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6007

FS Kenwood TM-732   2/440 Dual Band Transceiver. 50 watts, in very nice
shape with the manual, power cord, mobile mount. Works perfectly. Price
$235. Thanks, Charlie Hugg, K5MBX

From -4652185778297011149
X-Google-Thread: fb049,4fed17df06e10463
X-Google-Thread: 108122,4fed17df06e10463
X-Google-Thread: 1109af,4fed17df06e10463
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc02.POSTED!4f97008e!not-for-mail

```
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <hJXKg.4520$ub5.2580@trnddc07>
Subject: Re: FS/FT Motorola SyntorX9000 LB 30-50mhz dual controls
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <8aHLg.3035$m36.1497@trnddc02>
Date: Wed, 06 Sep 2006 21:35:00 GMT
NNTP-Posting-Host: 71.162.185.69
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1157578500 71.162.185.69 (Wed, 06 Sep 2006 17:35:00 EDT)
NNTP-Posting-Date: Wed, 06 Sep 2006 17:35:00 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2577
rec.radio.amateur.equipment:6008 rec.radio.swap:7322

I'm also looking for a DR235TQ.

thnx

"Thanks......." <pottsladd13@yahoo.com> wrote in message
news:hJXKg.4520$ub5.2580@trnddc07...
>I have two Motorola SyntorX9000 lowband mobiles.
> 30-50mhz 110 watt with dual control, complete.
> These units can be converted to work on both 10mtrs and 6 mtrs with the
> proper software. I can NOT program them. I'm looking to sell or trade
> these units for any reasonable offer.
>
> I'm looking for:
> VHF Spectra 110watt A9 Head
> VHF Spectra 50 watt dash mount.
> VHF Spectra 50 watt remote mount.
> Yaesu FT8900R quad band mobile
> FT8800R dual band
> Alinco DR605TQ
> Or similar equipment. Equipment must be complete and in good working
> order.
> Please email direct
> pottsladd13 at yahoo dot com
>
```

```
From 294468717809841995
X-Google-Thread: 108122,2b91c895e728b75f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe08.lga.POSTED!53ab2750!not-for-mail
```

From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Alpha 87A Amplifier NICE!!!!
Message-ID: <fnguf2lq42t01v2drq6plsidrbo638sh04@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
adnpoonaeilogjoiijjdnojopddcmjimkagknolacoihdhlallfjdfbijhjogphkajfcobocpeihfnehcmlhjmmmhdfeahhpmofpmendkdkbjfbmleicnflplimabhicgolpanaadbokpicd
NNTP-Posting-Date: Wed, 06 Sep 2006 14:52:32 MST
Organization: Optimum Online
Date: Wed, 06 Sep 2006 17:51:50 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:6009

FS Alpha 87A Amplifier NICE!!!!
Non Smoker and looks GREAT!!!
I use it every evening.   And of course it will do Legal Limit and
more.
I don't abuse it, so tubes are 100 Percent!!!
ETO   Alpha 87A
I can't say enough about this amp, alot of built in protection etc.
Will be packed very well.
Price: 4200.00
ritchi50@optonline.net

From -1260883430417583603
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-mail
From: "Hameertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 6 Sep 2006 17:34:00 -0700
Organization: http://groups.google.com
Lines: 51
Message-ID: <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 70.157.233.152
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157589245 11841 127.0.0.1 (7 Sep 2006 00:34:05 GMT)
X-Complaints-To: groups-abuse@google.com

NNTP-Posting-Date: Thu, 7 Sep 2006 00:34:05 +0000 (UTC)
In-Reply-To: <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=70.157.233.152;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6010

Watchman wrote:
> Ya no one liked him when he was a cber called JR except ole`bill and
> scarlet charlotte... and a few other drunk COKE HEADS... oh and mike
> hughes... then he became a memorized extra no coder and they run him
> out of hobart indiana ah ha ha ha... wonder when he will get run out of
> ky!
>
> He don't want to discuss equipment, he would rather post foolish crap,
> bann him....hey d*****s where did you lear how to SPELL...

Don't be fooled by the watchman, in reality he is Norman P Triantafilos KB9YGD
2634 Warren Street Lake Station IN 46405 he has many Aliases so he can hide,

I know old Norm the Nose personally, where do you think he got that name "Norm the Nose" draw your own conclusions. Scarlet Charlotte was a transvestite that Norm the Nose befriended, makes one wonder what frindge benifits ole Norm the Nose received from Scarlet Charolette, you know that old saying about the Greeks, and Norm the Nose has a Greek heritage, ah ha ha.

Ole Norm the Nose was a CBer with the handle "sugarman", or "Mr. Norm", he always talked out of band, (27805mhz on his illegal modified cobra 2000 GTL) to his girl friend Peggy Lou, imo she was a prostitute he was pimping,(yes he drove a Cadillac)Norm the Nose was an alcoholic who stayed drunk most of the time, he lost his license to a DUI in Lake Station,In.

Mr. Norm had a wife once upon a time that was , imo she was undesireable, couldn't keep her hands off of ole Norm the Nose friends when they would go on an alcoholic pill popping binge, she had a daughter that old Norm the Nose had a little trouble with, draw your own conclusions too.(it's on record).

Now ole Norm the nose is a memorized no code Ham with a general license fouling up the airways, you should have stayed with cb it was more fitting, Norm the Nose would get drunk and use the lowest of langauge, cb ops would taunt him all night, he would cuss and spit in the mic, the stuff Norm the Nose said would make a sailor blush, he would talk about boogering CBer's in the rectum, the worst of sexual acts toward the good citizen band ops, some were female ops that couldn't defend themselves, but he didn't care it was the alcohol and pills that drove him.

That's it for now but more to come!!! next I'll expose his arest record, ah ha ha (when you have skeletons in the closet what goes around comes around)

it's Hammertime, ah ha ha.... (it's not slander when it's the truth)

From -6203224163810l8228
X-Google-Thread: 108122,c7c70807470541b2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Excellent Icom IC-781
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <VhNLg.5436$B14.2659@dukeread03>
Date: Wed, 6 Sep 2006 23:32:54 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157603573 68.109.223.91 (Thu, 07 Sep 2006 00:32:53 EDT)
NNTP-Posting-Date: Thu, 07 Sep 2006 00:32:53 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:6011

I have decided to sell my Icom IC-781. It is in excellent condition and comes with the manual and the handles. Also, I have installed the Sherwood Fan Kit to keep the power supply cool. It has a very bright and clear display. It is all original and has never given me a single problem. It has low hours of use. Pictures are available upon request. Price is $2100. Thanks, Charlie Hugg, K5MBX

From 9068530699387571354
X-Google-Thread: 108122,861d58e5f3e5fbdf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-mail
From: nanodesigns_usa@yahoo.com
Newsgroups: rec.radio.amateur.equipment

```
Subject: Bio-TERROR in America: The Government of Torture!
Date: 7 Sep 2006 10:10:57 -0700
Organization: http://groups.google.com
Lines: 173
Message-ID: <1157649057.339024.241020@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 204.170.199.11
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1157649062 20123 127.0.0.1 (7 Sep 2006 17:11:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 7 Sep 2006 17:11:02 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=204.170.199.11;
   posting-account=N9VPvg0AAACXmudJiJCKu5rZqP1Myipj
Xref: g2news2.google.com rec.radio.amateur.equipment:6012

AMERICA IN DANGER of its own out-of-control Bio-Terror:
                    Is 1984 here?         God help us, blinded!
Originally Secret Bio-Aerosols are misused to HARM and Torture in
U=2ES.A.

       Our government needs TORTURE in U.S.?         See details
below...
       It has your VOTE, support? Abused...

CRITICS (political/social/cultural) are harassed and secretly
persecuted
along with their KIDS in schools/colleges, especially, during
tests/exams
(Think: Guantanamo "stress-positions" in the context of
1984-technologies)

Bio-Aerosols and aerosolized chemicals are used to cause:
      - severe colds/coughs turning into bronchitis, eye irritation
      - bacterial pneumonia/other pneumonia, shortness of breath
      - surges of severe headaches, migraines, dizziness, etc.
      - fainting collapses by symptoms-mimicking aerosols
      - severe stomach pains (sharp, burning, nausea, etc)
      - chest-wall pains, heart-muscle inflammations/trauma, etc.
WORSE:
      - heart attacks under cover of second-hand smocking
      - car crashes/accidents by Vertigo-causing aerosols
      - liver/organ failure by small-dose toxins (trace-less?)
      - cancer-causing/facilitating - months-long assasinations
      This "Yushchenko syndrom" CAN destabilize NATIONs
      Waste, Fraud, Cronism and Abuse in HomeSec/FBI

U=2ES. mail IS polluted in "anthrax-like" manner to HARM critics
Libraries, airplanes, hotels, offices, buses, trains - all polluted!
```

A network of Secret Gas-Aerosol Rooms operated in US
(in Philadelphia, Narberth, Lower Merion, PA)
(in Wilmington and Newark, DE)
(in Hampton, Williamsburg and Richmond, VA)
AND ELSEWHERE.... details below...
Bio-aerosols used to hurt and simulate panic attacks, etc.!
Soviets locked critics into nut-houses, now WE do the same!
Symptoms-mimicking aerosols do HARM, weak or ill people.

Say "Stop, I care" - call Senate (202) 224-3121
House of Representatives (202) 225-3121
What IS going on in America? *Print and Post*
Fabrication of Fear to grab Power by Fabrication of Believable Info

Big Brother spins protection...
And fear is used to clamp.
Democracy needs action!
On which side do you stand?

Looked at this?!! Go to Google/Yahoo newsGroups:
---=

TORTURE IN USA: Secret Aerosol Rooms

US Scientist needs legal help dealing with the secret aerosols rooms (SARs) operated illegally in Philadelphia area, Newark (DE), Hampton and Williamsburg (VA) and other places. Highly volatile aerosols with and without bacterial content cause dry cough, airways a...

Full text was at:
http://buyit.philly.com/findit/search/results.jsp?catId=3Dkrd_philenqda...

This was a new on-line ad placed in Philadelphia Inquirer and Philadelphia Daily News on www.philly.com (see full text below)
It was about the secret aerosols rooms in US. One could find it by searching "secret", say, in the ad section of philly.com.

Democracy can not function effectively without the informed public. As a former NASA Langley scientist working in the area of nanotechnology and nanoscale particles, I have been recently exposed to the establishment of secret gas-aerosol rooms inside of United States, at least in the Mid-Atlantic region (from Philadelphia to Virginia). First, the highly irritant aerosols have surfaced at the NASA Langley Research Center in several safety accidents. Investigations were blocked, probably, because of lack of Congressional approval for such financially-lucrative research at NASA. Later, these aerosols had been encountered outside of NASA in Virginia, Delaware and Pennsylvania
.
This points out to yet another proliferation of originally-sensitive technologies into domestic American life to hurt and harass people without a proper oversight and much control. This amounts to torture,

extra-judicial prosecution and authoritarian intimidation tactics. The use of such irritants and the operations of the secret gas-aerosol rooms are gross violations of human and constitutional rights of American citizens and various domestic and international laws.

-------------------Full text of an ad from Philadelphia's philly.com-------------------------

TORTURE IN USA: Secret Aerosol Rooms

US Scientist needs legal help dealing with the secret aerosols rooms (SARs) operated illegally in Philadelphia area, Newark (DE), Hampton and Williamsburg (VA). Highly volatile aerosols with and without bacterial content cause dry cough, airways and eyes irritation, chest pain and inflammation. FBI and Homeland Security associates are likely operators of SARs, while collaborators may be hotel staff and landlords, who get financial/material or other incentives. US citizens and kids are victims.

Torture is any act by which severe pain, whether physical or psychological, is intentionally inflicted on a person as a means of intimidation, deterrence, revenge, punishment, sadism, or information gathering. At times, medicine and medical practitioners have been drawn into the ranks of torturers, either to judge what victims can endure, to apply treatments which will enhance torture, or as torturers in their own right. http://en.wikipedia.org/wiki/Torture

America in Danger!

     America in danger -
The vice is NOT impeached.
     America in danger -
The public trust is breached.

Big Brother spins protection
    And fear is used to clamp.
Democracy needs action!
    On which side do you stand?

   Which side are you on, boys?
   Which side moves you on?
   Which side are you on, girls?
   Which side did you wrong?
                    (Chorus after F. Reece)

Your church is burned by haters.
       The priests to go to jail?
Your dreams are cheyned by traitors,
       But hope still shines through veil.

Dust rooms came back to gas us
       With neo-Naz (or Con) embrace...

New immigrants do make US!
And not the SSuper-race...

***

The Government of Torture

Our government needs TORTURE?!
It has your VOTE, and, now, support?
But peace (not vice) needs steady nurture
And trustful words of calm rapport.

Beware of loud, but FALSE, ideas
That flame a thirsty hellish torch.
Protect the old and true ideals
And Constitution's civic urge.

Yes, torture IS a hellish torch -
In bloody hands, a blinded sword,
With Constitution used to forge
All laws on rights as mere absurd!

Remember victim's silent cry
And SEE the Christ in all of us.
Don't let your government to spy
And torture with some bio-dust.

There is NO good use for evil torture!
No matter how the need is spinned
By Nixon's men, as bloody sergeants,
While truth is painfully re-skinned.

V. Haryk-Bukovynsky   =A9 VMH

From -1292138974884583273
X-Google-Thread: 1109af,d4813f4d81661d9
X-Google-Thread: fc2a5,d4813f4d81661d9
X-Google-Thread: 108122,d4813f4d81661d9
X-Google-Attributes: gid1109af,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.trueband.net!news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 07 Sep 2006 14:49:45 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: FS: B & W 850A Plate tank assembly.
Date: Thu, 07 Sep 2006 12:49:51 -0700
Message-ID: <nut0g2lcj23rmfct06c7ibs2hdjhlt6in1@4ax.com>
References: <0kvhd2d061s887s9s0s84fqrtbfb0jd4l8@4ax.com>
X-Newsreader: Forte Free Agent 1.92/32.572

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
NNTP-Posting-Host: 4.240.245.105
X-Trace: sv3-
JJcPMYzHVXoCYqO5MUsQYFJcFlFWzYNSzuY7K3QNPOu5GWp2cX7EA9cGN7VwlsL5QwFkYo+s0RrBjR3!
WU+jPhXTayTPJO1sp1txKgxFi3+jMXAHtB/W+rQ5Bu5O9rsDZ0CTLPgn6T6cDwbK+ppDJ7ipaVdo!
vce55KUmf7g9S4fWr8xAWIEKgK7m3A==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7338 rec.radio.amateur.homebrew:6755
rec.radio.amateur.equipment:6013
```

sold

```
From 315025042455340078
X-Google-Thread: 1109af,ff212e297e715795
X-Google-Thread: fc2a5,ff212e297e715795
X-Google-Thread: 108122,ff212e297e715795
X-Google-Attributes: gid1109af,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.trueband.net!news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 07 Sep 2006 14:50:40 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: FS: Yaesu FT221-R
Date: Thu, 07 Sep 2006 12:50:47 -0700
Message-ID: <pvt0g2l9m4t56hslcp00cp7pmlbagoveub@4ax.com>
References: <cgond2hccsdhmipe1t72f3ol47d8s1ridl@4ax.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Host: 4.240.245.105
X-Trace: sv3-YwPBozCvGQipdqsSPgug9b62TFONLW8slOQoQBDEc0va3CF4D9ma5mwLG8+E/
LZEIjOh0wTojcdrh0D!7O+PzE7XByTJnuCE0GIB/P+oxttewy7+aRJb/H1o/
kYgndHSUZQTmSBTWIS4HLoXjlBvtB0+1F1D!1Wk4YLBE6foK1DQO0hLXUpfEUhAfaA==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:7339 rec.radio.amateur.homebrew:6756
```

rec.radio.amateur.equipment:6014

On Thu, 10 Aug 2006 18:53:04 -0700, Wes Stewart <n7ws*@*yahoo.com>
wrote:

Price reduction: $150 Shipped CONUS

>Nice older 2-meter multimode. CW, USB, LSB, AM and FM transceiver.
>Min. 10W output. I've used this rig with external amps to run meteor
>and tropo scatter and EME.
>
>Been keeping it to get back on EME but health issues are preventing
>the construction of new antenna.
>
>Asking $225 including shipping to CONUS.
>
>email:n7ws@yahoo.com
>
>Thanks and 73,
>
>Wes

From -8935976926829575049
X-Google-Thread: 108122,1fe7e309f51a4741,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-mail
From: "Twiddler" <twiddledee@jotjet.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Basic info needed (longish)
Date: 7 Sep 2006 18:54:29 -0700
Organization: http://groups.google.com
Lines: 53
Message-ID: <1157680469.334756.51780@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 68.32.100.209
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157680483 12875 127.0.0.1 (8 Sep 2006 01:54:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Sep 2006 01:54:43 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6) Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=68.32.100.209;
   posting-account=gEMBQw0AAAD60gQ4x705pFaYkhIlmUvV
Xref: g2news2.google.com rec.radio.amateur.equipment:6015

My brother-in-law was a radio hobbyist and passed away a few months ago. I am helping my sister sell his equipment but I am not very knowledgable and I want to understand more so I can get what it is worth for her. He had no life insurance and she has two children to support. I am worried that I will not describe the equipment fully and not sell it for its true value.

He had several Icom IC-W2A hand-held radios. From what I've read these are fairly old but I think they may be desirable because you can enable them (via the keypad) to scan a wider range of frequences (800 ~ 900+). I think that newer radios have this capability disabled? He also had an AOR AR 1500 that I think has similar unrestricted RX frequencies. Is it legal for me to advertise these exteneded ranges on Ebay listings? There seems to be some secrecy to this kind of thing as I try to research it.

The IC-W2A radios can also be set up as as dual band repeaters. I don't really understand why you would want to do this unless you are providing a repeater service to other people? This seems odd for a hand-held radio.

I have also seen mods for these radios that enable MARS/CAP. He was a very accomplished electronics technician so I would expect he has modified these radios. Besides taking them apart, can I check to see if they have been modified some other way -- maybe tuning to a particual frequency and listening? Again, is it legal to advertise this feature if they have been modified? There doesn't seem to me that there would be much activity on Military Amatuer and Civil Air Patrol but there seems to be a lot of references to MARS/CAP modifications around. He had an Icom IC-207H with a label of "MARS/CAP" on it. It was on his bench and connected to one of five large roof-mounted antennas. I think this was probably one of the radios he used the most. Are there other mods I should look for on it?

He had several GMRS hand helds (Radio Shack and Maxon 210+3) and CB radios (Radio Shack and Uniden). Is there any unique enhancements I should invesigate on these? The Maxon 210+3 radios (he had several of these) also are older models but they push 5 watts. Is that unique to the older radios? Since he had several of this one model I think there must be something unique about them.

He also had a Magnavox D2999 PLL World Receiver. He had modified it for an external (roof mount) antenna. I was thinking about re-connecting the built-in antenna on it before selling. Anything else I should look for on it?

I would appreciate any help or advice you folks can provide. If you have any questions or any tests you can walk me through on these radios I will be glad to give them a shot.

Thanks,
Twiddler

From 5925152287517746110
X-Google-Thread: 108122,5eaf18632fcebb82,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Thu, 07 Sep 2006 23:00:27 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Advice on Oscilloscopes Sought
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <d7524$4500dd57$453d9423$2747@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 16
X-Trace: d75244500dd57e098318602747
Xref: g2news2.google.com rec.radio.amateur.equipment:6016

Being relatively new to ham radio, I am considering some form of oscilloscope. I am intrigued by PC-based systems (eg., BitScope Pocket Analyzer)

I've read a few NG posts about used HP scopes and a few negative remarks about PC scopes.

My question:

Given my neophyte status and the likelihood that I would use a scope for anything more the basic / with learning, moderate/ complexity,
... is the PC-based scope a good choice for me?
Cost is under $400, not incl. a $40 analog probe.

John
AB8O

From 478732369557683144
X-Google-Thread: 108122,5eaf18632fcebb82
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 07 Sep 2006 23:13:29 -0500
From: "Brian Denley" <b.denley@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <d7524$4500dd57$453d9423$2747@FUSE.NET>
Subject: Re: Advice on Oscilloscopes Sought
Date: Fri, 8 Sep 2006 00:13:28 -0400

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <-rOdnZSZDLB0cJ3YnZ2dnUVZ_o2dnZ2d@comcast.com>
Lines: 27
NNTP-Posting-Host: 24.61.18.207
X-Trace: sv3-VfLsyN9vkXfzpmgtHe4vRQQnygOD/
HLULamHYbJauhnjGWgCoq81TNjVOhpLMcsBDxtyLW9XNxfapCK!
YBwNXrbgKF4jKt1VBo0pspTFjtBJPXnHCMYT6MhanBMbtJGc3DBCGdlNkwslsr+0mclLWVJEU7gS!/
3ytHn14CaUu
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6017

Geez I bought an almost new 50 MHz Tektronics 2225 for $35 and that was with probes. You can get a decent bench scope for not much money.

--
Brian Denley
http://home.comcast.net/~b.denley/index.html

"jawod" <jawod@fuse.net> wrote in message
news:d7524$4500dd57$453d9423$2747@FUSE.NET...
> Being relatively new to ham radio, I am considering some form of
> oscilloscope. I am intrigued by PC-based systems (eg., BitScope Pocket
> Analyzer)
>
> I've read a few NG posts about used HP scopes and a few negative remarks
> about PC scopes.
>
> My question:
>
> Given my neophyte status and the likelihood that I would use a scope for
> anything more the basic / with learning, moderate/ complexity,
> ... is the PC-based scope a good choice for me?
> Cost is under $400, not incl. a $40 analog probe.
>
> John
> AB8O

From -4883764119599437957
X-Google-Thread: 108122,5eaf18632fcebb82
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!
news02.roc.ny.POSTED!53ab2750!not-for-mail
From: BobH <WanderingMetalHead@DUMPSPAM.yahoo.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice on Oscilloscopes Sought
References: <d7524$4500dd57$453d9423$2747@FUSE.NET>
In-Reply-To: <d7524$4500dd57$453d9423$2747@FUSE.NET>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 39
Message-ID: <9r6Mg.140$ya1.70@news02.roc.ny>
X-Complaints-To: abuse@metrocenter.com
X-Trace:
52616e646f6d4956490a539f226c80f27a91cbed40d1bfe5ebcb70ea05948023735185454dad5d9fe4
ec6eac774d79bc85609bab040cfa76c02ac8050dba466c998303a04327320efa9a099797e3d1a7d913
e7cdea9b464c9e7da96d96ab169e51375e9d41f99b8472abe624614541a8c401322ee565c23d86ad7a
8c2f0763e4
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Fri, 08 Sep 2006 04:36:21 UTC
Organization: EMR DATA SERVICES, INC.
Date: Fri, 08 Sep 2006 04:36:21 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6018

jawod wrote:
> Being relatively new to ham radio, I am considering some form of
> oscilloscope. I am intrigued by PC-based systems (eg., BitScope Pocket
> Analyzer)
>
> I've read a few NG posts about used HP scopes and a few negative remarks
> about PC scopes.
>
> My question:
>
> Given my neophyte status and the likelihood that I would use a scope for
> anything more the basic / with learning, moderate/ complexity,
> ... is the PC-based scope a good choice for me?
> Cost is under $400, not incl. a $40 analog probe.

You don't say what you want to measure with a scope, and it is very important with a digital storage scope.

Nyquist's theorem says that if you are sampling at 2x the highest frequency present, you can determine that frequency. My experience with digital storage scopes is that you want at least 5x the sample rate and 10x is better to look at a waveform. As a result, a 20 MSample/sec scope is useful up to 2 - 4MHz of input bandwidth. Beware, some of the digital storage scopes specify a "repetitive sweep" bandwidth that is equal to the Nyquist rate. If you are looking at a repetitive signal, you actually can approach this rate. If you are looking at a one-time or rare event, the usable bandwidth is much lower. Exceeding the bandwidth of an analog scope gives you a distorted view of the amplitude and possibly the waveshape. Exceeding the Nyquist rate on a digital scope becomes outright deceptive in amplitude, waveshape and frequency.

Unless you need a DSO, I would suggest you look for a good used analog scope. Tektronix made some really nice analog scopes and the 465 is one of the best. HP's analog scopes were always a disappointment to me, but their digital scopes are first rate. As a solid scope, for learning and genearal utility, analog scopes offer a lot more bang for the buck.

Good Luck,
Bob

From 7831409475347015192
X-Google-Thread: 1109af,ff212e297e715795
X-Google-Thread: fc2a5,ff212e297e715795
X-Google-Thread: 108122,ff212e297e715795
X-Google-Attributes: gid1109af,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!
newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!
news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: FS: Yaesu FT221-R
Date: Fri, 8 Sep 2006 16:59:41 +0900
Organization: Korea Telecom
Lines: 37
Message-ID: <edr7lm$631$1@news2.kornet.net>
References: <cgond2hccsdhmipe1t72f3ol47d8s1ridl@4ax.com>
<pvt0g2l9m4t56hslcp00cp7pmlbagoveub@4ax.com>
NNTP-Posting-Host: 218.155.51.40
X-Trace: news2.kornet.net 1157702134 6241 218.155.51.40 (8 Sep 2006 07:55:34 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Fri, 8 Sep 2006 07:55:34 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.swap:7353 rec.radio.amateur.homebrew:6774
rec.radio.amateur.equipment:6019

Wes,

1) You still got this?
2) Will you ship USPS, as I can't receive parcels any other way?
3) You take PayPal?

The e-mail is good.

--
Say no to institutionalized interference.
Just say NO to HD/IBOC!
"Wes Stewart" <n7ws*@*yahoo.com> wrote in message
news:pvt0g2l9m4t56hslcp00cp7pmlbagoveub@4ax.com...
> On Thu, 10 Aug 2006 18:53:04 -0700, Wes Stewart <n7ws*@*yahoo.com>
> wrote:
>
> Price reduction: $150 Shipped CONUS
>
>>Nice older 2-meter multimode. CW, USB, LSB, AM and FM transceiver.
>>Min. 10W output. I've used this rig with external amps to run meteor
>>and tropo scatter and EME.
>>
>>Been keeping it to get back on EME but health issues are preventing
>>the construction of new antenna.
>>
>>Asking $225 including shipping to CONUS.
>>
>>email:n7ws@yahoo.com
>>
>>Thanks and 73,
>>
>>Wes
>

From -4927673182106638792
X-Google-Thread: 108122,881b87815c93cc68,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr25.news.prodigy.net.POSTED!93e560a6!not-for-mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: GP68 Motorola Radio User Group
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <zegMg.2387$MF1.2322@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 75.10.127.47

```
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1157730335 ST000 75.10.127.47 (Fri, 08 Sep
2006 11:45:35 EDT)
NNTP-Posting-Date: Fri, 08 Sep 2006 11:45:35 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_A\S@USWTXZBNVZ_IJGPIFRM@OMPUT_FMNJZ]BGIELNVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Fri, 08 Sep 2006 15:45:35 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:6020
```

GP68 Motorola Radio User Group

Manuals, Specs, Links, Downloads,

Best Battery Prices, pictures, etc.

http://groups.google.com/group/GP68gp68

GP68gp68@googlegroups.com

http://www.vehiclerepair.org/gp68/

```
From -1704877958893850077
X-Google-Thread: 108122,ed0df1848a97975,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "K6JR" <k6jr01@rtci.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: US Tower TMM433HD
Date: 8 Sep 2006 12:45:13 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1157744712.991834.8640@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 72.29.47.111
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157744718 443 127.0.0.1 (8 Sep 2006 19:45:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 8 Sep 2006 19:45:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=72.29.47.111;
   posting-account=cziOfQ0AAADuYzBXSIZsjJ4LMiBji9lq
Xref: g2news2.google.com rec.radio.amateur.equipment:6021
```

I am looking to buy a US Tower TMM433HD. I am in the Reno, Nevada area but am willing to travel for one.

Thanks; 73 Jim K6JR

From -3553554969442563100
X-Google-Thread: 108122,12c22d330966df60
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS HP3586B Frequency selective level meter VLF receiver
References: <eG3Lg.22571$bZ6.12784@tornado.tampabay.rr.com>
In-Reply-To: <eG3Lg.22571$bZ6.12784@tornado.tampabay.rr.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 39
Message-ID: <NhoMg.28610$JO5.23378@tornado.tampabay.rr.com>
Date: Sat, 09 Sep 2006 00:55:09 GMT
NNTP-Posting-Host: 70.121.227.31
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1157763309 70.121.227.31 (Fri, 08 Sep 2006 20:55:09 EDT)
NNTP-Posting-Date: Fri, 08 Sep 2006 20:55:09 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:6022

For Sale: HP3586B Frequency selective level meter VLF receiver

>
>
> This unit has the high stability oscillator and is excellent condition. No dents, no scratches, and no dust inside whatsoever. I believe it was rack mounted at an environmentally controlled site and seldom used. I don't have the feet and the small blank panels (where the rack ears normally go) but these are common size. This unit works fantastic and has a new NICAD memory battery installed. I replaced one of the jacks in front with a BNC (easily reversed mod that screwed in). I also put a nice black anodized aluminum spinner knob on the VFO shaft encoder for ease of tuning. It makes for a very sensitive VLF receiver and can measure extremely low levels with great accuracy. By

> the way, there is an RF output jack on rear which enables you to sweep
> filters etc.
>
> _The service manual is included._
>
> $495 plus shipping from central florida
>
> Description :
>
>
>   HP 3586B Selective Level Meter 3586B: Meets North American Bell
>   requirements, 50Hz to 32.5MHz frequency range with 75ohm unbalanced
>   signal input, 4kHz to 1MHz frequency range with 124ohm balanced
>   signal input, 4kHz to 1MHz frequency range with 135ohm balanced Input
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From 4372276530035766561
X-Google-Thread: 1060db,a8d1eae57f8c0c91,start
X-Google-Thread: fc2a5,a8d1eae57f8c0c91,start
X-Google-Thread: 108122,a8d1eae57f8c0c91,start
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.cgocable.net!
pd7cy1no!pd7cy2no!shaw.ca!pd7tw2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 24.85.1.36
From: bart <here@there.com>
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Overheating AA batteries
Message-ID: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Date: Sat, 09 Sep 2006 04:08:18 GMT
NNTP-Posting-Host: 64.59.144.74
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw2no 1157774898 64.59.144.74 (Fri, 08 Sep 2006 22:08:18 MDT)
NNTP-Posting-Date: Fri, 08 Sep 2006 22:08:18 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.crafts.metalworking:90703
```

rec.radio.amateur.homebrew:6790 rec.radio.amateur.equipment:6023

This evening the GF noticed that the remote control wasn't working &
was hot.
I pulled out the extremely hot AA batteries.
It looks like the spring contact in the remote control, on the
negative side had worn away the plastic covering on the side of the
battery & shorted the side metal battery casing to the negative
contact, thereby causing the overheating.
In my many years of battery dissection, I've never seen the side
casing of a battery being positive before!
These were "Golden Power" alkaline batteries, made in China.
They were the original batteries that came with the remote (for a
Shaw digital cable box).
Anyone ever seen a positive case AA battery before, or is this a new (
dumb) idea?

From 5605179630305762458
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7tw2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 24.85.1.36
From: bart <here@there.com>
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Overheating AA batteries
Message-ID: <qig4g292ma2nravqlevc792bkdn7iu06j2@4ax.com>
References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Sat, 09 Sep 2006 04:31:05 GMT
NNTP-Posting-Host: 64.59.144.75
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw2no 1157776265 64.59.144.75 (Fri, 08 Sep 2006 22:31:05 MDT)
NNTP-Posting-Date: Fri, 08 Sep 2006 22:31:05 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.crafts.metalworking:90707
rec.radio.amateur.homebrew:6791 rec.radio.amateur.equipment:6024

On Sat, 09 Sep 2006 04:08:18 GMT, bart <here@there.com> wrote:

<snip>
>Anyone ever seen a positive case AA battery before, or is this a new (
>dumb) idea?

oops..my mistake ..it looks like Maxell amd Ikea (made in Germany)
alkaline batteries are all the same..a positive side casing.
When the hell did they stop making the old negative zinc sides?
Only with Alkalines? What a PITA!
My apologies.

From 4452236104147784849
X-Google-Thread: 108228,ff7918217eb9386f,start
X-Google-Thread: 108122,ff7918217eb9386f,start
X-Google-Thread: 1109af,ff7918217eb9386f,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!peer01.cox.net!
cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls+Plus-Radio-UHF-DTMF-Voice Store-Covers UHF Ham
Plus Commercial Freq's
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C6D395.3034C3B0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <lbsMg.3185$AP2.310@fed1read10>
Date: Fri, 8 Sep 2006 22:21:53 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1157779281 68.104.78.240 (Sat, 09 Sep 2006 01:21:21 EDT)
NNTP-Posting-Date: Sat, 09 Sep 2006 01:21:21 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1257
rec.radio.amateur.equipment:6025 rec.radio.swap:7378

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C6D395.3034C3B0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls+Plus-Radio-UHF-DTMF-Voice Store-Covers UHF Ham =
Plus Commercial Freq's

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250027498842&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

```
------=_NextPart_000_000A_01C6D395.3034C3B0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls+Plus-Radio-UHF-DTMF-Voice Store-Covers UHF Ham =
Plus=20
Commercial Freq's</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250027498842&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250027498842&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000A_01C6D395.3034C3B0--



From 3893780024681499521
X-Google-Thread: 108122,240ffd1f4c70b296,start
X-Google-Thread: 108228,240ffd1f4c70b296,start
X-Google-Thread: 1062f2,240ffd1f4c70b296,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 09 Sep 2006 06:21:23 -0500
Subject: FA: 1-Day-Left: 4 ELECTRONICS Books: OP AMPs, Digital IC's, Circuits,
CDROM, etc.
Date: Sat, 09 Sep 2006 07:21:27 -0400
From: Mike <mike@mkowpaouq.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <09092006072127940 2%mike@mkowpaouq.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-t70Mv7hK/
cPGVJPki+ZxUjognVPKHgM6GmDqJMbKOyKMKjVUrM2y437+rMQoPce5I0j3gx7wClFvSg5!aX/
```

pOJM8FqriZy5A03zi4lLzsuu74wQw7N1Bx+wRMWcLw6bBAVKHyAfdPXRiQRsez3TgsTUZBJ0Z!
Z5vGs4cxMKH2kVi6nYit
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6026 alt.ham-radio.marketplace:1258 misc.industry.electronics.marketplace:625

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320023985505

From -3707407301790190690
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!newsfeed2.scan-plus.net!newsfeed.ision.net!newsfeed2.easynews.net!ision!newsfeed.arcor.de!newsspool4.arcor-online.net!news.arcor.de.POSTED!not-for-mail
Reply-To: "Henry Kiefer" <otc_friend@gmx.net>
From: "Henry Kiefer" <otc_friend@gmx.net>
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
<qig4g292ma2nravqlevc792bkdn7iu06j2@4ax.com>
Subject: Re: Overheating AA batteries
Date: Sat, 9 Sep 2006 14:31:10 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Lines: 19
Message-ID: <4502b6cf$0$26953$9b4e6d93@newsspool4.arcor-online.net>
Organization: Arcor
NNTP-Posting-Date: 09 Sep 2006 14:42:56 CEST
NNTP-Posting-Host: 9dd080cf.newsspool4.arcor-online.net
X-Trace:
DXC=VP9=`OYQ82:n`gW2MTm]<34IUK<Cl32<14Fo<]lROoR1Fl8W>\BH3Y2fSIX0jo9eS=VX4M12AVlM;HYl5Dd>ETL32o5n65Fn`W;NIDb\RF?_C9
X-Complaints-To: usenet-abuse@arcor.de
Xref: g2news2.google.com rec.crafts.metalworking:90771
rec.radio.amateur.homebrew:6793 rec.radio.amateur.equipment:6027

BTW: Ikea batteries come from Varta. Better price than original Varta labeled and the technical performance is good. Duracell is better - even useable as AccuCell.

"bart" <here@there.com> schrieb im Newsbeitrag

```
news:qig4g292ma2nravqlevc792bkdn7iu06j2@4ax.com...
> On Sat, 09 Sep 2006 04:08:18 GMT, bart <here@there.com> wrote:
>
> <snip>
> >Anyone ever seen a positive case AA battery before, or is this a new (
> >dumb) idea?
>  oops..my mistake ..it looks like Maxell amd Ikea (made in Germany)
> alkaline batteries are all the same..a positive side casing.
> When the hell did they stop making the old negative zinc sides?
> Only with Alkalines? What a PITA!
> My apologies.
>




From -1763809321544185813
X-Google-Thread: 108122,6318480acdab95d6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: sawman02@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED Rohn 45 Tower sections
Date: 9 Sep 2006 05:54:11 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1157806451.337547.98110@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 67.80.174.207
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157806455 7718 127.0.0.1 (9 Sep 2006 12:54:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 12:54:15 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=67.80.174.207;
   posting-account=4N_RDwwAAABHL861fNZTtwjz19gJ5Lyd
Xref: g2news2.google.com rec.radio.amateur.equipment:6028

WANTED (2) Rohn 45 tower sections. Located in Northern NJ. Willing to
dive and pick up. e-mail sawman02@yahoo.com with your location and
price.




From 1322543307063851965
X-Google-Thread: 108122,8499384e3d1b0299,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 09 Sep 2006 07:54:51 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: President George 10 Meter Mobile
Date: Sat, 09 Sep 2006 08:54:39 -0400
Reply-To: wz1u@comcast.net
Message-ID: <s7e5g291cdqruj0lrngjlp2q5j2cftajjh@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
NNTP-Posting-Host: 24.91.230.242
X-Trace: sv3-xDerMSRbJM/
wq7lFnFONGEi3Cq4xDrh2KyD2+tCUHJOFj7JqTCQhSx6u3DBJXe0vcSLzsn+rdpx7yUQ!
c+G+mH8D1BR0lduFEEJT4TN2CGRvJSKCHNKP7F5cJvOwi65OMnZf5hv3zDju60ALGvao6diwdubH!
FGx3oQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6029

I have a President George 10 meter mobile rig with the original box, manual, dc cable, microphone and bracket. It covers AM/FM and SSB modes and its 30 watts. I will take $150 plus shipping. I have digital pictures if needed its like brand new...I can be reached at (508) 821-2993 or email. WZ1U Steve / Lakeville, Mass.

From 258126806626464088
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "the watchman" <NAMHCTAW@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 9 Sep 2006 09:55:32 -0700
Organization: http://groups.google.com
Lines: 56
Message-ID: <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
<slrneb8avr.22ff.bit-bucket@shell.config.com>
<1154218812.353382.177860@p79g2000cwp.googlegroups.com>

```
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
   <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 71.115.24.218
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157820936 17710 127.0.0.1 (9 Sep 2006 16:55:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 16:55:36 +0000 (UTC)
In-Reply-To: <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Opera/9.00 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=71.115.24.218;
   posting-account=QvkXag0AAADOacGzDCg1JvJX__yaTgVl
Xref: g2news2.google.com rec.radio.amateur.equipment:6030

ah ha ha... I think that you are talking about yourself...sounds like
you are the guy that did all that stuff and now you are feeling guilty!
And we were told that you and mike... were good buddies b4 he became a
heshe! ah ha ha ha...``The Watchman``  I Am Watching You...
Hameertime wrote:
> Watchman wrote:
> > Ya no one liked him when he was a cber called JR except ole`bill and
> > scarlet charlotte... and a few other drunk COKE HEADS... oh and mike
> > hughes... then he became a memorized extra no coder and they run him
> > out of hobart indiana ah ha ha ha... wonder when he will get run out of
> > ky!
> >
> >  He don't want to discuss equipment, he would rather post foolish crap,
> >  bann him....hey d*****s where did you lear how to SPELL...
>
> Don't be fooled by the watchman, in reality he is Norman P Triantafilos
> KB9YGD
> 2634 Warren Street Lake Station IN 46405 he has many Aliases so he can
> hide,
>
> I know old Norm the Nose personally, where do you think he got that
> name "Norm the Nose" draw your own conclusions. Scarlet Charlotte was a
> transvestite that Norm the Nose befriended, makes one wonder what
> frindge benifits ole Norm the Nose received from Scarlet Charolette,
> you know that old saying about the Greeks, and Norm the Nose has a
> Greek heritage, ah ha ha.
>
> Ole Norm the Nose was a CBer with the handle "sugarman", or "Mr. Norm",
> he always talked out of band, (27805mhz on his illegal modified cobra
> 2000 GTL) to his girl friend Peggy Lou, imo she was a prostitute he was
> pimping,(yes he drove a Cadillac)Norm the Nose was an alcoholic who
> stayed drunk most of the time, he lost his license to a DUI in Lake
> Station,In.
>
> Mr. Norm had a wife once upon a time that was , imo she was
> undesireable, couldn't keep her hands off of ole Norm the Nose friends
> when they would go on an alcoholic pill popping binge, she had a
```

> daughter that old Norm the Nose had a little trouble with, draw your
> own conclusions too.(it's on record).
>
> Now ole Norm the nose is a memorized no code Ham with a general license
> fouling up the airways, you should have stayed with cb it was more
> fitting, Norm the Nose would get drunk and use the lowest of langauge,
> cb ops would taunt him all night, he would cuss and spit in the mic,
> the stuff Norm the Nose said would make a sailor blush, he would talk
> about boogering CBer's in the rectum, the worst of sexual acts toward
> the good citizen band ops, some were female ops that couldn't defend
> themselves, but he didn't care it was the alcohol and pills that drove
> him.
>
> That's it for now but more to come!!! next I'll expose his arest
> record, ah ha ha (when you have skeletons in the closet what goes
> around comes around)
>
> it's Hammertime, ah ha ha.... (it's not slander when it's the truth)

From -71691793977507368
X-Google-Thread: 108122,a1f3c26fc4b370fe,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "carkenord@juno.com" <carkenord@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Heathkit SB 604 speaker info needed, please.
Date: 9 Sep 2006 11:14:26 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1157825666.643585.146080@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 4.225.213.201
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157825670 24099 127.0.0.1 (9 Sep 2006 18:14:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 18:14:30 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=4.225.213.201;
   posting-account=i8kyJQwAAAASqkxNLAKc_676l6zL4mlT
Xref: g2news2.google.com rec.radio.amateur.equipment:6031

What is the ohmic value of the Heath SB 604 speaker?

Thank you......   Lee Carkenord KA0FPJ

```
From -2835034422863497920
X-Google-Thread: 108122,2b2632e185bc91de,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 09 Sep 2006 13:28:12 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Drake DL1000 model 1551 Dummy Load with Fan
Date: Sat, 09 Sep 2006 14:27:54 -0400
Reply-To: wz1u@comcast.net
Message-ID: <ds16g254qg4l7fqj554f5u72247r5an9cv@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
NNTP-Posting-Host: 24.91.230.242
X-Trace: sv3-RxR/
LIkyuXlnLjxJ2dAtQKlXamsfjOHhjI3MuBvYBD68v57jWzfrQHI32QEaXmPANZVHHm+R+k+JYgv!
Jd+Gx5QjrVnudcJ/86IXldwFTjaZ09ky9TIQxEnA7n0i5b64+JQgA3UJNd+sDej20m+xsuAlZtno!
Zn7FJg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6032

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=003&item=130025601085&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1


From -383088114057159340
X-Google-Thread: 108122,f59bd78074e2ee62,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 09 Sep 2006 14:23:31 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: SOLD: President George 10 meter Mobile
Date: Sat, 09 Sep 2006 15:23:10 -0400
Reply-To: wz1u@comcast.net
Message-ID: <p356g2ldof1sv1ccas6feeouopv3tb02ki@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
```

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
NNTP-Posting-Host: 24.91.230.242
X-Trace: sv3-U4O58V+MC3PCEepAgNqlUr90HZReYMNkMTMQURUTRUtuU35BlaOsGUmK7I68P2EiSQ2/
oNXGpZmTmrY!
g8s8MxqlZy+aUFHHV4EMe22ijkOBWCPSfQmS+ywAap2nWfdQfS3VeTA3aXhnhCvYrxcjssZpZbnk!G/
KZ+A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6033
```

It has been sold........

```
From 1980580569648329430
X-Google-Thread: 108122,8499384e3d1b0299
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 09 Sep 2006 14:26:03 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: President George 10 Meter Mobile
Date: Sat, 09 Sep 2006 15:25:42 -0400
Reply-To: wz1u@comcast.net
Message-ID: <5956g2tutv7ug4rc7tr2rmvldjloo47sjk@4ax.com>
References: <s7e5g291cdqruj0lrngjlp2q5j2cftajjh@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
NNTP-Posting-Host: 24.91.230.242
X-Trace: sv3-1K0/zr4wt/tsn6aNCgHD7Q5U9Ji6b+V0VSOYD+7K1H+RCiTyf/
qglXqwZh+pKSSgv7ovpj4KxYo/dmP!
xKF7kk3xMdryvjpiGutXEbRyQRVANwNOP9izhvyJiUduW3MRfUvf8Tedro2eg0BAVSCiNsL5YQW2!
XTNz8A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6034
```

Sold !

```
On Sat, 09 Sep 2006 08:54:39 -0400, WZ1U <wz1u@comcast.net> wrote:

>I have a President George 10 meter mobile rig with the original box,
>manual, dc cable, microphone and bracket. It covers AM/FM and SSB
>modes and its 30 watts. I will take $150 plus shipping. I have digital
>pictures if needed its like brand new...I can be reached at (508)
>821-2993 or email. WZ1U Steve / Lakeville, Mass.
>



From 1816735689381971844
X-Google-Thread: 108122,259d92d5a96cf63f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Alpha 89 question
Date: 9 Sep 2006 12:29:49 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1157830189.416416.3460@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.228.25.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157830194 3216 127.0.0.1 (9 Sep 2006 19:29:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 19:29:54 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=68.228.25.103;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:6035

Can someone tell me what the Alpha 89 sold for when it was new..Thanks
W4PQW



From 2288438935341565292
X-Google-Thread: 108122,259d92d5a96cf63f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Alpha 89 question
```

```
Date: 9 Sep 2006 12:29:54 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1157830194.520922.181110@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 68.228.25.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157830199 3222 127.0.0.1 (9 Sep 2006 19:29:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 19:29:59 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=68.228.25.103;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:6036

Can someone tell me what the Alpha 89 sold for when it was new..Thanks
W4PQW




From 4558900775094856156
X-Google-Thread: 108122,259d92d5a96cf63f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Alpha 89 question
Date: 9 Sep 2006 12:29:59 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1157830199.211744.128370@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.228.25.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157830205 7576 127.0.0.1 (9 Sep 2006 19:30:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 19:30:05 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=68.228.25.103;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:6037

Can someone tell me what the Alpha 89 sold for when it was new..Thanks
W4PQW
```

```
From -1221941012498426095
X-Google-Thread: 108122,259d92d5a96cf63f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Alpha 89 question
Date: 9 Sep 2006 12:30:08 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1157830208.189467.226260@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 68.228.25.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157830214 7777 127.0.0.1 (9 Sep 2006 19:30:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 19:30:14 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=68.228.25.103;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:6038
```

Can someone tell me what the Alpha 89 sold for when it was new..Thanks
W4PQW

```
From 1482000639838861788
X-Google-Thread: 108122,259d92d5a96cf63f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Alpha 89 question
Date: 9 Sep 2006 12:30:19 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1157830219.546940.236280@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 68.228.25.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157830224 7793 127.0.0.1 (9 Sep 2006 19:30:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 19:30:24 +0000 (UTC)
```

User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=68.228.25.103;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:6039

Can someone tell me what the Alpha 89 sold for when it was new..Thanks
W4PQW

From 5569318847605744962
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!
bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews3.bellsouth.net.POSTED!ef55a73e!not-for-mail
From: ken scharf <wa2mzeNOSPAMBOTS@bellsouth.net>
User-Agent: Thunderbird 1.5.0.4 (X11/20060625)
MIME-Version: 1.0
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Overheating AA batteries
References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
In-Reply-To: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
X-Enigmail-Version: 0.94.0.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Lines: 24
Message-ID: <EdFMg.30957$ry2.6768@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcbonpcjakdbiffcfmgmmofndannckjpjiiehj
dcpnlhcjnjgldgoajlhoodaapjoikanmoebahngadmnepdlfpjjjlbknioblfbbocbpoehkbeemghn
NNTP-Posting-Date: Sat, 09 Sep 2006 16:11:16 EDT
Organization: BellSouth Internet Group
Date: Sat, 09 Sep 2006 16:11:20 -0400
Xref: g2news2.google.com rec.crafts.metalworking:90884
rec.radio.amateur.homebrew:6822 rec.radio.amateur.equipment:6040

bart wrote:
> This evening the GF noticed that the remote control wasn't working &
> was hot.
> I pulled out the extremely hot AA batteries.
> It looks like the spring contact in the remote control, on the
> negative side had worn away the plastic covering on the side of the
> battery & shorted the side metal battery casing to the negative

> contact, thereby causing the overheating.
> In my many years of battery dissection, I've never seen the side
> casing of a battery being positive before!
> These were "Golden Power" alkaline batteries, made in China.
> They were the original batteries that came with the remote (for a
> Shaw digital cable box).
> Anyone ever seen a positive case AA battery before, or is this a new (
> dumb) idea?

I've seen many Alkaline batteries with the outside casing connected to
the 'tit' on top as the positive and the bottom flat connector was
insulated from the body of the battery. alkaline batteries have
different chemistry from carbon zinc resulting in an inverted
construction. This may actually be the norm, but in the larger sizes
the plastic outer wrap hides the details.   Just looked at a DuraCell
"D" and it is of the inverted construction, but the insulation of the
battery bottom (-) terminal from the case of the battery is hidden
under the plastic wrapping.

From 988055877708587600
X-Google-Thread: 108122,1cda9b2f2abb02c7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
newsgate.cistron.nl!xs4all!news.wiretrip.org!news.dizum.com!sewer-output!mail2news
From: Anonymous via the Cypherpunks Tonga Remailer <nobody@cypherpunks.to>
Newsgroups: rec.radio.amateur.equipment
Subject: The James Rogers Story Part 1...
Message-ID: <20060909211754.1BCE617105@mail.cypherpunks.to>
Date: Sat, 9 Sep 2006 23:17:54 +0200 (CEST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Lines: 13
Xref: g2news2.google.com rec.radio.amateur.equipment:6041

The Life & Times Of A Looser...

Ah ha ha... I think that you are talking about yourself...sounds like
you are the guy that did all that stuff and now you are feeling guilty!
Hameertime is a small minded bigot who is in search of himself yes he is so
insecure.And dont be fooled by his alias of hameertime he is in fact James W
Rogers   270-825-3503

65 N Russell Dr
Madisonville, KY 424315854

He is so ignorant that he posted to the usenet with his wifes (maria rogers
mariablazer2002@yahoo.com) yahoo email account.All his life he has been abused by
people parents included it seems this is why he is the way he is today.. a person
to be pitied.K9KXQ is his amateur radio call sign and he give so many people in
local government a hard time that they run him and the rest of his unschooled
bunch out of the city of hobart indiana yes its true he was the laughingstock of

the airways for miles around.No one liked James Rogers when he was a cber in hobart indiana called JR because he would get so drunk and was high on drugs he got from his old cb buddys and liked to throw carriers on any one he could while they were talking.James has a retarded brother named frank and they had a bunch of other lowlife scumbag freeloaders move in with them at 1040 rand street in hobart indiana but like allways they just couldn not pay the house payment and lost it...the rogers would move from one house to another several months after moving in it was their style...ya know typical ignorant southern trash.It will be only a mater of time when James Rogers gets run out of madisonville KY to... His old friend Mike got a sexchange but broke Jims heart when he/she moved to California so now he lost mike and scarlet to and was heartbroaken...But as things were he had gotten fired from the e.j.&e. railroad in gary indiana and went to work for the IHB rr where at lunchtime they would go to a tavern downtown and there he met his wife and they both being lowlife scumbags and of course both hardcore drug users and drunks for many years hit it off fine.Its funny how this guy and his family lives all they want is something for nothing and to cheat someone out of something...Its their way of life like a bunch of traveling hillbilly gypsies ah ha ha ha.. and how this guy did some of the hams up in indiana is another story for chapter two of the JAMES ROGERS SAGA....Be sure to read Part #2 all you USENET users!

```
From 8610805383817173137
X-Google-Thread: 108122,259d92d5a96cf63f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!
216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-for-mail
From: "John, N9JG" <john@Xremove.MeYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
References: <1157830219.546940.236280@e3g2000cwe.googlegroups.com>
Subject: Re: Alpha 89 question
Lines: 9
Organization: CLM ARRL
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <jfGMg.759$5i7.595@newsreading01.news.tds.net>
Date: Sat, 09 Sep 2006 21:21:19 GMT
NNTP-Posting-Host: 69.130.134.172
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1157836879 69.130.134.172 (Sat, 09 Sep 2006
16:21:19 CDT)
NNTP-Posting-Date: Sat, 09 Sep 2006 16:21:19 CDT
Xref: g2news2.google.com rec.radio.amateur.equipment:6042
```

$4K according to this link http://www.eham.net/reviews/detail/158

"mrhaney" <w4pqw@cox.net> wrote in message

```
news:1157830219.546940.236280@e3g2000cwe.googlegroups.com...
> Can someone tell me what the Alpha 89 sold for when it was new..Thanks
> W4PQW
>





From 7507634010755153004
X-Google-Thread: 1060db,a8d1eae57f8c0c91
X-Google-Thread: fc2a5,a8d1eae57f8c0c91
X-Google-Thread: 108122,a8d1eae57f8c0c91
X-Google-Attributes: gid1060db,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sat, 09 Sep 2006 16:26:36 -0500
From: Mark Rand <randm@internettie.co.uk>
Newsgroups:
rec.crafts.metalworking,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Overheating AA batteries
Date: Sat, 09 Sep 2006 22:26:35 +0100
Message-ID: <34c6g2pv3c1iktjatf4sfsrfk1mkj69chg@4ax.com>
References: <tqe4g2hadr1e42ehb3nlida53gnt25d53d@4ax.com>
<EdFMg.30957$ry2.6768@bignews3.bellsouth.net>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 38
X-Trace: sv3-
MV6+C7uwoKQL3W9TS1JdgnjLt29xA47gAzql6m1pbjXlrX6RUIvnNiKkjrlr5wYsJJD5W0/DlJHDCRF!
vx32deogc5yTcglhobMpy/71M+iYlsjxUIoAveX/2jHaaAu8X6rV7h0QIJybZprWsJ7vMEhr
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.crafts.metalworking:90892
rec.radio.amateur.homebrew:6823 rec.radio.amateur.equipment:6043

On Sat, 09 Sep 2006 16:11:20 -0400, ken scharf
<wa2mzeNOSPAMBOTS@bellsouth.net> wrote:

>bart wrote:
>> This evening the GF noticed that the remote control wasn't working &
>> was hot.
>> I pulled out the extremely hot AA batteries.
>> It looks like the spring contact in the remote control, on the
>> negative side had worn away the plastic covering on the side of the
>> battery & shorted the side metal battery casing to the negative
```

>> contact, thereby causing the overheating.
>> In my many years of battery dissection, I've never seen the side
>> casing of a battery being positive before!
>> These were "Golden Power" alkaline batteries, made in China.
>> They were the original batteries that came with the remote (for a
>> Shaw digital cable box).
>> Anyone ever seen a positive case AA battery before, or is this a new (
>> dumb) idea?
>I've seen many Alkaline batteries with the outside casing connected to
>the 'tit' on top as the positive and the bottom flat connector was
>insulated from the body of the battery. alkaline batteries have
>different chemistry from carbon zinc resulting in an inverted
>construction. This may actually be the norm, but in the larger sizes
>the plastic outer wrap hides the details.   Just looked at a DuraCell
>"D" and it is of the inverted construction, but the insulation of the
>battery bottom (-) terminal from the case of the battery is hidden
>under the plastic wrapping.

Since it's the cathode that gets eaten in whichever reaction is used for the
battery type, it might make sense to have the anode as the case.

I could have done with this 25 years ago when I got sent abroad for work for
three of months and came back to find that the transistor radio batteries had
leaked all over one of my (expensive) loudspeakers :-(

Mark Rand
RTFM

From -4621310540274576617
X-Google-Thread: 108122,844da5790c275680,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!nntp-out.svc.us.xo.net!nntp1-feeder.SJ.svc.us.xo.net!newsfeed.concentric.net!sjc1.nntp.concentric.net!nntp-master.svc.us.xo.net
From: Ron <wa0kds@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: AT-440 Antenna tuner for TS-440S
Date: 09 Sep 2006 18:42:26 EDT
Organization: Concentric Internet Services
Lines: 6
Message-ID: <edvg0i$281@dispatch.concentric.net>
NNTP-Posting-Host: 66.238.104.108
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
Xref: g2news2.google.com rec.radio.amateur.equipment:6044

```
Make me an offer and I might just sell it to you and close the auction.
  Please offer more than my starting eBay price please.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=190029839651

Thanks Ron  WA0KDS


From 2715197224502019734
X-Google-Thread: 108122,259d92d5a96cf63f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Alpha 89 question
Date: 9 Sep 2006 16:17:42 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1157843862.396834.290440@p79g2000cwp.googlegroups.com>
References: <1157830219.546940.236280@e3g2000cwe.googlegroups.com>
   <jfGMg.759$5i7.595@newsreading01.news.tds.net>
NNTP-Posting-Host: 68.228.25.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157843867 5496 127.0.0.1 (9 Sep 2006 23:17:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 23:17:47 +0000 (UTC)
In-Reply-To: <jfGMg.759$5i7.595@newsreading01.news.tds.net>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=68.228.25.103;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:6045


John, N9JG wrote:
> $4K according to this link http://www.eham.net/reviews/detail/158
>
> "mrhaney" <w4pqw@cox.net> wrote in message
> news:1157830219.546940.236280@e3g2000cwe.googlegroups.com...
> > Can someone tell me what the Alpha 89 sold for when it was new..Thanks
> > W4PQW
> Thanks for info..  W4PQW>



From -5952537011511689337
X-Google-Thread: 108122,259d92d5a96cf63f
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Alpha 89 question
Date: 9 Sep 2006 16:17:52 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1157843871.968809.38530@b28g2000cwb.googlegroups.com>
References: <1157830219.546940.236280@e3g2000cwe.googlegroups.com>
   <jfGMg.759$5i7.595@newsreading01.news.tds.net>
NNTP-Posting-Host: 68.228.25.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157843877 5519 127.0.0.1 (9 Sep 2006 23:17:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 23:17:57 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=68.228.25.103;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:6046


John, N9JG wrote:
> $4K according to this link http://www.eham.net/reviews/detail/158
>
> "mrhaney" <w4pqw@cox.net> wrote in message
> news:1157830219.546940.236280@e3g2000cwe.googlegroups.com...
> > Can someone tell me what the Alpha 89 sold for when it was new..Thanks
> > W4PQW
> Thanks for info..  W4PQW>



From 1767302942494769374
X-Google-Thread: 108122,2522d78429bef762,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "Clayton" <Evans8119@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom IC-290A Schematic.
Date: 9 Sep 2006 16:33:34 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1157844814.298265.45830@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 207.200.116.137
Mime-Version: 1.0
```

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157844819 7814 127.0.0.1 (9 Sep 2006 23:33:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 9 Sep 2006 23:33:39 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; SV1; FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [ntc-td062 8.4.1], HTTP/1.1 cache-ntc-ac08.proxy.aol.com[CFC87489] (Traffic-Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=207.200.116.137;
   posting-account=tp2JsQ0AAADqjU5oZLMjcmLcp3UFW3ez
Xref: g2news2.google.com rec.radio.amateur.equipment:6047

Hi,
I am looking for a schematic for an Icom IC-290A
I have the manual but it is short the P.C. Board Layout and the Schematic.

I was wondering if anybody knows of a place online that I can download the schematic or might be able to send me one via Email?

I would like to have the P.C. Board layout as well but it isn't a must.

Any Help would be greatly appreciated
Thank You

From -1045033071032336278
X-Google-Thread: 108122,2522d78429bef762
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <1157844814.298265.45830@p79g2000cwp.googlegroups.com>
Subject: Re: Icom IC-290A Schematic.
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <2wKMg.9760$xQ1.593@newsread3.news.pas.earthlink.net>
Date: Sun, 10 Sep 2006 02:12:14 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1157854334 24.225.35.108 (Sat, 09 Sep 2006 19:12:14 PDT)

```
NNTP-Posting-Date: Sat, 09 Sep 2006 19:12:14 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:6048

Look here.

http://hamradio.online.ru/ftp2/dw.php?sch_icom_ic290.pdf

From here:

http://www.cqham.ru/sch_eng.html


"Clayton" <Evans8119@aol.com> wrote in message
news:1157844814.298265.45830@p79g2000cwp.googlegroups.com...
> Hi,
> I am looking for a schematic for an Icom IC-290A
> I have the manual but it is short the P.C. Board Layout and the
> Schematic.
>
> I was wondering if anybody knows of a place online that I can download
> the schematic or might be able to send me one via Email?
>
> I would like to have the P.C. Board layout as well but it isn't a must.
>
> Any Help would be greatly appreciated
> Thank You
>




From 5271239733527303447
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "Hammertime" <hammertimeb5@excite.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 9 Sep 2006 19:34:35 -0700
Organization: http://groups.google.com
Lines: 87
Message-ID: <1157855675.321484.92140@d34g2000cwd.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
   <1157589240.359648.16140@e3g2000cwe.googlegroups.com>
   <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 70.157.232.233
Mime-Version: 1.0
```

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157855679 2502 127.0.0.1 (10 Sep 2006 02:34:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Sep 2006 02:34:39 +0000 (UTC)
In-Reply-To: <1157820932.455422.142320@i3g2000cwc.googlegroups.com>
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=70.157.232.233;
   posting-account=mogWsQ0AAAAU7g7e4D0IXUFdIaX4Qae2
Xref: g2news2.google.com rec.radio.amateur.equipment:6049

Poor old Norm the Nose,(KB9YGD) no one ever liked you, they all made fun of you when you were in your drunken stupor, you remind me of the drunken Southern Hillbilly that pulled your CB radio through your window and made off with it, is there such a thing as a Greek Hillbilly? if there is you fit the description

I don't know about Mike, haven't seen him/her in 10 years but you seem to know quite a bit about he/she I've got a pix of you with him/her dressed up as a woman at the PCARC meeting, you two are very close in that pix, from what I understand you and he/she went to these meetings together all the time, I never seen Mike/Michelle at those meetings when I went, only after he became a she accompanied by Norm KB9YGD

I hope you have at least changed your habits of hygiene or do you still stink like a rotten sewer especially from that hole in your face called a mouth, take a bath and give the good people of PCARC a break from the stinch of your bad body odor that oozes from your presence.

Got your coax cut did you, and the Lake Station Police were called out to cite you for interference to your good neighbors entertainment systems, my my, the good neighbors have had enough, they are walking the streets on Vigo,Vermillion and Warren getting a petition signed to get you out of the TV's, phones and stereo's, you are a bad man and no real ham, only a "real pig".

have a good day, I am. ah ha ha ha

there's no time like Hammertime

the watchman wrote:
> ah ha ha... I think that you are talking about yourself...sounds like
> you are the guy that did all that stuff and now you are feeling guilty!
> And we were told that you and mike... were good buddies b4 he became a
> heshe! ah ha ha ha...``The Watchman`` I Am Watching You...
> Hameertime wrote:
> > Watchman wrote:
> > > Ya no one liked him when he was a cber called JR except ole`bill and
> > > scarlet charlotte... and a few other drunk COKE HEADS... oh and mike
> > > hughes... then he became a memorized extra no coder and they run him

> > > out of hobart indiana ah ha ha ha... wonder when he will get run out of
> > > ky!
> > >
> > > He don't want to discuss equipment, he would rather post foolish crap,
> > > bann him....hey d*****s where did you lear how to SPELL...
> >
> > Don't be fooled by the watchman, in reality he is Norman P Triantafilos
> > KB9YGD
> > 2634 Warren Street Lake Station IN 46405 he has many Aliases so he can
> > hide,
> >
> > I know old Norm the Nose personally, where do you think he got that
> > name "Norm the Nose" draw your own conclusions. Scarlet Charlotte was a
> > transvestite that Norm the Nose befriended, makes one wonder what
> > frindge benifits ole Norm the Nose received from Scarlet Charolette,
> > you know that old saying about the Greeks, and Norm the Nose has a
> > Greek heritage, ah ha ha.
> >
> > Ole Norm the Nose was a CBer with the handle "sugarman", or "Mr. Norm",
> > he always talked out of band, (27805mhz on his illegal modified cobra
> > 2000 GTL) to his girl friend Peggy Lou, imo she was a prostitute he was
> > pimping,(yes he drove a Cadillac)Norm the Nose was an alcoholic who
> > stayed drunk most of the time, he lost his license to a DUI in Lake
> > Station,In.
> >
> > Mr. Norm had a wife once upon a time that was , imo she was
> > undesireable, couldn't keep her hands off of ole Norm the Nose friends
> > when they would go on an alcoholic pill popping binge, she had a
> > daughter that old Norm the Nose had a little trouble with, draw your
> > own conclusions too.(it's on record).
> >
> > Now ole Norm the nose is a memorized no code Ham with a general license
> > fouling up the airways, you should have stayed with cb it was more
> > fitting, Norm the Nose would get drunk and use the lowest of langauge,
> > cb ops would taunt him all night, he would cuss and spit in the mic,
> > the stuff Norm the Nose said would make a sailor blush, he would talk
> > about boogering CBer's in the rectum, the worst of sexual acts toward
> > the good citizen band ops, some were female ops that couldn't defend
> > themselves, but he didn't care it was the alcohol and pills that drove
> > him.
> >
> > That's it for now but more to come!!! next I'll expose his arest
> > record, ah ha ha (when you have skeletons in the closet what goes
> > around comes around)
> >
> > it's Hammertime, ah ha ha.... (it's not slander when it's the truth)

From -1427868858698641790
X-Google-Thread: 108122,2bff7d39bccd27c2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 09 Sep 2006 22:06:56 -0500
From: bossykirb@comcast.net <bossykirbcomcast.net.2dwftv@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Bc780xlt
Date: Sat, 9 Sep 2006 23:02:24 +0000
Message-ID: <bossykirbcomcast.net.2dwftv@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 3
NNTP-Posting-Host: 82.165.39.56
X-Trace:
sv3-28fg8kntJrbRAUm8w76SIXNZlJBZc5n5wgriFxOAPSke2X2cKS3jdC9nULXXfPbngwM0ke44RSZWWm
Z!fjis5A4E2cCaqR/G0Z6yBY88Khp28S9JL7sykrtyvFF1k/DphRiomGZDRNQDhr72wXeg+18O0lOx!
ORaHD+RO6YgkOplFkz4cQ4zIgjE=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:6050

Looking to get one if anyone has one for sale with owners manual.

Thanks,

Bill

--
bossykirb@comcast.net

From -3668161394397221677
X-Google-Thread: 108122,2522d78429bef762
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "Clayton" <Evans8119@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom IC-290A Schematic.
Date: 9 Sep 2006 23:16:16 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1157868976.116387.58860@m73g2000cwd.googlegroups.com>

```
References: <1157844814.298265.45830@p79g2000cwp.googlegroups.com>
   <2wKMg.9760$xQ1.593@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 207.200.116.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157868982 1730 127.0.0.1 (10 Sep 2006 06:16:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 10 Sep 2006 06:16:22 +0000 (UTC)
User-Agent: G2/1.0
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; SV1;
FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[ntc-td043 8.4.1], HTTP/1.1 cache-ntc-ac08.proxy.aol.com[CFC87489] (Traffic-
Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=207.200.116.137;
   posting-account=tp2JsQ0AAADqjU5oZLMjcmLcp3UFW3ez
Xref: g2news2.google.com rec.radio.amateur.equipment:6051

Thanks Ralph,
I really appreciate your help




Ralph Mowery wrote:
> Look here.
>
> http://hamradio.online.ru/ftp2/dw.php?sch_icom_ic290.pdf
>
> From here:
>
> http://www.cqham.ru/sch_eng.html
>
>
> "Clayton" <Evans8119@aol.com> wrote in message
> news:1157844814.298265.45830@p79g2000cwp.googlegroups.com...
> > Hi,
> > I am looking for a schematic for an Icom IC-290A
> > I have the manual but it is short the P.C. Board Layout and the
> > Schematic.
> >
> > I was wondering if anybody knows of a place online that I can download
> > the schematic or might be able to send me one via Email?
> >
> > I would like to have the P.C. Board layout as well but it isn't a must.
> >
> > Any Help would be greatly appreciated
> > Thank You
> >



From 5460676241187145503
```

```
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.vif.com!news.vif.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 27 Aug 2006 22:47:56 -0500
Date: Sun, 27 Aug 2006 23:47:47 -0400
From: =?ISO-8859-1?Q?w=EEthh=CBld_f=D8r_r=CB=E5s=D8=F1s_=D8f_=F1=E5?=
 =?ISO-8859-1?Q?t=EE=D8=F1=E5l_S=CB=C7=FCr=EEty?= <root@127.0.0.1>
Reply-To:  root@127.0.0.1
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, en-jm, en-ca, en-nz, en-au, en-gb, en-tt, en-ph, en-
za, en-zw, en-bz, en-ie
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com> <hfsIg.2016$XD1.1684@trnddc01>
In-Reply-To: <hfsIg.2016$XD1.1684@trnddc01>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0634-2, 08/24/2006), Outbound message
X-Antivirus-Status: Clean
Organization: VIF Internet b4
Message-ID: <1156736876.338120@www.vif.com>
Cache-Post-Path: www.vif.com!unknown@ip216-239-83-63.vif.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 57
NNTP-Posting-Host: 216.239.64.140
X-Trace: sv3-
O42PjbzMwM5jYQcxTSPCSUqAufpdaWXx8vWxKl9gmjjZyO5ziBkBN9AxMQTMxumbE64RmGM6GY+cc6l!
RAH9sI/amlUTTT/2hBSwMvmLmKHLHG4ZMPU6/F9bJtx3tvA8PkOeUHMm7m4N1Pv2
X-Complaints-To: abuse@vif.com
X-DMCA-Complaints-To: abuse@vif.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2535 rec.radio.amateur.equipment:5902
rec.radio.amateur.policy:41102 rec.radio.scanner:5642 rec.radio.swap:6799

THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
 > RADIO. WHO FUCK CARES!.
```

 >
 > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
LITTLE
 > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!

Woody wrote:

> To keep you informed of your need to learn CW, so you can save lives too?
> rb
>
>
>
> "The Kat" <new1@katxyzkave.net> wrote in message
> news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com...
>
>>On Sun, 27 Aug 2006 01:06:22 -0400, Al Klein <rukbat@pern.invalid> wrote:
>>
>>
>>
>>WHY in the FUCK are you continuing this thread
>>in a SCANNER newsgroup??
>>
>>
>>
>>
>>Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>>
>>This sig censored by the Office of Home and Land Insecurity...
>>
>>   Remove XYZ to email me
>
>
>
>
>
> ---
> avast! Antivirus: Inbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:44:26 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>

---

avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0634-2, 08/24/2006
Tested on: 8/27/2006 11:47:47 PM
avast! - copyright (c) 1988-2006 ALWIL Software.
http://www.avast.com

```
From -5337157684167339243
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.vif.com!news.vif.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 27 Aug 2006 22:48:27 -0500
Date: Sun, 27 Aug 2006 23:47:58 -0400
From: =?ISO-8859-1?Q?w=EEthh=CBld_f=D8r_r=CB=E5s=D8=F1s_=D8f_=F1=E5?=
 =?ISO-8859-1?Q?t=EE=D8=F1=E5l_S=CB=C7=FCr=EEty?= <root@127.0.0.1>
Reply-To:  root@127.0.0.1
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, en-jm, en-ca, en-nz, en-au, en-gb, en-tt, en-ph, en-
za, en-zw, en-bz, en-ie
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <7WrIg.2666$nR2.321@trnddc03>
<ectn8h08ut@enews4.newsguy.com>
In-Reply-To: <ectn8h08ut@enews4.newsguy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0634-2, 08/24/2006), Outbound message
X-Antivirus-Status: Clean
Organization: VIF Internet b4
Message-ID: <1156736907.230029@www.vif.com>
Cache-Post-Path: www.vif.com!unknown@ip216-239-83-63.vif.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 191
NNTP-Posting-Host: 216.239.64.140
X-Trace: sv3-
VcTMd6c1k3R7PBvXj07q0K2FL02VRL8tDzPCFypGCoWkfXu841J6slLhfvJXeukFyiZPJT5zt8/S94L!
LSW9tQEH/2ImTSS8vEkvVz6teTt2fQbuYXNMpi3edyp00CEQYNrbpjDVtmWRCSpW
X-Complaints-To: abuse@vif.com
X-DMCA-Complaints-To: abuse@vif.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2536 rec.radio.amateur.equipment:5903
```

```
rec.radio.amateur.policy:41103 rec.radio.scanner:5643 rec.radio.swap:6800

THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
 > RADIO. WHO FUCK CARES!.
 >
 > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
LITTLE
 > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!

Jack Ricci wrote:

>>By replying only in CW, either text dit-dah, or periods and hyphens......
>>
>>How many people actually read that, and what is your analysis of the
>>report?
>
> "Woody" <ts520@hotmail.com> wrote in message
> news:7WrIg.2666$nR2.321@trnddc03...
>
>>OK.... taking a poll....
>>
>>By replying only in CW, either text dit-dah, or periods and hyphens......
>>
>>How many people actually read that, and what is your analysis of the
>>report?
>
>
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
```

> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
>
> Jack
>
>
>
>>I am running a script to see how long it takes you to click reply, enter
>>your response,
>>then click send. Your effective scaled-score code speed will be calculated
>>from those particular
>>clicks, along with the character count of the message. You will be made
>>fun of, according to your
>>CW speed. Anyone less than 24wpm will be required to take the new FCC
>>remedial code speed
>>Enzyte Exam for phallic phlops.
>>
>>Gentlemen, gud luck.
>>rb
>>
>>
>>
>>
>>"Travis Jordan" <no.one@no.net> wrote in message
>>news:Ot3Ig.79826$P02.21245@fe07.news.easynews.com...
>>
>>>Slow Code wrote:
>>>
>>>>1: No more
>>>
>>>Amateur radio is in decline and you think putting Morse code back in as
>>>a requirement would help?
>>>
>>>Bwhahahahaha.
>>>----------------
>>>Statistics courtesy of George McCouch, K3UD.
>>>
>>>Total active individual licenses as of May 14, 2000:
>>>Novice   -   49,329
>>>Tech/+   - 334,254
>>>General   - 112,677
>>>Advanced -   99,782
>>>Extra   -   78,750
>>>
>>>Total all classes - 674,792
>>>
>>>Total active individual licenses as of June 30, 2006:

```
>>>Novice       -   24,877     (-49.57%)     (-24,456)
>>>Tech/+      -  320,242    (-4.20%)       (-14,012)
>>>General      - 132,758    (+17.82%)     (+20,081)
>>>Advanced   -   71,753    (-28.13%)      (-28,029)
>>>Extra          - 108,184    (+37.38%)      (+29,434)
>>>
>>>Total All Classes:  657,814  (-1,405 since the March 2006 reporting
>>>period)
>>>
>>>Total all classes  (5/14/00)   - 674,792
>>>Total all Classes  (4/21/03)   - 687,860
>>>Total all classes  (9/6/04 )    - 674,788
>>>Total all classes  (6/30/06)   - 657,814
>>>
>>>Total loss of 16,978 since 5/14/2000   (Was 674,792)
>>>Total loss of 16,974 since 9/6/2004     (Was 674,788)
>>>Total Loss of 30,066 since 4/2003       (all time high of 687,860)
>>>
>>>We lost:
>>> 842 Novice
>>>1,088 General
>>>1,157 Advanced
>>>3,087 Total
>>>
>>>We Gained:
>>>1,258 Tech/+
>>>424 Extra
>>>1,682 Total
>>>
>>>This is an overall 1,405 decline since the March reporting period
>>>and averages 467 per month for the quarter.
>>>
>>>For the months March April and May the new licenses issued
>>>break down as follows.
>>>
>>>6,999   Tech/+   89.3% **
>>>627    General  8.0%
>>>217    Extra      2.7%
>>>
>>>Total new licenses issues during  the period - 7,849
>>>
>>>** These numbers come from the very interesting and comprehensive
>>>website of Joe Speroni, AH0A    http://www.ah0a.org
>>>
>>>Numbers of US population and the number of hams at the start of each
>>>decade from 1930.
>>>
>>>Year      Population    # Hams      Growth Rate
>>>1930    123,202,624    19,000
>>>1940    132,164,569    56,000          194%
>>>1950    151,325,798    87,000           55%
>>>1960    179,323,175    230,000        164%
>>>1970    203,211,926    263,918          15%
```

```
>>>1980    226,545,805    393,353          49%
>>>1990    248,709,873    502,677          28%
>>>2000    281,421,906    682,240          36%
>>>2006                            657,814         -3.6 %
>>>
>>>The 2006 number was as of June 30, 2006.
>>>
>>>
>>
>>
>
>
>
>
> ---
> avast! Antivirus: Inbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:44:54 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>


---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0634-2, 08/24/2006
Tested on: 8/27/2006 11:48:18 PM
avast! - copyright (c) 1988-2006 ALWIL Software.
http://www.avast.com






From 2292389065665147195
X-Google-Thread: 108228,7b2a14608056c3dc,start
X-Google-Thread: 108122,7b2a14608056c3dc,start
X-Google-Thread: 1109af,7b2a14608056c3dc,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 6-EA MOTOROLA GTX 800 TRUNKING RADIOS+BANK CHGR PACKAGE
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C6CA31.E6291C60"
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <FbwIg.1992$AP2.1259@fed1read10>
Date: Sun, 27 Aug 2006 23:38:29 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1156747109 68.104.78.240 (Mon, 28 Aug 2006 02:38:29 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 02:38:29 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1219
rec.radio.amateur.equipment:5904 rec.radio.swap:6807

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6CA31.E6291C60
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 6-EA MOTOROLA GTX 800 TRUNKING RADIOS+BANK CHGR PACKAGE=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250023326459&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C6CA31.E6291C60
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 6-EA MOTOROLA GTX 800 TRUNKING RADIOS+BANK CHGR PACKAGE </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250023326459&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250023326459&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C6CA31.E6291C60--



From 8822265586253264404
X-Google-Thread: 108122,a85d8a13c8c656cb,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Anyone parting out a TS-520?
Date: Mon, 28 Aug 2006 08:24:32 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Lines: 9
Message-ID: <44f30ab3$0$96147$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 28 Aug 2006 15:24:36 GMT
NNTP-Posting-Host: 9cf87678.news.sonic.net
X-Trace: DXC=?
0glYJgX5f<nHel1f^83R9m4K\QM1CV^01OYf0H`?;X1@N;cl^QVjY1<Qc7RIG=<O853[XKDHQV1>8ATSWP
FBbi=
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5905

Just bought a cosmetically nice TS-520. Unfortunatly it had
been converted to 11 meters, and the original 10 meter crystals
are gone. If anyone is parting out a TS-520 (any version), or
TS-820, I'd be interested in buying these crystals or the whole
board. TIA

                                   Steve




From 4165999098284223044
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!VERMONTEL.NET-
a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
```

Date: Mon, 28 Aug 2006 15:25:01 -0400
Message-ID: <3kg6f29ocbti00u6s3b09k94gbe4l5drv3@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com> <8s2Hg.19716$Te.17427@trnddc07>
<6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com> <DOrIg.7348$Xl5.4813@trnddc06>
X-Newsreader: Forte Agent 4.0/32.1069
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-66-220-232-246.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 14
X-Trace: ec8ee44f342f77de7c94b07896
Xref: g2news2.google.com alt.radio.scanner:2545 rec.radio.amateur.equipment:5906
rec.radio.amateur.policy:41376 rec.radio.scanner:5668 rec.radio.swap:6826

On Mon, 28 Aug 2006 01:38:43 GMT, "Woody" <ts520@hotmail.com> wrote:

>Well... I can remember my dad filling 'er up with Fire Chief Hi-Test back in
>the day, at the Sunoco station.
>I'm a summer of love baby so not too old yet, LOL.
>rb
++++++++++
Fire Chief was the regular grade sold by Texaco. Their premium was
Sky Chief.

In the 1950s, Sunoco sold only one grade of gasoline, which was
supposed to be a "near premium". Its gimmick was that it was dyed
blue, whereas other gasolines were yellow to red. In the 1960s, its
super-premium was Sunoco 260 from the "custom blend" pump.

From 4947815230263012558
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: Mon, 28 Aug 2006 15:28:06 -0400

```
Message-ID: <urg6f2hte38mojbch2o4mrd7met3mk3u98@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
<a5sIg.2667$nR2.767@trnddc03> <44F25FD6.4080608@fuse.net>
<1156736836.483502@www.vif.com>
X-Newsreader: Forte Agent 4.0/32.1069
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-66-220-232-246.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 12
X-Trace: 8e36744f343b17de7c94b07896
Xref: g2news2.google.com alt.radio.scanner:2546 rec.radio.amateur.equipment:5907
rec.radio.amateur.policy:41377 rec.radio.scanner:5669 rec.radio.swap:6827

On Sun, 27 Aug 2006 23:47:07 -0400, w�thh�ld f�r r��s��s �f ��t����l
S���r�ty <root@127.0.0.1> wrote:

>THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
>LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
++++++++++++++++
I am reading your enlightened reply in the rec.radio.amateur.equipment
group.  Why are you here???



From 4602688857392349540
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Attributes: gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-
mail
From: X-rated Vermonter
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Let's take back ham radio!
Date: Mon, 28 Aug 2006 15:33:17 -0400
Message-ID: <o0h6f2pdavm03a3ace7r5b8h31sh849n4n@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<P8nIg.683992$GD7.562826@fe08.news.easynews.com>
<1156711072.958112.288970@h48g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 4.0/32.1069
MIME-Version: 1.0
```

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-66-220-232-246.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 19
X-Trace: 1ef8544f344e87de7c94b07896
Xref: g2news2.google.com rec.radio.amateur.equipment:5908
rec.radio.amateur.policy:41378

On 27 Aug 2006 13:37:53 -0700, "an old freind"
<kb9rqz___ars@hotmail.com> wrote:

>in a time where numbers are declining but that does not maater to al
>since the No Code techs are not hams anyway according to AL

+++++++++++
I know a Tech who refuses to attempt to upgrade until code is dropped.
Yet he claims to have "very conservative values". He also believes
that hamfests should carry more non-amateur radio related things, like
old movie VCR tapes and Glenn Miller recordings.

He refuses to attend any amateur radio club meeting or gathering. He
wanted to have a non-amateur radio related picnic gathering of radio
amateurs on the Saturday of Field Day.

Nobody around here considers him to be a ham. We consider him to be a
"CB-Plus".

From 2263497744754319303
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.vif.com!news.vif.com.POSTED!
not-for-mail
NNTP-Posting-Date: Mon, 28 Aug 2006 15:12:50 -0500
Date: Mon, 28 Aug 2006 16:12:41 -0400
From: =?ISO-8859-1?Q?w=EEthh=CBld_f=D8r_r=CB=E5s=D8=F1s_=D8f_=F1=E5?=
 =?ISO-8859-1?Q?t=EE=D8=F1=E5l_S=CB=C7=FCr=EEty?= <root@127.0.0.1>
Reply-To: root@127.0.0.1
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, en-jm, en-ca, en-nz, en-au, en-gb, en-tt, en-ph, en-za, en-zw, en-bz, en-ie
MIME-Version: 1.0

```
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com> <8s2Hg.19716$Te.17427@trnddc07>
<6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com> <DOrIg.7348$Xl5.4813@trnddc06>
<3kg6f29ocbti00u6s3b09k94gbe4l5drv3@4ax.com>
In-Reply-To: <3kg6f29ocbti00u6s3b09k94gbe4l5drv3@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0635-1, 08/28/2006), Outbound message
X-Antivirus-Status: Clean
Organization: VIF Internet b4
Message-ID: <1156795970.341579@www.vif.com>
Cache-Post-Path: www.vif.com!unknown@ip216-239-87-232.vif.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 41
NNTP-Posting-Host: 216.239.64.140
X-Trace: sv3-9Ml/
PPYuQLRdxHAJsAuRK9GDb0g0FxSeN16zxrkEsVOYDxRSkgi3MW+RdxMNOAwcQbrwF1a25EZflkh!
a43y1fu1ceQudvPm4/6AmtYfInmSVYcrdNDaquAmAeTO+3UXrUKUP1+gaJiFBtHz
X-Complaints-To: abuse@vif.com
X-DMCA-Complaints-To: abuse@vif.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2547 rec.radio.amateur.equipment:5909
rec.radio.amateur.policy:41381 rec.radio.scanner:5670 rec.radio.swap:6828

GO FUCK YOURSELF! AND TAKE YOUR HAM RADIO AND SHOVE IT UP YOUR FUCKEN ASS

X-rated Vermonter wrote:
> On Mon, 28 Aug 2006 01:38:43 GMT, "Woody" <ts520@hotmail.com> wrote:
>
>
>>Well... I can remember my dad filling 'er up with Fire Chief Hi-Test back in
>>the day, at the Sunoco station.
>>I'm a summer of love baby so not too old yet, LOL.
>>rb
>
> ++++++++++
> Fire Chief was the regular grade sold by Texaco.  Their premium was
> Sky Chief.
>
> In the 1950s, Sunoco sold only one grade of gasoline, which was
> supposed to be a "near premium".  Its gimmick was that it was dyed
> blue, whereas other gasolines were yellow to red.  In the 1960s, its
> super-premium was Sunoco 260 from the "custom blend" pump.
>
>
```

> ---
> avast! Antivirus: Inbound message clean.
> Virus Database (VPS): 0635-1, 08/28/2006
> Tested on: 8/28/2006 4:12:05 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>

---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0635-1, 08/28/2006
Tested on: 8/28/2006 4:12:41 PM
avast! - copyright (c) 1988-2006 ALWIL Software.
http://www.avast.com

From 1996195189950394192
X-Google-Thread: 108122,ce1d5bdf36c872eb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "copdoc1" <copdoc1@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB COBRA 148 GTL Made in Philippines
Date: 28 Aug 2006 13:16:53 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1156796213.022835.294940@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 24.46.142.122
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156796218 23429 127.0.0.1 (28 Aug 2006 20:16:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 Aug 2006 20:16:58 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=24.46.142.122;
   posting-account=4g6CZA0AAAD4bo_EbQ05F9hh6e1-JBR1
Xref: g2news2.google.com rec.radio.amateur.equipment:5910

I am looking to purschase a Cobra 148 GTL that was made in the
Philippines. Please feel free to contact me at copdoc1@optonline.net
I would need to know the S/N number and Date of Mfg.
Thank you

Peter

```
From -9588320673301578886
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.freenet.de!news.code-werk.net!open-news-network.org!news2.open-
news-network.org!not-for-mail
From: "Roger Wiseman" <Woger@noyb.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: Mon, 28 Aug 2006 16:18:10 -0400
Organization: Glendale assisted living
Lines: 47
Message-ID: <ecvj27$393$1@news2.open-news-network.org>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com> <8s2Hg.19716$Te.17427@trnddc07>
<6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com> <DOrIg.7348$Xl5.4813@trnddc06>
<3kg6f29ocbti00u6s3b09k94gbe4l5drv3@4ax.com> <1156795970.341579@www.vif.com>
NNTP-Posting-Host:
NTI2MTZlNjQ2ZjZkNDk1NjUzZTJmMzhkNjk5MjhiY2IzZDU3YjMxMzA1ODVlM2E0Mzk5Njg5YjY2NzE4MD
lhYzg1ZGY0MTRhM2UxMTdmMWM1YjZmZTg3M2Q4OGM0MmRmYWZlODgxNjcxM2FkMGQ0Nw==
X-Trace: news2.open-news-network.org
eJwVxEkRwDAMBDBK9voMnMQHfwid6iGDs4+rr7ce+1soZmKJL9qpl9207tCUVBGHhgktP8fpTJXkJgP48W
AzJBGxeWn1zAfH6xky (28 Aug 2006 20:18:15 GMT)
X-Complaints-To: news@news2.open-news-network.org
NNTP-Posting-Date: Mon, 28 Aug 2006 20:18:15 +0000 (UTC)
X-User-ID:
NTI2MTZlNjQ2ZjZkNDk1NjA4YmI1ODZlMDM5ZDJmZGI3NDQ0ZjBkYjA2MTU5YWRhNDM3OGVmZTgyY2EyZG
Y1Nzk5OTQzNDBhY2VlY2Q1M2I=
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com alt.radio.scanner:2548 rec.radio.amateur.equipment:5911
rec.radio.amateur.policy:41383 rec.radio.scanner:5671 rec.radio.swap:6830
```

OK SHOVE IT UP MINE FIRST!!!!!!
>
"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156795970.341579@www.vif.com...

```
> GO FUCK YOURSELF! AND TAKE YOUR HAM RADIO AND SHOVE IT UP YOUR FUCKEN ASS
>
> X-rated Vermonter wrote:
>> On Mon, 28 Aug 2006 01:38:43 GMT, "Woody" <ts520@hotmail.com> wrote:
>>
>>
>>>Well... I can remember my dad filling 'er up with Fire Chief Hi-Test back
>>>in the day, at the Sunoco station.
>>>I'm a summer of love baby so not too old yet, LOL.
>>>rb
>>
>> ++++++++++
>> Fire Chief was the regular grade sold by Texaco.  Their premium was
>> Sky Chief.
>>
>> In the 1950s, Sunoco sold only one grade of gasoline, which was
>> supposed to be a "near premium".  Its gimmick was that it was dyed
>> blue, whereas other gasolines were yellow to red.  In the 1960s, its
>> super-premium was Sunoco 260 from the "custom blend" pump.
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0635-1, 08/28/2006
>> Tested on: 8/28/2006 4:12:05 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0635-1, 08/28/2006
> Tested on: 8/28/2006 4:12:41 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>




From 5732658807334281811
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 28 Aug 2006 14:24:21 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1156800261.412488.306670@i42g2000cwa.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<44F11EBA.1080901@fuse.net>
<a5sIg.2667$nR2.767@trnddc03>
<44F25FD6.4080608@fuse.net>
<1156736836.483502@www.vif.com>
<urg6f2hte38mojbch2o4mrd7met3mk3u98@4ax.com>
NNTP-Posting-Host: 66.82.9.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156800266 2844 127.0.0.1 (28 Aug 2006 21:24:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 Aug 2006 21:24:26 +0000 (UTC)
In-Reply-To: <urg6f2hte38mojbch2o4mrd7met3mk3u98@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=66.82.9.54;
posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com alt.radio.scanner:2549 rec.radio.amateur.equipment:5912 rec.radio.amateur.policy:41414 rec.radio.scanner:5672 rec.radio.swap:6835

X-rated wrote:

> I am reading your enlightened reply in the rec.radio.amateur.equipment
> group. Why are you here???

becuase the ISP will not retrain the trollss anymore which means the
troll crosspost everything every where

this set is relitively mild and at least is confined to radio NGs

From 1185234930906857172
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Attributes: gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!

```
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Let's take back ham radio!
From: Bert Hyman <bert@iphouse.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
Organization: Not that you'd notice
Message-ID: <Xns982DA887A9994VeebleFetzer@216.250.184.7>
Followup-To: radio.amateur.policy
User-Agent: Xnews/2006.03.14
Date: 28 Aug 2006 21:33:09 GMT
Lines: 8
NNTP-Posting-Date: 28 Aug 2006 16:33:09 CDT
NNTP-Posting-Host: feeefd8a.newsreader.iphouse.net
X-Trace:
DXC=kVj3jkA7\kJB_GBkRQRO2AVn\Tj8`^BbKeHS>e[L>83@>og=KdklckB9Fh_j72PY^E\Vc5cVMAogHI
lCDN;iL73L
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5913
rec.radio.amateur.policy:41416

Take it back?

Did you keep your receipt?

[Completely inappropriate newsgroups removed, followups set]

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From 3090564450594573111
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Message-ID: <g1r6f2pmt1b4c2cu7443hfqmn47g26gksc@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
<a5sIg.2667$nR2.767@trnddc03> <44F25FD6.4080608@fuse.net>
<1156736836.483502@www.vif.com>
X-Newsreader: Forte Agent 3.2/32.830
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 7
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligijjdnojopddcmjimdhfmcehjncolallmfkbniaamobbiakdjlkcpkeahangnidoaoo
oleblgmgmejcccdmmanelijghoamnlfbgcjcjlmphihckkenfnojecgjgcfcij
NNTP-Posting-Date: Mon, 28 Aug 2006 15:19:10 MST
Organization: Optimum Online
Date: Mon, 28 Aug 2006 18:20:58 -0400
Xref: g2news2.google.com alt.radio.scanner:2550 rec.radio.amateur.equipment:5914
rec.radio.amateur.policy:41458 rec.radio.scanner:5674 rec.radio.swap:6844

On Sun, 27 Aug 2006 23:47:07 -0400, w�thh�ld f�r r��s��s �f ��t����l
S���r�ty <root@127.0.0.1> wrote:

>THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.

No one.  <plonk>


From -5184804200082814749
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 28 Aug 2006 15:21:17 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1156803677.259929.83890@i3g2000cwc.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <44F11EBA.1080901@fuse.net>
   <a5sIg.2667$nR2.767@trnddc03>
   <44F25FD6.4080608@fuse.net>
   <1156736836.483502@www.vif.com>
   <g1r6f2pmt1b4c2cu7443hfqmn47g26gksc@4ax.com>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

```
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1156803682 12991 127.0.0.1 (28 Aug 2006 22:21:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 Aug 2006 22:21:22 +0000 (UTC)
In-Reply-To: <g1r6f2pmt1b4c2cu7443hfqmn47g26gksc@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=66.82.9.89;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com alt.radio.scanner:2551 rec.radio.amateur.equipment:5915
rec.radio.amateur.policy:41462 rec.radio.scanner:5675 rec.radio.swap:6845


Al Klein wrote:
> On Sun, 27 Aug 2006 23:47:07 -0400, w=EEthh=CBld f=D8r r=CB=E5s=D8=F1s =
=D8f =F1=E5t=EE=D8=F1=E5l
> S=CB=C7=FCr=EEty <root@127.0.0.1> wrote:
>
> >THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > > RADIO. WHO FUCK CARES!.
>=20
> No one.  <plonk>
alwys the child




From 5992158522311081926
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Do you ever hear CW on your scanner? Re: Let's take back ham radio!
From: Slow Code <my.mail@no.spam>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
<1156693791.403716.80690@m79g2000cwm.googlegroups.com>
<1156693915.760867.174750@m73g2000cwd.googlegroups.com>
<ChsIg.2018$XD1.541@trnddc01> <1156736847.99199@www.vif.com>
Organization: None
```

```
User-Agent: Xnews/5.04.25
Lines: 17
Message-ID: <34LIg.11333$Qf.6969@newsread2.news.pas.earthlink.net>
Date: Mon, 28 Aug 2006 23:34:23 GMT
NNTP-Posting-Host: 4.227.160.100
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1156808063 4.227.160.100 (Mon, 28 Aug
2006 16:34:23 PDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 16:34:23 PDT
Xref: g2news2.google.com alt.radio.scanner:2552 rec.radio.amateur.equipment:5916
rec.radio.amateur.policy:41486 rec.radio.scanner:5693 rec.radio.swap:6862

w�thh�ld f�r r��s��s �f �� t����l S���r�ty <root@127.0.0.1> wrote in
news:1156736847.99199@www.vif.com:

> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!



Ever hear CW on your scanner?

Sound neat, don't it.

SC


From 6553152294742147293
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
From: Slow Code <my.mail@no.spam>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
<ZzrIg.11043$Qf.731@newsread2.news.pas.earthlink.net>
<1156728819.831213.322250@i3g2000cwc.googlegroups.com>
```

```
Organization: None
User-Agent: Xnews/5.04.25
Lines: 27
Message-ID: <c4LIg.11339$Qf.7836@newsread2.news.pas.earthlink.net>
Date: Mon, 28 Aug 2006 23:34:32 GMT
NNTP-Posting-Host: 4.227.160.100
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1156808072 4.227.160.100 (Mon, 28 Aug
2006 16:34:32 PDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 16:34:32 PDT
Xref: g2news2.google.com alt.radio.scanner:2554 rec.radio.amateur.equipment:5917
rec.radio.amateur.policy:41491 rec.radio.scanner:5696 rec.radio.swap:6864

"an old freind" <kb9rqz-ars@hotmail.com> wrote in
news:1156728819.831213.322250@i3g2000cwc.googlegroups.com:

>
> Slow Code wrote:
>> The Kat <new1@katxyzkave.net> wrote in
>> news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com:
>>
>
>>
>>
>> Hey,
>>
>> This thread is about CW and ham radio.
>
> you started the thread in those gruops to troll them so you could bitch
> when they complained
>


Hey,

This thread is about CW and ham radio.  You no-codes stay out of it.
Go find some CB'ers on 11 meters to listen to.

SC




From -1415824166380640272
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!
```

not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
From: Slow Code <my.mail@no.spam>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com> <hfsIg.2016$XD1.1684@trnddc01>
<1156736876.338120@www.vif.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 21
Message-ID: <d4LIg.11340$Qf.9658@newsread2.news.pas.earthlink.net>
Date: Mon, 28 Aug 2006 23:34:33 GMT
NNTP-Posting-Host: 4.227.160.100
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1156808073 4.227.160.100 (Mon, 28 Aug
2006 16:34:33 PDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 16:34:33 PDT
Xref: g2news2.google.com alt.radio.scanner:2555 rec.radio.amateur.equipment:5918
rec.radio.amateur.policy:41492 rec.radio.scanner:5697 rec.radio.swap:6865

w�thh�ld f�r r��s��s �f �� t����l S���r�ty <root@127.0.0.1> wrote in
news:1156736876.338120@www.vif.com:

> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!

Do you listen to amateur radio repeaters on your scanner?   Yes?

Well talk to Mark. He can tell you how to become a no code Tech. He is an
expert at that because he's been a no code tech forever.

73, Happy to Help

SC

From -3552304011487617010
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80

```
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: Mon, 28 Aug 2006 19:46:49 -0400
Message-ID: <i107f293392epcm65kuv58cs37e168plp4@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
<ZzrIg.11043$Qf.731@newsread2.news.pas.earthlink.net>
<1156728819.831213.322250@i3g2000cwc.googlegroups.com>
<c4LIg.11339$Qf.7836@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 35
NNTP-Posting-Date: 28 Aug 2006 22:50:57 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:2557 rec.radio.amateur.equipment:5919
rec.radio.amateur.policy:41504 rec.radio.scanner:5700 rec.radio.swap:6867

On Mon, 28 Aug 2006 23:34:32 GMT, Slow Code <my.mail@no.spam> wrote:

>"an old freind" <kb9rqz-ars@hotmail.com> wrote in
>news:1156728819.831213.322250@i3g2000cwc.googlegroups.com:
>
>>
>> Slow Code wrote:
>>> The Kat <new1@katxyzkave.net> wrote in
>>> news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com:
>>>
>>
>>>
>>>
>>> Hey,
>>>
>>> This thread is about CW and ham radio.
>>
>> you started the thread in those gruops to troll them so you could bitch
>> when they complained
>>
>
>
>Hey,
>
```

```
>This thread is about CW and ham radio.
so?
> You no-codes stay out of it.
why?

as you title sugests you lost ham radio to someone looking at the
numbers it is US you will soon lose therest
>Go find some CB'ers on 11 meters to listen to.
>
>SC
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 4081611474488610021
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 28 Aug 2006 16:50:25 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1156809025.282284.127690@b28g2000cwb.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
   <rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
   <hfsIg.2016$XD1.1684@trnddc01>
   <1156736876.338120@www.vif.com>
   <d4LIg.11340$Qf.9658@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1156809030 28579 127.0.0.1 (28 Aug 2006 23:50:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 Aug 2006 23:50:30 +0000 (UTC)
In-Reply-To: <d4LIg.11340$Qf.9658@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=66.82.9.89;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com alt.radio.scanner:2558 rec.radio.amateur.equipment:5920
rec.radio.amateur.policy:41507 rec.radio.scanner:5702 rec.radio.swap:6869

Slow Code wrote:
> w=EEthh=CBld f=D8r r=CB=E5s=D8=F1s =D8f =F1=E5 t=EE=D8=F1=E5l S=CB=C7=FCr=
=EEty <root@127.0.0.1> wrote in
> news:1156736876.338120@www.vif.com:
note your title take back meaning you lost it

and you did
> Well talk to Mark. He can tell you how to become a no code Tech.  He is an
> expert at that because he's been a no code tech forever.
not realy only 8-9 years
>=20
> 73, Happy to Help
>=20
> SC




From -715124045151681084
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com> <8s2Hg.19716$Te.17427@trnddc07>
<6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com> <DOrIg.7348$Xl5.4813@trnddc06>
<3kg6f29ocbti00u6s3b09k94gbe4l5drv3@4ax.com>
Subject: Re: Let's take back ham radio!
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <StLIg.4653$p23.2634@trnddc04>
```

```
Date: Tue, 29 Aug 2006 00:01:54 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156809714 71.164.36.27 (Mon, 28 Aug 2006 20:01:54 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:01:54 EDT
Xref: g2news2.google.com alt.radio.scanner:2562 rec.radio.amateur.equipment:5921
rec.radio.amateur.policy:41521 rec.radio.scanner:5710 rec.radio.swap:6876

Stupid 40 year old memories, they're about as reliable as rain....
It appears I was quite an inattentive child, sorry... :-(
rb

Radio content:
The Maverick had an AM/FM/8-track, and a big screwdriver for a gearshift.

<X-rated Vermonter> wrote in message
news:3kg6f29ocbti00u6s3b09k94gbe4l5drv3@4ax.com...
> On Mon, 28 Aug 2006 01:38:43 GMT, "Woody" <ts520@hotmail.com> wrote:
>
>>Well... I can remember my dad filling 'er up with Fire Chief Hi-Test back
>>in
>>the day, at the Sunoco station.
>>I'm a summer of love baby so not too old yet, LOL.
>>rb
> ++++++++++
> Fire Chief was the regular grade sold by Texaco.  Their premium was
> Sky Chief.
>
> In the 1950s, Sunoco sold only one grade of gasoline, which was
> supposed to be a "near premium".  Its gimmick was that it was dyed
> blue, whereas other gasolines were yellow to red.  In the 1960s, its
> super-premium was Sunoco 260 from the "custom blend" pump.




From 7093276565947149111
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com> <8s2Hg.19716$Te.17427@trnddc07>
```

<6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com> <DOrIg.7348$Xl5.4813@trnddc06>
<3kg6f29ocbti00u6s3b09k94gbe4l5drv3@4ax.com> <1156795970.341579@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 53
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <GwLIg.4654$p23.4612@trnddc04>
Date: Tue, 29 Aug 2006 00:04:54 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156809894 71.164.36.27 (Mon, 28 Aug 2006 20:04:54 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:04:54 EDT
Xref: g2news2.google.com alt.radio.scanner:2563 rec.radio.amateur.equipment:5922
rec.radio.amateur.policy:41522 rec.radio.scanner:5711 rec.radio.swap:6878

Ah, the day I could do that.... LOL... [the self thing... the ol' arse is
exit-only, sorry!]
rb

Radio content:
Radios get sold every day on ebay... and no discussion is necessary...
hmmm....

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156795970.341579@www.vif.com...
> GO FUCK YOURSELF! AND TAKE YOUR HAM RADIO AND SHOVE IT UP YOUR FUCKEN ASS
>
> X-rated Vermonter wrote:
>> On Mon, 28 Aug 2006 01:38:43 GMT, "Woody" <ts520@hotmail.com> wrote:
>>
>>
>>>Well... I can remember my dad filling 'er up with Fire Chief Hi-Test back
>>>in the day, at the Sunoco station.
>>>I'm a summer of love baby so not too old yet, LOL.
>>>rb
>>
>> ++++++++++
>> Fire Chief was the regular grade sold by Texaco. Their premium was
>> Sky Chief.
>>
>> In the 1950s, Sunoco sold only one grade of gasoline, which was
>> supposed to be a "near premium". Its gimmick was that it was dyed
>> blue, whereas other gasolines were yellow to red. In the 1960s, its
>> super-premium was Sunoco 260 from the "custom blend" pump.
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0635-1, 08/28/2006
>> Tested on: 8/28/2006 4:12:05 PM

```
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0635-1, 08/28/2006
> Tested on: 8/28/2006 4:12:41 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>




From -4956720281480177215
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com> <8s2Hg.19716$Te.17427@trnddc07>
<6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com> <DOrIg.7348$Xl5.4813@trnddc06>
<3kg6f29ocbti00u6s3b09k94gbe4l5drv3@4ax.com> <1156795970.341579@www.vif.com>
<ecvj27$393$1@news2.open-news-network.org>
Subject: Re: Let's take back ham radio!
Lines: 57
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <UxLIg.4655$p23.4449@trnddc04>
Date: Tue, 29 Aug 2006 00:06:12 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156809972 71.164.36.27 (Mon, 28 Aug 2006 20:06:12 EDT)
```

NNTP-Posting-Date: Mon, 28 Aug 2006 20:06:12 EDT
Xref: g2news2.google.com alt.radio.scanner:2564 rec.radio.amateur.equipment:5923
rec.radio.amateur.policy:41523 rec.radio.scanner:5712 rec.radio.swap:6879

Eww.... yer one weird dude...
rb

Radio Content:
AM and FM are available on most dials.

"Roger Wiseman" <Woger@noyb.net> wrote in message
news:ecvj27$393$1@news2.open-news-network.org...
> OK SHOVE IT UP MINE FIRST!!!!!!
>>
> "w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
> message news:1156795970.341579@www.vif.com...
>> GO FUCK YOURSELF! AND TAKE YOUR HAM RADIO AND SHOVE IT UP YOUR FUCKEN ASS
>>
>> X-rated Vermonter wrote:
>>> On Mon, 28 Aug 2006 01:38:43 GMT, "Woody" <ts520@hotmail.com> wrote:
>>>
>>>
>>>>Well... I can remember my dad filling 'er up with Fire Chief Hi-Test
>>>>back in the day, at the Sunoco station.
>>>>I'm a summer of love baby so not too old yet, LOL.
>>>>rb
>>>
>>> ++++++++++
>>> Fire Chief was the regular grade sold by Texaco. Their premium was
>>> Sky Chief.
>>>
>>> In the 1950s, Sunoco sold only one grade of gasoline, which was
>>> supposed to be a "near premium". Its gimmick was that it was dyed
>>> blue, whereas other gasolines were yellow to red. In the 1960s, its
>>> super-premium was Sunoco 260 from the "custom blend" pump.
>>>
>>>
>>> ---
>>> avast! Antivirus: Inbound message clean.
>>> Virus Database (VPS): 0635-1, 08/28/2006
>>> Tested on: 8/28/2006 4:12:05 PM
>>> avast! - copyright (c) 1988-2006 ALWIL Software.
>>> http://www.avast.com
>>>
>>>
>>>
>>
>>
>> ---
>> avast! Antivirus: Outbound message clean.
>> Virus Database (VPS): 0635-1, 08/28/2006
>> Tested on: 8/28/2006 4:12:41 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.

```
>> http://www.avast.com
>>
>>
>>
>
>
```

```
From 8707088379141392713
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!
not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <7WrIg.2666$nR2.321@trnddc03>
<ectn8h08ut@enews4.newsguy.com>
Subject: Re: Let's take back ham radio!
Lines: 167
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <uCLIg.4656$p23.3545@trnddc04>
Date: Tue, 29 Aug 2006 00:11:06 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156810266 71.164.36.27 (Mon, 28 Aug 2006 20:11:06 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:11:06 EDT
Xref: g2news2.google.com alt.radio.scanner:2565 rec.radio.amateur.equipment:5924
rec.radio.amateur.policy:41524 rec.radio.scanner:5713 rec.radio.swap:6880
```

Sweet Jesus!! Man, are you crazy??? Do you know how many hammies are gonna
see that and
what kind of search and rescue operation you've started....
Now lives will be lost and thousands of dollars wasted because of that
little trick.
I hope you're proud of yourself.
rb

```
"Jack Ricci" <ricci@mnsi.net> wrote in message
news:ectn8h08ut@enews4.newsguy.com...
>> By replying only in CW, either text dit-dah, or periods and hyphens......
>>
>> How many people actually read that, and what is your analysis of the
>> report?
> "Woody" <ts520@hotmail.com> wrote in message
> news:7WrIg.2666$nR2.321@trnddc03...
>> OK.... taking a poll....
>>
>> By replying only in CW, either text dit-dah, or periods and hyphens......
>>
>> How many people actually read that, and what is your analysis of the
>> report?
>
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
> ...---...   ...---...   ...---...   ...---...   ...---...
>
> Jack
>
>
```

>>
>> I am running a script to see how long it takes you to click reply, enter
>> your response,
>> then click send. Your effective scaled-score code speed will be
>> calculated from those particular
>> clicks, along with the character count of the message. You will be made
>> fun of, according to your
>> CW speed. Anyone less than 24wpm will be required to take the new FCC
>> remedial code speed
>> Enzyte Exam for phallic phlops.
>>
>> Gentlemen, gud luck.
>> rb
>>
>>
>>
>>
>> "Travis Jordan" <no.one@no.net> wrote in message
>> news:Ot3Ig.79826$P02.21245@fe07.news.easynews.com...
>>> Slow Code wrote:
>>>> 1: No more
>>>
>>> Amateur radio is in decline and you think putting Morse code back in as
>>> a requirement would help?
>>>
>>> Bwhahahahaha.
>>> ----------------
>>> Statistics courtesy of George McCouch, K3UD.
>>>
>>> Total active individual licenses as of May 14, 2000:
>>> Novice   -   49,329
>>> Tech/+   - 334,254
>>> General   - 112,677
>>> Advanced -   99,782
>>> Extra   -   78,750
>>>
>>> Total all classes - 674,792
>>>
>>> Total active individual licenses as of June 30, 2006:
>>> Novice   -   24,877   (-49.57%)   (-24,456)
>>> Tech/+   - 320,242   (-4.20%)   (-14,012)
>>> General   - 132,758   (+17.82%)   (+20,081)
>>> Advanced   -   71,753   (-28.13%)   (-28,029)
>>> Extra   - 108,184   (+37.38%)   (+29,434)
>>>
>>> Total All Classes: 657,814 (-1,405 since the March 2006 reporting
>>> period)
>>>
>>> Total all classes (5/14/00)   - 674,792
>>> Total all Classes (4/21/03)   - 687,860
>>> Total all classes (9/6/04)   - 674,788
>>> Total all classes (6/30/06)   - 657,814
>>>

```
>>> Total loss of 16,978 since 5/14/2000   (Was 674,792)
>>> Total loss of 16,974 since 9/6/2004     (Was 674,788)
>>> Total Loss of 30,066 since 4/2003       (all time high of 687,860)
>>>
>>> We lost:
>>>  842 Novice
>>> 1,088 General
>>> 1,157 Advanced
>>> 3,087 Total
>>>
>>> We Gained:
>>> 1,258 Tech/+
>>> 424 Extra
>>> 1,682 Total
>>>
>>> This is an overall 1,405 decline since the March reporting period
>>> and averages 467 per month for the quarter.
>>>
>>> For the months March April and May the new licenses issued
>>> break down as follows.
>>>
>>> 6,999   Tech/+   89.3% **
>>> 627    General  8.0%
>>> 217    Extra      2.7%
>>>
>>> Total new licenses issues during  the period - 7,849
>>>
>>> ** These numbers come from the very interesting and comprehensive
>>> website of Joe Speroni, AH0A    http://www.ah0a.org
>>>
>>> Numbers of US population and the number of hams at the start of each
>>> decade from 1930.
>>>
>>> Year      Population    # Hams      Growth Rate
>>> 1930    123,202,624    19,000
>>> 1940    132,164,569    56,000          194%
>>> 1950    151,325,798    87,000           55%
>>> 1960    179,323,175    230,000        164%
>>> 1970    203,211,926    263,918          15%
>>> 1980    226,545,805    393,353          49%
>>> 1990    248,709,873    502,677          28%
>>> 2000    281,421,906    682,240          36%
>>> 2006                            657,814         -3.6 %
>>>
>>> The 2006 number was as of June 30, 2006.
>>>
>>>
>>
>>
>
>
```

From -4702494948709457706
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net> <Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <7WrIg.2666$nR2.321@trnddc03> <ectn8h08ut@enews4.newsguy.com> <1156736907.230029@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 207
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <OJLIg.4659$p23.437@trnddc04>
Date: Tue, 29 Aug 2006 00:18:54 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156810734 71.164.36.27 (Mon, 28 Aug 2006 20:18:54 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:18:54 EDT
Xref: g2news2.google.com alt.radio.scanner:2567 rec.radio.amateur.equipment:5925 rec.radio.amateur.policy:41529 rec.radio.scanner:5715 rec.radio.swap:6882

Yo homes... y'all needs tuh take a minizzle an scan roun foze a
dictionary.... fo shizzle....
Bess yet, aks bout wunna them boost mobile phonez.... den yous kin say it
widdout sayin' it wif boose caw tonez....
in an attachment, of course.
Savvy?
rb

Radio content:
A 40's vintage Collins military receiver, if dropped from about 25 feet,
will crush a human skull.

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156736907.230029@www.vif.com...
> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >

> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
>
> Jack Ricci wrote:
>
>>>By replying only in CW, either text dit-dah, or periods and hyphens......
>>>
>>>How many people actually read that, and what is your analysis of the
>>>report?
>>
>> "Woody" <ts520@hotmail.com> wrote in message
>> news:7WrIg.2666$nR2.321@trnddc03...
>>
>>>OK.... taking a poll....
>>>
>>>By replying only in CW, either text dit-dah, or periods and hyphens......
>>>
>>>How many people actually read that, and what is your analysis of the
>>>report?
>>
>>
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...

```
>> ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...   ...---...
>> ...---...   ...---...   ...---...   ...---...   ...---...
>>
>> Jack
>>
>>
>>
>>>I am running a script to see how long it takes you to click reply, enter
>>>your response,
>>>then click send. Your effective scaled-score code speed will be
>>>calculated from those particular
>>>clicks, along with the character count of the message. You will be made
>>>fun of, according to your
>>>CW speed. Anyone less than 24wpm will be required to take the new FCC
>>>remedial code speed
>>>Enzyte Exam for phallic phlops.
>>>
>>>Gentlemen, gud luck.
>>>rb
>>>
>>>
>>>
>>>
>>>"Travis Jordan" <no.one@no.net> wrote in message
>>>news:Ot3Ig.79826$P02.21245@fe07.news.easynews.com...
>>>
>>>>Slow Code wrote:
>>>>
>>>>>1: No more
>>>>
>>>>Amateur radio is in decline and you think putting Morse code back in as
>>>>a requirement would help?
>>>>
>>>>Bwhahahahaha.
>>>>----------------
>>>>Statistics courtesy of George McCouch, K3UD.
>>>>
>>>>Total active individual licenses as of May 14, 2000:
>>>>Novice       -   49,329
>>>>Tech/+      -  334,254
>>>>General      -  112,677
>>>>Advanced  -   99,782
>>>>Extra         -   78,750
>>>>
>>>>Total all classes - 674,792
>>>>
>>>>Total active individual licenses as of June 30, 2006:
>>>>Novice       -   24,877     (-49.57%)     (-24,456)
>>>>Tech/+      -  320,242    (-4.20%)       (-14,012)
>>>>General      - 132,758    (+17.82%)     (+20,081)
>>>>Advanced   -   71,753    (-28.13%)      (-28,029)
>>>>Extra          - 108,184    (+37.38%)      (+29,434)
```

```
>>>>
>>>>Total All Classes:  657,814  (-1,405 since the March 2006 reporting
>>>>period)
>>>>
>>>>Total all classes  (5/14/00)   - 674,792
>>>>Total all Classes  (4/21/03)   - 687,860
>>>>Total all classes  (9/6/04 )    - 674,788
>>>>Total all classes  (6/30/06)   - 657,814
>>>>
>>>>Total loss of 16,978 since 5/14/2000   (Was 674,792)
>>>>Total loss of 16,974 since 9/6/2004     (Was 674,788)
>>>>Total Loss of 30,066 since 4/2003       (all time high of 687,860)
>>>>
>>>>We lost:
>>>> 842 Novice
>>>>1,088 General
>>>>1,157 Advanced
>>>>3,087 Total
>>>>
>>>>We Gained:
>>>>1,258 Tech/+
>>>>424 Extra
>>>>1,682 Total
>>>>
>>>>This is an overall 1,405 decline since the March reporting period
>>>>and averages 467 per month for the quarter.
>>>>
>>>>For the months March April and May the new licenses issued
>>>>break down as follows.
>>>>
>>>>6,999   Tech/+   89.3% **
>>>>627    General  8.0%
>>>>217    Extra      2.7%
>>>>
>>>>Total new licenses issues during  the period - 7,849
>>>>
>>>>** These numbers come from the very interesting and comprehensive
>>>>website of Joe Speroni, AH0A    http://www.ah0a.org
>>>>
>>>>Numbers of US population and the number of hams at the start of each
>>>>decade from 1930.
>>>>
>>>>Year      Population    # Hams      Growth Rate
>>>>1930    123,202,624    19,000
>>>>1940    132,164,569    56,000          194%
>>>>1950    151,325,798    87,000           55%
>>>>1960    179,323,175    230,000        164%
>>>>1970    203,211,926    263,918          15%
>>>>1980    226,545,805    393,353          49%
>>>>1990    248,709,873    502,677          28%
>>>>2000    281,421,906    682,240          36%
>>>>2006                            657,814         -3.6 %
>>>>
```

```
>>>>The 2006 number was as of June 30, 2006.
>>>>
>>>>
>>>
>>>
>>
>>
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0634-2, 08/24/2006
>> Tested on: 8/27/2006 11:44:54 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:48:18 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>
```

```
From 8503916068745955486
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
<a5sIg.2667$nR2.767@trnddc03> <44F25FD6.4080608@fuse.net>
Subject: Re: Let's take back ham radio!
Lines: 10
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <0NLIg.4662$p23.4533@trnddc04>
Date: Tue, 29 Aug 2006 00:22:20 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156810940 71.164.36.27 (Mon, 28 Aug 2006 20:22:20 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:22:20 EDT
Xref: g2news2.google.com alt.radio.scanner:2568 rec.radio.amateur.equipment:5926
rec.radio.amateur.policy:41532 rec.radio.scanner:5716 rec.radio.swap:6883

Actually, in all seriousness... my advice is to never put a d-cell maglight
in your front pocket on a 3am call.....
No good can come from it.
rb

>>
>>
> Interesting name, Woody.  Yet, it seems to fit.




From 4653408041218534187
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
<a5sIg.2667$nR2.767@trnddc03> <44F25FD6.4080608@fuse.net>
<1156736836.483502@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 71
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
```

```
Message-ID: <nOLIg.4663$p23.2733@trnddc04>
Date: Tue, 29 Aug 2006 00:23:47 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156811027 71.164.36.27 (Mon, 28 Aug 2006 20:23:47 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:23:47 EDT
Xref: g2news2.google.com alt.radio.scanner:2569 rec.radio.amateur.equipment:5927
rec.radio.amateur.policy:41533 rec.radio.scanner:5717 rec.radio.swap:6884

Yo.... DJ Scratch N'Sniff...
bump the turn-table will ya?
rb

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156736836.483502@www.vif.com...
> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
>
> jawod wrote:
>
>> Woody wrote:
>>
>>>> Man, of COURSE, it's still around.
>>>>
>>>> If you discuss ham radio with others, do you mention contacting the
>>>> Space Shuttle? ham radio satellites? weak signal work in VHF/UHF?
>>>> Sporadic E? Tropospheric Ducting?  DX???
>>>>
>>>> How about EME?
>>>>
>>>> You don't have to be doing these things yourself, you just need to let
>>>> everyone know what the ENTIRE hobby is about.
>>>>
>>>
>>>
>>> Huh? You mean there is something besides CW?? Man, don't you know CW
>>> saves lives?!?!?
>>>
>>> Listen, Weak signals are for CW work on HF while boats are burning.
>>> Contacting the space shuttle is just pointless unless you're correcting
>>> their keplerian elements for the return flight path or asking if they
>>> really drink Tang, Sporadic E [aka EMF bombing] is really pissing off
>>> the Condensation Entities that periodically enter the atmosphere to scan
>>> for intelligent life, and tropospheric ducting is a lie. I happen to
>>> have the control codes to several am-sats and I randomly change the
>>> freqs all the time, and you suckers fall for it without fail....
>>> And DX? Hello....? Internet....?
>>> :-)
>>> rb
```

```
>>>
>>>
>> Interesting name, Woody.  Yet, it seems to fit.
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0634-2, 08/24/2006
>> Tested on: 8/27/2006 11:46:51 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:47:08 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>
```

```
From -6949334053510410891
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com> <hfsIg.2016$XD1.1684@trnddc01>
<1156736876.338120@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 64
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <IPLIg.4665$p23.2840@trnddc04>
Date: Tue, 29 Aug 2006 00:25:12 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156811112 71.164.36.27 (Mon, 28 Aug 2006 20:25:12 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:25:12 EDT
Xref: g2news2.google.com alt.radio.scanner:2570 rec.radio.amateur.equipment:5928
rec.radio.amateur.policy:41534 rec.radio.scanner:5718 rec.radio.swap:6885

Huh?
rb

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156736876.338120@www.vif.com...
> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
>
> Woody wrote:
>
>> To keep you informed of your need to learn CW, so you can save lives too?
>> rb
>>
>>
>>
>> "The Kat" <new1@katxyzkave.net> wrote in message
>> news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com...
>>
>>>On Sun, 27 Aug 2006 01:06:22 -0400, Al Klein <rukbat@pern.invalid> wrote:
>>>
>>>
>>>
>>>WHY in the FUCK are you continuing this thread
>>>in a SCANNER newsgroup??
>>>
>>>
>>>
>>>
>>>Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>>>
>>>This sig censored by the Office of Home and Land Insecurity...
>>>
>>>             Remove XYZ to email me
>>
>>
>>
>>
```

```
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0634-2, 08/24/2006
>> Tested on: 8/27/2006 11:44:26 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:47:47 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>




From 1729384129956937789
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com> <hfsIg.2016$XD1.1684@trnddc01>
<1156736876.338120@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 64
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <SPLIg.4666$p23.611@trnddc04>
```

```
Date: Tue, 29 Aug 2006 00:25:22 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156811122 71.164.36.27 (Mon, 28 Aug 2006 20:25:22 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:25:22 EDT
Xref: g2news2.google.com alt.radio.scanner:2571 rec.radio.amateur.equipment:5929
rec.radio.amateur.policy:41535 rec.radio.scanner:5719 rec.radio.swap:6886

What?
rb

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156736876.338120@www.vif.com...
> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
>
> Woody wrote:
>
>> To keep you informed of your need to learn CW, so you can save lives too?
>> rb
>>
>>
>>
>> "The Kat" <new1@katxyzkave.net> wrote in message
>> news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com...
>>
>>>On Sun, 27 Aug 2006 01:06:22 -0400, Al Klein <rukbat@pern.invalid> wrote:
>>>
>>>
>>>
>>>WHY in the FUCK are you continuing this thread
>>>in a SCANNER newsgroup??
>>>
>>>
>>>
>>>
>>>Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>>>
>>>This sig censored by the Office of Home and Land Insecurity...
>>>
>>>             Remove XYZ to email me
>>
>>
>>
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0634-2, 08/24/2006
>> Tested on: 8/27/2006 11:44:26 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:47:47 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>
```

```
From -8299433047122795884
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com> <hfsIg.2016$XD1.1684@trnddc01>
<1156736876.338120@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 64
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <lQLIg.4667$p23.12@trnddc04>
Date: Tue, 29 Aug 2006 00:25:53 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156811153 71.164.36.27 (Mon, 28 Aug 2006 20:25:53 EDT)
```

NNTP-Posting-Date: Mon, 28 Aug 2006 20:25:53 EDT
Xref: g2news2.google.com alt.radio.scanner:2572 rec.radio.amateur.equipment:5930
rec.radio.amateur.policy:41536 rec.radio.scanner:5720 rec.radio.swap:6887

Hey, are you Sprechen Si English?
rb

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156736876.338120@www.vif.com...
> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
>
> Woody wrote:
>
>> To keep you informed of your need to learn CW, so you can save lives too?
>> rb
>>
>>
>>
>> "The Kat" <new1@katxyzkave.net> wrote in message
>> news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com...
>>
>>>On Sun, 27 Aug 2006 01:06:22 -0400, Al Klein <rukbat@pern.invalid> wrote:
>>>
>>>
>>>
>>>WHY in the FUCK are you continuing this thread
>>>in a SCANNER newsgroup??
>>>
>>>
>>>
>>>
>>>Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>>>
>>>This sig censored by the Office of Home and Land Insecurity...
>>>
>>>   Remove XYZ to email me
>>
>>
>>
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0634-2, 08/24/2006
>> Tested on: 8/27/2006 11:44:26 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>

```
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:47:47 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>




From -8626987777517550654
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!
not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com> <hfsIg.2016$XD1.1684@trnddc01>
<1156736876.338120@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 67
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <cRLIg.4668$p23.4253@trnddc04>
Date: Tue, 29 Aug 2006 00:26:48 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156811208 71.164.36.27 (Mon, 28 Aug 2006 20:26:48 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:26:48 EDT
Xref: g2news2.google.com alt.radio.scanner:2573 rec.radio.amateur.equipment:5931
rec.radio.amateur.policy:41537 rec.radio.scanner:5721 rec.radio.swap:6888
```

That's a nasty mouth you got there... do you kiss your momma with that
mouth??

Well... in retrospect... please don't answer that...
rb

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156736876.338120@www.vif.com...
> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
>
> Woody wrote:
>
>> To keep you informed of your need to learn CW, so you can save lives too?
>> rb
>>
>>
>>
>> "The Kat" <new1@katxyzkave.net> wrote in message
>> news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com...
>>
>>>On Sun, 27 Aug 2006 01:06:22 -0400, Al Klein <rukbat@pern.invalid> wrote:
>>>
>>>
>>>
>>>WHY in the FUCK are you continuing this thread
>>>in a SCANNER newsgroup??
>>>
>>>
>>>
>>>
>>>Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>>>
>>>This sig censored by the Office of Home and Land Insecurity...
>>>
>>>   Remove XYZ to email me
>>
>>
>>
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0634-2, 08/24/2006
>> Tested on: 8/27/2006 11:44:26 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>

```
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:47:47 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>
```

```
From 5586933041777669522
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
<1156693791.403716.80690@m79g2000cwm.googlegroups.com>
<1156693915.760867.174750@m73g2000cwd.googlegroups.com>
<ChsIg.2018$XD1.541@trnddc01> <1156736847.99199@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 53
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <5SLIg.4669$p23.716@trnddc04>
Date: Tue, 29 Aug 2006 00:27:45 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156811265 71.164.36.27 (Mon, 28 Aug 2006 20:27:45 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:27:45 EDT
```

```
Xref: g2news2.google.com alt.radio.scanner:2574 rec.radio.amateur.equipment:5932
rec.radio.amateur.policy:41539 rec.radio.scanner:5722 rec.radio.swap:6889

HAHA.... do it again....
rb

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156736847.99199@www.vif.com...
> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
>
> Woody wrote:
>
>> Yeah, you sure told yourself off but good, too.
>> I wouldn't take that kinda trash from an inbred skinhead if I were you!
>> rb
>>
>> "Drake nazi" <manyrumours@lycos.com> wrote in message
>> news:1156693915.760867.174750@m73g2000cwd.googlegroups.com...
>>
>>>Why did you give your ham radio away fool?
>>>
>>>No 6 meters for you, one year!
>>>
>>
>>
>>
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0634-2, 08/24/2006
>> Tested on: 8/27/2006 11:44:14 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:47:18 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>
```

>

From -1246766149802950430
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
<1156693791.403716.80690@m79g2000cwm.googlegroups.com>
<1156693915.760867.174750@m73g2000cwd.googlegroups.com>
<ChsIg.2018$XD1.541@trnddc01> <1156736854.599183@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 52
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <xSLIg.4670$p23.3129@trnddc04>
Date: Tue, 29 Aug 2006 00:28:13 GMT
NNTP-Posting-Host: 71.164.36.27
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156811293 71.164.36.27 (Mon, 28 Aug 2006 20:28:13 EDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 20:28:13 EDT
Xref: g2news2.google.com alt.radio.scanner:2575 rec.radio.amateur.equipment:5933
rec.radio.amateur.policy:41540 rec.radio.scanner:5723 rec.radio.swap:6890

LMAO! Kewl... do it again...
rb

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156736854.599183@www.vif.com...
> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> > RADIO. WHO FUCK CARES!.
> >
> > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
> LITTLE

```
> > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
>
> Woody wrote:
>
>> Yeah, you sure told yourself off but good, too.
>> I wouldn't take that kinda trash from an inbred skinhead if I were you!
>> rb
>>
>> "Drake nazi" <manyrumours@lycos.com> wrote in message
>> news:1156693915.760867.174750@m73g2000cwd.googlegroups.com...
>>
>>>Why did you give your ham radio away fool?
>>>
>>>No 6 meters for you, one year!
>>>
>>
>>
>>
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0634-2, 08/24/2006
>> Tested on: 8/27/2006 11:44:14 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:47:26 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>




From -1344109643950595l5
X-Google-Thread: 108122,bdafeb10bc70b175,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps89.POSTED!53ab2750!not-for-mail
From: "Raymond Collins" <raycollins@cablenet.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB  Heathkit HG-10 VFO  bazel
```

```
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <JWOIg.17870$365.15960@edtnps89>
Date: Tue, 29 Aug 2006 03:57:29 GMT
NNTP-Posting-Host: 209.121.14.121
X-Trace: edtnps89 1156823849 209.121.14.121 (Mon, 28 Aug 2006 21:57:29 MDT)
NNTP-Posting-Date: Mon, 28 Aug 2006 21:57:29 MDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5934
```

I need the green cast part that surrounds the dial, anybody got one?

73's
Ray Collins
near Vancouver Canada

```
From -7383116367391324494
X-Google-Thread: fcc6e,9c29085808c97cc1
X-Google-Thread: 108122,9c29085808c97cc1
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
References: <44f12a95.76519@news.optonline.net>
<sIpIg.4192$q63.1812@newssvr13.news.prodigy.com>
Subject: Re: ANTENNA TUBING ANTI-SIEZE
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <h0PIg.14509$lv.4526@fed1read12>
Date: Mon, 28 Aug 2006 21:03:25 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1156824205 72.199.97.186 (Tue, 29 Aug 2006 00:03:25 EDT)
NNTP-Posting-Date: Tue, 29 Aug 2006 00:03:25 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:17308
rec.radio.amateur.equipment:5935
```

```
> >
> >      I just got a used Butternut HF6V in great shape for a great price.
```

What
> > type of anti-sieze do I need to put between the sections of aluminum
tubing ???
> > Is automotive anti-sieze OK ??? I don't think that it is electrically
> > conductive. Do I need something like electricians use when they connect
the
> > aluminum service entrance cable to the breaker box ??? I think that
stuff is
> > called Penetrox. Is something like that available at Home Depot ???

Piggy-backing off this thread, please: When I was an EMI technician some years ago, we used conductive anti-seize on (most) hardware that was in a conductive path, such as grounding straps. I was surprised to discover that some/most anti-seize is non-conductive; you can daub some kinds on the benchtop and stick ohmmeter probes in it -- nothing happens. I figured with its metal content, surely it would all be conductive, but not so.

I have no idea what implications this has for the OP's Butternut and would welcome comments.

```
From -6122578158796005481
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!pln-e!spln!lex!
extra.newsguy.com!newsp.newsguy.com!enews4
From: "Jack Ricci" <ricci@mnsi.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: Mon, 28 Aug 2006 21:09:39 -0400
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 57
Message-ID: <ed1chk01vks@enews4.newsguy.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com> <8s2Hg.19716$Te.17427@trnddc07>
<6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com> <DOrIg.7348$Xl5.4813@trnddc06>
<3kg6f29ocbti00u6s3b09k94gbe4l5drv3@4ax.com> <1156795970.341579@www.vif.com>
<ecvj27$393$1@news2.open-news-network.org>
NNTP-Posting-Host: p-109.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
```

```
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com alt.radio.scanner:2580 rec.radio.amateur.equipment:5936
rec.radio.amateur.policy:41586 rec.radio.scanner:5734 rec.radio.swap:6901

> OK SHOVE IT UP MINE FIRST!!!!!!
"Roger Wiseman" <Woger@noyb.net> wrote in message
news:ecvj27$393$1@news2.open-news-network.org...
> OK SHOVE IT UP MINE FIRST!!!!!!

...I used to get more free radios that way...

Jack

>>
> "w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
> message news:1156795970.341579@www.vif.com...
>> GO FUCK YOURSELF! AND TAKE YOUR HAM RADIO AND SHOVE IT UP YOUR FUCKEN ASS
>>
>> X-rated Vermonter wrote:
>>> On Mon, 28 Aug 2006 01:38:43 GMT, "Woody" <ts520@hotmail.com> wrote:
>>>
>>>
>>>>Well... I can remember my dad filling 'er up with Fire Chief Hi-Test
>>>>back in the day, at the Sunoco station.
>>>>I'm a summer of love baby so not too old yet, LOL.
>>>>rb
>>>
>>> ++++++++++
>>> Fire Chief was the regular grade sold by Texaco.  Their premium was
>>> Sky Chief.
>>>
>>> In the 1950s, Sunoco sold only one grade of gasoline, which was
>>> supposed to be a "near premium".  Its gimmick was that it was dyed
>>> blue, whereas other gasolines were yellow to red.  In the 1960s, its
>>> super-premium was Sunoco 260 from the "custom blend" pump.
>>>
>>>
>>> ---
>>> avast! Antivirus: Inbound message clean.
>>> Virus Database (VPS): 0635-1, 08/28/2006
>>> Tested on: 8/28/2006 4:12:05 PM
>>> avast! - copyright (c) 1988-2006 ALWIL Software.
>>> http://www.avast.com
>>>
>>>
>>>
>>
>>
>> ---
>> avast! Antivirus: Outbound message clean.
>> Virus Database (VPS): 0635-1, 08/28/2006
>> Tested on: 8/28/2006 4:12:41 PM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>




From 2536191792891196084
X-Google-Thread: 108228,2a5ddb0bf92668f2,start
X-Google-Thread: fb049,2a5ddb0bf92668f2,start
X-Google-Thread: 11117f,2a5ddb0bf92668f2,start
X-Google-Thread: 108122,2a5ddb0bf92668f2,start
X-Google-Thread: fc2a5,2a5ddb0bf92668f2,start
X-Google-Thread: 107ada,2a5ddb0bf92668f2,start
X-Google-Attributes:
gid108228,gidfb049,gid11117f,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news1.optus.net.au!optus!newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-
for-mail
From: "hamguy1" <hamguy1@optusnet.com.au>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,free.uk.amateur-
radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.mis
c
Subject: looking for service manual for 747 urgent
Date: Wed, 30 Aug 2006 17:42:06 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 7
Message-ID: <44f54147$0$18777$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 58.105.86.182
X-Trace: 1156923719  18777 58.105.86.182
Xref: g2news2.google.com alt.ham-radio.marketplace:1223 alt.ham-radio.vhf-uhf:2530
free.uk.amateur-radio:150 rec.radio.amateur.equipment:5937
rec.radio.amateur.homebrew:6663 rec.radio.amateur.misc:20299

hi guys , i have a yaesu757gx 1  it has a few little problems the main vfo
is off on modes usb lsb as well the tx usb freq is off .i was wondering if
anyone could help me out with a free pdf or win rar service manual they have
online or in there favourites i need help to align this 747 where it should
be originally .thanks in advance ham guy1 nsw australia .




From 5697122559852355273
```

X-Google-Thread: 108228,2a5ddb0bf92668f2
X-Google-Thread: fb049,2a5ddb0bf92668f2
X-Google-Thread: 11117f,2a5ddb0bf92668f2
X-Google-Thread: 108122,2a5ddb0bf92668f2
X-Google-Thread: fc2a5,2a5ddb0bf92668f2
X-Google-Thread: 107ada,2a5ddb0bf92668f2
X-Google-Attributes:
gid108228,gidfb049,gid11117f,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 30 Aug 2006 04:55:03 -0500
Date: Wed, 30 Aug 2006 10:55:03 +0100
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6) Gecko/
20060729 SeaMonkey/1.0.4
MIME-Version: 1.0
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,free.uk.amateur-
radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.mis
c
Subject: Re: looking for service manual for 747 urgent
References: <44f54147$0$18777$afc38c87@news.optusnet.com.au>
In-Reply-To: <44f54147$0$18777$afc38c87@news.optusnet.com.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <cqidnfrK5oPq_WjZRVnyqA@pipex.net>
Lines: 12
NNTP-Posting-Host: 81.178.254.145
X-Trace: sv3-15am1H4ZTZPy1BKramtDPvx/XvffQFDYZ1N+Z5Jq4K6wYNQLNyN4ZDWbX/
+7il8dxzLjZPZpbWGEdEh!
YeioqwKzi1gmA0OYC46tiVTF5b8zRh3njRh8V5CycjUcbzRiumiyP8PyE5Qcs0ogjOGkiuuXE8Sl!
lZL+fXhNDCn3gA==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.marketplace:1224 alt.ham-radio.vhf-uhf:2531
free.uk.amateur-radio:151 rec.radio.amateur.equipment:5938
rec.radio.amateur.homebrew:6664 rec.radio.amateur.misc:20302

hamguy1 wrote:
> hi guys , i have a yaesu757gx 1 it has a few little problems the main vfo
> is off on modes usb lsb as well the tx usb freq is off .i was wondering if
> anyone could help me out with a free pdf or win rar service manual they have
> online or in there favourites i need help to align this 747 where it should
> be originally .thanks in advance ham guy1 nsw australia .
>
>

========================
You'll find the manual at www.mods.dk   Manuals ----> Yaesu ---->

Frank   GM0CSZ / KN6WH

```
From -3313138869432560425
X-Google-Thread: 108228,2a5ddb0bf92668f2
X-Google-Thread: fb049,2a5ddb0bf92668f2
X-Google-Thread: 11117f,2a5ddb0bf92668f2
X-Google-Thread: 108122,2a5ddb0bf92668f2
X-Google-Thread: fc2a5,2a5ddb0bf92668f2
X-Google-Thread: 107ada,2a5ddb0bf92668f2
X-Google-Attributes:
gid108228,gidfb049,gid11117f,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!
news.highwinds-media.com!newspeer1-win.ntli.net!newsfe4-gui.ntli.net.POSTED!
53ab2750!not-for-mail
From: "Alan Holmes" <alan.holmes@virgin.net>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,free.uk.amateur-
radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.mis
c
References: <44f54147$0$18777$afc38c87@news.optusnet.com.au>
<cqidnfrK5oPq_WjZRVnyqA@pipex.net>
Subject: Re: looking for service manual for 747 urgent
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <xEiJg.204$SH2.38@newsfe4-gui.ntli.net>
Date: Wed, 30 Aug 2006 16:02:37 GMT
NNTP-Posting-Host: 86.31.251.38
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe4-gui.ntli.net 1156953757 86.31.251.38 (Wed, 30 Aug 2006 17:02:37
BST)
NNTP-Posting-Date: Wed, 30 Aug 2006 17:02:37 BST
Organization: ntl Virgin ADSL News Service
Xref: g2news2.google.com alt.ham-radio.marketplace:1229 alt.ham-radio.vhf-uhf:2539
free.uk.amateur-radio:152 rec.radio.amateur.equipment:5939
rec.radio.amateur.homebrew:6665 rec.radio.amateur.misc:20353
```

"Highland Ham" <abcgm0csz.kn6whxyz@dsl.pipex.com> wrote in message
news:cqidnfrK5oPq_WjZRVnyqA@pipex.net...

```
> hamguy1 wrote:
>> hi guys , i have a yaesu757gx 1  it has a few little problems the main
>> vfo is off on modes usb lsb as well the tx usb freq is off .i was
>> wondering if anyone could help me out with a free pdf or win rar service
>> manual they have online or in there favourites i need help to align this
>> 747 where it should be originally .thanks in advance ham guy1 nsw
```

>> australia .
> =======================
> You'll find the manual at www.mods.dk   Manuals ----> Yaesu ----->

What is the point, he obviously didn't bother to read your first post on the subject!

>
> Frank   GM0CSZ / KN6WH

From -1478824117562804600
X-Google-Thread: 108228,2a5ddb0bf92668f2
X-Google-Thread: fb049,2a5ddb0bf92668f2
X-Google-Thread: 11117f,2a5ddb0bf92668f2
X-Google-Thread: 108122,2a5ddb0bf92668f2
X-Google-Thread: fc2a5,2a5ddb0bf92668f2
X-Google-Thread: 107ada,2a5ddb0bf92668f2
X-Google-Attributes: gid108228,gidfb049,gid11117f,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 30 Aug 2006 17:46:42 -0500
Date: Wed, 30 Aug 2006 23:48:32 +0100
From: Samuel Morse <ditdit@f2s.com>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,free.uk.amateur-radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: looking for service manual for 747 urgent
References: <44f54147$0$18777$afc38c87@news.optusnet.com.au> <cqidnfrK5oPq_WjZRVnyqA@pipex.net> <xEiJg.204$SH2.38@newsfe4-gui.ntli.net>
In-Reply-To: <xEiJg.204$SH2.38@newsfe4-gui.ntli.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <obudnYcTm7XPiGvZRVnyig@giganews.com>
Lines: 6
X-Trace: sv3-Z63/gNeB6rrD8AQtBfuRgMHkbJ/cNf7gh2ZCTOXYJBUXS80rsHaV0NuJBAVJJ2D+89GqFEFwQoaYU3f!W8qxRuw0ABvUz2iqeMu+ec34Qp0espwvNc9wKFeREL/9ALgwOPz6JZUjzzw=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.marketplace:1235 alt.ham-radio.vhf-uhf:2542 free.uk.amateur-radio:153 rec.radio.amateur.equipment:5940

```
rec.radio.amateur.homebrew:6668 rec.radio.amateur.misc:20354

Alan Holmes wrote:

> What is the point, he obviously didn't bother to read your first post on the
> subject!

What a helpful chap you are!


From 6332059836748564640
X-Google-Thread: 108122,2a5ddb0bf92668f2
X-Google-Thread: fc2a5,2a5ddb0bf92668f2
X-Google-Thread: 107ada,2a5ddb0bf92668f2
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "Andrew VK3BFA" <ablight@alphalink.com.au>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: looking for service manual for 747 urgent
Date: 31 Aug 2006 01:36:19 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1157013378.229849.252960@h48g2000cwc.googlegroups.com>
References: <44f54147$0$18777$afc38c87@news.optusnet.com.au>
   <cqidnfrK5oPq_WjZRVnyqA@pipex.net>
   <xEiJg.204$SH2.38@newsfe4-gui.ntli.net>
   <obudnYcTm7XPiGvZRVnyig@giganews.com>
NNTP-Posting-Host: 218.214.132.16
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157013384 32499 127.0.0.1 (31 Aug 2006 08:36:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 31 Aug 2006 08:36:24 +0000 (UTC)
In-Reply-To: <obudnYcTm7XPiGvZRVnyig@giganews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=218.214.132.16;
   posting-account=EWANPAwAAAAIMf8u_DoGHaMCx0gCEW5D
Xref: g2news2.google.com rec.radio.amateur.equipment:5941
rec.radio.amateur.homebrew:6672 rec.radio.amateur.misc:20376

Samuel Morse wrote:
> Alan Holmes wrote:
>
> > What is the point, he obviously didn't bother to read your first post on the
> > subject!
>
> What a helpful chap you are!
```

Yes, but he has a point - the original person posted this same request
on a VK board on the 24th, was pointed towards mods.dk, but still
keeps on asking the same question!

I think he wants someone to do it for him........and burn a CD, and
mail it to him.....

Andrew VK3BFA.

From -8866620270065852750
X-Google-Thread: 108122,6d437d5b95405a9d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Excellent Yaesu FT-8900R
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <fdKJg.4113$B14.571@dukeread03>
Date: Thu, 31 Aug 2006 18:25:04 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157066699 68.109.223.91 (Thu, 31 Aug 2006 19:24:59 EDT)
NNTP-Posting-Date: Thu, 31 Aug 2006 19:24:59 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5942

FS Excellent Yaesu FT-8900R Quad Band Moblie Tranceiver. It is in near new
condition and comes with the original box, power cord, mic, and manual.
Price is $375 shipped in lower 48. Thanks, Charlie Hugg, K5MBX

From 8133589393718032901
X-Google-Thread: 108122,a17baaffd6c294e9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS TenTec Scott/All Modues and more

Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <cxKJg.4119$B14.3924@dukeread03>
Date: Thu, 31 Aug 2006 18:46:22 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157067976 68.109.223.91 (Thu, 31 Aug 2006 19:46:16 EDT)
NNTP-Posting-Date: Thu, 31 Aug 2006 19:46:16 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5943

FS TenTec Scout Model 555(SN 11A10098)as new in the box. This Scout and
accessories has been used about 8 times. It comes with the fellowing
accessories:
1. TenTec Hand mic;
2. Noise Blanker Model 297 installed;
3. Original Manual;
4. Power Cable;
5. Original Shipping boxes;
6. 7 Band Modules Including:
   10 meters
   15 meters
   17 meters
   20 meters
   30 meters
   40 meters
   80 meters

There is not a scratch on the gear and it works perfectly. Price is $425
plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX

From 9164483232802855007
X-Google-Thread: 108122,c3db97cb134906cf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Correction FS TenTec Scout/All Modules and more
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <UAKJg.4121$B14.1229@dukeread03>

Date: Thu, 31 Aug 2006 18:50:17 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157068212 68.109.223.91 (Thu, 31 Aug 2006 19:50:12 EDT)
NNTP-Posting-Date: Thu, 31 Aug 2006 19:50:12 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5944

FS TenTec Scout Model 555(SN 08A10323)as new. This Scout and
accessories has been used very few times. It comes with the fellowing
accessories:
1. TenTec Hand mic;
2. Noise Blanker Model 297 installed;
3. Original Manual;
4. Power Cable;
5. All 9 Band Modules Including:
   10 meters
   12 meters
   15 meters
   17 meters
   20 meters
   30 meters
   40 meters
   80 meters
   160 meters
There is not a scratch on the gear and it works perfectly. Price is $465
plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From -6929566978995884305
X-Google-Thread: 108122,b1ea7ac2dec8dad4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe03.lga.POSTED!53ab2750!not-for-mail
Message-Id: <skmks3-kn9.ln1@kd1yv8.oneyv.dyndns.org>
From: kd1yv8 <kd1yv8@nospam.com>
Subject: Western Conn. Hamfest Sun. Sept. 17
Newsgroups: rec.radio.amateur.equipment
Reply-To: kd1yv8@nospam.com
Lines: 37
Organization: kd1yv8

User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-Trace:
pgpdkimbbbabbbpeijjdnojopddcmjimmpokbhfcddbknjdpdkmamiedhgkoaggmeodfgcihnibofacjle
gajhaphfolnhnklgbincdhadeaoffebldcjbkpgicihcoppkpgbggmkcdoddmf
NNTP-Posting-Date: Thu, 31 Aug 2006 21:30:17 MST
Date: Thu, 31 Aug 2006 23:39:40 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5945

WESTERN CONNECTICUT HAMFEST
Sponsored by: Candlewood Amateur Radio Association - CARA

Sunday, September 17, 2006
Edmond Town Hall, Route 25, Newtown, CT Exit 10 off of I-84

Admission $5.00, Kids Under 12 FREE.
Table Set-up at 7:00 AM.
Open to the public 8:30 AM to 12:30 PM
Tables $12.50 Tailgating $8.00. (Both INCLUDE 1 admission).

ARRL Sanctioned. Talk-in on 147.300 (+) PL 100.0.
Commercial vendors. Seminars. Handicapped Access.
Ham Radio Equipment. Batteries for Emergency Comms.
Computers. Door Prizes.
Refreshments. Ample Parking. Rain or shine.

Only 12 minutes from Brewster, NY, 15 minutes from Waterbury, CT.

For information
call: (203) 938 4880 or (203) 775 1946

-------------- Table Reservation ----------------
Mail to: Candlewood Amateur Radio Association
c/o Joe deGroot, AB1DO,
30 Sunnyview Drive,
Redding, CT 06896

Name:____
Address:____
City/State:______________________________________

Please reserve __________ tables at $10.00 each.
Yes / No : I need electricity

Make checks payable to CARA

From -1369154577664842515
X-Google-Thread: 108122,10e17b1a4e57168f,start
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu FT-8800R
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <xVYJg.4189$B14.218@dukeread03>
Date: Fri, 1 Sep 2006 11:08:04 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157126877 68.109.223.91 (Fri, 01 Sep 2006 12:07:57 EDT)
NNTP-Posting-Date: Fri, 01 Sep 2006 12:07:57 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5946

FS Excellent Yaesu FT-8800R Dual  Band Moblie Tranceiver. It is in near new
condition and comes with the original box, power cord, mic, and manual.
Price is $325 shipped in lower 48. Thanks, Charlie Hugg, K5MBX





From -4426266015917031180
X-Google-Thread: 108122,c7e13ba69324f9e4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS NOS Amperex 3-400Zs Tubes
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <GsZJg.4193$B14.3006@dukeread03>
Date: Fri, 1 Sep 2006 11:45:33 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157129126 68.109.223.91 (Fri, 01 Sep 2006 12:45:26 EDT)
NNTP-Posting-Date: Fri, 01 Sep 2006 12:45:26 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5947
```

FS A PAIR OF NOS AMPEREX 3-400Z(8163)AMPLIFIER TUBES, these are new, unused tubes in original packing and boxes. A number of older amps can't use 3-500Zs because they are too tall, these tubes are getting hard to find, $230 plus shipping. Thanks, Charlie Hugg, K5MBX

From 6666501706107669900
X-Google-Thread: 108122,c02ff0653bcaa24f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Heathkit SB-200 Amplifier
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <FS%Jg.4205$B14.2587@dukeread03>
Date: Fri, 1 Sep 2006 14:29:48 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157138981 68.109.223.91 (Fri, 01 Sep 2006 15:29:41 EDT)
NNTP-Posting-Date: Fri, 01 Sep 2006 15:29:41 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5948

HERE IS A HEATHKIT SB-200. IT IS IN NICE WORKING ORDER. IT COVERS 80,40,20,15 AND 10 METERS. IT HAS TWO CETRON 572B TUBES WITH GOOD OUT, AROUND 600 WATTS OR BETTER. IT WIRED FOR 120V. NICE CABINET AND FACE PLATE. METER HAS SOME SMALL SPEAKS ON IT, BUT NOT BAD AT ALL. PRICE IS $375 SHIPPED IN LOWER 48. I CAN SEND DIGITAL PICTURES. THANKS, CHARLIE HUGG K5MBX

From -3924004496692009638
X-Google-Thread: 108122,dc07b883f4368e97,start
X-Google-Attributes: gid108122,public
X-Google-Language: FRENCH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!proxad.net!193.252.118.146.MISMATCH!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
X-Newsreader: NNTP SCRIBBLER
Content-Type: text/html;
From: patricia@duweb.niz
ReplyTo: patricia@duweb.niz
Subject: les femmes mures chaudes du net
Newsgroups: rec.radio.amateur.equipment

```
Date: 01 Sep 2006 19:58:22 GMT
Lines: 20
Message-ID: <44f890dd$0$27375$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 01 Sep 2006 21:58:22 CEST
NNTP-Posting-Host: 193.248.69.130
X-Trace: 1157140702 news.orange.fr 27375 193.248.69.130:3096
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:5949


<html>
<HEAD>
<TITLE>Votre site</TITLE>
<META NAME="Keywords" CONTENT="vos, mots, clefs">
<META NAME="Description" CONTENT="Description de votre site">
</HEAD>
<FRAMESET COLS="0,*" FRAMESPACING=0 BORDER=0 FRAMEBORDER="No">
<FRAME NAME="entete" SRC="" MARGINWIDTH=0 MARGINHEIGHT=0
FRAMEBORDER="No">
<FRAME NAME="nom" SRC="http://ww2.viasexe.com/page.php?id=3868"
MARGINWIDTH=0 MARGINHEIGHT=0 FRAMEBORDER="No">
<NOFRAMES>
<body>
Votre navigateur ne gere pas le frames !
</body>
</NOFRAMES>
</FRAMESET>
</HTML>
<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse:
collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></
tr><tr><td width="100%" bgcolor="#000000"><center><a href="http://www.e-
advertize.com/index.php?choix=NNTPScribbler&Langue=en"><font
color="#00FF00"><b>This message was sent with NNTP Scribbler (www.e-
advertize.com).</b></font></a></center></td></tr><tr><td height="4"
bgcolor="#000000"></td></tr></table></center>


From 4774835855242765953
X-Google-Thread: 108122,dbdc34a53ef67e8e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
proxad.net!193.252.118.146.MISMATCH!news.wanadoo.fr!news.wanadoo.fr!not-for-mail
X-Newsreader:      NNTP SCRIBBLER
Content-Type: text/html;
From: patricia@duweb.niz
ReplyTo: patricia@duweb.niz
Subject: les femmes mures les plus chaudes du cul sont ici
Newsgroups: rec.radio.amateur.equipment
Date: 01 Sep 2006 20:22:12 GMT
Lines: 7
Message-ID: <44f89673$0$25937$ba4acef3@news.orange.fr>
```

```
Organization: les newsgroups par Orange
NNTP-Posting-Date: 01 Sep 2006 22:22:12 CEST
NNTP-Posting-Host: 193.248.69.130
X-Trace: 1157142132 news.orange.fr 25937 193.248.69.130:3200
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:5950
```

```
<html>
<HEAD><center>
<a href='http://www.muredefeu.com/fr/index.html?id=14907' target='_blank_'><img
src='http://media.muredefeu.com/fr/mb600400/600x400_01.gif' border=0></a>
<br><br><br>
<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse:
collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></
tr><tr><td width="100%" bgcolor="#000000"><center><a href="http://www.e-
advertize.com/index.php?choix=NNTPScribbler&Langue=en"><font
color="#00FF00"><b>This message was sent with NNTP Scribbler (www.e-
advertize.com).</b></font></a></center></td></tr><tr><td height="4"
bgcolor="#000000"></td></tr></table></center>
```

```
From 7155301480004126689
X-Google-Thread: 108122,9e2c4127b7612847,start
X-Google-Thread: fcc6e,9e2c4127b7612847,start
X-Google-Attributes: gid108122,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe11.lga.POSTED!53ab2750!not-for-mail
From: solidgoldZZZ@optonline.net (Ron in NY)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: WHAT'S IT MADE FROM ???
Message-ID: <44f8c478.6882613@news.optonline.net>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 6
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimebbeikfhbglefkknndoapmmknojncoclkbflhglhjgmpnhgclk
gkpgghcaelgafpmlgninajkkbffdpndphmohckicanionfenfnojecgjgcfcij
NNTP-Posting-Date: Fri, 01 Sep 2006 16:38:34 MST
Organization: Optimum Online
Date: Fri, 01 Sep 2006 23:38:34 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5951
rec.radio.amateur.antenna:17585
```

I got a tube of GB Ox-Gard OX-100 to coat the sections of my Butternut HF9V vertical as I assemble it. I looked on both the tube, the packaging, and the GB website, but none of them indicate whether the product is silicone grease based or petroleum grease based. Does anyone out there know ???

==

Remove the ZZZ from my E-mail address to send me E-mail.

From -7603381221346425164
X-Google-Thread: 108122,9e2c4127b7612847
X-Google-Thread: fcc6e,9e2c4127b7612847
X-Google-Attributes: gid108122,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-05!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Roy Lewallen <w7el@eznec.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Re: WHAT'S IT MADE FROM ???
Date: Fri, 01 Sep 2006 22:42:03 -0700
Organization: EZNEC Antenna Software
Message-ID: <12fi6dg9chktqbb@corp.supernews.com>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
References: <44f8c478.6882613@news.optonline.net>
In-Reply-To: <44f8c478.6882613@news.optonline.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.equipment:5952 rec.radio.amateur.antenna:17610

Soak a bit up with a piece of paper or cardboard and light it with a match, and you'll have the answer in seconds. Petroleum based grease will burn like crazy but silicone based grease won't.

But why do you need to know?

Roy Lewallen, W7EL

Ron in NY wrote:
> I got a tube of GB Ox-Gard OX-100 to coat the sections of my Butternut HF9V
> vertical as I assemble it. I looked on both the tube, the packaging, and the GB
> website, but none of them indicate whether the product is silicone grease based
> or petroleum grease based. Does anyone out there know ???
> ===
> Remove the ZZZ from my E-mail address to send me E-mail.

From 6024208088524402093
X-Google-Thread: 108122,73e25113ec25ed55,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom 7000 HF Transceiver

Message-ID: <oq3jf2tbgpdctjps3mq74eihntbjjujg4l@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimjfkkponmobeboejellfjdfbijhjogphkajfcobocpeihfnehcg
koboddeefmpkpomofpmendkdkbjfbmfffganmpngiedehbglbbcfickjagekga
NNTP-Posting-Date: Sat, 02 Sep 2006 07:04:56 MST
Organization: Optimum Online
Date: Sat, 02 Sep 2006 10:04:18 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5953

FS: Icom 7000 HF Transceiver
Used only a few times, LIKE BRAND NEW!!!
Wasn't mobile. Have all the packing and original box.
Warranty card iin it as well. You couldn't tell the difference
from a new one to this one.
Still has the plastic on display.
Price: 1100.00
ritchi50@optonline.net

From 773232926858128287
X-Google-Thread: 108122,ca30f339e3b0ff6f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!74g2000cwt.googlegroups.com!not-for-mail
From: "larya" <larya@rogers.com>
Newsgroups: rec.radio.amateur.equipment
Subject: hw-100
Date: 2 Sep 2006 07:22:24 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1157206944.084015.186220@74g2000cwt.googlegroups.com>
NNTP-Posting-Host: 72.137.112.251
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157206949 11724 127.0.0.1 (2 Sep 2006 14:22:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 2 Sep 2006 14:22:29 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 74g2000cwt.googlegroups.com; posting-host=72.137.112.251;
   posting-account=C6IxWQ0AAADLr3wjwqbnb1-4inm1A98K
Xref: g2news2.google.com rec.radio.amateur.equipment:5954

Does someone know where I can get a look at the schematic of the
hw-100.. I am, in particular, wanting to see the front end.... are the
rf amplifier tuned circuits single of double tuned?...
Larry ve3fxq

```
From 4916869786726605621
X-Google-Thread: 108122,8cef05f455b2f60b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FT: Kenwood TS-950SDX HF Transceiver
Message-ID: <6j5jf2ph511brvnac4abhkd3rim2n1ad0d@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligijjdnojopddcmjimemmnodfmfkhidbhkllfjdfbijhjogphkajfcobocpeihfnehcg
koboddeefmpkpomofpmendkdkbjfbmnancagfljgagdkibollnekbclkhfkbie
NNTP-Posting-Date: Sat, 02 Sep 2006 07:34:58 MST
Organization: Optimum Online
Date: Sat, 02 Sep 2006 10:34:20 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5955
```

FT: Kenwood TS-950SDX HF Transceiver
I have all the packing, Original box/Manual/Service Manual/Etc
Works and looks VERY NICE!!
I'm open to trades or offer.   Its a nice one!!
I'm interested in all types of Ham gear.
Please don't ask what I'm looking for.
Just tell me what you're will to trade for it.
Ready to sell or trade today.
ritchi50@optonline.net

```
From 2953374870459089352
X-Google-Thread: 108122,98aaa032b974023a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe08.lga.POSTED!53ab2750!not-for-mail
```

From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Icom 7000   Sold......Thanks for all replies
Message-ID: <rh7jf2p32mbi5vstqljobni8r7jg9gkthu@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
adnpoonaeilogjoiijjdnojopddcmjimcpclbgpcgkbnoaekllfjdfbijhjogphkajfcobocpeihfnehcg
koboddeefmpkpomofpmendkdkbjfbmlifcfdhhngkadijbgolpanaadbokpicd
NNTP-Posting-Date: Sat, 02 Sep 2006 08:08:22 MST
Organization: Optimum Online
Date: Sat, 02 Sep 2006 11:07:45 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5956

Icom 7000   Sold......Thanks for all replies

From -4565680586569456035
X-Google-Thread: 108122,33c5e11ac7bb9c58,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.sti.net!news.sti.net.POSTED!
not-for-mail
NNTP-Posting-Date: Sat, 02 Sep 2006 15:21:22 -0500
From: nobody@nowhere.com
Newsgroups: rec.radio.amateur.equipment
Subject: I'm looking for the manual of the TR-2200A
Date: Sat, 02 Sep 2006 13:21:24 -0700
Message-ID: <8rpjf2d0o9a9q63cgl2s1ojhf13quk32hu@4ax.com>
X-Newsreader: Forte Agent 2.0/32.646
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Host: 64.118.100.61
X-Trace: sv3-PLan3XlnPAqY348ykWGXZtozI5+9pbd9Pc1hVg/
MjfvjstQEZRd09VecQuMGzMoq6nz1YPnuOXsfZbm!hv/cNSFVTGkMvVTkWeHFP9SnBDhFdW/
WPTzBewUQFdZz4VwksQiMMlWlPTrlnbfJ5TfkLUKD+vym!ZOZFvAr8e1M8mg==
X-Complaints-To: abuse@sti.net
X-DMCA-Complaints-To: abuse@sti.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5957

I recently got a tr-2200a that wasn't suspossed to be working. The

batteries are totally bad. I just wired it into a 12V car battery and
it works great. I'd like to know where to buy crystals and how to
change them.

thanks

From -2380084407797293729
X-Google-Thread: 108122,ca30f339e3b0ff6f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!ead9a4f6!
not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <1157206944.084015.186220@74g2000cwt.googlegroups.com>
Subject: Re: hw-100
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <yQmKg.2084$v%4.98@newsread1.news.pas.earthlink.net>
Date: Sat, 02 Sep 2006 21:37:34 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1157233054 24.225.35.108 (Sat, 02 Sep
2006 14:37:34 PDT)
NNTP-Posting-Date: Sat, 02 Sep 2006 14:37:34 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5958

Go here and look for the Heathkit you want.

http://bama.edebris.com/manuals/heath/

Seems to be about a 14 meg download for the hw100. The SB series is almost
the same rig except for the VFO .
YOu might look at the sb-102 as I think it has a few improvments such as a
hotter tube for the first RF amp in the receiver.

"larya" <larya@rogers.com> wrote in message
news:1157206944.084015.186220@74g2000cwt.googlegroups.com...
> Does someone know where I can get a look at the schematic of the
> hw-100.. I am, in particular, wanting to see the front end.... are the
> rf amplifier tuned circuits single of double tuned?...
> Larry ve3fxq
>

From 7092638910063968879
X-Google-Thread: 108122,33c5e11ac7bb9c58
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: I'm looking for the manual of the TR-2200A
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <8rpjf2d0o9a9q63cgl2s1ojhf13quk32hu@4ax.com>
Organization: Your Company
Message-ID: <Xns98329D98119A1spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 02 Sep 2006 22:28:46 GMT
Lines: 26
NNTP-Posting-Host: a4105cc8.news.adtechcomputers.com
X-Trace: DXC=>\e6QTn?Fi]l16o?<1FD6TgC4_A5:nI@Q<<=aEgO;R8WM03@Qi_mW\RLo5CGR;UZ]SR?X7U2a5ffWemfRC[RMj?_JGUlSY>5n2P^SU82Y12T1P`FWJHnLEAj^
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5959

nobody@nowhere.com wrote in news:8rpjf2d0o9a9q63cgl2s1ojhf13quk32hu@4ax.com:

> I recently got a tr-2200a that wasn't suspossed to be working. The
> batteries are totally bad. I just wired it into a 12V car battery and
> it works great. I'd like to know where to buy crystals and how to
> change them.
>
> thanks
>

Manual is available at http://www.mods.dk

more specifically, at http://www.mods.dk/index.php?ListManuals=kenwood

As far as getting crystals, any of the old reliable crystal manufacturers have the data to provide crystals for the frequencies you specify. I used ICM (International Crystal Mfg) since the 60s, but gravitated towards Sentry Crystal Mfg. Co in years later.... I think I preferred the accents of their Southern Bells <G>. In either case, they provide quality crystals, and there are many other sources too.

Ed   K7AAT

```
From -2308170753843887368
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!
24.30.200.11!news-east.rr.com!news.rr.com!news-wrt-01.rdc-nyc.rr.com!news-
wrt-01.ohiordc.rr.com!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!
53ab2750!not-for-mail
From: JDB <liberalsrcrap@nospamgmail.com>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
In-Reply-To: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
Date: Sun, 03 Sep 2006 01:40:46 GMT
NNTP-Posting-Host: 24.123.7.230
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1157247646 24.123.7.230 (Sat, 02 Sep 2006 21:40:46
EDT)
NNTP-Posting-Date: Sat, 02 Sep 2006 21:40:46 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com alt.radio.scanner:2695 rec.radio.amateur.equipment:5960
rec.radio.amateur.policy:42339 rec.radio.scanner:5910 rec.radio.swap:7119
```

So who are you remaining five guys going to talk to?

BTW, I didn't know we lost ham radio and need to take it back.

Blow Code, think before you type will you? You spend entirely too much
time on the computers. Get on the radio and talk to all the old timers
on CW will you? They are lonely and need you there.

Slow Code wrote:
> 1: No more automatic renewals. Individuals must retest and
>   pass all elements required for their license class.
>
>
> 2: The passing score for written exams needs to be raised to 85%.
>
>

> 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>
> 4: Make the no-code license one year non-renewable.

```
From -3298671078691872587
X-Google-Thread: 108122,1d494b33973adccf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news2.google.com!news.maxwell.syr.edu!
news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!
not-for-mail
From: "Steve" <ranger011@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RIP-OFF ALERT...K7VO/K9NI
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <XOqKg.33647$8j3.25389@twister.nyroc.rr.com>
Date: Sun, 03 Sep 2006 02:08:55 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1157249335 24.58.195.67 (Sat, 02 Sep 2006 22:08:55
EDT)
NNTP-Posting-Date: Sat, 02 Sep 2006 22:08:55 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:5961
```

http://chat.qth.com/viewtopic.php?t=2580&sid=776c9eb40b1a40d1904cb542f93b852b

```
From -2933524403290572295
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 2 Sep 2006 19:58:52 -0700
```

Organization: http://groups.google.com
Lines: 18
Message-ID: <1157252332.348155.227880@e3g2000cwe.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157252336 22435 127.0.0.1 (3 Sep 2006 02:58:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Sep 2006 02:58:56 +0000 (UTC)
In-Reply-To: <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=69.19.14.27;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com alt.radio.scanner:2699 rec.radio.amateur.equipment:5962 rec.radio.amateur.policy:42351 rec.radio.scanner:5917 rec.radio.swap:7129

JDB wrote:
> So who are you remaining five guys going to talk to?
not qutie that bad but Slow code does like llots of BW
>
> BTW, I didn't know we lost ham radio and need to take it back.

his idealogy lostcotrol of Ham Radio completely about 20 years ago with
the introduction of the No Code license

he is going to whine for another 50 year or till he drops dead
>
> Blow Code, think before you type will you? You spend entirely too much
> time on the computers. Get on the radio and talk to all the old timers
> on CW will you? They are lonely and need you there.
thinking? I realy don't thik he can do that he seems to be one of those
fellows for whom Narrow Band OOKed RF causes brain problems

From 2495000677767668726
X-Google-Thread: 108122,1d494b33973adccf
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RIP-OFF ALERT...K7VO/K9NI
Message-ID: <ssilf290hkih5hjiot2ft5g2hfuf75bghj@4ax.com>
References: <XOqKg.33647$8j3.25389@twister.nyroc.rr.com>

X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Sun, 03 Sep 2006 12:31:58 GMT
NNTP-Posting-Host: 24.148.146.86
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1157286718 24.148.146.86 (Sun, 03 Sep 2006 05:31:58 PDT)
NNTP-Posting-Date: Sun, 03 Sep 2006 05:31:58 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5963

Thanks,
It helps to know...
On Sun, 03 Sep 2006 02:08:55 GMT, "Steve" <ranger011@yahoo.com> wrote:

>http://chat.qth.com/viewtopic.php?t=2580&sid=776c9eb40b1a40d1904cb542f93b852b
>
John Ferrell W8CCW

From -4116986510651602586
X-Google-Thread: 108122,910e42f478f4ec52,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!e347066c!not-for-mail
From: "Dan Kalczuk" <dankal@email.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TS-870 USERS GROUP
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.00.2615.200
X-MimeOLE: Produced By Microsoft MimeOLE V5.00.2615.200
Message-ID: <xMAKg.3031$CL6.189@trnddc06>
Date: Sun, 03 Sep 2006 13:29:01 GMT
NNTP-Posting-Host: 72.81.121.129
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1157290141 72.81.121.129 (Sun, 03 Sep 2006 09:29:01 EDT)
NNTP-Posting-Date: Sun, 03 Sep 2006 09:29:01 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5964

Does anyone know of a users group for the Kenwood TS-870 ?
Thanks,   Dan KB3IBT

From 2142419660050271690

```
X-Google-Thread: 108228,a7b19232fe970ee2,start
X-Google-Thread: 108122,a7b19232fe970ee2,start
X-Google-Thread: 1109af,a7b19232fe970ee2,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!peer01.west.cox.net!
cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: HT1250 ls Version-UHF-16-Ch-4-Watt-Rapid Charger-Very Nice
Condition(2hrs to ending)
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000E_01C6CF2C.BA4C48B0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <JUBKg.2466$AP2.1754@fed1read10>
Date: Sun, 3 Sep 2006 07:44:03 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1157294761 68.104.78.240 (Sun, 03 Sep 2006 10:46:01 EDT)
NNTP-Posting-Date: Sun, 03 Sep 2006 10:46:01 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1241
rec.radio.amateur.equipment:5965 rec.radio.swap:7141

This is a multi-part message in MIME format.

------=_NextPart_000_000E_01C6CF2C.BA4C48B0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: HT1250 ls Version-UHF-16-Ch-4-Watt-Rapid Charger-Very Nice Condition

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250022216217&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000E_01C6CF2C.BA4C48B0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2><FONT size=3D2>
<P>FA: HT1250 ls Version-UHF-16-Ch-4-Watt-Rapid Charger-Very Nice=20
Condition</P></FONT>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250022216217&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250022216217&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></FONT></DIV><=
/BODY></HTML>

------=_NextPart_000_000E_01C6CF2C.BA4C48B0--




From -8366968733125166430
X-Google-Thread: 108122,33c5e11ac7bb9c58
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.sti.net!news.sti.net.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 03 Sep 2006 11:22:57 -0500
From: nobody@nowhere.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: I'm looking for the manual of the TR-2200A
Date: Sun, 03 Sep 2006 09:23:00 -0700
Message-ID: <870mf2dk3hd0ca20b4mtkivfdot9k3o9eq@4ax.com>
References: <8rpjf2d0o9a9q63cgl2s1ojhf13quk32hu@4ax.com>
<Xns98329D98119A1spectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 2.0/32.646
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
NNTP-Posting-Host: 64.118.100.61
X-Trace: sv3-m9Ns0+vT62KT/SBDOpqjbbejcWzM0dZHDK42nT9puq6x7iJb/
nDzGaGtKDweFXCRKjAW3BZ6baJdHaC!/
DLmvYSpn3IeFx5My2o+2u61zkeHBcIjGKPMwWz9D53ejaXKD196hmAidKBjQoE08uVcMoDNRXIG!
9eDGR6frHDSlUQ==
X-Complaints-To: abuse@sti.net
X-DMCA-Complaints-To: abuse@sti.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5966

On 02 Sep 2006 22:28:46 GMT, Ed <Huckleberry_REMOVE_@bigvalley.net>
wrote:

>Sentry Crystal Mfg. Co
```

thanks for the info. I'd already downloaded the mentioned file. It was not what I wanted. That file is a 2200G and mine is the 2200A. There are enough differences to make a difference. I don't have a tone knob on the radio but in the mods it says you can put a resistor pair in and achieve it.

thanks

```
From 2923794956198203943
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "LenAnderson@ieee.org" <LenAnderson@ieee.org>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 3 Sep 2006 10:39:58 -0700
Organization: http://groups.google.com
Lines: 98
Message-ID: <1157305198.656554.35920@m73g2000cwd.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
   <1157252332.348155.227880@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 207.200.116.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157305204 28674 127.0.0.1 (3 Sep 2006 17:40:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Sep 2006 17:40:04 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[ntc-ta122 8.4.1], HTTP/1.1 cache-ntc-ab06.proxy.aol.com[CFC87446] (Traffic-
Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=207.200.116.70;
   posting-account=B-meew0AAAC92cncI-9uzS6wDORD-xwy
Xref: g2news2.google.com alt.radio.scanner:2708 rec.radio.amateur.equipment:5967
rec.radio.amateur.policy:42406 rec.radio.scanner:5933 rec.radio.swap:7148
```

From: an old friend on Sat, Sep 2 2006 7:58 pm

>JDB wrote:
>> So who are you remaining five guys going to talk to?

>not qutie that bad but Slow code does like llots of BW

Correction, Mark, Blow Code likes lots of BS.   :-)

He also wants lots of attention and might want to be the successor to that military impostor Robeson.

>> BTW, I didn't know we lost ham radio and need to take it back.
>
>his idealogy lostcotrol of Ham Radio completely about 20 years ago with
>the introduction of the No Code license

Actually 16 years ago (1990) but the movement to end the morse code testing for AMATEURS had begun much earlier than that.

Prior to the opening of the Internet to the public in 1991 the ARRL could retain attornies in DC to promote Hiram Percy's ideals of morsemanship. [paid for by ARRL members] However, no-code-test advocates did manage to get their Petition into the NPRM stage in 1990. That passed into LAW in 1991 and the rabid morsemen have been frothing at the mouth over it ever since.

Interestingly enough, the ARRL had to retain a lobbyist organization after the Internet went public...in addition to the law firm on retainer. [also paid for by ARRL members] The competition for the FCC's ear had grown now that amateurs could "talk" to the FCC directly instead of being filtered through the ARRL. Rightly so since the ARRL membership has never been more than a quarter of all licensed US radio amateurs. Democratic principles in action for this republic, not the monopolistic pseudo-"representation" of a minority group organization.

>he is going to whine for another 50 year or till he drops dead

Has Blow Code ever identified himself by callsign?

Blow Code is more likely just one of the 'others' under a new pseudonym. Either that or the pro-code-testers are just all parroting the ARRL dicta (or is that "papal encyclical'?) from the Church of St. Hiram in Newington.

>> Blow Code, think before you type will you? You spend entirely too much
>> time on the computers. Get on the radio and talk to all the old timers
>> on CW will you? They are lonely and need you there.
>
>thinking? I realy don't thik he can do that he seems to be one of those

>fellows for whom Narrow Band OOKed RF causes brain problems

My take on that is the monotonic beeping did it. :-)

Rabid morsemen reject all communications outside of their very tight little RF spectra and sing praises of their very narrowband mental viewpoints. Maybe that's what they think is "intellectualism." :-)

Or, it may be some undiscovered malady in their brain which also keeps them from advancing beyond their mental youth. They can't think "outside their box" but then few morsemen can think inside the box containing their radio circuitry. It seems that anything other than their twitching fingers carressing their code keys is some mysterious, alien "force" in those radio boxes, a deep mystery to them. The signs pointing to that are their inability to talk technical other than parroting (again) the ARRL information spoon-fed them. That lack of self-confidence or insecurity may lead to their defensive "we are better than you!" shouting about their beloved psycho-motor skill of morsemanship.

Gotta love their LACK of technical details, all the time praising to the skies of their narrowband signals yet an almost utter lack of understanding Shannon's Law, the universal relationship of message rate, random noise, information error, and bandwidth. Maybe they can't THINK faster than 20 to 40 words per minute? :-)

US amateur radio appears to be quite alive and well today. That despite the ARRL's insistence that all amateurs should emulate the standards and practices of the 1930s. Instead of trying to take a neutral, hands-off policy on code testing, the ARRL ought to look at itself and the reason they can't get membership from the three-quarters of all amateur licensees in the USA. That majority IS the future of US amateur radio, not the frozen-in-their-youth delusions of some olde-tyme morsemen.

LenAnderson@ieee.org

From 4145280706883999813
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-

```
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 3 Sep 2006 10:53:23 -0700
Organization: http://groups.google.com
Lines: 110
Message-ID: <1157306003.327843.205450@p79g2000cwp.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
   <1157252332.348155.227880@e3g2000cwe.googlegroups.com>
   <1157305198.656554.35920@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157306007 18423 127.0.0.1 (3 Sep 2006 17:53:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Sep 2006 17:53:27 +0000 (UTC)
In-Reply-To: <1157305198.656554.35920@m73g2000cwd.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.27;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com alt.radio.scanner:2709 rec.radio.amateur.equipment:5968
rec.radio.amateur.policy:42408 rec.radio.scanner:5934 rec.radio.swap:7150


LenAnderson@ieee.org wrote:
> From:  an old friend on Sat, Sep 2 2006 7:58 pm
>
>
> >JDB wrote:
> >> So who are you remaining five guys going to talk to?
>
> >not qutie that bad but Slow code does like llots of BW
>
>    Correction, Mark, Blow Code likes lots of BS.   :-)
that two
>
>    He also wants lots of attention and might want to be the
>    successor to that military impostor Robeson.

indeed asuming he isn't Robeson using the net to hide some more
>
>
> >> BTW, I didn't know we lost ham radio and need to take it back.
> >
> >his idealogy lostcotrol of Ham Radio completely about 20 years ago with
> >the introduction of the No Code license
```

>
>   Actually 16 years ago (1990) but the movement to end the
>   morse code testing for AMATEURS had begun much earlier than
>   that.
>
>   Prior to the opening of the Internet to the public in 1991
>   the ARRL could retain attornies in DC to promote Hiram
>   Percy's ideals of morsemanship. [paid for by ARRL
>   members] However, no-code-test advocates did manage to
>   get their Petition into the NPRM stage in 1990. That
>   passed into LAW in 1991 and the rabid morsemen have
>   been frothing at the mouth over it ever since.
>
>   Interestingly enough, the ARRL had to retain a lobbyist
>   organization after the Internet went public...in addition
>   to the law firm on retainer. [also paid for by ARRL
>   members] The competition for the FCC's ear had grown
>   now that amateurs could "talk" to the FCC directly instead
>   of being filtered through the ARRL. Rightly so since the
>   ARRL membership has never been more than a quarter of all
>   licensed US radio amateurs. Democratic principles in
>   action for this republic, not the monopolistic pseudo-
>   "representation" of a minority group organization.
>
> >he is going to whine for another 50 year or till he drops dead
>
>   Has Blow Code ever identified himself by callsign?

nope and likely never will
>
>   Blow Code is more likely just one of the 'others' under
>   a new pseudonym. Either that or the pro-code-testers are
>   just all parroting the ARRL dicta (or is that "papal
>   encyclical'?) from the Church of St. Hiram in Newington.

the problem with makig an ID is that so many of of tem were stamped out
of the same warped mold
>
> >> Blow Code, think before you type will you? You spend entirely too much
> >> time on the computers. Get on the radio and talk to all the old timers
> >> on CW will you? They are lonely and need you there.
> >
> >thinking? I realy don't thik he can do that he seems to be one of those
> >fellows for whom Narrow Band OOKed RF causes brain problems
>
>   My take on that is the monotonic beeping did it. :-)
>
>   Rabid morsemen reject all communications outside of their
>   very tight little RF spectra and sing praises of their
>   very narrowband mental viewpoints. Maybe that's what
>   they think is "intellectualism." :-)
>
>   Or, it may be some undiscovered malady in their brain

```
>    which also keeps them from advancing beyond their mental
>    youth.  They can't think "outside their box" but then few
>    morsemen can think inside the box containing their radio
>    circuitry.  It seems that anything other than their
>    twitching fingers carressing their code keys is some
>    mysterious, alien "force" in those radio boxes, a deep
>    mystery to them.  The signs pointing to that are their
>    inability to talk technical other than parroting (again)
>    the ARRL information spoon-fed them.  That lack of self-
>    confidence or insecurity may lead to their defensive
>    "we are better than you!" shouting about their beloved
>    psycho-motor skill of morsemanship.
>
>    Gotta love their LACK of technical details, all the time
>    praising to the skies of their narrowband signals yet an
>    almost utter lack of understanding Shannon's Law, the
>    universal relationship of message rate, random noise,
>    information error, and bandwidth.  Maybe they can't
>    THINK faster than 20 to 40 words per minute?  :-)
>
>    US amateur radio appears to be quite alive and well today.
>    That despite the ARRL's insistence that all amateurs
>    should emulate the standards and practices of the 1930s.
>    Instead of trying to take a neutral, hands-off policy on
>    code testing, the ARRL ought to look at itself and the
>    reason they can't get membership from the three-quarters
>    of all amateur licensees in the USA.  That majority IS
>    the future of US amateur radio, not the frozen-in-their-
>    youth delusions of some olde-tyme morsemen.
>
>    LenAnderson@ieee.org

indeed



From 8331704436503490l6
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "LenAnderson@ieee.org" <LenAnderson@ieee.org>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 3 Sep 2006 11:02:47 -0700
Organization: http://groups.google.com
```

```
Lines: 123
Message-ID: <1157306567.831444.114230@h48g2000cwc.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
   <1157252332.348155.227880@e3g2000cwe.googlegroups.com>
   <1157305198.656554.35920@m73g2000cwd.googlegroups.com>
   <1157306003.327843.205450@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 207.200.116.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157306571 19867 127.0.0.1 (3 Sep 2006 18:02:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Sep 2006 18:02:51 +0000 (UTC)
In-Reply-To: <1157306003.327843.205450@p79g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[ntc-ta121 8.4.1], HTTP/1.1 cache-ntc-ab06.proxy.aol.com[CFC87446] (Traffic-
Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=207.200.116.70;
   posting-account=B-meew0AAAC92cncI-9uzS6wDORD-xwy
Xref: g2news2.google.com alt.radio.scanner:2710 rec.radio.amateur.equipment:5969
rec.radio.amateur.policy:42410 rec.radio.scanner:5935 rec.radio.swap:7151


an old friend wrote:
> LenAnderson@ieee.org wrote:
> > From:  an old friend on Sat, Sep 2 2006 7:58 pm
> >
> >
> > >JDB wrote:
> > >> So who are you remaining five guys going to talk to?
> >
> > >not qutie that bad but Slow code does like llots of BW
> >
> >    Correction, Mark, Blow Code likes lots of BS.   :-)
> that two
> >
> >    He also wants lots of attention and might want to be the
> >    successor to that military impostor Robeson.
>
> indeed asuming he isn't Robeson using the net to hide some more

   I doubt it.  Robesin has a peculiar format in his text and shouts
   denigrations to others too much.

> > >> BTW, I didn't know we lost ham radio and need to take it back.
> > >
> > >his idealogy lostcotrol of Ham Radio completely about 20 years ago with
> > >the introduction of the No Code license
> >
```

> >   Actually 16 years ago (1990) but the movement to end the
> >   morse code testing for AMATEURS had begun much earlier than
> >   that.
> >
> >   Prior to the opening of the Internet to the public in 1991
> >   the ARRL could retain attornies in DC to promote Hiram
> >   Percy's ideals of morsemanship. [paid for by ARRL
> >   members] However, no-code-test advocates did manage to
> >   get their Petition into the NPRM stage in 1990. That
> >   passed into LAW in 1991 and the rabid morsemen have
> >   been frothing at the mouth over it ever since.
> >
> >   Interestingly enough, the ARRL had to retain a lobbyist
> >   organization after the Internet went public...in addition
> >   to the law firm on retainer. [also paid for by ARRL
> >   members] The competition for the FCC's ear had grown
> >   now that amateurs could "talk" to the FCC directly instead
> >   of being filtered through the ARRL. Rightly so since the
> >   ARRL membership has never been more than a quarter of all
> >   licensed US radio amateurs. Democratic principles in
> >   action for this republic, not the monopolistic pseudo-
> >   "representation" of a minority group organization.
> >
> > >he is going to whine for another 50 year or till he drops dead
> >
> >   Has Blow Code ever identified himself by callsign?
>
> nope and likely never will

"Well, there we have it" as Ed Hare liked to write in here... :-)

> >   Blow Code is more likely just one of the 'others' under
> >   a new pseudonym. Either that or the pro-code-testers are
> >   just all parroting the ARRL dicta (or is that "papal
> >   encyclical'?) from the Church of St. Hiram in Newington.
>
> the problem with makig an ID is that so many of of tem were stamped out
> of the same warped mold

That mold isn't so much warped as just OLD. It was fine in 1930
but 1930 is 76 years ago.

> > >> Blow Code, think before you type will you? You spend entirely too much
> > >> time on the computers. Get on the radio and talk to all the old timers
> > >> on CW will you? They are lonely and need you there.
> > >
> > >thinking? I realy don't thik he can do that he seems to be one of those
> > >fellows for whom Narrow Band OOKed RF causes brain problems
> >
> >   My take on that is the monotonic beeping did it. :-)
> >

```
> >    Rabid morsemen reject all communications outside of their
> >    very tight little RF spectra and sing praises of their
> >    very narrowband mental viewpoints.  Maybe that's what
> >    they think is "intellectualism."  :-)
> >
> >    Or, it may be some undiscovered malady in their brain
> >    which also keeps them from advancing beyond their mental
> >    youth.  They can't think "outside their box" but then few
> >    morsemen can think inside the box containing their radio
> >    circuitry.  It seems that anything other than their
> >    twitching fingers carressing their code keys is some
> >    mysterious, alien "force" in those radio boxes, a deep
> >    mystery to them.  The signs pointing to that are their
> >    inability to talk technical other than parroting (again)
> >    the ARRL information spoon-fed them.  That lack of self-
> >    confidence or insecurity may lead to their defensive
> >    "we are better than you!" shouting about their beloved
> >    psycho-motor skill of morsemanship.
> >
> >    Gotta love their LACK of technical details, all the time
> >    praising to the skies of their narrowband signals yet an
> >    almost utter lack of understanding Shannon's Law, the
> >    universal relationship of message rate, random noise,
> >    information error, and bandwidth.  Maybe they can't
> >    THINK faster than 20 to 40 words per minute?  :-)
> >
> >    US amateur radio appears to be quite alive and well today.
> >    That despite the ARRL's insistence that all amateurs
> >    should emulate the standards and practices of the 1930s.
> >    Instead of trying to take a neutral, hands-off policy on
> >    code testing, the ARRL ought to look at itself and the
> >    reason they can't get membership from the three-quarters
> >    of all amateur licensees in the USA.  That majority IS
> >    the future of US amateur radio, not the frozen-in-their-
> >    youth delusions of some olde-tyme morsemen.
> >
> >    LenAnderson@ieee.org
>
> indeed

   Thank you, T'ealc.  :-)    [let's send the morsemen through the
   Stargate...one way...}



From -9062379809196292470
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 3 Sep 2006 12:06:30 -0700
Organization: http://groups.google.com
Lines: 44
Message-ID: <1157310390.183964.233040@e3g2000cwe.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
   <1157252332.348155.227880@e3g2000cwe.googlegroups.com>
   <1157305198.656554.35920@m73g2000cwd.googlegroups.com>
   <1157306003.327843.205450@p79g2000cwp.googlegroups.com>
   <1157306567.831444.114230@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157310395 29127 127.0.0.1 (3 Sep 2006 19:06:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Sep 2006 19:06:35 +0000 (UTC)
In-Reply-To: <1157306567.831444.114230@h48g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=69.19.14.27;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com alt.radio.scanner:2711 rec.radio.amateur.equipment:5970
rec.radio.amateur.policy:42415 rec.radio.scanner:5938 rec.radio.swap:7155


LenAnderson@ieee.org wrote:
> an old friend wrote:
> > LenAnderson@ieee.org wrote:
> > > From:  an old friend on Sat, Sep 2 2006 7:58 pm

> > indeed asuming he isn't Robeson using the net to hide some more
>
>    I doubt it.  Robesin has a peculiar format in his text and shouts
>    denigrations to others too much.
so do I although he has his moment
>
> > > >> BTW, I didn't know we lost ham radio and need to take it back.
r identified himself by callsign?
> >
> > nope and likely never will
>
>     "Well, there we have it" as Ed Hare liked to write in here... :-)
>
>
```

```
> > >    Blow Code is more likely just one of the 'others' under
> > >    a new pseudonym.  Either that or the pro-code-testers are
> > >    just all parroting the ARRL dicta (or is that "papal
> > >    encyclical'?) from the Church of St. Hiram in Newington.
> >
> > the problem with makig an ID is that so many of of tem were stamped out
> > of the same warped mold
>
>    That mold isn't so much warped as just OLD.  It was fine in 1930
>    but 1930 is 76 years ago.
it is warped if nothing else from doing that muchstamping even if it
fit all though years ago

indeed I supect it bent abit some 30 years when it tried to put it
stamp on ME
>

> > indeed
>
>    Thank you, T'ealc.  :-)    [let's send the morsemen through the
>    Stargate...one way...}
do they have to get through at all can' t we leave them in limbo
somehow Id hate to polute some other world




From -8112642383968826103
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "LenAnderson@ieee.org" <LenAnderson@ieee.org>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 3 Sep 2006 13:07:20 -0700
Organization: http://groups.google.com
Lines: 53
Message-ID: <1157314040.033385.197370@m79g2000cwm.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
   <1157252332.348155.227880@e3g2000cwe.googlegroups.com>
   <1157305198.656554.35920@m73g2000cwd.googlegroups.com>
   <1157306003.327843.205450@p79g2000cwp.googlegroups.com>
   <1157306567.831444.114230@h48g2000cwc.googlegroups.com>
   <1157310390.183964.233040@e3g2000cwe.googlegroups.com>
NNTP-Posting-Host: 207.200.116.70
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157314045 5426 127.0.0.1 (3 Sep 2006 20:07:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Sep 2006 20:07:25 +0000 (UTC)
In-Reply-To: <1157310390.183964.233040@e3g2000cwe.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.3.32 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[ntc-tc041 8.4.1], HTTP/1.1 cache-ntc-ab06.proxy.aol.com[CFC87446] (Traffic-
Server/6.1.2 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=207.200.116.70;
   posting-account=B-meew0AAAC92cncI-9uzS6wDORD-xwy
Xref: g2news2.google.com alt.radio.scanner:2713 rec.radio.amateur.equipment:5971
rec.radio.amateur.policy:42421 rec.radio.scanner:5941 rec.radio.swap:7160


an old friend wrote:
> LenAnderson@ieee.org wrote:
> > an old friend wrote:
> > > LenAnderson@ieee.org wrote:
> > > > From:  an old friend on Sat, Sep 2 2006 7:58 pm
>
> > > indeed asuming he isn't Robeson using the net to hide some more
> >
> >    I doubt it.  Robesin has a peculiar format in his text and shouts
> >    denigrations to others too much.
>
> so do I although he has his moment
> >
> > > > >> BTW, I didn't know we lost ham radio and need to take it back.
> r identified himself by callsign?
> > >
> > > nope and likely never will
> >
> >     "Well, there we have it" as Ed Hare liked to write in here... :-)
> >
> >
> > > >    Blow Code is more likely just one of the 'others' under
> > > >    a new pseudonym.  Either that or the pro-code-testers are
> > > >    just all parroting the ARRL dicta (or is that "papal
> > > >    encyclical'?) from the Church of St. Hiram in Newington.
> > >
> > > the problem with makig an ID is that so many of of tem were stamped out
> > > of the same warped mold
> >
> >    That mold isn't so much warped as just OLD.  It was fine in 1930
> >    but 1930 is 76 years ago.
>
> it is warped if nothing else from doing that muchstamping even if it
> fit all though years ago
```

```
>
> indeed I supect it bent abit some 30 years when it tried to put it
> stamp on ME
>
> > > indeed
> >
> >    Thank you, T'ealc.  :-)    [let's send the morsemen through the
> >    Stargate...one way...}
>
> do they have to get through at all can' t we leave them in limbo
> somehow Id hate to polute some other world

   ...just the one where the Ori hang out.  :-)

   LenAnderson@ieee.org
   [one who has talked with J. Michael S. on a Writer's BBS and
   still can't remember how he correctly spells his surname...:-) ]



From -3867916158354391417
X-Google-Thread: 108122,2d2a63d6cd9dd402,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ameritron AL-811H Amp
Message-ID: <hngmf2hs2qkecc7l3rcrm315as78eu02vl@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimiipjkoogpbfnbpgpllfjdfbijhjogphkajfcobocpeihfnehge
ecmblibfmfcmlimofpmendkdkbjfbmjijekllebgafdoplmdgngjfkdegidppb
NNTP-Posting-Date: Sun, 03 Sep 2006 14:03:30 MST
Organization: Optimum Online
Date: Sun, 03 Sep 2006 17:02:49 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5972

FS: Ameritron AL-811H Amp
This is a used amp, But LOOKS BRAND NEW!!!!!
No scratches or dents, nothing.  Works 100 PERCENT!!!
Well taken care of, Its 3 years old.
You wouldn't know the difference of a new one or this one.
Price: 525.00
```

```
ritchi50@optonline.net


From -1790819473332480835
X-Google-Thread: 108122,4022a9196a6cd857,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood TS-50 HF Mobile
Message-ID: <43hmf2le315h9d0oe3iqlf1ak1m441f689@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimeomggnebipidocohllfjdfbijhjogphkajfcobocpeihfnehge
ecmblibfmfcmlimofpmendkdkbjfbmnognphagkddmbamehlimokjclcciclpf
NNTP-Posting-Date: Sun, 03 Sep 2006 14:09:39 MST
Organization: Optimum Online
Date: Sun, 03 Sep 2006 17:08:57 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5973

FS: Kenwood TS-50 HF Mobile
Very nice TS-50 in original box/manual/Microphone/Power Cord/Etc
Works and looks GREAT!!!
Price: 395.00
ritchi50@optonline.net


From -4318662163151351569
X-Google-Thread: 108122,66188d4ff487259b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake R-4B Receiver  NICE!!
Message-ID: <sehmf2p19s47uejr98fl6rvm0ckja4pra0@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
```

```
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimemalcnjahphedokgllfjdfbijhjogphkajfcobocpeihfnehge
ecmblibfmfcmlimofpmendkdkbjfbmpklifgbgnclpkcikbpincjkllopekodc
NNTP-Posting-Date: Sun, 03 Sep 2006 14:15:54 MST
Organization: Optimum Online
Date: Sun, 03 Sep 2006 17:15:12 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5974

FS: Drake R-4B Receiver  NICE!!
Looks and works GREAT!!
Price: 275.00


From -3796828281555345129
X-Google-Thread: 108122,9781ee6e376d25f1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Trade:  Collins 75S-3C Round Emblem...
Message-ID: <ethmf29djg7o2fkmvqk7o1au98kvp2pacm@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimpocdlhbclchkfgkkllfjdfbijhjogphkajfcobocpeihfnehge
ecmblibfmfcmlimofpmendkdkbjfbmalmafijookaomaclhlimokjclcciclpf
NNTP-Posting-Date: Sun, 03 Sep 2006 14:23:39 MST
Organization: Optimum Online
Date: Sun, 03 Sep 2006 17:22:59 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5975

Trade:  Collins 75S-3C Round Emblem...
> Looks and works very nice. Also clean chassis.
> I have pictures.
> Please let me know what you're offering for trade.
I'm interested in all types of ham gear or make an offer.
> ritchi50@optonline.net


From 4297711877041349365
X-Google-Thread: 108122,719fba80b36eed2a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

```
border2.nntp.dca.giganews.com!nntp.giganews.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Mirage 6 Meter 150Watt Amp
Message-ID: <q9imf25ho64c4f5i2499jp7scs5ph7053j@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimnnfbhamihdiakfilllfjdfbijhjogphkajfcobocpeihfnehge
ecmblibfmfcmlimofpmendkdkbjfbmbjkdkjebcdjhpndfjcecfidbdaffifbo
NNTP-Posting-Date: Sun, 03 Sep 2006 14:30:15 MST
Organization: Optimum Online
Date: Sun, 03 Sep 2006 17:29:35 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5976

FS Mirage 6 Meter 150Watt Amp
Model A-1015
Has preamp/10 Watts in 150 Watts out
Comes with power cord.
Works and looks great.
Price: 135.00
ritchi50@optonline.net


From 4127595274075176701
X-Google-Thread: 108122,76dbf779361d79d8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FT: Kenwood TS-950SDX HF Transceiver..
Message-ID: <qkimf2puka8i3vh4baogalcina62cjukdd@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimhbmjnbidmfnhdioillfjdfbijhjogphkajfcobocpeihfnehge
ecmblibfmfcmlimofpmendkdkbjfbmhfejohcdocillndiglbbcfickjagekga
NNTP-Posting-Date: Sun, 03 Sep 2006 14:36:06 MST
```

```
Organization: Optimum Online
Date: Sun, 03 Sep 2006 17:35:26 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5977

FT: Kenwood TS-950SDX HF Transceiver..
I have all the packing, Original boxes/Manual/Service
Manual/Microphone/etc
Works and looks VERY NICE!!
I'm open to trades or make offer.     Its a nice one!!
I'm interested in all types of Ham gear.
Please don't ask what I'm looking for.
Just tell me what you're will to trade for it.
Ready to sell or trade today.
ritchi50@optonline.net



From 3387092663561007953
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e3g2000cwe.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 3 Sep 2006 15:00:57 -0700
Organization: http://groups.google.com
Lines: 55
Message-ID: <1157320857.871105.172180@e3g2000cwe.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
   <1157252332.348155.227880@e3g2000cwe.googlegroups.com>
   <1157305198.656554.35920@m73g2000cwd.googlegroups.com>
   <1157306003.327843.205450@p79g2000cwp.googlegroups.com>
   <1157306567.831444.114230@h48g2000cwc.googlegroups.com>
   <1157310390.183964.233040@e3g2000cwe.googlegroups.com>
   <1157314040.033385.197370@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157320863 21641 127.0.0.1 (3 Sep 2006 22:01:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 3 Sep 2006 22:01:03 +0000 (UTC)
In-Reply-To: <1157314040.033385.197370@m79g2000cwm.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: e3g2000cwe.googlegroups.com; posting-host=69.19.14.27;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com alt.radio.scanner:2719 rec.radio.amateur.equipment:5978
rec.radio.amateur.policy:42436 rec.radio.scanner:5948 rec.radio.swap:7172


LenAnderson@ieee.org wrote:
> an old friend wrote:
> > LenAnderson@ieee.org wrote:
> > > an old friend wrote:
> > > > LenAnderson@ieee.org wrote:
> > > > > From:  an old friend on Sat, Sep 2 2006 7:58 pm
> >
> > > > indeed asuming he isn't Robeson using the net to hide some more
> > >
> > >    I doubt it.  Robesin has a peculiar format in his text and shouts
> > >    denigrations to others too much.
> >
> > so do I although he has his moment
> > >
> > > > > >> BTW, I didn't know we lost ham radio and need to take it back.
> > r identified himself by callsign?
> > > >
> > > > nope and likely never will
> > >
> > >     "Well, there we have it" as Ed Hare liked to write in here... :-)
> > >
> > >
> > > > >    Blow Code is more likely just one of the 'others' under
> > > > >    a new pseudonym.  Either that or the pro-code-testers are
> > > > >    just all parroting the ARRL dicta (or is that "papal
> > > > >    encyclical'?) from the Church of St. Hiram in Newington.
> > > >
> > > > the problem with makig an ID is that so many of of tem were stamped out
> > > > of the same warped mold
> > >
> > >    That mold isn't so much warped as just OLD.  It was fine in 1930
> > >    but 1930 is 76 years ago.
> >
> > it is warped if nothing else from doing that muchstamping even if it
> > fit all though years ago
> >
> > indeed I supect it bent abit some 30 years when it tried to put it
> > stamp on ME
> >
> > > > indeed
> > >
> > >    Thank you, T'ealc.  :-)    [let's send the morsemen through the
> > >    Stargate...one way...}
> >
> > do they have to get through at all can' t we leave them in limbo
> > somehow Id hate to polute some other world
```

```
>
>    ...just the one where the Ori hang out.  :-)
>
>    LenAnderson@ieee.org
>    [one who has talked with J. Michael S. on a Writer's BBS and
>    still can't remember how he correctly spells his surname...:-) ]
I just leave it JMS much easier that way




From 5660963250340766229
X-Google-Thread: 108122,36a16b7097bcb573,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p02!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FT8900R+HV7A Trade for FT-817D
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <s0JKg.4432$B14.1725@dukeread03>
Date: Sun, 3 Sep 2006 17:52:19 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157323928 68.109.223.91 (Sun, 03 Sep 2006 18:52:08 EDT)
NNTP-Posting-Date: Sun, 03 Sep 2006 18:52:08 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5979

I have a like new Yaesu FT-8900R Quad Band Transceiver plus a Diamond HV7A
Quad Band Plus Antenna for trade for a nice Yaesu FT-817D. Thanks, Charlie
Hugg, K5MBX





From 8522712718281745632
X-Google-Thread: 108122,5a4c14af4a407c1a,start
X-Google-Thread: 108228,5a4c14af4a407c1a,start
X-Google-Thread: 1062f2,5a4c14af4a407c1a,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 03 Sep 2006 21:09:52 -0500
Subject: FA: 4 ELECTRONICS Books: OP AMPs, Digital IC's, Circuits, CDROM, etc.
Date: Sun, 03 Sep 2006 22:09:51 -0400
```

From: Jim <jim@mkoowopascs.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <030920062209515546%jim@mkoowopascs.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-za2p+enWo8k2qpyB4ZlOTjzhKHNVt5crUDHUsieyT6o2gLNm1r47FsNviTs9k7P/
EdiEYO5lVTG35WV!
fZ+ygh6FVMF06pYEfNL2z6eNeGn2+NtHPXsys83IoIKrCkOzadtcVJ49Nu0B+9D8LckaDp3ty9CE!
cCRssBiohGjdtwyQppiRHw==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5980 alt.ham-radio.marketplace:1246 misc.industry.electronics.marketplace:618

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320023985505

From -4369172924250558544
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
From: Slow Code <my.mail@no.spam>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 20
Message-ID: <OaMKg.14298$Qf.11592@newsread2.news.pas.earthlink.net>
Date: Mon, 04 Sep 2006 02:27:58 GMT
NNTP-Posting-Host: 4.254.225.35
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1157336878 4.254.225.35 (Sun, 03 Sep

2006 19:27:58 PDT)
NNTP-Posting-Date: Sun, 03 Sep 2006 19:27:58 PDT
Xref: g2news2.google.com alt.radio.scanner:2729 rec.radio.amateur.equipment:5981 rec.radio.amateur.policy:42483 rec.radio.scanner:5959 rec.radio.swap:7191

JDB <liberalsrcrap@nospamgmail.com> wrote in
news:yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com:

> So who are you remaining five guys going to talk to?
>
> BTW, I didn't know we lost ham radio and need to take it back.
>
> Blow Code, think before you type will you? You spend entirely too much
> time on the computers. Get on the radio and talk to all the old timers
> on CW will you? They are lonely and need you there.

JDB, You're back.

Did you get tired of playing with your model Cho-Cho trains? You could try stamp collecting for something else to do, but you might not be smart enough to figure out what side of a stamp to lick.

Sc

From -4188678447575420563
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: slow code on parade
Date: 3 Sep 2006 19:32:19 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1157337139.412321.41620@p79g2000cwp.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
<OaMKg.14298$Qf.11592@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157337144 12145 127.0.0.1 (4 Sep 2006 02:32:24 GMT)

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 4 Sep 2006 02:32:24 +0000 (UTC)
In-Reply-To: <OaMKg.14298$Qf.11592@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.27;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com alt.radio.scanner:2732 rec.radio.amateur.equipment:5982
rec.radio.amateur.policy:42494 rec.radio.scanner:5963 rec.radio.swap:7197
```

Slow Code wrote:

> Did you get tired of playing with your model Cho-Cho trains? You could
> try stamp collecting for something else to do, but you might not be smart
> enough to figure out what side of a stamp to lick.

slow code on parade

>
>
> Sc

```
From 2225827258805035008
X-Google-Thread: 108778,c8a70a1873c1f22f,start
X-Google-Thread: 108122,c8a70a1873c1f22f,start
X-Google-Thread: 107ada,c8a70a1873c1f22f,start
X-Google-Attributes: gid108778,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Sep 2006 07:04:00 -0500
From: "Fred Zimring" <w5htr@yahoo.com>
Newsgroups:
alt.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.ama
teur.swap
Subject: FS: TEN TEC SCOUT
Date: Mon, 4 Sep 2006 07:05:01 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <y-2dnZ-x0Jati2HZnZ2dnUVZ_vWdnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 71.56.170.42
X-Trace: sv3-
ka7DgRXmf9wrqe9tVbdErwWK9DayxhZQ3YoTv1qDU70MRGXqNYosowzXI6AngXap9l4lCdxTDjzPUZV!
ulippklG6vs/amvY4mY9OCCsefFEet7HNSdNjV/BD4bY7Dh785bW2mK4qfZmwjNkvdEehFuekQBp!
ts3yHZ3w+g==
```

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.amateur:314 rec.radio.amateur.equipment:5983 rec.radio.amateur.misc:20669

I have for sale from an estate a Ten Tec Scout with the 40m and 15m modules. Also included are the following: cables, mic, manual, 607 keyer paddle, 937 power supply, mobile mount, and 1203 dummy load kit (I haven't found the instruction sheet for the dummy load kit). It appears that the radio and accessories have never been used. The cables, mic, and mobile mount appear to be in original packing. I believe that it has the noise blanker installed as the instruction and installation instructions for the noise blanker are included. I would like to sell the entire package, if possible. I'm asking $450 for all. If interested please contact me via email or telephone at 972-231-7511. I'm in the Dallas, TX area. If you are in the Dallas/FTW area or reasonably close I would be pleased to meet with you and let you inspect the items.
Thanks...Fred Z. (W5HTR)

From 8930763392926735898
X-Google-Thread: 108122,7b290fdd2894239a,start
X-Google-Thread: 1109af,7b290fdd2894239a,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:$1.00 Uniden President HR2510 10mtr all mode mobile.
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <9%WKg.4502$ub5.3278@trnddc07>
Date: Mon, 04 Sep 2006 14:46:29 GMT
NNTP-Posting-Host: 71.126.86.184
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1157381189 71.126.86.184 (Mon, 04 Sep 2006 10:46:29 EDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 10:46:29 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5984 rec.radio.swap:7222

Uniden President HR2510 10 mtr all mode mobile.

```
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=014&item=330025063708&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1




From 6338408410683380882
X-Google-Thread: fb049,bb04f1a9f5fde660,start
X-Google-Thread: 108122,bb04f1a9f5fde660,start
X-Google-Thread: 1109af,bb04f1a9f5fde660,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola NTN5438A MT1000 12v mobile charger.
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <G0XKg.4503$ub5.431@trnddc07>
Date: Mon, 04 Sep 2006 14:48:06 GMT
NNTP-Posting-Host: 71.126.86.184
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1157381286 71.126.86.184 (Mon, 04 Sep 2006 10:48:06 EDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 10:48:06 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2562
rec.radio.amateur.equipment:5985 rec.radio.swap:7223

NTN5438A MT1000 12v mobile charger. $5.00

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=014&item=330025063708&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1




From -6258552639986293661
X-Google-Thread: fb049,acf6ff60323217b7,start
X-Google-Thread: 108122,acf6ff60323217b7,start
X-Google-Thread: 1109af,acf6ff60323217b7,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc07.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Icom batter pack BP90 (non-working) .50
```

```
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <Z3XKg.4506$ub5.2740@trnddc07>
Date: Mon, 04 Sep 2006 14:51:37 GMT
NNTP-Posting-Host: 71.126.86.184
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1157381497 71.126.86.184 (Mon, 04 Sep 2006 10:51:37 EDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 10:51:37 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2564
rec.radio.amateur.equipment:5986 rec.radio.swap:7225

Icom BP90 alkaline battery pack. The battery pack does NOT work. So my loss
is your gain.

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=014&item=330025077034&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1




From 8556480392136385237
X-Google-Thread: fb049,bb04f1a9f5fde660
X-Google-Thread: 108122,bb04f1a9f5fde660
X-Google-Thread: 1109af,bb04f1a9f5fde660
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc07.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <G0XKg.4503$ub5.431@trnddc07>
Subject: Re: Motorola NTN5438A MT1000 12v mobile charger.
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <58XKg.4508$ub5.3590@trnddc07>
Date: Mon, 04 Sep 2006 14:56:01 GMT
NNTP-Posting-Host: 71.126.86.184
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1157381761 71.126.86.184 (Mon, 04 Sep 2006 10:56:01 EDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 10:56:01 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2565
rec.radio.amateur.equipment:5987 rec.radio.swap:7226

sorry wrong link..................
```

```
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=014&item=330025071541&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1
"Thanks......." <pottsladd13@yahoo.com> wrote in message
news:G0XKg.4503$ub5.431@trnddc07...
> NTN5438A MT1000 12v mobile charger. $5.00
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=014&item=330025063708&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1
>




From 2268343677336381832
X-Google-Thread: 108122,4c252497061bf3c6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!70471e6d!not-for-mail
From: Ken Booher <kebooher@earthlink.net>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Info
Content-Type: multipart/mixed;
 boundary="------------070004030305060506060902"
Lines: 57
Message-ID: <weXKg.14688$Qf.8486@newsread2.news.pas.earthlink.net>
Date: Mon, 04 Sep 2006 15:02:52 GMT
NNTP-Posting-Host: 4.229.6.113
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1157382172 4.229.6.113 (Mon, 04 Sep 2006
08:02:52 PDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 08:02:52 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5988

This is a multi-part message in MIME format.
--------------070004030305060506060902
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit


    The attached file is for info in case you were not familiar with this
    little trick... I had never heard it before...

          Ken

--------------070004030305060506060902
Content-Type: text/plain;
 name="CommPort Fix.txt"
```

```
Content-Transfer-Encoding: 7bit
Content-Disposition: inline;
 filename="CommPort Fix.txt"



I have a Delorme Blue Logger.  (Blue Tooth device)  I have installed and
>>> uninstalled it so many times that the COM port is now up to 31!
>>> How do I get rid of all those unused ports, and get the COM port down to a
>>> resonable number again?  I have even used Regedit to remove all of them, but
>>> the number just keeps climbing.
>>>
>>> tnx


> Here is a little trick that may help...
>
> In SYSTEM PROPERTIES, click on the ADVANCE TAB then click on the
   ENVIRONMENT VARIABLES BUTTON (at bottom).
> Under SYSTEM VARIABLES, click NEW - then enter the below:
>
> name = DEVMGR_SHOW_NONPRESENT_DEVICES
> value = 1
>
> I can't remember if a reboot is necessary - can't hurt??
>
> What this does is show all devices, including old ones in device manager.
>
> NOW, GO INTO DEVICE MANAGER.Under VIEW select SHOW HIDDEN DEVICES.
>
> Now, uninstall all of those pesky old com ports.



>
>
>The port numbers are now back to single digit numbers, plus I was able to
fix a lot of other tings.

Thanks for the help!

tnx
--------------070004030305060506060902--


From 447854271943152545
X-Google-Thread: 108122,8df945a1260952b8,start
X-Google-Thread: fc2a5,8df945a1260952b8,start
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
```

NNTP-Posting-Date: Mon, 04 Sep 2006 10:26:09 -0500
Date: Mon, 04 Sep 2006 11:26:09 -0400
From: W2AGN <w2agn@nospamw2agn.net>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Dentron HF-200
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <u-mdncxnj-QP2GHZnZ2dnUVZ_uudnZ2d@comcast.com>
Lines: 5
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-
JIuOD1NJPyHkMTllgAJMPfQ77iJEIjIx4JDhmpE5Lt5Zbb6Oj5UUYRNik4wNPEnsnPJ30uHNxsBLeHM!
Ac1xDKM4Oxd5+7b0T3bV2w+C/tI69OBJEdJcclFNxoKu8ATGjoPY8QMQvDjU+hEVhKYIPloCSEa+!
PIVMx8MNVoi0kSrLBj2C
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5989
rec.radio.amateur.homebrew:6709

I have a Dentron HF-200 5 band rig. It is a bit of a basket case, as someone took it apart, but it seems to be all there. I need a manual, schematic, whatever for it so maybe I could get it going.

John W2AGN

From -8660891305964283541
X-Google-Thread: fb049,4fed17df06e10463,start
X-Google-Thread: 108122,4fed17df06e10463,start
X-Google-Thread: 1109af,4fed17df06e10463,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS/FT Motorola SyntorX9000 LB 30-50mhz dual controls
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <hJXKg.4520$ub5.2580@trnddc07>
Date: Mon, 04 Sep 2006 15:35:41 GMT
NNTP-Posting-Host: 71.126.86.184

X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1157384141 71.126.86.184 (Mon, 04 Sep 2006 11:35:41 EDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 11:35:41 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2566
rec.radio.amateur.equipment:5990 rec.radio.swap:7229

I have two Motorola SyntorX9000 lowband mobiles.
30-50mhz 110 watt with dual control, complete.
These units can be converted to work on both 10mtrs and 6 mtrs with the
proper software. I can NOT program them. I'm looking to sell or trade these
units for any reasonable offer.

I'm looking for:
VHF Spectra 110watt A9 Head
VHF Spectra 50 watt dash mount.
VHF Spectra 50 watt remote mount.
Yaesu FT8900R quad band mobile
FT8800R dual band
Alinco DR605TQ
Or similar equipment. Equipment must be complete and in good working order.
Please email direct
pottsladd13 at yahoo dot com

From -8816616980113797978
X-Google-Thread: 108122,8df945a1260952b8
X-Google-Thread: fc2a5,8df945a1260952b8
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Sep 2006 12:23:57 -0500
From: "g. beat" <@<spam protected>>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <u-mdncxnj-QP2GHZnZ2dnUVZ_uudnZ2d@comcast.com>
Subject: Re: Dentron HF-200
Date: Mon, 4 Sep 2006 12:23:54 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <dKadnW2nUduw_GHZnZ2dnUVZ_o6dnZ2d@comcast.com>
Lines: 27
NNTP-Posting-Host: 67.176.141.93
X-Trace: sv3-NuunKSEEjMb2eXyrkbn2VEYMT8Lcy1/
fNX+u7uk69l51nuRzOOuipB5S7qzG5wrn3OgBiWQcrKZ4DI9!
WHIMKp0mLYBgefSKO3YSu7K2hRr1JFSY1AAOHWPogVWM6WrPw4f5CZxy3UeD8CCC14t9VX0G3mmk!
MmBflEpBjA84vGIBzr8=
X-Complaints-To: abuse@comcast.net

X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5991 rec.radio.amateur.homebrew:6711

"W2AGN" <w2agn@nospamw2agn.net> wrote in message
news:u-mdncxnj-QP2GHZnZ2dnUVZ_uudnZ2d@comcast.com...
>I have a Dentron HF-200 5 band rig. It is a bit of a basket case, as
>someone took it apart, but it seems to be all there. I need a manual,
>schematic, whatever for it so maybe I could get it going.
>
> John W2AGN

John -

http://www.mizuhoradio.com/dentron.html

History of Dentron QRP MLX and HF-200
http://www.kkn.net/archives/html/QRP-L/2002-03/msg01943.html

MIZUHO and NISHI MUSEN Reflector
http://www.mizuhoradio.com/index.html

Manual and schematic for MLX-Mini
http://www.mizuhoradio.com/manuals/MLX-MINI/dentronmlx.pdf

eHam.net reflector (Worst piece of ham gear) - W9SN comment
http://www.eham.net/articles/7436

gb

From -5981364181981148362
X-Google-Thread: 108122,8df945a1260952b8
X-Google-Thread: fc2a5,8df945a1260952b8
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 04 Sep 2006 13:13:38 -0500
Date: Mon, 04 Sep 2006 14:13:38 -0400
From: W2AGN <w2agn@nospamw2agn.net>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Dentron HF-200
References: <u-mdncxnj-QP2GHZnZ2dnUVZ_uudnZ2d@comcast.com>

```
<dKadnW2nUduw_GHZnZ2dnUVZ_o6dnZ2d@comcast.com>
In-Reply-To: <dKadnW2nUduw_GHZnZ2dnUVZ_o6dnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <qumdnREmfetP8WHZnZ2dnUVZ_tudnZ2d@comcast.com>
Lines: 30
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-hlP23pTx9b7y/ETvhC6MxtmtY7/5XU/
XaIO9DA2iZA2dV2Lrd9UQOE6ifceZK9zdVJqdb84uPRcF97V!
xRSRcFFl5713usQoR7oNSKGDW104nq6TEJSN5178LiZr5L9n318OpI/RYDfPB84rSWoS067MkM8C!
HRXCyx8v7EYjdLQM+IxS
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5992
rec.radio.amateur.homebrew:6713

g. beat <@ wrote:
> "W2AGN" <w2agn@nospamw2agn.net> wrote in message
> news:u-mdncxnj-QP2GHZnZ2dnUVZ_uudnZ2d@comcast.com...
>> I have a Dentron HF-200 5 band rig. It is a bit of a basket case, as
>> someone took it apart, but it seems to be all there. I need a manual,
>> schematic, whatever for it so maybe I could get it going.
>>
>> John W2AGN
>
> John -
>
> http://www.mizuhoradio.com/dentron.html
>
> History of Dentron QRP MLX and HF-200
> http://www.kkn.net/archives/html/QRP-L/2002-03/msg01943.html
>
> MIZUHO and NISHI MUSEN Reflector
> http://www.mizuhoradio.com/index.html
>
> Manual and schematic for MLX-Mini
> http://www.mizuhoradio.com/manuals/MLX-MINI/dentronmlx.pdf
>
> eHam.net reflector (Worst piece of ham gear) - W9SN comment
> http://www.eham.net/articles/7436
>
> gb
>
>
Yep, none of those references cover the HF-200. No schematic, no info.
Just the MLX-mini, which I also have a working version of.


From -2369505101834086266
```

```
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
From: Slow Code <my.mail@no.spam>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
<OaMKg.14298$Qf.11592@newsread2.news.pas.earthlink.net>
<1157337139.412321.41620@p79g2000cwp.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 22
Message-ID: <zs2Lg.14958$Qf.12768@newsread2.news.pas.earthlink.net>
Date: Mon, 04 Sep 2006 23:15:43 GMT
NNTP-Posting-Host: 4.227.154.95
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1157411743 4.227.154.95 (Mon, 04 Sep
2006 16:15:43 PDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 16:15:43 PDT
Xref: g2news2.google.com alt.radio.scanner:2761 rec.radio.amateur.equipment:5993
rec.radio.amateur.policy:42699 rec.radio.scanner:5991 rec.radio.swap:7249
```

"an old friend" <kb9rqz@yahoo.com> wrote in
news:1157337139.412321.41620@p79g2000cwp.googlegroups.com:

>
> Slow Code wrote:
>
>> Did you get tired of playing with your model Cho-Cho trains? You could
>> try stamp collecting for something else to do, but you might not be
>> smart enough to figure out what side of a stamp to lick.

> slow code on parade

I won't suggest stamp collecting for you Mark. You would probably whine that the little boxes where you paste the stamps are too small and you won't go any further until the post office makes bigger boxes, and that the problem is the big stamp collectors want stamp collecting to be like a frat house and squeeze out the little guy.

Sc

```
From -4975170419023689802
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 4 Sep 2006 17:00:38 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1157414438.057213.166170@m73g2000cwd.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <yoqKg.91174$Eh1.59203@tornado.ohiordc.rr.com>
   <OaMKg.14298$Qf.11592@newsread2.news.pas.earthlink.net>
   <1157337139.412321.41620@p79g2000cwp.googlegroups.com>
   <zs2Lg.14958$Qf.12768@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157414443 14187 127.0.0.1 (5 Sep 2006 00:00:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Sep 2006 00:00:43 +0000 (UTC)
In-Reply-To: <zs2Lg.14958$Qf.12768@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.27;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com alt.radio.scanner:2773 rec.radio.amateur.equipment:5994
rec.radio.amateur.policy:42747 rec.radio.scanner:5999 rec.radio.swap:7267

Slow Code wrote:
> "an old friend" <kb9rqz@yahoo.com> wrote in
> news:1157337139.412321.41620@p79g2000cwp.googlegroups.com:
>
> >
> > Slow Code wrote:
> >
> >> Did you get tired of playing with your model Cho-Cho trains?  You could
> >> try stamp collecting for something else to do, but you might not be
> >> smart enough to figure out what side of a stamp to lick.
```

>
> > slow code on parade
>
>
> I won't suggest stamp collecting for you Mark.

well stamp collecting is one of my hobbies as it happens

but you it seems will always be the hate filled bag of bile that show yourself as much like Wisemen and Robeson and Heil

slow code:kook on parade

From -1638536834942035067
X-Google-Thread: 108122,12c22d330966df60,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS HP3586B Frequency selective level meter VLF receiver
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 37
Message-ID: <eG3Lg.22571$bZ6.12784@tornado.tampabay.rr.com>
Date: Tue, 05 Sep 2006 00:38:34 GMT
NNTP-Posting-Host: 70.121.227.31
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1157416714 70.121.227.31 (Mon, 04 Sep 2006 20:38:34 EDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 20:38:34 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5995

For Sale: HP3586B Frequency selective level meter VLF receiver

This unit has the high stability oscillator and is excellent condition. No dents, no scratches, and no dust inside whatsoever. I believe it was rack mounted at an environmentally controlled site and seldom used. I don't have the feet and the small blank panels (where the rack ears normally go) but these are common size. This unit works fantastic and has a new NICAD memory battery installed. I replaced one of the jacks in front with a BNC (easily reversed mod that screwed in). I also put a nice black anodized aluminum spinner knob on the VFO shaft encoder for ease of tuning. It makes for a very sensitive VLF receiver and can measure extremely low levels with great accuracy. By the way, there is an RF output jack on rear which enables you to sweep filters etc.

The service manual is included.

$495 plus shipping from central florida

Description :

HP 3586B Selective Level Meter 3586B: Meets North American Bell requirements, 50Hz to 32.5MHz frequency range with 75ohm unbalanced signal input, 4kHz to 1MHz frequency range with 124ohm balanced signal input, 4kHz to 1MHz frequency range with 135ohm balanced Input

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From 1365792005951530174
X-Google-Thread: 108228,f15bdbe4580fbf34,start
X-Google-Thread: 108122,f15bdbe4580fbf34,start
X-Google-Thread: 1109af,f15bdbe4580fbf34,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT750 VHF 136-174 MHZ 16CH-CHG-MIC-HAM-EXTRAS!
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C6D059.5BBF2C80"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <_o5Lg.2525$AP2.1530@fed1read10>
Date: Mon, 4 Sep 2006 19:36:03 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
```

```
X-Trace: fed1read10 1157423802 68.104.78.240 (Mon, 04 Sep 2006 22:36:42 EDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 22:36:42 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1249
rec.radio.amateur.equipment:5996 rec.radio.swap:7272

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C6D059.5BBF2C80
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT750 VHF 136-174 MHZ 16CH-CHG-MIC-HAM-EXTRAS!=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250025877861&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000A_01C6D059.5BBF2C80
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT750 VHF 136-174 MHZ 16CH-CHG-MIC-HAM-EXTRAS! </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250025877861&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250025877861&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000A_01C6D059.5BBF2C80--



From 7719680021404559056
X-Google-Thread: 108228,68e21802275b4f17,start
X-Google-Thread: 108122,68e21802275b4f17,start
X-Google-Thread: 1109af,68e21802275b4f17,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
```

```
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 4-EA MOTOROLA MTX9000 B5 MODEL - 900MHZ COMMERCIAL-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0015_01C6D05D.E298ABB0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <LS5Lg.2526$AP2.2117@fed1read10>
Date: Mon, 4 Sep 2006 20:08:27 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1157425707 68.104.78.240 (Mon, 04 Sep 2006 23:08:27 EDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 23:08:27 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1250
rec.radio.amateur.equipment:5997 rec.radio.swap:7273

This is a multi-part message in MIME format.

------=_NextPart_000_0015_01C6D05D.E298ABB0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 4-EA MOTOROLA MTX9000 B5 MODEL - 900MHZ COMMERCIAL-HAM

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250025888537&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0015_01C6D05D.E298ABB0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 4-EA MOTOROLA MTX9000 B5 MODEL - 900MHZ COMMERCIAL-HAM</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250025888537&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250025888537&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0015_01C6D05D.E298ABB0--
```

```
From -2030546551606274135
X-Google-Thread: 108122,5e08612c024c7417,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Need R-390A Receiver Crystal
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <i_5Lg.4556$B14.3422@dukeread03>
Date: Mon, 4 Sep 2006 22:16:44 -0500
NNTP-Posting-Host: 68.109.223.91
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1157426190 68.109.223.91 (Mon, 04 Sep 2006 23:16:30 EDT)
NNTP-Posting-Date: Mon, 04 Sep 2006 23:16:30 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5998
```

I Need a 12000.00 KC(12Mhz) Crystal for my R-390A. I can trade other R-390A Crystals, 2 Crystals for 1, or I will

pay your price. Thanks, Charlie Hugg, K5MBX

```
From 4591702891642191685
X-Google-Thread: 108122,27f14d5211e6065c,start
X-Google-Thread: 106d41,27f14d5211e6065c,start
X-Google-Thread: fc8b1,27f14d5211e6065c,start
X-Google-Attributes: gid108122,gid106d41,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d34g2000cwd.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.boatanchors
Subject: FA: KENWOOD MC-30S LO-Z DYNAMIC NOISE CANCELLING MICROPHONE
Date: 5 Sep 2006 08:22:36 -0700
Organization: http://groups.google.com
Lines: 3
```

```
Message-ID: <1157469756.110491.168600@d34g2000cwd.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157469761 25026 127.0.0.1 (5 Sep 2006 15:22:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Sep 2006 15:22:41 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d34g2000cwd.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5999 rec.radio.cb:18821
rec.radio.amateur.boatanchors:5267

At $9.99>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220023114694&ssPageName=STRK:MESE:IT&ih=012



From -7046250801325800287
X-Google-Thread: 108122,36d68d9e191136c8,start
X-Google-Thread: 106d41,36d68d9e191136c8,start
X-Google-Thread: fc8b1,36d68d9e191136c8,start
X-Google-Attributes: gid108122,gid106d41,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.boatanchors
Subject: FA: @$10>ONE(1) BRAND-NEW REALISTIC 6KD6 RF OUTPUT TUBE>YAESU:-)
Date: 5 Sep 2006 08:23:37 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1157469817.374241.171780@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157469823 20122 127.0.0.1 (5 Sep 2006 15:23:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Sep 2006 15:23:43 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6000 rec.radio.cb:18822
rec.radio.amateur.boatanchors:5268

http://cgi.ebay.com/ws/eBayISAPI.dll?
```

```
ViewItem&rd=1&item=220023114677&ssPageName=STRK:MESE:IT&ih=012



From -8309963680170905205
X-Google-Thread: 108122,59344ab2b5cff79c,start
X-Google-Thread: 106d41,59344ab2b5cff79c,start
X-Google-Thread: fc8b1,59344ab2b5cff79c,start
X-Google-Attributes: gid108122,gid106d41,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.boatanchors
Subject: FA: @$10>TWO(2) BRAND-NEW RCA RADIOTRON 872A RECTIFIER TUBES>USA
Date: 5 Sep 2006 08:24:41 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1157469881.609767.219950@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1157469887 25288 127.0.0.1 (5 Sep 2006 15:24:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 5 Sep 2006 15:24:47 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:6001 rec.radio.cb:18823
rec.radio.amateur.boatanchors:5269

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220023114667&ssPageName=STRK:MESE:IT&ih=012



From -2868616950969199758
X-Google-Thread: 108122,889b002c7c3b6498,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread09.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - KW TUNER
Message-ID: <bs3he2tjaom24u8fc2jlokeesblokgeq01@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Sun, 20 Aug 2006 12:38:16 -0400
NNTP-Posting-Host: 70.161.173.82
X-Complaints-To: abuse@cox.net
X-Trace: dukeread09 1156091883 70.161.173.82 (Sun, 20 Aug 2006 12:38:03 EDT)
NNTP-Posting-Date: Sun, 20 Aug 2006 12:38:03 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5800
```

FS - Palstar AT1500CV Tuner - KW Plus tuner; Tee match, 315 pF caps, great for 160M; switch for 2 antennas; 4:1 Balun for twin lead feed; Cross needle meter 3K/300 watt scales; S/N 03XXX; a 9 out of 10. $375 plus shipping and insurance. <k4wys@cox.net> Will bring to Shelby NC Hamfest if you want to save shipping.

```
From 3983288709916750198
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.wightman.ca!
news.wightman.ca.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 20 Aug 2006 14:52:14 -0500
From: "Spokesman" <his@spam.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Sun, 20 Aug 2006 15:52:05 -0400
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0031_01C6C470.96048E20"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <w8idnXu9IsjtIHXZnZ2dnUVZ_q2dnZ2d@wightman.ca>
Lines: 120
NNTP-Posting-Host: 216.110.224.164
X-Trace: sv3-mw9NcjIieFbQ6Vdlin3mxk3PP/uG9+MHQ3N5DXleJKZzKt26HwIBAn/
NwTKOXKaXxY8Y7QXayi4eNWp!
mzWWeajA+5FuImCAUUSI7C8KrtxaBCSHyStZ1tYZlw1927YtX7CyRWu7ApcHvA+tbMkRjYfqW/z4!
QkAy13tW/rV9H7M=
X-Complaints-To: abuse@wightman.ca
X-DMCA-Complaints-To: abuse@wightman.ca
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:16720
rec.radio.amateur.boatanchors:5120 rec.radio.amateur.homebrew:6572
rec.radio.amateur.equipment:5801

This is a multi-part message in MIME format.

------=_NextPart_000_0031_01C6C470.96048E20
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable


  "Paul Hinman" <paul.hinman@shaw.ca> wrote in message =
news:aLfEg.400583$Mn5.137675@pd7tw3no...
  I frequently see postings in the ham radio related newsgroups for =
items currently being offered on E-Bay.

  All to often I that items will be shipped only to the lower 48 states, =
leaving hams in Hawaii, Alaska, and Canada out of the picture.  What is =
the problem.  In Canada we are well served by FEDEX and the United =
States Postal Service.  Amateur radio equipment crosses the border with =
out any problem.  I realize that Hawaii and Alaska may be a bit far from =
the  "lower 48" but the same delivery services are available even though =
surface transportation may be a little bit slow.  In the US you also =
have UPS, the folks in Brown which we Canadians prefer not to use =
because the often make the border crossing more difficult than it needs =
to be and we don't like getting stuck with brokerage fees.

  So why the discrimination, if the buyer knows that delivery may take a =
little longer and is prepared to accept the fact then it becomes a non =
problem.  If the seller is intimidated by the prospect of complicated =
paperwork, he needn't be.  Please leave it up to the buyer to decide =
whether he wants to bib or not.

  I can not speak for shipments to Europe, Africa, India, China, or the =
South Pacific but for fellow Americans, or friendly northern neighbours, =
I think that people should be prepared to deal with us.

  Thanx for letting get this off my chest and I realize that I have =
cross posted this to four different newsgroups but I wanted to get to a =
broad audience.

  Paul

--=20
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk=20
```

```
------=_NextPart_000_0031_01C6C470.96048E20
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD><TITLE></TITLE>
<META http-equiv=3DContent-Type =
content=3Dtext/html;charset=3DISO-8859-1>
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY text=3D#000000 bgColor=3D#ffffff>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Paul Hinman" &lt;<A=20
  href=3D"mailto:paul.hinman@shaw.ca">paul.hinman@shaw.ca</A>&gt; wrote =
in message=20
  <A=20
  =
href=3D"news:aLfEg.400583$Mn5.137675@pd7tw3no">news:aLfEg.400583$Mn5.1376=
75@pd7tw3no</A>...</DIV><FONT=20
  size=3D+1><FONT face=3D"Comic Sans MS">I frequently see postings in =
the ham radio=20
  related newsgroups for items currently being offered on =
E-Bay.<BR><BR>All to=20
  often I that items will be shipped only to the lower 48 states, =
leaving hams=20
  in Hawaii, Alaska, and Canada out of the picture.&nbsp; What is the=20
  problem.&nbsp; In Canada we are well served by FEDEX and the United =
States=20
  Postal Service.&nbsp; Amateur radio equipment crosses the border with =
out any=20
  problem.&nbsp; I realize that Hawaii and Alaska may be a bit far from=20
  the&nbsp; "lower 48" but the same delivery services are available even =
though=20
  surface transportation may be a little bit slow.&nbsp; In the US you =
also have=20
  UPS, the folks in Brown which we Canadians prefer not to use because =
the often=20
  make the border crossing more difficult than it needs to be and we =
don't like=20
  getting stuck with brokerage fees.<BR><BR>So why the discrimination, =
if the=20
  buyer knows that delivery may take a little longer and is prepared to =
accept=20
  the fact then it becomes a non problem.&nbsp; If the seller is =
intimidated by=20
  the prospect of complicated paperwork, he needn't be.&nbsp; Please =
leave it up=20
  to the buyer to decide whether he wants to bib or not.<BR><BR>I can =
not speak=20
  for shipments to Europe, Africa, India, China, or the South Pacific =
but for=20
  fellow Americans, or friendly northern neighbours, I think that people =
should=20
  be prepared to deal with us.<BR><BR>Thanx for letting get this off my =
chest=20
  and I realize that I have cross posted this to four different =
newsgroups but I=20
  wanted to get to a broad audience.<BR><BR>Paul<BR></FONT></FONT><PRE =
class=3Dmoz-signature cols=3D"72">--=20
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk=20

</PRE></BLOCKQUOTE></BODY></HTML>

------=_NextPart_000_0031_01C6C470.96048E20--




From 1137953610480363078
X-Google-Thread: 108122,e53a67938aadf89f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 20 Aug 2006 17:33:45 -0500
From: "Trusty Trucker" <myemailconnection@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Microwave Modules MML-50-100 6m Linear Amplifier
Date: Sun, 20 Aug 2006 23:33:50 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Antivirus: avast! (VPS 0633-4, 18/08/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <MOydnewI-enWfnXZRVnysg@bt.com>
Lines: 15
NNTP-Posting-Host: 86.132.173.25
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
LN6J1rB5+Aaegcjde3H6RU26aY+d0W3nK4uLh99LdWtJF73rn6f3pzltxH9M9ManSly8UE4LIS1s46V!
ngg0Vfy5FaBRQ1udC1X+hYh8F0Dbb2L5iF+vw0CrR3rYIPJBIk1lM4VNS/ch4w==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5802

Hi,
Many Thanks for reading this request,
Can anyone provide me with a copy of the instructions for a Microwave Modules MML-50-100 50MHz (6m) linear amplifier.
I have just bought one 2nd hand which didn't come with the usual (if anything like the 2m linear amplifiers I've owned) single page instruction sheet.
Principally I would like to be sure of the power supply requirements, fuse ratings etc.
So if anyone can oblige I would be very grateful.
Many Thanks
Robert GM0CSN

From -8330873238660409696
X-Google-Thread: 108122,4a4f9ff9d561c157,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Collins 312B3 Speaker
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <7A6Gg.19415$yO4.7449@dukeread02>
Date: Sun, 20 Aug 2006 18:51:34 -0500
NNTP-Posting-Host: 68.111.108.12
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1156117891 68.111.108.12 (Sun, 20 Aug 2006 19:51:31 EDT)
NNTP-Posting-Date: Sun, 20 Aug 2006 19:51:31 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5803

I have a very nice Collins Winged Emblem 312B3 Speaker for sale. It is at least a CCA Very Good. There are a few very small nicks on the top of the case that are hard to see. Otherwise is would be Excellent. It is all original and sounds good. Price is $175. I can send digital pictures to interested persons. Thanks, Charlie Hugg, K5MBX, CCA#307

```
From -966039915042639496
X-Google-Thread: 108122,9c4dea4c9514bb5f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "mrhaney" <w4pqw@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS 940S
Date: 20 Aug 2006 19:42:07 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1156128127.316742.285450@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156128132 30423 127.0.0.1 (21 Aug 2006 02:42:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 21 Aug 2006 02:42:12 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:5804

Anyone know (approximately) what the last serial numbers were in the
production of the 940 ??  Thanks   Harold W4PQW ...



From 8311557649779351556
X-Google-Thread: 108122,c1d25d6565b5775a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!bloom-
beacon.mit.edu!news.tamu.edu!not-for-mail
From: "Mike" <mlinger@tamu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Collins ART-13 top cover cheap......
Date: Mon, 21 Aug 2006 16:15:44 -0500
Organization: Texas A&M University, College Station, Texas
Lines: 5
Message-ID: <ecd7q0$bqt$1@news.tamu.edu>
NNTP-Posting-Host: marge.tamu.edu
NNTP-Posting-Date: 21 Aug 2006 21:15:44 GMT
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:5805
```

If anyone needs a good Collins ART-13 transmitter top cover, mine is sitting
at $18.00 with about 30 minutes left on the eBay auction at:
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ih=006&item=160019235995&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

```
From -1894070079276378293
X-Google-Thread: 108228,77a1750c422df664,start
X-Google-Thread: 108122,77a1750c422df664,start
X-Google-Thread: 1109af,77a1750c422df664,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola HT750 UHF 403-470 MHz with Remote Speaker Mic & Charger
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_002F_01C6C532.12179590"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <V_pGg.1457$AP2.1128@fed1read10>
Date: Mon, 21 Aug 2006 14:57:06 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1156197429 68.104.78.240 (Mon, 21 Aug 2006 17:57:09 EDT)
NNTP-Posting-Date: Mon, 21 Aug 2006 17:57:09 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1207
rec.radio.amateur.equipment:5806 rec.radio.swap:6339
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_002F_01C6C532.12179590
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: Motorola HT750 UHF 403-470 MHz with Remote Speaker Mic & Charger=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250021259164&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

```
------=_NextPart_000_002F_01C6C532.12179590
```

```
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola HT750 UHF 403-470 MHz with Remote Speaker Mic &amp; =
Charger </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250021259164&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250021259164&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_002F_01C6C532.12179590--



From -3990678010658198894
X-Google-Thread: 108122,244c8a5d7820d9a0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: goivan@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: WANTED: Sony CRF-1 shortwave radio -- will pay $$$
Date: 21 Aug 2006 20:35:56 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1156217756.652802.313000@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 71.105.94.184
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156217761 18400 127.0.0.1 (22 Aug 2006 03:36:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Aug 2006 03:36:01 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
SaveWealth; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=71.105.94.184;
   posting-account=sX_hvw0AAACSET2N5-SCjv1FP474ShSX
Xref: g2news2.google.com rec.radio.amateur.equipment:5807
```

I will pay top dollars to anyone who has one or a commission for any
referrals to someone who leads me to one. Looking for one in excellent

condition. I have most top Sony SW radios, and this one is missing in
my collection.

Thanks again

Ivan
Santa Monica, CA

From -8303614314176561893
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "the watchman" <NAMHCTAW@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 22 Aug 2006 09:33:59 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1156264439.207635.257330@m73g2000cwd.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 71.115.50.140
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156264455 7291 127.0.0.1 (22 Aug 2006 16:34:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Aug 2006 16:34:15 +0000 (UTC)
In-Reply-To: <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Opera/9.00 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=71.115.50.140;
   posting-account=QvkXag0AAADOacGzDCg1JvJX__yaTgVl
Xref: g2news2.google.com rec.radio.amateur.equipment:5808

lick my shift key moron...maby you will get banned from the USENET huh!
``The Watchman``   i am watching you...
Greek Style wrote:
> Allodoxaphobia wrote:
> > On Tue, 11 Jul 2006 20:20:05 +0200 (CEST), Nomen Nescio wrote:
> > > HEY THEY GOT THIS GUY IN MADISONVILLE KY THAT WAS RUN OUT OF INDIANA BY THE CITY OF HOBART INDIANA TALKING WITH HIS UNLICENSED BUDDY BILL NEWCOMB FROM MARBELLA ST IN PORTAGE INDIANA ON 75 METERS (3955) YET HE STILL TALKS TO HIM AND SOME OF THE OTHERS DO TO.Listen late at night and you can hear them bill newcomb

is dr bill on the cb radio and NOT A LICENSED AMATEUR RADIO OPERATOR...K9KXQ IS A LICENSED HAM OPERATOR AND KNOWS FULL WELL THAT NEWCOME IS UNLICENSED!
> >
> > After you get your keyboard's SHIFT key fixed, come back and discuss
> > _equipment_ with us.
>
> He don't want to discuss equipment, he would rather post foolish crap,
> bann him....

From -6796270916092492291
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!2ba31c29!not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com>
<44ac3575$0$12716$ecde5a14@news.coretel.net>
<capoa2lj08hq4f318mm3i82o7tjcghijag@4ax.com>
Subject: Re: Give up CB for Ham?
Lines: 37
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <PuIGg.3863$0J6.2715@trnddc02>
Date: Tue, 22 Aug 2006 18:59:59 GMT
NNTP-Posting-Host: 72.65.144.107
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1156273199 72.65.144.107 (Tue, 22 Aug 2006 14:59:59 EDT)
NNTP-Posting-Date: Tue, 22 Aug 2006 14:59:59 EDT
Xref: g2news2.google.com rec.radio.cb:17027 rec.radio.swap:6376
rec.radio.amateur.equipment:5809

duhhhhh....LOL

Not a soul understood that or posted an actual rebuttal.

rb

<tnom@mucks.net> wrote in message
news:capoa2lj08hq4f318mm3i82o7tjcghijag@4ax.com...
> On Wed, 5 Jul 2006 17:56:18 -0400, "clfe"
> <postmasternospam@clfurentnospam.com> wrote:

```
>
>><tnom@mucks.net> wrote in message
>>news:9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com...
>>> On 5 Jul 2006 12:59:29 -0700, anythingkinky@gmail.com wrote:
>>>
>>>>Alot of people are telling me that CB is just for inbred hicks and that
>>>>I should replace the CB in my truck with a ham radio.   What do you
>>>>think?
>>>
>>> By all means replace it and forever leave CB behind. While you're
>>> at it don't forget to remove rec.radio.cb from your newsreader.
>>
>>Seems to me this original question appeared here about 4 months ago or so!
>>Is it my news reader replaying OR is someone else "reposting"?
>
> It's the same story over and over. Usually an outcasted ham posts
> to rec.radio.cb  in this derogitory manner. It's a amateurish attempt
> to self justify their superiorirty. They simple put down others in
> order to bring themself up.
>
> The only problem is this. If they were truly superior they would never
> feel the need to do this. When they resort to putting CB down it does
> just the opposite of what they think. It exposes an inferior feeling
> and their self conscienceness to  it.




From -8388658711614489139
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: 22 Aug 2006 14:18:45 -0700
Organization: http://groups.google.com
Lines: 41
Message-ID: <1156281525.061620.5930@75g2000cwc.googlegroups.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
   <9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com>
   <44ac3575$0$12716$ecde5a14@news.coretel.net>
   <capoa2lj08hq4f318mm3i82o7tjcghijag@4ax.com>
   <PuIGg.3863$0J6.2715@trnddc02>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156281530 25564 127.0.0.1 (22 Aug 2006 21:18:50 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Tue, 22 Aug 2006 21:18:50 +0000 (UTC)
In-Reply-To: <PuIGg.3863$0J6.2715@trnddc02>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.cb:17042 rec.radio.swap:6393
rec.radio.amateur.equipment:5810


Woody wrote:
> duhhhhh....LOL
>
> Not a soul understood that or posted an actual rebuttal.
I understand it fully

no rebuttal is posible since it is true
only weak and insecure hams feel the need to put down CB
>
> rb
>
> <tnom@mucks.net> wrote in message
> news:capoa2lj08hq4f318mm3i82o7tjcghijag@4ax.com...
> > On Wed, 5 Jul 2006 17:56:18 -0400, "clfe"
> > <postmasternospam@clfurentnospam.com> wrote:
> >
> >><tnom@mucks.net> wrote in message
> >>news:9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com...
> >>> On 5 Jul 2006 12:59:29 -0700, anythingkinky@gmail.com wrote:
> >>>
> >>>>Alot of people are telling me that CB is just for inbred hicks and that
> >>>>I should replace the CB in my truck with a ham radio.   What do you
> >>>>think?
> >>>
> >>> By all means replace it and forever leave CB behind. While you're
> >>> at it don't forget to remove rec.radio.cb from your newsreader.
> >>
> >>Seems to me this original question appeared here about 4 months ago or so!
> >>Is it my news reader replaying OR is someone else "reposting"?
> >
> > It's the same story over and over. Usually an outcasted ham posts
> > to rec.radio.cb  in this derogitory manner. It's a amateurish attempt
> > to self justify their superiorirty. They simple put down others in
> > order to bring themself up.
> >
> > The only problem is this. If they were truly superior they would never
> > feel the need to do this. When they resort to putting CB down it does
> > just the opposite of what they think. It exposes an inferior feeling
> > and their self conscienceness to  it.
```

```
From -8358869595127418643
X-Google-Thread: 1009ad,580bd85054acde80,start
X-Google-Thread: 108122,580bd85054acde80,start
X-Google-Thread: 10bf43,580bd85054acde80,start
X-Google-Thread: fa029,580bd85054acde80,start
X-Google-Thread: 1109af,580bd85054acde80,start
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Let's take back ham radio!
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 11
Message-ID: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
Date: Tue, 22 Aug 2006 23:15:42 GMT
NNTP-Posting-Host: 4.254.228.229
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1156288542 4.254.228.229 (Tue, 22 Aug
2006 16:15:42 PDT)
NNTP-Posting-Date: Tue, 22 Aug 2006 16:15:42 PDT
Xref: g2news2.google.com alt.radio.scanner:2351 rec.radio.amateur.equipment:5811
rec.radio.amateur.policy:39614 rec.radio.scanner:5255 rec.radio.swap:6402

1: No more automatic renewals. Individuals must retest and
    pass all elements required for their license class.


2: The passing score for written exams needs to be raised to 85%.


3: Code elements should be 13 wpm for General, and 20 wpm for Extra.


4: Make the no-code license one year non-renewable.


From 4905553644673344295
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
```

```
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: you mean let kill the ARS
Date: 22 Aug 2006 16:19:44 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1156288783.938050.53490@m73g2000cwd.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156288790 14355 127.0.0.1 (22 Aug 2006 23:19:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Aug 2006 23:19:50 +0000 (UTC)
In-Reply-To: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.27;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com alt.radio.scanner:2352 rec.radio.amateur.equipment:5812
rec.radio.amateur.policy:39620 rec.radio.scanner:5257 rec.radio.swap:6404


Slow Code wrote:
> 1: No more automatic renewals. Individuals must retest and
>     pass all elements required for their license class.
might be a good idea but only if we go one class of license o make
deffernt test to renew
>
>
> 2: The passing score for written exams needs to be raised to 85%.
mayebe ok
>
>
> 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
killing the service off
>
>
> 4: Make the no-code license one year non-renewable.
and cuting numbers by 50percent insuring the end of the ars within 10
years



From 3820460363482764953
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
```

```
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!74g2000cwt.googlegroups.com!not-for-
mail
From: "Douche Bag" <loumaagsucks@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 22 Aug 2006 16:20:57 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1156288857.171365.86470@74g2000cwt.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 70.110.25.180
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156288862 14558 127.0.0.1 (22 Aug 2006 23:21:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Aug 2006 23:21:02 +0000 (UTC)
In-Reply-To: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 74g2000cwt.googlegroups.com; posting-host=70.110.25.180;
   posting-account=lz0K7A0AAAA0k0bp6MTD4cusVBwJX_LS
Xref: g2news2.google.com alt.radio.scanner:2353 rec.radio.amateur.equipment:5813
rec.radio.amateur.policy:39621 rec.radio.scanner:5258 rec.radio.swap:6405

You can't bring it back to life. It's dead. Shove code up your ASS!
Slow Code wrote:
> 1: No more automatic renewals. Individuals must retest and
>     pass all elements required for their license class.
>
>
> 2: The passing score for written exams needs to be raised to 85%.
>
>
> 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>
> 4: Make the no-code license one year non-renewable.



From 8257165919817152998
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
```

```
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
75g2000cwc.googlegroups.com!not-for-mail
From: "Douche Bag" <loumaagsucks@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 22 Aug 2006 16:21:44 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1156288904.729043.287050@75g2000cwc.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 70.110.25.180
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156288910 21113 127.0.0.1 (22 Aug 2006 23:21:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Aug 2006 23:21:50 +0000 (UTC)
In-Reply-To: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=70.110.25.180;
   posting-account=lz0K7A0AAAA0k0bp6MTD4cusVBwJX_LS
Xref: g2news2.google.com alt.radio.scanner:2354 rec.radio.amateur.equipment:5814
rec.radio.amateur.policy:39622 rec.radio.scanner:5259 rec.radio.swap:6406

You can't bring it back to life. It's dead. Shove code up your ASS!
Slow Code wrote:
> 1: No more automatic renewals. Individuals must retest and
>     pass all elements required for their license class.
>
>
> 2: The passing score for written exams needs to be raised to 85%.
>
>
> 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>
> 4: Make the no-code license one year non-renewable.



From 4805608912626272421
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: you mean lets kill the ARS
Date: 22 Aug 2006 16:27:22 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1156289242.544715.95470@m73g2000cwd.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <1156288857.171365.86470@74g2000cwt.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156289249 15622 127.0.0.1 (22 Aug 2006 23:27:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 22 Aug 2006 23:27:29 +0000 (UTC)
In-Reply-To: <1156288857.171365.86470@74g2000cwt.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.27;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com alt.radio.scanner:2355 rec.radio.amateur.equipment:5815
rec.radio.amateur.policy:39624 rec.radio.scanner:5260 rec.radio.swap:6407


Douche Bag wrote:
> You can't bring it back to life. It's dead. Shove code up your ASS!
nope it is not dead but slow code want to will it




From 2051459146232910682
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!VERMONTEL.NET-
a2kHrUvQQWlmc!not-for-mail
From: X-rated Vermonter
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
```

```
Subject: Re: Let's take back ham radio!
Date: Tue, 22 Aug 2006 19:47:36 -0400
Message-ID: <1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Agent 4.0/32.1069
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: VTel Internet NNTP
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-209-134-33-53.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 29
X-Trace: 2091844eb979a7de7c94b31382
Xref: g2news2.google.com alt.radio.scanner:2356 rec.radio.amateur.equipment:5816
rec.radio.amateur.policy:39632 rec.radio.scanner:5262 rec.radio.swap:6408

On Tue, 22 Aug 2006 23:15:42 GMT, Slow Code <my.mail@no.spam> wrote:

>1: No more automatic renewals. Individuals must retest and
>    pass all elements required for their license class.
>
>
>2: The passing score for written exams needs to be raised to 85%.
>
>
>3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>
>4: Make the no-code license one year non-renewable.

5.   No more "multiple guess" code test.  One minute solid copy with
lots of numbers, punctuation, and intentional misspellings

6.   No more VE sessions.  Re-establish testing at FCC Field offices,
and train test administrators in the mold of Jules Finkelman.

7.  No more pass the theory one day, the code another day.  If you
expect to be a ham, you should know both the same day.

8.  No more transceivers.  Separate receivers and transmitters,
preferably with tubes, that you have to tune separately.  For first
year of license, crystal transmit frequency control only.

9.  Fill in the World Trade Center hole, re-establish the old grid of
streets, and re-establish radio row on Courtlandt Street.


From -4638426645049662139
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
```

```
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 22 Aug 2006 18:50:40 -0500
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
From: notbob <notbob@nothome.com>
Subject: Re: Let's take back ham radio!
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com>
Date: Tue, 22 Aug 2006 18:50:46 -0500
Lines: 7
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-XAEO+h2nHaXbhdO3oQqxTQDy8IeqcrUTzL3OfHpQhi/3tz3cI/
bFrFwTVGrPOuw+aFKBir6n/cfQ6vF!62K0Ia+E1x7i+oY3d0NF2ku5huZs2Yl/
MZKgKY+MgVOsY8eaJn7lwS2CMdYwyMUNOpERWER1OQHb!IBYI/Q==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2357 rec.radio.amateur.equipment:5817
rec.radio.amateur.policy:39634 rec.radio.scanner:5263 rec.radio.swap:6409
```

On 2006-08-22, X-rated Vermonter <X-rated> wrote:

> 5.   No more......

Yeah!! And bring back beeswax candles!

nb

```
From -6448910258760696995
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 22 Aug 2006 19:39:21 -0500
```

From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
Subject: Re: Let's take back ham radio!
Date: Tue, 22 Aug 2006 20:38:29 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <TaudnUdwXe8nPnbZnZ2dnUVZ_qidnZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-h60I80FD//k6VkGea4Dj1sdqB0cqxMTxR8C152wlVZ/
AluNGxRReHE111GQPU80iWs8hIRuvNH8655J!
+CONCdUlc4HlQFrS1l99HhgxPnt5gcLs8bUAggSN3gtRx3hoMKrmK4zXojG/Oetjx5XhTGesGu2i!
pyTReGMDhNMgFr/q
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2359 rec.radio.amateur.equipment:5818 rec.radio.amateur.policy:39640 rec.radio.scanner:5268 rec.radio.swap:6413

<X-rated Vermonter> wrote in message
news:1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com...
> On Tue, 22 Aug 2006 23:15:42 GMT, Slow Code <my.mail@no.spam> wrote:
>
>>1: No more automatic renewals. Individuals must retest and
>>   pass all elements required for their license class.
>>
>>
>>2: The passing score for written exams needs to be raised to 85%.
>>
>>
>>3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>>
>>
>>4: Make the no-code license one year non-renewable.
>
> 5.   No more "multiple guess" code test. One minute solid copy with
> lots of numbers, punctuation, and intentional misspellings
>

The council of VECs has already eliminated the multiple choice test. Now
it's fill in the blank or get solid copy.

From -8077215548380794449
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Message-ID: <vqdne25ac4mp5ikf4rsu4tirno8vi251hp@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimepljccghndfbpcpffkbniaamobbiakdjekehbghnemcimjfoebpbabngllpdkigndmmanelijghoamnlmhngglbldfeinfegenfnojecgjgcfcij
NNTP-Posting-Date: Tue, 22 Aug 2006 19:05:43 MST
Organization: Optimum Online
Date: Tue, 22 Aug 2006 22:05:26 -0400
Xref: g2news2.google.com alt.radio.scanner:2360 rec.radio.amateur.equipment:5819
rec.radio.amateur.policy:39653 rec.radio.scanner:5270 rec.radio.swap:6416

On Tue, 22 Aug 2006 19:47:36 -0400, X-rated Vermonter wrote:

>and train test administrators in the mold of Jules Finkelman.

There go most potential hams. Finkleman's look could curdle stone.

>9. Fill in the World Trade Center hole, re-establish the old grid of
>streets, and re-establish radio row on Courtlandt Street.

Bring back Sy Denby and ARC5s.

From -6517195421731274960
X-Google-Thread: 1009ad,580bd85054acde80

```
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "an Old friend" <kb9rqz@amsat.org>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 22 Aug 2006 19:20:39 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1156299639.850562.323570@m79g2000cwm.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
   <vqdne25ac4mp5ikf4rsu4tirno8vi251hp@4ax.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156299645 13099 127.0.0.1 (23 Aug 2006 02:20:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 Aug 2006 02:20:45 +0000 (UTC)
In-Reply-To: <vqdne25ac4mp5ikf4rsu4tirno8vi251hp@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=69.19.14.27;
   posting-account=RPkPwQ0AAAAOAlmydGke92nBD6aZq3Rd
Xref: g2news2.google.com alt.radio.scanner:2361 rec.radio.amateur.equipment:5820
rec.radio.amateur.policy:39661 rec.radio.scanner:5273 rec.radio.swap:6418
```

```
Al Klein wrote:
> On Tue, 22 Aug 2006 19:47:36 -0400, X-rated Vermonter wrote:
>
> >and train test administrators in the mold of Jules Finkelman.
>
> There go most potential hams. Finkleman's look could curdle stone.
why bother after that
>
> >9.  Fill in the World Trade Center hole, re-establish the old grid of
> >streets, and re-establish radio row on Courtlandt Street.
>
> Bring back Sy Denby and ARC5s.
why you are all living in the past you can't do that it just not
possible
```

From 5199750549117377686
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Steve" <radio1@gmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
Subject: Re: Let's take back ham radio!
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <SxQGg.27232$8j3.4461@twister.nyroc.rr.com>
Date: Wed, 23 Aug 2006 04:09:22 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1156306162 24.58.195.67 (Wed, 23 Aug 2006 00:09:22 EDT)
NNTP-Posting-Date: Wed, 23 Aug 2006 00:09:22 EDT
Organization: Road Runner
Xref: g2news2.google.com alt.radio.scanner:2367 rec.radio.amateur.equipment:5821 rec.radio.amateur.policy:39683 rec.radio.scanner:5277 rec.radio.swap:6424

If that were the case, YOU'D FLUNK !

"Slow Code" <my.mail@no.spam> wrote in message
news:yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net...
> 1: No more automatic renewals. Individuals must retest and
>   pass all elements required for their license class.
>
>
> 2: The passing score for written exams needs to be raised to 85%.
>
>
> 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>
> 4: Make the no-code license one year non-renewable.

From -8042697957752005682
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!news.glorb.com!atl-
c03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-
out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Steve" <radio1@gmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<vqdne25ac4mp5ikf4rsu4tirno8vi251hp@4ax.com>
<1156299639.850562.323570@m79g2000cwm.googlegroups.com>
Subject: Re: Let's take back ham radio!
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <AAQGg.27233$8j3.7429@twister.nyroc.rr.com>
Date: Wed, 23 Aug 2006 04:12:16 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1156306336 24.58.195.67 (Wed, 23 Aug 2006 00:12:16
EDT)
NNTP-Posting-Date: Wed, 23 Aug 2006 00:12:16 EDT
Organization: Road Runner
Xref: g2news2.google.com alt.radio.scanner:2369 rec.radio.amateur.equipment:5822
rec.radio.amateur.policy:39684 rec.radio.scanner:5278 rec.radio.swap:6425

Bring back the horse and buggy too. I should only take you about a month to
make it to Dayton!

"an Old friend" <kb9rqz@amsat.org> wrote in message
news:1156299639.850562.323570@m79g2000cwm.googlegroups.com...
>
> Al Klein wrote:
>> On Tue, 22 Aug 2006 19:47:36 -0400, X-rated Vermonter wrote:
>>
>> >and train test administrators in the mold of Jules Finkelman.

```
>>
>> There go most potential hams. Finkleman's look could curdle stone.
> why bother after that
>>
>> >9.  Fill in the World Trade Center hole, re-establish the old grid of
>> >streets, and re-establish radio row on Courtlandt Street.
>>
>> Bring back Sy Denby and ARC5s.
> why you are all living in the past you can't do that it just not
> possible
>




From 6182278171661279327
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!be5.nntpserver.com!not-
for-mail
From: Mark@kb9rqz.com
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: Tue, 22 Aug 2006 20:41:23 -0400
Message-ID: <519ne2dhhpgaqm6ilnvsb1ohjqii3ilnuo@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<TaudnUdwXe8nPnbZnZ2dnUVZ_qidnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
NNTP-Posting-Date: 22 Aug 2006 23:45:18 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:2371 rec.radio.amateur.equipment:5823
rec.radio.amateur.policy:39723 rec.radio.scanner:5292 rec.radio.swap:6437

On Tue, 22 Aug 2006 20:38:29 -0400, "Dee Flint"
<deeflint01@comcast.net> wrote:

>
><X-rated Vermonter> wrote in message
>news:1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com...
>> On Tue, 22 Aug 2006 23:15:42 GMT, Slow Code <my.mail@no.spam> wrote:
```

```
>>
>>>1: No more automatic renewals. Individuals must retest and
>>>    pass all elements required for their license class.
>>>
>>>
>>>2: The passing score for written exams needs to be raised to 85%.
>>>
>>>
>>>3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
>>>
>>>
>>>4: Make the no-code license one year non-renewable.
>>
>> 5.   No more "multiple guess" code test.  One minute solid copy with
>> lots of numbers, punctuation, and intentional misspellings
>>
>
>The council of VECs has already eliminated the multiple choice test.  Now
>it's fill in the blank or get solid copy.
and insured the end of code testing
>
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From 5592706887292122851
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!pln-w!spln!lex!extra.newsguy.com!
newsp.newsguy.com!enews1
From: "Jack Ricci" <ricci@mnsi.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: Wed, 23 Aug 2006 01:23:10 -0400
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 37
Message-ID: <ecgooo01u7v@enews1.newsguy.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<vqdne25ac4mp5ikf4rsu4tirno8vi251hp@4ax.com>
<1156299639.850562.323570@m79g2000cwm.googlegroups.com>
<AAQGg.27233$8j3.7429@twister.nyroc.rr.com>
```

```
NNTP-Posting-Host: p-290.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com alt.radio.scanner:2374 rec.radio.amateur.equipment:5824
rec.radio.amateur.policy:39735 rec.radio.scanner:5295 rec.radio.swap:6443

> Bring back the horse and buggy too. I should only take you about a month
> to make it to Dayton!
"Steve" <radio1@gmail.com> wrote in message
news:AAQGg.27233$8j3.7429@twister.nyroc.rr.com...

...Is there still enough room for chics in the back seats of those things?

Jack



> Bring back the horse and buggy too. I should only take you about a month
> to make it to Dayton!
>
>
> "an Old friend" <kb9rqz@amsat.org> wrote in message
> news:1156299639.850562.323570@m79g2000cwm.googlegroups.com...
>>
>> Al Klein wrote:
>>> On Tue, 22 Aug 2006 19:47:36 -0400, X-rated Vermonter wrote:
>>>
>>> >and train test administrators in the mold of Jules Finkelman.
>>>
>>> There go most potential hams. Finkleman's look could curdle stone.
>> why bother after that
>>>
>>> >9.  Fill in the World Trade Center hole, re-establish the old grid of
>>> >streets, and re-establish radio row on Courtlandt Street.
>>>
>>> Bring back Sy Denby and ARC5s.
>> why you are all living in the past you can't do that it just not
>> possible
>>
>
>




From 2234350864253662443
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
```

X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!
news01.roc.ny.POSTED!53ab2750!not-for-mail
Reply-To: "Steve Stone" <zzspfleck@citlink.netyy>
From: "Steve Stone" <zzspfleck@citlink.netzz>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1156288783.938050.53490@m73g2000cwd.googlegroups.com>
Subject: Re: you mean let kill the ARS
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <GLYGg.8320$Oh1.5187@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956deb516aceeeeaa121fcb75b17a733a47216d40426cc334f75408c49ee10a2889f0
e34fb5bc63a9e5aa88e21f32d750f9b81fe67e6d58e2349dd9967ccf5f23df65cb340260f735b67f6e
0de78fa56cd748e995970aef64bd943777acdedcc2b413e1c0ffde06852f
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Wed, 23 Aug 2006 13:30:14 UTC
Date: Wed, 23 Aug 2006 13:30:14 GMT
Xref: g2news2.google.com alt.radio.scanner:2379 rec.radio.amateur.equipment:5825
rec.radio.amateur.policy:39781 rec.radio.scanner:5301 rec.radio.swap:6449

>> 4: Make the no-code license one year non-renewable.
> and cuting numbers by 50percent insuring the end of the ars within 10
> years
>

ALL ARES and RACES members will have master 20 WPM CW or better

---

From -6760683546613238937
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit

From: "Bill Turner" <noway@nohow.com>
Subject: Re: Let's take back ham radio!
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Followup-To: alt.radio.scanner
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
User-Agent: XanaNews/1.18.1.3
NNTP-Posting-Host: node216-75-93-63.1dial.com
Message-ID: <44ec5a90_5@newsfeed.slurp.net>
Date: 23 Aug 2006 08:39:28 -0500
X-Trace: newsfeed.slurp.net 1156340368 63.93.75.216 (23 Aug 2006 08:39:28 -0500)
Lines: 36
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.216
Path: g2news2.google.com!news4.google.com!news.glorb.com!usenet.ath.cx!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com alt.radio.scanner:2382 rec.radio.amateur.equipment:5826 rec.radio.amateur.policy:39812 rec.radio.scanner:5305 rec.radio.swap:6454

Slow Code wrote:

> 1: No more automatic renewals. Individuals must retest and
> pass all elements required for their license class.

Why? Is Amateur Radio a memory test? Make it a lifetime license and
reduce the FCC's workload.

> 2: The passing score for written exams needs to be raised to 85%.

Why not 100%? Are you saying it's ok to screw up 15% of your operating?

> 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.

Why should anyone be tested for code proficiency if they don't plan to
use it? I can see testing for basic knowledge (dit dah = A), but why
any particular speed? Should people be tested for speed talking before
using voice modes?

> 4: Make the no-code license one year non-renewable.

All licenses should be no-code. Does the FCC test for speaking ability?

I don't think you have thought this through very well. Go take a nap
and come back after some extended cogitating.

Bill, W6WRT

--

From -7176690547116226467
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!newsfeed1.easynews.com!easynews.com!easynews!easynews-
local!fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
Subject: Re: Let's take back ham radio!
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <dc2Hg.634122$GD7.612509@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Wed, 23 Aug 2006 19:42:01 GMT
Xref: g2news2.google.com alt.radio.scanner:2386 rec.radio.amateur.equipment:5827
rec.radio.amateur.policy:39861 rec.radio.scanner:5311 rec.radio.swap:6461

Slow Code wrote:
> 1: No more

Please don't feed the trolls.

From -2381039012573383898
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com>
Subject: Re: Let's take back ham radio!
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <8s2Hg.19716$Te.17427@trnddc07>
Date: Wed, 23 Aug 2006 19:59:00 GMT
NNTP-Posting-Host: 72.65.144.107
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1156363140 72.65.144.107 (Wed, 23 Aug 2006 15:59:00 EDT)
NNTP-Posting-Date: Wed, 23 Aug 2006 15:59:00 EDT
Xref: g2news2.google.com alt.radio.scanner:2387 rec.radio.amateur.equipment:5828
rec.radio.amateur.policy:39863 rec.radio.scanner:5313 rec.radio.swap:6463

Yeah!! and my Bonnie.. bring back my Bonnie to me, to me!

Oh, and .75 cent gasoline too....
rb

"notbob" <notbob@nothome.com> wrote in message
news:aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com...
> On 2006-08-22, X-rated Vermonter <X-rated> wrote:
>
>> 5.   No more......
>
> Yeah!!  And bring back beeswax candles!
>
> nb




From 3750710448544731334
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Message-ID: <6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com> <8s2Hg.19716$Te.17427@trnddc07>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mgjcfpjdppbciligijjdnojopddcmjimmphgakghhlmoemddfkbniaamobbiakdjajiiglkegkdohbimklfcifjanjelmojjdmmanelijghoamnlmkehcnmphkdfbdgnenfnojecgjgcfcij
NNTP-Posting-Date: Wed, 23 Aug 2006 14:56:58 MST
Organization: Optimum Online
Date: Wed, 23 Aug 2006 17:58:21 -0400
Xref: g2news2.google.com alt.radio.scanner:2388 rec.radio.amateur.equipment:5829
rec.radio.amateur.policy:39869 rec.radio.scanner:5316 rec.radio.swap:6469

On Wed, 23 Aug 2006 19:59:00 GMT, "Woody" <ts520@hotmail.com> wrote:

>Oh, and .75 cent gasoline too....

25 cent gas. I guess I'm older than you.

From 8332219288440586200
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 23 Aug 2006 15:14:45 -0700
Organization: http://groups.google.com
Lines: 11

```
Message-ID: <1156371285.103649.231230@p79g2000cwp.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
   <aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com>
   <8s2Hg.19716$Te.17427@trnddc07>
   <6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156371291 22116 127.0.0.1 (23 Aug 2006 22:14:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 Aug 2006 22:14:51 +0000 (UTC)
In-Reply-To: <6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com alt.radio.scanner:2390 rec.radio.amateur.equipment:5830
rec.radio.amateur.policy:39874 rec.radio.scanner:5319 rec.radio.swap:6475


Al Klein wrote:
> On Wed, 23 Aug 2006 19:59:00 GMT, "Woody" <ts520@hotmail.com> wrote:
>
> >Oh, and .75 cent gasoline too....
>
> 25 cent gas.  I guess I'm older than you.
I don't recal 25 cent but I do remmber 35 cent gas

you point?




From -5720182338213804441
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Attributes: gid108122,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 23 Aug 2006 17:41:48 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.swap
Subject: Re: Give up CB for Ham?
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<1156281525.061620.5930@75g2000cwc.googlegroups.com>
Date: Wed, 23 Aug 2006 22:41:48 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
```

Message-ID: <aZmdnVYhb5YxRHHZnZ2dnUVZ_sOdnZ2d@centurytel.net>
Lines: 7
NNTP-Posting-Host: 72.160.70.246
X-Trace: sv3-
aPVFKfJNF9ugl2esLxAGwvjRFKxCJ0nEXEQF6tHQo1iNlopz14rr3tvIAyzfGWJrpOipsUdEXLhIPvg!
MKcZsLJuQ+cKzp4nFs3GzkAawG/pwc87WX5VVstpYjWsyiTOoq8hRO737es2ZmFC058hMIebHyVg!
EeznSTfFgF7PgpBAiXnt0y+++tiIOXnhQrTQ
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5831 rec.radio.cb:17272 rec.radio.swap:6480

Neither posts belong in this newsgroup: rec.radio.amateur.equipment.
Feel free to post here, radio equipment for sale or trade.... includung cb radios mod. for 10 meters
I dont do chicken band stuff but if you are selling a freq. counter Id still buy from you.
PEACE
NF7D

From 5968744173335818560
X-Google-Thread: 108122,f187648a3fb4aeed
X-Google-Thread: 108228,f187648a3fb4aeed
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 23 Aug 2006 17:49:57 -0500
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: Re: FS Fixed price: Heil Sound Shock Mount SM-1 made by Audio-tech AT8410A
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
References: <vvOdnfY_P8rauX_ZnZ2dnUVZ_vadnZ2d@centurytel.net>
Date: Wed, 23 Aug 2006 22:49:57 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <FO-dnbPux4ELRnHZnZ2dnUVZ_rSdnZ2d@centurytel.net>
Lines: 3
NNTP-Posting-Host: 72.160.70.246
X-Trace:
sv3-61xLpNrX+nfouTA0cVynY4WldNO33oiKOzWLLThLijeM8LoikI1pcy8wrTmrGViuq4+GbzILiwrdGO
5!wuOPMZSzpikostWEUogAXgt0LxsP9lZ74tCVdbOPlfBZJkzRlPb2oStBXWLZ2yoA6a0Lvyy6gP14!
Ga8+yC9zhXmBlYtZzEfKCunaNxs8KchOsY+X
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5832 alt.ham-radio.marketplace:1209

************** SOLD ********************
thank you
Rich

From -2511494647789876146
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Thread: 107ada,a5e1bf43c0e323d0,start
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Attributes: gid108122,gid107ada,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,rec.radio.swap
Subject: Re: Give up CB for Ham?
From: Slow Code <my.mail@no.spam>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<1156281525.061620.5930@75g2000cwc.googlegroups.com>
<aZmdnVYhb5YxRHHZnZ2dnUVZ_sOdnZ2d@centurytel.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 14
Message-ID: <3u5Hg.794$bM.785@newsread4.news.pas.earthlink.net>
Date: Wed, 23 Aug 2006 23:25:51 GMT
NNTP-Posting-Host: 4.235.6.192
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1156375551 4.235.6.192 (Wed, 23 Aug 2006 16:25:51 PDT)
NNTP-Posting-Date: Wed, 23 Aug 2006 16:25:51 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5833
rec.radio.amateur.misc:19664 rec.radio.cb:17278 rec.radio.swap:6489

"Rich" <rullery@pioneer-data.com> wrote in
news:aZmdnVYhb5YxRHHZnZ2dnUVZ_sOdnZ2d@centurytel.net:

> I dont do chicken band stuff but if you are selling a freq. counter Id
> still buy from you.
> PEACE
> NF7D

They don't make a counter that goes high enough to number all the
Freaks on CB.

SC

From -5809010623282257998
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
From: Slow Code <my.mail@no.spam>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<44ec5a90_5@newsfeed.slurp.net> <44ecaefe$0$15499$ecde5a14@news.coretel.net>
<rvkpe2pfem453lscckek4a6n11rjshs4r9@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 16
Message-ID: <8u5Hg.799$bM.295@newsread4.news.pas.earthlink.net>
Date: Wed, 23 Aug 2006 23:25:56 GMT
NNTP-Posting-Host: 4.235.6.192
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1156375556 4.235.6.192 (Wed, 23 Aug 2006 16:25:56 PDT)
NNTP-Posting-Date: Wed, 23 Aug 2006 16:25:56 PDT
Xref: g2news2.google.com alt.radio.scanner:2400 rec.radio.amateur.equipment:5834
rec.radio.amateur.policy:39897 rec.radio.scanner:5330 rec.radio.swap:6490

The Kat <new1@katxyzkave.net> wrote in
news:rvkpe2pfem453lscckek4a6n11rjshs4r9@4ax.com:

> On Wed, 23 Aug 2006 15:38:39 -0400, "L." <nospam@tnospam.com> wrote:
>
>>If you "use" it enough
>
> I WISH people would start remembering they're in a SCANNER newsgroup,
> NOT a Ham newsgroup!

You would have a scanner if it weren't for hams. Ever tune 144-148 or
420-450? Good stuff Maynard.

SC

```
From 7475559116338171800
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: you mean lets kill the ARS
From: Slow Code <my.mail@no.spam>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1156288857.171365.86470@74g2000cwt.googlegroups.com>
<1156289242.544715.95470@m73g2000cwd.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 14
Message-ID: <su5Hg.810$bM.263@newsread4.news.pas.earthlink.net>
Date: Wed, 23 Aug 2006 23:26:16 GMT
NNTP-Posting-Host: 4.235.6.192
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1156375576 4.235.6.192 (Wed, 23 Aug 2006
16:26:16 PDT)
NNTP-Posting-Date: Wed, 23 Aug 2006 16:26:16 PDT
Xref: g2news2.google.com alt.radio.scanner:2401 rec.radio.amateur.equipment:5835
rec.radio.amateur.policy:39903 rec.radio.scanner:5335 rec.radio.swap:6492

"an old freind" <kb9rqz_ars@hotmail.com> wrote in
news:1156289242.544715.95470@m73g2000cwd.googlegroups.com:

>
> Douche Bag wrote:
>> You can't bring it back to life. It's dead. Shove code up your ASS!
> nope it is not dead but slow code want to will it
>
>


Why do you want ham radio to be like CB,  Ain't one CB service enough for ya?

SC


From -8727326064341775426
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
```

```
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: you mean lets kill the ARS
Date: 23 Aug 2006 16:32:26 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1156375946.763075.20290@h48g2000cwc.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <1156288857.171365.86470@74g2000cwt.googlegroups.com>
   <1156289242.544715.95470@m73g2000cwd.googlegroups.com>
   <su5Hg.810$bM.263@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156375952 8963 127.0.0.1 (23 Aug 2006 23:32:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 23 Aug 2006 23:32:32 +0000 (UTC)
In-Reply-To: <su5Hg.810$bM.263@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com alt.radio.scanner:2403 rec.radio.amateur.equipment:5836
rec.radio.amateur.policy:39908 rec.radio.scanner:5338 rec.radio.swap:6494
```

Slow Code wrote:
> "an old freind" <kb9rqz_ars@hotmail.com> wrote in
> news:1156289242.544715.95470@m73g2000cwd.googlegroups.com:
>
> >
> > Douche Bag wrote:
> >> You can't bring it back to life. It's dead. Shove code up your ASS!
> > nope it is not dead but slow code want to will it
> >
> >
>
>
> Why do you want ham radio to be like CB,
Never said I did

> SC

```
From 8727603819366355083
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 23 Aug 2006 21:02:48 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1156288783.938050.53490@m73g2000cwd.googlegroups.com>
<GLYGg.8320$Oh1.5187@news01.roc.ny>
Subject: Re: you mean let kill the ARS
Date: Wed, 23 Aug 2006 21:02:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <quqdnQq3p9VVlXDZnZ2dnUVZ_oOdnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 71.226.69.91
X-Trace: sv3-e6rwxF8wxWVcBmwj/
sjZt8f+swII23QRObs9i+uBw1CCJEBT7fSw8KGHAN55zQxMaC0fFLF3fskv5c5!
ppaRAso51ZEML+J1rB6VeIgibV6GXb03+afMsc39yiLpa3Y1TSceqesY+g4UhQGKgt6S7U2sMNPe!
8vxZQOttf8Ji
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2404 rec.radio.amateur.equipment:5837
rec.radio.amateur.policy:39928 rec.radio.scanner:5345 rec.radio.swap:6505


"Steve Stone" <zzspfleck@citlink.netzz> wrote in message
news:GLYGg.8320$Oh1.5187@news01.roc.ny...
>
>>> 4: Make the no-code license one year non-renewable.
>> and cuting numbers by 50percent insuring the end of the ars within 10
>> years
>>
>
```

> ALL ARES and RACES members will have master 20 WPM CW or better

and??

From -3074550647723781779
X-Google-Thread: 108122,b10c8e50b2e1ba04,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Need advice on 6 meter mobile antenna
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 23
Message-ID: <%1hHg.1$qJ5.0@dfw-service2.ext.ray.com>
Date: Thu, 24 Aug 2006 12:35:07 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1156422907 138.126.48.166 (Thu, 24 Aug 2006 07:35:07 CDT)
NNTP-Posting-Date: Thu, 24 Aug 2006 07:35:07 CDT
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.amateur.equipment:5838

Hi all,

I find myself in need of a 6 meter mobile antenna. I intend to use it for SSB at the low end of the band. I have no interest in 6m FM or repeaters. It must be a whip antenna rather than a loop for aesthetic reasons (XYL would kill me if I installed a Squalo on the truck!). I don't care about cost. I'm flexible on what type of mount is required. I presently have a 3/8"-24 mount installed, but it's easy to change to NMO, UHF, etc. My previous 6m antenna was a helically-wound piece of junk from Iron Horse, which literally fell apart. I want something that is built well and will last. My mounting location will be the right rear corner of the aluminum toolbox on my F-150 pickup.

I'm interested in hearing about YOUR personal experiences with 6 meter mobile antennas: what worked well for you, and what did not. I am not interested in "My buddy says..." or "I think I read somewhere...", 'cuz that's worthless hearsay. I wanna know what worked for YOU.

Thanks and 73,
Dean K5DH

```
From -2718414691972779946
X-Google-Thread: 108122,b10c8e50b2e1ba04
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-
east.rr.com!news.rr.com!newscon06.news.prodigy.com!prodigy.net!
newspeer.monmouth.com!colt.net!feeder.news-service.com!feed.xsnews.nl!
feeder.xsnews.nl!border1.nntp.ams.giganews.com!nntp.giganews.com!sn-xt-ams-06!sn-
xt-ams-05!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-
mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need advice on 6 meter mobile antenna
Date: Thu, 24 Aug 2006 06:26:04 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <7v9re2p7m5ev142te1rqo6glp0cfe7n7ql@4ax.com>
References: <%1hHg.1$qJ5.0@dfw-service2.ext.ray.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news2.google.com rec.radio.amateur.equipment:5839

On Thu, 24 Aug 2006 12:35:07 GMT, k5dh@raytheon.com (-=H=-) wrote:

>Hi all,
>
>I find myself in need of a 6 meter mobile antenna.  I intend to
>use it for SSB at the low end of the band.  I have no interest
>in 6m FM or repeaters.  It must be a whip antenna rather than a
>loop for aesthetic reasons (XYL would kill me if I installed a
>Squalo on the truck!).  I don't care about cost.  I'm flexible
>on what type of mount is required.  I presently have a 3/8"-24
>mount installed, but it's easy to change to NMO, UHF, etc.  My
>previous 6m antenna was a helically-wound piece of junk from
>Iron Horse, which literally fell apart.  I want something that
>is built well and will last.  My mounting location will be the
>right rear corner of the aluminum toolbox on my F-150 pickup.
>
>I'm interested in hearing about YOUR personal experiences with
>6 meter mobile antennas: what worked well for you, and what did
>not.  I am not interested in "My buddy says..." or "I think I
>read somewhere...", 'cuz that's worthless hearsay.  I wanna know
>what worked for YOU.
>
>Thanks and 73,
>Dean K5DH
```

The only thing I have ever used for 6-meter mobile is a full-size (54") whip. I have tried loaded antennas, but you just can't beat a full-size whip. For many years, 6-meters was my only mobile band. We also had weekly transmitter hunts on 6-meters. With that said, most SSB work is going to be horizontally polarized, so you would be better off with a Squalo.

Dick - W6CCD

From -1668758547461462871
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!53ab2750!not-for-mail
Reply-To: "Steve Stone" <zzspfleck@citlink.netyy>
From: "Steve Stone" <zzspfleck@citlink.netzz>
Newsgroups: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net> <1156288783.938050.53490@m73g2000cwd.googlegroups.com> <GLYGg.8320$Oh1.5187@news01.roc.ny> <quqdnQq3p9VVlXDZnZ2dnUVZ_oOdnZ2d@comcast.com>
Subject: Re: you mean let kill the ARS
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <CejHg.8244$oa1.2187@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace: 52616e646f6d495641aa96da8b5b124275f0034f167a330ea2a1c6b51e3192c218573013b6e650524d34d97189cd88cee21430082d77f1ff779d2d27ff49e07a2823034df0e8d03d0a6c516a392be0d3df550e649b8e23b3a70ec0c6eb5f147ca201bbc628272b841a4c7c51c9870f53
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your complaint properly.
NNTP-Posting-Date: Thu, 24 Aug 2006 15:05:06 UTC
Date: Thu, 24 Aug 2006 15:05:06 GMT
Xref: g2news2.google.com alt.radio.scanner:2417 rec.radio.amateur.equipment:5840 rec.radio.amateur.policy:40031 rec.radio.scanner:5369 rec.radio.swap:6524

>> ALL ARES and RACES members will have master 20 WPM CW or better

>
> and??
>
>

kick anyone out who can't make the hurdle

From 6678543189739450946
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: you mean let kill the ARS
Date: 24 Aug 2006 10:34:37 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1156440877.353329.59410@p79g2000cwp.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <1156288783.938050.53490@m73g2000cwd.googlegroups.com>
   <GLYGg.8320$Oh1.5187@news01.roc.ny>
   <quqdnQq3p9VVlXDZnZ2dnUVZ_oOdnZ2d@comcast.com>
   <CejHg.8244$oa1.2187@news02.roc.ny>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156440882 3472 127.0.0.1 (24 Aug 2006 17:34:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 24 Aug 2006 17:34:42 +0000 (UTC)
In-Reply-To: <CejHg.8244$oa1.2187@news02.roc.ny>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.27;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com alt.radio.scanner:2419 rec.radio.amateur.equipment:5841 rec.radio.amateur.policy:40039 rec.radio.scanner:5372 rec.radio.swap:6528

Steve Stone wrote:
> >> ALL ARES and RACES members will have master 20 WPM CW or better

> >
> > and??
> >
> >
>
> kick anyone out who can't make the hurdle
and as the title sugests Kill the ars very productive exericse

From -4835057896696952511
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news2.volia.net!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-03!sn-xt-sjc-08!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Murray Neece <radioranch@qth.com>
Newsgroups: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: you mean let kill the ARS
Date: Thu, 24 Aug 2006 13:14:30 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <44EDEC86.3000805@qth.com>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net> <1156288783.938050.53490@m73g2000cwd.googlegroups.com> <GLYGg.8320$Oh1.5187@news01.roc.ny> <quqdnQq3p9VVlXDZnZ2dnUVZ_oOdnZ2d@comcast.com> <CejHg.8244$oa1.2187@news02.roc.ny>
In-Reply-To: <CejHg.8244$oa1.2187@news02.roc.ny>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0634-2, 08/24/2006), Outbound message
X-Antivirus-Status: Clean
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news2.google.com alt.radio.scanner:2420 rec.radio.amateur.equipment:5842 rec.radio.amateur.policy:40042 rec.radio.scanner:5373 rec.radio.swap:6530

Thatll be the end of all those geeks...you guys are all nuts, glad I
found you again

Steve Stone wrote:
>>> ALL ARES and RACES members will have master 20 WPM CW or better
>> and??
>>
>>

```
>
> kick anyone out who can't make the hurdle
>
>



From 6328070087639910948
X-Google-Thread: 108122,f1baf4c656d02c59,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Murray Neece <radioranch@qth.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need a bandswitch for ViewStar PT 2500A or "B&W Pt2500A" AMP
Date: Thu, 24 Aug 2006 13:18:29 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12errbp2brv0nf5@corp.supernews.com>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0634-2, 08/24/2006), Outbound message
X-Antivirus-Status: Clean
X-Complaints-To: abuse@supernews.com
Lines: 3
Xref: g2news2.google.com rec.radio.amateur.equipment:5843

anybody got an idea where to find one...please reply to me direct not
the group..thanks  Murray K5MDM
<radioranch@qth.com>



From -6580955531331292035
X-Google-Thread: 108122,b10c8e50b2e1ba04
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread05.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need advice on 6 meter mobile antenna
References: <%1hHg.1$qJ5.0@dfw-service2.ext.ray.com>
In-Reply-To: <%1hHg.1$qJ5.0@dfw-service2.ext.ray.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 62
Message-ID: <ynoHg.100356$LF4.98467@dukeread05>
```

Date: Thu, 24 Aug 2006 16:56:04 -0400
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1156452958 24.254.177.70 (Thu, 24 Aug 2006 16:55:58 EDT)
NNTP-Posting-Date: Thu, 24 Aug 2006 16:55:58 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5844

-=H=- wrote:

> Hi all,
>
> I find myself in need of a 6 meter mobile antenna. I intend to use it for SSB at the low end of the band. I have no interest in 6m FM or repeaters. It must be a whip antenna rather than a loop for aesthetic reasons (XYL would kill me if I installed a Squalo on the truck!). I don't care about cost. I'm flexible on what type of mount is required. I presently have a 3/8"-24 mount installed, but it's easy to change to NMO, UHF, etc. My previous 6m antenna was a helically-wound piece of junk from Iron Horse, which literally fell apart. I want something that is built well and will last. My mounting location will be the right rear corner of the aluminum toolbox on my F-150 pickup.
>
> I'm interested in hearing about YOUR personal experiences with 6 meter mobile antennas: what worked well for you, and what did not. I am not interested in "My buddy says..." or "I think I read somewhere...", 'cuz that's worthless hearsay. I wanna know what worked for YOU.
>
> Thanks and 73,
> Dean K5DH
>

I am using an Antenna Specialist "disguise" type cowl mount whip that I cut for 6 meter FM. These antennas were quite popular in the 70's when police agencies used the VHF low band frequencies. I use a Standard tri-band (6m, 2m, 70cm) in the car which runs 45w,50w,30w out respectively. I have a single coax connection on the back of the radio which goes to a diplexer that sends the 6m transmit to the cowl mount antenna and the 2meter and 70cm, signal to a dual band antenna on the roof. The dual band antenna is a low profile cellular look-a-like antenna, so at first glance it appears I have an AM/FM antenna and a cell phone antenna mounted on the car. The 6 mtr antenna works fine and the performance is what you would expect from a 1/4 wave whip.

I know you didn't want any second hand stories but I have friends who have successfully used Larsen 2 meter 3db base loaded antennas on 6 meters. Interstingly enough they turn out to be resonant on 6 meters as well as 2 meters. If you are looking for an NMO antenna, that would be the way I would go. You could essentially be getting a "dual band" antenna for the price of a 2 meter base loaded antenna.

Andy
WD4KDN

```
From 3444781798782202247
X-Google-Thread: 108122,b10c8e50b2e1ba04
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 24 Aug 2006 16:59:52 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <%1hHg.1$qJ5.0@dfw-service2.ext.ray.com>
Subject: Re: Need advice on 6 meter mobile antenna
Date: Thu, 24 Aug 2006 16:59:51 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <38Odnc44sJnFvHPZnZ2dnUVZ_sGdnZ2d@comcast.com>
Lines: 32
NNTP-Posting-Host: 71.226.69.91
X-Trace: sv3-
UvYt7V2w1j+Ankx8SpSV2CDudAWsne8xNx1SAImjU+IsEMpJVQtuEOsu58cPXlVpwmulUNeZpESgcp2!
aKpEks0KZObKC1hfSPckeCuYp58sFitmrP2pBcv0m4NSvtqE/mm4Hs3QsBY41LcX793eZBCVlvzz!
KMSEdRS3Wput
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5845
```

"-=H=-" <k5dh@raytheon.com> wrote in message
news:%1hHg.1$qJ5.0@dfw-service2.ext.ray.com...
> Hi all,
>
> I find myself in need of a 6 meter mobile antenna. I intend to
> use it for SSB at the low end of the band. I have no interest
> in 6m FM or repeaters. It must be a whip antenna rather than a
> loop for aesthetic reasons (XYL would kill me if I installed a
> Squalo on the truck!). I don't care about cost. I'm flexible
> on what type of mount is required. I presently have a 3/8"-24
> mount installed, but it's easy to change to NMO, UHF, etc. My
> previous 6m antenna was a helically-wound piece of junk from
> Iron Horse, which literally fell apart. I want something that
> is built well and will last. My mounting location will be the
> right rear corner of the aluminum toolbox on my F-150 pickup.
>
> I'm interested in hearing about YOUR personal experiences with
> 6 meter mobile antennas: what worked well for you, and what did
> not. I am not interested in "My buddy says..." or "I think I
> read somewhere...", 'cuz that's worthless hearsay. I wanna know
> what worked for YOU.
>
> Thanks and 73,
> Dean K5DH
>

Go down to Rat Shack and get you an 8 ft stainless whip, pop the ferrel of the end, cut it to the correct length, then silver braze the ferrel back on it. It worked for me.... now that whip is on top of my Tarheel screwdriver antenna :-)

From 8555262262876612566
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 24 Aug 2006 17:03:35 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1156288783.938050.53490@m73g2000cwd.googlegroups.com>
<GLYGg.8320$Oh1.5187@news01.roc.ny> <quqdnQq3p9VVlXDZnZ2dnUVZ_oOdnZ2d@comcast.com>
<CejHg.8244$oa1.2187@news02.roc.ny>

Subject: Re: you mean let kill the ARS
Date: Thu, 24 Aug 2006 17:03:34 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <ePCdnSZ2Y4eqv3PZnZ2dnUVZ_qednZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 71.226.69.91
X-Trace: sv3-Py1kkDVq5PNF5u6IUh9boCr4bjE+3bLVz8afdYC6gtpolhR/
IS12KzWNiaIrDd+ZKfgI6X9XuoHXUW1!
7B9KFJyYKrIJ7fXknomjERENTJXnSh8JvMZ70tLxTtzBc3uG0jRYW5ROoW51u1wgiBbHhoQ4wH4d!
cRLjq3sfyRQP
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2425 rec.radio.amateur.equipment:5846 rec.radio.amateur.policy:40083 rec.radio.scanner:5378 rec.radio.swap:6540

"Steve Stone" <zzspfleck@citlink.netzz> wrote in message
news:CejHg.8244$oa1.2187@news02.roc.ny...
>
>>> ALL ARES and RACES members will have master 20 WPM CW or better
>>
>> and??
>>
>>
>
> kick anyone out who can't make the hurdle

Ok.... and lose 99% of the available operators when another Katrina hits..... We needed *ANYBODY* that had a radio and a license for almost a month after the storm. My town took the direct hit from Katrina..... even though we are 60 miles north of the gulf, I still had 110mph sustained winds at my house.

From 4022393075744751449
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: you mean let kill the ARS
Date: 24 Aug 2006 16:09:02 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1156460942.548671.164770@i3g2000cwc.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <1156288783.938050.53490@m73g2000cwd.googlegroups.com>
   <GLYGg.8320$Oh1.5187@news01.roc.ny>
   <quqdnQq3p9VVlXDZnZ2dnUVZ_oOdnZ2d@comcast.com>
   <CejHg.8244$oa1.2187@news02.roc.ny>
   <ePCdnSZ2Y4eqv3PZnZ2dnUVZ_qednZ2d@comcast.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156460947 30076 127.0.0.1 (24 Aug 2006 23:09:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 24 Aug 2006 23:09:07 +0000 (UTC)
In-Reply-To: <ePCdnSZ2Y4eqv3PZnZ2dnUVZ_qednZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=69.19.14.27;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com alt.radio.scanner:2426 rec.radio.amateur.equipment:5847 rec.radio.amateur.policy:40106 rec.radio.scanner:5381 rec.radio.swap:6543

Noon-Air wrote:
> "Steve Stone" <zzspfleck@citlink.netzz> wrote in message
> news:CejHg.8244$oa1.2187@news02.roc.ny...
> >
> >>> ALL ARES and RACES members will have master 20 WPM CW or better
> >>
> >> and??
> >>
> >>
> >
> > kick anyone out who can't make the hurdle
>
> Ok.... and lose 99% of the available operators when another Katrina
> hits..... We needed *ANYBODY* that had a radio and a license for almost a
> month after the storm. My town took the direct hit from Katrina..... even
> though we are 60 miles north of the gulf, I still had 110mph sustained winds
> at my house.
indeed

what would be more usfull my wife and I or an old geezer with a key and artirtic fingers or worse yet no one at all

```
From -7938137581934498175
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: you mean let kill the ARS
From: Slow Code <my.mail@no.spam>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1156288783.938050.53490@m73g2000cwd.googlegroups.com>
<GLYGg.8320$Oh1.5187@news01.roc.ny> <quqdnQq3p9VVlXDZnZ2dnUVZ_oOdnZ2d@comcast.com>
<CejHg.8244$oa1.2187@news02.roc.ny> <ePCdnSZ2Y4eqv3PZnZ2dnUVZ_qednZ2d@comcast.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 27
Message-ID: <BEqHg.914$xQ1.153@newsread3.news.pas.earthlink.net>
Date: Thu, 24 Aug 2006 23:30:41 GMT
NNTP-Posting-Host: 4.235.66.139
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1156462241 4.235.66.139 (Thu, 24 Aug
2006 16:30:41 PDT)
NNTP-Posting-Date: Thu, 24 Aug 2006 16:30:41 PDT
Xref: g2news2.google.com alt.radio.scanner:2427 rec.radio.amateur.equipment:5848
rec.radio.amateur.policy:40113 rec.radio.scanner:5383 rec.radio.swap:6545
```

"Noon-Air" <Noon-Air@comcast.net> wrote in
news:ePCdnSZ2Y4eqv3PZnZ2dnUVZ_qednZ2d@comcast.com:

```
>
> "Steve Stone" <zzspfleck@citlink.netzz> wrote in message
> news:CejHg.8244$oa1.2187@news02.roc.ny...
>>
>>>> ALL ARES and RACES members will have master 20 WPM CW or better
>>>
>>> and??
>>>
>>>
>>
>> kick anyone out who can't make the hurdle
>
```

> Ok.... and lose 99% of the available operators when another Katrina
> hits..... We needed *ANYBODY* that had a radio and a license for almost
> a month after the storm. My town took the direct hit from Katrina.....
> even though we are 60 miles north of the gulf, I still had 110mph
> sustained winds at my house.

You'll lose some lazy ops, sure, but the operators that remain will be better.

Sc

```
From 6007254384731627529
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: you mean let kill the ARS
Date: 24 Aug 2006 16:50:10 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1156463410.590711.284720@i42g2000cwa.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <1156288783.938050.53490@m73g2000cwd.googlegroups.com>
   <GLYGg.8320$Oh1.5187@news01.roc.ny>
   <quqdnQq3p9VVlXDZnZ2dnUVZ_oOdnZ2d@comcast.com>
   <CejHg.8244$oa1.2187@news02.roc.ny>
   <ePCdnSZ2Y4eqv3PZnZ2dnUVZ_qednZ2d@comcast.com>
   <BEqHg.914$xQ1.153@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156463417 17590 127.0.0.1 (24 Aug 2006 23:50:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 24 Aug 2006 23:50:17 +0000 (UTC)
In-Reply-To: <BEqHg.914$xQ1.153@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
```

```
Xref: g2news2.google.com alt.radio.scanner:2428 rec.radio.amateur.equipment:5849
rec.radio.amateur.policy:40119 rec.radio.scanner:5385 rec.radio.swap:6547


Slow Code wrote:
> "Noon-Air" <Noon-Air@comcast.net> wrote in
> news:ePCdnSZ2Y4eqv3PZnZ2dnUVZ_qednZ2d@comcast.com:
>

> > Ok.... and lose 99% of the available operators when another Katrina
> > hits..... We needed *ANYBODY* that had a radio and a license for almost
> > a month after the storm. My town took the direct hit from Katrina.....
> > even though we are 60 miles north of the gulf, I still had 110mph
> > sustained winds at my house.
>
>
>
> You'll lose some lazy ops, sure, but the operators that remain will be
> better.
you can't lose half the ops as you propose and survive as a funtional
gruop

it is just that simple
>
> Sc




From 4682111489259229313
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
green.octanews.net!news-out.octanews.net!mauve.octanews.net!
statler.nntpserver.com!hydra.nntpserver.com!not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: you mean let kill the ARS
Date: Thu, 24 Aug 2006 19:45:31 -0400
Message-ID: <jgese29lf057g9olghei27nabtk3kkonuo@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1156288783.938050.53490@m73g2000cwd.googlegroups.com>
<GLYGg.8320$Oh1.5187@news01.roc.ny> <quqdnQq3p9VVlXDZnZ2dnUVZ_oOdnZ2d@comcast.com>
<CejHg.8244$oa1.2187@news02.roc.ny> <ePCdnSZ2Y4eqv3PZnZ2dnUVZ_qednZ2d@comcast.com>
<BEqHg.914$xQ1.153@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
```

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Date: 24 Aug 2006 22:49:30 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com alt.radio.scanner:2429 rec.radio.amateur.equipment:5850
rec.radio.amateur.policy:40121 rec.radio.scanner:5386 rec.radio.swap:6548

On Thu, 24 Aug 2006 23:30:41 GMT, Slow Code <my.mail@no.spam> wrote:

>"Noon-Air" <Noon-Air@comcast.net> wrote in
>news:ePCdnSZ2Y4eqv3PZnZ2dnUVZ_qednZ2d@comcast.com:
>
>>
>> "Steve Stone" <zzspfleck@citlink.netzz> wrote in message
>> news:CejHg.8244$oa1.2187@news02.roc.ny...
>>>
>>>>> ALL ARES and RACES members will have master 20 WPM CW or better
>>>>
>>>> and??
>>>>
>>>>
>>>
>>> kick anyone out who can't make the hurdle
>>
>> Ok.... and lose 99% of the available operators when another Katrina
>> hits..... We needed *ANYBODY* that had a radio and a license for almost
>> a month after the storm. My town took the direct hit from Katrina.....
>> even though we are 60 miles north of the gulf, I still had 110mph
>> sustained winds at my house.
>
>
>
>You'll lose some lazy ops, sure, but the operators that remain will be
>better.
why?
>
>Sc
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com




From -5477417787909499773
X-Google-Thread: 108228,99d973310259eb40,start
X-Google-Thread: fb049,99d973310259eb40,start
X-Google-Thread: 11117f,99d973310259eb40,start
X-Google-Thread: 108122,99d973310259eb40,start
X-Google-Thread: fc2a5,99d973310259eb40,start
X-Google-Thread: 107ada,99d973310259eb40,start
X-Google-Attributes:
```

```
gid108228,gidfb049,gid11117f,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntp.waia.asn.au!
130.95.128.9.MISMATCH!news.uwa.edu.au!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
From: "hamguy1" <hamguy1@optusnet.com.au>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,free.uk.amateur-
radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.mis
c
Subject: looking for a yaesu ft747gx owners manual
Date: Fri, 25 Aug 2006 17:37:24 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 5
Message-ID: <44eea8b3$0$22363$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 211.31.249.249
X-Trace: 1156491443  22363 211.31.249.249
Xref: g2news2.google.com alt.ham-radio.marketplace:1210 alt.ham-radio.vhf-uhf:2520
free.uk.amateur-radio:147 rec.radio.amateur.equipment:5851
rec.radio.amateur.homebrew:6599 rec.radio.amateur.misc:19797

gi guys, im in australia i was wondering does anyone have access to a site
to download owners manuals etc on cd etc prerfably for free ,thanks in
advance david nsw australia .




From 2944101740214820084
X-Google-Thread: 108228,99d973310259eb40
X-Google-Thread: fb049,99d973310259eb40
X-Google-Thread: 11117f,99d973310259eb40
X-Google-Thread: 108122,99d973310259eb40
X-Google-Thread: fc2a5,99d973310259eb40
X-Google-Thread: 107ada,99d973310259eb40
X-Google-Attributes:
gid108228,gidfb049,gid11117f,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!atl-c03.usenetserver.com!
news.usenetserver.com!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!
twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Guy P. Distaffen" <guypd@rochester.rr.com>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,free.uk.amateur-
radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.mis
c
References: <44eea8b3$0$22363$afc38c87@news.optusnet.com.au>
Subject: Re: looking for a yaesu ft747gx owners manual
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <NYxHg.28225$8j3.11694@twister.nyroc.rr.com>
Date: Fri, 25 Aug 2006 07:50:05 GMT
NNTP-Posting-Host: 66.67.165.35
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1156492205 66.67.165.35 (Fri, 25 Aug 2006 03:50:05
EDT)
NNTP-Posting-Date: Fri, 25 Aug 2006 03:50:05 EDT
Organization: Road Runner
Xref: g2news2.google.com alt.ham-radio.marketplace:1211 alt.ham-radio.vhf-uhf:2521
free.uk.amateur-radio:148 rec.radio.amateur.equipment:5852
rec.radio.amateur.homebrew:6600 rec.radio.amateur.misc:19798

http://www.three-peaks.net/FT-747GX_Manual.pdf

"hamguy1" <hamguy1@optusnet.com.au> wrote in message
news:44eea8b3$0$22363$afc38c87@news.optusnet.com.au...
> gi guys, im in australia i was wondering does anyone have access to a site
> to download owners manuals etc on cd etc prerfably for free ,thanks in
> advance david nsw australia .
>




From 2072963574711344247
X-Google-Thread: fc8b1,f3b597fb92adc4b7,start
X-Google-Thread: 1109af,f3b597fb92adc4b7,start
X-Google-Thread: 108122,f3b597fb92adc4b7,start
X-Google-Thread: 10fe7d,f3b597fb92adc4b7,start
X-Google-Thread: 108228,f3b597fb92adc4b7,start
X-Google-Attributes: gidfc8b1,gid1109af,gid108122,gid10fe7d,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: servis_za_elektroniku@yahoo.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,it.hobby.
radioamatori,alt.ham-radio.marketplace
Subject: FS: Collins 51S-1 - spare parts and other Collins goodies
Date: 25 Aug 2006 01:00:42 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1156492842.489717.89800@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 194.247.204.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156492847 24045 127.0.0.1 (25 Aug 2006 08:00:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 25 Aug 2006 08:00:47 +0000 (UTC)
User-Agent: G2/0.2
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=194.247.204.15;
   posting-account=yz2JJQwAAAAXrWKPmFvtuD1W2ZNYvvKm
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5177 rec.radio.swap:6565
rec.radio.amateur.equipment:5853 it.hobby.radioamatori:24225 alt.ham-
radio.marketplace:1212
```

Check on Ebay, seller fm-tx or click on the link

http://search.ebay.com/_W0QQsassZfm-txQQhtZ-1

```
From -6634455813113614991
X-Google-Thread: 108228,99d973310259eb40
X-Google-Thread: fb049,99d973310259eb40
X-Google-Thread: 11117f,99d973310259eb40
X-Google-Thread: 108122,99d973310259eb40
X-Google-Thread: fc2a5,99d973310259eb40
X-Google-Thread: 107ada,99d973310259eb40
X-Google-Attributes:
gid108228,gidfb049,gid11117f,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 25 Aug 2006 05:55:48 -0500
Date: Fri, 25 Aug 2006 11:55:52 +0100
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6) Gecko/
20060729 SeaMonkey/1.0.4
MIME-Version: 1.0
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,free.uk.amateur-
radio,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.mis
c
Subject: Re: looking for a yaesu ft747gx owners manual
References: <44eea8b3$0$22363$afc38c87@news.optusnet.com.au>
<NYxHg.28225$8j3.11694@twister.nyroc.rr.com>
In-Reply-To: <NYxHg.28225$8j3.11694@twister.nyroc.rr.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <gdOdnWJVYf-oSnPZRVnytw@pipex.net>
Lines: 13
NNTP-Posting-Host: 81.178.220.221
X-Trace: sv3-60GW4rl79iofParsRN6RjznkhmbeuwP+YY61BI7Y4H2w/
eTD0NLNwuqgvIqeb8FMiiYDWdjAzl+2KZj!tmN3h/8bhjtuFrpgsw1DFJnz4UliB+MXz7v+qAcd7R/
45wOKlx794H0sCdC0nm9oIDqUSHPfa+g2!d5FwCOz/IJ2/+A==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.marketplace:1213 alt.ham-radio.vhf-uhf:2523
free.uk.amateur-radio:149 rec.radio.amateur.equipment:5854
rec.radio.amateur.homebrew:6603 rec.radio.amateur.misc:19805

>> gi guys, im in australia i was wondering does anyone have access to a site
>> to download owners manuals etc on cd etc prerfably for free ,thanks in
>> advance david nsw australia .
========================================
Suggest you go to    www.mods.dk    select manuals  select Yaesu  You'll
find manual and circuit diagramme somewhere down the bottom of the list.

Unless you support the site financially you can download ONLY 1 document
  each day .

Good Luck

Frank   GM0CSZ / KN6WH



From -4640406789952283537
X-Google-Thread: fc8b1,f3b597fb92adc4b7
X-Google-Thread: 1109af,f3b597fb92adc4b7
X-Google-Thread: 108122,f3b597fb92adc4b7
X-Google-Thread: 10fe7d,f3b597fb92adc4b7
X-Google-Thread: 108228,f3b597fb92adc4b7
X-Google-Attributes: gidfc8b1,gid1109af,gid108122,gid10fe7d,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon02.news.prodigy.net!prodigy.net!
newsdst02.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!1133983c!not-for-mail
From: "EchoBlip" <EB@ruckmail.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,it.hobby.
radioamatori,alt.ham-radio.marketplace
References: <1156492842.489717.89800@i3g2000cwc.googlegroups.com>
Subject: Re: FS: Collins 51S-1 - spare parts and other Collins goodies
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <1MDHg.3720$q63.2439@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 68.76.95.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1156515965 ST000 68.76.95.6 (Fri, 25 Aug 2006
10:26:05 EDT)
NNTP-Posting-Date: Fri, 25 Aug 2006 10:26:05 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
```

[[PGWX_EZBU[SV@[TBCBNWX@RJ_XPDLMN@GZ_GYO^ZWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Fri, 25 Aug 2006 14:26:05 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5178 rec.radio.swap:6570 rec.radio.amateur.equipment:5855 it.hobby.radioamatori:24272 alt.ham-radio.marketplace:1214

Whats for rsale ?

All I see are auctions...

<servis_za_elektroniku@yahoo.com> wrote in message news:1156492842.489717.89800@i3g2000cwc.googlegroups.com...
> Check on Ebay, seller fm-tx or click on the link
>
> http://search.ebay.com/_W0QQsassZfm-txQQhtZ-1
>

From -4332732132261192582
X-Google-Thread: 108122,b10c8e50b2e1ba04
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.aset.psu.edu!not-for-mail
From: "Robert Spooner" <rls19@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need advice on 6 meter mobile antenna
Date: Fri, 25 Aug 2006 10:34:24 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 19
Message-ID: <ecn1pk$vp6$1@f04n12.cac.psu.edu>
References: <%1hHg.1$qJ5.0@dfw-service2.ext.ray.com>
<ynoHg.100356$LF4.98467@dukeread05>
NNTP-Posting-Host: nat1.arl.psu.edu
X-Trace: f04n12.cac.psu.edu 1156516468 32550 128.118.40.76 (25 Aug 2006 14:34:28 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Fri, 25 Aug 2006 14:34:28 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Xref: g2news2.google.com rec.radio.amateur.equipment:5856

"nitespark" <nitespark@cox.net> wrote in message news:ynoHg.100356$LF4.98467@dukeread05...
>

>... I know you didn't want any second hand stories but I have friends who
>have successfully used Larsen 2 meter 3db base loaded antennas on 6 meters.
>Interstingly enough they turn out to be resonant on 6 meters as well as 2
>meters. If you are looking for an NMO antenna, that would be the way I
>would go. You could essentially be getting a "dual band" antenna for the
>price of a 2 meter base loaded antenna.
>
> Andy
> WD4KDN

My Larsen 2M 5/8 wave whip has a good SWR in the 6M band. I haven't used it
to operate 6M mobile because I don't have a rig for that in the car.
73,
Bob AD3K

From -3565894663907408232
X-Google-Thread: 1109af,8c59def1c102f821,start
X-Google-Thread: 108122,8c59def1c102f821,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.trueband.net!news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 25 Aug 2006 11:22:41 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FS: Yaesu FT-221R
Date: Fri, 25 Aug 2006 09:22:50 -0700
Message-ID: <uq8ue21r69kk1kapbj84plq79ua4gmor4m@4ax.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Host: 216.198.97.50
X-Trace: sv3-qwXYhInqIhdti1ltXnMq3lH2Al8kvljZ9h7aj+deY9hPoo3neytLin5F1w1/
Op71wD+auzyJeOd6NKI!XK4rpdxXgdo/A831Jh4gEnD15W/
0+FZdsihNKfCxMyFEf1TNFUANLD0bNlL0+lrr0nkwmgjcH37m!K6ti7h0x57pEpArxAektt6FveYjGHw==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:6572 rec.radio.amateur.equipment:5857

Nice older 2-meter multimode. CW, USB, LSB, AM and FM transceiver.
Min. 10W output. I've used this rig with external amps to run meteor
and tropo scatter and EME.

Been keeping it to get back on EME but health issues are preventing
the construction of new antenna.

Asking $150 plus actual shipping costs.

email:n7ws@yahoo.com

Thanks and 73,

Wes

From 2030009444333704985
X-Google-Thread: 108122,9b6db3a524906252,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!news.netins.net!
not-for-mail
From: mike <mike@nospam.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom Ic756 Lcd Display replacement
Date: Sat, 26 Aug 2006 09:38:09 -0500
Organization: netINS InterNetNews site
Lines: 2
Message-ID: <a1n0f2tqspb2ks2kc3k973rn228et71fai@4ax.com>
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1156603091 4617 67.55.159.6 (26 Aug 2006 14:38:11 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sat, 26 Aug 2006 14:38:11 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:5858

I have the famous horizontal lines. Anybody have any info where to get
a replacement. Thanks

From -5151299097725485920
X-Google-Thread: 108122,63c104654681899e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Trade: Collins 75S-3C Round Emblem
Message-ID: <fkn0f2dlnthang1kmdlupni1oavvsvjdqg@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimonmiljdofjjbllfjllfjdfbijhjogphkajfcobocpeihfnehnp
ceanpgmpamdfhdpknhpefjpjjmfcbmhgdiimmnbiodikkkbcnegbbojhamihnb
NNTP-Posting-Date: Sat, 26 Aug 2006 07:46:11 MST
Organization: Optimum Online
Date: Sat, 26 Aug 2006 10:45:41 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5859

Trade:  Collins 75S-3C Round Emblem
Looks and works very nice. Also clean chassis.
I have pictures.
Please let me know what you're offering for trade.
ritchi50@optonline.net



From -1406975809238095816
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
Subject: Re: Let's take back ham radio!
Lines: 81
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
x-mimeole: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 26 Aug 2006 21:58:07 GMT
Xref: g2news2.google.com alt.radio.scanner:2448 rec.radio.amateur.equipment:5860
rec.radio.amateur.policy:40659 rec.radio.scanner:5463 rec.radio.swap:6611

Slow Code wrote:
> 1: No more
```

Amateur radio is in decline and you think putting Morse code back in as a requirement would help?

Bwhahahahaha.

Statistics courtesy of George McCouch, K3UD.

Total active individual licenses as of May 14, 2000:
Novice - 49,329
Tech/+ - 334,254
General - 112,677
Advanced - 99,782
Extra - 78,750

Total all classes - 674,792

Total active individual licenses as of June 30, 2006:
Novice - 24,877 (-49.57%) (-24,456)
Tech/+ - 320,242 (-4.20%) (-14,012)
General - 132,758 (+17.82%) (+20,081)
Advanced - 71,753 (-28.13%) (-28,029)
Extra - 108,184 (+37.38%) (+29,434)

Total All Classes: 657,814 (-1,405 since the March 2006 reporting period)

Total all classes (5/14/00) - 674,792
Total all Classes (4/21/03) - 687,860
Total all classes (9/6/04) - 674,788
Total all classes (6/30/06) - 657,814

Total loss of 16,978 since 5/14/2000 (Was 674,792)
Total loss of 16,974 since 9/6/2004 (Was 674,788)
Total Loss of 30,066 since 4/2003 (all time high of 687,860)

We lost:
842 Novice
1,088 General
1,157 Advanced
3,087 Total

We Gained:
1,258 Tech/+
424 Extra
1,682 Total

This is an overall 1,405 decline since the March reporting period and averages 467 per month for the quarter.

For the months March April and May the new licenses issued break down as follows.

6,999	Tech/+	89.3% **
627	General	8.0%
217	Extra	2.7%

Total new licenses issues during the period - 7,849

** These numbers come from the very interesting and comprehensive
website of Joe Speroni, AH0A   http://www.ah0a.org

Numbers of US population and the number of hams at the start of each
decade from 1930.

Year	Population	# Hams	Growth Rate
1930	123,202,624	19,000	
1940	132,164,569	56,000	194%
1950	151,325,798	87,000	55%
1960	179,323,175	230,000	164%
1970	203,211,926	263,918	15%
1980	226,545,805	393,353	49%
1990	248,709,873	502,677	28%
2000	281,421,906	682,240	36%
2006		657,814	-3.6 %

The 2006 number was as of June 30, 2006.

From -2604975958066706315
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44F11EBA.1080901@fuse.net>
Date: Sun, 27 Aug 2006 00:25:30 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
In-Reply-To: <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 128
X-Trace: 7917344f11f38e098318607714
Xref: g2news2.google.com alt.radio.scanner:2460 rec.radio.amateur.equipment:5861
rec.radio.amateur.policy:40766 rec.radio.scanner:5480 rec.radio.swap:6628

Travis Jordan wrote:
> Slow Code wrote:
>
>>1: No more
>
>
> Amateur radio is in decline and you think putting Morse code back in as
> a requirement would help?
>
> Bwhahahahaha.
> ----------------
> Statistics courtesy of George McCouch, K3UD.
>
> Total active individual licenses as of May 14, 2000:
> Novice       -   49,329
> Tech/+      -  334,254
> General      -  112,677
> Advanced  -   99,782
> Extra         -   78,750
>
> Total all classes - 674,792
>
> Total active individual licenses as of June 30, 2006:
> Novice       -   24,877     (-49.57%)     (-24,456)
> Tech/+      -  320,242    (-4.20%)       (-14,012)
> General      - 132,758    (+17.82%)     (+20,081)
> Advanced   -   71,753    (-28.13%)      (-28,029)
> Extra          - 108,184    (+37.38%)      (+29,434)
>
> Total All Classes:  657,814  (-1,405 since the March 2006 reporting
> period)
>
> Total all classes  (5/14/00)   - 674,792
> Total all Classes  (4/21/03)   - 687,860
> Total all classes  (9/6/04 )    - 674,788
> Total all classes  (6/30/06)   - 657,814
>
> Total loss of 16,978 since 5/14/2000   (Was 674,792)
> Total loss of 16,974 since 9/6/2004     (Was 674,788)
> Total Loss of 30,066 since 4/2003       (all time high of 687,860)
>
> We lost:
>   842 Novice
> 1,088 General
```

> 1,157 Advanced
> 3,087 Total
>
> We Gained:
> 1,258 Tech/+
> 424 Extra
> 1,682 Total
>
> This is an overall 1,405 decline since the March reporting period
> and averages 467 per month for the quarter.
>
> For the months March April and May the new licenses issued
> break down as follows.
>
> | | | | |
> |---|---|---|---|
> | 6,999 | Tech/+ | 89.3% | ** |
> | 627 | General | 8.0% | |
> | 217 | Extra | 2.7% | |
>
> Total new licenses issues during the period - 7,849
>
> ** These numbers come from the very interesting and comprehensive
> website of Joe Speroni, AH0A http://www.ah0a.org
>
> Numbers of US population and the number of hams at the start of each
> decade from 1930.
>
> | Year | Population | # Hams | Growth Rate |
> |---|---|---|---|
> | 1930 | 123,202,624 | 19,000 | |
> | 1940 | 132,164,569 | 56,000 | 194% |
> | 1950 | 151,325,798 | 87,000 | 55% |
> | 1960 | 179,323,175 | 230,000 | 164% |
> | 1970 | 203,211,926 | 263,918 | 15% |
> | 1980 | 226,545,805 | 393,353 | 49% |
> | 1990 | 248,709,873 | 502,677 | 28% |
> | 2000 | 281,421,906 | 682,240 | 36% |
> | 2006 | | 657,814 | -3.6 % |
>
> The 2006 number was as of June 30, 2006.
>
>

I just read the latest QST. In "How's DX?" the author notes that ham radio "used to be" the prime communication from and to Haiti. But now, with cell phones, satellite, etc. it is no longer as important.

This is the real world. Morse is NOT the issue.

Relevance (is that the correct spelling?) is the issue.

Ham radio really WANTS to help in emergencies. This is very commendable. I think, though, we've been sidelined.

We're still there "when all else fails". Morale of those involved remains high, from what I hear / read.

However, in a typical emergency, ham radio is not nearly as primary as it used to be. It's OK. We can still contribute.

Communications have been "universalized"...anyone can use a cell phone. It's natural that communications-specialists see their need waning.

It's OK.

As a hobby, ham radio has a LOT to offer. When I mention to others that I have re-entered ham radio, many people ask "Is that still around?"

Man, of COURSE, it's still around.

If you discuss ham radio with others, do you mention contacting the Space Shuttle? ham radio satellites? weak signal work in VHF/UHF? Sporadic E? Tropospheric Ducting? DX???

How about EME?

You don't have to be doing these things yourself, you just need to let everyone know what the ENTIRE hobby is about.

Morse, data, SSB, FM all have a place.

Ham radio is NOT dying. Hams are. Share our hobby, in ALL its forms, generously with those you know. The rest will take care of itself, for better or worse.

John
AB8O

From -6887235473916162113
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Message-ID: <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>

```
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhijjdnojopddcmjimailohojdkbnpnglmfkbniaamobbiakdjjffgpnhkhbhmggbpea
hcddojkpafdpoddmmanelijghoamnljmcjfdfbmkjflfbbenfnojecgjgcfcij
NNTP-Posting-Date: Sat, 26 Aug 2006 22:04:30 MST
Organization: Optimum Online
Date: Sun, 27 Aug 2006 01:06:22 -0400
Xref: g2news2.google.com alt.radio.scanner:2461 rec.radio.amateur.equipment:5862
rec.radio.amateur.policy:40772 rec.radio.scanner:5482 rec.radio.swap:6630

On Sat, 26 Aug 2006 21:58:07 GMT, "Travis Jordan" <no.one@no.net>
wrote:

>Total All Classes:  657,814  (-1,405 since the March 2006 reporting
>period)

>Total all classes  (5/14/00)   - 674,792
>Total all Classes  (4/21/03)   - 687,860
>Total all classes  (9/6/04 )    - 674,788
>Total all classes  (6/30/06)   - 657,814

Change 5/14/00 to 4/2/03 - *+*13068
Change 4/2/03 to 9/6/04 -  -13072
Change 9/6/04 to 6/30/06  -  -16974

What a perfect example if ignoring evidence that doesn't back up your
argument.  There was no change in Morse from 5/14/00 to 4/2/03, yet we
GAINED over 13,000 hams, so how is a Morse requirement decreasing the
number of hams?


From -1052299895175912682
X-Google-Thread: fcc6e,9c29085808c97cc1,start
X-Google-Thread: 108122,9c29085808c97cc1,start
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe08.lga.POSTED!53ab2750!not-for-mail
From: solidgoldZZZ@optonline.net (Ron Goldstein--KA2IIA)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: ANTENNA TUBING ANTI-SIEZE
Message-ID: <44f12a95.76519@news.optonline.net>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 13
X-Complaints-To: abuse@cv.net
```

X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
adnpoonaeilogjoiijjdnojopddcmjimigeilholknapfcmnndoapmmknojncoclkcnhnkfacfepfjhmea
hcddojkpafdpoddmmanelijghoamnlifgcehcbjhmhjbfjenfnojecgjgcfcij
NNTP-Posting-Date: Sat, 26 Aug 2006 22:21:16 MST
Organization: Optimum Online
Date: Sun, 27 Aug 2006 05:21:24 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:17174
rec.radio.amateur.equipment:5863

Hi,

I just got a used Butternut HF6V in great shape for a great price. What type of anti-sieze do I need to put between the sections of aluminum tubing ??? Is automotive anti-sieze OK ??? I don't think that it is electrically conductive. Do I need something like electricians use when they connect the aluminum service entrance cable to the breaker box ??? I think that stuff is called Penetrox. Is something like that available at Home Depot ???

RON....KA2IIA
==
Remove the ZZZ from my E-mail address to send me E-mail.

From 9001509638157951435
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.vif.com!news.vif.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 27 Aug 2006 02:11:04 -0500
Date: Sun, 27 Aug 2006 03:10:56 -0400
From: =?ISO-8859-1?Q?w=EEthh=CBld_f=D8r_r=CB=E5s=D8=F1s_=D8f_=F1=E5?=
 =?ISO-8859-1?Q?t=EE=D8=F1=E5l_S=CB=C7=FCr=EEty?= <root@127.0.0.1>
Reply-To: root@127.0.0.1
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, en-jm, en-ca, en-nz, en-au, en-gb, en-tt, en-ph, en-za, en-zw, en-bz, en-ie
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
In-Reply-To: <44F11EBA.1080901@fuse.net>

Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0634-2, 08/24/2006), Outbound message
X-Antivirus-Status: Clean
Organization: VIF Internet b4
Message-ID: <1156662664.111442@www.vif.com>
Cache-Post-Path: www.vif.com!unknown@ip216-239-83-63.vif.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 164
NNTP-Posting-Host: 216.239.64.140
X-Trace: sv3-ZHDexMzFmlBt9Co0jhbMRpZXlUf/
R7eQrhK3gGIgHARALLNsMJPTKu+vIJ8F63oKCgHNWA0WFIsxNWi!
myjg67tgiS3tTNhmMjHBfkecUXS4Ea5bh46qcV/kgFfyTLg5PCo6ITCAH8eVNENT
X-Complaints-To: abuse@vif.com
X-DMCA-Complaints-To: abuse@vif.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2462 rec.radio.amateur.equipment:5864 rec.radio.amateur.policy:40790 rec.radio.scanner:5485 rec.radio.swap:6632

WHO THE FUCK CARES!!!!

THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR RADIO. WHO FUCK CARES!.

IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR LITTLE FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!

jawod wrote:
> Travis Jordan wrote:
>
>> Slow Code wrote:
>>
>>> 1: No more
>>
>>
>>
>> Amateur radio is in decline and you think putting Morse code back in as
>> a requirement would help?
>>
>> Bwhahahahaha.
>> ----------------
>> Statistics courtesy of George McCouch, K3UD.
>>
>> Total active individual licenses as of May 14, 2000:
>> Novice   -   49,329
>> Tech/+   - 334,254
>> General   - 112,677

>> Advanced -   99,782
>> Extra   -   78,750
>>
>> Total all classes - 674,792
>>
>> Total active individual licenses as of June 30, 2006:
>> Novice   -   24,877   (-49.57%)   (-24,456)
>> Tech/+   - 320,242   (-4.20%)   (-14,012)
>> General   - 132,758   (+17.82%)   (+20,081)
>> Advanced   -   71,753   (-28.13%)   (-28,029)
>> Extra   - 108,184   (+37.38%)   (+29,434)
>>
>> Total All Classes: 657,814 (-1,405 since the March 2006 reporting
>> period)
>>
>> Total all classes (5/14/00)   - 674,792
>> Total all Classes (4/21/03)   - 687,860
>> Total all classes (9/6/04)   - 674,788
>> Total all classes (6/30/06)   - 657,814
>>
>> Total loss of 16,978 since 5/14/2000   (Was 674,792)
>> Total loss of 16,974 since 9/6/2004   (Was 674,788)
>> Total Loss of 30,066 since 4/2003   (all time high of 687,860)
>>
>> We lost:
>>   842 Novice
>> 1,088 General
>> 1,157 Advanced
>> 3,087 Total
>>
>> We Gained:
>> 1,258 Tech/+
>> 424 Extra
>> 1,682 Total
>>
>> This is an overall 1,405 decline since the March reporting period
>> and averages 467 per month for the quarter.
>>
>> For the months March April and May the new licenses issued
>> break down as follows.
>>
>> 6,999   Tech/+   89.3% **
>> 627   General 8.0%
>> 217   Extra   2.7%
>>
>> Total new licenses issues during the period - 7,849
>>
>> ** These numbers come from the very interesting and comprehensive
>> website of Joe Speroni, AH0A   http://www.ah0a.org
>>
>> Numbers of US population and the number of hams at the start of each
>> decade from 1930.
>>

> > | Year | Population | # Hams | Growth Rate |
> > |---|---|---|---|
> > | 1930 | 123,202,624 | 19,000 | |
> > | 1940 | 132,164,569 | 56,000 | 194% |
> > | 1950 | 151,325,798 | 87,000 | 55% |
> > | 1960 | 179,323,175 | 230,000 | 164% |
> > | 1970 | 203,211,926 | 263,918 | 15% |
> > | 1980 | 226,545,805 | 393,353 | 49% |
> > | 1990 | 248,709,873 | 502,677 | 28% |
> > | 2000 | 281,421,906 | 682,240 | 36% |
> > | 2006 | | 657,814 | -3.6 % |
> >
> > The 2006 number was as of June 30, 2006.

> I just read the latest QST. In "How's DX?" the author notes that ham radio "used to be" the prime communication from and to Haiti. But now, with cell phones, satellite, etc. it is no longer as important.
>
> This is the real world. Morse is NOT the issue.
>
> Relevance (is that the correct spelling?) is the issue.
>
> Ham radio really WANTS to help in emergencies. This is very commendable. I think, though, we've been sidelined.
>
> We're still there "when all else fails". Morale of those involved remains high, from what I hear / read.
>
> However, in a typical emergency, ham radio is not nearly as primary as it used to be. It's OK. We can still contribute.
>
> Communications have been "universalized"...anyone can use a cell phone. It's natural that communications-specialists see their need waning.
>
> It's OK.
>
> As a hobby, ham radio has a LOT to offer. When I mention to others that I have re-entered ham radio, many people ask "Is that still around?"
>
> Man, of COURSE, it's still around.
>
> If you discuss ham radio with others, do you mention contacting the Space Shuttle? ham radio satellites? weak signal work in VHF/UHF? Sporadic E? Tropospheric Ducting? DX???
>
> How about EME?
>
> You don't have to be doing these things yourself, you just need to let everyone know what the ENTIRE hobby is about.
>
> Morse, data, SSB, FM all have a place.
>
> Ham radio is NOT dying. Hams are. Share our hobby, in ALL its forms,

```
> generously with those you know.  The rest will take care of itself, for
> better or worse.
>
> John
> AB8O
>
>
> ---
> avast! Antivirus: Inbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 3:06:02 AM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>


---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0634-2, 08/24/2006
Tested on: 8/27/2006 3:10:56 AM
avast! - copyright (c) 1988-2006 ALWIL Software.
http://www.avast.com





From 5682738766803089170
X-Google-Thread: fcc6e,9c29085808c97cc1
X-Google-Thread: 108122,9c29085808c97cc1
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!peer01.west.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "Howard K0ACF" <howardk0acf@cox.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
References: <44f12a95.76519@news.optonline.net>
Subject: Re: ANTENNA TUBING ANTI-SIEZE
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <hweIg.1612$AP2.721@fed1read10>
Date: Sun, 27 Aug 2006 03:31:36 -0700
NNTP-Posting-Host: 68.96.179.17
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1156674701 68.96.179.17 (Sun, 27 Aug 2006 06:31:41 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 06:31:41 EDT
```

```
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:17185
rec.radio.amateur.equipment:5867

I used GB ox-gard on my HF6V. Got it at Home Depot in a tube. Works great &
it isn't expensive. You will find it in the electrical department.
"Ron Goldstein--KA2IIA" <solidgoldZZZ@optonline.net> wrote in message
news:44f12a95.76519@news.optonline.net...
> Hi,
>
>     I just got a used Butternut HF6V in great shape for a great price.
> What
> type of anti-sieze do I need to put between the sections of aluminum
> tubing ???
> Is automotive anti-sieze OK ???  I don't think that it is electrically
> conductive. Do I need something like electricians use when they connect
> the
> aluminum service entrance cable to the breaker box  ???  I think that
> stuff is
> called Penetrox.  Is something like that available at Home Depot ???
>
>
> RON....KA2IIA
> =========================================================
> Remove the ZZZ from my E-mail address to send me E-mail.




From 8400078884814167028
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 27 Aug 2006 06:29:47 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1156685387.405312.246510@75g2000cwc.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <44F11EBA.1080901@fuse.net>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156685393 6031 127.0.0.1 (27 Aug 2006 13:29:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Aug 2006 13:29:53 +0000 (UTC)
In-Reply-To: <44F11EBA.1080901@fuse.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=69.19.14.27;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com alt.radio.scanner:2478 rec.radio.amateur.equipment:5868
rec.radio.amateur.policy:40846 rec.radio.scanner:5505 rec.radio.swap:6647


jawod wrote:
> Travis Jordan wrote:
> > Slow Code wrote:
> >

> >
> I just read the latest QST.  In  "How's DX?" the author notes that ham
> radio "used to be" the prime communication from and to Haiti.  But now,
> with cell phones, satellite, etc. it is no longer as important.
>
> This is the real world.  Morse is NOT the issue.
it is till it is gone
>
> Relevance (is that the correct spelling?) is the issue.
>
> Ham radio really WANTS to help in emergencies.  This is very
> commendable.  I think, though, we've been sidelined.
>
> We're still there "when all else fails".  Morale of those involved
> remains high, from what I hear / read.
>
> However, in a typical emergency, ham radio is not nearly as primary as
> it used to be.  It's OK.  We can still contribute.
gee wonder if Robeson will flame for that statement
> John
> AB8O




From -8539793416888399285
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
```

```
mail
From: "Drake nazi" <manyrumours@lycos.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 27 Aug 2006 08:49:51 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1156693791.403716.80690@m79g2000cwm.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
   <rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
NNTP-Posting-Host: 168.103.41.104
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156693796 29274 127.0.0.1 (27 Aug 2006 15:49:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Aug 2006 15:49:56 +0000 (UTC)
In-Reply-To: <rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=168.103.41.104;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com alt.radio.scanner:2484 rec.radio.amateur.equipment:5869
rec.radio.amateur.policy:40879 rec.radio.scanner:5520 rec.radio.swap:6659


The Kat wrote:
> On Sun, 27 Aug 2006 01:06:22 -0400, Al Klein <rukbat@pern.invalid> wrote:
>
>
>
> WHY in the FUCK are you continuing this thread
> in a SCANNER newsgroup??
>
>
>
>
> Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>
> This sig censored by the Office of Home and Land Insecurity...
>
>                Remove XYZ to email me



From 7998204575855571995
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
```

```
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Drake nazi" <manyrumours@lycos.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 27 Aug 2006 08:51:55 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1156693915.760867.174750@m73g2000cwd.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
   <rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
   <1156693791.403716.80690@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 168.103.41.104
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156693922 18208 127.0.0.1 (27 Aug 2006 15:52:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Aug 2006 15:52:02 +0000 (UTC)
In-Reply-To: <1156693791.403716.80690@m79g2000cwm.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=168.103.41.104;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com alt.radio.scanner:2486 rec.radio.amateur.equipment:5870
rec.radio.amateur.policy:40880 rec.radio.scanner:5522 rec.radio.swap:6660

Why did you give your ham radio away fool?

No 6 meters for you, one year!




From 7530399762974410957
X-Google-Thread: 1109af,455414cd2f503e94,start
X-Google-Thread: 108122,455414cd2f503e94,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 27 Aug 2006 12:30:57 -0500
From: Mike Nowlen <mike.nowlen@gmail.com >
```

Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.commercial-lmr,rec.radio.lmr-commercial,rec.radio.lmr-commerical
Subject: ICOM CK-11 Cable Kit for IC435 Series Transcivers: $25 p2
Date: Sun, 27 Aug 2006 13:30:49 -0400
Message-ID: <nll3f2lbt6pc93ousgaj7bsrs5nfi28nmf@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: 69.255.25.48
X-Trace: sv3-oi67mgfA12mlSPIj6mhe2AgAwgCFkU1x8teXD+rJGEQXbPTWQKqP9hO+u3q4Wk/
zitHx4bgm6D+YOqE!
vLkqn5xEDdImWytQEQknlciXYZ3KbiuG9NCcvIxXmdkSLip88h6dBmc58QyhMHE5N6V2rujGGZP5!
N5WkJBGNBQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:6682 rec.radio.amateur.equipment:5871

New Icom remote cable kit complete with mounting and hardware in
original box for Icom Series Commercial Mobile Transceivers

CK-11 for IC435:

$25 + actual shipping costs. Email with zip code for shipping costs.

Thanks for reading
mnowlen@comcast.net

From 8719330974688253785
X-Google-Thread: 108122,59f9347b146b388d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!d98e8191!not-for-mail
From: "Christopher Bucca" <christopherbucca@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
<Xns98136F0AB4423securegoogle@207.115.17.102>
<lhh1d21av9q2ajk9eh7vo4a1t3m6th1fpo@4ax.com>
Subject: Re: Newbie Question About GMRS Vs. FRS
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962

X-RFC2646: Format=Flowed; Original
Message-ID: <u4nIg.3853$p23.2979@trnddc04>
Date: Sun, 27 Aug 2006 20:16:26 GMT
NNTP-Posting-Host: 162.84.160.26
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156709786 162.84.160.26 (Sun, 27 Aug 2006 16:16:26 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 16:16:26 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5872

You probably wouldn't get that far anyway. In order to remain within the law, most GMRS/FRS radios can't use external antennas in order to make the 500 mW erp rule. So, if you reduced power to FRS levels and use the built in, not removable antenna on the FRS channels. it is short (really short) range.

Option 2 is to go and get your GMRS license. Then get a handheld that puts out the FULL 5 watts AND has a removeable antenna. Read over the rules as to power output (EIRP) allowed. Set up an external antenna with a max height of I think 20 feet above an existing structure(again check rules on this figure) Take into account antenna gain, cable loss and ACTUAL transmitter output to figure ERP. This is considered to be a Small Base Station according to the rules AND is fully legal to interopreate with FRS radios. The higher external antenna is almost guaranteed to quintuple your coverage area from base to FRS handheld.
2 base stations with directional antennas(again watching erp) would be really reliable.

Chris
KC2BZH

From -8731005382681027711
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Attributes: gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!
4.24.21.153!newsfeed3.dallas1.level3.net!news.level3.com!newsfeed1.easynews.com!
easynews.com!easynews!easynews-local!fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
Subject: Re: Let's take back ham radio!
Lines: 36
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807

x-mimeole: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <P8nIg.683992$GD7.562826@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 27 Aug 2006 20:21:03 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5873 rec.radio.amateur.policy:40954

Al Klein wrote:
> On Sat, 26 Aug 2006 21:58:07 GMT, "Travis Jordan" <no.one@no.net>
> wrote:
>
> > Total All Classes: 657,814 (-1,405 since the March 2006 reporting
> > period)
>
> > Total all classes (5/14/00)   - 674,792
> > Total all Classes (4/21/03)   - 687,860
> > Total all classes (9/6/04)   - 674,788
> > Total all classes (6/30/06)   - 657,814
>
> Change 5/14/00 to 4/2/03 - *+*13068
> Change 4/2/03 to 9/6/04 - -13072
> Change 9/6/04 to 6/30/06 - -16974
>
> What a perfect example if ignoring evidence that doesn't back up your
> argument. There was no change in Morse from 5/14/00 to 4/2/03, yet we
> GAINED over 13,000 hams, so how is a Morse requirement decreasing the
> number of hams?

Hi Al -

Although it may be true I'm not arguing that the current Morse
requirement decreases the number of hams. However, two elements of the
OP's proposal were:

3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
4: Make the no-code license one year non-renewable

My point was that increasing the code requirements beyond those in place
as of 2003 would likely reduce the already declining rate of enrollment
of new hams.

From 1457432412143466097
X-Google-Thread: 108122,3b33922965694bde
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!

```
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!d98e8191!
not-for-mail
From: "Christopher Bucca" <christopherbucca@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <R--dnWMh54SJbE3ZnZ2dnUVZ_q2dnZ2d@velocitywest.net>
<12d1t4nesj8j62b@corp.supernews.com>
<OJudnW286aQAak3ZnZ2dnUVZ_qCdnZ2d@velocitywest.net>
<12d21qnmtcvlhed@corp.supernews.com>
Subject: Re: Follow-up question to the experts here
Lines: 37
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <VbnIg.3872$p23.2881@trnddc04>
Date: Sun, 27 Aug 2006 20:24:21 GMT
NNTP-Posting-Host: 162.84.160.26
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1156710261 162.84.160.26 (Sun, 27 Aug 2006 16:24:21 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 16:24:21 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5874
```

In order to remain within the law, most GMRS/FRS radios can't use external antennas in
 order to make the 500 mW erp rule. So, if you reduced power to FRS levels and use the built in, not removable antenna on the FRS channels. it is short (really short) range.

Option 2 is to go and get your GMRS license. Then get a handheld that puts out the FULL 5 watts AND has a removeable antenna. Read over the rules as to power output (EIRP) allowed. Set up an external antenna with a max height of I think 20 feet above an existing structure(again check rules on this figure) Take into account antenna gain, cable loss and ACTUAL transmitter output to figure ERP. This is considered to be a Small Base Station according to the rules AND is fully legal to interopreate with FRS radios. The higher external antenna is almost guaranteed to quintuple your coverage area from base to FRS handheld.
2 base stations with directional antennas(again watching erp) would be really reliable.

Chris
KC2BZH

"Dave Platt" <dplatt@radagast.org> wrote in message
news:12d21qnmtcvlhed@corp.supernews.com...
> In article <OJudnW286aQAak3ZnZ2dnUVZ_qCdnZ2d@velocitywest.net>,
> Jeff <Jeff@somewhere.com> wrote:
>
>>But these radios are also GMRS too. Does that mean on the lesser priced
>>models, GMRS can be powered by as little as 500MW too?
>
> That is exactly right.
>

```
> --
> Dave Platt <dplatt@radagast.org>                                   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
>  I do _not_ wish to receive unsolicited commercial email, and I will
>     boycott any company which has the gall to send me such ads!




From -9177290210222811632
X-Google-Thread: fcc6e,9c29085808c97cc1
X-Google-Thread: 108122,9c29085808c97cc1
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "Denny" <k8do@mailblocks.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: ANTENNA TUBING ANTI-SIEZE
Date: 27 Aug 2006 13:35:08 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1156710908.451775.132580@m79g2000cwm.googlegroups.com>
References: <44f12a95.76519@news.optonline.net><hweIg.1612$AP2.721@fed1read10>
NNTP-Posting-Host: 24.247.246.156
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156710913 2482 127.0.0.1 (27 Aug 2006 20:35:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Aug 2006 20:35:13 +0000 (UTC)
In-Reply-To: <hweIg.1612$AP2.721@fed1read10>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=24.247.246.156;
   posting-account=GhrC0g0AAACdrABM-CDx8Fhs5lKJR5q2
Xref: g2news2.google.com rec.radio.amateur.antenna:17211
rec.radio.amateur.equipment:5875

Antiseize for nuts from the auto store works fine..

denny




From 3195192774336793848
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Attributes: gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
```

```
From: "an old freind" <kb9rqz___ars@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Let's take back ham radio!
Date: 27 Aug 2006 13:37:53 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1156711072.958112.288970@h48g2000cwc.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
   <P8nIg.683992$GD7.562826@fe08.news.easynews.com>
NNTP-Posting-Host: 66.82.9.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156711077 11657 127.0.0.1 (27 Aug 2006 20:37:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Aug 2006 20:37:57 +0000 (UTC)
In-Reply-To: <P8nIg.683992$GD7.562826@fe08.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=66.82.9.54;
   posting-account=yF5n7A0AAAB9ddl6N7-ePSjSvfRHGK0S
Xref: g2news2.google.com rec.radio.amateur.equipment:5876
rec.radio.amateur.policy:40959


Travis Jordan wrote:
> Al Klein wrote:
> > On Sat, 26 Aug 2006 21:58:07 GMT, "Travis Jordan" <no.one@no.net>

> Hi Al -
>
> Although it may be true I'm not arguing that the current Morse
> requirement decreases the number of hams.  However, two elements of the
> OP's proposal were:
>
> 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.
> 4: Make the no-code license one year non-renewable
>
> My point was that increasing the code requirements beyond those in place
> as of 2003 would likely reduce the already declining rate of enrollment
> of new hams.
in a time where numbers are declining but that does not maater to al
since the No Code techs are not hams anyway according to AL



From 1762050574493722036
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Attributes: gid108122,gid10bf43,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net!usenet
From: get help <gethelp@get.help>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Let's take back ham radio!
Date: Sun, 27 Aug 2006 22:23:55 +0000 (UTC)
Organization: http://www.get.help - NNTP Access
Lines: 12
Message-ID: <AE01745833.243141558F9@get.help>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<P8nIg.683992$GD7.562826@fe08.news.easynews.com>
<1156711072.958112.288970@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 5.5.230.14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.6769
X-MimeOLE: Produced By MimeOLE V6.00.2600.6769
Xref: g2news2.google.com rec.radio.amateur.equipment:5877
rec.radio.amateur.policy:40974

On 27 Aug 2006 13:37:53 -0700, a welfare ham <kb9rqz___ars@hotmail.com> wrote:

> in a time where numbers are declining but that does not maater to al
> since the No Code techs are not hams anyway according to AL

Indeed you're not.

----
In message <1156562885.403573.289840@m73g2000cwd.googlegroups.com>,
kb9rqz-ars@hotmail.com makes a death threat when he writes "the mostly
ooccasion [sic] where where you might it will be seconds before you
die."


From 6517113952730594682
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Attributes: gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz___ars@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Let's take back ham radio!
Date: 27 Aug 2006 15:28:24 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1156717704.817464.144850@p79g2000cwp.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
   <P8nIg.683992$GD7.562826@fe08.news.easynews.com>
   <1156711072.958112.288970@h48g2000cwc.googlegroups.com>
   <AE01745833.243141558F9@get.help>
NNTP-Posting-Host: 66.82.9.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156717710 22211 127.0.0.1 (27 Aug 2006 22:28:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Aug 2006 22:28:30 +0000 (UTC)
In-Reply-To: <AE01745833.243141558F9@get.help>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=66.82.9.54;
   posting-account=yF5n7A0AAAB9ddl6N7-ePSjSvfRHGK0S
Xref: g2news2.google.com rec.radio.amateur.equipment:5878
rec.radio.amateur.policy:40975


get help wrote:
> On 27 Aug 2006 13:37:53 -0700, a welfare ham <kb9rqz___ars@hotmail.com> wrote:
>
> > in a time where numbers are declining but that does not maater to al
> > since the No Code techs are not hams anyway according to AL
>
> Indeed you're not.

ah but we are indeed we are almost the majority of ham now now



From 6022302206856436572
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Attributes: gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net!usenet
From: get help <gethelp@get.help>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Let's take back ham radio!
Date: Sun, 27 Aug 2006 22:42:31 +0000 (UTC)
Organization: http://www.get.help - EXPENSIVE NNTP Access
Lines: 18
Message-ID: <AEBFF017833.243141558F9@get.help>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<P8nIg.683992$GD7.562826@fe08.news.easynews.com>
<1156711072.958112.288970@h48g2000cwc.googlegroups.com>
<AE01745833.243141558F9@get.help>
<1156717704.817464.144850@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 5.5.230.14
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.6769
X-MimeOLE: Produced By MimeOLE V6.00.2600.6769
Xref: g2news2.google.com rec.radio.amateur.equipment:5879
rec.radio.amateur.policy:40976

On 27 Aug 2006 15:28:24 -0700, a welfare ham <kb9rqz___ars@hotmail.com> wrote:
>
> get help wrote:
> > On 27 Aug 2006 13:37:53 -0700, a welfare ham <kb9rqz___ars@hotmail.com> wrote:
> >
> > > in a time where numbers are declining but that does not maater to al
> > > since the No Code techs are not hams anyway according to AL
> >
> > Indeed you're not.
>
> ah but we are indeed we are almost like vermin now

Indeed you are.

----
In message <1156375337.481412.89320@74g2000cwt.googlegroups.com>,
kb9rqz-ars@hotmail.com wrote "If I want a cock I go for a man if I
want pussy I go fo r a fmeale simple as that [sic]"



From -3244473399935319380
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Attributes: gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz___ars@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Let's take back ham radio!
Date: 27 Aug 2006 15:45:55 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1156718755.850291.61320@i3g2000cwc.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
   <P8nIg.683992$GD7.562826@fe08.news.easynews.com>
   <1156711072.958112.288970@h48g2000cwc.googlegroups.com>
   <AE01745833.243141558F9@get.help>
   <1156717704.817464.144850@p79g2000cwp.googlegroups.com>
   <AEBFF017833.243141558F9@get.help>
NNTP-Posting-Host: 66.82.9.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156718760 25218 127.0.0.1 (27 Aug 2006 22:46:00 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 27 Aug 2006 22:46:00 +0000 (UTC)
In-Reply-To: <AEBFF017833.243141558F9@get.help>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=66.82.9.54;
   posting-account=yF5n7A0AAAB9ddl6N7-ePSjSvfRHGK0S
Xref: g2news2.google.com rec.radio.amateur.equipment:5880
rec.radio.amateur.policy:40977


get help wrote:
> On 27 Aug 2006 15:28:24 -0700<kb9rqz___ars@hotmail.com> wrote:
> >
> > get help wrote:

> > ah but we are indeed we are almost like vermin now
>
> Indeed you are.
you are a forger poor loser




From -8991334879760557010
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: 106d41,eb9259c8ef1ba4ca
X-Google-Thread: 114aac,899c3d775918f3bc,start
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net
From: "Not Lloyd" <anon@anon>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortw
ave
Subject: Re: Let's take back ham radio!
Date: Sun, 27 Aug 2006 17:57:46 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 31
Message-ID: <8psvv.hpa.17.1@news.alt.net>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<P8nIg.683992$GD7.562826@fe08.news.easynews.com>
<1156711072.958112.288970@h48g2000cwc.googlegroups.com>
<AE01745833.243141558F9@get.help>
<1156717704.817464.144850@p79g2000cwp.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:5881
rec.radio.amateur.policy:40978 rec.radio.cb:17947 rec.radio.shortwave:50636


"an old freind" <kb9rqz___ars@hotmail.com> wrote in message
news:1156717704.817464.144850@p79g2000cwp.googlegroups.com...

get help wrote:
> On 27 Aug 2006 13:37:53 -0700, a welfare ham <kb9rqz___ars@hotmail.com>
wrote:
>
> > in a time where numbers are declining but that does not maater to al
> > since the No Code techs are not hams anyway according to AL
>
 Indeed I'm not.

--
Mark caught forging using Steve's name.
"Steve's" post has headers:

> X-Complaints-To: abuse@aioe.org
> X-Submitted-By: 66.82.9.42

Your reply contains headers:

> NNTP-Posting-Host: 66.82.9.42
> Injection-Info: 38g2000cwa.googlegroups.com; posting-host=66.82.9.42

'Nuff said.

www.marksspamblog.blogspot.com






From -8682640331352161185
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: 106d41,eb9259c8ef1ba4ca
X-Google-Thread: 114aac,899c3d775918f3bc
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!
not-for-mail
From: Mark@kb9rqz.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortw
ave
Subject: Re: Let's take back ham radio!
Date: Sun, 27 Aug 2006 18:49:38 -0400
Message-ID: <gb84f2h1s2bbbpabevjj9revd48sj8p8op@4ax.com>
```

```
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<P8nIg.683992$GD7.562826@fe08.news.easynews.com>
<1156711072.958112.288970@h48g2000cwc.googlegroups.com>
<AE01745833.243141558F9@get.help>
<1156717704.817464.144850@p79g2000cwp.googlegroups.com>
<8psvv.hpa.17.1@news.alt.net>
X-Newsreader: Forte Free Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
NNTP-Posting-Date: 27 Aug 2006 21:53:47 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5882
rec.radio.amateur.policy:40980 rec.radio.cb:17949 rec.radio.shortwave:50638

On Sun, 27 Aug 2006 17:57:46 -0500, "Not Lloyd" <anon@anon> wrote:

>
>"an old freind" <kb9rqz___ars@hotmail.com> wrote in message
>news:1156717704.817464.144850@p79g2000cwp.googlegroups.com...
>
>get help wrote:
>> On 27 Aug 2006 13:37:53 -0700, a welfare ham <kb9rqz___ars@hotmail.com>
>wrote:
>>
>> > in a time where numbers are declining but that does not maater to al
>> > since the No Code techs are not hams anyway according to AL
>>
> Indeed I'm am
poor forger
http://kb9rqz.blogspot.com/

--
Posted via a free Usenet account from http://www.teranews.com



From -2194596902817318007
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: 106d41,eb9259c8ef1ba4ca
X-Google-Thread: 114aac,899c3d775918f3bc
X-Google-Attributes: gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net!usenet
From: get help <gethelp@get.help>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortw
ave
Subject: Re: Let's take back ham radio!
```

```
Date: Sun, 27 Aug 2006 23:06:19 +0000 (UTC)
Organization: http://www.get.help - EXPENSIVE NNTP Access
Lines: 25
Message-ID: <AE0889217833.243141558F9@get.help>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<P8nIg.683992$GD7.562826@fe08.news.easynews.com>
<1156711072.958112.288970@h48g2000cwc.googlegroups.com>
<AE01745833.243141558F9@get.help>
<1156717704.817464.144850@p79g2000cwp.googlegroups.com>
<8psvv.hpa.17.1@news.alt.net> <gb84f2h1s2bbbpabevjj9revd48sj8p8op@4ax.com>
NNTP-Posting-Host: 5.5.230.14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.6769
X-MimeOLE: Produced By MimeOLE V6.00.2600.6769
Xref: g2news2.google.com rec.radio.amateur.equipment:5883
rec.radio.amateur.policy:40984 rec.radio.cb:17954 rec.radio.shortwave:50644

On Sun, 27 Aug 2006 18:49:38 -0400, Mark@kb9rqz.com <Mark@kb9rqz.com> wrote:
> On Sun, 27 Aug 2006 17:57:46 -0500, "Not Lloyd" <anon@anon> wrote:
>
> >
> >"an old freind" <kb9rqz___ars@hotmail.com> wrote in message
> >news:1156717704.817464.144850@p79g2000cwp.googlegroups.com...
> >
> >get help wrote:
> >> On 27 Aug 2006 13:37:53 -0700, a welfare ham <kb9rqz___ars@hotmail.com>
> >wrote:
> >>
> >> > in a time where numbers are declining but that does not maater to al
> >> > since the No Code techs are not hams anyway according to AL
> >>
> > > Indeed I'm a
> poor forger

So why do you forge?

http://marksspamblog.blogspot.com

----
In message <1150581379.052544.216200@r2g2000cwb.googlegroups.com>,
Mark Morgan replied "yes I did.  your point?" when accused of
confessing publicly to having beer enemas.


From -5301290209181356941
X-Google-Thread: fcc6e,9c29085808c97cc1
X-Google-Thread: 108122,9c29085808c97cc1
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newshub.sdsu.edu!
```

newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr13.news.prodigy.com.POSTED!5eba7a5d!not-for-mail
From: Jim - NN7K <NN7K@NOWAY.NET>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: ANTENNA TUBING ANTI-SIEZE
References: <44f12a95.76519@news.optonline.net>
In-Reply-To: <44f12a95.76519@news.optonline.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <sIpIg.4192$q63.1812@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 209.78.19.7
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1156720536 ST000 209.78.19.7 (Sun, 27 Aug 2006 19:15:36 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 19:15:36 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDCA[S@OBQTSEJJT^SHJOZ]HPUDO@HTHOCULF@^PGDTFOG[]VBKZQLYJX_ITFD_KFVLUN[DOM_A_NSYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXGQCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Sun, 27 Aug 2006 23:15:36 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:17213
rec.radio.amateur.equipment:5884

Couple other names Ideal Noalox (about $5 at home
depot) and , found at a swap meet - Jet-Lube SS-30
copper high temp (cost unknown, got MOST of container
for $ 2.00!) Also, several antenna companies sell
their own versions, relatively CHEAP! Jim

Ron Goldstein--KA2IIA wrote:
> Hi,
>
>   I just got a used Butternut HF6V in great shape for a great price. What
> type of anti-sieze do I need to put between the sections of aluminum tubing ???
> Is automotive anti-sieze OK ??? I don't think that it is electrically
> conductive. Do I need something like electricians use when they connect the
> aluminum service entrance cable to the breaker box ??? I think that stuff is
> called Penetrox. Is something like that available at Home Depot ???
>
>
>   RON....KA2IIA
> ==
> Remove the ZZZ from my E-mail address to send me E-mail.

From -3908758312656100091
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80

X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
From: Slow Code <my.mail@no.spam>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 24
Message-ID: <ZzrIg.11043$Qf.731@newsread2.news.pas.earthlink.net>
Date: Mon, 28 Aug 2006 01:23:05 GMT
NNTP-Posting-Host: 4.235.6.183
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1156728185 4.235.6.183 (Sun, 27 Aug 2006 18:23:05 PDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 18:23:05 PDT
Xref: g2news2.google.com alt.radio.scanner:2503 rec.radio.amateur.equipment:5885
rec.radio.amateur.policy:41038 rec.radio.scanner:5603 rec.radio.swap:6748

The Kat <new1@katxyzkave.net> wrote in
news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com:

> On Sun, 27 Aug 2006 01:06:22 -0400, Al Klein <rukbat@pern.invalid>
> wrote:
>
>
>
> WHY in the FUCK are you continuing this thread
> in a SCANNER newsgroup??
>
>
>
>
> Lumber Cartel (tinlc) #2063. Spam this account at your own risk.

Hey,

This thread is about CW and ham radio. You scanner assholes stay
out of it. Go find some police or fireman to listen to.

Sc

```
From 6203712578449517274
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: 27 Aug 2006 18:33:39 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1156728819.831213.322250@i3g2000cwc.googlegroups.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
   <Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
   <in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
   <rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
   <ZzrIg.11043$Qf.731@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156728825 27904 127.0.0.1 (28 Aug 2006 01:33:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 28 Aug 2006 01:33:45 +0000 (UTC)
In-Reply-To: <ZzrIg.11043$Qf.731@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=66.82.9.54;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com alt.radio.scanner:2510 rec.radio.amateur.equipment:5886
rec.radio.amateur.policy:41058 rec.radio.scanner:5614 rec.radio.swap:6758
```

Slow Code wrote:

> The Kat <new1@katxyzkave.net> wrote in
> news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com:
>

>
>
> Hey,

>
> This thread is about CW and ham radio.
you started the thread in those gruops to troll them so you could bitch
when they complained

From -9204287835425605696
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net> <dc2Hg.634122$GD7.612509@fe08.news.easynews.com>
Subject: Re: Let's take back ham radio!
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <eMrIg.2661$nR2.278@trnddc03>
Date: Mon, 28 Aug 2006 01:36:10 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1156728970 72.65.146.131 (Sun, 27 Aug 2006 21:36:10 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 21:36:10 EDT
Xref: g2news2.google.com alt.radio.scanner:2512 rec.radio.amateur.equipment:5887 rec.radio.amateur.policy:41060 rec.radio.scanner:5616 rec.radio.swap:6760

Nah, if ya can't beat 'em join 'em.... Help us out, we're making a Comm-Post pile!

And my answer is this:

If someone took ham radio, let 'em have it. Fighting to get it back is like fighting over a turd in the sewer.
Just enjoy what you have, and float on down the river, to your Cajun hideaway.....
rb

"Travis Jordan" <no.one@no.net> wrote in message
news:dc2Hg.634122$GD7.612509@fe08.news.easynews.com...
> Slow Code wrote:
>> 1: No more
>
> Please don't feed the trolls.
>
>

```
From 8682681744435626830
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<1e5ne2d6jvjitdhl9t6tcgsmbu5dle9pig@4ax.com>
<aoCdnTMcUdDLBXbZnZ2dnUVZ_oydnZ2d@comcast.com> <8s2Hg.19716$Te.17427@trnddc07>
<6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com>
Subject: Re: Let's take back ham radio!
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <DOrIg.7348$Xl5.4813@trnddc06>
Date: Mon, 28 Aug 2006 01:38:43 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1156729123 72.65.146.131 (Sun, 27 Aug 2006 21:38:43 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 21:38:43 EDT
Xref: g2news2.google.com alt.radio.scanner:2513 rec.radio.amateur.equipment:5888
rec.radio.amateur.policy:41061 rec.radio.scanner:5617 rec.radio.swap:6761
```

Well... I can remember my dad filling 'er up with Fire Chief Hi-Test back in
the day, at the Sunoco station.
I'm a summer of love baby so not too old yet, LOL.
rb

"Al Klein" <rukbat@pern.invalid> wrote in message

```
news:6rjpe21o5ld0i43irvtv9u2akhipk4vof8@4ax.com...
> On Wed, 23 Aug 2006 19:59:00 GMT, "Woody" <ts520@hotmail.com> wrote:
>
>>Oh, and .75 cent gasoline too....
>
> 25 cent gas.  I guess I'm older than you.




From 6998165878287607000
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
Subject: Re: Let's take back ham radio!
Lines: 107
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <7WrIg.2666$nR2.321@trnddc03>
Date: Mon, 28 Aug 2006 01:46:43 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1156729603 72.65.146.131 (Sun, 27 Aug 2006 21:46:43 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 21:46:43 EDT
Xref: g2news2.google.com alt.radio.scanner:2516 rec.radio.amateur.equipment:5889
rec.radio.amateur.policy:41064 rec.radio.scanner:5621 rec.radio.swap:6764

OK.... taking a poll....

By replying only in CW, either text dit-dah, or periods and hyphens......

How many people actually read that, and what is your analysis of the report?

I am running a script to see how long it takes you to click reply, enter
your response,
then click send. Your effective scaled-score code speed will be calculated
from those particular
```

clicks, along with the character count of the message. You will be made fun
of, according to your
CW speed. Anyone less than 24wpm will be required to take the new FCC
remedial code speed
Enzyte Exam for phallic phlops.

Gentlemen, gud luck.
rb

"Travis Jordan" <no.one@no.net> wrote in message
news:Ot3Ig.79826$P02.21245@fe07.news.easynews.com...
> Slow Code wrote:
>> 1: No more
>
> Amateur radio is in decline and you think putting Morse code back in as
> a requirement would help?
>
> Bwhahahahaha.
> ----------------
> Statistics courtesy of George McCouch, K3UD.
>
> Total active individual licenses as of May 14, 2000:
> Novice   -   49,329
> Tech/+   - 334,254
> General   - 112,677
> Advanced -   99,782
> Extra   -   78,750
>
> Total all classes - 674,792
>
> Total active individual licenses as of June 30, 2006:
> Novice   -   24,877   (-49.57%)   (-24,456)
> Tech/+   - 320,242   (-4.20%)   (-14,012)
> General   - 132,758   (+17.82%)   (+20,081)
> Advanced   -   71,753   (-28.13%)   (-28,029)
> Extra   - 108,184   (+37.38%)   (+29,434)
>
> Total All Classes: 657,814 (-1,405 since the March 2006 reporting
> period)
>
> Total all classes (5/14/00)   - 674,792
> Total all Classes (4/21/03)   - 687,860
> Total all classes (9/6/04)   - 674,788
> Total all classes (6/30/06)   - 657,814
>
> Total loss of 16,978 since 5/14/2000   (Was 674,792)
> Total loss of 16,974 since 9/6/2004   (Was 674,788)
> Total Loss of 30,066 since 4/2003   (all time high of 687,860)
>
> We lost:

```
>  842 Novice
> 1,088 General
> 1,157 Advanced
> 3,087 Total
>
> We Gained:
> 1,258 Tech/+
> 424 Extra
> 1,682 Total
>
> This is an overall 1,405 decline since the March reporting period
> and averages 467 per month for the quarter.
>
> For the months March April and May the new licenses issued
> break down as follows.
>
> 6,999   Tech/+   89.3% **
> 627    General  8.0%
> 217    Extra      2.7%
>
> Total new licenses issues during  the period - 7,849
>
> ** These numbers come from the very interesting and comprehensive
> website of Joe Speroni, AH0A    http://www.ah0a.org
>
> Numbers of US population and the number of hams at the start of each
> decade from 1930.
>
> Year      Population    # Hams      Growth Rate
> 1930    123,202,624    19,000
> 1940    132,164,569    56,000          194%
> 1950    151,325,798    87,000           55%
> 1960    179,323,175    230,000        164%
> 1970    203,211,926    263,918          15%
> 1980    226,545,805    393,353          49%
> 1990    248,709,873    502,677          28%
> 2000    281,421,906    682,240          36%
> 2006                            657,814         -3.6 %
>
> The 2006 number was as of June 30, 2006.
>
>



From 9031842412917786760
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net> <Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
Subject: Re: Let's take back ham radio!
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <a5sIg.2667$nR2.767@trnddc03>
Date: Mon, 28 Aug 2006 01:58:30 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1156730310 72.65.146.131 (Sun, 27 Aug 2006 21:58:30 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 21:58:30 EDT
Xref: g2news2.google.com alt.radio.scanner:2520 rec.radio.amateur.equipment:5890 rec.radio.amateur.policy:41072 rec.radio.scanner:5624 rec.radio.swap:6766

> Man, of COURSE, it's still around.
>
> If you discuss ham radio with others, do you mention contacting the Space Shuttle? ham radio satellites? weak signal work in VHF/UHF? Sporadic E? Tropospheric Ducting? DX???
>
> How about EME?
>
> You don't have to be doing these things yourself, you just need to let everyone know what the ENTIRE hobby is about.
>

Huh? You mean there is something besides CW?? Man, don't you know CW saves lives?!?!?

Listen, Weak signals are for CW work on HF while boats are burning. Contacting the space shuttle is just pointless unless you're correcting their keplerian elements for the return flight path or asking if they really drink Tang, Sporadic E [aka EMF bombing] is really pissing off the Condensation Entities that periodically enter the atmosphere to scan for intelligent life, and tropospheric ducting is a lie. I happen to have the control codes to several am-sats and I randomly change the freqs all the time, and you suckers fall for it without fail....
And DX? Hello....? Internet....?
:-)
rb

```
From 4205204661626825798
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
<1156662664.111442@www.vif.com>
Subject: Re: Let's take back ham radio!
Lines: 171
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <X6sIg.940$N84.560@trnddc08>
Date: Mon, 28 Aug 2006 02:00:23 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1156730423 72.65.146.131 (Sun, 27 Aug 2006 22:00:23 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 22:00:23 EDT
Xref: g2news2.google.com alt.radio.scanner:2521 rec.radio.amateur.equipment:5891
rec.radio.amateur.policy:41073 rec.radio.scanner:5625 rec.radio.swap:6767

Scanners?? Cool movie...
rb

"w�thh�ld f�r r��s��s �f ��t����l S���r�ty" <root@127.0.0.1> wrote in
message news:1156662664.111442@www.vif.com...
>W H O   T H E   F U C K   C A R E S ! ! ! !
>
> THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
> RADIO. WHO FUCK CARES!.
>
> IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR LITTLE
> FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!
>
>
>
>
```

> jawod wrote:
>> Travis Jordan wrote:
>>
>>> Slow Code wrote:
>>>
>>>> 1: No more
>>>
>>>
>>>
>>> Amateur radio is in decline and you think putting Morse code back in as
>>> a requirement would help?
>>>
>>> Bwhahahahaha.
>>> ---------------
>>> Statistics courtesy of George McCouch, K3UD.
>>>
>>> Total active individual licenses as of May 14, 2000:
>>> Novice   -   49,329
>>> Tech/+   - 334,254
>>> General   - 112,677
>>> Advanced -   99,782
>>> Extra   -   78,750
>>>
>>> Total all classes - 674,792
>>>
>>> Total active individual licenses as of June 30, 2006:
>>> Novice   -   24,877   (-49.57%)   (-24,456)
>>> Tech/+   - 320,242   (-4.20%)   (-14,012)
>>> General   - 132,758   (+17.82%)   (+20,081)
>>> Advanced   -   71,753   (-28.13%)   (-28,029)
>>> Extra   - 108,184   (+37.38%)   (+29,434)
>>>
>>> Total All Classes: 657,814 (-1,405 since the March 2006 reporting
>>> period)
>>>
>>> Total all classes (5/14/00)   - 674,792
>>> Total all Classes (4/21/03)   - 687,860
>>> Total all classes (9/6/04)   - 674,788
>>> Total all classes (6/30/06)   - 657,814
>>>
>>> Total loss of 16,978 since 5/14/2000   (Was 674,792)
>>> Total loss of 16,974 since 9/6/2004   (Was 674,788)
>>> Total Loss of 30,066 since 4/2003   (all time high of 687,860)
>>>
>>> We lost:
>>>   842 Novice
>>> 1,088 General
>>> 1,157 Advanced
>>> 3,087 Total
>>>
>>> We Gained:
>>> 1,258 Tech/+
>>> 424 Extra

>>> 1,682 Total
>>>
>>> This is an overall 1,405 decline since the March reporting period
>>> and averages 467 per month for the quarter.
>>>
>>> For the months March April and May the new licenses issued
>>> break down as follows.
>>>
>>> | | | |
>>> |---|---|---|
>>> | 6,999 | Tech/+ | 89.3% ** |
>>> | 627 | General | 8.0% |
>>> | 217 | Extra | 2.7% |
>>>
>>> Total new licenses issues during the period - 7,849
>>>
>>> ** These numbers come from the very interesting and comprehensive
>>> website of Joe Speroni, AH0A http://www.ah0a.org
>>>
>>> Numbers of US population and the number of hams at the start of each
>>> decade from 1930.
>>>
>>> | Year | Population | # Hams | Growth Rate |
>>> |---|---|---|---|
>>> | 1930 | 123,202,624 | 19,000 | |
>>> | 1940 | 132,164,569 | 56,000 | 194% |
>>> | 1950 | 151,325,798 | 87,000 | 55% |
>>> | 1960 | 179,323,175 | 230,000 | 164% |
>>> | 1970 | 203,211,926 | 263,918 | 15% |
>>> | 1980 | 226,545,805 | 393,353 | 49% |
>>> | 1990 | 248,709,873 | 502,677 | 28% |
>>> | 2000 | 281,421,906 | 682,240 | 36% |
>>> | 2006 | | 657,814 | -3.6 % |
>>>
>>> The 2006 number was as of June 30, 2006.
>>>
>>>
>> I just read the latest QST. In "How's DX?" the author notes that ham
>> radio "used to be" the prime communication from and to Haiti. But now,
>> with cell phones, satellite, etc. it is no longer as important.
>>
>> This is the real world. Morse is NOT the issue.
>>
>> Relevance (is that the correct spelling?) is the issue.
>>
>> Ham radio really WANTS to help in emergencies. This is very commendable.
>> I think, though, we've been sidelined.
>>
>> We're still there "when all else fails". Morale of those involved
>> remains high, from what I hear / read.
>>
>> However, in a typical emergency, ham radio is not nearly as primary as it
>> used to be. It's OK. We can still contribute.
>>
>> Communications have been "universalized"...anyone can use a cell phone.
>> It's natural that communications-specialists see their need waning.

```
>>
>> It's OK.
>>
>> As a hobby, ham radio has a LOT to offer.  When I mention to others that
>> I have re-entered ham radio, many people ask "Is that still around?"
>>
>> Man, of COURSE, it's still around.
>>
>> If you discuss ham radio with others, do you mention contacting the Space
>> Shuttle? ham radio satellites? weak signal work in VHF/UHF? Sporadic E?
>> Tropospheric Ducting?  DX???
>>
>> How about EME?
>>
>> You don't have to be doing these things yourself, you just need to let
>> everyone know what the ENTIRE hobby is about.
>>
>> Morse, data, SSB, FM all have a place.
>>
>> Ham radio is NOT dying.  Hams are.  Share our hobby, in ALL its forms,
>> generously with those you know.  The rest will take care of itself, for
>> better or worse.
>>
>> John
>> AB8O
>>
>>
>> ---
>> avast! Antivirus: Inbound message clean.
>> Virus Database (VPS): 0634-2, 08/24/2006
>> Tested on: 8/27/2006 3:06:02 AM
>> avast! - copyright (c) 1988-2006 ALWIL Software.
>> http://www.avast.com
>>
>>
>>
>
>
> ---
> avast! Antivirus: Outbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 3:10:56 AM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>




From 5522070560445636114
X-Google-Thread: 1009ad,580bd85054acde80
```

```
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
<9oh2f259quoa0tujb1am5hlrpd0h7nk8u7@4ax.com>
Subject: Re: Let's take back ham radio!
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <e9sIg.7353$Xl5.2112@trnddc06>
Date: Mon, 28 Aug 2006 02:02:50 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1156730570 72.65.146.131 (Sun, 27 Aug 2006 22:02:50 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 22:02:50 EDT
Xref: g2news2.google.com alt.radio.scanner:2523 rec.radio.amateur.equipment:5892
rec.radio.amateur.policy:41077 rec.radio.scanner:5627 rec.radio.swap:6769
```

Two words:

Comm-Post Pile !

Plus we like to see you knuckle-draggers bounce, grunt and beat your chests...

rb

```
"The Kat" <new1@katxyzkave.net> wrote in message
news:9oh2f259quoa0tujb1am5hlrpd0h7nk8u7@4ax.com...
> On Sun, 27 Aug 2006 00:25:30 -0400, jawod <jawod@fuse.net> wrote:
>
>>Travis Jordan wrote:
>
>
> WHY in the FUCK are you continuing this thread
> in a SCANNER newsgroup??
>
>
```

```
>
>
> Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>
> This sig censored by the Office of Home and Land Insecurity...
>
>               Remove XYZ to email me




From 7540011293436435967
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
Subject: Re: Let's take back ham radio!
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <wcsIg.36433$NF3.2838@trnddc05>
Date: Mon, 28 Aug 2006 02:06:20 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1156730780 72.65.146.131 (Sun, 27 Aug 2006 22:06:20 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 22:06:20 EDT
Xref: g2news2.google.com alt.radio.scanner:2525 rec.radio.amateur.equipment:5893
rec.radio.amateur.policy:41079 rec.radio.scanner:5629 rec.radio.swap:6771

Ok, forget my previous poll posting, and stop the world, I want off.....

Al, buddy,... my wife has a hundred friends, lemme hook you up bro.
rb

"Al Klein" <rukbat@pern.invalid> wrote in message
news:in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com...
> On Sat, 26 Aug 2006 21:58:07 GMT, "Travis Jordan" <no.one@no.net>
```

> wrote:
>
> Change 5/14/00 to 4/2/03 - *+*13068
> Change 4/2/03 to 9/6/04 - -13072
> Change 9/6/04 to 6/30/06 - -16974
>
>There was no change in Morse from 5/14/00 to 4/2/03, yet we
> GAINED over 13,000 hams, so how is a Morse requirement decreasing the
> number of hams?

From -5768611165569307371
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!2ba31c29!not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
Subject: Re: Let's take back ham radio!
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <hfsIg.2016$XD1.1684@trnddc01>
Date: Mon, 28 Aug 2006 02:09:17 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1156730957 72.65.146.131 (Sun, 27 Aug 2006 22:09:17 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 22:09:17 EDT
Xref: g2news2.google.com alt.radio.scanner:2527 rec.radio.amateur.equipment:5894
rec.radio.amateur.policy:41081 rec.radio.scanner:5631 rec.radio.swap:6773

To keep you informed of your need to learn CW, so you can save lives too?
rb

```
"The Kat" <new1@katxyzkave.net> wrote in message
news:rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com...
> On Sun, 27 Aug 2006 01:06:22 -0400, Al Klein <rukbat@pern.invalid> wrote:
>
>
>
> WHY in the FUCK are you continuing this thread
> in a SCANNER newsgroup??
>
>
>
>
> Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>
> This sig censored by the Office of Home and Land Insecurity...
>
>               Remove XYZ to email me




From 3890406501903960566
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!2ba31c29!
not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
<1156693791.403716.80690@m79g2000cwm.googlegroups.com>
Subject: Re: Let's take back ham radio!
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <ogsIg.2017$XD1.495@trnddc01>
Date: Mon, 28 Aug 2006 02:10:28 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
```

```
X-Trace: trnddc01 1156731028 72.65.146.131 (Sun, 27 Aug 2006 22:10:28 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 22:10:28 EDT
Xref: g2news2.google.com alt.radio.scanner:2528 rec.radio.amateur.equipment:5895
rec.radio.amateur.policy:41082 rec.radio.scanner:5632 rec.radio.swap:6774

Nazis suck, dude.
I'll learn 100wpm CW if it only ends the life on a single Nazi.
rb

"Drake nazi" <manyrumours@lycos.com> wrote in message
news:1156693791.403716.80690@m79g2000cwm.googlegroups.com...
>
> The Kat wrote:
>> On Sun, 27 Aug 2006 01:06:22 -0400, Al Klein <rukbat@pern.invalid> wrote:
>>
>>
>>
>> WHY in the FUCK are you continuing this thread
>> in a SCANNER newsgroup??
>>
>>
>>
>>
>> Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>>
>> This sig censored by the Office of Home and Land Insecurity...
>>
>>              Remove XYZ to email me
>



From -2431397632115325161
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!2ba31c29!
not-for-mail
From: "Woody" <ts520@hotmail.com>
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
```

```
<1156693791.403716.80690@m79g2000cwm.googlegroups.com>
<1156693915.760867.174750@m73g2000cwd.googlegroups.com>
Subject: Re: Let's take back ham radio!
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <ChsIg.2018$XD1.541@trnddc01>
Date: Mon, 28 Aug 2006 02:11:46 GMT
NNTP-Posting-Host: 72.65.146.131
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1156731106 72.65.146.131 (Sun, 27 Aug 2006 22:11:46 EDT)
NNTP-Posting-Date: Sun, 27 Aug 2006 22:11:46 EDT
Xref: g2news2.google.com alt.radio.scanner:2529 rec.radio.amateur.equipment:5896
rec.radio.amateur.policy:41083 rec.radio.scanner:5633 rec.radio.swap:6775

Yeah, you sure told yourself off but good, too.
I wouldn't take that kinda trash from an inbred skinhead if I were you!
rb

"Drake nazi" <manyrumours@lycos.com> wrote in message
news:1156693915.760867.174750@m73g2000cwd.googlegroups.com...
> Why did you give your ham radio away fool?
>
> No 6 meters for you, one year!
>




From 3530793088487139211
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44F25FD6.4080608@fuse.net>
Date: Sun, 27 Aug 2006 23:15:34 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
```

```
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$PO2.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
<a5sIg.2667$nR2.767@trnddc03>
In-Reply-To: <a5sIg.2667$nR2.767@trnddc03>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 31
X-Trace: aeeac44f26053e098318632751
Xref: g2news2.google.com alt.radio.scanner:2530 rec.radio.amateur.equipment:5897
rec.radio.amateur.policy:41095 rec.radio.scanner:5637 rec.radio.swap:6790

Woody wrote:
>>Man, of COURSE, it's still around.
>>
>>If you discuss ham radio with others, do you mention contacting the Space
>>Shuttle? ham radio satellites? weak signal work in VHF/UHF? Sporadic E?
>>Tropospheric Ducting?  DX???
>>
>>How about EME?
>>
>>You don't have to be doing these things yourself, you just need to let
>>everyone know what the ENTIRE hobby is about.
>>
>
>
> Huh? You mean there is something besides CW?? Man, don't you know CW saves
> lives?!?!?
>
> Listen, Weak signals are for CW work on HF while boats are burning.
> Contacting the space shuttle is just pointless unless you're correcting
> their keplerian elements for the return flight path or asking if they really
> drink Tang, Sporadic E [aka EMF bombing] is really pissing off the
> Condensation Entities that periodically enter the atmosphere to scan for
> intelligent life, and tropospheric ducting is a lie. I happen to have the
> control codes to several am-sats and I randomly change the freqs all the
> time, and you suckers fall for it without fail....
> And DX? Hello....? Internet....?
> :-)
> rb
>
>
Interesting name, Woody.  Yet, it seems to fit.


From 3329974525934052464
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!pln-w!spln!dex!extra.newsguy.com!newsp.newsguy.com!enews4
From: "Jack Ricci" <ricci@mnsi.net>
Newsgroups: alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Let's take back ham radio!
Date: Sun, 27 Aug 2006 23:17:36 -0400
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 155
Message-ID: <ectn8h08ut@enews4.newsguy.com>
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net> <Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <7WrIg.2666$nR2.321@trnddc03>
NNTP-Posting-Host: p-457.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com alt.radio.scanner:2531 rec.radio.amateur.equipment:5898 rec.radio.amateur.policy:41097 rec.radio.scanner:5638 rec.radio.swap:6795

> By replying only in CW, either text dit-dah, or periods and hyphens......
>
> How many people actually read that, and what is your analysis of the
> report?

"Woody" <ts520@hotmail.com> wrote in message
news:7WrIg.2666$nR2.321@trnddc03...

> OK.... taking a poll....
>
> By replying only in CW, either text dit-dah, or periods and hyphens......
>
> How many people actually read that, and what is your analysis of the
> report?

```
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
```

```
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...   ...---...
...---...   ...---...   ...---...   ...---...   ...---...
```

Jack

>
> I am running a script to see how long it takes you to click reply, enter
> your response,
> then click send. Your effective scaled-score code speed will be calculated
> from those particular
> clicks, along with the character count of the message. You will be made
> fun of, according to your
> CW speed. Anyone less than 24wpm will be required to take the new FCC
> remedial code speed
> Enzyte Exam for phallic phlops.
>
> Gentlemen, gud luck.
> rb
>
>
>
>
> "Travis Jordan" <no.one@no.net> wrote in message
> news:Ot3Ig.79826$P02.21245@fe07.news.easynews.com...
>> Slow Code wrote:
>>> 1: No more
>>
>> Amateur radio is in decline and you think putting Morse code back in as
>> a requirement would help?
>>
>> Bwhahahahaha.
>> ----------------
>> Statistics courtesy of George McCouch, K3UD.
>>
>> Total active individual licenses as of May 14, 2000:
>> Novice   -   49,329
>> Tech/+   - 334,254

```
>> General      -  112,677
>> Advanced  -   99,782
>> Extra         -   78,750
>>
>> Total all classes - 674,792
>>
>> Total active individual licenses as of June 30, 2006:
>> Novice       -   24,877     (-49.57%)     (-24,456)
>> Tech/+      -  320,242    (-4.20%)       (-14,012)
>> General      - 132,758    (+17.82%)     (+20,081)
>> Advanced   -   71,753    (-28.13%)      (-28,029)
>> Extra          - 108,184    (+37.38%)      (+29,434)
>>
>> Total All Classes:  657,814  (-1,405 since the March 2006 reporting
>> period)
>>
>> Total all classes  (5/14/00)   - 674,792
>> Total all Classes  (4/21/03)   - 687,860
>> Total all classes  (9/6/04 )    - 674,788
>> Total all classes  (6/30/06)   - 657,814
>>
>> Total loss of 16,978 since 5/14/2000   (Was 674,792)
>> Total loss of 16,974 since 9/6/2004     (Was 674,788)
>> Total Loss of 30,066 since 4/2003       (all time high of 687,860)
>>
>> We lost:
>>  842 Novice
>> 1,088 General
>> 1,157 Advanced
>> 3,087 Total
>>
>> We Gained:
>> 1,258 Tech/+
>> 424 Extra
>> 1,682 Total
>>
>> This is an overall 1,405 decline since the March reporting period
>> and averages 467 per month for the quarter.
>>
>> For the months March April and May the new licenses issued
>> break down as follows.
>>
>> 6,999   Tech/+   89.3% **
>> 627    General  8.0%
>> 217    Extra      2.7%
>>
>> Total new licenses issues during  the period - 7,849
>>
>> ** These numbers come from the very interesting and comprehensive
>> website of Joe Speroni, AH0A    http://www.ah0a.org
>>
>> Numbers of US population and the number of hams at the start of each
>> decade from 1930.
```

```
>>
>> Year      Population    # Hams      Growth Rate
>> 1930    123,202,624    19,000
>> 1940    132,164,569    56,000          194%
>> 1950    151,325,798    87,000           55%
>> 1960    179,323,175    230,000        164%
>> 1970    203,211,926    263,918          15%
>> 1980    226,545,805    393,353          49%
>> 1990    248,709,873    502,677          28%
>> 2000    281,421,906    682,240          36%
>> 2006                            657,814         -3.6 %
>>
>> The 2006 number was as of June 30, 2006.
>>
>>
>
>
```

```
From 7346274599937338232
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.vif.com!news.vif.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 27 Aug 2006 22:47:16 -0500
Date: Sun, 27 Aug 2006 23:47:07 -0400
From: =?ISO-8859-1?Q?w=EEthh=CBld_f=D8r_r=CB=E5s=D8=F1s_=D8f_=F1=E5?=
 =?ISO-8859-1?Q?t=EE=D8=F1=E5l_S=CB=C7=FCr=EEty?= <root@127.0.0.1>
Reply-To:  root@127.0.0.1
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, en-jm, en-ca, en-nz, en-au, en-gb, en-tt, en-ph, en-
za, en-zw, en-bz, en-ie
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com> <44F11EBA.1080901@fuse.net>
<a5sIg.2667$nR2.767@trnddc03> <44F25FD6.4080608@fuse.net>
In-Reply-To: <44F25FD6.4080608@fuse.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0634-2, 08/24/2006), Outbound message
```

X-Antivirus-Status: Clean
Organization: VIF Internet b4
Message-ID: <1156736836.483502@www.vif.com>
Cache-Post-Path: www.vif.com!unknown@ip216-239-83-63.vif.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 64
NNTP-Posting-Host: 216.239.64.140
X-Trace: sv3-
NqMIMsbVpXr+xAKd4kLhb0V1Xs0hLCjkM0Xbao9v+3QwzANptzHNC17eI58qZEWend6BcnVWKv/Aj2H!
Ksy87ZZa4/au+G0iB076/qoecEbs3bx+VCdJVc4p2VCClyQXABC6+HDWl2z9+BX4
X-Complaints-To: abuse@vif.com
X-DMCA-Complaints-To: abuse@vif.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2532 rec.radio.amateur.equipment:5899 rec.radio.amateur.policy:41099 rec.radio.scanner:5639 rec.radio.swap:6796

THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
 > RADIO. WHO FUCK CARES!.
 >
 > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR LITTLE
 > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!

jawod wrote:

> Woody wrote:
>
>>> Man, of COURSE, it's still around.
>>>
>>> If you discuss ham radio with others, do you mention contacting the
>>> Space Shuttle? ham radio satellites? weak signal work in VHF/UHF?
>>> Sporadic E? Tropospheric Ducting? DX???
>>>
>>> How about EME?
>>>
>>> You don't have to be doing these things yourself, you just need to
>>> let everyone know what the ENTIRE hobby is about.
>>>
>>
>>
>> Huh? You mean there is something besides CW?? Man, don't you know CW
>> saves lives?!?!?
>>
>> Listen, Weak signals are for CW work on HF while boats are burning.
>> Contacting the space shuttle is just pointless unless you're
>> correcting their keplerian elements for the return flight path or
>> asking if they really drink Tang, Sporadic E [aka EMF bombing] is
>> really pissing off the Condensation Entities that periodically enter
>> the atmosphere to scan for intelligent life, and tropospheric ducting
>> is a lie. I happen to have the control codes to several am-sats and I

```
>> randomly change the freqs all the time, and you suckers fall for it
>> without fail....
>> And DX? Hello....? Internet....?
>> :-)
>> rb
>>
>>
> Interesting name, Woody.  Yet, it seems to fit.
>
>
> ---
> avast! Antivirus: Inbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:46:51 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>



---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0634-2, 08/24/2006
Tested on: 8/27/2006 11:47:08 PM
avast! - copyright (c) 1988-2006 ALWIL Software.
http://www.avast.com






From 7711156368718348050
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.vif.com!news.vif.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 27 Aug 2006 22:47:27 -0500
Date: Sun, 27 Aug 2006 23:47:18 -0400
From: =?ISO-8859-1?Q?w=EEthh=CBld_f=D8r_r=CB=E5s=D8=F1s_=D8f_=F1=E5?=
 =?ISO-8859-1?Q?t=EE=D8=F1=E5l_S=CB=C7=FCr=EEty?= <root@127.0.0.1>
Reply-To:  root@127.0.0.1
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, en-jm, en-ca, en-nz, en-au, en-gb, en-tt, en-ph, en-
za, en-zw, en-bz, en-ie
MIME-Version: 1.0
```

```
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
<1156693791.403716.80690@m79g2000cwm.googlegroups.com>
<1156693915.760867.174750@m73g2000cwd.googlegroups.com>
<ChsIg.2018$XD1.541@trnddc01>
In-Reply-To: <ChsIg.2018$XD1.541@trnddc01>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0634-2, 08/24/2006), Outbound message
X-Antivirus-Status: Clean
Organization: VIF Internet b4
Message-ID: <1156736847.99199@www.vif.com>
Cache-Post-Path: www.vif.com!unknown@ip216-239-83-63.vif.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 45
NNTP-Posting-Host: 216.239.64.140
X-Trace: sv3-Lg8BnHrVmadIGQorvzYWwWjDoyuG0SdGv8TcHFsirulT3K13JNL+JKVF/
rA+B5V1/0+2fmUUc99gr+t!/
2jnCSnLzBFjLauv1WAXWG8izTADDb2Gfv6buQpukCOjAZl4GZGLHXANo8VWIKY=
X-Complaints-To: abuse@vif.com
X-DMCA-Complaints-To: abuse@vif.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2533 rec.radio.amateur.equipment:5900
rec.radio.amateur.policy:41100 rec.radio.scanner:5640 rec.radio.swap:6797

THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
 > RADIO. WHO FUCK CARES!.
 >
 > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
LITTLE
 > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!

Woody wrote:

> Yeah, you sure told yourself off but good, too.
> I wouldn't take that kinda trash from an inbred skinhead if I were you!
> rb
>
> "Drake nazi" <manyrumours@lycos.com> wrote in message
> news:1156693915.760867.174750@m73g2000cwd.googlegroups.com...
>
>>Why did you give your ham radio away fool?
>>
>>No 6 meters for you, one year!
```

```
>>
>
>
>
>
>
> ---
> avast! Antivirus: Inbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:44:14 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>



---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0634-2, 08/24/2006
Tested on: 8/27/2006 11:47:18 PM
avast! - copyright (c) 1988-2006 ALWIL Software.
http://www.avast.com






From 2210795567476479264
X-Google-Thread: 1009ad,580bd85054acde80
X-Google-Thread: 108122,580bd85054acde80
X-Google-Thread: 10bf43,580bd85054acde80
X-Google-Thread: fa029,580bd85054acde80
X-Google-Thread: 1109af,580bd85054acde80
X-Google-Attributes: gid1009ad,gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.vif.com!news.vif.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 27 Aug 2006 22:47:34 -0500
Date: Sun, 27 Aug 2006 23:47:25 -0400
From: =?ISO-8859-1?Q?w=EEthh=CBld_f=D8r_r=CB=E5s=D8=F1s_=D8f_=F1=E5?=
 =?ISO-8859-1?Q?t=EE=D8=F1=E5l_S=CB=C7=FCr=EEty?= <root@127.0.0.1>
Reply-To:  root@127.0.0.1
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en, en-jm, en-ca, en-nz, en-au, en-gb, en-tt, en-ph, en-
za, en-zw, en-bz, en-ie
MIME-Version: 1.0
Newsgroups:
alt.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.s
canner,rec.radio.swap
Subject: Re: Let's take back ham radio!
```

```
References: <yeMGg.7462$Sn3.7330@newsread3.news.pas.earthlink.net>
<Ot3Ig.79826$P02.21245@fe07.news.easynews.com>
<in92f2le3gj8oe8qa800vpglj3b3t4u3eh@4ax.com>
<rph2f25kom1gtlpp8hnebpsdr69tum5i4i@4ax.com>
<1156693791.403716.80690@m79g2000cwm.googlegroups.com>
<1156693915.760867.174750@m73g2000cwd.googlegroups.com>
<ChsIg.2018$XD1.541@trnddc01>
In-Reply-To: <ChsIg.2018$XD1.541@trnddc01>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0634-2, 08/24/2006), Outbound message
X-Antivirus-Status: Clean
Organization: VIF Internet b4
Message-ID: <1156736854.599183@www.vif.com>
Cache-Post-Path: www.vif.com!unknown@ip216-239-83-63.vif.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 45
NNTP-Posting-Host: 216.239.64.140
X-Trace: sv3-H8aDvnUTTht6xBvKxyfboQiTgt8AI6XGlUaBocMDL0/
EGXuNoW2wL0bDSV2KGrTWOu09u7H2wPpP6eh!ssYJD4Ky/IMY0P9L3H4pdSgERpP8vyWg3CIl5vGHd83n/
t5JWvJfSnUgnWxqNN0P
X-Complaints-To: abuse@vif.com
X-DMCA-Complaints-To: abuse@vif.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.radio.scanner:2534 rec.radio.amateur.equipment:5901
rec.radio.amateur.policy:41101 rec.radio.scanner:5641 rec.radio.swap:6798

THIS IS FUCKEN SCANNER NEWSGROUP, NOT TALK ABOUT ISSUES ABOUT AMATEUR
 > RADIO. WHO FUCK CARES!.
 >
 > IF YOU FUCKEN IDIOTS WANT TO TALK ABOUT AMATEUR RADIO THEN GO YOUR
LITTLE
 > FUCKEN NEWSGROUP AND DISCUSS IT THEIR NOT HERE!

Woody wrote:

> Yeah, you sure told yourself off but good, too.
> I wouldn't take that kinda trash from an inbred skinhead if I were you!
> rb
>
> "Drake nazi" <manyrumours@lycos.com> wrote in message
> news:1156693915.760867.174750@m73g2000cwd.googlegroups.com...
>
>>Why did you give your ham radio away fool?
>>
>>No 6 meters for you, one year!
>>
>
>
>
```

```
>
>
> ---
> avast! Antivirus: Inbound message clean.
> Virus Database (VPS): 0634-2, 08/24/2006
> Tested on: 8/27/2006 11:44:14 PM
> avast! - copyright (c) 1988-2006 ALWIL Software.
> http://www.avast.com
>
>
>



---
avast! Antivirus: Outbound message clean.
Virus Database (VPS): 0634-2, 08/24/2006
Tested on: 8/27/2006 11:47:26 PM
avast! - copyright (c) 1988-2006 ALWIL Software.
http://www.avast.com






From -4235470286144896919
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 106d41,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr14.news.prodigy.com.POSTED!1133983c!not-for-
mail
From: "EchoBlip" <EB@ruckmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.shortwave
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
<12e545vmhvp0jd0@corp.supernews.com>
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <8OwEg.89$yO7.21@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 68.76.95.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1155700996 ST000 68.76.95.6 (Wed, 16 Aug 2006
00:03:16 EDT)
NNTP-Posting-Date: Wed, 16 Aug 2006 00:03:16 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSUGWX_EZBU[SV@[TBCBNWX@RJ_XPDLMN@GZ_GYO^RR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Wed, 16 Aug 2006 04:03:16 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5750
rec.radio.amateur.misc:18982 rec.radio.amateur.policy:38040 rec.radio.cb:15943
rec.radio.shortwave:49226
```

"> Let me guess....hmmmm.....N8WWM comes to mind.
>
>

Dougy doogy

```
From 974816438217232345
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews6.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Message-ID: <cb95e2hlesd8642n4sj5fc40rhkla0erat@4ax.com>
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 79
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcboneajnkbpjoghgfcpinkpacnglpgmandcfj
bhdibdklbodgajdejjjaojhdiaokcmdkplkmhbobemncobbohgccnigkjjepgpeokfojhmaenldppa
NNTP-Posting-Date: Wed, 16 Aug 2006 01:07:30 EDT
Organization: BellSouth Internet Group
Date: Wed, 16 Aug 2006 01:07:58 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:16515
```

rec.radio.amateur.boatanchors:5062 rec.radio.amateur.homebrew:6492
rec.radio.amateur.equipment:5751

On Tue, 15 Aug 2006 08:39:34 GMT, Paul Hinman <paul.hinman@shaw.ca> wrote:

>I frequently see postings in the ham radio related newsgroups for items
>currently being offered on E-Bay.
>
>All to often I that items will be shipped only to the lower 48 states,
>leaving hams in Hawaii, Alaska, and Canada out of the picture. What is
>the problem. In Canada we are well served by FEDEX and the United
>States Postal Service. Amateur radio equipment crosses the border with
>out any problem. I realize that Hawaii and Alaska may be a bit far from
>the "lower 48" but the same delivery services are available even though
>surface transportation may be a little bit slow. In the US you also
>have UPS, the folks in Brown which we Canadians prefer not to use
>because the often make the border crossing more difficult than it needs
>to be and we don't like getting stuck with brokerage fees.
>
>So why the discrimination, if the buyer knows that delivery may take a
>little longer and is prepared to accept the fact then it becomes a non
>problem. If the seller is intimidated by the prospect of complicated
>paperwork, he needn't be. Please leave it up to the buyer to decide
>whether he wants to bib or not.
>
>I can not speak for shipments to Europe, Africa, India, China, or the
>South Pacific but for fellow Americans, or friendly northern neighbours,
>I think that people should be prepared to deal with us.
>
>Thanx for letting get this off my chest and I realize that I have cross
>posted this to four different newsgroups but I wanted to get to a broad
>audience.
>
>Paul
\

As for canada, there is a problem with tracking. At least a couple of years ago, the cost of tracking a package, when possible, was horrendously high. In the case of the US mail or Fedex, it was impossible. I shipped to canada and the buyer said he didn't get it. He sent a very impolite letter the day I noticed all other items shipped that day arrived. I know he received it and later admitted that it was shipped to the wrong address, which I know better.

Not being able to track makes for a risk that I was unwilling to handle at the time, so I cut out shipping to canada.

As for hawaii and alaska, tracking and shipping costs were terrible to those places as well. Some items can't be shipped by air and would be shipped by ship requiring a time delay in which, again, thieves take advantage of and get their refund.

The combination of eBay and Paypal creates a haven for thieves in those areas and others. They favor the buyer and it will ultimately cost the seller more in the long run.

APO and FPO can't be tracked either. Tracking is a requirement for the eBay/paypal so-called protection.

I was once a gi. Gi's move. Sometimes it takes a long while for the gi to receive mail that has to follow him/her.

I realize that the problems are caused by the 'few', but they create a risk or null out certain protective clauses in contracts. SOme businesses can afford to go through the extra effort, wait the extra time or live with the occasional loss. A business that loses one sale in a hundred can afford the loss better than an individual who stands to lose one in the only one or two sales they make.

Ebay/paypal is too protective for the buyers and not the sellers. The law is too difficult to motivate for most of the little sales that originate from ebay. Thieves know this and take advantage of this at every opportunity they can.

Buck
n4pgw

--
73 for now
Buck
N4PGW

From 2232169448886025960
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!cycny01.gnilink.net!bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews6.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Message-ID: <05a5e294iqe6e9gbr13jfnkam6jnqr4tv9@4ax.com>
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <Pine.BSI.4.61.0608151414090.10409@malasada.lava.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbopeknecfckjmnppgcinkpacnglpgmandcfj
bhdibdklbodgajdejjjaojhdiaokcmdkplkmhbobemncobbjbkfdljgnpefhdjeokfojhmaenldppa
NNTP-Posting-Date: Wed, 16 Aug 2006 01:10:30 EDT
Organization: BellSouth Internet Group
Date: Wed, 16 Aug 2006 01:10:57 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:16516
rec.radio.amateur.boatanchors:5063 rec.radio.amateur.homebrew:6493
rec.radio.amateur.equipment:5752


>My sentiments exactly Paul.   Its ridiculous we either are part of
>the USA or we are'nt.   Those catalogs that say "extra chipping
>costs to Hawaii/Pr/Alaska etc I give them the deep six.
>                                 Joe

But the costs are extra to those businesses.  shipping to those
states/territories are higher than cross-continent shipping.



--
73 for now
Buck
N4PGW



From 6754013249698480108
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Wed, 16 Aug 2006 17:36:13 +0900
Organization: Korea Telecom
Lines: 49
Message-ID: <ebul8a$p7e$1@news2.kornet.net>
References: <aLfEg.400583$Mn5.137675@pd7tw3no><ebs90v$j90$1@news2.kornet.net>
<slrnee3d6g.dmj.gsm@cable.mendelson.com>
<Xns98205595D4674doldridgsprintca@64.59.135.159>
<1155669032.050001.312410@h48g2000cwc.googlegroups.com>
```

```
<12e538b8vm4e61e@corp.supernews.com>
NNTP-Posting-Host: 59.8.223.186
X-Trace: news2.kornet.net 1155717194 25838 59.8.223.186 (16 Aug 2006 08:33:14 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Wed, 16 Aug 2006 08:33:14 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.antenna:16523
rec.radio.amateur.boatanchors:5064 rec.radio.amateur.homebrew:6495
rec.radio.amateur.equipment:5753




--
Say no to institutionalized interference.
Just say NO to HD/IBOC!
"David G. Nagel" <nagel@core.com> wrote in message
news:12e538b8vm4e61e@corp.supernews.com...
> k8vf_mark@centurytel.net wrote:
>>  >
>>
>>>The only possible problem is loss or damage.  USPS air delivers in a few
>>>days and for a reasonable border fee, most of which is sales tax at this
>>
>>
>>
>> The issue is cost, I believe.
>>
>> For some reason sellers dont want to pay the cost to the last two
>> states, EVEN IF THE BUYER IS FRONTING THE FEES> DOnt know why.
>>
>> I have shipped to Hawaii several times with no issues at all other than
>> time.
>>
>> I have had no problems with Canada, other than time.  Sometimes it
>> takes an inordinate amount of time . But you can accept that if BOTH
>> parties are good communicators.
>>
>> Keep in touch with your seller or buyer, dont just fail to respond. It
>> makes them nervous, folks.
>>
>> Mark
>> K8VF
>> Michigan
>>
>
>
> Several years ago I had a pack and ship business. one of my customers had
> a VCR he wanted mailed to his son some where in Alaska. The post office
> used a contract air carrier to deliver the mail to the island where the
```

> son lived. As the package with the VCR was being off loaded from the
> seaplane it was dropped overboard. It took over a month to receive payment
> from the USPS (he did insure the package).
>

Only a month? Not bad, really. USPS is notoriously slow with insurance
claims (but then, aren't they all?)

```
From -3530021976790734616
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!news.astraweb.com!
router2.astraweb.com!news-xfer.nntp.sonic.net!posts.news.sonic.net!
nnrp0.nntp.sonic.net!not-for-mail
From: Rex  <me@hutmail.invalid>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Wed, 16 Aug 2006 02:09:22 -0700
Message-ID: <92o5e2tmlq6u0bl2sf3td3vsjk3cl7cfkf@4ax.com>
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
<cb95e2hlesd8642n4sj5fc40rhkla0erat@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
Organization: Sonic.Net
NNTP-Posting-Date: 16 Aug 2006 09:07:59 GMT
NNTP-Posting-Host: 163d1289.news.sonic.net
X-Trace:
DXC=iSJ:^6__33gdXNH_G8AmM`m4K\QM1CV^`1OYf0H`?;Xak;F3^[8=i0`IK2Tb[ic:Da2LAcS>fHe5dO
bU0:e<^h=g
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.antenna:16524
rec.radio.amateur.boatanchors:5065 rec.radio.amateur.homebrew:6496
rec.radio.amateur.equipment:5754
```

On Wed, 16 Aug 2006 01:07:58 -0400, Buck <not@this.time> wrote:

>As for canada, there is a problem with tracking. At least a couple of
>years ago, the cost of tracking a package, when possible, was
>horrendously high. In the case of the US mail or Fedex, it was
>impossible. I shipped to canada and the buyer said he didn't get it.

>He sent a very impolite letter the day I noticed all other items
>shipped that day arrived. I know he received it and later admitted
>that it was shipped to the wrong address, which I know better.
>
>Not being able to track makes for a risk that I was unwilling to
>handle at the time, so I cut out shipping to canada.
>
[snip middle details]
>
>Ebay/paypal is too protective for the buyers and not the sellers. The
>law is too difficult to motivate for most of the little sales that
>originate from ebay. Thieves know this and take advantage of this at
>every opportunity they can.
>
>Buck
>n4pgw
>
>--
>73 for now
>Buck
>N4PGW

Well explained. Not my issue anyway, but I never heard about all that.

From -1642430309481259536
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7tw2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.150.52.44
From: Paul Hinman <paul.hinman@shaw.ca>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
<cb95e2hlesd8642n4sj5fc40rhkla0erat@4ax.com>
In-Reply-To: <cb95e2hlesd8642n4sj5fc40rhkla0erat@4ax.com>
Content-Type: multipart/alternative;
 boundary="------------010108000508090807010604"
Lines: 211
Message-ID: <77CEg.406517$iF6.166744@pd7tw2no>

```
Date: Wed, 16 Aug 2006 10:06:59 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw2no 1155722819 24.70.95.207 (Wed, 16 Aug 2006 04:06:59 MDT)
NNTP-Posting-Date: Wed, 16 Aug 2006 04:06:59 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:16526
rec.radio.amateur.boatanchors:5067 rec.radio.amateur.homebrew:6497
rec.radio.amateur.equipment:5755

This is a multi-part message in MIME format.
--------------010108000508090807010604
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Buck wrote:

>On Tue, 15 Aug 2006 08:39:34 GMT, Paul Hinman <paul.hinman@shaw.ca>
>wrote:
>
>
>
>>I frequently see postings in the ham radio related newsgroups for items
>>currently being offered on E-Bay.
>>
>>All to often I that items will be shipped only to the lower 48 states,
>>leaving hams in Hawaii, Alaska, and Canada out of the picture.  What is
>>the problem.  In Canada we are well served by FEDEX and the United
>>States Postal Service.  Amateur radio equipment crosses the border with
>>out any problem.  I realize that Hawaii and Alaska may be a bit far from
>>the  "lower 48" but the same delivery services are available even though
>>surface transportation may be a little bit slow.  In the US you also
>>have UPS, the folks in Brown which we Canadians prefer not to use
>>because the often make the border crossing more difficult than it needs
>>to be and we don't like getting stuck with brokerage fees.
>>
>>So why the discrimination, if the buyer knows that delivery may take a
>>little longer and is prepared to accept the fact then it becomes a non
>>problem.  If the seller is intimidated by the prospect of complicated
>>paperwork, he needn't be.  Please leave it up to the buyer to decide
>>whether he wants to bib or not.
>>
>>I can not speak for shipments to Europe, Africa, India, China, or the
>>South Pacific but for fellow Americans, or friendly northern neighbours,
>>I think that people should be prepared to deal with us.
>>
>>Thanx for letting get this off my chest and I realize that I have cross
>>posted this to four different newsgroups but I wanted to get to a broad
>>audience.
>>
>>Paul
>>
>>
```

>\
>
>As for canada, there is a problem with tracking. At least a couple of
>years ago, the cost of tracking a package, when possible, was
>horrendously high. In the case of the US mail or Fedex, it was
>impossible. I shipped to canada and the buyer said he didn't get it.
>He sent a very impolite letter the day I noticed all other items
>shipped that day arrived. I know he received it and later admitted
>that it was shipped to the wrong address, which I know better.
>
>Not being able to track makes for a risk that I was unwilling to
>handle at the time, so I cut out shipping to canada.
>
>As for hawaii and alaska, tracking and shipping costs were terrible to
>those places as well. Some items can't be shipped by air and would be
>shipped by ship requiring a time delay in which, again, thieves take
>advantage of and get their refund.
>
>The combination of eBay and Paypal creates a haven for thieves in
>those areas and others. They favor the buyer and it will ultimately
>cost the seller more in the long run.
>
>APO and FPO can't be tracked either. Tracking is a requirement for
>the eBay/paypal so-called protection.
>
>I was once a gi. Gi's move. Sometimes it takes a long while for the
>gi to receive mail that has to follow him/her.
>
>I realize that the problems are caused by the 'few', but they create a
>risk or null out certain protective clauses in contracts. SOme
>businesses can afford to go through the extra effort, wait the extra
>time or live with the occasional loss. A business that loses one sale
>in a hundred can afford the loss better than an individual who stands
>to lose one in the only one or two sales they make.
>
>Ebay/paypal is too protective for the buyers and not the sellers. The
>law is too difficult to motivate for most of the little sales that
>originate from ebay. Thieves know this and take advantage of this at
>every opportunity they can.
>
>Buck
>n4pgw
>
>
>

The tracking is not a problem, FEDEX tracking works across the borders
and the USPS and Canada Post tracking systems interface with each other
using the tracking number issued at the point of mailing.

--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat North 53 deg 27 min 3 sec

```
Maidenhead Locator DO33gk




--------------010108000508090807010604
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Buck wrote:<br>
<blockquote cite="midcb95e2hlesd8642n4sj5fc40rhkla0erat@4ax.com"
 type="cite">
  <pre wrap="">On Tue, 15 Aug 2006 08:39:34 GMT, Paul Hinman <a class="moz-txt-
link-rfc2396E" href="mailto:paul.hinman@shaw.ca">&lt;paul.hinman@shaw.ca&gt;</a>
wrote:

  </pre>
  <blockquote type="cite">
    <pre wrap="">I frequently see postings in the ham radio related newsgroups for
items
currently being offered on E-Bay.

All to often I that items will be shipped only to the lower 48 states,
leaving hams in Hawaii, Alaska, and Canada out of the picture.  What is
the problem.  In Canada we are well served by FEDEX and the United
States Postal Service.  Amateur radio equipment crosses the border with
out any problem.  I realize that Hawaii and Alaska may be a bit far from
the  "lower 48" but the same delivery services are available even though
surface transportation may be a little bit slow.  In the US you also
have UPS, the folks in Brown which we Canadians prefer not to use
because the often make the border crossing more difficult than it needs
to be and we don't like getting stuck with brokerage fees.

So why the discrimination, if the buyer knows that delivery may take a
little longer and is prepared to accept the fact then it becomes a non
problem.  If the seller is intimidated by the prospect of complicated
paperwork, he needn't be.  Please leave it up to the buyer to decide
whether he wants to bib or not.

I can not speak for shipments to Europe, Africa, India, China, or the
South Pacific but for fellow Americans, or friendly northern neighbours,
I think that people should be prepared to deal with us.

Thanx for letting get this off my chest and I realize that I have cross
posted this to four different newsgroups but I wanted to get to a broad
audience.
```

```
Paul
    </pre>
  </blockquote>
  <pre wrap=""><!---->\

As for canada, there is a problem with tracking.  At least a couple of
years ago, the cost of tracking a package, when possible, was
horrendously high.  In the case of the US mail or Fedex, it was
impossible.  I shipped to canada and the buyer said he didn't get it.
He sent a very impolite letter the day I noticed all other items
shipped that day arrived.  I know he received it and later admitted
that it was shipped to the wrong address, which I know better.

Not being able to track makes for a risk that I was unwilling to
handle at the time, so I cut out shipping to canada.

As for hawaii and alaska, tracking and shipping costs were terrible to
those places as well.  Some items can't be shipped by air and would be
shipped by ship requiring a time delay in which, again, thieves take
advantage of and get their refund.

The combination of eBay and Paypal creates a haven for thieves in
those areas and others.  They favor the buyer and it will ultimately
cost the seller more in the long run.

APO and FPO can't be tracked either.  Tracking is a requirement for
the eBay/paypal so-called protection.

I was once a gi.  Gi's move.  Sometimes it takes a long while for the
gi to receive mail that has to follow him/her.

I realize that the problems are caused by the 'few', but they create a
risk or null out certain protective clauses in contracts.  SOme
businesses can afford to go through the extra effort, wait the extra
time or live with the occasional loss.  A business that loses one sale
in a hundred can afford the loss better than an individual who stands
to lose one in the only one or two sales they make.

Ebay/paypal is too protective for the buyers and not the sellers.  The
law is too difficult to motivate for most of the little sales that
originate from ebay.  Thieves know this and take advantage of this at
every opportunity they can.

Buck
n4pgw

  </pre>
</blockquote>
<font size="+1"><font face="Comic Sans MS">The tracking is not a
problem, FEDEX tracking works across the borders and the USPS and
Canada Post tracking systems interface with each other using the
tracking number issued at the point of mailing.</font></font><br>
<br>
```

```
<pre class="moz-signature" cols="72">--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk

</pre>
</body>
</html>

--------------010108000508090807010604--


From 6210759277912123718
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.icl.net!newsfeed.fjserv.net!peer.news.zetnet.net!
master.news.zetnet.net!not-for-mail
NNTP-Posting-Host: user-10001895.zetnet.co.uk
Message-ID: <313030303138393544E3038F45@deryck.com>
Date: Wed, 16 Aug 2006 11:37:51 +0100
Newsgroups: rec.radio.amateur.equipment
From: deryck  lant <deryck@deryck.com>
X-Mailer: ZIMACS
X-UserInfo: Version 2.22 10001895 2600
Subject: Re: Kenwood quitting Ham Radio?
References: <313030303138393544DF0BDF27@deryck.com>
<ve6ud291et4087to1ma7spufuvk1n4u809@4ax.com>
<nse4e2ppstuh6loc425ii8ugrk3gq801f9@4ax.com>
Lines: 43
X-Trace: 1155724742 master.news.zetnet.net 29541 194.247.47.30:2460
Xref: g2news2.google.com rec.radio.amateur.equipment:5756

The message <nse4e2ppstuh6loc425ii8ugrk3gq801f9@4ax.com>
from helmsman <helmsman@royaloak.net> contains these words:

> On Sun, 13 Aug 2006 08:25:25 -0400, helmsman <helmsman@royaloak.net>
> wrote:

> >On Sun, 13 Aug 2006 11:24:15 +0100, deryck  lant <deryck@deryck.com>
> >wrote:
> >
> >>I heard a rumour on the air that Kenwood is quitting Ham Radio.
> >>Can that be possible true? The TS-480 was truly excellent and
> >>the TS-2000 really an innovation.
> >>
> >>Would be a sad loss.
> >>
> >>Deryck G0KOR
> >
```

> >I still use a TS-450-sat and love it. I also sent them an e-mail. We
> >shall see.
> >KG8PM

> This pertains to the RUMOR that has been circulating for the last 7
> years about Kenwood getting out of the amateur radio business.

> Kenwood is fully committed to amateur radio and we have no plans at
> this
> time of closing our amateur division. Kenwood continues to design and
> manufacture amateur radio for our customers. Though the market has
> some
> what slowed down a little, we continue to put 100% of our time, effort
> and engineering skills in our amateur division and we look forward to
> the continued support of these products.

> Some how there's been a rumor circulating in the amateur world of
> Kenwood getting out of the business. For your information, this is NOT
> true at all, please pass it along to anyone who has made mention of
> such rumor or comment.

Thanks. This is excellent news as Kenwood make quality radio products.

Deryck G0KOR

From 3504427564821464613
X-Google-Thread: 108122,1216187f4d8c654a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Aug 2006 07:39:11 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <HUyEg.57515$vj1.43676@bignews5.bellsouth.net>
Subject: Re: Add money to your Paypal account with OPRAH LBYTG
Date: Wed, 16 Aug 2006 07:39:11 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <UKednXvd9shyjH7ZnZ2dnUVZ_uidnZ2d@comcast.com>
Lines: 138
NNTP-Posting-Host: 71.226.69.91
X-Trace: sv3-Z9dLJ0FJvxYM7PAXUevwVQndpW27E/mnW63I/
lO4VzIZjHWxDhAfFUri4LpwVgdVba5N14aFGz2HR/F!p8ij+QiRMoztrmdoBLOsnoIRR/
ZWbQ25PQWAbkFUXtxigImxYC5f3IBfBmzUIpEUbkKEwtiLrw+0!8ptDSKHqCEeP
X-Complaints-To: abuse@comcast.net

```
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5757

Its still a pyramid scheme, and illegal in most states.
Quit your trolling

BTW... welcome to my killfile

"NSI" <af.irani@afyhpami.com> wrote in message
news:HUyEg.57515$vj1.43676@bignews5.bellsouth.net...
>   Read this message until the end, and you will find out how the money
> flows in easy !!!!.
> Follow the steps and it WILL work. Trust me !!!!!.
>
> It's NOT illegal and it is NOT a scam !!!!!.
>
> PROVEN ON OPRAH!  Reported in the Wall Street Journal!!!!
>
> The only thing you need is : - E-MAIL ACCOUNT
> - PREMIER (FREE) or BUSINESS PAYPAL ACCOUNT
> - $6 on this account (The only investment)
> - 30 minutes of your time
>
> There is no limit on how much money you can recieve, and you haven't got
> anything to lose with this Business program. I will explain how it works
> !!!!!.
>
>
> Follow these 4 easy steps and it WILL work !!!!!.
>
>
> STEP 1 : SIGN UP FOR A FREE PAYPAL ACCOUNT !!!!!.
>
> Paypal is a free and safe way to pay and receive money on the Internet.
> Creating a account is as easy as creating a MSN account.
> Copy and paste the next line in your Internet browser and sign up.
> HTTP://WWW.PAYPAL.COM
>
> Be sure to sign up for a FREE Premier or Business account and not for a
> Personal account.
> You cannot receive CREDITCARD payments with a Personal account and we
> can't have that. Do we !!!!!.
>
>
> STEP 2 : SENT $6 TO YOUR PAYPAL ACCOUNT
>
> This is your only investment to receive the money with ease.
>
> With your Paypal account, send $1 to each e-mailadres listed below.
```

> !!!!! IMPORTANT !!!!! Be sure to use this SUBJECT : *PLEASE PUT ME ON YOUR
> EMAIL LIST*   when you send the money.
>
> 1) martine@pilote.net
> 2) dexxatol@netcourrier.com
> 3) armygirl8568@hotmail.com
> 4) comjii@starband.net
> 5) sinnek@bellsouth.net
> 6) nsi@nelasat.com
>
> STEP 3 : PUT YOUR E-MAIL ADDRESS ON THE BOTTOM OF THE LIST
>
> After you have send $1 to each e-mail address, put your e-mail address on
> the 6th place.
> Remove e-mail address number 1, and move each e-mail address 1 step up the
> ladder.
> !!!!! IMPORTANT !!!!! BE SURE THAT THE E-MAIL ADDRESS YOU USE IS THE SAME
> AS YOU USED TO SIGN UP AT PAYPAL.
>
> Remember that this is LEGAL. You are creating a service : an e-mail
> servicelist.
>
>
> STEP 4 : UPLOAD OR COPY THIS MESSAGE TO NEWSGROUPS, FORUMS ETC AND EMAIL
> IT TO ALL YOUR FRIENDS!
>
> There are 32,000 newsgroups. Upload or copy this message to at least 200
> newsgroups or forums etc, but .... remember that the more your upload
> the more people will see your message and the MORE MONEY WILL FLOW IN.
>
> How to upload to newsgroups and forums? :
>
> After you have followed step 1,2,3 and 4, save this message (and copy so
> you can use it again).
> Use your Internet browser and Outlook Express or another newsreader and
> try to find FORUMS, NEWSGROUPS,
> BULLETIN BOARDS, DISCUSSION GROUPS, CHAT SITES and ONLINE COMMUNITIES. Use
> GOOGLE or use a NEWSERVER.
> Use every option to post this message. Download PostXpert to send 1
> message to more NEWSGROUPS at the
> same time.
>
> !!!!! REMEMBER !!!!! The more you post this message the more MONEY WILL
> FLOW IN.
>
>
> Why does this Business program work so well !!!!!.
>
> Lets asume that from the 200 (or more) messages that you have posted, only
> 5 people respond, you will have your
> $6 back that you have invested. Those 5 people will each send at least 200
> messages with your e-mailadres on
> number 4. That's 6 x 6 x $1 = $36. The next 25 people will also send 200

```
> messages with your adres on number 3. That's 36 x 6 x $1 = $216. The next
> 216 people also send 200 messages with your name on number 2. That's 216 x
> 6
> x $1 = $1296!. Those 1296 people again also send 200 messages with your
> name on number 1. That will give us a total of 1296 x 6 x $1 = $7,776.
>
> Now the last tier!  7776 x 6 x $1 = $46,656!!!!!!
>
> This is only a EXAMPLE with 6 reactions. You WILL get MORE responses than
> that.
>
> Remember that most newsservers will leave the posted messages on there
> servers for about 2 weeks. If you will post your message again, it WILL
> again start from the beginning. So you can repeat this over and over
> again.
>
> Everyday MILLIONS of people are ONLINE and reading these messages, JUST
> LIKE YOU RIGHT NOW.
> I also was sceptical in the beginning and have read a lot of these
> messages. I also thought that it was bullshit.
> Until I thought : What the hell!, only $6. What's $6 and a couple of
> minutes of my time to solve my money problems.
>
> !!!!! REMEMBER !!!!! Follow every step, and IT WILL WORK, TRUST ME. !!!!!
>
>
>
> !!!!! BEST WISHES AND GOOD LUCK !!!!!
>
>
>
>
>
>
>
>
> w)O>+;)<9UVS;F>qaGL<Uq#v`V6(F]- rM;$g+!4IIQ*827?H4




From -4411807197752683544
X-Google-Thread: fb049,959e78159602fc6f
X-Google-Thread: 108122,959e78159602fc6f
X-Google-Thread: 1109af,959e78159602fc6f
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <KdUAg.326$Lh4.193@trnddc02>
```

```
<44d73918$0$35076$4fafbaef@reader4.news.tin.it>
<Xns981867C4FDD78spectrumhogstarbandn@198.186.192.196>
Subject: Re: FS: Uniden Force UHF mobile radio. $25.00
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <shGEg.56471$zc2.6702@trnddc06>
Date: Wed, 16 Aug 2006 14:51:04 GMT
NNTP-Posting-Host: 68.238.212.98
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1155739864 68.238.212.98 (Wed, 16 Aug 2006 10:51:04 EDT)
NNTP-Posting-Date: Wed, 16 Aug 2006 10:51:04 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2482
rec.radio.amateur.equipment:5758 rec.radio.swap:6224

Well I guess ab needs to be a smartass, and doesn't take time to read the
post before he leaves his stupid comments.
Yes cosmetically its fine, I didn't remove it from service, so I describing
what I have, if that's not good enough for ab, than maybe he should get a
life!!

"Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns981867C4FDD78spectrumhogstarbandn@198.186.192.196...
>
>
>>> Uniden Force FMU250K UHF Med radio with remote handset
>>> in very good condition. Not tested.
>
>
>> "in very good condition" vs. "not tested"; it looks like a
>> contradiction in terms to me. How can you make the first statement if
>> you haven't performed a test, at least a minimal one?
>>
>
>   I took that to mean   physical  condition.
>
>




From 1972643173757904986
X-Google-Thread: 108122,c6ac40c8cb1f5692,start
X-Google-Thread: fc2a5,c6ac40c8cb1f5692,start
X-Google-Thread: 106d41,c6ac40c8cb1f5692,start
X-Google-Thread: 1109af,c6ac40c8cb1f5692,start
X-Google-Attributes: gid108122,gidfc2a5,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
```

```
fed1read09.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.swap
Subject: Coax Connectors, Adapters & Bulk Cable
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <XPGEg.175$TA5.65@fed1read09>
Date: Wed, 16 Aug 2006 08:27:14 -0700
NNTP-Posting-Host: 64.58.167.76
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1155742071 64.58.167.76 (Wed, 16 Aug 2006 11:27:51 EDT)
NNTP-Posting-Date: Wed, 16 Aug 2006 11:27:51 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5759
rec.radio.amateur.homebrew:6502 rec.radio.cb:15993 rec.radio.swap:6226
```

Please visit our new website www.aaarfproducts.com

```
From -7296100004162390725
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 106d41,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: "Rayburn" <rayburnsweet@alltel.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.shortwave
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
<95c54$44e24ccb$8b371664$8776@ALLTEL.NET>
<ba2b1$44e2909c$d1cc4504$30814@snip.allthenewsgroups.com>
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
Date: Wed, 16 Aug 2006 12:26:56 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <9e2a0$44e34742$8b371664$32518@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
```

```
Organization: UseNetServer.com
Lines: 19
X-Trace: 9e2a044e347422e92b3c132518
Xref: g2news2.google.com rec.radio.amateur.equipment:5760
rec.radio.amateur.misc:19047 rec.radio.amateur.policy:38159 rec.radio.cb:15994
rec.radio.shortwave:49261

Is that what ur ole lady is telling ya to keep ya from mopin around the
house?




"Son of Biggus Dickus II" <43cockasimian@apeshallnotfunkape.com> wrote in
message news:ba2b1$44e2909c$d1cc4504$30814@snip.allthenewsgroups.com...
>
> "Rayburn" <rayburnsweet@alltel.net> wrote in message
> news:95c54$44e24ccb$8b371664$8776@ALLTEL.NET...
>> So your " LITTLE DICKUS II" right?
>
> Hey...!  It ain't how LONG yer hook is, jus HOW you wiggle yer worm!
>
> (grin)   Someone buy that man a beer!
>




From -2958032081286522020
X-Google-Thread: 108122,86e232fefdf9ac65,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!txtfeed1.tudelft.nl!
tudelft.nl!txtfeed2.tudelft.nl!news.mailgate.org!nntp.infostrada.it!
twister1.libero.it.POSTED!not-for-mail
From: "Max" <iz1aux@libero.it>
Newsgroups: rec.radio.amateur.equipment
Subject: yaesu FT 7B crystals
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <TrKEg.72957$zy5.1333543@twister1.libero.it>
Date: Wed, 16 Aug 2006 19:35:15 GMT
NNTP-Posting-Host: 151.50.98.140
X-Complaints-To: abuse@libero.it
X-Trace: twister1.libero.it 1155756915 151.50.98.140 (Wed, 16 Aug 2006 21:35:15
MET DST)
NNTP-Posting-Date: Wed, 16 Aug 2006 21:35:15 MET DST
Organization: [Infostrada]
Xref: g2news2.google.com rec.radio.amateur.equipment:5761
```

hi de Max iz1aux
I am looking for 43,500 and 44,000 Mhz crystals to replace on my FT7B.
Please any suggest, or anyone have this crystals?
thank in advance
73

From -1487554053639301726
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!123.NET-a2dgdNsfNH65I!not-for-mail
From: helmsman <helmsman@royaloak.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
Date: Wed, 16 Aug 2006 17:35:51 -0400
Message-ID: <0q37e2dl6ck8a88kg6sqjg3neou4ljf809@4ax.com>
References: <313030303138393544DF0BDF27@deryck.com>
<ve6ud291et4087to1ma7spufuvk1n4u809@4ax.com>
<nse4e2ppstuh6loc425ii8ugrk3gq801f9@4ax.com> <ebtl0g$hv0$1@theodyn.ncf.ca>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 59
X-Trace: 80cac44e38fb87d4fdb3b15618
Xref: g2news2.google.com rec.radio.amateur.equipment:5762

On 15 Aug 2006 23:22:56 GMT, et472@FreeNet.Carleton.CA (Michael Black)
wrote:

>helmsman (helmsman@royaloak.net) writes:
>> On Sun, 13 Aug 2006 08:25:25 -0400, helmsman <helmsman@royaloak.net>
>> wrote:
>>
>>>On Sun, 13 Aug 2006 11:24:15 +0100, deryck lant <deryck@deryck.com>
>>>wrote:
>>>
>>>>I heard a rumour on the air that Kenwood is quitting Ham Radio.
>>>>Can that be possible true? The TS-480 was truly excellent and
>>>>the TS-2000 really an innovation.
>>>>
>>>>Would be a sad loss.
>>>>
>>>>Deryck G0KOR

```
>>>
>>>I still use a TS-450-sat and love it. I also sent them an e-mail. We
>>>shall see.
>>>KG8PM
>>
>> This pertains to the RUMOR that has been circulating for the last 7
>> years about Kenwood getting out of the amateur radio business.
>>
>>
>> Kenwood is fully committed to amateur radio and we have no plans at
>> this
>> time of closing our amateur division. Kenwood continues to design and
>> manufacture amateur radio for our customers. Though the market has
>> some
>> what slowed down a little, we continue to put 100% of our time, effort
>> and engineering skills in our amateur division and we look forward to
>> the continued support of these products.
>>
>>
>> Some how there's been a rumor circulating in the amateur world of
>> Kenwood getting out of the business. For your information, this is NOT
>> true at all, please pass it along to anyone who has made mention of
>> such rumor or comment.
>>
>>
>
>Of course the original post was "I heard there was a rumor" which means
>just about anything (or nothing at all).
>
>But, given that people are buying into it, it makes sense to counter
>with more authority.
>
>It's not clear whether you are posting as Kenwood (in which case
>it would make a lot of sense to indicate that), or relaying something
>you got by email or on their website (in which case you really ought
>to indicate where it came from).
>
>  Michael  VE2BVW

Kenwood answered an e-mail I sent them.
KG8PM




From -1588941174735557943
X-Google-Thread: 108122,307a1aae75befd40,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!meganewsservers.com!
feeder2.on.meganewsservers.com!newsfeed.telusplanet.net!newsfeed.telus.net!
newsswing.news.prodigy.com.MISMATCH!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
```

```
newssvr21.news.prodigy.com.POSTED!62e3725b!not-for-mail
Reply-To: "Mike" <revellm@sbcglobal.net>
From: "Mike" <revellm@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: BUEHLER FIBRSKOPE PORTABLE MICROSCOPE MODEL # 0801-9505
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <jwOEg.11545$o27.5097@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 75.2.36.42
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1155773583 ST000 75.2.36.42 (Wed, 16 Aug 2006
20:13:03 EDT)
NNTP-Posting-Date: Wed, 16 Aug 2006 20:13:03 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: [[PAPDCAOPRYB]
\YBBH^OFXBWR\HPCTL@XT^OBPLAH[\RWICYFWUQBKZQLYJX\_ITFD_KFVLUN[DOM_A_NSYNWPFWNS[XV\I
]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXGQCOA_SAH@TPD^\
AL\RLGRFWEARBM
Date: Thu, 17 Aug 2006 00:13:03 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5763

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:31&item=140019410218

Thanks for looking




From -8305573882435411048
X-Google-Thread: 108122,307a1aae75befd40
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "Douche Bag" <loumaagsucks@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: BUEHLER FIBRSKOPE PORTABLE MICROSCOPE MODEL # 0801-9505
Date: 16 Aug 2006 18:19:24 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1155777564.711844.310940@m79g2000cwm.googlegroups.com>
References: <jwOEg.11545$o27.5097@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 71.241.246.203
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155777569 14427 127.0.0.1 (17 Aug 2006 01:19:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 17 Aug 2006 01:19:29 +0000 (UTC)
```

```
In-Reply-To: <jwOEg.11545$o27.5097@newssvr21.news.prodigy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=71.241.246.203;
   posting-account=lz0K7A0AAAA0k0bp6MTD4cusVBwJX_LS
Xref: g2news2.google.com rec.radio.amateur.equipment:5764
```

I have a kitchen sink for sale!
Mike wrote:

> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:31&item=140019410218
>
> Thanks for looking

```
From -9044361801887747O7
X-Google-Thread: 108122,e7e9a1bbb7da84bd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Collins KWM-2A Winged Emblem
Message-ID: <egh7e2ttdntmia06vgrp9be9tmsh04kfg1@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhijjdnojopddcmjimgojfdbacieciemkollfjdfbijhjogphkajfcobocpeihfnehfl
edlhncgpnpjlcdpknhpefjpjjmfcbmnhldahpbdkelnekpglbbcfickjagekga
NNTP-Posting-Date: Wed, 16 Aug 2006 18:28:16 MST
Organization: Optimum Online
Date: Wed, 16 Aug 2006 21:27:48 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5765
```

Wanted: Collins KWM-2A Winged Emblem

Good to great shape
Please reply to my friend Kevin with condition and price.
His emal is: kevin264ss@comcast.net

Thanks,Rich

```
From 6887557578292590911
X-Google-Thread: 108122,492694bb66e070d0,start
X-Google-Thread: 108228,492694bb66e070d0,start
X-Google-Thread: 1062f2,492694bb66e070d0,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Aug 2006 20:46:31 -0500
Subject: FA: 6 Books: Robotics, Robots, Electronics, Projects, OP AMPs,
Experiments, etc.
Date: Wed, 16 Aug 2006 21:46:31 -0400
From: Bob <bob@bskjowba.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <160820062146319479%bob@bskjowba.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
VOcueMm9Y3ITN75phD0OrwuUp0snCaO0Hb9Yo9w8bCQ2NVm21eQAO+FhswT9OEjedzVOW+L4EK5E3Wd!
KZnKB9na6lJXxnKm6rI0eTxrwz13kv7izDks2lLfxLJJRVnCRbBtqYVfiGefIcG4pX1ttgbxdhvQ!
zo50y/ghDDqWc3Ui0Q==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5766 alt.ham-
radio.marketplace:1192 misc.industry.electronics.marketplace:580


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320018184902


From 9081466687397790416
X-Google-Thread: 108122,3f517a1de6daff58,start
X-Google-Thread: 108228,3f517a1de6daff58,start
X-Google-Thread: 1062f2,3f517a1de6daff58,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 16 Aug 2006 20:46:48 -0500
Subject: FA: 5 Books: MICROPROCESSORS, Microcomputers, 8080, 8085, 80960, Howard
Sams books, etc.
```

```
Date: Wed, 16 Aug 2006 21:46:48 -0400
From: Bob <bob@bskjowba.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <160820062146480476%bob@bskjowba.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-AnZ+eLkm278TgrJf6W/1ORDpyqlgcrzoQG4awD/QeNT9zRn8+cfu2IAK1fPFoXvU/
QU0+69O6QyqoA2!CEWcXig/4496/
M7U2cRphe9wTxWjevnJ6umrxDxcsrGaZpLfp25twmTYEukjlXLGWhT0J9wav72P!
wP7KrNdu6rmCJRumoA==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5767 alt.ham-
radio.marketplace:1193 misc.industry.electronics.marketplace:581


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320018183765


From -2782536828122410994
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe10.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
References: <313030303138393544DF0BDF27@deryck.com>
In-Reply-To: <313030303138393544DF0BDF27@deryck.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <QWPEg.44$fu4.15@newsfe10.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
```

```
imbefnlfhnmagonhijjdnojopddcmjimafdldbagjdnbomfcoappennnphngbbbkfpdjmojfknkcfefeli
fffjanjllapecnlkmgaikbhmbflbhgdgmajfbjcjcgjhpmhgindeflifgphkdl
NNTP-Posting-Date: Wed, 16 Aug 2006 18:49:36 MST
Date: Wed, 16 Aug 2006 21:50:19 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5768

Been hearing this for years

deryck lant wrote:

>I heard a rumour on the air that Kenwood is quitting Ham Radio.
>Can that be possible true? The TS-480 was truly excellent and
>the TS-2000 really an innovation.
>
>Would be a sad loss.
>
>Deryck G0KOR
>
>



From -5568615392499231287
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
References: <313030303138393544DF0BDF27@deryck.com>
In-Reply-To: <313030303138393544DF0BDF27@deryck.com>
Content-Type: multipart/alternative;
 boundary="------------090107080609090300020704"
Lines: 46
Message-ID: <xZPEg.46$fu4.1@newsfe10.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhijjdnojopddcmjimgigjmnjhampidfhpoappennnphngbbbkfpdjmojfknkcfefeli
fffjanjllapecnlkmgaikbhmbflbhgpplpkilnkipkgilfhgindeflifgphkdl
NNTP-Posting-Date: Wed, 16 Aug 2006 18:52:29 MST
Date: Wed, 16 Aug 2006 21:53:12 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5769

This is a multi-part message in MIME format.
--------------090107080609090300020704
Content-Type: text/plain; charset=us-ascii; format=flowed
```

```
Content-Transfer-Encoding: 7bit

deryck lant wrote:

>I heard a rumour on the air that Kenwood is quitting Ham Radio.
>Can that be possible true? The TS-480 was truly excellent and
>the TS-2000 really an innovation.
>
>Would be a sad loss.
>
>Deryck G0KOR
>
>
Maybe MFJ (mighty fine junk) will buy Kenwood also?? :'(

--------------090107080609090300020704
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
deryck lant wrote:<br>
<blockquote cite="mid313030303138393544DF0BDF27@deryck.com" type="cite">
  <pre wrap="">I heard a rumour on the air that Kenwood is quitting Ham Radio.
Can that be possible true? The TS-480 was truly excellent and
the TS-2000 really an innovation.

Would be a sad loss.

Deryck G0KOR
  </pre>
</blockquote>
<font size="+1"><font face="Arial">Maybe MFJ (mighty fine junk) will
buy Kenwood also??<span class="moz-smiley-s15"><span> :'( </span></span></font></
font><br>
</body>
</html>

--------------090107080609090300020704--


From -432276537069765438
X-Google-Thread: 108122,fa1abc25f33fc86a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!newsfe10.lga.POSTED!53ab2750!not-for-mail
Message-ID: <44E3CCB3.1040203@hotmail.com>
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TRADE KENWOOD TS 950SD DIGITAL RADIO    NICE!!!
References: <fhe4e2lp421klc9dimv4eivrjnfoqep428@4ax.com>
In-Reply-To: <fhe4e2lp421klc9dimv4eivrjnfoqep428@4ax.com>
Content-Type: multipart/alternative;
 boundary="------------000708040400040506040307"
Lines: 49
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhijjdnojopddcmjimbnhmkajonmdoohjfoappennnphngbbbkfpdjmojfknkcfefeli
fffjanjllapecnlkmgaikbhmbflbhgjkfkjcfhpmhheaaehgindeflifgphkdl
NNTP-Posting-Date: Wed, 16 Aug 2006 18:55:24 MST
Date: Wed, 16 Aug 2006 21:56:03 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5770

This is a multi-part message in MIME format.
--------------000708040400040506040307
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

ritchi50@optonline.net wrote:

>KENWOOD TS 950SD DIGITAL RADIO    NICE!!!
>Works and looks GREAT!!! No dings/scratches, Just a beauty!!
>Comes with Heil hand microphone,manual,original boxes.
>This model came with the digital unit and all filters installed when
>made... Works perfect
>Serial # 10591672
>Let me know what you have to trade.
>ritchi50@optonline.net
>
>
turn down the audio  ;-)

--------------000708040400040506040307
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<a class="moz-txt-link-abbreviated"
```

```
href="mailto:ritchi50@optonline.net">ritchi50@optonline.net</a> wrote:<br>
<blockquote cite="midfhe4e2lp421klc9dimv4eivrjnfoqep428@4ax.com"
 type="cite">
  <pre wrap="">KENWOOD TS 950SD DIGITAL RADIO    NICE!!!
Works and looks GREAT!!! No dings/scratches, Just a beauty!!
Comes with Heil hand microphone,manual,original boxes.
This model came with the digital unit and all filters installed when
made... Works perfect
Serial # 10591672
Let me know what you have to trade.
<a class="moz-txt-link-abbreviated"
href="mailto:ritchi50@optonline.net">ritchi50@optonline.net</a>
  </pre>
</blockquote>
<font size="+1"><font face="Arial">turn down the audio&nbsp; <span
 class="moz-smiley-s3"><span> ;-) </span></span></font></font><br>
</body>
</html>

--------------000708040400040506040307--



From 6622375306923281127
X-Google-Thread: 108122,f80819047245b6e0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elk.ncren.net!
newsflash.concordia.ca!canopus.cc.umanitoba.ca!utnut!news.ryerson.ca!not-for-mail
From: Peter Hiscocks <phiscock@job.ee.ryerson.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Icom IC-R7000 GC Receiver
Date: Thu, 17 Aug 2006 02:39:33 +0000 (UTC)
Organization: Ryerson Polytechnic University
Lines: 15
Message-ID: <ec0kt5$ca6$2@news.ryerson.ca>
NNTP-Posting-Host: 141.117.1.178
X-Trace: news.ryerson.ca 1155782373 12614 141.117.1.178 (17 Aug 2006 02:39:33 GMT)
X-Complaints-To: usenet@news.ryerson.ca
NNTP-Posting-Date: Thu, 17 Aug 2006 02:39:33 +0000 (UTC)
User-Agent: tin/1.6.2-20030910 ("Pabbay") (UNIX) (SunOS/5.9 (sun4u))
Xref: g2news2.google.com rec.radio.amateur.equipment:5771

I have just put on Ebay for sale an Icom IC-R7000 receiver with manual, Icom
disccone antenna and low-loss coaxial cable. The IC-R7000 is a VHF-UHF
general coverage receiver from 25MHz to 2GHz. This version is the one sold
in Canada, without coverage gaps.

--
Peter D. Hiscocks
Professor Emeritus, Ryerson University
-----
Phone:   416-465-0325
Email:   phiscock@ee.ryerson.ca
```

Academic URL: http://www.ee.ryerson.ca/~phiscock
Business URL: Syscomp Electronic Design Limited
            (USB Oscilloscope and Generator)
               http://www.syscompdesign.com

```
From -5206317919214187641
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe10.lga.POSTED!
53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
In-Reply-To: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 34
Message-ID: <H6QEg.47$fu4.2@newsfe10.lga>
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
imbefnlfhnmagonhijjdnojopddcmjimkolpajmfabajpnojoappennnphngbbbkfpdjmojfknkcfefeli
fffjanjllapecnlkmgaikbhmbflbhgkphmogddbcpiphmfhgindeflifgphkdl
NNTP-Posting-Date: Wed, 16 Aug 2006 19:02:15 MST
Date: Wed, 16 Aug 2006 22:02:59 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5772
rec.radio.amateur.misc:19140 rec.radio.amateur.policy:38278
rec.radio.shortwave:49353
```

A older repair guy from LIMARC??

Son of Biggus Dickus II wrote:

>Ran into a certain well known cheap-assed ham
>radio bastard operator today. Everyone in the local
>clubs know him. He stinks, has greasy hair, bathes
>monthly (?) and is known to crash ham widow's estate
>sales the day after they plant the SK.   In short the guy

>is a true F-N low life pig. (...you prolly already know
>just whom I am speaking of eh...? grin) Drives a beat
>up old car with 10 antennas on it.
>
>Today I caught this bastard ham stinkball rooting thru the
>battery recycle boxes at the local office supply store.
>He dug out two Dell laptop batteries and quickly shoved them
>into his dirty overalls pockets he was wearing. (The store is
>staffed by college age kids who don't give a s--t anyway
>so they let him clean out the recycle bins of
>batteries, toner cartridges, old cellphones and other similar
>stuff as it's less work for them.....good point I guess.)
>
>Apparently this guy has already hit every recycle bin where ever
>he could get away with it, and is hoping to claim all these dead
>Dell batteries as his own on their recent Laptop Battery Recall Program
>that's been in the news of late. Then when he gets the replacement units
>he plans to re-sell them at a profit online. Talk about a cheap
>opportunistic
>scrounging bum! Only a smelly ex-hamfest bum who used to sell crap at
>hamfests
>and now scams people on e-Bay could think of something like this....
>
>
>

From -6138864130900675580
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!bigfeed2.bellsouth.net!bigfeed!bignumber.bellsouth.net!
news.bellsouth.net!bignews2.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Message-ID: <8218e2pdv9ldrtfknv5q687ni1e5d7q1do@4ax.com>
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
<cb95e2hlesd8642n4sj5fc40rhkla0erat@4ax.com> <77CEg.406517$iF6.166744@pd7tw2no>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling

X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbombhndjkoaooaangfiebjhphdbafphloefj
bhdibdklbodgajchkkablhlnpigniedkplkmhbobemncoblecdpikajbipihgcckapaibaobfmmfhn
NNTP-Posting-Date: Thu, 17 Aug 2006 01:53:22 EDT
Organization: BellSouth Internet Group
Date: Thu, 17 Aug 2006 01:53:55 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:16566
rec.radio.amateur.boatanchors:5086 rec.radio.amateur.homebrew:6510
rec.radio.amateur.equipment:5773

On Wed, 16 Aug 2006 10:06:59 GMT, Paul Hinman <paul.hinman@shaw.ca>
wrote:

>>
>>
>>
>The tracking is not a problem, FEDEX tracking works across the borders
>and the USPS and Canada Post tracking systems interface with each other
>using the tracking number issued at the point of mailing.

Things may have changed, but when I tried to get tracking and/or proof
of delivery, I couldn't get it and got ripped off.

--
73 for now
Buck
N4PGW

From 6156984857567567738
X-Google-Thread: 108228,bd1edfc7cad9d937,start
X-Google-Thread: 108122,bd1edfc7cad9d937,start
X-Google-Thread: 1109af,bd1edfc7cad9d937,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read08.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola CP200 16 - Channel UHF 438-470 Good Sens & Tx covers Ham
freq's
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000B_01C6C1E2.229E57D0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <v41Fg.16968$RD.10029@fed1read08>

```
Date: Thu, 17 Aug 2006 09:47:21 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1155833243 68.104.78.240 (Thu, 17 Aug 2006 12:47:23 EDT)
NNTP-Posting-Date: Thu, 17 Aug 2006 12:47:23 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1196
rec.radio.amateur.equipment:5774 rec.radio.swap:6244

This is a multi-part message in MIME format.

------=_NextPart_000_000B_01C6C1E2.229E57D0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola CP200 16 - Channel UHF 438-470 Good Sens & Tx covers Ham =
freq's=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250019657917&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000B_01C6C1E2.229E57D0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola CP200 16 - Channel UHF 438-470 Good Sens &amp; Tx covers =
Ham=20
freq's </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250019657917&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250019657917&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000B_01C6C1E2.229E57D0--



From 1657461733376120177
X-Google-Thread: 108228,b09e7c1502a80885,start
X-Google-Thread: 108122,b09e7c1502a80885,start
```

```
X-Google-Thread: 1109af,b09e7c1502a80885,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read08.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: HT1250 ls T-T Front UHF 16-Channel w/Charger
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0018_01C6C1E2.D720AB90"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <d91Fg.16969$RD.6775@fed1read08>
Date: Thu, 17 Aug 2006 09:52:24 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1155833545 68.104.78.240 (Thu, 17 Aug 2006 12:52:25 EDT)
NNTP-Posting-Date: Thu, 17 Aug 2006 12:52:25 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1197
rec.radio.amateur.equipment:5775 rec.radio.swap:6245

This is a multi-part message in MIME format.

------=_NextPart_000_0018_01C6C1E2.D720AB90
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: HT1250 ls T-T Front UHF 16-Channel w/Charger

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250019377652&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0018_01C6C1E2.D720AB90
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
```

```
<P>FA: HT1250 ls T-T Front UHF 16-Channel w/Charger</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250019377652&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250019377652&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0018_01C6C1E2.D720AB90--
```

```
From 2980264540035895046
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "Watchman" <NAMHCTAW@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 17 Aug 2006 12:03:12 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1155841391.966160.68740@i3g2000cwc.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 71.115.50.140
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155841397 17240 127.0.0.1 (17 Aug 2006 19:03:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 17 Aug 2006 19:03:17 +0000 (UTC)
In-Reply-To: <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Opera/9.00 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=71.115.50.140;
   posting-account=QvkXag0AAADOacGzDCg1JvJX__yaTgVl
Xref: g2news2.google.com rec.radio.amateur.equipment:5776

From:         Greek Style - view profile
Date:         Sat, Jul 29 2006 7:20 pm
Email:        "Greek Style" <mariablazer2...@yahoo.com>
Groups:       rec.radio.amateur.equipment
Greek Style wrote:
```

ah ha ha what a dumbass this JIM ROGERS is he used his old ladys email
aint no wonder they run him out of hobart indiana

From -6130001737316262572
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Organization: You and my shadow
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
<cb95e2hlesd8642n4sj5fc40rhkla0erat@4ax.com> <77CEg.406517$iF6.166744@pd7tw2no>
<8218e2pdv9ldrtfknv5q687ni1e5d7q1do@4ax.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-666FBC.11163217082006@netnews.worldnet.att.net>
Lines: 25
Date: Thu, 17 Aug 2006 19:16:12 GMT
NNTP-Posting-Host: 12.12.208.116
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1155842172 12.12.208.116 (Thu, 17 Aug 2006 19:16:12 GMT)
NNTP-Posting-Date: Thu, 17 Aug 2006 19:16:12 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:16584
rec.radio.amateur.boatanchors:5094 rec.radio.amateur.homebrew:6514
rec.radio.amateur.equipment:5777

In article <8218e2pdv9ldrtfknv5q687ni1e5d7q1do@4ax.com>,
Buck <not@this.time> wrote:

> On Wed, 16 Aug 2006 10:06:59 GMT, Paul Hinman <paul.hinman@shaw.ca>
> wrote:
>
>
> >>
> >>
> >>
> >The tracking is not a problem, FEDEX tracking works across the borders
> >and the USPS and Canada Post tracking systems interface with each other
> >using the tracking number issued at the point of mailing.
>
> Things may have changed, but when I tried to get tracking and/or proof
> of delivery, I couldn't get it and got ripped off.

yea, don't believe FedEx when they say they deliver to Alaska....They
only deliver to Anchortown, Fairbanks, and Juneau..... for all the bush
villages and towns, FedEx gets turned over to the USPS in Anchorage
for delivery, and there is NO Tracking after that...... FedEx SUCKS

for Alaska delivery..... Lost a Laptop to there system, no refund,
or claim was ever paid. got a letter from the Manager saying,
"So Sorry for your loss, I feel your pain." I'd like to give him
a bit of my pain, right in the ***........

From 3802973071382409418
X-Google-Thread: 108122,ca9ad11f16c1e691,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s72.POSTED!53ab2750!not-for-mail
From: "AK" <nomail@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Matching Log-EQF CT9 software with IC756pro3 CIV interface
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <KH4Fg.140284$1i1.107100@attbi_s72>
NNTP-Posting-Host: 12.219.138.52
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s72 1155848042 12.219.138.52 (Thu, 17 Aug 2006 20:54:02 GMT)
NNTP-Posting-Date: Thu, 17 Aug 2006 20:54:02 GMT
Organization: AT&T ASP.att.net
Date: Thu, 17 Aug 2006 20:54:02 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5778

CT9 software includes a .RIG file for the IC756, but not the pro 3.

Does anyone have - or know where to find - the .RIG file that makes the
Log-EQF v9 software compatible with the IC-756pro3 CIV protocol?

Appreciate a lead very much.

73, WZ8A

From -1046437951750411761
X-Google-Thread: 108122,1eb0c846a084491a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 17 Aug 2006 16:08:29 -0500
From: weatherall <weatherall.2cpdsv@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment

Subject: Used portable shortwave radios available
Date: Thu, 17 Aug 2006 19:10:57 +0000
Message-ID: <weatherall.2cpdsv@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 9
NNTP-Posting-Host: 82.165.39.56
X-Trace:
sv3-4xDvJgaKy1AywbL+FnyfnNrJAi+y6SFo6p5+esdDD8s7EZ1C8Muy6gQXOOywPOh0OQfoRGVIYSNzp7
1!iO8okSxiMWFgY8sFkvG9tyZVG0ARm7Qcima9OJ2wOdQDtykjYiSNnsaau3JA48CQN5CqIJUbFC4/!
TsOPs+BiROk/Pw==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5779

I have a few used portable shortwave radios that I would like to sell.
They work fine; I'm just selling them because I have other radios that
I use now.

The radios I have available are:
* Eton E100
* Redsun RF-1210
* Sangean ATS-909
* Tecsun PL-350

If you are interested, please go to
http://cobaltpet.blogspot.com/2006/07/used-radios-available.html and
post a comment.

--
weatherall

From -4547796217029320443
X-Google-Thread: 108122,bfde44e7d32cf6f0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p02!
dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Estate Ham/Marine Gear
Lines: 16

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <Qr5Fg.14289$yO4.10439@dukeread02>
Date: Thu, 17 Aug 2006 16:45:37 -0500
NNTP-Posting-Host: 68.111.108.12
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1155851120 68.111.108.12 (Thu, 17 Aug 2006 17:45:20 EDT)
NNTP-Posting-Date: Thu, 17 Aug 2006 17:45:20 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5780

I have several items for sale from an estate that I am helping close out.
Items include:
1. AEA Model PK-88 Packet Controller/TNC, no manual or power supply, $20;
2. Si-Tex Model 950 Scan Marine Transceiver with mic and power cord. Works
and
puts out around 40 watts into my dummy load, Price is $40;
3. Kenwood MC35S Mobile Mic, very nice shape, works great, $35;
4. Yaesu FT-64 440Mhz Mobile Transceiver, no tone board, but outboard tone
boards are
still available. Works, with mobile mic and power cord, see e-Ham reviews.
Price $45.
All prices do not include shipping. Shipping costs will be actual from
79602. No handling fees.
Thanks, Charlie Hugg, K5MBX




From 9149185723139910887
X-Google-Thread: 108122,91129f39d4dbb3a5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: k8mem@comcast.net
Newsgroups: rec.radio.amateur.equipment
Subject: Ft-920 am transmit
Date: 17 Aug 2006 18:11:30 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1155863490.466585.152160@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 71.227.103.22
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155863496 17158 127.0.0.1 (18 Aug 2006 01:11:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 18 Aug 2006 01:11:36 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=71.227.103.22;
   posting-account=u4JN6w0AAAAPulcEWTJXcYmDfK9yRJeg
Xref: g2news2.google.com rec.radio.amateur.equipment:5781
```

Hello all,I just purchased an Inrad filter for AM and installed it.I went to u-70 and set to ON.I have no receive in AM in the ON position.In the off position I have receive and it sounds like the filter is working.When I try to transmit I get an error message and no output.Is this a bad filter or am i missing something.Thanks,Mark

```
From 8952012751412198535
X-Google-Thread: 108122,78947cc815824712,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:MILLER MEISSNER IF+RF CANS/COILS +++
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <rt8Fg.261481$mF2.238083@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: b460e4914a313738aee0c5fcf721aa19
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1155863511
b460e4914a313738aee0c5fcf721aa19 (Fri, 18 Aug 2006 01:11:51 GMT)
NNTP-Posting-Date: Fri, 18 Aug 2006 01:11:51 GMT
Organization: AT&T Worldnet
Date: Fri, 18 Aug 2006 01:11:51 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5782
```

Have a few coils, cokes on now but I will more Miller, a few Meissner IF cans and RF coils, coil forms very soon.

Watch for these at :
http://search.ebay.com/_W0QQfrppZ25QQfrtsZ25QQfsooZ1QQfsopZ1QQsassZheytubeguy

Also, I will have a UK Eddystone NEW IN BOX next week too.   heytubeguy

```
From -2912251288494915730
X-Google-Thread: 108122,9f951a164dede9e8,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!nrc-news.nrc.ca!news.UVic.CA!news.sfu.ca!utnut!
news.ryerson.ca!not-for-mail
From: Peter Hiscocks <phiscock@job.ee.ryerson.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Boonton Model 190 Q Meter
Date: Fri, 18 Aug 2006 02:54:48 +0000 (UTC)
Organization: Ryerson Polytechnic University
Lines: 19
Message-ID: <ec3a5o$mq0$8@news.ryerson.ca>
NNTP-Posting-Host: natcho.ee.ryerson.ca
X-Trace: news.ryerson.ca 1155869688 23360 141.117.1.145 (18 Aug 2006 02:54:48 GMT)
X-Complaints-To: usenet@news.ryerson.ca
NNTP-Posting-Date: Fri, 18 Aug 2006 02:54:48 +0000 (UTC)
User-Agent: tin/1.6.2-20030910 ("Pabbay") (UNIX) (SunOS/5.9 (sun4u))
Xref: g2news2.google.com rec.radio.amateur.equipment:5784

I have just put up for auction on Ebay a Boonton Model 190 Q meter. These
instruments are useful for measuring the inductance, Q and capacitance of RF
components over the frequency range 20 to 260MHz.

This kind of instrument is still in use in some labs for Q measurements.

Starting auction price the princely sum of $1.



--
Peter D. Hiscocks
Professor Emeritus, Ryerson University
-----
Phone:   416-465-0325
Email:   phiscock@ee.ryerson.ca
Academic URL:  http://www.ee.ryerson.ca/~phiscock
Business URL:  Syscomp Electronic Design Limited
            (USB Oscilloscope and Generator)
               http://www.syscompdesign.com


From -8745562161956286871
X-Google-Thread: 108122,e3ea3750d3548434,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!nrc-news.nrc.ca!news.sfu.ca!utnut!news.ryerson.ca!not-for-
mail
From: Peter Hiscocks <phiscock@job.ee.ryerson.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Tube Tester, I-177B
Date: Fri, 18 Aug 2006 02:49:23 +0000 (UTC)
Organization: Ryerson Polytechnic University
Lines: 16
Message-ID: <ec39rj$mq0$3@news.ryerson.ca>
```

```
NNTP-Posting-Host: natcho.ee.ryerson.ca
X-Trace: news.ryerson.ca 1155869363 23360 141.117.1.145 (18 Aug 2006 02:49:23 GMT)
X-Complaints-To: usenet@news.ryerson.ca
NNTP-Posting-Date: Fri, 18 Aug 2006 02:49:23 +0000 (UTC)
User-Agent: tin/1.6.2-20030910 ("Pabbay") (UNIX) (SunOS/5.9 (sun4u))
Xref: g2news2.google.com rec.radio.amateur.equipment:5783

I have just put up for auction on Ebay a US Army Signal Corps
tube tester, model I-177-B by Supreme.

It's in excellent condition with starting price of $10.



--
Peter D. Hiscocks
Professor Emeritus, Ryerson University
-----
Phone:   416-465-0325
Email:   phiscock@ee.ryerson.ca
Academic URL:  http://www.ee.ryerson.ca/~phiscock
Business URL:  Syscomp Electronic Design Limited
            (USB Oscilloscope and Generator)
               http://www.syscompdesign.com



From 2181263241097110958
X-Google-Thread: 108122,133756c4f515e9c2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS FT-720RU 440 Mhz MObile
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <pjaFg.14361$yO4.2037@dukeread02>
Date: Thu, 17 Aug 2006 22:17:59 -0500
NNTP-Posting-Host: 68.111.108.12
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1155871061 68.111.108.12 (Thu, 17 Aug 2006 23:17:41 EDT)
NNTP-Posting-Date: Thu, 17 Aug 2006 23:17:41 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5785

FS Yaesu FT-720RU 440Mhz mobile transceiver. This rig has a detachable head.
It covers 440 to 450Mhz and runs 10 watts. It works fine on receive, but I
can't get anything out of it on transmit. It comes with a Yaesu mobile mic
and the power cord, but no manual. Cosmetically, it is in great shape. Price
```

is $35 plus shipping. Thanks, Charlie Hugg,
K5MBX

--

```
From 3563236638973746047
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "kh" <nospam@nospam.com>
Message-ID: <0QMXZWh9EdSr-pn2-zZuVyPTYdECn@localhost>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt,rec.radio.amateur.antenna
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <ebs90v$j90$1@news2.kornet.net>
User-Agent: ProNews/2 V1.53.cp050
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 8bit
NNTP-Posting-Host: 12.65.43.219
Date: 18 Aug 2006 14:55:43 +0100
X-Trace: kcnews02 1155909343 12.65.43.219 (18 Aug 2006 14:55:43 +0100)
Organization: Global Network Services - Remote Access Mail & News Services
Lines: 149
X-Complaints-To: abuse@prserv.net
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!12.154.55.82!kcnewsm02.prserv.net!
prserv.net!kcnews02!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5101
rec.radio.amateur.homebrew:6529 rec.radio.amateur.equipment:5786
rec.radio.amateur.antenna:16638
```

> "Paul Hinman" <paul.hinman@shaw.ca> wrote in message
> news:aLfEg.400583$Mn5.137675@pd7tw3no...
> I frequently see postings in the ham radio related newsgroups for items
> currently being offered on E-Bay.
>
> All to often I that items will be shipped only to the lower 48 states,
> leaving hams in Hawaii, Alaska, and Canada out of the picture. What is the
> problem. In Canada we are well served by FEDEX and the United States Postal
> Service. Amateur radio equipment crosses the border with out any problem.
> I realize that Hawaii and Alaska may be a bit far from the "lower 48" but
> the same delivery services are available even though surface transportation
> may be a little bit slow. In the US you also have UPS, the folks in Brown
> which we Canadians prefer not to use because the often make the border
> crossing more difficult than it needs to be and we don't like getting stuck

> with brokerage fees.
>
> So why the discrimination, if the buyer knows that delivery may take a little longer and is prepared to accept the fact then it becomes a non problem. If the seller is intimidated by the prospect of complicated paperwork, he needn't be. Please leave it up to the buyer to decide whether he wants to bib or not.
>
> I can not speak for shipments to Europe, Africa, India, China, or the South Pacific but for fellow Americans, or friendly northern neighbours, I think that people should be prepared to deal with us.
>
> Thanx for letting get this off my chest and I realize that I have cross posted this to four different newsgroups but I wanted to get to a broad audience.
>
> Paul

Paul,

The reason is very straightforward. This is a boatanchor newsgroup and it's mostly geezers who deal in old radios.

Geezers live in the past; WE don't think critically; the same tired thoughts cycle through our heads. Even worse, many of us hallucinate and make up reasons.   You'll see several in this thread.

Many geezers (to be fair, not all) are Xeno-phobic.

To them, Hawai'i is FAR away and never having been there, geezers imagine that it's a foreign country with different laws a strange language. In their minds, it's a not that far from Hawai'i to, say, Nigeria or Pakistan. Even if they could call the Honolulu police to report a deal gone bad, they would not be able to speak to them with finding a translater.

On the other hand, a geezer thinks, OK, I'm in Virginia, if a $30 deal in Kansas goes bad, I'll just get in the Biscayne and drive over there tomorrow, demand my money.   I have that recourse.

People! As Paul says, Hawaii and Alaska are U.S. States. They have senators in Washington. They vote for the president. As far as the U.S.P.S, FedEx, and UPS are concerned, those states are, like, right over there.

To Sprint and other fone companies, after 7 or 8 PM, just pick up your fone and those places are a free call. If you pay for wired service, it's 5 or 7 cents a minute.

Here are some actual numbers from www.fedex.com

2 day service - 20 pounds

Virginia to Kansas - $61.85
Virginia to California -$65.83
Virginia to Hawai'i - $66.87

2 day service - 60 pounds

Virginia to Kansas - $151.93
Virginia to California -$166.63
Virginia to Hawai'i - $169.24

About the same price for 2nd day service.

FedEx Ground service - 20 pounds

Virginia to Kansas - $12.70   - 4 days
Virginia to California -$16.03 - 4 days
Virginia to Hawai'i - $48.22   - 7 days

FedEx Ground service - 60 pounds

Virginia to Kansas - $28.40 - 4 days
Virginia to California -$39.08 - 4 days
Virginia to Hawai'i - $114.63 - 7 days

Three days longer and more dollars going ground to Hawai'i.   But then Buyer Pays Shipping!

The same tracking and return receipt, the same laws govern the business deal. It takes about the same amount of time.

The reason that they say "lower 48" is that they think it's still 1936. It just comes out. There's no reason other than old thoughts cycling in old heads like regeneration in a triode.

It's like hollarin' out,

Kids these days!

You call that music!

Dag-nabbit!

I've bought items from Canada and sold to Canada. One thing I don't like about it is that it's expensive to ship across the border. In fact, it's cheaper to ship though Canada to Alaska.

But then, buyer pays.

I just had the experience of buying from China, a DEGEN DE1103. If you don't have one, go over to the Bay and look up the seller LIYPN. $44 for the radio and $24 shipping and insurance. Took about 8 days to get here.

This is the best pocket shortware radio. Check out the reviews on the web. 1 kHz readout, better than 1 uV sensitivity, stable, 4 and 6 kHz filters. Covers 100 kHz to 30 mHz continuous so you can listen to AM broadcast, 160 meters, everything!

I can sit in my car, pull out the whip antenna and copy 7040 CW in the evening. I heard W1AW CW the other day, this is in Virginia.

SSB sounds good. Well, mostly good. I still can't understand the hollarin' on 27,000.

While you're buying and enjoying the DEGEN, think about global commerce and the fact that you just traded with a real foreign country.

de ah6gi/4

```
From -8636100691031090993
X-Google-Thread: 108122,e9bda74047e60b51,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS NIBTenTec Scout
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <zUjFg.14381$yO4.8591@dukeread02>
Date: Fri, 18 Aug 2006 09:11:43 -0500
NNTP-Posting-Host: 68.111.108.12
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1155910303 68.111.108.12 (Fri, 18 Aug 2006 10:11:43 EDT)
NNTP-Posting-Date: Fri, 18 Aug 2006 10:11:43 EDT
Organization: Cox Communications
```

Xref: g2news2.google.com rec.radio.amateur.equipment:5787

FS TenTec Scout Model 555(SN 11A10098)as new in the box. This Scout and accessories has been used about 8 times. It comes with the fellowing accessories:

1. TenTec Hand mic;
2. Noise Blanker Model 297 installed;
3. Original Manual;
4. Power Cable;
5. Original Shipping boxes;
6. 7 Band Modules Including:
   10 meters
   15 meters
   17 meters
   20 meters
   30 meters
   40 meters
   80 meters

There is not a scratch on the gear and it works perfectly. Price is $425 plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX

From 5534427379228859314
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!router2.astraweb.com!news.astraweb.com!router1.astraweb.com!newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!newssvr27.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.antenna
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <ebs90v$j90$1@news2.kornet.net>
<0QMXZWh9EdSr-pn2-zZuVyPTYdECn@localhost>
In-Reply-To: <0QMXZWh9EdSr-pn2-zZuVyPTYdECn@localhost>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <HUjFg.9222$1f6.5869@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 65.69.27.7
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1155910311 ST000 65.69.27.7 (Fri, 18 Aug 2006

```
10:11:51 EDT)
NNTP-Posting-Date: Fri, 18 Aug 2006 10:11:51 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@SZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHLHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Fri, 18 Aug 2006 14:11:51 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5102
rec.radio.amateur.homebrew:6532 rec.radio.amateur.equipment:5788
rec.radio.amateur.antenna:16641

kh wrote:
> On the other hand, a geezer thinks, OK, I'm in Virginia, if a
> $30 deal in Kansas goes bad, I'll just get in the Biscayne and drive
> over there tomorrow, demand my money.   I have that recourse.

While spending $400 for gasoline?
--
73, Cecil, http://www.qsl.net/w5dxp



From 7923832864490490938
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Watchman" <NAMHCTAW@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 18 Aug 2006 13:13:04 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1155931984.409792.215140@m73g2000cwd.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
   <1155841391.966160.68740@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 71.115.50.140
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155931990 21690 127.0.0.1 (18 Aug 2006 20:13:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 18 Aug 2006 20:13:10 +0000 (UTC)
In-Reply-To: <1155841391.966160.68740@i3g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Opera/9.00 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=71.115.50.140;
   posting-account=QvkXag0AAADOacGzDCg1JvJX__yaTgVl
Xref: g2news2.google.com rec.radio.amateur.equipment:5789
```

```
hey  you need to learn how to use the usenet and how to post so
everyone dont know who you are isnt that right Allodoxaphobia
Watchman wrote:
 From:         Greek Style - view profile
 Date:         Sat, Jul 29 2006 7:20 pm
 Email:        "Greek Style" <mariablazer2...@yahoo.com>
 Groups:       rec.radio.amateur.equipment
 Greek Style wrote:




From -5639565238439940757
X-Google-Thread: 108122,ee6a79f277c84a03,start
X-Google-Thread: 108228,ee6a79f277c84a03,start
X-Google-Thread: 1062f2,ee6a79f277c84a03,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 19 Aug 2006 06:06:12 -0500
Subject: FA: 1-Day-Left: 6 Books: ELECTRONICS, Digital and Data Communications,
Micro-Electronics, etc.
Date: Sat, 19 Aug 2006 07:06:18 -0400
From: Jon <jon@joowaowac.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <190820060706181959%jon@joowaowac.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-k7jYtd3db4r+L6Pu/
olBkXC2OiPHuakqtbIf6HS8LyI2VntDVZ1TydEZzXZNRiGg0cjBtWxkfqZjU4F!
H8Tf0Ll+HLBHCnCBR55KX/Bntrh/fCFy2EAs1+o6Glj06NslJ9RdIqxtotzVB40K9nqlpHydeu34!
v8j9eNtkeaPh1myq8tk=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5790 alt.ham-
radio.marketplace:1202 misc.industry.electronics.marketplace:588


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320016977254


From -1708224833865727225
X-Google-Thread: fc8b1,affe4b11d97d275d
```

```
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt,rec.radio.amateur.antenna
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Sat, 19 Aug 2006 05:56:59 -0700
Organization: Remove number to reply
Message-ID: <12ee2kslfqpbu87@corp.supernews.com>
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <ebs90v$j90$1@news2.kornet.net>
<0QMXZWh9EdSr-pn2-zZuVyPTYdECn@localhost>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5103
rec.radio.amateur.homebrew:6551 rec.radio.amateur.equipment:5791
rec.radio.amateur.antenna:16689
```

"kh" < wrote ...
> The reason is very straightforward. This is a boatanchor
> newsgroup and it's mostly geezers who deal in old radios.

> Geezers live in the past; WE don't think critically; the same
> tired thoughts cycle through our heads. Even worse, many
> of us hallucinate and make up reasons.   You'll see several
> in this thread.

Including your own posting, apparently.

> I've bought items from Canada and sold to Canada. One
> thing I don't like about it is that it's expensive to ship across
> the border. In fact, it's cheaper to ship though Canada to Alaska.
>
> But then, buyer pays.

Unless something goes wrong. The abuse of international
transactions is legendary. Even eBay, PayPal, et.al. seem

to acknowledge it. As another poster observed, if you are
a large-volume commercial vendor, you can "eat" the
occasional transaction gone wrong. But if you are selling
one-off things (boat-anchors or not) on eBay, etc. it has a
significant chilling effect, no matter what generation you
represent.

```
From -2700408811017500360
X-Google-Thread: fc8b1,ea30688678e3dcfd,start
X-Google-Thread: 106d41,ea30688678e3dcfd,start
X-Google-Thread: 108122,ea30688678e3dcfd,start
X-Google-Attributes: gidfc8b1,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.cb,rec.radio.amateur.equipment
Subject: FA: Give-Away Price>RARE NATIONAL XCU-300 CRYSTAL CALIBRATOR for
NC-300/303
Date: 19 Aug 2006 11:59:26 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1156013966.778848.91210@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156013971 29107 127.0.0.1 (19 Aug 2006 18:59:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 19 Aug 2006 18:59:31 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5105 rec.radio.cb:16442
rec.radio.amateur.equipment:5792
```

Only at $21 w/one day left.
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220016303500&ssPageName=STRK:MESE:IT&ih=012

May as well check my other stuff also!
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

```
From 4583863092090568975
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
```

mail
From: "Watchman" <NAMHCTAW@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 19 Aug 2006 14:18:17 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1156022297.091823.228530@i3g2000cwc.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
   <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 71.115.50.140
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1156022300 4024 127.0.0.1 (19 Aug 2006 21:18:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 19 Aug 2006 21:18:20 +0000 (UTC)
In-Reply-To: <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Opera/9.00 (Windows NT 5.1; U; en),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=71.115.50.140;
   posting-account=QvkXag0AAADOacGzDCg1JvJX__yaTgVl
Xref: g2news2.google.com rec.radio.amateur.equipment:5793

Ya no one liked him when he was a cber called JR except ole`bill and scarlet charlotte... and a few other drunk COKE HEADS... oh and mike hughes... then he became a memorized extra no coder and they run him out of hobart indiana ah ha ha ha... wonder when he will get run out of ky!

He don't want to discuss equipment, he would rather post foolish crap, bann him....hey d*****s where did you lear how to SPELL...

From 7565066105277932819
X-Google-Thread: 108122,54faa4ff6c136fb2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Eimac 3-500Z tubes
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <RmLFg.14556$yO4.14152@dukeread02>
Date: Sat, 19 Aug 2006 16:27:15 -0500

NNTP-Posting-Host: 68.111.108.12
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1156022833 68.111.108.12 (Sat, 19 Aug 2006 17:27:13 EDT)
NNTP-Posting-Date: Sat, 19 Aug 2006 17:27:13 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5794

I have two Eimac 3-500Z tubes for sale.They belonged to a friend who replaced them with two RF Parts 3-500Z. They are guaranteed to have 80 to 90 percent output. They do have some time on them, but are still good. They are missing the heat sinks on the tops. If you have a pair of bad tubes, you can remove the heat sinks on them to use on these tubes. They will be shipped in the foam cushioned boxes used for the RF Parts tubes. Price is $100 for the pair. Or $60 each plus shipping. Thanks, Charlie Hugg, K5MBX

From -7556551410212606257
X-Google-Thread: 108228,8ad5f2da881aacd9,start
X-Google-Thread: 108122,8ad5f2da881aacd9,start
X-Google-Thread: 1109af,8ad5f2da881aacd9,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!peer02.cox.net!
cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA"UHF"HT1250 ls+Plus Radio-Ham-Voice Store-Speaker-Mic
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C6C3CD.787567B0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <MBQFg.1391$AP2.812@fed1read10>
Date: Sat, 19 Aug 2006 20:24:28 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1156044268 68.104.78.240 (Sat, 19 Aug 2006 23:24:28 EDT)
NNTP-Posting-Date: Sat, 19 Aug 2006 23:24:28 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1205
rec.radio.amateur.equipment:5795 rec.radio.swap:6293

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6C3CD.787567B0
Content-Type: text/plain;

```
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA"UHF"HT1250 ls+Plus Radio-Ham-Voice Store-Speaker/Mic=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250020399500&=
ssPageName=3DSTRK:MESE:IT&ih=3D015=20

------=_NextPart_000_0008_01C6C3CD.787567B0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2963" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA"UHF"HT1250 ls+Plus Radio-Ham-Voice Store-Speaker/Mic =
</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250020399500&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250020399500&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A>&nbsp;</FONT></P></FONT></DIV></=
BODY></HTML>

------=_NextPart_000_0008_01C6C3CD.787567B0--
```

```
From -5254600297409823990
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!84ef5383!not-for-mail
From: "Brian" <kb9bvn@earthlink.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Lines: 65
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <5DYFg.9998$xp2.7906@newsread1.news.pas.earthlink.net>
Date: Sun, 20 Aug 2006 12:32:01 GMT
NNTP-Posting-Host: 76.2.197.94
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1156077121 76.2.197.94 (Sun, 20 Aug 2006 05:32:01 PDT)
NNTP-Posting-Date: Sun, 20 Aug 2006 05:32:01 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:16712 rec.radio.amateur.boatanchors:5109 rec.radio.amateur.homebrew:6566 rec.radio.amateur.equipment:5796

I ship to anyone that wants to pay for it. I do avoid APO/FPO shipping, and not because of scams but because of very very poor delivery chances on anything not a 1 ounce letter.

I sent several boxes of supplies to friends serving in Iraq with the US Marine Corps...most of the boxes languished in a warehouse in Germany for about 4 weeks before being hauled to Iraq...then it was another 2 or 3 weeks befire they actually got the stuff. Needless to say, never ship a puppy or kitten to a war zone. I have one realative that was in Iraq for a year (the last time). I mailed him a Christmas package at the end of October. He got home in February and still hadn't received it.

I ship DX but the buyer has to pay for the shipping.

--

===
Radio Amateurs - Fill your junk box, from my junkbox!
http://www.hamradparts.com
73 de KB9BVN
===

"Paul Hinman" <paul.hinman@shaw.ca> wrote in message
news:aLfEg.400583$Mn5.137675@pd7tw3no...
> I frequently see postings in the ham radio related newsgroups for items
> currently being offered on E-Bay.
>
> All to often I that items will be shipped only to the lower 48 states,
> leaving hams in Hawaii, Alaska, and Canada out of the picture. What is
> the problem. In Canada we are well served by FEDEX and the United
> States Postal Service. Amateur radio equipment crosses the border with
> out any problem. I realize that Hawaii and Alaska may be a bit far from
> the "lower 48" but the same delivery services are available even though
> surface transportation may be a little bit slow. In the US you also
> have UPS, the folks in Brown which we Canadians prefer not to use
> because the often make the border crossing more difficult than it needs
> to be and we don't like getting stuck with brokerage fees.

>
> So why the discrimination, if the buyer knows that delivery may take a
> little longer and is prepared to accept the fact then it becomes a non
> problem. If the seller is intimidated by the prospect of complicated
> paperwork, he needn't be. Please leave it up to the buyer to decide
> whether he wants to bib or not.
>
> I can not speak for shipments to Europe, Africa, India, China, or the
> South Pacific but for fellow Americans, or friendly northern neighbours,
> I think that people should be prepared to deal with us.
>
> Thanx for letting get this off my chest and I realize that I have cross
> posted this to four different newsgroups but I wanted to get to a broad
> audience.
>
> Paul
>
> --
> Paul S. Hinman - VE6LDS
> long West 113 deg 27 min 20 sec
> lat North 53 deg 27 min 3 sec
> Maidenhead Locator DO33gk
>
>
>

```
From 459737574621609970
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!
newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!
news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Sun, 20 Aug 2006 21:41:48 +0900
Organization: Korea Telecom
Lines: 36
Message-ID: <ec9l4r$kph$1@news2.kornet.net>
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
<5DYFg.9998$xp2.7906@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 218.155.119.162
X-Trace: news2.kornet.net 1156077531 21297 218.155.119.162 (20 Aug 2006 12:38:51
GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Sun, 20 Aug 2006 12:38:51 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.antenna:16713
rec.radio.amateur.boatanchors:5110 rec.radio.amateur.homebrew:6567
rec.radio.amateur.equipment:5797




--
Say no to institutionalized interference.
Just say NO to HD/IBOC!
"Brian" <kb9bvn@earthlink.net> wrote in message
news:5DYFg.9998$xp2.7906@newsread1.news.pas.earthlink.net...
>I ship to anyone that wants to pay for it.  I do avoid APO/FPO shipping,
>and
> not because of scams but because of very very poor delivery chances on
> anything not a 1 ounce letter.
>
> I sent several boxes of supplies to friends serving in Iraq with the US
> Marine Corps...most of the boxes languished in a warehouse in Germany for
> about 4 weeks before being hauled to Iraq...then it was another 2 or 3
> weeks
> befire they actually got the stuff.  Needless to say, never ship a puppy
> or
> kitten to a war zone.  I have one realative that was in Iraq for a year
> (the
> last time). I mailed him a Christmas package at the end of October.  He
> got
> home in February and still hadn't received it.
>

Yes, shipping to OIF/OEF is very very slow. This is because nobody wants to
go in there. Regular fuel shipments can take 2 weeks to cross the country.
Shipping to APO/AE (Europe), APO/AA (Americas) and APO/AP (Pacific region)
is fairly steady, at least going by Priority. Parcel Post or Media Mail go
by SAM (Space Available Mail) and can take months to get ANYWHERE within the
military postal system. This is because EVERY other class of mail gets
priority over SAM, and some of those parcels don't leave the mil hub for
weeks (stateside).





From 6086950642113957919
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
```

X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
Message-ID: <44E85D74.4050504@atnet.net>
From: Bob W7AVK <rsrolfne@atnet.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7) Gecko/20040616
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
<5DYFg.9998$xp2.7906@newsread1.news.pas.earthlink.net>
<ec9l4r$kph$1@news2.kornet.net>
In-Reply-To: <ec9l4r$kph$1@news2.kornet.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Sun, 20 Aug 2006 06:02:44 -0700
NNTP-Posting-Host: 207.254.16.133
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1156078806 207.254.16.133 (Sun, 20 Aug 2006 07:00:06 MDT)
NNTP-Posting-Date: Sun, 20 Aug 2006 07:00:06 MDT
Organization: Internet News Service
X-Received-Date: Sun, 20 Aug 2006 07:00:06 MDT (news.sisna.com)
Xref: g2news2.google.com rec.radio.amateur.antenna:16714
rec.radio.amateur.boatanchors:5112 rec.radio.amateur.homebrew:6568
rec.radio.amateur.equipment:5798

What I've done sending goodies to our troops is to use the flat rate
Priority Boxes available free at the post office.   All you can stuff
into it for the 2 pounds rate or $8.10. Mose have been delivered within
a couple weeks.

If interested might check out http://www.anysolder.com

73 Bob W7AVK

From 2613282563415847647
X-Google-Thread: 108122,77b79ae2e46a1c10,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!atl-c03.usenetserver.com!
news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment

Subject: Info: Collins 75S-3C Worn Paint
Message-ID: <uq1he21v6hkp3gjfrp7r60247eujo9jpu4@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimoppmgbgigdglhlnkllfjdfbijhjogphkajfcobocpeihfnehck
odfigkgflalekjpknhpefjpjjmfcbmffjicedfhagoifojmdgngjfkdegidppb
NNTP-Posting-Date: Sun, 20 Aug 2006 09:02:20 MST
Organization: Optimum Online
Date: Sun, 20 Aug 2006 12:01:54 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5799

Hi
I have a Collins 75S-3C Round Emblem, and it has worn paint on the
left side of the Gain plate. Its right next to the bandswitch. Not
the grain on front panel, the worn paint is on the plate. Looks like
the person before me, turning the knob back and fourth had his thumb
always rubbing against the plate and that worned it out. The letters
on the top plate are fine and the right side is fine.
So, does this plate come off and I can get another?
Which would make it alot easier.
Or I have matching paint and I can respray the gray on that side. Not
sure how it will match? And the 5 white indicator
lines, how would I get those back on. They are not fully gone. The
beginning closest lines to the knobs are there,
but when they extend to where the outer end where his thumb rubbed are
gone.
Sorry for the long discription, Rich

From -4606550527887026883
X-Google-Thread: 108122,ee53d0cd6fab97e,start
X-Google-Thread: 108228,ee53d0cd6fab97e,start
X-Google-Thread: 1062f2,ee53d0cd6fab97e,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 13 Aug 2006 20:52:49 -0500
Subject: FA: 6 Books: ELECTRONICS, Digital and Data Communications, Micro-Electronics, etc.
Date: Sun, 13 Aug 2006 21:52:49 -0400
From: ed <ed@wjoojwfarwa.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <130820062152493107%ed@wjoojwfarwa.com>
MIME-Version: 1.0

```
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.8.0 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-PlGa8i1wRqFv+oYhfbgonlyYQEcTMxRgBa+v0/
LqNZa0SYE0KBJacUTucT95P2NWE02SI1bjiD3sHCn!jZO9FNly4VZr/
AQ4eEzM1VFmT8iPLRIEfpJ6pcPpAwRedbvPbAcUfDT+7Gs+dQ1Tw8YMS+IAnKAM!
PsxwFLIrnvTeRqTFsv46
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5700 alt.ham-
radio.marketplace:1180 misc.industry.electronics.marketplace:570
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320016977254

```
From 2136311879266598813
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.ptd.net!news.ptd.net.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 13 Aug 2006 21:44:13 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Ten-Tec Products [Was: Re: Kenwood quitting Ham Radio?]
From: Bob Schreibmaier <k3ph@ptd.net>
Date: Sun, 13 Aug 2006 22:44:13 -0400
X-Newsreader: WinVN 0.99.12N (x86 32bit)
References: <313030303138393544DF0BDF27@deryck.com>
<44df3b17$0$34488$742ec2ed@news.sonic.net>
<fuSdnfVAS70920LZnZ2dnUVZ_qWdnZ2d@comcast.com> <wq-
dnZD5xMcyyELZnZ2dnUVZ_sydnZ2d@comcast.com>
<diqud2l9fujb1obgofnc7kinorqlcbjhul@4ax.com>
<mgivd2po6l6k7818d1qfgmggvnkmjl7idc@4ax.com>
<Y0QDg.7667$xp2.737@newsread1.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Message-ID: <EhGdnWZRz-rjfkLZUSdV9g@ptd.net>
Lines: 31
NNTP-Posting-Host: 24.115.151.223
X-Trace: sv3-
NtaC0ppUH28BMSspnt8icbX0p0deq3APnE9scEDDafMbaKnqrDe72ZZxP7tkRB0NgNoauqBzPX+a134!
T8Q0PBIGej3N/0eOfhJ1KRess5Ms7EvHWA6zN+Z1mCbzfx4lvkoIHXyTkcBmLT+WL9xx
X-Complaints-To: abuse@ptd.net
X-DMCA-Complaints-To: abuse@ptd.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5701

In article <Y0QDg.7667$xp2.737@newsread1.news.pas.earthlink.net>,
rmowery28146@earthlink.net says...
>
>
>>
>> Ten Tec is coming out with a new HF/6 mtrs rig, so the market isn't
>> completely dead. It'll be called the Omni VII.
>>
>> bob
>> k5qwg
>
>The big differance is that Kenwood produces other electronic items, but Ten
>Tec's only produce ham related items as far as I know.  TT has to keep doing
>somethig to sell the rigs or go out of business all together.

Amateur radio equipment is a small part of Ten-Tec's
business.  Their radio equipment line also includes
commercial and military applications.  In addition.
they sell a lot of enclosures, as well as tool and
die equipment.

73,
Bob
K3PH

--
+------------------------------------------------+
| Bob Schreibmaier K3PH | E-mail: k3ph@ptd.net |
| Kresgeville, PA 18333 | http://www.dxis.org  |
+------------------------------------------------+
```

```
From -4232085366598838879
X-Google-Thread: 108122,be68454816d03ff
X-Google-Thread: 1109af,be68454816d03ff
X-Google-Thread: 108228,be68454816d03ff
X-Google-Attributes: gid108122,gid1109af,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 14 Aug 2006 08:57:21 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-
radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: Re: FS: ICOM SP-20 SOLD
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
```

```
References: <N62dnWvMXpqVdVLZnZ2dnUVZ_sydnZ2d@centurytel.net>
Date: Mon, 14 Aug 2006 13:57:18 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <eMKdnV1p1OLcHH3ZnZ2dnUVZ_sudnZ2d@centurytel.net>
Lines: 1
NNTP-Posting-Host: 72.160.70.246
X-Trace: sv3-
BWWmqphgJDaoS9TrFTVCE3J31ujfKxEe4DUxhvAcfVVFBRhWDSWbzALxuBLUCdRewTVanItNwsRru5b!
0TYyvO+P2iXAmDZSj+LKfwHCj/mNL2NjfnYq7P6v/nUG1RIOdmQdyqem8RLhWiWhWcNW1v+/qxRP!
eTaCzZHOa9dDPJh7SPmlgRK/3ZzFAziPXokh
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5702 rec.radio.swap:6122
alt.ham-radio.marketplace:1181

SOLD



From -240562505632249135
X-Google-Thread: 108122,788d25db0303773c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 14 Aug 2006 09:01:57 -0500
Newsgroups: rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: FS Fixed Price: SuperAntennas Side mount bracket for FT-817/ND 3/8 24
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Mon, 14 Aug 2006 14:01:53 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <l4WdndQnHpnIH33ZnZ2dnUVZ_s6dnZ2d@centurytel.net>
Lines: 5
NNTP-Posting-Host: 72.160.70.246
X-Trace: sv3-QCMcY9VgfmcR39Oy3Yd3+0UecHSfLgmjW2fI5w5YoQJa+M55IaJaHcYR/
ncucuW92I7VQN3RqjY5msY!
0ooaqk35H3FuAov2x8P8qewiJ0FKiUX7PUMEfuY+f0Go9IylDTQ9YySzpli9+tMuR5idj29+nAfu!
9yY7CCS2gUen7Loage26HgcnTk0UtxUHNwOM
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5703

For the MP-1 antenna
19.00 fixed price on ebay
```

```
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=130015826603


From -4877161166363731228
X-Google-Thread: 108122,22e57a75d211aeb6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 14 Aug 2006 09:04:43 -0500
Newsgroups: rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: FS Fixed price: SuperAntennas 80 Meter Coil Extender for MP-1
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Mon, 14 Aug 2006 14:04:39 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <1LydnV_jBetmH33ZnZ2dnUVZ_v2dnZ2d@centurytel.net>
Lines: 3
NNTP-Posting-Host: 72.160.70.246
X-Trace: sv3-
J9dFFsdJwazVcduUr54+ADPIgKbTvVEuVVEUh3VZxgbw4BLiB8lxc9DTddFsc+VhRzN4C0KalxXEAc7!
Lgrh4yutmmKjBea814yomd2KgfjPBG+zOrmH22vZp6os3EKvYIsPYGH6sJ3rPMD7PhR8PvOmJVdC!
EeUUpea3Yp+9vb0LbM5P5rxxXSiaFA8XEveB
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5704

SuperAntennas 80 Meter Coil Extender for MP-1
<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=130015827383
Fixed price


From -2406271209643105156
X-Google-Thread: 108122,2332335a8a47ddb1
X-Google-Thread: 108228,2332335a8a47ddb1
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 14 Aug 2006 09:21:36 -0500
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.ham-
radio.swap,rec.radio.amateur.swap
Subject: Re: SOLD FS: Icom SP-20 Filtered Speaker
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
```

```
References: <IOKdnRWIgph1rFfZnZ2dnUVZ_uudnZ2d@centurytel.net>
Date: Mon, 14 Aug 2006 14:21:33 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <JbCdnVWRK7JtG33ZnZ2dnUVZ_v2dnZ2d@centurytel.net>
Lines: 1
NNTP-Posting-Host: 72.160.70.246
X-Trace: sv3-iAPUO1gbW9jm5JE/
fmo6WCCRhvkhhXlXJdo3cCUv+IYk5ahhOcEwGKW2I9k2kXWw3dwEJs/8kv60Loc!
3KHnnH9+cWXsEz5jvqO/5+IpLHBhOTgbuhVMoRdj0hzDsTaTUk5EINZV3uK0wlQGRtBPgC45bhCh!
2R3Hm9gFnpr0+qMYwEUqPUedEfI16Oc9qLf0
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5705 alt.ham-
radio.marketplace:1182
```

```
From 4976455311290219312
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!news-
rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-
for-mail
From: "A.E. 352" <americaneagle352@iwon.com>
Newsgroups: rec.radio.amateur.equipment
References: <313030303138393544DF0BDF27@deryck.com>
Subject: Re: Kenwood quitting Ham Radio?
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <Dk0Eg.15620$uH6.5736@twister.nyroc.rr.com>
Date: Mon, 14 Aug 2006 15:07:15 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1155568035 24.58.195.67 (Mon, 14 Aug 2006 11:07:15
EDT)
NNTP-Posting-Date: Mon, 14 Aug 2006 11:07:15 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:5706
```

Actually, Kenwood is coming out with new 'D-Star' gear in the very near future.

"deryck lant" <deryck@deryck.com> wrote in message
news:313030303138393544DF0BDF27@deryck.com...

>I heard a rumour on the air that Kenwood is quitting Ham Radio.
> Can that be possible true? The TS-480 was truly excellent and
> the TS-2000 really an innovation.
>
> Would be a sad loss.
>
> Deryck G0KOR

```
From 2313342326157451996
X-Google-Thread: fb049,93b8bea67e39887a,start
X-Google-Thread: 108122,93b8bea67e39887a,start
X-Google-Thread: 1109af,93b8bea67e39887a,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
199.45.49.37!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc08.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS/FT Motorola, Uniden, Icom
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <EK1Eg.12272$hH1.10490@trnddc08>
Date: Mon, 14 Aug 2006 16:43:16 GMT
NNTP-Posting-Host: 68.238.203.233
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1155573796 68.238.203.233 (Mon, 14 Aug 2006 12:43:16 EDT)
NNTP-Posting-Date: Mon, 14 Aug 2006 12:43:16 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2470
rec.radio.amateur.equipment:5707 rec.radio.swap:6140
```

2-Motorola SyntorX9000's lowband 30-50mhz
complete with dual controls, and handsets.
Model#T71KEJ7J04AK
This are for pick-up only unless you want to send a call tag to cover the shipping.
1-Uniden FMU250K UHF med radio with mic and remote handset. No power cable or bracket
1-NTN5438 MT100012v charger with power cable.
1-Uniden HR2510 all mode 10mtr mobile complete.
1-Icom BP90 alkaline battery pack (non-working)
2-(CB's) one handheld, one mobile.

I'm looking for Ham gear and Motorola VHF.
Everything must go, so feel free to make an offer.
You can see them at:
http://mysite.verizon.net/vzequgiy/commctr1/id11.html

I'm in SE,Pa.

pottsladd13@yahoo.com

From -6828690487763051710
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!feeder.news-service.com!newsgate.cistron.nl!xs4all!peer.news.zetnet.net!master.news.zetnet.net!not-for-mail
NNTP-Posting-Host: user-10001895.zetnet.co.uk
Message-ID: <313030303138393544E0B5C581@deryck.com>
Date: Mon, 14 Aug 2006 17:41:25 +0100
Newsgroups: rec.radio.amateur.equipment
From: deryck lant <deryck@deryck.com>
X-Mailer: ZIMACS
X-UserInfo: Version 2.22 10001895 2600
Subject: Re: Kenwood quitting Ham Radio?
References: <313030303138393544DF0BDF27@deryck.com>
<Dk0Eg.15620$uH6.5736@twister.nyroc.rr.com>
Lines: 18
X-Trace: 1155574083 master.news.zetnet.net 29539 194.247.47.30:3831
Xref: g2news2.google.com rec.radio.amateur.equipment:5708

The message <Dk0Eg.15620$uH6.5736@twister.nyroc.rr.com>
from "A.E. 352" <americaneagle352@iwon.com> contains these words:

> Actually, Kenwood is coming out with new 'D-Star' gear in the very near
> future.

> "deryck lant" <deryck@deryck.com> wrote in message
> news:313030303138393544DF0BDF27@deryck.com...
> >I heard a rumour on the air that Kenwood is quitting Ham Radio.
> > Can that be possible true? The TS-480 was truly excellent and
> > the TS-2000 really an innovation.
> >
> > Would be a sad loss.

Thats fantastic news! Please tell us more about D-Star gear.

Deryck G0KOR

```
From 6121753184271072133
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!not-for-
mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <313030303138393544DF0BDF27@deryck.com>
<Dk0Eg.15620$uH6.5736@twister.nyroc.rr.com>
<313030303138393544E0B5C581@deryck.com>
Organization: Your Company
Message-ID: <Xns981F66FF85BC2spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 14 Aug 2006 17:06:32 GMT
Lines: 17
NNTP-Posting-Host: 6ccc4680.news.adtechcomputers.com
X-Trace: DXC=4n@jPj2f\?
9hjHo25L]4D1gC4_A5:nI@1<<=aEgO;R87CKQc1D`<YU7I_BDfiSH[c<ecf<A4o8l930W_Uo]cC15:heP5
LSl:mX0kac:cE?Tgm=n6UF3XTSN85
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5709



> Thats fantastic news!  Please tell us more about D-Star gear.
>
> Deryck G0KOR
>


  Do a Google Search on Kenwood D-Star.   I found several pictures...

    here's one:

       http://jh3ykv.rgr.jp/mt/Picture/IMG_0359.JPG


           Ed   K7AAT



From -613696881280520875
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!zen.net.uk!
dedekind.zen.co.uk!peer.news.zetnet.net!master.news.zetnet.net!not-for-mail
NNTP-Posting-Host: user-10001895.zetnet.co.uk
Message-ID: <313030303138393544E0C2C661@deryck.com>
```

```
Date: Mon, 14 Aug 2006 18:36:54 +0100
Newsgroups: rec.radio.amateur.equipment
From: deryck  lant <deryck@deryck.com>
X-Mailer: ZIMACS
X-UserInfo: Version 2.22 10001895 2600
Subject: Re: Kenwood quitting Ham Radio?
References: <3130303031383935440F0BDF27@deryck.com>
<Dk0Eg.15620$uH6.5736@twister.nyroc.rr.com>
<313030303138393544E0B5C581@deryck.com>
<Xns981F66FF85BC2spectrumhogstarbandn@198.186.192.196>
Lines: 22
X-Trace: 1155577083 master.news.zetnet.net 29538 194.247.47.30:3091
Xref: g2news2.google.com rec.radio.amateur.equipment:5710

The message <Xns981F66FF85BC2spectrumhogstarbandn@198.186.192.196>
from Ed <Huckleberry_REMOVE_@bigvalley.net> contains these words:



> > Thats fantastic news!  Please tell us more about D-Star gear.
> >
> > Deryck G0KOR
> >


>   Do a Google Search on Kenwood D-Star.   I found several pictures...

>     here's one:

>        http://jh3ykv.rgr.jp/mt/Picture/IMG_0359.JPG


Thanks Ed. I should have been clearer - what new product is expected from
Kenwood?

Deryck G0KOR


From -9155998867985202093
X-Google-Thread: 108122,5349a82fd09e7fa1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!
bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB:12 V TIMER RELAY
Organization: You and my shadow
References: <CbQDg.245371$mF2.14120@bgtnsc04-news.ops.worldnet.att.net>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-22161D.10064214082006@netnews.worldnet.att.net>
Lines: 12
```

Date: Mon, 14 Aug 2006 18:06:22 GMT
NNTP-Posting-Host: 12.12.208.41
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1155578782 12.12.208.41 (Mon, 14 Aug 2006 18:06:22 GMT)
NNTP-Posting-Date: Mon, 14 Aug 2006 18:06:22 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5711

In article <CbQDg.245371$mF2.14120@bgtnsc04-news.ops.worldnet.att.net>,
"Heytubeguy" <heytubeguy@worldnet.att.net> wrote:

> Need a 12v NO timer relay from 45-180 sec delay. Advise of condx and
> price.
>
> tnx heytubeguy
>
>

I have one I'll sell you for $50KUS....... at that price I only need to
sell one........are you interested??????

From -4034385884488283689
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-xt-sjc-06!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
Date: Mon, 14 Aug 2006 11:40:58 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <csg1e258jq8dkrg4aed9e8il1scbmodu17@4ax.com>
References: <313030303138393544DF0BDF27@deryck.com>
<Dk0Eg.15620$uH6.5736@twister.nyroc.rr.com>
<313030303138393544E0B5C581@deryck.com>
<Xns981F66FF85BC2spectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news2.google.com rec.radio.amateur.equipment:5712

On 14 Aug 2006 17:06:32 GMT, Ed <Huckleberry_REMOVE_@bigvalley.net>
wrote:

>
>
>> Thats fantastic news! Please tell us more about D-Star gear.

>>
>> Deryck G0KOR
>>
>
>
> Do a Google Search on Kenwood D-Star.   I found several pictures...
>
>   here's one:
>
>   http://jh3ykv.rgr.jp/mt/Picture/IMG_0359.JPG
>
>
>   Ed   K7AAT

I thought this was very interesting. Kenwood and Icom getting in bed
with each other.

http://www.kenwood.net/indexKenwood.cfm?do=PRDetail&PRID=61

Dick - W6CCD

```
From 1572514950068462938
X-Google-Thread: fc8b1,8bc7ee1743a501d2,start
X-Google-Thread: 108122,8bc7ee1743a501d2,start
X-Google-Thread: 1109af,8bc7ee1743a501d2,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 14 Aug 2006 14:21:03 -0500
From: "scr300" <scr300@comcast.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
Subject: FS: AN/GRC-215 Military Radio HF SSB Shortwave (NOT posted on Ebay)
Date: Mon, 14 Aug 2006 15:21:00 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <sd6dnfmQstmCUH3ZnZ2dnUVZ_tKdnZ2d@comcast.com>
Lines: 65
NNTP-Posting-Host: 68.56.88.246
X-Trace: sv3-57Nxy5abseaKJmYxqs7zfhQZ8/
l1KTonNADn0Jr2prxWeH4ox4CPSbGkIAtsLP8nXRaUkzAjDxiAP5w!
dYm5160+WNjSlRJiV9SL1qQMT3NThxa9TCDaEx6GIEr7+2+p+4Fiv82kdpsFYPkqtfV5rUujaBVY!
ZoOzPP9x
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.boatanchors:5030 rec.radio.amateur.equipment:5713 rec.radio.swap:6141

Hello. I have for sale a military HF shortwave SSB transceiver, military designation AN/GRC-215

The radio covers 2 MHz to 30 MHz in 10 Hz steps, using a high-speed DDS synthesizer.
It is capable of USB, LSB and CW as well as data.
It comes with EVERY interconnect cable and runs directly from 110V AC or 220V AC. RF output power is 500 watts+, produced by four leisurely-running parallel RF amplifiers using two MRF150 MOSFETS each, with phenomenal linearity and carrier-to-noise performance.

The GRC-215 was developed for deployment in the Western-European Regency Net (in wartime called the FAN or Flaming Arrow Net). This net was targeted to be a tactical "nuclear hardened network", based on shelterized mobile units to maintain shortwave communications on the battlefield when all else has failed (read: After a nuclear conflict). See also
http://www.fas.org/man/dod-101/sys/land/regency-net.htm
Needless to say the radio therefore is built like a battleship, it probably has cost the taxpayer hundreds of thousands of dollars, and it shows.

The regency network was supposed to be deployed in Europe at the end of the eighties but when the wall came down and the Cold War ended, deployment never happened, and the equipment was surplused.
As such, my GRC-215 is NOS, unused.
If you are into collecting military radios, look no further. You will not find a better military HF radio. Only the best components have been used throughout. To give you an example, EVERY RF path in the transceiver is switched using high-speed Kilovac vacuum relays, in both the receiver and the transmitter. There must be like 30 of these relays used throughout the radio, NO switching diodes are used anywhere in the RF paths. The use of these vacuum relays allows fast frequency hopping under full power conditions, but also normal single-frequency operation is possible

It has a microprocessor controlled RF pre-post selector that gives a very narrow RF passband for any frequency selected in the operating frequency range, with phenomenal out-of-band rejection BEFORE the mixers. This pre-post selector allows multiple GRC-215 radios to operate in near-vicinity at maximum power and as close as 10% of the set frequency, without mutual interference. As such, not even the Icom IC-7800 comes close to the large-signal handling performance that the GRC-215 offers.

The receiver uses two cascaded Collins mechanical filters for the ultimate selectivity. The transmitter has its own mechanical filters.
I can go on and on about the quality of this radio, but I will limit myself here to a list of the included components:

- C-11670/G control head using direct-entry keypad and green plasma display

- RT1512/G receiver-exciter (can be 19" rack-mounted)
- TN612/G Pre-Post selector (19")
- AM7296/G quad MOSFET RF power amplifier under CPU control and full VSWR protection (19")
- PP8097/G Power Supply capable of 115V and 240V (switchable) (19")
- All interconnect cables and AC power cables
- First Echelon TM handbook for the RT1512/G receiver-exciter

email me at scr300@comcast.net if you are interested in this ultimate military HF transceiver!
Only serious inquiries please

From -7896715113123480554
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
Date: Mon, 14 Aug 2006 22:12:50 +0200
Lines: 43
Message-ID: <4kc3psFb8dfaU1@individual.net>
References: <313030303138393544DF0BDF27@deryck.com>
<Dk0Eg.15620$uH6.5736@twister.nyroc.rr.com>
<313030303138393544E0B5C581@deryck.com>
<Xns981F66FF85BC2spectrumhogstarbandn@198.186.192.196>
<313030303138393544E0C2C661@deryck.com>
X-Trace: individual.net O09nDWuubFCQ4+05dmi1swNxraTCnJzjZ4VaueDvXfFx+ecbdI
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5714

I think that Kenwood is going away of the amateur-market.
The production of the TS950 and the 790 is ended a long time ago and is replaced with the TS2000 ... says enough for me i think.....

--
Met vriendelijke groeten,

Hans Pluijgers

callsign : PA3HGT
http://www.pa3hgt.nl

```
> The message
> <Xns981F66FF85BC2spectrumhogstarbandn@198.186.192.196>
> from Ed <Huckleberry_REMOVE_@bigvalley.net> contains
> these words:
>
>
>
>> > Thats fantastic news!  Please tell us more about
>> > D-Star gear.
>> >
>> > Deryck G0KOR
>> >
>
>
>>   Do a Google Search on Kenwood D-Star.   I found
>> several pictures...
>
>>     here's one:
>
>>        http://jh3ykv.rgr.jp/mt/Picture/IMG_0359.JPG
>
>
> Thanks Ed. I should have been clearer - what new product
> is expected from Kenwood?
>
> Deryck G0KOR
```

```
From 3379981520162171576
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!not-for-
mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <313030303138393544DF0BDF27@deryck.com>
<Dk0Eg.15620$uH6.5736@twister.nyroc.rr.com>
<313030303138393544E0B5C581@deryck.com>
<Xns981F66FF85BC2spectrumhogstarbandn@198.186.192.196>
```

<31303030313839354 4E0C2C661@deryck.com>
Organization: Your Company
Message-ID: <Xns981F970461818spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 14 Aug 2006 21:49:44 GMT
Lines: 17
NNTP-Posting-Host: ac2fd296.news.adtechcomputers.com
X-Trace: DXC=@YULKBTEB05H?
Hj@=S0E9<gC4_A5:nI@1<<=aEgO;R87J3O:i07m::620_aA`]^k@<ecf<A4o8l930W_Uo]cC15:heP5LSl
:mX0fgj\jeG0mc=`L];jaYOl^=
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5715

>>   http://jh3ykv.rgr.jp/mt/Picture/IMG_0359.JPG

> Thanks Ed. I should have been clearer - what new product is expected
> from Kenwood?
>
> Deryck G0KOR

Other than the D-Star radio? I don't know. Since all three major Japanese vendors have recent models already on the market, I'd wouldn't be surprised to not see something else about to marketed just yet.

Ed

From -6497967424036948506
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!ead9a4f6!
not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <3130303031383935 44DF0BDF27@deryck.com>
<44df3b17$0$34488$742ec2ed@news.sonic.net>
<fuSdnfVAS70920LZnZ2dnUVZ_qWdnZ2d@comcast.com> <wq-
dnZD5xMcyyELZnZ2dnUVZ_sydnZ2d@comcast.com>
<diqud2l9fujb1obgofnc7kinorqlcbjhul@4ax.com>
<mgivd2po6l6k7818d1qfgmggvnkmjl7idc@4ax.com>
<Y0QDg.7667$xp2.737@newsread1.news.pas.earthlink.net> <EhGdnWZRz-
rjfkLZUSdV9g@ptd.net>
Subject: Re: Ten-Tec Products [Was: Re: Kenwood quitting Ham Radio?]
Lines: 23
X-Priority: 3

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <V2aEg.7986$xp2.5549@newsread1.news.pas.earthlink.net>
Date: Tue, 15 Aug 2006 02:11:01 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1155607861 24.225.35.108 (Mon, 14 Aug
2006 19:11:01 PDT)
NNTP-Posting-Date: Mon, 14 Aug 2006 19:11:01 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5716

>>The big differance is that Kenwood produces other electronic items, but
>>Ten
>>Tec's only produce ham related items as far as I know.  TT has to keep
>>doing
>>somethig to sell the rigs or go out of business all together.
>
> Amateur radio equipment is a small part of Ten-Tec's
> business.  Their radio equipment line also includes
> commercial and military applications.  In addition.
> they sell a lot of enclosures, as well as tool and
> die equipment.
>
> 73,
> Bob
> K3PH

Thanks for the info Bob.  I had not looked to see what TT has produced in a
while.  From what I saw I still doubt that TT could make much  of a go if
they quit the ham business.

de KU4PT




From -8364979671439860092
X-Google-Thread: 108228,7ea9354972487a98
X-Google-Thread: f55c2,7ea9354972487a98
X-Google-Thread: f7653,7ea9354972487a98
X-Google-Thread: 108122,7ea9354972487a98
X-Google-Thread: 107ada,7ea9354972487a98
X-Google-Attributes: gid108228,gidf55c2,gidf7653,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "2greedy" <vk4fact@bigpond.com.au>
Newsgroups: alt.ham-radio.marketplace,alt.ham-
radio.mods,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.am
ateur.misc
References: <44da9048$1$22363$afc38c87@news.optusnet.com.au>
<Pine.BSI.4.61.0608091552200.10070@malasada.lava.net>
```

```
Subject: Re: icom 740 mars mod needed
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Message-ID: <5RfEg.12417$rP1.9440@news-server.bigpond.net.au>
Date: Tue, 15 Aug 2006 08:45:53 GMT
NNTP-Posting-Host: 144.139.123.175
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1155631553 144.139.123.175 (Tue, 15 Aug 2006
18:45:53 EST)
NNTP-Posting-Date: Tue, 15 Aug 2006 18:45:53 EST
Organization: BigPond Internet Services
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nntp.waia.asn.au!202.72.130.18.MISMATCH!quokka.wn.com.au!lon-
transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-
server.bigpond.net.au!53ab2750!not-for-mail
Xref: g2news2.google.com alt.ham-radio.marketplace:1183 alt.ham-radio.mods:181
rec.radio.amateur.digital.misc:368 rec.radio.amateur.equipment:5717
rec.radio.amateur.misc:18890

m8 try www.mods.dk
"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0608091552200.10070@malasada.lava.net...
> On Thu, 10 Aug 2006, hamguy1 wrote:
>
>> hi can anyone out there give me the info on the mars mod or unlock for
>> full
>> transmit .anywhere thanks hamguy1 nsw australia .
>>
>
> Try going to QRZ.COMM  or QRZ.mods.   If your able to you will find
> if that rig is covered under their "mods" listings
>                                 Joe/KH6JF
>




From 7093384476586505594
X-Google-Thread: fcc6e,affe4b11d97d275d,start
X-Google-Thread: fc8b1,affe4b11d97d275d,start
X-Google-Thread: fc2a5,affe4b11d97d275d,start
X-Google-Thread: 108122,affe4b11d97d275d,start
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!elnk-pas-
nf1!newsfeed.earthlink.net!pd7cy1no!pd7cy2no!shaw.ca!pd7tw3no.POSTED!53ab2750!not-
for-mail
X-Trace-PostClient-IP: 68.150.52.44
From: Paul Hinman <paul.hinman@shaw.ca>
```

```
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: What is wrong with Hawaii, Alaska, and Canada
Content-Type: multipart/alternative;
 boundary="------------030604020303040409000106"
Lines: 96
Message-ID: <aLfEg.400583$Mn5.137675@pd7tw3no>
Date: Tue, 15 Aug 2006 08:39:34 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw3no 1155631174 24.70.95.207 (Tue, 15 Aug 2006 02:39:34 MDT)
NNTP-Posting-Date: Tue, 15 Aug 2006 02:39:34 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:16424
rec.radio.amateur.boatanchors:5033 rec.radio.amateur.homebrew:6468
rec.radio.amateur.equipment:5718

This is a multi-part message in MIME format.
--------------030604020303040409000106
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

I frequently see postings in the ham radio related newsgroups for items currently being offered on E-Bay.

All to often I that items will be shipped only to the lower 48 states, leaving hams in Hawaii, Alaska, and Canada out of the picture. What is the problem. In Canada we are well served by FEDEX and the United States Postal Service. Amateur radio equipment crosses the border with out any problem. I realize that Hawaii and Alaska may be a bit far from the "lower 48" but the same delivery services are available even though surface transportation may be a little bit slow. In the US you also have UPS, the folks in Brown which we Canadians prefer not to use because the often make the border crossing more difficult than it needs to be and we don't like getting stuck with brokerage fees.

So why the discrimination, if the buyer knows that delivery may take a little longer and is prepared to accept the fact then it becomes a non problem. If the seller is intimidated by the prospect of complicated paperwork, he needn't be. Please leave it up to the buyer to decide whether he wants to bib or not.

I can not speak for shipments to Europe, Africa, India, China, or the South Pacific but for fellow Americans, or friendly northern neighbours, I think that people should be prepared to deal with us.

Thanx for letting get this off my chest and I realize that I have cross posted this to four different newsgroups but I wanted to get to a broad audience.

Paul

--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk

```
--------------030604020303040409000106
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font size="+1"><font face="Comic Sans MS">I frequently see postings in
the ham radio related newsgroups for items currently being offered on
E-Bay.<br>
<br>
All to often I that items will be shipped only to the lower 48 states,
leaving hams in Hawaii, Alaska, and Canada out of the picture.&nbsp; What is
the problem.&nbsp; In Canada we are well served by FEDEX and the United
States Postal Service.&nbsp; Amateur radio equipment crosses the border with
out any problem.&nbsp; I realize that Hawaii and Alaska may be a bit far
from the&nbsp; "lower 48" but the same delivery services are available even
though surface transportation may be a little bit slow.&nbsp; In the US you
also have UPS, the folks in Brown which we Canadians prefer not to use
because the often make the border crossing more difficult than it needs
to be and we don't like getting stuck with brokerage fees.<br>
<br>
So why the discrimination, if the buyer knows that delivery may take a
little longer and is prepared to accept the fact then it becomes a non
problem.&nbsp; If the seller is intimidated by the prospect of complicated
paperwork, he needn't be.&nbsp; Please leave it up to the buyer to decide
whether he wants to bib or not.<br>
<br>
I can not speak for shipments to Europe, Africa, India, China, or the
South Pacific but for fellow Americans, or friendly northern
neighbours, I think that people should be prepared to deal with us.<br>
<br>
Thanx for letting get this off my chest and I realize that I have cross
posted this to four different newsgroups but I wanted to get to a broad
audience.<br>
<br>
Paul<br>
```

```
</font></font>
<pre class="moz-signature" cols="72">--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk

</pre>
</body>
</html>

--------------030604020303040409000106--


From 7950806397712601373
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Tue, 15 Aug 2006 19:55:12 +0900
Organization: Korea Telecom
Lines: 42
Message-ID: <ebs90v$j90$1@news2.kornet.net>
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
NNTP-Posting-Host: 218.155.51.189
X-Trace: news2.kornet.net 1155639136 19744 218.155.51.189 (15 Aug 2006 10:52:16
GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Tue, 15 Aug 2006 10:52:16 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.antenna:16425
rec.radio.amateur.boatanchors:5034 rec.radio.amateur.homebrew:6469
rec.radio.amateur.equipment:5719



"Paul Hinman" <paul.hinman@shaw.ca> wrote in message
news:aLfEg.400583$Mn5.137675@pd7tw3no...
I frequently see postings in the ham radio related newsgroups for items
currently being offered on E-Bay.
```

All to often I that items will be shipped only to the lower 48 states, leaving hams in Hawaii, Alaska, and Canada out of the picture. What is the problem. In Canada we are well served by FEDEX and the United States Postal Service. Amateur radio equipment crosses the border with out any problem. I realize that Hawaii and Alaska may be a bit far from the "lower 48" but the same delivery services are available even though surface transportation may be a little bit slow. In the US you also have UPS, the folks in Brown which we Canadians prefer not to use because the often make the border crossing more difficult than it needs to be and we don't like getting stuck with brokerage fees.

So why the discrimination, if the buyer knows that delivery may take a little longer and is prepared to accept the fact then it becomes a non problem. If the seller is intimidated by the prospect of complicated paperwork, he needn't be. Please leave it up to the buyer to decide whether he wants to bib or not.

I can not speak for shipments to Europe, Africa, India, China, or the South Pacific but for fellow Americans, or friendly northern neighbours, I think that people should be prepared to deal with us.

Thanx for letting get this off my chest and I realize that I have cross posted this to four different newsgroups but I wanted to get to a broad audience.

Paul

Don't feel too bad, Paul. You'll often notice in the same listings that (even if they ship solely by USPS) they will not ship to US military APO/FPO addresses, either. We get left out in the cold even more often than any of the above named locations. So much for supporting the troops as it were.--
Say no to institutionalized interference.Just say NO to HD/IBOC!

From 6896561120295237718
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!ctb-nntp1.saix.net!not-for-mail
From: "Pete" <zs5actRemovethis@mweb.co.za>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada

Date: Tue, 15 Aug 2006 13:23:44 +0200
Organization: The South African Internet Exchange
Lines: 58
Message-ID: <ebsat4$sl4$1@ctb-nnrp2.saix.net>
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <ebs90v$j90$1@news2.kornet.net>
NNTP-Posting-Host: dsl-145-104-87.telkomadsl.co.za
X-Trace: ctb-nnrp2.saix.net 1155641060 29348 165.145.104.87 (15 Aug 2006 11:24:20 GMT)
X-Complaints-To: abuse@saix.net
NNTP-Posting-Date: 15 Aug 2006 11:24:20 GMT
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.antenna:16426 rec.radio.amateur.boatanchors:5035 rec.radio.amateur.homebrew:6470 rec.radio.amateur.equipment:5720

USPS Air to South Africa takes 4 days from California. Customs is handled by them and it is extremely easy to use. Great service.

Americocentric sellers maybe?

--
Pete . .
ZS5ACT

Top poster & proud of it!
------ Reply Separator ------

"Brenda Ann" <brendad@shinbiro.com> wrote in message news:ebs90v$j90$1@news2.kornet.net...

> "Paul Hinman" <paul.hinman@shaw.ca> wrote in message
> news:aLfEg.400583$Mn5.137675@pd7tw3no...
> I frequently see postings in the ham radio related newsgroups for items currently being offered on E-Bay.
>
> All to often I that items will be shipped only to the lower 48 states, leaving hams in Hawaii, Alaska, and Canada out of the picture. What is the problem. In Canada we are well served by FEDEX and the United States Postal Service. Amateur radio equipment crosses the border with out any problem. I realize that Hawaii and Alaska may be a bit far from the "lower 48" but the same delivery services are available even though surface transportation may be a little bit slow. In the US you also have UPS, the folks in Brown which we Canadians prefer not to use because the often make the border crossing more difficult than it needs to be and we don't like getting stuck with brokerage fees.
>
> So why the discrimination, if the buyer knows that delivery may take a little longer and is prepared to accept the fact then it becomes a non

```
> problem.  If the seller is intimidated by the prospect of complicated
> paperwork, he needn't be.  Please leave it up to the buyer to decide
> whether he wants to bib or not.
>
> I can not speak for shipments to Europe, Africa, India, China, or the
> South Pacific but for fellow Americans, or friendly northern neighbours, I
> think that people should be prepared to deal with us.
>
> Thanx for letting get this off my chest and I realize that I have cross
> posted this to four different newsgroups but I wanted to get to a broad
> audience.
>
> Paul
>
>
> Don't feel too bad, Paul. You'll often notice in the same listings that
> (even if they ship solely by USPS) they will not ship to US military
> APO/FPO addresses, either. We get left out in the cold even more often
> than any of the above named locations. So much for supporting the troops
> as it were.--  Say no to institutionalized interference.Just say NO to
> HD/IBOC!
>
```

```
From 4196415055590103432
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 15 Aug 2006 06:36:27 -0500
Date: Tue, 15 Aug 2006 07:36:29 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
In-Reply-To: <aLfEg.400583$Mn5.137675@pd7tw3no>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <YY2dnUDz-J8mLHzZnZ2dnUVZ_ridnZ2d@comcast.com>
Lines: 44
```

NNTP-Posting-Host: 71.233.173.68
X-Trace: sv3-go6SL5vEb2MzHp1EnYoTUZ83zYrerCLEuvL4ePvyOfA+FhLZDOHI6GkbC/
ScW4pN56TBVMC/+1uAZXP!DU/+F2QGouNQxCv/
DmwzdMEBFuRxsAbEdv0x5Y6fs8VsDv13AXdZn4tH7uW6JnND+ejpvEDVS1uk!dTyvrEZg/SZqKaMAazoj
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:16427 rec.radio.amateur.boatanchors:5036 rec.radio.amateur.homebrew:6472 rec.radio.amateur.equipment:5721

Hmmm???

Hawaii is too hot?

Canada is too big?

Alaska is just right!!

But this doesn't respond to the hypothesis.

/s/ DD

Paul Hinman wrote:
> I frequently see postings in the ham radio related newsgroups for items
> currently being offered on E-Bay.
>
> All to often I that items will be shipped only to the lower 48 states,
> leaving hams in Hawaii, Alaska, and Canada out of the picture. What is
> the problem. In Canada we are well served by FEDEX and the United
> States Postal Service. Amateur radio equipment crosses the border with
> out any problem. I realize that Hawaii and Alaska may be a bit far from
> the "lower 48" but the same delivery services are available even though
> surface transportation may be a little bit slow. In the US you also
> have UPS, the folks in Brown which we Canadians prefer not to use
> because the often make the border crossing more difficult than it needs
> to be and we don't like getting stuck with brokerage fees.
>
> So why the discrimination, if the buyer knows that delivery may take a
> little longer and is prepared to accept the fact then it becomes a non
> problem. If the seller is intimidated by the prospect of complicated
> paperwork, he needn't be. Please leave it up to the buyer to decide
> whether he wants to bib or not.
>
> I can not speak for shipments to Europe, Africa, India, China, or the
> South Pacific but for fellow Americans, or friendly northern neighbours,
> I think that people should be prepared to deal with us.
>
> Thanx for letting get this off my chest and I realize that I have cross
> posted this to four different newsgroups but I wanted to get to a broad

```
> audience.
>
> Paul
>



From 472985403015304764
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!meganewsservers.com!
feeder2.on.meganewsservers.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.251.MISMATCH!spool-scsi2.readnews.com!news-out.readnews.com!news-
xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Tue, 15 Aug 2006 11:51:05 +0000 (UTC)
Organization: MGT Consulting
Lines: 51
Message-ID: <slrnee3d6g.dmj.gsm@cable.mendelson.com>
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <ebs90v$j90$1@news2.kornet.net>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: cbl217-132-225-247.bb.netvision.net.il
X-Trace: marvin.misty.com 1155642665 4237 217.132.225.247 (15 Aug 2006 11:51:05
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 15 Aug 2006 11:51:05 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.antenna:16429
rec.radio.amateur.boatanchors:5037 rec.radio.amateur.homebrew:6473
rec.radio.amateur.equipment:5722

Brenda Ann wrote:
> Don't feel too bad, Paul. You'll often notice in the same listings that
> (even if they ship solely by USPS) they will not ship to US military APO/FPO
> addresses, either. We get left out in the cold even more often than any of
> the above named locations. So much for supporting the troops as it were.--

That's because shipping to an an APO/FPO is no longer a service provided
by the U.S. government. At one time mail to an APO/FPO was delivered to
a U.S. millitary post office that then shipped it using U.S. milltary
transport, There was a good chance that the mail would actually arrive
and it would be undamaged. Now APO/FPO mail is sent via the regular
postal system, but the U.S. government picks up the tab.
```

Now, the chance of the mail arriving is much less as it stands out.

As for Paul's comments, they really don't hold any water. Small sellers don't ship outside the continental U.S. because they don't want the risk.

If an item is lost, stolen, damaged, or takes a month or two to get delivered, they can't afford to replace it, or "eat" the loss. Paul even has more problems because Canadian customs may hold an item to determine its value, or if it can be legally imported as long as they wish. They can also assess the value for sales and other taxes.

Obviously he never has had any experience clearing an item through customs. If he had he would have praised the low fees, speedy processing and general reliablity of the courier services.

Considering the general quality of things sold on eBay, the sellers are actually doing you a favor. While many of the sellers will attempt to keep you satisfied, if you have to wait a month for something to arrive and in Paul's case pay GST (general sales tax), import duty and customs clearing fees, then have to send it back, he would loose a lot.

Besides paying for shipping both ways, he would have to pay customs clearing fees at the U.S. border and prove that the item he is sending back was actually being returned to the U.S. as a defective purchase and not scamming the customs people by claiming it was.

This means that some items both of you either have to keep or pay for and never get no matter what it costs. Where do you draw the line? $100, $200, $500? If it costs $100 to ship a radio to you and $100 to send it back, it does not make much sense.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 Fax ONLY: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

From -152507711230173366
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.media.kyoto-u.ac.jp!
nntp.gol.com!newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!
feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Tue, 15 Aug 2006 21:15:13 +0900
Organization: Korea Telecom
Lines: 36
Message-ID: <ebsdn1$lis$1@news2.kornet.net>
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <ebs90v$j90$1@news2.kornet.net>
<slrnee3d6g.dmj.gsm@cable.mendelson.com>
NNTP-Posting-Host: 218.155.51.189
X-Trace: news2.kornet.net 1155643937 22108 218.155.51.189 (15 Aug 2006 12:12:17
GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Tue, 15 Aug 2006 12:12:17 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.antenna:16431
rec.radio.amateur.boatanchors:5038 rec.radio.amateur.homebrew:6474
rec.radio.amateur.equipment:5723

--
Say no to institutionalized interference.
Just say NO to HD/IBOC!
"Geoffrey S. Mendelson" <gsm@mendelson.com> wrote in message
news:slrnee3d6g.dmj.gsm@cable.mendelson.com...
> Brenda Ann wrote:
>> Don't feel too bad, Paul. You'll often notice in the same listings that
>> (even if they ship solely by USPS) they will not ship to US military
>> APO/FPO
>> addresses, either. We get left out in the cold even more often than any
>> of
>> the above named locations. So much for supporting the troops as it
>> were.--
>
> That's because shipping to an an APO/FPO is no longer a service provided
> by the U.S. government. At one time mail to an APO/FPO was delivered to
> a U.S. millitary post office that then shipped it using U.S. milltary
> transport, There was a good chance that the mail would actually arrive
> and it would be undamaged. Now APO/FPO mail is sent via the regular
> postal system, but the U.S. government picks up the tab.
>
> Now, the chance of the mail arriving is much less as it stands out.

Been here six years, and have NEVER had anything shipped to me USPS that
hasn't gotten here, and if it was properly packed, it has always gotten here
in one piece. I pay for Priority Mail shipping, which now is only a dollar
or two more than Parcel, and I get it here in a week to 10 days.

And actually, the USPS takes our mail as far as San Francisco via regular

channels, and from there it's shipped commercial air (just like any other
air mail) to our local APO hub, and then to the mail rooms.

From -204716376067131288
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-01!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Tue, 15 Aug 2006 06:53:06 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <vdk3e2hvbgoh4ah55b9548h0mqan6tsn5e@4ax.com>
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <ebs90v$j90$1@news2.kornet.net> <slrnee3d6g.dmj.gsm@cable.mendelson.com> <ebsdn1$lis$1@news2.kornet.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news2.google.com rec.radio.amateur.equipment:5724

On Tue, 15 Aug 2006 21:15:13 +0900, "Brenda Ann"
<brendad@shinbiro.com> wrote:

>Been here six years, and have NEVER had anything shipped to me USPS that
>hasn't gotten here, and if it was properly packed, it has always gotten here
>in one piece. I pay for Priority Mail shipping, which now is only a dollar
>or two more than Parcel, and I get it here in a week to 10 days.
>
>And actually, the USPS takes our mail as far as San Francisco via regular
>channels, and from there it's shipped commercial air (just like any other
>air mail) to our local APO hub, and then to the mail rooms.

I have been sending to an APO for several years as my son's family is
in Europe. I agree that the USPS service has been very good. They
once lost a Jeep wheel for 3 months, but eventually it too made it to
the destination.

I see all kinds of companies that won't ship to an APO. I think they
just don't want to deal with the customs forms. It can be a PITA. In
spite of using USPS for years to ship to the same APO, about half the
time I end up with the wrong form, and have to fill out another one
after I get to the P.O. I even wrote to USPS to ask how I can tell
for sure which form to use. Their very lengthy and convoluted answer

didn't help a bit. It still ends up as a case-by-case basis on
whether to use the short form or the long form. I can fully
understand why people and companies don't want to ship to an APO.

Dick

From 3211811049866860637
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!elnk-pas-nf1!newsfeed.earthlink.net!pd7cy1no!pd7cy2no!shaw.ca!pd7tw2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.78.84.215
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
From: Dave Oldridge <doldridg@leavethisoutshaw.ca>
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <ebs90v$j90$1@news2.kornet.net>
<slrnee3d6g.dmj.gsm@cable.mendelson.com>
Organization: The Human Race
Message-ID: <Xns98205595D4674doldridgsprintca@64.59.135.159>
User-Agent: Xnews/2006.06.28
X-Antivirus: avast! (VPS 0633-1, 08/15/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 42
Date: Tue, 15 Aug 2006 15:24:51 GMT
NNTP-Posting-Host: 64.59.135.176
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw2no 1155655491 64.59.135.176 (Tue, 15 Aug 2006 09:24:51 MDT)
NNTP-Posting-Date: Tue, 15 Aug 2006 09:24:51 MDT
Xref: g2news2.google.com rec.radio.amateur.antenna:16455
rec.radio.amateur.boatanchors:5042 rec.radio.amateur.homebrew:6476
rec.radio.amateur.equipment:5725

gsm@mendelson.com (Geoffrey S. Mendelson) wrote in
news:slrnee3d6g.dmj.gsm@cable.mendelson.com:

> Brenda Ann wrote:
>> Don't feel too bad, Paul. You'll often notice in the same listings
>> that (even if they ship solely by USPS) they will not ship to US
>> military APO/FPO addresses, either. We get left out in the cold even
>> more often than any of the above named locations. So much for
>> supporting the troops as it were.--
>
> That's because shipping to an an APO/FPO is no longer a service
> provided by the U.S. government. At one time mail to an APO/FPO was
> delivered to a U.S. millitary post office that then shipped it using

> U.S. milltary transport, There was a good chance that the mail would
> actually arrive and it would be undamaged. Now APO/FPO mail is sent
> via the regular postal system, but the U.S. government picks up the
> tab.
>
> Now, the chance of the mail arriving is much less as it stands out.
>
> As for Paul's comments, they really don't hold any water. Small
> sellers don't ship outside the continental U.S. because they don't
> want the risk.
>
> If an item is lost, stolen, damaged, or takes a month or two to get
> delivered, they can't afford to replace it, or "eat" the loss. Paul
> even has more problems because Canadian customs may hold an item to
> determine its value, or if it can be legally imported as long as they
> wish. They can also assess the value for sales and other taxes.

The only possible problem is loss or damage. USPS air delivers in a few days and for a reasonable border fee, most of which is sales tax at this end. If the customs declaration is made out properly, stating that the contents are amateur radio equipment and if the eBay auction price is stated as the value, there is rarely any problem unless the merchandise is misrepresented in the first place. There is no duty on amateur equipment entering Canada from ANYWHERE, just sales taxes.

--
Dave Oldridge+
ICQ 1800667

```
From -7788803160770149040
X-Google-Thread: 108122,83fba65ca2a4bcd7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: dravie@msn.com
Newsgroups: rec.radio.amateur.equipment
Subject: Low Cost USB RF & Microwave CW Power Meter.
Date: 15 Aug 2006 10:02:48 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1155661368.711676.219140@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 81.156.30.57
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155661374 16924 127.0.0.1 (15 Aug 2006 17:02:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Aug 2006 17:02:54 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=81.156.30.57;
   posting-account=m5gAHQ0AAACSzw4SXo7wYOzysp9jvwgr
Xref: g2news2.google.com rec.radio.amateur.equipment:5726

* High Performance! NOT High Cost
o  A replacement solution for conventional
   power meter and sensor.
o Simple USB connectivity to laptop or PC.
o Multiple sensors on same PC
o  Light weight and easy to use.
o  Good for all manufacturing and I&M needs
o  Robust construction with high reliability
o No reference calibrator required.
o Measurement range from -50dBm to +20dBm up to 18.5GHz.
o Future products to 40GHz.
o Currently comes in two frequency ranges
http://www.satori-technology.com


We will be on stand 426 at the European Microwave Exhibition in
Manchester, UK,  from
the 12th to the 14th of September. Come a long for a chat and see a
demonstration  of  our
ST series Power Meter.
We look forward to meeting you there.
http://www.eumw2006.com/




From 4805902092989513910
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: k8vf_mark@centurytel.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: 15 Aug 2006 12:10:32 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1155669032.050001.312410@h48g2000cwc.googlegroups.com>
References: <aLfEg.400583$Mn5.137675@pd7tw3no><ebs90v$j90$1@news2.kornet.net>
   <slrnee3d6g.dmj.gsm@cable.mendelson.com>
   <Xns98205595D4674doldridgsprintca@64.59.135.159>
NNTP-Posting-Host: 207.118.250.57
Mime-Version: 1.0
```

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155669037 32437 127.0.0.1 (15 Aug 2006 19:10:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 15 Aug 2006 19:10:37 +0000 (UTC)
In-Reply-To: <Xns98205595D4674doldridgsprintca@64.59.135.159>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp 5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=207.118.250.57;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news2.google.com rec.radio.amateur.antenna:16481 rec.radio.amateur.boatanchors:5045 rec.radio.amateur.homebrew:6477 rec.radio.amateur.equipment:5727

>
> The only possible problem is loss or damage. USPS air delivers in a few
> days and for a reasonable border fee, most of which is sales tax at this

The issue is cost, I believe.

For some reason sellers dont want to pay the cost to the last two states, EVEN IF THE BUYER IS FRONTING THE FEES> DOnt know why.

I have shipped to Hawaii several times with no issues at all other than time.

I have had no problems with Canada, other than time. Sometimes it takes an inordinate amount of time . But you can accept that if BOTH parties are good communicators.
>
Keep in touch with your seller or buyer, dont just fail to respond. It makes them nervous, folks.

Mark
K8VF
Michigan

From 4683954274640773982
X-Google-Thread: 108122,f187648a3fb4aeed,start
X-Google-Thread: 108228,f187648a3fb4aeed,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 15 Aug 2006 14:45:11 -0500
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.swap

Subject: FS Fixed price: Heil Sound Shock Mount SM-1 made by Audio-tech AT8410A
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Tue, 15 Aug 2006 19:45:08 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <vvOdnfY_P8rauX_ZnZ2dnUVZ_vadnZ2d@centurytel.net>
Lines: 2
NNTP-Posting-Host: 72.160.70.246
X-Trace: sv3-nORHC2zsGjXrwvGT8Gii+pa8dGNB5n79dw5TkaHUBPvXMOxYmJocXWxlIQdtkUUgE9upxfUzZs/v/aJ!/vnfra2PCVftIVlNhSKyShwAOVBe5wMZM1tGNoRvFnlaH3C8Eu7Z7XbABCKpcMxw0pSg+LqnEcMM!DRMkGTqE0nAOnUTWw+PKuzXK4ynYA4iYP42B
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5728 alt.ham-radio.marketplace:1185

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130017444459
Heil Sound Shock Mount SM-1 made by Audio-tech AT8410A

From -1278333045531475669
X-Google-Thread: 108122,6334a4417b6193ff,start
X-Google-Thread: 107ada,6334a4417b6193ff,start
X-Google-Thread: 10bf43,6334a4417b6193ff,start
X-Google-Thread: 106d41,6334a4417b6193ff,start
X-Google-Thread: 114aac,6334a4417b6193ff,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!spool-big1.readnews.com!diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "Son of Biggus Dickus II" <34cockasimian@apeshallnotfunkape.com>
From: "Son of Biggus Dickus II" <43cockasimian@apeshallnotfunkape.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.swap,rec.radio.cb,rec.radio.shortwave
Subject: El-Cheapo hamfest bum tries the Dell lottery
Date: Tue, 15 Aug 2006 16:34:24 -0400
Lines: 28
Organization: googles on my ass
MIME-Version: 1.0
Content-Type: text/plain;
    charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal

X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Message-ID: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc3b-209-204-89-202.sniparpa.net
X-Trace: 3f4f544e22fdc7469fc6f26915
Xref: g2news2.google.com rec.radio.amateur.equipment:5729
rec.radio.amateur.misc:18940 rec.radio.amateur.policy:37927 rec.radio.cb:15882
rec.radio.shortwave:49130

Ran into a certain well known cheap-assed ham radio bastard operator today. Everyone in the local clubs know him. He stinks, has greasy hair, bathes monthly (?) and is known to crash ham widow's estate sales the day after they plant the SK.   In short the guy is a true F-N low life pig. (...you prolly already know just whom I am speaking of eh...? grin) Drives a beat up old car with 10 antennas on it.

Today I caught this bastard ham stinkball rooting thru the battery recycle boxes at the local office supply store. He dug out two Dell laptop batteries and quickly shoved them into his dirty overalls pockets he was wearing. (The store is staffed by college age kids who don't give a s--t anyway so they let him clean out the recycle bins of batteries, toner cartridges, old cellphones and other similar stuff as it's less work for them.....good point I guess.)

Apparently this guy has already hit every recycle bin where ever he could get away with it, and is hoping to claim all these dead Dell batteries as his own on their recent Laptop Battery Recall Program that's been in the news of late. Then when he gets the replacement units he plans to re-sell them at a profit online. Talk about a cheap opportunistic scrounging bum! Only a smelly ex-hamfest bum who used to sell crap at hamfests and now scams people on e-Bay could think of something like this....

From 708007269330362980
X-Google-Thread: 108122,bcac11d521fc8ebe,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!newsfe12.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Dentron MT-3000A Antenna Tuner
Message-ID: <9rd4e2trd5gkftpf8r52a3k8k80drc5lfm@4ax.com>

X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimjnjefcbnkbapmdiallfjdfbijhjogphkajfcobocpeihfnehdb
jelnildpcdodphpknhpefjpjjmfcbmolekodcogjogldaaeojlggmcfeegpadp
NNTP-Posting-Date: Tue, 15 Aug 2006 14:07:23 MST
Organization: Optimum Online
Date: Tue, 15 Aug 2006 17:06:54 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5730

FS Dentron MT-3000A Antenna Tuner
Nice shape, the top cabinet was just repainted.
Works GREAT!
Price: 250.00
Email for pictures.
ritchi50@optonline.net

From 6207883854974977885
X-Google-Thread: 108122,fa1abc25f33fc86a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: TRADE KENWOOD TS 950SD DIGITAL RADIO   NICE!!!
Message-ID: <fhe4e2lp421klc9dimv4eivrjnfoqep428@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
akgkhakholpmeiieijjdnojopddcmjimmgmcakfaekhiiijcllfjdfbijhjogphkajfcobocpeihfnehdb
jelnildpcdodphpknhpefjpjjmfcbmlljfidigehoemihjbpincjkllopekodc
NNTP-Posting-Date: Tue, 15 Aug 2006 14:19:24 MST
Organization: Optimum Online
Date: Tue, 15 Aug 2006 17:18:54 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5731

KENWOOD TS 950SD DIGITAL RADIO   NICE!!!
Works and looks GREAT!!! No dings/scratches, Just a beauty!!
Comes with Heil hand microphone,manual,original boxes.

This model came with the digital unit and all filters installed when
made... Works perfect
Serial # 10591672
Let me know what you have to trade.
ritchi50@optonline.net

```
From -7360554224851318496
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!123.NET-a2dgdNsfNH65I!not-for-mail
From: helmsman <helmsman@royaloak.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
Date: Tue, 15 Aug 2006 17:25:17 -0400
Message-ID: <nse4e2ppstuh6loc425ii8ugrk3gq801f9@4ax.com>
References: <313030303138393544DF0BDF27@deryck.com>
<ve6ud291et4087to1ma7spufuvk1n4u809@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 38
X-Trace: a905544e23bbe7d4fdb1204216
Xref: g2news2.google.com rec.radio.amateur.equipment:5732
```

On Sun, 13 Aug 2006 08:25:25 -0400, helmsman <helmsman@royaloak.net>
wrote:

```
>On Sun, 13 Aug 2006 11:24:15 +0100, deryck  lant <deryck@deryck.com>
>wrote:
>
>>I heard a rumour on the air that Kenwood is quitting Ham Radio.
>>Can that be possible true? The TS-480 was truly excellent and
>>the TS-2000 really an innovation.
>>
>>Would be a sad loss.
>>
>>Deryck G0KOR
>
>I still use a TS-450-sat and love it. I also sent them an e-mail. We
>shall see.
>KG8PM
```

This pertains to the RUMOR that has been circulating for the last 7
years about Kenwood getting out of the amateur radio business.

Kenwood is fully committed to amateur radio and we have no plans at this time of closing our amateur division. Kenwood continues to design and manufacture amateur radio for our customers. Though the market has some what slowed down a little, we continue to put 100% of our time, effort and engineering skills in our amateur division and we look forward to the continued support of these products.

Some how there's been a rumor circulating in the amateur world of Kenwood getting out of the business. For your information, this is NOT true at all, please pass it along to anyone who has made mention of such rumor or comment.

```
From 7093402981852891485
X-Google-Thread: 108122,5fe44a140efd5e0b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!pln-e!spln!rex!
extra.newsguy.com!newsp.newsguy.com!enews4
From: "Eric Swartz - WA6HHQ, Elecraft" <eric@elecraft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New Picture Gallery Additions on Elecraft Site
Date: Tue, 15 Aug 2006 14:33:35 -0700
Organization: Elecraft
Lines: 24
Message-ID: <ebteau02vfh@enews4.newsguy.com>
NNTP-Posting-Host: p-231.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 1.5.0.5 (Windows/20060719)
Xref: g2news2.google.com rec.radio.amateur.equipment:5733
```

We have just updated our Elecraft Picture Gallery with a super group of new customer pictures.

The pictures include custom machined paddles for the KX1 by WB9LPU, homebrew SO2R control boxes, SOTA mountain toping, FYBO KX1 Pics and K2 based DXpeditions to VK9X, VK9C, St. Martin, Key West, 8R1 and a host of other locations. Also check out our two featured pictures, including one of the newly discovered 'Cafe K2' in Sweeden. :-)

They reached via the 'Picture Gallery' link on the upper right side of the main page at http://www.elecraft.com

Special thanks to picture submitters: DL2KCD, DF4KV, DL3KMS, DL3ALX, DL7KCM, DL8BAG, SM7KJH, WB9LPU, DL1JET, K1EV, 6Y5/KN5G, 8R1ZUM (K7ZUM), DG2KAL, OE3ZK, DG8KAD (and bird), KD0RC, DL7JF, F5VJC (GM3SKN), KF6C, K1JD, KI4DGH, KT5X , K7TQ, KA3IXF, HB9AFI, N6IZ, N8XE, NY9H, PA3VBT, T32QS (N6TQS), W1TF, W6IZT, WA5KPA, WA7CS, SM5CBC, WH7N, W0YG (VK9CG, VK9XG) and DL2DE.

Great stuff guys! Thanks again for sending these pictures in to us.

73, Eric   WA6HHQ
http://www.elecraft.com
Hands On Ham Radio

From -8488717490843611556
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 106d41,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!atl-c05.usenetserver.com!news.usenetserver.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.swap,rec.radio.cb,rec.radio.shortwave
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
Date: Tue, 15 Aug 2006 22:00:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 17
Message-ID: <slrnee4gp0.9qh.gsm@cable.mendelson.com>
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: cbl217-132-225-247.bb.netvision.net.il
X-Trace: marvin.misty.com 1155679203 29352 217.132.225.247 (15 Aug 2006 22:00:03 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 15 Aug 2006 22:00:03 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:5734 rec.radio.amateur.misc:18947 rec.radio.amateur.policy:37947 rec.radio.cb:15888 rec.radio.shortwave:49140

Son of Biggus Dickus II wrote:
> Today I caught this bastard ham stinkball rooting thru the
> battery recycle boxes at the local office supply store.
> He dug out two Dell laptop batteries and quickly shoved them
> into his dirty overalls pockets he was wearing.

I don't know about any Dell recall, but I routinely go through the recycled battery boxes when I see them. I often get NimH batteries which after being reconditioned (discharged/recharged) a few times are perfectly good.

Geoff.

```
--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
IL Voice: (07)-7424-1667  Fax ONLY: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/
```

```
From 2777470049117063386
X-Google-Thread: 108228,e63a045de7762a89,start
X-Google-Thread: 108122,e63a045de7762a89,start
X-Google-Thread: 1109af,e63a045de7762a89,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read08.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: HT1250 ls Plus UHF - Auction Ending 3 hrs
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0013_01C6C080.D2919160"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <x%rEg.16899$RD.2936@fed1read08>
Date: Tue, 15 Aug 2006 15:38:14 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1155681373 68.104.78.240 (Tue, 15 Aug 2006 18:36:13 EDT)
NNTP-Posting-Date: Tue, 15 Aug 2006 18:36:13 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1186
rec.radio.amateur.equipment:5735 rec.radio.swap:6209
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0013_01C6C080.D2919160
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: HT1250 ls Plus UHF - Auction Ending

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250015635197&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

```
------=_NextPart_000_0013_01C6C080.D2919160
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: HT1250 ls Plus UHF - Auction Ending</P>
<P>&nbsp;</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250015635197&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250015635197&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0013_01C6C080.D2919160--



From -4694733016070282568
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 106d41,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: "Rayburn" <rayburnsweet@alltel.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.shortwave
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
Date: Tue, 15 Aug 2006 18:38:03 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <95c54$44e24ccb$8b371664$8776@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
```

Lines: 33
X-Trace: 95c5444e24ccb2e92b3c108776
Xref: g2news2.google.com rec.radio.amateur.equipment:5736
rec.radio.amateur.misc:18950 rec.radio.amateur.policy:37950 rec.radio.cb:15889
rec.radio.shortwave:49145

So your " LITTLE DICKUS II" right?
"Son of Biggus Dickus II" <43cockasimian@apeshallnotfunkape.com> wrote in
message news:3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com...
> Ran into a certain well known cheap-assed ham
> radio bastard operator today. Everyone in the local
> clubs know him. He stinks, has greasy hair, bathes
> monthly (?) and is known to crash ham widow's estate
> sales the day after they plant the SK.   In short the guy
> is a true F-N low life pig. (...you prolly already know
> just whom I am speaking of eh...? grin) Drives a beat
> up old car with 10 antennas on it.
>
> Today I caught this bastard ham stinkball rooting thru the
> battery recycle boxes at the local office supply store.
> He dug out two Dell laptop batteries and quickly shoved them
> into his dirty overalls pockets he was wearing. (The store is
> staffed by college age kids who don't give a s--t anyway
> so they let him clean out the recycle bins of
> batteries, toner cartridges, old cellphones and other similar
> stuff as it's less work for them.....good point I guess.)
>
> Apparently this guy has already hit every recycle bin where ever
> he could get away with it, and is hoping to claim all these dead
> Dell batteries as his own on their recent Laptop Battery Recall Program
> that's been in the news of late. Then when he gets the replacement units
> he plans to re-sell them at a profit online. Talk about a cheap
> opportunistic
> scrounging bum! Only a smelly ex-hamfest bum who used to sell crap at
> hamfests
> and now scams people on e-Bay could think of something like this....
>

From -1000708378272430635
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 106d41,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!
216.168.1.163.MISMATCH!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "myxl55" <myxl55@hotmail.com>

Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.shortwave
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
Date: Tue, 15 Aug 2006 17:39:10 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12e4j8ohljd4444@corp.supernews.com>
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news2.google.com rec.radio.amateur.equipment:5737
rec.radio.amateur.misc:18951 rec.radio.amateur.policy:37951 rec.radio.cb:15890
rec.radio.shortwave:49146

Don't know about this specific guy, but I do agree many hams need to take a
bath, or at least use some deodorant, before they attend hamfests...

"Son of Biggus Dickus II" <43cockasimian@apeshallnotfunkape.com> wrote in
message news:3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com...

> Ran into a certain well known cheap-assed ham
> radio bastard operator today. Everyone in the local
> clubs know him. He stinks, has greasy hair, bathes
> monthly (?)

From 2272139774448744926
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7tw3no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.150.52.44
From: Paul Hinman <paul.hinman@shaw.ca>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada

```
References: <aLfEg.400583$Mn5.137675@pd7tw3no> <ebs90v$j90$1@news2.kornet.net>
<slrnee3d6g.dmj.gsm@cable.mendelson.com>
In-Reply-To: <slrnee3d6g.dmj.gsm@cable.mendelson.com>
Content-Type: multipart/alternative;
 boundary="------------000201060503060402000008"
Lines: 160
Message-ID: <v5sEg.404571$Mn5.160849@pd7tw3no>
Date: Tue, 15 Aug 2006 22:42:35 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw3no 1155681755 24.70.95.207 (Tue, 15 Aug 2006 16:42:35 MDT)
NNTP-Posting-Date: Tue, 15 Aug 2006 16:42:35 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:16490
rec.radio.amateur.boatanchors:5049 rec.radio.amateur.homebrew:6486
rec.radio.amateur.equipment:5738

This is a multi-part message in MIME format.
--------------000201060503060402000008
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Geoffrey S. Mendelson wrote:

>Brenda Ann wrote:
>
>
>>Don't feel too bad, Paul. You'll often notice in the same listings that
>>(even if they ship solely by USPS) they will not ship to US military APO/FPO
>>addresses, either. We get left out in the cold even more often than any of
>>the above named locations. So much for supporting the troops as it were.--
>>
>>
>
>That's because shipping to an an APO/FPO is no longer a service provided
>by the U.S. government. At one time mail to an APO/FPO was delivered to
>a U.S. millitary post office that then shipped it using U.S. milltary
>transport, There was a good chance that the mail would actually arrive
>and it would be undamaged. Now APO/FPO mail is sent via the regular
>postal system, but the U.S. government picks up the tab.
>
>Now, the chance of the mail arriving is much less as it stands out.
>
>As for Paul's comments, they really don't hold any water. Small sellers
>don't ship outside the continental U.S. because they don't want the risk.
>
>If an item is lost, stolen, damaged, or takes a month or two to get delivered,
>they can't afford to replace it, or "eat" the loss. Paul even has more problems
>because Canadian customs may hold an item to determine its value, or if it
>can be legally imported as long as they wish. They can also assess the
>value for sales and other taxes.
>
>Obviously he never has had any experience clearing an item through customs.
```

```
>If he had he would have praised the low fees, speedy processing and general
>reliablity of the courier services.
>
>Considering the general quality of things sold on eBay, the sellers are
>actually doing you a favor. While many of the sellers will attempt to
>keep you satisfied, if you have to wait a month for something to arrive
>and in Paul's case pay GST (general sales tax), import duty and customs
>clearing fees, then have to send it back, he would loose a lot.
>
>Besides paying for shipping both ways, he would have to pay customs clearing
>fees at the U.S. border and prove that the item he is sending back was
>actually being returned to the U.S. as a defective purchase and not scamming
>the customs people by claiming it was.
>
>This means that some items both of you either have to keep or pay for
>and never get no matter what it costs. Where do you draw the line?
>$100, $200, $500? If it costs $100 to ship a radio to you  and $100 to
>send it back, it does not make much sense.
>
>
>Geoff.
>
>
>
I recently recieved three packages, one from the US via FEDEX GROUND,
another from the US via USPS, and another from Canada via Canada Post.
They all arrived in less than a week, and I paid no customs.  There are
no customs duties for ham radio equipment.

Paul

--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk




--------------000201060503060402000008
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Geoffrey S. Mendelson wrote:<br>
<blockquote cite="midslrnee3d6g.dmj.gsm@cable.mendelson.com" type="cite">
  <pre wrap="">Brenda Ann wrote:
```

```
  </pre>
  <blockquote type="cite">
    <pre wrap="">Don't feel too bad, Paul. You'll often notice in the same
listings that
(even if they ship solely by USPS) they will not ship to US military APO/FPO
addresses, either. We get left out in the cold even more often than any of
the above named locations. So much for supporting the troops as it were.--
    </pre>
  </blockquote>
  <pre wrap=""><!---->
That's because shipping to an an APO/FPO is no longer a service provided
by the U.S. government. At one time mail to an APO/FPO was delivered to
a U.S. millitary post office that then shipped it using U.S. milltary
transport, There was a good chance that the mail would actually arrive
and it would be undamaged. Now APO/FPO mail is sent via the regular
postal system, but the U.S. government picks up the tab.

Now, the chance of the mail arriving is much less as it stands out.

As for Paul's comments, they really don't hold any water. Small sellers
don't ship outside the continental U.S. because they don't want the risk.

If an item is lost, stolen, damaged, or takes a month or two to get delivered,
they can't afford to replace it, or "eat" the loss. Paul even has more problems
because Canadian customs may hold an item to determine its value, or if it
can be legally imported as long as they wish. They can also assess the
value for sales and other taxes.

Obviously he never has had any experience clearing an item through customs.
If he had he would have praised the low fees, speedy processing and general
reliablity of the courier services.

Considering the general quality of things sold on eBay, the sellers are
actually doing you a favor. While many of the sellers will attempt to
keep you satisfied, if you have to wait a month for something to arrive
and in Paul's case pay GST (general sales tax), import duty and customs
clearing fees, then have to send it back, he would loose a lot.

Besides paying for shipping both ways, he would have to pay customs clearing
fees at the U.S. border and prove that the item he is sending back was
actually being returned to the U.S. as a defective purchase and not scamming
the customs people by claiming it was.

This means that some items both of you either have to keep or pay for
and never get no matter what it costs. Where do you draw the line?
$100, $200, $500? If it costs $100 to ship a radio to you  and $100 to
send it back, it does not make much sense.


Geoff.

  </pre>
</blockquote>
```

```
<font size="+1"><font face="Comic Sans MS">I recently recieved three
packages, one from the US via FEDEX GROUND, another from the US via
USPS, and another from Canada via Canada Post.&nbsp;&nbsp; They all arrived in
less than a week, and I paid no customs.&nbsp; There are no customs duties
for ham radio equipment.<br>
<br>
Paul<br>
</font></font><br>
<pre class="moz-signature" cols="72">--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk

</pre>
</body>
</html>

--------------000201060503060402000008--



From -3198572463238201809
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
From: Slow Code <my.mail@no.spam>
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 36
Message-ID: <DAsEg.8311$xp2.8244@newsread1.news.pas.earthlink.net>
Date: Tue, 15 Aug 2006 23:15:47 GMT
NNTP-Posting-Host: 4.228.255.156
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1155683747 4.228.255.156 (Tue, 15 Aug
2006 16:15:47 PDT)
NNTP-Posting-Date: Tue, 15 Aug 2006 16:15:47 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5739
rec.radio.amateur.misc:18952 rec.radio.amateur.policy:37953
rec.radio.shortwave:49160

"Son of Biggus Dickus II" <43cockasimian@apeshallnotfunkape.com> wrote in
news:3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com:
```

> Ran into a certain well known cheap-assed ham
> radio bastard operator today. Everyone in the local
> clubs know him. He stinks, has greasy hair, bathes
> monthly (?) and is known to crash ham widow's estate
> sales the day after they plant the SK.   In short the guy
> is a true F-N low life pig. (...you prolly already know
> just whom I am speaking of eh...? grin) Drives a beat
> up old car with 10 antennas on it.
>
> Today I caught this bastard ham stinkball rooting thru the
> battery recycle boxes at the local office supply store.
> He dug out two Dell laptop batteries and quickly shoved them
> into his dirty overalls pockets he was wearing. (The store is
> staffed by college age kids who don't give a s--t anyway
> so they let him clean out the recycle bins of
> batteries, toner cartridges, old cellphones and other similar
> stuff as it's less work for them.....good point I guess.)
>
> Apparently this guy has already hit every recycle bin where ever
> he could get away with it, and is hoping to claim all these dead
> Dell batteries as his own on their recent Laptop Battery Recall Program
> that's been in the news of late. Then when he gets the replacement
> units he plans to re-sell them at a profit online. Talk about a cheap
> opportunistic
> scrounging bum! Only a smelly ex-hamfest bum who used to sell crap at
> hamfests
> and now scams people on e-Bay could think of something like this....

I bet it sucks when he beats you to the dumpster.

SC

From 4686050356284432645
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
Date: 15 Aug 2006 23:22:56 GMT
Organization: The National Capital FreeNet
Lines: 53
Message-ID: <ebtl0g$hv0$1@theodyn.ncf.ca>
References: <313030303138393544DF0BDF27@deryck.com>
<ve6ud291et4087to1ma7spufuvk1n4u809@4ax.com>
<nse4e2ppstuh6loc425ii8ugrk3gq801f9@4ax.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)

```
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1155684176 18400 134.117.136.48 (15 Aug 2006 23:22:56 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 15 Aug 2006 23:22:56 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5740

helmsman (helmsman@royaloak.net) writes:
> On Sun, 13 Aug 2006 08:25:25 -0400, helmsman <helmsman@royaloak.net>
> wrote:
>
>>On Sun, 13 Aug 2006 11:24:15 +0100, deryck  lant <deryck@deryck.com>
>>wrote:
>>
>>>I heard a rumour on the air that Kenwood is quitting Ham Radio.
>>>Can that be possible true? The TS-480 was truly excellent and
>>>the TS-2000 really an innovation.
>>>
>>>Would be a sad loss.
>>>
>>>Deryck G0KOR
>>
>>I still use a TS-450-sat and love it. I also sent them an e-mail. We
>>shall see.
>>KG8PM
>
> This pertains to the RUMOR that has been circulating for the last 7
> years about Kenwood getting out of the amateur radio business.
>
>
> Kenwood is fully committed to amateur radio and we have no plans at
> this
> time of closing our amateur division. Kenwood continues to design and
> manufacture amateur radio for our customers. Though the market has
> some
> what slowed down a little, we continue to put 100% of our time, effort
> and engineering skills in our amateur division and we look forward to
> the continued support of these products.
>
>
> Some how there's been a rumor circulating in the amateur world of
> Kenwood getting out of the business. For your information, this is NOT
> true at all, please pass it along to anyone who has made mention of
> such rumor or comment.
>
>

Of course the original post was "I heard there was a rumor" which means
just about anything (or nothing at all).

But, given that people are buying into it, it makes sense to counter
with more authority.

It's not clear whether you are posting as Kenwood (in which case
```

it would make a lot of sense to indicate that), or relaying something you got by email or on their website (in which case you really ought to indicate where it came from).

Michael VE2BVW

```
From -2385933444862290070
X-Google-Thread: 108122,5fe44a140efd5e0b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44E25867.3040906@fuse.net>
Date: Tue, 15 Aug 2006 19:27:35 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New Picture Gallery Additions on Elecraft Site
References: <ebteau02vfh@enews4.newsguy.com>
In-Reply-To: <ebteau02vfh@enews4.newsguy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 17
X-Trace: 383ab44e258dae098318611301
Xref: g2news2.google.com rec.radio.amateur.equipment:5741
```

>
> Great stuff guys! Thanks again for sending these pictures in to us.
>
> 73, Eric   WA6HHQ
> http://www.elecraft.com
> Hands On Ham Radio

Eric,

Very nice stuff! I was wondering when you were gonna update that part of your website!

Elecraft is what got me back into ham radio.

John
AB8O

From -1286510072416834796

```
X-Google-Thread: 108122,afe5ccf5ecee7e6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.wideopenwest.com!
news.wideopenwest.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 15 Aug 2006 18:57:49 -0500
From: "Mike" <mcotts@wideopenwest.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need info on Wyman Tridon 2000 ATV Transcriver
Date: Tue, 15 Aug 2006 19:57:51 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <GZ-dnYJjoJjgwn_ZnZ2dnUVZ_tKdnZ2d@wideopenwest.com>
Lines: 11
NNTP-Posting-Host: 67.149.251.181
X-Trace: sv3-V8zfQZBEFbCLU2ezqRHhNBDn0/5l//Xa/
b3fTkC5txBqV2vxW0CZUuErAPGpE3CehmrqYhvLIu451Px!H2eEjllsx6gvWFD/
eg8cBM9jEq1HdtpAa2iB76RU9AfRUaiBXwPq18LSBhmEu/jnAtG8NZnyrKqi!
VgTKljcBx0JNcM0wSMKg0WGbsKQX3/xzQFaJQ5iE2W2y
X-Complaints-To: abuse@wideopenwest.com
X-DMCA-Complaints-To: abuse@wideopenwest.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5742
```

Thought I would give it another try. Left message with people that were passed on to me with no luck.

I am looking for a service/schematic or owner manual for Wyman Tridon 2000 ATV Transceiver.

It is a Wyman Research Inc. Tridon 2000.

Any help please

```
From -5428290685216381712
X-Google-Thread: fcc6e,affe4b11d97d275d
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-
sjc-02!sn-xt-sjc-09!sn-post-sjc-02!sn-post-sjc-01!supernews.com!
```

```
corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Tue, 15 Aug 2006 14:16:31 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0608151414090.10409@malasada.lava.net>
In-Reply-To: <aLfEg.400583$Mn5.137675@pd7tw3no>
References: <aLfEg.400583$Mn5.137675@pd7tw3no>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 38
Xref: g2news2.google.com rec.radio.amateur.antenna:16502
rec.radio.amateur.boatanchors:5052 rec.radio.amateur.homebrew:6489
rec.radio.amateur.equipment:5743


On Tue, 15 Aug 2006, Paul Hinman wrote:

> I frequently see postings in the ham radio related newsgroups for items
> currently being offered on E-Bay.
>
> All to often I that items will be shipped only to the lower 48 states,
> leaving hams in Hawaii, Alaska, and Canada out of the picture.  What is the
> problem.  In Canada we are well served by FEDEX and the United States Postal
> Service.  Amateur radio equipment crosses the border with out any problem.  I
> realize that Hawaii and Alaska may be a bit far from the  "lower 48" but the
> same delivery services are available even though surface transportation may
> be a little bit slow.  In the US you also have UPS, the folks in Brown which
> we Canadians prefer not to use because the often make the border crossing
> more difficult than it needs to be and we don't like getting stuck with
> brokerage fees.
>
> So why the discrimination, if the buyer knows that delivery may take a little
> longer and is prepared to accept the fact then it becomes a non problem.  If
> the seller is intimidated by the prospect of complicated paperwork, he
> needn't be.  Please leave it up to the buyer to decide whether he wants to
> bib or not.
>
> I can not speak for shipments to Europe, Africa, India, China, or the South
> Pacific but for fellow Americans, or friendly northern neighbours, I think
> that people should be prepared to deal with us.
>
> Thanx for letting get this off my chest and I realize that I have cross
> posted this to four different newsgroups but I wanted to get to a broad
> audience.
>
> Paul
>
My sentiments exactly Paul.   Its ridiculous we either are part of
```

```
the USA or we are'nt.   Those catalogs that say "extra chipping
costs to Hawaii/Pr/Alaska etc I give them the deep six.
                                 Joe




From 5002025260810062445
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!gail.ripco.com!
newspeer.tds.net!216.170.153.140.MISMATCH!newsreading01.news.tds.net!53ab2750!not-
for-mail
From: "John, N9JG" <John@Xremove.meYgotwals.com>
Newsgroups: rec.radio.amateur.equipment
References: <313030303138393544DF0BDF27@deryck.com>
<ve6ud291et4087to1ma7spufuvk1n4u809@4ax.com>
<nse4e2ppstuh6loc425ii8ugrk3gq801f9@4ax.com> <ebtl0g$hv0$1@theodyn.ncf.ca>
Subject: Re: Kenwood quitting Ham Radio?
Lines: 59
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <EhvEg.133$Ds7.62@newsreading01.news.tds.net>
Date: Wed, 16 Aug 2006 02:20:20 GMT
NNTP-Posting-Host: 69.130.132.63
X-Complaints-To: news@tds.net
X-Trace: newsreading01.news.tds.net 1155694820 69.130.132.63 (Tue, 15 Aug 2006
21:20:20 CDT)
NNTP-Posting-Date: Tue, 15 Aug 2006 21:20:20 CDT
Organization: tds.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5744

It's called "Whistling past the graveyard."

"Michael Black" <et472@FreeNet.Carleton.CA> wrote in message
news:ebtl0g$hv0$1@theodyn.ncf.ca...
> helmsman (helmsman@royaloak.net) writes:
>> On Sun, 13 Aug 2006 08:25:25 -0400, helmsman <helmsman@royaloak.net>
>> wrote:
>>
>>>On Sun, 13 Aug 2006 11:24:15 +0100, deryck  lant <deryck@deryck.com>
>>>wrote:
>>>
>>>>I heard a rumour on the air that Kenwood is quitting Ham Radio.
>>>>Can that be possible true? The TS-480 was truly excellent and
>>>>the TS-2000 really an innovation.
>>>>
>>>>Would be a sad loss.
>>>>
>>>>Deryck G0KOR
```

>>>
>>>I still use a TS-450-sat and love it. I also sent them an e-mail. We
>>>shall see.
>>>KG8PM
>>
>> This pertains to the RUMOR that has been circulating for the last 7
>> years about Kenwood getting out of the amateur radio business.
>>
>>
>> Kenwood is fully committed to amateur radio and we have no plans at
>> this
>> time of closing our amateur division. Kenwood continues to design and
>> manufacture amateur radio for our customers. Though the market has
>> some
>> what slowed down a little, we continue to put 100% of our time, effort
>> and engineering skills in our amateur division and we look forward to
>> the continued support of these products.
>>
>>
>> Some how there's been a rumor circulating in the amateur world of
>> Kenwood getting out of the business. For your information, this is NOT
>> true at all, please pass it along to anyone who has made mention of
>> such rumor or comment.
>>
>>
>
> Of course the original post was "I heard there was a rumor" which means
> just about anything (or nothing at all).
>
> But, given that people are buying into it, it makes sense to counter
> with more authority.
>
> It's not clear whether you are posting as Kenwood (in which case
> it would make a lot of sense to indicate that), or relaying something
> you got by email or on their website (in which case you really ought
> to indicate where it came from).
>
> Michael VE2BVW
>

From -5573655533774003955
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 106d41,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!

```
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr29.news.prodigy.net.POSTED!1133983c!not-for-
mail
From: "EchoBlip" <EB@ruckmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.shortwave
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <ruvEg.7533$%j7.4248@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 70.239.25.41
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1155695639 ST000 70.239.25.41 (Tue, 15 Aug
2006 22:33:59 EDT)
NNTP-Posting-Date: Tue, 15 Aug 2006 22:33:59 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
O@Z_RYWDAJVWC[H]]RKB_UDAZZ\DPCPDLXUNNHXIJYWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Wed, 16 Aug 2006 02:33:59 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5745
rec.radio.amateur.misc:18971 rec.radio.amateur.policy:38009 rec.radio.cb:15911
rec.radio.shortwave:49198

I think there is one of these guys in every large ham population.


"Son of Biggus Dickus II" <43cockasimian@apeshallnotfunkape.com> wrote in
message news:3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com...
> Ran into a certain well known cheap-assed ham
> radio bastard operator today. Everyone in the local
> clubs know him. He stinks, has greasy hair, bathes
> monthly (?) and is known to crash ham widow's estate
> sales the day after they plant the SK.   In short the guy
> is a true F-N low life pig. (...you prolly already know
> just whom I am speaking of eh...?  grin)  Drives a beat
> up old car with 10 antennas on it.
>
of something like this....
>




From 4956112084909662674
X-Google-Thread: fcc6e,affe4b11d97d275d
```

```
X-Google-Thread: fc8b1,affe4b11d97d275d
X-Google-Thread: fc2a5,affe4b11d97d275d
X-Google-Thread: 108122,affe4b11d97d275d
X-Google-Attributes: gidfcc6e,gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-11!sn-xt-sjc-08!sn-post-
sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew
,rec.radio.amateur.equipment
Subject: Re: What is wrong with Hawaii, Alaska, and Canada
Date: Tue, 15 Aug 2006 22:12:09 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12e538b8vm4e61e@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <aLfEg.400583$Mn5.137675@pd7tw3no><ebs90v$j90$1@news2.kornet.net>
<slrnee3d6g.dmj.gsm@cable.mendelson.com>
<Xns98205595D4674doldridgsprintca@64.59.135.159>
<1155669032.050001.312410@h48g2000cwc.googlegroups.com>
In-Reply-To: <1155669032.050001.312410@h48g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 37
Xref: g2news2.google.com rec.radio.amateur.antenna:16509
rec.radio.amateur.boatanchors:5056 rec.radio.amateur.homebrew:6490
rec.radio.amateur.equipment:5746

k8vf_mark@centurytel.net wrote:
>  >
>
>>The only possible problem is loss or damage.  USPS air delivers in a few
>>days and for a reasonable border fee, most of which is sales tax at this
>
>
>
> The issue is cost, I believe.
>
> For some reason sellers dont want to pay the cost to the last two
> states, EVEN IF THE BUYER IS FRONTING THE FEES> DOnt know why.
>
> I have shipped to Hawaii several times with no issues at all other than
> time.
>
> I have had no problems with Canada, other than time.  Sometimes it
> takes an inordinate amount of time . But you can accept that if BOTH
> parties are good communicators.
>
```

> Keep in touch with your seller or buyer, dont just fail to respond. It
> makes them nervous, folks.
>
> Mark
> K8VF
> Michigan
>

Several years ago I had a pack and ship business. one of my customers had a VCR he wanted mailed to his son some where in Alaska. The post office used a contract air carrier to deliver the mail to the island where the son lived. As the package with the VCR was being off loaded from the seaplane it was dropped overboard. It took over a month to receive payment from the USPS (he did insure the package).

Dave WD9BDZ

```
From -5280469727133576909
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 106d41,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!spool-
big1.readnews.com!diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "Son of Biggus Dickus II" <34cockasimian@apeshallnotfunkape.com>
From: "Son of Biggus Dickus II" <43cockasimian@apeshallnotfunkape.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.shortwave
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
<95c54$44e24ccb$8b371664$8776@ALLTEL.NET>
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
Date: Tue, 15 Aug 2006 23:27:32 -0400
Lines: 9
Organization: googles on my ass
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Message-ID: <ba2b1$44e2909c$d1cc4504$30814@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc8b-209-204-69-4.sniparpa.net
```

X-Trace: ba2b144e2909c7469e0a130814
Xref: g2news2.google.com rec.radio.amateur.equipment:5747
rec.radio.amateur.misc:18974 rec.radio.amateur.policy:38028 rec.radio.cb:15928
rec.radio.shortwave:49218

"Rayburn" <rayburnsweet@alltel.net> wrote in message
news:95c54$44e24ccb$8b371664$8776@ALLTEL.NET...
> So your " LITTLE DICKUS II" right?

Hey...! It ain't how LONG yer hook is, jus HOW you wiggle yer worm!

(grin)   Someone buy that man a beer!

From -4796360912120304000
X-Google-Thread: 108122,6334a4417b6193ff
X-Google-Thread: 107ada,6334a4417b6193ff
X-Google-Thread: 10bf43,6334a4417b6193ff
X-Google-Thread: 106d41,6334a4417b6193ff
X-Google-Thread: 114aac,6334a4417b6193ff
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!newsfeed.freenet.de!
border2.nntp.ams.giganews.com!nntp.giganews.com!sn-xt-ams-06!sn-xt-ams-04!sn-ams!
sn-feed-ams-02!sn-ams!sn-feed-ams-01!sn-post-ams-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.swap,rec.radio.cb,rec.radio.shortwave
Subject: Re: El-Cheapo hamfest bum tries the Dell lottery
Date: Tue, 15 Aug 2006 22:27:58 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12e545vmhvp0jd0@corp.supernews.com>
References: <3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news2.google.com rec.radio.amateur.equipment:5748
rec.radio.amateur.misc:18975 rec.radio.amateur.policy:38029 rec.radio.cb:15929
rec.radio.shortwave:49219

"Son of Biggus Dickus II" <43cockasimian@apeshallnotfunkape.com> wrote in
message news:3f4f5$44e22fdc$d1cc59ca$26915@snip.allthenewsgroups.com...
> Ran into a certain well known cheap-assed ham
> radio bastard operator today. Everyone in the local
> clubs know him. He stinks, has greasy hair, bathes

> monthly (?) and is known to crash ham widow's estate
> sales the day after they plant the SK.   In short the guy
> is a true F-N low life pig. (...you prolly already know
> just whom I am speaking of eh...? grin) Drives a beat
> up old car with 10 antennas on it.
>
> Today I caught this bastard ham stinkball rooting thru the
> battery recycle boxes at the local office supply store.
> He dug out two Dell laptop batteries and quickly shoved them
> into his dirty overalls pockets he was wearing. (The store is
> staffed by college age kids who don't give a s--t anyway
> so they let him clean out the recycle bins of
> batteries, toner cartridges, old cellphones and other similar
> stuff as it's less work for them.....good point I guess.)
>
> Apparently this guy has already hit every recycle bin where ever
> he could get away with it, and is hoping to claim all these dead
> Dell batteries as his own on their recent Laptop Battery Recall Program
> that's been in the news of late. Then when he gets the replacement units
> he plans to re-sell them at a profit online. Talk about a cheap
> opportunistic
> scrounging bum! Only a smelly ex-hamfest bum who used to sell crap at
> hamfests
> and now scams people on e-Bay could think of something like this....
>

Let me guess....hmmmm.....N8WWM comes to mind.

```
From 7281315083094724124
X-Google-Thread: 108122,3abcf8ad4a43b53c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
news.astraweb.com!router2.astraweb.com!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!62e3725b!not-for-mail
Reply-To: "Mike" <revellm@sbcglobal.net>
From: "Mike" <revellm@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  Tektronix P6013A High Voltage Probe
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <yxwEg.8306$1f6.8039@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 75.2.36.42
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1155699934 ST000 75.2.36.42 (Tue, 15 Aug 2006
23:45:34 EDT)
```

NNTP-Posting-Date: Tue, 15 Aug 2006 23:45:34 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@SNGPRSYBPXXCBCBNWX@RJ_XPDLMN@GZ_GYO^BTBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Wed, 16 Aug 2006 03:45:34 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5749

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:31&item=140019057931

Thanks for looking

From -7642920693335809723
X-Google-Thread: 108122,b0caed5f6c3a0788,start
X-Google-Thread: f55c2,b0caed5f6c3a0788,start
X-Google-Attributes: gid108122,gidf55c2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!1e49b9c4!not-for-mail
From: mike <spamme0@go.com>
Reply-To: spamme0@go.com
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.mods
Subject: Programming Yaesu FTH-7009??
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <kQPBg.5468$hj4.1623@trnddc03>
Date: Mon, 07 Aug 2006 23:15:28 GMT
NNTP-Posting-Host: 71.117.204.51
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1154992528 71.117.204.51 (Mon, 07 Aug 2006 19:15:28 EDT)
NNTP-Posting-Date: Mon, 07 Aug 2006 19:15:28 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5650 alt.ham-radio.mods:175

I need to reprogram a Yaesu FTH-7009 handheld.
Downloaded vertex.zip
Found several schematics for radio interfaces, but
they disagree on whether to invert the return data or not.
Tried both.
Microphone socket seems to be three-pin, with mic on tip, ground on
ring, ?? on shield. Tried several variations of hookup.
No joy. SW just sez "problem with connection".
Scope shows nothing on the line...yes, used digital storage, I didn't
miss it.

Of course, the websites are Russian. Pasting into a translator
didn't help.

Can someone supply the schematic for a working interface with
exact details on wiring of the radio plug and what, if anything,
has to be done on the computer side to make the rs232 port open?
thanks, mike

From 9012499198290072533
X-Google-Thread: 108122,1bf761908e88848f,start
X-Google-Thread: fc2a5,1bf761908e88848f,start
X-Google-Thread: 1109af,1bf761908e88848f,start
X-Google-Attributes: gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feed.cgocable.net!
read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Norm VE3CZI" <ve3czi@arrl.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: FS: Surplus Commercial Amateur Service Manuals
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <lwRBg.63490$Uy1.32881@read1.cgocable.net>
Date: Mon, 7 Aug 2006 21:10:38 -0400
NNTP-Posting-Host: 24.141.95.162
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1154999441 24.141.95.162 (Mon, 07 Aug 2006 21:10:41
EDT)
NNTP-Posting-Date: Mon, 07 Aug 2006 21:10:41 EDT
Organization: Cogeco Cable
Xref: g2news2.google.com rec.radio.amateur.equipment:5651
rec.radio.amateur.homebrew:6433 rec.radio.swap:5828

Have a quantity of Radio Communications Service Manuals, both Commercial &
Amateur that I have rescued from the Dumpster. Most ot them are in Like New
Condition.

Please check my site: www.rodemi.com for what is available. I am updating
the site as time allows.
I recently retired from the Commercial 2-way radio business and have a
"goal" to clean up the Garage & Basement.

Thanks for looking....Norm VE3CZI
Email me Directly: <insert Call Sign> at rac.ca....<call sign> is ve3czi

From 4385552349216371928
X-Google-Thread: 108122,ebdb4648c1fe3353
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44D80E3E.80801@fuse.net>
Date: Tue, 08 Aug 2006 00:08:30 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Legality of modifying a ham radio to transmit on commercial frequencies
References: <1154969497.639356.284120@m79g2000cwm.googlegroups.com>
In-Reply-To: <1154969497.639356.284120@m79g2000cwm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 40
X-Trace: 21a8544d80ea6e098318601798
Xref: g2news2.google.com rec.radio.amateur.equipment:5652

Alex wrote:

> Hello,
>
> I'm new to amateur radio, and there's a debate amoung some of my friends on whether it's legal to modify a ham radio to transmit on commercial and CB frequencies. I thought any radio that does transmit on these non-ham frequencies needs to have some type of FCC cerification, so modifying a ham radio to transmit on such non-ham frequencies would be illegal. However, some friends have told me it is legal to modify a ham radio to transmit on non-ham frequencies as long as you are authorized to use them and you transmit on those specific frequencies and on the allowed power.
>
> At my work we have been allocated to use specific frequencies which are commercial and not within the ham frequency range, and I thought it would be illegal to modify a handheld ham radio to transmit on these frequencies. Am I correct?
>
> If so, can someone point me to a website, whether on the FCC's site or ARRL's site or someplace else that shows this? Again, I assumed it was not legal to use a modified ham radio on such non-ham frequencies, but I've heard from others that it is. Just wanted to clear the air.
>

```
> Thanks --
>
> Alex
>
An interesting question.

I'm sure it's OK to modify commercial radios to transmit in the ham
bands. I do not think the reverse is true.

A good example is a ham modifying a 10 meter amplifier to use on
CB...this is certainly NOT legal.

An email to ARRL should verify this.  I recently got a very concise
answer to a question regarding antenna height and airports.

John
AB8WH


From -4208331458960304082
X-Google-Thread: 108122,ebdb4648c1fe3353
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Legality of modifying a ham radio to transmit on commercial
frequencies
Date: Mon, 7 Aug 2006 21:12:58 -0700
Message-ID: <MPG.1f41af2585d73c0b9896f3@news.drizzle.com>
References: <1154969497.639356.284120@m79g2000cwm.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 70
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5653

In article <1154969497.639356.284120@m79g2000cwm.googlegroups.com>,
samalex@gmail.com (known to some as Alex) scribed...

> Hello,
>
> I'm new to amateur radio, and there's a debate amoung some of my
> friends on whether it's legal to modify a ham radio to transmit on
> commercial and CB frequencies.  I thought any radio that does transmit
> on these non-ham frequencies needs to have some type of FCC
```

> cerification, so modifying a ham radio to transmit on such non-ham frequencies would be illegal. However, some friends have told me it is legal to modify a ham radio to transmit on non-ham frequencies as long as you are authorized to use them and you transmit on those specific frequencies and on the allowed power.

<snippety>

Actually, that latter part is NOT accurate. I speak as one who has been in the land/mobile radio service field for 10 years, and an active hamateur for 27.

In order to be 'legal' to transmit on commercial frequencies (those governed by FCC Part 90 regs), the rig involved must be 'type accepted' by the FCC. This means that its overall design is reviewed by the commission's engineers, and is certified to operate correctly under Part 90.

Among the other requirements of this part, it specifies that the radio involved cannot be easily reprogrammable by the user. This means that frequency programming via front panel keypad, for example, is a big no-no.

The one exemption I know of is that of modification to transmit on MARS or CAP frequencies. Since the requirements for the former are dictated by the military, and the latter by the CAP themselves, the FCC does not get directly involved.

So, in summary: Operation of a non-type accepted (read: amateur) transceiver on commercial frequencies is indeed illegal. However, operation of a commercial radio on amateur frequencies is perfectly legal, as long as one holds an appropriate amateur license.

Operation of an amateur radio on MARS or CAP frequencies is probably OK as long as you're authorized for such (as in being a MARS or CAP member), and your radio meets the technical standards of MARS or CAP. Someone from one of those organizations would be a better one to ask.

> If so, can someone point me to a website, whether on the FCC's site or ARRL's site or someplace else that shows this? Again, I assumed it was not legal to use a modified ham radio on such non-ham frequencies, but I've heard from others that it is. Just wanted to clear the air.

Of course. The section that you want is 90.203. Here's a link.

http://frwebgate.access.gpo.gov/cgi-bin/get-cfr.cgi?TITLE=47&PART=90&SECTION=203&YEAR=1998&TYPE=TEXT

Or, if that one screws up due to its length...

http://makeashorterlink.com/?P1425178D

Happy researching.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From 7844747608860283137
X-Google-Thread: fc2a5,8dbdc405a5a84183,start
X-Google-Thread: 113975,8dbdc405a5a84183,start
X-Google-Thread: fc8b1,8dbdc405a5a84183,start
X-Google-Thread: 108122,8dbdc405a5a84183,start
X-Google-Thread: 111d0a,8dbdc405a5a84183,start
X-Google-Attributes: gidfc2a5,gid113975,gidfc8b1,gid108122,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,sci.astro.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.basics
Subject: SolderSmoke 29: PC board boxes, Feynman video, Octopus 'scope aid, THE MOODY BLUES
Date: 7 Aug 2006 22:48:32 -0700
Organization: http://groups.google.com
Lines: 58
Message-ID: <1155016112.420939.39070@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 86.142.208.96
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155016118 20537 127.0.0.1 (8 Aug 2006 05:48:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 8 Aug 2006 05:48:38 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=86.142.208.96;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:6434 sci.astro.amateur:35580
rec.radio.amateur.boatanchors:4922 rec.radio.amateur.equipment:5654
sci.electronics.basics:22173

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

We've moved SolderSmoke to a new web site host (please
let us know what you think of the new host):

http://www.soldersmoke.com

Topics discussed in SolderSmoke #29:

-- A PC board box for Bill's FET final
-- Richard Feynman video clip
-- Mike's amazing Octopus oscilloscope aid
-- Another plea for graphics help (SS logo)
-- Overcoming podcast tech difficulties
-- FIRST EVER SolderSmoke EM wave poetry:
   from The Moody Blues
-- SolderSmoke Mailbag: Tony Fishpool and the GQRP club

Listen and download at: http://www.soldersmoke.com

Background:
Tired of listening to Led Zepplin or NPR on your I-Pod?   Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

NEW RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software. In order to subscribe to SolderSmoke, point your podcast software to:

http://www.soldersmoke.com/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.soldersmoke.com

That's the new the homepage for our show. All our programs are available there.

We hope you enjoy the program. Please send us feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

```
From 431329138022603996
X-Google-Thread: 108122,b0caed5f6c3a0788
X-Google-Thread: f55c2,b0caed5f6c3a0788
X-Google-Attributes: gid108122,gidf55c2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 08 Aug 2006 04:32:37 -0500
From: "Eddie G0EHV" <g0ehv@btinternet.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.mods
References: <kQPBg.5468$hj4.1623@trnddc03>
Subject: Re: Programming Yaesu FTH-7009??
Date: Tue, 8 Aug 2006 10:32:40 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <wcCdnQiILvSox0XZRVnyrw@bt.com>
Lines: 31
NNTP-Posting-Host: 81.159.75.128
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-rEeD3TcqXFYREhvanBsyiw+jxs6Ilm8lJVtAkQW3Ju2SVlQZP5zfVjnwk+ev5Mh/
m9EOxhUx60nSqPZ!yVz3E6QSl+xWHrPJo3Ttz1SVa1KlschDyiYVuOB0uGCkm9tFwxhGhlcaMTnkgw==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5655 alt.ham-radio.mods:176
```

"mike" <spamme0@go.com> wrote in message
news:kQPBg.5468$hj4.1623@trnddc03...

>I need to reprogram a Yaesu FTH-7009 handheld.
> Downloaded vertex.zip
> Found several schematics for radio interfaces, but
> they disagree on whether to invert the return data or not.
> Tried both.
> Microphone socket seems to be three-pin, with mic on tip, ground on ring,
> ?? on shield. Tried several variations of hookup.
> No joy. SW just sez "problem with connection".
> Scope shows nothing on the line...yes, used digital storage, I didn't miss
> it.
>
> Of course, the websites are Russian. Pasting into a translator
> didn't help.
>
> Can someone supply the schematic for a working interface with
> exact details on wiring of the radio plug and what, if anything,
> has to be done on the computer side to make the rs232 port open?

> thanks, mike

Mike,
I have a working interface and the vertex s/w works just fine.
Mic socket - I use a miniature 2 way, data on tip, ground on sleeve.
On computer I just use COM1, no set up required.
Mail me off list if you need any more info.
Regards,
Eddie

From 5292098769855436213
X-Google-Thread: 108122,39262b1d8793072e,start
X-Google-Thread: fc8b1,39262b1d8793072e,start
X-Google-Thread: 106d41,39262b1d8793072e,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: Johnson LP Filter(NEW), RF Power Xsistors, Commodore 64 Programs(NEW)
Date: 8 Aug 2006 08:08:20 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1155049700.162392.73330@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155049705 18868 127.0.0.1 (8 Aug 2006 15:08:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 8 Aug 2006 15:08:25 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5656 rec.radio.amateur.boatanchors:4926 rec.radio.cb:15391

Plus other good stuff with no bids, priced fair!
All here, tnx for looking>
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

From -8416089068685133032
X-Google-Thread: 108122,ebdb4648c1fe3353
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!1e49b9c4!not-for-mail
From: mike <spamme0@go.com>
Reply-To: spamme0@go.com
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Legality of modifying a ham radio to transmit on commercial frequencies
References: <1154969497.639356.284120@m79g2000cwm.googlegroups.com>
In-Reply-To: <1154969497.639356.284120@m79g2000cwm.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 30
Message-ID: <cg5Cg.10593$rd1.1454@trnddc01>
Date: Tue, 08 Aug 2006 19:05:44 GMT
NNTP-Posting-Host: 71.117.204.51
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1155063944 71.117.204.51 (Tue, 08 Aug 2006 15:05:44 EDT)
NNTP-Posting-Date: Tue, 08 Aug 2006 15:05:44 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5657

Alex wrote:
> Hello,
>
> I'm new to amateur radio, and there's a debate amoung some of my
> friends on whether it's legal to modify a ham radio to transmit on
> commercial and CB frequencies. I thought any radio that does transmit
> on these non-ham frequencies needs to have some type of FCC
> cerification, so modifying a ham radio to transmit on such non-ham
> frequencies would be illegal. However, some friends have told me it is
> legal to modify a ham radio to transmit on non-ham frequencies as long
> as you are authorized to use them and you transmit on those specific
> frequencies and on the allowed power.
>
> At my work we have been allocated to use specific frequencies which are
> commercial and not within the ham frequency range, and I thought it
> would be illegal to modify a handheld ham radio to transmit on these
> frequencies. Am I correct?
>
> If so, can someone point me to a website, whether on the FCC's site or
> ARRL's site or someplace else that shows this? Again, I assumed it was
> not legal to use a modified ham radio on such non-ham frequencies, but
> I've heard from others that it is. Just wanted to clear the air.
>
> Thanks --
>
> Alex
>
It's likely legal to modify the radio. It's pushing the transmit
button that would be illegal.
mike

```
From -8137344700321688578
X-Google-Thread: 108122,aacfc576112a5d37,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 Aug 2006 14:23:20 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Very rare National MB-40-L
Date: Tue, 08 Aug 2006 12:23:53 -0700
Message-ID: <f5phd2hvgtps0dt3bbu76sc2hg30cfo84s@4ax.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Host: 216.198.97.32
X-Trace: sv3-yHbhHf/nMb9QA3RgUFTxtz61/
v6OqHWAPkLFmyHUeparf93qVOyDxLhhcdevdRRIV6azGQuDWfZfFUd!FjbQ/
S6BpRyGCDJnCVrDxTDpfEDLXlvl5ufvA1RQIzsGZTd2Mdw8MQfxq8ahcSvLdGOf2Atc79uB!TLtOV/
fNeWSSQks/xSARiDaWNilKyg==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5658
```

I'm not getting any younger and it's time to clean out the stuff that's not going to get used anytime soon.

This is a National multi-band tank circuit that tunes 80-10 meters with one turn of the shaft, without a bandswitch. Ideal for tuning the input of that big linear, incorporating into a low-power antenna tuner or whatever.

I believe these were originally rated for 10 watts, but I think it should handle more than that from the looks of it.

Photo at: http://www.k6mhe.com/n7ws/MB-40-L.jpg

Asking $50 and I'll pay the shipping in CONUS.

Email n7ws@yahoo.com

73,

Wes

From 3323333470038343633
X-Google-Thread: 108122,ebdb4648c1fe3353
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in Alaska <bruceg@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Legality of modifying a ham radio to transmit on commercial
frequencies
Organization: Bruce's Trading Post
References: <1154969497.639356.284120@m79g2000cwm.googlegroups.com> <bruceg-
ACEEAC.11325907082006@netnews.worldnet.att.net>
<djgfd2hbqp8rkbsugjm4e05087gbdaa2ej@4ax.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <bruceg-B3E76F.11360708082006@netnews.worldnet.att.net>
Lines: 67
Date: Tue, 08 Aug 2006 19:35:54 GMT
NNTP-Posting-Host: 12.12.208.38
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1155065754 12.12.208.38 (Tue, 08 Aug
2006 19:35:54 GMT)
NNTP-Posting-Date: Tue, 08 Aug 2006 19:35:54 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5659

In article <djgfd2hbqp8rkbsugjm4e05087gbdaa2ej@4ax.com>,
 Dick <w6ccd@k7yca.org> wrote:

> On Mon, 07 Aug 2006 19:32:50 GMT, Bruce in Alaska <bruceg@btpost.net>
> wrote:
>
> >In article <1154969497.639356.284120@m79g2000cwm.googlegroups.com>,
> > "Alex" <samalex@gmail.com> wrote:
> >
> >> Hello,
> >>
> >> I'm new to amateur radio, and there's a debate amoung some of my
> >> friends on whether it's legal to modify a ham radio to transmit on
> >> commercial and CB frequencies. I thought any radio that does transmit
> >> on these non-ham frequencies needs to have some type of FCC
> >> cerification, so modifying a ham radio to transmit on such non-ham
> >> frequencies would be illegal. However, some friends have told me it is
> >> legal to modify a ham radio to transmit on non-ham frequencies as long
> >> as you are authorized to use them and you transmit on those specific
> >> frequencies and on the allowed power.
> >>
> >> At my work we have been allocated to use specific frequencies which are
> >> commercial and not within the ham frequency range, and I thought it
> >> would be illegal to modify a handheld ham radio to transmit on these
> >> frequencies. Am I correct?

```
> >>
> >> If so, can someone point me to a website, whether on the FCC's site or
> >> ARRL's site or someplace else that shows this?  Again, I assumed it was
> >> not legal to use a modified ham radio on such non-ham frequencies, but
> >> I've heard from others that it is.  Just wanted to clear the air.
> >>
> >> Thanks --
> >>
> >> Alex
> >>
> >
> >Modifying an "ham radio"  to operate on a "Commercial Frequency"
> >with the intent to transmit on that "Commercial Frequency" would
> >illadvised.  Commercial Radio Services like Marine, Aviation, Land
> >Mobile, Public Safety, ect, REQUIRE that the equipment be
> >"Type Accepted" by the FCC to be used in the US. Type Acceptance
> >is designed to make sure the radio in question, meets ALL the
> >Hardware and Emission Requirements, of the 48CFR Rules for that
> >Radio Service, which may or may not be different for each Service.
> >Some Radios may be Type Accepted for multiple Radio Services,
> >but not in others, depending on requirements of each Service Rules.
> >
> >
> >Bruce in alaska
>
> A couple of minor points here.  The term, "Type Acceptance" has not
> been used by the FCC for several years.  It is now called,
> "Certification."
>
> And make that CFR47, not CRF48 http://wireless.fcc.gov/rules.html
>
> Other than those two points, you are right on target.
>
> Dick - W6CCD

Well, I guess my age is showing...... your right of course it is CFR47
and when I left the Commission it was Type Acceptance and Type
Approved...

Bruce in alaska     semantics gets you every time.......
--
add a <2> before @


From -4690736780233879826
X-Google-Thread: 108122,4785c4a0c5f0d977,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: "Mitchell Ingram" <mingram1234@alltel.net>
Newsgroups: rec.radio.amateur.equipment
```

Subject: Kenwood TS-680S
Date: Tue, 8 Aug 2006 13:04:28 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <15570$44d8ee4c$438df705$19720@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 7
X-Trace: 1557044d8ee4ce62852a019720
Xref: g2news2.google.com rec.radio.amateur.equipment:5660

Can someone point me to a schematic or whatever relating to the drivers and finals for the TS-680S.

Thanks,
Mitchell

From -5788821787657550217
X-Google-Thread: 108122,25d1887531fd4cc5,start
X-Google-Thread: fc2a5,25d1887531fd4cc5,start
X-Google-Thread: 1109af,25d1887531fd4cc5,start
X-Google-Attributes: gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.trueband.net!news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 Aug 2006 15:19:43 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: FS: National R175A Plate Choke
Date: Tue, 08 Aug 2006 13:20:16 -0700
Message-ID: <c5shd2h7uciib4pa8hlm6scirsssa8m324@4ax.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Host: 216.198.97.56
X-Trace: sv3-NceP2+q4qWPv6bLOmAiz/sE0Z/IZswcz0/
EGWZQYqyeBgWWgge5AhP5Gnv93SmJk8MJFaTORt45pQz9!
pb5kyRGZ9lGxOFrjpBO2ka8lRKmik+8bCAg+R3Hf2eA4DAOEpZW1gSY+Qn0Ba/6a6QTN8LklpnN6!
YRZ6G8qTP2rU2sIFN6IrLo0Pef4Gfw==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly

```
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5661
rec.radio.amateur.homebrew:6436 rec.radio.swap:5848
```

I have two new, unused, National R175A plate chokes (radio frequency chokes) for sale.

These are ideal for high-power tube type amplifiers. They are wound in sections on ceramic forms to avoid resonances in the amateur bands.

Photo at: http://www.k6mhe.com/n7ws/R175A.jpg

Asking $25 each, or $40 the pair, shipped CONUS.

email n7ws@yahoo.com

73,

Wes

```
From 5712805728813245933
X-Google-Thread: 1109af,d4813f4d81661d9,start
X-Google-Thread: fc2a5,d4813f4d81661d9,start
X-Google-Thread: 108122,d4813f4d81661d9,start
X-Google-Attributes: gid1109af,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 Aug 2006 16:18:23 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: FS: B & W 850A Plate tank assembly.
Date: Tue, 08 Aug 2006 14:18:56 -0700
Message-ID: <0kvhd2d061s887s9s0s84fqrtbfb0jd4l8@4ax.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Host: 216.198.97.33
X-Trace: sv3-shqHFmOoRxtJ3Ftl1a0xymsF2UvSN25iVmnLH4tW+pVAQCI9Jw78Ty/xT/
kh3wMKXjFs4p0isfZ7+tf!
EaUjweRjQAcfUaumjgdW6rZfxn052zpwUiUXFBgqjDlcd3KZBhVSe4BrwBxYOmizXsb59BlhI1EA!
DwSzVX28DnoM8jepJrANy3ZpFPMg0Q==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:5849 rec.radio.amateur.homebrew:6437
rec.radio.amateur.equipment:5662

For sale one B&W (Barker and Willimson) 10-80 meter plate
inductor/bandswitch assembly.

This is the big one for that BIG amp you want to build. This item is
used but as new. Shiny silver, perfect ceramic and no arcing on the
contacts.

Photo at: http://www.k6mhe.com/n7ws/850A.jpg

Asking $200 shipped to CONUS.

email:n7ws@yahoo.com

73,

Wes

From -3224183852148154204
X-Google-Thread: 108122,53185f547afe399,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 Aug 2006 17:29:48 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 5 brand new SOMMERKAMP TS-2000DX 10 meter mobile Rigs
Date: Tue, 08 Aug 2006 18:30:08 -0400
Reply-To: wz1u@comcast.net
Message-ID: <724id2puo1ubr3hff5gf76lecu9olcr8dd@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Host: 24.91.230.242
X-Trace: sv3-AuMozQilAKo9M+UKXFSeulzW8lRecmGVEn81T/
pinVdHkDrjT6fCcMDCtSkUKVPvgY6SCr73vdK8vF2!gqcLehqz+tYxddFd5zX9f/
xkZ5ymbef6oHGQGm09vcvWbl6yLIkY/L8/LzoJHDVtg2U0F7vzs9jm!/2FPeA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5663

I have 5 brand new SOMMERKAMP TS-2000DX 10 meter mobiles rigs and comes with the box, manual etc. . This is identical to the Ranger RCI-2950. It covers AM/FM/SSB and CW and will produce 25 watts on SSB. I will take $150 each plus shipping. I can be reached at (508) 821-2993 or email. WZ1U Steve / Lakeville, Ma.

```
From -2239253183816554282
X-Google-Thread: f55c2,3938b4b467d1cdc7,start
X-Google-Thread: 108122,3938b4b467d1cdc7,start
X-Google-Attributes: gidf55c2,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!1e49b9c4!not-for-mail
From: mike <spamme0@go.com>
Reply-To:  spamme0@go.com
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.ham-radio.mods,rec.radio.amateur.equipment
Subject: Yaesu FTH-7009 move to 440-450MHZ ham band?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <kR8Cg.17730$Qu4.4976@trnddc04>
Date: Tue, 08 Aug 2006 23:10:08 GMT
NNTP-Posting-Host: 71.117.204.51
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1155078608 71.117.204.51 (Tue, 08 Aug 2006 19:10:08 EDT)
NNTP-Posting-Date: Tue, 08 Aug 2006 19:10:08 EDT
Xref: g2news2.google.com alt.ham-radio.mods:178 rec.radio.amateur.equipment:5664
```

I got the FTH-7009 programmed, but it doesn't work in
the 70cm ham band. Will transmit down to 449 or so, but
not receive. Can I fix this with a tweek to the VCO?
Or am I just out of PLL divisor ratios.
Suggestions? Documentation?
Thanks, mike

```
From 4720342102004742806
X-Google-Thread: 108122,53185f547afe399
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 08 Aug 2006 19:45:35 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
```

Subject: SOLD : 5 brand new SOMMERKAMP TS-2000DX 10 meter mobile Rigs
Date: Tue, 08 Aug 2006 20:45:52 -0400
Reply-To: wz1u@comcast.net
Message-ID: <e1cid2lesld01uqoc6847d95p4pcvsvcq5@4ax.com>
References: <724id2puo1ubr3hff5gf76lecu9olcr8dd@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: 24.91.230.242
X-Trace: sv3-wWpSZ7Y070L1ya4tuP6NHt1VYa8UU+Wtyfk+eFjuq9k3AAmlAWgZfDgZfbaEE6QGlA1WbcEi8ei3TAl!MNHci1pj31/4n7yAsu8KQUxJkSC/GKJ+Sjy44LZX/V5hcQir8u5zuWLorHEb7mgrYAStOGRJf2hr!/IvkVA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5665

On Tue, 08 Aug 2006 18:30:08 -0400, WZ1U <wz1u@comcast.net> wrote:

>I have 5 brand new SOMMERKAMP TS-2000DX 10 meter mobiles rigs and
>comes with the box, manual etc. . This is identical to the Ranger
>RCI-2950. It covers AM/FM/SSB and CW and will produce 25 watts on SSB.
>I will take $150 each plus shipping. I can be reached at (508)
>821-2993 or email. WZ1U Steve / Lakeville, Ma.

Sold !

From 4922912652864732019
X-Google-Thread: 108122,4eac7769aaf7e832,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: "patrickantoun@gmail.com" <patrickantoun@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Winding some RF coils and transformers - scramble-wind??
Date: 8 Aug 2006 21:46:58 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1155098818.598858.120350@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 70.52.7.120
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155098823 23677 127.0.0.1 (9 Aug 2006 04:47:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 9 Aug 2006 04:47:03 +0000 (UTC)

User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.7.12)
Gecko/20050919 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=70.52.7.120;
   posting-account=MUhpCg0AAABf3LVdSCFJYG6pp0eeJX0Z
Xref: g2news2.google.com rec.radio.amateur.equipment:5666

hello everyone,

i'm trying to build a transistor theremin by following an article written by dr. bob moog in 1961. the only problem really is the RF coils and transformers; he gives specific instructions on how to make them by winding them yourself.

you can see the schematic here:
http://moogarchives.com/there61b.htm
http://moogarchives.com/there61c.htm

first he says to wind the coils on 1/2 inch diameter slug-tuned coil forms. can anyone tell me where i can find these or if there's something i can use instead.

next he mentions that some of the windings need to be "scramble wound". could anyone please explain to me what that means or show me a picture of what that looks like.
also if anyone has some general information or tips on winding rf coils and transformers, i'd greatly appreciate it.

thank you so much,

patrick

From -8034281121485949274
X-Google-Thread: 108122,4eac7769aaf7e832
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!news.astraweb.com!router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-sjc-06!sn-post-sjc-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Winding some RF coils and transformers - scramble-wind??
Date: Wed, 9 Aug 2006 07:22:09 -0700
Organization: Remove number to reply
Message-ID: <12djrsj6a7ivk1b@corp.supernews.com>
References: <1155098818.598858.120350@p79g2000cwp.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";

```
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:5667

patrickantoun wrote ...
> next he mentions that some of the windings need to be "scramble
> wound".
> could anyone please explain to me what that means or show me a picture
> of what that looks like.

"scramble wound" means just what it sounds like.
uneven placement of the turns across the coil space
as contrasted with careful placement of the wire in
nice neat layers.

> also if anyone has some general information or tips on winding rf
> coils
> and transformers, i'd greatly appreciate it.

There are many resources available online.
Google is your friend.



From -4772601903750418724
X-Google-Thread: 108122,bb6f15d4e2ed30b2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 09 Aug 2006 10:12:33 -0500
From: notmeman <nospam4me@goober.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: DX ENGINEERING BALUN
Date: Wed, 09 Aug 2006 10:12:23 -0500
Message-ID: <hqujd2tedkr5mhmpd6bdgc6bm3egkimlc4@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
NNTP-Posting-Host: 68.34.142.145
X-Trace: sv3-8zcUw3aXtjk5My2HDxKqYVT8x/2CcOwiWgwnnAd6KcL0XAdmFzEHMr/
iA2xP9ylD0Z5I4CVuI5Dc9Ox!
QO19pbJIfj7eOTOInI8sJ6fRumt1wlcpxYeEefqMM4Xwicdt6pMD+L9WWfo6yLJdjNyL2j1txTqN!
qrfz30ywBUe2
```

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5668

FS: DX ENGINEERING BALUN
MODEL DXW-BAL600-H10-A
12:1 high power, rated for 5 kw continuous, 10 kw intermittent, easily
handles full-limit AM or SSB. 1.8-30 Mhz, suitable for wide spaced 600
ohm open wire feeders.
Like new, used approx. 6 months, installed indoors, has never been out
in the elements.
See
http://www.dxengineering.com/Parts.asp?ID=97&PLID=50&SecID=10&DeptID=33&PartNo=DXE%2DBAL600%2DH10%2DA
for detailed specs and photo.
$125 includes shipping anywhere in continental USA.
Contact me direct
k0dan at arrl dot net

From 8991347767433167917
X-Google-Thread: 108122,ccdc6260211ee365,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!nf3.bellglobal.com!ursa-nb00s0.nbnet.nb.ca!53ab2750!not-for-mail
From: "Salmo" <salmo@nf.sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: McKay Dymek DA100
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <1OtCg.38048$pu3.498762@ursa-nb00s0.nbnet.nb.ca>
Date: Wed, 09 Aug 2006 23:00:13 GMT
NNTP-Posting-Host: 142.162.51.101
X-Complaints-To: abuse@aliant.net
X-Trace: ursa-nb00s0.nbnet.nb.ca 1155164413 142.162.51.101 (Wed, 09 Aug 2006 20:00:13 ADT)
NNTP-Posting-Date: Wed, 09 Aug 2006 20:00:13 ADT
Organization: Aliant Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:5669

The Cadillac of active antennas......

http://cgi.ebay.com/ws/eBayISAPI.dll?

```
ViewItem&ih=005&item=150020871420&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1
```

```
From 1684941503364931835
X-Google-Thread: 108228,7ea9354972487a98,start
X-Google-Thread: f55c2,7ea9354972487a98,start
X-Google-Thread: f7653,7ea9354972487a98,start
X-Google-Thread: 108122,7ea9354972487a98,start
X-Google-Thread: 107ada,7ea9354972487a98,start
X-Google-Attributes: gid108228,gidf55c2,gidf7653,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!nntp.waia.asn.au!
130.95.128.9.MISMATCH!news.uwa.edu.au!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
From: "hamguy1" <hamguy1@optusnet.com.au>
Newsgroups: alt.ham-radio.marketplace,alt.ham-
radio.mods,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.am
ateur.misc
Subject: icom 740 mars mod needed
Date: Thu, 10 Aug 2006 11:48:00 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Lines: 4
Message-ID: <44da9048$1$22363$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 220.236.21.164
X-Trace: 1155174472  22363 220.236.21.164
Xref: g2news2.google.com alt.ham-radio.marketplace:1169 alt.ham-radio.mods:179
rec.radio.amateur.digital.misc:365 rec.radio.amateur.equipment:5670
rec.radio.amateur.misc:18619
```

hi can anyone out there give me the info on the mars mod or unlock for full transmit .anywhere thanks hamguy1 nsw australia .

```
From 6731974641006491484
X-Google-Thread: 108122,ccdc6260211ee365
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Dev Null <nobody@frontier.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: McKay Dymek DA100
Date: 10 Aug 2006 01:54:26 GMT
Lines: 14
Message-ID: <slrnedl4ei.8cm.bit-bucket@shell.config.com>
```

```
References: <1OtCg.38048$pu3.498762@ursa-nb00s0.nbnet.nb.ca>
X-Trace: individual.net ij40FRnPsFQvgJyG2JsECAh1639UA4YNtY6n3LNAkte0o+kbOC
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:5671

On Wed, 09 Aug 2006 23:00:13 GMT, Salmo wrote:
> The Cadillac of active antennas......

>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=...........

Report eBay spam.

 "eBay users may not post on Usenet groups (Internet newsgroups) to
 advertise eBay or an eBay listing that is inappropriate or violates
 the Usenet board policy. If Usenet abuse is reported to eBay, we may
 among other remedies remove the listing, issue a warning, or suspend
 the user's eBay account."
            --  http://pages.ebay.com/help/welcome/usenet-policy.html




From 4604125136332733361
X-Google-Thread: 108228,7ea9354972487a98
X-Google-Thread: f55c2,7ea9354972487a98
X-Google-Thread: f7653,7ea9354972487a98
X-Google-Thread: 108122,7ea9354972487a98
X-Google-Thread: 107ada,7ea9354972487a98
X-Google-Attributes: gid108228,gidf55c2,gidf7653,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!feeder.news-
service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-04!sn-ams!sn-feed-
ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: alt.ham-radio.marketplace,alt.ham-
radio.mods,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.am
ateur.misc
Subject: Re: icom 740 mars mod needed
Date: Wed, 9 Aug 2006 15:54:11 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0608091552200.10070@malasada.lava.net>
In-Reply-To: <44da9048$1$22363$afc38c87@news.optusnet.com.au>
References: <44da9048$1$22363$afc38c87@news.optusnet.com.au>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news2.google.com alt.ham-radio.marketplace:1170 alt.ham-radio.mods:180
rec.radio.amateur.digital.misc:366 rec.radio.amateur.equipment:5672
rec.radio.amateur.misc:18621

On Thu, 10 Aug 2006, hamguy1 wrote:
```

> hi can anyone out there give me the info on the mars mod or unlock for full
> transmit .anywhere thanks hamguy1 nsw australia .
>

Try going to QRZ.COMM or QRZ.mods.   If your able to you will find
if that rig is covered under their "mods" listings
Joe/KH6JF

From -16136096399362818
X-Google-Thread: 108122,fd8a3a3ac80ca5ee,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!b8289220!not-for-mail
Reply-To: "David Thompson" <thompson@mindspring.com>
From: "David Thompson" <thompson@mindspring.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Problem with 3-500 Filament Pins
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <1PwCg.2290$Qf.1237@newsread2.news.pas.earthlink.net>
Date: Thu, 10 Aug 2006 02:26:05 GMT
NNTP-Posting-Host: 4.154.96.83
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1155176765 4.154.96.83 (Wed, 09 Aug 2006 19:26:05 PDT)
NNTP-Posting-Date: Wed, 09 Aug 2006 19:26:05 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5673

I have a LK 500NTC (no tune) amp that ran well for several years. Now one
of the 3-500Z's (both Eimac)
filament pins came unsoldered.

K4DLI helped me resolder the pin with a torch and silver solder. Just for a
test I swaped the tubes and within a week the other tube had unsoldered.

I had this problem in a Henry 2K with the tube not fully sitting in the
socket but the 3-500Z's are firmly in the socket. I have a new tube socket
to install but is this the only problem? I really see nothing wrong with
the old socket. Filament voltage is 5V as it should be
on all pins.

Ideas?

Thanks in advance.

73 Dave K4JRB

From 490628428365813922
X-Google-Thread: 108122,fd8a3a3ac80ca5ee
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
feed.news.qwest.net!mpls-nntp-01.inet.qwest.net!news.qwest.net!not-for-mail
Reply-To: "Big Al" <nospam@nospam.com>
From: "Big Al" <sal1@qwest.net>
Newsgroups: rec.radio.amateur.equipment
References: <1PwCg.2290$Qf.1237@newsread2.news.pas.earthlink.net>
Subject: Re: Problem with 3-500 Filament Pins
Date: Wed, 9 Aug 2006 23:02:04 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Lines: 31
Message-ID: <44daca50$0$34078$815e3792@news.qwest.net>
Organization: Qwest Communications Corporation
NNTP-Posting-Host: 7c53d49f.news.qwest.net
X-Trace: DXC=aKa`O]@bh`:Q6j=YDbnbh;F85SKJoGf>41Rj?
n2eVcF<28dTlh9]kh3cG_RRAld6L:8Z[D:coAMU=dNhH@CbE614;ilZ\dKb8b1
X-Complaints-To: abuse@qwest.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5674

"David Thompson" <thompson@mindspring.com> wrote in message
news:1PwCg.2290$Qf.1237@newsread2.news.pas.earthlink.net...
> I have a LK 500NTC (no tune) amp that ran well for several years. Now one
> of the 3-500Z's (both Eimac)
> filament pins came unsoldered.
>
> K4DLI helped me resolder the pin with a torch and silver solder. Just for
a
> test I swaped the tubes and within a week the other tube had unsoldered.
>
> I had this problem in a Henry 2K with the tube not fully sitting in the
> socket but the 3-500Z's are firmly in the socket. I have a new tube
socket
> to install but is this the only problem? I really see nothing wrong with
> the old socket. Filament voltage is 5V as it should be
> on all pins.
>
> Ideas?
>
> Thanks in advance.
>
> 73 Dave K4JRB

>

Seems like you already know if the contact in the socket is "leaking" the filament pin will get hot. It's not hard to check.

Al WB7NXB

```
From -4695371517524712873
X-Google-Thread: 108122,fd8a3a3ac80ca5ee
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 10 Aug 2006 01:01:50 -0500
From: "Ken chattenton" <k.chattenton@btopenworld.com>
Newsgroups: rec.radio.amateur.equipment
References: <1PwCg.2290$Qf.1237@newsread2.news.pas.earthlink.net>
Subject: Re: Problem with 3-500 Filament Pins
Date: Thu, 10 Aug 2006 06:48:39 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <2NednVQJra5TVkfZnZ2dnUVZ8tKdnZ2d@bt.com>
Lines: 21
NNTP-Posting-Host: 86.128.55.148
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-8ZyZpCQN7FZydWtS/NPu7CIj8Uc/
SqvEO0ecg5Zp4o1cnMBC69sTmhwfsJBaQd4tg3AlYSCo3tuSCcO!
EBKTiUQcqlJTZ3yEfCv9WLNmMIYvLOD9+uTSyA/xViFID+MlZm1pY6hB/aG32gjFm4e4NfVL98A=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5675
```

Hi David from Ken in the UK,

This is a common fault with these valves (tubes).
It's due to heat built-up over time.
The only solution that I know of is to blow cold air up around the valve pins.
One final point, to extend the life of the '500Z' is to lower the heater voltage to around 4.75v. This will save the valve from premature filament failure.

Hope this helps,   cheers, Ken, G4KIR.

"David Thompson" <thompson@mindspring.com> wrote in message
news:1PwCg.2290$Qf.1237@newsread2.news.pas.earthlink.net...
>I have a LK 500NTC (no tune) amp that ran well for several years. Now one
> of the 3-500Z's (both Eimac)
> filament pins came unsoldered.
>
>

From -4746266791464444658
X-Google-Thread: 108122,298441ee4bdba30d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.tele.dk!
feed118.news.tele.dk!not-for-mail
From: "Bent J�rgensen" <bjoe@post5.tele.dk>
Newsgroups: rec.radio.amateur.equipment
Subject: Drake TR-4CW RF TUNE problem.
Date: Thu, 10 Aug 2006 19:34:11 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Lines: 32
Message-ID: <44db6e16$0$20344$edfadb0f@dread16.news.tele.dk>
Organization: TDC Totalloesninger
NNTP-Posting-Host: 195.249.66.228
X-Trace: 1155231255 dread16.news.tele.dk 20344 195.249.66.228:39498
X-Complaints-To: abuse@post.tele.dk
Xref: g2news2.google.com rec.radio.amateur.equipment:5676

Hallo

I got a problem with my drake TR-4CW.
Hopefully someone can help.

It is not very much used.
But suddenly it was not possible by help of the RF tune control to get maximum noise or signal when it pointed on " 12 o'clock'' +/-. No resonance.
The problem is on 20 and 10 mtr.
No problem on 80, 40 and 15 mtr.

The problem is not only on receive , but also in transmit mode.
That means I can not use the transc. on 20 and 10 mtr. before this is solved.

Testpoint "TP" related to ground:

80m: 1.26V DC
40m: - 1.60V DC
20m: 1.26V DC
15m: - 1.16V DC
10m: - 0.8V DC

What do these values tell you?

Thanks for good advise.

Best regards

OZ5ZD, Bent

From 3177166566251100597
X-Google-Thread: 108122,abbfbaa4d0374b69,start
X-Google-Thread: fc8b1,abbfbaa4d0374b69,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,CP1252
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread08.POSTED!53ab2750!not-for-mail
From: Dave <n7rk@nospam_cox.net>
User-Agent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X Mach-O; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en,pdf
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: For Sale: Swan, National, Kenwood, Heathkit, Ten-Tec and More
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 114
Message-ID: <bhKCg.3036$W01.844@dukeread08>
Date: Thu, 10 Aug 2006 10:45:42 -0700
NNTP-Posting-Host: 68.3.32.212
X-Complaints-To: abuse@cox.net
X-Trace: dukeread08 1155231943 68.3.32.212 (Thu, 10 Aug 2006 13:45:43 EDT)
NNTP-Posting-Date: Thu, 10 Aug 2006 13:45:43 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5677 rec.radio.amateur.boatanchors:4950

Here are some items for sale. Prices do not include shipping. I will ship overseas.

Swan 600R Custom Receiver with SS-16B Filter....$350 plus shipping
This radio covers 80-10 meters and matches the Swan 600T transmitter. The custom model comes with the Noise Blanker, Variable Notch Filter, and 16 pole SS-16B SSB filters.The radio is in excellent condition and receives well. The insides of the unit are also very clean. The power

transformer has been replaced and the new one can be seen in the last photo. The only other issue is that one of the disks is missing from one of the knobs.
http://members.cox.net/radiodx3/swan600r.JPG
http://members.cox.net/radiodx3/swan600r4.JPG
http://members.cox.net/radiodx3/swan600r3.JPG

Rare� National Radio NC-45.............$125 plus shipping
This is an 8 tube receiver made from 1941-1945 covering 550 kHz to 30 MHz. Most models made were made the NC-45 which is an ac/dc receiver. The NC-45A has a transformer operated power supply. This radio does work and receives signals on all bands but it really need to be recapped and aligned. Cosmetically OK but also needs to be cleaned up. It has all of the correct knobs and I do not find any extra holes. The insides look OK but also need to be cleaned up. One interesting thing that I noticed is that the main tuning and bandspread knobs are both weighted, rather heavy and appear to have come from the factory that way. I do not have a manual but they are available from several sources on the web. I will include a schematic.
http://members.cox.net/radiodx3/nc45rcvr.JPG
http://members.cox.net/radiodx3/nc45rcvr4.JPG
http://members.cox.net/radiodx3/nc45rcvr6.JPG

Kenwood TS-520 Transceiver..............$120 plus shipping
The unit is in very nice shape cosmetically and is compete. The receiver works very well but the transmitter is not working. The insides are complete and in good condition.
http://members.cox.net/radiodx5/ts520.JPG
http://members.cox.net/radiodx5/ts5204.JPG

Motorola 51X19 Wooden Table Radio-Brown Plaskon Grill...$100 plus shipping
This is a 5 tube radio from 1942. New electrolytics and most of the paper capacitors have been replaced. The set plays well. Cosmetically it is in in nice shape although their is a small chip out of the top near the edge which can be seen in the photo and the plaskon grill has been carefully glued where it had cracked.
http://members.cox.net/radiodx5/motorola51x19.JPG
http://members.cox.net/radiodx5/motorola51x194.JPG

Ten-Tec Power Mite PM3 and Matching AC Supply........$200 plus shipping
TenTec Power Mite and Matching AC Supply with instructions and original box. This is a late 1960's - early 1970's 2 band QRP transceiver that covers 40 and 20 meters, CW only. Output power was measured at a couple of watts. The radio works and is in pretty nice shape with a few small scratches.
http://members.cox.net/radiodx5/tentec_power_mite.JPG

Harman Kardon A-10 Allegro Vintage Hi-Fi Amplifier....$60 plus shipping
This is a mono unit with a pair of two 12AX7's driving a pair of 6BQ5's. The rectifier tube is a 6V4. I powered up the unit and it has bad hum so it needs new electrolytic caps. The unit is in nice shape and includes the original box but no manual.
http://members.cox.net/radiostuff9/allegro_hk.JPG

http://members.cox.net/radiostuff9/allegro_hk3.JPG

Heathkit IM-10 VTVM..........$20 plus shipping
The unit is working. It does not include test leads. The test lead uses a standard 1/4 inch plug which is included and banana plugs which can be obtained from Radio Shack.
http://members.cox.net/radiodx3/heathim102.JPG

Big Steel Louvered Cabinet - 19 inch Rack Panel for Homebrew xmtr or Linear Amp.........$50 plus shipping
This enclosure has a hinged top also. The dimensions are 22 inches long by 10.5 inches high x 16 inches deep. The size of the front panel that will fit this is 19 inches wide by 8.5 inches high. Other than some dust, this is in excellent condition and would be a great enclosure for a homebrew ham radio transmitter or linear amplifier.
http://members.cox.net/radiodx3/big19inchcabinet.JPG
http://members.cox.net/radiodx3/big19inchcabinet2.JPG
http://members.cox.net/radiodx3/big19inchcabinet3.JPG
http://members.cox.net/radiodx3/big19inchcabinet4.JPG

Steel Project Enclosure for Transmitter or Receiver....$15 plus shipping
A steel box which would make a nice enclosure for a homebrew receiver, transmitter or antenna coupler. The dimensions are 15 inches wide by 9 inches high by 11.5 inches deep. Their are no dents or dings, it just needs a cleaning.
http://members.cox.net/radiodx3/box2.JPG

Systron Donner Digital Multimeter Model 7241A (DVM)............$20 plus shipping
This unit will measures ac and dc voltage, dc and ac current and resistance up to 20 Mohms. This is in nice shape and is working. I checked it with a dc power supply and a resistance decade box and the readings look good. It also has a tilt up stand. Uses a standard computer type power cord which is included.
http://members.cox.net/radiodx5/systron_dvm.JPG
http://members.cox.net/radiodx5/systron_dvm3.JPG

General Electric YGA-4 Audio Oscillator.........$20 plus shipping
This has been tested and is a working unit.
http://members.cox.net/radiodx3/ge_audiogen.JPG
http://members.cox.net/radiodx3/ge_audiogen2.JPG

73 and thanks for looking......Dave

Please reply direct. Remove nospam from e-mail address when replying
--
****
Dave N7RK   Boatanchors Home Page: http://members.cox.net/n7rk
Phoenix, Arizona   *DXCC Honor Roll*   *WAZ#22 - 75 Meter SSB*

ex-XE2/N7RK, N7RK/ZB2, VK2ERK, ZM0AJN, WB6NRK, WN6IWX

Boatanchor and Antique Radio Collector

From 3904890989619220649
X-Google-Thread: 108122,958c3030e7481339,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc04.POSTED!1e49b9c4!not-for-mail
From: mike <spamme0@go.com>
Reply-To: spamme0@go.com
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Need Schematic Yaesu FTH-7009 UHF
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <O8OCg.47792$Qu4.26160@trnddc04>
Date: Thu, 10 Aug 2006 22:09:50 GMT
NNTP-Posting-Host: 71.117.204.51
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1155247790 71.117.204.51 (Thu, 10 Aug 2006 18:09:50 EDT)
NNTP-Posting-Date: Thu, 10 Aug 2006 18:09:50 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5678

I trashed my Yaesu FTH-7009.
It's stuck on transmit.
Musta busted it with the homebrew programmer.
Nice man sent me a schematic for the 2-meter version,
but it's enough different that I can't follow it.
Need the real deal.
TIA for your help.
mike

From -1016756929395854036
X-Google-Thread: 1109af,ff212e297e715795,start
X-Google-Thread: fc2a5,ff212e297e715795,start
X-Google-Thread: 108122,ff212e297e715795,start
X-Google-Attributes: gid1109af,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 10 Aug 2006 20:52:29 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: FS: Yaesu FT221-R
Date: Thu, 10 Aug 2006 18:53:04 -0700
Message-ID: <cgond2hccsdhmipe1t72f3ol47d8s1ridl@4ax.com>

X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
NNTP-Posting-Host: 216.198.97.48
X-Trace: sv3-HJN2OWpvlkPQybZbsFA0GmjO0o8NOg4PfxdEU1dk87j/
eg1x2d+VuTddU4C0KWNQCbHOqY46DPbybqm!JVEkdx/
kFbmcr4jsvS3JHRlPQvh33TgWZ9aj+ZFmmHToyeJWa7BPTadabVQCMqCmLj96Ep0PRCtS!
Arbp93BGJt5ha0LON8c0I+SNWkE0jw==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:5919 rec.radio.amateur.homebrew:6449 rec.radio.amateur.equipment:5679

Nice older 2-meter multimode. CW, USB, LSB, AM and FM transceiver.
Min. 10W output. I've used this rig with external amps to run meteor
and tropo scatter and EME.

Been keeping it to get back on EME but health issues are preventing
the construction of new antenna.

Asking $225 including shipping to CONUS.

email:n7ws@yahoo.com

Thanks and 73,

Wes

From 4412149966937054333
X-Google-Thread: 108122,b2e57cc6688af93f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news3.t-com.hr!not-for-mail
From: "gianluca" <9a6nfg@hamradio.hr>
Newsgroups: rec.radio.amateur.equipment
Subject: need schematic
Date: Fri, 11 Aug 2006 15:30:09 +0200
Organization: T-Com
Lines: 6
Message-ID: <ebi0or$lgb$1@ss408.t-com.hr>
NNTP-Posting-Host: 83-131-190-64.adsl.net.t-com.hr
X-Trace: ss408.t-com.hr 1155303003 22027 83.131.190.64 (11 Aug 2006 13:30:03 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Fri, 11 Aug 2006 13:30:03 +0000 (UTC)

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5680

hy to all i need to find the schematic plan for an old rtx 70cm band , the
name is :KF-430 from the ST COMMUNICATION , i think it is old 30 year quartz
rtx for 70 cm band , if some one hawe a schematic plan I will be thank and
buy it , 73 DE 9A6NFG !

From 1496736738215930912
X-Google-Thread: 108122,298441ee4bdba30d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
newsfe11.lga.POSTED!53ab2750!not-for-mail
From: ricknj10@hotmail.com (Rick)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Drake TR-4CW RF TUNE problem.
Reply-To: ricknj10@hotmail.com
Message-ID: <44dca762.10024890@news.optonline.net>
References: <44db6e16$0$20344$edfadb0f@dread16.news.tele.dk>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 9
X-Complaints-To: abuse@cv.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bmdfcfhcjknbdddcijjdnojopddcmjimciebjhhaaanppkhiapnppbkdjmafifihlckeiapinfinnccjhk
ffcdoeehfjhkbipmcfemeanhchmafpgmflbcjndebonjkhhgindeflifgphkdl
NNTP-Posting-Date: Fri, 11 Aug 2006 08:52:09 MST
Organization: Optimum Online
Date: Fri, 11 Aug 2006 15:52:09 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5681

>But suddenly it was not possible by help of the RF tune control to get
>maximum noise or signal when it pointed on " 12 o'clock'' +/-. No
>resonance.

First try spraying the wafer switch to clean it.
Then report back here and we will see what to do next.

Rick K2XT

From -5850847540901258009

```
X-Google-Thread: 108228,c453ba9ebb740116,start
X-Google-Thread: 108122,c453ba9ebb740116,start
X-Google-Thread: 1109af,c453ba9ebb740116,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read08.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola M1225 ls mobile Radio - UHF-Quite small in size
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0010_01C6BD4F.264F11E0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <8i6Dg.16646$RD.15559@fed1read08>
Date: Fri, 11 Aug 2006 14:05:06 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1155330308 68.104.78.240 (Fri, 11 Aug 2006 17:05:08 EDT)
NNTP-Posting-Date: Fri, 11 Aug 2006 17:05:08 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1173
rec.radio.amateur.equipment:5682 rec.radio.swap:5947

This is a multi-part message in MIME format.

------=_NextPart_000_0010_01C6BD4F.264F11E0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola M1225 ls mobile Radio - UHF-Quite small in size

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250017643816&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0010_01C6BD4F.264F11E0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola M1225 ls mobile Radio - UHF-Quite small in size</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250017643816&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250017643816&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0010_01C6BD4F.264F11E0--



From -1438510819938472124
X-Google-Thread: 108228,98eb3eace1f06535,start
X-Google-Thread: 108122,98eb3eace1f06535,start
X-Google-Thread: 1109af,98eb3eace1f06535,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read08.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola UHF CP200 Portable Radio 16-Channel w/Charger-Like New
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001B_01C6BD50.3538B520"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <ep6Dg.16647$RD.10730@fed1read08>
Date: Fri, 11 Aug 2006 14:12:41 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1155330762 68.104.78.240 (Fri, 11 Aug 2006 17:12:42 EDT)
NNTP-Posting-Date: Fri, 11 Aug 2006 17:12:42 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1174
rec.radio.amateur.equipment:5683 rec.radio.swap:5950

This is a multi-part message in MIME format.

------=_NextPart_000_001B_01C6BD50.3538B520
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola UHF CP200 Portable Radio 16-Channel w/Charger-Like New
```

```
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250017642588&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_001B_01C6BD50.3538B520
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola UHF CP200 Portable Radio 16-Channel w/Charger-Like =
New</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250017642588&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250017642588&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_001B_01C6BD50.3538B520--



From -4147985690057390407
X-Google-Thread: 108228,36dfc1052d3713ad,start
X-Google-Thread: 108122,36dfc1052d3713ad,start
X-Google-Thread: 1109af,36dfc1052d3713ad,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read08.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: HT1000 VHF w/Charger 136-174 MHz
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0026_01C6BD50.BF10F230"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Rs6Dg.16648$RD.2513@fed1read08>
Date: Fri, 11 Aug 2006 14:16:32 -0700
NNTP-Posting-Host: 68.104.78.240
```

```
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1155330993 68.104.78.240 (Fri, 11 Aug 2006 17:16:33 EDT)
NNTP-Posting-Date: Fri, 11 Aug 2006 17:16:33 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1175
rec.radio.amateur.equipment:5684 rec.radio.swap:5953

This is a multi-part message in MIME format.

------=_NextPart_000_0026_01C6BD50.BF10F230
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: HT1000 VHF w/Charger 136-174 MHz

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250015586545&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0026_01C6BD50.BF10F230
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA: HT1000 VHF w/Charger 136-174 MHz</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250015586545&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250015586545&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></FONT></DIV><=
/BODY></HTML>

------=_NextPart_000_0026_01C6BD50.BF10F230--




From -7549735154083766461
X-Google-Thread: 108122,a70af4e86840d7db,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.kjsl.com!ncf.ca!
FreeNet.Carleton.CA!aj464
From: aj464@FreeNet.Carleton.CA (B. Seed)
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: FS: Butternut Butterfly Beam + Extras
Date: 12 Aug 2006 02:07:29 GMT
Organization: The National Capital FreeNet
Lines: 24
Message-ID: <ebjd51$88j$1@theodyn.ncf.ca>
Reply-To: aj464@FreeNet.Carleton.CA (B. Seed)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1155348449 8467 134.117.136.48 (12 Aug 2006 02:07:29 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 12 Aug 2006 02:07:29 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5685
```

FS Ham Radio Equipment: (Ottawa, Ontario, Canada)

1. Butternut Butterfly Compact Beam, All HF Bands, fully assembled, plus TV Rotor as well as Remote Control. Instruction Manual Included. All in Good shape. Dimensions 12.5' x 6' x 6'. Asking $250 obo.

2. Hygain 14 element, 2 Meter Beam, fully assembled, complete with TV Rotor and instruction manual. Boom length 4.72 M , Radius 2.41 M. Good Condition. $75 obo.

For photos, see ham folder at link:
http://ca.photos.yahoo.com/ph/bseed2523@rogers.com/album

For more specs and contact info, email bseed@freenet.carleton.ca or email directly from this message. Location: SE Ottawa, Ontario, Canada.

VE3MJD

```
From -3202092509387464798
X-Google-Thread: 108122,d3ed445405d81eaf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!209.244.4.230!
newsfeed1.dallas1.level3.net!news.level3.com!mencken.net.nih.gov!elk.ncren.net!
newsflash.concordia.ca!news.sfu.ca!utnut!news.ryerson.ca!not-for-mail
From: Peter Hiscocks <phiscock@job.ee.ryerson.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Boonton Model 59 GDO
Date: Sat, 12 Aug 2006 18:11:01 +0000 (UTC)
Organization: Ryerson Polytechnic University
Lines: 29
Message-ID: <ebl5jl$cbo$3@news.ryerson.ca>
```

NNTP-Posting-Host: natcho.ee.ryerson.ca
X-Trace: news.ryerson.ca 1155406261 12664 141.117.1.168 (12 Aug 2006 18:11:01 GMT)
X-Complaints-To: usenet@news.ryerson.ca
NNTP-Posting-Date: Sat, 12 Aug 2006 18:11:01 +0000 (UTC)
User-Agent: tin/1.6.2-20030910 ("Pabbay") (UNIX) (SunOS/5.9 (sun4u))
Xref: g2news2.google.com rec.radio.amateur.equipment:5686

I just put this up on ebay, starting price $50:

Boonton Model 59 grid dip oscillator S/N 4128, manufactured 1947. Includes original set of 7 coils and manual. Surplus from a university lab. Hasn't been used for years. Looks clean and complete except line cord is cracked and should be replaced. Supplied as is.

Lots of descriptive information is available on the web for this particular unit.

--
Peter D. Hiscocks
Syscomp Electronic Design Limited, Toronto
http://www.syscompdesign.com
USB Oscilloscope and Waveform Generator
647-839-0325

--
Peter D. Hiscocks
Professor Emeritus, Ryerson University

Phone: 416-465-0325
Email: phiscock@ee.ryerson.ca
Academic URL: http://www.ee.ryerson.ca/~phiscock
Business URL: Syscomp Electronic Design Limited
(USB Oscilloscope and Generator)
http://www.syscompdesign.com

From 3898278016293782690
X-Google-Thread: 108122,fd8a3a3ac80ca5ee
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-mail
From: remorden@telus.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problem with 3-500 Filament Pins
Date: 12 Aug 2006 22:24:36 -0700
Organization: http://groups.google.com
Lines: 37
Message-ID: <1155446676.451883.88420@75g2000cwc.googlegroups.com>
References: <1PwCg.2290$Qf.1237@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 205.206.206.230

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1155446680 10721 127.0.0.1 (13 Aug 2006 05:24:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 13 Aug 2006 05:24:40 +0000 (UTC)
In-Reply-To: <1PwCg.2290$Qf.1237@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=205.206.206.230;
   posting-account=mRXZUg0AAADp28hS7NzNBdgMdtSSOSWn
Xref: g2news2.google.com rec.radio.amateur.equipment:5687

David Thompson wrote:

> I have a LK 500NTC (no tune) amp that ran well for several years. Now one
> of the 3-500Z's (both Eimac)
> filament pins came unsoldered.
>
> K4DLI helped me resolder the pin with a torch and silver solder. Just for a
> test I swaped the tubes and within a week the other tube had unsoldered.
>
> I had this problem in a Henry 2K with the tube not fully sitting in the
> socket but the 3-500Z's are firmly in the socket. I have a new tube socket
> to install but is this the only problem? I really see nothing wrong with
> the old socket. Filament voltage is 5V as it should be
> on all pins.
>
> Ideas?
>
> Thanks in advance.
>
> 73 Dave K4JRB

Regarding your filament problem. Look for the November and December 1990 QST, "Circuit improvements for the Heath SB-220 Amplifier Part 1 and Part 2." Your answer is there. For example: One weakness in the SB-220's cooling system is that the infared radiation (heat) reflected back into the tubes from the bright aluminum surfaces adjacent and parallel to the anodes shortens tube life. This deficiency is easily corrected: After removing the tubes, apply black liquid shoe polish to the vertical aluminum surfaces near the tubes. In the design of your Amplifier, are the filament pins facing each other so the air from your blower is creating the maximum cooling? Does the blower direct the flow of air above and below the chassis at the same time? These criteria are important. The fans have to be lubricated at least once a year with thin non gumming oil such as Hoppe's no. 1003. A drop or two will do, more oil is not better, just messier. 73, Bob, VE6RI.

```
From -4126548599147301389
X-Google-Thread: 108122,8e31be211e711d03,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: audioleakage TS790 between VFO's
Date: Sun, 13 Aug 2006 07:34:59 +0200
Lines: 21
Message-ID: <4k7s00FaveugU1@individual.net>
X-Trace: individual.net Jnh5obm0PJDjmsAzfFgGZQsiULnJgng1Bh7ZlpmOGTWo6OcRDM
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5688

 Hello,

When my 790 receives on the subband and i transmit on the main VFO
then audio from the subreceiver is leaking to the main-vfo into the
transmission.
I tried to receive on different VFO's but nothing helps.
I know that there's is a fix for it but i do not have the link anymore.
Any suggestions ?

73,Hans

--
Met vriendelijke groeten,

Hans Pluijgers

callsign : PA3HGT
http://www.pa3hgt.nl






From 3395225673188970518
X-Google-Thread: 108122,26d6aab819b17a14,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!12.154.55.81!kcnewsm01.prserv.net!
prserv.net!peer.news.zetnet.net!master.news.zetnet.net!not-for-mail
NNTP-Posting-Host: user-10001895.zetnet.co.uk
Message-ID: <3130303031383935440F0BDF27@deryck.com>
Date: Sun, 13 Aug 2006 11:24:15 +0100
```

Newsgroups: rec.radio.amateur.equipment
From: deryck lant <deryck@deryck.com>
X-Mailer: ZIMACS
X-UserInfo: Version 2.22 10001895 2600
Subject: Kenwood quitting Ham Radio?
Lines: 7
X-Trace: 1155464762 master.news.zetnet.net 29539 194.247.47.30:4132
Xref: g2news2.google.com rec.radio.amateur.equipment:5689

I heard a rumour on the air that Kenwood is quitting Ham Radio.
Can that be possible true? The TS-480 was truly excellent and
the TS-2000 really an innovation.

Would be a sad loss.

Deryck G0KOR

From -6987469502720177270
X-Google-Thread: 108122,ee739566f340b364,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: NOS MILLEN, NATIONAL + MORE STUFF
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <XLEDg.243522$mF2.36528@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 512ffa39d987ffae11358f77b74f2feb
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1155471479 512ffa39d987ffae11358f77b74f2feb (Sun, 13 Aug 2006 12:17:59 GMT)
NNTP-Posting-Date: Sun, 13 Aug 2006 12:17:59 GMT
Organization: AT&T Worldnet
Date: Sun, 13 Aug 2006 12:17:59 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5690

Have listed NIB dials, tubes, parts, with other stuff too AND I will
have more dial NIB from Millen, + coils from Miller,+EF JOHNSON:check
back often. I WILL HAVE TWO beautiful NIB EDDYSTONE DIALS very soon.

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx, 73 heytubeguy

```
From 1221984155901497517
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!123.NET-a2dgdNsfNH65I!not-for-mail
From: helmsman <helmsman@royaloak.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
Date: Sun, 13 Aug 2006 08:25:25 -0400
Message-ID: <ve6ud291et4087to1ma7spufuvk1n4u809@4ax.com>
References: <3130303031383935440F0BDF27@deryck.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 15
X-Trace: 1022344df1a367d4fd81501611
Xref: g2news2.google.com rec.radio.amateur.equipment:5691

On Sun, 13 Aug 2006 11:24:15 +0100, deryck  lant <deryck@deryck.com>
wrote:

>I heard a rumour on the air that Kenwood is quitting Ham Radio.
>Can that be possible true? The TS-480 was truly excellent and
>the TS-2000 really an innovation.
>
>Would be a sad loss.
>
>Deryck G0KOR

I still use a TS-450-sat and love it. I also sent them an e-mail. We
shall see.
KG8PM




From 4838435149879099149
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
References: <3130303031383935440F0BDF27@deryck.com>
Subject: Re: Kenwood quitting Ham Radio?
```

```
Date: Sun, 13 Aug 2006 07:45:41 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 18
Message-ID: <44df3b17$0$34488$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 13 Aug 2006 14:45:43 GMT
NNTP-Posting-Host: e76e8473.news.sonic.net
X-Trace: DXC=`@\V=V\3TS`?K?
9`>4U>Cjm4K\QM1CV^`1OYf0H`?;XaCFGLhhhWf;k<Qc7RIG=<Oh[:KIh[819kd=\J3W1O[>Wl
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5692

That would be a shame. Their rigs have always offered
good performance and value. Wouldn't suprise me if
they did leave the market though. To say its a limited
market is an understatement.

                       Steve W6SSP

"deryck lant" <deryck@deryck.com> wrote in message
news:3130303031383935 44DF0BDF27@deryck.com...
>I heard a rumour on the air that Kenwood is quitting Ham Radio.
> Can that be possible true? The TS-480 was truly excellent and
> the TS-2000 really an innovation.
>
> Would be a sad loss.
>
> Deryck G0KOR




From 6387118291569136843
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 13 Aug 2006 10:34:55 -0500
Date: Sun, 13 Aug 2006 11:35:18 -0400
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Thunderbird 1.5.0.5 (X11/20060719)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
References: <313030303138393544DF0BDF27@deryck.com>
<44df3b17$0$34488$742ec2ed@news.sonic.net>
In-Reply-To: <44df3b17$0$34488$742ec2ed@news.sonic.net>
```

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <fuSdnfVAS70920LZnZ2dnUVZ_qWdnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-5MuCoRun28RtNT7MLA+MZetZ0/
vidtDCgSpXDgkzFMQCaJ2Mmku3eCC4fmJ242OhNN42K/OlQIhU/f7!59mKtUNQOT6AiDS11pWJjNc/
eGhyPsn/qeBOE8M30xQ8lVZUe3UkeRK6GOwrD/ZfvExc9VJcGj/v!QU0EDXkTdtgq+xIgrKt+
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5693
```

Steve wrote:
> That would be a shame. Their rigs have always offered
> good performance and value. Wouldn't suprise me if
> they did leave the market though. To say its a limited
> market is an understatement.
>
>   Steve W6SSP
>
> "deryck lant" <deryck@deryck.com> wrote in message
> news:313030303138393544DF0BDF27@deryck.com...
>> I heard a rumour on the air that Kenwood is quitting Ham Radio.
>> Can that be possible true? The TS-480 was truly excellent and
>> the TS-2000 really an innovation.
>>
>> Would be a sad loss.
>>
>> Deryck G0KOR
>
>
Well, ARRL is pushing ICOM, as Icom is "sponsoring" stuff for them. Looks like
old fashioned kickbacks to me, but it seems unfair to the competition.

```
From -992936316681949747
X-Google-Thread: 108122,bb6f15d4e2ed30b2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 13 Aug 2006 10:45:45 -0500
From: notmeman <nospam4me@goober.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: DX ENGINEERING BALUN
Date: Sun, 13 Aug 2006 10:45:38 -0500
Message-ID: <o8iud2tb5bk1ld6pdc3dtbl3hln0jaajkh@4ax.com>
References: <hqujd2tedkr5mhmpd6bdgc6bm3egkimlc4@4ax.com>
```

X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
NNTP-Posting-Host: 68.34.142.145
X-Trace: sv3-
A1Pz6Z513aibJ29QZQcTU4dWwnAhF7tRqEU8OmzfyWEvUCB2xqnCu76zwTCZUW2Otyl64vM89X4KxPA!
nGT/KIYVg/nSq7Ya+3uEyc/uywWjTLV3vWhi/uAh1QWeasbIKuiorwn0TWFpIk2aAZLAVzausf1u!
rODwL6xBg3wF
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5694

FS: DX ENGINEERING BALUN
MODEL DXW-BAL600-H10-A
12:1 high power, rated for 5 kw continuous, 10 kw intermittent, easily
handles full-limit AM or SSB. 1.8-30 Mhz, suitable for wide spaced 600
ohm open wire feeders.
Like new, used approx. 6 months, installed indoors, has never been out
in the elements.
See
http://www.dxengineering.com/Parts.asp?
ID=97&PLID=50&SecID=10&DeptID=33&PartNo=DXE%2DBAL600%2DH10%2DA
for detailed specs and photo.
$125 includes shipping anywhere in continental USA.
Contact me direct
k0dan at arrl dot net

From 6399773139831094799
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 13 Aug 2006 11:39:11 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <313030303138393544DF0BDF27@deryck.com>
<44df3b17$0$34488$742ec2ed@news.sonic.net>
<fuSdnfVAS70920LZnZ2dnUVZ_qWdnZ2d@comcast.com>
Subject: Re: Kenwood quitting Ham Radio?
Date: Sun, 13 Aug 2006 11:39:10 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962

```
X-RFC2646: Format=Flowed; Response
Message-ID: <wq-dnZD5xMcyyELZnZ2dnUVZ_sydnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 71.226.69.91
X-Trace: sv3-7aTiY7pngKmvSU0/
sw4TyY7jiozSmg0ADAXiUQYjVuNzxCKmGk8imUFzM7Vx1tJ3pd2RJAVb7DFYUED!NwcKqoqRcvrsM/
FahJ26M8UqyORbo1z2L6iIzVRKwRSD7YqiKpNTreaq4iO0kuikpiqNOWpRm0/j!MfDwvQKyI6VO
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5695


"John L. Sielke" <w2agnNOSPAM@w2agn.net> wrote in message
news:fuSdnfVAS70920LZnZ2dnUVZ_qWdnZ2d@comcast.com...
> Steve wrote:
>> That would be a shame. Their rigs have always offered
>> good performance and value. Wouldn't suprise me if
>> they did leave the market though. To say its a limited
>> market is an understatement.
>>
>>                         Steve W6SSP
>>
>> "deryck lant" <deryck@deryck.com> wrote in message
>> news:313030303138393544DF0BDF27@deryck.com...
>>> I heard a rumour on the air that Kenwood is quitting Ham Radio.
>>> Can that be possible true? The TS-480 was truly excellent and
>>> the TS-2000 really an innovation.
>>>
>>> Would be a sad loss.
>>>
>>> Deryck G0KOR
>>
>>
> Well, ARRL is pushing ICOM, as Icom is "sponsoring" stuff for them. Looks
> like old fashioned kickbacks to me, but it seems unfair to the
> competition.

I owned an ICOM......once.

IMHO, Kenwood makes the best HF rigs, and Yaesu makes the best V/Uhf stuff.
but then I have only been licensed since 1984, so what do I know.

-n6ojn




From 6528545640220239029
X-Google-Thread: 108122,26d6aab819b17a14
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-
sjc-03!sn-xt-sjc-10!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!
not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
Date: Sun, 13 Aug 2006 11:07:20 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <diqud2l9fujb1obgofnc7kinorqlcbjhul@4ax.com>
References: <313030303138393544DF0BDF27@deryck.com>
<44df3b17$0$34488$742ec2ed@news.sonic.net>
<fuSdnfVAS70920LZnZ2dnUVZ_qWdnZ2d@comcast.com> <wq-
dnZD5xMcyyELZnZ2dnUVZ_sydnZ2d@comcast.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news2.google.com rec.radio.amateur.equipment:5696

On Sun, 13 Aug 2006 11:39:10 -0500, "Noon-Air" <Noon-Air@comcast.net>
wrote:

>> Well, ARRL is pushing ICOM, as Icom is "sponsoring" stuff for them. Looks
>> like old fashioned kickbacks to me, but it seems unfair to the
>> competition.
>
>I owned an ICOM......once.
>
>IMHO, Kenwood makes the best HF rigs, and Yaesu makes the best V/Uhf stuff.
>but then I have only been licensed since 1984, so what do I know.
>
>-n6ojn
>

I have always been an Icom person, but there are some things Kenwood
has that Icom doesn't have anything close to.  In particular, the
TM-D700A, the TH-D7AG and the TH-F6A.  I have all three.

I don't think Kenwood has anything close to the Icom-7800 for HF.  Of
course for $15,000 one would expect a lot.

I have been licensed since 1951, so you're probably right.  :-)

Dick - W6CCD


From -1733974980651785981
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood quitting Ham Radio?
Message-ID: <mgivd2po6l6k7818d1qfgmggvnkmjl7idc@4ax.com>
References: <313030303138393544DF0BDF27@deryck.com>
<44df3b17$0$34488$742ec2ed@news.sonic.net>
<fuSdnfVAS70920LZnZ2dnUVZ_qWdnZ2d@comcast.com> <wq-
dnZD5xMcyyELZnZ2dnUVZ_sydnZ2d@comcast.com>
<diqud2l9fujb1obgofnc7kinorqlcbjhul@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
Date: Mon, 14 Aug 2006 00:57:38 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1155517058 24.174.167.251 (Sun, 13 Aug 2006 19:57:38
CDT)
NNTP-Posting-Date: Sun, 13 Aug 2006 19:57:38 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5697

On Sun, 13 Aug 2006 11:07:20 -0700, Dick <w6ccd@k7yca.org> wrote:

>On Sun, 13 Aug 2006 11:39:10 -0500, "Noon-Air" <Noon-Air@comcast.net>
>wrote:
>
>>> Well, ARRL is pushing ICOM, as Icom is "sponsoring" stuff for them. Looks
>>> like old fashioned kickbacks to me, but it seems unfair to the
>>> competition.
>>
>>I owned an ICOM......once.
>>
>>IMHO, Kenwood makes the best HF rigs, and Yaesu makes the best V/Uhf stuff.
>>but then I have only been licensed since 1984, so what do I know.
>>
>>-n6ojn
>>
>
>I have always been an Icom person, but there are some things Kenwood
>has that Icom doesn't have anything close to.  In particular, the
>TM-D700A, the TH-D7AG and the TH-F6A.  I have all three.
>
>I don't think Kenwood has anything close to the Icom-7800 for HF.  Of
>course for $15,000 one would expect a lot.
>
>I have been licensed since 1951, so you're probably right.  :-)
```

>
>Dick - W6CCD

Ten Tec is coming out with a new HF/6 mtrs rig, so the market isn't
completely dead. It'll be called the Omni VII.

bob
k5qwg

From 9062217587176783964
X-Google-Thread: 108122,26d6aab819b17a14
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <313030303138393544DF0BDF27@deryck.com>
<44df3b17$0$34488$742ec2ed@news.sonic.net>
<fuSdnfVAS70920LZnZ2dnUVZ_qWdnZ2d@comcast.com> <wq-dnZD5xMcyyELZnZ2dnUVZ_sydnZ2d@comcast.com>
<diqud2l9fujb1obgofnc7kinorqlcbjhul@4ax.com>
<mgivd2po6l6k7818d1qfgmggvnkmjl7idc@4ax.com>
Subject: Re: Kenwood quitting Ham Radio?
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
X-RFC2646: Format=Flowed; Original
Message-ID: <Y0QDg.7667$xp2.737@newsread1.news.pas.earthlink.net>
Date: Mon, 14 Aug 2006 01:07:04 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1155517624 24.225.35.108 (Sun, 13 Aug 2006 18:07:04 PDT)
NNTP-Posting-Date: Sun, 13 Aug 2006 18:07:04 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5698

>
> Ten Tec is coming out with a new HF/6 mtrs rig, so the market isn't
> completely dead. It'll be called the Omni VII.
>
> bob
> k5qwg

The big differance is that Kenwood produces other electronic items, but Ten
Tec's only produce ham related items as far as I know. TT has to keep doing
somethig to sell the rigs or go out of business all together.

```
From -3912664217798929141
X-Google-Thread: 108122,5349a82fd09e7fa1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB:12 V TIMER RELAY
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2962
Message-ID: <CbQDg.245371$mF2.14120@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 71f87572c89bc4e09cea2dfbfbd394a9
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1155518306
71f87572c89bc4e09cea2dfbfbd394a9 (Mon, 14 Aug 2006 01:18:26 GMT)
NNTP-Posting-Date: Mon, 14 Aug 2006 01:18:26 GMT
Organization: AT&T Worldnet
Date: Mon, 14 Aug 2006 01:18:26 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5699
```

Need a 12v NO timer relay from 45-180 sec delay. Advise of condx and price.

tnx heytubeguy

```
From -6943640734530992753
X-Google-Thread: 108122,ae76595f38d390a5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.velocitywest.net!
news.velocitywest.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Aug 2006 15:38:53 -0500
From: "Jeff" <Jeff@somewhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Modification question
Date: Wed, 2 Aug 2006 16:38:18 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <8tadnSnkfO3AkEzZnZ2dnUVZ_rGdnZ2d@velocitywest.net>
Lines: 19
NNTP-Posting-Host: 24.161.72.51
X-Trace: sv3-ws0KTeqA/
Eh9xqHTJLkWzwrJaYiu0/7cxeGJV4lL08PpXlT38jU3IgzwuAMKKKNWsHZ+RNIDG+ffuef!
QTTOAQpvEnnrb1IvHQSTxx0/xf0R6nkI1GNbgjZJ94rEVo/1ffpPqxKrVkWYm+FXW0y+Gf/iAzKh!
nxR2YcWnBWbnLS6z9gZQuIEYaPklIA==
X-Complaints-To: abuse@velocitywest.net
X-DMCA-Complaints-To: abuse@velocitywest.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5600

Between the input on this forum and links that i'm pointed to, wow.

So, questions, in no particular order.

Can a licensed FRS/GMRS radio with a fixed antenna be modified so that one has an external on therir roof higher up? Or two cars in a convoy with a CB type whip antenna connected to these 2 way radios.

How much power does a cellphone put out ?

can a 2.4 GHZ/ 5.4 GHZ wirless phone be modified with an external antenna on the base?

Thnx

jeff

From -4371964879198039327
X-Google-Thread: 108122,ae76595f38d390a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!headwall.stanford.edu!newshub.sdsu.edu!news.astraweb.com!router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-sjc-06!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Modification question
Date: Wed, 02 Aug 2006 21:02:01 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12d24m9915a87a6@corp.supernews.com>
References: <8tadnSnkfO3AkEzZnZ2dnUVZ_rGdnZ2d@velocitywest.net>

X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 76
Xref: g2news2.google.com rec.radio.amateur.equipment:5601

In article <8tadnSnkfO3AkEzZnZ2dnUVZ_rGdnZ2d@velocitywest.net>,
Jeff <Jeff@somewhere.com> wrote:

>Between the input on this forum and links that i'm pointed to, wow.
>
>So, questions, in no particular order.
>
>Can a licensed FRS/GMRS radio with a fixed antenna be modified so that one
>has an external on therir roof higher up?

No, not legally.

Making any modification at all to an FRS radio, immediately voids the radio's certification for use on the FRS frequencies, and it becomes illegal to use it to transmit on those frequencies.

The FCC rules on FRS radios specifically state that antennas on these radios may not be made removeable.

Some years ago, Radio Shack (or their OEM) figured out a cute way to work around this restriction. They built FRS radios in the form of a magnetically-mounted "puck" with a fixed whip on top, which were intended to be mounted on the roof of a vehicle. A cable ran back inside, with a speaker-mike on it and (I think) a cigarette-lighter plug. Because the radio itself was on top of the vehicle, and because the antenna was permanently attached and didn't have directional gain, the radio was within the rules and did receive FCC certification.

I don't think RS has sold this model for several years, and I don't know if a similar model is available anywhere else.

The rules are different for GMRS. I believe that it's possible to buy radios which operate only on the GMRS frequencies (they won't transmit on the FRS-only frequencies) and which have plug-and-jack antenna connections. You could put a whip antenna on your roof, if you use this sort of radio. You would have to have a proper GMRS license to do so.

>   Or two cars in a convoy with a CB
>type whip antenna connected to these 2 way radios.

Again, this is possible with GMRS-only radios, but not with FRS-only or dual-mode FRS/GMRS radios.

>How much power does a cellphone put out ?

Which cellphone? :-)

Typically it's a few hundred milliwatts on average, if I recall correctly.

>can a 2.4 GHZ/ 5.4 GHZ wirless phone be modified with an external antenna on
>the base?

It's physically possible, but it's very probably a violation of FCC rules. Making any "in the field" modification to a Part 15 device will void the device's certification, and it becomes technically illegal to use the device to transmit.

A meta-suggestion: if you're interested in using radios which can have more power, more available frequencies, and a lot more flexibility for modification and antenna selection and mounting, and if the intended application is not commercial/business use, why not buckle down and study a bit and get yourself (and others in your group) tested and licensed as ham radio operators? The test isn't difficult - quite a lot of people pass it after a one-day cram session, although I personally recommend taking a few evenings to read through the material and really understand the background - and the usual VEC testing fees for three or four people would come to less than the cost of one GMRS license.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 8699586247580981976
X-Google-Thread: 108122,ae76595f38d390a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.velocitywest.net!
news.velocitywest.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Aug 2006 16:27:41 -0500
From: "Jeff" <Jeff@somewhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <8tadnSnkfO3AkEzZnZ2dnUVZ_rGdnZ2d@velocitywest.net>
<12d24m9915a87a6@corp.supernews.com>
Subject: Re: Modification question
Date: Wed, 2 Aug 2006 17:28:01 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <W5udnT3su6JQhUzZnZ2dnUVZ_r-dnZ2d@velocitywest.net>
Lines: 84
NNTP-Posting-Host: 24.161.72.51

```
X-Trace: sv3-er3lg63cvedqbb444H+xNamJTsthGBFKqDbrgNekkk32/
dcJiPdOTVOwgLzjG9IN60OAIXbfHva0Pzh!y7H1MLM19tyLtbLh/CqBR7CQnACnH2e6i+TzxRfIiMCJb/
hsBI6dMx1uW56R7CXOxC2Y3fPTS2jG!kgtmjR9g5MHGl9afm6y8x2di9wrNcQ==
X-Complaints-To: abuse@velocitywest.net
X-DMCA-Complaints-To: abuse@velocitywest.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5602

Thank you for taking the time and thoroughly answering all my questions

"Dave Platt" <dplatt@radagast.org> wrote in message
news:12d24m9915a87a6@corp.supernews.com...
> In article <8tadnSnkfO3AkEzZnZ2dnUVZ_rGdnZ2d@velocitywest.net>,
> Jeff <Jeff@somewhere.com> wrote:
>
>>Between the input on this forum and links that i'm pointed to, wow.
>>
>>So, questions, in no particular order.
>>
>>Can a licensed  FRS/GMRS radio with a fixed antenna be modified so that
>>one
>>has an external on therir roof higher up?
>
> No, not legally.
>
> Making any modification at all to an FRS radio, immediately voids the
> radio's certification for use on the FRS frequencies, and it becomes
> illegal to use it to transmit on those frequencies.
>
> The FCC rules on FRS radios specifically state that antennas on these
> radios may not be made removeable.
>
> Some years ago, Radio Shack (or their OEM) figured out a cute way to
> work around this restriction.  They built FRS radios in the form of a
> magnetically-mounted "puck" with a fixed whip on top, which were
> intended to be mounted on the roof of a vehicle.  A cable ran back
> inside, with a speaker-mike on it and (I think) a cigarette-lighter
> plug.  Because the radio itself was on top of the vehicle, and because
> the antenna was permanently attached and didn't have directional gain,
> the radio was within the rules and did receive FCC certification.
>
> I don't think RS has sold this model for several years, and I don't
> know if a similar model is available anywhere else.
>
> The rules are different for GMRS.  I believe that it's possible to buy
> radios which operate only on the GMRS frequencies (they won't transmit
> on the FRS-only frequencies) and which have plug-and-jack antenna
> connections.  You could put a whip antenna on your roof, if you use
> this sort of radio.  You would have to have a proper GMRS license to
> do so.
```

```
>
>>                             Or two cars in a convoy with a CB
>>type whip antenna connected to these 2 way radios.
>
> Again, this is possible with GMRS-only radios, but not with FRS-only
> or dual-mode FRS/GMRS radios.
>
>>How much power  does a cellphone put out ?
>
> Which cellphone? :-)
>
> Typically it's a few hundred milliwatts on average, if I recall
> correctly.
>
>>can a 2.4 GHZ/ 5.4 GHZ wirless phone be modified with an external antenna
>>on
>>the base?
>
> It's physically possible, but it's very probably a violation of FCC
> rules.  Making any "in the field" modification to a Part 15 device
> will void the device's certification, and it becomes technically
> illegal to use the device to transmit.
>
> A meta-suggestion:  if you're interested in using radios which can
> have more power, more available frequencies, and a lot more
> flexibility for modification and antenna selection and mounting, and
> if the intended application is not commercial/business use, why not
> buckle down and study a bit and get yourself (and others in your
> group) tested and licensed as ham radio operators?  The test isn't
> difficult - quite a lot of people pass it after a one-day cram
> session, although I personally recommend taking a few evenings to read
> through the material and really understand the background - and the
> usual VEC testing fees for three or four people would come to less
> than the cost of one GMRS license.
>
> --
> Dave Platt <dplatt@radagast.org>                                  AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
>  I do _not_ wish to receive unsolicited commercial email, and I will
>     boycott any company which has the gall to send me such ads!




From -7400455853204650292
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Aug 2006 17:42:05 -0500
From: Jerseyj <jerseyj69@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: VENT Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com> <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com> <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET> <TY1Ag.303358$iF6.152609@pd7tw2no>
User-Agent: MT-NewsWatcher/3.2 (PPC Mac OS X)
Date: Wed, 02 Aug 2006 18:42:05 -0400
Message-ID: <jerseyj69-468D01.18420502082006@comcast.dca.giganews.com>
Lines: 52
NNTP-Posting-Host: 69.139.244.181
X-Trace: sv3-6bUvRGPO8pIhSryuMcds+eNDhdE6wYTClE/1fMwBAp6F12UYeDIZTpqSz6rVM91/
RtBZdiFZD7ww5X8!
CrVDJdCXpGFRW6InwdvaZC750bx8WCQbEt2HMoyKrBcORUvQ1sVkBJ392HZQLuysmz7jjplC5wEs!
oI9ytou6OIw/zzrTiLDBI28EAxNzBUvZ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:15756
rec.radio.amateur.equipment:5603 rec.radio.amateur.misc:18202
rec.radio.amateur.policy:35870 rec.radio.shortwave:47408

In article <TY1Ag.303358$iF6.152609@pd7tw2no>,
 Paul Hinman <paul.hinman@shaw.ca> wrote:

> J. D. B. wrote:
>
> > Well at least your estate will get to keep your life savings. If you
> > get sick late in the year, and the healthcare facility/hospital shut
> > down for the rest of the year because it ran out of government money
> > (a typical scenario in Canada), there will be no one to give you any
> > care and you'll just die.  But hey, your life savings will still be
> > intact! Is socialized health care great or what?
> >
> >>
> >> - At least in Canada you get to keep
> >> - your life savings if you get sick.
```

> >>
> I am a Canadian with serious chronic health problems and I have much
> more experience with the health system than I would like to have, I
> have come close being a silent key several times, I am sure that there
> are some who feel that is too bad that I was allowed to breed before my
> medical problems became obvious. In the minds of some I suppose that I
> have peed in the genetic pool.
>
> I have never heard of a Canadian hospital shutting down because the
> money did not last until fiscal year end. While there are some
> weaknesses in our system such as delays in elective procedures but when
> the sand was running out of the hour glass there was always a system to
> help me out. Here everyone can get insured, there is an option to opt
> out of medicare but who would?
>
> Think of the overhead that American doctors face having to deal with
> multiple insurance companies, each with different forms and procedures.
> Think of the people who can't get medical insurance no matter what the
> cost. Think of those who don't have because they can't afford it. And
> then there are those who exercise their right not have it.
>
> In a situation where people get treated but can't afford to pay, the
> rates for everyone else must go up to compensate.
>
> Canada is not perfect but it is a pretty nice place to live and we try
> to contribute as best we can.
>
> By the way, if I were an American I would vote republican but I am not a
> single issue voter so don't construe that to mean that I from the far
> right wing. Consider me a fiscal conservative with a social conscience.

Interestingly, my wife is also a Canadian, she moved down here to the US
just before we got married. She worked only part time in Canada.
Aparantly, the health care is NOT universal, as many meds she needed she
had to pay for out of her own pocket, and had to wait months for an MRI
(She just had one here on one weeks notice). Yup, there are issues here
too, but the Canadian system is far from perfect either.

From -3771956996374632509
X-Google-Thread: 108122,a8ccb57af28bd05b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can a six mile radio only yield half a watt?/ Interpreting FCC info wrong?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
Organization: Your Company
Message-ID: <Xns9813A3D58DF53spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14

Date: 02 Aug 2006 23:05:29 GMT
Lines: 15
NNTP-Posting-Host: c9ca35a1.news.adtechcomputers.com
X-Trace: DXC=;Q6;cL^oKiC<<h;Yk>G0KMgC4_A5:nI@A<<=aEgO;R8G]]
\Ob]0P^GDWH;L]i_e:hOecf<A4o8l9C0W_Uo]cC15JheP5LSl:mX@PRo[n0nB;4O:bU560WoDH@
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5604

> Uniden GMR635   FCC ID AMWUT916
>
> This six mile radio says in the FCC specs that it puts out only less
> than half a watt...am I reading that right?
>

Specifications with communications distance in them don't mean crap. I have talked over 90 miles with a 2M 1 watt HT,   (Alamagordo to El Paso). Terrain is everything.

Ed   K7AAT

From -1753539375267212867
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feed.cgocable.net!
pd7cy1no!pd7cy2no!shaw.ca!pd7tw3no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.150.52.44
From: Paul Hinman <paul.hinman@shaw.ca>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: VENT Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada
 !
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com> <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com> <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>

```
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET> <TY1Ag.303358$iF6.152609@pd7tw2no>
<jerseyj69-468D01.18420502082006@comcast.dca.giganews.com>
In-Reply-To: <jerseyj69-468D01.18420502082006@comcast.dca.giganews.com>
Content-Type: multipart/alternative;
 boundary="------------070301060301010202060005"
Lines: 187
Message-ID: <XlaAg.306595$Mn5.285529@pd7tw3no>
Date: Wed, 02 Aug 2006 23:15:03 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw3no 1154560503 24.70.95.207 (Wed, 02 Aug 2006 17:15:03 MDT)
NNTP-Posting-Date: Wed, 02 Aug 2006 17:15:03 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:15760
rec.radio.amateur.equipment:5605 rec.radio.amateur.misc:18208
rec.radio.amateur.policy:35876 rec.radio.shortwave:47417

This is a multi-part message in MIME format.
--------------070301060301010202060005
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Jerseyj wrote:

>In article <TY1Ag.303358$iF6.152609@pd7tw2no>,
> Paul Hinman <paul.hinman@shaw.ca> wrote:
>
>
>
>>J. D. B. wrote:
>>
>>
>>
>>>Well at least your estate will get to keep your life savings. If you
>>>get sick late in the year, and the healthcare facility/hospital shut
>>>down for the rest of the year because it ran out of government money
>>>(a typical scenario in Canada), there will be no one to give you any
>>>care and you'll just die.  But hey, your life savings will still be
>>>intact! Is socialized health care great or what?
>>>
>>>
>>>
>>>>- At least in Canada you get to keep
>>>>- your life savings if you get sick.
>>>>
>>>>
>>>>
>>I am a Canadian with serious chronic health problems and I have much
>>more experience with the health system than I would like to have,  I
>>have come close being a silent key several times, I am sure that there
```

>>are some who feel that is too bad that I was allowed to breed before my
>>medical problems became obvious. In the minds of some I suppose that I
>>have peed in the genetic pool.
>>
>>I have never heard of a Canadian hospital shutting down because the
>>money did not last until fiscal year end. While there are some
>>weaknesses in our system such as delays in elective procedures but when
>>the sand was running out of the hour glass there was always a system to
>>help me out. Here everyone can get insured, there is an option to opt
>>out of medicare but who would?
>>
>>Think of the overhead that American doctors face having to deal with
>>multiple insurance companies, each with different forms and procedures.
>>Think of the people who can't get medical insurance no matter what the
>>cost. Think of those who don't have because they can't afford it. And
>>then there are those who exercise their right not have it.
>>
>>In a situation where people get treated but can't afford to pay, the
>>rates for everyone else must go up to compensate.
>>
>>Canada is not perfect but it is a pretty nice place to live and we try
>>to contribute as best we can.
>>
>>By the way, if I were an American I would vote republican but I am not a
>>single issue voter so don't construe that to mean that I from the far
>>right wing. Consider me a fiscal conservative with a social conscience.
>>
>>
>
>Interestingly, my wife is also a Canadian, she moved down here to the US
>just before we got married. She worked only part time in Canada.
>Aparantly, the health care is NOT universal, as many meds she needed she
>had to pay for out of her own pocket, and had to wait months for an MRI
>(She just had one here on one weeks notice). Yup, there are issues here
>too, but the Canadian system is far from perfect either.
>
>

There are delays I will admit that. Universal means that everyone can
participate it, it does not mean that it covers everything. I also have
private insurance to cover drugs, dentistry, the surcharge for private
hosptital rooms etc. I guess that I got really ticked off when the guy
said that hospitals routinely close because they run out of money, that
was bull and it really ticked me off. Please excuse my sensitivity.

Paul

--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk

```
--------------070301060301010202060005
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Jerseyj wrote:
<blockquote
 cite="midjerseyj69-468D01.18420502082006@comcast.dca.giganews.com"
 type="cite">
  <pre wrap="">In article &lt;TY1Ag.303358$iF6.152609@pd7tw2no&gt;,
 Paul Hinman <a class="moz-txt-link-rfc2396E"
href="mailto:paul.hinman@shaw.ca">&lt;paul.hinman@shaw.ca&gt;</a> wrote:

  </pre>
  <blockquote type="cite">
    <pre wrap="">J. D. B. wrote:

    </pre>
    <blockquote type="cite">
      <pre wrap="">Well at least your estate will get to keep your life savings.
If you
get sick late in the year, and the healthcare facility/hospital shut
down for the rest of the year because it ran out of government money
(a typical scenario in Canada), there will be no one to give you any
care and you'll just die.  But hey, your life savings will still be
intact! Is socialized health care great or what?

      </pre>
      <blockquote type="cite">
        <pre wrap="">- At least in Canada you get to keep
- your life savings if you get sick.

        </pre>
      </blockquote>
    </blockquote>
    <pre wrap="">I am a Canadian with serious chronic health problems and I have
much
more experience with the health system than I would like to have,  I
have come close being a silent key several times, I am sure that there
are some who feel that is too bad that I was allowed to breed before my
medical problems became obvious.  In the minds of some I suppose that I
have peed in the genetic pool.

I have never heard of a Canadian hospital shutting down because the
money did not last until fiscal year end.  While there are some
weaknesses in our system such as delays in elective procedures but when
```

```
the sand was running out of the hour glass there was always a system to
help me out.  Here everyone can get insured, there is an option to opt
out of medicare but who would?

Think of the overhead that American doctors face having to deal with
multiple insurance companies, each with different forms and procedures.
Think of the people who can't get medical insurance no matter what the
cost.  Think of those who don't have because they can't afford it.  And
then there are those who exercise their right not have it.

In a situation where people get treated but can't afford to pay, the
rates for everyone else must go up to compensate.

Canada is not perfect but it is a pretty nice place to live and we try
to contribute as best we can.

By the way, if I were an American I would vote republican but I am not a
single issue voter so don't construe that to mean that I from the far
right wing.  Consider me a fiscal conservative with a social conscience.
    </pre>
  </blockquote>
  <pre wrap=""><!---->
Interestingly, my wife is also a Canadian, she moved down here to the US
just before we got married. She worked only part time in Canada.
Aparantly, the health care is NOT universal, as many meds she needed she
had to pay for out of her own pocket, and had to wait months for an MRI
(She just had one here on one weeks notice). Yup, there are issues here
too, but the Canadian system is far from perfect either.
  </pre>
</blockquote>
<font size="+1"><font face="Comic Sans MS">There are delays I will
admit that.&nbsp; Universal means that everyone can participate it, it does
not mean that it covers everything.&nbsp; I also have private insurance to
cover drugs, dentistry,&nbsp; the surcharge for private hosptital rooms
etc.&nbsp; I guess that I got really ticked off when the guy said that
hospitals routinely close because they run out of money, that was bull
and it really ticked me off.&nbsp; Please excuse my sensitivity.<br>
<br>
Paul<br>
</font></font><br>
<pre class="moz-signature" cols="72">--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk

</pre>
</body>
</html>

--------------070301060301010202060005--
```

```
From -8804450595377919910
X-Google-Thread: 108122,64074244aa798b82,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!newsfeed.gamma.ru!Gamma.RU!
newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.freenet.de!
border2.nntp.ams.giganews.com!nntp.giganews.com!sn-xt-ams-06!sn-xt-ams-03!sn-post-
ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: AZDEN PCS9000 How Odd Split????
Date: Wed, 2 Aug 2006 15:22:31 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0608021517460.25863@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.equipment:5606

Does anyone on here know how to creat a non standard split on this
rig?   I dont have a manual.  Its already MARS modified for outside
the ham freqcys I just cant get a wide split for AFMARS.
Like 143.50 (rcv) and 142.150 (up).  The +/- 600 works fine
either in the bands our out side ham band limits.   Wish I had
some feedback on this.
                      Joe/ABM6JF/KH6JF


**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************



From -8382702300072895677
X-Google-Thread: 108122,59f9347b146b388d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr25.news.prodigy.net.POSTED!def87e47!not-for-
mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie Question About GMRS Vs. FRS
From: John <jlwsecure-usenet6@yahoo.com>
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
<Xns98136F0AB4423securegoogle@207.115.17.102>
<lhh1d21av9q2ajk9eh7vo4a1t3m6th1fpo@4ax.com>
Message-ID: <Xns98148B6EA1DBAjlwsecure@207.115.17.102>
User-Agent: Xnews/2006.06.28
```

```
X-Squid-Repellent: Disclaimer: All messages are purely personal opinion and may
not represent actual fact.
Reply-To: jlwsecure-usenet6@yahoo.com
Lines: 20
NNTP-Posting-Host: 69.223.166.123
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1154626860 ST000 69.223.166.123 (Thu, 03 Aug
2006 13:41:00 EDT)
NNTP-Posting-Date: Thu, 03 Aug 2006 13:41:00 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PGG[[D]RUKR]LXBZINO_XBUSXB@DTMNHWB_EYLJZ]BGIELCNVOPCWZBL[\YUWHANGYZEFNHFZPNLOBUN
SS^_LGEVWEY\PHO@YJSSWBBDT\PFD^ESBTXVCCMTD]JCJLE\_IJMFNRY]SWE[S[D_CNB__ZK^VGVCKHA[S
@COB^[@ZQSDFQ\BPMS@DZVUKQTJL
Date: Thu, 03 Aug 2006 17:41:00 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5607

Dick <w6ccd@k7yca.org> wrote in
news:lhh1d21av9q2ajk9eh7vo4a1t3m6th1fpo@4ax.com:

> On Wed, 02 Aug 2006 14:53:41 GMT, John <jlwsecure-google1@yahoo.com>
> wrote:
>
>>You will never, ever get 18 miles.  The claims by Midland are very
>>deceptive.
>>
>
> Never, ever is pretty strong.  It would take only a few milliwatts
> between two mountain tops 18 miles apart.  I agree that from a
> practical standpoint, that is completely unrealistic, even for a full
> 5-watt transceiver.  I have two excellent GMRS 5-watt HT's, and I'm
> lucky to get even one mile in typical terrain.  Now, if I had a really
> good antenna, that would be a different story.
>

I stand corrected.  I did of course know that.  I didn't want to go into
the "you have to be in outer space" type deal.


From -3197259518219348404
X-Google-Thread: 108122,a8ccb57af28bd05b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr25.news.prodigy.net.POSTED!def87e47!not-for-
mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can a six mile radio only yield half a watt?/ Interpreting FCC info
wrong?
From: John <jlwsecure-google1@yahoo.com>
References: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
<eaqm4j$s73$1@theodyn.ncf.ca>
```

```
Message-ID: <Xns98148D409AC52securegoogle@207.115.17.102>
User-Agent: Xnews/2006.06.28
X-Squid-Repellent: Disclaimer: All messages are purely personal opinion and may
not represent actual fact.
Reply-To: jlwsecure-google1@yahoo.com
Lines: 21
NNTP-Posting-Host: 69.223.166.123
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1154627504 ST000 69.223.166.123 (Thu, 03 Aug
2006 13:51:44 EDT)
NNTP-Posting-Date: Thu, 03 Aug 2006 13:51:44 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PGG[[D]RUKR]LXBZINO_XBUSXB@DTMNHWB_EYLJZ]BGIELCNVOPCWZBL[\YUWHANGYZEFNHFZPNLOBUN
SS^_LGEVWEY\PHO@YJSSWBBDT\PFD^ESBTXVCCMTD]JCJLE\_IJMFNRY]SWE[S[D_CNB__ZK^VGVCKHA[S
@COB^[@ZQSDFQ\BPMS@DZVUKQTJL
Date: Thu, 03 Aug 2006 17:51:44 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5608

et472@FreeNet.Carleton.CA (Michael Black) wrote in
news:eaqm4j$s73$1@theodyn.ncf.ca:

> "Jeff" (Jeff@somewhere.com) writes:
>> Uniden GMR635    FCC ID  AMWUT916
>>
>> This six mile radio says in the FCC specs that it puts out only less
>> than half a watt...am I reading that right?
>>
>> Jeff
>>
>>
> You're reading it wrong.  The rules limit the power, and there's no
> stretching of that.  But, the manufacturers can stretch the truth
> about the range, if there was a fine print disclaimer next to that
> range statement it would likely be under very limited conditions.
>
He actually *is* right.  That radio has an ERP of .17 watts on GMRS and .13
watts on FRS.  Uniden is notirious for putting out woefully weak radios and
inflating range claims.




From -4045405200161426181
X-Google-Thread: 108122,ae76595f38d390a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Modification question
Organization: You and my shadow
References: <8tadnSnkfO3AkEzZnZ2dnUVZ_rGdnZ2d@velocitywest.net>
```

<12d24m9915a87a6@corp.supernews.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-62BEB4.10104903082006@netnews.worldnet.att.net>
Lines: 15
Date: Thu, 03 Aug 2006 18:10:42 GMT
NNTP-Posting-Host: 12.12.208.22
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1154628642 12.12.208.22 (Thu, 03 Aug 2006 18:10:42 GMT)
NNTP-Posting-Date: Thu, 03 Aug 2006 18:10:42 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5609

In article <12d24m9915a87a6@corp.supernews.com>,
dplatt@radagast.org (Dave Platt) wrote:

> >How much power does a cellphone put out ?
>
> Which cellphone? :-)
>
> Typically it's a few hundred milliwatts on average, if I recall
> correctly.

Maximun licensed power for a Cellular Subscriber Unit is 3 Watts.
The Cellular Radio Service has an Adaptive Power Feature which
means that the Power Output of the Subscriber Unit is set by the
Base Station and determined by the signal level of the Subscriber
Unit at the Base Station.

From -8693589412156345187
X-Google-Thread: 108122,59f9347b146b388d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!newshub.sdsu.edu!logbridge.uoregon.edu!arclight.uoregon.edu!newsfeeder.srv.cs.cmu.edu!nn.andrew.cmu.edu!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie Question About GMRS Vs. FRS
Date: Thu, 03 Aug 2006 20:39:45 GMT
Organization: Sometimes
Lines: 37
Message-ID: <eatmuk$43c$1@usenet01.srv.cis.pitt.edu>
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
<Xns98136F0AB4423securegoogle@207.115.17.102>
<lhh1d21av9q2ajk9eh7vo4a1t3m6th1fpo@4ax.com>
<Xns98148B6EA1DBAjlwsecure@207.115.17.102>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1154637588 4204 136.142.52.106 (3 Aug 2006 20:39:48 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Thu, 3 Aug 2006 20:39:48 +0000 (UTC)
X-Newsreader: News Xpress 2.01

Xref: g2news2.google.com rec.radio.amateur.equipment:5610

In article <Xns98148B6EA1DBAjlwsecure@207.115.17.102>, jlwsecure-usenet6@yahoo.com
wrote:
>Dick <w6ccd@k7yca.org> wrote in
>news:lhh1d21av9q2ajk9eh7vo4a1t3m6th1fpo@4ax.com:
>
>> On Wed, 02 Aug 2006 14:53:41 GMT, John <jlwsecure-google1@yahoo.com>
>> wrote:
>>
>>>You will never, ever get 18 miles. The claims by Midland are very
>>>deceptive.
>>>
>>
>> Never, ever is pretty strong. It would take only a few milliwatts
>> between two mountain tops 18 miles apart. I agree that from a
>> practical standpoint, that is completely unrealistic, even for a full
>> 5-watt transceiver. I have two excellent GMRS 5-watt HT's, and I'm
>> lucky to get even one mile in typical terrain. Now, if I had a really
>> good antenna, that would be a different story.
>>
>
>I stand corrected. I did of course know that. I didn't want to go into
>the "you have to be in outer space" type deal.

I did not find the power level. Generally the .5 watt FRS are
advertised as 2 mile. 2 watt would be 4 miles. 4 watt would be 8 miles,
and 8 watt would be 16 miles. This just equates to signal level.
I bought a set of the lower budget units without the volume knob.
I was sorry. One feature I do not like, when it scans, it only locks onto the
channel for so long, then it continues to scan. There is no option in my unit to
change this.
I have gotten 4-8 miles on my FRS, not much of a problem line of sight.
They go over a hundred miles under optimum conditions.
It would be better if the GMRS and FRS units came with longer antennas,
of course the FRS transmit power would have to be decreased in that case.

I used to measure field strengths of my old FRS radios. A lot
of variation seen.

greg

From -6693171406855311543
X-Google-Thread: 108122,ae76595f38d390a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!
newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!
news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Modification question
Date: Fri, 4 Aug 2006 07:11:57 +0900
Organization: Korea Telecom
Lines: 28
Message-ID: <eats6j$ppn$1@news2.kornet.net>
References: <8tadnSnkfO3AkEzZnZ2dnUVZ_rGdnZ2d@velocitywest.net>
<12d24m9915a87a6@corp.supernews.com>
<You-62BEB4.10104903082006@netnews.worldnet.att.net>
NNTP-Posting-Host: 218.155.51.208
X-Trace: news2.kornet.net 1154642964 26423 218.155.51.208 (3 Aug 2006 22:09:24 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Thu, 3 Aug 2006 22:09:24 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5611

"You" <You@shadow.orgs> wrote in message
news:You-62BEB4.10104903082006@netnews.worldnet.att.net...
> In article <12d24m9915a87a6@corp.supernews.com>,
> dplatt@radagast.org (Dave Platt) wrote:
>
>> >How much power does a cellphone put out ?
>>
>> Which cellphone? :-)
>>
>> Typically it's a few hundred milliwatts on average, if I recall
>> correctly.
>
> Maximun licensed power for a Cellular Subscriber Unit is 3 Watts.
> The Cellular Radio Service has an Adaptive Power Feature which
> means that the Power Output of the Subscriber Unit is set by the
> Base Station and determined by the signal level of the Subscriber
> Unit at the Base Station.

The old block cell phones had up to 3 watts, the new ones you hold in your hand are only a couple hundred mW at best. If they were capable of 3W output, those batteries wouldn't last 2 minutes. Looking at one of the high output batteries for my phone it says 560mAH. 3.7Vx.5A= 1.35W for one hour. That includes the power gulping digital electronics, the display, the audio output, etc. The battery lasts about 4 days making perhaps 2 calls a day.

From -8988622623553422116
X-Google-Thread: 108122,59f9347b146b388d

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!
newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!
news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie Question About GMRS Vs. FRS
Date: Fri, 4 Aug 2006 08:34:49 +0900
Organization: Korea Telecom
Lines: 24
Message-ID: <eau11v$rar$1@news2.kornet.net>
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
<Xns98136F0AB4423securegoogle@207.115.17.102>
<lhh1d21av9q2ajk9eh7vo4a1t3m6th1fpo@4ax.com>
<Xns98148B6EA1DBAjlwsecure@207.115.17.102>
<eatmuk$43c$1@usenet01.srv.cis.pitt.edu>
NNTP-Posting-Host: 218.155.51.208
X-Trace: news2.kornet.net 1154647935 27995 218.155.51.208 (3 Aug 2006 23:32:15
GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Thu, 3 Aug 2006 23:32:15 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5612

"GregS" <szekeres@pitt.edu> wrote in message
news:eatmuk$43c$1@usenet01.srv.cis.pitt.edu...
> I did not find the power level. Generally the .5 watt FRS are
> advertised as 2 mile. 2 watt would be 4 miles. 4 watt would be 8 miles,
> and 8 watt would be 16 miles. This just equates to signal level.

Your math is off a bit.

From your starting point at 0.5W and supposing 2 miles, to double the range to 4 miles would require 2.0W (4x the power to double the distance). To double it again would be 8.0W for 4 miles, then on to 32.0W for 8 miles. This is based upon free space loss only, from point to point line of sight with no obstructions. There is a bit more loss to be computed in for atmospheric losses at 460MHz.

The FCC website
http://wireless.fcc.gov/services/index.htm?job=service_home&id=family states
that FRS radios running at 0.5W have an effective range of less than a mile.

```
From -3592879909077159б
X-Google-Thread: 108122,82db037d4b124810,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!9ba84bd2!not-for-mail
From: "Robert Haston" <rehaston@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Circuit or chip single channel 250 MHz very low power transceiver.
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <1OvAg.4270$0e5.3875@newsread4.news.pas.earthlink.net>
Date: Thu, 03 Aug 2006 23:38:37 GMT
NNTP-Posting-Host: 66.1.223.216
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1154648317 66.1.223.216 (Thu, 03 Aug
2006 16:38:37 PDT)
NNTP-Posting-Date: Thu, 03 Aug 2006 16:38:37 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5613
```

I'm a USAF Rescue pilot looking for a simple, single channel very low power AM transceiver in the 225-300 MHz range.

The use is for a training aid for a digital data burst communication device that plugs into aircraft radios and uses their transceivers.

This way aircrew can sit around a table and practice with them instead of having to use aircraft.

I am sure the defense contractors would want a thousand bucks a pop. Hell they charge $600 just for cables.

I know that you can get transceivers in a single chip now, so the engineering sure is simpler than it used to be, but I am clueless as to where to look.

Thanks.

--
Robert Haston
Satellite Beach, FL

```
From 2921164277639412549
X-Google-Thread: 108122,59f9347b146b388d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Thu, 03 Aug 2006 21:18:25 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
<Xns98136F0AB4423securegoogle@207.115.17.102>
<lhh1d21av9q2ajk9eh7vo4a1t3m6th1fpo@4ax.com>
<Xns98148B6EA1DBAjlwsecure@207.115.17.102>
<eatmuk$43c$1@usenet01.srv.cis.pitt.edu> <eau11v$rar$1@news2.kornet.net>
Subject: Re: Newbie Question About GMRS Vs. FRS
Date: Fri, 4 Aug 2006 03:17:16 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <4JWdnd60_9bsM0_ZRVnyhw@bt.com>
Lines: 7
NNTP-Posting-Host: 86.137.24.91
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-I8Z8IGs6+/E0Lz/
OJmxp15gjJczEgupwa9P7gO7xUgG41OEchyLmFfGDS07+LGVRzw+U6CTJsI7ULKW!
SVIPt2aFbdh8rhl9YylRAXGgnlc3tNR0Eu48WTxww/XS2VS+vK/eyiDTYpt5
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5614

> Your math is off a bit.
>
===============================

Dunno about math.   Can't even do arithmetic!




From -8392538463660543260
X-Google-Thread: 108122,9606bddfc29e068f,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.linkpendium.com!
news.linkpendium.com!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr25.news.prodigy.net.POSTED!93e560a6!not-for-mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Best CA Repeater Directories see link at :
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <TIAAg.2242$9T3.1594@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 75.10.127.47
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1154668467 ST000 75.10.127.47 (Fri, 04 Aug
2006 01:14:27 EDT)
NNTP-Posting-Date: Fri, 04 Aug 2006 01:14:27 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[OUS_[DABSAW_US\X^DM^\BZJ]T@FLNLBWLOOAFMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Fri, 04 Aug 2006 05:14:27 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5615

Best CA Repeater Directories see link at :

http://groups.google.com/group/Portable-Radios

Email
Portable-Radios@googlegroups.com




From -4593856901873122360
X-Google-Thread: 108122,9606bddfc29e068f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: scott93727@aol.com
Newsgroups: rec.radio.amateur.equipment
Subject: Best CA Repeater Directories see link at :
Date: 3 Aug 2006 22:17:15 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1154668635.815236.98970@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 205.188.116.8
```

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154668640 20795 127.0.0.1 (4 Aug 2006 05:17:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 4 Aug 2006 05:17:20 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; AOL 9.0; Windows NT 5.1;
SV1; .NET CLR 2.0.50727; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb
[dtc-te044 8.4.0], HTTP/1.0 cache-dtc-aa04.proxy.aol.com[CDBC7408] (Traffic-Server/6.1.0 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=205.188.116.8;
   posting-account=Mnf7iQ0AAADbq1XPayBdGfVY3w-SMeeS
Xref: g2news2.google.com rec.radio.amateur.equipment:5616

Best CA Repeater Directories see link at :

http://groups.google.com/group/Portable-Radios

Email
Portable-Radios@googlegroups.com

From 7627413774646172771
X-Google-Thread: 108122,59f9347b146b388d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!arclight.uoregon.edu!newsfeeder.srv.cs.cmu.edu!
nn.andrew.cmu.edu!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie Question About GMRS Vs. FRS
Date: Fri, 04 Aug 2006 13:35:20 GMT
Organization: Sometimes
Lines: 22
Message-ID: <eavif2$g14$3@usenet01.srv.cis.pitt.edu>
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
<Xns98136F0AB4423securegoogle@207.115.17.102>
<lhh1d21av9q2ajk9eh7vo4a1t3m6th1fpo@4ax.com>
<Xns98148B6EA1DBAjlwsecure@207.115.17.102>
<eatmuk$43c$1@usenet01.srv.cis.pitt.edu> <eau11v$rar$1@news2.kornet.net>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1154698530 16420 136.142.52.106 (4 Aug 2006
13:35:30 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Fri, 4 Aug 2006 13:35:30 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.equipment:5617

In article <eau11v$rar$1@news2.kornet.net>, "Brenda Ann" <brendad@shinbiro.com>

wrote:
>
>"GregS" <szekeres@pitt.edu> wrote in message
>news:eatmuk$43c$1@usenet01.srv.cis.pitt.edu...
>> I did not find the power level. Generally the .5 watt FRS are
>> advertised as 2 mile. 2 watt would be 4 miles. 4 watt would be 8 miles,
>> and 8 watt would be 16 miles. This just equates to signal level.
>
>
>Your math is off a bit.
>
>From your starting point at 0.5W and supposing 2 miles, to double the range
>to 4 miles would require 2.0W (4x the power to double the distance). To
>double it again would be 8.0W for 4 miles, then on to 32.0W for 8 miles.
>This is based upon free space loss only, from point to point line of sight
>with no obstructions. There is a bit more loss to be computed in for
>atmospheric losses at 460MHz.

Well I started off OK. Perhaps I was unintentionally trying to match the
companies claims for didtance.

greg

From 2231070238520867353
X-Google-Thread: 108122,82db037d4b124810
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Message-ID: <44D3D1BC.5050104@nettally.com>
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Circuit or chip single channel 250 MHz very low power transceiver.
References: <1OvAg.4270$0e5.3875@newsread4.news.pas.earthlink.net>
In-Reply-To: <1OvAg.4270$0e5.3875@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 42
Date: Fri, 04 Aug 2006 22:54:30 GMT
NNTP-Posting-Host: 65.33.234.157
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1154732070 65.33.234.157 (Fri, 04 Aug 2006 18:54:30 EDT)
NNTP-Posting-Date: Fri, 04 Aug 2006 18:54:30 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5618

If you don't care about the specific operating frequency, you might want to look at the FCC Part 15 low power transceivers being sold for garage door openers, etc. NUTS and VOLTS magazine has several vendors of these devices being marketed for robotics and short range data. Many are AM type around 315 MHz. Complete transceivers can be obtained very cheap because the use monolithic SAW devices. But if you need to interoperate with a regular A/C radio in that band, you will have to roll your own. Is there a "big" market for these?

Robert Haston wrote:

>I'm a USAF Rescue pilot looking for a simple, single channel very low power
>AM transceiver in the 225-300 MHz range.
>
>The use is for a training aid for a digital data burst communication device
>that plugs into aircraft radios and uses their transceivers.
>
>This way aircrew can sit around a table and practice with them instead of
>having to use aircraft.
>
>I am sure the defense contractors would want a thousand bucks a pop. Hell
>they charge $600 just for cables.
>
>I know that you can get transceivers in a single chip now, so the
>engineering sure is simpler than it used to be, but I am clueless as to
>where to look.
>
>Thanks.
>
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From -9086491686543256652
X-Google-Thread: 108122,32573273681510ea,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-mail
From: internetprofiteering@gmail.com
Newsgroups: rec.radio.amateur.equipment

Subject: A slightly off topic ham question
Date: 4 Aug 2006 20:06:02 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1154747162.254980.297820@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.208.18.132
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154747168 30249 127.0.0.1 (5 Aug 2006 03:06:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 Aug 2006 03:06:08 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=71.208.18.132;
   posting-account=KMq5jw0AAACun1FxSrPGYM5Cs6An0nat
Xref: g2news2.google.com rec.radio.amateur.equipment:5619

Hi,

It appears from this picture (vintage 1950s/1960s)...

Click on this link to see the picture:
http://careo.elearning.ubc.ca/wiki?ShortPromo2

...that Tim Berners-Lee, the guy who invented the World Wide Web, was
or is still an Amateur Radio Operator. Does anyone know what his call
is or was?

Please reply to: internetprofiteering@gmail.com

Thanks,

Bill
http://InternetProfiteering.com

From -7483816113906780526
X-Google-Thread: fb049,959e78159602fc6f,start
X-Google-Thread: 108122,959e78159602fc6f,start
X-Google-Thread: 1109af,959e78159602fc6f,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Uniden Force UHF mobile radio. $25.00
Lines: 9

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <KdUAg.326$Lh4.193@trnddc02>
Date: Sat, 05 Aug 2006 03:26:34 GMT
NNTP-Posting-Host: 71.126.72.87
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1154748394 71.126.72.87 (Fri, 04 Aug 2006 23:26:34 EDT)
NNTP-Posting-Date: Fri, 04 Aug 2006 23:26:34 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2397
rec.radio.amateur.equipment:5620 rec.radio.swap:5773

Uniden Force FMU250K UHF Med radio with remote handset in very good
condition. Not tested.
Radio, mic and handset only, no bracket or power cable.
$25.00 plus $10.00 shipping Cont. US only.
USPS orders only.

pottsladd13@yahoo.com




From 1052070809848958562
X-Google-Thread: 108228,d13f81c3d1fdd5a7,start
X-Google-Thread: 108122,d13f81c3d1fdd5a7,start
X-Google-Thread: 1109af,d13f81c3d1fdd5a7,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 2ea-HT1000 UHF 16 Channel  Portable Radios 136-174 MHz w/Chargers
Lines: 56
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C6B806.80201AA0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <msUAg.4835$Gv.690@fed1read09>
Date: Fri, 4 Aug 2006 20:42:28 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1154749330 68.104.78.240 (Fri, 04 Aug 2006 23:42:10 EDT)
NNTP-Posting-Date: Fri, 04 Aug 2006 23:42:10 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1158
```

```
rec.radio.amateur.equipment:5621 rec.radio.swap:5774

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6B806.80201AA0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 2ea-HT1000 VHF  16 Channel Radios w/Chargers



RADIO # 1=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250013247343&=
ssPageName=3DSTRK:MESE:IT&ih=3D015



RADIO # 2

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250013246606&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C6B806.80201AA0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 2ea-HT1000 VHF &nbsp;16 Channel Radios w/Chargers</P>
<P><FONT size=3D3></FONT>&nbsp;</P>
<P><FONT size=3D3>RADIO # 1 </FONT></P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250013247343&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250013247343&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P>
<P><FONT size=3D3></FONT>&nbsp;</P>
<P><FONT size=3D3>RADIO # 2</FONT></P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250013246606&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250013246606&amp;s=
```

sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

```
------=_NextPart_000_0008_01C6B806.80201AA0--
```

```
From -8830888761670147220
X-Google-Thread: 108122,32573273681510ea
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-
mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A slightly off topic ham question
Date: Fri, 4 Aug 2006 22:29:30 -0700
Message-ID: <MPG.1f3dcc988a794c069896ee@news.drizzle.com>
References: <1154747162.254980.297820@s13g2000cwa.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 36
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5622
```

In article <1154747162.254980.297820@s13g2000cwa.googlegroups.com>,
internetprofiteering@gmail.com (known to some as
internetprofiteering@gmail.com) scribed...

> Hi,
>
> It appears from this picture (vintage 1950s/1960s)...
>
> Click on this link to see the picture:
> http://careo.elearning.ubc.ca/wiki?ShortPromo2
>
> ...that Tim Berners-Lee, the guy who invented the World Wide Web, was
> or is still an Amateur Radio Operator. Does anyone know what his call
> is or was?
>
> Please reply to: internetprofiteering@gmail.com

No. You posted to Usenet (several groups, in fact), so it is your responsibility to check back with those groups, and get your answer that way. 'Hit-and-run' posting, in the form of asking someone to E-mail the data to you, is downright rude.

With that said: If you're capable of posting to Usenet, I would wager you're also capable of using the public licensee search on the FCC's web site.

http://makeashorterlink.com/?F5E02448D

Happy researching.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

```
From 7128051120876343176
X-Google-Thread: fc2a5,d52fa1518d02ff00,start
X-Google-Thread: fc8b1,d52fa1518d02ff00,start
X-Google-Thread: 108122,d52fa1518d02ff00,start
X-Google-Thread: 107ada,d52fa1518d02ff00,start
X-Google-Thread: 111d0a,d52fa1518d02ff00,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
Subject: SolderSmoke #28: SPRAT, QRSS, QST $50 RIG, Class C saturation? A Logo for
SolderSmoke
Date: 4 Aug 2006 23:03:20 -0700
Organization: http://groups.google.com
Lines: 60
Message-ID: <1154757800.512447.58910@i3g2000cwc.googlegroups.com>
NNTP-Posting-Host: 86.142.208.96
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154757805 20842 127.0.0.1 (5 Aug 2006 06:03:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 5 Aug 2006 06:03:25 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=86.142.208.96;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:6419
rec.radio.amateur.boatanchors:4901 rec.radio.amateur.equipment:5623
rec.radio.amateur.misc:18385 sci.electronics.basics:21991
```

SolderSmoke!

A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.ourmedia.org/node/250909

Topics discussed in SolderSmoke #28:

- SPRAT Cermaic Oscilator article
- Tin whiskers and lead free solder
- QST's $50 rig design challenge
- Class C amps: Saturation required?
- Solder Smoke's LOGO DESIGN challenge
- FB QSO on 20 DSB with SM4FQW
- Slow Speed QRP (QRSS)
- WebShots, YouTube
- MAILBAG: K8WDE, KA6VKP, WB8ICN, VK2KYP KK7CC

Listen at: http://www.ourmedia.org/node/250909

Background:
Tired of listening to Led Zepplin or NPR on your I-Pod? Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

NEW RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software. We've been having trouble with our Ourmedia RSS feed, so Mike (software wizard that he is) has homebrewed his own RSS feed. In order to subscribe to SolderSmoke, point your podcast software to:

http://kl7r.ham-radio.ch/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.ourmedia.org/node/250909

Here's the homepage for our show. All our programs are available here. There is also a blog and links to some of the sites and documents we've been discussing: http://www.ourmedia.org/user/36170

We hope you enjoy the program. Please send us

feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

From -216995265791225638
X-Google-Thread: 108122,21b7a7e575175c14
X-Google-Thread: fc8b1,21b7a7e575175c14
X-Google-Thread: 106d41,21b7a7e575175c14
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.suscom.com!
news.suscom.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 05 Aug 2006 10:25:46 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: Re: FA: No Bids>RARE WESTERN ELECTRIC 1N21 GERMANIUM DIODE in BOX>1947
From: hexter@blazenet.net (Gudmundur)
Reply-To: retxeh@blazenet.net
Organization: alphabetically?
X-Newsreader: WinVN 0.99.6
References: <1153232804.819022.263880@m79g2000cwm.googlegroups.com>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Message-ID: <ZoidnYp5QLjmJUnZnZ2dnUVZ_rKdnZ2d@suscom.com>
Date: Sat, 05 Aug 2006 10:25:47 -0500
Lines: 11
NNTP-Posting-Host: 24.104.7.108
X-Trace: sv3-d30vpZmwNeGy5CINj7IkN0AfNKdQGJ5Td/MlhPh+
+FrJ2OT9T9yGcjzQKno+Y7+j2DAbbiIeUvBL1sh!
VoKqNcgmMW32pECLAtkjc1SZqAlaBUEMKmNTGvCyd4wBPMJ2gGYhmwMFr/G+XTSLAIapVSXBhWlj!
3bMFkVsC
X-Complaints-To: abuse@suscom.net
X-DMCA-Complaints-To: dmca@suscom.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5624
rec.radio.amateur.boatanchors:4904 rec.radio.cb:15196

In article <1153232804.819022.263880@m79g2000cwm.googlegroups.com>,
rlucch2098@aol.com says...
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220007261192&ssPageNam
e=STRK:MESE:IT&ih=012
>

Rare, hardly, they can easily be found. New, old, even WWII new in the foil.
Like the other EbayTard that had a 1968 Evinrude advertised as 'Rare'

```
and wanted $2900!!!  The motor wasn't even worth $300.



From 8374621850062564550
X-Google-Thread: fb049,dac07be6a1455b65,start
X-Google-Thread: 108122,dac07be6a1455b65,start
X-Google-Thread: 1109af,dac07be6a1455b65,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc06.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Lowband, 10mtr, 12v charger etc.
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <PQ7Bg.289$qw5.285@trnddc06>
Date: Sat, 05 Aug 2006 21:12:15 GMT
NNTP-Posting-Host: 71.162.184.155
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1154812335 71.162.184.155 (Sat, 05 Aug 2006 17:12:15 EDT)
NNTP-Posting-Date: Sat, 05 Aug 2006 17:12:15 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2404
rec.radio.amateur.equipment:5625 rec.radio.swap:5787

Uniden FMU250K UHF Med radio with mic and remote handset, no bracket or
power cable.
$35.00 shipped.

For other equipment:
http://mysite.verizon.net/vzequgiy/commctr1/id11.html

Thanks




From -7518774481746578007
X-Google-Thread: 108122,8ff6010552b76cd9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!123.NET-a2dgdNsfNH65I!not-for-mail
From: helmsman <helmsman@royaloak.net>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Is anyone using a Diamond BB7Y?
Date: Sat, 05 Aug 2006 17:29:49 -0400
Message-ID: <hd3ad2tq4vlu5oksip8lehg342h76k06kc@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 3
X-Trace: a3f4e44d50dce7d4fde8825692
Xref: g2news2.google.com rec.radio.amateur.equipment:5626

If you are using a BB7V what do you think about it ?

Thanks for your time.



From 865790553943055163
X-Google-Thread: 108228,508e60c8f75d2ff2,start
X-Google-Thread: 108122,508e60c8f75d2ff2,start
X-Google-Thread: 1109af,508e60c8f75d2ff2,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls Plus Version UHF Wide-Band 403-470 MHz-w/Voice
Store-New Charger-Nice!!
Lines: 39
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C6B8BF.6B043520"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <BRbBg.4875$Gv.4063@fed1read09>
Date: Sat, 5 Aug 2006 18:46:10 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1154828769 68.104.78.240 (Sat, 05 Aug 2006 21:46:09 EDT)
NNTP-Posting-Date: Sat, 05 Aug 2006 21:46:09 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1160
rec.radio.amateur.equipment:5627 rec.radio.swap:5789

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6B8BF.6B043520
Content-Type: text/plain;
```

```
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls Plus Version UHF Wide-Band 403-470 MHz-w/Voice =
Store-New Charger-Nice!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250015635197&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C6B8BF.6B043520
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls Plus Version UHF Wide-Band 403-470 MHz-w/Voice =

Store-New Charger-Nice!!</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250015635197&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250015635197&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C6B8BF.6B043520--



From -6434704026064612690
X-Google-Thread: 108122,b96683c0c96b0b5f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 06 Aug 2006 04:07:14 -0500
From: Daniel Mingus <Daniel.Mingus.2c434d@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS a YSK-8100 Separation Kit for the Yaesu FT-8100
Date: Sun, 6 Aug 2006 06:42:17 +0000
Message-ID: <Daniel.Mingus.2c434d@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
```

```
References:  <ya_Hc.36073$Ch.30257@okepread04>
Lines: 6
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-Pax45Qf8ur1eU1nF6YI3lQYTphmgl/gjdY0CDGa1IaR0MZ+Xyso4ViLbH+z9kwOQcyj+
+P/XhNHHf/X!1gpGj4bZ3F1IPa+Pz4XYxRF/ngkYTdnAo2St9WFfM2h3XXD6pIdozXu7D/
zmOJFY59XG1LqqWqen!RTr5sjCNDJ/IVc6mtQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5628


Charlie Hugg Wrote:
> FS a YSK-8100 Separation Kit for the Yaesu FT-8100 Dual Band Mobile Rig.
> It
> is in the orginal box with the instructions.
> Price is $40. Thanks, Charlie, K5MBX

Charlie: Do you still have the Yaesu YSK-8100 Separation kit? If so
I'll buy it from you.
Dan KI6CEH




--
Daniel Mingus


From -1429979510673373156
X-Google-Thread: 108122,bfb904e24ada1bc3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews1.bellsouth.net.POSTED!2e72e831!not-for-mail
From: Chris <ck@ckradio.net>
Organization: CK Radio Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted to buy Yaesu FTS-22 Tone squelch decode
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <7ziBg.14996$WM.7384@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
```

```
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcbompdgclbpgebgkihckompfkclbbecilmkal
iodgodmmklaphgnhnegdhpjldociepdmmanelijghoamnljpgikknciechfobfomlgcccebcdfdbbm
NNTP-Posting-Date: Sun, 06 Aug 2006 05:24:19 EDT
Date: Sun, 06 Aug 2006 05:24:22 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5629

Wanted to buy Yaesu FTS-22 Tone squelch decode


From 4189735785495436723
X-Google-Thread: 108122,6b09ded0d4cd2d25,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!
newsfeed1.ip.tiscali.net!proxad.net!fdn.fr!news.wanadoo.fr!news.wanadoo.fr!not-
for-mail
X-Newsreader:      NNTP SCRIBBLER
Content-Type: text/html;
From: Cathy@noosempty.net
ReplyTo: Cathy@noosempty.net
Subject: Mega promos dans notre sex shop
Newsgroups: rec.radio.amateur.equipment
Date: 06 Aug 2006 11:53:45 GMT
Lines: 7
Message-ID: <44d5d848$0$831$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 06 Aug 2006 13:53:45 CEST
NNTP-Posting-Host: 193.248.69.45
X-Trace: 1154865225 news.orange.fr 831 193.248.69.45:3069
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:5630


<HTML><HEAD><body><center>
<a href="http://www.sexshop.du-web.net"><font color="red" size="5">===> SEX SHOP
DU
WEB <===</a>
<br><br><br><br><br><br><br>
<BODY></BODY></HTML>
<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse:
collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></
tr><tr><td width="100%" bgcolor="#000000"><center><a href="http://www.e-
advertize.com/index.php?choix=NNTPScribbler&Langue=en"><font
color="#00FF00"><b>This message was sent with NNTP Scribbler (www.e-
advertize.com).</b></font></a></center></td></tr><tr><td height="4"
bgcolor="#000000"></td></tr></table></center>


From -1398354570097366405
X-Google-Thread: 108122,b4a113ab0f5c02c9,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!tiscali!newsfeed1.ip.tiscali.net!proxad.net!193.252.118.146.MISMATCH!
news.wanadoo.fr!news.wanadoo.fr!not-for-mail
X-Newsreader:      NNTP SCRIBBLER
Content-Type: text/html;
From: Cindy@amplend.com
ReplyTo: Cindy@amplend.com
Subject: TELECHARGEZ DES VIDEOS X LIBREMENT
Newsgroups: rec.radio.amateur.equipment
Date: 06 Aug 2006 11:53:50 GMT
Lines: 7
Message-ID: <44d5d84d$0$895$ba4acef3@news.orange.fr>
Organization: les newsgroups par Orange
NNTP-Posting-Date: 06 Aug 2006 13:53:50 CEST
NNTP-Posting-Host: 193.248.69.45
X-Trace: 1154865230 news.orange.fr 895 193.248.69.45:3096
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:5632


<HTML><HEAD><body><center>
<a href="http://www.videoschaudes.max.st"><font color=red face="arial black"
size="3">www.videoschaudes.max.st</a>
<br><br><br><br><br><br><br>
<BODY></BODY></HTML>
<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse:
collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></
tr><tr><td width="100%" bgcolor="#000000"><center><a href="http://www.e-
advertize.com/index.php?choix=NNTPScribbler&Langue=en"><font
color="#00FF00"><b>This message was sent with NNTP Scribbler (www.e-
advertize.com).</b></font></a></center></td></tr><tr><td height="4"
bgcolor="#000000"></td></tr></table></center>


From -96650216693827063
X-Google-Thread: 108122,3b74b9c74a7b8362,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!
newsfeed1.ip.tiscali.net!proxad.net!fdn.fr!news.wanadoo.fr!news.wanadoo.fr!not-
for-mail
X-Newsreader:      NNTP SCRIBBLER
Content-Type: text/html;
From: priscilla@canaweb.ca
ReplyTo: priscilla@canaweb.ca
Subject: jeunes filles 18 ans perverses
Newsgroups: rec.radio.amateur.equipment
Date: 06 Aug 2006 11:53:49 GMT
Lines: 8
Message-ID: <44d5d84c$0$827$ba4acef3@news.orange.fr>
```

Organization: les newsgroups par Orange
NNTP-Posting-Date: 06 Aug 2006 13:53:49 CEST
NNTP-Posting-Host: 193.248.69.45
X-Trace: 1154865229 news.orange.fr 827 193.248.69.45:3074
X-Complaints-To: abuse@orange.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:5631

```
<HTML><HEAD><body><center>
<a href="http://www.jf18ans.com/?&id=14907" target="_blank" alt=""><img
src="http://www.sv2.biz/modules/cbsys/promo/bannieres/produits/
78/20040907170250_33
6x280_02.jpg"></a>
<br><br><br><br><br><br><br>
<BODY></BODY></HTML>
<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse:
collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></
tr><tr><td width="100%" bgcolor="#000000"><center><a href="http://www.e-
advertize.com/index.php?choix=NNTPScribbler&Langue=en"><font
color="#00FF00"><b>This message was sent with NNTP Scribbler (www.e-
advertize.com).</b></font></a></center></td></tr><tr><td height="4"
bgcolor="#000000"></td></tr></table></center>
```

From -884327940374606487
X-Google-Thread: 108122,ec752fbf9378e71f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: "safetypro" <bfdp1@msn.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Drake R8B FS
Date: 6 Aug 2006 16:31:24 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1154907083.943413.237360@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 71.33.21.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154907089 25996 127.0.0.1 (6 Aug 2006 23:31:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 6 Aug 2006 23:31:29 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; MSN 9.0;MSN 9.1; MSNbQ002; MSNmen-us; MSNcOTH; MPLUS),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=71.33.21.78;
   posting-account=cZ6CBwwAAABOkngaQkAXZMXi8nVpBCYN
Xref: g2news2.google.com rec.radio.amateur.equipment:5633

Excellent condition, original receipt (1999) from Universal, original manual and a bound copy, all paperwork. Works perfect.

$1000 + shipping (insurance required) to protect buyer and seller.

Prefer USPO money order e-mail for scans. and my phone number should
you wish to ask questions.

73

JM
Boise, Idaho

From -2785983613518365177
X-Google-Thread: 108122,cdad24c5f7add431,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: "n0zy" <stevenjac@grm.net>
Newsgroups: rec.radio.amateur.equipment
Subject: knwd th79a problem
Date: Sun, 6 Aug 2006 18:38:46 -0500
Organization: netINS InterNetNews site
Lines: 9
Message-ID: <eb5ukp$h2v$1@news.netins.net>
NNTP-Posting-Host: customer122_31.grm.net
X-Trace: news.netins.net 1154907609 17503 216.139.122.31 (6 Aug 2006 23:40:09 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 6 Aug 2006 23:40:09 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5634

I have a nice duelband older knwd ht. It quit transmitting(and recieving) on
440. When I set it to 440 it starts beeping every 3 seconds. The encoder
(tuner) appears to function correctly as does everything else. Anybody had a
similar problem?

Steve
N0zy

From -6507230073064690509
X-Google-Thread: 108122,5a3b880206f59392,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!pd7cy3no!shaw.ca!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr25.news.prodigy.net.POSTED!93e560a6!not-for-mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: GP68 Motorola Radio User Group
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Y2GBg.4661$9T3.1930@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 75.10.127.47
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1154952504 ST000 75.10.127.47 (Mon, 07 Aug
2006 08:08:24 EDT)
NNTP-Posting-Date: Mon, 07 Aug 2006 08:08:24 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@FS@USWTXZBNVZ_IJGPIFRM@OMPUT_FMNJZ]BGIELK^RAQFW[ML\THRCKV^GGZKJMGV^^_JSCFF
UA_QXFGVSCYRPILH]TRVKC^LSN@DX_HCAFX__@J\DAJBVMY\ZWZCZLPA^MVH_P@\
\EOMW\YSXHG__IJQY_@M[A[[AXQ_XDSTAR]\PG]NVAQUVM
Date: Mon, 07 Aug 2006 12:08:24 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5635

GP68 Motorola Radio User Group

http://groups.google.com/group/GP68gp68

GP68gp68@googlegroups.com

http://www.vehiclerepair.org/gp68/




From -6865880084378445446
X-Google-Thread: fb049,959e78159602fc6f
X-Google-Thread: 108122,959e78159602fc6f
X-Google-Thread: 1109af,959e78159602fc6f
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.newsland.it!
feeder.news.tin.it!spool.news.tin.it!not-for-mail
Message-Id: <44d73918$0$35076$4fafbaef@reader4.news.tin.it>
From: ab <abo@TOGLI_QUESTOaxis-net.it>
Subject: Re: FS: Uniden Force UHF mobile radio. $25.00
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Date: Mon, 07 Aug 2006 14:59:03 +0200
References: <KdUAg.326$Lh4.193@trnddc02>
Organization: Axis-Net
```

User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 11
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 82.52.82.122
X-Trace: 1154955544 reader4.news.tin.it 35076 82.52.82.122:36828
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2419
rec.radio.amateur.equipment:5636 rec.radio.swap:5799

Thanks....... wrote:

> Uniden Force FMU250K UHF Med radio with remote handset
> in very good condition. Not tested.
>

"in very good condition" vs. "not tested"; it looks like a contradiction in
terms to me. How can you make the first statement if you haven't performed
a test, at least a minimal one?

--
AB

From 4101389700756110547
X-Google-Thread: 108122,bfb904e24ada1bc3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!newsfeed1.easynews.com!easynews.com!easynews!easynews-
local!fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <7ziBg.14996$WM.7384@bignews1.bellsouth.net>
Subject: Re: Wanted to buy Yaesu FTS-22 Tone squelch decode
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <koIBg.220998$1Q1.185358@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Mon, 07 Aug 2006 14:47:44 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5637

Chris wrote:
> Wanted to buy Yaesu FTS-22 Tone squelch decode

Or maybe a radio with the board for about the same price!

From -8622410399915458856
X-Google-Thread: 108122,bfb904e24ada1bc3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!140.99.99.194.MISMATCH!newsfeed1.easynews.com!easynews.com!easynews!easynews-local!fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted to buy Yaesu FTS-22 Tone squelch decode
Lines: 11
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <IoIBg.10345$c82.8544@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Mon, 07 Aug 2006 14:48:08 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5638

Travis Jordan wrote:
> Chris wrote:
> > Wanted to buy Yaesu FTS-22 Tone squelch decode
>
> Or maybe a radio with the board for about the same price!

Forgot the link:
http://cgi.ebay.com/Yaesu-FT-5100-Dual-Band-Radio-w-FTS-22-PL-decoder_W0QQitemZ180014283563QQihZ008QQcategoryZ40069QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

From 1690367153822266643
X-Google-Thread: 11117f,d8cc378349df7929,start
X-Google-Thread: 108122,d8cc378349df7929,start
X-Google-Thread: fa0f1,d8cc378349df7929,start
X-Google-Thread: f64c6,d8cc378349df7929,start
X-Google-Attributes: gid11117f,gid108122,gidfa0f1,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.cs.univ-paris8.fr!proxad.net!proxad.net!62.253.162.218.MISMATCH!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe5-

```
win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Ian Helie" <GM7VHQ@ntlworld.com>
Newsgroups: free.uk.amateur-
radio,rec.radio.amateur.equipment,relcom.radio.diagrams,uk.radio.amateur
Subject: Key KM150H
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <usIBg.3921$Cz6.2633@newsfe5-win.ntli.net>
Date: Mon, 07 Aug 2006 14:52:10 GMT
NNTP-Posting-Host: 82.10.130.213
X-Trace: newsfe5-win.ntli.net 1154962330 82.10.130.213 (Mon, 07 Aug 2006 15:52:10
BST)
NNTP-Posting-Date: Mon, 07 Aug 2006 15:52:10 BST
Organization: NTL
Xref: g2news2.google.com free.uk.amateur-radio:136
rec.radio.amateur.equipment:5639 relcom.radio.diagrams:23 uk.radio.amateur:48405

Can anyone supply me with the software that generates the eprom info for a
Key KN150H PMR radio?

Thanks

Ian Helie
GM7VHQ





From 6525333873918835048
X-Google-Thread: 11117f,d8cc378349df7929
X-Google-Thread: 108122,d8cc378349df7929
X-Google-Thread: fa0f1,d8cc378349df7929
X-Google-Thread: f64c6,d8cc378349df7929
X-Google-Attributes: gid11117f,gid108122,gidfa0f1,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Mon, 07 Aug 2006 10:16:47 -0500
From: "Samuel Hunt" <shunt010@hotmail.com>
Newsgroups: free.uk.amateur-
radio,rec.radio.amateur.equipment,relcom.radio.diagrams,uk.radio.amateur
References: <usIBg.3921$Cz6.2633@newsfe5-win.ntli.net>
Subject: Re: Key KM150H
Date: Mon, 7 Aug 2006 16:16:46 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <9YSdne1B6tnCxErZRVnyjQ@bt.com>
Lines: 21
NNTP-Posting-Host: 81.154.162.62
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-PC4H+ibs1BtuwdC2nQHQeTe/p2huHQLSN4UsoPRDvZaQVNgFJfQzRHkmfPdfU/
zqyG+0i+bmtp3jY7+!antHFzKj9Ueq667/sQ4KTlYOXqu2U7ZWm7JahWYZXiLaRufGQ3j/iM3OVPVfEg==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com free.uk.amateur-radio:137
rec.radio.amateur.equipment:5640 relcom.radio.diagrams:24 uk.radio.amateur:48406
```

I wrote some nice windows software to do that.

If you look on Yahoogroups in the NokiaBSR group, it's in the files area of there if I remember.

Sam
M1FJB
"Ian Helie" <GM7VHQ@ntlworld.com> wrote in message
news:usIBg.3921$Cz6.2633@newsfe5-win.ntli.net...

> Can anyone supply me with the software that generates the eprom info for a
> Key KN150H PMR radio?
>
> Thanks
>
> Ian Helie
> GM7VHQ
>
>
>

```
From -6756729829055289241
X-Google-Thread: 108122,ebdb4648c1fe3353,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "Alex" <samalex@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Legality of modifying a ham radio to transmit on commercial frequencies
Date: 7 Aug 2006 09:51:37 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1154969497.639356.284120@m79g2000cwm.googlegroups.com>
```

NNTP-Posting-Host: 65.172.176.71
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154969503 20703 127.0.0.1 (7 Aug 2006 16:51:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 7 Aug 2006 16:51:43 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.6)
Gecko/20060728 Firefox/1.5.0.6,gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 HBMCFTP:8080 (Squid/2.4.STABLE6)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=65.172.176.71;
   posting-account=PkcClwwAAAC0eY1Ot-MeZ6ruZNHF8oqb
Xref: g2news2.google.com rec.radio.amateur.equipment:5641

Hello,

I'm new to amateur radio, and there's a debate amoung some of my friends on whether it's legal to modify a ham radio to transmit on commercial and CB frequencies. I thought any radio that does transmit on these non-ham frequencies needs to have some type of FCC cerification, so modifying a ham radio to transmit on such non-ham frequencies would be illegal. However, some friends have told me it is legal to modify a ham radio to transmit on non-ham frequencies as long as you are authorized to use them and you transmit on those specific frequencies and on the allowed power.

At my work we have been allocated to use specific frequencies which are commercial and not within the ham frequency range, and I thought it would be illegal to modify a handheld ham radio to transmit on these frequencies. Am I correct?

If so, can someone point me to a website, whether on the FCC's site or ARRL's site or someplace else that shows this? Again, I assumed it was not legal to use a modified ham radio on such non-ham frequencies, but I've heard from others that it is. Just wanted to clear the air.

Thanks --

Alex

From -4008865285022499779
X-Google-Thread: fb049,959e78159602fc6f
X-Google-Thread: 108122,959e78159602fc6f
X-Google-Thread: 1109af,959e78159602fc6f
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!not-for-mail
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap

Subject: Re: FS: Uniden Force UHF mobile radio. $25.00
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <KdUAg.326$Lh4.193@trnddc02>
<44d73918$0$35076$4fafbaef@reader4.news.tin.it>
Organization: Your Company
Message-ID: <Xns981867C4FDD78spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 07 Aug 2006 17:10:48 GMT
Lines: 14
NNTP-Posting-Host: 11e5b1ce.news.adtechcomputers.com
X-Trace: DXC=h:D0f?
VadO9:XR=<ZU:87;gC4_A5:nI@1<<=aEgO;R87U[PoIZSUJ5320_aA`]^k@<ecf<A4o8l930W_Uo]cC15:
heP5LSl:mX0PRo[n0nB;4?S:PJbJTV4;>
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2422
rec.radio.amateur.equipment:5642 rec.radio.swap:5806

>> Uniden Force FMU250K UHF Med radio with remote handset
>> in very good condition. Not tested.

> "in very good condition" vs. "not tested"; it looks like a
> contradiction in terms to me. How can you make the first statement if
> you haven't performed a test, at least a minimal one?
>

I took that to mean physical condition.

From 7822207057588098002
X-Google-Thread: 108122,b269ea090774d086,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!
be5.nntpserver.com!not-for-mail
Reply-To: "RC" <nospam@nospam.com>
From: "RC" <nospam@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: test rec.radio.amateur.equipment
Date: Mon, 7 Aug 2006 13:50:07 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Lines: 3
Message-ID: <44d7701b$0$24738$88260bb3@free.teranews.com>
NNTP-Posting-Date: 07 Aug 2006 16:53:47 GMT

```
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5643

rec.radio.amateur.equipment




--
Posted via a free Usenet account from http://www.teranews.com




From 6420087002070992351
X-Google-Thread: 108122,ebdb4648c1fe3353
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Newsgroups: rec.radio.amateur.equipment
Path: g2news2.google.com!news1.google.com!news.germany.com!newsfeed01.sul.t-
online.de!newsfeed00.sul.t-online.de!t-online.de!border2.nntp.dca.giganews.com!
nntp.giganews.com!boeing.com!not-for-mail
From: "R. Scott" <spamtrap@w7psk.net>
Subject: Re: Legality of modifying a ham radio to transmit on commercial
frequencies
Message-ID: <J3n3qr.LFG@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 19
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
References: <1154969497.639356.284120@m79g2000cwm.googlegroups.com>
Date: Mon, 7 Aug 2006 18:08:53 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5644


"Alex" <samalex@gmail.com> wrote in message
news:1154969497.639356.284120@m79g2000cwm.googlegroups.com...
> Hello,
>
> I'm new to amateur radio, and there's a debate amoung some of my
> friends on whether it's legal to modify a ham radio to transmit on
> commercial and CB frequencies.  I thought any radio that does transmit

In a word NO ... They would not be Type accepted for those frequencies.

We however CAN modify commercial equipment to run on Amateur Radio
Frequencies as
long as they conform to requirements.
```

Scotty W7PSK

From -3496395081475502692
X-Google-Thread: 108122,ebdb4648c1fe3353
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.kjsl.com!ncf.ca!FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Legality of modifying a ham radio to transmit on commercial frequencies
Date: 7 Aug 2006 18:45:29 GMT
Organization: The National Capital FreeNet
Lines: 53
Message-ID: <eb81o9$i5i$1@theodyn.ncf.ca>
References: <1154969497.639356.284120@m79g2000cwm.googlegroups.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1154976329 18610 134.117.136.48 (7 Aug 2006 18:45:29 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 7 Aug 2006 18:45:29 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5645

"Alex" (samalex@gmail.com) writes:

> Hello,
>
> I'm new to amateur radio, and there's a debate amoung some of my
> friends on whether it's legal to modify a ham radio to transmit on
> commercial and CB frequencies. I thought any radio that does transmit
> on these non-ham frequencies needs to have some type of FCC
> cerification, so modifying a ham radio to transmit on such non-ham
> frequencies would be illegal. However, some friends have told me it is
> legal to modify a ham radio to transmit on non-ham frequencies as long
> as you are authorized to use them and you transmit on those specific
> frequencies and on the allowed power.
>
> At my work we have been allocated to use specific frequencies which are
> commercial and not within the ham frequency range, and I thought it
> would be illegal to modify a handheld ham radio to transmit on these
> frequencies. Am I correct?
>
> If so, can someone point me to a website, whether on the FCC's site or
> ARRL's site or someplace else that shows this? Again, I assumed it was
> not legal to use a modified ham radio on such non-ham frequencies, but
> I've heard from others that it is. Just wanted to clear the air.
>

Amateur radio is almost unique, in that the rules are intended for
experimentation and thus pretty open. Pretty much all the other radio

services have quite limiting rules, and yes, one of those is about the radios matching very specific standards.

Hence, no one cannot used modified equipment in another service. Indeed, modifying a piece of commercial equipment for another service is likely to make it no longer useful for that service.

What seems like an obvious exception, using ham gear for MARS (and CAP if that still happens) is misleading. Because both services allow for amateur equipment to be used on those frequencies, the whole point being to make use of the existing pool of ham operators. Certainly MARS, and I think CAP, used frequencies adjacent to the ham bands so it was easy to use the same equipment. Decades ago, hams often had receivers that had a bit of extra tuning range that would take in those adjacent frequencies, and the transmitter could be shifted simply by changing crystals. This has changed as ham equipment has changed, so an actual modification is often required to take in those MARS frequencies. But that is just an opening up of the coverage.

Of course, modifying the other way works fine. Plenty of CB radios have been put to use on the ham bands after modification. But noteworthy is that once that equipment is modified, it's no longer suitable for its original use, and I believe the rules are such that even putting things back to normal is not good enough.

  Michael VE2BVW

From -2254822738934644646
X-Google-Thread: 108122,ebdb4648c1fe3353
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in Alaska <bruceg@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Legality of modifying a ham radio to transmit on commercial frequencies
Organization: Bruce's Trading Post
References: <1154969497.639356.284120@m79g2000cwm.googlegroups.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <bruceg-ACEEAC.11325907082006@netnews.worldnet.att.net>
Lines: 45
Date: Mon, 07 Aug 2006 19:32:50 GMT
NNTP-Posting-Host: 12.12.208.27
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1154979170 12.12.208.27 (Mon, 07 Aug 2006 19:32:50 GMT)
NNTP-Posting-Date: Mon, 07 Aug 2006 19:32:50 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5646

In article <1154969497.639356.284120@m79g2000cwm.googlegroups.com>,
"Alex" <samalex@gmail.com> wrote:

> Hello,
>
> I'm new to amateur radio, and there's a debate amoung some of my
> friends on whether it's legal to modify a ham radio to transmit on
> commercial and CB frequencies. I thought any radio that does transmit
> on these non-ham frequencies needs to have some type of FCC
> cerification, so modifying a ham radio to transmit on such non-ham
> frequencies would be illegal. However, some friends have told me it is
> legal to modify a ham radio to transmit on non-ham frequencies as long
> as you are authorized to use them and you transmit on those specific
> frequencies and on the allowed power.
>
> At my work we have been allocated to use specific frequencies which are
> commercial and not within the ham frequency range, and I thought it
> would be illegal to modify a handheld ham radio to transmit on these
> frequencies. Am I correct?
>
> If so, can someone point me to a website, whether on the FCC's site or
> ARRL's site or someplace else that shows this? Again, I assumed it was
> not legal to use a modified ham radio on such non-ham frequencies, but
> I've heard from others that it is. Just wanted to clear the air.
>
> Thanks --
>
> Alex
>

Modifying an "ham radio" to operate on a "Commercial Frequency"
with the intent to transmit on that "Commercial Frequency" would
illadvised. Commercial Radio Services like Marine, Aviation, Land
Mobile, Public Safety, ect, REQUIRE that the equipment be
"Type Accepted" by the FCC to be used in the US. Type Acceptance
is designed to make sure the radio in question, meets ALL the
Hardware and Emission Requirements, of the 48CFR Rules for that
Radio Service, which may or may not be different for each Service.
Some Radios may be Type Accepted for multiple Radio Services,
but not in others, depending on requirements of each Service Rules.

Bruce in alaska
--
add a <2> before @

From 4836954644658304293
X-Google-Thread: 108228,362191a9332f59f6,start
X-Google-Thread: 108122,362191a9332f59f6,start
X-Google-Thread: 1109af,362191a9332f59f6,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cox.net!news-
xfer.cox.net!p01!fed1read05.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: BIRD TERMALINE WATT METER/ LOAD-RADIO BENCH TESTING-HAM
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000D_01C6BA35.4948D220"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <C2PBg.21091$_c1.3832@fed1read05>
Date: Mon, 7 Aug 2006 15:22:25 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read05 1154989346 68.104.78.240 (Mon, 07 Aug 2006 18:22:26 EDT)
NNTP-Posting-Date: Mon, 07 Aug 2006 18:22:26 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1163
rec.radio.amateur.equipment:5647 rec.radio.swap:5815

This is a multi-part message in MIME format.

------=_NextPart_000_000D_01C6BA35.4948D220
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: BIRD TERMALINE WATT METER/ LOAD-RADIO BENCH TESTING-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250016203269&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000D_01C6BA35.4948D220
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: BIRD TERMALINE WATT METER/ LOAD-RADIO BENCH TESTING-HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250016203269&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250016203269&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000D_01C6BA35.4948D220--



From 2437607289860789904
X-Google-Thread: 108228,adf2df9d81edc26e,start
X-Google-Thread: 108122,adf2df9d81edc26e,start
X-Google-Thread: 1109af,adf2df9d81edc26e,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!fed1read05.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA RADIUS M1225 ls UHF 2WAY RADIO-VERY SMALL
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0016_01C6BA35.79FBB590"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <U3PBg.21093$_c1.168@fed1read05>
Date: Mon, 7 Aug 2006 15:23:46 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read05 1154989428 68.104.78.240 (Mon, 07 Aug 2006 18:23:48 EDT)
NNTP-Posting-Date: Mon, 07 Aug 2006 18:23:48 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1164
rec.radio.amateur.equipment:5648 rec.radio.swap:5816

This is a multi-part message in MIME format.

------=_NextPart_000_0016_01C6BA35.79FBB590
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA RADIUS M1225 ls UHF 2WAY RADIO-VERY SMALL

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250016207484&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0016_01C6BA35.79FBB590
Content-Type: text/html;
     charset="iso-8859-1"
```

```
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA RADIUS M1225 ls UHF 2WAY RADIO-VERY SMALL</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250016207484&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250016207484&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0016_01C6BA35.79FBB590--



From -7948491639624946823
X-Google-Thread: 108122,ebdb4648c1fe3353
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-
xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Legality of modifying a ham radio to transmit on commercial
frequencies
Date: Mon, 07 Aug 2006 15:45:05 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <djgfd2hbqp8rkbsugjm4e05087gbdaa2ej@4ax.com>
References: <1154969497.639356.284120@m79g2000cwm.googlegroups.com> <bruceg-
ACEEAC.11325907082006@netnews.worldnet.att.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 56
Xref: g2news2.google.com rec.radio.amateur.equipment:5649

On Mon, 07 Aug 2006 19:32:50 GMT, Bruce  in Alaska <bruceg@btpost.net>
wrote:

>In article <1154969497.639356.284120@m79g2000cwm.googlegroups.com>,
> "Alex" <samalex@gmail.com> wrote:
>
>> Hello,
```

>>
>> I'm new to amateur radio, and there's a debate amoung some of my
>> friends on whether it's legal to modify a ham radio to transmit on
>> commercial and CB frequencies. I thought any radio that does transmit
>> on these non-ham frequencies needs to have some type of FCC
>> cerification, so modifying a ham radio to transmit on such non-ham
>> frequencies would be illegal. However, some friends have told me it is
>> legal to modify a ham radio to transmit on non-ham frequencies as long
>> as you are authorized to use them and you transmit on those specific
>> frequencies and on the allowed power.
>>
>> At my work we have been allocated to use specific frequencies which are
>> commercial and not within the ham frequency range, and I thought it
>> would be illegal to modify a handheld ham radio to transmit on these
>> frequencies. Am I correct?
>>
>> If so, can someone point me to a website, whether on the FCC's site or
>> ARRL's site or someplace else that shows this? Again, I assumed it was
>> not legal to use a modified ham radio on such non-ham frequencies, but
>> I've heard from others that it is. Just wanted to clear the air.
>>
>> Thanks --
>>
>> Alex
>>
>
>Modifying an "ham radio" to operate on a "Commercial Frequency"
>with the intent to transmit on that "Commercial Frequency" would
>illadvised. Commercial Radio Services like Marine, Aviation, Land
>Mobile, Public Safety, ect, REQUIRE that the equipment be
>"Type Accepted" by the FCC to be used in the US. Type Acceptance
>is designed to make sure the radio in question, meets ALL the
>Hardware and Emission Requirements, of the 48CFR Rules for that
>Radio Service, which may or may not be different for each Service.
>Some Radios may be Type Accepted for multiple Radio Services,
>but not in others, depending on requirements of each Service Rules.
>
>
>Bruce in alaska

A couple of minor points here. The term, "Type Acceptance" has not
been used by the FCC for several years. It is now called,
"Certification."

And make that CFR47, not CRF48 http://wireless.fcc.gov/rules.html

Other than those two points, you are right on target.

Dick - W6CCD

From 7189854199066629723
X-Google-Thread: 108122,d028d644bb9ee3ce,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nntp.waia.asn.au!203.59.27.186.MISMATCH!newsfeed.iinet.net.au!
newsfeed.iinet.net.au!per-qv1-newsstorage1.iinet.net.au!per-qv1-
newsstorage1.iinet.net.au!per-qv1-newsreader-01.iinet.net.au!not-for-mail
From: "Bob VK4BYX" <rdmck@ozemail.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Harris RF-2601 remote auto ATU
Date: Sat, 29 Jul 2006 14:07:21 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Lines: 7
Message-ID: <44cadf09$0$23650$5a62ac22@per-qv1-newsreader-01.iinet.net.au>
NNTP-Posting-Host: 203.206.1.156
X-Trace: 1154146057 per-qv1-newsreader-01.iinet.net.au 23650 203.206.1.156
Xref: g2news2.google.com rec.radio.amateur.equipment:5550
```

I have the chance to buy a RF-2601 new in its boxes. Can anyone advise me if an RF-2601 and its control unit are a stand alone installation? The data sheet advises it is designed to operate with Harris transmitter. Do they come with an instruction manual? Is further info available? Do you need to pressurise with nitrogen to achieve full specs of 1KW average power.

```
From -3313047902882485882
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
Date: 28 Jul 2006 22:02:32 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1154149352.493562.96980@75g2000cwc.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
   <1154126432.490177.241890@s13g2000cwa.googlegroups.com>
   <1154126720.828978.54570@b28g2000cwb.googlegroups.com>
   <1154136178.358115.268820@b28g2000cwb.googlegroups.com>
   <1154141775.991246.161980@m73g2000cwd.googlegroups.com>
   <44CAD6E4.3040500@fuse.net>
NNTP-Posting-Host: 69.19.14.32
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154149357 588 127.0.0.1 (29 Jul 2006 05:02:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Jul 2006 05:02:37 +0000 (UTC)
In-Reply-To: <44CAD6E4.3040500@fuse.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=69.19.14.32;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5551 rec.radio.cb:14721
rec.radio.amateur.policy:35442 alt.ham-radio.vhf-uhf:2367 alt.radio:370


jawod wrote:
> an_old_friend wrote:
> > Konstans_with_a_C wrote:
> >
> >>an_old_friend   "69.19.14.26 traced to: dpc691914026.direcpc.com"
> >>wrote:
> >>STFU FAGGOT
> >
> > yes I post from hughes net so what?
> > no way that require to shut up
> > bearing false witness is a sin
> >
> Nobody cares.  Why don't you just get married in a state that accepts
> gay marriage and be done with it?  Gay or not, quit crapping on the
> newsgroups.
why do that when my wife and are married the issue is that she is
female Wisemen and Robeson (whp has left the sence) have made it such a
big deal to accuse me wife of being male and since my wife object I
fight it out
>
> It's getting very old and nobody cares.
no some of these nut jobs do care




From -6445657826194219929
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!news.alt.net
From: "Glendale Smurf" <anon@anon.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
Date: Sat, 29 Jul 2006 02:29:50 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 31
Message-ID: <6bkov.2sp.19.1@news.alt.net>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
<1154123853.500057.10770@p79g2000cwp.googlegroups.com>
<1154126432.490177.241890@s13g2000cwa.googlegroups.com>
<1154126720.828978.54570@b28g2000cwb.googlegroups.com>
<1154136178.358115.268820@b28g2000cwb.googlegroups.com>
<1154141775.991246.161980@m73g2000cwd.googlegroups.com>
<44CAD6E4.3040500@fuse.net> <1154149352.493562.96980@75g2000cwc.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:5552 rec.radio.cb:14726
rec.radio.amateur.policy:35447 alt.ham-radio.vhf-uhf:2368 alt.radio:371


"an old friend" <kb9rqz@hotmail.com> wrote in message
news:1154149352.493562.96980@75g2000cwc.googlegroups.com...

jawod wrote:
> an_old_friend wrote:
> > Konstans_with_a_C wrote:
> >
> >>an_old_friend   "69.19.14.26 traced to: dpc691914026.direcpc.com"
> >>wrote:
> >>STFU FAGGOT
> >
> > yes I post from hughes net so what?
> > no way that require to shut up
> > bearing false witness is a sin
> >
> Nobody cares.  Why don't you just get married in a state that accepts
> gay marriage and be done with it?  Gay or not, quit crapping on the
> newsgroups.
why do that when my wife and are married the issue is that she is
female Wisemen and Robeson (whp has left the sence) have made it such a
big deal to accuse me wife of being male and since my wife object I
fight it out
>
> It's getting very old and nobody cares.
no some of these nut jobs do care
```

Most especially yourself.

```
From 3689724761713O8387
X-Google-Thread: 108122,472d198f0f8ad94b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: loa210@freemail.gr
Newsgroups: rec.radio.amateur.equipment
Subject: broadcast automation software
Date: 29 Jul 2006 08:38:30 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1154187510.381000.308930@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 213.16.148.62
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154187515 5419 127.0.0.1 (29 Jul 2006 15:38:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Jul 2006 15:38:35 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=213.16.148.62;
   posting-account=KRoE0A0AAABemnNo5oBNmxDrZG28kAQ-
Xref: g2news2.google.com rec.radio.amateur.equipment:5553

broadcast automation software

---------------------------------------------------

iMediaTouch broadcast automation software,
------------------------------------------------------------
     modules
m1   ON-AIR module
m2   Voice Tracking module
m3   Production module
m4   LogTools module
------------------------------------------------------------
      optional modules
om1   RemoteVT ... iMediaTouch Remote VoiceTracking module
om2   On-Air Remote ... iMediaTouch On-Air Remote module
om3   iMediaDataCast ... RDS Encoder module
om4   iMediaLogger ... Digital Logger & Podcaster module
om5   iMediaImport ... Automatic Content Importer module
om6   iMediaAccess ... Wide Area Content Management module
om6   iMediaPix ... Cart Replacement module
```

```
om7   iMediaMultiStream ... Multi-Channel Live Stream Encoder
------------------------------------------------------------



From -9408280611537769878
X-Google-Thread: 108228,e11bff380c0629c4,start
X-Google-Thread: 108122,e11bff380c0629c4,start
X-Google-Thread: 1109af,e11bff380c0629c4,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1000's VHF 136-174 MHz Band 16-Channel w/Batt & Charger-
LQQk
Lines: 56
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C6B312.53B175C0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <5uPyg.17190$Nv.11985@fed1read10>
Date: Sat, 29 Jul 2006 13:24:32 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1154204673 68.104.78.240 (Sat, 29 Jul 2006 16:24:33 EDT)
NNTP-Posting-Date: Sat, 29 Jul 2006 16:24:33 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1139
rec.radio.amateur.equipment:5554 rec.radio.swap:5641

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6B312.53B175C0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1000's VHF 136-174 MHz Band 16-Channel w/Batt & Charger=20

Two actions...LQQK !!!

#1 Radio - =
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250013246606&=
ssPageName=3DSTRK:MESE:IT&ih=3D015
```

```
#2 Radio - =
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250013247343&=
ssPageName=3DSTRK:MESE:IT&ih=3D015




------=_NextPart_000_0008_01C6B312.53B175C0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1000's VHF 136-174 MHz Band 16-Channel w/Batt &amp; =
Charger=20
</P>
<P><FONT size=3D3>Two actions...LQQK !!!</FONT></P>
<P><FONT size=3D3>#1 Radio&nbsp;- <A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250013246606&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250013246606&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P>
<P><FONT size=3D3></FONT>&nbsp;</P>
<P><FONT size=3D3>#2 Radio - <A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250013247343&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250013247343&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P>
<P><FONT size=3D3></FONT>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C6B312.53B175C0--




From -7623910677444484665
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "Greek Style" <mariablazer2002@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 29 Jul 2006 17:20:12 -0700
Organization: http://groups.google.com
Lines: 11
```

```
Message-ID: <1154218812.353382.177860@p79g2000cwp.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
   <slrneb8avr.22ff.bit-bucket@shell.config.com>
NNTP-Posting-Host: 68.155.221.129
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154218817 12035 127.0.0.1 (30 Jul 2006 00:20:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Jul 2006 00:20:17 +0000 (UTC)
In-Reply-To: <slrneb8avr.22ff.bit-bucket@shell.config.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=68.155.221.129;
   posting-account=hEP_YA0AAABpmQROMwnhtKM3qka-Yeyc
Xref: g2news2.google.com rec.radio.amateur.equipment:5555
```

Allodoxaphobia wrote:
> On Tue, 11 Jul 2006 20:20:05 +0200 (CEST), Nomen Nescio wrote:
> > HEY THEY GOT THIS GUY IN MADISONVILLE KY THAT WAS RUN OUT OF INDIANA BY THE CITY OF HOBART INDIANA TALKING WITH HIS UNLICENSED BUDDY BILL NEWCOMB FROM MARBELLA ST IN PORTAGE INDIANA ON 75 METERS (3955) YET HE STILL TALKS TO HIM AND SOME OF THE OTHERS DO TO.Listen late at night and you can hear them bill newcomb is dr bill on the cb radio and NOT A LICENSED AMATEUR RADIO OPERATOR...K9KXQ IS A LICENSED HAM OPERATOR AND KNOWS FULL WELL THAT NEWCOME IS UNLICENSED!
>
> After you get your keyboard's SHIFT key fixed, come back and discuss
> _equipment_ with us.

He don't want to discuss equipment, he would rather post foolish crap,
bann him....

```
From -8449316374449671784
X-Google-Thread: 108228,6665346cfe9f38ac,start
X-Google-Thread: 108122,6665346cfe9f38ac,start
X-Google-Thread: 1109af,6665346cfe9f38ac,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Jimmy Mac" <no-spam@manicarcade.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: WTD - Any dead ICOM 900/901 band unit UX-19,29,39,49,59 etc... for parts.
Date: Sun, 30 Jul 2006 10:22:27 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
```

```
X-RFC2646: Format=Flowed; Original
Lines: 6
Message-ID: <44ccead6$0$34559$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 30 Jul 2006 17:22:30 GMT
NNTP-Posting-Host: f8d54072.news.sonic.net
X-Trace:
DXC=<i_[H:Z:1QZ:GPg[CXEOAZm4K\QM1CV^P1OYf0H`?;XQM5oYgNS:c]V:oF=1i9HD6TU4nC_G_hFUS[
\?59bAHF@]
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com alt.ham-radio.marketplace:1140
rec.radio.amateur.equipment:5556 rec.radio.swap:5647
```

Like the subject says - I am looking for a part for the Icom band unit. It
is a common part so any complete but dead band unit should be fine.

jim (at) manicarcade (dot) com

```
From -1849314491413355070
X-Google-Thread: 108228,d2cbe21049075ec2,start
X-Google-Thread: 108122,d2cbe21049075ec2,start
X-Google-Thread: 1109af,d2cbe21049075ec2,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 3-EA MOTOROLA HT750 2WAY UHF RADIOS w/DESK CHGRS-Ham
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000E_01C6B3F3.A0F28130"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <56bzg.17245$Nv.13214@fed1read10>
Date: Sun, 30 Jul 2006 16:17:18 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1154301441 68.104.78.240 (Sun, 30 Jul 2006 19:17:21 EDT)
NNTP-Posting-Date: Sun, 30 Jul 2006 19:17:21 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1141
rec.radio.amateur.equipment:5557 rec.radio.swap:5655
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_000E_01C6B3F3.A0F28130
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 3-EA MOTOROLA HT750 2WAY UHF RADIOS w/DESK CHGRS-Ham

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250013577604&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000E_01C6B3F3.A0F28130
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 3-EA MOTOROLA HT750 2WAY UHF RADIOS w/DESK CHGRS-Ham</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250013577604&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250013577604&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000E_01C6B3F3.A0F28130--



From -8829246908954078028
X-Google-Thread: 108122,5bf24a7e5fc59012,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p02!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Mosley TA53M Beam/Trade for Hex Beam
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <78bzg.14413$PO.380@dukeread03>
Date: Sun, 30 Jul 2006 18:19:31 -0500
```

NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1154301571 68.105.249.118 (Sun, 30 Jul 2006 19:19:31 EDT)
NNTP-Posting-Date: Sun, 30 Jul 2006 19:19:31 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5558

I have a brand new in the box Mosley TA53M 4 element, 5Band Beam for sale. These beams currently sell for over $800. I will sell this one for $$590 plus shipping from 79602. This beam has neve been out of the boxes. It includes all parts and the Instruction Manual. I will also trade it for a 5 Band Hex Beam, Model HX-5Bi. Thanks, Charlie Hugg, K5MBX

From -6938450319285005662
X-Google-Thread: fc8b1,b5d6fa3239a99a1a,start
X-Google-Thread: 108122,b5d6fa3239a99a1a,start
X-Google-Thread: fc2a5,b5d6fa3239a99a1a,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: FA: BOOKS: BY Orr, ARRL, + MORE PARTS COMING
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <M5vzg.520419$Fs1.90371@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: e5ffbad70bfb20525383d2de3b320b79
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1154383340 e5ffbad70bfb20525383d2de3b320b79 (Mon, 31 Jul 2006 22:02:20 GMT)
NNTP-Posting-Date: Mon, 31 Jul 2006 22:02:20 GMT
Organization: AT&T Worldnet
Date: Mon, 31 Jul 2006 22:02:20 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4859 rec.radio.amateur.equipment:5559 rec.radio.amateur.homebrew:6378

Have listed several books by ARRL and 2 by Wm Orr + more small parts to be added

ALSO NOTE: MOSTLY NOS PARTS for EF Johnson transmitters, National, Millen, Miller parts are coming as well.

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking, heytubeguy

```
From -8507312806131822379
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i3g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
Date: 31 Jul 2006 18:58:29 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1154397509.679721.202550@i3g2000cwc.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
   <1154126432.490177.241890@s13g2000cwa.googlegroups.com>
   <1154126720.828978.54570@b28g2000cwb.googlegroups.com>
   <1154136178.358115.268820@b28g2000cwb.googlegroups.com>
   <1154141775.991246.161980@m73g2000cwd.googlegroups.com>
   <44CAD6E4.3040500@fuse.net>
   <1154149352.493562.96980@75g2000cwc.googlegroups.com>
   <6bkov.2sp.19.1@news.alt.net>
NNTP-Posting-Host: 66.82.9.45
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154397513 28933 127.0.0.1 (1 Aug 2006 01:58:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 1 Aug 2006 01:58:33 +0000 (UTC)
In-Reply-To: <6bkov.2sp.19.1@news.alt.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i3g2000cwc.googlegroups.com; posting-host=66.82.9.45;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.equipment:5560 rec.radio.cb:14888
rec.radio.amateur.policy:35632 alt.ham-radio.vhf-uhf:2370 alt.radio:372
```

```
Glendale Smurf wrote:
> "an old friend" <kb9rqz@hotmail.com> wrote in message
> news:1154149352.493562.96980@75g2000cwc.googlegroups.com...

> no some of these nut jobs do care
>
>
> Most especially yourself.
you are indeed a nut job



From -2899414279431957668
X-Google-Thread: 108122,d4ee9c3c28e2b646
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 31 Jul 2006 21:35:27 -0500
Newsgroups: rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: Relisted here: Heil Goldline GM-4, cable, SM-1 and LX-1 boom lower start
bid
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
References: <bKOdnZcvFbNAE1vZnZ2dnUVZ_tCdnZ2d@centurytel.net>
Date: Tue, 1 Aug 2006 02:35:26 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <2budnfCnp6xyIFPZnZ2dnUVZ_vGdnZ2d@centurytel.net>
Lines: 3
NNTP-Posting-Host: 72.160.71.88
X-Trace: sv3-WWfHRyS49Tetx4VEuQsaCZwgng8RCcQ6PGuHq/+pYDtT/cvRwnU9xn/
WbhHHuUj6qxXQdUc5Oq89wLM!+5tTarfSr14xNtFYzOsOZI0S87njGfzs1/0aa+LFbZQUNymwbshrJ/
aEjH4JyL31aZzkdm2+Wh94!wdKVQb4XR1PbIWnP3Odv2JCBafnjnckppVY=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5561

relist, lower start price. New url:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=003&item=130012337117


From 2667322816818200917
X-Google-Thread: 108122,d4ee9c3c28e2b646
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
```

From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Relisted here: --SPAM--
Date: 1 Aug 2006 16:31:37 GMT
Lines: 13
Message-ID: <slrnecv0f9.20tf.bit-bucket@shell.config.com>
References: <bKOdnZcvFbNAE1vZnZ2dnUVZ_tCdnZ2d@centurytel.net>
<2budnfCnp6xyIFPZnZ2dnUVZ_vGdnZ2d@centurytel.net>
X-Trace: individual.net azQ1/7KuVIYtwmr2rrMtPQQu7siF2R+wYCk2Du5m+TonqrtQxK
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:5562

On Tue, 1 Aug 2006 02:35:26 GMT, Rich wrote:
> relist, lower start price. New url:
>
> http://cgi.ebay.com/ws/eBayISAPI.dll?View...............

"eBay users may not post on Usenet groups (Internet newsgroups) to
advertise eBay or an eBay listing that is inappropriate or violates
the Usenet board policy. If Usenet abuse is reported to eBay, we may
among other remedies remove the listing, issue a warning, or suspend
the user's eBay account."
-- http://pages.ebay.com/help/welcome/usenet-policy.html

Report spammers.

From -8834398040326415031
X-Google-Thread: 108122,d4ee9c3c28e2b646
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.kjsl.com!ncf.ca!
FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Relisted here: --SPAM--
Date: 1 Aug 2006 18:36:39 GMT
Organization: The National Capital FreeNet
Lines: 22
Message-ID: <eao6vn$ik9$1@theodyn.ncf.ca>
References: <bKOdnZcvFbNAE1vZnZ2dnUVZ_tCdnZ2d@centurytel.net>
<2budnfCnp6xyIFPZnZ2dnUVZ_vGdnZ2d@centurytel.net> <slrnecv0f9.20tf.bit-bucket@shell.config.com>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1154457399 19081 134.117.136.48 (1 Aug 2006 18:36:39 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 1 Aug 2006 18:36:39 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5563

Allodoxaphobia (bit-bucket@config.com) writes:
> On Tue, 1 Aug 2006 02:35:26 GMT, Rich wrote:
>> relist, lower start price. New url:

>>
>> http://cgi.ebay.com/ws/eBayISAPI.dll?View...............
>
> "eBay users may not post on Usenet groups (Internet newsgroups) to
> advertise eBay or an eBay listing that is inappropriate or violates
> the Usenet board policy. If Usenet abuse is reported to eBay, we may
> among other remedies remove the listing, issue a warning, or suspend
> the user's eBay account."
>   -- http://pages.ebay.com/help/welcome/usenet-policy.html
>
> Report spammers.

Of course, the key point that too many miss is that this newsgroup
is for the discussion of amateur radio equipment, not a buy and sell
newsgroup. If that key point isn't part of the complaint, then
that ebay policy would seem to allow it.

  Michael VE2BVW

From 2839746132182158932
X-Google-Thread: 108122,d4ee9c3c28e2b646
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Relisted here: --SPAM--
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <bKOdnZcvFbNAE1vZnZ2dnUVZ_tCdnZ2d@centurytel.net> <2budnfCnp6xyIFPZnZ2dnUVZ_vGdnZ2d@centurytel.net> <slrnecv0f9.20tf.bit-bucket@shell.config.com> <eao6vn$ik9$1@theodyn.ncf.ca>
Organization: Your Company
Message-ID: <Xns98127EB377B06spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 01 Aug 2006 19:26:34 GMT
Lines: 18
NNTP-Posting-Host: 63afc9dc.news.adtechcomputers.com
X-Trace: DXC=QZELKeH?_F[gVIiDmACf[\gC4_A5:nI@Q<<=aEgO;R8WN4Z843Vo5cZJ9a:J[^QmAYecf<A4o8l9S0W_Uo]cC15ZheP5LSl:mXPZJFY[44LTe\3UZLRES06jZ
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5564

>
> Of course, the key point that too many miss is that this newsgroup
> is for the discussion of amateur radio equipment, not a buy and sell
> newsgroup. If that key point isn't part of the complaint, then
> that ebay policy would seem to allow it.

>
> Michael VE2BVW
>

Fully agree. It is amazing how so many feel they need to post their wants, sales, auctions here as well as the more appropriate rec.radio.swap group. It is doubly annoying since I suspect almost everyone reads both groups, anyway.

Ed K7AAT

```
From 8129392360741587580
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
Date: 1 Aug 2006 12:52:16 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1154461936.264265.315220@p79g2000cwp.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
   <1154126432.490177.241890@s13g2000cwa.googlegroups.com>
   <1154126720.828978.54570@b28g2000cwb.googlegroups.com>
   <1154136178.358115.268820@b28g2000cwb.googlegroups.com>
   <1154141775.991246.161980@m73g2000cwd.googlegroups.com>
   <44CAD6E4.3040500@fuse.net>
   <1154149352.493562.96980@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.155.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154461941 15189 127.0.0.1 (1 Aug 2006 19:52:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 1 Aug 2006 19:52:21 +0000 (UTC)
In-Reply-To: <1154149352.493562.96980@75g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=65.54.155.36;
```

```
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.equipment:5565 rec.radio.cb:14925
rec.radio.amateur.policy:35746 alt.ham-radio.vhf-uhf:2371 alt.radio:374


an old friend wrote:
> jawod wrote:
> > an_old_friend wrote:
> > > Konstans_with_a_C wrote:
> > >
> > >>an_old_friend   "69.19.14.26 traced to: dpc691914026.direcpc.com"
> > >>wrote:
> > >>STFU FAGGOT
> > >
> > > yes I post from hughes net so what?
> > > no way that require to shut up
> > > bearing false witness is a sin
> > >
> > Nobody cares.  Why don't you just get married in a state that accepts
> > gay marriage and be done with it?  Gay or not, quit crapping on the
> > newsgroups.
> why do that when my wife and are married the issue is that she is
> female Wisemen and Robeson (whp has left the sence) have made it such a
> big deal to accuse me wife of being male and since my wife object I
> fight it out

Whaaaaaaaaah cry, faggot, cry. You married a shemale!

> >
> > It's getting very old and nobody cares.
> no some of these nut jobs do care

You do, you whining cunt.



From -3952642469539234556
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: davy has no shame!
Date: 1 Aug 2006 13:02:40 -0700
Organization: http://groups.google.com
```

```
Lines: 14
Message-ID: <1154462560.350989.31050@b28g2000cwb.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <eadvkr$vh0$1@news2.open-news-network.org>
NNTP-Posting-Host: 65.54.155.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154462565 17075 127.0.0.1 (1 Aug 2006 20:02:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 1 Aug 2006 20:02:45 +0000 (UTC)
In-Reply-To: <eadvkr$vh0$1@news2.open-news-network.org>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.155.36;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:5566 rec.radio.cb:14926
rec.radio.amateur.policy:35751 alt.ham-radio.vhf-uhf:2373 alt.radio:375

Lloyd Davies wrote:
> <marq_morcum@mail2queen.com> wrote in message
> news:1154121449.510461.76610@s13g2000cwa.googlegroups.com...
> > dave hell posts pics of his skank!
> >
> > http://i7.tinypic.com/21amphy.jpg
> >
> > you're as sick as the fucking tard,davey!
> >
> Where did you find that pic of me? STOP CALLING ME A SKANK JUST BECAUSE IM
> QUEER!

You sure are, Davies!



From -2688735770280617453
X-Google-Thread: 108122,ea04bdc3ee7a66aa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: dravie@msn.com
Newsgroups: rec.radio.amateur.equipment
Subject: Low Cost USB RF & Microwave CW Power Meters. Come see us at the European
Microwave Exhibition in Manchester, UK
Date: 1 Aug 2006 15:20:33 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1154470833.869307.221650@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 81.156.31.195
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

```
X-Trace: posting.google.com 1154470839 7976 127.0.0.1 (1 Aug 2006 22:20:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 1 Aug 2006 22:20:39 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=81.156.31.195;
   posting-account=m5gAHQ0AAACSzw4SXo7wYOzysp9jvwgr
Xref: g2news2.google.com rec.radio.amateur.equipment:5567

* High Performance! NOT High Cost
o  A replacement solution for conventional
   power meter and sensor.
o Simple USB connectivity to laptop or PC.
o Multiple sensors on same PC
o  Light weight and easy to use.
o  Good for all manufacturing and I&M needs
o  Robust construction with high reliability
o No reference calibrator required.
o Measurement range from -50dBm to +20dBm up to 18.5GHz.
o Future products to 40GHz.
o Currently comes in two frequency ranges
http://www.satori-technology.com

Satori Technology Limited.
We will be on stand 426 at the European Microwave Exhibition in
Manchester, UK,  from
the 13th to the 15th of September. Come a long for a chat and see a
demonstration  of  our
ST series Power Meter.
We look forward to meeting you there.
http://www.eumw2006.com/



From 5988366486908498560
X-Google-Thread: 108228,a85782be486b0f37,start
X-Google-Thread: 108122,a85782be486b0f37,start
X-Google-Thread: 1109af,a85782be486b0f37,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT750 UHF 403-470 MHZ-16CH RADIO-NEW CHGR-HAM BANDS
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C6B57E.824785F0"
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <8uQzg.17663$Nv.3394@fed1read10>
Date: Tue, 1 Aug 2006 15:23:58 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1154470916 68.104.78.240 (Tue, 01 Aug 2006 18:21:56 EDT)
NNTP-Posting-Date: Tue, 01 Aug 2006 18:21:56 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1146
rec.radio.amateur.equipment:5568 rec.radio.swap:5702

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C6B57E.824785F0
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT750 UHF 403-470 MHZ-16CH RADIO-NEW CHGR-HAM BANDS

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250014261241&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0011_01C6B57E.824785F0
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT750 UHF 403-470 MHZ-16CH RADIO-NEW CHGR-HAM BANDS</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250014261241&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250014261241&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0011_01C6B57E.824785F0--



From -2601843335079329092
X-Google-Thread: 108122,be68454816d03ff,start
X-Google-Thread: 1109af,be68454816d03ff,start
```

```
X-Google-Thread: 108228,be68454816d03ff,start
X-Google-Attributes: gid108122,gid1109af,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 01 Aug 2006 18:47:19 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-
radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: FS: ICOM SP-20 Speaker exclnt cond
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Tue, 1 Aug 2006 23:47:17 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <N62dnWvMXpqVdVLZnZ2dnUVZ_sydnZ2d@centurytel.net>
Lines: 3
NNTP-Posting-Host: 72.160.71.88
X-Trace: sv3-5n2sBvggSJ+w7sPWt4gM71GCBDh8gPDimHIVqpbH7xcQYI3xkxCJTn5KZI9wxVIy/
oDipKWX0M2cqEO!j3VHW/Z1ON/9V2DrRi5VSHNKglLwi3CpVvrRdReNtp6Ng6dzyrwWUGx1+oQJtYh/
ilBkWeVrknVM!mF0NCcoCHNmcwhJVgtTZ9c8sjC1Ss9nqWhw=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5569 rec.radio.swap:5703
alt.ham-radio.marketplace:1147

Ebay Fixed price sale

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130013002368


From -6267051336915355651
X-Google-Thread: 108122,59f9347b146b388d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.velocitywest.net!
news.velocitywest.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 01 Aug 2006 19:37:14 -0500
From: "Jeff" <Jeff@somewhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Newbie Question About GMRS Vs. FRS
Date: Tue, 1 Aug 2006 20:36:10 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
Lines: 15
```

NNTP-Posting-Host: 24.161.72.51
X-Trace: sv3-fBIRP4BncJhHr6pV2VjdS8AoNeOLIf7QAy0HXRsTjdtXPmUlapEepCuuFk/
L8UvS07oiusL8CZjxewP!
vdoOKGyW6RBwyvEGS9fk5bzuL3Z4OzwVgQt+kKw5dQLzYHdsuTLT4+Nq+Eu1CY5Qh4dACeURkFsw!
elE2bokQK2qCQ/fyAuOrhg+TnfoShw==
X-Complaints-To: abuse@velocitywest.net
X-DMCA-Complaints-To: abuse@velocitywest.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5570

I will be buying a Midland Two way radio (18 mile version)

My question is this:

The first 7 channels (1-7) which are combined GMRS/FRS...Do those transmit
at Full power or are capped at half a watt because It's FRS too?

If so, does than mean that channels 15-22are true GMRS at full power?

TIA,

Jeff

From -4091334588596748788
X-Google-Thread: 108122,59f9347b146b388d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie Question About GMRS Vs. FRS
Date: Wed, 02 Aug 2006 00:52:59 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12cvtrbhs5tgn76@corp.supernews.com>
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 38
Xref: g2news2.google.com rec.radio.amateur.equipment:5571

In article <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>,
Jeff <Jeff@somewhere.com> wrote:

>I will be buying a Midland Two way radio (18 mile version)
>
>My question is this:

... and is probably most accurately answered by reading the owner's manual.

http://www.midlandradio.com/owners_manuals.asp seems to be the URL to use.

>The first 7 channels (1-7) which are combined GMRS/FRS...Do those transmit
>at Full power or are capped at half a watt because It's FRS too?
>
>If so, does than mean that channels 15-22are true GMRS at full power?

The manual for the GXT600/635/650/656 series indicates that the power output on channels 1-7 and 15-22 can be set to any of three levels. Channels 8-14 are locked at the "low" level.

The manual also states that a GMRS license from the FCC is necessary when using the radio to transmit on channels 1-7 or 15-22.

I read this all as meaning that the radio is capable of full GMRS-level power output on all of the GMRS-authorized channels (the shared GMRS/FRS channels 1-7 and the GMRS-only channels 15-22).

It's possible that the radio could be used legally on channels 1-7 without a GMRS license, if the power level were first manually set to the "low" position, but I'm not certain of that.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -6308140815029119786
X-Google-Thread: 108122,d5f7bdb094a75fe8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.velocitywest.net!
news.velocitywest.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 01 Aug 2006 20:25:40 -0500
From: "Jeff" <Jeff@somewhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Uniden GMFS-325 Power Output?
Date: Tue, 1 Aug 2006 21:25:56 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <wsKdnXZ_ycCJYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net>
Lines: 11
NNTP-Posting-Host: 24.161.72.51
X-Trace: sv3-1eeg8FgngqPHAG26oPWIc+Bm/2WSrl+v7//
IUIA2iL7VIsSaWXgM+NFafaYoRvClOi5LNjm+Khq2H4E!
5k6HxG0eMwtMjZjZMxQjdnbFgiMdgSmHOL9asxQotZmjhvmZMqzDxjFAVqNjhRxuRP+I5jbohGIS!
uLJobBgi9lOGWWtvrG0jEPVKgiQIEA==
X-Complaints-To: abuse@velocitywest.net
X-DMCA-Complaints-To: abuse@velocitywest.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5572
```

I'm trying to use this unit as a benchmark performance wise since I have
used it successfully from time to time.

Curiopus as to it's power output since it is NOT mentioned in the manual or
appears in a search anywhere online

Thnx

jeff

```
From -5090646245769399137
X-Google-Thread: 108122,d5f7bdb094a75fe8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.velocitywest.net!
news.velocitywest.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 01 Aug 2006 20:27:45 -0500
From: "Jeff" <Jeff@somewhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <wsKdnXZ_ycCJYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net>
Subject: Re: Uniden GMFS-325 Power Output?
Date: Tue, 1 Aug 2006 21:27:35 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <pfydnRFOfPsPYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net>
Lines: 19
NNTP-Posting-Host: 24.161.72.51
X-Trace: sv3-H9vo8uF4yEittaEoHOmyVkJjsZzRNl8uJJvxlXek2Bnyz5ELGeZSl/
drb+RMDJ6jI4FFLezZYvx8TBG!N6Mb/hNNxl92aSB7tOo+9m4O4ahPlN+pBYUoZ/
qDQ5vzYqYF2xOiIXqEEHch/kJua0YgiaJot9NI!7VV1Q2qRxOfD2f6Pne5BJZwSkezgPw==
X-Complaints-To: abuse@velocitywest.net
X-DMCA-Complaints-To: abuse@velocitywest.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5573
```

I meant the GMFS635 not the GMFS325, the 325 is 500MW

Jeff

"Jeff" <Jeff@somewhere.com> wrote in message
news:wsKdnXZ_ycCJYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net...

> I'm trying to use this unit as a benchmark performance wise since I have
> used it successfully from time to time.
>
> Curiopus as to it's power output since it is NOT mentioned in the manual
> or appears in a search anywhere online
>
> Thnx
>
> jeff
>

```
From -2846871019513713399
X-Google-Thread: 108122,aa183e38bf88da6c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-mail
From: "Used2Way" <pchoman@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: MCS2000 VHF III (100 Watt)
Date: 1 Aug 2006 23:27:22 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1154500042.776322.93790@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 71.196.209.104
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154500047 13456 127.0.0.1 (2 Aug 2006 06:27:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Aug 2006 06:27:27 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=71.196.209.104;
```

```
   posting-account=BzojKA0AAAC1zkGBiXVuJyDhKR1gk6nH
Xref: g2news2.google.com rec.radio.amateur.equipment:5574
```

I am looking for up to 15 New or Used MCS2000 VHF Model III (100 Watt)
Mobiles. Complete set.

Please contact:
pccomminc@yahoo.com
720-219-8898

M01KLN9PW6AN
VHF
100W
250CH
TYPE III CONTROL HEAD WITH HIGH OUTPUT SPEAKER

```
From 7210165492310492637
X-Google-Thread: 108122,d4ee9c3c28e2b646
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7tw2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.150.52.44
From: Paul Hinman <paul.hinman@shaw.ca>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: Re: Heil Goldline GM-4, cable, SM-1 and LX-1 boom
References: <bKOdnZcvFbNAE1vZnZ2dnUVZ_tCdnZ2d@centurytel.net>
In-Reply-To: <bKOdnZcvFbNAE1vZnZ2dnUVZ_tCdnZ2d@centurytel.net>
Content-Type: multipart/alternative;
 boundary="------------000706050902020402030403"
Lines: 88
Message-ID: <sO0Ag.303304$iF6.296592@pd7tw2no>
Date: Wed, 02 Aug 2006 12:22:48 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw2no 1154521368 24.70.95.207 (Wed, 02 Aug 2006 06:22:48 MDT)
NNTP-Posting-Date: Wed, 02 Aug 2006 06:22:48 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:5575
```

This is a multi-part message in MIME format.

```
--------------000706050902020402030403
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

Rich wrote:

```
>FA:
>
>--- THE full-range microphone for all occasions - FM - AM - "Hi Fi" SSB ---
>---The HC-4 "DX Dream Machine" element makes chasing DX a dream---
>includes the:
>GM-4 goldline mic, SM-1 shock mount, LX-1 Delux boom and a kenwood cable,
>Sorry no foot switch.... Great cond. shipping in the lower 48 sates only no
>overseas or canada sales.
>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130010895319
>
>
VENT=ON
Why do so many people refuse to sell to Canada?  Amateur radio equipment
crosses the border without any duties.  There seems to be some feeling
that we are a strange foreign country.  I will agree that we are a
foreign country and maybe a bit different but not strange.  We do prefer
to deal with FEDEX  or the USPS because UPS often tacks on extra charges
for crossing the border.

I expect that the good folks in Alaska and Hawaii probably feel the same
way because I often see "lower 48 states only" as well.
VENT=OFF

--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk



--------------000706050902020402030403
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Rich wrote:<br>
<blockquote cite="midbKOdnZcvFbNAE1vZnZ2dnUVZ_tCdnZ2d@centurytel.net"
 type="cite">
  <pre wrap="">FA:

--- THE full-range microphone for all occasions - FM - AM - "Hi Fi" SSB ---
---The HC-4 "DX Dream Machine" element makes chasing DX a dream---
includes the:
GM-4 goldline mic, SM-1 shock mount, LX-1 Delux boom and a kenwood cable,
Sorry no foot switch.... Great cond. shipping in the lower 48 sates only no
overseas or canada sales.

<a class="moz-txt-link-freetext" href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=130010895319">http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=130010895319</a>
  </pre>
</blockquote>
<font size="+1"><font face="Comic Sans MS">VENT=ON<br>
Why do so many people refuse to sell to Canada?&nbsp; Amateur radio
equipment crosses the border without any duties.&nbsp; There seems to be
some feeling that we are a strange foreign country.&nbsp; I will agree that
we are a foreign country and maybe a bit different but not strange.&nbsp; We
do prefer to deal with FEDEX&nbsp; or the USPS because UPS often tacks on
extra charges for crossing the border.<br>
<br>
I expect that the good folks in Alaska and Hawaii probably feel the
same way because I often see "lower 48 states only" as well.<br>
VENT=OFF<br>
</font></font><br>
<pre class="moz-signature" cols="72">--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk

</pre>
</body>
</html>

--------------000706050902020402030403--


From -3161848017415110225
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7tw2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.150.52.44
From: Paul Hinman <paul.hinman@shaw.ca>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
```

Subject: VENT Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada
 !
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET>
In-Reply-To: <a4f50$44b79116$d06640f9$30525@FUSE.NET>
Content-Type: multipart/alternative;
 boundary="------------010605080904080802080806"
Lines: 126
Message-ID: <TY1Ag.303358$iF6.152609@pd7tw2no>
Date: Wed, 02 Aug 2006 13:42:11 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw2no 1154526131 24.70.95.207 (Wed, 02 Aug 2006 07:42:11 MDT)
NNTP-Posting-Date: Wed, 02 Aug 2006 07:42:11 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:15705
rec.radio.amateur.equipment:5576 rec.radio.amateur.misc:18168
rec.radio.amateur.policy:35803 rec.radio.shortwave:47348

This is a multi-part message in MIME format.
--------------010605080904080802080806
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

J. D. B. wrote:

> Well at least your estate will get to keep your life savings. If you
> get sick late in the year, and the healthcare facility/hospital shut
> down for the rest of the year because it ran out of government money
> (a typical scenario in Canada), there will be no one to give you any
> care and you'll just die. But hey, your life savings will still be
> intact! Is socialized health care great or what?
>
>>
>> - At least in Canada you get to keep
>> - your life savings if you get sick.
>>

I am a Canadian with serious chronic health problems and I have much more experience with the health system than I would like to have, I have come close being a silent key several times, I am sure that there are some who feel that is too bad that I was allowed to breed before my medical problems became obvious. In the minds of some I suppose that I have peed in the genetic pool.

I have never heard of a Canadian hospital shutting down because the money did not last until fiscal year end. While there are some weaknesses in our system such as delays in elective procedures but when the sand was running out of the hour glass there was always a system to help me out. Here everyone can get insured, there is an option to opt out of medicare but who would?

Think of the overhead that American doctors face having to deal with multiple insurance companies, each with different forms and procedures. Think of the people who can't get medical insurance no matter what the cost. Think of those who don't have because they can't afford it. And then there are those who exercise their right not have it.

In a situation where people get treated but can't afford to pay, the rates for everyone else must go up to compensate.

Canada is not perfect but it is a pretty nice place to live and we try to contribute as best we can.

By the way, if I were an American I would vote republican but I am not a single issue voter so don't construe that to mean that I from the far right wing. Consider me a fiscal conservative with a social conscience.

--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk

```
--------------010605080904080802080806
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
J. D. B. wrote:<br>
<blockquote cite="mida4f50$44b79116$d06640f9$30525@FUSE.NET" type="cite">Well
at least your estate will get to keep your life savings. If you get
sick late in the year, and the healthcare facility/hospital shut down
for the rest of the year because it ran out of government money (a
typical scenario in Canada), there will be no one to give you any care
and you'll just die.&nbsp; But hey, your life savings will still be intact!
Is socialized health care great or what?
  <br>
  <blockquote type="cite"><br>
- At least in Canada you get to keep
    <br>
- your life savings if you get sick.
    <br>
    <br>
  </blockquote>
</blockquote>
<font size="+1"><font face="Comic Sans MS">I am a Canadian with serious
chronic health problems and I have much more experience with the health
system than I would like to have,&nbsp; I have come close being a silent key
several times, I am sure that there are some who feel that is too bad
that I was allowed to breed before my medical problems became obvious.&nbsp;
In the minds of some I suppose that I have peed in the genetic pool.&nbsp; <br>
<br>
I have never heard of a Canadian hospital shutting down because the
money did not last until fiscal year end.&nbsp; While there are some
weaknesses in our system such as delays in elective procedures but when
the sand was running out of the hour glass there was always a system to
help me out.&nbsp; Here everyone can get insured, there is an option to opt
out of medicare but who would?<br>
<br>
Think of the overhead that American doctors face having to deal with
multiple insurance companies, each with different forms and
procedures.&nbsp; Think of the people who can't get medical insurance no
matter what the cost.&nbsp; Think of those who don't have because they can't
afford it.&nbsp; And then there are those who exercise their right not have
it.<br>
<br>
In a situation where people get treated but can't afford to pay, the
rates for everyone else must go up to compensate.<br>
<br>
Canada is not perfect but it is a pretty nice place to live and we try
to contribute as best we can.<br>
<br>
By the way, if I were an American I would vote republican but I am not
a single issue voter so don't construe that to mean that I from the far
right wing.&nbsp; Consider me a fiscal conservative with a social conscience.<br>
</font></font><br>
<pre class="moz-signature" cols="72">--
Paul S. Hinman - VE6LDS
long West 113 deg 27 min 20 sec
lat  North 53 deg 27 min 3 sec
Maidenhead Locator DO33gk

</pre>
</body>
</html>

--------------010605080904080802080806--


From 5538561414781085459
```

X-Google-Thread: 108122,59f9347b146b388d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: jlwsecure-google1@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie Question About GMRS Vs. FRS
Date: 2 Aug 2006 07:38:49 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1154529529.550420.251330@p79g2000cwp.googlegroups.com>
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
   <12cvtrbhs5tgn76@corp.supernews.com>
NNTP-Posting-Host: 69.223.154.136
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154529533 3026 127.0.0.1 (2 Aug 2006 14:38:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Aug 2006 14:38:53 +0000 (UTC)
In-Reply-To: <12cvtrbhs5tgn76@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.5)
Gecko/20060719 Firefox/1.5.0.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.223.154.136;
   posting-account=KNu7SQ0AAADGDIiJwMD08clzefryRCRD
Xref: g2news2.google.com rec.radio.amateur.equipment:5577

Dave Platt wrote:

> I read this all as meaning that the radio is capable of full
> GMRS-level power output on all of the GMRS-authorized channels (the
> shared GMRS/FRS channels 1-7 and the GMRS-only channels 15-22).
>
> It's possible that the radio could be used legally on channels 1-7
> without a GMRS license, if the power level were first manually set to
> the "low" position, but I'm not certain of that.
>

Yes, you may use channels 1-7 without a license IF you only use low power. Since that radio has type acceptance for FRS on channels 1-7, it is permitted for license free use provided all provisions of the part 95B regulations are followed.

The license free FRS frequencies are only authorized 500 mW ERP. Exceeding that, you would be operating under Part 95A rules, requiring a GMRS license.

I always recommend getting a GMRS license though. That way, you can use all 22 channels.

From 717185922710348609
X-Google-Thread: 108122,d5f7bdb094a75fe8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!def87e47!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Uniden GMFS-325 Power Output?
From: John <jlwsecure-usenet6@yahoo.com>
References: <wsKdnXZ_ycCJYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net>
<pfydnRFOfPsPYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net>
Message-ID: <Xns98136E1912B4Cjlwsecure@207.115.17.102>
User-Agent: Xnews/2006.06.28
X-Squid-Repellent: Disclaimer: All messages are purely personal opinion and may not represent actual fact.
Reply-To: jlwsecure-usenet6@yahoo.com
Lines: 21
NNTP-Posting-Host: 69.223.154.136
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1154530087 ST000 69.223.154.136 (Wed, 02 Aug 2006 10:48:07 EDT)
NNTP-Posting-Date: Wed, 02 Aug 2006 10:48:07 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OX[MBZ_DYZSABPDXKROBNFXBWR\HPCTL@XT^OBPLAH[\RSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Wed, 02 Aug 2006 14:48:07 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5578

"Jeff" <Jeff@somewhere.com> wrote in
news:pfydnRFOfPsPYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net:

> I meant the GMFS635 not the GMFS325, the 325 is 500MW
>

Ah.... there is no "GMFS"

Did you perhaps mean "GMRS"?

You need to look up the FCC ID at the FCC website. This will give you the output power. The FCC ID is usually located on the label at the back of the radio.

Typically, manufacturers grossly overstate power claims as well as range claims on these consumer-grade radios. Very sad state of affairs.

Go here to look up what you need:

https://gullfoss2.fcc.gov/prod/oet/cf/eas/reports/GenericSearch.cfm

```
From 1513671050228914099
X-Google-Thread: 108122,59f9347b146b388d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!def87e47!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie Question About GMRS Vs. FRS
From: John <jlwsecure-google1@yahoo.com>
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
Message-ID: <Xns98136F0AB4423securegoogle@207.115.17.102>
User-Agent: Xnews/2006.06.28
Distribution: usa
Expires: Sat, 12 Aug 2007 00:00:00 UTC
X-Squid-Repellent: Disclaimer: All messages are purely personal opinion and may
not represent actual fact.
Keywords: GMRS, FRS
Reply-To: jlwsecure-google1@yahoo.com
Lines: 16
NNTP-Posting-Host: 69.223.154.136
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1154530421 ST000 69.223.154.136 (Wed, 02 Aug
2006 10:53:41 EDT)
NNTP-Posting-Date: Wed, 02 Aug 2006 10:53:41 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OX[MBZ_DYZSABPDXKROBNFXBWR\HPCTL@XT^OBPLAH[\RSAANVUEAE[YETZPIWWI[FCIZA^NBFXZ_D[BFN
TCNVPDTNTKHWXKB@X^B_OCJLPZ@ET_O[G\XSG@E\G[ZKVLBL^CJINM@I_KVIOR\T_M_AW_M[_BWU_HFA_]
@A_A^SGFAUDE_DFTMQPFWVW[QPJN
Date: Wed, 02 Aug 2006 14:53:41 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5579
```

"Jeff" <Jeff@somewhere.com> wrote in
news:a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net:

> I will be buying a Midland Two way radio (18 mile version)
>

You will never, ever get 18 miles. The claims by Midland are very
deceptive.

They lie and say they are 5 watt radios, when in fact their power output is
only slightly over a watt. They lie and say they have full legal power,
when in fact power limits for GMRS far exceed 5 watts.

Go here.... read up the whole site, explore links and get the real story:

http://www.geocities.com/gmrspage/

```
From 3161350295889133502
X-Google-Thread: 108122,2a98cca3a1fe659c,start
X-Google-Thread: 1109af,2a98cca3a1fe659c,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: fa: YAESU FT-101 SERIES DYNAMIC HAND MICROPHONE>EXC
Date: 2 Aug 2006 08:09:56 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1154531396.007604.82770@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154531401 8677 127.0.0.1 (2 Aug 2006 15:10:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Aug 2006 15:10:01 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5580 rec.radio.swap:5709

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220011506701&ssPageName=STRK:MESE:IT&ih=012
```

```
From 7261180103308145084
X-Google-Thread: 108122,a616418e88762c23,start
X-Google-Thread: 1109af,a616418e88762c23,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: DRAKE TR-7 & R-7 TOP COVER w/8 screws>BRAND-NEW& VINYL
Date: 2 Aug 2006 08:10:52 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1154531452.766004.194760@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

```
X-Trace: posting.google.com 1154531457 8856 127.0.0.1 (2 Aug 2006 15:10:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Aug 2006 15:10:57 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5581 rec.radio.swap:5710

Only at $19.50>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220011506712&ssPageName=STRK:MESE:IT&ih=012




From 834128270825595842
X-Google-Thread: 108122,59f9347b146b388d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie Question About GMRS Vs. FRS
Date: Wed, 02 Aug 2006 08:39:38 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <lhh1d21av9q2ajk9eh7vo4a1t3m6th1fpo@4ax.com>
References: <a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net>
<Xns98136F0AB4423securegoogle@207.115.17.102>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news2.google.com rec.radio.amateur.equipment:5582

On Wed, 02 Aug 2006 14:53:41 GMT, John <jlwsecure-google1@yahoo.com>
wrote:

>"Jeff" <Jeff@somewhere.com> wrote in
>news:a5mdnWJc9fAnblLZnZ2dnUVZ_uWdnZ2d@velocitywest.net:
>
>> I will be buying a Midland Two way radio (18 mile version)
>>
>You will never, ever get 18 miles.  The claims by Midland are very
>deceptive.
>
>They lie and say they are 5 watt radios, when in fact their power output is
>only slightly over a watt.  They lie and say they have full legal power,
```

>when in fact power limits for GMRS far exceed 5 watts.
>
>Go here.... read up the whole site, explore links and get the real story:
>
>http://www.geocities.com/gmrspage/

Never, ever is pretty strong. It would take only a few milliwatts
between two mountain tops 18 miles apart. I agree that from a
practical standpoint, that is completely unrealistic, even for a full
5-watt transceiver. I have two excellent GMRS 5-watt HT's, and I'm
lucky to get even one mile in typical terrain. Now, if I had a really
good antenna, that would be a different story.

Dick - W6CCD

From 8487383519435646902
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,alt.radio
Subject: I grant you forgiveness for your crimes
Date: 2 Aug 2006 09:00:29 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1154534429.554535.122820@h48g2000cwc.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <eadvkr$vh0$1@news2.open-news-network.org>
   <1154462560.350989.31050@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 66.82.9.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154534435 17791 127.0.0.1 (2 Aug 2006 16:00:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Aug 2006 16:00:35 +0000 (UTC)
In-Reply-To: <1154462560.350989.31050@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=66.82.9.70;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5583 rec.radio.cb:14968
rec.radio.amateur.policy:35841 alt.ham-radio.vhf-uhf:2375 alt.radio:376

```
markie_morgan_rapesboys@yahoo.com wrote:
I grant you forgiveness for your crimes




From -1781965303599697589
X-Google-Thread: 108122,d5f7bdb094a75fe8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.velocitywest.net!
news.velocitywest.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Aug 2006 11:28:46 -0500
From: "Jeff" <Jeff@somewhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <wsKdnXZ_ycCJYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net>
<pfydnRFOfPsPYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net>
<Xns98136E1912B4Cjlwsecure@207.115.17.102>
Subject: Re: Uniden GMFS-325 Power Output?
Date: Wed, 2 Aug 2006 12:27:57 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <DOadnd8Y5NcjT03ZnZ2dnUVZ_uqdnZ2d@velocitywest.net>
Lines: 7
NNTP-Posting-Host: 24.161.72.51
X-Trace: sv3-8Wmd+oloVfoVfBcAokw5RsDWrC+TF433f1jjkI6iU/
540cgDRCHjNZmBIQy2cPZFaURH1kvKV/DZKSo!
M2MzKKaZtyMvGg8hOj7xTmSkgQPV4D8wxrqUQiUoqdgMH0AoI5U+FGYWLPEBAmHNJEHdPv/Wyfe9!
U45I0nY6+0Jrpsum9fvxNmHstqc/1w==
X-Complaints-To: abuse@velocitywest.net
X-DMCA-Complaints-To: abuse@velocitywest.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5584

VERY useful information!!!!! Thnx

But on some reports, power output is expressed as dBm....not wattage

Jeff




From 6292268389173698869
X-Google-Thread: 108122,a8ccb57af28bd05b,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.velocitywest.net!
news.velocitywest.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Aug 2006 11:39:17 -0500
From: "Jeff" <Jeff@somewhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Can a six mile radio only yield half a watt?/ Interpreting FCC info
wrong?
Date: Wed, 2 Aug 2006 12:39:36 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
Lines: 8
NNTP-Posting-Host: 24.161.72.51
X-Trace: sv3-
nMnIfhk357iX+6x4IWRwJpJu2ZOQhQ3VqrYj5P+z18KpQ8UeSouuevXLG3jcvm3N+2E43feG4wYJFsx!
bsN/GBRjeUJxq4HPZyOpmDbcj2wD8r/26cfVI4Fyske14b6fuDpzWWUKwjbLz3kY4VhPmFKIJhxu!
wNc3a5Fcljr7YQ0SeUHPi9ZYK3uhOw==
X-Complaints-To: abuse@velocitywest.net
X-DMCA-Complaints-To: abuse@velocitywest.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5585
```

Uniden GMR635   FCC ID AMWUT916

This six mile radio says in the FCC specs that it puts out only less than half a watt...am I reading that right?

Jeff

```
From -1839255662676988248
X-Google-Thread: 108122,a8ccb57af28bd05b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!140.99.99.194.MISMATCH!newsfeed1.easynews.com!easynews.com!
easynews!easynews-local!fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
Subject: Re: Can a six mile radio only yield half a watt?/ Interpreting FCC info
```

```
wrong?
Lines: 8
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <6Y4Ag.134165$1Q1.27041@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Wed, 02 Aug 2006 17:06:10 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5586

Jeff wrote:
> This six mile radio says in the FCC specs that it puts out only less
> than half a watt...am I reading that right?

"six mile radio" is a marketing term.  ~500 mw for power output sounds
perfectly plausable for an FRS/GMRS hand held.




From -6440113063759181333
X-Google-Thread: 108122,a8ccb57af28bd05b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.kjsl.com!ncf.ca!
FreeNet.Carleton.CA!et472
From: et472@FreeNet.Carleton.CA (Michael Black)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can a six mile radio only yield half a watt?/ Interpreting FCC info
wrong?
Date: 2 Aug 2006 17:07:31 GMT
Organization: The National Capital FreeNet
Lines: 17
Message-ID: <eaqm4j$s73$1@theodyn.ncf.ca>
References: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
Reply-To: et472@FreeNet.Carleton.CA (Michael Black)
NNTP-Posting-Host: smeagol.ncf.ca
X-Trace: theodyn.ncf.ca 1154538451 28899 134.117.136.48 (2 Aug 2006 17:07:31 GMT)
X-Complaints-To: complaints@ncf.ca
NNTP-Posting-Date: 2 Aug 2006 17:07:31 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5587

"Jeff" (Jeff@somewhere.com) writes:
> Uniden GMR635    FCC ID  AMWUT916
>
> This six mile radio says in the FCC specs that it puts out only less than
> half a watt...am I reading that right?
>
> Jeff
```

>
>

You're reading it wrong. The rules limit the power, and there's no
stretching of that. But, the manufacturers can stretch the truth about
the range, if there was a fine print disclaimer next to that range statement
it would likely be under very limited conditions.

Michael VE2BVW

From -6917827091007842780
X-Google-Thread: 108122,a8ccb57af28bd05b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can a six mile radio only yield half a watt?/ Interpreting FCC info wrong?
Organization: You and my shadow
References: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-88D82E.09433402082006@netnews.worldnet.att.net>
Lines: 17
Date: Wed, 02 Aug 2006 17:43:49 GMT
NNTP-Posting-Host: 12.12.208.35
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1154540629 12.12.208.35 (Wed, 02 Aug 2006 17:43:49 GMT)
NNTP-Posting-Date: Wed, 02 Aug 2006 17:43:49 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5588

In article <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>,
"Jeff" <Jeff@somewhere.com> wrote:

> Uniden GMR635   FCC ID AMWUT916
>
> This six mile radio says in the FCC specs that it puts out only less than
> half a watt...am I reading that right?
>
> Jeff
>
>

Sure, .5 Watt Output, from hilltop to hilltop, can easily span 6 miles.
I have a Part15 Spread Spectrum 2.4Ghz Radio with 100mw Output that
carries 2 ea. T1 Spans (4 Mhz Bandwidth) 16 miles, with 25db Fade
Margins on the link. There are Path Calculation Programs that can
provide excellent information on this issue.

```
From 7517538341006599848
X-Google-Thread: 108122,d5f7bdb094a75fe8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!feed.xsnews.nl!
feeder.xsnews.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-05!sn-post-ams-02!
sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Uniden GMFS-325 Power Output?
Date: Wed, 02 Aug 2006 17:59:46 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12d1q0imhlf5aca@corp.supernews.com>
References: <wsKdnXZ_ycCJYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net>
<pfydnRFOfPsPYlLZnZ2dnUVZ_tqdnZ2d@velocitywest.net>
<Xns98136E1912B4Cjlwsecure@207.115.17.102>
<DOadnd8Y5NcjT03ZnZ2dnUVZ_uqdnZ2d@velocitywest.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:5589

>VERY useful information!!!!! Thnx
>
>But on some reports, power output is expressed as dBm....not wattage

Easy conversion.

               (dBm - 30)
  Wattage = 10

  dBm = 30 + log10(wattage)

30 dBm is 1 watt, 33 dBm is 2 watts, 36 dBm is 4 watts.

--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From -8417318277533320923
X-Google-Thread: 108122,a8ccb57af28bd05b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: Can a six mile radio only yield half a watt?/ Interpreting FCC info wrong?
Date: Wed, 02 Aug 2006 18:05:22 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12d1qb22lv69761@corp.supernews.com>
References: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
<6Y4Ag.134165$1Q1.27041@fe03.news.easynews.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com rec.radio.amateur.equipment:5590

In article <6Y4Ag.134165$1Q1.27041@fe03.news.easynews.com>,
Travis Jordan <no.one@no.net> wrote:

>> This six mile radio says in the FCC specs that it puts out only less
>> than half a watt...am I reading that right?
>
>"six mile radio" is a marketing term. ~500 mw for power output sounds
>perfectly plausable for an FRS/GMRS hand held.

Agreed. A lot of the less-expensive FRS/GMRS radios have transmitters which only deliver the 1/2-watt legal limit for FRS. They can tune to, and transmit on the GMRS frequencies, but they don't do so at any higher power than than can do on the FRS-only and FRS/GMRS frequencies.

You could almost certainly get 6 miles of range out of these radios, if their receivers aren't horribly insensitive (which they sometimes are) and if you have a completely clear line-of-sight between one radio and the other (think "standing on a hilltop, talking to a guy who is standing on another hilltop six miles away that you can see without obstruction."

At ground level, with buildings and trees around, the range is likely to be on the rough order of a half-mile or even less.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 4381645229679861003
X-Google-Thread: 108122,96d9bd24302ca68c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.ecp.fr!aioe.org!emma.aioe.org!aioe.org!ac92c525.ipt.aol.com!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Please help about changing X3 crystal in Cobra 148 GTL

Date: Wed, 02 Aug 2006 14:12:33 -0400
Organization: Aioe.org NNTP Server
Lines: 48
Message-ID: <fmmck-0208061412330001@ac92c525.ipt.aol.com>
References: <1154031583.410469.113600@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: OkOszGqaC3eQGTURHV3MCg.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Xref: g2news2.google.com rec.radio.amateur.equipment:5591

In article <1154031583.410469.113600@b28g2000cwb.googlegroups.com>, "Diego Cueva" <diegocueva@gmail.com> wrote:

> 1.- In the comment say:
>
> "...For every 0.150 Mhz increase in freq of this Crystal you will get a
> 450Khz increase in operating freq..."
>
> QUESTION: What is the minimum operating frecuency that I can reach
> changing the X3 crystal ? 25Mhz, 20Mhz, 15 Mhz, 10Mhz, 7Mhz.
>
> 2.- About "...retune the Mixer coil..." how I can do that? (an url may
> be usefull to read about that)
>
> 3.- About "...retune the Mixer coil..." is realated with the voice look
> or 10khz steps ? what will be the bad functioning in the radio if I can
> not retune de mixer coil.

Diego-

I am not familiar with that radio but have modified others to work in the Ten Meter Ham Band.

The various tuned circuits in the radio have a limited adjustment range, probably around 25 to 30 MHz at most. Beyond that, you would need to replace or rewind coils and/or change tuning capacitors for each circuit affected.

1. The X3 crystal is mixed with other signals to achieve the operating frequency. If you change its frequency far enough, other harmonics (Fundamental, 5th, 7th) may be selected. In addition, the mixing process has both sum and difference products present. Moving the frequency far enough, the wrong product could be selected. Either case might produce an unexpected operating frequency.

2. The mixer coil probably has a ferrite core that you can adjust with the appropriate plastic tool. DO NOT use a metal tool. This could easily crack the core, causing it to dig into the coil form as you attempt to turn it.

3. The mixer coil should not be related to the voice or 10 KHz steps. However it might result in a different step size or opposite sideband if adjusted for the wrong product as in (1) above. For small frequency

changes such as converting to the Ten Meter Band, not being tuned would
probably result in low output on transmit and poor sensitivity on receive.

73,
Fred, K4DII

From -9146925234598308670
X-Google-Thread: 108122,3b33922965694bde,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.velocitywest.net!
news.velocitywest.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Aug 2006 13:38:12 -0500
From: "Jeff" <Jeff@somewhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Follow-up question to the experts here
Date: Wed, 2 Aug 2006 14:38:31 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <R--dnWMh54SJbE3ZnZ2dnUVZ_q2dnZ2d@velocitywest.net>
Lines: 9
NNTP-Posting-Host: 24.161.72.51
X-Trace: sv3-xqyEgurmEkjcDqdvaERzWLulSdzXG5IsFN1qYaF0p/hj0Nu/D1fc651Rf/fIW/
er9uWxuyu9dpMSjv6!
wZ7umNlpC5ciJyPbYne5lcb8Zx2zbdibLZ10DWsiwwDCLVjvF5WTvQsaFSySs2Tf7nVbm1xZ45Er!
nx22YmmV+4Ps2v+vgBX+Uv/kby3rnA==
X-Complaints-To: abuse@velocitywest.net
X-DMCA-Complaints-To: abuse@velocitywest.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5592

All things being equal..what is the difference between a 3 mile rated
frs/GMRS and 6 mile GRS/GMRSrated 2 way radio when both employ 500mw power?

Does the fact that one is a tiny bigger, an inch longer on the antenna, 4
AAA batteries instead of 3AAA make one better than the other or is 500MW
Just 500MW
jeff

From 1840087909980472907
X-Google-Thread: 108122,3b33922965694bde
X-Google-Attributes: gid108122,public

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Follow-up question to the experts here
Date: Wed, 02 Aug 2006 18:53:11 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12d1t4nesj8j62b@corp.supernews.com>
References: <R--dnWMh54SJbE3ZnZ2dnUVZ_q2dnZ2d@velocitywest.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 51
Xref: g2news2.google.com rec.radio.amateur.equipment:5593

In article <R--dnWMh54SJbE3ZnZ2dnUVZ_q2dnZ2d@velocitywest.net>,
Jeff <Jeff@somewhere.com> wrote:

>All things being equal..what is the difference between a 3 mile rated
>frs/GMRS and 6 mile GRS/GMRSrated 2 way radio when both employ 500mw power?

Impossible to say accurately without actually studying the two radios.

There may actually be significant differences in performance. Or, there may be no significant difference in performance, and the only distinction between the "3 mile" and "6 mile" radios was the amount of nitrous that the marketing/advertising people were huffing when they designed the packaging materials.

>Does the fact that one is a tiny bigger, an inch longer on the antenna, 4
>AAA batteries instead of 3AAA make one better than the other

Possibly. Possibly not. All else being equal, a radio with more (or heftier) batteries may have a longer useful run time than a similar radio with fewer/smaller batteries of the same type. I tend to prefer AA-cell radios over AAA-cell for this reason, although the AA-cell type are becoming harder and harder to find.

>   or is 500MW
>Just 500MW

To a first approximation, radios with similar transmit power, and similar receiver sensitivities, and similar antenna designs would be expected to deliver similar range.

Without actually testing the two models of radio under somewhat-controlled conditions, and/or tearing them apart, there's no way to know for sure whether there are significant performance differences.

The thing to remember is that FRS was set up to be a short-range radio system - the power limit on transmission, and the requirement that the antennas have no directional gain (above that of a halfwave dipole) and be non-detachable make it clear that the FCC did not intend FRS to be a long-distance radio system.

I've only ever seen one FRS radio whose performance was markedly worse than any other's. It's a cheap little "wear around the neck" model whose antenna barely protrudes from the case at all... and I suspect that the short and obstructed antenna is probably the cause of its poorer range.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 5548004745870121810
X-Google-Thread: 108122,3b33922965694bde
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.velocitywest.net!news.velocitywest.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 02 Aug 2006 14:06:05 -0500
From: "Jeff" <Jeff@somewhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <R--dnWMh54SJbE3ZnZ2dnUVZ_q2dnZ2d@velocitywest.net> <12d1t4nesj8j62b@corp.supernews.com>
Subject: Re: Follow-up question to the experts here
Date: Wed, 2 Aug 2006 15:06:23 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <OJudnW286aQAak3ZnZ2dnUVZ_qCdnZ2d@velocitywest.net>
Lines: 62
NNTP-Posting-Host: 24.161.72.51
X-Trace: sv3-ZjFPNgHR9WQsTzn8xByU8whbcWScikIxfZb0FYoeGg4DwLiGJsxli/ienNA7GtZngnIlGb7mOo/V/Q+!FKyMm/vjvs0tZVuJlkTr6lWNtC6weeKC3iyurgw58WU2m58MxICAaQ0yjFklNIJPG7WDO3dUUoRB!hif+cnc1qxM+R+BSbwQYNgj6nNSFcg==
X-Complaints-To: abuse@velocitywest.net
X-DMCA-Complaints-To: abuse@velocitywest.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5594

But these radios are also GMRS too. Does that mean on the lesser priced models, GMRS can be powered by as little as 500MW too?

jeff

"Dave Platt" <dplatt@radagast.org> wrote in message
news:12d1t4nesj8j62b@corp.supernews.com...
> In article <R--dnWMh54SJbE3ZnZ2dnUVZ_q2dnZ2d@velocitywest.net>,
> Jeff <Jeff@somewhere.com> wrote:
>
>>All things being equal..what is the difference between a 3 mile rated
>>frs/GMRS and 6 mile GRS/GMRSrated 2 way radio when both employ 500mw
>>power?
>
> Impossible to say accurately without actually studying the two radios.
>
> There may actually be significant differences in performance. Or,
> there may be no significant difference in performance, and the only
> distinction between the "3 mile" and "6 mile" radios was the amount of
> nitrous that the marketing/advertising people were huffing when they
> designed the packaging materials.
>
>>Does the fact that one is a tiny bigger, an inch longer on the antenna, 4
>>AAA batteries instead of 3AAA make one better than the other
>
> Possibly. Possibly not. All else being equal, a radio with more (or
> heftier) batteries may have a longer useful run time than a similar
> radio with fewer/smaller batteries of the same type. I tend to prefer
> AA-cell radios over AAA-cell for this reason, although the AA-cell
> type are becoming harder and harder to find.
>
>>   or is 500MW
>>Just 500MW
>
> To a first approximation, radios with similar transmit power, and
> similar receiver sensitivities, and similar antenna designs would be
> expected to deliver similar range.
>
> Without actually testing the two models of radio under somewhat-
> controlled conditions, and/or tearing them apart, there's no way to
> know for sure whether there are significant performance differences.
>
> The thing to remember is that FRS was set up to be a short-range radio
> system - the power limit on transmission, and the requirement that the
> antennas have no directional gain (above that of a halfwave dipole)
> and be non-detachable make it clear that the FCC did not intend FRS to
> be a long-distance radio system.
>
> I've only ever seen one FRS radio whose performance was markedly worse
> than any other's. It's a cheap little "wear around the neck" model
> whose antenna barely protrudes from the case at all... and I suspect
> that the short and obstructed antenna is probably the cause of its
> poorer range.
>
> --

> Dave Platt <dplatt@radagast.org>   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

From 23074458831849443
X-Google-Thread: 108122,a8ccb57af28bd05b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!bloom-beacon.mit.edu!panix!panix1.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can a six mile radio only yield half a watt?/ Interpreting FCC info wrong?
Date: Wed, 2 Aug 2006 16:01:55 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 20
Message-ID: <Pine.NEB.4.63.0608021557410.18134@panix1.panix.com>
References: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
NNTP-Posting-Host: panix1.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1154548917 16204 166.84.1.1 (2 Aug 2006 20:01:57 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Wed, 2 Aug 2006 20:01:57 +0000 (UTC)
In-Reply-To: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:5595

On Wed, 2 Aug 2006, Jeff wrote:

> Uniden GMR635   FCC ID AMWUT916
>
> This six mile radio says in the FCC specs that it puts out only less than
> half a watt...am I reading that right?
>
> Jeff
>
>

Most of the 2 billion cell phones that are in existence in the whole world (yes, 2 billion! US, China, Russia, even 100 million in India, plus everywhere else) put out less than one watt. And, I see cellphone towers spaced, what, ten miles +/- appart all over where I live and most cell phone calls are not over strict line-of-sight paths. Might not be a totally fair comparison, but some food for thought.

```
From 8073479050477148606
X-Google-Thread: 108122,3b33922965694bde
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!news.astraweb.com!
router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Follow-up question to the experts here
Date: Wed, 02 Aug 2006 20:13:11 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12d21qnmtcvlhed@corp.supernews.com>
References: <R--dnWMh54SJbE3ZnZ2dnUVZ_q2dnZ2d@velocitywest.net>
<12d1t4nesj8j62b@corp.supernews.com>
<OJudnW286aQAak3ZnZ2dnUVZ_qCdnZ2d@velocitywest.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news2.google.com rec.radio.amateur.equipment:5596

In article <OJudnW286aQAak3ZnZ2dnUVZ_qCdnZ2d@velocitywest.net>,
Jeff <Jeff@somewhere.com> wrote:

>But these radios are also GMRS too. Does that mean on the lesser priced
>models, GMRS can be powered by as little as 500MW too?

That is exactly right.

--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From 5227683269107732207
X-Google-Thread: 108122,65765d09124a2c9c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-
mail
From: "Dave" <dmsapadin@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking For ICOM AH-20 Antenna
Date: 2 Aug 2006 13:26:58 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1154550418.086959.301140@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.208.204.161
Mime-Version: 1.0
```

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154550423 32679 127.0.0.1 (2 Aug 2006 20:27:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 2 Aug 2006 20:27:03 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=69.208.204.161;
   posting-account=hhOoVA0AAABNMqYA_h4AA-1bXu2D3TJK
Xref: g2news2.google.com rec.radio.amateur.equipment:5597

Hello:

I am looking for an ICOM AH-20 flexible RX antenna for an ICOM IC-2SRA
transceiver.

Thanks,

Dave

From 4286658671939004748
X-Google-Thread: 108122,a8ccb57af28bd05b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-03!sn-post-ams-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can a six mile radio only yield half a watt?/ Interpreting FCC
 info wrong?
Date: Wed, 02 Aug 2006 20:30:02 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12d22qa4uhjrn5e@corp.supernews.com>
References: <soudnS5ZFLuoSE3ZnZ2dnUVZ_oWdnZ2d@velocitywest.net>
<Pine.NEB.4.63.0608021557410.18134@panix1.panix.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 50
Xref: g2news2.google.com rec.radio.amateur.equipment:5598

>> This six mile radio says in the FCC specs that it puts out only less than
>> half a watt...am I reading that right?

>Most of the 2 billion cell phones that are in existence in the whole world
>(yes, 2 billion! US, China, Russia, even 100 million in India, plus
>everywhere else) put out less than one watt. And, I see cellphone towers
>spaced, what, ten miles +/- appart all over where I live and most cell

>phone calls are not over strict line-of-sight paths. Might not be a
>totally fair comparison, but some food for thought.

Yup. Raw transmit power isn't the only factor. The tower height is an essential element of this system.

An interesting web page to read can be found at

   http://www.firestik.com/Tech_Docs/dist2horizon.htm

It discusses the distance to the visual horizon, as well as the "radio horizon" distance based on the antenna height (radio waves can often travel some distance beyond the visual horizon, for a variety of reasons).

According to the formula in this page, two radios whose antennas are located 6' above the ground, will have a radio-horizon distance of a bit less than 7 miles. At any distance greater than that, the Earth's surface will block the direct path between the two radios, and reliable communication (on FRS/GMRS and other UHF frequencies at least) will probably be difficult or impossible. Add in the effect of ground clutter (buildings and trees blocking the direct path and generating reflections) and you end up with a much shorter useful range.

Raising one radio up onto a building or hill greatly increases the transmission distance, for at least two reasons - it gets one radio out of the ground clutter and it increases the radio-horizon distance. With one radio at 100' and the other at 6', the radio horizon distance extends out to more than 17 miles.

The horizon distance and the presence of ground clutter often make more of a practical difference than raw transmit-power level. Going from 500 milliwatts to 5 watts is a 10:1 increase, which works out to a clear-line-of-sight range increase of around 3:1 - but if the other guy is over the radio horizon, you may not actually get any better communication using the higher power.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -212206535674258589
X-Google-Thread: 108122,d6aacb79c73bb75f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>

```
Newsgroups: rec.radio.amateur.equipment
Subject: FA:Antique Radio dials,parts +
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <pZ7Ag.207599$mF2.34697@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: a2396734ffea6e551e46e0018e7ec6f7
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1154550741
a2396734ffea6e551e46e0018e7ec6f7 (Wed, 02 Aug 2006 20:32:21 GMT)
NNTP-Posting-Date: Wed, 02 Aug 2006 20:32:21 GMT
Organization: AT&T Worldnet
Date: Wed, 02 Aug 2006 20:32:21 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5599
```

Check out the NIB Millen Radio dial + others by Bud and Gordon too AND
NOS parts by Millen + B&W Mini Coils in original boxes:

AT: http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

MANY more NOS parts coming from EF JOHNSON, MILLEN, MILLER, ETC. check
back often.
Tnx for looking : heytubeguy

```
From -1529501341674079886
X-Google-Thread: 108122,e3f9b32b57a89fa7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!123.NET-
a2dgdNsfNH65I!not-for-mail
From: helmsman <helmsman@royaloak.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio now officially DEAD at Radio Shack
Date: Sun, 23 Jul 2006 08:52:55 -0400
Message-ID: <55s6c296ku3vlfsn91ufgavpklfu2a8bv8@4ax.com>
References: <slrnbgau25.imv.bball@green.home.org>
<3qjbgv0dqkqo1i2clb54lgqphe5qrsc4oo@4ax.com>
<faydnRKj2OT9LV_ZnZ2dnUVZ_qudnZ2d@centurytel.net>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
```

Organization: UseNetServer.com
Lines: 8
X-Trace: 1caff44c371287d4fd8d332177
Xref: g2news2.google.com rec.radio.amateur.equipment:5500

On Sat, 22 Jul 2006 23:10:25 GMT, RS@SUCKS.com wrote:

>They have not had a catalog in years now.
>just the mail sale papers.
>NF7D

Radio shack has been officially dead for years as far as I'm
concerned, all they do is sell phones, toys and Sat set ups.

From -2867005222229812405
X-Google-Thread: 108122,9184eaf9d4d902a5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news1.google.com!news.germany.com!
solnet.ch!solnet.ch!news.clara.net!wagner.news.clara.net!
pe1.news.blueyonder.co.uk!blueyonder!fe2.news.blueyonder.co.uk.POSTED!53ab2750!
not-for-mail
From: Wolfgang Fartbubble <swift240@yahoo.co.uk>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: WIFI Interferance
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
Date: Sun, 23 Jul 2006 20:38:11 GMT
NNTP-Posting-Host: 82.37.193.86
X-Trace: fe2.news.blueyonder.co.uk 1153687091 82.37.193.86 (Sun, 23 Jul 2006
21:38:11 BST)
NNTP-Posting-Date: Sun, 23 Jul 2006 21:38:11 BST
Xref: g2news2.google.com rec.radio.amateur.equipment:5501

Hi all, can you help me on this problem please?
My friend who lives not to far off from me has his PC`s wired up to the
Internet via wireless, this includes mouse, keyboard, and of course
Internet.
The neighbour who lives next door has a 14 element Yagi 2 mtr beam on
his roof alongside other antenna.
Since this has been put up every time it is switched on and operated (I
would think) it knocks out the wireless Internet and mouse and keyboard.
And also the telephones that are also wireless. (I think they are the
digital type)
Is there any thing that can be done?
He has approached the neighbour but he wont have any of it and simply
will not listen.
This has only happend since all the equipment has been installed on the

roof.

TIA.

From -7641126469290699993
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 23 Jul 2006 16:04:01 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
Subject: Re: WIFI Interferance
Date: Sun, 23 Jul 2006 16:03:58 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <ea-dnT_0jo_ceV7ZnZ2dnUVZ_tGdnZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-AgTkHc5/xSB4YsF/
6RBhS6mgJusE5ltqHMaoHS0GwyjXcYcjaFtmRUWSvlzWzOrxpOUlayjS6g7TzRL!
BFdLYRyGaYAHPvvxBfgtE9srU0u+4UGakTj81dDc54e7gdujTVhioafJEbZDECeuASRxcorp0FBh!
sjcJcvnMkzAyrA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5502

"Wolfgang Fartbubble" <swift240@yahoo.co.uk> wrote in message
news:T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk...
> Hi all, can you help me on this problem please?
> My friend who lives not to far off from me has his PC`s wired up to the
> Internet via wireless, this includes mouse, keyboard, and of course
> Internet.
> The neighbour who lives next door has a 14 element Yagi 2 mtr beam on his
> roof alongside other antenna.
> Since this has been put up every time it is switched on and operated (I
> would think) it knocks out the wireless Internet and mouse and keyboard.
> And also the telephones that are also wireless. (I think they are the
> digital type)
> Is there any thing that can be done?

> He has approached the neighbour but he wont have any of it and simply will not listen.
> This has only happend since all the equipment has been installed on the roof.

Assuming the licensed amateur station has been installed with all applicable measures taken to reduce RFI, then there is not a whole lot of recourse for the guy with all the unlicensed wireless stuff other than to buy wireless stuff that has better filtering.

From -538250825598395211
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!4.24.21.153!newsfeed3.dallas1.level3.net!news.level3.com!newsfeed1.easynews.com!easynews.com!easynews!easynews-local!fe10.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
Subject: Re: WIFI Interferance
Lines: 13
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <VRRwg.100908$_67.53210@fe10.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 23 Jul 2006 21:28:21 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5503

Wolfgang Fartbubble wrote:
> He has approached the neighbour but he wont have any of it and simply will not listen.

In the majority of the world (including the US and the UK) the 2.4GHz ISM band is available for wireless use by unlicensed users on a secondary basis. That means that wireless users may not interfere with others, and must tolerate any interference received.

In this case the licensed neighbor is under no legal obligation to do anything to correct the interference.

From 3146238746576303744
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!198.186.192.100.MISMATCH!
transit3.readnews.com!news-out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WIFI Interferance
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
Organization: Your Company
Message-ID: <Xns9809945813FE5spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 23 Jul 2006 21:34:33 GMT
Lines: 44
NNTP-Posting-Host: 20766c2e.news.adtechcomputers.com
X-Trace:
DXC=HQ79g_n7lR@jJkYWB:3Q7LgC4_A5:nI@A<<=aEgO;R8GnTVE^lHK2GNmlJ<1\Je^IJecf<A4o8l9C0
W_Uo]cC15JheP5LSl:mX@fnIT3C>FZ7L86:Li7ZG<ZI
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5504

Wolfgang Fartbubble <swift240@yahoo.co.uk> wrote in news:T6Rwg.10251
$9d4.2875@fe2.news.blueyonder.co.uk:

> Hi all, can you help me on this problem please?
> My friend who lives not to far off from me has his PC`s wired up to the
> Internet via wireless, this includes mouse, keyboard, and of course
> Internet.
> The neighbour who lives next door has a 14 element Yagi 2 mtr beam on
> his roof alongside other antenna.
> Since this has been put up every time it is switched on and operated (I
> would think) it knocks out the wireless Internet and mouse and
keyboard.
> And also the telephones that are also wireless. (I think they are the
> digital type)
> Is there any thing that can be done?
> He has approached the neighbour but he wont have any of it and simply
> will not listen.
> This has only happend since all the equipment has been installed on the
> roof.
>
>
> TIA.

It is highly unlikely that the neighbor's 2M ham equipment is causing any of your friend's problems. It sounds to me like there has been little evidence to indicate otherwise, other than the physical presence of antennas on the roof.

A more likely cause for your friend's problems is that a neighbor (maybe even the ham) has computer wireless networking equipment of some kind, and this is interfering with your friend's network. Or, it could be cordless telephones that also operate in the wireless network frequencies.

You really need to get more facts as to what is actually happening in your friend's house and do some research before blaming the ham. It could be him, but more likely it is another cause. To bad the ham is not cooperative as this could probably get him off the hook for the cause.

Good luck.

Ed K7AAT

From -1901242333802599389
X-Google-Thread: 108122,2038282f9d7df1c4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <Nobody@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RE: WallMap
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <3USwg.1191$_M.475@fed1read04>
Date: Sun, 23 Jul 2006 15:38:56 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1153694335 72.197.12.245 (Sun, 23 Jul 2006 18:38:55 EDT)
NNTP-Posting-Date: Sun, 23 Jul 2006 18:38:55 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5505

Ron - try Millennia Arts, Ultimate DX World MapT!
http://www.millarts.net/

73 From CV

"Ron in NY" <solidgoldZZZ@optonline.net> wrote in message news:44c1821b.2277839@news.optonline.net...
> Hi All,
>
> I have an old radio amateur's prefix map of the world on the wall in
> my

```
> shack. I got it from the radio amateur callbook company about 25 years
> ago. The
> size is about 30" X 40". It's outdated prefix wise, and it is starting to
> show
> its' age. On 1 side it has ITU zones and on the other side it has CQ
> zones. Does
> anyone make a map like this any more ???
>
>
> RON...KA2IIA
> ========================================================
> Remove the ZZZ from my E-mail address to send me E-mail.
```

```
From -2433302969647748283
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-09!sn-xt-sjc-07!
sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WIFI Interferance
Date: Sun, 23 Jul 2006 15:59:54 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <cfv7c29tetr4ujvvt6qo91aqqgjf82gfm6@4ax.com>
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
<Xns9809945813FE5spectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 54
Xref: g2news2.google.com rec.radio.amateur.equipment:5506

On 23 Jul 2006 21:34:33 GMT, Ed <Huckleberry_REMOVE_@bigvalley.net>
wrote:

>Wolfgang Fartbubble <swift240@yahoo.co.uk> wrote in news:T6Rwg.10251
>$9d4.2875@fe2.news.blueyonder.co.uk:
>
>> Hi all, can you help me on this problem please?
>> My friend who lives not to far off from me has his PC`s wired up to the
>> Internet via wireless, this includes mouse, keyboard, and of course
>> Internet.
>> The neighbour who lives next door has a 14 element Yagi 2 mtr beam on
>> his roof alongside other antenna.
>> Since this has been put up every time it is switched on and operated (I
>> would think) it knocks out the wireless Internet and mouse and
```

>keyboard.
>> And also the telephones that are also wireless. (I think they are the
>> digital type)
>> Is there any thing that can be done?
>> He has approached the neighbour but he wont have any of it and simply
>> will not listen.
>> This has only happend since all the equipment has been installed on the
>> roof.
>>
>>
>> TIA.
>
>
>   It is highly unlikely that the neighbor's 2M ham equipment is causing
>any of your friend's problems.   It sounds to me like there has been
>little evidence to indicate otherwise, other than the physical presence
>of antennas on the roof.
>
>   A more likely cause for your friend's problems is that a neighbor
>(maybe even the ham) has computer wireless networking equipment of some
>kind, and this is interfering with your friend's network.   Or, it could
>be cordless telephones that also operate in the wireless network
>frequencies.
>
>   You really need to get more facts as to what is actually happening in
>your friend's house and do some research before blaming the ham.   It
>could be him, but more likely it is another cause.   To bad the ham is
>not cooperative as this could probably get him off the hook for the
>cause.
>
>   Good luck.
>
>   Ed   K7AAT

I agree. I run 100-watts to a 20-element 2-meter beam, and there is
no interference to my wireless network, wireless phones, wireless
keyboards or wireless mice. And none of my neighbors have reported
any problems either. Does this happen when the ham is not even home?

Dick - W6CCD

From -1794821152484183836
X-Google-Thread: 108122,bb16bb710bfedff0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: "ve3fwf@sympatico.ca" <bernard.murphy@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Strange problem with ICOM AT500 tuner
Date: 23 Jul 2006 16:42:45 -0700
Organization: http://groups.google.com

Lines: 24
Message-ID: <1153698165.654120.142900@p79g2000cwp.googlegroups.com>
References: <1153058845.153691.233310@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 67.70.131.213
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153698170 21655 127.0.0.1 (23 Jul 2006 23:42:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 23 Jul 2006 23:42:50 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=67.70.131.213;
   posting-account=-NaoTQ0AAABzBYuH0eSuo8jCQ0-Afa_z
Xref: g2news2.google.com rec.radio.amateur.equipment:5507

Problem solved. Re-seated all the connectors on the main board and the
tuner is now working.

73, Bernie

ve3fwf@sympatico.ca wrote:
> My ICOM AT500 has a fault where the auto tuner portion works properly
> on transmit but on receive, the tuner retunes to a non matched setting.
>
>
> The presets work and I can manualy tune the tuner via the presets (but
> that defeats the point of having an auto tuner)
>
> Problems began when the shaft on one of the motors come loose. I
> believe I have everything mechanically back together correctly as there
> seems no way that the auto tuner portion should work on transmit and
> then de-tune on receive.
>
> This unit is full of analog circuits and I have no clue where to start.
>
> Any help or suggestions would be appreciated.
>
> 73, Bernie, VE3FWF

From 8715923921123162684
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!
newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!
news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment

Subject: Re: WIFI Interferance
Date: Mon, 24 Jul 2006 10:48:06 +0900
Organization: Korea Telecom
Lines: 34
Message-ID: <ea18o2$86v$1@news2.kornet.net>
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk> <ea-dnT_0jo_ceV7ZnZ2dnUVZ_tGdnZ2d@comcast.com>
NNTP-Posting-Host: 218.155.50.145
X-Trace: news2.kornet.net 1153705538 8415 218.155.50.145 (24 Jul 2006 01:45:38 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Mon, 24 Jul 2006 01:45:38 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.equipment:5508

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:ea-dnT_0jo_ceV7ZnZ2dnUVZ_tGdnZ2d@comcast.com...
>
> "Wolfgang Fartbubble" <swift240@yahoo.co.uk> wrote in message
> news:T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk...
>> Hi all, can you help me on this problem please?
>> My friend who lives not to far off from me has his PC`s wired up to the
>> Internet via wireless, this includes mouse, keyboard, and of course
>> Internet.
>> The neighbour who lives next door has a 14 element Yagi 2 mtr beam on his
>> roof alongside other antenna.
>> Since this has been put up every time it is switched on and operated (I
>> would think) it knocks out the wireless Internet and mouse and keyboard.
>> And also the telephones that are also wireless. (I think they are the
>> digital type)
>> Is there any thing that can be done?
>> He has approached the neighbour but he wont have any of it and simply
>> will not listen.
>> This has only happend since all the equipment has been installed on the
>> roof.
>
> Assuming the licensed amateur station has been installed with all
> applicable measures taken to reduce RFI, then there is not a whole lot of
> recourse for the guy with all the unlicensed wireless stuff other than to
> buy wireless stuff that has better filtering.

Can't speak to the WiFi issue at all.. but it's notable that most wireless keyboard/mouse setups operate on 11m R/C control channels (ours uses 27.045 MHz). I've seen rare ones that operate on 900MHz, and are very susceptible to cordless phone interference.

From 910454923514810755
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps82.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WIFI Interferance
From: Panzer240 <panzer240@hotmail.com>
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
Organization: QAR
Message-ID: <Xns980AE3EAA490fw190a8@199.185.223.78>
User-Agent: Xnews/5.04.25
X-Face: $&/X$V,"S*#uz+{oLU'^h)QCF*4h'r$f("jr/$#M!Dt&CR9(9ju%ntlWj$kN7S{)n^fK'VC L|
TA8NouNwLeq~OD-&Y(=FdX+lD@%H%=7w-w*vaS79ke<Cs%n)'&dm#<Ktc6:_[FhYWae&YI/GLrpD
ehoTc4x)+XNdGI`,T((uEs~&1n0_5C2\\e[i|I%|cN6:]L%b5(WS}IiFEkC"q
Lines: 59
Date: Mon, 24 Jul 2006 04:24:07 GMT
NNTP-Posting-Host: 24.222.95.26
X-Trace: edtnps82 1153715047 24.222.95.26 (Sun, 23 Jul 2006 22:24:07 MDT)
NNTP-Posting-Date: Sun, 23 Jul 2006 22:24:07 MDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5509

Wolfgang Fartbubble <swift240@yahoo.co.uk> wrote in news:T6Rwg.10251
$9d4.2875@fe2.news.blueyonder.co.uk:

> Hi all, can you help me on this problem please?
> My friend who lives not to far off from me has his PC`s wired up to the
> Internet via wireless, this includes mouse, keyboard, and of course
> Internet.
> The neighbour who lives next door has a 14 element Yagi 2 mtr beam on
> his roof alongside other antenna.
> Since this has been put up every time it is switched on and operated (I
> would think) it knocks out the wireless Internet and mouse and keyboard.
> And also the telephones that are also wireless. (I think they are the
> digital type)
> Is there any thing that can be done?
> He has approached the neighbour but he wont have any of it and simply
> will not listen.
> This has only happend since all the equipment has been installed on the
> roof.
>
>
> TIA.

Hmmmmm........ What bands does your friends equipment use? From the information you have given, you have no reason to select the ham next door as the cause, other than he has a 2 meter antenna on his property. The equipment in your freinds own home could be part of the problem. e.g. If the cordless phones are 2.4 Ghz they could be killing the Internet connection whenever the phone rings. The mouse and keyboard could be bluetooth devices and they also work in the same band. Then there is the possibiltiy that someone in the neighbourhood also has a wireless network running on the same channel, or 2.4Ghz cordless phones and that could be the cause of some of his grief. It requires much more investigation that you seem to have done before you can say the guy with the ham antenna is the cause. Two meters is a long way from the ISM 2.4Ghz band. It would be highly unlikely that equipment in the 2 meter band would interfere with 2.4 Ghz equipment.

I am also surprised the ham is being uncooperative, but if he was approached in an adversarial manner, that could explain it. I'm sure he is well aware that the devices of which you speak are Part 15 and that he does not have any obligation to mitigate the problem even if he is the cause. Most hams would at least help investigate the problem if nothing to clear his good name.

You can use Netstumbler to check for orther networks in the neighbourhood. Download it from:

http://www.netstumbler.com/downloads/

Install and run it on a wirelessly connected computer (preferably a laptop), It will very quickly show what wireless networks are around the location. You might be amazed at how many there are !!!

Hope it helps a bit.

--
Panzer

```
From -5259966700469028474
X-Google-Thread: 108122,9b4c54074856110d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Ameco AC-1 Transmitter
References: <Afxsg.115356$mF2.16550@bgtnsc04-news.ops.worldnet.att.net>
<1153632569.789184.177720@m79g2000cwm.googlegroups.com>
In-Reply-To: <1153632569.789184.177720@m79g2000cwm.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
```

```
Message-ID: <dnYwg.166644$mF2.81920@bgtnsc04-news.ops.worldnet.att.net>
Date: Mon, 24 Jul 2006 04:53:29 GMT
NNTP-Posting-Host: 12.77.144.34
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1153716809 12.77.144.34 (Mon, 24 Jul
2006 04:53:29 GMT)
NNTP-Posting-Date: Mon, 24 Jul 2006 04:53:29 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5510

its sold.

Robert



From -8567901205935182701
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!
newsfeed.fjserv.net!nntp.theplanet.net!inewsm1.nntp.theplanet.net!
pe2.news.blueyonder.co.uk!blueyonder!pe1.news.blueyonder.co.uk!blueyonder!
fe3.news.blueyonder.co.uk.POSTED!53ab2750!not-for-mail
From: Wolfgang Fartbubble <swift240@yahoo.co.uk>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WIFI Interferance
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
<Xns980AE3EAA490fw190a8@199.185.223.78>
In-Reply-To: <Xns980AE3EAA490fw190a8@199.185.223.78>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 68
Message-ID: <HB%wg.13953$F8.7749@fe3.news.blueyonder.co.uk>
Date: Mon, 24 Jul 2006 08:33:43 GMT
NNTP-Posting-Host: 82.37.193.86
X-Trace: fe3.news.blueyonder.co.uk 1153730023 82.37.193.86 (Mon, 24 Jul 2006
09:33:43 BST)
NNTP-Posting-Date: Mon, 24 Jul 2006 09:33:43 BST
Xref: g2news2.google.com rec.radio.amateur.equipment:5511

Panzer240 wrote:
> Wolfgang Fartbubble <swift240@yahoo.co.uk> wrote in news:T6Rwg.10251
> $9d4.2875@fe2.news.blueyonder.co.uk:
>
>> Hi all, can you help me on this problem please?
>> My friend who lives not to far off from me has his PC`s wired up to the
>> Internet via wireless, this includes mouse, keyboard, and of course
>> Internet.
>> The neighbour who lives next door has a 14 element Yagi 2 mtr beam on
>> his roof alongside other antenna.
```

>> Since this has been put up every time it is switched on and operated (I
>> would think) it knocks out the wireless Internet and mouse and keyboard.
>> And also the telephones that are also wireless. (I think they are the
>> digital type)
>> Is there any thing that can be done?
>> He has approached the neighbour but he wont have any of it and simply
>> will not listen.
>> This has only happend since all the equipment has been installed on the
>> roof.
>>
>>
>> TIA.
>
> Hmmmmm........ What bands does your friends equipment use? From the
> information you have given, you have no reason to select the ham next door
> as the cause, other than he has a 2 meter antenna on his property. The
> equipment in your freinds own home could be part of the problem. e.g. If
> the cordless phones are 2.4 Ghz they could be killing the Internet
> connection whenever the phone rings. The mouse and keyboard could be
> bluetooth devices and they also work in the same band. Then there is the
> possibiltiy that someone in the neighbourhood also has a wireless network
> running on the same channel, or 2.4Ghz cordless phones and that could be
> the cause of some of his grief. It requires much more investigation that
> you seem to have done before you can say the guy with the ham antenna is
> the cause. Two meters is a long way from the ISM 2.4Ghz band. It would be
> highly unlikely that equipment in the 2 meter band would interfere with
> 2.4 Ghz equipment.
>
> I am also surprised the ham is being uncooperative, but if he was
> approached in an adversarial manner, that could explain it. I'm sure he is
> well aware that the devices of which you speak are Part 15 and that he
> does not have any obligation to mitigate the problem even if he is the
> cause. Most hams would at least help investigate the problem if nothing to
> clear his good name.
>
> You can use Netstumbler to check for orther networks in the neighbourhood.
> Download it from:
>
> http://www.netstumbler.com/downloads/
>
> Install and run it on a wirelessly connected computer (preferably a
> laptop), It will very quickly show what wireless networks are around the
> location. You might be amazed at how many there are !!!
>
> Hope it helps a bit.
>
>
Ok thank you all for your kind replies.

He was approached with kindness, but sadly he is the type that is above
many laws and not just Amateur Radio.

I shall send my friend a link to netstumbler as you suggest, who knows this may give him some help.

Many thanks all.

Mike.

From -7039863616035063151
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news2.euro.net!border2.nntp.ams.giganews.com!nntp.giganews.com!pe2.news.blueyonder.co.uk!blueyonder!pe1.news.blueyonder.co.uk!blueyonder!fe3.news.blueyonder.co.uk.POSTED!53ab2750!not-for-mail
From: Wolfgang Fartbubble <swift240@yahoo.co.uk>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WIFI Interferance
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
<Xns9809945813FE5spectrumhogstarbandn@198.186.192.196>
<cfv7c29tetr4ujvvt6qo91aqqgjf82gfm6@4ax.com>
In-Reply-To: <cfv7c29tetr4ujvvt6qo91aqqgjf82gfm6@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 61
Message-ID: <DE%wg.13979$F8.6044@fe3.news.blueyonder.co.uk>
Date: Mon, 24 Jul 2006 08:36:51 GMT
NNTP-Posting-Host: 82.37.193.86
X-Trace: fe3.news.blueyonder.co.uk 1153730211 82.37.193.86 (Mon, 24 Jul 2006 09:36:51 BST)
NNTP-Posting-Date: Mon, 24 Jul 2006 09:36:51 BST
Xref: g2news2.google.com rec.radio.amateur.equipment:5512

Dick wrote:
> On 23 Jul 2006 21:34:33 GMT, Ed <Huckleberry_REMOVE_@bigvalley.net>
> wrote:
>
>> Wolfgang Fartbubble <swift240@yahoo.co.uk> wrote in news:T6Rwg.10251
>> $9d4.2875@fe2.news.blueyonder.co.uk:
>>
>>> Hi all, can you help me on this problem please?
>>> My friend who lives not to far off from me has his PC`s wired up to the
>>> Internet via wireless, this includes mouse, keyboard, and of course
>>> Internet.
>>> The neighbour who lives next door has a 14 element Yagi 2 mtr beam on
>>> his roof alongside other antenna.
>>> Since this has been put up every time it is switched on and operated (I
>>> would think) it knocks out the wireless Internet and mouse and
>> keyboard.
>>> And also the telephones that are also wireless. (I think they are the

>>> digital type)
>>> Is there any thing that can be done?
>>> He has approached the neighbour but he wont have any of it and simply
>>> will not listen.
>>> This has only happend since all the equipment has been installed on the
>>> roof.
>>>
>>>
>>> TIA.
>>
>>   It is highly unlikely that the neighbor's 2M ham equipment is causing
>> any of your friend's problems.   It sounds to me like there has been
>> little evidence to indicate otherwise, other than the physical presence
>> of antennas on the roof.
>>
>>   A more likely cause for your friend's problems is that a neighbor
>> (maybe even the ham) has computer wireless networking equipment of some
>> kind, and this is interfering with your friend's network.   Or, it could
>> be cordless telephones that also operate in the wireless network
>> frequencies.
>>
>>   You really need to get more facts as to what is actually happening in
>> your friend's house and do some research before blaming the ham.   It
>> could be him, but more likely it is another cause.   To bad the ham is
>> not cooperative as this could probably get him off the hook for the
>> cause.
>>
>>   Good luck.
>>
>>   Ed   K7AAT
>
> I agree. I run 100-watts to a 20-element 2-meter beam, and there is
> no interference to my wireless network, wireless phones, wireless
> keyboards or wireless mice. And none of my neighbors have reported
> any problems either. Does this happen when the ham is not even home?
>
> Dick - W6CCD

Hi, yes it only happens when he is at home.
This has only happened since the antenna has been put up on the roof.,
never before.

Mike.

From 7727019668428174624
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail

NNTP-Posting-Date: Mon, 24 Jul 2006 05:15:33 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
<Xns9809945813FE5spectrumhogstarbandn@198.186.192.196>
<cfv7c29tetr4ujvvt6qo91aqqgjf82gfm6@4ax.com>
<DE%wg.13979$F8.6044@fe3.news.blueyonder.co.uk>
Subject: Re: WIFI Interferance
Date: Mon, 24 Jul 2006 06:14:47 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
x-mimeole: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <M86dnaK3AclYAFnZnZ2dnUVZ_qednZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-OHvwCKV9QO80XhM0GHsna9sZcA/FGxQ4mqw3pjs4V98AOSY90aNpZ3FBECb6aEJP79/
BhvuutmURYW+!cRtIkHkNFgOcsOrPo0uHYKwDFFjWw/
UbPbWydMaDzP27mwimf6wV7XKrCSFc5eaNAR3S7Miuxzce!PuAMqbENmD/zE0y2
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5513

"Wolfgang Fartbubble" <swift240@yahoo.co.uk> wrote in message
news:DE%wg.13979$F8.6044@fe3.news.blueyonder.co.uk...

>
>
> Hi, yes it only happens when he is at home.
> This has only happened since the antenna has been put up on the roof.,
> never before.
>
> Mike.

Still does not prove that it comes from the ham's setup. It could be merely coincidental. Something else may have happened in the area that is the problem. Coincidences do happen.

From 6546737987230225189
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!

```
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 24 Jul 2006 08:49:02 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk>
<Xns9809945813FE5spectrumhogstarbandn@198.186.192.196>
<cfv7c29tetr4ujvvt6qo91aqqgjf82gfm6@4ax.com>
<DE%wg.13979$F8.6044@fe3.news.blueyonder.co.uk>
<M86dnaK3AclYAFnZnZ2dnUVZ_qednZ2d@comcast.com>
Subject: Re: WIFI Interferance
Date: Mon, 24 Jul 2006 08:48:59 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <BbudneI4NZtTUlnZnZ2dnUVZ_qGdnZ2d@comcast.com>
Lines: 30
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-NkvZWlaYLWv0976V6K5wbcDAz7WnqVRQ7F+IoHSa/36fz8xPOHrbIh/
PlV+KlzOchc+kKfMgFVinpf3!BgLi4fntU3A633QSy+2eqRHqlYj2skLIYr5Ca++ASS/
jOIbJwVS0mCwAdriUmgpiJq/szG0aGsD9!RHSHdgw5taK1EA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5514
```

"Dee Flint" <deeflint01@comcast.net> wrote in message
news:M86dnaK3AclYAFnZnZ2dnUVZ_qednZ2d@comcast.com...
>
> "Wolfgang Fartbubble" <swift240@yahoo.co.uk> wrote in message
> news:DE%wg.13979$F8.6044@fe3.news.blueyonder.co.uk...
>
>>
>>
>> Hi, yes it only happens when he is at home.
>> This has only happened since the antenna has been put up on the roof.,
>> never before.
>>
>> Mike.
>
> Still does not prove that it comes from the ham's setup. It could be
> merely coincidental. Something else may have happened in the area that is
> the problem. Coincidences do happen.

FWIW, The last time I put up a tower with antennas, I left the feedlines and
rotor control cables coiled and tie-wrapped to the side of the tower for a
week.... I got a dozen complaints..... turned out that there was an
unauthorized and *very* illegal CB station on the next block over. The CB'er

ended up in a real world of hurt.... this was in family housing on a Navy base. Between the Navy, and the FCC.... well, lets just say that he can't even go near a transmitter for a very long time.

-n6ojn

From 3918986465386924247
X-Google-Thread: fb049,12496695c5538dc5,start
X-Google-Thread: 1062f2,12496695c5538dc5,start
X-Google-Thread: 108122,12496695c5538dc5,start
X-Google-Thread: 1109af,12496695c5538dc5,start
X-Google-Attributes: gidfb049,gid1062f2,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-wrt-01.southeast.rr.com!news-wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Reply-To: "M.L. Katz" <mcguyver@cfl.rr.com>
From: "M.L. Katz" <mcguyver@cfl.rr.com>
Newsgroups: alt.ham-radio.vhf-uhf,misc.industry.electronics.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: CA-819 Dual Band Cellular Amplifier
Lines: 94
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <1A9xg.12$6q1.10@tornado.tampabay.rr.com>
Date: Mon, 24 Jul 2006 19:54:37 GMT
NNTP-Posting-Host: 70.119.254.1
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1153770877 70.119.254.1 (Mon, 24 Jul 2006 15:54:37 EDT)
NNTP-Posting-Date: Mon, 24 Jul 2006 15:54:37 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2320 misc.industry.electronics.marketplace:543 rec.radio.amateur.equipment:5515 rec.radio.swap:5502

I have a CA-819 dual band cellular bidirectional amplifier for use with dual band cell phones. You'll need a sma to (your cell phone, external antenna connector) and that's it. Just plug into 12VDC..

Dual Band Wired Amplifier for all North American 800 MHz & 1900 MHz carrier systems (excluding iDEN Networks)

Features / Benefits

- Increase revenue through customer retention
- Less cell site build out
- Keeps customers connected to utilize the full potential of their phones and network services.
- Carrier friendly in urban areas
- Increases data traffic & data speeds
- Communication only occurs through the RSSI of the handsets
- Requires zero additional bandwidth from cell towers
- Case designed for Zero RF Emissions

CyfreT Amplifiers seamlessly bridges RF amplification between Cell Towers and todays elaborate handsets without disrupting the carrier's tower management Networks. Thus, the entire CyfreT line of amplifiers becomes an integral part of all wireless network solutions.
Network Compatibility
Cyfre'sT creation of the Digital Microprocessor, combined with licensed Motorola patented technology, have achieved compatibility with the following standards.
CDMA 2000, TIA/E-98-A&D, 1xRTT, TIA/EIA-690 Analog (dual-mode), IS-95-A&D, and GSM.

Cyfre'sT cutting edge technology will change forever the perception all RF amplifiers are the same and deplete valuablde bandwidth from tower management systems. Independent laboratories accredited by the FCC/IC regulators verify all CyfreT claims.

Six Sigma Certification
CyfreT strives for the highest quality manufacturing standards possible. CyfreT products are manufactured under Six Sigma Certified Process Control Standards, far exceeding ISO 9001 and 9002 manufacturing facilities.

Made in the USA
The complete line of CyfreT amplifiers are manufactured in the USA

Frequency Specifications

Specifications	TX Uplink/Transmit	RX Downlink/Receive
Frequency Range:	824.0-849.0 MHz	869.0-894.0 MHz
	1850.0 - 1910.0 MHz	1930.0-1990.0 MHz

Uplink: 824.0-849.0 MHz 1.0W (+30dBm CDMA)*
Downlink: 869.0-894.0 MHz 0.02 W (+12dBm)
Uplink: 1850.0 - 1910.0 MHz 1.0W (+30dBm CDMA)*
Downlink: 1930.0-1990.0 MHz 0.02 W (+12dBm)

Gain: 30dB maximum, variable from +20 to +30 dB

Maximum power measured into 50 ohms at the antenna terminal.

General Specifications

Input Voltage 8.0 VDC - 28.0 VDC
Current draw 100 to 890 MA
RF Input Power 10 - 60mW
Receiver Sensitivity -110dBm (maximum)
VSWR less than 1.9 at the handset connection
Signal Sensitivity -115dBm (maximum)

Temperature range:
Operating -30 C to +60 C performing within specification
-40 C to +90 C without loss of function
Storage -40 C to +90 C

Humidity 85% at +85 C
Impedance 50 ohms

Dimensions:
Length: 5.25 inches - Width: 5.18 inches - Height: 1.06 inches - Weight: 1.55 lb

RF connector: SMA Male / Female

Tested on the following standards which it meets or exceeds:
IS-95, IS-98, IS-2000, 1XRTT, AMPS, CDMA, TDMA, GSM, W-CDMA, EDGE, EVDO Rev 0, EVDO Rev A

FCC ID: RFK-LMSWDJH819
IC: 5252A-CA819
Asling $150 plus shipping - photos upon request

From 8866212415185534280
X-Google-Thread: 108122,e3f9b32b57a89fa7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <44C6297B.A11FD675@mred.com>
From: wilber <wilber@mred.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio now officially DEAD at Radio Shack
References: <slrnbgau25.imv.bball@green.home.org>
<3qjbgv0dqkqo1i2clb54lgqphe5qrsc4oo@4ax.com>
<faydnRKj2OT9LV_ZnZ2dnUVZ_qudnZ2d@centurytel.net>
<55s6c296ku3vlfsn91ufgavpklfu2a8bv8@4ax.com>

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Tue, 25 Jul 2006 14:23:56 GMT
NNTP-Posting-Host: 12.76.209.198
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1153837436 12.76.209.198 (Tue, 25 Jul
2006 14:23:56 GMT)
NNTP-Posting-Date: Tue, 25 Jul 2006 14:23:56 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5516
```

yes,

but I told the kid at the counter ham radio had
push to talk before the cell phones !

```
From 523324955678781558
X-Google-Thread: 108122,e3f9b32b57a89fa7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!feed.xsnews.nl!
feeder.xsnews.nl!feeder2.cambrium.nl!feeder1.cambrium.nl!feed.tweaknews.nl!sn-xt-
ams-06!sn-xt-ams-08!sn-post-ams-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio now officially DEAD at Radio Shack
Date: Tue, 25 Jul 2006 07:35:50 -0700
Organization: Remove number to reply
Message-ID: <12ccb28tff1kn69@corp.supernews.com>
References: <slrnbgau25.imv.bball@green.home.org>
<3qjbgv0dqkqo1i2clb54lgqphe5qrsc4oo@4ax.com>
<faydnRKj2OT9LV_ZnZ2dnUVZ_qudnZ2d@centurytel.net>
<55s6c296ku3vlfsn91ufgavpklfu2a8bv8@4ax.com> <44C6297B.A11FD675@mred.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 3
Xref: g2news2.google.com rec.radio.amateur.equipment:5517
```

Electronics is pretty much officially dead at

Radio Shack. They are pretty much limited to
consumer appliances and toys.

From 3188284854843731931
X-Google-Thread: 108122,5950a935a58f2a5d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Sencore T-130 Tube Tester
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <QFqxg.13386$PO.7302@dukeread03>
Date: Tue, 25 Jul 2006 10:21:31 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1153840880 68.105.249.118 (Tue, 25 Jul 2006 11:21:20 EDT)
NNTP-Posting-Date: Tue, 25 Jul 2006 11:21:20 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5518

For Sale a very nice Sencore Mighty Mite III, T130, tube tester in very good condition and it works good. Comes with the original manuals. It will test many useful tubes such as radio tubes and audio tubes 7199, 6550, 12AX7, 12AU7, 6DC6, 7868, 6BQ5, Etc It tests for Emission, grid leakage, and shorts. A great little tester and easy to use. Buyer pays shipping. Price is $55. Thanks, Charlie Hugg, K5MBX

From -3754762458051333894
X-Google-Thread: 108122,da14b1d4aafb3773,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 25 Jul 2006 10:29:18 -0500
Newsgroups: rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: FA: 12 hours left, 3 Kenwood TK-705D's VHF Mobile Ham Radio and more.
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Tue, 25 Jul 2006 15:29:18 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)

```
Message-ID: <xomdne-OJsNTpVvZnZ2dnUVZ_qSdnZ2d@centurytel.net>
Lines: 2
NNTP-Posting-Host: 72.160.72.238
X-Trace: sv3-axa/
DyH8jjzcNISKE5sKBMzD312zWJ25BDpzs8YoX2z900gFyXUzsMmTDgEp4zud7ZV6ToVbMIvVD6S!
P+NHPR/sVwbtzqSQUL9/y4cclUT4MCGE2WKiUteZMbtr+KzWpkuNaKfhEDYxRrSwoaJl3Esk9vLd!G/
CFynvTe3zgI4cMDBrZsZN//kxoY4eH+dVZ
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5519
```

3 Kenwood TK-705D's VHF Mobile Ham Radio and more.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=003&item=130009450976

```
From 3768131579089229287
X-Google-Thread: 108122,f976439247146c7f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 25 Jul 2006 10:37:51 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: Re: FS, Fixed price:  ASTRON RS-20A SOLD!!!
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
References: <Z7WdnXpDpcGmKl_ZnZ2dnUVZ_sGdnZ2d@centurytel.net>
Date: Tue, 25 Jul 2006 15:37:50 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <R6SdncKeF4JSp1vZnZ2dnUVZ_omdnZ2d@centurytel.net>
Lines: 1
NNTP-Posting-Host: 72.160.72.238
X-Trace: sv3-VrAVdLMU7FH5UcgVS7vPmZng/
e20L3TFYZ0ZAefGm+EtYR8IOJ6NgZHscUIVL2nYfyLvXlDpUZKPHU+!
9k4+3Z0lZta+9PpqCqqL7lwrFCwfy4goXP9sc7A3bhw6f4xT0t6yTcmOy1e1bH8KTrhABuwSu1k+!
b+Wa2s6o2j/tc7YIumkLpUpfGrG1YXZwQZnz
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5520
```

Sold, thank you

```
From 3015143882478641855
```

X-Google-Thread: 108122,bc03c18e48a21cea,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 25 Jul 2006 11:04:44 -0500
Newsgroups: rec.radio.amateur.equipment,rec.ham-radio.swap
Subject: FA: 5 Kenwood TK-860H's UHF Mobile Radios and more.
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Tue, 25 Jul 2006 16:04:44 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <bo2dnaX1raeB3FvZnZ2dnUVZ_sWdnZ2d@centurytel.net>
Lines: 11
NNTP-Posting-Host: 72.160.72.238
X-Trace: sv3-WJTUe8ksNtfN2L2MrExZa/nVJYctEdHD4hqBDAOtQSFZqTIAIE8056P6bKcacGlRCHy1GD1rcLj6NwM!c5DkkKHbLqz2A4qeWu5XzlFYNr1g/5RD1Cm4mt3bgnmT/6YpjwDxb+cQa/DN/Jt/cNSpOyrO9gfc!lfBJDcu7icg6DqTmtmBnwVWBKkQkQPT9+hTR
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5521

5 Kenwood TK-860H's UHF Mobile Ham/ commercial Radio, 4 microphones and 1 programing cable and the software via the web (link below), you download. Programs via the included cable. These were power company pulls and have been tested good. 2 of the radios have minor dents on top near the speaker.

http://cgi.ebay.com/5-Kenwood-TK-860Hs-UHF-Mobile-Radio-and-more_W0QQitemZ130009841985QQihZ003

From 6838507305205623522
X-Google-Thread: 108122,e3f9b32b57a89fa7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio now officially DEAD at Radio Shack
Date: 25 Jul 2006 17:02:54 GMT

Lines: 7
Message-ID: <slrneccju1.182m.bit-bucket@shell.config.com>
References: <slrnbgau25.imv.bball@green.home.org>
<3qjbgv0dqkqo1i2clb54lgqphe5qrsc4oo@4ax.com>
<faydnRKj2OT9LV_ZnZ2dnUVZ_qudnZ2d@centurytel.net>
<55s6c296ku3vlfsn91ufgavpklfu2a8bv8@4ax.com> <44C6297B.A11FD675@mred.com>
<12ccb28tff1kn69@corp.supernews.com>
X-Trace: individual.net UBSSi6Hz2hbH3u00drP28w11QJgL9/K/JjvuAw7MJWo8THEzUw
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:5522

On Tue, 25 Jul 2006 07:35:50 -0700, Richard Crowley wrote:
> Electronics is pretty much officially dead at
> Radio Shack. They are pretty much limited to
> consumer appliances and toys.

Made-In-China, plastic, in-transit-to-the-county-landfill, lifestyle
clutter.

From -4531176452661195215
X-Google-Thread: 108122,e3f9b32b57a89fa7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio now officially DEAD at Radio Shack
Message-ID: <fupcc2198qb5h6hfttgnqepmkcfmcf0kdr@4ax.com>
References: <slrnbgau25.imv.bball@green.home.org>
<3qjbgv0dqkqo1i2clb54lgqphe5qrsc4oo@4ax.com>
<faydnRKj2OT9LV_ZnZ2dnUVZ_qudnZ2d@centurytel.net>
<55s6c296ku3vlfsn91ufgavpklfu2a8bv8@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Tue, 25 Jul 2006 18:53:29 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1153853609 24.174.167.251 (Tue, 25 Jul 2006 13:53:29
CDT)
NNTP-Posting-Date: Tue, 25 Jul 2006 13:53:29 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5523

On Sun, 23 Jul 2006 08:52:55 -0400, helmsman <helmsman@royaloak.net>
wrote:

>On Sat, 22 Jul 2006 23:10:25 GMT, RS@SUCKS.com wrote:

>
>>They have not had a catalog in years now.
>>just the mail sale papers.
>>NF7D
>
>Radio shack has been officially dead for years as far as I'm
>concerned, all they do is sell phones, toys and Sat set ups.

Hey, now, they've got some fairly nice banana plugs :-)

Also, soldering gear, so they're not totally dead.

Besides, I've never thought of them as a place to buy ham or shortwave
radios -- so I don't miss whatever they don't sell anymore.

Between AES, the Wireman and Mouser, I can get pretty much what I
need.

bob
k5qwg

From -6844933592300646930
X-Google-Thread: 108122,94903550e9db2bb7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 25 Jul 2006 16:07:47 -0500
From: K9CIV <K9CIV.2bisfw@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Yaesu SP-5/DSP-59Y
Date: Tue, 25 Jul 2006 16:14:59 +0000
Message-ID: <K9CIV.2bisfw@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References: <F4AOa.525630$3n5.199761@news2.central.cox.net>
Lines: 10
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-hez5uxo6oxLDNUlZzg0v8sHE8aWjMixcv3hxv5pqt/
gbdtvMaGw96puSsFslE6t1ximQW5ZOcExeB3l!BCO3vxco5ggELyaVjJibCXUvTKzTimgdB5gJMTxARg/
owYn0z3yEo2S4lbdV8VGrlj/Yp2Gfed60!TDmoPG8=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5524

Charlie Hugg Wrote:
> I have for sale a nice Yaesu SP-5 Speaker with the built in Timewave
> DSP-59Y
> digital noise reduction unit. Included is the notebook manual for the
> DSP-59Y, the original box for the SP-5, and the 12 volt Power Cube for
> the
> DSP. This unit looks and works great. There are two digits out on the
> DSP
> display. When you dial up 2400kHzs for example it show 24. Other than
> that
> it is perfect. Price is $350 shipped in lower 48. Thanks, Charlie
> Hugg,
> K5MBX

Do you still have the DSP-59Y?
Thanks

--
K9CIV

From 1099439990725538024
X-Google-Thread: 108122,d4ee9c3c28e2b646,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 25 Jul 2006 16:36:29 -0500
Newsgroups: rec.radio.amateur.equipment,rec.ham-radio.swap,rec.radio.amateur.swap
Subject: Heil Goldline GM-4, cable, SM-1 and LX-1 boom
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Tue, 25 Jul 2006 21:36:28 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <bKOdnZcvFbNAE1vZnZ2dnUVZ_tCdnZ2d@centurytel.net>
Lines: 10
NNTP-Posting-Host: 72.160.83.171
X-Trace: sv3-
QTbRaa8nmDSfZojiwCMKRQzN2JpTn6nc2c3MteJeuAcvuJgS13YRVBvelsJazJLA6H8Pr3NjGFvH1Ns!
cEPHTDPIyW2FTgQq0XWP2bJ+wh4YnKvwrHI4TTyfEBb/esflrCA7vieeBTCaLfBb4tEw4GowOOFF!
VWoaKM/oEIbmOOsNbXA5KjOY/XXbuZphIYMz
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5525

```
FA:

--- THE full-range microphone for all occasions - FM - AM - "Hi Fi" SSB ---
---The HC-4 "DX Dream Machine" element makes chasing DX a dream---
includes the:
GM-4 goldline mic, SM-1 shock mount, LX-1 Delux boom and a kenwood cable,
Sorry no foot switch.... Great cond. shipping in the lower 48 sates only no
overseas or canada sales.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=130010895319


From 5994268851858276844
X-Google-Thread: 108122,9184eaf9d4d902a5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!
cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe02.lga.POSTED!53ab2750!not-for-mail
From: Roger <GetValidAddress@my.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WIFI Interferance
Message-ID: <qa3ec2d2mbtbf45b66tv6e1s8nrj5dkd2b@4ax.com>
References: <T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk> <ea-
dnT_0jo_ceV7ZnZ2dnUVZ_tGdnZ2d@comcast.com> <ea18o2$86v$1@news2.kornet.net>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 70
X-Trace:
ejlmlnpfppkfdeplmjfpihfibfibonmkhkgobpmcanndjhgojhmplkekeojdkmlbenlknimjlbbjbmbbmo
hjikgoalmkhpjcjpfpdfcleopjklonkbfodcnekdjlkjmkbcfagklmibllijll
NNTP-Posting-Date: Tue, 25 Jul 2006 23:43:49 MST
Date: Wed, 26 Jul 2006 02:43:48 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5526

On Mon, 24 Jul 2006 10:48:06 +0900, "Brenda Ann"
<brendad@shinbiro.com> wrote:

>
>"Noon-Air" <Noon-Air@comcast.net> wrote in message
>news:ea-dnT_0jo_ceV7ZnZ2dnUVZ_tGdnZ2d@comcast.com...
>>
>> "Wolfgang Fartbubble" <swift240@yahoo.co.uk> wrote in message
>> news:T6Rwg.10251$9d4.2875@fe2.news.blueyonder.co.uk...
>>> Hi all, can you help me on this problem please?
>>> My friend who lives not to far off from me has his PC`s wired up to the
>>> Internet via wireless, this includes mouse, keyboard, and of course
>>> Internet.
>>> The neighbour who lives next door has a 14 element Yagi 2 mtr beam on his
>>> roof alongside other antenna.
```

>>> Since this has been put up every time it is switched on and operated (I
>>> would think) it knocks out the wireless Internet and mouse and keyboard.
>>> And also the telephones that are also wireless. (I think they are the
>>> digital type)
>>> Is there any thing that can be done?
>>> He has approached the neighbour but he wont have any of it and simply
>>> will not listen.
>>> This has only happend since all the equipment has been installed on the
>>> roof.
>>
>> Assuming the licensed amateur station has been installed with all
>> applicable measures taken to reduce RFI, then there is not a whole lot of
>> recourse for the guy with all the unlicensed wireless stuff other than to
>> buy wireless stuff that has better filtering.

As you say, if the amateur station is properly installed the wireless
system is stuck. Most of the *stuff* available for home use is pretty
poor when it comes to filtering. Just think what it'd be if they have
some one operating on 2.4 Gig next door.

As a side note, a friend who uses wireless also put in some web cams
along with his wireless phones. Everything interfered with everything
else. He finally put in 5 gig phones and relocated the web cams. He
runs the legal limit on most of the ham bands and has no interference
in either direction. I have a dual, Cat5e gigabit and wireless
router. When used with wireless its antenna is about 4 feet from my
2-meter rig. I can use my 5W HT within a few feet of that antenna and
neither system hears the other.

more than likely some one in his neighborhood has an old TV antenna
preamp up in the attic that is picking up the 2-meter signal and
creating a bunch of harmonics, but that is a *LONG* way above the
2-meter band.

>
>Can't speak to the WiFi issue at all.. but it's notable that most wireless

2.4 and 5 Gig which are also ham bands.

>keyboard/mouse setups operate on 11m R/C control channels (ours uses 27.045

My wireless keyboards and mice are all IR.

>MHz). I've seen rare ones that operate on 900MHz, and are very susceptible
>to cordless phone interference.

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com

>
>
Roger Halstead (K8RI & ARRL life member)

(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com

From 5647815645029072747
X-Google-Thread: fc8b1,dc4e177689fa4251,start
X-Google-Thread: 108122,dc4e177689fa4251,start
X-Google-Thread: fc2a5,dc4e177689fa4251,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: FA:More tubes/diodes:5Z3, 45, 811; more coming
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <aEJxg.473867$Fs1.277167@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: b663e4511f028aa73d4f7cf75c128caf
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1153918598
b663e4511f028aa73d4f7cf75c128caf (Wed, 26 Jul 2006 12:56:38 GMT)
NNTP-Posting-Date: Wed, 26 Jul 2006 12:56:38 GMT
Organization: AT&T Worldnet
Date: Wed, 26 Jul 2006 12:56:38 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4826
rec.radio.amateur.equipment:5527 rec.radio.amateur.homebrew:6346

Will be listing many tubes in the next week or two, so check often: tnx
for looking   heytubeguy
NOTE: all tubes warantteed for 30 days:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

From 5842503340991259985
X-Google-Thread: 108122,426112095680837f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 26 Jul 2006 13:51:45 -0500
Date: Wed, 26 Jul 2006 14:51:51 -0400

```
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Thunderbird 1.5.0.2 (X11/20060411)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: MARS MOD for PC-16000A
X-Enigmail-Version: 0.94.0.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <IdmdnbysuoNfJFrZnZ2dnUVZ_vqdnZ2d@comcast.com>
Lines: 5
NNTP-Posting-Host: 68.44.216.166
X-Trace: 
sv3-09QiwyEPOcNvdXR3F9IksSc3nk8ngYvRFC8+O9IrclrWinFkrgcgYA8CS40ElB+PkD8BWOGazBJPUx
U!+D5fV/edXdHDtn9VOuMgyk5FzECZxOK8W09ua6ZJ9h4vLblViI+lR7AxPxy2xN5LmVCOBmzTsEp4!
dYbyg1dwnyMYnz+/IvpR
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint 
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5528
```

Still looking for information on MARS modification to PC-16000A (Patcomm)

Thanks,

John

```
From -6044601507539660437
X-Google-Thread: 108122,984cd005c7955c2b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 27 Jul 2006 09:44:19 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: SOLD: Re: FA: 5 Kenwood TK-860H's UHF Mobile Radio and more.
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
References: <JICdnUe03OupK1_ZnZ2dnUVZ_u6dnZ2d@centurytel.net>
Date: Thu, 27 Jul 2006 14:44:17 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <l82dnfRv3K3eTFXZnZ2dnUVZ_uWdnZ2d@centurytel.net>
Lines: 1
NNTP-Posting-Host: 72.160.68.118
X-Trace: sv3-lJTx3cORQ1MCrZvE8HsrKIuuvsbNYV/
YGOqqYQ3B2CdYoUlVXKlzYk30KT8lIBFYZEGfgEF2IzCyqhM!xdzQT6khKmh1l/cjUlBu4FaIP60LF/
HvPjQ3m6uIpQj9eyxi//7YU5wibwD7ENgbB12Ja67d8RHx!ib1OochYJpkUC/
5iKgCqst00/8P1bwTN2qAI
X-Complaints-To: abuse@centurytel.net
```

```
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5529
```

sold, thank you

```
From -6822951842098189416
X-Google-Thread: 108122,5be6885fc8068af0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 27 Jul 2006 09:44:49 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: SOLD - Re: FA: 3 Kenwood TK-705D's VHF Mobile Ham Radio and more.
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
References: <oZSdnTa766dAKV_ZnZ2dnUVZ_radnZ2d@centurytel.net>
Date: Thu, 27 Jul 2006 14:44:47 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <Ke6dnaZBOfr8TFXZnZ2dnUVZ_vSdnZ2d@centurytel.net>
Lines: 1
NNTP-Posting-Host: 72.160.68.118
X-Trace: sv3-Vjh3eny3GJg5JQBOQyeXbxQioSUHKxdafh9Recjq6dr7MRRc1zNqNwsu/
ULXD15utaywZ4lWqSkDgde!
ftC+bOwmtv3uOnM9nLJmmXw+7pVYeM0Rj9v1rF8Wu3duJyNR1Y3qUjpaoc+W4a1hk2zbf6pwVKVi!
meAq0BdVo45lblEMsoj7mp87D3i5vldmZqob
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5530
```

SOLD

```
From -2511690272846172 27
X-Google-Thread: 108122,96d9bd24302ca68c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "Diego Cueva" <diegocueva@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Please help about changing X3 crystal in Cobra 148 GTL
Date: 27 Jul 2006 13:19:43 -0700
```

Organization: http://groups.google.com
Lines: 27
Message-ID: <1154031583.410469.113600@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 200.93.215.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154031588 548 127.0.0.1 (27 Jul 2006 20:19:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 27 Jul 2006 20:19:48 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=200.93.215.2;
   posting-account=n4rqrA0AAAB08es1SODJ7NgcQT2EgcuQ
Xref: g2news2.google.com rec.radio.amateur.equipment:5531

I found a comment in google groups about changing the crystal in the
Cobra 148 GTL radio

http://groups.google.com/group/rec.radio.amateur.equipment/browse_frm/thread/
bdb8f6014aecff06/55ae7197545990ad?lnk=st&q=&rnum=3&hl=en#55ae7197545990ad

Plase, I apreciate too much a respose to this questions:

1.- In the comment say:

"...For every 0.150 Mhz increase in freq of this Crystal you will get a
450Khz increase in operating freq..."

QUESTION: What is the minimum operating frecuency that I can reach
changing the X3 crystal ? 25Mhz, 20Mhz, 15 Mhz, 10Mhz, 7Mhz.

2.- About "...retune the Mixer coil..." how I can do that? (an url may
be usefull to read about that)

3.- About "...retune the Mixer coil..." is realated with the voice look
or 10khz steps ? what will be the bad functioning in the radio if I can
not retune de mixer coil.

Thanks a lot

Att.
Diego.

From 2694241942478269002
X-Google-Thread: 108122,8e48ca1de833cfd5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-

```
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Grundig YB-400PE
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
Message-ID: <oObyg.486582$Fs1.148831@bgtnsc05-news.ops.worldnet.att.net>
Date: Thu, 27 Jul 2006 23:15:32 GMT
NNTP-Posting-Host: 12.77.146.93
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1154042132 12.77.146.93 (Thu, 27 Jul
2006 23:15:32 GMT)
NNTP-Posting-Date: Thu, 27 Jul 2006 23:15:32 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5532
```

The YB-400PE is in mint condition and comes with: Grundig AC adapter, stereo ear plugs, wind-up antenna, owners manual, vinyl carry case and orginal box. The cabinet has a titanium colored finish. $70 plus shipping.

```
From 4782402112005364052
X-Google-Thread: 108122,2c7358e9876a08c4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 27 Jul 2006 18:58:33 -0500
Date: Thu, 27 Jul 2006 19:58:50 -0400
From: VOA SWLer <Reply_Here@bogus.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: ARRL Maryland State Convention this Saturday, July 29, in Hagerstown,
 MD
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <CfidnS1fq6C0zlTZnZ2dnUVZ_qednZ2d@comcast.com>
Lines: 4
NNTP-Posting-Host: 69.140.138.43
X-Trace: sv3-P0W7LCGMP/AJ3xLnrdUff9wmHspEwkb32hRizxoE3c/
Sh8p2FBWiNvHPgW7l4Y8xGO4udx7XR5c6e1/!
ohI0XSKMvWY8y2swPMrVoqFuvi7WZWZYcDVHIjmjbqBzHPq4lvxZ7Iue4MJsEzabQ9m/UwFQjjZT!
7jiR1NsDMA==
```

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5533

ARRL Maryland State Convention this Saturday, July 29, in Hagerstown, MD.

For info, click on:
<http://www.w3cwc.org/MDC2006.htm>

From 3094302925699867982
X-Google-Thread: 108122,d8aebca5f6a0826f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!atl-c03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: O-Dawg <dawg@dawg.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Batavia, NY hamfest
Message-ID: <utlic2ltfhkqp072q1d5p92itrtt5sg07l@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Fri, 28 Jul 2006 00:49:16 GMT
NNTP-Posting-Host: 66.67.8.228
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1154047756 66.67.8.228 (Thu, 27 Jul 2006 20:49:16 EDT)
NNTP-Posting-Date: Thu, 27 Jul 2006 20:49:16 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:5534

29 Jul 2006 Batavia Hamfest 2006 sponsored by the Genesee Radio
Amateurs in Alexander, NY, at the Alexander Firemens Grounds, 10708
Route 98. http://www.geocities.com/gram_radio_club/page7.html

Talk-In: 147.285 +, Contact: Rob McLean, KC2MHH, Email:
kc2mhh@verizon.net

From -1504093676145721680
X-Google-Thread: 108122,2332335a8a47ddb1,start
X-Google-Thread: 108228,2332335a8a47ddb1,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!

```
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 28 Jul 2006 10:48:56 -0500
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.ham-
radio.swap,rec.radio.amateur.swap
Subject: FS: Icom SP-20 Filtered Speaker
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Fri, 28 Jul 2006 15:48:55 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <IOKdnRWIgph1rFfZnZ2dnUVZ_uudnZ2d@centurytel.net>
Lines: 6
NNTP-Posting-Host: 72.160.68.118
X-Trace: sv3-04SWOxTVef32+VL0ko38zoOMpcy4IRVsEt0s53SaZA0/mgqSwGefIO9tz3Liu/
s5n26W4Mac1PjmD0u!n4wcSMxsEeQv/xBVIVk8M0cnHtFBGgBDi1ZRHK8Jk08i3fxAiMgP7a8pOim/
LhHc849ejQ5b7FFF!8PaKgNPFBZ+cTUyAdfbAXyWdp6EtzcBQsH58
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5535 alt.ham-
radio.marketplace:1137

FS: ICOM SP-20 SPKR THIS SPEAKER MATCHES THE 746,746 PRO,756,756PRO SERIES.
IT IS IN EXCELLANT CONDITION INCLUDES BUILT-IN FILTERS. NO BOX.
$165.00 SHIPPED & INSURED.
US lower 48  Only
Photo here, paypal prefered
http://www.eham.net/classifieds/saveedit/207470


From -6060702866881l6727
X-Google-Thread: 108122,3ea6457ac4d64c68,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Bird Model 43  165.00
Message-ID: <bfckc294139n2vvfbcbae0itdltsqa00lt@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Fri, 28 Jul 2006 11:49:04 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1154101760 69.125.167.162 (Fri, 28 Jul 2006 08:49:20 MST)
NNTP-Posting-Date: Fri, 28 Jul 2006 08:49:20 MST
```

Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5536

FS: Bird Model 43 165.00
Shipped and insured 165.00
Nice shape
Has the dummy sliug to go with it.
Have two and only need one.
ritchi50@optonline.net

From -5969362064161313376
X-Google-Thread: 108122,911cc6570f8b6fbf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Collins 32V-3 AM/CW Transmitter
Message-ID: <gmekc2lnboccjam5ivrc5opuofvt28ej7r@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
Date: Fri, 28 Jul 2006 12:27:01 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1154104037 69.125.167.162 (Fri, 28 Jul 2006 09:27:17 MST)
NNTP-Posting-Date: Fri, 28 Jul 2006 09:27:17 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5537

FS Collins 32V-3 AM/CW Transmitter
Cabinet is a primer gray, no dents on cabinet. Its great.
The front panel was perfect until
I had a radio near it and scratched the paint. Its not a grooved in
scratch, just paint came off. If you can match the paint where it came
off, it will look great.
Works 100 Percent and with GREAT audio reports. Has a newer Peter Dahl
Power Supply installed.
I used it for about 7 Months and just recently stopped using it.
750.00 Looking for a local pick up. But if you want to take a chance
on shipping.
You pay shipping and insurance.
But Don't hold me to damages.
Its heavy and can get banged around in shipping.
I can pack well.
ritchi50@optonline.net
ps: picture is on QRZ/Eham/QTH

From 2224557378687446277
X-Google-Thread: 108122,2332335a8a47ddb1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!208.49.83.154.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-a2fjhXFxaKZec!not-for-mail
From: Win <w0lz@winlyn.us>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Icom SP-20 Filtered Speaker
Date: Fri, 28 Jul 2006 14:57:51 -0500
Message-ID: <31rkc2pm5a8lbr29ke7mjkuigo9m1r3h6p@4ax.com>
References: <IOKdnRWIgph1rFfZnZ2dnUVZ_uudnZ2d@centurytel.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 13
X-Trace: 7b33944ca6c3a78d95d026728
Xref: g2news2.google.com rec.radio.amateur.equipment:5538

On Fri, 28 Jul 2006 15:48:55 GMT, "Rich" <rullery@pioneer-data.com> wrote:

>FS: ICOM SP-20 SPKR THIS SPEAKER MATCHES THE 746,746 PRO,756,756PRO SERIES.
>IT IS IN EXCELLANT CONDITION INCLUDES BUILT-IN FILTERS. NO BOX.
>$165.00 SHIPPED & INSURED.
>US lower 48 Only
>Photo here, paypal prefered
>http://www.eham.net/classifieds/saveedit/207470

Bad link to photo.....

Win

From -2548126641877049177
X-Google-Thread: 108122,6ce691816da40b78,start
X-Google-Thread: 106d41,6ce691816da40b78,start
X-Google-Thread: 10bf43,6ce691816da40b78,start
X-Google-Thread: fb049,6ce691816da40b78,start
X-Google-Thread: 101046,6ce691816da40b78,start
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-mail
From: marq_morcum@mail2queen.com
Newsgroups:

rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,alt.radio
Subject: davy has no shame!
Date: 28 Jul 2006 14:17:29 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host: 4.154.78.171
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154121455 21831 127.0.0.1 (28 Jul 2006 21:17:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Jul 2006 21:17:35 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=4.154.78.171;
   posting-account=ZZLAoQ0AAAA9vsCiHx5pFiZMMZWwQqgu
Xref: g2news2.google.com rec.radio.amateur.equipment:5539 rec.radio.cb:14658
rec.radio.amateur.policy:35345 alt.ham-radio.vhf-uhf:2355 alt.radio:360

dave hell posts pics of his skank!

http://cyberscat.com/sample/07_2.jpg

you're as sick as the fucking tard,davey!

From 421933794119054876
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.karotte.org!
koehntopp.de!news.musoftware.de!news.code-werk.net!open-news-network.org!
news2.open-news-network.org!not-for-mail
From: "Roger Wiseman" <SecwetWoger@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-radio.vhf-uhf,alt.radio
Subject: Re: davy has no shame!
Date: Fri, 28 Jul 2006 17:29:50 -0400
Organization: hide behind the curtains and pretend I'm not home
Lines: 13
Message-ID: <eadvkr$vh0$1@news2.open-news-network.org>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host:

```
NTI2MTZlNjQ2ZjZkNDk1NmNkNWEyMmFlODlkYjRhYTdiMDdmY2FlZGUwNDRjZGVjODAxNTJjM2UwYzkzYT
Q3NWE0YmIyMGFlYmJiMGVhZDZlNTYyZDNjZjQzNjVhZGMyYjhiZDNjYmNhMDgzNmY4Nw==
X-Trace: news2.open-news-network.org eJwNysEBBCEIA8CWAGNOyxEI/ZewN+/
ZQacIDht386L84TeTmqP0QtrGwrLO3lBwSZVR0++Mh+KYilT9a81reZhjHcN15HwPlRr6 (28 Jul 2006
21:30:04 GMT)
X-Complaints-To: news@news2.open-news-network.org
NNTP-Posting-Date: Fri, 28 Jul 2006 21:30:04 +0000 (UTC)
X-User-ID:
NTI2MTZlNjQ2ZjZkNDk1NmNjMDQ2YjE1ZmJjZTI0ZTY3MzRjMGMwMmYzYWE5YTliNmIyMjYyZmJjZTdlYW
VmZDAzZmQ5ODczMjQ2ZWFiM2I=
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.amateur.equipment:5540 rec.radio.cb:14659
rec.radio.amateur.policy:35346 alt.ham-radio.vhf-uhf:2356 alt.radio:361


<marq_morcum@mail2queen.com> wrote in message
news:1154121449.510461.76610@s13g2000cwa.googlegroups.com...
> dave hell posts pics of his skank!
>
> http://i7.tinypic.com/21amphy.jpg
>
> you're as sick as the fucking tard,davey!
>
Where did you find that pic of me? STOP CALLING ME A SKANK JUST BECAUSE IM
QUEER!




From -1517059012163991156
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "an old freid to some a nightmare to steve" <kb9rqz__ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: bearing false witness is a sin wismen
Date: 28 Jul 2006 14:57:33 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
```

```
NNTP-Posting-Host: 69.19.14.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154123858 28463 127.0.0.1 (28 Jul 2006 21:57:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Jul 2006 21:57:38 +0000 (UTC)
In-Reply-To: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.26;
   posting-account=IvgfvA0AAABfkDmkFekg2nkRIyiXwf8A
Xref: g2news2.google.com rec.radio.amateur.equipment:5541 rec.radio.cb:14682
rec.radio.amateur.policy:35373 alt.ham-radio.vhf-uhf:2358 alt.radio:362


marq_morcum@mail2queen.com wrote:
bearing false witness is a sin wismen




From -3422719240808612551
X-Google-Thread: 108122,2332335a8a47ddb1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!feeder.news-
service.com!138.199.65.86.MISMATCH!sn-xt-ams-06!sn-xt-ams-08!sn-ams!sn-feed-
ams-02!sn-ams!sn-feed-ams-03!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Icom SP-20 Filtered Speaker
Date: Fri, 28 Jul 2006 15:04:41 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <ue2lc29heobouoel0nok0m6ftbiciu337d@4ax.com>
References: <IOKdnRWIgph1rFfZnZ2dnUVZ_uudnZ2d@centurytel.net>
<31rkc2pm5a8lbr29ke7mjkuigo9m1r3h6p@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news2.google.com rec.radio.amateur.equipment:5542

On Fri, 28 Jul 2006 14:57:51 -0500, Win <w0lz@winlyn.us> wrote:

>On Fri, 28 Jul 2006 15:48:55 GMT, "Rich" <rullery@pioneer-data.com>
>wrote:
>
>>FS: ICOM SP-20 SPKR THIS SPEAKER MATCHES THE 746,746 PRO,756,756PRO SERIES.
>>IT IS IN EXCELLANT CONDITION INCLUDES BUILT-IN FILTERS. NO BOX.
```

```
>>$165.00 SHIPPED & INSURED.
>>US lower 48  Only
>>Photo here, paypal prefered
>>http://www.eham.net/classifieds/saveedit/207470
>
>Bad link to photo.....
>
>Win

Try http://www.eham.net/classifieds/detail/207470


From -3959739285474965905
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-
mail
From: marq_morcum@mail2queen.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
Date: 28 Jul 2006 15:40:32 -0700
Organization: http://groups.google.com
Lines: 27
Message-ID: <1154126432.490177.241890@s13g2000cwa.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 4.154.74.81
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154126438 8204 127.0.0.1 (28 Jul 2006 22:40:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Jul 2006 22:40:38 +0000 (UTC)
In-Reply-To: <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=4.154.74.81;
   posting-account=ZZLAoQ0AAAA9vsCiHx5pFiZMMZWwQqgu
Xref: g2news2.google.com rec.radio.amateur.equipment:5543 rec.radio.cb:14688
rec.radio.amateur.policy:35388 alt.ham-radio.vhf-uhf:2360 alt.radio:363


an old freid to some a nightmare to steve wrote:
> marq_morcum@mail2queen.com wrote:
> bearing false witness is a sin wismen
```

Marqueer's Message From Hell
"Then he said, I pray thee therefore, father, that thou wouldest send him to my father's house: For I have five brethren; that he may testify unto them, lest they come into this place of torment. Abraham saith unto him, They have Moses and the prophets; let them hear them. And he said, Nay, father Abraham: but if one went unto them from the dead, they will repent. And he said unto him, If they hear not Moses and the prophets, neither will they be persuaded, though one rose from the dead." Luke 16:27-31. Listen to Moses and the prophets:
"Thou shalt not lie with mankind, as with womankind: it is abomination." Leviticus 18:22.

"Hell from beneath is moved for thee to meet thee at thy coming...the worm is spread under thee, and the worms cover thee." Isaiah 14:9-11.

"The same shall drink of the wine of the wrath of God, which is poured out without mixture into the cup of his indignation; and he shall be tormented with fire and brimstone in the presence of the holy angels, and in the presence of the Lamb; And the smoke of their torment ascendeth forever and ever; and they have no rest day or night." Revelation 14:10,11.

```
From -7746139351277779869
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
Date: 28 Jul 2006 15:45:20 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1154126720.828978.54570@b28g2000cwb.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
   <1154126432.490177.241890@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.19.14.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154126726 3975 127.0.0.1 (28 Jul 2006 22:45:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Jul 2006 22:45:26 +0000 (UTC)
```

```
In-Reply-To: <1154126432.490177.241890@s13g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.19.14.26;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5544 rec.radio.cb:14692
rec.radio.amateur.policy:35392 alt.ham-radio.vhf-uhf:2361 alt.radio:364


marq_mor...@mail2queen.com wrote:
> an old freid to some a nightmare to steve wrote:
> > marq_morcum@mail2queen.com wrote:
> > bearing false witness is a sin wismen
>
> Marqueer's  Message From Hell
bearing false witness is a sin wismen




From -3416057946263668488
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Attributes: gid101046,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups: alt.radio,rec.radio.amateur.equipment,rec.radio.amateur.policy
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
<1154123853.500057.10770@p79g2000cwp.googlegroups.com>
<1154126432.490177.241890@s13g2000cwa.googlegroups.com>
<1154126720.828978.54570@b28g2000cwb.googlegroups.com>
Subject: Re: bearing false witness is a sin wismen
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <eAyyg.24720$Cn6.15120@tornado.texas.rr.com>
Date: Sat, 29 Jul 2006 01:10:34 GMT
NNTP-Posting-Host: 67.10.94.44
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1154135434 67.10.94.44 (Fri, 28 Jul 2006 20:10:34
CDT)
NNTP-Posting-Date: Fri, 28 Jul 2006 20:10:34 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com alt.radio:365 rec.radio.amateur.equipment:5545
rec.radio.amateur.policy:35407
```

```
"an_old_friend" <konstans@hotmail.com> wrote in message
news:1154126720.828978.54570@b28g2000cwb.googlegroups.com...
>
> marq_mor...@mail2queen.com wrote:
>> an old freid to some a nightmare to steve wrote:
>> > marq_morcum@mail2queen.com wrote:
>> > bearing false witness is a sin wismen
>>
>> Marqueer's  Message From Hell
> bearing false witness is a sin wismen
>

Idiot




From -7519912740493391788
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-
mail
From: "Konstans_with_a_C" <Konstans_with_a_c@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
Date: 28 Jul 2006 18:18:28 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1154135908.667721.143700@s13g2000cwa.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
   <1154126432.490177.241890@s13g2000cwa.googlegroups.com>
   <1154126720.828978.54570@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 4.153.215.0
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154135914 29151 127.0.0.1 (29 Jul 2006 01:18:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Jul 2006 01:18:34 +0000 (UTC)
In-Reply-To: <1154126720.828978.54570@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
yie6),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=4.153.215.0;
   posting-account=uHpyrg0AAADNXujxIzV6aEa2prmBGQYY
Xref: g2news2.google.com rec.radio.amateur.equipment:5546 rec.radio.cb:14701
rec.radio.amateur.policy:35412 alt.ham-radio.vhf-uhf:2362 alt.radio:366


an_old_friend wrote:
> marq_mor...@mail2queen.com wrote:
> > an old freid to some a nightmare to steve wrote:
> > > marq_morcum@mail2queen.com wrote:
> > > bearing false witness is a sin wismen
> >
> > Marqueer's  Message From Hell
> bearing false witness is a sin wismen

dave is a pussy.



From -6810906228567885161
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "Konstans_with_a_C" <Konstans_with_a_c@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
Date: 28 Jul 2006 18:22:58 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1154136178.358115.268820@b28g2000cwb.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
   <1154126432.490177.241890@s13g2000cwa.googlegroups.com>
   <1154126720.828978.54570@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 4.153.215.0
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154136183 29959 127.0.0.1 (29 Jul 2006 01:23:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Jul 2006 01:23:03 +0000 (UTC)
In-Reply-To: <1154126720.828978.54570@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
yie6),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=4.153.215.0;
   posting-account=uHpyrg0AAADNXujxIzV6aEa2prmBGQYY
Xref: g2news2.google.com rec.radio.amateur.equipment:5547 rec.radio.cb:14702
rec.radio.amateur.policy:35413 alt.ham-radio.vhf-uhf:2363 alt.radio:367
```

an_old_friend   "69.19.14.26 traced to: dpc691914026.direcpc.com"
wrote:
STFU FAGGOT

```
From 6945748634168798748
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
Date: 28 Jul 2006 19:56:16 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1154141775.991246.161980@m73g2000cwd.googlegroups.com>
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
   <1154123853.500057.10770@p79g2000cwp.googlegroups.com>
   <1154126432.490177.241890@s13g2000cwa.googlegroups.com>
   <1154126720.828978.54570@b28g2000cwb.googlegroups.com>
   <1154136178.358115.268820@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.32
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1154141781 12620 127.0.0.1 (29 Jul 2006 02:56:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Jul 2006 02:56:21 +0000 (UTC)
In-Reply-To: <1154136178.358115.268820@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.32;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5548 rec.radio.cb:14708
rec.radio.amateur.policy:35419 alt.ham-radio.vhf-uhf:2364 alt.radio:368
```

```
Konstans_with_a_C wrote:
> an_old_friend   "69.19.14.26 traced to: dpc691914026.direcpc.com"
> wrote:
> STFU FAGGOT
yes I post from hughes net so what?
no way that require to shut up
bearing false witness is a sin




From -8580771376547976124
X-Google-Thread: 108122,6ce691816da40b78
X-Google-Thread: 106d41,6ce691816da40b78
X-Google-Thread: 10bf43,6ce691816da40b78
X-Google-Thread: fb049,6ce691816da40b78
X-Google-Thread: 101046,6ce691816da40b78
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gidfb049,gid101046,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44CAD6E4.3040500@fuse.net>
Date: Fri, 28 Jul 2006 23:32:52 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,alt.ham-
radio.vhf-uhf,alt.radio
Subject: Re: bearing false witness is a sin wismen
References: <1154121449.510461.76610@s13g2000cwa.googlegroups.com>
<1154123853.500057.10770@p79g2000cwp.googlegroups.com>
<1154126432.490177.241890@s13g2000cwa.googlegroups.com>
<1154126720.828978.54570@b28g2000cwb.googlegroups.com>
<1154136178.358115.268820@b28g2000cwb.googlegroups.com>
<1154141775.991246.161980@m73g2000cwd.googlegroups.com>
In-Reply-To: <1154141775.991246.161980@m73g2000cwd.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 16
X-Trace: b91d444cad73be098318612711
Xref: g2news2.google.com rec.radio.amateur.equipment:5549 rec.radio.cb:14712
rec.radio.amateur.policy:35432 alt.ham-radio.vhf-uhf:2366 alt.radio:369

an_old_friend wrote:
> Konstans_with_a_C wrote:
>
>>an_old_friend   "69.19.14.26 traced to: dpc691914026.direcpc.com"
>>wrote:
>>STFU FAGGOT
```

```
>
> yes I post from hughes net so what?
> no way that require to shut up
> bearing false witness is a sin
>
Nobody cares.  Why don't you just get married in a state that accepts
gay marriage and be done with it?  Gay or not, quit crapping on the
newsgroups.

It's getting very old and nobody cares.



From 3456727012600825693
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz___ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 15 Jul 2006 21:15:46 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
   <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153023352 27475 127.0.0.1 (16 Jul 2006 04:15:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Jul 2006 04:15:52 +0000 (UTC)
In-Reply-To: <7niug.540$157.330@newsread3.news.pas.earthlink.net>
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=66.82.9.90;
   posting-account=yF5n7A0AAAB9ddl6N7-ePSjSvfRHGK0S
Xref: g2news2.google.com rec.radio.amateur.equipment:5349
rec.radio.amateur.misc:16606 rec.radio.amateur.policy:33372 rec.radio.scanner:4019
rec.radio.swap:5250


Slow Code wrote:
> "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com> wrote in
> news:1152977367.743288.235400@35g2000cwc.googlegroups.com:
>
> >

> > True, Markie was in the Special Ed classes and they tend not to
> > actually call their retarded students "retards."
>
>
> LOL, Markie rode the short bus to school.
nope

infact I as far as I recall I never rode a bus to school at all

other than I did try a few times geting to college on the city bus
system it took way to long and saved very little (but gas cheaper then)
>
> Sc




From -1903111725531962238
X-Google-Thread: f55c2,d6c4b1e23a8d7c93
X-Google-Thread: f4306,d6c4b1e23a8d7c93
X-Google-Thread: fb049,d6c4b1e23a8d7c93
X-Google-Thread: 11480d,d6c4b1e23a8d7c93
X-Google-Thread: 108122,d6c4b1e23a8d7c93
X-Google-Thread: 107ada,d6c4b1e23a8d7c93
X-Google-Thread: f64c6,d6c4b1e23a8d7c93
X-Google-Attributes:
gidf55c2,gidf4306,gidfb049,gid11480d,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
213.132.189.1.MISMATCH!multikabel.net!feed10.multikabel.net!hwmnpeer01.ams!news-
out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-
win.ntli.net!newsfe2-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Jim GM4DHJ" <jim.gm4dhj@ntlworld.com>
Newsgroups: alt.ham-radio.mods,alt.ham-radio.packet,alt.ham-radio.vhf-
uhf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.rad
io.amateur
```

References: <44b9bbc0$1$22123$afc38c87@news.optusnet.com.au>
Subject: Re: icom 725 hf transceiver
Lines: 15
Organization: GM4DHJ
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <VTkug.22791$IU2.832@newsfe2-win.ntli.net>
Date: Sun, 16 Jul 2006 06:19:33 GMT
NNTP-Posting-Host: 82.10.6.216
X-Trace: newsfe2-win.ntli.net 1153030773 82.10.6.216 (Sun, 16 Jul 2006 07:19:33 BST)
NNTP-Posting-Date: Sun, 16 Jul 2006 07:19:33 BST
Xref: g2news2.google.com alt.ham-radio.mods:166 alt.ham-radio.packet:120 alt.ham-radio.vhf-uhf:2239 rec.radio.amateur.dx:2312 rec.radio.amateur.equipment:5350 rec.radio.amateur.misc:16608 uk.radio.amateur:46548

> etc radio works ok im selling this radio for $450aus ono , the radio
> would
> be ok for the foundation member in australia this power is 100 watts plus
> on
> all bands as far as i know it is easily adjusted down to 10 watts minimum
> ok
> .thanks in advance david nsw australia .
>
>
>
>

yes... just turn the power output down on the front panel control.......

From -4817779821808106207
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.cgocable.net!pd7cy1no!pd7cy2no!shaw.ca!pd7tw1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.149.123.72
From: John Barnard <jfjb@shaw.ca>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave

Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET> <3C_tg.191877$IK3.72019@pd7tw1no>
<aced7$44b8dafd$d06640f9$20342@FUSE.NET>
In-Reply-To: <aced7$44b8dafd$d06640f9$20342@FUSE.NET>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 41
Message-ID: <Fqmug.196144$IK3.83468@pd7tw1no>
Date: Sun, 16 Jul 2006 08:04:53 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw1no 1153037093 24.70.95.207 (Sun, 16 Jul 2006 02:04:53 MDT)
NNTP-Posting-Date: Sun, 16 Jul 2006 02:04:53 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:14714
rec.radio.amateur.equipment:5351 rec.radio.amateur.misc:16610
rec.radio.amateur.policy:33376 rec.radio.shortwave:44459

J. D. B. wrote:
> Sorry John, do some reading for once as that is the reality of the
> Canadian system. You'll actually learn something if you do research
> yourself and not just listen to NPR and CNN.
>
> Now, on the other hand, if you live in the U.K., you'll still have
> healthcare through the end of the year, but if you are too old, they
> just let you die as it is not worth the expenditure to keep someone
> old alive even longer. But again, hey, your estate gets to keep the
> money!
>
> Come on, this isn't really John now is it? Hillary Clinton, is that
> you?
>
> John Barnard wrote:
>
>> You are one delusional mofo! Lay off the Bush sauce and you'll be
>> able to handle reality.
>
>> JB
>>
>
Here are your words:

> If you get sick late in the year, and the healthcare
> facility/hospital shut down for the rest of the year because it ran
> out of government money (a typical scenario in Canada), there will be
> no one to give you any care and you'll just die.

Pray tell, oh wise one, from what source are you getting this
information? You claim that this is a typical scenario in Canada, which
is utter BS (= Bush shit), which means that it happens all the time. It
seems rather strange that none of this seems to make the headlines or news.

BTW, I overheard this while I was visiting in Toronto and witnessed an
accident: " Wow! The police and ambulance are much quicker here than in
Atlanta".

JB

```
From 3180554705510561029
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.154.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!PAISP.COM-a2kHrUvQQWlmc!not-for-mail
From: Big Rich Soprano <BucSoprano@gmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Sun, 16 Jul 2006 05:59:37 -0400
Message-ID: <ce3kb2dftggg5ns54ci5fcdl216toqg55k@4ax.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 8
X-Trace: 3014444ba0e059ac92f9025579
Xref: g2news2.google.com rec.radio.cb:13617 rec.radio.swap:5253
rec.radio.amateur.equipment:5352
```

>Alot of people are telling me that CB is just for inbred hicks and that
>I should replace the CB in my truck with a ham radio.   What do you
>think?

The 2 meter CB is useless on long trips when you'd like to know where the cops are but it will give you better directions! So it's a toss up...

```
From 1857016221868419302
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!PAISP.COM-a2kHrUvQQWlmc!not-for-mail
From: Big Rich Soprano <BucSoprano@gmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Sun, 16 Jul 2006 06:01:38 -0400
Message-ID: <gh3kb2lmm34t3btndbgg9nifnffe0ej7l4@4ax.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<bBCsg.49394$W97.20808@twister.nyroc.rr.com>
<kmq7b21g6b8697132r4j0ac1qr7gvni20l@4ax.com>
<20060711163939.819$5l@newsreader.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 11
X-Trace: e7bcc44ba0e7e9ac92f9025579
Xref: g2news2.google.com rec.radio.cb:13618 rec.radio.swap:5254
rec.radio.amateur.equipment:5353
```

>Right, and how do you send CW while driving your pick-up truck with the
>twin talkers -and- the on the air lights mounted on the roll bar? It's bad
>enuff running around with the 102" whip banging off everything low, let
>alone trying to tap out some directions to your ham buddy on the highway
>via CW. :)

>CW rules in disasters tho..

I went to a hamfest many many moons ago and met this guy who could send 60 wmp while driving with a strap on army key on his knee!

```
From 8877271214022478859
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news-out2.kabelfoon.nl!
newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!138.199.65.86.MISMATCH!sn-xt-ams-06!
sn-xt-ams-08!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
Date: Sun, 16 Jul 2006 06:30:04 -0400
Organization: The Listener at The Gates of Dawn
Message-ID: <44BA152C.550F3708@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET> <3C_tg.191877$IK3.72019@pd7tw1no>
<aced7$44b8dafd$d06640f9$20342@FUSE.NET> <Fqmug.196144$IK3.83468@pd7tw1no>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 44
Xref: g2news2.google.com rec.radio.amateur.antenna:14716
rec.radio.amateur.equipment:5354 rec.radio.amateur.misc:16612
rec.radio.amateur.policy:33378 rec.radio.shortwave:44466

John Barnard wrote:

> J. D. B. wrote:
> > Sorry John, do some reading for once as that is the reality of the
> > Canadian system. You'll actually learn something if you do research
> > yourself and not just listen to NPR and CNN.
> >
> > Now, on the other hand, if you live in the U.K., you'll still have
> > healthcare through the end of the year, but if you are too old, they
> > just let you die as it is not worth the expenditure to keep someone
> > old alive even longer. But again, hey, your estate gets to keep the
> > money!

```
> >
> > Come on, this isn't really John now is it?  Hillary Clinton, is that
> > you?
> >
> > John Barnard wrote:
> >
> >> You are one delusional mofo! Lay off the Bush sauce and you'll be
> >> able to handle reality.
> >
> >> JB
> >>
> >
> Here are your words:
>
> > If you get sick late in the year, and the healthcare
> > facility/hospital shut down for the rest of the year because it ran
> > out of government money (a typical scenario in Canada), there will be
> > no one to give you any care and you'll just die.
>
> Pray tell, oh wise one, from what source are you getting this
> information? You claim that this is a typical scenario in Canada, which
> is utter BS (= Bush shit),

Are you certain that isn't Barnard shit?

dxAce
Michigan
USA




From 5621608625285218367
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
tudelft.nl!txtfeed1.tudelft.nl!feeder1.cambrium.nl!feed.tweaknews.nl!sn-xt-ams-06!
sn-xt-ams-05!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-
for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
Date: Sun, 16 Jul 2006 09:22:51 -0400
Organization: The Listener at The Gates of Dawn
Message-ID: <44BA3DAB.472F96E6@milestones.com>
```

```
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET> <3C_tg.191877$IK3.72019@pd7tw1no>
<aced7$44b8dafd$d06640f9$20342@FUSE.NET> <Fqmug.196144$IK3.83468@pd7tw1no>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 53
Xref: g2news2.google.com rec.radio.amateur.antenna:14719
rec.radio.amateur.equipment:5355 rec.radio.amateur.misc:16614
rec.radio.amateur.policy:33379 rec.radio.shortwave:44474



John Barnard wrote:

> J. D. B. wrote:
> > Sorry John, do some reading for once as that is the reality of the
> > Canadian system.  You'll actually learn something if you do research
> > yourself and not just listen to NPR and CNN.
> >
> > Now, on the other hand, if you live in the U.K., you'll still have
> > healthcare through the end of the year, but if you are too old, they
> > just let you die as it is not worth the expenditure to keep someone
> > old alive even longer.  But again, hey, your estate gets to keep the
> > money!
> >
> > Come on, this isn't really John now is it?  Hillary Clinton, is that
> > you?
> >
> > John Barnard wrote:
> >
> >> You are one delusional mofo! Lay off the Bush sauce and you'll be
> >> able to handle reality.
> >
> >> JB
> >>
> >
> Here are your words:
>
```

> > If you get sick late in the year, and the healthcare
> > facility/hospital shut down for the rest of the year because it ran
> > out of government money (a typical scenario in Canada), there will be
> > no one to give you any care and you'll just die.
>
> Pray tell, oh wise one, from what source are you getting this
> information? You claim that this is a typical scenario in Canada, which
> is utter BS (= Bush shit), which means that it happens all the time. It
> seems rather strange that none of this seems to make the headlines or news.

Maybe they just don't want you to know the truth? Not surprising, since the
government in CanaDuh woud fall if you ever discovered the truth.

> BTW, I overheard this while I was visiting in Toronto and witnessed an
> accident: " Wow! The police and ambulance are much quicker here than in
> Atlanta".

Did the accident involve the police and the ambulance racing to the donut shop?
Maybe that's why they appeared to be quicker.

dxAce
Michigan
USA

From 1310131581607459324
X-Google-Thread: fc8b1,1b0b48303df5e3a1,start
X-Google-Thread: f7653,1b0b48303df5e3a1,start
X-Google-Thread: 11480d,1b0b48303df5e3a1,start
X-Google-Thread: 108122,1b0b48303df5e3a1,start
X-Google-Thread: fc2a5,1b0b48303df5e3a1,start
X-Google-Thread: 107ada,1b0b48303df5e3a1,start
X-Google-Thread: fa029,1b0b48303df5e3a1,start
X-Google-Thread: 114aac,1b0b48303df5e3a1,start
X-Google-Attributes:
gidfc8b1,gidf7653,gid11480d,gid108122,gidfc2a5,gid107ada,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: "Dexxsterlab" <dexxster@email.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.shortwave
Subject: Re: YAESU FT-817 FT-857 FT-897 KEYPAD
Date: Sun, 16 Jul 2006 15:34:54 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Lines: 7

```
Message-ID: <44ba407e$0$30141$4fafbaef@reader4.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 80.182.68.147
X-Trace: 1153056894 reader4.news.tin.it 30141 80.182.68.147:11644
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4740
rec.radio.amateur.digital.misc:317 rec.radio.amateur.dx:2313
rec.radio.amateur.equipment:5356 rec.radio.amateur.homebrew:6257
rec.radio.amateur.misc:16615 rec.radio.scanner:4022 rec.radio.shortwave:44475
```

A keypad for your Yaesu FT-8x7 transceiver

http://www.dexxsterlab.com/kp8x7/kp8x7e.pdf

http://www.qsl.net/it9xxs

```
From 6825176084570931261
X-Google-Thread: 108122,bb16bb710bfedff0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "ve3fwf@sympatico.ca" <bernard.murphy@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Strange problem with ICOM AT500 tuner
Date: 16 Jul 2006 07:07:25 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1153058845.153691.233310@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 70.49.138.116
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153058850 16010 127.0.0.1 (16 Jul 2006 14:07:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Jul 2006 14:07:30 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=70.49.138.116;
   posting-account=-NaoTQ0AAABzBYuH0eSuo8jCQ0-Afa_z
Xref: g2news2.google.com rec.radio.amateur.equipment:5357
```

My ICOM AT500 has a fault where the auto tuner portion works properly
on transmit but on receive, the tuner retunes to a non matched setting.

The presets work and I can manualy tune the tuner via the presets (but
that defeats the point of having an auto tuner)

Problems began when the shaft on one of the motors come loose. I believe I have everything mechanically back together correctly as there seems no way that the auto tuner portion should work on transmit and then de-tune on receive.

This unit is full of analog circuits and I have no clue where to start.

Any help or suggestions would be appreciated.

73, Bernie, VE3FWF

From -3349331974712845447
X-Google-Thread: 108122,3796b43ba43644ae,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!NAXS.COM-a2kHrUvQQWlmc!not-for-mail
Reply-To: "Jim" <jbasi@cfw.com>
From: "Jim" <jbasi@cfw.com>
Newsgroups: rec.radio.amateur.equipment
Subject: need DS1678 source
Date: Sun, 16 Jul 2006 21:54:53 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <74f71$44ba601e$d80c3d55$32070@NAXS.COM>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 8
X-Trace: 74f7144ba601e7da998f032070
Xref: g2news2.google.com rec.radio.amateur.equipment:5358

The Dallas/Maxim DS1678 event logger has appearently been discontinued. Can someone please suggest a source for a small number (10-15) of these chips?

Thanks
Jim
jbasi@cfw.com

From -5120062005795549677
X-Google-Thread: 108122,b6ae1390702f7319,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-

```
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Bird Model 43 Wattmeter
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <vBuug.137750$mF2.103649@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 16 Jul 2006 17:22:35 GMT
NNTP-Posting-Host: 12.77.138.133
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1153070555 12.77.138.133 (Sun, 16 Jul
2006 17:22:35 GMT)
NNTP-Posting-Date: Sun, 16 Jul 2006 17:22:35 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5359

FS in like new condition a Bird Model 43 Wattmeter with SO-239
connectors and leather carry case for $175 plus shipping.

Also have following elements for $40 each plus shipping:

5C      100-250MHZ   5 Watt
50C     100-250MHZ   5 Watt
250H     2-30 MHZ    250Watt


From 520064939442505548
X-Google-Thread: 108122,86eb5d9a2ff2312a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Astatic D-104 Microphone
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <0Tuug.137805$mF2.82819@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 16 Jul 2006 17:41:16 GMT
NNTP-Posting-Host: 12.77.138.133
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1153071676 12.77.138.133 (Sun, 16 Jul
2006 17:41:16 GMT)
NNTP-Posting-Date: Sun, 16 Jul 2006 17:41:16 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5360

FS like new Astatic D-104 Microphone with no base for $10 plus shipping.


From -2927859468529354787
X-Google-Thread: 108122,2a257fcc60731da0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Yaesu FT-900 HF Mobile Transceiver
Message-ID: <a3alb21uqnimghcnrbaopi7chbb9kdjcch@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Sun, 16 Jul 2006 16:58:22 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1153083583 69.125.167.162 (Sun, 16 Jul 2006 13:59:43 MST)
NNTP-Posting-Date: Sun, 16 Jul 2006 13:59:43 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5361

WTB: Yaesu FT-900 HF Mobile Transceiver
Please leave condition and price through email.
ritchi50@optonline.net



From 2595644557419517801
X-Google-Thread: 108122,7a8c6453fcb34a8f,start
X-Google-Thread: 107ada,7a8c6453fcb34a8f,start
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f,start
X-Google-Thread: 114aac,7a8c6453fcb34a8f,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-
out.readnews.com!spool-big2.readnews.com!diablo3.voicenet.com!
snip.allthenewsgroups.com!not-for-mail
Reply-To: "Roooooooodney" <capofthecream6@barneybignosebaglemaker.com>
From: "Roooooooodney" <capofthecream6@barneybignosebaglemaker.com>
```

Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
Subject: Re: Ralph Ennis, WA6GVG, and Paul McKesson, W7DVJ, Are So Great!
Date: Sun, 16 Jul 2006 18:28:50 -0400
Lines: 50
Organization: remember Roooooooooooodneyyy!! ?
MIME-Version: 1.0
Content-Type: text/plain;
    charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Message-ID: <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc5a-209-204-91-169.sniparpa.net
X-Trace: ded3f44babdc17469fe0c12590
Xref: g2news2.google.com rec.radio.amateur.equipment:5362
rec.radio.amateur.misc:16626 rec.radio.amateur.policy:33407 rec.radio.cb:13634
rec.radio.shortwave:44563

<folson@innercite.com> wrote in message
news:1152994937.233695.66730@b28g2000cwb.googlegroups.com...

> That I have established a permanent audio shrine to them at
> www.hamjamming.com featuring lots and lots of free .mp3
> downloads of their
> hilarious QSOs from the '70's and '80's. Go to the "audio files" page.
> Enjoy!
>
> W6WBJ - I just love the hom radio!

----> hamjamming dot com ROCKS !!!!!!!!!!!!!!! Great job dude!

Now if SOMEONE could just set up an online
shrine with .MP3 files of the infamous 14.313/14.300/3.894.5
wars of several years ago, the cycle would be complete.

WWW.HAMJAMMERS.COM

Free Audio Downloads From The Dark Netherworld of Ham Radio:

The Most Infamous Lids To Ever Disgrace The Amateur Service!

This website is devoted to demonstrating what an absolutely
worthless, stupid hobby ham radio is.If anybody tells you that
ham radio is fun, or interesting, or that you will meet nice,
interesting people by becoming a ham, DON'T BELIEVE THEM!

Hams are the biggest group of whiners, snivelers, complainers and all-around no-talent losers you will ever meet.This is because the system itself is a veritable recipe for selecting dweebs and idiots with pocket protectors: Take a fat dweeb who has no friends or social skills and can't get a date; give him a trivial exam where the questions and answers are all available beforehand; and then give him a license and tell him he's somehow "special". Voila! You have an insufferable, boring ham radio operator who thinks he's morally and intellectually superior to other people.

It's inevitable. Don't make the mistake of getting involved in this hobby!

WARNING: Some of the audio files are rated "R"! Your Webmaster cannot be responsible if you become addicted to listening to jamming recordings and you lose your job because you don't show up for work.

```
From -2008862628664390371
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: Ralph Ennis, WA6GVG, and Paul McKesson, W7DVJ, Are So Great!
Date: 16 Jul 2006 15:35:24 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153089328 13687 127.0.0.1 (16 Jul 2006 22:35:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Jul 2006 22:35:28 +0000 (UTC)
In-Reply-To: <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=69.19.14.27;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5363
rec.radio.amateur.misc:16627 rec.radio.amateur.policy:33409 rec.radio.cb:13635
rec.radio.shortwave:44564


Roooooooodney wrote:
> <folson@innercite.com> wrote in message
> news:1152994937.233695.66730@b28g2000cwb.googlegroups.com...
> > That I have established a permanent audio shrine to them at
nah it is cw that causes the stupidity




From 1954671085440334526
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "TheMonger" <baked_ham_with_cb@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: Ralph Ennis, WA6GVG, and Paul McKesson, W7DVJ, Are So Great!
Date: 16 Jul 2006 16:01:56 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 4.153.211.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153090921 18227 127.0.0.1 (16 Jul 2006 23:02:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Jul 2006 23:02:01 +0000 (UTC)
In-Reply-To: <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
yie6),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=4.153.211.25;
   posting-account=4P-egA0AAABeB_g1TcKuOdag2Nf8f-5x
Xref: g2news2.google.com rec.radio.amateur.equipment:5364
```

```
rec.radio.amateur.misc:16628 rec.radio.amateur.policy:33411 rec.radio.cb:13636
rec.radio.shortwave:44568
```

an_old_friend wrote:
Konstans with a C is gay enough for me!
<fagfiltered>

shut up markie you silly queen!

yes, that is a great site. the accurate ham site i've ever seen.

```
From 641252951027627488
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: Ralph Ennis, WA6GVG, and Paul McKesson, W7DVJ, Are So Great!
Date: 16 Jul 2006 16:05:25 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1153091125.756626.275680@i42g2000cwa.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153091130 5181 127.0.0.1 (16 Jul 2006 23:05:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Jul 2006 23:05:30 +0000 (UTC)
In-Reply-To: <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5365
rec.radio.amateur.misc:16629 rec.radio.amateur.policy:33412 rec.radio.cb:13637
rec.radio.shortwave:44569
```

```
TheMonger wrote:
> an_old_friend wrote:
> Konstans with a C is gay enough for me!
> <fagfiltered>
>
> shut up markie you silly queen!
no
```

```
From -9110513733506500005
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44BAEB96.7010107@fuse.net>
Date: Sun, 16 Jul 2006 21:44:54 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
References: <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
In-Reply-To: <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 17
X-Trace: 67ca444baebe3e098318608446
Xref: g2news2.google.com rec.radio.amateur.antenna:14742
rec.radio.amateur.equipment:5366 rec.radio.amateur.misc:16631
rec.radio.amateur.policy:33420 rec.radio.shortwave:44581

Slow Code wrote:
> "RHF" <rhf-newsgroups@pacbell.net> wrote in
> news:1152720850.662591.37690@b28g2000cwb.googlegroups.com:
>
>
>>JB - Spoken like a True Red and White
>>{Blue-in-the-Face} Canadian ~ RHF
>> .
>> .
>>. .
>>
>
>
>
>  Kanadians are more Red...  Commie Red.
>
slow code is lo-co


From 6183899154461736370
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
Date: 16 Jul 2006 19:00:24 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1153101624.875176.246610@h48g2000cwc.googlegroups.com>
References: <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <wh4mg.139$lv.109@fed1read12>
   <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
   <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
   <129lvnf4h9st2d3@corp.supernews.com>
   <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
   <129m9ijcnshm47f@corp.supernews.com>
   <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
   <129ofcclvejs22f@corp.supernews.com>
   <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
   <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
   <dX%mg.79692$iF6.12453@pd7tw2no>
   <1152720850.662591.37690@b28g2000cwb.googlegroups.com>
   <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
   <44BAEB96.7010107@fuse.net>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153101629 424 127.0.0.1 (17 Jul 2006 02:00:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 02:00:29 +0000 (UTC)
In-Reply-To: <44BAEB96.7010107@fuse.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.27;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:14743
rec.radio.amateur.equipment:5367 rec.radio.amateur.misc:16632
rec.radio.amateur.policy:33423 rec.radio.shortwave:44584


jawod wrote:
> Slow Code wrote:
> > "RHF" <rhf-newsgroups@pacbell.net> wrote in
> > news:1152720850.662591.37690@b28g2000cwb.googlegroups.com:
> >
> >
> >>JB - Spoken like a True Red and White
> >>{Blue-in-the-Face} Canadian ~ RHF
> >> .
> >> .
> >>. .
> >>
> >
> >
> >
> >  Kanadians are more Red...  Commie Red.
> >
> slow code is lo-co
yea he canada arabs jews it seems, Ham radio, republicans and democrats

anybody he doesn't hate




From -194183026441177326
X-Google-Thread: 108122,353c1298bb81d680,start
X-Google-Thread: 1062f2,353c1298bb81d680,start
X-Google-Attributes: gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-
mail
```

```
NNTP-Posting-Date: Sun, 16 Jul 2006 21:01:43 -0500
Subject: FA: 6 Books: ELECTRONICS, DIGITAL, ANALOG, SWITCHING, LOGIC, etc.
Date: Sun, 16 Jul 2006 22:01:43 -0400
From: Tom <tom@smoofoattoma.com>
Newsgroups: rec.radio.amateur.equipment,misc.industry.electronics.marketplace
Message-ID: <160720062201436991%tom@smoofoattoma.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-1l1ggnUckCIz/KIpom7u5rweJbQmU8cvR5TYRW9/
a8mGh7aJPYhJ2qNYCnihoH0UCEoBsMHoyote8fW!W7Z5MYeBUewr/
rwYKGyx6EHjCIKTz45la9dRdCt1SM5sypFN5MmzYCQA7eUtdUOjst5yRxzxJ2Ui!
z1kAVDnodgHK80kDnImqGzk=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5368
misc.industry.electronics.marketplace:531


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320007867025


From -2291328550259353472
X-Google-Thread: 108122,76b5a7c84e849f9b,start
X-Google-Thread: 108228,76b5a7c84e849f9b,start
X-Google-Thread: 1062f2,76b5a7c84e849f9b,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 16 Jul 2006 21:02:58 -0500
Subject: FA: 5 Books: HAM RADIO, Electronics, IEEE, Extra Class, etc.
Date: Sun, 16 Jul 2006 22:02:58 -0400
From: Tom <tom@smoofoattoma.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <160720062202581530%tom@smoofoattoma.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
Yp7cpY0wLjG4e1MrwrulaiYIEL8XXO2U51CwxAOfqqa21sgckyYfCz3kD9vvv7XmPb6S2TiGBnLFktC!
```

```
YfdNkHJjvXFHIuYafkC9w+YDrISzkjiMFehYsoY9bGMNYbM8sAR/dnaC19zH4mp6aWaDzKK80KyI!XeMH/
3+GpPEedD55HZx93rk=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5369 alt.ham-
radio.marketplace:1116 misc.industry.electronics.marketplace:532
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320007867054

```
From -5969255398935263406
X-Google-Thread: 108122,8e540d002ea75847,start
X-Google-Thread: 108228,8e540d002ea75847,start
X-Google-Thread: 1062f2,8e540d002ea75847,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-
mail
NNTP-Posting-Date: Sun, 16 Jul 2006 21:03:59 -0500
Subject: FA: 5 Books on MICROPROCESSORS: 6800, 68000, 8080, 8085, 68HC11, more...
Date: Sun, 16 Jul 2006 22:03:59 -0400
From: Tom <tom@smoofoattoma.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <160720062203595179%tom@smoofoattoma.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-VdVvZ7Qn3yYBtIAKBt97kGoFbugzdECSCABB8ohUJtjn/AOJCnieX/
BFm8wgxJVr80tUoFwaB0Doo8y!
jefIHGx3JyaYs7ZkwALqSAbCTw2Oizjdv55OjZNNisdF9fS+t1E5qjmEhxBuqwRJCWxTq+qCwJpw!
Y1VF849e7m/Qx6Cns1UDvoc=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5370 alt.ham-
radio.marketplace:1117 misc.industry.electronics.marketplace:533
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320007867073

From 305638731950617896
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44BAF4C5.4060705@fuse.net>
Date: Sun, 16 Jul 2006 22:24:05 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET> <3C_tg.191877$IK3.72019@pd7tw1no>
<aced7$44b8dafd$d06640f9$20342@FUSE.NET>
In-Reply-To: <aced7$44b8dafd$d06640f9$20342@FUSE.NET>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 30
X-Trace: 95e0644baf512e098318627457
Xref: g2news2.google.com rec.radio.amateur.antenna:14748
rec.radio.amateur.equipment:5371 rec.radio.amateur.misc:16633
rec.radio.amateur.policy:33432 rec.radio.shortwave:44590

J. D. B. wrote:
> Sorry John, do some reading for once as that is the reality of the
> Canadian system. You'll actually learn something if you do research
> yourself and not just listen to NPR and CNN.
>

```
> Now, on the other hand, if you live in the U.K., you'll still have
> healthcare through the end of the year, but if you are too old, they
> just let you die as it is not worth the expenditure to keep someone old
> alive even longer.  But again, hey, your estate gets to keep the money!
>
> Come on, this isn't really John now is it?  Hillary Clinton, is that you?
>
> John Barnard wrote:
>
>> You are one delusional mofo! Lay off the Bush sauce and you'll be able
>> to handle reality.
>
>
>> JB
>>
Oh Brother!
Reality check time: Why don't YOU read a bit about Medicare D?
Aging baby boomers are about to be screwed in ways they couldn't even
imagine.

Insurance companies entirely control Congressional debate and actually
write the rules.  Most of Congress doesn't even READ what they're
signing on to.

O'Reilly, is that you?



From 5778598475673619900
X-Google-Thread: 108122,e0c39e05849d373,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!pln-e!spln!dex!extra.newsguy.com!
newsp.newsguy.com!enews3
From: maradcliff@UNLISTED.com
Newsgroups: rec.radio.amateur.equipment
Subject: Can someone explain DX Ducting?
Date: Mon, 17 Jul 2006 00:47:33 -0500
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 40
Message-ID: <948mb2pfnri17tu2ljrb0fnr106hcjl9uf@4ax.com>
NNTP-Posting-Host: p-729.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 1.93/32.576 English (American)
Xref: g2news2.google.com rec.radio.amateur.equipment:5372

I hope this is the correct newsgroup for this question.
Can someone explain DX Ducting?
I believe thats the correct word.

I live in a rural area, and my nearest tv stations are about 50 miles
```

away. Those 3 stations normally come in pretty good. (one VHF, two UHF) I have a 7 element antenna pointed approx. north (toward that city). The other closer stations are to the south, and are 65 and 90 miles away. They dont come in as good, but are usually viewable. Turning the antenna South helps those, but I have to do it manually until I get a new rotor. (old one died).

For some reason, starting on Saturday, I have been getting tv stations from up to 275 miles away, yet I can not get any of these "local" stations at all. What's really weird, is that the stations I am getting are all to the East of me. In other words, they are broadside to the antenna. I have never heard of getting a signal on the broadside.....

Just for grins, I called the 800 number of one of these distant stations, and they were happy to hear they were transmitting about 250 miles. They said the reason is called ductingm and said it's caused by the atmosphere and weather conditions.

OK, I can undestand this (sort of). I do recall back in the 70's when I had a CB radio in my car, and getting "Skip". But this TV things is different, becasue a tv antenna is directional, unlike a CB antenna that tends to transmit in all directions.

I looked up "Ducting" on the web. Most were about heating ducts, but did find one link which was way over my head. I'd have to be an engineer to understand it.

In simple terms, could someone please explain this. Particularly why I can not get the "local" stations, and how can I get very distant signals on the broadside of my antenna?

Thanks

Mark

From 1003940675248885599
X-Google-Thread: 108122,e0c39e05849d373
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can someone explain DX Ducting?
Date: Mon, 17 Jul 2006 16:58:09 +0900
Organization: Korea Telecom
Lines: 21
Message-ID: <e9ffq8$3r8$1@news2.kornet.net>
References: <948mb2pfnri17tu2ljrb0fnr106hcjl9uf@4ax.com>
NNTP-Posting-Host: 218.155.118.193
X-Trace: news2.kornet.net 1153122952 3944 218.155.118.193 (17 Jul 2006 07:55:52

GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Mon, 17 Jul 2006 07:55:52 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5373

<maradcliff@UNLISTED.com> wrote in message
news:948mb2pfnri17tu2ljrb0fnr106hcjl9uf@4ax.com...
>I hope this is the correct newsgroup for this question.
> Can someone explain DX Ducting?
> I believe thats the correct word.

<snippage>

Basic somewhat oversimplified explanation of atmospheric ducting goes as such:

You have a layer of warm air at the surface, you have another layer of warm air high aloft. In between those you have a layer of colder air. The ducting occurs in this layer. Depending on how far this condition extends, you may have ducting of signals from 100-1500 miles distant (roughly, YMMV). Note: The condition need not exist either in the area of the station received or your own area, so long as it exists between in an area where the originating signal can be captured and ducted to an area near you.

From -4056419508264073687
X-Google-Thread: 108122,e0c39e05849d373
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 17 Jul 2006 05:13:58 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <948mb2pfnri17tu2ljrb0fnr106hcjl9uf@4ax.com>
Subject: Re: Can someone explain DX Ducting?
Date: Mon, 17 Jul 2006 06:13:15 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <XKKdnfLmypV7_ybZnZ2dnUVZ_qmdnZ2d@comcast.com>
Lines: 48

```
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-Xr89CHrDH7mU7X1c+KCVI2juYwrvyZ/
inMzVRlescDPgCFJMRfmKf0+4ZzF3DT6Ru6b2ObQyDt5v8Ty!ZLNF4TNPdiz/6OZbrYNnyZm1UJ/
clT9Wr96mPp7HNMeryL+Ys3lHc1MNNqKLpTDHUKEWkZVyGLhf!gJprDtW+2yruaFFL
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5374


<maradcliff@UNLISTED.com> wrote in message
news:948mb2pfnri17tu2ljrb0fnr106hcjl9uf@4ax.com...
>I hope this is the correct newsgroup for this question.
> Can someone explain DX Ducting?
> I believe thats the correct word.
>
> I live in a rural area, and my nearest tv stations are about 50 miles
> away.  Those 3 stations normally come in pretty good.  (one VHF, two
> UHF)  I have a 7 element antenna pointed approx. north (toward that
> city).  The other closer stations are to the south, and are 65 and 90
> miles away.  They dont come in as good, but are usually viewable.
> Turning the antenna South helps those, but I have to do it manually
> until I get a new rotor. (old one died).
>
> For some reason, starting on Saturday, I have been getting tv stations
> from up to 275 miles away, yet I can not get any of these "local"
> stations at all.  What's really weird, is that the stations I am
> getting are all to the East of me.  In other words, they are broadside
> to the antenna.  I have never heard of getting a signal on the
> broadside.....
>
> Just for grins, I called the 800 number of one of these distant
> stations, and they were happy to hear they were transmitting about 250
> miles.  They said the reason is called ductingm and said it's caused
> by the atmosphere and weather conditions.
>
> OK, I can undestand this (sort of).  I do recall back in the 70's when
> I had a CB radio in my car, and getting "Skip".  But this TV things is
> different, becasue a tv antenna is directional, unlike a CB antenna
> that tends to transmit in all directions.
>
> I looked up "Ducting" on the web.  Most were about heating ducts, but
> did find one link which was way over my head.  I'd have to be an
> engineer to understand it.
>
> In simple terms, could someone please explain this.  Particularly why
> I can not get the "local" stations, and how can I get very distant
> signals on the broadside of my antenna?
>
```

Although beams are directional antennas, they can and do pick up broadside to the beam. They normally just don't pick up as well. Beams have a pattern that has the strongest pickup to the front, a smaller pickup from the back, and very weak pickup from the sides. If the signal is strong enough, you will be able to receive a signal off the side of the beam.

```
From -7122476325641136098
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-
out.readnews.com!postnews3.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: Give up CB for Ham?
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20060717070843.889$hU@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<bBCsg.49394$W97.20808@twister.nyroc.rr.com>
<kmq7b21g6b8697132r4j0ac1qr7gvni20l@4ax.com>
<20060711163939.819$5l@newsreader.com>
<gh3kb2lmm34t3btndbgg9nifnffe0ej7l4@4ax.com>
X-NRC-Trace: NewsReader.Com NsBxJgGqBILQH/CXszNbtkKNNG2+,e=gXk_Awlje2OfIVL
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 17 Jul 2006 11:03:53 GMT
Lines: 16
NNTP-Posting-Host: d341a862.nr3.newsreader.com
X-Trace: DXC=A[AEDaGg3:@[V\OlIn8GDJOA8_@f\K_iB0V\?
8`j4eWKgeL1ZSO@5@@Nd7biGRhQTG<SVPgDF]ACD:57U:@NSm>@
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.cb:13678 rec.radio.swap:5271
rec.radio.amateur.equipment:5375
```

Big Rich Soprano <BucSoprano@gmail.com> wrote:

```
> >Right, and how do you send CW while driving your pick-up truck with the
> >twin talkers -and- the on the air lights mounted on the roll bar? It's
> >bad enuff running around with the 102" whip banging off everything low,
> >let alone trying to tap out some directions to your ham buddy on the
> >highway via CW. :)
>
> >CW rules in disasters tho..
>
> I went to a hamfest many many moons ago and met this guy who could
> send 60 wmp while driving with a strap on army key on his knee!
```

>
Now that's talent!

--
http://NewsReader.Com/

From -4230738207222273659
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: Ralph Ennis, WA6GVG, and Paul McKesson, W7DVJ, Are So Great!
Date: 17 Jul 2006 05:36:14 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1153139774.186540.97880@75g2000cwc.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153091125.756626.275680@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153139779 3645 127.0.0.1 (17 Jul 2006 12:36:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 12:36:19 +0000 (UTC)
In-Reply-To: <1153091125.756626.275680@i42g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=65.54.154.26;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:5376
rec.radio.amateur.misc:16646 rec.radio.amateur.policy:33482 rec.radio.cb:13685
rec.radio.shortwave:44623

an_old_friend wrote:
> TheMonger wrote:
> > an_old_friend wrote:
> > Konstans with a C is gay enough for me!

```
> > <fagfiltered>
> >
> > shut up markie you silly queen!
> no

STFU, faggot.



From -2542665414441288549
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: Ralph Ennis, WA6GVG, and Paul McKesson, W7DVJ, Are So Great!
Date: 17 Jul 2006 05:37:37 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 65.54.154.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153139862 3838 127.0.0.1 (17 Jul 2006 12:37:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 12:37:42 +0000 (UTC)
In-Reply-To: <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.154.26;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:5377
rec.radio.amateur.misc:16647 rec.radio.amateur.policy:33483 rec.radio.cb:13686
rec.radio.shortwave:44624


TheMonger wrote:
> an_old_friend wrote:
> Konstans with a C is gay enough for me!
```

That's because Markie takes a woman's name since he is so submissive in
all his relationships.

> <fagfiltered>
>
> shut up markie you silly queen!
>
> yes, that is a great site. the accurate ham site i've ever seen.

LOL!!!!!!!

```
From 2170023431865113507
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 17 Jul 2006 05:47:47 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
   <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 65.54.154.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153140472 5496 127.0.0.1 (17 Jul 2006 12:47:52 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 12:47:52 +0000 (UTC)
In-Reply-To: <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=65.54.154.26;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:5378
rec.radio.amateur.misc:16656 rec.radio.amateur.policy:33494 rec.radio.scanner:4046
rec.radio.swap:5274


an old freind wrote:
> Slow Code wrote:
> > "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com> wrote in
> > news:1152977367.743288.235400@35g2000cwc.googlegroups.com:
> >
> > >
>
> > > True, Markie was in the Special Ed classes and they tend not to
> > > actually call their retarded students "retards."
> >
> >
> > LOL, Markie rode the short bus to school.
> nope

Yep. You sure do have a piss poor academic record, too.

> infact I as far as I recall I never rode a bus to school at all
>
> other than I did try a few times geting to college on the city bus
> system it took way to long and saved very little (but gas cheaper then)

You were never in college, retard. Maybe barber college.




From 7688761680730760487
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
```

```
Subject: get help sicko
Date: 17 Jul 2006 05:52:18 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153140741 6138 127.0.0.1 (17 Jul 2006 12:52:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 12:52:21 +0000 (UTC)
In-Reply-To: <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.equipment:5379
rec.radio.amateur.misc:16660 rec.radio.amateur.policy:33499 rec.radio.cb:13694
rec.radio.shortwave:44630


markie_morgan_rapesboys@yahoo.com wrote:
get help sicko




From -7044315864402432527
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: get help sicko
Date: 17 Jul 2006 05:59:05 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1153141145.884043.146270@m73g2000cwd.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
```

```
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153141151 7252 127.0.0.1 (17 Jul 2006 12:59:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 12:59:11 +0000 (UTC)
In-Reply-To: <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.154.26;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.equipment:5380
rec.radio.amateur.misc:16668 rec.radio.amateur.policy:33509 rec.radio.cb:13697
rec.radio.shortwave:44632


an old freind wrote:
> markie_morgan_rapesboys@yahoo.com wrote:
> get help sicko

Sasys the kiddie diddler Markie. Markie just loves to get a kid on the
radio and talk about having sex with that kid.



From 7750325934543928597
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: get help sicko
Date: 17 Jul 2006 06:00:01 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153141206 7531 127.0.0.1 (17 Jul 2006 13:00:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 13:00:06 +0000 (UTC)
In-Reply-To: <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.154.26;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.equipment:5381
rec.radio.amateur.misc:16670 rec.radio.amateur.policy:33512 rec.radio.cb:13699
rec.radio.shortwave:44634


an old freind wrote:
> markie_morgan_rapesboys@yahoo.com wrote:
> get help sicko

Says the kiddie diddler Markie.



From 7464715350037398470
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 17 Jul 2006 06:01:41 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1153141301.541164.75410@b28g2000cwb.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
   <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153141306 7838 127.0.0.1 (17 Jul 2006 13:01:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 13:01:46 +0000 (UTC)
In-Reply-To: <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.equipment:5382
rec.radio.amateur.misc:16675 rec.radio.amateur.policy:33518 rec.radio.scanner:4048
rec.radio.swap:5276
```

markie_morgan_rapesboys@yahoo.com wrote:
get help sicko

```
From -4836730666758630556
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: get help sicko
Date: 17 Jul 2006 06:09:32 -0700
Organization: http://groups.google.com
```

```
Lines: 4
Message-ID: <1153141772.272991.33040@h48g2000cwc.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
   <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153141777 9041 127.0.0.1 (17 Jul 2006 13:09:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 13:09:37 +0000 (UTC)
In-Reply-To: <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.27;
   posting-account=s6CH1g0AAABh1Qtmg62q2TgnVvB-Sbeh
Xref: g2news2.google.com rec.radio.amateur.equipment:5383
rec.radio.amateur.misc:16690 rec.radio.amateur.policy:33533 rec.radio.cb:13709
rec.radio.shortwave:44640
```

kb9rqz_child_molester@yahoo.com wrote:
get help sicko

```
From 1146702583580493950
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
References: <44B643D0.36FCD8D4@earthlink.net>
<1152804424.282270.207560@i42g2000cwa.googlegroups.com>
```

```
<ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
<KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
<1152922269.163065.154080@i42g2000cwa.googlegroups.com>
<1152977367.743288.235400@35g2000cwc.googlegroups.com>
<7niug.540$157.330@newsread3.news.pas.earthlink.net>
<1153023346.892761.92560@m79g2000cwm.googlegroups.com>
<1153140466.990023.249840@h48g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Mon, 17 Jul 2006 10:19:49 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1153146153 24.186.218.38 (Mon, 17 Jul 2006 07:22:33 MST)
NNTP-Posting-Date: Mon, 17 Jul 2006 07:22:33 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5384
rec.radio.amateur.misc:16693 rec.radio.amateur.policy:33550 rec.radio.scanner:4050
rec.radio.swap:5277

On 17 Jul 2006 05:47:47 -0700, markie_morgan_rapesboys@yahoo.com
wrote:

>an old freind wrote:

>> other than I did try a few times geting to college on the city bus
>> system it took way to long and saved very little (but gas cheaper then)

>You were never in college, retard. Maybe barber college.

You'd let him near you with a sharp instrument? :)


From -6960813491959117150
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "an old freid to some a nightmare to steve" <kb9rqz__ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 17 Jul 2006 07:39:41 -0700
Organization: http://groups.google.com
```

```
Lines: 19
Message-ID: <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
References: <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153147186 11897 127.0.0.1 (17 Jul 2006 14:39:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 14:39:46 +0000 (UTC)
In-Reply-To: <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.27;
   posting-account=IvgfvA0AAABfkDmkFekg2nkRIyiXwf8A
Xref: g2news2.google.com rec.radio.amateur.equipment:5385
rec.radio.amateur.misc:16694 rec.radio.amateur.policy:33557 rec.radio.scanner:4052
rec.radio.swap:5278


Al Klein wrote:
> On 17 Jul 2006 05:47:47 -0700, markie_morgan_rapesboys@yahoo.com
> wrote:
>
> >an old freind wrote:
>
> >> other than I did try a few times geting to college on the city bus
> >> system it took way to long and saved very little (but gas cheaper then)
>
> >You were never in college, retard. Maybe barber college.
>
> You'd let him near you with a sharp instrument? :)
Wisemen has been near me
he never ventures out of his home for fear somebody will get him

I would say he was being paraoid but in his case with the filth he
spewed and the other deeds he pulled he may indeed have reason to fear



From 7436004628671269031
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
```

```
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: get help sicko
Date: 17 Jul 2006 12:19:44 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1153163984.571840.203600@s13g2000cwa.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
   <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
   <1153141772.272991.33040@h48g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.97.192
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153163990 27658 127.0.0.1 (17 Jul 2006 19:19:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 19:19:50 +0000 (UTC)
In-Reply-To: <1153141772.272991.33040@h48g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=65.54.97.192;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.equipment:5386
rec.radio.amateur.misc:16711 rec.radio.amateur.policy:33588 rec.radio.cb:13721
rec.radio.shortwave:44687


an old freind wrote:
> kb9rqz_child_molester@yahoo.com wrote:
> get help sicko

Markie soon to debut on NBC's "Dateline" as an online predator.



From -5763560607888834513
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
```

X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 17 Jul 2006 12:21:22 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1153164082.853670.64220@m73g2000cwd.googlegroups.com>
References: <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
NNTP-Posting-Host: 65.54.97.192
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153164088 27954 127.0.0.1 (17 Jul 2006 19:21:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 19:21:28 +0000 (UTC)
In-Reply-To: <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=65.54.97.192;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.equipment:5387
rec.radio.amateur.misc:16712 rec.radio.amateur.policy:33589 rec.radio.scanner:4055
rec.radio.swap:5282

Al Klein wrote:
> On 17 Jul 2006 05:47:47 -0700, markie_morgan_rapesboys@yahoo.com
> wrote:
>
> >an old freind wrote:
>
> >> other than I did try a few times geting to college on the city bus
> >> system it took way to long and saved very little (but gas cheaper then)

>
> >You were never in college, retard. Maybe barber college.
>
> You'd let him near you with a sharp instrument? :)

LOL!!!!! Fatassed Markie would be more likely to fall on himself when
he waddles around with scissors.

```
From -3323082415895708380
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 17 Jul 2006 12:22:53 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1153164173.497442.198970@m79g2000cwm.googlegroups.com>
References: <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
   <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 65.54.97.192
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153164178 6178 127.0.0.1 (17 Jul 2006 19:22:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 19:22:58 +0000 (UTC)
In-Reply-To: <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=65.54.97.192;
```

```
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.equipment:5388
rec.radio.amateur.misc:16713 rec.radio.amateur.policy:33590 rec.radio.scanner:4056
rec.radio.swap:5283


an old freid to some a nightmare to steve wrote:
> Al Klein wrote:
> > On 17 Jul 2006 05:47:47 -0700, markie_morgan_rapesboys@yahoo.com
> > wrote:
> >
> > >an old freind wrote:
> >
> > >> other than I did try a few times geting to college on the city bus
> > >> system it took way to long and saved very little (but gas cheaper then)
> >
> > >You were never in college, retard. Maybe barber college.
> >
> > You'd let him near you with a sharp instrument? :)
> Wisemen has been near me
> he never ventures out of his home for fear somebody will get him


Wrong, Marqueer.


> I would say he was being paraoid but in his case with the filth he
> spewed and the other deeds he pulled he may indeed have reason to fear

But you aren't qualified to say anything, high school dropout. You are
projecting again, mentally ill retard. Why are you hiding up in the
U.P.?




From 2533245629423583594
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: get help sicko
Date: 17 Jul 2006 12:39:18 -0700
Organization: http://groups.google.com
Lines: 4
```

```
Message-ID: <1153165158.388784.300470@i42g2000cwa.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
   <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
   <1153141772.272991.33040@h48g2000cwc.googlegroups.com>
   <1153163984.571840.203600@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153165163 8832 127.0.0.1 (17 Jul 2006 19:39:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 19:39:23 +0000 (UTC)
In-Reply-To: <1153163984.571840.203600@s13g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.equipment:5389
rec.radio.amateur.misc:16721 rec.radio.amateur.policy:33600 rec.radio.cb:13724
rec.radio.shortwave:44691


Not Cocksucker Lloyd wrote:
get help sicko



From 6592870696395631753
X-Google-Thread: 108122,e0c39e05849d373
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
129.250.169.16!pln-e!spln!rex!extra.newsguy.com!newsp.newsguy.com!enews2
From: maradcliff@UNLISTED.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can someone explain DX Ducting?
Date: Mon, 17 Jul 2006 14:28:56 -0500
Organization: NewsGuy - Unlimited Usenet $19.95
Lines: 59
Message-ID: <avonb21pe6jfbfag8v2b15knkhe0fsqosd@4ax.com>
References: <948mb2pfnri17tu2ljrb0fnr106hcjl9uf@4ax.com>
<XKKdnfLmypV7_ybZnZ2dnUVZ_qmdnZ2d@comcast.com>
NNTP-Posting-Host: p-131.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

X-Newsreader: Forte Agent 1.93/32.576 English (American)
Xref: g2news2.google.com rec.radio.amateur.equipment:5390

On Mon, 17 Jul 2006 06:13:15 -0400, "Dee Flint"
<deeflint01@comcast.net> wrote:

>
><maradcliff@UNLISTED.com> wrote in message
>news:948mb2pfnri17tu2ljrb0fnr106hcjl9uf@4ax.com...
>>I hope this is the correct newsgroup for this question.
>> Can someone explain DX Ducting?
>> I believe thats the correct word.
>>
>> I live in a rural area, and my nearest tv stations are about 50 miles
>> away. Those 3 stations normally come in pretty good. (one VHF, two
>> UHF) I have a 7 element antenna pointed approx. north (toward that
>> city). The other closer stations are to the south, and are 65 and 90
>> miles away. They dont come in as good, but are usually viewable.
>> Turning the antenna South helps those, but I have to do it manually
>> until I get a new rotor. (old one died).
>>
>> For some reason, starting on Saturday, I have been getting tv stations
>> from up to 275 miles away, yet I can not get any of these "local"
>> stations at all. What's really weird, is that the stations I am
>> getting are all to the East of me. In other words, they are broadside
>> to the antenna. I have never heard of getting a signal on the
>> broadside.....
>>
>> Just for grins, I called the 800 number of one of these distant
>> stations, and they were happy to hear they were transmitting about 250
>> miles. They said the reason is called ductingm and said it's caused
>> by the atmosphere and weather conditions.
>>
>> OK, I can undestand this (sort of). I do recall back in the 70's when
>> I had a CB radio in my car, and getting "Skip". But this TV things is
>> different, becasue a tv antenna is directional, unlike a CB antenna
>> that tends to transmit in all directions.
>>
>> I looked up "Ducting" on the web. Most were about heating ducts, but
>> did find one link which was way over my head. I'd have to be an
>> engineer to understand it.
>>
>> In simple terms, could someone please explain this. Particularly why
>> I can not get the "local" stations, and how can I get very distant
>> signals on the broadside of my antenna?
>>
>
>Although beams are directional antennas, they can and do pick up broadside
>to the beam. They normally just don't pick up as well. Beams have a
>pattern that has the strongest pickup to the front, a smaller pickup from
>the back, and very weak pickup from the sides. If the signal is strong
>enough, you will be able to receive a signal off the side of the beam.
>

Thanks to both of you for the reply. I wanted to try to turn the antenna toward those stations, because if they came in that good on the side of the antenna, they would have been crystal clear. We are having a severe heat spell. temps around of over 100deg.F That must have something to do with it. But it was too hot to climb on the roof

Mark.

```
From 5346581181846719803
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-
mail
From: "an old freid to some a nightmare to steve" <kb9rqz__ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 17 Jul 2006 12:48:56 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1153165736.148269.27070@s13g2000cwa.googlegroups.com>
References: <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
   <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
   <1153164173.497442.198970@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153165742 10483 127.0.0.1 (17 Jul 2006 19:49:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 19:49:02 +0000 (UTC)
In-Reply-To: <1153164173.497442.198970@m79g2000cwm.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=IvgfvA0AAABfkDmkFekg2nkRIyiXwf8A
Xref: g2news2.google.com rec.radio.amateur.equipment:5391
rec.radio.amateur.misc:16729 rec.radio.amateur.policy:33608 rec.radio.scanner:4059
rec.radio.swap:5284

Not Cocksucker Lloyd wrote:
get help sicko
> But you aren't qualified to say anything, high school dropout. You are
> projecting again, mentally ill retard. Why are you hiding up in the
> U.P.?

Of Course I am qualified I am college gard and licese of the ARS
Hiding no Living here it is lovely county

From 9071079080433519649
X-Google-Thread: f55c2,d6c4b1e23a8d7c93
X-Google-Thread: f4306,d6c4b1e23a8d7c93
X-Google-Thread: fb049,d6c4b1e23a8d7c93
X-Google-Thread: 11480d,d6c4b1e23a8d7c93
X-Google-Thread: 108122,d6c4b1e23a8d7c93
X-Google-Thread: 107ada,d6c4b1e23a8d7c93
X-Google-Thread: f64c6,d6c4b1e23a8d7c93
X-Google-Attributes:
gidf55c2,gidf4306,gidfb049,gid11480d,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.xsnews.nl!
feeder.xsnews.nl!feeder1.cambrium.nl!feed.tweaknews.nl!68.142.88.75.MISMATCH!
hwmnpeer01.ams!news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-
media.com!newspeer1-win.ntli.net!newsfe2-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "hugh.g.rekshun" <m1adu.m5adu@ntlworld.com>
Newsgroups: alt.ham-radio.mods,alt.ham-radio.packet,alt.ham-radio.vhf-
uhf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.rad
io.amateur
References: <44b9bbc0$1$22123$afc38c87@news.optusnet.com.au>
Subject: Re: icom 725 hf transceiver
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <VoSug.8001$i32.3077@newsfe2-gui.ntli.net>
Date: Mon, 17 Jul 2006 20:27:33 GMT
NNTP-Posting-Host: 82.1.54.168
X-Trace: newsfe2-gui.ntli.net 1153168053 82.1.54.168 (Mon, 17 Jul 2006 21:27:33
BST)
NNTP-Posting-Date: Mon, 17 Jul 2006 21:27:33 BST
Organization: NTL
Xref: g2news2.google.com alt.ham-radio.mods:167 alt.ham-radio.packet:122 alt.ham-

radio.vhf-uhf:2248 rec.radio.amateur.dx:2331 rec.radio.amateur.equipment:5392
rec.radio.amateur.misc:16734 uk.radio.amateur:46648

does that mean it does CB ???
ideal for all M3's then if it does..

100w on 19 and fully legal as you hold an M3 ticket..

"hamguy1" <hamguy1@optusnet.com.au> wrote in message
news:44b9bbc0$1$22123$afc38c87@news.optusnet.com.au...
> hi ham radio newsgroups .im selling an icom 725 hf transceiver radio
> comes
> with power lead hm12 microphone owners manual the radio has had the mars
> mod done it has modes of am fm lsb usb cw also has general coverage
> receiver
> etc radio works ok im selling this radio for $450aus ono , the radio
> would
> be ok for the foundation member in australia this power is 100 watts plus
> on
> all bands as far as i know it is easily adjusted down to 10 watts minimum
> ok
> .thanks in advance david nsw australia .
>
>
>
>

From -2376661629757543655
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-mail
From: peewee_lloyd_davies@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 17 Jul 2006 16:12:11 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1153177931.387243.50760@35g2000cwc.googlegroups.com>
References: <44B643D0.36FCD8D4@earthlink.net>
<1152804424.282270.207560@i42g2000cwa.googlegroups.com>
<ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>

```
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
   <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
   <1153164173.497442.198970@m79g2000cwm.googlegroups.com>
   <1153165736.148269.27070@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.97.192
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153177936 2438 127.0.0.1 (17 Jul 2006 23:12:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 23:12:16 +0000 (UTC)
In-Reply-To: <1153165736.148269.27070@s13g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=65.54.97.192;
   posting-account=hhK0dQ0AAADty9Zux-UTqaosOMA-iJfP
Xref: g2news2.google.com rec.radio.amateur.equipment:5393
rec.radio.amateur.misc:16741 rec.radio.amateur.policy:33628 rec.radio.scanner:4060
rec.radio.swap:5285
```

an old freid to some a nightmare to steve wrote:

> Not Cocksucker Lloyd wrote:
> get help sicko
> > But you aren't qualified to say anything, high school dropout. You are
> > projecting again, mentally ill retard. Why are you hiding up in the
> > U.P.?
>
> Of Course I am qualified I am college gard and licese of the ARS

We've yet to see any proof. Let's see, you can't communicate in any resemblance of English and you have the beginner's ham license. So much for your expertise.

> Hiding no Living here it is lovely county

Yes, you are hiding from something, perhaps your child molesting past?
Is that why you high-tailed it out of Illiopolis, IL?

```
From 4885981591717535247
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
```

X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "an Old friend" <kb9rqz@amsat.org>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 17 Jul 2006 16:32:46 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1153179166.093620.144370@m73g2000cwd.googlegroups.com>
References: <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
   <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
   <1153164173.497442.198970@m79g2000cwm.googlegroups.com>
   <1153165736.148269.27070@s13g2000cwa.googlegroups.com>
   <1153177931.387243.50760@35g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153179172 5975 127.0.0.1 (17 Jul 2006 23:32:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 17 Jul 2006 23:32:52 +0000 (UTC)
In-Reply-To: <1153177931.387243.50760@35g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.27;
   posting-account=RPkPwQ0AAAAOAlmydGke92nBD6aZq3Rd
Xref: g2news2.google.com rec.radio.amateur.equipment:5394
rec.radio.amateur.misc:16749 rec.radio.amateur.policy:33636 rec.radio.scanner:4062
rec.radio.swap:5286

peewee_lloyd_davies@yahoo.com wrote:
get help sicko

From -8060789622331086930

```
X-Google-Thread: 108122,425c874e236aa92a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS DX-440 Receiver
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 2
Message-ID: <FhVug.142594$mF2.55293@bgtnsc04-news.ops.worldnet.att.net>
Date: Mon, 17 Jul 2006 23:44:37 GMT
NNTP-Posting-Host: 12.77.140.72
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1153179877 12.77.140.72 (Mon, 17 Jul
2006 23:44:37 GMT)
NNTP-Posting-Date: Mon, 17 Jul 2006 23:44:37 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5395

FS Realistic DX-440 receiver in excellent condition with manual and
shoulder strap for $50 plus shipping. Photo's available.



From -1966832285510269056
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb,start
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap,rec.radio.shortwave
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
From: Slow Code <my.mail@no.spam>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152837710.065651.206240@m79g2000cwm.googlegroups.com>
<HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
<1152922038.113579.178900@75g2000cwc.googlegroups.com>
<r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
```

```
Lines: 40
Message-ID: <SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
Date: Tue, 18 Jul 2006 00:05:06 GMT
NNTP-Posting-Host: 4.235.3.56
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1153181106 4.235.3.56 (Mon, 17 Jul 2006
17:05:06 PDT)
NNTP-Posting-Date: Mon, 17 Jul 2006 17:05:06 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5396
rec.radio.amateur.policy:33650 rec.radio.scanner:4064 rec.radio.swap:5289
rec.radio.shortwave:44740

Barry OGrady <god_free_jones@yahoo.com> wrote in
news:r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com:

> On 14 Jul 2006 17:07:18 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
> wrote:
>
>>
>>Slow Code wrote:
>>> hot-ham-and-cheese@hotmail.com wrote in
>>> news:1152837710.065651.206240@m79g2000cwm.googlegroups.com:
>>>
>>> >
>>
>>> > It's been downhill ever since.
>>>
>>>
>>> I agree with that.
>>>
>>> Whether you like or use CW or not, dumbing down as hurt ham radio.
>>in english please
>>
>>
>>>
>>> SC
>>people that live in glass house whoudl dress in basement
>
> In english please, with punctuation and spacing between quoted and your
> text and proper quoting and spelling.
>
> Barry


ROFL, Sorry. I'm starting to believe laughing at him just encourages him
to make more typo's.  We need to stop laughing and pity him instead.

Maybe if he had to learn CW the mental process would help his spelling.

SC
```

```
From 4065021742281518605
X-Google-Thread: fcc6e,542c6759814b2493,start
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Thread: 114aac,542c6759814b2493,start
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.swap,rec.radio.shortwave
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
From: Slow Code <my.mail@no.spam>
References: <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<44B44705.F4A86462@earthlink.net> <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
<44B643D0.36FCD8D4@earthlink.net>
<1152804424.282270.207560@i42g2000cwa.googlegroups.com>
<ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
<KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
<1152922269.163065.154080@i42g2000cwa.googlegroups.com>
<li7ib29jsnprgbpapnbn3sedallql2m6cj@4ax.com>
<1152984844.086415.203380@35g2000cwc.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 10
Message-ID: <XAVug.9491$PE1.2042@newsread2.news.pas.earthlink.net>
Date: Tue, 18 Jul 2006 00:05:11 GMT
NNTP-Posting-Host: 4.235.3.56
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1153181111 4.235.3.56 (Mon, 17 Jul 2006
17:05:11 PDT)
NNTP-Posting-Date: Mon, 17 Jul 2006 17:05:11 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:14785
rec.radio.amateur.equipment:5397 rec.radio.amateur.policy:33653
rec.radio.scanner:4066 rec.radio.swap:5291 rec.radio.shortwave:44743
```

"an old freind" <kb9rqz_ars@hotmail.com> wrote in
news:1152984844.086415.203380@35g2000cwc.googlegroups.com:

>
> you are dishonest but most of the CW advocates are

you are a Lazy, but most of the CW haters are

  SC

```
From 7951617734687411225
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!peer01.west.cox.net!cox.net!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
From: Slow Code <my.mail@no.spam>
References: <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net> <44BAEB96.7010107@fuse.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 25
Message-ID: <7BVug.9499$PE1.9067@newsread2.news.pas.earthlink.net>
Date: Tue, 18 Jul 2006 00:05:23 GMT
NNTP-Posting-Host: 4.235.3.56
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1153181123 4.235.3.56 (Mon, 17 Jul 2006
17:05:23 PDT)
NNTP-Posting-Date: Mon, 17 Jul 2006 17:05:23 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:14787
rec.radio.amateur.equipment:5398 rec.radio.amateur.misc:16761
rec.radio.amateur.policy:33655 rec.radio.shortwave:44750
```

jawod <jawod@fuse.net> wrote in news:44BAEB96.7010107@fuse.net:

> Slow Code wrote:
>> "RHF" <rhf-newsgroups@pacbell.net> wrote in
>> news:1152720850.662591.37690@b28g2000cwb.googlegroups.com:
>>
>>

```
>>>JB - Spoken like a True Red and White
>>>{Blue-in-the-Face} Canadian ~ RHF
>>> .
>>> .
>>>. .
>>>
>>
>>
>>
>>  Kanadians are more Red...  Commie Red.
>>
> slow code is lo-co


LOL, Good one jawod. Did you come up with that all by yourself
or did you have to copy & paste one of Markie's spelling mistakes.

SC



From -8157205830903078188
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap,rec.radio.shortwave
Subject: Re: CW is Laziness
Date: 17 Jul 2006 17:12:42 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1153181562.785974.16470@i42g2000cwa.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152837710.065651.206240@m79g2000cwm.googlegroups.com>
   <HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
   <1152922038.113579.178900@75g2000cwc.googlegroups.com>
   <r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
   <SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153181567 12657 127.0.0.1 (18 Jul 2006 00:12:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 00:12:47 +0000 (UTC)
In-Reply-To: <SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5399
rec.radio.amateur.policy:33657 rec.radio.scanner:4069 rec.radio.swap:5294
rec.radio.shortwave:44756
```

Slow Code wrote:
> Barry OGrady <god_free_jones@yahoo.com> wrote in
> news:r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com:
>

>
>
> ROFL, Sorry. I'm starting to believe laughing at him just encourages him
> to make more typo's. We need to stop laughing and pity him instead.

insisting on foucing on the stupid stuff shows you lack a real argument
>
> Maybe if he had to learn CW the mental process would help his spelling.

nope tried that just gave me headaches
>
> SC

```
From -205820714723681670
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
Date: 17 Jul 2006 17:14:30 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1153181670.923668.113610@p79g2000cwp.googlegroups.com>
References: <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <wh4mg.139$lv.109@fed1read12>
   <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
   <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
   <129lvnf4h9st2d3@corp.supernews.com>
   <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
   <129m9ijcnshm47f@corp.supernews.com>
   <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
   <129ofcclvejs22f@corp.supernews.com>
   <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
   <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
   <dX%mg.79692$iF6.12453@pd7tw2no>
   <1152720850.662591.37690@b28g2000cwb.googlegroups.com>
   <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
   <44BAEB96.7010107@fuse.net>
   <7BVug.9499$PE1.9067@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153181676 12886 127.0.0.1 (18 Jul 2006 00:14:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 00:14:36 +0000 (UTC)
In-Reply-To: <7BVug.9499$PE1.9067@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.27;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:14789
rec.radio.amateur.equipment:5400 rec.radio.amateur.misc:16762
rec.radio.amateur.policy:33659 rec.radio.shortwave:44758


Slow Code wrote:
> jawod <jawod@fuse.net> wrote in news:44BAEB96.7010107@fuse.net:
> > slow code is lo-co
>
>
> LOL, Good one jawod. Did you come up with that all by yourself
> or did you have to copy & paste one of Markie's spelling mistakes.
you are loco
>
> SC




From -4754929664882594347
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 17 Jul 2006 19:58:47 -0500
```

From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap,rec.radio.shortwave
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152837710.065651.206240@m79g2000cwm.googlegroups.com>
<HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
<1152922038.113579.178900@75g2000cwc.googlegroups.com>
<r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
<SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
<1153181562.785974.16470@i42g2000cwa.googlegroups.com>
Subject: Re: CW is Laziness
Date: Mon, 17 Jul 2006 19:58:45 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <coudnfL3iebaryHZnZ2dnUVZ_rudnZ2d@comcast.com>
Lines: 24
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-44XphG/
WCIPRHMeChaOJKqTafTrlOxWrYWw0bFU4Y2N6Aqk9sm09Xyt7tD5Aa1kp1hEnf2yYqtVf7E9!
sJa1NQzqocXhB4+RJ719NUCs0CXRjsVTd661H40S71u5Q5yfuuKZL4L5/mCR1lst/28iSo3yDXYO!
aQAbKGr6XVrPkA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5401
rec.radio.amateur.policy:33665 rec.radio.scanner:4078 rec.radio.swap:5301
rec.radio.shortwave:44768

I guess until you stop trying to teach a pig to sing, you will reside in my killfile

"an old friend" <kb9rqz@hotmail.com> wrote in message
news:1153181562.785974.16470@i42g2000cwa.googlegroups.com...
>
> Slow Code wrote:
>> Barry OGrady <god_free_jones@yahoo.com> wrote in
>> news:r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com:
>>
>
>>
>>
>> ROFL, Sorry. I'm starting to believe laughing at him just encourages him
>> to make more typo's. We need to stop laughing and pity him instead.
> insisting on foucing on the stupid stuff shows you lack a real argument
>>
>> Maybe if he had to learn CW the mental process would help his spelling.

> nope tried that just gave me headaches
>>
>> SC
>

```
From -5273783254469034997
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap,rec.radio.shortwave
Subject: Re: CW is Laziness
Date: 17 Jul 2006 18:33:49 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1153186429.504861.48790@i42g2000cwa.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152837710.065651.206240@m79g2000cwm.googlegroups.com>
   <HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
   <1152922038.113579.178900@75g2000cwc.googlegroups.com>
   <r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
   <SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
   <1153181562.785974.16470@i42g2000cwa.googlegroups.com>
   <coudnfL3iebaryHZnZ2dnUVZ_rudnZ2d@comcast.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153186434 26276 127.0.0.1 (18 Jul 2006 01:33:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 01:33:54 +0000 (UTC)
In-Reply-To: <coudnfL3iebaryHZnZ2dnUVZ_rudnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.equipment:5402
rec.radio.amateur.policy:33667 rec.radio.scanner:4081 rec.radio.swap:5303
rec.radio.shortwave:44771
```

Noon-Air wrote:
> I guess until you stop trying to teach a pig to sing, you will reside in my
> killfile

thank you very much

if yonly you mean it

From -5008259373640038497
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: wirelessinternet802@hotmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Auction the ham bands to the Highest Bidder
Date: 17 Jul 2006 19:03:23 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1153188203.320942.196200@i42g2000cwa.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 83.244.78.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153188208 6672 127.0.0.1 (18 Jul 2006 02:03:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 02:03:28 +0000 (UTC)
In-Reply-To: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=83.244.78.131;
   posting-account=22IvMg0AAAAatWRxDhDlliEBLZMsn7Kx
Xref: g2news2.google.com rec.radio.amateur.equipment:5403
rec.radio.amateur.policy:33671 rec.radio.scanner:4085 rec.radio.swap:5306

amateur radio is obsolete and nobody cares about it.

The ham frequencies should be auctioned to the highest bidder!

From 2955946398350665768
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9

```
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!postnews.google.com!
i42g2000cwa.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: cw is laziness
Date: 17 Jul 2006 19:15:51 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1153188951.201371.252050@i42g2000cwa.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1153188239.804347.198390@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153188956 915 127.0.0.1 (18 Jul 2006 02:15:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 02:15:56 +0000 (UTC)
In-Reply-To: <1153188239.804347.198390@i42g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.equipment:5405
rec.radio.amateur.policy:33677 rec.radio.scanner:4087 rec.radio.swap:5308


wirelessinternet802@hotmail.com wrote:
> amateur radio is obsolete and nobody cares about it.
another of the liars




From -5601412981566257631
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
```

```
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <1siob2l43ihagn4g26iv1oo4v8voro8s0r@4ax.com>
References: <1152977367.743288.235400@35g2000cwc.googlegroups.com>
<7niug.540$157.330@newsread3.news.pas.earthlink.net>
<1153023346.892761.92560@m79g2000cwm.googlegroups.com>
<1153140466.990023.249840@h48g2000cwc.googlegroups.com>
<d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
<1153147181.203077.31250@p79g2000cwp.googlegroups.com>
<1153164173.497442.198970@m79g2000cwm.googlegroups.com>
<1153165736.148269.27070@s13g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Mon, 17 Jul 2006 22:46:53 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1153190985 24.186.218.38 (Mon, 17 Jul 2006 19:49:45 MST)
NNTP-Posting-Date: Mon, 17 Jul 2006 19:49:45 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5406
rec.radio.amateur.misc:16769 rec.radio.amateur.policy:33681 rec.radio.scanner:4091
rec.radio.swap:5311
```

On 17 Jul 2006 12:48:56 -0700, "an old freid to some a nightmare to
steve" <kb9rqz__ars@hotmail.com> wrote:

>Of Course I am qualified I am college gard and licese of the ARS
>Hiding no Living here it is lovely county

Want to try that in some human language?

```
From 1739069206465990341
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!
not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
```

```
wap,rec.radio.shortwave
Subject: Re: CW is Laziness
Message-ID: <a3job2ddt33b53o51vic57vp4qs5kp6r5o@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152837710.065651.206240@m79g2000cwm.googlegroups.com>
<HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
<1152922038.113579.178900@75g2000cwc.googlegroups.com>
<r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
<SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
<1153181562.785974.16470@i42g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Date: Mon, 17 Jul 2006 22:51:43 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1153191276 24.186.218.38 (Mon, 17 Jul 2006 19:54:36 MST)
NNTP-Posting-Date: Mon, 17 Jul 2006 19:54:36 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5407
rec.radio.amateur.policy:33683 rec.radio.scanner:4094 rec.radio.swap:5313
rec.radio.shortwave:44783

On 17 Jul 2006 17:12:42 -0700, "an old friend" <kb9rqz@hotmail.com>
wrote:

>Slow Code wrote:

>> Maybe if he had to learn CW the mental process would help his spelling.

>nope tried that just gave me headaches

Not capable of producing a single coherent sentence.  Not capable of
learning 26 letter and 10 digits.  And thinking gives you a headache.

Only conclusion is that you don't have enough practice, so stop
thinking entirely before you cause permanent damage.


From -5871091938487064313
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
```

rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap,rec.radio.shortwave
Subject: Re: CW is Laziness
Date: 17 Jul 2006 19:56:13 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1153191373.870561.125760@i42g2000cwa.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152837710.065651.206240@m79g2000cwm.googlegroups.com>
   <HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
   <1152922038.113579.178900@75g2000cwc.googlegroups.com>
   <r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
   <SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
   <1153181562.785974.16470@i42g2000cwa.googlegroups.com>
   <a3job2ddt33b53o51vic57vp4qs5kp6r5o@4ax.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153191378 15116 127.0.0.1 (18 Jul 2006 02:56:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 02:56:18 +0000 (UTC)
In-Reply-To: <a3job2ddt33b53o51vic57vp4qs5kp6r5o@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.equipment:5408
rec.radio.amateur.policy:33687 rec.radio.scanner:4098 rec.radio.swap:5317
rec.radio.shortwave:44787

Al Klein wrote:
> On 17 Jul 2006 17:12:42 -0700, "an old friend" <kb9rqz@hotmail.com>
> wrote:
>
> >Slow Code wrote:
>
> >> Maybe if he had to learn CW the mental process would help his spelling.
>
> >nope tried that just gave me headaches
>
> Not capable of producing a single coherent sentence.
lying again
> Not capable of
> learning 26 letter and 10 digits.
in mores no I am not
> And thinking gives you a headache.
and lying again
>
> Only conclusion is that you don't have enough practice, so stop
> thinking entirely before you cause permanent damage.

we have already seen you support dishonesty over all

why trust you postings to be factual

From -8212116125287894562
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Auction the ham bands to the Highest Bidder
Date: Tue, 18 Jul 2006 12:03:27 +0900
Organization: Korea Telecom
Lines: 17
Message-ID: <e9hitj$b51$1@news2.kornet.net>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1153188203.320942.196200@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 218.155.118.23
X-Trace: news2.kornet.net 1153191668 11425 218.155.118.23 (18 Jul 2006 03:01:08 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Tue, 18 Jul 2006 03:01:08 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5409
rec.radio.amateur.policy:33693 rec.radio.scanner:4107 rec.radio.swap:5322

<wirelessinternet802@hotmail.com> wrote in message
news:1153188203.320942.196200@i42g2000cwa.googlegroups.com...
> amateur radio is obsolete and nobody cares about it.
>
> The ham frequencies should be auctioned to the highest bidder!

Who do you propose would buy the bands? The only ones even remotely commercially viable are 70cm and above, and those are such small segments that they wouldn't be all that viable either. The bands 220 and below are

not viable at all commercially because of the size of antenna needed. HF?
Forget it!. Maybe give it to the pirates to play with.. that would be the
only thing that could be done with it. I say leave it as is.

From -4712363523512452041
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Auction the ham bands to the Highest Bidder
Message-ID: <uojob2d4q702j1l105la6f1sehafq8sefp@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1153188239.804347.198390@i42g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Mon, 17 Jul 2006 23:02:16 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1153191909 24.186.218.38 (Mon, 17 Jul 2006 20:05:09 MST)
NNTP-Posting-Date: Mon, 17 Jul 2006 20:05:09 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5410
rec.radio.amateur.policy:33694 rec.radio.scanner:4108 rec.radio.swap:5323

On 17 Jul 2006 19:03:59 -0700, wirelessinternet802@hotmail.com wrote:

>amateur radio is obsolete and nobody cares about it.

>The ham frequencies should be auctioned to the highest bidder!

So should you. But I doubt there'd be any bidders.

From -3496250658860633558
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467

```
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 17 Jul 2006 20:04:45 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1153191885.904827.254100@75g2000cwc.googlegroups.com>
References: <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
   <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
   <1153164173.497442.198970@m79g2000cwm.googlegroups.com>
   <1153165736.148269.27070@s13g2000cwa.googlegroups.com>
   <1siob2l43ihagn4g26iv1oo4v8voro8s0r@4ax.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153191891 9090 127.0.0.1 (18 Jul 2006 03:04:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 03:04:51 +0000 (UTC)
In-Reply-To: <1siob2l43ihagn4g26iv1oo4v8voro8s0r@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.equipment:5411
rec.radio.amateur.misc:16770 rec.radio.amateur.policy:33695 rec.radio.scanner:4109
rec.radio.swap:5324
```

```
Al Klein wrote:
> On 17 Jul 2006 12:48:56 -0700, "an old freid to some a nightmare to
> steve" <kb9rqz__ars@hotmail.com> wrote:
>
> >Of Course I am qualified I am college gard and licese of the ARS
> >Hiding no Living here it is lovely county
>
> Want to try that in some human language?
why can't you read it as is
```

soI gues you are lazy and dishonest both

```
From 6519624102256642758
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44BC7351.E7C085EB@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Auction the ham bands to the Highest Bidder
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1153188239.804347.198390@i42g2000cwa.googlegroups.com>
<uojob2d4q702j1l105la6f1sehafq8sefp@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Tue, 18 Jul 2006 05:36:51 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1153201011 24.110.34.161 (Mon, 17 Jul
2006 22:36:51 PDT)
NNTP-Posting-Date: Mon, 17 Jul 2006 22:36:51 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5412
rec.radio.amateur.policy:33710 rec.radio.scanner:4119 rec.radio.swap:5326

Al Klein wrote:
>
> On 17 Jul 2006 19:03:59 -0700, wirelessinternet802@hotmail.com wrote:
>
> >amateur radio is obsolete and nobody cares about it.
>
> >The ham frequencies should be auctioned to the highest bidder!
>
> So should you.  But I doubt there'd be any bidders.


   Rendering plants are always looking for fat to make soap.
```

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 6033475719731176038
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-
mail
From: billy_shittydrawers_smith@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 18 Jul 2006 04:16:00 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1153221360.818008.213870@s13g2000cwa.googlegroups.com>
References: <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
   <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
   <1153164173.497442.198970@m79g2000cwm.googlegroups.com>
   <1153165736.148269.27070@s13g2000cwa.googlegroups.com>
   <1153177931.387243.50760@35g2000cwc.googlegroups.com>
   <1153179166.093620.144370@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 65.54.154.146
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153221367 25027 127.0.0.1 (18 Jul 2006 11:16:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 11:16:07 +0000 (UTC)
In-Reply-To: <1153179166.093620.144370@m73g2000cwd.googlegroups.com>
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=65.54.154.146;
   posting-account=Fb0piA0AAAD5aqfdjrmQBH2oEHYEo7NO
Xref: g2news2.google.com rec.radio.amateur.equipment:5413
rec.radio.amateur.misc:16784 rec.radio.amateur.policy:33733 rec.radio.scanner:4120
rec.radio.swap:5327


an Old friend wrote:
> peewee_lloyd_davies@yahoo.com wrote:
> get help sicko

Spam, you illiterate bastard.




From 473573499065850463
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: billy_shittydrawers_smith@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 18 Jul 2006 04:16:58 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1153221418.182325.152680@i42g2000cwa.googlegroups.com>
References: <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
   <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
   <1153164173.497442.198970@m79g2000cwm.googlegroups.com>
   <1153165736.148269.27070@s13g2000cwa.googlegroups.com>
   <1siob2l43ihagn4g26iv1oo4v8voro8s0r@4ax.com>
NNTP-Posting-Host: 65.54.154.146
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153221423 29274 127.0.0.1 (18 Jul 2006 11:17:03 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Tue, 18 Jul 2006 11:17:03 +0000 (UTC)
In-Reply-To: <1siob2l43ihagn4g26iv1oo4v8voro8s0r@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=65.54.154.146;
   posting-account=Fb0piA0AAAD5aqfdjrmQBH2oEHYEo7NO
Xref: g2news2.google.com rec.radio.amateur.equipment:5414
rec.radio.amateur.misc:16785 rec.radio.amateur.policy:33734 rec.radio.scanner:4121
rec.radio.swap:5328
```

Al Klein wrote:
> On 17 Jul 2006 12:48:56 -0700, "an old freid to some a nightmare to
> steve" <kb9rqz__ars@hotmail.com> wrote:
>
> >Of Course I am qualified I am college gard and licese of the ARS
> >Hiding no Living here it is lovely county
>
> Want to try that in some human language?

He can't, Markie is subhuman bordering on protohuman.

```
From 6771337383656082743
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: billy_shittydrawers_smith@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 18 Jul 2006 04:19:39 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1153221579.004074.167000@i42g2000cwa.googlegroups.com>
References: <1152977367.743288.235400@35g2000cwc.googlegroups.com>
   <7niug.540$157.330@newsread3.news.pas.earthlink.net>
   <1153023346.892761.92560@m79g2000cwm.googlegroups.com>
   <1153140466.990023.249840@h48g2000cwc.googlegroups.com>
   <d37nb2dr5kjdh647ee49j09e04scmh4dhi@4ax.com>
   <1153147181.203077.31250@p79g2000cwp.googlegroups.com>
   <1153164173.497442.198970@m79g2000cwm.googlegroups.com>
   <1153165736.148269.27070@s13g2000cwa.googlegroups.com>
   <1siob2l43ihagn4g26iv1oo4v8voro8s0r@4ax.com>
   <1153191885.904827.254100@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.154.146
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153221584 29623 127.0.0.1 (18 Jul 2006 11:19:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 11:19:44 +0000 (UTC)
In-Reply-To: <1153191885.904827.254100@75g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=65.54.154.146;
   posting-account=Fb0piA0AAAD5aqfdjrmQBH2oEHYEo7NO
Xref: g2news2.google.com rec.radio.amateur.equipment:5415
rec.radio.amateur.misc:16786 rec.radio.amateur.policy:33735 rec.radio.scanner:4122
rec.radio.swap:5329
```

an old freind wrote:
> Al Klein wrote:
> > On 17 Jul 2006 12:48:56 -0700, "an old freid to some a nightmare to
> > steve" <kb9rqz__ars@hotmail.com> wrote:
> >
> > >Of Course I am qualified I am college gard and licese of the ARS
> > >Hiding no Living here it is lovely county
> >
> > Want to try that in some human language?
> why can't you read it as is

Because you are an illiterate imbecile.

> soI gues you are lazy and dishonest both

No, stupid, He's saying you can't write.

```
From -6165238137898672143
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-
mail
From: billy_shittydrawers_smith@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
```

```
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
Date: 18 Jul 2006 04:28:00 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1153222080.096555.197930@35g2000cwc.googlegroups.com>
References: <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <wh4mg.139$lv.109@fed1read12>
   <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
   <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
   <129lvnf4h9st2d3@corp.supernews.com>
   <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
   <129m9ijcnshm47f@corp.supernews.com>
   <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
   <129ofcclvejs22f@corp.supernews.com>
   <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
   <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
   <dX%mg.79692$iF6.12453@pd7tw2no>
   <1152720850.662591.37690@b28g2000cwb.googlegroups.com>
   <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
   <44BAEB96.7010107@fuse.net>
   <7BVug.9499$PE1.9067@newsread2.news.pas.earthlink.net>
   <1153181670.923668.113610@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 65.54.154.146
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153222085 26938 127.0.0.1 (18 Jul 2006 11:28:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 11:28:05 +0000 (UTC)
In-Reply-To: <1153181670.923668.113610@p79g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=65.54.154.146;
   posting-account=Fb0piA0AAAD5aqfdjrmQBH2oEHYEo7NO
Xref: g2news2.google.com rec.radio.amateur.antenna:14822
rec.radio.amateur.equipment:5416 rec.radio.amateur.misc:16790
rec.radio.amateur.policy:33739 rec.radio.shortwave:44830


an old friend wrote:
> Slow Code wrote:
> > jawod <jawod@fuse.net> wrote in news:44BAEB96.7010107@fuse.net:
> > > slow code is lo-co
> >
> >
> > LOL, Good one jawod. Did you come up with that all by yourself
> > or did you have to copy & paste one of Markie's spelling mistakes.
> you are loco

PKB, retard.
```

```
From 7290660477295712718
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: get help sicko
Date: 18 Jul 2006 04:36:25 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1153222585.725123.175730@b28g2000cwb.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
   <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
   <1153141772.272991.33040@h48g2000cwc.googlegroups.com>
   <1153163984.571840.203600@s13g2000cwa.googlegroups.com>
   <1153165158.388784.300470@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.146
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153222590 32435 127.0.0.1 (18 Jul 2006 11:36:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 11:36:30 +0000 (UTC)
In-Reply-To: <1153165158.388784.300470@i42g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.154.146;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:5417
rec.radio.amateur.misc:16798 rec.radio.amateur.policy:33748 rec.radio.cb:13768
rec.radio.shortwave:44833
```

an old friend wrote:

> Not Cocksucker Lloyd wrote:
> get help sicko

Once you're on Dateline we'll see how obese you are, fatboy!

```
From 6489241414733752495
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Jul 2006 07:09:45 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1153188203.320942.196200@i42g2000cwa.googlegroups.com>
Subject: Re: Auction the ham bands to the Highest Bidder
Date: Tue, 18 Jul 2006 07:09:43 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <LIOdnUrdBNMUUiHZnZ2dnUVZ_oednZ2d@comcast.com>
Lines: 12
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-v8cHU62YDOKqNA7f2Fs1eYMN2kL6Grtta/4QEmZAnwKUg6W9GM8KLf+yer2J7le/
FvwFNNNNj40YTOh!emYQYLNrnwbMusLIPokYGPw7v3hkaSXsUtxBpAxzAVy4Tr/2IKuDjrUnvY/Zzc/
GEcRQ1E1q0CTl!dro1NJ4owoIyZg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5418
rec.radio.amateur.policy:33763 rec.radio.scanner:4126 rec.radio.swap:5332
```

nice troll.... welcome to my killfile

PLONK

<wirelessinternet802@hotmail.com> wrote in message
news:1153188203.320942.196200@i42g2000cwa.googlegroups.com...

> amateur radio is obsolete and nobody cares about it.
>
> The ham frequencies should be auctioned to the highest bidder!
>

```
From 4940141200451397274
X-Google-Thread: 108122,96bf34d14ad8c29f,start
X-Google-Thread: fc8b1,96bf34d14ad8c29f,start
X-Google-Thread: 106d41,96bf34d14ad8c29f,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!postnews.google.com!
b28g2000cwb.googlegroups.com!not-for-mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA @$10>HEATHKIT SB-401 TRANSMITTER>GREAT FOR PARTS or RESTORE
Date: 18 Jul 2006 07:24:45 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1153232685.561936.150830@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153232690 27895 127.0.0.1 (18 Jul 2006 14:24:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 14:24:50 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5419
rec.radio.amateur.boatanchors:4754 rec.radio.cb:13774

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220007261204&ssPageName=STRK:MESE:IT&ih=012
```

```
From -5932075267039791414
X-Google-Thread: 108122,60599331b03c5d86,start
X-Google-Thread: fc8b1,60599331b03c5d86,start
X-Google-Thread: 106d41,60599331b03c5d86,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: No Bids>E.F. JOHNSON VIKING II ROLLER INDUCTOR w/SHAFT
Date: 18 Jul 2006 07:25:51 -0700
Organization: http://groups.google.com
Lines: 2
```

```
Message-ID: <1153232751.429941.222880@35g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153232756 28073 127.0.0.1 (18 Jul 2006 14:25:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 14:25:56 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5420
rec.radio.amateur.boatanchors:4755 rec.radio.cb:13775

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220007261218&ssPageName=STRK:MESE:IT&ih=012



From -2027563406412022447
X-Google-Thread: 108122,21b7a7e575175c14,start
X-Google-Thread: fc8b1,21b7a7e575175c14,start
X-Google-Thread: 106d41,21b7a7e575175c14,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: No Bids>RARE WESTERN ELECTRIC 1N21 GERMANIUM DIODE in BOX>1947
Date: 18 Jul 2006 07:26:44 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1153232804.819022.263880@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153232810 25380 127.0.0.1 (18 Jul 2006 14:26:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 14:26:50 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5421
rec.radio.amateur.boatanchors:4756 rec.radio.cb:13776

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220007261192&ssPageName=STRK:MESE:IT&ih=012
```

```
From -5086033453343351535
X-Google-Thread: 108122,b37bf072b7147090,start
X-Google-Thread: fc8b1,b37bf072b7147090,start
X-Google-Thread: 106d41,b37bf072b7147090,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: No Bids>12 CERAMIC and BAKELITE SLUG TUNED COILS for RECEIVERS!
Date: 18 Jul 2006 07:27:49 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1153232869.825436.242910@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153232875 28356 127.0.0.1 (18 Jul 2006 14:27:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 14:27:55 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5422
rec.radio.amateur.boatanchors:4757 rec.radio.cb:13777

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220007261231&ssPageName=STRK:MESE:IT&ih=012



From -6684146449311171529
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "Greek Style" <mariablazer2002@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 18 Jul 2006 08:12:40 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1153235560.033396.86620@b28g2000cwb.googlegroups.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
NNTP-Posting-Host: 68.155.218.3
```

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153235565 981 127.0.0.1 (18 Jul 2006 15:12:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 15:12:45 +0000 (UTC)
In-Reply-To: <c95534b9cc247c98892af588b78706fd@dizum.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=68.155.218.3;
   posting-account=hEP_YA0AAABpmQROMwnhtKM3qka-Yeyc
Xref: g2news2.google.com rec.radio.amateur.equipment:5423

Careful there Norman P Triantafilos you may get banned from here with
your false allegations..

Da Greek Geek

From 6988706167626719582
X-Google-Thread: 108122,7a161ad58da2f4e0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Jul 2006 12:16:30 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Length & number of radials
Date: Tue, 18 Jul 2006 18:12:41 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <GMWdnTlHz-nziiDZRVnytw@bt.com>
Lines: 19
NNTP-Posting-Host: 86.137.58.124
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-kPSOqreBMwwDNrFM+jSTyLpW6vbl5fky7uEk7f+OL2InNxymsJfHpuWOFUFo1OYmHEtpDUPbnkDVgtA!QZd+gT6Kc+PF7ZgFqSEwEMZk58ubm5irSWbUOmx7NU5kidaFeMIo1HiUxaq0CA==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32

```
Xref: g2news2.google.com rec.radio.amateur.equipment:5424
```

If you are considering a new vertical antenna, instead of guesswork and copying somebody else's un-thought-out efforts, download program RADIAL_3 from website below.

The program assists with choosing an economic length and number of shallow-buried ground radials. It takes a new look at how radials work by considering them to be lossy, single-wire transmission lines, open-circuit at the other end.

RADIAL_3 is a self contained file, 55 kilibytes. Easy to use. No training needed. Download in a few seconds and run immediately.

```
----
.........................................................
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
.........................................................
```

```
From -7071813919922465072
X-Google-Thread: 108122,21b7a7e575175c14
X-Google-Thread: fc8b1,21b7a7e575175c14
X-Google-Thread: 106d41,21b7a7e575175c14
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!atl-
c05.usenetserver.com!news.usenetserver.com!newsfeed.telusplanet.net!
newsfeed.telus.net!clgrps13.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: Re: FA: No Bids>RARE WESTERN ELECTRIC 1N21 GERMANIUM DIODE in BOX>1947
From: Panzer240 <panzer240@hotmail.com>
References: <1153232804.819022.263880@m79g2000cwm.googlegroups.com>
Organization: QAR
Message-ID: <Xns9804928186CA5fw190a8@198.80.55.250>
User-Agent: Xnews/5.04.25
X-Face: $&/X$V,"S*#uz+{oLU'^h)QCF*4h'r$f("jr/$#M!Dt&CR9(9ju%ntlWj$kN7S{)n^fK'VC L|
TA8NouNwLeq~OD-&Y(=FdX+lD@%H%=7w-w*vaS79ke<Cs%n)'&dm#<Ktc6:_[FhYWae&YI/GLrpD
ehoTc4x)+XNdGI`,T((uEs~&1n0_5C2\\e[i|I%|cN6:]L%b5(WS}IiFEkC"q
Lines: 11
Date: Tue, 18 Jul 2006 17:24:09 GMT
NNTP-Posting-Host: 24.222.95.26
X-Trace: clgrps13 1153243449 24.222.95.26 (Tue, 18 Jul 2006 11:24:09 MDT)
NNTP-Posting-Date: Tue, 18 Jul 2006 11:24:09 MDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5425
rec.radio.amateur.boatanchors:4761 rec.radio.cb:13779
```

"wa2rqy" <rlucch2098@aol.com> wrote in
news:1153232804.819022.263880@m79g2000cwm.googlegroups.com:

> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220007261192&ssPa
> geName=STRK:MESE:IT&ih=012

Condition new yeah roight!!!

--
Panzer

```
From -2693813993175917570
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: get help sicko
Date: 18 Jul 2006 10:59:30 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1153245570.420091.137730@s13g2000cwa.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
   <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
   <1153141772.272991.33040@h48g2000cwc.googlegroups.com>
   <1153163984.571840.203600@s13g2000cwa.googlegroups.com>
   <1153165158.388784.300470@i42g2000cwa.googlegroups.com>
   <1153222585.725123.175730@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153245576 31324 127.0.0.1 (18 Jul 2006 17:59:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 17:59:36 +0000 (UTC)
In-Reply-To: <1153222585.725123.175730@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:5426
rec.radio.amateur.misc:16824 rec.radio.amateur.policy:33788 rec.radio.cb:13784
rec.radio.shortwave:44868


markie_morgan_rapesboys@yahoo.com wrote:
get help sicko
>
> Once you're on Dateline we'll see how obese you are, fatboy!

dream on the way I am likely to be on dateline is tlaking about you and
Robeson




From -2712886464374005798
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz___ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
Date: 18 Jul 2006 11:13:10 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1153246390.770389.263750@m73g2000cwd.googlegroups.com>
References: <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <wh4mg.139$lv.109@fed1read12>
   <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
   <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
   <129lvnf4h9st2d3@corp.supernews.com>
   <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
   <129m9ijcnshm47f@corp.supernews.com>
   <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
   <129ofcclvejs22f@corp.supernews.com>
   <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
   <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
   <dX%mg.79692$iF6.12453@pd7tw2no>
   <1152720850.662591.37690@b28g2000cwb.googlegroups.com>
   <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
   <44BAEB96.7010107@fuse.net>
   <7BVug.9499$PE1.9067@newsread2.news.pas.earthlink.net>
   <1153181670.923668.113610@p79g2000cwp.googlegroups.com>
   <1153222080.096555.197930@35g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153246397 32527 127.0.0.1 (18 Jul 2006 18:13:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 18:13:17 +0000 (UTC)
In-Reply-To: <1153222080.096555.197930@35g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.27;
   posting-account=yF5n7A0AAAB9ddl6N7-ePSjSvfRHGK0S
Xref: g2news2.google.com rec.radio.amateur.antenna:14831
rec.radio.amateur.equipment:5427 rec.radio.amateur.misc:16833
rec.radio.amateur.policy:33797 rec.radio.shortwave:44872
```

billy_shittydrawers_smith@yahoo.com wrote:
get help sicko
> PKB, retard.

althought I was temted to recyve your own there just this once wismen

```
From -2956221005643280615
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit4.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!news-out.readnews.com!spool-
big1.readnews.com!diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "Bernie the Bignose" <jewsmakepornos@yahoosblows.com>
From: "Bernie the Bignose" <jewsmakepornos@yahoosblows.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1153188203.320942.196200@i42g2000cwa.googlegroups.com>
Subject: Re: Auction the ham bands to the Highest Bidder
Date: Tue, 18 Jul 2006 15:10:22 -0400
Lines: 10
Organization: Bignose Jew Kikes
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
```

```
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Message-ID: <2cc3f$44bd321a$d1cc5727$8018@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc1b-209-204-87-39.sniparpa.net
X-Trace: 2cc3f44bd321a7469f2828018
Xref: g2news2.google.com rec.radio.amateur.equipment:5428
rec.radio.amateur.policy:33802 rec.radio.scanner:4131 rec.radio.swap:5338
```

<wirelessinternet802@hotmail.com> wrote in message
news:1153188203.320942.196200@i42g2000cwa.googlegroups.com...

> amateur radio is obsolete and nobody cares about it.
>
> The ham frequencies should be auctioned to the highest bidder!

.....but what if nobody bids ?

```
From 5833430213229755964
X-Google-Thread: 108122,7a161ad58da2f4e0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
sn-xt-sjc-03!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!news.supernews.com!not-for-
mail
From: "Charlie" <charlie@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Length & number of radials
Date: Tue, 18 Jul 2006 15:11:00 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12bqg30qme0mt4d@news.supernews.com>
References: <GMWdnTlHz-nziiDZRVnytw@bt.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news2.google.com rec.radio.amateur.equipment:5429
```

Interesting program my Hustler 5-BTV installation with 72 buried radials
came out at 97.17% efficiency
Cool program.

--

Charlie-AD5TH
www.ad5th.com

```
"Reg Edwards" <g4fgq.regp@ZZZbtinternet.com> wrote in message
news:GMWdnTlHz-nziiDZRVnytw@bt.com...
> If you are considering a new vertical antenna, instead of guesswork
> and copying somebody else's un-thought-out efforts, download program
> RADIAL_3 from website below.
>
> The program assists with choosing an economic length and number of
> shallow-buried ground radials. It takes a new look at how radials work
> by considering them to be lossy, single-wire transmission lines,
> open-circuit at the other end.
>
> RADIAL_3 is a self contained file, 55 kilibytes. Easy to use. No
> training needed. Download in a few seconds and run immediately.
> ----
> ...........................................................
> Regards from Reg, G4FGQ
> For Free Radio Design Software go to
> http://www.btinternet.com/~g4fgq.regp
> ...........................................................
>
>
```

```
From -5357847180199358924
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Thread: 114aac,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.shortwave
Subject: Re: get help sicko
Date: 18 Jul 2006 14:03:30 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1153256610.227923.234740@p79g2000cwp.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
   <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
   <1153141772.272991.33040@h48g2000cwc.googlegroups.com>
   <1153163984.571840.203600@s13g2000cwa.googlegroups.com>
   <1153165158.388784.300470@i42g2000cwa.googlegroups.com>
   <1153222585.725123.175730@b28g2000cwb.googlegroups.com>
   <1153245570.420091.137730@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.155.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153256615 29471 127.0.0.1 (18 Jul 2006 21:03:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 21:03:35 +0000 (UTC)
In-Reply-To: <1153245570.420091.137730@s13g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=65.54.155.15;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:5430
rec.radio.amateur.misc:16858 rec.radio.amateur.policy:33842 rec.radio.cb:13817
rec.radio.shortwave:44895



an old friend wrote:
> markie_morgan_rapesboys@yahoo.com wrote:
> get help sicko

You are the one who molests kids.
That is why you beat a hasty exit from Illiopolis, IL.

> >
> > Once you're on Dateline we'll see how obese you are, fatboy!
>
> dream on the way I am likely to be on dateline is tlaking about you and
> Robeson

Not hardly, online predator, you'll be too busy shitting your pants
while on camera.




From -7498388949895364828
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
```

```
wap
Subject: Re: Auction the ham bands to the Highest Bidder
Message-ID: <sllqb2h7d4cgo6r5l9m02eb7kot17albrr@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1153188203.320942.196200@i42g2000cwa.googlegroups.com>
<e9hitj$b51$1@news2.kornet.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Tue, 18 Jul 2006 17:47:19 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1153259437 24.186.218.38 (Tue, 18 Jul 2006 14:50:37 MST)
NNTP-Posting-Date: Tue, 18 Jul 2006 14:50:37 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5431
rec.radio.amateur.policy:33874 rec.radio.scanner:4139 rec.radio.swap:5344
```

On Tue, 18 Jul 2006 12:03:27 +0900, "Brenda Ann"
<brendad@shinbiro.com> wrote:

>The bands 220 and below are not viable at all commercially because of the size of antenna needed.

Don't forget, UPS (or was it FedEx) wanted part of 220.

```
From -706603567837527298
X-Google-Thread: 108122,7a8c6453fcb34a8f
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an old freind" <upperpenarmyguy@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb
Subject: Re: get help sicko
Date: 18 Jul 2006 14:56:40 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1153259800.073856.227160@m73g2000cwd.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
   <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
   <1153141772.272991.33040@h48g2000cwc.googlegroups.com>
   <1153163984.571840.203600@s13g2000cwa.googlegroups.com>
   <1153165158.388784.300470@i42g2000cwa.googlegroups.com>
   <1153222585.725123.175730@b28g2000cwb.googlegroups.com>
   <1153245570.420091.137730@s13g2000cwa.googlegroups.com>
   <1153256610.227923.234740@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153259806 5566 127.0.0.1 (18 Jul 2006 21:56:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Jul 2006 21:56:46 +0000 (UTC)
In-Reply-To: <1153256610.227923.234740@p79g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.27;
   posting-account=LzErYQ0AAAA_eMnWPmtljj0B4GwaxcV8
Xref: g2news2.google.com rec.radio.amateur.equipment:5432
rec.radio.amateur.misc:16882 rec.radio.amateur.policy:33882 rec.radio.cb:13842
```

markie_morgan_rapesboys@yahoo.com wrote:
get help sicko

```
From 4844655911551394493
X-Google-Thread: 108122,7a161ad58da2f4e0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 18 Jul 2006 17:03:15 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
References: <GMWdnTlHz-nziiDZRVnytw@bt.com> <12bqg30qme0mt4d@news.supernews.com>
Subject: Re: Length & number of radials
Date: Tue, 18 Jul 2006 22:59:12 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <CZqdnZulzrY5xyDZRVnyug@bt.com>
Lines: 16
NNTP-Posting-Host: 86.137.58.124
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
```

```
V5tqufj0uWsirWvh0FzSJh6WbLhiDTYp94OrFylr2mOYnR8vmRdcwnU346fbVkazT2x0VuDP/gD02St!
kQxi5wWeR936FpCai2J0+l+iBYEGXIfbKOAKAtHqXmBp+Y2z+HbDz4a+Rttu9g==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5433
```

"Charlie" wrote

> Interesting program my Hustler 5-BTV installation with 72 buried
> radials
> came out at 97.17% efficiency

=====================================
If the Hustler 5-BTV has any loading coils in it then its efficiency
will be less than 97%.

The program applies only to simple unloaded verticals which got into
the program only to illustrate how the radials affect efficiency.

Reg.

```
From -7778335167087471981
X-Google-Thread: 108122,a17e0dfead0cbc52,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!ctb-nntp1.saix.net!
not-for-mail
From: "Joel Dorfan" <barbi@xsamsat.co.za>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-2400 help please
Date: Wed, 19 Jul 2006 00:39:25 +0200
Organization: The South African Internet Exchange
Lines: 18
Message-ID: <e9jnv5$agb$1@ctb-nnrp2.saix.net>
NNTP-Posting-Host: dsl-146-110-221.telkomadsl.co.za
X-Trace: ctb-nnrp2.saix.net 1153262373 10763 165.146.110.221 (18 Jul 2006 22:39:33
GMT)
X-Complaints-To: abuse@saix.net
NNTP-Posting-Date: 18 Jul 2006 22:39:33 GMT
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5434
```

I opened the front panel of the radio to look for the back light which stopped working.
There seems to be a factory mod, a thin green wire running from the output of Q3003 5v regulator under the top cover to a place behind the front panel.

This green wire has broken off from the position where it was soldered behind the front panel and I can not find where it is supposed to go. The radio will not transmit with this wire disconnected.

PLEASE, can any of you with this radio take a look and see where this wire is supposed to be soldered to?

Thanks

Joel
ZS6CBA

From 8744085127832213161
X-Google-Thread: 108122,7a161ad58da2f4e0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-sjc-01!
supernews.com!news.supernews.com!not-for-mail
From: "Charlie" <charlie@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Length & number of radials
Date: Tue, 18 Jul 2006 18:29:56 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12bqrnvotos6sb6@news.supernews.com>
References: <GMWdnTlHz-nziiDZRVnytw@bt.com> <12bqg30qme0mt4d@news.supernews.com>
<CZqdnZulzrY5xyDZRVnyug@bt.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news2.google.com rec.radio.amateur.equipment:5435

I ran the program for my 17M vertical wire I have added to the 5-btv..

--

Charlie-AD5TH
www.ad5th.com

```
"Reg Edwards" <g4fgq.regp@ZZZbtinternet.com> wrote in message
news:CZqdnZulzrY5xyDZRVnyug@bt.com...
>
> "Charlie"  wrote
>> Interesting program my Hustler 5-BTV installation with 72 buried
> radials
>> came out at 97.17% efficiency
>
> ====================================
> If the Hustler 5-BTV has any loading coils in it then its efficiency
> will be less than 97%.
>
> The program applies only to simple unloaded verticals which got into
> the program only to illustrate how the radials affect efficiency.
> ----
> Reg.
>
>
```

```
From 5453492254922705214
X-Google-Thread: 108122,2362ca07c667a13f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:TUBES, 80,45, 5Z3,6146B+more stuff coming
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <SWevg.417545$Fs1.289659@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 9a9ffbd01cded470c2e2c46d9814d852
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1153268530
9a9ffbd01cded470c2e2c46d9814d852 (Wed, 19 Jul 2006 00:22:10 GMT)
NNTP-Posting-Date: Wed, 19 Jul 2006 00:22:10 GMT
Organization: AT&T Worldnet
Date: Wed, 19 Jul 2006 00:22:10 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5436
```

See at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

tnx for looking, heytubeguy

```
From -5629281537573306398
X-Google-Thread: fcc6e,1e6b5232b7255ff0,start
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes:
gidfcc6e,gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.scanner,rec.radio.swap,rec.radio.shortwave
Subject: Re: Auction the ham bands to the Highest Bidder
From: Slow Code <my.mail@no.spam>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1153188203.320942.196200@i42g2000cwa.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 12
Message-ID: <b_evg.1789$157.1505@newsread3.news.pas.earthlink.net>
Date: Wed, 19 Jul 2006 00:25:43 GMT
NNTP-Posting-Host: 4.235.69.168
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1153268743 4.235.69.168 (Tue, 18 Jul
2006 17:25:43 PDT)
NNTP-Posting-Date: Tue, 18 Jul 2006 17:25:43 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:14856
rec.radio.amateur.equipment:5437 rec.radio.amateur.policy:33904
rec.radio.scanner:4147 rec.radio.swap:5353 rec.radio.shortwave:44924
```

wirelessinternet802@hotmail.com wrote in
news:1153188203.320942.196200@i42g2000cwa.googlegroups.com:

> amateur radio is obsolete and nobody cares about it.
>
> The ham frequencies should be auctioned to the highest bidder!

Sorry, CB'ers already got dibs on the bands after CW goes away.

SC

```
From -7453068735931661300
X-Google-Thread: 108122,7a8c6453fcb34a8f
```

```
X-Google-Thread: 107ada,7a8c6453fcb34a8f
X-Google-Thread: 10bf43,d2c27b87d4f26c16
X-Google-Thread: 106d41,7a8c6453fcb34a8f
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb
Subject: Re: get help sicko
Date: 19 Jul 2006 04:50:40 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1153309840.548928.228120@b28g2000cwb.googlegroups.com>
References: <1152994937.233695.66730@b28g2000cwb.googlegroups.com>
   <ded3f$44babdc1$d1cc5ba9$12590@snip.allthenewsgroups.com>
   <1153089324.750562.65830@m79g2000cwm.googlegroups.com>
   <1153090916.643169.173840@b28g2000cwb.googlegroups.com>
   <1153139857.059767.279140@b28g2000cwb.googlegroups.com>
   <1153140737.997075.111450@i42g2000cwa.googlegroups.com>
   <1153141201.764153.65010@b28g2000cwb.googlegroups.com>
   <1153141772.272991.33040@h48g2000cwc.googlegroups.com>
   <1153163984.571840.203600@s13g2000cwa.googlegroups.com>
   <1153165158.388784.300470@i42g2000cwa.googlegroups.com>
   <1153222585.725123.175730@b28g2000cwb.googlegroups.com>
   <1153245570.420091.137730@s13g2000cwa.googlegroups.com>
   <1153256610.227923.234740@p79g2000cwp.googlegroups.com>
   <1153259800.073856.227160@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 65.54.155.56
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153309844 8326 127.0.0.1 (19 Jul 2006 11:50:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Jul 2006 11:50:44 +0000 (UTC)
In-Reply-To: <1153259800.073856.227160@m73g2000cwd.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=65.54.155.56;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:5438
rec.radio.amateur.misc:16895 rec.radio.amateur.policy:33957 rec.radio.cb:13893
```

an old freind wrote:
> markie_morgan_rapesboys@yahoo.com wrote:
> get help sicko

Hey, Markie, did your father in law really molest your shemale wife as
you've admitted to on Nim Busters?

```
From -7867360775611446174
X-Google-Thread: 108122,a5ea3155c811be5c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Jul 2006 17:46:17 -0500
Date: Wed, 19 Jul 2006 17:46:17 -0500
From: Gary <danahers@comcast.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Luggage Rack Mounted NMO Mounts?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
Lines: 6
NNTP-Posting-Host: 24.0.163.35
X-Trace: sv3-e7ppy6c+qdVnAAOfHf/
VpEBqWbmSq4nrFvMV0mVHc0bvPvhhcSV5xxDWXQUTK4PXJXISoAtJSD67TUh!
68HF3RQnGwA9OlZZjwIIn3NeT7rbGWXYlPgFawOIkaamXPqiQeHc9BTP4BpUzxFDfSNn3Ps6eg3/!
lFouSHv0pfU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5439
```

I'm giving serious thought to buying a new vehicle and you know it's bad when your first thought is not the mileage or seating capacity, but where to plumb the radio! Does anyone manufacture an adjustable bracket that will fit into or around the luggage rack frames? I can fabricate my own, but not having a full-featured machine shop, it might not be as pretty as my wife would like.

```
From -196428219912089376
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!newsfeed.gamma.ru!
Gamma.RU!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
Date: Wed, 19 Jul 2006 22:58:10 -0000
```

```
Organization: Home for Obscure Mythical Beings
Message-ID: <12bte8283oq4b15@corp.supernews.com>
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news2.google.com rec.radio.amateur.equipment:5440

In article <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>,
Gary  <danahers@comcast.net> wrote:

>I'm giving serious thought to buying a new vehicle and you know it's bad
>when your first thought is not the mileage or seating capacity, but
>where to plumb the radio!

Bad?  No... I'd say it's entirely natural >>grin<<

>                   Does anyone manufacture an adjustable bracket
>that will fit into or around the luggage rack frames?

Diamond makes several which might meet your needs.  The K515SNMO is an
adjustable (2-axis) mount with a "universal luggage carrier" bracket.
They even make a motorized luggage-rack-mount base (K9000LRM) which
you can lower electrically from inside the vehicle.

http://www.rfparts.com/diamond/Product_Catalog/mounts.html to see
photos;  the mounts themselves are available through the usual online
and storefront ham-radio dealerships.

--
Dave Platt <dplatt@radagast.org>                                  AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From 5610450329749771119
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
Date: Wed, 19 Jul 2006 18:01:18 -0500
Lines: 16
Message-ID: <44BEB9BE.9010704@sbcglobal.net>
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

```
X-Trace: individual.net IzNXIssnt4HO6Qm50lynCwirQzd8PER6oPNkvXrAPSh1h5Fpu0
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:5441
```

Gary wrote:

> I'm giving serious thought to buying a new vehicle and you know it's bad
> when your first thought is not the mileage or seating capacity, but
> where to plumb the radio! Does anyone manufacture an adjustable bracket
> that will fit into or around the luggage rack frames? I can fabricate my
> own, but not having a full-featured machine shop, it might not be as
> pretty as my wife would like.

Marine antenna mounts work great as well, and most are built to withstand the elements better.

See the AES catalog pages 78-89: http://www.aesham.com/pdf/pages78-89.pdf

for several types of mounts..

Bob N9LVU

```
From -3860119868993214696
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,35873e3691ef5b48
X-Google-Thread: 108122,35873e3691ef5b48
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!news-out.octanews.net!mauve.octanews.net!
198.186.190.95.MISMATCH!news-out.readnews.com!postnews3.readnews.com!
nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: Give up CB for Ham?
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20060719195822.417$PT@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152822110.409201.312040@b28g2000cwb.googlegroups.com>
<HMNtg.130796$dW3.111742@newssvr21.news.prodigy.com>
X-NRC-Trace: NewsReader.Com 9JE3iTV0Lp6dJPeghU9DW@BoV,fvMRFjtYkvBlr-sUj2.p/esX
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 19 Jul 2006 23:53:02 GMT
Lines: 127
NNTP-Posting-Host: f9b02cb1.nr3.newsreader.com
X-Trace: DXC=<0jDX9_CGE]<K56R_1R_EYOA8_@f\K_iR0V\?
8`j4eW[6ARUAb<\17TNd7biGRhQTWabI[<ZWSB4QCbXMb_NH0T\
X-Complaints-To: abuse@newsreader.com
```

```
Xref: g2news2.google.com rec.radio.cb:13966 rec.radio.swap:5386
rec.radio.amateur.equipment:5442

"Landshark" <S3Buell@SBCGlobal.net> wrote:
> "Score More" <anythingkinky@gmail.com> wrote in message
> news:1152822110.409201.312040@b28g2000cwb.googlegroups.com...
> > ALOT of people are telling me that CB is just for inbred hayseed hicks
> > and that I should replce the C.B. in my truck with a ham radio.  What
> > do you think?
> >
>
>         Hi again Brian,
> Just don't get it, do you? Tisk tisk
> tisk...................................
>
> Server Used: [ whois.arin.net ]
>
> 198.232.250.21 = [  ]
>   OrgName:    Westat  Inc.
>   OrgID:      WESTAT-1
>   Address:    Attn: Network Technical Systems
>   Address:    1650 Research Blvd.
>   City:       Rockville
>   StateProv:  MD
>   PostalCode: 20850
>   Country:    US
>   NetRange:   198.232.249.0 - 198.232.252.255
>   CIDR:       198.232.249.0/24  198.232.250.0/23  198.232.252.0/24
>   NetName:    NETBLK-WESNET
>   NetHandle:   NET-198-232-249-0-1
>   Parent:     NET-198-0-0-0-0
>   NetType:    Direct Assignment
>   NameServer: AUTH00.NS.UU.NET
>   NameServer: AUTH61.NS.UU.NET
>   Comment:
>   RegDate:    1993-11-22
>   Updated:    1999-01-22
>   RTechHandle: BV71-ARIN
>   RTechName:   Vivari  Bruce
>   RTechPhone:  1-301-251-1500
>   RTechEmail:  hostmaster@westat.com
>   OrgAbuseHandle: WESTA2-ARIN
>   OrgAbuseName:   Westat Hostmaster
>   OrgAbusePhone:  1-301-738-8328
>   OrgAbuseEmail:  hostmaster@westat.com
>   OrgAbuseHandle: BFR11-ARIN
>   OrgAbuseName:   Franklin  Brian
>   OrgAbusePhone:  1-301-517-4037
>   OrgAbuseEmail:  brianfranklin@westat.com
>   OrgNOCHandle: WESTA2-ARIN
>   OrgNOCName:   Westat Hostmaster
>   OrgNOCPhone:  1-301-738-8328
>   OrgNOCEmail:  hostmaster@westat.com
>   OrgTechHandle: WESTA2-ARIN
>   OrgTechName:   Westat Hostmaster
>   OrgTechPhone:  1-301-738-8328
>   OrgTechEmail:  hostmaster@westat.com
>   OrgTechHandle: BFR11-ARIN
>   OrgTechName:   Franklin  Brian
>   OrgTechPhone:  1-301-517-4037
>   OrgTechEmail:  brianfranklin@westat.com
>   OrgTechHandle: IRA-ARIN
>   OrgTechName:   Rashid  Imran
>   OrgTechPhone:  1-240-453-2784
>   OrgTechEmail:  ImranRashid@westat.com
>    ARIN WHOIS database  last updated 2006-07-13 19: 10
>    Enter ? for additional hints on searching ARIN's WHOIS databaseServer
> Used: [ whois.arin.net ]151.196.228.51 = [  ]
>   OrgName:    Verizon Internet Services Inc.
>   OrgID:      VRIS
>   Address:    1880 Campus Commons Dr
>   City:       Reston
>   StateProv:  VA
>   PostalCode: 20191
>   Country:    US
>   NetRange:   151.196.0.0 - 151.205.255.255
>   CIDR:       151.196.0.0/14  151.200.0.0/14  151.204.0.0/15
>   NetName:    VIS-151-196
>   NetHandle:   NET-151-196-0-0-1
>   Parent:     NET-151-0-0-0-0
>   NetType:    Direct Allocation
>   NameServer: NS1.BELLATLANTIC.NET
>   NameServer: NS2.BELLATLANTIC.NET
>   NameServer: NS2.VERIZON.NET
>   NameServer: NS4.VERIZON.NET
>   Comment:    Please send all abuse reports to abuse@verizon.net.
>   Comment:    DO NOT send e-mail to DIA.ADMIN@verizon.com as it will not
>     be
> answered.
>   RegDate:
>   Updated:    2006-06-01
>   OrgAbuseHandle: VISAB-ARIN
>   OrgAbuseName:   VIS Abuse
>   OrgAbusePhone:  1-214-513-6711
>   OrgAbuseEmail:  abuse@verizon.net
>   OrgTechHandle: ZV20-ARIN
>   OrgTechName:   Verizon Internet Services
>   OrgTechPhone:  1-703-295-4583
>   OrgTechEmail:  IPMGMT@verizon.com
>   CustName:   Westat
>   Address:    1650 RESEARCH BLVD
>   City:       Rockville
>   StateProv:  MD
>   PostalCode: 20850
>   Country:    US
>   RegDate:    2006-02-13
>   Updated:    2006-02-13
>   NetRange:   151.196.228.0 - 151.196.229.255
>   CIDR:       151.196.228.0/23
>   NetName:    VZ-WSTT-1
>   NetHandle:   NET-151-196-228-0-1
>   Parent:     NET-151-196-0-0-1
>   NetType:    Reassigned
>   Comment:
>   RegDate:    2006-02-13
>   Updated:    2006-02-13
>   OrgAbuseHandle: VISAB-ARIN
>   OrgAbuseName:   VIS Abuse
>   OrgAbusePhone:  1-214-513-6711
>   OrgAbuseEmail:  abuse@verizon.net
>   OrgTechHandle: ZV20-ARIN
>   OrgTechName:   Verizon Internet Services
>   OrgTechPhone:  1-703-295-4583
>   OrgTechEmail:  IPMGMT@verizon.com
>    ARIN WHOIS database  last updated 2006-07-13 19: 10
>    Enter ? for additional hints on searching ARIN's WHOIS database.
> Have a great weekend, think about what you are doing, beforeyou start
> trolling CB Newsgroups.  Landshark
>
```

Hrmmm..who else posts from Maryland in here?

```
From -8904984473786284586
X-Google-Thread: 108122,3357a98de270d027,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: carl6405@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: LPA1  How do I make an antenna for it?
Date: 19 Jul 2006 17:28:04 -0700
Organization: http://groups.google.com
Lines: 29
Message-ID: <1153355284.091947.210530@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.57.127.157
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153355289 14790 127.0.0.1 (20 Jul 2006 00:28:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Jul 2006 00:28:09 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=68.57.127.157;
   posting-account=yQFLgQ0AAAD3qParIaf_dOcTkmJeN9AS
Xref: g2news2.google.com rec.radio.amateur.equipment:5443
```

Ok, first I ask all of you smart folks to excuse my ignorance on this topic. But trust me, I have searched all over to find the how to's on this subject. Please let me know where I can either see pictures or some good instructions on this.

I assembled a FM 25B and its working well. Also, purchased and assembled the STC1 and it is working well.

What about the damb LPA1 RF Linear amp? Well.. Ive plugged in everything from an old shoe to rabbit ears and no help on gettin out there. Just kiddin about all that. But, they give you RCA jacks to plug an "Antenna" into. J2, the output. I know I need a dipole antenna, and plenty of people here has made one.

I am in need of some simple instructions, I have plenty of copper (and coat hangers if needed)to use.

Input from PC sound card, to STC1c
Output from STC1c to
FM 25B (Anyone know of any mods for that?)
Output from FM25B to
J3 (Input)RCA jack
J2 RCA Jack Output to?   (How stupud is putting a dang RCA jack there for an antenna?)

My email address is carl6405@yahoo.com
If you have this set up, please take a picture and send me so that I can see someone elses set up.

From -2839329318721468684
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,35873e3691ef5b48
X-Google-Thread: 108122,35873e3691ef5b48
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Wed, 19 Jul 2006 19:42:41 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12btkc0kjkrih4b@corp.supernews.com>
References: <1152822110.409201.312040@b28g2000cwb.googlegroups.com>
<HMNtg.130796$dW3.111742@newssvr21.news.prodigy.com>
<20060719195822.417$PT@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original

```
X-Complaints-To: abuse@supernews.com
Lines: 133
Xref: g2news2.google.com rec.radio.cb:13978 rec.radio.swap:5387
rec.radio.amateur.equipment:5444

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060719195822.417$PT@newsreader.com...
> "Landshark" <S3Buell@SBCGlobal.net> wrote:
>> "Score More" <anythingkinky@gmail.com> wrote in message
>> news:1152822110.409201.312040@b28g2000cwb.googlegroups.com...
>> > ALOT of people are telling me that CB is just for inbred hayseed hicks
>> > and that I should replce the C.B. in my truck with a ham radio.  What
>> > do you think?
>> >
>>
>>         Hi again Brian,
>> Just don't get it, do you? Tisk tisk
>> tisk...................................
>>
>> Server Used: [ whois.arin.net ]
>>
>> 198.232.250.21 = [  ]
>>   OrgName:    Westat  Inc.
>>   OrgID:      WESTAT-1
>>   Address:    Attn: Network Technical Systems
>>   Address:    1650 Research Blvd.
>>   City:       Rockville
>>   StateProv:  MD
>>   PostalCode: 20850
>>   Country:    US
>>   NetRange:   198.232.249.0 - 198.232.252.255
>>   CIDR:       198.232.249.0/24  198.232.250.0/23  198.232.252.0/24
>>   NetName:    NETBLK-WESNET
>>   NetHandle:   NET-198-232-249-0-1
>>   Parent:     NET-198-0-0-0-0
>>   NetType:    Direct Assignment
>>   NameServer: AUTH00.NS.UU.NET
>>   NameServer: AUTH61.NS.UU.NET
>>   Comment:
>>   RegDate:    1993-11-22
>>   Updated:    1999-01-22
>>   RTechHandle: BV71-ARIN
>>   RTechName:   Vivari  Bruce
>>   RTechPhone:  1-301-251-1500
>>   RTechEmail:  hostmaster@westat.com
>>   OrgAbuseHandle: WESTA2-ARIN
>>   OrgAbuseName:   Westat Hostmaster
>>   OrgAbusePhone:  1-301-738-8328
>>   OrgAbuseEmail:  hostmaster@westat.com
>>   OrgAbuseHandle: BFR11-ARIN
>>   OrgAbuseName:   Franklin  Brian
>>   OrgAbusePhone:  1-301-517-4037
>>   OrgAbuseEmail:  brianfranklin@westat.com
>>   OrgNOCHandle: WESTA2-ARIN
>>   OrgNOCName:   Westat Hostmaster
>>   OrgNOCPhone:  1-301-738-8328
>>   OrgNOCEmail:  hostmaster@westat.com
>>   OrgTechHandle: WESTA2-ARIN
>>   OrgTechName:   Westat Hostmaster
>>   OrgTechPhone:  1-301-738-8328
>>   OrgTechEmail:  hostmaster@westat.com
>>   OrgTechHandle: BFR11-ARIN
>>   OrgTechName:   Franklin  Brian
>>   OrgTechPhone:  1-301-517-4037
>>   OrgTechEmail:  brianfranklin@westat.com
>>   OrgTechHandle: IRA-ARIN
>>   OrgTechName:   Rashid  Imran
>>   OrgTechPhone:  1-240-453-2784
>>   OrgTechEmail:  ImranRashid@westat.com
>>    ARIN WHOIS database  last updated 2006-07-13 19: 10
>>    Enter ? for additional hints on searching ARIN's WHOIS databaseServer
>> Used: [ whois.arin.net ]151.196.228.51 = [  ]
>>   OrgName:    Verizon Internet Services Inc.
>>   OrgID:      VRIS
>>   Address:    1880 Campus Commons Dr
>>   City:       Reston
>>   StateProv:  VA
>>   PostalCode: 20191
>>   Country:    US
>>   NetRange:   151.196.0.0 - 151.205.255.255
>>   CIDR:       151.196.0.0/14  151.200.0.0/14  151.204.0.0/15
>>   NetName:    VIS-151-196
>>   NetHandle:   NET-151-196-0-0-1
>>   Parent:     NET-151-0-0-0-0
>>   NetType:    Direct Allocation
>>   NameServer: NS1.BELLATLANTIC.NET
>>   NameServer: NS2.BELLATLANTIC.NET
>>   NameServer: NS2.VERIZON.NET
>>   NameServer: NS4.VERIZON.NET
>>   Comment:    Please send all abuse reports to abuse@verizon.net.
>>   Comment:    DO NOT send e-mail to DIA.ADMIN@verizon.com as it will not
>>     be
>> answered.
>>   RegDate:
>>   Updated:    2006-06-01
>>   OrgAbuseHandle: VISAB-ARIN
>>   OrgAbuseName:   VIS Abuse
>>   OrgAbusePhone:  1-214-513-6711
>>   OrgAbuseEmail:  abuse@verizon.net
>>   OrgTechHandle: ZV20-ARIN
>>   OrgTechName:   Verizon Internet Services
>>   OrgTechPhone:  1-703-295-4583
>>   OrgTechEmail:  IPMGMT@verizon.com
>>   CustName:   Westat
>>   Address:    1650 RESEARCH BLVD
>>   City:       Rockville
>>   StateProv:  MD
>>   PostalCode: 20850
>>   Country:    US
>>   RegDate:    2006-02-13
>>   Updated:    2006-02-13
>>   NetRange:   151.196.228.0 - 151.196.229.255
>>   CIDR:       151.196.228.0/23
>>   NetName:    VZ-WSTT-1
>>   NetHandle:   NET-151-196-228-0-1
>>   Parent:     NET-151-196-0-0-1
>>   NetType:    Reassigned
>>   Comment:
>>   RegDate:    2006-02-13
>>   Updated:    2006-02-13
>>   OrgAbuseHandle: VISAB-ARIN
>>   OrgAbuseName:   VIS Abuse
>>   OrgAbusePhone:  1-214-513-6711
>>   OrgAbuseEmail:  abuse@verizon.net
>>   OrgTechHandle: ZV20-ARIN
>>   OrgTechName:   Verizon Internet Services
>>   OrgTechPhone:  1-703-295-4583
>>   OrgTechEmail:  IPMGMT@verizon.com
>>    ARIN WHOIS database  last updated 2006-07-13 19: 10
>>    Enter ? for additional hints on searching ARIN's WHOIS database.
>> Have a great weekend, think about what you are doing, beforeyou start
>> trolling CB Newsgroups.  Landshark
>>
> Hrmmm..who else posts from Maryland in here?

I can think of a couple.
```

```
From 7340841257871584732
X-Google-Thread: 108122,3bf1d4ff6fab572,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7tw2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.67.204.171
From: "Daphne + Dave" <dschertzer@shaw.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: 4D32
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <e3Bvg.209201$iF6.198236@pd7tw2no>
Date: Thu, 20 Jul 2006 01:32:58 GMT
```

NNTP-Posting-Host: 24.64.223.206
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw2no 1153359178 24.64.223.206 (Wed, 19 Jul 2006 19:32:58 MDT)
NNTP-Posting-Date: Wed, 19 Jul 2006 19:32:58 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:5445

Is this such a "rare" tube?   Fits Collins.

From -668191957681528896
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
Date: Wed, 19 Jul 2006 18:35:44 -0700
Message-ID: <MPG.1f287dc87300eb7f9896e3@news.drizzle.com>
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 43
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5446

In article <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>,
danahers@comcast.net (known to some as Gary) scribed...

> I'm giving serious thought to buying a new vehicle and you know it's bad
> when your first thought is not the mileage or seating capacity, but
> where to plumb the radio! Does anyone manufacture an adjustable bracket
> that will fit into or around the luggage rack frames? I can fabricate my

<snippety>

With the first-generation antenna installation for my van (better known as the 'Techmobile'), I used 10.5" high 19" blank aluminum rack panels, suspended by Adel clamps around the cargo rack crossbeams. See http://www.bluefeathertech.com/kc7gr/thevan.html for some outdated photos (major updates are pending). If you choose to do it that way, standard NMO mounts will not work (the rack panels are too thick). You will need 'thick mounts' (available via Tessco from Radiall/Larsen, PCTel, and other vendors).

It worked OK for a couple of years, until the rear hatch gaskets (where I was running the cables through) started losing flexibility and leaking in rainy weather. I converted everything to standard through-roof NMO mounts, and haven't had a problem since. I would recommend that you do the same.

Yes, there are safe-and-sane ways to drill the correct size of hole, even in a new car. My personal favorite is the Irwin Manufacturing 'UniBit,' also known as a step-bit. Well worth the $45 or so they cost.

Couple said Unibit's action with a standard deburring tool for sheet steel (available from any well-stocked hardware store), and you're good to go.

Reserve a full day, take your time, and drink plenty of water.

Happy installing.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From -6926043894814121215
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <44BEE2BD.5D4388B6@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
<MPG.1f287dc87300eb7f9896e3@news.drizzle.com>
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
Lines: 70
Date: Thu, 20 Jul 2006 01:57:16 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net

X-Trace: newsread3.news.pas.earthlink.net 1153360636 24.110.34.161 (Wed, 19 Jul 2006 18:57:16 PDT)
NNTP-Posting-Date: Wed, 19 Jul 2006 18:57:16 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5447

"Dr. Anton T. Squeegee" wrote:
>
> In article <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>,
> danahers@comcast.net (known to some as Gary) scribed...
>
> > I'm giving serious thought to buying a new vehicle and you know it's bad
> > when your first thought is not the mileage or seating capacity, but
> > where to plumb the radio! Does anyone manufacture an adjustable bracket
> > that will fit into or around the luggage rack frames? I can fabricate my
>
>   <snippety>
>
>   With the first-generation antenna installation for my van (better
> known as the 'Techmobile'), I used 10.5" high 19" blank aluminum rack
> panels, suspended by Adel clamps around the cargo rack crossbeams. See
> http://www.bluefeathertech.com/kc7gr/thevan.html for some outdated
> photos (major updates are pending). If you choose to do it that way,
> standard NMO mounts will not work (the rack panels are too thick). You
> will need 'thick mounts' (available via Tessco from Radiall/Larsen,
> PCTel, and other vendors).
>
>   It worked OK for a couple of years, until the rear hatch gaskets
> (where I was running the cables through) started losing flexibility and
> leaking in rainy weather. I converted everything to standard through-
> roof NMO mounts, and haven't had a problem since. I would recommend that
> you do the same.
>
>   Yes, there are safe-and-sane ways to drill the correct size of
> hole, even in a new car. My personal favorite is the Irwin Manufacturing
> 'UniBit,' also known as a step-bit. Well worth the $45 or so they cost.
>
>   Couple said Unibit's action with a standard deburring tool for
> sheet steel (available from any well-stocked hardware store), and you're
> good to go.
>
>   Reserve a full day, take your time, and drink plenty of water.
>
>   Happy installing.

Harbor Freight has a set of three sizes on sale for $9.99 right now
thought Aug. 14th. <http://www.harborfreight.com> Item 91616 The
website shows $19.99 but the retail flyer I got in the mail today shows
the $9.99 price.

DRILL 28 HOLE SIZES!
This compact set replaces 28 individual drill bits. Two-flute design

gives you faster, smoother cutting. Titanium nitride coating for cooler running.
Automatically deburrs holes as you drill
Quick-change 1/4'' hex shank
M2 high speed steel for long life

Sizes:
3/16'' to 1/2'' Six Step Bit (3/16'', 1/4'', 5/16'', 3/8'',7/16'', 1/2'')
1/4'' to 3/4'' Nine Step Bit (1/4'', 5/16'', 3/8'', 7/16'', 1/2'', 9/16'',5/8'',11/16'',3/4'')
1/8'' to 1/2'' Thirteen Step Bit (1/8'', 5/32'', 3/16'', 7/32'', 1/4'', 9/32'', 5/16'', 11/32'', 3/8'', 13/32''�, 7/16'', 15/32''�, 1/2'')
ITEM 91616-4VGA

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 5236143586257502817
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
Date: Thu, 20 Jul 2006 02:03:41 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12btp3tqolhve2a@corp.supernews.com>
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com> <MPG.1f287dc87300eb7f9896e3@news.drizzle.com> <44BEE2BD.5D4388B6@earthlink.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.equipment:5448

In article <44BEE2BD.5D4388B6@earthlink.net>,
Michael A. Terrell <mike.terrell@earthlink.net> wrote:

>   Harbor Freight has a set of three sizes on sale for $9.99 right now
>thought Aug. 14th. <http://www.harborfreight.com> Item 91616 The
>website shows $19.99 but the retail flyer I got in the mail today shows
>the $9.99 price.

And if you go to the store, make sure you take the retail flyer along

with you. The one time I failed to do so, the item was marked with
the higher (non-sale) price in the store, and they wouldn't honor the
flyer price without a copy of the flyer in-hand.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -6388078891277922741
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <44BF145B.95E6F178@aol.com>
From: bob <bob@aol.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
Date: Thu, 20 Jul 2006 05:27:57 GMT
NNTP-Posting-Host: 12.76.216.13
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1153373277 12.76.216.13 (Thu, 20 Jul
2006 05:27:57 GMT)
NNTP-Posting-Date: Thu, 20 Jul 2006 05:27:57 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5449

hi gary,

my car looks like a porcupine !   only kidding....

who counts drink cup holders, we count antenna mounts....

a few links for you,

antenex usa made antenna and mounts

http://www.antenex.com/

get the hole saw, hs34 it is the right tool for the job of hole drilling.

http://www.antenex.com/c_search.asp?

txtFunction=browse2&selFamily=MNA&txtSubFamily=X%2DACT%99+Hole+Saw

I get my stuff from radio outfitter.com http://www.radiooutfitter.com/

http://www.radiooutfitter.com/store/HS34.html

very good pricing, low ship fees and no problems...

73

```
From -2077578951843587591
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<44B44705.F4A86462@earthlink.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 54
Date: Tue, 11 Jul 2006 22:53:20 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152672726 24.186.218.38 (Tue, 11 Jul 2006 19:52:06 MST)
NNTP-Posting-Date: Tue, 11 Jul 2006 19:52:06 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5247
rec.radio.amateur.misc:16316 rec.radio.amateur.policy:32706 rec.radio.scanner:3879
rec.radio.swap:5119
```

On Wed, 12 Jul 2006 00:49:48 GMT, "Michael A. Terrell"
<mike.terrell@earthlink.net> wrote:

>> Can you say "Yes, I ar wun"?

>Can't you spell any better than that?

A spelling flame! I'm vanquished!

>So, Al. Can you tell us how many receivers or transmitters have you
>built from scratch? Not from a kit, or someone else's design, but from
>scratch? Drew a block diagram that was converted to a real schematic
>one block at a time where you did all the math, laid out the chassis,
>cut and drilled all the holes and built the equipment all by yourself?

3 receivers, about a dozen transmitters. Oh, yes, and the automation
system of the Hong Kong Space Museum planetarium, the old Amtrak
ticket printer, some software that's in use in over 50,000
installations around the world ...

But I'm not the typical ham, I've been a design engineer for a long
time.

>What is the biggest transmitter you've ever built or used? I'm a
>disabled now, but I worked in broadcast

Never built anything over a kilowatt, but engineered some pretty hefty
ones. (Ch. 40 in Waterbury CT, WWRL, WHN, a few others.)

(You remind me of an IBM HR department of old. They always wanted to
know the largest program the applicant ever wrote. Someone
legitimately told them, back when software was a few k, that he'd
written a 3 meg program. It was a translation program with a 3 meg
dictionary. You're playing "mine is bigger than yours.")

>Tell us, what can you do other than whine? Have you ever built a commercial TV
station from
>scratch?

All by myself, no. Ever build a planetarium automation system all by
yourself from scratch (including inventing some of the technology -
which is still, after 30 years, state of the art)? But I'm not going
to get into a pissing contest with you. If you were mentally as old
as you claim your body to be you wouldn't have started one.

>I found CW boring years ago, and have some hearing problems so I said
>to hell with Morse code and got involved in the equipment design end of
>things. It was more fun for me to develop a design and built it, get it
>aligned and working, then move on to the next design.

Since I totally depend on 2 4 channel BTE aids, I can't receive CW
that easily any more, but that's not a good reason for the FCC to drop

the requirement. It's not even a bad reason. But when anyone can guess well enough to pass the "technical" part of the exam, the license isn't worth much.

From 6922822698775404491
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Message-ID: <d2p8b257sfd1988t9o885kjvetq8ae811r@4ax.com>
References: <1152562871.315238.193850@75g2000cwc.googlegroups.com>
<0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
<1152568340.158713.100600@m79g2000cwm.googlegroups.com>
<57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
<1152582489.270076.79630@m73g2000cwd.googlegroups.com>
<q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
<1152585757.621645.246930@35g2000cwc.googlegroups.com>
<8777b2tp7v0n2hp9iup9qujagkg3a2718k@4ax.com>
<1152634791.816355.68150@m79g2000cwm.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Tue, 11 Jul 2006 22:55:35 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152672861 24.186.218.38 (Tue, 11 Jul 2006 19:54:21 MST)
NNTP-Posting-Date: Tue, 11 Jul 2006 19:54:21 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5248
rec.radio.amateur.policy:32707 rec.radio.scanner:3880 rec.radio.swap:5120

On 11 Jul 2006 09:19:51 -0700, "an old friend" <kb9rqz-MCM@hotmail.com> wrote:

>bullshit you realy are unamerican the No code movement has showne we
>have the powerthe chnange to change interantional law and national
>rules on this subject

Wake up - the world holds the US in contempt. Bush threw all our
political capital away.

>Maxim and his crowd shown we could change mnds in officaldom after WW 1
>when some folks did not want us back on the Air at all

You really don't see the difference between 1918 and 2006, do you?
We're not the dog any longer. We're not even the tail.

```
From -8618810756875736466
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 11 Jul 2006 19:56:10 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1152672970.670948.270150@h48g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152672975 25829 127.0.0.1 (12 Jul 2006 02:56:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 02:56:15 +0000 (UTC)
In-Reply-To: <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5249
rec.radio.amateur.misc:16317 rec.radio.amateur.policy:32708 rec.radio.scanner:3881
rec.radio.swap:5121
```

```
Al Klein wrote:
> On Wed, 12 Jul 2006 00:49:48 GMT, "Michael A. Terrell"
> <mike.terrell@earthlink.net> wrote:
>
> >> Can you say "Yes, I ar wun"?
>
> >Can't you spell any better than that?
>
> A spelling flame!  I'm vanquished!
you ceertainly too bad you don't give at that point

>  But when anyone can
> guess well enough to pass the "technical" part of the exam, the
> license isn't worth much.
since you no longer value your licens turn it in




From -1990566300425836746
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his other names is hey stupid
Date: 11 Jul 2006 20:03:09 -0700
Organization: http://groups.google.com
Lines: 32
Message-ID: <1152673389.626443.114490@i42g2000cwa.googlegroups.com>
References: <1152562871.315238.193850@75g2000cwc.googlegroups.com>
   <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
   <1152568340.158713.100600@m79g2000cwm.googlegroups.com>
   <57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
   <1152582489.270076.79630@m73g2000cwd.googlegroups.com>
   <q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
   <1152585757.621645.246930@35g2000cwc.googlegroups.com>
   <8777b2tp7v0n2hp9iup9qujagkg3a2718k@4ax.com>
   <1152634791.816355.68150@m79g2000cwm.googlegroups.com>
   <d2p8b257sfd1988t9o885kjvetq8ae811r@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152673394 27055 127.0.0.1 (12 Jul 2006 03:03:14 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 03:03:14 +0000 (UTC)
In-Reply-To: <d2p8b257sfd1988t9o885kjvetq8ae811r@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5250
rec.radio.amateur.policy:32709 rec.radio.scanner:3882 rec.radio.swap:5122


Al Klein wrote:
> On 11 Jul 2006 09:19:51 -0700, "an old friend"
> <kb9rqz-MCM@hotmail.com> wrote:
>
> >bullshit you realy are unamerican the No code movement has showne we
> >have the powerthe chnange to change interantional law and national
> >rules on this subject
>
> Wake up - the world holds the US in contempt.
Bullshit

the No code movment (a multi national effort btw) got the the ITU
treaty amended as part of geting we think is best for the ARS

I will grant we may be wrong but we are proof that people ake a
difference
> Bush threw all our
> political capital away.
nope
he can't
>
> >Maxim and his crowd shown we could change mnds in officaldom after WW 1
> >when some folks did not want us back on the Air at all
>
> You really don't see the difference between 1918 and 2006, do you?
there are differneces one of them is folks like you are too bussy
keeping your heads down to recnize that power
> We're not the dog any longer.  We're not even the tail.
but WE the Nocode hams ARE, you and your side have been resting on
their wilted glory for years




From -5214202067836335444
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
```

X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 12 Jul 2006 09:26:41 -0500
From: "Steven Umbach" <n9rou@n0spam-comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <44969559.30D72920@milestones.com> <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
Subject: Re: OT: Outsourcing
Date: Wed, 12 Jul 2006 09:26:44 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <G9udnaVL6po8myjZnZ2dnUVZ_vCdnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 71.201.87.159
X-Trace: sv3-wBY/QzxUg0X7UQQOQkSz9E6TXMCCLYHnfMlYhl1Mp/
JarNLYCZ45Fb+8RqeD4RS6EneEdWNSCrUJ3Mk!xTXiEgkvYc5qW+FWoNCON/
VBPaa9kAMFN9j+Uq6CulXsGy1rDtcyjObzHnN7Ehw8b06I8WG5jJZg!7qwAZSOfvw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:14512
rec.radio.amateur.equipment:5251 rec.radio.amateur.misc:16356
rec.radio.amateur.policy:32809 rec.radio.shortwave:43853 rec.radio.cb:13370

Well said and beware of those trying to raise taxes on corporations. --- Steve

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:lIZmg.104309$H71.44092@newssvr13.news.prodigy.com...
> David wrote:
> > Corporations pay way less than half the cost of running governments,
>
> Corporations don't pay any of the cost of running
> governments - their customers pay it all.
> --

> 73, Cecil http://www.qsl.net/w5dxp

```
From -3051817988994752751
X-Google-Thread: 108122,85660a5b5b8bb49f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "ars_wa8mea@netzero.com" <ars_wa8mea@netzero.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Surplus Sales of Nebraska
Date: 12 Jul 2006 08:19:40 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1152717579.993751.158870@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 67.139.152.40
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152717583 14953 127.0.0.1 (12 Jul 2006 15:19:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 15:19:43 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=67.139.152.40;
   posting-account=ChJCaQ0AAAAPwDzdCnuQ_KYBQ1LT2KRZ
Xref: g2news2.google.com rec.radio.amateur.equipment:5252
```

I, like many hams, have gotten a lot of surplus stuff from Fair Radio Sales in Ohio.

Monday, I discovered Surplus Sales of Nebraska.

Nice people! Old school customer service. The web ordering isn't "modern". But they don't make a lot of money at this, I'm sure. So I.T. people are probably out of the question. But your order gets underway in about 48 hours.....

They told me the owner spends all day on the net trying to hunt down surplus stuff he can buy. So if you have anything, I was told to take a photo of it....and send an e-mail to him. His e-mail address is at the bottom of every web page.

Here's the website for Surplus Sales:

http://www.surplussales.com/

73, Bill - WA8MEA
ars_wa8mea@netsero.com

```
From -426000749023748924
X-Google-Thread: 108122,7d809221a5de49a1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-a2fjhXFxaKZec!not-for-mail
From: Win <w0lz@winlyn.us>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Language, code, proficiency etc.
Date: Wed, 12 Jul 2006 10:59:53 -0500
Message-ID: <oj6ab2t90sn0lkpisf1ij4k8f30f1sngc7@4ax.com>
References: <1152648877.191682.190980@m73g2000cwd.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 51
X-Trace: ee8ed44b51c7978d95d007967
Xref: g2news2.google.com rec.radio.amateur.equipment:5253
```

I believe that, at some speed, CW becomes a language. Most high speed operators are not reading the each character. They hear the word. They only resort to character copy on unfamilure words and names. Even the low speed op will hear many short common words.

That sounds like a language to me.

Win, W0LZ

On 11 Jul 2006 13:14:37 -0700, "K5LDB.Leo@gmail.com" <K5LDB.Leo@gmail.com> wrote:

>A rather lengthy thread contains erroneous claims on the above topics. Morse code is not a language. Language is communication of thoughts and feelings through a system of arbitrary signals, such as voice sounds, gestures, or written symbols, with such a system including its rules for combining its components, such as words. The words are the language. Morse code is the alphabet just like A, B, C ... Z are the alphabet. It is nothing more than the building blocks used to compose the words that actually are the language. English, French, Spanish, German etc. are languages. Hello, bonjou, ola, and hallo are alphabetic symbols combined to form a word meaning the same thing in the various languages. It doesn't matter if the word is written, transmitted orally or by CW, it is still just a string of characters that only becomes

>language based on the knowledge of the sender to combine them in the
>proper sequence and the recipient to translate it and receive the
>intended communication. Neither the alphabet nor morse code are
>languages.
>
>Proficiency is having or marked by an advanced degree of competence, as
>in an art, vocation, profession, or branch of learning. One could
>extend that to include competence in an avocation or hobby. Our narrow
>minded and singly focused friend claims an operators ability to use
>code makes him more proficient. That is patently false in many cases.
>It is the overall competency that is the determinant. The operator with
>code skills may be excellent at code and know nothing of PSK, digital,
>satellites, EME or any number of things while another operator can
>expertly use any of them but doesn't know code. They may both be
>proficient operators, just in differing modes of operation. Then again,
>neither may be a proficient operator. They may barely know enough about
>their equipment to get it to do what they narrowly focus on doing. A
>third operator who perhaps doesn't know code and only knows SSB
>operation may be the proficient operator who knows his equipment well
>and can quickly and easily adjust it to perform at peak efficiency in
>his operating mode.
>
>It boils down to code being nothing more than another operating mode
>which isn't a language and isn't a gauge of proficiency.

From 3170641186975183702
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
Date: 12 Jul 2006 09:14:10 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1152720850.662591.37690@b28g2000cwb.googlegroups.com>
References: <44969559.30D72920@milestones.com><YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
<1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
<129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>

```
   <129m9ijcnshm47f@corp.supernews.com>
   <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
   <129ofcclvejs22f@corp.supernews.com>
   <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
   <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
   <dX%mg.79692$iF6.12453@pd7tw2no>
NNTP-Posting-Host: 69.110.73.39
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152720856 23962 127.0.0.1 (12 Jul 2006 16:14:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 16:14:16 +0000 (UTC)
In-Reply-To: <dX%mg.79692$iF6.12453@pd7tw2no>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.110.73.39;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:14517
rec.radio.amateur.equipment:5254 rec.radio.amateur.misc:16384
rec.radio.amateur.policy:32848 rec.radio.shortwave:43861

JB - Spoken like a True Red and White
{Blue-in-the-Face} Canadian ~ RHF
 .
 .
. .

John Barnard wrote:
> Cecil Moore wrote:
> > David wrote:
> >> Corporations pay way less than half the cost of running governments,
> >
> > Corporations don't pay any of the cost of running
> > governments - their customers pay it all.
> You are right! Corporations don't pay the cost of running governments.
> They pay the cost of usurping governments!
>
> JB



From -7604048512386930282
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
```

From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
Date: 12 Jul 2006 09:23:26 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1152721405.952131.202260@i42g2000cwa.googlegroups.com>
References: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <YGKlg.104$lv.41@fed1read12>
   <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <wh4mg.139$lv.109@fed1read12>
   <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
   <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
   <129lvnf4h9st2d3@corp.supernews.com>
   <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
NNTP-Posting-Host: 69.110.73.39
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152721411 31525 127.0.0.1 (12 Jul 2006 16:23:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 16:23:31 +0000 (UTC)
In-Reply-To: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=69.110.73.39;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:14520
rec.radio.amateur.equipment:5255 rec.radio.amateur.misc:16385
rec.radio.amateur.policy:32849 rec.radio.shortwave:43863

DaviD,

So posting here is your sole employment {Business}

~ RHF
 .
 .
. .

David wrote:
> On Thu, 22 Jun 2006 15:34:52 -0500, "DrDeath"
> <drdeath555usb@yahoo.com> wrote:
>
>
> >

```
> >India is not a country we rely on to build super companies (for lack of a
> >better term). Take a look at what we send to India. Toxic chemical factories
> >that would be choked to death by special interest groups and politicians. We
> >also outsource technical support, which is a waste of time and money, good
> >thing companies don't pay them much, but it's a cheap way of saying "we have
> >tech support" without truly having it. Look at the shoe mfg. industry, all
> >moved to third world slave labor countries. Good for the shoe industry as
> >they no longer have to deal with unions and we keep management and
> >development in countries that have the talent and resources to maintain
> >state of the art products. Look at how the auto industry has changed. They
> >sent 1000s of jobs overseas to cut down on union labor (with management and
> >R&D in the US), and the Japs are opening plants in the US (with management
> >and R&D in Japan) that will never deal with the UAW. I could go on forever
> >with this post (and talk about NAFTA), but will end my rave at this point.
> >BTW, changed subject header as it didn't seem to fit. I would have trimmed a
> >few NGs but am unsure what groups you are subscribed to.
> >
> >
- The purpose of business is to keep people busy.



From 3600419173601866766
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
Date: 12 Jul 2006 09:40:07 -0700
Organization: http://groups.google.com
Lines: 61
Message-ID: <1152722407.879793.183020@m73g2000cwd.googlegroups.com>
References: <44969559.30D72920@milestones.com><YGKlg.104$lv.41@fed1read12>
   <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <wh4mg.139$lv.109@fed1read12>
   <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
   <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
   <129lvnf4h9st2d3@corp.supernews.com>
   <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
   <129m9ijcnshm47f@corp.supernews.com>
   <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
   <129ofcclvejs22f@corp.supernews.com>
   <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
NNTP-Posting-Host: 69.110.73.39
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152722414 28374 127.0.0.1 (12 Jul 2006 16:40:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 16:40:14 +0000 (UTC)
In-Reply-To: <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.110.73.39;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:14522
rec.radio.amateur.equipment:5256 rec.radio.amateur.misc:16388
rec.radio.amateur.policy:32855 rec.radio.shortwave:43865


David wrote:
> On Fri, 23 Jun 2006 14:14:17 -0500, "DrDeath"
> <drdeath555usb@yahoo.com> wrote:
>
> >"David" <rickets@knac.com> wrote in message
> >news:u9tn92tmv5angta69k852on9jq12brc412@4ax.com...
> >> On Thu, 22 Jun 2006 18:22:57 -0500, "DrDeath"
> >> <drdeath555usb@yahoo.com> wrote:
> >>
> >>>
> >>
> >>>> The purpose of business is to keep people busy.
> >>>>
> >>>No, It is to make money.
> >>>
> >>>
> >> Then it would be called moneyness.
> >
> >Then I guess all those Fotrune 500 people have it wrong as they are in
> >buisness for making money. Even my boss hired me to make money, not to keep
> >me busy. Hell I can keep myself busy.
> >
> >>
> >> Those gated communities won't protect you from the thundering hordes
> >> of hungry people.
> >>
> >
> >Gated communities? I live in the sticks armed to the teeth. They can eat the
> >dead bodies I leave in the yard.
> >
> >
> You're a tough guy.
>
> During a more civilised time a company went into business to provide
> jobs and make profits and to be part of a community.  Nowadays
> corporations are extranational, have no local ties and just milk
```

> markets dry and move on.
>
> Corporations pay way less than half th cost of running governments,
> even though they are the major beneficieries of what governments
> provide. This is because we let them write their own rules.

DaviD,

The vast majority of 'businesses' are "Sole Proprietorships"
One Man trying to Create a Job for Himself and Ear a Living.
-IF- He is Good & Lucky - His Business will Expand and
He will be able to Hire Other People and Employ Them Too.
Small Business is the Foundation of Bigger {BIG} Business.

Three Points to Remember about Being-in-Business :
1 - Become Profitable
2 - Expand and Grow
3 - Continue in Business

business - think small and grow big ~ RHF
 .
 .
. .

From -4010849062641533882
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 12 Jul 2006 12:26:21 -0500
Date: Wed, 12 Jul 2006 13:26:22 -0400
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Thunderbird 1.5.0.2 (X11/20060411)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
References: <44969559.30D72920@milestones.com><YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>   <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>   <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>

```
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
In-Reply-To: <1152720850.662591.37690@b28g2000cwb.googlegroups.com>
X-Enigmail-Version: 0.94.0.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <7ZWdnbeedbkjrSjZnZ2dnUVZ_oudnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-NBf+QsHJPbavn8tTojstMuWWU8wia/
i69pcG+XzkX2FDW1Rc6pswDglCRHfnahXpX1mtRrPZi2DiOgb!
nEQpxy2KJT9Xl5C3ftjUiK4B80OrM8ZLCNlMYZ4rL7aPjgJhpZ+ffSWjscB8cxi0Mu5VgJtG/vbJ!
L1hlArab1WIR1J+9jat5
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:14528
rec.radio.amateur.equipment:5257 rec.radio.amateur.misc:16389
rec.radio.amateur.policy:32860 rec.radio.shortwave:43868

RHF wrote:
> JB - Spoken like a True Red and White
> {Blue-in-the-Face} Canadian ~ RHF
>  .
>  .
> . .
>
> John Barnard wrote:
>> Cecil Moore wrote:
>>> David wrote:
>>>> Corporations pay way less than half the cost of running governments,
>>> Corporations don't pay any of the cost of running
>>> governments - their customers pay it all.
>> You are right! Corporations don't pay the cost of running governments.
>> They pay the cost of usurping governments!
>>
>> JB
>
It' all because back in the 60's all those draft-dodger types went to Canada.
Canada not only welcomed them, but allowed them to breed. The gene pool has
never been the same.


From -1527118594203568531
X-Google-Thread: 108122,735df64c916def75,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-
mail
From: "morse" <beethoven1@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Drake RV-7
Date: 12 Jul 2006 12:56:18 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1152734178.153698.181990@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.136.250.83
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152734184 3311 127.0.0.1 (12 Jul 2006 19:56:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 19:56:24 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=71.136.250.83;
   posting-account=fAtlkw0AAADJI4lzA9JCFsa5UG2GCrLC
Xref: g2news2.google.com rec.radio.amateur.equipment:5258

DRake RV-7 remote VFO for TR-7 in good condition with original
manual...$105.00 plus shipping..




From -5721664418105590623
X-Google-Thread: 108122,7b567f4aa550d934,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "morse" <beethoven1@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS ICOM 251A
Date: 12 Jul 2006 12:58:51 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1152734331.113186.104460@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 71.136.250.83
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152734336 28558 127.0.0.1 (12 Jul 2006 19:58:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 19:58:56 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=71.136.250.83;
```

posting-account=fAtlkw0AAADJI4lzA9JCFsa5UG2GCrLC
Xref: g2news2.google.com rec.radio.amateur.equipment:5259

Icom 251A all mode 2 meter transceiver in good condition with mic.Some scrathces on top cover....$205.00 plus shipping..

From -2985330994390557642
X-Google-Thread: 108122,7d809221a5de49a1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!
elnk-pas-nf1!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!2567cf48!not-for-mail
Sender: henke@kharendaen.krall.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Language, code, proficiency etc.
References: <1152648877.191682.190980@m73g2000cwd.googlegroups.com>
<oj6ab2t90sn0lkpisf1ij4k8f30f1sngc7@4ax.com>
From: Douglas Henke <henke@kharendaen.dyndns.org>
Message-ID: <x6sll6y42o.fsf@kharendaen.krall.org>
Lines: 31
User-Agent: Gnus/5.09 (Gnus v5.9.0) Emacs/21.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Date: Wed, 12 Jul 2006 20:15:03 GMT
NNTP-Posting-Host: 24.238.146.144
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1152735303 24.238.146.144 (Wed, 12 Jul 2006 13:15:03 PDT)
NNTP-Posting-Date: Wed, 12 Jul 2006 13:15:03 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5260

Win <w0lz@winlyn.us> writes:
> I believe that, at some speed, CW becomes a language. Most high speed
> operators are not reading the each character. They hear the word.
> They only resort to character copy on unfamilure words and names. Even
> the low speed op will hear many short common words.

When most adults read printed text, they don't look at each letter and sound out the word, at least for common words. Instead they see the shapes of whole words and recognize them as a unit.

This does not mean that "written English" is a distinct language from "spoken English".

CW is a modulation type. It is interesting in that it is the only form of digital modulation which can be encoded and decoded by an unassisted human in real-time. It is also interesting for a variety of other reasons, such as historical importance, widespread adoption, simplicity of equipment and readability in high-noise, weak-signal environments.

> That sounds like a language to me.

When abbreviations, prosigns and Q-codes are heavily used, one could perhaps make an argument for calling the entire system a dialect or pidgin. It is not a language in and of itself. There are very few thoughts you can express in CW alone, without using a real language (English or Esperanto or whatever) on top of it.

> Win, W0LZ

```
       __
KE5IXY AR
```

```
From 6654452846820583420
X-Google-Thread: 108122,7d809221a5de49a1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "K5LDB.Leo@gmail.com" <K5LDB.Leo@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Language, code, proficiency etc.
Date: 12 Jul 2006 14:09:10 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1152738550.370876.19600@p79g2000cwp.googlegroups.com>
References: <1152648877.191682.190980@m73g2000cwd.googlegroups.com>
   <oj6ab2t90sn0lkpisf1ij4k8f30f1sngc7@4ax.com>
NNTP-Posting-Host: 68.241.142.254
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152738556 15862 127.0.0.1 (12 Jul 2006 21:09:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 21:09:16 +0000 (UTC)
In-Reply-To: <oj6ab2t90sn0lkpisf1ij4k8f30f1sngc7@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=68.241.142.254;
   posting-account=de7XWg0AAABJ-Dzm5GSGz6x1RhxrXouc
Xref: g2news2.google.com rec.radio.amateur.equipment:5261
```

Although good code operators don't individually recognize each separate character, code is still not a language. It is a character based system that allows communication. The combining and ordering of characters, whether written letters of the alphabet on paper or tone representation in code, produce communication in whatever language the operator uses. The words in this sentence are English language. Someone with knowledge of German or Tagalo can take the letters and create a sentence in that

```
language. The same can be done with code. The letters and code are not
and never will be that language or any other language no matter what
speed is achieved.

Win wrote:
> I believe that, at some speed, CW becomes a language.  Most high speed
> operators are not reading the each character. They hear the word.
> They only resort to character copy on unfamilure words and names. Even
> the low speed op will hear many short common words.
>
> That sounds like a language to me.
>
> Win, W0LZ



From 5922631953661730696
X-Google-Thread: 108122,6e2478f7ca60bc71,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!pln-w!lotsanews.com!
nntp-out.svc.us.xo.net!nntp1-feeder.SJ.svc.us.xo.net!newsfeed.concentric.net!
sjc1.nntp.concentric.net!nntp-master.svc.us.xo.net
From: Ron <wa0kds@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  KLM KT34A NOS
Date: 12 Jul 2006 17:56:46 EDT
Organization: Concentric Internet Services
Lines: 5
Message-ID: <e93r6u$cct@dispatch.concentric.net>
NNTP-Posting-Host: 66.238.104.149
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
Xref: g2news2.google.com rec.radio.amateur.equipment:5262

Unit it listed on eBay do a search for KLM KT34A will find it.
It is a 3 day auction that ends Saturday afternoon.

Thanks
Ron  WA0KDS



From -3079210262651887987
X-Google-Thread: 108122,7d809221a5de49a1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
```

```
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44B57597.43644FBA@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Language, code, proficiency etc.
References: <1152648877.191682.190980@m73g2000cwd.googlegroups.com>
<oj6ab2t90sn0lkpisf1ij4k8f30f1sngc7@4ax.com> <x6sll6y42o.fsf@kharendaen.krall.org>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
Date: Wed, 12 Jul 2006 22:20:37 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1152742837 24.110.34.161 (Wed, 12 Jul
2006 15:20:37 PDT)
NNTP-Posting-Date: Wed, 12 Jul 2006 15:20:37 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5263

Douglas Henke wrote:
>
> CW is a modulation type. It is interesting in that it is the only form
> of digital modulation which can be encoded and decoded by an
> unassisted human in real-time. It is also interesting for a variety of
> other reasons, such as historical importance, widespread adoption,
> simplicity of equipment and readability in high-noise, weak-signal
> environments.


   The old rotary telephones were "Digital Modulation" in that they
opened the line to control the Stowager stepper relays, or crossbar
switching eguipment. If you were good at it you could dial numbers with
the hook switch.


--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From -4116033116676299672
X-Google-Thread: 108122,c37bde70d9a279a9,start
X-Google-Thread: 10bf43,c37bde70d9a279a9,start
X-Google-Thread: fa029,c37bde70d9a279a9,start
X-Google-Thread: 1109af,c37bde70d9a279a9,start
```

```
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: CW isn't preventing the modernization of ham radio. Laziness is.
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 13
Message-ID: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
Date: Wed, 12 Jul 2006 23:09:17 GMT
NNTP-Posting-Host: 4.230.9.168
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1152745757 4.230.9.168 (Wed, 12 Jul 2006
16:09:17 PDT)
NNTP-Posting-Date: Wed, 12 Jul 2006 16:09:17 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5264
rec.radio.amateur.policy:32928 rec.radio.scanner:3906 rec.radio.swap:5144
```

LOL!

I laugh when you lazy asses whine CW is keeping you from modernizing.

The code requirement isn't stopping anyone from modernizing. Hams don't want to modernize and won't modernize unless they're forced to modernize. That's what's stopping the modernization.

How does having a CW requirement prevent you from hooking a computer to a rig? It don't. You don't want to modernize because you're stupid or lazy. Just like you don't want to learn CW because you're stupid or lazy.

SC

```
From -1773636430452204550
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
```

From: Slow Code <my.mail@no.spam>
References: <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 13
Message-ID: <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
Date: Wed, 12 Jul 2006 23:09:22 GMT
NNTP-Posting-Host: 4.230.9.168
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1152745762 4.230.9.168 (Wed, 12 Jul 2006 16:09:22 PDT)
NNTP-Posting-Date: Wed, 12 Jul 2006 16:09:22 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:14555
rec.radio.amateur.equipment:5265 rec.radio.amateur.misc:16404
rec.radio.amateur.policy:32929 rec.radio.shortwave:43894

"RHF" <rhf-newsgroups@pacbell.net> wrote in
news:1152720850.662591.37690@b28g2000cwb.googlegroups.com:

> JB - Spoken like a True Red and White
> {Blue-in-the-Face} Canadian ~ RHF
> .
> .
> . .
>

Kanadians are more Red... Commie Red.

From -1089517544279385065
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz_ars@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap

```
Subject: Re: CW is. Laziness iand therby blaocking modernization in the ARS
Date: 12 Jul 2006 16:12:12 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1152745932.402295.147180@m79g2000cwm.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.80
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152745937 4093 127.0.0.1 (12 Jul 2006 23:12:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 23:12:17 +0000 (UTC)
In-Reply-To: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=66.82.9.80;
   posting-account=s6CH1g0AAABh1Qtmg62q2TgnVvB-Sbeh
Xref: g2news2.google.com rec.radio.amateur.equipment:5266
rec.radio.amateur.policy:32930 rec.radio.scanner:3907 rec.radio.swap:5145


Slow Code wrote:
> LOL!
>
> I laugh when you lazy asses whine CW is keeping you from modernizing.
>
> The code requirement isn't stopping anyone from modernizing. Hams don't
> want to modernize and won't modernize unless they're forced to modernize.
> That's what's stopping the modernization.

and cw usage as well as test promtoes that sort of laziness



From -2431192707216818729
X-Google-Thread: 108122,7d809221a5de49a1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "K5LDB.Leo@gmail.com" <K5LDB.Leo@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Language, code, proficiency etc.
Date: 12 Jul 2006 17:44:32 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1152751472.461490.282640@m79g2000cwm.googlegroups.com>
References: <1152648877.191682.190980@m73g2000cwd.googlegroups.com>
   <oj6ab2t90sn0lkpisf1ij4k8f30f1sngc7@4ax.com>
   <x6sll6y42o.fsf@kharendaen.krall.org>
   <44B57597.43644FBA@earthlink.net>
```

```
NNTP-Posting-Host: 68.241.142.254
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152751477 19522 127.0.0.1 (13 Jul 2006 00:44:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Jul 2006 00:44:37 +0000 (UTC)
In-Reply-To: <44B57597.43644FBA@earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=68.241.142.254;
   posting-account=de7XWg0AAABJ-Dzm5GSGz6x1RhxrXouc
Xref: g2news2.google.com rec.radio.amateur.equipment:5267

Interesting that you mentioned that. I hadn't thought about it in
decades but as a kid I used to dial by tapping the switch hook all the
time. That wasn't a language either but it did involve equipment.

Michael A. Terrell wrote:
>
>    The old rotary telephones were "Digital Modulation" in that they
> opened the line to control the Stowager stepper relays, or crossbar
> switching eguipment. If you were good at it you could dial numbers with
> the hook switch.
>
>
> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida




From -9197038814111788673
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <noway@nohow.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
Date: Wed, 12 Jul 2006 17:52:30 -0700
Message-ID: <q66bb21d47nnpnc0ue37g2rtoehtcb8tna@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Agent 3.3/32.846
```

MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node244-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1152751741 63.93.75.244 (12 Jul 2006 19:49:01 -0500)
Lines: 14
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.244
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!news.alt.net!
newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:5268
rec.radio.amateur.policy:32941 rec.radio.scanner:3911 rec.radio.swap:5151

ORIGINAL MESSAGE:

On Wed, 12 Jul 2006 23:09:17 GMT, Slow Code <my.mail@no.spam> wrote:

>Just like you don't want to learn CW because you're stupid or lazy.

------------ REPLY SEPARATOR ------------

Naw, CW makes it too easy to communicate. CW is for lazy people. Real
hams want to struggle to copy signals through noise and QRM. That's
why they hate CW... it's no challenge!

Bill, W6WRT

From -5402827799807708872
X-Google-Thread: 108122,845d310e1d5e5a45,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread08.POSTED!53ab2750!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Vintage Pre-PC Notebooks (NEC Tandy Epson) Ends Sunday 7/16
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 242
Message-ID: <PKhtg.29195$8q.1293@dukeread08>
Date: Wed, 12 Jul 2006 21:56:02 -0400
NNTP-Posting-Host: 70.160.76.117
X-Complaints-To: abuse@cox.net
X-Trace: dukeread08 1152755759 70.160.76.117 (Wed, 12 Jul 2006 21:55:59 EDT)
NNTP-Posting-Date: Wed, 12 Jul 2006 21:55:59 EDT
Organization: Cox Communications

Xref: g2news2.google.com rec.radio.amateur.equipment:5269

For more information, pictures or to place a bid on any item below go to:

http://search.ebay.com/_W0QQsassZtcbordpQQhtZ-1

Tandy Model 100 24KB Portable Computer / Disk Drive 2 / Barcode Wand / Software / Extras

This is an old but reliable Tandy Model 100 portable computer, one of the very first notebook computers. Everything tested and works but the tapes with the software are old so hopefully they won't cause any issues. I will include many tapes of both commercial and other software as well as several disks for the disk drive. Also have one original and two copies of the disk drive system disk. Even includes the very rare little white legs that prop it up at a comfortable viewing angle.

* Tandy Model 100 24KB Portable Computer
* Original Slip Case
* Original Prop Legs
* Quick Reference Guide
* Original Manual
* Disk Drive 2
* AC Adaptor
* Technical Reference Guide
* Barcode Wand
* Tape Recorder / Player
* Original Commercial Software Tapes
* Extra Software on Tapes and Disks
* Tape Recorder Cable

Compaq Armada 4125 / Media Base / Handle Battery / 802.11b Wireless

This was my workhorse laptop for a while a while ago. Works great and in very good condition. There is a little cracking around the hinges but it doesn't affect their function in any way. Solid machine for Windows 98 or Linux. Currently has Windows 98se installed. Battery charges but no guarentee on its life.

* Compaq Armada 4125
* Lithium Ion Handle Battery
* AC Adaptor / Charger
* Media Dock
    - Enhanced Speakers
    - CD-ROM Drive
    - Extra Battery Bay (Battery Not Included)
* Extra Hard Drive Caddy
* 802.11b Wireless PCMCIA Card
* Targus Notebook Case

Quasar HHC Handheld Computer / Printer / RAM Expansion

I picked this up at a hamfest a few years ago and then never did anything with it. It is not is perfect shape but it does come up and display things. I have no idea what it is asking or how to do anything with it so that is as far as I can test it. The slip case has a clear window that has clouded over time. It uses an internal rechargable battery which I cannot guarentee.

* Quasar HHC Handheld Computer HK2608UE
* Printer Cassette Interface PC913UE
* RAM Expansion PC944UE
* AC Adaptor Charger
* Mounting Tray
* Slip Case

Epson HX-20 Notebook Computer

I am cleaning out some of my old computers and came across this one. It is in very good condition and seems to work well. It has an internal rechargable battery that seems to charge but I make no guarentee on its life.

* Epson HX-20 Notebook Computer
* Modem Acoustic Coupler
* AC Adaptor
* Original Manuals

Tandy Model 100 32KB / Hard Case / Cassette / Software / Lucid Rom

I got this from a friend but I don't really have a use for it. It is all in pretty good shape, there is some yellowing of the top of the M100 itself. Everything seems to work but I have not tried reading all the tapes.

* 32KB Model 100
* Official Fitted Hard Case
* CCR-81 Cassette Recorder
* Cassette Cable
* Modem Acoustic Coupler
* AC Adaptor
* Software
    - Scriptsit
    - Statistical Analysis
    - Basic Language Lab
    - Lucid (On ROM, Installed)
* Original Manual
* The TRS-80 Model 100 book

Olivetti M10 8KB Notebook Computer

I have had this for a few years and don't really use it any more. It is in excellent shape and works perfectly.

- M10 8KB Notebook Computer
- Original Slip Case
- Quick Reference Manual
- Users Guide

NEC 8021a 32KB x 2 / 8231a Floppy Drive / 8207a RAM Expansion

I am cleaning out some of my old computers. I have had this for quite a few years but it is still working great. The floppy drive unit has some cracking around the back but it was repaired by the previous owner and seems to be holding up very well. Functionally the drive works great. I will include three copies of the system disk that is needed to access the floppy. The hard case has a water stain on the inside but it is in pretty good shape otherwise.

- NEC 8021a 32KB Notebook Computer
- Second Bank of 32KB RAM (Installed)
- NEC 8231a Floppy Drive
    - AC Adaptor
    - Serial Cable
- NEC 8207a 128KB RAM Expansion (4 Banks of 32KB)
- Official NEC Hard Case
- NEC AC Adaptor
- 8431al Manual

NEC PC-8500 / PC-8431A Dual Floppy / PC-8441A 128KB RAM Expansion

I actually bought the computer and floppy drive and interface new several years ago from a company that was selling off old stock. Sadly I no longer have the boxes. Everything seems to work perfectly and it is all in excellent shape. This system runs CP/M so you can find software for it from various sites. It also has several programs built in including wordstar and calcstar.

- PC-8500 Laptop Computer
- PC-8431A Dual Floppy Drive
- PC-8441A CRT / Disk Interface
- PC-8461A 1200 Baud Modem
- PC-8407A 128KB RAM Expansion
- Original Manuals
    - PC-8500 Users Guide
    - PC-8431A Guide
    - PC-8461A Guide
    - Wordstar To Go
    - Calc To Go
    - Telecomunications and Personal Filer Guide

- AC Adaptor
- Disk and CRT Cables

Epson PX-8 Geneva Notebook CP/M Computer

I have had this for a few years but I am not doind anything with it anymore. It is in very good condition and everything seems to be working. It has an internal rechargable battery but I cannot guarentee its life. The included AC adaptor is a generic Radio Shack model but it works quite well. This system also has the attached Multi Unit 64 with a Utility ROM installed.

- Geneva PX-8 Notebook Computer
- Multi Unit 64 H108A (Attached)
- AC Adaptor
- Utility ROM
- Wordstar ROM
- CalcStar ROM

Targus Notebook Computer Backpack from Xircom

I got this as a bonus with something I bought from Xircom years ago. I have never used it and it is in brand new perfect condition. It is actually a very nice Targus notebook backpack bag with lots of pockets and a strap to hold the computer and padding where needed. The pictures may not be great, black on black is hard to photograph well with my camera.

NEW A-Power External USB 2.0 2.5" Hard Drive Case

I bought this a little while ago but never used it. It is new and in perfect condition.

NEW COSMOS External USB 2.0 2.5" Hard Drive Case

I bought this a little while ago but never used it. It is new and in perfect condition.

Demon Gun Joystick for First Person Shooters PC Games

Picked this up at a computer show a few years ago and never took it out of the box. It is mainly for fun, really feel like you are shooting those monsters in your favorite first person shooter or other PC video game. Note, this is not a light pen and does not detect the screen, it is just a very unusual joystick.

Set of HP Omnibook 300 Manuals

I sold my Omnibook 300 years ago but just found these manuals. Hopefully they will be helpful to someone.

- Personal Information Guide
- Microsoft Excel Guide - The Basics
- Operating Guide
- Accessories Guide
- Word for Windows Guide - The Basics

USB Electronic Scale

I got this and then found a deal on another larger scale so I don't need this one. It is brand new in the box. It connects to your computer for its display and using the included software it can automaticall fill in some shipper's online forms.

New Small Silver "Multimedia" Keyboard

In searching for a couple keyboards for a specific use I bought this. It is a nice keyboard but didn't fit my needs. It is in perfect condition, new in the original box. Its dimensions are 11.5 inches wide by 6 inches deep (at the center) by 1 inch thick.

Targus Dual Mode Optical Notebook Mouse / Trackball

I was trying to find something to use for a specific purpose and this didn't work out. I have two but this one has never been opened. It is brand new in the original packaging. The dual mode part is that it can be used as a handheld trackball or as a more normal optical mouse.

```
From 156602793228721951
X-Google-Thread: 108122,f552a41a8119a23f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Gear for sale
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Gzjtg.9952$PO.6306@dukeread03>
Date: Wed, 12 Jul 2006 23:00:48 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
```

```
X-Trace: dukeread03 1152763238 68.105.249.118 (Thu, 13 Jul 2006 00:00:38 EDT)
NNTP-Posting-Date: Thu, 13 Jul 2006 00:00:38 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5270

I have for sale the fellowing equipment:
1.Yaesu FT-707 HF Transceiver with WARC Bands, 100 watts, Good Shape, Price
$275.
2. Yaesu FP-707 12 Volt DC  Power Supply, Nice Shape, $75.
3. Yaesu FC-707 Antenna Tuner with SWR/Power Meter, $75.
4. Kenwood TH-315A, 220MHz, HT, needs battery and antenna, works, $75.
5. Icom-02AT 2 meter HT in good condition, $75.
6. Icom IC-28H 2 meter Mobile transceiver, works, $75.
7. Dentron JR. Monitor/MobileAntenna Tuner, nice shape, $65.
8. Yaesu YD-844A mic, great shape, $55.
All prices are plus shipping. If your interested in any of the gear, please
e-mail me for more detailed information.  All gear has been checked out and
works. Thanks, Charlie Hugg, K5MBX




From -7069815335666879468
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW is. Laziness iand therby blaocking modernization in the ARS
Message-ID: <0dfcb2h260ekms8j6bsnj8rckt949hhcgg@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152745932.402295.147180@m79g2000cwm.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Date: Thu, 13 Jul 2006 08:34:38 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1152794196 24.186.218.38 (Thu, 13 Jul 2006 05:36:36 MST)
NNTP-Posting-Date: Thu, 13 Jul 2006 05:36:36 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5271
```

rec.radio.amateur.policy:32961 rec.radio.scanner:3920 rec.radio.swap:5161

On 12 Jul 2006 16:12:12 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
wrote:

>> I laugh when you lazy asses whine CW is keeping you from modernizing.

>> The code requirement isn't stopping anyone from modernizing. Hams don't
>> want to modernize and won't modernize unless they're forced to modernize.
>> That's what's stopping the modernization.

>and cw usage as well as test promtoes that sort of laziness

Nonsense. Having to do something promotes laziness? Then exercise
promotes sloth and dieting promotes obesity. By your "logic", that
is.

From -2405995797350156625
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44B643D0.36FCD8D4@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
 right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<44B44705.F4A86462@earthlink.net> <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 133
Date: Thu, 13 Jul 2006 13:00:47 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152795647 24.110.34.161 (Thu, 13 Jul

2006 06:00:47 PDT)
NNTP-Posting-Date: Thu, 13 Jul 2006 06:00:47 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5272
rec.radio.amateur.misc:16420 rec.radio.amateur.policy:32966 rec.radio.scanner:3922
rec.radio.swap:5163

Al Klein wrote:
>
> On Wed, 12 Jul 2006 00:49:48 GMT, "Michael A. Terrell"
> <mike.terrell@earthlink.net> wrote:
>
> >> Can you say "Yes, I ar wun"?
>
> >Can't you spell any better than that?
>
> A spelling flame! I'm vanquished!

Not really, I just hate needless abbreviations, and even more so as
my vision gets worse.

> >So, Al. Can you tell us how many receivers or transmitters have you
> >built from scratch? Not from a kit, or someone else's design, but from
> >scratch? Drew a block diagram that was converted to a real schematic
> >one block at a time where you did all the math, laid out the chassis,
> >cut and drilled all the holes and built the equipment all by yourself?
>
> 3 receivers, about a dozen transmitters. Oh, yes, and the automation
> system of the Hong Kong Space Museum planetarium, the old Amtrak
> ticket printer, some software that's in use in over 50,000
> installations around the world ...
>
> But I'm not the typical ham, I've been a design engineer for a long
> time.

I was asked a number of times why I didn't have a degree in EE. When
I found a problem, or saw something that needed improved I didn't just
run crying to the MEs. I researched the problem and wrote up a detailed
report. I found the way to correct the problem, found a source for any
part we didn't already stock, and submitted it directly to the engineer
responsible for that item. After a while they would just flip through
my paperwork and submit it to be typed up on the proper forms, then sign
it off. I had planned to go to college and get my degree, but my time in
the Army threw those plans out the window.

> >What is the biggest transmitter you've ever built or used? I'm a
> >disabled now, but I worked in broadcast
>
> Never built anything over a kilowatt, but engineered some pretty hefty
> ones. (Ch. 40 in Waterbury CT, WWRL, WHN, a few others.)

>
> (You remind me of an IBM HR department of old. They always wanted to
> know the largest program the applicant ever wrote. Someone
> legitimately told them, back when software was a few k, that he'd
> written a 3 meg program. It was a translation program with a 3 meg
> dictionary. You're playing "mine is bigger than yours.")

Not really, but a lot of guys have never done anything more than solder a microphone plug to a cable, and then use those crappy solderless coax connectors. Actually, I'm always happy to meet a ham with some real electronics skills. I meet a lot of retired hams here near Ocala, and very few of them know any electronics. I hear the same I could through together a CW rig from scratch in an emergency, then they admit they don't even have an old ARRL handbook to look up a schematic, or any parts. One told me he would use parts from his TV set, that the horizontal output tube and a few other parts would put him on the air. He didn't even know that his six month old TV only had one tube, and I've never seen a transmitter built from a CRT and salvaged, unmarked SMD parts.

Biggest isn't the goal, but a long term large project is always interesting. I always liked a challenge, and left the easy jobs for everyone else.

> >Tell us, what can you do other than whine? Have you ever built a commercial TV
station from
> >scratch?
>
> All by myself, no. Ever build a planetarium automation system all by
> yourself from scratch (including inventing some of the technology -
> which is still, after 30 years, state of the art)? But I'm not going
> to get into a pissing contest with you. If you were mentally as old
> as you claim your body to be you wouldn't have started one.

I never built anything like that, but I did repair some electronics for the manager of the planetarium at the Orlando Science Center years ago. I have worked on numerous industrial control systems, as well. Sounds like it was a bit of a challenge. Good for you. :) My next couple projects are an electric gate controller, and a motorized flag pole, both with custom controllers with 100 MHz Ethernet interfaces so i can run them from any computer on my home network. I have about 50' of used TV tower in storage. I'm going to weld angle iron up two legs and use a motorized trolley to raise and lower the flag. The gate openers are a pair of used 24" sat tv jacks with a custom controller, a web cam, and an emergency open button that sets off the security system as the gate opens.

> >I found CW boring years ago, and have some hearing problems so I said

> >to hell with Morse code and got involved in the equipment design end of
> >things. It was more fun for me to develop a design and built it, get it
> >aligned and working, then move on to the next design.
>
> Since I totally depend on 2 4 channel BTE aids, I can't receive CW
> that easily any more, but that's not a good reason for the FCC to drop
> the requirement. It's not even a bad reason. But when anyone can
> guess well enough to pass the "technical" part of the exam, the
> license isn't worth much.

What about the people locked out by CW requirements who wanted to design and test RF equipment? Not the "I don't do solder" types, but people with a real love of electronic design? I've always had a severe dropout in my hearing that made it impossible to listen to CW for more than a few minutes at a time. I would end up with headaches, some that lasted for days. I finally threw in the towel and went into other areas of electronics. I wanted to learn microwave communications. Along the way I worked in Broadcast and Two way radio servicing. My last job was building commercial microwave receivers at Microdyne. They were custom built from base models for the customers application, on whatever band or segment they needed, and with IF and video bandwidths from 10 KHz to 40 MHz. In a place like that you would have thought there would be a lot of hams, but I only found about a dozen still licensed, and not one who was still active.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -6721015755333872410
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz_ars@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: CW is. Laziness iand therby blaocking modernization in the ARS
Date: 13 Jul 2006 07:12:36 -0700
Organization: http://groups.google.com
Lines: 24

```
Message-ID: <1152799956.457511.104540@i42g2000cwa.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152745932.402295.147180@m79g2000cwm.googlegroups.com>
   <0dfcb2h260ekms8j6bsnj8rckt949hhcgg@4ax.com>
NNTP-Posting-Host: 66.82.9.74
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152799962 24111 127.0.0.1 (13 Jul 2006 14:12:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Jul 2006 14:12:42 +0000 (UTC)
In-Reply-To: <0dfcb2h260ekms8j6bsnj8rckt949hhcgg@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=66.82.9.74;
   posting-account=s6CH1g0AAABh1Qtmg62q2TgnVvB-Sbeh
Xref: g2news2.google.com rec.radio.amateur.equipment:5273
rec.radio.amateur.policy:32970 rec.radio.scanner:3924 rec.radio.swap:5165


Al Klein wrote:
> On 12 Jul 2006 16:12:12 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
> wrote:
>
> >> I laugh when you lazy asses whine CW is keeping you from modernizing.
>
> >> The code requirement isn't stopping anyone from modernizing. Hams don't
> >> want to modernize and won't modernize unless they're forced to modernize.
> >> That's what's stopping the modernization.
>
> >and cw usage as well as test promtoes that sort of laziness
>
> Nonsense.
indeed the idea that refusing to expand ones horizon is nonsense

and that is what the ars has done for years with it's contiued reliance
on code testing
>Having to do something promotes laziness?
nope not chnaging and resting on lareuls does
>Then exercise
> promotes sloth and dieting promotes obesity.  By your "logic", that
> is.




From 1848960692769951815
X-Google-Thread: 108122,dc67f66d38c4e949,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "ve3tjd" <tedd@ve3tjd.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: FA: Midland UHF NMO 5/8 over 1/2 wave Mobile Antennas
Date: 13 Jul 2006 08:25:04 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1152804304.678315.270230@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 72.1.198.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152804309 4205 127.0.0.1 (13 Jul 2006 15:25:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Jul 2006 15:25:09 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=72.1.198.54;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news2.google.com rec.radio.amateur.equipment:5274

Greetings:

I have a lot of 5, Midland 18-330B UHF (445 Mhz and up) NMO mount mobiles antennas up for auction. These work very well for the 440 to 450 Mhz Ham band. They are 5/8 over 1/2 wave in design (about 3Dbd gain).

Cutting chart included to use them above 450 Mhz.

Please see:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZve3tjd

Thanks, Tedd, VE3TJD

From 8381181301206865399
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.

Date: 13 Jul 2006 08:27:04 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
   <44B643D0.36FCD8D4@earthlink.net>
NNTP-Posting-Host: 66.82.9.74
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152804429 22085 127.0.0.1 (13 Jul 2006 15:27:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Jul 2006 15:27:09 +0000 (UTC)
In-Reply-To: <44B643D0.36FCD8D4@earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=66.82.9.74;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5275 rec.radio.amateur.misc:16424 rec.radio.amateur.policy:32981 rec.radio.scanner:3926 rec.radio.swap:5167

Michael A. Terrell wrote:
> Al Klein wrote:

>
>   What about the people locked out by CW requirements who wanted to
> design and test RF equipment? Not the "I don't do solder" types, but
> people with a real love of electronic design? I've always had a severe
> dropout in my hearing that made it impossible to listen to CW for more
> than a few minutes at a time. I would end up with headaches, some that
> lasted for days. I finally threw in the towel and went into other areas
> of electronics. I wanted to learn microwave communications. Along the
> way I worked in Broadcast and Two way radio servicing.

i hear you on the headaches I remmebr them from my teen aged efforts at
Morse
amusing I listen I can lsiten to morse all day without a problem as
long I don't try to break it down at all then a headache sets in a in
matter of seconds and slowly grows as I try to process the signal

I can in fat qso in the mode using pc with a spectrographic display to
allow me to look at the parts of the signal I can't read with the pc

From -3503441048623785360
X-Google-Thread: 108122,e51acde8734d7d23,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-mail
From: "ve3tjd" <tedd@ve3tjd.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Lot of 2 meter Crystals for Kenwwod TR-2200 and Drake TR-22
Date: 13 Jul 2006 08:30:12 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1152804612.851677.300580@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 72.1.198.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152804618 22827 127.0.0.1 (13 Jul 2006 15:30:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Jul 2006 15:30:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=72.1.198.54;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news2.google.com rec.radio.amateur.equipment:5276

Greetings:

I have up on Ebay, a lot of 8 pairs of VHF crystals for the Kenwood
TR-2200
and the Drake TR-22 (I assume they will work in both radios as they
look
identical).

Please see:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZve3tjd

Thanks, Tedd, VE3TJD

From -6233441104224011784
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,35873e3691ef5b48,start
X-Google-Thread: 108122,35873e3691ef5b48,start
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-mail
From: anythingkinky@gmail.com
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

```
Subject: Give up CB for Ham?
Date: 13 Jul 2006 12:44:53 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1152819893.064079.251820@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 151.196.228.51
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152819898 32131 127.0.0.1 (13 Jul 2006 19:44:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Jul 2006 19:44:58 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 IWSS1:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=151.196.228.51;
   posting-account=MeFBrwwAAAA3cCSzHY49loY3o97xKmcj
Xref: g2news2.google.com rec.radio.cb:13467 rec.radio.swap:5175
rec.radio.amateur.equipment:5277

Alot of people are telling me tht C.B. is just for inbred hayseed hicks
and that I should replce the CB in my truck with a ham radio.  What do
you think?



From -3490052556846856956
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,35873e3691ef5b48
X-Google-Thread: 108122,35873e3691ef5b48
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!postnews.google.com!
p79g2000cwp.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: get help asshole
Date: 13 Jul 2006 13:04:33 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1152821073.651416.312100@p79g2000cwp.googlegroups.com>
References: <1152819893.064079.251820@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.82.9.74
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152821078 19668 127.0.0.1 (13 Jul 2006 20:04:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Jul 2006 20:04:38 +0000 (UTC)
In-Reply-To: <1152819893.064079.251820@75g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=66.82.9.74;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.cb:13469 rec.radio.swap:5176
rec.radio.amateur.equipment:5278

anythingkinky@gmail.com wrote:
> Alot of people are telling me tht C.B. is just for inbred hayseed hicks
> and that I should replce the CB in my truck with a ham radio. What do
> you think?
I think you yank your radio event the cars radio since they are ll just
rpops for the govt to beam it contral waves in to your brain

and remeberthe fiol only work if it froms a complete air tight over of
your whole body

From -2684706513177805965
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,35873e3691ef5b48
X-Google-Thread: 108122,35873e3691ef5b48
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: "Score More" <anythingkinky@gmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Give up CB for Ham?
Date: 13 Jul 2006 13:21:53 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1152822110.409201.312040@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 198.232.250.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152822118 5877 127.0.0.1 (13 Jul 2006 20:21:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Jul 2006 20:21:58 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 IWSS1:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=198.232.250.21;
   posting-account=MeFBrwwAAAA3cCSzHY49loY3o97xKmcj
Xref: g2news2.google.com rec.radio.cb:13470 rec.radio.swap:5177
rec.radio.amateur.equipment:5279

ALOT of people are telling me that CB is just for inbred hayseed hicks
and that I should replce the C.B. in my truck with a ham radio. What
do you think?

```
From -7062306133376841117
X-Google-Thread: 108122,a033ded707e9b7d0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Realistic DX-440 Receiver
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 2
Message-ID: <Mnytg.380098$Fs1.124194@bgtnsc05-news.ops.worldnet.att.net>
Date: Thu, 13 Jul 2006 20:51:56 GMT
NNTP-Posting-Host: 12.77.145.205
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1152823916 12.77.145.205 (Thu, 13 Jul
2006 20:51:56 GMT)
NNTP-Posting-Date: Thu, 13 Jul 2006 20:51:56 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5280

FS Realistic DX-440 receiver in excellent condition with manual and
shoulder strap for $50 plus shipping. Photo's available.


From 4157703868533142415
X-Google-Thread: fb049,85eff2d5d7708de3,start
X-Google-Thread: 108122,85eff2d5d7708de3,start
X-Google-Thread: fa029,85eff2d5d7708de3,start
X-Google-Thread: 1109af,85eff2d5d7708de3,start
X-Google-Attributes: gidfb049,gid108122,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!4f97008e!
not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
Subject: Hamfest July 16th Kimberton Fire Co. Fairgrounds, Kimberton, Pa.
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
```

X-RFC2646: Format=Flowed; Original
Message-ID: <Vnytg.1805$qd3.1455@trndny05>
Date: Thu, 13 Jul 2006 20:52:05 GMT
NNTP-Posting-Host: 71.162.185.218
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1152823925 71.162.185.218 (Thu, 13 Jul 2006 16:52:05 EDT)
NNTP-Posting-Date: Thu, 13 Jul 2006 16:52:05 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2214
rec.radio.amateur.equipment:5281 rec.radio.scanner:3936 rec.radio.swap:5182

Annual MARC Hamfest at the Kimberton Fire Fairgrounds. For more info follow the link:

http://www.marc-radio.org/

From -3107360292566336220
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
From: Slow Code <my.mail@no.spam>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<q66bb21d47nnpnc0ue37g2rtoehtcb8tna@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 25
Message-ID: <cUztg.7247$ye3.645@newsread1.news.pas.earthlink.net>
Date: Thu, 13 Jul 2006 22:34:48 GMT
NNTP-Posting-Host: 4.230.0.245
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152830088 4.230.0.245 (Thu, 13 Jul 2006 15:34:48 PDT)
NNTP-Posting-Date: Thu, 13 Jul 2006 15:34:48 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5282
rec.radio.amateur.policy:33002 rec.radio.scanner:3939 rec.radio.swap:5186

Bill Turner <noway@nohow.com> wrote in
news:q66bb21d47nnpnc0ue37g2rtoehtcb8tna@4ax.com:

> ORIGINAL MESSAGE:
>
> On Wed, 12 Jul 2006 23:09:17 GMT, Slow Code <my.mail@no.spam> wrote:
>
>
>>Just like you don't want to learn CW because you're stupid or lazy.
>
> ------------ REPLY SEPARATOR ------------
>
> Naw, CW makes it too easy to communicate. CW is for lazy people. Real
> hams want to struggle to copy signals through noise and QRM. That's
> why they hate CW... it's no challenge!
>
> Bill, W6WRT

Or when a couple ops with amplifiers move in a little too close to your on-going qso. That does make things tough, and then they laugh at you when you politely ask them to move up the band a little. LOL

```
From -5314868160456829638
X-Google-Thread: 108122,7d809221a5de49a1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44B6E014.5060001@fuse.net>
Date: Thu, 13 Jul 2006 20:06:44 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Language, code, proficiency etc.
References: <1152648877.191682.190980@m73g2000cwd.googlegroups.com>
<oj6ab2t90sn0lkpisf1ij4k8f30f1sngc7@4ax.com>
In-Reply-To: <oj6ab2t90sn0lkpisf1ij4k8f30f1sngc7@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 55
X-Trace: 051b144b6e060e098318623078
Xref: g2news2.google.com rec.radio.amateur.equipment:5283
```

Win wrote:
> I believe that, at some speed, CW becomes a language. Most high speed
> operators are not reading the each character. They hear the word.
> They only resort to character copy on unfamilure words and names. Even

> the low speed op will hear many short common words.
>
> That sounds like a language to me.
>
> Win, W0LZ
>
>
>
> On 11 Jul 2006 13:14:37 -0700, "K5LDB.Leo@gmail.com"
> <K5LDB.Leo@gmail.com> wrote:
>
>
>>A rather lengthy thread contains erroneous claims on the above topics.
>>Morse code is not a language. Language is communication of thoughts and
>>feelings through a system of arbitrary signals, such as voice sounds,
>>gestures, or written symbols, with such a system including its rules
>>for combining its components, such as words. The words are the
>>language. Morse code is the alphabet just like A, B, C ... Z are the
>>alphabet. It is nothing more than the building blocks used to compose
>>the words that actually are the language. English, French, Spanish,
>>German etc. are languages. Hello, bonjou, ola, and hallo are alphabetic
>>symbols combined to form a word meaning the same thing in the various
>>languages. It doesn't matter if the word is written, transmitted orally
>>or by CW, it is still just a string of characters that only becomes
>>language based on the knowledge of the sender to combine them in the
>>proper sequence and the recipient to translate it and receive the
>>intended communication. Neither the alphabet nor morse code are
>>languages.
>>
>>Proficiency is having or marked by an advanced degree of competence, as
>>in an art, vocation, profession, or branch of learning. One could
>>extend that to include competence in an avocation or hobby. Our narrow
>>minded and singly focused friend claims an operators ability to use
>>code makes him more proficient. That is patently false in many cases.
>>It is the overall competency that is the determinant. The operator with
>>code skills may be excellent at code and know nothing of PSK, digital,
>>satellites, EME or any number of things while another operator can
>>expertly use any of them but doesn't know code. They may both be
>>proficient operators, just in differing modes of operation. Then again,
>>neither may be a proficient operator. They may barely know enough about
>>their equipment to get it to do what they narrowly focus on doing. A
>>third operator who perhaps doesn't know code and only knows SSB
>>operation may be the proficient operator who knows his equipment well
>>and can quickly and easily adjust it to perform at peak efficiency in
>>his operating mode.
>>
>>It boils down to code being nothing more than another operating mode
>>which isn't a language and isn't a gauge of proficiency.
>
>

Your definitions are skewed and irrelevant. As is your post.

```
From 6361001854980376584
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44B6E193.4010008@fuse.net>
Date: Thu, 13 Jul 2006 20:13:07 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
References: <44969559.30D72920@milestones.com><YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>   <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>   <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<7ZWdnbeedbkjrSjZnZ2dnUVZ_oudnZ2d@comcast.com>
In-Reply-To: <7ZWdnbeedbkjrSjZnZ2dnUVZ_oudnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 30
X-Trace: 703e844b6e1dee098318623459
Xref: g2news2.google.com rec.radio.amateur.antenna:14603
rec.radio.amateur.equipment:5284 rec.radio.amateur.misc:16425
rec.radio.amateur.policy:33024 rec.radio.shortwave:44076
```

John L. Sielke wrote:
> RHF wrote:
>
>>JB - Spoken like a True Red and White
>>{Blue-in-the-Face} Canadian ~ RHF
>> .
>> .

```
>>. .
>>
>>John Barnard wrote:
>>
>>>Cecil Moore wrote:
>>>
>>>>David wrote:
>>>>
>>>>>Corporations pay way less than half the cost of running governments,
>>>>
>>>>Corporations don't pay any of the cost of running
>>>>governments - their customers pay it all.
>>>
>>>You are right! Corporations don't pay the cost of running governments.
>>>They pay the cost of usurping governments!
>>>
>>>JB
>>
> It' all because back in the 60's all those draft-dodger types went to Canada.
> Canada not only welcomed them, but allowed them to breed. The gene pool has
> never been the same.
Are you referring to the brain drain in the U.S. or the abundance of
professionals in Canada?



From -904334227394128839
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
Date: 13 Jul 2006 17:41:50 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1152837710.065651.206240@m79g2000cwm.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 4.225.130.210
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152837715 15611 127.0.0.1 (14 Jul 2006 00:41:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 00:41:55 +0000 (UTC)
In-Reply-To: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=4.225.130.210;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.equipment:5285
rec.radio.amateur.policy:33025 rec.radio.scanner:3945 rec.radio.swap:5191
```

Slow Code wrote:
> LOL!
>
> I laugh when you lazy asses whine CW is keeping you from modernizing.
>
> The code requirement isn't stopping anyone from modernizing. Hams don't
> want to modernize and won't modernize unless they're forced to modernize.
> That's what's stopping the modernization.
>
> How does having a CW requirement prevent you from hooking a computer to a
> rig? It don't. You don't want to modernize because you're stupid or lazy.
> Just like you don't want to learn CW because you're stupid or lazy.
>
> SC

LOL! It started a long, long time ago.

When gasoline was 17 Cents a gallon, hams were complainining about how
hard it was to get to the FCC office and wanted a mail-order license.
The conditional was born.

It's been downhill ever since.

```
From -4176815199543942142
X-Google-Thread: 108122,1cbc058459363fa9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: PRC-2000 Military Manpack Transceiver
Message-ID: <22gdb29uccbr0geqjligvk8s2han6bipds@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Thu, 13 Jul 2006 21:06:54 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
```

```
X-Trace: fe10.lga 1152839272 69.125.167.162 (Thu, 13 Jul 2006 18:07:52 MST)
NNTP-Posting-Date: Thu, 13 Jul 2006 18:07:52 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5286

FS: PRC-2000 Military Manpack Transceiver
 prc-2000 military man pack radio,  It comes with hand set,  antenna,
back pack,  power and audio connectors, Newer  battery and charger,
manual  It has frequency readout..Can be seen at yahoo groups
prc-2000. Is water proof and can with stand being dropped from 3 feet
in concrete as per specifications. Transmit on low 4 watts or high 20
watts. Can be connected to any antenna or amplifier as a base.
10 through 160 Meters
Works and looks VERY NICE!!
Price:  2000.00
ritchi50@optonline.net



From 6921806417130702468
X-Google-Thread: 108122,1cbc058459363fa9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: PRC-2000 Military Manpack Transceiver
Message-ID: <0jrdb2tbp5tdputr93ujc32uker99m7ov8@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Thu, 13 Jul 2006 21:07:54 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152839332 69.125.167.162 (Thu, 13 Jul 2006 18:08:52 MST)
NNTP-Posting-Date: Thu, 13 Jul 2006 18:08:52 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5287

FS: PRC-2000 Military Manpack Transceiver
 prc-2000 military man pack radio,  It comes with hand set,  antenna,
back pack,  power and audio connectors, Newer  battery and charger,
manual  It has frequency readout..Can be seen at yahoo groups
prc-2000. Is water proof and can with stand being dropped from 3 feet
in concrete as per specifications. Transmit on low 4 watts or high 20
watts. Can be connected to any antenna or amplifier as a base.
10 through 160 Meters
Works and looks VERY NICE!!
Price:  2000.00
ritchi50@optonline.net
```

From -4191354341875393649
X-Google-Thread: 108122,a6f8f9cca3c192e7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "gil" <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted junker Kenwood R-600 or front cover
Date: 13 Jul 2006 18:16:12 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1152839772.326430.281010@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 24.225.172.240
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152839778 7422 127.0.0.1 (14 Jul 2006 01:16:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 01:16:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=24.225.172.240;
   posting-account=W-cZMg0AAAD6pmUIPaJTixPoW2XfnzcF
Xref: g2news2.google.com rec.radio.amateur.equipment:5288

Im looking for the front cover for a Kenwood R-600 or a non working
radio as long as the face is decent.
Please reply to gi1pi@yahoo.com

Thanks, Gil

From 6272171187485069261
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
Date: 13 Jul 2006 18:18:29 -0700

```
Organization: http://groups.google.com
Lines: 39
Message-ID: <1152839909.231750.229790@35g2000cwc.googlegroups.com>
References: <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <wh4mg.139$lv.109@fed1read12>
   <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
   <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
   <129lvnf4h9st2d3@corp.supernews.com>
   <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
   <129m9ijcnshm47f@corp.supernews.com>
   <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
   <129ofcclvejs22f@corp.supernews.com>
   <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
   <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
   <dX%mg.79692$iF6.12453@pd7tw2no>
   <1152720850.662591.37690@b28g2000cwb.googlegroups.com>
   <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 71.133.187.32
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152839914 21442 127.0.0.1 (14 Jul 2006 01:18:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 01:18:34 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=71.133.187.32;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:14605
rec.radio.amateur.equipment:5289 rec.radio.amateur.misc:16426
rec.radio.amateur.policy:33035 rec.radio.shortwave:44088


Slow Code wrote:
> "RHF" <rhf-newsgroups@pacbell.net> wrote in
> news:1152720850.662591.37690@b28g2000cwb.googlegroups.com:
>
> > JB - Spoken like a True Red and White
> > {Blue-in-the-Face} Canadian ~ RHF
> >  .
> >  .
> > . .
> >
>
>
>  Kanadians are more Red...  Commie Red.

-  JB - Spoken like a True Red and White
-  {Blue-in-the-Face} Canadian ~ RHF

There Are Two Parts :
```

1 - Spoken like a True Red and White Canadian !
- - - Canadians who are Proud of Being Canadians
and are Happy to Talk 'aboot' Canada :o)
* Cause - The Flag of Canada is Red and White [.]

2 - Spoken like a Sad "Blue-in-the-Face" Canadian !
- - - Canadians who are Ashamed to be Canadians
and are all to happy to Talk "Bad" About the USA :-{
* Cause - The US Flag has those 50 Blue Stars [.]

Canadians Are Canadians -and- Should Be Proud Of It !

As For Me - I Was Born In The USA -and-
I Am Proud To Be An American ! ~ RHF
.
 .
. .

From -4466720592533941181
X-Google-Thread: 108122,66094ff14089a44e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Generator Tune-Up - What Have I done?
Date: Thu, 13 Jul 2006 21:28:06 -0400
Organization: Aioe.org NNTP Server
Lines: 23
Message-ID: <fmmck-1307062128060001@aca2a7cf.ipt.aol.com>
NNTP-Posting-Host: 8p3/cp5KA/VUF6AT6pDmJA.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
newsfeed0.kamp.net!newsfeed.kamp.net!81.174.50.156.MISMATCH!redpower.x-privat.org!
newsfeed.x-privat.org!aioe.org!emma.aioe.org!aioe.org!aca2a7cf.ipt.aol.com!user
Xref: g2news2.google.com rec.radio.amateur.equipment:5290

Sorry if this is off-topic. I couldn't find a more suitable newsgroup.

A 2500 Watt 120V generator (Powermate Proforce PM0102500) seems to
be working fine, but engine sounds a little rough. Why not touch up the
carburetor adjustment and see if that improves it?

First I turned the screw on the carburetor to the right. Some resistance
to turning, but absolutely no difference in engine speed or sound.

Then I turned the screw to the left. Screw is quite loose and still no
difference in the engine, but now I have gas leaking from the bottom of
the carburetor! I turned the screw to the right until snug, and the gas

leak has stopped.

There is no other adjustment visible on this carburetor. Is that screw
intended to drain the carburetor, or have I seriously messed up something?

I've searched the web for data, and only found that the 5.5 HP engine was
made by "Sumec". I gather that they make motorcycle engines, but found no
carburetor data.

Fred
K4DII

From 5141909023063295351
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
Message-ID: <rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com> <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com> <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 41
Date: Fri, 14 Jul 2006 01:43:21 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1152841401 66.133.198.234 (Thu, 13 Jul
2006 18:43:21 PDT)
NNTP-Posting-Date: Thu, 13 Jul 2006 18:43:21 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:14606
rec.radio.amateur.equipment:5291 rec.radio.amateur.misc:16427
rec.radio.amateur.policy:33038 rec.radio.shortwave:44097

```
On 13 Jul 2006 18:18:29 -0700, "RHF" <rhf-newsgroups@pacbell.net>
wrote:

>
>Slow Code wrote:
>> "RHF" <rhf-newsgroups@pacbell.net> wrote in
>> news:1152720850.662591.37690@b28g2000cwb.googlegroups.com:
>>
>> > JB - Spoken like a True Red and White
>> > {Blue-in-the-Face} Canadian ~ RHF
>> >  .
>> >  .
>> > . .
>> >
>>
>>
>>  Kanadians are more Red...  Commie Red.
>
>-  JB - Spoken like a True Red and White
>-  {Blue-in-the-Face} Canadian ~ RHF
>
>There Are Two Parts :
>
># 1 - Spoken like a True Red and White Canadian !
>- - - Canadians who are Proud of Being Canadians
>and are Happy to Talk 'aboot' Canada :o)
>* Cause - The Flag of Canada is Red and White [.]
>
># 2 - Spoken like a Sad "Blue-in-the-Face" Canadian !
>- - - Canadians who are Ashamed to be Canadians
>and are all to happy to Talk "Bad" About the USA :-{
>* Cause - The US Flag has those 50 Blue Stars [.]
>
>Canadians Are Canadians -and- Should Be Proud Of It !
>
>
>As For Me - I Was Born In The USA -and-
>I Am Proud To Be An American ! ~ RHF
>.
At least in Canada you get to keep your life savings if you get sick.



From -9646933304503943l7
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!fe10.lga.POSTED!53ab2750!not-for-mail
```

```
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW is. Laziness iand therby blaocking modernization in the ARS
Message-ID: <6ktdb2hoojnt9t460nrqto153v43eot44k@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152745932.402295.147180@m79g2000cwm.googlegroups.com>
<0dfcb2h260ekms8j6bsnj8rckt949hhcgg@4ax.com>
<1152799956.457511.104540@i42g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Thu, 13 Jul 2006 21:43:55 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152841565 24.186.218.38 (Thu, 13 Jul 2006 18:46:05 MST)
NNTP-Posting-Date: Thu, 13 Jul 2006 18:46:05 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5292
rec.radio.amateur.policy:33039 rec.radio.scanner:3946 rec.radio.swap:5193

On 13 Jul 2006 07:12:36 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
wrote:

>Al Klein wrote:
>> On 12 Jul 2006 16:12:12 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
>> wrote:

>> >and cw usage as well as test promtoes that sort of laziness

>> Nonsense.

>indeed the idea that refusing to expand ones horizon is nonsense

The idea that testing someone promotes laziness is nonsense.

>>Having to do something promotes laziness?

>nope not chnaging and resting on lareuls does

So resting on your laurels and not learning CW promotes your laziness.
That's what I said and you agree.


From 6286144854840465425
X-Google-Thread: 108122,66094ff14089a44e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
```

nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 13 Jul 2006 20:48:49 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <fmmck-1307062128060001@aca2a7cf.ipt.aol.com>
Subject: Re: Generator Tune-Up - What Have I done?
Date: Thu, 13 Jul 2006 20:48:45 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <FYidnRNTI6GcZSvZnZ2dnUVZ_sGdnZ2d@comcast.com>
Lines: 30
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-ufwDg+jafZjkjEoJImdkUm+966YG0qnAuU3SyJIZlxPXKcJp3h4z/
L+b9k1px5wKOjUyxSL+9vcZTEo!
tFocrfceMtoOnRWA8MIlLeNj8+agCFTgTUnXtqoTqzusFVxcAmzM+5X+MkgAbffGi7TGfnHpjWoJ!
itamCykul62A2w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5293

take it to your favorite local small engine shop.... have them show you what and how to do a proper tune up on it, then pay the man.

"Fred McKenzie" <fmmck@aol.com> wrote in message
news:fmmck-1307062128060001@aca2a7cf.ipt.aol.com...
> Sorry if this is off-topic. I couldn't find a more suitable newsgroup.
>
> A 2500 Watt 120V generator (Powermate Proforce PM0102500) seems to
> be working fine, but engine sounds a little rough. Why not touch up the
> carburetor adjustment and see if that improves it?
>
> First I turned the screw on the carburetor to the right. Some resistance
> to turning, but absolutely no difference in engine speed or sound.
>
> Then I turned the screw to the left. Screw is quite loose and still no
> difference in the engine, but now I have gas leaking from the bottom of
> the carburetor! I turned the screw to the right until snug, and the gas
> leak has stopped.
>
> There is no other adjustment visible on this carburetor. Is that screw
> intended to drain the carburetor, or have I seriously messed up something?
>
> I've searched the web for data, and only found that the 5.5 HP engine was
> made by "Sumec". I gather that they make motorcycle engines, but found no
> carburetor data.
>

```
> Fred
> K4DII




From 2381130078454742009
X-Google-Thread: 108122,7d809221a5de49a1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 13 Jul 2006 20:51:49 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1152648877.191682.190980@m73g2000cwd.googlegroups.com>
<oj6ab2t90sn0lkpisf1ij4k8f30f1sngc7@4ax.com> <44B6E014.5060001@fuse.net>
Subject: Re: Language, code, proficiency etc.
Date: Thu, 13 Jul 2006 20:51:48 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <V7udnSEMIOooZSvZnZ2dnUVZ_sKdnZ2d@comcast.com>
Lines: 62
NNTP-Posting-Host: 68.63.214.120
X-Trace:
sv3-9bi3IGTYwyoufdFgoKRc45Q5LQcxHQEsbOfFwesON6Y0qMnksNF5LIyUfktJkWnx+46s3Y7g7PDYuQ
T!mmkft06wGG1dRQSwzBbWvSz8qvKif7Y6QcVBIQwQEtcVoZrYzT1Z6NZszhnPU9u1gmbi6fjksRzd!
jzbB86g8q1+0gg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5294

<sigh>
CW is a *MODE* of transmission
Morse Code is the language

"jawod" <jawod@fuse.net> wrote in message news:44B6E014.5060001@fuse.net...
> Win wrote:
>> I believe that, at some speed, CW becomes a language.  Most high speed
>> operators are not reading the each character. They hear the word.
>> They only resort to character copy on unfamilure words and names. Even
>> the low speed op will hear many short common words.
>>
>> That sounds like a language to me.
>>
```

>> Win, W0LZ
>>
>>
>>
>> On 11 Jul 2006 13:14:37 -0700, "K5LDB.Leo@gmail.com"
>> <K5LDB.Leo@gmail.com> wrote:
>>
>>
>>>A rather lengthy thread contains erroneous claims on the above topics.
>>>Morse code is not a language. Language is communication of thoughts and
>>>feelings through a system of arbitrary signals, such as voice sounds,
>>>gestures, or written symbols, with such a system including its rules
>>>for combining its components, such as words. The words are the
>>>language. Morse code is the alphabet just like A, B, C ... Z are the
>>>alphabet. It is nothing more than the building blocks used to compose
>>>the words that actually are the language. English, French, Spanish,
>>>German etc. are languages. Hello, bonjou, ola, and hallo are alphabetic
>>>symbols combined to form a word meaning the same thing in the various
>>>languages. It doesn't matter if the word is written, transmitted orally
>>>or by CW, it is still just a string of characters that only becomes
>>>language based on the knowledge of the sender to combine them in the
>>>proper sequence and the recipient to translate it and receive the
>>>intended communication. Neither the alphabet nor morse code are
>>>languages.
>>>
>>>Proficiency is having or marked by an advanced degree of competence, as
>>>in an art, vocation, profession, or branch of learning. One could
>>>extend that to include competence in an avocation or hobby. Our narrow
>>>minded and singly focused friend claims an operators ability to use
>>>code makes him more proficient. That is patently false in many cases.
>>>It is the overall competency that is the determinant. The operator with
>>>code skills may be excellent at code and know nothing of PSK, digital,
>>>satellites, EME or any number of things while another operator can
>>>expertly use any of them but doesn't know code. They may both be
>>>proficient operators, just in differing modes of operation. Then again,
>>>neither may be a proficient operator. They may barely know enough about
>>>their equipment to get it to do what they narrowly focus on doing. A
>>>third operator who perhaps doesn't know code and only knows SSB
>>>operation may be the proficient operator who knows his equipment well
>>>and can quickly and easily adjust it to perform at peak efficiency in
>>>his operating mode.
>>>
>>>It boils down to code being nothing more than another operating mode
>>>which isn't a language and isn't a gauge of proficiency.
>>
>>
> Your definitions are skewed and irrelevant. As is your post.

From -6623728012723455467
X-Google-Thread: 108122,c37bde70d9a279a9

```
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW is. Laziness iand therby blaocking modernization in the ARS
Date: 13 Jul 2006 18:55:07 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1152842107.535325.138310@m73g2000cwd.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152745932.402295.147180@m79g2000cwm.googlegroups.com>
   <0dfcb2h260ekms8j6bsnj8rckt949hhcgg@4ax.com>
   <1152799956.457511.104540@i42g2000cwa.googlegroups.com>
   <6ktdb2hoojnt9t460nrqto153v43eot44k@4ax.com>
NNTP-Posting-Host: 66.82.9.74
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152842113 27229 127.0.0.1 (14 Jul 2006 01:55:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 01:55:13 +0000 (UTC)
In-Reply-To: <6ktdb2hoojnt9t460nrqto153v43eot44k@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=66.82.9.74;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5295
rec.radio.amateur.policy:33041 rec.radio.scanner:3948 rec.radio.swap:5195
```

```
Al Klein wrote:
> On 13 Jul 2006 07:12:36 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
> wrote:
>
> >Al Klein wrote:
> >> On 12 Jul 2006 16:12:12 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
> >> wrote:
>
> >> >and cw usage as well as test promtoes that sort of laziness
>
> >> Nonsense.
>
> >indeed the idea that refusing to expand ones horizon is nonsense
>
> The idea that testing someone promotes laziness is nonsense.
```

```
not the test that was the subject
use of the mode promotes lazness

>
> >>Having to do something promotes laziness?
>
> >nope not chnaging and resting on lareuls does
>
> So resting on your laurels and not learning CW promotes your laziness.
> That's what I said and you agree.
nope

learning CW promotes laziness




From -8449856784797823638
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <9ntdb2dkp9jabtvfgmt2c4b3okc4oki66q@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<44B44705.F4A86462@earthlink.net> <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
<44B643D0.36FCD8D4@earthlink.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 54
Date: Thu, 13 Jul 2006 21:56:43 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152842334 24.186.218.38 (Thu, 13 Jul 2006 18:58:54 MST)
NNTP-Posting-Date: Thu, 13 Jul 2006 18:58:54 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5296
```

rec.radio.amateur.misc:16428 rec.radio.amateur.policy:33042 rec.radio.scanner:3949
rec.radio.swap:5196

On Thu, 13 Jul 2006 13:00:47 GMT, "Michael A. Terrell"
<mike.terrell@earthlink.net> wrote:

>Al Klein wrote:
>> On Wed, 12 Jul 2006 00:49:48 GMT, "Michael A. Terrell"
>> <mike.terrell@earthlink.net> wrote:

>> >> Can you say "Yes, I ar wun"?

>> >Can't you spell any better than that?

>> A spelling flame! I'm vanquished!

>   Not really, I just hate needless abbreviations, and even more so as
>my vision gets worse.

It wasn't an abbreviation, it was a comment. From an old poster we
had in high school - "Six munce ago I cun't evun spel injunere, now I
ar wun."

>I had planned to go to college and get my degree, but my time in
>the Army threw those plans out the window.

Then I'm glad I chose the Navy.

>> You're playing "mine is bigger than yours.")

>One told me he would use parts from his TV set, that the
>horizontal output tube and a few other parts would put him on the air.

There have been many people on the air thanks to a 6BG6 or similar.

>He didn't even know that his six month old TV only had one tube, and
>I've never seen a transmitter built from a CRT and salvaged, unmarked
>SMD parts.

Interesting idea, though - a CRT as a final with an inherent monitor.
I wonder how much RF output you can drive a CRT to. And, if you made
it AM, would that be "focused" modulation? Or, if you were listening
to the flyback, "high sing modulation"?

>   I never built anything like that, but I did repair some electronics
>for the manager of the planetarium at the Orlando Science Center years
>ago.

I'll take a stab - a Minolta projector? I doubt it's a Zeiss.

>   What about the people locked out by CW requirements who wanted to
>design and test RF equipment?

That was the whole idea behind the Tech ticket - minimal CW that
anyone could get to in a few weeks and enough written exam to prove
that you knew electronics. Anyone who can design or test RF equipment
should be able to draw a few schematics.

From 7031065664234674864
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 20 Jul 2006 00:54:26 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
Subject: Re: Luggage Rack Mounted NMO Mounts?
Date: Thu, 20 Jul 2006 00:54:23 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <2YadnQrAgoQPhyLZnZ2dnUVZ_s6dnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-Ld872TeM5ObDkh0ia/
waZASuDUMjrd5iakeN2l7RuRwF4cjbh8HKfCzkgXmr4Ol+tHqVNCgvifiJn6E!2QzMSAlW6TPPzTqrzzs/
pGIcp4w+CdGb5ycJbUlTWGbGLyoiI2BojdWV+9yzgKU56trSZjl+cgH3!+PX4OJQBOTVskw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5450

I am assuming that your intention is to mount V/UHF antennas on the
vehicle.... Being fully mindfull of the limitations of V/UHF, and that its
used for local repeaters and not DX, a real simple and inexpensive solution
would be to go with a glass mount antenna.... the one I run on my Tundra is
a 2m/70cm dual band "cellular look-alike"($25.00 on Ebay) on the passenger
top corner of the windshield. No holes *ANYWHERE* for antenna mounting, and
works sufficiently well, even on low level machines in rural south
Mississippi.

-n6ojn

"Gary" <danahers@comcast.net> wrote in message
news:o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com...
> I'm giving serious thought to buying a new vehicle and you know it's bad
> when your first thought is not the mileage or seating capacity, but where

```
> to plumb the radio! Does anyone manufacture an adjustable bracket that
> will fit into or around the luggage rack frames? I can fabricate my own,
> but not having a full-featured machine shop, it might not be as pretty as
> my wife would like.




From 4121716051585142160
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
Date: Wed, 19 Jul 2006 23:13:33 -0700
Message-ID: <MPG.1f28beecdcfb06fa9896e4@news.drizzle.com>
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
<MPG.1f287dc87300eb7f9896e3@news.drizzle.com> <44BEE2BD.5D4388B6@earthlink.net>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 40
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5451

In article <44BEE2BD.5D4388B6@earthlink.net>, mike.terrell@earthlink.net
(known to some as Michael A. Terrell) scribed...
> "Dr. Anton T. Squeegee" wrote:

     <BigSnip>

> >         Yes, there are safe-and-sane ways to drill the correct size of
> > hole, even in a new car. My personal favorite is the Irwin Manufacturing
> > 'UniBit,' also known as a step-bit. Well worth the $45 or so they cost.
> >
> >         Couple said Unibit's action with a standard deburring tool for
> > sheet steel (available from any well-stocked hardware store), and you're
> > good to go.
> >
> >         Reserve a full day, take your time, and drink plenty of water.
> >
> >         Happy installing.
>
>
>    Harbor Freight has a set of three sizes on sale for $9.99 right now
```

> thought Aug. 14th. <http://www.harborfreight.com> Item 91616 The
> website shows $19.99 but the retail flyer I got in the mail today shows
> the $9.99 price.

<snippety-two>

At that low of a price, I'd be really concerned about the quality of these bits. More specifically, are they made-in-Taiwan imports, made from Lord only knows what grade of steel, or are they the same quality as the Irwin products?

To put it another way: You gets what you pays for. Caveat emptor indeed...

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

```
From -4179408846753943514
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!PAISP.COM-a2kHrUvQQWlmc!not-for-mail
From: Big Rich Soprano <BucSoprano@gmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Thu, 20 Jul 2006 06:16:40 -0400
Message-ID: <rulub2p6ddm6hfv3ka7d0rsdc7mmmnia6v@4ax.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<bBCsg.49394$W97.20808@twister.nyroc.rr.com>
<kmq7b21g6b8697132r4j0ac1qr7gvni20l@4ax.com>
<20060711163939.819$5l@newsreader.com>
<gh3kb2lmm34t3btndbgg9nifnffe0ej7l4@4ax.com>
<20060717070843.889$hU@newsreader.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 12
X-Trace: 2692c44bf58089ac92c0e08290
Xref: g2news2.google.com rec.radio.cb:14019 rec.radio.swap:5395
rec.radio.amateur.equipment:5452
```

>> >CW rules in disasters tho..

>> I went to a hamfest many many moons ago and met this guy who could
>> send 60 wmp while driving with a strap on army key on his knee!

>Now that's talent!

I honestly didn't believe it until he showed me! The sucker was so
fast it sounded like one tone to me.

```
From 5946375119336821673
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!PAISP.COM-a2kHrUvQQWlmc!not-for-mail
From: Big Rich Soprano <BucSoprano@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Auction the ham bands to the Highest Bidder
Date: Thu, 20 Jul 2006 06:19:36 -0400
Message-ID: <55mub21e1lp6hnvkmo54lvm3hq9rf7g178@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1153188203.320942.196200@i42g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 6
X-Trace: 64fff44bf58b79ac92c0e08290
Xref: g2news2.google.com rec.radio.amateur.equipment:5453
rec.radio.amateur.policy:34248 rec.radio.scanner:4195 rec.radio.swap:5396
```

>amateur radio is obsolete and nobody cares about it.

>The ham frequencies should be auctioned to the highest bidder!

Don't you get tired of being an ass hole?

From -2538212961867610853
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 20 Jul 2006 07:35:01 -0500
Date: Thu, 20 Jul 2006 07:35:02 -0500
From: Gary <danahers@comcast.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
<2YadnQrAgoQPhyLZnZ2dnUVZ_s6dnZ2d@comcast.com>
In-Reply-To: <2YadnQrAgoQPhyLZnZ2dnUVZ_s6dnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <95KdnSH0wLHo5SLZnZ2dnUVZ_sKdnZ2d@comcast.com>
Lines: 36
NNTP-Posting-Host: 24.0.163.35
X-Trace: sv3-yCxKOo8ex7v/
R51hRSRUxo1lb4fMcKVsu2u80UQ38HpwIBzzYjv5gGOII+O2DgoxfZWUA5QUm08XAVu!h+Pol8LMQn/
ywvwzLh8I5Q9Oi9QBN2EpyNFAeIeJKwXqLPBVfpkzRdhMg1URZbGCFfemW+4HUGYr!rDSYhzsug7k=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5454

Noon-Air wrote:
> I am assuming that your intention is to mount V/UHF antennas on the
> vehicle.... Being fully mindfull of the limitations of V/UHF, and that its
> used for local repeaters and not DX, a real simple and inexpensive solution
> would be to go with a glass mount antenna.... the one I run on my Tundra is
> a 2m/70cm dual band "cellular look-alike"($25.00 on Ebay) on the passenger
> top corner of the windshield. No holes *ANYWHERE* for antenna mounting, and
> works sufficiently well, even on low level machines in rural south
> Mississippi.
>
> -n6ojn
>
> "Gary" <danahers@comcast.net> wrote in message
> news:o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com...
>> I'm giving serious thought to buying a new vehicle and you know it's bad
>> when your first thought is not the mileage or seating capacity, but where
>> to plumb the radio! Does anyone manufacture an adjustable bracket that
>> will fit into or around the luggage rack frames? I can fabricate my own,

>> but not having a full-featured machine shop, it might not be as pretty as
>> my wife would like.
>
>

I'm not inclined to drill holes if I don't have to. :-0

With regard to glass mounted antennas, I have never seen one that would
work properly over time, so I will avoid those as well.

The Diamond K515SNMO looks promising but it must live on the side rail
and not more centered. The cross members of what I am looking at
resemble an airfoil and are about 3 inches wide. Would be nice to have a
bracket that would fit over and under that cross piece and then mount to
the bracket. I might have to get some stock and go to fabricating.

```
       .....................
   .............................
       .....................
```

```
From -5465196221384787361
X-Google-Thread: 108122,bddfe428a95b0905,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: iz1gcn@virgilio.it
Newsgroups: rec.radio.amateur.equipment
Subject: HOME PAGE IZ1GCN
Date: 20 Jul 2006 05:43:21 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1153399400.927804.45710@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 158.102.162.9
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153399406 22765 127.0.0.1 (20 Jul 2006 12:43:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Jul 2006 12:43:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 proxy.comune.torino.it:3128 (squid/2.5.STABLE9)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=158.102.162.9;
   posting-account=CQpXdg0AAADTRG2pKScmkeHspCiSelVs
Xref: g2news2.google.com rec.radio.amateur.equipment:5455
```

www.iz1gcn.it

73

```
From 8720847706542238524
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-
mail
NNTP-Posting-Date: Thu, 20 Jul 2006 08:02:37 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
<2YadnQrAgoQPhyLZnZ2dnUVZ_s6dnZ2d@comcast.com>
<95KdnSH0wLHo5SLZnZ2dnUVZ_sKdnZ2d@comcast.com>
Subject: Re: Luggage Rack Mounted NMO Mounts?
Date: Thu, 20 Jul 2006 08:02:34 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <5I-dnZnA0-lw4yLZnZ2dnUVZ_oOdnZ2d@comcast.com>
Lines: 46
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-
W8sUm55aYXcnEFSQjPYPiLsnMOaAGCkxp+sF2a8GdkLO+kFYCNnl+jWrJ9Nln+rB6Y6Y7SSqFM50V3C!
fs2t7Gc3SmBQ9rxt8nF3tPiSs0NM244ArnTtR4DJCxJ06O3dlglN5wKsE0F+GxSgN5pzpt1zRvIN!
WgNqoRUYJOhIBw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5456


"Gary" <danahers@comcast.net> wrote in message
news:95KdnSH0wLHo5SLZnZ2dnUVZ_sKdnZ2d@comcast.com...
> Noon-Air wrote:
>> I am assuming that your intention is to mount V/UHF antennas on the
>> vehicle.... Being fully mindfull of the limitations of V/UHF, and that
>> its used for local repeaters and not DX, a real simple and inexpensive
>> solution would be to go with a glass mount antenna.... the one I run on
>> my Tundra is a 2m/70cm dual band "cellular look-alike"($25.00 on Ebay) on
>> the passenger top corner of the windshield. No holes *ANYWHERE* for
>> antenna mounting, and works sufficiently well, even on low level machines
>> in rural south Mississippi.
>>
>> -n6ojn
>>
>> "Gary" <danahers@comcast.net> wrote in message
>> news:o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com...
>>> I'm giving serious thought to buying a new vehicle and you know it's bad
>>> when your first thought is not the mileage or seating capacity, but
>>> where to plumb the radio! Does anyone manufacture an adjustable bracket
>>> that will fit into or around the luggage rack frames? I can fabricate my
>>> own, but not having a full-featured machine shop, it might not be as
>>> pretty as my wife would like.
>>
>>
> I'm not inclined to drill holes if I don't have to. :-0
>
> With regard to glass mounted antennas, I have never seen one that would
> work properly over time, so I will avoid those as well.
>
> The Diamond K515SNMO looks promising but it must live on the side rail and
> not more centered.  The cross members of what I am looking at resemble an
> airfoil and are about 3 inches wide. Would be nice to have a bracket that
> would fit over and under that cross piece and then mount to the bracket. I
> might have to get some stock and go to fabricating.

Also be mindfull of your overhead clearance....The glass mount, cell
look-a-like is not a problem, but a 30+ inch tall diamond on top of a
vehicle could cause some problems in drive-throughs, garages, etc.
With the antennas that currently reside on my Tundra, my clearance is
12'6"....no more bank drive-throughs, fast food, parking garages, and plays
hell with low branches and wires.

-n6ojn




From -1743017549890091435
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
Date: Thu, 20 Jul 2006 06:53:32 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <nm2vb2lunbafvh7aonjapuinsiidgc9k3t@4ax.com>
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
<MPG.1f287dc87300eb7f9896e3@news.drizzle.com> <44BEE2BD.5D4388B6@earthlink.net>
<MPG.1f28beecdcfb06fa9896e4@news.drizzle.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
```

```
Lines: 25
Xref: g2news2.google.com rec.radio.amateur.equipment:5457

On Wed, 19 Jul 2006 23:13:33 -0700, Dr. Anton T. Squeegee
<SpammersBlow@dev.null> wrote:


>>    Harbor Freight has a set of three sizes on sale for $9.99 right now
>> thought Aug. 14th. <http://www.harborfreight.com> Item 91616  The
>> website shows $19.99 but the retail flyer I got in the mail today shows
>> the $9.99 price.
>
>    <snippety-two>
>
>    At that low of a price, I'd be really concerned about the quality
>of these bits. More specifically, are they made-in-Taiwan imports, made
>from Lord only knows what grade of steel, or are they the same quality
>as the Irwin products?
>
>    To put it another way: You gets what you pays for. Caveat emptor
>indeed...

I have both the original Unibit brand and the Greenlee imitation.
Both are equally good.  I have seen other brands, like Stanley, that
should perform well.  Some of the prices I have seen lately on good
brands make me shed a tear over what I paid 10 years ago.

Dick


From -6552929047277077801
X-Google-Thread: 108122,7399613a3cac6dd0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Grundig YB-400PE
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
Message-ID: <GAMvg.153028$mF2.24930@bgtnsc04-news.ops.worldnet.att.net>
Date: Thu, 20 Jul 2006 14:39:34 GMT
NNTP-Posting-Host: 12.77.140.43
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1153406374 12.77.140.43 (Thu, 20 Jul
2006 14:39:34 GMT)
```

NNTP-Posting-Date: Thu, 20 Jul 2006 14:39:34 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5458

The YB-400PE is in mint condition and comes with: Grundig AC adapter, stereo ear plugs, wind-up antenna, owners manual, vinyl carry case and orginal box. The cabinet has a titanium colored finish. $75 plus shipping.

From -5033422028588135O1
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
Date: Thu, 20 Jul 2006 10:46:41 -0500
Lines: 29
Message-ID: <4i9mr1F2rocpU1@individual.net>
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
<2YadnQrAgoQPhyLZnZ2dnUVZ_s6dnZ2d@comcast.com>
<95KdnSH0wLHo5SLZnZ2dnUVZ_sKdnZ2d@comcast.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net mgX6VAjogB5nfat2zjFwogVRQPANf4cHmJoz5px8jy/VwhFuGK
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <95KdnSH0wLHo5SLZnZ2dnUVZ_sKdnZ2d@comcast.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:5459

Gary wrote:

> I'm not inclined to drill holes if I don't have to. :-0
>
> With regard to glass mounted antennas, I have never seen one that would
> work properly over time, so I will avoid those as well.
>
> The Diamond K515SNMO looks promising but it must live on the side rail
> and not more centered. The cross members of what I am looking at
> resemble an airfoil and are about 3 inches wide. Would be nice to have a
> bracket that would fit over and under that cross piece and then mount to
> the bracket. I might have to get some stock and go to fabricating.
>

There is one problem with mounting on the cross members of the rack...
After time, the cross member will be twisted due to the force on it from

the wind pushing on the antenna.
It will happen faster the higher the ambient temp, and material of the rack and color...
The only way to keep this from happening, or to minimize the flexing, is to mount it as close to the side rails as possible..
I would add an extra cross member right behind/before the stock cross member, and attach an aluminum or stainless steel plate with NMO hole to mount the antenna.
The resulting setup will be much stronger, and negates the special clamp/mount needed..

Bob N9LVU

From -5797898154167466694
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap,rec.radio.shortwave
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
Date: 20 Jul 2006 15:36:35 -0700
Organization: http://groups.google.com
Lines: 46
Message-ID: <1153434995.739193.180470@h48g2000cwc.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152837710.065651.206240@m79g2000cwm.googlegroups.com>
   <HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
   <1152922038.113579.178900@75g2000cwc.googlegroups.com>
   <r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
   <SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 4.225.96.87
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153435001 22805 127.0.0.1 (20 Jul 2006 22:36:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Jul 2006 22:36:41 +0000 (UTC)
In-Reply-To: <SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=4.225.96.87;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.equipment:5460

rec.radio.amateur.policy:34377 rec.radio.scanner:4210 rec.radio.swap:5414
rec.radio.shortwave:45311

Slow Code wrote:
> Barry OGrady <god_free_jones@yahoo.com> wrote in
> news:r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com:
>
> > On 14 Jul 2006 17:07:18 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
> > wrote:
> >
> >>
> >>Slow Code wrote:
> >>> hot-ham-and-cheese@hotmail.com wrote in
> >>> news:1152837710.065651.206240@m79g2000cwm.googlegroups.com:
> >>>
> >>> >
> >>
> >>> > It's been downhill ever since.
> >>>
> >>>
> >>> I agree with that.
> >>>
> >>> Whether you like or use CW or not, dumbing down as hurt ham radio.
> >>in english please
> >>
> >>
> >>>
> >>> SC
> >>people that live in glass house whoudl dress in basement
> >
> > In english please, with punctuation and spacing between quoted and your
> > text and proper quoting and spelling.
> >
> > Barry

Get over yourself.

> ROFL, Sorry. I'm starting to believe laughing at him just encourages him
> to make more typo's. We need to stop laughing and pity him instead.
>
> Maybe if he had to learn CW the mental process would help his spelling.
>
> SC

I wonder how many a retired old-timer who decided to join ham radio
stroked out instead while doing speed runs trying to get to 13/20wpm on
CW?

From -2354865129420174551
X-Google-Thread: 108228,a9ace2833bf7dc7f,start

X-Google-Thread: 108122,a9ace2833bf7dc7f,start
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr25.news.prodigy.net.POSTED!c4667c2f!not-for-mail
From: "Henry Kolesnik" <kolesnik@sbcglobal.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: WTB Kenwood HT-215A acessories
Lines: 11
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <g5Wvg.10842$2v.2015@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 70.143.44.86
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1153445324 ST000 70.143.44.86 (Thu, 20 Jul
2006 21:28:44 EDT)
NNTP-Posting-Date: Thu, 20 Jul 2006 21:28:44 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@SJDZBUYR_PXGZID]_\@VR]^@B@MCPWZKB]MPXHDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Fri, 21 Jul 2006 01:28:44 GMT
Xref: g2news2.google.com alt.ham-radio.marketplace:1121
rec.radio.amateur.equipment:5461

A friend of mine needs a new battery pack BP 2 and charger BC-7 for his
Kenwood HT-215A. Anyone got either they want to sell?
tnx

--

73
Hank WD5JFR

From 4355869453002626564
X-Google-Thread: 108122,3bf1d4ff6fab572
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <e3Bvg.209201$iF6.198236@pd7tw2no>
Subject: Re: 4D32

Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <dmWvg.2578$157.523@newsread3.news.pas.earthlink.net>
Date: Fri, 21 Jul 2006 01:46:49 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1153446409 24.225.35.108 (Thu, 20 Jul 2006 18:46:49 PDT)
NNTP-Posting-Date: Thu, 20 Jul 2006 18:46:49 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5462

"Daphne + Dave" <dschertzer@shaw.ca> wrote in message
news:e3Bvg.209201$iF6.198236@pd7tw2no...
> Is this such a "rare" tube?   Fits Collins.

I don't know about how rare it is. It was also used in the Johnson Viking
(maybe called the Viking 1 as there was a second version that used a pair of
6146 tubes that is the equal of the 4D32).

From -1024187554955078503
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44C0365D.9427CF9B@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com> <MPG.1f287dc87300eb7f9896e3@news.drizzle.com> <44BEE2BD.5D4388B6@earthlink.net> <MPG.1f28beecdcfb06fa9896e4@news.drizzle.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 50
Date: Fri, 21 Jul 2006 02:05:54 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1153447554 24.110.34.161 (Thu, 20 Jul

2006 19:05:54 PDT)
NNTP-Posting-Date: Thu, 20 Jul 2006 19:05:54 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5463

"Dr. Anton T. Squeegee" wrote:
>
> In article <44BEE2BD.5D4388B6@earthlink.net>, mike.terrell@earthlink.net
> (known to some as Michael A. Terrell) scribed...
> > "Dr. Anton T. Squeegee" wrote:
>
>   <BigSnip>
>
> > >   Yes, there are safe-and-sane ways to drill the correct size of
> > > hole, even in a new car. My personal favorite is the Irwin Manufacturing
> > > 'UniBit,' also known as a step-bit. Well worth the $45 or so they cost.
> > >
> > >   Couple said Unibit's action with a standard deburring tool for
> > > sheet steel (available from any well-stocked hardware store), and you're
> > > good to go.
> > >
> > >   Reserve a full day, take your time, and drink plenty of water.
> > >
> > >   Happy installing.
> >
> >
> >   Harbor Freight has a set of three sizes on sale for $9.99 right now
> > thought Aug. 14th. <http://www.harborfreight.com> Item 91616 The
> > website shows $19.99 but the retail flyer I got in the mail today shows
> > the $9.99 price.
>
>   <snippety-two>
>
>   At that low of a price, I'd be really concerned about the quality
> of these bits. More specifically, are they made-in-Taiwan imports, made
> from Lord only knows what grade of steel, or are they the same quality
> as the Irwin products?
>
>   To put it another way: You gets what you pays for. Caveat emptor
> indeed...

They work fine for me, or I wouldn't have recommended them. In fact, I bought a spare set today, because they have a tendency to disappear from my shop I've never broke or jammed one of them. I normally use them in my drill press, but I have used the larger size to deburr 1/2" EMT when doing electrical work.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell

Central Florida

```
From -6171888687290701б7
```

```
X-Google-Thread: 108122,a5ea3155c811be5c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44C0371B.3D93ED7D@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luggage Rack Mounted NMO Mounts?
References: <o8CdnYcRlamkKyPZnZ2dnUVZ_rGdnZ2d@comcast.com>
<MPG.1f287dc87300eb7f9896e3@news.drizzle.com> <44BEE2BD.5D4388B6@earthlink.net>
<12btp3tqolhve2a@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
Date: Fri, 21 Jul 2006 02:09:03 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1153447743 24.110.34.161 (Thu, 20 Jul
2006 19:09:03 PDT)
NNTP-Posting-Date: Thu, 20 Jul 2006 19:09:03 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5464

Dave Platt wrote:
>
> In article <44BEE2BD.5D4388B6@earthlink.net>,
> Michael A. Terrell <mike.terrell@earthlink.net> wrote:
>
> >   Harbor Freight has a set of three sizes on sale for $9.99 right now
> >thought Aug. 14th. <http://www.harborfreight.com> Item 91616  The
> >website shows $19.99 but the retail flyer I got in the mail today shows
> >the $9.99 price.
>
> And if you go to the store, make sure you take the retail flyer along
> with you.  The one time I failed to do so, the item was marked with
> the higher (non-sale) price in the store, and they wouldn't honor the
> flyer price without a copy of the flyer in-hand.


   The store in Ocala always has a stack of them on a stand right inside
the front door so you can pick one up as you enter the store.  Also, you
want to be on their E-mail list for specials.  For those you do have to
print out the e-mail w/coupons to get the extra savings.  The coupons
```

have a serial number so you can't buy more than the advertised limit.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 6288390525915930573
X-Google-Thread: 108122,a17e0dfead0cbc52
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: ericst@nbl.co.za
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-2400 help please
Date: 21 Jul 2006 03:42:34 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1153478554.619039.254950@p79g2000cwp.googlegroups.com>
References: <e9jnv5$agb$1@ctb-nnrp2.saix.net>
NNTP-Posting-Host: 196.34.242.129
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153478559 32392 127.0.0.1 (21 Jul 2006 10:42:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 21 Jul 2006 10:42:39 +0000 (UTC)
In-Reply-To: <e9jnv5$agb$1@ctb-nnrp2.saix.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; NBL
autoconfig saved 24-May-2001; FunWebProducts; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 AJHBISA02, 1.1 upstr-prx-01.avinet.co.za:3128 (squid/2.5.STABLE6)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=196.34.242.129;
   posting-account=onpPHQ0AAACaPxmDDuFCRGW6HNaFkgqE
Xref: g2news2.google.com rec.radio.amateur.equipment:5465

Hey Joel

I did a search for you, and the only thing that turned up is this
message!

I posted the question on the SARL website as requested, and hold
thumbs.

73
Eric

ZS6BUJ

Joel Dorfan wrote:

> I opened the front panel of the radio to look for the back light which
> stopped working.
> There seems to be a factory mod, a thin green wire running from the output
> of Q3003 5v regulator under the top cover to a place behind the front panel.
>
> This green wire has broken off from the position where it was soldered
> behind the front panel and I can not find where it is supposed to go. The
> radio will not transmit with this wire disconnected.
>
> PLEASE, can any of you with this radio take a look and see where this wire
> is supposed to be soldered to?
>
> Thanks
>
> Joel
> ZS6CBA

From -9157155062894355264
X-Google-Thread: 108228,a9ace2833bf7dc7f
X-Google-Thread: 108122,a9ace2833bf7dc7f
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
References: <g5Wvg.10842$2v.2015@newssvr25.news.prodigy.net>
Subject: Re: WTB Kenwood HT-215A acessories
Lines: 10
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <0S5wg.36556$8n1.18497@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 21 Jul 2006 14:51:40 GMT
Xref: g2news2.google.com alt.ham-radio.marketplace:1124
rec.radio.amateur.equipment:5466

Henry Kolesnik wrote:
> A friend of mine needs a new battery pack BP 2 and charger BC-7 for
> his Kenwood HT-215A. Anyone got either they want to sell?

You mean a PB-2?
http://www.batteriesamerica.com/kenwood1.htm

The BC-7 is going to be hard to find due to its age. Watch eBay.

From 9124496359387848389
X-Google-Thread: 108122,27e8c2ddc9a4f801,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.aset.psu.edu!news.cse.psu.edu!elk.ncren.net!news.niu.edu!news!behr
From: behr@muir.math.niu.edu (Eric Behr)
Newsgroups: rec.radio.amateur.equipment
Subject: IC-718 carrying handle question
Date: 21 Jul 2006 14:58:17 GMT
Organization: Northern Illinois University, Math
Lines: 15
Message-ID: <e9qq29$vk6$1@news.math.niu.edu>
NNTP-Posting-Host: muir.math.niu.edu
X-Trace: news.math.niu.edu 1153493897 32390 131.156.3.108 (21 Jul 2006 14:58:17 GMT)
X-Complaints-To: news@math.niu.edu
NNTP-Posting-Date: 21 Jul 2006 14:58:17 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5467

I just bought an IC-718 as a backup rig. My older IC-736 has a
carrying handle attached, and I don't carry that one much, so I
am hoping to transfer the handle from the 736 to the 718. The
spacing of holes etc. is identical on both rigs, but apparently
not the screws. The 736 uses metric 4 mm machine screws - does
anyone know what is used with the 718? If you have the Icom MB-23
handle kit (that's supposed to be for the 718) lying around, I'd
very much appreciate knowing what kind of screws it comes with.
Probably self-tapping ones, but I don't want to ruin the holes
in the radio by using wrong screws. I couldn't find anything on
the Web. Thanks a lot.

```
--
Eric Behr          | NIU Mathematical Sciences      | (815) 753 6727
behr@math.niu.edu  | http://www.math.niu.edu/~behr/ |  fax: 753 1112
```

From 7355222079023152417
X-Google-Thread: 108122,f7a426fc7d9df1bd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!news.germany.com!feeder.news-service.com!feeder.news-service.com!newsgate.cistron.nl!xs4all!news.wiretrip.org!news.dizum.com!sewer-output!mail2news
From: Borked Pseudo Mailed <nobody@pseudo.borked.net>

```
Newsgroups: rec.radio.amateur.equipment
Subject: Crackhead Pirates Email...
Message-ID: <4a43fd0ba12143e0ee9fa92538173bc9@pseudo.borked.net>
Date: Fri, 21 Jul 2006 14:01:11 -0600 (MDT)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5468
```

Send You Email here--> mariablazer2002@yahoo.com

```
From 3934213608758679153
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap,rec.radio.shortwave
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
From: Slow Code <my.mail@no.spam>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152837710.065651.206240@m79g2000cwm.googlegroups.com>
<HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
<1152922038.113579.178900@75g2000cwc.googlegroups.com>
<r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
<SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
<1153434995.739193.180470@h48g2000cwc.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 54
Message-ID: <4dbwg.1160$gF6.521@newsread2.news.pas.earthlink.net>
Date: Fri, 21 Jul 2006 20:57:36 GMT
NNTP-Posting-Host: 4.235.66.46
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1153515456 4.235.66.46 (Fri, 21 Jul 2006
13:57:36 PDT)
NNTP-Posting-Date: Fri, 21 Jul 2006 13:57:36 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5469
rec.radio.amateur.policy:34527 rec.radio.scanner:4225 rec.radio.swap:5434
rec.radio.shortwave:45449
```

hot-ham-and-cheese@hotmail.com wrote in
news:1153434995.739193.180470@h48g2000cwc.googlegroups.com:

>
> Slow Code wrote:
>> Barry OGrady <god_free_jones@yahoo.com> wrote in
>> news:r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com:
>>
>> > On 14 Jul 2006 17:07:18 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
>> > wrote:
>> >
>> >>
>> >>Slow Code wrote:
>> >>> hot-ham-and-cheese@hotmail.com wrote in
>> >>> news:1152837710.065651.206240@m79g2000cwm.googlegroups.com:
>> >>>
>> >>> >
>> >>
>> >>> > It's been downhill ever since.
>> >>>
>> >>>
>> >>> I agree with that.
>> >>>
>> >>> Whether you like or use CW or not, dumbing down as hurt ham radio.
>> >>in english please
>> >>
>> >>
>> >>>
>> >>> SC
>> >>people that live in glass house whoudl dress in basement
>> >
>> > In english please, with punctuation and spacing between quoted and
>> > your text and proper quoting and spelling.
>> >
>> > Barry
>
> Get over yourself.
>
>> ROFL, Sorry. I'm starting to believe laughing at him just encourages
>> him to make more typo's. We need to stop laughing and pity him
>> instead.
>>
>> Maybe if he had to learn CW the mental process would help his spelling.
>>
>> SC
>
> I wonder how many a retired old-timer who decided to join ham radio
> stroked out instead while doing speed runs trying to get to 13/20wpm on
> CW?

Why don't you get on your CB and ask them.

SC

```
From -5746836757460084833
X-Google-Thread: fb049,bffb237a653c8d59,start
X-Google-Thread: 108122,bffb237a653c8d59,start
X-Google-Thread: 1109af,bffb237a653c8d59,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny01.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: MT1000/HT600/P200 12v mobile charger $20.00
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <lHbwg.1336$qZ2.415@trndny01>
Date: Fri, 21 Jul 2006 21:29:53 GMT
NNTP-Posting-Host: 71.126.69.56
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1153517393 71.126.69.56 (Fri, 21 Jul 2006 17:29:53 EDT)
NNTP-Posting-Date: Fri, 21 Jul 2006 17:29:53 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2276
rec.radio.amateur.equipment:5470 rec.radio.swap:5440

1-Motorola Mt1000 12v mobile charger with power cable, no bracket. NTN5438A.
$20.00 plus shipping.
Cont. US only. USPS money orders only.

pottsladd13 at yahoo.com
```

```
From 2388576436247925499
X-Google-Thread: fb049,6abd3a4724ac1a2,start
X-Google-Thread: 108122,6abd3a4724ac1a2,start
X-Google-Thread: 1109af,6abd3a4724ac1a2,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny03.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Uniden FMU250K UHF med radio dash mount
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <DLbwg.46$lq2.23@trndny03>
Date: Fri, 21 Jul 2006 21:34:27 GMT
NNTP-Posting-Host: 71.126.69.56
X-Complaints-To: abuse@verizon.net
X-Trace: trndny03 1153517667 71.126.69.56 (Fri, 21 Jul 2006 17:34:27 EDT)
NNTP-Posting-Date: Fri, 21 Jul 2006 17:34:27 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2277
rec.radio.amateur.equipment:5471 rec.radio.swap:5442

Uniden FMU250K Uhf Med radio with remote handset. no power cable or bracket.
$35.00 plus $10.00 shipping Cont. US only.
USPS money orders only.

pottsladd13 at yahoo.com

From 4451260642228708035
X-Google-Thread: fb049,5fce86e0250f5b07,start
X-Google-Thread: 108122,5fce86e0250f5b07,start
X-Google-Thread: 1109af,5fce86e0250f5b07,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny01.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: 2-Motorola SyntorX9000 32 ch lowband $400.00 complete with dual
controls.
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <bRbwg.1337$qZ2.379@trndny01>
Date: Fri, 21 Jul 2006 21:40:23 GMT
NNTP-Posting-Host: 71.126.69.56
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1153518023 71.126.69.56 (Fri, 21 Jul 2006 17:40:23 EDT)
NNTP-Posting-Date: Fri, 21 Jul 2006 17:40:23 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2278
rec.radio.amateur.equipment:5472 rec.radio.swap:5443

These units are in perfect working order and complete with dual controls.
2-T71KEJ7J04AK.
$400.00 takes them both.
Pickup only in SE, Pa.

pottsladd13 at yahoo.com

From -253410701530605967
X-Google-Thread: 114a57,44a6e7c546a014b8,start
X-Google-Thread: 108122,44a6e7c546a014b8,start
X-Google-Thread: 1109af,44a6e7c546a014b8,start
X-Google-Attributes: gid114a57,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny08.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.hf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Uniden HR2510 all mode 10mtr mobile complete. $150.00
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <1Tbwg.73$V41.45@trndny08>
Date: Fri, 21 Jul 2006 21:42:21 GMT
NNTP-Posting-Host: 71.126.69.56
X-Complaints-To: abuse@verizon.net
X-Trace: trndny08 1153518141 71.126.69.56 (Fri, 21 Jul 2006 17:42:21 EDT)
NNTP-Posting-Date: Fri, 21 Jul 2006 17:42:21 EDT
Xref: g2news2.google.com alt.ham-radio.hf:506 rec.radio.amateur.equipment:5473
rec.radio.swap:5444

Uniden HR2510 10 mtr all mode mobile transceiver.
This is complete with box, manual, power cable, and mounting bracket.
$150.00 plus $10.00 shipping.
Cont. US Only, USPS money orders only.

pottsladd13 at yahoo.com

From 8696453187720441095
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail

```
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap,rec.radio.shortwave
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
Date: 21 Jul 2006 17:40:56 -0700
Organization: http://groups.google.com
Lines: 59
Message-ID: <1153528856.788510.316740@m73g2000cwd.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152837710.065651.206240@m79g2000cwm.googlegroups.com>
   <HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
   <1152922038.113579.178900@75g2000cwc.googlegroups.com>
   <r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
   <SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
   <1153434995.739193.180470@h48g2000cwc.googlegroups.com>
   <4dbwg.1160$gF6.521@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 4.225.132.220
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153528862 12692 127.0.0.1 (22 Jul 2006 00:41:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Jul 2006 00:41:02 +0000 (UTC)
In-Reply-To: <4dbwg.1160$gF6.521@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=4.225.132.220;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.equipment:5474
rec.radio.amateur.policy:34536 rec.radio.scanner:4230 rec.radio.swap:5449
rec.radio.shortwave:45477


Slow Code wrote:
> hot-ham-and-cheese@hotmail.com wrote in
> news:1153434995.739193.180470@h48g2000cwc.googlegroups.com:
>
> >
> > Slow Code wrote:
> >> Barry OGrady <god_free_jones@yahoo.com> wrote in
> >> news:r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com:
> >>
> >> > On 14 Jul 2006 17:07:18 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
> >> > wrote:
> >> >
> >> >>
> >> >>Slow Code wrote:
> >> >>> hot-ham-and-cheese@hotmail.com wrote in
> >> >>> news:1152837710.065651.206240@m79g2000cwm.googlegroups.com:
> >> >>>
> >> >>> >
> >> >>
> >> >>> > It's been downhill ever since.
> >> >>>
> >> >>>
> >> >>> I agree with that.
> >> >>>
> >> >>> Whether you like or use CW or not, dumbing down as hurt ham radio.
> >> >>in english please
> >> >>
> >> >>
> >> >>>
> >> >>> SC
> >> >>people that live in glass house whoudl dress in basement
> >> >
> >> > In english please, with punctuation and spacing between quoted and
> >> > your text and proper quoting and spelling.
> >> >
> >> > Barry
> >
> > Get over yourself.
> >
> >> ROFL, Sorry. I'm starting to believe laughing at him just encourages
> >> him to make more typo's.  We need to stop laughing and pity him
> >> instead.
> >>
> >> Maybe if he had to learn CW the mental process would help his spelling.
> >>
> >> SC
> >
> > I wonder how many a retired old-timer who decided to join ham radio
> > stroked out instead while doing speed runs trying to get to 13/20wpm on
> > CW?
>
>
> Why don't you get on your CB and ask them.
>
> SC

I don't think a CB will go that far.




From 7168706457265014031
X-Google-Thread: 108122,648fbe08f7e6f72c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!news-out.readnews.com!news-
xxxfer.readnews.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe12.lga.POSTED!53ab2750!not-for-mail
From: solidgoldZZZ@optonline.net (Ron in NY)
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: WALL MAP
Message-ID: <44c1821b.2277839@news.optonline.net>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 12
Date: Sat, 22 Jul 2006 01:45:52 GMT
NNTP-Posting-Host: 68.198.12.161
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1153532877 68.198.12.161 (Fri, 21 Jul 2006 18:47:57 MST)
NNTP-Posting-Date: Fri, 21 Jul 2006 18:47:57 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5475

Hi All,

     I have an old radio amateur's prefix map of the world on the wall in my
shack. I got it from the radio amateur callbook company about 25 years ago. The
size is about 30" X 40". It's outdated prefix wise, and it is starting to show
its' age. On 1 side it has ITU zones and on the other side it has CQ zones. Does
anyone make a map like this any more ???


                       RON...KA2IIA
========================================================
Remove the ZZZ from my E-mail address to send me E-mail.


From -8826378210579028868
X-Google-Thread: 108122,648fbe08f7e6f72c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 21 Jul 2006 23:56:05 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <44c1821b.2277839@news.optonline.net>
Subject: Re: WALL MAP
Date: Sat, 22 Jul 2006 00:55:20 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <4YOdnUKTr_h4MlzZnZ2dnUVZ_o2dnZ2d@comcast.com>
Lines: 26
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-EvKiSrQlQoqcTDZEwzw+83aJlzw5P5iPOoeoWcU7DVhn/
4GwOwQqEpqmAJWwkTJB8Wux3uBXE8di8Li!
UMBshTm52gybVZhTyEZ4uoI7m3IAf9DUtrri8DO9BdzHuu0QYwl/B2jQmU0bg/7M/oLz8Zmxw3Ur!
V7EWfN1b93ZolUjV
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5476

"Ron in NY" <solidgoldZZZ@optonline.net> wrote in message news:44c1821b.2277839@news.optonline.net...
> Hi All,
>
>   I have an old radio amateur's prefix map of the world on the wall in
> my
> shack. I got it from the radio amateur callbook company about 25 years
> ago. The
> size is about 30" X 40". It's outdated prefix wise, and it is starting to
> show
> its' age. On 1 side it has ITU zones and on the other side it has CQ
> zones. Does
> anyone make a map like this any more ???
>
>
> RON...KA2IIA
>

Icom and Yaesu usually have such at their booths at Dayton. That's where I got mine. You might also try checking the ARRL website and see what publications they have.

Dee, N8UZE

From 3462653975518034759
X-Google-Thread: 108122,277b29ea6b76380b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 00:03:54 -0500
From: "Ken chattenton" <k.chattenton@btopenworld.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Radio's for sale (UK).
Date: Sat, 22 Jul 2006 06:01:05 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <SK-dnb7xcOomLFzZnZ2dnUVZ8qSdnZ2d@bt.com>
Lines: 26

NNTP-Posting-Host: 81.158.219.96
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-rEUlvvqFnk7hgEhc8OX4kLGw2EE+DdtSZoeBkl/
Y0BkII4Tu96rc+NgESox1tJwT+rdZjabEUwh8cdk!Wj6PomKXqjL8in4THgcpVrPj/
R7sKDmsT0wQMkbISUCO5KEAnYKYc2Ao9lcH1ti65o1cktw+TB4=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5477

Hi all,

My friend has the following equipment for sale, all boxed, as new (the
'Palstar-R30CC' is new).

First of, a Yeasu 'FT101ZD/3', includes the following, external phone-patch
speaker, two VFO's (one digital), also included is the
ATU.....................price......�450.00 plus post, or collect.

Second item, 'AOR-3000A' RX.....................price........�300.00

Third item, 'Palstar-R30CC' (two Collins filters)....price.......�250.00

Fourth item, 'AOR-3030' RX (includes the wide-band VHF
converter)......price...�250.00

Fifth item, 'Yeasu-FRG100' RX.............price..........�250.00 (or
offer).

All the above plus postage, or inspect and collect.
Payment by, cash, postal order or cheque (allow 7 days for clearance,
sorry, it's the banks !!).

Thanks to all for reading, have a great weekend, Ken, G4KIR.

From -7764857966078666666
X-Google-Thread: 108122,6fa14c9fa30f6033,start
X-Google-Thread: 108228,6fa14c9fa30f6033,start
X-Google-Thread: 1062f2,6fa14c9fa30f6033,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 05:59:00 -0500
Subject: FA: 1-Day-Left: 6 Books: ELECTRONICS, DIGITAL, ANALOG, SWITCHING, LOGIC,
etc.

```
Date: Sat, 22 Jul 2006 06:59:00 -0400
From: Cliff <cliff@clsijososoa.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <22072006065900608 5%cliff@clsijososoa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
Py69Z+W9Gvp5pDgNeaYMPmDqAm7iPoHvmio1Ony8qQ6z0Vl0K8qZ9Dohs6+PLVs0+sKPNRoC57Pxd/M!
2aCnaH7Kuq9H324emR8k/B9EhKGNHdY4ZHW26jkU/kVhLf/B5ABp+mtJzJkNGOgTEcT4vp0e9H4P!
MUAN4YiTAg5BcM+OjIBts8Uc
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5478 alt.ham-
radio.marketplace:1126 misc.industry.electronics.marketplace:536


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320007867025



From -7949975619288888849
X-Google-Thread: 108122,da40653518587676,start
X-Google-Thread: 108228,da40653518587676,start
X-Google-Thread: fcc6e,da40653518587676,start
X-Google-Thread: 1062f2,da40653518587676,start
X-Google-Attributes: gid108122,gid108228,gidfcc6e,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 06:00:30 -0500
Subject: FA: 1-Day-Left: 5 Books: HAM RADIO, Electronics, IEEE, Extra Class, etc.
Date: Sat, 22 Jul 2006 07:00:30 -0400
From: Cliff <cliff@clsijososoa.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.amateur.antenna,misc.industry.electronics.marketplace
Message-ID: <220720060700301439%cliff@clsijososoa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-vVGFvrLjdSEOtmbtBOLuhWPV1u/ZUCl1TF/
2qVvGdkxdkhIGE38xpAKQM6KVLOVaG8+MrL3nrMXGwOx!a4fIMtJkghydfXIxPtk+
+ooPFgspc4YuJpIyRMOnI0Dfhk+q22klrYZgMclvIOs8Pt/aA71Y83Zn!GQitrS75Ovd+CRx8XfPQvDty
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5479 alt.ham-
radio.marketplace:1127 rec.radio.amateur.antenna:15082
misc.industry.electronics.marketplace:537
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320007867054

```
From -7564134783650676191
X-Google-Thread: 108122,6c5646ed16968b62,start
X-Google-Thread: 108228,6c5646ed16968b62,start
X-Google-Thread: 1062f2,6c5646ed16968b62,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 06:01:29 -0500
Subject: FA: 1-Day-Left: 5 Books on MICROPROCESSORS: 6800, 68000, 8080, 8085,
68HC11, more...
Date: Sat, 22 Jul 2006 07:01:29 -0400
From: Cliff <cliff@clsijososoa.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <220720060701295029%cliff@clsijososoa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-Ei8VS8JIJp+z8R7fzmrKLT9L8cFFjHF779tiDMvN4/
ECGwpIdpBRqQEMQlPDYNl5hWqmGia+JJC4auf!
7QygyHLAmX477jGZTIiPDw1SGaevl8hPMEHPGqp5iiz2OXekV4kD18riEUiw3yNlet1ENox80+2Q!
yZIVHoS6xKss5zIairhUll7H
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5480 alt.ham-
radio.marketplace:1128 misc.industry.electronics.marketplace:538
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320007867073

```
From 6589496033671538457
X-Google-Thread: 10dafd,7f7ef4da27b10fc8,start
X-Google-Thread: 108122,7f7ef4da27b10fc8,start
X-Google-Thread: 108228,7f7ef4da27b10fc8,start
X-Google-Thread: 1062f2,7f7ef4da27b10fc8,start
X-Google-Attributes: gid10dafd,gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 06:04:48 -0500
Subject: FA: 1-Day-Left: BLACK BOX ServSwitch Wizard Pro - Control 4 Computers
with 1 Keyboard, Mouse and Display...
Date: Sat, 22 Jul 2006 07:04:47 -0400
From: Cliff <cliff@clsijososoa.com>
Newsgroups: alt.marketplace.online.ebay,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <2207200607044769l7%cliff@clsijososoa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-FinLO0NvcRYtWxNA6bV/
+zj5eFz7uPTKeiuTnpigYhi7joDfowUJTiDkAA7hnweBovmK6AOFj31Ltqf!4HMCRNu8qb/
SdxzcEYXVQH43/ErH+CmILurIX/Cvemhkjx2ki0QAuUjBXMk2wnQ3BrsGh8XebJ2Q!
ZKA+AQq5l46l6blGZrliAymf
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.marketplace.online.ebay:15972
rec.radio.amateur.equipment:5481 alt.ham-radio.marketplace:1129
misc.industry.electronics.marketplace:539
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=320007867136

```
From -6846738386614138225
X-Google-Thread: 108122,6f7408ce926da466,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "Yooperpete" <k8pt@chartermi.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Timewave DSP-59 Noise Filter
```

```
Date: 22 Jul 2006 06:31:34 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1153575094.093559.63730@m79g2000cwm.googlegroups.com>
NNTP-Posting-Host: 24.177.164.169
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153575098 4866 127.0.0.1 (22 Jul 2006 13:31:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Jul 2006 13:31:38 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=24.177.164.169;
   posting-account=JPAQfQ0AAACZ7rWcpWif8CdtuZrTGtTk
Xref: g2news2.google.com rec.radio.amateur.equipment:5482
```

For Sale: One Timewave Audio Noise Reduction Filter DSP-59. Includes
copy of operating manual. Case, front and panel nice shape. Missing one
rear screw. Works well.Serial # 55xxx.
$50 shipped CONUS. Contact me at K8PT@chartermi.net

```
From 7145307042100311368
X-Google-Thread: 108122,449912f33e151c46,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Trade Bird Model 43
Message-ID: <h8c4c29sfeomoe8isijngl2d1r6437851n@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Sat, 22 Jul 2006 10:07:19 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1153577256 69.125.167.162 (Sat, 22 Jul 2006 07:07:36 MST)
NNTP-Posting-Date: Sat, 22 Jul 2006 07:07:36 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5483
```

Trade Bird Model 43
Bird 43 Watt Metter Comes with dummy slug.
Nice condition   Trade

for ham gear.
ritchi50@optonline.net

From -6804325161844250961
X-Google-Thread: 108122,a2ad08d1a7d4a970,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 10:08:47 -0500
Date: Sat, 22 Jul 2006 11:08:45 -0400
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Thunderbird 1.5.0.2 (X11/20060411)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: PC-16000A on MARS?
X-Enigmail-Version: 0.94.0.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <beGdnTUG06riol_ZnZ2dnUVZ_oKdnZ2d@comcast.com>
Lines: 5
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-nhnZCA8O6a3XSYzpjvT09qQCnIpisaMQBaHytlb40HbcF5aCwMuj6um06h/Ch2Xad6B2+
+x6jM/5jfZ!URD3mDlWKdzvvywjIM2c6wRQx++QdRsy5XnHGjoUuYv3Y+DANyWz46ksBDyFx3nb+r71V/
yaAPnx!gvtInOgVldEhy/7ermRx
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5484

Does anyone have any information on the Patcomm PC-16000A mod for MARS operation?

Thanks,

John

From 6245588139416922870
X-Google-Thread: 108122,648fbe08f7e6f72c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <Nobody@nowhere.com>
Newsgroups: rec.radio.amateur.equipment
References: <44c1821b.2277839@news.optonline.net>
Subject: Re: WALL MAP

```
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <6Drwg.1137$_M.303@fed1read04>
Date: Sat, 22 Jul 2006 08:37:30 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1153582658 72.197.12.245 (Sat, 22 Jul 2006 11:37:38 EDT)
NNTP-Posting-Date: Sat, 22 Jul 2006 11:37:38 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5485

Ron - try Millennia Arts, Ultimate DX World MapT!
http://www.millarts.net/

73 From CV

"Ron in NY" <solidgoldZZZ@optonline.net> wrote in message
news:44c1821b.2277839@news.optonline.net...
> Hi All,
>
>     I have an old radio amateur's prefix map of the world on the wall in
> my
> shack. I got it from the radio amateur callbook company about 25 years
> ago. The
> size is about 30" X 40". It's outdated prefix wise, and it is starting to
> show
> its' age. On 1 side it has ITU zones and on the other side it has CQ
> zones. Does
> anyone make a map like this any more ???
>
>
> RON...KA2IIA
> ==========================================================
> Remove the ZZZ from my E-mail address to send me E-mail.




From 8066872688611751754
X-Google-Thread: 108122,8ca7dcc6f6f3ee4b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: 1-Day>SB-401 Parts rig, Johnson Viking II Roller, Much more good
stuff
Date: 22 Jul 2006 08:51:54 -0700
```

Organization: http://groups.google.com
Lines: 30
Message-ID: <1153583514.464077.40160@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153583521 27364 127.0.0.1 (22 Jul 2006 15:52:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Jul 2006 15:52:01 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5486

$11>HEATHKIT SB-401 TRANSMITTER>GREAT FOR PARTS or RESTORE
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220007261204&...

$no Bids>YAESU FT-901DM 12vdc DC CABLE ASSEMBLY>BRAND-NEW HANDY!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220009389356&...

$10>E.F. JOHNSON VIKING II ROLLER INDUCTOR w/SHAFT>HANDY
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220007261218&...

$10>12 CERAMIC and BAKELITE SLUG TUNED COILS for RECEIVERS!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220007261231&...

$10>E.F. JOHNSON 250-35 LOW-PASS FILTER for 72 OHMS>RARE!
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220009389429&...

To View all items & more, please go here>
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

Tnx, Rich

From 2225838532142696806
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9

```
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Thread: 114aac,ebe8e2ce5d75cdbb
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap,rec.radio.shortwave
Subject: Re: CW is Laziness
Date: 22 Jul 2006 09:04:28 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1153584268.279837.183670@m79g2000cwm.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152837710.065651.206240@m79g2000cwm.googlegroups.com>
   <HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
   <1152922038.113579.178900@75g2000cwc.googlegroups.com>
   <r5sgb2dkhc2dc0dtk378re5oh83podkugf@4ax.com>
   <SAVug.9488$PE1.2020@newsread2.news.pas.earthlink.net>
   <1153434995.739193.180470@h48g2000cwc.googlegroups.com>
   <4dbwg.1160$gF6.521@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153584273 1335 127.0.0.1 (22 Jul 2006 16:04:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Jul 2006 16:04:33 +0000 (UTC)
In-Reply-To: <4dbwg.1160$gF6.521@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=69.19.14.25;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5487
rec.radio.amateur.policy:34587 rec.radio.scanner:4235 rec.radio.swap:5463
rec.radio.shortwave:45531
```

Slow Code wrote:

> hot-ham-and-cheese@hotmail.com wrote in
> news:1153434995.739193.180470@h48g2000cwc.googlegroups.com:
>
> > I wonder how many a retired old-timer who decided to join ham radio
> > stroked out instead while doing speed runs trying to get to 13/20wpm on
> > CW?
>
> Why don't you get on your CB and ask them.

the idea the radio could contact the dead was bad enough in frequency

```
do you need to repeat it

but one of your other nicks is hey stupid so I guess we must expect
that
>
> SC




From 2399792887451651454
X-Google-Thread: 108122,8405a0d723fb35d3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 12:14:38 -0500
From: notmeman <nospam4me@goober.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD: LOWBAND MOBILE
Date: Sat, 22 Jul 2006 12:14:59 -0500
Message-ID: <c8n4c2drhos5i3vamlef8rm33mfijvt5g3@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Host: 68.34.142.145
X-Trace: sv3-m5SKdBxCV7aqBihAeBr7woIVK77N/
+Hd6PE2i3OZe6UmdjVay4mIlSFba0P31zfAIrr0HJ1ul52qIrr!
pY+xEpNkChlTmcP0gwWko7n0weLfdAokg0N23hir8/+GOUnfBxGLuwNpogx6aUH3yvqPD6JmGvIZ!
sXGAi2itknc+
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5488

WTD: LOWBAND MOBILE
Looking for clean and working low split (29-36 Mhz) Motorola MAXTRAC,
Radius GM-300, MARATRAC or SYNTOR X-9000. What have you?
Email me direct at
"k0dan at arrl dot net"



From -8596555317182775232
X-Google-Thread: 108122,3bf1d4ff6fab572
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
```

out.readnews.com!panix!panix2.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 4D32
Date: Sat, 22 Jul 2006 17:45:24 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 11
Message-ID: <Pine.NEB.4.63.0607221744540.21813@panix2.panix.com>
References: <e3Bvg.209201$iF6.198236@pd7tw2no>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1153604725 7484 166.84.1.2 (22 Jul 2006 21:45:25 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 22 Jul 2006 21:45:25 +0000 (UTC)
In-Reply-To: <e3Bvg.209201$iF6.198236@pd7tw2no>
Xref: g2news2.google.com rec.radio.amateur.equipment:5489

On Thu, 20 Jul 2006, Daphne + Dave wrote:

> Is this such a "rare" tube?   Fits Collins.
>
>
>

They are available at a number of suppliers. Eg. Fair Radio Sales, Lima, Ohio.

From 3489031399384285458
X-Google-Thread: 108122,7bafd630aa260b45,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS MFJ_901B Versa Tuner
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <0wxwg.161941$mF2.103283@bgtnsc04-news.ops.worldnet.att.net>
Date: Sat, 22 Jul 2006 22:19:40 GMT
NNTP-Posting-Host: 12.77.138.132
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1153606780 12.77.138.132 (Sat, 22 Jul

```
2006 22:19:40 GMT)
NNTP-Posting-Date: Sat, 22 Jul 2006 22:19:40 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5490

FS MFJ-901B Versa Tuner
  FOR SALE an MFJ-901B Versa Tuner in like new condition for $45 plus
  shipping.


From 212070050994982823
X-Google-Thread: 108122,e3f9b32b57a89fa7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 18:10:24 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio now officially DEAD at Radio Shack
From: RS@SUCKS.com
References: <slrnbgau25.imv.bball@green.home.org>
<3qjbgv0dqkqo1i2clb54lgqphe5qrsc4oo@4ax.com>
Date: Sat, 22 Jul 2006 23:10:25 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <faydnRKj2OT9LV_ZnZ2dnUVZ_qudnZ2d@centurytel.net>
Lines: 3
NNTP-Posting-Host: 72.160.86.96
X-Trace: sv3-
x9z8bS2T4IUyk0m863K24+kbmhLCo6EisZydfhKmIHto5LfmKl4DqJK8BHEDK6bRXwy55Z4wNTy7pCK!
T9LHOD11BJEtYPJ2iQ1xx1B3ExTl4jcdKPgkdhnOhmSZB6spuh5M4oERw9pHjCk2g9ISJ14qdQ0S!bT6K/
fGz5Osce50Aq3YV1LatrZMAX0qeKQ4=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5491

They have not had a catalog in years now.
just the mail sale papers.
NF7D


From -3267080724970488151
X-Google-Thread: 108122,5be6885fc8068af0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 18:29:32 -0500
```

Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA: 3 Kenwood TK-705D's VHF Mobile Ham Radio and more.
From: RS@SUCKS.com
Date: Sat, 22 Jul 2006 23:29:33 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <oZSdnTa766dAKV_ZnZ2dnUVZ_radnZ2d@centurytel.net>
Lines: 2
NNTP-Posting-Host: 72.160.86.96
X-Trace: sv3-
megBpkTVPNyNOzFul+yN9mjYXCc7os1uPTQ1i+A4TSCJ+6cEqzmLi2FAAMdJVPTb6KLXNLhzwwPq7fq!
69g2iq1kAEkr6mxrQRHIIOg0cDv6iV01ufwZ5bP1AC4yrpPqM07DW/CvH6oYgHhgnJ95sxdteHhn!
LDlr9FRCrT7tuMpFiTwLpr8YFf/9L8eXC9A=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5492

3 Kenwood TK-705D's VHF Mobile Ham Radio and more.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=003&item=130009450976

From 8435696002277565792
X-Google-Thread: 108122,984cd005c7955c2b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 18:35:16 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA: 5 Kenwood TK-860H's UHF Mobile Radio and more.
From: RS@SUCKS.com
Date: Sat, 22 Jul 2006 23:35:17 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <JICdnUe03OupK1_ZnZ2dnUVZ_u6dnZ2d@centurytel.net>
Lines: 2
NNTP-Posting-Host: 72.160.86.96
X-Trace: sv3-4YyfrQaBfzx56HO5Ss/PESNwsKHAEqQ9WB/
ZO4hf4SU0afQkJo7j4ToU0Wmgrq5X9JTTZY0bOdxwe5z!2Z3/
r+7Rk0+uI1ZDPsxfaluzjLO6fve88nR1vQziClWxIOjF/RRIjnYUKqUbLa5YayPozd4bxzS/!
fVPdidZBQ5U3jTUKsJwMNbaD1NrN5WIzbOg=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5493

5 Kenwood TK-860H's UHF Mobile Radio and more.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=003&item=130009841985

```
From 3728402525694052850
X-Google-Thread: 108122,f976439247146c7f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 18:39:39 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject:  FS, Fixed price:  ASTRON RS-20A POWER SUPPLY
From: RS@SUCKS.com
Date: Sat, 22 Jul 2006 23:39:40 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <Z7WdnXpDpcGmKl_ZnZ2dnUVZ_sGdnZ2d@centurytel.net>
Lines: 5
NNTP-Posting-Host: 72.160.86.96
X-Trace:
sv3-0LlS8ZZKr41x6CYvlOll7IOmB89MwRWu0FbKWZRERvxZTtCkXvDiDFFRQoR4pMzR5xvaJVJPEJRoy1
4!iqfkcvze/vRUJJJAdAOejgkDbSWKXZ9MU0uioNIwXhGxeII87UGtRUD/11yu0EiDKxOLPPecv0/M!
FfoxlbdabBEM+jQVVoNYBjRQcpYbRPEXgaQ=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5494
```

ASTRON RS-20A POWER SUPPLY
Fixed price on ebay.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=003&item=130009206618

```
From 4221440641730883528
X-Google-Thread: 108122,ffa3b702690ae0d1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 18:43:01 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FS, Fixed price: SuperAntennas 80 Meter Coil Extender for MP-1
From: RS@SUCKS.com
Date: Sat, 22 Jul 2006 23:43:02 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <89mdnc_ynvyYJV_ZnZ2dnUVZ_rednZ2d@centurytel.net>
Lines: 5
```

```
NNTP-Posting-Host: 72.160.86.96
X-Trace: sv3-KwVh0neaJSZC1V5Bm43qZkJNkNlju5L5iqlWDsT6Sozq/Y2ZRIotgY+XITzS/
8rybBI8nRQtMrYhXyM!/
qHVd39uCx9rkwScdYDjS+tvDFbXiNpHrp4Pz7W+Vf8Xzp4AmuE1pSglO7lZwsT9hmWm6vuuVbSy!
KTYg1K3RqwONd6zI0fmwOJX4ZEB8k34J5QY=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5495
```

SuperAntennas 80 Meter Coil Extender for MP-1

On ebay but fixed price.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=003&item=130009231352

```
From -2791307997382430721
X-Google-Thread: 108122,f70823c374812bf6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 18:51:00 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA: SGC SG-5226 Microphone mic for SG-2020/ADSP
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Sat, 22 Jul 2006 23:51:01 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <XMGdndcS6uV5JF_ZnZ2dnUVZ_t6dnZ2d@centurytel.net>
Lines: 3
NNTP-Posting-Host: 72.160.86.96
X-Trace: sv3-zkEvRTiEFf/
RmvtDwscEFvYXCHBcnbdqUOob3Ka83NoiDlEAcIAuOKdmSkaUx0R2K2pXSGdl52mB48F!
45ThOM01ltHWlG5Xrryb/QtVS9Oa5/DRNBx0fOJbrbw4dC2IzEMJhJKbDZ+KFPKFAYR9OoC3xCt8!
R77y9rwiBcniBPlTgTFMLzDImOsy4Z+m34I=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5496
```

FA: SGC SG-5226 Microphone mic for SG-2020/ADSP

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=003&item=130009348231

```
From 6550095841147473616
X-Google-Thread: 108122,d793472d0842af8b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 18:54:04 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA:   Yaesu FT-101 Hand Microphone
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Sat, 22 Jul 2006 23:54:05 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <aL-dncJ2MPABJ1_ZnZ2dnUVZ_uydnZ2d@centurytel.net>
Lines: 2
NNTP-Posting-Host: 72.160.86.96
X-Trace: sv3-
G9SdnVb0VEyxQi1fsMj8hfheWc1JDkaETZy5dlESz6AvoyaepP5eoveVb5jHR1yLEWLulQDF6NtKjdr!
HCJoWNN63BAwWvGBRdI2K4O0s0TJ+msFjo/4VGR4iTTT9WucnKkQGxq5k6ue0fXnwVIL+Nb7W5Ta!
oAPyQkF2B7xG5pHU0SOMm9Lc6QiM6w/Hi0Y=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5497

Yaesu FT-101 Hand Microphone
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=003&item=130009352651


From -8547271630799127198
X-Google-Thread: 108122,debb7f8f6f8531b5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 22 Jul 2006 18:55:33 -0500
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA: Lafaytte Hand Microphone CB HAM Radio
From: "Rich" <rullery@pioneer-data.com>
Reply-to: rullery@pioneer-data.com
Date: Sat, 22 Jul 2006 23:55:34 GMT
X-Newsreader: News Rover 9.2.0 (http://www.NewsRover.com)
Message-ID: <TfqdnUNKRahoJ1_ZnZ2dnUVZ_tednZ2d@centurytel.net>
Lines: 2
NNTP-Posting-Host: 72.160.86.96
X-Trace: sv3-
IAko0GiLHzj1LGigEN3DrWpps+mKCp2L29B+z27kPEUSXFjosWEx+RZwNcHCAinNRruGHoTTe3rBZHk!
```

```
4tnTfcMzc6Jr9lZ63jp6ol68UJEKZcyLgNyT6i+WMbY6ZpwGJxrqXq8cQ5NN8awTcyHHyW3UXyzH!
HDKS0GqxdKPkNf9sCkpVmp+wQn4YEG5ouxY=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5498
```

Lafaytte Hand Microphone CB HAM Radio
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&ih=003&item=130009354702

```
From -1107588387486568966
X-Google-Thread: 108122,9b4c54074856110d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "KY5Q" <ky5q@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Ameco AC-1 Transmitter
Date: 22 Jul 2006 22:29:29 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1153632569.789184.177720@m79g2000cwm.googlegroups.com>
References: <Afxsg.115356$mF2.16550@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 68.35.68.246
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1153632574 26938 127.0.0.1 (23 Jul 2006 05:29:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 23 Jul 2006 05:29:34 +0000 (UTC)
In-Reply-To: <Afxsg.115356$mF2.16550@bgtnsc04-news.ops.worldnet.att.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=68.35.68.246;
   posting-account=SXup7gwAAACOr3EygAPyqufMLjbrQP_L
Xref: g2news2.google.com rec.radio.amateur.equipment:5499
```

Is your AC-1 still available? Is so, can you send me pix? KY5Q@arrl.net

robtgross wrote:
> FS Ameco AC-1 Transmitter in working condition. Coil wound for 80 MTRS
> with XTAL at 3714 KHZ. Pictures available. Asking $100 plus shipping.
>
> Robert

```
From -1452995581634416438
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups: 
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<44B44705.F4A86462@earthlink.net> <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
<44B643D0.36FCD8D4@earthlink.net>
<1152804424.282270.207560@i42g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Thu, 13 Jul 2006 21:58:11 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152842421 24.186.218.38 (Thu, 13 Jul 2006 19:00:21 MST)
NNTP-Posting-Date: Thu, 13 Jul 2006 19:00:21 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5297
rec.radio.amateur.misc:16429 rec.radio.amateur.policy:33044 rec.radio.scanner:3950
rec.radio.swap:5197
```

On 13 Jul 2006 08:27:04 -0700, "an old freind" <kb9rqz@hotmail.com>
wrote:

>amusing I listen I can lsiten to morse all day without a problem as
>long I don't try to break it down at all then a headache sets in a in
>matter of seconds and slowly grows as I try to process the signal

There's the problem. "breaking down" CW is like listening to the
letters someone is speaking. You don't break it down, you listen to
what's being said.

From -4795216089183591287
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7tw1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.149.123.72
From: John Barnard <jfjb@shaw.ca>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
References: <44969559.30D72920@milestones.com><YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>   <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>   <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<7ZWdnbeedbkjrSjZnZ2dnUVZ_oudnZ2d@comcast.com>
In-Reply-To: <7ZWdnbeedbkjrSjZnZ2dnUVZ_oudnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 31
Message-ID: <m5Dtg.173229$IK3.5221@pd7tw1no>
Date: Fri, 14 Jul 2006 02:13:38 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw1no 1152843218 24.70.95.207 (Thu, 13 Jul 2006 20:13:38 MDT)
NNTP-Posting-Date: Thu, 13 Jul 2006 20:13:38 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:14608
rec.radio.amateur.equipment:5298 rec.radio.amateur.misc:16430
rec.radio.amateur.policy:33046 rec.radio.shortwave:44103

John L. Sielke wrote:
> RHF wrote:
>> JB - Spoken like a True Red and White
>> {Blue-in-the-Face} Canadian ~ RHF

>> .
>> .
>> . .
>>
>> John Barnard wrote:
>>> Cecil Moore wrote:
>>>> David wrote:
>>>>> Corporations pay way less than half the cost of running governments,
>>>> Corporations don't pay any of the cost of running
>>>> governments - their customers pay it all.
>>> You are right! Corporations don't pay the cost of running governments.
>>> They pay the cost of usurping governments!
>>>
>>> JB
> It' all because back in the 60's all those draft-dodger types went to Canada.
> Canada not only welcomed them, but allowed them to breed. The gene pool has
> never been the same.
>
And you don't believe that corporations don't try to influence the
outcome of an election for which particular reasons? It's not called
"pork-barrel politics" for nothing!

You must hail from one of those inbreeding states!

JB

From 5492556880650840809
X-Google-Thread: 108122,66094ff14089a44e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
aioe.org!emma.aioe.org!aioe.org!aca2a7cf.ipt.aol.com!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Generator Tune-Up - What Have I done?
Date: Thu, 13 Jul 2006 22:35:07 -0400
Organization: Aioe.org NNTP Server
Lines: 15
Message-ID: <fmmck-1307062235070001@aca2a7cf.ipt.aol.com>
References: <fmmck-1307062128060001@aca2a7cf.ipt.aol.com>
<FYidnRNTI6GcZSvZnZ2dnUVZ_sGdnZ2d@comcast.com>
NNTP-Posting-Host: 8p3/cp5KA/VUF6AT6pDmJA.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Xref: g2news2.google.com rec.radio.amateur.equipment:5299

In article <FYidnRNTI6GcZSvZnZ2dnUVZ_sGdnZ2d@comcast.com>, "Noon-Air"
<Noon-Air@comcast.net> wrote:

> take it to your favorite local small engine shop.... have them show you what

> and how to do a proper tune up on it, then pay the man.

Noon-

I was hoping to find someone who was more familiar with carburetors than I
am, that may have run into an adjustment like this one.

I've already "paid the man" for a brand-new unit. It isn't quite like I
had a bag of parts and wanted instructions on how to put it back together!

Fred

```
From -7062619600719385577
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-out.readnews.com!
news-xxxfer.readnews.com!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com> <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com> <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
Organization: Your Company
Message-ID: <Xns97FFC88D89266spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 14 Jul 2006 02:42:09 GMT
Lines: 14
NNTP-Posting-Host: ee78d625.news.adtechcomputers.com
X-Trace:
DXC=_3EJLjZ49QN<<h;Yk>G0KMgC4_A5:nI@A<<=aEgO;R8GoN^0dL;7NoBIQnZHB]JWeLecf<A4o8l9C0
W_Uo]cC15JheP5LSl:mX@7B4B>=YYQAO<4?Rl7L?K]G
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.antenna:14610
rec.radio.amateur.equipment:5300 rec.radio.amateur.misc:16431
rec.radio.amateur.policy:33048 rec.radio.shortwave:44108
```

>>.
> At least in Canada you get to keep your life savings if you get sick.
>
>

True. There are no medical costs involved by dying before you get to see your doctor......

:^)

Ed

From 25454743462589094
X-Google-Thread: 108122,66094ff14089a44e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 13 Jul 2006 21:47:14 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <fmmck-1307062128060001@aca2a7cf.ipt.aol.com>
<FYidnRNTI6GcZSvZnZ2dnUVZ_sGdnZ2d@comcast.com>
<fmmck-1307062235070001@aca2a7cf.ipt.aol.com>
Subject: Re: Generator Tune-Up - What Have I done?
Date: Thu, 13 Jul 2006 21:47:13 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <0o6dna7-CLgvmCrZnZ2dnUVZ_vqdnZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-MQaG53SdHyHVatGUEfjV+5Uc/
CvcSlpdgeRwm9aGk3ZD4CexjETWV8YMSDYhGo31CDWHsAf5Lyhaj72!
Vn1Aq0XW3xAkwRkhljtvozEUzrqPlHgwXCxO81CGKG7AFW26JbdMvn7d6gY6Gup8pbyDuROtuj93!
ph2HM5YOGcqRbA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5301

"Fred McKenzie" <fmmck@aol.com> wrote in message
news:fmmck-1307062235070001@aca2a7cf.ipt.aol.com...

```
> In article <FYidnRNTI6GcZSvZnZ2dnUVZ_sGdnZ2d@comcast.com>, "Noon-Air"
> <Noon-Air@comcast.net> wrote:
>
>> take it to your favorite local small engine shop.... have them show you
>> what
>> and how to do a proper tune up on it, then pay the man.
>
> Noon-
>
> I was hoping to find someone who was more familiar with carburetors than I
> am, that may have run into an adjustment like this one.
>
> I've already "paid the man" for a brand-new unit.  It isn't quite like I
> had a bag of parts and wanted instructions on how to put it back together!
>
> Fred

Try this on for size... have your favorite small engine mechanic do a
program for your local radio club on general maintenance, tune-ups etc for
generators... after all, it *IS* hurricane season :-)




From -5663825878156193226
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44B709C2.4010102@fuse.net>
Date: Thu, 13 Jul 2006 23:04:34 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com> <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com> <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
```

```
In-Reply-To: <rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 49
X-Trace: abef344b70a0de098318620800
Xref: g2news2.google.com rec.radio.amateur.equipment:5302
rec.radio.amateur.misc:16432 rec.radio.amateur.policy:33052
rec.radio.shortwave:44110

David wrote:
> On 13 Jul 2006 18:18:29 -0700, "RHF" <rhf-newsgroups@pacbell.net>
> wrote:
>
>
>>Slow Code wrote:
>>
>>>"RHF" <rhf-newsgroups@pacbell.net> wrote in
>>>news:1152720850.662591.37690@b28g2000cwb.googlegroups.com:
>>>
>>>
>>>>JB - Spoken like a True Red and White
>>>>{Blue-in-the-Face} Canadian ~ RHF
>>>> .
>>>> .
>>>>. .
>>>>
>>>
>>>
>>> Kanadians are more Red...  Commie Red.
>>
>>-  JB - Spoken like a True Red and White
>>-  {Blue-in-the-Face} Canadian ~ RHF
>>
>>There Are Two Parts :
>>
>># 1 - Spoken like a True Red and White Canadian !
>>- - - Canadians who are Proud of Being Canadians
>>and are Happy to Talk 'aboot' Canada :o)
>>* Cause - The Flag of Canada is Red and White [.]
>>
>># 2 - Spoken like a Sad "Blue-in-the-Face" Canadian !
>>- - - Canadians who are Ashamed to be Canadians
>>and are all to happy to Talk "Bad" About the USA :-{
>>* Cause - The US Flag has those 50 Blue Stars [.]
>>
>>Canadians Are Canadians -and- Should Be Proud Of It !
>>
>>
>>As For Me - I Was Born In The USA -and-
>>I Am Proud To Be An American ! ~ RHF
>>.
```

>
> At least in Canada you get to keep your life savings if you get sick.
>

I, too, am proud to be an American. I'm also proud to be a Democrat.

but what the hell does any of this have to do with ham radio?!
jaw

```
From -1352774885179547976
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 13 Jul 2006 20:10:23 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1152846623.701783.52200@b28g2000cwb.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
   <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
NNTP-Posting-Host: 66.82.9.74
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152846628 26182 127.0.0.1 (14 Jul 2006 03:10:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 03:10:28 +0000 (UTC)
In-Reply-To: <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=66.82.9.74;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5303
```

rec.radio.amateur.misc:16433 rec.radio.amateur.policy:33053 rec.radio.scanner:3953
rec.radio.swap:5199

Al Klein wrote:
> On 13 Jul 2006 08:27:04 -0700, "an old freind" <kb9rqz@hotmail.com>
> wrote:
>
> >amusing I listen I can lsiten to morse all day without a problem as
> >long I don't try to break it down at all then a headache sets in a in
> >matter of seconds and slowly grows as I try to process the signal
>
> There's the problem. "breaking down" CW is like listening to the
> letters someone is speaking. You don't break it down, you listen to
> what's being said.

fuck off

It is painfully obvious you are nothing but ahter of Ham radio and yet
you matian a license and go around bashing real hams interted in the
future of the service

```
From 7735531674776572565
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!pd7cy3no!pd7cy4no!shaw.ca!pd7tw3no.POSTED!53ab2750!not-for-
mail
X-Trace-PostClient-IP: 68.149.123.72
From: John Barnard <jfjb@shaw.ca>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: OT: Outsourcing
References: <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
```

```
In-Reply-To: <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <FoEtg.172154$Mn5.130719@pd7tw3no>
Date: Fri, 14 Jul 2006 03:42:29 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw3no 1152848549 24.70.95.207 (Thu, 13 Jul 2006 21:42:29 MDT)
NNTP-Posting-Date: Thu, 13 Jul 2006 21:42:29 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:14613
rec.radio.amateur.equipment:5304 rec.radio.amateur.misc:16434
rec.radio.amateur.policy:33054 rec.radio.shortwave:44114

Slow Code wrote:
> "RHF" <rhf-newsgroups@pacbell.net> wrote in
> news:1152720850.662591.37690@b28g2000cwb.googlegroups.com:
>
>> JB - Spoken like a True Red and White
>> {Blue-in-the-Face} Canadian ~ RHF
>>  .
>>  .
>> . .
>>
>
>
>  Kanadians are more Red...  Commie Red.
>
>
And you doubtless like to spell "America" with a "k"!

JB



From 5837434239421688630
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
Date: 13 Jul 2006 20:44:34 -0700
Organization: http://groups.google.com
```

```
Lines: 54
Message-ID: <1152848674.361536.176700@h48g2000cwc.googlegroups.com>
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
   <129m9ijcnshm47f@corp.supernews.com>
   <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
   <129ofcclvejs22f@corp.supernews.com>
   <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
   <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
   <dX%mg.79692$iF6.12453@pd7tw2no>
   <1152720850.662591.37690@b28g2000cwb.googlegroups.com>
   <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
   <1152839909.231750.229790@35g2000cwc.googlegroups.com>
   <rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
NNTP-Posting-Host: 71.133.187.32
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152848679 31658 127.0.0.1 (14 Jul 2006 03:44:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 03:44:39 +0000 (UTC)
In-Reply-To: <rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=71.133.187.32;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:14614
rec.radio.amateur.equipment:5305 rec.radio.amateur.misc:16435
rec.radio.amateur.policy:33055 rec.radio.shortwave:44115

DaviD,

After all those High Taxes for Social Programs . . .
WHAT SAVINGS ? ? ? - It Boggles The Mind !

yes - i said it ~ RHF
 .
 .
. .

David wrote:
> On 13 Jul 2006 18:18:29 -0700, "RHF" <rhf-newsgroups@pacbell.net>
> wrote:
>
> >
> >Slow Code wrote:
> >> "RHF" <rhf-newsgroups@pacbell.net> wrote in
> >> news:1152720850.662591.37690@b28g2000cwb.googlegroups.com:
> >>
> >> > JB - Spoken like a True Red and White
> >> > {Blue-in-the-Face} Canadian ~ RHF
> >> >  .
> >> >  .
> >> > . .
> >> >
> >>
> >>
> >>  Kanadians are more Red...  Commie Red.
> >
> >-  JB - Spoken like a True Red and White
> >-  {Blue-in-the-Face} Canadian ~ RHF
> >
> >There Are Two Parts :
> >
> ># 1 - Spoken like a True Red and White Canadian !
> >- - - Canadians who are Proud of Being Canadians
> >and are Happy to Talk 'aboot' Canada :o)
> >* Cause - The Flag of Canada is Red and White [.]
> >
> ># 2 - Spoken like a Sad "Blue-in-the-Face" Canadian !
> >- - - Canadians who are Ashamed to be Canadians
> >and are all to happy to Talk "Bad" About the USA :-{
> >* Cause - The US Flag has those 50 Blue Stars [.]
> >
> >Canadians Are Canadians -and- Should Be Proud Of It !
> >
> >
> >As For Me - I Was Born In The USA -and-
> >I Am Proud To Be An American ! ~ RHF
> >.

- At least in Canada you get to keep
- your life savings if you get sick.



From 9218048010684235130
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 13 Jul 2006 23:27:00 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>   <1aOdnQMcX-
```

```
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>   <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
Date: Fri, 14 Jul 2006 04:59:56 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <FZmdnbtjh56JgCrZnZ2dnUVZ8qqdnZ2d@bt.com>
Lines: 10
NNTP-Posting-Host: 86.137.58.124
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-H46zhsp//z7sv8taeRpxRySu2lYzgZO9HRFYhnQAXhT9tiwe/2qPcneNbbIrUy/
mVtNnlKS4dFxEf/j!hfeIEOIWTARVlVeMAyJacwJYQiJRZe060/FP+e0v9Z96KssS97qX/pOen/
VKxCsMlUsZbVUk0Iw=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:14616
rec.radio.amateur.equipment:5306 rec.radio.amateur.misc:16436
rec.radio.amateur.policy:33056 rec.radio.shortwave:44121

> As For Me - I Was Born In The USA -and-
> I Am Proud To Be An American ! ~ RHF
====================================

You are proud to be a US Citizen.

Canadans, Cubans, Mexicans, Brazilians, Argentinians, Chileans, etc.,
are also Americans.  The name has been high-jacked.




From 6476236022382160548
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
```

```
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
Date: 13 Jul 2006 23:46:59 -0700
Organization: http://groups.google.com
Lines: 34
Message-ID: <1152859619.850299.129880@b28g2000cwb.googlegroups.com>
References: <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <wh4mg.139$lv.109@fed1read12>
   <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
   <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
   <129lvnf4h9st2d3@corp.supernews.com>
   <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
   <129m9ijcnshm47f@corp.supernews.com>
   <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
   <129ofcclvejs22f@corp.supernews.com>
   <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
   <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
   <dX%mg.79692$iF6.12453@pd7tw2no>
   <1152720850.662591.37690@b28g2000cwb.googlegroups.com>
   <Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
   <1152839909.231750.229790@35g2000cwc.googlegroups.com>
   <FZmdnbtjh56JgCrZnZ2dnUVZ8qqdnZ2d@bt.com>
NNTP-Posting-Host: 71.133.187.32
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152859624 29331 127.0.0.1 (14 Jul 2006 06:47:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 06:47:04 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=71.133.187.32;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:14620
rec.radio.amateur.equipment:5307 rec.radio.amateur.misc:16437
rec.radio.amateur.policy:33058 rec.radio.shortwave:44123
```

Reg Edwards wrote:

> > As For Me - I Was Born In The USA -and-
> > I Am Proud To Be An American ! ~ RHF
> ====================================
>

- You are proud to be a US Citizen.

-

- Canadans, Cubans, Mexicans, Brazilians, Argentinians, Chileans,
- etc., are also Americans. The name has been high-jacked.

RE,

The Mexicans just may refer to themselves as : Norte Amercanos
-or- Americanos del Norte
http://pt.wikipedia.org/wiki/Estados_Unidos_da_Am%C3%A9rica

The Cubans might call themselves : Americanos de Cuba.

Seriously NO Canadian would call themselves an : American [.]
- - - Even the French Canadians would say : Je Suis Un Canadien !

And the Argentinians, Chileans would most likely call themselves :
Sur Americanos -or- Americanos del Sur -or- Americanos Latinos

The Brazilians being slightly different would say : Americanos Sul

Only an American (USA) would Boldly Say :
I Am An American ! - and I Am Proud of It !
and so say i ~ RHF
 .
 .
. .

```
From -3647030632059492810
X-Google-Thread: 10f7a7,d6def98c2e9d2b66,start
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,35873e3691ef5b48
X-Google-Thread: 108122,35873e3691ef5b48
X-Google-Thread: 10bf43,d6def98c2e9d2b66,start
X-Google-Attributes: gid10f7a7,gid106d41,gid1109af,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-mail
From: constans_m2m@hotmail.com
Newsgroups:
alt.usenet.kooks,rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.policy
Subject: Re: Give up usenet for nimbusters
Date: 13 Jul 2006 23:53:54 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1152860034.031897.166620@b28g2000cwb.googlegroups.com>
References: <1152822110.409201.312040@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 216.8.6.167
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152860039 9427 127.0.0.1 (14 Jul 2006 06:53:59 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Fri, 14 Jul 2006 06:53:59 +0000 (UTC)
In-Reply-To: <1152822110.409201.312040@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=216.8.6.167;
   posting-account=9zHJbA0AAADYbCHchE5TTdCaniezhom5
Xref: g2news2.google.com alt.usenet.kooks:207914 rec.radio.cb:13502
rec.radio.swap:5200 rec.radio.amateur.equipment:5308
rec.radio.amateur.policy:33059

 ALOT of people are telling markie that usenet is just for inbred
hayseed hicks
and that he-she should replce the usenet postings for nimbusters. What
do you think?



From 2200344418582866953
X-Google-Thread: 10f7a7,d6def98c2e9d2b66
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,35873e3691ef5b48
X-Google-Thread: 108122,35873e3691ef5b48
X-Google-Thread: 10bf43,d6def98c2e9d2b66
X-Google-Attributes: gid10f7a7,gid106d41,gid1109af,gid108122,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups:
alt.usenet.kooks,rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment,rec.radio
.amateur.policy
Subject: get help
Date: 14 Jul 2006 02:06:00 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1152867960.855261.295440@i42g2000cwa.googlegroups.com>
References: <1152822110.409201.312040@b28g2000cwb.googlegroups.com>
   <1152860034.031897.166620@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 66.82.9.74
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152867964 19154 127.0.0.1 (14 Jul 2006 09:06:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 09:06:04 +0000 (UTC)
In-Reply-To: <1152860034.031897.166620@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=66.82.9.74;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
```

```
Xref: g2news2.google.com alt.usenet.kooks:207932 rec.radio.cb:13511
rec.radio.swap:5201 rec.radio.amateur.equipment:5309
rec.radio.amateur.policy:33067


constans_m2m@hotmail.com wrote:
> ALOT of people are telling markie that usenet is just for inbred
> hayseed hicks
> and that he-she should replce the usenet postings for nimbusters. What
> do you think?
poor wisemen you can even compose your own flame anymore



From 5106855833466978211
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW is. Laziness iand therby blaocking modernization in the ARS
Message-ID: <7j3fb2ts8ap787n3eve55vk29jssfmas62@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152745932.402295.147180@m79g2000cwm.googlegroups.com>
<0dfcb2h260ekms8j6bsnj8rckt949hhcgg@4ax.com>
<1152799956.457511.104540@i42g2000cwa.googlegroups.com>
<6ktdb2hoojnt9t460nrqto153v43eot44k@4ax.com>
<1152842107.535325.138310@m73g2000cwd.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
Date: Fri, 14 Jul 2006 08:32:01 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152880457 24.186.218.38 (Fri, 14 Jul 2006 05:34:17 MST)
NNTP-Posting-Date: Fri, 14 Jul 2006 05:34:17 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5310
rec.radio.amateur.policy:33086 rec.radio.scanner:3957 rec.radio.swap:5202

On 13 Jul 2006 18:55:07 -0700, "an old friend" <kb9rqz@hotmail.com>
wrote:
```

>Al Klein wrote:

>> The idea that testing someone promotes laziness is nonsense.

>not the test that was the subject
>use of the mode promotes lazness

Learning something promotes laziness? Typical.

>learning CW promotes laziness

Yep, as I said, typical. Of a lazy person. Learning doesn't promote
laziness, laziness promotes not learning.

```
From -6734530243418277668
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <um3fb2p60blo8gv7945b7gpjab2sd8891u@4ax.com>
References: <1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<44B44705.F4A86462@earthlink.net> <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
<44B643D0.36FCD8D4@earthlink.net>
<1152804424.282270.207560@i42g2000cwa.googlegroups.com>
<ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
<1152846623.701783.52200@b28g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Fri, 14 Jul 2006 08:33:17 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152880533 24.186.218.38 (Fri, 14 Jul 2006 05:35:33 MST)
NNTP-Posting-Date: Fri, 14 Jul 2006 05:35:33 MST
```

Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5311
rec.radio.amateur.misc:16438 rec.radio.amateur.policy:33087 rec.radio.scanner:3958
rec.radio.swap:5203

On 13 Jul 2006 20:10:23 -0700, "an old freind" <kb9rqz@hotmail.com>
wrote:

>It is painfully obvious you are nothing but ahter of Ham radio and yet
>you matian a license and go around bashing real hams

I'm bashing you - what do you have to do with "real hams"?

> interted in the future of the service

Really? So how many computer languages are YOU fluent in?

From -1697666806130503121
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Fri, 14 Jul 2006 08:39:56 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
In-Reply-To: <1152848674.361536.176700@h48g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <a4f50$44b79116$d06640f9$30525@FUSE.NET>

X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 10
X-Trace: a4f5044b7911675c3e55c30525
Xref: g2news2.google.com rec.radio.amateur.antenna:14633
rec.radio.amateur.equipment:5312 rec.radio.amateur.misc:16439
rec.radio.amateur.policy:33088 rec.radio.shortwave:44137

Well at least your estate will get to keep your life savings. If you get
sick late in the year, and the healthcare facility/hospital shut down
for the rest of the year because it ran out of government money (a
typical scenario in Canada), there will be no one to give you any care
and you'll just die. But hey, your life savings will still be intact!
Is socialized health care great or what?
>
> - At least in Canada you get to keep
> - your life savings if you get sick.
>

From -9092667175189193929
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,35873e3691ef5b48
X-Google-Thread: 108122,35873e3691ef5b48
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!newscon04.news.prodigy.net!prodigy.net!
newsdst01.news.prodigy.net!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!aa68640c!not-for-mail
From: "Landshark" <S3Buell@SBCGlobal.net>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152819893.064079.251820@75g2000cwc.googlegroups.com>
Subject: Re: Give up CB for Ham?
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <HMNtg.130797$dW3.117916@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 69.225.58.34
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1152886951 ST000 69.225.58.34 (Fri, 14 Jul
2006 10:22:31 EDT)
NNTP-Posting-Date: Fri, 14 Jul 2006 10:22:31 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_AOXCUGWLYDJK@O_HA[R\XPUDO@HTHOCULF@^PGDTFOG[]FKKZE\]^HRWI[FCWJF^NB^[D_DSBR^
RC^QPFTFUCYRDIH@\FCQKBITUT@EP_[CAFHTC@GLDKZHBMGDXCJINMCA\]GG[RH\^MOM[\BK[NVPWKYAYI
POG@SK@ZA]DE[\AP]_DFU^T]A\VM
Date: Fri, 14 Jul 2006 14:22:31 GMT
Xref: g2news2.google.com rec.radio.cb:13516 rec.radio.swap:5204

rec.radio.amateur.equipment:5313

<anythingkinky@gmail.com> wrote in message
news:1152819893.064079.251820@75g2000cwc.googlegroups.com...

> Alot of people are telling me tht C.B. is just for inbred hayseed hicks
> and that I should replce the CB in my truck with a ham radio. What do
> you think?

Hi Brian, I'm not sure what to think. I can't understand why an advanced ticket ham has nothing better to do at work than troll cb groups and alt.gossip groups on company time, using company servers. I really don't think Joe Hunt would like a list of all your activities, so you might think twice before you start trolling cb groups and making statements on how "stupid" they are......................LOL!!! you were way to easy to find KA3CDG

Landshark

```
From 7104210066345817566
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,35873e3691ef5b48
X-Google-Thread: 108122,35873e3691ef5b48
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.com.POSTED!aa68640c!not-for-
mail
From: "Landshark" <S3Buell@SBCGlobal.net>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152822110.409201.312040@b28g2000cwb.googlegroups.com>
Subject: Re: Give up CB for Ham?
Lines: 125
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <HMNtg.130796$dW3.111742@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 69.225.58.34
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1152886951 ST000 69.225.58.34 (Fri, 14 Jul
2006 10:22:31 EDT)
NNTP-Posting-Date: Fri, 14 Jul 2006 10:22:31 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_AOXCUGWLYDJK@O_HA[R\XPUDO@HTHOCULF@^PGDTFOG[]FKKZE\]^HRWI[FCWJF^NB^[D_DSBR^
```

```
RC^QPFTFUCYRDIH@\FCQKBITUT@EP_[CAFHTC@GLDKZHBMGDXCJINMCA\]GG[RH\^MOM[\BK[NVPWKYAYI
POG@SK@ZA]DE[\AP]_DFU^T]A\VM
Date: Fri, 14 Jul 2006 14:22:31 GMT
Xref: g2news2.google.com rec.radio.cb:13517 rec.radio.swap:5205
rec.radio.amateur.equipment:5314
```

"Score More" <anythingkinky@gmail.com> wrote in message
news:1152822110.409201.312040@b28g2000cwb.googlegroups.com...

> ALOT of people are telling me that CB is just for inbred hayseed hicks
> and that I should replce the C.B. in my truck with a ham radio. What
> do you think?
>

Hi again Brian,
Just don't get it, do you? Tisk tisk tisk....................................

```
Server Used: [ whois.arin.net ]

198.232.250.21 = [  ]
  OrgName:    Westat  Inc.
  OrgID:      WESTAT-1
  Address:    Attn: Network Technical Systems
  Address:    1650 Research Blvd.
  City:       Rockville
  StateProv:  MD
  PostalCode: 20850
  Country:    US
  NetRange:   198.232.249.0 - 198.232.252.255
  CIDR:       198.232.249.0/24  198.232.250.0/23  198.232.252.0/24
  NetName:    NETBLK-WESNET
  NetHandle:   NET-198-232-249-0-1
  Parent:     NET-198-0-0-0-0
  NetType:    Direct Assignment
  NameServer: AUTH00.NS.UU.NET
  NameServer: AUTH61.NS.UU.NET
  Comment:
  RegDate:    1993-11-22
  Updated:    1999-01-22
  RTechHandle: BV71-ARIN
  RTechName:   Vivari  Bruce
  RTechPhone:  1-301-251-1500
  RTechEmail:  hostmaster@westat.com
  OrgAbuseHandle: WESTA2-ARIN
  OrgAbuseName:   Westat Hostmaster
  OrgAbusePhone:  1-301-738-8328
  OrgAbuseEmail:  hostmaster@westat.com
  OrgAbuseHandle: BFR11-ARIN
  OrgAbuseName:   Franklin  Brian
  OrgAbusePhone:  1-301-517-4037
  OrgAbuseEmail:  brianfranklin@westat.com
  OrgNOCHandle: WESTA2-ARIN
  OrgNOCName:   Westat Hostmaster
  OrgNOCPhone:  1-301-738-8328
  OrgNOCEmail:  hostmaster@westat.com
  OrgTechHandle: WESTA2-ARIN
  OrgTechName:   Westat Hostmaster
  OrgTechPhone:  1-301-738-8328
  OrgTechEmail:  hostmaster@westat.com
  OrgTechHandle: BFR11-ARIN
  OrgTechName:   Franklin  Brian
  OrgTechPhone:  1-301-517-4037
  OrgTechEmail:  brianfranklin@westat.com
  OrgTechHandle: IRA-ARIN
  OrgTechName:   Rashid  Imran
  OrgTechPhone:  1-240-453-2784
  OrgTechEmail:  ImranRashid@westat.com
   ARIN WHOIS database  last updated 2006-07-13 19: 10
   Enter ? for additional hints on searching ARIN's WHOIS databaseServer Used: [
whois.arin.net ]151.196.228.51 = [  ]
  OrgName:    Verizon Internet Services Inc.
  OrgID:      VRIS
  Address:    1880 Campus Commons Dr
  City:       Reston
  StateProv:  VA
  PostalCode: 20191
  Country:    US
  NetRange:   151.196.0.0 - 151.205.255.255
  CIDR:       151.196.0.0/14  151.200.0.0/14  151.204.0.0/15
  NetName:    VIS-151-196
  NetHandle:   NET-151-196-0-0-1
  Parent:     NET-151-0-0-0-0
  NetType:    Direct Allocation
  NameServer: NS1.BELLATLANTIC.NET
  NameServer: NS2.BELLATLANTIC.NET
  NameServer: NS2.VERIZON.NET
  NameServer: NS4.VERIZON.NET
  Comment:    Please send all abuse reports to abuse@verizon.net.
  Comment:    DO NOT send e-mail to DIA.ADMIN@verizon.com as it will not be
answered.
  RegDate:
  Updated:    2006-06-01
  OrgAbuseHandle: VISAB-ARIN
  OrgAbuseName:   VIS Abuse
  OrgAbusePhone:  1-214-513-6711
  OrgAbuseEmail:  abuse@verizon.net
  OrgTechHandle: ZV20-ARIN
  OrgTechName:   Verizon Internet Services
  OrgTechPhone:  1-703-295-4583
  OrgTechEmail:  IPMGMT@verizon.com
  CustName:   Westat
  Address:    1650 RESEARCH BLVD
  City:       Rockville
  StateProv:  MD
  PostalCode: 20850
  Country:    US
  RegDate:    2006-02-13
  Updated:    2006-02-13
  NetRange:   151.196.228.0 - 151.196.229.255
  CIDR:       151.196.228.0/23
  NetName:    VZ-WSTT-1
  NetHandle:   NET-151-196-228-0-1
  Parent:     NET-151-196-0-0-1
  NetType:    Reassigned
  Comment:
  RegDate:    2006-02-13
  Updated:    2006-02-13
  OrgAbuseHandle: VISAB-ARIN
  OrgAbuseName:   VIS Abuse
  OrgAbusePhone:  1-214-513-6711
  OrgAbuseEmail:  abuse@verizon.net
  OrgTechHandle: ZV20-ARIN
  OrgTechName:   Verizon Internet Services
  OrgTechPhone:  1-703-295-4583
  OrgTechEmail:  IPMGMT@verizon.com
   ARIN WHOIS database  last updated 2006-07-13 19: 10
   Enter ? for additional hints on searching ARIN's WHOIS database.
```

Have a great weekend, think about what you are doing, beforeyou start trolling CB Newsgroups. Landshark

```
From -5411338476610290827
X-Google-Thread: 10bf43,be0f7cc074aee05,start
X-Google-Thread: 108122,be0f7cc074aee05,start
X-Google-Attributes: gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: "Roger" <anon@dahansdafruit.org>
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: K1MAN  Fan  Club
Date: Fri, 14 Jul 2006 11:07:08 -0400
Organization: Hans Da Fruit
Lines: 10
Message-ID: <551ab.4o7.19.1@news.alt.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.policy:33094
rec.radio.amateur.equipment:5315
```

Hurry!   Only a few charter memberships left in the K1MAN Fan Club.

Help honor the greatest gentleman ever to key a ham radio microphone.

```
From -8584715499833326800
X-Google-Thread: 10bf43,be0f7cc074aee05
X-Google-Thread: 108122,be0f7cc074aee05
X-Google-Attributes: gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "N9OGL" <toddaug555@yahoo.com>
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: K1MAN Fan Club
Date: 14 Jul 2006 08:09:02 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1152889742.283783.299490@i42g2000cwa.googlegroups.com>
References: <551ab.4o7.19.1@news.alt.net>
NNTP-Posting-Host: 12.156.121.130
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152889747 15872 127.0.0.1 (14 Jul 2006 15:09:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 15:09:07 +0000 (UTC)
In-Reply-To: <551ab.4o7.19.1@news.alt.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705; .NET CLR 1.1.4322; Media Center PC 4.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=12.156.121.130;
   posting-account=MFiwyQwAAADbKVtDPSGIX7t9ZX1DHG4j
Xref: g2news2.google.com rec.radio.amateur.policy:33095
rec.radio.amateur.equipment:5316


Roger wrote:
> Hurry!   Only a few charter memberships left in the
> K1MAN  Fan Club.
>
> Help honor the greatest gentleman ever to key a ham
> radio microphone.


right!




From -1312323558058847951
X-Google-Thread: 108122,3876a49f89270467
```

```
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 14 Jul 2006 10:30:19 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1152898218.993530.182010@p79g2000cwp.googlegroups.com>
References: <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
   <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <1152846623.701783.52200@b28g2000cwb.googlegroups.com>
   <um3fb2p60blo8gv7945b7gpjab2sd8891u@4ax.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152898224 7626 127.0.0.1 (14 Jul 2006 17:30:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Jul 2006 17:30:24 +0000 (UTC)
In-Reply-To: <um3fb2p60blo8gv7945b7gpjab2sd8891u@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=66.82.9.90;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5317
rec.radio.amateur.misc:16440 rec.radio.amateur.policy:33111 rec.radio.scanner:3962
rec.radio.swap:5207



Al Klein wrote:
> On 13 Jul 2006 20:10:23 -0700, "an old freind" <kb9rqz@hotmail.com>
> wrote:
>
> >It is painfully obvious you are nothing but  ahter of Ham radio and yet
> >you matian a license and go around bashing real hams
```

>
> I'm bashing you - what do you have to do with "real hams"?

I am one
I try to operate as Good returning good for evil to point of course
which you have croosed in your effort to promote the destruction of the
ARS

>
> > interested in the future of the service
>
> Really? So how many computer languages are YOU fluent in?

well Fortran Pascal (I always liked that one) assably with ADA
assmebly language Basci of course C at some level but not using much
they may have added to it sincethen

but what does this have to with the future of the ARS

```
From -8796863410025375600
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!atl-c03.usenetserver.com!
news.usenetserver.com!hwmnpeer01.phx!news.highwinds-media.com!hw-filter.phx!
newsfe16.phx.POSTED!01e9a427!not-for-mail
From: "k35454" <k35454@direct.ca>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>   <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>   <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<FZmdnbtjh56JgCrZnZ2dnUVZ8qqdnZ2d@bt.com>
<1152859619.850299.129880@b28g2000cwb.googlegroups.com>
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
Lines: 40
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <l6Rtg.2$Hl1.0@newsfe16.phx>
X-Complaints-To: abuse@newsgroups-download.com
NNTP-Posting-Date: Fri, 14 Jul 2006 11:10:25 MST
Organization: Newsgroups-Download.com
Date: Fri, 14 Jul 2006 11:11:19 -0700
Xref: g2news2.google.com rec.radio.amateur.antenna:14638
rec.radio.amateur.equipment:5318 rec.radio.amateur.misc:16441
rec.radio.amateur.policy:33114 rec.radio.shortwave:44163
```

"RHF" <rhf-newsgroups@pacbell.net> wrote in message
news:1152859619.850299.129880@b28g2000cwb.googlegroups.com...

Reg Edwards wrote:
> > As For Me - I Was Born In The USA -and-
> > I Am Proud To Be An American ! ~ RHF
> ====================================
>
- You are proud to be a US Citizen.
-
- Canadans, Cubans, Mexicans, Brazilians, Argentinians, Chileans,
- etc., are also Americans. The name has been high-jacked.

RE,

The Mexicans just may refer to themselves as : Norte Amercanos
-or- Americanos del Norte
http://pt.wikipedia.org/wiki/Estados_Unidos_da_Am%C3%A9rica

The Cubans might call themselves : Americanos de Cuba.

Seriously NO Canadian would call themselves an : American [.]
- - - Even the French Canadians would say : Je Suis Un Canadien !

And the Argentinians, Chileans would most likely call themselves :
Sur Americanos -or- Americanos del Sur -or- Americanos Latinos

The Brazilians being slightly different would say : Americanos Sul

Only an American (USA) would Boldly Say :
I Am An American ! - and I Am Proud of It !
and so say i ~ RHF

      No problem. 4warned is 4armed. k35454.
 .
 .
. .

From -1419510588774624354
X-Google-Thread: 108122,66094ff14089a44e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Me <Me@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Generator Tune-Up - What Have I done?
Organization: Me and my shadow
References: <fmmck-1307062128060001@aca2a7cf.ipt.aol.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <Me-B5D495.10172914072006@netnews.worldnet.att.net>
Lines: 33
Date: Fri, 14 Jul 2006 18:17:29 GMT
NNTP-Posting-Host: 12.12.208.79
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1152901049 12.12.208.79 (Fri, 14 Jul 2006 18:17:29 GMT)
NNTP-Posting-Date: Fri, 14 Jul 2006 18:17:29 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5319

In article <fmmck-1307062128060001@aca2a7cf.ipt.aol.com>,
fmmck@aol.com (Fred McKenzie) wrote:

> Sorry if this is off-topic. I couldn't find a more suitable newsgroup.
>
> A 2500 Watt 120V generator (Powermate Proforce PM0102500) seems to
> be working fine, but engine sounds a little rough. Why not touch up the
> carburetor adjustment and see if that improves it?
>
> First I turned the screw on the carburetor to the right. Some resistance
> to turning, but absolutely no difference in engine speed or sound.
>
> Then I turned the screw to the left. Screw is quite loose and still no
> difference in the engine, but now I have gas leaking from the bottom of
> the carburetor! I turned the screw to the right until snug, and the gas
> leak has stopped.
>
> There is no other adjustment visible on this carburetor. Is that screw
> intended to drain the carburetor, or have I seriously messed up something?
>
> I've searched the web for data, and only found that the 5.5 HP engine was
> made by "Sumec". I gather that they make motorcycle engines, but found no
> carburetor data.
>
> Fred
> K4DII

Ahhhh, what ytou need is some good advice. Well there is a place where
good advice is available for small gensets and the like. Get yourself on

over to www.smokstack.com and you certainly will find someone there in
the forums, who can advise you on your genset.

Me

```
From 5511922951007761307
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
From: Slow Code <my.mail@no.spam>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152837710.065651.206240@m79g2000cwm.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 34
Message-ID: <HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
Date: Fri, 14 Jul 2006 23:24:23 GMT
NNTP-Posting-Host: 4.230.3.149
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1152919463 4.230.3.149 (Fri, 14 Jul 2006
16:24:23 PDT)
NNTP-Posting-Date: Fri, 14 Jul 2006 16:24:23 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5320
rec.radio.amateur.policy:33194 rec.radio.scanner:3971 rec.radio.swap:5211
```

hot-ham-and-cheese@hotmail.com wrote in
news:1152837710.065651.206240@m79g2000cwm.googlegroups.com:

>
> Slow Code wrote:
>> LOL!
>>
>> I laugh when you lazy asses whine CW is keeping you from modernizing.
>>
>> The code requirement isn't stopping anyone from modernizing. Hams don't
>> want to modernize and won't modernize unless they're forced to
>> modernize. That's what's stopping the modernization.
>>
>> How does having a CW requirement prevent you from hooking a computer to
>> a rig? It don't. You don't want to modernize because you're stupid or
>> lazy. Just like you don't want to learn CW because you're stupid or
>> lazy.

>>
>> SC
>
> LOL! It started a long, long time ago.
>
> When gasoline was 17 Cents a gallon, hams were complainining about how
> hard it was to get to the FCC office and wanted a mail-order license.
> The conditional was born.
>
> It's been downhill ever since.

I agree with that.

Whether you like or use CW or not, dumbing down as hurt ham radio.

SC

```
From -5524768141530416745
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
From: Slow Code <my.mail@no.spam>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<44B44705.F4A86462@earthlink.net> <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
<44B643D0.36FCD8D4@earthlink.net>
<1152804424.282270.207560@i42g2000cwa.googlegroups.com>
<ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 18
Message-ID: <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
Date: Fri, 14 Jul 2006 23:24:26 GMT
NNTP-Posting-Host: 4.230.3.149
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1152919466 4.230.3.149 (Fri, 14 Jul 2006
16:24:26 PDT)
```

```
NNTP-Posting-Date: Fri, 14 Jul 2006 16:24:26 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5321
rec.radio.amateur.misc:16495 rec.radio.amateur.policy:33195 rec.radio.scanner:3972
rec.radio.swap:5212

Al Klein <rukbat@pern.invalid> wrote in
news:ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com:

> On 13 Jul 2006 08:27:04 -0700, "an old freind" <kb9rqz@hotmail.com>
> wrote:
>
>>amusing I listen I can lsiten to morse all day without a problem as
>>long I don't try to break it down at all then a headache sets in a in
>>matter of seconds and slowly grows as I try to process the signal
>
> There's the problem.  "breaking down" CW is like listening to the
> letters someone is speaking.  You don't break it down, you listen to
> what's being said.

That's what his teachers said in grade school spelling class too, "Mark,
Why don't you listen."

SC



From 2372785673977245785
X-Google-Thread: 108122,66094ff14089a44e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Generator Tune-Up - What Have I done?
Date: Fri, 14 Jul 2006 19:56:34 -0400
Organization: Aioe.org NNTP Server
Lines: 15
Message-ID: <fmmck-1407061956340001@aca55f65.ipt.aol.com>
References: <fmmck-1307062128060001@aca2a7cf.ipt.aol.com> <Me-
B5D495.10172914072006@netnews.worldnet.att.net>
NNTP-Posting-Host: Pg1uSojt2MasoGwdBmrYKg.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Path: g2news2.google.com!news1.google.com!news4.google.com!news2.volia.net!
news.newsland.it!newsfeed.x-privat.org!aioe.org!emma.aioe.org!aioe.org!
aca55f65.ipt.aol.com!user
Xref: g2news2.google.com rec.radio.amateur.equipment:5322

In article <Me-B5D495.10172914072006@netnews.worldnet.att.net>, Me
<Me@shadow.orgs> wrote:

> Ahhhh, what ytou need is some good advice.  Well there is a place where
> good advice is available for small gensets and the like. Get yourself on
> over to www.smokstack.com and you certainly will find someone there in
> the forums, who can advise you on your genset.
```

Me-

That www.smokstack.com is a goldmine! I've just spent the last couple of
hours reading about various problems others have with their generators.
Thanks for posting the URL.

Fred

```
From 5205302727857290632
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
Date: 14 Jul 2006 17:07:18 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1152922038.113579.178900@75g2000cwc.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152837710.065651.206240@m79g2000cwm.googlegroups.com>
   <HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152922043 9928 127.0.0.1 (15 Jul 2006 00:07:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Jul 2006 00:07:23 +0000 (UTC)
In-Reply-To: <HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=66.82.9.90;
   posting-account=s6CH1g0AAABh1Qtmg62q2TgnVvB-Sbeh
Xref: g2news2.google.com rec.radio.amateur.equipment:5323
rec.radio.amateur.policy:33198 rec.radio.scanner:3974 rec.radio.swap:5213
```

Slow Code wrote:
> hot-ham-and-cheese@hotmail.com wrote in
> news:1152837710.065651.206240@m79g2000cwm.googlegroups.com:
>
> >

```
> > It's been downhill ever since.
>
>
> I agree with that.
>
> Whether you like or use CW or not, dumbing down as hurt ham radio.
in english please



>
> SC
people that live in glass house whoudl dress in basement




From -8388868488735068230
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i42g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 14 Jul 2006 17:11:09 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
   <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152922273 10469 127.0.0.1 (15 Jul 2006 00:11:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Jul 2006 00:11:13 +0000 (UTC)
```

```
In-Reply-To: <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i42g2000cwa.googlegroups.com; posting-host=66.82.9.90;
   posting-account=s6CH1g0AAABh1Qtmg62q2TgnVvB-Sbeh
Xref: g2news2.google.com rec.radio.amateur.equipment:5324
rec.radio.amateur.misc:16496 rec.radio.amateur.policy:33199 rec.radio.scanner:3975
rec.radio.swap:5214


Slow Code wrote:
> Al Klein <rukbat@pern.invalid> wrote in
> news:ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com:
>
> > On 13 Jul 2006 08:27:04 -0700, "an old freind" <kb9rqz@hotmail.com>
> > wrote:
> >
> >>amusing I listen I can lsiten to morse all day without a problem as
> >>long I don't try to break it down at all then a headache sets in a in
> >>matter of seconds and slowly grows as I try to process the signal
> >
> > There's the problem.  "breaking down" CW is like listening to the
> > letters someone is speaking.  You don't break it down, you listen to
> > what's being said.
>
> That's what his teachers said in grade school spelling class too, "Mark,
> Why don't you listen."
lying again My teacher never said ANYTHING about morse code
but your other name is "Hey Stupid"
>
> SC




From 2792686384131656527
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW is. Laziness iand therby blaocking modernization in the ARS
Date: 14 Jul 2006 21:40:50 -0700
Organization: http://groups.google.com
Lines: 12
```

```
Message-ID: <1152938450.260762.105620@75g2000cwc.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152745932.402295.147180@m79g2000cwm.googlegroups.com>
   <02sgb2lmidsvqdf87q3tmvo332rln2dl4f@4ax.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152938455 22313 127.0.0.1 (15 Jul 2006 04:40:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Jul 2006 04:40:55 +0000 (UTC)
In-Reply-To: <02sgb2lmidsvqdf87q3tmvo332rln2dl4f@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=66.82.9.90;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5327
rec.radio.amateur.policy:33244 rec.radio.scanner:3986 rec.radio.swap:5221


Barry OGrady wrote:
> On 12 Jul 2006 16:12:12 -0700, "an old freind" <kb9rqz_ars@yahoo.com> wrote:
>
> >Slow Code wrote:
> >> LOL!

> >and cw usage as well as test promtoes that sort of laziness
>
> Nearly as lazy as people who don't punctuate or use a spell chequer.
well the forum encourages it



From -2013259818187663689
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy3no!pd7cy4no!shaw.ca!
pd7tw1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.149.123.72
From: John Barnard <jfjb@shaw.ca>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
```

```
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET>
In-Reply-To: <a4f50$44b79116$d06640f9$30525@FUSE.NET>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <3C_tg.191877$IK3.72019@pd7tw1no>
Date: Sat, 15 Jul 2006 04:58:39 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw1no 1152939519 24.70.95.207 (Fri, 14 Jul 2006 22:58:39 MDT)
NNTP-Posting-Date: Fri, 14 Jul 2006 22:58:39 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:14656
rec.radio.amateur.equipment:5328 rec.radio.amateur.misc:16502
rec.radio.amateur.policy:33246 rec.radio.shortwave:44245

J. D. B. wrote:
> Well at least your estate will get to keep your life savings. If you get
> sick late in the year, and the healthcare facility/hospital shut down
> for the rest of the year because it ran out of government money (a
> typical scenario in Canada), there will be no one to give you any care
> and you'll just die.

You are one delusional mofo! Lay off the Bush sauce and you'll be able
to handle reality.

  But hey, your life savings will still be intact!
> Is socialized health care great or what?
>>
>> - At least in Canada you get to keep
>> - your life savings if you get sick.
>>
>
JB



From -3325944042357584017
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
```

```
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed.hal-mli.net!feeder1.hal-mli.net!news.alt.net
From: "Vinny" <nocanada@scrue.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
Date: Sat, 15 Jul 2006 03:35:07 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 20
Message-ID: <56rbp.m7e.17.1@news.alt.net>
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET> <3C_tg.191877$IK3.72019@pd7tw1no>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:14657
rec.radio.amateur.equipment:5329 rec.radio.amateur.misc:16503
rec.radio.amateur.policy:33248 rec.radio.shortwave:44254
```

"John Barnard" <jfjb@shaw.ca> wrote in message
news:3C_tg.191877$IK3.72019@pd7tw1no...
J. D. B. wrote:

> Well at least your estate will get to keep your life savings. If you get
> sick late in the year, and the healthcare facility/hospital shut down
> for the rest of the year because it ran out of government money (a
> typical scenario in Canada), there will be no one to give you any care
> and you'll just die.

You are one delusional mofo! Lay off the Bush sauce and you'll be able
to handle reality.

But hey, your life savings will still be intact!

Socialism! Oh! Canada!
We speak two tongues...a nation united.

Yeah! Eh?

```
From 3585043755855749420
X-Google-Thread: fc2a5,c35a0ebd231656f4,start
X-Google-Thread: fc8b1,c35a0ebd231656f4,start
X-Google-Thread: 108122,c35a0ebd231656f4,start
X-Google-Thread: 107ada,c35a0ebd231656f4,start
X-Google-Thread: 111d0a,c35a0ebd231656f4,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
Subject: SolderSmoke #27: HI8 trip, Books, Ether, Quantums, Xtal Osc Design and
build
Date: 15 Jul 2006 01:54:38 -0700
Organization: http://groups.google.com
Lines: 60
Message-ID: <1152953678.181115.294510@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 86.142.214.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152953681 30337 127.0.0.1 (15 Jul 2006 08:54:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Jul 2006 08:54:41 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=86.142.214.36;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:6251
rec.radio.amateur.boatanchors:4722 rec.radio.amateur.equipment:5330
rec.radio.amateur.misc:16504 sci.electronics.basics:20285
```

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.ourmedia.org/node/247756

Topics discussed in SolderSmoke #27:

-- Computer woes
-- Bill's visit to the Dominican Republic
-- Building Xtal oscillator with kid
-- Book Reviews:
   "The Art of Electronics"

   "The Electronics of Radio"
-- Ether and Quantum Mechanincs, Tao of Physics
-- SolderSmoke Mailbag: Nigel in Dover, Mike WA6AWA, Matt KC8COM

CHECK OUT A PICTURE OF SOLDERSMOKE'S LONDON STUDIO:
http://usgadgeteer.blogspot.com/

Listen at: http://www.ourmedia.org/node/247756
Background:
Tired of listening to Led Zepplin or NPR on your I-Pod? Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

NEW RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software. We've been having trouble with our Ourmedia RSS feed, so Mike (software wizard that he is) has homebrewed his own RSS feed. In order to subscribe to SolderSmoke, point your podcast software to:

http://kl7r.ham-radio.ch/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.ourmedia.org/node/247756

Here's the homepage for our show. All our programs are available here. There is also a blog and links to some of the sites and documents we've been discussing: http://www.ourmedia.org/user/36170

We hope you enjoy the program. Please send us feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

From 5795266336008756508
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c

```
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Sat, 15 Jul 2006 08:07:31 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET> <3C_tg.191877$IK3.72019@pd7tw1no>
In-Reply-To: <3C_tg.191877$IK3.72019@pd7tw1no>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <aced7$44b8dafd$d06640f9$20342@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 18
X-Trace: aced744b8dafd75c3e55c20342
Xref: g2news2.google.com rec.radio.amateur.antenna:14664
rec.radio.amateur.equipment:5331 rec.radio.amateur.misc:16509
rec.radio.amateur.policy:33257 rec.radio.shortwave:44264
```

Sorry John, do some reading for once as that is the reality of the Canadian system. You'll actually learn something if you do research yourself and not just listen to NPR and CNN.

Now, on the other hand, if you live in the U.K., you'll still have healthcare through the end of the year, but if you are too old, they just let you die as it is not worth the expenditure to keep someone old alive even longer. But again, hey, your estate gets to keep the money!

Come on, this isn't really John now is it? Hillary Clinton, is that you?

John Barnard wrote:

```
> You are one delusional mofo! Lay off the Bush sauce and you'll be able
> to handle reality.

> JB
>


From 216124753395342035
X-Google-Thread: fc8b1,aabc7d6abdd5f30f,start
X-Google-Thread: 108122,aabc7d6abdd5f30f,start
X-Google-Thread: 106d41,aabc7d6abdd5f30f,start
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: FA: New stuff>SB-401 Carcass, Viking II Roller Ind., Ceramic Slugs, WE 1N21 Diode 1947
Date: 15 Jul 2006 07:47:45 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1152974865.588661.283040@s13g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152974871 22662 127.0.0.1 (15 Jul 2006 14:47:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Jul 2006 14:47:51 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4725 rec.radio.amateur.equipment:5332 rec.radio.cb:13574

All here, most have no bids:-(>
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom



From 3608546082806256030
X-Google-Thread: 108228,2c43f42aa1419a4c,start
X-Google-Thread: 108122,2c43f42aa1419a4c,start
X-Google-Thread: 1109af,2c43f42aa1419a4c,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
```

```
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola HT-750 UHF w/Charger-Covers 403-470 MHz-Inc Ham Freq's
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_004D_01C6A7E6.A5001300"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <4D7ug.13628$Nv.3291@fed1read10>
Date: Sat, 15 Jul 2006 08:14:07 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1152976448 68.104.78.240 (Sat, 15 Jul 2006 11:14:08 EDT)
NNTP-Posting-Date: Sat, 15 Jul 2006 11:14:08 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1109
rec.radio.amateur.equipment:5333 rec.radio.swap:5227

This is a multi-part message in MIME format.

------=_NextPart_000_004D_01C6A7E6.A5001300
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola HT-750 UHF w/Charger

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250006714541&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_004D_01C6A7E6.A5001300
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola HT-750 UHF w/Charger</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250006714541&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250006714541&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_004D_01C6A7E6.A5001300--



From -6620502023828225663
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 15 Jul 2006 08:29:28 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1152977367.743288.235400@35g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
   <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152977371 30384 127.0.0.1 (15 Jul 2006 15:29:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Jul 2006 15:29:31 +0000 (UTC)
In-Reply-To: <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=65.54.154.26;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.equipment:5334
rec.radio.amateur.misc:16521 rec.radio.amateur.policy:33269 rec.radio.scanner:3992
rec.radio.swap:5229


an old freind wrote:
> Slow Code wrote:
> > Al Klein <rukbat@pern.invalid> wrote in
> > news:ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com:
> >
> > > On 13 Jul 2006 08:27:04 -0700, "an old freind" <kb9rqz@hotmail.com>
> > > wrote:
> > >
> > >>amusing I listen I can lsiten to morse all day without a problem as
> > >>long I don't try to break it down at all then a headache sets in a in
> > >>matter of seconds and slowly grows as I try to process the signal
> > >
> > > There's the problem.  "breaking down" CW is like listening to the
> > > letters someone is speaking.  You don't break it down, you listen to
> > > what's being said.
> >
> > That's what his teachers said in grade school spelling class too, "Mark,
> > Why don't you listen."
> lying again My teacher never said ANYTHING about morse code
> but your other name is "Hey Stupid"

True, Markie was in the Special Ed classes and they tend not to
actually call their retarded students "retards."



From -7649822579546196029
X-Google-Thread: 108122,dae146d4e049870f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!
newscon04.news.prodigy.net!prodigy.net!newsdst01.news.prodigy.net!prodigy.com!
postmaster.news.prodigy.com!newssvr25.news.prodigy.net.POSTED!93e560a6!not-for-
mail
From: "Scott Smith" <scott93727@prodigy.net>
Newsgroups: rec.radio.amateur.equipment
Subject: New Radio groups
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Y38ug.4855$2v.979@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 68.126.158.216
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1152978296 ST000 68.126.158.216 (Sat, 15 Jul
2006 11:44:56 EDT)
NNTP-Posting-Date: Sat, 15 Jul 2006 11:44:56 EDT
Organization: SBC http://yahoo.sbc.com
```

X-UserInfo1:
OP]URYWGAJ@UW]ASY@CDN_HAQB^H@IPDLXUNNHPIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Sat, 15 Jul 2006 15:44:56 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5335

Yahoo Portable Radio
Group Email AddressesPost message: PortableRadios@yahoogroups.com
Subscribe: PortableRadios-subscribe@yahoogroups.com
Unsubscribe: PortableRadios-unsubscribe@yahoogroups.com
List owner: PortableRadios-owner@yahoogroups.com

Information about Radio Clubs, repeaters, Technical information, repair, Manuals, prices, for sale, Band plans, where to buy, software, dealer listings, freq charts, antennas, reviews, all the information that applies to any aspect of any brand of portable two way radio.

===

Google Group, GMRS Radio.
Group home page: http://groups.google.com/group/gmrsradio
Group email address gmrsradio@googlegroups.com

Description: Information about Radio Clubs, repeaters, Technical information, repair, Manuals, prices, for sale, Band plans, where to buy, software, dealer listings, freq charts, antennas, reviews, all the information that applies to any aspect of any brand of GMRS two way radio.

From 7109127272479033010
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: CW isn't preventing the modernization of ham radio. Laziness is.
Message-ID: <kc7ib2p0og5ujir1qs7tpujp49b2fe920i@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152837710.065651.206240@m79g2000cwm.googlegroups.com>
<HIVtg.8588$cd3.4049@newsread3.news.pas.earthlink.net>

```
<1152922038.113579.178900@75g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Sat, 15 Jul 2006 12:56:22 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1152982738 24.186.218.38 (Sat, 15 Jul 2006 09:58:58 MST)
NNTP-Posting-Date: Sat, 15 Jul 2006 09:58:58 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5336
rec.radio.amateur.policy:33296 rec.radio.scanner:3994 rec.radio.swap:5231

On 14 Jul 2006 17:07:18 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
wrote:

>Slow Code wrote:

>> Whether you like or use CW or not, dumbing down as hurt ham radio.

>in english please

Dumbing down has hurt ham radio.

>people that live in glass house whoudl dress in basement

Yep, you should.  Try:

"People who live in glass houses should dress in the basement"

It's ironic justice that someone who posts a typo flame posts more
typos in his flame than the post he's flaming.


From -2227167352651681309
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
```

right thing.
Message-ID: <li7ib29jsnprgbpapnbn3sedallql2m6cj@4ax.com>
References: <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<44B44705.F4A86462@earthlink.net> <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
<44B643D0.36FCD8D4@earthlink.net>
<1152804424.282270.207560@i42g2000cwa.googlegroups.com>
<ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
<KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
<1152922269.163065.154080@i42g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Sat, 15 Jul 2006 12:57:37 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1152982812 24.186.218.38 (Sat, 15 Jul 2006 10:00:12 MST)
NNTP-Posting-Date: Sat, 15 Jul 2006 10:00:12 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5337
rec.radio.amateur.misc:16547 rec.radio.amateur.policy:33297 rec.radio.scanner:3995
rec.radio.swap:5232

On 14 Jul 2006 17:11:09 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
wrote:
>Slow Code wrote:

>> That's what his teachers said in grade school spelling class too, "Mark,
>> Why don't you listen."

>lying again My teacher never said ANYTHING about morse code

And he didn't claim that they did. You evidently have a problem with
understanding - not just CW but anything you read in any medium.

From 8603531178825624091
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap

```
Subject: Re: CW is. Laziness iand therby blaocking modernization in the ARS
Message-ID: <to7ib29kq6o9vns2kkf9h1e2p0fgo69i7a@4ax.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
<1152745932.402295.147180@m79g2000cwm.googlegroups.com>
<02sgb2lmidsvqdf87q3tmvo332rln2dl4f@4ax.com>
<1152938450.260762.105620@75g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
Date: Sat, 15 Jul 2006 13:01:00 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1152983016 24.186.218.38 (Sat, 15 Jul 2006 10:03:36 MST)
NNTP-Posting-Date: Sat, 15 Jul 2006 10:03:36 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5338
rec.radio.amateur.policy:33304 rec.radio.scanner:3997 rec.radio.swap:5233

On 14 Jul 2006 21:40:50 -0700, "an old friend" <kb9rqz@hotmail.com>
wrote:

>Barry OGrady wrote:

>> Nearly as lazy as people who don't punctuate or use a spell chequer.

>well the forum encourages it

The forum doesn't, your laziness does.  Your laziness is also what
encourages you to blame your own faults on others.  That, and your
dishonesty.


From -4714728776166231351
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 15 Jul 2006 10:34:04 -0700
Organization: http://groups.google.com
Lines: 19
```

```
Message-ID: <1152984844.086415.203380@35g2000cwc.googlegroups.com>
References: <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <44B44705.F4A86462@earthlink.net>
   <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
   <44B643D0.36FCD8D4@earthlink.net>
   <1152804424.282270.207560@i42g2000cwa.googlegroups.com>
   <ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
   <KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
   <1152922269.163065.154080@i42g2000cwa.googlegroups.com>
   <li7ib29jsnprgbpapnbn3sedallql2m6cj@4ax.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152984849 18747 127.0.0.1 (15 Jul 2006 17:34:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Jul 2006 17:34:09 +0000 (UTC)
In-Reply-To: <li7ib29jsnprgbpapnbn3sedallql2m6cj@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=66.82.9.90;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5339
rec.radio.amateur.misc:16576 rec.radio.amateur.policy:33328 rec.radio.scanner:4001
rec.radio.swap:5234


Al Klein wrote:
> On 14 Jul 2006 17:11:09 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
> wrote:
> >Slow Code wrote:
>
> >> That's what his teachers said in grade school spelling class too, "Mark,
> >> Why don't you listen."
>
> >lying again My teacher never said ANYTHING about morse code
>
> And he didn't claim that they did.  You evidently have a problem with
> understanding - not just CW but anything you read in any medium.

"That's what his teachers said in grade school spelling class too"
is what ihe typed and what you just lied about

you are dishonest but most of the CW advocates are



From -2261326749339601754
X-Google-Thread: 108122,c37bde70d9a279a9
X-Google-Thread: 10bf43,c37bde70d9a279a9
```

```
X-Google-Thread: fa029,c37bde70d9a279a9
X-Google-Thread: 1109af,c37bde70d9a279a9
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: CW is. Laziness iand therby blaocking modernization in the ARS
Date: 15 Jul 2006 10:37:16 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1152985036.082275.174650@b28g2000cwb.googlegroups.com>
References: <xiftg.3731$vO.1128@newsread4.news.pas.earthlink.net>
   <1152745932.402295.147180@m79g2000cwm.googlegroups.com>
   <02sgb2lmidsvqdf87q3tmvo332rln2dl4f@4ax.com>
   <1152938450.260762.105620@75g2000cwc.googlegroups.com>
   <to7ib29kq6o9vns2kkf9h1e2p0fgo69i7a@4ax.com>
NNTP-Posting-Host: 66.82.9.90
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152985039 17340 127.0.0.1 (15 Jul 2006 17:37:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 15 Jul 2006 17:37:19 +0000 (UTC)
In-Reply-To: <to7ib29kq6o9vns2kkf9h1e2p0fgo69i7a@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=66.82.9.90;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5340
rec.radio.amateur.policy:33329 rec.radio.scanner:4002 rec.radio.swap:5235


Al Klein wrote:
> On 14 Jul 2006 21:40:50 -0700, "an old friend" <kb9rqz@hotmail.com>
> wrote:
>
> >Barry OGrady wrote:
>
> >> Nearly as lazy as people who don't punctuate or use a spell chequer.
>
> >well the forum encourages it
>
> The forum doesn't, your laziness does.
sure it does
> Your laziness is also what
> encourages you to blame your own faults on others.
nope
>  That, and your
```

> dishonesty.

gee I am not the one that lies about the contents of posting here and
clips away the evdence of my lies

that is

you want to fosillize and kil the ARS that is a fact

Id like to save it
that makes me a better ham than you hands down

esp when you don't give your call cowardly troll

```
From 421901116558162802
X-Google-Thread: 108122,50ca0eb16c50aae5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Estate Ham Gear FS
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <oP9ug.10154$PO.978@dukeread03>
Date: Sat, 15 Jul 2006 12:44:02 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1152985428 68.105.249.118 (Sat, 15 Jul 2006 13:43:48 EDT)
NNTP-Posting-Date: Sat, 15 Jul 2006 13:43:48 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5341
```

I have for sale the fellowing equipment:
1.Yaesu FT-707 HF Transceiver with WARC Bands, 100 watts, Good Shape, Price $260.
2. Yaesu FP-707 20 amp 12 Volt DC Power Supply, Nice Shape, $75.
3. Yaesu FC-707 Antenna Tuner with SWR/Power Meter, $65.
4. Kenwood TH-315A, 220MHz, HT, needs battery and antenna, works, $55.
5. Icom-02AT 2 meter HT in good condition, $65.
6. Icom IC-28H 2 meter Mobile transceiver, works, $65.
7. Dentron JR. Monitor/MobileAntenna Tuner, nice shape, $55.
8. Yaesu YD-844A mic, great shape, $55.
All prices are plus shipping. If your interested in any of the gear, please
e-mail me for more detailed information. All gear has been checked out and
works. Thanks, Charlie Hugg, K5MBX

From -3301256099806683450
X-Google-Thread: 108122,66094ff14089a44e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Me <Me@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Generator Tune-Up - What Have I done?
Organization: Me and my shadow
References: <fmmck-1307062128060001@aca2a7cf.ipt.aol.com> <Me-B5D495.10172914072006@netnews.worldnet.att.net> <fmmck-1407061956340001@aca55f65.ipt.aol.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <Me-3C1010.10392915072006@netnews.worldnet.att.net>
Lines: 23
Date: Sat, 15 Jul 2006 18:39:32 GMT
NNTP-Posting-Host: 12.12.208.87
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1152988772 12.12.208.87 (Sat, 15 Jul 2006 18:39:32 GMT)
NNTP-Posting-Date: Sat, 15 Jul 2006 18:39:32 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5342

In article <fmmck-1407061956340001@aca55f65.ipt.aol.com>,
fmmck@aol.com (Fred McKenzie) wrote:

> In article <Me-B5D495.10172914072006@netnews.worldnet.att.net>, Me
> <Me@shadow.orgs> wrote:
>
> > Ahhhh, what ytou need is some good advice. Well there is a place where
> > good advice is available for small gensets and the like. Get yourself on
> > over to www.smokstack.com and you certainly will find someone there in
> > the forums, who can advise you on your genset.
>
> Me-
>
> That www.smokstack.com is a goldmine! I've just spent the last couple of
> hours reading about various problems others have with their generators.
> Thanks for posting the URL.
>
> Fred

No Fear, Fred... Yea... there are a pile of good Genset mechanics over there.....   glad to be of help....

Me

From -2288036194630227252
X-Google-Thread: 108122,6faedba9c2c16b8b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Parts for Hammarlund SP-600 and Collins R-390A Receivers
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Ksdug.10188$PO.5483@dukeread03>
Date: Sat, 15 Jul 2006 16:52:56 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1153000362 68.105.249.118 (Sat, 15 Jul 2006 17:52:42 EDT)
NNTP-Posting-Date: Sat, 15 Jul 2006 17:52:42 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5343

FA Hammarlund SP-600 Receiver Parts and some R-390A Parts.
Please take a look.
Thanks, Charlie Hugg, K5MBX

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZhugQ2daQ2dbug

---

From 2415061652748971116
X-Google-Thread: 10bf43,be0f7cc074aee05
X-Google-Thread: 108122,be0f7cc074aee05
X-Google-Attributes: gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <44B990CF.1E5ABD46@k1man.net>
From: Gary <league_member@k1man.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: K1MAN Fan Club
References: <551ab.4o7.19.1@news.alt.net>
<1152889742.283783.299490@i42g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 9
Date: Sun, 16 Jul 2006 01:05:20 GMT
NNTP-Posting-Host: 12.76.210.214
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1153011920 12.76.210.214 (Sun, 16 Jul 2006 01:05:20 GMT)
NNTP-Posting-Date: Sun, 16 Jul 2006 01:05:20 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.policy:33355
rec.radio.amateur.equipment:5344

Yes,

Greatest jammer of the ham bands,
Greatest waster of ham radio spectrum

Worst website K1MAN

Who is laughing now K1MAN ????

From 3382236170717936863
X-Google-Thread: 10bf43,be0f7cc074aee05
X-Google-Thread: 108122,be0f7cc074aee05
X-Google-Attributes: gid10bf43,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: "West Va Hillbilly" <hohoho@wvabillyhoho.com>
Newsgroups: rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: K1MAN Fan Club
Date: Sat, 15 Jul 2006 22:09:37 -0400
Organization: Ho Ho Ho
Lines: 19
Message-ID: <58sgh.af4.17.1@news.alt.net>
References: <551ab.4o7.19.1@news.alt.net>
<1152889742.283783.299490@i42g2000cwa.googlegroups.com>
<44B990CF.1E5ABD46@k1man.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.policy:33358
rec.radio.amateur.equipment:5345

"Gary" <league_member@k1man.net> wrote in message
news:44B990CF.1E5ABD46@k1man.net...
> Yes,
>
> Greatest jammer of the ham bands,
> Greatest waster of ham radio spectrum

>
> Worst website K1MAN
>
> Who is laughing now K1MAN ????
>

BWAHHHHHHHHHHHHHHHHHHHHHHHHH

From 8867109237570114227
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: (OT) : Democrat's Out-Sourcing "Hate America" To Canada !
From: Slow Code <my.mail@no.spam>
References: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
<129m9ijcnshm47f@corp.supernews.com> <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<129ofcclvejs22f@corp.supernews.com> <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<dX%mg.79692$iF6.12453@pd7tw2no>
<1152720850.662591.37690@b28g2000cwb.googlegroups.com>
<Ciftg.3734$vO.2934@newsread4.news.pas.earthlink.net>
<1152839909.231750.229790@35g2000cwc.googlegroups.com>
<rktdb2dv391dj0vkt76ku8332gjncmpcdp@4ax.com>
<1152848674.361536.176700@h48g2000cwc.googlegroups.com>
<a4f50$44b79116$d06640f9$30525@FUSE.NET> <3C_tg.191877$IK3.72019@pd7tw1no>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 18
Message-ID: <%miug.535$157.8@newsread3.news.pas.earthlink.net>
Date: Sun, 16 Jul 2006 03:27:55 GMT
NNTP-Posting-Host: 4.230.9.174
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1153020475 4.230.9.174 (Sat, 15 Jul 2006 20:27:55 PDT)
NNTP-Posting-Date: Sat, 15 Jul 2006 20:27:55 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:14704
rec.radio.amateur.equipment:5346 rec.radio.amateur.misc:16600

```
rec.radio.amateur.policy:33363 rec.radio.shortwave:44437

John Barnard <jfjb@shaw.ca> wrote in news:3C_tg.191877$IK3.72019@pd7tw1no:

> J. D. B. wrote:
>> Well at least your estate will get to keep your life savings. If you
>> get sick late in the year, and the healthcare facility/hospital shut
>> down for the rest of the year because it ran out of government money (a
>> typical scenario in Canada), there will be no one to give you any care
>> and you'll just die.
>
> You are one delusional mofo! Lay off the Bush sauce and you'll be able
> to handle reality.
>
>   But hey, your life savings will still be intact!
>> Is socialized health care great or what?

Provided you don't die while standing in line for the doctor.

SC



From 4781105473008473335
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
From: Slow Code <my.mail@no.spam>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<44B44705.F4A86462@earthlink.net> <cco8b2135j7cn04eoleq7uq246jdo3ogok@4ax.com>
<44B643D0.36FCD8D4@earthlink.net>
<1152804424.282270.207560@i42g2000cwa.googlegroups.com>
<ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com>
<KIVtg.8589$cd3.7943@newsread3.news.pas.earthlink.net>
<1152922269.163065.154080@i42g2000cwa.googlegroups.com>
<1152977367.743288.235400@35g2000cwc.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 33
```

```
Message-ID: <7niug.540$157.330@newsread3.news.pas.earthlink.net>
Date: Sun, 16 Jul 2006 03:28:03 GMT
NNTP-Posting-Host: 4.230.9.174
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1153020483 4.230.9.174 (Sat, 15 Jul 2006
20:28:03 PDT)
NNTP-Posting-Date: Sat, 15 Jul 2006 20:28:03 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5347
rec.radio.amateur.misc:16603 rec.radio.amateur.policy:33367 rec.radio.scanner:4013
rec.radio.swap:5246

"Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com> wrote in
news:1152977367.743288.235400@35g2000cwc.googlegroups.com:

>
> an old freind wrote:
>> Slow Code wrote:
>> > Al Klein <rukbat@pern.invalid> wrote in
>> > news:ffudb2d8nv8i284egltojg92s7iv84gepl@4ax.com:
>> >
>> > > On 13 Jul 2006 08:27:04 -0700, "an old freind" <kb9rqz@hotmail.com>
>> > > wrote:
>> > >
>> > >>amusing I listen I can lsiten to morse all day without a problem as
>> > >>long I don't try to break it down at all then a headache sets in a
>> > >>in matter of seconds and slowly grows as I try to process the
>> > >>signal
>> > >
>> > > There's the problem.  "breaking down" CW is like listening to the
>> > > letters someone is speaking.  You don't break it down, you listen
>> > > to what's being said.
>> >
>> > That's what his teachers said in grade school spelling class too,
>> > "Mark, Why don't you listen."
>> lying again My teacher never said ANYTHING about morse code
>> but your other name is "Hey Stupid"
>
> True, Markie was in the Special Ed classes and they tend not to
> actually call their retarded students "retards."


LOL, Markie rode the short bus to school.

Sc



From 2057853467084257650
X-Google-Thread: f55c2,d6c4b1e23a8d7c93,start
X-Google-Thread: f4306,d6c4b1e23a8d7c93,start
X-Google-Thread: fb049,d6c4b1e23a8d7c93,start
X-Google-Thread: 11480d,d6c4b1e23a8d7c93,start
X-Google-Thread: 108122,d6c4b1e23a8d7c93,start
X-Google-Thread: 107ada,d6c4b1e23a8d7c93,start
```

```
X-Google-Thread: f64c6,d6c4b1e23a8d7c93,start
X-Google-Attributes:
gidf55c2,gidf4306,gidfb049,gid11480d,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nntp.waia.asn.au!130.95.128.9.MISMATCH!news.uwa.edu.au!
news1.optus.net.au!optus!newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-
for-mail
From: "hamguy1" <hamguy1@optusnet.com.au>
Newsgroups: alt.ham-radio.mods,alt.ham-radio.packet,alt.ham-radio.vhf-
uhf,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.rad
io.amateur
Subject: icom 725 hf transceiver
Date: Sun, 16 Jul 2006 14:08:36 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 11
Message-ID: <44b9bbc0$1$22123$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 58.108.97.173
X-Trace: 1153022912  22123 58.108.97.173
Xref: g2news2.google.com alt.ham-radio.mods:165 alt.ham-radio.packet:119 alt.ham-
radio.vhf-uhf:2237 rec.radio.amateur.dx:2311 rec.radio.amateur.equipment:5348
rec.radio.amateur.misc:16604 uk.radio.amateur:46546
```

hi ham radio newsgroups .im selling an icom 725 hf transceiver radio comes with power lead hm12 microphone owners manual the radio has had the mars mod done it has modes of am fm lsb usb cw also has general coverage receiver etc radio works ok im selling this radio for $450aus ono , the radio would be ok for the foundation member in australia this power is 100 watts plus on all bands as far as i know it is easily adjusted down to 10 watts minimum ok .thanks in advance david nsw australia .

```
From -6646994780188538701
X-Google-Thread: f55c2,8756ba710925f98d
X-Google-Thread: f4306,8756ba710925f98d
X-Google-Thread: fb049,8756ba710925f98d
X-Google-Thread: 11117f,8756ba710925f98d
X-Google-Thread: fcc6e,8756ba710925f98d
X-Google-Thread: f7653,8756ba710925f98d
X-Google-Thread: 11480d,8756ba710925f98d
X-Google-Thread: 108122,8756ba710925f98d
X-Google-Thread: fc2a5,8756ba710925f98d
X-Google-Attributes:
gidf55c2,gidf4306,gidfb049,gid11117f,gidfcc6e,gidf7653,gid11480d,gid108122,gidfc2a
5,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!53ab2750!
not-for-mail
From: gwatts <gwatts@frontiernet.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.ham-radio.mods,alt.ham-radio.packet,alt.ham-radio.vhf-
uhf,free.uk.amateur-
radio,rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.d
x,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: looking for help with icom725 internal power supply
References: <44a759b4$0$22358$afc38c87@news.optusnet.com.au>
In-Reply-To: <44a759b4$0$22358$afc38c87@news.optusnet.com.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <RERpg.4749$Oh1.2961@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956deb516aceeeeaa1242f0fbbf09d85a57b43bdab6b17df067bd97fdb4ddf6b531e2
046f91f9d09802315395e3e4dc49ed48f24e262a98daf3d1d64df6cee59321f7dbc6cb4b0f2ce3b497
87d163595dcdf5f2791836cbecb3643bd76afb586017b0e7b17e03e0e916
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Sun, 02 Jul 2006 15:30:57 UTC
Date: Sun, 02 Jul 2006 15:30:57 GMT
Xref: g2news2.google.com alt.ham-radio.mods:156 alt.ham-radio.packet:117 alt.ham-
radio.vhf-uhf:2128 free.uk.amateur-radio:128 rec.radio.amateur.antenna:14105
rec.radio.amateur.digital.misc:305 rec.radio.amateur.dx:2290
rec.radio.amateur.equipment:5046 rec.radio.amateur.homebrew:5982

hamguy1 wrote:
> hi ham radiogroups, im after the internal power control or alc inside of a
> icom725 hf transceiver the radio is doing way to much power for the power
> supply, it currently is doing 150 watts it needs to be turned back down to
> around 100 watts .thanks in advance david from nsw australia .
>
>

Go to
http://www.icom.co.jp/world/support/index.htm

click on 'Manuals,' agree to the license, scroll down to 'Amateur,'
download the manual for the IC-725, look at page 31 (34 in the Acrobat
window).

I think you may be interested in 'R210' for the 100W power adjust.

Watch the current, 73!
W8LNA

```
From -5399489054682033984
X-Google-Thread: 108122,728849acf04663f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!peer01.west.cox.net!cox.net!newshub.sdsu.edu!
news.astraweb.com!router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-
sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Kenwood TS-120S manual
Date: Sun, 2 Jul 2006 09:53:49 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12afugtrngc4p7a@corp.supernews.com>
References: <ojtea2p907hc8is4opc0cp2rmcjfvoe65t@4ax.com>
<bi2fa25cpbd8efn7573qkaj7b5msranv5n@4ax.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news2.google.com rec.radio.amateur.equipment:5047

"Andy McMullin" wrote ...
> I have a pdf of the full service manual -- but it's around
> 19 MBytes which is a bit big to post to this newsgroup.
> Want me to e-mail it to you or shove it onto a web server
> somewhere?

Please avoid posting binaries to non-binary newsgroups.
It makes many NNTP server admins grumpy and
endangers the continued propogation of this newsgroup.

Note that there is a newsgroup specifically chartered for
that kind of thing, namely....
news:alt.binaries.schematics.electronic


From 3845514230615218532
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: get help
Date: 2 Jul 2006 10:03:41 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1151859821.330424.267260@m73g2000cwd.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
   <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
   <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
   <87017833.8F8789@tarrnews.net>
NNTP-Posting-Host: 66.82.9.48
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151859827 24347 127.0.0.1 (2 Jul 2006 17:03:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Jul 2006 17:03:47 +0000 (UTC)
In-Reply-To: <87017833.8F8789@tarrnews.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=66.82.9.48;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5048
rec.radio.amateur.misc:15993 rec.radio.amateur.policy:31786 rec.radio.scanner:3712
rec.radio.swap:4904


Lloyd wrote:
> On 1 Jul 2006 21:04:41 -0700, an_old_friend <konstans@hotmail.com> wrote:
> >
> > OTOH the "proposal" of mr Slow Code aka Hey Stupid would finsh finsh
> > the ARS in 10 ten years
>
> get help
for what

teling the simple that "hey Stpids" plan would kill off the ARS in
single renewal cylce?



From 6743007598173250760
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
```

X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v61g2000cwv.googlegroups.com!not-for-mail
From: "w7dahawk@gmail.com" <w7dahawk@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
Date: 2 Jul 2006 12:03:54 -0700
Organization: http://groups.google.com
Lines: 125
Message-ID: <1151867034.420762.224550@v61g2000cwv.googlegroups.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
   <2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com>
   <xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>
   <12ae1itttghi34@corp.supernews.com>
NNTP-Posting-Host: 67.169.210.177
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151867039 19392 127.0.0.1 (2 Jul 2006 19:03:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Jul 2006 19:03:59 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v61g2000cwv.googlegroups.com; posting-host=67.169.210.177;
   posting-account=n6ydrA0AAADhQRi31WnC4GrE9jDZzPWB
Xref: g2news2.google.com rec.radio.amateur.equipment:5049
rec.radio.amateur.policy:31797 rec.radio.scanner:3714 rec.radio.swap:4906

Dave, you were wasting your time & effort on the wankers in here.

Dave Platt wrote:
> In article <xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>,
> Slow Code <my.mail@no.spam> wrote:
>
> >What? I ask a friendly question as to who would re-new their license if
> >Code speeds were increased to what they should be and I get called a
> >troll. Well eat shit and die. I got a real Extra class license. You
> >nickle hams are really unfriendly assholes sometimes.
>
> Well, Slow Code, I'll give you a straight (and I hope friendly) answer
> to your question. I'll then give you a straight (and I hope not-
> unfriendly) explanation as to why I believe people are calling you a
> troll.
>
> The first answer: well, I think I'd certainly *try* to renew my
> license. My CW is distinctly rusty - I use it only rarely, and I'm
> not sure I've ever managed to copy 13 WPM (let alone 20) well enough

> to pass the one-minute-error-free barrier, or be able to answer the necessary number of questions. So, it'd take a bunch of listening and practice to reach that level.
>
> I'm not sure I have enough time free to do it. I've got a busy life, work full-time plus a bit, and much of my ham-radio playing time goes into other areas of the service (I'm an ARES/RACES AEC for my city, a mutual-aid comms responder for the county, and I've put in a huge boatload of hours over the past couple of years helping redesign and rebuild and debug the local hospital's repeater system). Getting really serious about doing high-speed CW would consume a lot of time, which would necessarily subtract from my ability to (e.g.) spend many hours of circuit analysis and modelling and experimentation to figure out why the fancy commercial repeaters we bought had such lousy-sounding audio (turns out the designer had mis-used the discriminator IC, forcing it to "clip" the signal internally, *and* had messed up the design of the de-emphasis network.)
>
> And, I have no assurance that I'd ever reach that level. As several other people have commented, it's perfectly possible for people to work, hard and honestly, at copying CW for years, and never be able to reach the 13 WPM level. I strongly suspect that to some extent, CW-copying is tied to certain sorts of neurological organization in the ear/brain system - some people may be born with more potential ability to handle high-speed CW than others. Effort or no, some people seem unable to learn to copy CW at all, others can do so but never become very good at it, and *many* people report hitting the "13 WPM wall" and never being able to copy reliably at rates much faster than that.
>
> Now, in your previous epistles on the subject, you and your nym-clone were advocating not only requiring testing for 13 WPM (General) and 20 WPM (Extra), but also making the no-code license a one-year nonrenewable. If that proposal were accepted, there's a strong possibility that I'd end up being kicked off of the air the next time my license came due... either because I was unable to push up to 13 WPM no matter how hard I tried, or because I'd devoted my time to other aspects of ham radio and hadn't taken time to study-up.
>
> So - that's my answer. I might end up being able to renew my license (although probably not at the 20 WPM level), I might fail the CW test, or I might just decide that the "old boy's club" had made it clear that they didn't want anybody other than rabid CW operators on the air, and decide to go do something else productive with my time.
>
> Now - that being said - let's address why you were being called a troll. I think it's because it's quite clear to people reading these threads that you have a serious agenda, sir. You've made several attempts (apparently under several posting IDs - some refer to these as "sock puppets") to drum up support for your CW Uber Alles rules change proposal. You've scoffed at, or simply ignored, the many people who have pointed out that your proposed changes are 180 degrees out of phase with the international trends (i.e. the WARC rules), and

> with the FCC's publicly-stated feelings on the matter, and that your
> proposals are essentially equivalent to ones which have already been
> ruled out by the Powers That Be.
>
> In short, the "what if?" question you asked is entirely hypothetical.
> There's just no chance at all that the FCC would enact the sort of
> CW-centric licensing rules you have proposed. Ain't gonna happen.
> Your asking questions about "well, if it _did_, what would you do" is
> probably part of why you're being called a troll.
>
> Numerous people have responded to you, expressing their opinions that
> your rules would decimate the ranks of amateur radio by forcing off of
> the air a large percentage of today's licensed operators. Your
> "friendly question" seems to be intended to try to address that
> question, but you phrased your inquiry in somewhat-loaded terms, and
> in a way which almost guarantees that you won't receive an accurate
> and unbiased set of answers which actually represent the feelings and
> opinions of this newsgroup's readers.
>
> To sum it up, your way of presenting your agenda probably leads people
> to believe that you aren't serious about debating or discussing the
> issue... and that's probably another part of why you're being called a
> troll.
>
> I agree with you that the Amateur Radio Service (and hobby) benefits
> greatly from being hams to like to study, learn, advance their skills,
> and use what they know. That's one of the specific purposes of amateur
> radio here in the U.S., and I think it's great.
>
> I *disagree* with you that the ability to learn to copy CW at 13 - 20
> WPM is, or should be, the "litmus test" which decides whether a person
> is Worthy of being a ham.
>
> Your fixation on CW is, I think, actively interfering with your
> ability to support ham radio by promoting *all* aspects of technical
> and operational learning. I believe that your attitude hurts ham
> radio more than it helps.
>
> That's my $0.05 worth, adjusted for inflation. Take it for what it's
> worth for you.
>
> [and, I'm sorry to say, based on your past postings I don't really
> expect you to address the meat of what I've said. I expect that
> you'll toss off a one- or two-liner, dismiss what I've written, and
> keep on as you have been. I'd be pleasantly surprised to be wrong
> about this!]
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
>   I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

```
From -8626544615863594816
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Jul 2006 14:48:59 -0500
From: yea right <spam@spam.spam>
Organization: well
Subject: Re: A question for nickle Generals and Extras.  Would you renew your
license?
Date: Sun, 02 Jul 2006 13:48:59 -0600
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Message-Id: <pan.2006.07.02.19.48.57.814590@spam.spam>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 7
NNTP-Posting-Host: 24.8.221.21
X-Trace:
sv3-8jBTbUmSDDmO17i3MfrtKk0iduCixK8QoT+g87DRBHlNfVCbOFAPF0HS1T35E1KVzL2Oao1qNAzmwh
s!BmmTCR9K0/kFBuioU/2A9UKHdpFm6FkxNmIj9AlAVpD8s8tnsSf7M8o5u69TfZuD5wPHKMAYK3vG!/
SeB
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5050
rec.radio.amateur.policy:31802 rec.radio.scanner:3715 rec.radio.swap:4907

On Fri, 30 Jun 2006 23:21:48 +0000, Slow Code wrote:
> If the 13 and 20 wpm CW exams came back and you had to pass the proper
> code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
> would you renew your license?

Why would they have use slow down? I say raise it to 35 and 40wpm



From -703290762931560135
X-Google-Thread: 108122,7e013d36e5d72db4
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <_4udnY4v7-KlfjrZnZ2dnUVZ_tKdnZ2d@comcast.com>
Subject: Re: traveling w/ gear
Lines: 21
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <A4Wpg.10505$Rb2.9433@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 02 Jul 2006 20:33:36 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5051

Gary wrote:
> I am traveling to the Outer Banks,NC this summer with the family and
> would love to bring along my qrp rig.  The 'rig' of course consists of
> radio, battery (closed, gel), antenna, key...  I am looking forward to
> the point when this conglomeration of 'unusual'-appearing  electronic
> gear etc goes scooting thru the xray at the airport.  Pre 9/11, I took
> this gear everywhere (internationally) without ANY difficulty
> whatsoever.  Just not sure that will be the case now however.  So my
> question to the group is:  who's traveling with their gear and what's
> the best approach (save for shipping it ahead - looking into that
> possibility already).  Thanks.

I've traveled all over the U.S. with HTs, scanner receivers, chargers,
and antennas in my carry-on suitcase.  Never had anyone so much as
question it.  As long as none of the equipment is on the prohibited list
you should have no problem.  You should be prepared to power up any of
the battery-powered gear to show that it is operational.  Take a copy of
your license along just in case you get one of those aggressive /
untrained TSA types.




From 150406060200659520
X-Google-Thread: 108122,728849acf04663f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!
nx01.iad01.newshosting.com!newshosting.com!140.99.99.194.MISMATCH!
newsfeed1.easynews.com!easynews.com!easynews!easynews-local!
```

fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <ojtea2p907hc8is4opc0cp2rmcjfvoe65t@4ax.com>
<bi2fa25cpbd8efn7573qkaj7b5msranv5n@4ax.com> <12afugtrngc4p7a@corp.supernews.com>
Subject: Re: Need Kenwood TS-120S manual
Lines: 10
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <c6Wpg.369081$ii4.146406@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 02 Jul 2006 20:35:20 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5052

Richard Crowley wrote:
> Please avoid posting binaries to non-binary newsgroups.
> It makes many NNTP server admins grumpy and
> endangers the continued propogation of this newsgroup.

Besides, NNTP isn't a great file transfer protocol.

Put it on a 'free file' server somewhere and post the link.

From -4179884000758854483
X-Google-Thread: 108122,faf3a2cd65c2e22e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Steve" <steve-o@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ham Stuff for Sale
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <YvXpg.59427$3B.19922@twister.nyroc.rr.com>
Date: Sun, 02 Jul 2006 22:11:04 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1151878264 24.58.195.67 (Sun, 02 Jul 2006 18:11:04 EDT)

```
NNTP-Posting-Date: Sun, 02 Jul 2006 18:11:04 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:5053

http://members5.boardhost.com/kc2ftn/




From 582524589518604508
X-Google-Thread: 108122,322c26b1bfd87b41
X-Google-Thread: 108228,322c26b1bfd87b41
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: konstans@homale.cum (an_old_friend)
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: FA: 1-Day-Left: 4 ELECTRONICS Books: ELECTRONICS - ELECTRICITY - CIRCUIT ANALYSIS, etc. - woger church.jpg (0/1)
Date: Sun, 02 Jul 2006 22:38:52 GMT
Message-ID: <44a84af0.32960859@news.usenetzone.com>
References: <120520062310294057%chris@sjlkoiwjso.com>
X-Newsreader: Forte Free Agent 1.1/32.230
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server contains 140,000+ groups
Lines: 11
Path: g2news2.google.com!news2.google.com!news.germany.com!usenet.ath.cx!news.usenetzone.com!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:5054 alt.ham-radio.marketplace:1085

On Fri, 12 May 2006 23:10:29 -0400, Chris <chris@sjlkoiwjso.com>
wrote:

>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4638269078

-----------------------------------------
Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account


From -41410008435222788
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-
```

mail
NNTP-Posting-Date: Sun, 02 Jul 2006 22:17:22 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<pan.2006.07.02.19.48.57.814590@spam.spam>
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
Date: Sun, 2 Jul 2006 22:17:23 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <ev-dndCkKqfeETXZnZ2dnUVZ_qednZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-VLUEl2IthnkZ42XBOVE9Pkft939y/
aMVNJOQ18vVpxeXYng+pdhsLLYwYhAWXpdS7dPew7vsEwh/ZQR!0ANEw2YqYEnfgumiJ5o/
xq2lBmWqANYouTz9A7Xn4Ypcz7Nil3aOd/FgwF+WEIeVoZz5eZWhxbV3!MGFOzXUlV9SWeg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5055
rec.radio.amateur.policy:31873 rec.radio.scanner:3722 rec.radio.swap:4911

"yea right" <spam@spam.spam> wrote in message
news:pan.2006.07.02.19.48.57.814590@spam.spam...
> On Fri, 30 Jun 2006 23:21:48 +0000, Slow Code wrote:
>> If the 13 and 20 wpm CW exams came back and you had to pass the proper
>> code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
>> would you renew your license?
>
> Why would they have use slow down? I say raise it to 35 and 40wpm
>
They have to dumb it down so there is no child left behind.

From 3875156138008716912
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!postnews.google.com!b68g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: A question for nickle Generals and Extras. Would you renew your
license?
Date: 2 Jul 2006 21:08:49 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1151899729.736025.194270@b68g2000cwa.googlegroups.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
   <pan.2006.07.02.19.48.57.814590@spam.spam>
   <ev-dndCkKqfeETXZnZ2dnUVZ_qednZ2d@comcast.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151899734 12188 127.0.0.1 (3 Jul 2006 04:08:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 3 Jul 2006 04:08:54 +0000 (UTC)
In-Reply-To: <ev-dndCkKqfeETXZnZ2dnUVZ_qednZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b68g2000cwa.googlegroups.com; posting-host=69.19.14.27;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5056
rec.radio.amateur.policy:31876 rec.radio.scanner:3723 rec.radio.swap:4912


Noon-Air wrote:
> "yea right" <spam@spam.spam> wrote in message
> news:pan.2006.07.02.19.48.57.814590@spam.spam...
> > On Fri, 30 Jun 2006 23:21:48 +0000, Slow Code wrote:
> >> If the 13 and 20 wpm CW exams came back and you had to pass the proper
> >> code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
> >> would you renew your license?
> >
> > Why would they have use slow down? I say raise it to 35 and 40wpm
> >
> They have to dumb it down so there is no child left behind.
no body isin favor of dumbing down the ARS after all no one ismaking
you behave as badly as you do



From 2715587133933780724
X-Google-Thread: fc8b1,b90f9190eb52804b,start
X-Google-Thread: 1109af,b90f9190eb52804b,start
X-Google-Thread: 108122,b90f9190eb52804b,start
X-Google-Thread: 108228,b90f9190eb52804b,start
```

```
X-Google-Thread: 10fe7d,b90f9190eb52804b,start
X-Google-Attributes: gidfc8b1,gid1109af,gid108122,gid108228,gid10fe7d,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b68g2000cwa.googlegroups.com!not-for-
mail
From: servis_za_elektroniku@yahoo.com
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,it.hobby.radioamatori
Subject: FS: Collins 51-S1 - spare parts
Date: 3 Jul 2006 00:42:14 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1151912534.884138.140430@b68g2000cwa.googlegroups.com>
NNTP-Posting-Host: 194.247.204.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151912539 1466 127.0.0.1 (3 Jul 2006 07:42:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 3 Jul 2006 07:42:19 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
InfoPath.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b68g2000cwa.googlegroups.com; posting-host=194.247.204.15;
   posting-account=yz2JJQwAAAAXrWKPmFvtuD1W2ZNYvvKm
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4564 rec.radio.swap:4913
rec.radio.amateur.equipment:5057 alt.ham-radio.marketplace:1086
it.hobby.radioamatori:20161
```

On eBay.

Click on link.

http://search.ebay.com/_W0QQsassZfm-txQQhtZ-1

```
From -3420636649789538148
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 Jul 2006 07:18:50 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
```

```
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<pan.2006.07.02.19.48.57.814590@spam.spam>   <ev-
dndCkKqfeETXZnZ2dnUVZ_qednZ2d@comcast.com>
<1151899729.736025.194270@b68g2000cwa.googlegroups.com>
Subject: Re: A question for nickle Generals and Extras. Would you renew your
license?
Date: Mon, 3 Jul 2006 07:18:50 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <i6CdnZl97a63ljTZnZ2dnUVZ_rSdnZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-ATjRuzYm/Yy8bziRaFW9927Gn4/zyHYHg8Y6buA7s8yskjbt7gbUc5rP/
MS0boamIvEmGR4S5UKNxmj!BfzhiCvnTSVSiZOLoTF9ugXLDdB4P3+yLPj+BP/
n+yE8+VJBf1WMwdycXzvRNjKu0wDeiAyhIeX7!DLr4vF3X7jWFLQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5058
rec.radio.amateur.policy:31901 rec.radio.scanner:3724 rec.radio.swap:4915


"an old freind" <kb9rqz_ars@hotmail.com> wrote in message
news:1151899729.736025.194270@b68g2000cwa.googlegroups.com...
>
> Noon-Air wrote:
>> "yea right" <spam@spam.spam> wrote in message
>> news:pan.2006.07.02.19.48.57.814590@spam.spam...
>> > On Fri, 30 Jun 2006 23:21:48 +0000, Slow Code wrote:
>> >> If the 13 and 20 wpm CW exams came back and you had to pass the proper
>> >> code exam for your class to renew, 13 wpm for general, 20 wpm for
>> >> extra,
>> >> would you renew your license?
>> >
>> > Why would they have use slow down? I say raise it to 35 and 40wpm
>> >
>> They have to dumb it down so there is no child left behind.
> no body isin favor of dumbing down the ARS after all no one ismaking
> you behave as badly as you do
>

Yeah, right.....welcome to my killfile



From 7689959013750374012
```

X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
Message-ID: <fu8ia2530cnhel6bc25jducj3fgk1knpue@4ax.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<pan.2006.07.02.19.48.57.814590@spam.spam> <ev-dndCkKqfeETXZnZ2dnUVZ_qednZ2d@comcast.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Mon, 03 Jul 2006 10:04:26 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1151935632 24.186.218.38 (Mon, 03 Jul 2006 07:07:12 MST)
NNTP-Posting-Date: Mon, 03 Jul 2006 07:07:12 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5059
rec.radio.amateur.policy:31912 rec.radio.scanner:3725 rec.radio.swap:4916

On Sun, 2 Jul 2006 22:17:23 -0500, "Noon-Air" <Noon-Air@comcast.net> wrote:

>They have to dumb it down so there is no child left behind.

Except the guy who came up with that idea - he got left behind on the short bus.

From -4695427901042950901
X-Google-Thread: 108122,728849acf04663f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <ojtea2p907hc8is4opc0cp2rmcjfvoe65t@4ax.com>

```
Subject: Re: Need Kenwood TS-120S manual
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <lX9qg.212$_M.160@fed1read04>
Date: Mon, 3 Jul 2006 07:36:04 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1151937361 72.197.12.245 (Mon, 03 Jul 2006 10:36:01 EDT)
NNTP-Posting-Date: Mon, 03 Jul 2006 10:36:01 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5060

Check Mods.dk At URL:
http://www.mods.dk/index.php?ListManuals=kenwood

Has  TS-120S Operating Manual R1.zip 7.466 Kbytes
       TS-120S Service Manual R1.zip 19.241 Kbytes
       TS-120 Schematic.zip 875 Kbytes

--
CL -- I doubt, therefore I might be !



"Howard Bingham" <howardb@hal-pc.org> wrote in message
news:ojtea2p907hc8is4opc0cp2rmcjfvoe65t@4ax.com...
> Anyone have a Kenwood manual for the Ts-120S SSB HF radio..?
>
> I was recently given one & need operating & schematics to check it out
> & see if it is worth trying to get parts to fix.
>
> Howard Bingham
> KE5APJ



From 1291047017828216816
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!newssvr12.news.prodigy.com.POSTED!1133983c!not-for-mail
From: "EchoBlip" <EB@ruckmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <axfqg.59812$Lm5.8798@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 68.76.95.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1151960262 ST000 68.76.95.6 (Mon, 03 Jul 2006 16:57:42 EDT)
NNTP-Posting-Date: Mon, 03 Jul 2006 16:57:42 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: [[PAPDCAOHU_RQXXZJK@N[TDFZ\@@FXLM@TDOCQDJ@_@FNTCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUVSA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Mon, 03 Jul 2006 20:57:42 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5061 rec.radio.amateur.policy:31923 rec.radio.scanner:3730 rec.radio.swap:4922

Yup, I stopped at the Advanced and then the code requirements for Extra were lifted. So there I stopped. Might do it anyways for the extra few KC the license grants me.

"Slow Code" <my.mail@no.spam> wrote in message news:gmipg.722$ye3.449@newsread1.news.pas.earthlink.net...
> Phony's can ignore. This question doesn't apply to no-codes.
>
>
> Nickle Generals and Extras:
>
> If the 13 and 20 wpm CW exams came back and you had to pass the proper
> code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
> would you renew your license?
>
>

```
From 4763275257426436632
X-Google-Thread: 108228,ed1c73e5d29b5058,start
X-Google-Thread: 108122,ed1c73e5d29b5058,start
X-Google-Thread: 1109af,ed1c73e5d29b5058,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!cox.net!news-xfer.cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Auction Ending - 3-ea Standard Radio W/T's & Chargers-No Reserve-
Going Cheap
Lines: 38
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C69EAF.59392320"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <ccgqg.9555$Nv.6014@fed1read10>
Date: Mon, 3 Jul 2006 14:45:38 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1151963016 68.104.78.240 (Mon, 03 Jul 2006 17:43:36 EDT)
NNTP-Posting-Date: Mon, 03 Jul 2006 17:43:36 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1089
rec.radio.amateur.equipment:5062 rec.radio.swap:4923

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C69EAF.59392320
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Auction Ending - 3-ea Standard Radio W/T's & Chargers-No =
Reserve-Going Cheap.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250001219705&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C69EAF.59392320
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Auction Ending - 3-ea Standard Radio W/T's &amp; Chargers-No=20
Reserve-Going Cheap.</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250001219705&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250001219705&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C69EAF.59392320--
```

```
From -6680332155206432439
X-Google-Thread: 108122,728849acf04663f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.trueband.net!news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 Jul 2006 17:34:48 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Kenwood TS-120S manual
Date: Mon, 03 Jul 2006 15:34:53 -0700
Message-ID: <2n6ja25jkk2f2rd71bmi9j91dp4ba895tt@4ax.com>
References: <ojtea2p907hc8is4opc0cp2rmcjfvoe65t@4ax.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Host: 216.198.97.38
X-Trace: sv3-MibaG34uI88ZbLOOl0AjejSDCgpvhQX6fiZb+qmgZCLdnhNz/Enr/F9R//
G77cVJFc3ouCEX/LxYojD!
vUTSNshYkFon7cSkLzBIqoq9TabAurAUZLRKjm7Vv+UtkwZE1uNRCSoBF6wNIkk8PXoydLY908Hk!
AlH9wIReZfeDephRPza3hmmAZTbxhA==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5063
```

On Sun, 02 Jul 2006 02:34:48 -0500, Howard Bingham

<howardb@hal-pc.org> wrote:

>Anyone have a Kenwood manual for the Ts-120S SSB HF radio..?
>
>I was recently given one & need operating & schematics to check it out
>& see if it is worth trying to get parts to fix.

I have one that's in so-so condition. I had the radio too but sold it
and forgot to ship the manual.

At least it's probably better than a copy since the photos are clear.

Give me an address and I'll mail it to you. If you want to send me
back whatever postage I had to use it will be a deal.

Wes N7WS @ yahoo dot com

From 1736088108083248728
X-Google-Thread: 104fd2,c4c96b906d55d4bd,start
X-Google-Thread: fc2a5,c4c96b906d55d4bd,start
X-Google-Thread: 108122,c4c96b906d55d4bd,start
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!689056ff!not-for-mail
From: Beverly Erlebacher <bae@cs.toronto.edu>
Subject: How to calculate increase of home wireless router range?
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Message-ID: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
Followup-To: alt.internet.wireless
Lines: 56
NNTP-Posting-Host: 69.110.26.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1151992632 ST000 69.110.26.6 (Tue, 04 Jul 2006
01:57:12 EDT)
NNTP-Posting-Date: Tue, 04 Jul 2006 01:57:12 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
O@ZABT[DFJTUCFD[LZKJOPHAWB\^PBQLGPQRZ_MHEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Tue, 04 Jul 2006 05:57:12 GMT
Xref: g2news2.google.com alt.internet.wireless:15715
rec.radio.amateur.homebrew:6006 rec.radio.amateur.equipment:5064

Can you help me roughly CALCULATE how to increase the range of my home Internet wireless WiFi setup to a shed 300 feet away from my house?

Presently, I can walk about half the way through the wooded area to the shed with my laptop in hand before I lose the connection to the PCMCIA 802.11b,g Linksys card. Basically I need to gain 150 feet in "range".

But how?

At the store, I immediately become confused as I try to compare $30 USD omnidirectional antennas (D-Link ANT24-070) that boost "power" by a claimed 7 db; $50 USD directional corner antennas (Hawking HAI15SC) that claim 15 dbi (whatever a dBi is); and $150 USD 802.11N routers that claim to boost omnidirectional "range" by 4x (Linksys WRT300N).

How does an omnidirectional 7 db or directional 15 dBi boost in "power" equate to range?

Approximately how many decibels of (omnidirectional or directional) power do I really need to boost my WiFi range from about 150 feet to the 300 feet I need?

Looking up what a decibel is (http://en.wikipedia.org/wiki/Decibel#Definition), I calculate the D-Link ANT24-070 omnidirectional antenna gives me about 5 times the power (assuming 7 db = 10^7/10 ~= 5); but does this get me the additional 150 feet of range to my shed?

Spending almost twice as much money on the Hawking HAI15SC directional antenna gets me roughly 30 times the power (assuming 15 db = 10^15/10 ~= 32); but is that enough power to get me the range to my shed?

Indeed, is there some way to add a Hawking 15db antenna on the receiving end to get 1,000 times the power (15 db + 15 db = 30 db = 10^30/10 ~= 1,000); but what would I hook the wire output from this receiving antenna to in the shed (I can't hook it to the pcmcia card, can I)?

Given those db calculations, how do I compare the antenna options with replacing my home 802.11b,g router with the 4X range $150 USD Linksys 802.11n WRT300N router and the required $120 USD Linksys WPC300N PCMCIA card (assuming 6 db = 10^6/10)?Will this three-antenna 802.11n router be forced to drop down to 1X speeds because inside my house my kid's laptops will all be using 802.11b or 802.11g? Or can the router work on both 802.11g to one computer and on 802.11n to the other computer at the same time?

I'm so confused!

All I want is to make a well-informed buying decision to increase my WiFi range reliably to 300 feet to a known point.

Can you help me sort out all these very confusing variable (to me anyway)?

I have no training in electrical engineering; but I can google.

Thank you,
Beverly

```
From -4131659881901067O6
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!689056ff!not-for-mail
From: Beverly Erlebacher <bae@cs.toronto.edu>
Subject: Re: How to calculate increase of home wireless router range?
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<12ak2k0hqa77dae@corp.supernews.com>
Message-ID: <ak3am11qrjdw$.12snkojoszmz0$.dlg@40tude.net>
Followup-To: alt.internet.wireless
Lines: 23
NNTP-Posting-Host: 69.110.26.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1151995759 ST000 69.110.26.6 (Tue, 04 Jul 2006
02:49:19 EDT)
NNTP-Posting-Date: Tue, 04 Jul 2006 02:49:19 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@MC@OHUAB\TX]JIBNFXBWR\HPCTL@XT^OBPLAH[\RWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Tue, 04 Jul 2006 06:49:19 GMT
Xref: g2news2.google.com alt.internet.wireless:15717
rec.radio.amateur.homebrew:6008 rec.radio.amateur.equipment:5065
```

On Tue, 04 Jul 2006 06:28:16 -0000, Dave Platt wrote:

>>Can you help me roughly CALCULATE how to increase the range of my home
>>Internet wireless WiFi setup from 150 feet to a shed 300 feet away?

> Doubling the range requires 6 dB of additional gain from the antennas
> at one end or the other.

Hi Dave,

First thank you for taking the time to help me and anyone who read this.

Second, I'm going to have to go slowly with you so I'll respond one by one.

Third, does your statement that 6 dB of gain equates to 2 times the range mean that the "square root" of the power difference is my key to calculating the range?

That is, is this range calculation from dB power roughly true (based on what you said)?

6 dB = 10^(6/10) ~= 4X the power, where the square root of 4X equals a doubling the range (assuming an omnidirectional antenna)?

Beverly

From -8903027415914643377
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!newssvr14.news.prodigy.com.POSTED!689056ff!not-for-mail
From: Beverly Erlebacher <bae@cs.toronto.edu>
Subject: Re: How to calculate increase of home wireless router range?
Newsgroups: alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net> <12ak2k0hqa77dae@corp.supernews.com> <ak3am11qrjdw$.12snkojoszmz0$.dlg@40tude.net>
Message-ID: <c12amw79hacg$.c2e0aki95z9k.dlg@40tude.net>
Followup-To: alt.internet.wireless
Lines: 19
NNTP-Posting-Host: 69.110.26.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1151997764 ST000 69.110.26.6 (Tue, 04 Jul 2006 03:22:44 EDT)
NNTP-Posting-Date: Tue, 04 Jul 2006 03:22:44 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: F[OIRZWGZZRAR_H]]RKB_UDAZZ\DPCPDLXUNNHLHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@FUG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXAQBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Tue, 04 Jul 2006 07:22:44 GMT
Xref: g2news2.google.com alt.internet.wireless:15718 rec.radio.amateur.homebrew:6009 rec.radio.amateur.equipment:5066

> 6 dB = 10^(6/10) ~= 4X the power, where the square root of 4X equals a

> doubling the range (assuming an omnidirectional antenna)?

I'm hoping I can extrapolate from the above statement to calculate the dB gain for the $150 Linksys WRT300N router which claims a 4X range improvement (so I can compare the $50 antenna's effect with that of the 802.11n router).

Following your lead, the power improvement necessary for a 4X range improvement is 4^2 = 16X power gain.

This 16X power gain then equates to about 12 dB (since 12 dB = 10^[12/10] ~= 16X power).

So, is it safe to calculate that the claimed 4X range improvement of the Linksys WRT300N wireless broadband router can be compared to that of a 12 dB gain omnidirectional antenna?

Beverly

From 950163117516932775
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!newssvr14.news.prodigy.com.POSTED!689056ff!not-for-mail
From: Beverly Erlebacher <bae@cs.toronto.edu>
Subject: Re: How to calculate increase of home wireless router range?
Newsgroups: alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net> <12ak2k0hqa77dae@corp.supernews.com>
Message-ID: <1aea0pztwz017$.67s063ytjufg.dlg@40tude.net>
Followup-To: alt.internet.wireless
Lines: 31
NNTP-Posting-Host: 69.110.26.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1151998613 ST000 69.110.26.6 (Tue, 04 Jul 2006 03:36:53 EDT)
NNTP-Posting-Date: Tue, 04 Jul 2006 03:36:53 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: FKPO@SRD\BSMR_LX]BCBNWX@RJ_XPDLMN@GZ_GYO^BTBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRVVMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]@CCB\[@LATPD\L@J\\PF]VR[QPJN

Date: Tue, 04 Jul 2006 07:36:53 GMT
Xref: g2news2.google.com alt.internet.wireless:15719
rec.radio.amateur.homebrew:6010 rec.radio.amateur.equipment:5067

On Tue, 04 Jul 2006 06:28:16 -0000, Dave Platt wrote:
>>Can you help me roughly CALCULATE how to increase the range of my home
>>Internet wireless WiFi setup to a shed 300 feet away from my house?
>
> dBi refers to gain relative to an "isotropic" antenna
> dBd refers to gain relative to a half-wave dipole
> dBi numbers are approximately 2 dB higher than dBd numbers,
> for the same actual amount of gain.

Hi Dave,

Oh my. I guess the Hawking marketing folks were trying to trick me by
quoting a decibel number that was higher those I compared with.
 15 dBi ~= 15 -2 ~= 13 dBd

That makes the $50 USD 15 dBi Hawking HAI15SC Hi_Gain Antenna drop down
from a gain of 32X power to only 20X power which gives me about a 4X range.

 13 dBd = 10^(13/10) power ~= 20x power

Assuming the square of the power is the range, I get 4X range.
 20^(1/2) ~= 4X range

Assuming my reliable range is 100 feet, that equates to 400 feet of range.
 100 feet * 4 = 400 feet range

Interestingly, for comparison purposes, that is the SAME RANGE that the
much more expensive Linksys (Cisco) WRT300N router claims.

Do these calculations make sense?
Beverly

From -496238415850582753
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!689056ff!not-for-mail
From: Beverly Erlebacher <bae@cs.toronto.edu>
Subject: Re: How to calculate increase of home wireless router range?
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0

```
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<12ak2k0hqa77dae@corp.supernews.com>
Message-ID: <8gaum8k8ji29$.1iy8idw960gcu.dlg@40tude.net>
Followup-To: alt.internet.wireless
Lines: 26
NNTP-Posting-Host: 69.110.26.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1151999318 ST000 69.110.26.6 (Tue, 04 Jul 2006
03:48:38 EDT)
NNTP-Posting-Date: Tue, 04 Jul 2006 03:48:38 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
F[OIRZWGZZRAR_H]]RKB_UDAZZ\DPCPDLXUNNHLHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Tue, 04 Jul 2006 07:48:38 GMT
Xref: g2news2.google.com alt.internet.wireless:15720
rec.radio.amateur.homebrew:6012 rec.radio.amateur.equipment:5068
```

On Tue, 04 Jul 2006 06:28:16 -0000, Dave Platt wrote:

>> Can you help me roughly CALCULATE how to increase the range of my home
>> Internet wireless WiFi setup to a shed 300 feet away from my house?

> 3 dB of additional gain equates to twice the delivered power at a
> specific range. Because power falls off in proportion to the square
> of the distance, twice the power yields sqrt(2) or about 1.4 times the
> range, all else being equal (which it often isn't).
>
> 6 dB of additional gain is four times the delivered power at a given
> distance, or twice the range for the same amount of power.

So that I may compare the different options available at the store to me for increasing my range, are these simplified calculations below correct?

a. 3 dBd additional gain = 10^(3/10) ~= 2x the delivered power
b. 2x power = 2^(1/2) effective range ~= 1.4X the range

b. 6 dBd additional gain = 10^(6/10) ~= 4x the delivered power
b. 4x power = 4^(1/2) effective range ~= 2X the range

Can someone let me know if these calculations are correct because that helps me equate the different antennas and routers to the one measure I desire, which is effective range in the area of 400 feet.

Beverly

```
From 7621684517351707792
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Thread: 10e958,10b86364b1aa1427,start
```

X-Google-Attributes: gid104fd2,gid108122,gid10e958,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!689056ff!not-for-mail
From: Beverly Erlebacher <bae@cs.toronto.edu>
Subject: Re: How to calculate increase of home wireless router range?
Newsgroups:
alt.internet.wireless,rec.radio.amateur.equipment,microsoft.public.broadbandnet.hardware
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<12ak2k0hqa77dae@corp.supernews.com>
Message-ID: <1dynvcz1px2i3.pow1c3m1ivsq.dlg@40tude.net>
Followup-To: alt.internet.wireless
Lines: 31
NNTP-Posting-Host: 69.110.26.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1152000413 ST000 69.110.26.6 (Tue, 04 Jul 2006 04:06:53 EDT)
NNTP-Posting-Date: Tue, 04 Jul 2006 04:06:53 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@MONXJT[SQD[GZOD]_\@VR]^@B@MCPWZKB]MPXHZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Tue, 04 Jul 2006 08:06:53 GMT
Xref: g2news2.google.com alt.internet.wireless:15723
rec.radio.amateur.equipment:5069 microsoft.public.broadbandnet.hardware:689

On Tue, 04 Jul 2006 06:28:16 -0000, Dave Platt wrote:

> There may be a cheaper way for you to get the gain you need, from your
> existing equipment, without spending any money at all. It's possible
> to fabricate a corner reflector, or (even better) a parabolic
> reflector, out of material as inexpensive as cardboard (or posterboard
> or something like that) lined with aluminum foil. Simply make one,
> and then set it behind your existing router's vertical antenna... aim
> the parabola in the direction of your shed and place the router's
> antenna at the focal point of the parabola. Aim carefully, and it
> wouldn't be surprising for you to get 8 - 10 dB of additional gain.

Hmm. I wonder. This is too good to be true. So, I will be a bit critical with you (i.e., the scientific method) just to "test" the assumption so that I can be sure I understand your position.

Assuming a 9 dBd increase in the directional gain from putting a pie tin behind one of my existing router antennas, that equates to either 280 or 380 feet of range based on the calculations below.

a) 9 dBd = 10^(9/10) power gain ~= 8x power gain
b) 8x power gain = sqrt(8) range gain ~= 2.8X range gain
c) 100 foot range * 2.8 ~= 280 foot range

I'm a bit confused about the "range gain". May I ask if thta 280 foot range is the total range or the range improvement?

That is, is my range with a pie tin behind the antenna 280 feet in toto; or is the range now the 100 original feet + 280 additional feet which equals 380 feet in toto?

Beverly

```
From 2494414238397526083
X-Google-Thread: 1131b0,10cddc590d61b501,start
X-Google-Thread: 108122,10cddc590d61b501,start
X-Google-Attributes: gid1131b0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a14g2000cwb.googlegroups.com!not-for-
mail
From: "rich" <rlucch2098@aol.com>
Newsgroups: sci.electronics.repair,rec.radio.amateur.equipment
Subject: FA: @$10>8 NOS HITACHI J50 2SJ50 POWER MOSFET TRANSISTORS>T-03
Date: 4 Jul 2006 07:12:23 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1152022342.956089.215600@a14g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152022348 29489 127.0.0.1 (4 Jul 2006 14:12:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Jul 2006 14:12:28 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a14g2000cwb.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com sci.electronics.repair:25556
rec.radio.amateur.equipment:5070
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220002948684&ssPageName=STRK:MESE:IT&ih=012

```
From 6041608371111924724
X-Google-Thread: 1118be,1d6df05280bb38c7,start
X-Google-Thread: 1131b0,1d6df05280bb38c7,start
X-Google-Thread: 108122,1d6df05280bb38c7,start
X-Google-Attributes: gid1118be,gid1131b0,gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j8g2000cwa.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups:
sci.electronics.components,sci.electronics.repair,rec.radio.amateur.equipment
Subject: FA: @$10>4 NOS HITACHI 2SK135 K135 POWER MOSFET TRANSISTORS NR
Date: 4 Jul 2006 07:13:58 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1152022437.817811.214090@j8g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152022443 29741 127.0.0.1 (4 Jul 2006 14:14:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Jul 2006 14:14:03 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j8g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com sci.electronics.components:5198
sci.electronics.repair:25557 rec.radio.amateur.equipment:5071

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220002948686&ssPageName=STRK:MESE:IT&ih=012



From 4971903936742987451
X-Google-Thread: 1118be,6e7ba91e22ce6d43,start
X-Google-Thread: 1131b0,6e7ba91e22ce6d43,start
X-Google-Thread: 108122,6e7ba91e22ce6d43,start
X-Google-Attributes: gid1118be,gid1131b0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups:
sci.electronics.components,sci.electronics.repair,rec.radio.amateur.equipment
Subject: FA: @$10>11 NOS HITACHI 2SK176 K176 POWER MOSFET TRANSISTORS NR
Date: 4 Jul 2006 07:14:57 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1152022497.304182.121420@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152022502 4570 127.0.0.1 (4 Jul 2006 14:15:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Jul 2006 14:15:02 +0000 (UTC)
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com sci.electronics.components:5199
sci.electronics.repair:25558 rec.radio.amateur.equipment:5072

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220002948690&ssPageName=STRK:MESE:IT&ih=012



From -2644009495306101618
X-Google-Thread: 1118be,4d8c7bf8398de5f2,start
X-Google-Thread: 1131b0,4d8c7bf8398de5f2,start
X-Google-Thread: 108122,4d8c7bf8398de5f2,start
X-Google-Attributes: gid1118be,gid1131b0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h44g2000cwa.googlegroups.com!not-for-
mail
From: "wa2rqy" <rlucch2098@aol.com>
Newsgroups:
sci.electronics.components,sci.electronics.repair,rec.radio.amateur.equipment
Subject: FA: @$10>TWO(2) NOS CTC BM70-12 V101 RF POWER TRANSISTORS-GOLD
Date: 4 Jul 2006 07:16:02 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1152022560.063863.286310@h44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152022567 30172 127.0.0.1 (4 Jul 2006 14:16:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Jul 2006 14:16:07 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h44g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com sci.electronics.components:5200
sci.electronics.repair:25559 rec.radio.amateur.equipment:5073

No Bids:-(
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220002948670&ssPageName=STRK:MESE:IT&ih=012



From -2500408851890891051
X-Google-Thread: 108122,d6d155d6f8d5fe34
```

X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
From: "JB" <1963@cybertime.net>
Date: Tue, 4 Jul 2006 09:29:58 -0700
Message-ID: <e8e6c8$fr5$1@madmax.keyway.net>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
Lines: 24
NNTP-Posting-Host: dialup-216-117-207-074.cybertime.net
Organization: Keyway Internet Services www.keyway.net
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.nuthinbutnews.com!sp6iad.superfeed.net!in1.nntp.be!news.keyway.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
X-Trace: madmax.keyway.net 1152031947 16229 216.117.207.74 (4 Jul 2006 16:52:27 GMT)
X-Complaints-To: abuse@keyway.net
NNTP-Posting-Date: Tue, 4 Jul 2006 16:52:27 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news2.google.com rec.radio.amateur.equipment:5074 rec.radio.amateur.policy:31957 rec.radio.scanner:3747 rec.radio.swap:4931

> Nickle Generals and Extras:
>
> If the 13 and 20 wpm CW exams came back and you had to pass the proper
> code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
> would you renew your license?

I always liked the idea of the 13/20 wpm requirements because it did push us to greater heights of achievment.

Some want to be Doctors and some want to be rice pickers. That should not be taken away from us. In one country I recall, it was mandated that ALL would be rice pickers at the barrel of an AK47 by sadistic nut jobs with a grudge against achievers. Of course the result was 2 classes: The bullies and the rice pickers. Perhaps the bullies had little regard for anything but rice and violence.

Mastering the code and advancing in speed requires determination and control of ones emotional state to allow the information to flow. This is very difficult for beligerant people to do, so they complain, bitch and cajole rather than just doing what needed to be done. As for the technical requirements. Not enough. Even beligerant people can learn to field strip a rifle.

From -6392127247568141246
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
From: "JB" <1963@cybertime.net>
Date: Tue, 4 Jul 2006 09:49:13 -0700
Message-ID: <e8e6cb$fr5$2@madmax.keyway.net>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com>
<xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>
<12ae1itttghi34@corp.supernews.com>
<1151867034.420762.224550@v61g2000cwv.googlegroups.com>
Lines: 146
NNTP-Posting-Host: dialup-216-117-207-074.cybertime.net
Organization: Keyway Internet Services www.keyway.net
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!38.119.100.148.MISMATCH!news-out2.newsfeeds.com!local!sp6iad.superfeed.net!in1.nntp.be!news.keyway.net!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
X-Trace: madmax.keyway.net 1152031949 16229 216.117.207.74 (4 Jul 2006 16:52:29 GMT)
X-Complaints-To: abuse@keyway.net
NNTP-Posting-Date: Tue, 4 Jul 2006 16:52:29 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news2.google.com rec.radio.amateur.equipment:5075
rec.radio.amateur.policy:31958 rec.radio.scanner:3748 rec.radio.swap:4932

One of the greatest mistakes people make is to try to analyze and manage things beyond their control. The ear/brain thing people are talking about is irrelevant.

The process is there if you let it happen. Designed by The Creator. Forget about concentration, forget about analysis. How many of you really think about all the connecting tissues that have to be pulled in order to just walk? Just start writing down on paper what you are hearing. Don't think about it at all. Above all find the peace to release the anxiety of missing a word or character and just continue. This is where the self-control comes in. Soon you will find the errors less and less and you will be able to fill in the missing characters and words by memory.

Find the peace of Jesus and all is yours.

<w7dahawk@gmail.com> wrote in message
news:1151867034.420762.224550@v61g2000cwv.googlegroups.com...
> Dave, you were wasting your time & effort on the wankers in here.
>
> Dave Platt wrote:
> > In article <xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>,
> > Slow Code <my.mail@no.spam> wrote:
> >
> > >What? I ask a friendly question as to who would re-new their license
if
> > >Code speeds were increased to what they should be and I get called a
> > >troll. Well eat shit and die. I got a real Extra class license. You
> > >nickle hams are really unfriendly assholes sometimes.
> >
> > Well, Slow Code, I'll give you a straight (and I hope friendly) answer
> > to your question. I'll then give you a straight (and I hope not-
> > unfriendly) explanation as to why I believe people are calling you a
> > troll.
> >
> > The first answer: well, I think I'd certainly *try* to renew my
> > license. My CW is distinctly rusty - I use it only rarely, and I'm
> > not sure I've ever managed to copy 13 WPM (let alone 20) well enough
> > to pass the one-minute-error-free barrier, or be able to answer the
> > necessary number of questions. So, it'd take a bunch of listening and
> > practice to reach that level.
> >
> > I'm not sure I have enough time free to do it. I've got a busy life,
> > work full-time plus a bit, and much of my ham-radio playing time goes
> > into other areas of the service (I'm an ARES/RACES AEC for my city, a
> > mutual-aid comms responder for the county, and I've put in a huge
> > boatload of hours over the past couple of years helping redesign and
> > rebuild and debug the local hospital's repeater system). Getting
> > really serious about doing high-speed CW would consume a lot of time,
> > which would necessarily subtract from my ability to (e.g.) spend many
> > hours of circuit analysis and modelling and experimentation to figure
> > out why the fancy commercial repeaters we bought had such
> > lousy-sounding audio (turns out the designer had mis-used the
> > discriminator IC, forcing it to "clip" the signal internally, *and*
> > had messed up the design of the de-emphasis network.)
> >
> > And, I have no assurance that I'd ever reach that level. As several
> > other people have commented, it's perfectly possible for people to
> > work, hard and honestly, at copying CW for years, and never be able to
> > reach the 13 WPM level. I strongly suspect that to some extent,
> > CW-copying is tied to certain sorts of neurological organization in
> > the ear/brain system - some people may be born with more potential
> > ability to handle high-speed CW than others. Effort or no, some
> > people seem unable to learn to copy CW at all, others can do so but

> > never become very good at it, and *many* people report hitting the "13
> > WPM wall" and never being able to copy reliably at rates much faster
> > than that.
> >
> > Now, in your previous epistles on the subject, you and your nym-clone
> > were advocating not only requiring testing for 13 WPM (General) and 20
> > WPM (Extra), but also making the no-code license a one-year
> > nonrenewable. If that proposal were accepted, there's a strong
> > possibility that I'd end up being kicked off of the air the next time
> > my license came due... either because I was unable to push up to 13
> > WPM no matter how hard I tried, or because I'd devoted my time to
> > other aspects of ham radio and hadn't taken time to study-up.
> >
> > So - that's my answer. I might end up being able to renew my license
> > (although probably not at the 20 WPM level), I might fail the CW test,
> > or I might just decide that the "old boy's club" had made it clear
> > that they didn't want anybody other than rabid CW operators on the
> > air, and decide to go do something else productive with my time.
> >
> > Now - that being said - let's address why you were being called a
> > troll. I think it's because it's quite clear to people reading these
> > threads that you have a serious agenda, sir. You've made several
> > attempts (apparently under several posting IDs - some refer to these
> > as "sock puppets") to drum up support for your CW Uber Alles rules
> > change proposal. You've scoffed at, or simply ignored, the many
> > people who have pointed out that your proposed changes are 180 degrees
> > out of phase with the international trends (i.e. the WARC rules), and
> > with the FCC's publicly-stated feelings on the matter, and that your
> > proposals are essentially equivalent to ones which have already been
> > ruled out by the Powers That Be.
> >
> > In short, the "what if?" question you asked is entirely hypothetical.
> > There's just no chance at all that the FCC would enact the sort of
> > CW-centric licensing rules you have proposed. Ain't gonna happen.
> > Your asking questions about "well, if it _did_, what would you do" is
> > probably part of why you're being called a troll.
> >
> > Numerous people have responded to you, expressing their opinions that
> > your rules would decimate the ranks of amateur radio by forcing off of
> > the air a large percentage of today's licensed operators. Your
> > "friendly question" seems to be intended to try to address that
> > question, but you phrased your inquiry in somewhat-loaded terms, and
> > in a way which almost guarantees that you won't receive an accurate
> > and unbiased set of answers which actually represent the feelings and
> > opinions of this newsgroup's readers.
> >
> > To sum it up, your way of presenting your agenda probably leads people
> > to believe that you aren't serious about debating or discussing the
> > issue... and that's probably another part of why you're being called a
> > troll.
> >
> > I agree with you that the Amateur Radio Service (and hobby) benefits
> > greatly from being hams to like to study, learn, advance their skills,

```
> > and use what they know. That's one of the specific purposes of amateur
> > radio here in the U.S., and I think it's great.
> >
> > I *disagree* with you that the ability to learn to copy CW at 13 - 20
> > WPM is, or should be, the "litmus test" which decides whether a person
> > is Worthy of being a ham.
> >
> > Your fixation on CW is, I think, actively interfering with your
> > ability to support ham radio by promoting *all* aspects of technical
> > and operational learning.  I believe that your attitude hurts ham
> > radio more than it helps.
> >
> > That's my $0.05 worth, adjusted for inflation.  Take it for what it's
> > worth for you.
> >
> > [and, I'm sorry to say, based on your past postings I don't really
> >  expect you to address the meat of what I've said.  I expect that
> >  you'll toss off a one- or two-liner, dismiss what I've written, and
> >  keep on as you have been.  I'd be pleasantly surprised to be wrong
> >  about this!]
> >
> > --
> > Dave Platt <dplatt@radagast.org>                                  AE6EO
> > Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> >   I do _not_ wish to receive unsolicited commercial email, and I will
> >      boycott any company which has the gall to send me such ads!
>




From 8257948385226512920
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!689056ff!not-for-mail
From: Beverly Erlebacher <bae@cs.toronto.edu>
Subject: Re: How to calculate increase of home wireless router range?
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<12ak2k0hqa77dae@corp.supernews.com> <1aea0pztwz017$.67s063ytjufg.dlg@40tude.net>
<4gveasF1oim3nU1@individual.net>
Message-ID: <tddozxncbbwg.16twuyku4z6j9$.dlg@40tude.net>
```

Followup-To: alt.internet.wireless
Lines: 36
NNTP-Posting-Host: 69.110.26.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1152032330 ST000 69.110.26.6 (Tue, 04 Jul 2006
12:58:50 EDT)
NNTP-Posting-Date: Tue, 04 Jul 2006 12:58:50 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[OIRZWGZZRAR_H]]RKB_UDAZZ\DPCPDLXUNNHXIJYWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Tue, 04 Jul 2006 16:58:50 GMT
Xref: g2news2.google.com alt.internet.wireless:15763
rec.radio.amateur.homebrew:6033 rec.radio.amateur.equipment:5076

On Tue, 4 Jul 2006 11:03:49 -0400, Peter Pan wrote:
>> Can you help me roughly CALCULATE how to increase the range of my
>> home Internet wireless WiFi setup to a shed 300 feet away
...
> I Had a linksys WRT54G in the house attached to my sat,
> and used one of the 4 router outputs to daisy chain one to the wan input of
> another WRT54G (same ssid) and a semi-directional antenna pointed towards
> the garage about 500ft away,

Hi Peter Pan,

Oh my! Is "wireless" daisy chaining workable? Is it that easy?

I did not think I could just daisy chain multiple routers! Are you sure?
(My shed has no power but I think I could run an extension cord into it if
that would make things workable.)

Would I just set the second Linksys router (which, amazingly, has it's own
wikipedia entry at http://en.wikipedia.org/wiki/WRT54G) in the shed on the
same channel (SSID=12, name = default) as the first router in the house?

That is, could I put one linksys WRT54G in the house (perhaps with one
antenna replaced with a 7 dBd higher-gain directional antenna); and then
put the other Linksys WRT54G in the shed 300 feet away (perhaps with one of
it's antennas replaced with a similar 7 dBd directional antenna)?

Or, is it best to hardwire with cat5 the first router downstairs in the
house to the second router, say upstairs in the attic window pointing the
antenna toward the shed? I didn't even know that two routers could be daisy
chained. That might solve my dilemma.

Can someone confirm that two routers could be daisy chained either by wire
cat5 cable or by wireless signals as long as they use the same SSID channel
and network name? That solution seems to easy to be true ...

Beverly

From 2704080840652217364
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!689056ff!not-for-mail
From: Beverly Erlebacher <bae@cs.toronto.edu>
Subject: Re: How to calculate increase of home wireless router range?
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<4mpka2djd7m3mf92pckoapdker2ek9hjb7@4ax.com>
Message-ID: <ly6pp2c8zwp.1eytm0wtuwomt.dlg@40tude.net>
Followup-To: alt.internet.wireless
Lines: 30
NNTP-Posting-Host: 69.110.26.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1152034818 ST000 69.110.26.6 (Tue, 04 Jul 2006
13:40:18 EDT)
NNTP-Posting-Date: Tue, 04 Jul 2006 13:40:18 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJONXJT[SQD[GZOD]_\@VR]^@B@MCPWZKB]MPXH@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Tue, 04 Jul 2006 17:40:18 GMT
Xref: g2news2.google.com alt.internet.wireless:15778
rec.radio.amateur.homebrew:6036 rec.radio.amateur.equipment:5077

On Tue, 04 Jul 2006 06:11:27 -0700, Dan Richardsonk6mhe wrote:
> If your goal is to increase your range then add an extender
> (hams would prefer to call them repeaters).

Oh my. The seemingly perfect option.

I had come across the concept of wireless "repeaters" in my initial
googling before I went to the store, e.g., in this Microsoft "how to
increase range" article
http://www.microsoft.com/athome/moredone/wirelesstips.mspx and in this
"Extending WLAN Range" article
http://www.wi-fiplanet.com/tutorials/article.php/1571601

The repeater most often recommended was the "Linksys Wireless-G Range
Expander WRE54G".

However, I can't find that 802.11b,g WiFi repeater (aka range expander or extender) anywhere in the local stores. The salesperson who sold me the $300 USD 802.11n router and PCMCIA card combination said they didn't work so they dropped it.

This solution seems to be the most elegant of all (but someone else suggested just using a second router).

Can someone unconfusify the situation?

Is placing a repeater (on the same SSID) in the shed really the same as adding a second router instead?

Beverly

```
From -6078531784664981377
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!689056ff!not-for-mail
From: Beverly Erlebacher <bae@cs.toronto.edu>
Subject: Re: How to calculate increase of home wireless router range?
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
User-Agent: 40tude_Dialog/2.0.15.1
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<6_xqg.86010$uP.64508@newsfe2-gui.ntli.net>
Message-ID: <11of8oney2ztt.1rzsok8gvo9mf.dlg@40tude.net>
Followup-To: alt.internet.wireless
Lines: 17
NNTP-Posting-Host: 69.110.26.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1152036416 ST000 69.110.26.6 (Tue, 04 Jul 2006
14:06:56 EDT)
NNTP-Posting-Date: Tue, 04 Jul 2006 14:06:56 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJSCTS@IRRX[AZOV__TDFZ\@@FXLM@TDOCQDJ@_@FN\CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Tue, 04 Jul 2006 18:06:56 GMT
Xref: g2news2.google.com alt.internet.wireless:15783
rec.radio.amateur.homebrew:6038 rec.radio.amateur.equipment:5078
```

On Tue, 04 Jul 2006 17:57:22 GMT, stephen wrote:
> but - you mentioned you could run power out to your shed. Why not plumb it
> in for power and networking?
> then you can add a separate access point there and avoid antennae, gain,
> loss through leaves and the rest.

Hi Stephen,
I'm confused about this "access point" thing.

Is that the same as a "router"?

Is it as simple as buying a second router (routers are familiar to me) and just hooking that second router to the first router by cable and that would extend my range by the distance of the cable connecting the two routers?

This is a key confusion point for me!
Beverly

From 3502689721043800723
X-Google-Thread: 108122,322c26b1bfd87b41
X-Google-Thread: 108228,322c26b1bfd87b41
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: konstans@homale.cum (an_old_friend)
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Subject: Re: FA: 1-Day-Left: 4 ELECTRONICS Books: ELECTRONICS - ELECTRICITY - CIRCUIT ANALYSIS, etc. - woger church.jpg (0/1)
Date: Tue, 04 Jul 2006 19:23:25 GMT
Message-ID: <44aac027.16394140@news.usenetzone.com>
References: <120520062310294057%chris@sjlkoiwjso.com>
X-Newsreader: Forte Free Agent 1.1/32.230
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server contains 140,000+ groups
Lines: 11
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.usenetzone.com!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:5079 alt.ham-radio.marketplace:1090

On Fri, 12 May 2006 23:10:29 -0400, Chris <chris@sjlkoiwjso.com>
wrote:

>
>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4638269078

Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

```
From 2672212816919275956
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit4.readnews.com!news-
out.readnews.com!transit3.readnews.com!news-out.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: How to calculate increase of home wireless router range?
Date: Tue, 4 Jul 2006 21:31:06 +0000 (UTC)
Organization: MGT Consulting
Lines: 48
Message-ID: <slrnealn4k.okj.gsm@cable.mendelson.com>
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<6_xqg.86010$uP.64508@newsfe2-gui.ntli.net>
<11of8oney2ztt.1rzsok8gvo9mf.dlg@40tude.net>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: dsl217-132-183-254.bb.netvision.net.il
X-Trace: marvin.misty.com 1152048666 380 217.132.183.254 (4 Jul 2006 21:31:06 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 4 Jul 2006 21:31:06 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com alt.internet.wireless:15813
rec.radio.amateur.homebrew:6046 rec.radio.amateur.equipment:5080
```

Beverly Erlebacher wrote:
> I'm confused about this "access point" thing.

An access point is a device with an ethernet port on one side and a wifi port on the other. In technical terms it would be called a "bridge". It "bridges" two seperate network segments, although in this case they use different topologies (100Base-T and WiFi).

> Is that the same as a "router"?

The usual WiFi router consists of a four port ethernet hub (LAN ports), a seperate single ethernet port (WAN port) and a WiFi access point. It is set up to "route" between the single (aka WAN) port and the other two ports, the LAN and WiFi. Most of what it does for routing is NAT (network address translation) and some sort of IP tunneling.

If you ignore the WAN port and just use the LAN ports, you have a four port hub and an access point.

> Is it as simple as buying a second router (routers are familiar to me) and

> just hooking that second router to the first router by cable and that would
> extend my range by the distance of the cable connecting the two routers?

Yes. Just make sure to use the LAN ports. It would be best to use different channels. Most WiFi clients are smart enough to use the channel that is the strongest if they have access points on more than one with the same SSID.

Make sure to use encryption. Encryption is NOT to keep your data safe, nothing can do that. If someone is intent on accessing your network, WEP encryption will not keep them out.

What it is for is to convince the guy driving down the street looking for an open network to send out SPAM, or "share" kiddie porn, to drive on. Unfortunately, most users don't even change the SSID of their network, let alone set an encryption key.

Having tuned in late, if you want to have an open network, look up PublicIP. It's a "live cd" that runs on a PII or better (x86) computer and provides all the functions you need to offer a secure and safe open network.

Geoff.

```
-- 
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
IL Voice: (07)-7424-1667  IL Fax: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/
```

```
From -2287223754589235900
X-Google-Thread: 1118be,1d6df05280bb38c7
X-Google-Thread: 1131b0,1d6df05280bb38c7
X-Google-Thread: 108122,1d6df05280bb38c7
X-Google-Attributes: gid1118be,gid1131b0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v61g2000cwv.googlegroups.com!not-for-
mail
From: "JeffM" <jeffm_@email.com>
Newsgroups:
sci.electronics.components,sci.electronics.repair,rec.radio.amateur.equipment
Subject: spam@ebay.com
Date: 4 Jul 2006 15:50:15 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1152053415.745468.270640@v61g2000cwv.googlegroups.com>
References: <1152022437.817811.214090@j8g2000cwa.googlegroups.com>
NNTP-Posting-Host: 198.147.225.81
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152053420 23061 127.0.0.1 (4 Jul 2006 22:50:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Jul 2006 22:50:20 +0000 (UTC)
In-Reply-To: <1152022437.817811.214090@j8g2000cwa.googlegroups.com>
User-Agent: G2/0.2
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/
20040803,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v61g2000cwv.googlegroups.com; posting-host=198.147.225.81;
   posting-account=i46l4AwAAAAew7zHwI51Viu6VS8e5qPU
Xref: g2news2.google.com sci.electronics.components:5206
sci.electronics.repair:25583 rec.radio.amateur.equipment:5081
```

wa2rqy wrote:
>http://cgi.ebay.com/

http://66.102.9.104/search?q=cache:GlWDaaVQapQJ:pages.ebay.co.uk/help/newtoebay/usenet-policy.html+*-users-may-not-post-on-Usenet-groups+zzz+suspend-the-user's-eBay-account

```
From -8743314798695775639
X-Google-Thread: 1118be,6e7ba91e22ce6d43
X-Google-Thread: 1131b0,6e7ba91e22ce6d43
X-Google-Thread: 108122,6e7ba91e22ce6d43
X-Google-Attributes: gid1118be,gid1131b0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "JeffM" <jeffm_@email.com>
Newsgroups:
sci.electronics.components,sci.electronics.repair,rec.radio.amateur.equipment
Subject: spam@ebay.com
Date: 4 Jul 2006 15:50:17 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1152053417.314366.277490@p79g2000cwp.googlegroups.com>
References: <1152022497.304182.121420@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 198.147.225.81
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152053422 23064 127.0.0.1 (4 Jul 2006 22:50:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Jul 2006 22:50:22 +0000 (UTC)
In-Reply-To: <1152022497.304182.121420@75g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/
20040803,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=198.147.225.81;
   posting-account=i46l4AwAAAAew7zHwI51Viu6VS8e5qPU
Xref: g2news2.google.com sci.electronics.components:5207
sci.electronics.repair:25584 rec.radio.amateur.equipment:5082
```

wa2rqy wrote:
>http://cgi.ebay.com/

```
http://66.102.9.104/search?q=cache:GlWDaaVQapQJ:pages.ebay.co.uk/help/newtoebay/
usenet-policy.html+*-users-may-not-post-on-Usenet-groups+zzz+suspend-the-user's-
eBay-account




From -7562125412419949565
X-Google-Thread: 1118be,4d8c7bf8398de5f2
X-Google-Thread: 1131b0,4d8c7bf8398de5f2
X-Google-Thread: 108122,4d8c7bf8398de5f2
X-Google-Attributes: gid1118be,gid1131b0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a14g2000cwb.googlegroups.com!not-for-
mail
From: "JeffM" <jeffm_@email.com>
Newsgroups:
sci.electronics.components,sci.electronics.repair,rec.radio.amateur.equipment
Subject: spam@ebay.com
Date: 4 Jul 2006 15:50:22 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1152053422.933388.174390@a14g2000cwb.googlegroups.com>
References: <1152022560.063863.286310@h44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 198.147.225.81
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152053427 23080 127.0.0.1 (4 Jul 2006 22:50:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Jul 2006 22:50:27 +0000 (UTC)
In-Reply-To: <1152022560.063863.286310@h44g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/
20040803,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a14g2000cwb.googlegroups.com; posting-host=198.147.225.81;
   posting-account=i46l4AwAAAAew7zHwI51Viu6VS8e5qPU
Xref: g2news2.google.com sci.electronics.components:5208
sci.electronics.repair:25585 rec.radio.amateur.equipment:5083

wa2rqy wrote:
>http://cgi.ebay.com/

http://66.102.9.104/search?q=cache:GlWDaaVQapQJ:pages.ebay.co.uk/help/newtoebay/
usenet-policy.html+*-users-may-not-post-on-Usenet-groups+zzz+suspend-the-user's-
eBay-account




From 878720128785350286
X-Google-Thread: 108122,724ac122127698d4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 04 Jul 2006 17:59:54 -0500
From: "garigue" <garigue@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-897
Date: Tue, 4 Jul 2006 19:00:48 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <_aKdnbOB_453bzfZnZ2dnUVZ_rGdnZ2d@comcast.com>
Lines: 12
NNTP-Posting-Host: 67.172.61.92
X-Trace: sv3-HG6Z2Ap4tJ7syh6O3PUsUsBaigQGpBlmqbq+14PZifLh5T2M8Vf+njYm/XTgooy2D/
TeC+rH9VJ7RAK!
RVewm4eYIUze6pTNvua6ssvRZ8BRvX7BUBBKQXIQhrY38uX09koHFpqXJqiyDNybFM2OnRDMAM7Y!
VoDOFOg9G7I=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5084

I am getting older and the 940 is getting heavier ..... looking at the 897 for FD use and as a backup .... I did check e-ham and the related comments which would probably fit essentially all the equipment out there .....My primary concern is if the 897 is an acceptable plus CW radio ..... I don't really care about the SSB attributes or deficits. Now don't say the K-2 with 100 watt amp as I built a K-2 and don't have the time at present to pursue another build ......although I really like that rig ..... Thanks in advance to all .

KI3R Tom Popovic Belle Vernon PA

From 8723140309990291399
X-Google-Thread: 108122,cb1c93ddcdcb5719,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!news.astraweb.com!
router2.astraweb.com!not-for-mail
From: "Antisocial" <fuck@off.you>
Subject: FOR SALE With Magnum Delta Force Voice Changer + more
Newsgroups: rec.radio.amateur.equipment
Date: Wed, 5 Jul 2006 10:52:22 +0100
Lines: 11
Message-ID: <44ab8b14$0$5432$c3e8da3@news.astraweb.com>
Organization: Unlimited download news at news.astraweb.com

```
NNTP-Posting-Host: 8ce4e3ce.news.astraweb.com
X-Trace: DXC=UIc3dIV03cMMnc]O[a9m]EL?0kYOcDh@JfXo`fjc^h`D[mW?[CZ_H4DB2gR[5K]
[\A]J^_bXIiQ1Ad0l]L3OTXG@=AU8U6db\?N
Xref: g2news2.google.com rec.radio.amateur.equipment:5085
```

Magnum Delta Force mobile 10 meter amater radio / CB US Version With Voice Changer and more It has been modified to output 70 watts (Bigger Final Outputs twin MRF's Fitted) and also has 10 Meter & Expanded Mode. Comes with a Zetagi Voice changer mic and Standard mic. Also with Sirio Mithos 9000 7/8 wave antenna and mag mount, 7-9 Amp PSU(UK Only) and X2 power leads (1 with cigarette Lighter fitting and the other with bannana plugs for PSU fitting).

Auction on EBAY ENDS 11/07/06 9pm BST Follow the link Bellow

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&ih=013&item=230004573090&

```
--------------=  Posted using GrabIt  =----------------
------=  Binary Usenet downloading made easy =---------
-=  Get GrabIt for free from http://www.shemes.com/  =-
```

```
From -4583021887073726833
X-Google-Thread: fc2a5,a3f9cfea7f966f0a,start
X-Google-Thread: 108122,a3f9cfea7f966f0a,start
X-Google-Attributes: gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a14g2000cwb.googlegroups.com!not-for-
mail
From: hikezilla@yahoo.com
Newsgroups: rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Parts for Sale
Date: 5 Jul 2006 10:27:13 -0700
Organization: http://groups.google.com
Lines: 76
Message-ID: <1152120433.359568.4860@a14g2000cwb.googlegroups.com>
NNTP-Posting-Host: 76.1.18.31
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152120438 12076 127.0.0.1 (5 Jul 2006 17:27:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jul 2006 17:27:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a14g2000cwb.googlegroups.com; posting-host=76.1.18.31;
   posting-account=l0dX3wwAAABasUfYSGqiXHoDIBZxG4oH
Xref: g2news2.google.com rec.radio.amateur.homebrew:6066
rec.radio.amateur.equipment:5087
```

I have moved my junkbox surplus stuff to a new website.

http://www.hamradparts.com

1N4148 Diodes $3.00 for 100, $4.00 for 200
1N4001 - 1 Amp 50v General Purpose Rectifier Diodes - $3.00 for 50

33pf NPO Caps, SMT 0805, 50V - $3.00 for 100
150pf NPO Caps, SMT 0805, 50V - $3.00 for 100
220pf NPO Caps, SMT 0805, 50V - $3.00 for 100
390pf Caps, SMT 1206, 50V - $3.00 for 100
1500pf NPO Caps, SMT 0805, 50V - $3.00 for 100
3300pf Caps, SMT 0805, 25V - $3.00 for 100
.1uF Caps, SMT 0805, 50V - $3.00 for 100

SPECIAL SMT PACK - 50 of each listed value $9.00
350 total parts

2N3704 NPN TO92 - 20 for $2.00
2N2907 PNP TO92 Package - $4.00 for 50
2N3904 NPN TO92 Package - $4.00 for 50
2N2222 NPN TO18 (metal) Package - 5 for $1.00
MMBT4403 PNP SMT transistor - 50 for $4.00

SPECIAL: 100pcs PN2222A Motorola $7.00- FREE SHIPPING

2N2222 NPN TO92 Package - $4.00 for 50
The 2N2222 is a bulk transistor...meaning the part is not labeled.
They ship in a Zip Lock packet and the packet is clearly labeled.

2N3906 PNP TO92 Package - $4.00 for 50
The 2N3906 is a bulk transistor...meaning the part is not labeled.
They ship in a Zip Lock packet and the packet is clearly labeled.

IRF510 - MOSFET AMP TO220 - 4 for $5.00

Crystal Ladder Filters anyone?
3.575611 Mhz HC49 Crystals - 5 for $2.00
4.9152 Mhz HC49 Crystals - 10 for $3.00
9.830 Mhz Crystals (SS2 package) - 20 for $3.00
LM7805ACV 5v Positive Voltage Regulators (TO220) 5 for $2.00
LM386N-1 - Audio Amp 6 for $5.00

Sticky Back Rubber Feet for your projects, self adhesive - 8 to a strip
- 2 Strips for $1.00

Panasonic Wall Warts - 12VDC, 500mA (center negative) $6.00 each
If you need center positiove, cut off the end and reverse it. I use
these to power my
rock mites, my TT2, and all of my homebrew test gear.

8pf NPO Ceramic 50 for $3.00
11pf NPO Ceramic 50 for $3.00
12pf NPO Ceramic 50 for $3.00
22pf Ceramic 50 for $3.00

470pf Ceramic 50 for $3.00
560pf Ceramic 50 for $3.00
.1 uF (104J) NPO Ceramic 50 for $3.00
.01uF (103K) Ceramic 50 for $3.00

SPECIAL PACK - 25 of each listed ceramic $10.00
200 parts total

Cash, check, paypal now accepted

Paypal to: orders@hamradparts.com

Add $3.00 shipping to any order under $50.00 unless you are ordering the special Motorola PN2222 transistors.

Brian Murrey
47 Grassy Drive
New Whiteland IN 46184

73 de KB9BVN

```
From 6442836911732835625
X-Google-Thread: 108122,2618f150d60e014a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j8g2000cwa.googlegroups.com!not-for-
mail
From: hikezilla@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: YK-455C-1 Needed
Date: 5 Jul 2006 10:34:53 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1152120892.973723.44600@j8g2000cwa.googlegroups.com>
NNTP-Posting-Host: 76.1.18.31
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152120898 13428 127.0.0.1 (5 Jul 2006 17:34:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jul 2006 17:34:58 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j8g2000cwa.googlegroups.com; posting-host=76.1.18.31;
   posting-account=l0dX3wwAAABasUfYSGqiXHoDIBZxG4oH
Xref: g2news2.google.com rec.radio.amateur.equipment:5088
```

I have an old TS 140 S and I would like to add the 500 Hz CW filter to it. If you have one for sale or trade, please let me know.

73 de KB9BVN

Brian Murrey

From 7761980083729533679
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
From: Slow Code <my.mail@no.spam>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
<44a81178$0$12726$ecde5a14@news.coretel.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 53
Message-ID: <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
Date: Wed, 05 Jul 2006 19:00:00 GMT
NNTP-Posting-Host: 4.230.3.100
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1152126000 4.230.3.100 (Wed, 05 Jul 2006 12:00:00 PDT)
NNTP-Posting-Date: Wed, 05 Jul 2006 12:00:00 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5089
rec.radio.amateur.policy:32065 rec.radio.scanner:3755 rec.radio.swap:4939

"clfe" <postmasternospam@clfurentnospam.com> wrote in
news:44a81178$0$12726$ecde5a14@news.coretel.net:

> "L. M. Rappaport" <nospam@invalid.org> wrote in message
> news:umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com...
>> On Fri, 30 Jun 2006 23:21:48 GMT, Slow Code <my.mail@no.spam> wrote
>> (with possible editing):
>>
>>>Phony's can ignore. This question doesn't apply to no-codes.
>>>
>>>
>>>Nickle Generals and Extras:
>>>
>>>If the 13 and 20 wpm CW exams came back and you had to pass the proper

```
>>>code exam for your class to renew, 13 wpm for general, 20 wpm for
>>>extra, would you renew your license?
>>
>> Yes, I would.  I admit it would take a bit of practice to get back to
>> 20 wpm, but I would do it.
>> --
>>
>> 73,
>> Larry W1HJF
>> rapp at lmr dot com
>
> Ya know what they say, if ya don't use it - ya lose it. We seem to lose
> track of more than code. Many lose track of some of the theory, formulas
> and so on they've learned to get their license. There are times you
> don't seem to need it, but just when you do - you stumble for it. It is
> best to "try" to stay as active as you can in some aspect of radio. It
> is a shame to study, test, get your license only to let it all be for
> naught. Even  by going through the news groups and reading the "tech"
> aspects of repairing and so on, you can at least keep that part of it
> alive.
>
> Just my 2 cents.
>
> Lou - KA3FLU


That is why I have always proposed that licenses shouldn't be
automatically renewable.  When a license expires or is just about to
expire the ham must retake and pass all exam elements required for that
license class before it can be renewed again.

99% of the hams on usenet hate my proposal.  They think you shouldn't have
to be proficient at anything to have a ham radio license.  I think the
reason all this came about was after ham radio was dumbed down by
restructuring alot of CB'ers were able to get licensed and oppose anything
that might required you work to be proficient and valuable asset to the
service.

SC



From -1315884481507294068
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
207.217.77.102!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
```

rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
From: Slow Code <my.mail@no.spam>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<e8e6c8$fr5$1@madmax.keyway.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 31
Message-ID: <S_Tqg.21$vO.16@newsread4.news.pas.earthlink.net>
Date: Wed, 05 Jul 2006 19:00:02 GMT
NNTP-Posting-Host: 4.230.3.100
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1152126002 4.230.3.100 (Wed, 05 Jul 2006 12:00:02 PDT)
NNTP-Posting-Date: Wed, 05 Jul 2006 12:00:02 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5090
rec.radio.amateur.policy:32066 rec.radio.scanner:3756 rec.radio.swap:4940

"JB" <1963@cybertime.net> wrote in news:e8e6c8$fr5$1@madmax.keyway.net:

>> Nickle Generals and Extras:
>>
>> If the 13 and 20 wpm CW exams came back and you had to pass the proper
>> code exam for your class to renew, 13 wpm for general, 20 wpm for
>> extra, would you renew your license?
>
> I always liked the idea of the 13/20 wpm requirements because it did
> push us to greater heights of achievment.
>
> Some want to be Doctors and some want to be rice pickers. That should
> not be taken away from us. In one country I recall, it was mandated
> that ALL would be rice pickers at the barrel of an AK47 by sadistic nut
> jobs with a grudge against achievers. Of course the result was 2
> classes: The bullies and the rice pickers. Perhaps the bullies had
> little regard for anything but rice and violence.
>
> Mastering the code and advancing in speed requires determination and
> control of ones emotional state to allow the information to flow. This
> is very difficult for beligerant people to do, so they complain, bitch
> and cajole rather than just doing what needed to be done. As for the
> technical requirements. Not enough. Even beligerant people can learn
> to field strip a rifle.
>
>

Did rice production increase?

sc

```
From 3021282080823O8514
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!elnk-pas-nf1!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: A question for nickle Generals and Extras. Would you renew your
license?
From: Slow Code <my.mail@no.spam>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com>
<xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>
<12ae1itttghi34@corp.supernews.com>
<1151867034.420762.224550@v61g2000cwv.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 137
Message-ID: <W_Tqg.22$vO.10@newsread4.news.pas.earthlink.net>
Date: Wed, 05 Jul 2006 19:00:06 GMT
NNTP-Posting-Host: 4.230.3.100
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1152126006 4.230.3.100 (Wed, 05 Jul 2006
12:00:06 PDT)
NNTP-Posting-Date: Wed, 05 Jul 2006 12:00:06 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5091
rec.radio.amateur.policy:32067 rec.radio.scanner:3757 rec.radio.swap:4941

"w7dahawk@gmail.com" <w7dahawk@gmail.com> wrote in
news:1151867034.420762.224550@v61g2000cwv.googlegroups.com:

> Dave, you were wasting your time & effort on the wankers in here.
>
> Dave Platt wrote:
>> In article <xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>,
>> Slow Code  <my.mail@no.spam> wrote:
>>
>> >What?  I ask a friendly question as to who would re-new their license
>> >if Code speeds were increased to what they should be and I get called
>> >a troll.  Well eat shit and die.  I got a real Extra class license.
>> >You nickle hams are really unfriendly assholes sometimes.
>>
>> Well, Slow Code, I'll give you a straight (and I hope friendly) answer
>> to your question.  I'll then give you a straight (and I hope not-
>> unfriendly) explanation as to why I believe people are calling you a
>> troll.
>>
```

>> The first answer: well, I think I'd certainly *try* to renew my
>> license. My CW is distinctly rusty - I use it only rarely, and I'm
>> not sure I've ever managed to copy 13 WPM (let alone 20) well enough
>> to pass the one-minute-error-free barrier, or be able to answer the
>> necessary number of questions. So, it'd take a bunch of listening and
>> practice to reach that level.
>>
>> I'm not sure I have enough time free to do it. I've got a busy life,
>> work full-time plus a bit, and much of my ham-radio playing time goes
>> into other areas of the service (I'm an ARES/RACES AEC for my city, a
>> mutual-aid comms responder for the county, and I've put in a huge
>> boatload of hours over the past couple of years helping redesign and
>> rebuild and debug the local hospital's repeater system). Getting
>> really serious about doing high-speed CW would consume a lot of time,
>> which would necessarily subtract from my ability to (e.g.) spend many
>> hours of circuit analysis and modelling and experimentation to figure
>> out why the fancy commercial repeaters we bought had such
>> lousy-sounding audio (turns out the designer had mis-used the
>> discriminator IC, forcing it to "clip" the signal internally, *and*
>> had messed up the design of the de-emphasis network.)
>>
>> And, I have no assurance that I'd ever reach that level. As several
>> other people have commented, it's perfectly possible for people to
>> work, hard and honestly, at copying CW for years, and never be able to
>> reach the 13 WPM level. I strongly suspect that to some extent,
>> CW-copying is tied to certain sorts of neurological organization in
>> the ear/brain system - some people may be born with more potential
>> ability to handle high-speed CW than others. Effort or no, some
>> people seem unable to learn to copy CW at all, others can do so but
>> never become very good at it, and *many* people report hitting the "13
>> WPM wall" and never being able to copy reliably at rates much faster
>> than that.
>>
>> Now, in your previous epistles on the subject, you and your nym-clone
>> were advocating not only requiring testing for 13 WPM (General) and 20
>> WPM (Extra), but also making the no-code license a one-year
>> nonrenewable. If that proposal were accepted, there's a strong
>> possibility that I'd end up being kicked off of the air the next time
>> my license came due... either because I was unable to push up to 13
>> WPM no matter how hard I tried, or because I'd devoted my time to
>> other aspects of ham radio and hadn't taken time to study-up.
>>
>> So - that's my answer. I might end up being able to renew my license
>> (although probably not at the 20 WPM level), I might fail the CW test,
>> or I might just decide that the "old boy's club" had made it clear
>> that they didn't want anybody other than rabid CW operators on the
>> air, and decide to go do something else productive with my time.
>>
>> Now - that being said - let's address why you were being called a
>> troll. I think it's because it's quite clear to people reading these
>> threads that you have a serious agenda, sir. You've made several
>> attempts (apparently under several posting IDs - some refer to these
>> as "sock puppets") to drum up support for your CW Uber Alles rules

>> change proposal. You've scoffed at, or simply ignored, the many
>> people who have pointed out that your proposed changes are 180 degrees
>> out of phase with the international trends (i.e. the WARC rules), and
>> with the FCC's publicly-stated feelings on the matter, and that your
>> proposals are essentially equivalent to ones which have already been
>> ruled out by the Powers That Be.
>>
>> In short, the "what if?" question you asked is entirely hypothetical.
>> There's just no chance at all that the FCC would enact the sort of
>> CW-centric licensing rules you have proposed. Ain't gonna happen.
>> Your asking questions about "well, if it _did_, what would you do" is
>> probably part of why you're being called a troll.
>>
>> Numerous people have responded to you, expressing their opinions that
>> your rules would decimate the ranks of amateur radio by forcing off of
>> the air a large percentage of today's licensed operators. Your
>> "friendly question" seems to be intended to try to address that
>> question, but you phrased your inquiry in somewhat-loaded terms, and
>> in a way which almost guarantees that you won't receive an accurate
>> and unbiased set of answers which actually represent the feelings and
>> opinions of this newsgroup's readers.
>>
>> To sum it up, your way of presenting your agenda probably leads people
>> to believe that you aren't serious about debating or discussing the
>> issue... and that's probably another part of why you're being called a
>> troll.
>>
>> I agree with you that the Amateur Radio Service (and hobby) benefits
>> greatly from being hams to like to study, learn, advance their skills,
>> and use what they know. That's one of the specific purposes of amateur
>> radio here in the U.S., and I think it's great.
>>
>> I *disagree* with you that the ability to learn to copy CW at 13 - 20
>> WPM is, or should be, the "litmus test" which decides whether a person
>> is Worthy of being a ham.
>>
>> Your fixation on CW is, I think, actively interfering with your
>> ability to support ham radio by promoting *all* aspects of technical
>> and operational learning. I believe that your attitude hurts ham
>> radio more than it helps.
>>
>> That's my $0.05 worth, adjusted for inflation. Take it for what it's
>> worth for you.

I know you're right.

Hams just want to be appliance operators these days and they don't want
license exams that will interfere with them getting to those appliances
even though it means being less worthy. I don't see anyone modernizing
like everyone says is happening. They just get their licenses and grab a
microphone. What percentage of hams have a computer connected to a

radio? Probably less than 30%. Hams don't want to modernize. Guess we just have live with inferior operators on the bands from here on out. Then again, maybe hams shouldn't be required to be knowledgable or have skills. Requiring skill and knowledge is too old skool. Everything must be outcome based these days, even licensing. It ain't like we have to help out in emergencies or anything. Thanks Dave, I hadn't thought about it like that before.

73'SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS

sc

```
From 4092413881585119044
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
From: Hey Stupid <my.mail@no.spam>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 24
Message-ID: <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
Date: Wed, 05 Jul 2006 19:00:12 GMT
NNTP-Posting-Host: 4.230.3.100
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1152126012 4.230.3.100 (Wed, 05 Jul 2006
12:00:12 PDT)
NNTP-Posting-Date: Wed, 05 Jul 2006 12:00:12 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5092
rec.radio.amateur.misc:16087 rec.radio.amateur.policy:32069 rec.radio.scanner:3758
rec.radio.swap:4942
```

"an_old_friend" <konstans@hotmail.com> wrote in
news:1151813081.512042.20390@a14g2000cwb.googlegroups.com:

>

> Merlin3rd wrote:
>> The hobby is almost dead anyway,nothing is going to save it. No one
>> cares about Ham radio.Most people under 30 have never heard of it and
>> don't care. All they want is their cell phones, Ipods,etc. The FCC
>> can't save it by changing anything.
> perhaps not but others think otherwise
>
> OTOH the "proposal" of mr Slow Code aka Hey Stupid would finsh finsh
> the ARS in 10 ten years

Just exactly what are you trying to babble out now? Having more qualified hams will kill the service? An amateur radio license isn't worth enough that you should have to work for it? License candidates are lazy and won't work to get a license?

Please babble to us how requiring more proficient amateurs will kill ham radio.

sc

```
From -6973341575375854134
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!l70g2000cwa.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 5 Jul 2006 12:04:06 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1152126246.202107.153020@l70g2000cwa.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
   <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
   <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
   <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152126251 23852 127.0.0.1 (5 Jul 2006 19:04:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jul 2006 19:04:11 +0000 (UTC)
```

```
In-Reply-To: <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: l70g2000cwa.googlegroups.com; posting-host=69.19.14.20;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5093
rec.radio.amateur.misc:16089 rec.radio.amateur.policy:32071 rec.radio.scanner:3760
rec.radio.swap:4943


Hey Stupid wrote:
> "an_old_friend" <konstans@hotmail.com> wrote in
> news:1151813081.512042.20390@a14g2000cwb.googlegroups.com:
>
> >
> > Merlin3rd wrote:
> >> The hobby is almost dead anyway,nothing is going to save it. No one
> >> cares about Ham radio.Most people under 30 have never heard of it and
> >> don't care. All they want is their cell phones, Ipods,etc. The FCC
> >> can't save it by changing anything.
> > perhaps not but others think otherwise
> >
> > OTOH the "proposal" of mr Slow Code aka Hey Stupid would finsh finsh
> > the ARS in 10 ten years
>
>
> Just exactly what are you trying to babble out now?  Having more qualified
> hams will kill the service?
no Mr Stpuid (your choosen nick

crating a sate affiars where almost no one still quialiies for any
license would do so
> An amateur radio license isn't worth enough
> that you should have to work for it?
no it isn't
> License candidates are lazy and
> won't work to get a license?
>
> Please babble to us how requiring more proficient amateurs will kill ham
> radio.
why I never said anysuch thing Mr stupid
>
> sc




From 1011995027776659783
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
```

```
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: A question for nickle Generals and Extras. Would you renew your
license?
Date: 5 Jul 2006 12:08:43 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1152126522.992195.134410@75g2000cwc.googlegroups.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
   <umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
   <44a81178$0$12726$ecde5a14@news.coretel.net>
   <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152126528 29052 127.0.0.1 (5 Jul 2006 19:08:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jul 2006 19:08:48 +0000 (UTC)
In-Reply-To: <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=69.19.14.20;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5094
rec.radio.amateur.policy:32074 rec.radio.scanner:3761 rec.radio.swap:4944


Slow Code wrote:
> "clfe" <postmasternospam@clfurentnospam.com> wrote in
> news:44a81178$0$12726$ecde5a14@news.coretel.net:
>

>
> That is why I have always proposed that licenses shouldn't be
> automatically renewable.  When a license expires or is just about to
> expire the ham must retake and pass all exam elements required for that
> license class before it can be renewed again.
not that bad an idea it is just the rest of your shit that would kill
off the ars



From 2335361669783880605
X-Google-Thread: 106d41,5a4ca2affd537c29,start
X-Google-Thread: 1109af,5a4ca2affd537c29,start
```

```
X-Google-Thread: 108122,5a4ca2affd537c29,start
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: anythingkinky@gmail.com
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Give up CB for Ham?
Date: 5 Jul 2006 12:59:29 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 198.232.250.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152129575 305 127.0.0.1 (5 Jul 2006 19:59:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jul 2006 19:59:35 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 IWSS1:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=198.232.250.21;
   posting-account=MeFBrwwAAAA3cCSzHY49loY3o97xKmcj
Xref: g2news2.google.com rec.radio.cb:12895 rec.radio.swap:4945
rec.radio.amateur.equipment:5095
```

Alot of people are telling me that CB is just for inbred hicks and that
I should replace the CB in my truck with a ham radio.   What do you
think?

```
From -2190100942756764133
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!news-hog.berkeley.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-10!sn-xt-sjc-06!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: A question for nickle Generals and Extras.  Would you renew your
license?
Date: Wed, 05 Jul 2006 20:06:15 -0000
Organization: Home for Obscure Mythical Beings
```

```
Message-ID: <12ao6tn3lejic25@corp.supernews.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
<44a81178$0$12726$ecde5a14@news.coretel.net>
<Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.equipment:5096
rec.radio.amateur.policy:32075 rec.radio.scanner:3762 rec.radio.swap:4946

In article <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>,
Slow Code  <my.mail@no.spam> wrote:

>99% of the hams on usenet hate my proposal.

I can well believe that.

>                                      They think you shouldn't have
>to be proficient at anything to have a ham radio license.

Nonsense.  That's an illogical conclusion on your part, and _not_
something which has been stated, or can reasonably be inferred from
the postings that I have seen in these threads.

--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From 3833905745401685656
X-Google-Thread: 108122,478a1a7d3fe88e29,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 10 Jul 2006 20:31:44 -0500
Date: Mon, 10 Jul 2006 21:31:46 -0400
From: VOA SWLer <Reply_Here@bogus.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Sept 9+10 - ARRL MDC Section Convention
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <g4idnYzvte8dYi_ZnZ2dnUVZ_tCdnZ2d@comcast.com>
Lines: 6
```

```
NNTP-Posting-Host: 69.140.138.43
X-Trace: sv3-rHMO2dKOadlJDVRpw6IF5+h7TEJE9ZKpAwYQgLeNbuukGNRNMpS2A5bNH/
cBj1lzF6Zg4mKOgrVhpkT!
ZVHn0NRVGQSVTDyqdIAg0Xdfc4Prf829qZGCirb7zlvmBCPyjY1pqGT7I86CepU8dplWJ/UsJvX5!
7oy0K0Wbpw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5197
```

Click on:
  <http://www.farfest.org/> for info.

```
From 6119287931874567 26
```

```
From 6119287931187456726
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
Date: Mon, 10 Jul 2006 21:33:59 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152581554 24.186.218.38 (Mon, 10 Jul 2006 18:32:34 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 18:32:34 MST
Organization: Optimum Online
```

Xref: g2news2.google.com rec.radio.amateur.equipment:5198
rec.radio.amateur.misc:16278 rec.radio.amateur.policy:32644 rec.radio.scanner:3821
rec.radio.swap:5067

On 10 Jul 2006 08:36:15 -0700, "K5LDB.Leo@gmail.com"
<K5LDB.Leo@gmail.com> wrote:

>Radio Buff wrote:

>> Code elements should be 13 wpm for General, and 20 wpm for Extra.

>Code should not be a part of the license test anymore than PSK or any
>other operating mode.

I think that's one of the problems here. CW isn't just an operating
mode - it's a language, and the test already includes one language, so
testing for knowledge of a language isn't anything new.

There's NEVER been a test of CW operating mode, technique or ability -
just proficiency with the language of International Morse. Since one
must demonstrate proficiency with another language (English) to obtain
a license, it's a matter of degree, not a matter of kind.

From 760626505023248929
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <3206b2t1k7tfae27vj1mi5haubqufcq14e@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<RMzsg.5943$ye3.3343@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit
Lines: 22
Date: Mon, 10 Jul 2006 21:39:00 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152581856 24.186.218.38 (Mon, 10 Jul 2006 18:37:36 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 18:37:36 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5199 rec.radio.amateur.misc:16280 rec.radio.amateur.policy:32645 rec.radio.scanner:3822 rec.radio.swap:5068

On Mon, 10 Jul 2006 21:37:53 GMT, Slow Code <my.mail@no.spam> wrote:

>"J. D. B." <duffyb01@nospamfuse.net> wrote in
>news:e1727$44b0e747$d06640f9$2410@FUSE.NET:

>> No, please tell us how requiring code tests and more difficult technical
>> testing creates a "more proficient" ham?

>> When code testing was 13/20 WPM and the technical tests were much
>> harder, we still had all the idiots on the bands. Those idiots are not
>> more proficient. You are simply ignoring reality. Do you live in a cave
>> or something?

>You must be one of them lazy hams.

He's right, though. Anyone who ever heard K2SUC out of Nutley, NJ,
would agree. The repeater wars of the 60s and 70s. The 146.715
repeater on Long Island in the early 70s.

We've had our share of pre-VEC idiots. But it was never as bad as
even some of the things you hear on 75 these days. I rarely plug a
mic in.

From -1524319769866247327
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 10 Jul 2006 18:40:07 -0700

```
Organization: http://groups.google.com
Lines: 30
Message-ID: <1152582007.620885.261930@35g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152582012 7442 127.0.0.1 (11 Jul 2006 01:40:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 01:40:12 +0000 (UTC)
In-Reply-To: <jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.equipment:5200
rec.radio.amateur.misc:16281 rec.radio.amateur.policy:32646 rec.radio.scanner:3825
rec.radio.swap:5069


Al Klein wrote:
> On 10 Jul 2006 08:36:15 -0700, "K5LDB.Leo@gmail.com"
> <K5LDB.Leo@gmail.com> wrote:
>
> >Radio Buff wrote:
>
> >> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> >Code should not be a part of the license test anymore than PSK or any
> >other operating mode.
>
> I think that's one of the problems here.  CW isn't just an operating
> mode - it's a language, and the test already includes one language, so
> testing for knowledge of a language isn't anything new.
the test do no t include another lange or even english as a lang

but it is load of bullto say Morse is a language
>
> There's NEVER been a test of CW operating mode, technique or ability -
> just proficiency with the language of International Morse.
agreed
>  Since one
> must demonstrate proficiency with another language (English) to obtain
> a license, it's a matter of degree, not a matter of kind.
no such requirement exists indeed if you can read then the question and
answers are suposed to read to you and your aswers taken down

no requirement to understand english exists in order to be licensed
```

```
From 1244295331531261092
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Date: 10 Jul 2006 18:48:09 -0700
Organization: http://groups.google.com
Lines: 76
Message-ID: <1152582489.270076.79630@m73g2000cwd.googlegroups.com>
References: <umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
   <44a81178$0$12726$ecde5a14@news.coretel.net>
   <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
   <12ao6tn3lejic25@corp.supernews.com>
   <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
   <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
   <hooao3-52h.ln1@chris.org>
   <1152562871.315238.193850@75g2000cwc.googlegroups.com>
   <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
   <1152568340.158713.100600@m79g2000cwm.googlegroups.com>
   <57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152582495 31476 127.0.0.1 (11 Jul 2006 01:48:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 01:48:15 +0000 (UTC)
In-Reply-To: <57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.30;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.equipment:5201
rec.radio.amateur.policy:32647 rec.radio.scanner:3827 rec.radio.swap:5070
```

Al Klein wrote:

> On 10 Jul 2006 14:52:20 -0700, "an old friend" <kb9rqz@hotmail.com>
> wrote:
>

> >Slow Code wrote:
>
> >>You
> >> have to pass a test for the privileges. If you can't pass the test like
> >> Techs used to have to pass, you get no privileges to operate and have to
> >> go back to CB with everyone else that can't pass a test and acts retarded.
> >> You earn privileges, licenses aren't totally free handouts from the FCC
> >> yet, as much as you people wish they were.
>
> >I already earned those prevlidges
>
> Earned? By what? Filling out an application? Memorizing enough
> answers to just pass the written exam?
exactly the same way you did by passing the tests required at the time
>
> >> The no-code license was a bad idea to begin
> >> with anyway.
>
> >perhaps it was (I don't agree it was but I will grant it might be)
> >but it is 20 years too late for that discussion
>
> It's never too late to correct a mistake.
if it were a mistake the only bigger mistake would be to elimate half
of the curent numbers of licensees

but in any case the FCC will never take my prevledges thay have made
that clear accordingly you need to learn to deal with what is instaned
of trying to overturn history
>
> >>You couldn't have got licensed under the old system.
>
> >Acualy I could have gotten one
>
> It was you who said, "I having never been able to passa code test", so
> you couldn't have.
>
you spoke too soon
> >by simply accepting the offer of those testing to lie and say that I
> >tooked the recieve I passed one and tranmtiing test I took a month
> >later and passed (while failig n that day) and claim they taken and
> >passed the same day
>
> That's not passing, that's cheating. If you're old enough to go to
> school you're old enough to know the difference.
so it is cheating it still is obtaining a license

>
> >but you clearly hate what the ARS is
>
> If he hated it he wouldn't care what it's become.
he hates the ARS today his manner makes that plain
>He cares because he
> DOESN'T hate it.

```
no he thinks or igmagine he can hijack it
>
> >and you would enact a sytem that would kill they ARS as it is if you
> >had the power
>
> There were plenty of hams when 13 wpm was the entry level.  A 5 wpm
> code test and a *real* written test wouldn't kill it, it would just
> separate those who are willing to do what it takes to be hams from
> those who just want the license without the work.
maybe nut the current entry rates sugest otherwise and He does not
propose 5wpm and writeen test he prososes 13 wpm and a total lack of an
effective entry class and elimiating half the current licees and likely
a lot more than that


and any "paln" that involves dumping 300,000 hams right of the bat is
pretty going to finish off the ARS




From -1223219327164005655
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44B309A6.44A7CD72@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
 right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 123
Date: Tue, 11 Jul 2006 02:15:26 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152584126 24.110.34.161 (Mon, 10 Jul
2006 19:15:26 PDT)
NNTP-Posting-Date: Mon, 10 Jul 2006 19:15:26 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5202
rec.radio.amateur.misc:16282 rec.radio.amateur.policy:32648 rec.radio.scanner:3828
rec.radio.swap:5071

Slow Code wrote:
>
> "K5LDB.Leo@gmail.com" <K5LDB.Leo@gmail.com> wrote in
> news:1152545775.566443.34660@35g2000cwc.googlegroups.com:
>
> > I am a new ham and will respond to this based on being new. I got my
> > license last year at age 48 so I'm neither a kid nor a senior. I've
> > been tested and scored at 136 so I'm not a genius but am far from a
> > dummy. I mention these things to give a general picture of who I am and
> > where my position comes from.
> >
> > Radio Buff wrote:
> >>
> >> No more automatic renewals. Individuals must retest and pass all
> >> elements required for their license class.
> >
> > Although I see the reasoning behind this request I disagree. There are
> > older hams who wouldn't be able to pass their license class test but
> > who still enjoy participating in their nets and talking to their circle
> > of ham friends. I don't want to be the one to take that away from a
> > senior ham who is hurting absolutely no one by enjoying their hobby.
> > The fact they might not pass the Extra test means nothing.
>
> Yes it does mean something. It means they're appliance operators.  They
> pass their exams once then forget everything and don't want to advance
> themselves anymore or be proficient hams.  They're not an asset to the
> service, they're just lazy asses with licenses and only want to operate
> appliances.
>
> > Radio Buff isn't going to want to give up enjoying radio when he/she is
> > older and can't pass the exam either.
>
> If I can't pass the tests, I don't deserve a license, or renewel. I don't
> get to operate if I can't qualify. It's that simple.  You people think
> that if someone can't pass a test, they should get the license anyway.
> It's a government handout just like how you get your welfare checks and
> food stamps in the mail at your project housing.  Your Democrat party
> outcome based thinking is what is distroying Amateur radio and America.
> Everyone is equal and if you want to excel and improve yourself there is
> something wrong with you because your not supposed to want to do that.
>
> >>
> >> The passing score for written exams needs to be raised to 85%.
> >
> > I have no problem with this provided the exam is similar. If you want
> > to raise the minimum score required while also increasing the
> > difficulty level of the exam by 20-25% the combination will make it too
```

> > difficult for many. You will kill amateur radio because there will be
> > far fewer coming into the hobby than going SK.
>
> Quality or quantity? You people that want things easy always say
> requiring more qualified licensees will kill the service. You're against
> quality because it require you have to work a little. Well, If you ever
> need radio help in an emergency to save lives & property, and the ham
> operator you talk to on the other end is an incompetant retard, I'll bet
> you'd wished for quality then.
>
> >>
> >> Code elements should be 13 wpm for General, and 20 wpm for Extra.
> >
> > Code should not be a part of the license test anymore than PSK or any
> > other operating mode. There are so many different ways to enjoy and
> > utilize amateur radio today that were not available decades ago that
> > make code no longer a necessity. Mandating code skills is now similar
> > to mandating slide rule skills for an engineer. It is an excellent tool
> > and anyone capable of using it has a true skill. That said, there is
> > nothing that can't be done by one without slide rule skills. They may
> > be at a disadvantage at certain times and in certain specific locations
> > and scenarios but for the most part the individual with the slide rule
> > skills has no true advantage today as they did a few decades ago. The
> > same holds true with code.
>
> Yah, we can't require quality or skill for a license. I know you're right.
> We gotta be like CB'ers.
>
> > I do believe there should be a segment of the bands each license class
> > is authorized that is reserved for those with code in their license. It
> > just shouldn't be a requirement any longer. It keeps otherwise
> > intelligent and capable people away from the hobby and the goal should
> > be to bring them in not keep them away.
>
> Code isn't a requirement, you can always talk on CB, FRS, and cell phones
> all you want.
>
> >>
> >> Make the no-code license one year non-renewable.
> >
> > This point is pointless with the sensible approach outlined above.
>
> No, it's not pointless. It insures licenses will improve and will be
> valuable to the service. I know you would hate that because in another
> month you would either have to upgrade or loose your ticket.
>
> Doesn't anyone else here want to save ham radio? I'm getting tired of
> arguing with the lazy asses. I hope some of you cared and want to help me
> save ham radio enough that you emailed this to President Bush, your
> Senators and Congressmen to press the FCC does the right thing for us:
>
> No more automatic renewals. Individuals must retest and
> pass all elements required for their license class.

>
> The passing score for written exams needs to be raised to 85%.
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Make the no-code license one year non-renewable.
>
> 73, Thanks for your support.
>
> SC

Dipshit. If code is the only way to go, why are you using text for your usenet messages? Can you say "Hypocrite"

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From -8913398865526373545
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "K5LDB.Leo@gmail.com" <K5LDB.Leo@gmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 10 Jul 2006 19:19:33 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1152584373.885138.68150@h48g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 68.241.126.47
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152584378 13783 127.0.0.1 (11 Jul 2006 02:19:38 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Tue, 11 Jul 2006 02:19:38 +0000 (UTC)
In-Reply-To: <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=68.241.126.47;
   posting-account=de7XWg0AAABJ-Dzm5GSGz6x1RhxrXouc
Xref: g2news2.google.com rec.radio.amateur.equipment:5203
rec.radio.amateur.misc:16283 rec.radio.amateur.policy:32649 rec.radio.scanner:3829
rec.radio.swap:5072

Slow Code wrote:......
<snip>

I have never seen such a pompous, egotistical, arrogant horse's rear.
You insult and denigrate anyone not holding the erroneous and outdated
beliefs you espouse. You make assumptions about the character and
education level of those who disagree, all of which are negative and
insulting even though you know nothing of the person. You are wrong,
both in your closed minded refusal to even attempt to see the other
side of your mis-struck coin and moreso in your rude and insulting
manner.

From 617537901206117038
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Message-ID: <q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
References: <12ao6tn3lejic25@corp.supernews.com>
<HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
<1152317014.712095.168630@m79g2000cwm.googlegroups.com> <hooao3-52h.ln1@chris.org>
<1152562871.315238.193850@75g2000cwc.googlegroups.com>
<0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
<1152568340.158713.100600@m79g2000cwm.googlegroups.com>
<57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
<1152582489.270076.79630@m73g2000cwd.googlegroups.com>

```
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 112
Date: Mon, 10 Jul 2006 22:23:17 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152584513 24.186.218.38 (Mon, 10 Jul 2006 19:21:53 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 19:21:53 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5204
rec.radio.amateur.policy:32650 rec.radio.scanner:3830 rec.radio.swap:5073

On 10 Jul 2006 18:48:09 -0700, "an old friend"
<kb9rqz-MCM@hotmail.com> wrote:

>Al Klein wrote:
>> On 10 Jul 2006 14:52:20 -0700, "an old friend" <kb9rqz@hotmail.com>
>> wrote:

>> >I already earned those prevlidges

>> Earned?  By what?  Filling out an application?  Memorizing enough
>> answers to just pass the written exam?
>exactly the same way you did by passing the tests required at the time

There's a difference between earning and being able to get with no
effort.

>> >> The no-code license was a bad idea to begin
>> >> with anyway.
>>
>> >perhaps it was (I don't agree it was but I will grant it might be)
>> >but it is 20 years too late for that discussion
>>
>> It's never too late to correct a mistake.
>if it were a mistake the only bigger mistake would be to elimate half
>of the curent numbers of licensees

That you have an opinion doesn't make the opinion something that
should be government policy.  Who do you think you are, Bush?  (Oh,
forget that - his opinion isn't worth as much as yours.)

>but in any case the FCC will never take my prevledges thay have made
>that clear

Right - the government NEVER changes anything.  Are you really that
naive?

> accordingly you need to learn to deal with what is instaned
>of trying to overturn history
```

I have nothing to deal with - I'm licensed, and could keep my license if they made 20 wpm, or digital mode testing, a yearly requirement. The biggest problem would be freeing up a day to get to wherever the test was being given.

>> >Acualy I could have gotten one

>> It was you who said, "I having never been able to passa code test", so
>> you couldn't have.

>you spoke too soon

No, you could have stolen a license - you couldn't have been licensed. There's a difference. Robbing a bank isn't earning a salary.

>> That's not passing, that's cheating. If you're old enough to go to
>> school you're old enough to know the difference.

>so it is cheating it still is obtaining a license

That's about what it's come to these days, isn't it? We can't hurt people's feelings by telling them that they're just not qualified to do what they want to do. The kid fails all his tests and never turns in homework? Hey, he's still a high school graduate. Let his boss suffer.

For many years, my CCNY degree was worthless, because anyone could get one. Whether they could pass the tests, or not even sign their name, mad no difference. That little escapade has changed. Maybe some day a ham ticket will mean something again too. Right now all it means is that you took the time to apply for it.

>> >but you clearly hate what the ARS is

>> If he hated it he wouldn't care what it's become.

>he hates the ARS today his manner makes that plain

>>He cares because he
>> DOESN'T hate it.

>no he thinks or igmagine he can hijack it

It's BEEN hijacked - he's trying to get it back.

>> >and you would enact a sytem that would kill they ARS as it is if you
>> >had the power
>>
>> There were plenty of hams when 13 wpm was the entry level. A 5 wpm
>> code test and a *real* written test wouldn't kill it, it would just
>> separate those who are willing to do what it takes to be hams from
>> those who just want the license without the work.

>maybe nut the current entry rates sugest otherwise

Correlation isn't cause. Who needs ham radio with cell phones and the
internet? (I spent a lot of my ham effort maintaining an HT so that I
had communications when I was out and about. A cell phone's so much
easier.)

> and He does not
>propose 5wpm and writeen test he prososes 13 wpm and a total lack of an
>effective entry class and elimiating half the current licees and likely
>a lot more than that

Oh, you mean the way it used to be, when there were plenty of hams.

>and any "paln" that involves dumping 300,000 hams right of the bat is
>pretty going to finish off the ARS

Seems to me we had a pretty good ARS when we only has 100,000 hams. If
dumping 300,000 means losing half, it means having 3 times the number
we used to have. How is tripling "finishing off"?

From 1759377330339547111
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <1t26b2t91fqopt31f7qcjjjlh9r02jv8jn@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
<1152582007.620885.261930@35g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Mon, 10 Jul 2006 22:25:23 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net

X-Trace: fe10.lga 1152584639 24.186.218.38 (Mon, 10 Jul 2006 19:23:59 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 19:23:59 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5205
rec.radio.amateur.misc:16284 rec.radio.amateur.policy:32651 rec.radio.scanner:3831
rec.radio.swap:5074

On 10 Jul 2006 18:40:07 -0700, "an old friend"
<kb9rqz-MCM@hotmail.com> wrote:

>but it is load of bullto say Morse is a language

Your opinion, not that of those who can converse in it.

>no such requirement exists indeed if you can read then the question and
>answers are suposed to read to you and your aswers taken down

Languageless? You MUST demonstrate proficiency in at least ONE
language to get a license, even today. A code test is demonstrating
proficiency in two languages - not a major step.

From -3615095906179579310
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
35g2000cwc.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Date: 10 Jul 2006 19:42:37 -0700
Organization: http://groups.google.com
Lines: 127
Message-ID: <1152585757.621645.246930@35g2000cwc.googlegroups.com>
References: <12ao6tn3lejic25@corp.supernews.com>
   <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
   <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
   <hooao3-52h.ln1@chris.org>
   <1152562871.315238.193850@75g2000cwc.googlegroups.com>
   <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
   <1152568340.158713.100600@m79g2000cwm.googlegroups.com>
   <57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
   <1152582489.270076.79630@m73g2000cwd.googlegroups.com>
   <q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152585762 17332 127.0.0.1 (11 Jul 2006 02:42:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 02:42:42 +0000 (UTC)
In-Reply-To: <q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.equipment:5206
rec.radio.amateur.policy:32652 rec.radio.scanner:3833 rec.radio.swap:5075


Al Klein wrote:
> On 10 Jul 2006 18:48:09 -0700, "an old friend"
> <kb9rqz-MCM@hotmail.com> wrote:
>
> >Al Klein wrote:
> >> On 10 Jul 2006 14:52:20 -0700, "an old friend" <kb9rqz@hotmail.com>
> >> wrote:
>
> >> >I already earned those prevlidges
>
> >> Earned?  By what?  Filling out an application?  Memorizing enough
> >> answers to just pass the written exam?
> >exactly the same way you did by passing the tests required at the time
>
> There's a difference between earning and being able to get with no
> effort.
I spent plenty of effort overthe years
>
> >> >> The no-code license was a bad idea to begin
> >> >> with anyway.
> >>
> >> >perhaps it was (I don't agree it was but I will grant it might be)
> >> >but it is 20 years too late for that discussion
> >>
> >> It's never too late to correct a mistake.
> >if it were a mistake the only bigger mistake would be to elimate half
> >of the curent numbers of licensees
>
> That you have an opinion doesn't make the opinion something that
> should be government policy.
sure thing you do the same
> Who do you think you are, Bush?  (Oh,
> forget that - his opinion isn't worth as much as yours.)
never said d thtat either
>
> >but in any case the FCC will never take my prevledges thay have made
> >that clear
>
```

> Right - the government NEVER changes anything. Are you really that
> naive?
never no not soon yes

>
> > accordingly you need to learn to deal with what is instaned
> >of trying to overturn history
>
> I have nothing to deal with - I'm licensed, and could keep my license
> if they made 20 wpm, or digital mode testing, a yearly requirement.
yes you wold have to deal with thresult of ruining the ARS
> The biggest problem would be freeing up a day to get to wherever the
> test was being given.
and having any freqs left to operate on
>
> >> >Acualy I could have gotten one
>
> >> It was you who said, "I having never been able to passa code test", so
> >> you couldn't have.
>
> >you spoke too soon
>
> No, you could have stolen a license - you couldn't have been licensed.
no I could have aloowed other to
> There's a difference. Robbing a bank isn't earning a salary.
lots of differences but at least I am in touch with the real world
>
> >> That's not passing, that's cheating. If you're old enough to go to
> >> school you're old enough to know the difference.
>
> >so it is cheating it still is obtaining a license
>
> That's about what it's come to these days, isn't it?
that offer was 30 years ago

> >> >but you clearly hate what the ARS is
>
> >> If he hated it he wouldn't care what it's become.
>
> >he hates the ARS today his manner makes that plain
>
> >>He cares because he
> >> DOESN'T hate it.
>
> >no he thinks or igmagine he can hijack it
>
> It's BEEN hijacked - he's trying to get it back.
if it was hijackewd that was 26 years ago theat service does not exist
anymore
>
> >> >and you would enact a sytem that would kill they ARS as it is if you
> >> >had the power
> >>

> >> There were plenty of hams when 13 wpm was the entry level. A 5 wpm
> >> code test and a *real* written test wouldn't kill it, it would just
> >> separate those who are willing to do what it takes to be hams from
> >> those who just want the license without the work.
>
> >maybe nut the current entry rates sugest otherwise
>
> Correlation isn't cause.
but it does relate to results

>
> > and He does not
> >propose 5wpm and writeen test he prososes 13 wpm and a total lack of an
> >effective entry class and elimiating half the current licees and likely
> >a lot more than that
>
> Oh, you mean the way it used to be, when there were plenty of hams.
vs the the preusre exerted for our bands
>
> >and any "paln" that involves dumping 300,000 hams right of the bat is
> >pretty going to finish off the ARS
>
> Seems to me we had a pretty good ARS when we only has 100,000 hams. If
> dumping 300,000 means losing half, it means having 3 times the number
> we used to have. How is tripling "finishing off"?
becuase it would be halfing not triplling and to assume it is only
halfing is generous many of the current generald and extra would be
weed out withon 10 years
if ham radio looks like it it is dying we will loose oour bands to
anyone that wants em indded a likely result would losing many of ou r
hf bands bands to literaly an extpanded CB service our vhf and up
would be savaged

and we would be powerless to resist

From 7127706960000392383
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.

```
Date: 10 Jul 2006 19:53:45 -0700
Organization: http://groups.google.com
Lines: 51
Message-ID: <1152586425.346210.254860@h48g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
   <1152582007.620885.261930@35g2000cwc.googlegroups.com>
   <1t26b2t91fqopt31f7qcjjjlh9r02jv8jn@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152586429 19136 127.0.0.1 (11 Jul 2006 02:53:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 02:53:49 +0000 (UTC)
In-Reply-To: <1t26b2t91fqopt31f7qcjjjlh9r02jv8jn@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.equipment:5207
rec.radio.amateur.misc:16285 rec.radio.amateur.policy:32653 rec.radio.scanner:3834
rec.radio.swap:5076


Al Klein wrote:
> On 10 Jul 2006 18:40:07 -0700, "an old friend"
> <kb9rqz-MCM@hotmail.com> wrote:
>
> >but it is load of bullto say Morse is a language
>
> Your opinion, not that of those who can converse in it.
my opinion yes but also a fact Morse code is no more a language than
Crillic is

it is simply an alphabet

you can exchange a limited amount of info using the stand codes but you
can say "do you walk or run by the sea" in morse to any one that does
not speak or read english first

you are simply spreading ignorance al
>
> >no such requirement exists indeed if you can read then the question and
> >answers are suposed to read to you and your aswers taken down
>
> Languageless?
yes indeed although it easier if you do understand english not required

not suree if you can take the test in spanish  (or other ;lang)right
off but if not now soon I expect it will be possible
```

> You MUST demonstrate proficiency in at least ONE
> language to get a license, even today.

nope no such requirement exists not for techs not generals and not
extras either

indeed you point out the way you can get a license without demtating
skill with english if you simply memroize all the questions and answers
their remains no requirement that you understand the content, that task
is easier if you know english but not a requirement

where is this requirement for lang skill in part 97?

> A code test is demonstrating
> proficiency in two languages - not a major step.

expect you are never required to demostrate profiicentcy in any
language at all
and if you were 2 languages would twice one and Code is NOT a langauage
just an alphabet

Indeeded the ignorance of Hams that spread such tales have been one of
the tools the No Code movement has been using against you

```
From 7815957473309560527
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!be5.nntpserver.com!not-for-mail
Reply-To: "CW" <No-NoCodeidiots@CW4EVER.biz>
From: "CW" <No-NoCodeidiots@CW4EVER.biz>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
References: <12ao6tn3lejic25@corp.supernews.com>
<HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
<1152317014.712095.168630@m79g2000cwm.googlegroups.com> <hooao3-52h.ln1@chris.org>
<1152562871.315238.193850@75g2000cwc.googlegroups.com>
<0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
<1152568340.158713.100600@m79g2000cwm.googlegroups.com>
<57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
<1152582489.270076.79630@m73g2000cwd.googlegroups.com>
<q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Date: Mon, 10 Jul 2006 22:03:09 -0500
```

```
Organization: Just say No to No Code Morons
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Lines: 134
Message-ID: <44b307ab$0$9395$88260bb3@free.teranews.com>
NNTP-Posting-Date: 11 Jul 2006 02:06:37 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5208
rec.radio.amateur.policy:32654 rec.radio.scanner:3835 rec.radio.swap:5077


"Al Klein" <rukbat@pern.invalid> wrote in message
news:q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com...
> On 10 Jul 2006 18:48:09 -0700, "an old friend"
> <kb9rqz-MCM@hotmail.com> wrote:
>
>>Al Klein wrote:
>>> On 10 Jul 2006 14:52:20 -0700, "an old friend" <kb9rqz@hotmail.com>
>>> wrote:
>
>>> >I already earned those prevlidges
>
>>> Earned?  By what?  Filling out an application?  Memorizing enough
>>> answers to just pass the written exam?
>>exactly the same way you did by passing the tests required at the time
>
> There's a difference between earning and being able to get with no
> effort.
>
>>> >> The no-code license was a bad idea to begin
>>> >> with anyway.
>>>
>>> >perhaps it was (I don't agree it was but I will grant it might be)
>>> >but it is 20 years too late for that discussion
>>>
>>> It's never too late to correct a mistake.
>>if it were a mistake the only bigger mistake would be to elimate half
>>of the curent numbers of licensees
>
> That you have an opinion doesn't make the opinion something that
> should be government policy.  Who do you think you are, Bush?  (Oh,
> forget that - his opinion isn't worth as much as yours.)
>
>>but in any case the FCC will never take my prevledges thay have made
>>that clear
>
> Right - the government NEVER changes anything.  Are you really that
> naive?
>
>> accordingly you need to learn to deal with what is instaned
```

>>of trying to overturn history
>
> I have nothing to deal with - I'm licensed, and could keep my license
> if they made 20 wpm, or digital mode testing, a yearly requirement.
> The biggest problem would be freeing up a day to get to wherever the
> test was being given.
>
>>> >Acualy I could have gotten one
>
>>> It was you who said, "I having never been able to passa code test", so
>>> you couldn't have.
>
>>you spoke too soon
>
> No, you could have stolen a license - you couldn't have been licensed.
> There's a difference. Robbing a bank isn't earning a salary.
>
>>> That's not passing, that's cheating. If you're old enough to go to
>>> school you're old enough to know the difference.
>
>>so it is cheating it still is obtaining a license
>
> That's about what it's come to these days, isn't it? We can't hurt
> people's feelings by telling them that they're just not qualified to
> do what they want to do. The kid fails all his tests and never turns
> in homework? Hey, he's still a high school graduate. Let his boss
> suffer.
>
> For many years, my CCNY degree was worthless, because anyone could get
> one. Whether they could pass the tests, or not even sign their name,
> mad no difference. That little escapade has changed. Maybe some day
> a ham ticket will mean something again too. Right now all it means is
> that you took the time to apply for it.
>
>>> >but you clearly hate what the ARS is
>
>>> If he hated it he wouldn't care what it's become.
>
>>he hates the ARS today his manner makes that plain
>
>>>He cares because he
>>> DOESN'T hate it.
>
>>no he thinks or igmagine he can hijack it
>
> It's BEEN hijacked - he's trying to get it back.
>
>>> >and you would enact a sytem that would kill they ARS as it is if you
>>> >had the power
>>>
>>> There were plenty of hams when 13 wpm was the entry level. A 5 wpm
>>> code test and a *real* written test wouldn't kill it, it would just
>>> separate those who are willing to do what it takes to be hams from

```
>>> those who just want the license without the work.
>
>>maybe nut the current entry rates sugest otherwise
>
> Correlation isn't cause.  Who needs ham radio with cell phones and the
> internet?  (I spent a lot of my ham effort maintaining an HT so that I
> had communications when I was out and about.  A cell phone's so much
> easier.)
>
>> and He does not
>>propose 5wpm and writeen test he prososes 13 wpm and a total lack of an
>>effective entry class and elimiating half the current licees and likely
>>a lot more than that
>
> Oh, you mean the way it used to be, when there were plenty of hams.
>
>>and any "paln" that involves dumping 300,000 hams right of the bat is
>>pretty going to finish off the ARS
>
> Seems to me we had a pretty good ARS when we only has 100,000 hams. If
> dumping 300,000 means losing half, it means having 3 times the number
> we used to have.  How is tripling "finishing off"?
Al,
with all due respect to you as a fellow ham I strongly disagree with your
position. I got my ticket the so called "right" way. I've held an advanced
(WA4***) class since I had to drive to the nearest office for for the
written and cw.
Remember when the dam questions weren't even allowed to be published?
Remember those stupid ass ARRL study manuals?Al,how was that better?
Remember when the Dick Bash system came along? As I remember new hams would
mail Dick the questions they remembered and a crude study manual slowly
developed into a pretty accurate (for the time) guide.
Then guys started passing using the system. The "real" hams figured the guys
who used the Dick Bash system weren't real hams "like them". Because they
passed the "right" way and the new guys were, well, you know, what you say
about the techs now.








--
Posted via a free Usenet account from http://www.teranews.com




From -3217465193044973267
X-Google-Thread: 108122,5eec9db99deaecfd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
```

```
From: "gil" <gi1pi@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Ramsey 80m QRP
Date: 10 Jul 2006 20:28:29 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1152588509.213636.34920@75g2000cwc.googlegroups.com>
NNTP-Posting-Host: 24.225.172.240
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152588514 24716 127.0.0.1 (11 Jul 2006 03:28:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 03:28:34 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=24.225.172.240;
   posting-account=W-cZMg0AAAD6pmUIPaJTixPoW2XfnzcF
Xref: g2news2.google.com rec.radio.amateur.equipment:5209

http://cgi.ebay.com/Ramsey-80m-QRP-
transmitter_W0QQitemZ170004945220QQihZ007QQcategoryZ4675QQssPageNameZWDVWQQrdZ1QQc
mdZViewItem



From 553149894320959520
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: kb9rqz_fruit@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Date: 10 Jul 2006 20:55:23 -0700
Organization: http://groups.google.com
Lines: 139
Message-ID: <1152590123.428726.310350@p79g2000cwp.googlegroups.com>
References: <12ao6tn3lejic25@corp.supernews.com>
   <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
   <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
   <hooao3-52h.ln1@chris.org>
   <1152562871.315238.193850@75g2000cwc.googlegroups.com>
   <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
   <1152568340.158713.100600@m79g2000cwm.googlegroups.com>
   <57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
   <1152582489.270076.79630@m73g2000cwd.googlegroups.com>
   <q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
   <44b307ab$0$9395$88260bb3@free.teranews.com>
NNTP-Posting-Host: 4.153.250.117
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152590128 20196 127.0.0.1 (11 Jul 2006 03:55:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 03:55:28 +0000 (UTC)
In-Reply-To: <44b307ab$0$9395$88260bb3@free.teranews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
yie6),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=4.153.250.117;
   posting-account=smZcKA0AAABE1XVfLs8ejIes2OMTpvtU
Xref: g2news2.google.com rec.radio.amateur.equipment:5210
rec.radio.amateur.policy:32655 rec.radio.scanner:3837 rec.radio.swap:5080

whta why why you wat to bash my dick gte hlp forgerer
CW wrote:
> "Al Klein" <rukbat@pern.invalid> wrote in message
> news:q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com...
> > On 10 Jul 2006 18:48:09 -0700, "an old friend"
> > <kb9rqz-MCM@hotmail.com> wrote:
> >
> >>Al Klein wrote:
> >>> On 10 Jul 2006 14:52:20 -0700, "an old friend" <kb9rqz@hotmail.com>
> >>> wrote:
> >
> >>> >I already earned those prevlidges
> >
> >>> Earned?  By what?  Filling out an application?  Memorizing enough
> >>> answers to just pass the written exam?
> >>exactly the same way you did by passing the tests required at the time
> >
> > There's a difference between earning and being able to get with no
> > effort.
> >
> >>> >> The no-code license was a bad idea to begin
> >>> >> with anyway.
> >>>
> >>> >perhaps it was (I don't agree it was but I will grant it might be)
> >>> >but it is 20 years too late for that discussion
> >>>
> >>> It's never too late to correct a mistake.
> >>if it were a mistake the only bigger mistake would be to elimate half
> >>of the curent numbers of licensees
> >
> > That you have an opinion doesn't make the opinion something that
> > should be government policy.  Who do you think you are, Bush?  (Oh,
> > forget that - his opinion isn't worth as much as yours.)
```

> >
> >>but in any case the FCC will never take my prevledges thay have made
> >>that clear
> >
> > Right - the government NEVER changes anything. Are you really that
> > naive?
> >
> >> accordingly you need to learn to deal with what is instaned
> >>of trying to overturn history
> >
> > I have nothing to deal with - I'm licensed, and could keep my license
> > if they made 20 wpm, or digital mode testing, a yearly requirement.
> > The biggest problem would be freeing up a day to get to wherever the
> > test was being given.
> >
> >>> >Acualy I could have gotten one
> >
> >>> It was you who said, "I having never been able to passa code test", so
> >>> you couldn't have.
> >
> >>you spoke too soon
> >
> > No, you could have stolen a license - you couldn't have been licensed.
> > There's a difference. Robbing a bank isn't earning a salary.
> >
> >>> That's not passing, that's cheating. If you're old enough to go to
> >>> school you're old enough to know the difference.
> >
> >>so it is cheating it still is obtaining a license
> >
> > That's about what it's come to these days, isn't it? We can't hurt
> > people's feelings by telling them that they're just not qualified to
> > do what they want to do. The kid fails all his tests and never turns
> > in homework? Hey, he's still a high school graduate. Let his boss
> > suffer.
> >
> > For many years, my CCNY degree was worthless, because anyone could get
> > one. Whether they could pass the tests, or not even sign their name,
> > mad no difference. That little escapade has changed. Maybe some day
> > a ham ticket will mean something again too. Right now all it means is
> > that you took the time to apply for it.
> >
> >>> >but you clearly hate what the ARS is
> >
> >>> If he hated it he wouldn't care what it's become.
> >
> >>he hates the ARS today his manner makes that plain
> >
> >>>He cares because he
> >>> DOESN'T hate it.
> >
> >>no he thinks or igmagine he can hijack it
> >

> > It's BEEN hijacked - he's trying to get it back.
> >
> >>> >and you would enact a sytem that would kill they ARS as it is if you
> >>> >had the power
> >>>
> >>> There were plenty of hams when 13 wpm was the entry level. A 5 wpm
> >>> code test and a *real* written test wouldn't kill it, it would just
> >>> separate those who are willing to do what it takes to be hams from
> >>> those who just want the license without the work.
> >
> >>maybe nut the current entry rates sugest otherwise
> >
> > Correlation isn't cause. Who needs ham radio with cell phones and the
> > internet? (I spent a lot of my ham effort maintaining an HT so that I
> > had communications when I was out and about. A cell phone's so much
> > easier.)
> >
> >> and He does not
> >>propose 5wpm and writeen test he prososes 13 wpm and a total lack of an
> >>effective entry class and elimiating half the current licees and likely
> >>a lot more than that
> >
> > Oh, you mean the way it used to be, when there were plenty of hams.
> >
> >>and any "paln" that involves dumping 300,000 hams right of the bat is
> >>pretty going to finish off the ARS
> >
> > Seems to me we had a pretty good ARS when we only has 100,000 hams. If
> > dumping 300,000 means losing half, it means having 3 times the number
> > we used to have. How is tripling "finishing off"?
> Al,
> with all due respect to you as a fellow ham I strongly disagree with your
> position. I got my ticket the so called "right" way. I've held an advanced
> (WA4***) class since I had to drive to the nearest office for for the
> written and cw.
> Remember when the dam questions weren't even allowed to be published?
> Remember those stupid ass ARRL study manuals?Al,how was that better?
> Remember when the Dick Bash system came along? As I remember new hams would
> mail Dick the questions they remembered and a crude study manual slowly
> developed into a pretty accurate (for the time) guide.
> Then guys started passing using the system. The "real" hams figured the guys
> who used the Dick Bash system weren't real hams "like them". Because they
> passed the "right" way and the new guys were, well, you know, what you say
> about the techs now.
>
>
>
>
>
>
> --
> Posted via a free Usenet account from http://www.teranews.com

```
From -1895455918603293750
X-Google-Thread: fb049,c3b5dea1c65658c9,start
X-Google-Thread: 108122,c3b5dea1c65658c9,start
X-Google-Thread: 107ada,c3b5dea1c65658c9,start
X-Google-Thread: f64c6,c3b5dea1c65658c9,start
X-Google-Attributes: gidfb049,gid108122,gid107ada,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.linkpendium.com!
news.linkpendium.com!panix!not-for-mail
From: me <no.spam@here.com>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment,rec.radio.amateur.misc,uk.radio.amateur
Subject: BC898T  - HELP - ( Please )
Date: Tue, 11 Jul 2006 00:42:47 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 15
Message-ID: <44B32C47.9AFC757@here.com>
NNTP-Posting-Host: 216.191.211.132
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: reader2.panix.com 1152592587 19272 216.191.211.132 (11 Jul 2006 04:36:27
GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 11 Jul 2006 04:36:27 +0000 (UTC)
X-Mailer: Mozilla 4.76 [en] (Win95; U)
X-Accept-Language: en
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:2195
rec.radio.amateur.equipment:5211 rec.radio.amateur.misc:16287
uk.radio.amateur:46023


       Computer crashed, had to replace hard drive.

       My BC898T  and  ARC898 Software had to be reinstalled. No longer
have the passwords.  Uniden & Butel (who I purchased the software from)
will not give me the passwords that I already paid for - to reinstall
the software.

Would greatly appreciate the passwords for these programs

Thank you






From 2932581757800788642
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
```

X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Jul 2006 04:53:19 -0500
Date: Tue, 11 Jul 2006 10:53:18 +0100
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060516 SeaMonkey/1.0.2
MIME-Version: 1.0
Newsgroups: alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: How to calculate increase of home wireless router range?
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net> <6_xqg.86010$uP.64508@newsfe2-gui.ntli.net> <11of8oney2ztt.1rzsok8gvo9mf.dlg@40tude.net> <slrnealn4k.okj.gsm@cable.mendelson.com> <ldk5b21fokqqgs5gr5rp0b1ri867nirhv2@4ax.com> <80q5b2ham4td8qh78hvsal8mugijqivknn@4ax.com>
In-Reply-To: <80q5b2ham4td8qh78hvsal8mugijqivknn@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <h-SdnRSmCuKS6C7ZRVny2A@pipex.net>
Lines: 21
NNTP-Posting-Host: 81.178.98.15
X-Trace: sv3-rUIu/pmVerw9wp2l5DdlSoe5bM6npvAMMt7lHbNzBSBUJGTBWRQll9wgHCmfP3QYahN1Zd+JcWcN9Bb!+5uiFS+3edx8NERHbIgtA/1yHVeHZxeHgCxVc9RRGoyq7V5N2kRRbwRU7NkQkBToBbMGise12UPI!3ut/jlVoU4M=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.internet.wireless:16215 rec.radio.amateur.homebrew:6174 rec.radio.amateur.equipment:5212

>> One of the locals mentioned doing a bit of "war driving" around town
>> just for curiosity. About 80 to 90% of the networks heard were
>> unencrypted AND over half of those _still_used_
>> the_default_name_and_PW.
>
> Yep ... really bad ... shame on the wireless hardware companies!

========================
You probably mean 'shame on the users' who haven't got a clue.

By the way it is the same situation here in the north of Scotland .
Driving in Inverness you can freely access WiFi points allover town
,from commercial companies to hotels..........but not at locations where
you would expect it ....like 'Starbuck' and bookshops like 'Borders'

Also in California you have to pay for WiFi access at
Starbuck.........must constitute a increasing part of their
income,considering the number of people with laptops.....usually without
a coffee..

I know ,I know ...life isn't a freebee

Frank   GM0CSZ / KN6WH

From -5863579468385379064
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.readnews.com!news-
xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: How to calculate increase of home wireless router range?
Date: Tue, 11 Jul 2006 10:31:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 32
Message-ID: <slrneb6ved.eh.gsm@cable.mendelson.com>
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<6_xqg.86010$uP.64508@newsfe2-gui.ntli.net>
<11of8oney2ztt.1rzsok8gvo9mf.dlg@40tude.net>
<slrnealn4k.okj.gsm@cable.mendelson.com>
<ldk5b21fokqqgs5gr5rp0b1ri867nirhv2@4ax.com>
<80q5b2ham4td8qh78hvsal8mugijqivknn@4ax.com> <h-SdnRSmCuKS6C7ZRVny2A@pipex.net>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: dsl217-132-10-189.bb.netvision.net.il
X-Trace: marvin.misty.com 1152613863 26150 217.132.10.189 (11 Jul 2006 10:31:03
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 11 Jul 2006 10:31:03 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com alt.internet.wireless:16216
rec.radio.amateur.homebrew:6175 rec.radio.amateur.equipment:5213

Highland Ham wrote:

> By the way it is the same situation here in the north of Scotland .
> Driving in Inverness you can freely access WiFi points allover town
> ,from commercial companies to hotels..........but not at locations where
> you would expect it ....like 'Starbuck' and bookshops like 'Borders'

This will go on until the Scotish police start doing what the English do.
They track traffic at the ISP level looking for "kidde porn". Once they
find it, they locate the person sending or receiving the files.

They have no trouble getting a warrant and come in and arrest the owner of the account and confiscate their equipment.

As soon as they do this, "users" will go looking for unencrypted networks and use them, if they don't know I don't know Scotish law, but in most places the owner of the network is responsible for what is done with it.

There was a case in Canada of a man found driving five miles per hour in a residential neighborhood. When the police stopped him, his pants were around his ankles and there was a laptop on his lap.

Canada unlike most places has a law prohibiting using other people's internet connections without permission. Most places don't.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 IL Fax: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

```
From 6255167095549712506
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Tue, 11 Jul 2006 07:42:38 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
In-Reply-To: <jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <c0077$44b38f28$d06640f9$511@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
```

Lines: 19
X-Trace: c007744b38f2875c3e55c00511
Xref: g2news2.google.com rec.radio.amateur.equipment:5214
rec.radio.amateur.misc:16288 rec.radio.amateur.policy:32664 rec.radio.scanner:3843
rec.radio.swap:5083

No Al, CW is a mode not a language. Are you seriously this ignorant?
Just about any language on the planet can use the mode CW which makes it
not a language.

You people that keep trying to make CW something it's not amaze me.
It's not a god, it's just a old mode.

Al Klein wrote:
> On 10 Jul 2006 08:36:15 -0700, "K5LDB.Leo@gmail.com"
> <K5LDB.Leo@gmail.com> wrote:
>
> I think that's one of the problems here. CW isn't just an operating
> mode - it's a language, and the test already includes one language, so
> testing for knowledge of a language isn't anything new.
>
> There's NEVER been a test of CW operating mode, technique or ability -
> just proficiency with the language of International Morse. Since one
> must demonstrate proficiency with another language (English) to obtain
> a license, it's a matter of degree, not a matter of kind.

From 4003720217114947080
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

```
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Tue, 11 Jul 2006 08:32:34 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152621073 24.186.218.38 (Tue, 11 Jul 2006 05:31:13 MST)
NNTP-Posting-Date: Tue, 11 Jul 2006 05:31:13 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5215
rec.radio.amateur.misc:16289 rec.radio.amateur.policy:32665 rec.radio.scanner:3847
rec.radio.swap:5084

On Tue, 11 Jul 2006 02:15:26 GMT, "Michael A. Terrell"
<mike.terrell@earthlink.net> wrote:

>   Dipshit.  If code is the only way to go, why are you using text for
>your usenet messages?  Can you say "Hypocrite"

If text is the only way to go, why do you speak?

Can you say "Yes, I ar wun"?



From 2845071963477345879
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Tue, 11 Jul 2006 08:37:33 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the  right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
In-Reply-To: <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <90114$44b39c08$d06640f9$17163@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
```

Lines: 13
X-Trace: 9011444b39c0875c3e55c17163
Xref: g2news2.google.com rec.radio.amateur.equipment:5216
rec.radio.amateur.misc:16290 rec.radio.amateur.policy:32666 rec.radio.scanner:3848
rec.radio.swap:5085

I think you have to refer to people like Al as "Code Nazis" as they want
to force it on everyone, they try to make it into something it is not,
they think code is a cure for what ails the amateur service, and the
only way to salvation is through the code. Anyone who is not on the
code bandwagon is unfit for the amateur service and needs to be eliminated.

"All hail the code!" - NOT!

Al Klein wrote:
>
> If text is the only way to go, why do you speak?
>
> Can you say "Yes, I ar wun"?

From 3419274928572058935
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Message-ID: <oj67b2dkn0ilq0dum5md93ikof7k7284na@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
<1152582007.620885.261930@35g2000cwc.googlegroups.com>
<1t26b2t91fqopt31f7qcjjjlh9r02jv8jn@4ax.com>
<1152586425.346210.254860@h48g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 90
Date: Tue, 11 Jul 2006 08:41:48 -0400
NNTP-Posting-Host: 24.186.218.38

X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152621627 24.186.218.38 (Tue, 11 Jul 2006 05:40:27 MST)
NNTP-Posting-Date: Tue, 11 Jul 2006 05:40:27 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5217
rec.radio.amateur.misc:16291 rec.radio.amateur.policy:32667 rec.radio.scanner:3849
rec.radio.swap:5086

On 10 Jul 2006 19:53:45 -0700, "an old friend"
<kb9rqz-MCM@hotmail.com> wrote:

>Al Klein wrote:
>> On 10 Jul 2006 18:40:07 -0700, "an old friend"
>> <kb9rqz-MCM@hotmail.com> wrote:

>> >but it is load of bullto say Morse is a language

>> Your opinion, not that of those who can converse in it.
>my opinion yes but also a fact Morse code is no more a language than
>Crillic is

Yes, I know your opinion. That still makes it just your opinion.

>it is simply an alphabet

No more than ASL is "just an alphabet". (BTW, those who actually
study the subject consider both Morse and ASL to be languages.)

>you can exchange a limited amount of info using the stand codes but you
>can say "do you walk or run by the sea" in morse to any one that does
>not speak or read english first

Neither can you communicate with someone in ASL if they don't
understand English. So? That still doesn't stop ASL from being a
language.

>you are simply spreading ignorance al

That you don't know something doesn't make it the ignorance of others.

>> >no such requirement exists indeed if you can read then the question and
>> >answers are suposed to read to you and your aswers taken down

>> Languageless?

>yes indeed although it easier if you do understand english not required

So if you don't understand English you can still answer English
questions. Interesting.

>not suree if you can take the test in spanish

I'm sure - you can. But one thing's for sure - it has to be in SOME language.

>> You MUST demonstrate proficiency in at least ONE
>> language to get a license, even today.

>nope no such requirement exists not for techs not generals and not
>extras either

Stop arguing and start thinking. Your claim - that one doesn't have
to know any language to pass the test - is nonsense.

>indeed you point out the way you can get a license without demtating
>skill with english if you simply memroize all the questions and answers

In what language?

>their remains no requirement that you understand the content, that task
>is easier if you know english but not a requirement

You can understand the content if you don't understand any language?
How?

>where is this requirement for lang skill in part 97?

Part 97 itself.

>> A code test is demonstrating
>> proficiency in two languages - not a major step.

>expect you are never required to demostrate profiicentcy in any
>language at all

Which you are. You're just arguing, not thinking.

>and if you were 2 languages would twice one and Code is NOT a langauage
>just an alphabet

Again, your opinion, not the opinion of language experts.

>Indeeded the ignorance of Hams that spread such tales have been one of
>the tools the No Code movement has been using against you

The reason the FCC is dropping the code requirement has absolutely
nothing to do with any "movement" or any lame argument like "you don't
have to understand any language to pass the test".

From 1482983847338543513
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467

X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Message-ID: <h477b2pi2la8c740oie36slmik2b6ltbca@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
<c0077$44b38f28$d06640f9$511@FUSE.NET>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
Date: Tue, 11 Jul 2006 08:43:09 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152621708 24.186.218.38 (Tue, 11 Jul 2006 05:41:48 MST)
NNTP-Posting-Date: Tue, 11 Jul 2006 05:41:48 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5218
rec.radio.amateur.misc:16292 rec.radio.amateur.policy:32668 rec.radio.scanner:3850
rec.radio.swap:5087

On Tue, 11 Jul 2006 07:42:38 -0400, "J. D. B."
<duffyb01@nospamfuse.net> wrote:

>No Al, CW is a mode not a language.

You're arguing against experts in the field of language, not against me.

> Are you seriously this ignorant?

Are you?

>Just about any language on the planet can use the mode CW which makes it
>not a language.

Any language can be signed - but ASL is a recognized (by the experts) language. Which nullifies that argument.

From -1117487823617256025
X-Google-Thread: 108122,3876a49f89270467

```
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Date: Tue, 11 Jul 2006 08:41:05 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the right thing.
References: <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
<6l83b25g3ks23ebkq9afcire7sv5gj5k4h@4ax.com>
<1dded$44b245c0$d06640f9$27025@FUSE.NET>
<s2i4b2h3sirl7hjosbuqrkndf6rj7lkgag@4ax.com>
<1d504$44b2d62c$d06640f9$23161@FUSE.NET>
<ujv5b29i61mrjg2j8n48bod88dvrgsgdjj@4ax.com>
In-Reply-To: <ujv5b29i61mrjg2j8n48bod88dvrgsgdjj@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <66c90$44b39cdc$d06640f9$17163@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 14
X-Trace: 66c9044b39cdc75c3e55c17163
Xref: g2news2.google.com rec.radio.amateur.equipment:5219
rec.radio.amateur.misc:16293 rec.radio.amateur.policy:32669 rec.radio.scanner:3851
rec.radio.swap:5088

Al, I am speaking 4-year-old English to you so that you can maybe
comprehend the conversation.  I would hate to go over your head and
totally lose you.

Al Klein wrote:
> On Mon, 10 Jul 2006 18:33:21 -0400, "J. D. B."
> <duffyb01@nospamfuse.net> wrote:
>
>> Al, my four year old makes more sense and can carry on a more
>> intelligent discussion that you.  I am going to chat with him.
>> Fffffftttttt - you're outta here moron.
```

>
> I'm crushed. When you grow up maybe you'll understand adult level
> English. Till then keep speaking 4-year-old English.

```
From 8584380626128801376
X-Google-Thread: 1109af,b35495dde13150bb,start
X-Google-Thread: fc8b1,b35495dde13150bb,start
X-Google-Thread: 108122,b35495dde13150bb,start
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!209.244.4.230!
newsfeed1.dallas1.level3.net!newsfeed2.dallas1.level3.net!news.level3.com!bos-
service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Trucker/hams: Our museum needs your help !
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 31
Message-ID: <n5Nsg.1$Tm2.0@dfw-service2.ext.ray.com>
Date: Tue, 11 Jul 2006 12:47:15 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1152622035 138.126.48.166 (Tue, 11 Jul 2006
07:47:15 CDT)
NNTP-Posting-Date: Tue, 11 Jul 2006 07:47:15 CDT
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.swap:5089 rec.radio.amateur.boatanchors:4642
rec.radio.amateur.equipment:5220
```

Calling all trucker/hams:

The Vintage Flying Museum needs your help!

A generous ham has agreed to donate a complete BC-375-E radio transmitter setup to the Museum, which we plan to install in our B-17G Flying Fortress, 44-8543A, N3701G, "Chuckie". Unfortunately, the equipment is located in Mansfield, Massachusetts, and the Museum is located in Fort Worth, Texas! We are looking for someone in the transportation business who would be willing to donate their services and transport the equipment for us. The load would be on one standard shipping pallet, stacked about 4' high, with a weight of probably 200 pounds or so. The donor is under a deadline to move the radios out because his job is transferring him overseas later this summer. We are a 501(c)(3) tax-exempt organization, so we can provide a tax receipt for the value of your donated services.

If you can help, or you know of someone who can, please
contact me directly via email > > > k5dh@qsl.net

Thanks and 73,

Dean Hemphill, K5DH
Volunteer B-17 Crew Member
Vintage Flying Museum

http://www.vintageflyingmuseum.org

```
From 1907775222405203269
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Message-ID: <8777b2tp7v0n2hp9iup9qujagkg3a2718k@4ax.com>
References: <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
<hooao3-52h.ln1@chris.org> <1152562871.315238.193850@75g2000cwc.googlegroups.com>
<0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
<1152568340.158713.100600@m79g2000cwm.googlegroups.com>
<57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
<1152582489.270076.79630@m73g2000cwd.googlegroups.com>
<q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
<1152585757.621645.246930@35g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 134
Date: Tue, 11 Jul 2006 08:53:46 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152622346 24.186.218.38 (Tue, 11 Jul 2006 05:52:26 MST)
NNTP-Posting-Date: Tue, 11 Jul 2006 05:52:26 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5221
rec.radio.amateur.policy:32670 rec.radio.scanner:3852 rec.radio.swap:5090
```

On 10 Jul 2006 19:42:37 -0700, "an old friend"
<kb9rqz-MCM@hotmail.com> wrote:

>Al Klein wrote:
>> On 10 Jul 2006 18:48:09 -0700, "an old friend"
>> <kb9rqz-MCM@hotmail.com> wrote:

>> >> >I already earned those prevlidges

>> >> Earned? By what? Filling out an application? Memorizing enough
>> >> answers to just pass the written exam?
>> >exactly the same way you did by passing the tests required at the time

>> There's a difference between earning and being able to get with no
>> effort.

>I spent plenty of effort overthe years

Evidently it was wasted effort, since it didn't result in your being
able to use CW.

>> >but in any case the FCC will never take my prevledges thay have made
>> >that clear

>> Right - the government NEVER changes anything. Are you really that
>> naive?

>never no not soon yes

You're the one who said "never".

>> > accordingly you need to learn to deal with what is instaned
>> >of trying to overturn history

>> I have nothing to deal with - I'm licensed, and could keep my license
>> if they made 20 wpm, or digital mode testing, a yearly requirement.

>yes you wold have to deal with thresult of ruining the ARS

No, I really don't care that my license really means nothing these
days, and will mean even less in the future. I can operate on those
frequencies, and those modes, that I want to use, and talk to those
people I want to talk to. Whether new hams need CW or not.

>> The biggest problem would be freeing up a day to get to wherever the
>> test was being given.

>and having any freqs left to operate on

That has nothing to do with CW - that's set by international
agreement. Do you really think that if we had "only" 300,000 hams,
we'd lose our frequencies?

>lots of differences but at least I am in touch with the real world

Thinking that robbing a bank is earning money? Not very much touch.

>> >so it is cheating it still is obtaining a license

>> That's about what it's come to these days, isn't it?

>that offer was 30 years ago

Oh, I didn't notice. I was licensed for years by that time. I've
never been "offered" anything by the FCC.

>> It's BEEN hijacked - he's trying to get it back.

>if it was hijackewd that was 26 years ago theat service does not exist
>anymore

Yes, and?

>> >> >and you would enact a sytem that would kill they ARS as it is if you
>> >> >had the power

>> >> There were plenty of hams when 13 wpm was the entry level. A 5 wpm
>> >> code test and a *real* written test wouldn't kill it, it would just
>> >> separate those who are willing to do what it takes to be hams from
>> >> those who just want the license without the work.

>> >maybe nut the current entry rates sugest otherwise

>> Correlation isn't cause.

>but it does relate to results

"But" is usually used to refute something, not to just say "is too".
If you take your fingers out of your ears you might hear something.

>> > and He does not
>> >propose 5wpm and writeen test he prososes 13 wpm and a total lack of an
>> >effective entry class and elimiating half the current licees and likely
>> >a lot more than that

>> Oh, you mean the way it used to be, when there were plenty of hams.

>vs the the preusre exerted for our bands

The number of *US* hams has very little to do with what bands are
internationally allocated to hams. Especially these days, when US
prestige has sunk so far.

>> >and any "paln" that involves dumping 300,000 hams right of the bat is
>> >pretty going to finish off the ARS

>> Seems to me we had a pretty good ARS when we only has 100,000 hams. If
>> dumping 300,000 means losing half, it means having 3 times the number
>> we used to have. How is tripling "finishing off"?

>becuase it would be halfing not triplling and to assume it is only
>halfing is generous many of the current generald and extra would be
>weed out withon 10 years

300,000 is half of 100,000? What kind of arithmetic are you using? I can't seem to get my calculator to make it come out that way.

>if ham radio looks like it it is dying we will loose oour bands to
>anyone that wants em

Your opinion - again, the world at large doesn't really care too much what the US does these days, as far as number of hams.

> indded a likely result would losing many of ou r
>hf bands bands to literaly an extpanded CB service our vhf and up
>would be savaged

That has nothing to do with frequency allocation. Learn how the ITU works before you make such funny assertions.

>and we would be powerless to resist

We ARE pretty powerless to resist now - but whether we keep a CW requirement has nothing to do with the ITU. They couldn't care less.

```
From -3371817074669718185
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed2.easynews.com!easynews.com!easynews!
newsfeed.news2me.com!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!
newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!
news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: Tue, 11 Jul 2006 21:52:29 +0900
Organization: Korea Telecom
Lines: 28
```

Message-ID: <e906q7$mmk$1@news2.kornet.net>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
<c0077$44b38f28$d06640f9$511@FUSE.NET>
<h477b2pi2la8c740oie36slmik2b6ltbca@4ax.com>
NNTP-Posting-Host: 218.155.118.42
X-Trace: news2.kornet.net 1152622215 23252 218.155.118.42 (11 Jul 2006 12:50:15 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Tue, 11 Jul 2006 12:50:15 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:5222 rec.radio.amateur.misc:16294 rec.radio.amateur.policy:32671 rec.radio.scanner:3853 rec.radio.swap:5091

"Al Klein" <rukbat@pern.invalid> wrote in message
news:h477b2pi2la8c740oie36slmik2b6ltbca@4ax.com...
> On Tue, 11 Jul 2006 07:42:38 -0400, "J. D. B."
> <duffyb01@nospamfuse.net> wrote:
>
>>No Al, CW is a mode not a language.
>
> You're arguing against experts in the field of language, not against
> me.
>
>> Are you seriously this ignorant?
>
> Are you?
>
>>Just about any language on the planet can use the mode CW which makes it
>>not a language.
>
> Any language can be signed - but ASL is a recognized (by the experts)
> language. Which nullifies that argument.

CW is not a language, it is a mode. I think what is being confused here is
Morse code, and in particular much of the Morse shorthand used in the CW
mode (and, for that matter, in much of phone mode as well). Those ARE a
language of sorts.

From 7371239982078753594
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34

X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Jul 2006 08:46:41 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
<hooao3-52h.ln1@chris.org> <1152562871.315238.193850@75g2000cwc.googlegroups.com>
<0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
<1152568340.158713.100600@m79g2000cwm.googlegroups.com>
<57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
<1152582489.270076.79630@m73g2000cwd.googlegroups.com>
<q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
<1152585757.621645.246930@35g2000cwc.googlegroups.com>
<8777b2tp7v0n2hp9iup9qujagkg3a2718k@4ax.com>
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his other names is hey stupid
Date: Tue, 11 Jul 2006 08:46:37 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <i-CdnZfNndlcNi7ZnZ2dnUVZ_o-dnZ2d@comcast.com>
Lines: 141
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-BqrHGh6VUkUPQK3/
uIyQ+pFQg1uSTQVXZSfc9g4Upn2JIWNnJwQYLvDHpZ0wNbmSePzkl8v4XZtduYI!
Px72NGuG4wnQCL3gcJB1z78i9Hw6LfkyTedLjoeBrholZkAL45K+7C4z2Ttdua8eKsC2hWwBy22b!
3cEPUrpTQmjYxg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5223
rec.radio.amateur.policy:32672 rec.radio.scanner:3854 rec.radio.swap:5092

47 new messages and most of them are yours... why don't you wither killfile
the dirtball, or get a room... take your pick.

"Al Klein" <rukbat@pern.invalid> wrote in message
news:8777b2tp7v0n2hp9iup9qujagkg3a2718k@4ax.com...
> On 10 Jul 2006 19:42:37 -0700, "an old friend"
> <kb9rqz-MCM@hotmail.com> wrote:
>

>>Al Klein wrote:
>>> On 10 Jul 2006 18:48:09 -0700, "an old friend"
>>> <kb9rqz-MCM@hotmail.com> wrote:
>
>>> >> >I already earned those prevlidges
>
>>> >> Earned? By what? Filling out an application? Memorizing enough
>>> >> answers to just pass the written exam?
>>> >exactly the same way you did by passing the tests required at the time
>
>>> There's a difference between earning and being able to get with no
>>> effort.
>
>>I spent plenty of effort overthe years
>
> Evidently it was wasted effort, since it didn't result in your being
> able to use CW.
>
>>> >but in any case the FCC will never take my prevledges thay have made
>>> >that clear
>
>>> Right - the government NEVER changes anything. Are you really that
>>> naive?
>
>>never no not soon yes
>
> You're the one who said "never".
>
>>> > accordingly you need to learn to deal with what is instaned
>>> >of trying to overturn history
>
>>> I have nothing to deal with - I'm licensed, and could keep my license
>>> if they made 20 wpm, or digital mode testing, a yearly requirement.
>
>>yes you wold have to deal with thresult of ruining the ARS
>
> No, I really don't care that my license really means nothing these
> days, and will mean even less in the future. I can operate on those
> frequencies, and those modes, that I want to use, and talk to those
> people I want to talk to. Whether new hams need CW or not.
>
>>> The biggest problem would be freeing up a day to get to wherever the
>>> test was being given.
>
>>and having any freqs left to operate on
>
> That has nothing to do with CW - that's set by international
> agreement. Do you really think that if we had "only" 300,000 hams,
> we'd lose our frequencies?
>
>>lots of differences but at least I am in touch with the real world
>
> Thinking that robbing a bank is earning money? Not very much touch.

>
>>> >so it is cheating it still is obtaining a license
>
>>> That's about what it's come to these days, isn't it?
>
>>that offer was 30 years ago
>
> Oh, I didn't notice. I was licensed for years by that time. I've
> never been "offered" anything by the FCC.
>
>>> It's BEEN hijacked - he's trying to get it back.
>
>>if it was hijackewd that was 26 years ago theat service does not exist
>>anymore
>
> Yes, and?
>
>>> >> >and you would enact a sytem that would kill they ARS as it is if you
>>> >> >had the power
>
>>> >> There were plenty of hams when 13 wpm was the entry level. A 5 wpm
>>> >> code test and a *real* written test wouldn't kill it, it would just
>>> >> separate those who are willing to do what it takes to be hams from
>>> >> those who just want the license without the work.
>
>>> >maybe nut the current entry rates sugest otherwise
>
>>> Correlation isn't cause.
>
>>but it does relate to results
>
> "But" is usually used to refute something, not to just say "is too".
> If you take your fingers out of your ears you might hear something.
>
>>> > and He does not
>>> >propose 5wpm and writeen test he prososes 13 wpm and a total lack of an
>>> >effective entry class and elimiating half the current licees and likely
>>> >a lot more than that
>
>>> Oh, you mean the way it used to be, when there were plenty of hams.
>
>>vs the the preusre exerted for our bands
>
> The number of *US* hams has very little to do with what bands are
> *internationally* allocated to hams. Especially these days, when US
> prestige has sunk so far.
>
>>> >and any "paln" that involves dumping 300,000 hams right of the bat is
>>> >pretty going to finish off the ARS
>
>>> Seems to me we had a pretty good ARS when we only has 100,000 hams. If
>>> dumping 300,000 means losing half, it means having 3 times the number
>>> we used to have. How is tripling "finishing off"?

```
>
>>becuase it would be halfing not triplling and to assume it is only
>>halfing is generous many of the current generald and extra would be
>>weed out withon 10 years
>
> 300,000 is half of 100,000?  What kind of arithmetic are you using?  I
> can't seem to get my calculator to make it come out that way.
>
>>if ham radio looks like it it is dying we will loose oour bands to
>>anyone that wants em
>
> Your opinion - again, the world at large doesn't really care too much
> what the US does these days, as far as number of hams.
>
>> indded a likely result would losing many of ou r
>>hf bands bands to literaly an extpanded CB service  our vhf and up
>>would be savaged
>
> That has nothing to do with frequency allocation.  Learn how the ITU
> works before you make such funny assertions.
>
>>and we would be powerless to resist
>
> We ARE pretty powerless to resist now - but whether we keep a CW
> requirement has nothing to do with the ITU.  They couldn't care less.




From 2893398876902933166
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn12feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!c0e53274!not-for-mail
From: John Navas <spamfilter0@navasgroup.com>
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: How to calculate increase of home wireless router range?
Organization: The Navas Group <http://navasgroup.com>
Message-ID: <b7b7b2hrbi3uplh3115phq5ofntvloprhb@4ax.com>
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<6_xqg.86010$uP.64508@newsfe2-gui.ntli.net>
<11of8oney2ztt.1rzsok8gvo9mf.dlg@40tude.net>
<slrnealn4k.okj.gsm@cable.mendelson.com>
<ldk5b21fokqqgs5gr5rp0b1ri867nirhv2@4ax.com>
<80q5b2ham4td8qh78hvsal8mugijqivknn@4ax.com> <h-SdnRSmCuKS6C7ZRVny2A@pipex.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Host: 5d41db7a131b80ad61e4e52c52181693
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1152626031
5d41db7a131b80ad61e4e52c52181693 (Tue, 11 Jul 2006 13:53:51 GMT)
NNTP-Posting-Date: Tue, 11 Jul 2006 13:53:51 GMT
Date: Tue, 11 Jul 2006 13:53:52 GMT
Xref: g2news2.google.com alt.internet.wireless:16224
rec.radio.amateur.homebrew:6180 rec.radio.amateur.equipment:5224

On Tue, 11 Jul 2006 10:53:18 +0100, Highland Ham
<abcgm0csz.kn6whxyz@dsl.pipex.com> wrote in
<h-SdnRSmCuKS6C7ZRVny2A@pipex.net>:

>>> One of the locals mentioned doing a bit of "war driving" around town
>>> just for curiosity.  About 80 to 90% of the networks heard were
>>> unencrypted AND over half of those _still_used_
>>> the_default_name_and_PW.
>>
>> Yep ... really bad ... shame on the wireless hardware companies!
>========================
>You probably mean 'shame on the users' who haven't got a clue.

No, I mean shame on the wireless hardware companies, as I wrote, for
such a gross disservice to their customers -- it shouldn't be necessary
to be an IT expert to use Wi-Fi safely.  It should just work properly.
Otherwise it's not ready for the market.

--
Best regards,   FAQ for Wireless Internet: <http://Wireless.wikia.com>
John Navas      FAQ for Wi-Fi:  <http://wireless.wikia.com/wiki/Wi-Fi>
           Wi-Fi How To: <http://wireless.wikia.com/wiki/Wi-Fi_How_To>
Fixes to Wi-Fi Problems:  <http://wireless.wikia.com/wiki/Wi-Fi_Fixes>


From 2543241173544195791
X-Google-Thread: 108122,3876a49f89270467
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Jul 2006 08:58:04 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
<90114$44b39c08$d06640f9$17163@FUSE.NET>
Subject: Re: Email this to your Senators and Congressmen. make the FCC do  the
right thing.
```

```
Date: Tue, 11 Jul 2006 08:58:04 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <5Y-dnTkGDZHxMy7ZnZ2dnUVZ_sadnZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-
f33FhbY034Pz4gHlDQOsuAQykdH9h2M42HbErS9lvC5jtq2BSaCsglj59B9VwuTqUwGpuPAS+/iUBVp!
yUhusRPz09L2qC/yguSynW71KrsVpYgTTH2St7upnU2jO5CwbvxY2Gn/7r5MswD7pgNVwsVpjB6p!
oT3QwBCJJYvyvw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5225

<X-post canciled>

This jerk is yanking your chain... quit rising to the bait. Killfiles really
are quite effective when used.
BTW... while I am at it, please stop cross posting.

"J. D. B." <duffyb01@nospamfuse.net> wrote in message
news:90114$44b39c08$d06640f9$17163@FUSE.NET...
>I think you have to refer to people like Al as "Code Nazis" as they want to
>force it on everyone, they try to make it into something it is not, they
>think code is a cure for what ails the amateur service, and the only way to
>salvation is through the code.  Anyone who is not on the code bandwagon is
>unfit for the amateur service and needs to be eliminated.
>
> "All hail the code!" - NOT!
>
> Al Klein wrote:
>>
>> If text is the only way to go, why do you speak?
>>
>> Can you say "Yes, I ar wun"?




From 8545483027261205132
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Date: 11 Jul 2006 09:19:51 -0700
Organization: http://groups.google.com
Lines: 38
Message-ID: <1152634791.816355.68150@m79g2000cwm.googlegroups.com>
References: <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
   <hooao3-52h.ln1@chris.org>
   <1152562871.315238.193850@75g2000cwc.googlegroups.com>
   <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
   <1152568340.158713.100600@m79g2000cwm.googlegroups.com>
   <57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
   <1152582489.270076.79630@m73g2000cwd.googlegroups.com>
   <q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
   <1152585757.621645.246930@35g2000cwc.googlegroups.com>
   <8777b2tp7v0n2hp9iup9qujagkg3a2718k@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152634797 15572 127.0.0.1 (11 Jul 2006 16:19:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 16:19:57 +0000 (UTC)
In-Reply-To: <8777b2tp7v0n2hp9iup9qujagkg3a2718k@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=69.19.14.30;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.equipment:5226
rec.radio.amateur.policy:32680 rec.radio.scanner:3855 rec.radio.swap:5094
```

Al Klein wrote:
> On 10 Jul 2006 19:42:37 -0700, "an old friend"
> <kb9rqz-MCM@hotmail.com> wrote:
>
> >Al Klein wrote:
> >> On 10 Jul 2006 18:48:09 -0700, "an old friend"
> >> <kb9rqz-MCM@hotmail.com> wrote:
>
> >> >> >I already earned those prevlidges
>
> >> >> Earned? By what? Filling out an application? Memorizing enough
> >> >> answers to just pass the written exam?
> >> >exactly the same way you did by passing the tests required at the time
>

```
> >> There's a difference between earning and being able to get with no
> >> effort.
>
> >I spent plenty of effort overthe years
>
> Evidently it was wasted effort, since it didn't result in your being
> able to use CW.
indeed it was wasted

cut
> >and we would be powerless to resist
>
> We ARE pretty powerless to resist now -

bullshit you realy are unamerican the No code movement has showne we
have the powerthe chnange to change interantional law and national
rules on this subject

Maxim and his crowd shown we could change mnds in officaldom after WW 1
when some folks did not want us back on the Air at all

people have power man wake and smell what you are shoveling




From 5051752926788686140
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 11 Jul 2006 09:21:36 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1152634896.110369.89900@75g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
   <44B309A6.44A7CD72@earthlink.net>
   <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
   <90114$44b39c08$d06640f9$17163@FUSE.NET>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152634901 15851 127.0.0.1 (11 Jul 2006 16:21:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 16:21:41 +0000 (UTC)
In-Reply-To: <90114$44b39c08$d06640f9$17163@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.equipment:5227
rec.radio.amateur.misc:16296 rec.radio.amateur.policy:32681 rec.radio.scanner:3856
rec.radio.swap:5095


J. D. B. wrote:
> I think you have to refer to people like Al as "Code Nazis" as they want
> to force it on everyone, they try to make it into something it is not,
> they think code is a cure for what ails the amateur service, and the
> only way to salvation is through the code.  Anyone who is not on the
> code bandwagon is unfit for the amateur service and needs to be eliminated.
>
> "All hail the code!" - NOT!
>
indeed and I have from time to time

spread any lie and deciet in there cause



From 8918214203399081727
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 11 Jul 2006 09:24:44 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1152635084.066776.95580@m79g2000cwm.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
   <c0077$44b38f28$d06640f9$511@FUSE.NET>
   <h477b2pi2la8c740oie36slmik2b6ltbca@4ax.com>
   <e906q7$mmk$1@news2.kornet.net>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152635089 19958 127.0.0.1 (11 Jul 2006 16:24:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 16:24:49 +0000 (UTC)
In-Reply-To: <e906q7$mmk$1@news2.kornet.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=69.19.14.30;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.equipment:5228
rec.radio.amateur.misc:16297 rec.radio.amateur.policy:32682 rec.radio.scanner:3857
rec.radio.swap:5096
```

Brenda Ann wrote:
> "Al Klein" <rukbat@pern.invalid> wrote in message
> news:h477b2pi2la8c740oie36slmik2b6ltbca@4ax.com...
> > On Tue, 11 Jul 2006 07:42:38 -0400, "J. D. B."
> > <duffyb01@nospamfuse.net> wrote:

> > Any language can be signed - but ASL is a recognized (by the experts)
> > language. Which nullifies that argument.
>
> CW is not a language, it is a mode. I think what is being confused here is
> Morse code, and in particular much of the Morse shorthand used in the CW
> mode (and, for that matter, in much of phone mode as well). Those ARE a
> language of sorts.

they are a jargon but they can comincate the rnanage of expression
twith someone that does not share with the same underlying language
that Al needing to glofiy his favortie mode chooses to over look it's
limits (and prehaps it has no limits for him and can indeed express
everything he wants to express on the air)

```
From -9134451693755396605
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
```

From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 11 Jul 2006 09:41:53 -0700
Organization: http://groups.google.com
Lines: 56
Message-ID: <1152636113.828839.125080@b28g2000cwb.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
   <1152582007.620885.261930@35g2000cwc.googlegroups.com>
   <1t26b2t91fqopt31f7qcjjjlh9r02jv8jn@4ax.com>
   <1152586425.346210.254860@h48g2000cwc.googlegroups.com>
   <oj67b2dkn0ilq0dum5md93ikof7k7284na@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152636118 19240 127.0.0.1 (11 Jul 2006 16:41:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 16:41:58 +0000 (UTC)
In-Reply-To: <oj67b2dkn0ilq0dum5md93ikof7k7284na@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=69.19.14.30;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.equipment:5229 rec.radio.amateur.misc:16298 rec.radio.amateur.policy:32684 rec.radio.scanner:3858 rec.radio.swap:5098

Al Klein wrote:
> On 10 Jul 2006 19:53:45 -0700, "an old friend"
> <kb9rqz-MCM@hotmail.com> wrote:

> >you are simply spreading ignorance al
>
> That you don't know something doesn't make it the ignorance of others.
>
> >> >no such requirement exists indeed if you can read then the question and
> >> >answers are suposed to read to you and your aswers taken down
>
> >> Languageless?
>
> >yes indeed although it easier if you do understand english not required
>
> So if you don't understand English you can still answer English
> questions. Interesting.
>

all that is required is getting the right answers down on the answer sheet

how the test taker manages that (other than cheating) is up the take of the test one of the options

understanding the lang of the question is merely one or the options the best one for the ARS but for example MY wife did not understand some the question on her tech test using the fact I know something of how the test is asembled and graded she was able to fill correctly some of the ansers by looking for a patern in the in answers of the questions she could understand without this test taking skill (avarient of skill taught in some corners for passing other tests) she would not be a ham today

and yet she was able to help set up at FD this year and make some contact and has been able to devolpe soe of the skill needd in the ARS, enough to be complmented on her skill duiring reccent local emergency here in the area. i was busy geting theour aux power back online and adjusted to the loads I wanted carried and she used the radio (and helped by reading a a few reading fromt he station back to me as I worked on stablizing our household systems

My wife does not understand a great deal of the content of the messages she relayed, such understanding was not required in order to be of assitance

On her own she has slowly been feling her way into the preveldges offered by her license, amsuingly to those that know me she is developing some talnet for Morse Code and and has been making a qso's in that mode but due being still clumsy and a more than bit of test anxiety has been unable to pass a test that and the fact the tone the arrl uses gives her a headache and the ARRL will not alow another tone to used without the report of an audiologist (at a cost of about 2k) means she will wait tille the FCC acts to get an HF license like I am waiting

From 4106702713336290775
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Tue, 11 Jul 2006 11:16:56 -0700
Reply-To: noway@nohow.com
Message-ID: <kmq7b21g6b8697132r4j0ac1qr7gvni20l@4ax.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<bBCsg.49394$W97.20808@twister.nyroc.rr.com>

```
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node195-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1152641605 63.93.75.195 (11 Jul 2006 13:13:25 -0500)
Lines: 18
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.195
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!
newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.cb:13293 rec.radio.swap:5099
rec.radio.amateur.equipment:5230
```

ORIGINAL MESSAGE:

On Tue, 11 Jul 2006 00:50:15 GMT, "Les Wilson"
<nessman@rochester.rr.com> wrote:

>One day I'm on the interstate... snowing real bad. Call out on the usual
>simplex channels on VHF/UHF to get a traffic/conditions report... no answer.
>So I grab the "emergency" CB radio I keep under the seat. Call out on Ch
>19... got _many_ responses - mostly truckers all with solid info. Very
>useful - and enjoyed listening to them all help each other.
>
>That day, ham radio lost and CB won.

------------ REPLY SEPARATOR ------------

Of course CB is better for road reports. What's your point?

Mr Bill

```
From 8423881620181375605
X-Google-Thread: 108122,a893713cb1d55d34,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
news.bananasplit.info!news.dizum.com!sewer-output!mail2news
From: Nomen Nescio <nobody@dizum.com>
Newsgroups: rec.radio.amateur.equipment
Subject: K9KXQ & Pirate on 75 M
Message-ID: <c95534b9cc247c98892af588b78706fd@dizum.com>
Date: Tue, 11 Jul 2006 20:20:05 +0200 (CEST)
Mail-To-News-Contact: abuse@dizum.com
Organization: mail2news@dizum.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5231
```

HEY THEY GOT THIS GUY IN MADISONVILLE KY THAT WAS RUN OUT OF INDIANA BY THE CITY OF HOBART INDIANA TALKING WITH HIS UNLICENSED BUDDY BILL NEWCOMB FROM MARBELLA ST IN PORTAGE INDIANA ON 75 METERS (3955) YET HE STILL TALKS TO HIM AND SOME OF THE

OTHERS DO TO.Listen late at night and you can hear them bill newcomb is dr bill on the cb radio and NOT A LICENSED AMATEUR RADIO OPERATOR...K9KXQ IS A LICENSED HAM OPERATOR AND KNOWS FULL WELL THAT NEWCOME IS UNLICENSED!

```
From 1733222048125388951
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!
newsfeeds.sol.net!posts.news.twtelecom.net!nnrp2.twtelecom.net!not-for-mail
Sender:  <chrisc@sosmudge.chris.org>
Message-ID: <6fado3-3u4.ln1@chris.org>
From: <user@private-mail-domain.invalid>
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
References: <12ao6tn3lejic25@corp.supernews.com>
<HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
<1152317014.712095.168630@m79g2000cwm.googlegroups.com>
<hooao3-52h.ln1@chris.org>
<1152562871.315238.193850@75g2000cwc.googlegroups.com>
<0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
<1152568340.158713.100600@m79g2000cwm.googlegroups.com>
<57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
<1152582489.270076.79630@m73g2000cwd.googlegroups.com>
<q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
<1152585757.621645.246930@35g2000cwc.googlegroups.com>
User-Agent: tin/1.7.7-20041215 ("Scalpay") (UNIX) (Linux/2.6.15.4 (i686))
Date: Tue, 11 Jul 2006 14:23:50 -0500
Lines: 9
Organization: Time-Warner Telecom
NNTP-Posting-Date: 11 Jul 2006 19:34:11 GMT
NNTP-Posting-Host: 794f4219.news.twtelecom.net
X-Trace:
DXC=M[E79Eo>@cnnBa5FI7EIm`C_A=>8kQj6mY;@_o827nGcB8<V:VJPPNoO0@O<QYk3lnXROLIh;bbil
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5232
rec.radio.amateur.policy:32687 rec.radio.scanner:3862 rec.radio.swap:5100
```

an old friend <kb9rqz-MCM@hotmail.com> illiterate rants deleted - they
were unintelligible anyway, and plonk goes the weasel!

--
73 Chris Cox, N0UK, G4JEC

Come and join us here in Bloomington, Minnesota, home of the Mall of America, July 27 & 28, 2006 for the 40th annual Central States VHF Society Conference which will be hosted once again by the NLRS.

```
From -3910411738611384768
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Date: 11 Jul 2006 12:41:29 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1152646889.648675.260990@s13g2000cwa.googlegroups.com>
References: <12ao6tn3lejic25@corp.supernews.com>
   <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
   <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
   <hooao3-52h.ln1@chris.org>
   <1152562871.315238.193850@75g2000cwc.googlegroups.com>
   <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
   <1152568340.158713.100600@m79g2000cwm.googlegroups.com>
   <57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
   <1152582489.270076.79630@m73g2000cwd.googlegroups.com>
   <q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
   <1152585757.621645.246930@35g2000cwc.googlegroups.com>
   <6fado3-3u4.ln1@chris.org>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152646895 20093 127.0.0.1 (11 Jul 2006 19:41:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 19:41:35 +0000 (UTC)
In-Reply-To: <6fado3-3u4.ln1@chris.org>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5233
rec.radio.amateur.policy:32688 rec.radio.scanner:3863 rec.radio.swap:5101
```

user@private-mail-domain.invalid wrote:
> an old friend <kb9rqz-MCM@hotmail.com> illiterate rants deleted - they
> were unintelligible anyway, and plonk goes the weasel!
>
ah yes the "answer" of the ignorant have a nice day
> --
> 73 Chris Cox, N0UK, G4JEC
>
>   Come and join us here in Bloomington, Minnesota, home of the Mall of
>   America, July 27 & 28, 2006 for the 40th annual Central States VHF
>   Society Conference which will be hosted once again by the NLRS.

From 2269240384786581085
X-Google-Thread: 108122,7d809221a5de49a1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "K5LDB.Leo@gmail.com" <K5LDB.Leo@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Language, code, proficiency etc.
Date: 11 Jul 2006 13:14:37 -0700
Organization: http://groups.google.com
Lines: 37
Message-ID: <1152648877.191682.190980@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 70.2.219.51
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152648883 23431 127.0.0.1 (11 Jul 2006 20:14:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 20:14:43 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=70.2.219.51;
   posting-account=de7XWg0AAABJ-Dzm5GSGz6x1RhxrXouc
Xref: g2news2.google.com rec.radio.amateur.equipment:5234

A rather lengthy thread contains erroneous claims on the above topics. Morse code is not a language. Language is communication of thoughts and feelings through a system of arbitrary signals, such as voice sounds, gestures, or written symbols, with such a system including its rules for combining its components, such as words. The words are the language. Morse code is the alphabet just like A, B, C ... Z are the alphabet. It is nothing more than the building blocks used to compose the words that actually are the language. English, French, Spanish, German etc. are languages. Hello, bonjou, ola, and hallo are alphabetic symbols combined to form a word meaning the same thing in the various languages. It doesn't matter if the word is written, transmitted orally or by CW, it is still just a string of characters that only becomes language based on the knowledge of the sender to combine them in the proper sequence and the recipient to translate it and receive the intended communication. Neither the alphabet nor morse code are languages.

Proficiency is having or marked by an advanced degree of competence, as in an art, vocation, profession, or branch of learning. One could extend that to include competence in an avocation or hobby. Our narrow minded and singly focused friend claims an operators ability to use code makes him more proficient. That is patently false in many cases. It is the overall competency that is the determinant. The operator with code skills may be excellent at code and know nothing of PSK, digital, satellites, EME or any number of things while another operator can expertly use any of them but doesn't know code. They may both be proficient operators, just in differing modes of operation. Then again, neither may be a proficient operator. They may barely know enough about their equipment to get it to do what they narrowly focus on doing. A third operator who perhaps doesn't know code and only knows SSB operation may be the proficient operator who knows his equipment well and can quickly and easily adjust it to perform at peak efficiency in his operating mode.

It boils down to code being nothing more than another operating mode which isn't a language and isn't a gauge of proficiency.

```
From -8701476899675959657
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!198.186.190.10.MISMATCH!
textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: Give up CB for Ham?
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20060711163939.819$5l@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<bBCsg.49394$W97.20808@twister.nyroc.rr.com>
<kmq7b21g6b8697132r4j0ac1qr7gvni20l@4ax.com>
X-NRC-Trace: NewsReader.Com L3-ygwzNCRVyn8@wgGmkpo./qMRFjtYkvBlr-sUj3NG=2Pf
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 11 Jul 2006 20:35:54 GMT
Lines: 31
NNTP-Posting-Host: a1f0e280.nr3.newsreader.com
X-Trace: DXC=T0AcA4\i<a\di>e73<8IVXOA8_@f\K_iR0V\?8`j4eW[k52WP5\0X?
^Nd7biGRhQTW<SVPgDF]ACT?gk:=0]KC[X
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.cb:13296 rec.radio.swap:5104
rec.radio.amateur.equipment:5235

noway@nohow.com wrote:
> ORIGINAL MESSAGE:
>
> On Tue, 11 Jul 2006 00:50:15 GMT, "Les Wilson"
>  <nessman@rochester.rr.com> wrote:
>
> >One day I'm on the interstate... snowing real bad.  Call out on the
> >usual simplex channels on VHF/UHF to get a traffic/conditions report...
> >no answer. So I grab the "emergency" CB radio I keep under the seat.
> >Call out on Ch 19... got _many_ responses - mostly truckers all with
> >solid info.  Very useful - and enjoyed listening to them all help each
> >other.
> >
> >That day, ham radio lost and CB won.
>
> ------------ REPLY SEPARATOR ------------
>
> Of course CB is better for road reports. What's your point?
>
> Mr Bill
>
Right, and how do you send CW while driving your pick-up truck with the
twin talkers -and- the on the air lights mounted on the roll bar? It's bad
enuff running around with the 102" whip banging off everything low, let
alone trying to tap out some directions to your ham buddy on the highway
via CW. :)

CW rules in disasters tho..

--
                     http://NewsReader.Com/


From 8226061203731009340
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <noway@nohow.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Tue, 11 Jul 2006 14:31:21 -0700
Message-ID: <1168b25lcrgpdorlipp2n7723aiq1nl1r2@4ax.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<bBCsg.49394$W97.20808@twister.nyroc.rr.com>
<kmq7b21g6b8697132r4j0ac1qr7gvni20l@4ax.com>
```

<20060711163939.819$5l@newsreader.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node82-61-52-66.1dial.com
X-Trace: newsfeed.slurp.net 1152653270 66.52.61.82 (11 Jul 2006 16:27:50 -0500)
Lines: 21
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 66.52.61.82
Path: g2news2.google.com!news3.google.com!news.glorb.com!usenet.ath.cx!
newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.cb:13298 rec.radio.swap:5105
rec.radio.amateur.equipment:5236

ORIGINAL MESSAGE:

On 11 Jul 2006 20:35:54 GMT, Steveo <moparholic@hotmail.com> wrote:

>Right, and how do you send CW while driving your pick-up truck with the
>twin talkers -and- the on the air lights mounted on the roll bar? It's bad
>enuff running around with the 102" whip banging off everything low, let
>alone trying to tap out some directions to your ham buddy on the highway
>via CW. :)
>
>CW rules in disasters tho..

------------ REPLY SEPARATOR ------------

As best I recall CW is illegal on CB. Naturally, if the average CBer
knew that, there would be a rush to learn it. :-)

Mr Bill

From -4510890738434882978
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
indigo.octanews.net!news-out.octanews.net!teal.octanews.net!
198.186.190.95.MISMATCH!news-out.readnews.com!postnews3.readnews.com!
nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: Give up CB for Ham?
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20060711182407.090$GK@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment

```
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<bBCsg.49394$W97.20808@twister.nyroc.rr.com>
<kmq7b21g6b8697132r4j0ac1qr7gvni20l@4ax.com>
<20060711163939.819$5l@newsreader.com>
<1168b25lcrgpdorlipp2n7723aiq1nl1r2@4ax.com>
X-NRC-Trace: NewsReader.Com 7LWf1wH+x7yfvyjy=ibApQsClpEnSQfk,e=gXk_Awljbn.WF@P
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 11 Jul 2006 22:20:21 GMT
Lines: 28
NNTP-Posting-Host: 2e4ab36b.nr3.newsreader.com
X-Trace: DXC=7^>nBibaY1KE:I3:2lfbELOA8_@f\K_iB0V\?
8`j4eWK@:dS;@5DDPFNd7biGRhQTG<SVPgDF]ACDkmQPG:?iaGG
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.cb:13303 rec.radio.swap:5106
rec.radio.amateur.equipment:5237

Bill Turner <noway@nohow.com> wrote:
> ORIGINAL MESSAGE:
>
> On 11 Jul 2006 20:35:54 GMT, Steveo <moparholic@hotmail.com> wrote:
>
> >Right, and how do you send CW while driving your pick-up truck with the
> >twin talkers -and- the on the air lights mounted on the roll bar? It's
> >bad enuff running around with the 102" whip banging off everything low,
> >let alone trying to tap out some directions to your ham buddy on the
> >highway via CW. :)
> >
> >CW rules in disasters tho..
>
> ------------ REPLY SEPARATOR ------------
>
> As best I recall CW is illegal on CB. Naturally, if the average CBer
> knew that, there would be a rush to learn it. :-)
>
> Mr Bill
>
Rash or rust?

Reckon where Riley will rate a CW on CB bust? :)

 (i think it's legal at small wattage) no?

--
                     http://NewsReader.Com/


From -9066148453963457265
X-Google-Thread: 108122,a893713cb1d55d34
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
```

individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: K9KXQ & Pirate on 75 M
Date: 11 Jul 2006 22:49:47 GMT
Lines: 5
Message-ID: <slrneb8avr.22ff.bit-bucket@shell.config.com>
References: <c95534b9cc247c98892af588b78706fd@dizum.com>
Reply-To: Reply to the .sig address <NOSPAM_bit-bucket@config.com>
X-Trace: individual.net vec/0tuSYQNKoHC6rf7crwuiuvCQ2W1CI+Tu7GTN/B0XkWgDR8
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:5238

On Tue, 11 Jul 2006 20:20:05 +0200 (CEST), Nomen Nescio wrote:

> HEY THEY GOT THIS GUY IN MADISONVILLE KY THAT WAS RUN OUT OF INDIANA BY THE CITY OF HOBART INDIANA TALKING WITH HIS UNLICENSED BUDDY BILL NEWCOMB FROM MARBELLA ST IN PORTAGE INDIANA ON 75 METERS (3955) YET HE STILL TALKS TO HIM AND SOME OF THE OTHERS DO TO.Listen late at night and you can hear them bill newcomb is dr bill on the cb radio and NOT A LICENSED AMATEUR RADIO OPERATOR...K9KXQ IS A LICENSED HAM OPERATOR AND KNOWS FULL WELL THAT NEWCOME IS UNLICENSED!

After you get your keyboard's SHIFT key fixed, come back and discuss _equipment_ with us.

From 4905447040526505561
X-Google-Thread: 108122,2b08c459fb6e8e26
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ADI AT-201 programming question
Date: 11 Jul 2006 15:56:13 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1152658573.253831.125120@m73g2000cwd.googlegroups.com>
References: <1152473516.032758.308910@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 4.225.103.239
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152658579 18331 127.0.0.1 (11 Jul 2006 22:56:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Jul 2006 22:56:19 +0000 (UTC)
In-Reply-To: <1152473516.032758.308910@b28g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=4.225.103.239;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.equipment:5239

hot-ham-and-cheese@hotmail.com wrote:
> I'm able to switch on/of the T and SQ CTCSS using the function and
> ctcss buttons, but how do I get to the location where I can change the
> actual tone code?
>
> Thanks in advance. bb

Thanks, guys. I fooled around with it over lunch today, and don't
recall exactly which comination of key strokes got me there, but I
twisted the knob and got the PL over to 123.0.

From 7295400522334512561
X-Google-Thread: 108122,7d809221a5de49a1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Jul 2006 18:39:06 -0500
From: "garigue" <garigue@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1152648877.191682.190980@m73g2000cwd.googlegroups.com>
Subject: Re: Language, code, proficiency etc.
Date: Tue, 11 Jul 2006 19:40:14 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <q5udnRWLZaMHqynZnZ2dnUVZ_rOdnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 67.172.61.92
X-Trace: sv3-GA5vS39MqFGopN0Bz6/mdy3IxdSuUJa+sDtQAhkBy/RvWyrYbZVHs/
WiKEs+O8wrS7LJ+1Mk6GqmrqC!rx43MICj6+UJ1sIAz+SRcDF+j1znydqKIaRKcinM/
peQMnvZS5tLiwgp3Df9j0yWpsskf4NLthQr!sNExz8judlU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5240

>
> It boils down to code being nothing more than another operating mode
> which isn't a language and isn't a gauge of proficiency.

Unless .... one is trying to communicate with another "code" station ...... I don't buy the language aspect ...in fact this discussion has been beat to death years ago ...... what is proficient ???? 5 WPM yep it is if you are working another 5 WPM station .... 40 WPM yep if the other fellow is 40 WPM "proficient" ...as stated many times before ....my "proficiency" unravels like a cheap sweater around 40 WPM or so. PS to keep this in the realm of equipment ......
how does the FT-897 act with the Collins CW filter ...worth if for and backup and field day ????

Take care all ...73   Tom Popovic KI3R

```
From -5802397915242571515
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44B44705.F4A86462@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
 right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
<44B309A6.44A7CD72@earthlink.net> <gh67b29tg6qan0letetf0nglaechpp4v9l@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 43
Date: Wed, 12 Jul 2006 00:49:48 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152665388 24.110.34.161 (Tue, 11 Jul
2006 17:49:48 PDT)
NNTP-Posting-Date: Tue, 11 Jul 2006 17:49:48 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5241
rec.radio.amateur.misc:16305 rec.radio.amateur.policy:32693 rec.radio.scanner:3871
```

rec.radio.swap:5112

Al Klein wrote:
>
> On Tue, 11 Jul 2006 02:15:26 GMT, "Michael A. Terrell"
> <mike.terrell@earthlink.net> wrote:
>
> >   Dipshit. If code is the only way to go, why are you using text for
> >your usenet messages? Can you say "Hypocrite"
>
> If text is the only way to go, why do you speak?
>
> Can you say "Yes, I ar wun"?

Can't you spell any better than that?

So, Al. Can you tell us how many receivers or transmitters have you built from scratch? Not from a kit, or someone else's design, but from scratch? Drew a block diagram that was converted to a real schematic one block at a time where you did all the math, laid out the chassis, cut and drilled all the holes and built the equipment all by yourself?

What is the biggest transmitter you've ever built or used? I'm a disabled now, but I worked in broadcast, and built telemetry equipment that is in use all over the world, and in orbit. Tell us, what can you do other than whine? Have you ever built a commercial TV station from scratch? Have you ever maintained a 5 MW EIRP UHF plant with a 1700 foot+ tower? Had the fun of finding parts for a transmitter that haven't been made for 15 years while managing to stay on the air?

I found CW boring years ago, and have some hearing problems so I said to hell with Morse code and got involved in the equipment design end of things. It was more fun for me to develop a design and built it, get it aligned and working, then move on to the next design.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -3734784325777699162
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: 11 Jul 2006 19:05:13 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1152669913.674739.75740@m73g2000cwd.googlegroups.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
   <bBCsg.49394$W97.20808@twister.nyroc.rr.com>
   <kmq7b21g6b8697132r4j0ac1qr7gvni20l@4ax.com>
   <20060711163939.819$5l@newsreader.com>
   <1168b25lcrgpdorlipp2n7723aiq1nl1r2@4ax.com>
   <20060711182407.090$GK@newsreader.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152669919 17499 127.0.0.1 (12 Jul 2006 02:05:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 02:05:19 +0000 (UTC)
In-Reply-To: <20060711182407.090$GK@newsreader.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.cb:13320 rec.radio.swap:5114 rec.radio.amateur.equipment:5242

Steveo wrote:
> Bill Turner <noway@nohow.com> wrote:
> > ORIGINAL MESSAGE:

> > As best I recall CW is illegal on CB. Naturally, if the average CBer
> > knew that, there would be a rush to learn it. :-)
> >
> > Mr Bill
> >
> Rash or rust?
>
> Reckon where Riley will rate a CW on CB bust? :)
>
> (i think it's legal at small wattage) no?
it is legal at part 15 wattage but not at legal cb power let alone the
poser a ham staion can use it as

amsuingly I thought CW was legal on CB till Robeson disabused me of
that notion

it was interesting that he dt not realy seize upon that mmistake on my

```
part (a real one for a chnage as opposed tothe faults he merely
igmaines)
>
> --
>                       http://NewsReader.Com/



From -279188897095642309
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Message-ID: <er77b2tbfspu82tf0st8a59joqnijkira8@4ax.com>
References: <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
<hooao3-52h.ln1@chris.org> <1152562871.315238.193850@75g2000cwc.googlegroups.com>
<0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
<1152568340.158713.100600@m79g2000cwm.googlegroups.com>
<57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
<1152582489.270076.79630@m73g2000cwd.googlegroups.com>
<q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
<44b307ab$0$9395$88260bb3@free.teranews.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
Date: Tue, 11 Jul 2006 22:33:23 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152671529 24.186.218.38 (Tue, 11 Jul 2006 19:32:09 MST)
NNTP-Posting-Date: Tue, 11 Jul 2006 19:32:09 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5243
rec.radio.amateur.policy:32702 rec.radio.scanner:3874 rec.radio.swap:5115

On Mon, 10 Jul 2006 22:03:09 -0500, "CW" <No-NoCodeidiots@CW4EVER.biz>
wrote:

>with all due respect to you as a fellow ham I strongly disagree with your
>position. I got my ticket the so called "right" way. I've held an advanced
```

>(WA4***) class since I had to drive to the nearest office for for the
>written and cw.
>Remember when the dam questions weren't even allowed to be published?
>Remember those stupid ass ARRL study manuals?Al,how was that better?

Better? I don't know. Who said it was?

But how many hams today could even understand a schematic, let alone build a W2EWL rig? But how many SSB (or DSB) transmitters were homebrew? Hams don't even build repeater controllers any longer - everything is appliance. What's ham radio supposed to be (from the government viewpoint) if not a training ground? For people who know how to operate. Not for CBers on ham bands.

People are afraid of losing things if we have too few hams? Where will the FCC's justification go (the "ham radio provides us with a pool of experienced operators" thing) if ham radio is just CB on different frequencies?

From -1494610565604773244
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!prodigy.net!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Message-ID: <lao8b217shc1kml6vlu0959brlhe769rr6@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<1152545775.566443.34660@35g2000cwc.googlegroups.com>
<jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
<c0077$44b38f28$d06640f9$511@FUSE.NET>
<h477b2pi2la8c740oie36slmik2b6ltbca@4ax.com> <e906q7$mmk$1@news2.kornet.net>
<1152635084.066776.95580@m79g2000cwm.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Tue, 11 Jul 2006 22:41:59 -0400
NNTP-Posting-Host: 24.186.218.38

```
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152672045 24.186.218.38 (Tue, 11 Jul 2006 19:40:45 MST)
NNTP-Posting-Date: Tue, 11 Jul 2006 19:40:45 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5244
rec.radio.amateur.misc:16314 rec.radio.amateur.policy:32703 rec.radio.scanner:3876
rec.radio.swap:5116
```

On 11 Jul 2006 09:24:44 -0700, "an old friend"
<kb9rqz-MCM@hotmail.com> wrote:

>they are a jargon but they can comincate the rnanage of expression
>twith

Something you obviously haven't learned to do yet.

```
From 3603710755462148516
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Date: 11 Jul 2006 19:40:23 -0700
Organization: http://groups.google.com
Lines: 40
Message-ID: <1152672023.377527.87680@p79g2000cwp.googlegroups.com>
References: <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
   <hooao3-52h.ln1@chris.org>
   <1152562871.315238.193850@75g2000cwc.googlegroups.com>
   <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
   <1152568340.158713.100600@m79g2000cwm.googlegroups.com>
   <57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
   <1152582489.270076.79630@m73g2000cwd.googlegroups.com>
   <q226b2982pra20ga0qtdumo8urbqmo6o1u@4ax.com>
   <44b307ab$0$9395$88260bb3@free.teranews.com>
   <er77b2tbfspu82tf0st8a59joqnijkira8@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152672028 22771 127.0.0.1 (12 Jul 2006 02:40:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 02:40:28 +0000 (UTC)
In-Reply-To: <er77b2tbfspu82tf0st8a59joqnijkira8@4ax.com>
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5245
rec.radio.amateur.policy:32704 rec.radio.scanner:3877 rec.radio.swap:5117


Al Klein wrote:
> On Mon, 10 Jul 2006 22:03:09 -0500, "CW" <No-NoCodeidiots@CW4EVER.biz>
> wrote:
>
> >with all due respect to you as a fellow ham I strongly disagree with your
> >position. I got my ticket the so called "right" way. I've held an advanced
> >(WA4***) class since I had to drive to the nearest office for for the
> >written and cw.
> >Remember when the dam questions weren't even allowed to be published?
> >Remember those stupid ass ARRL study manuals?Al,how was that better?
>
> Better?  I don't know.  Who said it was?
you did
>
> But how many hams today could even understand a schematic, let alone
> build a W2EWL rig?
how many need to
>  But how many SSB (or DSB) transmitters were
> homebrew?
I have a hombrew AM unit a cute little thing built from the plan in th
last issue of CQ VHF's first run I will call it
>Hams don't even build repeater controllers any longer -
> everything is appliance.
so?
>  What's ham radio supposed to be (from the
> government viewpoint) if not a training ground?
and it is
> For people who know
> how to operate.  Not for CBers on ham bands.
>
> People are afraid of losing things if we have too few hams?
indeed they are
>  Where
> will the FCC's justification go (the "ham radio provides us with a
> pool of experienced operators" thing) if ham radio is just CB on
> different frequencies?
how is thatever going to happen?
 why are you so afraid of CB?



From -5898626308587439180
X-Google-Thread: 108122,3876a49f89270467
```

```
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 11 Jul 2006 19:46:18 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1152672377.972280.286060@35g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <jqv5b29kmplgtb8p7c8ag1r8f2aoitkgnm@4ax.com>
   <c0077$44b38f28$d06640f9$511@FUSE.NET>
   <h477b2pi2la8c740oie36slmik2b6ltbca@4ax.com>
   <e906q7$mmk$1@news2.kornet.net>
   <1152635084.066776.95580@m79g2000cwm.googlegroups.com>
   <lao8b217shc1kml6vlu0959brlhe769rr6@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152672383 23690 127.0.0.1 (12 Jul 2006 02:46:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Jul 2006 02:46:23 +0000 (UTC)
In-Reply-To: <lao8b217shc1kml6vlu0959brlhe769rr6@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5246
rec.radio.amateur.misc:16315 rec.radio.amateur.policy:32705 rec.radio.scanner:3878
rec.radio.swap:5118
```

Al Klein wrote:
> On 11 Jul 2006 09:24:44 -0700, "an old friend"
> <kb9rqz-MCM@hotmail.com> wrote:
>
> >they are a jargon but they can comincate the rnanage of expression
> >twith
>
> Something you obviously haven't learned to do yet.

did you have any point to make?

OTOH your coment does prove my point that being even know that
demonstarting langiuauge is NOT a requiremnt for a license

From -7834726287245167425
X-Google-Thread: 108122,4da013b9d2bfd9c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!news.astraweb.com!router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-sjc-01!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu, Dumb Question
Date: Sun, 09 Jul 2006 03:25:19 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12b0tova196lva4@corp.supernews.com>
References: <ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com>
<pan.2006.07.09.03.04.21.62841@spam.spam>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news2.google.com rec.radio.amateur.equipment:5147

In article <pan.2006.07.09.03.04.21.62841@spam.spam>,
yea right <spam@spam.spam> wrote:
>On Sun, 09 Jul 2006 00:05:39 +0000, John Ferrell wrote:
>
>> I have a friend who has a Yaesu FT-8800R transceiver That transmits a
>> "beep" each time he transmits. We could probably figure out how to
>> turn it off if we knew what the function is called...
><snip>
>
>I had the same thing. I can't remember what the function was called but it
>took me a few hours to find out what it was trough experimentation.
>
>Press the right hand volume control down briefly disables it.
>
>I really hate the controls for this radio. They add stupid functions like
>this to the front panel but leave important things like memory skip deep
>in the menus.

This is probably the Yaesu WIRES (internet-connection) feature. It's
enabled by pressing the lefthand VOL knob briefly. When enabled, the
text INT ON appears in the display for a couple of seconds, an "int"
icon appears in the display (memory-channel field of the subband part
of the display), and a DTMF tone is sent at the beginning of each
transmission.

To disable it, press the lefthand VOL knob again, and confirm that the "int" icon disappears from the display.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 8755929112428475770
X-Google-Thread: 108122,4da013b9d2bfd9c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu, Dumb Question
Date: Sat, 08 Jul 2006 22:34:01 -0500
Lines: 35
Message-ID: <4hbbpaF1bcgi2U1@individual.net>
References: <ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com>
<4hb1ooF1r2o74U1@individual.net> <h0r0b29i8u8l3ad3rtr9kbuvbnbrha2g6q@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net HSqpDH+OZBWCgD9WUGl2Hg+dP3d/WXcl83DT3QAZ1tMlbURHfY
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <h0r0b29i8u8l3ad3rtr9kbuvbnbrha2g6q@4ax.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:5148

Ok, then it HAS to be that you have the WIRES activated. Every time you key up,
it sends a tone code to initiate the WIRES link...
Bob N9LVU

John Ferrell wrote:
> Thanks, but Menu 5 is an audible beep when a key board key is pressed.
> The tone that happens with this problem is heard at the transmitter
> and the receiver.
>
> John W8CCW
>
> On Sat, 08 Jul 2006 19:43:03 -0500, Robert Kubichek
> <bobn9lvu@sbcglobal.net> wrote:
>
>
>>
>>John Ferrell wrote:
>>
>>>I have a friend who has a Yaesu FT-8800R transceiver That transmits a

```
>>>"beep" each time he transmits. We could probably figure out how to
>>>turn it off if we knew what the function is called...
>>>
>>>A full reset will clear the condition but it also clears all the other
>>>programming. Once again, if we knew what the "feature" was called we
>>>could probably figure out how it gets turned on unintentionally.
>>>
>>>John, W8CCW
>>>John Ferrell W8CCW
>>
>>Try looking under Courtesy Beep or menu item 5
>>
>>
>>Bob N9LVU
>
> John Ferrell W8CCW


From -5491592322004190176
X-Google-Thread: 108228,ffdfb8276a2d0b00
X-Google-Thread: f55c2,ffdfb8276a2d0b00
X-Google-Thread: fb049,ffdfb8276a2d0b00
X-Google-Thread: fcc6e,ffdfb8276a2d0b00
X-Google-Thread: f7653,ffdfb8276a2d0b00
X-Google-Thread: 11480d,ffdfb8276a2d0b00
X-Google-Thread: 108122,ffdfb8276a2d0b00
X-Google-Thread: fc2a5,ffdfb8276a2d0b00
X-Google-Attributes:
gid108228,gidf55c2,gidfb049,gidfcc6e,gidf7653,gid11480d,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news.glorb.com!feed.cgocable.net!
pd7cy1no!pd7cy2no!shaw.ca!pd7tw1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.151.104.5
From: "Mike, who else?" <Mike@nowhere.net>
Subject: Re: looking for 2 metre mobile radio
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,
rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <44ae07f7$1$21440$afc38c87@news.optusnet.com.au>
IfYouCanReadThisThen: POUND-SALT_HAHAHAHA
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 11
Message-ID: <vt0sg.138629$IK3.21348@pd7tw1no>
Date: Sun, 09 Jul 2006 05:27:55 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw1no 1152422875 24.70.95.207 (Sat, 08 Jul 2006 23:27:55 MDT)
NNTP-Posting-Date: Sat, 08 Jul 2006 23:27:55 MDT
Organization: Shaw Residential Internet
```

Xref: g2news2.google.com alt.ham-radio.marketplace:1103 alt.ham-radio.mods:163
alt.ham-radio.vhf-uhf:2175 rec.radio.amateur.antenna:14253
rec.radio.amateur.digital.misc:311 rec.radio.amateur.dx:2297
rec.radio.amateur.equipment:5149 rec.radio.amateur.homebrew:6122

On Fri, 07 Jul 2006 17:06:41 +1000, hamguy1 wrote:

> hi there newgroups, i live in australia im looking for either a yaesu
> kenwood icom or similar 2 metre for my mobile with dtmf mic preferably if
> anyone in the usa etc has 1 i would pay shipping to australia .thanks in
> advance david nsw australia .

www.ebay.com

From 1422247417797784878
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Sun, 09 Jul 2006 07:25:56 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
In-Reply-To: <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <e1727$44b0e747$d06640f9$2410@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 13
X-Trace: e172744b0e74775c3e55c02410
Xref: g2news2.google.com rec.radio.amateur.equipment:5150

rec.radio.amateur.misc:16192 rec.radio.amateur.policy:32438 rec.radio.scanner:3780 rec.radio.swap:5005

No, please tell us how requiring code tests and more difficult technical testing creates a "more proficient" ham?

When code testing was 13/20 WPM and the technical tests were much harder, we still had all the idiots on the bands. Those idiots are not more proficient. You are simply ignoring reality. Do you live in a cave or something?

>
> Please babble to us how requiring more proficient amateurs will kill ham
> radio.
>
> sc

From 7684855766936180236
X-Google-Thread: 108122,df925b8e4f9b69be,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.xsnews.nl!feeder.xsnews.nl!feed10.multikabel.net!multikabel.net!feed20.multikabel.net!skynet.be!skynet.be!hoboe2bl2.telenet-ops.be!nntp.telenet.be!kwabbernoot.telenet-ops.be!phobos.telenet-ops.be.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Try this - auctions on equipment
From: LukeDkd@gmail.com
Lines: 9
Message-ID: <US6sg.527327$Fg7.12837998@phobos.telenet-ops.be>
Date: Sun, 09 Jul 2006 12:44:36 GMT
NNTP-Posting-Host: 81.82.12.137
X-Complaints-To: abuse@telenet.be
X-Trace: phobos.telenet-ops.be 1152449076 81.82.12.137 (Sun, 09 Jul 2006 14:44:36 MEST)
NNTP-Posting-Date: Sun, 09 Jul 2006 14:44:36 MEST
Organization: Telenet Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:5151

Hi there,

All stuff related to equipment can be found cheaper on auction sites.
Find out how, tips, tricks and links to the most popular auction sites on:

http://auctions.woohoow.net

Good luck!

From -7692373183413345173
X-Google-Thread: 108122,4da013b9d2bfd9c5

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!90335db4!
not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu, Dumb Question
Message-ID: <buu1b25nr81rco6bjp12dmigcvmo8pfq6f@4ax.com>
References: <ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com>
<pan.2006.07.09.03.04.21.62841@spam.spam> <12b0tova196lva4@corp.supernews.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 42
Date: Sun, 09 Jul 2006 12:57:36 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152449856 24.148.146.109 (Sun, 09 Jul
2006 05:57:36 PDT)
NNTP-Posting-Date: Sun, 09 Jul 2006 05:57:36 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5152

I am sure you guys have solved the problem. I will talk with Bill
later today. This "feature" has just about driven him off his recent
return to Ham Radio!

While we have found the experience a bit humbling, I do think they
could have done better job with the manual. A search on "wires" of
the PDF manual got me on the right pages.

Thanks to all!
 John W8CCW

On Sun, 09 Jul 2006 03:25:19 -0000, dplatt@radagast.org (Dave Platt)
wrote:

>In article <pan.2006.07.09.03.04.21.62841@spam.spam>,
>yea right <spam@spam.spam> wrote:
>>On Sun, 09 Jul 2006 00:05:39 +0000, John Ferrell wrote:
>>
>>> I have a friend who has a Yaesu FT-8800R transceiver That transmits a
>>> "beep" each time he transmits. We could probably figure out how to
>>> turn it off if we knew what the function is called...
>><snip>
>>
>>I had the same thing. I can't remember what the function was called but it
>>took me a few hours to find out what it was trough experimentation.
>>
>>Press the right hand volume control down briefly disables it.

>>
>>I really hate the controls for this radio. They add stupid functions like
>>this to the front panel but leave important things like memory skip deep
>>in the menus.
>
>This is probably the Yaesu WIRES (internet-connection) feature. It's
>enabled by pressing the lefthand VOL knob briefly. When enabled, the
>text INT ON appears in the display for a couple of seconds, an "int"
>icon appears in the display (memory-channel field of the subband part
>of the display), and a DTMF tone is sent at the beginning of each
>transmission.
>
>To disable it, press the lefthand VOL knob again, and confirm that the
>"int" icon disappears from the display.
John Ferrell W8CCW

From 3710373354353954364
X-Google-Thread: 108122,4da013b9d2bfd9c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com>
Subject: Re: Yaesu, Dumb Question
Lines: 41
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <_E8sg.484$_M.366@fed1read04>
Date: Sun, 9 Jul 2006 07:46:22 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1152456378 72.197.12.245 (Sun, 09 Jul 2006 10:46:18 EDT)
NNTP-Posting-Date: Sun, 09 Jul 2006 10:46:18 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5153

Not a dumb question, but sure as hell a DUMB feature
Tis Wires beep necessary when using WIRES (Wide-Coverage Internet Repeater
Enhancement System).
To disable, press the volume control on the lower left of the rig. See page
52 of the manual
http://www.yaesu.com/

We had a demo station at the San Diego Fair that beeped every time they
transmitted
Almost every time a repeater cop just had to tell them - ya gotta beep on

your signal

Using the on-line manual - took two hours to figure out how to disable it

And if you think that is dumb -- wait until someone uses the ARTS feature on your repeater
ARTSTM: Auto Range Transponder System .... page 46

--
CL -- I doubt, therefore I might be !

"John Ferrell" <johnferrell@sprintmail.com> wrote in message news:ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com...
>I have a friend who has a Yaesu FT-8800R transceiver That transmits a
> "beep" each time he transmits. We could probably figure out how to
> turn it off if we knew what the function is called...
>
> A full reset will clear the condition but it also clears all the other
> programming. Once again, if we knew what the "feature" was called we
> could probably figure out how it gets turned on unintentionally.
>
> John, W8CCW
> John Ferrell W8CCW

From -346276349303539184
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-mail
From: "an old freid to some a nightmare to steve" <kb9rqz__ars@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 9 Jul 2006 08:59:49 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1152460789.290497.263870@s13g2000cwa.googlegroups.com>

```
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
   <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
   <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
   <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
   <e1727$44b0e747$d06640f9$2410@FUSE.NET>
NNTP-Posting-Host: 66.82.9.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152460795 15608 127.0.0.1 (9 Jul 2006 15:59:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Jul 2006 15:59:55 +0000 (UTC)
In-Reply-To: <e1727$44b0e747$d06640f9$2410@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=66.82.9.70;
   posting-account=IvgfvA0AAABfkDmkFekg2nkRIyiXwf8A
Xref: g2news2.google.com rec.radio.amateur.equipment:5154
rec.radio.amateur.misc:16201 rec.radio.amateur.policy:32479 rec.radio.scanner:3782
rec.radio.swap:5007


J. D. B. wrote:
> No, please tell us how requiring code tests and more difficult technical
> testing creates a "more proficient" ham?
>
> When code testing was 13/20 WPM and the technical tests were much
> harder, we still had all the idiots on the bands.  Those idiots are not
> more proficient. You are simply ignoring reality.  Do you live in a cave
> or something?
I think he does UBL cave with the quipement reachto various websites
and NG to (like his mentor UBL) try and disupt the world that has left
him behind
>
> >
> > Please babble to us how requiring more proficient amateurs will kill ham
> > radio.
> >
> > sc




From -7627118268854773645
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Message-ID: <3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Sun, 09 Jul 2006 14:13:32 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152468713 24.186.218.38 (Sun, 09 Jul 2006 11:11:53 MST)
NNTP-Posting-Date: Sun, 09 Jul 2006 11:11:53 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5155 rec.radio.amateur.misc:16207 rec.radio.amateur.policy:32498 rec.radio.scanner:3783 rec.radio.swap:5009

On Sun, 09 Jul 2006 07:25:56 -0400, "J. D. B." <duffyb01@nospamfuse.net> wrote:

>No, please tell us how requiring code tests and more difficult technical
>testing creates a "more proficient" ham?

>When code testing was 13/20 WPM and the technical tests were much
>harder, we still had all the idiots on the bands. Those idiots are not
>more proficient. You are simply ignoring reality. Do you live in a cave
>or something?

The claim was "more proficient", not "generally nicer and better able to get along with people". There will always be idiots in <insert any field> but a ham who can't copy code at 1 wpm isn't more proficient (or as proficient) at communicating under any and all conditions as one who can.

Someone who can do something is, by definition, more proficient at doing it than someone who can't. Requiring code tests and real technical testing (the current tests are a joke) makes sure that most of the people who get licensed are more proficient at receiving code and with technical matters.

```
From -2071069579340949865
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 9 Jul 2006 11:23:11 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1152469391.862682.275730@h48g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
   <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
   <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
   <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
   <e1727$44b0e747$d06640f9$2410@FUSE.NET>
   <3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152469395 29629 127.0.0.1 (9 Jul 2006 18:23:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Jul 2006 18:23:15 +0000 (UTC)
In-Reply-To: <3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.equipment:5156
rec.radio.amateur.misc:16208 rec.radio.amateur.policy:32505 rec.radio.scanner:3784
rec.radio.swap:5011


Al Klein wrote:
> On Sun, 09 Jul 2006 07:25:56 -0400, "J. D. B."
> <duffyb01@nospamfuse.net> wrote:
>
> Requiring code tests and real
> technical testing (the current tests are a joke) makes sure that most
> of the people who get licensed are more proficient at receiving code
> and with technical matters.
no it does not

most of the people that get license tody never take a code test

therfore they are not made more profeincent at Morse code even

you "facts" are well... fucked




From 4651917267570411840
X-Google-Thread: 108122,2b08c459fb6e8e26,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b28g2000cwb.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: ADI AT-201 programming question
Date: 9 Jul 2006 12:31:56 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1152473516.032758.308910@b28g2000cwb.googlegroups.com>
NNTP-Posting-Host: 4.225.96.240
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152473521 18571 127.0.0.1 (9 Jul 2006 19:32:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Jul 2006 19:32:01 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b28g2000cwb.googlegroups.com; posting-host=4.225.96.240;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.equipment:5157

I'm able to switch on/of the T and SQ CTCSS using the function and
ctcss buttons, but how do I get to the location where I can change the
actual tone code?

Thanks in advance.  bb




From 6126612494608562997
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
```

X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Message-ID: <1jm2b2ler8qf3a0jlcrks39i7dafsp6otm@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<1152469391.862682.275730@h48g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Sun, 09 Jul 2006 15:35:46 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1152473646 24.186.218.38 (Sun, 09 Jul 2006 12:34:06 MST)
NNTP-Posting-Date: Sun, 09 Jul 2006 12:34:06 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5158
rec.radio.amateur.misc:16209 rec.radio.amateur.policy:32511 rec.radio.scanner:3785
rec.radio.swap:5012

On 9 Jul 2006 11:23:11 -0700, "an old friend" <kb9rqz-MCM@hotmail.com>
wrote:

>
>Al Klein wrote:
>> On Sun, 09 Jul 2006 07:25:56 -0400, "J. D. B."
>> <duffyb01@nospamfuse.net> wrote:
>>
>> Requiring code tests and real
>> technical testing (the current tests are a joke) makes sure that most
>> of the people who get licensed are more proficient at receiving code
>> and with technical matters.
>no it does not
>
>most of the people that get license tody never take a code test
>
>therfore they are not made more profeincent at Morse code even

>
>you "facts" are well... fucked

No, it's your ability to understand the difference between "are
licensed" and "get licensed" that is.

```
From 1439024962932158834
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 9 Jul 2006 12:50:47 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1152474647.070168.305870@p79g2000cwp.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
   <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
   <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
   <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
   <e1727$44b0e747$d06640f9$2410@FUSE.NET>
   <3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
   <1152469391.862682.275730@h48g2000cwc.googlegroups.com>
   <1jm2b2ler8qf3a0jlcrks39i7dafsp6otm@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152474652 21664 127.0.0.1 (9 Jul 2006 19:50:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Jul 2006 19:50:52 +0000 (UTC)
In-Reply-To: <1jm2b2ler8qf3a0jlcrks39i7dafsp6otm@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5159
rec.radio.amateur.misc:16211 rec.radio.amateur.policy:32516 rec.radio.scanner:3786
rec.radio.swap:5014
```

Al Klein wrote:
> On 9 Jul 2006 11:23:11 -0700, "an old friend" <kb9rqz-MCM@hotmail.com>
> wrote:
>
> >
> >Al Klein wrote:
> >> On Sun, 09 Jul 2006 07:25:56 -0400, "J. D. B."
> >> <duffyb01@nospamfuse.net> wrote:
> >>
> >> Requiring code tests and real
> >> technical testing (the current tests are a joke) makes sure that most
> >> of the people who get licensed are more proficient at receiving code
> >> and with technical matters.
> >no it does not
> >
> >most of the people that get license tody never take a code test
> >
> >therfore they are not made more profeincent at Morse code even
> >
> >you "facts" are well... fucked
>
> No, it's your ability to understand the difference between "are
> licensed" and "get licensed" that is.
all the tech got lisenced sir
nor does passing the code even ensure that most people that pass it can
operate it

From -8492063968571008940
X-Google-Thread: 108122,c80b8555e69affdd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom ProIII & Ameritron AL-1500
Message-ID: <bhu2b25thncrfp8fg3nk5qdnncisgre1h4@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Sun, 09 Jul 2006 17:50:40 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152481860 69.125.167.162 (Sun, 09 Jul 2006 14:51:00 MST)
NNTP-Posting-Date: Sun, 09 Jul 2006 14:51:00 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5160

FS Icom ProIII & Ameritron AL-1500
ProIII 2350.00 Box/Manual Etc......... Excellent Shape!!
Ameritron AL-1500   Just serviced at KJI Electronics   1500.00
Excellent Shape!!!
ritchi50@optonline.net

From 3856949984659046875
X-Google-Thread: 108122,a5742ed4bb283655,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS HeathKit DX-100
Message-ID: <k4v2b25v9ku836ughu0jlvigm8patdhlgn@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Sun, 09 Jul 2006 18:01:00 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152482479 69.125.167.162 (Sun, 09 Jul 2006 15:01:19 MST)
NNTP-Posting-Date: Sun, 09 Jul 2006 15:01:19 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5161

FS HeathKit DX-100
Works 100 Percent and has GREAT audio.
Price: 260.00
  Must pick up here in Essex County NJ
ritchi50@optonline.net

From -7482401051352929486
X-Google-Thread: 108122,7483fd90d5883694,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-mail
From: "Howie" <wa2afd@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Knight Kit R-55 Receiver
Date: 9 Jul 2006 15:11:29 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1152483089.908713.110340@35g2000cwc.googlegroups.com>
NNTP-Posting-Host: 4.157.68.7

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152483093 1134 127.0.0.1 (9 Jul 2006 22:11:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Jul 2006 22:11:33 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=4.157.68.7;
   posting-account=MyhAzQwAAABS1A85FLNLOOFXX4ClFj3X
Xref: g2news2.google.com rec.radio.amateur.equipment:5162
```

Hello to all and thanks for reading. I am looking to buy an old
Allied/Knight Kit R-55 receiver. Please state condition and price in
first email. Tnx.

```
From -5243188785276402604
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Sun, 09 Jul 2006 19:15:34 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
In-Reply-To: <3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <7bbff$44b18e72$d06640f9$18084@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 27
```

X-Trace: 7bbff44b18e7275c3e55c18084
Xref: g2news2.google.com rec.radio.amateur.equipment:5163 rec.radio.amateur.misc:16222 rec.radio.amateur.policy:32537 rec.radio.scanner:3787 rec.radio.swap:5018

Al, someone who passes a code test should be more proficient in code than someone who cannot pass the code test. That simply makes that person proficient in code, not necessarily a more proficient operator.

You may be able to use the code, but if you cannot use modern digital methods, use sat communication, able to handle emergency communication, able to set up digital networks and use them effectively, build modern solid-state equipment, etc., then you are not a more proficient amateur operator, you just are more proficient in code and that is not going to help us much in the 21st Century.

As I said before, PSK31 can be copied when the human ear cannot even hear the signal, if you cannot hear code, you cannot copy it period. So code is no longer the be-all-end-all. Modern 21st communication methods have replaced it.

If we are going to attract new people to the service, we need to get into the 21st Century and get the old farts away from the old code and tubes crap.

Al Klein wrote:
>
> Someone who can do something is, by definition, more proficient at doing it than someone who can't. Requiring code tests and real technical testing (the current tests are a joke) makes sure that most of the people who get licensed are more proficient at receiving code and with technical matters.

From 7940396149023218290
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 9 Jul 2006 16:20:34 -0700
Organization: http://groups.google.com
Lines: 37

Message-ID: <1152487234.566937.52760@m79g2000cwm.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152487239 12262 127.0.0.1 (9 Jul 2006 23:20:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 9 Jul 2006 23:20:39 +0000 (UTC)
In-Reply-To: <7bbff$44b18e72$d06640f9$18084@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=69.19.14.30;
posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5164 rec.radio.amateur.misc:16223 rec.radio.amateur.policy:32538 rec.radio.scanner:3788 rec.radio.swap:5019

J. D. B. wrote:

> Al, someone who passes a code test should be more proficient in code
> than someone who cannot pass the code test. That simply makes that
> person proficient in code, not necessarily a more proficient operator.

should be? I beg you pardon

well I know can't pass a code test and I can use Morse code did a few
eme contacts using a spectrograph to make out the didt and dah and
feedto an pc for translation I have done the same (with code reader as
well) to see if I could do that made a sweep in a cw sweepstakes (with
aid of another hams call)

>
> You may be able to use the code, but if you cannot use modern digital
> methods, use sat communication, able to handle emergency communication,
> able to set up digital networks and use them effectively, build modern
> solid-state equipment, etc., then you are not a more proficient amateur
> operator, you just are more proficient in code and that is not going to
> help us much in the 21st Century.
>
> As I said before, PSK31 can be copied when the human ear cannot even
> hear the signal, if you cannot hear code, you cannot copy it period. So
> code is no longer the be-all-end-all. Modern 21st communication methods
> have replaced it.
>
> If we are going to attract new people to the service, we need to get
> into the 21st Century and get the old farts away from the old code and

> tubes crap.
>
> Al Klein wrote:
> >
> > Someone who can do something is, by definition, more proficient at
> > doing it than someone who can't. Requiring code tests and real
> > technical testing (the current tests are a joke) makes sure that most
> > of the people who get licensed are more proficient at receiving code
> > and with technical matters.

```
From -8418426993495582388
X-Google-Thread: 108122,e6a2ba51300cdf10,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Ameco AC-1 Transmitter
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
Message-ID: <aggsg.112169$mF2.57245@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 09 Jul 2006 23:25:58 GMT
NNTP-Posting-Host: 12.77.143.115
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1152487558 12.77.143.115 (Sun, 09 Jul
2006 23:25:58 GMT)
NNTP-Posting-Date: Sun, 09 Jul 2006 23:25:58 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5165
```

I have an Ameco AC-1 Trasmitter in working condition that I am thinking of selling. Does anyone have an idea what I can sell this for?

Robert

```
From 2317365795347242561
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 09 Jul 2006 19:21:19 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: Sun, 9 Jul 2006 20:20:37 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
Lines: 76
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-wWdoZuKx07Js5KjsAlh+Nb0haiZQGbyu+s8jvBgPmUci09son2FuCFku+uMTDLP3u7pMxwIrIeVzhTG!Nbn5jKGZPlXha3tkDbaWE62yBQtBRcw0d9WMcjPQq59BA9HfOZy/V0AzI580/X/f5RPAqQJ6mmuF!vGEx94EMur9aK7yZ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5166
rec.radio.amateur.misc:16227 rec.radio.amateur.policy:32548 rec.radio.scanner:3789
rec.radio.swap:5022

"J. D. B." <duffyb01@nospamfuse.net> wrote in message
news:7bbff$44b18e72$d06640f9$18084@FUSE.NET...
> Al, someone who passes a code test should be more proficient in code than
> someone who cannot pass the code test. That simply makes that person
> proficient in code, not necessarily a more proficient operator.
>

If they are proficient in code as well as other modes, then they are a more proficient operator. The more you can do, the more proficient you are.

> You may be able to use the code, but if you cannot use modern digital
> methods, use sat communication, able to handle emergency communication,

> able to set up digital networks and use them effectively, build modern solid-state equipment, etc., then you are not a more proficient amateur operator, you just are more proficient in code and that is not going to help us much in the 21st Century.
>

Setting up digital networks may not be particularly practical in the early days right after a large scale disaster. Satellite passes are short and if you don't have internet access to look up pass times, you may be up the proverbial creek without the proverbial paddle if you rely too much on that form of communications. Even with the pass info, the passes are too short to be useful for handling very much emergency communication.

> As I said before, PSK31 can be copied when the human ear cannot even hear the signal, if you cannot hear code, you cannot copy it period. So code is no longer the be-all-end-all. Modern 21st communication methods have replaced it.
>

Yes it is true that PSK31 can be copied when you cannot hear it. However, it is useless when there are ionospheric disturbances that cause phase shifts (solar flares with the attendent aurora come to mind). This happens on a fairly regular basis. In addition, although the signal you are putting out is low power, PSK31 has a fairly high power consumption requirement since a computer is essential in the system. If you have limited power resources, it may not be a wise choice.

While code is not the end-all and be-all, it still has its place in list of communications methods. Let us go back to the auroral activity. The various digital modes fail first. Voice holds up a little bit longer getting distorted but sometimes still copyable. Code holds up a bit longer, being still copyable when voice becomes too distorted. Under auroral conditions, both voice and code fare better than digital.

Every single method has a valid place in the list of communications methods. Every mode has its strong points and its weak points. In my opinion, hams should be able to use as many modes as possible and that includes code.

The major drawback to code is that it requires people to develop a skill rather than being a matter of just slapping parts together. Heck, I don't any skill in soldering as I've soldered only about 4 items in my life but I built both myself and my OM PSK31 interfaces in about 1/2 hour each. They were two of those four items.

> If we are going to attract new people to the service, we need to get into the 21st Century and get the old farts away from the old code and tubes crap.
>

I find that it is the "old farts" who are doing most of the exotic activities. When I work PSK31, I come across many seniors working this mode with the latest radios and computers. When I work VHF/UHF contests and look up the call signs afterwards, it is mostly the experience hams that I run across.

You have let your disdain for the code blind you to its merits. As I stated above, EVERY mode has its strengths and weaknesses and its place in wireless communications.

Dee, N8UZE

```
From 5187739803614152224
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Sun, 09 Jul 2006 20:46:16 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
   the right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
<s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
In-Reply-To: <s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <3d05b$44b1a3c2$d06640f9$31256@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 83
X-Trace: 3d05b44b1a3c275c3e55c31256
Xref: g2news2.google.com rec.radio.amateur.equipment:5167 rec.radio.amateur.misc:16229 rec.radio.amateur.policy:32551 rec.radio.scanner:3791 rec.radio.swap:5024
```

Dee, the issue is that many old hams know CW, but cannot operate most new digital modes. But if I understand what you are saying, if a 20 WPM Extra Class ham only operates CW and maybe SSB is less proficient than a 5 WPM Technician that operates on 10 different digital modes. See the 10 modes is more than CW and SSB, that ham is more proficient. Then I guess I agree with you.

Your comments on setting up networks, sat communication, and digital modes show that you have little knowledge on either. For instance, it depends on the sat orbit how long it is useful.

If PSK cannot be used due to ionospheric disturbances, well then either can CW. Computers can be operated on battery or generator. You are going to need something to power the radio right? Does not take much more for a laptop and with digital modes, the power can be much less so there is more power for the laptop.

Your comparison of voice, digital modes and CW shows you have little knowledge of what you are talking about. I have personally used digital modes when voice and CW were not able to be copied.

Finally, I happen to like CW a lot. But I don't think it makes anyone a better operator for knowing it, you should not be tested on it anymore than any other mode. Yes, there are a lot of seniors using digital, but there are too many more hanging on to the old crap CW only and tubes.

Dee Flint wrote:
>>
>
> If they are proficient in code as well as other modes, then they are a more
> proficient operator. The more you can do, the more proficient you are.
>
>
> Setting up digital networks may not be particularly practical in the early
> days right after a large scale disaster. Satellite passes are short and if
> you don't have internet access to look up pass times, you may be up the
> proverbial creek without the proverbial paddle if you rely too much on that
> form of communications. Even with the pass info, the passes are too short
> to be useful for handling very much emergency communication.
>

> Yes it is true that PSK31 can be copied when you cannot hear it. However,
> it is useless when there are ionospheric disturbances that cause phase
> shifts (solar flares with the attendent aurora come to mind). This happens
> on a fairly regular basis. In addition, although the signal you are putting
> out is low power, PSK31 has a fairly high power consumption requirement
> since a computer is essential in the system. If you have limited power
> resources, it may not be a wise choice.
>
> While code is not the end-all and be-all, it still has its place in list of
> communications methods. Let us go back to the auroral activity. The

> various digital modes fail first. Voice holds up a little bit longer
> getting distorted but sometimes still copyable. Code holds up a bit longer,
> being still copyable when voice becomes too distorted. Under auroral
> conditions, both voice and code fare better than digital.
>
> Every single method has a valid place in the list of communications methods.
> Every mode has its strong points and its weak points. In my opinion, hams
> should be able to use as many modes as possible and that includes code.
>
> The major drawback to code is that it requires people to develop a skill
> rather than being a matter of just slapping parts together. Heck, I don't
> any skill in soldering as I've soldered only about 4 items in my life but I
> built both myself and my OM PSK31 interfaces in about 1/2 hour each. They
> were two of those four items.
>
>
> I find that it is the "old farts" who are doing most of the exotic
> activities. When I work PSK31, I come across many seniors working this mode
> with the latest radios and computers. When I work VHF/UHF contests and look
> up the call signs afterwards, it is mostly the experience hams that I run
> across.
>
> You have let your disdain for the code blind you to its merits. As I stated
> above, EVERY mode has its strengths and weaknesses and its place in wireless
> communications.
>
> Dee, N8UZE
>
>
>

From 5718550684891160055
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <6l83b25g3ks23ebkq9afcire7sv5gj5k4h@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>

<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 54
Date: Sun, 09 Jul 2006 20:54:02 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152492745 24.186.218.38 (Sun, 09 Jul 2006 17:52:25 MST)
NNTP-Posting-Date: Sun, 09 Jul 2006 17:52:25 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5168
rec.radio.amateur.misc:16230 rec.radio.amateur.policy:32553 rec.radio.scanner:3792
rec.radio.swap:5025

On Sun, 09 Jul 2006 19:15:34 -0400, "J. D. B."
<duffyb01@nospamfuse.net> wrote:

>Al, someone who passes a code test should be more proficient in code
>than someone who cannot pass the code test. That simply makes that
>person proficient in code, not necessarily a more proficient operator.

The original claim wasn't that it makes him more proficient in everything, just that it makes him a more proficient operator. Being equal in everything else, but more proficient in code, makes one more proficient.

Is logic a lost art?

>You may be able to use the code, but if you cannot use modern digital
>methods, use sat communication, able to handle emergency communication,
>able to set up digital networks and use them effectively, build modern
>solid-state equipment, etc., then you are not a more proficient amateur
>operator, you just are more proficient in code and that is not going to
>help us much in the 21st Century.

And, if there's effectively no testing, which is the current case, how do you propose that we get operators who CAN "use modern digital methods, use sat communication, able to handle emergency communication ...", etc? Wishing makes it so?

>As I said before, PSK31 can be copied when the human ear cannot even
>hear the signal, if you cannot hear code, you cannot copy it period.

CW can be copied below the noise. Whether it can be copied as far below the noise as PSK31 can is a good question. With the amount of experience I have with both modes, I think I can safely say that CW can be copied further into the noise than PSK31 can. (You need SOME detectable original signal for PSK31 to work - after all, you have to be able to detect the phase shift. CW can be copied even if it's nothing more than modulated noise. And, if there are any old sounder operators left, even key clicks can be copied.)

> So code is no longer the be-all-end-all. Modern 21st communication methods
>have replaced it.

It never was all there is, but let's see you use "modern 21st communication methods" in an emergency situation when all you have is a source of RF - nothing to modulate it with. Going to yell at the oscillator and hope it's microphonic enough to produce some NBFM?

>If we are going to attract new people to the service, we need to get
>into the 21st Century and get the old farts away from the old code and
>tubes crap.

They said that in the 50s too - "we have modern communications like SSB - who needs CW?" ... yet CW still lives. I doubt it'll be a requirement in 100 years , but I also doubt that no one will be able to copy it.

```
From 8444973375324934839
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!
not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do  the
right thing.
Message-ID: <dc93b21jp7qada5h18clu9q2n15lsvi3pu@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
<s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
X-Newsreader: Forte Agent 3.2/32.830
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 34
Date: Sun, 09 Jul 2006 21:02:01 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152493225 24.186.218.38 (Sun, 09 Jul 2006 18:00:25 MST)
NNTP-Posting-Date: Sun, 09 Jul 2006 18:00:25 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5169
rec.radio.amateur.misc:16232 rec.radio.amateur.policy:32555 rec.radio.scanner:3793
rec.radio.swap:5026
```

On Sun, 9 Jul 2006 20:20:37 -0400, "Dee Flint"
<deeflint01@comcast.net> wrote:

>While code is not the end-all and be-all, it still has its place in list of
>communications methods. Let us go back to the auroral activity. The
>various digital modes fail first. Voice holds up a little bit longer
>getting distorted but sometimes still copyable. Code holds up a bit longer,
>being still copyable when voice becomes too distorted. Under auroral
>conditions, both voice and code fare better than digital.

Thanks for the memories. I enjoyed "the barrel" in the late '50s. No
one who works voice on aurora will ever forget what it sounds like. Or
forget working half-way across the country with 5 watts on 6 with a TV
antenna.

>The major drawback to code is that it requires people to develop a skill
>rather than being a matter of just slapping parts together.

The problem is that a lot of people think that all the "skill"
operating takes is being able to turn the equipment on. Even using an
appliance rig, it's easy to tell the appliance operators from those
who have developed some skill.

>> If we are going to attract new people to the service, we need to get into
>> the 21st Century and get the old farts away from the old code and tubes
>> crap.

>I find that it is the "old farts" who are doing most of the exotic
>activities. When I work PSK31, I come across many seniors working this mode
>with the latest radios and computers.

I'll second that - from the old fart side. :)

Al - W2PMX

```
From -2547688979495894324
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
```

X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Message-ID: <n9l3b29feh8ilhksjts4ahncd2gkq7blc0@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
<s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
<3d05b$44b1a3c2$d06640f9$31256@FUSE.NET>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 49
Date: Mon, 10 Jul 2006 00:28:54 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1152505640 24.186.218.38 (Sun, 09 Jul 2006 21:27:20 MST)
NNTP-Posting-Date: Sun, 09 Jul 2006 21:27:20 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5170 rec.radio.amateur.misc:16238 rec.radio.amateur.policy:32560 rec.radio.scanner:3796 rec.radio.swap:5032

On Sun, 09 Jul 2006 20:46:16 -0400, "J. D. B." <duffyb01@nospamfuse.net> wrote:

>Dee, the issue is that many old hams know CW, but cannot operate most
>new digital modes.

And many of us know CW, originated some digital modes (you think teen-agers invented everything?) and can certainly operate most, if not all, of them. We had working RTTY (that's digital) regenerating repeaters (thanks, Norm) before most current hams were even born.

>If PSK cannot be used due to ionospheric disturbances, well then either

>can CW.

Not true - the human brain is a more efficient detector than a computer sound card in some cases.

>Computers can be operated on battery or generator. You are
>going to need something to power the radio right? Does not take much
>more for a laptop and with digital modes, the power can be much less so
>there is more power for the laptop.

You can get a CW signal to anywhere in the world with a 9 volt battery for a few hours. You can't run a pocket PC on that kind of power.

>Your comparison of voice, digital modes and CW shows you have little
>knowledge of what you are talking about. I have personally used digital
>modes when voice and CW were not able to be copied.

And I have personally used CW when digital modes weren't even detectable, let alone copyable. So have many people who have used CW for extremely low signal work. Try decoding a PSK signal that's been bounced off an aurora. (The phase is constantly rolling - there's nothing for the detector to detect.) Aurora CW sounds weird (okay, it makes "weird" boring), but it's easy to copy.

>Finally, I happen to like CW a lot. But I don't think it makes anyone a
>better operator for knowing it, you should not be tested on it anymore
>than any other mode.

Okay - the same then. You're tested on your ability to understand English, and to read the written word - that covers voice and digital. Let's test for CW. Not "more", just "same".

> Yes, there are a lot of seniors using digital, but
>there are too many more hanging on to the old crap CW only and tubes.

And too many youngsters who think that it it's old it's automatically crap.

From 1607887732147275913
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s13g2000cwa.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap

Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 9 Jul 2006 22:13:34 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1152508414.449910.273650@s13g2000cwa.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
   <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
   <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
   <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
   <e1727$44b0e747$d06640f9$2410@FUSE.NET>
   <3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
   <7bbff$44b18e72$d06640f9$18084@FUSE.NET>
   <s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152508420 17717 127.0.0.1 (10 Jul 2006 05:13:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Jul 2006 05:13:40 +0000 (UTC)
In-Reply-To: <s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s13g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5171 rec.radio.amateur.misc:16239 rec.radio.amateur.policy:32563 rec.radio.scanner:3797 rec.radio.swap:5033

Dee Flint wrote:
> "J. D. B." <duffyb01@nospamfuse.net> wrote in message
> news:7bbff$44b18e72$d06640f9$18084@FUSE.NET...

> While code is not the end-all and be-all, it still has its place in list of
> communications methods.

which is an admision that it is proper for it to be the be all and end
all of of testing for hf
It just that simple
the merits of the mode do not justify its placee as more important
than the rest of Ham knowledge combined

this must change

it will change

you have may call on it
KB9RQZ/(soon) AE

From -3824753993342899599
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Mon, 10 Jul 2006 08:17:08 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
<6l83b25g3ks23ebkq9afcire7sv5gj5k4h@4ax.com>
In-Reply-To: <6l83b25g3ks23ebkq9afcire7sv5gj5k4h@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <1dded$44b245c0$d06640f9$27025@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 90
X-Trace: 1dded44b245c075c3e55c27025
Xref: g2news2.google.com rec.radio.amateur.equipment:5172
rec.radio.amateur.misc:16242 rec.radio.amateur.policy:32572 rec.radio.scanner:3799
rec.radio.swap:5036

Al Klein wrote:
>
> The original claim wasn't that it makes him more proficient in
> everything, just that it makes him a more proficient operator. Being
> equal in everything else, but more proficient in code, makes one more
> proficient.
>
> Is logic a lost art?

I still hold to the belief, claim, whatever that knowing CW in itself,
does not make an operator more proficient in anything but CW. I would

even submit that some operators who only use CW are less proficient
operators than a modern ham who uses many more modes and methods,
including modern digital modes, to communicate. Follow the logic Al.
Someone who is versed in more facets of Amateur Radio than simply CW is
a more proficient operator. Yes, I guess you are correct, logic is a
lost art.

>
>> You may be able to use the code, but if you cannot use modern digital
>> methods, use sat communication, able to handle emergency communication,
>> able to set up digital networks and use them effectively, build modern
>> solid-state equipment, etc., then you are not a more proficient amateur
>> operator, you just are more proficient in code and that is not going to
>> help us much in the 21st Century.
>
> And, if there's effectively no testing, which is the current case, how
> do you propose that we get operators who CAN "use modern digital
> methods, use sat communication, able to handle emergency communication
> ...", etc? Wishing makes it so?

No, desire does. Every amateur has their niche that they want to
pursue. Forcing a CW test on someone does not make them have a desire to
use it. In fact, forcing someone to test on an archaic mode of
communication may in fact keep them away from the service and therefore
they will never develop an interest in learning and using modern
communication methods.

>
>> As I said before, PSK31 can be copied when the human ear cannot even
>> hear the signal, if you cannot hear code, you cannot copy it period.
>
> CW can be copied below the noise. Whether it can be copied as far
> below the noise as PSK31 can is a good question. With the amount of
> experience I have with both modes, I think I can safely say that CW
> can be copied further into the noise than PSK31 can. (You need SOME
> detectable original signal for PSK31 to work - after all, you have to
> be able to detect the phase shift. CW can be copied even if it's
> nothing more than modulated noise. And, if there are any old sounder
> operators left, even key clicks can be copied.)

Al, you seem to have trouble reading. I never mentioned copying below
the noise level. What I said was CW cannot be copied if the human ear
cannot hear it. I have copied PSK when the audio of the signal could
not be copied by the human ear. It's just that simple. All the BS
about CW being the only true weak signal mode is well just BS. There
are superior modes to CW and PSK is one of them.

>
>> So code is no longer the be-all-end-all. Modern 21st communication methods
>> have replaced it.
>
> It never was all there is, but let's see you use "modern 21st

```
> communication methods" in an emergency situation when all you have is
> a source of RF - nothing to modulate it with.  Going to yell at the
> oscillator and hope it's microphonic enough to produce some NBFM?

Yup, if all you have is a source of RF and nothing else, I guess you are
screwed.  But that is not reality.  You would have a real problem if you
did not have a source of RF, gee Al, let's call it a transmitter and use
big people words.  I wonder why NASA does not have CW capability on the
Shuttle and Space Station - you know, just in case.  Why have our armed
forces stopped using it?  What happens in war if all they have is a
transmitter?  Get real.

>
>> If we are going to attract new people to the service, we need to get
>> into the 21st Century and get the old farts away from the old code and
>> tubes crap.
>
> They said that in the 50s too - "we have modern communications like
> SSB - who needs CW?" ... yet CW still lives.  I doubt it'll be a
> requirement in 100 years , but I also doubt that no one will be able
> to copy it.

Yup CW still lives and it will go on for quite awhile.  Forcing people
to learn and use it is not the way to keep it going.  It probably won't
be a requirement in 5 to 10 years.  I guess that is just evolution.  Out
with the old and in with the new.


From 3791039985370349549
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <k1i4b2lflpqah3292lo0mpmh78t5epct7i@4ax.com>
References: <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
```

```
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
<s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
<1152508414.449910.273650@s13g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Date: Mon, 10 Jul 2006 08:30:12 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1152534522 24.186.218.38 (Mon, 10 Jul 2006 05:28:42 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 05:28:42 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5173
rec.radio.amateur.misc:16244 rec.radio.amateur.policy:32574 rec.radio.scanner:3800
rec.radio.swap:5037

On 9 Jul 2006 22:13:34 -0700, "an old friend" <kb9rqz@hotmail.com>
wrote:

>Dee Flint wrote:
>> "J. D. B." <duffyb01@nospamfuse.net> wrote in message
>> news:7bbff$44b18e72$d06640f9$18084@FUSE.NET...
>
>> While code is not the end-all and be-all, it still has its place in list of
>> communications methods.
>which is an admision that it is proper for it to be the be all and end
>all of of testing for hf
>It just that simple

Only if you failed Logic 101.


From -4947749348763999659
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <s2i4b2h3sirl7hjosbuqrkndf6rj7lkgag@4ax.com>
```

References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$v0.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
<6l83b25g3ks23ebkq9afcire7sv5gj5k4h@4ax.com>
<1dded$44b245c0$d06640f9$27025@FUSE.NET>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 122
Date: Mon, 10 Jul 2006 08:49:45 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152535694 24.186.218.38 (Mon, 10 Jul 2006 05:48:14 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 05:48:14 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5174
rec.radio.amateur.misc:16246 rec.radio.amateur.policy:32576 rec.radio.scanner:3801
rec.radio.swap:5038

On Mon, 10 Jul 2006 08:17:08 -0400, "J. D. B."
<duffyb01@nospamfuse.net> wrote:

>Al Klein wrote:

>> The original claim wasn't that it makes him more proficient in
>> everything, just that it makes him a more proficient operator. Being
>> equal in everything else, but more proficient in code, makes one more
>> proficient.

>> Is logic a lost art?

>I still hold to the belief, claim, whatever that knowing CW in itself,
>does not make an operator more proficient in anything but CW.

Next you'll tell us that the sun rises in the East. Thank you,
Captain Obvious.

Knowledge of any single thing doesn't make an operator more proficient
in anything but that one thing. Should we have testing in TV
techniques, simply because it's a "modern communications mode"? How
about microwaves? Programming? Hey, there's one I'd go for. Let's
be "modern" and make sure that hams can program the computers they're
using for "communications".

> I would even submit that some operators who only use CW are less proficient
>operators than a modern ham who uses many more modes and methods,
>including modern digital modes, to communicate. Follow the logic Al.

>Someone who is versed in more facets of Amateur Radio than simply CW is
>a more proficient operator.

Someone who is versed in more facets of amateur radio than simply
modern digital modes is also a more proficient operator. Can YOU set
up an internet audio stream without following a set of instructions?

> Yes, I guess you are correct, logic is a lost art.

And you proved it again.

>>Wishing makes it so?

>No, desire does.

A distinction without a difference.

>Every amateur has their niche that they want to
>pursue. Forcing a CW test on someone does not make them have a desire to
>use it.

Neither does forcing them to take a test in "modern digital modes".

>In fact, forcing someone to test on an archaic mode of
>communication may in fact keep them away from the service and therefore
>they will never develop an interest in learning and using modern
>communication methods.

And forcing someone to test on a "modern digital mode" may in fact
keep them away from the service and therefore they will never develop
an interest in learning and using CW.

>Al, you seem to have trouble reading. I never mentioned copying below
>the noise level. What I said was CW cannot be copied if the human ear
>cannot hear it.

And I said it can, so who has the problem?

>I have copied PSK when the audio of the signal could not be copied by the human
ear.

And I have copied CW when there wasn't enough signal for a computer to
copy PSK.

>It's just that simple.

It sure is.

>All the BS about CW being the only true weak signal mode is well just BS. There
>are superior modes to CW and PSK is one of them.

No one said that CW is the only weak signal mode, but it can sometimes
be copied when it's weaker than any other mode can be copied. If the

noise frequency is higher than the bit frequency ... well, you know weak signal analysis, right? Or you wouldn't be discussing it, would you?

Oh, but CW takes MUCH less power for the same path than any digital mode, and CW is the ONLY mode you can use when the only thing you have is a source of RF.

>Yup, if all you have is a source of RF and nothing else, I guess you are
>screwed. But that is not reality.

Until you have a radio with a broken voice or data circuit and the only thing standing between you and safety is your inability to communicate because the radio's broken.

>You would have a real problem if you
>did not have a source of RF, gee Al, let's call it a transmitter and use
>big people words. I wonder why NASA does not have CW capability on the
>Shuttle and Space Station

Excuse me? They sure do.

>Why have our armed forces stopped using it? What happens in war if
>all they have is a transmitter? Get real.

You're comparing military intelligence to actual intelligence? They die. Soldiers have been known to do that in combat. The prime mission of the military in wartime is NOT saving the lives of individual soldiers, it's winning wars at the COST of the lives of individual soldiers. Why don't YOU "get real"?

>Yup CW still lives and it will go on for quite awhile. Forcing people
>to learn and use it is not the way to keep it going.

Neither is forcing them to learn electronics. Or the laws they're going to have to know. Let's just post ham licenses in stores and people can pick them up if they like. Just like they used to do with CB licenses. Why keep anyone from having access to a public property? Just let anyone buy a radio (no knowledge of how to even build a kit should be required) and use it. Those of us who want to learn something can petition for a new service that requires actual knowledge of something.

From 3057515003624694965
X-Google-Thread: 108122,88ddb53d9b9957cf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net

```
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Yaesu FT-1000 MKV
Message-ID: <ubn4b25c17hu7n7nu2p0d2tairj66f59qu@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Mon, 10 Jul 2006 10:00:35 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152540059 69.125.167.162 (Mon, 10 Jul 2006 07:00:59 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 07:00:59 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5175

WTB: Yaesu FT-1000 MKV
Doesn't matter if its a 100watt or 200watt version.
Please respond with price and condition.
ritchi50@optonline.net



From 3937144279892547818
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 10 Jul 2006 08:22:41 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1152544961.545688.264470@p79g2000cwp.googlegroups.com>
References: <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
   <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
   <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
   <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
   <e1727$44b0e747$d06640f9$2410@FUSE.NET>
   <3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
   <7bbff$44b18e72$d06640f9$18084@FUSE.NET>
   <s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
   <1152508414.449910.273650@s13g2000cwa.googlegroups.com>
   <k1i4b2lflpqah3292lo0mpmh78t5epct7i@4ax.com>
NNTP-Posting-Host: 69.19.14.30
```

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152544966 3678 127.0.0.1 (10 Jul 2006 15:22:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Jul 2006 15:22:46 +0000 (UTC)
In-Reply-To: <k1i4b2lflpqah3292lo0mpmh78t5epct7i@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=69.19.14.30;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5176 rec.radio.amateur.misc:16250 rec.radio.amateur.policy:32580 rec.radio.scanner:3802 rec.radio.swap:5041

Al Klein wrote:
> On 9 Jul 2006 22:13:34 -0700, "an old friend" <kb9rqz@hotmail.com>
> wrote:
>
> >Dee Flint wrote:
> >> "J. D. B." <duffyb01@nospamfuse.net> wrote in message
> >> news:7bbff$44b18e72$d06640f9$18084@FUSE.NET...
> >
> >> While code is not the end-all and be-all, it still has its place in list of
> >> communications methods.
> >which is an admision that it is not proper for it to be the be all and end
> >all of of testing for hf
> >It just that simple
>
> Only if you failed Logic 101.
you are the one that failed the class

I did not

CW currently stands as more imprtant than the rest of HAMradio combined
for HF access

CW is not anyway near that valuble

therefore the current testing system is ilgoical

BTW to answer your red herring from another thread No one is proposing
adding a test on digital mode

From -4023573148557335103
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467

X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-mail
From: "K5LDB.Leo@gmail.com" <K5LDB.Leo@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 10 Jul 2006 08:36:15 -0700
Organization: http://groups.google.com
Lines: 56
Message-ID: <1152545775.566443.34660@35g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 68.241.126.47
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152545780 24703 127.0.0.1 (10 Jul 2006 15:36:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Jul 2006 15:36:20 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=68.241.126.47;
   posting-account=de7XWg0AAABJ-Dzm5GSGz6x1RhxrXouc
Xref: g2news2.google.com rec.radio.amateur.equipment:5177 rec.radio.amateur.misc:16253 rec.radio.amateur.policy:32583 rec.radio.scanner:3803 rec.radio.swap:5042

I am a new ham and will respond to this based on being new. I got my license last year at age 48 so I'm neither a kid nor a senior. I've been tested and scored at 136 so I'm not a genius but am far from a dummy. I mention these things to give a general picture of who I am and where my position comes from.

Radio Buff wrote:

>
> No more automatic renewals. Individuals must retest and pass all elements required for their license class.

Although I see the reasoning behind this request I disagree. There are older hams who wouldn't be able to pass their license class test but who still enjoy participating in their nets and talking to their circle of ham friends. I don't want to be the one to take that away from a senior ham who is hurting absolutely no one by enjoying their hobby. The fact they might not pass the Extra test means nothing.

Radio Buff isn't going to want to give up enjoying radio when he/she is older and can't pass the exam either.

>
> The passing score for written exams needs to be raised to 85%.

I have no problem with this provided the exam is similar. If you want to raise the minimum score required while also increasing the difficulty level of the exam by 20-25% the combination will make it too difficult for many. You will kill amateur radio because there will be far fewer coming into the hobby than going SK.

>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.

Code should not be a part of the license test anymore than PSK or any other operating mode. There are so many different ways to enjoy and utilize amateur radio today that were not available decades ago that make code no longer a necessity. Mandating code skills is now similar to mandating slide rule skills for an engineer. It is an excellent tool and anyone capable of using it has a true skill. That said, there is nothing that can't be done by one without slide rule skills. They may be at a disadvantage at certain times and in certain specific locations and scenarios but for the most part the individual with the slide rule skills has no true advantage today as they did a few decades ago. The same holds true with code.

I do believe there should be a segment of the bands each license class is authorized that is reserved for those with code in their license. It just shouldn't be a requirement any longer. It keeps otherwise intelligent and capable people away from the hobby and the goal should be to bring them in not keep them away.

>
> Make the no-code license one year non-renewable.

This point is pointless with the sensible approach outlined above.

From -2285338561311213939
X-Google-Thread: 108122,9b4c54074856110d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Ameco AC-1 Transmitter
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Lines: 4
Message-ID: <Afxsg.115356$mF2.16550@bgtnsc04-news.ops.worldnet.att.net>
Date: Mon, 10 Jul 2006 18:45:52 GMT
NNTP-Posting-Host: 12.77.145.183
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1152557152 12.77.145.183 (Mon, 10 Jul 2006 18:45:52 GMT)
NNTP-Posting-Date: Mon, 10 Jul 2006 18:45:52 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5178

FS Ameco AC-1 Transmitter in working condition. Coil wound for 80 MTRS
with XTAL at 3714 KHZ. Pictures available. Asking $100 plus shipping.

Robert

From 3941182248976284733
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c02.usenetserver.com!news.usenetserver.com!atl-c07.usenetserver.com!news.usenetserver.com!newsfeeds.sol.net!posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Sender: <chrisc@sosmudge.chris.org>
Message-ID: <hooao3-52h.ln1@chris.org>
From: <user@private-mail-domain.invalid>
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his other names is hey stupid
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
<44a81178$0$12726$ecde5a14@news.coretel.net>
<Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
<12ao6tn3lejic25@corp.supernews.com>
<HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
<1152317014.712095.168630@m79g2000cwm.googlegroups.com>
User-Agent: tin/1.7.7-20041215 ("Scalpay") (UNIX) (Linux/2.6.15.4 (i686))
Date: Mon, 10 Jul 2006 15:09:21 -0500
Lines: 12
Organization: Time-Warner Telecom
NNTP-Posting-Date: 10 Jul 2006 20:16:44 GMT
NNTP-Posting-Host: 5d37a88d.news.twtelecom.net
X-Trace: DXC=\g5D<=>:F_=]\7jU_c<nY?
C_A=>8kQj6=9BHNOcEA\@9kIega25\94=k;7gAC\egK2knhdYBd^fV;
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5179

rec.radio.amateur.policy:32603 rec.radio.scanner:3804 rec.radio.swap:5048

an old freind <kb9rqz_ars@hotmail.com> wrote:
: your proposal would kill off the ARS n 10 years or less
Why would his proposal kill off the hobby? We've all passed these
tests once already, so why not again? Or, are you saying that
YOU could not pass the various elements again?

--
73 Chris Cox, N0UK, G4JEC

Come and join us here in Bloomington, Minnesota, home of the Mall of
America, July 27 & 28, 2006 for the 40th annual Central States VHF
Society Conference which will be hosted once again by the NLRS.

```
From 6728055473215687988
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his other names is hey stupid
Date: 10 Jul 2006 13:21:11 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1152562871.315238.193850@75g2000cwc.googlegroups.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
   <umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
   <44a81178$0$12726$ecde5a14@news.coretel.net>
   <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
   <12ao6tn3lejic25@corp.supernews.com>
   <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
   <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
   <hooao3-52h.ln1@chris.org>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152562876 8942 127.0.0.1 (10 Jul 2006 20:21:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Jul 2006 20:21:16 +0000 (UTC)
In-Reply-To: <hooao3-52h.ln1@chris.org>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5180
rec.radio.amateur.policy:32604 rec.radio.scanner:3805 rec.radio.swap:5049


<u...@private-mail-domain.invalid> wrote:
> an old freind <kb9rqz_ars@hotmail.com> wrote:
> : your proposal would kill off the ARS n 10 years or less
> Why would his proposal kill off the hobby?
by eleimating half the ham currently licensed in one year
>  We've all passed these
> tests once already, so why not again?
no you did not pass these test and many of you could not very likely
>  Or, are you saying that
> YOU could not pass the various elements again?
I having never been able to passa code test am one of the folks that SC
wants to throw off the bands with in a year
>
> --
> 73  Chris Cox, N0UK, G4JEC
>
>   Come  and join us here in Bloomington, Minnesota, home of the Mall of
>    America, July 27  & 28, 2006 for the 40th annual Central States VHF
>     Society Conference which will be hosted once again by the NLRS.



From 4998552037748448126
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: A question for nickle Generals and Extras.  Would you renew your
license?
From: Slow Code <my.mail@no.spam>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
<12ao6tn3lejic25@corp.supernews.com>
<HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
<12attnvrgeqj099@corp.supernews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 31
```

```
Message-ID: <NMzsg.5940$ye3.5064@newsread1.news.pas.earthlink.net>
Date: Mon, 10 Jul 2006 21:37:49 GMT
NNTP-Posting-Host: 4.230.9.93
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152567469 4.230.9.93 (Mon, 10 Jul 2006
14:37:49 PDT)
NNTP-Posting-Date: Mon, 10 Jul 2006 14:37:49 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5181
rec.radio.amateur.policy:32609 rec.radio.scanner:3807 rec.radio.swap:5050

dplatt@radagast.org (Dave Platt) wrote in
news:12attnvrgeqj099@corp.supernews.com:

> In article <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>,
> Slow Code  <my.mail@no.spam> wrote:
>
>>>>                                      They think you shouldn't have
>>>>to be proficient at anything to have a ham radio license.
>>>
>>> Nonsense.  That's an illogical conclusion on your part, and _not_
>>> something which has been stated, or can reasonably be inferred from
>>> the postings that I have seen in these threads.
>
>>OK then, Since we all want to be proficient, how about this:
>
> <<snip>> exactly the same proposals SC has made before, concerning which
> he's stated that "99%" of the people on USENET "hate", and which
> contain positions even more radical than those which have already been
> rejected by the FCC.
>
> Trolling again, SC?  Pity.  If you were actually willing to engage in
> a productive discussion you might actually do some good, but I don't
> see any evidence of that.
>
> PLONK.



I guess he don't want to be proficient either. Happy appliance operating.

SC



From -8151584840783866492
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
```

```
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do  the
right thing.
From: Slow Code <my.mail@no.spam>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 16
Message-ID: <RMzsg.5943$ye3.3343@newsread1.news.pas.earthlink.net>
Date: Mon, 10 Jul 2006 21:37:53 GMT
NNTP-Posting-Host: 4.230.9.93
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152567473 4.230.9.93 (Mon, 10 Jul 2006
14:37:53 PDT)
NNTP-Posting-Date: Mon, 10 Jul 2006 14:37:53 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5182
rec.radio.amateur.misc:16258 rec.radio.amateur.policy:32611 rec.radio.scanner:3808
rec.radio.swap:5051
```

"J. D. B." <duffyb01@nospamfuse.net> wrote in
news:e1727$44b0e747$d06640f9$2410@FUSE.NET:

> No, please tell us how requiring code tests and more difficult technical
> testing creates a "more proficient" ham?
>
> When code testing was 13/20 WPM and the technical tests were much
> harder, we still had all the idiots on the bands. Those idiots are not
> more proficient. You are simply ignoring reality. Do you live in a cave
> or something?

You must be one of them lazy hams.

```
From 6901018845249474454
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
From: Slow Code <my.mail@no.spam>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net> <1152545775.566443.34660@35g2000cwc.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 112
Message-ID: <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
Date: Mon, 10 Jul 2006 21:37:56 GMT
NNTP-Posting-Host: 4.230.9.93
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152567476 4.230.9.93 (Mon, 10 Jul 2006 14:37:56 PDT)
NNTP-Posting-Date: Mon, 10 Jul 2006 14:37:56 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5183 rec.radio.amateur.misc:16259 rec.radio.amateur.policy:32612 rec.radio.scanner:3809 rec.radio.swap:5052

"K5LDB.Leo@gmail.com" <K5LDB.Leo@gmail.com> wrote in news:1152545775.566443.34660@35g2000cwc.googlegroups.com:

> I am a new ham and will respond to this based on being new. I got my
> license last year at age 48 so I'm neither a kid nor a senior. I've
> been tested and scored at 136 so I'm not a genius but am far from a
> dummy. I mention these things to give a general picture of who I am and
> where my position comes from.
>
> Radio Buff wrote:
>>
>> No more automatic renewals. Individuals must retest and pass all
>> elements required for their license class.
>
> Although I see the reasoning behind this request I disagree. There are
> older hams who wouldn't be able to pass their license class test but
> who still enjoy participating in their nets and talking to their circle
> of ham friends. I don't want to be the one to take that away from a
> senior ham who is hurting absolutely no one by enjoying their hobby.
> The fact they might not pass the Extra test means nothing.

Yes it does mean something. It means they're appliance operators. They pass their exams once then forget everything and don't want to advance themselves anymore or be proficient hams. They're not an asset to the service, they're just lazy asses with licenses and only want to operate appliances.

> Radio Buff isn't going to want to give up enjoying radio when he/she is older and can't pass the exam either.

If I can't pass the tests, I don't deserve a license, or renewel. I don't get to operate if I can't qualify. It's that simple. You people think that if someone can't pass a test, they should get the license anyway. It's a government handout just like how you get your welfare checks and food stamps in the mail at your project housing. Your Democrat party outcome based thinking is what is distroying Amateur radio and America. Everyone is equal and if you want to excel and improve yourself there is something wrong with you because your not supposed to want to do that.

>>
>> The passing score for written exams needs to be raised to 85%.
>
> I have no problem with this provided the exam is similar. If you want to raise the minimum score required while also increasing the difficulty level of the exam by 20-25% the combination will make it too difficult for many. You will kill amateur radio because there will be far fewer coming into the hobby than going SK.

Quality or quantity? You people that want things easy always say requiring more qualified licensees will kill the service. You're against quality because it require you have to work a little. Well, If you ever need radio help in an emergency to save lives & property, and the ham operator you talk to on the other end is an incompetant retard, I'll bet you'd wished for quality then.

>>
>> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Code should not be a part of the license test anymore than PSK or any other operating mode. There are so many different ways to enjoy and utilize amateur radio today that were not available decades ago that make code no longer a necessity. Mandating code skills is now similar to mandating slide rule skills for an engineer. It is an excellent tool and anyone capable of using it has a true skill. That said, there is nothing that can't be done by one without slide rule skills. They may be at a disadvantage at certain times and in certain specific locations and scenarios but for the most part the individual with the slide rule skills has no true advantage today as they did a few decades ago. The same holds true with code.

Yah, we can't require quality or skill for a license. I know you're right. We gotta be like CB'ers.

> I do believe there should be a segment of the bands each license class is authorized that is reserved for those with code in their license. It just shouldn't be a requirement any longer. It keeps otherwise intelligent and capable people away from the hobby and the goal should be to bring them in not keep them away.

Code isn't a requirement, you can always talk on CB, FRS, and cell phones all you want.

>>
>> Make the no-code license one year non-renewable.
>
> This point is pointless with the sensible approach outlined above.

No, it's not pointless. It insures licenses will improve and will be valuable to the service. I know you would hate that because in another month you would either have to upgrade or loose your ticket.

Doesn't anyone else here want to save ham radio? I'm getting tired of arguing with the lazy asses. I hope some of you cared and want to help me save ham radio enough that you emailed this to President Bush, your Senators and Congressmen to press the FCC does the right thing for us:

No more automatic renewals. Individuals must retest and pass all elements required for their license class.

The passing score for written exams needs to be raised to 85%.

Code elements should be 13 wpm for General, and 20 wpm for Extra.

Make the no-code license one year non-renewable.

73, Thanks for your support.

SC

From -4151220027630926349
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his other names is hey stupid
From: Slow Code <my.mail@no.spam>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
<44a81178$0$12726$ecde5a14@news.coretel.net>

<Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
<12ao6tn3lejic25@corp.supernews.com>
<HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
<1152317014.712095.168630@m79g2000cwm.googlegroups.com> <hooao3-52h.ln1@chris.org>
<1152562871.315238.193850@75g2000cwc.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 23
Message-ID: <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
Date: Mon, 10 Jul 2006 21:38:04 GMT
NNTP-Posting-Host: 4.230.9.93
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152567484 4.230.9.93 (Mon, 10 Jul 2006 14:38:04 PDT)
NNTP-Posting-Date: Mon, 10 Jul 2006 14:38:04 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5184 rec.radio.amateur.policy:32613 rec.radio.scanner:3810 rec.radio.swap:5053

"an old friend" <kb9rqz@hotmail.com> wrote in
news:1152562871.315238.193850@75g2000cwc.googlegroups.com:

>
> I having never been able to passa code test am one of the folks that SC
> wants to throw off the bands with in a year

Markie,

I'm not throwing you off the bands. You're throwing yourself off. You have to pass a test for the privileges. If you can't pass the test like Techs used to have to pass, you get no privileges to operate and have to go back to CB with everyone else that can't pass a test and acts retarded. You earn privileges, licenses aren't totally free handouts from the FCC yet, as much as you people wish they were. No one is throwing you off the bands. You being a lazy ass that can't spell and don't want to learn gets you thrown off the bands. The no-code license was a bad idea to begin with anyway. You couldn't have got licensed under the old system. You and Sal M. Onella would still be talking yourselves on CB and pissing off truck drivers.

sc

From -5563452605054053801
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@hotmail.com>

Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his other names is hey stupid
Date: 10 Jul 2006 14:52:20 -0700
Organization: http://groups.google.com
Lines: 58
Message-ID: <1152568340.158713.100600@m79g2000cwm.googlegroups.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
   <umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
   <44a81178$0$12726$ecde5a14@news.coretel.net>
   <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
   <12ao6tn3lejic25@corp.supernews.com>
   <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
   <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
   <hooao3-52h.ln1@chris.org>
   <1152562871.315238.193850@75g2000cwc.googlegroups.com>
   <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152568345 3180 127.0.0.1 (10 Jul 2006 21:52:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Jul 2006 21:52:25 +0000 (UTC)
In-Reply-To: <0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=69.19.14.30;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:5185
rec.radio.amateur.policy:32614 rec.radio.scanner:3811 rec.radio.swap:5054

Slow Code wrote:
> "an old friend" <kb9rqz@hotmail.com> wrote in
> news:1152562871.315238.193850@75g2000cwc.googlegroups.com:
>
> >
> > I having never been able to passa code test am one of the folks that SC
> > wants to throw off the bands with in a year
>
>
> Markie,
>
> I'm not throwing you off the bands.

no you are merely proposing to

>You're throwing yourself off.

nope you are propsing to have the FCC do so

>You
> have to pass a test for the privileges. If you can't pass the test like

```
> Techs used to have to pass, you get no privileges to operate and have to
> go back to CB with everyone else that can't pass a test and acts retarded.
> You earn privileges, licenses aren't totally free handouts from the FCC
> yet, as much as you people wish they were.
I already earned those prevlidges you want to propose that they be
revoked for no valid reason

fortunately the FCC will NEVER go for it
> No one is throwing you off the
> bands. You being a lazy ass that can't spell and don't want to learn gets
> you thrown off the bands.
now you are just lying
> The no-code license was a bad idea to begin
> with anyway.
perhaps it was (I don't agree it was but I will grant it might be)
but it is 20 years too late for that discussion
>You couldn't have got licensed under the old system.
Acualy I could have gotten one

by simply accepting the offer of those testing to lie and say that I
tooked the recieve I passed one and tranmtiing test I took a month
later and passed (while failig n that day ) and claim they taken and
passed the same day

I certainly could gotten a license I was merely too honest
>You
> and Sal M. Onella would still be talking yourselves on CB and pissing off
> truck drivers.
I still use CB when it serves my needs as I also use mMURS and FRS when
they suit

but you clearly hate what the ARS is

and you would enact a sytem that would kill they ARS as it is if you
had the power

that makes you one real sicko
>
> sc




From 3843620134027043441
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
```

Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 10 Jul 2006 15:05:51 -0700
Organization: http://groups.google.com
Lines: 161
Message-ID: <1152569151.437699.201620@35g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1152545775.566443.34660@35g2000cwc.googlegroups.com>
   <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152569156 26908 127.0.0.1 (10 Jul 2006 22:05:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Jul 2006 22:05:56 +0000 (UTC)
In-Reply-To: <UMzsg.5944$ye3.2984@newsread1.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5186
rec.radio.amateur.misc:16260 rec.radio.amateur.policy:32615 rec.radio.scanner:3812
rec.radio.swap:5055

Slow Code wrote:
> "K5LDB.Leo@gmail.com" <K5LDB.Leo@gmail.com> wrote in
> news:1152545775.566443.34660@35g2000cwc.googlegroups.com:
>
> > I am a new ham and will respond to this based on being new. I got my
> > license last year at age 48 so I'm neither a kid nor a senior. I've
> > been tested and scored at 136 so I'm not a genius but am far from a
> > dummy. I mention these things to give a general picture of who I am and
> > where my position comes from.
> >
> > Radio Buff wrote:
> >>
> >> No more automatic renewals. Individuals must retest and pass all
> >> elements required for their license class.
> >
> > Although I see the reasoning behind this request I disagree. There are
> > older hams who wouldn't be able to pass their license class test but
> > who still enjoy participating in their nets and talking to their circle
> > of ham friends. I don't want to be the one to take that away from a
> > senior ham who is hurting absolutely no one by enjoying their hobby.
> > The fact they might not pass the Extra test means nothing.
>
> Yes it does mean something. It means they're appliance operators. They
> pass their exams once then forget everything and don't want to advance

> themselves anymore or be proficient hams. They're not an asset to the
> service, they're just lazy asses with licenses and only want to operate
> appliances.
everyone that does not meet your standards is lazy right Mr Stpuid
>
> > Radio Buff isn't going to want to give up enjoying radio when he/she is
> > older and can't pass the exam either.
>
> If I can't pass the tests, I don't deserve a license, or renewel. I don't
> get to operate if I can't qualify. It's that simple. You people think
> that if someone can't pass a test, they should get the license anyway.
> It's a government handout just like how you get your welfare checks and
> food stamps in the mail at your project housing. Your Democrat party
> outcome based thinking is what is distroying Amateur radio and America.
> Everyone is equal and if you want to excel and improve yourself there is
> something wrong with you because your not supposed to want to do that.
>
> >>
> >> The passing score for written exams needs to be raised to 85%.
> >
> > I have no problem with this provided the exam is similar. If you want
> > to raise the minimum score required while also increasing the
> > difficulty level of the exam by 20-25% the combination will make it too
> > difficult for many. You will kill amateur radio because there will be
> > far fewer coming into the hobby than going SK.
>
> Quality or quantity? You people that want things easy always say
> requiring more qualified licensees will kill the service.
no I say throwing at least half the current memebers of the ars off the
band would kill the service
>You're against
> quality because it require you have to work a little.
nope I worked a lot for the novice I was neer able to get

> Well, If you ever
> need radio help in an emergency to save lives & property, and the ham
> operator you talk to on the other end is an incompetant retard, I'll bet
> you'd wished for quality then.
first you might hope to FIND one
>
> >>
> >> Code elements should be 13 wpm for General, and 20 wpm for Extra.
> >
> > Code should not be a part of the license test anymore than PSK or any
> > other operating mode. There are so many different ways to enjoy and
> > utilize amateur radio today that were not available decades ago that
> > make code no longer a necessity. Mandating code skills is now similar
> > to mandating slide rule skills for an engineer. It is an excellent tool
> > and anyone capable of using it has a true skill. That said, there is
> > nothing that can't be done by one without slide rule skills. They may
> > be at a disadvantage at certain times and in certain specific locations
> > and scenarios but for the most part the individual with the slide rule
> > skills has no true advantage today as they did a few decades ago. The

> > same holds true with code.
>
> Yah, we can't require quality or skill for a license.
sure we can

this has nothing to do with Morse Code testing however
> I know you're right.
> We gotta be like CB'ers.
nope
>
>
> > I do believe there should be a segment of the bands each license class
> > is authorized that is reserved for those with code in their license. It
> > just shouldn't be a requirement any longer. It keeps otherwise
> > intelligent and capable people away from the hobby and the goal should
> > be to bring them in not keep them away.
>
> Code isn't a requirement, you can always talk on CB, FRS, and cell phones
> all you want.
indeed code WILL not be a requirement verysoon

deal with it
>
> >>
> >> Make the no-code license one year non-renewable.
> >
> > This point is pointless with the sensible approach outlined above.
>
> No, it's not pointless.
you got that right the point is that you want to kill the ARS becuase
it has eveoled
> It insures licenses will improve and will be
> valuable to the service.
nope
> I know you would hate that because in another
> month you would either have to upgrade or loose your ticket.
nope

I do hate the ioidea of yet again taking prevdeges away form operators
that Have earned them I think een the ARRL and FCC learned that lesson
year ago
>
> Doesn't anyone else here want to save ham radio?
Sure I want to save it

you don't
> I'm getting tired of
> arguing with the lazy asses.
then do your self a kindness and stop you are not helping the ARS
except for contuiing to prod the No Coders into pushing the FCC to stop
the bleeding your kind hae created
> I hope some of you cared and want to help me
> save ham radio enough that you emailed this to President Bush, your

> Senators and Congressmen to press the FCC does the right thing for us:
Indeed I did email your thought to a freind on the white house staff

I reported on the laughter that rsulted
>
> No more automatic renewals. Individuals must retest and
> pass all elements required for their license class.
not bad but not likely since it will rsult in prevledges being taken
away from those that EARNED them
>
> The passing score for written exams needs to be raised to 85%.
if you like
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
suicide for the service and will never be enacted by the FCC they have
ejuected anything that takes prevedlges awayfrom people
>
> Make the no-code license one year non-renewable.
and the final

throwing half of the ops currently licensed would insure the loos of
most if not all of our spectrum

is it just that simple
>
>
> 73, Thanks for your support.
>
>
> SC

From -2895557747758271281
X-Google-Thread: 108122,724ac122127698d4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 10 Jul 2006 17:06:37 -0500
From: "garigue" <garigue@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <_aKdnbOB_453bzfZnZ2dnUVZ_rGdnZ2d@comcast.com>
<44AFC3FB.6090206@fuse.net>
Subject: Re: FT-897
Date: Mon, 10 Jul 2006 18:07:42 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <x-KdnZLCK6XwUi_ZnZ2dnUVZ_s2dnZ2d@comcast.com>
Lines: 14

NNTP-Posting-Host: 67.172.61.92
X-Trace: sv3-HrgZj/
ndhqtMMAHPpsMx9DcIawJLMscMq74cpXuX6aOfTcOP8RUETkJqmNUl3qkTS6D5+qsvlxfYSQD!
vp070edaJNlzfyCoJ8oCgMucprX+EOk2DVb6kNuhqv4lRdqO8vKq7Aa7UjMgL0B/YV00PtARfeMT!
hkyQGVX0REM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5187

> Why not a used K2 or pre-built?

Good idea ..... But I am always a little gun-shy about used rigs I
still have my Eico 723 that I still use that I built in 65 .... The used
rigs I have bought always worked except for .... which invariably
meant my butt was on the stool at the bench. Pre-built ...sort of the same
game ..... Oh well .... Thanks J man ....

73 Tom KI3R

From -1130840143288649373
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe04.lga.POSTED!53ab2750!not-for-mail
From: Invalid@charter.net
Newsgroups:
alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: How to calculate increase of home wireless router range?
Message-ID: <ldk5b21fokqqgs5gr5rp0b1ri867nirhv2@4ax.com>
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<6_xqg.86010$uP.64508@newsfe2-gui.ntli.net>
<11of8oney2ztt.1rzsok8gvo9mf.dlg@40tude.net>
<slrnealn4k.okj.gsm@cable.mendelson.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 67

X-Trace:
badccedimaighclenmopfbecihmdllmjpmkdbcclndjdambijhmplkekeojdkmlbckfajfdmngjflhaohm
bojmfkhbkncbiemdanmddoinfjdchnmgfaelnmpkgkhdebbcfagklmibllijll
NNTP-Posting-Date: Mon, 10 Jul 2006 15:24:43 MST
Date: Mon, 10 Jul 2006 18:24:27 -0400
Xref: g2news2.google.com alt.internet.wireless:16174
rec.radio.amateur.homebrew:6158 rec.radio.amateur.equipment:5188

On Tue, 4 Jul 2006 21:31:06 +0000 (UTC), gsm@mendelson.com (Geoffrey
S. Mendelson) wrote:

>Beverly Erlebacher wrote:
>> I'm confused about this "access point" thing.
>
>An access point is a device with an ethernet port on one side and a wifi
>port on the other. In technical terms it would be called a "bridge". It
>"bridges" two seperate network segments, although in this case they use
>different topologies (100Base-T and WiFi).
>
>> Is that the same as a "router"?
>
>
>The usual WiFi router consists of a four port ethernet hub (LAN ports),
>a seperate single ethernet port (WAN port) and a WiFi access point.
>It is set up to "route" between the single (aka WAN) port and the other
>two ports, the LAN and WiFi. Most of what it does for routing is NAT (network
>address translation) and some sort of IP tunneling.
>
>If you ignore the WAN port and just use the LAN ports, you have a four port
>hub and an access point.
>
>
>> Is it as simple as buying a second router (routers are familiar to me) and
>> just hooking that second router to the first router by cable and that would
>> extend my range by the distance of the cable connecting the two routers?
>
>Yes. Just make sure to use the LAN ports. It would be best to use different
>channels. Most WiFi clients are smart enough to use the channel that is the
>strongest if they have access points on more than one with the same SSID.
>
>Make sure to use encryption. Encryption is NOT to keep your data safe,
>nothing can do that. If someone is intent on accessing your network, WEP
>encryption will not keep them out.

True, but the ones that use the dynamic encryption can do a reasonably
good job along with a firewall and router. The golden rule is
"Nothing is bullet proof"

>
>What it is for is to convince the guy driving down the street looking for an
>open network to send out SPAM, or "share" kiddie porn, to drive on.
>Unfortunately, most users don't even change the SSID of their network, let
>alone set an encryption key.

>

One of the locals mentioned doing a bit of "war driving" around town
just for curiosity. About 80 to 90% of the networks heard were
unencrypted AND over half of those _still_used_
the_default_name_and_PW.
I use hard wired Cat5e in a gigabit network as with the amount of
traffic wireless is just too slow even if it is full duplex.

NOTE I only receive the two amateur radio news groups.
Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com

>Having tuned in late, if you want to have an open network, look up PublicIP.
>It's a "live cd" that runs on a PII or better (x86) computer and provides
>all the functions you need to offer a secure and safe open network.
>
>Geoff.
Roger

```
From 1667666324237157321
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Date: Mon, 10 Jul 2006 18:33:21 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
```

<6l83b25g3ks23ebkq9afcire7sv5gj5k4h@4ax.com>
<1dded$44b245c0$d06640f9$27025@FUSE.NET>
<s2i4b2h3sirl7hjosbuqrkndf6rj7lkgag@4ax.com>
In-Reply-To: <s2i4b2h3sirl7hjosbuqrkndf6rj7lkgag@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <1d504$44b2d62c$d06640f9$23161@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 15
X-Trace: 1d50444b2d62c75c3e55c23161
Xref: g2news2.google.com rec.radio.amateur.equipment:5189
rec.radio.amateur.misc:16265 rec.radio.amateur.policy:32620 rec.radio.scanner:3813
rec.radio.swap:5057

Al, my four year old makes more sense and can carry on a more
intelligent discussion that you. I am going to chat with him.
Fffffftttttt - you're outta here moron.

Al Klein wrote:

>
> Neither is forcing them to learn electronics. Or the laws they're
> going to have to know. Let's just post ham licenses in stores and
> people can pick them up if they like. Just like they used to do with
> CB licenses. Why keep anyone from having access to a public property?
> Just let anyone buy a radio (no knowledge of how to even build a kit
> should be required) and use it. Those of us who want to learn
> something can petition for a new service that requires actual
> knowledge of something.

From 849575742713101130
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!postnews.google.com!
75g2000cwc.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 10 Jul 2006 15:40:00 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1152571200.438600.251400@75g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>

```
   <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
   <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
   <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
   <0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
   <e1727$44b0e747$d06640f9$2410@FUSE.NET>
   <3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
   <7bbff$44b18e72$d06640f9$18084@FUSE.NET>
   <6l83b25g3ks23ebkq9afcire7sv5gj5k4h@4ax.com>
   <1dded$44b245c0$d06640f9$27025@FUSE.NET>
   <s2i4b2h3sirl7hjosbuqrkndf6rj7lkgag@4ax.com>
   <1d504$44b2d62c$d06640f9$23161@FUSE.NET>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152571205 32470 127.0.0.1 (10 Jul 2006 22:40:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Jul 2006 22:40:05 +0000 (UTC)
In-Reply-To: <1d504$44b2d62c$d06640f9$23161@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5190
rec.radio.amateur.misc:16266 rec.radio.amateur.policy:32621 rec.radio.scanner:3814
rec.radio.swap:5058
```

J. D. B. wrote:
> Al, my four year old makes more sense and can carry on a more
> intelligent discussion that you. I am going to chat with him.
> Fffffftttttt - you're outta here moron.
>

it is the same standard line they have been sold a mantra and have to
keep repating it without even knowing what they are saying any

but remember the english book of comon prayer back in the 8th century
"....protect us oh lord from the warth of the Morsemen"

```
From -5570119431446406090
X-Google-Thread: 104fd2,c4c96b906d55d4bd
X-Google-Thread: fc2a5,c4c96b906d55d4bd
X-Google-Thread: 108122,c4c96b906d55d4bd
X-Google-Attributes: gid104fd2,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!c0e53274!not-for-mail
From: John Navas <spamfilter0@navasgroup.com>
Newsgroups:
```

alt.internet.wireless,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: How to calculate increase of home wireless router range?
Organization: The Navas Group <http://navasgroup.com>
Message-ID: <80q5b2ham4td8qh78hvsal8mugijqivknn@4ax.com>
References: <2hqacpnj1nwj$.1683sqqzgbbo2$.dlg@40tude.net>
<6_xqg.86010$uP.64508@newsfe2-gui.ntli.net>
<11of8oney2ztt.1rzsok8gvo9mf.dlg@40tude.net>
<slrnealn4k.okj.gsm@cable.mendelson.com>
<ldk5b21fokqqgs5gr5rp0b1ri867nirhv2@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 35
NNTP-Posting-Host: 8f29ea8a8376ba85fbda7064261f1a65
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1152575689
8f29ea8a8376ba85fbda7064261f1a65 (Mon, 10 Jul 2006 23:54:49 GMT)
NNTP-Posting-Date: Mon, 10 Jul 2006 23:54:49 GMT
Date: Mon, 10 Jul 2006 23:54:49 GMT
Xref: g2news2.google.com alt.internet.wireless:16185
rec.radio.amateur.homebrew:6164 rec.radio.amateur.equipment:5191

On Mon, 10 Jul 2006 18:24:27 -0400, Invalid@charter.net wrote in
<ldk5b21fokqqgs5gr5rp0b1ri867nirhv2@4ax.com>:

>On Tue, 4 Jul 2006 21:31:06 +0000 (UTC), gsm@mendelson.com (Geoffrey
>S. Mendelson) wrote:

>>Make sure to use encryption. Encryption is NOT to keep your data safe,
>>nothing can do that. If someone is intent on accessing your network, WEP
>>encryption will not keep them out.
>
>True, but the ones that use the dynamic encryption can do a reasonably
>good job along with a firewall and router. The golden rule is
>"Nothing is bullet proof"

Not even in the same universe -- WEP is easily cracked in minutes,
little more than the Emperor's new clothes. Use WPA with a strong
passphrase for any real security.

>One of the locals mentioned doing a bit of "war driving" around town
>just for curiosity. About 80 to 90% of the networks heard were
>unencrypted AND over half of those _still_used_
>the_default_name_and_PW.

Yep ... really bad ... shame on the wireless hardware companies!

>I use hard wired Cat5e in a gigabit network as with the amount of
>traffic wireless is just too slow even if it is full duplex.

Wi-Fi is half duplex.

```
--
Best regards,   FAQ for Wireless Internet: <http://Wireless.wikia.com>
John Navas      FAQ for Wi-Fi:  <http://wireless.wikia.com/wiki/Wi-Fi>
           Wi-Fi How To: <http://wireless.wikia.com/wiki/Wi-Fi_How_To>
Fixes to Wi-Fi Problems:  <http://wireless.wikia.com/wiki/Wi-Fi_Fixes>
```

```
From -8088913069030595004
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!128.230.129.106!news.maxwell.syr.edu!
news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!
not-for-mail
From: "Les Wilson" <nessman@rochester.rr.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
Subject: Re: Give up CB for Ham?
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <bBCsg.49394$W97.20808@twister.nyroc.rr.com>
Date: Tue, 11 Jul 2006 00:50:15 GMT
NNTP-Posting-Host: 66.66.225.141
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1152579015 66.66.225.141 (Mon, 10 Jul 2006 20:50:15
EDT)
NNTP-Posting-Date: Mon, 10 Jul 2006 20:50:15 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.cb:13270 rec.radio.swap:5061
rec.radio.amateur.equipment:5192
```

One day I'm on the interstate... snowing real bad. Call out on the usual simplex channels on VHF/UHF to get a traffic/conditions report... no answer. So I grab the "emergency" CB radio I keep under the seat. Call out on Ch 19... got _many_ responses - mostly truckers all with solid info. Very useful - and enjoyed listening to them all help each other.

That day, ham radio lost and CB won.

<anythingkinky@gmail.com> wrote in message
news:1152129569.542800.37710@m73g2000cwd.googlegroups.com...

> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio.   What do you
> think?
>

```
From -7800950207343947817
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.coretel.net!not-for-mail
From: "clfe" <postmasternospam@clfurentnospam.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<bBCsg.49394$W97.20808@twister.nyroc.rr.com>
Subject: Re: Give up CB for Ham?
Date: Mon, 10 Jul 2006 21:11:04 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Lines: 29
Message-ID: <44b2faa7$0$3636$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 6b46c3db.news.coretel.net
X-Trace:
DXC=04a]]>UMNSgSKQ<\oYMPAkcYX6N<OEXQk36IL]hlP8Wb@XOQQQH=dbdHT^Gd]XDN=mTYkeQ^Q8ink
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.cb:13271 rec.radio.swap:5062
rec.radio.amateur.equipment:5193

"Les Wilson" <nessman@rochester.rr.com> wrote in message
news:bBCsg.49394$W97.20808@twister.nyroc.rr.com...
> One day I'm on the interstate... snowing real bad.  Call out on the usual
> simplex channels on VHF/UHF to get a traffic/conditions report... no
> answer. So I grab the "emergency" CB radio I keep under the seat.  Call
> out on Ch 19... got _many_ responses - mostly truckers all with solid
> info.  Very useful - and enjoyed listening to them all help each other.
>
> That day, ham radio lost and CB won.
>
>
> <anythingkinky@gmail.com> wrote in message
> news:1152129569.542800.37710@m73g2000cwd.googlegroups.com...
>> Alot of people are telling me that CB is just for inbred hicks and that
>> I should replace the CB in my truck with a ham radio.   What do you
>> think?
>>
>
```

>

If you're traveling a long distance and don't want to hear the usual CB chatter - 2 meters and so on is great. For Road reports - I agree - CB IS the answer - hands down. I'd never give mine up........ I installed one in my truck just for that reason. BOTH services have their advantages and disadvantages. I don't think anyone is saying Ham is the "gift from god" when it comes to radio. Even FRS has its place. It all depends on the need and so on.

From -9094608450749846553
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!hwmnpeer01.lga!news.highwinds-media.com!
hw-filter.lga!fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: Why does slow code hate the ARS I asuume it is becuase one of his
other names is hey stupid
Message-ID: <57v5b29abedaetatounct7fgppifre2p8q@4ax.com>
References: <umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
<44a81178$0$12726$ecde5a14@news.coretel.net>
<Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
<12ao6tn3lejic25@corp.supernews.com>
<HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
<1152317014.712095.168630@m79g2000cwm.googlegroups.com> <hooao3-52h.ln1@chris.org>
<1152562871.315238.193850@75g2000cwc.googlegroups.com>
<0Nzsg.5950$ye3.5216@newsread1.news.pas.earthlink.net>
<1152568340.158713.100600@m79g2000cwm.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 52
Date: Mon, 10 Jul 2006 21:27:07 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152581143 24.186.218.38 (Mon, 10 Jul 2006 18:25:43 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 18:25:43 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5194
rec.radio.amateur.policy:32641 rec.radio.scanner:3818 rec.radio.swap:5063

On 10 Jul 2006 14:52:20 -0700, "an old friend" <kb9rqz@hotmail.com>
wrote:

>Slow Code wrote:

>>You
>> have to pass a test for the privileges. If you can't pass the test like
>> Techs used to have to pass, you get no privileges to operate and have to
>> go back to CB with everyone else that can't pass a test and acts retarded.
>> You earn privileges, licenses aren't totally free handouts from the FCC
>> yet, as much as you people wish they were.

>I already earned those prevlidges

Earned? By what? Filling out an application? Memorizing enough
answers to just pass the written exam?

>> The no-code license was a bad idea to begin
>> with anyway.

>perhaps it was (I don't agree it was but I will grant it might be)
>but it is 20 years too late for that discussion

It's never too late to correct a mistake.

>>You couldn't have got licensed under the old system.

>Acualy I could have gotten one

It was you who said, "I having never been able to passa code test", so
you couldn't have.

>by simply accepting the offer of those testing to lie and say that I
>tooked the recieve I passed one and tranmtiing test I took a month
>later and passed (while failig n that day) and claim they taken and
>passed the same day

That's not passing, that's cheating. If you're old enough to go to
school you're old enough to know the difference.

>but you clearly hate what the ARS is

If he hated it he wouldn't care what it's become. He cares because he
DOESN'T hate it.

>and you would enact a sytem that would kill they ARS as it is if you
>had the power

There were plenty of hams when 13 wpm was the entry level. A 5 wpm
code test and a *real* written test wouldn't kill it, it would just
separate those who are willing to do what it takes to be hams from
those who just want the license without the work.

```
From -3799465961065215582
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <ujv5b29i61mrjg2j8n48bod88dvrgsgdjj@4ax.com>
References: <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
<6l83b25g3ks23ebkq9afcire7sv5gj5k4h@4ax.com>
<1dded$44b245c0$d06640f9$27025@FUSE.NET>
<s2i4b2h3sirl7hjosbuqrkndf6rj7lkgag@4ax.com>
<1d504$44b2d62c$d06640f9$23161@FUSE.NET>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Mon, 10 Jul 2006 21:28:25 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152581221 24.186.218.38 (Mon, 10 Jul 2006 18:27:01 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 18:27:01 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5195
rec.radio.amateur.misc:16276 rec.radio.amateur.policy:32642 rec.radio.scanner:3819
rec.radio.swap:5065
```

On Mon, 10 Jul 2006 18:33:21 -0400, "J. D. B."
<duffyb01@nospamfuse.net> wrote:

>Al, my four year old makes more sense and can carry on a more
>intelligent discussion that you. I am going to chat with him.
>Fffffftttttt - you're outta here moron.

I'm crushed. When you grow up maybe you'll understand adult level

English. Till then keep speaking 4-year-old English.

From 8246101204571022307
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <4mv5b29gl88k0mkpbc5fql1n9ofhmekf8m@4ax.com>
References: <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$vO.4@newsread4.news.pas.earthlink.net>
<e1727$44b0e747$d06640f9$2410@FUSE.NET>
<3ih2b2ph3b0q5gqbr4176sbiqcnatk1beb@4ax.com>
<7bbff$44b18e72$d06640f9$18084@FUSE.NET>
<s82dnd0A45ziACzZnZ2dnUVZ_t2dnZ2d@comcast.com>
<1152508414.449910.273650@s13g2000cwa.googlegroups.com>
<k1i4b2lflpqah3292lo0mpmh78t5epct7i@4ax.com>
<1152544961.545688.264470@p79g2000cwp.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
Date: Mon, 10 Jul 2006 21:30:11 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1152581327 24.186.218.38 (Mon, 10 Jul 2006 18:28:47 MST)
NNTP-Posting-Date: Mon, 10 Jul 2006 18:28:47 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5196
rec.radio.amateur.misc:16277 rec.radio.amateur.policy:32643 rec.radio.scanner:3820
rec.radio.swap:5066

On 10 Jul 2006 08:22:41 -0700, "an old friend" <kb9rqz@hotmail.com>
wrote:

>Al Klein wrote:
>> On 9 Jul 2006 22:13:34 -0700, "an old friend" <kb9rqz@hotmail.com>
>> wrote:

>> >which is an admision that it is not proper for it to be the be all and end
>> >all of of testing for hf
>> >It just that simple

>> Only if you failed Logic 101.

>you are the one that failed the class

>I did not

>CW currently stands as more imprtant than the rest of HAMradio combined
>for HF access

If you fail the written exam you don't get the license.

>CW is not anyway near that valuble

>therefore the current testing system is ilgoical

"I can't pass the test" doesn't have anything to do with logic.

>BTW to answer your red herring from another thread No one is proposing
>adding a test on digital mode

Then dropping CW because it's old and no longer used is illogical. Not
that you're capable of figuring out why, but it is.

From -7561722615564135250
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
Message-ID: <t07oa2tprnfo7pns248objmr43bcmbq3j0@4ax.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com>
<xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>
<12ae1itttghi34@corp.supernews.com>
<1151867034.420762.224550@v61g2000cwv.googlegroups.com>
<W_Tqg.22$vO.10@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Agent 3.2/32.830

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Wed, 05 Jul 2006 16:08:54 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1152130054 24.186.218.38 (Wed, 05 Jul 2006 13:07:34 MST)
NNTP-Posting-Date: Wed, 05 Jul 2006 13:07:34 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5097
rec.radio.amateur.policy:32076 rec.radio.scanner:3763 rec.radio.swap:4947

On Wed, 05 Jul 2006 19:00:06 GMT, Slow Code <my.mail@no.spam> wrote:

>Hams just want to be appliance operators these days and they don't want
>license exams that will interfere with them getting to those appliances
>even though it means being less worthy.  I don't see anyone modernizing
>like everyone says is happening. They just get their licenses and grab a
>microphone.  What percentage of hams have a computer connected to a
>radio?  Probably less than 30%.  Hams don't want to modernize.  Guess we
>just have live with inferior operators on the bands from here on out.


Get on PSK.  Most people on most digital modes still roll their own,
at least a little.


From -2350727313503137609
X-Google-Thread: 108122,bf17f33eaee57e88,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Ramsey Electronics QAMP20 Kit/Case
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 2
Message-ID: <J_Uqg.96584$mF2.91589@bgtnsc04-news.ops.worldnet.att.net>
Date: Wed, 05 Jul 2006 20:08:09 GMT
NNTP-Posting-Host: 12.77.131.155
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1152130089 12.77.131.155 (Wed, 05 Jul
2006 20:08:09 GMT)
NNTP-Posting-Date: Wed, 05 Jul 2006 20:08:09 GMT
Organization: AT&T Worldnet
```

Xref: g2news2.google.com rec.radio.amateur.equipment:5098

For sale, a Ramsey QAMP20 Kit with Case. As received from Ramsey.
$30 shipped in US.

From -8526354238695956690
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <a37oa2l8e6o89tdl9ji3momb04403dvr7o@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
<0%Tqg.26$v0.4@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Wed, 05 Jul 2006 16:11:20 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1152130199 24.186.218.38 (Wed, 05 Jul 2006 13:09:59 MST)
NNTP-Posting-Date: Wed, 05 Jul 2006 13:09:59 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5099
rec.radio.amateur.misc:16092 rec.radio.amateur.policy:32077 rec.radio.scanner:3764
rec.radio.swap:4948

On Wed, 05 Jul 2006 19:00:12 GMT, Hey Stupid <my.mail@no.spam> wrote:

>Please babble to us how requiring more proficient amateurs will kill ham
>radio.

Well ...

It would probably reduce the total number of hams. But those who just want to buy a radio, plug it in and yell at people can still buy a CB set from RatShack.

From 6681950430640874095
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
Date: 5 Jul 2006 13:12:30 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1152130350.125670.325430@m79g2000cwm.googlegroups.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
   <umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
   <44a81178$0$12726$ecde5a14@news.coretel.net>
   <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
   <12ao6tn3lejic25@corp.supernews.com>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152130355 2639 127.0.0.1 (5 Jul 2006 20:12:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jul 2006 20:12:35 +0000 (UTC)
In-Reply-To: <12ao6tn3lejic25@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=69.19.14.20;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5100 rec.radio.amateur.policy:32078 rec.radio.scanner:3765 rec.radio.swap:4949

Dave Platt wrote:
> In article <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>,
> Slow Code <my.mail@no.spam> wrote:
>
> >99% of the hams on usenet hate my proposal.
>
> I can well believe that.
>

```
> >                                      They think you shouldn't have
> >to be proficient at anything to have a ham radio license.
>
> Nonsense.  That's an illogical conclusion on your part, and _not_
> something which has been stated, or can reasonably be inferred from
> the postings that I have seen in these threads.
at least he he is giving the truth more than 2 line brush off
>
> --
> Dave Platt <dplatt@radagast.org>                                   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
>   I do _not_ wish to receive unsolicited commercial email, and I will
>      boycott any company which has the gall to send me such ads!



From -8792823935747416177
X-Google-Thread: 108122,7cc326631ee056c6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS Military Grid Dip Meter
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <T4Vqg.96602$mF2.95102@bgtnsc04-news.ops.worldnet.att.net>
Date: Wed, 05 Jul 2006 20:14:43 GMT
NNTP-Posting-Host: 12.77.131.155
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1152130483 12.77.131.155 (Wed, 05 Jul
2006 20:14:43 GMT)
NNTP-Posting-Date: Wed, 05 Jul 2006 20:14:43 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5101

For sale at $75 Plus shipping, an AN/PRM-10 Military Test Oscillator Set
( Grid Dip Meter ). This test set is in like new condition. Range from 2
to 400 MHz with 1000 cycle internal modulation. Pictures available.


From 4021790225323365778
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 10bf43,e51dbe1d310f547,start
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid10bf43,gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.volia.net!news.newsland.it!
eleonora.aioe.org!emma.aioe.org!aioe.org!not-for-mail
From: "an old friend" <kb9rqz_ars@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Wed, 5 Jul 2006 15:33:51 -0500
Organization: kb9rqz_ars@hotmail.com
Lines: 14
Message-ID: <e8h7ef$b3m$1@nntp.aioe.org>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
Reply-To: "an old friend" <konstans@hotmail.com>
NNTP-Posting-Host: hd7/V4AkcEZxc142TQYUkA.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:12896 rec.radio.amateur.policy:32086
rec.radio.amateur.equipment:5102


<anythingkinky@gmail.com> wrote in message
news:1152129569.542800.37710@m73g2000cwd.googlegroups.com...
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio.   What do you
> think?
>
It's true what you have posted.
We true amateur ops welcome you into our service with open
arms........really! There are many clubs with varied interest. Our club's
main focus is scatology. Our FD was great! We smeared shit all over
ourselves and then sucked and fucked well into the night! CUM one CUM all!




From -993566034091007618
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!75g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: troling right along
Date: 5 Jul 2006 13:35:00 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1152131700.648827.251450@75g2000cwc.googlegroups.com>
```

```
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152131705 11373 127.0.0.1 (5 Jul 2006 20:35:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jul 2006 20:35:05 +0000 (UTC)
In-Reply-To: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 75g2000cwc.googlegroups.com; posting-host=69.19.14.20;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.cb:12897 rec.radio.swap:4950
rec.radio.amateur.equipment:5103


anythingkinky@gmail.com wrote:
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio.   What do you
> think?
I think you need a need troll this one is getin threadbare




From 4502767335671122895
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Jul 2006 16:00:03 -0500
From: tnom@mucks.net
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Wed, 05 Jul 2006 17:00:01 -0400
Message-ID: <9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
X-Trace: sv3-
mT0oLMv8KC6wP6vT+6KYmXVqnVIUUOFdkFzBnTSqjEqvogpR8g7TA9Le8hTBigxI4KDjcZ7cdr5ZwzN!
w7q9ZoJPJhPJXSLnPnNS3ZtDzDnaF3UdDnO4zwpgZBVSelIB4n4wisclJ49f2+au8u8CRvE=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.cb:12900 rec.radio.swap:4951
rec.radio.amateur.equipment:5104
```

On 5 Jul 2006 12:59:29 -0700, anythingkinky@gmail.com wrote:

>Alot of people are telling me that CB is just for inbred hicks and that
>I should replace the CB in my truck with a ham radio.   What do you
>think?

By all means replace it and forever leave CB behind. While you're
at it don't forget to remove rec.radio.cb from your newsreader.

```
From -7077819106702032612
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.cb:12901 rec.radio.swap:4952
rec.radio.amateur.equipment:5105
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
boeing.com!not-for-mail
From: "R. Scott" <rickw7psk@gmail.com>
Subject: Re: Give up CB for Ham?
Message-ID: <J1y7L8.BB6@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 9
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
Date: Wed, 5 Jul 2006 20:58:22 GMT
```

anythingkinky@gmail.com> wrote in message
news:1152129569.542800.37710@m73g2000cwd.googlegroups.com...
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio.   What do you
> think?

I think you need new bait, this one stinks.

```
From 8652085528496030823
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.coretel.net!not-for-mail
From: "clfe" <postmasternospam@clfurentnospam.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com>
Subject: Re: Give up CB for Ham?
Date: Wed, 5 Jul 2006 17:56:18 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 15
Message-ID: <44ac3575$0$12716$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: fb903d7c.news.coretel.net
X-Trace: DXC=19OUKOh20U^_VckUd=bCC[cYX6N<OEXQ[6G:`f5VBTBYj0fKcXf6aKPTY0Rj0XOL?
V@n9_9\F[lFS
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.cb:12903 rec.radio.swap:4953
rec.radio.amateur.equipment:5106

<tnom@mucks.net> wrote in message
news:9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com...
> On 5 Jul 2006 12:59:29 -0700, anythingkinky@gmail.com wrote:
>
>>Alot of people are telling me that CB is just for inbred hicks and that
>>I should replace the CB in my truck with a ham radio.   What do you
>>think?
>
> By all means replace it and forever leave CB behind. While you're
> at it don't forget to remove rec.radio.cb from your newsreader.

Seems to me this original question appeared here about 4 months ago or so!
Is it my news reader replaying OR is someone else "reposting"?




From -4664343874280800133
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
```

```
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j8g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: 5 Jul 2006 15:38:53 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1152139133.847244.277020@j8g2000cwa.googlegroups.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
   <9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com>
   <44ac3575$0$12716$ecde5a14@news.coretel.net>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152139138 32254 127.0.0.1 (5 Jul 2006 22:38:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jul 2006 22:38:58 +0000 (UTC)
In-Reply-To: <44ac3575$0$12716$ecde5a14@news.coretel.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j8g2000cwa.googlegroups.com; posting-host=69.19.14.20;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.cb:12904 rec.radio.swap:4954
rec.radio.amateur.equipment:5107


clfe wrote:
> <tnom@mucks.net> wrote in message
> news:9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com...
> > On 5 Jul 2006 12:59:29 -0700, anythingkinky@gmail.com wrote:
> >
> >>Alot of people are telling me that CB is just for inbred hicks and that
> >>I should replace the CB in my truck with a ham radio.   What do you
> >>think?
> >
> > By all means replace it and forever leave CB behind. While you're
> > at it don't forget to remove rec.radio.cb from your newsreader.
>
> Seems to me this original question appeared here about 4 months ago or so!
> Is it my news reader replaying OR is someone else "reposting"?
he retroling right along



From -5872058206789799500
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
```

X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b68g2000cwa.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: 5 Jul 2006 15:39:33 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1152139173.479114.185560@b68g2000cwa.googlegroups.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
   <9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com>
   <44ac3575$0$12716$ecde5a14@news.coretel.net>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152139177 26349 127.0.0.1 (5 Jul 2006 22:39:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Jul 2006 22:39:37 +0000 (UTC)
In-Reply-To: <44ac3575$0$12716$ecde5a14@news.coretel.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b68g2000cwa.googlegroups.com; posting-host=69.19.14.20;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.cb:12905 rec.radio.swap:4955 rec.radio.amateur.equipment:5108

clfe wrote:
> <tnom@mucks.net> wrote in message
> news:9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com...
> > On 5 Jul 2006 12:59:29 -0700, anythingkinky@gmail.com wrote:
> >
> >>Alot of people are telling me that CB is just for inbred hicks and that
> >>I should replace the CB in my truck with a ham radio.   What do you
> >>think?
> >
> > By all means replace it and forever leave CB behind. While you're
> > at it don't forget to remove rec.radio.cb from your newsreader.
>
> Seems to me this original question appeared here about 4 months ago or so!
> Is it my news reader replaying OR is someone else "reposting"?
he retrolling right along

OTOH since the troll is so stale I am enjoying some of the now well
thought responses as quite clever

From -7271778266862278965
X-Google-Thread: 108122,4f8c89d3f270f038,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: wtb: markVF accessories etc
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-8438EC.19143105072006@news.verizon.net>
Lines: 16
Date: Wed, 05 Jul 2006 23:14:34 GMT
NNTP-Posting-Host: 151.205.173.193
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1152141274 151.205.173.193 (Wed, 05 Jul 2006 19:14:34 EDT)
NNTP-Posting-Date: Wed, 05 Jul 2006 19:14:34 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5109

hi

I am looking for voice filters and any other accessories for it

Already have the txco

used but working good condition prefered, post here w/item and price and
your contact info i'll get back to you

or you can email me   at   myles dti   net

also looking for coax sweep analyzers and antenna analyzers

tnx

From -7716448812926158090
X-Google-Thread: 1131b0,10cddc590d61b501
X-Google-Thread: 108122,10cddc590d61b501
X-Google-Attributes: gid1131b0,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44AC6444.BCC7D196@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
X-Mailer: Mozilla 4.76 [en]C-CCK-MCD   (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: sci.electronics.repair,rec.radio.amateur.equipment
Subject: Re: abuse@comcast.net

References: <1152022342.956089.215600@a14g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Thu, 06 Jul 2006 01:15:47 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1152148547 24.110.34.161 (Wed, 05 Jul 2006 18:15:47 PDT)
NNTP-Posting-Date: Wed, 05 Jul 2006 18:15:47 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com sci.electronics.repair:25638
rec.radio.amateur.equipment:5110

rich wrote:

Spam.

--
My sig file can beat up your sig file!

From 8090697964631094195
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Jul 2006 20:36:54 -0500
From: tnom@mucks.net
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Wed, 05 Jul 2006 21:36:52 -0400
Message-ID: <capoa2lj08hq4f318mm3i82o7tjcghijag@4ax.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com>
<44ac3575$0$12716$ecde5a14@news.coretel.net>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
X-Trace: sv3-2jB9AXV13V7lgTNCZMmXTF/
UkAWAQG0JM8O4pjJUEydf0nU9aBvRoTXhbPy3vfNSyw2Em4FE7deiH9v!
+kSjV9beXUZDmWZ1sVgWoTKTt2P3yTEjuNy2WBcornXEA6eghQOlRFY0/tmmz7oNhnT582M=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.cb:12908 rec.radio.swap:4956
rec.radio.amateur.equipment:5111

On Wed, 5 Jul 2006 17:56:18 -0400, "clfe"
<postmasternospam@clfurentnospam.com> wrote:

><tnom@mucks.net> wrote in message
>news:9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com...
>> On 5 Jul 2006 12:59:29 -0700, anythingkinky@gmail.com wrote:
>>
>>>Alot of people are telling me that CB is just for inbred hicks and that
>>>I should replace the CB in my truck with a ham radio.   What do you
>>>think?
>>
>> By all means replace it and forever leave CB behind. While you're
>> at it don't forget to remove rec.radio.cb from your newsreader.
>
>Seems to me this original question appeared here about 4 months ago or so!
>Is it my news reader replaying OR is someone else "reposting"?

It's the same story over and over. Usually an outcasted ham posts
to rec.radio.cb  in this derogitory manner. It's a amateurish attempt
to self justify their superiorirty. They simple put down others in
order to bring themself up.

The only problem is this. If they were truly superior they would never
feel the need to do this. When they resort to putting CB down it does
just the opposite of what they think. It exposes an inferior feeling
and their self conscienceness to  it.



From -6538871235527928113
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!news.coretel.net!not-for-mail
From: "clfe" <postmasternospam@clfurentnospam.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com>
<44ac3575$0$12716$ecde5a14@news.coretel.net>
<capoa2lj08hq4f318mm3i82o7tjcghijag@4ax.com>
Subject: Re: Give up CB for Ham?
Date: Wed, 5 Jul 2006 21:50:37 -0400
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 49
Message-ID: <44ac6c61$0$12742$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 98a7eaac.news.coretel.net
X-Trace:
DXC=NVf``jfI<@\FbXjK`\3nm\cYX6N<OEXQ[6G:`f5VBTBYAT0Jdd[gi4XC3n3aA<d2TQ3bKSM[n<f[X
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.cb:12909 rec.radio.swap:4957
rec.radio.amateur.equipment:5112

<tnom@mucks.net> wrote in message
news:capoa2lj08hq4f318mm3i82o7tjcghijag@4ax.com...
> On Wed, 5 Jul 2006 17:56:18 -0400, "clfe"
> <postmasternospam@clfurentnospam.com> wrote:
>
>><tnom@mucks.net> wrote in message
>>news:9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com...
>>> On 5 Jul 2006 12:59:29 -0700, anythingkinky@gmail.com wrote:
>>>
>>>>Alot of people are telling me that CB is just for inbred hicks and that
>>>>I should replace the CB in my truck with a ham radio.   What do you
>>>>think?
>>>
>>> By all means replace it and forever leave CB behind. While you're
>>> at it don't forget to remove rec.radio.cb from your newsreader.
>>
>>Seems to me this original question appeared here about 4 months ago or so!
>>Is it my news reader replaying OR is someone else "reposting"?
>
> It's the same story over and over. Usually an outcasted ham posts
> to rec.radio.cb  in this derogitory manner. It's a amateurish attempt
> to self justify their superiorirty. They simple put down others in
> order to bring themself up.
>
> The only problem is this. If they were truly superior they would never
> feel the need to do this. When they resort to putting CB down it does
> just the opposite of what they think. It exposes an inferior feeling
> and their self conscienceness to  it.
```

Maybe it is me, I must be missing "something". I started out with CB - got into Ham AND Electronics due to my admiration of the latter. Both services have their place. Each "does" have it's share of lunatics. There "used" to be a channel here where EVERY NIGHT - about 4 or 5 would do NOTHING but fight. That makes no sense to me. They threatened to fire bomb each other, kill each other, kick each other's ass, etc. It was plain ridiculous. A waste of money on Radio equipment, electricity, etc. I've heard some hams get on air and do just as goofy of things. Me, I prefer to get on whatever band, have a nice conversation and call it a day. Just like any group, be it groups of humanity, cops, "professional driver", doctors, lawyers, etc...... we ALL have our bad apples. That will never cease.

Why not try to "enjoy" life with out the provocation relating to radio - etc. Just because I have an Extra class license - does NOT make me any better than many CBers. There are many who know electronics and just chose to never go get a license. Same with 2 way radio techs, they chose not to get involved. No big deal.
Why cut each other up? JUST ENJOY THE HOBBY......... Cutting each other up, fighing, etc - is NOT "enjoyment".

From 3285131287802301743
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Jul 2006 20:53:20 -0500
Date: Wed, 05 Jul 2006 21:53:28 -0400
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
In-Reply-To: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <B-2dnVsiopyN8DHZnZ2dnUVZ_q2dnZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 69.251.47.38
X-Trace: sv3-CUzlak8TiUl7dkOyasEYNwW4k8u5HgP/VdQM4WuhZmf2cY47LKnwACQgbptUBFQ9lWuMHlm+6wc11If!VhaqxjAc2NkqQNCWrRH2IveTu0FeKRbaknOW/QCICmUD3zYsN+8JYq7nJ4hU5FT5ncBo4p98k+P8!CdU3CS8H
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.cb:12910 rec.radio.swap:4958 rec.radio.amateur.equipment:5113

anythingkinky@gmail.com wrote:
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio.   What do you
> think?
>

Screw all the a$$hole answers. Here is the real lowdown:
You will find jerks on Part 95 and Part 97 bands.
You will find fine folks on Part 95 and Part 97 bands.

Three years ago I got my ticket. I found more bands to work plus
my CB. When I can't find someone on 2 meters, I can check out 440.
If that proves to be dead, I can always find someone on channel 19!

Get a scanner and tune from 144 to 148 and from 438 to 450. You may
hear a lot of the same voices on there that you hear on your CB!

Finally, repeaters are great for a consistent long range connection,
however most 2 meter action occurs on simplex, just like CB. Many
times, it sounds like CB. I find most of the extra cl ass hams are
the ones with the attitudes. The rest are OK.

Don't give up your CB. Just add more radios!

From 2091010974804367512
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Jul 2006 20:54:21 -0500
Date: Wed, 05 Jul 2006 21:54:29 -0400
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<9s9oa2dle8iu1glg2ujk55sfhci3ipi6ab@4ax.com>
<44ac3575$0$12716$ecde5a14@news.coretel.net>
<capoa2lj08hq4f318mm3i82o7tjcghijag@4ax.com>
<44ac6c61$0$12742$ecde5a14@news.coretel.net>
In-Reply-To: <44ac6c61$0$12742$ecde5a14@news.coretel.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <B-2dnVoiopzQ8DHZnZ2dnUVZ_q2dnZ2d@comcast.com>
Lines: 1
NNTP-Posting-Host: 69.251.47.38
X-Trace: sv3-
txotgiJgWXoAiJfbxTkFPYuczhxx5yMw05y0YU1sAgNUlz9nnz1LcFOEq9F5amRSyX2jtbAkiNBe5d8!
Pb1E0u6LAGn0/EA7M7MZo/zdEbRRCKZmw2QSiw1zAsjfZX95QtcMuElQmoDo0aSEIjt70lEeQK2v!
kmerqZxm
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.cb:12911 rec.radio.swap:4959 rec.radio.amateur.equipment:5114

I just typed that in less words!!!

From 8035307712817545579
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
In-Reply-To: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
Content-Type: multipart/alternative;
 boundary="------------040007080704080103080701"
Lines: 47
Message-ID: <6K_qg.607$gt3.328@fe08.lga>
Date: Wed, 05 Jul 2006 22:39:42 -0400
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1152153602 24.47.254.156 (Wed, 05 Jul 2006 19:40:02 MST)
NNTP-Posting-Date: Wed, 05 Jul 2006 19:40:02 MST
Xref: g2news2.google.com rec.radio.cb:12914 rec.radio.swap:4960 rec.radio.amateur.equipment:5115

This is a multi-part message in MIME format.
--------------040007080704080103080701
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

MORE FUEL FOR THE FIRE.
GIVE IT A REST ALREADY.

anythingkinky@gmail.com wrote:

>Alot of people are telling me that CB is just for inbred hicks and that
>I should replace the CB in my truck with a ham radio.   What do you

```
>think?
>
>
>


--------------040007080704080103080701
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font face="Arial"><font color="#000000"><b>MORE FUEL FOR THE FIRE.&nbsp; <br>
GIVE IT A REST ALREADY.<br>
</b></font><br>
<a class="moz-txt-link-abbreviated"
href="mailto:anythingkinky@gmail.com">anythingkinky@gmail.com</a> wrote:</font>
<blockquote
 cite="mid1152129569.542800.37710@m73g2000cwd.googlegroups.com"
 type="cite">
  <pre wrap="">Alot of people are telling me that CB is just for inbred hicks and
that
I should replace the CB in my truck with a ham radio.   What do you
think?

  </pre>
</blockquote>
<br>
</body>
</html>

--------------040007080704080103080701--


From 672026479400713300
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!news.newsland.it!
eleonora.aioe.org!emma.aioe.org!aioe.org!not-for-mail
From: "an old friend" <kb9rqz_ars@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Wed, 5 Jul 2006 22:58:26 -0500
Organization: kb9rqz_ars@hotmail.com
Lines: 28
```

```
Message-ID: <e8i1g1$tai$2@nntp.aioe.org>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<B-2dnVsiopyN8DHZnZ2dnUVZ_q2dnZ2d@comcast.com>
Reply-To: "an old friend" <konstans@hotmail.com>
NNTP-Posting-Host: jssWNgUNTh2U96NWJONgHQ.user.aioe.org
X-Complaints-To: abuse@aioe.org
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Priority: 3
X-MSMail-Priority: Normal
Xref: g2news2.google.com rec.radio.cb:12918 rec.radio.swap:4961
rec.radio.amateur.equipment:5116

scott i nakeded when i postes
"Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
news:B-2dnVsiopyN8DHZnZ2dnUVZ_q2dnZ2d@comcast.com...
> anythingkinky@gmail.com wrote:
>> Alot of people are telling me that CB is just for inbred hicks and that
>> I should replace the CB in my truck with a ham radio.   What do you
>> think?
>>
>
> Screw all the a$$hole answers. Here is the real lowdown:
> You will find jerks on Part 95 and Part 97 bands.
> You will find fine folks on Part 95 and Part 97 bands.
>
> Three years ago I got my ticket. I found more bands to work plus
> my CB. When I can't find someone on 2 meters, I can check out 440.
> If that proves to be dead, I can always find someone on channel 19!
>
> Get a scanner and tune from 144 to 148 and from 438 to 450. You may
> hear a lot of the same voices on there that you hear on your CB!
>
> Finally, repeaters are great for a consistent long range connection,
> however most 2 meter action occurs on simplex, just like CB. Many
> times, it sounds like CB. I find most of the extra cl ass hams are
> the ones with the attitudes. The rest are OK.
>
> Don't give up your CB. Just add more radios!




From 3300592599470795970
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!multikabel.net!
feed20.multikabel.net!sn-xt-ams-06!sn-xt-ams-08!sn-post-ams-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
```

From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Wed, 5 Jul 2006 23:07:51 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12ap34kti0f3hc9@corp.supernews.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<B-2dnVsiopyN8DHZnZ2dnUVZ_q2dnZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news2.google.com rec.radio.cb:12919 rec.radio.swap:4962
rec.radio.amateur.equipment:5117

"Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
news:B-2dnVsiopyN8DHZnZ2dnUVZ_q2dnZ2d@comcast.com...

> anythingkinky@gmail.com wrote:
> Screw all the a$$hole answers. Here is the real lowdown:
> You will find jerks on Part 95 and Part 97 bands.
> You will find fine folks on Part 95 and Part 97 bands.
>
> Three years ago I got my ticket. I found more bands to work plus
> my CB. When I can't find someone on 2 meters, I can check out 440.
> If that proves to be dead, I can always find someone on channel 19!
>
> Get a scanner and tune from 144 to 148 and from 438 to 450. You may
> hear a lot of the same voices on there that you hear on your CB!
>
> Finally, repeaters are great for a consistent long range connection,
> however most 2 meter action occurs on simplex, just like CB. Many
> times, it sounds like CB. I find most of the extra cl ass hams are
> the ones with the attitudes. The rest are OK.
>
> Don't give up your CB. Just add more radios!

I've been thinking about 2 meters, but I just don't see me leaving 11 meters. I can go freebanding on SSB and still listen to the locals chew the fat or fight when they're drunk. Channel 19 offers up some crude entertainment from time to time. I also use the scanner and get the scoop on what kind of trouble the locals are getting into.

From -4193620845913444574
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Jul 2006 23:24:24 -0500
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: Thu, 06 Jul 2006 00:24:24 -0400
Reply-To: pltrgyst@spamlessxhost.org
Message-ID: <i04pa2p689muo1l4a1kfmn4d8iam9ackim@4ax.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<J1y7L8.BB6@news.boeing.com>
X-Newsreader: Forte Agent 2.0/32.646
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Trace:
sv3-0tcMnkcBHsJ6TOu8Km92YwZHXP7t210if0/21tFnmqo4VarkKEdQiErgmO1FH0ohYLwMgwvMZ5A3jF
F!uhN8xVmprjFNvomgipVX6y/T/p4g5lmWuK3+BsB89yC0Uommflq0q4XqW26KB7aKVd2d
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.cb:12920 rec.radio.swap:4963
rec.radio.amateur.equipment:5118
```

anythingkinky@gmail.com> wrote in message
news:1152129569.542800.37710@m73g2000cwd.googlegroups.com...

> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio.   What do you
> think?

I think any inbred hick with a CB radio in his truck is too stupid to ever pass an amateur radio license examination. In fact, I'd even question how he obtained a driver's license -- if he has one.

-- Larry

```
From -1070002398107704784
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
```

```
Message-ID: <44ACA0D0.FBDBB730@nunzio.net>
From: nunzio <that's_italian@nunzio.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Thu, 06 Jul 2006 05:34:10 GMT
NNTP-Posting-Host: 12.76.234.126
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1152164050 12.76.234.126 (Thu, 06 Jul
2006 05:34:10 GMT)
NNTP-Posting-Date: Thu, 06 Jul 2006 05:34:10 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.cb:12922 rec.radio.swap:4964
rec.radio.amateur.equipment:5119
```

why give up anything, use both.

(troll o'meter full scale)

anythingkinky@gmail.com wrote:

> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio.   What do you
> think?

```
From 1755535336388454273
X-Google-Thread: 108122,6daba92fb700d46a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m38g2000cwc.googlegroups.com!not-for-
mail
From: k8vf_mark@centurytel.net
Newsgroups: rec.radio.amateur.equipment
Subject: stock txco for FT1000-2PpM
Date: 6 Jul 2006 08:22:46 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1152199365.804249.190110@m38g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.179.203.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152199371 5567 127.0.0.1 (6 Jul 2006 15:22:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 6 Jul 2006 15:22:51 +0000 (UTC)
User-Agent: G2/0.2
```

X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp 5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m38g2000cwc.googlegroups.com; posting-host=69.179.203.137;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news2.google.com rec.radio.amateur.equipment:5120

Is anyone in need of the txco for a ft1000?

I have a good one removed to upgrade the 1000 to a "D"(funny, it was sold to me as a "D").

In any case, it MAY fit other rigs.

$25 shipped USPS M/O in CONUS.

Thanks,
MArk
k8vf

From -7366388543703561339
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a14g2000cwb.googlegroups.com!not-for-mail
From: anythingkinky@gmail.com
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: 6 Jul 2006 08:46:39 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1152200798.239053.293260@a14g2000cwb.googlegroups.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
   <J1y7L8.BB6@news.boeing.com>
   <i04pa2p689muo1l4a1kfmn4d8iam9ackim@4ax.com>
NNTP-Posting-Host: 151.196.228.51
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152200804 29464 127.0.0.1 (6 Jul 2006 15:46:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 6 Jul 2006 15:46:44 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 IWSS1:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: a14g2000cwb.googlegroups.com; posting-host=151.196.228.51;
   posting-account=MeFBrwwAAAA3cCSzHY49loY3o97xKmcj

```
Xref: g2news2.google.com rec.radio.cb:12943 rec.radio.swap:4966
rec.radio.amateur.equipment:5121


pltrgyst wrote:
> anythingkinky@gmail.com> wrote in message
> news:1152129569.542800.37710@m73g2000cwd.googlegroups.com...
> > Alot of people are telling me that CB is just for inbred hicks and that
> > I should replace the CB in my truck with a ham radio.   What do you
> > think?
>
> I think any inbred hick with a CB radio in his truck is too stupid to ever pass
> an amateur radio license examination. In fact, I'd even question how he obtained
> a driver's license -- if he has one.
>
> -- Larry

YOU KNOW I HATE IT WHEN YOU CALL ME STUPID!!!!!!!!!




From 1888500998631935069
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m38g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Followup-To: rec.radio.cb,
Date: 6 Jul 2006 09:11:39 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1152202299.434963.149110@m38g2000cwc.googlegroups.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
   <J1y7L8.BB6@news.boeing.com>
   <i04pa2p689muo1l4a1kfmn4d8iam9ackim@4ax.com>
   <1152200798.239053.293260@a14g2000cwb.googlegroups.com>
NNTP-Posting-Host: 66.82.9.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152202304 14128 127.0.0.1 (6 Jul 2006 16:11:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 6 Jul 2006 16:11:44 +0000 (UTC)
In-Reply-To: <1152200798.239053.293260@a14g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m38g2000cwc.googlegroups.com; posting-host=66.82.9.70;
```

```
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.cb:12944 rec.radio.swap:4967
rec.radio.amateur.equipment:5122


anythingkinky@gmail.com wrote:
> pltrgyst wrote:
> > anythingkinky@gmail.com> wrote in message
> > news:1152129569.542800.37710@m73g2000cwd.googlegroups.com...

>
> YOU KNOW I HATE IT WHEN YOU CALL ME STUPID!!!!!!!!!
hate away we all know you are full of hate by merely posting




From 2431836134604107802
X-Google-Thread: 108228,ffdfb8276a2d0b00,start
X-Google-Thread: f55c2,ffdfb8276a2d0b00,start
X-Google-Thread: fb049,ffdfb8276a2d0b00,start
X-Google-Thread: fcc6e,ffdfb8276a2d0b00,start
X-Google-Thread: f7653,ffdfb8276a2d0b00,start
X-Google-Thread: 11480d,ffdfb8276a2d0b00,start
X-Google-Thread: 108122,ffdfb8276a2d0b00,start
X-Google-Thread: fc2a5,ffdfb8276a2d0b00,start
X-Google-Attributes:
gid108228,gidf55c2,gidfb049,gidfcc6e,gidf7653,gid11480d,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
From: "hamguy1" <hamguy1@optusnet.com.au>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,
rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: looking for 2 metre mobile radio
Date: Fri, 7 Jul 2006 17:06:41 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 7
Message-ID: <44ae07f7$1$21440$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 58.108.97.173
X-Trace: 1152255992  21440 58.108.97.173
Xref: g2news2.google.com alt.ham-radio.marketplace:1095 alt.ham-radio.mods:158
alt.ham-radio.vhf-uhf:2170 rec.radio.amateur.antenna:14216
rec.radio.amateur.digital.misc:309 rec.radio.amateur.dx:2295
rec.radio.amateur.equipment:5123 rec.radio.amateur.homebrew:6082

hi there newgroups, i live in australia im looking for either a yaesu
kenwood icom or similar 2 metre for my mobile with dtmf mic preferably if
```

anyone in the usa etc has 1 i would pay shipping to australia .thanks in
advance david nsw australia .

From 4426070666997603407
X-Google-Thread: 108228,ffdfb8276a2d0b00
X-Google-Thread: f55c2,ffdfb8276a2d0b00
X-Google-Thread: fb049,ffdfb8276a2d0b00
X-Google-Thread: fcc6e,ffdfb8276a2d0b00
X-Google-Thread: 108122,ffdfb8276a2d0b00
X-Google-Attributes: gid108228,gidf55c2,gidfb049,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!758ec0cd!not-for-mail
From: "Dennis Smith" <DSmith@arrl.net>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateurrec.radio.amateur,rec.radio.amateur
.equipment
References: <44ae07f7$1$21440$afc38c87@news.optusnet.com.au>
Subject: Re: looking for 2 metre mobile radio
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <Cesrg.127414$dW3.8344@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 69.235.46.190
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1152274466 ST000 69.235.46.190 (Fri, 07 Jul
2006 08:14:26 EDT)
NNTP-Posting-Date: Fri, 07 Jul 2006 08:14:26 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP\WBURERRRSP_@YMZJ_Q\@TJ_ZTB\MV@BL\QMIWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Fri, 07 Jul 2006 12:14:26 GMT
Xref: g2news2.google.com alt.ham-radio.marketplace:1096 alt.ham-radio.mods:159
alt.ham-radio.vhf-uhf:2171 rec.radio.amateur.antenna:14219
rec.radio.amateur.equipment:5124

"hamguy1" <hamguy1@optusnet.com.au> wrote in message
news:44ae07f7$1$21440$afc38c87@news.optusnet.com.au...
> hi there newgroups, i live in Australia im looking for either a yaesu
> kenwood icom or similar 2 meter for my mobile with dtmf mic preferably if
> anyone in the usa etc has 1 I would pay shipping to Australia .thanks in

> advance David nsw Australia .
>
>

Since you are in Australia and you probably do not have a Yaesu repair
facility close by I would stay away from their crap radios.
Their VHF/UHF mobiles are known for poor performance, poor reliability and
just crappy built quality.
I have owned radios from all the major manufactures and Kenwood, along with
Icom are some of the best for the dollar.

A "Bullet-Proof" mobile for the money ($269 US) is the Kenwood TM-G707A.
Good performance all around.

>
>

From -1631140223202002456
X-Google-Thread: 108122,d53fb81094ac5a8f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: robtgross <robtgross@att.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Military Grid Dip Meter
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <_aurg.103175$mF2.999@bgtnsc04-news.ops.worldnet.att.net>
Date: Fri, 07 Jul 2006 14:27:06 GMT
NNTP-Posting-Host: 12.77.143.211
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1152282426 12.77.143.211 (Fri, 07 Jul 2006 14:27:06 GMT)
NNTP-Posting-Date: Fri, 07 Jul 2006 14:27:06 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:5125

For sale at $75 Plus shipping, an AN/PRM-10 Military Test Oscillator Set
(Grid Dip Meter). This test set is in like new condition. Range from 2
to 400 MHz with 1000 cycle internal modulation. Pictures available.

From 4445190417665886631

X-Google-Thread: 108122,e95d7595a58edcfa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!s53g2000cws.googlegroups.com!not-for-mail
From: "Wayne" <ccham@sparebrains.biz>
Newsgroups: rec.radio.amateur.equipment
Subject: Info on FNB-27 battery
Date: 7 Jul 2006 07:38:39 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1152283119.838576.177560@s53g2000cws.googlegroups.com>
NNTP-Posting-Host: 128.123.113.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152283124 23504 127.0.0.1 (7 Jul 2006 14:38:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Jul 2006 14:38:44 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: s53g2000cws.googlegroups.com; posting-host=128.123.113.25;
   posting-account=ubcTFAwAAABoUAUWmGGOcq1aS1lsVo_w
Xref: g2news2.google.com rec.radio.amateur.equipment:5126

I have a Yaesu equivalent FNB-27 battery and I lost the charger. I picked up a replacement from Radio Shack last night, but I don't know if tip should be positive or negative, and couldn't easily take the battery apart. It's stone-cold dead, so I can't just hook up a meter to it. Any info would be appreciated.

Also, the charger that I got is a 500mAh charger, I just noticed that this is a Ni-MH battery. I'm not going to have any issues, am I?

From -5916709046837304515
X-Google-Thread: 108228,ffdfb8276a2d0b00
X-Google-Thread: f55c2,ffdfb8276a2d0b00
X-Google-Thread: fb049,ffdfb8276a2d0b00
X-Google-Thread: fcc6e,ffdfb8276a2d0b00
X-Google-Thread: 108122,ffdfb8276a2d0b00
X-Google-Attributes: gid108228,gidf55c2,gidfb049,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 07 Jul 2006 10:33:47 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateurrec.radio.amateur,rec.radio.amateur.equipment

References: <44ae07f7$1$21440$afc38c87@news.optusnet.com.au>
<Cesrg.127414$dW3.8344@newssvr21.news.prodigy.com>
Subject: Re: looking for 2 metre mobile radio
Date: Fri, 7 Jul 2006 10:33:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <8bCdnWptE9ZG4zPZnZ2dnUVZ_vCdnZ2d@comcast.com>
Lines: 30
NNTP-Posting-Host: 68.63.214.120
X-Trace:
sv3-636LVYqiS8nmDm+BMyf6GWEAyqMYTWdFlcHaBr4Bov3qLvg6Nwzm9LA51fd2SdEbRTeWtxHahCau71
B!XFvXrJCZVnUXZkiT6bo5tlUFaEEGtjCqfVpbMrshUOnxRBZRNbujRAAZ/N6brqxN0Ws78BUaMX0r!
rcyCYMKi4YAAZA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.marketplace:1097 alt.ham-radio.mods:160
alt.ham-radio.vhf-uhf:2172 rec.radio.amateur.antenna:14225
rec.radio.amateur.equipment:5127

"Dennis Smith" <DSmith@arrl.net> wrote in message
news:Cesrg.127414$dW3.8344@newssvr21.news.prodigy.com...
>
> "hamguy1" <hamguy1@optusnet.com.au> wrote in message
> news:44ae07f7$1$21440$afc38c87@news.optusnet.com.au...
>> hi there newgroups, i live in Australia im looking for either a yaesu
>> kenwood icom or similar 2 meter for my mobile with dtmf mic preferably if
>> anyone in the usa etc has 1 I would pay shipping to Australia .thanks in
>> advance David nsw Australia .
>>
>>
> Since you are in Australia and you probably do not have a Yaesu repair
> facility close by I would stay away from their crap radios.
> Their VHF/UHF mobiles are known for poor performance, poor reliability and
> just crappy built quality.
> I have owned radios from all the major manufactures and Kenwood, along
> with
> Icom are some of the best for the dollar.
>
> A "Bullet-Proof" mobile for the money ($269 US) is the Kenwood TM-G707A.
> Good performance all around.

I personally have never had a problem with *any* Yaesu radio that I
currently own, or have owned in the past. I like their VHF, and dual band
radios. I do however prefer Kenwood for HF.

-n6ojn

From -9220676126523488955
X-Google-Thread: 108122,ef0ab78d9555af0b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "AK" <nomail@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help - Drake TR7 getting flakey
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <npvrg.1066327$xm3.9516@attbi_s21>
NNTP-Posting-Host: 12.219.138.52
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1152287443 12.219.138.52 (Fri, 07 Jul 2006 15:50:43 GMT)
NNTP-Posting-Date: Fri, 07 Jul 2006 15:50:43 GMT
Organization: AT&T ASP.att.net
Date: Fri, 07 Jul 2006 15:50:43 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:5128

My faithful Drake TR7 (SN 3119/ purchased new in April of 1979) has developed a power output problem. The TR7 generates normal power output at turn on, but after a few minutes of transmission the ALC becomes active and starts cutting back the power, with the output shutting down to a fraction (1/10th) of normal power. It appears to continue to work (CW, SSB, and psk), but the reflected power jumps up (suggesting out-of-band energy). The antenna is not the problem. I have checked the transmit relay, cable and board connections, and switch contacts. All appear to be OK and not contributing to the output problem. Running reduced power (25 watts) slows down the ALC coming on a little, but not for long. The TR7 receiving is stable and normal for all modes and all bands. The problem is not band related either.

Has anyone seen this problem or have an idea what is going on?

Any suggestions on the best place to get it repaired?

Andy, K4YKZ

From 5622348334440981962

```
X-Google-Thread: 108122,6ada7f5b72136a37,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews7.bellsouth.net.POSTED!2e72e831!not-for-mail
From: Chris <ck@ckradio.net>
Organization: CK Radio Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA Kenwood TS-850S Excellent Condition
Content-Type: multipart/alternative;
 boundary="------------080708040800080402020805"
Lines: 23
Message-ID: <EDwrg.4267$IF2.2701@bignews7.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcboehcimmplichellfamcfnkbnkaopknbkaib
diahhdbaajmbkioecjlkplcpncjilhmlnelnhkbkhcckceboocncibfdcommllomlgcccebcdfdbbm
NNTP-Posting-Date: Fri, 07 Jul 2006 13:14:12 EDT
Date: Fri, 07 Jul 2006 13:14:32 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:5129

This is a multi-part message in MIME format.
--------------080708040800080402020805
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=270004065048

--------------080708040800080402020805
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
<font face="Times New Roman, Times, serif"><a class="moz-txt-link-freetext"
href="http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=270004065048">http://
cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;item=270004065048</a></font><br>
</body>
</html>
```

--------------080708040800080402020805--

From -2970345227563459856
X-Google-Thread: 108228,ffdfb8276a2d0b00
X-Google-Thread: f55c2,ffdfb8276a2d0b00
X-Google-Thread: fb049,ffdfb8276a2d0b00
X-Google-Thread: fcc6e,ffdfb8276a2d0b00
X-Google-Thread: 108122,ffdfb8276a2d0b00
X-Google-Attributes: gid108228,gidf55c2,gidfb049,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.antenna,rec.radio.amateurrec.radio.amateur,rec.radio.amateur.equipment
Subject: Re: looking for 2 metre mobile radio
Date: Fri, 07 Jul 2006 13:26:05 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 23
Message-ID: <e8m5fd$ne2$1@f04n12.cac.psu.edu>
References: <44ae07f7$1$21440$afc38c87@news.optusnet.com.au>
<Cesrg.127414$dW3.8344@newssvr21.news.prodigy.com>
NNTP-Posting-Host: nat1.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1152293165 24002 128.118.40.76 (7 Jul 2006 17:26:05 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Fri, 7 Jul 2006 17:26:05 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <Cesrg.127414$dW3.8344@newssvr21.news.prodigy.com>
Xref: g2news2.google.com alt.ham-radio.marketplace:1098 alt.ham-radio.mods:161 alt.ham-radio.vhf-uhf:2173 rec.radio.amateur.antenna:14227 rec.radio.amateur.equipment:5130

Dennis Smith wrote:
> "hamguy1" <hamguy1@optusnet.com.au> wrote in message
> news:44ae07f7$1$21440$afc38c87@news.optusnet.com.au...
>> hi there newgroups, i live in Australia im looking for either a yaesu
>> kenwood icom or similar 2 meter for my mobile with dtmf mic preferably if
>> anyone in the usa etc has 1 I would pay shipping to Australia .thanks in
>> advance David nsw Australia .
>>
>>
> Since you are in Australia and you probably do not have a Yaesu repair
> facility close by I would stay away from their crap radios.
> Their VHF/UHF mobiles are known for poor performance, poor reliability and
> just crappy built quality.
> I have owned radios from all the major manufactures and Kenwood, along with
> Icom are some of the best for the dollar.

>
> A "Bullet-Proof" mobile for the money ($269 US) is the Kenwood TM-G707A.
> Good performance all around.

While others say the same about Kenwood radios..........

- 73 de Mike KB3EIA -

From -8187280050437971353
X-Google-Thread: 108122,ef0ab78d9555af0b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!newsfeed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: Bob W7AVK <rsrolfne@atnet.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7) Gecko/20040616
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help - Drake TR7 getting flakey
References: <npvrg.1066327$xm3.9516@attbi_s21>
In-Reply-To: <npvrg.1066327$xm3.9516@attbi_s21>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 41
Message-ID: <bJyrg.8$gf1.106601@news.sisna.com>
Date: Fri, 07 Jul 2006 12:38:09 -0700
NNTP-Posting-Host: 207.254.16.133
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1152300999 207.254.16.133 (Fri, 07 Jul 2006 13:36:39 MDT)
NNTP-Posting-Date: Fri, 07 Jul 2006 13:36:39 MDT
Organization: Internet News Service
X-Received-Date: Fri, 07 Jul 2006 13:36:39 MDT (news.sisna.com)
Xref: g2news2.google.com rec.radio.amateur.equipment:5131

Andy - Many of the DRAKE TR-7 problems can be traced to its type of motherboard construction with daughter cards plugging into it. The large number of connectors get flaky with time and cause all sorts of problems. Can't say yours is this, but suggest getting a can of DEOXIT [http://www.craig.com] or some such contact cleaner and go over every contact you can find. Be careful in getting the cards replaced correctly and without messing up a coax or wire, etc. Also don't forget all the decks of the band switch.

BTW - I sell a set of 13 Extender boards and the Digital Jumper board that were sold as a Service kit by Drake years ago. If interested contact me directly.

Good luck with a great radio.

73 Bob W7AVK

AK wrote:

```
> My faithful Drake TR7 (SN 3119/ purchased new in April  of 1979) has
> developed a power output problem. The TR7 generates normal power output at
> turn on, but after a few minutes of transmission the ALC becomes active and
> starts cutting back the power, with the output shutting down to a fraction
> (1/10th) of normal power. It appears to continue to work (CW, SSB, and psk),
> but the reflected power jumps up (suggesting out-of-band energy).  The
> antenna is not the problem. I have checked the transmit relay, cable and
> board connections, and switch contacts. All appear to be OK and not
> contributing to the output problem. Running reduced power (25 watts) slows
> down the ALC coming on a little, but not for long. The TR7 receiving is
> stable and normal for all modes and all bands. The problem is not band
> related either.
>
> Has anyone seen this problem or have an idea what is going on?
>
> Any suggestions on the best place to get it repaired?
>
> Andy, K4YKZ
>
>
```

```
From -8309595833041053012
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe02.lga.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
From: Ray Norshine <raynorshine@invalid.kom>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
User-Agent: Xnews/5.04.25
X-face: &n/Q'U?3IQW=Fl]'nS),Qt|pzH|S|fga"eLM]bs7_hh/
C`'hK>[>7x(9b`J>~ne;G>l_<;'cu$Dt-J*1jjl3D{>k/}u[G3whb7h,!FVCBEN(#B^8|sH_L7oU}
>sUHqx<[zOB5AJcxdBa.r$2|BfbysPq{ep%T3
Lines: 15
Message-ID: <BEyrg.32$86.15@fe02.lga>
X-Trace:
ejlmlnpfppkfdeplfbdfigaonjmdaikpnpbenceeheeglofnhgmmodcekhpicfmolpiajlplcghgpoaebd
hjoekobjfjfpmempgmimpgehmgkfcpgboipmeijmdagdobbcfagklmiblliljll
NNTP-Posting-Date: Fri, 07 Jul 2006 12:31:45 MST
Date: Fri, 07 Jul 2006 19:31:45 GMT
```

```
Xref: g2news2.google.com rec.radio.cb:13008 rec.radio.swap:4979
rec.radio.amateur.equipment:5132
```

anythingkinky@gmail.com [google-trolled] in
news:1152129569.542800.37710@m73g2000cwd.googlegroups.com:

> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio.   What do you
> think?
>

Back by popular demand..?

--
   http://groups.google.com
-the usenet trolls best friend- -[?]

```
From 8539843736472531906
X-Google-Thread: 108228,ffdfb8276a2d0b00
X-Google-Thread: f55c2,ffdfb8276a2d0b00
X-Google-Thread: fb049,ffdfb8276a2d0b00
X-Google-Thread: fcc6e,ffdfb8276a2d0b00
X-Google-Thread: 108122,ffdfb8276a2d0b00
X-Google-Attributes: gid108228,gidf55c2,gidfb049,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news2.volia.net!news-
out.ntli.net!newsrout1-gui.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-
win.ntli.net!newsfe4-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian 2W0BDW" <notsaying@here.com>
Newsgroups: alt.ham-radio.marketplace,alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.antenna,rec.radio.amateurrec.radio.amateur,rec.radio.amateur
.equipment
References: <44ae07f7$1$21440$afc38c87@news.optusnet.com.au>
<Cesrg.127414$dW3.8344@newssvr21.news.prodigy.com>
<8bCdnWptE9ZG4zPZnZ2dnUVZ_vCdnZ2d@comcast.com>
Subject: Re: looking for 2 metre mobile radio
Lines: 49
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <TXzrg.15615$Xp3.12715@newsfe4-gui.ntli.net>
Date: Fri, 07 Jul 2006 21:00:35 GMT
NNTP-Posting-Host: 82.6.115.199
X-Trace: newsfe4-gui.ntli.net 1152306035 82.6.115.199 (Fri, 07 Jul 2006 22:00:35
BST)
NNTP-Posting-Date: Fri, 07 Jul 2006 22:00:35 BST
Organization: NTL
Xref: g2news2.google.com alt.ham-radio.marketplace:1099 alt.ham-radio.mods:162
```

alt.ham-radio.vhf-uhf:2174 rec.radio.amateur.antenna:14230
rec.radio.amateur.equipment:5133

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:8bCdnWptE9ZG4zPZnZ2dnUVZ_vCdnZ2d@comcast.com...
>
> "Dennis Smith" <DSmith@arrl.net> wrote in message
> news:Cesrg.127414$dW3.8344@newssvr21.news.prodigy.com...
>>
>> "hamguy1" <hamguy1@optusnet.com.au> wrote in message
>> news:44ae07f7$1$21440$afc38c87@news.optusnet.com.au...
>>> hi there newgroups, i live in Australia im looking for either a yaesu
>>> kenwood icom or similar 2 meter for my mobile with dtmf mic preferably
>>> if
>>> anyone in the usa etc has 1 I would pay shipping to Australia .thanks in
>>> advance David nsw Australia .
>>>
>>>
>> Since you are in Australia and you probably do not have a Yaesu repair
>> facility close by I would stay away from their crap radios.
>> Their VHF/UHF mobiles are known for poor performance, poor reliability
>> and
>> just crappy built quality.
>> I have owned radios from all the major manufactures and Kenwood, along
>> with
>> Icom are some of the best for the dollar.
>>
>> A "Bullet-Proof" mobile for the money ($269 US) is the Kenwood TM-G707A.
>> Good performance all around.
>
> I personally have never had a problem with *any* Yaesu radio that I
> currently own, or have owned in the past. I like their VHF, and dual band
> radios. I do however prefer Kenwood for HF.
>
> -n6ojn

I've had no problems with MOST of my Yaesu stuff, having sold it on quite
soon after getting.

However I did buy a NEW Yaesu scanner about 5 years ago.

Back to dealer screwed up. NEW replacement supplied.
That went back to dealer screwed up. NEW replacement supplied.
This one sometimes throws a wobbly and needs a reset but at least it does
work (at the moment)

Never had a problem with Icom and their support here in UK is superb- email
questions answered, copies of manuals supplied FREE for second hand
equipment (when its not on their site). Can't fault 'em.

```
From -7594874055395168159
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!newspump.sol.net!
198.186.190.95.MISMATCH!news-out.readnews.com!postnews3.readnews.com!
nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: Give up CB for Ham?
From: Steveo <moparholic@hotmail.com>
Organization: .
Message-ID: <20060707171125.431$DO@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
<BEyrg.32$86.15@fe02.lga>
X-NRC-Trace: NewsReader.Com vjdTM7N1vMYOyYM=MKB5=0flE5ZRFjtYkvBlr-sUj3.z_i/J
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 07 Jul 2006 21:08:27 GMT
Lines: 12
NNTP-Posting-Host: 300954bd.nr3.newsreader.com
X-Trace: DXC==KS5_gIF@3ncjRNYIHmGH`OA8_@f\K_ib0V\?
8`j4eWkCl>_EbmbhEgNd7biGRhQTgYA@MLbHKH8mWKHIjGEIOKo
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.cb:13014 rec.radio.swap:4981
rec.radio.amateur.equipment:5134

Ray Norshine <raynorshine@invalid.kom> wrote:
> anythingkinky@gmail.com [google-trolled] in
> news:1152129569.542800.37710@m73g2000cwd.googlegroups.com:
>
> > Alot of people are telling me that CB is just for inbred hicks and that
> > I should replace the CB in my truck with a ham radio.   What do you
> > think?
> >
>
> Back by popular demand..?
>
Like stink and a skunk.


From 1592115488294063584
X-Google-Thread: 106d41,5a4ca2affd537c29
X-Google-Thread: 1109af,5a4ca2affd537c29
X-Google-Thread: 108122,5a4ca2affd537c29
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!35g2000cwc.googlegroups.com!not-for-
mail
```

```
From: "an old freind" <kb9rqz@hotmail.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
Date: 7 Jul 2006 14:16:06 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1152306966.726395.162670@35g2000cwc.googlegroups.com>
References: <1152129569.542800.37710@m73g2000cwd.googlegroups.com>
   <BEyrg.32$86.15@fe02.lga>
NNTP-Posting-Host: 66.82.9.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152306972 24320 127.0.0.1 (7 Jul 2006 21:16:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 7 Jul 2006 21:16:12 +0000 (UTC)
In-Reply-To: <BEyrg.32$86.15@fe02.lga>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 35g2000cwc.googlegroups.com; posting-host=66.82.9.70;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.cb:13018 rec.radio.swap:4982
rec.radio.amateur.equipment:5135


Ray Norshine wrote:
> anythingkinky@gmail.com [google-trolled] in
> news:1152129569.542800.37710@m73g2000cwd.googlegroups.com:
>
> > Alot of people are telling me that CB is just for inbred hicks and that
> > I should replace the CB in my truck with a ham radio.   What do you
> > think?
> >
>
> Back by popular demand..?
nope



From 4443161657876759629
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
```

Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
From: Slow Code <my.mail@no.spam>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
<44a81178$0$12726$ecde5a14@news.coretel.net>
<Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
<12ao6tn3lejic25@corp.supernews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 26
Message-ID: <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
Date: Fri, 07 Jul 2006 23:49:59 GMT
NNTP-Posting-Host: 4.230.0.48
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1152316199 4.230.0.48 (Fri, 07 Jul 2006 16:49:59 PDT)
NNTP-Posting-Date: Fri, 07 Jul 2006 16:49:59 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5136 rec.radio.amateur.policy:32226 rec.radio.scanner:3772 rec.radio.swap:4984

dplatt@radagast.org (Dave Platt) wrote in
news:12ao6tn3lejic25@corp.supernews.com:

>>   They think you shouldn't have
>>to be proficient at anything to have a ham radio license.
>
> Nonsense. That's an illogical conclusion on your part, and _not_
> something which has been stated, or can reasonably be inferred from
> the postings that I have seen in these threads.

OK then, Since we all want to be proficient, how about this:

Step 1: No more automatic renewals. Individuals must retest and pass all elements required for their license class.

Step 2: The passing score for written exams needs to be raised to 85%.

Step 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.

Step 4: Make the no-code license one year non-renewable.

From -8222372056054108287
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34

X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m79g2000cwm.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Why does slow code hate the ARS I asuume it is becuase one of his other names is hey stupid
Date: 7 Jul 2006 17:03:34 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1152317014.712095.168630@m79g2000cwm.googlegroups.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
   <umnfa2h7ion9vbqpdp84ts6491978vb92p@4ax.com>
   <44a81178$0$12726$ecde5a14@news.coretel.net>
   <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
   <12ao6tn3lejic25@corp.supernews.com>
   <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152317019 18790 127.0.0.1 (8 Jul 2006 00:03:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Jul 2006 00:03:39 +0000 (UTC)
In-Reply-To: <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m79g2000cwm.googlegroups.com; posting-host=66.82.9.70;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5137
rec.radio.amateur.policy:32231 rec.radio.scanner:3773 rec.radio.swap:4985

Slow Code wrote:
> dplatt@radagast.org (Dave Platt) wrote in
> news:12ao6tn3lejic25@corp.supernews.com:
>
> >>   They think you shouldn't have
> >>to be proficient at anything to have a ham radio license.
> >
> > Nonsense. That's an illogical conclusion on your part, and _not_
> > something which has been stated, or can reasonably be inferred from
> > the postings that I have seen in these threads.
>
>
>
> OK then, Since we all want to be proficient, how about this:
I am reading

>
>
> Step 1: No more automatic renewals. Individuals must retest and pass all
> elements required for their license class.

not the worst idea but unlikely to be put in place

>
> Step 2: The passing score for written exams needs to be raised to 85%.

why? again not the worst idea but why bother

>
> Step 3: Code elements should be 13 wpm for General, and 20 wpm for Extra.

and why is it that you hate the ARS?

>
> Step 4: Make the no-code license one year non-renewable.

since this wold kill the ars within a single renwal cycle

your proposal would kill off the ARS n 10 years or less

why do you hate the ARS SC

From -7518905286810771l7
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newshub.sdsu.edu!
tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-07!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: A question for nickle Generals and Extras. Would you renew your
license?
Date: Sat, 08 Jul 2006 00:06:23 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12attnvrgeqj099@corp.supernews.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
<12ao6tn3lejic25@corp.supernews.com>
<HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news2.google.com rec.radio.amateur.equipment:5138
rec.radio.amateur.policy:32233 rec.radio.scanner:3774 rec.radio.swap:4986

In article <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>,
Slow Code <my.mail@no.spam> wrote:

```
>>>                                      They think you shouldn't have
>>>to be proficient at anything to have a ham radio license.
>>
>> Nonsense.  That's an illogical conclusion on your part, and _not_
>> something which has been stated, or can reasonably be inferred from
>> the postings that I have seen in these threads.

>OK then, Since we all want to be proficient, how about this:

<<snip>> exactly the same proposals SC has made before, concerning which
he's stated that "99%" of the people on USENET "hate", and which
contain positions even more radical than those which have already been
rejected by the FCC.

Trolling again, SC?  Pity.  If you were actually willing to engage in
a productive discussion you might actually do some good, but I don't
see any evidence of that.

PLONK.

--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From 5611157381182577730
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h48g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: A question for nickle Generals and Extras. Would you renew your
license?
Date: 7 Jul 2006 17:22:36 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1152318156.806474.72730@h48g2000cwc.googlegroups.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
   <Q_Tqg.20$vO.1@newsread4.news.pas.earthlink.net>
   <12ao6tn3lejic25@corp.supernews.com>
   <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>
   <12attnvrgeqj099@corp.supernews.com>
NNTP-Posting-Host: 66.82.9.70
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1152318160 21925 127.0.0.1 (8 Jul 2006 00:22:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 8 Jul 2006 00:22:40 +0000 (UTC)
In-Reply-To: <12attnvrgeqj099@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h48g2000cwc.googlegroups.com; posting-host=66.82.9.70;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:5139
rec.radio.amateur.policy:32236 rec.radio.scanner:3775 rec.radio.swap:4987


Dave Platt wrote:
> In article <HqCrg.5223$cd3.2898@newsread3.news.pas.earthlink.net>,
> Slow Code  <my.mail@no.spam> wrote:
>

> Trolling again, SC?  Pity.  If you were actually willing to engage in
> a productive discussion you might actually do some good, but I don't
> see any evidence of that.
in point of fact SC does some good by making the ProCode looks sillier
than tthan most of them are
>
> PLONK.
>
> --
> Dave Platt <dplatt@radagast.org>                                   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
>   I do _not_ wish to receive unsolicited commercial email, and I will
>      boycott any company which has the gall to send me such ads!
```

```
From 3763293627943937120
X-Google-Thread: 108122,e95d7595a58edcfa
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 08 Jul 2006 08:33:39 -0500
From: "Alan Ponting" <xxalanponting@xxcomcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1152283119.838576.177560@s53g2000cws.googlegroups.com>
Subject: Re: Info on FNB-27 battery
Date: Sat, 8 Jul 2006 09:33:41 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <eJadnW1Lm5yuKTLZnZ2dnUVZ_vudnZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 71.230.252.206
X-Trace: sv3-SLO+cU/FND+WCSZoa7IfZ02EYK5Ph/
piAu8YfY6KfBOTa1sWashNHQHamPVNJNkYtuscgHx30FyW538!
82geNGqwBBYcjS+VfMepC4dmdSU8QxYEsYeeD46D3LGG8Wi0Bbj79oa1B3ICVN7kGiwwv7uXg9z/!
TapD4T7ikoUe3n0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5140


"Wayne" <ccham@sparebrains.biz> wrote in message
news:1152283119.838576.177560@s53g2000cws.googlegroups.com...
>I have a Yaesu equivalent FNB-27 battery and I lost the charger.  I
> picked up a replacement from Radio Shack last night, but I don't know
> if tip should be positive or negative, and couldn't easily take the
> battery apart.  It's stone-cold dead, so I can't just hook up a meter
> to it.  Any info would be appreciated.
>
> Also, the charger that I got is a 500mAh charger, I just noticed that
> this is a Ni-MH battery.  I'm not going to have any issues, am I?
>

The tip of the charger plug should be positive.

As for whether your charger will work with NiCd or NiMh batteries, the
answer is maybe.
A quick google found me this page with some info.

http://www.greenbatteries.com/bachfa.html#charger%20differences

HTH
Alan




From -7254451724625695836
X-Google-Thread: 108122,724ac122127698d4
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!novia!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <44AFC3FB.6090206@fuse.net>
```

```
Date: Sat, 08 Jul 2006 10:40:59 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT-897
References: <_aKdnbOB_453bzfZnZ2dnUVZ_rGdnZ2d@comcast.com>
In-Reply-To: <_aKdnbOB_453bzfZnZ2dnUVZ_rGdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 5
X-Trace: 29da444afc441e098318616834
Xref: g2news2.google.com rec.radio.amateur.equipment:5141
```

Now don't say the K-2

> with 100 watt amp as I built a K-2 and don't have the time at present to
> pursue another build ......although I really like that rig .....

Why not a used K2 or pre-built?
Several often up for sale on Elecraft reflector site (check their web page)

```
From -9168154032878871251
X-Google-Thread: 108122,c87478f66e0ce9fe,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: ICEradio Prod 419B
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-721FFA.13003908072006@news.verizon.net>
Lines: 11
Date: Sat, 08 Jul 2006 17:00:47 GMT
NNTP-Posting-Host: 151.205.173.193
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1152378047 151.205.173.193 (Sat, 08 Jul 2006 13:00:47 EDT)
NNTP-Posting-Date: Sat, 08 Jul 2006 13:00:47 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5142
```

Looking for a mint condition   419b

post here w/item and price and
your contact info i'll get back to you

or you can email me   at   myles dti   net tnx

From -96508191202754156
X-Google-Thread: 108122,4da013b9d2bfd9c5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu, Dumb Question
Message-ID: <ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Sun, 09 Jul 2006 00:05:39 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1152403539 24.148.146.109 (Sat, 08 Jul 2006 17:05:39 PDT)
NNTP-Posting-Date: Sat, 08 Jul 2006 17:05:39 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5143

I have a friend who has a Yaesu FT-8800R transceiver That transmits a "beep" each time he transmits. We could probably figure out how to turn it off if we knew what the function is called...

A full reset will clear the condition but it also clears all the other programming. Once again, if we knew what the "feature" was called we could probably figure out how it gets turned on unintentionally.

John, W8CCW
John Ferrell W8CCW

From 9026161075444899439
X-Google-Thread: 108122,4da013b9d2bfd9c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.volia.net!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu, Dumb Question
Date: Sat, 08 Jul 2006 19:43:03 -0500
Lines: 17
Message-ID: <4hb1ooF1r2o74U1@individual.net>

References: <ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net vjXGcIvad/oCDGZhiz2SFQBQ1N/puUaCzI2LS93mBG6MainRGa
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:5144

John Ferrell wrote:
> I have a friend who has a Yaesu FT-8800R transceiver That transmits a
> "beep" each time he transmits. We could probably figure out how to
> turn it off if we knew what the function is called...
>
> A full reset will clear the condition but it also clears all the other
> programming. Once again, if we knew what the "feature" was called we
> could probably figure out how it gets turned on unintentionally.
>
> John, W8CCW
> John Ferrell W8CCW

Try looking under Courtesy Beep or menu item 5

Bob N9LVU

From 5766460761171570925
X-Google-Thread: 108122,4da013b9d2bfd9c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu, Dumb Question
Message-ID: <h0r0b29i8u8l3ad3rtr9kbuvbnbrha2g6q@4ax.com>
References: <ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com> <4hb1ooF1r2o74U1@individual.net>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
Date: Sun, 09 Jul 2006 02:44:20 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1152413060 24.148.146.109 (Sat, 08 Jul 2006 19:44:20 PDT)

```
NNTP-Posting-Date: Sat, 08 Jul 2006 19:44:20 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5145

Thanks, but Menu 5 is an audible beep when a key board key is pressed.
The tone that happens with this problem is heard at the transmitter
and the receiver.

John W8CCW

On Sat, 08 Jul 2006 19:43:03 -0500, Robert Kubichek
<bobn9lvu@sbcglobal.net> wrote:

>
>
>John Ferrell wrote:
>> I have a friend who has a Yaesu FT-8800R transceiver That transmits a
>> "beep" each time he transmits. We could probably figure out how to
>> turn it off if we knew what the function is called...
>>
>> A full reset will clear the condition but it also clears all the other
>> programming. Once again, if we knew what the "feature" was called we
>> could probably figure out how it gets turned on unintentionally.
>>
>> John, W8CCW
>> John Ferrell W8CCW
>Try looking under Courtesy Beep or menu item 5
>
>
>Bob N9LVU
John Ferrell W8CCW


From -3357520244248852709
X-Google-Thread: 108122,4da013b9d2bfd9c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 08 Jul 2006 22:04:22 -0500
From: yea right <spam@spam.spam>
Organization: well
Subject: Re: Yaesu, Dumb Question
Date: Sat, 08 Jul 2006 21:04:22 -0600
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Message-Id: <pan.2006.07.09.03.04.21.62841@spam.spam>
Newsgroups: rec.radio.amateur.equipment
References: <ceh0b2dbvbvsh06odofj24sb4mkmvto7ov@4ax.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 15
```

```
NNTP-Posting-Host: 24.8.221.21
X-Trace: sv3-
wT4dWQ5fziMORFhAKSVFXy79h+MApacOHGAx6LQWTtNl16mwCUiYB3HoBdzxbGMRNuD6d+Vf87klw+c!
vCxFwqJfeFYpW50KADTvFwM8zBP5OjL1LjjPooQCKnn2IybnYucyI5gnjxEtUYdLT3VrF45XbzGa!OUU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5146

On Sun, 09 Jul 2006 00:05:39 +0000, John Ferrell wrote:

> I have a friend who has a Yaesu FT-8800R transceiver That transmits a
> "beep" each time he transmits. We could probably figure out how to
> turn it off if we knew what the function is called...
<snip>

I had the same thing. I can't remember what the function was called but it
took me a few hours to find out what it was trough experimentation.

Press the right hand volume control down briefly disables it.

I really hate the controls for this radio.  They add stupid functions like
this to the front panel but leave important things like memory skip deep
in the menus.


From 7423167791049817616
X-Google-Thread: 108122,eb5b730f2bc4ae78,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "fuse19@aol.com" <fuse19@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: KENWOOD TS-830 and 9 MORE ITEMS THAT MATCH 9+
Date: 25 Jun 2006 04:29:52 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1151234992.480390.223520@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 205.188.116.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151234996 5312 127.0.0.1 (25 Jun 2006 11:29:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Jun 2006 11:29:56 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1;
SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 Turboweb [dtc-td122 8.4.0], HTTP/1.0 cache-dtc-
aa04.proxy.aol.com[CDBC7408] (Traffic-Server/6.1.0 [uScM])
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=205.188.116.8;
   posting-account=qBRp4Q0AAAC27-DHB6y7-av7hQmXAvAb
Xref: g2news2.google.com rec.radio.amateur.equipment:4995
```

for sale EBAY
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9744999873&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

here is the discription the pic of equiptment is their

THIS IS THE LAST TIME ALL THIS WILL BE LISTED TOGOTHER here is a nice HAM STATION KENWOOD TS-830 - MC-50 mike VFO-230- SM-220 SCOPE+BS8 - AT230 ANTENNA TUNER- SP-230 SPEAKER- SW2100 SWR METER- HC10 CLOCK- HS-5 EAR PHONES-NEW- TL-922 AMPLIFIER 9+ full output 10 pieces in all i will sell as 1 station all this equiptment work's like it should most is in the condition range of a good 7+ to 9+ their are no dents or bad scratch's their maybe a few on the side's but not very bad I HAVE THE MANUALS ALSO this is my own station and i picked my stuff and take care of it it is from a non smoker it is in line now on 7.251 my ham call is k9fcm i havent use it for a while i check into this net when i get time the seller will provided shipping SHIPPING WILL BE UPS with insurance on each package i will take ceterfied fund's only like postal money order pefered I DON'T WANT TO PART OUT YET SOLD AS 1 LOT price $1600.00

```
From -3065392446637301819
X-Google-Thread: 106d41,7979ab7d47dd4bc8,start
X-Google-Thread: 1109af,7979ab7d47dd4bc8,start
X-Google-Thread: 108122,7979ab7d47dd4bc8,start
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe05.lga.POSTED!53ab2750!not-for-mail
From: " NI4L" <ni4l@charter.net>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: FS TIPS AND TRICKS VIDEOS 9 Tapes
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Sowng.1040$TP1.660@fe05.lga>
X-Trace:
nghlfjfcphhogbndmppaahckkhkkpeimdckkhcbfijinlmgfdjocchnajjhbmbnanmcadpbofhbahcmmjb
ppnlkhnimfapjahklemgflmlllnpccbjicpakdmiijkecfbcfagklmibllijll
NNTP-Posting-Date: Sun, 25 Jun 2006 06:42:10 MST
Date: Sun, 25 Jun 2006 09:42:05 -0400
Xref: g2news2.google.com rec.radio.cb:12361 rec.radio.swap:4802
```

rec.radio.amateur.equipment:4996

UNIDEN, COBRA, RCI, GALAXY TUNE UP VHS SET OF 9 TAPES !

ALL YOU NEED TO PEAK AND TUNE THE BEST RADIOS OUT THERE

THIS IS A SET OF 9 COPPER ELECTRONICS "TIPS AND TRICKS" VIDEOS THAT

HAVE EVERYTHING YOU NEED TO KNOW TO PEAK, TUNE AND OPEN UP THE

FOLLOWING RADIOS:

VOL 1... RCI 2950

VOL2... UNIDEN GRANT XL, COBRA 148GTL & 148F

VOL3... GALAXY DX- 33HML, 44V, 55V

VOL4... GALAXY DX- 2517, 2527, MELAKA, SATURN, SATURN TURBO

VOL5... EURO 3900 (ALSO SUPERSTAR 3900 + MORE)

VOL6... GALAXY DX- 66V, 73V, 77V

VOL7... GALAXY DX- 88, 99V

VOL8... EAGLE TOMAHAWK BASE (+ MORE)

VOL9... EAGLE SIDEWINDER MOBILE (+ MORE)

THESE ARE PRICED AT 19.99 EACH WHEN NEW. NOW AVAILABLE FOR 70.00 shipped FOR ALL 9 ! Excellent shape like new

PayPal only

Thanks for looking

```
From 1573657192815301l9
X-Google-Thread: fc8b1,1b65e5cbecf5e216,start
X-Google-Thread: 108122,1b65e5cbecf5e216,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: FA: TONITE>NEW Eimac 3-400Z & 3-NEW Sylvania 6JB6's for Drake
Date: 25 Jun 2006 14:43:23 -0700
Organization: http://groups.google.com
Lines: 8
```

```
Message-ID: <1151271803.496814.242200@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151271807 14132 127.0.0.1 (25 Jun 2006 21:43:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Jun 2006 21:43:27 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4473
rec.radio.amateur.equipment:4997

3-matched 6JB6's @$41

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9742624756&ssPageName=STRK:MESE:IT

New in Box Eimac 3-400Z @$81

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9742624790&ssPageName=STRK:MESE:IT




From 1775781841908632224
X-Google-Thread: 106d41,7979ab7d47dd4bc8
X-Google-Thread: 1109af,7979ab7d47dd4bc8
X-Google-Thread: 108122,7979ab7d47dd4bc8
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!bigfeed.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!5d6458a7!
not-for-mail
From: "Jerry" <joxendi@bellsouth.net>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
References: <Sowng.1040$TP1.660@fe05.lga>
Subject: Re: FS TIPS AND TRICKS VIDEOS 9 Tapes
Lines: 46
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <_9Gng.31952$EX2.30207@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbopaafeapfeedlpicmndelfdngilpgmoofig
lmlijjmofmmdifdflnippfpnknegmcdmcgdadlgcfcddjknobkbjnaljhianlncjjcpebhhghhpmli
```

NNTP-Posting-Date: Sun, 25 Jun 2006 20:48:58 EDT
Organization: BellSouth Internet Group
Date: Sun, 25 Jun 2006 20:48:54 -0400
Xref: g2news2.google.com rec.radio.cb:12406 rec.radio.swap:4816
rec.radio.amateur.equipment:4998

" NI4L" <ni4l@charter.net> wrote in message
news:Sowng.1040$TP1.660@fe05.lga...
> UNIDEN, COBRA, RCI, GALAXY TUNE UP VHS SET OF 9 TAPES !
>
> ALL YOU NEED TO PEAK AND TUNE THE BEST RADIOS OUT THERE
>
> THIS IS A SET OF 9 COPPER ELECTRONICS "TIPS AND TRICKS" VIDEOS THAT
>
> HAVE EVERYTHING YOU NEED TO KNOW TO PEAK, TUNE AND OPEN UP THE
>
> FOLLOWING RADIOS:
>
> VOL 1... RCI 2950
>
> VOL2... UNIDEN GRANT XL, COBRA 148GTL & 148F
>
> VOL3... GALAXY DX- 33HML, 44V, 55V
>
> VOL4... GALAXY DX- 2517, 2527, MELAKA, SATURN, SATURN TURBO
>
> VOL5... EURO 3900 (ALSO SUPERSTAR 3900 + MORE)
>
> VOL6... GALAXY DX- 66V, 73V, 77V
>
> VOL7... GALAXY DX- 88, 99V
>
> VOL8... EAGLE TOMAHAWK BASE (+ MORE)
>
> VOL9... EAGLE SIDEWINDER MOBILE (+ MORE)
>
> THESE ARE PRICED AT 19.99 EACH WHEN NEW. NOW AVAILABLE FOR 70.00 shipped
> FOR ALL 9 ! Excellent shape like new
>
> PayPal only
>
> Thanks for looking

You ought to be ashamed. :(

J
>
>

```
From -3515914651487899116
X-Google-Thread: 108228,c36f1fc5594bd5d0,start
X-Google-Thread: 108122,c36f1fc5594bd5d0,start
X-Google-Thread: 1109af,c36f1fc5594bd5d0,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read06.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA CP200-UHF-16CH RADIO-EMS-FIRE-HAM-EXTRAS INCLD
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0010_01C69896.0F3648D0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <swIng.106767$TK1.93844@fed1read06>
Date: Sun, 25 Jun 2006 20:29:29 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read06 1151292568 68.104.78.240 (Sun, 25 Jun 2006 23:29:28 EDT)
NNTP-Posting-Date: Sun, 25 Jun 2006 23:29:28 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1065
rec.radio.amateur.equipment:4999 rec.radio.swap:4819

This is a multi-part message in MIME format.

------=_NextPart_000_0010_01C69896.0F3648D0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA CP200-UHF-16CH RADIO-EMS-FIRE-HAM-EXTRAS INCLD=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250001856925&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0010_01C69896.0F3648D0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
```

```
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA CP200-UHF-16CH RADIO-EMS-FIRE-HAM-EXTRAS INCLD </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250001856925&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250001856925&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0010_01C69896.0F3648D0--



From -5931449047176730189
X-Google-Thread: 108228,1de078a249dd795e,start
X-Google-Thread: 108122,1de078a249dd795e,start
X-Google-Thread: 1109af,1de078a249dd795e,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read06.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT750 RADIO UHF 403-470MHZ-4 W+SP/MIC-NEW CHGR
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0019_01C69896.37015B70"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <vxIng.106768$TK1.99265@fed1read06>
Date: Sun, 25 Jun 2006 20:30:36 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read06 1151292635 68.104.78.240 (Sun, 25 Jun 2006 23:30:35 EDT)
NNTP-Posting-Date: Sun, 25 Jun 2006 23:30:35 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1066
rec.radio.amateur.equipment:5000 rec.radio.swap:4820

This is a multi-part message in MIME format.

------=_NextPart_000_0019_01C69896.37015B70
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA: MOTOROLA HT750 RADIO UHF 403-470MHZ-4 W+SP/MIC-NEW CHGR=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250001869298&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0019_01C69896.37015B70
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT750 RADIO UHF 403-470MHZ-4 W+SP/MIC-NEW CHGR </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250001869298&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250001869298&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0019_01C69896.37015B70--



From 907689086817470273
X-Google-Thread: 108228,1e70c19539f63466,start
X-Google-Thread: 108122,1e70c19539f63466,start
X-Google-Thread: 1109af,1e70c19539f63466,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read06.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA CP200-UHF-16CH RADIO-EMS-FIRE-HAM-w/ NI-MH BAT
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0022_01C69896.605B2460"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <AyIng.106769$TK1.16489@fed1read06>
Date: Sun, 25 Jun 2006 20:31:45 -0700
```

```
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read06 1151292704 68.104.78.240 (Sun, 25 Jun 2006 23:31:44 EDT)
NNTP-Posting-Date: Sun, 25 Jun 2006 23:31:44 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1067
rec.radio.amateur.equipment:5001 rec.radio.swap:4821

This is a multi-part message in MIME format.

------=_NextPart_000_0022_01C69896.605B2460
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA CP200-UHF-16CH RADIO-EMS-FIRE-HAM-w/ NI-MH BAT=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250001860127&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0022_01C69896.605B2460
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA CP200-UHF-16CH RADIO-EMS-FIRE-HAM-w/ NI-MH BAT </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250001860127&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250001860127&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0022_01C69896.605B2460--



From 3653274605614551969
X-Google-Thread: 106d41,7979ab7d47dd4bc8
X-Google-Thread: 1109af,7979ab7d47dd4bc8
X-Google-Thread: 108122,7979ab7d47dd4bc8
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!multikabel.net!
```

feed20.multikabel.net!sn-xt-ams-06!sn-xt-ams-08!sn-ams!sn-feed-ams-03!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS TIPS AND TRICKS VIDEOS 9 Tapes
Date: Sun, 25 Jun 2006 22:41:34 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129ulrdqhfc66fa@corp.supernews.com>
References: <Sowng.1040$TP1.660@fe05.lga>
<_9Gng.31952$EX2.30207@bignews5.bellsouth.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 49
Xref: g2news2.google.com rec.radio.cb:12415 rec.radio.swap:4822
rec.radio.amateur.equipment:5002

"Jerry" <joxendi@bellsouth.net> wrote in message
news:_9Gng.31952$EX2.30207@bignews5.bellsouth.net...
>
> " NI4L" <ni4l@charter.net> wrote in message
> news:Sowng.1040$TP1.660@fe05.lga...
>> UNIDEN, COBRA, RCI, GALAXY TUNE UP VHS SET OF 9 TAPES !
>>
>> ALL YOU NEED TO PEAK AND TUNE THE BEST RADIOS OUT THERE
>>
>> THIS IS A SET OF 9 COPPER ELECTRONICS "TIPS AND TRICKS" VIDEOS THAT
>>
>> HAVE EVERYTHING YOU NEED TO KNOW TO PEAK, TUNE AND OPEN UP THE
>>
>> FOLLOWING RADIOS:
>>
>> VOL 1... RCI 2950
>>
>> VOL2... UNIDEN GRANT XL, COBRA 148GTL & 148F
>>
>> VOL3... GALAXY DX- 33HML, 44V, 55V
>>
>> VOL4... GALAXY DX- 2517, 2527, MELAKA, SATURN, SATURN TURBO
>>
>> VOL5... EURO 3900 (ALSO SUPERSTAR 3900 + MORE)
>>
>> VOL6... GALAXY DX- 66V, 73V, 77V
>>
>> VOL7... GALAXY DX- 88, 99V
>>
>> VOL8... EAGLE TOMAHAWK BASE (+ MORE)
>>
>> VOL9... EAGLE SIDEWINDER MOBILE (+ MORE)
>>

>> THESE ARE PRICED AT 19.99 EACH WHEN NEW. NOW AVAILABLE FOR 70.00 shipped
>> FOR ALL 9 ! Excellent shape like new
>>
>> PayPal only
>>
>> Thanks for looking
>
>
> You ought to be ashamed. :(
>
> J

Being they are Copper mods means lots of clipped diodes and removed
transistors. I wouldn't take those tapes for free.

From 8333258081949064568
X-Google-Thread: 108122,8429ebf58bdfedd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!
not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: LAST DAY "REAL" MIRAGE D1010 - 100 WATT 440 AMP (70CM)
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <f4Ong.576$V27.110@fe09.lga>
Date: Mon, 26 Jun 2006 05:49:17 -0400
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1151315339 24.47.254.156 (Mon, 26 Jun 2006 02:48:59 MST)
NNTP-Posting-Date: Mon, 26 Jun 2006 02:48:59 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:5003

Hi, take a peek if you like.

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130000268215

From 1866743448300480313
X-Google-Thread: 108122,4175a81cceb3852,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!
newsfeed1.ip.tiscali.net!proxad.net!cleanfeed3-a.proxad.net!nnrp13-1.free.fr!not-
for-mail
From: "Francois Duboc" <fduboc@free.fr>
Newsgroups: rec.radio.amateur.equipment
Subject: For sale  power triode ceramic RS 3010 CL
Date: Mon, 26 Jun 2006 21:05:12 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 8
Message-ID: <44a02fe2$0$289$626a54ce@news.free.fr>
Organization: Guest of ProXad - France
NNTP-Posting-Date: 26 Jun 2006 21:05:06 MEST
NNTP-Posting-Host: 82.253.72.231
X-Trace: 1151348706 nnrp13-1.free.fr 289 82.253.72.231:2064
X-Complaints-To: abuse@proxad.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5004

Hi  all

I have this tube for you , i want 200 Euros for this : excuse my bad English
it is very olds for me!!!

73'S  from  Fran�ois F1EMQ




From -5622891781165703969
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!
sdd.hp.com!news-pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!
newsfeed.pnap.net!motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
```

communicatewith other.
Date: Mon, 26 Jun 2006 15:54:40 -0500
Organization: Motorola Applications Directory Team
Lines: 24
Message-ID: <e7phig$k52$1@avnika.corp.mot.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.eart
<Qt3ng.484$RD.249@fed1read08>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1151355280 20642 173.27.203.217 (26 Jun 2006 20:54:40 GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Mon, 26 Jun 2006 20:54:40 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:13854
rec.radio.amateur.equipment:5005 rec.radio.amateur.misc:15588
rec.radio.amateur.policy:31232 rec.radio.shortwave:41356 rec.radio.cb:12444

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:Qt3ng.484$RD.249@fed1read08...
Hi Sal...

> I have problems with most characters of four or more elements length.
> Exceptions are <period> and <Q>, for some reason.

Since I don't do CW too much anymore, I have similar problems, and I've been at it since 1961!
If I did it more, I'd probably get better and I'm not suggesting that you "need more practice", just offering a little empthy... (:-)

[... snip ...] Oh yeah -- I know <V> because the dit-dit-dit-dah sounds
> like the 1812 overture.

Ummm... I believe you are referring to ''Beethoven's fifth" di - di - di - dah. di - di - di - dah. dididididah, dididididah, dididididah...

73, Steve, K9DCI

```
From 8584857474337353023
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Slow Code <my.mail@no.spam>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 60
Message-ID: <nc%ng.1855$NP4.394@newsread1.news.pas.earthlink.net>
Date: Tue, 27 Jun 2006 00:45:07 GMT
NNTP-Posting-Host: 4.243.52.75
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1151369107 4.243.52.75 (Mon, 26 Jun 2006
17:45:07 PDT)
NNTP-Posting-Date: Mon, 26 Jun 2006 17:45:07 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13866
rec.radio.amateur.equipment:5006 rec.radio.amateur.misc:15603
rec.radio.amateur.policy:31252 rec.radio.shortwave:41394 rec.radio.cb:12466

"DrDeath" <drdeath555usb@yahoo.com> wrote in
news:129lvmgofeujhbd@corp.supernews.com:

> "Slow Code" <sc.h@m.mail> wrote in message
> news:FXkmg.15$ii.9@newsread3.news.pas.earthlink.net...
>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>> news:wh4mg.139$lv.109@fed1read12:
>>
>>>
>>> "Slow Code" <sc@mo.mail> wrote in message
>>> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
```

```
>>>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>>>> news:YGKlg.104$lv.41@fed1read12:
>>>>
>>>> >
>>>> > "dxAce" <dxAce@milestones.com> wrote in message
>>>> > news:44969559.30D72920@milestones.com...
>>>> >
>>>> >>
>>>> >> Anybody who can't pass the minimal 5 WPM doesn't deserve a
>>>> >> license.
>>>> >
>>>> > That's needlessly insulting.
>>>>
>>>>
>>>> No it isn't.
>>>>
>>>> Some things in life require you do a little work to enjoy their
>>>> benefits. You don't want to learn CW, you shouldn't be allowed on ham
>>>> radio.
>>>>
>>>> And Five words per minute ain't a code test.  I can fart five words
>>>> per minute.  Anyone that can't learn 5 wpm is either lazy or a tard
>>>> and should stick to CB, FRS, and cell phones.
>>>
>>> I am a gainfully-employed degreed engineer with an above-average IQ
>>> and dyslexia.  You are beneath contempt.
>>
>>
>> Anyone else hear a tiny violin playing?
>>
>>
>> sc
>
> No, I see a newsgroup clown that can't accept the fact that this man
> learned to succeed despite his dyslexia. Instead of offering ideas that
> could help him learn code you decide to insult him. You sit and whine
> about how ham radio is going to shit because they allow no code tech
> licensing and possibly doing away with code altogether. But you missed
> the biggest point with ham radio it was to help people. Did you help
> this man by offering alternative options to learn code? No, you insult
> him instead. It is you and your kind that will be the downfall of ham
> radio. Blame yourself.



Granting a person privileges because they're retarded is like being forced
to hire someone because they're black.

sc


From 3225992074217853323
X-Google-Thread: 108228,6422420ca385b5ba,start
```

```
X-Google-Thread: 108122,6422420ca385b5ba,start
X-Google-Thread: 1109af,6422420ca385b5ba,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read06.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls Portable Radio UHF 403-470MHz-EXTRAS-NICE
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C6995C.486AFD50"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Ih1og.107550$TK1.56@fed1read06>
Date: Mon, 26 Jun 2006 20:08:25 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read06 1151377640 68.104.78.240 (Mon, 26 Jun 2006 23:07:20 EDT)
NNTP-Posting-Date: Mon, 26 Jun 2006 23:07:20 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1068
rec.radio.amateur.equipment:5007 rec.radio.swap:4834

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C6995C.486AFD50
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls UHF 403-470MHz-WIDE-BAND-EXTRAS-NICE

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250002202931&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_000A_01C6995C.486AFD50
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls UHF 403-470MHz-WIDE-BAND-EXTRAS-NICE</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250002202931&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250002202931&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_000A_01C6995C.486AFD50--
```

```
From -4099945408867211018
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read08.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.eart
<Qt3ng.484$RD.249@fed1read08> <e7phig$k52$1@avnika.corp.mot.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <ol2og.1072$RD.897@fed1read08>
Date: Mon, 26 Jun 2006 21:19:33 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1151381972 72.199.97.186 (Tue, 27 Jun 2006 00:19:32 EDT)
NNTP-Posting-Date: Tue, 27 Jun 2006 00:19:32 EDT
Organization: Cox Communications
```

```
Xref: g2news2.google.com rec.radio.amateur.antenna:13875
rec.radio.amateur.equipment:5008 rec.radio.amateur.misc:15620
rec.radio.amateur.policy:31284 rec.radio.shortwave:41440 rec.radio.cb:12498


"Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in message
news:e7phig$k52$1@avnika.corp.mot.com...
>
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in message

> [... snip ...]  Oh yeah -- I know <V> because the dit-dit-dit-dah sounds
> > like the 1812 overture.
>
>
> Ummm...   I believe you are referring to  ''Beethoven's fifth"  di - di -
> di - dah.   di - di - di - dah.   didididah, didididah, didididah...
>
> 73, Steve, K9DCI
>
>
Hm-m-m.  I can hear that in my head.  ... thought it was the 1812 Overture.

BT

Playing the selection is mighty convincing:  Ol' Ludwig pops off some V's
right at the start.  I do not seem to have the 1812 Overture handy, so here
I tread ever-so-lightly ... not being much for knowing good music.  I can
run bits of 1812 through my head, too, but not much.  (I just get started
and run out of headroom.) I shall seek it out.  TKS & 73

Sal
(really KD6VKW, the vicious killer weasel)




From -2775829649121544200
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!peer02.cox.net!
cox.net!news-xfer.cox.net!p01!fed1read08.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
```

References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.eart
<Qt3ng.484$RD.249@fed1read08> <e7phig$k52$1@avnika.corp.mot.com>
<ol2og.1072$RD.897@fed1read08>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <KG2og.1073$RD.569@fed1read08>
Date: Mon, 26 Jun 2006 21:42:19 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1151383338 72.199.97.186 (Tue, 27 Jun 2006 00:42:18 EDT)
NNTP-Posting-Date: Tue, 27 Jun 2006 00:42:18 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13876
rec.radio.amateur.equipment:5009 rec.radio.amateur.misc:15621
rec.radio.amateur.policy:31285 rec.radio.shortwave:41441 rec.radio.cb:12499

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:ol2og.1072$RD.897@fed1read08...
>
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote :

> > Ummm...   I believe you are referring to ''Beethoven's fifth" di -
di -
> > di - dah.   di - di - di - dah.   didididah, didididah, didididah...
> >
> > 73, Steve, K9DCI

MORE: I just played the 1812 Overture and didn't hear any V's. Heard quite a few T's and E's ... but no V's.

Thanks.

From -6734022922898911760
X-Google-Thread: 108122,ba8b1853767cbda5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y41g2000cwy.googlegroups.com!not-for-

```
mail
From: "Jay" <jay611j@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: KENWOOD PROGRAMS
Date: 26 Jun 2006 22:24:49 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1151385889.231060.128380@y41g2000cwy.googlegroups.com>
NNTP-Posting-Host: 72.197.220.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151385894 8544 127.0.0.1 (27 Jun 2006 05:24:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Jun 2006 05:24:54 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y41g2000cwy.googlegroups.com; posting-host=72.197.220.49;
   posting-account=SsAKJQ0AAACAl-jcOqJidcfR7auKSs8J
Xref: g2news2.google.com rec.radio.amateur.equipment:5010

I HAVE 10 COPIED "BURNED" CDS OF A TON OF KENWOOD PROGRAMS, WILL
PROGRAM MOST HANDHELDS AND MOBILES. IF YOU HAVE EBAY, LET ME KNOW AND I
WILL SET UP AN AUCTION. MY EBAY ID IS: EEE_LIGHTS EBAY KEEPS REMOVING
THEM SO ITS FIRST COME FIRST SERVE. $25 PER CD. THANKS GUYS!



From 4427914513172104860
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.eart
```

```
<Qt3ng.484$RD.249@fed1read08> <e7phig$k52$1@avnika.corp.mot.com>
<ol2og.1072$RD.897@fed1read08>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Tue, 27 Jun 2006 01:29:12 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 40
Message-ID: <44a0d0c8$0$11193$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 27 Jun 2006 01:31:37 CDT
X-Trace:
DXC=N_o`\5S63AH6OCM3K\0EP@bQ9W<K20`3BO6Gh9bA988NlTR=MZOFKVGLmeAk]VL8JA[@>[DX7nG0JF
n;`ijQ`dLL\g_PAh^f=hD
Xref: g2news2.google.com rec.radio.amateur.antenna:13877
rec.radio.amateur.equipment:5011 rec.radio.amateur.misc:15624
rec.radio.amateur.policy:31287 rec.radio.shortwave:41454 rec.radio.cb:12503


"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:ol2og.1072$RD.897@fed1read08...
>
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in message
> news:e7phig$k52$1@avnika.corp.mot.com...
> >
> > "Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
>
> > [... snip ...]  Oh yeah -- I know <V> because the dit-dit-dit-dah sounds
> > > like the 1812 overture.
> >
> >
> > Ummm...   I believe you are referring to  ''Beethoven's fifth"  di -
di -
> > di - dah.   di - di - di - dah.   dididididah, dididididah, dididididah...
> >
> > 73, Steve, K9DCI
> >
> >
> Hm-m-m.  I can hear that in my head.  ... thought it was the 1812
Overture.
>
> BT
>
> Playing the selection is mighty convincing:  Ol' Ludwig pops off some V's
> right at the start.  I do not seem to have the 1812 Overture handy, so
here
> I tread ever-so-lightly ... not being much for knowing good music.  I can
> run bits of 1812 through my head, too, but not much.  (I just get started
> and run out of headroom.) I shall seek it out.  TKS & 73

it is a 12(?) minute piece, and i ran a few minutes through my head.  there
```

is a short part that goes dit dit dit dah.

if you get the real cannon / bass drum recording, it is incredible.

Gravity

```
From 5743319388171065l9
X-Google-Thread: 108122,3344673a20ecaee,start
X-Google-Thread: fc8b1,3344673a20ecaee,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y41g2000cwy.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: COLLINS RADIO COMPANY 0-500 MILLIAMPERE PANEL METER>NR
Date: 27 Jun 2006 07:12:07 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1151417527.689625.191030@y41g2000cwy.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151417531 8726 127.0.0.1 (27 Jun 2006 14:12:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Jun 2006 14:12:11 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y41g2000cwy.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5012
rec.radio.amateur.boatanchors:4503
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220000836355&ssPageName=STRK:MESE:IT&ih=012

```
From -1735393453025732344
X-Google-Thread: 108122,43ff3c9224b36a31,start
X-Google-Thread: fc8b1,43ff3c9224b36a31,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y41g2000cwy.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: @$66>SWAN 117XC POWER SUPPLY and SPEAKER for 500CX 350 700CX
```

```
Date: 27 Jun 2006 07:13:25 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1151417605.844963.197550@y41g2000cwy.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151417611 8913 127.0.0.1 (27 Jun 2006 14:13:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Jun 2006 14:13:31 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y41g2000cwy.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5013
rec.radio.amateur.boatanchors:4504

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220000837814&ssPageName=STRK:MESE:IT&ih=012



From 5736588732076858688
X-Google-Thread: 108122,5604805acc624492,start
X-Google-Thread: fc8b1,5604805acc624492,start
X-Google-Thread: 106d41,5604805acc624492,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10> E.F.JOHNSON #250-20 1KW LOW PASS FILTER w/CLAMP>Neat-O
Date: 27 Jun 2006 07:14:42 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1151417682.834552.5730@m73g2000cwd.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151417688 390 127.0.0.1 (27 Jun 2006 14:14:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Jun 2006 14:14:48 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5014
rec.radio.amateur.boatanchors:4505 rec.radio.cb:12513
```

```
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220000837852&ssPageName=STRK:MESE:IT&ih=012



From 8052470638668606502
X-Google-Thread: 108122,630047c922c449a4,start
X-Google-Thread: fc8b1,630047c922c449a4,start
X-Google-Thread: 106d41,630047c922c449a4,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>ONE(1) CERAMIC BASED 803 RF/AUDIO VACUUM RADIO TUBE>NR
Date: 27 Jun 2006 07:15:50 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1151417750.487923.201170@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151417755 9409 127.0.0.1 (27 Jun 2006 14:15:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 27 Jun 2006 14:15:55 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5015
rec.radio.amateur.boatanchors:4506 rec.radio.cb:12514

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220000837824&ssPageName=STRK:MESE:IT&ih=012



From -5142148380248421926
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
```

```
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<nc%ng.1855$NP4.394@newsread1.news.pas.earthlink.net>
In-Reply-To: <nc%ng.1855$NP4.394@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <T1eog.55051$fb2.34324@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.245.64.48
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1151429875 ST000 70.245.64.48 (Tue, 27 Jun
2006 13:37:55 EDT)
NNTP-Posting-Date: Tue, 27 Jun 2006 13:37:55 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
F[O]STVEMBRSP_@YMZJ\_Q\@TJ_ZTB\MV@BJ]Q]KEYUNDQUCCNSUAACY@L[ZX__HGFD]JBJNSFXTOOGA_V
WY^_HG@FW_HUTHOH]TBPGCO\P^PLP^@[GLHUK@WLECKFVL^TYG[@RMWQXIWM[SDDYWNLG_G[_BWUCHFY_Y
@AS@Q[B\APPF@DCZM_PG_VSCPQZM
Date: Tue, 27 Jun 2006 17:37:55 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13896
rec.radio.amateur.equipment:5016 rec.radio.amateur.misc:15688
rec.radio.amateur.policy:31358 rec.radio.shortwave:41499 rec.radio.cb:12527
```

Slow Code wrote:

> Granting a person privileges because they're retarded is like being forced
> to hire someone because they're black.

I've been looking for a flat black colored person but have
been unable to find any. I also have not found anyone who
is white as a sheet of white paper. Alas, all I have found
are people who vary in shades of brown earthtones. By looking
at a spectrometer display, it is actually hard to tell one
from another.
--
73, Cecil http://www.qsl.net/w5dxp

```
From -7065861778433460159
X-Google-Thread: 108122,df0a95a9cc335304,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog1.nntp.dca.giganews.com!
nntp.pghconnect.com!news.pghconnect.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 27 Jun 2006 14:30:52 -0500
From: <lou.de.beer@general-net.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FOR SALE YAESU FT 920
Date: Tue, 27 Jun 2006 12:36:01 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.00.2615.200
X-MimeOLE: Produced By Microsoft MimeOLE V5.00.2615.200
Message-ID: <ir2dnTFjPI7xGjzZnZ2dnUVZ_vOdnZ2d@pghconnect.com>
Lines: 5
NNTP-Posting-Host: 67.111.80.40
X-Trace: sv3-L1fpkQGYsEZ/YgbC1yCeZgxwYIScHd5ENPq4PbbFr6I/
FkPuSJT4ImFe5l+TIXkK5LUOjY2Yi8r50vz!BXSt8H3hS1vC5clkB96ILOzjBYadS/
2RogptdLCsThlhWdX45Q2p4tRNcXtD6RLU03ddufd+bsj6!Hjg2rO0Ilbql/dBWVlFvgo4a
X-Complaints-To: abuse@globalpops.com
X-DMCA-Complaints-To: abuse@globalpops.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5017

Ft 920 HF/6 meter transceiver in very nice condition with three(3)installed
INRAD filters,HM-31 mic,original manual and power cord..There is a scratch
on the top cover..$935.00 plus packing and shipping..




From 7721520162365985137
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog1.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 27 Jun 2006 16:13:13 -0500
```

```
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<nc%ng.1855$NP4.394@newsread1.news.pas.earthlink.net>
<T1eog.55051$fb2.34324@newssvr27.news.prodigy.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Tue, 27 Jun 2006 22:04:49 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <0amdnVFA8qn0AjzZRVnysA@bt.com>
Lines: 7
NNTP-Posting-Host: 86.137.58.124
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-NT1Ei0EGn6/JBV1Rjpcgcm/L+usoEAUd0AZ3NEnm/
ybm3rqZgTNjv0NuEOi9sdaApDvhrwdLFIT7vme!
gMqOcXaRFiH72x+LjM8+PSKeQ3BQK5lTDxGHb92Bs7SdL6zu9TJ1JhJlXJnitA==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13911
rec.radio.amateur.equipment:5018 rec.radio.amateur.misc:15698
rec.radio.amateur.policy:31382 rec.radio.shortwave:41569 rec.radio.cb:12536

Gene therapy is all the rage.

Very soon scientists will discover a cure for white disease and
everybody will be made black  - and happy!
=========================================




From 354783673017646535
X-Google-Thread: 108122,1fbe8b333d0c17ef,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TS-950SD HF W/Desk Mic
Message-ID: <tru5a2dr9lqjj2at8gq30d5bg748nll6q9@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Wed, 28 Jun 2006 17:58:27 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1151531900 69.125.167.162 (Wed, 28 Jun 2006 14:58:20 MST)
NNTP-Posting-Date: Wed, 28 Jun 2006 14:58:20 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:5019

FS Kenwood TS-950SD HF W/Desk Mic
Comes with MC-60 Desk Microphone.
Works and looks nice, Full 150Watts out.
Make offer or will trade for ham gear.
ritchi50@optonline.net



From 5680643218141233230
X-Google-Thread: 108122,ee3af86e3b7c18ee,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j72g2000cwa.googlegroups.com!not-for-
mail
From: bandbroad@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Voip in Amateur Radio,Voip Updated Howto,
Date: 28 Jun 2006 17:51:38 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1151542298.582433.139980@j72g2000cwa.googlegroups.com>
NNTP-Posting-Host: 212.200.56.147
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151542303 28220 127.0.0.1 (29 Jun 2006 00:51:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 29 Jun 2006 00:51:43 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j72g2000cwa.googlegroups.com; posting-host=212.200.56.147;
```

```
   posting-account=EqB2oA0AAADa8D09YMQTvAX9LLzB2-TX
Xref: g2news2.google.com rec.radio.amateur.equipment:5020
```

Voip in Amateur Radio,Voip Updated Howto,
Voice Over IP is a new communication means that let you telephone with
Internet at almost null cost.How this is possible, what is the
standard, what systems are used, how cost..

http://flying-rugs.com/voip/VoIP-HOWTO.html

```
From -1573330912291367507
X-Google-Thread: 108122,ab07676ecaa98192,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!newspump.sol.net!news-
out.readnews.com!spool-big1.readnews.com!posts.news.usenetmonster.com!
nnrp0.asbnva.usenetmonster.com!not-for-mail
Reply-To: "Bill KB3GUN" <kb3gunlessspam@swronline.com>
From: "Bill KB3GUN" <kb3gunlessspam@swronline.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Hamfest - Somerset PA - 16 July 2006
Date: Thu, 29 Jun 2006 07:29:33 -0400
Organization: Not Even Close
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Lines: 5
Message-ID: <44a3b89b$0$30705$ec3e2dad@news.usenetmonster.com>
NNTP-Posting-Host: 79fc8cb8.news.usenetmonster.com
X-Trace: DXC=QPiQCX14cC9aN0V4BjGEI7fmBVYh0PF`67:fG3B6S`d3lH`H\^nfT@1F?
NCT>]N;144WDJY8a[PW?^YQ7HIL=>D?k4=n45H]<27]H[>Moi_??1k>D<@_TBe[5
X-Complaints-To: killthespammer@usenetmonster.com
Xref: g2news2.google.com rec.radio.amateur.equipment:5021
```

Check here for more details: http://www.k3smt.org/hamfest

Sponsored by the Somerset County Amateur Radio Club.

```
From 6269088680094540797
X-Google-Thread: 106d41,7979ab7d47dd4bc8
X-Google-Thread: 1109af,7979ab7d47dd4bc8
X-Google-Thread: 108122,7979ab7d47dd4bc8
X-Google-Attributes: gid106d41,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <44A42438.8EF0A3C7@oscar.net>
From: Oscar <oscar14@oscar.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: FS TIPS AND TRICKS VIDEOS 9 Tapes
References: <Sowng.1040$TP1.660@fe05.lga>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Thu, 29 Jun 2006 19:04:25 GMT
NNTP-Posting-Host: 12.76.216.190
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1151607865 12.76.216.190 (Thu, 29 Jun
2006 19:04:25 GMT)
NNTP-Posting-Date: Thu, 29 Jun 2006 19:04:25 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.cb:12602 rec.radio.swap:4874
rec.radio.amateur.equipment:5022

no need to pay for these trash mods...

I've got his set of tapes, used a postal mo to pay for them
(it is no good)

will be posting the mods to my mod site for
downloading to burn your own dvd.

oscar



From 387797565989403958
X-Google-Thread: 108122,a3bd946675764629,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Collins R-390/R-390A Parts and Radios plus more
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <ox9pg.4278$PO.2475@dukeread03>
Date: Fri, 30 Jun 2006 08:19:46 -0500
NNTP-Posting-Host: 68.105.249.118
```

X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1151673556 68.105.249.118 (Fri, 30 Jun 2006 09:19:16 EDT)
NNTP-Posting-Date: Fri, 30 Jun 2006 09:19:16 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:5023

Please see my auctions for an Awesome Restored Amelco R-390A and most all
parts to build a Collins R-390 Receiver, pluse much more vintage gear:
http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZhugQ2daQ2dbug
Thanks, Charlie Hugg, K5MBX
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From -6752941959061385553
X-Google-Thread: 108122,d19130cf08d46d96,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d30g2000cwa.googlegroups.com!not-for-mail
From: "Used2Way" <pchoman@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Motorola Spectra Accessory Connectors
Date: 30 Jun 2006 11:34:23 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1151692463.637856.100640@d30g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.196.209.104
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151692469 26865 127.0.0.1 (30 Jun 2006 18:34:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 30 Jun 2006 18:34:29 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d30g2000cwa.googlegroups.com; posting-host=71.196.209.104;
   posting-account=BzojKA0AAAC1zkGBiXVuJyDhKR1gk6nH
Xref: g2news2.google.com rec.radio.amateur.equipment:5024

Wanted: Motorola Spectra Accessory Connectors (9 Pin)

Please contact:
Paul
720-219-8898
paulcho@qdscorp.com

```
From -5614981970443234261
X-Google-Thread: 108122,d6d155d6f8d5fe34,start
X-Google-Thread: 10bf43,d6d155d6f8d5fe34,start
X-Google-Thread: fa029,d6d155d6f8d5fe34,start
X-Google-Thread: 1109af,d6d155d6f8d5fe34,start
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: A question for nickle Generals and Extras.  Would you renew your license?
From: Slow Code <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 9
Message-ID: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
Date: Fri, 30 Jun 2006 23:21:48 GMT
NNTP-Posting-Host: 4.228.228.60
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1151709708 4.228.228.60 (Fri, 30 Jun
2006 16:21:48 PDT)
NNTP-Posting-Date: Fri, 30 Jun 2006 16:21:48 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5025
rec.radio.amateur.policy:31679 rec.radio.scanner:3697 rec.radio.swap:4884
```

Phony's can ignore. This question doesn't apply to no-codes.

Nickle Generals and Extras:

If the 13 and 20 wpm CW exams came back and you had to pass the proper
code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
would you renew your license?

```
From 4469451676504514507
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
```

Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
Message-ID: <2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 35
Date: Sat, 01 Jul 2006 00:00:47 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1151712047 24.148.146.109 (Fri, 30 Jun 2006 17:00:47 PDT)
NNTP-Posting-Date: Fri, 30 Jun 2006 17:00:47 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5026 rec.radio.amateur.policy:31683 rec.radio.scanner:3698 rec.radio.swap:4885

Yes to the Extra part. I have been trying to get to 20 wpm all my life and I continue now. It has never made anymore sense to me than a requirement to be able to run a five minute mile. 16 wpm seems to be the fastest code I can differentiate with my ear/brain connection.

If the code guys need a special chunk of the band to operate high speed code they can petition for it. My hat is off to those who have both the code skills and the technical skills to be superior to me on any subject.

However, I am embarrassed as a long time Ham by those who would deny the hobby to anyone without Code skills.

I believe the ARRL offers Award Certificates to those who can achieve the higher speeds.

Thanks for the opportunity to speak out. Another characteristic that earns no respect from me is the matter of remaining anonymous on the Internet. I expect that your CB handle is something like "Bad boy" or "Rain Brain". If you were not a troll by choice you might be able to make a positive contribution some where.

de John Ferrell W8CCW

On Fri, 30 Jun 2006 23:21:48 GMT, Slow Code <my.mail@no.spam> wrote:

>Phony's can ignore. This question doesn't apply to no-codes.
>
>
>Nickle Generals and Extras:
>
>If the 13 and 20 wpm CW exams came back and you had to pass the proper
>code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
>would you renew your license?

John Ferrell W8CCW

```
From 1806433562170616817
X-Google-Thread: 108122,d19130cf08d46d96
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-
mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Motorola Spectra Accessory Connectors
Date: Fri, 30 Jun 2006 21:21:07 -0700
Message-ID: <MPG.1f0f98128c2faae69896d1@news.drizzle.com>
References: <1151692463.637856.100640@d30g2000cwa.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 28
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5027
```

In article <1151692463.637856.100640@d30g2000cwa.googlegroups.com>, pchoman@hotmail.com (known to some as Used2Way) scribed...

> Wanted: Motorola Spectra Accessory Connectors (9 Pin)

Uhhh... pardon? That doesn't sound quite right.

The accessory connector on the low-power dash/trunk-mount radios is a D-sub 15.

The accessory connector on the high-power trunkmount radios is a D-sub 25.

The only place I've ever seen anything resembling a 9-pin connector is on the motorcycle Spectras which use the thing as a microphone connection.

Are you sure you're looking at the right connector?

Happy tweaking.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)

```
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."


From 7201945529886955778
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!news-xfer.nntp.sonic.net!posts.news.sonic.net!
nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
Subject: Re: A question for nickle Generals and Extras.  Would you renew your
license?
Date: Sat, 1 Jul 2006 07:12:29 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 6
Message-ID: <44a682cf$0$96916$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 01 Jul 2006 14:12:32 GMT
NNTP-Posting-Host: 7f8ab14c.news.sonic.net
X-Trace: DXC=@?
^d6jD1L4:;3N:jJ^@Go;m4K\QM1CV^01OYf0H`?;X1<4i=H;XH0C<<Qc7RIG=<O82a5gm^d`KE:ObU0:e<
^h=7
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:5028
rec.radio.amateur.policy:31717 rec.radio.scanner:3700 rec.radio.swap:4888

Yup. It'd take a bit of practice to get to 20 wpm again,
but its worth the effort IMO.

                         Steve




From 7560016006154830719
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44A6908B.2020508@fuse.net>
Date: Sat, 01 Jul 2006 11:11:07 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: A question for nickle Generals and Extras.  Would you renew your
  license?
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
In-Reply-To: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 14
X-Trace: 3838944a690cee098318608142
Xref: g2news2.google.com rec.radio.amateur.equipment:5029
rec.radio.amateur.policy:31721 rec.radio.scanner:3701 rec.radio.swap:4889

Slow Code wrote:
> Phony's can ignore. This question doesn't apply to no-codes.
>
>
> Nickle Generals and Extras:
>
> If the 13 and 20 wpm CW exams came back and you had to pass the proper
> code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
> would you renew your license?
>
Sure

John
AB8WH



From 667222735912033870
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog1.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 01 Jul 2006 12:18:17 -0500
```

```
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
Subject: Re: A question for nickle Generals and Extras.  Would you renew your
license?
Date: Sat, 1 Jul 2006 12:18:14 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <8_-dnUVW84zEMzvZnZ2dnUVZ_t2dnZ2d@comcast.com>
Lines: 16
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-
z4XLxvDUM97Cj2qDO+gMHkl0n9vRszYAYBmWo8OIYYTbqbQXyIBlrS2b31naMgBAoRKulDdc6GqdZCf!
2pU1qrAz85t/8d5SZQckLcfXvVfTKSegFuEn2VaoYH63qUlcC3QLu4aTjrY1JmdvVHaLs2ZJCL7Z!
Aw3mlCtVq529qA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5030
rec.radio.amateur.policy:31732 rec.radio.scanner:3702 rec.radio.swap:4890


"Slow Code" <my.mail@no.spam> wrote in message
news:gmipg.722$ye3.449@newsread1.news.pas.earthlink.net...
> Phony's can ignore. This question doesn't apply to no-codes.
>
>
> Nickle Generals and Extras:
>
> If the 13 and 20 wpm CW exams came back and you had to pass the proper
> code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
> would you renew your license?
>

Bring it on
```

```
From 2962791335165347219
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: A question for nickle Generals and Extras.  Would you renew your
license?
From: Slow Code <my.mail@no.spam>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 45
Message-ID: <xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>
Date: Sat, 01 Jul 2006 21:24:45 GMT
NNTP-Posting-Host: 4.227.142.127
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1151789085 4.227.142.127 (Sat, 01 Jul
2006 14:24:45 PDT)
NNTP-Posting-Date: Sat, 01 Jul 2006 14:24:45 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:5031
rec.radio.amateur.policy:31740 rec.radio.scanner:3703 rec.radio.swap:4893
```

John Ferrell <johnferrell@sprintmail.com> wrote in
news:2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com:

> Yes to the Extra part. I have been trying to get to 20 wpm all my life
> and I continue now. It has never made anymore sense to me than a
> requirement to be able to run a five minute mile. 16 wpm seems to be
> the fastest code I can differentiate with my ear/brain connection.
>
> If the code guys need a special chunk of the band to operate high
> speed code they can petition for it. My hat is off to those who have
> both the code skills and the technical skills to be superior to me on
> any subject.
>
> However, I am embarrassed as a long time Ham by those who would deny
> the hobby to anyone without Code skills.
>
> I believe the ARRL offers Award Certificates to those who can achieve
> the higher speeds.
>
> Thanks for the opportunity to speak out. Another characteristic that
> earns no respect from me is the matter of remaining anonymous on the
> Internet. I expect that your CB handle is something like "Bad boy" or
> "Rain Brain". If you were not a troll by choice you might be able to
> make a positive contribution some where.
>
> de John Ferrell W8CCW
>
> On Fri, 30 Jun 2006 23:21:48 GMT, Slow Code <my.mail@no.spam> wrote:

>
>>Phony's can ignore. This question doesn't apply to no-codes.
>>
>>
>>Nickle Generals and Extras:
>>
>>If the 13 and 20 wpm CW exams came back and you had to pass the proper
>>code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
>>would you renew your license?
> John Ferrell W8CCW

What? I ask a friendly question as to who would re-new their license if Code speeds were increased to what they should be and I get called a troll. Well eat shit and die. I got a real Extra class license. You nickle hams are really unfriendly assholes sometimes.

```
From -1544749438266111310
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m73g2000cwd.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.s
wap
Subject: Re: A question for nickle Generals and Extras. Would you renew your
license?
Date: 1 Jul 2006 14:35:43 -0700
Organization: http://groups.google.com
Lines: 55
Message-ID: <1151789743.380719.276460@m73g2000cwd.googlegroups.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
   <2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com>
   <xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151789749 2705 127.0.0.1 (1 Jul 2006 21:35:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 1 Jul 2006 21:35:49 +0000 (UTC)
In-Reply-To: <xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m73g2000cwd.googlegroups.com; posting-host=66.82.9.89;
```

posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5032
rec.radio.amateur.policy:31747 rec.radio.scanner:3704 rec.radio.swap:4894

Slow Code wrote:
> John Ferrell <johnferrell@sprintmail.com> wrote in
> news:2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com:
>
> > Yes to the Extra part. I have been trying to get to 20 wpm all my life
> > and I continue now. It has never made anymore sense to me than a
> > requirement to be able to run a five minute mile. 16 wpm seems to be
> > the fastest code I can differentiate with my ear/brain connection.
> >
> > If the code guys need a special chunk of the band to operate high
> > speed code they can petition for it. My hat is off to those who have
> > both the code skills and the technical skills to be superior to me on
> > any subject.
> >
> > However, I am embarrassed as a long time Ham by those who would deny
> > the hobby to anyone without Code skills.
> >
> > I believe the ARRL offers Award Certificates to those who can achieve
> > the higher speeds.
> >
> > Thanks for the opportunity to speak out. Another characteristic that
> > earns no respect from me is the matter of remaining anonymous on the
> > Internet. I expect that your CB handle is something like "Bad boy" or
> > "Rain Brain". If you were not a troll by choice you might be able to
> > make a positive contribution some where.
> >
> > de John Ferrell W8CCW
> >
> > On Fri, 30 Jun 2006 23:21:48 GMT, Slow Code <my.mail@no.spam> wrote:
> >
> >>Phony's can ignore. This question doesn't apply to no-codes.
> >>
> >>
> >>Nickle Generals and Extras:
> >>
> >>If the 13 and 20 wpm CW exams came back and you had to pass the proper
> >>code exam for your class to renew, 13 wpm for general, 20 wpm for extra,
> >>would you renew your license?
> > John Ferrell W8CCW
>
>
> What? I ask a friendly question as to who would re-new their license if
> Code speeds were increased to what they should be and I get called a
> troll.
nothing friednly about your question
BTW you get called a troll becuase you are a Troll
> Well eat shit and die.
realy freindly there SC

> I got a real Extra class license.
and there too
> You
> nickle hams are really unfriendly assholes sometimes.
they learned for the likes of though remmeber that

From 5695987299219471519
X-Google-Thread: 108122,d6d155d6f8d5fe34
X-Google-Thread: 10bf43,d6d155d6f8d5fe34
X-Google-Thread: fa029,d6d155d6f8d5fe34
X-Google-Thread: 1109af,d6d155d6f8d5fe34
X-Google-Attributes: gid108122,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!sn-xt-sjc-15!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: A question for nickle Generals and Extras. Would you renew your license?
Date: Sat, 01 Jul 2006 23:33:49 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12ae1itttghi34@corp.supernews.com>
References: <gmipg.722$ye3.449@newsread1.news.pas.earthlink.net>
<2mdba2hskucqb08hm69ghmh721k00802bm@4ax.com>
<xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 121
Xref: g2news2.google.com rec.radio.amateur.equipment:5033
rec.radio.amateur.policy:31760 rec.radio.scanner:3706 rec.radio.swap:4896

In article <xKBpg.1228$ye3.929@newsread1.news.pas.earthlink.net>,
Slow Code <my.mail@no.spam> wrote:

>What? I ask a friendly question as to who would re-new their license if
>Code speeds were increased to what they should be and I get called a
>troll. Well eat shit and die. I got a real Extra class license. You
>nickle hams are really unfriendly assholes sometimes.

Well, Slow Code, I'll give you a straight (and I hope friendly) answer
to your question. I'll then give you a straight (and I hope not-unfriendly) explanation as to why I believe people are calling you a
troll.

The first answer: well, I think I'd certainly *try* to renew my
license. My CW is distinctly rusty - I use it only rarely, and I'm
not sure I've ever managed to copy 13 WPM (let alone 20) well enough

to pass the one-minute-error-free barrier, or be able to answer the necessary number of questions. So, it'd take a bunch of listening and practice to reach that level.

I'm not sure I have enough time free to do it. I've got a busy life, work full-time plus a bit, and much of my ham-radio playing time goes into other areas of the service (I'm an ARES/RACES AEC for my city, a mutual-aid comms responder for the county, and I've put in a huge boatload of hours over the past couple of years helping redesign and rebuild and debug the local hospital's repeater system). Getting really serious about doing high-speed CW would consume a lot of time, which would necessarily subtract from my ability to (e.g.) spend many hours of circuit analysis and modelling and experimentation to figure out why the fancy commercial repeaters we bought had such lousy-sounding audio (turns out the designer had mis-used the discriminator IC, forcing it to "clip" the signal internally, *and* had messed up the design of the de-emphasis network.)

And, I have no assurance that I'd ever reach that level. As several other people have commented, it's perfectly possible for people to work, hard and honestly, at copying CW for years, and never be able to reach the 13 WPM level. I strongly suspect that to some extent, CW-copying is tied to certain sorts of neurological organization in the ear/brain system - some people may be born with more potential ability to handle high-speed CW than others. Effort or no, some people seem unable to learn to copy CW at all, others can do so but never become very good at it, and *many* people report hitting the "13 WPM wall" and never being able to copy reliably at rates much faster than that.

Now, in your previous epistles on the subject, you and your nym-clone were advocating not only requiring testing for 13 WPM (General) and 20 WPM (Extra), but also making the no-code license a one-year nonrenewable. If that proposal were accepted, there's a strong possibility that I'd end up being kicked off of the air the next time my license came due... either because I was unable to push up to 13 WPM no matter how hard I tried, or because I'd devoted my time to other aspects of ham radio and hadn't taken time to study-up.

So - that's my answer. I might end up being able to renew my license (although probably not at the 20 WPM level), I might fail the CW test, or I might just decide that the "old boy's club" had made it clear that they didn't want anybody other than rabid CW operators on the air, and decide to go do something else productive with my time.

Now - that being said - let's address why you were being called a troll. I think it's because it's quite clear to people reading these threads that you have a serious agenda, sir. You've made several attempts (apparently under several posting IDs - some refer to these as "sock puppets") to drum up support for your CW Uber Alles rules change proposal. You've scoffed at, or simply ignored, the many people who have pointed out that your proposed changes are 180 degrees out of phase with the international trends (i.e. the WARC rules), and with the FCC's publicly-stated feelings on the matter, and that your proposals are essentially equivalent to ones which have already been ruled out by the Powers That Be.

In short, the "what if?" question you asked is entirely hypothetical. There's just no chance at all that the FCC would enact the sort of CW-centric licensing rules you have proposed. Ain't gonna happen. Your asking questions about "well, if it _did_, what would you do" is probably part of why you're being called a troll.

Numerous people have responded to you, expressing their opinions that your rules would decimate the ranks of amateur radio by forcing off of the air a large percentage of today's licensed operators. Your "friendly question" seems to be intended to try to address that question, but you phrased your inquiry in somewhat-loaded terms, and in a way which almost guarantees that you won't receive an accurate and unbiased set of answers which actually represent the feelings and opinions of this newsgroup's readers.

To sum it up, your way of presenting your agenda probably leads people to believe that you aren't serious about debating or discussing the issue... and that's probably another part of why you're being called a troll.

I agree with you that the Amateur Radio Service (and hobby) benefits greatly from being hams to like to study, learn, advance their skills, and use what they know. That's one of the specific purposes of amateur radio here in the U.S., and I think it's great.

I *disagree* with you that the ability to learn to copy CW at 13 - 20 WPM is, or should be, the "litmus test" which decides whether a person is Worthy of being a ham.

Your fixation on CW is, I think, actively interfering with your ability to support ham radio by promoting *all* aspects of technical and operational learning. I believe that your attitude hurts ham radio more than it helps.

That's my $0.05 worth, adjusted for inflation. Take it for what it's worth for you.

[and, I'm sorry to say, based on your past postings I don't really expect you to address the meat of what I've said. I expect that you'll toss off a one- or two-liner, dismiss what I've written, and keep on as you have been. I'd be pleasantly surprised to be wrong about this!]

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

```
From -9212602410195035525
X-Google-Thread: 108228,32e2803983dc99f2,start
X-Google-Thread: 108122,32e2803983dc99f2,start
X-Google-Thread: 1109af,32e2803983dc99f2,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 3-EA RADIO REPEATER INTERCONNECTS-PHONE PATCH-HAM RADIO
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C69D35.98BD2D00"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <1GEpg.9469$Nv.7285@fed1read10>
Date: Sat, 1 Jul 2006 17:41:34 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1151801085 68.104.78.240 (Sat, 01 Jul 2006 20:44:45 EDT)
NNTP-Posting-Date: Sat, 01 Jul 2006 20:44:45 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1081
rec.radio.amateur.equipment:5034 rec.radio.swap:4897

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C69D35.98BD2D00
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 3-EA RADIO REPEATER INTERCONNECTS-PHONE PATCH-HAM RADIO=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250003685189&=
ssPageName=3DSTRK:MESE:IT&ih=3D015

------=_NextPart_000_0008_01C69D35.98BD2D00
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
```

```
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 3-EA RADIO REPEATER INTERCONNECTS-PHONE PATCH-HAM RADIO </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250003685189&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250003685189&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P></FONT></DIV></BODY><=
/HTML>

------=_NextPart_000_0008_01C69D35.98BD2D00--



From 301044917220710142
X-Google-Thread: 108228,3647227e5744bc6b,start
X-Google-Thread: 108122,3647227e5744bc6b,start
X-Google-Thread: 1109af,3647227e5744bc6b,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!peer01.cox.net!
cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 6-EA MOTOROLA GP300 UHF-2WAY RADIO PACKAGE-BANK CHG-HAM
Lines: 38
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0011_01C69D35.C4F2ECC0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <9GEpg.9470$Nv.4214@fed1read10>
Date: Sat, 1 Jul 2006 17:42:48 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1151801093 68.104.78.240 (Sat, 01 Jul 2006 20:44:53 EDT)
NNTP-Posting-Date: Sat, 01 Jul 2006 20:44:53 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1082
rec.radio.amateur.equipment:5035 rec.radio.swap:4898

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C69D35.C4F2ECC0
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA: 6-EA MOTOROLA GP300 UHF-2WAY RADIO PACKAGE-BANK CHG-HAM

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250003761208&=
ssPageName=3DSTRK:MESE:IT&ih=3D015




------=_NextPart_000_0011_01C69D35.C4F2ECC0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2912" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 6-EA MOTOROLA GP300 UHF-2WAY RADIO PACKAGE-BANK CHG-HAM</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250003761208&amp;ssPageName=3DSTRK:MESE:IT&amp;ih=3D015">http://cgi.eb=
ay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250003761208&amp;s=
sPageName=3DSTRK:MESE:IT&amp;ih=3D015</A></FONT></P>
<P>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0011_01C69D35.C4F2ECC0--




From 8858723034251837273
X-Google-Thread: 108122,c24f445724fa1b56,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.wideopenwest.com!
news.wideopenwest.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 01 Jul 2006 20:00:05 -0500
From: "Mike" <mcotts@wideopenwest.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Tridon 2000 ATV
Date: Sat, 1 Jul 2006 21:00:05 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <HIudncRiur4IhzrZnZ2dnUVZ_qednZ2d@wideopenwest.com>
Lines: 10
```

NNTP-Posting-Host: 67.149.251.181
X-Trace: sv3-DRsCBBP+4l6u5Zc/fO7AXvRYMoxVspQdXLFWTz/tcJFxO/
T5w+W8C0lmbMmU5rX4X4c7FSavHJtXmrC!
WfcRwY7upeM0MIBGKuirpzJvBxw5EsrRMqwmH7aGOtR0Mnbp+b0c6HTjctBgyxAPkEjEQXQmCwFD!
LfsuP/1T/QdPUCaiR0wK/oStQJ7j+q9JyMPKhuZa/LaP
X-Complaints-To: abuse@wideopenwest.com
X-DMCA-Complaints-To: abuse@wideopenwest.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5036

I am looking for a service or owner manual for this unit.

It is a Wyman Research Inc. Tridon 2000.

Any help please.

Mike, kb8ssh@arrl.net

From 5839964634820697073
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h44g2000cwa.googlegroups.com!not-for-
mail
From: "Merlin3rd" <merlin_20832@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 1 Jul 2006 21:00:29 -0700
Organization: http://groups.google.com
Lines: 37
Message-ID: <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
NNTP-Posting-Host: 70.110.19.219
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151812834 31472 127.0.0.1 (2 Jul 2006 04:00:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Jul 2006 04:00:34 +0000 (UTC)

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h44g2000cwa.googlegroups.com; posting-host=70.110.19.219;
   posting-account=2c0oXwwAAAAQFwbogce5UBBDXHWLj2mc
Xref: g2news2.google.com rec.radio.amateur.equipment:5037
rec.radio.amateur.misc:15985 rec.radio.amateur.policy:31771 rec.radio.scanner:3707
rec.radio.swap:4899

The hobby is almost dead anyway,nothing is going to save it. No one
cares about Ham radio.Most people under 30 have never heard of it and
don't care. All they want is their cell phones, Ipods,etc. The FCC
can't save it by changing anything.
Povertyhill wrote:
> Gee do all hams in Colorado think like this or only ones in Denver? Get a
> life and play with your CW key with a buzzer!
>
> "Radio Buff" <my.mail@no.spam> wrote in message
> news:Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net...
> > Dear sir:
> >
> > The FCC has been dumbing down ham radio for several years now.  This has
> > hurt the integrity of the service and is bad for America.  They are
> > planning to dumb it down again really soon now and their plan will make
> > ham radio like CB and it will be bad for America.  We already have one CB
> > service, we don't need two.   Please pressure the FCC to endorse the
> > following items for the good of the service and County.
> > God bless America.
> >
> >
> > Signed
> > (Your name & callsign)
> >
> >
> >
> > No more automatic renewals. Individuals must retest and pass all elements
> > required for their license class.
> >
> > The passing score for written exams needs to be raised to 85%.
> >
> > Code elements should be 13 wpm for General, and 20 wpm for Extra.
> >
> > Make the no-code license one year non-renewable.
> >
> >



From 5828093816540596683
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
```

```
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!a14g2000cwb.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 1 Jul 2006 21:04:41 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1151813081.512042.20390@a14g2000cwb.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
   <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151813086 1806 127.0.0.1 (2 Jul 2006 04:04:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Jul 2006 04:04:46 +0000 (UTC)
In-Reply-To: <1151812829.177703.33370@h44g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: a14g2000cwb.googlegroups.com; posting-host=66.82.9.89;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:5038
rec.radio.amateur.misc:15986 rec.radio.amateur.policy:31772 rec.radio.scanner:3708
rec.radio.swap:4900



Merlin3rd wrote:
> The hobby is almost dead anyway,nothing is going to save it. No one
> cares about Ham radio.Most people under 30 have never heard of it and
> don't care. All they want is their cell phones, Ipods,etc. The FCC
> can't save it by changing anything.
perhaps not but others think otherwise

OTOH the "proposal" of mr Slow Code aka Hey Stupid would finsh finsh
the ARS in 10 ten years




From -5287345647833569251
X-Google-Thread: f55c2,8756ba710925f98d,start
X-Google-Thread: f4306,8756ba710925f98d,start
X-Google-Thread: fb049,8756ba710925f98d,start
```

```
X-Google-Thread: 11117f,8756ba710925f98d,start
X-Google-Thread: fcc6e,8756ba710925f98d,start
X-Google-Thread: f7653,8756ba710925f98d,start
X-Google-Thread: 11480d,8756ba710925f98d,start
X-Google-Thread: 108122,8756ba710925f98d,start
X-Google-Thread: fc2a5,8756ba710925f98d,start
X-Google-Attributes:
gidf55c2,gidf4306,gidfb049,gid11117f,gidfcc6e,gidf7653,gid11480d,gid108122,gidfc2a
5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!nntp.waia.asn.au!
130.95.128.9.MISMATCH!news.uwa.edu.au!news1.optus.net.au!optus!
newsfeeder.syd.optusnet.com.au!news.optusnet.com.au!not-for-mail
From: "hamguy1" <hamguy1@optusnet.com.au>
Newsgroups: alt.ham-radio.mods,alt.ham-radio.packet,alt.ham-radio.vhf-
uhf,free.uk.amateur-
radio,rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.d
x,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: looking for help with icom725  internal power supply
Date: Sun, 2 Jul 2006 15:29:27 +1000
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 6
Message-ID: <44a759b4$0$22358$afc38c87@news.optusnet.com.au>
NNTP-Posting-Host: 220.236.249.146
X-Trace: 1151818164  22358 220.236.249.146
Xref: g2news2.google.com alt.ham-radio.mods:154 alt.ham-radio.packet:115 alt.ham-
radio.vhf-uhf:2122 free.uk.amateur-radio:126 rec.radio.amateur.antenna:14095
rec.radio.amateur.digital.misc:303 rec.radio.amateur.dx:2288
rec.radio.amateur.equipment:5039 rec.radio.amateur.homebrew:5973

hi ham radiogroups, im after the internal power  control or alc inside of a
icom725 hf transceiver the radio is doing way to much power for the power
supply, it currently is doing 150 watts it needs to be turned back down to
around 100 watts .thanks in advance david from nsw australia .




From 2794568115749285048
X-Google-Thread: 108122,728849acf04663f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Jul 2006 03:58:09 -0500
From: Andy McMullin <Andy@rickham.net.NPSPAM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Kenwood TS-120S manual
```

```
Date: Sun, 02 Jul 2006 09:58:04 +0100
Message-ID: <bi2fa25cpbd8efn7573qkaj7b5msranv5n@4ax.com>
References: <ojtea2p907hc8is4opc0cp2rmcjfvoe65t@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0626-3, 29/06/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 23
NNTP-Posting-Host: 81.178.253.230
X-Trace:
sv3-4Yk7mOYzJBtMs5lecXBavYuGpngRmFazD6qJCRdbmbAcimqqGUIxF1NujYnfRNCEwI4oSwFvZJiYWC
O!9RyjU6X5j+aCuInqbdfOMBlO+o8tlKHkKJLYOIlW+nN+xcv7r75BINr9DZAa9WTy7ZQM4Oo0kxuh!
lKbkAN7JYKjUyFlAQ21Ig7p9Acc=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5041

On Sun, 02 Jul 2006 02:34:48 -0500, Howard Bingham
<howardb@hal-pc.org> wrote:

>Anyone have a Kenwood manual for the Ts-120S SSB HF radio..?
>
>I was recently given one & need operating & schematics to check it out
>& see if it is worth trying to get parts to fix.
>
>Howard Bingham
>KE5APJ

Howard,

I have a pdf of the full service manual -- but it's around 19 MBytes
which is a bit big to post to this newsgroup. Want me to e-mail it to
you or shove it onto a web server somewhere?

Andy
G8TQH
--
Regards
Andy, G8TQH
http://www.rickham.net/


From 4148069328977964524
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
```

```
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!207.14.113.41!news.alt.net!usenet
From: Lloyd <lloyd@no.spammmmm>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: get help
Followup-To: rec.radio.amateur.misc,rec.radio.amateur.policy
Date: Sun, 2 Jul 2006 09:29:02 +0000 (UTC)
Organization: http://www.TarrNews.net - FREE NNTP Access
Lines: 6
Message-ID: <87017833.8F8789@tarrnews.net>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
<1151812829.177703.33370@h44g2000cwa.googlegroups.com>
<1151813081.512042.20390@a14g2000cwb.googlegroups.com>
NNTP-Posting-Host: 127.0.0.1
User-Agent: Xnews/5.04.25
Xref: g2news2.google.com rec.radio.amateur.equipment:5042
rec.radio.amateur.misc:15988 rec.radio.amateur.policy:31778 rec.radio.scanner:3709
rec.radio.swap:4901

On 1 Jul 2006 21:04:41 -0700, an_old_friend <konstans@hotmail.com> wrote:
>
> OTOH the "proposal" of mr Slow Code aka Hey Stupid would finsh finsh
> the ARS in 10 ten years

get help



From -2899950251075179753
X-Google-Thread: f55c2,8756ba710925f98d
X-Google-Thread: f4306,8756ba710925f98d
X-Google-Thread: fb049,8756ba710925f98d
X-Google-Thread: 11117f,8756ba710925f98d
X-Google-Thread: fcc6e,8756ba710925f98d
X-Google-Thread: f7653,8756ba710925f98d
X-Google-Thread: 11480d,8756ba710925f98d
X-Google-Thread: 108122,8756ba710925f98d
X-Google-Thread: fc2a5,8756ba710925f98d
X-Google-Attributes:
gidf55c2,gidf4306,gidfb049,gid11117f,gidfcc6e,gidf7653,gid11480d,gid108122,gidfc2a
5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Jul 2006 06:19:36 -0500
Date: Sun, 02 Jul 2006 12:19:50 +0100
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
```

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060516 SeaMonkey/1.0.2
MIME-Version: 1.0
Newsgroups: alt.ham-radio.mods,alt.ham-radio.packet,alt.ham-radio.vhf-uhf,free.uk.amateur-radio,rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: looking for help with icom725 internal power supply
References: <44a759b4$0$22358$afc38c87@news.optusnet.com.au>
In-Reply-To: <44a759b4$0$22358$afc38c87@news.optusnet.com.au>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <edydnYuj5aBVNjrZRVnysw@pipex.net>
Lines: 37
NNTP-Posting-Host: 81.178.98.15
X-Trace: sv3-FttjS+/1Iuu2FBmizGJYNPpea+qzWtHewIigPISUTIIq12XlfvYNuSsZw7T2M97uO+/Xb67LEbisJ4f!1UEHF97iabQDGQ/HjoOHrjTb3O3U8EypggIFxisaBVML041kIJDK9CrN9siuV6U8WqwHkBYUQPo0!Twiu+yknvM4=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.mods:155 alt.ham-radio.packet:116 alt.ham-radio.vhf-uhf:2124 free.uk.amateur-radio:127 rec.radio.amateur.antenna:14099 rec.radio.amateur.digital.misc:304 rec.radio.amateur.dx:2289 rec.radio.amateur.equipment:5043 rec.radio.amateur.homebrew:5978

hamguy1 wrote:
> hi ham radiogroups, im after the internal power control or alc inside of a
> icom725 hf transceiver the radio is doing way to much power for the power
> supply, it currently is doing 150 watts it needs to be turned back down to
> around 100 watts .thanks in advance david from nsw australia .

=================================
If the current RF power output itself is not a problem ,but the max current which can be supplied by the power supply unit (presumably 13.8V) I would suggest to put a sealed (car) battery in parallel.

The quoted 150W RF power is highly likely PEP ,so when operating SSB the average current consumption is possibly half the peak current or less even with some speech compression .
The battery will happily supply some of the current during peak demand.

Since the battery is permanently 'on the charger ' being in parallel with the power supply unit , you don't need a deep cycle battery ; a cheap and cheerful 40 -60Ah sealed car battery will do the job well.
It is essential to put a 25-30 A fuse in series with the battery .

Note : I recommend anybody to use a (sealed) battery and a low power PSU to feed a transceiver requiring (13.5 -13.8 V-DC) external power.
During rx periods the PSU output could be (automatically) disconnected .
Receiving on battery power alone is often beneficial eg less noise and

mains borne interference. Although the low impedance of the battery
will cause it to 'kill' most external mains borne interference already.

A local ham uses a FT857 with a 110Ah sealed battery, without a mains
fed PSU . When not operating the battery is connected to an automatic
car battery charger ,which is only disconnected during operation.

Frank   GM0CSZ / KN6WH

From -8081471667493099636
X-Google-Thread: 108122,ab00aa4b5a6b5fa0,start
X-Google-Thread: fc8b1,ab00aa4b5a6b5fa0,start
X-Google-Thread: 106d41,ab00aa4b5a6b5fa0,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-mail
From: "Richie" <rlucch2098@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: Last Call>Swan 117XC, Collins Meter, Johnson LP Filter, etc!
Date: 2 Jul 2006 07:03:46 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1151849026.087909.227620@p79g2000cwp.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151849029 28087 127.0.0.1 (2 Jul 2006 14:03:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Jul 2006 14:03:49 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:5044 rec.radio.amateur.boatanchors:4562 rec.radio.cb:12747

Swan Supply@$72>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220000837814&ssPageName=STRK:MESE:IT&ih=012

Collins Panel Meter@$10>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=220000836355&ssPageName=STRK:MESE:IT&ih=012

Johnson LP Filter @$10>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220000837852&ssPageName=STRK:MESE:IT&ih=012

From -5179121820507355314
X-Google-Thread: 108122,7e013d36e5d72db4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Jul 2006 10:16:07 -0500
Date: Sun, 02 Jul 2006 08:16:06 -0700
From: Gary <gbelcas@comcast.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: traveling w/ gear
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_4udnY4v7-KlfjrZnZ2dnUVZ_tKdnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 71.197.252.2
X-Trace: sv3-gqlV3QCinJ5YQ2NUAV7kUlisRiNAmX9ep0Vcdm9HceE4IInfXmxq2LWduwq0MrP5LInF/
2XEXiT83Cp!vkfsDfMriu9hDJMWuN0skWWpx/
hxdslBXbkvtPibp8RlEDsCW5vSDvslL1J3A6GBGy9x5Zn9Jf11!e+YaZ8tNgE8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:5045

I am traveling to the Outer Banks,NC this summer with the family and would love to bring along my qrp rig. The 'rig' of course consists of radio, battery (closed, gel), antenna, key... I am looking forward to the point when this conglomeration of 'unusual'-appearing electronic gear etc goes scooting thru the xray at the airport. Pre 9/11, I took this gear everywhere (internationally) without ANY difficulty whatsoever. Just not sure that will be the case now however. So my question to the group is: who's traveling with their gear and what's the best approach (save for shipping it ahead - looking into that possibility already). Thanks.

gary

From 7258805656052847027

```
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
<Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com> <Uf-
dnRsy5e3x0AbZnZ2dnUVZ_qGdnZ2d@comcast.com>
<jbImg.71602$4L1.37958@newssvr11.news.prodigy.com> <0b-dna0PZNH3XwbZnZ2dnUVZ_t-
dnZ2d@comcast.com>
In-Reply-To: <0b-dna0PZNH3XwbZnZ2dnUVZ_t-dnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <WSRmg.122465$dW3.41430@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 70.136.54.111
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1151068726 ST000 70.136.54.111 (Fri, 23 Jun
2006 09:18:46 EDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 09:18:46 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPGWUSOQBPSCFD[LZKJOPHAWB\^PBQLGPQRZ\YIJYWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
```

Date: Fri, 23 Jun 2006 13:18:46 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13630
rec.radio.amateur.equipment:4945 rec.radio.amateur.misc:15200
rec.radio.amateur.policy:30780 rec.radio.shortwave:40833 rec.radio.cb:12279

Dee Flint wrote:
> No one has
> ever said that the purpose of hams knowing code was to hear a ship sending
> an SOS.

On the contrary, when I got my ham license in 1952, that
was the major reason given for the code requirement.
--
73, Cecil http://www.qsl.net/w5dxp

From 3790963882592060363
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>

<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
<qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
In-Reply-To: <qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <ZURmg.122467$dW3.62063@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 70.136.54.111
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1151068857 ST000 70.136.54.111 (Fri, 23 Jun 2006 09:20:57 EDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 09:20:57 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPGWUSOQBPSCFD[LZKJOPHAWB\^PBQLGPQRZ\YIJYWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Fri, 23 Jun 2006 13:20:57 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13631 rec.radio.amateur.equipment:4946 rec.radio.amateur.misc:15201 rec.radio.amateur.policy:30781 rec.radio.shortwave:40834 rec.radio.cb:12280

Dee Flint wrote:
> Since the late 80's, he could have gotten a medical waiver for the speeds
> higher than 5wpm.

That's exactly what he did but it didn't make up for the
previous 30 years of being barred from the HF phone bands.
--
73, Cecil http://www.qsl.net/w5dxp

From -1047976081831718842
X-Google-Thread: fc8b1,c838a84a1d6d635a
X-Google-Thread: 108122,c838a84a1d6d635a
X-Google-Thread: 1109af,c838a84a1d6d635a
X-Google-Thread: fc2a5,e4e203052f32480b,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!panix!panix3.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.homebrew
Subject: FS: Various stuff....
Date: Fri, 23 Jun 2006 09:27:31 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 99
Message-ID: <Pine.NEB.4.63.0606230833390.7798@panix3.panix.com>

```
References: <Cjimg.16650$DR1.1302@trnddc02>
NNTP-Posting-Host: panix3.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1151069253 16365 166.84.1.3 (23 Jun 2006 13:27:33 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 23 Jun 2006 13:27:33 +0000 (UTC)
In-Reply-To: <Cjimg.16650$DR1.1302@trnddc02>
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4436
rec.radio.amateur.equipment:4947 rec.radio.swap:4763
rec.radio.amateur.homebrew:5873
```

Pure sale, no bidding wars.

Summer cleaning out the shack: several items
(terms at end)

1. (dead on transmit) RF Concepts, RFC 2-317 (2 meter brick amplifier), 30 watts drive, 170 watts output. The transmit side of the amp is dead (looked like power transistors gave out over a few minutes of transmit way back and I never tried to locate someone to fix it; the receive GasFET preamp still works). The manual goes with the brick amp. The schematic says the power transistors (assuming that is the problem) are SRF3897 and there are two of them. Schematic looks like two in parallel (many other transistors, too). RF Concepts went out of business some years ago but maybe one of you guys who knows this stuff would like to have a crack at this repair job. $10 for this unit.

2. Two Hamtronics receiving converters, CA-28 and CA-144. One takes input at 144 - 148 and converts down to 28-32 mHz (and I put a 9 volt battery case inside, and small toggle switch), the other one takes 28-30 mHz and upconverts to 144-148 mHz (I was meaning to listen to 10 meters FM repeaters with my 2 m HT but never tried it). These units do not have as low of a noise figure as the best scanners and newer ham transceivers. Both units to the same address, $35 for both. Otherwise $20 each. With manuals and documentation.

3. Yaesu YS-500 in line wattmeter and SWR bridge for 140-525 mHz. Looks fine, works fine. Max power: 200 w. With one sheet "manual" $30.

4. 440 FM Yagi, 10 elements. I think it might be a Hygain but can't remember for sure. No manual or documentation. It was never outside of an attic. At old OTH it was aimed at one 440 repeater (at present QTH, I have way too many trees and barely can get into one 440 repeater that almost no one uses, so it goes 'on the block'). $25.

---non ham electronics------

5. OPTIMUS (Radio shack) AM/FM STA-795 solid state receiver, with manual and documentation. Works fine. $20.00

6. Night vision device: NV-100/NV-100-1 by Moonlight Products, bought through Edmund Scientifi when it was in business. I need to test it at night before releasing it. I think its a first generation device. Has a large telephoto lens with low f/stop, includes manual and documentation. Runs on two AA batteries, and has its own IR diode light souce if one wants to try that. Has not been used for maybe 7-8 years, but worked fine at the time, and was always stored in a stable non-moist room at RT. Was not used much when it was used (maybe 1-2 hours, total). I seem to recall reading that these units undergo some deterioration in performance with time, but I don't know if that is independent of whether the units are used or not used. $40

7. Panasonic AG-1830, Video Cassette Recorder, Pro-Line, commercial grade. With manual. Used a lot back 10 years ago, not much since then. It has an on-board frame-grabber, but I have lost the remote control which is how the frame-grabber was activated. Complex controls and relatively thick manual. 17 lbs. Some dust here and there. I have not extensively tested all functionalities, but besides the missing remote control, it was recording and playing back last time I used it. But if you want to receive TV signals and record them, you may need a preamp because the input is normally not very sensitive. I was in a fringe area and got noisy images unless I used a TV receiver preamp. New price over $1000. My price $55

8. Hitachi VHS video camera (portable), VM-2500A, with dead lead-acid gel-cell battery (will not hold charge, won't accept charge). Camera (color) still works fine and records audio, too. It runs fine with an external DC power supply of about 9.6 volts 2.3 amps. This is an old style, over the shoulder unit. With manual and documentation, and some cables (can take output from camera, in playback mode, and feed into a video imput device). I think its never had more than about 20-25 hours of running time. My price $30.

Terms:

If you are interested, send email. I prefer to sell in the continental USA. I prefer to ship USPS, but UPS may be less risky in terms of damage. I prefer USPS money order for sum. Sum needs to include shipping charges which I will estimate, and I'll refund any excess if there is excess. If you want insurance, I'll include that in price. No charge for packaging, handling, which will depend on what item we're talking about and I'll do my best to locate packing materials, especially on biger & heavier items. If we go with USPS, I will spring for delivery confirmation and email you the DC number. You'll need to send the money order first.

I am located in southern Delaware. Please wait a few days before expecting a response. In the event more than one person wants the same item, I will work with the first one and tell the others that they are "backup" buyers in case the first one backs out or something. You need to specify how fast you want the shipping to be; UPS and USPS have several grades of service speed (faster is more expensive). If you have a counter-proposal, I'll

consider it. Please give you "ship to" address in your first email to me.
On the non-ham gear, I will probably "check" the unit to make sure it is
at least minimally functional before shipping.

Art, W4PON

```
From 3767704171388204260
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!
not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Message-ID: <u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
References: <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Fri, 23 Jun 2006 14:06:49 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1151071609 66.133.198.234 (Fri, 23 Jun
2006 07:06:49 PDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 07:06:49 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13633
rec.radio.amateur.equipment:4948 rec.radio.amateur.misc:15222
rec.radio.amateur.policy:30804 rec.radio.shortwave:40841 rec.radio.cb:12285
```

On Thu, 22 Jun 2006 18:22:57 -0500, "DrDeath"
<drdeath555usb@yahoo.com> wrote:

>

>> The purpose of business is to keep people busy.
>>
>No, It is to make money.
>
>
Then it would be called moneyness.

Those gated communities won't protect you from the thundering hordes
of hungry people.

```
From -2917026409485388101
X-Google-Thread: 108122,9ca41dba146da1c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 10:07:05 -0500
From: steveii <steveii.29v2ek@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB:TS-930 For Parts
Date: Fri, 23 Jun 2006 15:05:09 +0000
Message-ID: <steveii.29v2ek@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References:  <7VhVb.43277$9U5.1810058@news20.bellglobal.com>
Lines: 5
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-sLCKM1jlb7hdVpJ0OyPrsaVQUqTPNqhDPeud+Rno8gh2E4OjQzZhYVmlLgNGhPI/
IqUZMnxUGiu2ICK!
YpGbx1nSbHPEszFquLvRyCFrTkTjZUlh31o3vhM3HmxiVRn9uxWCu87HlbRUjKIVkLvzTQ9j+4Pg!
rk+cX5L9Zw==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4949
```

bunnydawg Wrote:
> I don't care about the condition of the power supply or final
> transisters.
> Please email me directly if you have one.
> Or a used piexx board if in working condition.
> Robert
> VE3 something or other[/I know this was a long time ago but maybe you

> still know about a scrap TS-930. I need just one mechanical part which
> is the MODE switch assembly, Part No. S90-0401-05 Remote switch shaft,
> MODE. Please let me know if you could find me this part. Regards,
> Steve, va3ars]

--
steveii

```
From 2034841720383386591
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 10:21:10 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
Subject: Re: OT: Outsourcing
Date: Fri, 23 Jun 2006 10:21:08 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <h7mdnXBqf_d7mwHZnZ2dnUVZ_rmdnZ2d@comcast.com>
Lines: 46
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-k6o70vXAxhUVWRtupR1wml9Uf2M2atidWJzb/
UwmbSWp9A72j+6WBj47dbsVt+D83epujZ1jCUWSqfU!
wWUE6FggnZa1RXtvuLUCKfXEaOSF8+DeHOTo7AEDvWVn6Vn7KYX35qakM4Tt6DroviQfWQ/b73ln!
P+qFptpzBcS4rg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13638
rec.radio.amateur.equipment:4950 rec.radio.amateur.misc:15239
rec.radio.amateur.policy:30821 rec.radio.shortwave:40844 rec.radio.cb:12289

"David" <rickets@knac.com> wrote in message
news:u9tn92tmv5angta69k852on9jq12brc412@4ax.com...
> On Thu, 22 Jun 2006 18:22:57 -0500, "DrDeath"
> <drdeath555usb@yahoo.com> wrote:
>
>>
>
>>> The purpose of business is to keep people busy.
>>>
>>No, It is to make money.
>>
>>
> Then it would be called moneyness.
>
> Those gated communities won't protect you from the thundering hordes
> of hungry people.
>

"hungry" and "homeless" people are there by their own choice or by choices they have made in their past. The welfare system doesn't work, otherwise there wouldn't be 5 1/2 MILLION people dependant on it.

Yes....... I have a problem with the system when 28% of my *net* profits get paid to the feds to support lazy dead beats, and another 4% goes to the state for the same.

I am retired Military, I served my country for 22 years, My father was born in this country by the grace of god, and couldn't speek the language until he was in grade school. When I retired from the miltary, I started my company and have worked my ass off for 10 years to get to where I am now, finally starting to make a comfortable living.

There are too many jobs out there for folks to be unemployed, homeless, or hungry. Those that are unemployable are those who by their own choice, can't seem to show up to work, let alone on time...those who can't seem to show up for work sober and not hung over, and those who can't seem to be able to pass a drug screening. If I could find somebody that *COULD* meet those minimum standards and had a little common sense and a desire to learn, I would hire them in a heartbeat, and they will earn good money.

They have made their choices.... I for one am damned tired of having to foot the bill for their irresponsibility, lazyness, and feigned ignorance(you can't be ignorant and be able to sponge off the system)

```
From -3012317527936012496
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.amateur.antenna:13643
rec.radio.amateur.equipment:4951 rec.radio.amateur.misc:15271
rec.radio.amateur.policy:30860 rec.radio.shortwave:40854 rec.radio.cb:12298
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
boeing.com!not-for-mail
From: "Ken Finney" <kenneth.c.finney@boeing.com>
Subject: Re: OT: Outsourcing
Message-ID: <J1BLwM.LKH@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 40
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Response
References: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erj
Date: Fri, 23 Jun 2006 16:02:47 GMT
```

"David G. Nagel" <nagel@core.com> wrote in message
news:129m6ct3rdtui3a@corp.supernews.com...

> David wrote:
>
>> On Thu, 22 Jun 2006 15:34:52 -0500, "DrDeath"
>> <drdeath555usb@yahoo.com> wrote:
>>

>>
>>
>>>India is not a country we rely on to build super companies (for lack of a
>>>better term). Take a look at what we send to India. Toxic chemical
>>>factories that would be choked to death by special interest groups and
>>>politicians. We also outsource technical support, which is a waste of
>>>time and money, good thing companies don't pay them much, but it's a
>>>cheap way of saying "we have tech support" without truly having it. Look
>>>at the shoe mfg. industry, all moved to third world slave labor
>>>countries. Good for the shoe industry as they no longer have to deal with
>>>unions and we keep management and development in countries that have the
>>>talent and resources to maintain state of the art products. Look at how
>>>the auto industry has changed. They sent 1000s of jobs overseas to cut
>>>down on union labor (with management and R&D in the US), and the Japs are
>>>opening plants in the US (with management and R&D in Japan) that will
>>>never deal with the UAW. I could go on forever with this post (and talk
>>>about NAFTA), but will end my rave at this point.
>>>BTW, changed subject header as it didn't seem to fit. I would have
>>>trimmed a few NGs but am unsure what groups you are subscribed to.
>>>
>>
>> The purpose of business is to keep people busy.
>>
> The purpose of business is to make money for it's owners. Everything else
> is charity.
>
> This aught to cause a flame war. :^)

No, everything else is criminal malfeasance.

From -5921697132011359414
X-Google-Thread: 108122,6bc14b7e135f7e19,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS TenTec Orion Accessories
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <YyUmg.2962$PO.920@dukeread03>
Date: Fri, 23 Jun 2006 11:22:34 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net

X-Trace: dukeread03 1151079736 68.105.249.118 (Fri, 23 Jun 2006 12:22:16 EDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 12:22:16 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4952

I have sold my Orion and have the following accessories for sale:
1. Hiel Studio One mic made for TenTec for the Orion, TenTec Cable, No
stand, $90;
2. TenTec Power Supply, matches Orion, Model 963, $95;
3. TenTec Speaker for the Orion, Model 307, $70;
4. TenTec mic, Model 705, $50.
All items like new. Thanks, Charlie Hugg, K5MBX

From 5937399825629048107
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!d8bdb10f!
not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Message-ID: <3v6o92lpq71dibjr1qlmljih4lkqvjprfb@4ax.com>
References: <44969559.30D72920@milestones.com> <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<h7mdnXBqf_d7mwHZnZ2dnUVZ_rmdnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 47
Date: Fri, 23 Jun 2006 16:57:12 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net

X-Trace: newsread1.news.pas.earthlink.net 1151081832 66.133.198.234 (Fri, 23 Jun 2006 09:57:12 PDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 09:57:12 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13645
rec.radio.amateur.equipment:4953 rec.radio.amateur.misc:15274
rec.radio.amateur.policy:30867 rec.radio.shortwave:40858 rec.radio.cb:12299

On Fri, 23 Jun 2006 10:21:08 -0500, "Noon-Air" <Noon-Air@comcast.net>
wrote:

>
>"David" <rickets@knac.com> wrote in message
>news:u9tn92tmv5angta69k852on9jq12brc412@4ax.com...
>> On Thu, 22 Jun 2006 18:22:57 -0500, "DrDeath"
>> <drdeath555usb@yahoo.com> wrote:
>>
>>>
>>
>>>> The purpose of business is to keep people busy.
>>>>
>>>No, It is to make money.
>>>
>>>
>> Then it would be called moneyness.
>>
>> Those gated communities won't protect you from the thundering hordes
>> of hungry people.
>>
>
>"hungry" and "homeless" people are there by their own choice or by choices
>they have made in their past. The welfare system doesn't work, otherwise
>there wouldn't be 5 1/2 MILLION people dependant on it.
>
>Yes....... I have a problem with the system when 28% of my *net* profits get
>paid to the feds to support lazy dead beats, and another 4% goes to the
>state for the same.
>

???

(Reagan's Welfare Queen was a myth, you know.)

When a company moves offshore they do not reduce prices to the end
users. They increase their profits.   Most big companies don't even
pay income taxes because they are legally running out of a drawer in
some Carribean island.

 Eventually the middle class will be gone due to outsourcing. That
will be the end of the USA.

```
From 243379162053033558
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
<Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com> <Uf-
dnRsy5e3x0AbZnZ2dnUVZ_qGdnZ2d@comcast.com>
<jbImg.71602$4L1.37958@newssvr11.news.prodigy.com> <0b-dna0PZNH3XwbZnZ2dnUVZ_t-
dnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 12:51:30 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 12
Message-ID: <449c2a77$0$15916$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 23 Jun 2006 12:52:56 CDT
X-Trace:
DXC=:<>TMIRlAJ:5R^]l\lLZN5bQ9W<K20`32O6Gh9bA988>kMYimnY;o74LmeAk]VL8J1[@>[DX7nG0:I
\]i<OnjkO37f9Oo>a^>S6
Xref: g2news2.google.com rec.radio.amateur.antenna:13651
rec.radio.amateur.equipment:4954 rec.radio.amateur.misc:15281
rec.radio.amateur.policy:30876 rec.radio.shortwave:40870 rec.radio.cb:12303
```

>>A deaf person holding an
> > HF ham license cannot hear an SOS so the entire purpose of
> > forcing him to learn Morse code is bogus.

i hate to play devil's advocate, but i can read CW with spectral analysis
software. several of us on the very low bands are doing that.

yes, the chances of some deaf guy "hearing" an SOS is pretty slim.

Gravity

```
From 8218229045981304388
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
<qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 13:01:25 -0500
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 14
Message-ID: <449c2cca$0$79858$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 23 Jun 2006 13:02:51 CDT
X-Trace:
DXC=fBi]m>4IULhi1ecNlH2ZbebQ9W<K20`3bO6Gh9bA988n049h^Ta7<NfLmeAk]VL8Ja[@>[DX7nG0jI
\]i<OnjkOc2WZ7MjV8l\f
Xref: g2news2.google.com rec.radio.amateur.antenna:13652
rec.radio.amateur.equipment:4955 rec.radio.amateur.misc:15282
rec.radio.amateur.policy:30877 rec.radio.shortwave:40871 rec.radio.cb:12304

it's sad that people get alienated from hobbies.  it's also a fact of life.
i downloaded some composition software, and it turned out i SUCK at making
digital music.

i can play the second movement of Moonlight Sonata, but that's about it.

i remember this girl in chemistry class.  she studied 5 hours for a test.  i
studied 10 minutes.  my score was 30 points higher than hers.  i wasn't
necessarily smarter than her, i just knew how to study, and same thing with
CW.

Gravity




From 6391496723801090314
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
```

<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
<qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 13:05:34 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 15
Message-ID: <449c2dc3$0$84074$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 23 Jun 2006 13:07:00 CDT
X-Trace: DXC=<E?87@fnd^6aCn:lULhID9bQ9W<K20`32O6Gh9bA988>kA0KkS_XAA?
LmeAk]VL8J1[@>[DX7nG0:I\]i<OnjkO3:OC81dI[;>6
Xref: g2news2.google.com rec.radio.amateur.antenna:13653
rec.radio.amateur.equipment:4956 rec.radio.amateur.misc:15283
rec.radio.amateur.policy:30878 rec.radio.shortwave:40873 rec.radio.cb:12305

i learned Morse Code at age 15. i got up to 25 WPM, perfect copy. i made
QSOs, did a few contests, and quit for 9 years.

i now copy at 18 WPM, which makes me think i learned it like it was a
language.

some suggestions. use Farnsworth, copying characters at 18 WPM is less
annoying.

make QSOs! would you learn a language by using audio CDs, or would you talk
to native speakers?

Gravity

From 5736171367662112298
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:

gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
<qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 13:09:39 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 14
Message-ID: <449c2eb8$0$74023$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 23 Jun 2006 13:11:05 CDT
X-Trace: DXC=JY:le9hEIb@m?oW]V;cSO@bQ9W<K20`3BO6Gh9bA988N3=0\QG7o;
[CLmeAk]VL8JA[@>[DX7nG0JI\]i<OnjkOC0kO11FaRYAC
Xref: g2news2.google.com rec.radio.amateur.antenna:13654
rec.radio.amateur.equipment:4957 rec.radio.amateur.misc:15284
rec.radio.amateur.policy:30879 rec.radio.shortwave:40875 rec.radio.cb:12306

find out what the format of the test QSO is!

i didn't study much for my novice code test. i had no decent tapes, and i
had to borrow my dad's computer to use software. computers back then were
$2000 and no kid had one.

so anyway, i use Supermorse as recommended by my club. i get to the test,
realize my code sucks, and luck out because they do a Supermorse QSO.

it's easy in today's world: free practice MP3s and $50 computers.

Gravity

```
From 2280401767494737232
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
out.octanews.net!indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-
for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<129mlqhjcau6b44@corp.supernews.com>
<k6Sdnby3hpHaWQbZnZ2dnUVZ_r6dnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 13:17:06 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 15
Message-ID: <449c3078$0$12167$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 23 Jun 2006 13:18:33 CDT
X-Trace: DXC=UeN8C@b=@cM?
JP0PGO`>RHbQ9W<K20`3BO6Gh9bA988N:l=gXX5@jN@LmeAk]VL8JA[@>[DX7nG0JI\]i<OnjkOC08RUG7
n6Ic@
Xref: g2news2.google.com rec.radio.amateur.antenna:13656
rec.radio.amateur.equipment:4958 rec.radio.amateur.misc:15285
rec.radio.amateur.policy:30880 rec.radio.shortwave:40876 rec.radio.cb:12307
```

> The highest level of interest for learning the code is among the young.
>
> Dee Flint, N8UZE

if you are contesting or DXing, CW rules.

HF phone contests will drive you insane, esp if you want to win an award.
even 10 meter phone was wall to wall stations from 28.300 to 29.000. i had
phased Yagis, and had to go way high, or end up stomping on someone.

if you want to run DX, good luck with 100 watts on SSB.

Gravity

```
From -7421050750840236548
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 13:26:07 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
<Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com> <Uf-
dnRsy5e3x0AbZnZ2dnUVZ_qGdnZ2d@comcast.com>
<jbImg.71602$4L1.37958@newssvr11.news.prodigy.com> <0b-dna0PZNH3XwbZnZ2dnUVZ_t-
dnZ2d@comcast.com> <WSRmg.122465$dW3.41430@newssvr21.news.prodigy.com>
```

Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 14:25:28 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <gJ6dnZJRLeyirwHZnZ2dnUVZ_sudnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-TMQF8r4/
C3aGDrnpW5SpAMPZ1EEwRdNoFDtBjv0BnrCNGSdt6Mxd2MUEYGbJ2488mvmy7rvxEhXyQYN!
pBjDR0nM9nltKLjBTz8WFyf6U4tuNaAicnEvmrfyGMddnw+EQdlmo9RqlbHLH56eVRa3nfP4o+NJ!
x8ZWlEjjPaituiR6
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13657
rec.radio.amateur.equipment:4959 rec.radio.amateur.misc:15286
rec.radio.amateur.policy:30881 rec.radio.shortwave:40877 rec.radio.cb:12308

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:WSRmg.122465$dW3.41430@newssvr21.news.prodigy.com...

> Dee Flint wrote:
>> No one has ever said that the purpose of hams knowing code was to hear a
>> ship sending an SOS.
>
> On the contrary, when I got my ham license in 1952, that
> was the major reason given for the code requirement.
> --
> 73, Cecil http://www.qsl.net/w5dxp

That may be what someone told you, but it was not the reason. The reason was that it was part of an overall "radio education" and it was one of the fundamentals of radio even in the 1950s.

Dee D. Flint, N8UZE

From 8859284248269479337
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c

```
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!novia!feeder.news-service.com!feeder.news-
service.com!border2.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-
ams-03!sn-ams!sn-feed-ams-01!sn-xt-ams-08!sn-post-ams-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 14:14:12 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129ofc5sa5ssl28@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<129mlqhjcau6b44@corp.supernews.com>
<k6Sdnby3hpHaWQbZnZ2dnUVZ_r6dnZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 37
Xref: g2news2.google.com rec.radio.amateur.antenna:13659
rec.radio.amateur.equipment:4960 rec.radio.amateur.misc:15289
rec.radio.amateur.policy:30884 rec.radio.shortwave:40884 rec.radio.cb:12309

"Dee Flint" <deeflint01@comcast.net> wrote in message
news:k6Sdnby3hpHaWQbZnZ2dnUVZ_r6dnZ2d@comcast.com...
>
> "DrDeath" <drdeath555usb@yahoo.com> wrote in message
> news:129mlqhjcau6b44@corp.supernews.com...
>> "Steveo" <moparholic@hotmail.com> wrote in message
>> news:20060622212109.461$6g@newsreader.com...
>>> "DrDeath" <drdeath555usb@yahoo.com> wrote:
>>>>> With deaf people use can use a light or a subwoofer for them to copy
>>>> code.
```

>>>>
>>> Wonder why no-code ass hats like lee scott, eric oyen, doug adair, and
>>> mark
>>> morgan can't get it done? (they're not deaf, just brain dead hud
>>> dwelling
>>> sissy's)
>>>
>>> CW is for old people anyway aint it? :)
>>
>> LOL, I sure have no interest in CW. I must still be young :-P
>>
>
> The highest level of interest for learning the code is among the young.
>
> Dee Flint, N8UZE
>

Back when I was young and interested I lost my desire to learn code when I
started monitoring the ham bands. It all seemed too formal, and then like it
is now, you have a large segment that think you are trash if you don't have
the highest obtainable license. Even this thread proves it. You have a large
contingent hell bent on having CW testing with any class, even though I
never plan to use CW. I could get my Tech ticket, but then all I'm going to
hear is that I'm a no-code tech. I rather be a CBer as we have no cast
system.

From -4287095449380587568
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!novia!newsfeed.icl.net!colt.net!feeder.news-
service.com!feed.xsnews.nl!feeder.xsnews.nl!193.201.147.77.MISMATCH!
border1.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!sn-
ams-06!sn-xt-ams-05!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 14:14:14 -0500
Organization: Posted via Supernews, http://www.supernews.com

```
Message-ID: <129ofcbce6lv02d@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<1150890810.270718.211170@b68g2000cwa.googlegroups.com> <449w90d-34354odre-
a$f09@miami.fl.news> <129lvmupd8190c6@corp.supernews.com>
<20060622214335.020$uF@newsreader.com> <129mmt8g13b1sdf@corp.supernews.com>
<20060622232054.024$C4@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 30
Xref: g2news2.google.com rec.radio.amateur.antenna:13660
rec.radio.amateur.equipment:4961 rec.radio.amateur.misc:15291
rec.radio.amateur.policy:30886 rec.radio.shortwave:40885 rec.radio.cb:12310

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060622232054.024$C4@newsreader.com...
> "DrDeath" <drdeath555usb@yahoo.com> wrote:
>> "Steveo" <moparholic@hotmail.com> wrote in message
>> news:20060622214335.020$uF@newsreader.com...
>> > "DrDeath" <drdeath555usb@yahoo.com> wrote:
>> > -snipper-
>> >> Mark chooses to sit on
>> >> his ass sucking the entitlement system dry and contributing nothing to
>> >> society, while this person decided to make the best of his what God
>> >> gave him and he contributes to the same entitlement system that Mark
>> >> chooses to deplete.
>> >>
>> > Testify! That asswipe is too dumb to come in out of the rain. He's best
>> > left ignored.
>>
>> I think most of the RRCB regulars have pretty much ignored him as of
>> late. It's his pathetic RRAP buddies that followed him here that keep him
>> fueled
>>
> Yea, I stated a thread about that titled ham operators...why must they
> ruin
> RRCB?
>
> Eric Oyen was the only ht ham to tell me how wrong I was. Oh well.
>
Like his opinion counts. Obviously the rest know the truth and don't deny
it.
```

```
From 1012338233450092968
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feed.xsnews.nl!
feeder.xsnews.nl!193.201.147.77.MISMATCH!border1.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-05!sn-post-
ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 14:14:08 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129ofc1i3aafs20@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
<qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
<449c2dc3$0$84074$892e7fe2@authen.yellow.readfreenews.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news2.google.com rec.radio.amateur.antenna:13661
rec.radio.amateur.equipment:4962 rec.radio.amateur.misc:15292
```

rec.radio.amateur.policy:30887 rec.radio.shortwave:40886 rec.radio.cb:12311

"gravity" <gravityzrainbow@yahoo.com> wrote in message
news:449c2dc3$0$84074$892e7fe2@authen.yellow.readfreenews.net...
(snipped)
> make QSOs! would you learn a language by using audio CDs, or would you
> talk
> to native speakers?
>
> Gravity

I learned Spanish with a combination of both.

```
From 845374507021010123
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Date: Fri, 23 Jun 2006 14:14:17 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129ofcclvejs22f@corp.supernews.com>
References: <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news2.google.com rec.radio.amateur.antenna:13662
```

```
rec.radio.amateur.equipment:4963 rec.radio.amateur.misc:15293
rec.radio.amateur.policy:30888 rec.radio.shortwave:40888 rec.radio.cb:12312

"David" <rickets@knac.com> wrote in message
news:u9tn92tmv5angta69k852on9jq12brc412@4ax.com...
> On Thu, 22 Jun 2006 18:22:57 -0500, "DrDeath"
> <drdeath555usb@yahoo.com> wrote:
>
>>
>
>>> The purpose of business is to keep people busy.
>>>
>>No, It is to make money.
>>
>>
> Then it would be called moneyness.

Then I guess all those Fotrune 500 people have it wrong as they are in
buisness for making money. Even my boss hired me to make money, not to keep
me busy. Hell I can keep myself busy.

>
> Those gated communities won't protect you from the thundering hordes
> of hungry people.
>

Gated communities? I live in the sticks armed to the teeth. They can eat the
dead bodies I leave in the yard.




From -9148087395525759967
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
```

```
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<129mlqhjcau6b44@corp.supernews.com>
<k6Sdnby3hpHaWQbZnZ2dnUVZ_r6dnZ2d@comcast.com>
<129ofc5sa5ssl28@corp.supernews.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 14:57:32 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 12
Message-ID: <449c4801$0$16332$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 23 Jun 2006 14:58:58 CDT
X-Trace:
DXC=SFhlCHFgSCW4Kf2EnZASoWbQ9W<K20`3RO6Gh9bA988^\@F1m=59\^VLmeAk]VL8JQ[@>[DX7nG0ZI
\]i<OnjkOSlE0He8c9PmR
Xref: g2news2.google.com rec.radio.amateur.antenna:13664
rec.radio.amateur.equipment:4964 rec.radio.amateur.misc:15297
rec.radio.amateur.policy:30894 rec.radio.shortwave:40893 rec.radio.cb:12313

>It all seemed too formal, and then like it
> is now, you have a large segment that think you are trash if you don't
have
> the highest obtainable license.

i have Extra, MCSE, and BS in engineering.

i don't associate with those dipole and QRP types.  ;-)

Gravity





From 9033381813868516255
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
```

indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
<qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
<449c2dc3$0$84074$892e7fe2@authen.yellow.readfreenews.net>
<129ofc1i3aafs20@corp.supernews.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Fri, 23 Jun 2006 15:03:20 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 10
Message-ID: <449c495d$0$16322$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 23 Jun 2006 15:04:46 CDT
X-Trace: DXC=]FEb8?
^`Nb_\UeC8BQoocWbQ9W<K20`3RO6Gh9bA988^h>U9ggZ0AkZLmeAk]VL8JQ[@>[DX7nG0ZI\]i<OnjkOS
_9`EAYa\1T\
Xref: g2news2.google.com rec.radio.amateur.antenna:13665
rec.radio.amateur.equipment:4965 rec.radio.amateur.misc:15298
rec.radio.amateur.policy:30896 rec.radio.shortwave:40894 rec.radio.cb:12314

> I learned Spanish with a combination of both.

and when you want to get really good, you start making posts in the Spanish newsgroups. you might even drive to Mexico to test your knowledge.

same thing with CW (kinda).

Gravity

From -8980144166685582644
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Message-ID: <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
References: <44969559.30D72920@milestones.com> <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 41
Date: Fri, 23 Jun 2006 20:25:45 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1151094345 66.133.198.234 (Fri, 23 Jun 2006 13:25:45 PDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 13:25:45 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13666
rec.radio.amateur.equipment:4966 rec.radio.amateur.misc:15300
rec.radio.amateur.policy:30898 rec.radio.shortwave:40900 rec.radio.cb:12315

On Fri, 23 Jun 2006 14:14:17 -0500, "DrDeath"
<drdeath555usb@yahoo.com> wrote:

>"David" <rickets@knac.com> wrote in message
>news:u9tn92tmv5angta69k852on9jq12brc412@4ax.com...
>> On Thu, 22 Jun 2006 18:22:57 -0500, "DrDeath"
>> <drdeath555usb@yahoo.com> wrote:
>>
>>>
>>
>>>> The purpose of business is to keep people busy.

```
>>>>
>>>No, It is to make money.
>>>
>>>
>> Then it would be called moneyness.
>
>Then I guess all those Fotrune 500 people have it wrong as they are in
>buisness for making money. Even my boss hired me to make money, not to keep
>me busy. Hell I can keep myself busy.
>
>>
>> Those gated communities won't protect you from the thundering hordes
>> of hungry people.
>>
>
>Gated communities? I live in the sticks armed to the teeth. They can eat the
>dead bodies I leave in the yard.
>
>
You're a tough guy.

During a more civilised time a company went into business to provide
jobs and make profits and to be part of a community.  Nowadays
corporations are extranational, have no local ties and just milk
markets dry and move on.

Corporations pay way less than half th cost of running governments,
even though they are the major beneficieries of what governments
provide.  This is because we let them write their own rules.



From -8466763724180025607
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!913ebda8!not-for-mail
From: james <george@washington.edu>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Reply-To: beerkeg@budu.edu
Message-ID: <d9oo92h9tnp4qahaku5crldmd8rce5ka5d@4ax.com>
References: <44969559.30D72920@milestones.com> <YGKlg.104$lv.41@fed1read12>
```

```
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<h7mdnXBqf_d7mwHZnZ2dnUVZ_rmdnZ2d@comcast.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Date: Fri, 23 Jun 2006 21:53:19 GMT
NNTP-Posting-Host: 67.101.124.88
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1151099599 67.101.124.88 (Fri, 23 Jun
2006 14:53:19 PDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 14:53:19 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13670
rec.radio.amateur.equipment:4967 rec.radio.amateur.misc:15305
rec.radio.amateur.policy:30917 rec.radio.shortwave:40913 rec.radio.cb:12319

On Fri, 23 Jun 2006 10:21:08 -0500, "Noon-Air" <Noon-Air@comcast.net>
wrote:

>+++"hungry" and "homeless" people are there by their own choice or by choices
>+++they have made in their past. The welfare system doesn't work, otherwise
>+++there wouldn't be 5 1/2 MILLION people dependant on it.
>+++
***********

First not every homeless and hungry person is there by their own
choice. There are those that the system chrushes and grinds into
pieces just for beign at the wrong place at the wrong time. The
welfare system does work. Yes decision and actions in all our past
make differences. Yes some want to live the way they do. Somewhat out
on the fringe of society.

>+++Yes....... I have a problem with the system when 28% of my *net* profits get
>+++paid to the feds to support lazy dead beats, and another 4% goes to the
>+++state for the same.
********

What you pay is part of doing business. I bet you pass most if not all
off when and where ever you can.

james


From -225829953102412680
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
```

```
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!913ebda8!not-for-mail
From: james <george@washington.edu>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Reply-To: beerkeg@budu.edu
Message-ID: <uooo92t7779545q2clumi71imt209k9rfi@4ax.com>
References: <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<h7mdnXBqf_d7mwHZnZ2dnUVZ_rmdnZ2d@comcast.com>
<3v6o92lpq71dibjr1qlmljih4lkqvjprfb@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Fri, 23 Jun 2006 22:07:26 GMT
NNTP-Posting-Host: 67.101.124.88
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1151100446 67.101.124.88 (Fri, 23 Jun
2006 15:07:26 PDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 15:07:26 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13671
rec.radio.amateur.equipment:4968 rec.radio.amateur.misc:15306
rec.radio.amateur.policy:30918 rec.radio.shortwave:40917 rec.radio.cb:12320
```

On Fri, 23 Jun 2006 16:57:12 GMT, David <rickets@knac.com> wrote:

```
>+++(Reagan's Welfare Queen was a myth, you know.)
>+++
>+++When a company moves offshore they do not reduce prices to the end
>+++users.  They increase their profits.   Most big companies don't even
>+++pay income taxes because they are legally running out of a drawer in
>+++some Carribean island.
>+++
>+++ Eventually the middle class will be gone due to outsourcing.  That
>+++will be the end of the USA.
```

****

Corporations do pay taxes. The expense of taxes is often passed on where feasable. Often these are in higher selling prices. Often taxes do intrude on profits. When they do, there are steps taken to regain that profit. Outsourcing is a means of regaining profit. Cutting benefits and maintaining salaries is another. There are other means also.

james

```
From 3013752475198229538
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!913ebda8!not-for-mail
From: james <george@washington.edu>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Reply-To: beerkeg@budu.edu
Message-ID: <8jpo92daeum9c6me62k426uq0nhd76ves8@4ax.com>
References: <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 47
Date: Fri, 23 Jun 2006 22:09:23 GMT
NNTP-Posting-Host: 67.101.124.88
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1151100563 67.101.124.88 (Fri, 23 Jun
2006 15:09:23 PDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 15:09:23 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
```

Xref: g2news2.google.com rec.radio.amateur.antenna:13673
rec.radio.amateur.equipment:4969 rec.radio.amateur.misc:15307
rec.radio.amateur.policy:30919 rec.radio.shortwave:40918 rec.radio.cb:12321

On Fri, 23 Jun 2006 20:25:45 GMT, David <rickets@knac.com> wrote:

>+++On Fri, 23 Jun 2006 14:14:17 -0500, "DrDeath"
>+++<drdeath555usb@yahoo.com> wrote:
>+++
>+++>"David" <rickets@knac.com> wrote in message
>+++>news:u9tn92tmv5angta69k852on9jq12brc412@4ax.com...
>+++>> On Thu, 22 Jun 2006 18:22:57 -0500, "DrDeath"
>+++>> <drdeath555usb@yahoo.com> wrote:
>+++>>
>+++>>>
>+++>>
>+++>>>> The purpose of business is to keep people busy.
>+++>>>>
>+++>>>No, It is to make money.
>+++>>>
>+++>>>
>+++>> Then it would be called moneyness.
>+++>
>+++>Then I guess all those Fotrune 500 people have it wrong as they are in
>+++>buisness for making money. Even my boss hired me to make money, not to keep
>+++>me busy. Hell I can keep myself busy.
>+++>
>+++>>
>+++>> Those gated communities won't protect you from the thundering hordes
>+++>> of hungry people.
>+++>>
>+++>
>+++>Gated communities? I live in the sticks armed to the teeth. They can eat the
>+++>dead bodies I leave in the yard.
>+++>
>+++>
>+++You're a tough guy.
>+++
>+++During a more civilised time a company went into business to provide
>+++jobs and make profits and to be part of a community. Nowadays
>+++corporations are extranational, have no local ties and just milk
>+++markets dry and move on.
>+++
>+++Corporations pay way less than half th cost of running governments,
>+++even though they are the major beneficieries of what governments
>+++provide. This is because we let them write their own rules.
*****

That is very correct. Workers are but now a resource and not an asset.

james

```
From 7779315634959393420
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
<qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
<449c2dc3$0$84074$892e7fe2@authen.yellow.readfreenews.net>
<129ofc1i3aafs20@corp.supernews.com>
<449c495d$0$16322$892e7fe2@authen.yellow.readfreenews.net>
In-Reply-To: <449c495d$0$16322$892e7fe2@authen.yellow.readfreenews.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <hFZmg.104289$H71.16937@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 70.255.142.70
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1151100621 ST000 70.255.142.70 (Fri, 23 Jun
2006 18:10:21 EDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 18:10:21 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYASZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHPHBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
```

```
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Fri, 23 Jun 2006 22:10:21 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13674
rec.radio.amateur.equipment:4970 rec.radio.amateur.misc:15308
rec.radio.amateur.policy:30920 rec.radio.shortwave:40919 rec.radio.cb:12322

gravity wrote:
> and when you want to get really good, you start making posts in the Spanish
> newsgroups.  you might even drive to Mexico to test your knowledge.
>
> same thing with CW (kinda).

Where is the CW newsgroup?  .... ..   .... ..
--
73, Cecil  http://www.qsl.net/w5dxp


From 7712160225435538442
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
References: <44969559.30D72920@milestones.com> <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
In-Reply-To: <0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 70.255.142.70
```

```
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1151100817 ST000 70.255.142.70 (Fri, 23 Jun
2006 18:13:37 EDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 18:13:37 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYASZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHPHBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Fri, 23 Jun 2006 22:13:37 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13675
rec.radio.amateur.equipment:4971 rec.radio.amateur.misc:15309
rec.radio.amateur.policy:30921 rec.radio.shortwave:40920 rec.radio.cb:12323

David wrote:
> Corporations pay way less than half the cost of running governments,

Corporations don't pay any of the cost of running
governments - their customers pay it all.
--
73, Cecil  http://www.qsl.net/w5dxp



From -4504763173532627754
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!news-out.octanews.net!indigo.octanews.net!
authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <44969559.30D72920@milestones.com> <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
Subject: Re: OT: Outsourcing
Date: Fri, 23 Jun 2006 18:27:54 -0500
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 11
Message-ID: <449c7950$0$16322$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 23 Jun 2006 18:29:21 CDT
X-Trace: DXC=\F3?S0Cg?
bL]R6XaJa2@YNbQ9W<K20`3BO6Gh9bA988Nh>U9ggZ0AkJLmeAk]VL8JA[@>[DX7nG0JDD[U9O?
S^HCm9_[`=I9T3B
Xref: g2news2.google.com rec.radio.amateur.antenna:13680
rec.radio.amateur.equipment:4972 rec.radio.amateur.misc:15311
rec.radio.amateur.policy:30923 rec.radio.shortwave:40930 rec.radio.cb:12324

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:lIZmg.104309$H71.44092@newssvr13.news.prodigy.com...
> David wrote:
> > Corporations pay way less than half the cost of running governments,

corporations pay more than half the legislator's hooker bills. ;-)

Gravity

From 4696398951165296468
X-Google-Thread: fc8b1,c838a84a1d6d635a
X-Google-Thread: 108122,c838a84a1d6d635a
X-Google-Thread: 1109af,c838a84a1d6d635a
X-Google-Thread: fc2a5,e4e203052f32480b
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!209.244.4.230!
newsfeed1.dallas1.level3.net!newsfeed2.dallas1.level3.net!news.level3.com!panix!
panix2.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio
.amateur.homebrew
Subject: Re: FS: Various stuff....
Date: Fri, 23 Jun 2006 19:56:13 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 121
Message-ID: <Pine.NEB.4.63.0606231943550.26780@panix2.panix.com>
References: <Cjimg.16650$DR1.1302@trnddc02>
<Pine.NEB.4.63.0606230833390.7798@panix3.panix.com>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1151106974 14683 166.84.1.2 (23 Jun 2006 23:56:14 GMT)

X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 23 Jun 2006 23:56:14 +0000 (UTC)
In-Reply-To: <Pine.NEB.4.63.0606230833390.7798@panix3.panix.com>
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4440
rec.radio.amateur.equipment:4973 rec.radio.swap:4771
rec.radio.amateur.homebrew:5883

(see original post farther down)

Update (as of 7:40 pm): I have a pending deal for the night vision scope and the RFC brick amplifier. If the deal with those interested parties falls through, I will make an re-announcement.

I forgot one more item: a single pan, digital balance (transistorized), Its an "Ohaus" model C305, and reads in grams or ounces. It has a calibration weight (300 g), a wall plug transformer supply, and can run off an internal 9 volt standard transistor battery. And, yes, the manual comes with it. It also has a button for "tare" weight (eg. put an empty container on, press "tare" and it re-zeros the digital readout. The pan comes off the unit for shipping, and just drops on. I was using it to weigh letters and small packages. Now I have some new scales for that. My price: $20.

Art, W4PON

===== no change to below, included for reference and context =====

On Fri, 23 Jun 2006, Straydog wrote:

>
> Pure sale, no bidding wars.
>
> Summer cleaning out the shack: several items
> (terms at end)
>
>
> 1. (dead on transmit) RF Concepts, RFC 2-317 (2 meter brick amplifier), 30 watts drive, 170 watts output. The transmit side of the amp is dead (looked like power transistors gave out over a few minutes of transmit way back and I never tried to locate someone to fix it; the receive GasFET preamp still works). The manual goes with the brick amp. The schematic says the power transistors (assuming that is the problem) are SRF3897 and there are two of them. Schematic looks like two in parallel (many other transistors, too). RF Concepts went out of business some years ago but maybe one of you guys who knows this stuff would like to have a crack at this repair job. $10 for this unit.
>
>
> 2. Two Hamtronics receiving converters, CA-28 and CA-144. One takes input at 144 - 148 and converts down to 28-32 mHz (and I put a 9 volt battery case inside, and small toggle switch), the other one takes 28-30 mHz and upconverts to 144-148 mHz (I was meaning to listen to 10 meters FM repeaters with my 2 m HT but never tried it). These units do not have as low of a noise

> figure as the best scanners and newer ham transceivers. Both units to the
> same address, $35 for both. Otherwise $20 each. With manuals and
> documentation.
>
> 3. Yaesu YS-500 in line wattmeter and SWR bridge for 140-525 mHz. Looks fine,
> works fine. Max power: 200 w. With one sheet "manual" $30.
>
> 4. 440 FM Yagi, 10 elements. I think it might be a Hygain but can't remember
> for sure. No manual or documentation. It was never outside of an attic. At
> old OTH it was aimed at one 440 repeater (at present QTH, I have way too many
> trees and barely can get into one 440 repeater that almost no one uses, so it
> goes 'on the block'). $25.
>
> ---non ham electronics------
>
> 5. OPTIMUS (Radio shack) AM/FM STA-795 solid state receiver, with manual and
> documentation. Works fine. $20.00
>
> 6. Night vision device: NV-100/NV-100-1 by Moonlight Products, bought through
> Edmund Scientifi when it was in business. I need to test it at night before
> releasing it. I think its a first generation device. Has a large telephoto
> lens with low f/stop, includes manual and documentation. Runs on two AA
> batteries, and has its own IR diode light souce if one wants to try that. Has
> not been used for maybe 7-8 years, but worked fine at the time, and was
> always stored in a stable non-moist room at RT. Was not used much when it was
> used (maybe 1-2 hours, total). I seem to recall reading that these units
> undergo some deterioration in performance with time, but I don't know if that
> is independent of whether the units are used or not used. $40
>
> 7. Panasonic AG-1830, Video Cassette Recorder, Pro-Line, commercial grade.
> With manual. Used a lot back 10 years ago, not much since then. It has an
> on-board frame-grabber, but I have lost the remote control which is how the
> frame-grabber was activated. Complex controls and relatively thick manual. 17
> lbs. Some dust here and there. I have not extensively tested all
> functionalities, but besides the missing remote control, it was recording and
> playing back last time I used it. But if you want to receive TV signals and
> record them, you may need a preamp because the input is normally not very
> sensitive. I was in a fringe area and got noisy images unless I used a TV
> receiver preamp. New price over $1000. My price $55
>
> 8. Hitachi VHS video camera (portable), VM-2500A, with dead lead-acid
> gel-cell battery (will not hold charge, won't accept charge). Camera (color)
> still works fine and records audio, too. It runs fine with an external DC
> power supply of about 9.6 volts 2.3 amps. This is an old style, over the
> shoulder unit. With manual and documentation, and some
> cables (can take output from camera, in playback mode, and feed into
> a video imput device). I think its never had more than about 20-25 hours of
> running time. My price $30.
>
> ------
> Terms:
>
> If you are interested, send email. I prefer to sell in the continental USA. I

```
> prefer to ship USPS, but UPS may be less risky in terms of damage. I prefer
> USPS money order for sum. Sum needs to include shipping charges which I will
> estimate, and I'll refund any excess if there is
> excess. If you want insurance, I'll include that in price. No charge for
> packaging, handling, which will depend on what item we're talking about and
> I'll do my best to locate packing materials, especially on biger & heavier
> items. If we go with USPS, I will spring for delivery confirmation
> and email you the DC number. You'll need to send the money order first.
>
>
> I am located in southern Delaware. Please wait a few days before expecting
> a response. In the event more than one person wants the same item, I will
> work with the first one and tell the others that they are "backup" buyers
> in case the first one backs out or something. You need to specify how fast
> you want the shipping to be; UPS and USPS have several grades of service
> speed (faster is more expensive). If you have a counter-proposal, I'll
> consider it. Please give you "ship to" address in your first email to me.
> On the non-ham gear, I will probably "check" the unit to make sure it is
> at least minimally functional before shipping.
>
> Art, W4PON
>


From -5217468333667446203
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
pd7cy3no!pd7cy4no!shaw.ca!pd7tw2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.149.123.72
From: John Barnard <jfjb@shaw.ca>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
References: <44969559.30D72920@milestones.com> <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
```

```
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
In-Reply-To: <lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <dX%mg.79692$iF6.12453@pd7tw2no>
Date: Sat, 24 Jun 2006 00:46:01 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw2no 1151109961 24.70.95.207 (Fri, 23 Jun 2006 18:46:01 MDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 18:46:01 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.antenna:13684
rec.radio.amateur.equipment:4974 rec.radio.amateur.misc:15314
rec.radio.amateur.policy:30927 rec.radio.shortwave:40937 rec.radio.cb:12326

Cecil Moore wrote:
> David wrote:
>> Corporations pay way less than half the cost of running governments,
>
> Corporations don't pay any of the cost of running
> governments - their customers pay it all.
You are right! Corporations don't pay the cost of running governments.
They pay the cost of usurping governments!

JB




From 2352247458515288173
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
sn-xt-sjc-15!sn-xt-sjc-07!sn-post-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 20:34:41 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129p6at1dnfc450@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
```

```
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
<qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
<449c2dc3$0$84074$892e7fe2@authen.yellow.readfreenews.net>
<129ofc1i3aafs20@corp.supernews.com>
<449c495d$0$16322$892e7fe2@authen.yellow.readfreenews.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.antenna:13688
rec.radio.amateur.equipment:4975 rec.radio.amateur.misc:15316
rec.radio.amateur.policy:30930 rec.radio.shortwave:40945 rec.radio.cb:12328

"gravity" <gravityzrainbow@yahoo.com> wrote in message
news:449c495d$0$16322$892e7fe2@authen.yellow.readfreenews.net...
>> I learned Spanish with a combination of both.
>
> and when you want to get really good, you start making posts in the
> Spanish
> newsgroups.  you might even drive to Mexico to test your knowledge.
>
> same thing with CW (kinda).
>
> Gravity
>
>
LOL! I went to Mexico last summer.




From 486970911915456396
X-Google-Thread: fc8b1,c838a84a1d6d635a
X-Google-Thread: 108122,c838a84a1d6d635a
X-Google-Thread: 1109af,c838a84a1d6d635a
X-Google-Thread: fc2a5,e4e203052f32480b
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!panix!panix1.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.homebrew
Subject: Update on this-->Re: FS: Various stuff....
Date: Fri, 23 Jun 2006 22:06:25 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 129
Message-ID: <Pine.NEB.4.63.0606232205400.25660@panix1.panix.com>
References: <Cjimg.16650$DR1.1302@trnddc02>
<Pine.NEB.4.63.0606230833390.7798@panix3.panix.com>
<Pine.NEB.4.63.0606231943550.26780@panix2.panix.com>
NNTP-Posting-Host: panix1.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1151114786 9654 166.84.1.1 (24 Jun 2006 02:06:26 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Sat, 24 Jun 2006 02:06:26 +0000 (UTC)
In-Reply-To: <Pine.NEB.4.63.0606231943550.26780@panix2.panix.com>
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4441
rec.radio.amateur.equipment:4976 rec.radio.swap:4772
rec.radio.amateur.homebrew:5888

(~10 pm, local time)

The 440 beam is sold.

On Fri, 23 Jun 2006, Straydog wrote:

> (see original post farther down)
>
> Update (as of 7:40 pm): I have a pending deal for the night vision scope and
> the RFC brick amplifier. If the deal with those interested parties falls
> through, I will make an re-announcement.
>
> I forgot one more item: a single pan, digital balance (transistorized), Its
> an "Ohaus" model C305, and reads in grams or ounces. It has a calibration
> weight (300 g), a wall plug transformer supply, and can run off an internal 9
> volt standard transistor battery. And, yes, the manual
> comes with it. It also has a button for "tare" weight (eg. put an empty
> container on, press "tare" and it re-zeros the digital readout. The pan comes
> off the unit for shipping, and just drops on. I was using it to weigh letters
> and small packages. Now I have some new scales for that. My price: $20.
>
> Art, W4PON
>
> ===== no change to below, included for reference and context =====
>
> On Fri, 23 Jun 2006, Straydog wrote:
>

>>
>> Pure sale, no bidding wars.
>>
>> Summer cleaning out the shack: several items
>> (terms at end)
>>
>>
>> 1. (dead on transmit) RF Concepts, RFC 2-317 (2 meter brick amplifier), 30
>> watts drive, 170 watts output. The transmit side of the amp is dead (looked
>> like power transistors gave out over a few minutes of transmit way back and
>> I never tried to locate someone to fix it; the receive GasFET preamp still
>> works). The manual goes with the brick amp. The schematic says the power
>> transistors (assuming that is the problem) are SRF3897 and there are two of
>> them. Schematic looks like two in parallel (many other transistors, too).
>> RF Concepts went out of business some years ago but maybe one of you guys
>> who knows this stuff would like to have a crack at this repair job. $10 for
>> this unit.
>>
>>
>> 2. Two Hamtronics receiving converters, CA-28 and CA-144. One takes input
>> at 144 - 148 and converts down to 28-32 mHz (and I put a 9 volt battery
>> case inside, and small toggle switch), the other one takes 28-30 mHz and
>> upconverts to 144-148 mHz (I was meaning to listen to 10 meters FM
>> repeaters with my 2 m HT but never tried it). These units do not have as
>> low of a noise figure as the best scanners and newer ham transceivers. Both
>> units to the same address, $35 for both. Otherwise $20 each. With manuals
>> and documentation.
>>
>> 3. Yaesu YS-500 in line wattmeter and SWR bridge for 140-525 mHz. Looks
>> fine, works fine. Max power: 200 w. With one sheet "manual" $30.
>>
>> 4. 440 FM Yagi, 10 elements. I think it might be a Hygain but can't
>> remember for sure. No manual or documentation. It was never outside of an
>> attic. At old OTH it was aimed at one 440 repeater (at present QTH, I have
>> way too many trees and barely can get into one 440 repeater that almost no
>> one uses, so it goes 'on the block'). $25.
>>
>> ---non ham electronics------
>>
>> 5. OPTIMUS (Radio shack) AM/FM STA-795 solid state receiver, with manual
>> and documentation. Works fine. $20.00
>>
>> 6. Night vision device: NV-100/NV-100-1 by Moonlight Products, bought
>> through Edmund Scientifi when it was in business. I need to test it at
>> night before releasing it. I think its a first generation device. Has a
>> large telephoto lens with low f/stop, includes manual and documentation.
>> Runs on two AA batteries, and has its own IR diode light souce if one wants
>> to try that. Has not been used for maybe 7-8 years, but worked fine at the
>> time, and was always stored in a stable non-moist room at RT. Was not used
>> much when it was used (maybe 1-2 hours, total). I seem to recall reading
>> that these units undergo some deterioration in performance with time, but I
>> don't know if that is independent of whether the units are used or not
>> used. $40

```
>>
>> 7. Panasonic AG-1830, Video Cassette Recorder, Pro-Line, commercial grade.
>> With manual. Used a lot back 10 years ago, not much since then. It has an
>> on-board frame-grabber, but I have lost the remote control which is how the
>> frame-grabber was activated. Complex controls and relatively thick manual.
>> 17 lbs. Some dust here and there. I have not extensively tested all
>> functionalities, but besides the missing remote control, it was recording
>> and playing back last time I used it. But if you want to receive TV signals
>> and record them, you may need a preamp because the input is normally not
>> very sensitive. I was in a fringe area and got noisy images unless I used a
>> TV receiver preamp. New price over $1000. My price $55
>>
>> 8. Hitachi VHS video camera (portable), VM-2500A, with dead lead-acid
>> gel-cell battery (will not hold charge, won't accept charge). Camera
>> (color) still works fine and records audio, too. It runs fine with an
>> external DC power supply of about 9.6 volts 2.3 amps. This is an old style,
>> over the shoulder unit. With manual and documentation, and some
>> cables (can take output from camera, in playback mode, and feed into
>> a video imput device). I think its never had more than about 20-25 hours of
>> running time. My price $30.
>>
>> ------
>> Terms:
>>
>> If you are interested, send email. I prefer to sell in the continental USA.
>> I prefer to ship USPS, but UPS may be less risky in terms of damage. I
>> prefer USPS money order for sum. Sum needs to include shipping charges
>> which I will estimate, and I'll refund any excess if there is
>> excess. If you want insurance, I'll include that in price. No charge for
>> packaging, handling, which will depend on what item we're talking about and
>> I'll do my best to locate packing materials, especially on biger & heavier
>> items. If we go with USPS, I will spring for delivery confirmation
>> and email you the DC number. You'll need to send the money order first.
>>
>>
>> I am located in southern Delaware. Please wait a few days before expecting
>> a response. In the event more than one person wants the same item, I will
>> work with the first one and tell the others that they are "backup" buyers
>> in case the first one backs out or something. You need to specify how fast
>> you want the shipping to be; UPS and USPS have several grades of service
>> speed (faster is more expensive). If you have a counter-proposal, I'll
>> consider it. Please give you "ship to" address in your first email to me.
>> On the non-ham gear, I will probably "check" the unit to make sure it is
>> at least minimally functional before shipping.
>>
>> Art, W4PON
>>
>


From -2428484795243691267
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
```

```
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!913ebda8!not-for-mail
From: james <george@washington.edu>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Reply-To: beerkeg@budu.edu
Message-ID: <ol8p92dre195s6161a9m3jfl616483djam@4ax.com>
References: <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<449c7950$0$16322$892e7fe2@authen.yellow.readfreenews.net>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
Date: Sat, 24 Jun 2006 02:26:12 GMT
NNTP-Posting-Host: 67.101.124.88
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1151115972 67.101.124.88 (Fri, 23 Jun
2006 19:26:12 PDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 19:26:12 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13693
rec.radio.amateur.equipment:4977 rec.radio.amateur.misc:15320
rec.radio.amateur.policy:30934 rec.radio.shortwave:40948 rec.radio.cb:12329

On Fri, 23 Jun 2006 18:27:54 -0500, "gravity"
<gravityzrainbow@yahoo.com> wrote:

>+++
>+++"Cecil Moore" <mycall@hotmail.com> wrote in message
>+++news:lIZmg.104309$H71.44092@newssvr13.news.prodigy.com...
>+++> David wrote:
>+++> > Corporations pay way less than half the cost of running governments,
>+++
>+++corporations pay more than half the legislator's hooker bills.  ;-)
>+++
>+++Gravity
>+++
```

****

And don't forget the bar tab and vacations

james

```
From 5623783698879928787
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
<lIZmg.104309$H71.44092@newssvr13.news.prodigy.com>
<449c7950$0$16322$892e7fe2@authen.yellow.readfreenews.net>
<ol8p92dre195s6161a9m3jfl616483djam@4ax.com>
Subject: Re: OT: Outsourcing
Date: Fri, 23 Jun 2006 22:05:32 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 26
Message-ID: <449cac54$0$79787$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 23 Jun 2006 22:07:01 CDT
X-Trace:
DXC=o9SlVi0SY6ELcEl[3966`BbQ9W<K20`3BO6Gh9bA988N@a4GjAieQ^JLmeAk]VL8JA[@>[DX7nG0JD
D[U9O?S^HCXgUa\FF4Te@
Xref: g2news2.google.com rec.radio.amateur.antenna:13697
rec.radio.amateur.equipment:4978 rec.radio.amateur.misc:15322
rec.radio.amateur.policy:30938 rec.radio.shortwave:40951 rec.radio.cb:12332
```

"james" <george@washington.edu> wrote in message
news:ol8p92dre195s6161a9m3jfl616483djam@4ax.com...
> On Fri, 23 Jun 2006 18:27:54 -0500, "gravity"
> <gravityzrainbow@yahoo.com> wrote:

```
>
> >+++
> >+++"Cecil Moore" <mycall@hotmail.com> wrote in message
> >+++news:lIZmg.104309$H71.44092@newssvr13.news.prodigy.com...
> >+++> David wrote:
> >+++> > Corporations pay way less than half the cost of running
governments,
> >+++
> >+++corporations pay more than half the legislator's hooker bills.  ;-)
> >+++
> >+++Gravity
> >+++
> *********
>
> And don't forget the bar tab and vacations

i shoulda majored in political science.  :-/

Gravity





From 2684650254119325711
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read08.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com> <wRKmg.447$RD.95@fed1read08>
<09adneMXu5xgVQbZnZ2dnUVZ_omdnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
```

Lines: 44
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <Qt3ng.484$RD.249@fed1read08>
Date: Fri, 23 Jun 2006 21:47:44 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1151124464 72.199.97.186 (Sat, 24 Jun 2006 00:47:44 EDT)
NNTP-Posting-Date: Sat, 24 Jun 2006 00:47:44 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13704 rec.radio.amateur.equipment:4979 rec.radio.amateur.misc:15323 rec.radio.amateur.policy:30939 rec.radio.shortwave:40960 rec.radio.cb:12333

"Dee Flint" <deeflint01@comcast.net> wrote in message
news:09adneMXu5xgVQbZnZ2dnUVZ_omdnZ2d@comcast.com...

> >
>
> Typing and reading are visually based. So it makes sense that those are a
> problem. But do you have difficulty saying words or hearing them? Just
> because the typing is a problem, doesn't mean that the aural/spoken is a
> problem. Reading/writing is a different activity than hearing/speaking and
> uses different parts of the brain. While I can't imagine a graphical method
> working for a dyslexic since it's visual, who can say for sure.
>
> By the way, I still have problems with longer characters now and then or
> combinations of certain characters. I had an awful time trying to copy a
> call sign in a contest that began with SH5 (3 dots, 4 dots, 5 dots).
>

I have problems with most characters of four or more elements length. Exceptions are <period> and <Q>, for some reason. As I have said here, after hearing dit-dah-dah-dit identified, whatever it is, I cannot subsequently hear it and know what it is. I think my own first name initial, <J> is some combination of three-and-one or one-and-three, but I can't remember it. Oh yeah -- I know <V> because the dit-dit-dit-dah sounds like the 1812 overture.

I dial a telephone with two fingers -- one pushing the buttons and one holding my place in the phone book, since I have to go back and look at the number repeatedly. Yes, I do memorize phone numbers, but I may invert the digits when I try to dial them. This is a royal pain in the ass.

When I joined the Navy in 1962, one of our tests was for clerical skill, which involved inspecting columns of numbers and calling the entries on each

line either ALIKE or DIFFERENT. I scored a 35, lower than anybody I ever
met. I wanted to be a Yeoman (clerical duties). Instead, they sent me to
ET school and I've never looked back.

I'll read any responses, but I think I'm pretty well talked out on this one.

```
From 6638052276687579864
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com> <wRKmg.447$RD.95@fed1read08>
<09adneMXu5xgVQbZnZ2dnUVZ_omdnZ2d@comcast.com> <Qt3ng.484$RD.249@fed1read08>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Sat, 24 Jun 2006 00:22:17 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 13
Message-ID: <449ccc63$0$16418$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 24 Jun 2006 00:23:48 CDT
X-Trace: DXC==RVoHeMHN\==V\d5EeJ<23bQ9W<K20`32O6Gh9bA988>kffS0j2Xb?
1LmeAk]VL8J1[@>[DX7nG0:DD[U9O?S^H3P@Pm[GePmH3
Xref: g2news2.google.com rec.radio.amateur.antenna:13705
rec.radio.amateur.equipment:4980 rec.radio.amateur.misc:15324
rec.radio.amateur.policy:30940 rec.radio.shortwave:40965 rec.radio.cb:12336
```

> When I joined the Navy in 1962, one of our tests was for clerical skill,
> which involved inspecting columns of numbers and calling the entries on each
> line either ALIKE or DIFFERENT. I scored a 35, lower than anybody I ever
> met.

character transposition. some people are bad at it.

i suspect there is a genetic predisposition.

Gravity

From 3282110873389281839
X-Google-Thread: 108122,b91fe29f934b28b4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Jun 2006 10:08:27 -0500
From: steveii <steveii.29wx2l@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: TS930S MODE switch mechanics
Date: Sat, 24 Jun 2006 14:32:31 +0000
Message-ID: <steveii.29wx2l@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 1
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-kNiAD/blwgDXu1N+/4JbovIrSgAqyJDDSWAURkyRLouCzJ/8vCD8to+N0ukgjPltUWxOeS/Gena9Hat!KrKVJ0Qs5mO1mbgY2+aS455z/a8x3nbyudxzSgsIVdC+YEpo9oCFr+ZcBxAFaGN2BPu0om7xlTRU!lPRCQcEjIw==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4981

Desperately looking for TS930S Kenwood Part No. S90-0401-05 Remote
switch shaft, MODE. This is a mechanical assembly including the MODE
switch shaft mechanism which transfers the MODE knob movement to the
actual electrical MODE switch on the other side of the front panel.
Thanks, Steve, va3ars

--

steveii

From -4968145092841147065
X-Google-Thread: 108122,af6d8bea5feaacd9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Drake Rare TR-6 and More Vintage gear/ending soon
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <zwdng.3072$PO.2821@dukeread03>
Date: Sat, 24 Jun 2006 11:13:38 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1151165599 68.105.249.118 (Sat, 24 Jun 2006 12:13:19 EDT)
NNTP-Posting-Date: Sat, 24 Jun 2006 12:13:19 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4982

Please see my auctions ending soon for a nice Drake TR-6, Collins 312B-4,
Drake TR7/R7 Filters, Colling S-Line parts, Hallicrafters SX-96, Shure 55
mics, and more. See at:
http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZhugQ2daQ2dbug
Thanks, Charlie Hugg, K5MBX

From 8376155357935003117
X-Google-Thread: 1109af,a2fde8cbe9757413,start
X-Google-Thread: 108122,a2fde8cbe9757413,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 24 Jun 2006 12:29:34 -0500
From: Mike Nowlen <mnowlen@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.commercial-lmr,rec.radio.lmr-commercial,rec.radio.lmr-commerical
Subject: ICOM CK-11 Cable Kit for IC435 Series Transcivers: $25
Date: Sat, 24 Jun 2006 13:29:34 -0400
Message-ID: <pjtq92ptupe46ujpkhftbdju3uv4h8ruib@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: 69.255.1.133
X-Trace:
sv3-5so+dOTJCNANDXWQYWH1F9+tnjWyva+YQ928uYRzSKZ6DrbkWgAHd+gvCM+V4GPJjIwBWKGmtXZq76
O!JpUR/j0shfwdpqrC9PqgCSvBI+3QhDCjvR3yZFKpcUsnOkicznZkWL6x3NbFWHh4pp4zHsYSQPqP!
7RbC2faf+g==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:4790 rec.radio.amateur.equipment:4983
```

New Icom remote cable kit complete with mounting and hardware in
original box for Icom Series Commercial Mobile Transceivers

CK-11 for IC435:

$25 + actual shipping costs. Email with zip code for shipping costs.

Thanks for reading
mnowlen@comcast.net

```
From -8705219209111789632
X-Google-Thread: 108122,8584991f72652d3e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "JimK6VRY" <lytthans@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Amateur Radio in a Prius
Date: 24 Jun 2006 13:09:34 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1151179774.651947.38980@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 216.175.103.236
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151179779 21079 127.0.0.1 (24 Jun 2006 20:09:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Jun 2006 20:09:39 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=216.175.103.236;
   posting-account=Q1ndLw0AAABBUY96nzS3uFTQp-cNlyTK
```

Xref: g2news2.google.com rec.radio.amateur.equipment:4984

I'm picking up my new Prius this week and am curious about running radios in the car. The techs at the dealer stare at me blankly when I bring it up. I plan to operate an Icom IC-706 on HF and 2m. My assumption is that the radio would run off the small 12v battery used for accessories and engine starting. Since it's impossible to idle the motor while standing still, the battry would seemingly run down pretty quickly.

Any suggestion or comments?

From -477458741965162183
X-Google-Thread: 108122,8584991f72652d3e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b68g2000cwa.googlegroups.com!not-for-mail
From: ai7r@presenceknown.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio in a Prius
Date: 24 Jun 2006 13:34:54 -0700
Organization: http://groups.google.com
Lines: 39
Message-ID: <1151181294.128589.185710@b68g2000cwa.googlegroups.com>
References: <1151179774.651947.38980@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.82.9.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151181299 25263 127.0.0.1 (24 Jun 2006 20:34:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 24 Jun 2006 20:34:59 +0000 (UTC)
In-Reply-To: <1151179774.651947.38980@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b68g2000cwa.googlegroups.com; posting-host=66.82.9.54;
   posting-account=d8bj5Q0AAAAGU48xMUkeJuHakqfGJFEV
Xref: g2news2.google.com rec.radio.amateur.equipment:4985

Hi Jim!

I've had my 2005 Prius for almost a year and have used it on VHF and UHF at 50 watts and works well. I haven't tried HF but have listened with my 817 while in the car and I didn't hear any computer noise to speak of.

Yes, that little battery in the back is a small one, but the computer(s) monitor that and will run the engine if it is in need of charging, even if you are sitting still. Same goes for the AC or any of the other things that drag it down.

Having the battery in the back is kinda' sweet. Not a lot of extra
heat to kill it sooner than later (I'm in Arizona) and I put the body
of the yaesu 8800 in the storage area near the spare. Ran the antenna
up behind the seals and onto the roof and simply use a mag mount. Not
easy with an HF antenna of course, but I'm sure there would be a way.

It was a snap hiding the wires and making a first class looking install
with it. No noise at those freqs.

Hope that helps. Have fun. That is a very cool car.

73

Dave
AI7R

JimK6VRY wrote:
> I'm picking up my new Prius this week and am curious about running
> radios in the car. The techs at the dealer stare at me blankly when I
> bring it up. I plan to operate an Icom IC-706 on HF and 2m. My
> assumption is that the radio would run off the small 12v battery used
> for accessories and engine starting. Since it's impossible to idle the
> motor while standing still, the battry would seemingly run down pretty
> quickly.
>
> Any suggestion or comments?

```
From -3198284495177654769
X-Google-Thread: 108122,8584991f72652d3e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-in.ntli.net!
newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!
newsfe4-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian 2W0BDW" <notsaying@here.com>
Newsgroups: rec.radio.amateur.equipment
References: <1151179774.651947.38980@i40g2000cwc.googlegroups.com>
Subject: Re: Amateur Radio in a Prius
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <Knhng.75984$rC1.52273@newsfe4-gui.ntli.net>
Date: Sat, 24 Jun 2006 20:36:58 GMT
NNTP-Posting-Host: 82.6.115.199
X-Trace: newsfe4-gui.ntli.net 1151181418 82.6.115.199 (Sat, 24 Jun 2006 21:36:58
BST)
```

NNTP-Posting-Date: Sat, 24 Jun 2006 21:36:58 BST
Organization: NTL
Xref: g2news2.google.com rec.radio.amateur.equipment:4986

"JimK6VRY" <lytthans@earthlink.net> wrote in message
news:1151179774.651947.38980@i40g2000cwc.googlegroups.com...
> I'm picking up my new Prius this week and am curious about running
> radios in the car. The techs at the dealer stare at me blankly when I
> bring it up. I plan to operate an Icom IC-706 on HF and 2m. My
> assumption is that the radio would run off the small 12v battery used
> for accessories and engine starting. Since it's impossible to idle the
> motor while standing still, the battry would seemingly run down pretty
> quickly.
>
> Any suggestion or comments?
>

I am aware of the car but have no practical experience, so here goes with a few suggestions.

Could the small battery be 'swapped out' for a larger capacity one?
(Physical size/ charge available from alternator are the things to look at)

Is it possible to take a 12V 'tap' from the large batteries that power the electric motors?

If none of the above the only option I can think of is a split charge circuit and another (yes I know there's enough batteries in it already) battery in the luggage space. (don't forget to make sure it's vented)

Hope this helps
73's & good luck! Brian

From 8044808237246978499
X-Google-Thread: 108122,8584991f72652d3e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!4b99829c!
not-for-mail
From: "Gerry Wheeler" <gxwheeler@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <1151179774.651947.38980@i40g2000cwc.googlegroups.com>
Subject: Re: Amateur Radio in a Prius
Lines: 33
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <nqhng.11476$o4.706@newsread2.news.pas.earthlink.net>

Date: Sat, 24 Jun 2006 20:39:47 GMT
NNTP-Posting-Host: 71.3.8.49
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1151181587 71.3.8.49 (Sat, 24 Jun 2006 13:39:47 PDT)
NNTP-Posting-Date: Sat, 24 Jun 2006 13:39:47 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4987

"JimK6VRY" <lytthans@earthlink.net> wrote in message
news:1151179774.651947.38980@i40g2000cwc.googlegroups.com...
> I'm picking up my new Prius this week and am curious about running
> radios in the car. The techs at the dealer stare at me blankly when I
> bring it up. I plan to operate an Icom IC-706 on HF and 2m. My
> assumption is that the radio would run off the small 12v battery used
> for accessories and engine starting. Since it's impossible to idle the
> motor while standing still, the battry would seemingly run down pretty
> quickly.
>
> Any suggestion or comments?
>

I don't know about the Prius in particular, but several years ago I owned a pure electric car. At that time the up-and-coming technology was a DC-to-DC converter that would maintain charge on a 12 volt battery by getting power from the traction batteries, which were commonly 50 to 100 volts. Without the converter the 12 volt accessory battery would be drained by lights and radios until the car was plugged in for a recharge. The biggest problem was trying to keep the headlights bright.

I've no idea how easy it would be to make a connection to the Prius traction batteries. Probably not recommended by the service department. But if you find a simple way to do it, you might be able to keep the 12 volt battery charged.

There is a group called CalCars (http://calcars.org/) which advocates modifications to hybrids to let them run more on electric power. They might have more information.
--
Gerry

From 1563795001825117207
X-Google-Thread: 108122,8584991f72652d3e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!24dd0da6!not-for-mail
Sender: Jim Pennino <jimp@mail.specsol.com>
Message-ID: <qol0n3-758.ln1@mail.specsol.com>

```
From: jimp@specsol.spam.sux.com
Subject: Re: Amateur Radio in a Prius
Newsgroups: rec.radio.amateur.equipment
References: <1151179774.651947.38980@i40g2000cwc.googlegroups.com>
User-Agent: tin/1.8.1-20060215 ("Mealasta") (UNIX) (SunOS/5.9 (sun4u))
Lines: 17
Date: Sat, 24 Jun 2006 21:05:01 GMT
NNTP-Posting-Host: 71.118.11.57
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1151183101 71.118.11.57 (Sat, 24 Jun 2006 17:05:01 EDT)
NNTP-Posting-Date: Sat, 24 Jun 2006 17:05:01 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4988

JimK6VRY <lytthans@earthlink.net> wrote:
> I'm picking up my new Prius this week and am curious about running
> radios in the car. The techs at the dealer stare at me blankly when I
> bring it up.  I plan to operate an Icom IC-706 on HF and 2m.  My
> assumption is that the radio would run off the small 12v battery used
> for accessories and engine starting. Since it's impossible to idle the
> motor while standing still, the battry would seemingly run down pretty
> quickly.

> Any suggestion or comments?

Doesn't the Prius start the gas engine if the battery is getting low?

--
Jim Pennino

Remove .spam.sux to reply.


From 972607546707963879
X-Google-Thread: 108122,8584991f72652d3e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!sn-xt-sjc-02!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio in a Prius
Date: Sat, 24 Jun 2006 21:04:12 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129s3g7b4eqckef@corp.supernews.com>
References: <1151179774.651947.38980@i40g2000cwc.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news2.google.com rec.radio.amateur.equipment:4989

"JimK6VRY" wrote ...
> I'm picking up my new Prius this week and am curious about running
> radios in the car. The techs at the dealer stare at me blankly when I
> bring it up. I plan to operate an Icom IC-706 on HF and 2m. My
> assumption is that the radio would run off the small 12v battery used
> for accessories and engine starting. Since it's impossible to idle the
> motor while standing still, the battry would seemingly run down pretty
> quickly.

It would seem that any battery that is used for starting a
substantial engine should not "run down pretty quickly"
from the load of a tpical radio.

From 4434861447475040392
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!router2.astraweb.com!mrouter.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-xt-sjc-08!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "SeeingEyeDogg" <look@u.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Date: Sun, 25 Jun 2006 00:00:12 -0500
Organization: Eat Conscience, Shit Ideology
Message-ID: <129s6amo0lvsl84@corp.supernews.com>
References: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4807.1700
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4807.1700
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.antenna:13749
rec.radio.amateur.equipment:4990 rec.radio.amateur.misc:15369
rec.radio.amateur.policy:30997 rec.radio.shortwave:41066 rec.radio.cb:12355

"David" <rickets@knac.com> wrote
>
> The purpose of business is to keep people busy.
>

Find a job yet, Dr. DaviD?
Obviously, you have no use for business.
Welfare checks just too damn easy.

From 2222779222552994286
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-sjc-11!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "SeeingEyeDogg" <look@u.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Date: Sun, 25 Jun 2006 00:01:35 -0500
Organization: Eat Conscience, Shit Ideology
Message-ID: <129s6d9cim1pda5@corp.supernews.com>
References: <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 5.50.4807.1700
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4807.1700
X-Complaints-To: abuse@supernews.com
Lines: 9
Xref: g2news2.google.com rec.radio.amateur.antenna:13750
rec.radio.amateur.equipment:4991 rec.radio.amateur.misc:15370
rec.radio.amateur.policy:30998 rec.radio.shortwave:41067 rec.radio.cb:12356
```

"David" <rickets@knac.com> puked >

> Those gated communities won't protect you from the thundering hordes
> of hungry people.
>

Mao TseDong would be extremely proud of you.

```
From 5587993137409546922
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!router2.astraweb.com!
mrouter.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-xt-
sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "SeeingEyeDogg" <look@u.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Date: Sun, 25 Jun 2006 00:03:23 -0500
Organization: Eat Conscience, Shit Ideology
Message-ID: <129s6glrfgfb9cb@corp.supernews.com>
References: <44969559.30D72920@milestones.com> <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com>
<h7mdnXBqf_d7mwHZnZ2dnUVZ_rmdnZ2d@comcast.com>
<3v6o92lpq71dibjr1qlmljih4lkqvjprfb@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4807.1700
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4807.1700
```

```
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.antenna:13751
rec.radio.amateur.equipment:4992 rec.radio.amateur.misc:15372
rec.radio.amateur.policy:31000 rec.radio.shortwave:41068 rec.radio.cb:12357


"David" <rickets@knac.com> wrote
>
> When a company moves offshore they do not reduce prices to the end
> users.  They increase their profits.   Most big companies don't even
> pay income taxes because they are legally running out of a drawer in
> some Carribean island.
>
>  Eventually the middle class will be gone due to outsourcing.  That
> will be the end of the USA.
>

Thank Impeached Clintoon.  Besides, what do you care, Dr. DaviD?  Your
welfare checks will still arrive, no?




From 5575380618959658428
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-
sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "SeeingEyeDogg" <look@u.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Date: Sun, 25 Jun 2006 00:07:07 -0500
Organization: Eat Conscience, Shit Ideology
Message-ID: <129s6nllmvmaa23@corp.supernews.com>
References: <44969559.30D72920@milestones.com> <YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m9ijcnshm47f@corp.supernews.com>
<u9tn92tmv5angta69k852on9jq12brc412@4ax.com> <129ofcclvejs22f@corp.supernews.com>
<0bjo92p0h2dfqcum243lc3u1mqv49nu10h@4ax.com>
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4807.1700
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4807.1700
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.antenna:13752
rec.radio.amateur.equipment:4993 rec.radio.amateur.misc:15373
rec.radio.amateur.policy:31001 rec.radio.shortwave:41069 rec.radio.cb:12358


"David" <rickets@knac.com> wrote
>
> During a more civilised time a company went into business to provide
> jobs and make profits and to be part of a community.  Nowadays
> corporations are extranational, have no local ties and just milk
> markets dry and move on.

How would you describe your welfare stipend?
Will you move on when it runs dry?

> Corporations pay way less than half th cost of running governments,
> even though they are the major beneficieries of what governments
> provide.  This is because we let them write their own rules.
>

What "provider benefits" may those be, Dr. David?




From -9198465262754050220
X-Google-Thread: 108122,8584991f72652d3e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: joshhemming@fastmail.fm
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Amateur Radio in a Prius
Date: 25 Jun 2006 02:43:40 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1151228620.887595.107840@u72g2000cwu.googlegroups.com>
References: <1151179774.651947.38980@i40g2000cwc.googlegroups.com>
   <129s3g7b4eqckef@corp.supernews.com>
NNTP-Posting-Host: 65.150.8.132
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1151228624 21148 127.0.0.1 (25 Jun 2006 09:43:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 25 Jun 2006 09:43:44 +0000 (UTC)
In-Reply-To: <129s3g7b4eqckef@corp.supernews.com>
User-Agent: G2/0.2
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=65.150.8.132;
   posting-account=7OzzoAwAAACdXN1jMQl1vS1LAsWJlTDo
Xref: g2news2.google.com rec.radio.amateur.equipment:4994
```

What happens when the hamster dies?

```
From 8890358860557684986
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-03!sn-ams!sn-feed-ams-02!sn-xt-ams-05!
sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 18:37:34 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129mae0tfsbij90@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 72
Xref: g2news2.google.com rec.radio.amateur.antenna:13559
rec.radio.amateur.equipment:4895 rec.radio.amateur.misc:15132
```

rec.radio.amateur.policy:30704 rec.radio.shortwave:40731 rec.radio.cb:12202

"Dee Flint" <deeflint01@comcast.net> wrote in message
news:bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com...
>
> "DrDeath" <drdeath555usb@yahoo.com> wrote in message
> news:129lvmgofeujhbd@corp.supernews.com...
>> "Slow Code" <sc.h@m.mail> wrote in message
>> news:FXkmg.15$ii.9@newsread3.news.pas.earthlink.net...
>>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>>> news:wh4mg.139$lv.109@fed1read12:
>>>
>>>>
>>>> "Slow Code" <sc@mo.mail> wrote in message
>>>> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
>>>>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>>>>> news:YGKlg.104$lv.41@fed1read12:
>>>>>
>>>>> >
>>>>> > "dxAce" <dxAce@milestones.com> wrote in message
>>>>> > news:44969559.30D72920@milestones.com...
>>>>> >
>>>>> >>
>>>>> >> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
>>>>> >
>>>>> > That's needlessly insulting.
>>>>>
>>>>>
>>>>> No it isn't.
>>>>>
>>>>> Some things in life require you do a little work to enjoy their
>>>>> benefits. You don't want to learn CW, you shouldn't be allowed on ham
>>>>> radio.
>>>>>
>>>>> And Five words per minute ain't a code test. I can fart five words
>>>>> per
>>>>> minute. Anyone that can't learn 5 wpm is either lazy or a tard and
>>>>> should stick to CB, FRS, and cell phones.
>>>>
>>>> I am a gainfully-employed degreed engineer with an above-average IQ
>>>> and dyslexia. You are beneath contempt.
>>>
>>>
>>> Anyone else hear a tiny violin playing?
>>>
>>>
>>> sc
>>
>> No, I see a newsgroup clown that can't accept the fact that this man
>> learned to succeed despite his dyslexia. Instead of offering ideas that
>> could help him learn code you decide to insult him. You sit and whine
>> about how ham radio is going to shit because they allow no code tech
>> licensing and possibly doing away with code altogether. But you missed

```
>> the biggest point with ham radio it was to help people. Did you help this
>> man by offering alternative options to learn code? No, you insult him
>> instead. It is you and your kind that will be the downfall of ham radio.
>> Blame yourself.
>
> Well I described a number of alternatives to learning and he persists in
> saying he cannot learn code.  Now I have not insulted him that I know of
> (although it's difficult to predict what one might take as an insult).
> However, if someone truly is incapable of learning code, then they are
> unable to learn to understand the spoken word and to speak.  The fact that
> he can speak and understand the spoken word means he can learn code at the
> basic level of 5wpm.  He is his own biggest enemy.
>
> Dee Flint, N8UZE
>

I was unaware of your offers of alternative measures as it wasn't in this
thread. I agree, if he has alternatives at his disposal, it's on him to take
advantage of them.





From 7155815012628847161
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 22 Jun 2006 18:49:43 -0500
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
From: notbob <notbob@nothome.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <RP6dnb6E7KmehQbZnZ2dnUVZ_qWdnZ2d@comcast.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
```

Message-ID: <BoydnVB-kZA3sQbZnZ2dnUVZ_umdnZ2d@comcast.com>
Date: Thu, 22 Jun 2006 18:50:02 -0500
Lines: 11
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-
vv4mhfZdTxHUfxpxZdufOJKs2wNVUkHCLnR6b6krjwgMqNuV0aN1QaXcchc0D3Fkbn4UrLEzO+7oqbd!
9XYDJIAjwyQgKZRwCQun1UlIY7DayRTRpMB1lYvGRG8iJnwVA6CcZRE5WO3Hj9+WgMVFvtzZSqG1!
NkowOQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13560
rec.radio.amateur.equipment:4896 rec.radio.amateur.misc:15135
rec.radio.amateur.policy:30707 rec.radio.shortwave:40733

On 2006-06-22, Dave <W1MCE@comcast.net> wrote:

>   o meet the technical requirements established by your customer,

> Economics is only 1/3 of good engineering talent.

My point exactly. Recruiting foreign eng talent is driven primarily
by economic reasons. The oft repeated lament by corporate flacks and
politicians that we lack sufficient talent at home is a damn lie.

nb

From 8731847534313945567
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 18:51:10 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129mb7gtgb7fo46@corp.supernews.com>

```
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news2.google.com rec.radio.amateur.antenna:13561
rec.radio.amateur.equipment:4897 rec.radio.amateur.misc:15136
rec.radio.amateur.policy:30708 rec.radio.shortwave:40735 rec.radio.cb:12204

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:avFmg.48993$fb2.13033@newssvr27.news.prodigy.net...
> Dee Flint wrote:
>> Well I described a number of alternatives to learning and he persists in
>> saying he cannot learn code.  ... The fact that
>> he can speak and understand the spoken word means he can learn code at
>> the basic level of 5wpm.
>
> A completely deaf person can speak and read lips but he/she
> still cannot even hear Morse code. What you need to understand
> is that something that seems normal to you is missing in some
> people. If an amateur radio license required dunking a basket-
> ball, could you do it? As one who can dunk a basketball, I can
> tell you all you need is enough will and effort and you can do it.
> --
> 73, Cecil  http://www.qsl.net/w5dxp

With deaf people use can use a light or a subwoofer for them to copy code. I
don't want to stereotype deaf people, but I have found many of them to be
hooked on entitlements and expect unreasonable accommodations. I have a
relative that refuses to wear a hearing aid, and then gets angry when there
are communication problems. This person is physically able to work; yet sits
around on my tax dollars playing the feel sorry for me card.




From -6130279389156463745
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
```

```
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!news.musoftware.de!
border1.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-04!sn-ams!sn-
feed-ams-03!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-
for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
Date: Thu, 22 Jun 2006 19:25:47 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129md8dpa74dk64@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
In-Reply-To: <avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news2.google.com rec.radio.amateur.antenna:13564
rec.radio.amateur.equipment:4898 rec.radio.amateur.misc:15139
rec.radio.amateur.policy:30712 rec.radio.shortwave:40746 rec.radio.cb:12208
```

Cecil Moore wrote:

```
> Dee Flint wrote:
>
>> Well I described a number of alternatives to learning and he persists
>> in saying he cannot learn code.  ... The fact that
>> he can speak and understand the spoken word means he can learn code at
>> the basic level of 5wpm.
>
```

>
> A completely deaf person can speak and read lips but he/she
> still cannot even hear Morse code. What you need to understand
> is that something that seems normal to you is missing in some
> people. If an amateur radio license required dunking a basket-
> ball, could you do it? As one who can dunk a basketball, I can
> tell you all you need is enough will and effort and you can do it.

Deaf persons have succussfully completed the code portion of the testing
at all levels of speed. Some use a vibrator attached to their wrist.
Others us a light. As mentioned elsewhere "never say never".

Dave WD9BDZ

```
From 7214414116142832392
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com>
In-Reply-To: <129mb7gtgb7fo46@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
```

Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <NxGmg.55613$Lm5.14001@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 71.144.61.135
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1151022317 ST000 71.144.61.135 (Thu, 22 Jun 2006 20:25:17 EDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 20:25:17 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQNONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAFEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUVSA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Fri, 23 Jun 2006 00:25:17 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13565 rec.radio.amateur.equipment:4899 rec.radio.amateur.misc:15140 rec.radio.amateur.policy:30713 rec.radio.shortwave:40747 rec.radio.cb:12209

DrDeath wrote:
> I have found many of them to be
> hooked on entitlements and expect unreasonable accommodations.

Well then, why not just declare deafness to be a
capital crime in order to solve your personal
problem with deaf people?
--
73, Cecil http://www.qsl.net/w5dxp

From -3740066256852812836
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!colt.net!feeder.news-service.com!feeder3.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-08!sn-ams!sn-feed-ams-03!sn-xt-ams-03!sn-ams!sn-feed-ams-02!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Thu, 22 Jun 2006 19:55:10 -0500

```
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129mevft6beh160@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com>
<NxGmg.55613$Lm5.14001@newssvr12.news.prodigy.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.antenna:13567
rec.radio.amateur.equipment:4900 rec.radio.amateur.misc:15141
rec.radio.amateur.policy:30714 rec.radio.shortwave:40756 rec.radio.cb:12210

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:NxGmg.55613$Lm5.14001@newssvr12.news.prodigy.com...
> DrDeath wrote:
>> I have found many of them to be hooked on entitlements and expect
>> unreasonable accommodations.
>
> Well then, why not just declare deafness to be a
> capital crime in order to solve your personal
> problem with deaf people?
> --
> 73, Cecil  http://www.qsl.net/w5dxp

I do not have a personal problem with deaf people. If you would leave my
post intact maybe you and others would comprehend that. You just want to
turn what was an on topic post into a flame war. You are not worth the time
and effort. <plonk>




From 4512192162505947443
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
```

```
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
In-Reply-To: <129md8dpa74dk64@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 71.144.61.135
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1151024888 ST000 71.144.61.135 (Thu, 22 Jun
2006 21:08:08 EDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 21:08:08 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYASZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHPIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Fri, 23 Jun 2006 01:08:08 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13568
rec.radio.amateur.equipment:4901 rec.radio.amateur.misc:15142
rec.radio.amateur.policy:30715 rec.radio.shortwave:40759 rec.radio.cb:12211
```

David G. Nagel wrote:

> Deaf persons have succussfully completed the code portion of the testing
> at all levels of speed. Some use a vibrator attached to their wrist.
> Others us a light. As mentioned elsewhere "never say never".

But that certainly doesn't satisfy the letter of the regulations.
To do that, they must "copy by ear".
--
73, Cecil http://www.qsl.net/w5dxp

```
From -8974163839581970976
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.octanews.net!
mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622212109.461$6g@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com>
X-NRC-Trace: NewsReader.Com ObXYkYcLVYtw,qsmK7C50GhoagDKI5Rfe/HJKQtQ,2UCF_SF8f
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 01:21:07 GMT
Lines: 9
NNTP-Posting-Host: 1cb0ce87.nr2.newsreader.com
X-Trace: DXC=cWQ@U5=S\@mN4B0UQScD;jOA8_@f\K_ibdSnOn3mmWZjkhOM672AKBniJ;iV2YAoGeB?
HDblEh^LgQn:_4l^:B^l
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13571
rec.radio.amateur.equipment:4902 rec.radio.amateur.misc:15144
rec.radio.amateur.policy:30719 rec.radio.shortwave:40763 rec.radio.cb:12215
```

"DrDeath" <drdeath555usb@yahoo.com> wrote:
>> With deaf people use can use a light or a subwoofer for them to copy
> code.
>
Wonder why no-code ass hats like lee scott, eric oyen, doug adair, and mark morgan can't get it done? (they're not deaf, just brain dead hud dwelling sissy's)

CW is for old people anyway aint it? :)

```
From -9023631556544954600
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!indigo.octanews.net!
teal.octanews.net!be1-001.octanews.net!news-out.octanews.net!mauve.octanews.net!
198.186.190.95.MISMATCH!news-out.readnews.com!postnews3.readnews.com!
nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of slow code..who would give a fuck?
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622213117.873$9G_-_@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
X-NRC-Trace: NewsReader.Com HXcBd@08QZzGClG75hVMD8V9hacEQM4zi1HfqL@XkVlNsXh1
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3()"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 01:31:16 GMT
Lines: 8
NNTP-Posting-Host: 1cb0ce87.nr2.newsreader.com
X-Trace: DXC=R^F`fH0RmJ6lj>4LoP88J?
OA8_@f\K_i2dSnOn3mmWZ:T@lf>jg:W8:iJ;iV2YAoG5M[fd\ig=If<?2Mam3Se=a<
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13573
```

```
rec.radio.amateur.equipment:4903 rec.radio.amateur.misc:15146
rec.radio.amateur.policy:30723 rec.radio.shortwave:40767 rec.radio.cb:12222
```

"DrDeath" <drdeath555usb@yahoo.com> wrote:
>> No, I see a newsgroup clown
>
Me too. Slow code and his half dozen sock puppets comes to mind when I
think of a newsgroup assclown.

 (slow code generally nym shifts and posts gay shit below here(stand by)

```
From 2759205185179312271
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
In-Reply-To: <20060622212109.461$6g@newsreader.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
```

```
NNTP-Posting-Host: 71.144.61.135
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1151026266 ST000 71.144.61.135 (Thu, 22 Jun
2006 21:31:06 EDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 21:31:06 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYASZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHPIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Fri, 23 Jun 2006 01:31:06 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13574
rec.radio.amateur.equipment:4904 rec.radio.amateur.misc:15147
rec.radio.amateur.policy:30724 rec.radio.shortwave:40768 rec.radio.cb:12223

Steveo wrote:
> Wonder why no-code ass hats like lee scott, eric oyen, doug adair, and mark
> morgan can't get it done?

Can you dunk a basketball? If not, get back to us when you can.
--
73, Cecil  http://www.qsl.net/w5dxp


From -8253479195795224051
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622213811.188$kD@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
```

```
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
X-NRC-Trace: NewsReader.Com 4pcR29xO/BK5LTHii50Oh9_onMRFjtYkvBlr-sUjGX,l.2T
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 01:38:09 GMT
Lines: 8
NNTP-Posting-Host: 1cb0ce87.nr2.newsreader.com
X-Trace:
DXC=G54bNJge\6FPm9;jl9`n3FOA8_@f\K_iBdSnOn3mmWZJ[04P5EKJh^EiJ;iV2YAoGEPeLd?
lUMY=B[9F?EmaR83B
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13575
rec.radio.amateur.equipment:4905 rec.radio.amateur.misc:15148
rec.radio.amateur.policy:30725 rec.radio.shortwave:40769 rec.radio.cb:12224

Cecil Moore <mycall@hotmail.com> wrote:
> Steveo wrote:
> > Wonder why no-code ass hats like lee scott, eric oyen, doug adair, and
> > mark morgan can't get it done?
>
> Can you dunk a basketball? If not, get back to us when you can.
>
I didn't know that was the hitch..can you still dunk?


From 8699639593980871824
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622214335.020$uF@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
```

```
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<1150890810.270718.211170@b68g2000cwa.googlegroups.com> <449w90d-34354odre-
a$f09@miami.fl.news> <129lvmupd8190c6@corp.supernews.com>
X-NRC-Trace: NewsReader.Com uU1K=adydt9H,7Kw+iQSY5d1Qu2+,e=gXk_AwljW_nd,fS
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 01:43:33 GMT
Lines: 10
NNTP-Posting-Host: 1cb0ce87.nr2.newsreader.com
X-Trace:
DXC=m8BWDX@]Q4Ji6J]AL54R<AOA8_@f\K_iBdSnOn3mmWZJZ1W;b68[>NCiJ;iV2YAoGElNHP;3N[HXE3
LlC;A5c:QL
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13576
rec.radio.amateur.equipment:4906 rec.radio.amateur.misc:15149
rec.radio.amateur.policy:30726 rec.radio.shortwave:40770 rec.radio.cb:12225

"DrDeath" <drdeath555usb@yahoo.com> wrote:
 -snipper-
> Mark chooses to sit on
> his ass sucking the entitlement system dry and contributing nothing to
> society, while this person decided to make the best of his what God gave
> him and he contributes to the same entitlement system that Mark chooses
> to deplete.
>
Testify! That asswipe is too dumb to come in out of the rain. He's best
left ignored.


From 3520026813719659879
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
```

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
In-Reply-To: <20060622213811.188$kD@newsreader.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 71.144.61.135
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1151027428 ST000 71.144.61.135 (Thu, 22 Jun 2006 21:50:28 EDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 21:50:28 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@OXSYGTHZ^BCBNWX@RJ_XPDLMN@GZ_GYO^ZWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Fri, 23 Jun 2006 01:50:28 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13577
rec.radio.amateur.equipment:4907 rec.radio.amateur.misc:15150
rec.radio.amateur.policy:30727 rec.radio.shortwave:40772 rec.radio.cb:12226

Steveo wrote:
> Cecil Moore <mycall@hotmail.com> wrote:
>> Can you dunk a basketball? If not, get back to us when you can.
>>
> I didn't know that was the hitch..can you still dunk?

If I don my knee braces, I still can. Can you?

The point is that some things are possible for each
individual and other things are impossible. Anybody
who can't dunk a basketball or pass a MENSA exam should
know how a person feels when they can't learn Morse code.
I personally think it would improve the ARS to only allow

MENSA engineers to be a member. How does that make you feel?

One of the brightest engineers I know, who has a commercial
FCC license and was the engineer at an AM broadcast station,
couldn't get past 5wpm so he was condemned to Tech class for
30 years. He knows more about radio than any ten other hams.
--
73, Cecil http://www.qsl.net/w5dxp

From -9087058529453675084
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!newspump.sol.net!
198.186.190.95.MISMATCH!news-out.readnews.com!postnews3.readnews.com!
nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month http://NewsReader.Com/
Message-ID: <20060622215740.506$G5@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
X-NRC-Trace: NewsReader.Com aX6D5S3hC29AHKn29QPZyk839OnIGa+G.xh2FEMh9wCnDT
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 01:57:38 GMT
Lines: 14

NNTP-Posting-Host: 1cb0ce87.nr2.newsreader.com
X-Trace:
DXC=n93;b_QXAOW_JoL[h@3dlWOA8_@f\K_iRdSnOn3mmWZZWH]oR[79ljViJ;iV2YAoGUT0WOO_L3>lVb
AOk0^M[RZ_
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13579
rec.radio.amateur.equipment:4908 rec.radio.amateur.misc:15153
rec.radio.amateur.policy:30730 rec.radio.shortwave:40774 rec.radio.cb:12229

Cecil Moore <mycall@hotmail.com> wrote:
> Steveo wrote:
> > Cecil Moore <mycall@hotmail.com> wrote:
> >> Can you dunk a basketball? If not, get back to us when you can.
> >>
> > I didn't know that was the hitch..can you still dunk?
>
> If I don my knee braces, I still can.
>
How tall are you?
>
> Can you?
>
Nope, I never could tho. Where do you find those braces?

From -3834839440662476000
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 22 Jun 2006 21:05:16 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>

<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Thu, 22 Jun 2006 22:04:37 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <QvednbvvBv3B0QbZnZ2dnUVZ_tadnZ2d@comcast.com>
Lines: 55
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-
tVALFSuuEcpB5h32ApZwGCPaGMDgb57r2jH+7WLrfat5EJYf6SNbSDMFxGmuFYub4wqU6RT8oaLYCkw!
nFYq67OoZRM4m0LwsHWnez8E5Dt1j/+5sB4vX+tuSvy+nxSEqbCh0YSrARBFwyPq2xRpbEJcIFEn!
w+RPLnl5ywNxMM32
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13582 rec.radio.amateur.equipment:4909 rec.radio.amateur.misc:15155 rec.radio.amateur.policy:30732 rec.radio.shortwave:40775 rec.radio.cb:12231

"Cecil Moore" <mycall@hotmail.com> wrote in message news:avFmg.48993$fb2.13033@newssvr27.news.prodigy.net...
> Dee Flint wrote:
>> Well I described a number of alternatives to learning and he persists in
>> saying he cannot learn code. ... The fact that
>> he can speak and understand the spoken word means he can learn code at
>> the basic level of 5wpm.
>
> A completely deaf person can speak and read lips but he/she
> still cannot even hear Morse code. What you need to understand
> is that something that seems normal to you is missing in some
> people. If an amateur radio license required dunking a basket-
> ball, could you do it? As one who can dunk a basketball, I can
> tell you all you need is enough will and effort and you can do it.
> --
> 73, Cecil http://www.qsl.net/w5dxp

Not a correct analogy. For starters, completely deaf people have learned the Morse code. Flashing lights and pulse pads have served their needs. Just as they have learned to speak and read lips, they can learn alternative methods of using code.

The 5wpm level is more equivalent to dunking a basketball in a basket that is just above head height rather than regulation professional height. Under those conditions, anyone can dunk a basketball.

The biggest reasons people "cannot" learn code are very simple.

1. They don't really want to and so subconsciously resist.
2. They have been subjected to poor training methods.
3. No one's ever taught them correct practice methods.
4. They have developed unrealistic expectations of the level of effort required.
5. Due to bad experiences resulting from the above items, they've convinced themselves they can't learn and so create a self-fulfilling prophecy.

Every problem that Sal has described has afflicted almost every student of Morse code (except perhaps for the very rare code geniuses). Forgetting letters right after learning them? Been there, done that. Confusing letters? Been there, done that. I've had to bow out of QSOs because my brain freezes up and refuses to keep copying.

It took me 3 months of daily practice of an hour or more every day to get to 5wpm. That's over 90 hours. The average person only needs about 30 hours. I experienced every problem that "Sal" has mentioned. I eventually went on to master the 20wpm. That took 9 months of the same intensive daily practice, over 270 hours. Fortunately I wasn't hobbled by the expectation of learning it in a few weeks. Luckily no one had ever told me I could learn it in a few days or weeks. So I just kept at it for however long it took.

Dee D. Flint, N8UZE

```
From 1519158473924648407
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
```

References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<20060622215740.506$G5@newsreader.com>
In-Reply-To: <20060622215740.506$G5@newsreader.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <d0Img.71599$4L1.57923@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 71.144.61.135
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1151028361 ST000 71.144.61.135 (Thu, 22 Jun 2006 22:06:01 EDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 22:06:01 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP\YG\GFEB^UCWDYIBHZOWP@YZOZ@GXOXB]T]_MIJQR@EPIB_VUKAH_[MTX\IS[K[NGYJJFNOFZR_G[BUN
TAOQLFE^TEHRPI]PZZRP_BMDSFQFL_]CBHXRWCMDCUZAZN@D_AKMNLEI]MWHCSXL^]NNC__CZFGSGHYYXW
PFG@SCAVA]\FT\@B\RDGENSUQS^M
Date: Fri, 23 Jun 2006 02:06:01 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13584
rec.radio.amateur.equipment:4910 rec.radio.amateur.misc:15157
rec.radio.amateur.policy:30734 rec.radio.shortwave:40776 rec.radio.cb:12233

Steveo wrote:
> How tall are you?

6' 4"

> Where do you find those braces?

Here's a cheap version:
http://www.jointhealing.com/pages/productpages/edge.html
--
73, Cecil http://www.qsl.net/w5dxp

From 7072781336414676732
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c

```
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 22 Jun 2006 21:09:48 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
<Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 22:09:09 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <Uf-dnRsy5e3x0AbZnZ2dnUVZ_qGdnZ2d@comcast.com>
Lines: 22
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-wUTaVU4if6Zm8MQTz2T/2gBmfKc8OlD6urb/
aJDO5K5gM2DhofZmy2kEE9+d6CFU5i1ucBXHFEMJ0Kh!
cAdXBgp2DZ7HZOvJF71OWyhFyLA32uyI4D1+mk5MeRs5qsGUFVQc2kUi+jDM0koHbrCWJWdw0HJZ!
Teyx0VNPQZjSN7zt
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13585
rec.radio.amateur.equipment:4911 rec.radio.amateur.misc:15158
rec.radio.amateur.policy:30735 rec.radio.shortwave:40777 rec.radio.cb:12234
```

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com...
> David G. Nagel wrote:
>> Deaf persons have succussfully completed the code portion of the testing
>> at all levels of speed. Some use a vibrator attached to their wrist.
>> Others us a light. As mentioned elsewhere "never say never".
>
> But that certainly doesn't satisfy the letter of the regulations.
> To do that, they must "copy by ear".
> --
> 73, Cecil http://www.qsl.net/w5dxp

True enough but that accommodation has been accepted for a very long time.
The regulations also said that they must be by hand. A sending test hasn't
been used in decades except as an accommodation for people with hearing
problems, etc. The FCC itself had stopped administering a sending test
before they turned the testing over to the amateur community.

Dee Flint, N8UZE

```
From -332927662363568159
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
```

<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<QvednbvvBv3B0QbZnZ2dnUVZ_tadnZ2d@comcast.com>
In-Reply-To: <QvednbvvBv3B0QbZnZ2dnUVZ_tadnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <y4Img.71600$4L1.52180@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 71.144.61.135
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1151028638 ST000 71.144.61.135 (Thu, 22 Jun 2006 22:10:38 EDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 22:10:38 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP\YG\GFEB^UCWDYIBHZOWP@YZOZ@GXOXB]T]_MIJQR@EPIB_VUKAH_[MTX\IS[K[NGYJJFNOFZR_G[BUN
TAOQLFE^TEHRPI]PZZRP_BMDSFQFL_]CBHXRWCMDCUZAZN@D_AKMNLEI]MWHCSXL^]NNC__CZFGSGHYYXW
PFG@SCAVA]\FT\@B\RDGENSUQS^M
Date: Fri, 23 Jun 2006 02:10:38 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13586
rec.radio.amateur.equipment:4912 rec.radio.amateur.misc:15159
rec.radio.amateur.policy:30736 rec.radio.shortwave:40778 rec.radio.cb:12235

Dee Flint wrote:
> Not a correct analogy. For starters, completely deaf people have learned
> the Morse code. Flashing lights and pulse pads have served their needs.
> Just as they have learned to speak and read lips, they can learn alternative
> methods of using code.

But the letter of the law says they must receive Morse code
by ear. Anything else is a violation of that law. It's
like qualifying to be a life guard by doing a broad jump.
--
73, Cecil http://www.qsl.net/w5dxp

From 6792339351771328955
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog1.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 22 Jun 2006 21:11:55 -0500
From: "Dee Flint" <deeflint01@comcast.net>

```
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 22:11:15 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
Lines: 31
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-eC9ZW7o6I+y2PYieA3rNPMYf/
bEOVVLE0kQQksRzCiGxgxm78xcV30Nlf4Nvwy0qpbn0NKsrhgu28NQ!
Ci481HRBpwTTwX4J8Dt35kDpIoMkHuk4zPS3DQC+OweHX/FLggueXRCjHEzUUj5QK4LmmpxycwLk!
RzebCodFxHM3wRkZ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13587
rec.radio.amateur.equipment:4913 rec.radio.amateur.misc:15160
rec.radio.amateur.policy:30737 rec.radio.shortwave:40781 rec.radio.cb:12236


"Cecil Moore" <mycall@hotmail.com> wrote in message
news:ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com...
> Steveo wrote:
>> Cecil Moore <mycall@hotmail.com> wrote:
>>> Can you dunk a basketball? If not, get back to us when you can.
>>>
>> I didn't know that was the hitch..can you still dunk?
>
> If I don my knee braces, I still can. Can you?
```

>
> The point is that some things are possible for each
> individual and other things are impossible. Anybody
> who can't dunk a basketball or pass a MENSA exam should
> know how a person feels when they can't learn Morse code.
> I personally think it would improve the ARS to only allow
> MENSA engineers to be a member. How does that make you feel?
>
> One of the brightest engineers I know, who has a commercial
> FCC license and was the engineer at an AM broadcast station,
> couldn't get past 5wpm so he was condemned to Tech class for
> 30 years. He knows more about radio than any ten other hams.
> --
> 73, Cecil http://www.qsl.net/w5dxp

I do not believe the couldn't. I've listed the failure reasons in another post.

Dee Flint, N8UZE

From -1143095472002657334
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 22 Jun 2006 21:17:33 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<QvednbvvBv3B0QbZnZ2dnUVZ_tadnZ2d@comcast.com>

<y4Img.71600$4L1.52180@newssvr11.news.prodigy.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Thu, 22 Jun 2006 22:16:53 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <T4udnfP97_Kg0gbZnZ2dnUVZ_rKdnZ2d@comcast.com>
Lines: 27
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-7dkCOTAKML/y908vqpGSeaAxJsBEhNWGDI5MPXEudmgHD23v/
iY4aeK9AHmxHjy7lVMSTjXx7t636zB!
xHDFCu47OpQM9SfxxlToMm5lBMFb+dfYnTxqJ89YUOst+WQ0pE5JjAljAZMXdAiOY5tqijme5Rkg!
w3MIX4l2VHXgjp5/
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13589
rec.radio.amateur.equipment:4914 rec.radio.amateur.misc:15162
rec.radio.amateur.policy:30739 rec.radio.shortwave:40782 rec.radio.cb:12238

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:y4Img.71600$4L1.52180@newssvr11.news.prodigy.com...

> Dee Flint wrote:
>> Not a correct analogy. For starters, completely deaf people have learned
>> the Morse code. Flashing lights and pulse pads have served their needs.
>> Just as they have learned to speak and read lips, they can learn
>> alternative methods of using code.
>
> But the letter of the law says they must receive Morse code
> *by ear*. Anything else is a violation of that law. It's
> like qualifying to be a life guard by doing a broad jump.
> --
> 73, Cecil http://www.qsl.net/w5dxp

Well the accommodation has been used and accepted for a very long time. The regs also say send by hand but no one has administered a sending test in decades except as an accommodation to individuals with difficulty in receiving.

Your life guard analogy doesn't hold up either. Instead it would be like allowing the life guard to use a row boat instead of swimming out to the victim.

Dee Flint, N8UZE

```
From 8622901286647446776
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
<Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com> <Uf-
dnRsy5e3x0AbZnZ2dnUVZ_qGdnZ2d@comcast.com>
In-Reply-To: <Uf-dnRsy5e3x0AbZnZ2dnUVZ_qGdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <jbImg.71602$4L1.37958@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 71.144.61.135
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1151029071 ST000 71.144.61.135 (Thu, 22 Jun
2006 22:17:51 EDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 22:17:51 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYASZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHPIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
```

PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Fri, 23 Jun 2006 02:17:51 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13590
rec.radio.amateur.equipment:4915 rec.radio.amateur.misc:15163
rec.radio.amateur.policy:30740 rec.radio.shortwave:40783 rec.radio.cb:12239

Dee Flint wrote:
> True enough but that accommodation has been accepted for a very long time.
> The regulations also said that they must be by hand. A sending test hasn't
> been used in decades except as an accommodation for people with hearing
> problems, etc. The FCC itself had stopped administering a sending test
> before they turned the testing over to the amateur community.

You have just admitted that the Morse code test has been
irreversibly compromised already. A deaf person holding an
HF ham license cannot hear an SOS so the entire purpose of
forcing him to learn Morse code is bogus. He is going to
be using a digital mode, not sitting there with his hand
on the speaker waiting to feel an SOS from a sinking ship
that doesn't even have CW capability anymore.
--
73, Cecil http://www.qsl.net/w5dxp

From -8965739464527756623
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>

```
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
In-Reply-To: <rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 71.144.61.135
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1151029501 ST000 71.144.61.135 (Thu, 22 Jun
2006 22:25:01 EDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 22:25:01 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@OXSYGTHZ^BCBNWX@RJ_XPDLMN@GZ_GYO^ZWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Fri, 23 Jun 2006 02:25:01 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13591
rec.radio.amateur.equipment:4916 rec.radio.amateur.misc:15164
rec.radio.amateur.policy:30741 rec.radio.shortwave:40784 rec.radio.cb:12240

Dee Flint wrote:
> "Cecil Moore" <mycall@hotmail.com> wrote in message
>> One of the brightest engineers I know, who has a commercial
>> FCC license and was the engineer at an AM broadcast station,
>> couldn't get past 5wpm so he was condemned to Tech class for
>> 30 years. He knows more about radio than any ten other hams.
>> --
> I do not believe the couldn't.  I've listed the failure reasons in another
> post.

Believe me, this guy shed tears when he couldn't get past
10 wpm. He has a physical mental tick every few seconds, akin
to epilepsy, that causes him to lose time. He cannot speak
one minute of continuous speech much less receive one minute
of continuous Morse code. When he speaks, some of the time
is silence while his brain is out to lunch. But when he
does speak it is worth ten times the average person's
utterances. He is an engineering genius.
--
73, Cecil  http://www.qsl.net/w5dxp


From -5036734368673540832
```

```
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 21:51:57 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129mlqhjcau6b44@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.antenna:13593
rec.radio.amateur.equipment:4917 rec.radio.amateur.misc:15165
rec.radio.amateur.policy:30743 rec.radio.shortwave:40790 rec.radio.cb:12242

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060622212109.461$6g@newsreader.com...
> "DrDeath" <drdeath555usb@yahoo.com> wrote:
>>> With deaf people use can use a light or a subwoofer for them to copy
>> code.
>>
> Wonder why no-code ass hats like lee scott, eric oyen, doug adair, and
> mark
> morgan can't get it done? (they're not deaf, just brain dead hud dwelling
```

> sissy's)
>
> CW is for old people anyway aint it? :)

LOL, I sure have no interest in CW. I must still be young :-P

From -6587670781723338294
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 21:55:08 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129mm0eifbr8of3@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.antenna:13594
rec.radio.amateur.equipment:4918 rec.radio.amateur.misc:15166

```
rec.radio.amateur.policy:30744 rec.radio.shortwave:40792 rec.radio.cb:12243

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060622213811.188$kD@newsreader.com...
> Cecil Moore <mycall@hotmail.com> wrote:
>> Steveo wrote:
>> > Wonder why no-code ass hats like lee scott, eric oyen, doug adair, and
>> > mark morgan can't get it done?
>>
>> Can you dunk a basketball? If not, get back to us when you can.
>>
> I didn't know that was the hitch..can you still dunk?

That's what they are replacing the CW test with, the slam dunk. Now all
those hams with their Hover Rounds will have to give up their tickets.




From 5407597922869094505
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622230426.975$UV@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
```

```
<20060622213811.188$kD@newsreader.com> <129mm0eifbr8of3@corp.supernews.com>
X-NRC-Trace: NewsReader.Com JOXMj37TN392Bdghucl3@zTQa0@GNkk-+y1BzSajW_kh5Lh
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 03:04:25 GMT
Lines: 16
NNTP-Posting-Host: fdb02a46.nr2.newsreader.com
X-Trace:
DXC=[CcMC8BLU0KLZ9XYIXBVLNOA8_@f\K_iBdSnOn3mmWZJ[04P5EKJh^EiJ;iV2YAoGEPeLd?
lUMY=B[9F?EmaR83B
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13595
rec.radio.amateur.equipment:4919 rec.radio.amateur.misc:15167
rec.radio.amateur.policy:30745 rec.radio.shortwave:40793 rec.radio.cb:12244

"DrDeath" <drdeath555usb@yahoo.com> wrote:
> "Steveo" <moparholic@hotmail.com> wrote in message
> news:20060622213811.188$kD@newsreader.com...
> > Cecil Moore <mycall@hotmail.com> wrote:
> >> Steveo wrote:
> >> > Wonder why no-code ass hats like lee scott, eric oyen, doug adair,
> >> > and mark morgan can't get it done?
> >>
> >> Can you dunk a basketball? If not, get back to us when you can.
> >>
> > I didn't know that was the hitch..can you still dunk?
>
> That's what they are replacing the CW test with, the slam dunk. Now all
> those hams with their Hover Rounds will have to give up their tickets.
>
They will not give up their biscuits and squirrl gravy 'till it kills em.


From -2412996254796290051
X-Google-Thread: 108122,9ca41dba146da1c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 22 Jun 2006 22:06:40 -0500
From: steveii <steveii.29u52l@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB:TS-930 For Parts
Date: Fri, 23 Jun 2006 01:51:37 +0000
Message-ID: <steveii.29u52l@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References:  <7VhVb.43277$9U5.1810058@news20.bellglobal.com>
Lines: 8
NNTP-Posting-Host: 82.165.39.56
```

```
X-Trace: sv3-ZSbzFpa9rc6MJQbUGdb7/OW1ScPPjg/
7WO8BMSVHVJzR4gw8Hj5YBXLixagkbMwVcpVX2LQSgqvf+Q/!nTJIrEb/
wtqkqQOVWydhiiW2RxLeQXRGsZlQuywTSO9y6x28HjRNYFa8aVyHvmGzKIWjipe/W/DR!WG8/hU7qMA==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4920
```

Hello Robert,
I know it was long time ago when you posted this message but maybe you can help me. I am desperately looking for one single mechanical part from the back of TS930S front panel. This is: Kenwood Part No. S90-0401-05 Remote switch shaft, MODE. This is actually a small mechanical assembly which transfers the movement of the MODE knob to the actual switch which is on the other side of the front panel. This part is obsolete and is not possible to repair. Please let me know if you or somebody has a scrap TS930 and could have this part. My radio, otherwise in perfect condition is dead just because this small mechanical part. Thank you.
Steve, va3ars
bunnydawg Wrote:
> I don't care about the condition of the power supply or final
> transisters.
> Please email me directly if you have one.
> Or a used piexx board if in working condition.
> Robert
> VE3 something or other

--
steveii

```
From -3347211327448095800
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c02.usenetserver.com!
news.usenetserver.com!atl-c07.usenetserver.com!news.usenetserver.com!
newspump.sol.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
```

communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month http://NewsReader.Com/
Message-ID: <20060622230656.604$1M@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<129mlqhjcau6b44@corp.supernews.com>
X-NRC-Trace: NewsReader.Com zAgNzAgOX-rxgCRyoz2V5ciMxhSFjtYkvBlr-sUjGXQ-Ws7
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 03:06:54 GMT
Lines: 17
NNTP-Posting-Host: fdb02a46.nr2.newsreader.com
X-Trace: DXC=?
Uk;bjZ>UEU:o;=1\X[8[\OA8_@f\K_iRdSnOn3mmWZZ[04P5EKJh^UiJ;iV2YAoGU@cJn=_5`7E[SASTTS6F=4\
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13596
rec.radio.amateur.equipment:4921 rec.radio.amateur.misc:15168
rec.radio.amateur.policy:30746 rec.radio.shortwave:40794 rec.radio.cb:12245

"DrDeath" <drdeath555usb@yahoo.com> wrote:
> "Steveo" <moparholic@hotmail.com> wrote in message
> news:20060622212109.461$6g@newsreader.com...
> > "DrDeath" <drdeath555usb@yahoo.com> wrote:
> >>> With deaf people use can use a light or a subwoofer for them to copy
> >> code.
> >>
> > Wonder why no-code ass hats like lee scott, eric oyen, doug adair, and
> > mark
> > morgan can't get it done? (they're not deaf, just brain dead hud
> > dwelling sissy's)
> >
> > CW is for old people anyway aint it? :)
>
> LOL, I sure have no interest in CW. I must still be young :-P
>
Rock on you spring chicken. hehe

```
From -1695467504352790976
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!router2.astraweb.com!
news.astraweb.com!router1.astraweb.com!sn-xt-sjc-15!sn-xt-sjc-10!sn-xt-sjc-06!sn-
post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 22:10:30 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129mmt8g13b1sdf@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<1150890810.270718.211170@b68g2000cwa.googlegroups.com> <449w90d-34354odre-
a$f09@miami.fl.news> <129lvmupd8190c6@corp.supernews.com>
<20060622214335.020$uF@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news2.google.com rec.radio.amateur.antenna:13598
rec.radio.amateur.equipment:4922 rec.radio.amateur.misc:15169
rec.radio.amateur.policy:30748 rec.radio.shortwave:40796 rec.radio.cb:12247
```

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060622214335.020$uF@newsreader.com...

> "DrDeath" <drdeath555usb@yahoo.com> wrote:
> -snipper-
>> Mark chooses to sit on
>> his ass sucking the entitlement system dry and contributing nothing to
>> society, while this person decided to make the best of his what God gave
>> him and he contributes to the same entitlement system that Mark chooses

>> to deplete.
>>
> Testify! That asswipe is too dumb to come in out of the rain. He's best
> left ignored.

I think most of the RRCB regulars have pretty much ignored him as of late.
It's his pathetic RRAP buddies that followed him here that keep him fueled

```
From -7025719859805982298
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!spool-
big1.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622231401.399$I5@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
X-NRC-Trace: NewsReader.Com ,aHL_ap@SApmVs-e1kdPA4GiO9GxY1pi1HfqL@XkVlpnfGl
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 03:13:59 GMT
Lines: 7
NNTP-Posting-Host: fdb02a46.nr2.newsreader.com
X-Trace:
DXC=Fi2e\7oK3XdM_BN=lnQH4aOA8_@f\K_ibdSnOn3mmWZjZ1W;b68[>NciJ;iV2YAoGej_HY:^gLBJoa
?0hgfYXOal
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13599
rec.radio.amateur.equipment:4923 rec.radio.amateur.misc:15170
rec.radio.amateur.policy:30749 rec.radio.shortwave:40797 rec.radio.cb:12249

Cecil Moore <mycall@hotmail.com> wrote:
> He cannot speak
> one minute of continuous speech much less receive one minute
> of continuous Morse code.
>
Don't let him be the drummer. (unless you're good at two stepping in time
in the marching band)



From -8177384437496202264
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!913ebda8!not-for-mail
From: james <george@washington.edu>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Reply-To: beerkeg@budu.edu
Message-ID: <qbnm92p400fgeo4f9pn8q8kfmqdek73o7u@4ax.com>
References: <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com> <129m6ct3rdtui3a@corp.supernews.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Fri, 23 Jun 2006 03:19:10 GMT
NNTP-Posting-Host: 67.103.110.116
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1151032750 67.103.110.116 (Thu, 22 Jun
2006 20:19:10 PDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 20:19:10 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13601
rec.radio.amateur.equipment:4924 rec.radio.amateur.misc:15171
rec.radio.amateur.policy:30750 rec.radio.shortwave:40799 rec.radio.cb:12250

On Thu, 22 Jun 2006 17:28:45 -0500, "David G. Nagel" <nagel@core.com>
wrote:

>+++> The purpose of business is to keep people busy.
>+++>
>+++The purpose of business is to make money for it's owners. Everything
>+++else is charity.
>+++
>+++This aught to cause a flame war.  :^)
*****

You are quite correct. Unfortunately some owners seem to never have
enough money.

james



From -3777913690295634256
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!news.astraweb.com!
router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-sjc-07!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
Date: Thu, 22 Jun 2006 22:19:09 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129mndf3jba40f0@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
```

```
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
<Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com>
In-Reply-To: <Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.antenna:13602
rec.radio.amateur.equipment:4925 rec.radio.amateur.misc:15172
rec.radio.amateur.policy:30751 rec.radio.shortwave:40800 rec.radio.cb:12251

Cecil Moore wrote:
> David G. Nagel wrote:
>
>> Deaf persons have succussfully completed the code portion of the
>> testing at all levels of speed. Some use a vibrator attached to their
>> wrist. Others us a light. As mentioned elsewhere "never say never".
>
>
> But that certainly doesn't satisfy the letter of the regulations.
> To do that, they must "copy by ear".

No, it does  satisfy the alternative methods of copying code as
specified by the  FCC.

Dave WD9BDZ



From 598778376614600673
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!
```

```
newsfeed2.telusplanet.net!newsfeed.telus.net!news-out.octanews.net!
mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622232054.024$C4@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<1150890810.270718.211170@b68g2000cwa.googlegroups.com> <449w90d-34354odre-
a$f09@miami.fl.news> <129lvmupd8190c6@corp.supernews.com>
<20060622214335.020$uF@newsreader.com> <129mmt8g13b1sdf@corp.supernews.com>
X-NRC-Trace: NewsReader.Com w+HrV,Ra5lIxtvfGtMz38El4b4Snz5fk,e=gXk_AwljW_kqJh2
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 03:20:52 GMT
Lines: 25
NNTP-Posting-Host: fdb02a46.nr2.newsreader.com
X-Trace:
DXC=jO<J9BV9LI9@:];VZc8ng6OA8_@f\K_i2dSnOn3mmWZ:6Si^mWQSIe>iJ;iV2YAoG5>@3n=^ch@J>B
:\TDk?`Q<?
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13603
rec.radio.amateur.equipment:4926 rec.radio.amateur.misc:15173
rec.radio.amateur.policy:30752 rec.radio.shortwave:40801 rec.radio.cb:12252

"DrDeath" <drdeath555usb@yahoo.com> wrote:
> "Steveo" <moparholic@hotmail.com> wrote in message
> news:20060622214335.020$uF@newsreader.com...
> > "DrDeath" <drdeath555usb@yahoo.com> wrote:
> > -snipper-
> >> Mark chooses to sit on
> >> his ass sucking the entitlement system dry and contributing nothing to
> >> society, while this person decided to make the best of his what God
> >> gave him and he contributes to the same entitlement system that Mark
> >> chooses to deplete.
> >>
> > Testify! That asswipe is too dumb to come in out of the rain. He's best
> > left ignored.
>
> I think most of the RRCB regulars have pretty much ignored him as of
> late. It's his pathetic RRAP buddies that followed him here that keep him
> fueled
>
Yea, I stated a thread about that titled ham operators...why must they ruin
RRCB?

Eric Oyen was the only ht ham to tell me how wrong I was. Oh well.

 (sock puppet hams generally post gay shit below here.
------------------------------------------------------------



From -3612372349428369745
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!newsfeeds.sol.net!
10.218.45.202.MISMATCH!newspump.sol.net!198.186.190.95.MISMATCH!news-
out.readnews.com!postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622233345.995$sL@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
<Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com> <Uf-
dnRsy5e3x0AbZnZ2dnUVZ_qGdnZ2d@comcast.com>
<jbImg.71602$4L1.37958@newssvr11.news.prodigy.com>
X-NRC-Trace: NewsReader.Com .rFU2,ZUQ0QZBl2qBwhCw8xO9OnIGa+G.xh2FEMh9xqUom
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 03:33:43 GMT
```

Lines: 7
NNTP-Posting-Host: fdb02a46.nr2.newsreader.com
X-Trace:
DXC=H:aQQ<V>kNf<[=932R2iRlOA8_@f\K_ibdSnOn3mmWZj[04P5EKJh^eiJ;iV2YAoGe@cJn=_5`7EkS
ASTTS6F=4l
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13606
rec.radio.amateur.equipment:4927 rec.radio.amateur.misc:15175
rec.radio.amateur.policy:30754 rec.radio.shortwave:40803 rec.radio.cb:12255

Cecil Moore <mycall@hotmail.com> wrote:
> He is going to
> be using a digital mode, not sitting there with his hand
> on the speaker waiting to feel an SOS
>
You should preface this with 'spoiler' next time. You ruined Titanic for
me.

From 3724880574281311811
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!spool-
big2.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month http://NewsReader.Com/
Message-ID: <20060622234035.742$gb@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>

```
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
X-NRC-Trace: NewsReader.Com SL/A4dYHs=CsNi1g@e.PCUoNsFvXkk-+y1BzSajW_k@Net
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 03:40:33 GMT
Lines: 7
NNTP-Posting-Host: fdb02a46.nr2.newsreader.com
X-Trace:
DXC=cJ0QU;77o=OO2OjIgEeUMBOA8_@f\K_iBdSnOn3mmWZJJhc492SoeOKiJ;iV2YAoGEM[fd\ig=IfLb
APgZY?L0SD
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13607
rec.radio.amateur.equipment:4928 rec.radio.amateur.misc:15176
rec.radio.amateur.policy:30755 rec.radio.shortwave:40804 rec.radio.cb:12256

"Dee Flint" <deeflint01@comcast.net> wrote:
>> I do not believe the couldn't.  I've listed the failure reasons in
> another post.
>
> Dee Flint, N8UZE
>
What's the gist of it, Dee?



From -2236825282632857961
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c02.usenetserver.com!
news.usenetserver.com!atl-c07.usenetserver.com!news.usenetserver.com!
newspump.sol.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622234507.550$Lr@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
```

```
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<20060622215740.506$G5@newsreader.com>
<d0Img.71599$4L1.57923@newssvr11.news.prodigy.com>
X-NRC-Trace: NewsReader.Com J7pPH_jhuUfYo7To+HkjA9BpfacEQM4zi1HfqL@XkVlpYIH+
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 03:45:05 GMT
Lines: 14
NNTP-Posting-Host: fdb02a46.nr2.newsreader.com
X-Trace:
DXC=G>kcEU6dLIK_0m8FUC;IjDOA8_@f\K_iBdSnOn3mmWZJKJ;DWa;W\kOiJ;iV2YAoGEPeLd?
lUMY=Be=^h3n1QF4A
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13609
rec.radio.amateur.equipment:4929 rec.radio.amateur.misc:15177
rec.radio.amateur.policy:30756 rec.radio.shortwave:40805 rec.radio.cb:12257

Cecil Moore <mycall@hotmail.com> wrote:
> Steveo wrote:
> > How tall are you?
>
> 6' 4"
>
You got me there, was 6' but gravity has made it less. :)
>
> > Where do you find those braces?
>
> Here's a cheap version:
> http://www.jointhealing.com/pages/productpages/edge.html
>
Thanks.


From -8134475823488311114
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
```

```
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!news-
xxxfer.readnews.com!spool-big1.readnews.com!news-out.readnews.com!
postnews3.readnews.com!nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622234902.369$9T@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<QvednbvvBv3B0QbZnZ2dnUVZ_tadnZ2d@comcast.com>
X-NRC-Trace: NewsReader.Com wse-0,J2fkKBzKnGepQl+SNrnW9OnIGa+G.xh2FEMh9x/QgR
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 03:49:00 GMT
Lines: 6
NNTP-Posting-Host: fdb02a46.nr2.newsreader.com
X-Trace: DXC=;ME8QgCN2K<j5OdT?
L2L\<OA8_@f\K_i2dSnOn3mmWZ:T@lf>jg:W8:iJ;iV2YAoG5M[fd\ig=If<?2Mam3Se=a<
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13610
rec.radio.amateur.equipment:4930 rec.radio.amateur.misc:15178
rec.radio.amateur.policy:30757 rec.radio.shortwave:40806 rec.radio.cb:12258

"Dee Flint" <deeflint01@comcast.net> wrote:
>> The 5wpm level is more equivalent to dunking a basketball in a basket
> that is just above head height rather than regulation professional
> height.  Under those conditions, anyone can dunk a basketball.
>
Who the hell came up with that for an analogy?


From 8919773044278671110
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
```

```
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!198.186.190.10.MISMATCH!
textspool1.readnews.com!news-out.readnews.com!postnews3.readnews.com!
nr2.newsreader.com.POSTED!not-for-mail
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Steveo <moparholic@hotmail.com>
Organization: 30 GB/ Month  http://NewsReader.Com/
Message-ID: <20060622235403.094$c7@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
X-NRC-Trace: NewsReader.Com zcAcByTPwOy10hQ7,d3ZFzXW4EW9V2+,e=gXk_AwljW_k@YZ8
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 23 Jun 2006 03:54:00 GMT
Lines: 6
NNTP-Posting-Host: fdb02a46.nr2.newsreader.com
X-Trace: DXC==\32Uh0hmT0j5OdT?
L2L\<OA8_@f\K_i2dSnOn3mmWZ:f_LSWQ1FUe>iJ;iV2YAoG5A0G99d<SR[9QVN7Xe=3Y`5
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13611
rec.radio.amateur.equipment:4931 rec.radio.amateur.misc:15179
rec.radio.amateur.policy:30758 rec.radio.shortwave:40807 rec.radio.cb:12259

"Dee Flint" <deeflint01@comcast.net> wrote:
> He is his own biggest enemy.
>
> Dee Flint, N8UZE
>
He's our tax dollars at work.


From -1195571714395623210
X-Google-Thread: fcc6e,9f8932f7d11ff1c
```

```
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!
peer01.cox.net!cox.net!p01!fed1read08.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Lines: 90
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <wRKmg.447$RD.95@fed1read08>
Date: Thu, 22 Jun 2006 22:19:24 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1151039964 72.199.97.186 (Fri, 23 Jun 2006 01:19:24 EDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 01:19:24 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13614
rec.radio.amateur.equipment:4932 rec.radio.amateur.misc:15182
rec.radio.amateur.policy:30761 rec.radio.shortwave:40814 rec.radio.cb:12264


"Dee Flint" <deeflint01@comcast.net> wrote in message
news:bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com...
>
> "DrDeath" <drdeath555usb@yahoo.com> wrote in message
> news:129lvmgofeujhbd@corp.supernews.com...
> > "Slow Code" <sc.h@m.mail> wrote in message
> > news:FXkmg.15$ii.9@newsread3.news.pas.earthlink.net...
> >> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
```

> >> news:wh4mg.139$lv.109@fed1read12:
> >>
> >>>
> >>> "Slow Code" <sc@mo.mail> wrote in message
> >>> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
> >>>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
> >>>> news:YGKlg.104$lv.41@fed1read12:
> >>>>
> >>>> >
> >>>> > "dxAce" <dxAce@milestones.com> wrote in message
> >>>> > news:44969559.30D72920@milestones.com...
> >>>> >
> >>>> >>
> >>>> >> Anybody who can't pass the minimal 5 WPM doesn't deserve a
license.
> >>>> >
> >>>> > That's needlessly insulting.
> >>>>
> >>>>
> >>>> No it isn't.
> >>>>
> >>>> Some things in life require you do a little work to enjoy their
> >>>> benefits. You don't want to learn CW, you shouldn't be allowed on ham
> >>>> radio.
> >>>>
> >>>> And Five words per minute ain't a code test. I can fart five words
per
> >>>> minute. Anyone that can't learn 5 wpm is either lazy or a tard and
> >>>> should stick to CB, FRS, and cell phones.
> >>>
> >>> I am a gainfully-employed degreed engineer with an above-average IQ
> >>> and dyslexia. You are beneath contempt.
> >>
> >>
> >> Anyone else hear a tiny violin playing?
> >>
> >>
> >> sc
> >
> > No, I see a newsgroup clown that can't accept the fact that this man
> > learned to succeed despite his dyslexia. Instead of offering ideas that
> > could help him learn code you decide to insult him. You sit and whine
> > about how ham radio is going to shit because they allow no code tech
> > licensing and possibly doing away with code altogether. But you missed
the
> > biggest point with ham radio it was to help people. Did you help this
man
> > by offering alternative options to learn code? No, you insult him
instead.
> > It is you and your kind that will be the downfall of ham radio. Blame
> > yourself.
>
> Well I described a number of alternatives to learning and he persists in

> saying he cannot learn code. Now I have not insulted him that I know of
> (although it's difficult to predict what one might take as an insult).
> However, if someone truly is incapable of learning code, then they are
> unable to learn to understand the spoken word and to speak. The fact that
> he can speak and understand the spoken word means he can learn code at the
> basic level of 5wpm. He is his own biggest enemy.
>
> Dee Flint, N8UZE
>
>

I don't think you insulted me -- it was whoever said I don't deserve a license.

However, I do think it's a bit of a stretch to say that I can learn code just because I can speak and understand words. You should see what my raw typing looks like before I go back and fix it prior to hitting send (or should I say "sned," which was what I typed the first time -- typically four or five of those per line.) It's pretty bad.

I'm thinking of trying to learn the dits and dahs as strings of written dots and dashes on paper. According to everything I've been told or exposed to, that is not recommended. All the training says the goal is to perceive each letter as a consolidated unit of sounds without any intermediate translation steps. Well, since I'm positive that isn't working, particularly for characters of four or more elements ... maybe a graphical alternative is in order.

From -855963062543711054
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 01:39:17 -0500
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
From: notbob <notbob@nothome.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>

```
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com> <wRKmg.447$RD.95@fed1read08>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <F4idnTPnyKkDEQbZnZ2dnUVZ_u2dnZ2d@comcast.com>
Date: Fri, 23 Jun 2006 01:39:26 -0500
Lines: 7
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-glH3KAmkt1OCFKFs42Cd4Bqvv5RdCyvQ49tHoOOkzDlT7SQ53J4W+5/
n30V9jybts4327Gmn246BjmA!
CfbYU1bhfUPRVBRdDctr6YX3x4TQlVBAF6elN+5oZdJ5ZaZ6x2EctDzPC/ytB3t5PBO16ZqOydCk!
hbq5Hg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13618
rec.radio.amateur.equipment:4933 rec.radio.amateur.misc:15186
rec.radio.amateur.policy:30765 rec.radio.shortwave:40815 rec.radio.cb:12268

On 2006-06-23, Sal M. Onella <salmonella@food.poisoning.org> wrote:
> just because I can speak and understand words.  You should see what my raw
> typing looks like before I go back and fix it prior to hitting send  (or

HAh!!  You think that's any different that most anyone else!?  ;)

nb


From -5325197251810381748
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 05:28:58 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
```

adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
<Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com> <Uf-dnRsy5e3x0AbZnZ2dnUVZ_qGdnZ2d@comcast.com>
<jbImg.71602$4L1.37958@newssvr11.news.prodigy.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Fri, 23 Jun 2006 06:28:19 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <0b-dna0PZNH3XwbZnZ2dnUVZ_t-dnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-
Sv3Tzk+UHc7Y1oZVZiIzhqcer0hAW0VCZcsXUeOgd4AqNSrkEFEwkK1Ftq1n11BLiEBv11yknna/sOw!
rxdJgZTgDtN8fbQ4w+cp1PxHRfS4/z6bulI3aXV1dUo3/3Ey468GR8P3MsgzbUvzxBeGA0dA/Itg!
9xkARfkKHg8yPzH0
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13619
rec.radio.amateur.equipment:4934 rec.radio.amateur.misc:15187
rec.radio.amateur.policy:30768 rec.radio.shortwave:40817 rec.radio.cb:12270

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:jbImg.71602$4L1.37958@newssvr11.news.prodigy.com...
> Dee Flint wrote:
>> True enough but that accommodation has been accepted for a very long
>> time. The regulations also said that they must be by hand. A sending
>> test hasn't been used in decades except as an accommodation for people
>> with hearing problems, etc. The FCC itself had stopped administering a
>> sending test before they turned the testing over to the amateur
>> community.
>
> You have just admitted that the Morse code test has been

> irreversibly compromised already. A deaf person holding an
> HF ham license cannot hear an SOS so the entire purpose of
> forcing him to learn Morse code is bogus. He is going to
> be using a digital mode, not sitting there with his hand
> on the speaker waiting to feel an SOS from a sinking ship
> that doesn't even have CW capability anymore.
> --
> 73, Cecil http://www.qsl.net/w5dxp

You have extracted something from my post that was never there. No one has ever said that the purpose of hams knowing code was to hear a ship sending an SOS.

In addition, he might have a light rigged for cw, which he could see as he moved about the room.

Digital modes fail on a regular basis due to static, auroras, etc. It's a good idea to have a non-voice, non-computer alternative.

Dee Flint, N8UZE

From -4348929232697743342
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 05:36:06 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>

```
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<1iImg.71606$4L1.45899@newssvr11.news.prodigy.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 06:35:27 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <qOWdnZ9KCfiLWQbZnZ2dnUVZ_tydnZ2d@comcast.com>
Lines: 36
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-LEYM9r0eA48WgZcSAYGvDaDDcoYPJ5DS3arS9e/
G8uQPxB5E07uhd8ACmYZnhmPDcb+oIM01CnZOU8W!c3MJ+ZGgu8yrRklDY/
hlAr7+xMUe9hIENiIHhnejWCAnqlU3idy+thAyRcbOG7G3rEoVmOcOfmhr!44W7IL1qvJ7i8BHZ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13620
rec.radio.amateur.equipment:4935 rec.radio.amateur.misc:15188
rec.radio.amateur.policy:30769 rec.radio.shortwave:40819 rec.radio.cb:12271


"Cecil Moore" <mycall@hotmail.com> wrote in message
news:1iImg.71606$4L1.45899@newssvr11.news.prodigy.com...
> Dee Flint wrote:
>> "Cecil Moore" <mycall@hotmail.com> wrote in message
>>> One of the brightest engineers I know, who has a commercial
>>> FCC license and was the engineer at an AM broadcast station,
>>> couldn't get past 5wpm so he was condemned to Tech class for
>>> 30 years. He knows more about radio than any ten other hams.
>>> --
>> I do not believe the couldn't.  I've listed the failure reasons in
>> another post.
>
> Believe me, this guy shed tears when he couldn't get past
> 10 wpm. He has a physical mental tick every few seconds, akin
> to epilepsy, that causes him to lose time. He cannot speak
> one minute of continuous speech much less receive one minute
> of continuous Morse code. When he speaks, some of the time
> is silence while his brain is out to lunch. But when he
> does speak it is worth ten times the average person's
> utterances. He is an engineering genius.
> --
> 73, Cecil  http://www.qsl.net/w5dxp
```

Since the late 80's, he could have gotten a medical waiver for the speeds higher than 5wpm. His case proves my point though. i.e. He did learn the spoken language despite his problem. He did learn the 5wpm despite his problem. His problem manifests itself in dealing fluently with the spoken language and also manifests itself in dealing with higher code speeds.

A problem that would affect the ability to learn code affects the ability to deal with the aural/spoken language.

Dee Flint, N8UZE

```
From 3984884298916407820
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 05:36:54 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<129mlqhjcau6b44@corp.supernews.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 06:36:15 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <k6Sdnby3hpHaWQbZnZ2dnUVZ_r6dnZ2d@comcast.com>
Lines: 24
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-iwBbwepLIpNN+W8Apj70fo+YTu+iYFZCiEKoLdXTQv26VGYeBXk79wr8Egts7XRky6w/
6WO8PpwCq6Y!
aDd64MD9eolt73BNmsc8Aw1jOClkfOsxjq+A4n55ahzCM6dEhzaDefOCIxYrj3tJnDh+m0bZPqfk!
1un0wO+70NVlUwSS
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13621
rec.radio.amateur.equipment:4936 rec.radio.amateur.misc:15189
rec.radio.amateur.policy:30770 rec.radio.shortwave:40820 rec.radio.cb:12272


"DrDeath" <drdeath555usb@yahoo.com> wrote in message
news:129mlqhjcau6b44@corp.supernews.com...
> "Steveo" <moparholic@hotmail.com> wrote in message
> news:20060622212109.461$6g@newsreader.com...
>> "DrDeath" <drdeath555usb@yahoo.com> wrote:
>>>> With deaf people use can use a light or a subwoofer for them to copy
>>> code.
>>>
>> Wonder why no-code ass hats like lee scott, eric oyen, doug adair, and
>> mark
>> morgan can't get it done? (they're not deaf, just brain dead hud dwelling
>> sissy's)
>>
>> CW is for old people anyway aint it? :)
>
> LOL, I sure have no interest in CW. I must still be young :-P
>

The highest level of interest for learning the code is among the young.

Dee Flint, N8UZE




From 5251160937925586348
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 05:47:24 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129mb7gtgb7fo46@corp.supernews.com> <20060622212109.461$6g@newsreader.com>
<uvHmg.71591$4L1.31623@newssvr11.news.prodigy.com>
<20060622213811.188$kD@newsreader.com>
<ENHmg.71592$4L1.28612@newssvr11.news.prodigy.com>
<rNCdnQoOA4Z20AbZnZ2dnUVZ_sqdnZ2d@comcast.com>
<20060622234035.742$gb@newsreader.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 06:46:45 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <mpWdnXXXWYQhWwbZnZ2dnUVZ_qidnZ2d@comcast.com>
Lines: 33
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-
mk86KR8mMsqSm23CxNYPiT0EN0pI4qAXSHfqGNUZzgIE5TarzlFk3Pc6lwM9z2ltZff1y1C7KOPYErD!
skbMctrFQvrjzhPFJUFOK4BmOS8zop4W3QgXpowANC/cY/ytB6t3zUVzUEp+SfBQxA/Sh6+J00bO!
EYK293fPacO905wT
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13622
rec.radio.amateur.equipment:4937 rec.radio.amateur.misc:15190
rec.radio.amateur.policy:30771 rec.radio.shortwave:40821 rec.radio.cb:12273
```

"Steveo" <moparholic@hotmail.com> wrote in message

news:20060622234035.742$gb@newsreader.com...
> "Dee Flint" <deeflint01@comcast.net> wrote:
>>> I do not believe the couldn't. I've listed the failure reasons in
>> another post.
>>
>> Dee Flint, N8UZE
>>
> What's the gist of it, Dee?

1. Incorrect training methods. These abound. There are more bad ones than good ones around.
2. Incorrect practice methods. Many teachers and students don't really know how it should be practiced. They just muddle along. Among other things, that means daily practice not just getting together with a teacher once a week. It also means breaking the daily practice session into 15 minute increments so the brain doesn't fatigue.
3. Unrealistic expectations is quite possibly the biggest one. People think they should be able to learn it in a few days or a couple of weeks. It takes the average person 30 hours to get to 5wpm. At an hour per day, that's one month. A more comfortable pace is 1/2 hour per day for two months. (It took me closer to 90 hours.)
4. Disapppointment created by the above issues causing a person to believe they can't do it thus creating a self-fulfilling prophecy.
5. Not wanting to do it so they end up fighting themselves subconsciously.
6. Negative reinforcement by those who tell them that code testing should be eliminated because it is "useless". Anyone who's seen HF trashed by static or aurora should know better.

Dee Flint, N8UZE

```
From -1683982796013466765
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 05:49:28 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
```

<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<QvednbvvBv3B0QbZnZ2dnUVZ_tadnZ2d@comcast.com>
<20060622234902.369$9T@newsreader.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Fri, 23 Jun 2006 06:48:49 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Ba-dnS6Wuq-lWgbZnZ2dnUVZ_t2dnZ2d@comcast.com>
Lines: 16
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-D7plIrOOWvGdlON0gRANaX39Sj0Ay2arNj6mcLetiDNl+DWbEin4JSlaBJc9g4lEEpipKrpIHNcK+DE!BSn58N+qS8AuTad4tB0Pcha8o1/oFfShnhPYL9V8XP9JDFLCs2UR49orpMoK8c9B/s6uLN6n9AES!K9AmOoyTD3BGR8n0
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13623 rec.radio.amateur.equipment:4938 rec.radio.amateur.misc:15191 rec.radio.amateur.policy:30772 rec.radio.shortwave:40822 rec.radio.cb:12274

"Steveo" <moparholic@hotmail.com> wrote in message news:20060622234902.369$9T@newsreader.com...
> "Dee Flint" <deeflint01@comcast.net> wrote:
>>> The 5wpm level is more equivalent to dunking a basketball in a basket
>> that is just above head height rather than regulation professional
>> height. Under those conditions, anyone can dunk a basketball.
>>
> Who the hell came up with that for an analogy?

It was part of a rebuttal to someone who said that requiring 5wpm code was as reasonable as having to be able to dunk a basketball.

Dee Flint, N8UZE

```
From -1714534786182275678
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 23 Jun 2006 05:57:01 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com> <wRKmg.447$RD.95@fed1read08>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Fri, 23 Jun 2006 06:56:22 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <09adneMXu5xgVQbZnZ2dnUVZ_omdnZ2d@comcast.com>
Lines: 61
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-25FT5Yl6uyY9Z490ZBeE7VpmxEAc6y/36nJzjOeiASmktz31af0fe/
yufZDCRtwb4hWqmXO/qURSpJ9!BBAwRLYERdMR2hGF8R10fzNEUHxQjW6JxwvLG8/
e3rcqlseLN66GwPrLH+9Jg1A94+KDkRmRu6Bo!BD4ZyNiHpEbRDJRR
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13624
rec.radio.amateur.equipment:4939 rec.radio.amateur.misc:15192
rec.radio.amateur.policy:30773 rec.radio.shortwave:40823 rec.radio.cb:12275
```

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:wRKmg.447$RD.95@fed1read08...
>
> "Dee Flint" <deeflint01@comcast.net> wrote in message
> news:bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com...

[snip]

>>
>> Well I described a number of alternatives to learning and he persists in
>> saying he cannot learn code. Now I have not insulted him that I know of
>> (although it's difficult to predict what one might take as an insult).
>> However, if someone truly is incapable of learning code, then they are
>> unable to learn to understand the spoken word and to speak. The fact
>> that
>> he can speak and understand the spoken word means he can learn code at
>> the
>> basic level of 5wpm. He is his own biggest enemy.
>>
>> Dee Flint, N8UZE
>>
>>
> I don't think you insulted me -- it was whoever said I don't deserve a
> license.
>
> However, I do think it's a bit of a stretch to say that I can learn code
> just because I can speak and understand words. You should see what my raw
> typing looks like before I go back and fix it prior to hitting send (or
> should I say "sned," which was what I typed the first time -- typically
> four
> or five of those per line.) It's pretty bad.
>
> I'm thinking of trying to learn the dits and dahs as strings of written
> dots
> and dashes on paper. According to everything I've been told or exposed
> to,
> that is not recommended. All the training says the goal is to perceive
> each
> letter as a consolidated unit of sounds without any intermediate
> translation
> steps. Well, since I'm positive that isn't working, particularly for
> characters of four or more elements ... maybe a graphical alternative is
> in
> order.
>

Typing and reading are visually based. So it makes sense that those are a
problem. But do you have difficulty saying words or hearing them? Just
because the typing is a problem, doesn't mean that the aural/spoken is a
problem. Reading/writing is a different activity than hearing/speaking and
uses different parts of the brain. While I can't imagine a graphical method
working for a dyslexic since it's visual, who can say for sure.

By the way, I still have problems with longer characters now and then or combinations of certain characters. I had an awful time trying to copy a call sign in a contest that began with SH5 (3 dots, 4 dots, 5 dots).

Dee Flint, N8UZE

```
From -7443369685118036538
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
feed.cgocable.net!news.sprintnetops.net!news.cse.sc.edu!ken-
transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-
server.bigpond.net.au!53ab2750!not-for-mail
From: David <dhuisman@bigpond.net.au>
Reply-To:  dhuisman@bigpond.net.au
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com> <wRKmg.447$RD.95@fed1read08>
<09adneMXu5xgVQbZnZ2dnUVZ_omdnZ2d@comcast.com>
In-Reply-To: <09adneMXu5xgVQbZnZ2dnUVZ_omdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 70
Message-ID: <X4Qmg.14730$ap3.9524@news-server.bigpond.net.au>
Date: Fri, 23 Jun 2006 11:17:11 GMT
NNTP-Posting-Host: 138.130.112.190
X-Complaints-To: abuse@bigpond.net.au
```

X-Trace: news-server.bigpond.net.au 1151061431 138.130.112.190 (Fri, 23 Jun 2006 21:17:11 EST)
NNTP-Posting-Date: Fri, 23 Jun 2006 21:17:11 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com rec.radio.amateur.antenna:13625 rec.radio.amateur.equipment:4940 rec.radio.amateur.misc:15193 rec.radio.amateur.policy:30774 rec.radio.shortwave:40825 rec.radio.cb:12276

Recently I can across a "music" track that is about 5 minutes long that
teaches Morse by the sound of the characters.

If you would find this helpful I may be able to get a copy of it and
place it on an ftp server for you.

Regards

David

Dee Flint wrote:
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
> news:wRKmg.447$RD.95@fed1read08...
>> "Dee Flint" <deeflint01@comcast.net> wrote in message
>> news:bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com...
>
> [snip]
>
>>> Well I described a number of alternatives to learning and he persists in
>>> saying he cannot learn code. Now I have not insulted him that I know of
>>> (although it's difficult to predict what one might take as an insult).
>>> However, if someone truly is incapable of learning code, then they are
>>> unable to learn to understand the spoken word and to speak. The fact
>>> that
>>> he can speak and understand the spoken word means he can learn code at
>>> the
>>> basic level of 5wpm. He is his own biggest enemy.
>>>
>>> Dee Flint, N8UZE
>>>
>>>
>> I don't think you insulted me -- it was whoever said I don't deserve a
>> license.
>>
>> However, I do think it's a bit of a stretch to say that I can learn code
>> just because I can speak and understand words. You should see what my raw
>> typing looks like before I go back and fix it prior to hitting send (or
>> should I say "sned," which was what I typed the first time -- typically
>> four
>> or five of those per line.) It's pretty bad.
>>
>> I'm thinking of trying to learn the dits and dahs as strings of written
>> dots
>> and dashes on paper. According to everything I've been told or exposed

```
>> to,
>> that is not recommended.  All the training says the goal is to perceive
>> each
>> letter as a consolidated unit of sounds without any intermediate
>> translation
>> steps.  Well, since I'm positive that isn't working, particularly for
>> characters of four or more elements ... maybe a graphical alternative is
>> in
>> order.
>>
>
> Typing and reading are visually based.  So it makes sense that those are a
> problem.  But do you have difficulty saying words or hearing them?  Just
> because the typing is a problem, doesn't mean that the aural/spoken is a
> problem.  Reading/writing is a different activity than hearing/speaking and
> uses different parts of the brain.  While I can't imagine a graphical method
> working for a dyslexic since it's visual, who can say for sure.
>
> By the way, I still have problems with longer characters now and then or
> combinations of certain characters.  I had an awful time trying to copy a
> call sign in a contest that began with SH5 (3 dots, 4 dots, 5 dots).
>
> Dee Flint, N8UZE
>
>



From 5695619455550478471
X-Google-Thread: 108122,73e31cc60701bb4d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.tele.dk!
feed118.news.tele.dk!news.tele.dk!small.news.tele.dk!newspeer2.se.telia.net!
se.telia.net!masternews.telia.net.!newsb.telia.net.POSTED!not-for-mail
From: =?ISO-8859-1?Q?SM=D8IMJ?= <sm0imj@telia.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: manual for the KLM 4 element monoband for 20m
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 7
Message-ID: <W7Qmg.5952$E02.1815@newsb.telia.net>
Date: Fri, 23 Jun 2006 11:20:22 GMT
NNTP-Posting-Host: 81.228.27.52
X-Complaints-To: abuse@telia.com
X-Trace: newsb.telia.net 1151061622 81.228.27.52 (Fri, 23 Jun 2006 13:20:22 CEST)
NNTP-Posting-Date: Fri, 23 Jun 2006 13:20:22 CEST
Organization: Telia Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:4941

Hi all,
```

Anyone that can assist with an electronic copy of the manual for KLM's 4 element monobander for 20m?

73's
Hans - SM�IMJ

```
From -4572950918364365520
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!913ebda8!
not-for-mail
From: james <george@washington.edu>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Reply-To: beerkeg@budu.edu
Message-ID: <3ukn92hpuksuhisq3nv4s5t5ojv65mrg3v@4ax.com>
References: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
Date: Fri, 23 Jun 2006 11:49:19 GMT
NNTP-Posting-Host: 67.103.110.231
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1151063359 67.103.110.231 (Fri, 23 Jun
2006 04:49:19 PDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 04:49:19 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13626
rec.radio.amateur.equipment:4942 rec.radio.amateur.misc:15194
rec.radio.amateur.policy:30775 rec.radio.shortwave:40828 rec.radio.cb:12277
```

On Thu, 22 Jun 2006 15:34:52 -0500, "DrDeath"
<drdeath555usb@yahoo.com> wrote:

```
>+++"notbob" <notbob@nothome.com> wrote in message
>+++news:1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com...
>+++> On 2006-06-21, gravity <gravityzrainbow@yahoo.com> wrote:
>+++>>
>+++>> this is why we need to add critical analysis to the engineering
>+++>> curriculum.
>+++>
>+++> It matters not.  When management lacks the same talent, engineers will
>+++> be chosen for economic rather than practical reasons.  Outsourcing to
>+++> India and H1B visas are proof.  The fact that India has yet to produce
>+++> a single Intel or Microsoft or H-P or Sony is lost on those whose who
>+++> fawn over those rote trained hordes.
>+++>
>+++> nb
>+++
>+++India is not a country we rely on to build super companies (for lack of a
>+++better term). Take a look at what we send to India. Toxic chemical factories
>+++that would be choked to death by special interest groups and politicians. We
>+++also outsource technical support, which is a waste of time and money, good
>+++thing companies don't pay them much, but it's a cheap way of saying "we have
>+++tech support" without truly having it. Look at the shoe mfg. industry, all
>+++moved to third world slave labor countries. Good for the shoe industry as
>+++they no longer have to deal with unions and we keep management and
>+++development in countries that have the talent and resources to maintain
>+++state of the art products. Look at how the auto industry has changed. They
>+++sent 1000s of jobs overseas to cut down on union labor (with management and
>+++R&D in the US), and the Japs are opening plants in the US (with management
>+++and R&D in Japan) that will never deal with the UAW. I could go on forever
>+++with this post (and talk about NAFTA), but will end my rave at this point.
>+++BTW, changed subject header as it didn't seem to fit. I would have trimmed a
>+++few NGs but am unsure what groups you are subscribed to.
>+++
*****************
```

Outsourcing started way back in the 70's. It has only been in the last decade that anyone in the media and public paid any attention to it. When layoffs became common place after the dotcom bust then the public finally realized that the barn door was open and nearly half the cows are gone. A bit to late.

james

```
From 5924188298629032259
X-Google-Thread: 108122,73e31cc60701bb4d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!d89a2db8!not-for-mail
```

```
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <W7Qmg.5952$E02.1815@newsb.telia.net>
Subject: Re: manual for the KLM 4 element monoband for 20m
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <TlRmg.797$Wh.473@trnddc04>
Date: Fri, 23 Jun 2006 12:43:31 GMT
NNTP-Posting-Host: 63.19.189.34
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1151066611 63.19.189.34 (Fri, 23 Jun 2006 08:43:31 EDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 08:43:31 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4943


"SM�IMJ" <sm0imj@telia.com> wrote in message
news:W7Qmg.5952$E02.1815@newsb.telia.net...
> Hi all,
> Anyone that can assist with an electronic copy of the manual for KLM's 4
> element monobander for 20m?
>
> 73's
> Hans - SM�IMJ
>
Hi Hans,
Try M Squared- they bought  KLM:
http://www.m2inc.com/index2.html
73,
Dale W4OP
```

```
From -2013499810582736926
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
```

```
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
<avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
<129md8dpa74dk64@corp.supernews.com>
<Y9Hmg.71585$4L1.67683@newssvr11.news.prodigy.com>
<129mndf3jba40f0@corp.supernews.com>
In-Reply-To: <129mndf3jba40f0@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <nNRmg.122464$dW3.118431@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 70.136.54.111
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1151068371 ST000 70.136.54.111 (Fri, 23 Jun
2006 09:12:51 EDT)
NNTP-Posting-Date: Fri, 23 Jun 2006 09:12:51 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPGWUSOQBPSCFD[LZKJOPHAWB\^PBQLGPQRZ\YIJYWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Fri, 23 Jun 2006 13:12:51 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13629
rec.radio.amateur.equipment:4944 rec.radio.amateur.misc:15199
rec.radio.amateur.policy:30779 rec.radio.shortwave:40831 rec.radio.cb:12278
```

David G. Nagel wrote:
> Cecil Moore wrote:
>> But that certainly doesn't satisfy the letter of the regulations.
>> To do that, they must "copy by ear".
>
> No, it does satisfy the alternative methods of copying code as
> specified by the FCC.

Please quote part 97 where the FCC specifies alternative
methods.
--
73, Cecil http://www.qsl.net/w5dxp

```
From -9153843377117254l8
X-Google-Thread: 108122,a5b55affd9861192
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!newsfeed.freenet.de!
news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!
newspeer1-win.ntli.net!newsfe2-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Brian MW3BAU / 2W0BDW" <notsaying@here.com>
Newsgroups: rec.radio.amateur.equipment
References: <1150480023.733598.193970@u72g2000cwu.googlegroups.com>
Subject: Re: Rubber Keypad for Vx-1R!
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <LDWkg.40613$uP.4484@newsfe2-gui.ntli.net>
Date: Sat, 17 Jun 2006 17:05:47 GMT
NNTP-Posting-Host: 82.6.115.199
X-Trace: newsfe2-gui.ntli.net 1150563947 82.6.115.199 (Sat, 17 Jun 2006 18:05:47
BST)
NNTP-Posting-Date: Sat, 17 Jun 2006 18:05:47 BST
Organization: NTL
Xref: g2news2.google.com rec.radio.amateur.equipment:4795


<piemontesi@infinito.it> wrote in message
news:1150480023.733598.193970@u72g2000cwu.googlegroups.com...
> Hi!.
> Please, how can i find the rubber keypad of Vx-1R
>
Hmmmmm a difficult one. How about looking on the front? Lol

Seriously though I think you mean a replacement? If so try
http://www.yaesu.com/?cmd=ContactUs&DivisionID=65

Good luck




From 1123885911792187978
X-Google-Thread: 108122,9fb83e41e315be7f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Jun 2006 16:27:37 -0500
From: "Bob D." <bobmgtd@insightbb.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: Looking for DIN size moble rig w/ext audio input
Date: Sat, 17 Jun 2006 16:27:42 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <Ms-dnZVaQdxU7gnZnZ2dnUVZ_o-dnZ2d@insightbb.com>
Lines: 12
NNTP-Posting-Host: 74.132.52.83
X-Trace: sv3-GkfEdMC7VwYyAv1zCY5yHJqG/FvlBNbBSjKMSqZN25cEwTPJ39cxfoPPrzbWg12If50MUgF0523OZch!hyluXoMfwAykH8UJqZaZ+v/IReSwaaF28CRi69Z3qRlzuLT+ozl2s0kmrQ7Q0GH83UCA31vwBrBk!6SR9skkRXQNCT2Fp
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4796

Any such animal? I only need 2M, but any extra bands are ok. This is for an old MGB that takes a single DIN size radio, and believe me that's the only place anything will fit. I really want an external audio input for my little portable GPS unit. There are a couple healthy speakers mounted in the doors that MUST be used in order to hear anything with the top down on the highway. (I assume all mobile rigs have an ext speaker jack.)

--
Bob D. ND9B

From -6864911650520829008
X-Google-Thread: 108122,e9c3efd007532566,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-mail
From: "VO1TV" <tturner@nl.rogers.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ten Tec Jupiter MARS mod
Date: 17 Jun 2006 15:57:52 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1150585072.010394.96310@c74g2000cwc.googlegroups.com>
NNTP-Posting-Host: 205.251.67.214
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150585075 15298 127.0.0.1 (17 Jun 2006 22:57:55 GMT)

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 17 Jun 2006 22:57:55 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=205.251.67.214;
   posting-account=SWuDAA0AAADL3h1-NKIloQGTw2vqbDgJ
Xref: g2news2.google.com rec.radio.amateur.equipment:4797

June 17, 2006
Ten Tec Jupiter MARS mod

Does anyone know the mod to open up the Ten Tec Jupiter HF rig? I
assume it can be done. 73's de Tom, VO1TV

From -4047577074713072104
X-Google-Thread: 108122,e9c3efd007532566
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!123.NET-a2dgdNsfNH65I!not-for-mail
From: helmsman <helmsman@royaloak.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ten Tec Jupiter MARS mod
Date: Sat, 17 Jun 2006 19:41:14 -0400
Message-ID: <qi49921bfov3pueuugq1oq9hkg040d865h@4ax.com>
References: <1150585072.010394.96310@c74g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 11
X-Trace: bcf8f4494931a7d4fde2901767
Xref: g2news2.google.com rec.radio.amateur.equipment:4798

On 17 Jun 2006 15:57:52 -0700, "VO1TV" <tturner@nl.rogers.com> wrote:

>June 17, 2006
>Ten Tec Jupiter MARS mod
>
>Does anyone know the mod to open up the Ten Tec Jupiter HF rig? I
>assume it can be done. 73's de Tom, VO1TV

You might try this page for a start.
http://kd4dcy.net/jupiter/

From -4441897429802486477
X-Google-Thread: 108122,9fb83e41e315be7f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!news-feed-01.tampabay.rr.com!news.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Message-ID: <4494BB96.1000108@nettally.com>
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for DIN size moble rig w/ext audio input
References: <Ms-dnZVaQdxU7gnZnZ2dnUVZ_o-dnZ2d@insightbb.com>
In-Reply-To: <Ms-dnZVaQdxU7gnZnZ2dnUVZ_o-dnZ2d@insightbb.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 24
Date: Sun, 18 Jun 2006 02:29:02 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1150597742 65.33.238.179 (Sat, 17 Jun 2006
22:29:02 EDT)
NNTP-Posting-Date: Sat, 17 Jun 2006 22:29:02 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4799

Make sure that MGB has negative ground power system. My 1967 MG 1100
sports sedan (Austin America) had positive ground among many other quirks!

Bob D. wrote:

>Any such animal? I only need 2M, but any extra bands are ok. This is for an
>old MGB that takes a single DIN size radio, and believe me that's the
>only place anything will fit. I really want an external audio input for my
>little portable GPS unit. There are a couple healthy speakers mounted in the
>doors that MUST be used in order to hear anything with the top down on the
>highway. (I assume all mobile rigs have an ext speaker jack.)
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From -8167421834434601212
X-Google-Thread: 108122,e9c3efd007532566
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 18 Jun 2006 07:40:27 -0500
Date: Sun, 18 Jun 2006 08:40:28 -0400
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Thunderbird 1.5.0.2 (X11/20060411)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ten Tec Jupiter MARS mod
References: <1150585072.010394.96310@c74g2000cwc.googlegroups.com>
In-Reply-To: <1150585072.010394.96310@c74g2000cwc.googlegroups.com>
X-Enigmail-Version: 0.94.0.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
Message-ID: <M-ednSomNrcm1AjZnZ2dnUVZ_oKdnZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-f9qr1HAc/
xxDVbitfRmK+Y6CI5RNOfMVYGVb3DKoIvDlmHV0poX1x9VyABwAcVcfm5ammh97+LmwtbA!L8+s/
gaG14tePLaf2FC0P2+RCwgcPA2Hcgp7KDQHK7F/3ZxHTAyf3psFFRBNkSA48dQrCpsrDoKa!tGWTW/
rV4mODy1m+11mN
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4800
```

VO1TV wrote:

> June 17, 2006
> Ten Tec Jupiter MARS mod
>
> Does anyone know the mod to open up the Ten Tec Jupiter HF rig? I
> assume it can be done. 73's de Tom, VO1TV
>

Send a note to TenTec with a copy of your MARS license and they will send a replacement PROM. I have one in mine and use it on all MARS frequencies. As you appear to be Canadian, not sure if that will help.

John W2AGN

```
From 6325729809056779893
```

X-Google-Thread: 108122,c2331a537c203cdb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!multikabel.net!
feed20.multikabel.net!news2.euro.net!newshub3.home.nl!newshub1.home.nl!home.nl!
not-for-mail
From: "jan" <pa2lsb@home.nl>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM CIV rig control
Date: Sun, 18 Jun 2006 17:18:50 +0200
Organization: @Home Benelux
Lines: 9
Message-ID: <e73qsf$udu$1@news2.zwoll1.ov.home.nl>
NNTP-Posting-Host: cc257835-a.deven1.ov.home.nl
X-Trace: news2.zwoll1.ov.home.nl 1150643920 31166 82.72.44.174 (18 Jun 2006
15:18:40 GMT)
X-Complaints-To: usenet@corp.home.nl
NNTP-Posting-Date: Sun, 18 Jun 2006 15:18:40 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:4801

I want to read frequency and Smeter from my rig via CIV in Quicbasic 4.5.
Who can tel me how do do this.

73
Jan
PA2LSB

From 983394754685588185
X-Google-Thread: 108122,bf4cab9b086a041d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 18 Jun 2006 11:06:42 -0500
From: "Bob D." <bobmgtd@insightbb.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for simple antenna solution
Date: Sun, 18 Jun 2006 11:06:51 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original

Message-ID: <1aydnQmOkJ2P5wjZnZ2dnUVZ_sCdnZ2d@insightbb.com>
Lines: 13
NNTP-Posting-Host: 74.132.52.83
X-Trace: sv3-PQjdL6DXfQJh3AzOR6YSHhNgtUvYMCRbeYsMxV8TYlKpdwZQR3/kjuFkmMFy9V/
lAEeusCHDTaNa8w4!/8JmcYrarVt/
bOxHW4JoJGcq9zKinLHj5yUMSENVDnMvpcUPkvZMh39aG+v69LsxD597A1jXUlaz!XPhMVHzfvDmCByvM
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4802

After years off the air, I'm ready to get back on. I want to keep it simple though. I picked up a 6m/2m/440 Yaesu VX-7 HT at Dayton and I plan to use it for both base and mobile. I want an antenna that covers these 3 bands that I can mount off the side of my 80 ft. tower. (Off the side, because there is no way I can climb to the top anymore!) I'm not concerned with the gain, I just want something better than the rubber duck. Any product and mounting recommendations?

--
Bob D. ND9B

From 605711200510193217
X-Google-Thread: 108122,bf4cab9b086a041d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread05.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for simple antenna solution
References: <1aydnQmOkJ2P5wjZnZ2dnUVZ_sCdnZ2d@insightbb.com>
In-Reply-To: <1aydnQmOkJ2P5wjZnZ2dnUVZ_sCdnZ2d@insightbb.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 34
Message-ID: <WLflg.6632$FR1.2763@dukeread05>
Date: Sun, 18 Jun 2006 13:08:20 -0400
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1150650486 24.254.177.70 (Sun, 18 Jun 2006 13:08:06 EDT)

NNTP-Posting-Date: Sun, 18 Jun 2006 13:08:06 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4803

Bob D. wrote:

> After years off the air, I'm ready to get back on. I want to keep it simple
> though. I picked up a 6m/2m/440 Yaesu VX-7 HT at Dayton and I plan to use it
> for both base and mobile. I want an antenna that covers these 3 bands that I
> can mount off the side of my 80 ft. tower. (Off the side, because there is
> no way I can climb to the top anymore!) I'm not concerned with the gain, I
> just want something better than the rubber duck. Any product and mounting
> recommendations?
>

There are some tri-band mobile antennas out there. You may try some
variation of what I am using on my car.

I have a 1995 Ford Explorer and my radio is a Standard C5900 (6m,2m,70cm
bands). I use a diplexer that cuts off at around 100mhz. I take the
low (50mhz) feedline and run it to a quarter wave whip on my fender. I
removed the factory AM/FM antenna and replaced it with the 6mtr whip. I
then take the "high side" of the diplexer and run it to a Larsen
2m/70cm roof mount antenna on an NMO mount.

The 2m/70cm antenna I usually use is a low profile cellular look-a-like,
about 18" high and mounts on a standard NMO. I can easily replace this
antenna with one of the taller Larsen dual band antennas if I figure I
may need it.

Also, I have a splitter manufactured by Antenna Specialist that allows
me to use my AM/FM radio off the 50mhz antenna without damage to the
reciever.

Andy
WD4KDN

From -6514481354038437221
X-Google-Thread: 108122,8ce4fcedeebe78c7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.astraweb.com!
router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-sjc-07!sn-post-02!
sn-post-sjc-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Luking for Azden pcs2000 Mike cable
Date: Sun, 18 Jun 2006 10:21:34 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0606181020010.9082@malasada.lava.net>

MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news2.google.com rec.radio.amateur.equipment:4804

Anybody out there that has a 12 pin mike cable for the old pcs3000 azden, I need one. Name your price. Those 12 piners are extremely difficult to find.
Joe

```
*********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
*********************************************************
```

From -5119805748908369392
X-Google-Thread: 108122,e3130f1a8aabb153,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!atl-c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2JwePad3q3i2!not-for-mail
From: "Craig" <caheaton@netzero.net>
Newsgroups: rec.radio.amateur.equipment
Subject: electronic keyer as tuning pulser
Date: Sun, 18 Jun 2006 16:56:43 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Message-ID: <88af8$4495be01$4831d174$1196@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 11
X-Trace: 88af84495be01ed9474d101196
Xref: g2news2.google.com rec.radio.amateur.equipment:4805

Hello,
I recently purchased my first HF amp at a local hamfest and am planning on babying the tube (it uses the expensive and rare 8873). I would like to pulse my keying. I see that Ameritron sells one, but could the same result be had by sending a string of dits with my electronic keyer at around 50 or 60 wpm? Any other tips on how to baby this tube? The amp is a Heathkit SB-230. Would it be a good idea to set a muffin fan on top of this amp to suck air out of the cabinet to improve the cooling of the tube?
Craig KB8FGC

```
From -7270038519287870599
X-Google-Thread: 108122,8ce4fcedeebe78c7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luking for Azden pcs2000 Mike cable
Date: Sun, 18 Jun 2006 16:43:41 -0500
Lines: 25
Message-ID: <4495C90D.7050205@sbcglobal.net>
References: <Pine.BSI.4.61.0606181020010.9082@malasada.lava.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net Td5bzLOhwR62Wx4ZeOKakAlfLOGSphylMebKJzW6vNf/lf9MCF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <Pine.BSI.4.61.0606181020010.9082@malasada.lava.net>
Xref: g2news2.google.com rec.radio.amateur.equipment:4806

Joseph Fenn wrote:
> Anybody out there that has a 12 pin mike cable for the old pcs3000
> azden, I need one.  Name your price.  Those 12 piners are extremely
> difficult to find.
>                       Joe
>
>
> **********************************************************
> * Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
> * Army MARS PRECEDED by AARS (Army Amateur Radio System) * *       Hi
> State ARMY MARS COORDINATOR                   *
> **********************************************************
>

Replace it with this connector set, and roll your own ...

Panel mount:
http://www.alliedelec.com/Search/ProductDetail.asp?
SKU=246-7378&SEARCH=connector&ID=&MPN=C091-31W012-200-2&DESC=C091-31W012-200-2

Microphone cable:
http://www.alliedelec.com/Search/ProductDetail.asp?
SKU=742-3063&SEARCH=connector&ID=&MPN=0331+12&DESC=0331+12

All you need is the pin out/schematic....

Bob N9LVU
```

From -1743700687559687733
X-Google-Thread: 108122,bf4cab9b086a041d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1aydnQmOkJ2P5wjZnZ2dnUVZ_sCdnZ2d@insightbb.com>
Subject: Re: Looking for simple antenna solution
Lines: 16
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <tkklg.106715$ii4.21600@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 18 Jun 2006 22:20:09 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4807

Bob D. wrote:
> After years off the air, I'm ready to get back on. I want to keep it
> simple though. I picked up a 6m/2m/440 Yaesu VX-7 HT at Dayton and I
> plan to use it for both base and mobile. I want an antenna that
> covers these 3 bands that I can mount off the side of my 80 ft.
> tower. (Off the side, because there is no way I can climb to the top
> anymore!) I'm not concerned with the gain, I just want something
> better than the rubber duck. Any product and mounting recommendations?

Comet GP-15
http://www.eham.net/reviews/detail/383

Side mount
http://www.mgs4u.com/IDC-Technology-sidearms.htm

From 295238545960333543
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!

border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Mon, 19 Jun 2006 08:11:01 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET> <1149441418.531073.162560@j55g2000cwa.googlegroups.com> <b746f$448572ad$d06640f9$22084@FUSE.NET> <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
In-Reply-To: <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <9937b$44969457$d06640f9$14348@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 23
X-Trace: 9937b4496945775c3e55c14348
Xref: g2news2.google.com rec.radio.amateur.antenna:13219 rec.radio.amateur.equipment:4808 rec.radio.amateur.misc:14829 rec.radio.amateur.policy:30298 rec.radio.shortwave:40310

Not quite. Testing on rules, regulations and technical knowledge is a bit different than testing on one specific mode of communication. I use CW, but considered the continued archaic CW testing requirement to be silly and outdated. It should have been dropped 30 years ago.

We give driving tests on the ability to drive the car and follow the regulations. We don't test on the proper operation of a buggy whip or care and feeding of horses. While people still enjoy riding horses and driving around in buggies, they do this of their own free will and no one is forcing it on them through a testing process to get a driver's license. The horse as a general means of transportation is over. We have evolved beyond that, but people still ride horses for fun and enjoyment and the government does have to force it on individuals just in case we ever have to go back to using horses for transportation in an extreme emergency.

Cecil Moore wrote:
> J. D. B. wrote:
>> That is a very good point that I never considered. In thinking about
>> it, it makes perfect sense. "Mode Welfare" - too funny.
>
> You could also consider the written exams to be technical
> knowledge welfare and rules and regulations welfare.

From 6159340901273062620
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-
sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
 communicatewith other.
Date: Mon, 19 Jun 2006 08:15:21 -0400
Organization: The Listener at The Gates of Dawn
Message-ID: <44969559.30D72920@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.antenna:13220
rec.radio.amateur.equipment:4809 rec.radio.amateur.misc:14831
rec.radio.amateur.policy:30300

"J. D. B." wrote:

> Not quite. Testing on rules, regulations and technical knowledge is a
> bit different than testing on one specific mode of communication. I use
> CW, but considered the continued archaic CW testing requirement to be
> silly and outdated. It should have been dropped 30 years ago.

Anybody who can't pass the minimal 5 WPM doesn't deserve a license.

dxAce
Michigan
USA

```
From -2873496602811073872
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 19 Jun 2006 07:39:04 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1150727944.590467.294720@c74g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
NNTP-Posting-Host: 66.82.9.56
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150727950 20154 127.0.0.1 (19 Jun 2006 14:39:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Jun 2006 14:39:10 +0000 (UTC)
In-Reply-To: <44969559.30D72920@milestones.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=66.82.9.56;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:13237
rec.radio.amateur.equipment:4810 rec.radio.amateur.misc:14877
rec.radio.amateur.policy:30351
```

dxAce wrote:
> "J. D. B." wrote:
>
> > Not quite. Testing on rules, regulations and technical knowledge is a
> > bit different than testing on one specific mode of communication. I use
> > CW, but considered the continued archaic CW testing requirement to be
> > silly and outdated. It should have been dropped 30 years ago.

>
> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.

why?

and it isn't a matter f "deserving" alicense at all is about meeting
the legal mandaable requirement and now absent the treaty the code
fails to make the standards of law and the FCC knows even if you don't

>
> dxAce
> Michigan
> USA

```
From -5628736099224671481
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Mon, 19 Jun 2006 10:12:21 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 36
Message-ID: <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 19 Jun 2006 10:13:25 CDT
X-Trace:
DXC=BjFCPMkjF2CnEBeZAGh9fMbQ9W<K20`3BO6Gh9bA988NLnnfWl7H5EMLmeAk]VL8JA[@>[DX7nG0JK
^Ha3d4GR9MnDL4IEUX\GD
Xref: g2news2.google.com rec.radio.amateur.antenna:13240
rec.radio.amateur.equipment:4811 rec.radio.amateur.misc:14879
rec.radio.amateur.policy:30353
```

```
"an old freind" <kb9rqz-ars@hotmail.com> wrote in message
news:1150727944.590467.294720@c74g2000cwc.googlegroups.com...
>
> dxAce wrote:
> > "J. D. B." wrote:
> >
> > > Not quite. Testing on rules, regulations and technical knowledge is a
> > > bit different than testing on one specific mode of communication. I
use
> > > CW, but considered the continued archaic CW testing requirement to be
> > > silly and outdated.  It should have been dropped 30 years ago.
> >
> > Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
> why?
>
> and it isn't a matter f "deserving" alicense at all is about meeting
> the legal mandaable requirement and now absent the treaty the code
> fails to make the standards of law and the FCC knows even if you don't
> >
> > dxAce
> > Michigan
> > USA
>

5 WPM is easy.  esp if you use Farnsworth.

i'm at 18 WPM, and i can copy contest exchanges at 30 WPM.  i haven't made a
CW QSO in 10 years!

i think the code requirement should be 13 WPM plus for the upper classes.
keeps the riff raff out.

Gravity





From -21600059235770045222
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 19 Jun 2006 08:30:18 -0700
```

```
Organization: http://groups.google.com
Lines: 49
Message-ID: <1150731017.963703.270120@f6g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <1150727944.590467.294720@c74g2000cwc.googlegroups.com>
   <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
NNTP-Posting-Host: 66.82.9.56
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150731023 14755 127.0.0.1 (19 Jun 2006 15:30:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Jun 2006 15:30:23 +0000 (UTC)
In-Reply-To: <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=66.82.9.56;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:13245
rec.radio.amateur.equipment:4812 rec.radio.amateur.misc:14880
rec.radio.amateur.policy:30354
```

gravity wrote:

> "an old freind" <kb9rqz-ars@hotmail.com> wrote in message
> news:1150727944.590467.294720@c74g2000cwc.googlegroups.com...
>
> > and it isn't a matter f "deserving" alicense at all is about meeting
> > the legal mandaable requirement and now absent the treaty the code
> > fails to make the standards of law and the FCC knows even if you don't
> > >
> > > dxAce
> > > Michigan
> > > USA
> >
>
> 5 WPM is easy. esp if you use Farnsworth.

easy for you

not for me

I spent 5 years in my teens taking a test every couple of weeks towrds
the end. I did get so I might pass either the sending or receiving on a
given day but never both

guess from that data I suspect isf I had the time and schedule I could mange to pass a receiving or better still a sending test in roughly a year bt I don't my schedule leaves very busy eroids and very slow eriods

but all this is beside the point
nothing in the treaty give the USA the requirement to make such a test and nothing in the consitiotn reglates the matter so the power to use hf specturm is resvresed byt eh 10th amend to the states or the people themselves (para the constitition

unless the power to impose a code test can be shown to exist in other section such preahps shwoing that it is "nessacary and proper" an arguement that could have been made say when the miltary needed to warn us of freqs they were suing in cw or some other argument, the FCC and th congress lack the legeal power to maintain the test if challanged, an expensive and unpleasent task

> i think the code requirement should be 13 WPM plus for the upper classes.
> keeps the riff raff out.

but it did not keep the riffraf out as the folks listeningt o 80 m have known since long before the last change

>
> Gravity

From 5287313932609860448
X-Google-Thread: 108122,b945c5ee6f76b2ac,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-mail
From: sp600historian@cableone.net
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: Sony ICF-PRO80
Date: 19 Jun 2006 10:46:13 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1150739173.375019.287130@h76g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.92.234.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150739179 20396 127.0.0.1 (19 Jun 2006 17:46:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Jun 2006 17:46:19 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=69.92.234.8;
   posting-account=Lprc8Q0AAAAA0ObzJ2AYafZZiJ3lDlO8

Xref: g2news2.google.com rec.radio.amateur.equipment:4813

Completely rebuilt with new capacitors and all of the Kiwa modifications and upgrades. All documentation is provided.

Look here: http://www.kiwa.com/PRO80.html

It has ALL the accessories that came with it when new, except the Sony wall wart. It has a Radio Shack replacement, original box, manual carrying case, carrying strap, FRQ-80 frequency converter, spare battery pack, tnc to bnc adapter and earphone.

Alignment is on the money and coverage with those not familar with it is 150 khz to 30 mhz. With the FRQ-80 adapter attached, it covers 115.150 mhz to 223.00 mhz.

Works perfectly, looks excellent, well taken care of and not abused.

$250 shipped/insured Continental U. S.

From 3069277599693696089
X-Google-Thread: 108122,ac5baf83d04791e7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-mail
From: sp600historian@cableone.net
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: R-1051B/URR
Date: 19 Jun 2006 10:57:49 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1150739869.256220.76140@f6g2000cwb.googlegroups.com>
NNTP-Posting-Host: 69.92.234.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150739875 22238 127.0.0.1 (19 Jun 2006 17:57:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 19 Jun 2006 17:57:55 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=69.92.234.8;
   posting-account=Lprc8Q0AAAAA0ObzJ2AYafZZiJ3lDlO8
Xref: g2news2.google.com rec.radio.amateur.equipment:4814

Completely rebuilt by the R-1051 shop less than one year ago. Complete with a set of U.S. Navy speakers with volume controls and audio cables with proper audio connectors. Mil-Spec power connector and cord. N coax adapter. This receiver was a complete rebuil;d, including the high

failure frequency standard temperature components with new parts. Works
perfectly, front panel is a 9+, top of case has the normal scratches,
rear panel is dent free, (a rarity).

$300, pick-up only in Gulfport, Ms.

From -7944862489041192117
X-Google-Thread: 108122,c2331a537c203cdb
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-pa1.hpl.hp.com!
news.compaq.com!newsfeed1.sea.pnap.net!newsfeed.pnap.net!motgate2.mot.com!
newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM CIV rig control
Date: Mon, 19 Jun 2006 13:28:22 -0500
Organization: Motorola Applications Directory Team
Lines: 25
Message-ID: <e76qc8$ip8$1@avnika.corp.mot.com>
References: <e73qsf$udu$1@news2.zwoll1.ov.home.nl>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1150741704 19240 173.27.203.217 (19 Jun 2006 18:28:24
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Mon, 19 Jun 2006 18:28:24 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:4815

"jan" <pa2lsb@home.nl> wrote in message
news:e73qsf$udu$1@news2.zwoll1.ov.home.nl...
> I want to read frequency and Smeter from my rig via CIV in Quicbasic 4.5.
> Who can tel me how do do this.
>
> 73
> Jan
> PA2LSB

Jan,
Email me and I can provide some help. One good document is the CI-V
manual from Icom. It has some sample Basic code which I used to improve
mine. I can also send you my Visual Basic (for Applications) code. You
should be able to figure out what you need. If you have Excel 97 or later,
you can use my spreadsheet directly. I posted it on several of the Icom 706
groups. Look for my call (if you join, you can download my file).

```
noskoxstevex@ yahxoo.com

noskoxstevex@Yahxoo.com

Take out the X's





From -6593982046299874565
X-Google-Thread: 108122,8ce4fcedeebe78c7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-
xt-sjc-06!sn-post-02!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Luking for Azden pcs2000 Mike cable
Date: Mon, 19 Jun 2006 09:53:53 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0606190953350.5757@malasada.lava.net>
In-Reply-To: <4495C90D.7050205@sbcglobal.net>
References: <Pine.BSI.4.61.0606181020010.9082@malasada.lava.net>
 <4495C90D.7050205@sbcglobal.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.equipment:4816

Tnx for info.
                  Joe


**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************





From 2577486986269137104
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
```

```
fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <YGKlg.104$lv.41@fed1read12>
Date: Mon, 19 Jun 2006 21:19:04 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1150777144 72.199.97.186 (Tue, 20 Jun 2006 00:19:04 EDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 00:19:04 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13333
rec.radio.amateur.equipment:4817 rec.radio.amateur.misc:14887
rec.radio.amateur.policy:30384
```

"dxAce" <dxAce@milestones.com> wrote in message
news:44969559.30D72920@milestones.com...

>
> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.

That's needlessly insulting.

```
From -2620477691869890485
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
```

rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <IJKlg.105$lv.102@fed1read12>
Date: Mon, 19 Jun 2006 21:22:00 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1150777320 72.199.97.186 (Tue, 20 Jun 2006 00:22:00 EDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 00:22:00 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13334
rec.radio.amateur.equipment:4818 rec.radio.amateur.misc:14888
rec.radio.amateur.policy:30385

"gravity" <gravityzrainbow@yahoo.com> wrote in message news:4496bf14$0$14238

> 5 WPM is easy.

Nonsense.

Tell us you can do it --- tell us your mangy hound dog can do it, but steer clear of the blanket statements. It isn't easy to one who can't do it.

From 5326418461006232829
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r2g2000cwb.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r

```
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 19 Jun 2006 21:34:43 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1150778083.421289.285200@r2g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <YGKlg.104$lv.41@fed1read12>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150778088 13027 127.0.0.1 (20 Jun 2006 04:34:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 04:34:48 +0000 (UTC)
In-Reply-To: <YGKlg.104$lv.41@fed1read12>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r2g2000cwb.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:13335
rec.radio.amateur.equipment:4819 rec.radio.amateur.misc:14889
rec.radio.amateur.policy:30386


Sal M. Onella wrote:
> "dxAce" <dxAce@milestones.com> wrote in message
> news:44969559.30D72920@milestones.com...
>
> >
> > Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
>
> That's needlessly insulting.
well the is DX ace for you never be just rude whenyou can be insulting




From 7781049177031083798
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 20 Jun 2006 06:36:43 -0500
Date: Tue, 20 Jun 2006 07:36:45 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>
In-Reply-To: <IJKlg.105$lv.102@fed1read12>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
Lines: 43
NNTP-Posting-Host: 24.62.153.74
X-Trace:
sv3-5DvYs1qDZ5+fPpqyxn0ng8Bcc61RAeg4AGspuof0hfLyRC0VvFbVTb4L2PpV001wBsbt21XCFRnihE
Y!OO498QnRHMif0qv2FtUMSzNtnPf1aPYW9FC2E2kuHWYbbaRgvjt9MYo32B+o55DVsp3fF1meo/W0!
GDq4NLCmxMeUBHTwAjg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13343
rec.radio.amateur.equipment:4820 rec.radio.amateur.misc:14893
rec.radio.amateur.policy:30394

5 WPM is do-able! My 4 1/2 year granddaughter copies 5 wpm! Her 10 year old brother, who learned it in Cub Scouts, taught her. And, she can't even spell yet! But, she knows the alphabet from watching TV.

Some people have DIFFICULTY learning Morse Code, real difficulty!

I have taught Morse Code off and on for 40 years and from total ignorance to 100% success in 8 hours, 2 hours a week for 4 weeks [plus a little home practice. It is practice [work] that makes it successful.]

Some people can learn the code but suffer from "TEST STRESS". They can copy it comfortably in their home or their surroundings; but, when they have to demonstrate that skill in front of a 'WITNESS' who has pass/fail power, they tense up and fail. That's understandable and can be worked with.

Some people are dyslexic. But, they can hear it and talk it out, but can't get it on paper. But, they learned the code.

If you can learn the english alphabet, if you can learn the english language, if you can read this email then you CAN LEARN Morse Code at 5 WPM. You may never progress to 20 wpm [It took me 24 months at 1 hour of practice a day every day to progress from 5 to 20 wpm] but 5 wpm can be learned.

Teaching methods, practice criteria and testing/verification methods become critical for those with difficulty.

/s/ DD, W1MCE

Sal M. Onella wrote:

> "gravity" <gravityzrainbow@yahoo.com> wrote in message news:4496bf14$0$14238
>
>
>>5 WPM is easy.
>
>
> Nonsense.
>
> Tell us you can do it --- tell us your mangy hound dog can do it, but steer
> clear of the blanket statements. It isn't easy to one who can't do it.
>
>

From -2096384781492985116
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 20 Jun 2006 06:42:00 -0500
Date: Tue, 20 Jun 2006 07:42:03 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en

MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12> <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
In-Reply-To: <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <hJadnTUU2tGVQgrZnZ2dnUVZ_q6dnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 24.62.153.74
X-Trace:
sv3-1WpGD6OQp0eQt7Dme+UrvXu5jTk2RC9uiZTYHkI1Lqg0+HMh7/8gq7SV9fhsKHAQTrfUgDBePAK0tK8!EVh0rDqoFSZKbrC7RVEoPz3sUkCC0augH+doh/Npf9joUI5/eEzqA0cPCQH0mJ44Q7QSJoszXUY9!luDiGKzrcPjGBSFeRp8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13344
rec.radio.amateur.equipment:4821 rec.radio.amateur.misc:14895
rec.radio.amateur.policy:30396

I'll top post again for brevity and getting to the point.

I like CW! It is most likely going away as a requirement. I'm sad at this.

Amateur radio will change as a result. Everything changes. Hopefully the changes will be positive.

Dave wrote:

> 5 WPM is do-able! My 4 1/2 year granddaughter copies 5 wpm! Her 10 year
> old brother, who learned it in Cub Scouts, taught her. And, she can't
> even spell yet! But, she knows the alphabet from watching TV.
>
> Some people have DIFFICULTY learning Morse Code, real difficulty!

MAJOR SNIPPING from here down.

```
From 5891944909999467060
X-Google-Thread: 108122,5c7ad4b819f0ca85,start
X-Google-Thread: 1109af,5c7ad4b819f0ca85,start
X-Google-Thread: 108228,5c7ad4b819f0ca85,start
X-Google-Attributes: gid108122,gid1109af,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r2g2000cwb.googlegroups.com!not-for-
mail
From: "K4GPB" <GaryK4GPB@gmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace
Subject: FA: Kenwood AT-230, TS-520S, TS-830S + FREE U.S. Shipping
Date: 20 Jun 2006 04:50:15 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1150804214.947249.46670@r2g2000cwb.googlegroups.com>
NNTP-Posting-Host: 209.34.224.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150804218 17552 127.0.0.1 (20 Jun 2006 11:50:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 11:50:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r2g2000cwb.googlegroups.com; posting-host=209.34.224.27;
   posting-account=06In1w0AAAC49kGU0rlSr2j6rMeXKkL4
Xref: g2news2.google.com rec.radio.amateur.equipment:4822 rec.radio.swap:4712
alt.ham-radio.marketplace:1045

Kenwood TS-520S + MC-50 Desk Mic - FREE U.S. Shipping!!
Own a Rugged Kenwood HF Rig Classic!
Item number: 9744467043
Photos: http://home.nc.rr.com/gpbrown/TS-520S--MC-50/

Kenwood TS-830S & MC-50 Desk Mic - FREE U.S. SHIPPING!!
Rare Gold Emblem & Original Operator & Service Manuals
Item number: 9744473390
Photos: http://home.nc.rr.com/gpbrown/TS-830S--MC-50/

Kenwood AT-230 Antenna Tuner - FREE SHIPPING!!!!
Feature-Loaded Tuner in Original Kenwood Carton
Item number: 9744479784
Photos: http://home.nc.rr.com/gpbrown/K4GPB-AT-230/AT-230/

Gary
K4GPB



From -2207104209965169206
```

```
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 20 Jun 2006 05:34:21 -0700
Organization: http://groups.google.com
Lines: 41
Message-ID: <1150806861.808156.273640@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <1150727944.590467.294720@c74g2000cwc.googlegroups.com>
   <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
   <IJKlg.105$lv.102@fed1read12>
   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150806867 14817 127.0.0.1 (20 Jun 2006 12:34:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 12:34:27 +0000 (UTC)
In-Reply-To: <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:13349
rec.radio.amateur.equipment:4823 rec.radio.amateur.misc:14899
rec.radio.amateur.policy:30404
```

Dave wrote:

> 5 WPM is do-able! My 4 1/2 year granddaughter copies 5 wpm! Her 10 year old
> brother, who learned it in Cub Scouts, taught her. And, she can't even spell
> yet! But, she knows the alphabet from watching TV.
>

> Some people have DIFFICULTY learning Morse Code, real difficulty!
>
> I have taught Morse Code off and on for 40 years and from total ignorance to
> 100% success in 8 hours, 2 hours a week for 4 weeks [plus a little home
> practice. It is practice [work] that makes it successful.]

bullsshit or I'd would have a noivice license rough 3 decades ago
>
> Some people can learn the code but suffer from "TEST STRESS". They can copy it
> comfortably in their home or their surroundings; but, when they have to
> demonstrate that skill in front of a 'WITNESS' who has pass/fail power, they
> tense up and fail. That's understandable and can be worked with.

never could do it alone with any reliablity either
>
> Some people are dyslexic. But, they can hear it and talk it out, but can't get
> it on paper. But, they learned the code.

some dyslexics can true
>
> If you can learn the english alphabet, if you can learn the english language, if
> you can read this email then you CAN LEARN Morse Code at 5 WPM. You may never
> progress to 20 wpm [It took me 24 months at 1 hour of practice a day every day
> to progress from 5 to 20 wpm] but 5 wpm can be learned.

shove you insistance that you can speak for eveyone where the sun don't
shine
>
> Teaching methods, practice criteria and testing/verification methods become
> critical for those with difficulty.

indeed as do factors like random chance
>
> /s/ DD, W1MCE

now even if you are right why should somebody be made to take this test
after Icould endure 10 lashes in a public sqare too (and thatwould
certainly be easier)

```
From -7942870786608133536
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Tue, 20 Jun 2006 08:01:55 -0500
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
```

communicatewith other.
Date: Tue, 20 Jun 2006 09:01:55 -0400
Reply-To: pltrgyst@spamlessxhost.org
Message-ID: <p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12>
X-Newsreader: Forte Agent 2.0/32.646
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
X-Trace: sv3-
amkTfXZ2H5pPmLF1XYYR2exF0baOQ9xJgTS3Xz6LSbhIArWurpVEouGO9LZ6vr6kMhMYa+mAOPh7mYs!
3Du/BDiuGx2C2n5/MeEI+IwQBb+luUMZyGwbDN8dNs7NFIzKRke42KYyHXwCPkp4z2qT
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13351
rec.radio.amateur.equipment:4824 rec.radio.amateur.misc:14912
rec.radio.amateur.policy:30416

On Mon, 19 Jun 2006 21:19:04 -0700, "Sal M. Onella"
<salmonella@food.poisoning.org> wrote:

>> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
>
>That's needlessly insulting.

No, it's a statement of historic fact, as determined by the licensing authorities. But it's incorrct -- anyone who can't copy 5 wpm deserves a license, but it's Citizen's Band.

A further valid statement would be that anyone with an IQ approaching 100 can learn to copy 5 wpm. That's less than one character every two seconds, which gives tons of time to recognize and write the single character before the next one begins. Dyslexia cannot apply, unless it is dyslexia that affects the remembered dot/dash pattern of a single character.

-- Larry

From -7342119695275658954
X-Google-Thread: fcc6e,9f8932f7d11ff1c

X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com>
In-Reply-To: <p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <UFSlg.101109$H71.45459@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 70.134.206.168
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1150809844 ST000 70.134.206.168 (Tue, 20 Jun
2006 09:24:04 EDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 09:24:04 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSGWUSOQBPSCFD[LZKJOPHAWB\^PBQLGPQRJRQIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Tue, 20 Jun 2006 13:24:04 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13356
rec.radio.amateur.equipment:4825 rec.radio.amateur.misc:14929
rec.radio.amateur.policy:30433

pltrgyst wrote:
> No, it's a statement of historic fact, as determined by the licensing
> authorities. But it's incorrct -- anyone who can't copy 5 wpm deserves a
> license, but it's Citizen's Band.

Are you saying that hundreds of thousands of no-code
techs didn't deserve an amateur radio license?
--

73, Cecil http://www.qsl.net/w5dxp

```
From -3032848068788330729
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!r2g2000cwb.googlegroups.com!not-for-
mail
From: kb9rqz_child_molester@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 20 Jun 2006 06:25:24 -0700
Organization: http://groups.google.com
Lines: 45
Message-ID: <1150809924.627366.210800@r2g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <1150727944.590467.294720@c74g2000cwc.googlegroups.com>
   <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
   <IJKlg.105$lv.102@fed1read12>
   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
   <1150806861.808156.273640@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 65.54.154.16
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150809928 23512 127.0.0.1 (20 Jun 2006 13:25:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 13:25:28 +0000 (UTC)
In-Reply-To: <1150806861.808156.273640@u72g2000cwu.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: r2g2000cwb.googlegroups.com; posting-host=65.54.154.16;
   posting-account=A588jg0AAACHV3aEw3C4BXVkJv4LSKWp
Xref: g2news2.google.com rec.radio.amateur.antenna:13357
rec.radio.amateur.equipment:4826 rec.radio.amateur.misc:14930
rec.radio.amateur.policy:30434
```

an_old_friend wrote:
> Dave wrote:
> > 5 WPM is do-able! My 4 1/2 year granddaughter copies 5 wpm! Her 10 year old
> > brother, who learned it in Cub Scouts, taught her. And, she can't even spell
> > yet! But, she knows the alphabet from watching TV.
> >
> > Some people have DIFFICULTY learning Morse Code, real difficulty!
> >
> > I have taught Morse Code off and on for 40 years and from total ignorance to
> > 100% success in 8 hours, 2 hours a week for 4 weeks [plus a little home
> > practice. It is practice [work] that makes it successful.]
>
> bullsshit or I'd would have a noivice license rough 3 decades ago
> >
> > Some people can learn the code but suffer from "TEST STRESS". They can copy it
> > comfortably in their home or their surroundings; but, when they have to
> > demonstrate that skill in front of a 'WITNESS' who has pass/fail power, they
> > tense up and fail. That's understandable and can be worked with.
>
> never could do it alone with any reliablity either
> >
> > Some people are dyslexic. But, they can hear it and talk it out, but can't get
> > it on paper. But, they learned the code.
> some dyslexics can true
> >
> > If you can learn the english alphabet, if you can learn the english language,
if
> > you can read this email then you CAN LEARN Morse Code at 5 WPM. You may never
> > progress to 20 wpm [It took me 24 months at 1 hour of practice a day every day
> > to progress from 5 to 20 wpm] but 5 wpm can be learned.
> shove you insistance that you can speak for eveyone where the sun don't
> shine
> >
> > Teaching methods, practice criteria and testing/verification methods become
> > critical for those with difficulty.
> indeed as do factors like random chance
> >
> > /s/ DD, W1MCE
> now even if you are right why should somebody be made to take this test
> after Icould endure 10 lashes in a public sqare too (and thatwould
> certainly be easier)

Poor Markie, so bitter that kids can pass morse code tests and he is
too stupid to pass one.

```
From 7225731650876515630
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Tue, 20 Jun 2006 08:38:34 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 18
Message-ID: <4497fa98$0$5227$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 20 Jun 2006 08:39:37 CDT
X-Trace:
DXC=U7OHkVcA=;EEmkid4a1nMCbQ9W<K20`3BO6Gh9bA988N1fEO::E62^A:IGm7njK68I1IAjOY3VCTKbMK]R`g^6_@oH\;b@K?@UJ
Xref: g2news2.google.com rec.radio.amateur.antenna:13361
rec.radio.amateur.equipment:4827 rec.radio.amateur.misc:14932
rec.radio.amateur.policy:30436

jesus, let's just do away with the written test *and* the CW test. let's just open the doors to anyone. we'll set up a webpage at the ARRL site, and you'll just point and click. it will be as easy as becoming a Reverend.

you could license your dog, a terrorist, anyone.

honestly, i am very glad there are minimum requirements. this keeps out people who are not serious about the hobby. people who don't know what they are doing should not be transmitting (esp on HF).

this whole CW debate is what we call the dumbing down of America.

i mean we have minimum standards for driving in America or becoming a citizen, why is ham radio so different?

Gravity

From -2862478402458562786
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12> <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<hJadnTUU2tGVQgrZnZ2dnUVZ_q6dnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Tue, 20 Jun 2006 08:40:14 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 30
Message-ID: <4497fafc$0$5227$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 20 Jun 2006 08:41:17 CDT
X-Trace:
DXC=YG@<<m0if9OEmkid4a1nMCbQ9W<K20`3BO6Gh9bA988N1fEO::E62^A:IGm7njK68I1IAjOY3VCTKbMK]R`g^6_@FQ^gPh<D=XA
Xref: g2news2.google.com rec.radio.amateur.antenna:13362
rec.radio.amateur.equipment:4828 rec.radio.amateur.misc:14933
rec.radio.amateur.policy:30437

"Dave" <W1MCE@comcast.net> wrote in message
news:hJadnTUU2tGVQgrZnZ2dnUVZ_q6dnZ2d@comcast.com...
> I'll top post again for brevity and getting to the point.
>
> I like CW! It is most likely going away as a requirement. I'm sad at this.
>
> Amateur radio will change as a result. Everything changes. Hopefully the
changes
> will be positive.

>

i have an idea. get rid of the CW and triple the difficulty of the written test. there is certain element of society, which needs to be kept out of the HF spectrum.

Gravity

> Dave wrote:
>
> > 5 WPM is do-able! My 4 1/2 year granddaughter copies 5 wpm! Her 10 year
> > old brother, who learned it in Cub Scouts, taught her. And, she can't
> > even spell yet! But, she knows the alphabet from watching TV.
> >
> > Some people have DIFFICULTY learning Morse Code, real difficulty!
>
> MAJOR SNIPPING from here down.
>

From -3989962122199214174
X-Google-Thread: 108122,6263806f36e579ea,start
X-Google-Thread: fc8b1,6263806f36e579ea,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: MATCHED SET(3) SYLVANIA NOS 6JB6 TUBES for DRAKE TR-4C
Date: 20 Jun 2006 06:57:49 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1150811869.019105.25790@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150811875 6052 127.0.0.1 (20 Jun 2006 13:57:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 13:57:55 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4829 rec.radio.amateur.boatanchors:4406

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=9742624756&ssPageName=STRK:MESE:IT

```
From -1603413484200420137
X-Google-Thread: 108122,4418dd60fed8ef27,start
X-Google-Thread: fc8b1,4418dd60fed8ef27,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: Cheep>EIMAC NOS 3-400Z 8163 RF OUTPUT AMPLIFIER TUBE>Drake:-)
Date: 20 Jun 2006 06:59:17 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1150811957.574143.83480@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150811962 29216 127.0.0.1 (20 Jun 2006 13:59:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 13:59:22 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4830
rec.radio.amateur.boatanchors:4407

@ A big $60!
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9742624790&ssPageName=STRK:MESE:IT




From 6734530153720729294
X-Google-Thread: 108122,a2ad51d9777ca767,start
X-Google-Thread: fc8b1,a2ad51d9777ca767,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: SEVEN(7) CERAMIC ADJUSTABLE IF COILS, HAM-BANDS GPR-90,
Date: 20 Jun 2006 07:00:26 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1150812026.231831.311430@c74g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150812030 29656 127.0.0.1 (20 Jun 2006 14:00:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 14:00:30 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4831
rec.radio.amateur.boatanchors:4408

@ A big $10
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9742624645&ssPageName=STRK:MESE:IT




From -3533311974131225874
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<4497fa98$0$5227$892e7fe2@authen.yellow.readfreenews.net>
In-Reply-To: <4497fa98$0$5227$892e7fe2@authen.yellow.readfreenews.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
```

Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <KcTlg.101118$H71.46281@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 70.134.206.168
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1150812074 ST000 70.134.206.168 (Tue, 20 Jun 2006 10:01:14 EDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 10:01:14 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@OXSYGTHZ^BCBNWX@RJ_XPDLMN@GZ_GYO^ZUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFNTINTDDMVW[X\THOPXZRVOCJTUTPC_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Tue, 20 Jun 2006 14:01:14 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13367 rec.radio.amateur.equipment:4832 rec.radio.amateur.misc:14940 rec.radio.amateur.policy:30444

gravity wrote:
> i mean we have minimum standards for driving in America or becoming a
> citizen, why is ham radio so different?

When I got my driver's license in 1952, the driving test
was required to be taken on a stick shift vehicle. Do
you think that should still be a requirement?
--
73, Cecil http://www.qsl.net/w5dxp

From 510565377754909065
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!newssvr13.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>

```
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12> <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<hJadnTUU2tGVQgrZnZ2dnUVZ_q6dnZ2d@comcast.com>
<4497fafc$0$5227$892e7fe2@authen.yellow.readfreenews.net>
In-Reply-To: <4497fafc$0$5227$892e7fe2@authen.yellow.readfreenews.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <yeTlg.101120$H71.85972@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 70.134.206.168
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1150812190 ST000 70.134.206.168 (Tue, 20 Jun
2006 10:03:10 EDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 10:03:10 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@OXSYGTHZ^BCBNWX@RJ_XPDLMN@GZ_GYO^ZUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Tue, 20 Jun 2006 14:03:10 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13368
rec.radio.amateur.equipment:4833 rec.radio.amateur.misc:14943
rec.radio.amateur.policy:30447
```

gravity wrote:
> i have an idea. get rid of the CW and triple the difficulty of the written
> test. there is certain element of society, which needs to be kept out of
> the HF spectrum.

How about just requiring a scientific/technical
degree from an accredited university?
--
73, Cecil http://www.qsl.net/w5dxp

```
From 4165290372789888603
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 20 Jun 2006 09:38:46 -0500
Date: Tue, 20 Jun 2006 10:38:49 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
```

```
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
In-Reply-To: <1150809924.627366.210800@r2g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
Lines: 52
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-9HVV29GGXAG0w/
QDqrw3AQGMyJoJcqWHgmJ5W19wcmGBUhEhiapL2YZvoteS6ehQYteBtAPg6K/c8v9!
IrZm8lIDXgRC1BdLtjvcpgwUSEDGOc2++5RzeKsV5ytOtDRS88uXRr3oIkDzCg/5pGKbSFY3+h1n!
VvOpwRlXIJFa31Km4og=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13372
rec.radio.amateur.equipment:4834 rec.radio.amateur.misc:14959
rec.radio.amateur.policy:30463
```

SNIPPED

>
> Poor Markie, so bitter that kids can pass morse code tests and he is
> too stupid to pass one.
>

NO! Don't label another person! It is wrong to label! Particularly when you do not know any of his/her life's circumstances.

I said some people have difficulty learning or learning one particular subject.

It is reported that Albert Einstein had difficulty learning Calculus. The man was a Physics genius but needed help with advanced math.

I hold a degree in engineering and have completed four years of seminary, but I have not been able to learn conversational SPANISH. [About two years after ordination the Cardinal requested that I learn Spanish at the seminary . After two months the instructor approved my withdrawal from the class. I could learn vocabulary, how to read, write and the grammar for spanish, but my ear does not hear spanish. Total immersion in a Spanish speaking community would be the way for me to learn.]

I still say, anyone who can learn an/the alphabet can learn Morse Code. For those with difficulty, the solution to the issue is teaching METHODs not the student's difficulty. Any alphabet is recognizing sound patterns. Words are simply combinations of sound patterns.

For 'an_old_friend' I would begin by teaching an alphabet of SOUND PATTERNS. No requirement for speed. Just focus on sound patterns. Keep it very simple. Each two hour lesson would focus on no more than 7 letters until well heard. Then move to SOUND PATTERNS that are close to or similar to those [s]he has learned and is mastering. [Example: learn the sound patterns for 'A', 'W', and 'J' repeat until they are instantly recognized. Then move on to 'N' 'D', 'B', etc. Don't count 'dots' or 'dashes' but hear sound patterns.]

The next two hour session, one week later, would begin with a review then add 'T, M, O' followed by 'E, I, S, H'. Drill sound patterns. Then end the session by sending simple words using the 1/2 of the alphabet that has been studied. Speed is NOT a requirement! Accuracy is! If Farnsworth timing at 18 wpm is a roadblock, then change practice timing to 13 wpm or 10 wpm or 7 1/2 wpm or 5 wpm or 3 wpm. SPEED is NOT a REQUIREMENT! Accuracy is!

The next two weeks complete the alphabet. Week five would include the numbers and common punctuation. [5 sound character patterns and 6 sound character patterns].

Having said all this, my defense of CW is not any legal requirement. It is simply the best way to work rare DX. Much less power required. Much less bandwidth required. Much more discernible [copyable] in a pile. And, it is fun!

/s/ DD, W1MCE

```
From 3387870779901365544
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!news-out.octanews.net!indigo.octanews.net!
authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
```

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Tue, 20 Jun 2006 09:50:43 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 25
Message-ID: <44980b82$0$74023$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 20 Jun 2006 09:51:47 CDT
X-Trace: DXC=\m:=D^afY=aP2aWdlnAM:gbQ9W<K20`3bO6Gh9bA988n3=0\QG7o;
[cLmeAk]VL8Ja[@>[DX7nG0j5_10mQPQ`ed?DEJj]A7IRh
Xref: g2news2.google.com rec.radio.amateur.antenna:13373
rec.radio.amateur.equipment:4835 rec.radio.amateur.misc:14960
rec.radio.amateur.policy:30464

> It is reported that Albert Einstein had difficulty learning Calculus. The man
> was a Physics genius but needed help with advanced math.

it was differential geometry that Einstein was unfamiliar with. when formulating relativity, he realized that he needed tools that he was not familiar with. so he went to a mathematician friend and learned which tools he needed.

please understand this in the context of 1912. differential geometry was fairly new back then, i believe it came from Riemann.

it's possible for some branches of math and physics to be relatively arcane. for instance, de Borges attempted proofs use operator theory. most mathematics students cannot read his papers. in fact, most professional mathematicians can't read them either. the only reason that de Borges proof of Bieberbach became accepted is that it was rewritten by other Europeans.

it's not uncommon for a theoretical physicist to have to learn a new branch of math to solve a problem. for instance, string theorists working on the landscape turned to statistics.

Gravity

```
From 3601921987643472695
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 20 Jun 2006 07:53:48 -0700
Organization: http://groups.google.com
Lines: 51
Message-ID: <1150815227.965866.316460@g10g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <1150727944.590467.294720@c74g2000cwc.googlegroups.com>
   <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
   <IJKlg.105$lv.102@fed1read12>
   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
   <1150806861.808156.273640@u72g2000cwu.googlegroups.com>
   <1150809924.627366.210800@r2g2000cwb.googlegroups.com>
   <fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150815233 6392 127.0.0.1 (20 Jun 2006 14:53:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 14:53:53 +0000 (UTC)
In-Reply-To: <fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=69.19.14.25;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
```

Xref: g2news2.google.com rec.radio.amateur.antenna:13374
rec.radio.amateur.equipment:4836 rec.radio.amateur.misc:14961
rec.radio.amateur.policy:30465

Dave wrote:
> SNIPPED
> >
> > Poor Markie, so bitter that kids can pass morse code tests and he is
> > too stupid to pass one.
> >
>
> NO! Don't label another person! It is wrong to label! Particularly when you do
> not know any of his/her life's circumstances.

Wismen labels everybody except himself of course

> I still say, anyone who can learn an/the alphabet can learn Morse Code. For
> those with difficulty, the solution to the issue is teaching METHODs not the
> student's difficulty. Any alphabet is recognizing sound patterns. Words are
> simply combinations of sound patterns.
>
> For 'an_old_friend' I would begin by teaching an alphabet of SOUND PATTERNS. No
> requirement for speed. Just focus on sound patterns. Keep it very simple. Each
> two hour lesson would focus on no more than 7 letters until well heard. Then
> move to SOUND PATTERNS that are close to or similar to those [s]he has learned
> and is mastering. [Example: learn the sound patterns for 'A', 'W', and 'J'
> repeat until they are instantly recognized. Then move on to 'N' 'D', 'B', etc.
> Don't count 'dots' or 'dashes' but hear sound patterns.]

prehaps you are trying to be helpfull

you are coming off insulting and condesnding
that metodalogy was tried and my ears lose the older set of patterns
in a few day before I get a hold of the next set

> Having said all this, my defense of CW is not any legal requirement. It is
> simply the best way to work rare DX. Much less power required. Much less
> bandwidth required. Much more discernible [copyable] in a pile. And, it is fun!

fun for you the migraine headaches I get listening to any of it is not
fun none enjoys pain on that level

yes I might be ableto learn well enough now with only a receive or
tranmited test (and if I were going to try it would be to send) so I
don't have to listen to it

you have fun with fine go for it
Bear in mind I think Mose and esp the attiudes around are bad for the
ARS but I support your freedom to disagree and even to just do
something I consider nonproducitve just for sheer joy of it

I expect the same however for myself
>

> /s/ DD, W1MCE

From -8494433712943761480
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Tue, 20 Jun 2006 10:02:18 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 22
Message-ID: <44980e39$0$15916$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 20 Jun 2006 10:03:22 CDT
X-Trace: DXC=>m4I[7_<A?QlJcZj<2PD\WbQ9W<K20`3RO6Gh9bA988^kMYimnY;o7TLmeAk]VL8JQ[@>[DX7nG0Z5_10mQPQ`eTID6[KSaBnE^
Xref: g2news2.google.com rec.radio.amateur.antenna:13375 rec.radio.amateur.equipment:4837 rec.radio.amateur.misc:14962 rec.radio.amateur.policy:30466

> It is reported that Albert Einstein had difficulty learning Calculus. The
man
> was a Physics genius but needed help with advanced math.

relativity utilizes tensor calculus, which is a few semesters beyond the basic integral calculus taught to many college students. even today, relativity is viewed as fairly knotty. general relativity really isn't tackled until graduate school.

it's my understanding that Einstein was very good at math. to be a lowly patent clerk and revolutionize physics requires real skill.

what is advanced math? multivariable calculus and ordinary differential equations are viewed as advanced by the general population, however millions of people have learned the basics of these. in contrast, there are papers in number theory that can only be a read by a dozen people on the planet.

it's partially due to our own limitations as humans.

Gravity

```
From -6759787665243177810
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
<1150815227.965866.316460@g10g2000cwb.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Tue, 20 Jun 2006 10:36:56 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 17
Message-ID: <44981657$0$16435$892e7fe2@authen.yellow.readfreenews.net>
```

```
Organization: Read Free News
NNTP-Posting-Date: 20 Jun 2006 10:38:00 CDT
X-Trace:
DXC=DSXHR::;RJ<jcM;^BJ9Io3bQ9W<K20`32O6Gh9bA988>VEm<4JP20B5LmeAk]VL8J1[@>[DX7nG0:5
_10mQPQ`e4Tf@_d`LVL^3
Xref: g2news2.google.com rec.radio.amateur.antenna:13376
rec.radio.amateur.equipment:4838 rec.radio.amateur.misc:14963
rec.radio.amateur.policy:30467
```

> you have fun with fine go for it
> Bear in mind I think Mose and esp the attiudes around are bad for the
> ARS but I support your freedom to disagree and even to just do
> something I consider nonproducitve just for sheer joy of it

nonproductive? yet somehow saying "get help" 1000 times is a valuable use
of time?

Gravity

>
> I expect the same however for myself
> >
> > /s/ DD, W1MCE
>

```
From -7809178062560929710
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y41g2000cwy.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 20 Jun 2006 08:40:54 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1150818054.722344.295600@y41g2000cwy.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <1150727944.590467.294720@c74g2000cwc.googlegroups.com>
   <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
   <IJKlg.105$lv.102@fed1read12>
   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
   <1150806861.808156.273640@u72g2000cwu.googlegroups.com>
   <1150809924.627366.210800@r2g2000cwb.googlegroups.com>
   <fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
   <1150815227.965866.316460@g10g2000cwb.googlegroups.com>
   <44981657$0$16435$892e7fe2@authen.yellow.readfreenews.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150818061 23342 127.0.0.1 (20 Jun 2006 15:41:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 15:41:01 +0000 (UTC)
In-Reply-To: <44981657$0$16435$892e7fe2@authen.yellow.readfreenews.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y41g2000cwy.googlegroups.com; posting-host=69.19.14.25;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:13377
rec.radio.amateur.equipment:4839 rec.radio.amateur.misc:14964
rec.radio.amateur.policy:30468


gravity wrote:
> > you have fun with fine go for it
> > Bear in mind I think Mose and esp the attiudes around are bad for the
> > ARS but I support your freedom to disagree and even to just do
> > something I consider nonproducitve just for sheer joy of it
>
> nonproductive?
yes non productive
>yet somehow saying "get help" 1000 times is a valuable use
> of time?
not in and of itself

but to bury the filth posted about me yes it is and it takes very
little time indeed I have the process almost automated
>
> Gravity




From 3421901987515345414
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
```

```
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: peewee_lloyd_davies@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 20 Jun 2006 11:36:22 -0700
Organization: http://groups.google.com
Lines: 69
Message-ID: <1150828582.305021.130980@i40g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <1150727944.590467.294720@c74g2000cwc.googlegroups.com>
   <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
   <IJKlg.105$lv.102@fed1read12>
   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
   <1150806861.808156.273640@u72g2000cwu.googlegroups.com>
   <1150809924.627366.210800@r2g2000cwb.googlegroups.com>
   <fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
   <1150815227.965866.316460@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 65.54.98.28
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150828587 12253 127.0.0.1 (20 Jun 2006 18:36:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 18:36:27 +0000 (UTC)
In-Reply-To: <1150815227.965866.316460@g10g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=65.54.98.28;
   posting-account=hhK0dQ0AAADty9Zux-UTqaosOMA-iJfP
Xref: g2news2.google.com rec.radio.amateur.antenna:13393
rec.radio.amateur.equipment:4840 rec.radio.amateur.misc:14970
rec.radio.amateur.policy:30480
```

an old freind wrote:

> Dave wrote:
> > SNIPPED
> > >
> > > Poor Markie, so bitter that kids can pass morse code tests and he is

> > > too stupid to pass one.
> > >
> >
> > NO! Don't label another person! It is wrong to label! Particularly when you do
> > not know any of his/her life's circumstances.

It's obvious that Markie is a retard.

> Wismen labels everybody except himself of course

Marky labels everybody Wismen since he is so fucking stupid and sees
Wismen everywhere!

>
> > I still say, anyone who can learn an/the alphabet can learn Morse Code. For
> > those with difficulty, the solution to the issue is teaching METHODs not the
> > student's difficulty. Any alphabet is recognizing sound patterns. Words are
> > simply combinations of sound patterns.

Just look at Markie's posts, He can't learn the alphabet.
He can't post in anything resembling English.

> > For 'an_old_friend' I would begin by teaching an alphabet of SOUND PATTERNS.
No
> > requirement for speed. Just focus on sound patterns. Keep it very simple. Each
> > two hour lesson would focus on no more than 7 letters until well heard. Then
> > move to SOUND PATTERNS that are close to or similar to those [s]he has learned
> > and is mastering. [Example: learn the sound patterns for 'A', 'W', and 'J'
> > repeat until they are instantly recognized. Then move on to 'N' 'D', 'B', etc.
> > Don't count 'dots' or 'dashes' but hear sound patterns.]
> prehaps you are trying to be helpfull
>
> you are coming off insulting and condesnding
> that metodalogy was tried and my ears lose the older set of patterns
> in a few day before I get a hold of the next set

Face it, you are too stupid to learn morse code.

>
> > Having said all this, my defense of CW is not any legal requirement. It is
> > simply the best way to work rare DX. Much less power required. Much less
> > bandwidth required. Much more discernible [copyable] in a pile. And, it is
fun!
>
> fun for you the migraine headaches I get listening to any of it is not
> fun none enjoys pain on that level

You have nothing in your empty skull to give you headaches, Markie!

> yes I might be ableto learn well enough now with only a receive or

> tranmited test (and if I were going to try it would be to send) so I
> don't have to listen to it
>
> you have fun with fine go for it
> Bear in mind I think Mose and esp the attiudes around are bad for the
> ARS but I support your freedom to disagree and even to just do
> something I consider nonproducitve just for sheer joy of it
>
> I expect the same however for myself

More excuses, loser?

```
From -2390677686441249097
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
mail
From: peewee_lloyd_davies@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 20 Jun 2006 11:38:21 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1150828701.116189.214400@p79g2000cwp.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <1150727944.590467.294720@c74g2000cwc.googlegroups.com>
   <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
   <IJKlg.105$lv.102@fed1read12>
   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
   <1150806861.808156.273640@u72g2000cwu.googlegroups.com>
   <1150809924.627366.210800@r2g2000cwb.googlegroups.com>
   <fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
   <1150815227.965866.316460@g10g2000cwb.googlegroups.com>
   <44981657$0$16435$892e7fe2@authen.yellow.readfreenews.net>
   <1150818054.722344.295600@y41g2000cwy.googlegroups.com>
NNTP-Posting-Host: 65.54.98.28
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150828706 12526 127.0.0.1 (20 Jun 2006 18:38:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 18:38:26 +0000 (UTC)
In-Reply-To: <1150818054.722344.295600@y41g2000cwy.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=65.54.98.28;
   posting-account=hhK0dQ0AAADty9Zux-UTqaosOMA-iJfP
Xref: g2news2.google.com rec.radio.amateur.antenna:13394
rec.radio.amateur.equipment:4841 rec.radio.amateur.misc:14971
rec.radio.amateur.policy:30481


an old freind wrote:
> gravity wrote:
> > > you have fun with fine go for it
> > > Bear in mind I think Mose and esp the attiudes around are bad for the
> > > ARS but I support your freedom to disagree and even to just do
> > > something I consider nonproducitve just for sheer joy of it
> >
> > nonproductive?
> yes non productive

Only because you are too stupid and lazy to learn it.

> >yet somehow saying "get help" 1000 times is a valuable use
> > of time?
> not in and of itself
>
> but to bury the filth posted about me yes it is and it takes very
> little time indeed I have the process almost automated

Markie comes up with a rationalization of his spamming. Too bad it's
like him, seriously flawed.




From 1464591492628122902
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
```

Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: 20 Jun 2006 12:33:30 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1150832010.498402.159720@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <1150727944.590467.294720@c74g2000cwc.googlegroups.com>
   <4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
   <IJKlg.105$lv.102@fed1read12>
   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
   <1150806861.808156.273640@u72g2000cwu.googlegroups.com>
   <1150809924.627366.210800@r2g2000cwb.googlegroups.com>
   <fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
   <1150815227.965866.316460@g10g2000cwb.googlegroups.com>
   <1150828582.305021.130980@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150832015 29465 127.0.0.1 (20 Jun 2006 19:33:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 20 Jun 2006 19:33:35 +0000 (UTC)
In-Reply-To: <1150828582.305021.130980@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.25;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:13397 rec.radio.amateur.equipment:4842 rec.radio.amateur.misc:15011 rec.radio.amateur.policy:30524

peewee_lloyd_davies@yahoo.com wrote:
> an old freind wrote:
> > Dave wrote:
> > > SNIPPED

> > Wismen labels everybody except himself of course
>
> Marky labels everybody Wismen since he is so fucking stupid and sees
> Wismen everywhere!
wismen lying some more
>
> >

> > > I still say, anyone who can learn an/the alphabet can learn Morse Code. For
> > > those with difficulty, the solution to the issue is teaching METHODs not the
> > > student's difficulty. Any alphabet is recognizing sound patterns. Words are
> > > simply combinations of sound patterns.
>
>
> Just look at Markie's posts, He can't learn the alphabet.
> He can't post in anything resembling English.

which means you must agree I can't learn morse and the poster is in
error thank yopu
now run along and get help you little troll

From 3199908754390028494
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Slow Code <sc@mo.mail>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 23
Message-ID: <c0%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
Date: Tue, 20 Jun 2006 23:47:20 GMT
NNTP-Posting-Host: 4.235.66.128
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150847240 4.235.66.128 (Tue, 20 Jun
2006 16:47:20 PDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 16:47:20 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13406
rec.radio.amateur.equipment:4843 rec.radio.amateur.misc:15022
rec.radio.amateur.policy:30541 rec.radio.shortwave:40483

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in

```
news:YGKlg.104$lv.41@fed1read12:

>
> "dxAce" <dxAce@milestones.com> wrote in message
> news:44969559.30D72920@milestones.com...
>
>>
>> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
>
> That's needlessly insulting.


No it isn't.

Some things in life require you do a little work to enjoy their benefits.
You don't want to learn CW, you shouldn't be allowed on ham radio.

And Five words per minute ain't a code test.  I can fart five words per
minute.  Anyone that can't learn 5 wpm is either lazy or a tard and should
stick to CB, FRS, and cell phones.

sc



From -7438520353016769412
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Slow Code <sc@mo.mail>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com>
<UFSlg.101109$H71.45459@newssvr13.news.prodigy.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 22
Message-ID: <dO%lg.8937$lp.1598@newsread3.news.pas.earthlink.net>
```

Date: Tue, 20 Jun 2006 23:47:21 GMT
NNTP-Posting-Host: 4.235.66.128
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150847241 4.235.66.128 (Tue, 20 Jun 2006 16:47:21 PDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 16:47:21 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13407 rec.radio.amateur.equipment:4844 rec.radio.amateur.misc:15023 rec.radio.amateur.policy:30542 rec.radio.shortwave:40484

Cecil Moore <mycall@hotmail.com> wrote in
news:UFSlg.101109$H71.45459@newssvr13.news.prodigy.com:

> pltrgyst wrote:
>> No, it's a statement of historic fact, as determined by the licensing
>> authorities. But it's incorrct -- anyone who can't copy 5 wpm deserves
>> a license, but it's Citizen's Band.
>
> Are you saying that hundreds of thousands of no-code
> techs didn't deserve an amateur radio license?

We gave those Techs the no code license because some said they weren't
interested in HF and wanted the freedom experiment with new modes, but
that's not what happened. All we got was a bunch of appliance operators
plugging up repeaters. Maybe only two or three percent are doing digital,
new modes, satellites, scatter, aurora, DX, etc. everyone else is gabbing
on a microphone like CB'ers waiting for the FCC's R & O to come out.

sc

From -3866392039568257672
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
From: Slow Code <sc@mo.mail>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET> <1149441418.531073.162560@j55g2000cwa.googlegroups.com>

<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12> <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<hJadnTUU2tGVQgrZnZ2dnUVZ_q6dnZ2d@comcast.com>
<4497fafc$0$5227$892e7fe2@authen.yellow.readfreenews.net>
<yeTlg.101120$H71.85972@newssvr13.news.prodigy.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 15
Message-ID: <hO%lg.8939$lp.2814@newsread3.news.pas.earthlink.net>
Date: Tue, 20 Jun 2006 23:47:25 GMT
NNTP-Posting-Host: 4.235.66.128
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150847245 4.235.66.128 (Tue, 20 Jun 2006 16:47:25 PDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 16:47:25 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13409 rec.radio.amateur.equipment:4846 rec.radio.amateur.misc:15025 rec.radio.amateur.policy:30544

Cecil Moore <mycall@hotmail.com> wrote in
news:yeTlg.101120$H71.85972@newssvr13.news.prodigy.com:

> gravity wrote:
>> i have an idea. get rid of the CW and triple the difficulty of the
>> written test. there is certain element of society, which needs to be
>> kept out of the HF spectrum.
>
> How about just requiring a scientific/technical
> degree from an accredited university?

That's kind of funny but you know, I could actually agree to that. An EE degree gets you a licence. You're certainly qualified. :-)

SC

From 465987115466586328
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy

Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
From: Slow Code <sc@mo.mail>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 20
Message-ID: <fO%lg.8938$lp.3438@newsread3.news.pas.earthlink.net>
Date: Tue, 20 Jun 2006 23:47:23 GMT
NNTP-Posting-Host: 4.235.66.128
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150847243 4.235.66.128 (Tue, 20 Jun 2006 16:47:23 PDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 16:47:23 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13408
rec.radio.amateur.equipment:4845 rec.radio.amateur.misc:15024
rec.radio.amateur.policy:30543

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in news:IJKlg.105$lv.102@fed1read12:

>
> "gravity" <gravityzrainbow@yahoo.com> wrote in message
> news:4496bf14$0$14238
>
>> 5 WPM is easy.
>
> Nonsense.
>
> Tell us you can do it --- tell us your mangy hound dog can do it, but
> steer clear of the blanket statements. It isn't easy to one who can't
> do it.

When code goes away, you're going to be the one that tells us the written is too hard.

sc

From 7920730876741740882
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c

X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Tue, 20 Jun 2006 18:16:20 -0700
Reply-To: noway@nohow.com
Message-ID: <ba7h92lavv1h8141hc60kbkkgumv1eqbsq@4ax.com>
References: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12> <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<hJadnTUU2tGVQgrZnZ2dnUVZ_q6dnZ2d@comcast.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node195-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1150852372 63.93.75.195 (20 Jun 2006 20:12:52 -0500)
Lines: 20
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.195
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!
newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:13414
rec.radio.amateur.equipment:4847 rec.radio.amateur.misc:15026
rec.radio.amateur.policy:30547

ORIGINAL MESSAGE:

On Tue, 20 Jun 2006 07:42:03 -0400, Dave <W1MCE@comcast.net> wrote:

>I like CW! It is most likely going away as a requirement. I'm sad at this.
>
>Amateur radio will change as a result. Everything changes. Hopefully the changes
>will be positive.

*********** REPLY SEPARATOR ***********

Don't be sad my friend. CW will survive if people find it useful, and
especially if the diehards will stop jamming it down people's throats.

News flash: People don't like that with CW or anything else! :-)

73, Bill W6WRT

20 wpm extra, licensed 49 yrs

From 5709469414010686618
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Tue, 20 Jun 2006 18:18:22 -0700
Reply-To: noway@nohow.com
Message-ID: <kg7h92tjd93h9arujed77uu984btsuv8cv@4ax.com>
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<4497fa98$0$5227$892e7fe2@authen.yellow.readfreenews.net>
<KcTlg.101118$H71.46281@newssvr13.news.prodigy.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node195-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1150852494 63.93.75.195 (20 Jun 2006 20:14:54 -0500)
Lines: 16
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.195
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!router2.astraweb.com!news.astraweb.com!router1.astraweb.com!news.alt.net!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:13415
rec.radio.amateur.equipment:4848 rec.radio.amateur.misc:15027
rec.radio.amateur.policy:30548

ORIGINAL MESSAGE:

On Tue, 20 Jun 2006 14:01:14 GMT, Cecil Moore <mycall@hotmail.com>
wrote:

>When I got my driver's license in 1952, the driving test
>was required to be taken on a stick shift vehicle. Do
>you think that should still be a requirement?

*********** REPLY SEPARATOR ***********

Of course not. Today's driving test should require making a left turn
while dialing a cell phone and sipping a Starbucks.

Bill, W6WRT

From 2057339320881005765
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Tue, 20 Jun 2006 18:20:21 -0700
Reply-To: noway@nohow.com
Message-ID: <ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12> <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node195-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1150852613 63.93.75.195 (20 Jun 2006 20:16:53 -0500)
Lines: 17
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.195
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!newsfeed01.chello.at!newsfeed.utanet.at!zen.net.uk!dedekind.zen.co.uk!
usenet.ath.cx!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:13416
rec.radio.amateur.equipment:4849 rec.radio.amateur.misc:15028
rec.radio.amateur.policy:30549

ORIGINAL MESSAGE:

On Tue, 20 Jun 2006 10:38:49 -0400, Dave <W1MCE@comcast.net> wrote:

>NO! Don't label another person! It is wrong to label! Particularly when you do
>not know any of his/her life's circumstances.

*********** REPLY SEPARATOR ***********

Not true at all. For example I can label you as a Politically Correct,
Warm-n-Fuzzy far leftist and be right on the money.

Labels have their place.

Bill, W6WRT

From 2377825058902098583
X-Google-Thread: 108122,ea659813c21f81d3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 20 Jun 2006 21:19:19 -0500
Date: Tue, 20 Jun 2006 21:19:20 -0500
From: Gary <danahers@comcast.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: MFJ 492 Switches
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <sJWdnYwxILk6MQXZnZ2dnUVZ_ridnZ2d@comcast.com>
Lines: 3
NNTP-Posting-Host: 24.0.163.35
X-Trace: sv3-kluQhffcOBsCmm+8sy+Yitrn4E28ZzBNycjT8qe4kDAoH/
rtEeBaGC5/6DxjkEhi0flqEaLI8zbZj5y!
2JmvdyaLJqe7xpO8KW6ZWXFGuWKqNuaKvY7V4obyWkGtCtVOANTv0JfdK/0VkbV8UzHxbh2aCOmh!
Iy4xsG3ic7A=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4850

Need to replace the momentary pushbutton switches on an MFJ 492 memory
keyer. I've looked in the Mouser and Allied catalogues without seeing
the replacement. Anyone know of a supplier for this switch?

From -2557539668209955560

```
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
In-Reply-To: <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <r82mg.119731$dW3.70506@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 70.245.73.113
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1150856855 ST000 70.245.73.113 (Tue, 20 Jun
2006 22:27:35 EDT)
NNTP-Posting-Date: Tue, 20 Jun 2006 22:27:35 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: OP\YG\GFEB^UCWDYIBHZOWP@YZOZ@GXOXZ^D]
\YIJYWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW
@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Wed, 21 Jun 2006 02:27:35 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13417
rec.radio.amateur.equipment:4851 rec.radio.amateur.misc:15029
rec.radio.amateur.policy:30551 rec.radio.shortwave:40500
```

Slow Code wrote:

> You don't want to learn CW, you shouldn't be allowed on ham radio.

Are you really ready to kick hundreds of thousands of
no-code techs off of vhf/uhf?

--
73, Cecil http://www.qsl.net/w5dxp

```
From -6246135362762715772
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 20 Jun 2006 19:41:36 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1150857696.693445.194550@c74g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <YGKlg.104$lv.41@fed1read12>
   <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <r82mg.119731$dW3.70506@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150857700 1237 127.0.0.1 (21 Jun 2006 02:41:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Jun 2006 02:41:40 +0000 (UTC)
In-Reply-To: <r82mg.119731$dW3.70506@newssvr21.news.prodigy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:13419
rec.radio.amateur.equipment:4852 rec.radio.amateur.misc:15031
rec.radio.amateur.policy:30553 rec.radio.shortwave:40501
```

Cecil Moore wrote:

> Slow Code wrote:

```
> > You don't want to learn CW, you shouldn't be allowed on ham radio.
>
> Are you really ready to kick hundreds of thousands of
> no-code techs off of vhf/uhf?
he is prepared but thankfully the FCC dsagrees

> --
> 73, Cecil  http://www.qsl.net/w5dxp




From 30369548539960270
X-Google-Thread: 108122,740ea8ef22254618,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  "REAL"  MIRAGE D1010   440 AMP
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <2L2mg.687$WE1.51@fe10.lga>
Date: Tue, 20 Jun 2006 23:08:48 -0400
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1150859326 24.47.254.156 (Tue, 20 Jun 2006 20:08:46 MST)
NNTP-Posting-Date: Tue, 20 Jun 2006 20:08:46 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:4853

Hi, take a peek if you like.

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=130000268215





From -3326551149559089311
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 20 Jun 2006 22:48:28 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<4497fa98$0$5227$892e7fe2@authen.yellow.readfreenews.net>
<KcTlg.101118$H71.46281@newssvr13.news.prodigy.com>
<kg7h92tjd93h9arujed77uu984btsuv8cv@4ax.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Tue, 20 Jun 2006 22:48:26 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <--adnRxN7a4RXAXZnZ2dnUVZ_sOdnZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-
CiDDeLqX8uwAy8bKWU+hneEPV6VpI2lls92dxFs9xjEUEKi0OIiC8HJnERReImG97Y3h0l+iK0ZUs6o!
JjCW1Jjn3zcc21uflDWgLhd+546Gtmd6YjJx+leSln6ypjF7LwlpS15IJ7RzNLrF96l9Z/3ZZMdX!/
m1wMr2I+tBKtw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13424
rec.radio.amateur.equipment:4854 rec.radio.amateur.misc:15032
rec.radio.amateur.policy:30555
```

"Bill Turner" <dezrat@copper.net> wrote in message
news:kg7h92tjd93h9arujed77uu984btsuv8cv@4ax.com...

> ORIGINAL MESSAGE:
>
> On Tue, 20 Jun 2006 14:01:14 GMT, Cecil Moore <mycall@hotmail.com>
> wrote:
>
>>When I got my driver's license in 1952, the driving test
>>was required to be taken on a stick shift vehicle. Do
>>you think that should still be a requirement?

>
> *********** REPLY SEPARATOR ***********
>
> Of course not. Today's driving test should require making a left turn
> while dialing a cell phone and sipping a Starbucks.

and talking on the radio and shifting a manual transmission all at the same time.

:-)

```
From -153135329765691147
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <5h4mg.138$lv.13@fed1read12>
Date: Tue, 20 Jun 2006 21:53:14 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1150865601 72.199.97.186 (Wed, 21 Jun 2006 00:53:21 EDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 00:53:21 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13427
rec.radio.amateur.equipment:4855 rec.radio.amateur.misc:15033
rec.radio.amateur.policy:30556
```

"pltrgyst" <pltrgyst@spamlessxhost.org> wrote in message
news:p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com...

Dyslexia cannot apply, unless it is dyslexia that affects the
> remembered dot/dash pattern of a single character.

Well, Larry, it took you to the last sentence, but you did actually lurch
into the problem.
Within seconds after learning what dah-dit-dit-dah means (or
dit-dah-dah-dit, for that matter), I fail to
accurately recognize them when they are sent again. Hundreds of tries --
all failures, all mine.

From your lofty perch, as a successful Morse Code user, you look down on me.
You could stand to learn a
little humility. It would serve you and the amateur community better than
dah-dit-dah any day.

```
From 5128112771048989663
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>
<fO%lg.8938$lp.3438@newsread3.news.pas.earthlink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
```

Message-ID: <zh4mg.140$lv.36@fed1read12>
Date: Tue, 20 Jun 2006 21:53:44 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1150865631 72.199.97.186 (Wed, 21 Jun 2006 00:53:51 EDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 00:53:51 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13429
rec.radio.amateur.equipment:4857 rec.radio.amateur.misc:15035
rec.radio.amateur.policy:30558

"Slow Code" <sc@mo.mail> wrote in message
news:fO%lg.8938$lp.3438@newsread3.news.pas.earthlink.net...

>
>
> When code goes away, you're going to be the one that tells us the written
> is too hard.

You wish! Of the 55 questions on my Technician License exam,
I missed one. ONE!

Technically, I'm an above average ham. Through your dirty goggles,
however,
you see me as some kind of slug because I can't do code. So wrong.

Because I already hit the twit filter on you, I won't see any reply you
send, so
play it up any way you want.

From 4176375661726563439
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>

<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <wh4mg.139$lv.109@fed1read12>
Date: Tue, 20 Jun 2006 21:53:41 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1150865628 72.199.97.186 (Wed, 21 Jun 2006 00:53:48 EDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 00:53:48 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13428 rec.radio.amateur.equipment:4856 rec.radio.amateur.misc:15034 rec.radio.amateur.policy:30557 rec.radio.shortwave:40505

"Slow Code" <sc@mo.mail> wrote in message
news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
> news:YGKlg.104$lv.41@fed1read12:
>
> >
> > "dxAce" <dxAce@milestones.com> wrote in message
> > news:44969559.30D72920@milestones.com...
> >
> >>
> >> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
> >
> > That's needlessly insulting.
>
>
> No it isn't.
>
> Some things in life require you do a little work to enjoy their benefits.
> You don't want to learn CW, you shouldn't be allowed on ham radio.
>
> And Five words per minute ain't a code test. I can fart five words per
> minute. Anyone that can't learn 5 wpm is either lazy or a tard and should
> stick to CB, FRS, and cell phones.

I am a gainfully-employed degreed engineer with an above-average IQ
and dyslexia. You are beneath contempt.

CLICK

From -4773843831010001316
X-Google-Thread: 108122,c80b040aa0884514,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2JwePad3q3i2!not-for-mail
From: "Craig" <caheaton@netzero.net>
Newsgroups: rec.radio.amateur.equipment
Subject: suggested keyer weight for amp tuning
Date: Wed, 21 Jun 2006 01:50:49 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <2378b$4498de2b$4831d174$28732@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 9
X-Trace: 2378b4498de2bed9474d128732
Xref: g2news2.google.com rec.radio.amateur.equipment:4858

Hello, I have a little used MFJ-492 electronic keyer that I've decided to put to good use as an amplifier tuner. (This is my first amp). The keyer defaults to a 50% duty cycle and I would like to get this down to around 10 or 20 percent. Any suggestions on what weight to use? This keyer is adjustable from 5 to 95 percent weight...I do not have a scope so would have to guess by ear. Thanks for the help.

Craig KB8FGC

From 4409136664837165315
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!b68g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: 21 Jun 2006 04:53:30 -0700

```
Organization: http://groups.google.com
Lines: 19
Message-ID: <1150890810.270718.211170@b68g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <YGKlg.104$lv.41@fed1read12>
   <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
   <wh4mg.139$lv.109@fed1read12>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150890814 24258 127.0.0.1 (21 Jun 2006 11:53:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Jun 2006 11:53:34 +0000 (UTC)
In-Reply-To: <wh4mg.139$lv.109@fed1read12>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: b68g2000cwa.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:13431
rec.radio.amateur.equipment:4859 rec.radio.amateur.misc:15036
rec.radio.amateur.policy:30559 rec.radio.shortwave:40513


Sal M. Onella wrote:
> "Slow Code" <sc@mo.mail> wrote in message
> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
> > "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
> > news:YGKlg.104$lv.41@fed1read12:

> > And Five words per minute ain't a code test.  I can fart five words per
> > minute.

but look at what he says HE knows the test is uselesss he all but says
there
>
> I am a gainfully-employed degreed engineer with an above-average IQ
> and dyslexia.  You are beneath contempt.
of course he is
>
> *CLICK*



From 1808617880996452121
```

```
X-Google-Thread: 108122,ea659813c21f81d3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!d89a2db8!
not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <sJWdnYwxILk6MQXZnZ2dnUVZ_ridnZ2d@comcast.com>
Subject: Re: MFJ 492 Switches
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <U9bmg.4257$DI2.2338@trnddc05>
Date: Wed, 21 Jun 2006 12:43:32 GMT
NNTP-Posting-Host: 63.19.185.189
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1150893812 63.19.185.189 (Wed, 21 Jun 2006 08:43:32 EDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 08:43:32 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4860


"Gary" <danahers@comcast.net> wrote in message
news:sJWdnYwxILk6MQXZnZ2dnUVZ_ridnZ2d@comcast.com...
> Need to replace the momentary pushbutton switches on an MFJ 492 memory
> keyer. I've looked in the Mouser and Allied catalogues without seeing the
> replacement. Anyone know of a supplier for this switch?

Have you tried MFJ?
Dale W4OP




From 6526606591843454852
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!green.octanews.net!news-
out.octanews.net!indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-
for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
```

```
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Wed, 21 Jun 2006 09:16:51 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 46
Message-ID: <44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 21 Jun 2006 09:17:59 CDT
X-Trace:
DXC=EJ[ffRHd:Oj8WDL9cGY]RnbQ9W<K20`3bO6Gh9bA988nlTR=MZOFKVgLmeAk]VL8Ja[@>[DX7nG0j6
mXlL1_GmgidM=U4WITi?d
Xref: g2news2.google.com rec.radio.amateur.antenna:13443
rec.radio.amateur.equipment:4861 rec.radio.amateur.misc:15037
rec.radio.amateur.policy:30566 rec.radio.shortwave:40529


"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:wh4mg.139$lv.109@fed1read12...
>
> "Slow Code" <sc@mo.mail> wrote in message
> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
> > "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
> > news:YGKlg.104$lv.41@fed1read12:
> >
> > >
> > > "dxAce" <dxAce@milestones.com> wrote in message
> > > news:44969559.30D72920@milestones.com...
> > >
> > > >>
> > > >> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
> > >
> > > That's needlessly insulting.
> >
> >
> > No it isn't.
> >
> > Some things in life require you do a little work to enjoy their
benefits.
> > You don't want to learn CW, you shouldn't be allowed on ham radio.
> >
> > And Five words per minute ain't a code test.  I can fart five words per
> > minute.  Anyone that can't learn 5 wpm is either lazy or a tard and
```

should
> > stick to CB, FRS, and cell phones.
>
> I am a gainfully-employed degreed engineer with an above-average IQ
> and dyslexia. You are beneath contempt.
>
> *CLICK*
>
>

argumentum ad hominem. if you killfile him because you dislike him, that is
one thing. but if you say he is wrong because you are an engineer, that is
a logical fallacy.

this is why we need to add critical analysis to the engineering curriculum.

Gravity

From -5311791885895317497
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com>
<5h4mg.138$lv.13@fed1read12>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Wed, 21 Jun 2006 09:19:34 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 39
Message-ID: <449955b9$0$14993$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 21 Jun 2006 09:20:42 CDT

X-Trace:
DXC=0nGh;nFF4QPBL^MF;F3c^QbQ9W<K20`3RO6Gh9bA988^ZQPKgGK2FaVLmeAk]VL8JQ[@>[DX7nG0Z6
mXlL1_GmgYZANEb\9E<@W
Xref: g2news2.google.com rec.radio.amateur.antenna:13444
rec.radio.amateur.equipment:4862 rec.radio.amateur.misc:15038
rec.radio.amateur.policy:30567

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:5h4mg.138$lv.13@fed1read12...
>
> "pltrgyst" <pltrgyst@spamlessxhost.org> wrote in message
> news:p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com...
>
> Dyslexia cannot apply, unless it is dyslexia that affects the
> > remembered dot/dash pattern of a single character.
>
> Well, Larry, it took you to the last sentence, but you did actually lurch
> into the problem.
> Within seconds after learning what dah-dit-dit-dah means (or
> dit-dah-dah-dit, for that matter), I fail to
> accurately recognize them when they are sent again. Hundreds of tries --
> all failures, all mine.
>
> From your lofty perch, as a successful Morse Code user, you look down on
me.
> You could stand to learn a
> little humility. It would serve you and the amateur community better than
> dah-dit-dah any day.
>
>

should we get rid of the written test because people can't learn decibels
and basic algebra?

perhaps the CW test could have a question pool similar to the written. you
could memorize all the answers. i am actually dead serious. or standardize
the test so that the output is always like a QSO in super morse. there are
ways to make the test easier.

hmm, or we could have an option that you can view the CW in a spectrogram
and decode it visually.

Gravity

From -5371819847546282267
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c

X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 21 Jun 2006 10:54:30 -0500
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
From: notbob <notbob@nothome.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
Date: Wed, 21 Jun 2006 10:54:33 -0500
Lines: 11
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-b1Um/
AdJV2XMcP2SZ0ywG404D13e0xnKIr0eHCxjYVqQ9AUdoHFHMFclS2YtvFuluihnWHUoWUZrtgp!
TnHCTq4a4RFOvT+4hn1sCjAN0T139TyMJA5SCMcN2en21d7FvOgzoH2V6aEUnW/eez7YMsmbzzqj!
wcPx+A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13454
rec.radio.amateur.equipment:4863 rec.radio.amateur.misc:15039
rec.radio.amateur.policy:30568 rec.radio.shortwave:40534

On 2006-06-21, gravity <gravityzrainbow@yahoo.com> wrote:
>
> this is why we need to add critical analysis to the engineering curriculum.

It matters not. When management lacks the same talent, engineers will be chosen for economic rather than practical reasons. Outsourcing to India and H1B visas are proof. The fact that India has yet to produce a single Intel or Microsoft or H-P or Sony is lost on those whose who fawn over those rote trained hordes.

nb

```
From -3410648475837027382
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!be5.nntpserver.com!not-
for-mail
From: "Eric the hair Oyen" <Eric@thehairOyen.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12>
<cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<r82mg.119731$dW3.70506@newssvr21.news.prodigy.com>
<1150857696.693445.194550@c74g2000cwc.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Wed, 21 Jun 2006 12:01:46 -0400
Organization: blind ambition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 15
Message-ID: <44996018$0$9926$88260bb3@free.teranews.com>
NNTP-Posting-Date: 21 Jun 2006 15:04:56 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:13455
rec.radio.amateur.equipment:4864 rec.radio.amateur.misc:15040
rec.radio.amateur.policy:30570 rec.radio.shortwave:40535


"an_old_friend" <konstans@hotmail.com> wrote in message
news:1150857696.693445.194550@c74g2000cwc.googlegroups.com...
>
> Cecil Moore wrote:
>> Slow Code wrote:
>> > You don't want to learn CW, you shouldn't be allowed on ham radio.
>>
>> Are you really ready to kick hundreds of thousands of
>> no-code techs off of vhf/uhf?
> he is prepared but thankfully the FCC dsagrees
>
You're drunk on cum again, markie.




--
Posted via a free Usenet account from http://www.teranews.com




From -3652783154647889998
X-Google-Thread: 108122,648ad57264712b3f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!1553123f!not-for-mail
From: "RadAct" <n7rcm@pobox.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: CDM-1250 VHF 136-174 mhz
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <myemg.9208$lp.5716@newsread3.news.pas.earthlink.net>
Date: Wed, 21 Jun 2006 16:34:26 GMT
NNTP-Posting-Host: 71.48.62.88
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150907666 71.48.62.88 (Wed, 21 Jun 2006
09:34:26 PDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 09:34:26 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4865

This unit is in brand new condition.  It's a VHF 64ch, 1-25 watts,
alpha-numeric dispaly.
Comes with mic but no mounting bracket or power cord.  Works great.

Price:  $325 shipped & eat paypal fees.  Will accept Money Orders but have
to be
           Postal Money Orders only.





From -2121079302893736639
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
```

```
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!canary.octanews.net!newsfeeds.sol.net!posts.news.twtelecom.net!
nnrp3.twtelecom.net!not-for-mail
Sender:  <chrisc@sosmudge.chris.org>
Message-ID: <niaom3-397.ln1@chris.org>
From: <user@private-mail-domain.invalid>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET>   <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<4497fa98$0$5227$892e7fe2@authen.yellow.readfreenews.net>
<KcTlg.101118$H71.46281@newssvr13.news.prodigy.com>
User-Agent: tin/1.7.7-20041215 ("Scalpay") (UNIX) (Linux/2.6.15.4 (i686))
Date: Wed, 21 Jun 2006 12:00:39 -0500
Lines: 12
Organization: Time-Warner Telecom
NNTP-Posting-Date: 21 Jun 2006 17:01:02 GMT
NNTP-Posting-Host: 967b12a4.news.twtelecom.net
X-Trace:
DXC=obLI4XY@Z3T4JR]SmgOleWC_A=>8kQj6]9BHNOcEA\@YM9fXLU68gRVO0@O<QYk3l^BGOGg[ATg4W
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13460
rec.radio.amateur.equipment:4866 rec.radio.amateur.misc:15043
rec.radio.amateur.policy:30572
```

In rec.radio.amateur.antenna Cecil Moore <mycall@hotmail.com> wrote:
: When I got my driver's license in 1952, the driving test
: was required to be taken on a stick shift vehicle. Do
: you think that should still be a requirement?

Yes.
--
73 Chris Cox, N0UK, G4JEC

Come and join us here in Bloomington, Minnesota, home of the Mall of
America, July 27 & 28, 2006 for the 40th annual Central States VHF
Society Conference which will be hosted once again by the NLRS.

From -1655067541487391225

```
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!bcklog1.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 21 Jun 2006 12:45:55 -0500
Date: Wed, 21 Jun 2006 13:45:55 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
<ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
In-Reply-To: <ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <gvydnSmxLJVOGATZnZ2dnUVZ_qmdnZ2d@comcast.com>
Lines: 37
NNTP-Posting-Host: 24.62.153.74
X-Trace:
sv3-4sEEluWbNtpijrx8Inp5xlsUGwJUqiYk0t3oZCcy5A03+4RKEbjWJwVUPinXgjs4l7dHq5jqEvMb3f
z!bjX/dRNRhRfaTBmRgoj2J66ixLQa/zAaVSAuW/kEJYIUAs8F7mqF2jrNK8ScDjSkLncTAh6wIuDE!
y7RQ5IW6nkumS2Jktq8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13464
rec.radio.amateur.equipment:4867 rec.radio.amateur.misc:15044
rec.radio.amateur.policy:30573
```

Bill you are 100% wrong!

I am a right wing Republican, socially conservative, I attempt to be morally correct [that makes me politically incorrect quite often], and Conservative Christian [Clergyman]. I favor a very strong military [prior to my retirement from engineering, I served for 6 years as Program Chief Engineer on the USAF MX Missile (WS-118) RS/RV].

I believe the USA Constitution must be read and understood in the social context in which it was written. Changes should be by amendment not judicial agenda.

/s/ Rev. Dave , AKA W1MCE

See, labels can be 100% incorrect when you don't know the other person's life story.

Bill Turner wrote:

```
> ORIGINAL MESSAGE:
>
> On Tue, 20 Jun 2006 10:38:49 -0400, Dave <W1MCE@comcast.net> wrote:
>
>
>
>>NO! Don't label another person! It is wrong to label! Particularly when you do
>>not know any of his/her life's circumstances.
>
>
> *********** REPLY SEPARATOR ***********
>
> Not true at all. For example I can label you as a Politically Correct,
> Warm-n-Fuzzy far leftist and be right on the money.
>
> Labels have their place.
>
> Bill, W6WRT
>
```

```
From 1033617185336758812
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 21 Jun 2006 13:03:26 -0500
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
From: notbob <notbob@nothome.com>
```

Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12> <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
<ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
<gvydnSmxLJVOGATZnZ2dnUVZ_qmdnZ2d@comcast.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <Qd2dndjiB-FsFATZnZ2dnUVZ_oidnZ2d@comcast.com>
Date: Wed, 21 Jun 2006 13:03:29 -0500
Lines: 8
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-WfM26f0l/35OoVQGsUC9nQpoHsDCzXxhIcaGitYzol7YdQSdeeH6UIEuxeB/
lI6CXcjCQDTciIAuAgH!
7T1cVnmDWLxNNQ8EB0rNITAY+ynpUSEDpR8EX3gehPPTn8coM9KCTQEUi8pLjsTs30mchKelBo05!
7JxgRw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13468
rec.radio.amateur.equipment:4868 rec.radio.amateur.misc:15045
rec.radio.amateur.policy:30574

On 2006-06-21, Dave <W1MCE@comcast.net> wrote:

> I served for 6 years as Program Chief Engineer on the USAF MX
> Missile (WS-118) RS/RV].

You bragging or complaining?

nb

From -3911269658820017517
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "Dr. Noonian Soong" <soong@whatever>

```
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
<ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
<gvydnSmxLJVOGATZnZ2dnUVZ_qmdnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Wed, 21 Jun 2006 13:18:36 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 10
Message-ID: <44998dc1$0$16322$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 21 Jun 2006 13:19:46 CDT
X-Trace:
DXC=>aBK@U><7gT\UeC8BQoocWbQ9W<K20`3RO6Gh9bA988^h>U9ggZ0AkZLmeAk]VL8JQ[@>[DX7nG0Z6
mXlL1_GmgYXSG^HbQeP<S
Xref: g2news2.google.com rec.radio.amateur.antenna:13471
rec.radio.amateur.equipment:4869 rec.radio.amateur.misc:15047
rec.radio.amateur.policy:30577
```

darpa dave wrote:

>I served for 6 years as Program Chief Engineer on the USAF MX
> Missile (WS-118) RS/RV].

MX missiles destroyed my country, you insensitive clod!

Soong

```
From -7220956574911473023
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-
```

mail
From: "Jozef" <jozef@metaphoria.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com>
<5h4mg.138$lv.13@fed1read12>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Wed, 21 Jun 2006 14:40:26 -0400
Organization: Metaphoria
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <1150915116.378793@r2d2.vermontel.net>
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-216-66-105-246.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 49
X-Trace: d604f4499929c7de7c94b22248
Xref: g2news2.google.com rec.radio.amateur.antenna:13474
rec.radio.amateur.equipment:4870 rec.radio.amateur.misc:15048
rec.radio.amateur.policy:30579

Hi there.

Just a quick thought. I will not jump into the code vs. no-code fray. That said, I'd like to pass on an experience I had with a college professor friend of mine many years ago, now passed (Doc Bronfield WA2SMW). I learned CW at the age of 9 using flashing light. Now age 57. Got my novice at age 14 and general at age 15. The extra came easy as did 30 wpm plus CW. Not so with my friend Doc. He tried and tried, and then we realized that he had aural dyslexia. So I had an idea. With the help of local engineering types. They built a keyer that could sent different frequencies slightly for the dits and dahs. That was what he needed to get his code speed up and pass the general using the keyer during a FCC test. Here's what I believe should happen with CW. When I passed my extra there were no extra class operating privileges issued, but the FCC issued a nice Extra class certificate for the accomplishment (which I still have). I suggest we leave the 5 wpm code requirement in place as it now is, but go back to issuing the 20 wpm certificate by VE's. That would, perhaps, satisfy, the pro-code folk? It would reward the accomplishment without necessarily making it an Extra class requirement.

Jozef Hand-Boniakowski

```
WB2MIC

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:5h4mg.138$lv.13@fed1read12...
>
> "pltrgyst" <pltrgyst@spamlessxhost.org> wrote in message
> news:p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com...
>
> Dyslexia cannot apply, unless it is dyslexia that affects the
>> remembered dot/dash pattern of a single character.
>
> Well, Larry, it took you to the last sentence, but you did actually lurch
> into the problem.
> Within seconds after learning what dah-dit-dit-dah means (or
> dit-dah-dah-dit, for that matter), I fail to
> accurately recognize them when they are sent again.  Hundreds of tries --
> all failures, all mine.
>
> From your lofty perch, as a successful Morse Code user, you look down on
> me.
> You could stand to learn a
> little humility.  It would serve you and the amateur community better than
> dah-dit-dah any day.
>
>




From -6842845901166288190
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
From: earlpearl@florida.news (Earl the pearl)
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Organization: Miami Internet Services
Message-Id: <449w90d-34354odre-a$f09@miami.fl.news>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
```

```
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<1150890810.270718.211170@b68g2000cwa.googlegroups.com>
X-Newsreader: News Xpress 2.01
Lines: 26
Date: Wed, 21 Jun 2006 18:58:29 GMT
NNTP-Posting-Host: 4.234.36.68
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1150916309 4.234.36.68 (Wed, 21 Jun 2006
11:58:29 PDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 11:58:29 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13477
rec.radio.amateur.equipment:4871 rec.radio.amateur.misc:15049
rec.radio.amateur.policy:30583 rec.radio.shortwave:40542

In article <1150890810.270718.211170@b68g2000cwa.googlegroups.com>,
"an_old_friend" <konstans@hotmail.com> wrote:
>
>Sal M. Onella wrote:
>> "Slow Code" <sc@mo.mail> wrote in message
>> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
>> > "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>> > news:YGKlg.104$lv.41@fed1read12:
>
>> > And Five words per minute ain't a code test.  I can fart five words per
>> > minute.
>
>but look at what he says HE knows the test is uselesss he all but says
>there
>>
>> I am a gainfully-employed degreed engineer with an above-average IQ
>> and dyslexia.  You are beneath contempt.
>of course he is
>>
>> *CLICK*


You and Sal M onella should hit it off just fine. With his dyslexia, and your
mis-spelled words, he's probably the only one here that can clearly read
and understand what you typed.

Earl



From 2344706078724213923
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 21 Jun 2006 14:01:27 -0500
Date: Wed, 21 Jun 2006 15:01:28 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12> <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
<ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
<gvydnSmxLJVOGATZnZ2dnUVZ_qmdnZ2d@comcast.com> <Qd2dndjiB-
FsFATZnZ2dnUVZ_oidnZ2d@comcast.com>
In-Reply-To: <Qd2dndjiB-FsFATZnZ2dnUVZ_oidnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <5PidnTPC9tgaCgTZnZ2dnUVZ_vWdnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-
luiPIWk40RxAaTuMHeWvZefDHvuiKp4QyY4MaAsohgBySsSD9gUPhyAqWP2nk07cIabXxjsOS4lYitn!
PGWKCismxXa/1FZRYPtkC89fK3te/tbHChy/aDHzVaI1w8agQ7oL241X2UuRdk4kBwKOxbBECsgm!
MZrzYUllRoiQV0Yrs3Q=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13478
rec.radio.amateur.equipment:4872 rec.radio.amateur.misc:15050
rec.radio.amateur.policy:30584
```

notbob wrote:

> On 2006-06-21, Dave <W1MCE@comcast.net> wrote:
>
>
>>I served for 6 years as Program Chief Engineer on the USAF MX

```
>>Missile (WS-118) RS/RV].
>
>
> You bragging or complaining?
>
> nb

Debunking a 'LABEL'



From -7675713039540627320
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 21 Jun 2006 14:03:57 -0500
Date: Wed, 21 Jun 2006 15:03:58 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
<ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
<gvydnSmxLJVOGATZnZ2dnUVZ_qmdnZ2d@comcast.com>
<44998dc1$0$16322$892e7fe2@authen.yellow.readfreenews.net>
In-Reply-To: <44998dc1$0$16322$892e7fe2@authen.yellow.readfreenews.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <5PidnTLC9tiABQTZnZ2dnUVZ_vWdnZ2d@comcast.com>
Lines: 22
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-AlSFEQQU/cUXjDHq/fO0ZvhiMd3yfH3Dni0KuIwSUu1T00Tj/
A0P7Ky83cX6bZ1ViRi0+18Hur9pjjQ!3YRXKQY9tVJ6W/pHd8GttRvgD47U+845pPt8pOmEQdPG/
```

```
dYD7n84WqOP2aHft8ninmPYjKGaWMgE!s8olxax8K92L2h1JSO8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13479
rec.radio.amateur.equipment:4873 rec.radio.amateur.misc:15051
rec.radio.amateur.policy:30585

Dr. Noonian Soong wrote:

> darpa dave wrote:
>
>
>>I served for 6 years as Program Chief Engineer on the USAF MX
>>Missile (WS-118) RS/RV].
>
>
> MX missiles destroyed my country, you insensitive clod!
>
> Soong
>
>

MX missiles have never been launched operationally. They were decommissioned by
treaty after the fall of the Soviet Union.

If they had been used WE wouldn't be here!

You are mistaken.



From 1479994701979516428
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!feed.xsnews.nl!
feeder.xsnews.nl!sn-ams-06!sn-xt-ams-03!sn-post-ams-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
Date: Wed, 21 Jun 2006 14:15:06 -0500
```

```
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129j6ltcabaei12@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
<ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
<gvydnSmxLJVOGATZnZ2dnUVZ_qmdnZ2d@comcast.com>
<44998dc1$0$16322$892e7fe2@authen.yellow.readfreenews.net>
In-Reply-To: <44998dc1$0$16322$892e7fe2@authen.yellow.readfreenews.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.antenna:13480
rec.radio.amateur.equipment:4874 rec.radio.amateur.misc:15052
rec.radio.amateur.policy:30586

Dr. Noonian Soong wrote:
> darpa dave wrote:
>
>
>>I served for 6 years as Program Chief Engineer on the USAF MX
>>Missile (WS-118) RS/RV].
>
>
> MX missiles destroyed my country, you insensitive clod!
>
> Soong
>
>
In as much as the MX missile carries a hydrogen warhead I don't think
that Soong's country was destroyed by one.



From 7980859575970332046
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y41g2000cwy.googlegroups.com!not-for-
mail
```

From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: 21 Jun 2006 12:21:02 -0700
Organization: http://groups.google.com
Lines: 68
Message-ID: <1150917662.906840.60740@y41g2000cwy.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
   <9937b$44969457$d06640f9$14348@FUSE.NET>
   <44969559.30D72920@milestones.com>
   <YGKlg.104$lv.41@fed1read12>
   <p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com>
   <5h4mg.138$lv.13@fed1read12>
   <449955b9$0$14993$892e7fe2@authen.yellow.readfreenews.net>
NNTP-Posting-Host: 69.19.14.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150917668 1162 127.0.0.1 (21 Jun 2006 19:21:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 21 Jun 2006 19:21:08 +0000 (UTC)
In-Reply-To: <449955b9$0$14993$892e7fe2@authen.yellow.readfreenews.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y41g2000cwy.googlegroups.com; posting-host=69.19.14.23;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:13481
rec.radio.amateur.equipment:4875 rec.radio.amateur.misc:15053
rec.radio.amateur.policy:30587

gravity wrote:
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
> news:5h4mg.138$lv.13@fed1read12...
> >
> > "pltrgyst" <pltrgyst@spamlessxhost.org> wrote in message
> > news:p7sf921alq8bjm4rp0269lvrosks1458tf@4ax.com...
> >
> > Dyslexia cannot apply, unless it is dyslexia that affects the
> > > remembered dot/dash pattern of a single character.
> >
> > Well, Larry, it took you to the last sentence, but you did actually lurch
> > into the problem.
> > Within seconds after learning what dah-dit-dit-dah means (or

> > dit-dah-dah-dit, for that matter), I fail to
> > accurately recognize them when they are sent again. Hundreds of tries --
> > all failures, all mine.
> >
> > From your lofty perch, as a successful Morse Code user, you look down on
> me.
> > You could stand to learn a
> > little humility. It would serve you and the amateur community better than
> > dah-dit-dah any day.
> >
> >
>
> should we get rid of the written test because people can't learn decibels
> and basic algebra?

no bout honest does one need to have the Formulas for adding resistor
(and cap and inductors i) series and paralell memorized.. ithink more
question on operating practices rules and rules would better serve us
than data we unlikely to need to use suddenly in the feild

>
> perhaps the CW test could have a question pool similar to the written. you
> could memorize all the answers. i am actually dead serious. or standardize
> the test so that the output is always like a QSO in super morse. there are
> ways to make the test easier.
>
> hmm, or we could have an option that you can view the CW in a spectrogram
> and decode it visually.

I have offered such as an possible acomodation since I have in fact
done a few QSO's almost exactly that way (used a computer to decode
what it could and used my eye to fill in the blanks, that has me my 3
CW EME QSO) if alll I needed to do was decode a spectrgraph of Morse
and had TIME to work on on without have to hold any of the QSO in my
head I (believe) could do that (with some prep work of course)

I might also be just able to use the most extreme accomodation avalible
letter by letter (which elimates what beomce quickly a major probem for
me was the an I or 2 e's btw)but the VE teams around the last place I
ived were unwilling with out and MD signing off and I only ever saw a
phd and more likely MSSW about it , that these contacts in the distant
past (since I have learned ways of coping on my own) Indeed Robeson
made one of his early flaiming attack period on that very subject when
in his stlaking of me he learned of my posting to various support
forums for Dyslexics and othe rrelated condictions for asking "wht
would a MD that does not deal with LDs need in in order to medical
cerify the existance of the condiction, and Robeson a once very comon
poster hasrenewed that flame attack several times since

I have never inquired of the team roud here since by the time I became
settled enough to look into that the NPRM came out and since even those
levels would take a extensive prep, it did not seem worth while since
it seem clear we will son have at least No Code general if not Extra

>
> Gravity

From -7087111461136023132
X-Google-Thread: fc8b1,c838a84a1d6d635a,start
X-Google-Thread: 108122,c838a84a1d6d635a,start
X-Google-Thread: 1109af,c838a84a1d6d635a,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!cedb3334!
not-for-mail
Reply-To: "WB8ICT" <WB8ICT.NOSPAM@arrl.net>
From: "WB8ICT" <WB8ICT@arrl.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: WTB TEK 2247A LID or Front Cover
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Cjimg.16650$DR1.1302@trnddc02>
Date: Wed, 21 Jun 2006 20:51:46 GMT
NNTP-Posting-Host: 72.65.131.26
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1150923106 72.65.131.26 (Wed, 21 Jun 2006 16:51:46 EDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 16:51:46 EDT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4433
rec.radio.amateur.equipment:4876 rec.radio.swap:4743

I am looking for the plastic Tektronics cover for this
scope.

Will pay reasonable price for one. Email details.

Thanks

REMOVE NOSPAM from reply address

WB8ICT.NOSPAM@arrl.net

From 7588608967882868882
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c

X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Slow Code <sc@mo.mail>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<r82mg.119731$dW3.70506@newssvr21.news.prodigy.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 16
Message-ID: <EXkmg.14$ii.2@newsread3.news.pas.earthlink.net>
Date: Wed, 21 Jun 2006 23:51:00 GMT
NNTP-Posting-Host: 4.235.69.120
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150933860 4.235.69.120 (Wed, 21 Jun
2006 16:51:00 PDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 16:51:00 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13496
rec.radio.amateur.equipment:4877 rec.radio.amateur.misc:15054
rec.radio.amateur.policy:30600 rec.radio.shortwave:40591

Cecil Moore <mycall@hotmail.com> wrote in
news:r82mg.119731$dW3.70506@newssvr21.news.prodigy.com:

> Slow Code wrote:
>> You don't want to learn CW, you shouldn't be allowed on ham radio.
>
> Are you really ready to kick hundreds of thousands of
> no-code techs off of vhf/uhf?

No, Not kick them off. When their license comes up for renewel they
would have to pass the 5 wpm code element that Techs used to have to
take to get the license.

sc

From 4181009155378111452
X-Google-Thread: fcc6e,9f8932f7d11ff1c

```
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Slow Code <sc.h@m.mail>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
Organization: Extra Class
User-Agent: Xnews/5.04.25
Lines: 41
Message-ID: <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
Date: Wed, 21 Jun 2006 23:51:01 GMT
NNTP-Posting-Host: 4.235.69.120
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150933861 4.235.69.120 (Wed, 21 Jun
2006 16:51:01 PDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 16:51:01 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13497
rec.radio.amateur.equipment:4878 rec.radio.amateur.misc:15055
rec.radio.amateur.policy:30601 rec.radio.shortwave:40592

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in
news:wh4mg.139$lv.109@fed1read12:

>
> "Slow Code" <sc@mo.mail> wrote in message
> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>> news:YGKlg.104$lv.41@fed1read12:
>>
>> >
>> > "dxAce" <dxAce@milestones.com> wrote in message
>> > news:44969559.30D72920@milestones.com...
>> >
>> >>
>> >> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
>> >
```

>> > That's needlessly insulting.
>>
>>
>> No it isn't.
>>
>> Some things in life require you do a little work to enjoy their
>> benefits. You don't want to learn CW, you shouldn't be allowed on ham
>> radio.
>>
>> And Five words per minute ain't a code test. I can fart five words per
>> minute. Anyone that can't learn 5 wpm is either lazy or a tard and
>> should stick to CB, FRS, and cell phones.
>
> I am a gainfully-employed degreed engineer with an above-average IQ
> and dyslexia. You are beneath contempt.

Anyone else hear a tiny violin playing?

sc

```
From 6402546146202273852
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
From: Slow Code <sc.h@m.mail>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
```

```
<IJKlg.105$lv.102@fed1read12>
<fO%lg.8938$lp.3438@newsread3.news.pas.earthlink.net> <zh4mg.140$lv.36@fed1read12>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 22
Message-ID: <HXkmg.16$ii.11@newsread3.news.pas.earthlink.net>
Date: Wed, 21 Jun 2006 23:51:03 GMT
NNTP-Posting-Host: 4.235.69.120
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150933863 4.235.69.120 (Wed, 21 Jun
2006 16:51:03 PDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 16:51:03 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13498
rec.radio.amateur.equipment:4879 rec.radio.amateur.misc:15056
rec.radio.amateur.policy:30602 rec.radio.shortwave:40593

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in
news:zh4mg.140$lv.36@fed1read12:

>
> "Slow Code" <sc@mo.mail> wrote in message
> news:fO%lg.8938$lp.3438@newsread3.news.pas.earthlink.net...
>
>>
>>
>> When code goes away, you're going to be the one that tells us the
>> written is too hard.
>
>
>     You wish!  Of the 55 questions on my Technician License exam,
> I missed one. ONE!



I got a 100% when I took the Technician.


sc



From -8372192369497819805
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!peer02.cox.net!
cox.net!p01!fed1read08.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
```

rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <xmomg.418$RD.185@fed1read08>
Date: Wed, 21 Jun 2006 20:44:29 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read08 1150947869 72.199.97.186 (Wed, 21 Jun 2006 23:44:29 EDT)
NNTP-Posting-Date: Wed, 21 Jun 2006 23:44:29 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13508
rec.radio.amateur.equipment:4880 rec.radio.amateur.misc:15058
rec.radio.amateur.policy:30606 rec.radio.shortwave:40628

"gravity" <gravityzrainbow@yahoo.com> wrote in message
news:44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net...

< snip >

> >
>
> argumentum ad hominem. if you killfile him because you dislike him, that
is
> one thing. but if you say he is wrong because you are an engineer, that
is
> a logical fallacy.
>
> this is why we need to add critical analysis to the engineering
curriculum.

Yeah but in newsgroups argumentum ad hominem is practically the order of the
day.
I only offered my education to refute the "lazy or a tard [sic]" cheap shot.

From -831935425654722482
X-Google-Thread: 108122,f79a35f36bec5f99,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-mail
From: joshhemming@fastmail.fm
Newsgroups: rec.radio.amateur.equipment
Subject: Need Help Testing ICOM IC-F420
Date: 21 Jun 2006 20:59:23 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1150948763.003030.324000@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 65.150.77.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150948768 20125 127.0.0.1 (22 Jun 2006 03:59:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 22 Jun 2006 03:59:28 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=65.150.77.208;
   posting-account=7OzzoAwAAACdXN1jMQl1vS1LAsWJlTDo
Xref: g2news2.google.com rec.radio.amateur.equipment:4881

I recently bought some ICOM IC-F420S-10 and IC-F420NW-10 UHF radios at a bankruptsy auction. They had been used on the forklifts of a large factory. Each radio has the original ICOM HM-100N mic and a small magnetic base roof mount antenna.

The radios all appear to power up fine. When connected to a 12V supply and the power switch pushed, all the buttons are backlit, the indicator light for whichever frequency is selected lights and every time the freq increase/decrease or volume buttons are pushed the radio beeps. Also, when the mic is keyed the TX/RX button and the frequency 1 through 5 indicator lights illuminate.

The problem is I can't receive anything on any of them. Complete silence.

I'm not a radio operator; I'm just trying to check these out to see if they work before I resell them. The literature I downloaded online said these are PC Programmable and password protected. Is there a way to make these xmit and receive without a password? How do you input the password?

I downloaded an IC-F320/F420 manual from ICOM but the manual shows a slightly different model......one that has alphanumerics and other symbols on the function display instead of just Channel 1-4 lights and TX/RX like mine.

From -6603761550458038660
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "Dr. Noonian Soong" <my@island>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
<ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
<gvydnSmxLJVOGATZnZ2dnUVZ_qmdnZ2d@comcast.com>
<44998dc1$0$16322$892e7fe2@authen.yellow.readfreenews.net>
<129j6ltcabaei12@corp.supernews.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Thu, 22 Jun 2006 07:06:06 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 36
Message-ID: <449a87fc$0$16357$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 22 Jun 2006 07:07:25 CDT
X-Trace: DXC=TJEefIIKEh@h[l8HNNPPaBbQ9W<K20`3BO6Gh9bA988Nlik0K9\T2NELmeAk]VL8JA[@>[DX7nG0JBm@QdNCAkRGMWDObC8P34I
Xref: g2news2.google.com rec.radio.amateur.antenna:13516
rec.radio.amateur.equipment:4882 rec.radio.amateur.misc:15059
rec.radio.amateur.policy:30608

"David G. Nagel" <nagel@core.com> wrote in message
news:129j6ltcabaei12@corp.supernews.com...

> In as much as the MX missile carries a hydrogen warhead I don't think
> that Soong's country was destroyed by one.
>

Dr. Nagel,

You please listen to me, I get PhD from big university. My university so expensive most American can't buy cafeteria lunch.

Long time ago, many years, I make secret lair in Bikini Atoll. American call it that, but I rename to Soong's Micronesian Micronation. It has nice ring to it.

Anyway, I build androids and mind my own business, but one day I monitor Americans and they say they blow up my island. Some missile test, but I say waste of perfectly good rocks.

I detect submarine with my acoustics, and I transmit on ELF and say "Don't blow up my island please!" But my Engrish so bad, they get confused and jam me with much megawatts. I not give up though. I build big ideograph out of bamboo, it say "Don't blow up my island thanks". But they have no analyst that read my language. I escape in nick of time in my junk ship.

look at picture, see big hole in middle of island?
http://en.wikipedia.org/wiki/Bikini_Atoll

MX missile destroy me. Now I teach dumb punk how to repair personal computer. I get revenge. I build big contest station and beat everyone.

Soong

```
From -1532855428829651142
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-xfer.cox.net!
peer01.cox.net!cox.net!border2.nntp.dca.giganews.com!nntp.giganews.com!
bcklog1.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-
mail
NNTP-Posting-Date: Thu, 22 Jun 2006 07:26:00 -0500
Date: Thu, 22 Jun 2006 08:26:00 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
```

```
 other.
References: <9937b$44969457$d06640f9$14348@FUSE.NET>
<44969559.30D72920@milestones.com>
<1150727944.590467.294720@c74g2000cwc.googlegroups.com>
<4496bf14$0$14238$892e7fe2@authen.yellow.readfreenews.net>
<IJKlg.105$lv.102@fed1read12>   <B6Kdna96iJ1WQArZnZ2dnUVZ_oCdnZ2d@comcast.com>
<1150806861.808156.273640@u72g2000cwu.googlegroups.com>
<1150809924.627366.210800@r2g2000cwb.googlegroups.com>
<fsidnTe6YIzqlQXZnZ2dnUVZ_s2dnZ2d@comcast.com>
<ak7h92tckkd13g4a1fnrsrv6fotdahct8p@4ax.com>
<gvydnSmxLJVOGATZnZ2dnUVZ_qmdnZ2d@comcast.com>
<44998dc1$0$16322$892e7fe2@authen.yellow.readfreenews.net>
<129j6ltcabaei12@corp.supernews.com>
<449a87fc$0$16357$892e7fe2@authen.yellow.readfreenews.net>
In-Reply-To: <449a87fc$0$16357$892e7fe2@authen.yellow.readfreenews.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <TeadnTK5aoLFEQfZnZ2dnUVZ_tGdnZ2d@comcast.com>
Lines: 50
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-HAw5/
FngYoZn94duar4Qy6L64jUEknOunVi8Qk2idNOwBR72nMkpr3mq3CZLki+lZLpqU5fNI6mWSpF!
5sOAO70UXoYDgq7VzK3YjW4QlzVklRetA9QrtskKnNhwBXREXN/NJo5WA2sv5ZXD7tgx41tkY1Pj!
6ENjP8FQHPfLYeUi+ZM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13517
rec.radio.amateur.equipment:4883 rec.radio.amateur.misc:15062
rec.radio.amateur.policy:30612
```

NOPE! The MX missile has 100% nothing to do with the Bikini Tests! Those tests were conducted after WWII and ended in the 1950s. The MX missile initial deployment was 1985.

By today's standards, the Bikini tests were low yield [~20KT] fission devices. Today's standard is moderate yields [~300 to 500 KT] fission-fusion devices.

MX has nothing to do with Bikini Atoll.

Have fun building your androids.

Dr. Noonian Soong wrote:
> "David G. Nagel" <nagel@core.com> wrote in message
> news:129j6ltcabaei12@corp.supernews.com...
>
>
>>In as much as the MX missile carries a hydrogen warhead I don't think
>>that Soong's country was destroyed by one.
>>

```
>
>
> Dr. Nagel,
>
> You please listen to me, I get PhD from big university.  My university so
> expensive most American can't buy cafeteria lunch.
>
> Long time ago, many years, I make secret lair in Bikini Atoll.  American
> call it that, but I rename to Soong's Micronesian Micronation.  It has nice
> ring to it.
>
> Anyway, I build androids and mind my own business, but one day I monitor
> Americans and they say they blow up my island.  Some missile test, but I say
> waste of perfectly good rocks.
>
> I detect submarine with my acoustics, and I transmit on ELF and say "Don't
> blow up my island please!"  But my Engrish so bad, they get confused and jam
> me with much megawatts.  I not give up though.  I build big ideograph out of
> bamboo, it say "Don't blow up my island thanks".  But they have no analyst
> that read my language.  I escape in nick of time in my junk ship.
>
> look at picture, see big hole in middle of island?
> http://en.wikipedia.org/wiki/Bikini_Atoll
>
> MX missile destroy me.  Now I teach dumb punk how to repair personal
> computer.  I get revenge.  I build big contest station and beat everyone.
>
> Soong
>
>



From -8107078485710237681
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0,start
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: OT: Outsourcing
Date: Thu, 22 Jun 2006 15:34:52 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129lvnf4h9st2d3@corp.supernews.com>
```

```
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news2.google.com rec.radio.amateur.antenna:13540
rec.radio.amateur.equipment:4884 rec.radio.amateur.misc:15114
rec.radio.amateur.policy:30675 rec.radio.shortwave:40686 rec.radio.cb:12176
```

"notbob" <notbob@nothome.com> wrote in message
news:1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com...

> On 2006-06-21, gravity <gravityzrainbow@yahoo.com> wrote:
>>
>> this is why we need to add critical analysis to the engineering
>> curriculum.
>
> It matters not. When management lacks the same talent, engineers will
> be chosen for economic rather than practical reasons. Outsourcing to
> India and H1B visas are proof. The fact that India has yet to produce
> a single Intel or Microsoft or H-P or Sony is lost on those whose who
> fawn over those rote trained hordes.
>
> nb

India is not a country we rely on to build super companies (for lack of a better term). Take a look at what we send to India. Toxic chemical factories that would be choked to death by special interest groups and politicians. We also outsource technical support, which is a waste of time and money, good thing companies don't pay them much, but it's a cheap way of saying "we have tech support" without truly having it. Look at the shoe mfg. industry, all moved to third world slave labor countries. Good for the shoe industry as they no longer have to deal with unions and we keep management and development in countries that have the talent and resources to maintain state of the art products. Look at how the auto industry has changed. They sent 1000s of jobs overseas to cut down on union labor (with management and R&D in the US), and the Japs are opening plants in the US (with management and R&D in Japan) that will never deal with the UAW. I could go on forever with this post (and talk about NAFTA), but will end my rave at this point. BTW, changed subject header as it didn't seem to fit. I would have trimmed a few NGs but am unsure what groups you are subscribed to.

```
From -1977670735605057757
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-
sjc-02!sn-xt-sjc-11!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!
not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 15:34:22 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129lvmgofeujhbd@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 50
Xref: g2news2.google.com rec.radio.amateur.antenna:13542
rec.radio.amateur.equipment:4886 rec.radio.amateur.misc:15116
rec.radio.amateur.policy:30677 rec.radio.shortwave:40688 rec.radio.cb:12178

"Slow Code" <sc.h@m.mail> wrote in message
news:FXkmg.15$ii.9@newsread3.news.pas.earthlink.net...
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
> news:wh4mg.139$lv.109@fed1read12:
>
>>
>> "Slow Code" <sc@mo.mail> wrote in message
>> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
>>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
```

>>> news:YGKlg.104$lv.41@fed1read12:
>>>
>>> >
>>> > "dxAce" <dxAce@milestones.com> wrote in message
>>> > news:44969559.30D72920@milestones.com...
>>> >
>>> >>
>>> >> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
>>> >
>>> > That's needlessly insulting.
>>>
>>>
>>> No it isn't.
>>>
>>> Some things in life require you do a little work to enjoy their
>>> benefits. You don't want to learn CW, you shouldn't be allowed on ham
>>> radio.
>>>
>>> And Five words per minute ain't a code test. I can fart five words per
>>> minute. Anyone that can't learn 5 wpm is either lazy or a tard and
>>> should stick to CB, FRS, and cell phones.
>>
>> I am a gainfully-employed degreed engineer with an above-average IQ
>> and dyslexia. You are beneath contempt.
>
>
> Anyone else hear a tiny violin playing?
>
>
> sc

No, I see a newsgroup clown that can't accept the fact that this man learned to succeed despite his dyslexia. Instead of offering ideas that could help him learn code you decide to insult him. You sit and whine about how ham radio is going to shit because they allow no code tech licensing and possibly doing away with code altogether. But you missed the biggest point with ham radio it was to help people. Did you help this man by offering alternative options to learn code? No, you insult him instead. It is you and your kind that will be the downfall of ham radio. Blame yourself.

From -1030322126022443827
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can communicatewith other.
Date: Thu, 22 Jun 2006 15:34:34 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129lvmupd8190c6@corp.supernews.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<1150890810.270718.211170@b68g2000cwa.googlegroups.com> <449w90d-34354odre-a$f09@miami.fl.news>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 48
Xref: g2news2.google.com rec.radio.amateur.antenna:13541
rec.radio.amateur.equipment:4885 rec.radio.amateur.misc:15115
rec.radio.amateur.policy:30676 rec.radio.shortwave:40687 rec.radio.cb:12177

"Earl the troll pearl" <earlpearl@florida.news> showed his lack of intellect
in message news:449w90d-34354odre-a$f09@miami.fl.news...
> In article <1150890810.270718.211170@b68g2000cwa.googlegroups.com>,
> "an_old_friend" <konstans@hotmail.com> wrote:
>>
>>Sal M. Onella wrote:
>>> "Slow Code" <sc@mo.mail> wrote in message
>>> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
>>> > "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>>> > news:YGKlg.104$lv.41@fed1read12:
>>
>>> > And Five words per minute ain't a code test. I can fart five words
>>> > per
>>> > minute.
>>
>>but look at what he says HE knows the test is uselesss he all but says
>>there
>>>
>>> I am a gainfully-employed degreed engineer with an above-average IQ
>>> and dyslexia. You are beneath contempt.
>>of course he is

>>>
>>> *CLICK*
>
>
> You and Sal M onella should hit it off just fine. With his dyslexia, and
> your
> mis-spelled words, he's probably the only one here that can clearly read
> and understand what you typed.
>
> Earl

Why do you find the need to boost your (lack of) self-confidence by insulting this person by comparing him to Mark? Mark chooses to sit on his ass sucking the entitlement system dry and contributing nothing to society, while this person decided to make the best of his what God gave him and he contributes to the same entitlement system that Mark chooses to deplete.

Earl you are not the Pearl of wisdom, you are the faux Pearl that trolls to enhance your (lack of) self-esteem.

Something I just thought of at the spur of the moment (not to mention keeps me on topic), some disabled person should sue to remove ALL code requirements, or offer an exclusion to those with disabilities to not have to take ANY code test under the Americans with Disability Act. I'm sure that person could even get a free ACLU lawyer to handle it.

```
From -2638995919451832440
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Message-ID: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
References: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
```

```
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Date: Thu, 22 Jun 2006 21:25:35 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1151011535 66.133.198.234 (Thu, 22 Jun
2006 14:25:35 PDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 14:25:35 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:13544
rec.radio.amateur.equipment:4887 rec.radio.amateur.misc:15119
rec.radio.amateur.policy:30680 rec.radio.shortwave:40699 rec.radio.cb:12183
```

On Thu, 22 Jun 2006 15:34:52 -0500, "DrDeath"
<drdeath555usb@yahoo.com> wrote:

>
>India is not a country we rely on to build super companies (for lack of a
>better term). Take a look at what we send to India. Toxic chemical factories
>that would be choked to death by special interest groups and politicians. We
>also outsource technical support, which is a waste of time and money, good
>thing companies don't pay them much, but it's a cheap way of saying "we have
>tech support" without truly having it. Look at the shoe mfg. industry, all
>moved to third world slave labor countries. Good for the shoe industry as
>they no longer have to deal with unions and we keep management and
>development in countries that have the talent and resources to maintain
>state of the art products. Look at how the auto industry has changed. They
>sent 1000s of jobs overseas to cut down on union labor (with management and
>R&D in the US), and the Japs are opening plants in the US (with management
>and R&D in Japan) that will never deal with the UAW. I could go on forever
>with this post (and talk about NAFTA), but will end my rave at this point.
>BTW, changed subject header as it didn't seem to fit. I would have trimmed a
>few NGs but am unsure what groups you are subscribed to.
>
>

The purpose of business is to keep people busy.

```
From -2623834721199105998
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
```

```
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 22 Jun 2006 17:16:08 -0500
Date: Thu, 22 Jun 2006 18:16:08 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<1150890810.270718.211170@b68g2000cwa.googlegroups.com> <449w90d-34354odre-
a$f09@miami.fl.news> <129lvmupd8190c6@corp.supernews.com>
In-Reply-To: <129lvmupd8190c6@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <RaKdnd7qlvY1iwbZnZ2dnUVZ_vWdnZ2d@comcast.com>
Lines: 26
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-gksYQSzpPRYneyrNyotiXe2Vmxu5damnsW3SJgrgas4d9nKOBRKem15/
PWBymrLDCDfNiIn0xOV+Sag!
ZA2AJ72KkemsCGhgZXHN3f+rObuhamiLXULblOb1KL0QAL6vre1ks6JXJ6A7Az642LIamhiY/245!
ric86sBHNHlUdGI5kTo=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13552
rec.radio.amateur.equipment:4888 rec.radio.amateur.misc:15122
rec.radio.amateur.policy:30689 rec.radio.shortwave:40715 rec.radio.cb:12190
```

DrDeath wrote:

SNIPPED
>

> Something I just thought of at the spur of the moment (not to mention keeps
> me on topic), some disabled person should sue to remove ALL code
> requirements, or offer an exclusion to those with disabilities to not have
> to take ANY code test under the Americans with Disability Act. I'm sure that
> person could even get a free ACLU lawyer to handle it.
>
>

Many years ago, 1950s, there was a very active 10 meter ham in Danvers, Massachusetts, during the period of Class A, B and C licenses. He was an arthritic quadriplegic. He was wheel chair bound, lived alone, and required visiting help to get into and out of bed and have his meals prepared and served.

He had a Class C [Conditional] license. He learned to copy 'read' CW in his head although he did not have the ability to send. I don't think he would consider a lawsuit appropriate.

Some of the OTs on this list may have worked him. W1JFS, Les MacCrakin. God Rest His Soul.

/s/ DD, W1MCE

```
From 9002523688857O5857
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 22 Jun 2006 17:21:55 -0500
Date: Thu, 22 Jun 2006 18:21:55 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
```

<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
In-Reply-To: <1aOdnQMcX-kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <RP6dnb6E7KmehQbZnZ2dnUVZ_qWdnZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-wJETlQemjaxSYiwss+I46jePtxGIJ2eP/DJ/zCUdBkC7PGDiTJ859sLxrqRH2ZFGSr0mkunSWaxoiHB!78TUo8lUD7OErAtjccI6Cjmpe06z0AfuuSchP5BPlgMlfgX/F2KNkqcT7+vmrbkkMKhaFEknT/Rq!+jxHR72kCEC8xqYxIkI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13553 rec.radio.amateur.equipment:4889 rec.radio.amateur.misc:15123 rec.radio.amateur.policy:30690 rec.radio.shortwave:40716

notbob wrote:

> On 2006-06-21, gravity <gravityzrainbow@yahoo.com> wrote:
>
>>this is why we need to add critical analysis to the engineering curriculum.
>
>
> It matters not. When management lacks the same talent, engineers will
> be chosen for economic rather than practical reasons. Outsourcing to
> India and H1B visas are proof. The fact that India has yet to produce
> a single Intel or Microsoft or H-P or Sony is lost on those whose who
> fawn over those rote trained hordes.
>
> nb

Having hired many engineers in my lifetime I can state that good engineers meet several criteria:

o meet the technical requirements established by your customer,

o meet the schedule established by your customer,

o meet the costs established by your customer.

Economics is only 1/3 of good engineering talent.

/s/ DD, W1MCE

From 7432228559991475471
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!feeder.news-service.com!
txtfeed1.tudelft.nl!tudelft.nl!binfeed2.tudelft.nl!newsrouter-eu.astraweb.com!
news.astraweb.com!router1.astraweb.com!sn-xt-sjc-15!sn-xt-sjc-06!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Date: Thu, 22 Jun 2006 17:28:45 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129m6ct3rdtui3a@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
In-Reply-To: <hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 32
Xref: g2news2.google.com rec.radio.amateur.antenna:13554
rec.radio.amateur.equipment:4890 rec.radio.amateur.misc:15124
rec.radio.amateur.policy:30691 rec.radio.shortwave:40718 rec.radio.cb:12191

David wrote:

> On Thu, 22 Jun 2006 15:34:52 -0500, "DrDeath"
> <drdeath555usb@yahoo.com> wrote:
>
>

```
>
>>India is not a country we rely on to build super companies (for lack of a
>>better term). Take a look at what we send to India. Toxic chemical factories
>>that would be choked to death by special interest groups and politicians. We
>>also outsource technical support, which is a waste of time and money, good
>>thing companies don't pay them much, but it's a cheap way of saying "we have
>>tech support" without truly having it. Look at the shoe mfg. industry, all
>>moved to third world slave labor countries. Good for the shoe industry as
>>they no longer have to deal with unions and we keep management and
>>development in countries that have the talent and resources to maintain
>>state of the art products. Look at how the auto industry has changed. They
>>sent 1000s of jobs overseas to cut down on union labor (with management and
>>R&D in the US), and the Japs are opening plants in the US (with management
>>and R&D in Japan) that will never deal with the UAW. I could go on forever
>>with this post (and talk about NAFTA), but will end my rave at this point.
>>BTW, changed subject header as it didn't seem to fit. I would have trimmed a
>>few NGs but am unsure what groups you are subscribed to.
>>
>>
>
> The purpose of business is to keep people busy.
>
The purpose of business is to make money for it's owners. Everything
else is charity.

This aught to cause a flame war.  :^)


From 6788499790747170813
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!bcklog1.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 22 Jun 2006 17:51:12 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
```

```
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 18:50:33 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
Lines: 64
NNTP-Posting-Host: 68.61.218.179
X-Trace:
sv3-8uihSVzAJb4zD+7VTDCycmrAuznrf1bIsuFfGLk8v+bHeIuHsQPVA28xYR1h98Xrj85YuqB67rNXqj
N!07C/NL+Ns5FlAow/UqHVlKOlpRcNXtrXLo5qcFub0Mmd85hXPZYQf3+6VaA0Wm3uOvNjRc9lGTQg!
Q0awRiq1LHk6LMPD
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13555
rec.radio.amateur.equipment:4891 rec.radio.amateur.misc:15126
rec.radio.amateur.policy:30694 rec.radio.shortwave:40722 rec.radio.cb:12194


"DrDeath" <drdeath555usb@yahoo.com> wrote in message
news:129lvmgofeujhbd@corp.supernews.com...
> "Slow Code" <sc.h@m.mail> wrote in message
> news:FXkmg.15$ii.9@newsread3.news.pas.earthlink.net...
>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>> news:wh4mg.139$lv.109@fed1read12:
>>
>>>
>>> "Slow Code" <sc@mo.mail> wrote in message
>>> news:cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net...
>>>> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
>>>> news:YGKlg.104$lv.41@fed1read12:
>>>>
>>>> >
>>>> > "dxAce" <dxAce@milestones.com> wrote in message
>>>> > news:44969559.30D72920@milestones.com...
>>>> >
>>>> >>
>>>> >> Anybody who can't pass the minimal 5 WPM doesn't deserve a license.
>>>> >
>>>> > That's needlessly insulting.
>>>>
>>>>
>>>> No it isn't.
>>>>
```

>>>> Some things in life require you do a little work to enjoy their
>>>> benefits. You don't want to learn CW, you shouldn't be allowed on ham
>>>> radio.
>>>>
>>>> And Five words per minute ain't a code test. I can fart five words per
>>>> minute. Anyone that can't learn 5 wpm is either lazy or a tard and
>>>> should stick to CB, FRS, and cell phones.
>>>
>>> I am a gainfully-employed degreed engineer with an above-average IQ
>>> and dyslexia. You are beneath contempt.
>>
>>
>> Anyone else hear a tiny violin playing?
>>
>>
>> sc
>
> No, I see a newsgroup clown that can't accept the fact that this man
> learned to succeed despite his dyslexia. Instead of offering ideas that
> could help him learn code you decide to insult him. You sit and whine
> about how ham radio is going to shit because they allow no code tech
> licensing and possibly doing away with code altogether. But you missed the
> biggest point with ham radio it was to help people. Did you help this man
> by offering alternative options to learn code? No, you insult him instead.
> It is you and your kind that will be the downfall of ham radio. Blame
> yourself.

Well I described a number of alternatives to learning and he persists in
saying he cannot learn code. Now I have not insulted him that I know of
(although it's difficult to predict what one might take as an insult).
However, if someone truly is incapable of learning code, then they are
unable to learn to understand the spoken word and to speak. The fact that
he can speak and understand the spoken word means he can learn code at the
basic level of 5wpm. He is his own biggest enemy.

Dee Flint, N8UZE

From -1289867107287628952
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!

```
newssvr27.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith
 other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12> <FXkmg.15$ii.9@newsread3.news.pas.earthlink.net>
<129lvmgofeujhbd@corp.supernews.com>
<bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
In-Reply-To: <bJSdnRBXL9F9gwbZnZ2dnUVZ_qydnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <avFmg.48993$fb2.13033@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 71.144.61.135
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1151018054 ST000 71.144.61.135 (Thu, 22 Jun
2006 19:14:14 EDT)
NNTP-Posting-Date: Thu, 22 Jun 2006 19:14:14 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQNONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAF@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Thu, 22 Jun 2006 23:14:14 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:13556
rec.radio.amateur.equipment:4892 rec.radio.amateur.misc:15128
rec.radio.amateur.policy:30697 rec.radio.shortwave:40725 rec.radio.cb:12196
```

Dee Flint wrote:
> Well I described a number of alternatives to learning and he persists in
> saying he cannot learn code. ... The fact that
> he can speak and understand the spoken word means he can learn code at the
> basic level of 5wpm.

A completely deaf person can speak and read lips but he/she
still cannot even hear Morse code. What you need to understand
is that something that seems normal to you is missing in some
people. If an amateur radio license required dunking a basket-
ball, could you do it? As one who can dunk a basketball, I can
tell you all you need is enough will and effort and you can do it.

--

73, Cecil http://www.qsl.net/w5dxp

```
From 7174945244071411814
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-sjc-08!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: OT: Outsourcing
Date: Thu, 22 Jun 2006 18:22:57 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129m9ijcnshm47f@corp.supernews.com>
References: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<44995516$0$11193$892e7fe2@authen.yellow.readfreenews.net> <1aOdnQMcX-
kk9gTZnZ2dnUVZ_qadnZ2d@comcast.com> <129lvnf4h9st2d3@corp.supernews.com>
<hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 37
Xref: g2news2.google.com rec.radio.amateur.antenna:13557
rec.radio.amateur.equipment:4893 rec.radio.amateur.misc:15130
rec.radio.amateur.policy:30701 rec.radio.shortwave:40728 rec.radio.cb:12200
```

"David" <rickets@knac.com> wrote in message
news:hl2m92p1ggaq8041erjbk7rm4ekg1mu07i@4ax.com...

> On Thu, 22 Jun 2006 15:34:52 -0500, "DrDeath"
> <drdeath555usb@yahoo.com> wrote:
>
>
>>
>>India is not a country we rely on to build super companies (for lack of a

>>better term). Take a look at what we send to India. Toxic chemical
>>factories
>>that would be choked to death by special interest groups and politicians.
>>We
>>also outsource technical support, which is a waste of time and money, good
>>thing companies don't pay them much, but it's a cheap way of saying "we
>>have
>>tech support" without truly having it. Look at the shoe mfg. industry, all
>>moved to third world slave labor countries. Good for the shoe industry as
>>they no longer have to deal with unions and we keep management and
>>development in countries that have the talent and resources to maintain
>>state of the art products. Look at how the auto industry has changed. They
>>sent 1000s of jobs overseas to cut down on union labor (with management
>>and
>>R&D in the US), and the Japs are opening plants in the US (with management
>>and R&D in Japan) that will never deal with the UAW. I could go on forever
>>with this post (and talk about NAFTA), but will end my rave at this point.
>>BTW, changed subject header as it didn't seem to fit. I would have trimmed
>>a
>>few NGs but am unsure what groups you are subscribed to.
>>
>>
> The purpose of business is to keep people busy.
>
No, It is to make money.

From -4447576046758158525
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 106d41,9ce7005e7a3af1d0
X-Google-Attributes:
gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!
newspeer.monmouth.com!newsgate.cistron.nl!xs4all!feeder1.cambrium.nl!
feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-04!sn-post-ams-01!sn-
post-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave,rec.radio.cb
Subject: Re: Elimination of CW is a loss in the number of ways we can
communicatewith other.
Date: Thu, 22 Jun 2006 18:30:29 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <129ma0n51o0kva6@corp.supernews.com>

References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
<9937b$44969457$d06640f9$14348@FUSE.NET> <44969559.30D72920@milestones.com>
<YGKlg.104$lv.41@fed1read12> <cO%lg.8936$lp.2685@newsread3.news.pas.earthlink.net>
<wh4mg.139$lv.109@fed1read12>
<1150890810.270718.211170@b68g2000cwa.googlegroups.com> <449w90d-34354odre-a$f09@miami.fl.news> <129lvmupd8190c6@corp.supernews.com>
<RaKdnd7qlvY1iwbZnZ2dnUVZ_vWdnZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 31
Xref: g2news2.google.com rec.radio.amateur.antenna:13558
rec.radio.amateur.equipment:4894 rec.radio.amateur.misc:15131
rec.radio.amateur.policy:30703 rec.radio.shortwave:40729 rec.radio.cb:12201

"Dave" <W1MCE@comcast.net> wrote in message
news:RaKdnd7qlvY1iwbZnZ2dnUVZ_vWdnZ2d@comcast.com...
> DrDeath wrote:
>
> SNIPPED
>>
>> Something I just thought of at the spur of the moment (not to mention
>> keeps me on topic), some disabled person should sue to remove ALL code
>> requirements, or offer an exclusion to those with disabilities to not
>> have to take ANY code test under the Americans with Disability Act. I'm
>> sure that person could even get a free ACLU lawyer to handle it.
>
> Many years ago, 1950s, there was a very active 10 meter ham in Danvers,
> Massachusetts, during the period of Class A, B and C licenses. He was an
> arthritic quadriplegic. He was wheel chair bound, lived alone, and
> required visiting help to get into and out of bed and have his meals
> prepared and served.
>
> He had a Class C [Conditional] license. He learned to copy 'read' CW in
> his head although he did not have the ability to send. I don't think he
> would consider a lawsuit appropriate.
>
> Some of the OTs on this list may have worked him. W1JFS, Les MacCrakin.
> God Rest His Soul.
>
> /s/ DD, W1MCE
>
He may not, but others that may be dyslexic, deaf, or other handicapped
person may deem a lawsuit appropriate.

From 7562738585204116924
X-Google-Thread: 108122,27a7b45e336bd30
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!atl-c05.usenetserver.com!news.usenetserver.com!green.octanews.net!news-out.octanews.net!mauve.octanews.net!66.150.105.54.MISMATCH!newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!nx02.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 13 Jun 2006 16:13:18 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1150223680.544389.237420@h76g2000cwa.googlegroups.com>
Subject: Re: Give up CB for Ham?
Date: Tue, 13 Jun 2006 16:13:18 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <ht-dncQ4DrPztxLZnZ2dnUVZ_oKdnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-MY4CRIx7fvuytMVXLR0C8NY2yZz2vQoAwIix1BjXM5uiBPyXWNZYwyEVDdulxnO0hwdwzQyt3+LBhzq!fDI2frafeKmwJgA9l3LnnwK+YVOCaKdSPzcccXBrqkMSc9g2Et/fVtS8BwdYiqCy+RzKQcrAgY6x!Jxg7+fLjfA2qmA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4742

Identical post about 3 or 4 months ago...
Nice try

Welcome to my killfile

PLONK

<patk1212@gmail.com> wrote in message
news:1150223680.544389.237420@h76g2000cwa.googlegroups.com...
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a Ham radio. What do you
> think?
>

```
From 7359424591526779434
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!news-out.readnews.com!news-
xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <128r0unhde6t126@corp.supernews.com>
Organization: Your Company
Message-ID: <Xns97E194E80E33Dspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 13 Jun 2006 21:37:43 GMT
Lines: 63
NNTP-Posting-Host: aa0323bb.news.adtechcomputers.com
X-Trace: DXC=3[]98e8<lhdf\[Q9fA_YO`gC4_A5:nI@a<<=aEgO;R8g_GH4GF:M56`QJ2gU2dCQ9lR?
X7U2a5ffgemfRC[RMj?oJGUlSY>5n2`j1Qg1C6J[_cBDKmJSjT=:d
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4743
```

"Patrick" <Patrick@SPAM.com> wrote in
news:128r0unhde6t126@corp.supernews.com:

> I am trying to help someone out who is currently cruising and can not
> contact Furuno. THey are trying to use their FS1503 on lower sideband
> but there is some 'unclipping' procedure required to enable lower
> sideband. Does anyone have the details on this procedure? They seem to
> think its a keying sequence on the controls. I'm pretty sure there is
> a jumper which needs to be clipped.
>
> Any help would be great.

Patrick, I hope you are still reading this thread as I can't seem to find a valid email address for you.

Here is the procedure to unlock the LSB function in the Furuno FS1503:

You need to change system parameter 9914 to "0" to enable LSB capability.

SYSTEM PROGRAMMING PROCEDURE:

1) While pressing and holding down the [CH] key, turn the power on to enter system programming mode, release the [CH] key after unit is on and "MEMO" shows in the display.

2) Select function 9999 by rotating the FREQ/CH knob.

3) Press [CH], [1], [5], [0], [3], and [ENT] keys. ("1503" is password.)

4) Select function 9914 by rotating the FREQ/CH knob, then press [CH], [0], and [ENT] keys.

5) To finish up, escape the programming mode by simply turning off the radio.

The system programming is completed.

Ed K7AAT

From 4840185175539878849
X-Google-Thread: 108122,27a7b45e336bd30
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 13 Jun 2006 17:35:16 -0500
Date: Tue, 13 Jun 2006 15:35:22 -0700
From: Rick Scott <rickw7psk@gmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
References: <1150223680.544389.237420@h76g2000cwa.googlegroups.com> <ht-

dncQ4DrPztxLZnZ2dnUVZ_oKdnZ2d@comcast.com>
In-Reply-To: <ht-dncQ4DrPztxLZnZ2dnUVZ_oKdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <lemdnQLAS9I4oBLZnZ2dnUVZ_tmdnZ2d@comcast.com>
Lines: 9
NNTP-Posting-Host: 67.160.20.162
X-Trace: sv3-bzpExJgGQFjmoa/
KfQ09zExJmRpQbtabGjnGufuqIZU0FZwIoJ58A3OINCF3doZTRxDyIIcFsTyvf/V!
QA+uPpsPbPIF7cggxTK2UQnHKWiuCcIuowiE02WsAg6mF6Cmsp6xRSf55dszg1daPi+PWtX61gjh!
AiXllBP103KiKw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4744

Noon-Air wrote:
> Identical post about 3 or 4 months ago...
> Nice try

Actually just a week ago too

And a couple weeks

And a month ad nauseum

From -3481965243529366921
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!spool-big2.readnews.com!diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "14.313 QRMers VFW Post 69.5" <herbiebabynumberone@pollysuckass.com>
From: "14.313 QRMers VFW Post 69.5" <herbiebabynumberone@pollysuckass.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Subject: Re: Email this to your FAT ASS HAM NEIGHBOR ON HIS ELECTRIC SCOOTER AT DAYTON (rotflmao)
Date: Tue, 13 Jun 2006 19:04:39 -0400
Lines: 61
Organization: pfhblttttttt!!!

```
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <497bb$448f4472$d1cc5bd4$4845@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc5a-209-204-91-212.sniparpa.net
X-Trace: 497bb448f44727469fe714845
Xref: g2news2.google.com rec.radio.amateur.equipment:4745
rec.radio.amateur.misc:13935 rec.radio.amateur.policy:29270 rec.radio.scanner:3544
rec.radio.swap:4570
```

"Radio Buff" <my.mail@no.spam> wrote in message
news:Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net...

> Dear sir:
>
> The FCC has been dumbing down ham radio for several years now.

Bull f-'ing shi+ !!   Hams are dumb to start with.

> This has hurt the integrity of the service and is bad for America. They
are
> planning to dumb it down again really soon now and their plan will make
> ham radio like CB and it will be bad for America.

Baaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa...
HA HA HA HA AH HA HA HAHAH AHAHAA!!!!!!!!!!!

Oh what a maroon this putz is eh folks????

>We already have one CB
> service, we don't need two.   Please pressure the FCC to endorse the
> following items for the good of the service and County.

Oh jeebsus-h-christmas on a rocket-propelled sled in the Nevada desert!
You are one dumbass dipshit. A perfect ambassador for ham radio.

You were'nt the FATASS I saw on that scooter at Dayton
pulling that wagon of junk around were you???

I mean.....Jeeze!

I never saw so many FAT ASS HAMS ON SCOOTERS at Dayton this year.
Bet the electric bill to re-charge all those Electric Mobility scooters was
TWICE
the cost what it needed to run the Icom and Yaesu display!

Here's your future of ham radio folks!

OLD FARTS who EAT and SMOKE themselves to death
faster than the barstool warmers at the local VFW and AL Post!

> God bless America.

Did you know that G-d spelled backwards is "dog".
(I know you did, just wanted to give the knife a little twist.....(grin)

> Signed
> (Your name & callsign Harvey C Buttphuck of West Memphis TN)
>
>
>
> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
> The passing score for written exams needs to be raised to 85%.
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
> Make the no-code license one year non-renewable.

Baaaaaaa hahahahahahahahahahahahahahahahahaha!!!!!
You do that an ARRL will have a hissy-fit. They got
enuf trouble keeping the few fatasses alive and buying
that pathetic 75% advertising magazine of their's...

From -5828597248491421878
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
From: Slow Code <my.mail@no.spam>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<Iq3hg.1909$o4.911@newsread2.news.pas.earthlink.net>
<GpPig.4546$lp.616@newsread3.news.pas.earthlink.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 30
Message-ID: <YIHjg.12661$921.4057@newsread4.news.pas.earthlink.net>
Date: Tue, 13 Jun 2006 23:18:16 GMT
NNTP-Posting-Host: 4.228.228.95
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1150240696 4.228.228.95 (Tue, 13 Jun
2006 16:18:16 PDT)
NNTP-Posting-Date: Tue, 13 Jun 2006 16:18:16 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12896

```
rec.radio.amateur.equipment:4747 rec.radio.swap:4572

Billy Smith <colonelsmileyeoiawtopwat@yahoo.cojj> wrote in
news:GpPig.4546$lp.616@newsread3.news.pas.earthlink.net:

> Slow Code wrote:
>> patk1212@gmail.com wrote in
>> news:1149534276.955122.310050@i40g2000cwc.googlegroups.com:
>>
>>
>>>Alot of people are telling me that CB is just for inbred hicks and that
>>>I should replace the CB in my truck with a ham radio.  What do you
>>>thjink?
>>
>>
>>
>>
>> Which of your trucks were you thinking of updating?  Your old rust
>> bucket truck that still runs, or the one on blocks that you call your
>> base station?
>>
>> sc
>
> Nice predjudice against a guy without knowing him. Somehow did an optic
> nerve get crossed with your asshole giving you a crappy view of life?



Thanks for the diagnosis Doc,  I wondered what was wrong.  So did you
finally decide to give up CB for ham?

sc



From -908218525963148109
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: get help
Date: 13 Jun 2006 16:23:44 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1150241024.768327.269930@y43g2000cwc.googlegroups.com>
```

```
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196>
   <XIHjg.12660$921.2643@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.34
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150241031 32471 127.0.0.1 (13 Jun 2006 23:23:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 13 Jun 2006 23:23:51 +0000 (UTC)
In-Reply-To: <XIHjg.12660$921.2643@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=69.19.14.34;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:4748
rec.radio.amateur.misc:13937 rec.radio.amateur.policy:29272 rec.radio.scanner:3546
rec.radio.swap:4573


Radio Buff wrote:
> Ed <Huckleberry_REMOVE_@bigvalley.net> wrote in
> news:Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196:
>
> >    Please,  this was funny the first time around,.  Now its boring.  Go
> > away.
>
>
>
> and they'll all have licenses.
indeed how will know the difference in the bands after no code goes
through

likely that hf will start to resemble VHF more with politier operators
and an avoidaence of endless discssuions of ham aliments
>
> Is an intelligent conversation & exchange important or would you rather
> hear:
>
> AAAAAAAAAAAAAAUDIOOOOOOOOOOOOOOOOO.
I have never heard anything like that on CB I hear worse on a weekly
basis on Ham radio




From 7006509010098920265
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your FAT ASS HAM NEIGHBOR ON HIS ELECTRIC SCOOTER AT
DAYTON (rotflmao)
Message-ID: <stju82dudh33hcnf25vdud9fnob2m7pcs7@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<497bb$448f4472$d1cc5bd4$4845@snip.allthenewsgroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Tue, 13 Jun 2006 19:52:49 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1150242662 24.186.218.38 (Tue, 13 Jun 2006 16:51:02 MST)
NNTP-Posting-Date: Tue, 13 Jun 2006 16:51:02 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4749
rec.radio.amateur.misc:13943 rec.radio.amateur.policy:29278 rec.radio.scanner:3547
rec.radio.swap:4575

On Tue, 13 Jun 2006 19:04:39 -0400, "14.313 QRMers VFW Post 69.5"
<herbiebabynumberone@pollysuckass.com> wrote:

>Oh what a maroon this putz is eh folks????

You sure are <plonk<

From 4814729194354000389
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: 106d41,c2023d7caa5134b7,start
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes:
gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!feeder2!
138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-05!sn-post-ams-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.scanner,rec.radio.swap
Subject: Re: Coming to a ham band near you, CB'ers, Lids, and retards...

```
Date: Tue, 13 Jun 2006 19:40:01 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128umn5endpfna1@corp.supernews.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196>
<XIHjg.12660$921.2643@newsread4.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news2.google.com rec.radio.amateur.equipment:4750
rec.radio.amateur.misc:13952 rec.radio.amateur.policy:29290 rec.radio.cb:11743
rec.radio.scanner:3549 rec.radio.swap:4576

"Radio Buff" <my.mail@no.spam> wrote in message
news:XIHjg.12660$921.2643@newsread4.news.pas.earthlink.net...
> Ed <Huckleberry_REMOVE_@bigvalley.net> wrote in
> news:Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196:
>
>>    Please,  this was funny the first time around,.  Now its boring.  Go
>> away.
>
>
>
> and they'll all have licenses.
>
> Is an intelligent conversation & exchange important or would you rather
> hear:
>
> AAAAAAAAAAAAAAUDIOOOOOOOOOOOOOOOOO.
>
Yeah, that's all we say on 11 meters. I can't wait till they start handing
out tickets like they did with CB just so I can go on 80 meters and say
AAAAAAAAAAAAUDIOOOOOOOOOO
Can I run my echo on 80 meters too?
Get a life. Many a good ham has roots in CB.




From 2767782527523029274
X-Google-Thread: 108122,27a7b45e336bd30
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 13 Jun 2006 20:29:47 -0500
From: "TSnCS" <noboday@home.com>
Newsgroups: rec.radio.amateur.equipment
```

References: <1150223680.544389.237420@h76g2000cwa.googlegroups.com>
Subject: Re: Give up CB for Ham?
Date: Tue, 13 Jun 2006 20:33:36 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <dNudnRRPINEW-xLZnZ2dnUVZ_rKdnZ2d@comcast.com>
Lines: 11
NNTP-Posting-Host: 24.13.59.172
X-Trace: sv3-6HxG6VFLfVk02R7jhnjrbhzPUxlca9/TBEaXUAK+2XezpJRfOfEx8LjX3S/
1QmW8nvYKPvELWcGI2Mh!
m+qhTWFb6vV1Yc2AOe6hwa+iVKxczIg6h0JvxMdY+Wyj63J4UC1FseWq6Mj2DVFzCz/6wQGiVt3Y!
Kim4KgF5
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4751

Don't bother. Just stay an inbred hick.......

<patk1212@gmail.com> wrote in message
news:1150223680.544389.237420@h76g2000cwa.googlegroups.com...
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a Ham radio. What do you
> think?
>

From 4745770922127073407
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <128r0unhde6t126@corp.supernews.com>
<Xns97E05694EA474spectrumhogstarbandn@198.186.192.196>
<Xns97E05826E847Dspectrumhogstarbandn@198.186.192.196> <You-
DD48C8.15044912062006@netnews.worldnet.att.net>
Organization: Your Company
Message-ID: <Xns97E1BC44373F6spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14

Date: 14 Jun 2006 01:29:54 GMT
Lines: 15
NNTP-Posting-Host: 642c4b70.news.adtechcomputers.com
X-Trace: DXC=0ANCba0L?7VgVIiDmACf[\gC4_A5:nI@Q<<=aEgO;R8W_GH4GF:M56PSegC<VD]loXR?
X7U2a5ffWemfRC[RMj?_JGUlSY>5n2Pj1Qg1C6J[_SfR=HD7YD0:R
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4752

>>
>
> and unless you are a Furuno Dealer, They aren't going to let that
> secret out.......
>

Well, one of them did. I just posted that info here. All it took was a little email query.

Ed

From -4658458627080641347
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: Tue, 13 Jun 2006 19:27:15 -0700
Message-ID: <MPG.1ef913df523bfe099896c8@news.drizzle.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 14
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4753
rec.radio.amateur.misc:13962

In article <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>, my.mail@no.spam (known to some as Radio Buff) scribed...

<drivelectomy>

Oh, look... nothing left.

PLONK!

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From 3411627451746095387
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.buckeye-express.com!
news.buckeye-express.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 13 Jun 2006 23:57:12 -0500
From: BDK <kingratay@buckeye-express.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: Wed, 14 Jun 2006 00:55:06 -0400
Message-ID: <MPG.1ef960b921814734989ff6@news.buckeye-express.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Organization: Dicks, INC.
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
User-Agent: MicroPlanet-Gravity/2.60.2060
X-Antivirus: avast! (VPS 0624-1, 06/13/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 40
NNTP-Posting-Host: 72.240.66.164
X-AuthenticatedUsername: news.23637@buckeye-express.com
X-Trace: sv3-ndhQJENPISWn7rOvfPOYXkGBUxxp39CLYlV/
ubofxDPicT70kWqxm8tvpl7pBFV5T9z56T/RsEMEPiN!X9bkntw/LS/
VXS9IvhxQOOxuNU1XO0k3jhGOI7z+mSJibMH2Hin9HCd/ok01RN+MrS8+hmmGZGN6!
OU5P7BfQ5HpBr3TQvvDNg9la/tffA/t6w/a0JdnEJn8kmC+dIGbMspNQxkA=
X-Complaints-To: abuse@buckeye-express.com
X-DMCA-Complaints-To: ip-admin@cablesystem.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4754 rec.radio.amateur.misc:13965 rec.radio.amateur.policy:29297 rec.radio.scanner:3551 rec.radio.swap:4582

In article <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>,
my.mail@no.spam says...
> Dear sir:
>
> The FCC has been dumbing down ham radio for several years now. This has
> hurt the integrity of the service and is bad for America. They are
> planning to dumb it down again really soon now and their plan will make
> ham radio like CB and it will be bad for America. We already have one CB
> service, we don't need two.   Please pressure the FCC to endorse the
> following items for the good of the service and County.
> God bless America.
>
>
> Signed
> (Your name & callsign)
>
>
>
> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
>
> The passing score for written exams needs to be raised to 85%.
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Make the no-code license one year non-renewable.
>
>
>

If they did what you want, ham radio would be dead in just a few years.

The primary problem causers in the past and present aren't new hams,
they are the old timers who passed all the elements a long time ago.
Maybe it's the cause of their behavior?

The code needed to go 40 years ago, it's about time it was removed as a
requirement.

BDK

From 4967074624736352370
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.xsnews.nl!
feeder.xsnews.nl!newsrouter-eu.astraweb.com!news.astraweb.com!
router1.astraweb.com!sn-xt-sjc-15!sn-xt-sjc-06!sn-post-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Patrick" <Patrick@SPAM.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
Date: Tue, 13 Jun 2006 23:36:39 -0700
Organization: www.ShipsRecord.com
Message-ID: <128vbk04ltec833@corp.supernews.com>
References: <128r0unhde6t126@corp.supernews.com>
<Xns97E194E80E33Dspectrumhogstarbandn@198.186.192.196>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.equipment:4755

Thanks a lot Ed! I will forward the information along with your Callsign.
Maybe they will drop you a note or make contact.

-patrick
Patrick's Sailing Blog: http://shipsrecord.com/blogs/patrick/


"Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns97E194E80E33Dspectrumhogstarbandn@198.186.192.196...
>
>
> "Patrick" <Patrick@SPAM.com> wrote in
> news:128r0unhde6t126@corp.supernews.com:

>   Ed   K7AAT
>
>





From 3915492958424628308
X-Google-Thread: 1109af,1ddf6c225a76f84c,start
X-Google-Thread: fc8b1,1ddf6c225a76f84c,start
X-Google-Thread: 108122,1ddf6c225a76f84c,start
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!
53ab2750!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
```

Subject: Wanted: DM-28-R dynamotor for BC-348-R receiver
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 9
Message-ID: <n%Sjg.1$FN2.0@dfw-service2.ext.ray.com>
Date: Wed, 14 Jun 2006 12:08:51 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1150286931 138.126.48.166 (Wed, 14 Jun 2006 07:08:51 CDT)
NNTP-Posting-Date: Wed, 14 Jun 2006 07:08:51 CDT
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.swap:4585 rec.radio.amateur.boatanchors:4355 rec.radio.amateur.equipment:4756

I am in need of a DM-28-R dynamotor for a BC-348-R receiver.
Must be in working condition. Not too concerned about looks
(can't see it anyway, once it's installed in the receiver!).
Once I finish restoring this receiver, it will be installed
aboard a B-17.

Thanks and 73,
Dean K5DH

From 3787109896205909051
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Gil" <common_man@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net> <Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196> <XIHjg.12660$921.2643@newsread4.news.pas.earthlink.net>
Subject: Re: Coming to a ham band near you, CB'ers, Lids, and retards...
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original

```
Message-ID: <VjUjg.231913$5Z.56242@dukeread02>
Date: Wed, 14 Jun 2006 09:39:03 -0400
NNTP-Posting-Host: 68.228.158.44
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1150292341 68.228.158.44 (Wed, 14 Jun 2006 09:39:01 EDT)
NNTP-Posting-Date: Wed, 14 Jun 2006 09:39:01 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4757
rec.radio.amateur.misc:13984 rec.radio.amateur.policy:29315 rec.radio.scanner:3554
rec.radio.swap:4588

Radio Buff wrote:
> Ed <Huckleberry_REMOVE_@bigvalley.net> wrote in
> news:Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196:
>
>>    Please,  this was funny the first time around,.  Now its boring.
>> Go away.
>
>
>
> and they'll all have licenses.
>
> Is an intelligent conversation & exchange important or would you
> rather hear:
>
> AAAAAAAAAAAAAAUDIOOOOOOOOOOOOOOOOO.

Let's face it, if intelligent conversation was important, none of us would
be on Usenet in the first place to read the snivling and whining of trolls
like you.




From -5883268168005947039
X-Google-Thread: 108122,6e6c4c0693aa0486,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!
news.rr.com!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!
not-for-mail
From: "Fritz" <wd8e@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: EMCOMM Book
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <6oWjg.44725$YI5.24977@tornado.ohiordc.rr.com>
Date: Wed, 14 Jun 2006 16:00:02 GMT
NNTP-Posting-Host: 65.25.139.138
```

X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1150300802 65.25.139.138 (Wed, 14 Jun 2006 12:00:02 EDT)
NNTP-Posting-Date: Wed, 14 Jun 2006 12:00:02 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4758

I have an almost new ARRL Emergency Communication Handbook for sale. $10.00
Fritz

From -282475021856054522
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <128r0unhde6t126@corp.supernews.com> <Xns97E194E80E33Dspectrumhogstarbandn@198.186.192.196> <128vbk04ltec833@corp.supernews.com>
Organization: Your Company
Message-ID: <Xns97E25C4CC9035spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 14 Jun 2006 16:03:49 GMT
Lines: 20
NNTP-Posting-Host: 0a2d1401.news.adtechcomputers.com
X-Trace: DXC=Sof3Y]I;3RL<<h;Yk>G0KMgC4_A5:nI@A<<=aEgO;R8G_GH4GF:M56@Icb=C[\nF<CR?X7U2a5ffGemfRC[RMj?OJGUlSY>5n2@WhYB>QS>@6DIZBngM8NBIM
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4759

"Patrick" <Patrick@SPAM.com> wrote in
news:128vbk04ltec833@corp.supernews.com:

> Thanks a lot Ed! I will forward the information along with your
> Callsign. Maybe they will drop you a note or make contact.
>
> -patrick
> Patrick's Sailing Blog: http://shipsrecord.com/blogs/patrick/
>

You're welcome, Patrick. I emailed about 4 yacht maintenance vendors here on the West Coast and got back two positive replies. To give credit where credit is due, the first response came from Marty, WA7JMA.

I sent this info to mods.dk also. Hopefully they'll post it to their mods website.

Ed K7AAT

From -1332797853333799874
X-Google-Thread: 1109af,d903ece2b776fc92,start
X-Google-Thread: 108122,d903ece2b776fc92,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!cyclone1.gnilink.net!gnilink.net!nx01.iad01.newshosting.com!newshosting.com!217.73.144.44.MISMATCH!ecngs!feeder.ecngs.de!newsfeed.freenet.de!feeder.news-service.com!feeder2.cambrium.nl!feed.tweaknews.nl!news.astraweb.com!newsrouter-eu.astraweb.com!border1.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-08!sn-ams!sn-feed-ams-02!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Murray Neece <radioranch@qth.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: AT Ham Com, YOU sold me a 76PA ALPHA AMP
Date: Wed, 14 Jun 2006 11:06:29 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1290d077udd9v7d@corp.supernews.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.swap:4598 rec.radio.amateur.equipment:4760

And swore it would do 1500 easy...IT WONT...Id like to return it but stupid me, I didnt write down your call. I know you were part a bunch from the McKinney Plano area I think. And you werent the old guy with the sign around his neck selling an Alpha (heard that one was bad also) Please contact me via email or phone. Im gonna make you stand up, one way or another. Eventually the table chart will tell me..be easier if you call me first...thanks Murray K5MDM 432 553 5621 Odessa, Tx
PS: Its beautiful no doubt, but I looked in side....one tube looks new though has probably been brought down to nothing by the other two which appear to have been dragged thru the ocean. Maybe behind the May Flower. Any of you guys know who Im looking for? Out in the hallway 5 or 6 tables from the food entrance where I was.????? He had a beautiful alpha and a bunch more stuff was there too with several guys at the table..Help please. Murray

From 3533969883691635103
X-Google-Thread: 108122,27a7b45e336bd30
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <449035B7.10B0F288@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for Ham?
References: <1150223680.544389.237420@h76g2000cwa.googlegroups.com> <dNudnRRPINEW-
xLZnZ2dnUVZ_rKdnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Wed, 14 Jun 2006 16:14:27 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1150301667 24.110.34.161 (Wed, 14 Jun
2006 09:14:27 PDT)
NNTP-Posting-Date: Wed, 14 Jun 2006 09:14:27 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4761

TSnCS wrote:
>
> Don't bother. Just stay an inbred hick.......


   Do you really think he has any other choice?


--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida



From 8135165964804780017
X-Google-Thread: 108122,188b9b9b35f292b7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!newsfeed.stueberl.de!
news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!
newspeer1-win.ntli.net!newsfe2-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "DAVID BROWNE" <david.browne5@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: wanted ysk-100 separation kit for ft-100
Lines: 6
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Rfc2646: Format=Flowed; Original
Message-ID: <5lZjg.18690$n13.7219@newsfe2-win.ntli.net>
Date: Wed, 14 Jun 2006 19:21:37 GMT
NNTP-Posting-Host: 82.19.168.169
X-Trace: newsfe2-win.ntli.net 1150312897 82.19.168.169 (Wed, 14 Jun 2006 20:21:37
BST)
NNTP-Posting-Date: Wed, 14 Jun 2006 20:21:37 BST
Organization: NTL
Xref: g2news2.google.com rec.radio.amateur.equipment:4762
```

wanted ysk-100 separation kit, i am in the united kingdom please email
david.browne7@ntlworld.com

thanks dave browne

```
From 8732151607890561477
X-Google-Thread: 108122,2acb78f2d6a27e90,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-
mail
From: "AD7HA" <paulsandland@peoplepc.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 800W output filters
Followup-To: rec.radio.amateur.equipment
Date: 14 Jun 2006 13:44:13 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1150317853.319891.209460@h76g2000cwa.googlegroups.com>
NNTP-Posting-Host: 24.62.9.229
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150317858 13411 127.0.0.1 (14 Jun 2006 20:44:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 14 Jun 2006 20:44:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=24.62.9.229;
   posting-account=ZFHAuQ0AAABdC0FUt6T2EDB3ibY0AElo
Xref: g2news2.google.com rec.radio.amateur.equipment:4763
```

I am trying to build a set of lp filters for the ham bands for use with
the 600w motorola designed fet amplifier described in last months qsl
.I have successfully modelled suitable filters using pspice using 3

series inductors with 2 parallel caps for each band but I notice the current in the caps can be several amps peak. values range from 150 to 3000pf. Can ceramics be used? Or do I need several parallel silver mica caps? How much power can one dissipate in these caps? Near the corner frequency there is as much as 6db gain under low load conditions and this exacerbates the problem. I could move the corner further up so that the filter is not excited at the peak current, but then I will probably have to increase the number of poles to 7 from 5 to get enough attenuation at the third harmonic. Is there a better filter architecture that minimizes cap current?

```
From -7906721092033958332
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 14 Jun 2006 17:23:10 -0500
Message-Id: <3qe6m3-0iv.ln1@remote.clifto.com>
From: clifto <clifto@gmail.com>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Date: Wed, 14 Jun 2006 17:22:27 -0500
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<1149976603.405038.48210@i40g2000cwc.googlegroups.com>
Organization: Vast Right-Wing Conspiracy
User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 16
NNTP-Posting-Host: 67.165.145.61
X-Trace: sv3-UnjTGgNm7+/J8CVpCPXpVvoSHx/
Wtd065lRkgqW1WLt+P97bKXCJzpomVIO6cZXEotmMWemy9H+OPPR!
C3ciiGdeUYo8sjn91N1BMqxocy3sHRtEOK3vslNIQyU2oiLMQrD+b1UgkskX9OT9swrliqnU7L8K!nZ8X
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12927
rec.radio.amateur.equipment:4764 rec.radio.amateur.misc:14114
rec.radio.shortwave:39644

RHF wrote:
> Dave wrote:
> "The SWR with the apostrophe s is a grammatical error.
> The apostrophe s indicates that the SWR is possessive,
>
> - - - - - - - - - - - - - - - - - - - - - - - - -
>
> PLURALS - When you add an 's' to make a plural,
> it NEVER takes an apostrophe.
> Never. There are no exceptions.

As much as I hate plurals formed with apostrophes, you're wrong.

--
                Britney Spears' Guide to Semiconductor Physics
                     <http://britneyspears.ac/lasers.htm>


From -1268499326296599000
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 14 Jun 2006 17:35:29 -0500
Message-Id: <tue6m3-0iv.ln1@remote.clifto.com>
From: clifto <clifto@gmail.com>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Date: Wed, 14 Jun 2006 17:25:01 -0500
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
```

<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com> <Kr6jg.28754$QP4.22526@fed1read12>
Organization: Vast Right-Wing Conspiracy
User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 18
NNTP-Posting-Host: 67.165.145.61
X-Trace: sv3-q5QPlF/
ECuT2ZRXS3vAiYqcXFXvkmmgR+zcG2oCCHk3WaR+doTOzBl0VM5sHhHIAqNNDvu6rSn2h7Qe!
kmDiW9VfxChUx7U7jNe7vs+UVCj7hI9SANuXARhWta54Tu3JXiKPDaYB8Rfg1dVJANEIMP+s6mYP!81h7
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12929
rec.radio.amateur.equipment:4765 rec.radio.amateur.misc:14116
rec.radio.shortwave:39647

Sal M. Onella wrote:
> 3. Despite the absolute correctness of the apostrophe for the plural of
> numbers and letters, I see a lot of acronyms and abbreviations made plural
> by the addition of an "s" without the apostrophe and I don't flinch.

From what I remember, that's not universally incorrect.

Oh, and I'm taking your apostrophe quiz, and it appears there's an error
in the "correct" choice: (B) uses "its" as the contraction for "it is".
So the answer to 17 should be "None of the above". (I scored 100% also.)

Incidental note: I've never understood how people who use "it's" as a
possessive never even think to use "hi's" (though some use "her's" and
"their's").

--
Britney Spears' Guide to Semiconductor Physics
<http://britneyspears.ac/lasers.htm>

From 8389250789877973210
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 14 Jun 2006 17:40:35 -0500

Message-Id: <2pf6m3-kiv.ln1@remote.clifto.com>
From: clifto <clifto@gmail.com>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Date: Wed, 14 Jun 2006 17:38:58 -0500
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net> <1149714609.565540.160300@c74g2000cwc.googlegroups.com> <448767E7.4040009@fuse.net> <1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-sdfpsk-345rods@news.arrl.net> <1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com> <Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com> <2Rhjg.43959$fb2.30213@newssvr27.news.prodigy.net> <5Qijg.43979$fb2.36034@newssvr27.news.prodigy.net>
Organization: Vast Right-Wing Conspiracy
User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 10
NNTP-Posting-Host: 67.165.145.61
X-Trace: sv3-Hw72kmpSqeOt82PLl5Uw84dQFV8EKsq0kias0RdUhVFfbWTR8zz6GFfsZBSF5tcMo7UoQvbV8/al6VH!Cj1C+RbXqhnrRfZGF+TIccjZovvPSIwOWsbEADiC0VG37UiNdCTlhDHpLAyubv0yyIkbMczgXXrn!S2hV
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12930 rec.radio.amateur.equipment:4766 rec.radio.amateur.misc:14122 rec.radio.shortwave:39649

Cecil Moore wrote:
> Did you know that when Jesus prayed to God in
> Aramaic, he probably prayed to "Allah"?

I doubt it. The word Allah appears to be a conglomeration of "al elah", meaning "the god".

--
Britney Spears' Guide to Semiconductor Physics
<http://britneyspears.ac/lasers.htm>

From -2468111982363316577
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d

X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com> <Kr6jg.28754$QP4.22526@fed1read12>
<tue6m3-0iv.ln1@remote.clifto.com>
In-Reply-To: <tue6m3-0iv.ln1@remote.clifto.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <Jq0kg.114901$dW3.50028@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 70.252.11.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1150325545 ST000 70.252.11.6 (Wed, 14 Jun 2006
18:52:25 EDT)
NNTP-Posting-Date: Wed, 14 Jun 2006 18:52:25 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@IONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAFEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Wed, 14 Jun 2006 22:52:25 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12931
rec.radio.amateur.equipment:4767 rec.radio.amateur.misc:14138
rec.radio.shortwave:39663

clifto wrote:
> I've never understood how people who use "it's" as a
> possessive never even think to use "hi's"

I usually send two hi's. ....

```
--
73, Cecil  http://www.qsl.net/w5dxp


From 2441253230393114703
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
<2Rhjg.43959$fb2.30213@newssvr27.news.prodigy.net>
<5Qijg.43979$fb2.36034@newssvr27.news.prodigy.net> <2pf6m3-
kiv.ln1@remote.clifto.com>
In-Reply-To: <2pf6m3-kiv.ln1@remote.clifto.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <Yv0kg.114903$dW3.106470@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 70.252.11.6
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1150325880 ST000 70.252.11.6 (Wed, 14 Jun 2006
18:58:00 EDT)
NNTP-Posting-Date: Wed, 14 Jun 2006 18:58:00 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@IONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAFEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Wed, 14 Jun 2006 22:58:00 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12932
rec.radio.amateur.equipment:4768 rec.radio.amateur.misc:14147
rec.radio.shortwave:39671
clifto wrote:
> Cecil Moore wrote:
>> Did you know that when Jesus prayed to God in
>> Aramaic, he probably prayed to "Allah"?
>
> I doubt it. The word Allah appears to be a conglomeration of "al elah",
> meaning "the god".

A well educated friend told me that the Aramaic word
for "God" is "Allah". It would be nice to know if
he was wrong about that.

Aren't Yahweh, Jehovah, and Allah all the same God-head?
--
73, Cecil  http://www.qsl.net/w5dxp



From -5039041151830424 60
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!03ce4474!not-for-mail
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Organization: Internet Argonaut
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
<2Rhjg.43959$fb2.30213@newssvr27.news.prodigy.net>
<5Qijg.43979$fb2.36034@newssvr27.news.prodigy.net> <2pf6m3-
kiv.ln1@remote.clifto.com> <Yv0kg.114903$dW3.106470@newssvr21.news.prodigy.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Face: ,cNluD^cTg560%T8O&<Kwl!N>2R3MND4m%ln@,jFig:T/?4`pG(&J/So4b#dr        L[}
ZxZ0m*vGk7]@)+cK-~F2Oywqc2-5Zcr`?1ys#:dGEv%BlKRh"Vebh!P``bcD}2$}}        ?
U},D#0a<X#?i8!eCtVUxI>D*(AmZi(=NzA9%)Wc5C5ZODdwa~%7iN-+\RfW=c:@3w-,
L\Pzawef*7X!9VN#7d;~6Ka-
```

```
Message-ID:
<telamon_spamshield-1C875E.16255414062006@newsclstr02.news.prodigy.com>
Lines: 23
NNTP-Posting-Host: 207.105.206.163
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1150327554 ST000 207.105.206.163 (Wed, 14 Jun
2006 19:25:54 EDT)
NNTP-Posting-Date: Wed, 14 Jun 2006 19:25:54 EDT
X-UserInfo1:
OPYMB\CDVJWUCFH[OZK@_TDAYZOZ@GXOXB_J]Q]KEYUNDQUCCNSUAACY@L[ZX__HGFD]JBJNSFXTOOGA_V
WY^_HG@FW_HUTHOH]TBPGCO\P^PLP^@[GLHUK@WLECKFVL^TYG[@RMWQXIWM[SDDYWNLG_G[_BWUCHFY_Y
@AS@Q[B\APPF@DCZM_PG_VSCPQZM
Date: Wed, 14 Jun 2006 23:25:54 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12935
rec.radio.amateur.equipment:4769 rec.radio.amateur.misc:14183

In article <Yv0kg.114903$dW3.106470@newssvr21.news.prodigy.com>,
 Cecil Moore <mycall@hotmail.com> wrote:

> clifto wrote:
> > Cecil Moore wrote:
> >> Did you know that when Jesus prayed to God in
> >> Aramaic, he probably prayed to "Allah"?
> >
> > I doubt it. The word Allah appears to be a conglomeration of "al elah",
> > meaning "the god".
>
> A well educated friend told me that the Aramaic word
> for "God" is "Allah". It would be nice to know if
> he was wrong about that.
>
> Aren't Yahweh, Jehovah, and Allah all the same God-head?

I know Clifto posted from rec.radio.shorwave but please drop the group
from the thread thanks.

--
Telamon
Ventura, California


From -7124750990249959551
X-Google-Thread: 108122,15ebbfe7638d3c77,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Wed, 14 Jun 2006 21:37:34 -0500
From: Randy Bell <randyNOSPAM@gigacom.org>
Newsgroups: rec.radio.amateur.equipment
Date: Wed, 14 Jun 2006 21:37:33 -0500
Message-ID: <2006061421373316807-randyNOSPAM@gigacomorg>
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: test
User-Agent: Unison/1.7.5
Lines: 2
X-Trace: sv3-
aO38paa+pkWcdu8lSVkLNla4riIHHW5biyYvUfiQ9ABJ2WCuZxGGwaN5AWmh1ZcoMdIQoD6v+fGcmJL!
KiMVTxvinESf/Ttcn82h+ap4UjUcniEqIhWzv7ekQ9cmHmWaYFcjPZPCOw5iRVdt/7ww
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4770

Test




From -3078904803452461855
X-Google-Thread: 108122,d903ece2b776fc92
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news.maxwell.syr.edu!news-
rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-
for-mail
From: Ray <noemail@donot.mail.me>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: AT Ham Com, YOU sold me a 76PA ALPHA AMP
Message-ID: <lvl192dp09p0bshcfln4e7lr2999t5miua@4ax.com>
References: <1290d077udd9v7d@corp.supernews.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Thu, 15 Jun 2006 03:47:17 GMT
NNTP-Posting-Host: 66.24.242.90
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1150343237 66.24.242.90 (Wed, 14 Jun 2006 23:47:17
EDT)
NNTP-Posting-Date: Wed, 14 Jun 2006 23:47:17 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:4771

On Wed, 14 Jun 2006 11:06:29 -0500, Murray Neece <radioranch@qth.com>
wrote:

>And swore it would do 1500 easy...IT WONT...Id like to return it but
>stupid me, I didnt write down your call. I know you were part a bunch
```

>from the McKinney Plano area I think. And you werent the old guy with
>the sign around his neck selling an Alpha (heard that one was bad also)
>Please contact me via email or phone. Im gonna make you stand up, one
>way or another. Eventually the table chart will tell me..be easier if
>you call me first...thanks Murray K5MDM 432 553 5621 Odessa, Tx
>PS: Its beautiful no doubt, but I looked in side....one tube looks new
>though has probably been brought down to nothing by the other two which
>appear to have been dragged thru the ocean. Maybe behind the May
>Flower.   Any of you guys know who Im looking for? Out in the hallway 5
>or 6 tables from the food entrance where I was.????? He had a beautiful
>alpha and a bunch more stuff was there too with several guys at the
>table..Help please.   Murray

Seems to me that ole' Murray has forgotten the meaning of the phrase Caveat Emptor. Believe it not, but for the most part, anything you buy at a hamfest (other than from a reputable commercial vendor) is "as is." In this case, I'd refer you to the phrase "boat anchor" for further action...

```
From 6080705039533058900
X-Google-Thread: 1109af,1ddf6c225a76f84c
X-Google-Thread: fc8b1,1ddf6c225a76f84c
X-Google-Thread: 108122,1ddf6c225a76f84c
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <4490DEC7.2040002@fuse.net>
Date: Thu, 15 Jun 2006 00:15:03 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: Wanted:  DM-28-R dynamotor for BC-348-R receiver
References: <n%Sjg.1$FN2.0@dfw-service2.ext.ray.com>
In-Reply-To: <n%Sjg.1$FN2.0@dfw-service2.ext.ray.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 18
X-Trace: 91c2c4490df00e098318620956
Xref: g2news2.google.com rec.radio.swap:4617 rec.radio.amateur.boatanchors:4366
rec.radio.amateur.equipment:4772
```

-=H=- wrote:
> I am in need of a DM-28-R dynamotor for a BC-348-R receiver.

> Must be in working condition. Not too concerned about looks
> (can't see it anyway, once it's installed in the receiver!).
> Once I finish restoring this receiver, it will be installed
> aboard a B-17.
>
> Thanks and 73,
> Dean K5DH
>

Man, I wish I still had one. A BC 348...big and black...was given to me
by my Elmer 35 years ago in my novice years. He built a basic power
supply: rectifiers but no transformer...I got a nasty shock if I didn't
plug it in right (in the old days before polarized plugs) It did manage
to keep me awake during those wee hour ops. It was a neat receiver!

John
AB8WH

From 2454468131072172943
X-Google-Thread: 1109af,d70698e57733cd5d,start
X-Google-Thread: 108122,d70698e57733cd5d,start
X-Google-Thread: 1109af,d70698e57733cd5d,start
X-Google-Thread: 108122,d70698e57733cd5d,start
X-Google-Thread: fc2a5,d70698e57733cd5d,start
X-Google-Thread: f562f,d70698e57733cd5d,start
X-Google-Thread: f8110,d70698e57733cd5d,start
X-Google-Thread: 10c6e5,d70698e57733cd5d,start
X-Google-Thread: 114671,d70698e57733cd5d,start
X-Google-Thread: 108228,d70698e57733cd5d,start
X-Google-Attributes:
gid1109af,gid108122,gid1109af,gid108122,gidfc2a5,gidf562f,gidf8110,gid10c6e5,gid114671,gid108228,public
X-Google-Language: GERMAN,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Date: Thu, 15 Jun 2006 07:09:50 +0200
From: Dexxsterlab <dexxster_a@t_email.com>
User-Agent: Mozilla Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,pl.rec.radio.amatorskie,japan.ham-radio,hr.rec.radio,aus.radio.amateur.misc,alt.ham-radio.marketplace
Subject: FT-817 FT-857 FT-897 KEYPAD
Content-Type: text/plain; charset=ISO-8859-15
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <4490eb98$0$16940$4fafbaef@reader4.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.3.160.71
X-Trace: 1150348184 reader4.news.tin.it 16940 87.3.160.71:10189
X-Complaints-To: Please send abuse reports to abuse@tin.it

Xref: g2news2.google.com rec.radio.swap:4620 rec.radio.amateur.equipment:4773
rec.radio.amateur.homebrew:5709 pl.rec.radio.amatorskie:7778 japan.ham-radio:22
hr.rec.radio:880 aus.radio.amateur.misc:3248 alt.ham-radio.marketplace:1027

http://cgi.ebay.it/ws/eBayISAPI.dll?ViewItem&item=9740259721

Info

http://www.dexxsterlab.com/kp8x7/kp8x7e.pdf

http://www.qsl.net/it9xxs

From -3803842745260756312
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-15!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Patrick" <Patrick@SPAM.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
Date: Thu, 15 Jun 2006 01:15:17 -0700
Organization: www.ShipsRecord.com
Message-ID: <12925oudj3n5k00@corp.supernews.com>
References: <128r0unhde6t126@corp.supernews.com>
<Xns97E194E80E33Dspectrumhogstarbandn@198.186.192.196>
<128vbk04ltec833@corp.supernews.com>
<Xns97E25C4CC9035spectrumhogstarbandn@198.186.192.196>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news2.google.com rec.radio.amateur.equipment:4774

I posted it to my blog as well.
http://www.shipsrecord.com/blogs/patrick/archive/2006/06/13/974.aspx

Judy's reply was:
"Fantastic! Patrick, you are a sweetheart. Will let you know next week how it worked. Will be really great to be able to hear Chris and Eric weather reports before we head out to Trinidad."

Going to Trinidad. I'm so envious!

-p

> You're welcome, Patrick. I emailed about 4 yacht maintenance vendors
> here on the West Coast and got back two positive replies. To give credit
> where credit is due, the first response came from Marty, WA7JMA.

>
> I sent this info to mods.dk also. Hopefully they'll post it to their
> mods website.
>
>
> Ed   K7AAT

From -3133964922280191130
X-Google-Thread: 108122,375590b650ea4476,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news.rr.com!news-wrt-01.rdc-nyc.rr.com!news-wrt-01.ohiordc.rr.com!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <bush_whack@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola Mics
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <2dckg.59247$YI5.42783@tornado.ohiordc.rr.com>
Date: Thu, 15 Jun 2006 12:17:02 GMT
NNTP-Posting-Host: 65.25.139.138
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1150373822 65.25.139.138 (Thu, 15 Jun 2006 08:17:02 EDT)
NNTP-Posting-Date: Thu, 15 Jun 2006 08:17:02 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4776

I have the following Motorola hand mics for sale:

New
HMN 1001B DTMF
HMN 1031A DTMF
HMN 1049A
HMN 1061A 2EA

Used
HMN 1001A
HMN 1001B
HMN 1056A
HMN 3013A DTMF
HMN 4005A
MBTMN 1025A
TMN 6054A

Thanks
Frank

--
Life is like a roll of toilet paper, the closer you get to the end the faster it goes.
--Andy Rooney--

From 452555473649485839
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: 106d41,c2023d7caa5134b7
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes:
gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.cb,rec.radio.scanner,rec.radio.swap
Subject: Re: Coming to a ham band near you, CB'ers, Lids, and retards...
Message-ID: <18l292dm4g46qv2pqso3g3ms8ni7002e1m@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196>
<XIHjg.12660$921.2643@newsread4.news.pas.earthlink.net>
<128umn5endpfna1@corp.supernews.com> <spd29295mmaf6a633mvpq2jfecc03204rl@4ax.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Thu, 15 Jun 2006 08:40:23 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1150375228 24.186.218.38 (Thu, 15 Jun 2006 05:40:28 MST)
NNTP-Posting-Date: Thu, 15 Jun 2006 05:40:28 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4777
rec.radio.amateur.misc:14278 rec.radio.amateur.policy:29665 rec.radio.cb:11881
rec.radio.scanner:3596 rec.radio.swap:4627

On Thu, 15 Jun 2006 20:33:10 +1000, Barry OGrady
<god_free_jones@yahoo.com> wrote:

>Ha ha. You are funny. You write meters when you mean metres.

So does the FCC. Do does the ARRL. So do tens of thousands of US hams. Not everyone is Aus.

```
From 3546473338578856656
X-Google-Thread: 1109af,d70698e57733cd5d
X-Google-Thread: 108122,d70698e57733cd5d
X-Google-Thread: 1109af,d70698e57733cd5d
X-Google-Thread: 108122,d70698e57733cd5d
X-Google-Thread: fc2a5,d70698e57733cd5d
X-Google-Thread: f562f,d70698e57733cd5d
X-Google-Thread: f8110,d70698e57733cd5d
X-Google-Thread: 10c6e5,d70698e57733cd5d
X-Google-Thread: 114671,d70698e57733cd5d
X-Google-Thread: 108228,d70698e57733cd5d
X-Google-Attributes:
gid1109af,gid108122,gid1109af,gid108122,gidfc2a5,gidf562f,gidf8110,gid10c6e5,gid11
4671,gid108228,public
X-Google-Language: GERMAN,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!news.germany.com!
feeder.news.tin.it!spool.news.tin.it!not-for-mail
Date: Thu, 15 Jun 2006 19:09:08 +0200
From: Dexxsterlab <dexxster@email.com>
User-Agent: Mozilla Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.equipm
ent,rec.radio.amateur.homebrew,pl.rec.radio.amatorskie,japan.ham-
radio,hr.rec.radio,aus.radio.amateur.misc,alt.ham-radio.marketplace
Subject: FT-817 FT-857 FT-897 KEYPAD
Content-Type: text/plain; charset=ISO-8859-15
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <4491942e$0$5102$4fafbaef@reader2.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.1.195.43
X-Trace: 1150391342 reader2.news.tin.it 5102 87.1.195.43:10186
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.swap:4629 rec.radio.amateur.equipment:4778
rec.radio.amateur.homebrew:5712 pl.rec.radio.amatorskie:7791 japan.ham-radio:23
hr.rec.radio:881 aus.radio.amateur.misc:3250 alt.ham-radio.marketplace:1029
```

http://cgi.ebay.it/ws/eBayISAPI.dll?ViewItem&item=9740259721

Info

http://www.dexxsterlab.com/kp8x7/kp8x7e.pdf

http://www.qsl.net/it9xxs

```
From 3500414161943839529
X-Google-Thread: 1109af,d70698e57733cd5d
X-Google-Thread: 108122,d70698e57733cd5d
X-Google-Thread: 1109af,d70698e57733cd5d
X-Google-Thread: 108122,d70698e57733cd5d
X-Google-Thread: fc2a5,d70698e57733cd5d
X-Google-Thread: f562f,d70698e57733cd5d
X-Google-Thread: 10c6e5,d70698e57733cd5d
X-Google-Thread: 114671,d70698e57733cd5d
X-Google-Attributes:
gid1109af,gid108122,gid1109af,gid108122,gidfc2a5,gidf562f,gid10c6e5,gid114671,publ
ic
X-Google-Language: GERMAN,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
newsfeed0.kamp.net!newsfeed.kamp.net!newspeer1.de.telia.net!
newspeer4.de.telia.net!de.telia.net!feeder.news.tin.it!spool.news.tin.it!not-for-
mail
Date: Thu, 15 Jun 2006 19:13:29 +0200
From: Dexxsterlab <dexxster@email.com>
User-Agent: Mozilla Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.equipm
ent,rec.radio.amateur.homebrew,pl.rec.radio.amatorskie,hr.rec.radio,aus.radio.amat
eur.misc
Subject: FT-817 FT-857 FT-897 KEYPAD
Content-Type: text/plain; charset=ISO-8859-15
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <44919532$0$10064$4fafbaef@reader3.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.1.195.43
X-Trace: 1150391603 reader3.news.tin.it 10064 87.1.195.43:10198
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.swap:4630 rec.radio.amateur.equipment:4779
rec.radio.amateur.homebrew:5713 pl.rec.radio.amatorskie:7792 hr.rec.radio:882
aus.radio.amateur.misc:3251

http://cgi.ebay.it/ws/eBayISAPI.dll?ViewItem&item=9740259721

Info

http://www.dexxsterlab.com/kp8x7/kp8x7e.pdf

http://www.qsl.net/it9xxs



From 6145377728523181666
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
```

```
X-Google-Thread: 106d41,c2023d7caa5134b7
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes:
gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.xsnews.nl!
feeder.xsnews.nl!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-
ams-06!sn-xt-ams-08!sn-ams!sn-feed-ams-03!sn-post-ams-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.cb,rec.radio.scanner,rec.radio.swap
Subject: Re: Coming to a ham band near you, CB'ers, Lids, and retards...
Date: Thu, 15 Jun 2006 14:21:01 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1293cov4parfs8d@corp.supernews.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196>
<XIHjg.12660$921.2643@newsread4.news.pas.earthlink.net>
<128umn5endpfna1@corp.supernews.com> <spd29295mmaf6a633mvpq2jfecc03204rl@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news2.google.com rec.radio.amateur.equipment:4780
rec.radio.amateur.misc:14326 rec.radio.amateur.policy:29722 rec.radio.cb:11908
rec.radio.scanner:3601 rec.radio.swap:4631
```

"Barry OGrady" <god_free_jones@yahoo.com> wrote in message
news:spd29295mmaf6a633mvpq2jfecc03204rl@4ax.com...
> On Tue, 13 Jun 2006 19:40:01 -0500, "DrDeath" <drdeath555usb@yahoo.com>
> wrote:
>
>>"Radio Buff" <my.mail@no.spam> wrote in message
>>news:XIHjg.12660$921.2643@newsread4.news.pas.earthlink.net...
>>> Ed <Huckleberry_REMOVE_@bigvalley.net> wrote in
>>> news:Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196:
>>>
>>>>   Please, this was funny the first time around,. Now its boring. Go
>>>> away.
>>>
>>>
>>>
>>> and they'll all have licenses.
>>>
>>> Is an intelligent conversation & exchange important or would you rather
>>> hear:
>>>

>>> AAAAAAAAAAAAAAUDIOOOOOOOOOOOOOOOO.
>>>
>>Yeah, that's all we say on 11 meters. I can't wait till they start handing
>>out tickets like they did with CB just so I can go on 80 meters and say
>>AAAAAAAAAAAAUDIOOOOOOOOOO
>>Can I run my echo on 80 meters too?
>>Get a life. Many a good ham has roots in CB.
>
> Ha ha. You are funny. You write meters when you mean metres.
>
> Barry

I'll spell it your way next time I see a dingo in my trash can. Now go catch
a croc and stick your thumb up it's bum.

From 6861820014570009827
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-xxxfer.readnews.com!
198.186.192.100.MISMATCH!transit3.readnews.com!news-out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <128r0unhde6t126@corp.supernews.com>
<Xns97E194E80E33Dspectrumhogstarbandn@198.186.192.196>
<128vbk04ltec833@corp.supernews.com>
<Xns97E25C4CC9035spectrumhogstarbandn@198.186.192.196>
<12925oudj3n5k00@corp.supernews.com>
Organization: Your Company
Message-ID: <Xns97E3870AE391Dspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 15 Jun 2006 20:15:50 GMT
Lines: 15
NNTP-Posting-Host: 568524f3.news.adtechcomputers.com
X-Trace: DXC=3Ah5GEd7Z]TPQFgj7F09KVgC4_A5:nI@Q<<=aEgO;R8W_GH4GF:M56PWUj=5kF1dEZR?
X7U2a5ffWemfRC[RMj?_JGUlSY>5n2Pd\^3lm1FT8ZRWV5f9]8e[Y
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4781

> I posted it to my blog as well.
> http://www.shipsrecord.com/blogs/patrick/archive/2006/06/13/974.aspx
>

  Great! Glad the part at sea was pleased. I would have contacted you on
the Blog forum site, but it appeared I had to sign up a new account in
order to email you. Glad you were keeping up with your posting here.

I also successfully added that mod to http://www.mods.dk for other mariners out there who might want to use their Furuno on the ham bands.

Ed K7AAT

From -3731638658802313864
X-Google-Thread: fcc6e,8cee919e2a802a52,start
X-Google-Thread: 108122,8cee919e2a802a52,start
X-Google-Thread: 10bf43,8cee919e2a802a52,start
X-Google-Thread: 114aac,8cee919e2a802a52,start
X-Google-Thread: 1109af,8cee919e2a802a52,start
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: After CW is gone, new hams will be phone only or 'Phonies.'
From: "Re-Morse" <see@double.you>
Organization: Amateur radio preservation society
User-Agent: Xnews/5.04.25
Lines: 10
Message-ID: <TZlkg.13430$921.5299@newsread4.news.pas.earthlink.net>
Date: Thu, 15 Jun 2006 23:23:31 GMT
NNTP-Posting-Host: 4.235.12.155
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1150413811 4.235.12.155 (Thu, 15 Jun
2006 16:23:31 PDT)
NNTP-Posting-Date: Thu, 15 Jun 2006 16:23:31 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13004
rec.radio.amateur.equipment:4782 rec.radio.amateur.policy:29734
rec.radio.shortwave:39821 rec.radio.swap:4633

So when you work someone on HF phone you can ask:

Did you pass a code test or are you just a phony?

LOL.

Remorse

From -4139555413318621530
X-Google-Thread: 108122,3f5d3a540b2146e5,start
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Johnson Navigator
Message-ID: <u8t392l3gqn6v0nrduk2d9ndhacvalghli@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Thu, 15 Jun 2006 20:02:42 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1150416163 69.125.167.162 (Thu, 15 Jun 2006 17:02:43 MST)
NNTP-Posting-Date: Thu, 15 Jun 2006 17:02:43 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4783

WTB: Johnson Navigator
Please leave price and condition through email.
ritchi50@optonline.net



From 5944980842424240522
X-Google-Thread: fcc6e,8cee919e2a802a52
X-Google-Thread: 108122,8cee919e2a802a52
X-Google-Thread: 10bf43,8cee919e2a802a52
X-Google-Thread: 114aac,8cee919e2a802a52
X-Google-Thread: 1109af,8cee919e2a802a52
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: get help
Date: 15 Jun 2006 17:21:11 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1150417271.125737.165490@f6g2000cwb.googlegroups.com>
References: <TZlkg.13430$921.5299@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150417276 23011 127.0.0.1 (16 Jun 2006 00:21:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 16 Jun 2006 00:21:16 +0000 (UTC)
```

In-Reply-To: <TZlkg.13430$921.5299@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:13007
rec.radio.amateur.equipment:4784 rec.radio.amateur.policy:29739
rec.radio.shortwave:39839 rec.radio.swap:4635

Re-Morse wrote:
> So when you work someone on HF phone you can ask:
>
> Did you pass a code test or are you just a phony?
>
>
> LOL.
>
> Remorse

gte help loser

From 8678970851967484452
X-Google-Thread: 1109af,d70698e57733cd5d
X-Google-Thread: 108122,d70698e57733cd5d
X-Google-Thread: fc2a5,d70698e57733cd5d
X-Google-Attributes: gid1109af,gid108122,gidfc2a5,public
X-Google-Language: GERMAN,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!newsfeed1.ip.tiscali.net!nntp.eutelia.it!feeder.news.tin.it!
spool.news.tin.it!not-for-mail
Date: Fri, 16 Jun 2006 06:47:03 +0200
From: Dexxsterlab <dexxster@email.com>
User-Agent: Mozilla Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: FT-817 FT-857 FT-897 KEYPAD
Content-Type: text/plain; charset=ISO-8859-15
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <449237bf$0$16926$4fafbaef@reader4.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 82.55.173.74
X-Trace: 1150433216 reader4.news.tin.it 16926 82.55.173.74:10150
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.swap:4637 rec.radio.amateur.equipment:4785
rec.radio.amateur.homebrew:5719

http://www.dexxsterlab.com/kp8x7/kp8x7e.pdf

http://www.qsl.net/it9xxs

```
From -2887567654713680165
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!peer01.west.cox.net!cox.net!p01!fed1read12.POSTED!53ab2750!
not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com> <Kr6jg.28754$QP4.22526@fed1read12>
<tue6m3-0iv.ln1@remote.clifto.com>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <RMqkg.28885$QP4.7369@fed1read12>
Date: Thu, 15 Jun 2006 21:50:57 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1150433457 72.199.97.186 (Fri, 16 Jun 2006 00:50:57 EDT)
NNTP-Posting-Date: Fri, 16 Jun 2006 00:50:57 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:13021
rec.radio.amateur.equipment:4786 rec.radio.amateur.misc:14361
rec.radio.shortwave:39872
```

"clifto" <clifto@gmail.com> wrote in message

news:tue6m3-0iv.ln1@remote.clifto.com...
> Incidental note: I've never understood how people who use "it's" as a
> possessive never even think to use "hi's" (though some use "her's" and
> "their's").

Yup, me too.   I listen to "A Way With Words," a radio program on KPBS (available streaming at kpbs.org) whose host is language writer Richard Lederer ("Anguished English," "Get Thee To A Punnery," etc). Richard said that "it's" for "its" (possessive) was considered correct until near the end of the 19th century. I didn't know that.

```
From 1437651778400336758
X-Google-Thread: 108228,a356c88b99cd7438,start
X-Google-Thread: 108122,a356c88b99cd7438,start
X-Google-Thread: 1109af,a356c88b99cd7438,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA CP200-UHF-16CH RADIO-EMS-FIRE-HAM-Very Small !
Lines: 40
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C6911B.029DAC30"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <PIzkg.5$L15.3@fed1read10>
Date: Fri, 16 Jun 2006 08:01:02 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1150470063 68.104.78.240 (Fri, 16 Jun 2006 11:01:03 EDT)
NNTP-Posting-Date: Fri, 16 Jun 2006 11:01:03 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1034
rec.radio.amateur.equipment:4787 rec.radio.swap:4645
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0008_01C6911B.029DAC30
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: MOTOROLA CP200-UHF-16CH RADIO-EMS-FIRE-HAM-Very Small !=20

```
Nice High Quality, Small Size,16 channel, UHF radio in good =
condition...Take a look...Thank You...

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7630437812&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C6911B.029DAC30
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA CP200-UHF-16CH RADIO-EMS-FIRE-HAM-Very Small ! </P>
<P>Nice&nbsp;High Quality, Small Size,16 channel, UHF radio in good=20
condition...Take a look...Thank You...</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7630437812&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7630437812&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C6911B.029DAC30--
```

```
From 3383143309438562374
X-Google-Thread: 108122,4690c48117e9f4cd
X-Google-Thread: 1109af,4690c48117e9f4cd
X-Google-Thread: fcc6e,b57b166add16effd,start
X-Google-Attributes: gid108122,gid1109af,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
canoe.uoregon.edu!newsfeed.news.ucla.edu!ucdavis!not-for-mail
From: Skipp is back <skippsayshello@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.antenna
Subject: Re: fs: Kenwood kpt50 repeater radio programmer
Date: Fri, 16 Jun 2006 15:22:27 +0000 (UTC)
Organization: University of California, Davis
Lines: 90
Sender: Skipp May <skipp@vidi.ucdavis.edu>
Message-ID: <e6uibj$kur$1@skeeter.ucdavis.edu>
References: <bgu1hc$lpp$1@woodrow.ucdavis.edu>
<gl4871.297x22@news.radiobanter.com>
NNTP-Posting-Host: vidi.ucdavis.edu
X-Trace: skeeter.ucdavis.edu 1150471347 21467 169.237.105.39 (16 Jun 2006 15:22:27
```

GMT)
X-Complaints-To: usenet@ucdavis.edu
NNTP-Posting-Date: Fri, 16 Jun 2006 15:22:27 +0000 (UTC)
User-Agent: tin/1.4.7-20030322 ("Suggestions") (UNIX) (SunOS/5.8 (sun4u))
Xref: g2news2.google.com rec.radio.amateur.equipment:4788 rec.radio.swap:4646
rec.radio.amateur.antenna:13040

Man, the below is an old post... anyway the used kpt-50 programmer
is long gone/sold. I bought up a number of the last units Kenwood
had at the time and have been slowly selling them off. The Epcom
price for the kpt-50 is about $330 at last glance, I was selling
them for about $245 list and applying various discounts to get the
end price just about or just under $200... say about $195 per
unit. The mentioned price is for a new (not used) programmer with
the matching (and really handy) kpg software for use with a PC. Using
the matching software with a pc is really the only way to go. You
can save and retrive both base station and repeater station files,
which include the frequencies and ctcss (PL) - dcs (DPL) codes to
your computer hard drive (archived).

Anyway, I'm still around and still a full line Kenwood Dealer. Please
feel free to email me if you have any questions. Find me using the web
page url just below.

cheers,
skipp
www.radiowrench.com

: gl4871 <gl4871.297x22@news.radiobanter.com> wrote:
: [I would be willing to pay $140.00dollars for your kenwood kpt-50
: programer thank you Jerome
: =Skipp has Kenwood stuff] Kenwood kpt-50 repeater and radio proThis
: unit programs the Kenwood TK and TKR-720 / TKR-820 series repeater,
: base and mobile radios. It will also do (some of the) other similar
: Kenwood models.

: This unit is probably my last one for sale. I sold them on Ebay
: earlier
: this year for various amounts up to $239 each. This is an original
: kenwood unit and yes I'm an Authorized Kenwood Two-Way Radio Dealer -
: Service Center and would be happy to supply any two-way radio - parts
: needs you might have. Drop me a note if you have any Kenwood Two-Way
: question.

: This is a previously used unit, started life as my personal kpt50, lent
: it
: to "a friend" who had it over a year to program one "quick repeater
: job".
: Got it back just a short time ago. I will put a full new equipment
: warranty on it and provide copies of all the proper programming
: information. I had to use my last inventory unit in place of this unit
: while it went on vacation with my friend. Now it's back and I have one
: unit extra.

: I used to program the tkr-820 (and 720) repeaters by hand using this
: type
: unit, but forget that... this unit has the normal rs-232 pc port
: access
: which allows you to do everything on your related laptop and save the
: data
: in regular archive files. Much nicer... I'll include a regular copy
: of
: the pc software with the unit, not bad.

: Now the price, set below actual Dealer cost at $165 plus actual
: shipping,
: figure maybe $5 for USPS Priority Mail.

: OK, that's about it. Drop me an Email if your are interested. If no
: one
: responds within a week or two, I'll toss it up on Ebay. Don't be
: confused
: by the "clone units" often listed on Ebay. Some of the associated
: programming units don't work on all the models. I know because I
: bought
: one myself before I became a Kenwood Dealer some years ago.

: This is an original Kenwood made KPT-50 programmer.

: That's about it, remove the NOSPAMPLEASE from my email address if you
: want
: to drop me a related message. My ebay ID is over 700 actual... all
: positive feedback so I hopefully must be doing something right.

: Thank you for reading this post.i WOULD BE WILLING TO PAY $140.00
: DOLLARS FOR YOUR KENWOOD KPT-50 PROGRAMER.
: skipp

: skippNOSPAMPLEASE@pilot.ucdavis.edu
: i WOULD BE WILLING TO PAY $140.00 DOLLARS FOR KENWOULD KPT50
: PROGRAMER.i WOULD BE WILLING TO PAY $140.00 DOLLARS FOR YOUR KENWOOD
: PROGRAMER. YOU CAN EMAIL ME AT GL4871@ALLIANCECOM.NET THANK YOU JEROME
: Remove the NOSPAMPLEASE   else I'll never receive your message.

: --
: gl4871

From 8063417395699630714
X-Google-Thread: 108122,a5b55affd9861192,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: piemontesi@infinito.it

Newsgroups: rec.radio.amateur.equipment
Subject: Rubber Keypad for Vx-1R!
Date: 16 Jun 2006 10:47:03 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1150480023.733598.193970@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 80.104.2.3
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150480028 29732 127.0.0.1 (16 Jun 2006 17:47:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 16 Jun 2006 17:47:08 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
Maxthon; .NET CLR 1.1.4322; FDM),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=80.104.2.3;
   posting-account=WeUmuQ0AAAC1h6mzoePdBTtmVO3zffXU
Xref: g2news2.google.com rec.radio.amateur.equipment:4789

Hi!.
Please, how can i find the rubber keypad of Vx-1R

From -5870063848364613064
X-Google-Thread: fcc6e,8cee919e2a802a52
X-Google-Thread: 108122,8cee919e2a802a52
X-Google-Thread: 10bf43,8cee919e2a802a52
X-Google-Thread: 114aac,8cee919e2a802a52
X-Google-Thread: 1109af,8cee919e2a802a52
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 16 Jun 2006 14:38:54 -0500
Date: Fri, 16 Jun 2006 15:38:55 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: get help
References: <TZlkg.13430$921.5299@newsread4.news.pas.earthlink.net>
<1150417271.125737.165490@f6g2000cwb.googlegroups.com>
In-Reply-To: <1150417271.125737.165490@f6g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <NrWdnR2cwYpTlQ7ZnZ2dnUVZ_v-dnZ2d@comcast.com>

Lines: 21
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-vSwaxHEv0wrGYLz8yP+FgL/wtGXwqP6KDR2KTxhTZw+WjUDCm1fgw7/
PlnifSBjMB0lB7+jMrpjifeZ!pF67aHWmAOd6FziwqrfAj7Britz/GPVNSab1JiOYypjJTIJ74Q6s/
qgnYLBSdUHft/CgF1ji7ncT!wMjhM/XJpTpABUZkX4Q=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:13055
rec.radio.amateur.equipment:4790 rec.radio.amateur.policy:29902
rec.radio.shortwave:39926 rec.radio.swap:4648

an_old_friend wrote:
> Re-Morse wrote:
>
>>So when you work someone on HF phone you can ask:
>>
>>Did you pass a code test or are you just a phony?
>>
>>
>>LOL.
>>
>>Remorse
>
> gte help loser

Loser?? You can't even spell!! What does "gte' mean??

Or, did you forget to turm ON your spell checker?

But, I did like the play on words: 'phoney'
>

From 7394481198719211838
X-Google-Thread: fcc6e,8cee919e2a802a52
X-Google-Thread: 108122,8cee919e2a802a52
X-Google-Thread: 10bf43,8cee919e2a802a52
X-Google-Thread: 114aac,8cee919e2a802a52
X-Google-Thread: 1109af,8cee919e2a802a52
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44938FBA.B98B46E4@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/

```
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.shortwave,rec.radio.swap
Subject: Re: get help
References: <TZlkg.13430$921.5299@newsread4.news.pas.earthlink.net>
<1150417271.125737.165490@f6g2000cwb.googlegroups.com>
<NrWdnR2cwYpTlQ7ZnZ2dnUVZ_v-dnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Sat, 17 Jun 2006 05:15:31 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1150521331 24.110.34.161 (Fri, 16 Jun
2006 22:15:31 PDT)
NNTP-Posting-Date: Fri, 16 Jun 2006 22:15:31 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:13105
rec.radio.amateur.equipment:4792 rec.radio.amateur.policy:29925
rec.radio.shortwave:39984 rec.radio.swap:4662

Dave wrote:
>
> an_old_friend wrote:
> >
> > gte help loser
>
> Loser??  You can't even spell!!  What does "gte' mean??
>
> Or, did you forget to turm ON your spell checker?
>
> But, I did like the play on words: 'phoney'


   GTE was "General Telephone, Inc." a company that ran small local
phone systems and sold early PBX systems. ;-)



--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From -9001024692701736961
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
```

X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe02.lga.POSTED!53ab2750!not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Message-ID: <r167929cq49ov07ta9rfgejla5v2qdlihi@4ax.com>
References: <1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-
sdjnrekj32-sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com> <Kr6jg.28754$QP4.22526@fed1read12>
<tue6m3-0iv.ln1@remote.clifto.com> <RMqkg.28885$QP4.7369@fed1read12>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
X-Trace:
ejlmlnpfppkfdeplekgmlbojckoopelcibcakedineeleoeejhmplkekeojdkmlbpjebiopjhnjaohbnbb
ockfoeipmjebebpjkiddekjlilkmgjaopddaffmdenlgebbcfagklmibllijll
NNTP-Posting-Date: Fri, 16 Jun 2006 22:53:09 MST
Date: Sat, 17 Jun 2006 01:53:39 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:13106
rec.radio.amateur.equipment:4793 rec.radio.amateur.misc:14458
rec.radio.shortwave:39986

On Thu, 15 Jun 2006 21:50:57 -0700, "Sal M. Onella"
<salmonella@food.poisoning.org> wrote:

>
>"clifto" <clifto@gmail.com> wrote in message
>news:tue6m3-0iv.ln1@remote.clifto.com...
>> Incidental note: I've never understood how people who use "it's" as a
>> possessive never even think to use "hi's" (though some use "her's" and
>> "their's").
>
>Yup, me too.   I listen to "A Way With Words," a radio program on KPBS
>(available streaming at kpbs.org) whose host is language writer Richard
>Lederer ("Anguished English," "Get Thee To A Punnery," etc). Richard said
>that "it's" for "its" (possessive) was considered correct until near the end
>of the 19th century. I didn't know that.

That's as bad as using entitled. Michigan Tech voted that as one of
the 10 words that should be eliminated in one of their yearly

selections.

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com.

>

```
From 9051397067462324566
X-Google-Thread: 10dafd,f63fa90cfb32c575,start
X-Google-Thread: 108122,f63fa90cfb32c575,start
X-Google-Thread: 108228,f63fa90cfb32c575,start
X-Google-Thread: 1062f2,f63fa90cfb32c575,start
X-Google-Attributes: gid10dafd,gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 17 Jun 2006 05:28:22 -0500
Subject: FA: 1-Day-Left: HEATHKIT MICROPROCESSOR TRAINER Model ET-3400 (works like
a charm!)
Date: Sat, 17 Jun 2006 06:28:22 -0400
From: Steve <steve@wsdojiax.com>
Newsgroups: alt.marketplace.online.ebay,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <170620060628226313%steve@wsdojiax.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
FbISPL6hDJeDU7yesaWYnb1PqQwQKbMNoZJToJCN4xRTuSGD1PpQbgYjT+7GmI+l6ssYPL9/Zzeb55R!
QsE+5rHBjAe2ZOdcsKlgW+FoJXnLiqhliGNz0eRa3qQZwbCt26f17UAPpzT/WYpkqyGFGrK/iW4D!
5qoVejU9VTRg3wMF9HRI
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.marketplace.online.ebay:11606
rec.radio.amateur.equipment:4794 alt.ham-radio.marketplace:1035
misc.industry.electronics.marketplace:490
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=8825635240

```
From 2176201277642133582
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
```

X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!129.250.175.17!pln-w!spln!dex!
extra.newsguy.com!newsp.newsguy.com!enews1
From: DeserTBoB <desertb@rglobal.net>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: Tonight>Heathkit PK-1 Probe, Collins Panel Meter, Heathkit SB-401
Xtal Option
Date: Mon, 12 Jun 2006 08:15:50 -0700
Organization: Add "ob1" to the name...NO SPAM!
Lines: 11
Message-ID: <581r825qjs2o5l1tkte0ep8g4diu6i526h@4ax.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
<128p00lidbqfm48@corp.supernews.com>
<1150064381.897746.211980@i40g2000cwc.googlegroups.com>
<1150064603.999117.15850@f6g2000cwb.googlegroups.com>
<1150120486.820453.296600@c74g2000cwc.googlegroups.com>
Reply-To: desertb@rglobal.net
NNTP-Posting-Host: p-536.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 3.1/32.783
Xref: g2news2.google.com rec.antiques.radio+phono:24686
rec.radio.amateur.equipment:4692 rec.radio.cb:11626

On 12 Jun 2006 06:54:46 -0700, "AB9GO" <randallr@healthall.com> wrote:

>I've seen his stuff listed for YEARS. Same M.O. Same dogs! Nothing
>under $9.99 everything "cheep" "neat-o" so he sez esp when it is
>nearing the end of the auction and he does not think he is getting
>enough for his items. He must hit every ham estate sale in the area.
>Was a much bigger Ebay whore when he was in New York. <snip>

Yeah, but is he a fraudster/con artist, as is Charlie Nudo aka
66fourdoor? EBay whores are pathetic, but at least not criminal as is
Nudo.

From -5435396816112092014
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <128r0unhde6t126@corp.supernews.com>
<Xns97E05694EA474spectrumhogstarbandn@198.186.192.196>

```
Organization: Your Company
Message-ID: <Xns97E05826E847Dspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 12 Jun 2006 15:39:28 GMT
Lines: 16
NNTP-Posting-Host: 22bd0775.news.adtechcomputers.com
X-Trace: 
DXC=j7[`Ck6:`_;F]7I\5h`<E;gC4_A5:nI@1<<=aEgO;R87f_dZeCkB1^3I_BDfiSH[c<ecf<A4o8l930
W_Uo]cC15:heP5LSl:mX0R8]UW`iCGP8KI`Mahj_AL>
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4693
```

My appologies,   it appears that my previous reply was not what you were looking for, but in fact you wanted the technical procedure that Furnino service techs use to enable the LSB selection.

I don't have that information, but perhaps if you can contact Furnino yourself, by telephone or email, you can get it.

Assumuing you are in the United States, Furnino is availabe at:

360-834-9300   and email: info@furuno.com

Ed

```
From -4208141850744330289
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.astraweb.com!
router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-sjc-08!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups: 
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
Date: Mon, 12 Jun 2006 10:58:30 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128r3pa74ftgdb8@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
```

```
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
In-Reply-To: <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.antenna:12806
rec.radio.amateur.equipment:4694 rec.radio.amateur.misc:13776
rec.radio.shortwave:39190

hayseed wrote:

> Everybody is correct and everybody is wrong.
>
> According to Turabian's "A Manual for Writers", plurals of most single
> and multiple capital letters used as nouns are formed by adding "s"
> alone. Example: SWRs
> Form the plural of small letters, capital letters with periods, and
> capital letters that would be confusing if "s" alone were added by
> adding apostrophe and "s".
>
> Now, everybody, back to work and mind your p's and Qs
>
> 73


My question is: just what is/are "SWR's" and "SWRs"

Dave WD9BDZ


From 361412273898893072
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
```

adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
In-Reply-To: <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.142.27.178
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1150132840 ST000 70.142.27.178 (Mon, 12 Jun 2006 13:20:40 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 13:20:40 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@SZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHXIJYWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Mon, 12 Jun 2006 17:20:40 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12810
rec.radio.amateur.equipment:4695 rec.radio.amateur.misc:13779
rec.radio.shortwave:39212

hayseed wrote:
> Now, everybody, back to work and mind your p's and Qs

As in words like, "amen", are pronounced "ah".

That certainly seems confusing to me and the confusion
is not apparent until more than halfway through the
sentence.

A's in words like, "amen", are pronounced "ah".

No confusion there.
--
73, Cecil http://www.qsl.net/w5dxp

From -1310412251639926461
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!0d06e27e!not-for-mail
From: "Tom Donaly" <dtdonaly@sbcglobal.net>
User-Agent: Mozilla Thunderbird 0.7.1 (Windows/20040626)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
In-Reply-To: <Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <2Rhjg.43959$fb2.30213@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 4.243.131.180
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1150134718 ST000 4.243.131.180 (Mon, 12 Jun 2006 13:51:58 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 13:51:58 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
T[O[BTWEZRUQBPLZN[O@_WH@YR_B@EXLLBWLOOAFQATJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZFWGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Mon, 12 Jun 2006 17:51:58 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12811
rec.radio.amateur.equipment:4696 rec.radio.amateur.misc:13781
rec.radio.shortwave:39225

Cecil Moore wrote:
...
>
> A's in words like, "amen", are pronounced "ah".
>
...

Not where I come from.
73,
Tom Donaly, KA6RUH

From -1473865126305405683
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 12 Jun 2006 13:12:13 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net> <1149714609.565540.160300@c74g2000cwc.googlegroups.com> <448767E7.4040009@fuse.net> <1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-sdfpsk-345rods@news.arrl.net> <1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com> <Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com> <2Rhjg.43959$fb2.30213@newssvr27.news.prodigy.net>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Date: Mon, 12 Jun 2006 13:12:09 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <KsWdnamoYL7gMxDZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-mFa/QNTboUVRlXGudDjvCJ6u4zhjyK6tk68kEM0+ubSsrpfDYvsOrH8pdRlwEjORzzZ7ovHdVP22zbL!I7+z+UeH8+WZ5SdctbTka7gwia1zJkOXdbeJp51aBhKkCV6qUGJeaYgu8gIvAQ7kHTCpO8dULhZH!oY96HJ+e0ttnlw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12812 rec.radio.amateur.equipment:4697 rec.radio.amateur.misc:13784 rec.radio.shortwave:39230

I married an English Major once...... If you ever have the choice........Don't

"Tom Donaly" <dtdonaly@sbcglobal.net> wrote in message

```
news:2Rhjg.43959$fb2.30213@newssvr27.news.prodigy.net...
> Cecil Moore wrote:
> ...
>>
>> A's in words like, "amen", are pronounced "ah".
>>
> ...
>
> Not where I come from.
> 73,
> Tom Donaly, KA6RUH
```

```
From 8754445313199701763
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
<2Rhjg.43959$fb2.30213@newssvr27.news.prodigy.net>
In-Reply-To: <2Rhjg.43959$fb2.30213@newssvr27.news.prodigy.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <5Qijg.43979$fb2.36034@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.245.64.71
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1150138753 ST000 70.245.64.71 (Mon, 12 Jun
2006 14:59:13 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 14:59:13 EDT
```

```
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
T[O]STVEMBRSP_@YMZJ\_Q\@TJ_ZTB\MV@BL\QMIWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Mon, 12 Jun 2006 18:59:13 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12813
rec.radio.amateur.equipment:4698 rec.radio.amateur.misc:13785
rec.radio.shortwave:39248

Tom Donaly wrote:

> Cecil Moore wrote:
>> A's in words like, "amen", are pronounced "ah".

> Not where I come from.

I know hillbillies still use the long 'A'. :-)
Did you know that when Jesus prayed to God in
Aramaic, he probably prayed to "Allah"?
--
73, Cecil  http://www.qsl.net/w5dxp


From -5644706989360916378
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
Date: Mon, 12 Jun 2006 14:11:27 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128rf327u816lb1@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
```

```
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
In-Reply-To: <Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.antenna:12814
rec.radio.amateur.equipment:4699 rec.radio.amateur.misc:13786
rec.radio.shortwave:39249

Cecil Moore wrote:

> hayseed wrote:
>
>> Now, everybody, back to work and mind your p's and Qs
>
>
> As in words like, "amen", are pronounced "ah".
>
> That certainly seems confusing to me and the confusion
> is not apparent until more than halfway through the
> sentence.
>
> A's in words like, "amen", are pronounced "ah".
>
> No confusion there.
How about IDEA pronounced "IDEer"



From -211205757404514830
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!03ce4474!not-for-mail
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Organization: Internet Argonaut
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
```

```
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
<128rf327u816lb1@corp.supernews.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=US-ASCII
Content-Transfer-Encoding: 7bit
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Face: ,cNluD^cTg560%T8O&<Kwl!N>2R3MND4m%ln@,jFig:T/?4`pG(&J/So4b#dr        L[}
ZxZ0m*vGk7]@)+cK-~F2Oywqc2-5Zcr`?1ys#:dGEv%BlKRh"Vebh!P``bcD}2$}}        ?
U},D#0a<X#?i8!eCtVUxI>D*(AmZi(=NzA9%)Wc5C5ZODdwa~%7iN-+\RfW=c:@3w-,
L\Pzawef*7X!9VN#7d;~6Ka-
Message-ID: <telamon_spamshield-
EB2876.12344712062006@newsclstr02.news.prodigy.com>
Lines: 18
NNTP-Posting-Host: 207.105.206.163
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1150140887 ST000 207.105.206.163 (Mon, 12 Jun
2006 15:34:47 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 15:34:47 EDT
X-UserInfo1:
OPYMB\CDVJWUCFH[OZK@_TDAYZOZ@GXOXR]ZMVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Mon, 12 Jun 2006 19:34:47 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12817
rec.radio.amateur.equipment:4700 rec.radio.amateur.misc:13787

In article <128rf327u816lb1@corp.supernews.com>,
 "David G. Nagel" <nagel@core.com> wrote:

> Cecil Moore wrote:
>
> > hayseed wrote:
> >
> >> Now, everybody, back to work and mind your p's and Qs
> >
> >

How about dropping rec.radio.shortwave from the news group list.

Thanks in advance.

--
Telamon
Ventura, California


From -7915484421491110433
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
<128rf327u816lb1@corp.supernews.com>
In-Reply-To: <128rf327u816lb1@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <q2kjg.114248$dW3.26422@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 64.149.29.92
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1150143766 ST000 64.149.29.92 (Mon, 12 Jun
2006 16:22:46 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 16:22:46 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSUGWUSOQBPSCFD[LZKJOPHAWB\^PBQLGPQRZUEK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Mon, 12 Jun 2006 20:22:46 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12819
rec.radio.amateur.equipment:4701 rec.radio.amateur.misc:13788
rec.radio.shortwave:39267

David G. Nagel wrote:
> How about IDEA pronounced "IDEer"

Y'all from Boston?
--
73, Cecil  http://www.qsl.net/w5dxp


From 7641217796049109544
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
```

```
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!03ce4474!not-for-mail
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Organization: Internet Argonaut
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
<128rf327u816lb1@corp.supernews.com>
<q2kjg.114248$dW3.26422@newssvr21.news.prodigy.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Face: ,cNluD^cTg560%T8O&<Kwl!N>2R3MND4m%ln@,jFig:T/?4`pG(&J/So4b#dr        L[}
ZxZ0m*vGk7]@)+cK-~F2Oywqc2-5Zcr`?1ys#:dGEv%BlKRh"Vebh!P``bcD}2$}}        ?
U},D#0a<X#?i8!eCtVUxI>D*(AmZi(=NzA9%)Wc5C5ZODdwa~%7iN-+\RfW=c:@3w-,
L\Pzawef*7X!9VN#7d;~6Ka-
Message-ID:
<telamon_spamshield-9891B7.13384412062006@newsclstr02.news.prodigy.com>
Lines: 17
NNTP-Posting-Host: 207.105.206.163
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1150144724 ST000 207.105.206.163 (Mon, 12 Jun
2006 16:38:44 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 16:38:44 EDT
X-UserInfo1:
FKPO@MC@@S@URQXYGZKN__TDEB\@PD\MNPWZKB]MPXHNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 12 Jun 2006 20:38:44 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12820
rec.radio.amateur.equipment:4702 rec.radio.amateur.misc:13790

In article <q2kjg.114248$dW3.26422@newssvr21.news.prodigy.com>,
 Cecil Moore <mycall@hotmail.com> wrote:

> David G. Nagel wrote:
> > How about IDEA pronounced "IDEer"
```

>
> Y'all from Boston?

No.

How about dropping rec.radio.shorwave from the thread.

Thanks in advance.

--
Telamon
Ventura, California

From -2728394707162682420
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
From: cq-dx@arrl.net (New Ham)
Subject: Re: I bought a large capacitance hat for my shortwave antenna, but the
antenna still gets wet when it rains.
Organization: arrl.org
Message-Id: <sdoif0sd-sjdfsd-23ikj4rwe@news.arrl.net>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
<128rf327u816lb1@corp.supernews.com> <telamon_spamshield-
EB2876.12344712062006@newsclstr02.news.prodigy.com>
X-Newsreader: News Xpress 2.01
Lines: 23
Date: Mon, 12 Jun 2006 21:25:03 GMT
NNTP-Posting-Host: 4.227.160.215
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1150147503 4.227.160.215 (Mon, 12 Jun
2006 14:25:03 PDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 14:25:03 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12823
rec.radio.amateur.equipment:4703 rec.radio.amateur.misc:13792

```
rec.radio.shortwave:39275

In article <telamon_spamshield-
EB2876.12344712062006@newsclstr02.news.prodigy.com>, Telamon
<telamon_spamshield@pacbell.net.is.invalid> wrote:
>In article <128rf327u816lb1@corp.supernews.com>,
> "David G. Nagel" <nagel@core.com> wrote:
>
>> Cecil Moore wrote:
>>
>> > hayseed wrote:
>> >
>> >> Now, everybody, back to work and mind your p's and Qs
>> >
>> >
>
>How about dropping rec.radio.shortwave from the news group list.
>
>Thanks in advance.
>
>--
>Telamon
>Ventura, California


Did I get ripped off?




From -2460821069600693693
X-Google-Thread: 108122,f1c8283470cc59bc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-
mail
From: "gw4rib" <gw4rib@fsmail.net>
Newsgroups: rec.radio.amateur.equipment
Subject: TRAILER MOUNTED TOWER WANTED
Date: 12 Jun 2006 14:30:00 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1150147800.677756.243160@h76g2000cwa.googlegroups.com>
NNTP-Posting-Host: 86.141.166.237
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150147805 6879 127.0.0.1 (12 Jun 2006 21:30:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 Jun 2006 21:30:05 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FDM),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=86.141.166.237;
```

posting-account=aQ8-iw0AAAAHP7RSK4aFGAPAkGWIqh24
Xref: g2news2.google.com rec.radio.amateur.equipment:4704

CAN ANYONE HELP LOOKING FOR A TRAILER MOUNTED 40 OR 60 FOOT STUMECH OR SIMLAR OR JUST THE TRAILER W-H-Y PLEASE CALL WYN 07850861861 OR MAIL GW4RIB@FSMAIL.NET THANKS WYN

From -1928852291133413905
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!wn13feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: You <You@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
Organization: You and my shadow
References: <128r0unhde6t126@corp.supernews.com> <Xns97E05694EA474spectrumhogstarbandn@198.186.192.196> <Xns97E05826E847Dspectrumhogstarbandn@198.186.192.196>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <You-DD48C8.15044912062006@netnews.worldnet.att.net>
Lines: 20
Date: Mon, 12 Jun 2006 23:03:43 GMT
NNTP-Posting-Host: 12.12.208.46
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1150153423 12.12.208.46 (Mon, 12 Jun 2006 23:03:43 GMT)
NNTP-Posting-Date: Mon, 12 Jun 2006 23:03:43 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4705

In article <Xns97E05826E847Dspectrumhogstarbandn@198.186.192.196>,
Ed <Huckleberry_REMOVE_@bigvalley.net> wrote:

> My appologies,   it appears that my previous reply was not what you were looking for, but in fact you wanted the technical procedure that Furnino service techs use to enable the LSB selection.
>
> I don't have that information, but perhaps if you can contact Furnino yourself, by telephone or email, you can get it.
>
> Assumuing you are in the United States, Furnino is availabe at:
>
> 360-834-9300   and email: info@furuno.com
>
>
> Ed
>

and unless you are a Furuno Dealer, They aren't going to let that

```
secret out.......


From 1414418061681804577
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <448DF326.1090300@fuse.net>
Date: Mon, 12 Jun 2006 19:05:10 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
  still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com> <448CC4CB.2040308@fuse.net>
<x7r71v85ul.fsf@neko.snafu.org> <448D5FF7.4040907@fuse.net>
<Dpdjg.146825$F_3.840@newssvr29.news.prodigy.net>
In-Reply-To: <Dpdjg.146825$F_3.840@newssvr29.news.prodigy.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 13
X-Trace: 481b4448df35ee098318606434
Xref: g2news2.google.com rec.radio.amateur.antenna:12830
rec.radio.amateur.equipment:4706 rec.radio.amateur.misc:13796
rec.radio.shortwave:39283

Cecil Moore wrote:
> jawod wrote:
>
>> yes   at least to me   "last year's work" as opposed to some other
>> "year's work"  pretty sure that's possessive
```

>
>
> A year is an it. Is it possessive because it's its work?

How did this get started? :)

Whose on first?

No answer on the antenna trickle charger?

From -5068946414235594637
X-Google-Thread: 108122,3876a49f89270467,start
X-Google-Thread: 107ada,3876a49f89270467,start
X-Google-Thread: 10bf43,3876a49f89270467,start
X-Google-Thread: fa029,3876a49f89270467,start
X-Google-Thread: 1109af,3876a49f89270467,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Email this to your Senators and Congressmen. make the FCC do the right thing.
From: Radio Buff <my.mail@no.spam>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 26
Message-ID: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Date: Mon, 12 Jun 2006 23:12:47 GMT
NNTP-Posting-Host: 4.227.154.34
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150153967 4.227.154.34 (Mon, 12 Jun 2006 16:12:47 PDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 16:12:47 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4707 rec.radio.amateur.misc:13798 rec.radio.amateur.policy:29118 rec.radio.scanner:3513 rec.radio.swap:4536

Dear sir:

The FCC has been dumbing down ham radio for several years now. This has hurt the integrity of the service and is bad for America. They are planning to dumb it down again really soon now and their plan will make ham radio like CB and it will be bad for America. We already have one CB service, we don't need two.   Please pressure the FCC to endorse the following items for the good of the service and County.
God bless America.

Signed

(Your name & callsign)

No more automatic renewals. Individuals must retest and pass all elements required for their license class.

The passing score for written exams needs to be raised to 85%.

Code elements should be 13 wpm for General, and 20 wpm for Extra.

Make the no-code license one year non-renewable.

```
From -2293668232619012479
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <448DF4FE.9090309@fuse.net>
Date: Mon, 12 Jun 2006 19:13:02 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
In-Reply-To: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 28
X-Trace: 6b1b7448df536e098318606434
Xref: g2news2.google.com rec.radio.amateur.equipment:4708
rec.radio.amateur.misc:13799 rec.radio.amateur.policy:29119 rec.radio.scanner:3514
rec.radio.swap:4537
```

Radio Buff wrote:

> Dear sir:
>

> The FCC has been dumbing down ham radio for several years now. This has
> hurt the integrity of the service and is bad for America. They are
> planning to dumb it down again really soon now and their plan will make
> ham radio like CB and it will be bad for America. We already have one CB
> service, we don't need two.   Please pressure the FCC to endorse the
> following items for the good of the service and County.
> God bless America.
>
>
> Signed
> (Your name & callsign)
>
>
>
> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
>
> The passing score for written exams needs to be raised to 85%.
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Make the no-code license one year non-renewable.
>
>

Ignore this idiot

From -1303216936878691745
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: N7ZZT - Eric Oyen <n7zzt@127.0.0.1>
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Followup-To: rec.radio.amateur.equipment
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Lines: 22
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-No_Archive: yes
Message-ID: <lGmjg.9009$_m5.3032@fed1read09>
Date: Mon, 12 Jun 2006 16:23:01 -0700

NNTP-Posting-Host: 70.190.56.163
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1150154513 70.190.56.163 (Mon, 12 Jun 2006 19:21:53 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 19:21:53 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4709 rec.radio.amateur.misc:13802 rec.radio.amateur.policy:29122 rec.radio.scanner:3515 rec.radio.swap:4538

Radio Buff wrote:

> Dear sir:
>
> The FCC has been dumbing down ham radio for several years now. This has

this is the only point he is right on.
when I took my test, some math was still required (along with knowing where
you were legally allowed, etc.).

I have had chance to read the latest offerings in the test pool.

I'd like to see them bring back the math problems (antenna theory, ohms law
and the like).

--
DE N7ZZT
Eric Oyen
Phoenix, Arizona
e-mail: n7zzt(at)hotmail(dot)com
the difference between intelligence and stupidity is that intelligence
has its limits.

From 847312171430226834
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 12 Jun 2006 16:23:21 -0700
Organization: http://groups.google.com
Lines: 46
Message-ID: <1150154601.071006.207570@j55g2000cwa.googlegroups.com>

References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.64
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150154606 25249 127.0.0.1 (12 Jun 2006 23:23:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 Jun 2006 23:23:26 +0000 (UTC)
In-Reply-To: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=66.82.9.64;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:4710 rec.radio.amateur.misc:13803 rec.radio.amateur.policy:29123 rec.radio.scanner:3516 rec.radio.swap:4539

beter would be to start a letter like the enclosed beloow (in the quoted usenet text) is the effort of variuous persons with the ARS deteremined to Kill offthe valuable resuource to this that is Amateur (or Ham) radio Hams do step up when they to the disater that turned out to possiblity num one the list of of 101 things that can go wrong

But they don't rely of CW (Morse encoded OnOffKeyed signals to tit

they use whatis a at hand be it Voice Cw Rtty (and other digtial based modes) this the ARS and it stands now being slowly strangled by the Luddities in its midst with the willing assitastance of the FCC in draging their heel in issue the R&O that will implement it most recent NPRM o5-235I believe on restructuringthe ARS) their was nothing new in the coments some folks thik Morse Code Testing should stay but they could only muster the same tired arguement that the Fcc has already stated are not good enough

Urge the FCC to do it job and modernize the ARs before it is too late and more lives are lost that could have been saved if only the FCC had acted in a timely manner
Radio Buff wrote:
> Dear sir:
>
> The FCC has been dumbing down ham radio for several years now. This has
> hurt the integrity of the service and is bad for America. They are
> planning to dumb it down again really soon now and their plan will make
> ham radio like CB and it will be bad for America. We already have one CB
> service, we don't need two.   Please pressure the FCC to endorse the
> following items for the good of the service and County.
> God bless America.
>
>
> Signed
> (Your name & callsign)
>

>
>
> No more automatic renewals. Individuals must retest and pass all elements required for their license class.
>
> The passing score for written exams needs to be raised to 85%.
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Make the no-code license one year non-renewable.

From -3743995946365409351
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: Mon, 12 Jun 2006 23:26:36 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <128ru1ceovhr824@corp.supernews.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news2.google.com rec.radio.amateur.equipment:4711
rec.radio.amateur.misc:13804 rec.radio.amateur.policy:29124 rec.radio.scanner:3517
rec.radio.swap:4540

In article <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>,
Radio Buff <my.mail@no.spam> wrote:

#snip#

Interesting to note that "Slow Code" and "Radio Buff", in addition to having apparently-identical agendas about rolling back FCC standards into the 1950s or before, both access the Internet via Level3 dialups in Denver.

Also interesting to note that the poster going by the handle of "New ham", who asked a rather inane question about a capacitance hat for

his antennas (but who has no other posting history at Google),
accesses the Internet via a Level3 dialup in Denver.

Possibly it's something in the water up there. Perhaps those three
gentlemen ought to form a new ham club in Denver? That's enough
members to qualify for a club-station license.

```
--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From -3978771447551888770
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net
From: "Roger" <roger@degweeboynut.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: Mon, 12 Jun 2006 19:37:06 -0400
Organization: Candidate for Master Degwee
Lines: 16
Message-ID: <2hj8s.98l.17.1@news.alt.net>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:4712
rec.radio.amateur.misc:13805 rec.radio.amateur.policy:29126 rec.radio.scanner:3518
rec.radio.swap:4541
```

"Radio Buff" <my.mail@no.spam> wrote in message
news:Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net...
> Dear sir:

///////SNIP///////

Another example of delusional old hams thinking they are
still 'first responders'   and on the cutting edge of technology.

ROTFLMAO!

From 7171672135963635552
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!multikabel.net!feed20.multikabel.net!sn-ams-06!sn-xt-ams-05!sn-ams!sn-feed-ams-03!sn-ams!sn-feed-ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: Mon, 12 Jun 2006 18:49:34 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128rvccdc18rmdd@corp.supernews.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.amateur.equipment:4713 rec.radio.amateur.misc:13807 rec.radio.amateur.policy:29129 rec.radio.scanner:3519 rec.radio.swap:4542

"Radio Buff" <my.mail@no.spam> wrote in message
news:Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net...
(major snippage)
> Make the no-code license one year non-renewable.
>

Then you fail to recruit new blood into the hobbie. Certainly they should have restrictions, but you need to have a no-code ticket available, otherwise why leave 11 meters. I do not want to learn the code, I have no interest in learning the code, I never plan to use code, but someday I may change my mind, and when that day comes I can test and move up in class. But if you stop people at the front gate, don't expect them to return.

```
From 4447214714373161662
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!router2.astraweb.com!
news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-02!sn-
post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: Mon, 12 Jun 2006 18:51:40 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128rvga2doov43b@corp.supernews.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<128ru1ceovhr824@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news2.google.com rec.radio.amateur.equipment:4714
rec.radio.amateur.misc:13808 rec.radio.amateur.policy:29130 rec.radio.scanner:3520
rec.radio.swap:4543

"Dave Platt" <dplatt@radagast.org> wrote in message
news:128ru1ceovhr824@corp.supernews.com...
> In article <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>,
> Radio Buff  <my.mail@no.spam> wrote:
>
> #snip#
>
> Interesting to note that "Slow Code" and "Radio Buff", in addition to
> having apparently-identical agendas about rolling back FCC standards
> into the 1950s or before, both access the Internet via Level3 dialups
> in Denver.
>
> Also interesting to note that the poster going by the handle of "New
> ham", who asked a rather inane question about a capacitance hat for
> his antennas (but who has no other posting history at Google),
> accesses the Internet via a Level3 dialup in Denver.
>
```

> Possibly it's something in the water up there. Perhaps those three
> gentlemen ought to form a new ham club in Denver? That's enough
> members to qualify for a club-station license.
>

He's been known to nym shift from time to time.

From 6036503151976183061
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!news.bellsouth.net!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Message-ID: <muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Mon, 12 Jun 2006 20:00:17 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1150156707 24.186.218.38 (Mon, 12 Jun 2006 16:58:27 MST)
NNTP-Posting-Date: Mon, 12 Jun 2006 16:58:27 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4715 rec.radio.amateur.misc:13809 rec.radio.amateur.policy:29131 rec.radio.scanner:3521 rec.radio.swap:4544

On Mon, 12 Jun 2006 23:12:47 GMT, Radio Buff <my.mail@no.spam> wrote:

>Code elements should be 13 wpm for General, and 20 wpm for Extra.

>Make the no-code license one year non-renewable.

And make gas $0.25/gallon, steaks $0.79/lb and Kennedy president. :)

From 5697936900623999381

```
X-Google-Thread: 108122,3876a49f89270467
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <210s82t5d7tcbjtsp3m1a9k9g2etb2utv0@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<lGmjg.9009$_m5.3032@fed1read09>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
Date: Mon, 12 Jun 2006 20:01:09 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1150156760 24.186.218.38 (Mon, 12 Jun 2006 16:59:20 MST)
NNTP-Posting-Date: Mon, 12 Jun 2006 16:59:20 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4716

On Mon, 12 Jun 2006 16:23:01 -0700, N7ZZT - Eric Oyen
<n7zzt@127.0.0.1> wrote:

>Radio Buff wrote:
>
>> Dear sir:
>>
>> The FCC has been dumbing down ham radio for several years now.  This has
>
>this is the only point he is right on.
>when I took my test, some math was still required (along with knowing where
>you were legally allowed, etc.).
>
>I have had chance to read the latest offerings in the test pool.
>
>I'd like to see them bring back the math problems (antenna theory, ohms law
>and the like).

And schematics.  Not "pick the part that's a resistor", but "draw the
schematic of a ..."


From 4574449449532744582
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
```

X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe11.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Message-ID: <540s82dard9r3jkteedhom6h1c9h5ho6sc@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<128rvccdc18rmdd@corp.supernews.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
Date: Mon, 12 Jun 2006 20:09:03 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1150157234 24.186.218.38 (Mon, 12 Jun 2006 17:07:14 MST)
NNTP-Posting-Date: Mon, 12 Jun 2006 17:07:14 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4717
rec.radio.amateur.misc:13810 rec.radio.amateur.policy:29133 rec.radio.scanner:3522
rec.radio.swap:4545

On Mon, 12 Jun 2006 18:49:34 -0500, "DrDeath"
<drdeath555usb@yahoo.com> wrote:

>"Radio Buff" <my.mail@no.spam> wrote in message
>news:Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net...
>(major snippage)
>> Make the no-code license one year non-renewable.

>Then you fail to recruit new blood into the hobbie.

We recruited more new blood into the "hobbie" when the Novice required
code (if you can't learn 5wpm, there's no way you could learn enough
theory to pass the old exams - and there's more theory to know these
days) AND one year non-renewable than we do now. There are reasons
there's less new blood, but code isn't one of them.

>Certainly they should have restrictions, but you need to have a no-code ticket available,
>otherwise why leave 11 meters.

Good question. Ask those who did back in the early 60s - when code

was required. Maybe just listening to 11 meters, then listening to 20
meters, is reason enough.

> I do not want to learn the code, I have no
>interest in learning the code, I never plan to use code, but someday I may
>change my mind, and when that day comes I can test and move up in class. But
>if you stop people at the front gate, don't expect them to return.

Since tens of thousands of hams "returned" when code was required,
your basic premise is wrong. *You* wouldn't return if code were
required, but you aren't everyman. (Try the old General as the "entry
level" exam, 13 wpm and pretty stiff theory, with the only upgrade
being the Class A ticket. And yet, many many hams went that route.)

```
From 5046869337256676074
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Organization: Your Company
Message-ID: <Xns97E0AEA5073B5spectrumhogstarbandn@198.186.192.196>
Followup-To: rec.radio.amateur.equipment
User-Agent: Xnews/2006.03.14
Date: 13 Jun 2006 00:09:36 GMT
Lines: 17
NNTP-Posting-Host: a0cd6f1c.news.adtechcomputers.com
X-Trace: DXC==FdZGWB9:W=TkVe4FPDeU7gC4_A5:nI@1<<=aEgO;R87_GH4GF:M560T6OflhPP1_4R?
X7U2a5ff7emfRC[RMj??JGUlSY>5n20d\^3lm1FT8:j`:KKS`KUZ1
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4718
rec.radio.amateur.misc:13811 rec.radio.amateur.policy:29135 rec.radio.scanner:3523
rec.radio.swap:4546
```

Radio Buff <my.mail@no.spam> wrote in news:Pxmjg.5175$lp.2532
@newsread3.news.pas.earthlink.net:

> Dear sir:
>

> The FCC has been dumbing down ham radio for several years now.

Please, this was funny the first time around,. Now its boring. Go away.

Ed

From -7737104623980712639
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<128ru1ceovhr824@corp.supernews.com>
Organization: Your Company
Message-ID: <Xns97E0AF12ABEA7spectrumhogstarbandn@198.186.192.196>
Followup-To: rec.radio.amateur.equipment
User-Agent: Xnews/2006.03.14
Date: 13 Jun 2006 00:12:07 GMT
Lines: 15
NNTP-Posting-Host: a0cd6f1c.news.adtechcomputers.com
X-Trace: DXC=Q8dH[J=dW>a;>kBkM`GFNegC4_A5:nI@a<<=aEgO;R8g_GH4GF:M56`T6OflhPP1_dR?
X7U2a5ffgemfRC[RMj?oJGUlSY>5n2`d\^3lm1FT8jj`:KKS`KUZa
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4719
rec.radio.amateur.misc:13812 rec.radio.amateur.policy:29137 rec.radio.scanner:3524
rec.radio.swap:4547

>
> Also interesting to note that the poster going by the handle of "New
> ham", who asked a rather inane question about a capacitance hat for
> his antennas (but who has no other posting history at Google),
> accesses the Internet via a Level3 dialup in Denver.
>

> Possibly it's something in the water up there.

Dave, you forgot about the altutude? The air is pretty thin in Denver.
More likely oxygen starvation.....

Ed K7AAT

From -1560856260668901147
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!newsfeed1.easynews.com!easynews.com!easynews!sn-xt-sjc-02!
sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: Mon, 12 Jun 2006 19:31:10 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128s1qbgi7hqu4a@corp.supernews.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.amateur.equipment:4720
rec.radio.amateur.misc:13813 rec.radio.amateur.policy:29139 rec.radio.scanner:3526
rec.radio.swap:4548

"Al Klein" <rukbat@pern.invalid> wrote in message
news:muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com...
> On Mon, 12 Jun 2006 23:12:47 GMT, Radio Buff <my.mail@no.spam> wrote:
>
>>Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>>Make the no-code license one year non-renewable.
>
> And make gas $0.25/gallon, steaks $0.79/lb and Kennedy president. :)

I'll go 2 out of 3 on that. Kennedy was and intravenous meth user who almost started WW3.

From 4528935911141067881
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!uunet!dca.uu.net!spool.news.uu.net!ash.uu.net!news01.intel.com!not-for-mail
From: "Richard Crowley" <richard.7.crowley@intel.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: Mon, 12 Jun 2006 18:02:48 -0700
Organization: Intel Corporation
Lines: 16
Message-ID: <e6l2ro$t8d$1@news01.intel.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net> <muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com>
NNTP-Posting-Host: rcrowley-mobl.amr.corp.intel.com
X-Trace: news01.intel.com 1150160568 29965 10.6.170.73 (13 Jun 2006 01:02:48 GMT)
X-Complaints-To: usenet@news01.intel.com
NNTP-Posting-Date: Tue, 13 Jun 2006 01:02:48 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:4721 rec.radio.amateur.misc:13815 rec.radio.amateur.policy:29147 rec.radio.scanner:3527 rec.radio.swap:4549

"Al Klein" <rukbat@pern.invalid> wrote in message news:muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com...
> On Mon, 12 Jun 2006 23:12:47 GMT, Radio Buff <my.mail@no.spam> wrote:
>
>>Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>>Make the no-code license one year non-renewable.
>
> And make gas $0.25/gallon, steaks $0.79/lb and Kennedy president. :)

Kennedy would be too conservative for even the neocons,
and unrecognizable by the "progressives".
Assuming you meant JFK and not Teddy the Tippler.

```
From -2722692333002411472
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 12 Jun 2006 18:56:11 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1150163771.395636.195330@u72g2000cwu.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150163776 17402 127.0.0.1 (13 Jun 2006 01:56:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 13 Jun 2006 01:56:16 +0000 (UTC)
In-Reply-To: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.15;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:4722
rec.radio.amateur.misc:13816 rec.radio.amateur.policy:29148 rec.radio.scanner:3528
rec.radio.swap:4550
```

BTW on the subject if you want the RIGHT thing don't involve the
congress

```
From 1818543704458557244
X-Google-Thread: fcc6e,f154d819e5f3235d
```

```
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 12 Jun 2006 21:14:11 -0500
Date: Mon, 12 Jun 2006 22:14:14 -0400
From: Mike Coslo <mremovethiscoslo@adelphia.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
<128rf327u816lb1@corp.supernews.com>
<q2kjg.114248$dW3.26422@newssvr21.news.prodigy.com>
<telamon_spamshield-9891B7.13384412062006@newsclstr02.news.prodigy.com>
In-Reply-To:
<telamon_spamshield-9891B7.13384412062006@newsclstr02.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <R62dnTIyPa_ughPZnZ2dnUVZ_sydnZ2d@adelphia.com>
Lines: 20
NNTP-Posting-Host: 69.162.57.195
X-Trace: sv3-Yru4h+p+xWyX4u9KK+YTXTb4YdWA/
jp8yEkZVM0NUBqD9RI4mk1Dprd18SF65lOHi0gfP/2YSu8+GUB!fsyvrc4z6DZuE0ZGgK/KY/
WymRT+kPbAE6GIB7d6nrW11pXuKsFv/NJIie9bECDPwgOdkzytXjww!1aPPlYh7fqqwBBwLLZ/
LnEmQTKQ=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12835
rec.radio.amateur.equipment:4723 rec.radio.amateur.misc:13817
```

Telamon wrote:

> In article <q2kjg.114248$dW3.26422@newssvr21.news.prodigy.com>,
> Cecil Moore <mycall@hotmail.com> wrote:
>
>

>>David G. Nagel wrote:
>>
>>>How about IDEA pronounced "IDEer"
>>
>>Y'all from Boston?
>
>
> No.
>
> How about dropping rec.radio.shorwave from the thread.

Why are you posting in re.radio.amateur.antenna, Telemon?

- 73 de Mike KB3EIA -

From 7870134836780454266
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 12 Jun 2006 21:29:38 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
<Inhjg.23804$VE1.14023@newssvr14.news.prodigy.com>
<128rf327u816lb1@corp.supernews.com> <telamon_spamshield-
EB2876.12344712062006@newsclstr02.news.prodigy.com> <sdoif0sd-
sjdfsd-23ikj4rwe@news.arrl.net>
Subject: Re: I bought a large capacitance hat for my shortwave antenna, but the
antenna still gets wet when it rains.
Date: Mon, 12 Jun 2006 21:29:37 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <lrmdnbdW-puPvhPZnZ2dnUVZ_rCdnZ2d@comcast.com>
Lines: 32

```
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-WDFFAjPeTiP9+GZbAFBM3hslP+BMOKrxpiXQ27j/
WujRpvSmO+pkHUx3lmEkun5VT2p+z77rfT+KQNO!
R7qyv9EW9PFxrnwsuBJE7dElKjqXlajprMzn0k52OzzWHD41gYlemjgVIL6j0vB9D8y4fjwo9AS2!
HVtclWVCCpuspA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12841
rec.radio.amateur.equipment:4724 rec.radio.amateur.misc:13818
rec.radio.shortwave:39300


"New Ham" <cq-dx@arrl.net> wrote in message
news:sdoif0sd-sjdfsd-23ikj4rwe@news.arrl.net...
> In article
> <telamon_spamshield-EB2876.12344712062006@newsclstr02.news.prodigy.com>,
> Telamon <telamon_spamshield@pacbell.net.is.invalid> wrote:
>>In article <128rf327u816lb1@corp.supernews.com>,
>> "David G. Nagel" <nagel@core.com> wrote:
>>
>>> Cecil Moore wrote:
>>>
>>> > hayseed wrote:
>>> >
>>> >> Now, everybody, back to work and mind your p's and Qs
>>> >
>>> >
>>
>>How about dropping rec.radio.shortwave from the news group list.
>>
>>Thanks in advance.
>>
>>--
>>Telamon
>>Ventura, California
>
>
> Did I get ripped off?
>

Did you get kissed afterwards??




From -5574115194726019034
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
```

X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.alt.net
From: "Roger" <roger@degweeboynut.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: Mon, 12 Jun 2006 22:51:31 -0400
Organization: Candidate for Master Degwee
Lines: 51
Message-ID: <2hulc.lg0.17.1@news.alt.net>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<128rvccdc18rmdd@corp.supernews.com> <540s82dard9r3jkteedhom6h1c9h5ho6sc@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:4725
rec.radio.amateur.misc:13819 rec.radio.amateur.policy:29150 rec.radio.scanner:3530
rec.radio.swap:4551

"Al Klein" <rukbat@pern.invalid> wrote in message
news:540s82dard9r3jkteedhom6h1c9h5ho6sc@4ax.com...
> On Mon, 12 Jun 2006 18:49:34 -0500, "DrDeath"
> <drdeath555usb@yahoo.com> wrote:
>
>>"Radio Buff" <my.mail@no.spam> wrote in message
>>news:Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net...
>>(major snippage)
>>> Make the no-code license one year non-renewable.
>
>>Then you fail to recruit new blood into the hobbie.
>
> We recruited more new blood into the "hobbie" when the Novice required
> code (if you can't learn 5wpm, there's no way you could learn enough
> theory to pass the old exams - and there's more theory to know these
> days) AND one year non-renewable than we do now. There are reasons
> there's less new blood, but code isn't one of them.
>
>>Certainly they should have restrictions, but you need to have a no-code
>>ticket available,
>>otherwise why leave 11 meters.
>
> Good question. Ask those who did back in the early 60s - when code
> was required. Maybe just listening to 11 meters, then listening to 20
> meters, is reason enough.
>

>> I do not want to learn the code, I have no
>>interest in learning the code, I never plan to use code, but someday I may
>>change my mind, and when that day comes I can test and move up in class.
>>But
>>if you stop people at the front gate, don't expect them to return.
>
> Since tens of thousands of hams "returned" when code was required,
> your basic premise is wrong. *You* wouldn't return if code were
> required, but you aren't everyman. (Try the old General as the "entry
> level" exam, 13 wpm and pretty stiff theory, with the only upgrade
> being the Class A ticket. And yet, many many hams went that route.)

Simmer down pop. Drink some Geritol and caress your old c.w.
key and dream of days of yesteryear when Morse was
"High-Tech."

ROTFLMAO!

From -1264777523413903242
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
sn-xt-sjc-15!sn-xt-sjc-08!sn-post-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Patrick" <Patrick@SPAM.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
Date: Mon, 12 Jun 2006 19:54:09 -0700
Organization: www.ShipsRecord.com
Message-ID: <128sa6p9ego5dbd@corp.supernews.com>
References: <128r0unhde6t126@corp.supernews.com>
<Xns97E05694EA474spectrumhogstarbandn@198.186.192.196>
<Xns97E05826E847Dspectrumhogstarbandn@198.186.192.196> <You-
DD48C8.15044912062006@netnews.worldnet.att.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news2.google.com rec.radio.amateur.equipment:4726

> and unless you are a Furuno Dealer, They aren't going to let that

> secret out.......

That's sort of what I was thinking as well. I'm hoping that someone out
there has done this before and has the info.

Thanks,
-p
Patrick's Sailing Blog: http://shipsrecord.com/blogs/patrick/

From -7981615428373131251
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!EVERESTKC.NET-a2kHrUvQQWlmc!not-for-mail
Date: Mon, 12 Jun 2006 21:57:31 -0500
From: "Ron B." <rmboz@everestkc.notcom>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
In-Reply-To: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <40517$448e299c$4088d5d0$27480@EVERESTKC.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 31
X-Trace: 40517448e299ce52d707527480
Xref: g2news2.google.com rec.radio.amateur.equipment:4727
rec.radio.amateur.misc:13820 rec.radio.amateur.policy:29151 rec.radio.scanner:3531
rec.radio.swap:4552

Radio Buff wrote:

> Dear sir:

>
> The FCC has been dumbing down ham radio for several years now. This has
> hurt the integrity of the service and is bad for America. They are
> planning to dumb it down again really soon now and their plan will make
> ham radio like CB and it will be bad for America. We already have one CB
> service, we don't need two.   Please pressure the FCC to endorse the
> following items for the good of the service and County.
> God bless America.
>
>
> Signed
> (Your name & callsign)
>
>
>
> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
>
> The passing score for written exams needs to be raised to 85%.
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Make the no-code license one year non-renewable.
>
>

Must be some good stuff you are smoking or is it that three day old road
kill you are eating. The FBI is looking for stars like you. You are one
sick puppy.

```
From 5076112312916337795
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <448E3AF4.5000807@fuse.net>
Date: Tue, 13 Jun 2006 00:11:32 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do
  the right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com> <128s1qbgi7hqu4a@corp.supernews.com>
```

```
In-Reply-To: <128s1qbgi7hqu4a@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 19
X-Trace: bceae448e3b2be098318607874
Xref: g2news2.google.com rec.radio.amateur.equipment:4728
rec.radio.amateur.misc:13822 rec.radio.amateur.policy:29152 rec.radio.scanner:3533
rec.radio.swap:4554

DrDeath wrote:
> "Al Klein" <rukbat@pern.invalid> wrote in message
> news:muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com...
>
>>On Mon, 12 Jun 2006 23:12:47 GMT, Radio Buff <my.mail@no.spam> wrote:
>>
>>
>>>Code elements should be 13 wpm for General, and 20 wpm for Extra.
>>
>>>Make the no-code license one year non-renewable.
>>
>>And make gas $0.25/gallon, steaks $0.79/lb and Kennedy president. :)
>
>
> I'll go 2 out of 3 on that. Kennedy was and intravenous meth user who almost
> started WW3.
>
>
That was Reagan


From -2270170813246438779
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <448E3B74.39CA5BF1@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
```

Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
 right thing.
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<128ru1ceovhr824@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 40
Date: Tue, 13 Jun 2006 04:14:42 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1150172082 24.110.34.161 (Mon, 12 Jun
2006 21:14:42 PDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 21:14:42 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4729
rec.radio.amateur.misc:13823 rec.radio.amateur.policy:29153 rec.radio.scanner:3534
rec.radio.swap:4555

Dave Platt wrote:
>
> In article <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>,
> Radio Buff <my.mail@no.spam> wrote:
>
> #snip#
>
> Interesting to note that "Slow Code" and "Radio Buff", in addition to
> having apparently-identical agendas about rolling back FCC standards
> into the 1950s or before, both access the Internet via Level3 dialups
> in Denver.
>
> Also interesting to note that the poster going by the handle of "New
> ham", who asked a rather inane question about a capacitance hat for
> his antennas (but who has no other posting history at Google),
> accesses the Internet via a Level3 dialup in Denver.
>
> Possibly it's something in the water up there. Perhaps those three
> gentlemen ought to form a new ham club in Denver? That's enough
> members to qualify for a club-station license.
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
>   I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

Both of them use the same news reader software as well: Xnews/5.04.25

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.

Member of DAV #85.

Michael A. Terrell
Central Florida

From -3007589975202289308
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!195.114.231.41.MISMATCH!
feeder1!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-
xt-ams-05!sn-ams!sn-feed-ams-02!sn-post-ams-02!sn-post-02!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: Mon, 12 Jun 2006 23:37:33 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128sg8nlf792u47@corp.supernews.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com> <128s1qbgi7hqu4a@corp.supernews.com>
<448E3AF4.5000807@fuse.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news2.google.com rec.radio.amateur.equipment:4730
rec.radio.amateur.misc:13824 rec.radio.amateur.policy:29154 rec.radio.scanner:3535
rec.radio.swap:4556

"jawod" <jawod@fuse.net> wrote in message news:448E3AF4.5000807@fuse.net...
> DrDeath wrote:
>> "Al Klein" <rukbat@pern.invalid> wrote in message
>> news:muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com...
>>
>>>On Mon, 12 Jun 2006 23:12:47 GMT, Radio Buff <my.mail@no.spam> wrote:
>>>
>>>
>>>>Code elements should be 13 wpm for General, and 20 wpm for Extra.
>>>
>>>>Make the no-code license one year non-renewable.

```
>>>
>>>And make gas $0.25/gallon, steaks $0.79/lb and Kennedy president. :)
>>
>>
>> I'll go 2 out of 3 on that. Kennedy was and intravenous meth user who
>> almost started WW3.
> That was Reagan

Reagan may have wanted a WW3, but he didn't use drugs. The documentary I saw
about JFK said he had a Dr. shooting him up with meth up to 5 times a day.
I'm not the conspiracy theory type of person, but I can see why a government
organization would want him dead.
```

```
From 3243480256078399996
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do  the
right thing.
Message-ID: <01ct829e3mdpkb8fk1648d1st99fg86e6j@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com> <128s1qbgi7hqu4a@corp.supernews.com>
<448E3AF4.5000807@fuse.net> <128sg8nlf792u47@corp.supernews.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Tue, 13 Jun 2006 08:33:41 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1150201913 24.186.218.38 (Tue, 13 Jun 2006 05:31:53 MST)
NNTP-Posting-Date: Tue, 13 Jun 2006 05:31:53 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4731
rec.radio.amateur.misc:13826 rec.radio.amateur.policy:29158 rec.radio.scanner:3536
rec.radio.swap:4557
```

On Mon, 12 Jun 2006 23:37:33 -0500, "DrDeath"
<drdeath555usb@yahoo.com> wrote:

>Reagan may have wanted a WW3, but he didn't use drugs.

Reagan didn't need anything external to alter his mind - he had Alzheimer's. And Nancy, who had a large hand in running the White House, did so with a fortune teller's advice.

> The documentary I saw
>about JFK said he had a Dr. shooting him up with meth up to 5 times a day.

He had a doctor giving him pain killers - because he wrecked his back.

>I'm not the conspiracy theory type of person, but I can see why a government
>organization would want him dead.

The fact that he "ruined" government (government as it was, at any rate), might have something to do with that.

```
From -5276349521528604411
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Message-ID: <e5ct82thh5tlmv6v30k20g1qi3b9vvrs29@4ax.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
<muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com> <e6l2ro$t8d$1@news01.intel.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
Date: Tue, 13 Jun 2006 08:34:35 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1150201967 24.186.218.38 (Tue, 13 Jun 2006 05:32:47 MST)
NNTP-Posting-Date: Tue, 13 Jun 2006 05:32:47 MST
Organization: Optimum Online
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:4732
rec.radio.amateur.misc:13827 rec.radio.amateur.policy:29159 rec.radio.scanner:3537
rec.radio.swap:4558

On Mon, 12 Jun 2006 18:02:48 -0700, "Richard Crowley"
<richard.7.crowley@intel.com> wrote:

>"Al Klein" <rukbat@pern.invalid> wrote in message
>news:muvr82tvhnusg3aqlvcn4b9su3tf6u82bf@4ax.com...
>> On Mon, 12 Jun 2006 23:12:47 GMT, Radio Buff <my.mail@no.spam> wrote:
>>
>>>Code elements should be 13 wpm for General, and 20 wpm for Extra.
>>
>>>Make the no-code license one year non-renewable.
>>
>> And make gas $0.25/gallon, steaks $0.79/lb and Kennedy president. :)
>
>Kennedy would be too conservative for even the neocons,
>and unrecognizable by the "progressives".

Said by someone looking at it from the perspective of having spent a
lot of time studying the times, eh?


From -1956368196870798899
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wns13feed!
worldnet.att.net!199.45.49.37!cyclone1.gnilink.net!gnilink.net!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!fe07.lga.POSTED!53ab2750!not-for-mail
From: "PowerHouse Communications" <PowerHouse@PrivateBox.Net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Lines: 17
Organization: PowerHouse Communications
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <0Cyjg.1679$8i1.760@fe07.lga>
X-Trace:
pikkdiabbdefphapkijlibflhciapagefkoimgfkahhodigdnidnojllegdpgdfmikgjocpjjgcjcicfhl
blhmmjfapdnicaappcdngfdjoeadgmlabkimlgigmmnhffegcmjhhibopfakdb
```

NNTP-Posting-Date: Tue, 13 Jun 2006 05:56:28 MST
Date: Tue, 13 Jun 2006 07:57:08 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:4733 rec.radio.amateur.misc:13828 rec.radio.amateur.policy:29160 rec.radio.scanner:3539 rec.radio.swap:4559

"Radio Buff" <my.mail@no.spam> wrote in message
news:Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net...
>
> We already have one CB
> service, we don't need two.

Actually, if you knew anything about "radio" in general, you would realize that we DO have more than one CB service; matter of fact, there are 5 CB Services.

One (GMRS) requires a license, one that in non-voice (R/C,) and 3 that are open to whomever wants to use them, license-free (CB, FRS, and MURS.)

Get at least a SMALL clue...

From -4947394198924306954
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!news-feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: "Povertyhill" <nowhere@nono.noway>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <Osxjg.13914$Ui7.6034@tornado.tampabay.rr.com>
Date: Tue, 13 Jun 2006 11:38:22 GMT
NNTP-Posting-Host: 68.205.103.109

```
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1150198702 68.205.103.109 (Tue, 13 Jun 2006
07:38:22 EDT)
NNTP-Posting-Date: Tue, 13 Jun 2006 07:38:22 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4734
rec.radio.amateur.misc:13829 rec.radio.amateur.policy:29161 rec.radio.scanner:3540
rec.radio.swap:4560

Gee do all hams in Colorado think like this or only ones in Denver? Get a
life and play with your CW key with a buzzer!

"Radio Buff" <my.mail@no.spam> wrote in message
news:Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net...
> Dear sir:
>
> The FCC has been dumbing down ham radio for several years now.  This has
> hurt the integrity of the service and is bad for America.  They are
> planning to dumb it down again really soon now and their plan will make
> ham radio like CB and it will be bad for America.  We already have one CB
> service, we don't need two.   Please pressure the FCC to endorse the
> following items for the good of the service and County.
> God bless America.
>
>
> Signed
> (Your name & callsign)
>
>
>
> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
>
> The passing score for written exams needs to be raised to 85%.
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Make the no-code license one year non-renewable.
>
>




From 7220804846101410821
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!p79g2000cwp.googlegroups.com!not-for-
```

mail
From: billy_shittydrawers_smith@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the right thing.
Date: 13 Jun 2006 06:02:32 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1150203751.962543.225280@p79g2000cwp.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <1150154601.071006.207570@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.97.195
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150203756 26807 127.0.0.1 (13 Jun 2006 13:02:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 13 Jun 2006 13:02:36 +0000 (UTC)
In-Reply-To: <1150154601.071006.207570@j55g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p79g2000cwp.googlegroups.com; posting-host=65.54.97.195;
   posting-account=Fb0piA0AAAD5aqfdjrmQBH2oEHYEo7NO
Xref: g2news2.google.com rec.radio.amateur.equipment:4735
rec.radio.amateur.misc:13830 rec.radio.amateur.policy:29162 rec.radio.scanner:3541
rec.radio.swap:4561

sodomized by an_old_friend wrote:
> beter would be to start a letter like the enclosed beloow (in the
> quoted usenet text) is the effort of variuous persons with the ARS
> deteremined to Kill offthe valuable resuource to this that is Amateur
> (or Ham) radio Hams do step up when they to the disater that turned out
> to possiblity num one the list of of 101 things that can go wrong

Better still is if you'd get a dictionary, stupid. Let's keep the morse
code just to keep retards like you no code techs, Marqueer.

From -5484478562220114820
X-Google-Thread: 108122,3876a49f89270467
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!be5.nntpserver.com!not-for-mail
From: "Eric the hair Oyen" <Eric@thehairOyen.com>
Newsgroups: rec.radio.amateur.equipment
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>

```
<lGmjg.9009$_m5.3032@fed1read09>
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: Tue, 13 Jun 2006 09:58:42 -0400
Organization: blind ambition
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Lines: 13
Message-ID: <448eb72f$0$3673$88260bb3@free.teranews.com>
NNTP-Posting-Date: 13 Jun 2006 13:01:35 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4736


"N7ZZT - Eric Oyen" <n7zzt@127.0.0.1> wrote in message
news:lGmjg.9009$_m5.3032@fed1read09...
> when I took my test, some math was still required (along with knowing
> where
> you were legally allowed, etc.).
>
Yes that multiple question no code tech license used to be a real bear right
Erica?

Did you ever find that boyfriend you were looking for in the alt.sex groups?



--
Posted via a free Usenet account from http://www.teranews.com



From -3503356479380129637
X-Google-Thread: 108122,3876a49f89270467
X-Google-Thread: 107ada,3876a49f89270467
X-Google-Thread: 10bf43,3876a49f89270467
X-Google-Thread: fa029,3876a49f89270467
X-Google-Thread: 1109af,3876a49f89270467
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.swap
Subject: Re: Email this to your Senators and Congressmen. make the FCC do the
right thing.
Date: 13 Jun 2006 08:39:36 -0700
Organization: http://groups.google.com
```

```
Lines: 18
Message-ID: <1150213176.595626.309370@i40g2000cwc.googlegroups.com>
References: <Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net>
   <0Cyjg.1679$8i1.760@fe07.lga>
NNTP-Posting-Host: 69.19.14.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150213182 12774 127.0.0.1 (13 Jun 2006 15:39:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 13 Jun 2006 15:39:42 +0000 (UTC)
In-Reply-To: <0Cyjg.1679$8i1.760@fe07.lga>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=69.19.14.15;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.equipment:4737
rec.radio.amateur.misc:13882 rec.radio.amateur.policy:29211 rec.radio.scanner:3543
rec.radio.swap:4563


PowerHouse Communications wrote:
> "Radio Buff" <my.mail@no.spam> wrote in message
> news:Pxmjg.5175$lp.2532@newsread3.news.pas.earthlink.net...
> >
> >  We already have one CB
> > service, we don't need two.
>
> Actually, if you knew anything about "radio" in general, you would realize
> that we DO have more than one CB service; matter of fact, there are 5 CB
> Services.
>
> One (GMRS) requires a license, one that in non-voice (R/C,) and 3 that are
> open to whomever wants to use them, license-free (CB, FRS, and MURS.)
>
> Get at least a SMALL clue...
an excellent point i will have to remeber that one ade that way



From -1365276728352486797
X-Google-Thread: 108122,8ddb7333b123bc10,start
X-Google-Thread: fc2a5,8ddb7333b123bc10,start
X-Google-Thread: 106d41,8ddb7333b123bc10,start
X-Google-Thread: 1109af,8ddb7333b123bc10,start
X-Google-Attributes: gid108122,gidfc2a5,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read11.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>
Newsgroups:
```

```
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.swap
Subject: FS: SMA Cable Assemblies, $9.90 each, made in USA
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <eLBjg.7954$rS6.3333@fed1read11>
Date: Tue, 13 Jun 2006 09:31:20 -0700
NNTP-Posting-Host: 64.58.167.76
X-Complaints-To: abuse@cox.net
X-Trace: fed1read11 1150216266 64.58.167.76 (Tue, 13 Jun 2006 12:31:06 EDT)
NNTP-Posting-Date: Tue, 13 Jun 2006 12:31:06 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4738
rec.radio.amateur.homebrew:5694 rec.radio.cb:11719 rec.radio.swap:4565

Any 10 SMA Male to SMA Male cable assemblies for $99.00

RG-58C/U or RG-223/U

Mix & match any 10

Length available: 12", 18", 24", 30", 36", 48", 60", 72", 84", & 96"

High quality & made in USA

Please email sales@AAARFProducts.com

or call 949 481 3154 (San Clemente, CA, USA)

AAA RF Products
946 Calle Amanecer, suite E
San Clemente, CA 92673




From -4444195458786744246
X-Google-Thread: 108122,a84c88f5c0141720
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-mail
From: "pantato" <groups.google.com@globalproportions.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Recommend a Yaesu VX 6 upgrade antenna
Date: 13 Jun 2006 10:38:11 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1150220290.950537.104890@f14g2000cwb.googlegroups.com>
References: <1149945386.190843.212400@f6g2000cwb.googlegroups.com>
```

```
   <wVCig.96449$0f1.79640@fe04.news.easynews.com>
   <1150003166.755274.277990@m38g2000cwc.googlegroups.com>
   <Lb0jg.41021$Cv1.30716@fe07.news.easynews.com>
   <1150116368.910209.274940@f6g2000cwb.googlegroups.com>
   <agejg.144687$W33.15641@fe03.news.easynews.com>
NNTP-Posting-Host: 70.58.33.170
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150220296 7926 127.0.0.1 (13 Jun 2006 17:38:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 13 Jun 2006 17:38:16 +0000 (UTC)
In-Reply-To: <agejg.144687$W33.15641@fe03.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=70.58.33.170;
   posting-account=jnp-2Q0AAACKwgGSBnMCqiF2sgRID6_G
Xref: g2news2.google.com rec.radio.amateur.equipment:4739
```

I will buy it. thanks

```
From 4467293579344086601
X-Google-Thread: 108122,27a7b45e336bd30,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-
mail
From: patk1212@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Give up CB for Ham?
Date: 13 Jun 2006 11:34:40 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1150223680.544389.237420@h76g2000cwa.googlegroups.com>
NNTP-Posting-Host: 151.196.228.51
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150223684 10600 127.0.0.1 (13 Jun 2006 18:34:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 13 Jun 2006 18:34:44 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 IWSS1:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=151.196.228.51;
   posting-account=3xn0ig0AAAD6RYk8vimuGdNuqRYJBbPJ
Xref: g2news2.google.com rec.radio.amateur.equipment:4740
```

Alot of people are telling me that CB is just for inbred hicks and that

I should replace the CB in my truck with a Ham radio. What do you
think?

From 2527150034008416651
X-Google-Thread: 108122,27a7b45e336bd30
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news2.google.com rec.radio.amateur.equipment:4741
Newsgroups: rec.radio.amateur.equipment
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!boeing.com!not-for-mail
From: "R. Scott" <rickw7psk@gmail.com>
Subject: Re: Give up CB for Ham?
Message-ID: <J0tC2o.LII@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 9
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
References: <1150223680.544389.237420@h76g2000cwa.googlegroups.com>
Date: Tue, 13 Jun 2006 19:13:37 GMT

<patk1212@gmail.com> wrote in message
news:1150223680.544389.237420@h76g2000cwa.googlegroups.com...
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a Ham radio. What do you
> think?

Please spare us, don't reply to this obvious troll.

From 798191695164506946
X-Google-Thread: 108122,a05b2c15450b722a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: k3pi@arrl.net
Newsgroups: rec.radio.amateur.equipment
Subject: Hand Mic for TS-520S?
Date: 10 Jun 2006 17:00:12 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1149984012.199657.149300@u72g2000cwu.googlegroups.com>

NNTP-Posting-Host: 209.102.240.231
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149984015 22790 127.0.0.1 (11 Jun 2006 00:00:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jun 2006 00:00:15 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=209.102.240.231;
   posting-account=LsvZiw0AAABc6RBYPX3XF9m7WU6Ydy-d
Xref: g2news2.google.com rec.radio.amateur.equipment:4642

Can anyone suggest a good hand mic for the TS-520S?

This was 4-pin mic jack.

Tanks
Russ K3Pi

From -2632751933836997034
X-Google-Thread: 108122,a05b2c15450b722a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Jun 2006 20:15:59 -0500
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Hand Mic for TS-520S?
From: k5dh@qsl.net (=K=5=D=H=)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
References: <1149984012.199657.149300@u72g2000cwu.googlegroups.com>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Message-ID: <ttOdnThNzZZS8xbZnZ2dnUVZ_tidnZ2d@centurytel.net>
Date: Sat, 10 Jun 2006 20:15:59 -0500
Lines: 20
NNTP-Posting-Host: 207.119.61.40
X-Trace: sv3-rIlD9iP1le15H0kg4YvN2GHRehiN8cNx6F2JTzHpAZSyU/d4HZPfvEoKutA9qPw73N4Y4pbMJfndbS0!gvD0A80Xcst9KD2v+TABhePvlQwAnR2q43rFzkgewVW9FLwjNm1+yiP57WwPx8IMspK0DHrRhdGm!2K9TQTF/3bQra8JQXoMDk4yh3EqrxuXWLbz3yA==
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32

Xref: g2news2.google.com rec.radio.amateur.equipment:4643

Russ,

If you can find one, a Shure Brothers 404C will work superbly
with your TS-520S.

73,
Dean K5DH

In article <1149984012.199657.149300@u72g2000cwu.googlegroups.com>,
k3pi@arrl.net says...
>
>Can anyone suggest a good hand mic for the TS-520S?
>
>This was 4-pin mic jack.
>
>
>Tanks
>Russ K3Pi
>

From -1462522338597871494
X-Google-Thread: 1109af,2a774369607632aa,start
X-Google-Thread: 108122,2a774369607632aa,start
X-Google-Thread: fc8b1,2a774369607632aa,start
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Jun 2006 20:18:07 -0500
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: WTB: DM-28 dynamotor for BC-348-R
From: k5dh@qsl.net (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Message-ID: <ttOdnTtNzZbS8hbZnZ2dnUVZ_tidnZ2d@centurytel.net>
Date: Sat, 10 Jun 2006 20:18:07 -0500
Lines: 6
NNTP-Posting-Host: 207.119.61.40
X-Trace: sv3-h9TYiLN6An7b0n7bwh0ciu1piFohc/
0MUg3ig4noWCzCAEekRkOHO10n76MYJYTxh2h4oMZrAa9u1b2!
3ogANyWHq1FeuWu8nRNmwAIHwrJi6V6YcWqwjhu9rcV1i/4Bf5aOg0Q7w0AtgMZfTHdzzqHtTRQK!
4u73KA7TISii3TArh865UfiLCzjx4SlSYUZV1A==
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint

properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.swap:4520 rec.radio.amateur.equipment:4644
rec.radio.amateur.boatanchors:4332

Looking to buy a DM-28 dynamotor for my BC-348-R.
Must be in working order and unmodified.

73,
Dean K5DH

From 1695886364467612541
X-Google-Thread: 108122,4690c48117e9f4cd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Jun 2006 22:06:47 -0500
From: gl4871 <gl4871.297x22@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: fs: Kenwood kpt50 repeater radio programmer
Date: Sun, 11 Jun 2006 01:23:55 +0000
Message-ID: <gl4871.297x22@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References: <bgu1hc$1pp$1@woodrow.ucdavis.edu>
Lines: 47
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-KP45fHuW8isxYQObmXuFfpLJ/KShs/SvdKd76pZewt1oUIXG+/
mgS1XbJ7/2px+NmTrFmihenhHJDYS!
anaM5scc7lpbbVT86VRSLrdTrL5nABb5YGzz2K5h2Xg19LjttXCAmuVFYFlpart0dCCUUYC42EMt!
O8z8PdDB
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4645

[I would be willing to pay $140.00dollars for your kenwood kpt-50
programer thank you Jerome
=Skipp has Kenwood stuff] Kenwood kpt-50 repeater and radio proThis
unit programs the Kenwood TK and TKR-720 / TKR-820 series repeater,
base and mobile radios. It will also do (some of the) other similar
Kenwood models.

This unit is probably my last one for sale. I sold them on Ebay earlier this year for various amounts up to $239 each. This is an original kenwood unit and yes I'm an Authorized Kenwood Two-Way Radio Dealer - Service Center and would be happy to supply any two-way radio - parts needs you might have. Drop me a note if you have any Kenwood Two-Way question.

This is a previously used unit, started life as my personal kpt50, lent it to "a friend" who had it over a year to program one "quick repeater job". Got it back just a short time ago. I will put a full new equipment warranty on it and provide copies of all the proper programming information. I had to use my last inventory unit in place of this unit while it went on vacation with my friend. Now it's back and I have one unit extra.

I used to program the tkr-820 (and 720) repeaters by hand using this type unit, but forget that... this unit has the normal rs-232 pc port access which allows you to do everything on your related laptop and save the data in regular archive files. Much nicer... I'll include a regular copy of the pc software with the unit, not bad.

Now the price, set below actual Dealer cost at $165 plus actual shipping, figure maybe $5 for USPS Priority Mail.

OK, that's about it. Drop me an Email if your are interested. If no one responds within a week or two, I'll toss it up on Ebay. Don't be confused by the "clone units" often listed on Ebay. Some of the associated programming units don't work on all the models. I know because I bought one myself before I became a Kenwood Dealer some years ago.

This is an original Kenwood made KPT-50 programmer.

That's about it, remove the NOSPAMPLEASE from my email address if you want to drop me a related message. My ebay ID is over 700 actual... all positive feedback so I hopefully must be doing something right.

Thank you for reading this post.i WOULD BE WILLING TO PAY $140.00 DOLLARS FOR YOUR KENWOOD KPT-50 PROGRAMER.
skipp

skippNOSPAMPLEASE@pilot.ucdavis.edu
i WOULD BE WILLING TO PAY $140.00 DOLLARS FOR KENWOULD KPT50

PROGRAMER.i WOULD BE WILLING TO PAY $140.00 DOLLARS FOR YOUR KENWOOD
PROGRAMER. YOU CAN EMAIL ME AT GL4871@ALLIANCECOM.NET THANK YOU JEROME
Remove the NOSPAMPLEASE else I'll never receive your message.

--
gl4871

From 8661895721391675931
X-Google-Thread: fc2a5,e8baf507919e5702,start
X-Google-Thread: fc8b1,e8baf507919e5702,start
X-Google-Thread: 108122,e8baf507919e5702,start
X-Google-Thread: 107ada,e8baf507919e5702,start
X-Google-Thread: 111d0a,e8baf507919e5702,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.basics
Subject: SolderSmoke#25: D-104 on Echolink, Mike's rig now a transceiver, Rewards of Homebrewing
Date: 10 Jun 2006 21:08:36 -0700
Organization: http://groups.google.com
Lines: 59
Message-ID: <1149998916.047279.199830@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 86.141.228.55
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149998921 29385 127.0.0.1 (11 Jun 2006 04:08:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jun 2006 04:08:41 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=86.141.228.55;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:5664
rec.radio.amateur.boatanchors:4334 rec.radio.amateur.equipment:4646
rec.radio.amateur.misc:13657 sci.electronics.basics:17563

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.ourmedia.org/node/235576

Topics discussed in SolderSmoke #25:

-- Bill puts Astatic D-104 on ECHOLINK

-- Mike's 80 mtr DSB rig becomes transceiver!
-- Mike's two chip EMRFD NE602-LM386 receiver
-- The rewards of homebrewing

NEXT EDITION: RECORDINGS OF MIKE and BILL's DSB RECEIVERS!

Listen at: http://www.ourmedia.org/node/235576

Background:
Tired of listening to Led Zepplin or NPR on your I-Pod?   Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

NEW RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software. We've been having trouble with our Ourmedia RSS feed, so Mike (software wizard that he is) has homebrewed his own RSS feed. In order to subscribe to SolderSmoke, point your podcast software to:

http://kl7r.ham-radio.ch/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.ourmedia.org/node/235576

Here's the homepage for our show. All our programs are available here. There is also a blog and links to some of the sites and documents we've been discussing: http://www.ourmedia.org/user/36170

We hope you enjoy the program. Please send us feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

```
From 831471846000915517
X-Google-Thread: 108122,77e7e1f5f3d8181c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!pln-e!spln!dex!
extra.newsguy.com!newsp.newsguy.com!enews1
From: g pro <mr1stsgt3@aim.com>
Newsgroups: rec.radio.amateur.equipment
Subject: fs ts430
Date: Sun, 11 Jun 2006 00:03:52 -0400
Organization: x
Lines: 3
Message-ID: <rd5n825pharcgonhq5e8uilq7s6uiv4egc@4ax.com>
NNTP-Posting-Host: p-583.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 1.93/32.576 English (American)
Xref: g2news2.google.com rec.radio.amateur.equipment:4647

your price seems high for a radio that anly cost $589.00 25 years ago.

George KB4IOS


From -3300172573516848246
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feed.xsnews.nl!
feeder.xsnews.nl!sn-ams-06!sn-xt-ams-03!sn-ams!sn-feed-ams-02!sn-post-ams-01!sn-
post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: Sat, 10 Jun 2006 21:11:04 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128n7597b11m190@corp.supernews.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
MIME-Version: 1.0
```

```
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.antenna:12746
rec.radio.amateur.equipment:4648 rec.radio.amateur.misc:13658
rec.radio.shortwave:39025

"Cecil Moore" wrote ...
> Dave wrote:
>> Methinks your leg was being pulled.
>>
>> The SWR with the apostrophe s is a grammatical error. The apostrophe
>> s indicates that the SWR is possessive, that the SWR owns something;
>> or, that the SWR is doing something. The apostrophe s is not plural!!
>
> On the contrary, the plural of the letter A is A's. The plural
> of the number 3 is 3's. It's not too much of a stretch to assume
> that the plural of SWR is SWR's.
>
> From Webster's: "apostrophe - a make used to indicate ... the
> plural of letters or figures."

To take the argument well into absurdity (as if it
needed any help), we can  discuss whether your
Webster's is descriptive or prescriptive.



From -6874399469424798546
X-Google-Thread: 108122,a84c88f5c0141720
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m38g2000cwc.googlegroups.com!not-for-
mail
From: groups.google.com@globalproportions.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Recommend a Yaesu VX 6 upgrade antenna
Date: 10 Jun 2006 22:19:26 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1150003166.755274.277990@m38g2000cwc.googlegroups.com>
References: <1149945386.190843.212400@f6g2000cwb.googlegroups.com>
   <wVCig.96449$0f1.79640@fe04.news.easynews.com>
NNTP-Posting-Host: 70.58.33.170
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150003171 10236 127.0.0.1 (11 Jun 2006 05:19:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jun 2006 05:19:31 +0000 (UTC)
In-Reply-To: <wVCig.96449$0f1.79640@fe04.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m38g2000cwc.googlegroups.com; posting-host=70.58.33.170;
   posting-account=jnp-2Q0AAACKwgGSBnMCqiF2sgRID6_G
Xref: g2news2.google.com rec.radio.amateur.equipment:4649
```

 2 meter
70 cm

```
From 6482013355674558210
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!news.alt.net
From: "Not Lloyd" <anon@anon.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: Sun, 11 Jun 2006 01:57:47 -0500
Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 26
Message-ID: <2d0u3.bcp.17.1@news.alt.net>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:12748
rec.radio.amateur.equipment:4650 rec.radio.amateur.misc:13659
rec.radio.shortwave:39039
```

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:MYIig.94796$H71.43754@newssvr13.news.prodigy.com...
Dave wrote:
> Methinks your leg was being pulled.
>
> The SWR with the apostrophe s is a grammatical error. The apostrophe s
> indicates that the SWR is possessive, that the SWR owns something; or,
> that the SWR is doing something. The apostrophe s is not plural!!

On the contrary, the plural of the letter A is A's. The plural
of the number 3 is 3's. It's not too much of a stretch to assume
that the plural of SWR is SWR's.

From Webster's: "apostrophe - a make used to indicate ... the
plural of letters or figures."
--
73, Cecil http://www.qsl.net/w5dxp

Well, Webster shows more than one error, at least insofar as formal English goes. What Webster depicts is the "dumbing down" of what our kids are being taught today.
Do what you wish, but those who are better educated will continue to use the apostrophe to denote the possessive rather than the plural.

From -5284915212805856247
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
From: "gravity" <gravityzrainbow@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com> <2d0u3.bcp.17.1@news.alt.net>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Date: Sun, 11 Jun 2006 01:05:40 -0500

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Lines: 22
Message-ID: <448bb2b6$0$16012$892e7fe2@authen.yellow.readfreenews.net>
Organization: Read Free News
NNTP-Posting-Date: 11 Jun 2006 01:05:43 CDT
X-Trace:
DXC=mcn=a1Vf9Xe2bcePie6mUibQ9W<K20`3bO6Gh9bA988nI:kO4d8ZUifLmeAk]VL8JaB=PWFC?
Y7ooFl6Z3?Y9>hg8;m9D5k9SCo
Xref: g2news2.google.com rec.radio.amateur.antenna:12749
rec.radio.amateur.equipment:4651 rec.radio.amateur.misc:13660
rec.radio.shortwave:39040
```

"Not Lloyd" <anon@anon.com> wrote in message
news:2d0u3.bcp.17.1@news.alt.net...

> Well, Webster shows more than one error, at least insofar as formal
English
> goes. What Webster depicts is the "dumbing down" of what our kids are
being
> taught today.
> Do what you wish, but those who are better educated will continue to use
the
> apostrophe to denote the possessive rather than the plural.
>
>

more importantly, you didn't post with proper bracketed attributions
(Cecil's comments in particular). so go somewhere else with your grammar
Nazi crap, or i'll start with my proper netiquette rantings.

Gravity

```
From 6219355171206117158
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b26dd86c!not-for-mail
From: Billy Smith <colonelsmileyeoiawtopwat@yahoo.cojj>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.13) Gecko/
20060414
X-Accept-Language: en-us, en
MIME-Version: 1.0
```

```
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<Iq3hg.1909$o4.911@newsread2.news.pas.earthlink.net>
In-Reply-To: <Iq3hg.1909$o4.911@newsread2.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <GpPig.4546$lp.616@newsread3.news.pas.earthlink.net>
Date: Sun, 11 Jun 2006 07:14:46 GMT
NNTP-Posting-Host: 4.225.2.94
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1150010086 4.225.2.94 (Sun, 11 Jun 2006
00:14:46 PDT)
NNTP-Posting-Date: Sun, 11 Jun 2006 00:14:46 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12751
rec.radio.amateur.equipment:4652 rec.radio.swap:4524

Slow Code wrote:
> patk1212@gmail.com wrote in
> news:1149534276.955122.310050@i40g2000cwc.googlegroups.com:
>
>
>>Alot of people are telling me that CB is just for inbred hicks and that
>>I should replace the CB in my truck with a ham radio.  What do you
>>thjink?
>
>
>
>
> Which of your trucks were you thinking of updating?  Your old rust bucket
> truck that still runs, or the one on blocks that you call your base
> station?
>
> sc

Nice predjudice against a guy without knowing him. Somehow did an optic
nerve get crossed with your asshole giving you a crappy view of life?


From -1248835664273364777
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
```

From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com>
In-Reply-To: <128n7597b11m190@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 28
Message-ID: <3OVig.44070$4L1.20408@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 70.134.204.2
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1150036223 ST000 70.134.204.2 (Sun, 11 Jun 2006 10:30:23 EDT)
NNTP-Posting-Date: Sun, 11 Jun 2006 10:30:23 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP\YG\GFEB^UCWDYIBHZOWP@YZOZ@GXOXB_J]Q]KEYUNDQUCCNSUAACY@L[ZX__HGFD]JBJNSFXTOOGA_VWY^_HG@FW_HUTHOH]TBPGCO\P^PLP^@[GLHUK@WLECKFVL^TYG[@RMWQXIWM[SDDYWNLG_G[_BWUCHFY_Y@AS@Q[B\APPF@DCZM_PG_VSCPQZM
Date: Sun, 11 Jun 2006 14:30:23 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12755
rec.radio.amateur.equipment:4653 rec.radio.amateur.misc:13664
rec.radio.shortwave:39062

Richard Crowley wrote:
> "Cecil Moore" wrote ...
>> From Webster's: "apostrophe - a make used to indicate ... the
>> plural of letters or figures."
>
> To take the argument well into absurdity (as if it
> needed any help), we can discuss whether your
> Webster's is descriptive or prescriptive.

That definition agrees with what I learned in English
class 50+ years ago. The plural of a number uses an
apostrophe. So 73's would indeed be the plural of 73
as in "many best regards". It's no stretch to assume
that the plural of SWR would be SWR's.

Incidentally, I have an obvious typo in the definition that the spell-checker didn't catch. Should have been:

"apostrophe - a mark used to indicate ... the plural of
letters or figures."

I have a "Webster's New Universal Unabridged Dictionary"
which contains a "Basic Manual of Style" in the back.
Here's what it says for "Apostrophe: ... 3. To form the
plurals of letters or figures add an apostrophe and an s."
That's seems to be prescriptive.
--
73, Cecil http://www.qsl.net/w5dxp

```
From -7756703556059323491
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com> <2d0u3.bcp.17.1@news.alt.net>
In-Reply-To: <2d0u3.bcp.17.1@news.alt.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 24
Message-ID: <j4Wig.44072$4L1.36671@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 70.134.204.2
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1150037391 ST000 70.134.204.2 (Sun, 11 Jun
2006 10:49:51 EDT)
NNTP-Posting-Date: Sun, 11 Jun 2006 10:49:51 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
```

SCSYQN_@FS@]S\YYVBOD]_\@VR]^@B@MCPWZKB]MPXHTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Sun, 11 Jun 2006 14:49:51 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12756
rec.radio.amateur.equipment:4654 rec.radio.amateur.misc:13665
rec.radio.shortwave:39066

Not Lloyd wrote:

> Do what you wish, but those who are better educated will continue to use the
> apostrophe to denote the possessive rather than the plural.

Would a "Basic Manual of Style" change your mind?

I have a "Webster's New Universal Unabridged Dictionary"
which contains a "Basic Manual of Style" in the back.
Here's what it says for "Apostrophe: 1. ... 2. ... 3. To
form the plurals of letters or figures add an apostrophe
and an s. ..."

It does say that a few people object to number 3. As in
many other areas of the English language, the context of
the use of the apostrophe determines its function:

1. to replace missing letters,
2. possessive,
3. plurals of letters or numbers.

P.S. The better educated posters avoid violating the
attribution rules for newsgroups.
--
73, Cecil http://www.qsl.net/w5dxp

From 7772100899827292711
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a,start
X-Google-Thread: 108122,6ea8f1ff5428a00a,start
X-Google-Thread: 106d41,6ea8f1ff5428a00a,start
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-mail
From: "rich" <rlucch2098@aol.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: FA: Tonight>Heathkit PK-1 Probe, Collins Panel Meter, Heathkit SB-401
Xtal Option
Date: 11 Jun 2006 08:05:15 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"

X-Trace: posting.google.com 1150038320 2976 127.0.0.1 (11 Jun 2006 15:05:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jun 2006 15:05:20 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.antiques.radio+phono:24560
rec.radio.amateur.equipment:4655 rec.radio.cb:11566

All Here & cheep too:-)
http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

From -4306998104747056850
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <448C37E1.8060002@fuse.net>
Date: Sun, 11 Jun 2006 11:33:53 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
  still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com>
In-Reply-To: <128n7597b11m190@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 28

X-Trace: 55f61448c3819e098318614198
Xref: g2news2.google.com rec.radio.amateur.antenna:12759
rec.radio.amateur.equipment:4656 rec.radio.amateur.misc:13666
rec.radio.shortwave:39069

Richard Crowley wrote:
> "Cecil Moore" wrote ...
>
>> Dave wrote:
>>
>>> Methinks your leg was being pulled.
>>>
>>> The SWR with the apostrophe s is a grammatical error. The apostrophe
>>> s indicates that the SWR is possessive, that the SWR owns something;
>>> or, that the SWR is doing something. The apostrophe s is not plural!!
>>
>>
>> On the contrary, the plural of the letter A is A's. The plural
>> of the number 3 is 3's. It's not too much of a stretch to assume
>> that the plural of SWR is SWR's.
>>
>> From Webster's: "apostrophe - a make used to indicate ... the
>> plural of letters or figures."
>
>
> To take the argument well into absurdity (as if it
> needed any help), we can discuss whether your
> Webster's is descriptive or prescriptive.

good one
If I can ever help in increasing the absurdity of these newsgroups, I am
glad to do so.

BTW, all dictionaries are descriptive.

From -3261020696757236197
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna

```
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
In-Reply-To: <448C37E1.8060002@fuse.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 70.134.204.2
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1150041685 ST000 70.134.204.2 (Sun, 11 Jun
2006 12:01:25 EDT)
NNTP-Posting-Date: Sun, 11 Jun 2006 12:01:25 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@SZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNH\KMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Sun, 11 Jun 2006 16:01:25 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12761
rec.radio.amateur.equipment:4657 rec.radio.amateur.misc:13667
rec.radio.shortwave:39072
```

jawod wrote:

> BTW, all dictionaries are descriptive.

But all Basic Manuals of Style are prescriptive.
Please see my other posting.
--
73, Cecil http://www.qsl.net/w5dxp

```
From 5365687998782525652
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "kb9rqz@hotmail.com" <kb9rqz@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
Date: 11 Jun 2006 09:30:43 -0700
Organization: http://groups.google.com
```

```
Lines: 23
Message-ID: <1150043443.611544.327330@j55g2000cwa.googlegroups.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
   <1149534276.955122.310050@i40g2000cwc.googlegroups.com>
   <4484dc50$0$1013$39cecf19@news.twtelecom.net>
   <128a2tq2vmeil53@corp.supernews.com>
   <5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
   <4485851f$0$3708$ecde5a14@news.coretel.net>
   <co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
   <4488ced6$0$3683$ecde5a14@news.coretel.net>
   <4488ecea$0$6141$39cecf19@news.twtelecom.net>
   <44892506$0$3706$ecde5a14@news.coretel.net>
NNTP-Posting-Host: 66.82.9.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150043447 16775 127.0.0.1 (11 Jun 2006 16:30:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jun 2006 16:30:47 +0000 (UTC)
In-Reply-To: <44892506$0$3706$ecde5a14@news.coretel.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=66.82.9.70;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:12762
rec.radio.amateur.equipment:4658 rec.radio.swap:4526
```

clfe wrote:
> "Tom Ring" <news0002@taring.org> wrote in message
> news:4488ecea$0$6141$39cecf19@news.twtelecom.net...
> > clfe wrote:

> > And at least we admit who we are. You, on the other hand, are hiding. You
> > are likely just a frigging troll that isn't even licensed.
> >
> > tom
> > K0TAR
> >
> >
>
> I don't sign with my call. Some like to - that is their choice. But even if
> they didn't - wouldn't give me any reason to doubt them being licensed.
> "Posting" a call sign doesn't prove a thing. "I" for one - am NOT going to
> go running to the FCC database to check your call or any other to see if it
> is legit. I don't care........

OTOH there are those that do indeed run the database everytie they see
a call Robeson (k4yz) is one and a real ass about ti too

From -9219519195285058386
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: FA: Tonight>Heathkit PK-1 Probe, Collins Panel Meter, Heathkit SB-401 Xtal Option
Date: 11 Jun 2006 09:55:33 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1150044933.813893.256630@h76g2000cwa.googlegroups.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
NNTP-Posting-Host: 168.103.140.204
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150044938 20815 127.0.0.1 (11 Jun 2006 16:55:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jun 2006 16:55:38 +0000 (UTC)
In-Reply-To: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=168.103.140.204;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:24578 rec.radio.amateur.equipment:4659 rec.radio.cb:11571

rich wrote:
> All Here & cheep too:-)
> http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

I'm all here and cheap too, but I don't need any of this stuff.

ex, Jeff and Mike's mileage may vary from that statement. 1-Adam-12,
see the man.

From -7169311937344592069
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-mail

From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: FA: Tonight>Heathkit PK-1 Probe, Collins Panel Meter, Heathkit SB-401 Xtal Option
Followup-To: alt.test
Date: 11 Jun 2006 09:59:13 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1150045153.029381.95820@g10g2000cwb.googlegroups.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
   <1150044933.813893.256630@h76g2000cwa.googlegroups.com>
NNTP-Posting-Host: 168.103.140.204
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150045159 27990 127.0.0.1 (11 Jun 2006 16:59:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jun 2006 16:59:19 +0000 (UTC)
In-Reply-To: <1150044933.813893.256630@h76g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=168.103.140.204;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:24580 rec.radio.amateur.equipment:4660 rec.radio.cb:11572

Steven wrote:
> rich wrote:
> > All Here & cheep too:-)
> > http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom
>
> I'm all here and cheap too, but I don't need any of this stuff.
>
> ex, Jeff and Mike's mileage may vary from that statement. 1-Adam-12,
> see the man.

PS If we reading RAR+P want to buy it, we'll look at the other two or three groups you guys usually post to.

In the immortal words of Jerry Reed, "Goodbye, dummy"!

From 8011826767898357313
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 11 Jun 2006 13:00:04 -0500

From: "Steven L Umbach" <n9rou@n0-spam-for-me-comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
<68nig.84$db5.44@trnddc03>
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Date: Sun, 11 Jun 2006 13:00:07 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <xM-dnZGbvLq5xxHZnZ2dnUVZ_sOdnZ2d@comcast.com>
Lines: 51
NNTP-Posting-Host: 71.201.87.159
X-Trace: sv3-uygeL2ZyiL1/
S8vQO0o3Sk0EkDraj3zFosgUugsUw3p+dfxAyXMrpcvSaGFrQqqDvZGcgFxGeKmYpRi!
8Opzw9Lw+3ugQUXJsOxuewUD/AMhskbP0tbCzZ4J8McwJbSdFybnOWNoqbigNQsF5eC0W55xoqwR!
WAciuIEaCw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4661

Ehams reviews are very subjective and the rating of the radios should not really be compared on their score scale. By that measure the Icom 736 is a better rig than the Icom 7800 or Ten Tec Orion. It is best looked at as a measure of user satisfaction with that particular rig to the users expectations for the money. I have a Kenwood TS 850 and a TS 2000 and the TS 850 absolutely blows away the TS 2000 in receiver performance. The link below shows Sherwood Engineering rankings on many rigs based on close in dynamic range performance. Note how high the TS 850 is in the list with affordable Inrad filters installed [not roofing filter]. Almost all the radios above it are ham band only rigs and the IC 765 has the narrow roofing filter in it I believe. Interesting is how great a performer the TS 830 is shown to be. --- Steve

http://www.sherweng.com/table.html

"Dan" <danvanderplough@verizon.net> wrote in message
news:68nig.84$db5.44@trnddc03...
>I don't know where you are getting your reviews, but on e-ham, the TS 2000
>is the second most reviewed HF transceiver with 279 reviews and an average
>rating of 4.6 out of 5.0. (the Icom 706, all flavors, has the most at 334
>reviews.) The TS 850 has 79 reviews with an average of 4.7 out of 5.0.
>Not much difference and a much smaller population in the data set. I'd say
>the 2000 is holding it's own as far as user reviews go.
>
> Oh yeah...Justin Case of WHAT??
> "Justin Case" <ccccccccc3cc3cc2c@aol.com> wrote in message
> news:nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com...

```
>>
>>
>> Dear Kenwood,
>>    I've been reading all the reviews on your current ham radios, and
>> one thing repeatedly comes up in the reviews.  The Kenwood TS-450s is
>> reported to be better than the Kenwood TS-570x, and the Kenwood
>> TS-850s is reported to be better than the TS-2000.  As a matter of
>> fact many of the reviews have said the TS-2000 is down right deaf when
>> compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
>> V.   I looked at the Icom radios, but I thought they were ugly.   The
>> Yaesu radios have too many reported trips back to Yaesu repair, the
>> Ten Tec Orion II is too expensive, so that leaves Kenwood.  I can buy
>> used, but it would be nice to have a new TS-850s.  I've got the cash,
>> the desire, and the will to spend, but you currently don't offer the
>> radio to get my dollars.
>>
>> Sincerely,
>>
>> A U.S. Ham.
>>
>
>
```

```
From 1847182424367129692
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <448C6FB6.B3E6188A@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: SPAM posted from 68.56.4.30 a Comcast account.
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Sun, 11 Jun 2006 19:32:37 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1150054357 24.110.34.161 (Sun, 11 Jun
2006 12:32:37 PDT)
```

NNTP-Posting-Date: Sun, 11 Jun 2006 12:32:37 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:24587
rec.radio.amateur.equipment:4662 rec.radio.cb:11584

rich wrote:

Report this spam to abuse@comcast.net

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 951534452466765904
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: SPAM posted from 68.56.4.30 a Comcast account.
From: Bert Hyman <bert@iphouse.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
<448C6FB6.B3E6188A@earthlink.net>
Organization: Not that you'd notice
Message-ID: <Xns97DF9550B3E90VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.03.14
Date: 11 Jun 2006 19:40:30 GMT
Lines: 9
NNTP-Posting-Date: 11 Jun 2006 14:40:30 CDT
NNTP-Posting-Host: a45e31db.newsreader.iphouse.net
X-Trace: DXC=kRT1Ah5RSRQT?
5gDT9;hP^Vn\Tj8`^Bb[eHS>e[L>83P9a^YW@M_7@]1UFgaF43:7\EC3G`Y7>gmSnDJg_0TfYmV
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.antiques.radio+phono:24588
rec.radio.amateur.equipment:4663 rec.radio.cb:11585

In news:448C6FB6.B3E6188A@earthlink.net "Michael A. Terrell"
<mike.terrell@earthlink.net> wrote:

> Report this spam to abuse@comcast.net

Do it yourself.

--

```
Bert Hyman    St. Paul, MN  bert@iphouse.com


From -3354628801136026199
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <448C7C85.E085B754@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
X-Mailer: Mozilla 4.76 [en]C-CCK-MCD   (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: SPAM posted from 68.56.4.30 a Comcast account.
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
<448C6FB6.B3E6188A@earthlink.net> <Xns97DF9550B3E90VeebleFetzer@216.250.184.7>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
Date: Sun, 11 Jun 2006 20:26:44 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1150057604 24.110.34.161 (Sun, 11 Jun
2006 13:26:44 PDT)
NNTP-Posting-Date: Sun, 11 Jun 2006 13:26:44 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.antiques.radio+phono:24590
rec.radio.amateur.equipment:4664 rec.radio.cb:11587

Bert Hyman wrote:
>
> In news:448C6FB6.B3E6188A@earthlink.net "Michael A. Terrell"
> <mike.terrell@earthlink.net> wrote:
>
> >    Report this spam to abuse@comcast.net
>
> Do it yourself.
>
> --
> Bert Hyman      St. Paul, MN    bert@iphouse.com


   Another coward pipes in. :(


--
My sig file can beat up your sig file!
```

```
From -7689168842244497573
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
feed20.multikabel.net!multikabel.net!feed10.multikabel.net!feeder1.cambrium.nl!
feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-08!sn-ams!sn-feed-
ams-01!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: Tonight>Heathkit PK-1 Probe, Collins Panel Meter, Heathkit SB-401
Xtal Option
Date: Sun, 11 Jun 2006 15:41:58 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128p00lidbqfm48@corp.supernews.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 6
Xref: g2news2.google.com rec.antiques.radio+phono:24592
rec.radio.amateur.equipment:4665 rec.radio.cb:11589

"rich" <rlucch2098@aol.com> wrote in message
news:1150038315.152562.45870@h76g2000cwa.googlegroups.com...

<plonk>




From 2477881069877923511
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc05.POSTED!906a06a6!not-for-mail
From: "Dan" <danvanderplough@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
<68nig.84$db5.44@trnddc03> <xM-dnZGbvLq5xxHZnZ2dnUVZ_sOdnZ2d@comcast.com>
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Lines: 67
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <Zj%ig.2505$hN2.524@trnddc05>
Date: Sun, 11 Jun 2006 20:47:53 GMT
NNTP-Posting-Host: 71.115.77.32
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1150058873 71.115.77.32 (Sun, 11 Jun 2006 16:47:53 EDT)
NNTP-Posting-Date: Sun, 11 Jun 2006 16:47:53 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4666

That list is only a ranking of narrow spaced dynamic range and doesn't take into account the many other things that make a radio great. That's wonderful engineering data, but is very limited. That's why user reviews such as one finds on e-ham and other places are valuable. Obviously they're subjective. But they take into account real-world, everyday user impressions of a rig which includes a wide variety operating styles and tastes. How, for example, can I cross band repeat, or run six meter e-skip openings on a TS 850? I do that all the time on my current rig. And still get outstanding performance when running HF (without the need for optional "affordable" extra filters) See my point? If we only went by spec rankings, we'd all be running Orions, I guess.

"Steven L Umbach" <n9rou@n0-spam-for-me-comcast.net> wrote in message
news:xM-dnZGbvLq5xxHZnZ2dnUVZ_sOdnZ2d@comcast.com...
> Ehams reviews are very subjective and the rating of the radios should not
> really be compared on their score scale. By that measure the Icom 736 is a
> better rig than the Icom 7800 or Ten Tec Orion. It is best looked at as a
> measure of user satisfaction with that particular rig to the users
> expectations for the money. I have a Kenwood TS 850 and a TS 2000 and the
> TS 850 absolutely blows away the TS 2000 in receiver performance. The link
> below shows Sherwood Engineering rankings on many rigs based on close in
> dynamic range performance. Note how high the TS 850 is in the list with
> affordable Inrad filters installed [not roofing filter]. Almost all the
> radios above it are ham band only rigs and the IC 765 has the narrow
> roofing filter in it I believe. Interesting is how great a performer the
> TS 830 is shown to be. --- Steve
>
> http://www.sherweng.com/table.html
>
> "Dan" <danvanderplough@verizon.net> wrote in message
> news:68nig.84$db5.44@trnddc03...
>>I don't know where you are getting your reviews, but on e-ham, the TS 2000
>>is the second most reviewed HF transceiver with 279 reviews and an average
>>rating of 4.6 out of 5.0. (the Icom 706, all flavors, has the most at 334
>>reviews.) The TS 850 has 79 reviews with an average of 4.7 out of 5.0.
>>Not much difference and a much smaller population in the data set. I'd
>>say the 2000 is holding it's own as far as user reviews go.
>>
>> Oh yeah...Justin Case of WHAT??
>> "Justin Case" <cccccccc3cc3cc2c@aol.com> wrote in message
>> news:nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com...

```
>>>
>>>
>>> Dear Kenwood,
>>>    I've been reading all the reviews on your current ham radios, and
>>> one thing repeatedly comes up in the reviews.  The Kenwood TS-450s is
>>> reported to be better than the Kenwood TS-570x, and the Kenwood
>>> TS-850s is reported to be better than the TS-2000.  As a matter of
>>> fact many of the reviews have said the TS-2000 is down right deaf when
>>> compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
>>> V.   I looked at the Icom radios, but I thought they were ugly.   The
>>> Yaesu radios have too many reported trips back to Yaesu repair, the
>>> Ten Tec Orion II is too expensive, so that leaves Kenwood.  I can buy
>>> used, but it would be nice to have a new TS-850s.  I've got the cash,
>>> the desire, and the will to spend, but you currently don't offer the
>>> radio to get my dollars.
>>>
>>> Sincerely,
>>>
>>> A U.S. Ham.
>>>
>>
>>
>
>
```

```
From -6265959864155332570
X-Google-Thread: 108122,a84c88f5c0141720
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1149945386.190843.212400@f6g2000cwb.googlegroups.com>
<wVCig.96449$0f1.79640@fe04.news.easynews.com>
<1150003166.755274.277990@m38g2000cwc.googlegroups.com>
Subject: Re: Recommend a Yaesu VX 6 upgrade antenna
Lines: 8
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <Lb0jg.41021$Cv1.30716@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 11 Jun 2006 21:47:23 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4667
```

groups.google.com@globalproportions.com wrote:
> 2 meter
> 70 cm

Comet SMA-24
http://www.eham.net/reviews/detail/1839

```
From 6373716042990061707
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "AB9GO" <randallr@healthall.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: Tonight>Heathkit PK-1 Probe, Collins Panel Meter, Heathkit SB-401
Xtal Option
Date: 11 Jun 2006 15:19:41 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1150064381.897746.211980@i40g2000cwc.googlegroups.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
   <128p00lidbqfm48@corp.supernews.com>
NNTP-Posting-Host: 4.224.213.249
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150064385 8158 127.0.0.1 (11 Jun 2006 22:19:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jun 2006 22:19:45 +0000 (UTC)
In-Reply-To: <128p00lidbqfm48@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=4.224.213.249;
   posting-account=e89zTwwAAAB1gsZO4GNNgYKtpE6vf9rq
Xref: g2news2.google.com rec.antiques.radio+phono:24597
rec.radio.amateur.equipment:4668 rec.radio.cb:11591
```

Typical professional Ebay whore. What is up with the pictures of his
dogs on EVERY Ebay listing? Can't get woman???

Randy

DrDeath wrote:
> "rich" <rlucch2098@aol.com> wrote in message
> news:1150038315.152562.45870@h76g2000cwa.googlegroups.com...

```
>
> <plonk>



From -4563099521140613442
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: Tonight>Heathkit PK-1 Probe, Collins Panel Meter, Heathkit SB-401
Xtal Option
Date: 11 Jun 2006 15:23:24 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1150064603.999117.15850@f6g2000cwb.googlegroups.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
   <128p00lidbqfm48@corp.supernews.com>
   <1150064381.897746.211980@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 168.103.140.204
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150064608 8796 127.0.0.1 (11 Jun 2006 22:23:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 11 Jun 2006 22:23:28 +0000 (UTC)
In-Reply-To: <1150064381.897746.211980@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=168.103.140.204;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:24598
rec.radio.amateur.equipment:4669 rec.radio.cb:11592



AB9GO wrote:
> Typical professional Ebay whore.  What is up with the pictures of his
> dogs on EVERY Ebay listing?  Can't get woman???
>
> Randy
>
> DrDeath wrote:
> > "rich" <rlucch2098@aol.com> wrote in message
> > news:1150038315.152562.45870@h76g2000cwa.googlegroups.com...
> >
> > <plonk>
```

You actually L@@KED...

```
From -4779330276180460256
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 11 Jun 2006 19:40:30 -0500
Date: Sun, 11 Jun 2006 20:40:28 -0400
From: Mike Coslo <mremovethiscoslo@adelphia.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
In-Reply-To: <p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com>
Lines: 21
NNTP-Posting-Host: 69.162.57.195
X-Trace: sv3-2qw/TUJbEDElvRQI2fRTNojuevutKOXk/h3akjZPzYgie9hpiMRrhiRakZ/
fdqmbVzYwrxrrSVpVSSS!TjdZieGrARXGiMBScFZATfohg8Qp/
kfMFFzPks6L7+jcqoaICM4eb1+89xjeLFod0d/wBb1Ze+nR!hkGIfjArMFWI7MD+vhjb6GnZoOI=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12778
rec.radio.amateur.equipment:4670 rec.radio.amateur.misc:13693
rec.radio.shortwave:39141
```

Cecil Moore wrote:
> jawod wrote:
>
>> BTW, all dictionaries are descriptive.
>
>
> But all Basic Manuals of Style are prescriptive.
> Please see my other posting.

Use of the apostrophe as a plural designation is rapidly becoming passe'. IIRC it already is in the UK.

Possessive is the new standard.

I get my chops busted if I write with say last year's work instead of last years work.

- 73 de Mike KB3EIA -

```
From -2450942775460193637
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <448CC4CB.2040308@fuse.net>
Date: Sun, 11 Jun 2006 21:35:07 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
  still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
```

```
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com>
In-Reply-To: <AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 15
X-Trace: 3e5c4448cc503e098318624622
Xref: g2news2.google.com rec.radio.amateur.antenna:12783
rec.radio.amateur.equipment:4671 rec.radio.amateur.misc:13695
rec.radio.shortwave:39143



>
>     Possessive is the new standard.
>
>     I get my chops busted if I write with say last year's work instead
> of last years work.
>
>     - 73 de Mike KB3EIA -
>
>

I don't understand.  Possessive is the new standard?  Your chops get
busted whey you write "last year's work"?
That IS possessive.




From -4732508721282480462
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!router2.astraweb.com!
news.astraweb.com!router1.astraweb.com!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
Sender: marc@neko.snafu.org
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
```

```
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com> <448CC4CB.2040308@fuse.net>
From: Marco S Hyman <marc@snafu.org>
Date: 11 Jun 2006 19:28:50 -0700
Message-ID: <x7r71v85ul.fsf@neko.snafu.org>
Organization: S.N.A.F.U. -- http://www.snafu.org/
User-Agent: Gnus/5.09 (Gnus v5.9.0) Emacs/21.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Lines: 12
NNTP-Posting-Date: 12 Jun 2006 03:17:16 GMT
NNTP-Posting-Host: d0166358.news.sonic.net
X-Trace: DXC=^6I:jJB?Va:6QT5khfDEf>m4K\QM1CV^01OYf0H`?;X1Oh?
1>0@RBS=:oF=1i9HD64b2IhHehOK43QSB;EiM47@<
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12785
rec.radio.amateur.equipment:4672 rec.radio.amateur.misc:13700
rec.radio.shortwave:39152
```

jawod <jawod@fuse.net> writes:

> I don't understand. Possessive is the new standard? Your chops get busted
> whey you write "last year's work"?
> That IS possessive.

Is it? I've always wondered.   Does the work "belong" to last year?
Does last year "own" the work? It's *my* work that was done last year.

Curious,

// marc

```
From -4366854710720588683
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-
mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: SPAM posted from 68.56.4.30 a Comcast account.
Date: Sun, 11 Jun 2006 21:38:14 -0700
Message-ID: <MPG.1ef68f912d4214129896c1@news.drizzle.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
<448C6FB6.B3E6188A@earthlink.net>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
```

Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 28
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4673

In article <448C6FB6.B3E6188A@earthlink.net>, mike.terrell@earthlink.net
(known to some as Michael A. Terrell) scribed...

> rich wrote:
>
>
>   Report this spam to abuse@comcast.net

This is based on the mistaken assumption that ComCrap even cares.

Their "abuse" department seems to exist solely to make sure that ComCrap's clueless (L)users, their machines crammed full of spammer trojans and spyware and thus turned into spam-spewing zombies, can abuse the rest of the 'net to their heart's content.

You don't have to take my word for it. Just ask around in news.admin.net-abuse.email. Alternatively, have a look at spamhaus.org, and see how many active listings ComCrapTastic has.

Keep the peace(es).

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From 4420028841610661061
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>

<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Lines: 50
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <Kr6jg.28754$QP4.22526@fed1read12>
Date: Sun, 11 Jun 2006 21:54:02 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1150088042 72.199.97.186 (Mon, 12 Jun 2006 00:54:02 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 00:54:02 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:12789 rec.radio.amateur.equipment:4674 rec.radio.amateur.misc:13701 rec.radio.shortwave:39156

"Mike Coslo" <mremovethiscoslo@adelphia.net> wrote in message
news:AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com...

>
> I get my chops busted if I write with say last year's work instead of
> last years work.
>
> - 73 de Mike KB3EIA -

1. Too bad you have to work for/with people like that. " ... last year's work" is correct. The possessive does not exclusively denote ownership. It also denotes the "of or pertaining to" relationship, as in "Cleveland's bus system."

2. I just went to the McGraw-Hill Learning Center

http://highered.mcgraw-hill.com/sites/076743000x/student_view0/chapter1/apostrophes.html

and took their apostrophe quiz

Results Reporter

Out of 17 questions, you answered 17 correctly, for a final grade of 100%.

17 correct (100%)
0 incorrect (0%)
0 unanswered (0%)

Here's the most interesting one:

Last years womens softball team is much better than this years. [The stem omits apostrophes.]

C) Last year's women's softball team is much better than this year's.
Feedback: Correct!

3. Despite the absolute correctness of the apostrophe for the plural of numbers and letters, I see a lot of acronyms and abbreviations made plural by the addition of an "s" without the apostrophe and I don't flinch. I think the language is evolving regarding acronyms, which, after all, are less than 100 years old. Therefore, I vote to accept "SWRs."

73,
"Sal"
(KD6VKW)

From -7903187322860877514
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!pln-w!spln!dex!extra.newsguy.com!
newsp.newsguy.com!enews3
From: DeserTBoB <desertb@rglobal.net>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: SPAM posted from 68.56.4.30 a Comcast account.
Date: Mon, 12 Jun 2006 00:47:55 -0700
Organization: Add "ob1" to the name...NO SPAM!
Lines: 13
Message-ID: <5v6q82lr9srqsfpa9tc99kpqucddfurub2@4ax.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
<448C6FB6.B3E6188A@earthlink.net> <Xns97DF9550B3E90VeebleFetzer@216.250.184.7>
<448C7C85.E085B754@earthlink.net>
Reply-To: desertb@rglobal.net
NNTP-Posting-Host: p-286.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 3.1/32.783
Xref: g2news2.google.com rec.antiques.radio+phono:24656

```
rec.radio.amateur.equipment:4675 rec.radio.cb:11598
```

On Sun, 11 Jun 2006 20:26:44 GMT, "Michael A. Terrell"
<mike.terrell@earthlink.net> wrote:

>Bert Hyman wrote:
>
>   Another coward pipes in. :(<snip>

Exactly. This is why fraudsters and spammers like Charlie Nudo and a
bazillion others are still clogging Usenet with their eBay and other
crap...no one gives a rat's ass, and are too imbued with
self-important (read that, "LAZY") to do anything about it.

Netcopping works...ask Charlie Nudo and a few others.

```
From 2055068778924705242
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: SPAM posted from 68.56.4.30 a Comcast account.
Date: 12 Jun 2006 01:47:33 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1150102053.456290.61370@f6g2000cwb.googlegroups.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
   <448C6FB6.B3E6188A@earthlink.net>
   <Xns97DF9550B3E90VeebleFetzer@216.250.184.7>
   <448C7C85.E085B754@earthlink.net>
   <5v6q82lr9srqsfpa9tc99kpqucddfurub2@4ax.com>
NNTP-Posting-Host: 168.103.140.204
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150102057 23719 127.0.0.1 (12 Jun 2006 08:47:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 Jun 2006 08:47:37 +0000 (UTC)
In-Reply-To: <5v6q82lr9srqsfpa9tc99kpqucddfurub2@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=168.103.140.204;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:24660
rec.radio.amateur.equipment:4676 rec.radio.cb:11599
```

DeserTBoB wrote:
> On Sun, 11 Jun 2006 20:26:44 GMT, "Michael A. Terrell"
> <mike.terrell@earthlink.net> wrote:
>
> >Bert Hyman wrote:
>
> >   Another coward pipes in. :(<snip>
>
> Exactly. This is why fraudsters and spammers like Charlie Nudo and a
> bazillion others are still clogging Usenet with their eBay and other
> crap...no one gives a rat's ass, and are too imbued with
> self-important (read that, "LAZY") to do anything about it.
>
> Netcopping works...ask Charlie Nudo and a few others.

Stop bugging us and do your own dirty work then. We aren't going to help you.

```
From -5935843210995466652
X-Google-Thread: 108122,3e67abc44fd7d03d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nf3.bellglobal.com!ursa-
nb00s0.nbnet.nb.ca!53ab2750!not-for-mail
From: "Kevin Hastings" <myfamilydotcom@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TH-22AT Battery Disassembly
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <HHbjg.21470$A26.482612@ursa-nb00s0.nbnet.nb.ca>
Date: Mon, 12 Jun 2006 10:52:23 GMT
NNTP-Posting-Host: 156.34.247.71
X-Complaints-To: abuse@aliant.net
X-Trace: ursa-nb00s0.nbnet.nb.ca 1150109543 156.34.247.71 (Mon, 12 Jun 2006
07:52:23 ADT)
NNTP-Posting-Date: Mon, 12 Jun 2006 07:52:23 ADT
Organization: Aliant Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:4677
```

My new-to-me Kenwood TH-22AT came with a few dead batteries that I'd like to carefully disassemble and solder new cells into.

Anybody know how, exactly, to get the case apart without wrecking it?

Thanks

Kevin at myfamilydotcom@hotmail.com

```
From -6510157013384600862
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-
mail
From: smogchokedLosAngeles@hotmail.com
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: SPAM posted from 68.56.4.30 a Comcast account.
Date: 12 Jun 2006 04:36:11 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1150112171.369306.234130@c74g2000cwc.googlegroups.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
   <448C6FB6.B3E6188A@earthlink.net>
NNTP-Posting-Host: 205.238.250.207
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150112176 5795 127.0.0.1 (12 Jun 2006 11:36:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 Jun 2006 11:36:16 +0000 (UTC)
In-Reply-To: <448C6FB6.B3E6188A@earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=205.238.250.207;
   posting-account=GO-ydQ0AAAA9VN5t2qihwKjUbsGwazV6
Xref: g2news2.google.com rec.antiques.radio+phono:24668
rec.radio.amateur.equipment:4678 rec.radio.cb:11601
```

```
Michael A. Terrell wrote:
> rich wrote:
>
>
>    Report this spam to abuse@comcast.net
>
>
> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
```

```
> Michael A. Terrell
> Central Florida


my God man- get a fucking LIFE- use your email software program to
create a "delete at server" or a "blocked sender" list, and put the
guy's email addy in there, and you don't have to read his posts
anymore.  You self-appointed "spam cops" create more havoc on Google,
than the worst spammer that lived.



From 1365622673810800990
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <448D5994.15AD655D@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: SPAM posted from 68.56.4.30 a Comcast account.
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
        <448C6FB6.B3E6188A@earthlink.net>
<1150112171.369306.234130@c74g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
Date: Mon, 12 Jun 2006 12:10:41 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1150114241 24.110.34.161 (Mon, 12 Jun
2006 05:10:41 PDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 05:10:41 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:24669
rec.radio.amateur.equipment:4679 rec.radio.cb:11602

smogchokedLosAngeles@hotmail.com wrote:
>
> Michael A. Terrell wrote:
> > rich wrote:
> >
> >
> >    Report this spam to abuse@comcast.net
```

> >
> >
> > --
> > Service to my country? Been there, Done that, and I've got my DD214 to
> > prove it.
> > Member of DAV #85.
> >
> > Michael A. Terrell
> > Central Florida
>
> my God man- get a fucking LIFE- use your email software program to
> create a "delete at server" or a "blocked sender" list, and put the
> guy's email addy in there, and you don't have to read his posts
> anymore. You self-appointed "spam cops" create more havoc on Google,
> than the worst spammer that lived.

I have a life, thank you. As far as "Google", I guess that you're too retarded to notice that I'm on Usenet and "Google" is hijacking my posts to show on their crappy HTML interface.

YOU need to get a life and stop whining about every rule you don't like. USENET has always been self policing. Newsgroups that don't, end up as useless dumping grounds for spam that no one reads.

For instance, its considered to be very low life to keep changing your screen ID, and against the TOS of most ISPs. I'm tired of creating new filters for your moth eaten ass, boy.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 8911581666543472581
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <448D5FF7.4040907@fuse.net>
Date: Mon, 12 Jun 2006 08:37:11 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)

```
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
  still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com> <448CC4CB.2040308@fuse.net>
<x7r71v85ul.fsf@neko.snafu.org>
In-Reply-To: <x7r71v85ul.fsf@neko.snafu.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 19
X-Trace: b7331448d602fe098318604988
Xref: g2news2.google.com rec.radio.amateur.antenna:12795
rec.radio.amateur.equipment:4680 rec.radio.amateur.misc:13705
rec.radio.shortwave:39167

Marco S Hyman wrote:
> jawod <jawod@fuse.net> writes:
>
>
>>I don't understand.  Possessive is the new standard?  Your chops get busted
>>whey you write "last year's work"?
>>That IS possessive.
>
>
> Is it?  I've always wondered.   Does the work "belong" to last year?
> Does last year "own" the work?  It's *my* work that was done last year.
>
> Curious,
>
> // marc
yes   at least to me   "last year's work" as opposed to some other
"year's work"  pretty sure that's possessive

John


From -3902334890596170981
X-Google-Thread: 108122,a84c88f5c0141720
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: "craig" <craig@powersmith.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Recommend a Yaesu VX 6 upgrade antenna
Date: 12 Jun 2006 05:46:08 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1150116368.910209.274940@f6g2000cwb.googlegroups.com>
References: <1149945386.190843.212400@f6g2000cwb.googlegroups.com>
   <wVCig.96449$0f1.79640@fe04.news.easynews.com>
   <1150003166.755274.277990@m38g2000cwc.googlegroups.com>
   <Lb0jg.41021$Cv1.30716@fe07.news.easynews.com>
NNTP-Posting-Host: 66.54.202.228
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150116372 31451 127.0.0.1 (12 Jun 2006 12:46:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 Jun 2006 12:46:12 +0000 (UTC)
In-Reply-To: <Lb0jg.41021$Cv1.30716@fe07.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
FunWebProducts; .NET CLR 1.0.3705; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=66.54.202.228;
   posting-account=4upNCA0AAABHUxDmWT72pGKJq9tDmsSz
Xref: g2news2.google.com rec.radio.amateur.equipment:4681
```

Check out the Diamond SRH320A. I have one and really like it. Does transmit on all 3 VX-6 bands plus offers very good receive on six other bands such as public service, aircraft band, etc. Transmit antenna is 1/4 WL on 2 and 220, 1/2 WL on 430. 35 cm tall, very light, flexible, well finished. Somewhat pricier than others, but looks like it will last forever. SMA connector.   Craig   AC0DS

```
From 3773254484912057905
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
```

```
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
<MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
<128n7597b11m190@corp.supernews.com> <448C37E1.8060002@fuse.net>
<p7Xig.146035$F_3.39924@newssvr29.news.prodigy.net>
<AbqdnfZu6_9jKhHZnZ2dnUVZ_qudnZ2d@adelphia.com> <448CC4CB.2040308@fuse.net>
<x7r71v85ul.fsf@neko.snafu.org> <448D5FF7.4040907@fuse.net>
In-Reply-To: <448D5FF7.4040907@fuse.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <Dpdjg.146825$F_3.840@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 70.132.140.183
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1150116579 ST000 70.132.140.183 (Mon, 12 Jun
2006 08:49:39 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 08:49:39 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@SZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNH\KMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 12 Jun 2006 12:49:39 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12797
rec.radio.amateur.equipment:4682 rec.radio.amateur.misc:13706
rec.radio.shortwave:39170

jawod wrote:
> yes   at least to me   "last year's work" as opposed to some other
> "year's work"  pretty sure that's possessive

A year is an it. Is it possessive because it's its work?
--
73, Cecil  http://www.qsl.net/w5dxp


From -5552637030450243272
X-Google-Thread: 108122,67ebabc97bab975c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!nf3.bellglobal.com!ursa-nb00s0.nbnet.nb.ca!53ab2750!not-for-mail
From: <salmo@nf.sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood SP-930
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <QTdjg.21524$A26.483872@ursa-nb00s0.nbnet.nb.ca>
Date: Mon, 12 Jun 2006 13:21:52 GMT
NNTP-Posting-Host: 142.162.50.70
X-Complaints-To: abuse@aliant.net
X-Trace: ursa-nb00s0.nbnet.nb.ca 1150118512 142.162.50.70 (Mon, 12 Jun 2006
10:21:52 ADT)
NNTP-Posting-Date: Mon, 12 Jun 2006 10:21:52 ADT
Organization: Aliant Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:4683

http://cgi.ebay.com/Kenwood-SP-930-communications-
speaker_W0QQitemZ9740686579QQcategoryZ48709QQssPageNameZWDVWQQrdZ1QQcmdZViewItem




From 3624892158786667629
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c02.usenetserver.com!
news.usenetserver.com!news-out.readnews.com!postnews3.readnews.com!not-for-mail
Date: Mon, 12 Jun 2006 07:47:36 -0600
From: hayseed <hayseed@rainmaker.com>
User-Agent: Mozilla Thunderbird 0.7.3 (Windows/20040803)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net>
```

In-Reply-To: <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <448d6fe1$0$23707$a82e2bb9@reader.athenanews.com>
NNTP-Posting-Host: 3b9f9a74.reader.athenanews.com
X-Trace: DXC=I4>VLI[bXlK\L6QWTWAg[CW3VT=3K?44C:LKFL\Y2OoJdEA6T:?
0AaKNCc[eNGM6j@;2HmU@[k27BUZ``@Sn0gECd4\SSCUcRT@
X-Complaints-To: abuse@athenanews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:12801
rec.radio.amateur.equipment:4684 rec.radio.amateur.misc:13730
rec.radio.shortwave:39173

Everybody is correct and everybody is wrong.

According to Turabian's "A Manual for Writers", plurals of most single
and multiple capital letters used as nouns are formed by adding "s"
alone. Example: SWRs
Form the plural of small letters, capital letters with periods, and
capital letters that would be confusing if "s" alone were added by
adding apostrophe and "s".

Now, everybody, back to work and mind your p's and Qs

73

From 6473323795323913245
X-Google-Thread: 108122,a84c88f5c0141720
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1149945386.190843.212400@f6g2000cwb.googlegroups.com>
<wVCig.96449$0f1.79640@fe04.news.easynews.com>
<1150003166.755274.277990@m38g2000cwc.googlegroups.com>
<Lb0jg.41021$Cv1.30716@fe07.news.easynews.com>
<1150116368.910209.274940@f6g2000cwb.googlegroups.com>
Subject: Re: Recommend a Yaesu VX 6 upgrade antenna
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <agejg.144687$W33.15641@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Mon, 12 Jun 2006 13:47:51 GMT

Xref: g2news2.google.com rec.radio.amateur.equipment:4685

craig wrote:
> Check out the Diamond SRH320A. I have one and really like it. Does

http://www.eham.net/reviews/detail/4298

From -8031171533958548890
X-Google-Thread: 10c2ee,6ea8f1ff5428a00a
X-Google-Thread: 108122,6ea8f1ff5428a00a
X-Google-Thread: 106d41,6ea8f1ff5428a00a
X-Google-Attributes: gid10c2ee,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-mail
From: "AB9GO" <randallr@healthall.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: Tonight>Heathkit PK-1 Probe, Collins Panel Meter, Heathkit SB-401 Xtal Option
Date: 12 Jun 2006 06:54:46 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1150120486.820453.296600@c74g2000cwc.googlegroups.com>
References: <1150038315.152562.45870@h76g2000cwa.googlegroups.com>
   <128p00lidbqfm48@corp.supernews.com>
   <1150064381.897746.211980@i40g2000cwc.googlegroups.com>
   <1150064603.999117.15850@f6g2000cwb.googlegroups.com>
NNTP-Posting-Host: 198.246.246.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1150120490 28583 127.0.0.1 (12 Jun 2006 13:54:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 12 Jun 2006 13:54:50 +0000 (UTC)
In-Reply-To: <1150064603.999117.15850@f6g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=198.246.246.8;
   posting-account=e89zTwwAAAB1gsZO4GNNgYKtpE6vf9rq
Xref: g2news2.google.com rec.antiques.radio+phono:24678 rec.radio.amateur.equipment:4686 rec.radio.cb:11617

I've seen his stuff listed for YEARS. Same M.O. Same dogs! Nothing
under $9.99 everything "cheep" "neat-o" so he sez esp when it is
nearing the end of the auction and he does not think he is getting
enough for his items. He must hit every ham estate sale in the area.
Was a much bigger Ebay whore when he was in New York.

Randy

```
Steven wrote:
> AB9GO wrote:
> > Typical professional Ebay whore.  What is up with the pictures of his
> > dogs on EVERY Ebay listing?  Can't get woman???
> >
> > Randy
> >
> > DrDeath wrote:
> > > "rich" <rlucch2098@aol.com> wrote in message
> > > news:1150038315.152562.45870@h76g2000cwa.googlegroups.com...
> > >
> > > <plonk>
>
> You actually L@@KED...
```

```
From -2343771004299946188
X-Google-Thread: 108122,9e05e48ee3b30a37,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Mon, 12 Jun 2006 09:05:52 -0500
From: Randy Bell <randyNOSPAM@gigacom.org>
Newsgroups: rec.radio.amateur.equipment
Date: Mon, 12 Jun 2006 09:05:50 -0500
Message-ID: <20060612090550168070-randyNOSPAM@gigacomorg>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: test
User-Agent: Unison/1.7.5
Lines: 1
X-Trace: sv3-wriazTip1CdNi+JjJ87nrsJZp8W6ABqipZmSsoas01lZ1u65pp9nMEtrE3onJ65/
hwjCSNFsTWqD/Bo!LaGr13BNER/UDyd1V6tCkGUiDVKryjYtWTk08Ktya/hK2X8H0XJSoG/
eHELjfVmfADcj
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4687
```

```
From 7296877958369593758
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
```

X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!187885e1!not-for-mail
From: Justin Case <cccccccc3cc3cc2c@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Message-ID: <resq82hc5ud7l1ngha21m9jes730rp66sq@4ax.com>
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
<68nig.84$db5.44@trnddc03> <xM-dnZGbvLq5xxHZnZ2dnUVZ_sOdnZ2d@comcast.com>
<Zj%ig.2505$hN2.524@trnddc05>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 172
Date: Mon, 12 Jun 2006 14:16:18 GMT
NNTP-Posting-Host: 71.111.240.54
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1150121778 71.111.240.54 (Mon, 12 Jun 2006 10:16:18 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 10:16:18 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4688

Here are several instances of the TS-2000 being compared to the
Kenwood 850 and other rigs.

==

1

http://www.eham.net/forums/StationBuilding/2065

2

From http://www.eham.net/reviews/detail/1249?page=2

W5AK   Rating: 4/5   Oct 23, 2005 21:15

Very Average Radio   Time owned: 3 to 6 months

I have compared the TS-2000 against the TS-850 so many times that I can not count. On CW, the radios are not even close in weak signal reception. The TS-850 is clearly better. I use the TS-2000 on 6 meters and it's OK. Deaf on 2 Meters without an external preamp. When I read these reviews, it makes me wonder whether you have the same radio. I use a high end transverter and TS 950SDX on 2 Meters and the TS-2000 is so far below this rig that I took the it off line. I was really dissapointed! I'll keep it here in case the next satellite actually works. Otherwise, it's going to stay on the shelf where it belongs. This is a really average radio that is below 4 but I feel kind tonight.

3

http://www.eham.net/reviews/detail/1249?page=2

N7BUI Rating: 3/5 Oct 23, 2005 16:06

OK rig, but probably won't keep it. Time owned: 3 to 6 months

As much as I'd like to continue the drum beat of how wonderful this rig is I just can't. I have enjoyed its HF ham band SSB/CW operation but on AM reception this thing is the pits. Some will probably think that this is a minor point. But if you use your radio mostly for general SW reception like I do you would understand. While tuning the SW AM bands this rig has an annoying "pop pop" noise as you turn the knob through stations (AGC?). Opening the DSP wider helps, but then you have to put up with hetrodynes every 10Khz. There doesn't seem to be a happy medium of DSP/AGC/RF gain. Tighten the DSP and the "pop pop" is worse and fidelity is garbage. My Yaesu FT-857D is a much better receiver for SW. That combined with the very strong birdie on UHF, this thing might be going out the door. I don't think I should have sold my FT-847! On its plus side, the dual receiver feature is great, the SSB operation is excellent, and on UHF/VHF FM it works great. I have used the �Sky Command� with my Th-D7 and it is a neat feature. But don�t let all the bells and whistles blind you to some of the issues this radio has.

4

Long http link. You'll proaby have to copy and paste it back together.

http://groups.google.com/group/uk.radio.amateur/browse_thread/thread/
c3d243cf201a7e57/04921a3d8e1c8e5c?
lnk=st&q=site%3Awww.eham.net+Kenwood+ts-2000+deaf&rnum=6&hl=en#04921a3d8e1c8e5c

> On Tuesday 11 Jan 2005 21:48, the whim of a few quarks and leptons to be
> Starr for a while caused the following to be typed:

> > Your not the only one. A friend of mine just flogged of his ts2000 and
> > expensive yaesu radio in a box in favour of all valve gear including a
902
> > for HF.

> Yes and I bet he's having more fun with that FT-902 that he ever did with
> the worst radio Kenwood ever produced. The TS-2000 was a mistake.

There a 3 former owners I know that would agree with you.

> That's not to detract from the 902, but having been on the receiving end
of
> a few 2000s, it is my opinion that Kenwood let themselves down badly,
> especially given the quality of their "lower end" set, the TS-570, both
the
> S and the DG.

Yes I heard the 2000 is quite deaf and the voice compression sucks
among
other things. Perhaps Kenwood should have concentrated on the
functionality
of the radio rather than the whistles and bells

There are other comparisons if you search the net.

-Justin

==
On Sun, 11 Jun 2006 20:47:53 GMT, "Dan" <danvanderplough@verizon.net>
wrote:

>That list is only a ranking of narrow spaced dynamic range and doesn't take
>into account the many other things that make a radio great. That's wonderful
>engineering data, but is very limited. That's why user reviews such as one
>finds on e-ham and other places are valuable. Obviously they're subjective.
>But they take into account real-world, everyday user impressions of a rig
>which includes a wide variety operating styles and tastes. How, for example,
>can I cross band repeat, or run six meter e-skip openings on a TS 850? I do
>that all the time on my current rig. And still get outstanding performance
>when running HF (without the need for optional "affordable" extra filters)
>See my point? If we only went by spec rankings, we'd all be running Orions,
>I guess.
>
>"Steven L Umbach" <n9rou@n0-spam-for-me-comcast.net> wrote in message
>news:xM-dnZGbvLq5xxHZnZ2dnUVZ_sOdnZ2d@comcast.com...
>> Ehams reviews are very subjective and the rating of the radios should not
>> really be compared on their score scale. By that measure the Icom 736 is a
>> better rig than the Icom 7800 or Ten Tec Orion. It is best looked at as a
>> measure of user satisfaction with that particular rig to the users
>> expectations for the money. I have a Kenwood TS 850 and a TS 2000 and the
>> TS 850 absolutely blows away the TS 2000 in receiver performance. The link
>> below shows Sherwood Engineering rankings on many rigs based on close in
>> dynamic range performance. Note how high the TS 850 is in the list with
>> affordable Inrad filters installed [not roofing filter]. Almost all the
>> radios above it are ham band only rigs and the IC 765 has the narrow
>> roofing filter in it I believe. Interesting is how great a performer the
>> TS 830 is shown to be. --- Steve
>>
>> http://www.sherweng.com/table.html

>>
>> "Dan" <danvanderplough@verizon.net> wrote in message
>> news:68nig.84$db5.44@trnddc03...
>>>I don't know where you are getting your reviews, but on e-ham, the TS 2000
>>>is the second most reviewed HF transceiver with 279 reviews and an average
>>>rating of 4.6 out of 5.0. (the Icom 706, all flavors, has the most at 334
>>>reviews.) The TS 850 has 79 reviews with an average of 4.7 out of 5.0.
>>>Not much difference and a much smaller population in the data set. I'd
>>>say the 2000 is holding it's own as far as user reviews go.
>>>
>>> Oh yeah...Justin Case of WHAT??
>>> "Justin Case" <cccccccc3cc3cc2c@aol.com> wrote in message
>>> news:nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com...
>>>>
>>>>
>>>> Dear Kenwood,
>>>>   I've been reading all the reviews on your current ham radios, and
>>>> one thing repeatedly comes up in the reviews. The Kenwood TS-450s is
>>>> reported to be better than the Kenwood TS-570x, and the Kenwood
>>>> TS-850s is reported to be better than the TS-2000. As a matter of
>>>> fact many of the reviews have said the TS-2000 is down right deaf when
>>>> compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
>>>> V.   I looked at the Icom radios, but I thought they were ugly.   The
>>>> Yaesu radios have too many reported trips back to Yaesu repair, the
>>>> Ten Tec Orion II is too expensive, so that leaves Kenwood. I can buy
>>>> used, but it would be nice to have a new TS-850s. I've got the cash,
>>>> the desire, and the will to spend, but you currently don't offer the
>>>> radio to get my dollars.
>>>>
>>>> Sincerely,
>>>>
>>>> A U.S. Ham.
>>>>
>>>
>>>
>>
>>
>

From 7966009743494579682
X-Google-Thread: 108122,bffadd5e2dee6927,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feed.xsnews.nl!feeder.xsnews.nl!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-04!sn-ams!sn-feed-ams-02!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Patrick" <Patrick@SPAM.com>
Newsgroups: rec.radio.amateur.equipment
Subject: unclipping Furuno FS1503 for lower sideband
Date: Mon, 12 Jun 2006 08:10:06 -0700
Organization: www.ShipsRecord.com

Message-ID: <128r0unhde6t126@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.equipment:4689

I am trying to help someone out who is currently cruising and can not contact Furuno. THey are trying to use their FS1503 on lower sideband but there is some 'unclipping' procedure required to enable lower sideband. Does anyone have the details on this procedure? They seem to think its a keying sequence on the controls. I'm pretty sure there is a jumper which needs to be clipped.

Any help would be great.

Thanks!
-patrick

Patrick's Sailing Blog: http://shipsrecord.com/blogs/patrick/

From 7860478327640512356
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!187885e1!
not-for-mail
From: Justin Case <cccccccc3cc3cc2c@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Message-ID: <pd1r821uv6o9tcp37pjvajo7pl3m7qbjjj@4ax.com>
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
<68nig.84$db5.44@trnddc03> <xM-dnZGbvLq5xxHZnZ2dnUVZ_sOdnZ2d@comcast.com>
<Zj%ig.2505$hN2.524@trnddc05> <resq82hc5ud7l1ngha21m9jes730rp66sq@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 216
Date: Mon, 12 Jun 2006 15:20:14 GMT
NNTP-Posting-Host: 71.111.240.54
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1150125614 71.111.240.54 (Mon, 12 Jun 2006 11:20:14 EDT)
NNTP-Posting-Date: Mon, 12 Jun 2006 11:20:14 EDT

Xref: g2news2.google.com rec.radio.amateur.equipment:4690

I knew I read this review somewhere but I did not find it until after I posted the previous message. Here it is...

=====================================

From http://www.eham.net/reviews/detail/4?page=5

AA8VL   Rating: 5/5   Dec 5, 2002 11:07

SIMPLY THE BEST DARN RIG--THE AUDIO REVOLUTION   Time owned: more than 12 months

First off, I have used many of the high end radios out there. I thought the best rig for me was the Kenwood TS-2000...so I bought it!

Bought a TS-850S/DSP-100 for backup and WOW! Sold the TS-2000 and bought another TS-850/DSP-100.

The audio on transmit and recieve is AWESOME! Just stock out of the box without the optional DSP-100. With the DSP-100 the Kenwood TS-850 is simply an unmatched rig for the competition. I have never yet seen a rig in the price range of this one that is able to produce such sweet TX / RX audio!

If you buy a TS-850S be on the lookout for a DSP-100. You will not regret it.

I will never sell my TWIN 850's! PERIOD! It's love baby!

Chris, AA8VL
http://www.ssbaudio.com

==

-Justin

On Mon, 12 Jun 2006 14:16:18 GMT, Justin Case <cccccccc3cc3cc2c@aol.com> wrote:

>
>Here are several instances of the TS-2000 being compared to the
>Kenwood 850 and other rigs.
>
>===
># 1
>

>http://www.eham.net/forums/StationBuilding/2065
>---
>
>
>
># 2
>
>From http://www.eham.net/reviews/detail/1249?page=2
>
>W5AK   Rating: 4/5   Oct 23, 2005 21:15
>
>Very Average Radio   Time owned: 3 to 6 months
>
>I have compared the TS-2000 against the TS-850 so many times that I
>can not count. On CW, the radios are not even close in weak signal
>reception. The TS-850 is clearly better. I use the TS-2000 on 6 meters
>and it's OK. Deaf on 2 Meters without an external preamp. When I read
>these reviews, it makes me wonder whether you have the same radio. I
>use a high end transverter and TS 950SDX on 2 Meters and the TS-2000
>is so far below this rig that I took the it off line. I was really
>dissapointed! I'll keep it here in case the next satellite actually
>works. Otherwise, it's going to stay on the shelf where it belongs.
>This is a really average radio that is below 4 but I feel kind
>tonight.
>---
>
># 3
>
>http://www.eham.net/reviews/detail/1249?page=2
>
>N7BUI   Rating: 3/5   Oct 23, 2005 16:06
>
>
>OK rig, but probably won't keep it.   Time owned: 3 to 6 months
>
>As much as I'd like to continue the drum beat of how wonderful this
>rig is I just can't. I have enjoyed its HF ham band SSB/CW operation
>but on AM reception this thing is the pits. Some will probably think
>that this is a minor point. But if you use your radio mostly for
>general SW reception like I do you would understand. While tuning the
>SW AM bands this rig has an annoying "pop pop" noise as you turn the
>knob through stations (AGC?). Opening the DSP wider helps, but then
>you have to put up with hetrodynes every 10Khz. There doesn't seem to
>be a happy medium of DSP/AGC/RF gain. Tighten the DSP and the "pop
>pop" is worse and fidelity is garbage. My Yaesu FT-857D is a much
>better receiver for SW. That combined with the very strong birdie on
>UHF, this thing might be going out the door. I don't think I should
>have sold my FT-847! On its plus side, the dual receiver feature is
>great, the SSB operation is excellent, and on UHF/VHF FM it works
>great. I have used the �Sky Command� with my Th-D7 and it is a neat
>feature. But don�t let all the bells and whistles blind you to some of
>the issues this radio has.
>

```
>--------------------------------------------------------------------------
>
># 4
>
>Long http link.  You'll proaby have to copy and paste it back
>together.
>
>http://groups.google.com/group/uk.radio.amateur/browse_thread/thread/
c3d243cf201a7e57/04921a3d8e1c8e5c?
lnk=st&q=site%3Awww.eham.net+Kenwood+ts-2000+deaf&rnum=6&hl=en#04921a3d8e1c8e5c
>
>> On Tuesday 11 Jan 2005 21:48, the whim of a few quarks and leptons to be
>> Starr for a while caused the following to be typed:
>
>> > Your not the only one. A friend of mine just flogged of his ts2000 and
>> > expensive yaesu radio in a box in favour of all valve gear including a
>902
>> > for HF.
>
>> Yes and I bet he's having more fun with that FT-902 that he ever did with
>> the worst radio Kenwood ever produced. The TS-2000 was a mistake.
>
>There a 3 former owners I know that would agree with you.
>
>> That's not to detract from the 902, but having been on the receiving end
>of
>> a few 2000s, it is my opinion that Kenwood let themselves down badly,
>> especially given the quality of their "lower end" set, the TS-570, both
>the
>> S and the DG.
>
>Yes I heard the 2000 is quite deaf and the voice compression sucks
>among
>other things. Perhaps Kenwood should have concentrated on the
>functionality
>of the radio rather than the whistles and bells
>------------------------------------------------------------------------
>
>There are other comparisons if you search the net.
>
>-Justin
>
>
>
>==================================================
>On Sun, 11 Jun 2006 20:47:53 GMT, "Dan" <danvanderplough@verizon.net>
>wrote:
>
>>That list is only a ranking of narrow spaced dynamic range and doesn't take
>>into account the many other things that make a radio great. That's wonderful
>>engineering data, but is very limited.  That's why user reviews such as one
>>finds on e-ham and other places are valuable.  Obviously they're subjective.
>>But they take into account real-world, everyday user impressions of a rig
```

>>which includes a wide variety operating styles and tastes. How, for example,
>>can I cross band repeat, or run six meter e-skip openings on a TS 850? I do
>>that all the time on my current rig. And still get outstanding performance
>>when running HF (without the need for optional "affordable" extra filters)
>>See my point? If we only went by spec rankings, we'd all be running Orions,
>>I guess.
>>
>>"Steven L Umbach" <n9rou@n0-spam-for-me-comcast.net> wrote in message
>>news:xM-dnZGbvLq5xxHZnZ2dnUVZ_sOdnZ2d@comcast.com...
>>> Ehams reviews are very subjective and the rating of the radios should not
>>> really be compared on their score scale. By that measure the Icom 736 is a
>>> better rig than the Icom 7800 or Ten Tec Orion. It is best looked at as a
>>> measure of user satisfaction with that particular rig to the users
>>> expectations for the money. I have a Kenwood TS 850 and a TS 2000 and the
>>> TS 850 absolutely blows away the TS 2000 in receiver performance. The link
>>> below shows Sherwood Engineering rankings on many rigs based on close in
>>> dynamic range performance. Note how high the TS 850 is in the list with
>>> affordable Inrad filters installed [not roofing filter]. Almost all the
>>> radios above it are ham band only rigs and the IC 765 has the narrow
>>> roofing filter in it I believe. Interesting is how great a performer the
>>> TS 830 is shown to be. --- Steve
>>>
>>> http://www.sherweng.com/table.html
>>>
>>> "Dan" <danvanderplough@verizon.net> wrote in message
>>> news:68nig.84$db5.44@trnddc03...
>>>>I don't know where you are getting your reviews, but on e-ham, the TS 2000
>>>>is the second most reviewed HF transceiver with 279 reviews and an average
>>>>rating of 4.6 out of 5.0. (the Icom 706, all flavors, has the most at 334
>>>>reviews.) The TS 850 has 79 reviews with an average of 4.7 out of 5.0.
>>>>Not much difference and a much smaller population in the data set. I'd
>>>>say the 2000 is holding it's own as far as user reviews go.
>>>>
>>>> Oh yeah...Justin Case of WHAT??
>>>> "Justin Case" <cccccccc3cc3cc2c@aol.com> wrote in message
>>>> news:nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com...
>>>>>
>>>>>
>>>>> Dear Kenwood,
>>>>>   I've been reading all the reviews on your current ham radios, and
>>>>> one thing repeatedly comes up in the reviews. The Kenwood TS-450s is
>>>>> reported to be better than the Kenwood TS-570x, and the Kenwood
>>>>> TS-850s is reported to be better than the TS-2000. As a matter of
>>>>> fact many of the reviews have said the TS-2000 is down right deaf when
>>>>> compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
>>>>> V.   I looked at the Icom radios, but I thought they were ugly.   The
>>>>> Yaesu radios have too many reported trips back to Yaesu repair, the
>>>>> Ten Tec Orion II is too expensive, so that leaves Kenwood. I can buy
>>>>> used, but it would be nice to have a new TS-850s. I've got the cash,
>>>>> the desire, and the will to spend, but you currently don't offer the
>>>>> radio to get my dollars.
>>>>>
>>>>> Sincerely,

```
>>>>>
>>>>> A U.S. Ham.
>>>>>
>>>>
>>>>
>>>
>>>
>>
```

```
From -3114897799453503610
X-Google-Thread: 108122,bffadd5e2dee6927
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: unclipping Furuno FS1503 for lower sideband
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <128r0unhde6t126@corp.supernews.com>
Organization: Your Company
Message-ID: <Xns97E05694EA474spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 12 Jun 2006 15:30:13 GMT
Lines: 35
NNTP-Posting-Host: 22bd0775.news.adtechcomputers.com
X-Trace:
DXC=[hPPc8>`mKJLG@jU:39aJFgC4_A5:nI@A<<=aEgO;R8Gf_dZeCkB1^CI_BDfiSH[cLecf<A4o8l9C0
W_Uo]cC15JheP5LSl:mX@R8]UW`iCGPHKI`Mahj_ALN
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4691
```

> I am trying to help someone out who is currently cruising and can not
> contact Furuno. THey are trying to use their FS1503 on lower sideband
> but there is some 'unclipping' procedure required to enable lower
> sideband. Does anyone have the details on this procedure? They seem to
> think its a keying sequence on the controls. I'm pretty sure there is
> a jumper which needs to be clipped.
>
> Any help would be great.

Patrick,

According to the Furnio FS1503 manual,   found at:

http://www.furuno.com/Furuno/Doc/0/LUF7IRLV4T841D2D338M1UFA54/FS1503
+Operators+Manual+Version+C.pdf

The Mode key selects the class of emission. Each press of the

[Mode/1] Key steps the emissions selector through a selection of several modes, LSB*, J3E (USB), AM, TLX, and FAX.

However, please note that the first selection of LSB is marked with an asterisk and is indicated as "available with system setting by FURINO authorized service agent." This would indicate to me that the LSB setting is therefore only available as a choice after the radio has been modified by Furnio service tech.

Ed K7AAT

From 5601432092521177982
X-Google-Thread: 108122,3a8cb9bd374ae3d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-mail
From: k3pi@arrl.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 746 (nonPro) memory back up battery
Date: 8 Jun 2006 11:05:12 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1149789911.999483.296040@i39g2000cwa.googlegroups.com>
References: <1149605070.872598.94430@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 204.110.99.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149789916 22105 127.0.0.1 (8 Jun 2006 18:05:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 18:05:16 +0000 (UTC)
In-Reply-To: <1149605070.872598.94430@j55g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=204.110.99.42;
   posting-account=LsvZiw0AAABc6RBYPX3XF9m7WU6Ydy-d
Xref: g2news2.google.com rec.radio.amateur.equipment:4592

In case anyone is interested, the answer from Icom Tech Support....

"The IC-746 does not use a memory battery, it has non-volitile memory."

Thanks to all who replied.

Russ K3Pi

From -4406118269008196325
X-Google-Thread: 108122,c3c9c669eda19179,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: "Mitchell" <mingram1234@alltel.net>
Newsgroups: rec.radio.amateur.equipment
Subject: 8875's
Date: Thu, 8 Jun 2006 14:27:25 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <65c5a$44886c12$471c706c$27897@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 8
X-Trace: 65c5a44886c12e2b9d5c927897
Xref: g2news2.google.com rec.radio.amateur.equipment:4593

I have a Dentron MLA 2500 that runs the now obsolite 8875 ceramic tube and I'd like to know if there are any other tubes that are pin compatible with these?

Thanks,
Mitchell

From 5139431050357258597
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!
be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!
53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Message-ID: <e7tg82hk698c7ek7nd2sm7q9mi4d74e3nr@4ax.com>
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit
Lines: 29
Date: Thu, 08 Jun 2006 19:07:53 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1149793673 24.174.167.251 (Thu, 08 Jun 2006 14:07:53 CDT)
NNTP-Posting-Date: Thu, 08 Jun 2006 14:07:53 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4594

On Thu, 08 Jun 2006 02:12:22 GMT, Justin Case
<cccccccc3cc3cc2c@aol.com> wrote:

>
>
>Dear Kenwood,
>   I've been reading all the reviews on your current ham radios, and
>one thing repeatedly comes up in the reviews. The Kenwood TS-450s is
>reported to be better than the Kenwood TS-570x, and the Kenwood
>TS-850s is reported to be better than the TS-2000. As a matter of
>fact many of the reviews have said the TS-2000 is down right deaf when
>compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
>V.   I looked at the Icom radios, but I thought they were ugly.   The
>Yaesu radios have too many reported trips back to Yaesu repair, the
>Ten Tec Orion II is too expensive, so that leaves Kenwood. I can buy
>used, but it would be nice to have a new TS-850s. I've got the cash,
>the desire, and the will to spend, but you currently don't offer the
>radio to get my dollars.
>
>Sincerely,
>
>A U.S. Ham.

The new Kenwood 480-series transceivers are getting pretty nice
reviews on eHam.net. Good review in QST, too. Sorta ugly, but I'm
tempted, myself.

bob
k5qwg

From 2997308900658574296
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c02.usenetserver.com!news.usenetserver.com!atl-c06.usenetserver.com!news.usenetserver.com!news.infoave.net!not-for-mail
From: Ponder This <BBDOBDOBAAPPzjjjj@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Note to Kenwood: Please bring back the TS-850s

Date: Thu, 08 Jun 2006 15:23:14 -0400
Organization: Info Avenue Internet Services, LLC
Lines: 29
Message-ID: <9qtg82hfiib41ifcj0nmsquu82qp2i6ppq@4ax.com>
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
<e7tg82hk698c7ek7nd2sm7q9mi4d74e3nr@4ax.com>
Reply-To: BBDOBDOBAAPPzjjjj@hotmail.com
NNTP-Posting-Host: 208.104.131.184
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news3.infoave.net 1149794658 138912 208.104.131.184 (8 Jun 2006 19:24:18 GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Thu, 8 Jun 2006 19:24:18 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news2.google.com rec.radio.amateur.equipment:4595

On Thu, 08 Jun 2006 19:07:53 GMT, Bob Miller <NOSPAM@neosoft.com>
wrote:

>On Thu, 08 Jun 2006 02:12:22 GMT, Justin Case
><cccccccc3cc3cc2c@aol.com> wrote:

>
>The new Kenwood 480-series transceivers are getting pretty nice
>reviews on eHam.net. Good review in QST, too. Sorta ugly, but I'm
>tempted, myself.
>
>bob
>k5qwg

The AM selectivity is terrible onthe 480x.

-6db at 5 kHz
-60db at 40 kHz!

That is going to suck when you tune to listen to shortwave broadcast

..and it is ugly.

Light blue letters on a black back ground is easier on the eyes than
black letters on an orange back ground.

From 4627495895526854731
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d

X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!207.217.77.102!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
From: cq-dx@arrl.net (New Ham)
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Organization: arrl.org
Message-Id: <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com>
X-Newsreader: News Xpress 2.01
Lines: 21
Date: Thu, 08 Jun 2006 21:18:31 GMT
NNTP-Posting-Host: 4.254.230.45
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1149801511 4.254.230.45 (Thu, 08 Jun 2006 14:18:31 PDT)
NNTP-Posting-Date: Thu, 08 Jun 2006 14:18:31 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12629
rec.radio.amateur.equipment:4596 rec.radio.amateur.misc:13519
rec.radio.shortwave:38748

In article <1149774341.518961.129650@i40g2000cwc.googlegroups.com>, "John S."
<hjsjms@cs.com> wrote:
>
>jawod wrote:
>> John S. wrote:
>> > New Ham wrote:
>> >
>> >>Did I get ripped off?
>> >
>> >
>> > You might try a Stetson.
>> >
>> Try a Dunce Cap (low capacitance) attached to your screwdriver and
>> manually adjust until your dip meter reads moron   :)
>
>Uh oh...feeling a bit testy today???

What good's a hat if it don't keep the antenna dry?   I think I'll keep it though, for some odd reason my SWR's are better.

```
From 4519292562025590531
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44889424.5070305@fuse.net>
Date: Thu, 08 Jun 2006 17:18:28 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
  still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com>
In-Reply-To: <1149774341.518961.129650@i40g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 21
X-Trace: 365f64488945ae098318617456
Xref: g2news2.google.com rec.radio.amateur.antenna:12630
rec.radio.amateur.equipment:4597 rec.radio.amateur.misc:13520
rec.radio.shortwave:38749

John S. wrote:
> jawod wrote:
>
>>John S. wrote:
>>
>>>New Ham wrote:
>>>
>>>
>>>>Did I get ripped off?
>>>
>>>
>>>You  might try a Stetson.
>>>
>>
>>Try a Dunce Cap (low capacitance) attached to your screwdriver and
```

```
>>manually adjust until your dip meter reads moron   :)
>
>
> Uh oh...feeling a bit testy today???
>
Not, not at all...didn't you see my :) ?  No offense intended.


From 4194017858817114796
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!newsfeed.freenet.de!
border2.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-03!sn-ams!sn-
feed-ams-02!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-
for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
Date: Thu, 08 Jun 2006 16:46:03 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128h6krkcmme48c@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<MsHhg.24$0I2.8@fe06.lga>   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
<1149724604.928282.248280@u72g2000cwu.googlegroups.com>
<128ercucqikj3b0@corp.supernews.com>
<QMydnTo9LeRhFBrZnZ2dneKdnZydnZ2d@comcast.com>
<1149774179.543305.288650@f6g2000cwb.googlegroups.com>
In-Reply-To: <1149774179.543305.288650@f6g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 42
Xref: g2news2.google.com rec.radio.amateur.antenna:12633
rec.radio.amateur.equipment:4598 rec.radio.amateur.misc:13521
rec.radio.shortwave:38750

John S. wrote:

> Brian Denley wrote:
>
>>David G. Nagel wrote:
```

```
>>
>>>John S. wrote:
>>>
>>>>Or looking for a left-handed crescent wrench and fetching a bucket of
>>>>prop wash.
>>>
>>>The problem with this joke is that the wrench exhists. Handedness in a
>>>wrench is determined by which thumb closes the jaws. Right thumb right
>>>hand wrench, left thumb left handed wrench.
>>>
>>>I have a left handed crescent type wrench. Where was it made?
>>>POLAND of course.
>>>
>>>Wrench available for inspection.
>>>
>>>Dave WD9BDZ
>>>
>>>
>>
>>At 23, I took a job as a young engineer at a place that had previously been
>>a gyroscope manufacturer.  As the new guy, they asked my to deliver a
>>briefcase to the boss' office and (you guessed it) there was a spinning gryo
>>in the briefcase.  I got a big surprise when I tried to turn a corner in the
>>corrider and the briefcase kept going straight ahead!  A great 'new guy'
>>trick.
>>--
>
>
>
> Or send the new guy in engineering to supply for a pressurized
> container of Dihydrogen Monoxide.
>
Careful that stuff is extremely deadly if inhaled.


> Or send the new finance guy to get the difference finder.
>



From 681389486324201610
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
```

```
still gets wet when it rains.
Date: 8 Jun 2006 15:22:03 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1149805323.650308.61230@i40g2000cwc.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
   <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
   <448767E7.4040009@fuse.net>
   <1149774341.518961.129650@i40g2000cwc.googlegroups.com>
   <44889424.5070305@fuse.net>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149805328 31968 127.0.0.1 (8 Jun 2006 22:22:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 22:22:08 +0000 (UTC)
In-Reply-To: <44889424.5070305@fuse.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:12636
rec.radio.amateur.equipment:4599 rec.radio.amateur.misc:13522
rec.radio.shortwave:38752


jawod wrote:
> John S. wrote:
> > jawod wrote:
> >
> >>John S. wrote:
> >>
> >>>New Ham wrote:
> >>>
> >>>
> >>>>Did I get ripped off?
> >>>
> >>>
> >>>You  might try a Stetson.
> >>>
> >>
> >>Try a Dunce Cap (low capacitance) attached to your screwdriver and
> >>manually adjust until your dip meter reads moron   :)
> >
> >
> > Uh oh...feeling a bit testy today???
> >
> Not, not at all...didn't you see my :) ?  No offense intended.

Ooops...please accept my apology.
```

```
From 8717731103518882380
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
Date: Thu, 08 Jun 2006 15:43:18 -0700
Reply-To: noway@nohow.com
Message-ID: <co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node131-61-52-66.1dial.com
X-Trace: newsfeed.slurp.net 1149806392 66.52.61.131 (8 Jun 2006 17:39:52 -0500)
Lines: 36
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 66.52.61.131
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!
newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:12637
rec.radio.amateur.equipment:4600 rec.radio.swap:4470
```

ORIGINAL MESSAGE:

On Tue, 6 Jun 2006 09:36:21 -0400, "clfe" <Nospam@clfurent.com> wrote:

>I am of the opinion that a 5 WPM at least - should be kept on as a
>requirement - as someday - it may be needed. Think not? Say you're in the
>midst of an attack - of terrorism, a war on our homefront OR a large scale
>natural disaster, a microphone isn't working or available. You can key the
>radio but don't know code - now what? With code, even at 5 WPM - you could
>get some very important information to those needing it to help save you -
>to them. You could tell them WITH code, what is needed, exact whereabouts,
>how many people involved, etc........ Just clicking a mic pin with a wire
>won't tell anyone anything and could delay any help or a response big enough
>to do much good. In these times with the large scale disasters as we've seen
>and attacks - even for any said to be planned, NOW is a good time to WANT to
>know code. IT may save you........ It is one of those skills you learn -
>just like CPR or whatever - you hope you never have to use, but you're glad
>you have it - when you need it.

*********** REPLY SEPARATOR ***********

Your priorities are skewed. Since there are only so many hours
allotted to us, what would be a better way to spend your spare time:

1. Learning morse code for the above mike-failure scenario?
2. Stocking up food, water and ammo for the above mike-failure
scenario?

You have been reading too many stories of the valiant radio op on the
Titanic. Ain't gonna happen.

Bill, W6WRT
20 wpm Extra, but realistic about it

From -5923394916716154097
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
Date: Thu, 08 Jun 2006 15:45:28 -0700
Reply-To: noway@nohow.com
Message-ID: <i1ah82tjdddgjjvcsknsdnajpf5qmg40cs@4ax.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<44858906$0$3702$ecde5a14@news.coretel.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node131-61-52-66.1dial.com
X-Trace: newsfeed.slurp.net 1149806522 66.52.61.131 (8 Jun 2006 17:42:02 -0500)
Lines: 17
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 66.52.61.131
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news.karotte.org!
koehntopp.de!news.musoftware.de!usenet.ath.cx!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:12638
rec.radio.amateur.equipment:4601 rec.radio.swap:4471

ORIGINAL MESSAGE:

On Tue, 6 Jun 2006 09:54:14 -0400, "clfe" <Nospam@clfurent.com> wrote:

>One other thing........ I cut my teeth on CB back when the FCC was busting
>CBers regularly for violations. I then got into Ham and Electronics.

*********** REPLY SEPARATOR ***********

Your CB origin is showing. "Ham" is an adjective, not a noun. One does
not "get into ham", one "gets into ham radio".

10-4?

Bill, W6WRT

```
From -3971632963463853620
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
In-Reply-To: <co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <N42ig.20974$VE1.626@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.245.70.140
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1149808045 ST000 70.245.70.140 (Thu, 08 Jun
2006 19:07:25 EDT)
NNTP-Posting-Date: Thu, 08 Jun 2006 19:07:25 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
S[O]STVEMBRSP_@YMZJ\_Q\@TJ_ZTB\MV@BT]_MIJQR@EPIB_VUKAH_[MTX\IS[K[NGYJJFNOFZR_G[BUN
TAOQLFE^TEHRPI]PZZRP_BMDSFQFL_]CBHXRWCMDCUZAZN@D_AKMNLEI]MWHCSXL^]NNC__CZFGSGHYYXW
```

PFG@SCAVA]\FT\@B\RDGENSUQS^M
Date: Thu, 08 Jun 2006 23:07:25 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12639
rec.radio.amateur.equipment:4602 rec.radio.swap:4472

Bill Turner wrote:
> You have been reading too many stories of the valiant radio op on the
> Titanic. Ain't gonna happen.

Seems the bullies are not all on SSB after all. Didn't the
Titanic's CW operator bully the California's CW operator to
such an extent that he turned off, turned in, and the rest
is history?
--
73, Cecil http://www.qsl.net/w5dxp

From -2140727515518551275
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<44858906$0$3702$ecde5a14@news.coretel.net>
<i1ah82tjdddgjjvcsknsdnajpf5qmg40cs@4ax.com>
In-Reply-To: <i1ah82tjdddgjjvcsknsdnajpf5qmg40cs@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <W52ig.20975$VE1.4151@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.245.70.140
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1149808118 ST000 70.245.70.140 (Thu, 08 Jun
2006 19:08:38 EDT)
NNTP-Posting-Date: Thu, 08 Jun 2006 19:08:38 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
S[O]STVEMBRSP_@YMZJ_Q\@TJ_ZTB\MV@BT]_MIJQR@EPIB_VUKAH_[MTX\IS[K[NGYJJFNOFZR_G[BUN
TAOQLFE^TEHRPI]PZZRP_BMDSFQFL_]CBHXRWCMDCUZAZN@D_AKMNLEI]MWHCSXL^]NNC__CZFGSGHYYXW

```
PFG@SCAVA]\FT\@B\RDGENSUQS^M
Date: Thu, 08 Jun 2006 23:08:38 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12640
rec.radio.amateur.equipment:4603 rec.radio.swap:4473

Bill Turner wrote:
> "Ham" is an adjective, not a noun.

Are you a ham? :-)
--
73, Cecil  http://www.qsl.net/w5dxp


From 35971689970576000
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <4488B7B0.2000303@fuse.net>
Date: Thu, 08 Jun 2006 19:50:08 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<44858906$0$3702$ecde5a14@news.coretel.net>
<i1ah82tjdddgjjvcsknsdnajpf5qmg40cs@4ax.com>
In-Reply-To: <i1ah82tjdddgjjvcsknsdnajpf5qmg40cs@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 14
X-Trace: 5de794488b7e7e098318624998
Xref: g2news2.google.com rec.radio.amateur.antenna:12644
rec.radio.amateur.equipment:4604 rec.radio.swap:4476



>
> Your CB origin is showing. "Ham" is an adjective, not a noun. One does
> not "get into ham", one "gets into ham radio".
>
```

> 10-4?
>
> Bill, W6WRT
>
Gee, Bill. That's mighty specific. But since you brought it up. "Ham"
can be used as a proper noun: "I'm a Ham". Not everyone goes to the
trouble of saying "ham radio operator".

It's also a sandwich.

From 4735909275305477768
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
Subject: Re: Give up CB for ham?
Date: Thu, 8 Jun 2006 21:29:02 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Lines: 51
Message-ID: <4488ced6$0$3683$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 5fd2d464.news.coretel.net
X-Trace:
DXC=FJObHgbmS;klc`eo2`TZljcYX6N<OEXQkl96DUHAO4cmjDnlXhV[R6iQ_ki0:Djcgaf[F4PLRTMYg
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12652
rec.radio.amateur.equipment:4605 rec.radio.swap:4479

"Bill Turner" <dezrat@copper.net> wrote in message
news:co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com...
> ORIGINAL MESSAGE:
>
> On Tue, 6 Jun 2006 09:36:21 -0400, "clfe" <Nospam@clfurent.com> wrote:
>
>

>>I am of the opinion that a 5 WPM at least - should be kept on as a
>>requirement - as someday - it may be needed. Think not? Say you're in the
>>midst of an attack - of terrorism, a war on our homefront OR a large scale
>>natural disaster, a microphone isn't working or available. You can key the
>>radio but don't know code - now what? With code, even at 5 WPM - you could
>>get some very important information to those needing it to help save you -
>>to them. You could tell them WITH code, what is needed, exact whereabouts,
>>how many people involved, etc........ Just clicking a mic pin with a wire
>>won't tell anyone anything and could delay any help or a response big
>>enough
>>to do much good. In these times with the large scale disasters as we've
>>seen
>>and attacks - even for any said to be planned, NOW is a good time to WANT
>>to
>>know code. IT may save you........ It is one of those skills you learn -
>>just like CPR or whatever - you hope you never have to use, but you're
>>glad
>>you have it - when you need it.
>
> *********** REPLY SEPARATOR ***********
>
> Your priorities are skewed. Since there are only so many hours
> allotted to us, what would be a better way to spend your spare time:
>
> 1. Learning morse code for the above mike-failure scenario?
> 2. Stocking up food, water and ammo for the above mike-failure
> scenario?
>
> You have been reading too many stories of the valiant radio op on the
> Titanic. Ain't gonna happen.
>
> Bill, W6WRT
> 20 wpm Extra, but realistic about it
>
>

Not really, but I'm not in a mood to argue about stupid shit - anymore.
Actually, I could care less. My ham days are few and far in between due to
all the ass holes on there ruining it for the rest of us. Maybe you're
right......... the code really didn't keep the crud off the radios. Hell,
why even have a test at all.

From 850813428294348473
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!

```
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<44858906$0$3702$ecde5a14@news.coretel.net>
<i1ah82tjdddgjjvcsknsdnajpf5qmg40cs@4ax.com>
Subject: Re: Give up CB for ham?
Date: Thu, 8 Jun 2006 21:30:17 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Lines: 26
Message-ID: <4488cf20$0$3686$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 5fd2d464.news.coretel.net
X-Trace:
DXC=Gi58J6cN95@_RWL8Mo2N8DcYX6N<OEXQKl96DUHAO4cM@XOQQQH=dbDQ_ki0:DjcgAk_UoZ^\XjUI
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12653
rec.radio.amateur.equipment:4606 rec.radio.swap:4481
```

```
"Bill Turner" <dezrat@copper.net> wrote in message
news:i1ah82tjdddgjjvcsknsdnajpf5qmg40cs@4ax.com...
> ORIGINAL MESSAGE:
>
> On Tue, 6 Jun 2006 09:54:14 -0400, "clfe" <Nospam@clfurent.com> wrote:
>
>
>>One other thing........ I cut my teeth on CB back when the FCC was busting
>>CBers regularly for violations. I then got into Ham and Electronics.
>
> *********** REPLY SEPARATOR ***********
>
> Your CB origin is showing. "Ham" is an adjective, not a noun. One does
> not "get into ham", one "gets into ham radio".
>
> 10-4?
>
> Bill, W6WRT
>
```

For christ's sakes - a misuse of words - so what........ I'm not an English Major. If that is all you can find to run off at the mouth about, why bother?

```
From -3150580971379713719
X-Google-Thread: 108122,f2cd0836cb44d8ff,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "ars_wa8mea@netzero.com" <ars_wa8mea@netzero.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Yaesu FT-107M (Black front)
Date: 8 Jun 2006 18:43:47 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1149817427.731486.323890@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 67.139.152.40
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149817432 14637 127.0.0.1 (9 Jun 2006 01:43:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Jun 2006 01:43:52 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=67.139.152.40;
   posting-account=ChJCaQ0AAAAPwDzdCnuQ_KYBQ1LT2KRZ
Xref: g2news2.google.com rec.radio.amateur.equipment:4607
```

For Sale: BEAUTIFUL, rare, black front Yaesu FT-107M. (Most were white.) 10-160 meters. 240 watts input. Two extra crystal sockets for WARC bands. 12 volt rig, so it can go mobile. Fused power cord, YM-37 microphone AND brand new Turner noise cancelling mic which works and sounds fantastic! CW wide/narrow filter. Original box, schematics, parts list, instruction book, even warranty card! Outside appearance: very good to excellent! Front panel of rig: mint! (Photo available at QTH,com under RADIOHF) First $450 takes it! (Plus $19.95 towards triple box shipping and insurance.) First e-mail gets it! wa8mea@hotmail - PayPal available as well as Visa/Mastercard through my ham business.
73, Bill Lauterbach - WA8MEA - http://HamRadioFun.com/

```
From 5063274794800432034
X-Google-Thread: 10dafd,25facdce41fd9ab5,start
X-Google-Thread: 108122,25facdce41fd9ab5,start
X-Google-Thread: 108228,25facdce41fd9ab5,start
X-Google-Thread: 1062f2,25facdce41fd9ab5,start
X-Google-Attributes: gid10dafd,gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 08 Jun 2006 21:03:44 -0500
Subject: FA: HEATHKIT MICROPROCESSOR TRAINER Model ET-3400 (works like a charm!)
Date: Thu, 08 Jun 2006 22:03:44 -0400
From: Adam <adam@mslkoiuwa.com>
Newsgroups: alt.marketplace.online.ebay,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <0806200622034406054%adam@mslkoiuwa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
fndEiPgd80XxYJWAmQOGTVCWjRRXvrBddAOuer6v+psgufQRO0pomgnF1q2nFCzH5OrYmK6oI9fLcL9!
RLpK5h+XByuC6reAPxC1wjg2/0xs3LXbubLtxHTmOC5mzAUfohBdzzb+8BamX1LWWTbs2SOjItAQ!
zXo9zybZPaiRhzmN7Me8
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.marketplace.online.ebay:10936
rec.radio.amateur.equipment:4608 alt.ham-radio.marketplace:1014
misc.industry.electronics.marketplace:476


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=8825635240


From 8580194406942867254
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc01.POSTED!187885e1!not-for-mail
From: Justin Case <cccccccc3cc3cc2c@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Message-ID: <lvlh82t91nhaljfp8ucajepbcc8t403ocj@4ax.com>
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
<e7tg82hk698c7ek7nd2sm7q9mi4d74e3nr@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 43
Date: Fri, 09 Jun 2006 02:12:41 GMT
```

NNTP-Posting-Host: 71.111.240.54
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1149819161 71.111.240.54 (Thu, 08 Jun 2006 22:12:41 EDT)
NNTP-Posting-Date: Thu, 08 Jun 2006 22:12:41 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4609

On Thu, 08 Jun 2006 19:07:53 GMT, Bob Miller <NOSPAM@neosoft.com>
wrote:

>On Thu, 08 Jun 2006 02:12:22 GMT, Justin Case
><cccccccc3cc3cc2c@aol.com> wrote:
>
>>
>>
>>Dear Kenwood,
>>   I've been reading all the reviews on your current ham radios, and
>>one thing repeatedly comes up in the reviews. The Kenwood TS-450s is
>>reported to be better than the Kenwood TS-570x, and the Kenwood
>>TS-850s is reported to be better than the TS-2000. As a matter of
>>fact many of the reviews have said the TS-2000 is down right deaf when
>>compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
>>V.   I looked at the Icom radios, but I thought they were ugly.   The
>>Yaesu radios have too many reported trips back to Yaesu repair, the
>>Ten Tec Orion II is too expensive, so that leaves Kenwood. I can buy
>>used, but it would be nice to have a new TS-850s. I've got the cash,
>>the desire, and the will to spend, but you currently don't offer the
>>radio to get my dollars.
>>
>>Sincerely,
>>
>>A U.S. Ham.
>
>The new Kenwood 480-series transceivers are getting pretty nice
>reviews on eHam.net. Good review in QST, too. Sorta ugly, but I'm
>tempted, myself.
>
>bob
>k5qwg

Who ever is designing the face of Kenwood's latest batch of ham
radios must wear ugly clothes, drive an ugly car, live in an ugly
house, and be married to an ugly woman, because only if you were
surrounded with alot of ugly things would you think those Kenwood
radios looked good.

From -8706459735590601756
X-Google-Thread: 108122,1c8cab5dbcd85c5e,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "Used2Way" <pchoman@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Maxtrac 800Mhz B5 & B7
Date: 8 Jun 2006 19:31:22 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1149820282.244672.209690@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.196.209.104
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149820287 7167 127.0.0.1 (9 Jun 2006 02:31:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Jun 2006 02:31:27 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=71.196.209.104;
   posting-account=BzojKA0AAAC1zkGBiXVuJyDhKR1gk6nH
Xref: g2news2.google.com rec.radio.amateur.equipment:4610

I am looking for Maxtrac B7 & specifically D35MWABGB5 K

Thanks,
Paul
720-219-8898
pccomminc@yahoo.com




From -7894308919483765166
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!uio.no!newsfeeds.sol.net!
posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Date: Thu, 08 Jun 2006 22:34:42 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
```

```
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
<4488ced6$0$3683$ecde5a14@news.coretel.net>
In-Reply-To: <4488ced6$0$3683$ecde5a14@news.coretel.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <4488ec52$0$6141$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 09 Jun 2006 03:34:43 GMT
NNTP-Posting-Host: 9eba2d4a.news.twtelecom.net
X-Trace:
DXC=FcV=kbWAIhicJhQ<W;:kglC_A=>8kQj6m9BHNOcEA\@i^n<f61:5O8oZngdO0^]QifiO<X36RK]`j
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12661
rec.radio.amateur.equipment:4611 rec.radio.swap:4487
```

clfe wrote:

> Not really, but I'm not in a mood to argue about stupid shit - anymore.
> Actually, I could care less. My ham days are few and far in between due to
> all the ass holes on there ruining it for the rest of us. Maybe you're
> right......... the code really didn't keep the crud off the radios. Hell,
> why even have a test at all.
>
>
>

Time to hang up your ticket I guess. We are all assholes, and you are
the only "true ham radio operator" left. Go play with yourself.

tom
K0TAR

```
From -3793474757604452343
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeeds.sol.net!
posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Date: Thu, 08 Jun 2006 22:37:14 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
```

```
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
<4488ced6$0$3683$ecde5a14@news.coretel.net>
In-Reply-To: <4488ced6$0$3683$ecde5a14@news.coretel.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <4488ecea$0$6141$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 09 Jun 2006 03:37:15 GMT
NNTP-Posting-Host: 9eba2d4a.news.twtelecom.net
X-Trace:
DXC=NcMlbQbl3;efMDbMQQNgfbC_A=>8kQj6m9BHNOcEA\@i^n<f61:5O8oZngdO0^]QifiO<X36RK]`j
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12662
rec.radio.amateur.equipment:4612 rec.radio.swap:4488
```

clfe wrote:

> Not really, but I'm not in a mood to argue about stupid shit - anymore.
> Actually, I could care less. My ham days are few and far in between due to
> all the ass holes on there ruining it for the rest of us. Maybe you're
> right.......... the code really didn't keep the crud off the radios. Hell,
> why even have a test at all.
>

And at least we admit who we are. You, on the other hand, are hiding.
You are likely just a frigging troll that isn't even licensed.

tom
K0TAR

```
From 9106438443352498648
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!7116ff50!not-for-mail
From: "Ed" <none@this.time>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
```

```
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
Subject: Re: Give up CB for ham?
Lines: 45
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <kb7ig.42612$fb2.39224@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 68.95.139.137
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1149828944 ST000 68.95.139.137 (Fri, 09 Jun
2006 00:55:44 EDT)
NNTP-Posting-Date: Fri, 09 Jun 2006 00:55:44 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJONQJT[CTLYFBCBNWX@RJ_XPDLMN@GZ_GYO^RR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Fri, 09 Jun 2006 04:55:44 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12665
rec.radio.amateur.equipment:4613 rec.radio.swap:4489

Give up CB for Ham.....what the hell would you be giving up?
"Bill Turner" <dezrat@copper.net> wrote in message
news:co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com...
> ORIGINAL MESSAGE:
>
> On Tue, 6 Jun 2006 09:36:21 -0400, "clfe" <Nospam@clfurent.com> wrote:
>
>
>>I am of the opinion that a 5 WPM at least - should be kept on as a
>>requirement  - as someday - it may be needed. Think not? Say you're in the
>>midst of an attack - of terrorism, a war on our homefront OR a large scale
>>natural disaster, a microphone isn't working or available. You can key the
>>radio but don't know code - now what? With code, even at 5 WPM - you could
>>get some very important information to those needing it to help save you -
>>to them. You could tell them WITH code, what is needed, exact whereabouts,
>>how many people involved, etc........ Just clicking a mic pin with a wire
>>won't tell anyone anything and could delay any help or a response big
>>enough
>>to do much good. In these times with the large scale disasters as we've
>>seen
>>and attacks - even for any said to be planned, NOW is a good time to WANT
>>to
>>know code. IT may save you........ It is one of those skills you learn -
>>just like CPR or whatever - you hope you never have to use, but you're
>>glad
>>you have it - when you need it.
>
> *********** REPLY SEPARATOR ***********
```

>
> Your priorities are skewed. Since there are only so many hours
> allotted to us, what would be a better way to spend your spare time:
>
> 1. Learning morse code for the above mike-failure scenario?
> 2. Stocking up food, water and ammo for the above mike-failure
> scenario?
>
> You have been reading too many stories of the valiant radio op on the
> Titanic. Ain't gonna happen.
>
> Bill, W6WRT
> 20 wpm Extra, but realistic about it
>
>

From -141646316865028362
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
Date: Thu, 8 Jun 2006 22:14:52 -0700
Message-ID: <MPG.1ef2a3ab74a1d5729896be@news.drizzle.com>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1> <MPG.1eefd2be71224f4e9896ba@news.drizzle.com> <e68523$cfe@unix1.cc.ksu.edu>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 36
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4614

In article <e68523$cfe@unix1.cc.ksu.edu>, mcalhoun@ksu.edu (known to
some as mcalhoun@ksu.edu) scribed...

> >> So, other than the obvious need to minimize sales tax, what
> >> contributes to your decision?
>
> >Motorola Spectra units filled the bill nicely. Durable, programmable,
> >reasonably inexpensive on the used market, simple to operate once
> >programmed....

>
> Our local police are talking about getting all new radios "real soon
> now", which means their old ones may become available.
>
> But can we ordinary peons get the programming software?

For conventional Spectras? Heck, Motorola will sell it to anyone willing to sign their Draconian software licensing agreement. Last I looked, conventional Spectra software was down to about $175.

Keep in mind, though, it's not just the software. You also need a RIB (Radio Interface Box -- anywhere from $25 to $100, depending on where you get it and which one you get). Programming cables for the Spectras are easy enough to make.

Worst case (shameless plug alert), there are guys like me who specialize in conversion of such radios to amateur service, and have all the tools necessary for programming and checkout. ;-)

Happy hunting.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From 1775748151015424337
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
<4488ced6$0$3683$ecde5a14@news.coretel.net>
<4488ec52$0$6141$39cecf19@news.twtelecom.net>
Subject: Re: Give up CB for ham?
Date: Fri, 9 Jun 2006 03:25:33 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Lines: 36
Message-ID: <44892265$0$3702$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: a6341bcb.news.coretel.net
X-Trace: DXC=[NGF]gnInNM[21GPF7_4W@cYX6N<OEXQKLiCL?
EV`iQMh1LV`O1nRTHfSDnfmbTPlLgd^PlA79M0N
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12668
rec.radio.amateur.equipment:4615 rec.radio.swap:4491
```

"Tom Ring" <news0002@taring.org> wrote in message
news:4488ec52$0$6141$39cecf19@news.twtelecom.net...

> clfe wrote:
>
>> Not really, but I'm not in a mood to argue about stupid shit - anymore.
>> Actually, I could care less. My ham days are few and far in between due
>> to all the ass holes on there ruining it for the rest of us. Maybe you're
>> right.......... the code really didn't keep the crud off the radios.
>> Hell, why even have a test at all.
>>
>>
>>
>
> Time to hang up your ticket I guess. We are all assholes, and you are the
> only "true ham radio operator" left. Go play with yourself.
>
> tom
> K0TAR

Nah, not all of "us" or "you" in the case of your statement. I'm just saying a lot of crap is going on - on the bands today and its not worth even earning a ticket for - anymore. Ham radio and yes, even CB - used to be respectable at one time. How times change. Its hardly worth turning on the radio anymore. Especially on say 10 and 80 meters. But back to "your" statement, there are still "many" decent operators on both the Ham AND CB bands - out there. Ya just got to pick through the rubble to find them sometimes.

And NO, I"m not the "ONLY" "TRUE" Operator left........ Don't put words in my mouth, I certainly didn't place myself on any pedestal. Again - there are LOTS of decent operators out there. I didn't say "ALL" were bad - but there are - you have to admit - quite a few bad ones. Its gotten worse in the past few years.

```
From 8931402698591294123
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
```

X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<co9h82d7fejjh7ac87n63pe9lgkcuu1120@4ax.com>
<4488ced6$0$3683$ecde5a14@news.coretel.net>
<4488ecea$0$6141$39cecf19@news.twtelecom.net>
Subject: Re: Give up CB for ham?
Date: Fri, 9 Jun 2006 03:36:46 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Lines: 26
Message-ID: <44892506$0$3706$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: a6341bcb.news.coretel.net
X-Trace: DXC=1Cf<:W@Nh[^L8_5P>I5^6\cYX6N<OEXQ[LiCL?
EV`iQ]@XOQQQH=dbTfSDnfmbTPl\eeF>HVQd<`Y
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12669
rec.radio.amateur.equipment:4616 rec.radio.swap:4492

"Tom Ring" <news0002@taring.org> wrote in message
news:4488ecea$0$6141$39cecf19@news.twtelecom.net...
> clfe wrote:
>
>> Not really, but I'm not in a mood to argue about stupid shit - anymore.
>> Actually, I could care less. My ham days are few and far in between due
>> to all the ass holes on there ruining it for the rest of us. Maybe you're
>> right.......... the code really didn't keep the crud off the radios.
>> Hell, why even have a test at all.
>>
>
> And at least we admit who we are. You, on the other hand, are hiding. You
> are likely just a frigging troll that isn't even licensed.
>
> tom
> K0TAR
>
>

I don't sign with my call. Some like to - that is their choice. But even if
they didn't - wouldn't give me any reason to doubt them being licensed.
"Posting" a call sign doesn't prove a thing. "I" for one - am NOT going to
go running to the FCC database to check your call or any other to see if it
is legit. I don't care........

From -5133532874721287192
X-Google-Thread: 108122,c3c9c669eda19179
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe04.lga.POSTED!53ab2750!not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 8875's
Message-ID: <o2fi82dfioh6hd8qd5okpt6p2uvjcjbmtr@4ax.com>
References: <65c5a$44886c12$471c706c$27897@ALLTEL.NET>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
X-Trace:
badccedimaighclegflgaolfhmnjelmahghmdjkgijjhjnibjhmplkekeojdkmlbpjebiopjhnjaohbndo
kefjbgomjckideioacbnbbpobjipdgebdkoiacpoijdimdbcfagklmibllijll
NNTP-Posting-Date: Fri, 09 Jun 2006 02:18:56 MST
Date: Fri, 09 Jun 2006 05:19:05 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:4617

On Thu, 8 Jun 2006 14:27:25 -0400, "Mitchell" <mingram1234@alltel.net>
wrote:

>I have a Dentron MLA 2500 that runs the now obsolite 8875 ceramic tube and
>I'd like to know if there are any other tubes that are pin compatible with
>these?

8873, 74 and 75 are not only pin compatible but electrically as well.
Of course only the 74's can be found and they are "expensive. They are
axially cooled just like the 4CX-250s so it'd take modifying the
system to pressurize the tube socket area to get suficient cooling.
The 8874's do have 400 watt plate disapation if you put enough air on
them.

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com
>
>Thanks,

```
>Mitchell
>


From 9020567098351830269
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Butch Magee <lynyrd@cableone.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
Date: Fri, 09 Jun 2006 06:59:40 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128iolddveh4j8d@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com> <MsHhg.24$0I2.8@fe06.lga>
In-Reply-To: <MsHhg.24$0I2.8@fe06.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.radio.amateur.antenna:12672
rec.radio.amateur.equipment:4618 rec.radio.amateur.misc:13558
rec.radio.shortwave:38793

Brian Hill wrote:
> "John S." <hjsjms@cs.com> wrote in message
> news:1149714609.565540.160300@c74g2000cwc.googlegroups.com...
>
>>New Ham wrote:
>>
>>>Did I get ripped off?
>>
>>You  might try a Stetson.
>>
>
>
> four or five X beaver John?
>
> BH
>
>
```

No, no! Thats a waste of good beaver :

```
From -2664441485311034620
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 09 Jun 2006 07:18:11 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
<e7tg82hk698c7ek7nd2sm7q9mi4d74e3nr@4ax.com>
<lvlh82t91nhaljfp8ucajepbcc8t403ocj@4ax.com>
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Date: Fri, 9 Jun 2006 07:18:09 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <BeqdnSRQPNue-hTZnZ2dnUVZ_vudnZ2d@comcast.com>
Lines: 49
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-ZWEWUn6hJgupv1PVA4BvG3K/J7GjPaRr9PnSOGmOq8VVTArdMCSk9ldILGUgks+
+x5jPrSOUQVNZFAt!
u6kNimwwqnH+BHdJ+2lNuBKdnxg2fJBWkmvl0D3TYGfCwFbEtUKN3M2RP3NKvbyF+Jaaf63HwzFP!a0nF/
LsyDdHTIg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4619
```

```
"Justin Case" <cccccccc3cc3cc2c@aol.com> wrote in message
news:lvlh82t91nhaljfp8ucajepbcc8t403ocj@4ax.com...
> On Thu, 08 Jun 2006 19:07:53 GMT, Bob Miller <NOSPAM@neosoft.com>
> wrote:
>
>>On Thu, 08 Jun 2006 02:12:22 GMT, Justin Case
>><cccccccc3cc3cc2c@aol.com> wrote:
>>
>>>
>>>
>>>Dear Kenwood,
>>>    I've been reading all the reviews on your current ham radios, and
>>>one thing repeatedly comes up in the reviews.  The Kenwood TS-450s is
>>>reported to be better than the Kenwood TS-570x, and the Kenwood
```

```
>>>TS-850s is reported to be better than the TS-2000.  As a matter of
>>>fact many of the reviews have said the TS-2000 is down right deaf when
>>>compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
>>>V.   I looked at the Icom radios, but I thought they were ugly.   The
>>>Yaesu radios have too many reported trips back to Yaesu repair, the
>>>Ten Tec Orion II is too expensive, so that leaves Kenwood.  I can buy
>>>used, but it would be nice to have a new TS-850s.  I've got the cash,
>>>the desire, and the will to spend, but you currently don't offer the
>>>radio to get my dollars.
>>>
>>>Sincerely,
>>>
>>>A U.S. Ham.
>>
>>The new Kenwood 480-series transceivers are getting pretty nice
>>reviews on eHam.net. Good review in QST, too. Sorta ugly, but I'm
>>tempted, myself.
>>
>>bob
>>k5qwg
>
>
>  Who ever is designing the face of Kenwood's latest batch of ham
> radios must wear ugly clothes, drive an ugly car, live in an ugly
> house, and be married to an ugly woman, because only if you were
> surrounded with alot of ugly things would you think those Kenwood
> radios looked good.

The 480HX might be ugly, but its the best HF mobile rig I have ever run.

-n6ojn





From 3813834291987184138
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: peewee_lloyd_davies@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 9 Jun 2006 05:35:46 -0700
```

```
Organization: http://groups.google.com
Lines: 22
Message-ID: <1149856546.597189.321690@y43g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <1149606997.736862.209000@c74g2000cwc.googlegroups.com>
   <1149684175.500749.17370@f6g2000cwb.googlegroups.com>
   <1149701987.056423.87510@i40g2000cwc.googlegroups.com>
   <1149773589.092481.119850@i39g2000cwa.googlegroups.com>
   <1149783867.303127.313090@y43g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.155.57
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149856552 6888 127.0.0.1 (9 Jun 2006 12:35:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Jun 2006 12:35:52 +0000 (UTC)
In-Reply-To: <1149783867.303127.313090@y43g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=65.54.155.57;
   posting-account=hhK0dQ0AAADty9Zux-UTqaosOMA-iJfP
Xref: g2news2.google.com rec.radio.amateur.antenna:12675
rec.radio.amateur.equipment:4620 rec.radio.amateur.misc:13583
rec.radio.amateur.policy:28836 rec.radio.shortwave:38795


an old freind wrote:
> Not Cocksucker Lloyd wrote:
> > sodomized by an old freind wrote:
> > > Not Cocksucker Lloyd wrote:
> > > > assraped by an old freind wrote:
> > > > > J. D. B. wrote:
> > > > > > That is a very good point that I never considered. In thinking about
it,
> > > > > > it makes perfect sense. "Mode Welfare" - too funny.
> > > > > well thank you for making my day Sir
> > > > >
> > > > > although the phrase isn't mine it cames from the regulars here on RRAp
> > > > > from back in 1990's
> > > >
> > > > It figures you'd have to plagiarize it, Markie. Dumbass!
> > > you are no one to talk you <whaaaaaaaaaaaH!!!>
> >
> > Poor Marqueer, whining and crying...........
> can you post at all <PKB>

... / - / ..-. / ..- / .-.-.-
```

```
From 3158284538752756969
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
logbridge.uoregon.edu!newsfeeds.ihug.co.nz!ihug.co.nz!news.compaq.com!
newsfeed1.sea.pnap.net!newsfeed.pnap.net!motgate2.mot.com!newshost!
avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: Fri, 9 Jun 2006 10:23:47 -0500
Organization: Motorola Applications Directory Team
Lines: 18
Message-ID: <e6c3q4$eno$1@avnika.corp.mot.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<MsHhg.24$0I2.8@fe06.lga>   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
<1149724604.928282.248280@u72g2000cwu.googlegroups.com>
<128ercucqikj3b0@corp.supernews.com>
<1149773576.391521.292660@h76g2000cwa.googlegroups.com>
<128gag4l6ir25e0@corp.supernews.com>
<OtWdnSwQsZAQqxXZnZ2dnUVZ_tednZ2d@comcast.com>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1149866628 15096 173.27.203.217 (9 Jun 2006 15:23:48
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Fri, 9 Jun 2006 15:23:48 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:12684
rec.radio.amateur.equipment:4621 rec.radio.amateur.misc:13593
rec.radio.shortwave:38803



> > Somebody  wrote:

> > No. This is an honest to god left handed crescent style wrench. Hold in
> > left hand and close  the jaws using the left thumb.
>
> I have a metric one  :-)
```

>
>

Yep ! Me too. I have a 150mm "Crescent" wrench! Works great on metric nuts & bolts.

73, Steve, K9DCI

```
From -4157085350699853858
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
logbridge.uoregon.edu!newsfeeds.ihug.co.nz!ihug.co.nz!news.compaq.com!
newsfeed1.sea.pnap.net!newsfeed.pnap.net!motgate2.mot.com!newshost!
avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: Fri, 9 Jun 2006 10:20:52 -0500
Organization: Motorola Applications Directory Team
Lines: 15
Message-ID: <e6c3kk$eng$1@avnika.corp.mot.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1149866452 15088 173.27.203.217 (9 Jun 2006 15:20:52
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Fri, 9 Jun 2006 15:20:52 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:12685
rec.radio.amateur.equipment:4622 rec.radio.amateur.misc:13594
rec.radio.shortwave:38804
```

Ahhhh!! Those only work when it rains capacitors !.

73, Steve, K9DCI

```
"John S." <hjsjms@cs.com> wrote in message
news:1149714609.565540.160300@c74g2000cwc.googlegroups.com...
>
> New Ham wrote:
> > Did I get ripped off?
>
> You  might try a Stetson.
>





From 3857088373797402623
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!postnews.google.com!
i40g2000cwc.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 9 Jun 2006 09:28:37 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1149870517.893244.250120@i40g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <1149606997.736862.209000@c74g2000cwc.googlegroups.com>
   <1149684175.500749.17370@f6g2000cwb.googlegroups.com>
   <1149701987.056423.87510@i40g2000cwc.googlegroups.com>
   <1149773589.092481.119850@i39g2000cwa.googlegroups.com>
   <1149783867.303127.313090@y43g2000cwc.googlegroups.com>
   <1149856546.597189.321690@y43g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.82.9.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149870523 1461 127.0.0.1 (9 Jun 2006 16:28:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Jun 2006 16:28:43 +0000 (UTC)
In-Reply-To: <1149856546.597189.321690@y43g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.70;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:12689
rec.radio.amateur.equipment:4623 rec.radio.amateur.misc:13622
rec.radio.amateur.policy:28873 rec.radio.shortwave:38810


peewee_lloyd_davies@yahoo.com wrote:
> an old freind wrote:

> > > Poor Marqueer, whining and crying...........
> > can you post at all <PKB>
>
> ... / - / ..-. / ..- / .-.-.-
guess not




From 2854779307804042043
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news2.volia.net!
feeder.news.tin.it!spool.news.tin.it!not-for-mail
From: "WX" <abcdefg@abcd.kk>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
<1149606997.736862.209000@c74g2000cwc.googlegroups.com>
<1149684175.500749.17370@f6g2000cwb.googlegroups.com>
<1149701987.056423.87510@i40g2000cwc.googlegroups.com>
<1149773589.092481.119850@i39g2000cwa.googlegroups.com>
<1149783867.303127.313090@y43g2000cwc.googlegroups.com>
<1149856546.597189.321690@y43g2000cwc.googlegroups.com>
<1149870517.893244.250120@i40g2000cwc.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Tue, 6 Jun 2006 06:22:47 +0200
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4522.1200
X-MIMEOLE: Produced By Microsoft MimeOLE V5.50.4522.1200
Lines: 3
```

```
Message-ID: <4489a67c$0$29724$4fafbaef@reader2.news.tin.it>
Organization: TIN.IT (http://www.tin.it)
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 82.51.113.210
X-Trace: 1149871741 reader2.news.tin.it 29724 82.51.113.210:1573
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.antenna:12690
rec.radio.amateur.equipment:4624 rec.radio.amateur.misc:13628
rec.radio.amateur.policy:28879 rec.radio.shortwave:38813

http://home.planet.nl/~pa3ebt/IARU-R1/25_5.htm




From 5823788170890621442
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: 9 Jun 2006 10:04:56 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1149872696.750235.113470@j55g2000cwa.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
   <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
   <MsHhg.24$0I2.8@fe06.lga>
   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
   <1149724604.928282.248280@u72g2000cwu.googlegroups.com>
   <128ercucqikj3b0@corp.supernews.com>
   <1149773576.391521.292660@h76g2000cwa.googlegroups.com>
   <128gag4l6ir25e0@corp.supernews.com>
   <OtWdnSwQsZAQqxXZnZ2dnUVZ_tednZ2d@comcast.com>
   <e6c3q4$eno$1@avnika.corp.mot.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149872701 19095 127.0.0.1 (9 Jun 2006 17:05:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 9 Jun 2006 17:05:01 +0000 (UTC)
In-Reply-To: <e6c3q4$eno$1@avnika.corp.mot.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:12692
rec.radio.amateur.equipment:4625 rec.radio.amateur.misc:13632
rec.radio.shortwave:38816


Steve N. wrote:
> > > Somebody  wrote:
>
> > > No. This is an honest to god left handed crescent style wrench. Hold in
> > > left hand and close  the jaws using the left thumb.
> >
> > I have a metric one  :-)
> >
> >
>
>
> Yep !  Me too.  I have a 150mm "Crescent" wrench!  Works great on metric
> nuts & bolts.
>
> 73, Steve, K9DCI

Yeah, and I've had these two left handed pipe wrenches around for
years.  This southpaw found them indispensable on galvanized, but can't
seem to get them to work on copper pipe.



From -6309779293744962379
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews4.bellsouth.net.POSTED!278bc1df!not-for-mail
From: "Jimmie D" <jimmiedee@bellsouth.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com> <MsHhg.24$0I2.8@fe06.lga>
<blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
<Xns97DBA9FEC980Cdoldridgsprintca@64.59.135.159>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Lines: 34
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <yimig.82682$iB2.11151@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbomdneflkaodhjfpkpmjiadajphhnihpgkfm
afdggejdfkjdamcminedjmjemeieanjnomgbkdgngcnmkghkmnkbibikllefnpgckegiphahdbffed
NNTP-Posting-Date: Fri, 09 Jun 2006 18:07:26 EDT
Organization: BellSouth Internet Service
Date: Fri, 9 Jun 2006 18:10:59 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:12699
rec.radio.amateur.equipment:4626 rec.radio.amateur.misc:13636
rec.radio.shortwave:38854
```

"Dave Oldridge" <doldridg@leavethisoutshaw.ca> wrote in message
news:Xns97DBA9FEC980Cdoldridgsprintca@64.59.135.159...

> Jim - NN7K <nn7kexk7zfg@NOSPAMsbcglobal.net> wrote in news:blJhg.19147
> $VE1.18282@newssvr14.news.prodigy.com:
>
>> Reminds me of the time (many years ago), when the
>> new kid on the gang was ordered to "Wash the
>> Dishes" (microwave), on a 150 foot tower ! Kid
>> decided it was time to quit! Had to
>> tell him it was a JOKE, or get the WHOLE Gang
>> in hot water !!! Jim NN7K
>
> Yeah. When I was in the RCAF many years ago, a common thing was to ask a
> newbie to go to the tool crib for a bucket of propwash.
>
>
> --
> Dave Oldridge+
> ICQ 1800667

When I reached my first duty assignment in the USAF I was sent on a fools errand to get 1000 yards of flight line. When I got to the place I was suppose to pick it up I told the guys there that I knew what flightline was but I had an idea for a joke on the guy that sent me down there.They were very happy to help. We went out back of the base and loaded up a truck with rubble from flightline construction then took it back and put it the POV pickup of they guy who had sent me out. When I went back to the shop I told him I had the flightline but didnt think I had the thousand yards he had requested. This got him and everyone else in the shop curious and they all wanted to see what I had brought back. Thats when I told him to go look in the back of his pickup.

```
From -6614250397387915023
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!906a06a6!not-for-mail
From: "Dan" <danvanderplough@verizon.net>
Newsgroups: rec.radio.amateur.equipment
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <68nig.84$db5.44@trnddc03>
Date: Fri, 09 Jun 2006 23:04:34 GMT
NNTP-Posting-Host: 71.115.77.32
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1149894274 71.115.77.32 (Fri, 09 Jun 2006 19:04:34 EDT)
NNTP-Posting-Date: Fri, 09 Jun 2006 19:04:34 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4627

I don't know where you are getting your reviews, but on e-ham, the TS 2000
is the second most reviewed HF transceiver with 279 reviews and an average
rating of 4.6 out of 5.0.  (the Icom 706, all flavors, has the most at 334
reviews.)  The TS 850 has 79 reviews with an average of 4.7 out of 5.0.  Not
much difference and a much smaller population in the data set.  I'd say the
2000 is holding it's own as far as user reviews go.

Oh yeah...Justin Case of WHAT??
"Justin Case" <cccccccc3cc3cc2c@aol.com> wrote in message
news:nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com...
>
>
> Dear Kenwood,
>    I've been reading all the reviews on your current ham radios, and
> one thing repeatedly comes up in the reviews.  The Kenwood TS-450s is
> reported to be better than the Kenwood TS-570x, and the Kenwood
> TS-850s is reported to be better than the TS-2000.  As a matter of
> fact many of the reviews have said the TS-2000 is down right deaf when
> compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
> V.   I looked at the Icom radios, but I thought they were ugly.   The
> Yaesu radios have too many reported trips back to Yaesu repair, the
> Ten Tec Orion II is too expensive, so that leaves Kenwood.  I can buy
> used, but it would be nice to have a new TS-850s.  I've got the cash,
> the desire, and the will to spend, but you currently don't offer the
> radio to get my dollars.
>
> Sincerely,
>
```

> A U.S. Ham.
>

From -7667524557054640575
X-Google-Thread: 108122,ac3d28b1cd52067f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!1553123f!not-for-mail
From: "RadAct" <n7rcm@pobox.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood TM-741 Triband Mobile
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <GLpig.3976$lf4.655@newsread1.news.pas.earthlink.net>
Date: Sat, 10 Jun 2006 02:03:18 GMT
NNTP-Posting-Host: 71.48.62.88
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1149904998 71.48.62.88 (Fri, 09 Jun 2006 19:03:18 PDT)
NNTP-Posting-Date: Fri, 09 Jun 2006 19:03:18 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4628

Most of you know what this radio is and does. The radio has three modules installed,
2m, 220 & 440.

PAY ATTENTION HERE: The radio works perfect in every respect except that about a month ago the back light started going on and off on its own. It would stay
on for a day and then turn off. Then eventually it stayed off.

I reset the unit to factory specs just in case I may have messed up a setting or something
but that didn't do it. The readout is there and you can see it fine when it's daylight or if
you shine a flashlight at it at night.

I already upgraded so I'm selling this to offset the cost of the new one.

Unit cames with DTMF mic and power cord. NO mounting bracket.
I don't have the manual either but you can get it on ebay or on the web somewhere.

Price: $230 obo.   Don't be afraid to counter offer but, don't get crazy.

Remember, this has three bands in it. Not like the other tribands
that are being sold for more and only have two modules installed.

From -4595255878265778118
X-Google-Thread: 108122,ac3d28b1cd52067f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!1553123f!not-for-mail
From: "RadAct" <n7rcm@pobox.com>
Newsgroups: rec.radio.amateur.equipment
References: <GLpig.3976$lf4.655@newsread1.news.pas.earthlink.net>
Subject: Re: Kenwood TM-741 Triband Mobile - SOLD
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <cFrig.3868$o4.2107@newsread2.news.pas.earthlink.net>
Date: Sat, 10 Jun 2006 04:12:56 GMT
NNTP-Posting-Host: 71.48.62.88
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1149912776 71.48.62.88 (Fri, 09 Jun 2006 21:12:56 PDT)
NNTP-Posting-Date: Fri, 09 Jun 2006 21:12:56 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4629

It's been sold. Thanks to all who inquired.

> Most of you know what this radio is and does. The radio has three modules
> installed,
> 2m, 220 & 440.
>
> PAY ATTENTION HERE: The radio works perfect in every respect except that
> about a month ago the back light started going on and off on its own. It
> would stay
> on for a day and then turn off. Then eventually it stayed off.
>
> I reset the unit to factory specs just in case I may have messed up a
> setting or something
> but that didn't do it. The readout is there and you can see it fine when
> it's daylight or if
> you shine a flashlight at it at night.
>
> I already upgraded so I'm selling this to offset the cost of the new one.

>
> Unit cames with DTMF mic and power cord. NO mounting bracket.
> I don't have the manual either but you can get it on ebay or on the web
> somewhere.
>
> Price: $230 obo.   Don't be afraid to counter offer but, don't get crazy.
>
> Remember, this has three bands in it. Not like the other tribands
> that are being sold for more and only have two modules installed.
>
>

From 5724670192687356182
X-Google-Thread: 108122,7cd1111f0b1e3834,start
X-Google-Thread: 108228,7cd1111f0b1e3834,start
X-Google-Thread: 1062f2,7cd1111f0b1e3834,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Jun 2006 06:13:22 -0500
Subject: FA: One-Day-Left: 8 Books: ELECTRONICS, HAM RADIO, TV, SATELLITE, FM,
INSTRUMENTATION, etc.
Date: Sat, 10 Jun 2006 07:13:22 -0400
From: Sarge <sarge@sjdojoaowa.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <100620060713222837%sarge@sjdojoaowa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-ALtwNevX3WC/w5d7BRFbOuufNGLMJhRUviNvlKq/
sCelM2ZPhzed25CEluSOeKch9G1FRb8t3aSEO+r!
nsppnbAQNRG+0uQ933M8kdAenYdtSbXI2P33n8LdVPI8yck+wX81aBaKiOBMBCtbNE7YaJWhpbuY!
nhq92nTe7kJhM6qKHsu/mV0=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4630 alt.ham-
radio.marketplace:1018 misc.industry.electronics.marketplace:478

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4646965552

```
From 3964657750242448842
X-Google-Thread: 10dafd,3ca39301a6eeb788,start
X-Google-Thread: 108122,3ca39301a6eeb788,start
X-Google-Thread: 108228,3ca39301a6eeb788,start
X-Google-Thread: 1062f2,3ca39301a6eeb788,start
X-Google-Attributes: gid10dafd,gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Jun 2006 06:15:19 -0500
Subject: FA: 1-Day-Left: HP Logic Probe, Logic Pulser, Current Tracer (545A, 546A,
547A)
Date: Sat, 10 Jun 2006 07:15:19 -0400
From: Sarge <sarge@sjdojoaowa.com>
Newsgroups: alt.marketplace.online.ebay,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <10062006071519987O%sarge@sjdojoaowa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-XNS3hLY4MKfC/uQHhtl9hGleeiT5T+/b4VqyKJ+s8vOmFsHYCoYabHxgtB/
msewELotAgfSCBBvrNGY!
VJ+Du9WS5rDsv60z4zH3uCg8VBBYyBtM5t9eiNqTIngyOgS6lWTHz9E8n446VZd+DHtLLwMbDSEW!
5ShIDZuRl2xbgRGVXbWXCjk=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.marketplace.online.ebay:10996
rec.radio.amateur.equipment:4631 alt.ham-radio.marketplace:1019
misc.industry.electronics.marketplace:479


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7626557616


From 5833082730476642365
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!m38g2000cwc.googlegroups.com!not-for-
mail
```

From: w8ji@akorn.net
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Date: 10 Jun 2006 04:34:59 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1149939299.081665.138120@m38g2000cwc.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
   <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
   <448767E7.4040009@fuse.net>
   <1149774341.518961.129650@i40g2000cwc.googlegroups.com>
   <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
NNTP-Posting-Host: 67.142.130.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149939302 1357 127.0.0.1 (10 Jun 2006 11:35:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Jun 2006 11:35:02 +0000 (UTC)
In-Reply-To: <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: m38g2000cwc.googlegroups.com; posting-host=67.142.130.49;
   posting-account=O3NecA0AAAAAfSOCVEE_zteCREQmlynr
Xref: g2news2.google.com rec.radio.amateur.antenna:12712 rec.radio.amateur.equipment:4632 rec.radio.amateur.misc:13644 rec.radio.shortwave:38907

New Ham wrote:

> What good's a hat if it don't keep the antenna dry?   I think I'll keep it
> though, for some odd reason my SWR's are better.

What are SWR's? Does your antenna have multiple standing wave ratios?
Were they sick? Did they have MPD? Do you SWR's look in the mirror each
morning and say "well, who are we going to be today?"

Does the standing wave ratio own something called "are better"?

Are SWR's related to 73's, and if so does the hat help 73's also? Is
your antenna still a fertile female that gets wet whenever a large
capacitance hat climbs on top?

A local school had "Spelling Award's Day" on a sign out front. When I
saw a pamphlet, it said "Selling Awards' Day".

Maybe it was award's for selling extra 's as a school project
"SWR's" and "73's" , or should I s'ay award's for s'ellin extras'

s'sses ?

73's and Happy SWR's to all,
Tom's

From 5996583457635865027
X-Google-Thread: 108122,4e2fd5547574863c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-sjc-12!sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Stuart" <n5lbz@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: YAESU FT-7800R alignment mode
Date: Sat, 10 Jun 2006 06:43:09 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128lc1qssgflu2f@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 34
Xref: g2news2.google.com rec.radio.amateur.equipment:4633

Does anyone know how to get this radio into the alognment mode?

I have a copy of the technicial supplement and I have the knowlege
and access to the test equipment necessary to realign the radio,
However, I have not been sucessful in geting the radio to go into the
alignment mode.

I tried to place the radio into alignment mode as described in the
technicial supplement but it will not work. When I hold in the MHZ[PRI]
and Hyper Memory [5] keys and turn the power on the radio displays
F-1 in the upper left corner and SETRST in the display. [According to
the operators manual this is supposed to happen if you hold in the
MHZ[PRI] key while turning on the power] The next step in the manual
is to press each function key in order, left to right, starting with
MHZ[PRI] and ending with S.SCH[ARTS} then press and hold the [88]
key until "A-0   REF.xxH" appears in the display.
Pressing these buttons as indicated and holding the [88] key in causes
the radio to beep once after about 1/2 second.
But the display does not change from F-1 SETRST

I sure would like to hear from someone who has been able to get thier radio
to go into the alignment mode.

Thanks
Stuart
N6LBZ

Outgoing mail is certified Virus Free
Checked by McAFEE on-Line subscription
Anti-Virus.

```
From -6116582280086830849
X-Google-Thread: 108122,a84c88f5c0141720,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: groups.google.com@globalproportions.com
Newsgroups: rec.radio.amateur.equipment
Subject: Recommend a Yaesu VX 6 upgrade antenna
Date: 10 Jun 2006 06:16:26 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1149945386.190843.212400@f6g2000cwb.googlegroups.com>
NNTP-Posting-Host: 70.58.33.170
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149945389 13465 127.0.0.1 (10 Jun 2006 13:16:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Jun 2006 13:16:29 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=70.58.33.170;
   posting-account=jnp-2Q0AAACKwgGSBnMCqiF2sgRID6_G
Xref: g2news2.google.com rec.radio.amateur.equipment:4634
```

Recommend a Yaesu VX 6 upgrade antenna

What's a good antenna?
thanks

```
From -2947576577972392265
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!peer01.west.cox.net!cox.net!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!5b9efec7!not-for-mail
```

From: Don M. <don46@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Message-ID: <vssl82h3qorarps17tcj6lejv62gm587na@4ax.com>
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
Date: Sat, 10 Jun 2006 16:31:59 GMT
NNTP-Posting-Host: 216.175.120.77
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1149957119 216.175.120.77 (Sat, 10 Jun 2006 09:31:59 PDT)
NNTP-Posting-Date: Sat, 10 Jun 2006 09:31:59 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4635

You failed to mention the Kenwood TS-950SDX.
I have two of these and they out perform my TS-2000
and Icom Pro III, although it is hard to beat the Icom monitor.
KK6J Don

On Thu, 08 Jun 2006 02:12:22 GMT, Justin Case
<cccccccc3cc3cc2c@aol.com> wrote:

>
>
>Dear Kenwood,
>   I've been reading all the reviews on your current ham radios, and
>one thing repeatedly comes up in the reviews. The Kenwood TS-450s is
>reported to be better than the Kenwood TS-570x, and the Kenwood
>TS-850s is reported to be better than the TS-2000. As a matter of
>fact many of the reviews have said the TS-2000 is down right deaf when
>compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
>V.   I looked at the Icom radios, but I thought they were ugly.   The
>Yaesu radios have too many reported trips back to Yaesu repair, the
>Ten Tec Orion II is too expensive, so that leaves Kenwood. I can buy
>used, but it would be nice to have a new TS-850s. I've got the cash,
>the desire, and the will to spend, but you currently don't offer the
>radio to get my dollars.
>
>Sincerely,
>
>A U.S. Ham.

From 7672862796904404013
X-Google-Thread: 108122,a84c88f5c0141720
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!indigo.octanews.net!news-out.octanews.net!
mauve.octanews.net!nx02.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!newsfeed1.easynews.com!easynews.com!easynews!easynews-
local!fe04.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1149945386.190843.212400@f6g2000cwb.googlegroups.com>
Subject: Re: Recommend a Yaesu VX 6 upgrade antenna
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <wVCig.96449$0f1.79640@fe04.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 10 Jun 2006 17:01:16 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4636

groups.google.com@globalproportions.com wrote:
> Recommend a Yaesu VX 6 upgrade antenna

For use on what frequencies / band(s)?




From -8692937214940772584
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
From: cq-dx@arrl.net (New Ham)
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Organization: arrl.org
Message-Id: <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
```

```
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com>
X-Newsreader: News Xpress 2.01
Lines: 30
Date: Sat, 10 Jun 2006 17:12:28 GMT
NNTP-Posting-Host: 4.254.230.84
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1149959548 4.254.230.84 (Sat, 10 Jun
2006 10:12:28 PDT)
NNTP-Posting-Date: Sat, 10 Jun 2006 10:12:28 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12728
rec.radio.amateur.equipment:4637 rec.radio.amateur.misc:13647
rec.radio.shortwave:38938

In article <1149939299.081665.138120@m38g2000cwc.googlegroups.com>, w8ji@akorn.net
wrote:
>
>New Ham wrote:
>
>> What good's a hat if it don't keep the antenna dry?   I think I'll keep it
>> though, for some odd reason my SWR's are better.
>
>What are SWR's? Does your antenna have multiple standing wave ratios?
>Were they sick? Did they have MPD? Do you SWR's look in the mirror each
>morning and say "well, who are we going to be today?"
>
>Does the standing wave ratio own something called "are better"?
>
>Are SWR's related to 73's, and if so does the hat help 73's also? Is
>your antenna still a fertile female that gets wet whenever a large
>capacitance hat climbs on top?
>
>A local school had "Spelling Award's Day" on a sign out front. When I
>saw a pamphlet, it said "Selling Awards' Day".
>
>Maybe it was award's for selling extra  's  as a school project
>"SWR's" and "73's" , or should I s'ay award's for s'ellin extras'
>s'sses ?
>
>73's and Happy SWR's to all,
>Tom's


It's a multi-band vertical and every band different Standing Wave Radio's.



From 5791483545594468284
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 10 Jun 2006 14:48:19 -0500
Date: Sat, 10 Jun 2006 15:48:22 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net>
In-Reply-To: <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-Azduf5yoT2AJ5LJC6MnLmgmG++FPdSVAWChk6OhizylcbrHpbRKpZ9oSfwu6G/
nXO5jG8Fmhzn9VbkG!
SNu9DTqm3RVA+687j7AGH8FRkzF2uejA7BTBVE9eguc+wvByJGNYx79nvCLMpZfsPdKgQhCTojFu!
YKIRwcTL+iG4HgndDho=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12730
rec.radio.amateur.equipment:4638 rec.radio.amateur.misc:13648
rec.radio.shortwave:38949
```

Methinks your leg was being pulled.

The SWR with the apostrophe s is a grammatical error. The apostrophe s indicates that the SWR is possessive, that the SWR owns something; or, that the SWR is doing something. The apostrophe s is not plural!!

The plural, multiple, SWR is denoted SWRs.

New Ham wrote:

```
> In article <1149939299.081665.138120@m38g2000cwc.googlegroups.com>,
w8ji@akorn.net wrote:
>
>>New Ham wrote:
>>
>>
>>>What good's a hat if it don't keep the antenna dry?   I think I'll keep it
>>>though, for some odd reason my SWR's are better.
>>
>>What are SWR's? Does your antenna have multiple standing wave ratios?
>>Were they sick? Did they have MPD? Do you SWR's look in the mirror each
>>morning and say "well, who are we going to be today?"
>>
>>Does the standing wave ratio own something called "are better"?
SNIPPED
```

```
From 7510299999870613629
X-Google-Thread: 108122,3a3b6d66a6de9afa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "wa4mqw" <wa4mqw@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood TS-430s
Date: 10 Jun 2006 14:32:16 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1149975136.626651.150900@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 65.1.189.116
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149975141 30843 127.0.0.1 (10 Jun 2006 21:32:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Jun 2006 21:32:21 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=65.1.189.116;
   posting-account=Inp6wQ0AAACiYgravVwvuSIh50Kinu-L
Xref: g2news2.google.com rec.radio.amateur.equipment:4639
```

Kenwood TS-430s HF Tranceiver in good conditon. Bought it used a
couple of years ago and use it on SSB and CW. Good output and great
audio qualities. The radio was repainted by a previous owner but looks
nice and meets all my needs but as many of us I have extra radios that
need to find new homes. There is a slight dent on the top panel and
some pitting on the rear panel. Radio includes the optional two
filters: YK88CN (narrow cw filter) and the YK-88A (AM filter) Also
included is the mobile microphone, and a copy of the manual.

Take a look at the detailed photos I've posted to:
http://s46.photobucket.com/albums/f123/journeymaker/Kenwood%20TS-430s/

$300 plus shipping , accept paypal, U.S. check or money order.   email:
 wa4mqw@yahoo.com

73 Bob

```
From 8434049732939127268
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Date: 10 Jun 2006 14:56:43 -0700
Organization: http://groups.google.com
Lines: 64
Message-ID: <1149976603.405038.48210@i40g2000cwc.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
   <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
   <448767E7.4040009@fuse.net>
   <1149774341.518961.129650@i40g2000cwc.googlegroups.com>
   <dofore-sldfk3-sdfpsk-345rods@news.arrl.net>
   <1149939299.081665.138120@m38g2000cwc.googlegroups.com>
   <oidffosd-sdjnrekj32-sdjfdfsa@news.arrl.net>
   <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
NNTP-Posting-Host: 71.133.187.184
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149976608 3003 127.0.0.1 (10 Jun 2006 21:56:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 10 Jun 2006 21:56:48 +0000 (UTC)
In-Reply-To: <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=71.133.187.184;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:12737 rec.radio.amateur.equipment:4640 rec.radio.amateur.misc:13650
```

rec.radio.shortwave:38977

Dave wrote:
> Methinks your leg was being pulled.
>

"The SWR with the apostrophe s is a grammatical error.
The apostrophe s indicates that the SWR is possessive,
that the SWR owns something; or, that the SWR is
doing something. The apostrophe s is not plural!!

The plural, multiple, SWR is denoted SWRs."

- -

How To - Use an Apostrophe :
http://www.everything2.com/index.pl?node_id=119095
PLURALS - When you add an 's' to make a plural,
it NEVER takes an apostrophe.
Never. There are no exceptions.
The same is True for Plurals of Abbreviations
- it is A.T.M.s, not A.T.M.'s
- itr is G.P.s not G.P.'s.
NOTE - These Rules are those which Apply in Modern British English
(as taught in High Schools and Universities throughout the
Commonwealth).

FWIW - The King's English which is often NOT Spoken or Written by
Americans.

Mind Your Apostrophes
http://betweenborders.com/wordsmithing/mind-your-apostrophes/
http://www.soyouwanna.com/site/syws/wrerrors/wrerrors3.html

Punctuation and Capitalization: Using the Apostrophe
http://rwc.hunter.cuny.edu/reading-writing/on-line/apostrop.html
http://owl.english.purdue.edu/handouts/grammar/g_apost.html
http://www.wheaton.edu/learnres/writectr/Resources/apostrophe.htm
http://depts.gallaudet.edu/englishworks/grammar/using-s.htm
http://projects.uwc.utexas.edu/handouts/?q=node/11
http://www.asu.edu/english/englished/docs/Apostrophes_pp_5-6.pdf

often a mangler and tangler of : Words, Meanings,
Capitalization and Punctuation ~ RHF
 .
 .
. .

>
> New Ham wrote:
>
> > In article <1149939299.081665.138120@m38g2000cwc.googlegroups.com>,
w8ji@akorn.net wrote:

```
> >
> >>New Ham wrote:
> >>
> >>
> >>>What good's a hat if it don't keep the antenna dry?   I think I'll keep it
> >>>though, for some odd reason my SWR's are better.
> >>
> >>What are SWR's? Does your antenna have multiple standing wave ratios?
> >>Were they sick? Did they have MPD? Do you SWR's look in the mirror each
> >>morning and say "well, who are we going to be today?"
> >>
> >>Does the standing wave ratio own something called "are better"?
>  SNIPPED



From -2997405021520461608
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
<1149774341.518961.129650@i40g2000cwc.googlegroups.com> <dofore-sldfk3-
sdfpsk-345rods@news.arrl.net>
<1149939299.081665.138120@m38g2000cwc.googlegroups.com> <oidffosd-sdjnrekj32-
sdjfdfsa@news.arrl.net> <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
In-Reply-To: <Y8WdnZrDl_GevxbZnZ2dnUVZ_sednZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <MYIig.94796$H71.43754@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 70.134.207.199
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1149983660 ST000 70.134.207.199 (Sat, 10 Jun
2006 19:54:20 EDT)
NNTP-Posting-Date: Sat, 10 Jun 2006 19:54:20 EDT
Organization: SBC http://yahoo.sbc.com
```

X-UserInfo1:
OP\YG\GFEB^UCWDYIBHZOWP@YZOZ@GXOXJXNMRQIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Sat, 10 Jun 2006 23:54:20 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12740
rec.radio.amateur.equipment:4641 rec.radio.amateur.misc:13651
rec.radio.shortwave:38990

Dave wrote:
> Methinks your leg was being pulled.
>
> The SWR with the apostrophe s is a grammatical error. The apostrophe s
> indicates that the SWR is possessive, that the SWR owns something; or,
> that the SWR is doing something. The apostrophe s is not plural!!

On the contrary, the plural of the letter A is A's. The plural
of the number 3 is 3's. It's not too much of a stretch to assume
that the plural of SWR is SWR's.

From Webster's: "apostrophe - a make used to indicate ... the
plural of letters or figures."
--
73, Cecil http://www.qsl.net/w5dxp

From 5972771886759802768
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
Date: Tue, 6 Jun 2006 18:58:59 -0700
Message-ID: <MPG.1eefd2be71224f4e9896ba@news.drizzle.com>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 41
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4542

In article <Xns97DA7508E414CVeebleFetzer@127.0.0.1>, bert@iphouse.com
(known to some as Bert Hyman) scribed...

> They all carry the same stuff, they all charge the same prices and
> I assume they all have the same ability to stick an address label on
> a box and hand it to the UPS guy.
>
> So, other than the obvious need to minimize sales tax, what
> contributes to your decision?

For me, it's the application, the overall quality of the radios involved, and how self-repair friendly it is. Price is about third or fourth down on my list of considerations.

Part of the issue is that I'm an engineering tech for our state's patrol agency. As such, I have need for radios that are legal to use on commercial frequencies (as in Part 90 type accepted) as well as amateur repeaters.

Motorola Spectra units filled the bill nicely. Durable, programmable, reasonably inexpensive on the used market, simple to operate once programmed, and perfectly legal for both Part 90 and 97 operation.

For HF, I usually go after the best I can possibly afford in terms of retired commercial gear. Sunair, Collins, and Harris are all favorites of mine.

I'm not keen on most of the dedicated amateur gear manufacturers because you practically need a microscope to even see the components on the circuit boards, let alone service them.

Keep the peace(es).

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

```
From -5082046975436397891
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
```

Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
<4485eeaa$0$3704$ecde5a14@news.coretel.net>
In-Reply-To: <4485eeaa$0$3704$ecde5a14@news.coretel.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 70.255.105.191
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1149651030 ST000 70.255.105.191 (Tue, 06 Jun 2006 23:30:30 EDT)
NNTP-Posting-Date: Tue, 06 Jun 2006 23:30:30 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@SZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHXIJYWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZNVO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[GPC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Wed, 07 Jun 2006 03:30:30 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12521 rec.radio.amateur.equipment:4543 rec.radio.swap:4421

clfe wrote:
> DUH - I KNOW THAT - I was just saying the tapping let the people at the
> surface know there were 9 people down there. MORSE CODE - "could" have
> relayed much more info if one of them knew it. REREAD my message.......

How do you send a 'dash' by tapping on a pipe? You
apparently could revolutionize prison communications
by providing an answer to that simple question.
--
73, Cecil http://www.qsl.net/w5dxp

From -7877604852859337l9
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0

```
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net>
<448624c0$0$6154$39cecf19@news.twtelecom.net>
<448628bb$0$3693$ecde5a14@news.coretel.net>
In-Reply-To: <448628bb$0$3693$ecde5a14@news.coretel.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <lVrhg.39966$4L1.15046@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 70.255.105.191
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1149651665 ST000 70.255.105.191 (Tue, 06 Jun
2006 23:41:05 EDT)
NNTP-Posting-Date: Tue, 06 Jun 2006 23:41:05 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_AOXSYGTHZ^BCBNWX@RJ_XPDLMN@GZ_GYO^JWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Wed, 07 Jun 2006 03:41:05 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12524
rec.radio.amateur.equipment:4544 rec.radio.swap:4422

clfe wrote:
> I'm not sure if you're referring to my post or someone else's who I didn't
> see. In "my" example - I was saying if a MIC was broken and they knew code,
> they could short out the tranmit pins - like making and breaking contact
> such as a key would do - to broadcast a coded message. It "can" be done.

Please tell us when, in human history, it has ever been done.
--
73, Cecil  http://www.qsl.net/w5dxp


From 1532993968403829328
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 06 Jun 2006 22:47:05 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
<e64idc$mkj$1@avnika.corp.mot.com>
Subject: Re: So, how do you decide where to buy your gear?
Date: Tue, 6 Jun 2006 22:47:05 -0500
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <-O2dnUroA-uk0RvZnZ2dnUVZ_vqdnZ2d@comcast.com>
Lines: 39
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-
JeSxYBIB5UFUo+EsXzEV5+OI3byA7M1w1SqY+lbnnzOLjYVZWMuKvRb6jpf74jXnmi0Zo5drdQZ7hWB!
XOMPVnS5S2djwvN6LXvcjF9hMfl5HxlDZS7OKp/zBcK2AH+J+3R3YAWY5sUhyK9fwKXoyRvt7Yzc!
RI2XjIzCJ9YlxQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4545

no store within 300 milesof me... I watch the hamfests, and know what suppliers will be there (I prefer Memphis Amateur Supply), I will call them and give them a "shopping list" for the hamfest... I pay the hamfest prices, don't pay sales tax or shipping. I got a TS-480HX for $900 like that. Its also a good idea to peruse the other suppliers web sites about 3 weeks before Christmas for sales also... Got 3 Yeasu FT-7800R dual banders for $225 each, and free shipping to boot.

-n6ojn

"Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in message
news:e64idc$mkj$1@avnika.corp.mot.com...
>
> "Bert Hyman" <bert@iphouse.com> wrote in message
> news:Xns97DA7508E414CVeebleFetzer@127.0.0.1...
>> They all carry the same stuff, they all charge the same prices and
>> I assume they all have the same ability to stick an address label on
>> a box and hand it to the UPS guy.
>>
>> So, other than the obvious need to minimize sales tax, what
>> contributes to your decision?
>>
>> --
>> Bert Hyman | St. Paul, MN | bert@iphouse.com
>
> No store nearby. Last time I bought, I went for price since they all do
> NOT
> have the same price. There are specials. You can, of course play the
> "but
> so-and-so will-sell-it-fir-$x, how-about-you? ploy. There is
> consideration
> for supporting the local guy or your favorite, however, if you have one.
>
> 73, Steve, K9DCI
>

```
>
>




From -7948135249716236937
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!
FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4486538A.5070005@fuse.net>
Date: Wed, 07 Jun 2006 00:18:18 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
In-Reply-To: <Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 27
X-Trace: 34502448653c0e098318608127
Xref: g2news2.google.com rec.radio.amateur.antenna:12526
rec.radio.amateur.equipment:4546 rec.radio.swap:4423

Cecil Moore wrote:
> clfe wrote:
>
>> Many of you may have heard of the Quecreek Mine incident in PA some
>> time ago. A pipe was drilled down into the shaft. Those at the surface
>> heard 9 taps on it, signifying there were 9 miners there. NOW - if any
>> of those miners KNEW code, they could have gotten a message to the
>> surface as to what conditions were exactly, the extent of injuries as
>> best they could, etc.
>
>
> Not by tapping. International Morse requires dashes as well
> as taps (dots). There is a tap code used in prisons that will
```

> accomplish communications under those circumstances. And since
> more people have been in prison than hold an amateur radio
> license, seems that it would make more sense to require knowing
> the tap code than to require knowing International Morse code.

I seem to remember that the original Morse code was all clicks. I think the telegraph lines were DC current to electromagnetic clicking "receivers". The dashes were sort of implied by the spacing of the clicks...not that it matters to the antenna group, I guess.

The only thing good about the prison system of taps mentioned earlier in the group is that if you know the grid, you know the "code". Extremely inefficient, however.

Long live di-dah

```
From -3109809298752313729
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!
FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4486549E.7000802@fuse.net>
Date: Wed, 07 Jun 2006 00:22:54 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net>
<448624c0$0$6154$39cecf19@news.twtelecom.net>
<448628bb$0$3693$ecde5a14@news.coretel.net>
<lVrhg.39966$4L1.15046@newssvr11.news.prodigy.com>
In-Reply-To: <lVrhg.39966$4L1.15046@newssvr11.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 12
X-Trace: 913b1448654d3e098318608127
Xref: g2news2.google.com rec.radio.amateur.antenna:12527
rec.radio.amateur.equipment:4547 rec.radio.swap:4424
```

Cecil Moore wrote:

>

>
> Please tell us when, in human history, it has ever been done.

Yes. It was an episode of the old Adam-12 TV series. Patrolman was injured in a crashed cruiser. Mic out. but he could click the mic button...the guy on the other end directed him to "click once if you hear me and twice if you don't"

Classic television: you had to be there.

```
From 766812938816791282
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!af499550!not-for-mail
From: "kd5sak" <kd5sak@sbcglobal.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
<4485eeaa$0$3704$ecde5a14@news.coretel.net>
<qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com>
Subject: Re: Give up CB for ham?
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <EJshg.40736$fb2.8847@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 67.65.250.249
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1149655012 ST000 67.65.250.249 (Wed, 07 Jun
2006 00:36:52 EDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 00:36:52 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[RGW[WE@XRQRSH]]RKB_UDAZZ\DPCPDLXUNNHDK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Wed, 07 Jun 2006 04:36:52 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12531
rec.radio.amateur.equipment:4548 rec.radio.swap:4425
```

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com...

> clfe wrote:
> How do you send a 'dash' by tapping on a pipe? You
> apparently could revolutionize prison communications
> by providing an answer to that simple question.
> --
> 73, Cecil http://www.qsl.net/w5dxp

How about a fast double tap on the pipe (or bar) to signify a "dash"? It's not an elegant solution, but could be made to work. Those guys are probably not gonna try for 30 characters per minute anyway.

Harold
KD5SAK

```
From 7854323344186200869
X-Google-Thread: 108228,c868421b2c32d703,start
X-Google-Thread: 108122,c868421b2c32d703,start
X-Google-Thread: 1109af,c868421b2c32d703,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: VHF-Motorola HT1000 16-ch w/Charger
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C689BA.DB142250"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <BJthg.23541$XV5.6470@fed1read10>
Date: Tue, 6 Jun 2006 22:45:05 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1149659105 68.104.78.240 (Wed, 07 Jun 2006 01:45:05 EDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 01:45:05 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1010
rec.radio.amateur.equipment:4549 rec.radio.swap:4426
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0008_01C689BA.DB142250
```

```
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: VHF-Motorola HT1000 16-ch w/Charger

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7625278516&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C689BA.DB142250
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: VHF-Motorola HT1000 16-ch w/Charger</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7625278516&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7625278516&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C689BA.DB142250--



From 4555208610626677904
X-Google-Thread: 108228,9d1f161614af6bdd,start
X-Google-Thread: 108122,9d1f161614af6bdd,start
X-Google-Thread: 1109af,9d1f161614af6bdd,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!peer01.west.cox.net!
cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola System Sabers - Whole "LOT" UHF Portables-No Reserve-
Currently $1.00 - LQQK !!!!
Lines: 42
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C689BB.B3702A40"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <gPthg.23542$XV5.7771@fed1read10>
Date: Tue, 6 Jun 2006 22:51:08 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1149659468 68.104.78.240 (Wed, 07 Jun 2006 01:51:08 EDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 01:51:08 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:1011
rec.radio.amateur.equipment:4550 rec.radio.swap:4427

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C689BB.B3702A40
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola System Sabers - Whole "LOT" UHF Portables-No Reserve

Absolutely going to highest bidder no matter what ending price !!!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7625793800&ss=
PageName=3DSTRK:MESE:IT




------=_NextPart_000_0011_01C689BB.B3702A40
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola System Sabers - Whole "LOT" UHF Portables-No Reserve</P>
<P>Absolutely going to highest bidder no matter what ending price =
!!!</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7625793800&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7625793800&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P>
<P>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0011_01C689BB.B3702A40--
```

```
From -5774755063870236l9
X-Google-Thread: 108122,62c85248bd584f35
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!proxad.net!cleanfeed2-
a.proxad.net!nnrp14-1.free.fr!not-for-mail
Message-Id: <44867f75$0$17606$636a55ce@news.free.fr>
From: F8BOE <f8boe-8@bluemail.ch>
Subject: Re: CB president jackson for ham bands
Newsgroups: rec.radio.amateur.equipment
Reply-To: f8boe-8@bluemail.ch
Date: Wed, 07 Jun 2006 09:25:43 +0200
References: <1149622756.801824.216380@f6g2000cwb.googlegroups.com>
User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 23
Organization: Guest of ProXad - France
NNTP-Posting-Date: 07 Jun 2006 09:25:41 MEST
NNTP-Posting-Host: 89.48.181.20
X-Trace: 1149665141 nnrp14-1.free.fr 17606 89.48.181.20:58071
X-Complaints-To: abuse@proxad.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4551

Hello,

You wrote it Paolo, it's a CB rig and will always be it.
You should better invest in a real amateur rig, even low end, like an IC-718
TS-50s or Alinco DX-77T and keep your Uniden to monitor 11m or the beacons
on 28.200.

73 de F8BOE Olivier ...-.-

iw3arv wrote:

> Hello,
>
> I'm searching a modification for the CB President Jackson to bring it
> up to 30 Mhz.
> I've searched on internet but I've only found simple modification to
> add "F" band and reach 271 channels.
> I'm a regularly licenced Ham!! and I want to use it on 30 Mhz.
>
> Anyone know other modifications.
>
> Thanks de Iw3arv Paolo Italy



From -6251307904852863690
```

X-Google-Thread: 108122,62c85248bd584f35
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-mail
From: "iw3arv" <iw3arv@inwind.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB president jackson for ham bands
Date: 7 Jun 2006 01:01:32 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1149667292.781645.111750@c74g2000cwc.googlegroups.com>
References: <1149622756.801824.216380@f6g2000cwb.googlegroups.com>
   <44867f75$0$17606$636a55ce@news.free.fr>
NNTP-Posting-Host: 151.56.29.162
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149667298 12613 127.0.0.1 (7 Jun 2006 08:01:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Jun 2006 08:01:38 +0000 (UTC)
In-Reply-To: <44867f75$0$17606$636a55ce@news.free.fr>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=151.56.29.162;
   posting-account=xYVjHQ0AAACHXPaq2nJXBKXiq202AFlE
Xref: g2news2.google.com rec.radio.amateur.equipment:4552

Thanks Olivier,

It's only to experiment, I've other ham rig like Atlas 210

73 Iw3arv Paolo

F8BOE ha scritto:

> Hello,
>
> You wrote it Paolo, it's a CB rig and will always be it.
> You should better invest in a real amateur rig, even low end, like an IC-718
> TS-50s or Alinco DX-77T and keep your Uniden to monitor 11m or the beacons
> on 28.200.
>
> 73 de F8BOE Olivier ...-.-

From 5086064966474163208
X-Google-Thread: 108122,62c85248bd584f35
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!proxad.net!cleanfeed2-

```
a.proxad.net!nnrp10-2.free.fr!not-for-mail
Message-Id: <4486c4e2$0$9752$626a54ce@news.free.fr>
From: F8BOE <f8boe-8@bluemail.ch>
Subject: Re: CB president jackson for ham bands
Newsgroups: rec.radio.amateur.equipment
Reply-To: f8boe-8@bluemail.ch
Date: Wed, 07 Jun 2006 14:21:54 +0200
References: <1149622756.801824.216380@f6g2000cwb.googlegroups.com>
<44867f75$0$17606$636a55ce@news.free.fr>
<1149667292.781645.111750@c74g2000cwc.googlegroups.com>
User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 35
Organization: Guest of ProXad - France
NNTP-Posting-Date: 07 Jun 2006 14:21:54 MEST
NNTP-Posting-Host: 89.48.176.99
X-Trace: 1149682914 nnrp10-2.free.fr 9752 89.48.176.99:57767
X-Complaints-To: abuse@proxad.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4553

Hello,

Even for experimenting it will be a big amount of work to acheive it without
butchering the rig... You'll need a lot of knowledge and an HF workbench to
realign all the circuitry after Xtal swap and Eprom programing.
It can also be acheived by replacing the local oscillator by an external
VFO. The biggest problem is getting a clean and stable rig with a basic rig
that lacks both quality and good electronic design.

All is possible, but if I were you, I would rather spend my time and money
in homebrewing the entire transceiver from ground up. There are many
interesting mono/multiband and QRP projects around.

73 de F8BOE Olivier ...-.-


iw3arv wrote:

> Thanks Olivier,
>
> It's only to experiment, I've other ham rig like Atlas 210
>
> 73 Iw3arv Paolo
>
> F8BOE ha scritto:
>
>> Hello,
>>
>> You wrote it Paolo, it's a CB rig and will always be it.
>> You should better invest in a real amateur rig, even low end, like an
>> IC-718 TS-50s or Alinco DX-77T and keep your Uniden to monitor 11m or the
>> beacons on 28.200.
>>
>> 73 de F8BOE Olivier ...-.-



From -1446088258829226189
X-Google-Thread: 108122,14e10d974a5874f6
X-Google-Thread: fc2a5,14e10d974a5874f6
X-Google-Thread: 106d41,14e10d974a5874f6
X-Google-Thread: 1109af,14e10d974a5874f6
X-Google-Attributes: gid108122,gidfc2a5,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <4486C69D.EEADB75A@coaxguy.net>
From: Oscar <coax_guy@coaxguy.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.swap
Subject: Re: High Quality Coax Connectors & Adapters atvery low prices
References: <fhihg.6121$rS6.5466@fed1read11>
<anihg.235646$h54.98444@fe07.news.easynews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Wed, 07 Jun 2006 12:29:17 GMT
NNTP-Posting-Host: 12.76.237.37
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1149683357 12.76.237.37 (Wed, 07 Jun
2006 12:29:17 GMT)
NNTP-Posting-Date: Wed, 07 Jun 2006 12:29:17 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:4554
rec.radio.amateur.homebrew:5632 rec.radio.cb:11404 rec.radio.swap:4431

I don't see the original posts, I filter them out

put sales@aaarfproducts.com  in sender field

put AAA RF  in subject field


and no more of the ads.

coax guy



From -2291847535475661953
X-Google-Thread: 108122,8a8d18bd62dc3a4b
```

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 07 Jun 2006 07:33:12 -0500
From: "Topaz305RK" <k7sam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
Subject: Re: So, how do you decide where to buy your gear?
Date: Wed, 7 Jun 2006 06:33:19 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <RO6dnSBK2bgXWhvZnZ2dnUVZ_rudnZ2d@vnet-inc.com>
Lines: 10
NNTP-Posting-Host: 70.41.200.243
X-Trace: sv3-1Cmd4ajHgVq/VPKgMxZ6mT/jDNFvw+ftPTC77gl3ywihl87xi18Iqlntw7iQuS1GplWgtUfAuBgWyk7!qGf6gjtQREMWC+oa7+MQ6HSvyyfJRSuWJ09B+5D44jblBZqu3w92lVkR3lEu5p0fHzsCwQ/W9qJt!nnXOuFfJh4QU9DHHEyrhRy/PV34=
X-Complaints-To: abuse@vnet-inc.com
X-DMCA-Complaints-To: abuse@vnet-inc.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4555

Not having a store anywhere nearby, nothing is nearby in Northeast Montana,
I not only need a good price but a place that can service what they sell.
Have always had good prices and great support and service from Burghardt's.
They always seem to have what I need, new radio or parts for older stuff.
Terrific staff that is always willing to answer questions or give advice.

Just my two cents worth.

From -5560569261176349102
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-mail

```
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 7 Jun 2006 05:42:55 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1149684175.500749.17370@f6g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <1149606997.736862.209000@c74g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.154.48
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149684180 25419 127.0.0.1 (7 Jun 2006 12:43:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Jun 2006 12:43:00 +0000 (UTC)
In-Reply-To: <1149606997.736862.209000@c74g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=65.54.154.48;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.antenna:12540
rec.radio.amateur.equipment:4556 rec.radio.amateur.misc:13239
rec.radio.amateur.policy:28658 rec.radio.shortwave:38588


assraped by an old freind wrote:
> J. D. B. wrote:
> > That is a very good point that I never considered. In thinking about it,
> > it makes perfect sense. "Mode Welfare" - too funny.
> well thank you for making my day Sir
>
> although the phrase isn't mine it cames from the regulars here on RRAp
> from back in 1990's

It figures you'd have to plagiarize it, Markie. Dumbass!

> > JDB
> >
> > an old friend wrote:
> > >
> > > the concern is obvious for decades the CW crowd has relied on the
> > > requirement to force all ham to at try it. mode welfare. they are afaid
> > > without that stick the mode will die . it show a lack ocnvednce in the
> > > mode
```

> > >

From 7462279351525453713
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 33
Message-ID: <R2Ahg.1$YS3.0@dfw-service2.ext.ray.com>
Date: Wed, 07 Jun 2006 12:57:21 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1149685041 138.126.48.166 (Wed, 07 Jun 2006 07:57:21 CDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 07:57:21 CDT
Organization: Raytheon Company
Xref: g2news2.google.com rec.radio.amateur.equipment:4557

Hi Bert,

For the small stuff (books, coax, replacement whips for my HF mobile antenna, etc) I buy from our local store, Texas Towers. For the big stuff, to avoid paying 8.5% sales tax, I shop the 1-800 numbers and web sites. I generally end up buying from Ham Radio Outlet (low price, excellent service, and free shipping on orders over $100). I bought an Icom 756 Pro 3 earlier this year from Marc's Amateur Radio in Florida for $2,850 (best price I could find that week). If I'd bought that rig locally, the sales tax would have been $242! I like to support the local shops, but the tax is a killer. Besides, stores like Texas Towers do a lot of mail order business from people like me in other states who don't want to pay their local sales tax. They aren't hurting in that regard.

73,
Dean K5DH

In article <Xns97DA7508E414CVeebleFetzer@127.0.0.1>, bert@iphouse.com says...
>
>They all carry the same stuff, they all charge the same prices and

>I assume they all have the same ability to stick an address label on
>a box and hand it to the UPS guy.
>
>So, other than the obvious need to minimize sales tax, what
>contributes to your decision?
>
>--
>Bert Hyman | St. Paul, MN | bert@iphouse.com

From -7791951296826328493
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!indigo.octanews.net!auth.news-1.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
From: Bert Hyman <bert@iphouse.com>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1> <R2Ahg.1$YS3.0@dfw-service2.ext.ray.com>
Organization: Not so you'd notice
Message-ID: <Xns97DB53864CE01VeebleFetzer@127.0.0.1>
User-Agent: Xnews/2006.03.14
Date: 07 Jun 2006 13:11:59 GMT
Lines: 18
NNTP-Posting-Date: 07 Jun 2006 08:11:59 CDT
NNTP-Posting-Host: d8df8ccd.auth.newsreader.iphouse.com
X-Trace: DXC=6DmML=j]60hG\n_iKNk?Qge=fFUe;FGEiFbE0<hKBJToTG<Ujh0:HTa46F16N?MWfjQO0Ym;XoQlfVH;:E?jnoOdXbYGV;Z6N>fK^JG?6h76So
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4558

k5dh@raytheon.com (-=H=-) wrote in
news:R2Ahg.1$YS3.0@dfw-service2.ext.ray.com:

> I bought an Icom 756 Pro 3 earlier this year from Marc's Amateur
> Radio in Florida for $2,850 (best price I could find that week).

Now, that's an interesting piece of info because it's the 756ProIII
that I'm looking at.

I'd checked every on-line dealer that I could find and every one that
advertised a price on line (almost all do) showed exactly the same
price of $2999.99, although a few didn't explicitly mention free
shipping.

I'm in no hurry, so I guess I'll search harder :-)

--
Bert Hyman | St. Paul, MN | bert@iphouse.com

From 5064345310351732660
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 07 Jun 2006 08:26:10 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1> <R2Ahg.1$YS3.0@dfw-
service2.ext.ray.com> <Xns97DB53864CE01VeebleFetzer@127.0.0.1>
Subject: Re: So, how do you decide where to buy your gear?
Date: Wed, 7 Jun 2006 08:26:08 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Go6dncRxfOFvThvZnZ2dnUVZ_tudnZ2d@comcast.com>
Lines: 30
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-kbMg5/nMzw0TM/dzBYuy2aH3kBKT/U3UaPDwEh+kW7SH8qvOWU/
5Bhh5geuO8ABdyE6YKJHQcQLbSZW!j2wn26OWIEHgcEQ3RUK3ujbcfk5nYRK8sYBqmjaG/
4nTMVyDNPlBX+V5drmyIxc3L4xs3KANb7SF!1H3nPlC14jb+Xw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4559

Bert,
Wait for a hamfest to come around, find out what suppliers from out of your state are supposed to be there, call them and give them your shopping list. They should have it at the hamfest for you. no shipping, no tax, and the "discounted" hamfest price. :-)

-n6ojn

"Bert Hyman" <bert@iphouse.com> wrote in message
news:Xns97DB53864CE01VeebleFetzer@127.0.0.1...
> k5dh@raytheon.com (-=H=-) wrote in
> news:R2Ahg.1$YS3.0@dfw-service2.ext.ray.com:
>
>> I bought an Icom 756 Pro 3 earlier this year from Marc's Amateur
>> Radio in Florida for $2,850 (best price I could find that week).
>
> Now, that's an interesting piece of info because it's the 756ProIII
> that I'm looking at.
>

> I'd checked every on-line dealer that I could find and every one that
> advertised a price on line (almost all do) showed exactly the same
> price of $2999.99, although a few didn't explicitly mention free
> shipping.
>
> I'm in no hurry, so I guess I'll search harder :-)
>
> --
> Bert Hyman | St. Paul, MN | bert@iphouse.com

```
From 6926411717953278375
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
<4485eeaa$0$3704$ecde5a14@news.coretel.net>
<qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com>
<EJshg.40736$fb2.8847@newssvr27.news.prodigy.net>
Subject: Re: Caught Sending Morse (was Give up CB for ham?)
Lines: 41
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <_PAhg.178634$bm6.159481@fed1read04>
Date: Wed, 7 Jun 2006 06:49:47 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1149688186 72.197.12.245 (Wed, 07 Jun 2006 09:49:46 EDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 09:49:46 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:12544
rec.radio.amateur.equipment:4560 rec.radio.swap:4433
```

During long boring meetings at an Aerospace company, my buddy and I would send Morse by pencil taps, sharp tap was a dit and a tap-scrape was a dah. Worked well until a new manager gave his fist talk assuring us nothing would change - we tapped out BS.

After the meeting, the new manager asked my buddy and I to stay for a moment after the meeting,

With a smile, he sed Hi guys -- I'm W#XYZ

Real call sign disguised to protect the guilty (;-)

--
CL -- I doubt, therefore I might be !

"kd5sak" <kd5sak@sbcglobal.net> wrote in message
news:EJshg.40736$fb2.8847@newssvr27.news.prodigy.net...
>
> "Cecil Moore" <mycall@hotmail.com> wrote in message
> news:qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com...
>> clfe wrote:
>> How do you send a 'dash' by tapping on a pipe? You
>> apparently could revolutionize prison communications
>> by providing an answer to that simple question.
>> --
>> 73, Cecil http://www.qsl.net/w5dxp
>
> How about a fast double tap on the pipe (or bar) to signify a "dash"? It's
> not an elegant solution, but could be made to work. Those guys are
> probably not gonna try for 30 characters per minute anyway.
>
> Harold
> KD5SAK
>

From -7738247141667817308
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
Message-ID: <j3md82518k3r2eavjcktooacv57uau9iji@4ax.com>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>

X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
Date: Wed, 07 Jun 2006 13:51:41 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1149688301 24.174.167.251 (Wed, 07 Jun 2006 08:51:41 CDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 08:51:41 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4561

On 06 Jun 2006 16:30:20 GMT, Bert Hyman <bert@iphouse.com> wrote:

>They all carry the same stuff, they all charge the same prices and
>I assume they all have the same ability to stick an address label on
>a box and hand it to the UPS guy.
>
>So, other than the obvious need to minimize sales tax, what
>contributes to your decision?

For me, bigger is better -- I figure they got big for a reason.

Amateur Electronic Supply in Minneapolis ships promptly when I put an order in -- I get the gear in days.

They pack it well; nothing's ever been broken.

And when I recently bought a $300 antenna tuner that did not perform as I had hoped, they took it back, minus 20% restocking.

Besides, they also put out a gorgeous catalog that's free.

The local guys, besides the sales tax there, they don't advertise their prices on anything, and don't appear to keep anything in stock. So why let them mail order stufff for me, and add on the state sales tax? Doesn't make sense.

bob
k5qwg

From -3551445296843877837
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!

newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com> <4486538A.5070005@fuse.net>
In-Reply-To: <4486538A.5070005@fuse.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <p0Bhg.18634$VE1.9119@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.252.9.209
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1149688981 ST000 70.252.9.209 (Wed, 07 Jun 2006 10:03:01 EDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 10:03:01 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP\YG\GFEB^UCWDYIBHZOWP@YZOZ@GXOXZ^L\UQHWIWDUWYADNVOPCKZBL\NX_KHV^GY[KVMG^ZPNHSCZNS[^UXFJVWYXVXKBH[XRWWBBDTN@AX\JSBVH]_@T\EKJHBMZ_WZJFNRY]YWKSPED_U^NC\HSZ\WS[KEAYI@DO@\K@BP\LD[\GTMPLDFVU]ASJM
Date: Wed, 07 Jun 2006 14:03:01 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12545 rec.radio.amateur.equipment:4562 rec.radio.swap:4434

jawod wrote:
> I seem to remember that the original Morse code was all clicks.

Wasn't there a strong click when the receiver circuit
closed and a different weak click when the circuit
opened? The length of time between those two types of
clicks was either a dot or a dash?
--
73, Cecil http://www.qsl.net/w5dxp

From -6224912887573361605
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 07 Jun 2006 09:21:41 -0500
Date: Wed, 07 Jun 2006 10:21:42 -0400

From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
<4485eeaa$0$3704$ecde5a14@news.coretel.net>
<qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com>
In-Reply-To: <qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <PZqdnYF_UO5ofRvZnZ2dnUVZ_tOdnZ2d@comcast.com>
Lines: 18
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-WFZoBkRcpLLphOiHKRhmvTdCimBg9vTL3B1sr7f/
HHHo761Q9dgizdjDKz8+Lf20XaoikcIXbsDSEf2!
ZFc4EXc19lvZ6YjOEQHKnS2C+nEkKXXSQezD7KkEP3q6s76JO8vC0Z+cU2ZYGkkxsjjiDeMB8fPmI!
pY3rwRYy4+bT4m3vxho=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12549 rec.radio.amateur.equipment:4563 rec.radio.swap:4435

'tap' for dot.

'scratch' for dash.

Cecil Moore wrote:

> clfe wrote:
>
>> DUH - I KNOW THAT - I was just saying the tapping let the people at
>> the surface know there were 9 people down there. MORSE CODE - "could"
>> have relayed much more info if one of them knew it. REREAD my
>> message.......
>
>
> How do you send a 'dash' by tapping on a pipe? You
> apparently could revolutionize prison communications
> by providing an answer to that simple question.

From 7203942881006060972
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com> <4486538A.5070005@fuse.net>
<p0Bhg.18634$VE1.9119@newssvr14.news.prodigy.com>
Subject: Re: Give up CB for ham?
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <TsBhg.178639$bm6.117054@fed1read04>
Date: Wed, 7 Jun 2006 07:33:24 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1149690803 72.197.12.245 (Wed, 07 Jun 2006 10:33:23 EDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 10:33:23 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:12550
rec.radio.amateur.equipment:4564 rec.radio.swap:4436

The first Morse machines scribed the dots and dashes on a moving strip of
paper. Operators of the day found that they could decode the sound of the
scriber by ear, so the scribing machines were scrapped.

http://www.maxmon.com/1880ad.htm

--
CL -- I doubt, therefore I might be !

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:p0Bhg.18634$VE1.9119@newssvr14.news.prodigy.com...
> jawod wrote:
>> I seem to remember that the original Morse code was all clicks.
>
> Wasn't there a strong click when the receiver circuit

> closed and a different weak click when the circuit
> opened? The length of time between those two types of
> clicks was either a dot or a dash?
> --
> 73, Cecil http://www.qsl.net/w5dxp

From -8782970809541305581
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 7 Jun 2006 10:39:47 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1149701987.056423.87510@i40g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <1149606997.736862.209000@c74g2000cwc.googlegroups.com>
   <1149684175.500749.17370@f6g2000cwb.googlegroups.com>
NNTP-Posting-Host: 66.82.9.46
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149701992 10230 127.0.0.1 (7 Jun 2006 17:39:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Jun 2006 17:39:52 +0000 (UTC)
In-Reply-To: <1149684175.500749.17370@f6g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.46;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:12563 rec.radio.amateur.equipment:4565 rec.radio.amateur.misc:13388 rec.radio.amateur.policy:28702 rec.radio.shortwave:38620

Not Cocksucker Lloyd wrote:
> assraped by an old freind wrote:
> > J. D. B. wrote:
> > > That is a very good point that I never considered. In thinking about it,
> > > it makes perfect sense. "Mode Welfare" - too funny.
> > well thank you for making my day Sir
> >
> > although the phrase isn't mine it cames from the regulars here on RRAp
> > from back in 1990's
>
> It figures you'd have to plagiarize it, Markie. Dumbass!
you are no one to talk you whole is stolen you have even stolen another
man name to use fto accuse me of stealing
get help

From 2795084883952064761
X-Google-Thread: fcc6e,f154d819e5f3235d,start
X-Google-Thread: 108122,f154d819e5f3235d,start
X-Google-Thread: 107ada,f154d819e5f3235d,start
X-Google-Thread: 114aac,f154d819e5f3235d,start
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
From: cq-dx@arrl.net (New Ham)
Subject: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Organization: arrl.org
Message-Id: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
X-Newsreader: News Xpress 2.01
Lines: 2
Date: Wed, 07 Jun 2006 20:26:26 GMT
NNTP-Posting-Host: 4.227.160.123
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1149711986 4.227.160.123 (Wed, 07 Jun 2006 13:26:26 PDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 13:26:26 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12574
rec.radio.amateur.equipment:4566 rec.radio.amateur.misc:13411
rec.radio.shortwave:38663

Did I get ripped off?

From -3861250755826779060

```
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: 7 Jun 2006 14:10:09 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149714615 17290 127.0.0.1 (7 Jun 2006 21:10:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Jun 2006 21:10:15 +0000 (UTC)
In-Reply-To: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:12577
rec.radio.amateur.equipment:4567 rec.radio.amateur.misc:13414
rec.radio.shortwave:38666
```

New Ham wrote:

> Did I get ripped off?

You might try a Stetson.

```
From -1013699490788982083
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!fe06.lga.POSTED!53ab2750!not-for-mail
```

```
From: "Brian Hill" <good@it.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 0623-1, 06/06/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <MsHhg.24$0I2.8@fe06.lga>
X-Trace:
dkoicekneficefklgggkoipengmbclcobolojoncijbpnlfgdphbjngpnojmdaoiomokinlgfbpnpjcmaa
hccmogoicbplngicjmodckcndlpdnlahnbnmbggpfgbdobegcmjhhibopfakdb
NNTP-Posting-Date: Wed, 07 Jun 2006 14:22:52 MST
Date: Wed, 7 Jun 2006 16:22:52 -0500
Xref: g2news2.google.com rec.radio.amateur.antenna:12578
rec.radio.amateur.equipment:4568 rec.radio.amateur.misc:13415
rec.radio.shortwave:38668


"John S." <hjsjms@cs.com> wrote in message
news:1149714609.565540.160300@c74g2000cwc.googlegroups.com...
>
> New Ham wrote:
>> Did I get ripped off?
>
> You  might try a Stetson.
>

four or five X beaver John?

BH




From 518740723529264123
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
```

```
newssvr14.news.prodigy.com.POSTED!5eba7a5d!not-for-mail
From: Jim - NN7K <nn7kexk7zfg@NOSPAMsbcglobal.net>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com> <MsHhg.24$0I2.8@fe06.lga>
In-Reply-To: <MsHhg.24$0I2.8@fe06.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 26
Message-ID: <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 67.120.128.21
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1149723079 ST000 67.120.128.21 (Wed, 07 Jun
2006 19:31:19 EDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 19:31:19 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
S[OOBY[O^JWCSSTSTRJJOFXBWR\HPCTL@XT^OBPLAH[\RWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Wed, 07 Jun 2006 23:31:19 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12584
rec.radio.amateur.equipment:4569 rec.radio.amateur.misc:13423
rec.radio.shortwave:38684

Reminds me of the time (many years ago), when the
new kid on the gang was ordered to "Wash the
Dishes" (microwave ), on a 150 foot tower ! Kid
decided it was time to quit! Had to
tell him it was a JOKE, or get the WHOLE Gang
in hot water !!!  Jim NN7K



Brian Hill wrote:
> "John S." <hjsjms@cs.com> wrote in message
> news:1149714609.565540.160300@c74g2000cwc.googlegroups.com...
>
>>New Ham wrote:
>>
>>>Did I get ripped off?
>>
>>You  might try a Stetson.
>>
>
>
```

> four or five X beaver John?
>
> BH
>
>

```
From 28026259889330852
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: 7 Jun 2006 16:56:44 -0700
Organization: http://groups.google.com
Lines: 32
Message-ID: <1149724604.928282.248280@u72g2000cwu.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
   <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
   <MsHhg.24$0I2.8@fe06.lga>
   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149724610 7508 127.0.0.1 (7 Jun 2006 23:56:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Jun 2006 23:56:50 +0000 (UTC)
In-Reply-To: <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:12587
rec.radio.amateur.equipment:4570 rec.radio.amateur.misc:13427
rec.radio.shortwave:38685
```

Or looking for a left-handed crescent wrench and fetching a bucket of
prop wash.

Jim - NN7K wrote:
> Reminds me of the time (many years ago), when the

```
> new kid on the gang was ordered to "Wash the
> Dishes" (microwave ), on a 150 foot tower ! Kid
> decided it was time to quit! Had to
> tell him it was a JOKE, or get the WHOLE Gang
> in hot water !!!  Jim NN7K
>
>
>
> Brian Hill wrote:
> > "John S." <hjsjms@cs.com> wrote in message
> > news:1149714609.565540.160300@c74g2000cwc.googlegroups.com...
> >
> >>New Ham wrote:
> >>
> >>>Did I get ripped off?
> >>
> >>You  might try a Stetson.
> >>
> >
> >
> > four or five X beaver John?
> >
> > BH
> >
> >




From -7611938627466599814
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <448767E7.4040009@fuse.net>
Date: Wed, 07 Jun 2006 19:57:27 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
  still gets wet when it rains.
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
In-Reply-To: <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 10
X-Trace: 6b1214487681de098318625116
Xref: g2news2.google.com rec.radio.amateur.antenna:12588
rec.radio.amateur.equipment:4571 rec.radio.amateur.misc:13428
rec.radio.shortwave:38686

John S. wrote:
> New Ham wrote:
>
>>Did I get ripped off?
>
>
> You might try a Stetson.
>

Try a Dunce Cap (low capacitance) attached to your screwdriver and
manually adjust until your dip meter reads moron   :)

From 4136709708048452544
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news2.euro.net!sn-
ams-06!sn-xt-ams-04!sn-post-ams-02!sn-post-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
Date: Wed, 07 Jun 2006 19:21:51 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128ercucqikj3b0@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<MsHhg.24$0I2.8@fe06.lga>   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
<1149724604.928282.248280@u72g2000cwu.googlegroups.com>
In-Reply-To: <1149724604.928282.248280@u72g2000cwu.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 52

Xref: g2news2.google.com rec.radio.amateur.antenna:12589 rec.radio.amateur.equipment:4572 rec.radio.amateur.misc:13429 rec.radio.shortwave:38688

John S. wrote:
> Or looking for a left-handed crescent wrench and fetching a bucket of
> prop wash.

The problem with this joke is that the wrench exhists. Handedness in a wrench is determined by which thumb closes the jaws. Right thumb right hand wrench, left thumb left handed wrench.

I have a left handed crescent type wrench. Where was it made?
POLAND of course.

Wrench available for inspection.

Dave WD9BDZ

>
>
> Jim - NN7K wrote:
>
>>Reminds me of the time (many years ago), when the
>>new kid on the gang was ordered to "Wash the
>>Dishes" (microwave), on a 150 foot tower ! Kid
>>decided it was time to quit! Had to
>>tell him it was a JOKE, or get the WHOLE Gang
>>in hot water !!! Jim NN7K
>>
>>
>>
>>Brian Hill wrote:
>>
>>>"John S." <hjsjms@cs.com> wrote in message
>>>news:1149714609.565540.160300@c74g2000cwc.googlegroups.com...
>>>
>>>
>>>>New Ham wrote:
>>>>
>>>>
>>>>>Did I get ripped off?
>>>>
>>>>You might try a Stetson.
>>>>
>>>
>>>
>>>four or five X beaver John?
>>>
>>>BH
>>>

```
>>>
>
>
```

```
From 3551465686295563894
X-Google-Thread: 108122,9e5b82a30af5fabe,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!187885e1!
not-for-mail
From: Justin Case <cccccccc3cc3cc2c@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Note to Kenwood: Please bring back the TS-850s
Message-ID: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
Date: Thu, 08 Jun 2006 02:12:22 GMT
NNTP-Posting-Host: 71.111.195.67
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1149732742 71.111.195.67 (Wed, 07 Jun 2006 22:12:22 EDT)
NNTP-Posting-Date: Wed, 07 Jun 2006 22:12:22 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4573
```

Dear Kenwood,

I've been reading all the reviews on your current ham radios, and one thing repeatedly comes up in the reviews. The Kenwood TS-450s is reported to be better than the Kenwood TS-570x, and the Kenwood TS-850s is reported to be better than the TS-2000. As a matter of fact many of the reviews have said the TS-2000 is down right deaf when compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark V.   I looked at the Icom radios, but I thought they were ugly.   The Yaesu radios have too many reported trips back to Yaesu repair, the Ten Tec Orion II is too expensive, so that leaves Kenwood. I can buy used, but it would be nice to have a new TS-850s. I've got the cash, the desire, and the will to spend, but you currently don't offer the radio to get my dollars.

Sincerely,

A U.S. Ham.

```
From -978527510568623040
X-Google-Thread: fcc6e,f154d819e5f3235d
```

```
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 07 Jun 2006 21:22:52 -0500
From: "Brian Denley" <b.denley@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<MsHhg.24$0I2.8@fe06.lga>   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
<1149724604.928282.248280@u72g2000cwu.googlegroups.com>
<128ercucqikj3b0@corp.supernews.com>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: Wed, 7 Jun 2006 22:22:51 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <QMydnTo9LeRhFBrZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 24.61.18.207
X-Trace: sv3-uFP35fmTnuVaGHXNGsaGj9WHEHZq5YRf9ZYlQCHuIyLw/+
+QgKIdetLYH7RVPYvByiHkOpZ0S24/SzZ!O0pTCIwdE5Vbf/
HySAoddQgidOELqn0X7jIXBkRDVIvOGzYdAeCf4DO9tciSSwhBmuC7puaMj59H!GRjRSu9ZJ8l/
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12592
rec.radio.amateur.equipment:4574 rec.radio.amateur.misc:13431
rec.radio.shortwave:38694
```

David G. Nagel wrote:

> John S. wrote:
>> Or looking for a left-handed crescent wrench and fetching a bucket of
>> prop wash.
>
> The problem with this joke is that the wrench exhists. Handedness in a
> wrench is determined by which thumb closes the jaws. Right thumb right
> hand wrench, left thumb left handed wrench.
>
> I have a left handed crescent type wrench. Where was it made?
> POLAND of course.

>
> Wrench available for inspection.
>
> Dave WD9BDZ
>
>

At 23, I took a job as a young engineer at a place that had previously been a gyroscope manufacturer. As the new guy, they asked my to deliver a briefcase to the boss' office and (you guessed it) there was a spinning gryo in the briefcase. I got a big surprise when I tried to turn a corner in the corrider and the briefcase kept going straight ahead! A great 'new guy' trick.

--
Brian Denley
http://home.comcast.net/~b.denley/index.html

```
From 7835865665104844728
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: k3pi@arrl.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Note to Kenwood: Please bring back the TS-850s
Date: 7 Jun 2006 19:27:13 -0700
Organization: http://groups.google.com
Lines: 29
Message-ID: <1149733633.184806.281230@u72g2000cwu.googlegroups.com>
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
NNTP-Posting-Host: 209.102.241.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149733638 5762 127.0.0.1 (8 Jun 2006 02:27:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 02:27:18 +0000 (UTC)
In-Reply-To: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=209.102.241.4;
   posting-account=LsvZiw0AAABc6RBYPX3XF9m7WU6Ydy-d
Xref: g2news2.google.com rec.radio.amateur.equipment:4575
```

It's true, that mid-range transceiver is getting rare.

I always wanted Ford to reissue the 1964-1966 Mustang. Can you imagine how many they would sell !

As a used alternative, take a look at the Icom 746 (non pro). Lots of features. 850 owners speak favorably about it. Read the 20 pages of nearly unanimous positive review at eham.net reviews

Justin Case wrote:
> Dear Kenwood,
> I've been reading all the reviews on your current ham radios, and one thing repeatedly comes up in the reviews. The Kenwood TS-450s is reported to be better than the Kenwood TS-570x, and the Kenwood TS-850s is reported to be better than the TS-2000. As a matter of fact many of the reviews have said the TS-2000 is down right deaf when compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark V. I looked at the Icom radios, but I thought they were ugly. The Yaesu radios have too many reported trips back to Yaesu repair, the Ten Tec Orion II is too expensive, so that leaves Kenwood. I can buy used, but it would be nice to have a new TS-850s. I've got the cash, the desire, and the will to spend, but you currently don't offer the radio to get my dollars.
>
> Sincerely,
>
> A U.S. Ham.

From 1249549227462419979
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: k3pi@arrl.net
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Date: 7 Jun 2006 19:52:47 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1149735167.473885.69060@u72g2000cwu.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<448767E7.4040009@fuse.net>
NNTP-Posting-Host: 209.102.241.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149735172 10024 127.0.0.1 (8 Jun 2006 02:52:52 GMT)
X-Complaints-To: groups-abuse@google.com

```
NNTP-Posting-Date: Thu, 8 Jun 2006 02:52:52 +0000 (UTC)
In-Reply-To: <448767E7.4040009@fuse.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=209.102.241.4;
   posting-account=LsvZiw0AAABc6RBYPX3XF9m7WU6Ydy-d
Xref: g2news2.google.com rec.radio.amateur.antenna:12596
rec.radio.amateur.equipment:4576 rec.radio.amateur.misc:13433
rec.radio.shortwave:38695

I worked in a shoe store as a teenager.

The newbies were instructed to get the wall-stretcher from the backroom
when there were too many shoes to put up.


jawod wrote:
> John S. wrote:
> > New Ham wrote:
> >
> >>Did I get ripped off?
> >
> >
> > You  might try a Stetson.
> >
> Try a Dunce Cap (low capacitance) attached to your screwdriver and
> manually adjust until your dip meter reads moron   :)



From -234115048944865224
X-Google-Thread: 108122,9e5b82a30af5fabe
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 07 Jun 2006 22:03:31 -0500
Newsgroups: rec.radio.amateur.equipment
From: notbob <notbob@nothome.com>
Subject: Re: Note to Kenwood: Please bring back the TS-850s
References: <nb1f82h3dafqmvsv29hqbd2btnfa6s9lup@4ax.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <Z86dndJp8JBUDhrZnZ2dnUVZ_radnZ2d@comcast.com>
Date: Wed, 07 Jun 2006 22:04:41 -0500
Lines: 11
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-7YqTtuVtjEs1H+Imqrscngt4Rz/7FKk761KfBv4znOC1WcaNPBvBbYfW/
bYY6VHOoTUmfJqVvxdow9B!GlpHK2Ap/nZYWyjv1B2MmLvzlXsl/
VZt0JVoWraTMDoC8uRpWrMbFP9GLc2HPy/tbulUi6VQK81k!pg9hog==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4577
```

On 2006-06-08, Justin Case <cccccccc3cc3cc2c@aol.com> wrote:

> fact many of the reviews have said the TS-2000 is down right deaf when
> compared to a Kenwood TS-850s, TS-870s, ICOM 746 Pro, and Yaesu Mark
> V.   I looked at the Icom radios, but I thought they were ugly.   The
> Yaesu radios have too many reported trips back to Yaesu repair, the
> Ten Tec Orion II is too expensive, so that leaves Kenwood.

But ...but ...the new ones have more features! ...and buttons!

nb

```
From -1334648655332004355
X-Google-Thread: 108122,4e868b9bcd02f13b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 07 Jun 2006 22:20:07 -0500
From: "Howard W3CQH" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: SB200
Date: Wed, 7 Jun 2006 23:20:09 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <hP-dnWtw7LP6ChrZnZ2dnUVZ_oudnZ2d@adelphia.com>
Lines: 11
NNTP-Posting-Host: 69.162.152.98
X-Trace: sv3-bj6rWPKBcEFD3qQGN7FOFADinu/hsh76FkMEmXv/0ZUmE0aesLR68AwmT/zxLPEMPTEknT39jhbyBsf!Q1TJuTJH+UO6uaKbKS9y/xV03jS+WvgfgZIE2Olh73ef8h/WhZjVj4AVdvpvltCegU+jd1Z96SO2!wk6u/+9raLvnfWsEU+1QfvCEoRvQ
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4578
```

I have a HeathKit SB200 (80 - 10) unmodified Amplifier, that is in excess to my needs. Works (no book).

$300.00 - Prefer local pickup in the Frederick, Maryland area.

73's

Howard W3CQH
240 - 793 - 6736

From -6849339197516511578
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!headwall.stanford.edu!newsfeed.ksu.edu!nntp.ksu.edu!not-for-mail
From: mcalhoun@ksu.edu
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
Date: 7 Jun 2006 22:20:35 -0500
Organization: Kansas State University
Lines: 17
Message-ID: <e68523$cfe@unix1.cc.ksu.edu>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
<MPG.1eefd2be71224f4e9896ba@news.drizzle.com>
NNTP-Posting-Host: unix1.cc.ksu.edu
X-Trace: cnn.cns.ksu.edu 1149736839 3667 129.130.12.3 (8 Jun 2006 03:20:39 GMT)
X-Complaints-To: abuse@ksu.edu
NNTP-Posting-Date: Thu, 8 Jun 2006 03:20:39 +0000 (UTC)
X-Newsreader: NN version 6.5.0 #2 (NOV)
Xref: g2news2.google.com rec.radio.amateur.equipment:4579

>> So, other than the obvious need to minimize sales tax, what
>> contributes to your decision?

>Motorola Spectra units filled the bill nicely. Durable, programmable,
>reasonably inexpensive on the used market, simple to operate once
>programmed....

Our local police are talking about getting all new radios "real soon now", which means their old ones may become available.

But can we ordinary peons get the programming software?

--
--Myron A. Calhoun.
Five boxes preserve our freedoms: soap, ballot, witness, jury, and cartridge
PhD EE (retired).   "Barbershop" tenor.   CDL(PTXS). W0PBV.   (785) 539-4448
NRA Life Member and Certified Instructor (Home Firearm Safety, Rifle, Pistol)

```
From 6077678967195516857
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s71.POSTED!53ab2750!not-for-
mail
From: Mike Burch <Libertybell7@mchsi.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4485f6e7$0$26775$88260bb3@free.teranews.com>
In-Reply-To: <4485f6e7$0$26775$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <19Nhg.22056$No1.19537@attbi_s71>
NNTP-Posting-Host: 12.206.132.84
X-Complaints-To: abuse@asp.att.net
X-Trace: attbi_s71 1149738685 12.206.132.84 (Thu, 08 Jun 2006 03:51:25 GMT)
NNTP-Posting-Date: Thu, 08 Jun 2006 03:51:25 GMT
Organization: AT&T ASP.att.net
Date: Thu, 08 Jun 2006 03:51:25 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12599
rec.radio.amateur.equipment:4580 rec.radio.swap:4457

Thanks for stepping up to the plate and admitting it.  You got some
points for that.  :-)


LLOYD THE LARDASS LOSER DAVIES wrote:
> I'm an inbred alabama hick and I hate CB.
>
>
> Lloyd Davies N0VFP
> Cow Cornholer
> Nutsackkk Gobbler
> Dumpster Dweller
> in Athens, Alabama
>
> <patk1212@gmail.com> wrote in message
> news:1149534276.955122.310050@i40g2000cwc.googlegroups.com...
>> Alot of people are telling me that CB is just for inbred hicks and that
>> I should replace the CB in my truck with a ham radio.  What do you
>> thjink?
>>
>
>
```

>

```
From 5367807627793489O8
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-
mail
From: "n3ox.dan@gmail.com" <n3ox.dan@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Caught Sending Morse (was Give up CB for ham?)
Date: 7 Jun 2006 21:14:28 -0700
Organization: http://groups.google.com
Lines: 52
Message-ID: <1149740068.815501.292630@h76g2000cwa.googlegroups.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
   <1149534276.955122.310050@i40g2000cwc.googlegroups.com>
   <4484dc50$0$1013$39cecf19@news.twtelecom.net>
   <128a2tq2vmeil53@corp.supernews.com>
   <5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
   <4485851f$0$3708$ecde5a14@news.coretel.net>
   <Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
   <4485eeaa$0$3704$ecde5a14@news.coretel.net>
   <qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com>
   <EJshg.40736$fb2.8847@newssvr27.news.prodigy.net>
   <_PAhg.178634$bm6.159481@fed1read04>
NNTP-Posting-Host: 68.34.13.48
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149740073 16392 127.0.0.1 (8 Jun 2006 04:14:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 04:14:33 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4)
Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=68.34.13.48;
   posting-account=KerKog0AAADSrnDaP6aKV-_wqIkM3SNr
Xref: g2news2.google.com rec.radio.amateur.antenna:12601
rec.radio.amateur.equipment:4581 rec.radio.swap:4458
```

A friend of mine and a high school classmate got caught doing the same thing. Some very creative descriptions of the teachers' extracurricular activities, until one of the teachers turned out to be a ham...

Showed them the piece of paper he was copying on :-)

73
Dan

N3OX

Caveat Lector wrote:
> During long boring meetings at an Aerospace company, my buddy and I would
> send Morse by pencil taps, sharp tap was a dit and a tap-scrape was a dah.
> Worked well until a new manager gave his fist talk assuring us nothing would
> change - we tapped out BS.
>
> After the meeting, the new manager asked my buddy and I to stay for a moment
> after the meeting,
>
> With a smile, he sed Hi guys -- I'm W#XYZ
>
> Real call sign disguised to protect the guilty (;-)
>
> --
> CL -- I doubt, therefore I might be !
>
>
>
>
>
>
> "kd5sak" <kd5sak@sbcglobal.net> wrote in message
> news:EJshg.40736$fb2.8847@newssvr27.news.prodigy.net...
> >
> > "Cecil Moore" <mycall@hotmail.com> wrote in message
> > news:qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com...
> >> clfe wrote:
> >> How do you send a 'dash' by tapping on a pipe? You
> >> apparently could revolutionize prison communications
> >> by providing an answer to that simple question.
> >> --
> >> 73, Cecil http://www.qsl.net/w5dxp
> >
> > How about a fast double tap on the pipe (or bar) to signify a "dash"? It's
> > not an elegant solution, but could be made to work. Those guys are
> > probably not gonna try for 30 characters per minute anyway.
> >
> > Harold
> > KD5SAK
> >

From 630151270225990674
X-Google-Thread: 108122,6cf46fc391f3beaa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!e7b32121!not-for-mail

```
Reply-To: "Al Last" <al.last@sbcglobal.net>
From: "Al Last" <al.last@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Collins KWM-2 with power pupply (mod to add internal speaker)
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <_MNhg.92379$H71.13675@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 67.121.232.244
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1149741242 ST000 67.121.232.244 (Thu, 08 Jun
2006 00:34:02 EDT)
NNTP-Posting-Date: Thu, 08 Jun 2006 00:34:02 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@MC@@S@QBPPPBJKBN\TDFZ\@@FXLM@TDOCQDJ@_@FNTCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Thu, 08 Jun 2006 04:34:02 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4582
```

Works great all bands and unused very little since new. Was a RACES unit that ran one net per week for 4 years then has been mine since. I never use it. Comes with original manual, and Shure mobile mic. I think one foot is broken off.

Asking $1100 plus shipping and insurance.

Contact me direct al(dot)last@sbcglobal.net remember to drop the (dot) and add a .

Thanks, Al Last W6GSQ

```
From -7460896135654583759
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: nm5k@wt.net
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Caught Sending Morse (was Give up CB for ham?)
Date: 8 Jun 2006 01:26:09 -0700
Organization: http://groups.google.com
Lines: 12
```

Message-ID: <1149755169.804450.201910@i40g2000cwc.googlegroups.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
   <1149534276.955122.310050@i40g2000cwc.googlegroups.com>
   <4484dc50$0$1013$39cecf19@news.twtelecom.net>
   <128a2tq2vmeil53@corp.supernews.com>
   <5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
   <4485851f$0$3708$ecde5a14@news.coretel.net>
   <Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
   <4485eeaa$0$3704$ecde5a14@news.coretel.net>
   <qLrhg.39959$4L1.32138@newssvr11.news.prodigy.com>
   <EJshg.40736$fb2.8847@newssvr27.news.prodigy.net>
   <_PAhg.178634$bm6.159481@fed1read04>
   <1149740068.815501.292630@h76g2000cwa.googlegroups.com>
NNTP-Posting-Host: 216.119.139.14
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149755174 24138 127.0.0.1 (8 Jun 2006 08:26:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 08:26:14 +0000 (UTC)
In-Reply-To: <1149740068.815501.292630@h76g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.5) Gecko/20041107 Firefox/1.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=216.119.139.14;
   posting-account=EIwFDwwAAAApE0pXkg-ffORy7esu4pQN
Xref: g2news2.google.com rec.radio.amateur.antenna:12608 rec.radio.amateur.equipment:4583 rec.radio.swap:4461

n3ox.dan@gmail.com wrote:
> A friend of mine and a high school classmate got caught doing the same
> thing. Some very creative descriptions of the teachers'
> extracurricular activities, until one of the teachers turned out to be
> a ham...

Passing notes in school is how I first learned the code. Took about two
weeks to memorize all the letters so I didn't need a cheat sheet.
I never got caught though. :/
MK

From 3148973369902673309
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!atl-c05.usenetserver.com!news.usenetserver.com!peer01.west.cox.net!cox.net!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!

```
newsread1.news.pas.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Message-ID: <077g82l0l7crfa52216an302bqf7icaiql@4ax.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Thu, 08 Jun 2006 12:56:49 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1149771409 24.148.146.109 (Thu, 08 Jun
2006 05:56:49 PDT)
NNTP-Posting-Date: Thu, 08 Jun 2006 05:56:49 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12612
rec.radio.amateur.equipment:4584 rec.radio.amateur.misc:13441
rec.radio.shortwave:38714
```

No.
I know a fellow who works in Tech support for a big computer company
who says they get questions likes this all the time.

There are several reasons the product has failed to meet your
expectations.
1- you have likely installed it upside down.
2- Your antenna is defective, the product is not meant to be used with
a defective antenna.
3- Exposure to weather has nullified your warranty.
4- There is an improved replacement product available and you may wish
to upgrade at a special price.

de W8CCW John

On Wed, 07 Jun 2006 20:26:26 GMT, cq-dx@arrl.net (New Ham) wrote:

>Did I get ripped off?

John Ferrell W8CCW

```
From -8845332350258075165
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna still gets wet when it rains.
Date: 8 Jun 2006 06:32:56 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1149773576.391521.292660@h76g2000cwa.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
   <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
   <MsHhg.24$0I2.8@fe06.lga>
   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
   <1149724604.928282.248280@u72g2000cwu.googlegroups.com>
   <128ercucqikj3b0@corp.supernews.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149773581 19682 127.0.0.1 (8 Jun 2006 13:33:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 13:33:01 +0000 (UTC)
In-Reply-To: <128ercucqikj3b0@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:12613
rec.radio.amateur.equipment:4585 rec.radio.amateur.misc:13463
rec.radio.shortwave:38716

David G. Nagel wrote:
> John S. wrote:
> > Or looking for a left-handed crescent wrench and fetching a bucket of
> > prop wash.
>
> The problem with this joke is that the wrench exhists. Handedness in a
> wrench is determined by which thumb closes the jaws. Right thumb right
> hand wrench, left thumb left handed wrench.
>
> I have a left handed crescent type wrench. Where was it made?
> POLAND of course.
>
> Wrench available for inspection.
>

You had me going there for a moment.....

I know...one side is labeled L and the flip side is labeled R.

```
From -8051782286131356799
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 8 Jun 2006 06:33:09 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1149773589.092481.119850@i39g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <1149606997.736862.209000@c74g2000cwc.googlegroups.com>
   <1149684175.500749.17370@f6g2000cwb.googlegroups.com>
   <1149701987.056423.87510@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.155.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149773594 19704 127.0.0.1 (8 Jun 2006 13:33:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 13:33:14 +0000 (UTC)
In-Reply-To: <1149701987.056423.87510@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=65.54.155.53;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.antenna:12614
rec.radio.amateur.equipment:4586 rec.radio.amateur.misc:13464
rec.radio.amateur.policy:28748 rec.radio.shortwave:38717
```

sodomized by an old freind wrote:

> Not Cocksucker Lloyd wrote:
> > assraped by an old freind wrote:
> > > J. D. B. wrote:
> > > > That is a very good point that I never considered. In thinking about it,
> > > > it makes perfect sense. "Mode Welfare" - too funny.
> > > well thank you for making my day Sir
> > >
> > > although the phrase isn't mine it cames from the regulars here on RRAp
> > > from back in 1990's
> > >
> > It figures you'd have to plagiarize it, Markie. Dumbass!
> you are no one to talk you <whaaaaaaaaaaaH!!!>

Poor Marqueer, whining and crying...........

```
From -2299943002704869314
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: 8 Jun 2006 06:42:59 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1149774179.543305.288650@f6g2000cwb.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
   <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
   <MsHhg.24$0I2.8@fe06.lga>
   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
   <1149724604.928282.248280@u72g2000cwu.googlegroups.com>
   <128ercucqikj3b0@corp.supernews.com>
   <QMydnTo9LeRhFBrZnZ2dneKdnZydnZ2d@comcast.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149774184 21345 127.0.0.1 (8 Jun 2006 13:43:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 13:43:04 +0000 (UTC)
In-Reply-To: <QMydnTo9LeRhFBrZnZ2dneKdnZydnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:12615
rec.radio.amateur.equipment:4587 rec.radio.amateur.misc:13469
rec.radio.shortwave:38720

Brian Denley wrote:
> David G. Nagel wrote:
> > John S. wrote:
> >> Or looking for a left-handed crescent wrench and fetching a bucket of
> >> prop wash.
> >
> > The problem with this joke is that the wrench exhists. Handedness in a
> > wrench is determined by which thumb closes the jaws. Right thumb right
> > hand wrench, left thumb left handed wrench.
> >
> > I have a left handed crescent type wrench. Where was it made?
> > POLAND of course.
> >
> > Wrench available for inspection.
> >
> > Dave WD9BDZ
> >
> >
> At 23, I took a job as a young engineer at a place that had previously been
> a gyroscope manufacturer. As the new guy, they asked my to deliver a
> briefcase to the boss' office and (you guessed it) there was a spinning gryo
> in the briefcase. I got a big surprise when I tried to turn a corner in the
> corrider and the briefcase kept going straight ahead! A great 'new guy'
> trick.
> --

Or send the new guy in engineering to supply for a pressurized
container of Dihydrogen Monoxide.

Or send the new finance guy to get the difference finder.

From 7737147787116404022
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-07!sn-post-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups:

```
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
 still gets wet when it rains.
Date: Thu, 08 Jun 2006 08:45:40 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128gag4l6ir25e0@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<MsHhg.24$0I2.8@fe06.lga>   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
<1149724604.928282.248280@u72g2000cwu.googlegroups.com>
<128ercucqikj3b0@corp.supernews.com>
<1149773576.391521.292660@h76g2000cwa.googlegroups.com>
In-Reply-To: <1149773576.391521.292660@h76g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news2.google.com rec.radio.amateur.antenna:12616
rec.radio.amateur.equipment:4588 rec.radio.amateur.misc:13472
rec.radio.shortwave:38721

John S. wrote:
>
>
> David G. Nagel wrote:
>
>>John S. wrote:
>>
>>>Or looking for a left-handed crescent wrench and fetching a bucket of
>>>prop wash.
>>
>>The problem with this joke is that the wrench exhists. Handedness in a
>>wrench is determined by which thumb closes the jaws. Right thumb right
>>hand wrench, left thumb left handed wrench.
>>
>>I have a left handed crescent type wrench. Where was it made?
>>POLAND of course.
>>
>>Wrench available for inspection.
>>
>
>
> You had me going there for a moment.....
>
> I know...one side is labeled L and the flip side is labeled R.
>
No. This is an honest to god left handed crescent style wrench. Hold in
left hand and close  the jaws using the left thumb.
```

Dave WD9BDZ

```
From 3767245231686971253
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: 8 Jun 2006 06:45:41 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1149774341.518961.129650@i40g2000cwc.googlegroups.com>
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
   <1149714609.565540.160300@c74g2000cwc.googlegroups.com>
   <448767E7.4040009@fuse.net>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149774346 11178 127.0.0.1 (8 Jun 2006 13:45:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 13:45:46 +0000 (UTC)
In-Reply-To: <448767E7.4040009@fuse.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:12617
rec.radio.amateur.equipment:4589 rec.radio.amateur.misc:13473
rec.radio.shortwave:38722
```

jawod wrote:

> John S. wrote:
> > New Ham wrote:
> >
> >>Did I get ripped off?
> >
> >
> > You might try a Stetson.
> >

> Try a Dunce Cap (low capacitance) attached to your screwdriver and
> manually adjust until your dip meter reads moron   :)

Uh oh...feeling a bit testy today???

```
From 5336324045471896960
X-Google-Thread: fcc6e,f154d819e5f3235d
X-Google-Thread: 108122,f154d819e5f3235d
X-Google-Thread: 107ada,f154d819e5f3235d
X-Google-Thread: 114aac,f154d819e5f3235d
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local02.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 08 Jun 2006 09:39:08 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.shortwave
References: <ndsk43-djasp3ikomsfd-asdok@news.arrl.net>
<1149714609.565540.160300@c74g2000cwc.googlegroups.com>
<MsHhg.24$0I2.8@fe06.lga>   <blJhg.19147$VE1.18282@newssvr14.news.prodigy.com>
<1149724604.928282.248280@u72g2000cwu.googlegroups.com>
<128ercucqikj3b0@corp.supernews.com>
<1149773576.391521.292660@h76g2000cwa.googlegroups.com>
<128gag4l6ir25e0@corp.supernews.com>
Subject: Re: I bought a large capacitance hat for my vertical, but the antenna
still gets wet when it rains.
Date: Thu, 8 Jun 2006 09:39:07 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <OtWdnSwQsZAQqxXZnZ2dnUVZ_tednZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-
DWZ+ATGgWcZCyzxjbeXQvOmABPwaz8uZfAkMUcqm22Yn7EUv3BJOxIO4WaRqN30pKXHPf10IWy5R9sg!
Bh/J4ZDUQOMKMZoTZE5jKPA1oLS8vLYOoFLd64HlY/mMxHSqXl7uoJdwlEUHqFHXCVUlJ2P/xsS2!
HcmwDPaEbhciQA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12619
rec.radio.amateur.equipment:4590 rec.radio.amateur.misc:13489
rec.radio.shortwave:38726
```

```
"David G. Nagel" <nagel@core.com> wrote in message
news:128gag4l6ir25e0@corp.supernews.com...
> John S. wrote:
>>
>>
>> David G. Nagel wrote:
>>
>>>John S. wrote:
>>>
>>>>Or looking for a left-handed crescent wrench and fetching a bucket of
>>>>prop wash.
>>>
>>>The problem with this joke is that the wrench exhists. Handedness in a
>>>wrench is determined by which thumb closes the jaws. Right thumb right
>>>hand wrench, left thumb left handed wrench.
>>>
>>>I have a left handed crescent type wrench. Where was it made?
>>>POLAND of course.
>>>
>>>Wrench available for inspection.
>>>
>>
>>
>> You had me going there for a moment.....
>>
>> I know...one side is labeled L and the flip side is labeled R.
>>
> No. This is an honest to god left handed crescent style wrench. Hold in
> left hand and close  the jaws using the left thumb.

I have a metric one  :-)




From 7655592704544964773
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
```

```
Date: 8 Jun 2006 09:24:27 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1149783867.303127.313090@y43g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <1149606997.736862.209000@c74g2000cwc.googlegroups.com>
   <1149684175.500749.17370@f6g2000cwb.googlegroups.com>
   <1149701987.056423.87510@i40g2000cwc.googlegroups.com>
   <1149773589.092481.119850@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.70
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149783873 5315 127.0.0.1 (8 Jun 2006 16:24:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 8 Jun 2006 16:24:33 +0000 (UTC)
In-Reply-To: <1149773589.092481.119850@i39g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=66.82.9.70;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:12622
rec.radio.amateur.equipment:4591 rec.radio.amateur.misc:13517
rec.radio.amateur.policy:28785 rec.radio.shortwave:38732


Not Cocksucker Lloyd wrote:
> sodomized by an old freind wrote:
> > Not Cocksucker Lloyd wrote:
> > > assraped by an old freind wrote:
> > > > J. D. B. wrote:
> > > > > That is a very good point that I never considered. In thinking about it,
> > > > > it makes perfect sense. "Mode Welfare" - too funny.
> > > > well thank you for making my day Sir
> > > >
> > > > although the phrase isn't mine it cames from the regulars here on RRAp
> > > > from back in 1990's
> > >
> > > It figures you'd have to plagiarize it, Markie. Dumbass!
> > you are no one to talk you <whaaaaaaaaaaaH!!!>
>
> Poor Marqueer, whining and crying...........
can you post at all on topic or can you just harrass the real human in
the forum
get help wismen
```

```
From -4608586126141923073
X-Google-Thread: 108122,57b703026a34b26a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Collins KWM-2A Transceiver
Message-ID: <898982l3d4ar8prfnpaj42nmmn3q6kvsuc@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Mon, 05 Jun 2006 17:25:01 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1149542701 69.125.167.162 (Mon, 05 Jun 2006 14:25:01 MST)
NNTP-Posting-Date: Mon, 05 Jun 2006 14:25:01 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4492

FS Collins KWM-2A Transceiver
Needs work.  Plugged it in and lights up and no receive or transmitt.
I looked inside, and see no crystals in it. It's a fixer upper or
parts radio. Cabinet needs repainting,etc.
All parts are in it. Don't see anything missing, other than crystals.
Make offer or let me know what you have to swap for it.
Remember AS IS, Don't work.
ritchi50@optonline.net
To see picture look on qrz or qth


From 2576256745544616917
X-Google-Thread: 108122,5a4e96aebb3ffa95,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!
not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Collins 51S-1 RE  Beauty!!!
Message-ID: <3d99825j1k2fqadf5mramlc7l4v366rlkd@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Mon, 05 Jun 2006 17:44:07 -0400
```

NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1149543847 69.125.167.162 (Mon, 05 Jun 2006 14:44:07 MST)
NNTP-Posting-Date: Mon, 05 Jun 2006 14:44:07 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4493

FS: Collins 51S-1 RE Beauty!!!
Has the Dial Lock.
Serial# 9203 Late Late Model
Was store in a vault for most of its life. Works GREAT!!!
And what a beauty!!!!!
SB 2400 CPS   CW 800 CPS
Clean inside and out.
Price: 1800.00
ritchi50@optonline.net
Go to QRZ or QTH to see picture

From 1970544050317540846
X-Google-Thread: 108122,7612e2bcdd5a3d5f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!
not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Collins SM-2 Desk Microphone
Message-ID: <l1a982tttr3l88tibev21qk3nct1oj8ik2@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Mon, 05 Jun 2006 17:55:06 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1149544506 69.125.167.162 (Mon, 05 Jun 2006 14:55:06 MST)
NNTP-Posting-Date: Mon, 05 Jun 2006 14:55:06 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4494

FS Collins SM-2 Desk Microphone
Nice condition
195.00
To see pictures, go to: qrz or qth
ritchi50@optonline.net

From 8121387852322591680
X-Google-Thread: 108122,1b714b9a8fe50211,start
X-Google-Attributes: gid108122,public

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TH-71A HT
Message-ID: <ceb982hsjs78jgfe0s19lh15qu12usm2vc@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Mon, 05 Jun 2006 18:18:57 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1149545936 69.125.167.162 (Mon, 05 Jun 2006 15:18:56 MST)
NNTP-Posting-Date: Mon, 05 Jun 2006 15:18:56 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4495

FS Kenwood TH-71A HT
With extra high gain antenna.
In BRAND NEW condition!!!
200.00
ritchi50@optonline.net
Look on QRZ or QTH for picture

From 4885491404701216247
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
From: Slow Code <my.mail@no.spam>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 14
Message-ID: <Iq3hg.1909$o4.911@newsread2.news.pas.earthlink.net>
Date: Mon, 05 Jun 2006 23:50:00 GMT
NNTP-Posting-Host: 4.227.154.187
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1149551400 4.227.154.187 (Mon, 05 Jun 2006 16:50:00 PDT)

NNTP-Posting-Date: Mon, 05 Jun 2006 16:50:00 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12458
rec.radio.amateur.equipment:4496 rec.radio.swap:4384

patk1212@gmail.com wrote in
news:1149534276.955122.310050@i40g2000cwc.googlegroups.com:

> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio. What do you
> thjink?

Which of your trucks were you thinking of updating? Your old rust bucket
truck that still runs, or the one on blocks that you call your base
station?

sc

From 2456221110666950185
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: I was going through about ten years of ham catalogs, and I noticed a
disturbing trend.
From: Radio Buff <my.mail@no.spam>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<e5kdbr$se2$1@avnika.corp.mot.com> <e5mogu$huo$4@usenet01.srv.cis.pitt.edu>
<pZKfg.176$o4.56@newsread2.news.pas.earthlink.net>
<FXggg.130895$F_3.107482@newssvr29.news.prodigy.net>
<94Jgg.9081$921.5558@newsread4.news.pas.earthlink.net>
<ZJMgg.46033$Lm5.611@newssvr12.news.prodigy.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 13
Message-ID: <Kq3hg.1911$o4.1220@newsread2.news.pas.earthlink.net>
Date: Mon, 05 Jun 2006 23:50:02 GMT
NNTP-Posting-Host: 4.227.154.187
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1149551402 4.227.154.187 (Mon, 05 Jun
2006 16:50:02 PDT)
NNTP-Posting-Date: Mon, 05 Jun 2006 16:50:02 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12459
rec.radio.amateur.equipment:4497 rec.radio.swap:4385

"Cecil Moore" <mycall@hotmail.com> wrote in

```
news:ZJMgg.46033$Lm5.611@newssvr12.news.prodigy.com:

> "Slow Code" <my.mail@no.spam> wrote:
>> A microphone, a six-pack, a karaoke system, & you're a star.  :-)
>
> Yep, see: http://www.qsl.net/w5dxp/w5dxp.jpg



Have to start calling you Slim Whitman.

sc



From 8855067434883776783
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!2ba31c29!not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<1289308tmhg8aee@corp.supernews.com>
Subject: Re: Give up CB for ham?
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <qz3hg.7586$9c7.5632@trnddc06>
Date: Mon, 05 Jun 2006 23:59:18 GMT
NNTP-Posting-Host: 72.65.143.65
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1149551958 72.65.143.65 (Mon, 05 Jun 2006 19:59:18 EDT)
NNTP-Posting-Date: Mon, 05 Jun 2006 19:59:18 EDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12460
rec.radio.amateur.equipment:4498 rec.radio.swap:4386

And a big fat amen to that.
rb

"Dave Platt" <dplatt@radagast.org> wrote in message
news:1289308tmhg8aee@corp.supernews.com...
> In article <1149534276.955122.310050@i40g2000cwc.googlegroups.com>,
> <patk1212@gmail.com> wrote:
>
>>Alot of people are telling me that CB is just for inbred hicks and that
>>I should replace the CB in my truck with a ham radio.  What do you
```

>>thjink?
>
> I think that you asked precisely that same question (modulo one typo)
> back on May 16th, April 15th, and April 3.
>
> I think you have no serious interest in the answers you've received.
>
> I think you're acting like a juvenile troll, and therefore receive 0
> points on the Troll-o-meter (with a three-point penalty for showing an
> utter lack of imagination in your trolling).
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

From -9113166788344319628
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!sn-xt-sjc-15!sn-xt-sjc-07!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: I was going through about ten years of ham catalogs, and I noticed a disturbing trend.
Date: Tue, 06 Jun 2006 00:03:37 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <1289hipia64se92@corp.supernews.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<94Jgg.9081$921.5558@newsread4.news.pas.earthlink.net>
<ZJMgg.46033$Lm5.611@newssvr12.news.prodigy.com>
<Kq3hg.1911$o4.1220@newsread2.news.pas.earthlink.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.amateur.antenna:12461
rec.radio.amateur.equipment:4499 rec.radio.swap:4388

>>> A microphone, a six-pack, a karaoke system, & you're a star. :-)

>> Yep, see: http://www.qsl.net/w5dxp/w5dxp.jpg

>Have to start calling you Slim Whitman.

Another definite advantage to CW, I suppose. With SSB there's no telling when you might hear something that could make your head explode.

```
--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From -8201893866553468131
X-Google-Thread: 108122,74cf05573dc87e1e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pghconnect.com!
news.pghconnect.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 05 Jun 2006 19:11:13 -0500
From: "general4d.net" <lou.de.beer@general-net.com>
Newsgroups: rec.radio.amateur.equipment
Subject: F.S Eimac 3CX800A7
Date: Mon, 5 Jun 2006 17:15:05 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <ZfWdndb596K8VRnZnZ2dneKdnZydnZ2d@pghconnect.com>
Lines: 3
NNTP-Posting-Host: 67.111.80.43
X-Trace: sv3-GHMHKfpR7BXqo405fT9YHWKKoJQRujbQgbaLNQf7twAktlSaLUDmVZfnIhclJ2O/
aKeEDZheCJd3kST!
u9Mxe1zMU8QuxdbkjfLXzG0GJzLAchYMkSXRnNWJOTvUYpYxrceGmgxcBcGd3C28SOwvaBh7VlOD!awGW/
z2wcf/Oic0U6HEZe9Af
X-Complaints-To: abuse@globalpops.com
X-DMCA-Complaints-To: abuse@globalpops.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4500
```

Eimac 3CX800A& full output..$225.00 plus shipping..

```
From 4867773593703403653
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!newsfeeds.sol.net!posts.news.twtelecom.net!
```

```
nnrp2.twtelecom.net!not-for-mail
Date: Mon, 05 Jun 2006 20:37:16 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
In-Reply-To: <1149534276.955122.310050@i40g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 16
Message-ID: <4484dc50$0$1013$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 06 Jun 2006 01:37:20 GMT
NNTP-Posting-Host: a6c59b22.news.twtelecom.net
X-Trace:
DXC=DGoBHKWJWh6KU3]3@_L3F>C_A=>8kQj6=Y;@_o827nG3GieFYOXjh`5ZngdO0^]Qi6cc^bH0>lDB>
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12465
rec.radio.amateur.equipment:4501 rec.radio.swap:4389

patk1212@gmail.com wrote:

> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio.  What do you
> thjink?
>

You should go for your license.  The additional privelages are quite
worthwhile.  I will warn you that there are still quite a few inbred
hicks that got their ham tickets, unfortunately.  The good thing is most
of them seem to be extra class, and are mostly older and will be gone
soon.  It's a leftover effect of requiring Morse ability as opposed to
operating knowledge.

tom
K0TAR



From 4213206482522470696
X-Google-Thread: 108122,f45900538a66963d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!
pc02.usenetserver.com!fe65.usenetserver.com.POSTED!334b1f4d!not-for-mail
From: JT (jt@trek.net)
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: rtty: software
X-Newsreader: NewsLeecher v3.0 Final (http://www.newsleecher.com)
Lines: 8
Message-ID: <pJ7hg.1393$Ld3.947@fe65.usenetserver.com>
X-Complaints-To: abuse@usenetserver.com
X-Abuse-Info: Please be sure to forward a copy of ALL headers
X-Abuse-Info: Otherwise we will be unable to process your complaint properly.
NNTP-Posting-Date: Tue, 06 Jun 2006 00:43:01 EDT
Date: Tue, 06 Jun 2006 04:43:01 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4502

need some good software to receive rtty. and some good frequency to
receive the same plus times. thanks
--
---------------------------------------------
Posted with NewsLeecher v3.0 Final
 * Binary Usenet Leeching Made Easy
 * http://www.newsleecher.com/?usenet
---------------------------------------------




From -6142748958058959020
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!news.astraweb.com!router2.astraweb.com!
216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-sjc-09!sn-xt-sjc-07!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
Date: Mon, 05 Jun 2006 23:59:38 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128a2tq2vmeil53@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net>
In-Reply-To: <4484dc50$0$1013$39cecf19@news.twtelecom.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news2.google.com rec.radio.amateur.antenna:12471
rec.radio.amateur.equipment:4503 rec.radio.swap:4392
```

Tom Ring wrote:

> patk1212@gmail.com wrote:
>
>> Alot of people are telling me that CB is just for inbred hicks and that
>> I should replace the CB in my truck with a ham radio. What do you
>> thjink?
>>
>
> You should go for your license. The additional privelages are quite
> worthwhile. I will warn you that there are still quite a few inbred
> hicks that got their ham tickets, unfortunately. The good thing is most
> of them seem to be extra class, and are mostly older and will be gone
> soon. It's a leftover effect of requiring Morse ability as opposed to
> operating knowledge.
>
> tom
> K0TAR

The problem with the newbys with nocode techs is that they don't realize
that knowing the code is just as important as knowing how to press the
on/off button.

Dave WD9BDZ

```
From -6843966898998876899
X-Google-Thread: 108122,74cf05573dc87e1e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pghconnect.com!
news.pghconnect.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 06 Jun 2006 04:19:37 -0500
From: "general4d.net" <lou.de.beer@general-net.com>
Newsgroups: rec.radio.amateur.equipment
Subject: F.S Eimac 3CX800A7
Date: Tue, 6 Jun 2006 02:23:32 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <H-2dne1cq7c01RjZnZ2dnUVZ_vydnZ2d@pghconnect.com>
Lines: 5
NNTP-Posting-Host: 67.111.80.39
X-Trace: sv3-AbCEUIcrTBsgSYJef1bgPHZkwRb+TPeVTgJylC6tVomPXcmy/
jGnQw0+0yahsSZ4GPzLWDMdKLvqKTB!gno82Ztw3X9L/
n0Izs4xysHn5ydsv0yL7wWv7KkVYUqJEHIMTOCLbkxELK6WK0YiWITqIWB6x4Xb!H/
UKVuRlHbE5SOlz9tYOnAbm
X-Complaints-To: abuse@globalpops.com
X-DMCA-Complaints-To: abuse@globalpops.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4504

Eimac 3CX800A7 full output..$225.00 plus shipping..

lou.de.beer@general-net.com

From 5246058707412819647
X-Google-Thread: 108122,f45900538a66963d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <pJ7hg.1393$Ld3.947@fe65.usenetserver.com>
Subject: Re: software
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1158
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1165
Message-ID: <RFchg.2107$lp.1352@newsread3.news.pas.earthlink.net>
Date: Tue, 06 Jun 2006 10:20:33 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1149589233 24.225.35.108 (Tue, 06 Jun 2006 03:20:33 PDT)
NNTP-Posting-Date: Tue, 06 Jun 2006 03:20:33 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4505

"JT" <jt@trek.net> wrote in message
news:pJ7hg.1393$Ld3.947@fe65.usenetserver.com...
> need some good software to receive rtty. and some good frequency to
> receive the same plus times. thanks
> --

Go here and download the free program MMTTY.

http://www.muenster.de/~welp/sb.htm

Set it up so your receiver is in the LSB mode, 170 hz shift, 45 baud (60 WPM).

Start tuning around 14.080 to 14.100 MHz.

There are lots of other sound card programs on the same site for other
modes, but the MMTTY seems very easy to get up and going.

From -4187697440565027562
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-mail
From: "K8MNsuxdix" <k8mnsuxdix@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 6 Jun 2006 05:00:25 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1149595225.477390.22330@y43g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net>
   <1149506521.971557.171840@y43g2000cwc.googlegroups.com>
   <1149526755.142414.109210@f6g2000cwb.googlegroups.com>
NNTP-Posting-Host: 65.54.155.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149595231 3644 127.0.0.1 (6 Jun 2006 12:00:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jun 2006 12:00:31 +0000 (UTC)
In-Reply-To: <1149526755.142414.109210@f6g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=65.54.155.35;
   posting-account=L4ANvAwAAAAiuweT_9-kIx6jfOYWQQ2L
Xref: g2news2.google.com rec.radio.amateur.antenna:12482
rec.radio.amateur.equipment:4506 rec.radio.amateur.misc:13133
rec.radio.amateur.policy:28562 rec.radio.shortwave:38412

an old retard who can't pasds the code whined:

```
> John S. wrote:
> > Radio Buff wrote:
> > > "J. D. B." <duffyb01@nospamfuse.net> wrote in
> > > news:9e847$4482def6$d06640f9$28274@FUSE.NET:
> > >
>
> > >
> > > Any retard can use a computer.  Look around.
> >
> > As we all know the licensing requirement does not eliminate idiots on
> > the bands.  Far from it unfortunately.
>
> in the case of this requirement it justmakes the whole look bad
>
> testing 1800's tech in the 21st century

Wrong, stupid, it keeps losers like you away from the real ham
operators.

-- /- . /.- . /--.- /..- /. /. /.-. / - / ..../ . /-... / ..- /-- /
-... / -. / ... / .../ .-.-.- /




From -7530811643643030635
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 06 Jun 2006 07:16:39 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
Subject: Re: Give up CB for ham?
Date: Tue, 6 Jun 2006 07:16:38 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <EfidnXXe3Ma67xjZnZ2dnUVZ_smdnZ2d@comcast.com>
Lines: 18
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-lbfl1IHJPC7K6Z72z4P/
BUR9DFQfw0WJ83didJ6/5lY9Brpd7puf672feddu+qMj5ZaJw/7e0A2c8bD!
temF0+IGIfUiMXt2p0zLGQT9mUbnHjiRigNyoiZn0jlleQzGw1DAhe4RIhqAWwSu5medINY/rAIL!
8nSiSavtT9OVsg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4507
```

<X-Post canceled>

Replace?? no..........get licensed, *ADD* the HAM radio... start with V/UHF
dual bander, then as $$$$ and space permit, add an HF rig..... maybe a
TS-480
In my truck I run a CB, a dual bander, and an HF rig. The CB keeps me out of
trouble, and the ham rigs give me something to do.

-n6ojn

<patk1212@gmail.com> wrote in message
news:1149534276.955122.310050@i40g2000cwc.googlegroups.com...
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio. What do you
> thjink?
>

```
From -7272046862171821081
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Date: Tue, 06 Jun 2006 08:16:51 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
  with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
In-Reply-To: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <b746f$448572ad$d06640f9$22084@FUSE.NET>
```

X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 12
X-Trace: b746f448572ad75c3e55c22084
Xref: g2news2.google.com rec.radio.amateur.antenna:12483
rec.radio.amateur.equipment:4508 rec.radio.amateur.misc:13146
rec.radio.amateur.policy:28567 rec.radio.shortwave:38413

That is a very good point that I never considered. In thinking about it,
it makes perfect sense. "Mode Welfare" - too funny.

JDB

an old friend wrote:
>
> the concern is obvious for decades the CW crowd has relied on the
> requirement to force all ham to at try it. mode welfare. they are afaid
> without that stick the mode will die . it show a lack ocnvednce in the
> mode
>

From 648507800380924607
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
Date: Tue, 06 Jun 2006 05:18:48 -0700
Reply-To: noway@nohow.com
Message-ID: <5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node219-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1149596121 63.93.75.219 (6 Jun 2006 07:15:21 -0500)
Lines: 19
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.219
Path: g2news2.google.com!news4.google.com!news2.volia.net!nntp.idg.pl!
usenet.ath.cx!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:12484
rec.radio.amateur.equipment:4509 rec.radio.swap:4395

ORIGINAL MESSAGE:

On Mon, 05 Jun 2006 23:59:38 -0500, "David G. Nagel" <nagel@core.com>
 wrote:

>The problem with the newbys with nocode techs is that they don't realize that knowing the code is just as important as knowing how to press the on/off button.
>
>Dave WD9BDZ

*********** REPLY SEPARATOR ***********

"Just as important"?

Boggles the mind.

73, Bill W6WRT
49 yr ham, Extra Class

```
From 708082691951665445
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 6 Jun 2006 05:30:48 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1149597048.871173.224130@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net>
   <1149506521.971557.171840@y43g2000cwc.googlegroups.com>
   <1149526755.142414.109210@f6g2000cwb.googlegroups.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149597054 16213 127.0.0.1 (6 Jun 2006 12:30:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jun 2006 12:30:54 +0000 (UTC)
In-Reply-To: <1149526755.142414.109210@f6g2000cwb.googlegroups.com>
User-Agent: G2/0.2
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:12485
rec.radio.amateur.equipment:4510 rec.radio.amateur.misc:13151
rec.radio.amateur.policy:28572 rec.radio.shortwave:38415


an old freind wrote:
> John S. wrote:
> > Radio Buff wrote:
> > > "J. D. B." <duffyb01@nospamfuse.net> wrote in
> > > news:9e847$4482def6$d06640f9$28274@FUSE.NET:
> > >
>
> > >
> > > Any retard can use a computer.  Look around.
> >
> > As we all know the licensing requirement does not eliminate idiots on
> > the bands.  Far from it unfortunately.
>
> in the case of this requirement it justmakes the whole look bad
>
> testing 1800's tech in the 21st century

Uh, yeah.  Kind of like requiring mastery of the buggy whip for
prospective car drivers.




From 5694194865369840402
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news-out.readnews.com!news-
xxxfer.readnews.com!news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
Subject: Re: Give up CB for ham?
Date: Tue, 6 Jun 2006 09:36:21 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
```

X-RFC2646: Format=Flowed; Original
Lines: 66
Message-ID: <4485851f$0$3708$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 2581e92d.news.coretel.net
X-Trace: DXC=7YD<5I20MR10b2j73fJc:3cYX6N<OEXQ;LiCL?
EV`iQ=[3X_DYPRRm=ff;M8agOlo>YbKD62T?eR3
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12487
rec.radio.amateur.equipment:4511 rec.radio.swap:4396

"Bill Turner" <dezrat@copper.net> wrote in message
news:5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com...
> ORIGINAL MESSAGE:
>
> On Mon, 05 Jun 2006 23:59:38 -0500, "David G. Nagel" <nagel@core.com>
> wrote:
>
>>The problem with the newbys with nocode techs is that they don't realize
>>that knowing the code is just as important as knowing how to press the
>>on/off button.
>>
>>Dave WD9BDZ
>
> *********** REPLY SEPARATOR ***********
>
> "Just as important"?
>
> Boggles the mind.
>
> 73, Bill W6WRT
> 49 yr ham, Extra Class

I don't think you can really expect the newbies to want/desire to know that which they know may be being phased out soon. Why worry about learning it if they know it will soon be gone?

I am of the opinion that a 5 WPM at least - should be kept on as a requirement - as someday - it may be needed. Think not? Say you're in the midst of an attack - of terrorism, a war on our homefront OR a large scale natural disaster, a microphone isn't working or available. You can key the radio but don't know code - now what? With code, even at 5 WPM - you could get some very important information to those needing it to help save you - to them. You could tell them WITH code, what is needed, exact whereabouts, how many people involved, etc........ Just clicking a mic pin with a wire won't tell anyone anything and could delay any help or a response big enough to do much good. In these times with the large scale disasters as we've seen and attacks - even for any said to be planned, NOW is a good time to WANT to know code. IT may save you........ It is one of those skills you learn - just like CPR or whatever - you hope you never have to use, but you're glad you have it - when you need it.

5 WPM is NOT hard to learn or do. ANYONE with any interest can learn it in a

month at most if you take x amount of characters a day and start using them. Many learn it sooner but it shouldn't take more than a month to get to 5 WPM. "I" know how I learned it but my method won't work for all, just as others didn't work for me. But the main thing is, you must "want" to learn it. If you were 16 and didn't want to learn to drive a car - plain and simple your driving days would be non-existant or very short lived at best- point being MOST 16 year olds WANT to learn to drive. YOU HAVE TO WANT IT.

Many of you may have heard of the Quecreek Mine incident in PA some time ago. A pipe was drilled down into the shaft. Those at the surface heard 9 taps on it, signifying there were 9 miners there. NOW - if any of those miners KNEW code, they could have gotten a message to the surface as to what conditions were exactly, the extent of injuries as best they could, etc. Maybe even instructions to help those on the surface plan their moves a tad better. Luckily, the 9 were saved but that is an example of just those 9 taps - crude MORSE - which sent a valid message. Were it not for that, no one would have known they were alive until someone may have went in. AND - MAYBE - those digging operations after a couple hours would have slowed due to lost hope. The fact they knew those guys were still alive gave them urgency to press on......... Code CAN have a place in your life.

clfe

From -8732862846427982476
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
Subject: Re: Give up CB for ham?
Date: Tue, 6 Jun 2006 09:54:14 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Lines: 94
Message-ID: <44858906$0$3702$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 2581e92d.news.coretel.net
X-Trace: DXC=a`bd2LaaK7?0b2j73fJc:3cYX6N<OEXQ;LiCL?

```
EV`iQ=h1LV`O1nRT8ff;M8agOlo>YF9l7hQ4\O?
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12488
rec.radio.amateur.equipment:4512 rec.radio.swap:4397


"clfe" <Nospam@clfurent.com> wrote in message
news:4485851f$0$3708$ecde5a14@news.coretel.net...
> "Bill Turner" <dezrat@copper.net> wrote in message
> news:5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com...
>> ORIGINAL MESSAGE:
>>
>> On Mon, 05 Jun 2006 23:59:38 -0500, "David G. Nagel" <nagel@core.com>
>> wrote:
>>
>>>The problem with the newbys with nocode techs is that they don't realize
>>>that knowing the code is just as important as knowing how to press the
>>>on/off button.
>>>
>>>Dave WD9BDZ
>>
>> *********** REPLY SEPARATOR ***********
>>
>> "Just as important"?
>>
>> Boggles the mind.
>>
>> 73, Bill W6WRT
>> 49 yr ham, Extra Class
>
> I don't think you can really expect the newbies to want/desire to know
> that which they know may be being phased out soon. Why worry about
> learning it if they know it will soon be gone?
>
> I am of the opinion that a 5 WPM at least - should be kept on as a
> requirement  - as someday - it may be needed. Think not? Say you're in the
> midst of an attack - of terrorism, a war on our homefront OR a large scale
> natural disaster, a microphone isn't working or available. You can key the
> radio but don't know code - now what? With code, even at 5 WPM - you could
> get some very important information to those needing it to help save you -
> to them. You could tell them WITH code, what is needed, exact whereabouts,
> how many people involved, etc........ Just clicking a mic pin with a wire
> won't tell anyone anything and could delay any help or a response big
> enough to do much good. In these times with the large scale disasters as
> we've seen and attacks - even for any said to be planned, NOW is a good
> time to WANT to know code. IT may save you........ It is one of those
> skills you learn - just like CPR or whatever - you hope you never have to
> use, but you're glad you have it - when you need it.
>
> 5 WPM is NOT hard to learn or do. ANYONE with any interest can learn it in
> a month at most if you take x amount of characters a day and start using
> them. Many learn it sooner but it shouldn't take more than a month to get
> to 5 WPM. "I" know how I learned it but my method won't work for all, just
```

> as others didn't work for me. But the main thing is, you must "want" to learn it. If you were 16 and didn't want to learn to drive a car - plain and simple your driving days would be non-existant or very short lived at best- point being MOST 16 year olds WANT to learn to drive. YOU HAVE TO WANT IT.
>
> Many of you may have heard of the Quecreek Mine incident in PA some time ago. A pipe was drilled down into the shaft. Those at the surface heard 9 taps on it, signifying there were 9 miners there. NOW - if any of those miners KNEW code, they could have gotten a message to the surface as to what conditions were exactly, the extent of injuries as best they could, etc. Maybe even instructions to help those on the surface plan their moves a tad better. Luckily, the 9 were saved but that is an example of just those 9 taps - crude MORSE - which sent a valid message. Were it not for that, no one would have known they were alive until someone may have went in. AND - MAYBE - those digging operations after a couple hours would have slowed due to lost hope. The fact they knew those guys were still alive gave them urgency to press on......... Code CAN have a place in your life.
>
> clfe
>

One other thing........ I cut my teeth on CB back when the FCC was busting CBers regularly for violations. I then got into Ham and Electronics. ALL radio services "CAN" and "DO" have a place when it comes to chatting, information exchange OR emergencies. ALL groups "can" work in unison for the betterment of mankind if desired. Ham has it's place. CB was used mostly by those such as "Auxiliary Police" - where not everyone had to have a "code" much less a license to have studied for - to use radios for their purposes. SEAT-REACT when operated properly was as useful as the Ham groups for emergencies.
At one time, I belonged to REACT and some local Ham groups. I'm heavily involved in Public Safety - so I got the best of both worlds. The REACT team died and if I'm not mistaken, maybe the founding unit. Believe me - in a HUGE disaster our fire band was SWAMPED. Ham and CB alike WERE IMPORTANT.
I had information on both coming to me - which was of enormous help. I was getting information that was not able to be had via the Fire Radio - due to it being so laden with traffic. I often use FRS radios now too - to avoid tying up the Fire Frequencies here. I USE WHAT I MUST to get the job done.

clfe

An EMA Coordinator/Firefighter - line officer and former medic - self employed in radio.

From 6814875073581052099
X-Google-Thread: 108122,f5a038c5876b7def,start
X-Google-Thread: fc8b1,f5a038c5876b7def,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: $10>EIGHT(8) CRYSTALS FOR HEATHKIT SB-401 TRANSMITTER-HANDY
Date: 6 Jun 2006 07:38:40 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1149604720.944123.238830@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149604727 4897 127.0.0.1 (6 Jun 2006 14:38:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jun 2006 14:38:47 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4513
rec.radio.amateur.boatanchors:4292

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9735515131&ssPageName=STRK:MESE:IT



From -3167486498444654995
X-Google-Thread: 108122,dc2f2ca8f24f5cf4,start
X-Google-Thread: fc8b1,dc2f2ca8f24f5cf4,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: @$10>HEATHKIT PK-1 OSCILLOSCOPE PROBE in Great Shape
Date: 6 Jun 2006 07:40:00 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1149604800.370573.292150@h76g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149604805 5218 127.0.0.1 (6 Jun 2006 14:40:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jun 2006 14:40:05 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4514
rec.radio.amateur.boatanchors:4293

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9735515118&ssPageName=STRK:MESE:IT




From 521592280904456956
X-Google-Thread: 108122,55352200cd910be5,start
X-Google-Thread: fc8b1,55352200cd910be5,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: @$10>COLLINS RADIO COMPANY 0-500 MILLIAMPERE PANEL METER
Date: 6 Jun 2006 07:40:57 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1149604857.016831.249900@y43g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149604862 31268 127.0.0.1 (6 Jun 2006 14:41:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jun 2006 14:41:02 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4515
rec.radio.amateur.boatanchors:4294

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9735515160&ssPageName=STRK:MESE:IT




From 387221918334570182
X-Google-Thread: 108122,3a8cb9bd374ae3d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: k3pi@arrl.net
Newsgroups: rec.radio.amateur.equipment
Subject: Icom 746 (nonPro) memory back up battery
```

```
Date: 6 Jun 2006 07:44:30 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1149605070.872598.94430@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 204.110.99.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149605074 5902 127.0.0.1 (6 Jun 2006 14:44:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jun 2006 14:44:34 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=204.110.99.42;
   posting-account=LsvZiw0AAABc6RBYPX3XF9m7WU6Ydy-d
Xref: g2news2.google.com rec.radio.amateur.equipment:4516

Can anyone describe what kind of memory back up battery this radio
uses?

How easy is it to replace, etc?



thanks!




From -8322113141308194671
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 6 Jun 2006 08:16:37 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1149606997.736862.209000@c74g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
NNTP-Posting-Host: 69.19.14.37
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149607003 11393 127.0.0.1 (6 Jun 2006 15:16:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jun 2006 15:16:43 +0000 (UTC)
In-Reply-To: <b746f$448572ad$d06640f9$22084@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=69.19.14.37;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:12490
rec.radio.amateur.equipment:4517 rec.radio.amateur.misc:13183
rec.radio.amateur.policy:28604 rec.radio.shortwave:38431


J. D. B. wrote:
> That is a very good point that I never considered. In thinking about it,
> it makes perfect sense. "Mode Welfare" - too funny.
well thank you for making my day Sir

although the phrase isn't mine it cames from the regulars here on RRAp
from back in 1990's
>
> JDB
>
> an old friend wrote:
> >
> > the concern is obvious for decades the CW crowd has relied on the
> > requirement to force all ham to at try it. mode welfare. they are afaid
> > without that stick the mode will die . it show a lack ocnvednce in the
> > mode
> >



From -6496370985262103285
X-Google-Thread: 108122,8a8d18bd62dc3a4b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!news-out.octanews.net!
indigo.octanews.net!auth.news-1.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: So, how do you decide where to buy your gear?
From: Bert Hyman <bert@iphouse.com>
Organization: Not so you'd notice
Message-ID: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
User-Agent: Xnews/2006.03.14
Date: 06 Jun 2006 16:30:20 GMT
```

Lines: 9
NNTP-Posting-Date: 06 Jun 2006 11:30:20 CDT
NNTP-Posting-Host: 4d750e39.auth.newsreader.iphouse.com
X-Trace: DXC=LII4S<`=;C?VmSc@X^4b^8e=fFUe;FGE9FbE0<hKBJT?V?YiHn\]jC646F16N?
MWf:QO0Ym;XoQl6VH;:E?jnoO48RN^:f1SdF3FHfm23G8?37
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4518

They all carry the same stuff, they all charge the same prices and
I assume they all have the same ability to stick an address label on
a box and hand it to the UPS guy.

So, other than the obvious need to minimize sales tax, what
contributes to your decision?

--
Bert Hyman | St. Paul, MN | bert@iphouse.com

From -7930924607918927392
X-Google-Thread: 108122,14e10d974a5874f6,start
X-Google-Thread: fc2a5,14e10d974a5874f6,start
X-Google-Thread: 106d41,14e10d974a5874f6,start
X-Google-Thread: 1109af,14e10d974a5874f6,start
X-Google-Attributes: gid108122,gidfc2a5,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read11.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.swap
Subject: FS: High Quality Coax Connectors & Adapters atvery low prices
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <fhihg.6121$rS6.5466@fed1read11>
Date: Tue, 6 Jun 2006 09:43:59 -0700
NNTP-Posting-Host: 64.58.167.76
X-Complaints-To: abuse@cox.net
X-Trace: fed1read11 1149612235 64.58.167.76 (Tue, 06 Jun 2006 12:43:55 EDT)
NNTP-Posting-Date: Tue, 06 Jun 2006 12:43:55 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4519
rec.radio.amateur.homebrew:5607 rec.radio.cb:11365 rec.radio.swap:4400

Please email sales@aaarfproducts.com or call 949 481 3154 (San Clemente, CA,
USA) for a copy of our latest catalog.

```
From -2035315988972514224
X-Google-Thread: 108122,14e10d974a5874f6
X-Google-Thread: fc2a5,14e10d974a5874f6
X-Google-Thread: 106d41,14e10d974a5874f6
X-Google-Thread: 1109af,14e10d974a5874f6
X-Google-Attributes: gid108122,gidfc2a5,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.swap
References: <fhihg.6121$rS6.5466@fed1read11>
Subject: Re: High Quality Coax Connectors & Adapters atvery low prices
Lines: 7
Organization: N/A
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <anihg.235646$h54.98444@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 06 Jun 2006 16:50:14 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4520
rec.radio.amateur.homebrew:5608 rec.radio.cb:11366 rec.radio.swap:4401

AAA RF Products wrote:
> Please email sales@aaarfproducts.com or call 949 481 3154 (San
> Clemente, CA, USA) for a copy of our latest catalog.

Please stop spamming these newsgroups.




From -7055699666712439142
X-Google-Thread: 108122,14e10d974a5874f6
X-Google-Thread: fc2a5,14e10d974a5874f6
X-Google-Thread: 106d41,14e10d974a5874f6
X-Google-Thread: 1109af,14e10d974a5874f6
X-Google-Attributes: gid108122,gidfc2a5,gid106d41,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb,rec.radio.swap
Subject: Re: High Quality Coax Connectors & Adapters atvery low prices
Date: 6 Jun 2006 10:17:14 -0700
Organization: http://groups.google.com
```

```
Lines: 9
Message-ID: <1149614234.717200.192860@u72g2000cwu.googlegroups.com>
References: <fhihg.6121$rS6.5466@fed1read11>
   <anihg.235646$h54.98444@fe07.news.easynews.com>
NNTP-Posting-Host: 69.19.14.37
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149614240 25752 127.0.0.1 (6 Jun 2006 17:17:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jun 2006 17:17:20 +0000 (UTC)
In-Reply-To: <anihg.235646$h54.98444@fe07.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.37;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:4521
rec.radio.amateur.homebrew:5609 rec.radio.cb:11369 rec.radio.swap:4402


Travis Jordan wrote:
> AAA RF Products wrote:
> > Please email sales@aaarfproducts.com or call 949 481 3154 (San
> > Clemente, CA, USA) for a copy of our latest catalog.
>
> Please stop spamming these newsgroups.
why at least it is better reading than most of the crap that get posted



From -2722616433740760788
X-Google-Thread: 108122,3a8cb9bd374ae3d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 746 (nonPro) memory back up battery
Date: Tue, 06 Jun 2006 10:50:51 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <92gb82pd40bo6k5atu5jpr8eu226cfq2vq@4ax.com>
References: <1149605070.872598.94430@j55g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.equipment:4522

As far as I know, the 746 uses non-volatile memory and there is no
```

back-up battery.

Dick- W6CCD

On 6 Jun 2006 07:44:30 -0700, k3pi@arrl.net wrote:

>Can anyone describe what kind of memory back up battery this radio
>uses?
>
>How easy is it to replace, etc?
>
>
>
>thanks!

From -4755764164705748084
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
Subject: Re: So, how do you decide where to buy your gear?
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Gnjhg.178586$bm6.9301@fed1read04>
Date: Tue, 6 Jun 2006 10:59:00 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1149616742 72.197.12.245 (Tue, 06 Jun 2006 13:59:02 EDT)
NNTP-Posting-Date: Tue, 06 Jun 2006 13:59:02 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4523

I pretty much stick to the local Ham Radio Outlet -- if any problems they
take care of it

--
CL -- I doubt, therefore I might be !

"Bert Hyman" <bert@iphouse.com> wrote in message
news:Xns97DA7508E414CVeebleFetzer@127.0.0.1...
> They all carry the same stuff, they all charge the same prices and
> I assume they all have the same ability to stick an address label on
> a box and hand it to the UPS guy.
>
> So, other than the obvious need to minimize sales tax, what
> contributes to your decision?
>
> --
> Bert Hyman | St. Paul, MN | bert@iphouse.com

From -2354520244701244279
X-Google-Thread: 108122,3a8cb9bd374ae3d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.newsland.it!
eleonora.aioe.org!emma.aioe.org!aioe.org!ac949ecc.ipt.aol.com!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom 746 (nonPro) memory back up battery
Date: Tue, 06 Jun 2006 14:00:49 -0400
Organization: Aioe.org NNTP Server
Lines: 17
Message-ID: <fmmck-0606061400490001@ac949ecc.ipt.aol.com>
References: <1149605070.872598.94430@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 2aWCsC6Bny6jA+VTtu7r1A.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Xref: g2news2.google.com rec.radio.amateur.equipment:4524

In article <1149605070.872598.94430@j55g2000cwa.googlegroups.com>,
k3pi@arrl.net wrote:

> Can anyone describe what kind of memory back up battery this radio
> uses?
>
> How easy is it to replace, etc?

Russell-

Do a google search for IC-746_Service_manual. It is 50 megabytes, so I
can't eMail you a copy! (It may also be available at www.mods.dk.)

I did a quick search, but didn't see a battery. It may use non-volatile
memory so a battery isn't necessary.

73, Fred, K4DII

From 1922808513358220261
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!bigboote.WPI.EDU!news.tufts.edu!uunet!spool.news.uu.net!ash.uu.net!news01.intel.com!not-for-mail
From: "Richard Crowley" <richard.7.crowley@intel.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
Date: Tue, 6 Jun 2006 11:02:03 -0700
Organization: Intel Corporation
Lines: 9
Message-ID: <e64fur$db9$1@news01.intel.com>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1> <Gnjhg.178586$bm6.9301@fed1read04>
NNTP-Posting-Host: rcrowley-mobl.amr.corp.intel.com
X-Trace: news01.intel.com 1149616923 13673 10.6.170.151 (6 Jun 2006 18:02:03 GMT)
X-Complaints-To: usenet@news01.intel.com
NNTP-Posting-Date: Tue, 6 Jun 2006 18:02:03 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.equipment:4525

"Caveat Lector" wrote ...
>I pretty much stick to the local Ham Radio Outlet --
> if any problems they take care of it.

Same here. I appreciate having a storefront in my town and
I support it by shopping there. I haven't had any problems,
so I don't know how they take care of it?

From 4588399298249853154
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
Date: Tue, 06 Jun 2006 18:27:05 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <128bi7pi6s8se2f@corp.supernews.com>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
X-Newsreader: trn 4.0-test74 (May 26, 2000)

```
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 37
Xref: g2news2.google.com rec.radio.amateur.equipment:4526

>They all carry the same stuff, they all charge the same prices and
>I assume they all have the same ability to stick an address label on
>a box and hand it to the UPS guy.
>
>So, other than the obvious need to minimize sales tax, what
>contributes to your decision?

Locality.  I live and work within about ten miles of an HRO outlet.

On the down side, buying from them does involve state sales tax.
That's true even if I were to try to order through one of their
out-of-state outlets.

On the positive side, there's a lot to be said for having responsive
and near-immediate after-sale support.  On a couple of occasions, when
I've been sold a radio or antenna which developed a problem within the
first few weeks after purchase, they've been quite willing to do an
over-the-counter exchange for a replacement rather than requiring me
to ship the product back to the manufacturer for warranty repair.
I've had enough *bad* experiences with warranty repair on electronic
equipment over the past thirty-plus years to find this to be a very
real and tangible benefit.

It's also a great place to run into people and hear interesting
conversations.  They'll also give a small discount on accessories to
hamclub and ARES/RACES members, which makes up for part of the sales
tax on these items.

I do buy some stuff (small antennas, connectors and adapters, etc.) at
the local ham-oriented flea markets or at local electronic-surplus
stores.

--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From -7278832671807696985
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!news-
xxxfer.readnews.com!198.186.192.100.MISMATCH!transit3.readnews.com!news-
out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
```

From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
<Gnjhg.178586$bm6.9301@fed1read04>
Organization: Your Company
Message-ID: <Xns97DA76C35421spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 06 Jun 2006 18:39:25 GMT
Lines: 8
NNTP-Posting-Host: b03f7f3f.news.adtechcomputers.com
X-Trace:
DXC=Eo`XA>7^ToHRZfJoa3=8@NgC4_A5:nI@A<<=aEgO;R8Gf_dZeCkB1^C20_aA`]^k@Lecf<A4o8l9C0
W_Uo]cC15Ji1lT^If;[;J<`5A\TG?ECAf=U<ea<8n4F
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4527

Word of mouth (Internet reviews) is a good way. I've been doing business with Amateur Electronic Supply for over 30 years with no complaints. HRO is also excellent to deal with.

Ed K7AAT

From 2568383136441627902
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
newscon02.news.prodigy.com!prodigy.net!newsdst02.news.prodigy.com!prodigy.com!
postmaster.news.prodigy.com!newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
<b746f$448572ad$d06640f9$22084@FUSE.NET>
In-Reply-To: <b746f$448572ad$d06640f9$22084@FUSE.NET>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8

Message-ID: <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.254.207.226
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1149619819 ST000 70.254.207.226 (Tue, 06 Jun 2006 14:50:19 EDT)
NNTP-Posting-Date: Tue, 06 Jun 2006 14:50:19 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
S[O]STVEMBRSP_@YMZJ_Q\@TJ_ZTB\MV@BT]_MIJQR@EPIB_VUKAH_[MTX\IS[K[NGYJJFNOFZR_G[BUN
TAOQLFE^TEHRPI]PZZRP_BMDSFQFL_]CBHXRWCMDCUZAZN@D_AKMNLEI]MWHCSXL^]NNC__CZFGSGHYYXW
PFG@SCAVA]\FT\@B\RDGENSUQS^M
Date: Tue, 06 Jun 2006 18:50:19 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12497
rec.radio.amateur.equipment:4528 rec.radio.amateur.misc:13210
rec.radio.amateur.policy:28615 rec.radio.shortwave:38457

J. D. B. wrote:
> That is a very good point that I never considered. In thinking about it,
> it makes perfect sense. "Mode Welfare" - too funny.

You could also consider the written exams to be technical
knowledge welfare and rules and regulations welfare.
--
73, Cecil http://www.qsl.net/w5dxp

From 8505975888918907103
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
In-Reply-To: <4485851f$0$3708$ecde5a14@news.coretel.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.254.207.226
X-Complaints-To: abuse@prodigy.net

```
X-Trace: newssvr14.news.prodigy.com 1149620472 ST000 70.254.207.226 (Tue, 06 Jun
2006 15:01:12 EDT)
NNTP-Posting-Date: Tue, 06 Jun 2006 15:01:12 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP\YG\GFEB^UCWDYIBHZOWP@YZOZ@GXOXZ^L\UQHWIWDUWYADNVOPCKZBL\NX_KHV^GY[KVMG^ZPNHSCZN
S[^UXFJVWYXVXKBH[XRWWBBDTN@AX\JSBVH]_@T\EKJHBMZ\_WZJFNRY]YWKSPED_U^NC\HSZ\WS[KEAYI
@DO@\K@BP\LD[\GTMPLDFVU]ASJM
Date: Tue, 06 Jun 2006 19:01:12 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12498
rec.radio.amateur.equipment:4529 rec.radio.swap:4405

clfe wrote:
> Many of you may have heard of the Quecreek Mine incident in PA some time
> ago. A pipe was drilled down into the shaft. Those at the surface heard 9
> taps on it, signifying there were 9 miners there. NOW - if any of those
> miners KNEW code, they could have gotten a message to the surface as to what
> conditions were exactly, the extent of injuries as best they could, etc.

Not by tapping. International Morse requires dashes as well
as taps (dots). There is a tap code used in prisons that will
accomplish communications under those circumstances. And since
more people have been in prison than hold an amateur radio
license, seems that it would make more sense to require knowing
the tap code than to require knowing International Morse code.
--
73, Cecil  http://www.qsl.net/w5dxp


From 1068932269424387449
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!newstrans.cos.agilent.com!sdd.hp.com!news-pa1.hpl.hp.com!
news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!newsfeed.pnap.net!
motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
Date: Tue, 6 Jun 2006 13:43:56 -0500
Organization: Motorola Applications Directory Team
Lines: 22
Message-ID: <e64idc$mkj$1@avnika.corp.mot.com>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1149619437 23187 173.27.203.217 (6 Jun 2006 18:43:57
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Tue, 6 Jun 2006 18:43:57 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:4530

"Bert Hyman" <bert@iphouse.com> wrote in message
news:Xns97DA7508E414CVeebleFetzer@127.0.0.1...
> They all carry the same stuff, they all charge the same prices and
> I assume they all have the same ability to stick an address label on
> a box and hand it to the UPS guy.
>
> So, other than the obvious need to minimize sales tax, what
> contributes to your decision?
>
> --
> Bert Hyman | St. Paul, MN | bert@iphouse.com

No store nearby. Last time I bought, I went for price since they all do NOT have the same price. There are specials. You can, of course play the "but so-and-so will-sell-it-fir-$x, how-about-you? ploy. There is consideration for supporting the local guy or your favorite, however, if you have one.

73, Steve, K9DCI

From -8488205555700176639
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe05.lga.POSTED!53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.4 (OS/2/20060518)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
In-Reply-To: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <gFkhg.21$8U4.0@fe05.lga>
X-Trace:
nghlfjfcphhogbndbakfchkdmlcfdakfflpkampopkhhloolhmddohcnabgnacknffncgfnojaonepigbg
gbomincmaofaopfgfpbjpoaclmbbipjnhgofgdmfdcngjlpgca�
NNTP-Posting-Date: Tue, 06 Jun 2006 12:26:04 MST
Date: Tue, 06 Jun 2006 15:24:55 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:4531

I haven't bought from AES, but I've bought from HRO both by phone and in stores when I've come across one. My impression is that HRO tends to have good prices on the big items but tries to make up for it by having higher prices on the accessories.

I've made on-line purchases from Universal Radio and from R&L -- based on prices of the items I wanted. I've also purchased small items from Lentini in CT and from KJI in NJ -- in-store purchases in both cases.

"Perce" (aka Alan NV8A)

On 06/06/06 12:30 pm Bert Hyman wrote:

> They all carry the same stuff, they all charge the same prices and
> I assume they all have the same ability to stick an address label on
> a box and hand it to the UPS guy.
>
> So, other than the obvious need to minimize sales tax, what
> contributes to your decision?

```
From 6820592801793511683
X-Google-Thread: 108122,62c85248bd584f35,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-mail
From: "iw3arv" <iw3arv@inwind.it>
Newsgroups: rec.radio.amateur.equipment
Subject: CB president jackson for ham bands
Date: 6 Jun 2006 12:39:16 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1149622756.801824.216380@f6g2000cwb.googlegroups.com>
NNTP-Posting-Host: 151.56.19.230
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149622761 17544 127.0.0.1 (6 Jun 2006 19:39:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 6 Jun 2006 19:39:21 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.4) Gecko/20060508 Firefox/1.5.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=151.56.19.230;
   posting-account=xYVjHQ0AAACHXPaq2nJXBKXiq202AFlE
Xref: g2news2.google.com rec.radio.amateur.equipment:4532
```

Hello,

I'm searching a modification for the CB President Jackson to bring it

up to 30 Mhz.
I've searched on internet but I've only found simple modification to
add "F" band and reach 271 channels.
I'm a regularly licenced Ham!! and I want to use it on 30 Mhz.

Anyone know other modifications.

Thanks de Iw3arv Paolo Italy

```
From -3030151149843118616
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1> <gFkhg.21$8U4.0@fe05.lga>
Organization: Your Company
Message-ID: <Xns97DA830A66F5Bspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 06 Jun 2006 19:51:50 GMT
Lines: 8
NNTP-Posting-Host: 67a917f6.news.adtechcomputers.com
X-Trace:
DXC=bJ:mHOPjN3\AAS`HDVDN7QgC4_A5:nI@Q<<=aEgO;R8WS[VaTVjXARPI_BDfiSH[c\ecf<A4o8l9S0
W_Uo]cC15Zi1lT^If;[;ZXAI8?Ko>?=[K46gI@T_QQX
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4533
```

I sure with HRO had the same quality type catalog that AES has. I must
admit that the catalog is a big reason I still purchase most of my ham toys
from AES instead of HRO.

Ed K7AAT

```
From 3956276959878028890
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
nx02.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-
out.readnews.com!news-xxxfer.readnews.com!news.coretel.net!not-for-mail
```

From: "clfe" <Nospam@clfurent.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net> <128a2tq2vmeil53@corp.supernews.com>
<5isa8294s7h2n8qtlpe39amh3qna7oa4hk@4ax.com>
<4485851f$0$3708$ecde5a14@news.coretel.net>
<Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com>
Subject: Re: Give up CB for ham?
Date: Tue, 6 Jun 2006 17:07:46 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Lines: 30
Message-ID: <4485eeaa$0$3704$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 4c1f6b27.news.coretel.net
X-Trace: DXC=QMG=GFjS_;fB81bH^jmG<acYX6N<OEXQkLiCL?
EV`iQmkb[XBcVc[>ndH[LX0mJhCmZ9_@Sg62LSg
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12503
rec.radio.amateur.equipment:4534 rec.radio.swap:4406

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:Yhkhg.18337$VE1.10294@newssvr14.news.prodigy.com...

> clfe wrote:
>> Many of you may have heard of the Quecreek Mine incident in PA some time
>> ago. A pipe was drilled down into the shaft. Those at the surface heard 9
>> taps on it, signifying there were 9 miners there. NOW - if any of those
>> miners KNEW code, they could have gotten a message to the surface as to
>> what conditions were exactly, the extent of injuries as best they could,
>> etc.
>
> Not by tapping. International Morse requires dashes as well
> as taps (dots). There is a tap code used in prisons that will
> accomplish communications under those circumstances. And since
> more people have been in prison than hold an amateur radio
> license, seems that it would make more sense to require knowing
> the tap code than to require knowing International Morse code.
> --
> 73, Cecil http://www.qsl.net/w5dxp

DUH - I KNOW THAT - I was just saying the tapping let the people at the
surface know there were 9 people down there. MORSE CODE - "could" have
relayed much more info if one of them knew it. REREAD my message.......

I am fully aware of what "code" is, I'm an Extra myself - have been for
quite some time. I am also a VE Test Team leader.

clfe

From 1681983280960379435
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!
be5.nntpserver.com!not-for-mail
From: "LLOYD THE LARDASS LOSER DAVIES" <pizzadeliveryboygotfired@LOSER.COM>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
Subject: Re: Give up CB for ham?
Date: Tue, 6 Jun 2006 18:40:15 -0400
Organization: N0VFP FAT AND JOBLESS EX PIZZA BOY
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 17
Message-ID: <4485f6e7$0$26775$88260bb3@free.teranews.com>
NNTP-Posting-Date: 06 Jun 2006 21:43:03 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:12506
rec.radio.amateur.equipment:4535 rec.radio.swap:4407

I'm an inbred alabama hick and I hate CB.

Lloyd Davies N0VFP
Cow Cornholer
Nutsackkk Gobbler
Dumpster Dweller
in Athens, Alabama

<patk1212@gmail.com> wrote in message
news:1149534276.955122.310050@i40g2000cwc.googlegroups.com...
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio. What do you
> thjink?
>

--
Posted via a free Usenet account from http://www.teranews.com

```
From -1745207746317263473
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c02.usenetserver.com!
news.usenetserver.com!atl-c07.usenetserver.com!news.usenetserver.com!
newspump.sol.net!10.218.45.203.MISMATCH!newsfeeds.sol.net!
posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Date: Tue, 06 Jun 2006 19:58:40 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net>
In-Reply-To: <4484dc50$0$1013$39cecf19@news.twtelecom.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 41
Message-ID: <448624c0$0$6154$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 07 Jun 2006 00:58:41 GMT
NNTP-Posting-Host: cfacd486.news.twtelecom.net
X-Trace:
DXC=0P6Ig>X]<KD6FY=;QK9:lMC_A=>8kQj6M9BHNOcEA\@IPIP;;m41@OBZngdO0^]QiF9iDY>8YS<9L
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12511
rec.radio.amateur.equipment:4536 rec.radio.swap:4411
```

Tom Ring wrote:

> patk1212@gmail.com wrote:
>
>> Alot of people are telling me that CB is just for inbred hicks and that
>> I should replace the CB in my truck with a ham radio. What do you
>> thjink?
>>
>
> You should go for your license. The additional privelages are quite
> worthwhile. I will warn you that there are still quite a few inbred
> hicks that got their ham tickets, unfortunately. The good thing is most
> of them seem to be extra class, and are mostly older and will be gone
> soon. It's a leftover effect of requiring Morse ability as opposed to
> operating knowledge.

>
> tom
> K0TAR

Boy it's fun what a little trolling can do to my peers. I'm also an Extra, and licensed for 29 years.

Code is worth what it can do, but has had less and less to do with the hobby for decades. It's a great hobby within the hobby on HF, and was the core of EME for years. It still is to some extent, but advances due to moving up in frequency as well as computer based modes as low as 6 and 2 meters are making it something used for EME as much for fun and stubborness as for usefullness. SSB is a very popular mode on EME now among the big guns.

CW is dead as far as being needed. It's a great thing to have as a skill, but is now as needed as spark.

The person who said they could key an HT to send CW was stretching it way beyond reality. Ain't gonna happen, any more than someone will make a spark transmitter by keying a big bunch of wire they wound in a coil when trapped in their basement by touching it to the hot side of the drop in their fusebox.

tom
K0TAR

```
From -3018608719765013044
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net>
<448624c0$0$6154$39cecf19@news.twtelecom.net>
Subject: Re: Give up CB for ham?
Date: Tue, 6 Jun 2006 21:15:47 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Lines: 58
Message-ID: <448628bb$0$3693$ecde5a14@news.coretel.net>
Organization: CoreTel
```

NNTP-Posting-Host: a57c785e.news.coretel.net
X-Trace: DXC=i7BaRcO;HE>B5P9RiWGG13cYX6N<OEXQ;?6[;SE]5?
G0jDnlXhV[R69[YG[3==0@H7k0AAPk8PY>2
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12515
rec.radio.amateur.equipment:4537 rec.radio.swap:4413

"Tom Ring" <news0002@taring.org> wrote in message
news:448624c0$0$6154$39cecf19@news.twtelecom.net...
> Tom Ring wrote:
>
>> patk1212@gmail.com wrote:
>>
>>> Alot of people are telling me that CB is just for inbred hicks and that
>>> I should replace the CB in my truck with a ham radio. What do you
>>> thjink?
>>>
>>
>> You should go for your license. The additional privelages are quite
>> worthwhile. I will warn you that there are still quite a few inbred
>> hicks that got their ham tickets, unfortunately. The good thing is most
>> of them seem to be extra class, and are mostly older and will be gone
>> soon. It's a leftover effect of requiring Morse ability as opposed to
>> operating knowledge.
>>
>> tom
>> K0TAR
>
> Boy it's fun what a little trolling can do to my peers. I'm also an
> Extra, and licensed for 29 years.
>
> Code is worth what it can do, but has had less and less to do with the
> hobby for decades. It's a great hobby within the hobby on HF, and was the
> core of EME for years. It still is to some extent, but advances due to
> moving up in frequency as well as computer based modes as low as 6 and 2
> meters are making it something used for EME as much for fun and
> stubborness as for usefullness. SSB is a very popular mode on EME now
> among the big guns.
>
> CW is dead as far as being needed. It's a great thing to have as a skill,
> but is now as needed as spark.
>
> The person who said they could key an HT to send CW was stretching it way
> beyond reality. Ain't gonna happen, any more than someone will make a
> spark transmitter by keying a big bunch of wire they wound in a coil when
> trapped in their basement by touching it to the hot side of the drop in
> their fusebox.
>
> tom
> K0TAR

I'm not sure if you're referring to my post or someone else's who I didn't see. In "my" example - I was saying if a MIC was broken and they knew code, they could short out the tranmit pins - like making and breaking contact such as a key would do - to broadcast a coded message. It "can" be done. There is what is/was known as "Modulated CW". And, I've seen guys key an H.T. OR Mic and do code with an "Oscillator" with the other hand - thereby transmitting the code - from the Oscillator speaker through the mic of the H.T or radio. Maybe that is what "they" were referring to - I don't know.

clfe

```
From 338691156976709480
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
<4484dc50$0$1013$39cecf19@news.twtelecom.net>
<448624c0$0$6154$39cecf19@news.twtelecom.net>
<448628bb$0$3693$ecde5a14@news.coretel.net>
Subject: Re: Give up CB for ham?
Date: Tue, 6 Jun 2006 21:22:08 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Lines: 70
Message-ID: <44862a38$0$3707$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: a57c785e.news.coretel.net
X-Trace: DXC=EN;9d8XKFaKVHZ`6?gMbnKcYX6N<OEXQKLiCL?
EV`iQMlQB^`AXC[AD[YG[3==0@HGFZhQlY9WH[C
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12516
rec.radio.amateur.equipment:4538 rec.radio.swap:4414
```

"clfe" <Nospam@clfurent.com> wrote in message
news:448628bb$0$3693$ecde5a14@news.coretel.net...
>
> "Tom Ring" <news0002@taring.org> wrote in message
> news:448624c0$0$6154$39cecf19@news.twtelecom.net...

>> Tom Ring wrote:
>>
>>> patk1212@gmail.com wrote:
>>>
>>>> Alot of people are telling me that CB is just for inbred hicks and that
>>>> I should replace the CB in my truck with a ham radio. What do you
>>>> thjink?
>>>>
>>>
>>> You should go for your license. The additional privelages are quite
>>> worthwhile. I will warn you that there are still quite a few inbred
>>> hicks that got their ham tickets, unfortunately. The good thing is most
>>> of them seem to be extra class, and are mostly older and will be gone
>>> soon. It's a leftover effect of requiring Morse ability as opposed to
>>> operating knowledge.
>>>
>>> tom
>>> K0TAR
>>
>> Boy it's fun what a little trolling can do to my peers. I'm also an
>> Extra, and licensed for 29 years.
>>
>> Code is worth what it can do, but has had less and less to do with the
>> hobby for decades. It's a great hobby within the hobby on HF, and was
>> the core of EME for years. It still is to some extent, but advances due
>> to moving up in frequency as well as computer based modes as low as 6 and
>> 2 meters are making it something used for EME as much for fun and
>> stubborness as for usefullness. SSB is a very popular mode on EME now
>> among the big guns.
>>
>> CW is dead as far as being needed. It's a great thing to have as a
>> skill, but is now as needed as spark.
>>
>> The person who said they could key an HT to send CW was stretching it way
>> beyond reality. Ain't gonna happen, any more than someone will make a
>> spark transmitter by keying a big bunch of wire they wound in a coil when
>> trapped in their basement by touching it to the hot side of the drop in
>> their fusebox.
>>
>> tom
>> K0TAR
>
> I'm not sure if you're referring to my post or someone else's who I didn't
> see. In "my" example - I was saying if a MIC was broken and they knew
> code, they could short out the tranmit pins - like making and breaking
> contact such as a key would do - to broadcast a coded message. It "can" be
> done. There is what is/was known as "Modulated CW". And, I've seen guys
> key an H.T. OR Mic and do code with an "Oscillator" with the other hand -
> thereby transmitting the code - from the Oscillator speaker through the
> mic of the H.T or radio. Maybe that is what "they" were referring to - I
> don't know.
>
>

> clfe
>

Then too along with the above - they "could" have been referring to using
the "key pad" to send code while the H.T. was keyed OR using the keypad on a
mic while it was keyed......... If memory serves me correct - at the moment
(slips at times) - THAT would be equivalent to MCW (Modulated CW). I've seen
that done too.

clfe

From 6903217582269354542
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!router2.astraweb.com!
mrouter.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-15!sn-xt-
sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Butch Magee <lynyrd@cableone.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
Date: Tue, 06 Jun 2006 20:26:27 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <128caq5cknv6vee@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
In-Reply-To: <1149534276.955122.310050@i40g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news2.google.com rec.radio.amateur.antenna:12517
rec.radio.amateur.equipment:4539 rec.radio.swap:4415

patk1212@gmail.com wrote:
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio. What do you
> thjink?
>
Dont you fall for these dastardly lies. You stay right where you are.
Trust me you do not want to be where we are, in 50 or so years you will
thank us for keeping you in cbland.

Butch

From -394552078173929576
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 6 Jun 2006 18:47:40 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1149644860.795112.176930@h76g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <b746f$448572ad$d06640f9$22084@FUSE.NET>
   <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 66.82.9.46
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149644864 14895 127.0.0.1 (7 Jun 2006 01:47:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 7 Jun 2006 01:47:44 +0000 (UTC)
In-Reply-To: <L7khg.18329$VE1.4771@newssvr14.news.prodigy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=66.82.9.46;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:12519
rec.radio.amateur.equipment:4540 rec.radio.amateur.misc:13224
rec.radio.amateur.policy:28637 rec.radio.shortwave:38523

Cecil Moore wrote:
> J. D. B. wrote:
> > That is a very good point that I never considered. In thinking about it,
> > it makes perfect sense. "Mode Welfare" - too funny.
>
> You could also consider the written exams to be technical
> knowledge welfare and rules and regulations welfare.
wellthe rules question do show you have a passing knowledge of the

```
rules but the rest I will buy
> --
> 73, Cecil  http://www.qsl.net/w5dxp




From 1164121792380694347
X-Google-Thread: 108122,8a8d18bd62dc3a4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews2.bellsouth.net.POSTED!dbc49207!not-for-mail
From: Monte <go_to@right_of_dot.montecarrollatbellsouthdotnet>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: So, how do you decide where to buy your gear?
Reply-To: go_to@right_of_dot.montecarrollatbellsouthdotnet
Message-ID: <60ac82depo70ml38oaf8me7sq4fmn13k18@4ax.com>
References: <Xns97DA7508E414CVeebleFetzer@127.0.0.1>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcboekmibephokgfdkoogbnmeofhfmmgoimhdj
mjcekfnpnpbdkdbjpceeindlbdgchkmmobmnhejeihnjjgaiocccoejbhlgelhojagnkkdienikaem
NNTP-Posting-Date: Tue, 06 Jun 2006 21:52:46 EDT
Organization: BellSouth Internet Group
Date: Tue, 06 Jun 2006 20:53:17 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:4541

I compared retailers advertising in ham related publications and web
sites and chose GigiParts in Huntsville, Alabama.  They have low
prices, great service, and their web site is easy to manuever and use.
Two of my antennas and a dual-band mobile radio were purchased from
them.

Monte
Nashville, Tennessee USA

On 06 Jun 2006 16:30:20 GMT, Bert Hyman <bert@iphouse.com> wrote:

>They all carry the same stuff, they all charge the same prices and
>I assume they all have the same ability to stick an address label on
>a box and hand it to the UPS guy.
>
>So, other than the obvious need to minimize sales tax, what
>contributes to your decision?
```

```
From -1719949563229857860
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: NOT !!! Dayton HamFest killed by E-Bay
Date: 30 May 2006 11:33:38 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1149014018.753963.15950@j55g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
   <z8qdg.990724$xm3.411652@attbi_s21>
   <1148640796.729981.50510@j33g2000cwa.googlegroups.com>
   <447B0391.410AE357@cbfamily.net>
   <1148996822.314583.315190@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.225.239.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149014024 10321 127.0.0.1 (30 May 2006 18:33:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 May 2006 18:33:44 +0000 (UTC)
In-Reply-To: <1148996822.314583.315190@i39g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=69.225.239.26;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.antiques.radio+phono:23425
rec.radio.amateur.equipment:4390 rec.radio.amateur.misc:12290
rec.radio.shortwave:37540
```

```
JS - try rdg txt msgng on a celfone ~ RHF
 .
 .
. .
```

```
From -7972414935006255990
X-Google-Thread: 108122,2d0248bd28dc568b
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
headwall.stanford.edu!news!not-for-mail
From: spamatody@spam.spam.spam
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Electro Voice RE-20 Studio Microphone
Date: Tue, 30 May 2006 14:37:43 -0500
Organization: University of Nebraska--Lincoln
Lines: 11
Message-ID: <6n7p7219aq0pkhod1p3714fo05hmd1dncn@4ax.com>
References: <mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com>
NNTP-Posting-Host: net3701.unl.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: unlnews.unl.edu 1149017863 2908 129.93.104.85 (30 May 2006 19:37:43 GMT)
X-Complaints-To: usenet@unlnews.unl.edu
NNTP-Posting-Date: Tue, 30 May 2006 19:37:43 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news2.google.com rec.radio.amateur.equipment:4391



>FS: Electro Voice RE-20 Studio Microphone
>Sounds great on the HF bands.
>Looks and works GREAT!!!!
>Non Smoker.
>Make offer

I offer to accept it if you send it to me free of charge....




From 5722939757322307487
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Back-up rig opinions?
Message-ID: <8m9p72pjbg43jo3tlib2tv1vj0c9k3f8rg@4ax.com>
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
<slrne7nk9j.4v1.gsm@cable.mendelson.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
Date: Tue, 30 May 2006 20:10:22 GMT
```

NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1149019822 24.148.146.109 (Tue, 30 May
2006 13:10:22 PDT)
NNTP-Posting-Date: Tue, 30 May 2006 13:10:22 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4392

Another plus for TenTec is that do trade ins on their own equipment. I
was very pleased with the trade in I received to upgrade my Pegasus to
a Jupiter.

On Tue, 30 May 2006 05:00:02 +0000 (UTC), gsm@mendelson.com (Geoffrey
S. Mendelson) wrote:

>k3pi@arrl.net wrote:
>> My main rig is a Kenwood TS-850S. I am considering getting a back up
>> rig for it.
>>
>> Main interest is cw. Internal Antenna Tuner is nice. Bands higher
>> than 10m not that important.
>>
>> What models do you recommend that: represent good value, reliable, can
>> still be serviced (if used)?
>
>Try a Ten-Tec. Many Japanese rigs are designed for SSB, with CW as an
>afterthought. Ten-Tec rigs, while they work perfectly well for SSB,
>were, and still are, are designed with a CW operator in mind.
>
>Their older rigs can be easily serviced, and they still sell manuals,
>parts and fix them for you.
>
>The older ones don't include tuners, but a modern external auto tuner will
>work with them.
>
>Geoff.
John Ferrell W8CCW

From -6960332978247916822
X-Google-Thread: 108122,2d0248bd28dc568b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 May 2006 18:00:18 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com>
<1ZGdnYYdgph0auTZnZ2dnUVZ_vudnZ2d@comcast.com> <447BA5B5.AB7009D7@earthlink.net>
Subject: Re: Electro Voice RE-20 Studio Microphone
Date: Tue, 30 May 2006 18:00:13 -0500

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <2PednbdykY0fU-HZRVn-sQ@comcast.com>
Lines: 23
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-8xYAE9p/
FmeRSecc73/09gJ84EhBE+6Io4/7YYSCDYKpi39KLHD0qJW0ptjwAvu5Edn9B11G0P0GVuy!
y0MDSpzZfrIm2+TPFR/OIdJrk2L23/wbIULY6BTqe6DGpuoQWJPDxXqA+KiaYyBxfbGDUUKEvDfp
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4393


"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:447BA5B5.AB7009D7@earthlink.net...
> Noon-Air wrote:
>>
>> <ritchi50@optonline.net> wrote in message
>> news:mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com...
>> > FS: Electro Voice RE-20 Studio Microphone
>> > Sounds great on the HF bands.
>> > Looks and works GREAT!!!!
>> > Non Smoker.
>>
>> Hmmmm.... never seen a mic smoke before
>>
>> > Make offer
>> > ritchi50@optonline.net
>
>
> Never soldered a plug on one?

Nope... never plugged one... and gave up smoking years ago :-)




From 6345081058353449182
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: Back-up rig opinions?
Message-ID: <rvkp725b3j7atq51ehj3qqmpeb5m1em8t8@4ax.com>
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Date: Tue, 30 May 2006 23:28:22 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1149031702 24.174.167.251 (Tue, 30 May 2006 18:28:22 CDT)
NNTP-Posting-Date: Tue, 30 May 2006 18:28:22 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4394

On 29 May 2006 19:53:12 -0700, k3pi@arrl.net wrote:

>My main rig is a Kenwood TS-850S. I am considering getting a back up
>rig for it.
>
>Main interest is cw. Internal Antenna Tuner is nice. Bands higher
>than 10m not that important.
>
>What models do you recommend that: represent good value, reliable, can
>still be serviced (if used)?
>
>Will appreciate opinions on this.
>
>Thanks & 73,
>Russ K3Pi

Others have mentioned Ten Tec. If you go to their web site, you can
request their used/demo list of older Ten Tecs they have taken on
trade. They can be returned within 30 days if not satisfied. And Ten
Tec still services anything they made.

bob
k5qwg

From -631269169293999275
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-mail
From: k3pi@arrl.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Back-up rig opinions?

Date: 30 May 2006 17:18:45 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1149034725.629693.60300@h76g2000cwa.googlegroups.com>
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
   <rvkp725b3j7atq51ehj3qqmpeb5m1em8t8@4ax.com>
NNTP-Posting-Host: 209.102.242.100
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149034734 1963 127.0.0.1 (31 May 2006 00:18:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 May 2006 00:18:54 +0000 (UTC)
In-Reply-To: <rvkp725b3j7atq51ehj3qqmpeb5m1em8t8@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=209.102.242.100;
   posting-account=LsvZiw0AAABc6RBYPX3XF9m7WU6Ydy-d
Xref: g2news2.google.com rec.radio.amateur.equipment:4395

I appreciate all the ideas so far.

I have requested the ten-tec list.

In reading reviews about various Ten-Tec models, there is frequent mention about failing PTO's and the need for rebuilding.   How concerned should I be about this? Are certain models problematic in this regard than others?

In terms of various Ten-Tec models....any particular ones "stand out" over others?

I do have a TS-520S and agree that it is a very solid and reliable choice. It is in reasonable shape and I may put some restoration dollars into that as a "back up #2." I pulled it out of the closet after 10 years and fired it up yesterday. Works well on cw. Amazing how well it has held up after about 30 yrs. That was one expensive piece of gear for me when I was in college!

Russ K3Pi

From 669008072942638826
X-Google-Thread: 108122,e1e56eac2e47429c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 May 2006 22:42:12 -0500
From: Marc Robins <teach2fly@comcast.net>

```
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FVS-1A wanted
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Date: Tue, 30 May 2006 20:42:12 -0700
Message-ID: <teach2fly-4BE05A.20421230052006@comcast.dca.giganews.com>
Lines: 7
NNTP-Posting-Host: 24.130.51.171
X-Trace: sv3-JXgIRlxdJrpM3of97p0bRikUg8LY65dk7oFasi7gUMzY++OiFFe+T8TJtL/
7bYGzXViHraH2WQfkV4d!
gA7Pa0A19kFAFRTZOblcVcpWlgKIeHBjqlhbUDi1SNSVEED0FH829N17g5jbqcx0o0NcGAEwwHHG!
wIqil7FhDsEWuSrg4LP1+Y5oh4bZ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4396
```

Looking for a Yaesu FVS-1A Speech Synthesizer.

AD6MI

--teach2fly@comcast.net--

(remove dashes)

```
From 6498870100845757127
X-Google-Thread: 108122,e1e56eac2e47429c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 May 2006 23:02:04 -0500
From: Marc Robins <teach2fly@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FVS-1A wanted
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Date: Tue, 30 May 2006 21:02:04 -0700
Message-ID: <teach2fly-5A8F65.21020430052006@comcast.dca.giganews.com>
Lines: 7
NNTP-Posting-Host: 24.130.51.171
X-Trace: sv3-oyjAdbFox132zBdR9J1WZEnLOaohu9lnosuaQcCf6VtQlB+
+t4Wku02Ip+kkDlbB3bJhJaGtri7p6mt!
tFaAgKaqLHlcCTtcYxERAcjwwAPQLUEI96vF6spHGVTDIP+CMyYFiMgvQZQs/zh0Ty9cUZuf5Zku!
ehI6P3piL10pjzRGQYW+lPB9eBEw
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4397

Looking for a Yaesu FVS-1A Speech Synthesizer.

AD6MI

--teach2fly@comcast.net--

(remove dashes)

From -504900571195682733
X-Google-Thread: 108122,c61b00e0b30dd0ad,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 30 May 2006 23:25:38 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program. Dipole+Line+Balun+Tuner
Date: Wed, 31 May 2006 02:06:53 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <mfCdnRdIn71fh-DZRVnyrQ@bt.com>
Lines: 24
NNTP-Posting-Host: 86.137.120.7
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
z2MRn0ipyABLJbJBRylrXDs1QyUw+x5zJjbbIWE1YfmTcJ83XxAszhP9xbBZPG7Ld14vcnMuRUsBFXb!/
DD9Fb4d5yRNYBN0pdYGXhTdaVkUyGsUj8GJizuFTSBfV7QPQHmZSs7CUdSs
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4398

New Program : LINELEN.exe

This program calculates dipole feedpoint impedance, transmission line input impedance, and balun input impedance, versus frequency.

Dipole and line can be of any length. Line Zo can be of any impedance.

Power lost in antenna and line is calculated. Also overall loss.

In addition to its educational value, this program will assist users
to change line length when the impedance presented to the tuner is
beyond its capability to transform it to a resistive 50 ohms.

Download self-contained program LINELEN, file size = 53 K-bytes, from
website below.

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

From -2044740430700666516
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-
mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Ebay & "The Market"
Date: Tue, 30 May 2006 21:59:02 -0700
Message-ID: <MPG.1ee55742f904712a9896b3@news.drizzle.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 23
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4399
rec.radio.amateur.misc:12301

In article <1148312047.828984.28290@38g2000cwa.googlegroups.com>,
pfjw@aol.com (known to some as Peter Wieck) scribed...

> After reading all this, and with the recent Kutztown event in the
> background, as well as my three weekend finds, I am not so sure eBay
> has much to do with anything as to radio prices or availability. This

> is based on several assumptions which I will list for
> correction/addition/amplification:

<snippety>

My own observations on Greed-bay vs. hamateur swap meets (and swap meets catering to electronics in general) may be found here (shameless plug alert!)

http://www.bluefeathertech.com/technoid/Scrounger.html

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

```
From 1849235499926187282
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc04-
news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <447D22B0.4AAE4CAF@incharge.com>
From: charles <charles@incharge.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: NOT !!! Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
        <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
        <z8qdg.990724$xm3.411652@attbi_s21>
        <1148640796.729981.50510@j33g2000cwa.googlegroups.com>
        <447B0391.410AE357@cbfamily.net>
<1148996822.314583.315190@i39g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Wed, 31 May 2006 04:59:30 GMT
NNTP-Posting-Host: 12.76.216.31
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1149051570 12.76.216.31 (Wed, 31 May
2006 04:59:30 GMT)
NNTP-Posting-Date: Wed, 31 May 2006 04:59:30 GMT
```

```
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.antiques.radio+phono:23507
rec.radio.amateur.equipment:4400 rec.radio.amateur.misc:12302
rec.radio.shortwave:37604

hi john,

nobody else is complaing about my writing skills.

got to go hand an antenna...

"John S." wrote:

> > Not!!!
>
> What are you talking about....not what.  Try writing in complete
> sentences.
>
> chuck wrote:
> > New radios with all bells + whistles
> > cheaper then a 20yr old as is doa rig
> >
> > what kills hamfests is lack of interest
> >
> > buyers of estate gear at dirp cheap prices
> > that markup to sell on ebay and hamfests.



From 3999613767117211645
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe04.lga.POSTED!53ab2750!
not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
Message-ID: <js9q72l2thc732ece4m8c6s1rtolre40be@4ax.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
<4471E3CC.D527CD4A@earthlink.net>
X-Newsreader: Forte Agent 3.3/32.846
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
X-Trace:
badccedimaighclemdcphhomfjgbmdlckjnfmoobfjddohjnjhmplkekeojdkmlbenlknimjlbbjbmbbfb
lnamcnhgekcddepjkiddekjlilkmgjgfdfpcgchafbfbapbcfagklmibllijll
NNTP-Posting-Date: Tue, 30 May 2006 22:20:29 MST
Date: Wed, 31 May 2006 01:20:31 -0400
Xref: g2news2.google.com rec.antiques.radio+phono:23509
rec.radio.amateur.equipment:4401 rec.radio.amateur.misc:12303
rec.radio.shortwave:37607

On Mon, 22 May 2006 16:16:51 GMT, "Michael A. Terrell"
<mike.terrell@earthlink.net> wrote:

>Peter Wieck wrote:
>>
>> a) the west, southwest and south in general suffer from a dearth of
>> good radios. This has been the case for the over 20 years I have been
>> in the hobby and remains the case today. Exceptions include Florida &
>> Maryland... stretch to make MD a 'southern' state although it is below
>> the Mason/Dixon line.
>
>
>   According to the snowbirds from the New England area, Florida is the
>southern tip of new England. :(


Michigan!

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com


From -4265826307675789202
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Back-up rig opinions?
Date: Wed, 31 May 2006 05:21:02 +0000 (UTC)
Organization: MGT Consulting
Lines: 45
Message-ID: <slrne7q9mv.bdk.gsm@cable.mendelson.com>
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
<rvkp725b3j7atq51ehj3qqmpeb5m1em8t8@4ax.com>
```

<1149034725.629693.60300@h76g2000cwa.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: cbl217-132-120-199.bb.netvision.net.il
X-Trace: marvin.misty.com 1149052862 2507 217.132.120.199 (31 May 2006 05:21:02 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Wed, 31 May 2006 05:21:02 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:4402

k3pi@arrl.net wrote:

> In reading reviews about various Ten-Tec models, there is frequent mention about failing PTO's and the need for rebuilding. How concerned should I be about this? Are certain models problematic in this regard than others?

ALL PTOs need to be rebuilt at some time. They work by moving an iron or brass core inside tube with a coil wound on the tube. The lubricants dry out, they become dirty, the gears wear. Ten-Tec is different in that they still rebuild PTOs for you, sell rebuild kits, and include instructions in their manuals.

Some people have had luck with re-lubricating them. Special bycicle libricant has been mentioned on the Ten-Tec mailing list of doing the job, it contians very small balls of teflon. Others have used WD-40 to remove the old grease and applying fresh.

It depends upon too many factors to make a blanket statment. If you are going to buy a rig, try it out. If the tuning knob sticks, the frequency jumps or "wiggles" when you touch the knob, it probably needs a rebuild.

My personal favorite is the model 544 aka Trition-IV Digital. It is well designed and simple to repair or maintian. The digital part is the frequency display, not the tuning. If the PTO is in good shape, it is easy to tune "spot on". A lot easier than a sythesized rig except for the new ones with 1Hz tuning steps.

It only does CW and SSB, but it does them extremely well. It is missing the WARC bands (they did not exist when the radio was made), and it has a fixed 2.4kHz IF filter. Options for it were a second VFO for split operation, crystals for the top end of 10m, a switched capacitor audio filter for CW, and a 160 meter adaptor.

If you like full QSK, it has it, you can hear what is going on between dits if you send slow enough.

I understand that you can pick one up for about $200 and up depending upon options, if it has been serviced recently, etc.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

IL Voice: (07)-7424-1667 IL Fax: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

From -1650679960158713334
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe04.lga.POSTED!53ab2750!not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Ebay & "The Market"
Message-ID: <i0aq721v4o2lh2rffv5trvdc17qfo9hkog@4ax.com>
References: <12725vt81v3bfbd@corp.supernews.com>
<m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
<1148326681.789315.105280@u72g2000cwu.googlegroups.com>
<44722BF1.E6DA1257@earthlink.net>
<1148338532.553887.260960@g10g2000cwb.googlegroups.com>
<447264A9.D4D61D3@earthlink.net>
<1148997088.641984.199240@y43g2000cwc.googlegroups.com>
<1148997318.850084.124360@u72g2000cwu.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
X-Trace:
badccedimaighclefhoiclnkmonkhkbbjmijipnlpghnbonfjhmplkekeojdkmlbenlknimjlbbjbmbbfblnamcnhgekcddepjkiddekjlilkmgjplkpbbmakamimebbbcfagklmibllijll
NNTP-Posting-Date: Tue, 30 May 2006 22:23:34 MST
Date: Wed, 31 May 2006 01:23:37 -0400
Xref: g2news2.google.com rec.antiques.radio+phono:23510
rec.radio.amateur.equipment:4403 rec.radio.amateur.misc:12304
rec.radio.shortwave:37608

On 30 May 2006 06:55:19 -0700, "Steven"
<thisjukeboxplays33rpm@yahoo.com> wrote:

>I suppose next you'll attack yard sales. You're despicable.

Who? You didn't include any quote to know to whom you are referring
and these posts don't necessarily fall in the expected order.

Roger Halstead (K8RI & ARRL life member)

(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com

```
From -6888608324898600835
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <447D7BD5.268CF15E@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
<4471E3CC.D527CD4A@earthlink.net> <js9q72l2thc732ece4m8c6s1rtolre40be@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Wed, 31 May 2006 11:20:35 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1149074435 24.110.34.161 (Wed, 31 May
2006 04:20:35 PDT)
NNTP-Posting-Date: Wed, 31 May 2006 04:20:35 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:23518
rec.radio.amateur.equipment:4404 rec.radio.amateur.misc:12306
rec.radio.shortwave:37619

Roger wrote:
>
> On Mon, 22 May 2006 16:16:51 GMT, "Michael A. Terrell"
> <mike.terrell@earthlink.net> wrote:
> >
> >   According to the snowbirds from the New England area, Florida is the
> >southern tip of new England. :(
>
> Michigan!
```

I do see a few Michigan plates around here, but most are New York, New Jersey, and New Hampshire. There are also a few Ohio, Indiana, Kentucky and Pennsylvania plates. Of course they've all left for the summer, because its too hot for them.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 7037776743247346030
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-
mail
From: k3pi@arrl.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Back-up rig opinions?
Date: 31 May 2006 05:23:33 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1149078213.454828.96550@c74g2000cwc.googlegroups.com>
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
   <rvkp725b3j7atq51ehj3qqmpeb5m1em8t8@4ax.com>
   <1149034725.629693.60300@h76g2000cwa.googlegroups.com>
   <slrne7q9mv.bdk.gsm@cable.mendelson.com>
NNTP-Posting-Host: 204.110.99.41
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149078218 17952 127.0.0.1 (31 May 2006 12:23:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 May 2006 12:23:38 +0000 (UTC)
In-Reply-To: <slrne7q9mv.bdk.gsm@cable.mendelson.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=204.110.99.41;
   posting-account=LsvZiw0AAABc6RBYPX3XF9m7WU6Ydy-d
Xref: g2news2.google.com rec.radio.amateur.equipment:4405
```

Thanks, Geoff for the detailed and helpful reply.
Very informative.

73
Russ K3Pi

```
From -7797125701860774643
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
Date: 31 May 2006 05:59:01 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1149080341.385486.42060@j55g2000cwa.googlegroups.com>
References: <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
   <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
   <44722BF1.E6DA1257@earthlink.net>
   <1148338532.553887.260960@g10g2000cwb.googlegroups.com>
   <447264A9.D4D61D3@earthlink.net>
   <1148997088.641984.199240@y43g2000cwc.googlegroups.com>
   <1148997318.850084.124360@u72g2000cwu.googlegroups.com>
   <i0aq721v4o2lh2rffv5trvdc17qfo9hkog@4ax.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149080346 23819 127.0.0.1 (31 May 2006 12:59:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 May 2006 12:59:06 +0000 (UTC)
In-Reply-To: <i0aq721v4o2lh2rffv5trvdc17qfo9hkog@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.antiques.radio+phono:23530
rec.radio.amateur.equipment:4406 rec.radio.amateur.misc:12310
rec.radio.shortwave:37621
```

Roger wrote:

> On 30 May 2006 06:55:19 -0700, "Steven"

```
> <thisjukeboxplays33rpm@yahoo.com> wrote:
>
> >I suppose next you'll attack yard sales. You're despicable.
>
> Who?  You didn't include any quote to know to whom you are referring
> and these posts don't necessarily fall in the expected order.

Resort them by thread by using Google reader.  Some of the off-line
readers do a poor job of tracking threads.



>
> Roger Halstead (K8RI & ARRL life member)
> (N833R, S# CD-2 Worlds oldest Debonair)
> www.rogerhalstead.com




From 7278591832957185317
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
Date: 31 May 2006 06:03:18 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1149080597.977414.268120@f6g2000cwb.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
   <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
   <44722BF1.E6DA1257@earthlink.net>
   <1148338532.553887.260960@g10g2000cwb.googlegroups.com>
   <447264A9.D4D61D3@earthlink.net>
   <1148997088.641984.199240@y43g2000cwc.googlegroups.com>
   <447C80C3.6D02BE5A@earthlink.net>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149080603 27843 127.0.0.1 (31 May 2006 13:03:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 May 2006 13:03:23 +0000 (UTC)
```

In-Reply-To: <447C80C3.6D02BE5A@earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.antiques.radio+phono:23531 rec.radio.amateur.equipment:4407 rec.radio.amateur.misc:12311 rec.radio.shortwave:37622

Michael A. Terrell wrote:
> "John S." wrote:
> >
> > They will be left in the dust. I suppose those who don't have a
> > computer or don't trust online transactions could try setting up an
> > ether-based net using morse code. I suspect that it will be largely
> > one-way communications though.
>

>
>   Like yours.

Like yours????   To increase the chances someone will understand you
try writing in complete sentences.

Welcome to the bit bucket.

Thanks for the welcome, but I won't be staying. I take it you are in
charge of the bit bucket?

>
>
> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida

From 4624813321661669696
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a

```
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
Date: 31 May 2006 06:03:29 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1149080609.517579.247940@g10g2000cwb.googlegroups.com>
References: <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
   <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
   <44722BF1.E6DA1257@earthlink.net>
   <1148338532.553887.260960@g10g2000cwb.googlegroups.com>
   <447264A9.D4D61D3@earthlink.net>
   <1148997088.641984.199240@y43g2000cwc.googlegroups.com>
   <1148997318.850084.124360@u72g2000cwu.googlegroups.com>
   <i0aq721v4o2lh2rffv5trvdc17qfo9hkog@4ax.com>
   <1149080341.385486.42060@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 63.228.178.129
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149080615 24645 127.0.0.1 (31 May 2006 13:03:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 May 2006 13:03:35 +0000 (UTC)
In-Reply-To: <1149080341.385486.42060@j55g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=63.228.178.129;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:23532
rec.radio.amateur.equipment:4408 rec.radio.amateur.misc:12312
rec.radio.shortwave:37623
```

John S. wrote:
> Roger wrote:
> > On 30 May 2006 06:55:19 -0700, "Steven"
> > <thisjukeboxplays33rpm@yahoo.com> wrote:
> >
> > >I suppose next you'll attack yard sales. You're despicable.
> >
> > Who? You didn't include any quote to know to whom you are referring
> > and these posts don't necessarily fall in the expected order.
>
> Resort them by thread by using Google reader. Some of the off-line

> readers do a poor job of tracking threads.
>
>
> >
> > Roger Halstead (K8RI & ARRL life member)
> > (N833R, S# CD-2 Worlds oldest Debonair)
> > www.rogerhalstead.com

It was John S. when he posted on the 30th I was replying to. Mike
plonked him.

This usenet synopsis brought to you by Soap Opera Update magazine.

From 3187673796604899656
X-Google-Thread: 108122,2d0248bd28dc568b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Electro Voice RE-20 Studio Microphone
Message-ID: <pgfr72pekhib0d4p14d8bkvnithpoaknoc@4ax.com>
References: <mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com>
<1ZGdnYYdgph0auTZnZ2dnUVZ_vudnZ2d@comcast.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Wed, 31 May 2006 16:05:55 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1149091555 24.148.146.109 (Wed, 31 May
2006 09:05:55 PDT)
NNTP-Posting-Date: Wed, 31 May 2006 09:05:55 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4409

I remember my first time...
Cathode modulation on an AM final with a carbon Mic...
Not something easily forgotten!

On Sun, 28 May 2006 14:20:06 -0500, "Noon-Air" <Noon-Air@comcast.net>
wrote:

>
><ritchi50@optonline.net> wrote in message
>news:mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com...
>> FS: Electro Voice RE-20 Studio Microphone

```
>> Sounds great on the HF bands.
>> Looks and works GREAT!!!!
>> Non Smoker.
>
>Hmmmm.... never seen a mic smoke before
>
>> Make offer
>> ritchi50@optonline.net
>
John Ferrell W8CCW


From 8651616157312237221
X-Google-Thread: 108122,7f7eb9bd4b67618f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: TNC USB adapter
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns97D4697051B3Cspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 31 May 2006 17:20:18 GMT
Lines: 7
NNTP-Posting-Host: 302729db.news.adtechcomputers.com
X-Trace:
DXC=LHdE;3G294QRQfJ7=^R]EYgC4_A5:nI@Q<<=aEgO;R8WThdLCMXXaB^IQnZHB]JWe\ecf<A4o8l9S0
W_Uo]cC15Zi1lT^If;[;Z]TSXGVElP6W;0oZkHW0d7U
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4410


   Can someone point me to a source for a USB adapter that will work with
most TNCs that use RS232?

   Thanks

   Ed   K7AAT


From 5999277072880666199
X-Google-Thread: 108122,e40aee50a70f8ab2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Wed, 31 May 2006 15:52:26 -0500
Message-ID: <447E0214.7221D2FA@erols.com>
Date: Wed, 31 May 2006 16:52:36 -0400
```

```
From: "Murray Green, K3BEQ" <mgreen@erols.com>
Organization: GMRA
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Motorola Micor
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Host: 66.44.1.75
X-Trace: sv3-LxpOcttF8I/
+dRBvdIgigNh7PlSFwRnta4unMqXzp9JR1VmgN7x3t15nI7iHJjBnK334KYx+FPBx4Gh!
Lnz5OLA5xRsWD0GhcVvKMShR4W7BuVeWHnXkb4sN9aOmhfG+HwFyVcrZ
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4411
```

Wanted: Motorola Micor "LOW SPLIT" 2 meter repeater, 100 watts (OR)
just the PA in working conditions. Model number is: TLD-1692. Please
reply to mgreen@erols.com Thanks.

Murray, K3BEQ

```
From 3825323189482831220
X-Google-Thread: 108122,7f7eb9bd4b67618f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!123.NET-a2dgdNsfNH65I!not-for-mail
From: helmsman <helmsman@royaloak.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TNC USB adapter
Date: Wed, 31 May 2006 17:33:50 -0400
Message-ID: <gl2s72t2gu9uln0v0ih4387m1tahn03mpr@4ax.com>
References: <Xns97D4697051B3Cspectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 7
X-Trace: 77ba5447e0bbe7d4fc73200532
Xref: g2news2.google.com rec.radio.amateur.equipment:4412
```

On 31 May 2006 17:20:18 GMT, Ed <Huckleberry_REMOVE_@bigvalley.net>
wrote:

>RS232

Check this site
http://www.buxcomm.com/

```
From -5213313520504847083
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!newstrans.cos.agilent.com!sdd.hp.com!news-pa1.hpl.hp.com!
news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!newsfeed.pnap.net!
motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members,.[snip]
Date: Wed, 31 May 2006 10:36:39 -0500
Organization: Motorola Applications Directory Team
Lines: 110
Message-ID: <e5kd68$sdu$1@avnika.corp.mot.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
<e52c2g$ths$1@avnika.corp.mot.com>
<3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
<e57u7j$eeg$1@avnika.corp.mot.com>
<9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1149089800 29118 173.27.203.217 (31 May 2006 15:36:40
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Wed, 31 May 2006 15:36:40 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:4413
rec.radio.amateur.misc:12411 rec.radio.amateur.policy:27883 rec.radio.swap:4304
```

"Slow Code" wrote in message
news:9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net...
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
> news:e57u7j$eeg$1@avnika.corp.mot.com:
>
> > Slow,
> > Can you address any of my comments in my previous, or here ?

Unfortunately, it appears not too well..

>> is it true that everything else is unimportant to you -
> > only the quality? [there always have been jerks around.]
>
> So let's have more?

...is not an answer to my question and this question provides no clue. It implies I said that more jerks will result from those that will always be there...I think. or that I want more...

> >> You appreciate something more that you had to work to achieve, and
> >> respect the rewards it gives.
> > ...snip...
> > Yea.... I understand ... but what about putting the
> > prospective ham through other, more rigorous hoops, like electronic
> > theory, emcom, etc. Why won't more modern "hoops" work the same way to
> > bolster the individual's respect for the service?
>
> Yes, 85% passing score for writtens.

OK, 85% is another kind of hoop. but Please answer my "Why" question.

> >> Ham numbers are declining.
> >
> > I believe this is true, but what is you reason for stating this? Are
> > you glad this is happening or sad or indifferent?
>
> The numbers don't matter, quality does.

OK, so this seems to answer my other question. While I agree, that in a perfect world I would also restrict licences to only those who have a decent head on their shoulders...however, do _you_ trust _me_ to decide whose head is good?

These are my last questions:
Do you believe:
1- CW and 85% on exams will prevent or seriously limit the number of knuckleheads who sneek through?
2- That I am lying when I tell of some no-code techs that I personally know are the most serious, level headed and law abiding hams I know?

3- That I am lying when I tell you that I also know some very good hams who came up through CB and are just as law abiding when on the ham bands as anyone, just as serious about being good citizens, do emergency prep work and help others?

> Reasoning a service is good because it has lots of members,

[is incorrent reasoning] is what the implied completion of that sentence is.

I agree. There have been and are some pretty wacko organizations. ...but...

CB should be great then, but it's like a> kindergarten.
Is a gross generalization. How often do you listen? How many "CB'ers" have you recently talked to?

I listen once in a while just to see what's going on and be able to speak with first hand knowledge, and do hear some garbage, but I also hear of how it has helped in aread and ther ewere no hams around to help. Also, some areas have been worse than others,

1- I believe you have a limited view of CB [and no, I haven't been a "CB'er" but I have carried a radio on a few, I think two long trips where I would have trouble getting into repeaters for long periods.]. I have been helped by "CBers".
2- what percentage of CB users are jerks?
3- What percentage of hams are jerks? then...
4- What percentage of jerks makes the service bad?

My suggestions
CW optional as it is now for *ALL* modes, but remove from the tests...except possibly for Extra - my jury's still out on this.
85-87% on tests, but
Much more on propagation, antenna systems and emergency station operations and emergency communications and laws.

Then some others in the "if I were Amateur Radio Service God" department...
Currency requiremets like pilots that include familiarity recent developments.
Proof of license, and that you can understand, explain and operate at least 90% of the functions on a radio in order to buy.
If I wanted to be an old timer, I'd also require construction of something...knowledge of the history of ham Radio.
Then being more modern, something like proficiency in software, digital modes and satellite ops.
Gee, I should spend more time on these.... not. More important fish to fry.

Sorry, guys, I just couldn't resist a little chain jerking here.
73, Steve, K9DCI

At lease I got sc to answer a few questions ... sort of.

```
From 3673969051382669999
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!207.115.63.142!
newscon02.news.prodigy.com!prodigy.net!newstrans.cos.agilent.com!sdd.hp.com!news-
pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!
newsfeed.pnap.net!motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: I was going through about ten years of ham catalogs, and I noticed a
disturbing trend.
Date: Wed, 31 May 2006 10:39:38 -0500
Organization: Motorola Applications Directory Team
Lines: 19
Message-ID: <e5kdbr$se2$1@avnika.corp.mot.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1149089979 29122 173.27.203.217 (31 May 2006 15:39:39
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Wed, 31 May 2006 15:39:39 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:12326
rec.radio.amateur.equipment:4414 rec.radio.swap:4305
```

$$

Steve

"Morse or Re-Morse" <see@double.you> wrote in message
news:eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net...

> There's an increase in recent years of ham gear Retailers offering an
> expanding amount of citizen band radios and related products.
>
> So Retailers have seen the changes in the type of people that are
> making up and will be making up the US ham population, and have modified
> their inventories and marketing to stay in step with it.
>
> Gotta keep selling them radio's, Ten-Four?
>

```
>
> Morse




From 8433760186958443507
X-Google-Thread: 108122,ba6f3b4bc9a17aba,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-
mail
From: "Used2Way" <pchoman@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Uniden IMH4100 VHF Mobiles
Date: 31 May 2006 14:58:20 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1149112699.959945.22610@c74g2000cwc.googlegroups.com>
NNTP-Posting-Host: 71.208.123.213
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149112704 15963 127.0.0.1 (31 May 2006 21:58:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 31 May 2006 21:58:24 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=71.208.123.213;
   posting-account=BzojKA0AAAC1zkGBiXVuJyDhKR1gk6nH
Xref: g2news2.google.com rec.radio.amateur.equipment:4415

WTB: Uniden IMH4100 VHF Mobiles.  Base Unit only.

Contact Paul at 720-219-8898
pccomminc@yahoo.com




From -5419838759828238753
X-Google-Thread: 108122,7f7eb9bd4b67618f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TNC USB adapter
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns97D4697051B3Cspectrumhogstarbandn@198.186.192.196>
<gl2s72t2gu9uln0v0ih4387m1tahn03mpr@4ax.com>
Organization: Your Company
```

```
Message-ID: <Xns97D49AF2BE0C6spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 31 May 2006 22:13:16 GMT
Lines: 15
NNTP-Posting-Host: bc874ecf.news.adtechcomputers.com
X-Trace:
DXC=65K=ofA:mY=kL[6Ua@kS53gC4_A5:nI@1<<=aEgO;R87S[VaTVjXAR05D5;0<aWNl2ecf<A4o8l930
W_Uo]cC15:i1lT^If;[;:<`5A\TG?EC1Wi42;d7gd99
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4416
```

>
> Check this site
> http://www.buxcomm.com/

It looks like Buxcomm may have something that would work for me..... but I do recall seeing a small company marketing USB to TNC adapters a few months ago.... I think they were located in Washington State.... I can not find them and would like to take a look at their product again, too.

Ed

```
From 6447825843150481146
X-Google-Thread: 108122,abd38805edb09308,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Alpha 87A  No Tune Amp.....
Message-ID: <vo5s725dqc5kbaluqr14ksf0212ouag1bt@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Wed, 31 May 2006 18:22:28 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1149114139 69.125.167.162 (Wed, 31 May 2006 15:22:19 MST)
NNTP-Posting-Date: Wed, 31 May 2006 15:22:19 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4417
```

WTB: Alpha 87A No Tune Amp.....
Please reply email with price and condition.
ritchi50@optonline.net

```
From 7004837818268603182
X-Google-Thread: 108122,7f7eb9bd4b67618f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-out.readnews.com!news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TNC USB adapter
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns97D4697051B3Cspectrumhogstarbandn@198.186.192.196>
<gl2s72t2gu9uln0v0ih4387m1tahn03mpr@4ax.com>
<Xns97D49AF2BE0C6spectrumhogstarbandn@198.186.192.196>
Organization: Your Company
Message-ID: <Xns97D4A0B6FFAF4spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 31 May 2006 22:47:16 GMT
Lines: 10
NNTP-Posting-Host: bc874ecf.news.adtechcomputers.com
X-Trace:
DXC=LiYTAKNcFX0feRiJg>nP^7gC4_A5:nI@1<<=aEgO;R87ThdLCMXXaB>5D5;0<aWNl2ecf<A4o8l930
W_Uo]cC15:i1lT^If;[;:<`5A\TG?EC16PLa;[Yl5W?
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4418
```

Please disregard my posting on this subject. I screwed up.... was really looking for a USB to radio adapter.   I found the site I was looking for.

http://www.ttl2usb.com

Ed

```
From -1215879608705073551
X-Google-Thread: 108228,262d411de7bfa2b1,start
X-Google-Thread: 108122,262d411de7bfa2b1,start
X-Google-Thread: 1109af,262d411de7bfa2b1,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!peer02.cox.net!
cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
```

```
Subject: FA: Motorola HT1000 VHF 136-174MHz 16 Channels New Charger
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0018_01C684CD.3F71E9F0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <5rpfg.22840$XV5.17079@fed1read10>
Date: Wed, 31 May 2006 16:14:09 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1149117249 68.104.78.240 (Wed, 31 May 2006 19:14:09 EDT)
NNTP-Posting-Date: Wed, 31 May 2006 19:14:09 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:985
rec.radio.amateur.equipment:4419 rec.radio.swap:4307

This is a multi-part message in MIME format.

------=_NextPart_000_0018_01C684CD.3F71E9F0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola HT1000 VHF 136-174MHz 16 Channels New Charger=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7625278516&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0018_01C684CD.3F71E9F0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola HT1000 VHF 136-174MHz 16 Channels New Charger </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7625278516&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7625278516&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0018_01C684CD.3F71E9F0--
```

From -2502507854146724111
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 31 May 2006 23:03:43 -0500
Date: Wed, 31 May 2006 21:03:42 -0700
From: KD6EVM <nelsonca@comcast.net>
Reply-To: nelsonca@comcast.net
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: OT: Re: Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<1148583368.842258.23140@j73g2000cwa.googlegroups.com>
<z8qdg.990724$xm3.411652@attbi_s21>
<1148640796.729981.50510@j33g2000cwa.googlegroups.com>
In-Reply-To: <1148640796.729981.50510@j33g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <y46dnfwK3uWC-uPZnZ2dnUVZ_umdnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 71.197.120.162
X-Trace: sv3-FzHHeO348JcJ31czNuEq1B/
aEa2qroE08wYJREd9+6PVU0EbpwMPC4abBaevrPLwc7lW96gZRV2yFMt!
jIhgC9LxO1nEEs5tPkCJvjfRyKSNIePGZ1DcLnVfAZ+Y1P+v++Hqy1KL7Z4jTHDqIR8wYChWdvrE!h/
SMPM18Axxe4/I=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.antiques.radio+phono:23622
rec.radio.amateur.equipment:4420 rec.radio.amateur.misc:12427
rec.radio.shortwave:37695

rally2xs@att.net wrote:
> I get approx 27 mpg with my Subaru WRX and there's 3 of us to share the
> gas if I were all that uptight about the gas, which I'm not.   I don't
> lose any sleep, I just go to bed before Jay Leno instead of after. And
> that's a pretty low rate for Hamvention weekend. Anyway, its only

> $8.88 for gas per day, which is just dirt cheap.   Find a motel like
> Holiday (pool, hi speed access) that is closer for the $8.88.
> Unlikely.
>
> As for the driving, I drove 550 miles to get there, and 550 back, so 40
> is just not noticable...
>
> Dave Head
>

Dang! I have never been able to squeeze more than 23MPG out of my WRX.

Have you ever passed anybody?

Tom
KD6EVM

From -8879716378230524161
X-Google-Thread: 108122,e40aee50a70f8ab2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!
cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Motorola Micor
References: <447E0214.7221D2FA@erols.com>
In-Reply-To: <447E0214.7221D2FA@erols.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 23
Message-ID: <dJtfg.9924$eQ4.9209@tornado.tampabay.rr.com>
Date: Thu, 01 Jun 2006 04:06:33 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1149134793 65.33.238.179 (Thu, 01 Jun 2006
00:06:33 EDT)
NNTP-Posting-Date: Thu, 01 Jun 2006 00:06:33 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4421

Try this link

http://mechemelectronics.com/clear.html

Murray Green, K3BEQ wrote:

>Wanted: Motorola Micor "LOW SPLIT" 2 meter repeater, 100 watts (OR)
>just the PA in working conditions. Model number is: TLD-1692. Please
>reply to mgreen@erols.com Thanks.
>
>Murray, K3BEQ
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From -7588850175274825543
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: OT: Re: Dayton HamFest killed by E-Bay
Date: 31 May 2006 21:37:22 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1149136641.933190.267280@f6g2000cwb.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
   <z8qdg.990724$xm3.411652@attbi_s21>
   <1148640796.729981.50510@j33g2000cwa.googlegroups.com>
   <y46dnfwK3uWC-uPZnZ2dnUVZ_umdnZ2d@comcast.com>
NNTP-Posting-Host: 63.228.178.129
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149136647 15138 127.0.0.1 (1 Jun 2006 04:37:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 1 Jun 2006 04:37:27 +0000 (UTC)
In-Reply-To: <y46dnfwK3uWC-uPZnZ2dnUVZ_umdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=63.228.178.129;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:23626
rec.radio.amateur.equipment:4422 rec.radio.amateur.misc:12428
rec.radio.shortwave:37697


KD6EVM wrote:
> rally2xs@att.net wrote:
> > I get approx 27 mpg with my Subaru WRX and there's 3 of us to share the
> > gas if I were all that uptight about the gas, which I'm not.   I don't
> > lose any sleep, I just go to bed before Jay Leno instead of after.  And
> > that's a pretty low rate for Hamvention weekend.  Anyway, its only
> > $8.88 for gas per day, which is just dirt cheap.   Find a motel like
> > Holiday (pool, hi speed access) that is closer for the $8.88.
> > Unlikely.
> >
> > As for the driving, I drove 550 miles to get there, and 550 back, so 40
> > is just not noticable...
> >
> > Dave Head
> >
> Dang! I have never been able to squeeze more than 23MPG out of my WRX.
>
> Have you ever passed anybody?
>
> Tom
> KD6EVM

Apparently at least one service station employee.



From -4811159452707446263
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: I was going through about ten years of ham catalogs, and I noticed a
disturbing trend.
Date: Thu, 01 Jun 2006 13:02:07 GMT
Organization: Sometimes
Lines: 22
Message-ID: <e5mogu$huo$4@usenet01.srv.cis.pitt.edu>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<e5kdbr$se2$1@avnika.corp.mot.com>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
```

```
X-Trace: usenet01.srv.cis.pitt.edu 1149166942 18392 136.142.52.106 (1 Jun 2006
13:02:22 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Thu, 1 Jun 2006 13:02:22 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.antenna:12350
rec.radio.amateur.equipment:4423 rec.radio.swap:4311

In article <e5kdbr$se2$1@avnika.corp.mot.com>, "Steve N."
<stuevue.nouskuowuicuz@moutouroula.com> wrote:
>  $$
>
>Steve
>
>"Morse or Re-Morse" <see@double.you> wrote in message
>news:eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net...
>> There's an increase in recent years of ham gear Retailers offering an
>> expanding amount of citizen band radios and related products.
>>
>> So Retailers have seen the changes in the type of people that are
>> making up and will be making up the US ham population, and have modified
>> their inventories and marketing to stay in step with it.
>>
>> Gotta keep selling them radio's,  Ten-Four?

Well years back there were CB STORES everywhere, and places like Sears
and Wards sold CB's, not anymore. Someone has to sell them.
Very litle interest in CB these days, however its the only real way to try and
communicate
with other drivers on the road.

greg



From 2743746154019113142
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: rally2xs@att.net
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: OT: Re: Dayton HamFest killed by E-Bay
Date: 1 Jun 2006 07:30:59 -0700
Organization: http://groups.google.com
Lines: 40
Message-ID: <1149172259.757902.250740@f6g2000cwb.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
```

```
   <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
   <z8qdg.990724$xm3.411652@attbi_s21>
   <1148640796.729981.50510@j33g2000cwa.googlegroups.com>
   <y46dnfwK3uWC-uPZnZ2dnUVZ_umdnZ2d@comcast.com>
NNTP-Posting-Host: 138.162.0.45
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149172265 14373 127.0.0.1 (1 Jun 2006 14:31:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 1 Jun 2006 14:31:05 +0000 (UTC)
In-Reply-To: <y46dnfwK3uWC-uPZnZ2dnUVZ_umdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; T312461; .NET
CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 NAEADLGRPC01A, 1.0 NAEANRFKPC04G
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=138.162.0.45;
   posting-account=hFGPVQ0AAAC7ekxGD-IBrcMkj5h7c58K
Xref: g2news2.google.com rec.antiques.radio+phono:23650
rec.radio.amateur.equipment:4424 rec.radio.amateur.misc:12444
rec.radio.shortwave:37732
```

```
KD6EVM wrote:
> rally2xs@att.net wrote:
> > I get approx 27 mpg with my Subaru WRX and there's 3 of us to share the
> > gas if I were all that uptight about the gas, which I'm not.   I don't
> > lose any sleep, I just go to bed before Jay Leno instead of after.  And
> > that's a pretty low rate for Hamvention weekend.  Anyway, its only
> > $8.88 for gas per day, which is just dirt cheap.   Find a motel like
> > Holiday (pool, hi speed access) that is closer for the $8.88.
> > Unlikely.
> >
> > As for the driving, I drove 550 miles to get there, and 550 back, so 40
> > is just not noticable...
> >
> > Dave Head
> >
> Dang! I have never been able to squeeze more than 23MPG out of my WRX.
>
> Have you ever passed anybody?
>
> Tom
> KD6EVM
```

The 27 mpg happens mostly on long trips. I might have been a bit optimistic to apply that number to the drive from our motel to the Hamvention, but I can get 24 doing it, if I don't hit the gas too hard getting on the interstate. Of course, the interstate is done on cruise control, and the area is flat, so no hill climbing, or not much, anyway.

This is a vanilla WRX, not an STI, and yes, I pass 'em all the time.

Its just that I use cruise control a lot, at +7 of the speed limit, and that does pass some people. I mostly pass 'em when they pull off the road to whiz, get gas, eat, or one of several other delays that I minimize. I don't usually stop at all until the car needs gas. This seems to make for good mileage.

Dave Head
K8DH

From 7473579482267955210
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: ARRL members, I need your help.
From: "JB" <1963@cybertime.net>
Date: Thu, 1 Jun 2006 08:18:16 -0700
Message-ID: <e5n0lf$tj1$1@madmax.keyway.net>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<1147744611.994952.16970@i39g2000cwa.googlegroups.com>
<1147782972.837652.252200@j55g2000cwa.googlegroups.com>
Lines: 39
NNTP-Posting-Host: dialup-216-117-207-066.cybertime.net
Organization: Keyway Internet Services www.keyway.net
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-out.nntp.be!
sp6iad.superfeed.net!in1.nntp.be!news.keyway.net!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
X-Trace: madmax.keyway.net 1149175279 30305 216.117.207.66 (1 Jun 2006 15:21:19 GMT)
X-Complaints-To: abuse@keyway.net
NNTP-Posting-Date: Thu, 1 Jun 2006 15:21:19 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news2.google.com rec.radio.amateur.equipment:4425
rec.radio.amateur.misc:12468 rec.radio.amateur.policy:28026 rec.radio.swap:4312

Back in the day when I got my Advanced, my Tech class Elmer pointed out that if you don't know the code, how do you know what repeater you're on?

Most automated identifications are still Morse code and it is still legal.

It is sad that Morse code is so under utilized. It is a testimony to the lack of interest in the greatest tool for weak signal work. If you have no interest in learning Morse code, than you affirm that your communications

```
capabilities should be limited to voice capabilities.  Who in emergency
communications believes that their capabilities should be limited by a lack
of expertise?  Perhaps they believe that emergency commumications should be
restricted to FRS?  Rediculous!

Still, we see even avid DXers throw in the towel on a weak one when Morse
code would have cut through the pile-up in a heart beat.  A friend in High
School made DXCC in 2 years on CW only, with a 100 watt radio and dipoles!

The fact remains that those who hate the code are clueless to its
effectiveness.  Their only defense is ignorance.  Sad!

AC6TK


<marky_morgan_internet_retard@yahoo.com> wrote in message
news:1147782972.837652.252200@j55g2000cwa.googlegroups.com...
>
> N9OGL wrote:
> > Why??? Morse Code does not make you a better radio operator, On air
> > experiance does. This idea that morse code makes you a better operatror
> > is nothing more then a myth.
> >
> > Todd N9OGL
> > General Class Operator
>
> You only say that because you had to struggle to get the 5 wpm code
> required now, Toad.
>




From -4885117916855416638
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 1 Jun 2006 09:33:37 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1149179617.684967.206650@u72g2000cwu.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <1147744611.994952.16970@i39g2000cwa.googlegroups.com>
   <1147782972.837652.252200@j55g2000cwa.googlegroups.com>
   <e5n0lf$tj1$1@madmax.keyway.net>
NNTP-Posting-Host: 69.19.14.28
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149179622 15669 127.0.0.1 (1 Jun 2006 16:33:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 1 Jun 2006 16:33:42 +0000 (UTC)
In-Reply-To: <e5n0lf$tj1$1@madmax.keyway.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.28;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:4426
rec.radio.amateur.misc:12488 rec.radio.amateur.policy:28044 rec.radio.swap:4314


JB wrote:
> Back in the day when I got my Advanced, my Tech class Elmer pointed out that
> if you don't know the code, how do you know what repeater you're on?
you know byt eh freq and pl tone you have set

> It is sad that Morse code is so under utilized.  It is a testimony to the
> lack of interest in the greatest tool for weak signal work.  If you have no
> interest in learning Morse code, than you affirm that your communications
> capabilities should be limited to voice capabilities.  Who in emergency
> communications believes that their capabilities should be limited by a lack
> of expertise?  Perhaps they believe that emergency commumications should be
> restricted to FRS?  Rediculous!
>
> Still, we see even avid DXers throw in the towel on a weak one when Morse
> code would have cut through the pile-up in a heart beat.  A friend in High
> School made DXCC in 2 years on CW only, with a 100 watt radio and dipoles!
>
> The fact remains that those who hate the code are clueless to its
> effectiveness.  Their only defense is ignorance.  Sad!
>
> AC6TK
butyou need to face facts it aint happening



From -6884014024429532245
X-Google-Thread: f7653,2810804815129ced,start
X-Google-Thread: 108122,2810804815129ced,start
X-Google-Attributes: gidf7653,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "K7AAY" <john.bartley@gmail.com>
Newsgroups: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment
```

Subject: WTB 2m / 70cm all modes transceiver
Date: 1 Jun 2006 14:55:36 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1149198936.151961.197850@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 71.34.86.148
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149198941 22088 127.0.0.1 (1 Jun 2006 21:55:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 1 Jun 2006 21:55:41 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=71.34.86.148;
   posting-account=fIOyvQ0AAAAn0JogHYur9rk-lMRfPNt_
Xref: g2news2.google.com rec.radio.amateur.digital.misc:284
rec.radio.amateur.equipment:4427

Looking for a 2m / 70cm transceiver, all modes preferred to permit SSB packet, which I've heard praised in this area (Oregon).

You on-topic suggestions as to a good voice/packet mobile rig would be appreciated.

From -1356210824614898181
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.astraweb.com!
router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-sjc-06!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help.
Date: Thu, 1 Jun 2006 18:08:50 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <127uss2g7g63c67@corp.supernews.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<1147744611.994952.16970@i39g2000cwa.googlegroups.com>
<1147782972.837652.252200@j55g2000cwa.googlegroups.com>
<e5n0lf$tj1$1@madmax.keyway.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869

X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 38
Xref: g2news2.google.com rec.radio.amateur.equipment:4428
rec.radio.amateur.misc:12500 rec.radio.amateur.policy:28054 rec.radio.swap:4319

"JB" <1963@cybertime.net> wrote in message
news:e5n0lf$tj1$1@madmax.keyway.net...
> Back in the day when I got my Advanced, my Tech class Elmer pointed out
> that
> if you don't know the code, how do you know what repeater you're on?
>
> Most automated identifications are still Morse code and it is still legal.
>
> It is sad that Morse code is so under utilized. It is a testimony to the
> lack of interest in the greatest tool for weak signal work. If you have
> no
> interest in learning Morse code, than you affirm that your communications
> capabilities should be limited to voice capabilities. Who in emergency
> communications believes that their capabilities should be limited by a
> lack
> of expertise? Perhaps they believe that emergency commumications should
> be
> restricted to FRS? Rediculous!
>
> Still, we see even avid DXers throw in the towel on a weak one when Morse
> code would have cut through the pile-up in a heart beat. A friend in High
> School made DXCC in 2 years on CW only, with a 100 watt radio and dipoles!
>
> The fact remains that those who hate the code are clueless to its
> effectiveness. Their only defense is ignorance. Sad!
>
> AC6TK

You made good points until your last paragraph. I do not have the time nor desire to learn the code. If I were to learn it long enough to pass the test and never use it from day to day, then it will soon be forgotten. I think that if a person wants to advance, code should be part of the process and tested on a regular basis, but also have restrictions for those that do not or cannot use code or the hobby will fade away. To do away with the code would be wrong as it has it's uses, but to expect everyone to learn it keeps fresh blood from entering into a noble but dying hobby.

From 8698694822133447503
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
From: Slow Code <email@no.spam>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<1147744611.994952.16970@i39g2000cwa.googlegroups.com>
<1147782972.837652.252200@j55g2000cwa.googlegroups.com>
<e5n0lf$tj1$1@madmax.keyway.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 30
Message-ID: <6ZKfg.172$o4.131@newsread2.news.pas.earthlink.net>
Date: Thu, 01 Jun 2006 23:44:02 GMT
NNTP-Posting-Host: 4.227.160.49
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1149205442 4.227.160.49 (Thu, 01 Jun
2006 16:44:02 PDT)
NNTP-Posting-Date: Thu, 01 Jun 2006 16:44:02 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4429
rec.radio.amateur.misc:12501 rec.radio.amateur.policy:28055 rec.radio.swap:4320

"JB" <1963@cybertime.net> wrote in news:e5n0lf$tj1$1@madmax.keyway.net:

> Back in the day when I got my Advanced, my Tech class Elmer pointed out
> that if you don't know the code, how do you know what repeater you're
> on?
>
> Most automated identifications are still Morse code and it is still
> legal.
>
> It is sad that Morse code is so under utilized. It is a testimony to
> the lack of interest in the greatest tool for weak signal work. If you
> have no interest in learning Morse code, than you affirm that your
> communications capabilities should be limited to voice capabilities.
> Who in emergency communications believes that their capabilities should
> be limited by a lack of expertise? Perhaps they believe that emergency
> commumications should be restricted to FRS? Rediculous!
>
> Still, we see even avid DXers throw in the towel on a weak one when
> Morse code would have cut through the pile-up in a heart beat. A friend
> in High School made DXCC in 2 years on CW only, with a 100 watt radio
> and dipoles!
>
> The fact remains that those who hate the code are clueless to its
> effectiveness. Their only defense is ignorance. Sad!
>
> AC6TK

Amen brother.

```
From 6529106674716249339
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
From: Slow Code <my.mail@no.spam>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<1147744611.994952.16970@i39g2000cwa.googlegroups.com>
<1147782972.837652.252200@j55g2000cwa.googlegroups.com>
<e5n0lf$tj1$1@madmax.keyway.net> <127uss2g7g63c67@corp.supernews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 49
Message-ID: <cZKfg.173$o4.154@newsread2.news.pas.earthlink.net>
Date: Thu, 01 Jun 2006 23:44:08 GMT
NNTP-Posting-Host: 4.227.160.49
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1149205448 4.227.160.49 (Thu, 01 Jun
2006 16:44:08 PDT)
NNTP-Posting-Date: Thu, 01 Jun 2006 16:44:08 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4430
rec.radio.amateur.misc:12502 rec.radio.amateur.policy:28056 rec.radio.swap:4321

"DrDeath" <drdeath555usb@yahoo.com> wrote in
news:127uss2g7g63c67@corp.supernews.com:

> "JB" <1963@cybertime.net> wrote in message
> news:e5n0lf$tj1$1@madmax.keyway.net...
>> Back in the day when I got my Advanced, my Tech class Elmer pointed out
>> that
>> if you don't know the code, how do you know what repeater you're on?
>>
>> Most automated identifications are still Morse code and it is still
>> legal.
>>
>> It is sad that Morse code is so under utilized.  It is a testimony to
>> the lack of interest in the greatest tool for weak signal work.  If you
>> have no
>> interest in learning Morse code, than you affirm that your
>> communications capabilities should be limited to voice capabilities.
>> Who in emergency communications believes that their capabilities should
>> be limited by a lack
>> of expertise?  Perhaps they believe that emergency commumications
>> should be
>> restricted to FRS?  Rediculous!
>>
>> Still, we see even avid DXers throw in the towel on a weak one when
>> Morse code would have cut through the pile-up in a heart beat.  A
>> friend in High School made DXCC in 2 years on CW only, with a 100 watt
>> radio and dipoles!
>>
>> The fact remains that those who hate the code are clueless to its
>> effectiveness.  Their only defense is ignorance.  Sad!
>>
>> AC6TK
>
> You made good points until your last paragraph. I do not have the time
> nor desire to learn the code. If I were to learn it long enough to pass
> the test and never use it from day to day, then it will soon be
> forgotten. I think that if a person wants to advance, code should be
> part of the process and tested on a regular basis, but also have
> restrictions for those that do not or cannot use code or the hobby will
> fade away. To do away with the code would be wrong as it has it's uses,
> but to expect everyone to learn it keeps fresh blood from entering into
> a noble but dying hobby.



No. If they're too lazy to learn CW they can stick with CB, FRS, Cell
Phones, and two tin cans with a piece of string in between.

SC



From -5024932220753186312
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members,.[snip]
From: Slow Code <email@no.spam>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
```

```
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
<e52c2g$ths$1@avnika.corp.mot.com>
<3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
<e57u7j$eeg$1@avnika.corp.mot.com>
<9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net>
<e5kd68$sdu$1@avnika.corp.mot.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 128
Message-ID: <gZKfg.174$o4.119@newsread2.news.pas.earthlink.net>
Date: Thu, 01 Jun 2006 23:44:12 GMT
NNTP-Posting-Host: 4.227.160.49
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1149205452 4.227.160.49 (Thu, 01 Jun
2006 16:44:12 PDT)
NNTP-Posting-Date: Thu, 01 Jun 2006 16:44:12 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4431
rec.radio.amateur.misc:12503 rec.radio.amateur.policy:28057 rec.radio.swap:4322

"Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
news:e5kd68$sdu$1@avnika.corp.mot.com:

>
> "Slow Code"  wrote in message
> news:9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net...
>> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
>> news:e57u7j$eeg$1@avnika.corp.mot.com:
>>
>> > Slow,
>> >  Can you address any of my comments in my previous, or here ?
>
>    Unfortunately, it appears not too well..
>
>
>>>  is it true that everything else is unimportant to you -
>> > only the quality?  [there always have been jerks around.]
>>
>> So let's have more?
>
>     ...is not an answer to my question and this question provides no
>     clue.
> It implies I said that more jerks will result from those that will
> always be there...I think.  or that I want more...
>
>
>> >> You appreciate something more that you had to work to achieve, and
>> >> respect the rewards it gives.
>> >  ...snip...
>> >   Yea....   I understand ... but what about putting the
>> > prospective ham through other, more rigorous hoops, like electronic
```

>> > theory, emcom, etc. Why won't more modern "hoops" work the same way
>> > to bolster the individual's respect for the service?
>>
>> Yes, 85% passing score for writtens.
>
>   OK, 85% is another kind of hoop. but Please answer my "Why"
>   question.
>
>
>> >> Ham numbers are declining.
>> >
>> >   I believe this is true, but what is you reason for stating this?
>> >   Are you glad this is happening or sad or indifferent?
>>
>> The numbers don't matter, quality does.
>
>   OK, so this seems to answer my other question.   While I agree,
>   that in
> a perfect world I would also restrict licences to only those who have a
> decent head on their shoulders...however, do _you_ trust _me_ to decide
> whose head is good?
>
> These are my last questions:
> Do you believe:
> 1- CW and 85% on exams will prevent or seriously limit the number of
> knuckleheads who sneek through?
> 2- That I am lying when I tell of some no-code techs that I personally
> know are the most serious, level headed and law abiding hams I know?
> 3- That I am lying when I tell you that I also know some very good hams
> who came up through CB and are just as law abiding when on the ham bands
> as anyone, just as serious about being good citizens, do emergency prep
> work and help others?
>
>> Reasoning a service is good because it has lots of members,
>
> [is incorrent reasoning] is what the implied completion of that
> sentence
> is.
>
>   I agree. There have been and are some pretty wacko
>   organizations.
> ...but...
>
> CB should be great then, but it's like a> kindergarten.
>   Is a gross generalization. How often do you listen? How many
>   "CB'ers"
> have you recently talked to?
>
> I listen once in a while just to see what's going on and be able to
> speak with first hand knowledge, and do hear some garbage, but I also
> hear of how it has helped in aread and ther ewere no hams around to
> help. Also, some areas have been worse than others,
>

>
> 1- I believe you have a limited view of CB [and no, I haven't been a
> "CB'er" but I have carried a radio on a few, I think two long trips
> where I would have trouble getting into repeaters for long periods.]. I
> have been helped by "CBers".
> 2- what percentage of CB users are jerks?
> 3- What percentage of hams are jerks?   then...
> 4- What percentage of jerks makes the service bad?
>
> My suggestions
> CW optional as it is now for *ALL* modes, but remove from the
> tests...except possibly for Extra - my jury's still out on this.
> 85-87% on tests, but
> Much more on propagation, antenna systems and emergency station
> operations and emergency communications and laws.
>
>
> Then some others in the "if I were Amateur Radio Service God"
> department... Currency requiremets like pilots that include familiarity
> recent developments.
> Proof of license, and that you can understand, explain and operate at
> least 90% of the functions on a radio in order to buy.
> If I wanted to be an old timer, I'd also require construction of
> something...knowledge of the history of ham Radio.
> Then being more modern, something like proficiency in software, digital
> modes and satellite ops.
> Gee, I should spend more time on these.... not. More important fish to
> fry.
>
> Sorry, guys, I just couldn't resist a little chain jerking here.
> 73, Steve, K9DCI
>
> At lease I got sc to answer a few questions ... sort of.

Maybe you have a few CB buddies you'd like to see get licensed, and dumbing things down will help, I don't know. Outcome based licensing. No one wants to be a ham if they have to work a little harder for the license and so no one wants to support having a good test to get one.

sc

```
From -4590750903315060779
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
```

nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: I was going through about ten years of ham catalogs, and I noticed a disturbing trend.
From: "Morse or Re-Morse" <see@double.you>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<e5kdbr$se2$1@avnika.corp.mot.com> <e5mogu$huo$4@usenet01.srv.cis.pitt.edu>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 29
Message-ID: <pZKfg.176$o4.56@newsread2.news.pas.earthlink.net>
Date: Thu, 01 Jun 2006 23:44:21 GMT
NNTP-Posting-Host: 4.227.160.49
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1149205461 4.227.160.49 (Thu, 01 Jun 2006 16:44:21 PDT)
NNTP-Posting-Date: Thu, 01 Jun 2006 16:44:21 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12366
rec.radio.amateur.equipment:4432 rec.radio.swap:4323

szekeres@pitt.edu (GregS) wrote in
news:e5mogu$huo$4@usenet01.srv.cis.pitt.edu:

> In article <e5kdbr$se2$1@avnika.corp.mot.com>, "Steve N."
> <stuevue.nouskuowuicuz@moutouroula.com> wrote:
>> $$
>>
>>Steve
>>
>>"Morse or Re-Morse" <see@double.you> wrote in message
>>news:eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net...
>>> There's an increase in recent years of ham gear Retailers offering an
>>> expanding amount of citizen band radios and related products.
>>>
>>> So Retailers have seen the changes in the type of people that are
>>> making up and will be making up the US ham population, and have
>>> modified their inventories and marketing to stay in step with it.
>>>
>>> Gotta keep selling them radio's, Ten-Four?
>
> Well years back there were CB STORES everywhere, and places like Sears
> and Wards sold CB's, not anymore. Someone has to sell them.

Radio Shack.

You got questions, we got blank stares.

Morse

From -4374622993819500161

```
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!news.maxwell.syr.edu!sn-xt-sjc-15!
sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: Thu, 1 Jun 2006 18:50:09 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <127uv9i2bb899f4@corp.supernews.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<1147744611.994952.16970@i39g2000cwa.googlegroups.com>
<1147782972.837652.252200@j55g2000cwa.googlegroups.com>
<e5n0lf$tj1$1@madmax.keyway.net> <127uss2g7g63c67@corp.supernews.com>
<cZKfg.173$o4.154@newsread2.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 56
Xref: g2news2.google.com rec.radio.amateur.equipment:4433
rec.radio.amateur.misc:12506 rec.radio.amateur.policy:28060 rec.radio.swap:4324
```

"Slow Code" <my.mail@no.spam> wrote in message
news:cZKfg.173$o4.154@newsread2.news.pas.earthlink.net...
> "DrDeath" <drdeath555usb@yahoo.com> wrote in
> news:127uss2g7g63c67@corp.supernews.com:
>
>> "JB" <1963@cybertime.net> wrote in message
>> news:e5n0lf$tj1$1@madmax.keyway.net...
>>> Back in the day when I got my Advanced, my Tech class Elmer pointed out
>>> that
>>> if you don't know the code, how do you know what repeater you're on?
>>>
>>> Most automated identifications are still Morse code and it is still
>>> legal.
>>>
>>> It is sad that Morse code is so under utilized. It is a testimony to
>>> the lack of interest in the greatest tool for weak signal work. If you
>>> have no
>>> interest in learning Morse code, than you affirm that your
>>> communications capabilities should be limited to voice capabilities.
>>> Who in emergency communications believes that their capabilities should
>>> be limited by a lack

>>> of expertise? Perhaps they believe that emergency commumications
>>> should be
>>> restricted to FRS? Rediculous!
>>>
>>> Still, we see even avid DXers throw in the towel on a weak one when
>>> Morse code would have cut through the pile-up in a heart beat. A
>>> friend in High School made DXCC in 2 years on CW only, with a 100 watt
>>> radio and dipoles!
>>>
>>> The fact remains that those who hate the code are clueless to its
>>> effectiveness. Their only defense is ignorance. Sad!
>>>
>>> AC6TK
>>
>> You made good points until your last paragraph. I do not have the time
>> nor desire to learn the code. If I were to learn it long enough to pass
>> the test and never use it from day to day, then it will soon be
>> forgotten. I think that if a person wants to advance, code should be
>> part of the process and tested on a regular basis, but also have
>> restrictions for those that do not or cannot use code or the hobby will
>> fade away. To do away with the code would be wrong as it has it's uses,
>> but to expect everyone to learn it keeps fresh blood from entering into
>> a noble but dying hobby.
>
>
>
> No. If they're too lazy to learn CW they can stick with CB, FRS, Cell
> Phones, and two tin cans with a piece of string in between.
>
> SC

Then sit back and watch your hobby die off. If you don't have an entry level, where are the new hams going to come from?

From -6908687381314760006
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!router2.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "DrDeath" <drdeath555usb@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members,.[snip]
Date: Thu, 1 Jun 2006 18:59:13 -0500

Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <127uvqid8cprs0c@corp.supernews.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
<e52c2g$ths$1@avnika.corp.mot.com>
<3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
<e57u7j$eeg$1@avnika.corp.mot.com>
<9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net>
<e5kd68$sdu$1@avnika.corp.mot.com>
<gZKfg.174$o4.119@newsread2.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.equipment:4434
rec.radio.amateur.misc:12508 rec.radio.amateur.policy:28062 rec.radio.swap:4325

"Slow Code" <email@no.spam> wrote in message
news:gZKfg.174$o4.119@newsread2.news.pas.earthlink.net...
(snipped)
> Maybe you have a few CB buddies you'd like to see get licensed, and
> dumbing things down will help, I don't know. Outcome based licensing. No
> one wants to be a ham if they have to work a little harder for the license
> and so no one wants to support having a good test to get one.
>
> sc

Another self proclaimed superior ham perpetuating the myth that CBers are
too dumb to pass the test. Keep that rift between hams and CBers and your
hobby will die an agonizing death. You have yourself to blame.

From 1894058351981592781
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra

```
dio.shortwave
Subject: Re: Ebay & "The Market"
Date: 1 Jun 2006 21:11:20 -0700
Organization: http://groups.google.com
Lines: 69
Message-ID: <1149221480.229499.317300@f6g2000cwb.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
   <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
   <SOGdnZAFXrsVA-_ZRVn-qw@comcast.com>
NNTP-Posting-Host: 4.252.214.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149221484 3361 127.0.0.1 (2 Jun 2006 04:11:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 2 Jun 2006 04:11:24 +0000 (UTC)
In-Reply-To: <SOGdnZAFXrsVA-_ZRVn-qw@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=4.252.214.54;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news2.google.com rec.antiques.radio+phono:23734
rec.radio.amateur.equipment:4435 rec.radio.amateur.misc:12510
rec.radio.shortwave:37821
```

"An enforced set start time makes it more fair, as Extravaganza and Charlotte have proved. The other two should consider that... "

Well said....the greedy bastards who shop before the starting gun have been responsible for more people not coming back than anyone wants to admit.

And the clueless sellers who feed these buzzards are fools since it is clear that they could get more money for thier wares if they would wait till the starting time and raise their prices.

TMT

Mark Oppat wrote:

> You cant touch or feel or converse as well with internet sales....nothing beats the face to face events, if they are well run. In the antique radio world, Extravaganza is one of the best, Bolingbrook is making a strong comeback from the Elgin days, Charlotte is strong and Kutztown is overflowing into the next pavilion.
>
> All you have to do is have a good facility, be open to the general public

```
> for free or little money, and promote your show like crazy.   An enforced
> set start time makes it more fair, as Extravaganza and Charlotte have
> proved.  The other two should consider that...
>
> I sold at Dayton in '96 and '97.  It was sliding down then even in my
> opinion...  I only sold about $1300 worth in two days...  about half that
> could be considered profit.  Not worth it for what was essentially 4.5 days
> worth of work (1 day loading, 2 days there, one day RT driving,  half day
> unloading).  I had all tube era stuff..  tube sockets, capacitors, trimmers,
> Ham type tubes, etc, etc.  All the guys stolling by had "Rice Boxes"
> strapped to their belts and didnt know which end of a soldering iron to
> hold.  One guy even held up an old RCA 811 tube to show his buddy and said
> "I remember when we used to use these things!"  His buddy'd never seen a
> tube I think, and he was about 35, this being back in '96.
> I had 100 pc bags of mylar and filter caps priced lower than anywhere, and I
> mean ANYWHERE.  Still do.
>
> Mark Oppat
>
>
> "John S." <hjsjms@cs.com> wrote in message
> news:1148326681.789315.105280@u72g2000cwu.googlegroups.com...
> >
> > Peter Wieck wrote:
> > > After reading all this, and with the recent Kutztown event in the
> > > background, as well as my three weekend finds, I am not so sure eBay
> > > has much to do with anything as to radio prices or availability. This
> > > is based on several assumptions which I will list for
> > > correction/addition/amplification:
> > >
> >
> >
> > Internet based sales have a huge advantage over in-place sales like
> > Dayton.  Ebay and other sales sites can as we all know bring sellers
> > from around the world at any time of the day.  It just isn't possible
> > to get that kind of coverage at an arena in Ohio.
> >
> > To the extent that buyer and seller are honest (and most are) internet
> > sales work very well because money and the good to be sold have to be
> > moved only once.
> >
> > It is for the exact same reason that in-person antique shows are having
> > a hard go of it.
> >
> >



From 5651722672380723600
X-Google-Thread: 108228,14414ac89ba61bda,start
X-Google-Thread: 108122,14414ac89ba61bda,start
X-Google-Thread: 1109af,14414ac89ba61bda,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:6-EA SYSTEM SABER UHF PORTABLE RADIOS-438-470MHz
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C685C6.9C2F1D30"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <lBPfg.22889$XV5.6021@fed1read10>
Date: Thu, 1 Jun 2006 21:59:09 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1149224401 68.104.78.240 (Fri, 02 Jun 2006 01:00:01 EDT)
NNTP-Posting-Date: Fri, 02 Jun 2006 01:00:01 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:990
rec.radio.amateur.equipment:4436 rec.radio.swap:4327

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C685C6.9C2F1D30
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:6-EA SYSTEM SABER UHF PORTABLE RADIOS-438-470MHz

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7625793800&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C685C6.9C2F1D30
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:6-EA SYSTEM SABER UHF PORTABLE RADIOS-438-470MHz</P>
<P><FONT size=3D3><A=20
```

```
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7625793800&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7625793800&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C685C6.9C2F1D30--



From 7014220690531669274
X-Google-Thread: 108228,25f6eab1ff377471,start
X-Google-Thread: 108122,25f6eab1ff377471,start
X-Google-Thread: 1109af,25f6eab1ff377471,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: HT1250 ls Plus UHF Ham/Commercial
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C685C6.EF7F1620"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <SDPfg.22890$XV5.4262@fed1read10>
Date: Thu, 1 Jun 2006 22:01:29 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1149224562 68.104.78.240 (Fri, 02 Jun 2006 01:02:42 EDT)
NNTP-Posting-Date: Fri, 02 Jun 2006 01:02:42 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:991
rec.radio.amateur.equipment:4437 rec.radio.swap:4328

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C685C6.EF7F1620
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: HT1250 ls Plus UHF Ham/Commercial=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7625788713&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0011_01C685C6.EF7F1620
Content-Type: text/html;
```

```
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA: HT1250 ls Plus UHF Ham/Commercial </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7625788713&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7625788713&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></FONT></DIV></BODY></HTML>

------=_NextPart_000_0011_01C685C6.EF7F1620--




From -4515316771413426419
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!h76g2000cwa.googlegroups.com!not-for-
mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: OT: Re: Dayton HamFest killed by E-Bay
Date: 1 Jun 2006 22:33:45 -0700
Organization: http://groups.google.com
Lines: 45
Message-ID: <1149226425.440380.301020@h76g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
   <z8qdg.990724$xm3.411652@attbi_s21>
   <1148640796.729981.50510@j33g2000cwa.googlegroups.com>
   <y46dnfwK3uWC-uPZnZ2dnUVZ_umdnZ2d@comcast.com>
   <1149172259.757902.250740@f6g2000cwb.googlegroups.com>
NNTP-Posting-Host: 63.228.178.129
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149226430 16708 127.0.0.1 (2 Jun 2006 05:33:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 2 Jun 2006 05:33:50 +0000 (UTC)
```

In-Reply-To: <1149172259.757902.250740@f6g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: h76g2000cwa.googlegroups.com; posting-host=63.228.178.129;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:23737
rec.radio.amateur.equipment:4438 rec.radio.amateur.misc:12525
rec.radio.shortwave:37826

rally2xs@att.net wrote:
> KD6EVM wrote:
> > rally2xs@att.net wrote:
> > > I get approx 27 mpg with my Subaru WRX and there's 3 of us to share the
> > > gas if I were all that uptight about the gas, which I'm not.   I don't
> > > lose any sleep, I just go to bed before Jay Leno instead of after. And
> > > that's a pretty low rate for Hamvention weekend. Anyway, its only
> > > $8.88 for gas per day, which is just dirt cheap.   Find a motel like
> > > Holiday (pool, hi speed access) that is closer for the $8.88.
> > > Unlikely.
> > >
> > > As for the driving, I drove 550 miles to get there, and 550 back, so 40
> > > is just not noticable...
> > >
> > > Dave Head
> > >
> > Dang! I have never been able to squeeze more than 23MPG out of my WRX.
> >
> > Have you ever passed anybody?
> >
> > Tom
> > KD6EVM
>
> The 27 mpg happens mostly on long trips. I might have been a bit
> optimistic to apply that number to the drive from our motel to the
> Hamvention, but I can get 24 doing it, if I don't hit the gas too hard
> getting on the interstate. Of course, the interstate is done on cruise
> control, and the area is flat, so no hill climbing, or not much,
> anyway.
>
> This is a vanilla WRX, not an STI, and yes, I pass 'em all the time.
> Its just that I use cruise control a lot, at +7 of the speed limit, and
> that does pass some people. I mostly pass 'em when they pull off the
> road to whiz, get gas, eat, or one of several other delays that I
> minimize. I don't usually stop at all until the car needs gas. This
> seems to make for good mileage.
>
> Dave Head
> K8DH

I got an amazing 39+ mpg from a 2.3L FWD Ford Tempo once, headed over

White Bird Hill into Grangeville, Idaho. Three weeks later the
transmission bit the dust.

From 6104690767060856579
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!c74g2000cwc.googlegroups.com!not-for-mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Ebay & "The Market"
Date: 1 Jun 2006 22:36:50 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1149226610.436217.19940@c74g2000cwc.googlegroups.com>
References: <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
   <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
   <44722BF1.E6DA1257@earthlink.net>
   <1148338532.553887.260960@g10g2000cwb.googlegroups.com>
   <447264A9.D4D61D3@earthlink.net>
   <1148997088.641984.199240@y43g2000cwc.googlegroups.com>
   <1148997318.850084.124360@u72g2000cwu.googlegroups.com>
   <i0aq721v4o2lh2rffv5trvdc17qfo9hkog@4ax.com>
NNTP-Posting-Host: 63.228.178.129
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149226615 17159 127.0.0.1 (2 Jun 2006 05:36:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 2 Jun 2006 05:36:55 +0000 (UTC)
In-Reply-To: <i0aq721v4o2lh2rffv5trvdc17qfo9hkog@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: c74g2000cwc.googlegroups.com; posting-host=63.228.178.129;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:23738
rec.radio.amateur.equipment:4439 rec.radio.amateur.misc:12529
rec.radio.shortwave:37827

Roger wrote:
> On 30 May 2006 06:55:19 -0700, "Steven"

> <thisjukeboxplays33rpm@yahoo.com> wrote:
>
> >I suppose next you'll attack yard sales. You're despicable.
>
> Who? You didn't include any quote to know to whom you are referring
> and these posts don't necessarily fall in the expected order.
>
> Roger Halstead (K8RI & ARRL life member)
> (N833R, S# CD-2 Worlds oldest Debonair)
> www.rogerhalstead.com

It was a joke anyway. Use Google. I can't keep a scorecard on a thread
with 102+ posts either...

From 3655971144320493338
X-Google-Thread: f7653,2810804815129ced
X-Google-Thread: 108122,2810804815129ced
X-Google-Attributes: gidf7653,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!proxad.net!cleanfeed3-b.proxad.net!nnrp10-1.free.fr!not-for-mail
Message-Id: <447fdf4a$0$11007$626a54ce@news.free.fr>
From: F8BOE <f8boe-8@bluemail.ch>
Subject: Re: WTB 2m / 70cm all modes transceiver
Newsgroups: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment
Followup-To: rec.radio.amateur.digital.misc
Reply-To: f8boe-8@bluemail.ch
Date: Fri, 02 Jun 2006 08:48:44 +0200
References: <1149198936.151961.197850@u72g2000cwu.googlegroups.com>
User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 50
Organization: Guest of ProXad - France
NNTP-Posting-Date: 02 Jun 2006 08:48:43 MEST
NNTP-Posting-Host: 89.48.170.136
X-Trace: 1149230923 nnrp10-1.free.fr 11007 89.48.170.136:58945
X-Complaints-To: abuse@proxad.net
Xref: g2news2.google.com rec.radio.amateur.digital.misc:285
rec.radio.amateur.equipment:4440

Hi!

SSB packet on 2m and 70cm? Maybe at 300Bd? Must be very easy and
efficient...

As far as I remember, no mulimode dual-band mobile rig was ever produced.
Actually you only find IC-706 and FT-897 type mobiles with multimode
abilities on 2 and 70.
And exit the monoband multimodes such as kwd's TM255/455 (no more

produced)... For mobile action I'm using an old Yaesu FT-7100, which I also use for 1k2/9k6 packet with a TNC2-Multi (IfD, Germany) or a homebrewed soundcard interface and modern Software (Flex32, Paxon 2.00.1114, WPP 3.18, Soundmodem, under WinXP).

I think that in the USA, where 9k6 packet is a vague idea and TXDelays are sooooo loooong and fast switching is of no need, an IC 706 would do the job.
But I would recommend to take a rig with a miniDIN (sort of PS2) plug for packet/digimode action, so not really the Icom 706 brand.

The miniDIN tends to be a standard plug-and-play feature for most modern TNCs and digi-mode controllers.

And I'm quite sure you wiil need som links:

http://www.uspacket.org/
http://wpp.dc6hb.de/
http://www.afthd.tu-darmstadt.de/~flexnet/
http://www.paxon.de/

I intensionnaly do not give the paths to AGWPE or Winpack... I let you guess why.

If you are interestd in APRS, you can install WPP or use UI-View with AGWPE, but for Heaven's sake, do not use any AGWPE version for packet radio! The sysops and your packet mates will praise you.

73 de F8BOE Olivier ...-.-

K7AAY wrote:

> Looking for a 2m / 70cm transceiver, all modes preferred to permit SSB
> packet, which I've heard praised in this area (Oregon).
>
> You on-topic suggestions as to a good voice/packet mobile rig would be
> appreciated.

From 1024450813076618274
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-pa1.hpl.hp.com!
news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!newsfeed.pnap.net!

motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members,.[snip]
Date: Fri, 2 Jun 2006 11:50:59 -0500
Organization: Motorola Applications Directory Team
Lines: 190
Message-ID: <e5pq9k$d92$1@avnika.corp.mot.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
<e52c2g$ths$1@avnika.corp.mot.com>
<3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
<e57u7j$eeg$1@avnika.corp.mot.com>
<9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net>
<e5kd68$sdu$1@avnika.corp.mot.com>
<gZKfg.174$o4.119@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1149267060 13602 173.27.203.217 (2 Jun 2006 16:51:00 GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Fri, 2 Jun 2006 16:51:00 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:4441
rec.radio.amateur.misc:12656 rec.radio.amateur.policy:28150 rec.radio.swap:4331

"Slow Code" <email@no.spam> wrote in message
news:gZKfg.174$o4.119@newsread2.news.pas.earthlink.net...
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
> news:e5kd68$sdu$1@avnika.corp.mot.com:
>
> >
> > "Slow Code" wrote in message
> > news:9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net...
> >> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
> >> news:e57u7j$eeg$1@avnika.corp.mot.com:
> >>
> >> > Slow,
> >> > Can you address any of my comments in my previous, or here ?
> >
> >   Unfortunately, it appears not too well..
> >
> >
> >>> is it true that everything else is unimportant to you -

> >> > only the quality? [there always have been jerks around.]
> >>
> >> So let's have more?
> >
> >   ...is not an answer to my question and this question provides no
> >   clue.
> > It implies I said that more jerks will result from those that will
> > always be there...I think. or that I want more...
> >
> >
> >> >> You appreciate something more that you had to work to achieve, and
> >> >> respect the rewards it gives.
> >> > ...snip...
> >> >   Yea....   I understand ... but what about putting the
> >> > prospective ham through other, more rigorous hoops, like electronic
> >> > theory, emcom, etc. Why won't more modern "hoops" work the same way
> >> > to bolster the individual's respect for the service?
> >>
> >> Yes, 85% passing score for writtens.
> >
> >   OK, 85% is another kind of hoop. but Please answer my "Why"
> >   question.
> >
> >
> >> >> Ham numbers are declining.
> >> >
> >> >   I believe this is true, but what is you reason for stating this?
> >> >   Are you glad this is happening or sad or indifferent?
> >>
> >> The numbers don't matter, quality does.
> >
> >   OK, so this seems to answer my other question.   While I agree,
> >   that in
> > a perfect world I would also restrict licences to only those who have a
> > decent head on their shoulders...however, do _you_ trust _me_ to decide
> > whose head is good?
> >
> > These are my last questions:
> > Do you believe:
> > 1- CW and 85% on exams will prevent or seriously limit the number of
> > knuckleheads who sneek through?
> > 2- That I am lying when I tell of some no-code techs that I personally
> > know are the most serious, level headed and law abiding hams I know?
> > 3- That I am lying when I tell you that I also know some very good hams
> > who came up through CB and are just as law abiding when on the ham bands
> > as anyone, just as serious about being good citizens, do emergency prep
> > work and help others?
> >
> >> Reasoning a service is good because it has lots of members,
> >
> > [is incorrent reasoning] is what the implied completion of that
> > sentence
> > is.

> >
> >   I agree. There have been and are some pretty wacko
> >   organizations.
> > ...but...
> >
> > CB should be great then, but it's like a> kindergarten.
> >   Is a gross generalization. How often do you listen? How many
> >   "CB'ers"
> > have you recently talked to?
> >
> > I listen once in a while just to see what's going on and be able to
> > speak with first hand knowledge, and do hear some garbage, but I also
> > hear of how it has helped in aread and ther ewere no hams around to
> > help. Also, some areas have been worse than others,
> >
> >
> > 1- I believe you have a limited view of CB [and no, I haven't been a
> > "CB'er" but I have carried a radio on a few, I think two long trips
> > where I would have trouble getting into repeaters for long periods.]. I
> > have been helped by "CBers".
> > 2- what percentage of CB users are jerks?
> > 3- What percentage of hams are jerks?   then...
> > 4- What percentage of jerks makes the service bad?
> >
> > My suggestions
> > CW optional as it is now for *ALL* modes, but remove from the
> > tests...except possibly for Extra - my jury's still out on this.
> > 85-87% on tests, but
> > Much more on propagation, antenna systems and emergency station
> > operations and emergency communications and laws.
> >
> >
> > Then some others in the "if I were Amateur Radio Service God"
> > department... Currency requiremets like pilots that include familiarity
> > recent developments.
> > Proof of license, and that you can understand, explain and operate at
> > least 90% of the functions on a radio in order to buy.
> > If I wanted to be an old timer, I'd also require construction of
> > something...knowledge of the history of ham Radio.
> > Then being more modern, something like proficiency in software, digital
> > modes and satellite ops.
> > Gee, I should spend more time on these.... not. More important fish to
> > fry.
> >
> > Sorry, guys, I just couldn't resist a little chain jerking here.
> > 73, Steve, K9DCI
> >
> > At lease I got sc to answer a few questions ... sort of.
>
>
> Maybe you have a few CB buddies you'd like to see get licensed, and
> dumbing things down will help, I don't know.

You sure don't! Also a very bad assumption and groundless..Also wrong, not to mention irrelavant to my words and position.   I said that I already know *HAMS* who came from the CB side (only because they either told me directly, or I overheard then discuss it on the air) ---whom I met as Hams. They are top notch hams in every way.
I don't do CB, but have an old Morotola 40 CH AM unit because I want to have as much communications capability to handle any eventuality in an emergency. It would have been helpful in a serious malicious repeater interference situation a number of years ago when I didn't have even 27 MHz receive capability and it heloed solve and catch the perps.

> Outcome based licensing.

You'll have to explain the meaning of this.

> No
> one wants to be a ham if they have to work a little harder for the license

False generalization " On one..." and "harder" than what?

This was dis proved by one of the posters responding to you who said somethin like he wa looking forward to learning CW etyc... Unbeknownst to you, there are people who do value things for their own sake and will enjoy the feeling of self accomplishment..

> and so no one wants to support having a good test to get one.

Well here *IS* one. I support a much harder test in the areas I previously outlined. I *DO* agree that the CW hurdle can be one which makes us value the license to a significant degree...HOWEVER, I believe it is not the ONLY thing which can have this effect, as you appear to believe. I do do CW, enjoy those contacts, marvel at the ability to QSO with any country / language with it and feel (alittle special being) part of an esoteric group that knows it. However, it doesn't make me a better person simply because I know it. My value derives from a deeper value.
Knowing that Hams were a VERY significant factor in communications for 9/11, the SE Asia tsunami and Katrina makes me feel good and I bet there were many code-less hams involved.

I'm a "techie" and would love to require everyone to build something and explain something regarding electronics in much greater depth than on the current tests. I also KNOW that this will not guatantee an all around "good" ham. I also enjoy the diversity of those I meet on the air that aren't Electrical Engineers or Technicians.

I think that if your position was valid there would haave been no jerk hams in the past, when CW was on all tests.

Why was Knowledge of Morse there in the first place? Understanding this in full context is, I believe, critical to cussions on this issue.

If you can't conceed that any of my points have any validity, than so be it.
It is your right. But I find you very closed minded and unable to
intelligently discuss a complex issue in a mature way. It is your right and
I'll also deffend your right to have your opinions. If for no other reason,
it allows me (and hopefully others) to more firmly and intelligently form
and understand mine.

73, Steve, K9DCI Always willing to show my true identity. and hopefuly
express thoughtful and well reasoned viewes along with correct and
understandable technicial explanations for others.

From -2918958766264688247
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!post01.iad01!news.usenetcompany.com!not-for-mail
From: Dave Moorman <hahaha@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Back-up rig opinions?
Organization: Not yet!
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
<slrne7nk9j.4v1.gsm@cable.mendelson.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Date: Fri, 02 Jun 2006 13:15:32 -0500
Message-ID: <hahaha-FDD805.13153202062006@[158.146.250.66.in-addr.arpa]>
Lines: 29
X-Complaints-To: abuse@usenetcompany.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4442

In article <slrne7nk9j.4v1.gsm@cable.mendelson.com>,
gsm@mendelson.com (Geoffrey S. Mendelson) wrote:

> k3pi@arrl.net wrote:
> > My main rig is a Kenwood TS-850S. I am considering getting a back up
> > rig for it.
> >
> > Main interest is cw. Internal Antenna Tuner is nice. Bands higher
> > than 10m not that important.
> >
> > What models do you recommend that: represent good value, reliable, can
> > still be serviced (if used)?
>
> Try a Ten-Tec. Many Japanese rigs are designed for SSB, with CW as an
> afterthought. Ten-Tec rigs, while they work perfectly well for SSB,
> were, and still are, are designed with a CW operator in mind.
>
> Their older rigs can be easily serviced, and they still sell manuals,
> parts and fix them for you.
>

> The older ones don't include tuners, but a modern external auto tuner will
> work with them.
>
> Geoff.

If you'd like the WARC bands and a selection of bandwidths in an
excellent CW rig, check out the Corsair I or II.

Dave K9SW

From 7448876692333165056
X-Google-Thread: fb049,bbea7c7de7e90068,start
X-Google-Thread: 108122,bbea7c7de7e90068,start
X-Google-Thread: fc2a5,bbea7c7de7e90068,start
X-Google-Attributes: gidfb049,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feed.cgocable.net!read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "maw" <mwhitehead4@cogeco.ca>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Patrolman Pro-45 (circa 1977)
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <PZ3gg.398$Uy1.116@read1.cgocable.net>
Date: Fri, 2 Jun 2006 19:38:16 -0400
NNTP-Posting-Host: 72.38.131.125
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1149291503 72.38.131.125 (Fri, 02 Jun 2006 19:38:23 EDT)
NNTP-Posting-Date: Fri, 02 Jun 2006 19:38:23 EDT
Organization: Cogeco Cable
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1927 rec.radio.amateur.equipment:4443 rec.radio.amateur.homebrew:5539

found this old Realistic Pro-45 "beast" of a scanner and it amazingly works.
it's an eight channel scanner that uses crystals.

currently a local 2-meter repeater is the only active frequency in my area.

can somebody help get or sell me some crystals and/or the manual for this
radio?

the crystals i'm looking for are:

148.525mhz
150.100mhz
154.935mhz
154.620mhz

156.800mhz
162.400mhz

please reply by email.

thanks!

```
From 2616723060110975448
X-Google-Thread: fb049,bbea7c7de7e90068
X-Google-Thread: 108122,bbea7c7de7e90068
X-Google-Thread: fc2a5,bbea7c7de7e90068
X-Google-Attributes: gidfb049,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 02 Jun 2006 20:38:17 -0500
From: "g. beat" <@<spam protected>>
Newsgroups: alt.ham-radio.vhf-
uhf,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <PZ3gg.398$Uy1.116@read1.cgocable.net>
Subject: Re: Patrolman Pro-45 (circa 1977)
Date: Fri, 2 Jun 2006 20:38:13 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <xtqdnRnZeK2UdR3ZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 59
NNTP-Posting-Host: 67.163.91.190
X-Trace: sv3-ZSRUQQJ/y7+9Css5Deu4QsTewVReP49RHjy/
fH4qThzXKUaJ7oahXCMZFpNzxeAp65NszbtbGyU1VEF!
7y1WLZicBf+cmI3qow0zqA0WOIWUYH4nZgf38RbIR8q+2sUAUKYCUe/t0GJ1ML8+k5Lx7Hgtfp79!
yU3sMvwVFryFXZM71l8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1929
rec.radio.amateur.equipment:4444 rec.radio.amateur.homebrew:5540
```

"maw" <mwhitehead4@cogeco.ca> wrote in message
news:PZ3gg.398$Uy1.116@read1.cgocable.net...
> found this old Realistic Pro-45 "beast" of a scanner and it amazingly
> works.
> it's an eight channel scanner that uses crystals.

>
> currently a local 2-meter repeater is the only active frequency in my area.
>
> can somebody help get or sell me some crystals and/or the manual for this radio?
>
> the crystals i'm looking for are:
>
> 148.525mhz
> 150.100mhz
> 154.935mhz
> 154.620mhz
> 156.800mhz
> 162.400mhz
>
> please reply by email.
>
> thanks!

The Realistic Pro-45 Patrolman Scanning Radio was introduced in 1978.

Strong Signals is a popular SWL / monitoring web site
http://www.strongsignals.net/index.cgi

First, start with the manual.
Anthony W. Haukap of St. Louis, MO has compiled Scanner Owners and Service manuals:
http://myweb.accessus.net/~090/toc.html#scan

Here is his Radio Shack / Realistic series
http://myweb.accessus.net/~090/bearcatting.html#rsman

Photofacts from Howard Sams Publishing division of Prentice-Hall at
(800)428-7267, http://www.hwsams.com/sams_model_new.html

Repair Tips for Realistic Scanners (Bob Parnass, AJ9S)
http://www.repairfaq.org/REPAIR/F_RS_Repair.html

Crystals - they are not $2 each anymore !

ICM (they have deep library of equipment crystal specs - best in industry)
http://www.icmfg.com/

JAN Crystals
http://www.jancrystals.com/

Bomar Crystals
http://www.bomarcrystal.com/

Ken's Electronics - MAY have some NOS surplus - Inventory reduction sale
http://www.kenselectronics.com/lists/scanxtal.htm

From -2262145726637857716
X-Google-Thread: 108122,c03ecad350fe6759,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: System Saber RSS Programming problem
Content-Type: multipart/alternative;
 boundary="------------080702030406020703050206"
Lines: 70
Message-ID: <vU8gg.16277$cB3.13711@tornado.tampabay.rr.com>
Date: Sat, 03 Jun 2006 05:14:03 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1149311643 65.33.238.179 (Sat, 03 Jun 2006 01:14:03 EDT)
NNTP-Posting-Date: Sat, 03 Jun 2006 01:14:03 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4445

This is a multi-part message in MIME format.
--------------080702030406020703050206
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit

I have a CON 6 System Saber I am trying to read with version R3.00.2 and although it passes the serial COM test, it gets hung trying to read and reports "Could not acquire busy line" etc.

My dedicated radio programming computer is a genuine IBM 486 25 MHz and is tried and true on various RSS including "plain" Saber, so I doubt its the set up, I tried a spare RIB box, tested a plain Saber (works) and am stumped. I even trimmed my config.sys amd autoexec.bat. Yes I am using DOS 6.22.

Could it be that CON 6 (1995 vintage radio) is too new for this 1992 software? Version R3.00.2 is all I have to work with.

Any help would be most appreciated.

--
Joe Leikhim K4SAT

```
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P



--------------080702030406020703050206
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
I have a CON 6 <u>System Saber</u> I am trying to read with version
R3.00.2 and although it passes the serial COM test, it gets hung trying
to read and reports "Could not acquire busy line" etc.<br>
<br>
My dedicated radio programming computer is a genuine IBM 486 25 MHz and
is tried and true on various RSS including "plain" Saber, so I doubt
its the set up, I tried a spare RIB box, tested a plain Saber (works)
and am stumped. I even trimmed my config.sys amd autoexec.bat. Yes I am
using DOS 6.22. <br>
<br>
Could it be that CON 6 (1995 vintage radio) is too new for this 1992
software? Version R3.00.2 is all I have to work with.<br>
<br>
Any help would be most appreciated.<br>
<pre class="moz-signature" cols="72">--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"&copy;

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P

</pre>
</body>
</html>

--------------080702030406020703050206--


From 4366398278873174329
X-Google-Thread: 108122,301cf693ff42f149,start
X-Google-Thread: 108228,301cf693ff42f149,start
```

```
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 03 Jun 2006 05:31:37 -0500
Subject: FA: 1-Day-Left: 4 ELECTRONICS Books: ELECTRONICS - ELECTRICITY - CIRCUIT
ANALYSIS, etc.
Date: Sat, 03 Jun 2006 06:31:36 -0400
From: Bob <bob@skjdkavbzo.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <030620060631363631%bob@skjdkavbzo.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-S6DnFeugqRx+B1VUcFM8NHLols6kB8zpgwuHtWvQk62A/
LDS3hkq95ZHlPMeLvix8U5muOPHH/xK6iq!
riaRjVqLEBruO72Q6ZPYilEG3c1naeIiQe1exEfoCKm2SWmMnqPb7CZu4CxzbSJtuX8wEEh4KTTb!
hUWw7B1QiMqKn5tgKUzu
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4446 alt.ham-
radio.marketplace:994


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4644625816


From -5734094962461522269
X-Google-Thread: f64c6,a5c559df589e8072,start
X-Google-Thread: 108122,a5c559df589e8072,start
X-Google-Thread: 107ada,a5c559df589e8072,start
X-Google-Attributes: gidf64c6,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Sat, 03 Jun 2006 11:29:11 +0100
From: icom <icom@icom.com>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: uk.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Another Icom UX-14 for sale...!
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0622-4, 02/06/2006), Outbound message
X-Antivirus-Status: Clean
NNTP-Posting-Host: 81.7.10.168
X-Original-NNTP-Posting-Host: 81.7.10.168
```

Message-ID: <4482b68d@news.greennet.net>
X-Trace: 4 Jun 2006 06:31:41 -0400, 81.7.10.168
Lines: 3
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.mv.net!
news.destek.net!mozart.jlc.net!news.greennet.net!81.7.10.168
Xref: g2news2.google.com uk.radio.amateur:40779 rec.radio.amateur.equipment:4447
rec.radio.amateur.misc:12745

None for years, then two within a couple of months!

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=9736106130

From -8896403333047924362
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!00eff025!not-for-mail
From: "Cecil Moore" <mycall@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<e5kdbr$se2$1@avnika.corp.mot.com> <e5mogu$huo$4@usenet01.srv.cis.pitt.edu>
<pZKfg.176$o4.56@newsread2.news.pas.earthlink.net>
Subject: Re: I was going through about ten years of ham catalogs, and I noticed a
disturbing trend.
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <FXggg.130895$F_3.107482@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 70.136.53.118
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1149344613 ST000 70.136.53.118 (Sat, 03 Jun
2006 10:23:33 EDT)
NNTP-Posting-Date: Sat, 03 Jun 2006 10:23:33 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Sat, 03 Jun 2006 14:23:33 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12392
rec.radio.amateur.equipment:4449 rec.radio.swap:4338

"Morse or Re-Morse" <see@double.you> wrote
> Radio Shack. You got questions, we got blank stares.

My 17 year old RS Optimus speakers gave up the ghost. I went into a Radio Shack and was told that not only does RS not sell speakers like that anymore, but speakers with one tweeter plus one mid-range plus one woofer were not even manufactured anymore and that it takes half a dozen modular speakers to set up a system nowadays.

I went over to Fry's Electronics and found exactly what I was looking for from Cambridge Soundworks. The woofer only goes down to 40 Hz but for my karaoke system, that's good enough.

--
73, Cecil http://www.qsl.net/w5dxp

From -7556890854535078100
X-Google-Thread: 108122,e8b9bdd3340ec237,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p02!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Rare 200V, Atlas 400X, and EAC R-390A
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <x_ggg.35500$4H.1441@dukeread03>
Date: Sat, 3 Jun 2006 09:26:47 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1149344797 68.105.249.118 (Sat, 03 Jun 2006 10:26:37 EDT)
NNTP-Posting-Date: Sat, 03 Jun 2006 10:26:37 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4450

Please see my auctions of some really rare gear including a Central Electronics 200V in near mint condition, one of only a few made Atlas 400X Transceivers, a super clean EAC R-390A Receiver,
a Sony SW-77, and some test gear. See at:
http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZhugQ2daQ2dbug
Thanks, Charlie Hugg, K5MBX

From -8368768836186223406
X-Google-Thread: 108122,9b27b0969258799e,start
X-Google-Attributes: gid108122,public

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Trade Kenwood or TenTec Heil mic cables for Icom cable
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Qkigg.35507$4H.29388@dukeread03>
Date: Sat, 3 Jun 2006 10:58:50 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1149350320 68.105.249.118 (Sat, 03 Jun 2006 11:58:40 EDT)
NNTP-Posting-Date: Sat, 03 Jun 2006 11:58:40 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4451

I want to trade a Heil CC-1-K(Kenwood 8 pins) or a CC-1-T(TenTec 4 pins)
for a CC-1-I(Icom 8 pins)
cable for Heil microphones. Thanks, Charlie Hugg, K5MBX

From 2225260229820828736
X-Google-Thread: 108122,5f2f52bc2d4a4ae1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TR-9130 all mode with Tones
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <fljgg.35532$4H.11885@dukeread03>
Date: Sat, 3 Jun 2006 12:07:34 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1149354443 68.105.249.118 (Sat, 03 Jun 2006 13:07:23 EDT)
NNTP-Posting-Date: Sat, 03 Jun 2006 13:07:23 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4452

I have a very clean Kenwood TR-9130 2 meter All Mode Transceiver with the

Communications Specialists SS-32P Tone Board Installed. This little rig works great. It puts out 25 watts or 5 watts.

The readout is clear and bright green. It comes with the mobile mount, power cable, mic, and original manual and instructions for the Tone Board. This transceiver has very low hours of use. It shows almost no wear. Cabinet and Front Panel are near perfect. Price is $200 plus shipping.

Thanks, Charlie Hugg

```
From -6115422586230193264
X-Google-Thread: fc2a5,256864bb93727c85,start
X-Google-Thread: fc8b1,256864bb93727c85,start
X-Google-Thread: 108122,256864bb93727c85,start
X-Google-Thread: 107ada,256864bb93727c85,start
X-Google-Thread: 111d0a,256864bb93727c85,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,sci.electronics.basics
Subject: SolderSmoke #24: ROCKBOUND HB SSB, Two tone mp3, W1FB amp, SlimGem amp,
ELSIE, Book review, Mailbag
Date: 3 Jun 2006 10:23:05 -0700
Organization: http://groups.google.com
Lines: 64
Message-ID: <1149355385.771876.147540@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 86.142.206.37
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149355389 18213 127.0.0.1 (3 Jun 2006 17:23:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 3 Jun 2006 17:23:09 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=86.142.206.37;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:5558
rec.radio.amateur.boatanchors:4254 rec.radio.amateur.equipment:4453
rec.radio.amateur.misc:12749 sci.electronics.basics:17023
```

SolderSmoke #24: ROCKBOUND HB SSB, Two tone mp3, W1FB amp, SlimGem amp, ELSIE, Book review, Mailbag

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.ourmedia.org/node/231317

Topics discussed in SolderSmoke #24:

-- Mike's rockbound SSB success!
-- Two tone tests via mp3
-- W1FB 40 db amp strip
-- HF Packer SlimGem 5W MOSFET amps
-- ELSIE filter software
-- BOOK REVIEW: "From Crystal Sets to Sideband"
-- HF+6 diplexer
-- MAILBAG: Jerry AA6KI sends in "Lamp Talk" cartoon;
Mike WA6ARA on VO-52 as a good QRP satellite.

NEXT EDITION: Bill will be using an Astatic D-104.

Listen at: http://www.ourmedia.org/node/231317

Background:
Tired of listening to Led Zepplin or NPR on your I-Pod? Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

NEW RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software. We've been having trouble with our Ourmedia RSS feed, so Mike (software wizard that he is) has homebrewed his own RSS feed. In order to subscribe to SolderSmoke, point your podcast software to:

http://kl7r.ham-radio.ch/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.ourmedia.org/node/231317

Here's the homepage for our show. All our programs are available here. There is also a blog and links to some of the sites and documents we've been discussing: http://www.ourmedia.org/user/36170

We hope you enjoy the program. Please send us

```
feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us




From -789099343962921430
X-Google-Thread: 108122,b1fc52c8b7ad5132,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Collins 51S-1 RE/Dial Brake
Message-ID: <k9n382p20ipiql3vck75tiaodt06qm6d7m@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Sat, 03 Jun 2006 15:06:09 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1149361571 69.125.167.162 (Sat, 03 Jun 2006 12:06:11 MST)
NNTP-Posting-Date: Sat, 03 Jun 2006 12:06:11 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4454

FS Collins 51S-1 RE/Dial Brake
Was stored away in heated environment. Looks gorgeous and works great.
Make offer.    Serial Number: 9203
ritchi50@optonline.net
Picture is on qrz or QTH



From -4269940208855578640
X-Google-Thread: 108122,b1fc52c8b7ad5132
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-
filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Collins 51S-1 RE/Dial Brake
Message-ID: <80o382dfv5l3qsp5ppd4bidfqg77nqt02b@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

```
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sat, 03 Jun 2006 15:16:29 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1149362190 69.125.167.162 (Sat, 03 Jun 2006 12:16:30 MST)
NNTP-Posting-Date: Sat, 03 Jun 2006 12:16:30 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4455

FS Collins 51S-1 RE/Dial Brake
Was stored away for most of its life, and in a heated environment.
Looks gorgeous and works great.
Make offer.    Serial Number: 9203
ritchi50@optonline.net
For pictures go to  qrz  or qth


From 6682556065173542105
X-Google-Thread: 108122,4d21bed400b7f57c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS National NC-183D  Receiver
Message-ID: <meo382lks98k7i0irku8pl20pvj9ri9co6@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Sat, 03 Jun 2006 15:24:11 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1149362652 69.125.167.162 (Sat, 03 Jun 2006 12:24:12 MST)
NNTP-Posting-Date: Sat, 03 Jun 2006 12:24:12 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4456

FS National NC-183D  Receiver
Price: 300.00
Works and looks fine.
ritchi50@optonline.net


From -1932365565210048621
X-Google-Thread: 108122,927c4f76ed835782,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Collins KWM-2A Transceiver
Message-ID: <c2p3825vvql52ulllvggrujhpln71krtf1@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Sat, 03 Jun 2006 15:34:50 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1149363291 69.125.167.162 (Sat, 03 Jun 2006 12:34:51 MST)
NNTP-Posting-Date: Sat, 03 Jun 2006 12:34:51 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4457

Collins KWM-2A Transceiver
Needs work.  Plugged it in and lights up and no receive or transmitt.
I looked inside, and see no crystals in it. It's a fixer upper or
parts radio. Cabinet needs repainting,etc.
All parts are in it. Don't see anything missing, other than crystals.
Make offer or let me know what you have to swap for it.
ritchi50@optonline.net
To see picture look on qrz or qth



From -7776126617480100320
X-Google-Thread: 108122,a9cbfdfbd001afd8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Drake R-4C  Receiver NB/Filters/Cables
Message-ID: <qnp382dd7v08sn2169m7nkh6gta2gddecf@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Sat, 03 Jun 2006 15:46:07 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1149363968 69.125.167.162 (Sat, 03 Jun 2006 12:46:08 MST)
NNTP-Posting-Date: Sat, 03 Jun 2006 12:46:08 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4458
```

Drake R-4C Receiver NB/Filters/Cables
Has all three filters on rear of unit. Also has
the Noise blanker installed and lots of extra crystals
on rear of unit with cover over them.
Also have all the hook up cables to go to a TX-4C and mate the R-4C.
It looks very nice and works very nice.
Make offer on this BEAUTY!!
ritchi50@optonline.net

```
From -2931230546346839032
X-Google-Thread: 108122,685cd927fccb6a62,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Drake MN-4 Antenna Tuner
Message-ID: <p10482p6mvbcugkc9358hkb8cbea3hnr4e@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Sat, 03 Jun 2006 17:33:51 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1149370432 69.125.167.162 (Sat, 03 Jun 2006 14:33:52 MST)
NNTP-Posting-Date: Sat, 03 Jun 2006 14:33:52 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4459
```

FS Drake MN-4 Antenna Tuner
Works and looks nice.
Price: 100.00
ritchi50@optonline.net

```
From -4817550721934350529
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!atl-c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!
```

```
FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Sun, 04 Jun 2006 09:24:04 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
  with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>
In-Reply-To: <lbx6g.220$I75.146@fe02.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <9e847$4482def6$d06640f9$28274@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 28
X-Trace: 9e8474482def675c3e55c28274
Xref: g2news2.google.com rec.radio.amateur.antenna:12409
rec.radio.amateur.equipment:4460 rec.radio.amateur.misc:12827
rec.radio.amateur.policy:28344 rec.radio.shortwave:38067
```

The FCC is not requiring specific testing for PSK31, RTTY, Hellschreiber, Olivia, etc. and all those modes seem to be used pretty extensively on all the bands. Not to mention, programs like MixW and especially MultiPSK do an excellent job of sending a receiving CW. I see all the modes continuing to flourish in the future even if a specific test for one mode (CW) goes away.

Brian Hill wrote:
> "Silent Key" <cw.h@m.bands> wrote in message
> news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>>
>> To be able to communicate when no one else can communicate and to advance
>> radio knowledge & theory?
>>
>> What does part 97 say about this?   Why does the ARRL ignore it?
>>
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>>
>> SC
>
> Nobody said you had to quit. Keep pounding.
>
> BH
>
>

From -2850867605614154795
X-Google-Thread: 108122,4b9d7fc85f5e406d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Sun, 04 Jun 2006 10:17:11 -0400
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: APRSpoint: memorial day special
References: <1148838092.715668.196100@j73g2000cwa.googlegroups.com>
In-Reply-To: <1148838092.715668.196100@j73g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <dfb25$4482eb71$d06640f9$8963@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 18
X-Trace: dfb254482eb7175c3e55c08963
Xref: g2news2.google.com rec.radio.amateur.equipment:4462

The only issue with APRSPoint is that support and upgrades are sorely lacking. The Yahoo group he runs is censored so that any suggestions or criticisms of his product are not posted. He needs to really upgrade this program. It is one of the most expensive and also has the least amount of features. Nice start, but the author needs to really spend some time getting this program up to where all the other APRS programs are in functionality.

hxc98@yahoo.com wrote:
> APRSPoint is the latest APRS implementation and it is being used in
> vehicle tracking, search and rescue, emergency communication and many
> other areas. It allows you to track persons or objects via rf or
> internet. It is constantly being updated with new features and
> improvements. We are offerring a special discount for this memorial day
> weekend. Please visit http://www.aprspoint.com for details and lots of
> helpful information about APRS. Thanks.
>

From -8804735485296507618
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail

Message-ID: <4482EF14.90902@fuse.net>
Date: Sun, 04 Jun 2006 10:32:52 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
Subject: Re: Best ARRL Hankbook issue
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
In-Reply-To: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 29
X-Trace: d5a314482ef47e098318609541
Xref: g2news2.google.com alt.ham-radio:867 alt.radio.amateur:279 rec.radio.amateur.equipment:4463

DaveM wrote:
> I'm curious about what your opinions of the ARRL Handbook. In terms of technical content, such as theory, construction projects, etc., which years are generally regarded as the best of the modern (solid state) era, and which issue for the vacuum tube era?
>
> I'm interested in hearing about specifically those issues with really useful construction projects in the areas of complete homebrew receivers and transmitters, test equipment for the bench and field use and articles about RF circuit design.
>
> Thanks for your opinions.

The newest one is very good, I think. This is the first time I"ve read chapters all the way through. I am re-entering ham radio after a long absence.

I think the technical writing varies among chapters but on the whole is quite readaable without being "dummied down". This is more difficult to achieve than it sounds. Technical writing CAN be an art, though it seldom is. ARRL editor deserves a lot of credit.

There are probably fewer homebrew projects (or at least they are simpler) than the old days. But, there seems to be more info for building than I remembeer...ordering PC boards, sources for parts, etc. I think blending them into the theory within chapters is a very good idea.

That's my $.02 worth.
John
AB8WH

From -4085274054606347834
X-Google-Thread: 108122,2c7ebbf1ad500912,start
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!newsfeed01.sul.t-
online.de!t-online.de!news.belwue.de!news.bawue.net!not-for-mail
From: Bernd Maestling <bernd@west.de>
Newsgroups: rec.radio.amateur.equipment
Subject: calibration manual Advantest TR4131 wanted
Date: Sun, 04 Jun 2006 18:02:21 +0200
Organization: bawue.net - http://www.bawue.net
Lines: 9
Message-ID: <e5v06f$f13$1@news.bawue.net>
NNTP-Posting-Host: dslb-084-056-159-206.pools.arcor-ip.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.bawue.net 1149436943 15395 84.56.159.206 (4 Jun 2006 16:02:23 GMT)
X-Complaints-To: abuse@news.bawue.net
NNTP-Posting-Date: Sun, 4 Jun 2006 16:02:23 +0000 (UTC)
User-Agent: Thunderbird 1.5.0.4 (Windows/20060516)
Xref: g2news2.google.com rec.radio.amateur.equipment:4464

Hello,
I'm looking for a TR4131 spectrum analyzer manual
and/or calibration instructions.

Any feedback would be appreciated.

73
Bernd
DM5BM



From -4568335295711113792
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 4 Jun 2006 10:16:58 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149441423 27559 127.0.0.1 (4 Jun 2006 17:17:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 4 Jun 2006 17:17:03 +0000 (UTC)
In-Reply-To: <9e847$4482def6$d06640f9$28274@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=66.82.9.53;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:12412
rec.radio.amateur.equipment:4465 rec.radio.amateur.misc:12846
rec.radio.amateur.policy:28361 rec.radio.shortwave:38078
```

J. D. B. wrote:

> The FCC is not requiring specific testing for PSK31, RTTY,
> Hellschreiber, Olivia, etc. and all those modes seem to be used pretty
> extensively on all the bands. Not to mention, programs like MixW and
> especially MultiPSK do an excellent job of sending a receiving CW. I see
> all the modes continuing to flourish in the future even if a specific
> test for one mode (CW) goes away.

the concern is obvious for decades the CW crowd has relied on the
requirement to force all ham to at try it. mode welfare. they are afaid
without that stick the mode will die . it show a lack ocnvednce in the
mode

```
From 4369029635765365937
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!4.24.21.153!
newsfeed3.dallas1.level3.net!news.level3.com!newsfeed1.easynews.com!easynews.com!
easynews!statler.nntpserver.com!be5.nntpserver.com!not-for-mail
From: "LLOYD THE LOSER DAVIES" <pizzadeliveryboygotfired@LOSER.COM>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
```

```
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
<1148093850.852066.18100@u72g2000cwu.googlegroups.com>
<xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
<1148242353.491923.5580@u72g2000cwu.googlegroups.com>
<DRL017833.2458F8789@tarrnews.net>
<%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sun, 4 Jun 2006 13:26:41 -0400
Organization: FAT AND JOBLESS
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Lines: 51
Message-ID: <44830a75$0$26866$88260bb3@free.teranews.com>
NNTP-Posting-Date: 04 Jun 2006 16:29:41 GMT
X-Complaints-To: abuse@teranews.com
Xref: g2news2.google.com rec.radio.amateur.antenna:12413
rec.radio.amateur.equipment:4466 rec.radio.amateur.misc:12857
rec.radio.amateur.policy:28374 rec.radio.shortwave:38079


"Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com> wrote in message
news:%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net...
>
> "Lloyd" <lloyd@no.spammmmm> wrote in message
> news:DRL017833.2458F8789@tarrnews.net...
>> On 21 May 2006 13:12:33 -0700, an old friend drooled:
>>> Dan/W4NTI wrote:
>>> > Or just a common drunk or dope addict that gets worse as
>>> > the night goes on?
>>> more libel
>>>
>>> how drool Dan
>>
>> Dan doesn't drool.  Right, Dan?
>
> No I don't.   Why is this particular idiotic thread in every major ham
> radio group?  It finally dropped out of DX,  and now I find it in
> "equipment". How about you children make your own little group,  all climb
> into it,  and make each other happy.
>
> Dan/W4NTI
>
>
```

Even if I could learn the CW, I'm too stupid to pass the written test.

I have this congenital problem, you see. Life is NOT good for me.
I suffer from Microcephalic Dwarfism and I've been afflicted with it since I can remember.
Definition: These syndromes associate growth retardation with microcephaly and various facial anomalies.

My forehead is smaller than that of a normal person and my cranial cavity is little larger than that of a Florida orange. My sloping forehead has only one advantage in that it allows me to insert it into my rectal cavity with little or no pain. While less than comfortable, and while it impedes clear speech I am able to keep my ears warm in the coldest of climates, but those are the good points.

I have suffered from extreme retardation all my life and have recently been considering placing my head in the oven. I am betting that the accumulated yeast in my mouth will aid me in blowing my head off at 350 degrees, thus ending it all.

You guys have no idea of what torture it is to live with my afflictions. You will miss me when I am gone.

--
Posted via a free Usenet account from http://www.teranews.com

From 3525712432808067429
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz-MCM@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 4 Jun 2006 11:14:33 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1149444873.848437.89160@f6g2000cwb.googlegroups.com>

```
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
   <1148093850.852066.18100@u72g2000cwu.googlegroups.com>
   <xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
   <1148242353.491923.5580@u72g2000cwu.googlegroups.com>
   <DRL017833.2458F8789@tarrnews.net>
   <%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
   <44830a75$0$26866$88260bb3@free.teranews.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149444877 27943 127.0.0.1 (4 Jun 2006 18:14:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 4 Jun 2006 18:14:37 +0000 (UTC)
In-Reply-To: <44830a75$0$26866$88260bb3@free.teranews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=66.82.9.53;
   posting-account=Ev5oOQ0AAAByIhVohp4mwtw17UFq1ZEK
Xref: g2news2.google.com rec.radio.amateur.antenna:12414
rec.radio.amateur.equipment:4467 rec.radio.amateur.misc:12936
rec.radio.amateur.policy:28410 rec.radio.shortwave:38088


LLOYD THE LOSER DAVIES wrote:
> "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com> wrote in message
> news:%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net...
> >
> > "Lloyd" <lloyd@no.spammmmm> wrote in message
> > news:DRL017833.2458F8789@tarrnews.net...
> >> On 21 May 2006 13:12:33 -0700, an old friend drooled:
> >>> Dan/W4NTI wrote:
> >>> > Or just a common drunk or dope addict that gets worse as
> >>> > the night goes on?
> >>> more libel
> >>>
> >>> how drool Dan
> >>
> >> Dan doesn't drool.  Right, Dan?
> >
> > No I don't.   Why is this particular idiotic thread in every major ham
> > radio group?  It finally dropped out of DX,  and now I find it in
> > "equipment". How about you children make your own little group,  all climb
> > into it,  and make each other happy.
> >
> > Dan/W4NTI
> >
> >
> Even if I could learn the CW, I'm too stupid to pass the written test.
get help



From -3419905973419360513
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 04 Jun 2006 15:35:31 -0500
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com> <4482EF14.90902@fuse.net>
Subject: Re: Best ARRL Hankbook issue
Date: Sun, 4 Jun 2006 16:35:30 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <gcydnWHS5oWO2R7ZnZ2dnUVZ_q6dnZ2d@comcast.com>
Lines: 32
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-
fS21QYHT9BKrFEGLVGdCqq1TZgBgB+rDRSGcKWjahoAgNZmFChT48brsnjlDvSFngKmB0vo3R7SanNG!
hegOVjWzrDmPrfAwsdJZm8jUCBMr9vge/l9Dio1ZqQkYFG/UPUE4U4BqWNtmwM2fkoNfy7EAJEIb!
YMCeYZY1JRDl7Q87
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio:872 alt.radio.amateur:280
rec.radio.amateur.equipment:4468

"jawod" <jawod@fuse.net> wrote in message news:4482EF14.90902@fuse.net...
> DaveM wrote:
>> I'm curious about what your opinions of the ARRL Handbook.  In terms of
>> technical content, such as theory, construction projects, etc., which years
>> are generally regarded as the best of the modern (solid state) era, and which
>> issue for the vacuum tube era?
```

```
>>
>> I'm interested in hearing about specifically those issues with really useful
>> construction projects in the areas of complete homebrew receivers and
>> transmitters, test equipment for the bench and field use and articles about
>> RF circuit design.
>>
>> Thanks for your opinions.
> The newest one is very good, I think.  This is the first time I"ve read
> chapters all the way through.  I am re-entering ham radio after a long
> absence.
>
> I think the technical writing varies among chapters but on the whole is quite
> readaable without being "dummied down".  This is more difficult to achieve
> than it sounds.  Technical writing CAN be an art, though it seldom is.  ARRL
> editor deserves a lot of credit.
>
> There are probably fewer homebrew projects (or at least they are simpler) than
> the old days.  But, there seems to be more info for building than I
> remembeer...ordering PC boards, sources for parts, etc. I think blending them
> into the theory within chapters is a very good idea.
>
> That's my $.02 worth.
> John
> AB8WH




From 6219330696052595519
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 04 Jun 2006 15:47:35 -0500
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com> <4482EF14.90902@fuse.net>
Subject: Re: Best ARRL Hankbook issue
Date: Sun, 4 Jun 2006 16:47:34 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <XvadnUq4rah62x7ZnZ2dnUVZ_uWdnZ2d@comcast.com>
Lines: 56
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-
ltuCmAZUkOMRYRpaZlQ9tOVwQRjqKjxqwYDgW6P0XNuW01FeB+QaSDSlx0cXtxpNrblGTIekm0smtVZ!
```

```
VNpthKsb3gWdy2CQjKcm+PpiR69aKxry29eE0tLA5jSbd1pQPQNbVN311hAHk1vFmbBp1xxzhQTf!
GOEZegGiDASOQ9xR
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio:873 alt.radio.amateur:281
rec.radio.amateur.equipment:4469
```

"jawod" <jawod@fuse.net> wrote in message news:4482EF14.90902@fuse.net...

> DaveM wrote:
>> I'm curious about what your opinions of the ARRL Handbook. In terms of
>> technical content, such as theory, construction projects, etc., which years
>> are generally regarded as the best of the modern (solid state) era, and which
>> issue for the vacuum tube era?
>>
>> I'm interested in hearing about specifically those issues with really useful
>> construction projects in the areas of complete homebrew receivers and
>> transmitters, test equipment for the bench and field use and articles about
>> RF circuit design.
>>
>> Thanks for your opinions.
>
> The newest one is very good, I think. This is the first time I"ve read
> chapters all the way through. I am re-entering ham radio after a long
> absence.
>
> I think the technical writing varies among chapters but on the whole is quite
> readaable without being "dummied down". This is more difficult to achieve
> than it sounds. Technical writing CAN be an art, though it seldom is. ARRL
> editor deserves a lot of credit.
>
> There are probably fewer homebrew projects (or at least they are simpler) than
> the old days. But, there seems to be more info for building than I
> remembeer...ordering PC boards, sources for parts, etc. I think blending them
> into the theory within chapters is a very good idea.
>
> That's my $.02 worth.
> John
> AB8WH

Thanks for that John.
I haven't seen the latest issue, but have a 1995 issue. It has a number of
construction projects, but certainly fewer than the older issues. And those
that it does contain are solid-state related. I guess that falls to the modern
times.
I'm specifically looking for projects and articles related to vacuum tubes and
their uses in ham radio.

I totally agree that technical writing is an art, and should be practiced by
someone who has a good knowledge of the subject being documented. Lack of

knowledge results in confusing writings, which at times can be totally wrong. I develop computer software for the US Navy, and see more of that than you might think. No wonder those weapon system manuals cost so much to produce. Paying competent tech writers what they deserve is an expensive task.

Thanks!@!!!
--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

Some days you're the dog, some days the hydrant.

From -8351426265544592076
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
From: Radio Buff <my.mail@no.spam>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 16
Message-ID: <Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net>
Date: Sun, 04 Jun 2006 22:23:52 GMT
NNTP-Posting-Host: 4.254.226.113
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1149459832 4.254.226.113 (Sun, 04 Jun 2006 15:23:52 PDT)
NNTP-Posting-Date: Sun, 04 Jun 2006 15:23:52 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12420 rec.radio.amateur.equipment:4470 rec.radio.amateur.misc:12984 rec.radio.amateur.policy:28442 rec.radio.shortwave:38119

"J. D. B." <duffyb01@nospamfuse.net> wrote in news:9e847$4482def6$d06640f9$28274@FUSE.NET:

> The FCC is not requiring specific testing for PSK31, RTTY,

> Hellschreiber, Olivia, etc. and all those modes seem to be used pretty
> extensively on all the bands. Not to mention, programs like MixW and
> especially MultiPSK do an excellent job of sending a receiving CW. I see
> all the modes continuing to flourish in the future even if a specific
> test for one mode (CW) goes away.

Any retard can use a computer. Look around.

From 4235418461807895073
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: I was going through about ten years of ham catalogs, and I noticed a disturbing trend.
From: Slow Code <my.mail@no.spam>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net> <e5kdbr$se2$1@avnika.corp.mot.com> <e5mogu$huo$4@usenet01.srv.cis.pitt.edu> <pZKfg.176$o4.56@newsread2.news.pas.earthlink.net> <FXggg.130895$F_3.107482@newssvr29.news.prodigy.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 20
Message-ID: <94Jgg.9081$921.5558@newsread4.news.pas.earthlink.net>
Date: Sun, 04 Jun 2006 22:24:05 GMT
NNTP-Posting-Host: 4.254.226.113
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1149459845 4.254.226.113 (Sun, 04 Jun 2006 15:24:05 PDT)
NNTP-Posting-Date: Sun, 04 Jun 2006 15:24:05 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12421 rec.radio.amateur.equipment:4471 rec.radio.swap:4361

"Cecil Moore" <mycall@hotmail.com> wrote in
news:FXggg.130895$F_3.107482@newssvr29.news.prodigy.net:

> "Morse or Re-Morse" <see@double.you> wrote
>> Radio Shack. You got questions, we got blank stares.
>
> My 17 year old RS Optimus speakers gave up the ghost. I went into
> a Radio Shack and was told that not only does RS not sell speakers
> like that anymore, but speakers with one tweeter plus one mid-range

> plus one woofer were not even manufactured anymore and that it
> takes half a dozen modular speakers to set up a system nowadays.
>
> I went over to Fry's Electronics and found exactly what I was
> looking for from Cambridge Soundworks. The woofer only goes
> down to 40 Hz but for my karaoke system, that's good enough.

A microphone, a six-pack, a karaoke system, & you're a star. :-)

sc

From -8574479009004008867
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 4 Jun 2006 15:46:53 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1149461213.656978.129230@f6g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149461218 7049 127.0.0.1 (4 Jun 2006 22:46:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 4 Jun 2006 22:46:58 +0000 (UTC)
In-Reply-To: <Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=66.82.9.53;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.antenna:12423 rec.radio.amateur.equipment:4472 rec.radio.amateur.misc:12991 rec.radio.amateur.policy:28449 rec.radio.shortwave:38130

Radio Buff wrote:

> "J. D. B." <duffyb01@nospamfuse.net> wrote in
> news:9e847$4482def6$d06640f9$28274@FUSE.NET:
>
> Any retard can use a computer. Look around.

obviously you manage to

```
From -1611445608183291705
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 04 Jun 2006 17:48:08 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>   <9e847$4482def6$d06640f9$28274@FUSE.NET>
<1149441418.531073.162560@j55g2000cwa.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sun, 4 Jun 2006 17:48:04 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <v8GdnecP0u61_h7ZnZ2dnUVZ_rqdnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-RyLQEBPg1+7lgduhcE9G3psa/V/lSGuxzC+qm+QMAZz2GHybOiIwcHAeB/
TkMyLWzw0jyDNZqzG7Q5v!DN4qbKD4PH2Tj5bdAYKzsFalX5hLpiNtxBVECqnlK4dz/
bhKeJWcef1pR1Mni5Iudoj6NXArRubs!Jk4kNPyzLKr22A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12424
rec.radio.amateur.equipment:4473 rec.radio.amateur.misc:12992
rec.radio.amateur.policy:28450 rec.radio.shortwave:38131


"an old friend" <kb9rqz@hotmail.com> wrote in message
news:1149441418.531073.162560@j55g2000cwa.googlegroups.com...
>
> J. D. B. wrote:
>> The FCC is not requiring specific testing for PSK31, RTTY,
>> Hellschreiber, Olivia, etc. and all those modes seem to be used pretty
>> extensively on all the bands.  Not to mention, programs like MixW and
>> especially MultiPSK do an excellent job of sending a receiving CW. I see
>> all the modes continuing to flourish in the future even if a specific
>> test for one mode (CW) goes away.
> the concern is obvious for decades the CW crowd has relied on the
> requirement to force all ham to at try it. mode welfare. they are afaid
> without that stick the mode will die . it show a lack ocnvednce in the
> mode
>
Just for grins, what speed code certificate do *YOU* hold??

-n6ojn





From 7812394035976060928
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 4 Jun 2006 15:57:57 -0700
Organization: http://groups.google.com
Lines: 27
Message-ID: <1149461877.311758.318210@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <1149441418.531073.162560@j55g2000cwa.googlegroups.com>
   <v8GdnecP0u61_h7ZnZ2dnUVZ_rqdnZ2d@comcast.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

X-Trace: posting.google.com 1149461882 8669 127.0.0.1 (4 Jun 2006 22:58:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 4 Jun 2006 22:58:02 +0000 (UTC)
In-Reply-To: <v8GdnecP0u61_h7ZnZ2dnUVZ_rqdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=66.82.9.53;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.antenna:12425
rec.radio.amateur.equipment:4474 rec.radio.amateur.misc:12994
rec.radio.amateur.policy:28452 rec.radio.shortwave:38135

Noon-Air wrote:
> "an old friend" <kb9rqz@hotmail.com> wrote in message
> news:1149441418.531073.162560@j55g2000cwa.googlegroups.com...
> >

> > the concern is obvious for decades the CW crowd has relied on the
> > requirement to force all ham to at try it. mode welfare. they are afaid
> > without that stick the mode will die . it show a lack ocnvednce in the
> > mode
> >
> Just for grins, what speed code certificate do *YOU* hold??
why me the ham to whom you repsonded?

none at all
why do you ask?

but it is clear from LONG term expousure to the cw Forever crowd many
of them lack much confidence that the mode can survive without the
stick of code testing to make hams try it out

futhermore if CW die it will be becuase of the atitdues of it's
advocates

>
> -n6ojn

From 801307665120606969
X-Google-Thread: 108122,292b56a965b51a89,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: TenTec Orion FS

```
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <XgKgg.35981$4H.28068@dukeread03>
Date: Sun, 4 Jun 2006 18:45:59 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1149464759 68.105.249.118 (Sun, 04 Jun 2006 19:45:59 EDT)
NNTP-Posting-Date: Sun, 04 Jun 2006 19:45:59 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4475
```

I have for sale a TenTec Orion with the Automatic Antenna Tuner that is in Excellent Condition. I am the second owner and neither of us have used it much. It looks and operates like new. It did have a problem right after I purchased it and I sent it back to TenTec in February 2006. They went through it completely and fixed the problem and while it was there they did all the current mods to each board. I have all the documention from TenTec. It is completely up to date, except they installed the Firmware, Version 1.372.
That was current Firmware at the time, but they have since come out with a Version 2 of the Firmware.
This transceiver is loaded with all available filters. It comes with the original manual, shipping cartons, power cord, etc. I don't think you will find a nicer one on the used market. It is the best transceiver that I have ever owned, but I just don't operate it enough to justify the expense. Price is $2675 including the $330 worth of optional filters. I also have just about all the other optional accessories for the Orion and I will offer the Orion buyer first chance at these,e.g., TenTec mic, remote encoder/keypad, cooling fan that I never installed, matching power supply. Thanks, Charlie Hugg, K5MBX

```
From -2712720630651098772
X-Google-Thread: f7653,2810804815129ced
X-Google-Thread: 108122,2810804815129ced
X-Google-Attributes: gidf7653,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment
Subject: Re: WTB 2m / 70cm all modes transceiver
Date: 4 Jun 2006 17:03:35 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1149465815.766486.310200@u72g2000cwu.googlegroups.com>
References: <1149198936.151961.197850@u72g2000cwu.googlegroups.com>
```

```
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149465820 30812 127.0.0.1 (5 Jun 2006 00:03:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Jun 2006 00:03:40 +0000 (UTC)
In-Reply-To: <1149198936.151961.197850@u72g2000cwu.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=66.82.9.53;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.digital.misc:290
rec.radio.amateur.equipment:4476


K7AAY wrote:
> Looking for a 2m / 70cm transceiver, all modes preferred to permit SSB
> packet, which I've heard praised in this area (Oregon).
>
> You on-topic suggestions as to a good voice/packet mobile rig would be
> appreciated.
Icom 910h is worthy of consideration dula band fairly high power
(option for 1.2 gig) neer heard of vhf.uhf packet on SSB but souunds
interesting



From 1188456584272122905
X-Google-Thread: 108122,4e974e48f084d906,start
X-Google-Thread: 108228,4e974e48f084d906,start
X-Google-Thread: fcc6e,4e974e48f084d906,start
X-Google-Attributes: gid108122,gid108228,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 04 Jun 2006 20:18:57 -0500
Subject: FA: 8 Books: ELECTRONICS, HAM RADIO, TV, SATELLITE, FM, INSTRUMENTATION,
etc.
Date: Sun, 04 Jun 2006 21:18:57 -0400
From: Pat <pat@slkjpsopas.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.amateur.antenna
Message-ID: <040620062118578305%pat@slkjpsopas.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
```

```
Ez8CDzpShCaLrW1RckRvfPJXgdJuCy6u2BRKNK0Np2R4KPuc6iIlT6dCYl1aex7287pX8UmvBmwoqEi!QINKgz1vgog5mKSJbiB4eUgh8hpy8Hx7lSqfd9w2P2gKaJjBKJj+pgyy+b4zmaJFlZt0IygH24XH!i57vyqRYkPbgp74L+2jD
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4477 alt.ham-radio.marketplace:1001 rec.radio.amateur.antenna:12426


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4646965552


From -2112778459058164406
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!newssvr12.news.prodigy.com.POSTED!00eff025!not-for-mail
From: "Cecil Moore" <mycall@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net> <e5kdbr$se2$1@avnika.corp.mot.com> <e5mogu$huo$4@usenet01.srv.cis.pitt.edu> <pZKfg.176$o4.56@newsread2.news.pas.earthlink.net> <FXggg.130895$F_3.107482@newssvr29.news.prodigy.net> <94Jgg.9081$921.5558@newsread4.news.pas.earthlink.net>
Subject: Re: I was going through about ten years of ham catalogs, and I noticed a disturbing trend.
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <ZJMgg.46033$Lm5.611@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 70.232.29.122
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1149474809 ST000 70.232.29.122 (Sun, 04 Jun 2006 22:33:29 EDT)
NNTP-Posting-Date: Sun, 04 Jun 2006 22:33:29 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: OP\YG\GFEB^UCWDYIBHZOWP@YZOZ@GXOXJXNMRQIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Mon, 05 Jun 2006 02:33:29 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:12428
rec.radio.amateur.equipment:4478 rec.radio.swap:4366

"Slow Code" <my.mail@no.spam> wrote:
> A microphone, a six-pack, a karaoke system, & you're a star.  :-)

Yep, see: http://www.qsl.net/w5dxp/w5dxp.jpg
--
73, Cecil  http://www.qsl.net/w5dxp




From 5167248911009804295
X-Google-Thread: f7653,2810804815129ced
X-Google-Thread: 108122,2810804815129ced
X-Google-Attributes: gidf7653,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4483AB02.4020507@fuse.net>
Date: Sun, 04 Jun 2006 23:54:42 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment
Subject: Re: WTB 2m / 70cm all modes transceiver
References: <1149198936.151961.197850@u72g2000cwu.googlegroups.com>
In-Reply-To: <1149198936.151961.197850@u72g2000cwu.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 10
X-Trace: a38474483ab36e098318601549
Xref: g2news2.google.com rec.radio.amateur.digital.misc:291
rec.radio.amateur.equipment:4479

K7AAY wrote:
> Looking for a 2m / 70cm transceiver, all modes preferred to permit SSB
> packet, which I've heard praised in this area (Oregon).
>
> You on-topic suggestions as to a good voice/packet mobile rig would be
> appreciated.
>
Please help a newbie: what is SSB packet?
I am guessing data in one sideband with 2.5 KHz bandwidth or so?
I still confuse PSK and packet.


From -2638785722817364077
X-Google-Thread: fcc6e,9f8932f7d11ff1c
```

```
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 04 Jun 2006 23:06:59 -0500
Date: Sun, 04 Jun 2006 21:06:57 -0700
From: Zoran Brlecic <...WA7AA...@get.lost>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
<1148093850.852066.18100@u72g2000cwu.googlegroups.com>
<xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
<1148242353.491923.5580@u72g2000cwu.googlegroups.com>
<DRL017833.2458F8789@tarrnews.net>
<%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
<44830a75$0$26866$88260bb3@free.teranews.com>
In-Reply-To: <44830a75$0$26866$88260bb3@free.teranews.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <MtOdnUgnFaN-MB7ZnZ2dnUVZ_tSdnZ2d@comcast.com>
Lines: 29
NNTP-Posting-Host: 24.17.21.254
X-Trace: sv3-xtLSyilb8Cmtpk9JwmNWbGfNTCSMcWiNmzSglb89DgThM6vXID/Rt/
S03Jv9Qna517sAOZ2Z186aogY!Y9kdnlg32Y4jHUB97/
Cy9fXFMkP2i7mXeStUuZwhefZsBabh6OFOc58ycs5acY5DvOf8Tk2zwkur!VMyVccJoMd6wesnDVKY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

Xref: g2news2.google.com rec.radio.amateur.antenna:12430
rec.radio.amateur.equipment:4480 rec.radio.amateur.misc:13004
rec.radio.amateur.policy:28463 rec.radio.shortwave:38167

LLOYD THE LOSER DAVIES wrote:

> Even if I could learn the CW, I'm too stupid to pass the written test.
>
> I have this congenital problem, you see. Life is NOT good for me.
> I suffer from Microcephalic Dwarfism and I've been afflicted with it since I
> can remember.
> Definition: These syndromes associate growth retardation with
> microcephaly and various facial anomalies.
>
> My forehead is smaller than that of a normal person and my cranial cavity is
> little larger than that of a Florida orange. My sloping forehead has only
> one advantage in that it allows me to insert it into my rectal cavity with
> little or no pain. While less than comfortable, and while it impedes clear
> speech I am able to keep my ears warm in the coldest of climates, but those
> are the good points.
>
>
> I have suffered from extreme retardation all my life and have recently been
> considering placing my head in the oven. I am betting that the accumulated
> yeast in my mouth will aid me in blowing my head off at 350 degrees, thus
> ending it all.

Mr. President?

Hang in there, soon the Congress will pass the constitutional amendment
preventing fags from having a piece of paper and all of this country's
problems will be solved forever.

From 8968269194112171620
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
logbridge.uoregon.edu!arclight.uoregon.edu!feednews.vanderbilt.edu!
feed.news.qwest.net!sooner.brightok.net!not-for-mail
From: "M." <notvalid@email.add>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga> <9e847$4482def6$d06640f9$28274@FUSE.NET>
<Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net>

Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <EPSgg.2$pP.18994@sooner.brightok.net>
Date: Mon, 5 Jun 2006 04:29:33 -0500
NNTP-Posting-Host: 204.249.201.94
X-Trace: sooner.brightok.net 1149499748 204.249.201.94 (Mon, 05 Jun 2006 04:29:08 CDT)
NNTP-Posting-Date: Mon, 05 Jun 2006 04:29:08 CDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12432 rec.radio.amateur.equipment:4481 rec.radio.amateur.misc:13006 rec.radio.amateur.policy:28466 rec.radio.shortwave:38187

"Radio Buff" <my.mail@no.spam> wrote in message
news:Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net...
> "J. D. B." <duffyb01@nospamfuse.net> wrote in
> news:9e847$4482def6$d06640f9$28274@FUSE.NET:
>
>> The FCC is not requiring specific testing for PSK31, RTTY,
>> Hellschreiber, Olivia, etc. and all those modes seem to be used pretty
>> extensively on all the bands. Not to mention, programs like MixW and
>> especially MultiPSK do an excellent job of sending a receiving CW. I see
>> all the modes continuing to flourish in the future even if a specific
>> test for one mode (CW) goes away.
>
>
>
> Any retard can use a computer. Look around.

Obviously!

From 3704771608911408539
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups:

```
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 5 Jun 2006 04:22:02 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1149506521.971557.171840@y43g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149506528 30046 127.0.0.1 (5 Jun 2006 11:22:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Jun 2006 11:22:08 +0000 (UTC)
In-Reply-To: <Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:12434
rec.radio.amateur.equipment:4482 rec.radio.amateur.misc:13008
rec.radio.amateur.policy:28468 rec.radio.shortwave:38195


Radio Buff wrote:
> "J. D. B." <duffyb01@nospamfuse.net> wrote in
> news:9e847$4482def6$d06640f9$28274@FUSE.NET:
>
> > The FCC is not requiring specific testing for PSK31, RTTY,
> > Hellschreiber, Olivia, etc. and all those modes seem to be used pretty
> > extensively on all the bands.  Not to mention, programs like MixW and
> > especially MultiPSK do an excellent job of sending a receiving CW. I see
> > all the modes continuing to flourish in the future even if a specific
> > test for one mode (CW) goes away.
>
>
>
> Any retard can use a computer.  Look around.

As we all know the licensing requirement does not eliminate idiots on
the bands.  Far from it unfortunately.



From 2019952409640170538
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
```

```
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!f6g2000cwb.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 5 Jun 2006 09:59:15 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1149526755.142414.109210@f6g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <lbx6g.220$I75.146@fe02.lga>
   <9e847$4482def6$d06640f9$28274@FUSE.NET>
   <Y3Jgg.9077$921.5844@newsread4.news.pas.earthlink.net>
   <1149506521.971557.171840@y43g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149526760 6030 127.0.0.1 (5 Jun 2006 16:59:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Jun 2006 16:59:20 +0000 (UTC)
In-Reply-To: <1149506521.971557.171840@y43g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f6g2000cwb.googlegroups.com; posting-host=66.82.9.53;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:12442
rec.radio.amateur.equipment:4483 rec.radio.amateur.misc:13087
rec.radio.amateur.policy:28509 rec.radio.shortwave:38276
```

John S. wrote:

> Radio Buff wrote:
> > "J. D. B." <duffyb01@nospamfuse.net> wrote in
> > news:9e847$4482def6$d06640f9$28274@FUSE.NET:
> >
>
> >
> > Any retard can use a computer. Look around.
>
> As we all know the licensing requirement does not eliminate idiots on
> the bands. Far from it unfortunately.

in the case of this requirement it justmakes the whole look bad testing 1800's tech in the 21st century

From 140727066916934034
X-Google-Thread: f7653,2810804815129ced
X-Google-Thread: 108122,2810804815129ced
X-Google-Attributes: gidf7653,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!eleonora.aioe.org!
emma.aioe.org!aioe.org!aca333b9.ipt.aol.com!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment
Subject: Re: WTB 2m / 70cm all modes transceiver
Date: Mon, 05 Jun 2006 13:54:51 -0400
Organization: Aioe.org NNTP Server
Lines: 23
Message-ID: <fmmck-0506061354510001@aca333b9.ipt.aol.com>
References: <1149198936.151961.197850@u72g2000cwu.googlegroups.com>
<4483AB02.4020507@fuse.net>
NNTP-Posting-Host: 2Gwa2D95EIDGis3mwPF3fw.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Xref: g2news2.google.com rec.radio.amateur.digital.misc:294
rec.radio.amateur.equipment:4484

In article <4483AB02.4020507@fuse.net>, jawod <jawod@fuse.net> wrote:

> Please help a newbie: what is SSB packet?
> I am guessing data in one sideband with 2.5 KHz bandwidth or so?
> I still confuse PSK and packet.

Jawod-

For practical purposes, SSB and FSK Packet are the same, just different ways of generating the signal.

If you have an RF carrier and shift the frequency, you are switching between Mark and Space frequencies. A typical Packet TNC also puts out audio tones that can be used to drive the microphone circuit of an SSB transmitter. The resulting signal is equal in frequency to the carrier plus (or minus) the Mark and Space audio tones.

If you tune your SSB receiver to decode an incoming Packet signal, your transmitted Mark and Space freqencies should line-up with the received frequencies. However Mark and Space may be reversed. If it won't decode, switching to the opposite sideband and retuning should clear it up.

73, Fred, K4DII

From -6873381385454188920

```
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: patk1212@gmail.com
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Give up CB for ham?
Date: 5 Jun 2006 12:04:37 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1149534276.955122.310050@i40g2000cwc.googlegroups.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 198.232.250.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149534282 9190 127.0.0.1 (5 Jun 2006 19:04:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Jun 2006 19:04:42 +0000 (UTC)
In-Reply-To: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 IWSS1:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=198.232.250.21;
   posting-account=3xn0ig0AAAD6RYk8vimuGdNuqRYJBbPJ
Xref: g2news2.google.com rec.radio.amateur.antenna:12447
rec.radio.amateur.equipment:4485 rec.radio.swap:4372

Alot of people are telling me that CB is just for inbred hicks and that
I should replace the CB in my truck with a ham radio.  What do you
thjink?




From 7263382176803912840
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!multikabel.net!
feed20.multikabel.net!news2.euro.net!sn-ams-06!sn-xt-ams-03!sn-post-ams-02!sn-
post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "David G. Nagel" <nagel@core.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
Date: Mon, 05 Jun 2006 14:16:36 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12890oj2arv1h8e@corp.supernews.com>
```

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
In-Reply-To: <1149534276.955122.310050@i40g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.antenna:12448
rec.radio.amateur.equipment:4486 rec.radio.swap:4374

patk1212@gmail.com wrote:

> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio. What do you
> thjink?
>

Both services have their place. I would keep the CB and install a
multi-band Ham radio such as the ICOM IC-706MKIIG or a Kenwood or Yaesu
and a multi-band antenna to match. You will find both an adventure.

Dave WD9BDZ

From 8998515889326032942
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!tudelft.nl!txtfeed1.tudelft.nl!multikabel.net!feed10.multikabel.net!feed.xsnews.nl!feeder.xsnews.nl!sn-ams-06!sn-xt-ams-03!sn-ams!sn-feed-ams-01!sn-post-ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
Date: Mon, 05 Jun 2006 19:54:48 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <1289308tmhg8aee@corp.supernews.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
<1149534276.955122.310050@i40g2000cwc.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news2.google.com rec.radio.amateur.antenna:12450
rec.radio.amateur.equipment:4487 rec.radio.swap:4376

In article <1149534276.955122.310050@i40g2000cwc.googlegroups.com>,

<patk1212@gmail.com> wrote:

>Alot of people are telling me that CB is just for inbred hicks and that
>I should replace the CB in my truck with a ham radio. What do you
>thjink?

I think that you asked precisely that same question (modulo one typo) back on May 16th, April 15th, and April 3.

I think you have no serious interest in the answers you've received.

I think you're acting like a juvenile troll, and therefore receive 0 points on the Troll-o-meter (with a three-point penalty for showing an utter lack of imagination in your trolling).

```
-- 
Dave Platt <dplatt@radagast.org>                                  AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From -39635358750841010
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: patk1212@gmail.com
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Give up CB for ham?
Date: 5 Jun 2006 13:30:10 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1149539410.440471.59840@i39g2000cwa.googlegroups.com>
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
   <1149534276.955122.310050@i40g2000cwc.googlegroups.com>
   <1289308tmhg8aee@corp.supernews.com>
NNTP-Posting-Host: 198.232.250.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1149539415 23325 127.0.0.1 (5 Jun 2006 20:30:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 5 Jun 2006 20:30:15 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 IWSS1:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=198.232.250.21;
   posting-account=3xn0ig0AAAD6RYk8vimuGdNuqRYJBbPJ
```

```
Xref: g2news2.google.com rec.radio.amateur.antenna:12452
rec.radio.amateur.equipment:4488 rec.radio.swap:4377


Dave Platt wrote:
> In article <1149534276.955122.310050@i40g2000cwc.googlegroups.com>,
>  <patk1212@gmail.com> wrote:
>
> >Alot of people are telling me that CB is just for inbred hicks and that
> >I should replace the CB in my truck with a ham radio.  What do you
> >thjink?
>
> I think that you asked precisely that same question (modulo one typo)
> back on May 16th, April 15th, and April 3.
>
> I think you have no serious interest in the answers you've received.
>
> I think you're acting like a juvenile troll, and therefore receive 0
> points on the Troll-o-meter (with a three-point penalty for showing an
> utter lack of imagination in your trolling).
>
> --
> Dave Platt <dplatt@radagast.org>                                  AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
>   I do _not_ wish to receive unsolicited commercial email, and I will
>      boycott any company which has the gall to send me such ads!

Does this mean you're as anal retentive as your mother?



From -2853300547483775937
X-Google-Thread: 108122,43620e0633d11c6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 05 Jun 2006 15:33:28 -0500
From: carxxxl <carxxxl@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Antenna books.
Date: Mon, 05 Jun 2006 15:35:00 -0500
Reply-To: carxxxl@yahoo.com
Message-ID: <qa5982hmmuuuausr4109h1d528ujkq0pgm@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
NNTP-Posting-Host: 24.13.25.231
X-Trace: sv3-Sx0kQXd6vTHc24ly3EqLE5jkBtwQDYsV/
jL7FVkh8T9OwYgv2jMADYbfERaI7Pf8BCj2c3Lc040my0s!d/Ixz+
```

+0ptD6E7XN9NtFT4C23TH+nbOWeF4hN68R/bIaZoxECkYtGcAJ1jCFEMijpfk7ewpz6Nfk!C0SwNT5U
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4489

FS Antenna books.
http://www.nst73.com/books%20&%20software.htm

From -322044718482367047
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 05 Jun 2006 15:58:52 -0500
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
From: notbob <notbob@nothome.com>
Subject: Re: Give up CB for ham?
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net> <1149534276.955122.310050@i40g2000cwc.googlegroups.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <dcidnawNcbWMBhnZnZ2dnUVZ_tqdnZ2d@comcast.com>
Date: Mon, 05 Jun 2006 15:58:57 -0500
Lines: 35
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-MlJs/Ita4bQtD02Ysv//kIp6j7yqYaC87bdvkSLiC3J73ssbQaFU+RkvrE8Fz4iQKGyn3xdebiBv2xN!mzc5Jr0Y5xS2mBWcCHf6rzCYXL/yT+g81p1h8U+lWvYd7EOMU6O+uHNPtRdgk3ofRUJlAp41gQXI!L92mcA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:12453 rec.radio.amateur.equipment:4490 rec.radio.swap:4378

On 2006-06-05, patk1212@gmail.com <patk1212@gmail.com> wrote:
> Alot of people are telling me that CB is just for inbred hicks and that
> I should replace the CB in my truck with a ham radio. What do you
> thjink?

Depends on how you feel about inbred hicks. If you're right at home with rednecks, white socks, and Blue Ribbon beer, CB may be your thing. OTOH, if electronic hole theory of semiconductor physics is more your cup of tea, ham may better suit.

Both camps can be serious as a heart attack about their equipment. My late FIL was an avid CB'er. He had the first Yaesu I ever saw. A $1600 model under a huge boom antenna on a rotating mast which he used to talk skip all over the country. His boat and car both sported illegal linears pumping top o' the line Cobras. I know he didn't know spit about antenna theory, and probably more importantly, didn't care. But, he knew who to ask and being able to do so on his rig is what it's all about, right.

While I, myself, was never attracted to long discussions with truckers about the merits of strip clubs or local gossip about the "new waitress down at Bubba's", I knew some of the local CB'ers and knew they were good people. CB, specially with respect to home stations, is just another mode of communication to them. This is more true in rural communities. The ham crowd, OTOH, by it's very nature of requiring a basic knowledge of science, tends to attract a more geeky element, a more literate slice of humanity. Not necessarilly better, or even smarter, just more educated and more into the technology of radio communications.

Try them both and then choose one or the other ...or both. Good people are good people, no matter the media.

nb

From 1958061038740004877
X-Google-Thread: 108122,7215431b4039d279,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Johnson Viking Matchbox 250-23
Message-ID: <148982learq78p9ds6tsrnaao9qo88rokk@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Mon, 05 Jun 2006 17:22:13 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1149542533 69.125.167.162 (Mon, 05 Jun 2006 14:22:13 MST)
NNTP-Posting-Date: Mon, 05 Jun 2006 14:22:13 MST

```
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4491

FS Johnson Viking Matchbox 250-23
Works fine.
Price: 60.00
ritchi50@optonline.net



From 3792733874881782297
X-Google-Thread: 108122,e0849cbcb40136ec,start
X-Google-Thread: fc8b1,e0849cbcb40136ec,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: Last Day>RARE NATIONAL XCU-300 CRYSTAL CALIBRATOR for NC-300/303
Date: 27 May 2006 06:46:23 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148737583.900497.45500@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148737589 16652 127.0.0.1 (27 May 2006 13:46:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 May 2006 13:46:29 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4340
rec.radio.amateur.boatanchors:4195

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9729050747&ssPageName=STRK:MESE:IT




From -6835675140141969634
X-Google-Thread: 108122,eef95f9a455e3cd8,start
X-Google-Thread: fc8b1,eef95f9a455e3cd8,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: Last Day>TWO(2) MATCHED NOS SYLVANIA 6JB6 RF TUBES for DRAKE
```

```
Date: 27 May 2006 06:47:36 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1148737656.324995.80840@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148737660 18771 127.0.0.1 (27 May 2006 13:47:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 May 2006 13:47:40 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4341
rec.radio.amateur.boatanchors:4196

CHEEP @$21
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9729050722&ssPageName=STRK:MESE:IT




From 1367855755461462107
X-Google-Thread: 108122,974e4e3539da9e5c,start
X-Google-Thread: fc8b1,974e4e3539da9e5c,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: Last Day>BRAND-NEW "CHARGE-IT" 12VDC PORTABLE POWER PACK>USA:-)
Date: 27 May 2006 06:48:39 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1148737719.481311.82320@38g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148737724 16972 127.0.0.1 (27 May 2006 13:48:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 May 2006 13:48:44 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4342
rec.radio.amateur.boatanchors:4197
```

```
CHEEP @$9.99
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9729050758&ssPageName=STRK:MESE:IT



From 1719949763580443321
X-Google-Thread: 108122,7e0ba8f96f294857,start
X-Google-Thread: fc8b1,7e0ba8f96f294857,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: Great Stuff>Heathkit Tube Set, Heathkit Knobs & Cabinet
Date: 27 May 2006 06:51:04 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1148737864.194992.211920@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148737868 19272 127.0.0.1 (27 May 2006 13:51:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 May 2006 13:51:08 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4343
rec.radio.amateur.boatanchors:4198

Cabinet
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9732295623&ssPageName=STRK:MESE:IT

Knob Set
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9732295639&ssPageName=STRK:MESE:IT

Tube Set for SB-401
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9732295546&ssPageName=STRK:MESE:IT



From 1880778774536881816
X-Google-Thread: 108122,e2b5a0e16f10377f
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: juvenile11691@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: I need a radio!!!!
Date: 27 May 2006 06:59:28 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1148738368.422626.142970@38g2000cwa.googlegroups.com>
References: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
   <44785554.6020106@w2agn.net>
NNTP-Posting-Host: 68.249.241.24
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148738372 18642 127.0.0.1 (27 May 2006 13:59:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 May 2006 13:59:32 +0000 (UTC)
In-Reply-To: <44785554.6020106@w2agn.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.0.1; yplus 4.1.00b),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=68.249.241.24;
   posting-account=2Q4TzQ0AAADaG_Adr7pNmTrOn0X9kARZ
Xref: g2news2.google.com rec.radio.amateur.equipment:4344
```

My call is kd8blu, And if you like to see my license email me and ill
sned you it.

```
From 460752106677283888
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help...[snip]
Date: 27 May 2006 10:18:43 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1148750323.574512.133690@y43g2000cwc.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
   <Xns97C498077AF9DVeebleFetzer@127.0.0.1>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
   <e50436$mju$1@avnika.corp.mot.com>
   <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
   <e52c2g$ths$1@avnika.corp.mot.com>
   <3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
   <e57u7j$eeg$1@avnika.corp.mot.com>
   <9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148750329 20171 127.0.0.1 (27 May 2006 17:18:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 May 2006 17:18:49 +0000 (UTC)
In-Reply-To: <9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=66.82.9.42;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:4345
rec.radio.amateur.misc:12163 rec.radio.amateur.policy:27443 rec.radio.swap:4259
```

Slow Code wrote:
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
> news:e57u7j$eeg$1@avnika.corp.mot.com:

> >> Ham numbers are declining.
> >
> >   I believe this is true, but what is you reason for stating this? Are
> >   you
> > glad this is happening or sad or indifferent?
>
> The numbers don't matter, quality does.

number do Matter this line show you as a complete fool

> Reasoning a service is good
> because it has lots of members, CB should be great then, but it's like a
> kindergarten.

it also suffering from ZERO danger of losing it freqs either

still nothing in your materail even suggests that CW testing is good
for the ARS

besudes you and your freinds have failed to convine the FCC of ithat

read the NPRM

if you can't sell even if it were the truth it would not matter
>
> sc

```
From 7139137532424601289
X-Google-Thread: 108122,e2b5a0e16f10377f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 27 May 2006 14:57:41 -0500
Date: Sat, 27 May 2006 15:57:51 -0400
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Thunderbird 1.5.0.2 (X11/20060420)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: I need a radio!!!!
References: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
<44785554.6020106@w2agn.net>
<1148738368.422626.142970@38g2000cwa.googlegroups.com>
In-Reply-To: <1148738368.422626.142970@38g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <KNudnVOf-KSoMuXZnZ2dnUVZ_v2dnZ2d@comcast.com>
Lines: 6
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-YSVrdOqVqlFagvBySnScw8UEt6SQefeQvHX9KHgyrdcdfTjL98SmK+DSAzLlpLmBe/
Jb0n+bmQ8mdyN!WqSLdj8X7x029r2Ee0EX4r/myAENFDutETLsNfyi8+Yy1yWvmTXam3Mz+vW/fzBi2tr/
ULHRQTBy!joymPqUNwWo5hO+sa71a
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4346
```

juvenile11691@yahoo.com wrote:
> My call is kd8blu, And if you like to see my license email me and ill
> sned you it.
>

No need to "sned me it." If "www.hamkids.com" is your webpage, why are you asking for handouts here?

```
From -8011770573233863079
X-Google-Thread: 108122,e2b5a0e16f10377f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 27 May 2006 17:01:03 -0500
Newsgroups: rec.radio.amateur.equipment
```

```
From: notbob <notbob@nothome.com>
Subject: Re: I need a radio!!!!
References: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
<44785554.6020106@w2agn.net>
<1148738368.422626.142970@38g2000cwa.googlegroups.com> <KNudnVOf-
KSoMuXZnZ2dnUVZ_v2dnZ2d@comcast.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <4oydnaJnKKm9UeXZnZ2dnUVZ_s2dnZ2d@comcast.com>
Date: Sat, 27 May 2006 17:01:04 -0500
Lines: 11
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-
sueSwiY1R3DqjDjjbbZJOGOnLjZTg0UsXVIRoIRZfus5qUYOrRnBqhE1dt1veuFVF9y2w+Mhy4K+t0V!
9ROLqPSoaBKAqR48xDhoWccu60X6hK7oc4roPC99iMrF+xjFLQj/iX2XVHpkYDb1s9Gh3YevdyJi!
RAzOrQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4347
```

On 2006-05-27, John L. Sielke <w2agnNOSPAM@w2agn.net> wrote:

> If "www.hamkids.com" is your webpage, why are you
> asking for handouts here?

Alzheimer's?

Judging by the photo galleries, most of the participants can only be perceived kids if their parents are fossils! ...kinda like me. ;)

nb

```
From 8219872061778324051
X-Google-Thread: 108122,e2b5a0e16f10377f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!opentransit.net!
newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!newsfeed.kreonet.re.kr!
nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: I need a radio!!!!
Date: Sun, 28 May 2006 09:36:22 +0900
Organization: Korea Telecom
Lines: 17
Message-ID: <e5ar7a$aqv$1@news2.kornet.net>
References: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
```

```
<44785554.6020106@w2agn.net>
<1148738368.422626.142970@38g2000cwa.googlegroups.com> <KNudnVOf-
KSoMuXZnZ2dnUVZ_v2dnZ2d@comcast.com>
<4oydnaJnKKm9UeXZnZ2dnUVZ_s2dnZ2d@comcast.com>
NNTP-Posting-Host: 218.155.119.111
X-Trace: news2.kornet.net 1148776490 11103 218.155.119.111 (28 May 2006 00:34:50
GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Sun, 28 May 2006 00:34:50 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:4348


"notbob" <notbob@nothome.com> wrote in message
news:4oydnaJnKKm9UeXZnZ2dnUVZ_s2dnZ2d@comcast.com...
> On 2006-05-27, John L. Sielke <w2agnNOSPAM@w2agn.net> wrote:
>
>> If "www.hamkids.com" is your webpage, why are you
>> asking for handouts here?
>
> Alzheimer's?
>
> Judging by the photo galleries, most of the participants can only be
> perceived kids if their parents are fossils! ...kinda like me.  ;)
>

Elmers... (and not the glue)




From -2060125174899947797
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeeds.sol.net!
posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Date: Sat, 27 May 2006 19:52:41 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: I was going through about ten years of ham catalogs, and I noticed
 a disturbing trend.
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
```

```
In-Reply-To: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <4478f459$0$6151$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 28 May 2006 00:52:41 GMT
NNTP-Posting-Host: bb0aceb2.news.twtelecom.net
X-Trace:
DXC=2F4;gDE1]Q@\o7M<VfQ0mHC_A=>8kQj6M9BHNOcEA\@IA<K:f]LnQj@ZngdO0^]QiFo81MglHi0CD
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12196
rec.radio.amateur.equipment:4349 rec.radio.swap:4267

Morse or Re-Morse wrote:

> There's an increase in recent years of ham gear Retailers offering an
> expanding amount of citizen band radios and related products.
>
> So Retailers have seen the changes in the type of people that are
> making up and will be making up the US ham population, and have modified
> their inventories and marketing to stay in step with it.
>
> Gotta keep selling them radio's,  Ten-Four?
>
>
> Morse

No, they aren't.  Not the real ones.

GOAT.

tom
K0TAR


From 4810647455545233146
X-Google-Thread: 108122,c71da13e77e34a6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: "kb0oxd@gmail.com" <kb0oxd@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IMMATURITY On 14.275 Mhz. USB
Date: 27 May 2006 19:01:01 -0700
Organization: http://groups.google.com
Lines: 51
Message-ID: <1148781661.472089.196760@38g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.229.149.218
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148781666 6216 127.0.0.1 (28 May 2006 02:01:06 GMT)
```

X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 28 May 2006 02:01:06 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322; .NET CLR 2.0.50727; Creative ZenCast v1.00.07; FDM),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=71.229.149.218;
   posting-account=b6xPDw0AAAA0yCueYaeJziMX3Zu9okUd
Xref: g2news2.google.com rec.radio.amateur.equipment:4350

Hi everyone:

Is it just me or has there been a tremendous amount of immature 11 meter-like activity on 14.275 Mhz USB??

I say this because I can [b]hear[/b] it with my ICOM IC-706 MKII-G and my mega-cheapo coathanger setup that I threw together which is plugged directly into the back of the radio.

Even when there have been legit QSOs on there, some a--hole Or a group of a--holes for all I know) would find some excuse to get on that freq. (or very close to it) and cause malicious QRM.

If these are licensed Hams, then they deserve to lose their licences. If they're bootleggers, I just hope they've got an IRA or two 'cause they'll need it to pay off the FCC.

To give you an example of what I've been hearing, I've heard just about anything and everything ranging from silly PC-originated sound effects to (Not even a half hour ago now) old Rocky & Bullwinkle clips.

If this is old hat to you old timers on the HF bands, then please excuse this post (I'm fully aware of the mess known as 14.313 BTW). Hopefully Riley Hollignsworth is monitoring over there and is taking action. ;)

If i can, I'll do a short video or two sometime (I'd rather do a video as then people will actually see what freq. the radio is tuned to as the cam will show it) with my Logitech QuickCam STX as its got a pretty good built-in mic so I don't need to stretch a long cord to plug to the line in jack. :) I'll then either send them to Riley via email or put them on a live page on my website for THE WHOLE WORLD to see and hear.

Gee....That's not a bad idea. Maybe if a few potty mouthed Hams found themselves on some Ham's website in a negative light, they just might change their ways before[b]Rilley[/b] catches them. ;D

Then again, if they're anything like K1MAN, they probably wouldn't even notice....

Anyhow...Just wanted to post a heads up for those of you who haven't been listening. :)

Cheers & 73 :)

Pat Cook, KB0OXD
Denver, CO
KB0OXD Cybershack Soap Box - http://kb0oxd.blogspot.com/
ADMIN - Colorado eQSO Conference Server - jeeperone.bounceme.net
EchoLink Node No. 19905

```
From 6587156352790544273
X-Google-Thread: 108122,ad415d1c89ac848
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!e7b32121!not-for-mail
Reply-To: "Al Last" <al.last@sbcglobal.net>
From: "Al Last" <al.last@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
References: <cq8c729mu7srnpm59eiai1ncsa1k8pi1rv@4ax.com>
Subject: Re: Collins KWM-2A
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <uSbeg.86620$F_3.26436@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 67.126.207.91
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1148799514 ST000 67.126.207.91 (Sun, 28 May
2006 02:58:34 EDT)
NNTP-Posting-Date: Sun, 28 May 2006 02:58:34 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[RGW^WD[@UQR_X[N[O@_WH@YR_B@EXLLBWLOOAFMAVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Sun, 28 May 2006 06:58:34 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4351
```

how BOUT TRADING FOR A WORKING kwm-2 ? Clean and operational.

Thanks, Al Last al.last@sbcglobal.net

<ritchi50@optonline.net> wrote in message
news:cq8c729mu7srnpm59eiai1ncsa1k8pi1rv@4ax.com...
> FT: Collins KWM-2A
> I have a nice Collins KWM-2A Winged Emblem
> It receives fine, But no tx?

```
> I hear a relay everytime I key the transmitter,
> but no power out.  Also will need alignment.
> Make offer or will trade.
> Let me know what you have for trade and maybe we can make a deal.
> ritchi50@optonline.net
>
>
> To See picture go to:
> qrz.com or qth.com
>




From -1443133114596059038
X-Google-Thread: 108122,1eaa2e3f35ed63d7,start
X-Google-Thread: 108228,1eaa2e3f35ed63d7,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 28 May 2006 08:33:09 -0500
Subject: FA: 4 ELECTRONICS Books: ELECTRONICS - ELECTRICITY - CIRCUIT ANALYSIS,
etc.
Date: Sun, 28 May 2006 09:33:09 -0400
From: Len <lenny@skjowoiwas.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <2805200609330960O5%lenny@skjowoiwas.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-OmHxWO1kqp38qrmd7IdwjBu6i9K/RwwbudJNJJWemQEg6wlRuUckuncwR75Y7Rp/Q9n/
IIpy0wGzf3x!qGVDb3w478OS5N0HIfSwdSjXszYTqB2IIRzKzwLc5K6N/
nczkHPijdBzDqKNnc36cD02GsVKNMTq!jo3aXmJW0JECYbwjESr4ip8=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4352 alt.ham-
radio.marketplace:975


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4644625816


From 7598525735127689624
X-Google-Thread: 108122,148e0d42014be051,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe10.lga.POSTED!53ab2750!
not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake HF System {LOOK}
Message-ID: <71hj72pb42o0crseqj1qcf0u28pdb14qfh@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Sun, 28 May 2006 11:39:27 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1148830765 69.125.167.162 (Sun, 28 May 2006 08:39:25 MST)
NNTP-Posting-Date: Sun, 28 May 2006 08:39:25 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4353

FS: Drake HF System {LOOK}
Drake  T-4XC   TX With all hook-up cables to go on the R-4C.
Drake  R-4C    RX   With all filters/Noise Blanker/ And lots of
crystals  on back of receiver with cover.
Drake MS-4   Speaker Cabinet
Drake AC-4 Power Supply
Drake MN-4 Antenna Tuner
Heil Classic Desk Microphone with cover.
Nice working and of course great looking system.
Make offer on the whole system or make offer on any piece/pieces.
reply email:
ritchi50@optonline.net
Pic available on qrz or qth


From 7775295922031099498
X-Google-Thread: 108122,4b9d7fc85f5e406d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: APRSpoint: memorial day special
Date: 28 May 2006 10:41:32 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1148838092.715668.196100@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 58.19.32.92
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

X-Trace: posting.google.com 1148838098 729 127.0.0.1 (28 May 2006 17:41:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 28 May 2006 17:41:38 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; Alexa Toolbar; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=58.19.32.92;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news2.google.com rec.radio.amateur.equipment:4354

APRSPoint is the latest APRS implementation and it is being used in vehicle tracking, search and rescue, emergency communication and many other areas. It allows you to track persons or objects via rf or internet. It is constantly being updated with new features and improvements. We are offerring a special discount for this memorial day weekend. Please visit http://www.aprspoint.com for details and lots of helpful information about APRS. Thanks.

From -8874060952610075820
X-Google-Thread: 108122,77aaca92d257996b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom Pro III LIKE NEW!!!
Message-ID: <qjqj729t8ss8osav67dqtgf91v8cno0vqj@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sun, 28 May 2006 14:22:54 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1148840571 69.125.167.162 (Sun, 28 May 2006 11:22:51 MST)
NNTP-Posting-Date: Sun, 28 May 2006 11:22:51 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4355

FS: Icom Pro III LIKE NEW!!!
Still has plastic on front display.
Comes with all the original packing and original box,Manual/Hand Mic/Power Cord/etc
Was hardly used, make offer on this like BRAND NEW HF Transceiver.
ritchi50@optonline.net

```
From 4222241677377552033
X-Google-Thread: 108122,2d0248bd28dc568b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Electro Voice RE-20 Studio Microphone
Message-ID: <mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sun, 28 May 2006 14:29:16 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1148840952 69.125.167.162 (Sun, 28 May 2006 11:29:12 MST)
NNTP-Posting-Date: Sun, 28 May 2006 11:29:12 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4356

FS: Electro Voice RE-20 Studio Microphone
Sounds great on the HF bands.
Looks and works GREAT!!!!
Non Smoker.
Make offer
ritchi50@optonline.net


From -4231571347103450651
X-Google-Thread: 108122,fdc4bacd910ce4ac,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood 950 SD HF Transceiver
Message-ID: <g9rj72p8ir9thrfss9bvcvvf9m19bacqh7@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sun, 28 May 2006 14:34:56 -0400
NNTP-Posting-Host: 69.125.167.162
```

X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1148841293 69.125.167.162 (Sun, 28 May 2006 11:34:53 MST)
NNTP-Posting-Date: Sun, 28 May 2006 11:34:53 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4357

FS Kenwood 950 SD HF Transceiver
Looks and works GREAT!!!!
Non Smoker. Built in Power Supply
Comes with MC-60 Desk Microphone.
Make offer on this BEAUTY!!
ritchi50@optonline.net

From 9094983711109892983
X-Google-Thread: 108122,fdc4bacd910ce4ac
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 28 May 2006 14:19:35 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <g9rj72p8ir9thrfss9bvcvvf9m19bacqh7@4ax.com>
Subject: Re: FS Kenwood 950 SD HF Transceiver
Date: Sun, 28 May 2006 14:19:32 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <B96dnXaKGIpaauTZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-V6dKc2x+KKlGd1onl/Xp4NdVPVLXZ9aPVGF4AWV1wWaV+drQAccBFoZuPmYUNWf/
yBuaLhEHj+f0fLH!
Qzj5huY2PQjcbGFwdAgbSMit3DZWZtuaekKgcbvGfEgJetjmAHnR1rhfgUH9+ocCXKLTBODMU9W2!
6TWY5DW38f6nqQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4358

<ritchi50@optonline.net> wrote in message
news:g9rj72p8ir9thrfss9bvcvvf9m19bacqh7@4ax.com...
> FS Kenwood 950 SD HF Transceiver
> Looks and works GREAT!!!!
> Non Smoker. Built in Power Supply

If it smoked, I don't want it

> Comes with MC-60 Desk Microphone.
> Make offer on this BEAUTY!!
> ritchi50@optonline.net

From -407420789205262976
X-Google-Thread: 108122,2d0248bd28dc568b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 28 May 2006 14:20:09 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com>
Subject: Re: Electro Voice RE-20 Studio Microphone
Date: Sun, 28 May 2006 14:20:06 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <1ZGdnYYdgph0auTZnZ2dnUVZ_vudnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-
TUeFGIep0C6PxsZ6zBGudmEyX4u02d1O1yo1aoICk3tsQaNdy15+gZvb8SiuqGQn2s4aeO4W3BvU7ZO!
ipiqjtxzwaeoRisUOEoIAbZsXKmLvoCVdDh8qmdKpK38Gxjruz47ZfNdcsaz3IkHeUQEXPrFm9eU!
Ui21aP+h1oVUVg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4359

<ritchi50@optonline.net> wrote in message
news:mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com...
> FS: Electro Voice RE-20 Studio Microphone
> Sounds great on the HF bands.
> Looks and works GREAT!!!!
> Non Smoker.

Hmmmm.... never seen a mic smoke before

> Make offer
> ritchi50@optonline.net

```
From 4256077164278162934
X-Google-Thread: 108122,35e55024d2270702
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: bands to transmit
Date: Sun, 28 May 2006 12:41:41 -0700
Message-ID: <MPG.1ee39cd3d762b3ef9896af@news.drizzle.com>
References: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
<126fs8gffgit430@corp.supernews.com>
<1147662965.771314.295840@j73g2000cwa.googlegroups.com>
<126ft4th2cenaff@corp.supernews.com>
<1147696288.467142.307970@u72g2000cwu.googlegroups.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 19
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4360
```

In article <1147696288.467142.307970@u72g2000cwu.googlegroups.com>,
freda@terra.com.br (known to some as Roberto) scribed...

> What would be the "legal" frequencies?

Read the previous replies to your question.

The answer, again, is that NONE of them are "legal" for you to transmit on as long as you do not have your amateur radio license.

GET YOUR LICENSE. Learn what the heck you're doing. You're asking for big trouble from your local federales otherwise.

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From -555367930860004840
X-Google-Thread: 108122,14221633747a282
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.karoo.co.uk!
news.karoo.co.uk.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 28 May 2006 16:00:58 -0500
From: Dan Andersson <dan@andersson.co.uk>
Subject: Re: Research project
Newsgroups: rec.radio.amateur.equipment
Date: Sun, 28 May 2006 22:00:58 +0100
References: <445b0a8e$2_2@mk-nntp-2.news.uk.tiscali.com>
Organization: @Home
User-Agent: KNode/0.10.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <S6ednSEiA9cXkufZSa8jmw@karoo.co.uk>
Lines: 44
NNTP-Posting-Host: 83.100.234.84
X-Trace: sv3-7FgTKgHFfQZINnfK/
4uyINpXz6Z5AO9QcKgorccXIO+6WTF2mkfQh53eiQ7PGxsFAnX8Nh/7sWZ9PFt!
dMw8dSF0fcDQ6MRHYWlZMVonv5IBKB9se3fXDOoURQA0o4YUtvL6GRwgWWVDYwnkC671DsBRtX4=
X-Complaints-To: abuse@karoo.kcom.com
X-DMCA-Complaints-To: abuse@karoo.kcom.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4361

Gerry wrote:

>
> Can anyone help me with research for my degree.
>
> I'm looking for information on ham radio enthusiasts who suffer from
> manic depression (bipolar syndrome). I'm researching the effects of
> RF fields on electrical activity in the brain. It's possible that this
> particular form of mental illness could be specifically at risk.
>
> Can you put me in contact with anyone who could help me?
>
>
> Thanks
>
>
> Gerry G.

Gerry,

Personally, I would concentrate on the effect of the magnetic field as a trigger of brain malfunctions.

High RF fields tends to create sunstroke symptoms if excessive but high density H fields are known to even create visual effects like flashes etc.

Also, Scandinavian studies on the effect of high power lines shows that it's the magnetic field we need to be vary about.

As you might, or might not know, it's a common practice in Scandinavia to bury powerlines instead of mounting them on towers or pylones.

A lot of money and effort have been spent there and you might be able to use a lot of this material as reference material. The studies concentrated on possible cancer connections like Leukemia, which they found, but as far as I know, neglected to look into other forms of disturbances or anomalies like the effect on the brain etc.

Cheers

Dan / M0DFI

From 3887413284031810669
X-Google-Thread: 108122,3bdac55b16fd48cb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!router2.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Stuart" <n5lbz@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TK-805 D or no D Service Manual needed
Date: Mon, 29 May 2006 08:20:10 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <127lt7v25d8p050@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.equipment:4362

If you have a Service Manual for a TK-805 or TK-805D tjat you would be willing to
part with please contact me at n5lbz@arrl.net

```
--
---------------------------------------------------------------------
Outgoing mail is certified Virus Free
Checked by McAFEE on-Line subscription
Anti-Virus.




From -9060041155944870063
X-Google-Thread: 108122,660c3bae0840a7ed,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!130.59.10.21.MISMATCH!
kanaga.switch.ch!switch.ch!newsserver.news.garr.it!newsserver.cilea.it!not-for-
mail
From: Michele <noone@nowhere.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Manual for Kenwood TW4100E needed...
Date: Mon, 29 May 2006 16:08:24 +0200
Organization: CILEA
Lines: 9
Message-ID: <e5ev1r$s1o$1@newsserver.cilea.it>
Reply-To: noone@nowhere.it
NNTP-Posting-Host: damico.elet.polimi.it
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: newsserver.cilea.it 1148911483 28728 131.175.123.77 (29 May 2006 14:04:43
GMT)
X-Complaints-To: news@cilea.it
NNTP-Posting-Date: 29 May 2006 14:04:43 GMT
User-Agent: Thunderbird 1.5.0.2 (Windows/20060308)
Xref: g2news2.google.com rec.radio.amateur.equipment:4363

Hi,
I am looking for the USER'S manual of the Kenwood TW4100E (U/V dual
bander), in electronic format (PDF, PS, GIF, etc.).
I DO HAVE the service manual. Any help most welcome.
73,

Michele IZ2EAS

(please e-mail iz2eas@arimi.it)


From 6558479017090278913
X-Google-Thread: fcc6e,1bd09cc739736716
X-Google-Thread: f7653,1bd09cc739736716
X-Google-Thread: 108122,1bd09cc739736716
X-Google-Thread: 107ada,1bd09cc739736716
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <447B022D.19F62BF1@cbfamily.net>
From: chuck <chuck_brown@cbfamily.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: SOLD   ebay: Icom 756 PROII Available, Nice !
References: <1Cfdg.46071$QU3.35310@bignews8.bellsouth.net>
<4n6b72davtbs84eapatpkoetbp45irjntg@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
Date: Mon, 29 May 2006 14:16:15 GMT
NNTP-Posting-Host: 12.76.216.156
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1148912175 12.76.216.156 (Mon, 29 May
2006 14:16:15 GMT)
NNTP-Posting-Date: Mon, 29 May 2006 14:16:15 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.antenna:12248
rec.radio.amateur.digital.misc:282 rec.radio.amateur.equipment:4364
rec.radio.amateur.misc:12204

ha ha ha



From 7059518396968587080
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <447B0391.410AE357@cbfamily.net>
From: chuck <chuck_brown@cbfamily.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: NOT !!!  Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
        <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
        <z8qdg.990724$xm3.411652@attbi_s21>
<1148640796.729981.50510@j33g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Mon, 29 May 2006 14:22:11 GMT
NNTP-Posting-Host: 12.76.216.156
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1148912531 12.76.216.156 (Mon, 29 May
2006 14:22:11 GMT)
NNTP-Posting-Date: Mon, 29 May 2006 14:22:11 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.antiques.radio+phono:23284
rec.radio.amateur.equipment:4365 rec.radio.amateur.misc:12205
rec.radio.shortwave:37408

New radios with all bells + whistles
cheaper then a 20yr old as is doa rig

what kills hamfests is lack of interest

buyers of estate gear at dirp cheap prices
that markup to sell on ebay and hamfests.





From 2760257024958668409
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!030b4766!not-for-mail
From: Dave Head <rally2xs@att.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: NOT !!!  Dayton HamFest killed by E-Bay
Reply-To: Rally2xs@att.net
Message-ID: <an5m72lmjihgkbgm6rbgc32ki84e1m5neb@4ax.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<1148583368.842258.23140@j73g2000cwa.googlegroups.com>
<z8qdg.990724$xm3.411652@attbi_s21>
<1148640796.729981.50510@j33g2000cwa.googlegroups.com>
<447B0391.410AE357@cbfamily.net>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Host: a42496eb6a93134c4acc38ee9e77499f
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1148917433
a42496eb6a93134c4acc38ee9e77499f (Mon, 29 May 2006 15:43:53 GMT)
NNTP-Posting-Date: Mon, 29 May 2006 15:43:53 GMT
Organization: AT&T Worldnet
Date: Mon, 29 May 2006 15:43:53 GMT
Xref: g2news2.google.com rec.antiques.radio+phono:23288
rec.radio.amateur.equipment:4366 rec.radio.amateur.misc:12206
rec.radio.shortwave:37416

On Mon, 29 May 2006 14:22:11 GMT, chuck <chuck_brown@cbfamily.net> wrote:

>New radios with all bells + whistles
>cheaper then a 20yr old as is doa rig

And even cheaper when you buy it at the Hamvention - same rig in the store a day later is $50 more...

>what kills hamfests is lack of interest

Sure, but the reason for the lack of interest is the crux of the situation.

>buyers of estate gear at dirp cheap prices
>that markup to sell on ebay and hamfests.

Some people gotta make a buck... But the Hamvention is coming back, I think - there were _definitely_ more people there than last year, and equal or more exhibitors both in the flea market and inside. We may yet get back to the state of affairs where there's 30,000 people coming to the Hamvention again, complete with a banquet and free buses, and buses to the motels. We can hope - its a great weekend.

We do need more ham radio gear and less outright junk in the flea market, tho.

Dave Head

From -2330224950482371630
X-Google-Thread: f7653,1bd09cc739736716
X-Google-Thread: 108122,1bd09cc739736716
X-Google-Attributes: gidf7653,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.digital.misc,rec.radio.amateur.equipment
Subject: Re: ebay: Icom 756 PROII Available, Nice !
Date: Mon, 29 May 2006 09:59:00 -0700
Message-ID: <MPG.1ee4c82f42cc53179896b0@news.drizzle.com>

References: <1Cfdg.46071$QU3.35310@bignews8.bellsouth.net>
<4n6b72davtbs84eapatpkoetbp45irjntg@4ax.com>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 24
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.digital.misc:283
rec.radio.amateur.equipment:4367

In article <4n6b72davtbs84eapatpkoetbp45irjntg@4ax.com>, not@this.time
(known to some as Buck) scribed...

> On Thu, 25 May 2006 06:25:21 -0400, "laborkei"
> <laborkeiNOSPAM@hotmail.com> wrote:
>
> >http://cgi.ebay.com/Icom-756PROII-Transceiver_W0QQitemZ9731654891
>
>
> abuse@bellsouth.net

<snort!> Like Bellsouth cares. I've had lots of their IP space blocked out of our systems for the last few years, mainly because they don't give a rip about spam, or the fact that their network is full of spammer-zombie PC's.

Keep the peace(es).

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From -8500892860888393207
X-Google-Thread: 108122,d259a9c567ed1867,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Motor for remote controlled antenna tuner
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns97D27857FCBB5spectrumhogstarbandn@198.186.192.196>

```
User-Agent: Xnews/2006.03.14
Date: 29 May 2006 18:48:21 GMT
Lines: 13
NNTP-Posting-Host: 69849e32.news.adtechcomputers.com
X-Trace: DXC=\jfU[GYcF?
I7O;dA9kFn`JgC4_A5:nI@A<<=aEgO;R8GS[VaTVjXAR@5D5;0<aWNlBecf<A4o8l9C0W_Uo]cC15Ji1lT
^If;[;JQ?aHYXbN00DdFR9M==\QTD
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4368




  I'm considering building a remote controlled balanced tuner.  Some type
of low RPM motor 12V reversable motor is what I have in mind to accomplish
the tuning.  I will have two fairly hefty variable caps to turn along with
a moderately sized roller inductor.

  Can anyone here recommend a particular type motor, and a reasonable
source for the the type of motors I need?  Tnx.


   Ed   K7AAT


From 2611633421935974597
X-Google-Thread: 108122,d259a9c567ed1867
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Motor for remote controlled antenna tuner
Date: Mon, 29 May 2006 14:44:34 -0500
Lines: 23
Message-ID: <4e1193F1cfd32U1@individual.net>
References: <Xns97D27857FCBB5spectrumhogstarbandn@198.186.192.196>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net TYsi6RBFC1XSEFosX9xwGA5Y15E8NRSMk+1in1clAmfTtSuubh
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <Xns97D27857FCBB5spectrumhogstarbandn@198.186.192.196>
Xref: g2news2.google.com rec.radio.amateur.equipment:4369



Ed wrote:
>   I'm considering building a remote controlled balanced tuner.  Some type
> of low RPM motor 12V reversable motor is what I have in mind to accomplish
```

> the tuning. I will have two fairly hefty variable caps to turn along with
> a moderatly sized roller inductor.
>
>   Can anyone here recommend a particular type motor, and a reasonable
> source for the the type of motors I need? Tnx.
>
>
>   Ed   K7AAT

Try these;

http://www.allelectronics.com/cgi-bin/item/DCM-249/400/
POWERFUL_WINDSHIELD_WIPER_MOTOR_.html
http://www.allelectronics.com/cgi-bin/item/DCM-243R/
400/12_VDC_GEARHEAD_MOTOR_(RIGHT-HAND_VERSION)_.html
http://www.allelectronics.com/cgi-bin/item/DCM-243L/
400/12_VDC_GEARHEAD_MOTOR_(LEFT-HAND_VERSION)_.html
http://www.allelectronics.com/cgi-bin/item/DCM-171/400/12VDC_GEARHEAD_MOTOR_.html

They have a lot of torque, and are used in robotics a lot.

Bob N9LVU

From 5349438356332335637
X-Google-Thread: 108122,c711fd963bfd2e07,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!
not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Alpha 87A No Tune Amp
Message-ID: <qptm72purtkabd0tg91ucagkfpb1bm38if@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Mon, 29 May 2006 18:35:44 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1148942138 69.125.167.162 (Mon, 29 May 2006 15:35:38 MST)
NNTP-Posting-Date: Mon, 29 May 2006 15:35:38 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4370

WTB: Alpha 87A No Tune Amp
Older one is fine.
Please reply email with price and condition.
ritchi50@optonline.net

```
From -1186533208503880397
X-Google-Thread: 108122,e2b5a0e16f10377f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: juvenile11691@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: I need a radio!!!!
Date: 29 May 2006 17:16:14 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148948174.408857.75560@g10g2000cwb.googlegroups.com>
References: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
   <44785554.6020106@w2agn.net>
   <1148738368.422626.142970@38g2000cwa.googlegroups.com>
   <KNudnVOf-KSoMuXZnZ2dnUVZ_v2dnZ2d@comcast.com>
   <4oydnaJnKKm9UeXZnZ2dnUVZ_s2dnZ2d@comcast.com>
   <e5ar7a$aqv$1@news2.kornet.net>
NNTP-Posting-Host: 68.79.98.217
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148948180 27332 127.0.0.1 (30 May 2006 00:16:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 May 2006 00:16:20 +0000 (UTC)
In-Reply-To: <e5ar7a$aqv$1@news2.kornet.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.0.1; yplus 4.1.00b),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=68.79.98.217;
   posting-account=2Q4TzQ0AAADaG_Adr7pNmTrOn0X9kARZ
Xref: g2news2.google.com rec.radio.amateur.equipment:4371
```

hamkids.com is not my webpage. Its a friend of mines site.

```
From -6538380557526644702
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-
mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: ARRL members, I need your help.
Date: Mon, 29 May 2006 18:48:41 -0700
Message-ID: <MPG.1ee54458479179019896b2@news.drizzle.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
Organization: Blue Feather Technologies
```

MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: bubbleator.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 26
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4372
rec.radio.amateur.misc:12216

In article <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>,
sc@email.box (known to some as Slow Code) scribed...

> Please email mail this to your Division Directors and Section managers.

<drivelectomy>

Troll-o-Meter

```
0----5----10
 ^
 |
 |
 |
```

Sheesh... Barely budged the needle. Ron Ritzman on his worst day could have done better than that.

PLONK!

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From -1816275927598660714
X-Google-Thread: 108122,2d0248bd28dc568b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <447BA5B5.AB7009D7@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Electro Voice RE-20 Studio Microphone
References: <mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com>
<1ZGdnYYdgph0auTZnZ2dnUVZ_vudnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Date: Tue, 30 May 2006 01:54:08 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1148954048 24.110.34.161 (Mon, 29 May
2006 18:54:08 PDT)
NNTP-Posting-Date: Mon, 29 May 2006 18:54:08 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4373

Noon-Air wrote:
>
> <ritchi50@optonline.net> wrote in message
> news:mvqj7292s6vklnlmb0jrsav18qvcd9u95j@4ax.com...
> > FS: Electro Voice RE-20 Studio Microphone
> > Sounds great on the HF bands.
> > Looks and works GREAT!!!!
> > Non Smoker.
>
> Hmmmm.... never seen a mic smoke before
>
> > Make offer
> > ritchi50@optonline.net


 Never soldered a plug on one?



--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida



From -8279840633733434595
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.google.com!atl-
c05.usenetserver.com!news.usenetserver.com!news-out.readnews.com!spool-
big1.readnews.com!diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "Red Panty Man" <coverom@kooksonline.com>
```

```
From: "Red Panty Man" <coverom@kooksonline.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<1148583368.842258.23140@j73g2000cwa.googlegroups.com>
<z8qdg.990724$xm3.411652@attbi_s21>
<1148640796.729981.50510@j33g2000cwa.googlegroups.com>
<447B0391.410AE357@cbfamily.net> <an5m72lmjihgkbgm6rbgc32ki84e1m5neb@4ax.com>
Subject: Re: NOT !!!  Dayton HamFest killed by E-Bay
Date: Mon, 29 May 2006 21:54:13 -0400
Lines: 17
Organization: six meters is open
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <2f85a$447ba696$d1cc56c1$20794@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc1b-209-204-86-193.sniparpa.net
X-Trace: 2f85a447ba6967469f36420794
Xref: g2news2.google.com rec.antiques.radio+phono:23354
rec.radio.amateur.equipment:4374 rec.radio.amateur.misc:12218
rec.radio.shortwave:37483


"Dave Head" <rally2xs@att.net> wrote in message
news:an5m72lmjihgkbgm6rbgc32ki84e1m5neb@4ax.com...
> On Mon, 29 May 2006 14:22:11 GMT, chuck <chuck_brown@cbfamily.net> wrote:
>
> >New radios with all bells + whistles
> >cheaper then a 20yr old as is doa rig
>
> And even cheaper when you buy it at the Hamvention - same rig in the store
a
> day later is $50 more...

A savings of $50 is a hill-o-beans when the
radio sells for 5G anyway and is buillt inside
like a cheap VCR (most Icoms fall into this category)




From 4904423711152078780
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!
```

```
bgtnsc04-news.ops.worldnet.att.net.POSTED!030b4766!not-for-mail
From: Dave Head <rally2xs@att.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: NOT !!!  Dayton HamFest killed by E-Bay
Reply-To: Rally2xs@att.net
Message-ID: <40an72toi82484mmt3p1931bb88nn2jt6v@4ax.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<1148583368.842258.23140@j73g2000cwa.googlegroups.com>
<z8qdg.990724$xm3.411652@attbi_s21>
<1148640796.729981.50510@j33g2000cwa.googlegroups.com>
<447B0391.410AE357@cbfamily.net> <an5m72lmjihgkbgm6rbgc32ki84e1m5neb@4ax.com>
<2f85a$447ba696$d1cc56c1$20794@snip.allthenewsgroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
NNTP-Posting-Host: a38dd1b6411504984b6c8fc014d6df95
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1148954646
a38dd1b6411504984b6c8fc014d6df95 (Tue, 30 May 2006 02:04:06 GMT)
NNTP-Posting-Date: Tue, 30 May 2006 02:04:06 GMT
Organization: AT&T Worldnet
Date: Tue, 30 May 2006 02:04:06 GMT
Xref: g2news2.google.com rec.antiques.radio+phono:23357
rec.radio.amateur.equipment:4375 rec.radio.amateur.misc:12219
rec.radio.shortwave:37485

On Mon, 29 May 2006 21:54:13 -0400, "Red Panty Man" <coverom@kooksonline.com>
wrote:

>
>"Dave Head" <rally2xs@att.net> wrote in message
>news:an5m72lmjihgkbgm6rbgc32ki84e1m5neb@4ax.com...
>> On Mon, 29 May 2006 14:22:11 GMT, chuck <chuck_brown@cbfamily.net> wrote:
>>
>> >New radios with all bells + whistles
>> >cheaper then a 20yr old as is doa rig
>>
>> And even cheaper when you buy it at the Hamvention - same rig in the store
>a
>> day later is $50 more...
>
>A savings of $50 is a hill-o-beans when the
>radio sells for 5G anyway

I was thinking more like a hi-end HT, at maybe $350 instead of the regular
price of $400.

>and is buillt inside
>like a cheap VCR (most Icoms fall into this category)
```

Not the Kenwoods I buy. I think ICOM makes some fine radios, too - they're pretty well respected, and most everybody wants a 756...

Dave Head

Dave Head

>

```
From 7180385030833938751
X-Google-Thread: 108122,a569fe5ffd6a2c69,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: k3pi@arrl.net
Newsgroups: rec.radio.amateur.equipment
Subject: Back-up rig opinions?
Date: 29 May 2006 19:53:12 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 209.102.242.100
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148957597 19970 127.0.0.1 (30 May 2006 02:53:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 May 2006 02:53:17 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=209.102.242.100;
   posting-account=LsvZiw0AAABc6RBYPX3XF9m7WU6Ydy-d
Xref: g2news2.google.com rec.radio.amateur.equipment:4376
```

My main rig is a Kenwood TS-850S. I am considering getting a back up rig for it.

Main interest is cw. Internal Antenna Tuner is nice. Bands higher than 10m not that important.

What models do you recommend that: represent good value, reliable, can still be serviced (if used)?

Will appreciate opinions on this.

Thanks & 73,
Russ K3Pi

From 1037961436962691828
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: Bob W7AVK <rsrolfne@atnet.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7) Gecko/20040616
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Back-up rig opinions?
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
In-Reply-To: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <ZCOeg.46$eS.137351@news.sisna.com>
Date: Mon, 29 May 2006 20:04:58 -0700
NNTP-Posting-Host: 207.254.16.133
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1148958265 207.254.16.133 (Mon, 29 May 2006 21:04:25 MDT)
NNTP-Posting-Date: Mon, 29 May 2006 21:04:25 MDT
Organization: Internet News Service
X-Received-Date: Mon, 29 May 2006 21:04:25 MDT (news.sisna.com)
Xref: g2news2.google.com rec.radio.amateur.equipment:4377

Russ - Might suggest the Elecraft K2. http://www.elecraft.com In its simplest form an outstanding CW rig. Although its kit, some used units are starting to be found as over 5,000 have been sold.

Also take a look at the K1 and KX1.

73 Bob W7AVK

k3pi@arrl.net wrote:
> My main rig is a Kenwood TS-850S. I am considering getting a back up
> rig for it.
>
> Main interest is cw. Internal Antenna Tuner is nice. Bands higher
> than 10m not that important.
>
> What models do you recommend that: represent good value, reliable, can
> still be serviced (if used)?
>
> Will appreciate opinions on this.
>
> Thanks & 73,
> Russ K3Pi
>

```
From -4296545656951202222
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 29 May 2006 22:22:56 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
Subject: Re: Back-up rig opinions?
Date: Mon, 29 May 2006 22:22:56 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <x4WdnUFmMuQNJ-bZnZ2dnUVZ_v6dnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.63.214.120
X-Trace: sv3-
fGXJRBEKi5t1djesNficuca9MhnrjRLoATmNF75MJIbSp+6YJlY8FZkUMrf0wdxcssg+WEBxYrpVQGR!
RsYaX4BcxPw0DOfESSW92H4IQ4ZcIMfZIEGeP2Px6RA5g0K5wS5NOlEWDlTGKav7G7xirKkOVKHp!
n19y3DYCuoLHQQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4378
```

My back-up rig of choice is my TS-440S/AT, and the back-up for that is a TS-130S. my main HF rig is a TS-480HX :-)

<k3pi@arrl.net> wrote in message
news:1148957592.090062.217430@j55g2000cwa.googlegroups.com...

> My main rig is a Kenwood TS-850S. I am considering getting a back up
> rig for it.
>
> Main interest is cw. Internal Antenna Tuner is nice. Bands higher
> than 10m not that important.
>
> What models do you recommend that: represent good value, reliable, can
> still be serviced (if used)?
>
> Will appreciate opinions on this.
>
> Thanks & 73,
> Russ K3Pi
>

```
From -3466417724792654418
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Back-up rig opinions?
Date: Tue, 30 May 2006 05:00:02 +0000 (UTC)
Organization: MGT Consulting
Lines: 26
Message-ID: <slrne7nk9j.4v1.gsm@cable.mendelson.com>
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: cbl217-132-120-199.bb.netvision.net.il
X-Trace: marvin.misty.com 1148965202 20873 217.132.120.199 (30 May 2006 05:00:02 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Tue, 30 May 2006 05:00:02 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:4379
```

k3pi@arrl.net wrote:

> My main rig is a Kenwood TS-850S. I am considering getting a back up
> rig for it.
>
> Main interest is cw. Internal Antenna Tuner is nice. Bands higher
> than 10m not that important.
>
> What models do you recommend that: represent good value, reliable, can
> still be serviced (if used)?

Try a Ten-Tec. Many Japanese rigs are designed for SSB, with CW as an afterthought. Ten-Tec rigs, while they work perfectly well for SSB, were, and still are, are designed with a CW operator in mind.

Their older rigs can be easily serviced, and they still sell manuals, parts and fix them for you.

The older ones don't include tuners, but a modern external auto tuner will work with them.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM

```
IL Voice: (07)-7424-1667  IL Fax: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/


From -6736274239492227096
X-Google-Thread: 108122,125ee6f34141b3d3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!npeer.de.kpn-
eurorings.net!newsfeed.arcor.de!newsfeed.freenet.de!213.132.189.2.MISMATCH!
multikabel.net!feed20.multikabel.net!txtfeed2.tudelft.nl!tudelft.nl!
txtfeed1.tudelft.nl!news.glorb.com!atl-c03.usenetserver.com!news.usenetserver.com!
bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews8.bellsouth.net.POSTED!2e72e831!not-for-mail
From: Chris <ck@ckradio.net>
Organization: CK Radio Inc.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA COLLINS 75A-4 AND KWS-1 GOLD DUST TWINS AND DRAKE TR-7
Content-Type: multipart/alternative;
 boundary="------------090701040809070606050106"
Lines: 23
Message-ID: <RtSeg.53837$QU3.44197@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbodgbgnfeajjhpcmejllgpefbljhepjdgola
fglamkpkpckcpnpllnmmpngjeebejijiccgkdecjnacjolpghebjdpidcbdabpomlgcccebcdfdbbm
NNTP-Posting-Date: Tue, 30 May 2006 03:27:45 EDT
Date: Tue, 30 May 2006 03:28:08 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:4380

This is a multi-part message in MIME format.
--------------090701040809070606050106
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

http://search.ebay.com/_W0QQsassZve3ngwQQhtZ-1

--------------090701040809070606050106
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
```

```
<font face="Times New Roman, Times, serif"><a class="moz-txt-link-freetext"
href="http://search.ebay.com/_W0QQsassZve3ngwQQhtZ-1">http://search.ebay.com/
_W0QQsassZve3ngwQQhtZ-1</a></font>
</body>
</html>

--------------090701040809070606050106--



From 193043572249319105
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: NOT !!! Dayton HamFest killed by E-Bay
Date: 30 May 2006 06:47:02 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1148996822.314583.315190@i39g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
   <z8qdg.990724$xm3.411652@attbi_s21>
   <1148640796.729981.50510@j33g2000cwa.googlegroups.com>
   <447B0391.410AE357@cbfamily.net>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148996827 27251 127.0.0.1 (30 May 2006 13:47:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 May 2006 13:47:07 +0000 (UTC)
In-Reply-To: <447B0391.410AE357@cbfamily.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.antiques.radio+phono:23396
rec.radio.amateur.equipment:4381 rec.radio.amateur.misc:12257
rec.radio.shortwave:37520
```

> Not!!!

What are you talking about....not what. Try writing in complete sentences.

chuck wrote:
> New radios with all bells + whistles
> cheaper then a 20yr old as is doa rig
>
> what kills hamfests is lack of interest
>
> buyers of estate gear at dirp cheap prices
> that markup to sell on ebay and hamfests.

```
From -7932829974395613886
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Ebay & "The Market"
Date: 30 May 2006 06:51:28 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1148997088.641984.199240@y43g2000cwc.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
   <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
   <44722BF1.E6DA1257@earthlink.net>
   <1148338532.553887.260960@g10g2000cwb.googlegroups.com>
   <447264A9.D4D61D3@earthlink.net>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148997094 27855 127.0.0.1 (30 May 2006 13:51:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 May 2006 13:51:34 +0000 (UTC)
In-Reply-To: <447264A9.D4D61D3@earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.antiques.radio+phono:23397
rec.radio.amateur.equipment:4382 rec.radio.amateur.misc:12262
rec.radio.shortwave:37521


Michael A. Terrell wrote:
> "John S." wrote:
> >
> > Clearly Ebay and other internet sites won't completely replace in
> > person sales, be it a hamfest, garage sale or estate auction.  But the
> > ease of bringing large numbers of buyers and sellers together via some
> > internet connection has had a significant impact on brick and mortar
> > operations.  The ease of transacting a sale electronically be it for a
> > Kenwood 940 or a spinning wheel can't be ignored.  And the sellers that
> > fail to react in some way will be left behind.
>
>
>    Yeah, right.  What about the people who don't even have a computer,
> or don't trust online transactions?  They'll never go near E-bay.


They will be left in the dust.  I suppose those who don't have a
computer or don't trust online transactions could try setting up an
ether-based net using morse code.  I suspect that it will be largely
one-way communications though.


>
>
> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida




From -5813981491933400086
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
```

```
dio.shortwave
Subject: Re: Ebay & "The Market"
Date: 30 May 2006 06:55:19 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148997318.850084.124360@u72g2000cwu.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
   <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
   <44722BF1.E6DA1257@earthlink.net>
   <1148338532.553887.260960@g10g2000cwb.googlegroups.com>
   <447264A9.D4D61D3@earthlink.net>
   <1148997088.641984.199240@y43g2000cwc.googlegroups.com>
NNTP-Posting-Host: 63.228.178.129
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148997324 22211 127.0.0.1 (30 May 2006 13:55:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 30 May 2006 13:55:24 +0000 (UTC)
In-Reply-To: <1148997088.641984.199240@y43g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=63.228.178.129;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:23399
rec.radio.amateur.equipment:4383 rec.radio.amateur.misc:12266
rec.radio.shortwave:37522
```

I suppose next you'll attack yard sales. You're despicable.

```
From 1502871131750299827
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-
mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
Subject: Re: Back-up rig opinions?
Date: Tue, 30 May 2006 07:23:56 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 13
Message-ID: <447c5580$0$65495$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 30 May 2006 14:24:01 GMT
NNTP-Posting-Host: 93947fd4.news.sonic.net
X-Trace: DXC=P2eiCm3ZikO46ZlKgT51Q@m4K\QM1CV^@1OYf0H`?;XAYX=2ddk?
6<G<Qc7RIG=<OHUB@2:=oRceD:IPRj?_b;b@
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4384

Why not keep it in the Kenwood family? IMO, the
best value in a lowband rigs these days are the
TS-520, 820, and 830. These are all older rigs but
are repairable, lots of good info is available about them,
and they are inexpensive. No internal tuner though.
Good stability and performance as well.

My every day rig is a TS-830S, but I use an -820S
as well.

Steve W6SSP

From -978513691920900054
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!nntp-out.svc.us.xo.net!nntp1-feeder.SJ.svc.us.xo.net!
newsfeed.concentric.net!sjc1.nntp.concentric.net!nntp-master.svc.us.xo.net
From: Ron <wa0kds@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Back-up rig opinions?
Date: 30 May 2006 12:04:50 EDT
Organization: Concentric Internet Services
Lines: 22
Message-ID: <447C6E9D.6040001@yahoo.com>
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.238.104.91
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
To: k3pi@arrl.net
In-Reply-To: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
Xref: g2news2.google.com rec.radio.amateur.equipment:4385

Just find yourself another TS-850. They are nice radios and retain there value.   Watch out for TS-440S they have numerous problems that can be fix but something that you might not what to do. If you want to stay in the Kenwood line TS-450 are selling fairly cheap and are a nice radio and small or go for a Icon if you want to switch like and one of the 706 series radios.

k3pi@arrl.net wrote:
> My main rig is a Kenwood TS-850S. I am considering getting a back up
> rig for it.
>
> Main interest is cw. Internal Antenna Tuner is nice. Bands higher
> than 10m not that important.
>
> What models do you recommend that: represent good value, reliable, can
> still be serviced (if used)?
>
> Will appreciate opinions on this.
>
> Thanks & 73,
> Russ K3Pi
>

```
From -8804876704054405698
X-Google-Thread: 108122,1524f63c91d1d9db,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!
news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Alpha 87A  No Tune Amp...
Message-ID: <g0uo72lprj6j30soogc6mck4pu9ain792s@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Tue, 30 May 2006 12:51:34 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1149007886 69.125.167.162 (Tue, 30 May 2006 09:51:26 MST)
NNTP-Posting-Date: Tue, 30 May 2006 09:51:26 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4386
```

WTB: Alpha 87A No Tune Amp...
Please reply email with price and condition.
ritchi50@optonline.net

From 5380969524792137974

```
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <447C80C3.6D02BE5A@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
        <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
        <12725vt81v3bfbd@corp.supernews.com>
        <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
        <1148312047.828984.28290@38g2000cwa.googlegroups.com>
        <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
        <44722BF1.E6DA1257@earthlink.net>
        <1148338532.553887.260960@g10g2000cwb.googlegroups.com>
        <447264A9.D4D61D3@earthlink.net>
<1148997088.641984.199240@y43g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
Date: Tue, 30 May 2006 17:28:56 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1149010136 24.110.34.161 (Tue, 30 May
2006 10:28:56 PDT)
NNTP-Posting-Date: Tue, 30 May 2006 10:28:56 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:23421
rec.radio.amateur.equipment:4387 rec.radio.amateur.misc:12288
rec.radio.shortwave:37537
```

"John S." wrote:
>
> They will be left in the dust. I suppose those who don't have a
> computer or don't trust online transactions could try setting up an
> ether-based net using morse code. I suspect that it will be largely
> one-way communications though.

Like yours. Welcome to the bit bucket.

```
--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From 6275169051367584313
X-Google-Thread: 108122,a569fe5ffd6a2c69
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: Back-up rig opinions?
From: Tod Glenn <webmaster@cordite.com>
Date: Tue, 30 May 2006 12:03:03 -0600
Message-ID: <webmaster-70673B.12030230052006@news.usenet-access.com>
References: <1148957592.090062.217430@j55g2000cwa.googlegroups.com>
<slrne7nk9j.4v1.gsm@cable.mendelson.com>
Lines: 46
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!news-out.superfeed.net!sp6iad.superfeed.net!webmaster
Newsgroups: rec.radio.amateur.equipment
X-Proxy-User: $$no5i9e5z5o9x
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Report:  Please report illegal or inappropriate use to <abuse@newsfeeds.com>.
Forward a copy of ALL headers INCLUDING the body. (DO NOT SEND ATTACHMENTS)
X-Comments2:  IMPORTANT: Newsfeeds.com does not condone,support,nor tolerate spam
or any illegal or copyrighted postings.
X-Comments:  This message was posted through Newsfeeds.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4388

In article <slrne7nk9j.4v1.gsm@cable.mendelson.com>,
 gsm@mendelson.com (Geoffrey S. Mendelson) wrote:

> k3pi@arrl.net wrote:
> > My main rig is a Kenwood TS-850S. I am considering getting a back up
> > rig for it.
> >
> > Main interest is cw.  Internal Antenna Tuner is nice.  Bands higher
> > than 10m not that important.
> >
> > What models do you recommend that: represent good value, reliable, can
> > still be serviced (if used)?
>
> Try a Ten-Tec. Many Japanese rigs are designed for SSB, with CW as an
> afterthought. Ten-Tec rigs, while they work perfectly well for SSB,
> were, and still are, are designed with a CW operator in mind.
>
> Their older rigs can be easily serviced, and they still sell manuals,
```

> parts and fix them for you.
>
> The older ones don't include tuners, but a modern external auto tuner will
> work with them.
>
> Geoff.

+1 bon the TenTec. You can pick up a great CW rig for a couple hundred
dollars. My primary rig in now a TenTec Orion, with a TT corsair II and
Argosy II as backup rigs.

My first TenTec rig was bought as a backup to my Icom 746pro, but its
receiver proved to be far superior to the more 'modern' 746.

----== Posted via Newsfeeds.Com - Unlimited-Unrestricted-Secure Usenet News==----
http://www.newsfeeds.com The #1 Newsgroup Service in the World! >100,000
Newsgroups
---= East/West-Coast Server Farms - Total Privacy via Encryption =---

From -8199504921112371096
X-Google-Thread: 108122,d259a9c567ed1867
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
newscon02.news.prodigy.com!prodigy.net!nx02.iad01.newshosting.com!newshosting.com!
novia!news-out.readnews.com!news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Motor for remote controlled antenna tuner
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <Xns97D27857FCBB5spectrumhogstarbandn@198.186.192.196>
<4e1193F1cfd32U1@individual.net>
Organization: Your Company
Message-ID: <Xns97D37577F7E2Dspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/2006.03.14
Date: 30 May 2006 18:31:20 GMT
Lines: 19
NNTP-Posting-Host: f14a6fe4.news.adtechcomputers.com
X-Trace:
DXC=LJ;ilhMm3\8FD2CgE@H2<2gC4_A5:nI@1<<=aEgO;R87f_dZeCkB1^3I_BDfiSH[c<ecf<A4o8l930
W_Uo]cC15:i1lT^If;[;:<`5A\TG?EC1C\0aeBV21k1
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4389

> Try these;
>
> http://www.allelectronics.com/cgi-bin/item/DCM-249/400/POWERFUL_WINDSHI
> ELD_WIPER_MOTOR_.html
> http://www.allelectronics.com/cgi-bin/item/DCM-243R/400/12_VDC_GEARHEAD
> _MOTOR_(RIGHT-HAND_VERSION)_.html

> http://www.allelectronics.com/cgi-bin/item/DCM-243L/400/12_VDC_GEARHEAD
> _MOTOR_(LEFT-HAND_VERSION)_.html
> http://www.allelectronics.com/cgi-bin/item/DCM-171/400/12VDC_GEARHEAD_M
> OTOR_.html

Thanks, Bob. They all look like about what I had in mind. Probably will order something to try in June.

Ed K7AAT

From 1884826659504746822
X-Google-Thread: 108122,8edcdbc8e60acb2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: Advanced Receiver Research UHF Preamplifier P432VDC
Date: Wed, 24 May 2006 17:39:22 -0500
Organization: netINS InterNetNews site
Lines: 10
Message-ID: <h4o972t7sn1stv67lgamkiksospvva17g2@4ax.com>
References: <isf972p0ds72odlpvrmbpmnom05c3rscuq@4ax.com>
Reply-To: mikeNOSPAM@L2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1148510364 22657 67.55.159.6 (24 May 2006 22:39:24 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 24 May 2006 22:39:24 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:4290

SOLD

On Wed, 24 May 2006 15:19:07 -0500, Michael Funaro
<mikeNOSPAM@L2Speed.net> wrote:

>http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9731653521
>
>Thanks for looking

From -7635355228790615988
X-Google-Thread: 108122,3505feb529e93e68,start
X-Google-Thread: fc2a5,3505feb529e93e68,start

X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!headwall.stanford.edu!newsfeed.ksu.edu!nntp.ksu.edu!not-for-mail
From: mcalhoun@ksu.edu
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Suggestions how to fix a 2-m xcvr problem?
Date: 24 May 2006 18:07:48 -0500
Organization: Kansas State University
Lines: 45
Message-ID: <e52p04$6m0@unix1.cc.ksu.edu>
NNTP-Posting-Host: unix1.cc.ksu.edu
X-Trace: cnn.cns.ksu.edu 1148512074 3362 129.130.12.3 (24 May 2006 23:07:54 GMT)
X-Complaints-To: abuse@ksu.edu
NNTP-Posting-Date: Wed, 24 May 2006 23:07:54 +0000 (UTC)
X-Newsreader: NN version 6.5.0 #2 (NOV)
Xref: g2news2.google.com rec.radio.amateur.equipment:4291 rec.radio.amateur.homebrew:5439

NOTE: Crossposted to rec.radio.amateur.equipment and rec...homebrew.

For some years, I've had a Kenwood TM-251A 2-meter xcvr (with 440 rcv) hanging from the ceiling of my pickup truck, and recently the TouchTone pad (in the microphone) quit working and, while PTT causes plenty of RF output, there's no AUDIO output.

I'm pretty sure the problem is in the microphone electronics OR its 8-wire cord. I've "beeped" the cord from the telephone/data-like (RJ-45?) connector to solder joints on the mike PC board (it's quite a full little board!) and don't find anything wrong (but it's hard to hold a probe on each end and wiggle everything in the middle!). I'd replace the cord in a flash except I can't handle that %$#@! RJ connector.

The only microphone detail in the xcvr Service Manual other than the connector pinout:
   UP
   +8 volts (I measued +7.25)
   GROUND
   PTT
   ME (Mike Earth?)
   MIKE
   RD (Read Detect? An output, perhaps for use with a TNC?)
   DOWN
is the fact that PTT, UP, DOWN, CALL, VFO, MR, and PF are connected to three analog-inputs (and ground), thus "using up" four of the seven input wires and leaving just two wires (MIKE and ME) to handle the remaining 16 TouchTone keys AND audio!

PTT, UP, DOWN, CALL, VFO, MR, and PF do work as they are supposed to.

With "Remote Control Mode" ON, letter "A" on the TT pad is supposed to start frequency input from the keypad, but it does NOT. With an oscilloscope probe on the MIKE and ME wires, pushing "A" gives no

visible change in the trace, but my jury-rig setup would probably miss
a single tone-burst, so that is probably an inconclusive test other
than the xcvr CPU didn't respond, either.

Any suggestions?

--
--Myron A. Calhoun.
Five boxes preserve our freedoms: soap, ballot, witness, jury, and cartridge
PhD EE (retired).   "Barbershop" tenor.   CDL(PTXS). W0PBV.   (785) 539-4448
NRA Life Member and Certified Instructor (Home Firearm Safety, Rifle, Pistol)

From -2785214220777187712
X-Google-Thread: 108122,2dd2ed45a2e93ee2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Link Communications RLC2 Repeater Controller with Audio Delay Board
Date: Wed, 24 May 2006 18:35:53 -0500
Organization: netINS InterNetNews site
Lines: 3
Message-ID: <3br972t0f8c9tq2170qltecs0vmulat2s5@4ax.com>
Reply-To: mikeNOSPAM@L2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1148513755 24988 67.55.159.6 (24 May 2006 23:35:55 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 24 May 2006 23:35:55 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:4292

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9731733727

Thanks for looking

From -3639896730188180959
X-Google-Thread: 108122,f83b629f673e1bb8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Ken Bessler" <kg0wx@NOSPAMyahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: AL-84 question
Lines: 15

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <Pu6dg.27445$4H.6436@dukeread03>
Date: Wed, 24 May 2006 19:02:54 -0500
NNTP-Posting-Host: 68.102.181.132
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1148515375 68.102.181.132 (Wed, 24 May 2006 20:02:55 EDT)
NNTP-Posting-Date: Wed, 24 May 2006 20:02:55 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4293

Please visit this webpage - look near the bottom half of
the page. I'm trying to learn about amplifiers and have a
question about an AL-84 I'm messing with. I needed to
refer to an image of the schematic, so I put the image and
the question on my cox homepage:

http://members.cox.net/kg0wx/

Thanks!
--
73's de Ken KG0WX - Kadiddlehopper #11808,
Flying Pigs #-1055, Grid EM17io, TS-850SAT, AL-84,
Elecraft XG2, 4SQRP Tenna Dipper, Heath GD-1B

From 4570655757940123761
X-Google-Thread: 108122,f83b629f673e1bb8
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pu6dg.27445$4H.6436@dukeread03>
Subject: Re: AL-84 question
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1158
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1165
Message-ID: <5R6dg.7267$y4.6918@newsread2.news.pas.earthlink.net>
Date: Thu, 25 May 2006 00:26:41 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1148516801 24.225.35.108 (Wed, 24 May
2006 17:26:41 PDT)
NNTP-Posting-Date: Wed, 24 May 2006 17:26:41 PDT

Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4294

"Ken Bessler" <kg0wx@NOSPAMyahoo.com> wrote in message
news:Pu6dg.27445$4H.6436@dukeread03...
> Please visit this webpage - look near the bottom half of
> the page. I'm trying to learn about amplifiers and have a
> question about an AL-84 I'm messing with. I needed to
> refer to an image of the schematic, so I put the image and
> the question on my cox homepage:
>
> http://members.cox.net/kg0wx/

The book for it calls for a minimum of 400 watts out for 100 watts of drive.

http://bama.sbc.edu/ameritro.htm

They are not using a tuned input so to match the tubes to a 50 ohm driver they are using the resistor as a lossey input. About 40 watts or so are being dissiapated in the resistor and 60 or so are being used to drive the tubes.

From 2358917647232936776
X-Google-Thread: 108122,7db27c9fdcba5e6a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy1no!pd7cy2no!shaw.ca!pd7tw1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.67.204.171
From: "Daphne + Dave" <dschertzer@shaw.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: FS- Midland 70-155/255 Batteries -NIB-
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <gA8dg.186263$7a.53447@pd7tw1no>
Date: Thu, 25 May 2006 02:25:16 GMT
NNTP-Posting-Host: 24.64.223.206
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw1no 1148523916 24.64.223.206 (Wed, 24 May 2006 20:25:16 MDT)
NNTP-Posting-Date: Wed, 24 May 2006 20:25:16 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:4295

Midland 70-B34 1800mah Batteries, Better and Larger than the 70-B19
version. Used with Midland 70-155/255 Series A/B Syntech Portables.

Voltage 7.5   4"L x 3"W x 1 1/2" T approx.

Cells are good for other projects too!!

$10USDea + shipping

Note: Avg. price otherwise is $50USDea
on Ebay

From 8375891543787166082
X-Google-Thread: 108122,3505feb529e93e68
X-Google-Thread: fc2a5,3505feb529e93e68
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!844853ae!not-for-mail
Message-ID: <44751EA3.5010303@invalid.invalid>
From: Doug Smith W9WI <w9wi@invalid.invalid>
Reply-To: w9wi@invalid.invalid
Organization: Ham Radio W9WI
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.0.1) Gecko/20020830
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Suggestions how to fix a 2-m xcvr problem?
References: <e52p04$6m0@unix1.cc.ksu.edu>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Thu, 25 May 2006 03:04:04 GMT
NNTP-Posting-Host: 4.153.69.186
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1148526244 4.153.69.186 (Wed, 24 May
2006 20:04:04 PDT)
NNTP-Posting-Date: Wed, 24 May 2006 20:04:04 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4296
rec.radio.amateur.homebrew:5444

mcalhoun@ksu.edu wrote:
> each end and wiggle everything in the middle!). I'd replace the cord in
> a flash except I can't handle that %$#@! RJ connector.

Look for a Cat5 computer LAN patch cable; cut off one end. It won't be

coiled but it will be flexible & the plug will already be there for you.
--
Doug Smith W9WI
Pleasant View (Nashville), TN EM66
http://www.w9wi.com

From 8932897019874430485
X-Google-Thread: 108122,ddff6454aa552f7b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-mail
From: "iw3arv" <iw3arv@inwind.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Qrp trasmitter operating procedures
Date: 24 May 2006 22:45:11 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1148535911.368499.87010@38g2000cwa.googlegroups.com>
References: <1148474182.559051.12860@i39g2000cwa.googlegroups.com>
   <l%3dg.6314$x4.4587@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 151.56.73.143
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148535916 5363 127.0.0.1 (25 May 2006 05:45:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 25 May 2006 05:45:16 +0000 (UTC)
In-Reply-To: <l%3dg.6314$x4.4587@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=151.56.73.143;
   posting-account=xYVjHQ0AAACHXPaq2nJXBKXiq202AFlE
Xref: g2news2.google.com rec.radio.amateur.equipment:4297

Hello Brian,

thanks for the suggestion. It's simple as I thought. I have the
intention to realise something like the vox circuit that si normally
used on the transverters.
The best I think is a separate unit with the possibility to switch from
rx and tx manually and automatically with the vox.

73 de Paolo Iw3arv

>Greetings, Paolo. You can use an antenna switch. You need a switch with
>three total connections. One for the receiver, one for the transmitter, and
>one for the antenna. When you hear CW and are ready to transmit, switch from
>the receiver to the transmitter.

From -2805093299748256147
X-Google-Thread: 108122,3505feb529e93e68
X-Google-Thread: fc2a5,3505feb529e93e68
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!tiscali!newsfeed1.ip.tiscali.net!proxad.net!proxad.net!news.clara.net!wagner.news.clara.net!pe1.news.blueyonder.co.uk!blueyonder!text.news.blueyonder.co.uk!53ab2750!not-for-mail
From: biascomms <biascomms@blueyonder.co.uk>
Subject: Re: Suggestions how to fix a 2-m xcvr problem?
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Followup-To: rec.radio.amateur.equipment
Reply-To: biascomms@NOSPAMblueyonder.co.uk
References: <e52p04$6m0@unix1.cc.ksu.edu>
Lines: 50
User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <IYbdg.75299$wl.49729@text.news.blueyonder.co.uk>
Date: Thu, 25 May 2006 06:16:08 GMT
NNTP-Posting-Host: 82.45.245.119
X-Complaints-To: abuse@blueyonder.co.uk
X-Trace: text.news.blueyonder.co.uk 1148537768 82.45.245.119 (Thu, 25 May 2006 07:16:08 BST)
NNTP-Posting-Date: Thu, 25 May 2006 07:16:08 BST
Xref: g2news2.google.com rec.radio.amateur.equipment:4298 rec.radio.amateur.homebrew:5446

mcalhoun@ksu.edu wrote:

> NOTE: Crossposted to rec.radio.amateur.equipment and rec...homebrew.
>
> For some years, I've had a Kenwood TM-251A 2-meter xcvr (with 440 rcv)
> hanging from the ceiling of my pickup truck, and recently the TouchTone
> pad (in the microphone) quit working and, while PTT causes plenty of RF
> output, there's no AUDIO output.
>
> I'm pretty sure the problem is in the microphone electronics OR its
> 8-wire cord. I've "beeped" the cord from the telephone/data-like (RJ-45?)
> connector to solder joints on the mike PC board (it's quite a full little
> board!) and don't find anything wrong (but it's hard to hold a probe on
> each end and wiggle everything in the middle!). I'd replace the cord in
> a flash except I can't handle that %$#@! RJ connector.
>
> The only microphone detail in the xcvr Service Manual other than the
> connector pinout:
>   UP
>   +8 volts (I measued +7.25)

> GROUND
> PTT
> ME (Mike Earth?)
> MIKE
> RD (Read Detect? An output, perhaps for use with a TNC?)
> DOWN
> is the fact that PTT, UP, DOWN, CALL, VFO, MR, and PF are connected to
> three analog-inputs (and ground), thus "using up" four of the seven
> input wires and leaving just two wires (MIKE and ME) to handle the
> remaining 16 TouchTone keys AND audio!
>
> PTT, UP, DOWN, CALL, VFO, MR, and PF do work as they are supposed to.
>
> With "Remote Control Mode" ON, letter "A" on the TT pad is supposed
> to start frequency input from the keypad, but it does NOT. With an
> oscilloscope probe on the MIKE and ME wires, pushing "A" gives no
> visible change in the trace, but my jury-rig setup would probably miss
> a single tone-burst, so that is probably an inconclusive test other
> than the xcvr CPU didn't respond, either.
>
> Any suggestions?
>

Have you checked at the rig end? I've had broken or intermittent
connections to the mic socket - the socket pins have poor soldered joints.

Bob

--
Everything gets easier with practice, except getting up in the morning!

From -4636784657191673183
X-Google-Thread: fcc6e,1bd09cc739736716,start
X-Google-Thread: f7653,1bd09cc739736716,start
X-Google-Thread: 108122,1bd09cc739736716,start
X-Google-Thread: 107ada,1bd09cc739736716,start
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews8.bellsouth.net.POSTED!8ed1fb9b!not-for-mail
Reply-To: "laborkei" <laborkeiNOSPAM@hotmail.com>
From: "laborkei" <laborkeiNOSPAM@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: ebay: Icom 756 PROII Available, Nice !
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <1Cfdg.46071$QU3.35310@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbonoiiebgomidokagdgolccmfoiojagcdjob
edpmopkacdafgoajpbodfclbmofgelpjogimejokdcbfpcgidolfaccipdnogdmlnfmgnljhegcjdm
NNTP-Posting-Date: Thu, 25 May 2006 06:25:01 EDT
Organization: BellSouth Internet Group
Date: Thu, 25 May 2006 06:25:21 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:12014
rec.radio.amateur.digital.misc:274 rec.radio.amateur.equipment:4299
rec.radio.amateur.misc:11907
```

http://cgi.ebay.com/Icom-756PROII-Transceiver_W0QQitemZ9731654891

--

```
From -5448350239383894293
X-Google-Thread: fcc6e,1bd09cc739736716
X-Google-Thread: f7653,1bd09cc739736716
X-Google-Thread: 108122,1bd09cc739736716
X-Google-Thread: 107ada,1bd09cc739736716
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: w8ji@akorn.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc
Subject: Re: ebay: Icom 756 PROII Available, Nice !
Date: 25 May 2006 03:29:46 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1148552986.398194.197110@38g2000cwa.googlegroups.com>
References: <1Cfdg.46071$QU3.35310@bignews8.bellsouth.net>
NNTP-Posting-Host: 216.1.128.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148552991 9393 127.0.0.1 (25 May 2006 10:29:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 25 May 2006 10:29:51 +0000 (UTC)
In-Reply-To: <1Cfdg.46071$QU3.35310@bignews8.bellsouth.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=216.1.128.208;
   posting-account=O3NecA0AAAAAfSOCVEE_zteCREQmlynr
Xref: g2news2.google.com rec.radio.amateur.antenna:12015
rec.radio.amateur.digital.misc:275 rec.radio.amateur.equipment:4300
rec.radio.amateur.misc:11908
```

laborkei wrote:
> http://cgi.ebay.com/Icom-756PROII-Transceiver_W0QQitemZ9731654891

Why would anyone spam an antenna discussion reflector with ebay trash?

```
From 8621396993771443665
X-Google-Thread: fcc6e,1bd09cc739736716
X-Google-Thread: f7653,1bd09cc739736716
X-Google-Thread: 108122,1bd09cc739736716
X-Google-Thread: 107ada,1bd09cc739736716
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews6.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc
Subject: Re: ebay: Icom 756 PROII Available, Nice !
Message-ID: <7f6b729kr9vm6o3amk40ldk74c2m8b11ho@4ax.com>
References: <1Cfdg.46071$QU3.35310@bignews8.bellsouth.net>
<1148552986.398194.197110@38g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbokfcmdjdbefkbbhjniebjhphdbafphloefj
bhdibdklbodgajajpbodfclbmofgelpjogimejokdcbfpcejheglmbldndfobjhgleaeldlllnhdpc
NNTP-Posting-Date: Thu, 25 May 2006 07:51:02 EDT
Organization: BellSouth Internet Group
Date: Thu, 25 May 2006 07:51:40 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:12018
rec.radio.amateur.digital.misc:276 rec.radio.amateur.equipment:4301
rec.radio.amateur.misc:11909
```

On 25 May 2006 03:29:46 -0700, w8ji@akorn.net wrote:

>laborkei wrote:
>> http://cgi.ebay.com/Icom-756PROII-Transceiver_W0QQitemZ9731654891
>

>Why would anyone spam an antenna discussion reflector with ebay trash?

They are too dumb to realize that the ebay search will bring up the
item to those who are interested in finding it.

--
73 for now
Buck
N4PGW

From -8506733427208655190
X-Google-Thread: fcc6e,1bd09cc739736716
X-Google-Thread: f7653,1bd09cc739736716
X-Google-Thread: 108122,1bd09cc739736716
X-Google-Thread: 107ada,1bd09cc739736716
X-Google-Attributes: gidfcc6e,gidf7653,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews6.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.digital.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.misc,rec.radio.amateur.swap
Subject: Re: ebay: Icom 756 PROII Available, Nice !
Message-ID: <4n6b72davtbs84eapatpkoetbp45irjntg@4ax.com>
References: <1Cfdg.46071$QU3.35310@bignews8.bellsouth.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcboebinlennnpehodpmoigdfpidldnmkgfefj
bhdibdklbodgajajpbodfclbmofgelpjogimejokdcbfpcofdhfbcgpekefclagcmjfolmnkadopgb
NNTP-Posting-Date: Thu, 25 May 2006 07:56:47 EDT
Organization: BellSouth Internet Group
Date: Thu, 25 May 2006 07:57:25 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:12019
rec.radio.amateur.digital.misc:277 rec.radio.amateur.equipment:4302
rec.radio.amateur.misc:11910

On Thu, 25 May 2006 06:25:21 -0400, "laborkei"
<laborkeiNOSPAM@hotmail.com> wrote:

>http://cgi.ebay.com/Icom-756PROII-Transceiver_W0QQitemZ9731654891

abuse@bellsouth.net

```
--
73 for now
Buck
N4PGW


From -3630883091231339792
X-Google-Thread: 108122,1e9990b7de4a4387,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news2.volia.net!
news.newsland.it!proxad.net!193.252.118.146.MISMATCH!news.wanadoo.fr!
news.wanadoo.fr!not-for-mail
X-Newsreader:      NNTP SCRIBBLER
Content-Type: text/html;
From: christiane@dunet.web
ReplyTo: christiane@dunet.web
Subject: femmes mures en manque de sexe cherchent hommes
Newsgroups: rec.radio.amateur.equipment
Date: 25 May 2006 18:24:50 GMT
Lines: 7
Message-ID: <4475f672$0$23264$8fcfb975@news.wanadoo.fr>
Organization: les newsgroups par Wanadoo
NNTP-Posting-Date: 25 May 2006 20:24:50 CEST
NNTP-Posting-Host: 193.248.70.122
X-Trace: 1148581490 news.wanadoo.fr 23264 193.248.70.122:3170
X-Complaints-To: abuse@wanadoo.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:4303


<HTML><HEAD><body><center>
<a href='http://www.muredefeu.com/fr/index.html?id=14907' target='_blank_'><img
src='http://media.muredefeu.com/fr/mb600400/600x400_01.gif' border=0></a>
<br><br><br><br><br><br><br>
<BODY></BODY></HTML>
<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse:
collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></
tr><tr><td width="100%" bgcolor="#000000"><center><a href="http://www.e-
advertize.com/index.php?choix=NNTPScribbler&Langue=en"><font
color="#00FF00"><b>This message was sent with NNTP Scribbler (www.e-
advertize.com).</b></font></a></center></td></tr><tr><td height="4"
bgcolor="#000000"></td></tr></table></center>


From 7201114429184254340
X-Google-Thread: 108122,581ab02427d38f81,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
feed.xsnews.nl!feeder.xsnews.nl!proxad.net!193.252.118.146.MISMATCH!
news.wanadoo.fr!news.wanadoo.fr!not-for-mail
X-Newsreader:      NNTP SCRIBBLER
```

```
Content-Type: text/html;
From: coralie@canaweb.ca
ReplyTo: coralie@canaweb.ca
Subject: jeunes filles 18 ans tres chaudes
Newsgroups: rec.radio.amateur.equipment
Date: 25 May 2006 18:24:52 GMT
Lines: 8
Message-ID: <4475f673$0$3191$8fcfb975@news.wanadoo.fr>
Organization: les newsgroups par Wanadoo
NNTP-Posting-Date: 25 May 2006 20:24:52 CEST
NNTP-Posting-Host: 193.248.70.122
X-Trace: 1148581492 news.wanadoo.fr 3191 193.248.70.122:3172
X-Complaints-To: abuse@wanadoo.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:4304


<HTML><HEAD><body><center>
<a href="http://www.jf18ans.com/?&id=14907" target="_blank" alt=""><img
src="http://www.sv2.biz/modules/cbsys/promo/bannieres/produits/
78/20040907170250_33
6x280_02.jpg"></a>
<br><br><br><br><br><br><br>
<BODY></BODY></HTML>
<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse:
collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></
tr><tr><td width="100%" bgcolor="#000000"><center><a href="http://www.e-
advertize.com/index.php?choix=NNTPScribbler&Langue=en"><font
color="#00FF00"><b>This message was sent with NNTP Scribbler (www.e-
advertize.com).</b></font></a></center></td></tr><tr><td height="4"
bgcolor="#000000"></td></tr></table></center>


From 9133556374943963181
X-Google-Thread: 108122,f537d4a818495fc5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news2.volia.net!
news.newsland.it!proxad.net!193.252.118.146.MISMATCH!news.wanadoo.fr!
news.wanadoo.fr!not-for-mail
X-Newsreader:      NNTP SCRIBBLER
Content-Type: text/html;
From: cinthia@eurasia.net
ReplyTo: cinthia@eurasia.net
Subject: jeune fille 18 ans innocente
Newsgroups: rec.radio.amateur.equipment
Date: 25 May 2006 18:24:52 GMT
Lines: 9
Message-ID: <4475f673$0$18343$8fcfb975@news.wanadoo.fr>
Organization: les newsgroups par Wanadoo
NNTP-Posting-Date: 25 May 2006 20:24:52 CEST
NNTP-Posting-Host: 193.248.70.122
X-Trace: 1148581492 news.wanadoo.fr 18343 193.248.70.122:3168
X-Complaints-To: abuse@wanadoo.fr
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:4305
```

```
<HTML><HEAD><body><center>
<a href='http://www.diabloteen.com/index.html?id=14907' target='_blank_'><img
src='http://www.sv2.biz/modules/cbsys/promo/bannieres/produits/
454/20051021153858_1
20x240-3.jpg' border=0></a>

<br><br><br><br><br><br><br>
<BODY></BODY></HTML>
<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse:
collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></
tr><tr><td width="100%" bgcolor="#000000"><center><a href="http://www.e-
advertize.com/index.php?choix=NNTPScribbler&Langue=en"><font
color="#00FF00"><b>This message was sent with NNTP Scribbler (www.e-
advertize.com).</b></font></a></center></td></tr><tr><td height="4"
bgcolor="#000000"></td></tr></table></center>
```

```
From 3241633023824920101
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: rally2xs@att.net
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 25 May 2006 11:56:08 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
   <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
   <1148385090.795664.210830@g10g2000cwb.googlegroups.com>
   <f206d$44731bea$d0662e25$8359@FUSE.NET>
   <1148396470.879595.65430@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 138.162.5.12
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148583374 28566 127.0.0.1 (25 May 2006 18:56:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 25 May 2006 18:56:14 +0000 (UTC)
In-Reply-To: <1148396470.879595.65430@j73g2000cwa.googlegroups.com>
User-Agent: G2/0.2
```

X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; T312461; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 NAEADLGRPC01A, 1.0 NAEANRFKPC04C
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=138.162.5.12;
   posting-account=hFGPVQ0AAAC7ekxGD-IBrcMkj5h7c58K
Xref: g2news2.google.com rec.antiques.radio+phono:22770
rec.radio.amateur.equipment:4306 rec.radio.amateur.misc:11915
rec.radio.shortwave:36845

Cheesehead wrote:
> I'm not too far away, either. that makes it practical.
>
> Perhaps those concerned about motel costs would do better to stay
> in Springfield or even Columbus.
>
> KC8TKA

We generally stay at the Holiday Inn at one of the Sidney exits. $69 Thursday night (business rates), $59 Friday and Saturday nights. Can always get it, it's outside the sphere of influence of the Hamvention. 40 miles or so to Hara, but that goes by real quick. Sits right beside a Bob Evans restaurant, and across the street from a Waffle House, so breakfast is guaranteed to be good, which is all you need. Dinner can be taken anywhere near the Hamvention, then just drive back north. If you don't have an 8 mpg truck, its just fine.

Dave Head
K8DH

From -8338100914209630793
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Rumors Dayton killed by hams untrue
Date: 25 May 2006 13:10:12 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148587812.857601.63350@u72g2000cwu.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>

```
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
   <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
   <1148385090.795664.210830@g10g2000cwb.googlegroups.com>
   <f206d$44731bea$d0662e25$8359@FUSE.NET>
   <1148396470.879595.65430@j73g2000cwa.googlegroups.com>
   <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 70.56.157.6
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148587818 22401 127.0.0.1 (25 May 2006 20:10:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 25 May 2006 20:10:18 +0000 (UTC)
In-Reply-To: <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=70.56.157.6;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:22780
rec.radio.amateur.equipment:4307 rec.radio.amateur.misc:11941
rec.radio.shortwave:36880
```

It was an average orthodox Fest. Hams did not make it choke.

```
From -665314775157873965
X-Google-Thread: 108122,ad415d1c89ac848,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!hw-filter.lga!
fe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FT: Collins KWM-2A
Message-ID: <cq8c729mu7srnpm59eiai1ncsa1k8pi1rv@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
Date: Thu, 25 May 2006 17:36:39 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1148593000 69.125.167.162 (Thu, 25 May 2006 14:36:40 MST)
NNTP-Posting-Date: Thu, 25 May 2006 14:36:40 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4308
```

FT: Collins KWM-2A
I have a nice Collins KWM-2A Winged Emblem
It receives fine, But no tx?
I hear a relay everytime I key the transmitter,
but no power out. Also will need alignment.
Make offer or will trade.
Let me know what you have for trade and maybe we can make a deal.
ritchi50@optonline.net

To See picture go to:
qrz.com or qth.com

```
From 8016982668854087877
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
From: k9uwaREMOVE@THISarrl.netSTUFF (John Goller, k9uwa)
Organization: JohnJeanAntiqueRadio.com
X-Newsreader: WinVN 0.99.12c [mds] (x86 32bit)
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com> <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 14
Message-ID: <z8qdg.990724$xm3.411652@attbi_s21>
NNTP-Posting-Host: 12.227.128.66
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1148595871 12.227.128.66 (Thu, 25 May 2006 22:24:31 GMT)
NNTP-Posting-Date: Thu, 25 May 2006 22:24:31 GMT
Date: Thu, 25 May 2006 22:24:31 GMT
Xref: g2news2.google.com rec.antiques.radio+phono:22790 rec.radio.amateur.equipment:4309 rec.radio.amateur.misc:11976 rec.radio.shortwave:36908
```

In article <1148583368.842258.23140@j73g2000cwa.googlegroups.com>, rally2xs@att.net says...
>
>
>We generally stay at the Holiday Inn at one of the Sidney exits. $69
>Thursday night (business rates), $59 Friday and Saturday nights.
>Dave Head

```
>K8DH
>
15 mpg avg x 80 miles = 5 gallon x 3 = 15 bucks per day added to
room rate for gas... plus whatever you figure your sleep time
lost is worth
John k9uwa




From -7010445219319227366
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
From: Slow Code <email@no.spam>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
<1279akel6o04646@corp.supernews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 94
Message-ID: <1erdg.5216$921.3953@newsread4.news.pas.earthlink.net>
Date: Thu, 25 May 2006 23:38:37 GMT
NNTP-Posting-Host: 4.254.224.170
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1148600317 4.254.224.170 (Thu, 25 May
2006 16:38:37 PDT)
NNTP-Posting-Date: Thu, 25 May 2006 16:38:37 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4310
rec.radio.amateur.misc:11980 rec.radio.amateur.policy:27238 rec.radio.swap:4215

dplatt@radagast.org (Dave Platt) wrote in
news:1279akel6o04646@corp.supernews.com:

> In article <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>,
> Slow Code  <email@no.spam> wrote:
>
>>Yes, Yes, yes,
>>but what are your thoughts on the following:
>
> Meta-comment:  I think that if all of the ideas you propose were
> actually enacted into regulation, and then ten years were go by, the
```

> United States Amateur Radio Service would be unlikely to have more
> than 1/4 of the number of licencees that it has today.
>
> That's great if you want to create a "private club" for a few years
> after that.
>
> However, it's lousy if you want there to actually *be* an Amateur
> Radio Service twenty or thirty years from now. With so few licensees
> and as little activity as I think there'd be after such a decimation,
> the odds are good that a lot of the U.S. amateur radio bands would be
> "re-purposed" for other spectrum users.
>
>>No more automatic renewals. Individuals must retest and pass
>>all elements required for their license class.
>
> Unlikely to pass, due to the cost and bureaucratic overhead.
>
> I'd guess that at least a third of current licensees coming up for
> renewal would decide not to bother, and let their licenses lapse (and
> that's in addition to the rate of non-renewal which takes place today).
>
>>The passing score for written exams needs to be raised to 85%.
>
> I'd have no real objection to this. Dunno if it's a good idea or a
> bad idea.
>
>>Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> This will never happen, for two major reasons:
>
> [1] CW is no longer an international treaty requirement AT ALL.
>   The results of the WARC conferences made it clear that the
>   international community considers CW a useful mode, and a big
>   part of amateur tradition, but that it's no longer in sufficient
>   use in military/commercial applications to justify making it
>   a legal requirement for amateur HF licensing.
>
> [2] The FCC has made it quite clear (in their responses to the
>   numerous petitions filed about [1]) that they no longer consider
>   it in the public interest to require CW proficiency for an
>   HF license. They are proposing to remove the CW requirement
>   entirely.
>
> In its filings, the ARRL has proposed retaining the existing 5 WPM
> requirement for Amateur Extra. The FCC's response adds up to "No.
> Not justified. No CW requirement at all."
>
> My understanding is that the ARRL's comments received from their
> membership, and the comments received directly by the FCC in response
> to the various petitions, are pretty consistent. Only a small
> percentage of the people who have commented, feel as you do. Most
> commenters either want to eliminate the CW requirement entirely (as
> many other countries have done), or eliminate it for General and

> retain it for Extra.
>
> What you propose is also unlikely to happen because the FCC and ARRL
> both remember what happened the last time they tried tightening the
> rules and raising the requirements and trying to force people to
> upgrade. My understanding (from reading - I wasn't licensed back
> then) is that the Powers That Be concluded that this sort of incentive
> licensing pressure created more resentment, and did more damage to the
> health of the amateur radio community, than whatever benefits came
> from it justified.
>
> I've read statements from the FCC, over the past few years, to the
> effect that they're just not interested in taking operating privileges
> away from anyone.
>
>>Make the no-code Tech license one year non-renewable.
>
> Once again, I think that the number of licensees that the Amateur
> Radio Service would lose (or would never get in the first place, once
> people learned of the non-renewable status) would outweigh the
> possible advantage of this approach (giving licensees more of an
> inducement to increase their level of knowledge, and upgrade).

Reading all you wrote, what you are basically saying is that no one wants
to be a ham now days, so licensing requirements have to be low in order to
help keep our numbers up. They won't work for a license.

sc

From 266050576549422721
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help...[snip]
From: Slow Code <email@no.spam>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>

```
<e52c2g$ths$1@avnika.corp.mot.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 121
Message-ID: <3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
Date: Thu, 25 May 2006 23:38:39 GMT
NNTP-Posting-Host: 4.254.224.170
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1148600319 4.254.224.170 (Thu, 25 May
2006 16:38:39 PDT)
NNTP-Posting-Date: Thu, 25 May 2006 16:38:39 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4311
rec.radio.amateur.misc:11981 rec.radio.amateur.policy:27239 rec.radio.swap:4216

"Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
news:e52c2g$ths$1@avnika.corp.mot.com:

> OK, OK, OK   I'll bite just a bit...
>
>
> "Slow Code" <email@no.spam> wrote in message
> news:rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net...
>> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
>> news:e50436$mju$1@avnika.corp.mot.com:
>>
>> > Slow,
>> >   It's is a shame you have to:
>> >
>> > 1- talk like this  and
>> > 2- have so little respect for others  and
>> > 3- have no ability to rationally discuss prows and cons complex
>> > issues and 4- have a poor understanding of what makes a good ham  and
>> > 5- have so little understanding some real-world practical aspects of
>> > this issue  and most importantly...
>> > 6- show such poor ham characteristics.
>> > 7- and probably have so little real knowledge of ham radio, is my
>> > guess. and
>> > 8- be a troll
>> >
>> > If you're also a 20 WPM extra, then we can easily do without your
>> > immature attitudes and behaviors here and on the bands.
>> >
>> > Hey guys! it is also a shame you get drawn into these types and feed
>> > their small minds.
>> >
>> > 73, Steve, K9DCI
>>
>>
>> Yes, Yes, yes,
>> but what are your thoughts on the following:
>>
>>
>> No more automatic renewals. Individuals must retest and pass
>> all elements required for their license class.
>
>
> sc,
>
>     Lesee...  Well, I believe you have some discussable concepts here.
>
>     In other areas there are currency requirements. Flying, for example.
>      If
> you haven't kept up, you need refresher flights with an instructor.  We
> first try to outline what is gained / lost over time and whether
> re-testing can address these issues.  Old timers will be required to
> learn about QPSK and all the modern concepts.
>
> Then we go from here.
>
> One general area you seem to fail to address is some of the practical
> aspects regarding number of licensees and the viability of retaining the
> Amateur Service all together.  If the number of Hams keeps declining,
> will there be ANY licenses...and do you (in general) want to preserve
> something, or kill it all if numbers fall, manufacturers stop producing
> products, etc...  This can not be ignored in the rest of the
> discussions.
>
> I know Extras who couldn't build a thing, yet are active, intelligent
> and law abiding.  They have interest I can discuss with them. I also
> know no-code'ers that are the most serious hams around...not to mention
> several that came from CB and are now died-in-the-wool-hams.
> I also hear Extras on the air that should aim for a tree the next time
> they drive a car.
>
> Is learning CW a "right of passage" and an effort that helps to
> strengthen the Ham...yes...for some.  Does it guarantee an excellent,
> expert Ham?  Not by a long shot.  That comes from elsewhere.
>
>     However, based on the post of yours that I responded to, I choose
>     not to
> go further since you have demonstrated such a poor attitude, I feel it
> is not worth the time exploring with you.  Ill pick more important
> battles. Enjoy your Hamm activities (if you have any) and be content.
> you brand or devisiveness accompliches nothing except, perhaps allowing
> a few of the responders to vent and possibly hear (though by accident)
> some reasonable points.
>
> Do you have a call, name?  With a pseudonym like yours, I'd think
> you'dbe on the other side.  What are you affraid of?
>
> 73, Steve K9DCI
>
>> The passing score for written exams needs to be raised to 85%.
>
>         How about the licence grade depending on the score?  How about
>         much
```

> more strict requirements for on-air procedure. I hear many who have
> licenses and still don't know how to communicate efficiently in
> emergency drills or ID properly.
>
>
>> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>   CW only was a requirement due to international treaty in the
>   first
> place. That is no longer the case. You are clrarly hung up on CW.
> WHY? What does it bring / guarantee? Why is CW so much more important
> that all other aspects of on-air operation?
>
>> Make the no-code Tech license one year non-renewable.
>
>   This still comes directly from the "CW or nothing" concept.
> 73 (in the truest sense)

My arguement has always been for the quality of the hams. You appreciate
something more that you had to work to achieve, and respect the rewards
it gives.

Cheapening something makes it disposable. Ham numbers are declining.

sc

From -4896862758203152564
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help...[snip]
Date: 25 May 2006 16:44:30 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1148600665.645193.249050@j33g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
   <Xns97C498077AF9DVeebleFetzer@127.0.0.1>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>

```
   <e50436$mju$1@avnika.corp.mot.com>
   <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
   <e52c2g$ths$1@avnika.corp.mot.com>
   <3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148600680 10981 127.0.0.1 (25 May 2006 23:44:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 25 May 2006 23:44:40 +0000 (UTC)
In-Reply-To: <3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=66.82.9.42;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:4312
rec.radio.amateur.misc:11984 rec.radio.amateur.policy:27242 rec.radio.swap:4217
```

```
Slow Code wrote:
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
> news:e52c2g$ths$1@avnika.corp.mot.com:
>
> > OK, OK, OK   I'll bite just a bit...

> >         This still comes directly from the "CW or nothing" concept.
> > 73 (in the truest sense)
>
>
>
> My arguement has always been for the quality of the hams.  You appreciate
> something more that you had to work to achieve, and respect the rewards
> it gives.
you arguement is false

I value things based on their proifit to me

My tech license is higher profitable becuase it took little to get and
get me a lot
>
> Cheapening something makes it disposable.
how is making testing reflect reality cheapening?
> Ham numbers are declining.
becuase of age mostly

hams are litterly dying off
>
> sc
```

```
From 8984611575238298436
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!96824b94!not-for-mail
From: "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
<1148093850.852066.18100@u72g2000cwu.googlegroups.com>
<xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
<1148242353.491923.5580@u72g2000cwu.googlegroups.com>
<DRL017833.2458F8789@tarrnews.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
Date: Fri, 26 May 2006 00:03:07 GMT
NNTP-Posting-Host: 4.152.108.43
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1148601787 4.152.108.43 (Thu, 25 May
2006 17:03:07 PDT)
NNTP-Posting-Date: Thu, 25 May 2006 17:03:07 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:12050
rec.radio.amateur.equipment:4313 rec.radio.amateur.misc:11987
rec.radio.amateur.policy:27245 rec.radio.shortwave:36917
```

"Lloyd" <lloyd@no.spammmmm> wrote in message
news:DRL017833.2458F8789@tarrnews.net...

```
> On 21 May 2006 13:12:33 -0700, an old friend drooled:
>> Dan/W4NTI wrote:
>> > Or just a common drunk or dope addict that gets worse as
>> > the night goes on?
>> more libel
>>
>> how drool Dan
>
> Dan doesn't drool.  Right, Dan?

No I don't.   Why is this particular idiotic thread in every major ham radio
group?  It finally dropped out of DX,  and now I find it in "equipment".
How about you children make your own little group,  all climb into it,  and
make each other happy.

Dan/W4NTI





From -2570152679106996988
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 25 May 2006 18:56:52 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1148608612.767145.316050@y43g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
   <1148093850.852066.18100@u72g2000cwu.googlegroups.com>
   <xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
   <1148242353.491923.5580@u72g2000cwu.googlegroups.com>
   <DRL017833.2458F8789@tarrnews.net>
   <%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148608618 15849 127.0.0.1 (26 May 2006 01:56:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 01:56:58 +0000 (UTC)
In-Reply-To: <%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=66.82.9.42;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:12059
rec.radio.amateur.equipment:4314 rec.radio.amateur.misc:11990
rec.radio.amateur.policy:27249 rec.radio.shortwave:36933



Dan/W4NTI wrote:
> "Lloyd" <lloyd@no.spammmmm> wrote in message
> news:DRL017833.2458F8789@tarrnews.net...
> > On 21 May 2006 13:12:33 -0700, an old friend drooled:
> >> Dan/W4NTI wrote:

> No I don't.   Why is this particular idiotic thread in every major ham radio
> group?
you don't Know Dan? well I can elp you there becuase someone
crossposted there that is why
>  It finally dropped out of DX,  and now I find it in "equipment".
> How about you children make your own little group,  all climb into it,  and
> make each other happy.

where do you get your delsuons Dan?
>
> Dan/W4NTI




From -8219063260552985395
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 25 May 2006 21:37:04 -0500
Newsgroups:
```

rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
From: notbob <notbob@nothome.com>
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
<1279akel6o04646@corp.supernews.com>
<1erdg.5216$921.3953@newsread4.news.pas.earthlink.net>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <x8SdnX11SYpN9OvZnZ2dnUVZ_vadnZ2d@comcast.com>
Date: Thu, 25 May 2006 21:37:04 -0500
Lines: 16
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-
dpiIng2czusRUd3llGPrErrblMZ+3fyMxbv8kCjuD0G3nsHhtDxmEGgxnwr2zSNAO3skzNv8rrUuHTJ!
xAC7zM16YSQkT3ohAxIyi57SKw0Eu8WH/z5SOvwHj1NadrBOe2/Y9Tsr7mFOh6zcd6lB1vaVyr5A!
n3OYrg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4315
rec.radio.amateur.misc:11994 rec.radio.amateur.policy:27254 rec.radio.swap:4218

On 2006-05-25, Slow Code <email@no.spam> wrote:

> to be a ham now days, so licensing requirements have to be low in order to
> help keep our numbers up. They won't work for a license.

I don't think that's entirely true. I'm working for my license.
Learning code, radio and antenna theory, SMT, and every other thing I
can think of. Got an ARRL Handbook ('91), a cheapo hand key, and a G.
West test book. Do I think code should be required? Yes. IMO,
knowing what I'm doing is what being a ham is all about. Knowing code
is part of that. In fact, with the possible spread of BPL, CW may
again become the only way to punch through. If I just wanted to press
a button and yap, I'd buy a CB or a cellphone.

nb

From 2265086548484238330
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 11480d,aca1170d5df0b4ba,start

```
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid114aac,gid11480d,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.shortwave,rec.radio.amateur.dx
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Followup-
To: ,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,r
ec.radio.shortwave, rec.radio.amateur.dx
Date: 25 May 2006 21:11:28 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1148616688.008139.140600@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
   <1148093850.852066.18100@u72g2000cwu.googlegroups.com>
   <xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
   <1148242353.491923.5580@u72g2000cwu.googlegroups.com>
   <DRL017833.2458F8789@tarrnews.net>
   <%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148616693 5693 127.0.0.1 (26 May 2006 04:11:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 04:11:33 +0000 (UTC)
In-Reply-To: <%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=66.82.9.42;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:4316
rec.radio.amateur.misc:12002 rec.radio.amateur.policy:27264
rec.radio.shortwave:36956 rec.radio.amateur.dx:2210
```

Dan/W4NTI wrote:

> "Lloyd" <lloyd@no.spammmmm> wrote in message
> news:DRL017833.2458F8789@tarrnews.net...

```
> > On 21 May 2006 13:12:33 -0700, an old friend drooled:
> >> Dan/W4NTI wrote:
> >> > Or just a common drunk or dope addict that gets worse as
> >> > the night goes on?
> >> more libel
> >>
> >> how drool Dan
> >
> > Dan doesn't drool.  Right, Dan?
>
> No I don't.   Why is this particular idiotic thread in every major ham radio
> group?  It finally dropped out of DX,  and now I find it in "equipment".
> How about you children make your own little group,  all climb into it,  and
> make each other happy.

you were missing it DX well Ill be happy to fix that for you

have a nice day
>
> Dan/W4NTI




From 5213845167632724452
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 25 May 2006 21:53:08 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1148619188.406775.104330@i40g2000cwc.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
   <e50436$mju$1@avnika.corp.mot.com>
   <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
   <1279akel6o04646@corp.supernews.com>
   <1erdg.5216$921.3953@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148619193 27842 127.0.0.1 (26 May 2006 04:53:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 04:53:13 +0000 (UTC)
```

```
In-Reply-To: <1erdg.5216$921.3953@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.42;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:4317
rec.radio.amateur.misc:12006 rec.radio.amateur.policy:27268 rec.radio.swap:4220


Slow Code wrote:
> dplatt@radagast.org (Dave Platt) wrote in
> news:1279akel6o04646@corp.supernews.com:
>

>
> Reading all you wrote, what you are basically saying is that no one wants
> to be a ham now days, so licensing requirements have to be low in order to
> help keep our numbers up. They won't work for a license.
>
well your posts do tend to show you can't read what anyone write
> sc



From 7981802170098933359
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: rally2xs@att.net
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 26 May 2006 03:53:13 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1148640793.838736.87560@u72g2000cwu.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
   <z8qdg.990724$xm3.411652@attbi_s21>
NNTP-Posting-Host: 216.36.12.64
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148640798 19482 127.0.0.1 (26 May 2006 10:53:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 10:53:18 +0000 (UTC)
```

In-Reply-To: <z8qdg.990724$xm3.411652@attbi_s21>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=216.36.12.64;
   posting-account=hFGPVQ0AAAC7ekxGD-IBrcMkj5h7c58K
Xref: g2news2.google.com rec.antiques.radio+phono:22893 rec.radio.amateur.equipment:4318 rec.radio.amateur.misc:12015 rec.radio.shortwave:36984

I get approx 27 mpg with my Subaru WRX and there's 3 of us to share the gas if I were all that uptight about the gas, which I'm not.   I don't lose any sleep, I just go to bed before Jay Leno instead of after. And that's a pretty low rate for Hamvention weekend. Anyway, its only $8.88 for gas per day, which is just dirt cheap.   Find a motel like Holiday (pool, hi speed access) that is closer for the $8.88. Unlikely.

As for the driving, I drove 550 miles to get there, and 550 back, so 40 is just not noticable...

Dave Head

From 6231432722235848380
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: rally2xs@att.net
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 26 May 2006 03:53:16 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1148640796.729981.50510@j33g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <1148583368.842258.23140@j73g2000cwa.googlegroups.com>
   <z8qdg.990724$xm3.411652@attbi_s21>
NNTP-Posting-Host: 216.36.12.64
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148640801 19486 127.0.0.1 (26 May 2006 10:53:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 10:53:21 +0000 (UTC)

In-Reply-To: <z8qdg.990724$xm3.411652@attbi_s21>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=216.36.12.64;
   posting-account=hFGPVQ0AAAC7ekxGD-IBrcMkj5h7c58K
Xref: g2news2.google.com rec.antiques.radio+phono:22894 rec.radio.amateur.equipment:4319 rec.radio.amateur.misc:12016 rec.radio.shortwave:36985

I get approx 27 mpg with my Subaru WRX and there's 3 of us to share the gas if I were all that uptight about the gas, which I'm not.   I don't lose any sleep, I just go to bed before Jay Leno instead of after. And that's a pretty low rate for Hamvention weekend. Anyway, its only $8.88 for gas per day, which is just dirt cheap.   Find a motel like Holiday (pool, hi speed access) that is closer for the $8.88. Unlikely.

As for the driving, I drove 550 miles to get there, and 550 back, so 40 is just not noticable...

Dave Head

From 7206554750133254744
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 11480d,aca1170d5df0b4ba
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid114aac,gid11480d,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "N0VFP" <lloyd_n0vfp@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave,rec.radio.amateur.dx
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 26 May 2006 05:25:07 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1148646307.534566.179730@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>

```
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
   <1148093850.852066.18100@u72g2000cwu.googlegroups.com>
   <xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
   <1148242353.491923.5580@u72g2000cwu.googlegroups.com>
   <DRL017833.2458F8789@tarrnews.net>
   <%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
   <1148616688.008139.140600@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.48
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148646312 22349 127.0.0.1 (26 May 2006 12:25:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 12:25:12 +0000 (UTC)
In-Reply-To: <1148616688.008139.140600@j33g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=65.54.154.48;
   posting-account=I1axzw0AAADsW75j_Q6yJDAMR2rP9flh
Xref: g2news2.google.com rec.radio.amateur.equipment:4320
rec.radio.amateur.misc:12026 rec.radio.amateur.policy:27288
rec.radio.shortwave:36989 rec.radio.amateur.dx:2211


assraped by an_old_friend wrote:
> Dan/W4NTI wrote:
> > "Lloyd" <lloyd@no.spammmmm> wrote in message
> > news:DRL017833.2458F8789@tarrnews.net...
> > > On 21 May 2006 13:12:33 -0700, an old friend drooled:
> > >> Dan/W4NTI wrote:
> > >> > Or just a common drunk or dope addict that gets worse as
> > >> > the night goes on?
> > >> more libel
> > >>
> > >> how drool Dan
> > >
> > > Dan doesn't drool.  Right, Dan?
> >
> > No I don't.   Why is this particular idiotic thread in every major ham radio
> > group?  It finally dropped out of DX,  and now I find it in "equipment".
> > How about you children make your own little group,  all climb into it,  and
> > make each other happy.
>
> you were missing it DX well Ill be happy to fix that for you

Not from you, no code loser! You can't evn get on HF, loser.

> have a nice day
```

Go fuck yourself, Markie.

```
From -2548309585744015890
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: markie_morgan_rapesboys@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 26 May 2006 06:09:23 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1148648963.080238.23000@j33g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
   <e50436$mju$1@avnika.corp.mot.com>
   <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
   <1279akel6o04646@corp.supernews.com>
   <1erdg.5216$921.3953@newsread4.news.pas.earthlink.net>
   <1148619188.406775.104330@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.154.48
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148648968 29887 127.0.0.1 (26 May 2006 13:09:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 13:09:28 +0000 (UTC)
In-Reply-To: <1148619188.406775.104330@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=65.54.154.48;
   posting-account=vok5HA0AAACvJWuUoyRqAUtBR8APJEOX
Xref: g2news2.google.com rec.radio.amateur.equipment:4321
rec.radio.amateur.misc:12046 rec.radio.amateur.policy:27309 rec.radio.swap:4224
```

assraped by an_old_friend wrote:
> Slow Code wrote:
> > dplatt@radagast.org (Dave Platt) wrote in
> > news:1279akel6o04646@corp.supernews.com:
> >
>
> >

> > Reading all you wrote, what you are basically saying is that no one wants
> > to be a ham now days, so licensing requirements have to be low in order to
> > help keep our numbers up. They won't work for a license.
> >
> well your posts do tend to show you can't read what anyone write

Oh, the irony!

Markie Morgan, kb9rqz, proves his illiteracy when he slobbered
in Message-ID: <1147884138.829873.289830@j33g2000cwa.googlegroups.com>:
"Icertainly can so I am not ileiterate"

```
From 3729912902521270298
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 26 May 2006 08:00:23 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1148655623.920891.33810@i39g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
   <e50436$mju$1@avnika.corp.mot.com>
   <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
   <1279akel6o04646@corp.supernews.com>
   <1erdg.5216$921.3953@newsread4.news.pas.earthlink.net>
   <1148619188.406775.104330@i40g2000cwc.googlegroups.com>
   <1148648963.080238.23000@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148655629 16712 127.0.0.1 (26 May 2006 15:00:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 15:00:29 +0000 (UTC)
In-Reply-To: <1148648963.080238.23000@j33g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=66.82.9.42;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:4322
rec.radio.amateur.misc:12070 rec.radio.amateur.policy:27331 rec.radio.swap:4227


markie_morgan_rapesboys@yahoo.com wrote:
> assraped by an_old_friend wrote:
> > Slow Code wrote:
> > > dplatt@radagast.org (Dave Platt) wrote in
> > > news:1279akel6o04646@corp.supernews.com:
> > >
> >
> > >
> > > Reading all you wrote, what you are basically saying is that no one wants
> > > to be a ham now days, so licensing requirements have to be low in order to
> > > help keep our numbers up. They won't work for a license.
> > >
> > well your posts do tend to show you can't read what anyone write
>
> Oh, the irony!
irony just fear the oirignal post s sucha fossil




From 9365007123624O4195
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Thread: 11480d,aca1170d5df0b4ba
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid114aac,gid11480d,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.shortwave,rec.radio.amateur.dx
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 26 May 2006 08:39:54 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1148657994.333099.177890@j73g2000cwa.googlegroups.com>
References: <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <jn0ag.3495$y4.724@newsread2.news.pas.earthlink.net>
   <1148093850.852066.18100@u72g2000cwu.googlegroups.com>
   <xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
   <1148242353.491923.5580@u72g2000cwu.googlegroups.com>
   <DRL017833.2458F8789@tarrnews.net>
   <%Ardg.7747$y4.1609@newsread2.news.pas.earthlink.net>
   <1148616688.008139.140600@j33g2000cwa.googlegroups.com>
   <1148646307.534566.179730@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148657999 23504 127.0.0.1 (26 May 2006 15:39:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 15:39:59 +0000 (UTC)
In-Reply-To: <1148646307.534566.179730@u72g2000cwu.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=66.82.9.42;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:4323
rec.radio.amateur.misc:12108 rec.radio.amateur.policy:27368
rec.radio.shortwave:37045 rec.radio.amateur.dx:2212


N0VFP wrote:
> assraped by an_old_friend wrote:
> > Dan/W4NTI wrote:

> > you were missing it DX well Ill be happy to fix that for you
>
> Not from you, no code loser! You can't evn get on HF, loser.
i did fix it for him

guess you cant read the headers
>
> > have a nice day
>
> Go fuck yourself, Markie.
get help




From 3859946704105379114
X-Google-Thread: 108228,cdf171a22462f07,start
X-Google-Thread: 108122,cdf171a22462f07,start
X-Google-Thread: 1109af,cdf171a22462f07,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!peer02.cox.net!
cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
```

```
Subject: FA: MOTOROLA CP200-2WAY RADIO 438-470MHz-HAM/COMM-DESK CHGR
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0016_01C680AA.05F7CF40"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <LlGdg.20835$XV5.15923@fed1read10>
Date: Fri, 26 May 2006 09:51:55 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1148662251 68.104.78.240 (Fri, 26 May 2006 12:50:51 EDT)
NNTP-Posting-Date: Fri, 26 May 2006 12:50:51 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:956
rec.radio.amateur.equipment:4324 rec.radio.swap:4234

This is a multi-part message in MIME format.

------=_NextPart_000_0016_01C680AA.05F7CF40
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA CP200-2WAY RADIO 438-470MHz-HAM/COMM-DESK CHGR=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7623577866&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0016_01C680AA.05F7CF40
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA CP200-2WAY RADIO 438-470MHz-HAM/COMM-DESK CHGR </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7623577866&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7623577866&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0016_01C680AA.05F7CF40--
```

```
From -8370714452550748587
X-Google-Thread: 108228,649f2b0af534be73,start
X-Google-Thread: 108122,649f2b0af534be73,start
X-Google-Thread: 1109af,649f2b0af534be73,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT750 UHF 403-470MHZ-16CH-4WATT+RAPID CHG-NICE
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001F_01C680AA.299E6580"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <HmGdg.20836$XV5.6797@fed1read10>
Date: Fri, 26 May 2006 09:52:55 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1148662311 68.104.78.240 (Fri, 26 May 2006 12:51:51 EDT)
NNTP-Posting-Date: Fri, 26 May 2006 12:51:51 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:957
rec.radio.amateur.equipment:4325 rec.radio.swap:4235

This is a multi-part message in MIME format.

------=_NextPart_000_001F_01C680AA.299E6580
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT750 UHF 403-470MHZ-16CH-4WATT+RAPID CHG-NICE=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7623579464&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_001F_01C680AA.299E6580
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT750 UHF 403-470MHZ-16CH-4WATT+RAPID CHG-NICE </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7623579464&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7623579464&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_001F_01C680AA.299E6580--




From -4021953916531529785
X-Google-Thread: 108228,a8675459f0845ccd,start
X-Google-Thread: 108122,a8675459f0845ccd,start
X-Google-Thread: 1109af,a8675459f0845ccd,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 4-EA MOTOROLA RADIUS SP50 RADIOS UHF 450-470MHz-4W
Lines: 38
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0028_01C680AA.5424A080"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <OnGdg.20837$XV5.19351@fed1read10>
Date: Fri, 26 May 2006 09:54:07 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1148662382 68.104.78.240 (Fri, 26 May 2006 12:53:02 EDT)
NNTP-Posting-Date: Fri, 26 May 2006 12:53:02 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:958
rec.radio.amateur.equipment:4326 rec.radio.swap:4236

This is a multi-part message in MIME format.

------=_NextPart_000_0028_01C680AA.5424A080
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA: 4-EA MOTOROLA RADIUS SP50 RADIOS UHF 450-470MHz-4W



http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7623711572&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0028_01C680AA.5424A080
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 4-EA MOTOROLA RADIUS SP50 RADIOS UHF 450-470MHz-4W</P>
<P>&nbsp;</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7623711572&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7623711572&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0028_01C680AA.5424A080--



From 2424105143849807541
X-Google-Thread: 108228,dca1021ad9c102ad,start
X-Google-Thread: 108122,dca1021ad9c102ad,start
X-Google-Thread: 1109af,dca1021ad9c102ad,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!peer02.cox.net!cox.net!p01!fed1read10.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola HT1250 ls Radio 4-Watt-UHF-403-470 Wide-Band-w/Voice Store-
Ham-Really Nice Condition
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_003B_01C680AB.17ACA070"
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <WsGdg.20838$XV5.7171@fed1read10>
Date: Fri, 26 May 2006 09:59:35 -0700
NNTP-Posting-Host: 68.104.78.240
X-Complaints-To: abuse@cox.net
X-Trace: fed1read10 1148662710 68.104.78.240 (Fri, 26 May 2006 12:58:30 EDT)
NNTP-Posting-Date: Fri, 26 May 2006 12:58:30 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:959
rec.radio.amateur.equipment:4327 rec.radio.swap:4237

This is a multi-part message in MIME format.

------=_NextPart_000_003B_01C680AB.17ACA070
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola HT1250 ls Radio 4-Watt-UHF-403-470 Wide-Band-w/Voice =
Store-Ham-Really Nice Condition

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7623711572&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_003B_01C680AB.17ACA070
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola HT1250 ls Radio 4-Watt-UHF-403-470 Wide-Band-w/Voice=20
Store-Ham-Really Nice Condition</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7623711572&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7623711572&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_003B_01C680AB.17ACA070--



From -7506812193968747777
X-Google-Thread: 108122,e2b5a0e16f10377f,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: juvenile11691@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: I need a radio!!!!
Date: 26 May 2006 13:32:54 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.219.21.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148675579 17956 127.0.0.1 (26 May 2006 20:32:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 26 May 2006 20:32:59 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.0.1; yplus 4.1.00b),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=69.219.21.137;
   posting-account=2Q4TzQ0AAADaG_Adr7pNmTrOn0X9kARZ
Xref: g2news2.google.com rec.radio.amateur.equipment:4328

Does anybody have a radio they could give to a young ham?



From 1719209783877353313
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!
sdd.hp.com!news-pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!
newsfeed2.sea.pnap.net!newsfeed.pnap.net!motgate2.mot.com!newshost!
avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help...[snip]
Date: Fri, 26 May 2006 17:07:46 -0500
Organization: Motorola Applications Directory Team
Lines: 37
Message-ID: <e57u7j$eeg$1@avnika.corp.mot.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
```

<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
<e52c2g$ths$1@avnika.corp.mot.com>
<3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1148681267 14800 173.27.203.217 (26 May 2006 22:07:47 GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Fri, 26 May 2006 22:07:47 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:4329 rec.radio.amateur.misc:12129 rec.radio.amateur.policy:27388 rec.radio.swap:4244

Slow,
Can you address any of my comments in my previous, or here ?

> My arguement has always been for the quality of the hams.

OK. Given this, is it true that everything else is unimportant to you - only the quality? [there always have been jerks around.]

> You appreciate something more that you had to work to achieve, and respect the rewards
> it gives.

I think I can agree with this. Give a kid a car or whatever, and he's more likely to treat it badly. Make him work for it and he appreciates the value and shows the appropriate care with it..

> Cheapening something makes it disposable.

Yea.... I understand that having to do the CW thing is more work and more likely that the licence will be valued, but what about putting the prospective ham through other, more rigorous hoops, like electronic theory, emcom, etc. Why won't more modern "hoops" work the same way to bolster the individual's respect for the service?

> Ham numbers are declining.

I believe this is true, but what is you reason for stating this? Are you glad this is happening or sad or indifferent?

73, Steve, K9DCI

```
From 3462706096301232841
X-Google-Thread: 108122,e2b5a0e16f10377f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe10.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
Subject: Re: I need a radio!!!!
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <abLdg.19624$sY5.17347@fe10.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 26 May 2006 22:20:54 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4330
```

juvenile11691@yahoo.com wrote:
> Does anybody have a radio they could give to a young ham?

What kind of radio are you looking for? What is your callsign?

```
From 1891530543133997569
X-Google-Thread: 108122,e2b5a0e16f10377f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 26 May 2006 17:40:40 -0500
Newsgroups: rec.radio.amateur.equipment
From: notbob <notbob@nothome.com>
Subject: Re: I need a radio!!!!
References: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <PJidnTtoJ6h3HurZRVn-uQ@comcast.com>
Date: Fri, 26 May 2006 17:40:42 -0500
Lines: 8
NNTP-Posting-Host: 24.5.203.12
```

X-Trace: sv3-VMFCW6G0cfKdmOcfXofrgqr7Q6y35ZObteUR/
fkg+sQzORОdyMFzD0nEXw1WlBk3JapQsCWsAghU58s!
MIHFPb31H4lpuKrVGGsmKsbTqLtKu9mHVu7B1KWTynRVZSS+OaH5z3Nt6hdsX7lnqruj
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4331

On 2006-05-26, juvenile11691@yahoo.com <juvenile11691@yahoo.com> wrote:
> Does anybody have a radio they could give to a young ham?

Not quite free, but.......

http://www.al7fs.us/AL7FS2.html

nb

From 3033909526124650970
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help...[snip]
From: Slow Code <email@no.spam>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
<e52c2g$ths$1@avnika.corp.mot.com>
<3erdg.5217$921.2175@newsread4.news.pas.earthlink.net>
<e57u7j$eeg$1@avnika.corp.mot.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 50
Message-ID: <9XMdg.8$eB3.3@newsread3.news.pas.earthlink.net>
Date: Sat, 27 May 2006 00:20:21 GMT
NNTP-Posting-Host: 4.228.228.104
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148689221 4.228.228.104 (Fri, 26 May

```
2006 17:20:21 PDT)
NNTP-Posting-Date: Fri, 26 May 2006 17:20:21 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4332
rec.radio.amateur.misc:12132 rec.radio.amateur.policy:27396 rec.radio.swap:4246

"Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
news:e57u7j$eeg$1@avnika.corp.mot.com:

>
>
> Slow,
>  Can you address any of my comments in my previous, or here ?
>
>
>> My arguement has always been for the quality of the hams.
>
> OK.  Given this, is it true that everything else is unimportant to you -
> only the quality?  [there always have been jerks around.]

So let's have more?

>
>
>> You appreciate something more that you had to work to achieve, and
>> respect
> the rewards
>> it gives.
>
>   I think I can agree with this.  Give a kid a car or whatever, and he's
> more likely to treat it badly.  Make him work for it and he appreciates
> the value and shows the appropriate care with it..
>
>
>> Cheapening something makes it disposable.
>
>   Yea....   I understand that having to do the CW thing is more work and
> more likely that the licence will be valued, but what about putting the
> prospective ham through other, more rigorous hoops, like electronic
> theory, emcom, etc.  Why won't more modern "hoops" work the same way to
> bolster the individual's respect for the service?

Yes,  85% passing score for writtens.

>
>> Ham numbers are declining.
>
>   I believe this is true, but what is you reason for stating this?  Are
>   you
> glad this is happening or sad or indifferent?

The numbers don't matter, quality does.  Reasoning a service is good
because it has lots of members, CB should be great then, but it's like a
kindergarten.
```

sc

From -7173943867697825233
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c,start
X-Google-Thread: 108122,ea6ec3c7f8d8908c,start
X-Google-Thread: 1109af,ea6ec3c7f8d8908c,start
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: I was going through about ten years of ham catalogs, and I noticed a disturbing trend.
From: "Morse or Re-Morse" <see@double.you>
Organization: Save morse
User-Agent: Xnews/5.04.25
Lines: 11
Message-ID: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
Date: Sat, 27 May 2006 00:20:26 GMT
NNTP-Posting-Host: 4.228.228.104
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148689226 4.228.228.104 (Fri, 26 May 2006 17:20:26 PDT)
NNTP-Posting-Date: Fri, 26 May 2006 17:20:26 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12139 rec.radio.amateur.equipment:4333 rec.radio.swap:4247

There's an increase in recent years of ham gear Retailers offering an expanding amount of citizen band radios and related products.

So Retailers have seen the changes in the type of people that are making up and will be making up the US ham population, and have modified their inventories and marketing to stay in step with it.

Gotta keep selling them radio's, Ten-Four?

Morse

From -4259659716633516187
X-Google-Thread: 108122,861a7958224ab541,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: ebohnn@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS KENWOOD - UHF mobile - model TK-862/TK-862G
Date: 26 May 2006 17:35:11 -0700

Organization: http://groups.google.com
Lines: 37
Message-ID: <1148690111.401850.169880@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 71.211.237.211
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148690116 16856 127.0.0.1 (27 May 2006 00:35:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 May 2006 00:35:16 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=71.211.237.211;
   posting-account=nngXuw0AAACk8eA9zV9sU5WtD_oQsbq4
Xref: g2news2.google.com rec.radio.amateur.equipment:4334

I have about 15, KENWOOD - UHF - mobile model TK-862/TK-862G units for sale.

They are all very clean and in LIKE NEW condition. They come with the Kenwood mic.

Click on these links to see pictures:

http://imagehost.epier.com/35528/kenwoodtk-1.jpg

http://imagehost.epier.com/35528/kenwoodtk-2.jpg

http://imagehost.epier.com/35528/kenwoodtk-3.jpg

http://imagehost.epier.com/35528/kenwoodtk-4a.jpg

http://imagehost.epier.com/35528/kenwoodtk-5.jpg

For specifications on this unit click on this link:
http://www.bandtcom.com/762.pdf

They were recently remove from service in cars so they are very clean.

The price is $95 each plus $11.85 shipping in the lower 48 states.

I will ship world wide.

If you want one or more of these very nice radios, please email me at:
rfpexec@yahoo.com
(rfpexec at yahoo .com)

Thank you for looking.

Bill

From -2754750476464802037
X-Google-Thread: fcc6e,ea6ec3c7f8d8908c
X-Google-Thread: 108122,ea6ec3c7f8d8908c
X-Google-Thread: 1109af,ea6ec3c7f8d8908c
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!mpls-transit-01.news.qwest.net!feed.news.qwest.net!sooner.brightok.net!not-for-mail
From: "M." <notvalid@email.add>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
References: <eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net>
Subject: Re: I was going through about ten years of ham catalogs, and I noticed a disturbing trend.
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <iGQdg.1$pP.3192@sooner.brightok.net>
Date: Fri, 26 May 2006 23:35:23 -0500
NNTP-Posting-Host: 204.249.201.65
X-Trace: sooner.brightok.net 1148704526 204.249.201.65 (Fri, 26 May 2006 23:35:26 CDT)
NNTP-Posting-Date: Fri, 26 May 2006 23:35:26 CDT
Xref: g2news2.google.com rec.radio.amateur.antenna:12155 rec.radio.amateur.equipment:4335 rec.radio.swap:4249

Either that, or they noticed that the anal-retentive old fart CW losers
aren't buying new equipment so they're marketing to somebody who will.

m

"Morse or Re-Morse" <see@double.you> wrote in message
news:eXMdg.13$eB3.11@newsread3.news.pas.earthlink.net...
> There's an increase in recent years of ham gear Retailers offering an
> expanding amount of citizen band radios and related products.
>
> So Retailers have seen the changes in the type of people that are
> making up and will be making up the US ham population, and have modified
> their inventories and marketing to stay in step with it.
>
> Gotta keep selling them radio's, Ten-Four?
>
>
> Morse

```
From 5970931712748942792
X-Google-Thread: 108122,3505feb529e93e68
X-Google-Thread: fc2a5,3505feb529e93e68
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!newsfeed.news2me.com!sn-xt-sjc-04!sn-xt-sjc-06!
sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "john graesser" <graesser@tca.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: Suggestions how to fix a 2-m xcvr problem?
Date: Sat, 27 May 2006 00:26:05 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <127fofpqdbtahf3@corp.supernews.com>
References: <e52p04$6m0@unix1.cc.ksu.edu>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
X-Complaints-To: abuse@supernews.com
Lines: 55
Xref: g2news2.google.com rec.radio.amateur.equipment:4336
rec.radio.amateur.homebrew:5474


<mcalhoun@ksu.edu> wrote in message news:e52p04$6m0@unix1.cc.ksu.edu...
> NOTE:  Crossposted to rec.radio.amateur.equipment and rec...homebrew.
>
> For some years, I've had a Kenwood TM-251A 2-meter xcvr (with 440 rcv)
> hanging from the ceiling of my pickup truck, and recently the TouchTone
> pad (in the microphone) quit working and, while PTT causes plenty of RF
> output, there's no AUDIO output.
>
> I'm pretty sure the problem is in the microphone electronics OR its
> 8-wire cord.  I've "beeped" the cord from the telephone/data-like (RJ-45?)
> connector to solder joints on the mike PC board (it's quite a full little
> board!) and don't find anything wrong (but it's hard to hold a probe on
> each end and wiggle everything in the middle!).  I'd replace the cord in
> a flash except I can't handle that %$#@! RJ connector.
>
> The only microphone detail in the xcvr Service Manual other than the
> connector pinout:
>    UP
>    +8 volts (I measued +7.25)
>    GROUND
>    PTT
>    ME (Mike Earth?)
>    MIKE
>    RD (Read Detect?  An output, perhaps for use with a TNC?)
>    DOWN
> is the fact that PTT, UP, DOWN, CALL, VFO, MR, and PF are connected to
```

> three analog-inputs (and ground), thus "using up" four of the seven
> input wires and leaving just two wires (MIKE and ME) to handle the
> remaining 16 TouchTone keys AND audio!
>
> PTT, UP, DOWN, CALL, VFO, MR, and PF do work as they are supposed to.
>
> With "Remote Control Mode" ON, letter "A" on the TT pad is supposed
> to start frequency input from the keypad, but it does NOT. With an
> oscilloscope probe on the MIKE and ME wires, pushing "A" gives no
> visible change in the trace, but my jury-rig setup would probably miss
> a single tone-burst, so that is probably an inconclusive test other
> than the xcvr CPU didn't respond, either.
>
> Any suggestions?

Our local university club had one of these that was flakey as well, it had been hit by lightning and both receivers worked, but from the testing I did on it, the ptt no longer worked as ptt, one of the freq change buttons now worked as ptt, but locked on when pressed once, then turned off when pressed again. The other buttons on the mic were similarly mangled up. No one wanted to spend money to actually fix the piece of junk, so it just got shoved in a box and stored away. Good luck on getting yours running, I was not impressed by the recieve audio, and with the transmit problems with the one we had I never did listen to its transmit audio.
thanks, John.
KC5DWD

From 4048665366867949529
X-Google-Thread: fc2a5,21c8041d9ac87311,start
X-Google-Thread: 111d0a,21c8041d9ac87311,start
X-Google-Thread: fc8b1,21c8041d9ac87311,start
X-Google-Thread: 108122,21c8041d9ac87311,start
X-Google-Thread: 107ada,21c8041d9ac87311,start
X-Google-Attributes: gidfc2a5,gid111d0a,gidfc8b1,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,sci.electronics.basics,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: SolderSmoke #23: Indian Hamsat, Mike's DSB, Airband, ATV, parasitics,SSB vs. CW
Date: 27 May 2006 05:18:20 -0700
Organization: http://groups.google.com
Lines: 64
Message-ID: <1148732300.115326.85210@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 86.142.42.83
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"

```
X-Trace: posting.google.com 1148732305 2045 127.0.0.1 (27 May 2006 12:18:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 27 May 2006 12:18:25 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=86.142.42.83;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:5477
sci.electronics.basics:16504 rec.radio.amateur.boatanchors:4192
rec.radio.amateur.equipment:4337 rec.radio.amateur.misc:12150
```

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.ourmedia.org/node/229696

CHECK OUT BILL'S NEW Gadgeteer Blog:
http://usgadgeteer.blogspot.com/

Topics discussed in SolderSmoke #23:

-- Mike solves DSB rig problems
-- Low frequency parasitics
-- More on ladder filters
-- Adjusting SSB rigs
-- Listening to ham satellite from India
-- Monitoring aircraft radios from the kitchen
-- London Amateur Television
-- 747s as high band passive reflectors
-- CW advantage? SSB advantage?
-- MAILBAG (with new GONG!): Mark, KA6WKE; Merv, M3LYJ; Terry, WA0ITP; Jack, G3PVG; Nigel, M0NDE; Paulo, CT1EFL; Mike, KD5KXF.

Listen at: http://www.ourmedia.org/node/229696

Background:
Tired of listening to Led Zepplin or NPR on your I-Pod?   Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

NEW RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software. We've been having trouble with our Ourmedia RSS feed, so Mike (software wizard that he is) has

homebrewed his own RSS feed. In order to subscribe to
SolderSmoke, point your podcast software to:

http://kl7r.ham-radio.ch/soldersmoke.rss

If you don't have an MP3 player you can just go to the
site below and listen to the latest program (and
earlier editions) using the audio software on your
computer.

http://www.ourmedia.org/node/229696

Here's the homepage for our show. All our programs
are available here. There is also a blog and links
to some of the sites and documents we've been
discussing: http://www.ourmedia.org/user/36170

We hope you enjoy the program. Please send us
feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

From -6748419117276753167
X-Google-Thread: 108228,b05470fe7a539c4c,start
X-Google-Thread: fc8b1,b05470fe7a539c4c,start
X-Google-Thread: 108122,b05470fe7a539c4c,start
X-Google-Thread: 1109af,b05470fe7a539c4c,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-mail
From: "Tom" <tfarl@iowatelecom.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: HW-16 Front Panel Overlays - $14.95
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <nmYdg.750843$084.212448@attbi_s22>
NNTP-Posting-Host: 12.215.107.2
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1148736019 12.215.107.2 (Sat, 27 May 2006 13:20:19 GMT)
NNTP-Posting-Date: Sat, 27 May 2006 13:20:19 GMT
Organization: AT&T ASP.att.net
Date: Sat, 27 May 2006 13:20:19 GMT

Xref: g2news2.google.com alt.ham-radio.marketplace:967
rec.radio.amateur.boatanchors:4193 rec.radio.amateur.equipment:4338
rec.radio.swap:4254

...for fixing up your old Heathkit HW-16. Pics, details, and order at
www.hayseedhamfest.com .

Easy to install - If you can put on a postage stamp, you can install one
of these.
Pre-cut holes and voids.
Self-Adhesive doesn't "stick" until you're ready for it to!
Durable - 6.4 mil thick.
Colorfast - Uses outdoor-durable solvent-based inks.
Abrasion Resistant - Thin, clear, laminated layer "seals in" inks.
Easy to follow instructions.

Tnx for looking and 73,
Tom N�JMY . .
www.hayseedhamfest.com

From -7235892283274555750
X-Google-Thread: 108122,e2b5a0e16f10377f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 27 May 2006 08:34:02 -0500
Message-ID: <44785554.6020106@w2agn.net>
Date: Sat, 27 May 2006 09:34:12 -0400
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Thunderbird 1.5.0.2 (X11/20060420)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
To: juvenile11691@yahoo.com
Subject: Re: I need a radio!!!!
References: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
In-Reply-To: <1148675574.013484.250390@j55g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-
iJ1lJsosuDCinRsAK70qJyCSTstt0QIVWLGVFa+2guEZt01p8Nf4DO6WppYXX0d3aE+aCWaN5XuebCW!
85afnilksqg6JhLLx4NdYhG3k/D+JiMnT1o+fCWfdk7ViuuKz7JvKOl+gET6gF2EjE0AkjJ9
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly

```
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4339

juvenile11691@yahoo.com wrote:
> Does anybody have a radio they could give to a young ham?
>
First they want the license given to them, now they want a radio given to them,
too?


From 3008606263764385480
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 00:32:56 -0500
From: "Mark Oppat" <moppat@comcast.NOSPAMnet>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com>
<m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
<1148326681.789315.105280@u72g2000cwu.googlegroups.com>
Subject: Re: Ebay & "The Market"
Date: Tue, 23 May 2006 02:08:08 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <SOGdnZAFXrsVA-_ZRVn-qw@comcast.com>
Lines: 55
NNTP-Posting-Host: 68.42.132.171
X-Trace: sv3-
KTe1SOMF0V3OArPhha18br75ZJDCuDfqNVvc7yYJx+UUvRj3VaxwYF8HMKJBLNfISqFVZ7xmGd3j7Tc!
T1MlYb3FbQVUu8qUKcc6z4yHBFKpnhiMkFXnnBSHhAz9uzxR8qcbozOYDaA39FQ39FBdCvvVCw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.antiques.radio+phono:22453
rec.radio.amateur.equipment:4240 rec.radio.amateur.misc:11684
rec.radio.shortwave:36504
```

You cant touch or feel or converse as well with internet sales....nothing beats the face to face events, if they are well run. In the antique radio world, Extravaganza is one of the best, Bolingbrook is making a strong comeback from the Elgin days, Charlotte is strong and Kutztown is overflowing into the next pavilion.

All you have to do is have a good facility, be open to the general public for free or little money, and promote your show like crazy. An enforced set start time makes it more fair, as Extravaganza and Charlotte have proved. The other two should consider that...

I sold at Dayton in '96 and '97. It was sliding down then even in my opinion... I only sold about $1300 worth in two days... about half that could be considered profit. Not worth it for what was essentially 4.5 days worth of work (1 day loading, 2 days there, one day RT driving, half day unloading). I had all tube era stuff.. tube sockets, capacitors, trimmers, Ham type tubes, etc, etc. All the guys stolling by had "Rice Boxes" strapped to their belts and didnt know which end of a soldering iron to hold. One guy even held up an old RCA 811 tube to show his buddy and said "I remember when we used to use these things!" His buddy'd never seen a tube I think, and he was about 35, this being back in '96.
I had 100 pc bags of mylar and filter caps priced lower than anywhere, and I mean ANYWHERE. Still do.

Mark Oppat

"John S." <hjsjms@cs.com> wrote in message
news:1148326681.789315.105280@u72g2000cwu.googlegroups.com...
>
> Peter Wieck wrote:
> > After reading all this, and with the recent Kutztown event in the
> > background, as well as my three weekend finds, I am not so sure eBay
> > has much to do with anything as to radio prices or availability. This
> > is based on several assumptions which I will list for
> > correction/addition/amplification:
> >
>
>
> Internet based sales have a huge advantage over in-place sales like
> Dayton. Ebay and other sales sites can as we all know bring sellers
> from around the world at any time of the day. It just isn't possible
> to get that kind of coverage at an arena in Ohio.
>
> To the extent that buyer and seller are honest (and most are) internet
> sales work very well because money and the good to be sold have to be
> moved only once.
>
> It is for the exact same reason that in-person antique shows are having
> a hard go of it.
>
>

```
From 3002622598369490772
X-Google-Thread: 108122,4e2b3015df4fedf6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe03.lga.POSTED!
53ab2750!not-for-mail
From: "Martin Walker" <mbw46@idontwantanyspam.charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: (slightly OT) Vertex VX-10 reset
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <I8xcg.110$3W6.49@fe03.lga>
X-Trace:
idmkcnjgmiagocdeabenojfjcbdjajfakbdihppfigffbgbmgjblfpjfhibkehgekggcgdchkoogdnkkid
efinkejeplghilmcfambihjkimlmmajnpinakkchdpelmlegcmjhhibopfakdb
NNTP-Posting-Date: Mon, 22 May 2006 22:33:28 MST
Date: Tue, 23 May 2006 01:33:57 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:4241

I recently acquired a used Vertex VX-10 without a manual. Can anyone here
tell me how to do a CPU reset? Also looking for a manual in PDF format.
Thanks.

Martin
KC8CFP
```

```
From -6164236031078584157
X-Google-Thread: fcc6e,a58664acc9a81815,start
X-Google-Thread: 108122,a58664acc9a81815,start
X-Google-Thread: fc2a5,a58664acc9a81815,start
X-Google-Thread: 107ada,a58664acc9a81815,start
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeeds.ihug.co.nz!
lust.ihug.co.nz!ihug.co.nz!not-for-mail
From: "Kevin & Natalia" <sparc_man@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.misc
Subject: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: Tue, 23 May 2006 21:52:19 +1200
```

Organization: Ye 'Ol Disorganized NNTPCache groupie
Lines: 25
Message-ID: <1148377755.519950@ftpsrv1>
NNTP-Posting-Host: news.tranzpeer.net
X-Trace: lust.ihug.co.nz 1148377914 17326 202.180.64.19 (23 May 2006 09:51:54 GMT)
X-Complaints-To: abuse@ihug.co.nz
NNTP-Posting-Date: Tue, 23 May 2006 09:51:54 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Cache-Post-Path: ftpsrv1!unknown@203.184.0.16
X-Cache: nntpcache 2.3.3 (see http://www.nntpcache.org/)
Xref: g2news2.google.com rec.radio.amateur.antenna:11853
rec.radio.amateur.equipment:4242 rec.radio.amateur.homebrew:5380
rec.radio.amateur.misc:11686

Hi All,

I acquired a Pitch-Prop motor a number of years ago, with the intention of building a antenna rotator.
I still have the intention of doing this, and have checked the motor for operation. This works out very nice, and was able to control it to different speeds with different voltage.
I have a construction design for the mounting of the motor and gearbox to the tower, and antenna.

The problem I have now, is I wish to construct a suitable control unit, with digital readout, and the possibility of controlling via a mini PIC control, or via PC.

I have searched the internet without much success, so my next course of action was to see if anyone on these groups might be of help.
So I put my hands up for HELP! :)

Any help would be gratefully received.

Thanks in Advance.

Kevin, ZL1KFM.

From -1904664990582849077
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-

```
mail
From: "CAINE" <bb69@epix.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 23 May 2006 04:10:54 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1148382653.949449.12030@i39g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <C0972C92.479F3%jmsent2@comcast.net>
   <1148315075.007705.154790@j33g2000cwa.googlegroups.com>
   <vbqcg.7462$JW5.7114@southeast.rr.com>
   <1148349648.408706.30190@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 216.222.225.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148382659 2706 127.0.0.1 (23 May 2006 11:10:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 11:10:59 +0000 (UTC)
In-Reply-To: <1148349648.408706.30190@j55g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=216.222.225.2;
   posting-account=8A6xkw0AAAAQZODIdyLn1eB36dUhf_7s
Xref: g2news2.google.com rec.antiques.radio+phono:22468
rec.radio.amateur.equipment:4243 rec.radio.amateur.misc:11687
rec.radio.shortwave:36511

you've obviously never been to our local flea markets here, Peter

I bought a pair of speakers for $10, that sold for $400 on ebay



From 2752156285729864003
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!postnews.google.com!
g10g2000cwb.googlegroups.com!not-for-mail
From: "Cheesehead" <dplotusnotes@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
```

```
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 23 May 2006 04:51:30 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1148385090.795664.210830@g10g2000cwb.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
   <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 159.53.78.143
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148385096 9326 127.0.0.1 (23 May 2006 11:51:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 11:51:36 +0000 (UTC)
In-Reply-To: <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=159.53.78.143;
   posting-account=_Ww8SgwAAADj6tMC6ZW_o8ZoN3kLCIQT
Xref: g2news2.google.com rec.antiques.radio+phono:22469
rec.radio.amateur.equipment:4244 rec.radio.amateur.misc:11688
rec.radio.shortwave:36512
```

There were some give-aways.
My son, 19, was given an OSI Challenger 4P.
I'm envious. :O

```
From 1345564528407518224
X-Google-Thread: 108122,572a8e2a306bccdd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: "acamil" <acamil@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: wtb 7855 tube
Date: 23 May 2006 05:25:43 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1148387143.838076.25730@38g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.125.2.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148387149 14883 127.0.0.1 (23 May 2006 12:25:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 12:25:49 +0000 (UTC)
User-Agent: G2/0.2
```

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=69.125.2.49;
   posting-account=YkjRgw0AAABH9oDJ036cRVuMdriGf5fU
Xref: g2news2.google.com rec.radio.amateur.equipment:4245

WTB 7855 tube
I need 1 piece of ML7855. Could be made by EIMAC/CPI,
Machlett/Raytheeon, GE/MPD.
Please let me know price and condition by email. Thank you. ...




From -2039199750268992646
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.web-ster.com!news.web-
ster.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 09:20:35 -0500
Date: Tue, 23 May 2006 07:20:42 -0700
From: Tim Wescott <tim@seemywebsite.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.6) Gecko/20040113
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
References: <1148377755.519950@ftpsrv1>
In-Reply-To: <1148377755.519950@ftpsrv1>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com>
Lines: 44
NNTP-Posting-Host: 65.182.233.156
X-Trace: sv3-64KcyUWqk2c3s94pDmNgusEV0w0JTJSblLEtvY9/
yg46P0V0NJ7MD8fyaMnqDIr6MwLu8KMtOT0dJOJ!
95MSGmGM5fwkVjUBvcF3QscUWGVJlcc6ZfjblruBoi1JNqJdS5j5yE2i48M/SG1pM/3ZTpgLd6E1!
wxalITwCAs4ZK7OL
X-Complaints-To: abuse@web-ster.com
X-DMCA-Complaints-To: abuse@web-ster.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11866
rec.radio.amateur.equipment:4246 rec.radio.amateur.homebrew:5389
```

rec.radio.amateur.misc:11718

Kevin & Natalia wrote:

> Hi All,
>
> I acquired a Pitch-Prop motor a number of years ago, with the intention of building a antenna rotator.
> I still have the intention of doing this, and have checked the motor for operation. This works out very nice, and was able to control it to different speeds with different voltage.
> I have a construction design for the mounting of the motor and gearbox to the tower, and antenna.
>
> The problem I have now, is I wish to construct a suitable control unit, with digital readout, and the possibility of controlling via a mini PIC control, or via PC.
>
> I have searched the internet without much success, so my next course of action was to see if anyone on these groups might be of help.
> So I put my hands up for HELP! :)
>
> Any help would be gratefully received.
>
> Thanks in Advance.
>
> Kevin, ZL1KFM.

Excepting the readout, this should be a fairly routine motor control problem. Depending on what you want to do your control box could be as simple as a current-limited power supply and a couple of switches or as complex as a fully fed-back motion control system.

How's your electronics skills, and how fancy do you want it to be?

--

Tim Wescott
Wescott Design Services
http://www.wescottdesign.com

Posting from Google? See http://cfaj.freeshell.org/google/

"Applied Control Theory for Embedded Systems" came out in April.
See details at http://www.wescottdesign.com/actfes/actfes.html

From 7801415022848373080
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a

```
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
208.49.83.146.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
From: "Fuse News" <k8cxm@fuse.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<1148325136.787232.24030@i40g2000cwc.googlegroups.com>
<1148330744.551002.41230@g10g2000cwb.googlegroups.com>
<1148385090.795664.210830@g10g2000cwb.googlegroups.com>
Subject: Re: Dayton HamFest killed by E-Bay
Date: Tue, 23 May 2006 10:27:49 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <f206d$44731bea$d0662e25$8359@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 28
X-Trace: f206d44731bea75c38b8008359
Xref: g2news2.google.com rec.antiques.radio+phono:22474
rec.radio.amateur.equipment:4247 rec.radio.amateur.misc:11719
rec.radio.shortwave:36532
```

I also had a great time. This is my 43rd Dayton Hamvention in 45 years of being a ham. Yea, it's changed a bit, but still, IMHO, worth the price of admission. I found everything on my list, and at acceptable prices. Some things were indeed overpriced, but just walk away and keep looking. I'll not forget the old Johnson Speedex key (in excellent condition) that I bought from some guy in a cold drizzle for $8 a few Hamventions back. He was anxious to sell anything. Maybe the best buy I've ever made at a Ham 'tailgate' (or flea market if you like).

Of course it does help to be an hour away. No airplanes or hotel rooms does make it affordable and easy, no argument from me. If E-bay killed Dayton, wonder why all the people were there anyway. It was as crowded as usual.

I'm already looking forward to next year.

Jim Leder
K8CXM since 1961
IBM retiree since 1999
http://home.fuse.net/k8cxm/

"Cheesehead" <dplotusnotes@yahoo.com> wrote in message
news:1148385090.795664.210830@g10g2000cwb.googlegroups.com...

> There were some give-aways.
> My son, 19, was given an OSI Challenger 4P.
> I'm envious. :O
>

From 4449728552981568469
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44731F41.5070102@fuse.net>
Date: Tue, 23 May 2006 10:42:09 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by OBSCENE ADMISSION $$$
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<4471305D.9090001@qth.com> <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
In-Reply-To: <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 16
X-Trace: aaec244731f6ee098318626367
Xref: g2news2.google.com rec.antiques.radio+phono:22475
rec.radio.amateur.equipment:4248 rec.radio.amateur.misc:11720
rec.radio.shortwave:36533

I honestly don't think $25 is that out of line. How much are boat shows, Home and Garden shows? Probably a LITTLE less but they draw from a much larger market and have significant vendor support.

I was hoping I'd see something in these groups about some new products or SOMETHING NEW...All I see is bitching.

C'mon, folks. Take things as they are. It's not going to be 1950 or 1970 or even 1990 again.

I do intend to go to the Hamvention next year...for the first time in 30 years!

John
AB8WH

```
From -8096900132696713559
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "RadioGary" <n9vu@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 23 May 2006 07:43:55 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1148395434.909294.186060@i39g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
   <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
   <1148385090.795664.210830@g10g2000cwb.googlegroups.com>
   <f206d$44731bea$d0662e25$8359@FUSE.NET>
NNTP-Posting-Host: 69.209.227.244
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148395440 30606 127.0.0.1 (23 May 2006 14:44:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 14:44:00 +0000 (UTC)
In-Reply-To: <f206d$44731bea$d0662e25$8359@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.209.227.244;
   posting-account=KQBFZw0AAAAOm4gIsdR2tqC1mBUUiVsK
Xref: g2news2.google.com rec.antiques.radio+phono:22476
rec.radio.amateur.equipment:4249 rec.radio.amateur.misc:11721
rec.radio.shortwave:36534
```

I'll have to agree with this. I found what I was looking for plus an old Allied A2516 tube ham receiver practically given away because it had a blown fuse and missing cover screws. Other than that a great time seeing old friends, alot of new stuff, and the weather was perfect. I don't think Ebay can steal any of that. Maybe it wasn't the best place to find antique radios, but it's a HAMfest and old radios are not the majority of what you find there. If anyone thinks that the crowd is less because of Ebay, wrong!!   Hamfest numbers have drifted downward in the past few years due to diminishing ranks in Ham Radio. Now if this were a computer show you'd see a bigger crowd. In short, you get what you get out of a Hamfest. Just because you don't find alot of give aways at the flea market doesn't mean it's a disaster.   There is always plenty of other things to do. This is true for the smaller hamfests as well.

```
From -8876461304521148552
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "Cheesehead" <dplotusnotes@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 23 May 2006 08:01:11 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1148396470.879595.65430@j73g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
   <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
   <1148385090.795664.210830@g10g2000cwb.googlegroups.com>
   <f206d$44731bea$d0662e25$8359@FUSE.NET>
NNTP-Posting-Host: 159.53.46.143
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148396476 8661 127.0.0.1 (23 May 2006 15:01:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 15:01:16 +0000 (UTC)
In-Reply-To: <f206d$44731bea$d0662e25$8359@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=159.53.46.143;
   posting-account=_Ww8SgwAAADj6tMC6ZW_o8ZoN3kLCIQT
Xref: g2news2.google.com rec.antiques.radio+phono:22477
rec.radio.amateur.equipment:4250 rec.radio.amateur.misc:11722
rec.radio.shortwave:36535
```

I'm not too far away, either. that makes it practical.

Perhaps those concerned about motel costs would do better to stay
in Springfield or even Columbus.

KC8TKA

```
From 4139236481943257248
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
i40g2000cwc.googlegroups.com!not-for-mail
From: "n3ox.dan@gmail.com" <n3ox.dan@gmail.com>
Newsgroups: 
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: 23 May 2006 08:31:29 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1148398289.804642.102440@i40g2000cwc.googlegroups.com>
References: <1148377755.519950@ftpsrv1>
   <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com>
NNTP-Posting-Host: 128.8.86.108
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148398295 13712 127.0.0.1 (23 May 2006 15:31:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 15:31:35 +0000 (UTC)
In-Reply-To: <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=128.8.86.108;
   posting-account=KerKog0AAADSrnDaP6aKV-_wqIkM3SNr
Xref: g2news2.google.com rec.radio.amateur.antenna:11875
rec.radio.amateur.equipment:4251 rec.radio.amateur.homebrew:5393
rec.radio.amateur.misc:11724
```

I'm going to recommend against electronic feedback unless you are a control systems hobbyist... I did PID (proportional-integral-derivative) servo on a homebrew rotating mast so I didn't need a readout and eventually decided to go with a rotation sensing pot, a voltage-to-current converter, and a surplus meter.

This was after I tweaked the PID to get rid of the oscillations but still had some average position errors...

I guess with a digital system it would be easier to optimize. Mine was
all analog... and only one op amp, so the settings interacted :-)

Making the motor go and watching the meter is a more sensitive and
intelligent form of feedback, as long as you've got a system you can't
break by turning too far.

A simple pulse-width-modulator for speed control might be in the cards
though. That way you send a variable duty cycle full-on full-off pulse
train to the motor. Good torque and you don't need a variable power
supply just to run the rotor.

I'm going to add one to my rotator soon... I've got that on manual
right now... pulsing the switch makes a nice slow smooth rotation!

If you do like electronics projects for the sake of electronics
projects, feedback control is an interesting way to go, though.

73,
Dan
N3OX

From -6467734352607911219
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-mail
From: "n3ox.dan@gmail.com" <n3ox.dan@gmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: 23 May 2006 08:33:09 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1148398389.824086.224190@j73g2000cwa.googlegroups.com>
References: <1148377755.519950@ftpsrv1>
   <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com>
NNTP-Posting-Host: 128.8.86.108
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148398395 6882 127.0.0.1 (23 May 2006 15:33:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 15:33:15 +0000 (UTC)
In-Reply-To: <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com>

User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=128.8.86.108;
   posting-account=KerKog0AAADSrnDaP6aKV-_wqIkM3SNr
Xref: g2news2.google.com rec.radio.amateur.antenna:11876
rec.radio.amateur.equipment:4252 rec.radio.amateur.homebrew:5394
rec.radio.amateur.misc:11725

Oh, my bad. you're going to NEED some feedback to control it with a
PC.

OK, so let me retract the advice against it... possibly you could do it
all in software...

Dan
N3OX

From -7789511486525710767
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!6045b8d4!not-for-mail
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
From: SamSez <samtheman@verizon.net>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<1148325136.787232.24030@i40g2000cwc.googlegroups.com>
<1148330744.551002.41230@g10g2000cwb.googlegroups.com>
<1148385090.795664.210830@g10g2000cwb.googlegroups.com>
<f206d$44731bea$d0662e25$8359@FUSE.NET>
<1148396470.879595.65430@j73g2000cwa.googlegroups.com>
Message-ID: <Xns97CC796464207samthemanverizonnet@199.45.49.11>
Followup-To: poster
User-Agent: Xnews/5.04.25
Lines: 15
Date: Tue, 23 May 2006 15:56:57 GMT
NNTP-Posting-Host: 71.242.104.157
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1148399817 71.242.104.157 (Tue, 23 May 2006 11:56:57 EDT)
NNTP-Posting-Date: Tue, 23 May 2006 11:56:57 EDT
Xref: g2news2.google.com rec.antiques.radio+phono:22479

```
rec.radio.amateur.equipment:4253 rec.radio.amateur.misc:11728
rec.radio.shortwave:36537

"Cheesehead" <dplotusnotes@yahoo.com> wrote in news:1148396470.879595.65430
@j73g2000cwa.googlegroups.com:

> I'm not too far away, either.  that makes it practical.
>
> Perhaps those concerned about motel costs would do better to stay
> in Springfield or even Columbus.
>
> KC8TKA
>

I stayed on the west side of Columbus one year [great new motels, great
restaurants], and near Hamilton another year [near to both a never ending
supply of Cincinnati chili and Jungle Jim's] -- worked out great both
times.



From 8667245319880588975
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: Tue, 23 May 2006 11:12:02 -0500
Lines: 36
Message-ID: <4dgqilF1987e2U1@individual.net>
References: <1148377755.519950@ftpsrv1>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net AlzY5AnOfe2IueiFozRUGw5JRNx8ixQ8C0c8uQOTbnEenQzvYJ
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <1148377755.519950@ftpsrv1>
Xref: g2news2.google.com rec.radio.amateur.antenna:11885
rec.radio.amateur.equipment:4254 rec.radio.amateur.homebrew:5398
rec.radio.amateur.misc:11729



Kevin & Natalia wrote:
```

> Hi All,
>
> I acquired a Pitch-Prop motor a number of years ago, with the intention of
> building a antenna rotator.
> I still have the intention of doing this, and have checked the motor for
> operation. This works out very nice, and was able to control it to different
> speeds with different voltage.
> I have a construction design for the mounting of the motor and gearbox to
> the tower, and antenna.
>
> The problem I have now, is I wish to construct a suitable control unit, with
> digital readout, and the possibility of controlling via a mini PIC control,
> or via PC.
>
> I have searched the internet without much success, so my next course of
> action was to see if anyone on these groups might be of help.
> So I put my hands up for HELP! :)
>
> Any help would be gratefully received.
>
> Thanks in Advance.
>
> Kevin, ZL1KFM.
>
>

It is entirely doable, check here
"http://forums.parallax.com/forums/default.aspx" for ideas on how to implement
your project using a Basic Stamp...
I would do it with digital position sensing, with an lcd display showing
direction of antenna..

Bob N9LVU

```
From -1468564516989726637
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 11:13:55 -0500
From: Richard Clark <kb7qhc@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: Tue, 23 May 2006 09:11:42 -0700
Message-ID: <9jc6729qird5h3v6eb2gvg9ag6b41ttkhf@4ax.com>
```

References: <1148377755.519950@ftpsrv1> <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com> <1148398289.804642.102440@i40g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
NNTP-Posting-Host: 24.19.58.107
X-Trace: sv3-LFNPZWub9uqyGloq3M1OUpCJznqnvZ4L6dzpG5xMlN5SZOhG82vz+96Eb3bunMaVeEdoZXCj+aF2yb/!2XoFxH6fB8DH7eUBQPiHW5iXElbLb2GSaEEp9DnY8ntko2JYFumKiuVUu10qsVECl40DIkbk9j7M!KH9Q9hnZoA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11886 rec.radio.amateur.equipment:4255 rec.radio.amateur.homebrew:5399 rec.radio.amateur.misc:11730

On 23 May 2006 08:31:29 -0700, "n3ox.dan@gmail.com"
<n3ox.dan@gmail.com> wrote:

>This was after I tweaked the PID to get rid of the oscillations but
>still had some average position errors...
>
>I guess with a digital system it would be easier to optimize. Mine was
>all analog... and only one op amp, so the settings interacted :-)

Hi Dan,

If anything, going digital has all the prospects of thrashing the antenna into shreds. The oscillations you speak of are eminently suited for an analog solution - you simply have to understand the nature of resonance, coupling (over, critical, and under), and attack. If you don't, translating them into binary code will be impossible.

For instance, your average position errors were probably due to under/overshoot and a too heavily dampened system with too much gain. No computer program is going to improve that.

73's
Richard Clark, KB7QHC

From -8315867889310843833
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 11:15:19 -0500
From: Richard Clark <kb7qhc@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: Tue, 23 May 2006 09:13:07 -0700
Message-ID: <q2d67291pmbmpl0hpv6scoueecc1hpiplo@4ax.com>
References: <1148377755.519950@ftpsrv1> <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-
ster.com> <1148398389.824086.224190@j73g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
NNTP-Posting-Host: 24.19.58.107
X-Trace: sv3-lnbxJWKeh0ZRblcyWpso/
k6WvBEzPxrrJnQRqdT2IKHSAJCoklWZuyUkfIkPHcaLuvMsmf/AugitDY0!0Tq2/
cgP5PbBnfvMxygPq1tv1DOac4J7qHSo5/2i0e1KTT2fvMoohUOl2Sq802MBcz4usUKFTNSl!
xOZycWfZ7A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11887
rec.radio.amateur.equipment:4256 rec.radio.amateur.homebrew:5400
rec.radio.amateur.misc:11731
```

On 23 May 2006 08:33:09 -0700, "n3ox.dan@gmail.com"
<n3ox.dan@gmail.com> wrote:

>Oh, my bad. you're going to NEED some feedback to control it with a
>PC.
>
>OK, so let me retract the advice against it... possibly you could do it
>all in software...

Hi Dan,

To underline my last point about software, did software prevent this
error? [Hint, eyes were an analog solution.]

73's
Richard Clark, KB7QHC

From 3019479780096216822

X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-mail
From: "n3ox.dan@gmail.com" <n3ox.dan@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: 23 May 2006 09:38:07 -0700
Organization: http://groups.google.com
Lines: 43
Message-ID: <1148402287.144951.51340@y43g2000cwc.googlegroups.com>
References: <1148377755.519950@ftpsrv1>
   <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com>
   <1148398289.804642.102440@i40g2000cwc.googlegroups.com>
   <9jc6729qird5h3v6eb2gvg9ag6b41ttkhf@4ax.com>
NNTP-Posting-Host: 128.8.86.108
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148402293 24724 127.0.0.1 (23 May 2006 16:38:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 16:38:13 +0000 (UTC)
In-Reply-To: <9jc6729qird5h3v6eb2gvg9ag6b41ttkhf@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3) Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=128.8.86.108;
   posting-account=KerKog0AAADSrnDaP6aKV-_wqIkM3SNr
Xref: g2news2.google.com rec.radio.amateur.antenna:11889 rec.radio.amateur.equipment:4257 rec.radio.amateur.homebrew:5402 rec.radio.amateur.misc:11743

Richard,
Agreed on the suitability of an analog solution... I certainly made some steps toward critically damped operation. My circuit design was bad, though.

I didn't have a very analyzable problem; the rotator rotates one of those fiberglass surplus military masts with respect to another, so I get a lot of stick-slip, especially if there's a breeze (there are 12 feet of mast above this thing).

This is not to say a suitable set of P, I and D couldn't be found, and it would have been pretty slick if I'd set up right for empirical loop tuning, but I hadn't done that. I got pretty close by soldering components in and out.

I would have had a better time with a real multiple op amp circuit with a knob for each of P, I and D.

I think you hit the nail on the head regarding too heavily dampened with too much gain in the antenna rotator case. I just couldn't really tune the thing.

In my case, I just decided to throw up my hands and go to the simplest method so I could get on the air with a rotating antenna. I have a quite successful analog servo going every day with my remote antenna tuner (www.n3ox.net/projects/servo). That one is ever-so-slightly underdamped, proportional only, and works nicely. There's a little bit of hysteresis and it certainly could be improved, but I stopped at the good-enough-for-daily-operation level.

I guess what I meant by "going digital" was that depending on whether you're more comfortable with programming than a soldering iron (not me!) you might think about having a simple motor drive circuit and implement the admittedly complex PID loop in software/firmware.

You're absolutely right that you can't do this if you don't know how to do the analog...

73,
Dan
N3OX

```
From -3055700101834736376
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-mail
From: "n3ox.dan@gmail.com" <n3ox.dan@gmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: 23 May 2006 09:45:06 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1148402706.618224.273650@j73g2000cwa.googlegroups.com>
References: <1148377755.519950@ftpsrv1>
   <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com>
   <1148398389.824086.224190@j73g2000cwa.googlegroups.com>
   <q2d67291pmbmpl0hpv6scoueecc1hpiplo@4ax.com>
NNTP-Posting-Host: 128.8.86.108
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148402711 19402 127.0.0.1 (23 May 2006 16:45:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 16:45:11 +0000 (UTC)
In-Reply-To: <q2d67291pmbmpl0hpv6scoueecc1hpiplo@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=128.8.86.108;
   posting-account=KerKog0AAADSrnDaP6aKV-_wqIkM3SNr
Xref: g2news2.google.com rec.radio.amateur.antenna:11892
rec.radio.amateur.equipment:4258 rec.radio.amateur.homebrew:5403
rec.radio.amateur.misc:11746
```

hahaha!

Dude, I've got baaaaad software.

Took me a long time to get that.

CU,
Dan

```
From -8193189247296515039
X-Google-Thread: 108122,65346f7b5955f65f,start
X-Google-Thread: fc8b1,65346f7b5955f65f,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: NATIONAL XCU-300 CALIBRATOR, SYLVANIA 6JB6's, PORTABLE POWER PACK>US
MADE!
Date: 23 May 2006 09:56:13 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148403373.559158.167460@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148403378 21187 127.0.0.1 (23 May 2006 16:56:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 16:56:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=68.56.4.30;
```

```
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4259
rec.radio.amateur.boatanchors:4168
```

http://search.ebay.com/_W0QQgotopageZ1QQsassZmyradioroom

```
From 9055139121546566140
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 11:56:40 -0500
From: Richard Clark <kb7qhc@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: Tue, 23 May 2006 09:54:27 -0700
Message-ID: <8cf672pr5af9uv5iad1insf6m963fna96j@4ax.com>
References: <1148377755.519950@ftpsrv1> <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-
ster.com> <1148398289.804642.102440@i40g2000cwc.googlegroups.com>
<9jc6729qird5h3v6eb2gvg9ag6b41ttkhf@4ax.com>
<1148402287.144951.51340@y43g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
NNTP-Posting-Host: 24.19.58.107
X-Trace: sv3-9Ed2OhGefJYW5JWNtYyeDuZF1esNNyS9ZX5W36n+O/
TRyXJO7xpHXgEMTXjOGNC7KRa9pzpU1XbwWm5!
5+DucvaNCzfOd7UjM7cZnruXzucv2eqSiN6DQSNrPMB2pwfftQ5MPCUdTMy30BIcXZlJOUI+4Fne!
EskBkOGBXw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11895
rec.radio.amateur.equipment:4260 rec.radio.amateur.homebrew:5405
rec.radio.amateur.misc:11757
```

On 23 May 2006 09:38:07 -0700, "n3ox.dan@gmail.com"
<n3ox.dan@gmail.com> wrote:

>You're absolutely right that you can't do this if you don't know how to
>do the analog...

Hi Dan, All,

The single loudest voice on these matters is Robert Pease at National Semiconductor. For streaming courses/lectures on this very topic, visit:
http://www.national.com/nationaltv/index.html

I've been following Bob's no-nonsense contributions for more than 25 years now.

73's
Richard Clark, KB7QHC

From 6697058291827974817
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 13:15:43 -0500
Message-Id: <1subk3-oh8.ln1@remote.clifto.com>
From: clifto <clifto@gmail.com>
Subject: Re: Ebay & "The Market"
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Date: Tue, 23 May 2006 12:54:40 -0500
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
<1148326681.789315.105280@u72g2000cwu.googlegroups.com> <SOGdnZAFXrsVA-_ZRVn-qw@comcast.com>
Organization: Vast Right-Wing Conspiracy
User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 12
NNTP-Posting-Host: 67.165.145.61
X-Trace: sv3-DaULnReFbLt4V4Y8JA93/1hFoFjM5h4+ux7KmraS6L6PJvEQ5CcRF+Res3wy+5yvaLM75INkhr9PMJu!yiR1/KuA9PmuAI8Qm3aCY9/tKB7bhVyzxnhsVjpCjb47w5ebjiShVb2FlPqrE4P3MWzrXUu9D1bS!n+aI
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.antiques.radio+phono:22484
rec.radio.amateur.equipment:4261 rec.radio.amateur.misc:11759
rec.radio.shortwave:36567

Mark Oppat wrote:
> I had 100 pc bags of mylar and filter caps priced lower than anywhere, and I
> mean ANYWHERE.  Still do.

I picked up two 100-piece bags of .1 uF bypass caps for fifty cents apiece
at American Science & Surplus a while back. That's more the exception
than the rule there, though, because they usually know pretty much what
items are worth.

--
                Britney Spears' Guide to Semiconductor Physics
                     <http://britneyspears.ac/lasers.htm>


From 1981218318305530462
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 16:27:12 -0500
Date: Tue, 23 May 2006 22:27:17 +0100
From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.2) Gecko/
20060404 SeaMonkey/1.0.1
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r
ec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
References: <1148377755.519950@ftpsrv1>   <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-
ster.com> <1148398289.804642.102440@i40g2000cwc.googlegroups.com>
In-Reply-To: <1148398289.804642.102440@i40g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <iKednQqE672t4-7ZRVny3w@pipex.net>
Lines: 21
NNTP-Posting-Host: 81.179.133.51
X-Trace: sv3-Pl8aAA+nFrM81PfWW2tQRP/
AmKeNqA5fhGDpKpqik2eNb6U32Tt0PyATN2DMEcdDU7mpFf26qLGsnru!
S4HE+pZ0ZvgYPF+HAuPkrw0iZEjawfoPHl+tX3eKBmZK6yOAv2Efhw0KVa9LTOr4+mx6R0YAncaT!
```

oqywhSKczKqE
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11918 rec.radio.amateur.equipment:4262 rec.radio.amateur.homebrew:5409 rec.radio.amateur.misc:11818

> If you do like electronics projects for the sake of electronics
> projects, feedback control is an interesting way to go, though.

============================
Talking rotor position feedback ,instead of the traditional potmeter in bridge circuit with analogue meter readout ,you could try a low cost synchro system utilising 2 stepper motors from discarded hard drives , dot-matrix printers or flat bed scanners ,with 1 stepper motor mechanically coupled (either directly or via a reversed rotational reducer) to the rotor ,the other in the shack as a readout device. The circuit I found on the web (via Google)needs 5 wires between the stepper motor coupled to the rotor and the control unit ,located with the other stepper motor in the shack.
The circuit includes 4 TIP120 NPN transistors 2 LM324 dual Opamps and a few diodes and resistors. The stepper motor in the shack could either be provided with a rotating or sliding pointer (the latter from an old 1950-60s radio) , or be mechanically linked to a counter (for example from a discarded tape recorder)

A potential 'recycled components' project.

Frank   GM0CSZ / KN6WH

From -2130211365412031505
X-Google-Thread: 108122,da5a505416cd7d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: wanted tube sockets and chimney for 4CX250
Date: 23 May 2006 21:37:55 GMT
Lines: 29
Message-ID: <slrne770cp.135.bit-bucket@shell.config.com>
References: <e7ucg.182424$P01.131708@pd7tw3no>
<2tu4729lvl1gba8tr8mv3ifp1c3b3k00uh@4ax.com>
<s5v472t27sig0qdu7s2k1pg7h32pnk8icc@4ax.com>
Reply-To: Reply to the .sig address <NOSPAM_bit-bucket@config.com>
X-Trace: individual.net pIt1yEaKFgE6P3dpDbGUjAqoevKgKTx5fanMzAaR1WmnenKBcq
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news2.google.com rec.radio.amateur.equipment:4263

```
On Mon, 22 May 2006 20:09:24 -0700, Wes Stewart wrote:
> On Mon, 22 May 2006 20:07:19 -0700, Wes Stewart <n7ws*@*yahoo.com>
> wrote:
>
>>On Tue, 23 May 2006 02:07:06 GMT, "Big Al" <tjtrucker@hotmail.com>
>>wrote:
>>
>>>Wanted 2 tube sockets and chimneys for the Eimac 4CX250 series tubes. I'm
>>>building an amp with four of these tubes, I have two sockets and chimneys
>>>but still looking for two more.
>>>
>>>Please email off list to    ve7agw(at)shaw.net  you know what to do with the
>>>"(at)"
>>>
>>>Thanks, 73...de ve7agw,
>>
>>Well, I tried but your email bounces.
>
> Maybe because on another group you use shaw.ca?

Well, the OP had the header:

  X-Complaints-To: abuse@shaw.ca

Jonesy
--
  Marvin L Jones    | jonz          | W3DHJ  | linux
   38.24N  104.55W  |  @ config.com | Jonesy |  OS/2
    *** Killfiling google posts: <http//jonz.net/ng.htm>


From 7725872020227078757
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-
sjc-10!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Hagstar" <yonnyKILL@SPAMMERSatt.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by OBSCENE ADMISSION $$$
Date: Tue, 23 May 2006 18:52:50 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12774i26pgrtt9b@corp.supernews.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<4471305D.9090001@qth.com> <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
<44731F41.5070102@fuse.net>
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.antiques.radio+phono:22500
rec.radio.amateur.equipment:4264 rec.radio.amateur.misc:11822
rec.radio.shortwave:36632

"jawod" <jawod@fuse.net> wrote in message news:44731F41.5070102@fuse.net...
>
> I honestly don't think $25 is that out of line.

I thought someone here was selling tickets for over a hundred bucks- perhaps
this is for vendors?

$25- is half what it costs to get into AWA antique radio conventions for
it's true that's not too bad. Hosstraders IIRC is still like $12- though :).
I usually go in the Fall as it's not far for me.

John H.

From 6358811430381591658
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-pa1.hpl.hp.com!
news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!newsfeed.pnap.net!
motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
Date: Tue, 23 May 2006 17:58:45 -0500
Organization: Motorola Applications Directory Team
Lines: 52
Message-ID: <e50436$mju$1@avnika.corp.mot.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1148425126 23166 173.27.203.217 (23 May 2006 22:58:46
GMT)

X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Tue, 23 May 2006 22:58:46 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:4265
rec.radio.amateur.misc:11826 rec.radio.amateur.policy:27038

Slow,
It's is a shame you have to:

1- talk like this and
2- have so little respect for others and
3- have no ability to rationally discuss prows and cons complex issues and
4- have a poor understanding of what makes a good ham and
5- have so little understanding some real-world practical aspects of this issue and most importantly...
6- show such poor ham characteristics.
7- and probably have so little real knowledge of ham radio, is my guess.
and
8- be a troll

If you're also a 20 WPM extra, then we can easily do without your immature attitudes and behaviors here and on the bands.

Hey guys! it is also a shame you get drawn into these types and feed their small minds.

73, Steve, K9DCI
Please carefully note the date of my Extra when you check QRZ.

[[.swap post omitted]]

"Slow Code" <sc@mail.here> wrote in message
news:BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net...
> Bert Hyman <bert@iphouse.com> wrote in
> news:Xns97C498077AF9DVeebleFetzer@127.0.0.1:
>
> > no.one@no.net (Travis Jordan) wrote in
> > news:CZ4ag.60086$Wl.41442@fe08.news.easynews.com:
> >
> >> Slow Code wrote:
> >>> No more automatic renewals. Individuals must retest and pass all
> >>> elements required for their license class.
> >>
> >> This sounds like a great way to kill off amateur radio.
> >
> > Sounds more like a proposal from somebody who runs a VE service.
> >
>
>
>

> I just knew none of you rotton scum would help. You Gotta have your free
> handouts don't you. ARRL pampered you well. I'll bet you all pay for your
> food with food stamps and talk on CB all day long from government assisted
> project housing.
>
> Assholes.

```
From -1137627414483799658
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
From: Bert Hyman <bert@iphouse.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
Organization: Not that you'd notice
Message-ID: <Xns97CCBB1D7BAEVeebleFetzer@216.250.184.7>
User-Agent: Xnews/2006.03.14
Date: 23 May 2006 23:23:36 GMT
Lines: 13
NNTP-Posting-Date: 23 May 2006 18:23:36 CDT
NNTP-Posting-Host: 8bfda2a9.newsreader.iphouse.net
X-Trace: DXC=7YL40g7Zm]:h[a>=@7?
ND;Vn\Tj8`^Bb;eHS>e[L>830lAP8k7kH\P;1UFgaF43:7<IBKYg@IF>X;Xim_ZENP]g5
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4266
rec.radio.amateur.misc:11828 rec.radio.amateur.policy:27040
```

In news:e50436$mju$1@avnika.corp.mot.com "Steve N."
<stuevue.nouskuowuicuz@moutouroula.com> wrote:

>
> Hey guys! it is also a shame you get drawn into these types and feed
> their small minds.
>

Well, the thread was dead a week ago and it's a shame you had to start
it up again.

--
Bert Hyman   St. Paul, MN bert@iphouse.com

```
From -5220873897781411936
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
Date: 23 May 2006 16:27:05 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1148426825.355653.26310@j55g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
   <Xns97C498077AF9DVeebleFetzer@127.0.0.1>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
   <e50436$mju$1@avnika.corp.mot.com>
   <Xns97CCBB1D7BAEVeebleFetzer@216.250.184.7>
NNTP-Posting-Host: 69.19.14.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148426830 27599 127.0.0.1 (23 May 2006 23:27:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 23:27:10 +0000 (UTC)
In-Reply-To: <Xns97CCBB1D7BAEVeebleFetzer@216.250.184.7>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=69.19.14.35;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:4267
rec.radio.amateur.misc:11829 rec.radio.amateur.policy:27041


Bert Hyman wrote:
> In news:e50436$mju$1@avnika.corp.mot.com "Steve N."
> <stuevue.nouskuowuicuz@moutouroula.com> wrote:
>
> >
> > Hey guys! it is also a shame you get drawn into these types and feed
> > their small minds.
> >
>
> Well, the thread was dead a week ago and it's a shame you had to start
> it up again.
```

```
OTOH it does beat most of the thread that get tajken by wsimen rantig
and raving and foaming at the mouth
>
> --
> Bert Hyman  St. Paul, MN  bert@iphouse.com



From -72574848949699490
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by OBSCENE ADMISSION $$$
Followup-To: alt.test
Date: 23 May 2006 16:32:20 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1148427140.333840.22120@j73g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <4471305D.9090001@qth.com>
   <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
NNTP-Posting-Host: 70.58.132.121
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148427145 28580 127.0.0.1 (23 May 2006 23:32:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 23:32:25 +0000 (UTC)
In-Reply-To: <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=70.58.132.121;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:22503
rec.radio.amateur.equipment:4268 rec.radio.amateur.misc:11830
rec.radio.shortwave:36642

Hambone the Porkbutter wrote:
> Sure!!
>
> HamComm charges $10 admission, like Dayton charges $25
> a head to get in. Their pricing themselves clear out of the
```

> market! Then add in the price of gas and food and is it any
> wonder why hams are staying home and ordering their
> radios onlive via e-Bay or elsewhere ??
>
> It's actually cheaper to go see a Major League Baseball
> game live admission than it is to go to a stupid Hamfest.
>
> Do the $$$ homework boys - you guys that run these ham events
> are screwin yerselves faster than Barbaro broke his leg last week.

At least the horse seems to be recovering better than you are.

From 8667013843465907519
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Ebay & "The Market"
Date: 23 May 2006 16:37:37 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1148427457.604187.318850@j33g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
   <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 70.58.132.121
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148427462 25473 127.0.0.1 (23 May 2006 23:37:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 23:37:42 +0000 (UTC)
In-Reply-To: <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=70.58.132.121;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:22505 rec.radio.amateur.equipment:4269 rec.radio.amateur.misc:11831

rec.radio.shortwave:36643

John S. wrote:
> Peter Wieck wrote:
> > After reading all this, and with the recent Kutztown event in the
> > background, as well as my three weekend finds, I am not so sure eBay
> > has much to do with anything as to radio prices or availability. This
> > is based on several assumptions which I will list for
> > correction/addition/amplification:
> >
>
>
> Internet based sales have a huge advantage over in-place sales like
> Dayton. Ebay and other sales sites can as we all know bring sellers
> from around the world at any time of the day. It just isn't possible
> to get that kind of coverage at an arena in Ohio.
>
> To the extent that buyer and seller are honest (and most are) internet
> sales work very well because money and the good to be sold have to be
> moved only once.
>
> It is for the exact same reason that in-person antique shows are having
> a hard go of it.

eBay rarely enters into my search for antiques and it anything has
sharpened my abilities to find local goods.

From 5715506303494536289
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeeds.ihug.co.nz!lust.ihug.co.nz!ihug.co.nz!not-for-mail
From: "Kevin & Natalia" <sparc_man@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
Date: Wed, 24 May 2006 11:52:31 +1200
Organization: Ye 'Ol Disorganized NNTPCache groupie
Lines: 47
Message-ID: <1148428168.920547@ftpsrv1>
References: <1148377755.519950@ftpsrv1> <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@webster.com>
NNTP-Posting-Host: news.tranzpeer.net
X-Trace: lust.ihug.co.nz 1148428328 15243 202.180.64.19 (23 May 2006 23:52:08 GMT)
X-Complaints-To: abuse@ihug.co.nz

NNTP-Posting-Date: Tue, 23 May 2006 23:52:08 +0000 (UTC)
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Cache-Post-Path: ftpsrv1!unknown@203.184.3.69
X-Cache: nntpcache 2.3.3 (see http://www.nntpcache.org/)
Xref: g2news2.google.com rec.radio.amateur.antenna:11935
rec.radio.amateur.equipment:4270 rec.radio.amateur.homebrew:5414
rec.radio.amateur.misc:11833

Hi Tim,

My electronics skills are fairly good, I have built many projects over the time.
What I was wanting to do, is have a control box in the shack with a readout and left/right controls. And have the provision to also be able to have a PC control it.
I like the Pitch-prop motor, as it is strong, and can be controlled easy.

The way I control it at the moment, is via a 2 voltage system.
The pitch-prop runs at 36volts for full speed, and when I wish to slow it down for small movements, I use a second set of controls at 15volts. Not the best way of doing it, but it works.
I then look out the window and see where it is pointing. I know where N, E, S, W are on my section.

As to price on the parts, I would like to keep it down to around a couple of hundred dollars. :)

Regards and thanks for your input.

Kevin, ZL1KFM
www.qsl.net/zl1hk

"Tim Wescott" <tim@seemywebsite.com> wrote in message
news:hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com...
>>
>>
> Excepting the readout, this should be a fairly routine motor control
> problem. Depending on what you want to do your control box could be as
> simple as a current-limited power supply and a couple of switches or as
> complex as a fully fed-back motion control system.
>
> How's your electronics skills, and how fancy do you want it to be?
>
> --
>
> Tim Wescott
> Wescott Design Services
> http://www.wescottdesign.com
>
> Posting from Google? See http://cfaj.freeshell.org/google/
>

```
> "Applied Control Theory for Embedded Systems" came out in April.
> See details at http://www.wescottdesign.com/actfes/actfes.html




From -7695460672553481490
X-Google-Thread: 108228,d1018fbeec2d4dab,start
X-Google-Thread: 108122,d1018fbeec2d4dab,start
X-Google-Thread: 1109af,d1018fbeec2d4dab,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:3-EA MOTOROLA MTX9000 900-MHz 2WAY RADIOS-CHARGERS-HAM
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C67E8E.74364F90"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <BNNcg.3554$_m5.914@fed1read09>
Date: Tue, 23 May 2006 17:29:32 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1148430561 68.96.227.248 (Tue, 23 May 2006 20:29:21 EDT)
NNTP-Posting-Date: Tue, 23 May 2006 20:29:21 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:953
rec.radio.amateur.equipment:4271 rec.radio.swap:4179

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C67E8E.74364F90
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:3-EA MOTOROLA MTX9000 900-MHz 2WAY RADIOS-CHARGERS-HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7622849009&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C67E8E.74364F90
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:3-EA MOTOROLA MTX9000 900-MHz 2WAY RADIOS-CHARGERS-HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7622849009&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7622849009&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C67E8E.74364F90--
```

```
From -4492958586235595394
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "Pat Cook, KB0OXD" <kb0oxd@gmail.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by OBSCENE ADMISSION $$$
Date: 23 May 2006 17:39:28 -0700
Organization: http://groups.google.com
Lines: 79
Message-ID: <1148431168.514206.297100@j33g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <4471305D.9090001@qth.com>
   <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
   <4471E44D.B0275F24@earthlink.net>
NNTP-Posting-Host: 71.229.149.218
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148431173 6768 127.0.0.1 (24 May 2006 00:39:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 24 May 2006 00:39:33 +0000 (UTC)
In-Reply-To: <4471E44D.B0275F24@earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR
1.1.4322; .NET CLR 2.0.50727; Creative ZenCast v1.00.07; FDM),gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=71.229.149.218;
   posting-account=b6xPDw0AAAA0yCueYaeJziMX3Zu9okUd
Xref: g2news2.google.com rec.antiques.radio+phono:22508
rec.radio.amateur.equipment:4272 rec.radio.amateur.misc:11834
rec.radio.shortwave:36646

Hi everyone:

Michael A. Terrell wrote:
> Hambone the Porkbutter wrote:
> >
> > Sure!!
> >
> > HamComm charges $10 admission, like Dayton charges $25
> > a head to get in. Their pricing themselves clear out of the
> > market! Then add in the price of gas and food and is it any
> > wonder why hams are staying home and ordering their
> > radios onlive via e-Bay or elsewhere ??
> >
> > It's actually cheaper to go see a Major League Baseball
> > game live admission than it is to go to a stupid Hamfest.

I wouldn't go quite THAT far BUT.... :D

> > Do the $$$ homework boys - you guys that run these ham events
> > are screwin yerselves faster than Barbaro broke his leg last week.

This not only goes for DARA, but also for the local Ham clubs as well.

Furthermore, the local clubs need to wien themselves off of using the local county fairgrounds for their hamfest site too. Problem is, where could they go besides renting out a sizable chunk of the local flea market that EVERYONE (Hams and non-Hams alike) go to?

Cheers & 73 :)

I have decided to do something that some would consider to be a little off the wall. :)

I have decided to put ALL of my Field Day Activities on my website via my cam site. It'll be LIVE and archived in Windows Media format. If possible, I also plan to run a SHOUTcast & Streamer P2P stream as well via Jeeper One Radio, my Talk/Old Time Radio station. It too will be hopefully archived and will probably run in repeat during the overnight hours on Saturday Night.

I plan to operate mainly on six meters USB and probably FM should there be an opening. If not, then I'll probably be band-hopping between 6 and 2 USB & FM with maybe a smattering of 432 USB and/or 446 FM if in the event there is NO six meter opening (Being a no-code tech, I am limited to bands 50 Mhz. and above).

It'll all officially start Saturday June 24 @ 12:00 NOON Mountain - 2:00 PM ET, 8:00 PM GMT and end Sunday June 25 @ 12:00 NOON Mountain - 2:00 PM ET, 8:00 PM GMT with breaks for sleep, meals, and times which the bands just simply are not open and idle.

The websites for everything in question are as follows....

WEBCAM - http://www.freewebtown.com/kb0oxd/webcam.html (Also simulcast on my videos page @ http://www.freewebtown.com/kb0oxd/webcam2.html)

JEEPER ONE RADIO - http://www.freewebtown.com/jeeperone/radio/ (Click on the LISTEN LIVE link)

Hopefully there'll be an opening on six. If not, well then, I guess I'll just be working the locals I suppose. :)

I'll also be logged onto EchoLink and eQSO for those informal non-FD off air ragchew chats with Hams (especially those out in the field with WiFi access). :

So again....That's Saturday June 24 @ 12:00 NOON Mountain till Sunday June 25 @ 12:00 NOON Mountain with the breaks I mentioned above. Feel free to tune in and log on. :)

Cheers & 73 :)

Pat Cook, KB0OXD
Denver, CO
KB0OXD Cybershack Soap Box - http://kb0oxd.blogspot.com/
ADMIN - Colorado eQSO Conference Server - jeeperone.bounceme.net
EchoLink Node No. 19905

From -5395119635366485250
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.web-ster.com!news.web-ster.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 19:50:39 -0500
Date: Tue, 23 May 2006 17:50:47 -0700
From: Tim Wescott <tim@seemywebsite.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.6) Gecko/20040113
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,r

ec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor
References: <1148377755.519950@ftpsrv1>   <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com>   <1148398289.804642.102440@i40g2000cwc.googlegroups.com>
<9jc6729qird5h3v6eb2gvg9ag6b41ttkhf@4ax.com>
<1148402287.144951.51340@y43g2000cwc.googlegroups.com>
In-Reply-To: <1148402287.144951.51340@y43g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ceKdnXgZqq59MO7Z4p2dnA@web-ster.com>
Lines: 59
NNTP-Posting-Host: 65.182.233.156
X-Trace: sv3-uHU78m2RgORqsKM3lEgbKXx7Q8zaWQm3FF5XOyIjvcTpMceMHISl3uHvYdTJchvZVsOm7ELorO9DHc4!
zzgvtZ7RX5OxPuQhDhtHtE+VxpOXVK2weiK6zs1gN0r8U0Gs3yThINAzxzDwWAdzOOAMFxhr4edb!5tU=
X-Complaints-To: abuse@web-ster.com
X-DMCA-Complaints-To: abuse@web-ster.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11941
rec.radio.amateur.equipment:4273 rec.radio.amateur.homebrew:5417
rec.radio.amateur.misc:11835

n3ox.dan@gmail.com wrote:

> Richard,
> Agreed on the suitability of an analog solution... I certainly made
> some steps toward critically damped operation. My circuit design was
> bad, though.
>
> I didn't have a very analyzable problem; the rotator rotates one of
> those fiberglass surplus military masts with respect to another, so I
> get a lot of stick-slip, especially if there's a breeze (there are 12
> feet of mast above this thing).
>
> This is not to say a suitable set of P, I and D couldn't be found, and
> it would have been pretty slick if I'd set up right for empirical loop
> tuning, but I hadn't done that. I got pretty close by soldering
> components in and out.
>
> I would have had a better time with a real multiple op amp circuit with
> a knob for each of P, I and D.
>
> I think you hit the nail on the head regarding too heavily dampened
> with too much gain in the antenna rotator case. I just couldn't really
> tune the thing.
>
>
> In my case, I just decided to throw up my hands and go to the simplest
> method so I could get on the air with a rotating antenna. I have a
> quite successful analog servo going every day with my remote antenna

> tuner (www.n3ox.net/projects/servo). That one is ever-so-slightly underdamped, proportional only, and works nicely. There's a little bit of hysteresis and it certainly could be improved, but I stopped at the good-enough-for-daily-operation level.
>
> I guess what I meant by "going digital" was that depending on whether you're more comfortable with programming than a soldering iron (not me!) you might think about having a simple motor drive circuit and implement the admittedly complex PID loop in software/firmware.
>
> You're absolutely right that you can't do this if you don't know how to do the analog...
>
> 73,
> Dan
> N3OX

Written with the implicit assumption that you'd want to do it in software, but quite applicable to analog solutions:
http://www.wescottdesign.com/articles/Friction/friction.html

--

Tim Wescott
Wescott Design Services
http://www.wescottdesign.com

Posting from Google? See http://cfaj.freeshell.org/google/

"Applied Control Theory for Embedded Systems" came out in April.
See details at http://www.wescottdesign.com/actfes/actfes.html

From 6369459417132243010
X-Google-Thread: fcc6e,a58664acc9a81815
X-Google-Thread: 108122,a58664acc9a81815
X-Google-Thread: fc2a5,a58664acc9a81815
X-Google-Thread: 107ada,a58664acc9a81815
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.web-ster.com!news.web-ster.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 19:55:12 -0500
Date: Tue, 23 May 2006 17:55:17 -0700
From: Tim Wescott <tim@seemywebsite.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.6) Gecko/20040113
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: Control Unit for Home Built Rotator from Pitch-Prop Motor

References: <1148377755.519950@ftpsrv1> <hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com> <1148428168.920547@ftpsrv1>
In-Reply-To: <1148428168.920547@ftpsrv1>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <wvCdnU0znYNsM-7ZnZ2dnUVZ_vednZ2d@web-ster.com>
Lines: 79
NNTP-Posting-Host: 65.182.233.156
X-Trace: sv3-NBz54/BkRN0QI9SURalUozQFQu7MKlUiMImRu9GZzWs3KQdWMkaMtglKCsLSJjjN3q90OPejIqmQKRP!XoYtwohxuG7GeATnOLdgCZZb1q6BCb4dWx4el26eMouy5iHzIAVysucOsDArpiEDpTd1JU4/MUNH!SvlLmNUAg5xYUzLZ
X-Complaints-To: abuse@web-ster.com
X-DMCA-Complaints-To: abuse@web-ster.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11942 rec.radio.amateur.equipment:4274 rec.radio.amateur.homebrew:5419 rec.radio.amateur.misc:11836

Hey Kevin:

http://www.wescottdesign.com/articles/pidwophd.html
http://www.wescottdesign.com/articles/Friction/friction.html

If you want to control it from a PC I'd suggest that you drive an H bridge from a microprocessor, with a PID controller in there to make it go. The biggest key to making a PID loop without doing a bunch of math is to keep your ambition under control -- if you have to go fast, then you need to delve into theory.

As pointed out, PID control can be tricky -- even though I'm a control systems professional there's a good chance that if I did it rev 1.0 would just use the micro to implement virtual buttons, with feedback control for rev 1.1. You definitely want to make sure all the pieces are working before you close the loop.

Kevin & Natalia wrote:

> Hi Tim,
>
> My electronics skills are fairly good, I have built many projects over the
> time.
> What I was wanting to do, is have a control box in the shack with a readout
> and left/right controls. And have the provision to also be able to have a PC
> control it.
> I like the Pitch-prop motor, as it is strong, and can be controlled easy.
>
> The way I control it at the moment, is via a 2 voltage system.
> The pitch-prop runs at 36volts for full speed, and when I wish to slow it
> down for small movements, I use a second set of controls at 15volts. Not the

```
> best way of doing it, but it works.
> I then look out the window and see where it is pointing. I know where N, E,
> S, W are on my section.
>
> As to price on the parts, I would like to keep it down to around a couple of
> hundred dollars. :)
>
> Regards and thanks for your input.
>
> Kevin, ZL1KFM
> www.qsl.net/zl1hk
>
> "Tim Wescott" <tim@seemywebsite.com> wrote in message
> news:hOmdnZarFMOuh-7ZnZ2dnUVZ_vqdnZ2d@web-ster.com...
>
>>>
>>Excepting the readout, this should be a fairly routine motor control
>>problem.  Depending on what you want to do your control box could be as
>>simple as a current-limited power supply and a couple of switches or as
>>complex as a fully fed-back motion control system.
>>
>>How's your electronics skills, and how fancy do you want it to be?
>>
>>--
>>
>>Tim Wescott
>>Wescott Design Services
>>http://www.wescottdesign.com
>>
>>Posting from Google?  See http://cfaj.freeshell.org/google/
>>
>>"Applied Control Theory for Embedded Systems" came out in April.
>>See details at http://www.wescottdesign.com/actfes/actfes.html
>
>
>


--

Tim Wescott
Wescott Design Services
http://www.wescottdesign.com

Posting from Google?  See http://cfaj.freeshell.org/google/

"Applied Control Theory for Embedded Systems" came out in April.
See details at http://www.wescottdesign.com/actfes/actfes.html


From 7742782444894291808
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
```

```
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 23 May 2006 21:08:32 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<1148325136.787232.24030@i40g2000cwc.googlegroups.com>
<1148330744.551002.41230@g10g2000cwb.googlegroups.com>
<1148385090.795664.210830@g10g2000cwb.googlegroups.com>
<f206d$44731bea$d0662e25$8359@FUSE.NET>
<1148396470.879595.65430@j73g2000cwa.googlegroups.com>
Subject: Re: Dayton HamFest killed by E-Bay
Date: Tue, 23 May 2006 22:08:04 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <m5adnV7968C9Xe7ZnZ2dnUVZ_vadnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-
DaABjmz6U0w5cp5rzQ4CsZsCuLgyF2jDkpdPJWQny0BZozHWqXTMb0DSDOkN6U7hHdmtAxzGrXtk1e2!
veaSTSDhuJsMqyP59NIDPy+unsXztvFR6Txk/gLvq7NZFDCjRxAPCbqSNR9ifI/YjMPKmzJ4jYFS!
IOdX8sRnCy+NhW1a
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.antiques.radio+phono:22523
rec.radio.amateur.equipment:4275 rec.radio.amateur.misc:11837
rec.radio.shortwave:36652
```

"Cheesehead" <dplotusnotes@yahoo.com> wrote in message
news:1148396470.879595.65430@j73g2000cwa.googlegroups.com...

> I'm not too far away, either. that makes it practical.
>
> Perhaps those concerned about motel costs would do better to stay
> in Springfield or even Columbus.
>
> KC8TKA
>

Even as close as Vandalia there are smaller motels with quite reasonable rooms.

```
From -3706221667997279411
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "Steven" <thisjukeboxplays33rpm@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by Usenet posters
Followup-To: alt.testing
Date: 23 May 2006 20:28:09 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148441289.267792.263750@g10g2000cwb.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
   <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
   <1148385090.795664.210830@g10g2000cwb.googlegroups.com>
   <f206d$44731bea$d0662e25$8359@FUSE.NET>
   <1148396470.879595.65430@j73g2000cwa.googlegroups.com>
   <m5adnV7968C9Xe7ZnZ2dnUVZ_vadnZ2d@comcast.com>
NNTP-Posting-Host: 70.58.132.121
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148441295 31448 127.0.0.1 (24 May 2006 03:28:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 24 May 2006 03:28:15 +0000 (UTC)
In-Reply-To: <m5adnV7968C9Xe7ZnZ2dnUVZ_vadnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=70.58.132.121;
   posting-account=LDYAvQ0AAADZRPoMd8VG8UbX6p8bk4pQ
Xref: g2news2.google.com rec.antiques.radio+phono:22533
rec.radio.amateur.equipment:4276 rec.radio.amateur.misc:11841
rec.radio.shortwave:36659
```

So far the only ones who realize it's dead.

```
From -6601661742692641753
X-Google-Thread: 108122,ddff6454aa552f7b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "iw3arv" <iw3arv@inwind.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Qrp trasmitter operating procedures
Date: 24 May 2006 05:36:22 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1148474182.559051.12860@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 217.199.1.157
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148474187 25393 127.0.0.1 (24 May 2006 12:36:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 24 May 2006 12:36:27 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=217.199.1.157;
   posting-account=xYVjHQ0AAACHXPaq2nJXBKXiq202AFlE
Xref: g2news2.google.com rec.radio.amateur.equipment:4277
```

Hello I'm really new to Qrp and I have, I think, a simple question.
It's common to find kits or schematics for Qrp trasmitter.
But I've not find any mention how to operate a unit composed of a separated receiver and transmitter. For example I've a simple receiver like a Sangean or Sony ICF-7600 with SSB.
I'm able to decode CW with these receiver, with some difficulty but it's possible. Suppose I've a qrp CW trasmitter how i could manage the Trasmitter / receiver switching. I think I must use a sort of t/r circuit to isolate the receiver. I internet I've not found anything about a simple setup like this one.

Thanks and excuse for my poor english

73 Paolo Iw3arv Italy

```
From 7361904852447037696
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: "RadioGary" <n9vu@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 24 May 2006 08:22:18 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1148484138.274807.83360@38g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
   <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
   <1148385090.795664.210830@g10g2000cwb.googlegroups.com>
   <f206d$44731bea$d0662e25$8359@FUSE.NET>
   <1148395434.909294.186060@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 72.16.175.14
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148484142 18995 127.0.0.1 (24 May 2006 15:22:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 24 May 2006 15:22:22 +0000 (UTC)
In-Reply-To: <1148395434.909294.186060@i39g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=72.16.175.14;
   posting-account=KQBFZw0AAAAOm4gIsdR2tqC1mBUUiVsK
Xref: g2news2.google.com rec.antiques.radio+phono:22574
rec.radio.amateur.equipment:4278 rec.radio.amateur.misc:11880
rec.radio.shortwave:36707
```

RadioGary wrote:

> I'll have to agree with this. I found what I was looking for plus an
> old Allied A2516 tube ham receiver practically given away because it
> had a blown fuse and missing cover screws. Other than that a great
> time seeing old friends, alot of new stuff, and the weather was
> perfect. I don't think Ebay can steal any of that. Maybe it wasn't
> the best place to find antique radios, but it's a HAMfest and old
> radios are not the majority of what you find there. If anyone thinks
> that the crowd is less because of Ebay, wrong!!   Hamfest numbers have
> drifted downward in the past few years due to diminishing ranks in Ham
> Radio. Now if this were a computer show you'd see a bigger crowd.
> In short, you get what you get out of a Hamfest. Just because you
> don't find alot of give aways at the flea market doesn't mean it's a
> disaster.   There is always plenty of other things to do. This is true
> for the smaller hamfests as well.

I can see there was no response to this. Wow. Bitch on, LOL

```
From 1976571695640027016
X-Google-Thread: 108122,da5a505416cd7d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.trueband.net!news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 24 May 2006 12:17:32 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: wanted tube sockets and chimney for 4CX250
Date: Wed, 24 May 2006 10:17:47 -0700
Message-ID: <p35972lbejofh4li4gurm4nlgnnevlu7q9@4ax.com>
References: <e7ucg.182424$P01.131708@pd7tw3no>
<2tu4729lvl1gba8tr8mv3ifp1c3b3k00uh@4ax.com>
<s5v472t27sig0qdu7s2k1pg7h32pnk8icc@4ax.com> <slrne770cp.135.bit-
bucket@shell.config.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
NNTP-Posting-Host: 216.198.97.21
X-Trace: sv3-
T7bGJMdVwe7cYNi9u4ZJeXToEpDeQxMVZiGqmaV8ewT8ORQMggCd0sZbtq6GDDCvinEcH5HPlL+3TQ6!
jZvUPD5hdlaq13oGKe+vlrw+RZj6pxC+TeHm5cgP6guzWNUubGuvWRF/S/OUWBbtsxCraygZEGAo!
kLXt7fg/U4OjHvpGlj50i8n0RxIwgQ==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4279

On 23 May 2006 21:37:55 GMT, Allodoxaphobia <bit-bucket@config.com>
wrote:

>On Mon, 22 May 2006 20:09:24 -0700, Wes Stewart wrote:
>> On Mon, 22 May 2006 20:07:19 -0700, Wes Stewart <n7ws*@*yahoo.com>
>> wrote:
>>
>>>On Tue, 23 May 2006 02:07:06 GMT, "Big Al" <tjtrucker@hotmail.com>
>>>wrote:
>>>
>>>>Wanted 2 tube sockets and chimneys for the Eimac 4CX250 series tubes. I'm
>>>>building an amp with four of these tubes, I have two sockets and chimneys
>>>>but still looking for two more.
>>>>
>>>>Please email off list to    ve7agw(at)shaw.net  you know what to do with the
```

>>>>"(at)"
>>>>
>>>>Thanks, 73...de ve7agw,
>>>
>>>Well, I tried but your email bounces.
>>
>> Maybe because on another group you use shaw.ca?
>
>Well, the OP had the header:
>
> X-Complaints-To: abuse@shaw.ca

Sigh.

So I should ignore what he wrote and go searching through the headers
instead? I don't think so.

From -4692344240503241573
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.maxwell.syr.edu!newshub.sdsu.edu!
elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
From: Slow Code <email@no.spam>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 47
Message-ID: <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
Date: Wed, 24 May 2006 17:45:59 GMT
NNTP-Posting-Host: 4.254.229.113
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1148492759 4.254.229.113 (Wed, 24 May
2006 10:45:59 PDT)
NNTP-Posting-Date: Wed, 24 May 2006 10:45:59 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4280
rec.radio.amateur.misc:11888 rec.radio.amateur.policy:27145 rec.radio.swap:4183

"Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
news:e50436$mju$1@avnika.corp.mot.com:

> Slow,
>   It's is a shame you have to:
>
> 1- talk like this and
> 2- have so little respect for others and
> 3- have no ability to rationally discuss prows and cons complex issues
> and 4- have a poor understanding of what makes a good ham and
> 5- have so little understanding some real-world practical aspects of
> this issue and most importantly...
> 6- show such poor ham characteristics.
> 7- and probably have so little real knowledge of ham radio, is my guess.
> and
> 8- be a troll
>
> If you're also a 20 WPM extra, then we can easily do without your
> immature attitudes and behaviors here and on the bands.
>
> Hey guys! it is also a shame you get drawn into these types and feed
> their small minds.
>
> 73, Steve, K9DCI

Yes, Yes, yes,
but what are your thoughts on the following:

No more automatic renewals. Individuals must retest and pass
all elements required for their license class.

The passing score for written exams needs to be raised to 85%.

Code elements should be 13 wpm for General, and 20 wpm for Extra.

Make the no-code Tech license one year non-renewable.

sc

From 4811055961428398241
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47

```
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
Date: 24 May 2006 11:04:22 -0700
Organization: http://groups.google.com
Lines: 34
Message-ID: <1148493862.537084.164450@i39g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
   <Xns97C498077AF9DVeebleFetzer@127.0.0.1>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
   <e50436$mju$1@avnika.corp.mot.com>
   <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148493867 17356 127.0.0.1 (24 May 2006 18:04:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 24 May 2006 18:04:27 +0000 (UTC)
In-Reply-To: <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=66.82.9.42;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.equipment:4281
rec.radio.amateur.misc:11891 rec.radio.amateur.policy:27153 rec.radio.swap:4185


Slow Code wrote:
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
> news:e50436$mju$1@avnika.corp.mot.com:
>
> > Slow,
> >   It's is a shame you have to:
> >
> > 1- talk like this  and
> > 2- have so little respect for others  and
> > 3- have no ability to rationally discuss prows and cons complex issues
> > and 4- have a poor understanding of what makes a good ham  and
> > 5- have so little understanding some real-world practical aspects of
> > this issue  and most importantly...
> > 6- show such poor ham characteristics.
> > 7- and probably have so little real knowledge of ham radio, is my guess.
> > and
```

> > 8- be a troll
> >
> > If you're also a 20 WPM extra, then we can easily do without your
> > immature attitudes and behaviors here and on the bands.
> >
> > Hey guys! it is also a shame you get drawn into these types and feed
> > their small minds.
> >
> > 73, Steve, K9DCI
>
>
> Yes, Yes, yes,
> but what are your thoughts on the following:
>
>
but he aswer that in in 3 and 4 and 5

From -3067069325568705355
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-sjc-12!sn-xt-sjc-08!sn-post-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
Date: Wed, 24 May 2006 18:48:46 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <1279akel6o04646@corp.supernews.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 89
Xref: g2news2.google.com rec.radio.amateur.equipment:4282
rec.radio.amateur.misc:11894 rec.radio.amateur.policy:27157 rec.radio.swap:4187

In article <rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>,
Slow Code <email@no.spam> wrote:

>Yes, Yes, yes,
>but what are your thoughts on the following:

Meta-comment: I think that if all of the ideas you propose were actually enacted into regulation, and then ten years were go by, the United States Amateur Radio Service would be unlikely to have more than 1/4 of the number of licencees that it has today.

That's great if you want to create a "private club" for a few years after that.

However, it's lousy if you want there to actually *be* an Amateur Radio Service twenty or thirty years from now. With so few licensees and as little activity as I think there'd be after such a decimation, the odds are good that a lot of the U.S. amateur radio bands would be "re-purposed" for other spectrum users.

>No more automatic renewals. Individuals must retest and pass
>all elements required for their license class.

Unlikely to pass, due to the cost and bureaucratic overhead.

I'd guess that at least a third of current licensees coming up for renewal would decide not to bother, and let their licenses lapse (and that's in addition to the rate of non-renewal which takes place today).

>The passing score for written exams needs to be raised to 85%.

I'd have no real objection to this. Dunno if it's a good idea or a bad idea.

>Code elements should be 13 wpm for General, and 20 wpm for Extra.

This will never happen, for two major reasons:

[1] CW is no longer an international treaty requirement AT ALL.
    The results of the WARC conferences made it clear that the
    international community considers CW a useful mode, and a big
    part of amateur tradition, but that it's no longer in sufficient
    use in military/commercial applications to justify making it
    a legal requirement for amateur HF licensing.

[2] The FCC has made it quite clear (in their responses to the
    numerous petitions filed about [1]) that they no longer consider
    it in the public interest to require CW proficiency for an
    HF license. They are proposing to remove the CW requirement
    entirely.

In its filings, the ARRL has proposed retaining the existing 5 WPM requirement for Amateur Extra. The FCC's response adds up to "No. Not justified. No CW requirement at all."

My understanding is that the ARRL's comments received from their membership, and the comments received directly by the FCC in response to the various petitions, are pretty consistent. Only a small percentage of the people who have commented, feel as you do. Most commenters either want to eliminate the CW requirement entirely (as many other countries have done), or eliminate it for General and retain it for Extra.

What you propose is also unlikely to happen because the FCC and ARRL both remember what happened the last time they tried tightening the rules and raising the requirements and trying to force people to upgrade. My understanding (from reading - I wasn't licensed back then) is that the Powers That Be concluded that this sort of incentive licensing pressure created more resentment, and did more damage to the health of the amateur radio community, than whatever benefits came from it justified.

I've read statements from the FCC, over the past few years, to the effect that they're just not interested in taking operating privileges away from anyone.

>Make the no-code Tech license one year non-renewable.

Once again, I think that the number of licensees that the Amateur Radio Service would lose (or would never get in the first place, once people learned of the non-renewable status) would outweigh the possible advantage of this approach (giving licensees more of an inducement to increase their level of knowledge, and upgrade).

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -5432061845260393155
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed.pnap.net!motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help...[snip]
Date: Wed, 24 May 2006 14:27:11 -0500
Organization: Motorola Applications Directory Team
Lines: 103
Message-ID: <e52c2g$ths$1@avnika.corp.mot.com>

References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<e50436$mju$1@avnika.corp.mot.com>
<rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1148498832 30268 173.27.203.217 (24 May 2006 19:27:12 GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Wed, 24 May 2006 19:27:12 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.equipment:4283
rec.radio.amateur.misc:11898 rec.radio.amateur.policy:27162 rec.radio.swap:4190

OK, OK, OK   I'll bite just a bit...

"Slow Code" <email@no.spam> wrote in message
news:rZ0dg.4507$921.4078@newsread4.news.pas.earthlink.net...
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
> news:e50436$mju$1@avnika.corp.mot.com:
>
> > Slow,
> >   It's is a shame you have to:
> >
> > 1- talk like this and
> > 2- have so little respect for others and
> > 3- have no ability to rationally discuss prows and cons complex issues
> > and 4- have a poor understanding of what makes a good ham and
> > 5- have so little understanding some real-world practical aspects of
> > this issue and most importantly...
> > 6- show such poor ham characteristics.
> > 7- and probably have so little real knowledge of ham radio, is my guess.
> > and
> > 8- be a troll
> >
> > If you're also a 20 WPM extra, then we can easily do without your
> > immature attitudes and behaviors here and on the bands.
> >
> > Hey guys! it is also a shame you get drawn into these types and feed
> > their small minds.
> >
> > 73, Steve, K9DCI
>
>
> Yes, Yes, yes,
> but what are your thoughts on the following:
>
>

> No more automatic renewals. Individuals must retest and pass
> all elements required for their license class.

sc,

Lesee... Well, I believe you have some discussable concepts here.

In other areas there are currency requirements. Flying, for example. If you haven't kept up, you need refresher flights with an instructor. We first try to outline what is gained / lost over time and whether re-testing can address these issues. Old timers will be required to learn about QPSK and all the modern concepts.

Then we go from here.

One general area you seem to fail to address is some of the practical aspects regarding number of licensees and the viability of retaining the Amateur Service all together. If the number of Hams keeps declining, will there be ANY licenses...and do you (in general) want to preserve something, or kill it all if numbers fall, manufacturers stop producing products, etc... This can not be ignored in the rest of the discussions.

I know Extras who couldn't build a thing, yet are active, intelligent and law abiding. They have interest I can discuss with them. I also know no-code'ers that are the most serious hams around...not to mention several that came from CB and are now died-in-the-wool-hams.
I also hear Extras on the air that should aim for a tree the next time they drive a car.

Is learning CW a "right of passage" and an effort that helps to strengthen the Ham...yes...for some. Does it guarantee an excellent, expert Ham? Not by a long shot. That comes from elsewhere.

However, based on the post of yours that I responded to, I choose not to go further since you have demonstrated such a poor attitude, I feel it is not worth the time exploring with you. Ill pick more important battles. Enjoy your Hamm activities (if you have any) and be content. you brand or devisiveness accompliches nothing except, perhaps allowing a few of the responders to vent and possibly hear (though by accident) some reasonable points.

Do you have a call, name? With a pseudonym like yours, I'd think you'dbe on the other side. What are you affraid of?

73, Steve K9DCI

> The passing score for written exams needs to be raised to 85%.

How about the licence grade depending on the score? How about much more strict requirements for on-air procedure. I hear many who have licenses and still don't know how to communicate efficiently in emergency drills or ID properly.

> Code elements should be 13 wpm for General, and 20 wpm for Extra.

CW only was a requirement due to international treaty in the first place. That is no longer the case. You are clrarly hung up on CW. WHY? What does it bring / guarantee? Why is CW so much more important that all other aspects of on-air operation?

> Make the no-code Tech license one year non-renewable.

This still comes directly from the "CW or nothing" concept.
73 (in the truest sense)

```
From -1561184108065162260
X-Google-Thread: 108122,3c38ca72666693bd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!news.highwinds-media.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews1.bellsouth.net.POSTED!8ed1fb9b!not-for-mail
Reply-To: "laborkei" <laborkeiNOSPAM@hotmail.com>
From: "laborkei" <laborkeiNOSPAM@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ebay Auction: Icom 756PROII
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <_T2dg.473$dY4.240@bignews1.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
pcpocbcnbdmdhgfgdbdpiflmbcekedmfhojhikkbagflhcbobhfifjhfjieekoefngpbokkbnlmoameaob
edpmopkacdafgogglgkjdnckdlikbgpjogimejokdcbfpcgbpiggmphokfjgiooeblhkipflfpianm
NNTP-Posting-Date: Wed, 24 May 2006 15:56:42 EDT
Organization: BellSouth Internet Group
Date: Wed, 24 May 2006 15:57:03 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:4284
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9731654891&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

--

From -2792442181459473910
X-Google-Thread: fc8b1,4dac77ccf52e2a6a,start
X-Google-Thread: 108122,4dac77ccf52e2a6a,start
X-Google-Thread: fc2a5,4dac77ccf52e2a6a,start
X-Google-Thread: 106d41,4dac77ccf52e2a6a,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!opentransit.net!cox.net!news-xfer.cox.net!p01!fed1read11.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.cb
Subject: FS: UG-58A/U Type N Panel Mount Connector
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <583dg.3895$rS6.1889@fed1read11>
Date: Wed, 24 May 2006 13:13:11 -0700
NNTP-Posting-Host: 64.58.167.76
X-Complaints-To: abuse@cox.net
X-Trace: fed1read11 1148501633 64.58.167.76 (Wed, 24 May 2006 16:13:53 EDT)
NNTP-Posting-Date: Wed, 24 May 2006 16:13:53 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4171 rec.radio.amateur.equipment:4285 rec.radio.amateur.homebrew:5435 rec.radio.cb:10584

UG-58A/U Type N Panel Mount Connector made in USA. One piece solid nickel plated brass body. Captive silver plated contact, teflon insulation. Unlimited quantity availabe from stock.

1 to 99 ------ $2.95 each

100 to 499----$2.75 each

500+----------$2.50 each

New Catalog Available

Please email sales@AAARFProducts.com

or call 949 481 3154 (San Clemente, CA, USA)

```
From 3073454650897836575
X-Google-Thread: 108122,804cd80c0477a441,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  Diamond SX-100 Power Meter Mint
Date: Wed, 24 May 2006 15:18:02 -0500
Organization: netINS InterNetNews site
Lines: 3
Message-ID: <fpf972lc0ocombb177458bpfqqpirdn9hj@4ax.com>
Reply-To: mikeNOSPAM@L2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1148501884 17226 67.55.159.6 (24 May 2006 20:18:04 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 24 May 2006 20:18:04 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news2.google.com rec.radio.amateur.equipment:4286

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9731667343

Thanks for looking
```

```
From -8441577137553522321
X-Google-Thread: 108122,8edcdbc8e60acb2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Advanced Receiver Research UHF Preamplifier P432VDC
Date: Wed, 24 May 2006 15:19:07 -0500
Organization: netINS InterNetNews site
Lines: 3
Message-ID: <isf972p0ds72odlpvrmbpmnom05c3rscuq@4ax.com>
Reply-To: mikeNOSPAM@L2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1148501949 17226 67.55.159.6 (24 May 2006 20:19:09 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 24 May 2006 20:19:09 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
```

Xref: g2news2.google.com rec.radio.amateur.equipment:4287

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9731653521

Thanks for looking

From -6331731425598781528
X-Google-Thread: 108122,ddff6454aa552f7b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!84ef5383!not-for-mail
From: "Brian Murrey" <brian@iquest.net>
Newsgroups: rec.radio.amateur.equipment
References: <1148474182.559051.12860@i39g2000cwa.googlegroups.com>
Subject: Re: Qrp trasmitter operating procedures
Lines: 43
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <l%3dg.6314$x4.4587@newsread3.news.pas.earthlink.net>
Date: Wed, 24 May 2006 21:12:49 GMT
NNTP-Posting-Host: 71.0.8.253
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148505169 71.0.8.253 (Wed, 24 May 2006 14:12:49 PDT)
NNTP-Posting-Date: Wed, 24 May 2006 14:12:49 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4288

Saluti, Paolo. Potete utilizzare un interruttore dell'antenna. Avete bisogno di un interruttore con tre collegamenti totali. Uno per la ricevente, uno per il trasmettitore ed uno per l'antenna. Quando vi sentite IN SENSO ORARIO e siete aspettate per trasmettere, passare dalla ricevente al trasmettitore. Molto facile fare questo senso.

Greetings, Paolo. You can use an antenna switch. You need a switch with three total connections. One for the receiver, one for the transmitter, and one for the antenna. When you hear CW and are ready to transmit, switch from the receiver to the transmitter.

Very easy to do this way.

73

--
===
Radio Amateurs - Fill your junk box, from my junkbox!
http://www.hamradparts.com

73 de KB9BVN
===

"iw3arv" <iw3arv@inwind.it> wrote in message
news:1148474182.559051.12860@i39g2000cwa.googlegroups.com...
> Hello I'm really new to Qrp and I have, I think, a simple question.
> It's common to find kits or schematics for Qrp trasmitter.
> But I've not find any mention how to operate a unit composed of a
> separated receiver and transmitter. For example I've a simple receiver
> like a Sangean or Sony ICF-7600 with SSB.
> I'm able to decode CW with these receiver, with some difficulty but
> it's possible. Suppose I've a qrp CW trasmitter how i could manage the
> Trasmitter / receiver switching. I think I must use a sort of t/r
> circuit to isolate the receiver. I internet I've not found anything
> about a simple setup like this one.
>
> Thanks and excuse for my poor english
>
> 73 Paolo Iw3arv Italy
>

From -6936853069969267409
X-Google-Thread: 108122,572a8e2a306bccdd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1148387143.838076.25730@38g2000cwa.googlegroups.com>
Subject: Re: wtb 7855 tube
Lines: 11
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <NW4dg.40418$p_1.20484@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Wed, 24 May 2006 22:16:14 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4289

acamil wrote:
> WTB 7855 tube
> I need 1 piece of ML7855. Could be made by EIMAC/CPI,
> Machlett/Raytheeon, GE/MPD.

> Please let me know price and condition by email. Thank you. ...

Assuming you aren't treating Usenet as a write-only mediium...

http://www.elexs.com/1Xmtg.htm

From 6246052365558401283
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
From: k9uwaREMOVE@THISarrl.netSTUFF (John Goller, k9uwa)
Organization: JohnJeanAntiqueRadio.com
X-Newsreader: WinVN 0.99.12c [mds] (x86 32bit)
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com> <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com> <44706167.51D6E796@earthlink.net> <4470901D.7040701@yahoo.com> <4470989B.9E5689E@earthlink.net>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 19
Message-ID: <6A9cg.983878$xm3.561611@attbi_s21>
NNTP-Posting-Host: 12.227.128.66
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1148265858 12.227.128.66 (Mon, 22 May 2006 02:44:18 GMT)
NNTP-Posting-Date: Mon, 22 May 2006 02:44:18 GMT
Date: Mon, 22 May 2006 02:44:18 GMT
Xref: g2news2.google.com rec.antiques.radio+phono:22335 rec.radio.amateur.equipment:4190 rec.radio.amateur.misc:11482 rec.radio.shortwave:36231

In article <4470989B.9E5689E@earthlink.net>, mike.terrell@earthlink.net says...
>
>
>I did go almost every year from 1970 to 1987, when it was a little over
>an hour's drive.
>Michael A. Terrell

Today the Flea at Dayton is less than 1/3 full .. where up until about 2000 you had to have someone die and will you a flea market space to get into

the place... too many of us tired of the "Aisle Police" and the "Tent
Police" and the "Door Police" and the Trotwood Firedept won't let us
do this and that and the other thing... plus the hotels jacking the rates
of 40 to 60 buck rooms up to 150 a nite with 3 might miniumum...
Sorry but this was my 2nd year NOT to attend...
John k9uwa

From 7797212114241967462
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "J. Mc Laughlin" <jcm@power-net.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sun, 21 May 2006 22:46:03 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12729e4e160k0f5@corp.supernews.com>
Reply-To: "J. Mc Laughlin" <jcm@power-net.net>
References: <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<jn0ag.3495$y4.724@newsread2.news.pas.earthlink.net>
<1148093850.852066.18100@u72g2000cwu.googlegroups.com>
<xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
<p1j1729noc9djlhlbdk15q4q95asf8kea9@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.antenna:11785
rec.radio.amateur.equipment:4191 rec.radio.amateur.misc:11483
rec.radio.amateur.policy:26690 rec.radio.shortwave:36233

I intend to post the cartoon on my door. Several in my department will understand. 73 Mac   N8TT

s:p1j1729noc9djlhlbdk15q4q95asf8kea9@4ax.com...
> The thread-ending clincher: if it weren't for cw, no one would understand
> today's (5/21/2006) Foxtrot cartoon.
>
> -- Larry
>

From 8441191973590696174
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: - exray - <exray@coqui.net>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: Sun, 21 May 2006 23:21:39 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1272bi8t49brr41@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com> <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com> <12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
In-Reply-To: <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news2.google.com rec.antiques.radio+phono:22337 rec.radio.amateur.equipment:4192 rec.radio.amateur.misc:11484 rec.radio.shortwave:36249

Lisa Simpson wrote:

> It was $25/person this year, parking $8/day.

Well, that pretty well kills off the casual attendees that are essential to bring fresh blood into the event.

And although the $25 might not put off the hardcore hamfester it does put off a lot of the 'regular' people that are the foundation of the event. Add $3 gallon for gas for a guy from Indiana who has a few radios to sell and doesn't care if he makes a buck or not on the radio but now he's out of pocket some actual cash money. Much more than taking the family to a movie and buying popcorn!

C'est la vie.

I think a lot of these hamfest promoters figger on pricing themselves as some sort of 'event' rather than just a big swap meet. It doesn't seem to work that way anymore.

-Bill

```
From -3403544155687885011
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!opentransit.net!news.tele.dk!news.tele.dk!small.news.tele.dk!
news.astraweb.com!newsrouter-eu.astraweb.com!193.201.147.81.MISMATCH!
feed.xsnews.nl!feeder.xsnews.nl!sn-ams-06!sn-xt-ams-04!sn-ams!sn-feed-ams-02!sn-
post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Murray Neece <radioranch@qth.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: Sun, 21 May 2006 22:27:04 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <44712F88.7040100@qth.com>
User-Agent: Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
In-Reply-To: <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.antiques.radio+phono:22338
rec.radio.amateur.equipment:4193 rec.radio.amateur.misc:11485
rec.radio.shortwave:36253
```

Lisa Simpson wrote:

> It was $25/person this year, parking $8/day.
>
> "Hagstar" <yonnyKILL@SPAMMERSatt.net> wrote in message
> news:12725vt81v3bfbd@corp.supernews.com...

```
>> Am I correct this Hamfest costs a lot of money to attend as well?
>>
>> John H.
>>
>>
>
>

Thats not much money for a one of kind event today. Cheap in fact!
Been to a Santana concert lately?  But travel, thats a different story
now ..Murray


From 8348014406288748117
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news.germany.com!feed.xsnews.nl!
feeder.xsnews.nl!multikabel.net!feed10.multikabel.net!feeder1.cambrium.nl!
feed.tweaknews.nl!news-out2.kabelfoon.nl!newsfeed.kabelfoon.nl!
bandi.nntp.kabelfoon.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-04!sn-post-
ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Murray Neece <radioranch@qth.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay  NOT JUST DAYTON
Date: Sun, 21 May 2006 22:30:37 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <4471305D.9090001@qth.com>
User-Agent: Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
In-Reply-To: <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news2.google.com rec.antiques.radio+phono:22339
rec.radio.amateur.equipment:4194 rec.radio.amateur.misc:11486
rec.radio.shortwave:36255

It isnt just Dayton, its nearly all hamfests.  Check out what they are
doing to Ham Comm in DFW area this year.  48 flea mkt tables vs usually
about 300!!  They made sure it would fail.

lemonhead wrote:
> "Lisa Simpson" <none@none.com> wrote in message
> news:vbJbg.36281$mh.29156@tornado.ohiordc.rr.com...
```

```
>> Just returned from the Dayton HamFest; only found a coupla SW receivers
> for
>> sale, used, high-ish prices; quite a few old tube receivers way
> overpriced,
>> and of course the new ones at normal to slightly high prices.
>> Disappointing.
>
> I was there for 4 hours on Saturday.
> Nothing but old test equipment and computer junk.
> Only reason to go anymore is to meet people, albeit an
> expensive one. Never again will I goto Dayton.
> It's day has ended, period. E-Bay and private ad's on places like
> QRZ.com have killed it. Not worth the effort anymore.
>
```

```
From 757630990315160026
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Mon, 22 May 2006 16:23:07 +1000
From: spears <ester@talk21.com>
User-Agent: Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<44706167.51D6E796@earthlink.net> <4470901D.7040701@yahoo.com>
<4470989B.9E5689E@earthlink.net> <12722gkh96okq35@corp.supernews.com>
<me-5332F5.21204321052006@news.supernews.com>
In-Reply-To: <me-5332F5.21204321052006@news.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Original-NNTP-Posting-Host: 210.50.40.66
Message-ID: <447158cc_1@news.iprimus.com.au>
Organization: iPrimus Customer - reports relating to abuse should be sent to
abuse@iprimus.com.au
X-Original-NNTP-Posting-Host: 127.0.0.1
Lines: 25
NNTP-Posting-Host: 203.134.67.67
X-Trace: 1148278991 un-2park-reader-01.sydney.pipenetworks.com.au 17545
203.134.67.67:4975
X-Complaints-To: Abuse, including message IDs to abuse@pipenetworks.com
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
koehntopp.de!news.musoftware.de!quokka.wn.com.au!token.pipenetworks.com!
218.100.2.59.MISMATCH!not-for-mail
```

```
Xref: g2news2.google.com rec.antiques.radio+phono:22351
rec.radio.amateur.equipment:4195 rec.radio.amateur.misc:11491
rec.radio.shortwave:36284

Mike wrote:
> In article <12722gkh96okq35@corp.supernews.com>,
>  "J. Mc Laughlin" <jcm@power-net.net> wrote:
>
>> Once upon a time, one could talk with designers/engineers and find some
>
> <snip>
>
>>     Dayton's time has come and gone.  A shame.
>
> Kinda like short wave radio in general.   Which is also a shame.
>
> Mike
The number of new products released tells it all. Whats new, absolutely
nothing.

The worst part is the  price of all this old junk, some people think
buying old junk should cost more than gold nuggets or close to new
prices. Collins mania must have spread into old junk parts. Amps parts
especially!

The biggest joke was RF parts like vacuum variables, "what you want $200
a piece with no warranty! Same comments apply to tubes. You might as
well buy new or from one of the reputable dealers who will give your
money back if its a dud.


From 8750975683278641559
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 08:53:38 -0500
User-Agent: Microsoft-Entourage/11.2.3.060209
Date: Mon, 22 May 2006 08:53:38 -0500
Subject: Re: Dayton HamFest killed by E-Bay
From: John Stone <jmsent2@comcast.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Message-ID: <C0972C92.479F3%jmsent2@comcast.net>
Thread-Topic: Dayton HamFest killed by E-Bay
Thread-Index: AcZ9pyA1XqbXLOmaEdqTCQAKlcCuqA==
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
```

```
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
Mime-version: 1.0
Content-type: text/plain;
     charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 20
NNTP-Posting-Host: 24.12.226.195
X-Trace: sv3-g7PD2sMkpatzrSm/UmPVPjj6RFU3Q/Zd/
kLZOkQgrakFPa6Q8Zu8tLtEh2hnbzWKRgV6D3u7uxkNFvS!fce29cH4E1mJsApVCbz/
luLmeqnugF6FglE/VEKVtx9weUk1w7F8U6Movd/ZebMdlYDTAuACXPU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.antiques.radio+phono:22366
rec.radio.amateur.equipment:4196 rec.radio.amateur.misc:11503
rec.radio.shortwave:36312
```

On 5/21/06 9:09 PM, in article m39cg.36461$mh.27894@tornado.ohiordc.rr.com,
"Lisa Simpson" <none@none.com> wrote:

> It was $25/person this year, parking $8/day.
>
> "Hagstar" <yonnyKILL@SPAMMERSatt.net> wrote in message
> news:12725vt81v3bfbd@corp.supernews.com...
>> Am I correct this Hamfest costs a lot of money to attend as well?

That was at the door. If you pre-purchased, it was $20. Is that a lot of money for what is still the largest hamfest on the planet? I was there this year, and the place got picked over quickly. I'm sure there was little left by Saturday. I brought 3 radios to put on my brother's table, and they were all sold within 2 hours for more than I would ever have gotten at any of our local radio meets. So,for me anyway, while it may not be what it was compared to previous years (what radio meet is?) I still find Dayton a lot of fun, and well worth attending. Blame eBay if you like, but the fact is that there is very little new blood coming into the hobby, and the old blood, is-well-getting older.

```
From 3674082900068024382
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!news-out.readnews.com!spool-
```

big2.readnews.com!diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "Hambone the Porkbutter" <ayeayeayePBsong@yahoo.com>
From: "Hambone the Porkbutter" <ayeayeayePBsong@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<4471305D.9090001@qth.com>
Subject: Re: Dayton HamFest killed by OBSCENE ADMISSION $$$
Date: Mon, 22 May 2006 10:11:22 -0400
Lines: 41
Organization: wheeeee
MIME-Version: 1.0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc4a-209-204-69-204.sniparpa.net
X-Trace: 9e04471c68b7469e0695357
Xref: g2news2.google.com rec.antiques.radio+phono:22367
rec.radio.amateur.equipment:4197 rec.radio.amateur.misc:11513
rec.radio.shortwave:36322

Sure!!

HamComm charges $10 admission, like Dayton charges $25
a head to get in. Their pricing themselves clear out of the
market! Then add in the price of gas and food and is it any
wonder why hams are staying home and ordering their
radios onlive via e-Bay or elsewhere ??

It's actually cheaper to go see a Major League Baseball
game live admission than it is to go to a stupid Hamfest.

Do the $$$ homework boys - you guys that run these ham events
are screwin yerselves faster than Barbaro broke his leg last week.

"Murray Neece" <radioranch@qth.com> wrote in message
news:4471305D.9090001@qth.com...
> It isnt just Dayton, its nearly all hamfests. Check out what they are
> doing to Ham Comm in DFW area this year. 48 flea mkt tables vs usually
> about 300!! They made sure it would fail.
>
> lemonhead wrote:
> > "Lisa Simpson" <none@none.com> wrote in message

```
> > news:vbJbg.36281$mh.29156@tornado.ohiordc.rr.com...
> >> Just returned from the Dayton HamFest; only found a coupla SW
receivers
> > for
> >> sale, used, high-ish prices; quite a few old tube receivers way
> > overpriced,
> >> and of course the new ones at normal to slightly high prices.
> >> Disappointing.
> >
> > I was there for 4 hours on Saturday.
> > Nothing but old test equipment and computer junk.
> > Only reason to go anymore is to meet people, albeit an
> > expensive one. Never again will I goto Dayton.
> > It's day has ended, period. E-Bay and private ad's on places like
> > QRZ.com have killed it. Not worth the effort anymore.
> >



From -7050423859761008663
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 09:11:47 -0500
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
From: notbob <notbob@nothome.com>
Subject: Re: Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<1271vr5mluc7pd3@corp.supernews.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <Uo6dnVMnS4w5W-zZRVn-vQ@comcast.com>
Date: Mon, 22 May 2006 09:11:48 -0500
Lines: 13
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-pq0Hz2g4Cxfat0dgNDrZaf2+QSaYTfhDUo7UBY2R9li0jp/bbsU5abZcnd8/
rxU0z2/7pyuhB37eEuM!bM5m7NsMIK0CiW9Hvr1QYhA3b8XcqJ1eCvDmx5C2CeAVUao/
E+T83niG5FlTkVt8VZ34
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

Xref: g2news2.google.com rec.antiques.radio+phono:22368
rec.radio.amateur.equipment:4198 rec.radio.amateur.misc:11514
rec.radio.shortwave:36323

On 2006-05-22, Steve Phipps <kawninja@nospam.cableone.net> wrote:

> vendor passes to shop early. If you attend hamfests to buy and you can't be
> there when the doors open, you might as well stay home.
>
> Well run hamfests do have good deals that rival or beat Ebay hands
> down....

After having spent a couple mos attending local AR sponsored swap
meets, I figure the "doors open" buyers are there to score deals they
can turn around and put on ebay.

nb

From -8857634129275278521
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 09:25:07 -0500
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
From: notbob <notbob@nothome.com>
Subject: Re: Dayton HamFest killed by E-Bay NOT JUST DAYTON
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<4471305D.9090001@qth.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <NY6dnejMf6xbVOzZRVn-uA@comcast.com>
Date: Mon, 22 May 2006 09:25:10 -0500
Lines: 12
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-
BWRAFNkgrnnGDiNGZc6sMrs3Fu6mEBW+ZU29WJWb4wfoWRjtuCpjo9eviCHZFMttK4l44nwtooDfI86!
Y3640DpQa/8+kViGsEYMW57jgI6fnmCRmacWGbQSbCtal5pXqVopFDH3VsKcnojGREu+
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32

```
Xref: g2news2.google.com rec.antiques.radio+phono:22369
rec.radio.amateur.equipment:4199 rec.radio.amateur.misc:11521
rec.radio.shortwave:36327

On 2006-05-22, Murray Neece <radioranch@qth.com> wrote:
> It isnt just Dayton, its nearly all hamfests.  Check out what they are
> doing to Ham Comm in DFW area this year.  48 flea mkt tables vs usually
> about 300!!  They made sure it would fail.

And the "they" is not always the involved ARC.  A local club here got
kicked to the curb by the local community college and now have to
stage their long running monthly swap meet at the rodeo grounds in a
dirt parking lot.  That killed off most of the computer vendors and
literally cut the size in half.

nb



From 6310889450691438755
X-Google-Thread: 108122,a034698f3021a3e5,start
X-Google-Thread: fc8b1,a034698f3021a3e5,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: $10:-(>RARE NATIONAL XCU-300 CRYSTAL CALIBRATOR for NC-300/303
Date: 22 May 2006 07:25:15 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148307915.820861.248230@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148307921 10963 127.0.0.1 (22 May 2006 14:25:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 14:25:21 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4200
rec.radio.amateur.boatanchors:4158

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9729050747&ssPageName=STRK:MESE:IT



From 6299888679059517215
```

X-Google-Thread: 108122,c5d9eeb31c9b3605,start
X-Google-Thread: fc8b1,c5d9eeb31c9b3605,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: TWO(2) MATCHED NOS SYLVANIA 6JB6 RF TUBES for DRAKE
Date: 22 May 2006 07:26:16 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148307976.503139.18330@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148307981 28572 127.0.0.1 (22 May 2006 14:26:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 14:26:21 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4201
rec.radio.amateur.boatanchors:4159

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9729050722&ssPageName=STRK:MESE:IT

From -8592804234359981916
X-Google-Thread: 108122,85e76e728546ea4a,start
X-Google-Thread: fc8b1,85e76e728546ea4a,start
X-Google-Thread: 106d41,85e76e728546ea4a,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: $10>BRAND-NEW "CHARGE-IT" 12VDC PORTABLE POWER PACK>USA:-)
Date: 22 May 2006 07:27:21 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1148308041.060134.201860@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148308046 28718 127.0.0.1 (22 May 2006 14:27:26 GMT)
X-Complaints-To: groups-abuse@google.com

```
NNTP-Posting-Date: Mon, 22 May 2006 14:27:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4202
rec.radio.amateur.boatanchors:4160 rec.radio.cb:10289

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9729050758&ssPageName=STRK:MESE:IT




From -8094244040963256762
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: "Peter Wieck" <pfjw@aol.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Ebay & "The Market"
Date: 22 May 2006 08:34:07 -0700
Organization: http://groups.google.com
Lines: 69
Message-ID: <1148312047.828984.28290@38g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
NNTP-Posting-Host: 64.47.47.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148312051 23018 127.0.0.1 (22 May 2006 15:34:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 15:34:11 +0000 (UTC)
In-Reply-To: <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=64.47.47.2;
   posting-account=8gWx9Q0AAAAmHwaAo7Iu69QEfiD2_x29
Xref: g2news2.google.com rec.antiques.radio+phono:22372
rec.radio.amateur.equipment:4203 rec.radio.amateur.misc:11526
rec.radio.shortwave:36332
```

After reading all this, and with the recent Kutztown event in the background, as well as my three weekend finds, I am not so sure eBay has much to do with anything as to radio prices or availability. This is based on several assumptions which I will list for correction/addition/amplification:

a) the west, southwest and south in general suffer from a dearth of good radios. This has been the case for the over 20 years I have been in the hobby and remains the case today. Exceptions include Florida & Maryland... stretch to make MD a 'southern' state although it is below the Mason/Dixon line.
b) the Pacific northwest suffers from the same lack to a lesser degree.

With this in mind, eBay has always been a presence in areas where the natural crop is limited or non-existent. This group will typically have a view of radios that is wildly distorted in price, as they start with the "everything costs $15" mentality based on shipping alone.

As one moves east especially into (former) wealthier parts of it, and around older major cities (Chicago, Minneapolis, Detroit and so forth), radios become thicker and thicker until one hits the East Coast, where even the most limited multi-family garage sale will offer a few examples of *something* loosely described as being related to the hobby. Then, at Kutztown, the typical $30+shipping eBay brown bakelite radio goes in the $15-if-that range at the end-of-meet auction. And the $229-for-a-common-RCA (albeit polished to glow-in-the-dark proportions) simply does not happen.

So, it is "all according to" location and opportunity. Kutztown is a free-to-the-public event held at a major Farmers' Market/Antique Market that also has weekly tables for anyone selling. Accordingly its attendance is disproportionately large and consists of a disproportionate amount of the "general public" walking through out of curiosity and because they were 'there anyway'. This would not happen at a destination-event if only because of the lack of general publicity as much as the uninterested public would never go nor have any reason to even be proximate that they might go. And, of course, the admission fee would deter those few that did happen to be straggling nearby.

I will also state for the record that Kutztown had _at least_ thousands of radios in all states, of all types and in all price ranges, from high-end, high-tube-count consoles through lovingly restored tabletops through standard junk. The peripheral events are limited... no hotel-banquet-hall lectures, but those few were directly on-point and even of interest to non-radio people (The talk on Crystal sets, for example).

So, from purely anecdotal evidence, it appears that those venues where the general public is not actively solicited, those venues that are 'preaching to the converted' are shrinking. Those that do solicit the general public, those that run at (apparently) a much lower key appear to be growing. The two local examples would be the DVHRC-sponsored events (Kutztown, PA) and the NJARC-sponsored events (Hazelet, NJ). Those of you that go to the NEARC events in Nashua, New Hampshire... how are they doing? I hear from some acquaintances that they are doing quite well? And I also hear that Rochester is a mere shadow of its former self? Is this true?

In any case, I remain of the general belief that eBay is not a significant factor in the hobby to those in the east. And to those in the west or out-of-range of large, older population centers, it has _always_ been a factor, neither more nor less much than now.

The thoughts of others are actively solicited!

Peter Wieck
Wyncote, PA

```
From 3297255060352868514
X-Google-Thread: 108122,1b9ec03e65f3e1f2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews2.bellsouth.net.POSTED!8ed1fb9b!not-for-mail
Reply-To: "laborkei" <laborkeiNOSPAM@hotmail.com>
From: "laborkei" <laborkeiNOSPAM@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Hamvention: Amateur Radio Manufacturers and Unfair Pricing...
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <udlcg.51369$Kn4.33895@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbofncemmlnkiplpgbfngpbokkbnlmoameaob
edpmopkacdafgomeegfjfccljiklonpjogimejokdcbfpcfbkkapoiglikelmockapaibaobfmmfhn
NNTP-Posting-Date: Mon, 22 May 2006 11:59:22 EDT
Organization: BellSouth Internet Group
Date: Mon, 22 May 2006 11:59:40 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:4204
```

Amateur Radio Manufacturers and unfair pricing!

Here I sit the day after Dayton, calling around to all the dealers looking for a HF Transceiver. There were some fantastic prices offered on equipment (As much as $500 off list), and the dealers are back to charging full price today.

I am told by the dealers I called, that the Manufacturers were making deals with them so they could sell there inventories much cheaper, and the orders had to be taken at Dayton. Today, the day after when most of these orders had not even shipped yet, they are back up to full retail price.

To be fair, Manufacturers should allow these prices for a time period after Dayton to give other Amateurs who could not drive to Dayton an opportunity to get the same deals.

I think we should all write to them and let them know how we feel. This is unfair !

```
From -9170503809113138946
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <4471E3CC.D527CD4A@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
        <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
        <12725vt81v3bfbd@corp.supernews.com>
        <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
Date: Mon, 22 May 2006 16:16:51 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1148314611 24.110.34.161 (Mon, 22 May
2006 09:16:51 PDT)
NNTP-Posting-Date: Mon, 22 May 2006 09:16:51 PDT
```

Xref: g2news2.google.com rec.antiques.radio+phono:22375
rec.radio.amateur.equipment:4205 rec.radio.amateur.misc:11528
rec.radio.shortwave:36338

Peter Wieck wrote:
>
> a) the west, southwest and south in general suffer from a dearth of
> good radios. This has been the case for the over 20 years I have been
> in the hobby and remains the case today. Exceptions include Florida &
> Maryland... stretch to make MD a 'southern' state although it is below
> the Mason/Dixon line.

According to the snowbirds from the New England area, Florida is the southern tip of new England. :(

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -2606565355977977172
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <4471E44D.B0275F24@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by OBSCENE ADMISSION $$$
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<4471305D.9090001@qth.com> <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
Lines: 29
Date: Mon, 22 May 2006 16:19:00 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1148314740 24.110.34.161 (Mon, 22 May
2006 09:19:00 PDT)
NNTP-Posting-Date: Mon, 22 May 2006 09:19:00 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:22376
rec.radio.amateur.equipment:4206 rec.radio.amateur.misc:11529
rec.radio.shortwave:36340

Hambone the Porkbutter wrote:
>
> Sure!!
>
> HamComm charges $10 admission, like Dayton charges $25
> a head to get in. Their pricing themselves clear out of the
> market! Then add in the price of gas and food and is it any
> wonder why hams are staying home and ordering their
> radios onlive via e-Bay or elsewhere ??
>
> It's actually cheaper to go see a Major League Baseball
> game live admission than it is to go to a stupid Hamfest.
>
> Do the $$$ homework boys - you guys that run these ham events
> are screwin yerselves faster than Barbaro broke his leg last week.


  So, you're saying that the price hasn't changed that much since I left
Ohio in the late '80s?  Do you think that they get Hara Arena for free,
or all the cops and bus service for park and ride?



--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida



From 8680076533164399409
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "CAINE" <bb69@epix.net>
Newsgroups:
```

rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 22 May 2006 09:24:35 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1148315075.007705.154790@j33g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <C0972C92.479F3%jmsent2@comcast.net>
NNTP-Posting-Host: 207.7.164.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148315080 15928 127.0.0.1 (22 May 2006 16:24:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 16:24:40 +0000 (UTC)
In-Reply-To: <C0972C92.479F3%jmsent2@comcast.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x 4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=207.7.164.49;
   posting-account=8A6xkw0AAAAQZODIdyLn1eB36dUhf_7s
Xref: g2news2.google.com rec.antiques.radio+phono:22377 rec.radio.amateur.equipment:4207 rec.radio.amateur.misc:11533 rec.radio.shortwave:36343

good points.

The local flea markets here, always seem so barren of good stuff. So I managed to get to one 35 minutes before official opening time.

I was surpised to see the smart buyers already walking out with boxes full of all the good stuff !

The best items sell, as the spots are still being set up.

From -8150769574291265587
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 11:33:54 -0500
User-Agent: Microsoft-Entourage/11.2.3.060209

Date: Mon, 22 May 2006 11:33:53 -0500
Subject: Re: Dayton HamFest killed by OBSCENE ADMISSION $$$
From: John Stone <jmsent2@comcast.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
Message-ID: <C0975221.47B36%jmsent2@comcast.net>
Thread-Topic: Dayton HamFest killed by OBSCENE ADMISSION $$$
Thread-Index: AcZ9vYMxwZAlCemwEdqTCQAKlcCuqA==
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<4471305D.9090001@qth.com> <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
Mime-version: 1.0
Content-type: text/plain;
charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 30
NNTP-Posting-Host: 24.12.226.195
X-Trace: sv3-fxPqETcet3pGQ6TPwhTkUKH6efGzVfo1P/oBLvIfD9KkXxRd3v1/
NP0Qr2ph9i3LYWxRltq7HO+lapI!eTeGApMA2w+6O/
CFWwsR8XURGtTLlKJfZd7xLQ1cvG7GVIEx3z7idtde3TKHYs1aB73bbWJuqyA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.antiques.radio+phono:22378
rec.radio.amateur.equipment:4208 rec.radio.amateur.misc:11542
rec.radio.shortwave:36351

On 5/22/06 9:11 AM, in article 9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com, "Hambone the Porkbutter" <ayeayeayePBsong@yahoo.com> wrote:

> Sure!!
>
> HamComm charges $10 admission, like Dayton charges $25
> a head to get in. Their pricing themselves clear out of the
> market! Then add in the price of gas and food and is it any
> wonder why hams are staying home and ordering their
> radios onlive via e-Bay or elsewhere ??
>

Regardless, Dayton was packed with attendees. You could barely move at times in the indoor exhibits on Friday.
Parking lots were full, there wasn't a hotel vacancy anywhere, etc.

> It's actually cheaper to go see a Major League Baseball
> game live admission than it is to go to a stupid Hamfest.

Not for a Chicago Cubs or White Sox ticket. No way.

> Do the $$$ homework boys - you guys that run these ham events
> are screwin yerselves faster than Barbaro broke his leg last week.

What would you have them do? Operate the meet at a loss?

From -5467738617557877506
X-Google-Thread: 108122,124e7fa19ce81714,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-mail
From: hamradio.dxer@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: A free 40 meter qrp xmtr
Date: 22 May 2006 09:46:29 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1148316389.810332.60960@y43g2000cwc.googlegroups.com>
NNTP-Posting-Host: 67.139.152.40
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148316395 3067 127.0.0.1 (22 May 2006 16:46:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 16:46:35 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3) Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=67.139.152.40;
   posting-account=dJ9L-wwAAACneH7-_n6-g9DocT2mRjLj
Xref: g2news2.google.com rec.radio.amateur.equipment:4209

No, I'm not affiliated with them. But this company has a promotion going this summer that you get a free qrp transmitter (it's not a kit) if you buy one of their portable dipole antennas. Here's the promotion page:

http://hamradiofun.com/summer-special.htm

73's from Fred

From -116270749134017915
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a

```
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 12:01:48 -0500
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
From: notbob <notbob@nothome.com>
Subject: Re: Ebay & "The Market"
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
Organization: ...little, if any
User-Agent: slrn/0.9.8.1 (Linux)
Message-ID: <iaGdnbMlTMvjc-zZnZ2dnUVZ_sednZ2d@comcast.com>
Date: Mon, 22 May 2006 12:01:50 -0500
Lines: 27
NNTP-Posting-Host: 24.5.203.12
X-Trace: sv3-864td96lQSKO+FTJEYlTO9Tzu7g0Ozqiz19eJ6wT/+ZUF46toJkF6mf0YP/
ZE69rI8FHaaMTjPDm+CC!8lsfxZULjtjUO625OEqX/lLxQuIApC7cpnYgpincCvdTje5LlNHsmBSEUHt0/
LiCdXFQC2ln9/cC!kq7LSg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.antiques.radio+phono:22381
rec.radio.amateur.equipment:4210 rec.radio.amateur.misc:11556
rec.radio.shortwave:36362
```

On 2006-05-22, Peter Wieck <pfjw@aol.com> wrote:

> In any case, I remain of the general belief that eBay is not a
> significant factor in the hobby to those in the east. And to those in
> the west or out-of-range of large, older population centers, it has
> _always_ been a factor, neither more nor less much than now.
>
> The thoughts of others are actively solicited!

As a rank newbie (not even licensed, yet) I more or less have to agree. Here in the San Francisco Bay Area (SFBA) where there are at least a couple local ARC swap meets per month, I see none of the stuff found on ebay in the way of classic old ham equipment. Hell, I can't even find a used morse code key to practice on. I'm gonna hafta buy a new Ameco from HRO. Not quite sure exactly why this is. Perhaps most of SFBA ppl are all digitally oriented due to Silicon Valley being the original hot-bed of digital. Whatever the reason, old Collins, Drake, Heathkit, etc, rigs are rarer than cheap gas and low real estate prices.

On the positive side of the ledger, due to the glory days of the late great SV, there's hardly a man or woman alive in Northern California that can't fly a Fluke or wield a mean Weller. I'll be flogging my own acid-free flux and have already bought my first QRP kit with my eye on another.

nb

From 2059050735965638416
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!pln-w!spln!dex!extra.newsguy.com!newsp.newsguy.com!enews2
From: DeserTBoB <desertb@rglobal.net>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Ebay & "The Market"
Date: Mon, 22 May 2006 10:33:59 -0700
Organization: Add an "ob1" after the name...NO SPAM!
Lines: 8
Message-ID: <ket3729gngs8jak886f3kh02m1c8mh543n@4ax.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
<4471E3CC.D527CD4A@earthlink.net>
Reply-To: desertb@rglobal.net
NNTP-Posting-Host: p-531.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 3.1/32.783
Xref: g2news2.google.com rec.antiques.radio+phono:22391
rec.radio.amateur.equipment:4211 rec.radio.amateur.misc:11558
rec.radio.shortwave:36367

On Mon, 22 May 2006 16:16:51 GMT, "Michael A. Terrell"
<mike.terrell@earthlink.net> wrote:

>   According to the snowbirds from the New England area, Florida is the
>southern tip of new England. :(<snip>

I thought the Noo Yawkuhs declared it an eighth borough. At least
they vote correctly!

```
From -2040708622560799620
X-Google-Thread: 108122,1b9ec03e65f3e1f2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!logbridge.uoregon.edu!
usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Hamvention: Amateur Radio Manufacturers and Unfair Pricing...
Date: Mon, 22 May 2006 18:27:26 GMT
Organization: Sometimes
Lines: 28
Message-ID: <e4svqf$hmb$2@usenet01.srv.cis.pitt.edu>
References: <udlcg.51369$Kn4.33895@bignews2.bellsouth.net>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1148322447 18123 136.142.52.106 (22 May 2006
18:27:27 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Mon, 22 May 2006 18:27:27 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.equipment:4212
```

In article <udlcg.51369$Kn4.33895@bignews2.bellsouth.net>, "laborkei"
<laborkeiNOSPAM@hotmail.com> wrote:

> Amateur Radio Manufacturers and unfair pricing!
>
> Here I sit the day after Dayton, calling around to all the dealers looking for a HF Transceiver. There were some fantastic prices offered on equipment (As much as $500 off list), and the dealers are back to charging full price today.
>
> I am told by the dealers I called, that the Manufacturers were making deals with them so they could sell there inventories much cheaper, and the orders had to be taken at Dayton. Today, the day after when most of these orders had not even shipped yet, they are back up to full retail price.
>
> To be fair, Manufacturers should allow these prices for a time period after Dayton to give other Amateurs who could not drive to Dayton an opportunity to get the same deals.
>
> I think we should all write to them and let them know how we feel. This is unfair !

Why don't you just tell them to keep the low prices all the time!

If they gave you the low price, then they would have to raise the low prices at the show.

greg

From 5683311975458959773
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
From: "Michael Lawson" <mtl@[REMOVE-TO-REPLY]fuse.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com>
<m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<C0972C92.479F3%jmsent2@comcast.net>
<1148315075.007705.154790@j33g2000cwa.googlegroups.com>
Subject: Re: Dayton HamFest killed by E-Bay
Date: Mon, 22 May 2006 14:47:39 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <174ff$4472032d$d8c4cbde$2806@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 23
X-Trace: 174ff4472032d7d616e7b02806
Xref: g2news2.google.com rec.antiques.radio+phono:22393
rec.radio.amateur.equipment:4213 rec.radio.amateur.misc:11559
rec.radio.shortwave:36370

"CAINE" <bb69@epix.net> wrote in message
news:1148315075.007705.154790@j33g2000cwa.googlegroups.com...
> good points.
>
> The local flea markets here, always seem so barren of good stuff.
So I
> managed to get to one 35 minutes before official opening time.
>
> I was surpised to see the smart buyers already walking out with
boxes
> full of all the good stuff !
>
> The best items sell, as the spots are still being set up.

I have to agree. I got to Dayton last year shortly after
the opening, and there were already some R5000's

and some beautiful old Hallicrafters that already had
"sold" tags on them.

--Mike L.

From 7850795757582285217
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: "Cheesehead" <dplotusnotes@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 22 May 2006 12:12:16 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
NNTP-Posting-Host: 159.53.46.143
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148325142 28186 127.0.0.1 (22 May 2006 19:12:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 19:12:22 +0000 (UTC)
In-Reply-To: <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=159.53.46.143;
   posting-account=_Ww8SgwAAADj6tMC6ZW_o8ZoN3kLCIQT
Xref: g2news2.google.com rec.antiques.radio+phono:22395
rec.radio.amateur.equipment:4214 rec.radio.amateur.misc:11566
rec.radio.shortwave:36384

I've gone 5 of the past 6 years.
4 years ago there was a tent full of old AS/400 CPUs.
Less of that this year. Still, a lot of junk every year.
People wanting high-dollar for very-worn equipment.
That was disappointing.

What gets me is the guys selling bootleg MS software for big bucks.
Illegal as all get-out.

But tolerated, apparently, by HamVention.
They could get in big trouble.
That would be sad.

But it's not the only way that the WWW has changed Dayton.
It's changed the whole of communication.
Repeater/IP connections may be nifty, but they're not radio.

Collin
KC8TKA

```
From 5754093627489923373
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "Cheesehead" <dplotusnotes@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 22 May 2006 12:18:16 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1148325495.907624.54680@i40g2000cwc.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
NNTP-Posting-Host: 159.53.46.143
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148325501 29348 127.0.0.1 (22 May 2006 19:18:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 19:18:21 +0000 (UTC)
In-Reply-To: <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=159.53.46.143;
   posting-account=_Ww8SgwAAADj6tMC6ZW_o8ZoN3kLCIQT
Xref: g2news2.google.com rec.antiques.radio+phono:22396
rec.radio.amateur.equipment:4215 rec.radio.amateur.misc:11571
rec.radio.shortwave:36389
```

Just park down @ the church for just $5.

What got me this year was the police sign about ticketing jaywalkers.
Sheesh. Is Barney Fife now the sheriff?

```
From 2698820075150188991
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "Cheesehead" <dplotusnotes@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by OBSCENE ADMISSION $$$
Date: 22 May 2006 12:20:35 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1148325635.500614.281700@g10g2000cwb.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <4471305D.9090001@qth.com>
   <9e0$4471c68b$d1cc45cc$5357@snip.allthenewsgroups.com>
   <C0975221.47B36%jmsent2@comcast.net>
NNTP-Posting-Host: 159.53.46.143
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148325641 29698 127.0.0.1 (22 May 2006 19:20:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 19:20:41 +0000 (UTC)
In-Reply-To: <C0975221.47B36%jmsent2@comcast.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=159.53.46.143;
   posting-account=_Ww8SgwAAADj6tMC6ZW_o8ZoN3kLCIQT
Xref: g2news2.google.com rec.antiques.radio+phono:22397
rec.radio.amateur.equipment:4216 rec.radio.amateur.misc:11572
rec.radio.shortwave:36392
```

They way the Cubs are playing, don't be so certain.

:)

```
From -678988927088656069
```

```
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <4472107D.50229E6F@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
X-Mailer: Mozilla 4.76 [en]C-CCK-MCD   (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
        <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
        <12725vt81v3bfbd@corp.supernews.com>
        <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148325495.907624.54680@i40g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
Date: Mon, 22 May 2006 19:26:55 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148326015 24.110.34.161 (Mon, 22 May
2006 12:26:55 PDT)
NNTP-Posting-Date: Mon, 22 May 2006 12:26:55 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.antiques.radio+phono:22398
rec.radio.amateur.equipment:4217 rec.radio.amateur.misc:11575
rec.radio.shortwave:36395
```

Cheesehead wrote:

>
> Just park down @ the church for just $5.
>
> What got me this year was the police sign about ticketing jaywalkers.
> Sheesh. Is Barney Fife now the sheriff?

Maybe it has something to do with the number of people hit by a car or truck, and the number of other accidents they cause when they step out in front of a moving vehicle. I've seen quite a few wrecks going to, and leaving large hamfests that could have been avoided by keeping foot traffic away from the vehicular traffic.

--

My sig file can beat up your sig file!

```
From -1038879080132447018
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <447210B4.9A6B1FF1@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
X-Mailer: Mozilla 4.76 [en]C-CCK-MCD   (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Ebay & "The Market"
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com> <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
<4471E3CC.D527CD4A@earthlink.net> <ket3729gngs8jak886f3kh02m1c8mh543n@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
Date: Mon, 22 May 2006 19:27:50 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148326070 24.110.34.161 (Mon, 22 May
2006 12:27:50 PDT)
NNTP-Posting-Date: Mon, 22 May 2006 12:27:50 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4218
rec.radio.amateur.misc:11577 rec.radio.shortwave:36396
```

DeserTBoB wrote:

> On Mon, 22 May 2006 16:16:51 GMT, "Michael A. Terrell"
> <mike.terrell@earthlink.net> wrote:
>
> >   According to the snowbirds from the New England area, Florida is the
> >southern tip of new England. :(<snip>
>
> I thought the Noo Yawkuhs declared it an eighth borough. At least
> they vote correctly!

Ya think it migt be related to the huge infestation of them during November?

--
My sig file can beat up your sig file!

```
From -5672210315768624005
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
Date: 22 May 2006 12:38:01 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148326687 32606 127.0.0.1 (22 May 2006 19:38:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 19:38:07 +0000 (UTC)
In-Reply-To: <1148312047.828984.28290@38g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.antiques.radio+phono:22399
rec.radio.amateur.equipment:4219 rec.radio.amateur.misc:11589
rec.radio.shortwave:36399
```

Peter Wieck wrote:

> After reading all this, and with the recent Kutztown event in the
> background, as well as my three weekend finds, I am not so sure eBay
> has much to do with anything as to radio prices or availability. This
> is based on several assumptions which I will list for
> correction/addition/amplification:
>

Internet based sales have a huge advantage over in-place sales like Dayton. Ebay and other sales sites can as we all know bring sellers from around the world at any time of the day. It just isn't possible to get that kind of coverage at an arena in Ohio.

To the extent that buyer and seller are honest (and most are) internet sales work very well because money and the good to be sold have to be moved only once.

It is for the exact same reason that in-person antique shows are having a hard go of it.

```
From 5132382906518785750
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "sapper" <billvet6@excite.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 22 May 2006 13:45:44 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 207.69.137.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148330750 26734 127.0.0.1 (22 May 2006 20:45:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 20:45:50 +0000 (UTC)
In-Reply-To: <1148325136.787232.24030@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=207.69.137.8;
   posting-account=i3BDqA0AAADMdsz005BHgaCIWTeBbUI8
Xref: g2news2.google.com rec.antiques.radio+phono:22411
rec.radio.amateur.equipment:4220 rec.radio.amateur.misc:11658
rec.radio.shortwave:36438
```

I am a new Ham and have been to two ham fests this year put on by local clubs. Very disappointing. I thought maybe I could get some used equipment
since I had none. If I had been looking for 23 channel CBs or obsolete computer junk I would have been all set. I thought selling old 23 channel Cbs was illegal because of the power.There was a real dealer at the one so I got a new VX 150 from them.Got home and there was no paperwork in the box. Went back to get it at 11:45 AM. The thing was suppose to last till 1PM.
Everyone was already packing up all their junk.This dealer had no time to find my manual and stuff and said they would mail it.Took 2 weeks. Lucky for me I found a manuel on line. I'll still try different ham fests but if the granddaddy was a bust I don't know about the small clubs.

```
From 8573769034930784731
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44722BF1.E6DA1257@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
        <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
        <12725vt81v3bfbd@corp.supernews.com>
        <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
        <1148312047.828984.28290@38g2000cwa.googlegroups.com>
<1148326681.789315.105280@u72g2000cwu.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
Date: Mon, 22 May 2006 21:24:45 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1148333085 24.110.34.161 (Mon, 22 May
2006 14:24:45 PDT)
NNTP-Posting-Date: Mon, 22 May 2006 14:24:45 PDT
```

Xref: g2news2.google.com rec.antiques.radio+phono:22413
rec.radio.amateur.equipment:4221 rec.radio.amateur.misc:11662
rec.radio.shortwave:36441

"John S." wrote:
>
> Internet based sales have a huge advantage over in-place sales like
> Dayton. Ebay and other sales sites can as we all know bring sellers
> from around the world at any time of the day. It just isn't possible
> to get that kind of coverage at an arena in Ohio.

E-bay and other on line auctions can never replace spotting a part or
piece of equipment you need that isn't worth the dealers time to list,
or would cost too much to ship. More than once I've asked about
something and was told to take it, so they didn't have to haul it home.
I've never seen an E-bay listing giving something away, and paying the
shipping to your door.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -3243718430459446608
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!news-server.columbus.rr.com!cyclone2.kc.rr.com!
news2.kc.rr.com!news-post.tampabay.rr.com!southeast.rr.com.POSTED!53ab2750!not-for-mail
From: " Ron in Radio Heaven" <kc4yoy@NOSPAM.carolina.rr.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com>
<m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<C0972C92.479F3%jmsent2@comcast.net>
<1148315075.007705.154790@j33g2000cwa.googlegroups.com>
Subject: Re: Dayton HamFest killed by E-Bay
Lines: 18
X-Priority: 3

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.00.2615.200
X-MIMEOLE: Produced By Microsoft MimeOLE V5.00.2615.200
Message-ID: <vbqcg.7462$JW5.7114@southeast.rr.com>
Date: Mon, 22 May 2006 21:38:35 GMT
NNTP-Posting-Host: 71.75.15.18
X-Complaints-To: abuse@rr.com
X-Trace: southeast.rr.com 1148333915 71.75.15.18 (Mon, 22 May 2006 17:38:35 EDT)
NNTP-Posting-Date: Mon, 22 May 2006 17:38:35 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.antiques.radio+phono:22414
rec.radio.amateur.equipment:4222 rec.radio.amateur.misc:11663
rec.radio.shortwave:36444

> managed to get to one 35 minutes before official opening time.
> I was surpised to see the smart buyers already walking out with
> boxes full of all the good stuff !
> The best items sell, as the spots are still being set up.
>

Shuuuu, don't tell everyone. That's half to reason to get a
flea market space. That way most of the time you get in
before the general public and scoop up the good deals....

Ron
--

Radio Collection Web Page,
http://www.radioheaven.homestead.com

From 4155770039178791783
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com>
<m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
<1148326681.789315.105280@u72g2000cwu.googlegroups.com>

<44722BF1.E6DA1257@earthlink.net>
Subject: Re: Ebay & "The Market"
Date: Mon, 22 May 2006 17:55:41 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 41
Message-ID: <44723335$0$3697$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 7e1e4c45.news.coretel.net
X-Trace: DXC=CXB3KOKR7dRh2K[=T=Xi_\cYX6N<OEXQ[?6[;SE]5?GPlQB^`AXC[ATgOJWaQ`:H?SA\I?4f5\RN^
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com rec.antiques.radio+phono:22415 rec.radio.amateur.equipment:4223 rec.radio.amateur.misc:11664 rec.radio.shortwave:36447

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message news:44722BF1.E6DA1257@earthlink.net...
> "John S." wrote:
>>
>> Internet based sales have a huge advantage over in-place sales like
>> Dayton. Ebay and other sales sites can as we all know bring sellers
>> from around the world at any time of the day. It just isn't possible
>> to get that kind of coverage at an arena in Ohio.
>
>
>   E-bay and other on line auctions can never replace spotting a part or
> piece of equipment you need that isn't worth the dealers time to list,
> or would cost too much to ship. More than once I've asked about
> something and was told to take it, so they didn't have to haul it home.
> I've never seen an E-bay listing giving something away, and paying the
> shipping to your door.
>
>
> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida

You have a point there - not that I totally agree with the poster you replied to. I've had some real bargains "handed" to me so they didn't have to be hauled home.
Actually, each venue has its own place in life. Problem with Dayton and other hamfests is between fuel costs and so on - there are more and more factors involved keeping people away. Ham radio itself isn't what it used to be. Then, some clubs who've had them - as I've heard it - had inner battles as to how things are to be done and so on. So club politics played a part

along the line. I'm sure we could list many reasons for failures as they're being seen. Question is, who has the "answers"? Times are changing. Things change with time and I see it here in my own town - People DO NOT like change. I'm sorry to see some things go too - but there's not much you can do about some things.

```
From 3770169991147640898
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3c71b782!
not-for-mail
From: robert casey <wa2ise@ix.netcom.com>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<1148325136.787232.24030@i40g2000cwc.googlegroups.com>
<1148330744.551002.41230@g10g2000cwb.googlegroups.com>
In-Reply-To: <1148330744.551002.41230@g10g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <Zsqcg.574$Sf2.491@newsread1.news.pas.earthlink.net>
Date: Mon, 22 May 2006 21:57:13 GMT
NNTP-Posting-Host: 4.250.177.212
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1148335033 4.250.177.212 (Mon, 22 May
2006 14:57:13 PDT)
NNTP-Posting-Date: Mon, 22 May 2006 14:57:13 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4224
```

sapper wrote:

> paperwork in the box. Went back to get it at 11:45 AM. The thing was
> suppose to last till 1PM.
> Everyone was already packing up all their junk.

Normal for hamfests. Get there around opening time.

```
From -8858681713184614569
```

```
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
Date: 22 May 2006 15:55:32 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1148338532.553887.260960@g10g2000cwb.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
   <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
   <44722BF1.E6DA1257@earthlink.net>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148338542 1333 127.0.0.1 (22 May 2006 22:55:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 22:55:42 +0000 (UTC)
In-Reply-To: <44722BF1.E6DA1257@earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.antiques.radio+phono:22419
rec.radio.amateur.equipment:4225 rec.radio.amateur.misc:11666
rec.radio.shortwave:36451
```

Michael A. Terrell wrote:
> "John S." wrote:
> >
> > Internet based sales have a huge advantage over in-place sales like
> > Dayton. Ebay and other sales sites can as we all know bring sellers
> > from around the world at any time of the day. It just isn't possible
> > to get that kind of coverage at an arena in Ohio.
>
>
>   E-bay and other on line auctions can never replace spotting a part or
> piece of equipment you need that isn't worth the dealers time to list,

> or would cost too much to ship. More than once I've asked about
> something and was told to take it, so they didn't have to haul it home.
> I've never seen an E-bay listing giving something away, and paying the
> shipping to your door.
>

Clearly Ebay and other internet sites won't completely replace in person sales, be it a hamfest, garage sale or estate auction. But the ease of bringing large numbers of buyers and sellers together via some internet connection has had a significant impact on brick and mortar operations. The ease of transacting a sale electronically be it for a Kenwood 940 or a spinning wheel can't be ignored. And the sellers that fail to react in some way will be left behind.

```
From 8233093325069145775
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "CAINE" <bb69@epix.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 22 May 2006 16:06:40 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1148339200.700569.54130@i39g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <C0972C92.479F3%jmsent2@comcast.net>
   <1148315075.007705.154790@j33g2000cwa.googlegroups.com>
   <vbqcg.7462$JW5.7114@southeast.rr.com>
NNTP-Posting-Host: 205.238.219.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148339206 3266 127.0.0.1 (22 May 2006 23:06:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 23:06:46 +0000 (UTC)
In-Reply-To: <vbqcg.7462$JW5.7114@southeast.rr.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=205.238.219.20;
   posting-account=8A6xkw0AAAAQZODIdyLn1eB36dUhf_7s
```

```
Xref: g2news2.google.com rec.antiques.radio+phono:22421
rec.radio.amateur.equipment:4226 rec.radio.amateur.misc:11668
rec.radio.shortwave:36455
```

I have a friend who's a professional flea marketeer, he told me that
for an 8 AM opening time, he's already walking around at 6:30 AM buying
stuff- and by the time the public gets there, the stuff that's worth
$200, that was selling for $25-50, is gone- other marketeers already
bought it

then, they put it on ebay when they get home

what doesn't sell, goes back to the market 2 weeks later

constant cycle

the average joe can get lucky here and there, and find some stuff under
bushels, etc., or from someone that set up late, or someone that
finally moved off a high price

but for the most part, the VERY early bird, gets the worm

```
From 2414496706733574961
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "CAINE" <bb69@epix.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
Date: 22 May 2006 16:10:45 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1148339445.546569.67950@u72g2000cwu.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <1148312047.828984.28290@38g2000cwa.googlegroups.com>
NNTP-Posting-Host: 205.238.219.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148339451 4013 127.0.0.1 (22 May 2006 23:10:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 23:10:51 +0000 (UTC)
```

```
In-Reply-To: <1148312047.828984.28290@38g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=205.238.219.20;
   posting-account=8A6xkw0AAAAQZODIdyLn1eB36dUhf_7s
Xref: g2news2.google.com rec.antiques.radio+phono:22422
rec.radio.amateur.equipment:4227 rec.radio.amateur.misc:11669
rec.radio.shortwave:36458
```

anything you see sitting at a flea market late in the day, was most likely already tried on ebay, and didn't reach reserve, or got no bids. sometimes you'll see stuff at flea markets that seems valuable, and underpriced, and no one is biting

that's cuz the marketeers already know, that particular item is hammered on ebay, too many listed, and the price is down- so they are cutting their losses and just dumping it

marketeers will tell you, they'd rather sell it cheaper at the show, than for slightly more on ebay- because of ebay and paypal fees, and packaging work involved- and nitpicking assholes like DeserTBob on EBay, who want gold for a penny and free shipping

```
From -547719796383685686
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn14feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!030b4766!not-for-mail
From: Dave Head <rally2xs@att.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Reply-To: Rally2xs@att.net
Message-ID: <6to47254iafagr2uavkg8g5k6r2i8vqo49@4ax.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<1148325136.787232.24030@i40g2000cwc.googlegroups.com>
<1148330744.551002.41230@g10g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
```

NNTP-Posting-Host: 76b4fda87d348c2509ec7d0929c3f43a
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1148347378
76b4fda87d348c2509ec7d0929c3f43a (Tue, 23 May 2006 01:22:58 GMT)
NNTP-Posting-Date: Tue, 23 May 2006 01:22:58 GMT
Organization: AT&T Worldnet
Date: Tue, 23 May 2006 01:22:58 GMT
Xref: g2news2.google.com rec.antiques.radio+phono:22431
rec.radio.amateur.equipment:4228 rec.radio.amateur.misc:11674
rec.radio.shortwave:36480

On 22 May 2006 13:45:44 -0700, "sapper" <billvet6@excite.com> wrote:

>I am a new Ham and have been to two ham fests this year put on by local
>clubs. Very disappointing. I thought maybe I could get some used
>equipment
>since I had none.

There was lots of used equipment at the Hamvention.

> If I had been looking for 23 channel CBs or obsolete
>computer junk I would have been all set. I thought selling old 23
>channel Cbs was illegal because of the power.

Nope - old 23 ch CB's are 5 watts, too, and perfectly legal.

>There was a real dealer at
>the one so I got a new VX 150 from them.Got home and there was no
>paperwork in the box. Went back to get it at 11:45 AM. The thing was
>suppose to last till 1PM.
>Everyone was already packing up all their junk.This dealer had no time
>to find my manual and stuff and said they would mail it.Took 2 weeks.
>Lucky for me I found a manuel on line. I'll still try different ham
>fests but if the granddaddy was a bust I don't know about the small
>clubs.

The granddaddy was not a bust, it was awesome. Had a great time (always do).
There was about anything you could want, I think, either used out in the flea
market, or new inside the buildings.

Dave Head
K8DH

From -1351627772675961931
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!

```
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <447264A9.D4D61D3@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
Subject: Re: Ebay & "The Market"
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
        <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
        <12725vt81v3bfbd@corp.supernews.com>
        <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
        <1148312047.828984.28290@38g2000cwa.googlegroups.com>
        <1148326681.789315.105280@u72g2000cwu.googlegroups.com>
        <44722BF1.E6DA1257@earthlink.net>
<1148338532.553887.260960@g10g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Tue, 23 May 2006 01:26:52 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148347612 24.110.34.161 (Mon, 22 May
2006 18:26:52 PDT)
NNTP-Posting-Date: Mon, 22 May 2006 18:26:52 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:22435
rec.radio.amateur.equipment:4229 rec.radio.amateur.misc:11675
rec.radio.shortwave:36481
```

"John S." wrote:

> Clearly Ebay and other internet sites won't completely replace in person sales, be it a hamfest, garage sale or estate auction. But the ease of bringing large numbers of buyers and sellers together via some internet connection has had a significant impact on brick and mortar operations. The ease of transacting a sale electronically be it for a Kenwood 940 or a spinning wheel can't be ignored. And the sellers that fail to react in some way will be left behind.

Yeah, right. What about the people who don't even have a computer, or don't trust online transactions? They'll never go near E-bay.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From -9069048080072648226
X-Google-Thread: 108122,1b9ec03e65f3e1f2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 20:31:19 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <udlcg.51369$Kn4.33895@bignews2.bellsouth.net>
Subject: Re: Hamvention: Amateur Radio Manufacturers and Unfair Pricing...
Date: Mon, 22 May 2006 20:31:16 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <Z_ednS_bC6V6-O_ZRVn-hg@comcast.com>
Lines: 31
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-H5OLI/t/Bubi3j/
z2yqr102UE4MHfUI9WiLZejmegcCYVdE+Yc2W52UeypkO1ldUx3Nm6KKuG7QvCRF!
SwM7L+yr2AE6iovXjmfdYITEznAp2fe5pubVo1rRuO98/kwrh8wSUw0gH1w176gRKA1gVUsILCQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4230
```

"laborkei" <laborkeiNOSPAM@hotmail.com> wrote in message
news:udlcg.51369$Kn4.33895@bignews2.bellsouth.net...

> Amateur Radio Manufacturers and unfair pricing!
>
> Here I sit the day after Dayton, calling around to all the dealers looking
> for a HF Transceiver. There were some fantastic prices offered on
> equipment (As much as $500 off list), and the dealers are back to charging
> full price today.
>
> I am told by the dealers I called, that the Manufacturers were making
> deals with them so they could sell there inventories much cheaper, and the
> orders had to be taken at Dayton. Today, the day after when most of these
> orders had not even shipped yet, they are back up to full retail price.
>
> To be fair, Manufacturers should allow these prices for a time period

> after Dayton to give other Amateurs who could not drive to Dayton an
> opportunity to get the same deals.
>
> I think we should all write to them and let them know how we feel. This is
> unfair !
>

You snooze, you lose.... I buy *most* of my new toys at hamfests from a specific dealer. I call them a week or 2 *before* the hamfest and give them my shopping list, and they give me a great price with the added benifits of no shipping or sales tax. Maybe you should try it some time. FWIW, I couldn't afford to take the time off of work to go to Dayton either...it would have cost me too much in lost sales.

```
From 4466390827236801404
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!opentransit.net!newsfeed.icl.net!newsfeed.icl.net!
newsfeed.fjserv.net!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-
out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Keith Park" <topnotch@nycapnospam.rr.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com>
<m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
Subject: Re: Ebay & "The Market"
Lines: 84
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <sGtcg.6072$8G3.3305@twister.nyroc.rr.com>
Date: Tue, 23 May 2006 01:36:24 GMT
NNTP-Posting-Host: 24.195.128.12
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1148348184 24.195.128.12 (Mon, 22 May 2006 21:36:24
EDT)
NNTP-Posting-Date: Mon, 22 May 2006 21:36:24 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.antiques.radio+phono:22438
```

rec.radio.amateur.equipment:4231 rec.radio.amateur.misc:11676
rec.radio.shortwave:36483

I think Peter is pretty much right with his observations, Project sets are plentiful in the Northeast and upper mid west, and the West coast folks are really desperate! I very seldom buy on ebay, but do keep a watch on things. The only things I ever buy are large pickup only consoles that are close by. Most of the Restored stuff I sell ends up in the deep south or on the west coast, the Cost of living is so high in California that a Nice restoration at Retail WITH shipping across country is still a bargain out there.

keith

"Peter Wieck" <pfjw@aol.com> wrote in message
news:1148312047.828984.28290@38g2000cwa.googlegroups.com...

> After reading all this, and with the recent Kutztown event in the background, as well as my three weekend finds, I am not so sure eBay has much to do with anything as to radio prices or availability. This is based on several assumptions which I will list for correction/addition/amplification:
>
> a) the west, southwest and south in general suffer from a dearth of good radios. This has been the case for the over 20 years I have been in the hobby and remains the case today. Exceptions include Florida & Maryland... stretch to make MD a 'southern' state although it is below the Mason/Dixon line.
> b) the Pacific northwest suffers from the same lack to a lesser degree.
>
>
> With this in mind, eBay has always been a presence in areas where the natural crop is limited or non-existent. This group will typically have a view of radios that is wildly distorted in price, as they start with the "everything costs $15" mentality based on shipping alone.
>
> As one moves east especially into (former) wealthier parts of it, and around older major cities (Chicago, Minneapolis, Detroit and so forth), radios become thicker and thicker until one hits the East Coast, where even the most limited multi-family garage sale will offer a few examples of *something* loosely described as being related to the hobby. Then, at Kutztown, the typical $30+shipping eBay brown bakelite radio goes in the $15-if-that range at the end-of-meet auction. And the $229-for-a-common-RCA (albeit polished to glow-in-the-dark proportions) simply does not happen.
>
> So, it is "all according to" location and opportunity. Kutztown is a free-to-the-public event held at a major Farmers' Market/Antique Market that also has weekly tables for anyone selling. Accordingly its attendance is disproportionately large and consists of a disproportionate amount of the "general public" walking through out of curiosity and because they were 'there anyway'. This would not happen at a destination-event if only because of the lack of general publicity as much as the uninterested public would never go nor have any reason

> to even be proximate that they might go. And, of course, the admission
> fee would deter those few that did happen to be straggling nearby.
>
> I will also state for the record that Kutztown had _at least_ thousands
> of radios in all states, of all types and in all price ranges, from
> high-end, high-tube-count consoles through lovingly restored tabletops
> through standard junk. The peripheral events are limited... no
> hotel-banquet-hall lectures, but those few were directly on-point and
> even of interest to non-radio people (The talk on Crystal sets, for
> example).
>
> So, from purely anecdotal evidence, it appears that those venues where
> the general public is not actively solicited, those venues that are
> 'preaching to the converted' are shrinking. Those that do solicit the
> general public, those that run at (apparently) a much lower key appear
> to be growing. The two local examples would be the DVHRC-sponsored
> events (Kutztown, PA) and the NJARC-sponsored events (Hazelet, NJ).
> Those of you that go to the NEARC events in Nashua, New Hampshire...
> how are they doing? I hear from some acquaintances that they are doing
> quite well? And I also hear that Rochester is a mere shadow of its
> former self? Is this true?
>
> In any case, I remain of the general belief that eBay is not a
> significant factor in the hobby to those in the east. And to those in
> the west or out-of-range of large, older population centers, it has
> _always_ been a factor, neither more nor less much than now.
>
> The thoughts of others are actively solicited!
>
> Peter Wieck
> Wyncote, PA
>

From 4360885624768843735
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-mail
From: "Peter Wieck" <pfjw@aol.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 22 May 2006 19:00:48 -0700
Organization: http://groups.google.com
Lines: 79

```
Message-ID: <1148349648.408706.30190@j55g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <12725vt81v3bfbd@corp.supernews.com>
   <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
   <C0972C92.479F3%jmsent2@comcast.net>
   <1148315075.007705.154790@j33g2000cwa.googlegroups.com>
   <vbqcg.7462$JW5.7114@southeast.rr.com>
NNTP-Posting-Host: 68.236.60.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148349653 13051 127.0.0.1 (23 May 2006 02:00:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 23 May 2006 02:00:53 +0000 (UTC)
In-Reply-To: <vbqcg.7462$JW5.7114@southeast.rr.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=68.236.60.103;
   posting-account=8gWx9Q0AAAAmHwaAo7Iu69QEfiD2_x29
Xref: g2news2.google.com rec.antiques.radio+phono:22440
rec.radio.amateur.equipment:4232 rec.radio.amateur.misc:11677
rec.radio.shortwave:36488
```

Ah, Ron....

RANT WARNING

You need to understand the essential difference between a "Flea Market" and a Hamfest or Radio Meet. Fleas are just that. Locations where mostly crap is redistributed amongst a few, and mostly Chinese Junque is sold at no-better-than- Cosco or Sam's Club prices, but somehow the appeal is the 'story' and perceived bargain vs. the actual reality. Those that do it "professionally" (NOT ALL, mind) are in many ways the cockroaches of society inhabiting the dark corners and hiding under filth to avoid paying taxes and to skim from society without paying any freight. I once was present when the State Police together with the FBI and quite a number of local police groups raided the Pennsauken (NJ) Drive-In flea-market. They focused _only_ on the 'professional' dealers, some 90% of which (a line of handcuffed mostly-men that stretched over 100 yards, shoulder-to-shoulder) were selling all/some of the above: Stolen goods (Wonder where that "Sears Craftsman" or Still-in-the-Clamshell Channel Lock or Klein or Mac or Snap-On comes from?), knock-off goods, illegal goods (baby clothes not fire-treated, recalled tools and/or appliances), mislabeled goods (made in USA... NOT), pirated goods and so forth. And the Feds were there for the Tax-Evasion stuff as well as the across-state-lines stuff. The 20% of the dealers that were in it for the weekend, cleaning out the attic and the like were entirely ignored. Very damned little of it any more has anything to do with "recycling" used goods. Yard sales and garage sales, church bazaars and such are about the last refuge for that kind of thing. But keep in mind that every time one buys something stolen or a return or a recall or a torn-cover paperback at a flea, one is quite directly taking someone's job away, usually right here in the good old USA. Who gets sued if a recalled defective Craftsman or Stanley or Klein or Channel Lock Tool sold at a fleamarket hurts someone? The "vendor" that stole it and resold it? Not hardly. And whose prices _all_ go up as a result? Ours. And is it Chinese manufacturers that go out of business due to overhead costs? Nope. But, very damned few of us think about this stuff when we see that tempting tool on the table. "We" figure we can buy it at the flea, then take it back to Sears if it breaks.... GOOD thinking.

On the other hand, there are "shows" dedicated to certain hobbies. My approach to a 'timed' show (opens X and closes Y) is to not sell _ANYTHING_ except as-marked before the show opens. I tell people that I will negotiate price one hour (1hr) after the show opens officially, but not until then. Period. And when someone askes me what is my "dealer price" I add 20% automatically. But that is *just* me. Once upon a time, one dealer at Kutztown, very early on when it was a 1/2 day affair was all over me as I was unloading. And as this individual would easily have made three of me (no kidding, and I am 6'-3", at 220lbs) it was annoying to say the least. He was picking stuff up, pulling stuff out of boxes, turning stuff over (and leaving it) and such. All the while pattering on how ridiculous my prices were. At the time, I had sprained an ankle and was using a blackthorn stick just after sitting or driving until I loosened up. I actually had to raise it and call for witnesses before this particular jackass moved on. At the end of the day, I drove home with a full pocket and an empty vehicle. His load was still with him, literally and figuratively. I will not say that my raising a very loud stink to get him off my stuff had anything to do with that, but I would like to think so. I had a 'pot' to support the hobby for another year. It has pretty much been that way ever since. I cover my costs, and turn over my radios keeping fewer and fewer, but nicer and nicer radios, and fewer-but-very-much-nicer audio systems.

So, it is all in accordance with how one behaves, how one sees the world and how lady luck sees you. I have found as many bargains in the last 30 minutes of a flea market as getting there before set-up. Mostly I am buying for my own use and pleasure, resale is at best a tertiary concern even if that... This is a HOBBY for me, the moment I feel I am becoming predatory, buying for resale or otherwise treating it like a business, I take a deep breath and walk away. THAT IS ONLY ME. Others are free to behave as they see fit. But I want to be able to look any of my buyers in the eye years later and get a smile in return.

END RANT

Peter Wieck
Wyncote, PA

```
From 8294516799552795981
X-Google-Thread: 108122,da5a505416cd7d48,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy1no!pd7cy2no!shaw.ca!
pd7tw3no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.67.34.10
From: "Big Al" <tjtrucker@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: wanted tube sockets and chimney for 4CX250
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <e7ucg.182424$P01.131708@pd7tw3no>
Date: Tue, 23 May 2006 02:07:06 GMT
NNTP-Posting-Host: 24.64.223.206
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw3no 1148350026 24.64.223.206 (Mon, 22 May 2006 20:07:06 MDT)
NNTP-Posting-Date: Mon, 22 May 2006 20:07:06 MDT
Organization: Shaw Residential Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:4233

Wanted 2 tube sockets and chimneys for the Eimac 4CX250 series tubes. I'm
building an amp with four of these tubes, I have two sockets and chimneys
but still looking for two more.

Please email off list to    ve7agw(at)shaw.net  you know what to do with the
"(at)"

Thanks, 73...de ve7agw,
Al





From 3133716466665421414
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 21:23:16 -0500
From: "graham" <grahamiba@comcast.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
```

```
dio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com>
<m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
<1148312047.828984.28290@38g2000cwa.googlegroups.com>
<1148339445.546569.67950@u72g2000cwu.googlegroups.com>
Subject: Re: Ebay & "The Market"
Date: Mon, 22 May 2006 19:23:16 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <r7ydnbqTvbCJ7-_ZnZ2dnUVZ_vmdnZ2d@comcast.com>
Lines: 33
NNTP-Posting-Host: 67.171.164.128
X-Trace: sv3-
RH1k6V5MX8LIvRvyNc2qZTHfiuThDKHrOMYqW0DSwYAY32KpcTxNXKKPtKX+jm97Ct1DBPlaU1qAshg!
MHDrkzzpB/uwU7+sujtlirHsBjrySGvXYOzj+lpUCwyaMi5qwmE3FJ0bmmJo0Vn0VRtpa+2aL9U+!
zO6HeFObFWuUdAlkag==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.antiques.radio+phono:22442
rec.radio.amateur.equipment:4234 rec.radio.amateur.misc:11678
rec.radio.shortwave:36490
```

"CAINE" <bb69@epix.net> wrote in message
news:1148339445.546569.67950@u72g2000cwu.googlegroups.com...

> anything you see sitting at a flea market late in the day, was most
> likely already tried on ebay, and didn't reach reserve, or got no bids.

... that could be 79% of your stuff..

> sometimes you'll see stuff at flea markets that seems valuable, and
> underpriced, and no one is biting

... that could be 79% of your stuff ...

> that's cuz the marketeers already know, that particular item is
> hammered on ebay, too many listed, and the price is down- so they are
> cutting their losses and just dumping it

... that could be, yes, you guessed it 79% of your stuff

> marketeers will tell you, they'd rather sell it cheaper at the show,
> than for slightly more on ebay- because of ebay and paypal fees, and

```
> packaging work involved-

... but reviewing your ebay sales verses your not sold items
    maybe you should be a 'marketer' ...

>nitpicking assholes like DeserTBob on
>EBay, who want gold for a penny and free shipping

... I'll give you a penny for all your 8 tracks for free shipping!!




From 1753572651865876901
X-Google-Thread: 108122,1b9ec03e65f3e1f2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Jack Hamilton <jfh@acm.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Hamvention: Amateur Radio Manufacturers and Unfair Pricing...
Date: Mon, 22 May 2006 19:38:59 -0700
Organization: Copyright (c) 2006 by Jack Hamilton.  Reproduction without
attribution, and archiving without permission, are not allowed.
Message-ID: <kat472tbjnid3eeb0irtivnpss08g604uo@4ax.com>
Reply-To: jfh@acm.org
References: <udlcg.51369$Kn4.33895@bignews2.bellsouth.net>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-NFilter: 1.2.0
X-Complaints-To: abuse@supernews.com
Lines: 44
Xref: g2news2.google.com rec.radio.amateur.equipment:4235

"laborkei" <laborkeiNOSPAM@hotmail.com> wrote:

>Amateur Radio Manufacturers and unfair pricing!
>
>Here I sit the day after Dayton, calling around to all the dealers looking
>for a HF Transceiver. There were some fantastic prices offered on equipment
>(As much as $500 off list), and the dealers are back to charging full price
>today.
>
>I am told by the dealers I called, that the Manufacturers were making deals
>with them so they could sell there inventories much cheaper, and the orders
>had to be taken at Dayton. Today, the day after when most of these orders
>had not even shipped yet, they are back up to full retail price.
>
>To be fair, Manufacturers should allow these prices for a time period after
>Dayton to give other Amateurs who could not drive to Dayton an opportunity
```

>to get the same deals.
>
>I think we should all write to them and let them know how we feel. This is
>unfair !

The local HRO store claimed to have "Dayton prices" last weekend. I
didn't buy a radio so I don't know how good the prices were.

They usually have prices below the "sticker" price.

Jack Hamilton
jfh@acm.org

Though in a state of society some must have greater
luxuries and comforts than others, yet all should have
the necessities of life; and if the poor cannot exist,
in vain may the rich look for happiness or prosperity.
The legistlature is never so well employed as when they
look to the interests of those who are at a distance
from them in the ranks of society. It is their duty
to do so; religion calls for it; humanity calls for it;
and if there are hearts who are not awake to either of
those feelings, their own interests would dictate it.

Sir Lloyd Kenyon, Rex vs. Rusby, 1800

From 5696078065957804444
X-Google-Thread: 108122,da5a505416cd7d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 22:07:06 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: wanted tube sockets and chimney for 4CX250
Date: Mon, 22 May 2006 20:07:19 -0700
Message-ID: <2tu4729lvl1gba8tr8mv3ifp1c3b3k00uh@4ax.com>
References: <e7ucg.182424$P01.131708@pd7tw3no>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
NNTP-Posting-Host: 216.198.97.46
X-Trace: sv3-bMXSVXTVwpo+aaQJZpS3LJ6GcwXb2bfV72jDW2XmRwwW0gdYCCqqoiCxOVQvgQUAD5h+eVC/3svaugA!
w6pSIp7l4dt5NuAew8nXawybAbR3WN30tHnlFV5/KLlWbSsMSIvaeK74ahZQEEPv4I4dDXnN3VOl!

```
4eBjCgxiaphlrPmy8Xu0JmjULNbaEw==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4236

On Tue, 23 May 2006 02:07:06 GMT, "Big Al" <tjtrucker@hotmail.com>
wrote:

>Wanted 2 tube sockets and chimneys for the Eimac 4CX250 series tubes. I'm
>building an amp with four of these tubes, I have two sockets and chimneys
>but still looking for two more.
>
>Please email off list to    ve7agw(at)shaw.net  you know what to do with the
>"(at)"
>
>Thanks, 73...de ve7agw,

Well, I tried but your email bounces.




From 7116925771050193053
X-Google-Thread: 108122,da5a505416cd7d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.trueband.net!
news.trueband.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 22:09:11 -0500
From: Wes Stewart <n7ws*@*yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: wanted tube sockets and chimney for 4CX250
Date: Mon, 22 May 2006 20:09:24 -0700
Message-ID: <s5v472t27sig0qdu7s2k1pg7h32pnk8icc@4ax.com>
References: <e7ucg.182424$P01.131708@pd7tw3no>
<2tu4729lvl1gba8tr8mv3ifp1c3b3k00uh@4ax.com>
X-Newsreader: Forte Free Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
NNTP-Posting-Host: 216.198.97.46
X-Trace:
sv3-8J8Hwe93Thrg2CZfFy0H7dqv+rk5J14nfIF2sFuM+cQ9HeRPxAcFdnrUIBqkqi6VRXOHsnOqb6L+7/
F!eER5CBSGglJpSm06AlY4S4guAbZEE142YAxTsQ/cnHNPmse/FM4klxLpT+PWUQRYrJyoM6dFcKZi!
lUmd+XMhdKUmLrLhgpoT0bSaWL8yow==
X-Complaints-To: abuse@trueband.net
X-DMCA-Complaints-To: abuse@trueband.net
```

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4237

On Mon, 22 May 2006 20:07:19 -0700, Wes Stewart <n7ws*@*yahoo.com>
wrote:

>On Tue, 23 May 2006 02:07:06 GMT, "Big Al" <tjtrucker@hotmail.com>
>wrote:
>
>>Wanted 2 tube sockets and chimneys for the Eimac 4CX250 series tubes. I'm
>>building an amp with four of these tubes, I have two sockets and chimneys
>>but still looking for two more.
>>
>>Please email off list to    ve7agw(at)shaw.net  you know what to do with the
>>"(at)"
>>
>>Thanks, 73...de ve7agw,
>
>Well, I tried but your email bounces.

Maybe because on another group you use shaw.ca?




From 8158880969267181308
X-Google-Thread: 108122,53bca3bdc2b506d1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Mon, 22 May 2006 23:51:52 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Dayton Hamvention Elecraft pix
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <e6e15$44728705$453d9423$18546@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 11
X-Trace: e6e1544728705e098318618546
Xref: g2news2.google.com rec.radio.amateur.equipment:4238

Did anyone get pix of new Elecraft offerings?  Eg, power amps?  Care to
share them?
```

Was SteppIR there?

How about HiQ antennas?

These are my interests, anyway.

John
AB8WH

From -8195789689297439144
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 22 May 2006 23:15:31 -0500
Reply-To: "Carl WA1KPD" <nantucketbound@yahoo.com>
From: "Carl WA1KPD" <nantucketbound@yahoo.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com> <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
Subject: Re: Dayton HamFest killed by E-Bay
Date: Tue, 23 May 2006 00:15:20 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <ztidnYa30KD-Ee_ZRVn-rw@comcast.com>
Lines: 45
NNTP-Posting-Host: 71.235.223.213
X-Trace: sv3-A2SbcUk/oo6qqc7OpP+qGZ/mAVa3KoE9Ed9s1cVlgTg8Zw/IzKm14eULmLZNBBjh5ckfE6w4m0B3lCf!SOIrwFWOLUDgV33Y51vS0oqgN/TM2jimafaIb/tmMmblniRgRpQ+F23WCUkfYqTUMZHPd5TAW+o=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.antiques.radio+phono:22446 rec.radio.amateur.equipment:4239 rec.radio.amateur.misc:11682 rec.radio.shortwave:36503

were we at the same Dayton?

It was my second one in five years.. $300 flight. $97 rooms at a Marriot
and $ 75 for an Avis rental.

Great time, lots of stuff to see and would have bought a lot more if I had
not flown in.

I think that the hamfests are down since the 80s and 90s but I also recall
those fests had a ton of used computer dealers, so the number may have been
artificially inflated as the way of build your own computer went away and
those guys left.

Sure there was some overpriced stuff and they did not move. But there were
some very reasonablely priced things that did.

I'll be back again in 3-5 years.

--
Carl
WA1KPD
Visit My Boatanchor Collection at
http://home.comcast.net/~chnord/wa1kpd.html

"lemonhead" <ritterfan@yahoo.com> wrote in message
news:9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com...
>
> "Lisa Simpson" <none@none.com> wrote in message
> news:vbJbg.36281$mh.29156@tornado.ohiordc.rr.com...
>> Just returned from the Dayton HamFest; only found a coupla SW receivers
> for
>> sale, used, high-ish prices; quite a few old tube receivers way
> overpriced,
>> and of course the new ones at normal to slightly high prices.
>> Disappointing.
>
> I was there for 4 hours on Saturday.
> Nothing but old test equipment and computer junk.
> Only reason to go anymore is to meet people, albeit an
> expensive one. Never again will I goto Dayton.
> It's day has ended, period. E-Bay and private ad's on places like
> QRZ.com have killed it. Not worth the effort anymore.
>

```
From -3152969379201717606
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4467738A.4070004@fuse.net>
Date: Sun, 14 May 2006 14:14:34 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
<3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
<126ee5oqvsuhia3@corp.supernews.com> <126eiaq5j9ju4d8@corp.supernews.com>
In-Reply-To: <126eiaq5j9ju4d8@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 12
X-Trace: 016d2446773b6e098318607220
Xref: g2news2.google.com rec.radio.amateur.antenna:11317
rec.radio.amateur.equipment:4038 rec.radio.amateur.policy:25768 rec.radio.cb:9760
rec.radio.shortwave:34760

Richard Crowley wrote:
> "Heinrich"  wrote ...
>
>> Crossbreed them with radical militant evangelicals
>
>
> "radical militant evengelicals"?  You mean like the
> Salvation Army?  Yeah. Good for Target to get rid of those wackos with
> their dangerous metal tripods and
> fake plastic kettles full of nickles and dimes.
I think Pat Robertson, Jerry Falwell and their ilk fill the bill.  Also
Former Attorney General John Ashcroft (but what a GREAT singer!)


From 6223379541725447351
X-Google-Thread: 108122,e9b781a821e1bd43,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
```

```
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA Collins S-Line and Test Gear/Ends Soon
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <sTK9g.20152$4H.1417@dukeread03>
Date: Sun, 14 May 2006 13:44:10 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1147632216 68.105.249.118 (Sun, 14 May 2006 14:43:36 EDT)
NNTP-Posting-Date: Sun, 14 May 2006 14:43:36 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4039

Please take a look at my Collins S-Line ending within a few hours today.
It is exceptional clean and works. Also have lots of neat Test Gear up for
auction. See at:
http://k2b-bulk.ebay.com/ws/eBayISAPI.dll?MyeBaySellingActiveListings
Thanks, Charlie Hugg, K5MBX


_______________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com





From -6484146005257125467
X-Google-Thread: 108122,e9b781a821e1bd43
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!newsfeed1.easynews.com!easynews.com!easynews!easynews-
local!fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <sTK9g.20152$4H.1417@dukeread03>
Subject: Re: FA Collins S-Line and Test Gear/Ends Soon
Lines: 9
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <1YL9g.33334$6B1.7758@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
```

will be unable to process your complaint properly.
Date: Sun, 14 May 2006 19:56:45 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4040

Charlie Hugg wrote:
> Please take a look at my Collins S-Line ending within a few hours
> today. It is exceptional clean and works. Also have lots of neat Test
> Gear up for auction. See at:
> http://k2b-bulk.ebay.com/ws/eBayISAPI.dll?MyeBaySellingActiveListings

Sorry, but you are currently not subscribed to eBay Selling Manager.

From -7347665954050334484
X-Google-Thread: 108122,e9b781a821e1bd43
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.insightbb.com!news.insightbb.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 14 May 2006 16:18:40 -0500
From: "John, N9JG" <john@gotwals.XremoveY.com>
Newsgroups: rec.radio.amateur.equipment
References: <sTK9g.20152$4H.1417@dukeread03>
Subject: Re: FA Collins S-Line and Test Gear/Ends Soon
Date: Sun, 14 May 2006 17:18:44 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <-6idnXl58q8tA_rZnZ2dnUVZ_s-dnZ2d@insightbb.com>
Lines: 19
NNTP-Posting-Host: 12.208.123.227
X-Trace: sv3-kFvesHWiQxX6luuw/oEGM1Wg+VUazh/L2kK3BTdx2tHGEd8s+IG0JCFJwhQ5CHXe/
Nr5JZJ+b26BSxK!
08b4EYlSNjwiIu9OdLePlw1+4sPFLPjTV0hzaKebaKXifLCizDyRfXfrp2AYaN1jme8k4wTeLFJ6!
w1JqwVlIXBrY5U6UoKI=
X-Complaints-To: abuse@insightbb.com
X-DMCA-Complaints-To: abuse@insightbb.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4041

How the ficken am I going to be able to look at your merchandise? That link
doesn't.

"Charlie Hugg" <hug-a-bug1@cox.net> wrote in message
news:sTK9g.20152$4H.1417@dukeread03...

```
> Please take a look at my Collins S-Line ending within a few hours today.
> It is exceptional clean and works. Also have lots of neat Test Gear up for
> auction. See at:
> http://k2b-bulk.ebay.com/ws/eBayISAPI.dll?MyeBaySellingActiveListings
> Thanks, Charlie Hugg, K5MBX
>
> _______________________________
> See my Signal/One, Collins & Drake
> Photo Galleries and my Hallicrafters
> Virtual Museum at http://hug-a-bug.com
>
>
```

```
From -3563150569391030972
X-Google-Thread: 108122,35e55024d2270702,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "Roberto" <freda@terra.com.br>
Newsgroups: rec.radio.amateur.equipment
Subject: bands to transmit
Date: 14 May 2006 18:39:51 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 200.180.180.87
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147657195 21652 127.0.0.1 (15 May 2006 01:39:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 May 2006 01:39:55 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=200.180.180.87;
   posting-account=12aY3Q0AAACfqdueeQBA5-iJYSmkDMh0
Xref: g2news2.google.com rec.radio.amateur.equipment:4042
```

I have a new HT Vx7R and I can only transmit voice message in a few band width. For example, between 50.000 and 54.000 MHz, between 144.00 and 148.000 MHz, between 220.00 and 226.000...I would like to know if it is really this way and what are the bands of frequency that I can transmit.
Roberto

```
From -8583529723836714104
```

X-Google-Thread: 108122,78b9d9b52bbcfe05,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!207.35.177.252!nf3.bellglobal.com!
ursa-nb00s0.nbnet.nb.ca!53ab2750!not-for-mail
From: "DP" <darrylperrin@hotmail.com>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
Subject: Icom 208h Display Problem
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <k_Q9g.7812$A26.197990@ursa-nb00s0.nbnet.nb.ca>
Date: Mon, 15 May 2006 01:40:32 GMT
NNTP-Posting-Host: 142.167.231.246
X-Complaints-To: abuse@aliant.net
X-Trace: ursa-nb00s0.nbnet.nb.ca 1147657232 142.167.231.246 (Sun, 14 May 2006
22:40:32 ADT)
NNTP-Posting-Date: Sun, 14 May 2006 22:40:32 ADT
Organization: Aliant Internet
Xref: g2news2.google.com rec.radio.amateur.equipment:4043

Was looking for some thoughts on a problem I am encountering with my new Icom 208h mobile. I mounted it in my truck yesterday with the remote control unit on my dash and the actual radio mounted elsewhere in the vehicle. When I powered it up this morning, I noticed that some segments on the display were partially lit that shouldn't be. For example I have an alphanumeric name on one of the repeaters, where the forth character was an 'H'. The display was showing an extra segment across the bottom of the 'H'. There was also a "sql" icon near the top that should not have been showing. The erroneous segments were not black like the others, but at about half intensity. After about 10 min or so, the display cleared up and was normal. After the radio is powered off for a while, if I turn it back on, it will do this again.

I have already programmed the radio, so I do not want to be too quick in doing a full reset and I am not sure this will help anyway. Does this sound like a defective display or could something else be causing this?

Many thanks and 73,

Darryl

From -1570617212608213517
X-Google-Thread: 108122,35e55024d2270702
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed2.easynews.com!
newsfeed1.easynews.com!easynews.com!easynews!sn-xt-sjc-03!sn-xt-sjc-12!sn-xt-
sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: bands to transmit
Date: Sun, 14 May 2006 20:10:08 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <126fs8gffgit430@corp.supernews.com>
References: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news2.google.com rec.radio.amateur.equipment:4044
```

"Roberto" wrote ...

>I have a new HT Vx7R and I can only transmit voice message in a few
> band width. For example, between 50.000 and 54.000 MHz, between 144.00
> and 148.000 MHz, between 220.00 and 226.000...I would like to know if
> it is really this way and what are the bands of frequency that I can
> transmit.

Where do you live?
Do you have an amateur radio ("ham") license?

```
From -4173565701301685428
X-Google-Thread: 108122,35e55024d2270702
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "Roberto" <freda@terra.com.br>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: bands to transmit
Date: 14 May 2006 20:16:05 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1147662965.771314.295840@j73g2000cwa.googlegroups.com>
References: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
   <126fs8gffgit430@corp.supernews.com>
NNTP-Posting-Host: 200.203.36.125
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147662970 5183 127.0.0.1 (15 May 2006 03:16:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 May 2006 03:16:10 +0000 (UTC)
In-Reply-To: <126fs8gffgit430@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=200.203.36.125;
   posting-account=12aY3Q0AAACfqdueeQBA5-iJYSmkDMh0
Xref: g2news2.google.com rec.radio.amateur.equipment:4045
```

Brazil
No license.

```
From -2306665797399722973
X-Google-Thread: 108122,35e55024d2270702
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-
xt-sjc-01!sn-post-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: bands to transmit
Date: Sun, 14 May 2006 20:25:15 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <126ft4th2cenaff@corp.supernews.com>
References: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
<126fs8gffgit430@corp.supernews.com>
<1147662965.771314.295840@j73g2000cwa.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 9
Xref: g2news2.google.com rec.radio.amateur.equipment:4046
```

"Roberto" wrote ...
> Brazil
> No license.

The frequency bands you mentioned are reserved for use
by licenced radio amateurs in virtually every country on

this planet (Earth). It is almost certainly illegal for you
to transmit on any of those frequencies in your country.
Get a ham licence and learn what you are doing.

```
From -8736229723594072287
X-Google-Thread: fc2a5,3898d48e919a55d5,start
X-Google-Thread: fc8b1,3898d48e919a55d5,start
X-Google-Thread: 108122,3898d48e919a55d5,start
X-Google-Thread: 107ada,3898d48e919a55d5,start
X-Google-Thread: 111d0a,3898d48e919a55d5,start
X-Google-Attributes: gidfc2a5,gidfc8b1,gid108122,gid107ada,gid111d0a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,sci.electronics.basics
Subject: SolderSmoke #22: RF Amp woes, LPfilters, Loads, Rally, Lasers, Binaurals
Date: 14 May 2006 22:02:15 -0700
Organization: http://groups.google.com
Lines: 60
Message-ID: <1147669335.286374.108600@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 86.144.39.213
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147669341 22256 127.0.0.1 (15 May 2006 05:02:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 May 2006 05:02:21 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=86.144.39.213;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news2.google.com rec.radio.amateur.homebrew:5259
rec.radio.amateur.boatanchors:4089 rec.radio.amateur.equipment:4047
rec.radio.amateur.misc:10812 sci.electronics.basics:15840
```

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

CHECK OUT BILL'S NEW WEB SITE:
http://www.gadgeteer.us
Please feel free to link, bookmark, and send feedback.

Topics discussed in SolderSmoke #22:

-- Mike's RF amplifier struggles
-- Good RF citizenship: Bill installs LP filter
-- Loads and power out in RF amps
-- Bill's amazing UK hamfest (rally) adventure.

-- Fun with lasers and UV
-- Doomed to build a Binaural receiver
-- Website update, Google and Amazon ads

Listen at:
http://www.ourmedia.org/node/223906

Background:
Tired of listening to Led Zepplin or NPR on your I-Pod? Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

NEW RSS FEED: You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software. We've been having trouble with our Ourmedia RSS feed, so Mike (software wizard that he is) has homebrewed his own RSS feed. In order to subscribe to SolderSmoke, point your podcast software to:

http://kl7r.ham-radio.ch/soldersmoke.rss

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.ourmedia.org/node/223906

Here's the homepage for our show. All our programs are available here. There is also a blog and links to some of the sites and documents we've been discussing: http://www.ourmedia.org/user/36170

We hope you enjoy the program. Please send us feedback.

73 from London
Bill M0HBR N2CQR CU2JL
http://www.gadgeteer.us

```
From -879409486512644811
X-Google-Thread: 108122,35e55024d2270702
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "Roberto" <freda@terra.com.br>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: bands to transmit
Date: 15 May 2006 05:31:22 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147696282.562966.208290@j33g2000cwa.googlegroups.com>
References: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
   <126fs8gffgit430@corp.supernews.com>
   <1147662965.771314.295840@j73g2000cwa.googlegroups.com>
   <126ft4th2cenaff@corp.supernews.com>
NNTP-Posting-Host: 200.203.36.125
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147696287 30852 127.0.0.1 (15 May 2006 12:31:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 May 2006 12:31:27 +0000 (UTC)
In-Reply-To: <126ft4th2cenaff@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=200.203.36.125;
   posting-account=12aY3Q0AAACfqdueeQBA5-iJYSmkDMh0
Xref: g2news2.google.com rec.radio.amateur.equipment:4048
```

What would be the "legal" frequencies?

```
From 7311476610336945165
X-Google-Thread: 108122,35e55024d2270702
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "Roberto" <freda@terra.com.br>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: bands to transmit
Date: 15 May 2006 05:31:28 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147696288.467142.307970@u72g2000cwu.googlegroups.com>
References: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
   <126fs8gffgit430@corp.supernews.com>
   <1147662965.771314.295840@j73g2000cwa.googlegroups.com>
   <126ft4th2cenaff@corp.supernews.com>
NNTP-Posting-Host: 200.203.36.125
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147696293 11663 127.0.0.1 (15 May 2006 12:31:33 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 May 2006 12:31:33 +0000 (UTC)
In-Reply-To: <126ft4th2cenaff@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=200.203.36.125;
   posting-account=12aY3Q0AAACfqdueeQBA5-iJYSmkDMh0
Xref: g2news2.google.com rec.radio.amateur.equipment:4049
```

What would be the "legal" frequencies?

```
From -2767315493712975494
X-Google-Thread: 108122,35e55024d2270702
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 15 May 2006 08:16:51 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
<126fs8gffgit430@corp.supernews.com>
<1147662965.771314.295840@j73g2000cwa.googlegroups.com>
<126ft4th2cenaff@corp.supernews.com>
<1147696282.562966.208290@j33g2000cwa.googlegroups.com>
Subject: Re: bands to transmit
Date: Mon, 15 May 2006 08:16:49 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Ss-dnQJrV4He4vXZRVn-uQ@comcast.com>
Lines: 8
NNTP-Posting-Host: 68.63.237.38
X-Trace:
sv3-2yllhi6q5XWHuT36nS0rWO0JWFRJ0hTQdrIymIQ8gu0MSceCuHTHp2YfXstIRryPpIPeqZAlXbyc7a
7!PQtRxTYDxEU6NMGl7xupEpeoElIC7oRDM9qy1yXbf11jKhiLFg8rdh2uoTfKzNg9MvNh9FWHJ94=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4050
```

none without being licensed

```
"Roberto" <freda@terra.com.br> wrote in message
news:1147696282.562966.208290@j33g2000cwa.googlegroups.com...
> What would be the  "legal" frequencies?
>




From -7374542904787808055
X-Google-Thread: 108122,35e55024d2270702
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: bands to transmit
Date: Mon, 15 May 2006 06:35:42 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <126h0te8rd6tl70@corp.supernews.com>
References: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
<126fs8gffgit430@corp.supernews.com>
<1147662965.771314.295840@j73g2000cwa.googlegroups.com>
<126ft4th2cenaff@corp.supernews.com>
<1147696282.562966.208290@j33g2000cwa.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 5
Xref: g2news2.google.com rec.radio.amateur.equipment:4051

"Roberto" wrote...
> What would be the  "legal" frequencies?

None of the frequencies on that HT are legal to
transmit without a proper license.



From -3831340767915717418
X-Google-Thread: 108122,64c2adf76fd38b05,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
```

```
filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood TS-50 HF W/AT-50 Tuner
Message-ID: <m9ch6215ah3mp3mlguuvk90p4batnlukqo@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Mon, 15 May 2006 12:50:04 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1147711793 69.125.167.162 (Mon, 15 May 2006 09:49:53 MST)
NNTP-Posting-Date: Mon, 15 May 2006 09:49:53 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4052

FS: Kenwood TS-50 HF W/AT-50 Tuner
Kenwood TS-50 AllMode HF Mobile Trasceiver
Also Comes with the Kenwood AT-50 Mobile Antenna Tuner.
Bracketed together and cable that connects the two together.
Mic/power cord and I believe I have the manual.
All works fine.
Price: 500.00   Shipped and insured to your door.
I take paypal.
Reply to ritchi50@optonline.net




From -5413625829026258656
X-Google-Thread: 108122,545d930181ccc6dc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: HeathKit DX-100  AM Transmitter
Message-ID: <dnch62tnnnsfihpo0lhrod7e6rms1g8jhs@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Mon, 15 May 2006 12:57:21 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1147712230 69.125.167.162 (Mon, 15 May 2006 09:57:10 MST)
NNTP-Posting-Date: Mon, 15 May 2006 09:57:10 MST
Organization: Optimum Online
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:4053

FS: HeathKit DX-100  AM Transmitter
Looks and works fine.
Price: 295.00
Pick up preferred.
Reply: ritchi50@optonline.net
Essex County  NJ


From 1558054440304535488
X-Google-Thread: 108122,caa072791ae2170b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Dentron MT-3000A Antenna Tunner
Message-ID: <5adh6219uet6h76enbocujevbfump68eqf@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Mon, 15 May 2006 13:07:22 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1147712830 69.125.167.162 (Mon, 15 May 2006 10:07:10 MST)
NNTP-Posting-Date: Mon, 15 May 2006 10:07:10 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4054

FS: Dentron MT-3000A Antenna Tunner
High power tuner and works great and looks great also.
Has one minor problem.  The little plastic sleeve on the Transmitter
matching knob is no good.  Its a small plastic sleeve that goes into
the knob.   Again, the knob is fine, its just a small plastic insert.
I have two and just need one.
Price: 225.00   Shipped and insured to the lower 48 Stated.
I take paypal.
Please reply email:  ritchi50@optonline.net


From 7440811781662060684
X-Google-Thread: 108122,744af92c238a2a49,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
```

filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake R-4C Receiver LOADED!!!
Message-ID: <tkdh62lfij58oas1deei8ipjbkmdndflki@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Mon, 15 May 2006 13:17:18 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1147713428 69.125.167.162 (Mon, 15 May 2006 10:17:08 MST)
NNTP-Posting-Date: Mon, 15 May 2006 10:17:08 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4055

FS: Drake R-4C Receiver LOADED!!!
Drake R-4C with all filters and noise blanker.
Plays and looks nice. Will look great with your collection!!!!
If interested, I have the Drake TX-4C and power supply with cabinet
and speaker, Plus the classic Heil desk microphone, looks like the old
RCA box microphone. Nice setup.
Please make offer, ready to sell.
Reply email: ritchi50@optonline.net

From 2208593889572045626
X-Google-Thread: 108122,78b9d9b52bbcfe05
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.freenet.de!feed20.multikabel.net!multikabel.net!
feed10.multikabel.net!feeder1.cambrium.nl!feed.tweaknews.nl!
138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-05!sn-ams!sn-feed-ams-03!sn-ams!sn-
feed-ams-02!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-
for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
Subject: Re: Icom 208h Display Problem
Date: Mon, 15 May 2006 19:13:29 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <126hkmpbiupdi51@corp.supernews.com>
References: <k_Q9g.7812$A26.197990@ursa-nb00s0.nbnet.nb.ca>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 44
Xref: g2news2.google.com rec.radio.amateur.equipment:4056

In article <k_Q9g.7812$A26.197990@ursa-nb00s0.nbnet.nb.ca>, DP <darrylperrin@hotmail.com> wrote:

>Was looking for some thoughts on a problem I am encountering with my new
>Icom 208h mobile. I mounted it in my truck yesterday with the remote control
>unit on my dash and the actual radio mounted elsewhere in the vehicle. When
>I powered it up this morning, I noticed that some segments on the display
>were partially lit that shouldn't be. For example I have an alphanumeric
>name on one of the repeaters, where the forth character was an 'H'. The
>display was showing an extra segment across the bottom of the 'H'. There was
>also a "sql" icon near the top that should not have been showing. The
>erroneous segments were not black like the others, but at about half
>intensity. After about 10 min or so, the display cleared up and was normal.
>After the radio is powered off for a while, if I turn it back on, it will do
>this again.
>
>I have already programmed the radio, so I do not want to be too quick in
>doing a full reset and I am not sure this will help anyway. Does this sound
>like a defective display or could something else be causing this?

This sounds like a defective display, display-driver, or a bad connection between the display itself and its driving electronics.

Another possibility is that there's a "contrast" adjustment for the radio, and that the constrast-adjustment circuit is mis-set (or the contrast control is somewhat dirty).

All of these are problems I'd more expect to see in a used product. It's not all that unusual for radios (and other consumer-electronics devices) to develop LCD segment problems, due to loosening or oxidation of the contacts or cables connecting the LCD to its driver. Unplugging and replugging the cables, careful cleaning of contacts, etc. can sometimes fix these problems... but these fixes are not for the novice to try, and should only be done if you have the radio's service manual and a proper set of tools.

If it's a new unit, I'd recommend returning it to the dealer and requesting an over-the-counter exchange,

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -3277575716326664316
X-Google-Thread: 108122,35e55024d2270702
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!fe04.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>

Newsgroups: rec.radio.amateur.equipment
References: <1147657190.960599.262700@j55g2000cwa.googlegroups.com>
<126fs8gffgit430@corp.supernews.com>
<1147662965.771314.295840@j73g2000cwa.googlegroups.com>
Subject: Re: bands to transmit
Lines: 8
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <kB4ag.82939$u%5.66035@fe04.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Mon, 15 May 2006 19:26:08 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4057

Roberto wrote:
> Brazil
> No license.

Start here:
http://www.labre.org/

From -4772789843302701745
X-Google-Thread: 108122,843bf34803121b47,start
X-Google-Thread: 107ada,843bf34803121b47,start
X-Google-Thread: 10bf43,843bf34803121b47,start
X-Google-Thread: 1109af,843bf34803121b47,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: ARRL members, I need your help.
From: Slow Code <sc@email.box>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 22
Message-ID: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
Date: Mon, 15 May 2006 19:45:13 GMT
NNTP-Posting-Host: 4.227.160.97
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1147722313 4.227.160.97 (Mon, 15 May 2006 12:45:13 PDT)
NNTP-Posting-Date: Mon, 15 May 2006 12:45:13 PDT

Xref: g2news2.google.com rec.radio.amateur.equipment:4058
rec.radio.amateur.misc:10880 rec.radio.amateur.policy:25856 rec.radio.swap:4044

Please email mail this to your Division Directors and Section managers.
With a loud voice, maybe we can get the ARRL to work for us instead of
against us:

No more automatic renewals. Individuals must retest and pass all elements
required for their license class.

The passing score for written exams needs to be raised to 85%.

Code elements should be 13 wpm for General, and 20 wpm for Extra.

Make the no-code Tech license one year non-renewable.

sc

From 1794200107330796726
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
Subject: Re: ARRL members, I need your help.
Lines: 14
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.

Date: Mon, 15 May 2006 19:52:02 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4059
rec.radio.amateur.misc:10881 rec.radio.amateur.policy:25857 rec.radio.swap:4045

Slow Code wrote:
> No more automatic renewals. Individuals must retest and pass all
> elements required for their license class.

This sounds like a great way to kill off amateur radio.

> Code elements should be 13 wpm for General, and 20 wpm for Extra.
> Make the no-code Tech license one year non-renewable.

Um, haven't you been following what is going on in the rest of the modern world? Code is dead in most first world countries, and in a few months it will be gone in the U.S. too.

From -6677521335812866370
X-Google-Thread: 108122,64c2adf76fd38b05
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Kenwood TS-50 HF W/AT-50 Tuner
Message-ID: <lsrh62hmrobs7hvmi5ifsd0v438uuvckb0@4ax.com>
References: <m9ch6215ah3mp3mlguuvk90p4batnlukqo@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Mon, 15 May 2006 17:16:11 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1147727758 69.125.167.162 (Mon, 15 May 2006 14:15:58 MST)
NNTP-Posting-Date: Mon, 15 May 2006 14:15:58 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4060

The Antenna Tuner is sold.
The Kenwood TS-50 AllMode Transceiver is 400.00

On Mon, 15 May 2006 12:50:04 -0400, ritchi50@optonline.net wrote:

>FS: Kenwood TS-50 HF W/AT-50 Tuner
>Kenwood TS-50 AllMode HF Mobile Trasceiver
>Also Comes with the Kenwood AT-50 Mobile Antenna Tuner.
>Bracketed together and cable that connects the two together.
>Mic/power cord and I believe I have the manual.
>All works fine.
>Price: 500.00   Shipped and insured to your door.
>I take paypal.
>Reply to ritchi50@optonline.net

From 8155207979204120132
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews4.bellsouth.net.POSTED!19fc7e43!
not-for-mail
From: <dalite01@bellsouth.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
Subject: Re: ARRL members, I need your help.
Lines: 57
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <ir6ag.42521$iB2.4077@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbopogcjambehobokhnmglaeicljlhcpbpcjamlcjabjbdecabfaagcleiipplaplojgnejhlphboefhmbmmkjobaogbfcnhgnecjjcpebhhghhpmli
NNTP-Posting-Date: Mon, 15 May 2006 17:31:58 EDT
Organization: BellSouth Internet Service
Date: Mon, 15 May 2006 17:35:36 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:4061
rec.radio.amateur.misc:10909 rec.radio.amateur.policy:25891 rec.radio.swap:4047

This personifies why the Amateur Radio Service has lost an entire generation of new members as well as why the average Ham is aged 62.5 years old.

It also goes far in explaining why fewer Emergency Operations Centers managers look upon Amateur Radio as a viable means of support during an emergency.

This thinking truly puts the "amateur" back into the Amateur Radio Service.

This is a perfect example of viewing the future through your rear-view mirror.

All in favor of that should respond to the relay league with their vote for the continuance of CW as a "filter" ; in spite of the decisions already made during the WRC03.

It has already "filtered" out the expertise of those receiving the most up to date training in digital communications.

Show your level of understanding of the current situation; vote for the continuance of CW as a requirement for the death of the Amateur Radio Service.

You better do it quickly; the ARRL has already announced new testing material being released for exams administered after July 1st, 2006.

Wink, Wink - Nudge, Nudge

The Code is dead; long live the code....

"Slow Code" <sc@email.box> wrote in message news:dT4ag.895$921.164@newsread4.news.pas.earthlink.net...

>
> Please email mail this to your Division Directors and Section managers.
> With a loud voice, maybe we can get the ARRL to work for us instead of
> against us:
>
>
> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
>
>
> The passing score for written exams needs to be raised to 85%.
>
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>
> Make the no-code Tech license one year non-renewable.
>
>
> sc
>
>

```
From 6365227332823097670
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!2ba31c29!
not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
Subject: Re: here's a thought.. don't feed this troll and we won't have to plonk
another thread. ARRL members, I need your help.
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <tF6ag.2207$_B5.225@trnddc01>
Date: Mon, 15 May 2006 21:47:05 GMT
NNTP-Posting-Host: 72.65.132.187
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1147729625 72.65.132.187 (Mon, 15 May 2006 17:47:05 EDT)
NNTP-Posting-Date: Mon, 15 May 2006 17:47:05 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4062
rec.radio.amateur.misc:10910 rec.radio.amateur.policy:25893 rec.radio.swap:4048

here's a thought.. don't feed this troll and we won't have to plonk another
50-message thread.

.
.
.



"Slow Code" <sc@email.box> wrote in message
news:dT4ag.895$921.164@newsread4.news.pas.earthlink.net...
>
> Please email mail this to your Division Directors and Section managers.
> With a loud voice, maybe we can get the ARRL to work for us instead of
> against us:
>
>
> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
>
>
> The passing score for written exams needs to be raised to 85%.
>
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>
> Make the no-code Tech license one year non-renewable.
>
>
> sc
>
>
```

```
From -5399067948221793756
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: fa029,4f88c92896897a18,start
X-Google-Thread: 114aac,4f88c92896897a18,start
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!spool-
big2.readnews.com!diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "BilboeBaggums" <fuzzyPCfans@fandirtfuzz.com>
From: "BilboeBaggums" <fuzzyPCfans@fandirtfuzz.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.scanner,rec.radio.shortwave
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
Subject: Re: ARRL members, I need your help.
Date: Mon, 15 May 2006 18:06:47 -0400
Lines: 41
Organization: winnnnnnnnnnnng
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <aae98$4468fb76$d1cc591d$8451@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc3a-209-204-89-29.sniparpa.net
X-Trace: aae984468fb767469fcb88451
```

Xref: g2news2.google.com rec.radio.amateur.equipment:4063
rec.radio.amateur.misc:10911 rec.radio.amateur.policy:25894 rec.radio.scanner:3321
rec.radio.shortwave:35053

Nice troll.   (...worthy of the late Polly from 14.313)

It would never REALLY happen you know.

If hams were ever forced to re-test when their license
was up for renewal, no doubt WHATSOEVER in my
mind that 75% would drop out from Ham radio.

Even the guys on 10 Meter FM working Repeaters and
28.600 simplex what scanner listeners and SWL's monitors
tune into would dry up overnight.

Apart from that ARRL only represents 20% of all
USA at best. Most people know that they are nothing more
than a publishing house which landed a 501C-3 Tax free
status via claiming to be a technical resource and training
NGO org. What a load of sheer bullshi++ery.

Arrl could go belly up tomorrow and it wouldn't
be worth a cup of coffee with Habib Patel at
the local Dunkin Donuts.

"Slow Code" <sc@email.box> wrote in message
news:dT4ag.895$921.164@newsread4.news.pas.earthlink.net...
>
> Please email mail this to your Division Directors and Section managers.
> With a loud voice, maybe we can get the ARRL to work for us instead of
> against us:
>
> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
>
> The passing score for written exams needs to be raised to 85%.
>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
> Make the no-code Tech license one year non-renewable.
> sc

From 1045532818649926240
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb
Subject: get help
Followup-To: alt.test
Date: 15 May 2006 15:35:14 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1147732514.784135.252770@j73g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
   <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <H3u4g.25$Yq.14@fe06.lga>
   <1146259849.651768.225070@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147732519 20546 127.0.0.1 (15 May 2006 22:35:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 May 2006 22:35:19 +0000 (UTC)
In-Reply-To: <1146259849.651768.225070@j33g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=69.19.14.20;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11402
rec.radio.amateur.equipment:4064 rec.radio.amateur.policy:25899 rec.radio.cb:9837


get help aslaways a good reply for wisemen




From -5589719415795582327
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 15 May 2006 17:41:25 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
```

rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
Subject: Re: ARRL members, I need your help.
Date: Mon, 15 May 2006 18:41:01 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <A-OdnQkgjf0InvTZnZ2dnUVZ_vmdnZ2d@comcast.com>
Lines: 47
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-QZbDnrBmaEhvaKkSFkJJwG2A6LYckZ4ZfTA+/JJDk0t3ymWvfBrmPjzE8HCpx3xj6/jsD10pG8QfjQh!I8G/Z7XU21opX/8tIzTnUvp8lFfuOkedU9VeSv+LgawwZU/Qtpi7nGrrERhD2h84Me3NizqqwwOd!hM17rz+7pqFy8VPq
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4065 rec.radio.amateur.misc:10915 rec.radio.amateur.policy:25900 rec.radio.swap:4049

"Slow Code" <sc@email.box> wrote in message
news:dT4ag.895$921.164@newsread4.news.pas.earthlink.net...
>
> Please email mail this to your Division Directors and Section managers.
> With a loud voice, maybe we can get the ARRL to work for us instead of
> against us:
>
>

No way. Your proposals are, in general, not reasonable.

> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
>

Actually there are NO automatic renewals now. You must apply for the
renewal. There's really no need to retest.

>
> The passing score for written exams needs to be raised to 85%.
>

Why? It's been 74% as far back as I can remember.

>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>

The original code test back in the earliest days of licensing was only 5wpm. It would be nice to have the 13wpm as a requirement since that's the speed at which most people can't count the dits and dahs but those who use it will get past that anyway. The 20wpm was only icing on the cake so don't see a real need for it. Those who get to the 13wpm will get to the 20wpm if they use it much. Although I advocate keeping code testing, we need not reinstate the 20wpm in my opinion.

>
> Make the no-code Tech license one year non-renewable.
>

Pointless change. Many people don't gain enough experience or get together enough of a station in a year to know if they want to continue.

Dee D. Flint, N8UZE

```
From 2491450734101751218
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: get help
Followup-To: alt.test
Date: 15 May 2006 15:42:34 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147732954.627784.210480@g10g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
   <shv8g.488$oa1.132@news02.roc.ny>
   <us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
   <e46pbv$nkc$1@ctb-nnrp2.saix.net>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147732960 21668 127.0.0.1 (15 May 2006 22:42:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 15 May 2006 22:42:40 +0000 (UTC)
In-Reply-To: <e46pbv$nkc$1@ctb-nnrp2.saix.net>
```

User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=69.19.14.20;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11403
rec.radio.amateur.equipment:4066 rec.radio.amateur.misc:10916
rec.radio.amateur.policy:25901

get help the one size fits all response to wismen

From 8892493273649490402
X-Google-Thread: 108122,867dfdc22d77161,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!9d73b09e!not-for-mail
From: "K9YA Telegraph" <no_reply@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Subscribe FREE to the K9YA Telegraph
Lines: 17
Organization: Robert F. Heytow Memorial Radio Club
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <U98ag.87093$dW3.61440@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 75.3.50.115
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1147735796 ST000 75.3.50.115 (Mon, 15 May 2006 19:29:56 EDT)
NNTP-Posting-Date: Mon, 15 May 2006 19:29:56 EDT
X-UserInfo1:
FKPO@MON[J@WRQ@[N[O@_WH@YR_B@EXLLBWLOOAFEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Mon, 15 May 2006 23:29:56 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4067

Subscribe FREE to the K9YA Telegraph. It's Free, It's Fun, It's All About Ham Radio.

The K9YA Telegraph is a free, monthly, general interest Amateur Radio publication read by Hams in more than 90 countries. The K9YA Telegraph contains the stories and features most wanted by our subscribers, because it is written by our subscribers. An e-Zine, it is delivered monthly to your e-mail inbox as a full-color PDF file.

If you're in the mood for Morse, hankering for history, gluttonous for gear, ravished for a review, needing nostalgia, or just plain famished for fun, you'll find it in the K9YA Telegraph. To check out back issues, subscribe or write an article, visit the K9YA Telegraph Web site.

http://www.k9ya.org

```
From 8187263774317557625
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: marky_morgan_internet_retard@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Retard Markie, no brains at all!
Followup-To: alt.test
Date: 15 May 2006 17:17:11 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1147738631.264761.77230@i40g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
   <shv8g.488$oa1.132@news02.roc.ny>
   <us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
   <e46pbv$nkc$1@ctb-nnrp2.saix.net>
   <1147732954.627784.210480@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 65.54.155.59
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147738636 21069 127.0.0.1 (16 May 2006 00:17:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 00:17:16 +0000 (UTC)
In-Reply-To: <1147732954.627784.210480@g10g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=65.54.155.59;
   posting-account=Xy8elQ0AAADye0lGYHX352FKTWxQCHFj
Xref: g2news2.google.com rec.radio.amateur.antenna:11406
rec.radio.amateur.equipment:4068 rec.radio.amateur.misc:10929
rec.radio.amateur.policy:25918
```

an_old_friend wrote:
> get help the one size fits all response

It's the only response that your alcohol and drug addled tiny working
brain cell can manage, stupid.

```
From -3604796739303053522
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an Old friend" <kb9rqz@amsat.org>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 15 May 2006 18:36:09 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1147743369.015424.307430@u72g2000cwu.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <A-OdnQkgjf0InvTZnZ2dnUVZ_vmdnZ2d@comcast.com>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147743374 1731 127.0.0.1 (16 May 2006 01:36:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 01:36:14 +0000 (UTC)
In-Reply-To: <A-OdnQkgjf0InvTZnZ2dnUVZ_vmdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.20;
   posting-account=RPkPwQ0AAAAOAlmydGke92nBD6aZq3Rd
Xref: g2news2.google.com rec.radio.amateur.equipment:4069
rec.radio.amateur.misc:10960 rec.radio.amateur.policy:25953 rec.radio.swap:4052
```

Dee Flint wrote:
> "Slow Code" <sc@email.box> wrote in message
> news:dT4ag.895$921.164@newsread4.news.pas.earthlink.net...
> >
> > Please email mail this to your Division Directors and Section managers.
> > With a loud voice, maybe we can get the ARRL to work for us instead of

```
> > against us:
> >
> >
>
> No way.  Your proposals are, in general, not reasonable.
a reasonble if foolish post (it is foolish in that you arguing with a
nut job)



From 3265372097164789115
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: "an Old friend" <kb9rqz@amsat.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: get help
Followup-To: alt.test
Date: 15 May 2006 18:38:11 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1147743491.259553.69900@j55g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
   <shv8g.488$oa1.132@news02.roc.ny>
   <us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
   <e46pbv$nkc$1@ctb-nnrp2.saix.net>
   <1147732954.627784.210480@g10g2000cwb.googlegroups.com>
   <1147738631.264761.77230@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147743496 1993 127.0.0.1 (16 May 2006 01:38:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 01:38:16 +0000 (UTC)
In-Reply-To: <1147738631.264761.77230@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=69.19.14.20;
   posting-account=RPkPwQ0AAAAOAlmydGke92nBD6aZq3Rd
Xref: g2news2.google.com rec.radio.amateur.antenna:11409
rec.radio.amateur.equipment:4070 rec.radio.amateur.misc:10961
rec.radio.amateur.policy:25954
```

marky_morgan_internet_retard@yahoo.com wrote:
> an_old_friend wrote:
> > get help the one size fits all response
>
> It's the only response that your alcohol and drug addled tiny working
> brain cell can manage, stupid.

more delsuions poor boy

get help

```
From 1559342183629713693
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
i39g2000cwa.googlegroups.com!not-for-mail
From: "N9OGL" <toddaug555@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 15 May 2006 18:56:52 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1147744611.994952.16970@i39g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 12.156.121.130
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147744617 5089 127.0.0.1 (16 May 2006 01:56:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 01:56:57 +0000 (UTC)
In-Reply-To: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=12.156.121.130;
   posting-account=MFiwyQwAAADbKVtDPSGIX7t9ZX1DHG4j
Xref: g2news2.google.com rec.radio.amateur.equipment:4071
rec.radio.amateur.misc:10964 rec.radio.amateur.policy:25955 rec.radio.swap:4053
```

Why??? Morse Code does not make you a better radio operator, On air experiance does. This idea that morse code makes you a better operatror is nothing more then a myth.

Todd N9OGL
General Class Operator

```
From -7334775342237701813
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 15 May 2006 18:59:07 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1147744747.546442.26340@i39g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <1147744611.994952.16970@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147744752 22820 127.0.0.1 (16 May 2006 01:59:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 01:59:12 +0000 (UTC)
In-Reply-To: <1147744611.994952.16970@i39g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.20;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:4072
rec.radio.amateur.misc:10965 rec.radio.amateur.policy:25956 rec.radio.swap:4054
```

N9OGL wrote:

> Why??? Morse Code does not make you a better radio operator, On air
> experiance does. This idea that morse code makes you a better operatror
> is nothing more then a myth.
>
> Todd N9OGL
> General Class Operator

be afir it once meant something becuase morse wsas all there was but it
has meant little in my lifetime or your Todd meant fairly little even

in the lifetimes of the ham that scream for it

```
From -4423653887287284334
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news.moat.net!lon-transit.news.telstra.net!lon-
in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-
mail
From: jmccardl@bigpond.net.au (J-McC)
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
Subject: Re: Best ARRL Hankbook issue
Message-ID: <44694f8d.55520781@news.bigpond.com>
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
X-Newsreader: Forte Agent 1.5/32.451
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 41
Date: Tue, 16 May 2006 04:26:56 GMT
NNTP-Posting-Host: 147.10.18.174
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1147753616 147.10.18.174 (Tue, 16 May 2006
14:26:56 EST)
NNTP-Posting-Date: Tue, 16 May 2006 14:26:56 EST
Organization: BigPond Internet Services
Xref: g2news2.google.com alt.ham-radio:808 alt.radio.amateur:270
rec.radio.amateur.equipment:4073
```

I used to really enjoy the ARRL handbook. I used to purchase a new one every so often here in Australia. I think the best valve ones were in the late 80's and then naturally it slowly evolved to semiconductors, integrated circuits and printed circuit boards and more sophistacted circuits etc.

I think the old days of truly making your own receiver and or transmitter are allmost gone.

I have become old any eyesight is now growing dim! I guess the days of voltage doublers running straight off the mains because one was too poor to buy a suitable power transformer are gone. I do like the thought that the highest voltage one would come across now is probably 12 volts dc.
Many a time I forgot to turn off my carphone and 8 hours later I would come out from work with a truly flat car battery.

When I look at some of the modern Ham gear I am amazed at how complex and tiny they have become. I supposed all we really have left now is making aerials and dxing.

Next time I am in the city I must checkout the latest ARRL Handbook as
I still enjoying reading them in bed.

Jim McCardle ex VK3ZOE in Australia. jmccardl@bigpond.net.au
===
On Wed, 3 May 2006 21:36:35 -0400, "DaveM" <masondg4499@comcast99.net>
wrote:

>I'm curious about what your opinions of the ARRL Handbook. In terms of
>technical content, such as theory, construction projects, etc., which years are
>generally regarded as the best of the modern (solid state) era, and which issue
>for the vacuum tube era?
>
>I'm interested in hearing about specifically those issues with really useful
>construction projects in the areas of complete homebrew receivers and
>transmitters, test equipment for the bench and field use and articles about RF
>circuit design.
>
>Thanks for your opinions.

From 6526056221238093277
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44695869.7080207@fuse.net>
Date: Tue, 16 May 2006 00:43:21 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: here's a thought.. don't feed this troll and we won't have to
  plonk another thread. ARRL members, I need your help.
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<tF6ag.2207$_B5.225@trnddc01>
In-Reply-To: <tF6ag.2207$_B5.225@trnddc01>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 9

X-Trace: bbdbc44695893e098318626089
Xref: g2news2.google.com rec.radio.amateur.equipment:4074
rec.radio.amateur.misc:10970 rec.radio.amateur.policy:25963 rec.radio.swap:4055

Woody wrote:
> here's a thought.. don't feed this troll and we won't have to plonk another
> 50-message thread.
>
> .
> .
> .
>
> Second that!

From -1546039166673524140
X-Google-Thread: 108122,d8c18a9bc71795c4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feeder.news.tin.it!
spool.news.tin.it!not-for-mail
Message-Id: <44696353$0$36930$4fafbaef@reader3.news.tin.it>
From: ab <abo@TOGLI_QUESTOaxis-net.it>
Subject: Controlling an Icom PCR-1500 from linux
Newsgroups: rec.radio.amateur.equipment
Date: Tue, 16 May 2006 07:29:55 +0200
Organization: Axis-Net
User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 18
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.0.60.98
X-Trace: 1147757395 reader3.news.tin.it 36930 87.0.60.98:47461
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:4075

Has anyone ever succeeded in controlling a pcr-1500 from a linux box? The controlling software per se runs smoothly inside the dos/windows emulator "wine" under linux, but is doesn't "see" the USB port.

Three options in front of me:

- write the USB driver under linux (pain!)

- cheat and use a tty (com) driver and redirect it on the USB port
  (not sure the controlling software would cooperate...)

- find someone who already found a solution and is willing to share...

I'd love the third option.... 73s from sunny Italy,

--
Alex
SWL I2-57354

From 5019807156935455561
X-Google-Thread: 108122,843bf34803121b47
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 16 May 2006 06:38:29 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<tF6ag.2207$_B5.225@trnddc01>
Subject: Re: here's a thought.. don't feed this troll and we won't have to plonk
another thread. ARRL members, I need your help.
Date: Tue, 16 May 2006 06:38:24 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <_fWdnXoiQqAoJPTZRVn-gg@comcast.com>
Lines: 44
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-jVOsiUJ7rki/2OJ7Fjo/
xiTkNVe+ZqRlPFUXnzhxhvGwQwNZdmRY4spgAw05Vqzm1w+uhl/LYnoptXl!X84f/
weUW9zOL3WS5QQ3LWUiMUfKxxi0VlTeKYb6/fD0aQJfiC0x1PEmeVuIRyo1FXWUj3un8oI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4076

<X-Post canceled)

concur

-n6ojn

"Woody" <woody.shadetree@verizon.net> wrote in message
news:tF6ag.2207$_B5.225@trnddc01...
> here's a thought.. don't feed this troll and we won't have to plonk
> another 50-message thread.
>
> .
> .
> .

>
>
> "Slow Code" <sc@email.box> wrote in message
> news:dT4ag.895$921.164@newsread4.news.pas.earthlink.net...
>>
>> Please email mail this to your Division Directors and Section managers.
>> With a loud voice, maybe we can get the ARRL to work for us instead of
>> against us:
>>
>>
>> No more automatic renewals. Individuals must retest and pass all elements
>> required for their license class.
>>
>>
>> The passing score for written exams needs to be raised to 85%.
>>
>>
>> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>>
>>
>> Make the no-code Tech license one year non-renewable.
>>
>>
>> sc
>>
>>
>
>

From 7384288376104865043
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-mail
From: marky_morgan_internet_retard@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help.
Date: 16 May 2006 05:36:12 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1147782972.837652.252200@j55g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<1147744611.994952.16970@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.114

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147782978 12684 127.0.0.1 (16 May 2006 12:36:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 12:36:18 +0000 (UTC)
In-Reply-To: <1147744611.994952.16970@i39g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=65.54.154.114;
   posting-account=Xy8elQ0AAADye0lGYHX352FKTWxQCHFj
Xref: g2news2.google.com rec.radio.amateur.equipment:4077
rec.radio.amateur.misc:11014 rec.radio.amateur.policy:25995 rec.radio.swap:4056


N9OGL wrote:
> Why??? Morse Code does not make you a better radio operator, On air
> experiance does. This idea that morse code makes you a better operatror
> is nothing more then a myth.
>
> Todd N9OGL
> General Class Operator

You only say that because you had to struggle to get the 5 wpm code
required now, Toad.



From 7757904067257516248
X-Google-Thread: 108122,1b36733e818d8a03,start
X-Google-Thread: fc8b1,1b36733e818d8a03,start
X-Google-Thread: 106d41,1b36733e818d8a03,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: EIMAC NOS 3-400Z 8163 RF OUTPUT AMPLIFIER TUBE>CHEEP!
Date: 16 May 2006 06:36:02 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147786562.820152.147590@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147786568 22991 127.0.0.1 (16 May 2006 13:36:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 13:36:08 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4078
rec.radio.amateur.boatanchors:4099 rec.radio.cb:9873

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220000041407&ssPageName=STRK:MESE:IT




From -3659151468601298256
X-Google-Thread: 108122,3551d468c30248e,start
X-Google-Thread: fc8b1,3551d468c30248e,start
X-Google-Thread: 106d41,3551d468c30248e,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: @$10>HEATHKIT PK-1 OSCILLOSCOPE PROBE in Great Shape>Neat-O!
Date: 16 May 2006 06:37:44 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147786664.034802.276340@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147786669 12233 127.0.0.1 (16 May 2006 13:37:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 13:37:49 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4079
rec.radio.amateur.boatanchors:4100 rec.radio.cb:9874

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220000041398&ssPageName=STRK:MESE:IT




From 1927632431285525755
X-Google-Thread: 108122,9985c7071ebdcebd,start
X-Google-Thread: fc8b1,9985c7071ebdcebd,start
X-Google-Thread: 106d41,9985c7071ebdcebd,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
```

```
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: TWO(2) NOS GE 6146B RF & AUDIO OUTPUT TUBES>USA MADE:-)
Date: 16 May 2006 06:39:39 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147786779.452539.166850@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147786784 12507 127.0.0.1 (16 May 2006 13:39:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 13:39:44 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4080
rec.radio.amateur.boatanchors:4101 rec.radio.cb:9875

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=210000042560&ssPageName=STRK:MESE:IT



From 1431345331254697919
X-Google-Thread: 108122,6ece1e5b7e9caa80,start
X-Google-Thread: fc8b1,6ece1e5b7e9caa80,start
X-Google-Thread: 106d41,6ece1e5b7e9caa80,start
X-Google-Attributes: gid108122,gidfc8b1,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.cb
Subject: FA: EIMAC type 15E RADAR TUBE FROM WWII>Neat looking too!
Date: 16 May 2006 06:41:21 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147786881.124708.176680@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147786886 23777 127.0.0.1 (16 May 2006 13:41:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 13:41:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

Injection-Info: j33g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:4081
rec.radio.amateur.boatanchors:4102 rec.radio.cb:9876

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=220000041238&ssPageName=STRK:MESE:IT

From -340152888264955120
X-Google-Thread: 108122,843bf34803121b47
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-a2fjhXFxaKZec!not-for-mail
From: Win <w0lz@winlyn.us>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ARRL members, I need your help.
Date: Tue, 16 May 2006 08:59:29 -0500
Message-ID: <i2mj62dvckq4ja573nsh8bbddk1h1dbfda@4ax.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<ir6ag.42521$iB2.4077@bignews4.bellsouth.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 16
X-Trace: a4b534469dac4e2bb2d6d19126
Xref: g2news2.google.com rec.radio.amateur.equipment:4082

On Mon, 15 May 2006 17:35:36 -0400, <dalite01@bellsouth.net> wrote:

"This is a perfect example of viewing the future through your
rear-view mirror."

I view many things through my rear-view mirror these days. It's a
better view, for the most part. Perhaps amateur radio would be better
off dying a slow death, rather than becoming completely bastardized.

I am not sure it would be fun to take all the elements from back in
the the 60s, every four years, though.

No, I am no longer an ARRL member....

Win, w0lz

From -2027807880884216905

```
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 16 May 2006 10:38:23 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1147801102.960085.307960@u72g2000cwu.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <1147744611.994952.16970@i39g2000cwa.googlegroups.com>
   <1147782972.837652.252200@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.19.14.20
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147801108 32343 127.0.0.1 (16 May 2006 17:38:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 17:38:28 +0000 (UTC)
In-Reply-To: <1147782972.837652.252200@j55g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.20;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.equipment:4083
rec.radio.amateur.misc:11027 rec.radio.amateur.policy:26013 rec.radio.swap:4057


marky_morgan_internet_retard@yahoo.com wrote:
> N9OGL wrote:
> > Why??? Morse Code does not make you a better radio operator, On air
> > experiance does. This idea that morse code makes you a better operatror
> > is nothing more then a myth.
> >
> > Todd N9OGL
> > General Class Operator
>
> You only say that because you had to struggle to get the 5 wpm code
> required now, Toad.
so?
 and if thpeople like steve were correct that would eman that Todd is
mericalously converted to a fine operator, and heis opertiors skill
changed not a wit meaning anyway you look at morse code testing does
nothing for the ARS
```

get help wismen

```
From -543692248437324149
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!news.astraweb.com!
router2.astraweb.com!207.217.77.102.MISMATCH!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
From: Slow Code <sc@mail.here>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 23
Message-ID: <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
Date: Tue, 16 May 2006 18:19:13 GMT
NNTP-Posting-Host: 4.227.160.114
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147803553 4.227.160.114 (Tue, 16 May
2006 11:19:13 PDT)
NNTP-Posting-Date: Tue, 16 May 2006 11:19:13 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4084
rec.radio.amateur.misc:11046 rec.radio.amateur.policy:26036 rec.radio.swap:4058

Bert Hyman <bert@iphouse.com> wrote in
news:Xns97C498077AF9DVeebleFetzer@127.0.0.1:

> no.one@no.net (Travis Jordan) wrote in
> news:CZ4ag.60086$Wl.41442@fe08.news.easynews.com:
>
>> Slow Code wrote:
>>> No more automatic renewals. Individuals must retest and pass all
>>> elements required for their license class.
>>
>> This sounds like a great way to kill off amateur radio.
>
> Sounds more like a proposal from somebody who runs a VE service.
>
```

I just knew none of you rotton scum would help. You Gotta have your free handouts don't you. ARRL pampered you well. I'll bet you all pay for your food with food stamps and talk on CB all day long from government assisted project housing.

Assholes.

From -7587917083683791804
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news-
feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!tornado.rdc-
kc.rr.com.POSTED!53ab2750!not-for-mail
From: The Wasp <bzzzzz@zzzzzit.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <bzzzzz-5ACB16.13263816052006@news-rdr-02.rdc-kc.rr.com>
Lines: 26
Date: Tue, 16 May 2006 18:26:08 GMT
NNTP-Posting-Host: 72.131.92.128
X-Complaints-To: abuse@rr.com
X-Trace: tornado.rdc-kc.rr.com 1147803968 72.131.92.128 (Tue, 16 May 2006 13:26:08
CDT)
NNTP-Posting-Date: Tue, 16 May 2006 13:26:08 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4085
rec.radio.amateur.misc:11050 rec.radio.amateur.policy:26040 rec.radio.swap:4060

In article <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>,
Slow Code <sc@email.box> wrote:

> Please email mail this to your Division Directors and Section managers.
> With a loud voice, maybe we can get the ARRL to work for us instead of
> against us:
>
>
> No more automatic renewals. Individuals must retest and pass all elements
> required for their license class.
>
>
> The passing score for written exams needs to be raised to 85%.
>

>
> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>
>
> Make the no-code Tech license one year non-renewable.
>
>
> sc

The real demise of ham radio is not from dropping the code, but from making it such a elitist group that nobody wants to join. There is safety in numbers. We need to make the numbers bigger not smaller.

```
From -4969827015437887488
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: marky_morgan_internet_retard@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Retard Morgan whines!
Followup-To: alt.test
Date: 16 May 2006 12:08:00 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1147806480.001701.155900@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
   <shv8g.488$oa1.132@news02.roc.ny>
   <us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
   <e46pbv$nkc$1@ctb-nnrp2.saix.net>
   <1147732954.627784.210480@g10g2000cwb.googlegroups.com>
   <1147738631.264761.77230@i40g2000cwc.googlegroups.com>
   <1147743491.259553.69900@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.97.194
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147806485 5927 127.0.0.1 (16 May 2006 19:08:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 19:08:05 +0000 (UTC)
In-Reply-To: <1147743491.259553.69900@j55g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=65.54.97.194;
   posting-account=Xy8elQ0AAADye0lGYHX352FKTWxQCHFj
Xref: g2news2.google.com rec.radio.amateur.antenna:11463
rec.radio.amateur.equipment:4086 rec.radio.amateur.misc:11070
rec.radio.amateur.policy:26060
```

an Old friend wrote:
> marky_morgan_internet_retard@yahoo.com wrote:
> > an_old_friend wrote:
> > > get help the one size fits all response
> >
> > It's the only response that your alcohol and drug addled tiny working
> > brain cell can manage, stupid.
>
> more

More whining like a cunt, just what we've come to expect from you,
Markie.

```
From -2305910585636907882
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!2ba31c29!not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <bBpag.6844$UY6.2254@trnddc08>
Date: Tue, 16 May 2006 19:19:35 GMT
NNTP-Posting-Host: 72.65.132.187
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1147807175 72.65.132.187 (Tue, 16 May 2006 15:19:35 EDT)
NNTP-Posting-Date: Tue, 16 May 2006 15:19:35 EDT
```

```
Xref: g2news2.google.com rec.radio.amateur.equipment:4087
rec.radio.amateur.misc:11072 rec.radio.amateur.policy:26062 rec.radio.swap:4062

Please.... oh, please... just don't feed the trolls...



"Slow Code" <sc@mail.here> wrote in message
news:BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net...
> Bert Hyman <bert@iphouse.com> wrote in
> news:Xns97C498077AF9DVeebleFetzer@127.0.0.1:
>
>> no.one@no.net (Travis Jordan) wrote in
>> news:CZ4ag.60086$Wl.41442@fe08.news.easynews.com:
>>
>>> Slow Code wrote:
>>>> No more automatic renewals. Individuals must retest and pass all
>>>> elements required for their license class.
>>>
>>> This sounds like a great way to kill off amateur radio.
>>
>> Sounds more like a proposal from somebody who runs a VE service.
>>
>
>
>
> I just knew none of you rotton scum would help. You Gotta have your free
> handouts don't you. ARRL pampered you well. I'll bet you all pay for your
> food with food stamps and talk on CB all day long from government assisted
> project housing.
>
> Assholes.




From -9146604652987085491
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <446CD0EE.3060608@fuse.net>
Date: Thu, 18 May 2006 15:54:22 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
```

MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<44636b98$0$22188@dingus.crosslink.net> <4463FCBC.4090005@fuse.net>
<446ca98b$0$31271@dingus.crosslink.net>
In-Reply-To: <446ca98b$0$31271@dingus.crosslink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 38
X-Trace: c6406446cd11ae098318615327
Xref: g2news2.google.com rec.radio.amateur.antenna:11610
rec.radio.amateur.equipment:4138 rec.radio.amateur.misc:11349
rec.radio.amateur.policy:26481 rec.radio.shortwave:35659

Vito wrote:
> "jawod" <jawod@fuse.net> wrote in message news:4463FCBC.4090005@fuse.net...
>
>>Vito wrote:.....
>>
>>>Simple! I'd use Tap Code
>>>
>>
>>I don't see how this is any more efficient (indeed, it appears to be
>>less efficient) than CW-Morse code. My understanding is that Morse
>>wisely used the least complicated sequences for the most commonly used
>>letters. I think this is also true of PSK31, but I could be wrong.
>>
>>Consider the letter "E": a single "dit" in Morse, but it becomes
>>one "tap" followed by 5 "taps" in the above scheme. None too efficient,
>>it seems to me.
>
>
> Perhaps "efficient" is the wrong word.
>
> In my experience, it is quite difficult to send distinguishable Morse dots and
> dashes without a key (YMMV). Doing so by keying a mic or touching wires
> together thus becomes very slow - slower even than tap code. Also, it takes
> considerable effort to learn Morse and even more practice to copy all the less
> than perfect fists out there. Thus the number of operators and potential
> listeners who can copy such a 'bad fist' are few now and are rapidly vanishing
> now that Morse is strictly a hobby mode. OTOH, everybody who read my post now
> knows tap code - which is common in prisons, mines and other places because
> anybody can copy it with little or no practice.
>
> I'm not suggesting that anybody eschew Morse if they enjoy it - just that they
> stick tap code into the back of their minds for emergencies.
>

```
>
Good point.  It is true that the original Morse code was merely clicks
and spaces on wired telegraph systems, similar to the tap method you
suggest.  I see the advantage that by tapping slowly, anyone who knows
the scheme can copy.  This is also true of Morse, of course.



From 8935335906221003231
X-Google-Thread: 108122,7a01a32e848e8706
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Linux Software For Programming RadioShack Pro 97 Scanner
Date: Thu, 18 May 2006 14:59:30 -0500
Lines: 35
Message-ID: <4d4212F17dnm4U1@individual.net>
References: <qyLag.12$hN1.5@fe06.lga>
<twMag.91170$E46.62093@fe09.news.easynews.com>
<446c828e$0$29733$4fafbaef@reader2.news.tin.it>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net +9PLx4naVl8wrfWmVOInFAmIoTHcj4/hmSjTQT3NdmKfMPR00c
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <446c828e$0$29733$4fafbaef@reader2.news.tin.it>
Xref: g2news2.google.com rec.radio.amateur.equipment:4139

ab wrote:
> Travis Jordan wrote:
>
>
>>Eric Mooneyham wrote:
>>
>>>Does anyone have any idea on some software that I could use with
>>>Fedora Core 5 and RadioShack Pro 97 Scanner?  I have the USB
>>>Programming cable from RadioShack.  I like Win97 but I'm in Linux
>>>more than Windows. Please help.  Reply to ericmooneyham@charter.net
>>
>>I doubt it.  Virtually all remote control programs run on Windows.  You
>>could try running Win07 under an emulator like Wine but I suspect you'd
>>have to write your own USB driver.
>>
>
> Even worse (or worst?). While researching (i was trying to run the Icom
> pcr-1500 controlling software under WINE), I found out that wine has no
> visibility of the USB ports (they're working on it, yet as of today no USB
> ports).
>
```

> Someone suggested me to try it under VmWare, a little bit oversized as a
> solution... but worth a try. I haven't tried it yet, though.
>

You might also try "Cedega", as they are the best "Windoze" compatable emulator for Linux that I know of. There is one other thats mainly geared towards running "Windoze" office applications... But for the life of me, I do not remember the name of it..

Also there "should" be some Rs232 compatable adapters out there that will run under "Wine/Cedega/VMware" that you could adapt to programming the scanner...

Bob N9LVU

```
From -66210907019922071
X-Google-Thread: 108122,c2fefb1f9fe63041,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "acamil" <acamil@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB 7855 tube
Date: 18 May 2006 13:20:59 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1147983659.760731.153270@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.125.2.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147983665 18974 127.0.0.1 (18 May 2006 20:21:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 18 May 2006 20:21:05 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=69.125.2.49;
   posting-account=YkjRgw0AAABH9oDJ036cRVuMdriGf5fU
Xref: g2news2.google.com rec.radio.amateur.equipment:4140
```

I need 1 piece of ML7855. Could be made by EIMAC/CPI,
Machlett/Raytheeon, GE/MPD.
Please let me know price and condition by email.
Thank you.

```
From -6912226997305962372
X-Google-Thread: 108122,cf5cdfdb7c626f69,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-100D LIKE NEW!!
Message-ID: <vjpp629sskfc21kuiuvaaatr6jk7e8lu11@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Thu, 18 May 2006 17:26:28 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1147987569 69.125.167.162 (Thu, 18 May 2006 14:26:09 MST)
NNTP-Posting-Date: Thu, 18 May 2006 14:26:09 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4141
```

Yaesu FT-100D LIKE NEW!!
Puts out full power on all bands. HF/50/144/440 MHz AllMode No
scratches,Just a CLEAN and 100 PERCENT working radio. Comes with
Original box/touch-tone microphone/manual/power cord/ Yaesu map/has an
optional long cable for microphone/Has optional long cable to remote
head. LOOKS AND WORKS LIKE NEW!!!!!!! This will certainly not be dead
on arrival. Make offer,ready to sell. ritchi50@optonline.net

```
From -7925284827592775815
X-Google-Thread: 108122,3a01de7865a196fb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TH-G71A DualBand HT
Message-ID: <fqqp62dtcndudspul21vsgo57jht28gdg0@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Thu, 18 May 2006 17:47:01 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1147988802 69.125.167.162 (Thu, 18 May 2006 14:46:42 MST)
NNTP-Posting-Date: Thu, 18 May 2006 14:46:42 MST
```

Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4142

FS Kenwood TH-G71A DualBand HT
In brand NEW condition
Comes with carry strap/original antenna/plus with this deal you get
another antenna, its a high gain rubber duck antenna. Also a repeater
directory dated 2003-2004
Comes with power supply for charging, Also comes with manual and
original box and packing. Oh, and I'm throwing in a new connector 4
pin to 8 pin for mobile rig.
WOW!! Thats alot and you will be
VERY happy with this HT.
Looks like you bought it right off the shelf!!!
Make offer, Ready to sell.
ritchi50 at optonline.net

From -6433436418436386333
X-Google-Thread: 108122,7a0ac7813332cd13,start
X-Google-Thread: fc2a5,7a0ac7813332cd13,start
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!84ef5383!not-for-mail
From: "Brian Murrey" <brian@iquest.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Parts for Sale - Updated
Lines: 85
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <JC8bg.2084$921.1593@newsread4.news.pas.earthlink.net>
Date: Fri, 19 May 2006 00:49:45 GMT
NNTP-Posting-Host: 67.76.28.72
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1147999785 67.76.28.72 (Thu, 18 May 2006
17:49:45 PDT)
NNTP-Posting-Date: Thu, 18 May 2006 17:49:45 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:4143
rec.radio.amateur.homebrew:5302

I have moved my junkbox surplus stuff to a new website.
http://www.hamradparts.com

1N4148 Diodes $3.00 for 100, $4.00 for 200
1N4001 - 1 Amp 50v General Purpose Rectifier Diodes - $3.00 for 50

33pf NPO Caps, SMT 0805, 50V - $3.00 for 100
150pf NPO Caps, SMT 0805, 50V - $3.00 for 100

220pf NPO Caps, SMT 0805, 50V - $3.00 for 100
390pf Caps, SMT 1206, 50V - $3.00 for 100
1500pf NPO Caps, SMT 0805, 50V - $3.00 for 100
3300pf Caps, SMT 0805, 25V - $3.00 for 100
.1uF Caps, SMT 0805, 50V - $3.00 for 100

SPECIAL SMT PACK - 50 of each listed value $9.00
350 total parts

2N3704 NPN TO92 - 20 for $2.00
2N2907 PNP TO92 Package - $4.00 for 50
2N3904 NPN TO92 Package - $4.00 for 50
2N2222 NPN TO18 (metal) Package - 5 for $1.00
MMBT4403 PNP SMT transistor - 50 for $4.00

SPECIAL: 100pcs PN2222A Motorola $7.00- FREE SHIPPING

2N2222 NPN TO92 Package - $4.00 for 50
The 2N2222 is a bulk transistor...meaning the part is not labeled.
They ship in a Zip Lock packet and the packet is clearly labeled.

2N3906 PNP TO92 Package - $4.00 for 50
The 2N3906 is a bulk transistor...meaning the part is not labeled.
They ship in a Zip Lock packet and the packet is clearly labeled.

IRF510 - MOSFET AMP TO220 - 4 for $5.00

Crystal Ladder Filters anyone?
3.575611 Mhz HC49 Crystals - 5 for $2.00
4.9152 Mhz HC49 Crystals - 10 for $3.00
9.830 Mhz Crystals (SS2 package) - 20 for $3.00
LM7805ACV 5v Positive Voltage Regulators (TO220) 5 for $2.00
LM386N-1 - Audio Amp 6 for $5.00

Sticky Back Rubber Feet for your projects, self adhesive - 8 to a strip - 2 Strips for $1.00

Panasonic Wall Warts - 12VDC, 500mA (center negative) $6.00 each
If you need center positiove, cut off the end and reverse it. I use these to power my
rock mites, my TT2, and all of my homebrew test gear.

8pf NPO Ceramic 50 for $3.00
11pf NPO Ceramic 50 for $3.00
12pf NPO Ceramic 50 for $3.00
22pf Ceramic 50 for $3.00
470pf Ceramic 50 for $3.00
560pf Ceramic 50 for $3.00
.1 uF (104J) NPO Ceramic 50 for $3.00
.01uF (103K) Ceramic 50 for $3.00

SPECIAL PACK - 25 of each listed ceramic $10.00
200 parts total

Cash, check, paypal now accepted

Paypal to: orders@hamradparts.com

Add $3.00 shipping to any order under $50.00 unless you are ordering the
special Motorola PN2222 transistors.

Brian Murrey
47 Grassy Drive
New Whiteland IN 46184

73 de KB9BVN

--
==
Radio Amateurs - Fill your junk box, from my junkbox!
http://www.hamradparts.com
73 de KB9BVN
==

From 2301737802800590809
X-Google-Thread: 108122,2a80eec1e4f0d275,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Startek Freq Counter Model 15-UHS
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <fKbbg.25942$4H.10857@dukeread03>
Date: Thu, 18 May 2006 23:23:21 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1148012555 68.105.249.118 (Fri, 19 May 2006 00:22:35 EDT)
NNTP-Posting-Date: Fri, 19 May 2006 00:22:35 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4144

FS Startek Frequency Counter Model 15-UHS. This is the Ultra High Sensitive
counter that covers 1 MHZ to1500 MHZ. It is as new in the original box with
the manual and battery and battery charger/power supply. These counters are

still sold for
$170. See The Startek International Inc. webpage for more information. I am
asking $75 shipped in lower 48. Thanks, Charlie Hugg, K5MBX

From 6513841425951919874
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news.moat.net!cox.net!news-xfer.cox.net!p01!fed1read12.POSTED!
53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2uA6g.8331$QP4.4556@fed1read12> <_I2dnfwDCNN4bcbZRVn-jg@comcast.com>
<z9g7g.8473$QP4.5902@fed1read12> <csWdnbwoz-tYb8DZ4p2dnA@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <l7cbg.26995$QP4.23667@fed1read12>
Date: Thu, 18 May 2006 21:49:20 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1148014161 72.199.97.186 (Fri, 19 May 2006 00:49:21 EDT)
NNTP-Posting-Date: Fri, 19 May 2006 00:49:21 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:11621
rec.radio.amateur.equipment:4145 rec.radio.amateur.misc:11364
rec.radio.amateur.policy:26493 rec.radio.shortwave:35689

"Dee Flint" <deeflint01@comcast.net> wrote in message
news:csWdnbwoz-tYb8DZ4p2dnA@comcast.com...

< snip >

> For someone like yourself, it is absolutely essential that you eliminate
any
> and all extra translation steps. The burst of sound should register
> directly as a letter. In other words, hear it as a letter and reflexively

> write a letter. Then it doesn't matter if you happen to know the actual
> number of dots and dashes.

Yup, I hear that often, which is why I've had modest success with Jerry Ziliak tapes. He sends at a character speed of 21 WPM, so each letter almost becomes a single sound. Although that hasn't helped me much, thanks for the thought.

> There is always
> a sense of accomplishment in expanding your abilities in ham radio. For
> example, in the past couple of years, I've been exploring the digital
modes
> and VHF/UHF propagation.

Oh, yeah!!!! I am into packet and APRS, into building antennas for myself & for the RACES stations and into teaching. Here in the West, we have something called the Western Intertie Network System or "Win System" http://www.winsystem.org/ which is loads of fun. It also has IRLP, so I've chatted with guys all over the world with it.

I did HF PSK31 under the club license during FD a few years ago. Great fun.

I've became an ET in 1962 (USN) and liked it well enough to stick around for 21 years. I became an engineer in 1989 (thank you, GI Bill), so I know my way around the 'trons. I've only been a ham since 1992.

From -6026083749649710994
X-Google-Thread: 108122,699bf82c1f71610f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.linkpendium.com!news.linkpendium.com!cox.net!news-xfer.cox.net!p02!dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Standard CSA-181A Rapid Charger
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <z7cbg.26122$4H.12037@dukeread03>
Date: Thu, 18 May 2006 23:50:21 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1148014175 68.105.249.118 (Fri, 19 May 2006 00:49:35 EDT)
NNTP-Posting-Date: Fri, 19 May 2006 00:49:35 EDT
Organization: Cox Communications

Xref: g2news2.google.com rec.radio.amateur.equipment:4146

Standard CSA-181A   Rapid Charger - desktop charger. Charges in 1 to 2 hrs, w/Automatic switching to safe trickle charge mode. This charger can be used with several batteries. I used it with my Standard C-168A HT Batteries. It has the Type 2 Insert for those type batteries. Other Inserts can be used so that it can charge other Standard battery packs. But this charger includes only the one Insert. Price is $30 plus shipping. Thanks, Charlie Hugg, K5MBX

From 8518232064087959758
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!newspeer.monmouth.com!nntp.newsfirst.net!dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <44636b98$0$22188@dingus.crosslink.net> <voR8g.1387$y4.750@newsread2.news.pas.earthlink.net> <446ca625$0$31271@dingus.crosslink.net> <1147971464.030262.29190@j33g2000cwa.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Fri, 19 May 2006 09:39:59 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Lines: 6
Message-ID: <446dcabe$0$31914@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.22
X-Trace: dingus.crosslink.net 1148046014 31914 207.199.164.22
Xref: g2news2.google.com rec.radio.amateur.antenna:11631 rec.radio.amateur.equipment:4147 rec.radio.amateur.misc:11373 rec.radio.amateur.policy:26501 rec.radio.shortwave:35731

"John S." <hjsjms@cs.com> wrote

> Common in machine or human non-radio use?

>
Human non-radio, like mines and prisons.

```
From -3123137407884846158
X-Google-Thread: 108122,8f300050e3e9c3c0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.cablespeedmd.com!
news.cablespeedmd.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 19 May 2006 09:20:30 -0500
From: "Hamstershack.com" <admin@nospamhamstershack.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need a manual ?
Date: Fri, 19 May 2006 10:20:31 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <b72dnfUsJseySfDZRVn-tw@cablespeedmd.com>
Lines: 7
NNTP-Posting-Host: 24.35.90.74
X-Trace: sv3-GHpf//FED++rrmktgGj+IgZr109aaJOxL162OvYdNXvy/KJ3RcuaZBKZOK/
gFwvfLb3X7IoxHPYlFqE!
jjZ7AuQ7tNBKQCpAYNfPFSItzBfaGkBQBckCW0TpqD5GHufwNoIunLXke4eYXpZRREd+LnRLLgez!
nPzO9nrcHg==
X-Complaints-To: abuse@cablespeedmd.com
X-DMCA-Complaints-To: abuse@cablespeedmd.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4148
```

Yaesu, Icom, Kenwood, Radio Shack, Tektronix, HP/Agilent, Wavetek, Fluke and more.

http://www.hamstershack.com

```
From 1983682722951287015
X-Google-Thread: 1109af,5f0a49f24ea5c1ac,start
X-Google-Thread: 108122,5f0a49f24ea5c1ac,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe03.lga.POSTED!
53ab2750!not-for-mail
From: "John" <john_stlmo@yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Yaesu FT-990ac wanted
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Antivirus: avast! (VPS 0620-3, 05/19/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <YQlbg.308$Ov1.121@fe03.lga>
X-Trace:
idmkcnjgmiagocdeighgiodjldhofpgimcdcjffnojmfpjjmgblgmemgjobfkaeeclbihnjanfnbdkgofm
pjemmjfehkggjjbgnkgkmafpebifblenfnhjmjeinbenmaegcmjhhibopfakdb
NNTP-Posting-Date: Fri, 19 May 2006 08:52:24 MST
Date: Fri, 19 May 2006 10:52:35 -0500
Xref: g2news2.google.com rec.radio.swap:4122 rec.radio.amateur.equipment:4149
```

Looking for Xlnt condition Yaesu FT-990ac with all filters. Not interested in any radio which is not 100% working with super nice cabinet.

Respond with radio condition info, serial #, price and your zip. No ebay referrals.

Thanks.

John

```
From 2426256933177737604
X-Google-Thread: 108122,41ed8bbc3e1df413,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Fri, 19 May 2006 12:17:35 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program - HELIX_2
Date: Fri, 19 May 2006 18:14:13 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <W5KdnRr1rY8yYPDZnZ2dnUVZ8sidnZ2d@bt.com>
Lines: 15
NNTP-Posting-Host: 86.137.120.7
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-OyVeGenDnQcaNiMHiGXA0CfRCB5f/
tvUb49TQKaLi35+oy32j91Ttlwx+kQQnPu0C02EHparNRRSyuC!
LH3T95mZXf405ZC+jww1ejzBMRVo8rO4mLhxYz61jWT6YoDnUuGgoNm70TLP3Y/IWpbesOXYaA==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4150

Short helically-wound monopole antennas.

Enter helical height, diameter and frequency  - calculate number of
turns and wire gauge for 1/4-wave resonance.  Plus efficiency and
other characteristics.

Download program HELIX_2 from website below. 45 kilo-bytes.
----
..........................................................
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
..........................................................




From 4355449276959761879
X-Google-Thread: 108228,29adb8c317ed5a1c,start
X-Google-Thread: 108122,29adb8c317ed5a1c,start
X-Google-Thread: 1109af,29adb8c317ed5a1c,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 4-EA MOTOROLA RADIUS SP50 RADIOS UHF 4-W-6-CH-SELL OUT
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0008_01C67B48.0824F7A0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
```

```
Message-ID: <eTpbg.3453$_m5.10@fed1read09>
Date: Fri, 19 May 2006 13:27:53 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1148070474 68.96.227.248 (Fri, 19 May 2006 16:27:54 EDT)
NNTP-Posting-Date: Fri, 19 May 2006 16:27:54 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:949
rec.radio.amateur.equipment:4151 rec.radio.swap:4124

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C67B48.0824F7A0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 4-EA MOTOROLA RADIUS SP50 RADIOS UHF 4-W-6-CH-SELL OUT

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7621565452&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C67B48.0824F7A0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 4-EA MOTOROLA RADIUS SP50 RADIOS UHF 4-W-6-CH-SELL OUT</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7621565452&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7621565452&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C67B48.0824F7A0--



From 1458358492517879094
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
```

```
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Slow Code <email@no.spam>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net> <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 29
Message-ID: <l%qbg.4178$x4.754@newsread3.news.pas.earthlink.net>
Date: Fri, 19 May 2006 21:44:49 GMT
NNTP-Posting-Host: 4.254.225.160
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148075089 4.254.225.160 (Fri, 19 May
2006 14:44:49 PDT)
NNTP-Posting-Date: Fri, 19 May 2006 14:44:49 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11659
rec.radio.amateur.equipment:4152 rec.radio.amateur.misc:11374
rec.radio.amateur.policy:26505 rec.radio.shortwave:35800

"Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com> wrote in
news:jnOag.3495$y4.724@newsread2.news.pas.earthlink.net:

>
> "an_old_friend" <konstans@hotmail.com> wrote in message
> news:1147832357.964390.122730@i40g2000cwc.googlegroups.com...
>>
>> Dan/W4NTI wrote:
>>> "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
>>> news:38c8.gop.17.1@news.alt.net...
>>
>>> 4
>>
>> this is not a golfign NG dan I would expect you topay attention but you
>> insit on disappointing me
>>>
>>> Dan/W4NTI
>>
```

>
> Try a spell check you goofball. I don't give a damn if you are dyslexic
> or not. That does not preclude you using a spell checker.
>
> Dan/W4NTI

For a spell checker to work good you need to be reasonable close to the word and he ain't even reasonably close.

sc

```
From -8955380174219962930
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 19 May 2006 19:57:30 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1148093850.852066.18100@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148093856 4025 127.0.0.1 (20 May 2006 02:57:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 May 2006 02:57:36 +0000 (UTC)
In-Reply-To: <jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=66.82.9.89;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.antenna:11674
rec.radio.amateur.equipment:4153 rec.radio.amateur.misc:11408
rec.radio.amateur.policy:26572 rec.radio.shortwave:35868



Dan/W4NTI wrote:
> "an_old_friend" <konstans@hotmail.com> wrote in message
> news:1147832357.964390.122730@i40g2000cwc.googlegroups.com...
> >
> > Dan/W4NTI wrote:
> >> "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
> >> news:38c8.gop.17.1@news.alt.net...
> >
> >> 4
> >
> > this is not a golfign NG dan I would expect you topay attention but you
> > insit on disappointing me
> >>
> >> Dan/W4NTI
> >
>
> Try a spell check you goofball.
why?
>  I don't give a damn if you are dyslexic or
> not.  That does not preclude you using a spell checker.

never made anysuch claim

I keep asing you what right you have to make such a demnd you keep not
nswering



>
> Dan/W4NTI




From -6018186951799935529
X-Google-Thread: 108122,46076f5c1b681bcf,start
X-Google-Thread: 107ada,46076f5c1b681bcf,start
X-Google-Thread: 10bf43,46076f5c1b681bcf,start
X-Google-Thread: 106d41,46076f5c1b681bcf,start
X-Google-Thread: fa029,46076f5c1b681bcf,start
X-Google-Thread: 114aac,46076f5c1b681bcf,start
X-Google-Attributes:
gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
```

```
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-
out.readnews.com!spool-big2.readnews.com!diablo3.voicenet.com!
snip.allthenewsgroups.com!not-for-mail
Reply-To: "Garlic Breath" <greasygreekno8@yahoo.nosp.com>
From: "Garlic Breath" <greasygreekno8@yahoo.nosp.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
Subject: Dayton LIVE HamCam -- OBESITY EPIDEMIC ON PARADE !!
Date: Fri, 19 May 2006 23:39:02 -0400
Lines: 18
Organization: Old diner farts
MIME-Version: 1.0
Content-Type: text/plain;
     charset="Windows-1252"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <45e26$446e8f6a$d1cc7b16$32315@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc7a-209-204-123-22.sniparpa.net
X-Trace: 45e26446e8f6a7469deb332315
Xref: g2news2.google.com rec.radio.amateur.equipment:4154
rec.radio.amateur.misc:11410 rec.radio.amateur.policy:26574 rec.radio.cb:10101
rec.radio.scanner:3367 rec.radio.shortwave:35875
```

Watch all the obese BEER BELLY'ed hams waddle on by
in the parking lot flea market at the Hara Arena.

CLICKINZIE HERE: http://wa5kub.com

The camera was in operation today (Friday) and it's
2000% proof positive what the FDA has said all
along about the rampant obesity epidemic in America.
(makes you wonder how many Big-Macs they sell
this weekend especially in and around Dayton)

There is also an OPEN CHAT ROOM on the site where
you can comment on the goings on. Almost as much fun
as being there live.

Trust me folks, you'll see more middle-aged pathetic looking
white men than anywhere else, possibly except being
the local model train show or the next NASCAR event.

```
From 8620914781235627041
X-Google-Thread: 108122,6c628a64ef073089,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
```

```
mail
From: "Roberto" <freda@terra.com.br>
Newsgroups: rec.radio.amateur.equipment
Subject: 220 V
Date: 20 May 2006 07:10:45 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1148134245.559400.316570@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 200.203.36.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148134250 22239 127.0.0.1 (20 May 2006 14:10:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 20 May 2006 14:10:50 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=200.203.36.103;
   posting-account=12aY3Q0AAACfqdueeQBA5-iJYSmkDMh0
Xref: g2news2.google.com rec.radio.amateur.equipment:4156
```

I have damaged my charger NC-72B after using it in a 220 V outlet
(instead of 110 V). Is it possible to fix it?

```
From -1058989177242610094
X-Google-Thread: 108122,6c628a64ef073089
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 20 May 2006 10:23:08 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1148134245.559400.316570@j73g2000cwa.googlegroups.com>
Subject: Re: 220 V
Date: Sat, 20 May 2006 10:23:06 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <Q4SdnXgVAPrBqfLZRVn-sQ@comcast.com>
Lines: 8
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-YAY4uiHQSnt11GxfS6pFzrWeUVGHfRGzH+xEVJL6Vvs7/
jgOj6MKZMlBVOBOyRursr85SSG4PULrw24!/
+hyTUgkmKywRnU8dDJEKXzuV3g+yemdp1pPOQjbEbhqOOL7kCDxIIoFVISSMFvfDtY7O4dGhy4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4157
```

"Roberto" <freda@terra.com.br> wrote in message
news:1148134245.559400.316570@j73g2000cwa.googlegroups.com...

>I have damaged my charger NC-72B after using it in a 220 V outlet
> (instead of 110 V). Is it possible to fix it?
>

Anything is possible with enough money

```
From 1796355392465365677
X-Google-Thread: 108122,217f46657011e946,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread08.POSTED!53ab2750!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Uniden HR-2600 10M Amateur Radio
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <H0Jbg.13162$8q.2298@dukeread08>
Date: Sat, 20 May 2006 14:15:12 -0400
NNTP-Posting-Host: 70.160.76.117
X-Complaints-To: abuse@cox.net
X-Trace: dukeread08 1148148903 70.160.76.117 (Sat, 20 May 2006 14:15:03 EDT)
NNTP-Posting-Date: Sat, 20 May 2006 14:15:03 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4158
```

I have owned this radio for many years having bought it new. I had planned on installing it into my isuzu trooper but never actually managed to get around to it. It has had no more than three to four total hours of use, if that. I has mainly been sitting on a shelf waiting to be installed. It has never been installed in a car and the little use it has had was on the bench with a bench top supply. It is in excellent condition with everything except the original box.

Asking $150.00, reasonable offers considered, no trades.

Contact me at pwborders at gmail dot com

For more information and pictures go to:

http://vbitblnx2.tcc.edu/~tcbordp/hr2600.html

Peter W. Borders - WB4TKA

From 8188987860974403151
X-Google-Thread: 108122,6c628a64ef073089
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!newshosting.com.MISMATCH!nx02.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 220 V
Date: Sat, 20 May 2006 19:41:04 +0000 (UTC)
Organization: MGT Consulting
Lines: 27
Message-ID: <slrne6urkl.lhr.gsm@cable.mendelson.com>
References: <1148134245.559400.316570@j73g2000cwa.googlegroups.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: dsl217-132-53-119.bb.netvision.net.il
X-Trace: marvin.misty.com 1148154064 9928 217.132.53.119 (20 May 2006 19:41:04 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sat, 20 May 2006 19:41:04 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news2.google.com rec.radio.amateur.equipment:4159

Roberto wrote:
> I have damaged my charger NC-72B after using it in a 220 V outlet
> (instead of 110 V). Is it possible to fix it?

You will need a resitance meter and a lot of luck. Open it up and look for obvious signs of burnt components. In the last week I repaired two items that had been plugged into 230 volts that were designed for 120.

One was a Canon printer, it had an exploded capacitor. I checked all the components I could to make sure they were probably ok, such as the fuse (it was ok), the diodes (they seemed to be ok), and the resistors.
After replacing the capacitor it worked fine.

The other was an original Sony Playstation. It just needed a new fuse.

Other items I have tried to fix, were not so simple or I was not so lucky.

I often find that it's cheaper or easier to replace or bypass the power supply and use an external one.

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 IL Fax: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

```
From -8941563859150147224
X-Google-Thread: 108122,6c628a64ef073089
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.google.com!news.germany.com!
feed.xsnews.nl!feeder.xsnews.nl!sn-ams-06!sn-xt-ams-04!sn-ams!sn-feed-ams-01!sn-
post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 220 V
Date: Sat, 20 May 2006 13:54:45 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <126v0gknrncpb56@corp.supernews.com>
References: <1148134245.559400.316570@j73g2000cwa.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.equipment:4160
```

"Roberto" wrote ...
>I have damaged my charger NC-72B after using it in a
> 220 V outlet (instead of 110 V). Is it possible to fix it?

Certainly.

But perhaps you meant to ask whether it would be less
expensive to fix it or to replace it. That is a very different
question.

It might be cost-effective if you could fix it yourself,
but not recommended without previous experience
fixing these kinds of circuits. They are frequently rather
tricky, and almost always dangerous. If you have to
ask the question, it may be a good indication that you
should not consider doing it yourself. OTOH, if you
have to take it to someone who charges commercial

rates, it may very likely be less expensive to just replace
it.

```
From 6221479868888431522
X-Google-Thread: 108122,46076f5c1b681bcf
X-Google-Thread: 107ada,46076f5c1b681bcf
X-Google-Thread: 10bf43,46076f5c1b681bcf
X-Google-Thread: 106d41,46076f5c1b681bcf
X-Google-Thread: fa029,46076f5c1b681bcf
X-Google-Thread: 114aac,46076f5c1b681bcf
X-Google-Attributes:
gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-xxxfer.readnews.com!
news-out.readnews.com!spool-big2.readnews.com!diablo3.voicenet.com!
snip.allthenewsgroups.com!not-for-mail
Reply-To: "Digital QRM" <fatsopopasto@dannonnet.net>
From: "Digital QRM" <fatsopopasto@dannonnet.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
References: <45e26$446e8f6a$d1cc7b16$32315@snip.allthenewsgroups.com>
Subject: Re: Dayton LIVE HamCam -- OBESITY EPIDEMIC ON PARADE !!
Date: Sat, 20 May 2006 18:38:10 -0400
Lines: 38
Organization: big biteass
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <3996b$446f9ac5$d1cc7a0e$13819@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc6a-209-204-122-14.sniparpa.net
X-Trace: 3996b446f9ac57469dfab13819
Xref: g2news2.google.com rec.radio.amateur.equipment:4161
rec.radio.amateur.misc:11438 rec.radio.amateur.policy:26612 rec.radio.cb:10142
rec.radio.scanner:3374 rec.radio.shortwave:35995
```

Man did you ever call that one right on the head !!

I also watched the HamventionCam today and I
ain't seen so many big beer gutz floppin over the
belt at the waistline since the day I went to the
St Paddy's Day party at the local Am Legion Hall.

You gotta think how those guys manage to
walk upright without falling over face-first
from the offset center-of-gravity Beer Belly.

Oh well, here's to the future of Ham Radio:

PFHBBLTTTTTT!!!!!!!!!!!!!

"Garlic Breath" <greasygreekno8@yahoo.nosp.com> wrote in message
news:45e26$446e8f6a$d1cc7b16$32315@snip.allthenewsgroups.com...
> Watch all the obese BEER BELLY'ed hams waddle on by
> in the parking lot flea market at the Hara Arena.
>
> CLICKINZIE HERE: http://wa5kub.com
>
> The camera was in operation today (Friday) and it's
> 2000% proof positive what the FDA has said all
> along about the rampant obesity epidemic in America.
> (makes you wonder how many Big-Macs they sell
> this weekend especially in and around Dayton)
>
> There is also an OPEN CHAT ROOM on the site where
> you can comment on the goings on. Almost as much fun
> as being there live.
>
> Trust me folks, you'll see more middle-aged pathetic looking
> white men than anywhere else, possibly except being
> the local model train show or the next NASCAR event.

From -4655801551146378598
X-Google-Thread: 108122,4e2bf2495193f1fc,start
X-Google-Thread: 1109af,4e2bf2495193f1fc,start
X-Google-Thread: 106d41,4e2bf2495193f1fc,start
X-Google-Attributes: gid108122,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe04.lga.POSTED!53ab2750!not-for-mail
From: " NI4L" <ni4l@charter.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
Subject: FA Cobra Uniden Regency Power Supply Lot of Radios
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <AkObg.73$hy7.4@fe04.lga>
X-Trace:
badccedimaighclepfojcigfplbbmaifhhalemokmonimdeddjocchnajjhbmbnadlpileblhcblioabnl
kbhkjfnehmejlhnppnmmmpdmfjfmonbmahpjfjcpejiffnbcfagklmiblliјll
NNTP-Posting-Date: Sat, 20 May 2006 17:17:36 MST
Date: Sat, 20 May 2006 20:17:29 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:4162 rec.radio.swap:4142
rec.radio.cb:10145

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9139268952&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

```
From 3326230174785013165
X-Google-Thread: 108122,46076f5c1b681bcf
X-Google-Thread: 107ada,46076f5c1b681bcf
X-Google-Thread: 10bf43,46076f5c1b681bcf
X-Google-Thread: 106d41,46076f5c1b681bcf
X-Google-Thread: fa029,46076f5c1b681bcf
X-Google-Thread: 114aac,46076f5c1b681bcf
X-Google-Attributes:
gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feed.xsnews.nl!
feeder.xsnews.nl!193.201.147.77.MISMATCH!border1.nntp.ams.giganews.com!
nntp.giganews.com!sn-ams-06!sn-xt-ams-05!sn-post-ams-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
Subject: Re: Dayton LIVE HamCam -- OBESITY EPIDEMIC ON PARADE !!
Date: Sat, 20 May 2006 18:01:03 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <126veuemgd97j2d@corp.supernews.com>
References: <45e26$446e8f6a$d1cc7b16$32315@snip.allthenewsgroups.com>
<3996b$446f9ac5$d1cc7a0e$13819@snip.allthenewsgroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 8
Xref: g2news2.google.com rec.radio.amateur.equipment:4163
rec.radio.amateur.misc:11439 rec.radio.amateur.policy:26618 rec.radio.cb:10149
rec.radio.scanner:3376 rec.radio.shortwave:36002
```

"Digital QRM" wrote ...

> I also watched the HamventionCam today and I
> ain't seen so many big beer gutz floppin over the
> belt at the waistline since the day I went to the
> St Paddy's Day party at the local Am Legion Hall.

OTOH, they are out walking around and we are sitting
here at our computers. :-)

```
From 6273191553641121715
X-Google-Thread: 108122,46076f5c1b681bcf
X-Google-Thread: 107ada,46076f5c1b681bcf
X-Google-Thread: 10bf43,46076f5c1b681bcf
X-Google-Thread: 106d41,46076f5c1b681bcf
X-Google-Thread: fa029,46076f5c1b681bcf
X-Google-Thread: 114aac,46076f5c1b681bcf
X-Google-Attributes:
gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!spool-
big2.readnews.com!diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "Stinky Weaselteets" <eggyolksoup12@yahoo.nosp.com>
From: "Stinky Weaselteets" <eggyolksoup12@yahoo.nosp.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
References: <45e26$446e8f6a$d1cc7b16$32315@snip.allthenewsgroups.com>
<3996b$446f9ac5$d1cc7a0e$13819@snip.allthenewsgroups.com>
<126veuemgd97j2d@corp.supernews.com>
Subject: Re: Dayton LIVE HamCam -- OBESITY EPIDEMIC ON PARADE !!
Date: Sat, 20 May 2006 23:54:13 -0400
Lines: 21
Organization: that's very funny, a fly marrying a bumblebee
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <51f5f$446fe465$d1cc58e7$16801@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc3a-209-204-88-231.sniparpa.net
X-Trace: 51f5f446fe4657469fd4216801
Xref: g2news2.google.com rec.radio.amateur.equipment:4164
rec.radio.amateur.misc:11442 rec.radio.amateur.policy:26624 rec.radio.cb:10169
rec.radio.scanner:3377 rec.radio.shortwave:36022
```

"Richard Crowley" <rcrowley@xpr7t.net> wrote in message
news:126veuemgd97j2d@corp.supernews.com...
> "Digital QRM" wrote ...
> > I also watched the HamventionCam today and I
> > ain't seen so many big beer gutz floppin over the
> > belt at the waistline since the day I went to the

> > St Paddy's Day party at the local Am Legion Hall.
>
> OTOH, they are out walking around and we are sitting
> here at our computers. :-)

True, but I must have counted close to 40 (fourty)
morbidly obese hams seated in those motorized Scooters
that I saw zipping by the HamventionCam today.
Many of them stopped for the camera, got up mugged
4 the camera, then hopped back on and zipped away.
(funniest was the guy pulling a red wagon behind his Scooter
that had a couple of big astron power supplies in it.
Guess he needed one to re-charge the battery ? (grin)

From -7217178272657685682
X-Google-Thread: 10c2ee,e8d04e969ad21f01,start
X-Google-Thread: 108122,e8d04e969ad21f01,start
X-Google-Thread: 107ada,e8d04e969ad21f01,start
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news-out.octanews.net!canary.octanews.net!198.186.190.70.MISMATCH!news-out.readnews.com!spool-big1.readnews.com!diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "lemonhead" <ritterfan@yahoo.com>
From: "lemonhead" <ritterfan@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
Subject: Re: Dayton HamFest killed by E-Bay
Date: Sun, 21 May 2006 07:15:39 -0400
Lines: 17
Organization: kooo
MIME-Version: 1.0
Content-Type: text/plain;
    charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc2b-209-204-88-72.sniparpa.net
X-Trace: 9d2d544704bda7469fded21530
Xref: g2news2.google.com rec.antiques.radio+phono:22269
rec.radio.amateur.equipment:4165 rec.radio.amateur.misc:11453
rec.radio.shortwave:36042

```
"Lisa Simpson" <none@none.com> wrote in message
news:vbJbg.36281$mh.29156@tornado.ohiordc.rr.com...
> Just returned from the Dayton HamFest; only found a coupla SW receivers
for
> sale, used, high-ish prices; quite a few old tube receivers way
overpriced,
> and of course the new ones at normal to slightly high prices.
> Disappointing.

I was there for 4 hours on Saturday.
Nothing but old test equipment and computer junk.
Only reason to go anymore is to meet people, albeit an
expensive one. Never again will I goto Dayton.
It's day has ended, period. E-Bay and private ad's on places like
QRZ.com have killed it. Not worth the effort anymore.



From 410585124049215964
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44706167.51D6E796@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 39
Date: Sun, 21 May 2006 12:47:48 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148215668 24.110.34.161 (Sun, 21 May
2006 05:47:48 PDT)
NNTP-Posting-Date: Sun, 21 May 2006 05:47:48 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:22271
rec.radio.amateur.equipment:4166 rec.radio.amateur.misc:11454
```

rec.radio.shortwave:36047

lemonhead wrote:
>
> "Lisa Simpson" <none@none.com> wrote in message
> news:vbJbg.36281$mh.29156@tornado.ohiordc.rr.com...
> > Just returned from the Dayton HamFest; only found a coupla SW receivers
> for
> > sale, used, high-ish prices; quite a few old tube receivers way
> overpriced,
> > and of course the new ones at normal to slightly high prices.
> > Disappointing.
>
> I was there for 4 hours on Saturday.
> Nothing but old test equipment and computer junk.
> Only reason to go anymore is to meet people, albeit an
> expensive one. Never again will I goto Dayton.
> It's day has ended, period. E-Bay and private ad's on places like
> QRZ.com have killed it. Not worth the effort anymore.

The last time I was at dayton was 1987, and it sounds like it hasn't changed. It was always a place to find parts and equipment. In the early '80s it had a couple years where it was mostly C-band sat TV equipment, parts and kits. In the '70s it was mostly military surplus and half finished assemblies, along with older tube type ham equipment. What you find depends a lot on the economy, If its been good for a while, there is more good used equipment. Also, the newer radios fail a lot faster, so less make it to the used market. Some of the mail order dealers don't have any real inventory, so they have nothing to take to hamfests because they ship fill their orders as fast as their stock comes in.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 7546519803256044273
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!nntp-out.svc.us.xo.net!nntp1-feeder.SJ.svc.us.xo.net!
newsfeed.concentric.net!sjc1.nntp.concentric.net!nntp-master.svc.us.xo.net

From: Ron <wa0kds@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 21 May 2006 12:00:35 EDT
Organization: Concentric Internet Services
Lines: 14
Message-ID: <4470901D.7040701@yahoo.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<44706167.51D6E796@earthlink.net>
NNTP-Posting-Host: 66.238.104.20
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
To: mike.terrell@earthlink.net
In-Reply-To: <44706167.51D6E796@earthlink.net>
Xref: g2news2.google.com rec.antiques.radio+phono:22291
rec.radio.amateur.equipment:4167 rec.radio.amateur.misc:11459
rec.radio.shortwave:36073

I have only been to Dayton once and found it interesting. If I was within 200 miles I would probably go there every year but being on the other side of the country once will have to do. The Flea Market is nice but that cannot be the only reason for one to go to Dayton. There are numerous other activities going on all the time and I believe if one goes to Dayton they should make them the main priority instead of the Flea Market. Almost anything can be bought online nowadays so to go to Dayton to haul home a car full of junk just doesn't make since anymore.

So how about a Dayton without a Flea Market ? Are we all so much into the Junk of our Hobby that we forgot the human element?

Just my two cent worth.

Ron WA0KDS

From -3589755014127801284
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra

```
dio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 21 May 2006 09:26:48 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1148228808.678928.75000@i39g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
   <44706167.51D6E796@earthlink.net>
   <4470901D.7040701@yahoo.com>
NNTP-Posting-Host: 69.19.14.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148228812 17791 127.0.0.1 (21 May 2006 16:26:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 May 2006 16:26:52 +0000 (UTC)
In-Reply-To: <4470901D.7040701@yahoo.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.15;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.antiques.radio+phono:22295
rec.radio.amateur.equipment:4168 rec.radio.amateur.misc:11460
rec.radio.shortwave:36075

Ron wrote:
> I have only been to Dayton once and found it interesting. If I was
> within 200 miles I would probably go there every year but being on the
> other side of the country once will have to do.  The Flea Market is nice
> but that cannot be the only reason for one to go to Dayton.  There are
> numerous other activities going on all the time and I believe if one
> goes to Dayton they should make them the main priority instead of the
> Flea Market. Almost anything can be bought online nowadays so to go to
> Dayton to haul home a car full of junk just doesn't make since anymore.
>   So how about a Dayton without a Flea Market ?  Are we all so  much
> into the Junk of our Hobby that we forgot the human element?
all no enough fraid so

indeed I likely would not go to a hamfest without vendor the normal
reason Go is to stock on them and hoe maybe something else will turn up
>
> Just my two cent worth.
>
> Ron  WA0KDS



From 1910538989281311334
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
```

X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <4470989B.9E5689E@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com> <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com> <44706167.51D6E796@earthlink.net> <4470901D.7040701@yahoo.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
Date: Sun, 21 May 2006 16:43:21 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1148229801 24.110.34.161 (Sun, 21 May 2006 09:43:21 PDT)
NNTP-Posting-Date: Sun, 21 May 2006 09:43:21 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:22297 rec.radio.amateur.equipment:4169 rec.radio.amateur.misc:11462 rec.radio.shortwave:36083

Ron wrote:

> I have only been to Dayton once and found it interesting. If I was
> within 200 miles I would probably go there every year but being on the
> other side of the country once will have to do. The Flea Market is nice
> but that cannot be the only reason for one to go to Dayton. There are
> numerous other activities going on all the time and I believe if one
> goes to Dayton they should make them the main priority instead of the
> Flea Market. Almost anything can be bought online nowadays so to go to
> Dayton to haul home a car full of junk just doesn't make since anymore.
>   So how about a Dayton without a Flea Market ? Are we all so much
> into the Junk of our Hobby that we forgot the human element?
>
> Just my two cent worth.
>
> Ron WA0KDS

Well, its a 2000 mile round trip these days so I simply can't go. I did go almost every year from 1970 to 1987, when it was a little over an hour's drive. I bought tools, parts, manuals, databooks, test equipment and things I couldn't find at any of the local distributors or surplus dealers. I made the circuit inside to talk to Motorola and several dealers, but 95% of my time was spent going through the flea market. I could by new parts for 10 to 205 of what they would cost from a local dealer, so I would buy a lot of my inventory for the year, if the price was right. Where else would you buy a pair of new enclosed racks worth more than $1200 for $75 from a company that had just gone out of business, or a nice scope for $5 in those days?

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 6751969584986158488
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news.rr.com!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Lisa Simpson" <none@none.com>
Newsgroups: rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com> <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com> <44706167.51D6E796@earthlink.net> <4470901D.7040701@yahoo.com>
Subject: Re: Dayton HamFest killed by E-Bay
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <rs1cg.30102$YI5.10862@tornado.ohiordc.rr.com>
Date: Sun, 21 May 2006 17:29:59 GMT
NNTP-Posting-Host: 204.210.255.44
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1148232599 204.210.255.44 (Sun, 21 May 2006 13:29:59 EDT)
NNTP-Posting-Date: Sun, 21 May 2006 13:29:59 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.antiques.radio+phono:22299

```
rec.radio.amateur.equipment:4170 rec.radio.amateur.misc:11463
rec.radio.shortwave:36097
```

I used to go many years ago when CP/M computer were just on the edge of
being overtaken by DOS v.1; they had a LOT of good stuff then, but that was
before ebay, etc. too . . .

"Ron" <wa0kds@yahoo.com> wrote in message news:4470901D.7040701@yahoo.com...
> I have only been to Dayton once and found it interesting. If I was
> within 200 miles I would probably go there every year but being on the
> other side of the country once will have to do. The Flea Market is nice
> but that cannot be the only reason for one to go to Dayton. There are
> numerous other activities going on all the time and I believe if one
> goes to Dayton they should make them the main priority instead of the
> Flea Market. Almost anything can be bought online nowadays so to go to
> Dayton to haul home a car full of junk just doesn't make since anymore.
>   So how about a Dayton without a Flea Market ? Are we all so much
> into the Junk of our Hobby that we forgot the human element?
>
> Just my two cent worth.
>
> Ron WA0KDS

```
From 4573680733081005657
X-Google-Thread: 108122,96045491cfdface5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc01.POSTED!a053cb13!not-for-mail
From: Bill Smith <kb3gun@verizon.net>
Reply-To:  kb3gun@swronline.com
User-Agent: Thunderbird 1.5.0.2 (X11/20060501)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Kenwood TS-870S
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <ce2cg.52660$ge7.26831@trnddc01>
Date: Sun, 21 May 2006 18:23:04 GMT
NNTP-Posting-Host: 141.158.211.34
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1148235784 141.158.211.34 (Sun, 21 May 2006 14:23:04 EDT)
NNTP-Posting-Date: Sun, 21 May 2006 14:23:04 EDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4171
```

FA: Kenwood TS-870S

For Auction on eBay: (Closes May-28-06 09:26:30 PDT)
No Reserve
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9730147131

Thanks!
Bill - kb3gun

```
From -7869565124324328717
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!96824b94!not-for-mail
From: "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
<1148093850.852066.18100@u72g2000cwu.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 42
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
Date: Sun, 21 May 2006 19:49:49 GMT
NNTP-Posting-Host: 4.152.108.241
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1148240989 4.152.108.241 (Sun, 21 May
2006 12:49:49 PDT)
NNTP-Posting-Date: Sun, 21 May 2006 12:49:49 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11760
rec.radio.amateur.equipment:4172 rec.radio.amateur.misc:11467
rec.radio.amateur.policy:26653 rec.radio.shortwave:36138


"an old friend" <kb9rqz@yahoo.com> wrote in message
news:1148093850.852066.18100@u72g2000cwu.googlegroups.com...
>
> Dan/W4NTI wrote:
>> "an_old_friend" <konstans@hotmail.com> wrote in message
>> news:1147832357.964390.122730@i40g2000cwc.googlegroups.com...
>> >
>> > Dan/W4NTI wrote:
>> >> "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
>> >> news:38c8.gop.17.1@news.alt.net...
>> >
>> >> 4
>> >
>> > this is not a golfign NG dan I would expect you topay attention but you
>> > insit on disappointing me
>> >>
>> >> Dan/W4NTI
>> >
>>
>> Try a spell check you goofball.
> why?
>>  I don't give a damn if you are dyslexic or
>> not.  That does not preclude you using a spell checker.
>
> never made anysuch claim
>
> I keep asing you what right you have to make such a demnd you keep not
> nswering
>
>
>>
>> Dan/W4NTI
>

Oh,  your not dyslexic then?  So that means your what?  Ignorant ?  Not
properly schooled?  Or just a common drunk or dope addict that gets worse as
the night goes on?

Dan/W4NTI




From 6608162674456754811
X-Google-Thread: 108122,e73aba663a04a820,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: kestey@nb.sympatico.ca
```

Newsgroups: rec.radio.amateur.equipment
Subject: Icom IC706 RX and TX cuts out
Date: 21 May 2006 12:57:56 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1148241476.115992.57750@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 142.167.86.144
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148241479 20797 127.0.0.1 (21 May 2006 19:57:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 May 2006 19:57:59 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=142.167.86.144;
   posting-account=EdEKyA0AAAB8vZWXY8TQoNntShPuee2u
Xref: g2news2.google.com rec.radio.amateur.equipment:4173

Hello All.
I have an ICOM IC706MKII and occasionally the receive & transmit drops
way down. I can still hear strong stations and they might hear me but
very weak on both (TX & RX).
It does not do it all the time. It just went all winter without a
problem but has now cut out (or down) twice in the past week or two.
The rig works fine otherwise.
Any one else have or hear of this problem? Any suggestions as to the
cause?
Thanks for any help.
VE1KRE - Keith.

From -5772936266745108505
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 21 May 2006 13:12:33 -0700
Organization: http://groups.google.com
Lines: 59

```
Message-ID: <1148242353.491923.5580@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
   <1148093850.852066.18100@u72g2000cwu.googlegroups.com>
   <xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148242358 15916 127.0.0.1 (21 May 2006 20:12:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 May 2006 20:12:38 +0000 (UTC)
In-Reply-To: <xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.15;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.antenna:11762
rec.radio.amateur.equipment:4174 rec.radio.amateur.misc:11468
rec.radio.amateur.policy:26655 rec.radio.shortwave:36141


Dan/W4NTI wrote:
> "an old friend" <kb9rqz@yahoo.com> wrote in message
> news:1148093850.852066.18100@u72g2000cwu.googlegroups.com...
> >
> > Dan/W4NTI wrote:
> >> "an_old_friend" <konstans@hotmail.com> wrote in message
> >> news:1147832357.964390.122730@i40g2000cwc.googlegroups.com...
> >> >
> >> > Dan/W4NTI wrote:
> >> >> "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
> >> >> news:38c8.gop.17.1@news.alt.net...
> >> >
> >> >> 4
> >> >
> >> > this is not a golfign NG dan I would expect you topay attention but you
> >> > insit on disappointing me
> >> >>
> >> >> Dan/W4NTI
> >> >
> >>
> >> Try a spell check you goofball.
> > why?
> >>  I don't give a damn if you are dyslexic or
> >> not.  That does not preclude you using a spell checker.
> >
> > never made anysuch claim
> >
> > I keep asing you what right you have to make such a demnd you keep not
> > nswering
> >
> >
> >>
> >> Dan/W4NTI
> >
>
> Oh,  your not dyslexic then?
no I did not say that Dane you realy should try reading a post I said I
made noclaim (in resposne your claim that I had claimed dyslexia
prevented me from using a spell chekcer

when are you goign to learn to read Dan?
> So that means your what?
dyslexic and that I refused to be bullied by you
> Ignorant ?
nope
> Not
> properly schooled?
by your standards very likely

but you do think think more code is a measure of rain funtction too
> Or just a common drunk or dope addict that gets worse as
> the night goes on?
more libel

how drool Dan
>
> Dan/W4NTI




From -2993857702473835551
X-Google-Thread: 108122,e73aba663a04a820
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom IC706 RX and TX cuts out
Date: 21 May 2006 13:23:42 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1148243022.920448.51170@u72g2000cwu.googlegroups.com>
References: <1148241476.115992.57750@i39g2000cwa.googlegroups.com>
```

```
NNTP-Posting-Host: 69.19.14.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148243028 25130 127.0.0.1 (21 May 2006 20:23:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 May 2006 20:23:48 +0000 (UTC)
In-Reply-To: <1148241476.115992.57750@i39g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.15;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.equipment:4175
```

just fishing has the weather changed suddenly with any corelation to
the problem sound vauguely like a condensation from humidiy change or
something like creating short i have no idea where the IC 706 is
subject to that but i have soe such problem in the past with radios

```
From 1705968899633533853
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 21 May 2006 15:24:20 -0500
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sun, 21 May 2006 16:24:19 -0400
Reply-To: pltrgyst@spamlessxhost.org
Message-ID: <p1j1729noc9djlhlbdk15q4q95asf8kea9@4ax.com>
References: <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<jn0ag.3495$y4.724@newsread2.news.pas.earthlink.net>
<1148093850.852066.18100@u72g2000cwu.googlegroups.com>
<xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Agent 2.0/32.646
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Trace: sv3-xBINM193LYPAUSPo1poXTYid2AjW+Go8H/HOy65vh9D1/
TeVU042ZoZ9ta7hCTDjE+Z2rQPUdnd1Shx!
126j4kACbGFe+W3nKx64S5DYvD0WdpP4zdwBvzTA426deP4zEWyXqXtlfjY2AAYt8su/
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11763
rec.radio.amateur.equipment:4176 rec.radio.amateur.misc:11469
rec.radio.amateur.policy:26657 rec.radio.shortwave:36148
```

The thread-ending clincher: if it weren't for cw, no one would understand today's (5/21/2006) Foxtrot cartoon.

-- Larry

```
From 8110807437311949953
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!207.14.113.39!news.alt.net!usenet
From: Lloyd <lloyd@no.spammmmm>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sun, 21 May 2006 20:30:57 +0000 (UTC)
Organization: http://www.TarrNews.net - FREE NNTP Access
Lines: 9
Message-ID: <DRL017833.2458F8789@tarrnews.net>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
```

```
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
<1148093850.852066.18100@u72g2000cwu.googlegroups.com>
<xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
<1148242353.491923.5580@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 127.0.0.1
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express for Irix 6.00.2600.0000
X-MimeOLE: Produced By SGI Irix MimeOLE V6.00.2600.0000
Xref: g2news2.google.com rec.radio.amateur.antenna:11764
rec.radio.amateur.equipment:4177 rec.radio.amateur.misc:11470
rec.radio.amateur.policy:26658 rec.radio.shortwave:36152
```

On 21 May 2006 13:12:33 -0700, an old friend drooled:

> Dan/W4NTI wrote:
> > Or just a common drunk or dope addict that gets worse as
> > the night goes on?
> more libel
>
> how drool Dan

Dan doesn't drool. Right, Dan?

```
From 3462904181535789946
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 21 May 2006 13:30:55 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1148243455.816046.132970@j73g2000cwa.googlegroups.com>
References: <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
   <1148093850.852066.18100@u72g2000cwu.googlegroups.com>
   <xv3cg.5298$y4.1997@newsread2.news.pas.earthlink.net>
   <p1j1729noc9djlhlbdk15q4q95asf8kea9@4ax.com>
NNTP-Posting-Host: 69.19.14.15
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148243459 19016 127.0.0.1 (21 May 2006 20:30:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 21 May 2006 20:30:59 +0000 (UTC)
In-Reply-To: <p1j1729noc9djlhlbdk15q4q95asf8kea9@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=69.19.14.15;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.antenna:11765
rec.radio.amateur.equipment:4178 rec.radio.amateur.misc:11471
rec.radio.amateur.policy:26659 rec.radio.shortwave:36153
```

pltrgyst wrote:

> The thread-ending clincher: if it weren't for cw, no one would understand
> today's (5/21/2006) Foxtrot cartoon.
>
> -- Larry

well that is certainly clear enough

```
From -3031273791126698301
X-Google-Thread: fc8b1,d4a4cbbeb7dff3bd
X-Google-Thread: 108122,9f1afd610b66b518,start
X-Google-Thread: fc2a5,9f1afd610b66b518,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed2.dallas1.level3.net!
news.level3.com!bloom-beacon.mit.edu!panix!panix1.panix.com!asd
From: Straydog <asd@panix.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.amateur.homebrew
Subject: Hamfest, Georgetown, Delaware, May 27, 2006, 7 am- 5pm
Date: Sun, 21 May 2006 19:23:05 -0400
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 15
Message-ID: <Pine.NEB.4.63.0605211917100.2629@panix1.panix.com>
References: <6Zbbg.26026$4H.22143@dukeread03>
NNTP-Posting-Host: panix1.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader1.panix.com 1148253786 21710 166.84.1.1 (21 May 2006 23:23:06 GMT)
X-Complaints-To: abuse@panix.com
```

NNTP-Posting-Date: Sun, 21 May 2006 23:23:06 +0000 (UTC)
In-Reply-To: <6Zbbg.26026$4H.22143@dukeread03>
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4153 rec.radio.amateur.equipment:4179 rec.radio.amateur.homebrew:5352

At Sussex Tech High School, US Route 9 about a mile west of Route 113.

Admission free

Talk in 147.075 + input

more info:

n3jvt@yahoo.com
w3hrt@arrl.net
dsmith@sussex.vt.k12.de.us

Also, was mentioned in latest QST

From 7354355243489992135
X-Google-Thread: 108122,22d7989d7adfd8dc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!atl-c03.usenetserver.com!news.usenetserver.com!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Kb2sin" <kb2sin@stny.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <rZ6cg.2015$8G3.566@twister.nyroc.rr.com>
Date: Sun, 21 May 2006 23:46:31 GMT
NNTP-Posting-Host: 66.24.245.188
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1148255191 66.24.245.188 (Sun, 21 May 2006 19:46:31 EDT)
NNTP-Posting-Date: Sun, 21 May 2006 19:46:31 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:4180

Can anyone give me some insight as to why my Cushcraft tri-Band 2/6/440 beam
SWR goes up to 3:1 on 6 meters only when it rains? We had an openiong today
here in NY and it rained, but I did not dare transmit with an SWR that high.
Any input sure would be appreciated.
73's

de kb2sin

--

Check out our Spring & Summer Special on the Web at www.latherandlights.com

From 5859606808608792658
X-Google-Thread: 108122,fc720d67b22526c1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.com.POSTED!6c68839b!not-for-mail
From: Carl S <cdsol@swbell.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: split ferrites for ign noise?
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <r87cg.20513$Lm5.19263@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 70.251.102.202
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1148255895 ST000 70.251.102.202 (Sun, 21 May
2006 19:58:15 EDT)
NNTP-Posting-Date: Sun, 21 May 2006 19:58:15 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OPY[RW[DYB^US]@YKBH\OQMAPJYREQLIQQ]ZMVMHQAVTUZ]CLNTCPFK[WDXDHV[K^FCGJCJLPF_D_NCC@F
UG^Q\DINVAXSLIFXYJSSCCALP@PB@\OS@BITWAH\CQZKJMMD^SJA^NXA\GVLSRBD^M_NW_F[YLVTWIGAXA
QBOATKBBQRXECDFDMQ\DZFUE@\JM
Date: Sun, 21 May 2006 23:58:15 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4181

Has anybody had success using split ferrite donuts on the spark plug
wires to suppress ignition noise? Would they be most effective on the
end near the distributor/electornic ignition, spark plugs, or both?

Thanks/'73...Carl - W5SU

From -4478792698375094353
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a

X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Steve Phipps" <kawninja@nospam.cableone.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: Sun, 21 May 2006 19:01:41 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1271vr5mluc7pd3@corp.supernews.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news2.google.com rec.antiques.radio+phono:22319
rec.radio.amateur.equipment:4182 rec.radio.amateur.misc:11474
rec.radio.shortwave:36187

Saturday is the worst day to attend Dayton. With all hamfests, the best deals are either sold during dealer setup before the hamfest or during the first few minutes the hamfest opens. Some folks who don't intend to sell buy vendor passes to shop early. If you attend hamfests to buy and you can't be there when the doors open, you might as well stay home.

Well run hamfests do have good deals that rival or beat Ebay hands down. I usually come home from good hamfests with an item or two that made my trip worthwhile. Then there's hamfests held year after year in the same poor rut that makes you wonder why the sponsors even bother...

"lemonhead" <ritterfan@yahoo.com> wrote in message
news:9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com...

> I was there for 4 hours on Saturday.
> Nothing but old test equipment and computer junk.

From 1092946027591215052
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!newsfeed.freenet.de!

213.132.189.2.MISMATCH!multikabel.net!feed20.multikabel.net!sn-ams-06!sn-xt-ams-03!sn-ams!sn-feed-ams-01!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "J. Mc Laughlin" <jcm@power-net.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: Sun, 21 May 2006 20:47:55 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12722gkh96okq35@corp.supernews.com>
Reply-To: "J. Mc Laughlin" <jcm@power-net.net>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<44706167.51D6E796@earthlink.net> <4470901D.7040701@yahoo.com>
<4470989B.9E5689E@earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news2.google.com rec.antiques.radio+phono:22321
rec.radio.amateur.equipment:4183 rec.radio.amateur.misc:11475
rec.radio.shortwave:36191

Once upon a time, one could talk with designers/engineers and find some useful bargains. It was interesting and much anticipated in spite of the pain every year to find a room. The attendees were of all ages.

A couple of years ago, my EE department thought to have a booth with an eye to student recruitment. Head of the department has kin in Dayton and attended when visiting. He concluded that a booth made no sense. Looking at the pictures of this year's attendees makes it clear that he was right.

Dayton's time has come and gone. A shame.

73 Mac N8TT

From -6844864862659511498
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: 21 May 2006 18:24:22 -0700
Organization: http://groups.google.com

```
Lines: 22
Message-ID: <1148261062.476560.14640@j73g2000cwa.googlegroups.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
   <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1148261067 1027 127.0.0.1 (22 May 2006 01:24:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 22 May 2006 01:24:27 +0000 (UTC)
In-Reply-To: <9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.equipment:4185
rec.radio.amateur.misc:11477 rec.radio.shortwave:36198

lemonhead wrote:
> "Lisa Simpson" <none@none.com> wrote in message
> news:vbJbg.36281$mh.29156@tornado.ohiordc.rr.com...
> > Just returned from the Dayton HamFest; only found a coupla SW receivers
> for
> > sale, used, high-ish prices; quite a few old tube receivers way
> overpriced,
> > and of course the new ones at normal to slightly high prices.
> > Disappointing.
>
> I was there for 4 hours on Saturday.
> Nothing but old test equipment and computer junk.
> Only reason to go anymore is to meet people, albeit an
> expensive one. Never again will I goto Dayton.
> It's day has ended, period. E-Bay and private ad's on places like
> QRZ.com have killed it. Not worth the effort anymore.

Actually Ebay didn't kill the Dayton Hamfest.  In the 1980's it was
being handled as though it was still the 1950's and full of stuff that
had been carted between too many hamfests.  Dayton is dying because the
promoters made the conscious decision to do nothing.




From 3990480744285817573
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-
sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
```

```
From: "Hagstar" <yonnyKILL@SPAMMERSatt.net>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
Date: Sun, 21 May 2006 21:46:27 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12725vt81v3bfbd@corp.supernews.com>
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 5
Xref: g2news2.google.com rec.antiques.radio+phono:22325
rec.radio.amateur.equipment:4186 rec.radio.amateur.misc:11478
rec.radio.shortwave:36205
```

Am I correct this Hamfest costs a lot of money to attend as well?

John H.

```
From -6117342221364523129
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <44711A8C.E2D3B371@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<44706167.51D6E796@earthlink.net> <4470901D.7040701@yahoo.com>
```

<4470989B.9E5689E@earthlink.net> <12722gkh96okq35@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
Date: Mon, 22 May 2006 01:58:08 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148263088 24.110.34.161 (Sun, 21 May 2006 18:58:08 PDT)
NNTP-Posting-Date: Sun, 21 May 2006 18:58:08 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:22329 rec.radio.amateur.equipment:4187 rec.radio.amateur.misc:11479 rec.radio.shortwave:36214

"J. Mc Laughlin" wrote:

> Once upon a time, one could talk with designers/engineers and find some useful bargains. It was interesting and much anticipated in spite of the pain every year to find a room. The attendees were of all ages.
>
> A couple of years ago, my EE department thought to have a booth with an eye to student recruitment. Head of the department has kin in Dayton and attended when visiting. He concluded that a booth made no sense. Looking at the pictures of this year's attendees makes it clear that he was right.
>
> Dayton's time has come and gone. A shame.
>
> 73   Mac   N8TT

I remember it when people came from all over the world to the dayton hamfest to see the new product releases. A lot of manufacturers unveiled their latest radios and accessories there, every year. I also met the founders of a lot of small manufacturing companies at the mini trade show that was inside Hara Sports Arena. There was an sheik from Saudi Arabia who flew in every year in a private jet. He was followed around by his staff as he talked to different manufacturers and bought multiples of anything that caught his eye, while the staff paid in cash for the orders and arranged for anything that was in stock to be trucked to the Dayton International Airport.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 2200944209927081383
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44711AC4.317B5D49@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
Subject: Re: Dayton HamFest killed by E-Bay
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
Date: Mon, 22 May 2006 01:58:48 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1148263128 24.110.34.161 (Sun, 21 May
2006 18:58:48 PDT)
NNTP-Posting-Date: Sun, 21 May 2006 18:58:48 PDT
Xref: g2news2.google.com rec.antiques.radio+phono:22330
rec.radio.amateur.equipment:4188 rec.radio.amateur.misc:11480
rec.radio.shortwave:36215

Hagstar wrote:
>
> Am I correct this Hamfest costs a lot of money to attend as well?
>
> John H.


   It does, now.



--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From -7504767750180973523
X-Google-Thread: 10c2ee,e8d04e969ad21f01
X-Google-Thread: 108122,e8d04e969ad21f01
```

```
X-Google-Thread: 107ada,e8d04e969ad21f01
X-Google-Thread: 114aac,5217e1b6b6e1ea2a
X-Google-Attributes: gid10c2ee,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news.rr.com!news-server.columbus.rr.com!
tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Lisa Simpson" <none@none.com>
Newsgroups:
rec.antiques.radio+phono,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.ra
dio.amateur.swap,rec.radio.shortwave
References: <vbJbg.36281$mh.29156@tornado.ohiordc.rr.com>
<9d2d5$44704bda$d1cc5848$21530@snip.allthenewsgroups.com>
<12725vt81v3bfbd@corp.supernews.com>
Subject: Re: Dayton HamFest killed by E-Bay
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <m39cg.36461$mh.27894@tornado.ohiordc.rr.com>
Date: Mon, 22 May 2006 02:09:22 GMT
NNTP-Posting-Host: 204.210.255.44
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1148263762 204.210.255.44 (Sun, 21 May 2006
22:09:22 EDT)
NNTP-Posting-Date: Sun, 21 May 2006 22:09:22 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.antiques.radio+phono:22332
rec.radio.amateur.equipment:4189 rec.radio.amateur.misc:11481
rec.radio.shortwave:36220

It was $25/person this year, parking $8/day.

"Hagstar" <yonnyKILL@SPAMMERSatt.net> wrote in message
news:12725vt81v3bfbd@corp.supernews.com...
> Am I correct this Hamfest costs a lot of money to attend as well?
>
> John H.
>
>




From 4135096037487289066
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 16 May 2006 13:07:31 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1147810051.051557.293300@i39g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <bzzzzz-5ACB16.13263816052006@news-rdr-02.rdc-kc.rr.com>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147810056 16420 127.0.0.1 (16 May 2006 20:07:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 20:07:36 +0000 (UTC)
In-Reply-To: <bzzzzz-5ACB16.13263816052006@news-rdr-02.rdc-kc.rr.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=66.82.9.89;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.equipment:4088
rec.radio.amateur.misc:11074 rec.radio.amateur.policy:26067 rec.radio.swap:4065


The Wasp wrote:
> In article <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>,
>  Slow Code <sc@email.box> wrote:
>

> > Make the no-code Tech license one year non-renewable.
> >
> >
> > sc
>
> The real demise of ham radio is not from dropping the code, but from
> making it such a elitist group that nobody wants to join.  There is
> safety in numbers.  We need to make the numbers bigger not smaller.

well said



From 7365293556732804662
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
```

```
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!postnews.google.com!
j55g2000cwa.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: get help
Followup-To: alt.test
Date: 16 May 2006 13:12:25 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1147810345.636861.297290@j55g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
   <shv8g.488$oa1.132@news02.roc.ny>
   <us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
   <e46pbv$nkc$1@ctb-nnrp2.saix.net>
   <1147732954.627784.210480@g10g2000cwb.googlegroups.com>
   <1147738631.264761.77230@i40g2000cwc.googlegroups.com>
   <1147743491.259553.69900@j55g2000cwa.googlegroups.com>
   <1147806480.001701.155900@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147810351 26205 127.0.0.1 (16 May 2006 20:12:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 20:12:31 +0000 (UTC)
In-Reply-To: <1147806480.001701.155900@j33g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=66.82.9.89;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.antenna:11467
rec.radio.amateur.equipment:4089 rec.radio.amateur.misc:11076
rec.radio.amateur.policy:26069


marky_morgan_internet_retard@yahoo.com wrote:
> an Old friend wrote:
> > marky_morgan_internet_retard@yahoo.com wrote:
> > > an_old_friend wrote:
> > > > get help the one size fits all response
> > >
> > > It's the only response that your alcohol and drug addled tiny working
> > > brain cell can manage, stupid.
> >
> > more delsional poor boy
>
```

> More whining like a cunt, just what we've come to expect from you,
> Markie.

get help

From 4661593543930866522
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-mail
From: "N9OGL" <toddaug555@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help.
Date: 16 May 2006 13:52:43 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1147812763.809105.194240@y43g2000cwc.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <1147744611.994952.16970@i39g2000cwa.googlegroups.com>
   <1147782972.837652.252200@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 12.156.121.130
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147812769 24147 127.0.0.1 (16 May 2006 20:52:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 20:52:49 +0000 (UTC)
In-Reply-To: <1147782972.837652.252200@j55g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=12.156.121.130;
   posting-account=MFiwyQwAAADbKVtDPSGIX7t9ZX1DHG4j
Xref: g2news2.google.com rec.radio.amateur.equipment:4090
rec.radio.amateur.misc:11100 rec.radio.amateur.policy:26098 rec.radio.swap:4067

umm, moron I took my 5 WPM back in 1991 and my 13 WPM in 1993...you
don't what the fuck your talking about

Todd N9OGL

From 6904810912172681804
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47

X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-mail
From: "N9OGL" <toddaug555@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help.
Date: 16 May 2006 13:52:50 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1147812770.290442.239280@i39g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <1147744611.994952.16970@i39g2000cwa.googlegroups.com>
   <1147782972.837652.252200@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 12.156.121.130
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147812775 467 127.0.0.1 (16 May 2006 20:52:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 16 May 2006 20:52:55 +0000 (UTC)
In-Reply-To: <1147782972.837652.252200@j55g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=12.156.121.130;
   posting-account=MFiwyQwAAADbKVtDPSGIX7t9ZX1DHG4j
Xref: g2news2.google.com rec.radio.amateur.equipment:4091
rec.radio.amateur.misc:11101 rec.radio.amateur.policy:26099 rec.radio.swap:4068

umm, moron I took my 5 WPM back in 1991 and my 13 WPM in 1993...you
don't what the fuck your talking about

Todd N9OGL

From -3286014710683073437
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!
FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <446A3DF4.7030408@fuse.net>

Date: Tue, 16 May 2006 17:02:44 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<bBpag.6844$UY6.2254@trnddc08>
In-Reply-To: <bBpag.6844$UY6.2254@trnddc08>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 27
X-Trace: 95571446a3e20e098318623841
Xref: g2news2.google.com rec.radio.amateur.equipment:4092 rec.radio.amateur.misc:11104 rec.radio.amateur.policy:26101 rec.radio.swap:4069

Woody wrote:

> Please.... oh, please... just don't feed the trolls...
>
>
> I completely agree

In case there is ANYBODY out there not realizing this yet:

Here's how it works:

A post will go as follows:

"The ARRL is a Nazi (or insert Liberal or Gay, or whatever) and all Techs (or Extras or...)should be shot. AND I SUPPORT IT!!!"

Now the poster sits back and thoroughly enjoys watching the newsgroup fill with verbal dung, back and forth.

If this is what you want, by all means respond to the poster.

If, on the other hand, you prefer ham newsgroups to be primarily there to discuss amateur radio matters in a reasonable and informative forum, then

DON'T RESPOND!

Eventually, the asswipes will find some other lucrative market for their "fun".

From 2763141394198224429
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!96824b94!not-for-mail
From: "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 49
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
Date: Tue, 16 May 2006 22:33:11 GMT
NNTP-Posting-Host: 4.252.5.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147818791 4.252.5.234 (Tue, 16 May 2006 15:33:11 PDT)
NNTP-Posting-Date: Tue, 16 May 2006 15:33:11 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11478
rec.radio.amateur.equipment:4093 rec.radio.amateur.misc:11108
rec.radio.amateur.policy:26105 rec.radio.shortwave:35294

"Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
news:38c8.gop.17.1@news.alt.net...
>
> "an_old_friend" <konstans@hotmail.com> wrote in message
> news:1147586170.894157.292250@d71g2000cwd.googlegroups.com...
>
> Slow Code wrote:
>> "an_old_friend" <konstans@hotmail.com> wrote in
>> news:1147549161.064623.59130@j33g2000cwa.googlegroups.com:

```
>>
>> >
>
>> >> Now that does not surprise me one bit.
>> >>
>> >> Have a good life loser.
>> >
>> > that I am wise enoughto want a reutn opn my investment makes me a
>> > loser?
>>
>>
>> I have a request OM.  Could you please proof-read your posts before you
>> hit the send button?   Tnx in advance.
>
> no you can't have it takes too much time this has been explained over
> and over agin
>
> you don't like it don't read my stuff is one of your options
>>
>>
>> 73
>
> after all you dicided to use something i find insulting right therefor
> it cw related meaning
>>
> Using a spell check program takes but a few seconds. You refuse to do so,
> and we must thereby assume that, 1. You are lazy.  2. You are far too
> dense
> to know how to use one. 3. Your head is so firmly emplanted in your rectal
> cavity that you cannot remove it. 4. All of the above.
>
>
>

4

Dan/W4NTI





From 9097782588871839128
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!96824b94!not-for-mail
From: "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com>
```

```
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
<shv8g.488$oa1.132@news02.roc.ny>
<us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
<kbydne3XbsdFPPjZRVnygw@bt.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 41
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <Iqsag.5545$u4.4612@newsread1.news.pas.earthlink.net>
Date: Tue, 16 May 2006 22:33:12 GMT
NNTP-Posting-Host: 4.252.5.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147818792 4.252.5.234 (Tue, 16 May 2006
15:33:12 PDT)
NNTP-Posting-Date: Tue, 16 May 2006 15:33:12 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11479
rec.radio.amateur.equipment:4094 rec.radio.amateur.misc:11109
rec.radio.amateur.policy:26106 rec.radio.shortwave:35295
```

"Terry Steer" <terry.steer@btinternet.com> wrote in message
news:kbydne3XbsdFPPjZRVnygw@bt.com...

```
> "Radio Buff" <em@il.here> wrote in message
> news:us69g.1632$y4.1107@newsread2.news.pas.earthlink.net...
>> "Galen, W8LNA" <w8lna@arrl.net> wrote in
>> news:shv8g.488$oa1.132@news02.roc.ny:
>>
>>> Radio Buff wrote:
>>>>
>>>> As ham radio test standards have lowered over the years, I've noted a
>>>> marked increase in the amount of obscenity, profanity, and indecency.
>>>>
>>>> RB
>>>
>>> At the same time the price of gasoline has gone up, the minimum wage has
>>> gone up, the stock market has gone up but in just about all areas of
>>> society mutual respect and courtesy have gone down.
>>>
>>> I think it has very little if anything at all to do with Morse code.
>>>
>>> W8LNA
>>
>>
```

>>
>> And I've never heard a couple ops insult or cuss each other out in CW
>> either.
>
>> sc
>
> How about: ZBK2 I am receiving your traffic garbled
>   ZBM2 Place a competent operator on this circuit
>
>

R R R INT ZBZ INT ZBK INT RGR KKK

Dan/W4NTI

From -5141586751467499217
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help.
From: Radio Buff <em@il.here>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<bzzzzz-5ACB16.13263816052006@news-rdr-02.rdc-kc.rr.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 36
Message-ID: <gEsag.5564$u4.4302@newsread1.news.pas.earthlink.net>
Date: Tue, 16 May 2006 22:47:40 GMT
NNTP-Posting-Host: 4.227.154.38
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147819660 4.227.154.38 (Tue, 16 May
2006 15:47:40 PDT)
NNTP-Posting-Date: Tue, 16 May 2006 15:47:40 PDT
Xref: g2news2.google.com rec.radio.amateur.equipment:4095
rec.radio.amateur.misc:11111 rec.radio.amateur.policy:26108 rec.radio.swap:4070

The Wasp <bzzzzz@zzzzzit.com> wrote in
news:bzzzzz-5ACB16.13263816052006@news-rdr-02.rdc-kc.rr.com:

> In article <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>,

```
>  Slow Code <sc@email.box> wrote:
>
>> Please email mail this to your Division Directors and Section managers.
>> With a loud voice, maybe we can get the ARRL to work for us instead of
>> against us:
>>
>>
>> No more automatic renewals. Individuals must retest and pass all
>> elements required for their license class.
>>
>>
>> The passing score for written exams needs to be raised to 85%.
>>
>>
>> Code elements should be 13 wpm for General, and 20 wpm for Extra.
>>
>>
>> Make the no-code Tech license one year non-renewable.
>>
>>
>> sc
>
> The real demise of ham radio is not from dropping the code, but from
> making it such a elitist group that nobody wants to join.  There is
> safety in numbers.  We need to make the numbers bigger not smaller.



Yes. One big happy CB like family with a few Homo's thrown in to make it
more perverted.

sc



From 6006423403383408777
X-Google-Thread: fb049,5812bc1838382fde,start
X-Google-Thread: 108122,5812bc1838382fde,start
X-Google-Thread: 1109af,5812bc1838382fde,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny03.POSTED!4f97008e!
not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: $5.00 each Motorola Permacode Active Filters
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <CNsag.6009$Fi6.2602@trndny03>
```

Date: Tue, 16 May 2006 22:57:38 GMT
NNTP-Posting-Host: 71.162.182.227
X-Complaints-To: abuse@verizon.net
X-Trace: trndny03 1147820258 71.162.182.227 (Tue, 16 May 2006 18:57:38 EDT)
NNTP-Posting-Date: Tue, 16 May 2006 18:57:38 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1812 rec.radio.amateur.equipment:4096 rec.radio.swap:4071

These are filters for Motorola Minitor and MinitorII series pagers. Here's what I have:

Freq.	Qty
802.5	5
837.0	1
637.5	1
1465.0	1
847.5	1
727.5	1
767.4	2

If interested email direct.
pottsladd13 at yahoo.com

From 7665727914000761481
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.swap
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
Date: 16 May 2006 17:14:09 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1147824849.377084.141190@i40g2000cwc.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
<bBpag.6844$UY6.2254@trnddc08>
<446A3DF4.7030408@fuse.net>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"

```
X-Trace: posting.google.com 1147824854 25794 127.0.0.1 (17 May 2006 00:14:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 00:14:14 +0000 (UTC)
In-Reply-To: <446A3DF4.7030408@fuse.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.89;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.equipment:4097
rec.radio.amateur.misc:11116 rec.radio.amateur.policy:26114 rec.radio.swap:4073


jawod wrote:
> Woody wrote:
> > Please.... oh, please... just don't feed the trolls...
> >
> >
> > I completely agree
>
> In case there is ANYBODY out there not realizing this yet:
>
> Here's how it works:
>
> A post will go as follows:
>
> "The ARRL is a Nazi (or insert Liberal or Gay, or whatever) and all
> Techs (or Extras or...)should be shot.  AND I SUPPORT IT!!!"
on the other hand it is at least more on topic that the filth posted by
wisemen and robeson



From 2140813698102072055
X-Google-Thread: 108228,48ce69ba7dd81a9a,start
X-Google-Thread: 108122,48ce69ba7dd81a9a,start
X-Google-Thread: 1109af,48ce69ba7dd81a9a,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:MOTOROLA 900 MHZ-MTX9000 "B5"-DISPLAY-PORTABLE RADIO-w/RAPID CHARGER
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C67916.5D663AA0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <e_uag.3385$_m5.2233@fed1read09>
Date: Tue, 16 May 2006 18:27:18 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1147829258 68.96.227.248 (Tue, 16 May 2006 21:27:38 EDT)
NNTP-Posting-Date: Tue, 16 May 2006 21:27:38 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:940
rec.radio.amateur.equipment:4098 rec.radio.swap:4074

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C67916.5D663AA0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:MOTOROLA 900 MHZ-MTX9000 "B5"-DISPLAY-PORTABLE RADIO-w/RAPID CHARGER

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7620135794&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C67916.5D663AA0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA:MOTOROLA 900 MHZ-MTX9000 "B5"-DISPLAY-PORTABLE RADIO-w/RAPID=20
CHARGER</P></FONT>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7620135794&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7620135794&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C67916.5D663AA0--



From 4194715654365972943
X-Google-Thread: 108228,c928ba3451214353,start
X-Google-Thread: 108122,c928ba3451214353,start
X-Google-Thread: 1109af,c928ba3451214353,start
```

```
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls+Plus-UHF-DTMF-Voice Storage- Spkr/Mic-Rapid
Charger
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C67916.A20FBE60"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <20vag.3386$_m5.2555@fed1read09>
Date: Tue, 16 May 2006 18:29:14 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1147829374 68.96.227.248 (Tue, 16 May 2006 21:29:34 EDT)
NNTP-Posting-Date: Tue, 16 May 2006 21:29:34 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:941
rec.radio.amateur.equipment:4099 rec.radio.swap:4075

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C67916.A20FBE60
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls+Plus-UHF-DTMF-Voice Storage- Spkr/Mic-Rapid =
Charger

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7620607255&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0011_01C67916.A20FBE60
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls+Plus-UHF-DTMF-Voice Storage- Spkr/Mic-Rapid=20
Charger</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7620607255&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7620607255&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0011_01C67916.A20FBE60--



From -1659563232611831933
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 16 May 2006 19:19:18 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147832363 20918 127.0.0.1 (17 May 2006 02:19:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 02:19:23 +0000 (UTC)
In-Reply-To: <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.89;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11490
rec.radio.amateur.equipment:4100 rec.radio.amateur.misc:11119
rec.radio.amateur.policy:26117 rec.radio.shortwave:35318

Dan/W4NTI wrote:
> "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
> news:38c8.gop.17.1@news.alt.net...

> 4

this is not a golfign NG dan I would expect you topay attention but you
insit on disappointing me
>
> Dan/W4NTI

From 9025286593569846306
X-Google-Thread: 108122,843bf34803121b47
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 16 May 2006 22:32:25 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
<Xns97C498077AF9DVeebleFetzer@127.0.0.1>
<BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
Date: Tue, 16 May 2006 22:32:24 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <e4udndmluu_UBPfZnZ2dnUVZ_t-dnZ2d@comcast.com>
Lines: 33
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-0dCyf3RK/
QlI2ZFGa8M5i8e6wFzc6R8PHzr+ZbyiRPfx7Yr7iXoAM6I2zq10DQpVa3z74Fe33ZEd80w!
tztOnmORhlyEljtyze0nAL7E1Lx/RNuRSJf0mwu5vF5nxbf0AFxH7A2N2i026Dg6QE3U9mUXtY9X!
UUVsuXWbaZxh
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly

```
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4101

<X-Post canceled>

"Slow Code" <sc@mail.here> wrote in message
news:BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net...
> Bert Hyman <bert@iphouse.com> wrote in
> news:Xns97C498077AF9DVeebleFetzer@127.0.0.1:
>
>> no.one@no.net (Travis Jordan) wrote in
>> news:CZ4ag.60086$Wl.41442@fe08.news.easynews.com:
>>
>>> Slow Code wrote:
>>>> No more automatic renewals. Individuals must retest and pass all
>>>> elements required for their license class.
>>>
>>> This sounds like a great way to kill off amateur radio.
>>
>> Sounds more like a proposal from somebody who runs a VE service.
>>
>
>
>
> I just knew none of you rotton scum would help. You Gotta have your free
> handouts don't you. ARRL pampered you well. I'll bet you all pay for your
> food with food stamps and talk on CB all day long from government assisted
> project housing.
>
> Assholes.

Yeah, right.... welcome to my killfile

*PLONK*




From -5707349744491785792
X-Google-Thread: 108122,b572a983c8da04d3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS:  Kenwood TH-78A 2m/440 HT
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
```

Message-ID: <49xag.22957$4H.18549@dukeread03>
Date: Tue, 16 May 2006 22:56:26 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1147838144 68.105.249.118 (Tue, 16 May 2006 23:55:44 EDT)
NNTP-Posting-Date: Tue, 16 May 2006 23:55:44 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4102

Kenwood HT For Sale
FS: Kenwood TH-78A 2m/440 HT w/ BC-15A rapid charger and extra AA batter pack, manual. $75.00, shipping incl. Works great except 2m vol/freq. dial inoperative (vol. low audible and freq. may be entered via keypad). Gary Holland, W5QG, 325-676-2100 home, 325-670-6375 work, 325-670-6384 fax, garymaxh2@cox.net.

From -7973252869527015920
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: whinyslit_lloydie@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 17 May 2006 05:06:34 -0700
Organization: http://groups.google.com
Lines: 43
Message-ID: <1147867594.354964.93580@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <1147588979.553389.47260@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.112
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147867599 17055 127.0.0.1 (17 May 2006 12:06:39 GMT)

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 12:06:39 +0000 (UTC)
In-Reply-To: <1147588979.553389.47260@j33g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=65.54.154.112;
   posting-account=-bvg-A0AAABSpF6sxAllK-BDt63i0oiA
Xref: g2news2.google.com rec.radio.amateur.antenna:11504
rec.radio.amateur.equipment:4103 rec.radio.amateur.misc:11125
rec.radio.amateur.policy:26177 rec.radio.shortwave:35334


assraped by an_old_friend wrote:
> Not Lloyd II wrote:
> > "an_old_friend" <konstans@hotmail.com> wrote in message
> > news:1147586170.894157.292250@d71g2000cwd.googlegroups.com...
> >
>
> > > I have a request OM.  Could you please proof-read your posts before you
> > > hit the send button?   Tnx in advance.
> >
> > no you can't have it takes too much time this has been explained over
> > and over agin
> >
> > you don't like it don't read my stuff is one of your options
> > >
> > >
> > > 73
> >
> > after all you dicided to use something i find insulting right therefor
> > it cw related meaning
> > >
> > Using a spell check program takes but a few seconds.
> using a spell checker is imposib;le under google

Wrong again, Markie. It's only impossible to a fucking imbecile like
you.

> >You refuse to do so,
> > and we must thereby assume that, 1. You are lazy.
> one is the closest

Mark admits he's lazy, that's why he's unemployed and on welfare, too !

> > 2. You are far too dense
> > to know how to use one. 3. Your head is so firmly emplanted in your rectal
> > cavity that you cannot remove it. 4. All of the above.
>
> but i think you are enaged in self discrition again
> you clearly have your head up your ass
```

Hey Markie, try not to spew back the same argument to what was said
about you, dumbass!

```
From -1040615674777552342
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: whinyslit_lloydie@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 17 May 2006 05:07:46 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1147867665.973689.188120@j73g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.154.112
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147867671 17204 127.0.0.1 (17 May 2006 12:07:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 12:07:51 +0000 (UTC)
In-Reply-To: <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=65.54.154.112;
   posting-account=-bvg-A0AAABSpF6sxAllK-BDt63i0oiA
Xref: g2news2.google.com rec.radio.amateur.antenna:11505
rec.radio.amateur.equipment:4104 rec.radio.amateur.misc:11126
rec.radio.amateur.policy:26179 rec.radio.shortwave:35335
```

sodomized by an_old_friend wrote:
> Dan/W4NTI wrote:
> > "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
> > news:38c8.gop.17.1@news.alt.net...
>
> > 4
>
> this is not a golfign NG dan I would expect you topay attention but you
> insit on disappointing me

Sort of like how you were/are a dissapointment to your parents, Markie
the Moron.

```
From 6682921404449428172
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an Old friend" <kb9rqz@amsat.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 17 May 2006 05:32:51 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1147869171.206624.185300@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <1147867665.973689.188120@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147869176 21294 127.0.0.1 (17 May 2006 12:32:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 12:32:56 +0000 (UTC)
In-Reply-To: <1147867665.973689.188120@j73g2000cwa.googlegroups.com>
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=66.82.9.89;
   posting-account=RPkPwQ0AAAAOAlmydGke92nBD6aZq3Rd
Xref: g2news2.google.com rec.radio.amateur.antenna:11509
rec.radio.amateur.equipment:4105 rec.radio.amateur.misc:11142
rec.radio.amateur.policy:26212 rec.radio.shortwave:35354


whinyslit_lloydie@yahoo.com wrote:
> sodomized by an_old_friend wrote:
> > Dan/W4NTI wrote:
> > > "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
> > > news:38c8.gop.17.1@news.alt.net...
> >
> > > 4
> >
> > this is not a golfign NG dan I would expect you topay attention but you
> > insit on disappointing me
>
> Sort of like how you were/are a dissapointment to your parents, Markie
> the Moron.
no I am not my father is proud of me proud of the fact for example I
don't let people like and steve bully me into silence

get help



From 9070476364490489598
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: marky_morgan_internet_retard@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 17 May 2006 05:41:37 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1147869697.612185.23560@j55g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <1147867665.973689.188120@j73g2000cwa.googlegroups.com>
   <1147869171.206624.185300@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 65.54.154.112
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147869702 22721 127.0.0.1 (17 May 2006 12:41:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 12:41:42 +0000 (UTC)
In-Reply-To: <1147869171.206624.185300@u72g2000cwu.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=65.54.154.112;
   posting-account=Xy8elQ0AAADye0lGYHX352FKTWxQCHFj
Xref: g2news2.google.com rec.radio.amateur.antenna:11510
rec.radio.amateur.equipment:4106 rec.radio.amateur.misc:11150
rec.radio.amateur.policy:26221 rec.radio.shortwave:35362


assfucked by an Old friend wrote:
> whinyslit_lloydie@yahoo.com wrote:
> > sodomized by an_old_friend wrote:
> > > Dan/W4NTI wrote:
> > > > "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
> > > > news:38c8.gop.17.1@news.alt.net...
> > >
> > > > 4
> > >
> > > this is not a golfign NG dan I would expect you topay attention but you
> > > insit on disappointing me
> >
> > Sort of like how you were/are a dissapointment to your parents, Markie
> > the Moron.
> no I am not my father is proud of me proud of the fact for example I

You  suck more cocks then he does, huh, faggot?




From 5324987170142732849
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
```

X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 May 2006 07:51:10 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<1147867665.973689.188120@j73g2000cwa.googlegroups.com>
<1147869171.206624.185300@u72g2000cwu.googlegroups.com>
<1147869697.612185.23560@j55g2000cwa.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Wed, 17 May 2006 07:51:08 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <kNidnYYifNWjgfbZnZ2dnUVZ_s-dnZ2d@comcast.com>
Lines: 30
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
fARqAttox7waC7rGwtWLPXcqh2l72KJEJee1PyH6l21jFsD5TC6dwgw0UwOUiMv6ryrjgWixCPxUlcY!
ZrCXKbyHqP2ZqAxNUkYBVK3q18aGeOy1zB/RGSfVK0/VDCA+Y7/N1hgGe3LxahR8bfXEGxlixZlU!
L8ZoGmiJ/Yuv
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11513
rec.radio.amateur.equipment:4107 rec.radio.amateur.misc:11164
rec.radio.amateur.policy:26236 rec.radio.shortwave:35378

<X-Post canceled>

<marky_morgan_internet_retard@yahoo.com> wrote in message
news:1147869697.612185.23560@j55g2000cwa.googlegroups.com...

```
>
> assfucked by an Old friend wrote:
>> whinyslit_lloydie@yahoo.com wrote:
>> > sodomized by an_old_friend wrote:
>> > > Dan/W4NTI wrote:
>> > > > "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
>> > > > news:38c8.gop.17.1@news.alt.net...
>> > >
>> > > > 4
>> > >
>> > > this is not a golfign NG dan I would expect you topay attention but
>> > > you
>> > > insit on disappointing me
>> >
>> > Sort of like how you were/are a dissapointment to your parents, Markie
>> > the Moron.
>> no I am not my father is proud of me proud of the fact for example I
>
> You  suck more cocks then he does, huh, faggot?
>

Welcome to my killfile

*PLONK*





From 108487223040493088
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 17 May 2006 05:53:49 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1147870429.601569.61090@38g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <1147867665.973689.188120@j73g2000cwa.googlegroups.com>
   <1147869171.206624.185300@u72g2000cwu.googlegroups.com>
   <1147869697.612185.23560@j55g2000cwa.googlegroups.com>
   <kNidnYYifNWjgfbZnZ2dnUVZ_s-dnZ2d@comcast.com>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147870434 22523 127.0.0.1 (17 May 2006 12:53:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 12:53:54 +0000 (UTC)
In-Reply-To: <kNidnYYifNWjgfbZnZ2dnUVZ_s-dnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=66.82.9.89;
   posting-account=s6CH1g0AAABh1Qtmg62q2TgnVvB-Sbeh
Xref: g2news2.google.com rec.radio.amateur.antenna:11514
rec.radio.amateur.equipment:4108 rec.radio.amateur.misc:11169
rec.radio.amateur.policy:26242 rec.radio.shortwave:35384


Noon-Air wrote:
> <X-Post canceled>
>
> <marky_morgan_internet_retard@yahoo.com> wrote in message
> news:1147869697.612185.23560@j55g2000cwa.googlegroups.com...
> >
> > assfucked by an Old friend wrote:
> >> whinyslit_lloydie@yahoo.com wrote:
> >> > sodomized by an_old_friend wrote:
> >> > > Dan/W4NTI wrote:
> >> > > > "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
> >> > > > news:38c8.gop.17.1@news.alt.net...
> >> > >
> >> > > > 4
> >> > >
> >> > > this is not a golfign NG dan I would expect you topay attention but
> >> > > you
> >> > > insit on disappointing me
> >> >
> >> > Sort of like how you were/are a dissapointment to your parents, Markie
> >> > the Moron.
> >> no I am not my father is proud of me proud of the fact for example I
> >
> > You  suck more cocks then he does, huh, faggot?
> >
>
```

> Welcome to my killfile
>

be preapred to do that a lot
> *PLONK*

From 4630948370047160086
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 May 2006 09:17:14 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<1147867665.973689.188120@j73g2000cwa.googlegroups.com>
<1147869171.206624.185300@u72g2000cwu.googlegroups.com>
<1147869697.612185.23560@j55g2000cwa.googlegroups.com>
<kNidnYYifNWjgfbZnZ2dnUVZ_s-dnZ2d@comcast.com>
<1147870429.601569.61090@38g2000cwa.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Wed, 17 May 2006 09:17:11 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <HNSdnU9nEZL3rfbZnZ2dnUVZ_vudnZ2d@comcast.com>
Lines: 44
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-cw66/+Ttymm7xgChvHrJVkzHRnam23DWGlPzmwVUblEZAJyvfGy//py9Snx6VTvQ4Htv7CWhcTdDmR7!RZPwWEVG7GFqiL2odbf1Xtp4J/f7YH03a/XudgGq5Tbu6+jyac8y6vtC4P15WBBtyHeG35XQHIYV!cwaKyI4BhI2/
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32

```
Xref: g2news2.google.com rec.radio.amateur.equipment:4109

<X-Post Canceled>
"an old freind" <kb9rqz_ars@yahoo.com> wrote in message
news:1147870429.601569.61090@38g2000cwa.googlegroups.com...
>
> Noon-Air wrote:
>> <X-Post canceled>
>>
>> <marky_morgan_internet_retard@yahoo.com> wrote in message
>> news:1147869697.612185.23560@j55g2000cwa.googlegroups.com...
>> >
>> > assfucked by an Old friend wrote:
>> >> whinyslit_lloydie@yahoo.com wrote:
>> >> > sodomized by an_old_friend wrote:
>> >> > > Dan/W4NTI wrote:
>> >> > > > "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
>> >> > > > news:38c8.gop.17.1@news.alt.net...
>> >> > >
>> >> > > > 4
>> >> > >
>> >> > > this is not a golfign NG dan I would expect you topay attention
>> >> > > but
>> >> > > you
>> >> > > insit on disappointing me
>> >> >
>> >> > Sort of like how you were/are a dissapointment to your parents,
>> >> > Markie
>> >> > the Moron.
>> >> no I am not my father is proud of me proud of the fact for example I
>> >
>> > You  suck more cocks then he does, huh, faggot?
>> >
>>
>> Welcome to my killfile
>>
>
> be preapred to do that a lot
>> *PLONK*
>

It works for me.....

*PLONK*




From 2391064644948319927
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
```

```
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!postnews.google.com!
j55g2000cwa.googlegroups.com!not-for-mail
From: "N0VFP" <lloyd_n0vfp@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 17 May 2006 08:36:20 -0700
Organization: http://groups.google.com
Lines: 35
Message-ID: <1147880180.587485.304520@j55g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <1147867665.973689.188120@j73g2000cwa.googlegroups.com>
   <1147869171.206624.185300@u72g2000cwu.googlegroups.com>
   <1147869697.612185.23560@j55g2000cwa.googlegroups.com>
   <kNidnYYifNWjgfbZnZ2dnUVZ_s-dnZ2d@comcast.com>
   <1147870429.601569.61090@38g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.44
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147880186 19744 127.0.0.1 (17 May 2006 15:36:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 15:36:26 +0000 (UTC)
In-Reply-To: <1147870429.601569.61090@38g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=65.54.154.44;
   posting-account=I1axzw0AAADsW75j_Q6yJDAMR2rP9flh
Xref: g2news2.google.com rec.radio.amateur.antenna:11531
rec.radio.amateur.equipment:4110 rec.radio.amateur.misc:11228
rec.radio.amateur.policy:26306 rec.radio.shortwave:35460
```

assraped by an old freind wrote:
> Noon-Air wrote:
> > <X-Post canceled>
> >
> > <marky_morgan_internet_retard@yahoo.com> wrote in message

```
> > news:1147869697.612185.23560@j55g2000cwa.googlegroups.com...
> > >
> > > assfucked by an Old friend wrote:
> > >> whinyslit_lloydie@yahoo.com wrote:
> > >> > sodomized by an_old_friend wrote:
> > >> > > Dan/W4NTI wrote:
> > >> > > > "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
> > >> > > > news:38c8.gop.17.1@news.alt.net...
> > >> > >
> > >> > > > 4
> > >> > >
> > >> > > this is not a golfign NG dan I would expect you topay attention but
> > >> > > you
> > >> > > insit on disappointing me
> > >> >
> > >> > Sort of like how you were/are a dissapointment to your parents, Markie
> > >> > the Moron.
> > >> no I am not my father is proud of me proud of the fact for example I
> > >
> > > You  suck more cocks then he does, huh, faggot?
> > >
> >
> > Welcome to my killfile

SPANK!

> be preapred to do that a lot
Yeah, Markie is going to spam some more!



From 5338967185819814026
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 May 2006 10:53:07 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
```

```
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
<1147867665.973689.188120@j73g2000cwa.googlegroups.com>
<1147869171.206624.185300@u72g2000cwu.googlegroups.com>
<1147869697.612185.23560@j55g2000cwa.googlegroups.com>
<kNidnYYifNWjgfbZnZ2dnUVZ_s-dnZ2d@comcast.com>
<1147870429.601569.61090@38g2000cwa.googlegroups.com>
<1147880180.587485.304520@j55g2000cwa.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Wed, 17 May 2006 10:53:05 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Rs-dnVWbaqB-2_bZnZ2dnUVZ_sKdnZ2d@comcast.com>
Lines: 43
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-oaeHZY7nYSbOCa5yHaADR4AYXZghx1dfCanm9ImemmDJ7FzOU/
HXjAzTMExIkBaJhs44PgM6RJTnqse!K7PpQBBM/F+GSPS3Z/
rUXkpSC1Jphr0MGx212jmIgacG2pOpKnjd/ANDbKki5UQePE81yiq+r4JG!0yp4ak1SNwME
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11535
rec.radio.amateur.equipment:4111 rec.radio.amateur.misc:11234
rec.radio.amateur.policy:26309 rec.radio.shortwave:35464


"N0VFP" <lloyd_n0vfp@yahoo.com> wrote in message
news:1147880180.587485.304520@j55g2000cwa.googlegroups.com...
>
> assraped by an old freind wrote:
>> Noon-Air wrote:
>> > <X-Post canceled>
>> >
>> > <marky_morgan_internet_retard@yahoo.com> wrote in message
>> > news:1147869697.612185.23560@j55g2000cwa.googlegroups.com...
>> > >
>> > > assfucked by an Old friend wrote:
>> > >> whinyslit_lloydie@yahoo.com wrote:
>> > >> > sodomized by an_old_friend wrote:
>> > >> > > Dan/W4NTI wrote:
>> > >> > > > "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
>> > >> > > > news:38c8.gop.17.1@news.alt.net...
>> > >> > >
>> > >> > > > 4
>> > >> > >
>> > >> > > this is not a golfign NG dan I would expect you topay attention
>> > >> > > but
>> > >> > > you
>> > >> > > insit on disappointing me
>> > >> >
>> > >> > Sort of like how you were/are a dissapointment to your parents,
>> > >> > Markie
>> > >> > the Moron.
>> > >> no I am not my father is proud of me proud of the fact for example I
>> > >
>> > > You  suck more cocks then he does, huh, faggot?
>> > >
>> >
>> > Welcome to my killfile
>
> SPANK!
>
>> be preapred to do that a lot
> Yeah, Markie is going to spam some more!
>
Before he does, he might want to review his ISP TOS




From -7480539620236707125
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help. Friggen low-life scum.
Date: 17 May 2006 08:54:28 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147881268.578795.80220@38g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
   <Xns97C498077AF9DVeebleFetzer@127.0.0.1>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
   <bBpag.6844$UY6.2254@trnddc08>
   <446A3DF4.7030408@fuse.net>
   <1147824849.377084.141190@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.154.44
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147881274 21802 127.0.0.1 (17 May 2006 15:54:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 15:54:34 +0000 (UTC)
In-Reply-To: <1147824849.377084.141190@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=65.54.154.44;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.equipment:4112
rec.radio.amateur.misc:11235 rec.radio.amateur.policy:26310 rec.radio.swap:4087

You are the one posting filth, beer enema boy!




From 4850136225862341551
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <upperpenarmyguy@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 17 May 2006 09:16:41 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1147882601.333681.172430@i40g2000cwc.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
   <Xns97C498077AF9DVeebleFetzer@127.0.0.1>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
   <bBpag.6844$UY6.2254@trnddc08>
   <446A3DF4.7030408@fuse.net>
   <1147824849.377084.141190@i40g2000cwc.googlegroups.com>
   <1147881268.578795.80220@38g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147882606 25742 127.0.0.1 (17 May 2006 16:16:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 16:16:46 +0000 (UTC)
In-Reply-To: <1147881268.578795.80220@38g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
```

1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.89;
   posting-account=LzErYQ0AAAA_eMnWPmtljj0B4GwaxcV8
Xref: g2news2.google.com rec.radio.amateur.equipment:4113
rec.radio.amateur.misc:11246 rec.radio.amateur.policy:26322 rec.radio.swap:4088

Not Cocksucker Lloyd wrote:
> You are the one posting filth, beer enema boy!
nope

get help wismen

From 3057711813938350068
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-mail
From: "an old freind" <upperpenarmyguy@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 17 May 2006 09:19:13 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1147882753.655689.240880@j55g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <1147867665.973689.188120@j73g2000cwa.googlegroups.com>
   <1147869171.206624.185300@u72g2000cwu.googlegroups.com>
   <1147869697.612185.23560@j55g2000cwa.googlegroups.com>
   <kNidnYYifNWjgfbZnZ2dnUVZ_s-dnZ2d@comcast.com>
   <1147870429.601569.61090@38g2000cwa.googlegroups.com>
   <1147880180.587485.304520@j55g2000cwa.googlegroups.com>
   <Rs-dnVWbaqB-2_bZnZ2dnUVZ_sKdnZ2d@comcast.com>

```
NNTP-Posting-Host: 66.82.9.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147882759 26949 127.0.0.1 (17 May 2006 16:19:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 17 May 2006 16:19:19 +0000 (UTC)
In-Reply-To: <Rs-dnVWbaqB-2_bZnZ2dnUVZ_sKdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=66.82.9.89;
   posting-account=LzErYQ0AAAA_eMnWPmtljj0B4GwaxcV8
Xref: g2news2.google.com rec.radio.amateur.antenna:11538
rec.radio.amateur.equipment:4114 rec.radio.amateur.misc:11248
rec.radio.amateur.policy:26324 rec.radio.shortwave:35475


Noon-Air wrote:
> "N0VFP" <lloyd_n0vfp@yahoo.com> wrote in message
> news:1147880180.587485.304520@j55g2000cwa.googlegroups.com...
> >
> > assraped by an old freind wrote:
> >> Noon-Air wrote:
> >> > <X-Post canceled>

> >> > Welcome to my killfile
> >
> > SPANK!
> >
> >> be preapred to do that a lot
> > Yeah, Markie is going to spam some more!
> >
> Before he does, he might want to review his ISP TOS
I might need if I were going to spam at all
but since i am just responding to a madmans cyber harrasmentI need not
wory




From 1454803041408165067
X-Google-Thread: 108122,afcd685aef62354e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!not-for-
mail
Newsgroups: rec.radio.amateur.equipment
Subject: knobs for dual shaft pots?
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns97C668F792001spectrumhogstarbandn@198.186.192.196>
```

```
User-Agent: Xnews/5.04.25
Date: 17 May 2006 17:18:08 GMT
Lines: 8
NNTP-Posting-Host: d5ca7a5b.news.adtechcomputers.com
X-Trace:
DXC=kb5h4:;ZFc=`QH7QS>[O[0gC4_A5:nI@1<<=aEgO;R87ThdLCMXXaB>I_BDfiSH[c<ecf<A4o8l930
W_Uo]cC15:8kHcNc;Ume>N]\BEA:gD93:bU560WoDH0
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:4115
```

Can anyone advise where I might find a set of knobs for a dual shaft control, such as found on HP power supplies that have a course and a fine adjustment on the same shaft. Typically the outer shaft if 1/4" and the inner one is 1/8".

Ed K7AAT

```
From -366279911187318051
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 May 2006 14:25:40 -0500
From: "Juan M." <jdmollanNOSPAMPLEASE@juno.com>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
<44694f8d.55520781@news.bigpond.com>
Subject: Re: Best ARRL Hankbook issue
Date: Wed, 17 May 2006 12:25:28 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <SrednfAskZop5fbZnZ2dneKdnZydnZ2d@centurytel.net>
Lines: 3
NNTP-Posting-Host: 207.118.27.55
X-Trace: sv3-XhqW7YACZ56Yz/K0TvAeL5D+/zSvqGnJoZS1ZFKTTeyR0Flr0vn9EyzHS4pmDHYj/
7CgdmQ3WS/J0WV!
DnQpBsm2GLF1P3iJDs3b3e7aaOQoY9AuYKWt5KvIKpAuNdfTrQWUDNTci3RaVNkBhIT0JKBlUKdS!
foh4sgEsMQ0A5HVM2W9N+C+ctEbfdY2Fww19xFCW
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

```
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio:813 alt.radio.amateur:271
rec.radio.amateur.equipment:4116
```

I kept my 1964 handbook and still enjoy looking at it from time to time

---

```
From -8402673302373469477
X-Google-Thread: 108122,7a01a32e848e8706,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe06.lga.POSTED!53ab2750!not-for-mail
From: Eric Mooneyham <ericmooneyham@charter.net>
User-Agent: Thunderbird 1.5 (X11/20060313)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Linux Software For Programming RadioShack Pro 97 Scanner
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <qyLag.12$hN1.5@fe06.lga>
X-Trace:
dkoicekneficefklgpgejeiinbfaickggldhoodbekdleoihceemmogikjocadoempcgmnablibdgfjhhj
pbhmfgmokcakhglogmblcdiflhmpjaheamplbhpngnabmobcfagklmibllijll
NNTP-Posting-Date: Wed, 17 May 2006 13:18:30 MST
Date: Wed, 17 May 2006 15:17:35 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:4117
```

Does anyone have any idea on some software that I could use with Fedora Core 5 and RadioShack Pro 97 Scanner? I have the USB Programming cable from RadioShack. I like Win97 but I'm in Linux more than Windows.
Please help. Reply to ericmooneyham@charter.net

Eric Mooneyham

```
From -674902235877864756
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news-
feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!tornado.rdc-
kc.rr.com.POSTED!53ab2750!not-for-mail
From: "dale.j.  " <nos.pamz@nospam.com>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
Subject: Re: Best ARRL Hankbook issue
```

References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
<44694f8d.55520781@news.bigpond.com>
<SrednfAskZop5fbZnZ2dneKdnZydnZ2d@centurytel.net>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <nos.pamz-8CD376.15242317052006@news-rdr-03.rdc-kc.rr.com>
Lines: 10
Date: Wed, 17 May 2006 20:24:44 GMT
NNTP-Posting-Host: 72.131.92.128
X-Complaints-To: abuse@rr.com
X-Trace: tornado.rdc-kc.rr.com 1147897484 72.131.92.128 (Wed, 17 May 2006 15:24:44 CDT)
NNTP-Posting-Date: Wed, 17 May 2006 15:24:44 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com alt.ham-radio:814 alt.radio.amateur:272 rec.radio.amateur.equipment:4118

In article <SrednfAskZop5fbZnZ2dneKdnZydnZ2d@centurytel.net>,
"Juan M." <jdmollanNOSPAMPLEASE@juno.com> wrote:

> I kept my 1964 handbook and still enjoy looking at it from time to time

I still have my red 1957 issue. My father brought it home one day. I was 14 years old and had this really big interest in shortwave radio.

--
Email: dalej2@mac.com

From 5614892697947037047
X-Google-Thread: 108122,7a01a32e848e8706
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!fe09.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <qyLag.12$hN1.5@fe06.lga>
Subject: Re: Linux Software For Programming RadioShack Pro 97 Scanner
Lines: 11
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <twMag.91170$E46.62093@fe09.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Wed, 17 May 2006 21:24:41 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:4119

Eric Mooneyham wrote:

> Does anyone have any idea on some software that I could use with
> Fedora Core 5 and RadioShack Pro 97 Scanner? I have the USB
> Programming cable from RadioShack. I like Win97 but I'm in Linux
> more than Windows. Please help. Reply to ericmooneyham@charter.net

I doubt it. Virtually all remote control programs run on Windows. You could try running Win07 under an emulator like Wine but I suspect you'd have to write your own USB driver.

```
From -1834697235492085482
X-Google-Thread: 108122,8baa0c7bcaeab894,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-50 HF AllMode   365.00  Shipped & Insured
Message-ID: <5j5n62drdt12iad8k9ilen5u3bn9t1pvos@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Wed, 17 May 2006 17:32:27 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1147901529 69.125.167.162 (Wed, 17 May 2006 14:32:09 MST)
NNTP-Posting-Date: Wed, 17 May 2006 14:32:09 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:4120
```

Kenwood TS-50 HF AllMode   365.00 Shipped & Insured
Works 100 Percent/Receives and puts out full watts on all bands.
Front panel is excellent, was mobile so cabinet has scratches.
Comes with short power cord with fuses on both sides and has the
original Kenwood microphone and comes with manual.

365.00 Shipped and insured .   This Transceiver certainly will not be
dead on arrival.
FIRM on price.
Reply to: ritchi50@optonline.net

```
From -8940340502871472637
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
```

X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!96824b94!not-for-mail
From: "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
<38c8.gop.17.1@news.alt.net>
<Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
<1147832357.964390.122730@i40g2000cwc.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <jnOag.3495$y4.724@newsread2.news.pas.earthlink.net>
Date: Wed, 17 May 2006 23:31:27 GMT
NNTP-Posting-Host: 4.252.3.56
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1147908687 4.252.3.56 (Wed, 17 May 2006 16:31:27 PDT)
NNTP-Posting-Date: Wed, 17 May 2006 16:31:27 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11576
rec.radio.amateur.equipment:4121 rec.radio.amateur.misc:11258
rec.radio.amateur.policy:26400 rec.radio.shortwave:35516

"an_old_friend" <konstans@hotmail.com> wrote in message
news:1147832357.964390.122730@i40g2000cwc.googlegroups.com...
>
> Dan/W4NTI wrote:
>> "Not Lloyd II" <CurtainsBoy@Glendale.up> wrote in message
>> news:38c8.gop.17.1@news.alt.net...
>
>> 4
>
> this is not a golfign NG dan I would expect you topay attention but you
> insit on disappointing me

```
>>
>> Dan/W4NTI
>

Try a spell check you goofball.  I don't give a damn if you are dyslexic or
not.  That does not preclude you using a spell checker.

Dan/W4NTI
```

```
From 4881042989116620714
X-Google-Thread: 108122,afcd685aef62354e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!dukeread05.POSTED!53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <Xns97C668F792001spectrumhogstarbandn@198.186.192.196>
Subject: Re: knobs for dual shaft pots?
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <2XOag.10587$B42.917@dukeread05>
Date: Wed, 17 May 2006 19:09:29 -0500
NNTP-Posting-Host: 68.224.212.198
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1147910974 68.224.212.198 (Wed, 17 May 2006 20:09:34 EDT)
NNTP-Posting-Date: Wed, 17 May 2006 20:09:34 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:4122


"Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns97C668F792001spectrumhogstarbandn@198.186.192.196...
>
>  Can anyone advise where I might find a set of knobs for a dual shaft
> control, such as found on HP power supplies that have a course and a fine
> adjustment on the same shaft.  Typically the outer shaft if 1/4" and the
> inner one is  1/8".

Here's a place to start:  <http://www.rogancorp.com/capabilities.asp?id=80>
73 de Glenn AA5PK
```

```
From -1740303011550143745
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 May 2006 21:50:23 -0500
From: "Yoyoyo" <no.email.here@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
<1147744611.994952.16970@i39g2000cwa.googlegroups.com>
Subject: Re: ARRL members, I need your help.
Date: Wed, 17 May 2006 22:50:01 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <jdCdncWrJ-ZyffbZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 24.3.192.196
X-Trace: sv3-
dSWxV80vQ77fS32NUMxnICwnniHRFD6DTgl1F4R22rYVrxknFy2x9iBaXFaE0M4Re4twpFiZEBpU37p!
KmGDe8itxrU6P3mjU505sOpiudwKs9HqqwQyDqpZEIYmv0UzyYE3IOSk1wS2xqexj+JHWul9HRxq!
A5L6HCD/
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4123
rec.radio.amateur.misc:11261 rec.radio.amateur.policy:26404 rec.radio.swap:4096

Why would anyone want to belong to the ARRL.  All they care about is your
doe.  Save the doe for dinner...


"N9OGL" <toddaug555@yahoo.com> wrote in message
news:1147744611.994952.16970@i39g2000cwa.googlegroups.com...
> Why??? Morse Code does not make you a better radio operator, On air
> experiance does. This idea that morse code makes you a better operatror
> is nothing more then a myth.
>
> Todd N9OGL
> General Class Operator
>
```

From 2363167494630990098
X-Google-Thread: 108122,afcd685aef62354e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 May 2006 22:01:19 -0500
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns97C668F792001spectrumhogstarbandn@198.186.192.196>
Subject: Re: knobs for dual shaft pots?
Date: Wed, 17 May 2006 23:01:19 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <1d2dndfG6NjifvbZnZ2dnUVZ_vOdnZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 71.199.254.204
X-Trace:
sv3-7FJwCC3hJlTeL8OHDNpZQWubVtcxWfKwsXZMEPbU1MdY0duUgwXSWNXJPB9wlDE1b99oxeOd45gq2N
C!deALRrkWvxUqVjxN4XJNEa4PqBLWXAOnPIfCQ/8ynwuPjP/gdNPT0VDdr4bBAszff8KZiC0urLbz!
a5vmRT/pQ4tn8mmH
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4124

"Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns97C668F792001spectrumhogstarbandn@198.186.192.196...
>
> Can anyone advise where I might find a set of knobs for a dual shaft
> control, such as found on HP power supplies that have a course and a fine
> adjustment on the same shaft. Typically the outer shaft if 1/4" and the
> inner one is 1/8".
>
>
>   Ed   K7AAT

Not true HP-style knobs, but they will do the job:

http://www.mpja.com/productview.asp?product=3003+KN
--

Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

They call it PMS because Mad Cow Disease was already taken.

```
From 8004174174993512145
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 17 May 2006 22:04:46 -0500
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
<44694f8d.55520781@news.bigpond.com>
<SrednfAskZop5fbZnZ2dneKdnZydnZ2d@centurytel.net>
<nos.pamz-8CD376.15242317052006@news-rdr-03.rdc-kc.rr.com>
Subject: Re: Best ARRL Hankbook issue
Date: Wed, 17 May 2006 23:04:46 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <F_udnceiydXTefbZnZ2dnUVZ_sKdnZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-INIfpot1sAxBk3SyIoE6VbVCOmU0+XFiMsR9tlB7nfKtVyH96aVpWZyU/
LSQdUO0lpOrFTb6cEhBRat!HCIq7BNG0048mC3htj1Lxp/
w41pMizazQPQ9ZcB7tXqZryYrQtudhyyeDmNMAWdkJ/ivkyp/PxQz!AzzwwLkLmACT1b1F
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio:816 alt.radio.amateur:273
rec.radio.amateur.equipment:4125
```

"dale.j. " <nos.pamz@nospam.com> wrote in message
news:nos.pamz-8CD376.15242317052006@news-rdr-03.rdc-kc.rr.com...
> In article <SrednfAskZop5fbZnZ2dneKdnZydnZ2d@centurytel.net>,
> "Juan M." <jdmollanNOSPAMPLEASE@juno.com> wrote:
>
>> I kept my 1964 handbook and still enjoy looking at it from time to time

>
> I still have my red 1957 issue. My father brought it home one day. I
> was 14 years old and had this really big interest in shortwave radio.
>
> --
> Email: dalej2@mac.com

I just bought a 1968 issue and a 1985 issue. Both look to be quite full of theory and circuits. Haven't had time to look at all of the goodies yet, but I'll get there. Already got my eyes on a 2-meter Xcvr and an RF bridge.

--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

They call it PMS because Mad Cow Disease was already taken.

```
From -6551777769840460114
X-Google-Thread: 108122,5103b0224ddacc9a,start
X-Google-Attributes: gid108122,public
X-Google-Language: FRENCH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!opentransit.net!newsfeed.icl.net!proxad.net!fdn.fr!
news.wanadoo.fr!news.wanadoo.fr!not-for-mail
X-Newsreader:      NNTP SCRIBBLER
Content-Type: text/html;
From: mathilda@canadaweb.net
ReplyTo: mathilda@canadaweb.net
Subject: Les plus belles jeunes filles du web
Newsgroups: rec.radio.amateur.equipment
Date: 18 May 2006 10:04:46 GMT
Lines: 10
Message-ID: <446c46bd$0$21301$8fcfb975@news.wanadoo.fr>
Organization: les newsgroups par Wanadoo
NNTP-Posting-Date: 18 May 2006 12:04:46 CEST
NNTP-Posting-Host: 193.248.68.44
X-Trace: 1147946686 news.wanadoo.fr 21301 193.248.68.44:3143
X-Complaints-To: abuse@wanadoo.fr
Xref: g2news2.google.com rec.radio.amateur.equipment:4126
```

```
<HTML><HEAD><body>
<font color="blue" size="5" face="verdana">
<br>Elle s'exhibent en direct devant leur web cam
<br>Dialoguez en direct avec des jeunes filles sexy
<br><br><a href="http://www.show.max.st"><font color="red" size="5"
face="verdana"><b>===> CLIQUEZ ICI <===</b></a>
<br><br><br><br><br><br><br>
<BODY></BODY></HTML>
```

<center><table border="0" cellpadding="0" cellspacing="0" style="border-collapse: collapse" width="500"><tr><td nowrap height="4" bgcolor="#000000"></td></tr><tr><td width="100%" bgcolor="#000000"><center>This message was sent with NNTP Scribbler (www.e-advertize.com).</center></td></tr><tr><td height="4" bgcolor="#000000"></td></tr></table></center>

```
From -5702594197522671313
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209
X-Google-Thread: 108778,e2d8a0b5fcf8d209
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 18 May 2006 06:46:11 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
<44694f8d.55520781@news.bigpond.com>
<SrednfAskZop5fbZnZ2dneKdnZydnZ2d@centurytel.net>
<nos.pamz-8CD376.15242317052006@news-rdr-03.rdc-kc.rr.com>
<F_udnceiydXTefbZnZ2dnUVZ_sKdnZ2d@comcast.com>
Subject: Re: Best ARRL Hankbook issue
Date: Thu, 18 May 2006 06:46:09 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <SamdnX4gBcgew_HZnZ2dnUVZ_sidnZ2d@comcast.com>
Lines: 32
NNTP-Posting-Host: 68.63.237.38
X-Trace:
sv3-3RNEHdPlWIWRgeZUI3Q1TF2DrWglETxoWuAGnRIVofTOg7D30y4rG1ElPj4tk1hixUZnXRAfTX7FVC
5!EI+T4QQbbDaP4/JImgb3Bu70M5bj/ux4+gVBNaIHenNPsgRQw+DZtoCQVj2dMZGyFRCwRyQPkb7w!
ann5P32OE9/z
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio:817 alt.radio.amateur:275
rec.radio.amateur.equipment:4127
```

My favorite has been the 1987 book.

"DaveM" <masondg4499@comcast99.net> wrote in message
news:F_udnceiydXTefbZnZ2dnUVZ_sKdnZ2d@comcast.com...

```
> "dale.j. " <nos.pamz@nospam.com> wrote in message
> news:nos.pamz-8CD376.15242317052006@news-rdr-03.rdc-kc.rr.com...
>> In article <SrednfAskZop5fbZnZ2dneKdnZydnZ2d@centurytel.net>,
>> "Juan M." <jdmollanNOSPAMPLEASE@juno.com> wrote:
>>
>>> I kept my 1964 handbook and still enjoy looking at it from time to time
>>
>> I still have my red 1957 issue.  My father brought it home  one day.  I
>> was 14 years old and had this really big interest in shortwave radio.
>>
>> --
>> Email:  dalej2@mac.com
>
>
> I just bought a 1968 issue and a 1985 issue.  Both look to be quite full
> of theory and circuits.  Haven't had time to look at all of the goodies
> yet, but I'll get there.  Already got my eyes on a 2-meter Xcvr and an RF
> bridge.
> --
> Dave M
> MasonDG44 at comcast dot net  (Just substitute the appropriate characters
> in the address)
>
> They call it PMS because Mad Cow Disease was already taken.
>
>
```

```
From -9067726938140905874
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j55g2000cwa.googlegroups.com!not-for-
mail
From: whinyslit_lloydie@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 18 May 2006 05:05:52 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1147953952.761423.276830@j55g2000cwa.googlegroups.com>
References: <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
   <Hqsag.5544$u4.4017@newsread1.news.pas.earthlink.net>
   <1147832357.964390.122730@i40g2000cwc.googlegroups.com>
   <1147867665.973689.188120@j73g2000cwa.googlegroups.com>
   <1147869171.206624.185300@u72g2000cwu.googlegroups.com>
   <1147869697.612185.23560@j55g2000cwa.googlegroups.com>
   <kNidnYYifNWjgfbZnZ2dnUVZ_s-dnZ2d@comcast.com>
   <1147870429.601569.61090@38g2000cwa.googlegroups.com>
   <1147880180.587485.304520@j55g2000cwa.googlegroups.com>
   <Rs-dnVWbaqB-2_bZnZ2dnUVZ_sKdnZ2d@comcast.com>
   <1147882753.655689.240880@j55g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.54.154.152
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147953958 23695 127.0.0.1 (18 May 2006 12:05:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 18 May 2006 12:05:58 +0000 (UTC)
In-Reply-To: <1147882753.655689.240880@j55g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j55g2000cwa.googlegroups.com; posting-host=65.54.154.152;
   posting-account=-bvg-A0AAABSpF6sxAllK-BDt63i0oiA
Xref: g2news2.google.com rec.radio.amateur.antenna:11601
rec.radio.amateur.equipment:4128 rec.radio.amateur.misc:11286
rec.radio.amateur.policy:26420 rec.radio.shortwave:35564
```

assraped by an old freind wrote:
> Noon-Air wrote:
> > "N0VFP" <lloyd_n0vfp@yahoo.com> wrote in message
> > news:1147880180.587485.304520@j55g2000cwa.googlegroups.com...
> > >
> > > assraped by an old freind wrote:
> > >> Noon-Air wrote:
> > >> > <X-Post canceled>
>
> > >> > Welcome to my killfile
> > >
> > > SPANK!
> > >
> > >> be preapred to do that a lot
> > > Yeah, Markie is going to spam some more!
> > >
> > Before he does, he might want to review his ISP TOS

Yes, he certainly needs to have somebody read it to him.
He's spams every day.

> I might need if I were going to spam at all

```
> but since i am just responding to a madmans cyber harrasmentI need not
> wory

You are spamming, stupid.

--
Markie Morgan, kb9rqz, proves his illiteracy when he slobbered
in Message-ID: <1147884138.829873.289830@j33g2000cwa.googlegroups.com>:
"Icertainly  can so I am not ileiterate"




From 8908441878242445544
X-Google-Thread: 108122,843bf34803121b47
X-Google-Thread: 107ada,843bf34803121b47
X-Google-Thread: 10bf43,843bf34803121b47
X-Google-Thread: 1109af,843bf34803121b47
X-Google-Attributes: gid108122,gid107ada,gid10bf43,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!38g2000cwa.googlegroups.com!not-for-
mail
From: "Not Cocksucker Lloyd" <not_time_turd_lloyd@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.ra
dio.swap
Subject: Re: ARRL members, I need your help.
Date: 18 May 2006 05:48:19 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1147956499.614075.211120@38g2000cwa.googlegroups.com>
References: <dT4ag.895$921.164@newsread4.news.pas.earthlink.net>
   <CZ4ag.60086$Wl.41442@fe08.news.easynews.com>
   <Xns97C498077AF9DVeebleFetzer@127.0.0.1>
   <BIoag.5382$u4.4928@newsread1.news.pas.earthlink.net>
   <bBpag.6844$UY6.2254@trnddc08>
   <446A3DF4.7030408@fuse.net>
   <1147824849.377084.141190@i40g2000cwc.googlegroups.com>
   <1147881268.578795.80220@38g2000cwa.googlegroups.com>
   <1147882601.333681.172430@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.54.154.152
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147956505 30628 127.0.0.1 (18 May 2006 12:48:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 18 May 2006 12:48:25 +0000 (UTC)
In-Reply-To: <1147882601.333681.172430@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: 38g2000cwa.googlegroups.com; posting-host=65.54.154.152;
   posting-account=NYdx0Q0AAAACkSt6kWea8S56_8dZU8tl
Xref: g2news2.google.com rec.radio.amateur.equipment:4129
```

rec.radio.amateur.misc:11308 rec.radio.amateur.policy:26441 rec.radio.swap:4099

assraped by an old freind wrote:
> Not Cocksucker Lloyd wrote:
> > You are the one posting filth, beer enema boy!
> nope

Yep.

From 2655165363513743983
X-Google-Thread: 108122,7a01a32e848e8706
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news.germany.com!feeder.news.tin.it!spool.news.tin.it!not-for-mail
Message-Id: <446c828e$0$29733$4fafbaef@reader2.news.tin.it>
From: ab <abo@TOGLI_QUESTOaxis-net.it>
Subject: Re: Linux Software For Programming RadioShack Pro 97 Scanner
Newsgroups: rec.radio.amateur.equipment
Date: Thu, 18 May 2006 16:19:58 +0200
References: <qyLag.12$hN1.5@fe06.lga>
<twMag.91170$E46.62093@fe09.news.easynews.com>
Organization: Axis-Net
User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 22
X-Comments: Please send technical notifications to newsmaster@tin.it
NNTP-Posting-Host: 87.0.60.98
X-Trace: 1147961999 reader2.news.tin.it 29733 87.0.60.98:46754
X-Complaints-To: Please send abuse reports to abuse@tin.it
Xref: g2news2.google.com rec.radio.amateur.equipment:4130

Travis Jordan wrote:

> Eric Mooneyham wrote:
>> Does anyone have any idea on some software that I could use with
>> Fedora Core 5 and RadioShack Pro 97 Scanner? I have the USB
>> Programming cable from RadioShack. I like Win97 but I'm in Linux
>> more than Windows. Please help. Reply to ericmooneyham@charter.net
>
> I doubt it. Virtually all remote control programs run on Windows. You
> could try running Win07 under an emulator like Wine but I suspect you'd
> have to write your own USB driver.
>

Even worse (or worst?). While researching (i was trying to run the Icom
pcr-1500 controlling software under WINE), I found out that wine has no
visibility of the USB ports (they're working on it, yet as of today no USB
ports).

Someone suggested me to try it under VmWare, a little bit oversized as a solution... but worth a try. I haven't tried it yet, though.

--
AB

```
From -4611405688555995319
X-Google-Thread: fb049,6c96264fbacb2d52,start
X-Google-Thread: 1031e1,6c96264fbacb2d52,start
X-Google-Thread: 108122,6c96264fbacb2d52,start
X-Google-Thread: 1109af,6c96264fbacb2d52,start
X-Google-Attributes: gidfb049,gid1031e1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-
uhf,pa.forsale,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 12 Motorola Minitor tone filters.  $.01
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <Gw1bg.1341$rT5.791@trndny04>
Date: Thu, 18 May 2006 16:45:26 GMT
NNTP-Posting-Host: 68.238.205.154
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1147970726 68.238.205.154 (Thu, 18 May 2006 12:45:26 EDT)
NNTP-Posting-Date: Thu, 18 May 2006 12:45:26 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1815 pa.forsale:450
rec.radio.amateur.equipment:4131 rec.radio.swap:4103
```

Here's what I have:
9-NLN7834A
3-NFN6008A

Freq.	Qty
802.5	5
837.0	1
637.5	1
1465.0	1
847.5	1
727.5	1
767.4	2

```
From -4573694888977481547
X-Google-Thread: fb049,5812bc1838382fde
X-Google-Thread: 108122,5812bc1838382fde
X-Google-Thread: 1109af,5812bc1838382fde
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
References: <CNsag.6009$Fi6.2602@trndny03>
Subject: Re: FA Motorola Permacode Active Filters
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <qx1bg.1342$rT5.1028@trndny04>
Date: Thu, 18 May 2006 16:46:14 GMT
NNTP-Posting-Host: 68.238.205.154
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1147970774 68.238.205.154 (Thu, 18 May 2006 12:46:14 EDT)
NNTP-Posting-Date: Thu, 18 May 2006 12:46:14 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1816
rec.radio.amateur.equipment:4132 rec.radio.swap:4104

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9728821870

"Thanks......." <pottsladd13@yahoo.com> wrote in message
news:CNsag.6009$Fi6.2602@trndny03...
> These are filters for Motorola Minitor and MinitorII series pagers. Here's
> what I have:
>
> Freq.  Qty
> 802.5   5
> 837.0   1
> 637.5   1
> 1465.0 1
> 847.5   1
> 727.5   1
> 767.4   2
>
> If interested email direct.
> pottsladd13 at yahoo.com
>
>




From -1977005634487681811
X-Google-Thread: fb049,6c96264fbacb2d52
```

X-Google-Thread: 1031e1,6c96264fbacb2d52
X-Google-Thread: 108122,6c96264fbacb2d52
X-Google-Thread: 1109af,6c96264fbacb2d52
X-Google-Attributes: gidfb049,gid1031e1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!4f97008e!
not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-
uhf,pa.forsale,rec.radio.amateur.equipment,rec.radio.swap
References: <Gw1bg.1341$rT5.791@trndny04>
Subject: Re: 12 Motorola Minitor tone filters. $.01
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <Lx1bg.7186$pI5.4916@trndny05>
Date: Thu, 18 May 2006 16:46:35 GMT
NNTP-Posting-Host: 68.238.205.154
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1147970795 68.238.205.154 (Thu, 18 May 2006 12:46:35 EDT)
NNTP-Posting-Date: Thu, 18 May 2006 12:46:35 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1817 pa.forsale:451
rec.radio.amateur.equipment:4133 rec.radio.swap:4105

Here's the link, it might help...........

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9728821870

thnx
"Thanks......." <pottsladd13@yahoo.com> wrote in message
news:Gw1bg.1341$rT5.791@trndny04...
> Here's what I have:
> 9-NLN7834A
> 3-NFN6008A
>
> Freq. Qty
> 802.5 5
> 837.0 1
> 637.5 1
> 1465.0 1
> 847.5 1
> 727.5 1
> 767.4 2
>

```
From -7086425958052757975
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!nntp.newsfirst.net!
dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<44636b98$0$22188@dingus.crosslink.net>
<voR8g.1387$y4.750@newsread2.news.pas.earthlink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Thu, 18 May 2006 12:51:33 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Lines: 13
Message-ID: <446ca625$0$31271@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.28
X-Trace: dingus.crosslink.net 1147971109 31271 207.199.164.28
Xref: g2news2.google.com rec.radio.amateur.antenna:11604
rec.radio.amateur.equipment:4134 rec.radio.amateur.misc:11326
rec.radio.amateur.policy:26462 rec.radio.shortwave:35609

"CW" <s@earthlink.net> wrote
> "Vito" <vito@crosslink.net> wrote
> > Let's use proper nomenclature.  There is little danger of CW going away.
.> > ....  I'd use Tap Code - you know the "CW" with only dots,
> >  I'm amazed at how few know this.
>
> Since, as you observed, so few people know it, what's the chances of it
> being of any use?
>
I'm sorry, I should have said "how few AMATEURS know this.  It's common in
non-radio use.




From -6933996181891470015
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
```

```
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 18 May 2006 09:57:44 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1147971464.030262.29190@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <44636b98$0$22188@dingus.crosslink.net>
   <voR8g.1387$y4.750@newsread2.news.pas.earthlink.net>
   <446ca625$0$31271@dingus.crosslink.net>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147971469 7520 127.0.0.1 (18 May 2006 16:57:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 18 May 2006 16:57:49 +0000 (UTC)
In-Reply-To: <446ca625$0$31271@dingus.crosslink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:11606
rec.radio.amateur.equipment:4135 rec.radio.amateur.misc:11331
rec.radio.amateur.policy:26464 rec.radio.shortwave:35612
```

Vito wrote:
> "CW" <s@earthlink.net> wrote
> > "Vito" <vito@crosslink.net> wrote
> > > Let's use proper nomenclature. There is little danger of CW going away.
> .> > .... I'd use Tap Code - you know the "CW" with only dots,
> > > I'm amazed at how few know this.
> >
> > Since, as you observed, so few people know it, what's the chances of it
> > being of any use?
> >
> I'm sorry, I should have said "how few AMATEURS know this. It's common in
> non-radio use.

Common in machine or human non-radio use?

From -7123461863449589603
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!nntp.newsfirst.net!dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <44636b98$0$22188@dingus.crosslink.net> <4463FCBC.4090005@fuse.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Thu, 18 May 2006 13:06:03 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Lines: 29
Message-ID: <446ca98b$0$31271@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.28
X-Trace: dingus.crosslink.net 1147971979 31271 207.199.164.28
Xref: g2news2.google.com rec.radio.amateur.antenna:11607 rec.radio.amateur.equipment:4136 rec.radio.amateur.misc:11334 rec.radio.amateur.policy:26465 rec.radio.shortwave:35614

"jawod" <jawod@fuse.net> wrote in message news:4463FCBC.4090005@fuse.net...
> Vito wrote:.....
> > Simple! I'd use Tap Code
> >
> I don't see how this is any more efficient (indeed, it appears to be
> less efficient) than CW-Morse code. My understanding is that Morse
> wisely used the least complicated sequences for the most commonly used
> letters. I think this is also true of PSK31, but I could be wrong.
>
> Consider the letter "E": a single "dit" in Morse, but it becomes
> one "tap" followed by 5 "taps" in the above scheme. None too efficient,
> it seems to me.

Perhaps "efficient" is the wrong word.

In my experience, it is quite difficult to send distinguishable Morse dots and dashes without a key (YMMV). Doing so by keying a mic or touching wires together thus becomes very slow - slower even than tap code. Also, it takes considerable effort to learn Morse and even more practice to copy all the less than perfect fists out there. Thus the number of operators and potential listeners who can copy such a 'bad fist' are few now and are rapidly vanishing

now that Morse is strictly a hobby mode. OTOH, everybody who read my post now
knows tap code - which is common in prisons, mines and other places because
anybody can copy it with little or no practice.

I'm not suggesting that anybody eschew Morse if they enjoy it - just that they
stick tap code into the back of their minds for emergencies.

From 5016990332833665734
X-Google-Thread: 108122,6179e7715b216aa8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews5.bellsouth.net.POSTED!bcce3c49!not-for-mail
From: "Bob Stamper" <bobstamp@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Garmin StreetPilot III   GPS
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <FB3bg.74573$Jk3.5535@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbombjnbfefpgalplfkdkhaojdbanldhaeogm
jecmgnkafnfcaahfbjgiadjgdkipchpjogimejokdcbfpcfabbnfgpcbbdlchhidcgllfioglpiphe
NNTP-Posting-Date: Thu, 18 May 2006 15:07:17 EDT
Organization: BellSouth Internet Group
Date: Thu, 18 May 2006 15:07:30 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:4137

I have a Garmin StreetPilot III color GPS in excellent condition.It comes
with the bean bag mount,DC power cord,128 meg data card and a copy of the
manual.Technical info can be found at http://www.garmin.com

Asking &275.00 + shipping from 33406.

Please respond to bobstamp@bellsouth.net or 561-588-4704

From 5804624455466709123
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c

```
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!e7121e93!not-for-mail
From: "CW" <s@earthlink.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<44636b98$0$22188@dingus.crosslink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <voR8g.1387$y4.750@newsread2.news.pas.earthlink.net>
Date: Fri, 12 May 2006 01:19:23 GMT
NNTP-Posting-Host: 209.91.59.171
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1147396763 209.91.59.171 (Thu, 11 May
2006 18:19:23 PDT)
NNTP-Posting-Date: Thu, 11 May 2006 18:19:23 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11199
rec.radio.amateur.equipment:3986 rec.radio.amateur.misc:10716
rec.radio.amateur.policy:25634 rec.radio.shortwave:34411


"Vito" <vito@crosslink.net> wrote in message
news:44636b98$0$22188@dingus.crosslink.net...
> "Silent Key" <cw.h@m.bands>
> > When CW is lost, new hams will be just like CB'ers and SWL's, or some
> > other lower life form of radio hobbiest. You name it.
> >
> Let's use proper nomenclature.  There is little danger of CW going away.
What
> is going away is Morse Code - replaced by more efficient ways of
comunication.
> We're always asked "What would you do is the only way you could
communicate was
> to turn your transmitter on and off?".  Simple!  I'd use Tap Code - you
know the
> "CW" with only dots, no dashes - the one used by banging on pipes, the one
> anybody can use without tons of practice.  Arrange the alphabet in a 5 x 5
> matrix leaving out K (use 'c' instead).  Each letter is addressed by its
> position in the matrix: a = 1,1; b = 1,2 .... f = 2,1 and so on. These
become
> your "dits" or bangs or flashes or blinks as appropriate.  I'm amazed at
how few
```

> know this.
>
>

Since, as you observed, so few people know it, what's the chances of it
being of any use?

```
From 5694649537373533502
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4463FCBC.4090005@fuse.net>
Date: Thu, 11 May 2006 23:10:52 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
  with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<44636b98$0$22188@dingus.crosslink.net>
In-Reply-To: <44636b98$0$22188@dingus.crosslink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 27
X-Trace: 643ad4463fce8e098318622132
Xref: g2news2.google.com rec.radio.amateur.antenna:11201
rec.radio.amateur.equipment:3987 rec.radio.amateur.misc:10717
rec.radio.amateur.policy:25635 rec.radio.shortwave:34417
```

Vito wrote:

> "Silent Key" <cw.h@m.bands>
>
>>When CW is lost, new hams will be just like CB'ers and SWL's, or some
>>other lower life form of radio hobbiest. You name it.
>>
>
> Let's use proper nomenclature. There is little danger of CW going away. What

> is going away is Morse Code - replaced by more efficient ways of comunication.
> We're always asked "What would you do is the only way you could communicate was
> to turn your transmitter on and off?". Simple! I'd use Tap Code - you know the
> "CW" with only dots, no dashes - the one used by banging on pipes, the one
> anybody can use without tons of practice. Arrange the alphabet in a 5 x 5
> matrix leaving out K (use 'c' instead). Each letter is addressed by its
> position in the matrix: a = 1,1; b = 1,2 .... f = 2,1 and so on. These become
> your "dits" or bangs or flashes or blinks as appropriate. I'm amazed at how few
> know this.
>
>

I don't see how this is any more efficient (indeed, it appears to be
less efficient) than CW-Morse code. My understanding is that Morse
wisely used the least complicated sequences for the most commonly used
letters. I think this is also true of PSK31, but I could be wrong.

Consider the letter "E": a single "dit" in Morse, but it becomes
one "tap" followed by 5 "taps" in the above scheme. None too efficient,
it seems to me.

From -3837309220427960065
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4463FE87.8090706@fuse.net>
Date: Thu, 11 May 2006 23:18:31 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: balme the posters
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net> <44613917.7090602@fuse.net>
<1147222719.534150.40150@v46g2000cwv.googlegroups.com>
<1147370600.313187.187500@j73g2000cwa.googlegroups.com>
<20060511173236.371$IB@newsreader.com>
In-Reply-To: <20060511173236.371$IB@newsreader.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

```
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 21
X-Trace: 0153c4463feb3e098318622132
Xref: g2news2.google.com rec.radio.amateur.antenna:11202
rec.radio.amateur.equipment:3988 rec.radio.amateur.policy:25636 rec.radio.cb:9636
rec.radio.shortwave:34419

Steveo wrote:
> "John S." <hjsjms@cs.com> wrote:
>
>>I could blame Stefan Balme for opening the jar of balm so quickly that
>>it went blam after he landed at El Bamel airport, but Mr. Balme would
>>probably not want someone to balme (or embalme) him.
>>
>>(try spel chek)
>>
>>
>
> With a Pair of heavy-duty
> Zircon-encrusted tweezers in my hand
> Every other wrangler would say
> I was mighty grand
>
> By myself I wouldn't
> Have no boss
>
> But I'd be raisin' my lonely Dental Floss ($1 F Zappa)
Yippie-ay-yo-ti-yaaaa


From -3124972042665719957
X-Google-Thread: 108122,b2138fc3eb6522e6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "DesertBob Jr." <winchester1886@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: REALISTIC DX-302 HAM-SHORTWAVE RECEIVER-MINT-$150
Date: 12 May 2006 09:06:41 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1147450001.297465.40940@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 216.222.237.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147450006 31430 127.0.0.1 (12 May 2006 16:06:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 12 May 2006 16:06:46 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=216.222.237.226;
   posting-account=Ew1a8w0AAACokoiGhinsoVasyUkvVB1E
Xref: g2news2.google.com rec.radio.amateur.equipment:3989

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9724283116&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

DX-302 REALISTIC SHORTWAVE RECEIVER..MANUFACTURED IN THE EARLY 1980'S..THE DX-302 SELECTIVITY SWITCH IS A TRUE IF FILTER WITH WIDE AND NARROW..WILL ALSO RUN ON BATTERY POWER..HAS A PRESELECTOR TUNE SWITCH..30 BANDS OF 1MHZ ON THE INNER TUNING DIAL..AND THE OUTER TUNING DIAL TUNES EVERY 1 KHZ...RECEIVES FROM 050 KHZ THROUGH 30 MHZ..HAS ATTEN SWITCH TO CUT DOWN STRONG SIGNALS..AND BFO PITCH FOR LSB/USB/CW...RF GAIN AND AF GAIN/POWER SWITCH..HEADPHONE JACK AND COAX AND SCREW TYPE ANTENNA CONNECTOR..THIS RECEIVER IS IN MINT LIKE NEW CONDITION.NO SCRATCHES OR OTHER PROBLEMS WITH IT. .READOUT IS BRIGHT RED AND ALL LIGHTS ARE IN WORKING ORDER AND DIALS TURN FREELY.

This is a communications receiver that covers 10kc - 30 mc in 1 mc bands.   This radio is in MINT condition.   Original knobs, crisp lettering, cabinet and front panel are excellent.   Rear battery box is complete with battery tubes.   Large red LED readout, wide and narrow selectivity, AM/SSB/CW capable and much more make this a fun receiver.
  Original cabinet paint is PERFECT.

From 7295595876936269818
X-Google-Thread: 108122,25a8a0ac48d026b0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Seems some folks don't like ham radio towers.
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <YL29g.10$vH7.6@fe09.lga>
Date: Fri, 12 May 2006 12:32:18 -0400
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1147451512 24.47.254.156 (Fri, 12 May 2006 09:31:52 MST)
NNTP-Posting-Date: Fri, 12 May 2006 09:31:52 MST

```
Xref: g2news2.google.com rec.radio.amateur.equipment:3990

Hi all,  click on the link below or copy and paste it in your browsers
"go to" area.
Seems some folks don't like ham radio towers.

http://www.youtube.com/watch?v=aC_EeWSKJII

73



From -7804655646350313016
X-Google-Thread: 108122,25a8a0ac48d026b0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe01.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <YL29g.10$vH7.6@fe09.lga>
Subject: Re: Seems some folks don't like ham radio towers.
Lines: 13
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <J039g.9484$OZ2.1189@fe01.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 12 May 2006 16:49:45 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3991

JJ wrote:
> Hi all,  click on the link below or copy and paste it in your browsers
> "go to" area.
> Seems some folks don't like ham radio towers.
>
> http://www.youtube.com/watch?v=aC_EeWSKJII

I'm confused by the Homeowner's association statement that Federal law
overrides their restrictions.  PRB-1 doesn't obviate covenant or private
land use regulations.  If the homeowner agreed to deed restrictions on
antennas when he moved in then he should be complying with them.




From 4481052275234947818
X-Google-Thread: 108122,25a8a0ac48d026b0
X-Google-Attributes: gid108122,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 12 May 2006 12:06:58 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <YL29g.10$vH7.6@fe09.lga>
Subject: Re: Seems some folks don't like ham radio towers.
Date: Fri, 12 May 2006 11:47:35 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <utudndqkROcvXfnZ4p2dnA@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-RLmAU/ELvZ+orke1pkChibvS7hBfL+2GNEZ2Eio4Egl04jti6Av2am/
+3Jp04sbFzsrpgP/QjQ1eS0C!
rGPbqap1qVzL10a6E9NnbCTlzyBnYTyEpJ9tAj0YolqXuHTF+2GCT7DvGMsylA5HrquuB9SA1cI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3992

Many years ago in a land far, far, away.........

I had a tower up with multiple antennas on it... for the first week it was up, I left the feedlines coiled up at the bottom of the tower. I lived on a Navy base at the time and had to jump through all the hoops to put the tower up in the first place. I got a dozen complaints that first week....all were for TVI. Turned out that there was a CB'er a block over running an illegal amplifier.

.
"JJ" <jamesevns75@hotmail.com> wrote in message
news:YL29g.10$vH7.6@fe09.lga...
> Hi all, click on the link below or copy and paste it in your browsers
> "go to" area.
> Seems some folks don't like ham radio towers.
>
> http://www.youtube.com/watch?v=aC_EeWSKJII
>
> 73

From 7368908812410211461

X-Google-Thread: 108122,bad76ddf80d7736c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: "Jeff James, W2NBC" <w2nbc@optonline.net>
User-Agent: Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Buy and Sell Tube Gear!
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <YG49g.38$KQ3.31@fe11.lga>
Date: Fri, 12 May 2006 14:43:03 -0400
NNTP-Posting-Host: 68.196.6.3
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1147459384 68.196.6.3 (Fri, 12 May 2006 11:43:04 MST)
NNTP-Posting-Date: Fri, 12 May 2006 11:43:04 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.equipment:3993

The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Dedicated to Vintage Amateur Radio..

From -7894048413992311049
X-Google-Thread: 108122,25a8a0ac48d026b0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.aset.psu.edu!
news.cse.psu.edu!elk.ncren.net!newsflash.concordia.ca!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Seems some folks don't like ham radio towers.
Date: Fri, 12 May 2006 19:23:06 GMT
Organization: Sometimes
Lines: 18
Message-ID: <e42nbi$f0a$1@usenet01.srv.cis.pitt.edu>
References: <YL29g.10$vH7.6@fe09.lga> <J039g.9484$OZ2.1189@fe01.news.easynews.com>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1147461810 15370 136.142.52.106 (12 May 2006 19:23:30 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Fri, 12 May 2006 19:23:30 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.equipment:3994

In article <J039g.9484$OZ2.1189@fe01.news.easynews.com>, "Travis Jordan"
<no.one@no.net> wrote:

>JJ wrote:
>> Hi all, click on the link below or copy and paste it in your browsers
>> "go to" area.
>> Seems some folks don't like ham radio towers.
>>
>> http://www.youtube.com/watch?v=aC_EeWSKJII
>
>I'm confused by the Homeowner's association statement that Federal law
>overrides their restrictions. PRB-1 doesn't obviate covenant or private
>land use regulations. If the homeowner agreed to deed restrictions on
>antennas when he moved in then he should be complying with them.

This looks like one of those communities you can't do much of anything.
Why did he move there???

greg

From 1039537089257588297
X-Google-Thread: 108122,25a8a0ac48d026b0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe05.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <YL29g.10$vH7.6@fe09.lga> <J039g.9484$OZ2.1189@fe01.news.easynews.com>
<e42nbi$f0a$1@usenet01.srv.cis.pitt.edu>
Subject: Re: Seems some folks don't like ham radio towers.
Lines: 17
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <Ov59g.110173$JV1.68290@fe05.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 12 May 2006 19:39:26 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3995

GregS wrote:
> This looks like one of those communities you can't do much of
> anything.
> Why did he move there???

I haven't been able to find the covenants for the LakeRidge subdivision
in Lubbock online, but unless the restrictions really prohibit antennas
(and I doubt they do, the developer's comments notwithstanding) then the
ham was well within his rights to install whatever size antenna he

likes.

OTOH if the restrictions really do prohibit antennas then the ham would
have to have agreed to them at closing, and the antenna would be illegal
vis-a-vis his contract for sale. I don't think this is the case since
any casual reader of the FCC ruling (PRB-1) would know that.

From -7225192650370679612
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Radio Buff <em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
<shv8g.488$oa1.132@news02.roc.ny>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 24
Message-ID: <us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
Date: Fri, 12 May 2006 20:44:10 GMT
NNTP-Posting-Host: 4.227.154.46
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1147466650 4.227.154.46 (Fri, 12 May
2006 13:44:10 PDT)
NNTP-Posting-Date: Fri, 12 May 2006 13:44:10 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11217
rec.radio.amateur.equipment:3998 rec.radio.amateur.misc:10728
rec.radio.amateur.policy:25667 rec.radio.shortwave:34482

"Galen, W8LNA" <w8lna@arrl.net> wrote in
news:shv8g.488$oa1.132@news02.roc.ny:

> Radio Buff wrote:
>>
>> As ham radio test standards have lowered over the years, I've noted a
>> marked increase in the amount of obscenity, profanity, and indecency.
>>

>> RB
>
> At the same time the price of gasoline has gone up, the minimum wage has
> gone up, the stock market has gone up but in just about all areas of
> society mutual respect and courtesy have gone down.
>
> I think it has very little if anything at all to do with Morse code.
>
> W8LNA

And I've never heard a couple ops insult or cuss each other out in CW either.

sc

```
From -3190086834465699127
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Radio Buff <send.em@il.here>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
<3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
<1265cea4sqoqe7@corp.supernews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 57
Message-ID: <ys69g.1634$y4.611@newsread2.news.pas.earthlink.net>
Date: Fri, 12 May 2006 20:44:14 GMT
NNTP-Posting-Host: 4.227.154.46
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1147466654 4.227.154.46 (Fri, 12 May
2006 13:44:14 PDT)
NNTP-Posting-Date: Fri, 12 May 2006 13:44:14 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11218
```

rec.radio.amateur.equipment:3999 rec.radio.amateur.policy:25668 rec.radio.cb:9670
rec.radio.shortwave:34483

"Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in
news:1265cea4sqoqe7@corp.supernews.com:

> "Short Circuit" <em@il.here> wrote in message
> news:3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net...
>> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in
>> news:1262mh57s1pubbf@corp.supernews.com:
>>
>>> "Signal Chaser" <em@il.here> wrote in message
>>> news:1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net...
>>>> "an old friend" <kb9rqz@hotmail.com> wrote in
>>>> news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
>>>>
>>>>>
>>>>> Sinpo Code wrote:
>>>>>> Lancer <lancer@rock.com> wrote in
>>>>>> news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
>>>>>>
>>>>>
>>>>>>
>>>>>> I don't remember who was all in it, but one guy kept dropping the
>>>>>> soldering iron on the ground in front of people, then he'd bend
>>>>>> over slowly to pick it up again like he was hoping someone might
>>>>>> give him a poke. Disgusting.
>>>>>>
>>>>> how is any that the ARRL's fault
>>>>
>>>>
>>>> ARRL threw principle out the window when they caved in to the demands
>>>> of the Lambda Amateur Radio Club (LARC). It was a sad day for me
>>>> indeed when I opened my beloved QST magazine and there on the pages
>>>> were photos of queers on a Tropical DXpedition, and in living color
>>>> no less. The ARRL wanted us to embrace a sick perverted lifestyle
>>>> and be one big happy family. To me, it was the spark that signaled
>>>> the death of a once proud organization, and it turned liberal.
>>>>
>>>>
>>>> SC
>>>
>>> What I don't get is why we are forced to see
>>> homosexuality in areas that have nothing to do with sex, such as the
>>> example you mentioned.
>>
>>
>> Radical militant homosexuality coupled with uncontroled liberalism.
>>
>> sc
>
> What is sad is that in California they deny the Boy Scouts public park
> access, but it is OK for gays to have public sex in the same parks

> without fear of being arrested.

And ham radio, it was to send and receive phone and CW. Now we're
required to believe it acceptable to send and receive Blowjobs.

sc

```
From -2871840249035271378
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 12 May 2006 16:47:27 -0500
Date: Fri, 12 May 2006 17:47:29 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com>
<1262mkq6bjmk8df@corp.supernews.com>
<1147377776.973767.206450@q12g2000cwa.googlegroups.com>
In-Reply-To: <1147377776.973767.206450@q12g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <xOadnQxng6ryn_jZnZ2dnUVZ_tqdnZ2d@comcast.com>
Lines: 21
NNTP-Posting-Host: 24.62.153.74
X-Trace:
sv3-8oP32QqMsSxGo2faTwL0d6EjQIldUd2U6kiKnvJ+MSDP+qnXzDCYgwnuJ7qmLg81y03TnTpUzyAkON
z!v46FRh8j1Ty5QwmsCMdAPXTTvaWAa+d5VclV5oC8jjF7mzWdlQg40WKhFQW8gG3ZARitnQ02UWBP!
fjBnSRX8Gm6f0QCx+dA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11229
rec.radio.amateur.equipment:4000 rec.radio.amateur.policy:25676 rec.radio.cb:9680
rec.radio.shortwave:34489

an old friend wrote:
> Dr.Death wrote:
>
>>"Noon-Air" <Noon-Air@comcast.net> wrote in message
>>news:zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com...
>>
>
>>I guess you missed the part of the bible dealing with Sodom and Gomorra
>>being leveled because of deviant sex.
>
>
> it looks like you missed the facts fot he case Sodom and Gomora were
> leveled for the ciolations of the law of hospitality
>
> learn to read Dr

That's not my reading.  Violating the law of hospitality. Where in the
Torah is that law specifically cited?

Homosexual sex is defines as SODOMY in Western Law.




From 7515242002311982269
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!96824b94!not-for-mail
From: "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<20060506172320644400%Down@gagnet>
<telamon_spamshield-1B2945.20344106052006@newsclstr02.news.prodigy.com>
<Y%k7g.74024$gE.7086@dukeread06> <ilsr52pnia16k680t009n2i160jrerfmo6@4ax.com>
<o50s521r1ne35hendphsijoa8fjcaf7l5b@4ax.com>
Subject: Re: Elimination of CW is the only way we can make it fair
Lines: 40
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <a079g.3677$u4.1277@newsread1.news.pas.earthlink.net>
Date: Fri, 12 May 2006 22:15:34 GMT
NNTP-Posting-Host: 4.252.0.118
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147472134 4.252.0.118 (Fri, 12 May 2006 15:15:34 PDT)
NNTP-Posting-Date: Fri, 12 May 2006 15:15:34 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11231 rec.radio.amateur.equipment:4001 rec.radio.amateur.misc:10734 rec.radio.amateur.policy:25677

<Dan Richardson> wrote in message
news:o50s521r1ne35hendphsijoa8fjcaf7l5b@4ax.com...
> On Sun, 07 May 2006 06:20:02 -0700, Bill Turner <dezrat@copper.net>
> wrote:
>
>>Complete nonsense. CW testing is being phased out because CW is
>>becoming obsolete, period. Don't try to read anything more into it
>>than that.
>>
>>With all the great new digital modes available - most of which are far
>>superior to CW - forcing people to waste valuable hours learning an
>>obsolete mode is sheer folly. There are so many great things to do
>>with Amateur Radio. Do them!
>
> Quite correct Bill. Commercial and military have dropped Morse code
> for the very reasons you stated.
>
> In this day and age, requiring proficiency in Morse code for a radio
> license would be as requiring proficiency in horse husbandry in order
> to get a driver's license.
>
> Danny, K6MHE
>
>
>
>
>
> In my many years I have come to a conclusion that one
> useless man is a shame, two is a law firm, and three
> or more is a congress. - John Adams
>
> email: k6mhe<at>arrl<dot>net
> http://www.k6mhe.com/

I'll keep that in mind while I'm enjoying a CW contest at 40 plus a minute.

Dan/W4NTI

```
From -953580239973694143
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!96824b94!not-for-mail
From: "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
<61370$445cbc13$453d9423$2432@FUSE.NET>
<tb77g.11986$Lm5.649@newssvr12.news.prodigy.com> <brWdnQ3vJ8DFicDZnZ2dnUVZ_u-
dnZ2d@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <kP79g.3678$u4.2445@newsread1.news.pas.earthlink.net>
Date: Fri, 12 May 2006 22:16:48 GMT
NNTP-Posting-Host: 4.252.0.118
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147472208 4.252.0.118 (Fri, 12 May 2006
15:16:48 PDT)
NNTP-Posting-Date: Fri, 12 May 2006 15:16:48 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11232
rec.radio.amateur.equipment:4002 rec.radio.amateur.misc:10735
rec.radio.amateur.policy:25678 rec.radio.shortwave:34491
```

"Dee Flint" <deeflint01@comcast.net> wrote in message
news:brWdnQ3vJ8DFicDZnZ2dnUVZ_u-dnZ2d@comcast.com...

>
> "Cecil Moore" <mycall@hotmail.com> wrote in message
> news:tb77g.11986$Lm5.649@newssvr12.news.prodigy.com...
>> jawod wrote:
>>> I don't think it is as effectice on SSB. Of course, you can use the

>>> symbols that were derived from CW (like QTH) but I think morse code is a
>>> more direct communication in these circumstances because it doesn't
>>> involve voice/pronunciation differences between languages. The symbols
>>> are universal and immediately understood.
>>
>> Well then use PACTOR II with those symbols. PACTOR II will
>> get through when CW fails.
>> --
>
> Any rational evaluation of the modes available will show that there is a
> combination of circumstances that make a specific mode the one that will
> "get through". One can "prove" that their favorite mode is the one that
> will get through under certain conditions.
>
> Dee D. Flint, N8UZE
>

As my old timer buddy used to say " It takes two things to communicate, an
OPERATOR at both ends"

Dan/W4NTI

```
From 6308053133466217O2
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!96824b94!not-for-mail
From: "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
<61370$445cbc13$453d9423$2432@FUSE.NET>
<tb77g.11986$Lm5.649@newssvr12.news.prodigy.com> <brWdnQ3vJ8DFicDZnZ2dnUVZ_u-
dnZ2d@comcast.com> <Rga7g.73552$H71.45000@newssvr13.news.prodigy.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <zQ79g.3680$u4.2038@newsread1.news.pas.earthlink.net>
Date: Fri, 12 May 2006 22:18:07 GMT
NNTP-Posting-Host: 4.252.0.118
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147472287 4.252.0.118 (Fri, 12 May 2006
15:18:07 PDT)
NNTP-Posting-Date: Fri, 12 May 2006 15:18:07 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11233
rec.radio.amateur.equipment:4003 rec.radio.amateur.misc:10737
rec.radio.amateur.policy:25680 rec.radio.shortwave:34492


"Cecil Moore" <mycall@hotmail.com> wrote in message
news:Rga7g.73552$H71.45000@newssvr13.news.prodigy.com...
> Dee Flint wrote:
>> Any rational evaluation of the modes available will show that there is a
>> combination of circumstances that make a specific mode the one that will
>> "get through".  One can "prove" that their favorite mode is the one that
>> will get through under certain conditions.
>
> I have seen PACTOR II get through from Europe with 10 watts
> when there was no humanly detectable signal. All I did was
> choose the correct frequency and time based on a schedule.
> I detected absolutely no carrier on the S-meter or with
> my ears in CW mode. The PACTOR II signal was literally
> down in the noise but my SCS PTC-IIe somehow managed
> to dig it out.
> --
> 73, Cecil  http://www.qsl.net/w5dxp

Lots of operator skill there,  eh Cecil?

Let them thar machines do it.  Gives us more time to watch TV and improve
our watching techniques.

Yeah buddy.

Dan/W4NTI





From 5528991410323313817
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!96824b94!not-for-mail
From: "Dan/W4NTI" <w4nti@mindNOSPAMATALLspring.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
Date: Fri, 12 May 2006 22:24:24 GMT
NNTP-Posting-Host: 4.252.0.118
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147472664 4.252.0.118 (Fri, 12 May 2006 15:24:24 PDT)
NNTP-Posting-Date: Fri, 12 May 2006 15:24:24 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11234
rec.radio.amateur.equipment:4004 rec.radio.amateur.misc:10738
rec.radio.amateur.policy:25681 rec.radio.shortwave:34493

"an_old_friend" <konstans@hotmail.com> wrote in message
news:1147047627.949564.83230@y43g2000cwc.googlegroups.com...
>
> Dave wrote:
>> Silent Key wrote:
>>
>> > What's the purpose of ham radio, To have fun talking about rigs and
>> > weather, or to be able to communicate?
>> >
>> >SNIPPED
> the activity.
>>
>> It is NOT to open a box, plug it in, connect a wire, and, when it
>> doesn't work, get on the internet and ask for help.
>>
>> I advocate for a code test for the following reason. I value what I have
>> to plan for, work for, sacrifice for, and invest my time for.
>>
>> I value the reward for 18 months of practicing Morse Code every night
>> for one hour a night. That's an investment.
> i just wanta return on my 5 years investment I have nothing to show
> for it

>

Now that does not surprise me one bit.

Have a good life loser.

Dan/W4NTI

```
From -4312235800878627748
X-Google-Thread: 108122,25a8a0ac48d026b0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!feeder.xsnews.nl!
feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-
ams-03!sn-ams!sn-feed-ams-01!sn-post-ams-01!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Seems some folks don't like ham radio towers.
Date: Fri, 12 May 2006 16:48:57 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <2u6a6298e1hv318d64hl8idhqt1qfu0fst@4ax.com>
References: <YL29g.10$vH7.6@fe09.lga>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news2.google.com rec.radio.amateur.equipment:4005
```

On Fri, 12 May 2006 12:32:18 -0400, JJ <jamesevns75@hotmail.com>
wrote:

```
>Hi all,  click on the link below or copy and paste it in your browsers
>"go to" area.
>Seems some folks don't like ham radio towers.
>
>http://www.youtube.com/watch?v=aC_EeWSKJII
>
>73
```

They may sing a different tune when it is their hind-end that needs help in an emergency. Although I think if I were him I would put up a smaller beam just to be a little more considerate of the type of neighborhood he is in.

I knew the neighbors didn't really like my tower and antennas, and I recently took the tri-band beam down because I was going to concentrate on 40 & 80 during the sunspot low. I may put it up again one day, but for now I think they appreciate having just the 2-meter beam on the tower. Of course I don't live in an area like that ham. If I did, I probably wouldn't put up a tower in the first place. Different strokes for different folks.

```
From -2121536393424588822
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d71g2000cwd.googlegroups.com!not-for-
mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 12 May 2006 18:37:49 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1147484269.470149.322240@d71g2000cwd.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com>
   <1262mkq6bjmk8df@corp.supernews.com>
   <1147377776.973767.206450@q12g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.225.236.163
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147484274 32368 127.0.0.1 (13 May 2006 01:37:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 May 2006 01:37:54 +0000 (UTC)
In-Reply-To: <1147377776.973767.206450@q12g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d71g2000cwd.googlegroups.com; posting-host=69.225.236.163;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:11240
rec.radio.amateur.equipment:4006 rec.radio.amateur.policy:25686 rec.radio.cb:9701
rec.radio.shortwave:34503
```

AOF - Hospitality ? { Bible ? }
Welcome Brother and Bend-Over Brother are not the same [.]
Put that in your Sodom and Blow it out your Gomora ~ RHF

```
  .
  .
. .



From 6798831536173661855
X-Google-Thread: 108122,85766b1d9b283393,start
X-Google-Thread: 108228,85766b1d9b283393,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 12 May 2006 22:07:56 -0500
Subject: FA: 1-Day-Left: 6 PROFESSIONAL ELECTRONICS Books: CMOS, Microprocessors,
Microprogramming, Digital, Devices, etc.
Date: Fri, 12 May 2006 23:07:56 -0400
From: Chris <chris@sjlkoiwjso.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <12052006230756487l%chris@sjlkoiwjso.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-DbpjsNtfvXHLdnTnaqy+L43AEnhz1vGhj/
Ku0ImkH7bps1F561ycTC9TlwlFwUYVxSqGCuXP1ncDBnf!fHriC/JqbkZ4dm/
86Om3+L33Dqd3hT9JilSKRf1eLp6vhfpy+WenIEKU5HYF5u6yrWleQiUAcv2K!LXCK9b3MbLZbZV/
5Fva7fcM=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4007 alt.ham-
radio.marketplace:917


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4638260003


From 5118098061857839311
X-Google-Thread: 108122,322c26b1bfd87b41,start
X-Google-Thread: 108228,322c26b1bfd87b41,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 12 May 2006 22:10:29 -0500
```

```
Subject: FA: 1-Day-Left: 4 ELECTRONICS Books: ELECTRONICS - ELECTRICITY - CIRCUIT
ANALYSIS, etc.
Date: Fri, 12 May 2006 23:10:29 -0400
From: Chris <chris@sjlkoiwjso.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <120520062310294057%chris@sjlkoiwjso.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
em7rQUMfjUFe1DITz2c+bmMYPNK9I13leWKjGGCzNRIz6WmF8Yqa5DUb5+iWIFbGmUiH3kaGjJd7jMT!
Z91+qIxodD8OaoanD4iN2TMf7i0Qkp/YXrTF97ypW7UKhg0VeXCAzkvOmP9t6t1xA7ahEcbl5TAe!
fTGTFovtrxdhMaugznHyTsw=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4008 alt.ham-
radio.marketplace:918


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4638269078


From 5982492354136376397
X-Google-Thread: 108228,d9ba3161ecd53ee9,start
X-Google-Thread: 108122,d9ba3161ecd53ee9,start
X-Google-Thread: 1109af,d9ba3161ecd53ee9,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!opentransit.net!cox.net!news-xfer.cox.net!p01!fed1read09.POSTED!
53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT750 UHF403-470MHZ-16CH-4WATT+RAPID CHGR-NICE
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C6760D.5D1AFCE0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <zvd9g.3334$_m5.2022@fed1read09>
Date: Fri, 12 May 2006 21:45:19 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
```

```
X-Trace: fed1read09 1147495519 68.96.227.248 (Sat, 13 May 2006 00:45:19 EDT)
NNTP-Posting-Date: Sat, 13 May 2006 00:45:19 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:919
rec.radio.amateur.equipment:4009 rec.radio.swap:4010

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C6760D.5D1AFCE0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT750 UHF403-470MHZ-16CH-4WATT+RAPID CHGR-NICE

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D250000281149&=
ssPageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C6760D.5D1AFCE0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT750 UHF403-470MHZ-16CH-4WATT+RAPID CHGR-NICE</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D250000281149&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBa=
yISAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D250000281149&amp;ssPageName=3DS=
TRK:MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C6760D.5D1AFCE0--




From -6071970667195247276
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!green.octanews.net!news-
out.octanews.net!mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
```

postnews3.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: balme the posters
From: Steveo <moparholic@hotmail.com>
Organization: organic/synthetic
Message-ID: <20060513005318.407$ON@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net> <44613917.7090602@fuse.net>
<1147222719.534150.40150@v46g2000cwv.googlegroups.com>
<1147370600.313187.187500@j73g2000cwa.googlegroups.com>
<20060511173236.371$IB@newsreader.com> <4463FE87.8090706@fuse.net>
X-NRC-Trace: NewsReader.Com fW52sREXHy.BL1oq8UBSUCC.YwjYsFvXkk-+y1BzSa/ff@jRWT
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 13 May 2006 04:35:28 GMT
Lines: 25
NNTP-Posting-Host: 98839bba.nr3.newsreader.com
X-Trace: DXC=i4R8YF_Hok6M@n^[Ff4^L1OA8_@f\K_i2O3l?
gPj53>5=7BkikUZjb<Nd7biGRhQT7YA@MLbHKH8=B>I7]aFSjF5
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:11246
rec.radio.amateur.equipment:4010 rec.radio.amateur.policy:25692 rec.radio.cb:9707
rec.radio.shortwave:34522

jawod <jawod@fuse.net> wrote:
> Steveo wrote:
> > "John S." <hjsjms@cs.com> wrote:
> >
> >>I could blame Stefan Balme for opening the jar of balm so quickly that
> >>it went blam after he landed at El Bamel airport, but Mr. Balme would
> >>probably not want someone to balme (or embalme) him.
> >>
> >>(try spel chek)
> >>
> >>
> >
> > With a Pair of heavy-duty
> > Zircon-encrusted tweezers in my hand
> > Every other wrangler would say
> > I was mighty grand
> >
> > By myself I wouldn't
> > Have no boss
> >
> > But I'd be raisin' my lonely Dental Floss ($1 F Zappa)
>
> Yippie-ay-yo-ti-yaaaa

```
>
Goin' to Montana!


From 2690046690563373991
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net!usenet
From: "Dudley" <Shooter@nowhere.up>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: balme the posters
Date: 13 May 2006 05:52:03 GMT
Organization: "Altopia Corp. - Usenet Access - www.altopia.com"
Lines: 32
Message-ID: <e43s63$e9p$0@pita.alt.net>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net> <44613917.7090602@fuse.net>
<1147222719.534150.40150@v46g2000cwv.googlegroups.com>
<1147370600.313187.187500@j73g2000cwa.googlegroups.com>
<20060511173236.371$IB@newsreader.com> <4463FE87.8090706@fuse.net>
<20060513005318.407$ON@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:11248
rec.radio.amateur.equipment:4011 rec.radio.amateur.policy:25693 rec.radio.cb:9708
rec.radio.shortwave:34531


"Steveo" <moparholic@hotmail.com> wrote in message
news:20060513005318.407$ON@newsreader.com...
jawod <jawod@fuse.net> wrote:
> Steveo wrote:
> > "John S." <hjsjms@cs.com> wrote:
> >
> >>I could blame Stefan Balme for opening the jar of balm so quickly that
> >>it went blam after he landed at El Bamel airport, but Mr. Balme would
> >>probably not want someone to balme (or embalme) him.
> >>
> >>(try spel chek)
> >>
> >>
> >
> > With a Pair of heavy-duty
> > Zircon-encrusted tweezers in my hand
> > Every other wrangler would say
> > I was mighty grand
> >
> > By myself I wouldn't
> > Have no boss
> >
> > But I'd be raisin' my lonely Dental Floss ($1 F Zappa)
>
> Yippie-ay-yo-ti-yaaaa
>
Goin' to Montana!

Gonna raise me up some dental floss...




From -2920870715424336502
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news-out.octanews.net!
mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: balme the posters
From: Steveo <moparholic@hotmail.com>
Organization: organic/synthetic
Message-ID: <20060513020218.084$WN@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net> <44613917.7090602@fuse.net>
<1147222719.534150.40150@v46g2000cwv.googlegroups.com>
<1147370600.313187.187500@j73g2000cwa.googlegroups.com>
<20060511173236.371$IB@newsreader.com> <4463FE87.8090706@fuse.net>
<20060513005318.407$ON@newsreader.com> <e43s63$e9p$0@pita.alt.net>
X-NRC-Trace: NewsReader.Com F6ac@B=z,T9o6gsza78iMvU.2b3cAF8Pg+4EvyPfSa/fz.XxLv
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 13 May 2006 05:44:27 GMT
```

```
Lines: 37
NNTP-Posting-Host: 98f66c71.nr3.newsreader.com
X-Trace: DXC=[T93R;c^TZkVj5PQfF\PTgOA8_@f\K_ibO3l?
gPj53>e<bY:oo7VP0`Nd7biGRhQTgabI[<ZWSB4ailao:dKbMka
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:11249
rec.radio.amateur.equipment:4012 rec.radio.amateur.policy:25695 rec.radio.cb:9710
rec.radio.shortwave:34532

"Dudley" <Shooter@nowhere.up> wrote:
> "Steveo" <moparholic@hotmail.com> wrote in message
> news:20060513005318.407$ON@newsreader.com...
> jawod <jawod@fuse.net> wrote:
> > Steveo wrote:
> > > "John S." <hjsjms@cs.com> wrote:
> > >
> > >>I could blame Stefan Balme for opening the jar of balm so quickly
> > >>that it went blam after he landed at El Bamel airport, but Mr. Balme
> > >>would probably not want someone to balme (or embalme) him.
> > >>
> > >>(try spel chek)
> > >>
> > >>
> > >
> > > With a Pair of heavy-duty
> > > Zircon-encrusted tweezers in my hand
> > > Every other wrangler would say
> > > I was mighty grand
> > >
> > > By myself I wouldn't
> > > Have no boss
> > >
> > > But I'd be raisin' my lonely Dental Floss ($1 F Zappa)
> >
> > Yippie-ay-yo-ti-yaaaa
> >
> Goin' to Montana!
>
> Gonna raise me up some dental floss...
>
And then I'd Get a cuppa cawfee

N' give my foot a push...

Just me 'n the pymgy pony
Over the Dennil Floss Bush


From -7213912722857784836
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
```

X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.alt.net!usenet
From: "Lloyd II" <CurtainsBoy@Glendale.uz>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: balme the posters
Date: 13 May 2006 07:59:47 GMT
Organization: "Altopia Corp. - Usenet Access - www.altopia.com"
Lines: 39
Message-ID: <e443lj$a3j$0@pita.alt.net>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net> <44613917.7090602@fuse.net>
<1147222719.534150.40150@v46g2000cwv.googlegroups.com>
<1147370600.313187.187500@j73g2000cwa.googlegroups.com>
<20060511173236.371$IB@newsreader.com> <4463FE87.8090706@fuse.net>
<20060513005318.407$ON@newsreader.com> <e43s63$e9p$0@pita.alt.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:11250
rec.radio.amateur.equipment:4013 rec.radio.amateur.policy:25696 rec.radio.cb:9712
rec.radio.shortwave:34541

"Dudley" <Shooter@nowhere.up> wrote in message
news:e43s63$e9p$0@pita.alt.net...

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060513005318.407$ON@newsreader.com...
jawod <jawod@fuse.net> wrote:
> Steveo wrote:
> > "John S." <hjsjms@cs.com> wrote:
> >
> >>I could blame Stefan Balme for opening the jar of balm so quickly that
> >>it went blam after he landed at El Bamel airport, but Mr. Balme would
> >>probably not want someone to balme (or embalme) him.
> >>
> >>(try spel chek)
> >>
> >>
> >
> > With a Pair of heavy-duty
> > Zircon-encrusted tweezers in my hand
> > Every other wrangler would say
> > I was mighty grand
> >

```
> > By myself I wouldn't
> > Have no boss
> >
> > But I'd be raisin' my lonely Dental Floss ($1 F Zappa)
>
> Yippie-ay-yo-ti-yaaaa
>
Goin' to Montana!

Gonna raise me up some dental floss...

>
"Just me and my Pygmy pony..."
```

```
From -6868610692380428857
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 May 2006 04:07:36 -0500
From: "Terry Steer" <terry.steer@btinternet.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
<shv8g.488$oa1.132@news02.roc.ny>
<us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sat, 13 May 2006 10:07:42 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <kbydne3XbsdFPPjZRVnygw@bt.com>
Lines: 31
NNTP-Posting-Host: 86.128.250.205
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-Y5u2IcT34Reqsf9TELUpepeP+095C6wA2kFXtXtY6uoZ0FJTd564T9U4ywnOr9on/
1U+HqTN//UEQrj!3Tq4+Z5Mai6Ncbl13+yoNMYZHHLeQQsdpxBAPusOa3QdtrfHw4BU5eR2sFD/Juk=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11251
rec.radio.amateur.equipment:4014 rec.radio.amateur.misc:10743
rec.radio.amateur.policy:25698 rec.radio.shortwave:34543

"Radio Buff" <em@il.here> wrote in message
news:us69g.1632$y4.1107@newsread2.news.pas.earthlink.net...
> "Galen, W8LNA" <w8lna@arrl.net> wrote in
> news:shv8g.488$oa1.132@news02.roc.ny:
>
>> Radio Buff wrote:
>>>
>>> As ham radio test standards have lowered over the years, I've noted a
>>> marked increase in the amount of obscenity, profanity, and indecency.
>>>
>>> RB
>>
>> At the same time the price of gasoline has gone up, the minimum wage has
>> gone up, the stock market has gone up but in just about all areas of
>> society mutual respect and courtesy have gone down.
>>
>> I think it has very little if anything at all to do with Morse code.
>>
>> W8LNA
>
>
>
> And I've never heard a couple ops insult or cuss each other out in CW
> either.

> sc

How about: ZBK2 I am receiving your traffic garbled
      ZBM2 Place a competent operator on this circuit




From -4135798554643516724
X-Google-Thread: 108122,e7baf48f5eac6e86,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 May 2006 06:50:42 -0500
From: "burt" <k1oik@comcast.net>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: For Auction: Kenwood Service Manual
Date: Sat, 13 May 2006 07:51:06 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <HMudna7c3raPVfjZnZ2dnUVZ_uWdnZ2d@comcast.com>
Lines: 4
NNTP-Posting-Host: 24.60.242.52
X-Trace: sv3-H2luCsg0D/vTzidhUKWCbm18aTMLFV3eJTF/zbQrrYRX4VsGrnNLH9ESnG/
gSQ2XTiWRx63gAuFgupH!
U4R3ICHnJbc3tm9bbmqSLmWL9wtxyDVA1pkG9mayYNNEojIeotFnsrX8HJC4u4hGZdYYXSd+iZTu!w7DG/
QCz
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4015

For Auction: Kenwood Service Manual
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9724583900&ssPageName=ADME:L:DS:US:8




From -5281083455453515027
X-Google-Thread: 108122,2c6fc05129378f05,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 May 2006 06:52:20 -0500
From: "burt" <k1oik@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: For Auction: Power Supply
Date: Sat, 13 May 2006 07:52:44 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <i_adnSKNuIzpVfjZRVn-jw@comcast.com>
Lines: 4
NNTP-Posting-Host: 24.60.242.52
X-Trace: sv3-2j7Ma45rKMx+GMnS1Z8/
HvCjzhY0CTbak0FffpsuGwK7nz02vRth3lOAPDi4LrB+lQzTylqJ+WHkVZD!
AVpynCbX1hGbFRoUPR9jppmvUiSLiSp4FcmWEYE1ekHit9gEzjAhO28OwQ0AQrV+V2u2+I8=
X-Complaints-To: abuse@comcast.net
```

X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4016

For Auction: Power Supply
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9724577245&ssPageName=ADME:L:DS:US:8

From -7980041346002070165
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is the only way we can make it fair
Date: Sat, 13 May 2006 08:14:30 -0700
Reply-To: noway@nohow.com
Message-ID: <lrtb62p27nc52faq2ac92550c69hglr2j6@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<20060506172320644408%Down@gagnet>
<telamon_spamshield-1B2945.20344106052006@newsclstr02.news.prodigy.com>
<Y%k7g.74024$gE.7086@dukeread06> <ilsr52pnia16k680t009n2i160jrerfmo6@4ax.com>
<o50s521r1ne35hendphsijoa8fjcaf7l5b@4ax.com>
<aO79g.3677$u4.1277@newsread1.news.pas.earthlink.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node203-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1147533074 63.93.75.203 (13 May 2006 10:11:14 -0500)
Lines: 17
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.203
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news.moat.net!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:11256
rec.radio.amateur.equipment:4017 rec.radio.amateur.misc:10750
rec.radio.amateur.policy:25705

ORIGINAL MESSAGE:

On Fri, 12 May 2006 22:15:34 GMT, "Dan/W4NTI"

```
 <w4nti@mindNOSPAMATALLspring.com> wrote:

>I'll keep that in mind while I'm enjoying a CW contest at 40 plus a minute.
>
>Dan/W4NTI
>

*********** REPLY SEPARATOR ***********

Some people enjoy making horse shoes the old way on an anvil. Should
that be a required skill for getting a driver's license?

Bill, W6WRT




From 8624205257603040876
X-Google-Thread: 1109af,c602a9f590e2e24f,start
X-Google-Thread: 108122,c602a9f590e2e24f,start
X-Google-Thread: 108228,c602a9f590e2e24f,start
X-Google-Thread: 107ada,c602a9f590e2e24f,start
X-Google-Attributes: gid1109af,gid108122,gid108228,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: omicron@icnet.net
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.amateur.misc
Subject: Icom IC-471A, IC-271H,  Yaesu FT290R, FT301S,  FV301
Date: 13 May 2006 10:33:52 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1147541632.247261.156490@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 24.249.100.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147541637 30835 127.0.0.1 (13 May 2006 17:33:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 May 2006 17:33:57 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=24.249.100.36;
   posting-account=Sr-2sQwAAADDy6gJ6zXrTDPOpjYo9yVX
Xref: g2news2.google.com rec.radio.swap:4013 rec.radio.amateur.equipment:4018
alt.ham-radio.marketplace:922 rec.radio.amateur.misc:10755

Thought someone here might be interested

Tech Specials end Sunday Night.

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZka5vat
```

```
From -4250082678331265922
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<lbx6g.220$I75.146@fe02.lga>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <Nep9g.21645$Qq.18939@tornado.texas.rr.com>
Date: Sat, 13 May 2006 18:06:37 GMT
NNTP-Posting-Host: 24.175.14.188
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1147543597 24.175.14.188 (Sat, 13 May 2006 13:06:37
CDT)
NNTP-Posting-Date: Sat, 13 May 2006 13:06:37 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.antenna:11265
rec.radio.amateur.equipment:4019 rec.radio.amateur.misc:10757
rec.radio.amateur.policy:25711 rec.radio.shortwave:34567


"Brian Hill" <good@it.net> wrote in message
news:lbx6g.220$I75.146@fe02.lga...
>
> "Silent Key" <cw.h@m.bands> wrote in message
> news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>>
>> To be able to communicate when no one else can communicate and to advance
>> radio knowledge & theory?
>>
>> What does part 97 say about this?   Why does the ARRL ignore it?
```

```
>>
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>>
>> SC
>
> Nobody said you had to quit. Keep pounding.
>
> BH
>

Check your clock and date. It is not yet June.




From 3375741227359205050
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: blame the posters
Date: 13 May 2006 12:36:25 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1147548985.630350.142830@j73g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com>
   <1262mkq6bjmk8df@corp.supernews.com>
   <1147377776.973767.206450@q12g2000cwa.googlegroups.com>
   <xOadnQxng6ryn_jZnZ2dnUVZ_tqdnZ2d@comcast.com>
NNTP-Posting-Host: 66.82.9.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147548990 19293 127.0.0.1 (13 May 2006 19:36:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 May 2006 19:36:30 +0000 (UTC)
In-Reply-To: <xOadnQxng6ryn_jZnZ2dnUVZ_tqdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=66.82.9.67;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11270
rec.radio.amateur.equipment:4020 rec.radio.amateur.policy:25714 rec.radio.cb:9718
rec.radio.shortwave:34570


Dave wrote:
> an old friend wrote:
> > Dr.Death wrote:
> >
> >>"Noon-Air" <Noon-Air@comcast.net> wrote in message
> >>news:zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com...
> >>
> >
> >>I guess you missed the part of the bible dealing with Sodom and Gomorra
> >>being leveled because of deviant sex.
> >
> >
> > it looks like you missed the facts fot he case Sodom and Gomora were
> > leveled for the ciolations of the law of hospitality
> >
> > learn to read Dr
>
> That's not my reading.  Violating the law of hospitality. Where in the
> Torah is that law specifically cited?

that is the tlamund man and comeary of many rabbis
>
> Homosexual sex is defines as SODOMY in Western Law.
well that the west has beciome confused is not my problem



From -6140142655361835703
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 13 May 2006 12:39:21 -0700
```

```
Organization: http://groups.google.com
Lines: 35
Message-ID: <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147549169 19099 127.0.0.1 (13 May 2006 19:39:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 13 May 2006 19:39:29 +0000 (UTC)
In-Reply-To: <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=66.82.9.67;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11271
rec.radio.amateur.equipment:4021 rec.radio.amateur.misc:10759
rec.radio.amateur.policy:25716 rec.radio.shortwave:34571
```

Dan/W4NTI wrote:

```
> "an_old_friend" <konstans@hotmail.com> wrote in message
> news:1147047627.949564.83230@y43g2000cwc.googlegroups.com...
> >
> > Dave wrote:
> >> Silent Key wrote:
> >>
> >> > What's the purpose of ham radio, To have fun talking about rigs and
> >> > weather, or to be able to communicate?
> >> >
> >> >SNIPPED
> > the activity.
> >>
> >> It is NOT to open a box, plug it in, connect a wire, and, when it
> >> doesn't work, get on the internet and ask for help.
> >>
> >> I advocate for a code test for the following reason. I value what I have
> >> to plan for, work for, sacrifice for, and invest my time for.
> >>
> >> I value the reward for 18 months of practicing Morse Code every night
> >> for one hour a night. That's an investment.
> > i just wanta  return on my 5 years investment I have nothing to show
> > for it
> >
>
> Now that does not surprise me one bit.
>
> Have a good life loser.
```

```
that I am wise enoughto want a reutn opn my investment makes me a
loser?
>
> Dan/W4NTI



From 4114012641387699810
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 13 May 2006 16:34:43 -0500
Date: Sat, 13 May 2006 17:34:45 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com>
<1262mkq6bjmk8df@corp.supernews.com>
<1147377776.973767.206450@q12g2000cwa.googlegroups.com>
<xOadnQxng6ryn_jZnZ2dnUVZ_tqdnZ2d@comcast.com>
<1147548985.630350.142830@j73g2000cwa.googlegroups.com>
In-Reply-To: <1147548985.630350.142830@j73g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <AvqdnSfeXv5uzfvZRVn-sQ@comcast.com>
Lines: 16
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-pz5mBzEbunMv7jpcufnWJYPmyeaG0Q2M+WCsZ2crPSqBBVkWqtQ6sGA55JIG/
WF2TL2ngfpm3YrUcax!P7jDwlLJ709JcdyHe7jtc4+Uq403Yqgz2VS+5+wgXjLyTlkHsj0WF98rPtwFUl/
plcBDzt/TADd6!KXKVZw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11276
rec.radio.amateur.equipment:4022 rec.radio.amateur.policy:25723 rec.radio.cb:9725
rec.radio.shortwave:34592

an_old_friend wrote:

SNIPPED
>
> that is the tlamund man and comeary of many rabbis
>
>>Homosexual sex is defines as SODOMY in Western Law.
>
> well that the west has beciome confused is not my problem
>

I hope you mean TALMUD!

Does the TALMUD have the same broad based acceptance in Judaism as the
TORAH?

From 5061297933142055943
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Radio Buff <em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
<shv8g.488$oa1.132@news02.roc.ny>
<us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
<kbydne3XbsdFPPjZRVnygw@bt.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 38
Message-ID: <kRs9g.2131$y4.1708@newsread2.news.pas.earthlink.net>
Date: Sat, 13 May 2006 22:12:32 GMT
NNTP-Posting-Host: 4.227.160.24

```
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1147558352 4.227.160.24 (Sat, 13 May
2006 15:12:32 PDT)
NNTP-Posting-Date: Sat, 13 May 2006 15:12:32 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11277
rec.radio.amateur.equipment:4023 rec.radio.amateur.misc:10764
rec.radio.amateur.policy:25724 rec.radio.shortwave:34603

"Terry Steer" <terry.steer@btinternet.com> wrote in
news:kbydne3XbsdFPPjZRVnygw@bt.com:

> "Radio Buff" <em@il.here> wrote in message
> news:us69g.1632$y4.1107@newsread2.news.pas.earthlink.net...
>> "Galen, W8LNA" <w8lna@arrl.net> wrote in
>> news:shv8g.488$oa1.132@news02.roc.ny:
>>
>>> Radio Buff wrote:
>>>>
>>>> As ham radio test standards have lowered over the years, I've noted a
>>>> marked increase in the amount of obscenity, profanity, and indecency.
>>>>
>>>> RB
>>>
>>> At the same time the price of gasoline has gone up, the minimum wage
>>> has gone up, the stock market has gone up but in just about all areas
>>> of society mutual respect and courtesy have gone down.
>>>
>>> I think it has very little if anything at all to do with Morse code.
>>>
>>> W8LNA
>>
>>
>>
>> And I've never heard a couple ops insult or cuss each other out in CW
>> either.
>
>> sc
>
> How about: ZBK2 I am receiving your traffic garbled
>       ZBM2 Place a competent operator on this circuit



That's not an insult.

sc


From 197311459468333111
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
```

```
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Slow Code <em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 44
Message-ID: <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
Date: Sat, 13 May 2006 22:12:33 GMT
NNTP-Posting-Host: 4.227.160.24
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1147558353 4.227.160.24 (Sat, 13 May
2006 15:12:33 PDT)
NNTP-Posting-Date: Sat, 13 May 2006 15:12:33 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11278
rec.radio.amateur.equipment:4024 rec.radio.amateur.misc:10765
rec.radio.amateur.policy:25725 rec.radio.shortwave:34604

"an_old_friend" <konstans@hotmail.com> wrote in
news:1147549161.064623.59130@j33g2000cwa.googlegroups.com:

>
> Dan/W4NTI wrote:
>> "an_old_friend" <konstans@hotmail.com> wrote in message
>> news:1147047627.949564.83230@y43g2000cwc.googlegroups.com...
>> >
>> > Dave wrote:
>> >> Silent Key wrote:
>> >>
>> >> > What's the purpose of ham radio, To have fun talking about rigs
>> >> > and weather, or to be able to communicate?
>> >> >
>> >> >SNIPPED
>> > the activity.
>> >>
>> >> It is NOT to open a box, plug it in, connect a wire, and, when it
>> >> doesn't work, get on the internet and ask for help.
>> >>
>> >> I advocate for a code test for the following reason. I value what I
>> >> have to plan for, work for, sacrifice for, and invest my time for.
>> >>
>> >> I value the reward for 18 months of practicing Morse Code every
>> >> night for one hour a night. That's an investment.
>> > i just wanta  return on my 5 years investment I have nothing to show
>> > for it
>> >
>>
>> Now that does not surprise me one bit.
>>
>> Have a good life loser.
>
> that I am wise enoughto want a reutn opn my investment makes me a
> loser?


I have a request OM.  Could you please proof-read your posts before you
hit the send button?   Tnx in advance.


73

sc


From 4573581874076999845
X-Google-Thread: fa029,c18faa13450079f0,start
X-Google-Thread: 108122,c18faa13450079f0,start
X-Google-Thread: 107ada,c18faa13450079f0,start
X-Google-Thread: 106d41,c18faa13450079f0,start
X-Google-Thread: 10bf43,c18faa13450079f0,start
X-Google-Thread: f64c6,c18faa13450079f0,start
X-Google-Thread: fcc6e,c18faa13450079f0,start
X-Google-Attributes:
gidfa029,gid108122,gid107ada,gid106d41,gid10bf43,gidf64c6,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feeder.xsnews.nl!sn-
ams-06!sn-xt-ams-05!sn-ams!sn-feed-ams-02!sn-post-ams-02!sn-post-ams-01!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: DeserTBoB <desertb@rglobal.net>
Newsgroups:
rec.radio.scanner,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.cb,
rec.radio.amateur.policy,uk.radio.amateur,rec.radio.amateur.antenna
Subject: REALISTIC DX-302 HAM-SHORTWAVE RECEIVER-MINT-$150
Date: Sat, 13 May 2006 18:12:13 -0700
Organization: Add an "ob1" to the name...NO SPAM!
Message-ID: <mj0d62p832q4sl1bqfp2ebnta69gd263f5@4ax.com>
Reply-To: desertb@rglobal.net
References: <ncsa62dgbr0m5ilc2c603hfadkfb90s2fi@4ax.com>
<35ta62dep5v9egl3sior4v1jo6mf7nnpc1@4ax.com>
<ljpb629d65hcvh28575f1ho1c3cfb6v2iq@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news2.google.com rec.radio.scanner:3316 rec.radio.amateur.equipment:4025 rec.radio.amateur.misc:10770 rec.radio.cb:9730 rec.radio.amateur.policy:25731 uk.radio.amateur:38340 rec.radio.amateur.antenna:11287

>On 12 May 2006 at 09:09:07 -700, "Charlie Nudo"
<winchester1886@hotmail.com> spammed:

http://cgi.ebay<snip>

STOP THIS SPAMMER!

Google Groupers:

Go to the original post with this subject, click on "Show Options," click on "Show Original," cut and paste the whole message including headers, and send in a spam complaint to:

groups-abuse"AT"google.com
abuse"AT"epix.net
spam"AT"ebay.com (Spammer's eBay account is "66fourdoor")

This spammer shows up under various trash (MAPI) email accounts:

trippin28track"AT"yahoo.com
winchester1886"AT"hotmail.com
nativebrookie"AT"hotmail.com

Due to Google Groups shutting down some of his other MAPI accounts, the fool is now also spamming from his own POP3 accounts:

analog"AT"epix.net
bb69"AT"epix.net

His home ISP is Epix. His main POP3 account is thenudofamily"AT"epix.net. ALL his spam eminates from Epix IP blocks.

Those using real newsreaders will already know what to do with this spamming pest and eBay fraudster. His spam posts are a violation of eBay's Terms of Service pertaining to Usenet Policy. Be sure to include that in your report to eBay.

From 3933542728817112870
X-Google-Thread: 108122,83d33dfdafa55077,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "Roberto" <freda@terra.com.br>
Newsgroups: rec.radio.amateur.equipment

```
Subject: tx error
Date: 13 May 2006 20:32:04 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1147577524.667357.50650@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 200.180.191.210
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147577529 2069 127.0.0.1 (14 May 2006 03:32:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 14 May 2006 03:32:09 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=200.180.191.210;
   posting-account=12aY3Q0AAACfqdueeQBA5-iJYSmkDMh0
Xref: g2news2.google.com rec.radio.amateur.equipment:4026
```

I have just bought an yaesu vx-7r HT and I keep getting the "tx error"
when I try to send a voice message. What is happening?

```
From -7342877168587764732
X-Google-Thread: 108122,83d33dfdafa55077
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sun, 14 May 2006 00:19:58 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
References: <1147577524.667357.50650@u72g2000cwu.googlegroups.com>
Subject: Re: tx error
Date: Sun, 14 May 2006 06:16:58 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <UvydnZfilIljIPvZnZ2dnUVZ8smdnZ2d@bt.com>
Lines: 4
NNTP-Posting-Host: 86.137.120.7
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
y5V+25LLvw2QfzZXI5tBZ9vC28ZYyjrEcs+h6QgNpDSPh08L8WuyAXdTc+dLNNsZK3mHfFnVepeP2Yu!
G6y3aE+V7FlGBs5CZz9+znR/wvz78eLI7OBW3x6ltoPcIoG+bZ7QcwnO9GyrVLp0wOkCLymUkQ==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4027
```

Praps you should have asked the salesman before you bought it.

```
From 8501847568039071349
X-Google-Thread: 108122,83d33dfdafa55077
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 14 May 2006 00:37:41 -0500
Newsgroups: rec.radio.amateur.equipment
From: Ben Jackson <ben@ben.com>
Subject: Re: tx error
References: <1147577524.667357.50650@u72g2000cwu.googlegroups.com>
Message-ID: <slrne6dgh5.1jkl.ben@saturn.home.ben.com>
User-Agent: slrn/0.9.8.0 (FreeBSD)
Date: Sun, 14 May 2006 00:37:41 -0500
Lines: 10
NNTP-Posting-Host: 67.189.64.253
X-Trace: sv3-GzepQVmh9WIttIZuTggI4xz3+8HqS1YImtnoOS/
wmmVHE5cR8fQrvQWt+HzlpXbK7W819KT9Rn9Jwx1!
NOpq3QiAPvTYwQydT6VcwTi8bwVKog1HnnyNiXccyNDqdBbT27Ixl5NVPjKiRFajzi/ucHQWvG+N!xSVM
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:4028
```

On 2006-05-14, Roberto <freda@terra.com.br> wrote:

> I have just bought an yaesu vx-7r HT and I keep getting the "tx error"
> when I try to send a voice message. What is happening?

You're on a frequency you can't transmit on.

--
Ben Jackson
<ben@ben.com>
http://www.ben.com/

```
From 6177012529588278761
X-Google-Thread: fcc6e,9f8932f7d11ff1c
```

```
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!d71g2000cwd.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 13 May 2006 22:56:10 -0700
Organization: http://groups.google.com
Lines: 31
Message-ID: <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147586174 22576 127.0.0.1 (14 May 2006 05:56:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 14 May 2006 05:56:14 +0000 (UTC)
In-Reply-To: <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: d71g2000cwd.googlegroups.com; posting-host=66.82.9.67;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11293
rec.radio.amateur.equipment:4029 rec.radio.amateur.misc:10775
rec.radio.amateur.policy:25736 rec.radio.shortwave:34682


Slow Code wrote:
> "an_old_friend" <konstans@hotmail.com> wrote in
> news:1147549161.064623.59130@j33g2000cwa.googlegroups.com:
>
> >

> >> Now that does not surprise me one bit.
> >>
> >> Have a good life loser.
> >
> > that I am wise enoughto want a reutn opn my investment makes me a
> > loser?
>
>
> I have a request OM.  Could you please proof-read your posts before you
> hit the send button?   Tnx in advance.

no you can't have it takes too much time this has been explained over
and over agin

you don't like it don't read my stuff is one of your options
>
>
> 73

after all you dicided to use something i find insulting right therefor
it cw related meaning
>
> sc




From -4417972837131548644
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters
Date: 13 May 2006 23:04:02 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1147586642.523584.78510@i39g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com>
   <1262mkq6bjmk8df@corp.supernews.com>
   <1147377776.973767.206450@q12g2000cwa.googlegroups.com>
   <xOadnQxng6ryn_jZnZ2dnUVZ_tqdnZ2d@comcast.com>
   <1147548985.630350.142830@j73g2000cwa.googlegroups.com>
   <AvqdnSfeXv5uzfvZRVn-sQ@comcast.com>
NNTP-Posting-Host: 66.82.9.67
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147586647 23973 127.0.0.1 (14 May 2006 06:04:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 14 May 2006 06:04:07 +0000 (UTC)
In-Reply-To: <AvqdnSfeXv5uzfvZRVn-sQ@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=66.82.9.67;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11294
rec.radio.amateur.equipment:4030 rec.radio.amateur.policy:25738 rec.radio.cb:9733
rec.radio.shortwave:34683


Dave wrote:
> an_old_friend wrote:
>
> SNIPPED
> >
> > that is the tlamund man and comeary of many rabbis
> >
> >>Homosexual sex is defines as SODOMY in Western Law.
> >
> > well that the west has beciome confused is not my problem
> >
>
> I hope you mean TALMUD!
>
> Does the TALMUD have the same broad based acceptance in Judaism as the
> TORAH?
yes it does indeed in orthodox jaudaism it can trump the literal Torah



From 6343084129884838503
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!router2.astraweb.com!
news.astraweb.com!router1.astraweb.com!news.alt.net
From: "Not Lloyd II" <CurtainsBoy@Glendale.up>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sun, 14 May 2006 02:30:31 -0500
```

Organization: Altopia Corp. - Usenet Access - www.altopia.com
Lines: 39
Message-ID: <38c8.gop.17.1@news.alt.net>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<1147047627.949564.83230@y43g2000cwc.googlegroups.com>
<sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
<1147549161.064623.59130@j33g2000cwa.googlegroups.com>
<lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
<1147586170.894157.292250@d71g2000cwd.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:11295
rec.radio.amateur.equipment:4031 rec.radio.amateur.misc:10778
rec.radio.amateur.policy:25741 rec.radio.shortwave:34685

"an_old_friend" <konstans@hotmail.com> wrote in message
news:1147586170.894157.292250@d71g2000cwd.googlegroups.com...

Slow Code wrote:
> "an_old_friend" <konstans@hotmail.com> wrote in
> news:1147549161.064623.59130@j33g2000cwa.googlegroups.com:
>
> >

> >> Now that does not surprise me one bit.
> >>
> >> Have a good life loser.
> >
> > that I am wise enoughto want a reutn opn my investment makes me a
> > loser?
>
>
> I have a request OM. Could you please proof-read your posts before you
> hit the send button?   Tnx in advance.

no you can't have it takes too much time this has been explained over
and over agin

you don't like it don't read my stuff is one of your options
>
>
> 73

after all you dicided to use something i find insulting right therefor
it cw related meaning
>
Using a spell check program takes but a few seconds. You refuse to do so,
and we must thereby assume that, 1. You are lazy. 2. You are far too dense
to know how to use one. 3. Your head is so firmly emplanted in your rectal

cavity that you cannot remove it. 4. All of the above.

```
From 8165073956224377688
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 13 May 2006 23:42:59 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1147588979.553389.47260@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
   <sW79g.3681$u4.3229@newsread1.news.pas.earthlink.net>
   <1147549161.064623.59130@j33g2000cwa.googlegroups.com>
   <lRs9g.2132$y4.1683@newsread2.news.pas.earthlink.net>
   <1147586170.894157.292250@d71g2000cwd.googlegroups.com>
   <38c8.gop.17.1@news.alt.net>
NNTP-Posting-Host: 66.82.9.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147588983 1096 127.0.0.1 (14 May 2006 06:43:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 14 May 2006 06:43:03 +0000 (UTC)
In-Reply-To: <38c8.gop.17.1@news.alt.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=66.82.9.67;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11296
rec.radio.amateur.equipment:4032 rec.radio.amateur.misc:10781
rec.radio.amateur.policy:25743 rec.radio.shortwave:34686
```

Not Lloyd II wrote:

```
> "an_old_friend" <konstans@hotmail.com> wrote in message
> news:1147586170.894157.292250@d71g2000cwd.googlegroups.com...
>

> > I have a request OM.  Could you please proof-read your posts before you
> > hit the send button?   Tnx in advance.
>
> no you can't have it takes too much time this has been explained over
> and over agin
>
> you don't like it don't read my stuff is one of your options
> >
> >
> > 73
>
> after all you dicided to use something i find insulting right therefor
> it cw related meaning
> >
> Using a spell check program takes but a few seconds.
using a spell checker is imposib;le under google

>You refuse to do so,
> and we must thereby assume that, 1. You are lazy.
one is the closest
> 2. You are far too dense
> to know how to use one. 3. Your head is so firmly emplanted in your rectal
> cavity that you cannot remove it. 4. All of the above.

but i think you are enaged in self discrition again
you clearly have your head up your ass



From 760175600417360114
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!newspeer2.de.telia.net!
newspeer3.de.telia.net!de.telia.net!ctb-nntp1.saix.net!not-for-mail
From: "Pete" <zs5actRemovethis@mweb.co.za>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sun, 14 May 2006 10:21:25 +0200
Organization: The South African Internet Exchange
Lines: 41
Message-ID: <e46pbv$nkc$1@ctb-nnrp2.saix.net>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
```

```
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
<shv8g.488$oa1.132@news02.roc.ny>
<us69g.1632$y4.1107@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: dsl-145-85-75.telkomadsl.co.za
X-Trace: ctb-nnrp2.saix.net 1147594943 24204 165.145.85.75 (14 May 2006 08:22:23
GMT)
X-Complaints-To: abuse@saix.net
NNTP-Posting-Date: 14 May 2006 08:22:23 GMT
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.antenna:11298
rec.radio.amateur.equipment:4033 rec.radio.amateur.misc:10787
rec.radio.amateur.policy:25748
```

"Radio Buff" <em@il.here> wrote in message
news:us69g.1632$y4.1107@newsread2.news.pas.earthlink.net...

> "Galen, W8LNA" <w8lna@arrl.net> wrote in
> news:shv8g.488$oa1.132@news02.roc.ny:
>
>> Radio Buff wrote:
>>>
>>> As ham radio test standards have lowered over the years, I've noted a
>>> marked increase in the amount of obscenity, profanity, and indecency.
>>>
>>> RB
>>
>> At the same time the price of gasoline has gone up, the minimum wage has
>> gone up, the stock market has gone up but in just about all areas of
>> society mutual respect and courtesy have gone down.
>>
>> I think it has very little if anything at all to do with Morse code.
>>
>> W8LNA
>
>
>
> And I've never heard a couple ops insult or cuss each other out in CW
> either.
>
> sc

By golly your'e right!

But it sure would take a long time to spell it out to the other op if
you did!

73.

```
--
Pete . .
ZS5ACT




From -5215927371534599700
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-07!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Heinrich <H.W.B@waterboard.gov>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Sun, 14 May 2006 14:03:36 -0000
Organization: http://groups.google.com
Message-ID: <126ee5oqvsuhia3@corp.supernews.com>
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
<3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
X-Complaints-To: abuse@supernews.com
Lines: 50
Xref: g2news2.google.com rec.radio.amateur.antenna:11306
rec.radio.amateur.equipment:4034 rec.radio.amateur.policy:25752 rec.radio.cb:9744
rec.radio.shortwave:34710

Short Circuit wrote:
>
> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in
> news:1262mh57s1pubbf@corp.supernews.com:
>
> > "Signal Chaser" <em@il.here> wrote in message
> > news:1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net...
> >> "an old friend" <kb9rqz@hotmail.com> wrote in
> >> news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
> >>
> >>>
> >>> Sinpo Code wrote:
> >>>> Lancer <lancer@rock.com> wrote in
> >>>> news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
> >>>>
> >>>
> >>>>
> >>>> I don't remember who was all in it, but one guy kept dropping the
> >>>> soldering iron on the ground in front of people, then he'd bend over
> >>>> slowly to pick it up again like he was hoping someone might give him
> >>>> a poke.  Disgusting.
> >>>>
> >>> how is any that the ARRL's fault
> >>
> >>
> >> ARRL threw principle out the window when they caved in to the demands
> >> of the Lambda Amateur Radio Club (LARC).  It was a sad day for me
> >> indeed when I opened my beloved QST magazine and there on the pages
> >> were photos of queers on a Tropical DXpedition, and in living color no
> >> less.  The ARRL wanted us to embrace a sick perverted lifestyle and be
> >> one big happy family.  To me, it was the spark that signaled the death
> >> of a once proud organization, and it turned liberal.
> >>
> >>
> >> SC
> >
> > What I don't get is why we are forced to see
> > homosexuality in areas that have nothing to do with sex, such as the
> > example you mentioned.
>
> Radical militant homosexuality coupled with uncontroled liberalism.
>
> sc

Crossbreed them with radical militant evangelicals coupled with
uncontrolled conservatism and you get neo-cons.







From 7996623290110874837
X-Google-Thread: 108122,b2138fc3eb6522e6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "NudoSpamCop" <desertbob93535@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: REALISTIC DX-302 HAM-SHORTWAVE RECEIVER-MINT-$150
Date: 14 May 2006 08:00:45 -0700
Organization: http://groups.google.com
Lines: 44
Message-ID: <1147618844.945865.3750@v46g2000cwv.googlegroups.com>
References: <1147450001.297465.40940@j73g2000cwa.googlegroups.com>
```

```
NNTP-Posting-Host: 66.81.27.134
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147618848 13313 127.0.0.1 (14 May 2006 15:00:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 14 May 2006 15:00:48 +0000 (UTC)
In-Reply-To: <1147450001.297465.40940@j73g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=66.81.27.134;
   posting-account=6B4UjwsAAACJ2kg6YBkVQIW1fpQM2owE
Xref: g2news2.google.com rec.radio.amateur.equipment:4035
```

DesertBob Jr. wrote:

> http://cgi.ebaysnip>

STOP THIS SPAMMER!

Google Groupers:

Click on "Show Options," click on "Show Original," cut and paste the whole message including headers, and send in a spam complaint to:

groups-abuse"AT"google.com
abuse"AT"epix.net
spam"AT"ebay.com (Spammer's eBay account is "66fourdoor")

This spammer shows up under various trash (MAPI) email accounts:

trippin28track"AT"yahoo.com
winchester1886"AT"hotmail.com
nativebrookie"AT"hotmail.com

Due to Google Groups shutting down some of his other MAPI accounts, the fool is now also spamming from his own POP3 accounts:

analog"AT"epix.net
bb69"AT"epix.net

His home ISP is Epix. His main POP3 account is thenudofamily"AT"epix.net. ALL his spam eminates from Epix IP blocks.

Those using real newsreaders will already know what to do with this spamming pest and eBay fraudster. His spam posts are a violation of eBay's Terms of Service pertaining to Usenet Policy. Be sure to include that in your report to eBay.

```
From -7759488538226052543
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!news.germany.com!
multikabel.net!feed20.multikabel.net!news2.euro.net!border2.nntp.ams.giganews.com!
nntp.giganews.com!sn-ams-06!sn-xt-ams-08!sn-post-ams-01!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Sun, 14 May 2006 08:14:34 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <126eiaq5j9ju4d8@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
<3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
<126ee5oqvsuhia3@corp.supernews.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 7
Xref: g2news2.google.com rec.radio.amateur.antenna:11309
rec.radio.amateur.equipment:4036 rec.radio.amateur.policy:25754 rec.radio.cb:9745
rec.radio.shortwave:34718
```

"Heinrich" wrote ...

> Crossbreed them with radical militant evangelicals

"radical militant evengelicals"? You mean like the
Salvation Army? Yeah. Good for Target to get rid of
those wackos with their dangerous metal tripods and
fake plastic kettles full of nickles and dimes.

From -2666313593306282491
X-Google-Thread: 108122,d1518ec8740caafb
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
news.newsland.it!eleonora.aioe.org!emma.aioe.org!aioe.org!ac87f750.ipt.aol.com!
user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Front Panel Meter
Date: Sun, 14 May 2006 13:06:44 -0400
Organization: Aioe.org NNTP Server
Lines: 16
Message-ID: <fmmck-1405061306440001@ac87f750.ipt.aol.com>
References: <zgo7g.6382$DT5.1656@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 3mHZe5qCQmxyw3iXI948qA.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Xref: g2news2.google.com rec.radio.amateur.equipment:4037

In article <zgo7g.6382$DT5.1656@newsread3.news.pas.earthlink.net>, Sim
<sim2sim@ix.netcom.com> wrote:

> I'm looking to replace a sun bleached front panel meter on a old
> President AR144 AM/SSB Cb radio. Anyone know where I might obtain this
> meter?

Sim-

I assume you have contacted Uniden.

Just how "sunbleached" is the meter face? If there is enough of the
original marking left, you may be able to remove it from the meter,
photograph it, and use a computer graphics program to do a restoration.

73, Fred, K4DII

From 3081539748535848851
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c

X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: "Mike Speed" <mike8s2@yahoo.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 10 May 2006 03:24:55 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 4.163.154.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147256700 16389 127.0.0.1 (10 May 2006 10:25:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 May 2006 10:25:00 +0000 (UTC)
In-Reply-To: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3) Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=4.163.154.2;
   posting-account=LBnoNQ0AAAA2EkNxCsVmptzGWiJBdxud
Xref: g2news2.google.com rec.radio.amateur.antenna:11113 rec.radio.amateur.equipment:3933 rec.radio.amateur.misc:10587 rec.radio.amateur.policy:25457 rec.radio.shortwave:34222

> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate?
>
> To be able to communicate when no one else can communicate and to advance
> radio knowledge & theory?
>
> What does part 97 say about this?   Why does the ARRL ignore it?
>
> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.

You stupid Fucks - don't you kow a troll when you see one! Jesus Christ!

From -6683939291310969273
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c

```
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: nm5k@wt.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 10 May 2006 04:49:03 -0700
Organization: http://groups.google.com
Lines: 48
Message-ID: <1147261743.150515.119910@i39g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net>
   <P-KdnU-7qf_az8LZRVn-qA@comcast.com>
   <rvP7g.1623$u4.1550@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 216.119.139.41
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147261749 9308 127.0.0.1 (10 May 2006 11:49:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 May 2006 11:49:09 +0000 (UTC)
In-Reply-To: <rvP7g.1623$u4.1550@newsread1.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.5) Gecko/
20041107 Firefox/1.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=216.119.139.41;
   posting-account=EIwFDwwAAAApE0pXkg-ffORy7esu4pQN
Xref: g2news2.google.com rec.radio.amateur.antenna:11114
rec.radio.amateur.equipment:3934 rec.radio.amateur.misc:10588
rec.radio.amateur.policy:25458 rec.radio.shortwave:34223
```

>What is one behavior on our ham bands that might or could make you loose
>interest in ham radio and leave if you heard it or if it became previlent?

None. I have fairly thick skin, and I'm rarely bothered by anything that happens on the air. I do have a VFO ya know... IE: tuning knob for all you without an EE... But like I say, I'm pretty bored lately, I don't get on the air near as much as I used to. The boredom has nothing to do with the people on the air. It's from farting with the same basic stuff since I was in jr hi school... I don't get much thrill anymore.. Only about 3 clicks above talking on a telephone. Which I hate btw... Ham radio at the house is too easy. No challenge anymore.. I turn it on, and yak.

Wow...
If it wasn't for mobile/portable operating I would be about radio dead.
At least there is still some challenge in that area... IE: trying to
put out
a decent signal with shrimpy antennas, low power, etc..
Yea, I've tried all the digi crap too, before I get 90 people telling
me to
get with the modern techniques....PSK31, SSTV, etc, etc, ad nausium..
I'll do it for two weeks, and then the boredom sets in... I kinda got
into
SSTV, but PSK31 bores me to tears... Did I say I generally hate to
type...

>And does it seem like it's going that direction?

I see no difference from what it's been the last 20 years or so, except
there
are far fewer CW ops on the air lately. I tuned 40m CW the other night,
and
didn't hear a single QSO... And I'm talking the lower CW section, not
the
novice band.. But do I whine? Nope...Times is a changing, and there is
not much I can do about it. The argument that CW weeds all non hackers
is total BS... All it weeds out are the CW lazy, not the troublemakers.
A dedicated troublemaker will pass any tests needed if that's what it
takes to stir it. You should have heard 75m in the early -mid 80's...
All had to pass code tests in that period. 75m is actually cleaner
now,
than it was then. Mainly due to Hollingsworth cracking his whip a few
years ago.
MK

From -5133526248624385865
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 10 May 2006 05:16:18 -0700
Organization: http://groups.google.com

```
Lines: 22
Message-ID: <1147263378.573650.192850@j73g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147263384 14175 127.0.0.1 (10 May 2006 12:16:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 May 2006 12:16:24 +0000 (UTC)
In-Reply-To: <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:11115
rec.radio.amateur.equipment:3935 rec.radio.amateur.misc:10589
rec.radio.amateur.policy:25460 rec.radio.shortwave:34224
```

Mike Speed wrote:

> > What's the purpose of ham radio, To have fun talking about rigs and
> > weather, or to be able to communicate?
> >
> > To be able to communicate when no one else can communicate and to advance
> > radio knowledge & theory?
> >
> > What does part 97 say about this?   Why does the ARRL ignore it?
> >
> > When CW is lost, new hams will be just like CB'ers and SWL's, or some
> > other lower life form of radio hobbiest. You name it.
>
> You stupid Fucks - don't you kow a troll when you see one! Jesus
> Christ!

Even more amazing is that no matter who starts the thread about CW, the
same group of people will post the same tired old reasons about why CW
is still a useful screening tool for prospective hams and how CW is
still an important way to communicate. And they do not want to hear
about the world as it really is in the 21st century.

```
From -2081452063354016497
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 10 May 2006 07:33:31 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <deydnaGXqffhEcPZRVn-tw@comcast.com> <w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net> <P-KdnU-7qf_az8LZRVn-qA@comcast.com> <rvP7g.1623$u4.1550@newsread1.news.pas.earthlink.net> <1147261743.150515.119910@i39g2000cwa.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Wed, 10 May 2006 07:33:29 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <8fqdnWG60rIGQPzZnZ2dnUVZ_vednZ2d@comcast.com>
Lines: 92
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-xUAxkC6/LaItSW7lzEH7FDVtUFyzvrZU9Yu9iv5y3hRv8OBQh4UTmuHaW0kiumOHmtuP2mnP+zgsG6D!6JbSQGz6HspFtAYX+bMdvTTPtmiTN2KJcCv1/nycy+qvAdul3A77nRZByK49SIYyxdxHeRTMRrtj!2BVsumgbenAQ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11116 rec.radio.amateur.equipment:3936 rec.radio.amateur.misc:10591 rec.radio.amateur.policy:25462 rec.radio.shortwave:34225

<nm5k@wt.net> wrote in message news:1147261743.150515.119910@i39g2000cwa.googlegroups.com...
> >What is one behavior on our ham bands that might or could make you loose
>>interest in ham radio and leave if you heard it or if it became previlent?
>
> None. I have fairly thick skin, and I'm rarely bothered by anything
> that
> happens on the air. I do have a VFO ya know... IE: tuning knob for all
> you without an EE... But like I say, I'm pretty bored lately, I don't
> get
> on the air near as much as I used to.

Pretty much the same here too.

> The boredom has nothing to
> do with the people on the air. It's from farting with the same basic
> stuff
> since I was in jr hi school... I don't get much thrill anymore.. Only
> about
> 3 clicks above talking on a telephone. Which I hate btw... Ham radio
> at the house is too easy. No challenge anymore.. I turn it on, and yak.

If I had the time at the house, I would have invested more time and $$$ in the shack that what I did in my service truck.

> Wow...
> If it wasn't for mobile/portable operating I would be about radio dead.

For the most part, I am only able to get on the air mobile from mid march until after the first frost. I am a heating and a/c contractor in south Mississippi....8am - 9pm work days, 5+ days a week doesn't leave much time for anything else.

> At least there is still some challenge in that area... IE: trying to
> put out
> a decent signal with shrimpy antennas, low power, etc..

Not too much of a problem with enough money.... When I am on the road between calls, if I want to talk, I am going to talk, even though most of the time I am listening. Like I said earlier... I have more invested in the mobile station in my service truck than I have in the shack.

> Yea, I've tried all the digi crap too, before I get 90 people telling
> me to
> get with the modern techniques....PSK31, SSTV, etc, etc, ad nausium..
> I'll do it for two weeks, and then the boredom sets in... I kinda got
> into
> SSTV, but PSK31 bores me to tears... Did I say I generally hate to
> type...

I spend too much time on the 'puter already, and FWIW, I was on packet in '84 with a C-64, and a homebrew modem, and customized my own software for it.

>>And does it seem like it's going that direction?
>
> I see no difference from what it's been the last 20 years or so, except
> there
> are far fewer CW ops on the air lately. I tuned 40m CW the other night,
> and
> didn't hear a single QSO... And I'm talking the lower CW section, not
> the
> novice band.. But do I whine? Nope...Times is a changing, and there is
> not much I can do about it. The argument that CW weeds all non hackers
> is total BS... All it weeds out are the CW lazy, not the troublemakers.

I concur

> A dedicated troublemaker will pass any tests needed if that's what it
> takes to stir it. You should have heard 75m in the early -mid 80's...
> All had to pass code tests in that period. 75m is actually cleaner
> now,

True again

> than it was then. Mainly due to Hollingsworth cracking his whip a few
> years ago.
> MK

I have been active recently with teaching a class for folks to get their
licenses and part of it is CW. Being here in south Mississippi and only
about 60 miles from the gulf coast, we are very aware of the communications
limitations and what works an what doesn't when the lights go out. CW is
only another weapon in our arsonal of communications tools......keep in mind
that not much works when there is *NO* infrastrucure left intact.

-n6ojn

Only 21 more shopping days till hurricane season.

From -4565395706678349159
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 10 May 2006 08:02:59 -0500
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM 02-AT QUESTION
Date: Wed, 10 May 2006 06:04:29 -0700
Reply-To: gfiber@comcast.net
Message-ID: <qso362dhpu3p6mf40uef5s2ojh3phts5im@4ax.com>
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-
o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <4460DAFB.1000105@ispwest.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 69
NNTP-Posting-Host: 67.160.11.72
X-Trace: sv3-k03Yzt2b2RJcaz5t6wpI2wzhenR94bs70AnN0Z1lANqkqOX9OsAbcuVO0OT/
nLNMbGHmAGHYzH57Sk5!qq/dheu5iHZ/YROnaKEG2F5gU1tQxPCsUgk90DOSzCzC++i9ZUjrm1gV/6GT8/
aMcZEL1UBOC74U!CSrBPY8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3937

On Tue, 09 May 2006 11:10:03 -0700, Dunkirk <dunkirk@ispwest.com>
wrote:

>Hi, Chuck -- thanks for your response...
>
>Chuck Harris wrote:
>
>> Dave Hildebrand wrote:
>>> I have a 22-year old Icom 02-AT that has worked reliably until now, when
>>> it ceased putting out any transmitter power whatsoever.
>>
>> Does it still receive correctly?
>
>...yes -- the only thing that's changed is that the little bar-graph
>(along the bottom) doesn't appear; as though there were nothing to be
>measured. And, I fell out of the repeater while in QSO (full-quieting),
>having to sign clear on another radio.
>
>> What usually happens, is the synthesizer quits, and it stops sending,
>> or receiving.
>
>...in my case, I can dial-up any repeater and listen -- I just can't
>transmit any more.
>
>> The output transistor is a T05 (TO39) type package, and is soldered to the
>> metal frame that surrounds the radio. It is very special, in that the case
>> of the transistor is connected to the emitter. Most transistors in that
>> package have the case connected to the collector. This is done so that
>> they
>> could run the emitter grounded (as is usual) and not need any insulated
>> heatsinking hardware.
>
>...are they (the transistors) a real bitch to replace?
>
>> The usual way of blowing the output transistor in an 02AT is to use a
>> battery
>> pack that supplies more than 9v, or to try and power the rig directly from
>> your car battery. ISTR that a short on the antenna is a third way.
>
>...the jack on the top's supposed to have an internal regulator, and
>I've used it in my truck on occasion since the radio was new with no
>negative consequences (not like the HTX-202, which was made by Maxon
>under license by Icom for Radio Schlock, and had issues with its
>external power-jack).
>
>Maybe infrequent long-winded transmissions over the last 22 years is the
>culprit for the transmitter's untimely demise? (It's kept my hands warm

```
>in the cool outdoors more than once.) I've long since misplaced (or
>lost) the original manual, which had a schematic.
>
>If I crack it open, I should be able to measure the voltages on the
>device, itself to see if it's blown. Right now, the final seems like the
>prime suspect. Thanx...
>
>...Dave, N6BHU
 Icom never had a thing to do with the HTX-202. No license, design
etc. Radio Shack choose accessories that were popular and happened to
choose the Icom battery design. You are correct Maxon made the HTX-202
for Radio Shack.

I had many calls while working at Icom over that rumor Many wanted
Icom to repair the HTX-202. Icom America asked IJ if they were making
the HTX-202 and they said no but found out Maxon was building the
HTX-202. all water over the dam now.

It was true that Icom did private label the H and U-16 for Midland
Land Mobile for a while.

Gary K8IZ


From -7698683113383650122
X-Google-Thread: 108122,1bc5d6c278640a2b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!news-server.columbus.rr.com!
tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <bush_whack@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Motorola Mics
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <Z6m8g.23414$YI5.22695@tornado.ohiordc.rr.com>
Date: Wed, 10 May 2006 13:44:25 GMT
NNTP-Posting-Host: 65.25.139.138
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1147268665 65.25.139.138 (Wed, 10 May 2006
09:44:25 EDT)
NNTP-Posting-Date: Wed, 10 May 2006 09:44:25 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3938

I have the following Motorola hand mics for sale:

New
HMN 1001B DTMF
```

HMN 1010B
HMN 1031A DTMF
HMN 1049A
HMN 1061A 2EA

Used
HMN 1001A
HMN 1001B
HMN 1056A
HMN 3013A DTMF
HMN 4005A
MBTMN 1025A
TMN 6054A

Thanks
Frank

--
Life is like a roll of toilet paper, the closer you get to the end the
faster it goes.
--Andy Rooney--

From -3629462456215632609
X-Google-Thread: 108122,fcad3fa87b485830,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!news-server.columbus.rr.com!
tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <bush_whack@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 6 Meter HT's
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <E7m8g.33937$P2.7007@tornado.ohiordc.rr.com>
Date: Wed, 10 May 2006 13:45:08 GMT
NNTP-Posting-Host: 65.25.139.138
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1147268708 65.25.139.138 (Wed, 10 May 2006
09:45:08 EDT)
NNTP-Posting-Date: Wed, 10 May 2006 09:45:08 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3939

I am closing my business and have two new in box Pryme PR-52 6 Meter HTs.

$140.00 plus shipping for each. I will combine shipping for multi purchases.
Fritz

--
Life is like a roll of toilet paper, the closer you get to the end the faster it goes.
--Andy Rooney--

From 3253211473753861292
X-Google-Thread: 108122,aa90b9b0092ee540,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <bush_whack@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 440Mhz HT's
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <Wbm8g.23418$YI5.9640@tornado.ohiordc.rr.com>
Date: Wed, 10 May 2006 13:49:42 GMT
NNTP-Posting-Host: 65.25.139.138
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1147268982 65.25.139.138 (Wed, 10 May 2006 09:49:42 EDT)
NNTP-Posting-Date: Wed, 10 May 2006 09:49:42 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3940

I am closing my business and have four new in box ADI AT-401 440 Mhz HTs.
$140.00 plus shipping for each. I will combine shipping for multi purchases.
Fritz

--
Life is like a roll of toilet paper, the closer you get to the end the faster it goes.
--Andy Rooney--

```
From 325623010754228616
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news1.google.com!atl-
c05.usenetserver.com!news.usenetserver.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!d2fe4b3a!not-for-mail
From: "Wayne" <mygarbagecan@verizon.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <ubn8g.8765$k%2.4642@trnddc03>
Date: Wed, 10 May 2006 14:57:30 GMT
NNTP-Posting-Host: 71.103.183.28
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1147273050 71.103.183.28 (Wed, 10 May 2006 10:57:30 EDT)
NNTP-Posting-Date: Wed, 10 May 2006 10:57:30 EDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11122
rec.radio.amateur.equipment:3941 rec.radio.amateur.misc:10625
rec.radio.amateur.policy:25489 rec.radio.shortwave:34231


"Mike Speed" <mike8s2@yahoo.com> wrote in message
news:1147256694.983492.263500@e56g2000cwe.googlegroups.com...
>
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>>
>> To be able to communicate when no one else can communicate and to advance
>> radio knowledge & theory?
>>
>> What does part 97 say about this?   Why does the ARRL ignore it?
>>
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>
> You stupid Fucks - don't you kow a troll when you see one!  Jesus
> Christ!
>
```

Troll, or no troll.....it is not unreasonable to expect those of all ages to
read this newsgroup. Accordingly, my expectation of this group is to limit
the language in your posts to the type of language you would use on the air.
--Wayne
W5GIE

From 6315031307888406374
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: balme the posters
Date: 10 May 2006 09:15:37 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1147277737.679511.166140@u72g2000cwu.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <44613917.7090602@fuse.net>
   <1147222719.534150.40150@v46g2000cwv.googlegroups.com>
   <nf2362530i4op7sj0a9ihfiedo90csmlnu@4ax.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147277743 11632 127.0.0.1 (10 May 2006 16:15:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 May 2006 16:15:43 +0000 (UTC)
In-Reply-To: <nf2362530i4op7sj0a9ihfiedo90csmlnu@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.25;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.antenna:11123
rec.radio.amateur.equipment:3942 rec.radio.amateur.policy:25515 rec.radio.cb:9524
rec.radio.shortwave:34241

```
Fred wrote:
> On 9 May 2006 17:58:39 -0700, "an_old_friend" <konstans@hotmail.com>
> wrote:
>
> >
> >jawod wrote:
> >> Signal Chaser wrote:
> >> > "an old friend" <kb9rqz@hotmail.com> wrote in
> >> > news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
> >> >
> >
> >
> >> >
> >> > SC
> >> what bullshit
> >>
> >> Isn't EVERYONE tired of this thread by now?
> >not the gay bashers they never gettired
>
> How do you balme a poster? Is that some sort of sick fag voodoo?

you don't know my god you aredumber than I thought



From -8773042657729731279
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 10 May 2006 09:39:41 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1147279181.692670.292110@v46g2000cwv.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ubn8g.8765$k%2.4642@trnddc03>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147279187 28360 127.0.0.1 (10 May 2006 16:39:47 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 May 2006 16:39:47 +0000 (UTC)
In-Reply-To: <ubn8g.8765$k%2.4642@trnddc03>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=69.19.14.25;
   posting-account=s6CH1g0AAABh1Qtmg62q2TgnVvB-Sbeh
Xref: g2news2.google.com rec.radio.amateur.antenna:11124
rec.radio.amateur.equipment:3943 rec.radio.amateur.misc:10660
rec.radio.amateur.policy:25524 rec.radio.shortwave:34242


Wayne wrote:
> "Mike Speed" <mike8s2@yahoo.com> wrote in message
> news:1147256694.983492.263500@e56g2000cwe.googlegroups.com...
> >

> > You stupid Fucks - don't you kow a troll when you see one!  Jesus
> > Christ!
> >
> Troll, or no troll.....it is not unreasonable to expect those of all ages to
> read this newsgroup.  Accordingly, my expectation of this group is to limit
> the language in your posts to the type of language you would use on the air.

thenyou are foolish

this is not on the air and indeed you can see worse on comercail tv

grow up
> --Wayne
> W5GIE



From 3991227273112508247
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: balme the posters
Date: 10 May 2006 12:50:08 -0700
Organization: http://groups.google.com
```

```
Lines: 17
Message-ID: <1147290608.422762.49480@y43g2000cwc.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <44613917.7090602@fuse.net>
   <1147222719.534150.40150@v46g2000cwv.googlegroups.com>
   <nf2362530i4op7sj0a9ihfiedo90csmlnu@4ax.com>
   <1147277737.679511.166140@u72g2000cwu.googlegroups.com>
   <hg94625e6c15g7pc658of0p2bup0uohf0r@4ax.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147290614 29404 127.0.0.1 (10 May 2006 19:50:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 May 2006 19:50:14 +0000 (UTC)
In-Reply-To: <hg94625e6c15g7pc658of0p2bup0uohf0r@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11131
rec.radio.amateur.equipment:3945 rec.radio.amateur.policy:25541 rec.radio.cb:9550
rec.radio.shortwave:34256


Fred wrote:
> On 10 May 2006 09:15:37 -0700, "an old freind"
> <kb9rqz_ars@hotmail.com> wrote:
>
> >

> >> How do you balme a poster? Is that some sort of sick fag voodoo?
> >
> >you don't know my god you aredumber than I thought
>
> If I am aredumber then please tell me what that means in
> cock-in-the-mouth-speak. I don't understand the voodoo fag language
> that you are using.

like i said you aredumber than I thought



From -3422700767981750154
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
```

```
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!news.glorb.com!
feeder.xsnews.nl!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-
ams-06!sn-xt-ams-05!sn-post-ams-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Q <Q@nowhere.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: cw trolling
Date: Wed, 10 May 2006 22:14:39 -0000
Organization: Q
Message-ID: <1264pefav054pa7@corp.supernews.com>
X-Newsreader: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.4) Gecko/20030703
Epiphany/0.8.4
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3fvnh$97m$1@avnika.corp.mot.com>
<1146857107.822936.121660@y43g2000cwc.googlegroups.com>
<e3oaij$bjo$1@avnika.corp.mot.com>
<1147122594.900336.272650@u72g2000cwu.googlegroups.com>
<e3r409$k7d$1@avnika.corp.mot.com>
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news2.google.com rec.radio.amateur.antenna:11137
rec.radio.amateur.equipment:3946 rec.radio.amateur.misc:10678
rec.radio.amateur.policy:25547 rec.radio.shortwave:34269
```

"Steve N." wrote:

>
> "RHF" <rhf-newsgroups@pacbell.net> wrote in message
> news:1147122594.900336.272650@u72g2000cwu.googlegroups.com...
> > The FCC Outlawed 'Spark' for very valid technical reasons
> > at that time and they are still valid today.   The very same
> > logic could be used to still justify the continued use of CW
> > as an Amateur Operating Mode; even though the requirement
> > for proficiency in CW is not used for an Amateur License.
> >
> > jm2cw ~ RHF
>
> RHF,
>   My point was ...this time the FCC is NOT *eliminating* nor *Outlawing CW.
> (as far as we know)
> Spark *did* suck, but even so there were those that hated CW.
>
> 73, Steve, K9DCI

I just passed my tech exam and am looking
forward to the CW test. It certainly exercises
a part of my brain that seems to need that
kind of excercise. I'm glad it's still a requirement.
It all seems to balance out.

```
From -2555625180580680767
X-Google-Thread: fb049,b91f4a15c3cc9181,start
X-Google-Thread: 108122,b91f4a15c3cc9181,start
X-Google-Thread: 1109af,b91f4a15c3cc9181,start
X-Google-Attributes: gidfb049,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: (Reduced) SyntorX9000 lowband complete dual controls $250.00
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <%Bt8g.6090$Rf6.3931@trndny05>
Date: Wed, 10 May 2006 22:15:23 GMT
NNTP-Posting-Host: 71.162.166.180
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1147299323 71.162.166.180 (Wed, 10 May 2006 18:15:23 EDT)
NNTP-Posting-Date: Wed, 10 May 2006 18:15:23 EDT
Xref: g2news2.google.com alt.ham-radio.vhf-uhf:1772
rec.radio.amateur.equipment:3947 rec.radio.swap:3961

 Motorola SyntorX9000 T71KEJ7J04AK LB mobile 30-50mhz dual control heads,
handset, and speaker. The radio is complete. $250.00
This is for pickup only!!!!!
USPS money orders only!!

pottsladd13 at yahoo.com
```

```
From -8833222815130783401
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
```

Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: cw trolling
From: slow Code <em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3fvnh$97m$1@avnika.corp.mot.com>
<1146857107.822936.121660@y43g2000cwc.googlegroups.com>
<e3oaij$bjo$1@avnika.corp.mot.com>
<1147122594.900336.272650@u72g2000cwu.googlegroups.com>
<e3r409$k7d$1@avnika.corp.mot.com> <1264pefav054pa7@corp.supernews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 36
Message-ID: <VEu8g.972$x4.456@newsread3.news.pas.earthlink.net>
Date: Wed, 10 May 2006 23:26:45 GMT
NNTP-Posting-Host: 4.254.226.217
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1147303605 4.254.226.217 (Wed, 10 May 2006 16:26:45 PDT)
NNTP-Posting-Date: Wed, 10 May 2006 16:26:45 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11139
rec.radio.amateur.equipment:3948 rec.radio.amateur.misc:10681
rec.radio.amateur.policy:25550 rec.radio.shortwave:34277

Q <Q@nowhere.com> wrote in news:1264pefav054pa7@corp.supernews.com:

> "Steve N." wrote:
>>
>> "RHF" <rhf-newsgroups@pacbell.net> wrote in message
>> news:1147122594.900336.272650@u72g2000cwu.googlegroups.com...
>> > The FCC Outlawed 'Spark' for very valid technical reasons
>> > at that time and they are still valid today.   The very same
>> > logic could be used to still justify the continued use of CW
>> > as an Amateur Operating Mode; even though the requirement
>> > for proficiency in CW is not used for an Amateur License.
>> >
>> > jm2cw ~ RHF
>>
>> RHF,
>>   My point was ...this time the FCC is NOT *eliminating* nor *Outlawing
>>   CW.
>> (as far as we know)
>> Spark *did* suck, but even so there were those that hated CW.
>>
>> 73, Steve, K9DCI
>
> I just passed my tech exam and am looking
> forward to the CW test. It certainly exercises
> a part of my brain that seems to need that
> kind of excercise. I'm glad it's still a requirement.
> It all seems to balance out.
>

> 73

Good luck to you my friend. It will be a pleasure to work you on HF.

Congrats on getting your Tech too.

sc

From 962679869220440614
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Slow Code <em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com>
<1147048870.192257.166140@v46g2000cwv.googlegroups.com>
<OLw7g.73914$H71.5343@newssvr13.news.prodigy.com>
<1147136070.395019.254980@v46g2000cwv.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 17
Message-ID: <YEu8g.974$x4.768@newsread3.news.pas.earthlink.net>
Date: Wed, 10 May 2006 23:26:48 GMT
NNTP-Posting-Host: 4.254.226.217
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1147303608 4.254.226.217 (Wed, 10 May
2006 16:26:48 PDT)
NNTP-Posting-Date: Wed, 10 May 2006 16:26:48 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11140
rec.radio.amateur.equipment:3949 rec.radio.amateur.misc:10682
rec.radio.amateur.policy:25551 rec.radio.shortwave:34278

hot-ham-and-cheese@hotmail.com wrote in
news:1147136070.395019.254980@v46g2000cwv.googlegroups.com:

>

> Jim - NN7K wrote:
>
>> Showing that : Now days, this is nothing much more than a
>> Glorified Citizens Band? 10-4 good buddy! , and now on to the
>> Sspectrum Auctioneer! SOMEONE has to have a better use for it!
>> All those good numbers, see u on the flip-flop! (formerly) NN7K
>
> (formerly) NN7K, did you have a point?

Don't you mean: "Ten-Nine?"

Sc

```
From -5014583521188462796
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.astraweb.com!
router2.astraweb.com!207.217.77.102.MISMATCH!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Radio Buff <em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 26
Message-ID: <ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
Date: Wed, 10 May 2006 23:26:49 GMT
NNTP-Posting-Host: 4.254.226.217
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1147303609 4.254.226.217 (Wed, 10 May
2006 16:26:49 PDT)
NNTP-Posting-Date: Wed, 10 May 2006 16:26:49 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11141
rec.radio.amateur.equipment:3950 rec.radio.amateur.misc:10683
rec.radio.amateur.policy:25552 rec.radio.shortwave:34279
```

"Mike Speed" <mike8s2@yahoo.com> wrote in
news:1147256694.983492.263500@e56g2000cwe.googlegroups.com:

>

>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>>
>> To be able to communicate when no one else can communicate and to
>> advance radio knowledge & theory?
>>
>> What does part 97 say about this?   Why does the ARRL ignore it?
>>
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>
> You stupid Fucks - don't you kow a troll when you see one! Jesus
> Christ!

Tnx for the reminder, I almost forgot.

As ham radio test standards have lowered over the years, I've noted a marked increase in the amount of obscenity, profanity, and indecency.

RB

From 8602532596248911336
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Short Circuit <em@il.here>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 42
Message-ID: <3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
Date: Wed, 10 May 2006 23:26:55 GMT
NNTP-Posting-Host: 4.254.226.217
X-Complaints-To: abuse@earthlink.net

```
X-Trace: newsread3.news.pas.earthlink.net 1147303615 4.254.226.217 (Wed, 10 May
2006 16:26:55 PDT)
NNTP-Posting-Date: Wed, 10 May 2006 16:26:55 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11142
rec.radio.amateur.equipment:3951 rec.radio.amateur.policy:25553 rec.radio.cb:9565
rec.radio.shortwave:34281

"Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in
news:1262mh57s1pubbf@corp.supernews.com:

> "Signal Chaser" <em@il.here> wrote in message
> news:1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net...
>> "an old friend" <kb9rqz@hotmail.com> wrote in
>> news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
>>
>>>
>>> Sinpo Code wrote:
>>>> Lancer <lancer@rock.com> wrote in
>>>> news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
>>>>
>>>
>>>>
>>>> I don't remember who was all in it, but one guy kept dropping the
>>>> soldering iron on the ground in front of people, then he'd bend over
>>>> slowly to pick it up again like he was hoping someone might give him
>>>> a poke.  Disgusting.
>>>>
>>> how is any that the ARRL's fault
>>
>>
>> ARRL threw principle out the window when they caved in to the demands
>> of the Lambda Amateur Radio Club (LARC).  It was a sad day for me
>> indeed when I opened my beloved QST magazine and there on the pages
>> were photos of queers on a Tropical DXpedition, and in living color no
>> less.  The ARRL wanted us to embrace a sick perverted lifestyle and be
>> one big happy family.  To me, it was the spark that signaled the death
>> of a once proud organization, and it turned liberal.
>>
>>
>> SC
>
> What I don't get is why we are forced to see
> homosexuality in areas that have nothing to do with sex, such as the
> example you mentioned.


Radical militant homosexuality coupled with uncontroled liberalism.

sc


From 1065801609088792191
X-Google-Thread: fcc6e,9f8932f7d11ff1c
```

```
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news02.roc.ny.POSTED!53ab2750!
not-for-mail
From: "Galen, W8LNA" <w8lna@arrl.net>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
In-Reply-To: <ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <shv8g.488$oa1.132@news02.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d495641aa96da8b5b12420edadfc97060ce62171052eddb4642a2f8ce9ac01ee98daaf6
c4040ad8b2aa4138d9b65be2f507788b1b756416eadc682d73381d8df91e94e87a72d15d7e0e432e6c
67903517fa00cdcd0bc69550fac01f65ddbec57a9d26941af410b031d952
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Thu, 11 May 2006 00:10:00 UTC
Date: Thu, 11 May 2006 00:10:00 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:11145
rec.radio.amateur.equipment:3952 rec.radio.amateur.misc:10686
rec.radio.amateur.policy:25556 rec.radio.shortwave:34288
```

Radio Buff wrote:

> As ham radio test standards have lowered over the years, I've noted a
> marked increase in the amount of obscenity, profanity, and indecency.
>
> RB

At the same time the price of gasoline has gone up, the minimum wage has gone up, the stock market has gone up but in just about all areas of society mutual respect and courtesy have gone down.

I think it has very little if anything at all to do with Morse code.

W8LNA

From -1887958556353310005
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 10 May 2006 17:32:53 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1147307573.511778.72450@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com>
<1147048870.192257.166140@v46g2000cwv.googlegroups.com>
<OLw7g.73914$H71.5343@newssvr13.news.prodigy.com>
<1147136070.395019.254980@v46g2000cwv.googlegroups.com>
<YEu8g.974$x4.768@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 4.224.228.181
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147307579 13118 127.0.0.1 (11 May 2006 00:32:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 May 2006 00:32:59 +0000 (UTC)
In-Reply-To: <YEu8g.974$x4.768@newsread3.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=4.224.228.181;
posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.antenna:11146 rec.radio.amateur.equipment:3953 rec.radio.amateur.misc:10688 rec.radio.amateur.policy:25560 rec.radio.shortwave:34290

Slow Code wrote:
> hot-ham-and-cheese@hotmail.com wrote in
> news:1147136070.395019.254980@v46g2000cwv.googlegroups.com:

```
>
> >
> > Jim - NN7K wrote:
> >
> >> Showing that : Now days, this is nothing much more than a
> >> Glorified Citizens Band?  10-4 good buddy! , and now on to the
> >> Sspectrum Auctioneer!  SOMEONE has to have a better use for it!
> >> All those good numbers, see u on the flip-flop!  (formerly) NN7K
> >
> > (formerly) NN7K, did you have a point?
>
>
> Don't you mean:  "Ten-Nine?"
>
> Sc

Ten-hup?




From 7833698670386570931
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!af499550!not-for-mail
From: "kd5sak" <kd5sak@sbcglobal.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
<shv8g.488$oa1.132@news02.roc.ny>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <oTv8g.3672$fb2.2188@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 68.92.113.163
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1147308628 ST000 68.92.113.163 (Wed, 10 May
2006 20:50:28 EDT)
```

NNTP-Posting-Date: Wed, 10 May 2006 20:50:28 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@ION^BWYW_LYEBCBNWX@RJ_XPDLMN@GZ_GYO^ZWZUYICD^RAQBKZQTZTX_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Thu, 11 May 2006 00:50:28 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:11147
rec.radio.amateur.equipment:3954 rec.radio.amateur.misc:10690
rec.radio.amateur.policy:25562 rec.radio.shortwave:34293

"Galen, W8LNA" <w8lna@arrl.net> wrote in message
news:shv8g.488$oa1.132@news02.roc.ny...
> Radio Buff wrote:
>>
>> As ham radio test standards have lowered over the years, I've noted a
>> marked increase in the amount of obscenity, profanity, and indecency. RB
>
> At the same time the price of gasoline has gone up, the minimum wage has
> gone up, the stock market has gone up but in just about all areas of
> society mutual respect and courtesy have gone down.
>
> I think it has very little if anything at all to do with Morse code.
>
> W8LNA

When I was born (1-10-33) there were approximately 130,000,000 Americans. I
think we are approaching 300,000,000 now. I'm still relatively polite, I
think that may be why I get so many funny looks when I speak
to folks. Poor as we were, I think I liked the 30s and early 40s a whole lot
better. Main thing I've noticed about the more recent citizens Is that there
have never been so many with such high self esteem and so little reason
for it. (G) I'm a relatively recently licensed Ham (Tech-2002, Gen'l-2005)
Had no real interest in CW but realized I had to pass the test to advance
beyond the no-code Tech level (Besides, I figgered actually having passed
even the elementary 5 WPM CW test would eventually be a prideful thing.)

Harold
KD5SAK

From -5945432980382655578
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!

newsfeed.berkeley.edu!ucberkeley!nntp.kreonet.re.kr!kreonet.re.kr!
feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Thu, 11 May 2006 10:05:16 +0900
Organization: Korea Telecom
Lines: 43
Message-ID: <e3u2if$1j2$1@news2.kornet.net>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
<shv8g.488$oa1.132@news02.roc.ny> <oTv8g.3672$fb2.2188@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 218.155.119.161
X-Trace: news2.kornet.net 1147309455 1634 218.155.119.161 (11 May 2006 01:04:15 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Thu, 11 May 2006 01:04:15 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.antenna:11149
rec.radio.amateur.equipment:3955 rec.radio.amateur.misc:10691
rec.radio.amateur.policy:25563 rec.radio.shortwave:34295

"kd5sak" <kd5sak@sbcglobal.net> wrote in message
news:oTv8g.3672$fb2.2188@newssvr27.news.prodigy.net...
>
> "Galen, W8LNA" <w8lna@arrl.net> wrote in message
> news:shv8g.488$oa1.132@news02.roc.ny...
>> Radio Buff wrote:
>>>
>>> As ham radio test standards have lowered over the years, I've noted a
>>> marked increase in the amount of obscenity, profanity, and indecency.
>>> RB
>>
>> At the same time the price of gasoline has gone up, the minimum wage has
>> gone up, the stock market has gone up but in just about all areas of
>> society mutual respect and courtesy have gone down.
>>
>> I think it has very little if anything at all to do with Morse code.
>>
>> W8LNA
>
> When I was born (1-10-33) there were approximately 130,000,000 Americans.
> I think we are approaching 300,000,000 now. I'm still relatively polite, I
> think that may be why I get so many funny looks when I speak

> to folks. Poor as we were, I think I liked the 30s and early 40s a whole
> lot better. Main thing I've noticed about the more recent citizens Is that
> there have never been so many with such high self esteem and so little
> reason
> for it. (G) I'm a relatively recently licensed Ham (Tech-2002, Gen'l-2005)
> Had no real interest in CW but realized I had to pass the test to advance
> beyond the no-code Tech level (Besides, I figgered actually having passed
> even the elementary 5 WPM CW test would eventually be a prideful thing.)
>
> Harold
> KD5SAK

I'm a couple decades younger than you (my mother was born in '33), but I have sure seen a massive change in societal attitudes since I was young. Used to be that people understood the concept of earning what they get out of life, now everyone seems to think they're entitled to anything they want for free. Kind of sad, really.

From 750561699727516348
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!e7121e93!not-for-mail
From: "CW" <s@earthlink.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <e3fvnh$97m$1@avnika.corp.mot.com> <1146857107.822936.121660@y43g2000cwc.googlegroups.com> <e3oaij$bjo$1@avnika.corp.mot.com> <1147122594.900336.272650@u72g2000cwu.googlegroups.com> <e3r409$k7d$1@avnika.corp.mot.com> <1264pefav054pa7@corp.supernews.com>
Subject: Re: cw trolling
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <ljw8g.1087$y4.662@newsread2.news.pas.earthlink.net>
Date: Thu, 11 May 2006 01:20:17 GMT
NNTP-Posting-Host: 209.91.59.171
X-Complaints-To: abuse@earthlink.net

X-Trace: newsread2.news.pas.earthlink.net 1147310417 209.91.59.171 (Wed, 10 May 2006 18:20:17 PDT)
NNTP-Posting-Date: Wed, 10 May 2006 18:20:17 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11150 rec.radio.amateur.equipment:3956 rec.radio.amateur.misc:10692 rec.radio.amateur.policy:25564 rec.radio.shortwave:34299

You mean, if it wasn't a requirement, you couldn't do it? Who requires you to breath?

"Q" <Q@nowhere.com> wrote in message news:1264pefav054pa7@corp.supernews.com...

>I'm glad it's still a requirement.
>

From 168789226743457972
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!e7121e93!not-for-mail
From: "CW" <s@earthlink.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <1147256694.983492.263500@e56g2000cwe.googlegroups.com> <ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net> <shv8g.488$oa1.132@news02.roc.ny>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <4rw8g.1090$y4.918@newsread2.news.pas.earthlink.net>
Date: Thu, 11 May 2006 01:28:32 GMT
NNTP-Posting-Host: 209.91.59.171
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1147310912 209.91.59.171 (Wed, 10 May 2006 18:28:32 PDT)
NNTP-Posting-Date: Wed, 10 May 2006 18:28:32 PDT

Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11151
rec.radio.amateur.equipment:3957 rec.radio.amateur.misc:10693
rec.radio.amateur.policy:25565 rec.radio.shortwave:34300

True.

"Galen, W8LNA" <w8lna@arrl.net> wrote in message
news:shv8g.488$oa1.132@news02.roc.ny...

> but in just about all areas of
> society mutual respect and courtesy have gone down.
>
> I think it has very little if anything at all to do with Morse code.
>
> W8LNA

From -4785226000438698388
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!af499550!not-for-mail
From: "kd5sak" <kd5sak@sbcglobal.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
<shv8g.488$oa1.132@news02.roc.ny> <oTv8g.3672$fb2.2188@newssvr27.news.prodigy.net>
<e3u2if$1j2$1@news2.kornet.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <jww8g.3691$fb2.2393@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 68.92.113.163
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1147311247 ST000 68.92.113.163 (Wed, 10 May

2006 21:34:07 EDT)
NNTP-Posting-Date: Wed, 10 May 2006 21:34:07 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_AOXT[R\E[OZID]_\@VR]^@B@MCPWZKB]MPXHDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Thu, 11 May 2006 01:34:07 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:11152
rec.radio.amateur.equipment:3958 rec.radio.amateur.misc:10694
rec.radio.amateur.policy:25566 rec.radio.shortwave:34301

"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:e3u2if$1j2$1@news2.kornet.net...
>
> I'm a couple decades younger than you (my mother was born in '33), but I
> have sure seen a massive change in societal attitudes since I was young.
> Used to be that people understood the concept of earning what they get out
> of life, now everyone seems to think they're entitled to anything they
> want for free. Kind of sad, really.
>
>

Yessum, I agree. I always hated to work, but I always understood that it was
something I had to do.
I was a high school dropout, but after I got out of the Army I picked up two
college degrees. I never really amounted to much, but did pretty well for a
dropout, even taught Industrial Arts in a Dallas Junior High
School for eleven years. Finished my working years as a Design Drafter (CAD)
for Halliburton.

Harold
KD5SAK

From 1729747967084334298
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-sjc-06!sn-xt-sjc-01!
sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.

```
Date: Wed, 10 May 2006 22:38:48 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1265cea4sqoqe7@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
<3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 50
Xref: g2news2.google.com rec.radio.amateur.antenna:11155
rec.radio.amateur.equipment:3959 rec.radio.amateur.policy:25573 rec.radio.cb:9579
rec.radio.shortwave:34314

"Short Circuit" <em@il.here> wrote in message
news:3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net...
> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in
> news:1262mh57s1pubbf@corp.supernews.com:
>
>> "Signal Chaser" <em@il.here> wrote in message
>> news:1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net...
>>> "an old friend" <kb9rqz@hotmail.com> wrote in
>>> news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
>>>
>>>>
>>>> Sinpo Code wrote:
>>>>> Lancer <lancer@rock.com> wrote in
>>>>> news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
>>>>>
>>>>
>>>>>
>>>>> I don't remember who was all in it, but one guy kept dropping the
>>>>> soldering iron on the ground in front of people, then he'd bend over
>>>>> slowly to pick it up again like he was hoping someone might give him
>>>>> a poke.  Disgusting.
>>>>>
>>>> how is any that the ARRL's fault
>>>
>>>
>>> ARRL threw principle out the window when they caved in to the demands
>>> of the Lambda Amateur Radio Club (LARC).  It was a sad day for me
>>> indeed when I opened my beloved QST magazine and there on the pages
>>> were photos of queers on a Tropical DXpedition, and in living color no
>>> less.  The ARRL wanted us to embrace a sick perverted lifestyle and be
>>> one big happy family.  To me, it was the spark that signaled the death
>>> of a once proud organization, and it turned liberal.
```

```
>>>
>>>
>>> SC
>>
>> What I don't get is why we are forced to see
>> homosexuality in areas that have nothing to do with sex, such as the
>> example you mentioned.
>
>
> Radical militant homosexuality coupled with uncontroled liberalism.
>
> sc

What is sad is that in California they deny the Boy Scouts public park
access, but it is OK for gays to have public sex in the same parks without
fear of being arrested.




From 8593132154463464535
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the posters
Date: 10 May 2006 20:57:28 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1147319848.869325.29870@u72g2000cwu.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <1262mh57s1pubbf@corp.supernews.com>
   <3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147319853 14590 127.0.0.1 (11 May 2006 03:57:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 May 2006 03:57:33 +0000 (UTC)
In-Reply-To: <3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11157
rec.radio.amateur.equipment:3960 rec.radio.amateur.policy:25574 rec.radio.cb:9582
rec.radio.shortwave:34316


Short Circuit wrote:
> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in
> news:1262mh57s1pubbf@corp.supernews.com:
>
> > "Signal Chaser" <em@il.here> wrote in message
> > news:1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net...
> >> "an old friend" <kb9rqz@hotmail.com> wrote in
> >> news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
> >>
> >>>

> >>
> >> SC
> >
> > What I don't get is why we are forced to see
> > homosexuality in areas that have nothing to do with sex, such as the
> > example you mentioned.
>
>
> Radical militant homosexuality coupled with uncontroled liberalism.

hardly jsut  arefusual to hide and an over active imagination
>
> sc




From -2058911511948672951
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q12g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
```

with other.
Date: 10 May 2006 22:12:58 -0700
Organization: http://groups.google.com
Lines: 29
Message-ID: <1147324378.487589.127940@q12g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
   <shv8g.488$oa1.132@news02.roc.ny>
   <oTv8g.3672$fb2.2188@newssvr27.news.prodigy.net>
   <e3u2if$1j2$1@news2.kornet.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147324383 27108 127.0.0.1 (11 May 2006 05:13:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 May 2006 05:13:03 +0000 (UTC)
In-Reply-To: <e3u2if$1j2$1@news2.kornet.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q12g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11158
rec.radio.amateur.equipment:3961 rec.radio.amateur.misc:10699
rec.radio.amateur.policy:25580 rec.radio.shortwave:34322

Brenda Ann wrote:
> "kd5sak" <kd5sak@sbcglobal.net> wrote in message
> news:oTv8g.3672$fb2.2188@newssvr27.news.prodigy.net...
> >

> > KD5SAK
>
> I'm a couple decades younger than you (my mother was born in '33), but I
> have sure seen a massive change in societal attitudes since I was young.
> Used to be that people understood the concept of earning what they get out
> of life, ...
used to be that sorta worked today hard work does not equal reward
rarely do the books balance, I have never been paid what I was worth
(soeties thnakfully I have been way more than I was worth I tried to
discourage people from trowing me work i did not like by charging more
for it, they paid it)
>.....now everyone seems to think they're entitled to anything they want
> for free. Kind of sad, really.

nobody is asking for free access to HF, I am not I am asking that
requireents for such acces be reasonable, with the decliene in the use
and import of CW over the years the CW test is not a reasonable
requirement, the same cane be said of othe rpeices of the written test

(like anybody realy needs to know whatfrequency is balck in a fastscan
signal (a UHF mode) in order to use HF spectrum is truly beyond me but
it does not rsie to the pass fail nature of the CW test

```
From -3235017717084915998
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44631A84.9030802@fuse.net>
Date: Thu, 11 May 2006 07:05:40 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
<3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
In-Reply-To: <3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 48
X-Trace: f417944631aaee098318607173
Xref: g2news2.google.com rec.radio.amateur.antenna:11162
rec.radio.amateur.equipment:3963 rec.radio.amateur.policy:25588 rec.radio.cb:9593
rec.radio.shortwave:34334
```

Short Circuit wrote:
> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in
> news:1262mh57s1pubbf@corp.supernews.com:
>
>
>>"Signal Chaser" <em@il.here> wrote in message
>>news:1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net...
>>
>>>"an old friend" <kb9rqz@hotmail.com> wrote in

```
>>>news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
>>>
>>>
>>>>Sinpo Code wrote:
>>>>
>>>>>Lancer <lancer@rock.com> wrote in
>>>>>news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
>>>>>
>>>>
>>>>>I don't remember who was all in it, but one guy kept dropping the
>>>>>soldering iron on the ground in front of people, then he'd bend over
>>>>>slowly to pick it up again like he was hoping someone might give him
>>>>>a poke.  Disgusting.
>>>>>
>>>>
>>>>how is any that the ARRL's fault
>>>
>>>
>>>ARRL threw principle out the window when they caved in to the demands
>>>of the Lambda Amateur Radio Club (LARC).  It was a sad day for me
>>>indeed when I opened my beloved QST magazine and there on the pages
>>>were photos of queers on a Tropical DXpedition, and in living color no
>>>less.  The ARRL wanted us to embrace a sick perverted lifestyle and be
>>>one big happy family.  To me, it was the spark that signaled the death
>>>of a once proud organization, and it turned liberal.
>>>
>>>
>>>SC
>>
>>What I don't get is why we are forced to see
>>homosexuality in areas that have nothing to do with sex, such as the
>>example you mentioned.
>
>
>
> Radical militant homosexuality coupled with uncontroled liberalism.
>
> sc
It's enough to make a Nazi cry


From 8033131950336297256
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Date: Thu, 11 May 2006 07:10:36 -0400
```

```
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
<3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
<1265cea4sqoqe7@corp.supernews.com>
In-Reply-To: <1265cea4sqoqe7@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <671c8$44631bd7$453d9423$7173@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 57
X-Trace: 671c844631bd7e098318607173
Xref: g2news2.google.com rec.radio.amateur.antenna:11163
rec.radio.amateur.equipment:3964 rec.radio.amateur.policy:25589 rec.radio.cb:9594
rec.radio.shortwave:34335

Dr.Death wrote:
> "Short Circuit" <em@il.here> wrote in message
> news:3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net...
>
>>"Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in
>>news:1262mh57s1pubbf@corp.supernews.com:
>>
>>
>>>"Signal Chaser" <em@il.here> wrote in message
>>>news:1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net...
>>>
>>>>"an old friend" <kb9rqz@hotmail.com> wrote in
>>>>news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
>>>>
>>>>
>>>>>Sinpo Code wrote:
>>>>>
>>>>>>Lancer <lancer@rock.com> wrote in
>>>>>>news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
>>>>>>
>>>>>
>>>>>>I don't remember who was all in it, but one guy kept dropping the
>>>>>>soldering iron on the ground in front of people, then he'd bend over
>>>>>>slowly to pick it up again like he was hoping someone might give him
>>>>>>a poke.  Disgusting.
```

```
>>>>>>
>>>>>
>>>>>how is any that the ARRL's fault
>>>>
>>>>
>>>>ARRL threw principle out the window when they caved in to the demands
>>>>of the Lambda Amateur Radio Club (LARC).  It was a sad day for me
>>>>indeed when I opened my beloved QST magazine and there on the pages
>>>>were photos of queers on a Tropical DXpedition, and in living color no
>>>>less.  The ARRL wanted us to embrace a sick perverted lifestyle and be
>>>>one big happy family.  To me, it was the spark that signaled the death
>>>>of a once proud organization, and it turned liberal.
>>>>
>>>>
>>>>SC
>>>
>>>What I don't get is why we are forced to see
>>>homosexuality in areas that have nothing to do with sex, such as the
>>>example you mentioned.
>>
>>
>>Radical militant homosexuality coupled with uncontroled liberalism.
>>
>>sc
>
>
> What is sad is that in California they deny the Boy Scouts public park
> access, but it is OK for gays to have public sex in the same parks without
> fear of being arrested.
>
>
I hear tell that, in Massachusetts, they let CATHOLICS vote!


From -2493324728131651587
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-
sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Q <Q@nowhere.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: cw trolling
Date: Thu, 11 May 2006 12:23:19 -0000
Organization: Q
Message-ID: <1266b5n4lup0ob6@corp.supernews.com>
X-Newsreader: Mozilla/5.0 (compatible; Konqueror/3.4; Linux) KHTML/3.4.1 (like
```

Gecko)
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3fvnh$97m$1@avnika.corp.mot.com>
<1146857107.822936.121660@y43g2000cwc.googlegroups.com>
<e3oaij$bjo$1@avnika.corp.mot.com>
<1147122594.900336.272650@u72g2000cwu.googlegroups.com>
<e3r409$k7d$1@avnika.corp.mot.com> <1264pefav054pa7@corp.supernews.com>
<VEu8g.972$x4.456@newsread3.news.pas.earthlink.net>
X-Complaints-To: abuse@supernews.com
Lines: 54
Xref: g2news2.google.com rec.radio.amateur.antenna:11164
rec.radio.amateur.equipment:3965 rec.radio.amateur.misc:10702
rec.radio.amateur.policy:25590 rec.radio.shortwave:34336

slow Code wrote:
>
> Q <Q@nowhere.com> wrote in news:1264pefav054pa7@corp.supernews.com:
>
> > "Steve N." wrote:
> >>
> >> "RHF" <rhf-newsgroups@pacbell.net> wrote in message
> >> news:1147122594.900336.272650@u72g2000cwu.googlegroups.com...
> >> > The FCC Outlawed 'Spark' for very valid technical reasons
> >> > at that time and they are still valid today.   The very same
> >> > logic could be used to still justify the continued use of CW
> >> > as an Amateur Operating Mode; even though the requirement
> >> > for proficiency in CW is not used for an Amateur License.
> >> >
> >> > jm2cw ~ RHF
> >>
> >> RHF,
> >>   My point was ...this time the FCC is NOT *eliminating* nor *Outlawing
> >>   CW.
> >> (as far as we know)
> >> Spark *did* suck, but even so there were those that hated CW.
> >>
> >> 73, Steve, K9DCI
> >
> > I just passed my tech exam and am looking
> > forward to the CW test. It certainly exercises
> > a part of my brain that seems to need that
> > kind of excercise. I'm glad it's still a requirement.
> > It all seems to balance out.
> >
> > 73
>
> Good luck to you my friend. It will be a pleasure to work you on HF.
>
> Congrats on getting your Tech too.
>

Thanks.

I'm trying out the shareware program "nucode"
right now. Is this a recommeded way to learn CW?

My long term plan is also to pass the General exam,
then build my own HF CW receiver, and then later
try transmitting low power to see how far I can
go on an empty tank.

```
From -3275238186590538681
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!d2fe4b3a!not-for-mail
From: "Wayne" <mygarbagecan@verizon.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ubn8g.8765$k%2.4642@trnddc03>
<1147279181.692670.292110@v46g2000cwv.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <DgI8g.10097$k%2.5837@trnddc03>
Date: Thu, 11 May 2006 14:56:35 GMT
NNTP-Posting-Host: 71.103.183.28
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1147359395 71.103.183.28 (Thu, 11 May 2006 10:56:35 EDT)
NNTP-Posting-Date: Thu, 11 May 2006 10:56:35 EDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11168
rec.radio.amateur.equipment:3966 rec.radio.amateur.misc:10703
rec.radio.amateur.policy:25592 rec.radio.shortwave:34347
```

```
"an old freind" <kb9rqz_ars@yahoo.com> wrote in message
news:1147279181.692670.292110@v46g2000cwv.googlegroups.com...
>
> Wayne wrote:
>> "Mike Speed" <mike8s2@yahoo.com> wrote in message
>> news:1147256694.983492.263500@e56g2000cwe.googlegroups.com...
>> >
>
>> > You stupid Fucks - don't you kow a troll when you see one!  Jesus
>> > Christ!
>> >
>> Troll, or no troll.....it is not unreasonable to expect those of all ages
>> to
>> read this newsgroup.  Accordingly, my expectation of this group is to
>> limit
>> the language in your posts to the type of language you would use on the
>> air.
>
> thenyou are foolish
>
> this is not on the air and indeed you can see worse on comercail tv
>
> grow up
>> --Wayne
>> W5GIE
>
Grow up?  OK, even I am amused by that one.

Nevertheless, it is reasonable to expect that a technical forum representing
an amateur radio subject, have higher standards than cable TV language.
Wayne
W5GIE




From -7075941473679945813
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!38.119.100.148.MISMATCH!news-out2.newsfeeds.com!local!
news.eskimo.com!eskimo.com!mzenier
From: mzenier@eskimo.com (Mark Zenier)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
```

adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
Date: Wed, 10 May 2006 15:38:04 GMT
Organization: Eskimo North www.eskimo.com (800) 246-6874
Lines: 19
Message-ID: <e3vl4m$pdn$1@eskinews.eskimo.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<5bd162l54g4id7pouog2pt4ocavgl82pso@4ax.com>
<e3qffj$h55$1@usenet01.srv.cis.pitt.edu>
<F948g.70137$F_3.11799@newssvr29.news.prodigy.net>
NNTP-Posting-Host: eskimo.com
X-Trace: eskinews.eskimo.com 1147361238 26039 204.122.16.13 (11 May 2006 15:27:18 GMT)
X-Complaints-To: abuse@eskimo.com
NNTP-Posting-Date: 11 May 2006 15:27:18 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:11170
rec.radio.amateur.equipment:3967 rec.radio.amateur.misc:10704
rec.radio.amateur.policy:25593 rec.radio.shortwave:34348

In article <F948g.70137$F_3.11799@newssvr29.news.prodigy.net>,
Cecil Moore <mycall@hotmail.com> wrote:
>GregS wrote:
>> Did anybody learn RTTY ?
>
>Now there's a real challenge. What baud rate would be required
>for a human being to copy RTTY by ear?

For isolated characters, a good ear could probably differentiate them
with 22 millisecond and 20 millisecond bit times (45.5? and 50 Baud).
I had a friend who said his uncle could do that.

But if the characters ran together, especially with a 1 or 2 bit stop
time, your brain would have no way to seperate them. Neither can some
simple hardware decoders.

Mark Zenier mzenier@eskimo.com
Googleproofaddress(account:mzenier provider:eskimo domain:com)

From 5849809641618863594
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!nntp.newsfirst.net!dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups:

rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Thu, 11 May 2006 12:51:21 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Lines: 16
Message-ID: <44636b98$0$22188@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.36
X-Trace: dingus.crosslink.net 1147366296 22188 207.199.164.36
Xref: g2news2.google.com rec.radio.amateur.antenna:11172
rec.radio.amateur.equipment:3968 rec.radio.amateur.misc:10705
rec.radio.amateur.policy:25594 rec.radio.shortwave:34351

"Silent Key" <cw.h@m.bands>
> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.
>

Let's use proper nomenclature. There is little danger of CW going away. What is going away is Morse Code - replaced by more efficient ways of comunication. We're always asked "What would you do is the only way you could communicate was to turn your transmitter on and off?". Simple! I'd use Tap Code - you know the "CW" with only dots, no dashes - the one used by banging on pipes, the one anybody can use without tons of practice. Arrange the alphabet in a 5 x 5 matrix leaving out K (use 'c' instead). Each letter is addressed by its position in the matrix: a = 1,1; b = 1,2 .... f = 2,1 and so on. These become your "dits" or bangs or flashes or blinks as appropriate. I'm amazed at how few know this.

From 3592922447641226373
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: balme the posters
Date: 11 May 2006 10:06:22 -0700
Organization: http://groups.google.com

```
Lines: 33
Message-ID: <1147367182.413003.124020@u72g2000cwu.googlegroups.com>
References: <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <44613917.7090602@fuse.net>
   <1147222719.534150.40150@v46g2000cwv.googlegroups.com>
   <nf2362530i4op7sj0a9ihfiedo90csmlnu@4ax.com>
   <1147277737.679511.166140@u72g2000cwu.googlegroups.com>
   <hg94625e6c15g7pc658of0p2bup0uohf0r@4ax.com>
   <1147290608.422762.49480@y43g2000cwc.googlegroups.com>
   <r1n562hpmbp8f4pn1tmabavq5jdj3eme91@4ax.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147367188 20978 127.0.0.1 (11 May 2006 17:06:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 May 2006 17:06:28 +0000 (UTC)
In-Reply-To: <r1n562hpmbp8f4pn1tmabavq5jdj3eme91@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11173
rec.radio.amateur.equipment:3969 rec.radio.amateur.policy:25600 rec.radio.cb:9609
rec.radio.shortwave:34353
```

Fred wrote:
> On 10 May 2006 12:50:08 -0700, "an_old_friend" <konstans@hotmail.com>
> wrote:
>
> >
> >Fred wrote:
> >> On 10 May 2006 09:15:37 -0700, "an old freind"

> >like i said you aredumber than I thought
>
> Now that you have admitted that you are infatuated with me
delsuional behaveoir i see

>, I'll
> forgive you for your shy, pathetic attempts at flirting with me.

and clear sexaul issues
> Still, I have no idea what you are saying.
becuase you don't want to
>Learn to spell and please
> learn to type.
obviously i can type you might have tried saying typ better but you are
so imprcise while demaning it ofothers

Id tell you to go to hell but i can se you are already there
> Otherwise you are almost too pathetic to mock.

no is making you mock me

indeed it makes you look petty but then it seesm you are petty so I
supose you need to kepp on to maintian apearences

```
From 85041241248183193O1
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q12g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 11 May 2006 10:12:57 -0700
Organization: http://groups.google.com
Lines: 27
Message-ID: <1147367577.614179.272360@q12g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ubn8g.8765$k%2.4642@trnddc03>
   <1147279181.692670.292110@v46g2000cwv.googlegroups.com>
   <DgI8g.10097$k%2.5837@trnddc03>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147367581 2865 127.0.0.1 (11 May 2006 17:13:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 May 2006 17:13:01 +0000 (UTC)
In-Reply-To: <DgI8g.10097$k%2.5837@trnddc03>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q12g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11174
rec.radio.amateur.equipment:3970 rec.radio.amateur.misc:10706
rec.radio.amateur.policy:25601 rec.radio.shortwave:34355
```

Wayne wrote:
> "an old freind" <kb9rqz_ars@yahoo.com> wrote in message
> news:1147279181.692670.292110@v46g2000cwv.googlegroups.com...
> >
> > Wayne wrote:

> >
> Grow up? OK, even I am amused by that one.
>
> Nevertheless, it is reasonable to expect that a technical forum representing
> an amateur radio subject, have higher standards than cable TV language.
why? or better what makes it higher?

to do so implies that it is accepted that there is soething worng
inherantly with saying or typing "shit" when "shit' is what you mean.

given that words like "shit" "fuck" have an impact beyond their
equivelanets feces, and fornication, why ot use them

the only that does is foisting a morality thatI don't accept

agree the word I mentioned and other are over used but that is a only a
problem in that it lessens their impact not that it is worng
> Wayne
> W5GIE

From 3462587461036573303
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 11 May 2006 12:37:40 -0500
Date: Thu, 11 May 2006 13:37:42 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>

```
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ubn8g.8765$k%2.4642@trnddc03>
<1147279181.692670.292110@v46g2000cwv.googlegroups.com>
<DgI8g.10097$k%2.5837@trnddc03>
<1147367577.614179.272360@q12g2000cwa.googlegroups.com>
In-Reply-To: <1147367577.614179.272360@q12g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_eydnY6xVqv56_7ZRVn-jw@comcast.com>
Lines: 15
NNTP-Posting-Host: 24.62.153.74
X-Trace:
sv3-57noPZfOOafh2uXw4XxoZ3Rk5UwA0gQeH9k0sklprJ3429Lu295ua+uYMR+yryXndOS4f4b1Ui6/2x
u!pGmkc27dHAqd4FD3pO0pCG7REjM8zzOhWIk0dng48DSfUhuLs5cukuqG+fFvjNAJ6syFHeD86RsC!
fnPY8A==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11176
rec.radio.amateur.equipment:3972 rec.radio.amateur.misc:10708
rec.radio.amateur.policy:25608 rec.radio.shortwave:34358
```

To: An Old Friend

Your choice of language clearly identifies your value system.

The subject you passionately defend is considered immoral by 90+ % of the people in the world, and ALL the world's established religions.

A multicultural society will condone your language and lifestyle; and, YES, you must condone their 'straight' lifestyles. Any right you claim for yourself you must also respect in others with whom you disagree.

Finally, this thread is so far off subject that it deserves a quick referral to the circular file.

```
From 469784845764272558
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz@hotmail.com>
```

```
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: balme the posters
Date: 11 May 2006 10:44:35 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1147369475.402895.302460@j33g2000cwa.googlegroups.com>
References: <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <44613917.7090602@fuse.net>
   <1147222719.534150.40150@v46g2000cwv.googlegroups.com>
   <nf2362530i4op7sj0a9ihfiedo90csmlnu@4ax.com>
   <1147277737.679511.166140@u72g2000cwu.googlegroups.com>
   <hg94625e6c15g7pc658of0p2bup0uohf0r@4ax.com>
   <1147290608.422762.49480@y43g2000cwc.googlegroups.com>
   <r1n562hpmbp8f4pn1tmabavq5jdj3eme91@4ax.com>
   <1147367182.413003.124020@u72g2000cwu.googlegroups.com>
   <u4t662pbdfhkfvlgagfs785dsap3f28095@4ax.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147369480 27507 127.0.0.1 (11 May 2006 17:44:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 May 2006 17:44:40 +0000 (UTC)
In-Reply-To: <u4t662pbdfhkfvlgagfs785dsap3f28095@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:11177
rec.radio.amateur.equipment:3973 rec.radio.amateur.policy:25613 rec.radio.cb:9617
rec.radio.shortwave:34359


Fred wrote:
> On 11 May 2006 10:06:22 -0700, "an_old_friend" <konstans@hotmail.com>
> wrote:

> >Id tell you to go to hell but i can se you are already there
> >> Otherwise you are almost too pathetic to mock.
> >
> >no is making you mock me
>
> Who or what is no and how is it commanding me to mock you?

none one as I said



From -3661823305103718136
X-Google-Thread: fcc6e,9f8932f7d11ff1c
```

```
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q12g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 11 May 2006 10:50:55 -0700
Organization: http://groups.google.com
Lines: 33
Message-ID: <1147369855.608384.157040@q12g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ubn8g.8765$k%2.4642@trnddc03>
   <1147279181.692670.292110@v46g2000cwv.googlegroups.com>
   <DgI8g.10097$k%2.5837@trnddc03>
   <1147367577.614179.272360@q12g2000cwa.googlegroups.com>
   <_eydnY6xVqv56_7ZRVn-jw@comcast.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147369861 28734 127.0.0.1 (11 May 2006 17:51:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 May 2006 17:51:01 +0000 (UTC)
In-Reply-To: <_eydnY6xVqv56_7ZRVn-jw@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q12g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:11178
rec.radio.amateur.equipment:3974 rec.radio.amateur.misc:10709
rec.radio.amateur.policy:25615 rec.radio.shortwave:34360
```

Dave wrote:

> To: An Old Friend
>
> Your choice of language clearly identifies your value system.

indeed

>
> The subject you passionately defend is considered immoral by 90+ % of
> the people in the world, and ALL the world's established religions.

now you are lying or misrepresenting the facts a comon practice on

```
usenet
 Judaism does not cosider the use of vulgaity imoral. the Englash and
germeans and russains roitintinely use such langauge

you and other are simply bent on imposing your values on others by any
means
>
> A multicultural society will condone your language and lifestyle; and,
> YES, you must condone their 'straight' lifestyles.
your point? if any
>Any right you claim
> for yourself you must also respect in others with whom you disagree.
of course your point?
>
> Finally, this thread is so far off subject that it deserves a quick
> referral to the circular file.
why? becuase you don't like it

the proper answer to such is one word

BULLSHIT




From -7376625556592812191
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: balme the posters
Date: 11 May 2006 11:03:20 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1147370600.313187.187500@j73g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <44613917.7090602@fuse.net>
   <1147222719.534150.40150@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

```
X-Trace: posting.google.com 1147370605 11485 127.0.0.1 (11 May 2006 18:03:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 May 2006 18:03:25 +0000 (UTC)
In-Reply-To: <1147222719.534150.40150@v46g2000cwv.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:11181
rec.radio.amateur.equipment:3975 rec.radio.amateur.policy:25617 rec.radio.cb:9619
rec.radio.shortwave:34361
```

I could blame Stefan Balme for opening the jar of balm so quickly that
it went blam after he landed at El Bamel airport, but Mr. Balme would
probably not want someone to balme (or embalme) him.

(try spel chek)

```
From 2119922029165683806
X-Google-Thread: 108228,bdcde83d443c4699,start
X-Google-Thread: 108122,bdcde83d443c4699,start
X-Google-Thread: 1109af,bdcde83d443c4699,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!
news.rr.com!peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls+Plus Ver-UHF-Voice Storage -NEW Charger
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0015_01C674EE.F9DA9C90"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <GtL8g.3283$_m5.3124@fed1read09>
Date: Thu, 11 May 2006 11:35:16 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1147372518 68.96.227.248 (Thu, 11 May 2006 14:35:18 EDT)
NNTP-Posting-Date: Thu, 11 May 2006 14:35:18 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:912
rec.radio.amateur.equipment:3976 rec.radio.swap:3984
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_0015_01C674EE.F9DA9C90
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls+Plus Ver-UHF-Voice Storage -NEW Chg

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7619097805&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0015_01C674EE.F9DA9C90
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls+Plus Ver-UHF-Voice Storage -NEW Chg</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7619097805&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7619097805&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0015_01C674EE.F9DA9C90--



From -3194700353757659108
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.phx!fe12.lga.POSTED!53ab2750!not-for-mail
From: ricknj10@hotmail.com (Rick)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
```

Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Reply-To: ricknj10@hotmail.com
Message-ID: <446384bf.58910828@news.optonline.net>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ZEu8g.975$x4.732@newsread3.news.pas.earthlink.net>
<shv8g.488$oa1.132@news02.roc.ny>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 18
Date: Thu, 11 May 2006 18:44:11 GMT
NNTP-Posting-Host: 67.82.180.73
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1147373049 67.82.180.73 (Thu, 11 May 2006 11:44:09 MST)
NNTP-Posting-Date: Thu, 11 May 2006 11:44:09 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.antenna:11182
rec.radio.amateur.equipment:3977 rec.radio.amateur.misc:10710
rec.radio.amateur.policy:25619 rec.radio.shortwave:34365

All you guys posting to this thread do not know anything about Usenet.

All this crap is being cross posted to newsgroups where there should
be no interest in this bickering, childish behavior.

Before you do any follow ups to this message, right before you hit
your send button, look at what newsgroups you are posting to. Delete
(do you know how to use your delete key?) all the newsgroups except
rec.radio.amateur.misc. then the antenna newsgroup and the equipment
newsgroup etc. will not be seeing the posts which are IRRELEVANT.
So if you like this bullshit bickering stuff go on over to
rec.radio.amateur.misc and you will see there are lots and lots of
them to entertain you all night long. You can call all of the posters
there names to your hearts content.

Rick   K2XT

From -3697747500927892330
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.phx!fe12.lga.POSTED!53ab2750!not-for-mail
From: ricknj10@hotmail.com (Rick)

```
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: cw trolling
Reply-To: ricknj10@hotmail.com
Message-ID: <4463876d.59597312@news.optonline.net>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3fvnh$97m$1@avnika.corp.mot.com>
<1146857107.822936.121660@y43g2000cwc.googlegroups.com>
<e3oaij$bjo$1@avnika.corp.mot.com>
<1147122594.900336.272650@u72g2000cwu.googlegroups.com>
<e3r409$k7d$1@avnika.corp.mot.com> <1264pefav054pa7@corp.supernews.com>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 11
Date: Thu, 11 May 2006 18:53:22 GMT
NNTP-Posting-Host: 67.82.180.73
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1147373601 67.82.180.73 (Thu, 11 May 2006 11:53:21 MST)
NNTP-Posting-Date: Thu, 11 May 2006 11:53:21 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.antenna:11183
rec.radio.amateur.equipment:3978 rec.radio.amateur.misc:10711
rec.radio.amateur.policy:25620 rec.radio.shortwave:34366

On Wed, 10 May 2006 22:14:39 -0000, Q <Q@nowhere.com> wrote:
If you are thinking of writing a follow up message on this subject, do
this -
up at the top of your message delete all of the newsgroup names (like
rec.radio.amateur.antenna) EXCEPT rec.radio.amateur.misc because this
subject belongs there only.  It does not relate to antennas, equipment
etc.

Thank you very much.

Rick



From 9024829054434343401
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.phx!fe12.lga.POSTED!53ab2750!not-for-mail
From: ricknj10@hotmail.com (Rick)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
```

Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Reply-To: ricknj10@hotmail.com
Message-ID: <44638837.59799140@news.optonline.net>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
<3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 11
Date: Thu, 11 May 2006 18:56:12 GMT
NNTP-Posting-Host: 67.82.180.73
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1147373771 67.82.180.73 (Thu, 11 May 2006 11:56:11 MST)
NNTP-Posting-Date: Thu, 11 May 2006 11:56:11 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.antenna:11184
rec.radio.amateur.equipment:3979 rec.radio.amateur.policy:25621 rec.radio.cb:9622
rec.radio.shortwave:34367

If you are considering posting a floowup to this message do this:

Up on the top of your message delete all of the newsgroup names EXCEPT
rec.raio.amateur.policy because the antenna guys and the equipment
guys do not really care about this subject.

Thank you very much. The whole world will think you are much more
intelligent now that you know how to use Usenet.

Rick

From -5378270259652366194
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.phx!fe12.lga.POSTED!53ab2750!not-for-mail
From: ricknj10@hotmail.com (Rick)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: I blame the posters
Reply-To: ricknj10@hotmail.com

```
Message-ID: <446388db.59963312@news.optonline.net>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<1262mh57s1pubbf@corp.supernews.com>
<3Fu8g.978$x4.372@newsread3.news.pas.earthlink.net>
<1147319848.869325.29870@u72g2000cwu.googlegroups.com>
X-Newsreader: Forte Free Agent 1.21/32.243
Lines: 11
Date: Thu, 11 May 2006 18:58:14 GMT
NNTP-Posting-Host: 67.82.180.73
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1147373893 67.82.180.73 (Thu, 11 May 2006 11:58:13 MST)
NNTP-Posting-Date: Thu, 11 May 2006 11:58:13 MST
Organization: Optimum Online
Xref: g2news2.google.com rec.radio.amateur.antenna:11185
rec.radio.amateur.equipment:3980 rec.radio.amateur.policy:25622 rec.radio.cb:9624
rec.radio.shortwave:34368
```

If you are considering a follow up to this messsage do this:

Up on top of the message delete all newsgroup name except
rec.radio.amateur.policy

then go over to rec.radio.amateur.policy and check to make sure your
message got posted there.
And while you are there I am sure you will find lots of similar
messages to read that will entertain you all night.

Rick

```
From 5198597884465143234
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!q12g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 11 May 2006 13:02:57 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1147377776.973767.206450@q12g2000cwa.googlegroups.com>
```

```
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com>
   <1262mkq6bjmk8df@corp.supernews.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147377782 19579 127.0.0.1 (11 May 2006 20:03:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 11 May 2006 20:03:02 +0000 (UTC)
In-Reply-To: <1262mkq6bjmk8df@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: q12g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:11186
rec.radio.amateur.equipment:3981 rec.radio.amateur.policy:25626 rec.radio.cb:9627
rec.radio.shortwave:34373



Dr.Death wrote:
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com...
> >

> I guess you missed the part of the bible dealing with Sodom and Gomorra
> being leveled because of deviant sex.

it looks like you missed the facts fot he case Sodom and Gomora were
leveled for the ciolations of the law of hospitality

learn to read Dr




From -7601984599255467840
X-Google-Thread: 108228,879c3c431eb892c0,start
X-Google-Thread: 108122,879c3c431eb892c0,start
X-Google-Thread: 1109af,879c3c431eb892c0,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: "Lot" of 6-each Motorola Radius SP50's with Rapid Bank Charger-
Auction Ending
```

```
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C674FF.7C55D440"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <BcN8g.3284$_m5.1794@fed1read09>
Date: Thu, 11 May 2006 13:33:27 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1147379617 68.96.227.248 (Thu, 11 May 2006 16:33:37 EDT)
NNTP-Posting-Date: Thu, 11 May 2006 16:33:37 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:914
rec.radio.amateur.equipment:3982 rec.radio.swap:3986

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C674FF.7C55D440
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: "Lot" of 6-each Motorola Radius SP50's with Rapid Bank Charger-LQQK


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7615535553&ss=
PageName=3DSTRK:MESE:IT
------=_NextPart_000_0008_01C674FF.7C55D440
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: "Lot" of 6-each Motorola Radius SP50's with Rapid Bank=20
Charger-LQQK</P></FONT></DIV>
<DIV>&nbsp;</DIV>
<DIV><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7615535553&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7615535553&amp;ssPageName=3DSTRK:=
MESE:IT</A></DIV></BODY></HTML>
```

```
------=_NextPart_000_0008_01C674FF.7C55D440--



From 6678792343847370601
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-xxxfer.readnews.com!
198.186.190.10.MISMATCH!textspool1.readnews.com!news-out.readnews.com!
postnews3.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: balme the posters
From: Steveo <moparholic@hotmail.com>
Organization: organic/synthetic
Message-ID: <20060511173236.371$IB@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net> <44613917.7090602@fuse.net>
<1147222719.534150.40150@v46g2000cwv.googlegroups.com>
<1147370600.313187.187500@j73g2000cwa.googlegroups.com>
X-NRC-Trace: NewsReader.Com aFpzg2YW5_R4ptYifzqqdd4KzFhSFjtYkvBlr-sUVmtvRK,U
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 11 May 2006 21:15:01 GMT
Lines: 17
NNTP-Posting-Host: 0487cd14.nr3.newsreader.com
X-Trace: DXC=9RGU5ZffDdEImPVW;16nQAOA8_@f\K_iBO3l?
gPj53>EbJ=Z@YGQ73INd7biGRhQTGYA@MLbHKH8Mf2T?o7l_NX@
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:11192
rec.radio.amateur.equipment:3983 rec.radio.amateur.policy:25628 rec.radio.cb:9633
rec.radio.shortwave:34387

"John S." <hjsjms@cs.com> wrote:
> I could blame Stefan Balme for opening the jar of balm so quickly that
> it went blam after he landed at El Bamel airport, but Mr. Balme would
> probably not want someone to balme (or embalme) him.
>
> (try spel chek)
>
>
With a Pair of heavy-duty
Zircon-encrusted tweezers in my hand
```

Every other wrangler would say
I was mighty grand

By myself I wouldn't
Have no boss

But I'd be raisin' my lonely Dental Floss ($1 F Zappa)

From -2610020678916018092
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 11 May 2006 17:52:50 -0500
From: Gary Schafer <gaschafer@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Thu, 11 May 2006 18:52:50 -0400
Message-ID: <a7f7629hiu0uhh6vk3mp0ee9apt93t9d23@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147256694.983492.263500@e56g2000cwe.googlegroups.com>
<ubn8g.8765$k%2.4642@trnddc03>
<1147279181.692670.292110@v46g2000cwv.googlegroups.com>
<DgI8g.10097$k%2.5837@trnddc03>
<1147367577.614179.272360@q12g2000cwa.googlegroups.com> <_eydnY6xVqv56_7ZRVn-
jw@comcast.com> <1147369855.608384.157040@q12g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 46
NNTP-Posting-Host: 71.57.149.211
X-Trace: sv3-xgyKl/AN8E+pG931btRR1lZeeOkOtHfg0Cx4Stjcmm+5pbeNANY5qJ+Z70cbBG615/
j6EKYgK8kjvQW!c3A1RPDkWZorTu8U/Hr/awuKPDtoXLApuWZrE/
CghmAT9G2zPkHJ3Nkcodp86dp3/4o+ZdxZg1fS!//B9AH+21O6b
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11195
rec.radio.amateur.equipment:3984 rec.radio.amateur.misc:10714

rec.radio.amateur.policy:25630 rec.radio.shortwave:34395

On 11 May 2006 10:50:55 -0700, "an old friend" <kb9rqz@hotmail.com>
wrote:

>
>Dave wrote:
>> To: An Old Friend
>>
>> Your choice of language clearly identifies your value system.
>
>indeed
>>
>> The subject you passionately defend is considered immoral by 90+ % of
>> the people in the world, and ALL the world's established religions.
>now you are lying or misrepresenting the facts a comon practice on
>usenet
> Judaism does not cosider the use of vulgaity imoral. the Englash and
>germeans and russains roitintinely use such langauge
>
>you and other are simply bent on imposing your values on others by any
>means
>>
>> A multicultural society will condone your language and lifestyle; and,
>> YES, you must condone their 'straight' lifestyles.
>your point? if any
>>Any right you claim
>> for yourself you must also respect in others with whom you disagree.
>of course your point?
>>
>> Finally, this thread is so far off subject that it deserves a quick
>> referral to the circular file.
>why? becuase you don't like it
>
>the proper answer to such is one word
>
>BULLSHIT

The school yard is often lively with youngsters demonstrating their
capability of spewing out newly learned potty words that they
envision makes them more of a man.
However when they do mature they usually realize that kind of language
really only makes them appear child like. Some never do get it.

Regards
Gary

From 7253828422121615689
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c

```
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 11 May 2006 17:01:13 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1147392073.690172.177160@i39g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147256694.983492.263500@e56g2000cwe.googlegroups.com>
   <ubn8g.8765$k%2.4642@trnddc03>
   <1147279181.692670.292110@v46g2000cwv.googlegroups.com>
   <DgI8g.10097$k%2.5837@trnddc03>
   <1147367577.614179.272360@q12g2000cwa.googlegroups.com>
   <_eydnY6xVqv56_7ZRVn-jw@comcast.com>
   <1147369855.608384.157040@q12g2000cwa.googlegroups.com>
   <a7f7629hiu0uhh6vk3mp0ee9apt93t9d23@4ax.com>
NNTP-Posting-Host: 69.19.14.32
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147392078 7386 127.0.0.1 (12 May 2006 00:01:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 12 May 2006 00:01:18 +0000 (UTC)
In-Reply-To: <a7f7629hiu0uhh6vk3mp0ee9apt93t9d23@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.32;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11196
rec.radio.amateur.equipment:3985 rec.radio.amateur.misc:10715
rec.radio.amateur.policy:25633 rec.radio.shortwave:34401
```

```
Gary Schafer wrote:
> On 11 May 2006 10:50:55 -0700, "an old friend" <kb9rqz@hotmail.com>
> wrote:
>
> >
> >Dave wrote:
> >> To: An Old Friend

> >the proper answer to such is one word
```

> >
> >BULLSHIT
>
> The school yard is often lively with youngsters demonstrating their
> capability of spewing out newly learned potty words that they
> envision makes them more of a man.
> However when they do mature they usually realize that kind of language
> really only makes them appear child like. Some never do get it.

every word or phrase has its place and its use as does everymode of
beahvoir including say genecide the problem with all them is not that
they are imoral but siply over used

thus teacxhes the Talmund at any rate

PTOH childish is not imoral which was the posters point
>
> Regards
> Gary

```
From -3724249722772866175
X-Google-Thread: 108228,fdad65b0f70b6058,start
X-Google-Thread: 108122,fdad65b0f70b6058,start
X-Google-Thread: 1109af,fdad65b0f70b6058,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 4-EA MOTOROLA RADIUS SP50 RADIOS UHF 4-W-GOOD CONDITION
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0022_01C670FF.C823F950"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <uS57g.3171$_m5.771@fed1read09>
Date: Sat, 6 May 2006 11:25:30 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146939930 68.96.227.248 (Sat, 06 May 2006 14:25:30 EDT)
NNTP-Posting-Date: Sat, 06 May 2006 14:25:30 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:901
rec.radio.amateur.equipment:3832 rec.radio.swap:3891
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0022_01C670FF.C823F950
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 4-EA MOTOROLA RADIUS SP50 RADIOS UHF 4-W-GOOD CONDITION=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7617162420&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0022_01C670FF.C823F950
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 4-EA MOTOROLA RADIUS SP50 RADIOS UHF 4-W-GOOD CONDITION </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7617162420&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7617162420&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0022_01C670FF.C823F950--



From -2902914466000309837
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 06 May 2006 13:39:19 -0500
From: pltrgyst <pltrgyst@spamlessxhost.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
```

with other.
Date: Sat, 06 May 2006 14:39:19 -0400
Reply-To: pltrgyst@spamlessxhost.org
Message-ID: <t2rp52t3c9v3fmhivl7qc7vs89me2as5f3@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146887745.710806.22350@i40g2000cwc.googlegroups.com>
<1146917413.147739@r2d2.vermontel.net>
<mn37g.4377$Vn.823@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Agent 2.0/32.646
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
X-Trace: sv3-Y0SrsuBnoEkd90gdA/ddj+asY6viKx9VklYEGQCb/
gLnW3ckote7miJTIHr5rZfkzkPboBDLCQYNWBa!
0Q7KoC9YgIhpr0IcARACOEBJ4JJGD4WnaCgG7mbqFkNqxwVSBagKoNPNNHGezzvvQEFl
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10943
rec.radio.amateur.equipment:3833 rec.radio.amateur.misc:10454
rec.radio.amateur.policy:25274 rec.radio.shortwave:33763

On Sat, 06 May 2006 15:35:46 GMT, "CW" <s@earthlink.net> wrote:

>Memorizing a sound is no more of a skill than memorizing an answer....

But being able to pull up the correct characters from memory at the pace of an incoming stream is a skill.

I have an 85-year-old uncle who was a cw operator in the Pacific in WWII. He hasn't done anything with cw since 1946, and he can still copy around 10 wpm when I make him a bet.

I can go for several years without hearing cw and still step in and copy 15wpm easily.

Those of you who once passed 20 wpm tests and now find it a challenge to see if you "remember any of the characters" are simply not very bright.

-- Larry

From -1574042928961036810
X-Google-Thread: 108228,c9042bc4202a2ca9
X-Google-Thread: fc8b1,c9042bc4202a2ca9
X-Google-Thread: 108122,c9042bc4202a2ca9
X-Google-Thread: fc2a5,c9042bc4202a2ca9
X-Google-Thread: 1109af,c9042bc4202a2ca9

```
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-
mail
From: "Tom" <tfarl@iowatelecom.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.homebrew,rec.radio.swap
References: <hiq5g.952970$xm3.606729@attbi_s21>
<1146743662.301390.156720@j73g2000cwa.googlegroups.com>
Subject: Re: FA: Vintage WRL Globe FCL-1 "Speech Booster" - RARE
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <%w67g.718608$084.717043@attbi_s22>
NNTP-Posting-Host: 12.215.107.2
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1146942651 12.215.107.2 (Sat, 06 May 2006 19:10:51 GMT)
NNTP-Posting-Date: Sat, 06 May 2006 19:10:51 GMT
Organization: AT&T ASP.att.net
Date: Sat, 06 May 2006 19:10:51 GMT
Xref: g2news2.google.com alt.ham-radio.marketplace:902
rec.radio.amateur.boatanchors:3996 rec.radio.amateur.equipment:3834
rec.radio.amateur.homebrew:5116 rec.radio.swap:3892
```

It has a certain bandpass response curve. It also has an adjustable
clipper that you can set for various levels.

Thanks,
Tom

"Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
news:1146743662.301390.156720@j73g2000cwa.googlegroups.com...

```
| Anyone know the principle of this unit... is it just an audio amp?
|
| www.telstar-electronics.com
|
```

```
From -6691768308374363303
X-Google-Thread: 108228,71e92e65b66c3012,start
X-Google-Thread: fc8b1,71e92e65b66c3012,start
X-Google-Thread: 108122,71e92e65b66c3012,start
X-Google-Thread: fc2a5,71e92e65b66c3012,start
X-Google-Thread: 1109af,71e92e65b66c3012,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!news4.google.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
attbi_s22.POSTED!53ab2750!not-for-mail
From: "Tom" <tfarl@iowatelecom.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.homebrew,rec.radio.swap
Subject: Ends Sun: FA: Vintage Globe Scout FCL-1 "Speech Booster" - RARE
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <1B67g.718611$084.431034@attbi_s22>
NNTP-Posting-Host: 12.215.107.2
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1146942909 12.215.107.2 (Sat, 06 May 2006 19:15:09 GMT)
NNTP-Posting-Date: Sat, 06 May 2006 19:15:09 GMT
Organization: AT&T ASP.att.net
Date: Sat, 06 May 2006 19:15:09 GMT
Xref: g2news2.google.com alt.ham-radio.marketplace:903
rec.radio.amateur.boatanchors:3997 rec.radio.amateur.equipment:3835
rec.radio.amateur.homebrew:5118 rec.radio.swap:3893

An interesting accessory designed and built by WRL for the Globe "Scout"
and "Hi-Bander" series.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9720352662

Ends this Sunday, May-07-06 16:39:16 PDT (23:39:16 GMT/UTC).

Tnx fer looking.
Vy 73 es best dx
de Tom N�JMY .  .




From -705886257309527429
X-Google-Thread: 108122,9bc4a86808ef71b9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sat, 06 May 2006 14:15:40 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program - PROPGATE
Date: Sat, 6 May 2006 20:13:05 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <TcydnckbOOJBaMHZRVny2A@bt.com>
Lines: 20
NNTP-Posting-Host: 86.137.120.7
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
ip5DPMaAwuPuJhjEYFjidSvGFW0I91vu1g+N4SOWKaxOAp0ogLvPIAylkLH3vFYcRTKA22pDythMGrG!
VwQILuvuxC/GeyphCDKqqHspOFJeJiK/pdu3mjEttEWLcLbU0TT3XHH9mNI2
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3836

For either line-of-sight or multi-hop propagation through the
ionosphere -

- this apparently simple program computes path loss in dB between
transmitter and receiver, field strength at the receiving site, and
receiver S-meter readings.  Transmitter power output can be varied
between 10 KW and 1 milliwatt.

It is educational for newcomers and of assistance to DX and
line-of-sight experimenters. It illustates how S-meters OUGHT to work.

Download program PROPGATE from website below in a few seconds and run
immediately. Its at the bottom of the list.
----
...........................................................
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp




From 6465979631238945433
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!
newscon02.news.prodigy.com!prodigy.net!newsdst02.news.prodigy.com!prodigy.com!
postmaster.news.prodigy.com!newssvr12.news.prodigy.com.POSTED!00eff025!not-for-
mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
```

20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
<61370$445cbc13$453d9423$2432@FUSE.NET>
In-Reply-To: <61370$445cbc13$453d9423$2432@FUSE.NET>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <tb77g.11986$Lm5.649@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 70.134.204.237
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1146945369 ST000 70.134.204.237 (Sat, 06 May 2006 15:56:09 EDT)
NNTP-Posting-Date: Sat, 06 May 2006 15:56:09 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@MC@OXSYGTHZ^BCBNWX@RJ_XPDLMN@GZ_GYO^BVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWVWG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Sat, 06 May 2006 19:56:09 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10948
rec.radio.amateur.equipment:3837 rec.radio.amateur.misc:10456
rec.radio.amateur.policy:25276 rec.radio.shortwave:33778

jawod wrote:
> I don't think it is as effectice on SSB. Of course, you can use the
> symbols that were derived from CW (like QTH) but I think morse code is a
> more direct communication in these circumstances because it doesn't
> involve voice/pronunciation differences between languages. The symbols
> are universal and immediately understood.

Well then use PACTOR II with those symbols. PACTOR II will
get through when CW fails.
--
73, Cecil http://www.qsl.net/w5dxp

From 6219695020962263272
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c

X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Sat, 06 May 2006 16:01:13 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
  with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146887745.710806.22350@i40g2000cwc.googlegroups.com>
<1146917413.147739@r2d2.vermontel.net>
<mn37g.4377$Vn.823@newsread4.news.pas.earthlink.net>
<t2rp52t3c9v3fmhivl7qc7vs89me2as5f3@4ax.com>
In-Reply-To: <t2rp52t3c9v3fmhivl7qc7vs89me2as5f3@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <fe52$445d00b4$453d9423$30237@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 23
X-Trace: 0fe52445d00b4e098318630237
Xref: g2news2.google.com rec.radio.amateur.antenna:10950
rec.radio.amateur.equipment:3838 rec.radio.amateur.misc:10457
rec.radio.amateur.policy:25277 rec.radio.shortwave:33779

pltrgyst wrote:
> On Sat, 06 May 2006 15:35:46 GMT, "CW" <s@earthlink.net> wrote:
>
>
>>Memorizing a sound is no more of a skill than memorizing an answer....
>
>
> But being able to pull up the correct characters from memory at the pace of an
> incoming stream is a skill.
>
> I have an 85-year-old uncle who was a cw operator in the Pacific in WWII. He
> hasn't done anything with cw since 1946, and he can still copy around 10 wpm
> when I make him a bet.
>
> I can go for several years without hearing cw and still step in and copy 15wpm
> easily.
>
> Those of you who once passed 20 wpm tests and now find it a challenge to see if
> you "remember any of the characters" are simply not very bright.
>
> -- Larry

```
>
whatever


From 6606478185431545989
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news-
wrt-01.rdc-nyc.rr.com!news-feed-01.rdc-nyc.rr.com!news.rr.com!news-out.nyc.rr.com!
news-wrt-01.rdc-nyc.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Downonit <Down@gag.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Message-ID: <2006050617232064440%Down@gagnet>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
User-Agent: Unison/1.6.2
Lines: 16
Date: Sat, 06 May 2006 21:23:10 GMT
NNTP-Posting-Host: 24.161.95.233
X-Complaints-To: abuse@rr.com
X-Trace: news-wrt-01.rdc-nyc.rr.com 1146950590 24.161.95.233 (Sat, 06 May 2006
17:23:10 EDT)
NNTP-Posting-Date: Sat, 06 May 2006 17:23:10 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10954
rec.radio.amateur.equipment:3839 rec.radio.amateur.misc:10458
rec.radio.amateur.policy:25279 rec.radio.shortwave:33790

On 2006-05-04 20:15:41 -0400, Silent Key <cw.h@m.bands> said:

> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate?
> To be able to communicate when no one else can communicate and to advance
> radio knowledge & theory?
> What does part 97 say about this?   Why does the ARRL ignore it?
>
> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.
> SC
>
>
```

>
> Nonsense.

```
From -3909399728135840208
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 06 May 2006 16:25:44 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
<61370$445cbc13$453d9423$2432@FUSE.NET>
<tb77g.11986$Lm5.649@newssvr12.news.prodigy.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sat, 6 May 2006 17:25:22 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <brWdnQ3vJ8DFicDZnZ2dnUVZ_u-dnZ2d@comcast.com>
Lines: 22
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-
ofEzaxkhfi7GG82u23oOQPJV2F5YQEvXDRxI8W62kZyj0xBP8tvnJuHkDThblnFqot9gUPaxxlna+Bh!
aYHYTQuML9hxXyqybJ9Fl1Slh7znt/1YHZ4xPhBEWnFjO5fJX+T0zqOo/VwE/pdXYvuW1zJSaCas!
QtSDAGNOtRgKnHWY
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10955
rec.radio.amateur.equipment:3840 rec.radio.amateur.misc:10459
rec.radio.amateur.policy:25280 rec.radio.shortwave:33791
```

"Cecil Moore" <mycall@hotmail.com> wrote in message
news:tb77g.11986$Lm5.649@newssvr12.news.prodigy.com...
> jawod wrote:
>> I don't think it is as effectice on SSB. Of course, you can use the
>> symbols that were derived from CW (like QTH) but I think morse code is a
>> more direct communication in these circumstances because it doesn't
>> involve voice/pronunciation differences between languages. The symbols
>> are universal and immediately understood.
>
> Well then use PACTOR II with those symbols. PACTOR II will
> get through when CW fails.
> --

Any rational evaluation of the modes available will show that there is a
combination of circumstances that make a specific mode the one that will
"get through". One can "prove" that their favorite mode is the one that
will get through under certain conditions.

Dee D. Flint, N8UZE

From 5166235177697136751
X-Google-Thread: 108122,6cbd1ef7cc0e058f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <0001HW.C08190D9021742E0F02845B0@news.readfreenews.net>
Subject: Re: Harold Fue e-mail address?
Lines: 10
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <PI97g.306287$4P2.221484@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 06 May 2006 22:48:15 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3841

DaveC wrote:
> Does Harold have an e-mail address?

Try calling him:
Harold Fue
916 Roble Lane

```
Santa Barbara, CA 93103-2044
805-965-0753




From 2295550264953503956
X-Google-Thread: 108122,ba9aae0c66933656,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "N6KK" <barger@aero.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Transverter
Date: 6 May 2006 15:57:21 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1146956241.065958.142940@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.254.152.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146956246 18558 127.0.0.1 (6 May 2006 22:57:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 22:57:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.3)
Gecko/20060426 Firefox/1.5.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=71.254.152.23;
   posting-account=yLAQog0AAABjL19iJrTcTZ960tWUDq0G
Xref: g2news2.google.com rec.radio.amateur.equipment:3842

I'm looking for an SSB Electronics  LT6S transverter in good shape.
Also looking for the SSB Electronics LT2SMK2 or the Kuhne TR144H.
Anyone have any leads? Please email.

Thanks

Joe N6KK




From -2654411081625418686
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
```

From: Jack Hamilton <jfh@acm.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Mon, 01 May 2006 16:04:26 -0700
Organization: Copyright (c) 2006 by Jack Hamilton. Reproduction without attribution, and archiving without permission, are not allowed.
Message-ID: <sn4d52dkqguacv21l23qb93eplhhab5feo@4ax.com>
Reply-To: jfh@acm.org
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
<61370$445cbc13$453d9423$2432@FUSE.NET>
<tb77g.11986$Lm5.649@newssvr12.news.prodigy.com> <brWdnQ3vJ8DFicDZnZ2dnUVZ_u-dnZ2d@comcast.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-NFilter: 1.2.0
X-Complaints-To: abuse@supernews.com
Lines: 50
Xref: g2news2.google.com rec.radio.amateur.antenna:10959
rec.radio.amateur.equipment:3843 rec.radio.amateur.misc:10462
rec.radio.amateur.policy:25283 rec.radio.shortwave:33797

"Dee Flint" <deeflint01@comcast.net> wrote:

>
>"Cecil Moore" <mycall@hotmail.com> wrote in message
>news:tb77g.11986$Lm5.649@newssvr12.news.prodigy.com...
>> jawod wrote:
>>> I don't think it is as effectice on SSB. Of course, you can use the
>>> symbols that were derived from CW (like QTH) but I think morse code is a
>>> more direct communication in these circumstances because it doesn't
>>> involve voice/pronunciation differences between languages. The symbols
>>> are universal and immediately understood.
>>
>> Well then use PACTOR II with those symbols. PACTOR II will
>> get through when CW fails.
>> --
>
>Any rational evaluation of the modes available will show that there is a
>combination of circumstances that make a specific mode the one that will
>"get through". One can "prove" that their favorite mode is the one that
>will get through under certain conditions.

You are claiming that there are circumstances under which CW can be understood but none of the newer digital modes can?   Assuming, of course, a skilled operator for CW and appropriate equipment for digital modes. Or even software for both.

Jack Hamilton
jfh@acm.org

Though in a state of society some must have greater
luxuries and comforts than others, yet all should have
the necessities of life; and if the poor cannot exist,
in vain may the rich look for happiness or prosperity.
The legistlature is never so well employed as when they
look to the interests of those who are at a distance
from them in the ranks of society. It is their duty
to do so; religion calls for it; humanity calls for it;
and if there are hearts who are not awake to either of
those feelings, their own interests would dictate it.

Sir Lloyd Kenyon, Rex vs. Rusby, 1800

```
From -2978622109026726282
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
```

<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
<61370$445cbc13$453d9423$2432@FUSE.NET>
<tb77g.11986$Lm5.649@newssvr12.news.prodigy.com> <brWdnQ3vJ8DFicDZnZ2dnUVZ_u-dnZ2d@comcast.com>
In-Reply-To: <brWdnQ3vJ8DFicDZnZ2dnUVZ_u-dnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <Rga7g.73552$H71.45000@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 70.134.204.237
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1146958001 ST000 70.134.204.237 (Sat, 06 May 2006 19:26:41 EDT)
NNTP-Posting-Date: Sat, 06 May 2006 19:26:41 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OP\YG\GFEB^UCWDYIBHZOWP@YZOZ@GXOXZYT]UEK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Sat, 06 May 2006 23:26:41 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10960
rec.radio.amateur.equipment:3844 rec.radio.amateur.misc:10463
rec.radio.amateur.policy:25284 rec.radio.shortwave:33799

Dee Flint wrote:
> Any rational evaluation of the modes available will show that there is a
> combination of circumstances that make a specific mode the one that will
> "get through". One can "prove" that their favorite mode is the one that
> will get through under certain conditions.

I have seen PACTOR II get through from Europe with 10 watts
when there was no humanly detectable signal. All I did was
choose the correct frequency and time based on a schedule.
I detected absolutely no carrier on the S-meter or with
my ears in CW mode. The PACTOR II signal was literally
down in the noise but my SCS PTC-IIe somehow managed
to dig it out.
--
73, Cecil http://www.qsl.net/w5dxp

From 6156434029160983294
X-Google-Thread: 108228,c9042bc4202a2ca9
X-Google-Thread: fc8b1,c9042bc4202a2ca9
X-Google-Thread: 108122,c9042bc4202a2ca9
X-Google-Thread: fc2a5,c9042bc4202a2ca9
X-Google-Thread: 1109af,c9042bc4202a2ca9
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read06.POSTED!53ab2750!not-for-mail
From: "Orv" <Orv@Cox.Net>

```
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.homebrew,rec.radio.swap
References: <hiq5g.952970$xm3.606729@attbi_s21>
<1146743662.301390.156720@j73g2000cwa.googlegroups.com>
<%w67g.718608$084.717043@attbi_s22>
Subject: Re: FA: Vintage WRL Globe FCL-1 "Speech Booster" - RARE
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <z4b7g.13831$TK1.9551@fed1read06>
Date: Sat, 6 May 2006 17:21:57 -0700
NNTP-Posting-Host: 68.7.246.239
X-Complaints-To: abuse@cox.net
X-Trace: fed1read06 1146961311 68.7.246.239 (Sat, 06 May 2006 20:21:51 EDT)
NNTP-Posting-Date: Sat, 06 May 2006 20:21:51 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:904
rec.radio.amateur.boatanchors:4001 rec.radio.amateur.equipment:3845
rec.radio.amateur.homebrew:5121 rec.radio.swap:3897

It may be similar to the built-in speech processor that they used in their
DSB-100 transmitter back in the early 1960s.  If so, that unit, as you
describe it, was quite effective for its day.

"Tom" <tfarl@iowatelecom.net> wrote in message
news:%w67g.718608$084.717043@attbi_s22...
> It has a certain bandpass response curve. It also has an adjustable
> clipper that you can set for various levels.
>
> Thanks,
> Tom
>
> "Telstar Electronics" <briangriffey@sbcglobal.net> wrote in message
> news:1146743662.301390.156720@j73g2000cwa.googlegroups.com...
> | Anyone know the principle of this unit... is it just an audio amp?
> |
> | www.telstar-electronics.com
> |
>
>




From -455601969942402432
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
```

X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!03ce4474!not-for-mail
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Organization: Internet Argonaut
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<20060506172320644400%Down@gagnet>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Face: ,cNluD^cTg560%T8O&<Kwl!N>2R3MND4m%ln@,jFig:T/?4`pG(&J/So4b#dr   L[}
ZxZ0m*vGk7]@)+cK-~F2Oywqc2-5Zcr`?1ys#:dGEv%BlKRh"Vebh!P``bcD}2$}}   ?
U},D#0a<X#?i8!eCtVUxI>D*(AmZi(=NzA9%)Wc5C5ZODdwa~%7iN-+\RfW=c:@3w-,
L\Pzawef*7X!9VN#7d;~6Ka-
Message-ID:
<telamon_spamshield-1B2945.20344106052006@newsclstr02.news.prodigy.com>
Lines: 27
NNTP-Posting-Host: 207.105.206.163
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1146972881 ST000 207.105.206.163 (Sat, 06 May
2006 23:34:41 EDT)
NNTP-Posting-Date: Sat, 06 May 2006 23:34:41 EDT
X-UserInfo1:
TSU[@SJEZBWARW\Y]BCD^VX@WB]^PCPDLXUNNHLHEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Sun, 07 May 2006 03:34:41 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10969
rec.radio.amateur.equipment:3846 rec.radio.amateur.misc:10464
rec.radio.amateur.policy:25290

In article <20060506172320644400%Down@gagnet>,
Bob Downonit <Down@gag.net> wrote:

> On 2006-05-04 20:15:41 -0400, Silent Key <cw.h@m.bands> said:
>
> > What's the purpose of ham radio, To have fun talking about rigs and
> > weather, or to be able to communicate? To be able to communicate
> > when no one else can communicate and to advance radio knowledge &
> > theory? What does part 97 say about this?   Why does the ARRL
> > ignore it?
> >
> > When CW is lost, new hams will be just like CB'ers and SWL's, or
> > some other lower life form of radio hobbiest. You name it. SC

> >
> >
> >
> > Nonsense.

It is nonsense in rec.radio.shortwave. Please drop this news group from
the thread.

Another thread about CW is pointless. You guys have posted the same
comments hundreds of times on this subject.

--
Telamon
Ventura, California

From 7357624808998258279
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!peer02.cox.net!
cox.net!p01!fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2uA6g.8331$QP4.4556@fed1read12> <_I2dnfwDCNN4bcbZRVn-jg@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 112
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <z9g7g.8473$QP4.5902@fed1read12>
Date: Sat, 6 May 2006 23:08:30 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1146982111 72.199.97.186 (Sun, 07 May 2006 02:08:31 EDT)
NNTP-Posting-Date: Sun, 07 May 2006 02:08:31 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:10973
rec.radio.amateur.equipment:3847 rec.radio.amateur.misc:10466
rec.radio.amateur.policy:25292 rec.radio.shortwave:33844

"Dee Flint" <deeflint01@comcast.net> wrote in message

news:_I2dnfwDCNN4bcbZRVn-jg@comcast.com...
>
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
> news:2uA6g.8331$QP4.4556@fed1read12...
> >
> > "Silent Key" <cw.h@m.bands> wrote in message
> > news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> >> What's the purpose of ham radio, To have fun talking about rigs and
> >> weather, or to be able to communicate?
> >>
> >> To be able to communicate when no one else can communicate and to
advance
> >> radio knowledge & theory?
> >>
> >> What does part 97 say about this?   Why does the ARRL ignore it?
> >>
> >> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> >> other lower life form of radio hobbiest. You name it.
> >>
> >> SC
> >
> > I should be able to keep this from getting to me, but sometimes I just
> > feel
> > like responding to the attempted intimidation by these elitists.
> >
> > Mate, your key is only silent from the neck, up.
> >
> > Due to dyslexia, I am unable to learn much Morse Code. I can
consistently
> > recognize about half of the alphabet and none of the numbers. Morse
Code
> > might as well be edoC esroM for all the good it will ever do me.
> >
>
> Actually your own words have proven that you can learn it. You say you
can
> consistently recognize about half the alphabet. So you have demonstrated
> your ability to learn it.
>
> Perhaps you just haven't spent enough time on it or used a poor training
> method (there's way too many of those around). Most people's expectations
> of how long it will take are unrealistically short. For the average
person,
> it will take 1/2 hour per day every day for 60 days.
>
> Now writing it down could be a problem due to dyslexia but there are ways
> around that. You don't have to write it down. You can ask to be allowed
to
> say the characters into a tape recorder. You could dictate the characters
> to a VE to write down for you. You could simply jot down notes and answer
> the questions and not worry about solid copy. Again if there is a risk of
> writing it backwards, you could have the VE write down what you tell
> him/her. Naturally such accomodations have to be set up in advance.

>
> > In spite of this, I manage to be a responsible member of the ham radio
> > community and I'm damn proud of my service to RACES, to my club as its
> > treasurer and to the county as a volunteer communicator. My UHF/VHF
> > points
> > in last year's Field Day exceeded the points of our HF stations
combined.
> > Lower life form, indeed! The nerve of you!
> >
>
> You must have run into some crummy people. That is not necessarily true
of
> all groups.
>
> > You may get down off your high horse (or should it be "High Morse"?) and
> > apologize for all those jabs any old time it pleases you. I'll be here.
> >
>
> You are painting with a very broad brush. There are many amateurs who do
> not jab the Technicians. These days the membership of most clubs is about
> half Technicians. Perhaps you need to run with a different club.
>
> Dee, N8UZE
>
>

Dee, please go back and re-read Silent Key's original post and my response.
I was reacting ONLY to that one person's remarks. I was actually
narrow-brushing.

While I'm an officer in just one club, I am in three and none of them have
any crummy people -- and I certainly agree with you that many amateurs don't
jab the techs. In fact, I encounter practically total acceptance. That's
why Silent Key stood out.

With regard to can/can't learn, I have the most problems with the characters
that are four or more elements long. dit-dah-dah-dit and dah-dit-dit-dah
are different, but I can't tell you what they are. I think one of them is
"P" because I remember the symmetry.

Transcribing is not the problem. If I hear dit-dah, I can write A. But if
I hear dit-dah-dah-dah-dah or dah-dit-dit-dit-dit, I don't know what to
write, because I don't know what those are. I cannot store the memory of
what those sounds mean. Since you (apparently) don't have the problem, you
won't relate.

And it isn't a lack of time or effort. I have been at this since 1993.
Many methods. No appreciable successes. (I did get "D" from "dog-did-it"
and "Q" from "pay-day-to-day" -- a couple of real triumphs, eh? [sarcasm
intended])

This is no picnic. Thanks for understanding.

```
73,
"Sal"




From -4772088957560156535
X-Google-Thread: 108122,6cbd1ef7cc0e058f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
Date: Sat, 6 May 2006 23:22:29 -0700
From: DaveC <me@privacy.net>
MIME-Version: 1.0
User-Agent: Hogwasher/4.2.2
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <0001HW.C082E03502495074F02845B0@news.readfreenews.net>
Subject: Re: Harold Fue e-mail address?
Newsgroups: rec.radio.amateur.equipment
Reply-To: me@privacy.net
References: <0001HW.C08190D9021742E0F02845B0@news.readfreenews.net>
<PI97g.306287$4P2.221484@fe03.news.easynews.com>
Lines: 11
Organization: Read Free News
NNTP-Posting-Date: 07 May 2006 01:22:26 CDT
X-Trace:
DXC=mO\^Mn<C=FSFY2J\boE_lUbQ9W<K20`3RO6Gh9bA988^c52<M`Xc9[VF8>7T4Dc<SVLT:XS8fa]1[]
j;AN[02n4RHL5Nh@Yf>WW
Xref: g2news2.google.com rec.radio.amateur.equipment:3848

Thus spake Travis Jordan:

> Try calling him:

Prefer e-mail if anyone has that...
--
DaveC
me@privacy.net
This is an invalid return address
Please reply in the news group




From -8733876919345352447
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!cox.net!news-
```

xfer.cox.net!p01!dukeread06.POSTED!53ab2750!not-for-mail
From: "Guy" <nospam@nospam.nospam>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<20060506172320644 40%Down@gagnet>
<telamon_spamshield-1B2945.20344106052006@newsclstr02.news.prodigy.com>
Subject: Re: Elimination of CW is the only way we can make it fair
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <Y%k7g.74024$gE.7086@dukeread06>
Date: Sun, 7 May 2006 06:39:32 -0500
NNTP-Posting-Host: 24.255.66.148
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1147001976 24.255.66.148 (Sun, 07 May 2006 07:39:36 EDT)
NNTP-Posting-Date: Sun, 07 May 2006 07:39:36 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:10976
rec.radio.amateur.equipment:3849 rec.radio.amateur.misc:10467
rec.radio.amateur.policy:25294

"Telamon" <telamon_spamshield@pacbell.net.is.invalid> wrote in message
news:telamon_spamshield-1B2945.20344106052006@newsclstr02.news.prodigy.com...

>
> Another thread about CW is pointless. You guys have posted the same
> comments hundreds of times on this subject.
>
> --
> Telamon
> Ventura, California

Amen!

I used to be a staunch defender of CW. We lost the 20, we lost the 13, we
are going to lose the 5.

In today's age of materialism, self created rights and the liberal ideals of
fairness, I'm just waiting for the removal of all testing requirments.

Just show up, mark A, B, C or D on 10 questions (no grading, just turn it
in) and then get a certificate of attendance, a blue ribbon that says 1st
place and a 1x2 vanity call sign.

Guy

From -3101180669681817 72
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 May 2006 07:52:34 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
<61370$445cbc13$453d9423$2432@FUSE.NET>
<tb77g.11986$Lm5.649@newssvr12.news.prodigy.com> <brWdnQ3vJ8DFicDZnZ2dnUVZ_u-dnZ2d@comcast.com> <sn4d52dkqguacv21l23qb93eplhhab5feo@4ax.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Sun, 7 May 2006 08:52:12 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <rMSdnVfW6I0PcMDZRVn-qQ@comcast.com>
Lines: 60
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-wpuwKRgMGUALKkSOgyod4ktjkxGlF7Q8T4TTfgP6RvEGMgnUU9vvwPeqWAYoFQI9YXNy/SkSleyGJgC!
u7UyZCdsV3abXcIgAHJ27qPGoPDiloA5p7SYmVOPw52dd2RxS8Jaxi62zhHicRVBWqOFkzUw5BXx!oLc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10977
rec.radio.amateur.equipment:3850 rec.radio.amateur.misc:10468
rec.radio.amateur.policy:25295 rec.radio.shortwave:33857

"Jack Hamilton" <jfh@acm.org> wrote in message
news:sn4d52dkqguacv21l23qb93eplhhab5feo@4ax.com...
> "Dee Flint" <deeflint01@comcast.net> wrote:

>
>>
>>"Cecil Moore" <mycall@hotmail.com> wrote in message
>>news:tb77g.11986$Lm5.649@newssvr12.news.prodigy.com...
>>> jawod wrote:
>>>> I don't think it is as effectice on SSB. Of course, you can use the
>>>> symbols that were derived from CW (like QTH) but I think morse code is
>>>> a
>>>> more direct communication in these circumstances because it doesn't
>>>> involve voice/pronunciation differences between languages. The symbols
>>>> are universal and immediately understood.
>>>
>>> Well then use PACTOR II with those symbols. PACTOR II will
>>> get through when CW fails.
>>> --
>>
>>Any rational evaluation of the modes available will show that there is a
>>combination of circumstances that make a specific mode the one that will
>>"get through". One can "prove" that their favorite mode is the one that
>>will get through under certain conditions.
>
> You are claiming that there are circumstances under which CW can be
> understood but none of the newer digital modes can?   Assuming, of
> course, a skilled operator for CW and appropriate equipment for digital
> modes. Or even software for both.
>
>

That is correct. Let's just take a very simple example. PSK is one of our newest digital modes. When there are auroral disturbances, PSK cannot be used. The phase shifts induced by the auroral activity make it impossible for the computer to read. These phase shifts effect all the modes. Modes that depend on phase shifts (such as PSK) are affected the most severely and quickly become unusable. On the other hand, CW takes on a buzzy, raspy sound but a human operator can still decipher it although a computer will fail. I have personally experienced these conditions. If the auroral induced phase shifts aren't too severe even SSB will get through when PSK has failed. I have also personally experienced this.

Let's take another. This time packet. Packet has nearly died out on HF because it is not robust enough. Conditions have to be almost perfect for there to be a usable packet signal. Even low levels of atmospheric static make it unusable. Slight fading also causes problems. Yet voice, CW, PSK, and RTTY will all cope with conditions that can make unusable.

Each mode has its strengths and weaknesses. For each mode, there are conditions for which it will be the best choice and conditions for which it will be the worst choice. If a person wants to maximize their communication capabilities, they need to become conversant with each mode, its characteristics, and what affects its propagation. For CW, this should include learning to copy by ear. Under some conditions, the human brain is the only computer powerful enough to decipher it.

Dee D. Flint, N8UZE

```
From 6231370229756758418
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 May 2006 08:14:45 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2uA6g.8331$QP4.4556@fed1read12> <_I2dnfwDCNN4bcbZRVn-jg@comcast.com>
<z9g7g.8473$QP4.5902@fed1read12>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sun, 7 May 2006 09:14:23 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <csWdnbwoz-tYb8DZ4p2dnA@comcast.com>
Lines: 68
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-SqnLwS+EaVzRH7F7ggn6DY3Y4NVRFrW/
sFcSXuwMr2hrTyT3Ist6mmN46AeQBQCfGje06Xo5V3k3kFU!gZ+f/
uAuvoIhb4Hsl3546wTK3UC5IiD5SmGqg7oV8GhGmW/JEJiEdRMDPaSB9N+58Ux8VP6Nnw4b!oao=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10984
rec.radio.amateur.equipment:3851 rec.radio.amateur.misc:10469
rec.radio.amateur.policy:25297 rec.radio.shortwave:33859
```

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:z9g7g.8473$QP4.5902@fed1read12...

>
> "Dee Flint" <deeflint01@comcast.net> wrote in message

> news:_I2dnfwDCNN4bcbZRVn-jg@comcast.com...

[snip]
>
> Dee, please go back and re-read Silent Key's original post and my
> response.
> I was reacting ONLY to that one person's remarks. I was actually
> narrow-brushing.
>

My apologies for getting mixed up then.

> While I'm an officer in just one club, I am in three and none of them have
> any crummy people -- and I certainly agree with you that many amateurs
> don't
> jab the techs. In fact, I encounter practically total acceptance. That's
> why Silent Key stood out.
>
> With regard to can/can't learn, I have the most problems with the
> characters
> that are four or more elements long. dit-dah-dah-dit and dah-dit-dit-dah
> are different, but I can't tell you what they are. I think one of them is
> "P" because I remember the symmetry.
>
> Transcribing is not the problem. If I hear dit-dah, I can write A. But
> if
> I hear dit-dah-dah-dah-dah or dah-dit-dit-dit-dit, I don't know what to
> write, because I don't know what those are. I cannot store the memory of
> what those sounds mean. Since you (apparently) don't have the problem,
> you
> won't relate.
>
> And it isn't a lack of time or effort. I have been at this since 1993.
> Many methods. No appreciable successes. (I did get "D" from "dog-did-it"
> and "Q" from "pay-day-to-day" -- a couple of real triumphs, eh? [sarcasm
> intended])
>

If you were in this area, I would be more than happy to take a try at teaching you. The "dog-did-it" approach is one of the worst possible ones to use. It is like trying to count the dots and dashes. On longer letters it can be a problem.

For someone like yourself, it is absolutely essential that you eliminate any and all extra translation steps. The burst of sound should register directly as a letter. In other words, hear it as a letter and reflexively write a letter. Then it doesn't matter if you happen to know the actual number of dots and dashes. No counting, no "dog did it", no "helpful" memory devices at all. They will only hinder someone like yourself.

> This is no picnic. Thanks for understanding.
>

Well I just wish that I could take a stab at teaching you. There is always a sense of accomplishment in expanding your abilities in ham radio. For example, in the past couple of years, I've been exploring the digital modes and VHF/UHF propagation. It's a hoot to work Texas on 2m from here in Michigan.

Dee D. Flint, N8UZE

From 5918206328815333021
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is the only way we can make it fair
Date: Sun, 07 May 2006 06:20:02 -0700
Reply-To: noway@nohow.com
Message-ID: <ilsr52pnia16k680t009n2i160jrerfmo6@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2006050617232064440%Down@gagnet>
<telamon_spamshield-1B2945.20344106052006@newsclstr02.news.prodigy.com>
<Y%k7g.74024$gE.7086@dukeread06>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node176-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1147007800 63.93.75.176 (7 May 2006 08:16:40 -0500)
Lines: 28
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.176
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!inka.de!rz.uni-karlsruhe.de!morpheus.pingos.org!news.unoc.net!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:10985
rec.radio.amateur.equipment:3852 rec.radio.amateur.misc:10470
rec.radio.amateur.policy:25298

ORIGINAL MESSAGE:

On Sun, 7 May 2006 06:39:32 -0500, "Guy" <nospam@nospam.nospam> wrote:

>I used to be a staunch defender of CW. We lost the 20, we lost the 13, we

>are going to lose the 5.
>
>In today's age of materialism, self created rights and the liberal ideals of
>fairness, I'm just waiting for the removal of all testing requirments.
>
>Just show up, mark A, B, C or D on 10 questions (no grading, just turn it
>in) and then get a certificate of attendance, a blue ribbon that says 1st
>place and a 1x2 vanity call sign.

*********** REPLY SEPARATOR ***********

Complete nonsense. CW testing is being phased out because CW is becoming obsolete, period. Don't try to read anything more into it than that.

With all the great new digital modes available - most of which are far superior to CW - forcing people to waste valuable hours learning an obsolete mode is sheer folly. There are so many great things to do with Amateur Radio. Do them!

73, Bill W6WRT

```
From -957670065348159283
X-Google-Thread: 108122,3fba372ae8ef7068,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: sales@cbsareus.com
Newsgroups: rec.radio.amateur.equipment
Subject: wb: old cb radio  Faceplate
Date: 7 May 2006 06:35:16 -0700
Organization: http://groups.google.com
Lines: 43
Message-ID: <1147008916.349682.74500@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 72.70.137.72
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147008921 2491 127.0.0.1 (7 May 2006 13:35:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 7 May 2006 13:35:21 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=72.70.137.72;
   posting-account=rhtQ0gwAAAClK7d21sVfMZcg80bUt9rp
Xref: g2news2.google.com rec.radio.amateur.equipment:3853
```

want buy old cb radio Faceplate here my list i am looking for . if any boby have any for sale please email me psx1966@mcihispeed.net

THANK YOU

Cobra 25 (front & side mic)
Cobra 25 GTL
Cobra 29 (front & side mic)
Cobra 29 ST
Cobra 29 WX
Cobra 29 XLR
Cobra 148 GTL (front & Side mic)
Cobra 148 GTL ST
Cobra 148 GTL-DX
Cobra 148 GTL-F
Cobra 150 GTL-DX
Cobra 200 GTL-DX
CONNEX 4300 HP
CONNEX 4400 HP
CONNEX 4600 CX
CONNEX 4800 HP
Galaxy DX
33,44,66,73,88,99,919,929,949,959,979
General Lee
General Sherman
Magnum S-3
Magnum S-9
Millineum 3003
Mirage 6600
Superstar 121
Superstar 360-FM
Uniden PC 66-a
Uniden PC 68XL
Uniden PC 76XLW
Uniden PC 78XL
Uniden PC 78LTW
Uniden GRANT XL
Uniden GRANT LT

```
From 6010422914689507864
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
```

NNTP-Posting-Date: Sun, 07 May 2006 09:23:13 -0500
From: Dan Richardson <>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy
Subject: Re: Elimination of CW is the only way we can make it fair
Date: Sun, 07 May 2006 07:22:35 -0700
Message-ID: <o50s521r1ne35hendphsijoa8fjcaf7l5b@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2006050617232064440%Down@gagnet>
<telamon_spamshield-1B2945.20344106052006@newsclstr02.news.prodigy.com>
<Y%k7g.74024$gE.7086@dukeread06> <ilsr52pnia16k680t009n2i160jrerfmo6@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Host: 68.64.59.124
X-Trace: sv3-vFkGH7//
jvAS6j4Ygpc+XcvC6yEMAw0fxzu9zaZ8gmgtaQU9jPElMW+E8c7GnZooYqBHCT4cSBBmOB5!
z3qmqwXfDJmLjGDTLoFwdKn4easmVNphpJoPbMyzZFMQC+5sEM6BrnxT1RkPdiUEjPb+Rf3GjHd8!
HAMf3Cc7Z8sZrNy6NgOM
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10987
rec.radio.amateur.equipment:3854 rec.radio.amateur.misc:10471
rec.radio.amateur.policy:25299

On Sun, 07 May 2006 06:20:02 -0700, Bill Turner <dezrat@copper.net>
wrote:

>Complete nonsense. CW testing is being phased out because CW is
>becoming obsolete, period. Don't try to read anything more into it
>than that.
>
>With all the great new digital modes available - most of which are far
>superior to CW - forcing people to waste valuable hours learning an
>obsolete mode is sheer folly. There are so many great things to do
>with Amateur Radio. Do them!

Quite correct Bill. Commercial and military have dropped Morse code
for the very reasons you stated.

In this day and age, requiring proficiency in Morse code for a radio
license would be as requiring proficiency in horse husbandry in order
to get a driver's license.

Danny, K6MHE

In my many years I have come to a conclusion that one
useless man is a shame, two is a law firm, and three
or more is a congress. - John Adams

email: k6mhe<at>arrl<dot>net
http://www.k6mhe.com/

From 8904406568402052046
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 7 May 2006 08:20:41 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1147015241.370592.9180@g10g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147015247 20515 127.0.0.1 (7 May 2006 15:20:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 7 May 2006 15:20:47 +0000 (UTC)
In-Reply-To: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:10988
rec.radio.amateur.equipment:3855 rec.radio.amateur.misc:10472
rec.radio.amateur.policy:25300 rec.radio.shortwave:33880

OK folks. All I hear is whining about how things are changing. So
I'll ask the question again.

If you really believe that morse code is an important way to communicate that should be preserved then you need to convince other hams and potential hams to learn the code. You need to convince enough

hams to use code so its very usage generates excitement and makes people want to join in the fun. Almost self-perpetuating like it was in the 1950's.

Preaching (or complaining) to the choir on the radio fora about the abysmal state of things will not add one person to the ranks of key pounding hams.

So what are you going to do to increase the number of code practicing hams.

From 8012031734572825252
X-Google-Thread: 108122,d1518ec8740caafb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!1a454ea8!not-for-mail
From: Sim <sim2sim@ix.netcom.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Front Panel Meter
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <zgo7g.6382$DT5.1656@newsread3.news.pas.earthlink.net>
Date: Sun, 07 May 2006 15:22:07 GMT
NNTP-Posting-Host: 4.232.105.22
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1147015327 4.232.105.22 (Sun, 07 May 2006 08:22:07 PDT)
NNTP-Posting-Date: Sun, 07 May 2006 08:22:07 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3856

Hi All,

I'm looking to replace a sun bleached front panel meter on a old President AR144 AM/SSB Cb radio. Anyone know where I might obtain this meter?

Sim

From 498571749656932676
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Sun, 07 May 2006 11:21:56 -0700
Reply-To: noway@nohow.com
Message-ID: <08es529775gmenqhq644fnd2idqmp7mra4@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1147015241.370592.9180@g10g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node186-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1147025915 63.93.75.186 (7 May 2006 13:18:35 -0500)
Lines: 23
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.186
Path: g2news2.google.com!news4.google.com!news.glorb.com!router2.astraweb.com!news.astraweb.com!router1.astraweb.com!news.alt.net!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:10989
rec.radio.amateur.equipment:3857 rec.radio.amateur.misc:10473
rec.radio.amateur.policy:25303 rec.radio.shortwave:33907

ORIGINAL MESSAGE:

On 7 May 2006 08:20:41 -0700, "John S." <hjsjms@cs.com> wrote:

>You need to convince enough
>hams to use code so its very usage generates excitement and makes
>people want to join in the fun. Almost self-perpetuating like it was
>in the 1950's.

*********** REPLY SEPARATOR ***********

Don't you find it odd that people need to be "convinced" to use morse?
Nobody needs to be "convinced" to use PSK31, RTTY, SSB, FM or even AM.

Life is too short to waste it "convincing" people to use a mode they
are instinctively not interested in.

The underlying problem is you want things to be like they were back in
the '50s. Well, I was licensed in 1957 and I had fun back then too,
but time marches on. Try marching along with it.

Bill, W6WRT

```
From -1408665868457809051
X-Google-Thread: 108122,3ae0e4205369908e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: "Bob" <kd7ikz@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Motorola Hand Mics
Date: 7 May 2006 11:25:51 -0700
Organization: http://groups.google.com
Lines: 24
Message-ID: <1147026350.981253.149430@y43g2000cwc.googlegroups.com>
References: <6k36g.25102$mh.20581@tornado.ohiordc.rr.com>
NNTP-Posting-Host: 67.185.122.212
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147026356 19466 127.0.0.1 (7 May 2006 18:25:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 7 May 2006 18:25:56 +0000 (UTC)
In-Reply-To: <6k36g.25102$mh.20581@tornado.ohiordc.rr.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=67.185.122.212;
   posting-account=Sf7ABg0AAADEgo8UdG7TTBhhz1y_q2mM
Xref: g2news2.google.com rec.radio.amateur.equipment:3858
```

Fritz wrote:

> I have the following Motorola hand mics for sale:
>
> New
> HMN 1001B DTMF
> HMN 1010B
> HMN 1031A DTMF
> HMN 1049A
> HMN 1061A 2EA
>
> Used
> HMN 1001A

> HMN 1001B
> HMN 1056A
> HMN 3013A DTMF
> HMN 4005A
> MBTMN 1025A
> TMN 6054A
>
> Thanks
> Frank

Do you still have the hmn1010B mic and how much for it?

```
From -2184024679367729223
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 7 May 2006 11:45:30 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1147027530.355468.326330@i39g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1147015241.370592.9180@g10g2000cwb.googlegroups.com>
   <08es529775gmenqhq644fnd2idqmp7mra4@4ax.com>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147027536 22925 127.0.0.1 (7 May 2006 18:45:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 7 May 2006 18:45:36 +0000 (UTC)
In-Reply-To: <08es529775gmenqhq644fnd2idqmp7mra4@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:10990
rec.radio.amateur.equipment:3859 rec.radio.amateur.misc:10474
rec.radio.amateur.policy:25304 rec.radio.shortwave:33910
```

Bill Turner wrote:
> ORIGINAL MESSAGE:
>
> On 7 May 2006 08:20:41 -0700, "John S." <hjsjms@cs.com> wrote:
>
> >You need to convince enough
> >hams to use code so its very usage generates excitement and makes
> >people want to join in the fun. Almost self-perpetuating like it was
> >in the 1950's.
>
> *********** REPLY SEPARATOR ***********
>
> Don't you find it odd that people need to be "convinced" to use morse?
> Nobody needs to be "convinced" to use PSK31, RTTY, SSB, FM or even AM.
>
> Life is too short to waste it "convincing" people to use a mode they
> are instinctively not interested in.
>
> The underlying problem is you want things to be like they were back in
> the '50s. Well, I was licensed in 1957 and I had fun back then too,
> but time marches on. Try marching along with it.
>
> Bill, W6WRT

Actually if you go back and re-read the entire message I think that between the lines you might pick up that I think these guys are living in the past. CW is all but dead and buried. All professional users of consequence have abandoned it.

From -5382263220370043836
X-Google-Thread: 108122,e09d7be44d077b8,start
X-Google-Thread: 108228,e09d7be44d077b8,start
X-Google-Thread: 1062f2,e09d7be44d077b8,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 May 2006 13:51:03 -0500
Subject: FA: 6 PROFESSIONAL ELECTRONICS Books: CMOS, Microprocessors, Microprogramming, Digital, Devices, etc.
Date: Sun, 07 May 2006 14:51:03 -0400
From: Marty <marty@mlowdkoa.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <070520061451034645%marty@mlowdkoa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)

```
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
zrdetXEDMVnWjzU+lOmHMIA04jpyvfrxvOxR62a2nwDFe0Abgjk6urJDumoFwVwjrm+KsMVlRtorBDh!
Lwpm1fc2goQfwkCqdeSvn3cp1LEd6goaxUpIEWahrmR1nbfP/S+FYT5fpVs/Uj2e+VEZulN90NZH!
7oZ02JZSmXkEmDMTCBOR
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3860 alt.ham-
radio.marketplace:905 misc.industry.electronics.marketplace:419


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4638260003



From 1203231984981432138
X-Google-Thread: 108122,66328bb88d3f8594,start
X-Google-Thread: 108228,66328bb88d3f8594,start
X-Google-Thread: 1062f2,66328bb88d3f8594,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 May 2006 13:53:56 -0500
Subject: FA: 4 ELECTRONICS Books: ELECTRONICS - ELECTRICITY - CIRCUIT ANALYSIS,
etc.
Date: Sun, 07 May 2006 14:53:56 -0400
From: Marty <marty@mlowdkoa.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <070520061453565015%marty@mlowdkoa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
ptsX93dOhLR9bGoIFZ33oN7S46dKVvQUoAJEcAwRG7m3VcNI9IFUXVxrZh50l+HwBTwPQMfpigZEV9X!
exv5KKz9rdA8T4R7hGEBgt2BAp22MVxSs9ePJm8xQEqsNhFpV4Rlomq6NeIUoyYTe1in6035zhM7!
lb8tZLdsc0alc24nlWRH
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3861 alt.ham-
```

radio.marketplace:906 misc.industry.electronics.marketplace:420

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4638269078

```
From -5403289620777147861
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny03.POSTED!a9557fe2!not-for-mail
From: HFguy <HFguy@connifer.net>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2uA6g.8331$QP4.4556@fed1read12> <_I2dnfwDCNN4bcbZRVn-jg@comcast.com>
<z9g7g.8473$QP4.5902@fed1read12> <csWdnbwoz-tYb8DZ4p2dnA@comcast.com>
In-Reply-To: <csWdnbwoz-tYb8DZ4p2dnA@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <3Br7g.1489$NB6.591@trndny03>
Date: Sun, 07 May 2006 19:08:47 GMT
NNTP-Posting-Host: 71.245.136.207
X-Complaints-To: abuse@verizon.net
X-Trace: trndny03 1147028927 71.245.136.207 (Sun, 07 May 2006 15:08:47 EDT)
NNTP-Posting-Date: Sun, 07 May 2006 15:08:47 EDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10991
rec.radio.amateur.equipment:3862 rec.radio.amateur.misc:10475
rec.radio.amateur.policy:25305 rec.radio.shortwave:33917
```

Dee Flint wrote:>
>
> For someone like yourself, it is absolutely essential that you eliminate any
> and all extra translation steps. The burst of sound should register
> directly as a letter. In other words, hear it as a letter and reflexively
> write a letter. Then it doesn't matter if you happen to know the actual
> number of dots and dashes. No counting, no "dog did it", no "helpful"
> memory devices at all. They will only hinder someone like yourself.

I have the same problem with the code. My brain wants to identify or count the dit/dahs and then translate them into the character. Learning each character as a quick burst of sound, as if it were sent at an equivalent speed of perhaps 20-wpm, is probably the best method.
I never got beyond about 10-wpm after practicing on and off for many years, sometimes for months at a time. I used to listen to the code practice transmissions on W1AW every night. If the 'General' code requirement had been 3-wpm less, I might have been a ham' decades ago but I wanted HF phone privileges or nothing (stubborn me). I didn't have any interest in getting a Technician license or being a Novice until it expired because of my code limitations. I don't think learning the code has much to do with intelligence or even motivation to a certain extent. Some folks are just not wired for code. I could have passed the Extra exam' in the days before the questions were available to be memorized but that 20-wpm was the problem. I tell myself it was amateur radio's loss. :-)

```
From -9036373908320975443
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 07 May 2006 19:10:36 -0500
Date: Sun, 07 May 2006 20:10:39 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
In-Reply-To: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <deydnaGXqffhEcPZRVn-tw@comcast.com>
Lines: 61
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-7QaPHAUxFjQX0yBgBnvi9WxlLocFz98HA1+DEnh6rVu6dtND6UzHst/
XUTGz9F2FZH0OjfI//f2IS2J!j9c3YdYbr8iCG7AU96EJtpmUirB6PjHdbck6U/
rDM8bMrlWdekrebrdx2Qu/OipTE1fkDfeTHskG!iis9Ng==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11005 rec.radio.amateur.equipment:3863 rec.radio.amateur.misc:10476 rec.radio.amateur.policy:25308 rec.radio.shortwave:33974

Silent Key wrote:

> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate?
>
>SNIPPED

In the olden days, the purpose was well understood. It was, and still is, to become proficient in one or more aspects of radio communication, to provide a skilled base of technically proficient people who pursue an interest in some aspect of radio communication technology and art for personal gain without any financial interest, reward or compensation from the activity.

It is NOT to open a box, plug it in, connect a wire, and, when it doesn't work, get on the internet and ask for help.

I advocate for a code test for the following reason. I value what I have to plan for, work for, sacrifice for, and invest my time for.

I value the reward for 18 months of practicing Morse Code every night for one hour a night. That's an investment.

I value the reward of studying, really studying, to understand the electronics for my Technician License. That's an investment.

I value the reward of studying, really studying, to understand the electronics for my General License. That's an investment.

I value the reward of studying, really studying, to understand the electronics for my Advanced License. That's an investment.

I value the reward of studying, really studying, to understand the electronics for my Extra License. That's an investment.

It took me 45 years to progress from Novice to Extra. [Note: I was 25 wpm CW proficient in the 1960s. Marriage, Family, Profession took priority over Ham Radio.]

I teach Ham Radio classes. I'm a registered ARRL instructor. I'm not invited to teach too often in these days. I DO NOT teach Q&A. I WILL NOT teach Q&A. I teach understanding of what's behind the Q&A.

My Technician classes begin with ELEMENT 1. It takes 3 to 4 weeks at two hours a week for classes to pass Element 1. It takes 10 to 12 additional weeks of a two hour class one night a week plus homework to pass the Technician exam.

Those who choose this path have made an investment of their time and effort. I hope they value that investment.

I WILL NOT support a 4 hour session on a Saturday morning and hooray! You are now a ham!!!

BTW, FWIW, I'm still learning from the skills and experiences of Roy, Cecil, Rick, et al on the antenna n.g.

/S/ Dave, W1MCE

```
From 4471327487575557611
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 7 May 2006 17:20:27 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1147047627.949564.83230@y43g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147047633 20731 127.0.0.1 (8 May 2006 00:20:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 May 2006 00:20:33 +0000 (UTC)
In-Reply-To: <deydnaGXqffhEcPZRVn-tw@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
```

```
Xref: g2news2.google.com rec.radio.amateur.antenna:11006
rec.radio.amateur.equipment:3864 rec.radio.amateur.misc:10477
rec.radio.amateur.policy:25310 rec.radio.shortwave:33976


Dave wrote:
> Silent Key wrote:
>
> > What's the purpose of ham radio, To have fun talking about rigs and
> > weather, or to be able to communicate?
> >
> >SNIPPED
the activity.
>
> It is NOT to open a box, plug it in, connect a wire, and, when it
> doesn't work, get on the internet and ask for help.
>
> I advocate for a code test for the following reason. I value what I have
> to plan for, work for, sacrifice for, and invest my time for.
>
> I value the reward for 18 months of practicing Morse Code every night
> for one hour a night. That's an investment.
i just wanta  return on my 5 years investment I have nothing to show
for it



From 2868764118076958738
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed-east.nntpserver.com!nntpserver.com!
statler.nntpserver.com!newsfeed.media.kyoto-u.ac.jp!news-hub.kaist.ac.kr!
newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!
news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Mon, 8 May 2006 09:23:33 +0900
Organization: Korea Telecom
Lines: 67
Message-ID: <e3m2uj$d0g$1@news2.kornet.net>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
NNTP-Posting-Host: 218.155.119.161
```

X-Trace: news2.kornet.net 1147047699 13328 218.155.119.161 (8 May 2006 00:21:39 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Mon, 8 May 2006 00:21:39 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Xref: g2news2.google.com rec.radio.amateur.antenna:11007 rec.radio.amateur.equipment:3865 rec.radio.amateur.misc:10478 rec.radio.amateur.policy:25311 rec.radio.shortwave:33977

"Dave" <W1MCE@comcast.net> wrote in message
news:deydnaGXqffhEcPZRVn-tw@comcast.com...
> Silent Key wrote:
>
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate? SNIPPED
>
> In the olden days, the purpose was well understood. It was, and still is,
> to become proficient in one or more aspects of radio communication, to
> provide a skilled base of technically proficient people who pursue an
> interest in some aspect of radio communication technology and art for
> personal gain without any financial interest, reward or compensation from
> the activity.
>
> It is NOT to open a box, plug it in, connect a wire, and, when it doesn't
> work, get on the internet and ask for help.
>
> I advocate for a code test for the following reason. I value what I have
> to plan for, work for, sacrifice for, and invest my time for.
>
> I value the reward for 18 months of practicing Morse Code every night for
> one hour a night. That's an investment.
>
> I value the reward of studying, really studying, to understand the
> electronics for my Technician License. That's an investment.
>
> I value the reward of studying, really studying, to understand the
> electronics for my General License. That's an investment.
>
> I value the reward of studying, really studying, to understand the
> electronics for my Advanced License. That's an investment.
>
> I value the reward of studying, really studying, to understand the
> electronics for my Extra License. That's an investment.
>
> It took me 45 years to progress from Novice to Extra. [Note: I was 25 wpm
> CW proficient in the 1960s. Marriage, Family, Profession took priority
> over Ham Radio.]
>

> I teach Ham Radio classes. I'm a registered ARRL instructor. I'm not
> invited to teach too often in these days. I DO NOT teach Q&A. I WILL NOT
> teach Q&A. I teach understanding of what's behind the Q&A.
>
> My Technician classes begin with ELEMENT 1. It takes 3 to 4 weeks at two
> hours a week for classes to pass Element 1. It takes 10 to 12 additional
> weeks of a two hour class one night a week plus homework to pass the
> Technician exam.
>
> Those who choose this path have made an investment of their time and
> effort. I hope they value that investment.
>
> I WILL NOT support a 4 hour session on a Saturday morning and hooray! You
> are now a ham!!!
>
> BTW, FWIW, I'm still learning from the skills and experiences of Roy,
> Cecil, Rick, et al on the antenna n.g.
>
>

Bravo! BRA-VO!!

(really, it's good to see someone else that appreciates the value of earning
what you get, instead of insisting it be handed to you)

From -2489079934168631366
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 7 May 2006 17:34:33 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1147048473.395078.29380@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1146827830.022860.277130@j73g2000cwa.googlegroups.com>
   <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
   <PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>

NNTP-Posting-Host: 4.225.99.241
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147048479 22915 127.0.0.1 (8 May 2006 00:34:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 May 2006 00:34:39 +0000 (UTC)
In-Reply-To: <PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=4.225.99.241;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.antenna:11008
rec.radio.amateur.equipment:3866 rec.radio.amateur.misc:10479
rec.radio.amateur.policy:25312 rec.radio.shortwave:33979

Cecil Moore wrote:
> Signal Chaser wrote:
> > Call the FCC, email the ARRL. Tell them you don't want to see ham radio
> > dumbed down anymore, for the good of the service and the good of country.
>
> Let's require a EE degree instead of Morse Code.
> --
> 73, Cecil http://www.qsl.net/w5dxp

Probably easier to get for some people, and could actually lead to a
good paying career in electronics.

From -1802054679287203093
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 7 May 2006 17:41:10 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1147048870.192257.166140@v46g2000cwv.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>

```
   <1146827830.022860.277130@j73g2000cwa.googlegroups.com>
   <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
   <PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
   <1147048473.395078.29380@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147048875 24043 127.0.0.1 (8 May 2006 00:41:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 May 2006 00:41:15 +0000 (UTC)
In-Reply-To: <1147048473.395078.29380@j33g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11009
rec.radio.amateur.equipment:3867 rec.radio.amateur.misc:10480
rec.radio.amateur.policy:25313 rec.radio.shortwave:33980


hot-ham-and-cheese@hotmail.com wrote:
> Cecil Moore wrote:
> > Signal Chaser wrote:
> > > Call the FCC, email the ARRL.  Tell them you don't want to see ham radio
> > > dumbed down anymore, for the good of the service and the good of country.
> >
> > Let's require a EE degree instead of Morse Code.
> > --
> > 73, Cecil  http://www.qsl.net/w5dxp
>
> Probably easier to get for some people, and could actually lead to a
> good paying career in electronics.

indeed it would be for me




From 5277240285937737829
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!5eba7a5d!not-for-mail
From: Jim - NN7K <nn7kexk7zfg@NOSPAMsbcglobal.net>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
```

```
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com>
<1147048870.192257.166140@v46g2000cwv.googlegroups.com>
In-Reply-To: <1147048870.192257.166140@v46g2000cwv.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <OLw7g.73914$H71.5343@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 67.118.44.186
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1147050094 ST000 67.118.44.186 (Sun, 07 May
2006 21:01:34 EDT)
NNTP-Posting-Date: Sun, 07 May 2006 21:01:34 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[OOBY[O^JWCSSTSTRJJOFXBWR\HPCTL@XT^OBPLAH[\RWICYFWUQBKZQLYJX\_ITFD_KFVLUN[DOM_A_N
SYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXG
QCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Mon, 08 May 2006 01:01:34 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:11010
rec.radio.amateur.equipment:3868 rec.radio.amateur.misc:10481
rec.radio.amateur.policy:25314 rec.radio.shortwave:33985

Showing that : Now days, this is nothing much more than a
Glorified Citizens Band?  10-4 good buddy! , and now on to the
Sspectrum Auctioneer!  SOMEONE has to have a better use for it!
All those good numbers, see u on the flip-flop!  (formerly) NN7K

an_old_friend wrote:
> hot-ham-and-cheese@hotmail.com wrote:
>



From 1785963783412981289
X-Google-Thread: fc8b1,a071833a5f1876d1,start
X-Google-Thread: 108122,a071833a5f1876d1,start
X-Google-Thread: 1109af,a071833a5f1876d1,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!8b6c9613!not-for-mail
```

From: "CSFD" <csfd@hotmail.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: Shure Microphone Question
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <cBx7g.69165$F_3.67205@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 70.143.58.162
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1147053512 ST000 70.143.58.162 (Sun, 07 May 2006 21:58:32 EDT)
NNTP-Posting-Date: Sun, 07 May 2006 21:58:32 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@SZD@ZRMRQPXKROHZZAJGHT@QDDMEPWXODMMHXMTWA]EPMTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWVWG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 08 May 2006 01:58:32 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4022
rec.radio.amateur.equipment:3869 rec.radio.swap:3900

I was wondering if anyone knows anything about a Shure Brothers Inc.
microphone model # DY30
It is a very nice looking mike but I have found no information on it
anywhere on the internet.
If you do know anything about it such as vintage, value, etc. it would be a
great help.
Thank you in advance.
Please reply to:
csfd@hotmail.com

From -7502522829986814388
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!e7121e93!not-for-mail
From: "CW" <s@earthlink.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r

adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net>
Date: Mon, 08 May 2006 02:37:16 GMT
NNTP-Posting-Host: 209.91.59.171
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1147055836 209.91.59.171 (Sun, 07 May 2006 19:37:16 PDT)
NNTP-Posting-Date: Sun, 07 May 2006 19:37:16 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11014 rec.radio.amateur.equipment:3870 rec.radio.amateur.misc:10482 rec.radio.amateur.policy:25316 rec.radio.shortwave:33998

You could have shortened that up considerably. Short version: "I did it so everyone else should have to". See how easy that was? Not an original idea though.

"Dave" <W1MCE@comcast.net> wrote in message
news:deydnaGXqffhEcPZRVn-tw@comcast.com...

> Silent Key wrote:
>
> > What's the purpose of ham radio, To have fun talking about rigs and
> > weather, or to be able to communicate?
> >
> >SNIPPED
>
> In the olden days, the purpose was well understood. It was, and still is, to become proficient in one or more aspects of radio communication, to provide a skilled base of technically proficient people who pursue an interest in some aspect of radio communication technology and art for personal gain without any financial interest, reward or compensation from the activity.
>
> It is NOT to open a box, plug it in, connect a wire, and, when it doesn't work, get on the internet and ask for help.
>
> I advocate for a code test for the following reason. I value what I have to plan for, work for, sacrifice for, and invest my time for.
>
>

```
From 6725469802354388188
X-Google-Thread: fc8b1,a071833a5f1876d1
X-Google-Thread: 108122,a071833a5f1876d1
X-Google-Thread: 1109af,a071833a5f1876d1
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <445EAEFD.13EDD945@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
Subject: Re: Shure Microphone Question
References: <cBx7g.69165$F_3.67205@newssvr29.news.prodigy.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
Date: Mon, 08 May 2006 02:39:02 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1147055942 24.110.34.161 (Sun, 07 May
2006 19:39:02 PDT)
NNTP-Posting-Date: Sun, 07 May 2006 19:39:02 PDT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4025
rec.radio.amateur.equipment:3871 rec.radio.swap:3903

CSFD wrote:
>
> I was wondering if anyone knows anything about a Shure Brothers Inc.
> microphone model #  DY30
> It is a very nice looking mike but I have found no information on it
> anywhere on the internet.
> If you do know anything about it such as vintage, value, etc. it would be a
> great help.
> Thank you in advance.
> Please reply to:
> csfd@hotmail.com


   Have you contacted Shure. or looked at their website?


--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.
```

Michael A. Terrell
Central Florida

From 938664115299146977
X-Google-Thread: f55c2,6343f95082aa8b9b,start
X-Google-Thread: fb049,6343f95082aa8b9b,start
X-Google-Thread: fc8b1,6343f95082aa8b9b,start
X-Google-Thread: 107ada,6343f95082aa8b9b,start
X-Google-Thread: 108122,6343f95082aa8b9b,start
X-Google-Thread: fc2a5,6343f95082aa8b9b,start
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pln-w!spln!rex!extra.newsguy.com!
newsp.newsguy.com!65-84-71-177.client.dsl.net!dave
From: Dave Hildebrand <dave@cahuenga.com>
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew
Subject: ICOM 02-AT QUESTION
Date: Sun, 7 May 2006 21:31:05 -0700
Organization: http://extra.newsguy.com
Lines: 12
Message-ID: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com>
NNTP-Posting-Host: p-292.newsdawg.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII
Xref: g2news2.google.com alt.ham-radio.mods:106 alt.ham-radio.vhf-uhf:1728
rec.radio.amateur.boatanchors:4026 rec.radio.amateur.misc:10483
rec.radio.amateur.equipment:3872 rec.radio.amateur.homebrew:5147

I have a 22-year old Icom 02-AT that has worked reliably until now, when it ceased putting out any transmitter power whatsoever.

Shall I assume the obvious, that the final (amplifier) transistor has blown? (They're easy enough to replace in most radios.) Or is there something else that's known to fail in these (particular) radios that results in a loss of transmitter power?

And can anyone please tell me the part number of the power device used in the final amplifier? Thanx.

...Dave, N6BHU

From 3073339732596880451
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c

X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-06!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Jack Hamilton <jfh@acm.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Tue, 02 May 2006 22:00:34 -0700
Organization: Copyright (c) 2006 by Jack Hamilton. Reproduction without attribution, and archiving without permission, are not allowed.
Message-ID: <qtdg5216b5leq7tsm25n48u1vphlrk0i73@4ax.com>
Reply-To: jfh@acm.org
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
<61370$445cbc13$453d9423$2432@FUSE.NET>
<tb77g.11986$Lm5.649@newssvr12.news.prodigy.com> <brWdnQ3vJ8DFicDZnZ2dnUVZ_u-dnZ2d@comcast.com> <sn4d52dkqguacv21l23qb93eplhhab5feo@4ax.com>
<rMSdnVfW6I0PcMDZRVn-qQ@comcast.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-NFilter: 1.2.0
X-Complaints-To: abuse@supernews.com
Lines: 48
Xref: g2news2.google.com rec.radio.amateur.antenna:11016
rec.radio.amateur.equipment:3873 rec.radio.amateur.misc:10484
rec.radio.amateur.policy:25319 rec.radio.shortwave:34005

"Dee Flint" <deeflint01@comcast.net> wrote:

>
>> You are claiming that there are circumstances under which CW can be
>> understood but none of the newer digital modes can?   Assuming, of
>> course, a skilled operator for CW and appropriate equipment for digital
>> modes. Or even software for both.
>>
>>
>
>That is correct. Let's just take a very simple example. PSK is one of our
>newest digital modes. When there are auroral disturbances, PSK cannot be
>used. The phase shifts induced by the auroral activity make it impossible
>for the computer to read. These phase shifts effect all the modes. Modes
>that depend on phase shifts (such as PSK) are affected the most severely and
>quickly become unusable. On the other hand, CW takes on a buzzy, raspy
>sound but a human operator can still decipher it although a computer will

>fail. I have personally experienced these conditions. If the auroral
>induced phase shifts aren't too severe even SSB will get through when PSK
>has failed. I have also personally experienced this.

OK. I wqas thinking of weak but undistorted signals - there seems to be evidence that digital modes can get through when CW can't even be heard. Audible but distorted signals, as you mention, are a different problem, one that I wasn't thinking of. Sort of like those distorted letters you have to decypher to gain access to restricted Yahoo groups, GoDaddy domain information, and various other web sites - a machine can certainly see them, but OCR isn't good enough to read them (neither am I, sometimes).

Jack Hamilton
jfh@acm.org

Though in a state of society some must have greater
luxuries and comforts than others, yet all should have
the necessities of life; and if the poor cannot exist,
in vain may the rich look for happiness or prosperity.
The legistlature is never so well employed as when they
look to the interests of those who are at a distance
from them in the ranks of society. It is their duty
to do so; religion calls for it; humanity calls for it;
and if there are hearts who are not awake to either of
those feelings, their own interests would dictate it.

Sir Lloyd Kenyon, Rex vs. Rusby, 1800

From -2759617556378739102
X-Google-Thread: 108122,2d0dd6219f0e8275,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "steve carey" <scarey@tds.net>
Newsgroups: rec.radio.amateur.equipment
Subject: tubes
Date: Mon, 8 May 2006 02:03:09 -0400
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
NNTP-Posting-Host: 72.168.99.101
Message-ID: <445edeaa_1@newspeer2.tds.net>
X-Trace: newspeer2.tds.net 1147068074 72.168.99.101 (8 May 2006 01:01:14 CST)
X-Authenticated-User: scarey
Organization: TDS.NET Internet Services www.tds.net
Path: g2news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!

```
216.170.153.144.MISMATCH!newspeer2.tds.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:3874
```

Looking for 3B28 does anybody have some in there junk thanks Steve

```
From -1423820766834886024
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 May 2006 05:03:24 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Mon, 8 May 2006 05:03:23 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <uc-dnbQrpbvxisLZnZ2dnUVZ_vmdnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
jB0Y2fmYvG9kgky14zCtAzAgx8HtYmY9inwzrdUHisW9Alio19V5tvPAwCKuBUrkCsr4dQMPrpCldrx!
ze2eUG/K+wqE8XXQIeOqlZMIkeNX8rrJxMdkP/U6jgMjh8g3dHiIXplunOKod3v7QUSyASm03Bay!
l1pXBpz8EZEW
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11021
rec.radio.amateur.equipment:3875 rec.radio.amateur.misc:10485
rec.radio.amateur.policy:25320 rec.radio.shortwave:34020
```

<hot-ham-and-cheese@hotmail.com> wrote in message
news:1147048473.395078.29380@j33g2000cwa.googlegroups.com...
>
> Cecil Moore wrote:
>> Signal Chaser wrote:
>> > Call the FCC, email the ARRL. Tell them you don't want to see ham
>> > radio
>> > dumbed down anymore, for the good of the service and the good of
>> > country.
>>
>> Let's require a EE degree instead of Morse Code.
>> --
>> 73, Cecil http://www.qsl.net/w5dxp
>
> Probably easier to get for some people, and could actually lead to a
> good paying career in electronics.
>

The only problem with the EEs that I run across, is they know just enough to
get themselves hurt and/or burn their homes down when they try to work with
ELECTRICITY instead of electronics. It seems that at 240vac, all their
common sense goes out the window.

-n6ojn
--

Steve @ Noon-Air Heating & A/C
Noon-Air@comcast.net

Life is what happens while you were making other plans

From -8315389033527425807
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-mail
From: nm5k@wt.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.

```
Date: 8 May 2006 04:05:51 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1147086351.769258.98590@v46g2000cwv.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1146827830.022860.277130@j73g2000cwa.googlegroups.com>
   <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
   <445c1b4a$0$6152$39cecf19@news.twtelecom.net>
   <445c3238$0$6144$39cecf19@news.twtelecom.net>
   <125oqbpg9m4d261@corp.supernews.com>
NNTP-Posting-Host: 216.119.139.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147086358 28797 127.0.0.1 (8 May 2006 11:05:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 May 2006 11:05:58 +0000 (UTC)
In-Reply-To: <125oqbpg9m4d261@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.5) Gecko/
20041107 Firefox/1.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=216.119.139.49;
   posting-account=EIwFDwwAAAApE0pXkg-ffORy7esu4pQN
Xref: g2news2.google.com rec.radio.amateur.antenna:11022
rec.radio.amateur.equipment:3876 rec.radio.amateur.misc:10486
rec.radio.amateur.policy:25321 rec.radio.shortwave:34022
```

>I bet no one from the antenna newsgroup bothers to respond because the
>topic doesn't have anything to do with antennas. There are plenty of
>other newsgroups for those who favor the endless CW/no CW arguments.

Bingo.. it reminds me of a pack of dogs that bark at the moon... :/
MK

```
From 5800253761772915351
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 May 2006 06:15:08 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
```

```
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
<61370$445cbc13$453d9423$2432@FUSE.NET>
<tb77g.11986$Lm5.649@newssvr12.news.prodigy.com> <brWdnQ3vJ8DFicDZnZ2dnUVZ_u-
dnZ2d@comcast.com> <sn4d52dkqguacv21l23qb93eplhhab5feo@4ax.com>
<rMSdnVfW6I0PcMDZRVn-qQ@comcast.com> <qtdg5216b5leq7tsm25n48u1vphlrk0i73@4ax.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Mon, 8 May 2006 07:14:48 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <6fKdnUg-MJ-htcLZRVn-sw@comcast.com>
Lines: 64
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-f9ItH/qJzMKGWFOxoN/t0buU/
sD36fZr69O97w60hYk0MyVuGkyiTSB8j3E7SulabrNcGC6r/JimheU!
RApn9SUVr+r+fonPZQUeLSk2xeB8bQ21ID1JAS6TTCaA67nb0JxE/vp5VC87AunSNrw2r8yWr6VV!OKw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11023
rec.radio.amateur.equipment:3877 rec.radio.amateur.misc:10487
rec.radio.amateur.policy:25322 rec.radio.shortwave:34023


"Jack Hamilton" <jfh@acm.org> wrote in message
news:qtdg5216b5leq7tsm25n48u1vphlrk0i73@4ax.com...
> "Dee Flint" <deeflint01@comcast.net> wrote:
>
>>
>>> You are claiming that there are circumstances under which CW can be
>>> understood but none of the newer digital modes can?   Assuming, of
>>> course, a skilled operator for CW and appropriate equipment for digital
>>> modes.  Or even software for both.
>>>
>>>
>>
>>That is correct.  Let's just take a very simple example.  PSK is one of
>>our
>>newest digital modes.  When there are auroral disturbances, PSK cannot be
>>used.  The phase shifts induced by the auroral activity make it impossible
>>for the computer to read.  These phase shifts effect all the modes.  Modes
>>that depend on phase shifts (such as PSK) are affected the most severely
>>and
>>quickly become unusable.  On the other hand, CW takes on a buzzy, raspy
>>sound but a human operator can still decipher it although a computer will
```

>>fail. I have personally experienced these conditions. If the auroral
>>induced phase shifts aren't too severe even SSB will get through when PSK
>>has failed. I have also personally experienced this.
>
> OK. I wqas thinking of weak but undistorted signals - there seems to be
> evidence that digital modes can get through when CW can't even be heard.
> Audible but distorted signals, as you mention, are a different problem,
> one that I wasn't thinking of. Sort of like those distorted letters you
> have to decypher to gain access to restricted Yahoo groups, GoDaddy
> domain information, and various other web sites - a machine can
> certainly see them, but OCR isn't good enough to read them (neither am
> I, sometimes).
>
>

That is exactly the point I was trying to make. If one is content to turn off the radio and not communicate at times when signals are distorted, then various modes become less important. But I prefer to be able to communicate as long as possible. Thus I consider it part of my goals as a ham to be as conversant with as many modes as I can. I have setup and operated the digital modes, including building my own sound card interface (even though I don't normally attempt soldering), just to gain experience in them even though I have no real interest in operating them per se. Pounding away at a keyboard is too much like the internet or my job.

To clarify, specify the conditions, and the "best mode" becomes evident. With distorted signals, CW wins with voice coming in second. With weak signals, some digital modes win with CW coming in second. For power consumption for a given signal strength, the digital modes come in last since you must have power to run the computer. And the power to run a computer alone (depending on the computer) is often more than enough to run a 100w CW or voice signal. So you add the digital signal and the digital modes become "power hogs."

Every mode has value.

Dee D. Flint, N8UZE

Dee D. Flint, N8UZE

From -6570456533522027743
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!

```
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com> <uc-
dnbQrpbvxisLZnZ2dnUVZ_vmdnZ2d@comcast.com>
In-Reply-To: <uc-dnbQrpbvxisLZnZ2dnUVZ_vmdnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <ZSG7g.12336$Lm5.11461@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 70.250.219.3
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1147091513 ST000 70.250.219.3 (Mon, 08 May
2006 08:31:53 EDT)
NNTP-Posting-Date: Mon, 08 May 2006 08:31:53 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PGWUSOQBPSCFD[LZKJOPHAWB\^PBQLGPQRZUEK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Mon, 08 May 2006 12:31:53 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:11028
rec.radio.amateur.equipment:3878 rec.radio.amateur.misc:10488
rec.radio.amateur.policy:25323 rec.radio.shortwave:34028
```

Noon-Air wrote:

> The only problem with the EEs that I run across, is they know just enough to
> get themselves hurt and/or burn their homes down when they try to work with
> *ELECTRICITY* instead of electronics. It seems that at 240vac, all their
> common sense goes out the window.

EE stands for Electrical Engineer. Power company engineers
are usually EEs.
--
73, Cecil http://www.qsl.net/w5dxp

```
From 1895308166756290119
X-Google-Thread: f55c2,6343f95082aa8b9b
```

X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 May 2006 07:50:43 -0500
Date: Mon, 08 May 2006 08:50:37 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.1) Gecko/20060130
SeaMonkey/1.0
MIME-Version: 1.0
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew
Subject: Re: ICOM 02-AT QUESTION
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com>
In-Reply-To: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <b4KdnfnPC70-o8LZnZ2dnUVZ_vidnZ2d@rcn.net>
Lines: 29
NNTP-Posting-Host: 66.44.103.131
X-Trace: sv3-3cfvUHyMBwmQQ/jJ6IcwOheFmpnFHY0YwvVAg4Q9JhRG09TLdNeBY13Zd+Coxzq/
3JLGv5EM1yaqdsW!
m1Fc6NUi9JFGOxt+dmVtWYDHI5+4eO5ygdCUbNRoqzqUaLj70lg8fQIEw5eNZUE43HEyUga0U5Aq!fw==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.mods:107 alt.ham-radio.vhf-uhf:1729
rec.radio.amateur.boatanchors:4027 rec.radio.amateur.misc:10489
rec.radio.amateur.equipment:3879 rec.radio.amateur.homebrew:5153

Dave Hildebrand wrote:
> I have a 22-year old Icom 02-AT that has worked reliably until now, when
> it ceased putting out any transmitter power whatsoever.
>
> Shall I assume the obvious, that the final (amplifier) transistor has
> blown? (They're easy enough to replace in most radios.) Or is there
> something else that's known to fail in these (particular) radios that
> results in a loss of transmitter power?
>
> And can anyone please tell me the part number of the power device used in
> the final amplifier? Thanx.

Does it still receive correctly?

What usually happens, is the synthesizer quits, and it stops sending,
or receiving.

The output transistor is a T05 (TO39) type package, and is soldered to the metal frame that surrounds the radio. It is very special, in that the case of the transistor is connected to the emitter. Most transistors in that package have the case connected to the collector. This is done so that they could run the emitter grounded (as is usual) and not need any insulated heatsinking hardware.

The usual way of blowing the output transistor in an 02AT is to use a battery pack that supplies more than 9v, or to try and power the rig directly from your car battery. ISTR that a short on the antenna is a third way.

-Chuck

```
From 3584282246675174921
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 May 2006 08:59:20 -0500
Date: Mon, 08 May 2006 09:59:23 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com> <uc-
dnbQrpbvxisLZnZ2dnUVZ_vmdnZ2d@comcast.com>
<ZSG7g.12336$Lm5.11461@newssvr12.news.prodigy.com>
In-Reply-To: <ZSG7g.12336$Lm5.11461@newssvr12.news.prodigy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ZrednRvlzqAl08LZRVn-uw@comcast.com>
```

Lines: 48
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-IAhLyqIjZchbjaNKFwY6KsN/
8GTjPMgI5bMSxdXlw1sRjdaO9cmkpfYdIQ9XvVEQfYL9sa6xvawou4r!KaWx5apeRs4327hzh/
QYFg3071RbN3g7NDtGxhjiiiiikzklMFGp2u8tBawCNHeKwpTvSQzjaoRf!3a/YRw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11031
rec.radio.amateur.equipment:3880 rec.radio.amateur.misc:10490
rec.radio.amateur.policy:25325 rec.radio.shortwave:34038

Cecil Moore wrote:

> Noon-Air wrote:
>
>> The only problem with the EEs that I run across, is they know just
>> enough to get themselves hurt and/or burn their homes down when they
>> try to work with *ELECTRICITY* instead of electronics. It seems that
>> at 240vac, all their common sense goes out the window.
>
>
> EE stands for Electrical Engineer. Power company engineers
> are usually EEs.

Dave, W1MCE, BSEE [ElectriCAL Engineer]

Never worked as an electriCAL Engineer. Designed transistors for almost four years. Designed USAF Flight Line Test Equipment for six plus years. Designed USAF Computer Controlled Avionics Test Equipment for 10+ years. Spent 3 1/2 years as Field Engineer at Hill AFB, UTAH on Computer Equipment. Worked for 7 plus years on the Effects of Nuclear Weapons on USAF strategic assets. Spent part of three years at the Nuclear UGT facility in Nevada. Spent 6 plus years as Chief Engineer on the USAF MX Missile RS/RV. Finished up as System Engineer on the RF Subsystem Force Modernization for the MK21 RV. In between, I managed the Strategic Product Design, Electronic Department for three years, now retired.

I still have my text books on HV transformer design, Generator Design, Fluid Dynamics, Thermo Dynamics, three phase power distribution, etc. around here somewhere ... I hope.

My VP Engineering, to paraphrase his judgment, claimed: "Give me an Engineer with a good Physics background and a good Math background and I can put him/her to work anywhere. In three months [s]he will be blunder proof, in six months competent, in 12 months expert." After 30 plus years of engineering I conclude he was correct.

But, I've left BSEE behind me. I retired from my profession six years ago.

And, as my wife says; "You can take the engineer out of engineering;

but, you can't take engineering out of the engineer." I'm still learning
from highly gifted people like Roy, Cecil, Reg, etc.

I'm still practicing my Vocation ....

```
From -3553823128419870182
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 May 2006 09:14:31 -0500
Date: Mon, 08 May 2006 10:14:34 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net>
In-Reply-To: <w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <P-KdnU-7qf_az8LZRVn-qA@comcast.com>
Lines: 30
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-xAxVCtWDa0HMx+hS9JswimWDoGthR1m6Lzgi4d9cB4/jxAmh8mE6laAGGIMLSN/
OeeedKsulFSe5RmV!
ZsmnAtbFfizuAmqm9nUq84Lll6ITewXy+xzz4RskF7ltyjZAAu0iTT2vNbzd62Yqi/k3z35esiN0!
VzXRfg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11032 rec.radio.amateur.equipment:3881 rec.radio.amateur.misc:10491 rec.radio.amateur.policy:25326 rec.radio.shortwave:34039

CW wrote:

> You could have shortened that up considerably. Short version: "I did it so
> everyone else should have to". See how easy that was? Not an original idea
> though.
>

CW, you are incorrect. I VALUE my license because it took effort over many years. The issue is valuing your license because you invested time, talent and energy into obtaining it. The more you invest, the more you value.

If you read the full message you would conclude that the message is about investing and reward of investing. It is not about a 4 hour cram short term memory program that yields a Technician License without the KNOWLEDGE of how to build a 1/2 wavelength dipole with coax to connect to the new out of the box toy.

When I read posts regarding 'how to ...' on some basic aspect of Ham Radio I wonder about the training, education, understanding, that went into 'studying' for that license. IMO, the license should indicate a level of proficiency that, in many cases, is missing. When I hear an EXTRA CLASS ham on twenty meters asking someone what the difference is between USB and LSB, we have a problem in training and education.

I don't know if Ham Radio will degenerate into glorified CBers. But, for many it has become a hobby of appliance operators.

- - -

From 2347054802726104984
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.

Date: 8 May 2006 07:17:27 -0700
Organization: http://groups.google.com
Lines: 40
Message-ID: <1147097846.905507.19600@i40g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147097852 28814 127.0.0.1 (8 May 2006 14:17:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 May 2006 14:17:32 +0000 (UTC)
In-Reply-To: <deydnaGXqffhEcPZRVn-tw@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:11033
rec.radio.amateur.equipment:3882 rec.radio.amateur.misc:10492
rec.radio.amateur.policy:25327 rec.radio.shortwave:34040

Dave wrote:
> Silent Key wrote:
>
> > What's the purpose of ham radio, To have fun talking about rigs and
> > weather, or to be able to communicate?
> >
> >SNIPPED
>
> In the olden days, the purpose was well understood. It was, and still
> is, to become proficient in one or more aspects of radio communication,
> to provide a skilled base of technically proficient people who pursue an
> interest in some aspect of radio communication technology and art for
> personal gain without any financial interest, reward or compensation
> from the activity.
>
> It is NOT to open a box, plug it in, connect a wire, and, when it
> doesn't work, get on the internet and ask for help.
>
> I advocate for a code test for the following reason. I value what I have
> to plan for, work for, sacrifice for, and invest my time for.
>

snipped

If you really believe that morse code is an important way to
communicate that should be preserved then you need to convince other
hams and potential hams to learn the code. You need to convince enough

hams to use code so its very usage generates excitement and makes

people want to join in the fun. Almost self-perpetuating like it was
in the 1950's.

Preaching (or complaining) to the choir on the radio fora about the
abysmal state of things will not add one person to the ranks of key
pounding hams.

So what are you going to do to increase the number of code practicing
hams.

From 269830138303302229
X-Google-Thread: 108122,2d0dd6219f0e8275
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news01.roc.ny.POSTED!53ab2750!
not-for-mail
From: Bill Janssen <billj@ieee.org>
Reply-To: billjNOT_THIS@ieee.org
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: tubes
References: <445edeaa_1@newspeer2.tds.net>
In-Reply-To: <445edeaa_1@newspeer2.tds.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <6oJ7g.395$Oh1.8@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d4956deb516aceeeeaa123643fd22d7102320a99601ce0c0a8e14b22dab80e4f91198f7
dd532c3a51ca5b58415c775c91fbaacb1aa50984fc4f84f2c19bc9c9d897a6a206ecf65e2b917dabb5
a61649a26ff51a83484f0e2e6fb5db1a471a6192bf1a1d45f6199fecec5f
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Mon, 08 May 2006 15:23:46 UTC
Date: Mon, 08 May 2006 15:23:46 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3883

steve carey wrote:

>Looking for 3B28 does anybody have some in there junk thanks Steve
>
>
>
>
I think I may have a couple. Not easy to check though so if no one else
comes

up with them I can check my stock.

Bill K7NOM

From 8990566248887212471
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 8 May 2006 08:24:57 -0700
Organization: http://groups.google.com
Lines: 77
Message-ID: <1147101896.956251.248990@i39g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net>
   <P-KdnU-7qf_az8LZRVn-qA@comcast.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147101903 6674 127.0.0.1 (8 May 2006 15:25:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 May 2006 15:25:03 +0000 (UTC)
In-Reply-To: <P-KdnU-7qf_az8LZRVn-qA@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11034
rec.radio.amateur.equipment:3884 rec.radio.amateur.misc:10493
rec.radio.amateur.policy:25328 rec.radio.shortwave:34045

Dave wrote:
> CW wrote:
>
> > You could have shortened that up considerably. Short version: "I did it so
> > everyone else should have to". See how easy that was? Not an original idea
> > though.

> >
>
> CW, you are incorrect. I VALUE my license because it took effort over
> many years. The issue is valuing your license because you invested time,
> talent and energy into obtaining it. The more you invest, the more you
> value.

bullshit or at best your milage may vary

whta you are doing is oseeking to impose your value system on me

I value value my tech license because I had to work for it I value it
becuase of what it allows to DO

your tpye of licesen rational maens we would realy value it if we were
lashed in the public to gte one

>
> If you read the full message you would conclude that the message is
> about investing and reward of investing. It is not about a 4 hour cram
> short term memory program that yields a Technician License without the
> KNOWLEDGE of how to build a 1/2 wavelength dipole with coax to connect
> to the new out of the box toy.

I did not study for my tech test at all (beyond a quick reading of the
pool I worked from memeries of my failued efforts 2rogh twenty years
before to obtain a Novice lense

and what reward from Code, I have invested in my teen when I could that
sort of thing 5 years at 40 minute perdays 5 week aweek and I got
NOTHING for it. (except that one of the ham giving the test noticed
from the patern in my error I might be dyslexic and I got what
treatementthier was much sooner than i would goten otherwise)

you idea is premised on the theory one get what one pay for and gets
paid what oneis worth. You kknow what ome of us have never found that
to be true I have never gotten a fair rate of pay I have always been
more than I was worth or less than I was worth

I value profit, my tech licesne has been a profitable insvestment,
exceming so, Hf has been a balck hole for effort yeilding NOTHING for
that effort
>
> When I read posts regarding 'how to ...' on some basic aspect of Ham
> Radio I wonder about the training, education, understanding, that went
> into 'studying' for that license. IMO, the license should indicate a
> level of proficiency that, in many cases, is missing. When I hear an
> EXTRA CLASS ham on twenty meters asking someone what the difference is
> between USB and LSB, we have a problem in training and education.

those folks passed the code test and 2 other
>
> I don't know if Ham Radio will degenerate into glorified CBers. But, for

> many it has become a hobby of appliance operators.

indeed I am not esp interested in building rig myself more intersted in
interfacing radio with their part attennas and such

indeed I have even been intered in the possibilities of what I call
human assist machine decode of CW I have made contacts where the
machince decodes what it can and I look at a screen to decide is that a
dit, dah or satic, feeding the results back in the machine for clear
text, done that hispeed metro stuff and that has acheived my 3 EME
contacts

all without any real abilty to decode by ear the cw itself beyond
needing to tune the signal
>
> - - -

From -4519705367206709868
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeed.news2me.com!arclight.uoregon.edu!newsfeeder.srv.cs.cmu.edu!nn.andrew.cmu.edu!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Mon, 08 May 2006 16:27:21 GMT
Organization: Sometimes
Lines: 28
Message-ID: <e3nrht$s1j$1@usenet01.srv.cis.pitt.edu>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2uA6g.8331$QP4.4556@fed1read12>
<ZGR6g.4155$Vn.1246@newsread4.news.pas.earthlink.net>
<DET6g.66840$_S7.52842@newssvr14.news.prodigy.com>
<445c2f80$0$1005$39cecf19@news.twtelecom.net>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1147105661 28723 136.142.52.106 (8 May 2006 16:27:41 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Mon, 8 May 2006 16:27:41 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.antenna:11035
rec.radio.amateur.equipment:3885 rec.radio.amateur.misc:10494

```
rec.radio.amateur.policy:25329 rec.radio.shortwave:34047

In article <445c2f80$0$1005$39cecf19@news.twtelecom.net>, Tom Ring
<news0002@taring.org> wrote:
>Cecil Moore wrote:
>
>> Silent Keys wrote:
>>
>>> What if in an emergency your microphone broke, and the only thing you had
>>> to save a life was CW?
>>
>>
>> What if the aliens invaded and all they couldn't understand
>> was CW?
>
>Which is most likely, actually.  We broadcast a lot more voice than CW,
>  Ever noticed how many watts of television, FM radio and AM radio are
>out there versus CW?
>
>CW is effectivly dead except for those that wish to keep it alive.
>Similar to the old car collectors.  Nothing wrong with it. beautiful
>collector items, but not really part of the current world.

CW is and might be around forever for identifiers in different things.
It can be transmitted along with voice and doesn't get in the way
of other things. Any loss would be the best fun I had during
my Amateur Radio Service and learning Radiotelegraph Second class
training. I even found a code chart at the RF desks at a NASA MSFN tracking
station when I worked there. Just in case!

greg



From -3217216823726693047
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 May 2006 11:48:25 -0500
Date: Mon, 08 May 2006 12:48:25 -0400
From: W2AGN <w2agn@nospamw2agn.net>
User-Agent: Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
```

```
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net>   <P-KdnU-7qf_az8LZRVn-
qA@comcast.com> <1147101896.956251.248990@i39g2000cwa.googlegroups.com>
In-Reply-To: <1147101896.956251.248990@i39g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <jJ6dna5SfKrH68LZnZ2dnUVZ_vmdnZ2d@comcast.com>
Lines: 77
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-68BhMiLK5xbGKHKH3YGwBEKR/a7vQpqEdBasACy430jagi/
j6SJCeS6dMsh2uPbTcRO3l8uRqpW5nnu!730emC0LN5Td4/
bjX5GhVgDbS6WyXxO0eevODEo+MgeVFTrcoahTpBNhc1LM77IfK/oiTze0235r!
y+ImDTsrV4cgfnEkhhtm
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11036
rec.radio.amateur.equipment:3886 rec.radio.amateur.misc:10495
rec.radio.amateur.policy:25330 rec.radio.shortwave:34050

an_old_friend wrote:
> Dave wrote:
>> CW wrote:
>>
>>> You could have shortened that up considerably. Short version: "I did it so
>>> everyone else should have to". See how easy that was? Not an original idea
>>> though.
>>>
>> CW, you are incorrect. I VALUE my license because it took effort over
>> many years. The issue is valuing your license because you invested time,
>> talent and energy into obtaining it. The more you invest, the more you
>> value.
>
> bullshit or at best your milage may vary
>
> whta you are doing is oseeking to impose your value system on me
>
> I value value my tech license because I had to work for it I value it
> becuase of what it allows to DO
>
> your tpye of licesen rational maens we would realy value it if we were
> lashed in the public to gte one
>
>> If you read the full message you would conclude that the message is
>> about investing and reward of investing. It is not about a 4 hour cram
>> short term memory program that yields a Technician License without the
>> KNOWLEDGE of how to build a 1/2 wavelength dipole with coax to connect
>> to the new out of the box toy.
```

```
>
> I did not study for my tech test at all (beyond a quick reading of the
> pool I worked from memeries of my failued efforts 2rogh twenty years
> before to obtain a Novice lense
>
> and what reward from Code, I have invested in my teen when I could that
> sort of thing 5 years at 40 minute perdays 5 week aweek and I got
> NOTHING for it. (except that one of the ham giving the test noticed
> from the patern in my error I might be dyslexic and I got what
> treatementthier was much sooner than i would goten otherwise)
>
> you idea is premised on the theory one get what one pay for and gets
> paid what oneis worth. You kknow what ome of us have never found that
> to be true I have never gotten a fair rate of pay I have always been
> more than I was worth or less than I was worth
>
> I value profit, my tech licesne has been a profitable insvestment,
> exceming so, Hf has been a balck hole for effort yeilding NOTHING for
> that effort
>> When I read posts regarding 'how to ...' on some basic aspect of Ham
>> Radio I wonder about the training, education, understanding, that went
>> into 'studying' for that license. IMO, the license should indicate a
>> level of proficiency that, in many cases, is missing. When I hear an
>> EXTRA CLASS ham on twenty meters asking someone what the difference is
>> between USB and LSB, we have a problem in training and education.
>
> those folks passed the code test and 2 other
>> I don't know if Ham Radio will degenerate into glorified CBers. But, for
>> many it has become a hobby of appliance operators.
>
> indeed I am not esp interested in building rig myself more intersted in
> interfacing radio with their part attennas and such
>
> indeed I have even been intered in the possibilities of what I call
> human assist machine decode of CW I have made contacts where the
> machince decodes what it can and I look at a screen to decide is that a
> dit, dah or satic, feeding the results back in the machine for clear
> text, done that hispeed metro stuff and that has acheived my 3 EME
> contacts
>
> all without any real abilty to decode by ear the cw itself beyond
> needing to tune the signal
>> - - -
>

Fascinating! We have here a perfect example of a functional illiterate
who was able to obtain a Ham license. Of course he would not like CW as
one must be able to spell, and construct simple sentences, which is
obviously beyond him.


From 1700521761824910 77
X-Google-Thread: 108122,5aebdd02dca36d88,start
```

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-mail
From: "ve3tjd" <tedd@ve3tjd.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: 2x Astatic D104 - One Golden Eagle and the other TUG8
Date: 8 May 2006 10:28:48 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1147109328.474876.51280@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 72.1.198.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147109333 28495 127.0.0.1 (8 May 2006 17:28:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 May 2006 17:28:53 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=72.1.198.54;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news2.google.com rec.radio.amateur.equipment:3887

Greetings:

I have up on Ebay, 2 Astatic crystal base microphones. One is the
famous
Golden Eagle (TUG9-D104), and the other is the plain TUG8-D104 which
has the grey base and chrome stem and head. These were originally
purchased
in 1976! Please see:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZve3tjd

Thanks, Tedd
VE3TJD

From 6758880849368805308
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:

rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 8 May 2006 12:02:26 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1147114946.044141.48270@e56g2000cwe.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <deydnaGXqffhEcPZRVn-tw@comcast.com>
   <w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net>
   <P-KdnU-7qf_az8LZRVn-qA@comcast.com>
   <1147101896.956251.248990@i39g2000cwa.googlegroups.com>
   <jJ6dna5SfKrH68LZnZ2dnUVZ_vmdnZ2d@comcast.com>
NNTP-Posting-Host: 71.133.188.94
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147114953 12732 127.0.0.1 (8 May 2006 19:02:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 May 2006 19:02:33 +0000 (UTC)
In-Reply-To: <jJ6dna5SfKrH68LZnZ2dnUVZ_vmdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=71.133.188.94;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:11039
rec.radio.amateur.equipment:3888 rec.radio.amateur.misc:10498
rec.radio.amateur.policy:25335 rec.radio.shortwave:34062

W2AGN - May be you should re-read this
and think about your reply - jnlybj ~ RHF

(except that one of the ham giving the test noticed
from the patern in my error I might be dyslexic and
I got what treatement thier was much sooner than
I would goten otherwise)

[There but for the grace of God go I - Amen]
 .
 .
 .
. .
       .

From 3761520570604388974
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c

```
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!logbridge.uoregon.edu!
canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-
pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!
newsfeed.pnap.net!motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: cw trolling
Date: Mon, 8 May 2006 15:44:02 -0500
Organization: Motorola Applications Directory Team
Lines: 54
Message-ID: <e3oaij$bjo$1@avnika.corp.mot.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3fvnh$97m$1@avnika.corp.mot.com>
<1146857107.822936.121660@y43g2000cwc.googlegroups.com>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1147121043 11896 173.27.203.217 (8 May 2006 20:44:03
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Mon, 8 May 2006 20:44:03 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:11042
rec.radio.amateur.equipment:3889 rec.radio.amateur.misc:10500
rec.radio.amateur.policy:25337 rec.radio.shortwave:34068


"an_old_friend" <konstans@hotmail.com> wrote in message
news:1146857107.822936.121660@y43g2000cwc.googlegroups.com...
> Steve N. wrote:

> > Should stay that way...

                 Silent, I meant.    (in case you missed that one)



> > "Silent Key" <cw.h@m.bands> wrote in message
> > news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> > > What's the purpose of ham radio, ...
> > > SC
> > Well, "SC"  a.k.a. troll,
> > Cw, when it came along, was frowned uopn and was predicted to be the
death
> > of ham radio as well.  Did you know that?

> hmm   I knew that about AM and SSB but not CW do you happen to have a
> reference for that? (might be useful)
```

Whoever you are,
I believe you will find this in the book about the early days of amateur radio. It is called something like "200 Meters and Down", or is it "Below". ARRL has it and many ham stores do. I have a copy and have difficulty remembering the exact title. A really nice read. I also have a 1932 ARRL handbook and I think there are references to the "doom of the advent of CW" in there also.

. You, of course, know about spark. The sparkies didn't like CW and, at that time, the FCC __DID__ out law it (spark, that is).
I admit that it was a loaded question because CW stands for Continuous Wave and what differentiates it from" Spark". Probably not what the troll wanted and I know he/she/it wouldn't respond, but did it anyway.

> > Your fingers and eyes (or ears) aren't broke....
> are you sure? his brain seem to be

A given and my point exactly.

> >.. so why aren't you out mentoring new hams? ... Why am *I* wasting my time with this...pfffvt

> maybe becuase you are tired of this divisve pissing contest or something like that

Yea. A vent is in order every once-in-a-while, I guess. I figured the CW doom thing would get a comment, so thanks - whomever you may be..

73, Steve, K9DCI

From 7370885681583032536
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: cw trolling
Date: 8 May 2006 14:09:54 -0700
Organization: http://groups.google.com
Lines: 13

```
Message-ID: <1147122594.900336.272650@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <e3fvnh$97m$1@avnika.corp.mot.com>
   <1146857107.822936.121660@y43g2000cwc.googlegroups.com>
   <e3oaij$bjo$1@avnika.corp.mot.com>
NNTP-Posting-Host: 71.133.188.94
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147122600 2093 127.0.0.1 (8 May 2006 21:10:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 8 May 2006 21:10:00 +0000 (UTC)
In-Reply-To: <e3oaij$bjo$1@avnika.corp.mot.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=71.133.188.94;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news2.google.com rec.radio.amateur.antenna:11044
rec.radio.amateur.equipment:3890 rec.radio.amateur.misc:10501
rec.radio.amateur.policy:25338 rec.radio.shortwave:34069
```

The FCC Outlawed 'Spark' for very valid technical reasons
at that time and they are still valid today.   The very same
logic could be used to still justify the continued use of CW
as an Amateur Operating Mode; even though the requirement
for proficiency in CW is not used for an Amateur License.

```
jm2cw ~ RHF
 .
 .
 .
. .
      .
```

```
From -1643971601634648196
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
```

From: Silent Keys <no.m@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<445c1b4a$0$6152$39cecf19@news.twtelecom.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 50
Message-ID: <pvP7g.1622$u4.583@newsread1.news.pas.earthlink.net>
Date: Mon, 08 May 2006 22:21:09 GMT
NNTP-Posting-Host: 4.254.229.82
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147126869 4.254.229.82 (Mon, 08 May 2006 15:21:09 PDT)
NNTP-Posting-Date: Mon, 08 May 2006 15:21:09 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11049 rec.radio.amateur.equipment:3891 rec.radio.amateur.misc:10505 rec.radio.amateur.policy:25343 rec.radio.shortwave:34079

Tom Ring <news0002@taring.org> wrote in
news:445c1b4a$0$6152$39cecf19@news.twtelecom.net:

> Signal Chaser wrote:
>
>>>Preaching (or complaining) to the choir on the radio fora about the
>>>abysmal state of things will not add one person to the ranks of key
>>>pounding hams.
>>>
>>>So what are you going to do to increase the number of code practicing
>>>hams.
>>
>>
>>
>> Call the FCC, email the ARRL. Tell them you don't want to see ham
>> radio dumbed down anymore, for the good of the service and the good of
>> country.
>>
>> God bless America. Amen
>>
>> SC
>>
>
> Yup, that increased the number of CW ops by a lot. Typical old style
> ham response. Moron. Pure and simple moron.
>
> This is why CW is losing the battle. Not because it's a lost art, or
> something that's not worthwhile, but because the "supporters" do nothing
> but complain.
>
> I don't want to see CW go away; I think it's a "good thing", and should
> stay around, especially for things it still does well, such as EME. Of
> course this is not the place to speak of "advanced" things like EME,
> after all, it's only been around for 50 years.

>
> tom
> K0TAR

My arguement for CW has never been from the perspective of getting more ops. It's the quality of the operators I'm concerned about, not quantity. A code requirement may mean someone will study the theory portion a little more while they're building up their code.

One day, when you turn on your HF or VHF/UHF rig and it sounds like CB, you'll understand where I'm coming from.

SC

From 8064797451160014637
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
From: Silent Keys <no.em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <deydnaGXqffhEcPZRVn-tw@comcast.com> <w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net> <P-KdnU-7qf_az8LZRVn-qA@comcast.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 44
Message-ID: <rvP7g.1623$u4.1550@newsread1.news.pas.earthlink.net>
Date: Mon, 08 May 2006 22:21:11 GMT
NNTP-Posting-Host: 4.254.229.82
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147126871 4.254.229.82 (Mon, 08 May 2006 15:21:11 PDT)
NNTP-Posting-Date: Mon, 08 May 2006 15:21:11 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11050 rec.radio.amateur.equipment:3892 rec.radio.amateur.misc:10506 rec.radio.amateur.policy:25344 rec.radio.shortwave:34080

Dave <W1MCE@comcast.net> wrote in news:P-KdnU-7qf_az8LZRVn-qA@comcast.com:

> CW wrote:
>
>> You could have shortened that up considerably. Short version: "I did it
>> so everyone else should have to". See how easy that was? Not an
>> original idea though.
>>
>
> CW, you are incorrect. I VALUE my license because it took effort over
> many years. The issue is valuing your license because you invested time,
> talent and energy into obtaining it. The more you invest, the more you
> value.
>
> If you read the full message you would conclude that the message is
> about investing and reward of investing. It is not about a 4 hour cram
> short term memory program that yields a Technician License without the
> KNOWLEDGE of how to build a 1/2 wavelength dipole with coax to connect
> to the new out of the box toy.
>
> When I read posts regarding 'how to ...' on some basic aspect of Ham
> Radio I wonder about the training, education, understanding, that went
> into 'studying' for that license. IMO, the license should indicate a
> level of proficiency that, in many cases, is missing. When I hear an
> EXTRA CLASS ham on twenty meters asking someone what the difference is
> between USB and LSB, we have a problem in training and education.
>
> I don't know if Ham Radio will degenerate into glorified CBers. But, for
> many it has become a hobby of appliance operators.
>
> - - -

I'm going to drop this agrument because it looks like I lost and people
really don't care anymore one way or the other, but I'll end it with just
couple questions to all;

What is one behavior on our ham bands that might or could make you loose
interest in ham radio and leave if you heard it or if it became previlent?

And does it seem like it's going that direction?

SC

From 74373453617416779
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a

X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Sinpo Code <Sc@my.mail.box>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net> <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 26
Message-ID: <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
Date: Mon, 08 May 2006 22:21:13 GMT
NNTP-Posting-Host: 4.254.229.82
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147126873 4.254.229.82 (Mon, 08 May 2006 15:21:13 PDT)
NNTP-Posting-Date: Mon, 08 May 2006 15:21:13 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11051 rec.radio.amateur.equipment:3893 rec.radio.amateur.policy:25345 rec.radio.cb:9405 rec.radio.shortwave:34082

Lancer <lancer@rock.com> wrote in news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:

> On Wed, Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
> wrote:
>
>>
>>ARRL threw principle out the window when they caved in to the demands of
>>the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed
>>when I opened my beloved QST magazine and there on the pages were photos
>>of queers on a Tropical DXpedition, and in living color no less. The
>>ARRL wanted us to embrace a sick perverted lifestyle and be one big
>>happy family. To me, it was the spark that signaled the death of a once
>>proud organization, and it turned liberal.
>
> Which issue of QST was that? Wanna bet that N8WWM was in that
> DXpedition picture?
>

I don't remember who was all in it, but one guy kept dropping the soldering iron on the ground in front of people, then he'd bend over slowly to pick it up again like he was hoping someone might give him a poke. Disgusting.

SC

```
From -3059464669724322363
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 08 May 2006 18:57:41 -0500
Date: Mon, 08 May 2006 19:57:45 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net>   <P-KdnU-7qf_az8LZRVn-
qA@comcast.com> <1147101896.956251.248990@i39g2000cwa.googlegroups.com>
In-Reply-To: <1147101896.956251.248990@i39g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <X4udnQeLZPhoR8LZRVn-rQ@comcast.com>
Lines: 89
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-
aDoKPrQsovQ76u+ZH+yitS+s3lU36grKc8UTjW+FZzRHVRafocPm1SfOUv2DX88gqOZJkZVoxpmaRtm!
rwm0XMjNfwNvyLu1I6UBkXdXhK4JPWS8pUEqmoCJ7oRUPaTyeGK/majgukam2OIqfi0nDtvn0j0T!/99F/
Q==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11053
rec.radio.amateur.equipment:3894 rec.radio.amateur.misc:10510
rec.radio.amateur.policy:25349 rec.radio.shortwave:34098
```

If you have that much grief, just say Amen! and quit!

- - -

an_old_friend wrote:

> Dave wrote:
>
>>CW wrote:
>>
>>
>>>You could have shortened that up considerably. Short version: "I did it so
>>>everyone else should have to". See how easy that was? Not an original idea
>>>though.
>>>
>>
>>CW, you are incorrect. I VALUE my license because it took effort over
>>many years. The issue is valuing your license because you invested time,
>>talent and energy into obtaining it. The more you invest, the more you
>>value.
>
>
> bullshit or at best your milage may vary
>
> whta you are doing is oseeking to impose your value system on me
>
> I value value my tech license because I had to work for it I value it
> becuase of what it allows to DO
>
> your tpye of licesen rational maens we would realy value it if we were
> lashed in the public to gte one
>
>
>>If you read the full message you would conclude that the message is
>>about investing and reward of investing. It is not about a 4 hour cram
>>short term memory program that yields a Technician License without the
>>KNOWLEDGE of how to build a 1/2 wavelength dipole with coax to connect
>>to the new out of the box toy.
>
>
> I did not study for my tech test at all (beyond a quick reading of the
> pool I worked from memeries of my failued efforts 2rogh twenty years
> before to obtain a Novice lense
>
> and what reward from Code, I have invested in my teen when I could that
> sort of thing 5 years at 40 minute perdays 5 week aweek and I got
> NOTHING for it. (except that one of the ham giving the test noticed
> from the patern in my error I might be dyslexic and I got what
> treatementthier was much sooner than i would goten otherwise)
>
> you idea is premised on the theory one get what one pay for and gets
> paid what oneis worth. You kknow what ome of us have never found that
> to be true I have never gotten a fair rate of pay I have always been
> more than I was worth or less than I was worth
>
> I value profit, my tech licesne has been a profitable insvestment,
> exceming so, Hf has been a balck hole for effort yeilding NOTHING for
> that effort
>

```
>>When I read posts regarding 'how to ...' on some basic aspect of Ham
>>Radio I wonder about the training, education, understanding, that went
>>into 'studying' for that license. IMO, the license should indicate a
>>level of proficiency that, in many cases, is missing. When I hear an
>>EXTRA CLASS ham on twenty meters asking someone what the difference is
>>between USB and LSB, we have a problem in training and education.
>
>
> those folks passed the code test and 2 other
>
>>I don't know if Ham Radio will degenerate into glorified CBers. But, for
>>many it has become a hobby of appliance operators.
>
>
> indeed I am not esp interested in building rig myself more intersted in
> interfacing radio with their part attennas and such
>
> indeed I have even been intered in the possibilities of what I call
> human assist machine decode of CW I have made contacts where the
> machince decodes what it can and I look at a screen to decide is that a
> dit, dah or satic, feeding the results back in the machine for clear
> text, done that hispeed metro stuff and that has acheived my 3 EME
> contacts
>
> all without any real abilty to decode by ear the cw itself beyond
> needing to tune the signal
>
>>- - -
>
>



From 2633829235974018735
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: almostcutmyhairtoday@yahoo.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 8 May 2006 17:26:00 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1147134360.265243.219960@u72g2000cwu.googlegroups.com>
```

```
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1146827830.022860.277130@j73g2000cwa.googlegroups.com>
   <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
   <445c1b4a$0$6152$39cecf19@news.twtelecom.net>
   <445c3238$0$6144$39cecf19@news.twtelecom.net>
   <125oqbpg9m4d261@corp.supernews.com>
NNTP-Posting-Host: 4.225.134.143
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147134365 3108 127.0.0.1 (9 May 2006 00:26:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 May 2006 00:26:05 +0000 (UTC)
In-Reply-To: <125oqbpg9m4d261@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=4.225.134.143;
   posting-account=TJ4SoQ0AAAAmL3XRT_txseacR9y3sjDj
Xref: g2news2.google.com rec.radio.amateur.antenna:11055
rec.radio.amateur.equipment:3895 rec.radio.amateur.misc:10512
rec.radio.amateur.policy:25354 rec.radio.shortwave:34100



Roy Lewallen wrote:
> Tom Ring wrote:
> >
> > Bet no one from the antenna newsgroup even bothers to respond with
> > anything worthwhile.  This is, after all, a group of people that thinks
> > the world ends at 10 meters. (Except for a very very few, and you know
> > I'm not speaking of you).
>
> I bet no one from the antenna newsgroup bothers to respond because the
> topic doesn't have anything to do with antennas. There are plenty of
> other newsgroups for those who favor the endless CW/no CW arguments.
>
> Roy Lewallen, W7EL

Roy, don't antennas radiate CW better than they radiate SSB?  8^))

Anyway, rraa has it's fair share of jerks.




From -8811876247813712506
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
```

```
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 8 May 2006 17:54:30 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1147136070.395019.254980@v46g2000cwv.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1146827830.022860.277130@j73g2000cwa.googlegroups.com>
   <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
   <PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
   <1147048473.395078.29380@j33g2000cwa.googlegroups.com>
   <1147048870.192257.166140@v46g2000cwv.googlegroups.com>
   <OLw7g.73914$H71.5343@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 4.225.102.135
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147136077 7929 127.0.0.1 (9 May 2006 00:54:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 May 2006 00:54:37 +0000 (UTC)
In-Reply-To: <OLw7g.73914$H71.5343@newssvr13.news.prodigy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=4.225.102.135;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news2.google.com rec.radio.amateur.antenna:11056
rec.radio.amateur.equipment:3896 rec.radio.amateur.misc:10513
rec.radio.amateur.policy:25356 rec.radio.shortwave:34103


Jim - NN7K wrote:

> Showing that : Now days, this is nothing much more than a
> Glorified Citizens Band?  10-4 good buddy! , and now on to the
> Sspectrum Auctioneer!  SOMEONE has to have a better use for it!
> All those good numbers, see u on the flip-flop!  (formerly) NN7K

(formerly) NN7K, did you have a point?



From 2562524391718205056
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
```

X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!e7121e93!not-for-mail
From: "CW" <s@earthlink.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <deydnaGXqffhEcPZRVn-tw@comcast.com> <w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net> <P-KdnU-7qf_az8LZRVn-qA@comcast.com> <rvP7g.1623$u4.1550@newsread1.news.pas.earthlink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <17S7g.342$Jf.36@newsread4.news.pas.earthlink.net>
Date: Tue, 09 May 2006 01:19:57 GMT
NNTP-Posting-Host: 209.91.59.171
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1147137597 209.91.59.171 (Mon, 08 May 2006 18:19:57 PDT)
NNTP-Posting-Date: Mon, 08 May 2006 18:19:57 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11057 rec.radio.amateur.equipment:3897 rec.radio.amateur.misc:10514 rec.radio.amateur.policy:25357 rec.radio.shortwave:34108

So, are you asking if people are getting rude, using foul language and don't seem to give a crap about each other? If so, yes, they are. The sure cure for that would be to increase the code requirement to 30 words per minute for general. Faster for extra. Along with that, NO license of any kind without an engineering degree. This all wouldn't do anything about lousy operators. What it would do is reduce the number of new hams. After a while, we would be down to 100 or so nationwide. The bands would get much better because there would be virtually no one using them. Something that you seem to have failed to consider is that society in general is adopting these traits you find objectionable. New hams tend to be more objectionable (under this criteria) than old. Is it because they didn't spend hours studying code? No, it's because they are products of the society they live in. Americans are known worldwide as pushy, arrogant, self centered bastards. There is a reason for that, they are.

"Silent Keys" <no.em@il.here> wrote in message
news:rvP7g.1623$u4.1550@newsread1.news.pas.earthlink.net...
> And does it seem like it's going that direction?
>

> SC

```
From -3124996838932877174
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!newsfeed01.sul.t-
online.de!t-online.de!newsfeed.vmunix.org!newsfeed.cw.net!cw.net!news-
FFM2.ecrc.de!skynet.be!newsfeeds.sol.net!posts.news.twtelecom.net!
nnrp3.twtelecom.net!not-for-mail
Date: Mon, 08 May 2006 20:54:40 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<445c1b4a$0$6152$39cecf19@news.twtelecom.net>
<445c3238$0$6144$39cecf19@news.twtelecom.net>
<125oqbpg9m4d261@corp.supernews.com>
<1147134360.265243.219960@u72g2000cwu.googlegroups.com>
In-Reply-To: <1147134360.265243.219960@u72g2000cwu.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 29
Message-ID: <445ff660$0$6149$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 09 May 2006 01:54:40 GMT
NNTP-Posting-Host: 1dc4103d.news.twtelecom.net
X-Trace:
DXC=cPXkegS4fO1G9T[HIVmA74C_A=>8kQj6=9BHNOcEA\@9FVagK>BZ7Y4ZngdO0^]Qi6jQb?OUO[n93
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11060
rec.radio.amateur.equipment:3898 rec.radio.amateur.misc:10515
rec.radio.amateur.policy:25358 rec.radio.shortwave:34112
```

almostcutmyhairtoday@yahoo.com wrote:

> Roy Lewallen wrote:

```
>
>>Tom Ring wrote:
>>
>>>Bet no one from the antenna newsgroup even bothers to respond with
>>>anything worthwhile.  This is, after all, a group of people that thinks
>>>the world ends at 10 meters. (Except for a very very few, and you know
>>>I'm not speaking of you).
>>
>>I bet no one from the antenna newsgroup bothers to respond because the
>>topic doesn't have anything to do with antennas. There are plenty of
>>other newsgroups for those who favor the endless CW/no CW arguments.
>>
>>Roy Lewallen, W7EL
>
>
> Roy, don't antennas radiate CW better than they radiate SSB?  8^))
>
> Anyway, rraa has it's fair share of jerks.
>

My point was that few people here think beyond the dipole, quarter wave
vertical, or shortened mobile vertical.  And all of those for HF.  The
group is broad minded in many ways, but very narrow in others.

tom
K0TAR



From -6245152854664609139
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!newsfeed1.easynews.com!easynews.com!easynews!
newsfeeds.sol.net!posts.news.twtelecom.net!nnrp2.twtelecom.net!not-for-mail
Date: Mon, 08 May 2006 21:05:38 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<deydnaGXqffhEcPZRVn-tw@comcast.com>
<w9y7g.4969$Vn.3291@newsread4.news.pas.earthlink.net> <P-KdnU-7qf_az8LZRVn-
```

```
qA@comcast.com> <rvP7g.1623$u4.1550@newsread1.news.pas.earthlink.net>
<17S7g.342$Jf.36@newsread4.news.pas.earthlink.net>
In-Reply-To: <17S7g.342$Jf.36@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 45
Message-ID: <445ff8f2$0$1009$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 09 May 2006 02:05:39 GMT
NNTP-Posting-Host: 00127570.news.twtelecom.net
X-Trace: DXC=;TTERCBKnVdaL?
CIe5<=HmC_A=>8kQj6mY;@_o827nGcb51ioL5^[\bZngdO0^]Qif`SSYkQZIBHi
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:11061
rec.radio.amateur.equipment:3899 rec.radio.amateur.misc:10516
rec.radio.amateur.policy:25359 rec.radio.shortwave:34114

CW wrote:

> So, are you asking if people are getting rude, using foul language and don't
> seem to give a crap about each other? If so, yes, they are. The sure cure
> for that would be to increase the code requirement to 30 words per minute
> for general. Faster for extra.  Along with that, NO license of any kind
> without an engineering degree. This all wouldn't do anything about lousy
> operators. What it would do is reduce the number of new hams. After a while,
> we would be down to 100 or so nationwide. The bands would get much better
> because there would be virtually no one using them. Something that you seem
> to have failed to consider is that society in general is adopting these
> traits you find objectionable. New hams tend to be more objectionable (under
> this criteria) than old. Is it because they didn't spend hours studying
> code? No, it's because they are products of the society they live in.
> Americans are known worldwide as pushy, arrogant, self centered bastards.
> There is a reason for that, they are.
>
>
>
> "Silent Keys" <no.em@il.here> wrote in message
> news:rvP7g.1623$u4.1550@newsread1.news.pas.earthlink.net...
>
>>And does it seem like it's going that direction?
>>
>>SC
>
>
>

No license without an engineering degree would be fine by me.  And
follow it by one that requires complete knowledge of the National
Traffic System.  Which would be more inportant by far if you want to
keep the traditions up.

How many here know how to pass traffic properly?  Bet I can draw a line
in time.  And it had nothing to do with license class.  I was a tech at
```

the time. But I learned how to pass traffic, and how to be net control as part of the NTS. Because I had people on our local nets that enforced the rules. On checking in, out, and passing traffic. Traffic up into the system, and down to the final recipient.

That, my friends, was the difference. Not CW.

tom
K0TAR

From -7009156673180612998
X-Google-Thread: 108122,14221633747a282
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Reply-To: "A G" <agcummings@tesco.net>
From: "A G" <agcummings@tesco.net>
Newsgroups: rec.radio.amateur.equipment
References: <445b0a8e$2_2@mk-nntp-2.news.uk.tiscali.com> <445c55f6_1@mk-nntp-2.news.uk.tiscali.com>
Subject: Re: Research project
Date: Tue, 9 May 2006 08:59:40 +0100
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <44604bae$1_2@mk-nntp-2.news.uk.tiscali.com>
X-Original-NNTP-Posting-Host: 88.109.221.71
NNTP-Posting-Host: mk-nntp-2.news.uk.tiscali.com
X-Trace: 9 May 2006 08:58:41 +0100, mk-nntp-2.news.uk.tiscali.com
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!opentransit.net!tiscali!newsfeed2.ip.tiscali.net!mk-nntp-1.news.uk.worldonline.com!mk-nntp-2.news.uk.tiscali.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3900

"Brian" <brian651@aol.com> wrote in message news:445c55f6_1@mk-nntp-2.news.uk.tiscali.com...
>
> "Gerry" <anon@anon.com> wrote in message news:445b0a8e$2_2@mk-nntp-2.news.uk.tiscali.com...
>>
>> Can anyone help me with research for my degree.
>>
>> I'm looking for information on ham radio enthusiasts who suffer from
>> manic depression (bipolar syndrome). I'm researching the effects of
>> RF fields on electrical activity in the brain. It's possible that this
>> particular form of mental illness could be specifically at risk.
>>
>> Can you put me in contact with anyone who could help me?
>

> The only one I know is a guy in the Orkneys. GM3POI - his name
> is Clive Penna. Apparently he has a manic episode every nine
> days regular as clockwork - and that's pretty bad from what
> Ive been told. Broke up his marriage apparently.
>
> I can't see him helping you with info though. He's not the type - but
> then perhaps that's just another symptom.

Wow! That answers a few questions. I've heard POI giving a GM4
a hard time on the bands. Must have been in nutcase mode at the
time. He'd better not try it with me !!

Andy Cummings, G4 - - -

```
From -2427805097907320202
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: nm5k@wt.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 9 May 2006 03:36:29 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1147170989.818265.217430@i40g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1146827830.022860.277130@j73g2000cwa.googlegroups.com>
   <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
   <445c1b4a$0$6152$39cecf19@news.twtelecom.net>
   <445c3238$0$6144$39cecf19@news.twtelecom.net>
   <125oqbpg9m4d261@corp.supernews.com>
   <1147134360.265243.219960@u72g2000cwu.googlegroups.com>
   <445ff660$0$6149$39cecf19@news.twtelecom.net>
NNTP-Posting-Host: 216.119.139.18
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147170995 4747 127.0.0.1 (9 May 2006 10:36:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 May 2006 10:36:35 +0000 (UTC)
In-Reply-To: <445ff660$0$6149$39cecf19@news.twtelecom.net>
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.5) Gecko/
20041107 Firefox/1.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=216.119.139.18;
   posting-account=EIwFDwwAAAApE0pXkg-ffORy7esu4pQN
Xref: g2news2.google.com rec.radio.amateur.antenna:11068
rec.radio.amateur.equipment:3901 rec.radio.amateur.misc:10518
rec.radio.amateur.policy:25365 rec.radio.shortwave:34144

>My point was that few people here think beyond the dipole, quarter wave
>vertical, or shortened mobile vertical.  And all of those for HF.  The
>group is broad minded in many ways, but very narrow in others.

Oh, I think people think about them. They probably just don't talk
about
them as much.  You think I'm stuck to HF? Wanna come look at my
latest 144 yagi that is nearly as long as the f/b width of my house?
"30 ft boom"
Seems I just commented about rat shack UHF antennas yesterday if I
remember right.  I usually talk about what other people talk or ask
about..
To tell the truth, I'm about bored with the whole mess, and don't post
as
much about any kind of antennas as I used to. I've got so many sticks
in the fire
lately, ham radio is just one wee small area I mess with.  And I'm
getting more and
more bored with it every year.  I used to be able to do 55-60 wpm on CW
in the
late 80's.
But due to my lack of activity the past few years, I'm slipping down to
snail
pace CW. Now I can only do about 35-40 wpm, and it gets a bit slower
every
year.  If you want to talk about different topics, it's up to you to
start them.
We can't read your mind on the internet...
MK



From -2391262575345224364
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!
```

border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 09 May 2006 09:07:08 -0500
Message-Id: <f7k6j3-5g8.ln1@remote.clifto.com>
From: clifto <clifto@gmail.com>
Subject: Re: ICOM 02-AT QUESTION
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Tue, 09 May 2006 09:06:07 -0500
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-o8LZnZ2dnUVZ_vidnZ2d@rcn.net>
Organization: Vast Right-Wing Conspiracy
User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 12
NNTP-Posting-Host: 67.165.145.61
X-Trace: sv3-Tv3rTSONLj5uR9k+PUV82Mxv8JhU86ea9jSXtVmtlqDssLfJja9bRz9a5VL5snMj2rF/g+Q+etfSsM2!
Mf5qgcwxpzWrN8YY0aWEV8zpWO7uNHqDYnDahV10pxJkNB7YrkPOiGcQgeRyr7F9YfaveEiOM058!O9Is
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.mods:108 alt.ham-radio.vhf-uhf:1737
rec.radio.amateur.boatanchors:4035 rec.radio.amateur.misc:10531
rec.radio.amateur.equipment:3902 rec.radio.amateur.homebrew:5177

Chuck Harris wrote:
> The usual way of blowing the output transistor in an 02AT is to use a battery
> pack that supplies more than 9v, or to try and power the rig directly from
> your car battery. ISTR that a short on the antenna is a third way.

I ran mine off the car battery reliably for years. Go figure.

--
All relevant people are pertinent.
All rude people are impertinent.
Therefore, no rude people are relevant.
 -- Solomon W. Golomb

From -1233334525137296595
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b

X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news-out.octanews.net!indigo.octanews.net!auth.news-1.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: ICOM 02-AT QUESTION
From: Bert Hyman <bert@iphouse.com>
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <f7k6j3-5g8.ln1@remote.clifto.com>
Organization: Not so you'd notice
Message-ID: <Xns97BE60118855DVeebleFetzer@127.0.0.1>
User-Agent: Xnews/2006.03.14
Date: 09 May 2006 14:25:48 GMT
Lines: 22
NNTP-Posting-Date: 09 May 2006 09:25:48 CDT
NNTP-Posting-Host: 6b724432.auth.newsreader.iphouse.com
X-Trace: DXC=^bD?bdQ8d_4BcLYBFQELE;e=fFUe;FGE9FbE0<hKBJT?V=SS1V3ga<646F16N?
MWf:QO0Ym;XoQl6VH;:E?jnoO4jd6@biDQ=:0oWUb_`\mRI6
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com alt.ham-radio.mods:109 alt.ham-radio.vhf-uhf:1739
rec.radio.amateur.boatanchors:4036 rec.radio.amateur.misc:10538
rec.radio.amateur.equipment:3903 rec.radio.amateur.homebrew:5178

clifto@gmail.com (clifto) wrote in
news:f7k6j3-5g8.ln1@remote.clifto.com:

> Chuck Harris wrote:
>> The usual way of blowing the output transistor in an 02AT is to
>> use a battery pack that supplies more than 9v, or to try and power
>> the rig directly from your car battery. ISTR that a short on the
>> antenna is a third way.
>
> I ran mine off the car battery reliably for years. Go figure.

Maybe the OP was thinking of the older IC-2A. One of the battery
packs for the 2A had a jack for connecting 12V to it, which allowed
you to run the radio off the battery while it was being charged.
Applying 12V directly to the radio (only possible by removing the
battery pack) would fry it.

The IC-02A could run off 12-15V directly through a jack in the top
plate.

--
Bert Hyman | St. Paul, MN | bert@iphouse.com

From -6237731606393173929

```
X-Google-Thread: fc8b1,a071833a5f1876d1
X-Google-Thread: 108122,a071833a5f1876d1
X-Google-Thread: 1109af,a071833a5f1876d1
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!panix!panix2.panix.com!not-for-mail
From: kludge@panix.com (Scott Dorsey)
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,r
ec.radio.swap
Subject: Re: Shure Microphone Question
Date: 9 May 2006 10:35:09 -0400
Organization: Former users of Netcom shell (1989-2000)
Lines: 18
Message-ID: <e3q9at$oog$1@panix2.panix.com>
References: <cBx7g.69165$F_3.67205@newssvr29.news.prodigy.net>
NNTP-Posting-Host: panix2.panix.com
X-Trace: reader1.panix.com 1147185309 10581 166.84.1.2 (9 May 2006 14:35:09 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Tue, 9 May 2006 14:35:09 +0000 (UTC)
Xref: g2news2.google.com rec.radio.amateur.boatanchors:4037
rec.radio.amateur.equipment:3904 rec.radio.swap:3930

In article <cBx7g.69165$F_3.67205@newssvr29.news.prodigy.net>,
CSFD <csfd@hotmail.com> wrote:
>I was wondering if anyone knows anything about a Shure Brothers Inc.
>microphone model #  DY30
>It is a very nice looking mike but I have found no information on it
>anywhere on the internet.
>If you do know anything about it such as vintage, value, etc. it would be a
>great help.
>Thank you in advance.
>Please reply to:
>csfd@hotmail.com

It's not listed with the Shure discontinued products on their web site,
but send them an e-mail.  They are VERY good about providing specs on
old products.
--scott
--
"C'est un Nagra.  C'est suisse, et tres, tres precis."


From 7630232417717681109
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
```

```
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!news.coretel.net!not-for-mail
From: "clfe" <Nospam@clfurent.com>
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-
o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <f7k6j3-5g8.ln1@remote.clifto.com>
<Xns97BE60118855DVeebleFetzer@127.0.0.1>
Subject: Re: ICOM 02-AT QUESTION
Date: Tue, 9 May 2006 10:48:15 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Lines: 44
Message-ID: <4460ab9c$0$3697$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 2038c495.news.coretel.net
X-Trace: DXC=A=7lE87Gb[AcGi<j[jmWOMcYX6N<OEXQK?6[;SE]5?
G@lQB^`AXC[ADe5fn9M`I:ROHSL3IcCU>TD
X-Complaints-To: abuse@coretel.net
Xref: g2news2.google.com alt.ham-radio.mods:110 alt.ham-radio.vhf-uhf:1741
rec.radio.amateur.boatanchors:4038 rec.radio.amateur.misc:10539
rec.radio.amateur.equipment:3905 rec.radio.amateur.homebrew:5179

"Bert Hyman" <bert@iphouse.com> wrote in message
news:Xns97BE60118855DVeebleFetzer@127.0.0.1...
> clifto@gmail.com (clifto) wrote in
> news:f7k6j3-5g8.ln1@remote.clifto.com:
>
>> Chuck Harris wrote:
>>> The usual way of blowing the output transistor in an 02AT is to
>>> use a battery pack that supplies more than 9v, or to try and power
>>> the rig directly from your car battery.  ISTR that a short on the
>>> antenna is a third way.
>>
>> I ran mine off the car battery reliably for years. Go figure.
>
> Maybe the OP was thinking of the older IC-2A. One of the battery
> packs for the 2A had a jack for connecting 12V to it, which allowed
> you to run the radio off the battery while it was being charged.
> Applying 12V directly to the radio (only possible by removing the
> battery pack) would fry it.
>
> The IC-02A could run off 12-15V directly through a jack in the top
> plate.
>
> --
```

> Bert Hyman | St. Paul, MN | bert@iphouse.com

At the risk of going off topic, I recall someone mentioning that the RS 2 meter portable had an issue almost the same. The jack at the top was "supposed" to be for "vehicular" power - but I heard horror stories of the radio suffering damage when used in just that fashion. IAnd I've seen first hand - a battery pack that got smoked using vehicular power. It almost caught the guy's car on fire since it was near "cloth". I haven't looked at either the radio or schematic for so long - I can't recall exactly what the make-up is. I have though - heard many tales of guys blowing out radios in a vehicle. Hell, our Fire Department Squad Truck radio went out twice in 3 months from similar issues. I'm not sure if they actually figured out the exact reason as yet - Motorola and the original installer were to look over the situation. Seems to me, we all need to take an extra step to prevent such things from happening, since we can't rely on the manufacturers to do so. Just my 2 cents.

clfe

From 87685910514884013
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!green.octanews.net!news-out.octanews.net!mauve.octanews.net!
nx02.iad01.newshosting.com!newshosting.com!216.196.98.140.MISMATCH!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 09 May 2006 09:58:01 -0500
Date: Tue, 09 May 2006 10:57:59 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.1) Gecko/20060130
SeaMonkey/1.0
MIME-Version: 1.0
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: ICOM 02-AT QUESTION
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <f7k6j3-5g8.ln1@remote.clifto.com>
In-Reply-To: <f7k6j3-5g8.ln1@remote.clifto.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

```
Message-ID: <Fb-dnVTiO75kMP3ZRVn-gg@rcn.net>
Lines: 13
NNTP-Posting-Host: 66.44.103.131
X-Trace: sv3-89WQ+zh8nhrByntOWHtOez6513VP/kX7bQpVZU0sWbxsf/
VbBZgp+0nfJSy3Zodgoor86NNyjPLEtFR!/
jeN4NKa9lhemiUBVFMhvC7gnOOKXaUGQrAp5aB4Q7bMogDj7Y/GgpxSqT2AG0oO
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.mods:111 alt.ham-radio.vhf-uhf:1742
rec.radio.amateur.boatanchors:4039 rec.radio.amateur.misc:10541
rec.radio.amateur.equipment:3906 rec.radio.amateur.homebrew:5180
```

clifto wrote:
> Chuck Harris wrote:
>> The usual way of blowing the output transistor in an 02AT is to use a battery
>> pack that supplies more than 9v, or to try and power the rig directly from
>> your car battery. ISTR that a short on the antenna is a third way.
>
> I ran mine off the car battery reliably for years. Go figure.

OOPS! The 02AT is ok on 12V, the 2AT has a problem with above 9V.
Sorry for the confusion.

-Chuck

```
From 8653462722572286932
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 09 May 2006 10:01:29 -0500
Date: Tue, 09 May 2006 11:01:28 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.1) Gecko/20060130
SeaMonkey/1.0
MIME-Version: 1.0
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew
```

```
Subject: Re: ICOM 02-AT QUESTION
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-
o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <f7k6j3-5g8.ln1@remote.clifto.com>
<Xns97BE60118855DVeebleFetzer@127.0.0.1>
<4460ab9c$0$3697$ecde5a14@news.coretel.net>
In-Reply-To: <4460ab9c$0$3697$ecde5a14@news.coretel.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Fb-dnVfiO75XM_3ZRVn-gg@rcn.net>
Lines: 13
NNTP-Posting-Host: 66.44.103.131
X-Trace: sv3-ZhTXlSKjJ2km3G7W6cbcL32EN+IP/
jS0Be6bsqVzC5I8/7o7n6RjZPA9PUVlqVGz+hdVVJYEKyJPGAk!
VxgEEyRnDX5MJTS9ohnMcpDX6bm5QBKJRcoV0hecy4ajstnuXDJCcegL/g8WKAJ+
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.mods:112 alt.ham-radio.vhf-uhf:1743
rec.radio.amateur.boatanchors:4040 rec.radio.amateur.misc:10542
rec.radio.amateur.equipment:3907 rec.radio.amateur.homebrew:5181
```

clfe wrote:

> At the risk of going off topic, I recall someone mentioning that the RS 2
> meter portable had an issue almost the same. The jack at the top was
> "supposed" to be for "vehicular" power - but I heard horror stories of the
> radio suffering damage when used in just that fashion.

I had a 2AT battery pack catch fire when charging off of the car charger.
There was no fuse in the power cord, and a wire shorted inside the pack.
Poof! It ate the wires inside of the pack, and the power cord all the
way back to the lighter outlet. A fuse would have been a *really good thing*.

-Chuck

```
From 8516578372801167387
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
```

Date: Tue, 09 May 2006 08:33:37 -0700
Reply-To: noway@nohow.com
Message-ID: <5bd162l54g4id7pouog2pt4ocavgl82pso@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node250-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1147188615 63.93.75.250 (9 May 2006 10:30:15 -0500)
Lines: 23
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.250
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news.moat.net!newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:11074
rec.radio.amateur.equipment:3908 rec.radio.amateur.misc:10543
rec.radio.amateur.policy:25393 rec.radio.shortwave:34157

ORIGINAL MESSAGE:

On 7 May 2006 17:34:33 -0700, hot-ham-and-cheese@hotmail.com wrote:

>> Let's require a EE degree instead of Morse Code.
>> --
>> 73, Cecil http://www.qsl.net/w5dxp
>
>Probably easier to get for some people, and could actually lead to a
>good paying career in electronics.

*********** REPLY SEPARATOR ***********

Speaking of leading to a good paying career, if you're going to learn a skill, how about learning typing instead of Morse? Get on RTTY or PSK31 or one of the other digital modes and develop a useful, saleable skill. There isn't an employer in the world today (except possibly the ARRL) who would be impressed that you know Morse, but lots would like it if you could type.

Bill, W6WRT

From -5050102877513136808
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a

```
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: blame thiose responible
Date: 9 May 2006 09:05:46 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147190752 28488 127.0.0.1 (9 May 2006 16:05:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 May 2006 16:05:52 +0000 (UTC)
In-Reply-To: <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=69.19.14.25;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:11076
rec.radio.amateur.equipment:3909 rec.radio.amateur.policy:25407 rec.radio.cb:9451
rec.radio.shortwave:34161
```

Sinpo Code wrote:

> Lancer <lancer@rock.com> wrote in
> news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
>
>
> I don't remember who was all in it, but one guy kept dropping the
> soldering iron on the ground in front of people, then he'd bend over
> slowly to pick it up again like he was hoping someone might give him a
> poke. Disgusting.
>

how is any that the ARRL's fault

you don't like the ARRL neither do I

but blame it for something it has done please

> SC

```
From -1151895801888097963
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.litech.org!
News.Dal.Ca!newsflash.concordia.ca!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Tue, 09 May 2006 16:19:38 GMT
Organization: Sometimes
Lines: 29
Message-ID: <e3qffj$h55$1@usenet01.srv.cis.pitt.edu>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com>
<5bd162l54g4id7pouog2pt4ocavgl82pso@4ax.com>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1147191603 17573 136.142.52.106 (9 May 2006
16:20:03 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Tue, 9 May 2006 16:20:03 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.antenna:11077
rec.radio.amateur.equipment:3910 rec.radio.amateur.misc:10552
rec.radio.amateur.policy:25410 rec.radio.shortwave:34163

In article <5bd162l54g4id7pouog2pt4ocavgl82pso@4ax.com>, noway@nohow.com wrote:
>ORIGINAL MESSAGE:
>
>On 7 May 2006 17:34:33 -0700, hot-ham-and-cheese@hotmail.com wrote:
>
>
>>> Let's require a EE degree instead of Morse Code.
>>> --
>>> 73, Cecil  http://www.qsl.net/w5dxp
>>
>>Probably easier to get for some people, and could actually lead to a
>>good paying career in electronics.
>
>*********** REPLY SEPARATOR ***********
>
```

>Speaking of leading to a good paying career, if you're going to learn
>a skill, how about learning typing instead of Morse? Get on RTTY or
>PSK31 or one of the other digital modes and develop a useful, saleable
>skill. There isn't an employer in the world today (except possibly the
>ARRL) who would be impressed that you know Morse, but lots would like
>it if you could type.
>
>Bill, W6WRT

How about typing while decoding CW?
Did anybody learn RTTY ?

greg
N6GS

```
From 7466364159737088237
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: cw trolling
Date: 9 May 2006 09:22:06 -0700
Organization: http://groups.google.com
Lines: 62
Message-ID: <1147191726.015561.266570@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <e3fvnh$97m$1@avnika.corp.mot.com>
   <1146857107.822936.121660@y43g2000cwc.googlegroups.com>
   <e3oaij$bjo$1@avnika.corp.mot.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147191736 4781 127.0.0.1 (9 May 2006 16:22:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 May 2006 16:22:16 +0000 (UTC)
In-Reply-To: <e3oaij$bjo$1@avnika.corp.mot.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11078
```

rec.radio.amateur.equipment:3911 rec.radio.amateur.misc:10553
rec.radio.amateur.policy:25411 rec.radio.shortwave:34164

Steve N. wrote:
> "an_old_friend" <konstans@hotmail.com> wrote in message
> news:1146857107.822936.121660@y43g2000cwc.googlegroups.com...
> > Steve N. wrote:
>
> > > Should stay that way...
>
>   Silent, I meant.   (in case you missed that one)
nope i did not miss it I ignored it
>
>
> > > "Silent Key" <cw.h@m.bands> wrote in message
> > > news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> > > > What's the purpose of ham radio, ...
> > > > SC
> > > Well, "SC" a.k.a. troll,
> > > Cw, when it came along, was frowned uopn and was predicted to be the
> death
> > > of ham radio as well. Did you know that?
>
> > hmm   I knew that about AM and SSB but not CW do you happen to have a
> > reference for that? (might be useful)
>
> Whoever you are,
> I believe you will find this in the book about the early days of amateur
> radio. It is called something like "200 Meters and Down", or is it "Below".
> ARRL has it and many ham stores do. I have a copy and have difficulty
> remembering the exact title. A really nice read. I also have a 1932 ARRL
> handbook and I think there are references to the "doom of the advent of CW"
> in there also.
ty
>
> . You, of course, know about spark.   The sparkies didn't like CW and, at
> that time, the FCC __DID__ out law it (spark, that is).

honestlyspark is a bit before my time I have been curious about the
mood but not enough spare time to follow up

> I admit that it was a loaded question because CW stands for Continuous Wave
> and what differentiates it from" Spark". Probably not what the troll wanted
> and I know he/she/it wouldn't respond, but did it anyway.
indeed
>
>
> > > Your fingers and eyes (or ears) aren't broke....
> > are you sure? his brain seem to be
>
>   A given and my point exactly.
>

> > >.. so why aren't you out mentoring new hams? ... Why am *I* wasting my
> time with this...pfffvt
>
> > maybe becuase you are tired of this divisve pissing contest or something
> like that
>
>   Yea. A vent is in order every once-in-a-while, I guess. I figured the
> CW doom thing would get a comment, so thanks - whomever you may be..
yw
>
> 73, Steve, K9DCI

From 2397400652336203378
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com>
<5bd162l54g4id7pouog2pt4ocavgl82pso@4ax.com>
<e3qffj$h55$1@usenet01.srv.cis.pitt.edu>
In-Reply-To: <e3qffj$h55$1@usenet01.srv.cis.pitt.edu>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <F948g.70137$F_3.11799@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 64.149.30.196
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1147195109 ST000 64.149.30.196 (Tue, 09 May
2006 13:18:29 EDT)
NNTP-Posting-Date: Tue, 09 May 2006 13:18:29 EDT

```
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@I_AOXSYGTHZ^BCBNWX@RJ_XPDLMN@GZ_GYO^BTBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Tue, 09 May 2006 17:18:29 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:11079
rec.radio.amateur.equipment:3912 rec.radio.amateur.misc:10557
rec.radio.amateur.policy:25418 rec.radio.shortwave:34173
```

GregS wrote:
> Did anybody learn RTTY ?

Now there's a real challenge. What baud rate would be required
for a human being to copy RTTY by ear?
--
73, Cecil http://www.qsl.net/w5dxp

```
From -1177134001654307O8
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!logbridge.uoregon.edu!
tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-07!sn-post-sjc-01!
supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew
Subject: Re: ICOM 02-AT QUESTION
Date: Tue, 09 May 2006 18:21:04 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <1261ncgn2e0c362@corp.supernews.com>
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com>
<f7k6j3-5g8.ln1@remote.clifto.com> <Xns97BE60118855DVeebleFetzer@127.0.0.1>
<4460ab9c$0$3697$ecde5a14@news.coretel.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 50
Xref: g2news2.google.com alt.ham-radio.mods:113 alt.ham-radio.vhf-uhf:1746
rec.radio.amateur.boatanchors:4041 rec.radio.amateur.misc:10564
rec.radio.amateur.equipment:3913 rec.radio.amateur.homebrew:5184
```

In article <4460ab9c$0$3697$ecde5a14@news.coretel.net>,
clfe <Nospam@clfurent.com> wrote:

>At the risk of going off topic, I recall someone mentioning that the RS 2 meter portable had an issue almost the same. The jack at the top was "supposed" to be for "vehicular" power - but I heard horror stories of the radio suffering damage when used in just that fashion. IAnd I've seen first hand - a battery pack that got smoked using vehicular power. It almost caught the guy's car on fire since it was near "cloth". I haven't looked at either the radio or schematic for so long - I can't recall exactly what the make-up is. I have though - heard many tales of guys blowing out radios in a vehicle. Hell, our Fire Department Squad Truck radio went out twice in 3 months from similar issues. I'm not sure if they actually figured out the exact reason as yet - Motorola and the original installer were to look over the situation. Seems to me, we all need to take an extra step to prevent such things from happening, since we can't rely on the manufacturers to do so. Just my 2 cents.

It would not surprise me much if the failures were due to a "load dump" event.

If the alternator is running, and supplying a substantial amount of current to a load (e.g. headlights), and the load is suddenly disconnected (e.g. headlights turned off), it's not at all uncommon for a very impressive voltage spike to be generated. This is due to the same sort of inductive "kickback" which can occur when shutting off the drive current to a motor or relay or solenoid.

My recollection is that the standard used in the automotive industry, is that electronic devices on a "12-volt" automobile bus should be designed to survive load-dump spikes of up to 50 volts. A radio designed for 12 (or 13.8) volt operation, whose finals are fed fairly directly from the battery supply, may work just fine if the ignition is off, but could easily fail on its first load-dump event.

Some sort of fast-acting zener protection, followed by an RF choke, would probably be a good idea when connecting such radios to an automotive power system.

Unfortunately, a 50-volt load-dump spike could exceed the input-to-output voltage-differential limit of common regulators such as an LM317; hence, even if you're using a regulator of this sort to power a radio intended for 9 volts, you'll probably need an upstream zener to keep the regulator from popping.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -6570769997710114372
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b

X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes: gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!pln-w!spln!rex!extra.newsguy.com!newsp.newsguy.com!enews2
From: Dunkirk <dunkirk@ispwest.com>
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: ICOM 02-AT QUESTION
Date: Tue, 09 May 2006 11:10:03 -0700
Organization: http://extra.newsguy.com
Lines: 52
Message-ID: <4460DAFB.1000105@ispwest.com>
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-o8LZnZ2dnUVZ_vidnZ2d@rcn.net>
NNTP-Posting-Host: p-073.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 1.5.0.2 (X11/20060420)
To: Chuck Harris <cf-NO-SPAM-harris@erols.com>
In-Reply-To: <b4KdnfnPC70-o8LZnZ2dnUVZ_vidnZ2d@rcn.net>
Xref: g2news2.google.com alt.ham-radio.mods:114 alt.ham-radio.vhf-uhf:1748 rec.radio.amateur.boatanchors:4042 rec.radio.amateur.misc:10565 rec.radio.amateur.equipment:3914 rec.radio.amateur.homebrew:5185

Hi, Chuck -- thanks for your response...

Chuck Harris wrote:

> Dave Hildebrand wrote:
>> I have a 22-year old Icom 02-AT that has worked reliably until now, when
>> it ceased putting out any transmitter power whatsoever.
>
> Does it still receive correctly?

...yes -- the only thing that's changed is that the little bar-graph
(along the bottom) doesn't appear; as though there were nothing to be
measured. And, I fell out of the repeater while in QSO (full-quieting),
having to sign clear on another radio.

> What usually happens, is the synthesizer quits, and it stops sending,
> or receiving.

...in my case, I can dial-up any repeater and listen -- I just can't
transmit any more.

> The output transistor is a T05 (TO39) type package, and is soldered to the

> metal frame that surrounds the radio. It is very special, in that the case
> of the transistor is connected to the emitter. Most transistors in that
> package have the case connected to the collector. This is done so that
> they
> could run the emitter grounded (as is usual) and not need any insulated
> heatsinking hardware.

...are they (the transistors) a real bitch to replace?

> The usual way of blowing the output transistor in an 02AT is to use a
> battery
> pack that supplies more than 9v, or to try and power the rig directly from
> your car battery. ISTR that a short on the antenna is a third way.

...the jack on the top's supposed to have an internal regulator, and
I've used it in my truck on occasion since the radio was new with no
negative consequences (not like the HTX-202, which was made by Maxon
under license by Icom for Radio Schlock, and had issues with its
external power-jack).

Maybe infrequent long-winded transmissions over the last 22 years is the
culprit for the transmitter's untimely demise? (It's kept my hands warm
in the cool outdoors more than once.) I've long since misplaced (or
lost) the original manual, which had a schematic.

If I crack it open, I should be able to measure the voltages on the
device, itself to see if it's blown. Right now, the final seems like the
prime suspect. Thanx...

...Dave, N6BHU

From 2689194935255381660
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!pln-w!spln!lex!extra.newsguy.com!newsp.newsguy.com!enews2
From: Dunkirk <dunkirk@ispwest.com>
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: ICOM 02-AT QUESTION
Date: Tue, 09 May 2006 11:16:53 -0700
Organization: http://extra.newsguy.com
Lines: 22
Message-ID: <4460DC95.5020407@ispwest.com>

References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <f7k6j3-5g8.ln1@remote.clifto.com>
<Xns97BE60118855DVeebleFetzer@127.0.0.1>
<4460ab9c$0$3697$ecde5a14@news.coretel.net> <Fb-dnVfiO75XM_3ZRVn-gg@rcn.net>
NNTP-Posting-Host: p-957.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 1.5.0.2 (X11/20060420)
To: Chuck Harris <cf-NO-SPAM-harris@erols.com>
In-Reply-To: <Fb-dnVfiO75XM_3ZRVn-gg@rcn.net>
Xref: g2news2.google.com alt.ham-radio.mods:115 alt.ham-radio.vhf-uhf:1749
rec.radio.amateur.boatanchors:4043 rec.radio.amateur.misc:10566
rec.radio.amateur.equipment:3915 rec.radio.amateur.homebrew:5186

Yeah, I've had a few experiences myself, in years past that taught me there's no such thing as too many fuses.

My glove-compartment has an assortment of fuses of varying vintages, all acquired for that "rainy day" that some times never comes.

Chuck Harris wrote:
> clfe wrote:
>
>> At the risk of going off topic, I recall someone mentioning that the
>> RS 2 meter portable had an issue almost the same. The jack at the top
>> was "supposed" to be for "vehicular" power - but I heard horror
>> stories of the radio suffering damage when used in just that fashion.
>
> I had a 2AT battery pack catch fire when charging off of the car charger.
> There was no fuse in the power cord, and a wire shorted inside the pack.
> Poof! It ate the wires inside of the pack, and the power cord all the
> way back to the lighter outlet. A fuse would have been a *really good
> thing*.
>
> -Chuck

From -3933532453244538826
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 09 May 2006 13:46:57 -0500
Date: Tue, 09 May 2006 14:46:57 -0400
From: Dave <W1MCE@comcast.net>

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
<1147048473.395078.29380@j33g2000cwa.googlegroups.com>
<5bd162l54g4id7pouog2pt4ocavgl82pso@4ax.com>
<e3qffj$h55$1@usenet01.srv.cis.pitt.edu>
<F948g.70137$F_3.11799@newssvr29.news.prodigy.net>
In-Reply-To: <F948g.70137$F_3.11799@newssvr29.news.prodigy.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <_tqdna8upvE8fv3ZnZ2dnUVZ_uudnZ2d@comcast.com>
Lines: 18
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-C7vPrCRH3vQ7JZnOdksk/PA/5KX8SUBWHNIf7H2VGna4IeJK00nEYpgnZH4JhqCohM0twcyY7+TRKXY!k5TJvdeWyOhuhdHt8vlHw6b9Zcpa+S4uv/Sc0ywta+R6Lzuh78mTzfSJQ1GwOhUwnOpqtIOnF6RL!pKkANsmHlM+JWFB/VxE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11082 rec.radio.amateur.equipment:3916 rec.radio.amateur.misc:10567 rec.radio.amateur.policy:25426 rec.radio.shortwave:34180

Cecil Moore wrote:
> GregS wrote:
>
>> Did anybody learn RTTY ?
>
>
> Now there's a real challenge. What baud rate would be required
> for a human being to copy RTTY by ear?

If I remember properly, it was a LONG TIME AGO, didn't
Katashi Nose, KH6IJ, learn to copy RTTY at the Hawaii station?

He could certainly crank CW. He spoke at a meeting of the local radio
club in the mid 1950s [Yankee Radio Club, Salem Massachusetts]

Gosh, if I remember properly, I'm getting OLD. Now if I can find my driver's license I can figure out my birthday!

```
From -5877961763902007706
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 09 May 2006 13:56:16 -0500
Date: Tue, 09 May 2006 14:56:14 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.1) Gecko/20060130
SeaMonkey/1.0
MIME-Version: 1.0
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew
Subject: Re: ICOM 02-AT QUESTION
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-
o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <4460DAFB.1000105@ispwest.com>
In-Reply-To: <4460DAFB.1000105@ispwest.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <3tudnc5CpNJNeP3ZnZ2dnUVZ_vadnZ2d@rcn.net>
Lines: 29
NNTP-Posting-Host: 66.44.103.131
X-Trace: sv3-3ulA1LpwnY5RlG+47IbjkXue0KSG8VB/
KqYpl8krCue2WUXXvnwPaFLXgFnVUKKxStj7TcxKuhbwHmk!FcdNE2StIBXeglT/
uqSW9ltq5zolGTnPc1g0Qm7Yg+wzX+iDnJ3oDBs/4Gy+FfN1Zu6LV9ZFTN1q!rw==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.mods:116 alt.ham-radio.vhf-uhf:1751
rec.radio.amateur.boatanchors:4044 rec.radio.amateur.misc:10569
rec.radio.amateur.equipment:3917 rec.radio.amateur.homebrew:5187
```

Hi Dave,

The I was thinking of the 2AT when I penned my response. The 02AT
is quite different. The synthesizer is more integrated, and there
aren't nearly as many crystals as in the 2AT. I am not certain what

the 02AT did for a final.

Assuming it is the same as the 2AT, it is a fairly simple job. You do need a high wattage soldering iron, so you can solder the transistor quickly. You should be able to make a few measurements, and determine if the final is popped.

-Chuck

Dunkirk wrote:
> Hi, Chuck -- thanks for your response...
>
> Chuck Harris wrote:
>
>> Dave Hildebrand wrote:
>>> I have a 22-year old Icom 02-AT that has worked reliably until now, when
>>> it ceased putting out any transmitter power whatsoever.
>>
>> Does it still receive correctly?
>
> ...yes -- the only thing that's changed is that the little bar-graph
> (along the bottom) doesn't appear; as though there were nothing to be
> measured. And, I fell out of the repeater while in QSO (full-quieting),
> having to sign clear on another radio.

```
From -7206829074052761900
X-Google-Thread: 108122,f588f47eddd32c13,start
X-Google-Thread: fc8b1,f588f47eddd32c13,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: TWO(2) RCA 6MJ6 HEAVY-DUTY 6LQ6 6JE6 RF TUBES for SWANS
Date: 9 May 2006 12:02:01 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147201321.139428.45260@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147201329 26297 127.0.0.1 (9 May 2006 19:02:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 May 2006 19:02:09 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:3918
```

```
rec.radio.amateur.boatanchors:4045

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9722366627&ssPageName=STRK:MESE:IT



From 7372064921238640772
X-Google-Thread: 108122,5b577a53983567cd,start
X-Google-Thread: fc8b1,5b577a53983567cd,start
X-Google-Attributes: gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: rlucch2098@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: FA: TWO(2) NEC USED 6JS6C RF OUTPUT TUBES>Handy to have!
Date: 9 May 2006 12:04:07 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1147201447.772849.267870@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147201453 692 127.0.0.1 (9 May 2006 19:04:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 9 May 2006 19:04:13 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=gxcXKgwAAAD3SghdqnN7LysyWrwDeWFU
Xref: g2news2.google.com rec.radio.amateur.equipment:3919
rec.radio.amateur.boatanchors:4046

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9722366667&ssPageName=STRK:MESE:IT



From 8754068961760904370
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!pln-w!
spln!rex!extra.newsguy.com!newsp.newsguy.com!enews4
```

From: Dunkirk <dunkirk@ispwest.com>
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: ICOM 02-AT QUESTION
Date: Tue, 09 May 2006 11:54:08 -0700
Organization: http://extra.newsguy.com
Lines: 52
Message-ID: <4460E550.7010305@ispwest.com>
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com>
<f7k6j3-5g8.ln1@remote.clifto.com> <Xns97BE60118855DVeebleFetzer@127.0.0.1>
<4460ab9c$0$3697$ecde5a14@news.coretel.net> <1261ncgn2e0c362@corp.supernews.com>
NNTP-Posting-Host: p-601.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Thunderbird 1.5.0.2 (X11/20060420)
To: Dave Platt <dplatt@radagast.org>
In-Reply-To: <1261ncgn2e0c362@corp.supernews.com>
Xref: g2news2.google.com alt.ham-radio.mods:117 alt.ham-radio.vhf-uhf:1752
rec.radio.amateur.boatanchors:4047 rec.radio.amateur.misc:10570
rec.radio.amateur.equipment:3920 rec.radio.amateur.homebrew:5188

Very (perhaps highly) plausible theory -- it's too bad that Icom didn't
learn from Motorola, and create an inexpensive (relatively to their
radio, anyway) vehicular charger for their radios (e.g. 'Convertacom'),
rather than a (potential) built-in self-destruct device.

Dave Platt wrote:
> In article <4460ab9c$0$3697$ecde5a14@news.coretel.net>,
> clfe <Nospam@clfurent.com> wrote:
>
>> At the risk of going off topic, I recall someone mentioning that the RS 2
>> meter portable had an issue almost the same. The jack at the top was
>> "supposed" to be for "vehicular" power - but I heard horror stories of the
>> radio suffering damage when used in just that fashion. IAnd I've seen first
>> hand - a battery pack that got smoked using vehicular power. It almost
>> caught the guy's car on fire since it was near "cloth". I haven't looked at
>> either the radio or schematic for so long - I can't recall exactly what the
>> make-up is. I have though - heard many tales of guys blowing out radios in a
>> vehicle. Hell, our Fire Department Squad Truck radio went out twice in 3
>> months from similar issues. I'm not sure if they actually figured out the
>> exact reason as yet - Motorola and the original installer were to look over
>> the situation. Seems to me, we all need to take an extra step to prevent
>> such things from happening, since we can't rely on the manufacturers to do
>> so. Just my 2 cents.
>
> It would not surprise me much if the failures were due to a "load
> dump" event.
>
> If the alternator is running, and supplying a substantial amount of
> current to a load (e.g. headlights), and the load is suddenly

> disconnected (e.g. headlights turned off), it's not at all uncommon for a very impressive voltage spike to be generated. This is due to the same sort of inductive "kickback" which can occur when shutting off the drive current to a motor or relay or solenoid.
>
> My recollection is that the standard used in the automotive industry, is that electronic devices on a "12-volt" automobile bus should be designed to survive load-dump spikes of up to 50 volts. A radio designed for 12 (or 13.8) volt operation, whose finals are fed fairly directly from the battery supply, may work just fine if the ignition is off, but could easily fail on its first load-dump event.
>
> Some sort of fast-acting zener protection, followed by an RF choke, would probably be a good idea when connecting such radios to an automotive power system.
>
> Unfortunately, a 50-volt load-dump spike could exceed the input-to-output voltage-differential limit of common regulators such as an LM317; hence, even if you're using a regulator of this sort to power a radio intended for 9 volts, you'll probably need an upstream zener to keep the regulator from popping.
>

From 4723068665485583548
X-Google-Thread: 108122,7a97a7389ddda2f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.phx!fe12.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevns75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: KENWOOD TR-7400A.... 2 METER RADIO....
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <9C78g.8$Gr.5@fe12.lga>
Date: Tue, 09 May 2006 17:13:45 -0400
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1147209221 24.47.254.156 (Tue, 09 May 2006 14:13:41 MST)
NNTP-Posting-Date: Tue, 09 May 2006 14:13:41 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:3921

over around 9:00PM EST   5/9/06

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=9721297636

73

From -996466597834084415
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Signal Chaser <em@il.here>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 28
Message-ID: <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
Date: Tue, 09 May 2006 22:15:25 GMT
NNTP-Posting-Host: 4.254.231.174
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1147212925 4.254.231.174 (Tue, 09 May
2006 15:15:25 PDT)
NNTP-Posting-Date: Tue, 09 May 2006 15:15:25 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:11087
rec.radio.amateur.equipment:3922 rec.radio.amateur.policy:25433 rec.radio.cb:9478
rec.radio.shortwave:34192

"an old friend" <kb9rqz@hotmail.com> wrote in
news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:

>
> Sinpo Code wrote:
>> Lancer <lancer@rock.com> wrote in
>> news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
>>
>

>>
>> I don't remember who was all in it, but one guy kept dropping the
>> soldering iron on the ground in front of people, then he'd bend over
>> slowly to pick it up again like he was hoping someone might give him a
>> poke. Disgusting.
>>
> how is any that the ARRL's fault

ARRL threw principle out the window when they caved in to the demands of
the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when
I opened my beloved QST magazine and there on the pages were photos of
queers on a Tropical DXpedition, and in living color no less. The ARRL
wanted us to embrace a sick perverted lifestyle and be one big happy
family. To me, it was the spark that signaled the death of a once proud
organization, and it turned liberal.

SC

From -1310467999066973736
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!newstrans.cos.agilent.com!sdd.hp.com!news-pa1.hpl.hp.com!
news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!newsfeed.pnap.net!
motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: cw trolling
Date: Tue, 9 May 2006 17:10:15 -0500
Organization: Motorola Applications Directory Team
Lines: 20
Message-ID: <e3r409$k7d$1@avnika.corp.mot.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3fvnh$97m$1@avnika.corp.mot.com>
<1146857107.822936.121660@y43g2000cwc.googlegroups.com>
<e3oaij$bjo$1@avnika.corp.mot.com>
<1147122594.900336.272650@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1147212617 20717 173.27.203.217 (9 May 2006 22:10:17
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Tue, 9 May 2006 22:10:17 +0000 (UTC)

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:11090
rec.radio.amateur.equipment:3923 rec.radio.amateur.misc:10574
rec.radio.amateur.policy:25435 rec.radio.shortwave:34193

"RHF" <rhf-newsgroups@pacbell.net> wrote in message
news:1147122594.900336.272650@u72g2000cwu.googlegroups.com...
> The FCC Outlawed 'Spark' for very valid technical reasons
> at that time and they are still valid today.   The very same
> logic could be used to still justify the continued use of CW
> as an Amateur Operating Mode; even though the requirement
> for proficiency in CW is not used for an Amateur License.
>
> jm2cw ~ RHF

RHF,
  My point was ...this time the FCC is NOT *eliminating* nor *Outlawing CW.
(as far as we know)
Spark *did* suck, but even so there were those that hated CW.

73, Steve, K9DCI

From 6245615155094069198
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 09 May 2006 17:36:31 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Tue, 9 May 2006 17:36:30 -0500

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
X0bxUhb7O0L3TC7vrzbRLIxjPo74or89Zx9MmB8+kv8+TjOMlh3acYllnQuM4jgqXtAZ2ZBktAvgH8f!
CGkOWWzFL8dgFCKEpSgLKiTRwqoalZClCZXF18282Km+Sj+LUgtMyyC/f9e7wat3q9BD9caR7vwE!44/
s+bYIluyB
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:11092
rec.radio.amateur.equipment:3924 rec.radio.amateur.policy:25436 rec.radio.cb:9479
rec.radio.shortwave:34194

>>> I don't remember who was all in it, but one guy kept dropping the
>>> soldering iron on the ground in front of people, then he'd bend over
>>> slowly to pick it up again like he was hoping someone might give him a
>>> poke. Disgusting.
>>>
>> how is any that the ARRL's fault
>
>
> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less. The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family. To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.

I'll bet you try to pass yourself off as a Christian.... I guess you never
really learned some of the most important lessons.
The first lesson is to treat *EVERYBODY* with the same courtisy and respect
that you expect from them.

Welcome to my killfile.

PLONK

From -7091710139005245738

X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes: gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 09 May 2006 17:39:10 -0500
Message-Id: <a8i7j3-jd9.ln1@remote.clifto.com>
From: clifto <clifto@gmail.com>
Subject: Re: ICOM 02-AT QUESTION
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Date: Tue, 09 May 2006 17:38:34 -0500
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <f7k6j3-5g8.ln1@remote.clifto.com> <Xns97BE60118855DVeebleFetzer@127.0.0.1>
Organization: Vast Right-Wing Conspiracy
User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 23
NNTP-Posting-Host: 67.165.145.61
X-Trace: sv3-lacqkTY8iX5W9ryJoNLbvP8RwjAJOAutZbbO1j5vWbo3QtZUi+6N1c92isOoYLTEZZqcAFWY4dnNW7+!5iXUSJrAK9GxZhDhfzc2b3lMXF8LDcikPwYqXNEAQ46g34EW5U9EQ5O6Z9Yh2ZjTLA3cQzAC2Jy3!Tt9e
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.mods:118 alt.ham-radio.vhf-uhf:1759 rec.radio.amateur.boatanchors:4051 rec.radio.amateur.misc:10575 rec.radio.amateur.equipment:3925 rec.radio.amateur.homebrew:5189

Bert Hyman wrote:
> clifto@gmail.com (clifto) wrote:
>> Chuck Harris wrote:
>>> The usual way of blowing the output transistor in an 02AT is to
>>> use a battery pack that supplies more than 9v, or to try and power
>>> the rig directly from your car battery. ISTR that a short on the
>>> antenna is a third way.
>>
>> I ran mine off the car battery reliably for years. Go figure.
>

> Maybe the OP was thinking of the older IC-2A. One of the battery
> packs for the 2A had a jack for connecting 12V to it, which allowed
> you to run the radio off the battery while it was being charged.
> Applying 12V directly to the radio (only possible by removing the
> battery pack) would fry it.

Yup. I also had a 3A and had to be careful about that.

--
All relevant people are pertinent.
All rude people are impertinent.
Therefore, no rude people are relevant.
 -- Solomon W. Golomb

From -7025478060242992049
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 09 May 2006 17:44:15 -0500
Message-Id: <bci7j3-jd9.ln1@remote.clifto.com>
From: clifto <clifto@gmail.com>
Subject: Re: ICOM 02-AT QUESTION
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew
Date: Tue, 09 May 2006 17:40:43 -0500
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-
o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <f7k6j3-5g8.ln1@remote.clifto.com>
<Xns97BE60118855DVeebleFetzer@127.0.0.1>
<4460ab9c$0$3697$ecde5a14@news.coretel.net> <Fb-dnVfiO75XM_3ZRVn-gg@rcn.net>
Organization: Vast Right-Wing Conspiracy
User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 15
NNTP-Posting-Host: 67.165.145.61
X-Trace: sv3-OrB5TG4hBKsI/8LLVU9BLuuiXWvk+VV47bU/
NgQS6hWtKSipeQWD+yyEoazLIk6Ujlr2wykiMyJSOag!ot+yamb/
whYBPz3tFI3RrWpNcklBzuMjfrGbIRtQGjl8wi8AVAdhtHaUBftZ9jnMmI36MHCvErWc!ZgCi
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.mods:119 alt.ham-radio.vhf-uhf:1760
rec.radio.amateur.boatanchors:4052 rec.radio.amateur.misc:10576
rec.radio.amateur.equipment:3926 rec.radio.amateur.homebrew:5190

Chuck Harris wrote:
> I had a 2AT battery pack catch fire when charging off of the car charger.
> There was no fuse in the power cord, and a wire shorted inside the pack.
> Poof!  It ate the wires inside of the pack, and the power cord all the
> way back to the lighter outlet.  A fuse would have been a *really good thing*.

I know the Icom batteries I bought with and for the 02AT had a resetting
thermal fuse inside, wired in series with the pack. I used those batteries
with the 3AT; don't know if they originally had different batteries.

--
All relevant people are pertinent.
All rude people are impertinent.
Therefore, no rude people are relevant.
 -- Solomon W. Golomb


From -2202109343334215534
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <44613917.7090602@fuse.net>
Date: Tue, 09 May 2006 20:51:35 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
In-Reply-To: <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

```
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 34
X-Trace: 5673744613942e098318612070
Xref: g2news2.google.com rec.radio.amateur.antenna:11095
rec.radio.amateur.equipment:3927 rec.radio.amateur.policy:25440 rec.radio.cb:9484
rec.radio.shortwave:34204

Signal Chaser wrote:
> "an old friend" <kb9rqz@hotmail.com> wrote in
> news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
>
>
>>Sinpo Code wrote:
>>
>>>Lancer <lancer@rock.com> wrote in
>>>news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
>>>
>>
>>>I don't remember who was all in it, but one guy kept dropping the
>>>soldering iron on the ground in front of people, then he'd bend over
>>>slowly to pick it up again like he was hoping someone might give him a
>>>poke.  Disgusting.
>>>
>>
>>how is any that the ARRL's fault
>
>
>
> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less.  The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family.  To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
>
>
> SC
what bullshit

Isn't EVERYONE tired of this thread by now?


From 5659208325640858890
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
```

```
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: balme the posters
Date: 9 May 2006 17:58:39 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1147222719.534150.40150@v46g2000cwv.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
   <tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
   <1147190746.045447.54120@e56g2000cwe.googlegroups.com>
   <1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
   <44613917.7090602@fuse.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1147222725 20939 127.0.0.1 (10 May 2006 00:58:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 10 May 2006 00:58:45 +0000 (UTC)
In-Reply-To: <44613917.7090602@fuse.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:11097
rec.radio.amateur.equipment:3928 rec.radio.amateur.policy:25442 rec.radio.cb:9485
rec.radio.shortwave:34205


jawod wrote:
> Signal Chaser wrote:
> > "an old friend" <kb9rqz@hotmail.com> wrote in
> > news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
> >



> >
> > SC
> what bullshit
>
> Isn't EVERYONE tired of this thread by now?
not the gay bashers they never gettired



From -2481432454110777285
X-Google-Thread: f55c2,6343f95082aa8b9b
X-Google-Thread: fb049,6343f95082aa8b9b
```

```
X-Google-Thread: fc8b1,6343f95082aa8b9b
X-Google-Thread: 107ada,6343f95082aa8b9b
X-Google-Thread: 108122,6343f95082aa8b9b
X-Google-Thread: fc2a5,6343f95082aa8b9b
X-Google-Attributes:
gidf55c2,gidfb049,gidfc8b1,gid107ada,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 09 May 2006 20:17:29 -0500
Date: Tue, 09 May 2006 21:17:23 -0400
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.1) Gecko/20060130
SeaMonkey/1.0
MIME-Version: 1.0
Newsgroups: alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipme
nt,rec.radio.amateur.homebrew
Subject: Re: ICOM 02-AT QUESTION
References: <Pine.LNX.4.58.0605071326260.23549@torquay.cahuenga.com> <b4KdnfnPC70-
o8LZnZ2dnUVZ_vidnZ2d@rcn.net> <f7k6j3-5g8.ln1@remote.clifto.com>
<Xns97BE60118855DVeebleFetzer@127.0.0.1>
<4460ab9c$0$3697$ecde5a14@news.coretel.net> <Fb-dnVfiO75XM_3ZRVn-gg@rcn.net>
<bci7j3-jd9.ln1@remote.clifto.com>
In-Reply-To: <bci7j3-jd9.ln1@remote.clifto.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <i86dnZWs2vS0ovzZnZ2dnUVZ_uidnZ2d@rcn.net>
Lines: 16
NNTP-Posting-Host: 66.44.103.131
X-Trace: sv3-
LUBfKxVEq2JLyiJFaHucQJMKoWYj3kBaxD04zECH6aCgWeA6u+vqUW+623TedZ3bp8ESiZPYtdlDsZI!
5nhSYPCM/c2+tAk4QDIDvcgrnvraMR6AN/YqquZKwHDOdraCxz+7mq/m+/gNyRxBJfj2diQK/+zx!5w==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio.mods:120 alt.ham-radio.vhf-uhf:1763
rec.radio.amateur.boatanchors:4054 rec.radio.amateur.misc:10580
rec.radio.amateur.equipment:3929 rec.radio.amateur.homebrew:5191
```

clifto wrote:
> Chuck Harris wrote:
>> I had a 2AT battery pack catch fire when charging off of the car charger.
>> There was no fuse in the power cord, and a wire shorted inside the pack.
>> Poof! It ate the wires inside of the pack, and the power cord all the
>> way back to the lighter outlet. A fuse would have been a *really good thing*.
>
> I know the Icom batteries I bought with and for the 02AT had a resetting
> thermal fuse inside, wired in series with the pack. I used those batteries

```
> with the 3AT; don't know if they originally had different batteries.

Yep, but that doesn't help much when the circuitry fails between the connector
and the thermal fuse.  Besides, the thermal fuse would only open if the cells
in the pack got too hot... not the 24 gauge wire.

-Chuck


From 4370436383261860803
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-
sjc-09!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Tue, 9 May 2006 22:12:35 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1262mh57s1pubbf@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news2.google.com rec.radio.amateur.antenna:11104
rec.radio.amateur.equipment:3930 rec.radio.amateur.policy:25445 rec.radio.cb:9489
rec.radio.shortwave:34209

"Signal Chaser" <em@il.here> wrote in message
news:1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net...
> "an old friend" <kb9rqz@hotmail.com> wrote in
> news:1147190746.045447.54120@e56g2000cwe.googlegroups.com:
>
>>
>> Sinpo Code wrote:
>>> Lancer <lancer@rock.com> wrote in
>>> news:08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com:
>>>
```

```
>>
>>>
>>> I don't remember who was all in it, but one guy kept dropping the
>>> soldering iron on the ground in front of people, then he'd bend over
>>> slowly to pick it up again like he was hoping someone might give him a
>>> poke.  Disgusting.
>>>
>> how is any that the ARRL's fault
>
>
> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less.  The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family.  To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
>
>
> SC

What I don't get is why we are forced to see
homosexuality in areas that have nothing to do with sex, such as the example
you mentioned.




From -8407502893712943642
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-08!sn-post-02!sn-
post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Tue, 9 May 2006 22:14:30 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1262mkq6bjmk8df@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
<tvP7g.1625$u4.320@newsread1.news.pas.earthlink.net>
<1147190746.045447.54120@e56g2000cwe.googlegroups.com>
<1w88g.2089$u4.1888@newsread1.news.pas.earthlink.net>
<zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com>
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news2.google.com rec.radio.amateur.antenna:11105
rec.radio.amateur.equipment:3931 rec.radio.amateur.policy:25446 rec.radio.cb:9490
rec.radio.shortwave:34210

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:zsednQItNOzyhPzZnZ2dnUVZ_tCdnZ2d@comcast.com...
>
>
>>>> I don't remember who was all in it, but one guy kept dropping the
>>>> soldering iron on the ground in front of people, then he'd bend over
>>>> slowly to pick it up again like he was hoping someone might give him a
>>>> poke.  Disgusting.
>>>>
>>> how is any that the ARRL's fault
>>
>>
>> ARRL threw principle out the window when they caved in to the demands of
>> the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed
>> when
>> I opened my beloved QST magazine and there on the pages were photos of
>> queers on a Tropical DXpedition, and in living color no less.  The ARRL
>> wanted us to embrace a sick perverted lifestyle and be one big happy
>> family.  To me, it was the spark that signaled the death of a once proud
>> organization, and it turned liberal.
>
> I'll bet you try to pass yourself off as a Christian.... I guess you never
> really learned some of the most important lessons.
> The first lesson is to treat *EVERYBODY* with the same courtisy and
> respect that you expect from them.
>
> Welcome to my killfile.
>
> *PLONK*
>
>
I guess you missed the part of the bible dealing with Sodom and Gomorra
being leveled because of deviant sex.




From -2069672154129526413
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
```

X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Bill Turner <dezrat@copper.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Fri, 05 May 2006 10:00:23 -0700
Reply-To: noway@nohow.com
Message-ID: <d41n521h7vkt7e7isn0lafj1hmojka7m6l@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: node192-75-93-63.1dial.com
X-Trace: newsfeed.slurp.net 1146848221 63.93.75.192 (5 May 2006 11:57:01 -0500)
Lines: 24
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.192
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.moat.net!
newsfeed.slurp.net!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:10882
rec.radio.amateur.equipment:3782 rec.radio.amateur.misc:10372
rec.radio.amateur.policy:25189 rec.radio.shortwave:33605

ORIGINAL MESSAGE:

On Fri, 05 May 2006 00:15:41 GMT, Silent Key <cw.h@m.bands> wrote:

>What's the purpose of ham radio, To have fun talking about rigs and
>weather, or to be able to communicate?

*********** REPLY SEPARATOR ***********

```
      1 2 3 4 5 6 7 8 9 10
                     /
                    /
                   /
                  /
                 /
                /
               /
              /
TROLL-O-METER
```

Bill, W6WRT

From 8728606532619063198
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!logbridge.uoregon.edu!canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!newsfeed.pnap.net!motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Fri, 5 May 2006 11:49:51 -0500
Organization: Motorola Applications Directory Team
Lines: 61
Message-ID: <e3fvnh$97m$1@avnika.corp.mot.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1146847793 9462 173.27.203.217 (5 May 2006 16:49:53 GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Fri, 5 May 2006 16:49:53 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:10883 rec.radio.amateur.equipment:3783 rec.radio.amateur.misc:10373 rec.radio.amateur.policy:25190 rec.radio.shortwave:33606

Should stay that way...
"Silent Key" <cw.h@m.bands> wrote in message news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate?
> To be able to communicate when no one else can communicate and to advance
> radio knowledge & theory?
> What does part 97 say about this?   Why does the ARRL ignore it?
> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.
> SC

Well, "SC" a.k.a. troll,

Cw, when it came along, was frowned uopn and was predicted to be the death of ham radio as well. Did you know that?

Modes currently around that full knowledge of is NOT required to get a licence (where complete knowledge of sending and receiving all the characters in Morse is a requirement):
AM, SSB, RTTY, PSK, Paclet, Amtor, APRS, satellite...basically everything else in Amateur Radio!

I said *full* knowledge. Do any of the tests require explanations of all five (or is it ten) methods (circuit types and how they function) of generating SSB or how to generate CW...or proper operating practice in all situations?

Do you know WHY knowledge of Morse was required in the first place?

I think there should be more on the tests on operating practices. I know some Techs who can do much of the above and make better hams that any old fart crying over the supposed loss of CW. I know Extras who couldn't copy code worth a darn, nor do much in the way of tech stuff...so? They're all friends.

Your fingers and eyes (or ears) aren't broke... so why aren't you out mentoring new hams? In the last two years, how many programs have you written for helping hams with things like blind hams controlling rigs or or audio tapes on radio operation have you recorded for blind hams or trips to help a blind ham erect an antenna, do a small project or program his radio or cables you've given to a new ham for his antenna or taken a blind ham to a hamfest... Why am *I* wasting my time with this...pfffvt

I'll save you the trouble, I'm a 60 year old, 20 WPM Extra and currently spend most of my ham time on 2 & 440 from the car during drive time on repeaters (much more omitted)!

I didn't have to learn code in the Navy (though I did happen to already know it)

Jerks are everywhere and I wonder why I wasted this time. Guess I just needed a little vent...sorry folks..time for lunch.
73, Steve, K9DCI

Answers to the above questions for me: 5, 4,0,1,10,3,1 - not astounding, nor bragging, just true.
If you can't Walk the Walk, don't talk garbage.
doofus troll...

From -674140186125710454
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!logbridge.uoregon.edu!
canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-
pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!
newsfeed.pnap.net!motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Fri, 5 May 2006 11:51:28 -0500
Organization: Motorola Applications Directory Team
Lines: 74
Message-ID: <e3fvqi$990$1@avnika.corp.mot.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3fvnh$97m$1@avnika.corp.mot.com>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1146847890 9504 173.27.203.217 (5 May 2006 16:51:30
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Fri, 5 May 2006 16:51:30 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:10884
rec.radio.amateur.equipment:3784 rec.radio.amateur.misc:10374
rec.radio.amateur.policy:25191 rec.radio.shortwave:33607

Sorry for all the cross posting.  I didn't look.  My bad.  (:-(

"Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in message
news:e3fvnh$97m$1@avnika.corp.mot.com...
> Should stay that way...
> "Silent Key" <cw.h@m.bands> wrote in message
> news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> > What's the purpose of ham radio, To have fun talking about rigs and
> > weather, or to be able to communicate?
> > To be able to communicate when no one else can communicate and to
advance
> > radio knowledge & theory?
> > What does part 97 say about this?   Why does the ARRL ignore it?
> > When CW is lost, new hams will be just like CB'ers and SWL's, or some
> > other lower life form of radio hobbiest. You name it.
> > SC
>
> Well, "SC"  a.k.a. troll,
>
> Cw, when it came along, was frowned uopn and was predicted to be the death
> of ham radio as well.  Did you know that?
>
> Modes currently around that full knowledge of is NOT required to get a
```

> licence (where complete knowledge of sending and receiving all the
> characters in Morse is a requirement):
> AM, SSB, RTTY, PSK, Paclet, Amtor, APRS, satellite...basically everything
> else in Amateur Radio!
>
> I said *full* knowledge. Do any of the tests require explanations of all
> five (or is it ten) methods (circuit types and how they function) of
> generating SSB or how to generate CW...or proper operating practice in
all
> situations?
>
> Do you know WHY knowledge of Morse was required in the first place?
>
> I think there should be more on the tests on operating practices. I know
> some Techs who can do much of the above and make better hams that any old
> fart crying over the supposed loss of CW. I know Extras who couldn't copy
> code worth a darn, nor do much in the way of tech stuff...so? They're all
> friends.
>
> Your fingers and eyes (or ears) aren't broke... so why aren't you out
> mentoring new hams? In the last two years, how many programs have you
> written for helping hams with things like blind hams controlling rigs or
or
> audio tapes on radio operation have you recorded for blind hams or trips
to
> help a blind ham erect an antenna, do a small project or program his radio
> or cables you've given to a new ham for his antenna or taken a blind ham
to
> a hamfest... Why am *I* wasting my time with this...pfffvt
>
> I'll save you the trouble, I'm a 60 year old, 20 WPM Extra and currently
> spend most of my ham time on 2 & 440 from the car during drive time on
> repeaters (much more omitted)!
>
> I didn't have to learn code in the Navy (though I did happen to already
know
> it)
>
> Jerks are everywhere and I wonder why I wasted this time. Guess I just
> needed a little vent...sorry folks..time for lunch.
> 73, Steve, K9DCI
>
> Answers to the above questions for me: 5, 4,0,1,10,3,1 - not astounding,
nor
> bragging, just true.
> If you can't Walk the Walk, don't talk garbage.
> doofus troll...
>
>

From -2190217938756139876
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Grimly Curmudgeon <grimlycurmudgeon683REMOVE@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Fri, 05 May 2006 19:01:42 +0100
Organization: Hand-Crafted Abuse From The Emerald Isle
Lines: 11
Message-ID: <qn4n52h2mfhjb33l632pt47qcqtb5vfh5a@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
Reply-To: <spamtrap_dont_use>projecthoneypot@eircom.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net FayEIefNnkxeaM6BNso1Rgi0Agh6xAwr0MYOolRtPTIVvk7wU=
Cancel-Lock: sha1:Ydw/UuD5QNVOAL8liP8kZeNrbko=
X-Newsreader: Forte Agent 1.8/32.548
X-NFilter: 1.2.0
Xref: g2news2.google.com rec.radio.amateur.antenna:10885
rec.radio.amateur.equipment:3785 rec.radio.amateur.misc:10375
rec.radio.amateur.policy:25192 rec.radio.shortwave:33612

We were somewhere around Barstow, on the edge of the desert, when the drugs began to take hold. I remember Silent Key <cw.h@m.bands> saying something like:

>When CW is lost, new hams will be just like CB'ers and SWL's, or some
>other lower life form of radio hobbiest. You name it.

Go back to playing with the dinosaurs.
--

Dave

From -7538763931362178406
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: cw trolling
Date: 5 May 2006 12:25:07 -0700
Organization: http://groups.google.com
Lines: 48
Message-ID: <1146857107.822936.121660@y43g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <e3fvnh$97m$1@avnika.corp.mot.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146857115 27991 127.0.0.1 (5 May 2006 19:25:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 5 May 2006 19:25:15 +0000 (UTC)
In-Reply-To: <e3fvnh$97m$1@avnika.corp.mot.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10886
rec.radio.amateur.equipment:3786 rec.radio.amateur.misc:10379
rec.radio.amateur.policy:25198 rec.radio.shortwave:33620
```

Steve N. wrote:

> Should stay that way...
> "Silent Key" <cw.h@m.bands> wrote in message
> news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> > What's the purpose of ham radio, To have fun talking about rigs and
> > weather, or to be able to communicate?
> > To be able to communicate when no one else can communicate and to advance
> > radio knowledge & theory?
> > What does part 97 say about this?   Why does the ARRL ignore it?
> > When CW is lost, new hams will be just like CB'ers and SWL's, or some
> > other lower life form of radio hobbiest. You name it.
> > SC
>
> Well, "SC" a.k.a. troll,
>
> Cw, when it came along, was frowned uopn and was predicted to be the death
> of ham radio as well. Did you know that?

hmm I knew that about AM and SSB but not CW do you happen to have a
reference for that? (might be useful)

> Your fingers and eyes (or ears) aren't broke....

are you sure? his brain seem to be
>.. so why aren't you out
> mentoring new hams? In the last two years, how many programs have you
> written for helping hams with things like blind hams controlling rigs or or
> audio tapes on radio operation have you recorded for blind hams or trips to
> help a blind ham erect an antenna, do a small project or program his radio
> or cables you've given to a new ham for his antenna or taken a blind ham to
> a hamfest... Why am *I* wasting my time with this...pfffvt

maybe becuase you are tired of this divisve pissing contest or
something like that
>
> I'll save you the trouble, I'm a 60 year old, 20 WPM Extra and currently
> spend most of my ham time on 2 & 440 from the car during drive time on
> repeaters (much more omitted)!
>
> I didn't have to learn code in the Navy (though I did happen to already know
> it)
>
> Jerks are everywhere and I wonder why I wasted this time. Guess I just
> needed a little vent...sorry folks..time for lunch.
> 73, Steve, K9DCI

```
From -4529100449317512468
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!logbridge.uoregon.edu!arclight.uoregon.edu!
feednews.vanderbilt.edu!feed.news.qwest.net!news.uswest.net.POSTED!news.wzrd.com!
_news
From: John Kasupski <kc2hmz@wzrd.com>
Newsgroups: 
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Reply-To: kc2hmz@wzrd.com
Message-ID: <908n52hq9i6p209o65paqf8ha5sid5dhqf@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<qn4n52h2mfhjb33l632pt47qcqtb5vfh5a@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
Lines: 14
Date: Fri, 05 May 2006 15:01:59 -0400
NNTP-Posting-Host: 216.207.4.15
X-Trace: news.uswest.net 1146857402 216.207.4.15 (Fri, 05 May 2006 14:30:02 CDT)
NNTP-Posting-Date: Fri, 05 May 2006 14:30:02 CDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10887
rec.radio.amateur.equipment:3787 rec.radio.amateur.misc:10381
rec.radio.amateur.policy:25201 rec.radio.shortwave:33621

On Fri, 05 May 2006 19:01:42 +0100, Grimly Curmudgeon
<grimlycurmudgeon683REMOVE@hotmail.com> wrote:

>We were somewhere around Barstow, on the edge of the desert, when the
>drugs began to take hold. I remember Silent Key <cw.h@m.bands> saying
>something like:
>
>>When CW is lost, new hams will be just like CB'ers and SWL's, or some
>>other lower life form of radio hobbiest. You name it.
>
>Go back to playing with the dinosaurs.

Best reply of the bunch.

From 915946929784291833
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 May 2006 15:37:13 -0500
Date: Fri, 05 May 2006 16:37:14 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<445ab003$0$65441$742ec2ed@news.sonic.net> <mM6dnS-uBZ6Ar8bZnZ2dnUVZ_vWdnZ2d@comcast.com>
<m2lm521041sb4sav02r48gh7defj2nffb7@4ax.com>

In-Reply-To: <m2lm521041sb4sav02r48gh7defj2nffb7@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <eLidndWu2obkKsbZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 39
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-rwq/
m8oOmJEaeKxUQMeK44DE24WNhjhdIisTf5i6n000gLz7FOR+w+iuD37XT7UKfmAac+CdNhN97LK!
j9eQiK4zAY9yvfIndroyXAFQRYWityOUyKFnFgG7r1QD0En+785dcXVAp5uO/V0tpTmOLtNeKG8M!
Qf90JprkdbBA0m6CDwY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10888
rec.radio.amateur.equipment:3788 rec.radio.amateur.misc:10386
rec.radio.amateur.policy:25209 rec.radio.shortwave:33627

Yep! I stand corrected!!
5330.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.
5346.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.
5366.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.
5371.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.
5403.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.

And, "I dare not call it a 'band'" either. Just 5 channels occupied by gentle men and gentle women, both genders, with manners.

I have three rigs that operate '60' meters. I've gotten to love that non-band.

/S/ DD W1MCE

Buck wrote:

> On Fri, 05 May 2006 07:08:15 -0400, Dave <W1MCE@comcast.net> wrote:
>
>
>>Mis-statements abound again.
>>
>>Read the allocation chart in 47 CFR 97.305(a) and 47 CFR 97.305(c). What
>>CW sub-bands?
>>
>>47 CFR 395(a) "An amateur station may transmit a CW emission on ANY
>>frequency authorized to the control operator." [EMPHASIS ADDED]
>>
>>For USA Amateurs CW is authorized as stated above.
>>
>>/S/ DD, W1MCE
>>
>>

>
> Of course, that excludes the new 60 meter frequencies (I dare not call
> it a 'band'.)
>
>

From -1288807270588478168
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
From: Signal Chaser <em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <445ab003$0$65441$742ec2ed@news.sonic.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 18
Message-ID: <SGR6g.4150$Vn.458@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:00:50 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873650 4.254.229.204 (Fri, 05 May 2006 17:00:50 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:00:50 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10893 rec.radio.amateur.equipment:3789 rec.radio.amateur.misc:10394 rec.radio.amateur.policy:25217 rec.radio.shortwave:33645

"Steve" <zarco@sonic.net> wrote in
news:445ab003$0$65441$742ec2ed@news.sonic.net:

> Will the CW only portions of the lowbands be
> retained, or will those go away as well?
>
>   Steve

I'm fearing it will be Eminent Domain ham radio style.

They'll see spectrum that they don't have the ability to use, because

there will be no requirement to have that ability. They will want the
spectrum for phone. One good thing, there are other modes besides CW that
need it, so maybe they won't take our CW portions and give it to phone
only hams and appliance operators.

SC

From 2325528972777896045
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Signal Chaser <em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 36
Message-ID: <TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:00:51 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873651 4.254.229.204 (Fri, 05 May
2006 17:00:51 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:00:51 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10894
rec.radio.amateur.equipment:3790 rec.radio.amateur.misc:10395
rec.radio.amateur.policy:25218 rec.radio.shortwave:33646

"Brenda Ann" <brendad@shinbiro.com> wrote in
news:e3ermq$550$1@news2.kornet.net:

>
> "Silent Key" <cw.h@m.bands> wrote in message
> news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>>
>> To be able to communicate when no one else can communicate and to
>> advance radio knowledge & theory?
>>

>> What does part 97 say about this?   Why does the ARRL ignore it?
>>
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>>
>> SC
>
> Here's one that I haven't even seen:
>
> Not everyone speaks readable English, but anyone that knows Morse can
> copy any language and read it at their leisure. Also, those who don't
> speak English well can often spell the words well enough to read...
>
> Just a thought.

Thank you.

In a way, it's sort of like sign-language. Two people that don't know
each others tongue but know sign language can still communicate.

SC

From 2534056912711994632
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Signal Chaser <no.email@my.box>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<EJGdnYAMUP-6hcbZnZ2dnUVZ_vadnZ2d@comcast.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 29
Message-ID: <UGR6g.4152$Vn.3027@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:00:52 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873652 4.254.229.204 (Fri, 05 May

2006 17:00:52 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:00:52 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10895
rec.radio.amateur.equipment:3791 rec.radio.amateur.misc:10396
rec.radio.amateur.policy:25219 rec.radio.shortwave:33647

James Douglas <james.douglas@genesis-software.com> wrote in
news:EJGdnYAMUP-6hcbZnZ2dnUVZ_vadnZ2d@comcast.com:

> Silent Key wrote:
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>>
>> To be able to communicate when no one else can communicate and to
>> advance radio knowledge & theory?
>>
>> What does part 97 say about this?   Why does the ARRL ignore it?
>>
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>>
>> SC
> In order to graduate school in the Navy we had to both read a punched
> teletype tape and read morse code. I don't recall how fast the code was
> but the test day was a bitch!

Thank you for your service to America. It is people like you that make us
a great country. When hard work was needing to be done and learned you
were there.

Today people are lazy and that's why they want to get a license in as easy
a way as possible, even if it means the service and our ability to
communicate with each other suffers.

From -1648794904093212382
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate

with other.
From: Signal Chaser <em@il.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 38
Message-ID: <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:00:54 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873654 4.254.229.204 (Fri, 05 May 2006 17:00:54 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:00:54 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10896
rec.radio.amateur.equipment:3792 rec.radio.amateur.misc:10397
rec.radio.amateur.policy:25220 rec.radio.shortwave:33648

"John S." <hjsjms@cs.com> wrote in
news:1146827830.022860.277130@j73g2000cwa.googlegroups.com:

> Silent Key wrote:
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>>
>> To be able to communicate when no one else can communicate and to
>> advance radio knowledge & theory?
>>
>> What does part 97 say about this?   Why does the ARRL ignore it?
>>
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>
>
> If you really believe that morse code is an important way to
> communicate that should be preserved then you need to convince other
> hams and potential hams to learn the code. You need to convince enough
> hams to use code so its very usage generates excitement and makes
> people want to join in the fun. Almost self-perpetuating like it was
> in the 1950's.
>
> Preaching (or complaining) to the choir on the radio fora about the
> abysmal state of things will not add one person to the ranks of key
> pounding hams.
>
> So what are you going to do to increase the number of code practicing
> hams.

Call the FCC, email the ARRL. Tell them you don't want to see ham radio
dumbed down anymore, for the good of the service and the good of country.

God bless America. Amen

SC

From -7226746898546580567
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
From: Signal Chaser <no.sp@m.here>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <8wH6g.66656$_S7.2137@newssvr14.news.prodigy.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 24
Message-ID: <XGR6g.4154$Vn.2330@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:00:55 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873655 4.254.229.204 (Fri, 05 May 2006 17:00:55 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:00:55 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10897 rec.radio.amateur.equipment:3793 rec.radio.amateur.misc:10398 rec.radio.amateur.policy:25221 rec.radio.shortwave:33649

Cecil Moore <mycall@hotmail.com> wrote in
news:8wH6g.66656$_S7.2137@newssvr14.news.prodigy.com:

> Silent Key wrote:
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>
> CW will not be lost in the same way that AM is not lost.
> A lot of hams in the 1950's believed that SSB would cause
> the death of AM and ham radio along with it. SSB operators
> sounded like Micky Mouse and were known as Single Sidewinders,
> undesirable snakes in the grass within the hobby, and traitors
> to the traditional form of amateur radio AM communications.

But it's the lower qualifications that will cause the service to suffer. I don't think new general class hams today have as much of a grasp on theory as new ones did 15 years ago. 15 years ago, they spent more time studying the theory while they were building their code speed up.

Loss of the requirement to be code proficient though could be offset if the passing score on written the exams were raised to 85%

SC

From 6319755083757831496
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
From: Silent Keys <S@ve.cw>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <2uA6g.8331$QP4.4556@fed1read12>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 43
Message-ID: <ZGR6g.4155$Vn.1246@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:00:57 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873657 4.254.229.204 (Fri, 05 May 2006 17:00:57 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:00:57 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10898 rec.radio.amateur.equipment:3794 rec.radio.amateur.misc:10399 rec.radio.amateur.policy:25222 rec.radio.shortwave:33650

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in news:2uA6g.8331$QP4.4556@fed1read12:

>
> "Silent Key" <cw.h@m.bands> wrote in message
> news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>>

>> To be able to communicate when no one else can communicate and to
>> advance radio knowledge & theory?
>>
>> What does part 97 say about this?   Why does the ARRL ignore it?
>>
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>>
>> SC
>
> I should be able to keep this from getting to me, but sometimes I just
> feel like responding to the attempted intimidation by these elitists.
>
> Mate, your key is only silent from the neck, up.
>
> Due to dyslexia, I am unable to learn much Morse Code. I can
> consistently recognize about half of the alphabet and none of the
> numbers. Morse Code might as well be edoC esroM for all the good it
> will ever do me.
>
> In spite of this, I manage to be a responsible member of the ham radio
> community and I'm damn proud of my service to RACES, to my club as its
> treasurer and to the county as a volunteer communicator. My UHF/VHF
> points in last year's Field Day exceeded the points of our HF stations
> combined. Lower life form, indeed! The nerve of you!

Yes, but can you send and receive Code at 13 or 20wpm?

What if in an emergency your microphone broke, and the only thing you had
to save a life was CW?   With your skills, that person would die. In that
situation you'd be about as useful as two tin cans and a piece of string.

SC

From -1982696462083283080
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Signal Chaser <s@ve.cw>

References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<bKI6g.12$zz.4@fe05.lga> <nfL6g.5787$DT5.3176@newsread3.news.pas.earthlink.net>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 13
Message-ID: <_GR6g.4156$Vn.950@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:00:58 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873658 4.254.229.204 (Fri, 05 May 2006 17:00:58 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:00:58 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10899
rec.radio.amateur.equipment:3795 rec.radio.amateur.misc:10400
rec.radio.amateur.policy:25223 rec.radio.shortwave:33651

"Ralph Mowery" <rmowery28146@earthlink.net> wrote in
news:nfL6g.5787$DT5.3176@newsread3.news.pas.earthlink.net:

> and the code may soon not be
> needed for the low bands.

But we hope that won't happen though.

We already have CB for a codeless service. You want Ham radio to be like
CB?

SC

From -5399551821351428399
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
From: Save Cw <S@ve.cw>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3fvnh$97m$1@avnika.corp.mot.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 72

Message-ID: <1HR6g.4158$Vn.3109@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:01:01 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873661 4.254.229.204 (Fri, 05 May 2006 17:01:01 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:01:01 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10901 rec.radio.amateur.equipment:3797 rec.radio.amateur.misc:10402 rec.radio.amateur.policy:25225 rec.radio.shortwave:33653

"Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
news:e3fvnh$97m$1@avnika.corp.mot.com:

> Should stay that way...
> "Silent Key" <cw.h@m.bands> wrote in message
> news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>> To be able to communicate when no one else can communicate and to
>> advance radio knowledge & theory?
>> What does part 97 say about this?   Why does the ARRL ignore it?
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>> SC
>
> Well, "SC" a.k.a. troll,
>
> Cw, when it came along, was frowned uopn and was predicted to be the
> death of ham radio as well. Did you know that?
>
> Modes currently around that full knowledge of is NOT required to get a
> licence (where complete knowledge of sending and receiving all the
> characters in Morse is a requirement):
> AM, SSB, RTTY, PSK, Paclet, Amtor, APRS, satellite...basically
> everything else in Amateur Radio!
>
> I said *full* knowledge. Do any of the tests require explanations of
> all five (or is it ten) methods (circuit types and how they function) of
> generating SSB or how to generate CW...or proper operating practice in
> all situations?
>
> Do you know WHY knowledge of Morse was required in the first place?
>
> I think there should be more on the tests on operating practices. I
> know some Techs who can do much of the above and make better hams that
> any old fart crying over the supposed loss of CW. I know Extras who
> couldn't copy code worth a darn, nor do much in the way of tech
> stuff...so? They're all friends.
>
> Your fingers and eyes (or ears) aren't broke... so why aren't you out
> mentoring new hams? In the last two years, how many programs have you
> written for helping hams with things like blind hams controlling rigs or

> or audio tapes on radio operation have you recorded for blind hams or
> trips to help a blind ham erect an antenna, do a small project or
> program his radio or cables you've given to a new ham for his antenna or
> taken a blind ham to a hamfest... Why am *I* wasting my time with
> this...pfffvt
>
> I'll save you the trouble, I'm a 60 year old, 20 WPM Extra and currently
> spend most of my ham time on 2 & 440 from the car during drive time on
> repeaters (much more omitted)!
>
> I didn't have to learn code in the Navy (though I did happen to already
> know it)
>
> Jerks are everywhere and I wonder why I wasted this time. Guess I just
> needed a little vent...sorry folks..time for lunch.
> 73, Steve, K9DCI
>
> Answers to the above questions for me: 5, 4,0,1,10,3,1 - not astounding,
> nor bragging, just true.
> If you can't Walk the Walk, don't talk garbage.
> doofus troll...

Right, that's the service nature of hams. Hams helping hams, and hams serving the community. And Dumbing it down can effect the quality of service. Maybe it won't go totally to shit while you and I are still around, but it will happen. In Life, What happens when standards are lowered, things get better?

SC

From -6486297512826435499
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
From: Signal Chaser <S@ve.cw>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <d41n521h7vkt7e7isn0lafj1hmojka7m6l@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25

```
Lines: 32
Message-ID: <%GR6g.4157$Vn.1486@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:00:59 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873659 4.254.229.204 (Fri, 05 May
2006 17:00:59 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:00:59 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10900
rec.radio.amateur.equipment:3796 rec.radio.amateur.misc:10401
rec.radio.amateur.policy:25224 rec.radio.shortwave:33652

Bill Turner <dezrat@copper.net> wrote in
news:d41n521h7vkt7e7isn0lafj1hmojka7m6l@4ax.com:

> ORIGINAL MESSAGE:
>
> On Fri, 05 May 2006 00:15:41 GMT, Silent Key <cw.h@m.bands> wrote:
>
>
>>What's the purpose of ham radio, To have fun talking about rigs and
>>weather, or to be able to communicate?
>
> *********** REPLY SEPARATOR ***********
>
>       1 2 3 4 5 6 7 8 9 10
>                      /
>                     /
>                    /
>                   /
>                  /
>                 /
>                /
>               /
> TROLL-O-METER
>
>
> Bill, W6WRT


Come on Bill, I know you care more about ham radio than to just post the
meter.

SC



From 5662012298443323504
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
From: Signal Chaser <S@ve.cw.now>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<qn4n52h2mfhjb33l632pt47qcqtb5vfh5a@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 18
Message-ID: <2HR6g.4159$Vn.2910@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 00:01:02 GMT
NNTP-Posting-Host: 4.254.229.204
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146873662 4.254.229.204 (Fri, 05 May
2006 17:01:02 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 17:01:02 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10902
rec.radio.amateur.equipment:3798 rec.radio.amateur.misc:10403
rec.radio.amateur.policy:25226 rec.radio.shortwave:33654

Grimly Curmudgeon <grimlycurmudgeon683REMOVE@hotmail.com> wrote in
news:qn4n52h2mfhjb33l632pt47qcqtb5vfh5a@4ax.com:

> We were somewhere around Barstow, on the edge of the desert, when the
> drugs began to take hold. I remember Silent Key <cw.h@m.bands> saying
> something like:
>
>>When CW is lost, new hams will be just like CB'ers and SWL's, or some
>>other lower life form of radio hobbiest. You name it.
>
> Go back to playing with the dinosaurs.


Sorry, Didn't copy.  Send it to me in CW.

TNX

SC



From 2338483739502408675
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 5 May 2006 17:17:39 -0700
Organization: http://groups.google.com
Lines: 54
Message-ID: <1146874659.149810.217060@y43g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <2uA6g.8331$QP4.4556@fed1read12>
   <ZGR6g.4155$Vn.1246@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146874665 3731 127.0.0.1 (6 May 2006 00:17:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 00:17:45 +0000 (UTC)
In-Reply-To: <ZGR6g.4155$Vn.1246@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=69.19.14.25;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.antenna:10903
rec.radio.amateur.equipment:3799 rec.radio.amateur.misc:10406
rec.radio.amateur.policy:25229 rec.radio.shortwave:33655


Silent Keys wrote:
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in
> news:2uA6g.8331$QP4.4556@fed1read12:
>
> >
> > "Silent Key" <cw.h@m.bands> wrote in message
> > news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> >> What's the purpose of ham radio, To have fun talking about rigs and
> >> weather, or to be able to communicate?
> >>
> >> To be able to communicate when no one else can communicate and to
> >> advance radio knowledge & theory?
> >>
> >> What does part 97 say about this?   Why does the ARRL ignore it?
> >>
> >> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> >> other lower life form of radio hobbiest. You name it.
> >>
> >> SC
> >
> > I should be able to keep this from getting to me, but sometimes I just
> > feel like responding to the attempted intimidation by these elitists.
> >
> > Mate, your key is only silent from the neck, up.
> >
> > Due to dyslexia, I am unable to learn much Morse Code.  I can
> > consistently recognize about half of the alphabet and none of the
> > numbers.  Morse Code might as well be edoC esroM for all the good it
> > will ever do me.
> >
> > In spite of this, I manage to be a responsible member of the ham radio
> > community and I'm damn proud of my service to RACES, to my club as its
> > treasurer and to the county as a volunteer communicator.  My UHF/VHF
> > points in last year's Field Day exceeded the points of our HF stations
> > combined. Lower life form, indeed!  The nerve of you!
>
>
> Yes, but can you send and receive Code at 13 or 20wpm?

i can or rather my pc can
>
> What if in an emergency your microphone broke, and the only thing you had
> to save a life was CW?
describe the last time that happened in real life
> With your skills, that person would die.
prehaps but it is not my or his job to save that person
> In that
> situation you'd be about as useful as two tin cans and a piece of string.

and without a mic in most cases youd be as useless yourself
>
> SC




From 7358559258611153191
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 5 May 2006 17:19:44 -0700
```

```
Organization: http://groups.google.com
Lines: 28
Message-ID: <1146874784.016457.228550@i39g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <8wH6g.66656$_S7.2137@newssvr14.news.prodigy.com>
   <XGR6g.4154$Vn.2330@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146874789 3982 127.0.0.1 (6 May 2006 00:19:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 00:19:49 +0000 (UTC)
In-Reply-To: <XGR6g.4154$Vn.2330@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.antenna:10904
rec.radio.amateur.equipment:3800 rec.radio.amateur.misc:10407
rec.radio.amateur.policy:25230 rec.radio.shortwave:33656
```

```
Signal Chaser wrote:
> Cecil Moore <mycall@hotmail.com> wrote in
> news:8wH6g.66656$_S7.2137@newssvr14.news.prodigy.com:
>

> But it's the lower qualifications that will cause the service to suffer.
any eveidence to support this
>I
> don't think new general class hams today have as much of a grasp on theory
> as new ones did 15 years ago.
your eveidence
>15 years ago, they spent more time studying
> the theory while they were building their code speed up.
hardly they spent their time learning the code rather than learn
something usefull

>
> Loss of the requirement to be code proficient though could be offset if
> the passing score on written the exams were raised to 85%

what uis the need to do

their is no loss in ending the code requirement so why does anything
need to replace it
>
> SC
```

```
From -1005900201491385603
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 5 May 2006 17:21:07 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1146874867.584120.84680@j33g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <e3fvnh$97m$1@avnika.corp.mot.com>
   <1HR6g.4158$Vn.3109@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146874874 18194 127.0.0.1 (6 May 2006 00:21:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 00:21:14 +0000 (UTC)
In-Reply-To: <1HR6g.4158$Vn.3109@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.antenna:10905
rec.radio.amateur.equipment:3801 rec.radio.amateur.misc:10408
rec.radio.amateur.policy:25231 rec.radio.shortwave:33657


Save Cw wrote:
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in
> news:e3fvnh$97m$1@avnika.corp.mot.com:

> > Answers to the above questions for me: 5, 4,0,1,10,3,1 - not astounding,
> > nor bragging, just true.
> > If you can't Walk the Walk, don't talk garbage.
> > doofus troll...
>
>
> Right, that's the service nature of hams.  Hams helping hams, and hams
> serving the community.  And Dumbing it down can effect the quality of
> service.  Maybe it won't go totally to shit while you and I are still
> around, but it will happen.  In Life, What happens when standards are
> lowered, things get better?

how is elimting a a frat house game lower stadards?
>
> SC




From 6746408287792397551
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Grimly Curmudgeon <grimlycurmudgeon683REMOVE@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sat, 06 May 2006 01:22:57 +0100
Organization: Hand-Crafted Abuse From The Emerald Isle
Lines: 24
Message-ID: <p1rn525r3jcocdfi879c423kenaajcdv7b@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<qn4n52h2mfhjb33l632pt47qcqtb5vfh5a@4ax.com>
<2HR6g.4159$Vn.2910@newsread4.news.pas.earthlink.net>
Reply-To: <spamtrap_dont_use>projecthoneypot@eircom.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net zvacYdY1iL5AbQu5BHUcaw5oI5HiZ3eFwJ0Vawtv+FacoLbpE=
Cancel-Lock: sha1:2uqmQHZKK/XbGcbw82Q1G0FOKz0=
X-Newsreader: Forte Agent 1.8/32.548
X-NFilter: 1.2.0
Xref: g2news2.google.com rec.radio.amateur.antenna:10906
rec.radio.amateur.equipment:3802 rec.radio.amateur.misc:10409
rec.radio.amateur.policy:25232 rec.radio.shortwave:33658

We were somewhere around Barstow, on the edge of the desert, when the
drugs began to take hold. I remember Signal Chaser <S@ve.cw.now> saying
something like:

>Grimly Curmudgeon <grimlycurmudgeon683REMOVE@hotmail.com> wrote in
>news:qn4n52h2mfhjb33l632pt47qcqtb5vfh5a@4ax.com:
>
>> We were somewhere around Barstow, on the edge of the desert, when the
>> drugs began to take hold. I remember Silent Key <cw.h@m.bands> saying
>> something like:
>>
>>>When CW is lost, new hams will be just like CB'ers and SWL's, or some
>>>other lower life form of radio hobbiest. You name it.
>>
>> Go back to playing with the dinosaurs.
>
>
>Sorry, Didn't copy.  Send it to me in CW.

--. --- / -... .- -.-. -.- / - --- / .--. .-.. .- -.-- .. -. --. /
 .-- .. - .... / - .... . / -.. .. -. --- ... .- ..- .-. ...
--

Dave



From 8000631264759750696
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 5 May 2006 17:26:42 -0700
Organization: http://groups.google.com
Lines: 25
Message-ID: <1146875202.800298.36790@g10g2000cwb.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1146827830.022860.277130@j73g2000cwa.googlegroups.com>
   <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146875210 5124 127.0.0.1 (6 May 2006 00:26:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 00:26:50 +0000 (UTC)
In-Reply-To: <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=69.19.14.25;
```

```
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.antenna:10907
rec.radio.amateur.equipment:3803 rec.radio.amateur.misc:10411
rec.radio.amateur.policy:25234 rec.radio.shortwave:33661


Signal Chaser wrote:
> "John S." <hjsjms@cs.com> wrote in
> news:1146827830.022860.277130@j73g2000cwa.googlegroups.com:
>

> > So what are you going to do to increase the number of code practicing
> > hams.
>
>
> Call the FCC, email the ARRL.  Tell them you don't want to see ham radio
> dumbed down anymore, for the good of the service and the good of country.

why? the FCC has made up its mind just waiting fro the monemnt to enact
it with the least fuss

if you wanted to make a last find the CONGRES crtiter on the telcom
comittees but you need a reason to save sw testing first
the reason your side lost is they don't have areason that stands up for
imposing the restriction\
>
> God bless America.  Amen
>
> SC



From -2720458852608546098
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 May 2006 19:42:13 -0500
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2uA6g.8331$QP4.4556@fed1read12>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Fri, 5 May 2006 20:41:49 -0400
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <_I2dnfwDCNN4bcbZRVn-jg@comcast.com>
Lines: 69
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-xwOjnjZ6frpvkSOxGKkRru2QQkfDb2wcS5e5SuQAEPJ2sxQ3w5PdllPBekFJcVE/
YFywiPF82gOYPp6!DQG/tM/
vVHxKffAvKIJ4NkYBQ38GqWI1pbYF8Au7aujuNtH4RDWeeTqX5+8JQ4VHigezc6XsJ88N!tsQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10908
rec.radio.amateur.equipment:3804 rec.radio.amateur.misc:10412
rec.radio.amateur.policy:25235 rec.radio.shortwave:33662
```

"Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
news:2uA6g.8331$QP4.4556@fed1read12...

> "Silent Key" <cw.h@m.bands> wrote in message
> news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
>> What's the purpose of ham radio, To have fun talking about rigs and
>> weather, or to be able to communicate?
>>
>> To be able to communicate when no one else can communicate and to advance
>> radio knowledge & theory?
>>
>> What does part 97 say about this?   Why does the ARRL ignore it?
>>
>> When CW is lost, new hams will be just like CB'ers and SWL's, or some
>> other lower life form of radio hobbiest. You name it.
>>
>> SC
>
> I should be able to keep this from getting to me, but sometimes I just
> feel
> like responding to the attempted intimidation by these elitists.
>
> Mate, your key is only silent from the neck, up.
>
> Due to dyslexia, I am unable to learn much Morse Code. I can consistently
> recognize about half of the alphabet and none of the numbers. Morse Code
> might as well be edoC esroM for all the good it will ever do me.
>

Actually your own words have proven that you can learn it. You say you can
consistently recognize about half the alphabet. So you have demonstrated

your ability to learn it.

Perhaps you just haven't spent enough time on it or used a poor training method (there's way too many of those around). Most people's expectations of how long it will take are unrealistically short. For the average person, it will take 1/2 hour per day every day for 60 days.

Now writing it down could be a problem due to dyslexia but there are ways around that. You don't have to write it down. You can ask to be allowed to say the characters into a tape recorder. You could dictate the characters to a VE to write down for you. You could simply jot down notes and answer the questions and not worry about solid copy. Again if there is a risk of writing it backwards, you could have the VE write down what you tell him/her. Naturally such accomodations have to be set up in advance.

> In spite of this, I manage to be a responsible member of the ham radio
> community and I'm damn proud of my service to RACES, to my club as its
> treasurer and to the county as a volunteer communicator. My UHF/VHF
> points
> in last year's Field Day exceeded the points of our HF stations combined.
> Lower life form, indeed! The nerve of you!
>

You must have run into some crummy people. That is not necessarily true of all groups.

> You may get down off your high horse (or should it be "High Morse"?) and
> apologize for all those jabs any old time it pleases you. I'll be here.
>

You are painting with a very broad brush. There are many amateurs who do not jab the Technicians. These days the membership of most clubs is about half Technicians. Perhaps you need to run with a different club.

Dee, N8UZE

From -8435671220836022494
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave

Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 5 May 2006 17:47:38 -0700
Organization: http://groups.google.com
Lines: 87
Message-ID: <1146876458.783451.44800@i39g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <2uA6g.8331$QP4.4556@fed1read12>
   <_I2dnfwDCNN4bcbZRVn-jg@comcast.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146876464 8561 127.0.0.1 (6 May 2006 00:47:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 00:47:44 +0000 (UTC)
In-Reply-To: <_I2dnfwDCNN4bcbZRVn-jg@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10909
rec.radio.amateur.equipment:3805 rec.radio.amateur.misc:10413
rec.radio.amateur.policy:25236 rec.radio.shortwave:33663

Dee Flint wrote:
> "Sal M. Onella" <salmonella@food.poisoning.org> wrote in message
> news:2uA6g.8331$QP4.4556@fed1read12...
> >
> > "Silent Key" <cw.h@m.bands> wrote in message
> > news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> >> What's the purpose of ham radio, To have fun talking about rigs and
> >> weather, or to be able to communicate?
> >>
> >> To be able to communicate when no one else can communicate and to advance
> >> radio knowledge & theory?
> >>
> >> What does part 97 say about this?   Why does the ARRL ignore it?
> >>
> >> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> >> other lower life form of radio hobbiest. You name it.
> >>
> >> SC
> >
> > I should be able to keep this from getting to me, but sometimes I just
> > feel
> > like responding to the attempted intimidation by these elitists.
> >
> > Mate, your key is only silent from the neck, up.
> >
> > Due to dyslexia, I am unable to learn much Morse Code. I can consistently

> > recognize about half of the alphabet and none of the numbers. Morse Code
> > might as well be edoC esroM for all the good it will ever do me.
> >
>
> Actually your own words have proven that you can learn it. You say you can
> consistently recognize about half the alphabet. So you have demonstrated
> your ability to learn it.

that is not the case you simply don't know what you are talking about
Dee
>
> Perhaps you just haven't spent enough time on it or used a poor training
> method (there's way too many of those around). Most people's expectations
> of how long it will take are unrealistically short. For the average person,
> it will take 1/2 hour per day every day for 60 days.
>
> Now writing it down could be a problem due to dyslexia but there are ways
> around that. You don't have to write it down. You can ask to be allowed to
> say the characters into a tape recorder. You could dictate the characters
> to a VE to write down for you. You could simply jot down notes and answer
> the questions and not worry about solid copy. Again if there is a risk of
> writing it backwards, you could have the VE write down what you tell
> him/her. Naturally such accomodations have to be set up in advance.

you can ask but you can't realy enforce that right and why shoudl he or
I have to for a skill that is not required
>
> > In spite of this, I manage to be a responsible member of the ham radio
> > community and I'm damn proud of my service to RACES, to my club as its
> > treasurer and to the county as a volunteer communicator. My UHF/VHF
> > points
> > in last year's Field Day exceeded the points of our HF stations combined.
> > Lower life form, indeed! The nerve of you!
> >
>
> You must have run into some crummy people. That is not necessarily true of
> all groups.

but there are neough of them your self for example presumeing you know
what another person can do I am can keep about half the letter in my
head at a time but no more than and I spent many years at with little
success

you are judgemental and all but calle dhim a liar for saying he can't
do it

>
> > You may get down off your high horse (or should it be "High Morse"?) and
> > apologize for all those jabs any old time it pleases you. I'll be here.
> >
>
> You are painting with a very broad brush. There are many amateurs who do
> not jab the Technicians. These days the membership of most clubs is about

> half Technicians. Perhaps you need to run with a different club.

well you take your joabs at them yourself being an extra I supose you
ust can't be othered to notice what you are syaing
>
> Dee, N8UZE

From 622574768500957420
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
In-Reply-To: <TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.142.25.240
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1146881512 ST000 70.142.25.240 (Fri, 05 May
2006 22:11:52 EDT)
NNTP-Posting-Date: Fri, 05 May 2006 22:11:52 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQNONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Sat, 06 May 2006 02:11:52 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10913
rec.radio.amateur.equipment:3806 rec.radio.amateur.misc:10414
rec.radio.amateur.policy:25239 rec.radio.shortwave:33673

Signal Chaser wrote:
> "Brenda Ann" <brendad@shinbiro.com> wrote in
>>Not everyone speaks readable English, but anyone that knows Morse can
>>copy any language and read it at their leisure. Also, those who don't
>>speak English well can often spell the words well enough to read...
>>
> In a way, it's sort of like sign-language. Two people that don't know
> each others tongue but know sign language can still communicate.

Of course, the same thing is possible on SSB communicating
phonetically.
--
73, Cecil http://www.qsl.net/w5dxp

```
From 1414738528587587335
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
In-Reply-To: <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <PCT6g.66838$_S7.66325@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.142.25.240
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1146881583 ST000 70.142.25.240 (Fri, 05 May
2006 22:13:03 EDT)
NNTP-Posting-Date: Fri, 05 May 2006 22:13:03 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
```

```
SCSYQNONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Sat, 06 May 2006 02:13:03 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10914
rec.radio.amateur.equipment:3807 rec.radio.amateur.misc:10415
rec.radio.amateur.policy:25240 rec.radio.shortwave:33675

Signal Chaser wrote:
> Call the FCC, email the ARRL.  Tell them you don't want to see ham radio
> dumbed down anymore, for the good of the service and the good of country.

Let's require a EE degree instead of Morse Code.
--
73, Cecil  http://www.qsl.net/w5dxp


From -1049275391619609944
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2uA6g.8331$QP4.4556@fed1read12>
<ZGR6g.4155$Vn.1246@newsread4.news.pas.earthlink.net>
In-Reply-To: <ZGR6g.4155$Vn.1246@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <DET6g.66840$_S7.52842@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.142.25.240
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1146881699 ST000 70.142.25.240 (Fri, 05 May
2006 22:14:59 EDT)
NNTP-Posting-Date: Fri, 05 May 2006 22:14:59 EDT
Organization: SBC http://yahoo.sbc.com
```

```
X-UserInfo1:
SCSYQNONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Sat, 06 May 2006 02:14:59 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10915
rec.radio.amateur.equipment:3808 rec.radio.amateur.misc:10416
rec.radio.amateur.policy:25241 rec.radio.shortwave:33676

Silent Keys wrote:
> What if in an emergency your microphone broke, and the only thing you had
> to save a life was CW?

What if the aliens invaded and all they couldn't understand
was CW?
--
73, Cecil  http://www.qsl.net/w5dxp



From 9032183012813520843
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 5 May 2006 19:59:29 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1146884369.627806.238470@u72g2000cwu.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <bKI6g.12$zz.4@fe05.lga>
   <nfL6g.5787$DT5.3176@newsread3.news.pas.earthlink.net>
   <_GR6g.4156$Vn.950@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146884375 12250 127.0.0.1 (6 May 2006 02:59:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 02:59:35 +0000 (UTC)
In-Reply-To: <_GR6g.4156$Vn.950@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10916
rec.radio.amateur.equipment:3809 rec.radio.amateur.misc:10417
rec.radio.amateur.policy:25244 rec.radio.shortwave:33677


Signal Chaser wrote:
> "Ralph Mowery" <rmowery28146@earthlink.net> wrote in
> news:nfL6g.5787$DT5.3176@newsread3.news.pas.earthlink.net:
>
> > and the code may soon not be
> > needed for the low bands.
>
>
> But we hope that won't happen though.
yes we do
>
> We already have CB for a codeless service. You want Ham radio to be like
> CB?

it will not be since you can't do lots of stuff on cb that you can on
ham radio
>
> SC




From -6274360428364632638
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!newsfeeds.sol.net!
posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Date: Fri, 05 May 2006 22:35:02 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<445ab003$0$65441$742ec2ed@news.sonic.net>
```

<SGR6g.4150$Vn.458@newsread4.news.pas.earthlink.net>
In-Reply-To: <SGR6g.4150$Vn.458@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <445c1967$0$6152$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 06 May 2006 03:35:03 GMT
NNTP-Posting-Host: b5775a60.news.twtelecom.net
X-Trace:
DXC=7j_i0>60n1jm_i:024=]AkC_A=>8kQj6m9BHNOcEA\@i[OLYbZjglfbZngdO0^]Qif4d\K]g0YdLg
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:10917
rec.radio.amateur.equipment:3810 rec.radio.amateur.misc:10418
rec.radio.amateur.policy:25245 rec.radio.shortwave:33684

Signal Chaser wrote:

> I'm fearing it will be Eminent Domain ham radio style.
>
> They'll see spectrum that they don't have the ability to use, because
> there will be no requirement to have that ability. They will want the
> spectrum for phone. One good thing, there are other modes besides CW that
> need it, so maybe they won't take our CW portions and give it to phone
> only hams and appliance operators.
>
> SC

Well, with the 4 or 5 CW signals that are on most bands at any given
time (except VHF and up during contests, BTW), who would notice the
loss. No offense, but if CW ops want to keep the territory, they'd
better start populating it.

tom
K0TAR

From 1848267896709661841
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!indigo.octanews.net!news-out.octanews.net!canary.octanews.net!newsfeeds.sol.net!posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Date: Fri, 05 May 2006 22:43:05 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us, en

MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
In-Reply-To: <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 33
Message-ID: <445c1b4a$0$6152$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 06 May 2006 03:43:06 GMT
NNTP-Posting-Host: b5775a60.news.twtelecom.net
X-Trace:
DXC=BWM>W]d\GMV`NIIejLkL`^C_A=>8kQj6]9BHNOcEA\@Y[OLYbZjglfRZngdO0^]QiVRD:TK1=TX9]
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:10918
rec.radio.amateur.equipment:3811 rec.radio.amateur.misc:10419
rec.radio.amateur.policy:25246 rec.radio.shortwave:33685

Signal Chaser wrote:

>>Preaching (or complaining) to the choir on the radio fora about the
>>abysmal state of things will not add one person to the ranks of key
>>pounding hams.
>>
>>So what are you going to do to increase the number of code practicing
>>hams.
>
>
>
> Call the FCC, email the ARRL. Tell them you don't want to see ham radio
> dumbed down anymore, for the good of the service and the good of country.
>
> God bless America. Amen
>
> SC
>

Yup, that increased the number of CW ops by a lot. Typical old style ham response. Moron. Pure and simple moron.

This is why CW is losing the battle. Not because it's a lost art, or something that's not worthwhile, but because the "supporters" do nothing but complain.

I don't want to see CW go away; I think it's a "good thing", and should stay around, especially for things it still does well, such as EME. Of course this is not the place to speak of "advanced" things like EME, after all, it's only been around for 50 years.

tom
K0TAR

From 7855874304627665710
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 5 May 2006 20:50:07 -0700
Organization: http://groups.google.com
Lines: 38
Message-ID: <1146887406.987407.27910@e56g2000cwe.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <1146827830.022860.277130@j73g2000cwa.googlegroups.com>
   <WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
   <445c1b4a$0$6152$39cecf19@news.twtelecom.net>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146887412 5986 127.0.0.1 (6 May 2006 03:50:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 03:50:12 +0000 (UTC)
In-Reply-To: <445c1b4a$0$6152$39cecf19@news.twtelecom.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10919
rec.radio.amateur.equipment:3812 rec.radio.amateur.misc:10420
rec.radio.amateur.policy:25247 rec.radio.shortwave:33686

Tom Ring wrote:
> Signal Chaser wrote:
>
> >>Preaching (or complaining) to the choir on the radio fora about the
> >>abysmal state of things will not add one person to the ranks of key

> >>pounding hams.
> >>
> >>So what are you going to do to increase the number of code practicing
> >>hams.
> >
> >
> >
> > Call the FCC, email the ARRL. Tell them you don't want to see ham radio
> > dumbed down anymore, for the good of the service and the good of country.
> >
> > God bless America. Amen
> >
> > SC
> >
>
> Yup, that increased the number of CW ops by a lot. Typical old style
> ham response. Moron. Pure and simple moron.
indeed it has not increased the number of OPS by even one
>
> This is why CW is losing the battle. Not because it's a lost art, or
> something that's not worthwhile, but because the "supporters" do nothing
> but complain.
indeed they make it so unpleansent i am shocked it hasn't died out
>
> I don't want to see CW go away; I think it's a "good thing", and should
> stay around, especially for things it still does well, such as EME. Of
> course this is not the place to speak of "advanced" things like EME,
> after all, it's only been around for 50 years.
>
> tom
> K0TAR

From -4622962141660914771
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews4.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Message-ID: <887o52psg5m4r5hrn4hjpc9s8c8sb8cqgh@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>

<445ab003$0$65441$742ec2ed@news.sonic.net> <mM6dnS-uBZ6Ar8bZnZ2dnUVZ_vWdnZ2d@comcast.com>
<m2lm521041sb4sav02r48gh7defj2nffb7@4ax.com>
<eLidndWu2obkKsbZnZ2dneKdnZydnZ2d@comcast.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 37
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbojfhonmjlfjkdfpaciebjhphdbafphloefj
bhdibdklbodgajdnkfdenfppnlohfepjogimejokdcbfpcmkifknclmibpmacockmkbmkngjjlijal
NNTP-Posting-Date: Fri, 05 May 2006 23:49:12 EDT
Organization: BellSouth Internet Service
Date: Fri, 05 May 2006 23:53:28 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:10920
rec.radio.amateur.equipment:3813 rec.radio.amateur.misc:10421
rec.radio.amateur.policy:25248 rec.radio.shortwave:33687

On Fri, 05 May 2006 16:37:14 -0400, Dave <W1MCE@comcast.net> wrote:

>Yep! I stand corrected!!
>5330.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.
>5346.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.
>5366.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.
>5371.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.
>5403.5 KHz USB ONLY, Maximum band width 2.8 KHz. 50 watts ERPd max.
>
>And, "I dare not call it a 'band'" either. Just 5 channels occupied by
>gentle men and gentle women, both genders, with manners.
>
>I have three rigs that operate '60' meters. I've gotten to love that
>non-band.
>
>/S/ DD W1MCE
>
>Buck wrote:
>

I love it too. It's a great mobile band, but I don't have a mobile antenna for it. I have used it with a tuned dipole a good bit. Even talked to England once. It is mostly stateside comms, but its like you said, a lot of gentlemen and gentlewomen! I am hoping to get an antenna for it in the near future for both the car and my new location.

73 for now.

PS there is a sixth channel only available in and around Alaska, but I forget the frequency. It is an emergency only channel.

--
73 for now
Buck
N4PGW

From -4520872738920051459
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews4.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Message-ID: <1f7o52hs7g8ee1u0kg6013bo0po968s5ol@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<445ab003$0$65441$742ec2ed@news.sonic.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbogogoklhcmmpciipompiagibjdnggdemgfj
bhdibdklbodgajdnkfdenfppnlohfepjogimejokdcbfpcmkbcfpfkkcmmchocjgcakdflmpljddgl
NNTP-Posting-Date: Fri, 05 May 2006 23:51:04 EDT
Organization: BellSouth Internet Service
Date: Fri, 05 May 2006 23:55:19 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:10921
rec.radio.amateur.equipment:3814 rec.radio.amateur.misc:10422
rec.radio.amateur.policy:25249 rec.radio.shortwave:33688

On Thu, 4 May 2006 18:53:07 -0700, "Steve" <zarco@sonic.net> wrote:

>Will the CW only portions of the lowbands be
>retained, or will those go away as well?
>
>   Steve
>

There are no 'cw only' portions. They are 'digital' portions.
--
73 for now
Buck
N4PGW

From 8084648651209829898
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: "bradvk2qq" <bradvk2qq@w6ir.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: 5 May 2006 20:55:45 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1146887745.710806.22350@i40g2000cwc.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 220.233.10.63
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146887752 6747 127.0.0.1 (6 May 2006 03:55:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 03:55:52 +0000 (UTC)
In-Reply-To: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; bgft),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=220.233.10.63;
   posting-account=PGGSQw0AAACzE8jScrKwlKa9UR7luTcr
Xref: g2news2.google.com rec.radio.amateur.antenna:10922 rec.radio.amateur.equipment:3815 rec.radio.amateur.misc:10423 rec.radio.amateur.policy:25250 rec.radio.shortwave:33690

Dumb argument.

CW is only being removed as a compulsory exam element. Oddly enough,
now that it is not compulsory, it's popularity is growing!

From -8898216504392676414

X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!newsfeeds.sol.net!posts.news.twtelecom.net!nnrp2.twtelecom.net!not-for-mail
Date: Sat, 06 May 2006 00:09:19 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<2uA6g.8331$QP4.4556@fed1read12>
<ZGR6g.4155$Vn.1246@newsread4.news.pas.earthlink.net>
<DET6g.66840$_S7.52842@newssvr14.news.prodigy.com>
In-Reply-To: <DET6g.66840$_S7.52842@newssvr14.news.prodigy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <445c2f80$0$1005$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 06 May 2006 05:09:20 GMT
NNTP-Posting-Host: 265fc824.news.twtelecom.net
X-Trace: DXC=KSeloCPc@d1in6<?oMf8^2C_A=>8kQj6=Y;@_o827nG397`ld]3Z5H7ZngdO0^]Qi69TE:l\;d^i2
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:10923 rec.radio.amateur.equipment:3816 rec.radio.amateur.misc:10424 rec.radio.amateur.policy:25251 rec.radio.shortwave:33695

Cecil Moore wrote:

> Silent Keys wrote:
>
>> What if in an emergency your microphone broke, and the only thing you had
>> to save a life was CW?
>
>
> What if the aliens invaded and all they couldn't understand
> was CW?

Which is most likely, actually. We broadcast a lot more voice than CW,
  Ever noticed how many watts of television, FM radio and AM radio are

out there versus CW?

CW is effectivly dead except for those that wish to keep it alive.
Similar to the old car collectors. Nothing wrong with it. beautiful
collector items, but not really part of the current world.

From -8488401205609514935
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!nx02.iad01.newshosting.com!newshosting.com!newsfeeds.sol.net!
posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Date: Sat, 06 May 2006 00:20:56 -0500
From: Tom Ring <news0002@taring.org>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<445c1b4a$0$6152$39cecf19@news.twtelecom.net>
In-Reply-To: <445c1b4a$0$6152$39cecf19@news.twtelecom.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <445c3238$0$6144$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 06 May 2006 05:20:57 GMT
NNTP-Posting-Host: 265fc824.news.twtelecom.net
X-Trace:
DXC=k]REP3CPOZKVlR\GJTaT@HC_A=>8kQj6M9BHNOcEA\@IjGmAZSB3O>BZngdO0^]QiFVYmSAHcd\oA
X-Complaints-To: abuse@twtelecom.net
Xref: g2news2.google.com rec.radio.amateur.antenna:10924
rec.radio.amateur.equipment:3817 rec.radio.amateur.misc:10425
rec.radio.amateur.policy:25252 rec.radio.shortwave:33696

Tom Ring wrote:

> I don't want to see CW go away; I think it's a "good thing", and should
> stay around, especially for things it still does well, such as EME. Of
> course this is not the place to speak of "advanced" things like EME,
> after all, it's only been around for 50 years.
>
> tom
> K0TAR

Bet no one from the antenna newsgroup even bothers to respond with
anything worthwhile. This is, after all, a group of people that thinks
the world ends at 10 meters. (Except for a very very few, and you know
I'm not speaking of you).

tom
K0TAR

```
From 1105291805604441427
X-Google-Thread: 108122,6cbd1ef7cc0e058f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news-out.octanews.net!
indigo.octanews.net!authen.yellow.readfreenews.net.POSTED!not-for-mail
Date: Fri, 5 May 2006 23:31:37 -0700
From: DaveC <me@privacy.net>
MIME-Version: 1.0
User-Agent: Hogwasher/4.2.2
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Message-ID: <0001HW.C08190D9021742E0F02845B0@news.readfreenews.net>
Subject: Harold Fue e-mail address?
Newsgroups: rec.radio.amateur.equipment
Reply-To: me@privacy.net
Lines: 13
Organization: Read Free News
NNTP-Posting-Date: 06 May 2006 01:31:38 CDT
X-Trace: DXC=Aj]?e;i50?
RGme9NR`;^HYbQ9W<K20`3RO6Gh9bA988^ZQPKgGK2FaVF8>7T4Dc<SVLT:XS8fa]1[]j;AN[02n4R6\I`
hW5jN?^
Xref: g2news2.google.com rec.radio.amateur.equipment:3818
```

Does Harold have an e-mail address?

You can send it to me privately, if preferred, at:

davec2468@takeaim.com (and remove "take" from the address)

Thanks,
--
DaveC
me@privacy.net
This is an invalid return address

Please reply in the news group

```
From 6417883498815726722
X-Google-Thread: 108122,14221633747a282
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Reply-To: "Brian" <brian651@aol.com>
From: "Brian" <brian651@aol.com>
Newsgroups: rec.radio.amateur.equipment
References: <445b0a8e$2_2@mk-nntp-2.news.uk.tiscali.com>
Subject: Re: Research project
Date: Sat, 6 May 2006 08:54:13 +0100
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <445c55f6_1@mk-nntp-2.news.uk.tiscali.com>
X-Original-NNTP-Posting-Host: 88.110.39.94
NNTP-Posting-Host: mk-nntp-2.news.uk.tiscali.com
X-Trace: 6 May 2006 08:53:33 +0100, mk-nntp-2.news.uk.tiscali.com
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!130.59.10.21.MISMATCH!
kanaga.switch.ch!switch.ch!tiscali!newsfeed2.ip.tiscali.net!mk-
nntp-1.news.uk.worldonline.com!mk-nntp-2.news.uk.tiscali.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3819
```

"Gerry" <anon@anon.com> wrote in message news:445b0a8e$2_2@mk-nntp-2.news.uk.tiscali.com...

>
> Can anyone help me with research for my degree.
>
> I'm looking for information on ham radio enthusiasts who suffer from
> manic depression (bipolar syndrome). I'm researching the effects of
> RF fields on electrical activity in the brain. It's possible that this
> particular form of mental illness could be specifically at risk.
>
> Can you put me in contact with anyone who could help me?

The only one I know is a guy in the Orkneys. GM3POI - his name is Clive Penna. Apparently he has a manic episode every nine days regular as clockwork - and that's pretty bad from what Ive been told. Broke up his marriage apparently.

I can't see him helping you with info though. He's not the type - but then perhaps that's just another symptom.

Brian.

```
From -3557831487962890365
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!newsfeed1.easynews.com!easynews.com!easynews!sn-xt-sjc-02!
sn-xt-sjc-06!sn-post-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-
mail
From: Roy Lewallen <w7el@eznec.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
Date: Sat, 06 May 2006 02:16:35 -0700
Organization: EZNEC Antenna Software
Message-ID: <125oqbpg9m4d261@corp.supernews.com>
User-Agent: Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<445c1b4a$0$6152$39cecf19@news.twtelecom.net>
<445c3238$0$6144$39cecf19@news.twtelecom.net>
In-Reply-To: <445c3238$0$6144$39cecf19@news.twtelecom.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news2.google.com rec.radio.amateur.antenna:10929
rec.radio.amateur.equipment:3820 rec.radio.amateur.misc:10436
rec.radio.amateur.policy:25256 rec.radio.shortwave:33713
```

Tom Ring wrote:

>
> Bet no one from the antenna newsgroup even bothers to respond with
> anything worthwhile. This is, after all, a group of people that thinks
> the world ends at 10 meters. (Except for a very very few, and you know
> I'm not speaking of you).

I bet no one from the antenna newsgroup bothers to respond because the topic doesn't have anything to do with antennas. There are plenty of other newsgroups for those who favor the endless CW/no CW arguments.

Roy Lewallen, W7EL

```
From 6577963456863399854
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!atl-
c05.usenetserver.com!news.usenetserver.com!news-out.octanews.net!
canary.octanews.net!208.49.83.146.MISMATCH!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!VERMONTEL.NET-a2kHrUvQQWlmc!not-for-
mail
From: "Jozef" <jozef@metaphoria.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146887745.710806.22350@i40g2000cwc.googlegroups.com>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Sat, 6 May 2006 08:11:29 -0400
Organization: Metaphoria
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <1146917413.147739@r2d2.vermontel.net>
Cache-Post-Path: r2d2.vermontel.net!unknown@vtelinet-216-66-105-246.vermontel.net
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@usenetserver.com
Lines: 17
X-Trace: 2a474445c92747de7c94b14874
Xref: g2news2.google.com rec.radio.amateur.antenna:10930
rec.radio.amateur.equipment:3821 rec.radio.amateur.misc:10437
rec.radio.amateur.policy:25257 rec.radio.shortwave:33717

My $0.02:  Passing the CW element requires the acquisition of a skill.
Passing the "written" element requires memorizing answers to a test where
the answers are handed out ahead of time.  Some accomplishment, eh?

Jozef WB2MIC




"bradvk2qq" <bradvk2qq@w6ir.com> wrote in message
news:1146887745.710806.22350@i40g2000cwc.googlegroups.com...
> Dumb argument.
>
> CW is only being removed as a compulsory exam element. Oddly enough,
> now that it is not compulsory, it's popularity is growing!
```

```
>




From 5025511218650036317
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews4.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Message-ID: <8p6p52hof5rqhlkttbkovt8q3r8ric48pa@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146827830.022860.277130@j73g2000cwa.googlegroups.com>
<WGR6g.4153$Vn.678@newsread4.news.pas.earthlink.net>
<445c1b4a$0$6152$39cecf19@news.twtelecom.net>
<445c3238$0$6144$39cecf19@news.twtelecom.net> <125oqbpg9m4d261@corp.supernews.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbomklnikpajhplchlhiancdnjckcgjkbcmfj
bhdibdklbodgajgkijmcjgblkkcjmfpjogimejokdcbfpckjjbccjdckdakppambncipjbdcodchhk
NNTP-Posting-Date: Sat, 06 May 2006 08:45:55 EDT
Organization: BellSouth Internet Service
Date: Sat, 06 May 2006 08:50:13 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:10931
rec.radio.amateur.equipment:3822 rec.radio.amateur.misc:10439
rec.radio.amateur.policy:25259 rec.radio.shortwave:33719

On Sat, 06 May 2006 02:16:35 -0700, Roy Lewallen <w7el@eznec.com>
wrote:

>Tom Ring wrote:
>>
>> Bet no one from the antenna newsgroup even bothers to respond with
>> anything worthwhile.  This is, after all, a group of people that thinks
>> the world ends at 10 meters. (Except for a very very few, and you know
```

>> I'm not speaking of you).
>
>I bet no one from the antenna newsgroup bothers to respond because the
>topic doesn't have anything to do with antennas. There are plenty of
>other newsgroups for those who favor the endless CW/no CW arguments.
>
>Roy Lewallen, W7EL

Actually, I feel into this. However after posting this message I am
killfiling the topic.

73/72 to all for now. On to important topics like how to get an
antenna up in this restricted neighborhood without any trees!

--
73 for now
Buck
N4PGW

From 4503687334540594419
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news2.volia.net!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Grimly Curmudgeon <grimly4REMOVE@REMOVEgmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Sat, 06 May 2006 13:54:29 +0100
Organization: Hand-Crafted Abuse From The Emerald Isle
Lines: 35
Message-ID: <om6p52hlsr7fdjd58cvv86nkbt1h56jshr@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<qn4n52h2mfhjb33l632pt47qcqtb5vfh5a@4ax.com>
<908n52hq9i6p209o65paqf8ha5sid5dhqf@4ax.com>
Reply-To: grimly4REMOVE@REMOVEgmail.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net tr26LARb583t5VF/W5ogfgCCGgCTp7zcGyH5pjuqKF1cnShjI=
Cancel-Lock: sha1:4ot+4Tox/M2B7ItYCB54wkGAARU=
X-Newsreader: Forte Agent 1.8/32.548
X-NFilter: 1.2.0
Xref: g2news2.google.com rec.radio.amateur.antenna:10932

rec.radio.amateur.equipment:3823 rec.radio.amateur.misc:10440
rec.radio.amateur.policy:25260 rec.radio.shortwave:33720

We were somewhere around Barstow, on the edge of the desert, when the
drugs began to take hold. I remember John Kasupski <kc2hmz@wzrd.com>
saying something like:

>On Fri, 05 May 2006 19:01:42 +0100, Grimly Curmudgeon
><grimlycurmudgeon683REMOVE@hotmail.com> wrote:
>
>>We were somewhere around Barstow, on the edge of the desert, when the
>>drugs began to take hold. I remember Silent Key <cw.h@m.bands> saying
>>something like:
>>
>>>When CW is lost, new hams will be just like CB'ers and SWL's, or some
>>>other lower life form of radio hobbiest. You name it.
>>
>>Go back to playing with the dinosaurs.
>
>Best reply of the bunch.

Thank you.

If I may add something to that...
I wouldn't like to see Morse totally disappear, but I'm against its
compulsion for trainees. I fully agree that in some conditions a Morse
tone will get through where voice is an unintelligble mush, if heard at
all, but apart from prisoners tapping out messages on pipes its days as
an *essential* comms tool are pretty much over.

We've all got to move with the times and these days Morse is on a par
with a runner carrying a message in a cleft stick. There will be some
who enjoy using it and I hope they find enough fellow enthusiasts of the
arcane art to keep themselves happy while the rest of us communicate
more naturally.
--

Dave

From -4242197230555463411
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups:

rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<1146887745.710806.22350@i40g2000cwc.googlegroups.com>
<1146917413.147739@r2d2.vermontel.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1158
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1165
Message-ID: <T827g.6028$DT5.5642@newsread3.news.pas.earthlink.net>
Date: Sat, 06 May 2006 14:12:03 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1146924723 24.225.35.108 (Sat, 06 May 2006 07:12:03 PDT)
NNTP-Posting-Date: Sat, 06 May 2006 07:12:03 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:10934
rec.radio.amateur.equipment:3824 rec.radio.amateur.misc:10442
rec.radio.amateur.policy:25261 rec.radio.shortwave:33725

"Jozef" <jozef@metaphoria.org> wrote in message
news:1146917413.147739@r2d2.vermontel.net...

> My $0.02: Passing the CW element requires the acquisition of a skill.
> Passing the "written" element requires memorizing answers to a test where
> the answers are handed out ahead of time. Some accomplishment, eh?
>
> Jozef WB2MIC

CW is just memorizing the sounds . That is not a skill. Yes, I do have the 20 wpm extra. Got up to speed, passed the test, never used it on the air. I still listen to some about once a month just to see if I can still get any of the characters.

A skill is more like repairing a piece of equipment or building something. Maybe even the ability to put together an interisting conversation instead of the usual WX and Signal reports.

de KU4PT

From 9231555145435O4875
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c

```
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Sat, 06 May 2006 11:08:25 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
  with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<e3ermq$550$1@news2.kornet.net>
<TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
<IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
In-Reply-To: <IBT6g.66837$_S7.28808@newssvr14.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <61370$445cbc13$453d9423$2432@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 23
X-Trace: 61370445cbc13e098318602432
Xref: g2news2.google.com rec.radio.amateur.antenna:10936
rec.radio.amateur.equipment:3825 rec.radio.amateur.misc:10443
rec.radio.amateur.policy:25264 rec.radio.shortwave:33733

Cecil Moore wrote:
> Signal Chaser wrote:
>
>> "Brenda Ann" <brendad@shinbiro.com> wrote in
>>
>>> Not everyone speaks readable English, but anyone that knows Morse can
>>> copy any language and read it at their leisure. Also, those who don't
>>> speak English well can often spell the words well enough to read...
>>>
>> In a way, it's sort of like sign-language.  Two people that don't know
>> each others tongue but know sign language can still communicate.
>
>
> Of course, the same thing is possible on SSB communicating
> phonetically.
I don't think it is as effectice on SSB.  Of course, you can use the
symbols that were derived from CW (like QTH) but I think morse code is a
more direct communication in these circumstances because it doesn't
involve voice/pronunciation differences between languages.  The symbols
are universal and immediately understood.
```

Phonetic usage (alpha bravo whiskey hotel etc) is primarily based upon English.

```
From -9183624668147645391
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!atl-
c05.usenetserver.com!news.usenetserver.com!pink.octanews.net!news-
out.octanews.net!mauve.octanews.net!208.49.83.146.MISMATCH!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <445CBDBA.5060905@fuse.net>
Date: Sat, 06 May 2006 11:16:10 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
  with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<bKI6g.12$zz.4@fe05.lga>   <nfL6g.5787$DT5.3176@newsread3.news.pas.earthlink.net>
<_GR6g.4156$Vn.950@newsread4.news.pas.earthlink.net>
<1146884369.627806.238470@u72g2000cwu.googlegroups.com>
In-Reply-To: <1146884369.627806.238470@u72g2000cwu.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 34
X-Trace: 73c90445cbde4e098318602929
Xref: g2news2.google.com rec.radio.amateur.antenna:10937
rec.radio.amateur.equipment:3826 rec.radio.amateur.misc:10444
rec.radio.amateur.policy:25265 rec.radio.shortwave:33734
```

```
an_old_friend wrote:
> Signal Chaser wrote:
>
>>"Ralph Mowery" <rmowery28146@earthlink.net> wrote in
>>news:nfL6g.5787$DT5.3176@newsread3.news.pas.earthlink.net:
>>
>>
>>>and the code may soon not be
>>>needed for the low bands.
>>
```

```
>>
>>But we hope that won't happen though.
>
> yes we do
>
>>We already have CB for a codeless service. You want Ham radio to be like
>>CB?
>
>
> it will not be since you can't do lots of stuff on cb that you can on
> ham radio
>
>>SC
>
>
I think we need to face the fact that ham radio, in general, is not as
necessary or as "needed" as it was even 20 years ago.

It's a hobby.  It remains a service but it is a hobby.

CW,SSB and any other mode you choose is not that much NEEDED.

CW being the simplest form, remains the form of choice when ALL
infratructural resources are gone.


From -7506362182748523747
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 6 May 2006 08:31:31 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1146929491.351654.138710@e56g2000cwe.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <bKI6g.12$zz.4@fe05.lga>
   <nfL6g.5787$DT5.3176@newsread3.news.pas.earthlink.net>
   <_GR6g.4156$Vn.950@newsread4.news.pas.earthlink.net>
   <1146884369.627806.238470@u72g2000cwu.googlegroups.com>
   <445CBDBA.5060905@fuse.net>
NNTP-Posting-Host: 69.19.14.25
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146929496 8099 127.0.0.1 (6 May 2006 15:31:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 6 May 2006 15:31:36 +0000 (UTC)
In-Reply-To: <445CBDBA.5060905@fuse.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=69.19.14.25;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10938
rec.radio.amateur.equipment:3827 rec.radio.amateur.misc:10445
rec.radio.amateur.policy:25266 rec.radio.shortwave:33735


jawod wrote:
> an_old_friend wrote:
> > Signal Chaser wrote:
> >

> >
> I think we need to face the fact that ham radio, in general, is not as
> necessary or as "needed" as it was even 20 years ago.
>
> It's a hobby.  It remains a service but it is a hobby.
>
> CW,SSB and any other mode you choose is not that much NEEDED.
>
> CW being the simplest form, remains the form of choice when ALL
> infratructural resources are gone.

no spark gap is although it is ilegal these days



From 5380462881172340383
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!e7121e93!not-for-mail
From: "CW" <s@earthlink.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
```

<1146887745.710806.22350@i40g2000cwc.googlegroups.com>
<1146917413.147739@r2d2.vermontel.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <mn37g.4377$Vn.823@newsread4.news.pas.earthlink.net>
Date: Sat, 06 May 2006 15:35:46 GMT
NNTP-Posting-Host: 209.91.59.171
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1146929746 209.91.59.171 (Sat, 06 May 2006 08:35:46 PDT)
NNTP-Posting-Date: Sat, 06 May 2006 08:35:46 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:10940
rec.radio.amateur.equipment:3828 rec.radio.amateur.misc:10446
rec.radio.amateur.policy:25267 rec.radio.shortwave:33736

Memorizing a sound is no more of a skill than memorizing an answer. In any case. I can memorize sounds. I can't memorize answers. I have to know the subject to get the answer right. If people think that CW is of any importance, they will learn it whether the test requires it or not. Those who think that it will die if it is not required are just afraid that it really is useless.

"Jozef" <jozef@metaphoria.org> wrote in message
news:1146917413.147739@r2d2.vermontel.net...
> My $0.02: Passing the CW element requires the acquisition of a skill.
> Passing the "written" element requires memorizing answers to a test where
> the answers are handed out ahead of time. Some accomplishment, eh?
>
> Jozef WB2MIC
>
>
>
> "bradvk2qq" <bradvk2qq@w6ir.com> wrote in message
> news:1146887745.710806.22350@i40g2000cwc.googlegroups.com...
> > Dumb argument.
> >
> > CW is only being removed as a compulsory exam element. Oddly enough,
> > now that it is not compulsory, it's popularity is growing!
> >
>
>

From -9202472981316966668
X-Google-Thread: fcc6e,9f8932f7d11ff1c

X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!sn-xt-sjc-15!sn-xt-sjc-01!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: Jack Hamilton <jfh@acm.org>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Mon, 01 May 2006 09:13:56 -0700
Organization: Copyright (c) 2006 by Jack Hamilton. Reproduction without attribution, and archiving without permission, are not allowed.
Message-ID: <7pcc529pkjai8it772egva9u2uisjmrm1p@4ax.com>
Reply-To: jfh@acm.org
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <e3ermq$550$1@news2.kornet.net> <TGR6g.4151$Vn.1949@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-NFilter: 1.2.0
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news2.google.com rec.radio.amateur.antenna:10941 rec.radio.amateur.equipment:3829 rec.radio.amateur.misc:10449 rec.radio.amateur.policy:25270 rec.radio.shortwave:33739

Signal Chaser <em@il.here> wrote:

>In a way, it's sort of like sign-language. Two people that don't know
>each others tongue but know sign language can still communicate.

Actually, there are various sign languages, often corresponding to national languages, and I've been told that although they tend to have more in common than spoken languages, a person who can speak one can't necessarily understand the others.

Jack Hamilton
jfh@acm.org

Though in a state of society some must have greater
luxuries and comforts than others, yet all should have
the necessities of life; and if the poor cannot exist,
in vain may the rich look for happiness or prosperity.

The legistlature is never so well employed as when they look to the interests of those who are at a distance from them in the ranks of society. It is their duty to do so; religion calls for it; humanity calls for it; and if there are hearts who are not awake to either of those feelings, their own interests would dictate it.

Sir Lloyd Kenyon, Rex vs. Rusby, 1800

```
From 1372860153516188807
X-Google-Thread: 108228,8823d772143d92e3,start
X-Google-Thread: 108122,8823d772143d92e3,start
X-Google-Thread: 1109af,8823d772143d92e3,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!
not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA SP50 PORTABLE RADIO UHF 10-CH 4-W-w/RAPID CHGR
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0010_01C670FF.84498560"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <IQ57g.3169$_m5.2149@fed1read09>
Date: Sat, 6 May 2006 11:23:36 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146939816 68.96.227.248 (Sat, 06 May 2006 14:23:36 EDT)
NNTP-Posting-Date: Sat, 06 May 2006 14:23:36 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:899
rec.radio.amateur.equipment:3830 rec.radio.swap:3889

This is a multi-part message in MIME format.

------=_NextPart_000_0010_01C670FF.84498560
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA SP50 PORTABLE RADIO UHF 10-CH 4-W-w/RAPID CHGR=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7617153101&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0010_01C670FF.84498560
```

```
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA SP50 PORTABLE RADIO UHF 10-CH 4-W-w/RAPID CHGR </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7617153101&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7617153101&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0010_01C670FF.84498560--



From -4928270290076837382
X-Google-Thread: 108228,31fe31924fd62436,start
X-Google-Thread: 108122,31fe31924fd62436,start
X-Google-Thread: 1109af,31fe31924fd62436,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA CP200-2WAY RADIO 438-470MHz-HAM/COMM-DESK CHGR
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0019_01C670FF.A95A32F0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <uS57g.3170$_m5.1104@fed1read09>
Date: Sat, 6 May 2006 11:24:38 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146939930 68.96.227.248 (Sat, 06 May 2006 14:25:30 EDT)
NNTP-Posting-Date: Sat, 06 May 2006 14:25:30 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:900
rec.radio.amateur.equipment:3831 rec.radio.swap:3890
```

```
This is a multi-part message in MIME format.

------=_NextPart_000_0019_01C670FF.A95A32F0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA CP200-2WAY RADIO 438-470MHz-HAM/COMM-DESK CHGR

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7617145525&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0019_01C670FF.A95A32F0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA CP200-2WAY RADIO 438-470MHz-HAM/COMM-DESK CHGR</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7617145525&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7617145525&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0019_01C670FF.A95A32F0--




From -9084079520400228142
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed.news2me.com!
newspump.sol.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: blame the posters not arrl
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060501194523.665$XK@newsreader.com>
```

```
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
<3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
<1146333073.590407.297500@i39g2000cwa.googlegroups.com>
<cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com> <1257hrlls8jm694@corp.supernews.com>
<33aa52hjph9c5e7bv6a0ihoonjttmsa7q4@4ax.com>
<1146434087.455556.152410@u72g2000cwu.googlegroups.com>
<13ja521a4t9lajqiiajd47h1siohf5vf8h@4ax.com>
<1146449543.853365.112330@j73g2000cwa.googlegroups.com>
<5jhc52939d5i1334sj0gq88kmsfc8eii1f@4ax.com>
<e191c$445696db$453d9423$1018@FUSE.NET>
X-NRC-Trace: NewsReader.Com .b4jhT3tGV17pGMr7TC6HXDv_gCdV_BzJ@DsHfqL@XFPbOjo=p
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 01 May 2006 23:29:43 GMT
Lines: 7
NNTP-Posting-Host: 062dfa24.nr3.newsreader.com
X-Trace: DXC=1okOH^n1=Zh89LGDee<B\nOA8_@f\K_ibO3l?
gPj53>e_2UKk4NUK]bNd7biGRhQTg<@WejEU8`YkdSX2]Qh7kU`
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10712
rec.radio.amateur.equipment:3730 rec.radio.amateur.policy:25067 rec.radio.cb:9055
rec.radio.shortwave:33257
```

jawod <jawod@fuse.net> wrote:
> Do YOU have anything related to ham radio to post?
>

Well to be fair it can pertain to any of these groups..

rec.radio.amateur.antenna,rec.radio.amateur.equipment,
rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave

```
From -4887253521120383265
X-Google-Thread: 108122,9544994fe431b457,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Mon, 01 May 2006 19:04:29 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program  - SKYTRIG
Date: Tue, 2 May 2006 00:57:47 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
```

X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <I8KdnSh2msqQP8vZRVny2Q@bt.com>
Lines: 32
NNTP-Posting-Host: 86.137.120.7
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-ATjRsz2Sov8IReTDNOvIA3IXFgFTArtQ5daZY40y8uvSKXXa68jMmbMhY2zDr7WFZlIuluNygZ6fCsi!maD0IgvJIKaTyzlhRa6pjU55SpjxO2jU72/Uz69H3KcrjssMp4pXZiOQGf5w
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3731

Program SKYTRIG - SKYWAVE TRIGONOMETRY

With an input of elevation angle, layer height and critical frequency, the program calculates skywave path distance, groundpath distance, spreading (dispersion) loss, field strength from a 100 watt transmitter, and the MUF.

The program can be used for guidance on the low MUF's and the geometry of near vertical incidence radio paths over short distance groundpaths.

Elevation angle is NOT the angle at which an antenna radiates the strongest signal. It is the angle of the path taken by the radio wave between two places on the Earth's surface and is nothing to do with an antenna.

The program notes provide some elementary information on the heights and behaviour of the various ionospheric layers in sunlight and in darkness. Also on factors which affect received field strength such as operating frequency being greater than MUF.

Download in a few seconds program SKYTRIG from website below.
Filesize = 42 kilo-bytes. Run immediately. Or you can open/run it without downloading.

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

From 8394449826247645334
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a

```
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!indigo.octanews.net!news-
out.octanews.net!mauve.octanews.net!198.186.190.95.MISMATCH!news-out.readnews.com!
postnews3.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: blame the posters not arrl
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060501211403.555$Yi@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
<1146333073.590407.297500@i39g2000cwa.googlegroups.com>
<cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com> <1257hrlls8jm694@corp.supernews.com>
<33aa52hjph9c5e7bv6a0ihoonjttmsa7q4@4ax.com>
<1146434087.455556.152410@u72g2000cwu.googlegroups.com>
<13ja521a4t9lajqiiajd47h1siohf5vf8h@4ax.com>
<1146449543.853365.112330@j73g2000cwa.googlegroups.com>
<5jhc52939d5i1334sj0gq88kmsfc8eii1f@4ax.com>
<e191c$445696db$453d9423$1018@FUSE.NET>
<23cd521iser4stop3dd1q02s8vrhru353u@4ax.com>
X-NRC-Trace: NewsReader.Com _=6wPuD9DCjqQCgADZBl2AgFL9q-rCmk,e=gXk_Awl/qT.@iW8
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 02 May 2006 00:58:23 GMT
Lines: 4
NNTP-Posting-Host: 082bb69f.nr3.newsreader.com
X-Trace: DXC=h6P\]1cTn2dL>l[]<OI_4hOA8_@f\K_ibO3l?
gPj53>e7BnQFUIJUGaNd7biGRhQTg<SVPgDF]ACd4EA38=JGM3h
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10721
rec.radio.amateur.equipment:3733 rec.radio.amateur.policy:25071 rec.radio.cb:9060
rec.radio.shortwave:33261

Fred <freddyr1928@ll.net> wrote:
> Maybe, but I am more of a reader than a writer.
>
Mee two! <g>


From -9141106931571356445
X-Google-Thread: 108122,87f7d92adec877c9
X-Google-Thread: fc2a5,87f7d92adec877c9
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
```

```
filter.phx!fe05.lga.POSTED!53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.2 (OS/2/20060423)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.amateur.homebrew
Subject: Re: PROJECT BOX
References: <125cug53d8nf884@corp.supernews.com>
In-Reply-To: <125cug53d8nf884@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <paz5g.352$PN3.160@fe05.lga>
X-Trace:
nghlfjfcphhogbndofllaegpecgdhepnnjcjickcienhhalchmddohcnabgnacknihbihliohechmkebbi
iehpjbepnmdlibchmbemilngggfbeaekecjdahmlkkcimghfmk�
NNTP-Posting-Date: Mon, 01 May 2006 19:08:21 MST
Date: Mon, 01 May 2006 22:08:22 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:3734
rec.radio.amateur.homebrew:5065
```

Try the Mouser and Newark catalogs.

"Perce"
(aka Alan NV8A)

On 05/01/06 05:13 pm Butch Magee wrote:

> I'm looking for a supplier of project boxes (metal). What I need right
> now is a 4 x 7 x 5 in. Or numbers close to this, abt. 1/2in either way
> for a little ant. tuner I want to put together.

```
From 1447746165464582620
X-Google-Thread: 108122,37eb3c89e01acfe1,start
X-Google-Thread: 1109af,37eb3c89e01acfe1,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 6-EA MOTOROLA SP50 UHF PORTABLE RADIOS+6-UNIT BANK CHGR
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0019_01C66D58.073B8A50"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <pJz5g.538$_m5.482@fed1read09>
```

```
Date: Mon, 1 May 2006 19:47:07 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146537941 68.96.227.248 (Mon, 01 May 2006 22:45:41 EDT)
NNTP-Posting-Date: Mon, 01 May 2006 22:45:41 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:3735 rec.radio.swap:3837

This is a multi-part message in MIME format.

------=_NextPart_000_0019_01C66D58.073B8A50
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 6-EA MOTOROLA SP50 UHF PORTABLE RADIOS+6-UNIT BANK CHARGER=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7615535553&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0019_01C66D58.073B8A50
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 6-EA MOTOROLA SP50 UHF PORTABLE RADIOS+6-UNIT BANK CHARGER </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7615535553&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7615535553&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0019_01C66D58.073B8A50--




From -3979022226374231370
X-Google-Thread: 108122,a8627b48de72c1e0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
203.109.252.33.MISMATCH!newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-
north.connect.com.au!not-for-mail
```

```
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: MOLEX PLUGS
Date: Tue, 2 May 2006 14:24:50 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 6
Message-ID: <e36mv1$17l$1@news-02.connect.com.au>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1146543906 1269 202.172.125.74 (2 May 2006
04:25:06 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Tue, 2 May 2006 04:25:06 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:3736
```

Hi fellas, where is the best location to look for MOLEX Plugs, especially the config on the Band Data port (ACC/2) on the FL-7000 ?

Thank you

```
From 6563041093608581053
X-Google-Thread: 108228,bceb5099daeb1766,start
X-Google-Thread: 108122,bceb5099daeb1766,start
X-Google-Thread: 1109af,bceb5099daeb1766,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!cox.net!p01!fed1read09.POSTED!
53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA SP50 Portable Radio UHF 10-CH 4-W w/Charger
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C66D6E.04D11800"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <C0C5g.542$_m5.146@fed1read09>
Date: Mon, 1 May 2006 22:24:32 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
```

```
X-Trace: fed1read09 1146547362 68.96.227.248 (Tue, 02 May 2006 01:22:42 EDT)
NNTP-Posting-Date: Tue, 02 May 2006 01:22:42 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:889
rec.radio.amateur.equipment:3737 rec.radio.swap:3840

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C66D6E.04D11800
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA SP50 PORTABLE RADIO UHF 10-CH 4-W w/CHARGER=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7615582264&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C66D6E.04D11800
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA SP50 PORTABLE RADIO UHF 10-CH 4-W w/CHARGER </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7615582264&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7615582264&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C66D6E.04D11800--




From -4717011561165225887
X-Google-Thread: 108122,87f7d92adec877c9
X-Google-Thread: fc2a5,87f7d92adec877c9
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.pipex.net!
news.pipex.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 02 May 2006 04:25:55 -0500
Date: Tue, 02 May 2006 10:25:59 +0100
```

From: Highland Ham <abcgm0csz.kn6whxyz@dsl.pipex.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.2) Gecko/20060404 SeaMonkey/1.0.1
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.amateur.homebrew
Subject: Re: PROJECT BOX
References: <125cug53d8nf884@corp.supernews.com>
In-Reply-To: <125cug53d8nf884@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <acqdnQaPkv4-uMrZnZ2dnUVZ8qCdnZ2d@pipex.net>
Lines: 15
NNTP-Posting-Host: 81.179.118.166
X-Trace: sv3-XD4rAMVwMZupxXCS76twrUbOr8AX50VD1cuabjn0WdY/fWh8xd2dogNSgA4trU5EueLbNyuKVENavqp!yXlgCDjZznQbRQGC0/FmKCCfWEA0lo8yIC3Fo0+twil2fuOJiHX0SvGNzXWu/QiQFCTivENDQPIA!vewDDT3eEcsDGh3GsUxLUNLvCcU=
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3738 rec.radio.amateur.homebrew:5067

Butch Magee wrote:
> I'm looking for a supplier of project boxes (metal). What I need right
> now is a 4 x 7 x 5 in. Or numbers close to this, abt. 1/2in either way
> for a little ant. tuner I want to put together.

========================
Suggest you don't make the enclosure too small for a matching box (tuner).
Any inductor too near metal , will affect the inductor's Q
A rule of thumb is to keep the inductor away from the enclosure not less than 1 diameter(of the inductor)
For this reason I am constructing an antenna matching unit in a plywood enclosure or perhaps MDF ,although I understand MDF is no longer used in the USA,because in contains phenolic resin. Perhaps someone in the know on this NG can confirm this.

Frank   GM0CSZ / KN6WH

From 9051367550900749458
X-Google-Thread: 108122,87f7d92adec877c9
X-Google-Thread: fc2a5,87f7d92adec877c9
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread10.POSTED!53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>

From: "Glenn" <aa5pk@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.amateur.homebrew
References: <125cug53d8nf884@corp.supernews.com>
Subject: Re: PROJECT BOX
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <p6H5g.216$QE.17@dukeread10>
Date: Tue, 2 May 2006 06:10:11 -0500
NNTP-Posting-Host: 68.224.212.198
X-Complaints-To: abuse@cox.net
X-Trace: dukeread10 1146568213 68.224.212.198 (Tue, 02 May 2006 07:10:13 EDT)
NNTP-Posting-Date: Tue, 02 May 2006 07:10:13 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:3739
rec.radio.amateur.homebrew:5069

"Butch Magee" <lynyrd@cableone.net> wrote in message
news:125cug53d8nf884@corp.supernews.com...
> I'm looking for a supplier of project boxes (metal). What I need right now is a 4 x 7 x 5 in. Or
> numbers close to this, abt. 1/2in either way for a little ant. tuner I want to put together.

You might find what you're looking for here: <http://home.flash.net/~k3iwk/>
73 de Glenn AA5PK

From 7074867452797807695
X-Google-Thread: 108122,87f7d92adec877c9
X-Google-Thread: fc2a5,87f7d92adec877c9
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-mail
From: w8ji@akorn.net
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: PROJECT BOX
Date: 2 May 2006 04:44:05 -0700
Organization: http://groups.google.com
Lines: 56
Message-ID: <1146570245.392397.15030@y43g2000cwc.googlegroups.com>
References: <125cug53d8nf884@corp.supernews.com>
   <acqdnQaPkv4-uMrZnZ2dnUVZ8qCdnZ2d@pipex.net>
NNTP-Posting-Host: 216.1.128.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"

X-Trace: posting.google.com 1146570252 15649 127.0.0.1 (2 May 2006 11:44:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 2 May 2006 11:44:12 +0000 (UTC)
In-Reply-To: <acqdnQaPkv4-uMrZnZ2dnUVZ8qCdnZ2d@pipex.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=216.1.128.208;
   posting-account=O3NecA0AAAAAfSOCVEE_zteCREQmlynr
Xref: g2news2.google.com rec.radio.amateur.equipment:3740
rec.radio.amateur.homebrew:5070

Highland Ham wrote:
> Butch Magee wrote:
> > I'm looking for a supplier of project boxes (metal). What I need right
> > now is a 4 x 7 x 5 in. Or numbers close to this, abt. 1/2in either way
> > for a little ant. tuner I want to put together.
> ========================
> Suggest you don't make the enclosure too small for a matching box (tuner).
> Any inductor too near metal , will affect the inductor's Q
> A rule of thumb is to keep the inductor away from the enclosure not less
> than 1 diameter(of the inductor)
> For this reason I am constructing an antenna matching unit in a plywood
> enclosure or perhaps MDF ,although I understand MDF is no longer used in
> the USA,because in contains phenolic resin. Perhaps someone in the know
> on this NG can confirm this.
>
> Frank   GM0CSZ / KN6WH

Hi Frank,

It sounds like you are going to an extreme that will create as more problems than it solves.

There is very little Q change in an aircore inductor of typical form factors when it is brought near sheet metal unless that sheet metal is in the core axis within a core diameter or less. The reason for this is air does not saturate, and the magnetic flux simply moves to a better spot.

There are only two exceptions to the generally very small Q reduction by a coil being near metal. The first is when the inductor is operated very near self-resonance, at which point any stray capacitance can seriously affect coil Q. The second is when the metal totally encloses the inductor and is so close it reduces inductance a significant amount.

MFJ has that problem is some small tuners, where the end of a 2 or 3" diameter coil is mounted right up against the sheetmetal (nearly zero spacing) and the when the cover is installed the other end has metal a fraction of an inch away. Unloaded inductor Q drops about 45% from 220 to 120 in that tuner whe the full coil is being used, and it is an exceptionally bad layout. Had they stayed an inch or two away from the ends of the coil it would not be an issue.

When you place components in a "transparent" box, you now have significant new problems. You have no reliable groundplane. Wiring is an issue. There also is no containment of fields, you have created a small antenna in the room.

Most of the problems in tuners are caused by the tuner not have enough capacitance or using an inductor with crappy Q to start with, not by the box. You have to work at it pretty hard to make a design where the box kills the Q, but it is easy to make a box that radiates harmful RF into the area around the tuner.

73 Tom

```
From -1843739686396525225
X-Google-Thread: 108122,8a741048cf56cac1,start
X-Google-Thread: fc8b1,8a741048cf56cac1,start
X-Google-Thread: 108228,8a741048cf56cac1,start
X-Google-Attributes: gid108122,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "wa2rqy@comcast.net" <wa2rqy@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,alt.ham-
radio.marketplace
Subject: FA: @$9.99>MIL-SPEC TEST LEADS/ PROBES SET,NEW-SEALED NR
Date: 2 May 2006 06:16:50 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1146575810.030531.12420@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146575817 31534 127.0.0.1 (2 May 2006 13:16:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 2 May 2006 13:16:57 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=68.56.4.30;
   posting-account=_wUy-g0AAADe6bOxzHpGRiyp2zaMPNfW
Xref: g2news2.google.com rec.radio.amateur.equipment:3741
rec.radio.amateur.boatanchors:3952 alt.ham-radio.marketplace:890
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=1&item=7614406959&ssPageName=STRK:MESE:IT

```
From -1092219469557639376
X-Google-Thread: 108122,e4314f29d361076,start
X-Google-Thread: fc8b1,e4314f29d361076,start
X-Google-Thread: 108228,e4314f29d361076,start
X-Google-Attributes: gid108122,gidfc8b1,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "wa2rqy@comcast.net" <wa2rqy@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,alt.ham-
radio.marketplace
Subject: FA: @$9.99>TWO(2) TAYLOR TZ-40 ZERO BIAS TRIODES for AUDIO/RF USE
Date: 2 May 2006 06:18:18 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1146575898.003162.137030@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146575906 31746 127.0.0.1 (2 May 2006 13:18:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 2 May 2006 13:18:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=68.56.4.30;
   posting-account=_wUy-g0AAADe6bOxzHpGRiyp2zaMPNfW
Xref: g2news2.google.com rec.radio.amateur.equipment:3742
rec.radio.amateur.boatanchors:3953 alt.ham-radio.marketplace:891

No Bids:-(
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=7614406947&ssPageName=STRK:MESE:IT
```

```
From 4030011371156961462
X-Google-Thread: 108122,5db0de4564655526,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.rcn.net!news.rcn.net.POSTED!
not-for-mail
NNTP-Posting-Date: Tue, 02 May 2006 18:52:57 -0500
Message-ID: <4457F0D9.E91F9B0B@erols.com>
Date: Tue, 02 May 2006 19:52:57 -0400
From: "Murray Green, K3BEQ" <mgreen@erols.com>
Organization: GMRA
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: 5 Band Quad
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
NNTP-Posting-Host: 66.44.2.158
X-Trace: sv3-KW0JFNCo50ZDvpZiNbjSO3a4+K3kpoQ3cYAgoT2tsGE8RlGTqohyf/
tSgrThKxRGG9sbgRdWl4mVSR/!
ZnW9BMwlNL+WbIArHRJqoDl4hchHKY5Sx3O2hvzawlnjC8e4IL7oUj5DzQ==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3743

5 Band Cubical Quad (20, 17, 15, 12, 10M.)  Can be used to make either
a 2 element or 5 element quad. Spreaders are heavy duty fiber glass
construction. Boom is 32 feet long, with spider mounts, boom plate.
You will have to provide the wire to complete assembly. Contact
Everett, WA3DVO, at: wa3dvo@msn.com  (Pick up only in Maryland
near WashDC.)


From -3583907643685486431
X-Google-Thread: 108122,a1d91ad90821e55a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.centurytel.net!
news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 02 May 2006 19:53:38 -0500
From: "Daniel C Mckenzie" <mckenzie.no@centurytel.net>
Newsgroups: rec.radio.amateur.equipment
References: <_Ed5g.52403$x97.31403@news-wrt-01.rdc-nyc.rr.com>
Subject: Re: collins 20V2
Date: Tue, 2 May 2006 19:53:37 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <ErKdnXNY-qKPYsrZRVn-rA@centurytel.net>
Lines: 13
NNTP-Posting-Host: 204.73.103.253
X-Trace: sv3-
qn1GbgYjNcAwIZllDbN+ZIhtLxiTh+qWsULTRCQxbKoZ+Pgg0nEsasDD4Hx9+eoebAHqEk608w/ddkq!
lPkKL80VDIFjTEjTaitG4di0fDXN/QG8PBh4Ed87d7K7E24/jywePPj5eYqaBhf5PKf+QO+8xXuy!
8o5lpApXbnMSYxq/8W3LAaJbdg==
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3744

"Dave Schneider" <wjdi@hvc.rr.com> wrote in message
news:_Ed5g.52403$x97.31403@news-wrt-01.rdc-nyc.rr.com...

> Looking for a 20v2 OR 20v3
>

Ahhhh...used to work on one in the 80's, WDBQ, Dubuque, Iowa

Hope you find one.

Dan, W9FCC

From -2309816865031123190
X-Google-Thread: 108122,4f577e41014897e7,start
X-Google-Thread: fc2a5,4f577e41014897e7,start
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread1.news.pas.earthlink.net.POSTED!84ef5383!not-for-mail
From: "Brian Murrey" <brian@iquest.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: UPDATED - Parts for sale
Lines: 85
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <VqV5g.575$Ae1.376@newsread1.news.pas.earthlink.net>
Date: Wed, 03 May 2006 03:27:49 GMT
NNTP-Posting-Host: 69.69.35.37
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1146626869 69.69.35.37 (Tue, 02 May 2006 20:27:49 PDT)
NNTP-Posting-Date: Tue, 02 May 2006 20:27:49 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3745 rec.radio.amateur.homebrew:5087

I have moved my junkbox surplus stuff to a new website.
http://www.hamradparts.com

1N4148 Diodes $3.00 for 100, $4.00 for 200
1N4001 - 1 Amp 50v General Purpose Rectifier Diodes - $3.00 for 50

33pf NPO Caps, SMT 0805, 50V - $3.00 for 100
150pf NPO Caps, SMT 0805, 50V - $3.00 for 100
220pf NPO Caps, SMT 0805, 50V - $3.00 for 100
390pf Caps, SMT 1206, 50V - $3.00 for 100
1500pf NPO Caps, SMT 0805, 50V - $3.00 for 100
3300pf Caps, SMT 0805, 25V - $3.00 for 100
.1uF Caps, SMT 0805, 50V - $3.00 for 100

SPECIAL SMT PACK - 50 of each listed value $9.00
350 total parts

2N3704 NPN TO92 - 20 for $2.00
2N2907 PNP TO92 Package - $4.00 for 50
2N3904 NPN TO92 Package - $4.00 for 50
2N2222 NPN TO18 (metal) Package - 5 for $1.00
MMBT4403 PNP SMT transistor - 50 for $4.00

SPECIAL: 100pcs PN2222A Motorola $7.00- FREE SHIPPING

2N2222 NPN TO92 Package - $4.00 for 50
The 2N2222 is a bulk transistor...meaning the part is not labeled.
They ship in a Zip Lock packet and the packet is clearly labeled.

2N3906 PNP TO92 Package - $4.00 for 50
The 2N3906 is a bulk transistor...meaning the part is not labeled.
They ship in a Zip Lock packet and the packet is clearly labeled.

IRF510 - MOSFET AMP TO220 - 4 for $5.00

Crystal Ladder Filters anyone?
3.575611 Mhz HC49 Crystals - 5 for $2.00
4.9152 Mhz HC49 Crystals - 10 for $3.00
9.830 Mhz Crystals (SS2 package) - 20 for $3.00
LM7805ACV 5v Positive Voltage Regulators (TO220) 5 for $2.00
LM386N-1 - Audio Amp 6 for $5.00

Sticky Back Rubber Feet for your projects, self adhesive - 8 to a strip - 2 Strips for $1.00

Panasonic Wall Warts - 12VDC, 500mA (center negative) $6.00 each
If you need center positiove, cut off the end and reverse it. I use these to power my
rock mites, my TT2, and all of my homebrew test gear.

8pf NPO Ceramic 50 for $3.00
11pf NPO Ceramic 50 for $3.00
12pf NPO Ceramic 50 for $3.00
22pf Ceramic 50 for $3.00
470pf Ceramic 50 for $3.00
560pf Ceramic 50 for $3.00
.1 uF (104J) NPO Ceramic 50 for $3.00
.01uF (103K) Ceramic 50 for $3.00

SPECIAL PACK - 25 of each listed ceramic $10.00
200 parts total

Cash, check, paypal now accepted

Paypal to: orders@hamradparts.com

Add $3.00 shipping to any order under $50.00 unless you are ordering the special Motorola PN2222 transistors.

Brian Murrey
47 Grassy Drive
New Whiteland IN 46184

73 de KB9BVN

```
-- 
=========================================
Radio Amateurs - Fill your junk box, from my junkbox!
http://www.hamradparts.com
73 de KB9BVN
=========================================
```

```
From -8218993276826278137
X-Google-Thread: 108122,d65df5fcaa4c6ae5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.mv.net!not-for-mail
From: Rick <reply.to.newsgroup@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: SWAN 1200-W CYGNET AMPLIFIER
Date: Wed, 03 May 2006 10:22:24 -0400
Organization: MV Communications, Inc.
Lines: 12
Message-ID: <k2fh52duc30fnotnttidgdrt3u2po0tatr@4ax.com>
References: <Adw5g.37574$vl4.35402@newsfe24.lga>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: pyrite.mv.net 1146666114 69234 207.22.49.17 (3 May 2006 14:21:54 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 3 May 2006 14:21:54 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.0/32.763
Xref: g2news2.google.com rec.radio.amateur.equipment:3746
```

On Mon, 01 May 2006 17:50:14 -0500, Radio <radReMoVe@mts.com> wrote:

>> SWAN 1200-W CYGNET AMPLIFIER
>>
>> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9720712890

Anybody know if this amplifier will work properly with the newer solid state rigs such as the Icom IC-706 or IC-735?

I know that some older linears don't present a very good load to the newer solid state rigs so that the VSWR that the transceiver sees is too high.

```
From -3796935972829265054
X-Google-Thread: 108122,2778d04cbc1f115a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.mv.net!not-for-mail
From: Rick <reply.to.newsgroup@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Questions on Siltronix SLM-100 Linear Amplifier
Date: Wed, 03 May 2006 10:26:29 -0400
Organization: MV Communications, Inc.
Lines: 14
Message-ID: <86fh52tto39v1g0sqs5pfu7lkleadmags2@4ax.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: pyrite.mv.net 1146666358 69234 207.22.49.17 (3 May 2006 14:25:58 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 3 May 2006 14:25:58 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.0/32.763
Xref: g2news2.google.com rec.radio.amateur.equipment:3747
```

I have seen a Siltronix SLM-100 HF linear amplifier for sale, specifications claim 3-30 MHz coverage and 100 watts output.

Google shows only limited information on this beast.

Do any of you know anything about this amplifier?

It's fairly obvious that it was targeted towards the CB market, and some of the amplifiers that are targeted to that market don't produce an output that'st very clean. Any of you know how clean an output this SLM-100 should put out?

I'd like to get something I can use with my Yaesu FT-817.

```
From 6575477915009837471
X-Google-Thread: 108122,3ae0e4205369908e,start
```

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <wd8e@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Motorola Hand Mics
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <6k36g.25102$mh.20581@tornado.ohiordc.rr.com>
Date: Wed, 03 May 2006 14:43:14 GMT
NNTP-Posting-Host: 65.25.139.138
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1146667394 65.25.139.138 (Wed, 03 May 2006 10:43:14 EDT)
NNTP-Posting-Date: Wed, 03 May 2006 10:43:14 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3748

I have the following Motorola hand mics for sale:

New
HMN 1001B DTMF
HMN 1010B
HMN 1031A DTMF
HMN 1049A
HMN 1061A 2EA

Used
HMN 1001A
HMN 1001B
HMN 1056A
HMN 3013A DTMF
HMN 4005A
MBTMN 1025A
TMN 6054A

Thanks
Frank

From 8995647206645852930
X-Google-Thread: 108122,c471e6785777ffc5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!news-
server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <wd8e@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Pryme 6 Meter HT
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <vj56g.29000$P2.9604@tornado.ohiordc.rr.com>
Date: Wed, 03 May 2006 16:59:07 GMT
NNTP-Posting-Host: 65.25.139.138
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1146675547 65.25.139.138 (Wed, 03 May 2006
12:59:07 EDT)
NNTP-Posting-Date: Wed, 03 May 2006 12:59:07 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3749

I am closing my business and have two new in box Pryme PR-52 6 Meter HTs.
$140.00 plus shipping for each.  I will combine shipping for multi
purchases.
Fritz




From -4401591074044611550
X-Google-Thread: 108122,ec176704fd07ba1e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!wns13feed!
worldnet.att.net!24.30.200.11!news-east.rr.com!news.rr.com!news-
server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <wd8e@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: PRYME 220Mhz HT
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <ck56g.25132$mh.18410@tornado.ohiordc.rr.com>
Date: Wed, 03 May 2006 16:59:52 GMT
NNTP-Posting-Host: 65.25.139.138
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1146675592 65.25.139.138 (Wed, 03 May 2006
12:59:52 EDT)
NNTP-Posting-Date: Wed, 03 May 2006 12:59:52 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3750
```

I am closing my business and have two new in box Pryme PR-52 6 Meter HTs.
$140.00 plus shipping for each. I will combine shipping for multi
purchases.
Fritz

```
From -3346856528282261744
X-Google-Thread: 108122,f4e30dc33afa1466,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed2.easynews.com!
easynews.com!easynews!news-west.rr.com!news.rr.com!news-wrt-01.rdc-nyc.rr.com!
news-wrt-01.ohiordc.rr.com!news-server.columbus.rr.com!
tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <wd8e@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS; ADI AT-401 HT
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <fq56g.29002$P2.3352@tornado.ohiordc.rr.com>
Date: Wed, 03 May 2006 17:06:19 GMT
NNTP-Posting-Host: 65.25.139.138
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1146675979 65.25.139.138 (Wed, 03 May 2006
13:06:19 EDT)
NNTP-Posting-Date: Wed, 03 May 2006 13:06:19 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3751
```

I am closing my business and have four new in box ADI AT-401 440 Mhz HTs.
$140.00 plus shipping for each. I will combine shipping for multi
purchases.
Fritz

```
From -2584098622568172451
X-Google-Thread: 108122,5a0b7983067dcd5e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: Tyra@ev1.net
Newsgroups: rec.radio.amateur.equipment
Subject: Hong Kong Kenwood TH-22AT Problems
Date: 3 May 2006 17:35:32 -0700
```

```
Organization: http://groups.google.com
Lines: 6
Message-ID: <1146702932.726515.206820@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 216.40.204.75
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146702939 5662 127.0.0.1 (4 May 2006 00:35:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 4 May 2006 00:35:39 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90; AT&T
CSM 6; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=216.40.204.75;
   posting-account=s3D5FQ0AAAAxSKQX6Ese3gSzdzTO5Mws
Xref: g2news2.google.com rec.radio.amateur.equipment:3752
```

Is anyone in this group having problems with this radio? I have a bad one and know of three others that have the same problem. I got it on E-Bay.

John K5FTN

```
From -5626211049352103139
X-Google-Thread: 108122,5a0b7983067dcd5e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: Tyra@ev1.net
Newsgroups: rec.radio.amateur.equipment
Subject: Hong Kong Kenwood TH-22AT Problems
Date: 3 May 2006 17:36:15 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1146702975.377118.262210@j73g2000cwa.googlegroups.com>
NNTP-Posting-Host: 216.40.204.75
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146702980 30114 127.0.0.1 (4 May 2006 00:36:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 4 May 2006 00:36:20 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x 4.90; AT&T
CSM 6; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=216.40.204.75;
   posting-account=s3D5FQ0AAAAxSKQX6Ese3gSzdzTO5Mws
Xref: g2news2.google.com rec.radio.amateur.equipment:3753
```

Is anyone in this group having problems with this radio? I have a bad one and know of three others that have the same problem. I got it on E-Bay.

John K5FTN

```
From -6635434759653379742
X-Google-Thread: 10ed5f,e2d8a0b5fcf8d209,start
X-Google-Thread: 108778,e2d8a0b5fcf8d209,start
X-Google-Thread: 108122,e2d8a0b5fcf8d209,start
X-Google-Attributes: gid10ed5f,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 03 May 2006 20:36:36 -0500
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: alt.ham-radio,alt.radio.amateur,rec.radio.amateur.equipment
Subject: Best ARRL Hankbook issue
Date: Wed, 3 May 2006 21:36:35 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
Lines: 19
NNTP-Posting-Host: 71.199.254.204
X-Trace: sv3-
uN6SlvY8ODXarh6YkeDzrUyrXEhZoUvZlIJzbGG38dTjB7b9KyD13bwbhKB8JDvkwtTBYGMfT4SINHj!/
TLvDVJpyC2io6FlOA2Hc85VFwoAxEjDN+7qNXf6jT3XUp7CkiTKT8TepUYLUznZM8Zj4iySRZTJ!7lo=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com alt.ham-radio:779 alt.radio.amateur:257
rec.radio.amateur.equipment:3754
```

I'm curious about what your opinions of the ARRL Handbook. In terms of technical content, such as theory, construction projects, etc., which years are generally regarded as the best of the modern (solid state) era, and which issue for the vacuum tube era?

I'm interested in hearing about specifically those issues with really useful construction projects in the areas of complete homebrew receivers and transmitters, test equipment for the bench and field use and articles about RF circuit design.

Thanks for your opinions.
--

Dave
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

Make it idiot-proof and someone will make a better idiot.

From 3143200536420139408
X-Google-Thread: 108228,c9042bc4202a2ca9
X-Google-Thread: fc8b1,c9042bc4202a2ca9
X-Google-Thread: 108122,c9042bc4202a2ca9
X-Google-Thread: fc2a5,c9042bc4202a2ca9
X-Google-Thread: 1109af,c9042bc4202a2ca9
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-mail
From: "Telstar Electronics" <briangriffey@sbcglobal.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: Vintage WRL Globe FCL-1 "Speech Booster" - RARE
Date: 4 May 2006 04:54:22 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1146743662.301390.156720@j73g2000cwa.googlegroups.com>
References: <hiq5g.952970$xm3.606729@attbi_s21>
NNTP-Posting-Host: 216.203.30.4
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146743667 11230 127.0.0.1 (4 May 2006 11:54:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 4 May 2006 11:54:27 +0000 (UTC)
In-Reply-To: <hiq5g.952970$xm3.606729@attbi_s21>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=216.203.30.4;
   posting-account=eoghzw0AAACGs5GNlxOe2ZOOp7mFNdYD
Xref: g2news2.google.com alt.ham-radio.marketplace:892 rec.radio.amateur.boatanchors:3971 rec.radio.amateur.equipment:3755 rec.radio.amateur.homebrew:5097 rec.radio.swap:3861

Anyone know the principle of this unit... is it just an audio amp?

www.telstar-electronics.com

From -6019362196808027527

```
X-Google-Thread: 108228,1c072aa8429a783d,start
X-Google-Thread: 108122,1c072aa8429a783d,start
X-Google-Thread: 1109af,1c072aa8429a783d,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!cox.net!news-
xfer.cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA MTX SERIES CONVERT-A-COM-POWER SPKR & MIC-NO Reserve
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0012_01C66F56.6ADBD420"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Rep6g.3079$_m5.2352@fed1read09>
Date: Thu, 4 May 2006 08:40:37 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146757169 68.96.227.248 (Thu, 04 May 2006 11:39:29 EDT)
NNTP-Posting-Date: Thu, 04 May 2006 11:39:29 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:893
rec.radio.amateur.equipment:3756 rec.radio.swap:3863

This is a multi-part message in MIME format.

------=_NextPart_000_0012_01C66F56.6ADBD420
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA MTX SERIES CONVERT-A-COM-POWER SPKR & MIC-NO Reserve

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7616240836&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0012_01C66F56.6ADBD420
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
```

```
<DIV><FONT size=3D2>
<P>FA: MOTOROLA MTX SERIES CONVERT-A-COM-POWER SPKR &amp; MIC-NO =
Reserve</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7616240836&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7616240836&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0012_01C66F56.6ADBD420--
```

```
From -9019018094697113516
X-Google-Thread: 108228,49380b5cffbfa8a0,start
X-Google-Thread: 108122,49380b5cffbfa8a0,start
X-Google-Thread: 1109af,49380b5cffbfa8a0,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 6-UNIT MOTOROLA RADIO BANK CHARGER for CP150-CP200-PR400 Radios
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001B_01C66F57.3C97B150"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <lkp6g.3080$_m5.2906@fed1read09>
Date: Thu, 4 May 2006 08:46:29 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146757521 68.96.227.248 (Thu, 04 May 2006 11:45:21 EDT)
NNTP-Posting-Date: Thu, 04 May 2006 11:45:21 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:894
rec.radio.amateur.equipment:3757 rec.radio.swap:3864

This is a multi-part message in MIME format.

------=_NextPart_000_001B_01C66F57.3C97B150
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 6-UNIT MOTOROLA RADIO BANK CHARGER for CP150-CP200-PR400 Radios

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7616246643&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_001B_01C66F57.3C97B150
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 6-UNIT MOTOROLA RADIO BANK CHARGER for CP150-CP200-PR400 =
Radios</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7616246643&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7616246643&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_001B_01C66F57.3C97B150--




From 46407426249964660
X-Google-Thread: 108228,8334fec6e179d15f,start
X-Google-Thread: 108122,8334fec6e179d15f,start
X-Google-Thread: 1109af,8334fec6e179d15f,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA MTX9000 B5-DISPLAY-PORTABLE RADIO-w/CHGR-900 HAM
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0024_01C66F57.8A737C60"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <omp6g.3081$_m5.474@fed1read09>
Date: Thu, 4 May 2006 08:48:40 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146757652 68.96.227.248 (Thu, 04 May 2006 11:47:32 EDT)
```

```
NNTP-Posting-Date: Thu, 04 May 2006 11:47:32 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:895
rec.radio.amateur.equipment:3758 rec.radio.swap:3865

This is a multi-part message in MIME format.

------=_NextPart_000_0024_01C66F57.8A737C60
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA MTX9000 B5-DISPLAY-PORTABLE RADIO-w/CHGR-900 HAM=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7616256290&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0024_01C66F57.8A737C60
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA MTX9000 B5-DISPLAY-PORTABLE RADIO-w/CHGR-900 HAM </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7616256290&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7616256290&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0024_01C66F57.8A737C60--




From -7490759470663420653
X-Google-Thread: 108228,a4c305c1631aa63,start
X-Google-Thread: 108122,a4c305c1631aa63,start
X-Google-Thread: 1109af,a4c305c1631aa63,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!news.litech.org!cox.net!
news-xfer.cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA MTX "CLASSIC" 6-CH PORTABLE RADIO-DTMF-CHARGER
```

```
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_002D_01C66F57.D3E07BA0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <jop6g.3082$_m5.517@fed1read09>
Date: Thu, 4 May 2006 08:50:43 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146757775 68.96.227.248 (Thu, 04 May 2006 11:49:35 EDT)
NNTP-Posting-Date: Thu, 04 May 2006 11:49:35 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:896
rec.radio.amateur.equipment:3759 rec.radio.swap:3866

This is a multi-part message in MIME format.

------=_NextPart_000_002D_01C66F57.D3E07BA0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA MTX CLASSIC 6-CH PORTABLE RADIO-DTMF-CHARGER

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7616252948&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_002D_01C66F57.D3E07BA0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA MTX CLASSIC 6-CH PORTABLE RADIO-DTMF-CHARGER</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7616252948&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7616252948&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_002D_01C66F57.D3E07BA0--
```

```
From 9217338960374061757
X-Google-Thread: 108228,78049e7700436089,start
X-Google-Thread: 108122,78049e7700436089,start
X-Google-Thread: 1109af,78049e7700436089,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 6-UNIT MOTOROLA RADIUS SP50 BANK CHARGER- BASE ONLY
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0036_01C66F58.32A5F520"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Oqp6g.3083$_m5.1738@fed1read09>
Date: Thu, 4 May 2006 08:53:22 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146757934 68.96.227.248 (Thu, 04 May 2006 11:52:14 EDT)
NNTP-Posting-Date: Thu, 04 May 2006 11:52:14 EDT
Organization: Cox Communications
Xref: g2news2.google.com alt.ham-radio.marketplace:897
rec.radio.amateur.equipment:3760 rec.radio.swap:3867

This is a multi-part message in MIME format.

------=_NextPart_000_0036_01C66F58.32A5F520
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 6-UNIT MOTOROLA RADIUS SP50 BANK CHARGER- BASE ONLY

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7616249817&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0036_01C66F58.32A5F520
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
```

```
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 6-UNIT MOTOROLA RADIUS SP50 BANK CHARGER- BASE ONLY</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7616249817&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7616249817&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0036_01C66F58.32A5F520--
```

```
From 4502663827768337938
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 4 May 2006 09:09:53 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1146758993.816910.317530@v46g2000cwv.googlegroups.com>
References: <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
   <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
   <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
   <1257hrlls8jm694@corp.supernews.com>
   <33aa52hjph9c5e7bv6a0ihoonjttmsa7q4@4ax.com>
   <1146434087.455556.152410@u72g2000cwu.googlegroups.com>
   <13ja521a4t9lajqiiajd47h1siohf5vf8h@4ax.com>
   <1146449543.853365.112330@j73g2000cwa.googlegroups.com>
   <5jhc52939d5i1334sj0gq88kmsfc8eii1f@4ax.com>
   <e191c$445696db$453d9423$1018@FUSE.NET>
   <23cd521iser4stop3dd1q02s8vrhru353u@4ax.com>
NNTP-Posting-Host: 69.19.14.27
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146758999 2651 127.0.0.1 (4 May 2006 16:09:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 4 May 2006 16:09:59 +0000 (UTC)
In-Reply-To: <23cd521iser4stop3dd1q02s8vrhru353u@4ax.com>
User-Agent: G2/0.2
```

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=69.19.14.27;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:10841
rec.radio.amateur.equipment:3761 rec.radio.amateur.policy:25138 rec.radio.cb:9176
rec.radio.shortwave:33503


Fred wrote:
> On Mon, 01 May 2006 19:16:13 -0400, jawod <jawod@fuse.net> wrote:
>

> >Fred, let it go, man
>
> Since someone sane asked politely. No problem man. I'll be good for
> now.
>
>
> >Do YOU have anything related to ham radio to post?
>
> Maybe, but I am more of a reader than a writer.

and somone tick off that other s are not steping a fetching for him



From -7001817718983360134
X-Google-Thread: 108122,d1c3c3a5e41a2ad6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FM tx-audio FT1000(D)
Date: Thu, 4 May 2006 22:23:08 +0200
Lines: 18
Message-ID: <4bv65bF138ckjU1@individual.net>
X-Trace: individual.net A1+s0RwMu+SA46J77iF8IAz/YXGjRnqS6krVt7PO+NZHbaiTYP
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:3762


Hello all,

I did read several messages on the internet about a too low TXaudio on
FM with a FT1000(D) also when you work with a desktopmike from Yaesu
```

like the MD100,the MD1C8 or MD200.
My FM-txaudio is also low but my FM-dev is full open.
The SSB txaudio is very good is i have no complaint about that.I did also
adjust VR8305 on the SWA unit but no succes.
Is there any mod for this or where i can adjust the FM-dev more except
the FM-devation topaccesscontrol from the FT1000 ?-- Kind regards,
Hans Pluijgers

PA3HGT
www.pa3hgt.nl

```
From -8791120740846437187
X-Google-Thread: 108122,d1f99dc36867b151,start
X-Google-Thread: 1109af,d1f99dc36867b151,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT750-INTRINSICALLY SAFE-450-512MHZ-16-CH-NEW CHARGER
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C66F80.F13FDFF0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <pJt6g.3086$_m5.534@fed1read09>
Date: Thu, 4 May 2006 13:45:02 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1146775509 68.96.227.248 (Thu, 04 May 2006 16:45:09 EDT)
NNTP-Posting-Date: Thu, 04 May 2006 16:45:09 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:3763 rec.radio.swap:3870
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0008_01C66F80.F13FDFF0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: MOTOROLA HT750-INTRINSICALLY SAFE-450-512MHZ-16-CH-NEW CHARGER

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7616611475&ss=

```
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C66F80.F13FDFF0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2873" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT750-INTRINSICALLY SAFE-450-512MHZ-16-CH-NEW =
CHARGER</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7616611475&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7616611475&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C66F80.F13FDFF0--




From -5691799811797038786
X-Google-Thread: 108122,e2d8a0b5fcf8d209
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Best ARRL Hankbook issue
Message-ID: <q4qk52h1jcor4usksab2iivqp0t1rurlap@4ax.com>
References: <U5mdnbQHQf05x8TZRVn-pw@comcast.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
Date: Thu, 04 May 2006 20:52:23 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1146775943 24.174.167.251 (Thu, 04 May 2006 15:52:23
CDT)
NNTP-Posting-Date: Thu, 04 May 2006 15:52:23 CDT
Organization: Road Runner High Speed Online http://www.rr.com
```

Xref: g2news2.google.com rec.radio.amateur.equipment:3764

On Wed, 3 May 2006 21:36:35 -0400, "DaveM" <masondg4499@comcast99.net>
wrote:

>I'm curious about what your opinions of the ARRL Handbook. In terms of
>technical content, such as theory, construction projects, etc., which years are
>generally regarded as the best of the modern (solid state) era, and which issue
>for the vacuum tube era?
>
>I'm interested in hearing about specifically those issues with really useful
>construction projects in the areas of complete homebrew receivers and
>transmitters, test equipment for the bench and field use and articles about RF
>circuit design.
>
>Thanks for your opinions.

I guess it depends on what you want to build. The latest issue is best
in the sense that you can still get all of the parts the construction
projects call for.

Many of the projects carry over from issue to issue -- it's hard to
single one out.

Your best bet may simply be to buy the CD version, and get one for
each decade going back as far as you want.

bob
k5qwg

From -334169557502100070
X-Google-Thread: fcc6e,9f8932f7d11ff1c,start
X-Google-Thread: 108122,9f8932f7d11ff1c,start
X-Google-Thread: 107ada,9f8932f7d11ff1c,start
X-Google-Thread: 10bf43,9f8932f7d11ff1c,start
X-Google-Thread: 114aac,9f8932f7d11ff1c,start
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Elimination of CW is a loss in the number of ways we can communicate with
other.
From: Silent Key <cw.h@m.bands>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 12
Message-ID: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
Date: Fri, 05 May 2006 00:15:41 GMT

NNTP-Posting-Host: 4.228.228.151
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1146788141 4.228.228.151 (Thu, 04 May 2006 17:15:41 PDT)
NNTP-Posting-Date: Thu, 04 May 2006 17:15:41 PDT
Xref: g2news2.google.com rec.radio.amateur.antenna:10856 rec.radio.amateur.equipment:3765 rec.radio.amateur.misc:10333 rec.radio.amateur.policy:25150 rec.radio.shortwave:33543

What's the purpose of ham radio, To have fun talking about rigs and weather, or to be able to communicate?

To be able to communicate when no one else can communicate and to advance radio knowledge & theory?

What does part 97 say about this?   Why does the ARRL ignore it?

When CW is lost, new hams will be just like CB'ers and SWL's, or some other lower life form of radio hobbiest. You name it.

SC

From 1814615679884144996
X-Google-Thread: 108122,51519da488531b5f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: "Radra" <radra@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Commercial AM Transmitters
Date: 4 May 2006 17:37:54 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1146789474.146980.241510@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 71.109.164.247
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146789479 11178 127.0.0.1 (5 May 2006 00:37:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 5 May 2006 00:37:59 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=71.109.164.247;
   posting-account=nBUIegwAAABymdh9rUS5bS8b5xakViPR
Xref: g2news2.google.com rec.radio.amateur.equipment:3766

Looking for AM transmitters of the type used for broadcasting. Want something in the 500 to 2000 Watt range. Must be all solid state. Typical examples include: Harris SX-1A, Gates One, Armstrong 1000B, Omnitronix AM 1000A, etc.

I suspect the best place to find one may be at radio stations who are
surplusing gear.   Could use some advice on how to contact them.

Any ideas will be appreciated. Please reply online as my JGoogle email

address is no longer valid.

Vinton

```
From -195292465266211727
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newsfeed.stanford.edu!
logbridge.uoregon.edu!tethys.csu.net!newshub.sdsu.edu!router2.astraweb.com!
news.astraweb.com!router1.astraweb.com!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Thu, 4 May 2006 18:53:07 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 21
Message-ID: <445ab003$0$65441$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 05 May 2006 01:53:08 GMT
NNTP-Posting-Host: 9fc06f44.news.sonic.net
X-Trace: DXC=Z1j^[?GAB?
4hXjM8[0hm7=m4K\QM1CV^01OYf0H`?;X1`a^YD8H3VF:<Qc7RIG=<O8GYe=eZLSW`<Ef:6;_TTEh1
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.antenna:10860
rec.radio.amateur.equipment:3767 rec.radio.amateur.misc:10335
rec.radio.amateur.policy:25153 rec.radio.shortwave:33547
```

Will the CW only portions of the lowbands be retained, or will those go away as well?

Steve

"Silent Key" <cw.h@m.bands> wrote in message
news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate?
>
> To be able to communicate when no one else can communicate and to advance
> radio knowledge & theory?
>
> What does part 97 say about this?   Why does the ARRL ignore it?
>
> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.
>
> SC

From 8930849004204199035
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Message-ID: <5odl52ppqbradod45gk5fa43boanohbffu@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbooajfoegpnmgckggiinkpacnglpgmandcfjbhdibdklbodgajleihdjimhnjkbkcgpjogimejokdcbfpcogfechklaicagfichdfggdmeadfgnaln
NNTP-Posting-Date: Thu, 04 May 2006 22:22:50 EDT
Organization: BellSouth Internet Group

Date: Thu, 04 May 2006 22:23:51 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:10862
rec.radio.amateur.equipment:3768 rec.radio.amateur.misc:10336
rec.radio.amateur.policy:25154 rec.radio.shortwave:33549

On Fri, 05 May 2006 00:15:41 GMT, Silent Key <cw.h@m.bands> wrote:

>What's the purpose of ham radio, To have fun talking about rigs and
>weather, or to be able to communicate?
>
>To be able to communicate when no one else can communicate and to advance
>radio knowledge & theory?
>
>What does part 97 say about this?   Why does the ARRL ignore it?
>
>When CW is lost, new hams will be just like CB'ers and SWL's, or some
>other lower life form of radio hobbiest. You name it.
>
>SC

TROLL!

CW isn't going away. It just won't be a requirement for a license.
RTTY hasn't died either.
--
73 for now
Buck
N4PGW

From 6450951814971575636
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read12.POSTED!53ab2750!not-for-mail
From: "Sal M. Onella" <salmonella@food.poisoning.org>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <2uA6g.8331$QP4.4556@fed1read12>
Date: Thu, 4 May 2006 21:26:37 -0700
NNTP-Posting-Host: 72.199.97.186
X-Complaints-To: abuse@cox.net
X-Trace: fed1read12 1146803198 72.199.97.186 (Fri, 05 May 2006 00:26:38 EDT)
NNTP-Posting-Date: Fri, 05 May 2006 00:26:38 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:10866
rec.radio.amateur.equipment:3769 rec.radio.amateur.misc:10338
rec.radio.amateur.policy:25156 rec.radio.shortwave:33554

"Silent Key" <cw.h@m.bands> wrote in message
news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...

> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate?
>
> To be able to communicate when no one else can communicate and to advance
> radio knowledge & theory?
>
> What does part 97 say about this?   Why does the ARRL ignore it?
>
> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.
>
> SC

I should be able to keep this from getting to me, but sometimes I just feel like responding to the attempted intimidation by these elitists.

Mate, your key is only silent from the neck, up.

Due to dyslexia, I am unable to learn much Morse Code. I can consistently recognize about half of the alphabet and none of the numbers. Morse Code might as well be edoC esroM for all the good it will ever do me.

In spite of this, I manage to be a responsible member of the ham radio community and I'm damn proud of my service to RACES, to my club as its treasurer and to the county as a volunteer communicator. My UHF/VHF points in last year's Field Day exceeded the points of our HF stations combined. Lower life form, indeed! The nerve of you!

You may get down off your high horse (or should it be "High Morse"?) and apologize for all those jabs any old time it pleases you. I'll be here.

From -7137022862926704683
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Attributes: gid108122,gid107ada,public

```
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!post01.iad01!not-for-
mail
From: Dr. Anton T. Squeegee <SpammersAreWorthless@dev.null>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Thu, 4 May 2006 21:56:51 -0700
Message-ID: <MPG.1ec47aea59bbe3b99896d6@192.168.42.131>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
Organization: Blue Feather Technologies
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: quoted-printable
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.2 (see http://www.nntpcache.com/)
Cache-Post-Path: bubbleator.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Lines: 96
X-Complaints-To: abuse@csolutions.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3770
rec.radio.amateur.misc:10339

In article <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>,=20
cw.h@m.bands (known to some as Silent Key) scribed...

> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate? =20

=09The Amateur Radio Service serves many purposes. Here's a relevant=20
quote from Part 97.

-=3D-=3D-=3D-=3D-=3D-=3D-=3D-=3D-

=A797.1 Basis and purpose.

The rules and regulations in this Part are designed to provide an=20
amateur radio service having a fundamental purpose as expressed in the=20
following principles:

(a) Recognition and enhancement of the value of the amateur service to=20
the public as a voluntary noncommercial communication service,=20
particularly with respect to providing emergency communications.

(b) Continuation and extension of the amateur's proven ability to=20
contribute to the advancement of the radio art.

(c) Encouragement and improvement of the amateur service through rules=20
which provide for advancing skills in both the communications and=20
technical phases of the art.
```

(d) Expansion of the existing reservoir within the amateur radio service=20
of trained operators, technicians, and electronics experts.

(e) Continuation and extension of the amateur's unique ability to enhance=
=20
international goodwill.=20

-=3D-=3D-=3D-=3D-=3D-=3D-=3D-=3D-=3D-=3D-=3D-=3D-

=09I sure as heck don't see anything in there AGAINST talking about=20
"rigs and weather," or anything else within reason.

=09What I do see, in paragraph (c), is the use of the word=20
'advancing' together with 'communications and technical phases of the=20
art.'

=09That, to my eyes, says "value the past, but look to the future."=20
The simple truth is that, while CW remains a mode that would probably be=20
usable under nearly any conditions, it is no longer necessary as a=20
license requirement.

> To be able to communicate when no one else can communicate and to advance
> radio knowledge & theory?=20

=09Exactly. The advance of radio knowledge and theory over the past=20
two or three decades has reduced CW's importance as an operating mode.=20
It still has value, to be sure, but (again) I don't see any need to make=20
it a license requirement.

> What does part 97 say about this?   Why does the ARRL ignore it?

=09What evidence do you offer that they're ignoring anything?

> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.=20

=09Well, then, I guess I'll be a "lower life form" in your eyes,=20
because I haven't ever really had that much interest in CW as an=20
operating mode. Too slow and frustrating for me, and I've not used it in=20
over 20 years, since I got my first license (in 1977 -- look up WD6EOS=20
in an old Callbook) and did exactly one CW QSO on the air. After that, I=20
went over to voice and RTTY modes exclusively.

=09Others have been predicting the "Death of Ham Radio" for years. We=20
heard it when the Internet came to be well known, we heard it when=20
Echolink and IRLP started to catch on, and we're hearing it again with=20
the potential elimination of Morse knowledge as a license requirement.

=09But you know what? The Amateur Radio Service is alive and well, at=20
least in my part of the country. Lots of activity on HF AND the local=20
repeaters, still a fair number of CW QSO's on the bands (this from=20
tuning around just last week), and the local repeaters continued to work=20
very well indeed after the Nisqually Quake of 2001. I know. I was here=20

for it.

=09When the FCC writes to me, and tells me to turn in my license and=20
cease operating because the Amateur Service is no more, THEN I will=20
believe that it's dead.

=09Until then, let me say thank you for sharing your opinion with the=20
group.

--=20
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=3Dt calm
"Salvadore Dali's computer has surreal ports..."

```
From -5140376027881784875
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!opentransit.net!newsfeed.yul.equant.net!newsfeed.dacom.co.kr!
feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: Fri, 5 May 2006 15:36:46 +0900
Organization: Korea Telecom
Lines: 26
Message-ID: <e3ermq$550$1@news2.kornet.net>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 218.155.119.161
X-Trace: news2.kornet.net 1146810906 5280 218.155.119.161 (5 May 2006 06:35:06
GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Fri, 5 May 2006 06:35:06 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.antenna:10869
rec.radio.amateur.equipment:3771 rec.radio.amateur.misc:10343
rec.radio.amateur.policy:25159 rec.radio.shortwave:33561
```

"Silent Key" <cw.h@m.bands> wrote in message
news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate?
>
> To be able to communicate when no one else can communicate and to advance
> radio knowledge & theory?
>
> What does part 97 say about this?   Why does the ARRL ignore it?
>
> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.
>
> SC

Here's one that I haven't even seen:

Not everyone speaks readable English, but anyone that knows Morse can copy any language and read it at their leisure. Also, those who don't speak English well can often spell the words well enough to read...

Just a thought.

From 5442618104043693334
X-Google-Thread: 108122,14221633747a282,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Reply-To: "Gerry" <anon@anon.com>
From: "Gerry" <anon@anon.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Research project
Date: Fri, 5 May 2006 09:20:15 +0100
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <445b0a8e$2_2@mk-nntp-2.news.uk.tiscali.com>
X-Original-NNTP-Posting-Host: 88.110.103.181
NNTP-Posting-Host: mk-nntp-2.news.uk.tiscali.com
X-Trace: 5 May 2006 09:19:33 +0100, mk-nntp-2.news.uk.tiscali.com
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!proxad.net!213.200.89.82.MISMATCH!tiscali!newsfeed1.ip.tiscali.net!mk-nntp-1.news.uk.worldonline.com!mk-nntp-2.news.uk.tiscali.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3772

Can anyone help me with research for my degree.

I'm looking for information on ham radio enthusiasts who suffer from manic depression (bipolar syndrome). I'm researching the effects of RF fields on electrical activity in the brain. It's possible that this particular form of mental illness could be specifically at risk.

Can you put me in contact with anyone who could help me?

Thanks

Gerry G.

```
From 6677022924036181690
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 May 2006 04:17:27 -0500
Date: Fri, 05 May 2006 04:18:35 -0500
From: James Douglas <james.douglas@genesis-software.com>
User-Agent: Thunderbird 1.4.1 (Windows/20051006)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
In-Reply-To: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <EJGdnYAMUP-6hcbZnZ2dnUVZ_vadnZ2d@comcast.com>
Lines: 16
NNTP-Posting-Host: 67.162.254.62
X-Trace: sv3-eN459M5FC8tXT/
Xhhjyu1ZAHtC7Ei9WUpHmqXZzkHc4Abt8ZkXqXShAae3A2yrIcSLgurhcLbThoSa+!I/
BtlF2UXk3JBxQBS7lqiNqwHUiRuF0Z+BJd1oc4cNWUTUWpOCgJzKTRnC/vfPvwHggjfW31v2aY!
LmEde3QnVIzke8v8og==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10871
rec.radio.amateur.equipment:3773 rec.radio.amateur.misc:10344
rec.radio.amateur.policy:25160 rec.radio.shortwave:33567
```

Silent Key wrote:
> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate?
>
> To be able to communicate when no one else can communicate and to advance
> radio knowledge & theory?
>
> What does part 97 say about this?   Why does the ARRL ignore it?
>
> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.
>
> SC

In order to graduate school in the Navy we had to both read a punched
teletype tape and read morse code. I don't recall how fast the code was
but the test day was a bitch!

```
From 7319204025363386337
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 05 May 2006 06:08:13 -0500
Date: Fri, 05 May 2006 07:08:15 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<445ab003$0$65441$742ec2ed@news.sonic.net>
In-Reply-To: <445ab003$0$65441$742ec2ed@news.sonic.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

Message-ID: <mM6dnS-uBZ6Ar8bZnZ2dnUVZ_vWdnZ2d@comcast.com>
Lines: 40
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-iRIy3sbLf8D87Ma7Qscb6b7s6Cr/RBMTIm7qfKbjYEAsaTq/
xkGIyE7z0lHqRIGPvCPLjJIlBNWKKzR!
S3J73yOd09KQiPFAueFgfuApMaCOeE6KkzAFKM09YljPMB1wPzjszRZO9IX1vbFGebYKKLCLxuvj!
M6eaDrx/wyEXV7tuB3I=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10872
rec.radio.amateur.equipment:3774 rec.radio.amateur.misc:10345
rec.radio.amateur.policy:25161 rec.radio.shortwave:33571

Mis-statements abound again.

Read the allocation chart in 47 CFR 97.305(a) and 47 CFR 97.305(c). What CW sub-bands?

47 CFR 395(a) "An amateur station may transmit a CW emission on ANY frequency authorized to the control operator." [EMPHASIS ADDED]

For USA Amateurs CW is authorized as stated above.

/S/ DD, W1MCE

Steve wrote:

> Will the CW only portions of the lowbands be
> retained, or will those go away as well?
>
>   Steve
>
> "Silent Key" <cw.h@m.bands> wrote in message
> news:NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net...
>
>>What's the purpose of ham radio, To have fun talking about rigs and
>>weather, or to be able to communicate?
>>
>>To be able to communicate when no one else can communicate and to advance
>>radio knowledge & theory?
>>
>>What does part 97 say about this?   Why does the ARRL ignore it?
>>
>>When CW is lost, new hams will be just like CB'ers and SWL's, or some
>>other lower life form of radio hobbiest. You name it.
>>
>>SC

```
>
>
>



From 2914839965041651675
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Date: 5 May 2006 04:17:10 -0700
Organization: http://groups.google.com
Lines: 27
Message-ID: <1146827830.022860.277130@j73g2000cwa.googlegroups.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146827835 3318 127.0.0.1 (5 May 2006 11:17:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 5 May 2006 11:17:15 +0000 (UTC)
In-Reply-To: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:10873
rec.radio.amateur.equipment:3775 rec.radio.amateur.misc:10346
rec.radio.amateur.policy:25162 rec.radio.shortwave:33572

Silent Key wrote:
> What's the purpose of ham radio, To have fun talking about rigs and
> weather, or to be able to communicate?
>
> To be able to communicate when no one else can communicate and to advance
> radio knowledge & theory?
>
> What does part 97 say about this?   Why does the ARRL ignore it?
>
```

> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.

If you really believe that morse code is an important way to communicate that should be preserved then you need to convince other hams and potential hams to learn the code. You need to convince enough hams to use code so its very usage generates excitement and makes people want to join in the fun. Almost self-perpetuating like it was in the 1950's.

Preaching (or complaining) to the choir on the radio fora about the abysmal state of things will not add one person to the ranks of key pounding hams.

So what are you going to do to increase the number of code practicing hams.

```
From -3444449908231930569
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsdst02.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@hotmail.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
 with other.
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
In-Reply-To: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <8wH6g.66656$_S7.2137@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.255.141.251
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1146832004 ST000 70.255.141.251 (Fri, 05 May
2006 08:26:44 EDT)
NNTP-Posting-Date: Fri, 05 May 2006 08:26:44 EDT
```

Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYASZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHDK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Fri, 05 May 2006 12:26:44 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10875
rec.radio.amateur.equipment:3776 rec.radio.amateur.misc:10350
rec.radio.amateur.policy:25166 rec.radio.shortwave:33576

Silent Key wrote:
> When CW is lost, new hams will be just like CB'ers and SWL's, or some
> other lower life form of radio hobbiest. You name it.

CW will not be lost in the same way that AM is not lost.
A lot of hams in the 1950's believed that SSB would cause
the death of AM and ham radio along with it. SSB operators
sounded like Micky Mouse and were known as Single Sidewinders,
undesirable snakes in the grass within the hobby, and traitors
to the traditional form of amateur radio AM communications.
--
73, Cecil http://www.qsl.net/w5dxp

From -5432797386900608849
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews8.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.r
adio.amateur.policy,rec.radio.shortwave
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate
with other.
Message-ID: <m2lm521041sb4sav02r48gh7defj2nffb7@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
<445ab003$0$65441$742ec2ed@news.sonic.net> <mM6dnS-
uBZ6Ar8bZnZ2dnUVZ_vWdnZ2d@comcast.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:

mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbocpidflkippfpcpifgehenobogpfafdjjfj
bhdibdklbodgajdnkfdenfppnlohfepjogimejokdcbfpcebhngielhliebidbdglkkefihlmgaipk
NNTP-Posting-Date: Fri, 05 May 2006 09:34:11 EDT
Organization: BellSouth Internet Group
Date: Fri, 05 May 2006 09:35:12 -0400
Xref: g2news2.google.com rec.radio.amateur.antenna:10877
rec.radio.amateur.equipment:3777 rec.radio.amateur.misc:10359
rec.radio.amateur.policy:25175 rec.radio.shortwave:33585

On Fri, 05 May 2006 07:08:15 -0400, Dave <W1MCE@comcast.net> wrote:

>Mis-statements abound again.
>
>Read the allocation chart in 47 CFR 97.305(a) and 47 CFR 97.305(c). What
>CW sub-bands?
>
>47 CFR 395(a) "An amateur station may transmit a CW emission on ANY
>frequency authorized to the control operator." [EMPHASIS ADDED]
>
>For USA Amateurs CW is authorized as stated above.
>
>/S/ DD, W1MCE
>
>

Of course, that excludes the new 60 meter frequencies (I dare not call
it a 'band'.)

--
73 for now
Buck
N4PGW

From 8825925939232591103
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
Subject: cw trolling
Date: 5 May 2006 08:11:30 -0700
Organization: http://groups.google.com
Lines: 26
Message-ID: <1146841890.502853.281530@g10g2000cwb.googlegroups.com>

```
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net>
   <2uA6g.8331$QP4.4556@fed1read12>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146841896 12498 127.0.0.1 (5 May 2006 15:11:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 5 May 2006 15:11:36 +0000 (UTC)
In-Reply-To: <2uA6g.8331$QP4.4556@fed1read12>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=69.19.14.25;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:10880
rec.radio.amateur.equipment:3779 rec.radio.amateur.misc:10361
rec.radio.amateur.policy:25177 rec.radio.shortwave:33594


Sal M. Onella wrote:
> "Silent Key" <cw.h@m.bands> wrote in message


> Due to dyslexia, I am unable to learn much Morse Code.  I can consistently
> recognize about half of the alphabet and none of the numbers.  Morse Code
> might as well be edoC esroM for all the good it will ever do me.
well said
>
> In spite of this, I manage to be a responsible member of the ham radio
> community and I'm damn proud of my service to RACES, to my club as its
> treasurer and to the county as a volunteer communicator.  My UHF/VHF points
> in last year's Field Day exceeded the points of our HF stations combined.
> Lower life form, indeed!  The nerve of you!

I wish I could say the same about my fd score (althought the fact the
generator the club has been using for years throwing hassh all other 50
mhz region surely had something to do with it
>
> You may get down off your high horse (or should it be "High Morse"?) and
> apologize for all those jabs any old time it pleases you.  I'll be here.

the english book of comon prayer knew the dangers in 700's when the
words were written "portect oh loard from the warth of Mrse men"




From -5814509259688635676
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-02!
sn-xt-sjc-08!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
```

From: Dick <w6ccd@k7yca.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Date: Fri, 05 May 2006 09:08:16 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <v5tm5291a19l65m2tb1qcn90t4sqcp6qd7@4ax.com>
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <bKI6g.12$zz.4@fe05.lga>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news2.google.com rec.radio.amateur.equipment:3780

On Fri, 05 May 2006 09:50:00 -0400, lsmyer <lsmyer@yahoo.com> wrote:

>I know this is a topic that causes the fur to fly, but I'll add my own personal experience.
>
>I have wanted a ham license for thirty years. But I have a learning disability that makes it impossible for me to learn a second language. I've tried Spanish, French, and Morse code, and I failed miserably at all three. But even if they eliminated the code, I still wouldn't be able to pass the license test because I am also unable to look at a picture or diagram and convert that visual information into words or ideas. So that pretty much eliminates my ability to read circuit diagrams and process the appropriate information into something usable.
>
>I truly admire everyone who has earned their license.

It is a shame that you are unable to enjoy this wonderful hobby. I look at it this way. I would have loved to be a great tenor, but I can't sing a note. As a child, I wanted very much to be an airline pilot, but I get sick as a dog in aircraft and boats. In high school, I would have given anything to be a football star, but I was too light and slow. We have to live with the cards we are dealt. Some get four aces, and some don't even get a pair. We just have to make the best of what we are given.

As an ARRL VE, I should point out that you do not have to know the code to get an amateur radio license. The test for technician is only 35 questions, and you can miss 9. That's only 70% you have to pass. You should be able to get 70% without worrying too much about pictures or diagrams. I suspect that you are not giving yourself enough credit. You stated your position with more clarity than most on these newsgroups. That tells me that your ability to think is pretty good. I believe that you would be able to pass the Techician test without any problem. Have you tried the practice tests on the Internet?

Dick - W6CCD

From -4446106946070177615
X-Google-Thread: fcc6e,9f8932f7d11ff1c
X-Google-Thread: 108122,9f8932f7d11ff1c
X-Google-Thread: 107ada,9f8932f7d11ff1c
X-Google-Thread: 10bf43,9f8932f7d11ff1c
X-Google-Thread: 114aac,9f8932f7d11ff1c
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,gid10bf43,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.shortwave
References: <NOw6g.6936$An2.3601@newsread2.news.pas.earthlink.net> <bKI6g.12$zz.4@fe05.lga>
Subject: Re: Elimination of CW is a loss in the number of ways we can communicate with other.
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1158
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1165
Message-ID: <nfL6g.5787$DT5.3176@newsread3.news.pas.earthlink.net>
Date: Fri, 05 May 2006 16:41:55 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1146847315 24.225.35.108 (Fri, 05 May 2006 09:41:55 PDT)
NNTP-Posting-Date: Fri, 05 May 2006 09:41:55 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.antenna:10881 rec.radio.amateur.equipment:3781 rec.radio.amateur.misc:10371 rec.radio.amateur.policy:25188 rec.radio.shortwave:33601

"lsmyer" <lsmyer@yahoo.com> wrote in message news:bKI6g.12$zz.4@fe05.lga...

> I know this is a topic that causes the fur to fly, but I'll add my own
> personal experience.
>
> I have wanted a ham license for thirty years. But I have a learning
> disability that makes it impossible for me to learn a second language.
> I've tried Spanish, French, and Morse code, and I failed miserably at
> all three. But even if they eliminated the code, I still wouldn't be
> able to pass the license test because I am also unable to look at a
> picture or diagram and convert that visual information into words or
> ideas. So that pretty much eliminates my ability to read circuit
> diagrams and process the appropriate information into something usable.
>
> I truly admire everyone who has earned their license.

If you are in the US you do not need to look at any diagrams. Just get a
book that has the question and answers in it. Then memorise it. They are
the exect question and answers.
That will put you to the Tech license and the code may soon not be needed
for the low bands.

From -7538452346081267589
X-Google-Thread: 108122,d952a799c956f3e9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!84ef5383!
not-for-mail
From: "Brian Murrey" <brian@iquest.net>
Newsgroups: rec.radio.amateur.equipment
References: <iC74g.9838$sq5.9354@newsread2.news.atl.earthlink.net> <U5b4g.3615$
%_1.2287@fe01.news.easynews.com> <efs252pe33shua76j7mdrlfpm0bauvf2bs@4ax.com>
Subject: Re: Special Transistor deal
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <5Hf4g.13585$i41.1631@newsread1.news.atl.earthlink.net>
Date: Fri, 28 Apr 2006 03:08:49 GMT
NNTP-Posting-Host: 67.76.28.131
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1146193729 67.76.28.131 (Thu, 27 Apr
2006 20:08:49 PDT)
NNTP-Posting-Date: Thu, 27 Apr 2006 20:08:49 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3673

Thanks John, your order has been pulled and packed, will ship in the morning
via US Mail.

73 de KB9BVN

Check out my other stuff when you get a chance...website is listed below.

--

===
Radio Amateurs - Fill your junk box, from my junkbox!
http://www.hamradparts.com
73 de KB9BVN
===

```
"John Ferrell" <johnferrell@sprintmail.com> wrote in message
news:efs252pe33shua76j7mdrlfpm0bauvf2bs@4ax.com...
> 7 cents each delivered satisfies me, they are on order... I hope he
> does well enough to try more products!
>
> On Thu, 27 Apr 2006 21:56:04 GMT, "Travis Jordan" <no.one@no.net>
> wrote:
>
> >Brian Murrey wrote:
> >> I just came into possession of several thousand brand new Motorola
> >> brand PN2222A transistors in the TO-92 package.  So I have them 100
> >> for $7.00 including shipping in the USA.  These are new (old stock),
> >
> >Your price is out of line.
>
>http://cgi.ebay.com/Reel-of-2000-PN2222-transistors-TO-92-NPN_W0QQitemZ7614
089422QQcategoryZ36332QQssPageNameZWDVWQQrdZ1QQcmdZViewItem
> >
> John Ferrell W8CCW
```

```
From -8487456243889570925
X-Google-Thread: 108122,608e7d17436d9826,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS AS NEW Icom IC-735 Transceiver
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <PLf4g.1294$4H.953@dukeread03>
Date: Thu, 27 Apr 2006 22:13:59 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1146194031 68.105.249.118 (Thu, 27 Apr 2006 23:13:51 EDT)
NNTP-Posting-Date: Thu, 27 Apr 2006 23:13:51 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:3674
```

FS As New Icom IC-735 HF Transceiver. This one has been used very little and looks new. It works perfectly. It comes with the power cord and hand mic. No manual. Price is $375 plus shipping from 79602. Digital picture available on request.
Thanks, Charlie Hugg, K5MBX

```
From -1053338543022113516
X-Google-Thread: 108122,228e5fdadc8c10a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "news" <paul@nospam.mbars.co.uk>
Newsgroups: rec.radio.amateur.equipment
References: <EZz3g.445$b63.270@clgrps13>
Subject: Re: Heathkit HW-12 shematic
Date: Fri, 28 Apr 2006 09:42:11 +0100
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
NNTP-Posting-Host: 213.78.146.178
Message-ID: <4451d566@212.67.96.135>
X-Trace: 28 Apr 2006 09:42:14 GMT, 213.78.146.178
Path: g2news2.google.com!news4.google.com!news.glorb.com!newsfeed.hal-mli.net!
feeder1.hal-mli.net!news.mbo.net!news.tdl.com!news.he.net!chekhov.conxion.net!
212.67.96.135!213.78.146.178
Xref: g2news2.google.com rec.radio.amateur.equipment:3675

www.mbars.co.uk has a copy of the manual with schematics.
"gervais" <gervais_fillion@globetrotter.net> wrote in message
news:EZz3g.445$b63.270@clgrps13...
> hi all
> i am looking for the shematic of my old transceiver here
> an old HW-12 hf,
> anybody,,,is there a copy somewhere???
>
> it is rare as gold,
> or best
> a copy of the manual,it would help me to set it up shape
>
> thanks
> gervais,ve2ckn
>
>




From 8364345624771697800
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!postnews.google.com!
y43g2000cwc.googlegroups.com!not-for-mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: blame the posters not arrl
Date: 28 Apr 2006 08:29:38 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146238184 14725 127.0.0.1 (28 Apr 2006 15:29:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Apr 2006 15:29:44 +0000 (UTC)
In-Reply-To: <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:10490
rec.radio.amateur.equipment:3676 rec.radio.amateur.policy:24925 rec.radio.cb:8930
rec.radio.shortwave:32828



Tony Roma wrote:
> >On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
> >wrote:

> You said a mouthful. Oh and I agree with you. It just aint natural!
funny it occours outside of man and outside the primates in nature all
the time




From -8705439705961356121
X-Google-Thread: 108122,1e881c77435a0f52,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: ctaylor@pinpoint-productions.com
Newsgroups: rec.radio.amateur.equipment
Subject: Eavesdropping Video Receives 5 Stars Review
Date: 28 Apr 2006 08:40:34 -0700
```

```
Organization: http://groups.google.com
Lines: 24
Message-ID: <1146238834.902547.180340@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 70.129.137.161
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146238840 16644 127.0.0.1 (28 Apr 2006 15:40:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 28 Apr 2006 15:40:40 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=70.129.137.161;
   posting-account=-HCaaw0AAABedFcvNXDuT71dn1_XkJ5J
Xref: g2news2.google.com rec.radio.amateur.equipment:3677
```

The newspapers and journals are full of information about warrantless wiretapping and eavesdropping. What many people do not realize is that the type of eavesdropping occurring for national security purposes is vastly different than the real world of eavesdropping and wiretapping utilized for industrial espionage, law enforcement and by your local private investigator or tech-guy that has crossed the line into illegal eavesdropping.

Now, the realistic world of eavesdropping has been thoroughly exposed in the new two-hour video called "The Red Balloon". Already recognized as the best Issue Awareness Video in 2005 at the international Aurora Awards and given a 5 Stars review in the March issue of Security Management, The Red Balloon presents the government and industry statistics about industrial espionage and eavesdropping, and how big this problem really is. It also reveals the different types of eavesdropping devices used with illegal wiretapping and eavesdropping and the novel techniques utilized by both professional and amateur eavesdroppers.

If you are curious about the eavesdropping industry then you simply must see the powerful informational video presented by one of the world's most recognized experts in the field. To learn more you can go to http://www.tscmvideo.com

```
From 5540192843637418495
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.phx!fe06.lga.POSTED!53ab2750!not-for-mail
Newsgroups:
```

```
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb
Subject: Re: blame the posters not arrl
From: Ray Norshine <raynorshine@invalid.kom>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
<smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
<1146238178.410103.29330@y43g2000cwc.googlegroups.com>
User-Agent: Xnews/5.04.25
X-Face: &n/Q'U?3IQW=Fl]'nS),Qt|pzH|S|fga"eLM]bs7_hh/
C`'hK>[>7x(9b`J>~ne;G>l_<;'cu$Dt-J*1jjl3D{>k/}u[G3whb7h,!FVCBEN(#B^8|sH_L7oU}
>sUHqx<[zOB5AJcxdBa.r$2|BfbysPq{ep%T3
Lines: 26
Message-ID: <H3u4g.25$Yq.14@fe06.lga>
X-Trace:
dkoicekneficefklobffnpampelendnijaacbjmlmgchcknlpdekihhaanbmfaicmgnmogfpkkllhnamhj
njddnodebanmfdegcohgnhfjpedflkdoknpaighingmiknegcmjhhibopfakdb
NNTP-Posting-Date: Fri, 28 Apr 2006 12:30:47 MST
Date: Fri, 28 Apr 2006 19:30:47 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10507
rec.radio.amateur.equipment:3678 rec.radio.amateur.policy:24949 rec.radio.cb:8947

"an old freind" <kb9rqz-ars@hotmail.com> wrote in
news:1146238178.410103.29330@y43g2000cwc.googlegroups.com:

>
> Tony Roma wrote:
>> >On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
>> >wrote:
>
>> You said a mouthful. Oh and I agree with you. It just aint natural!
>
> funny it occours outside of man and outside the primates in nature all
> the time
>

an old freid  kb9rqz@hotmail.com
an old freind kb9rqz@amsat.org
an old freind kb9rqz_ars@hotmail.com
an old freind kb9rqz_ars@yahoo.com
an old freind upperpenarmyguy@yahoo.com
an old friend kb9rqz@amsat.org
an old friend kb9rqz@hotmail.com
an old friend kb9rqz@yahoo.com
an_old_friend konstans@hotmail.com


"gte help"


From -4658282550375012680
X-Google-Thread: 108122,d952a799c956f3e9
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!90335db4!
not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Special Transistor deal
Message-ID: <tq24521i3lkgppvild4o8nmuua3fjp7g3b@4ax.com>
References: <iC74g.9838$sq5.9354@newsread2.news.atl.earthlink.net> <U5b4g.3615$
%_1.2287@fe01.news.easynews.com> <efs252pe33shua76j7mdrlfpm0bauvf2bs@4ax.com>
<5Hf4g.13585$i41.1631@newsread1.news.atl.earthlink.net>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
Date: Fri, 28 Apr 2006 20:16:27 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1146255387 24.148.146.109 (Fri, 28 Apr
2006 13:16:27 PDT)
NNTP-Posting-Date: Fri, 28 Apr 2006 13:16:27 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3679
```

I have spent a lifetime salvaging old equipment parts for affordable experimenting. Being able to buy small quantities with reasonable shipping & handling charges comes as a real blessing!

John, W8CCW

On Fri, 28 Apr 2006 03:08:49 GMT, "Brian Murrey" <brian@iquest.net> wrote:

>Thanks John, your order has been pulled and packed, will ship in the morning
>via US Mail.
>
>73 de KB9BVN
>
>Check out my other stuff when you get a chance...website is listed below.

John Ferrell W8CCW

```
From -2392123725348441208
X-Google-Thread: 108122,9618b12e34c94a93,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.phx!fe04.lga.POSTED!53ab2750!not-for-mail
From: "W9CAR" <w9car@charter.net>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: FS: NYE VIKING MBV-A TUNER
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <YFv4g.54$9R.8@fe04.lga>
X-Trace:
badccedimaighcleaeilgldjaglnkliljefahbonjjgfnbjplpbkefdodbjfmllhpfjejackahbibcfdma
llmbacnjeipkmedejnaadlioejkljbocdagamjekphfepgbcfagklmibllijll
NNTP-Posting-Date: Fri, 28 Apr 2006 14:19:52 MST
Date: Fri, 28 Apr 2006 16:19:48 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:3680
```

THIS TUNER WILL HANDLE 3000 WATTS. IT TUNES ANY ANTENNA 1.8 - 30 MHZ. THE 4:1 BALUN FOR BALANCED FEEDLINE IS INSTALLED AS WELL AS THE BACKLITES FOR THE METERS. TUNER HAS A FEW SMALL SCRATCHES ALONG THE SIDES, BUT OTHERWISE IS IN EXCELLANT CONDITION. I BOUGHT THIS TUNER NEW IN 1996 AND IT RESIDES IN A NON SMOKING HOME. $500 INCLUDES MANUAL, PACKING, SHIPPING & INSURANCE TO YOUR DOOR.

```
From 2668057706645205478
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb
Subject: Re: blame the posters not arrl
Date: 28 Apr 2006 14:30:49 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1146259849.651768.225070@j33g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
   <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <H3u4g.25$Yq.14@fe06.lga>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146259855 10916 127.0.0.1 (28 Apr 2006 21:30:55 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Fri, 28 Apr 2006 21:30:55 +0000 (UTC)
In-Reply-To: <H3u4g.25$Yq.14@fe06.lga>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10511
rec.radio.amateur.equipment:3681 rec.radio.amateur.policy:24955 rec.radio.cb:8951

liek I said blame those starting all the gay name calling not the ARRL
the ARRl has pleaenty of it own fckups no need to invent thing to blame
them for




From 6005233506164722751
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 28 Apr 2006 17:47:23 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
   <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146271650 23535 127.0.0.1 (29 Apr 2006 00:47:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Apr 2006 00:47:30 +0000 (UTC)
In-Reply-To: <cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=69.19.14.30;
```

```
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10520
rec.radio.amateur.equipment:3683 rec.radio.amateur.policy:24962 rec.radio.cb:8963
rec.radio.shortwave:32880


Fred wrote:
> On 28 Apr 2006 08:29:38 -0700, "an old freind"
> <kb9rqz-ars@hotmail.com> wrote:
>
> >

> >> You said a mouthful. Oh and I agree with you. It just aint natural!
> >funny it occours outside of man and outside the primates in nature all
> >the time
>
> So you are as stupid as a monkey or a dog?

no you point?

it looks like you are here to push your religous agenda and nothing to
with radio




From 7182378932662715249
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feeder.z74.net!
news.z74.net!sn-ams-06!sn-xt-ams-04!sn-ams!sn-feed-ams-02!sn-post-ams-02!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: Fri, 28 Apr 2006 21:24:17 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1255jifnpo0fnb2@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
<smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
<1146238178.410103.29330@y43g2000cwc.googlegroups.com>
<cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news2.google.com rec.radio.amateur.antenna:10522
rec.radio.amateur.equipment:3684 rec.radio.amateur.policy:24965 rec.radio.cb:8966
rec.radio.shortwave:32892

"Fred" <freddyr1928@ll.net> wrote in message
news:cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com...
> On 28 Apr 2006 08:29:38 -0700, "an old freind"
> <kb9rqz-ars@hotmail.com> wrote:
>
>>
>>Tony Roma wrote:
>>> >On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
>>> >wrote:
>>
>>> You said a mouthful. Oh and I agree with you. It just aint natural!
>>funny it occours outside of man and outside the primates in nature all
>>the time
>
> So you are as stupid as a monkey or a dog?

Give the monkey and the dog some credit, they are WAY more intelligent than
Markie-tard




From -4854492368967614591
X-Google-Thread: 108122,c02b4338d8b10d25,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: kettner9000@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Zetron 1516 FS
Date: 28 Apr 2006 20:13:26 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1146280406.114027.141300@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 70.178.107.235
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146280411 15524 127.0.0.1 (29 Apr 2006 03:13:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Apr 2006 03:13:31 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; en) Opera
8.02,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=70.178.107.235;
```

```
   posting-account=8D--ZQwAAADtdFETkpJwa2XOPxuH-qjo
Xref: g2news2.google.com rec.radio.amateur.equipment:3685

A used and tested Zetron 1516 is for sale on ebay.

http://cgi.ebay.com/Zetron-1516-
SentriVoice_W0QQitemZ7613105112QQcategoryZ100184QQssPageNameZWDVWQQrdZ1QQcmdZViewI
tem




From -8228056629552102036
X-Google-Thread: 108122,e862afaae267dbf5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news2.volia.net!news.newsland.it!
nntp.infostrada.it!twister1.libero.it.POSTED!not-for-mail
From: "Mattiolo, Paolo Valentino" <paolomattiolo@libero.it>
Reply-To:  paolomattiolo@libero.it
User-Agent: Thunderbird 1.5.0.2 (Windows/20060308)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Searching Zetagi C50 frequency counter manual
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <2CF4g.101703$A83.2376495@twister1.libero.it>
Date: Sat, 29 Apr 2006 08:38:22 GMT
NNTP-Posting-Host: 151.56.93.180
X-Complaints-To: abuse@libero.it
X-Trace: twister1.libero.it 1146299902 151.56.93.180 (Sat, 29 Apr 2006 10:38:22
MET DST)
NNTP-Posting-Date: Sat, 29 Apr 2006 10:38:22 MET DST
Organization: [Infostrada]
Xref: g2news2.google.com rec.radio.amateur.equipment:3687

Hello,

I'm searching the instruction manual and the schematics diagram of
Zetagi C50 frequency counter

73 de Paolo


From -3806363162830048683
X-Google-Thread: 108122,6b8b0b19cecd0117,start
X-Google-Thread: 108228,6b8b0b19cecd0117,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 29 Apr 2006 06:10:04 -0500
```

```
Subject: FA: 1-Day-Left: 6 ELECTRONICS Books: For Advanced Professionals Only:
CMOS, Microprocessors, Microprogramming, etc.
Date: Sat, 29 Apr 2006 07:10:03 -0400
From: Danny <danny@nskowooqdf.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <290420060710037111%danny@nskowooqdf.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
OKGtbr68YAPTwvXbBWRB2SZPVNpJaQXWGFswWLoY036rxY21jnclTEM1AlWf7c5sZLwbInwxraspKNE!
3hV3bUXiYGsgGPTxwASenuFuNa9+n83IVF5cG5yc2jH8m+frE6moCSs3V3TxL59mx63d0+uqANHf!
pvptjLveTBHIL5MDOglJ0/U=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3688 alt.ham-
radio.marketplace:879


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4634488572


From 5840053729243583328
X-Google-Thread: 108122,aa28eb8f5fd4b8a7,start
X-Google-Thread: 108228,aa28eb8f5fd4b8a7,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 29 Apr 2006 06:11:48 -0500
Subject: FA: 1-Day-Left: 4 Books: ELECTRONICS - ELECTRICITY - CIRCUIT ANALYSIS,
etc.
Date: Sat, 29 Apr 2006 07:11:48 -0400
From: Danny <danny@nskowooqdf.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <290420060711483384%danny@nskowooqdf.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-wF0q55b3tVC5cytG8jb2FRbyS+5FdNZPNRSTijuROzwrrcyv30Dk1/
kjQbhdZ2okmdCrU6IiUrDO+GV!qt7A4CpQ26vQmA/
irFZQmQsaIvyxLOmXwrtqb2UDrddsL6lgQAnyXjCeBAz3jKgQUpy7qdLvTrMR!MuyLldE5PX0QgkLX/
```

```
KtMQDY=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3689 alt.ham-
radio.marketplace:880


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4634396960



From 1163763323323859247
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 29 Apr 2006 10:51:13 -0700
Organization: http://groups.google.com
Lines: 45
Message-ID: <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
   <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
   <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
   <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146333078 305 127.0.0.1 (29 Apr 2006 17:51:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 29 Apr 2006 17:51:18 +0000 (UTC)
In-Reply-To: <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
```

Xref: g2news2.google.com rec.radio.amateur.antenna:10560
rec.radio.amateur.equipment:3690 rec.radio.amateur.policy:24979 rec.radio.cb:8977
rec.radio.shortwave:32975

Fred wrote:
> On 28 Apr 2006 17:47:23 -0700, "an_old_friend" <konstans@hotmail.com>
> wrote:
>
> >
> >Fred wrote:
> >> On 28 Apr 2006 08:29:38 -0700, "an old freind"
> >> <kb9rqz-ars@hotmail.com> wrote:
> >>
> >> >
> >
> >> >> You said a mouthful. Oh and I agree with you. It just aint natural!
> >> >funny it occours outside of man and outside the primates in nature all
> >> >the time
> >>
> >> So you are as stupid as a monkey or a dog?
> >
> >no you point?
> >
> >it looks like you are here to push your religous agenda and nothing to
> >with radio
>
> If you were smart enough to read you would find out that I do not
> believe in DOG.
I never stated you did
> I am just picking on you for being a militant pro-gay
> that is trolling Usenet groups looking for acceptance of his sick
> lifestyle.

hardly you don't know what miliatant is

you are psuhing you milltant religionous agenda where it desn't belong.
you have the right to do that, as I have the right to post what I see
fit
your problem is that you can't face the fact I have the same rights as
you do

you want an end to defense of My Bisexaulity it can be had easiily

you mustb(and the rest must refrain from atacking ti and refrain from
using the cry or "faggot" as an arguement in the NG

it is that simple but the likes of you have proven you can't do it

From -5193193750719302343
X-Google-Thread: fcc6e,ddc2daa9fc863a

```
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feeder.enertel.nl!
nntpfeed-01.ops.asmr-01.energis-idc.net!216.196.110.149.MISMATCH!
border2.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!sn-
ams-06!sn-xt-ams-04!sn-ams!sn-feed-ams-03!sn-post-ams-02!sn-post-02!sn-post-
sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: Sat, 29 Apr 2006 15:07:19 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1257hrlls8jm694@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
<smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
<1146238178.410103.29330@y43g2000cwc.googlegroups.com>
<cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
<1146271643.734737.155940@j73g2000cwa.googlegroups.com>
<3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
<1146333073.590407.297500@i39g2000cwa.googlegroups.com>
<cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 63
Xref: g2news2.google.com rec.radio.amateur.antenna:10569
rec.radio.amateur.equipment:3692 rec.radio.amateur.policy:24984 rec.radio.cb:8981
rec.radio.shortwave:32981

"Fred" <freddyr1928@ll.net> wrote in message
news:cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com...
> On 29 Apr 2006 10:51:13 -0700, "an_old_friend" <konstans@hotmail.com>
> wrote:
>
>>
>>Fred wrote:
>>> On 28 Apr 2006 17:47:23 -0700, "an_old_friend" <konstans@hotmail.com>
>>> wrote:
>>>
>>> >
>>> >Fred wrote:
>>> >> On 28 Apr 2006 08:29:38 -0700, "an old freind"
>>> >> <kb9rqz-ars@hotmail.com> wrote:
```

```
>>> >>
>>> >> >
>>> >
>>> >> >> You said a mouthful. Oh and I agree with you. It just aint
>>> >> >> natural!
>>> >> >funny it occours outside of man and outside the primates in nature
>>> >> >all
>>> >> >the time
>>> >>
>>> >> So you are as stupid as a monkey or a dog?
>>> >
>>> >no you point?
>>> >
>>> >it looks like you are here to push your religous agenda and nothing to
>>> >with radio
>>>
>>> If you were smart enough to read you would find out that I do not
>>> believe in DOG.
>>I never stated you did
>>> I am just picking on you for being a militant pro-gay
>>> that is trolling Usenet groups looking for acceptance of his sick
>>> lifestyle.
>>
>>hardly you don't know what miliatant is
>>
>>you are psuhing you milltant religionous agenda where it desn't belong.
>>you have the right to do that, as I have the right to post what I see
>>fit
>>your problem is that you can't face the fact I have the same rights as
>>you do
>>
>>you want an end to defense of My Bisexaulity it can be had easiily
>>
>>you mustb( and the rest must refrain from atacking ti and refrain from
>>using the cry or "faggot" as an arguement in the NG
>>
>>it is that simple but the likes of you have proven you can't do it
>
> How many times do I have to tell you that I am an atheist? You can
> support and defend your faggotry all you want, but this is not the
> forum for that sick shit. You have no right to harass people in
> rec.radio.cb or any other newsgroup so suck on that you stupid turd
> pusher.

And to this day he has yet to make an on topic post. I'll bet he was given
the answers while taking his ham test and still failed the first three
times. Makes me wonder if he even has radio equipment.




From 3208865467164332177
X-Google-Thread: fcc6e,ddc2daa9fc863a
```

```
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news1.google.com!atl-
c05.usenetserver.com!news.usenetserver.com!pd7cy1no!shaw.ca!news.alt.net!usenet
From: "Terry Two Shoes" <anon@anon>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 29 Apr 2006 22:13:45 GMT
Organization: "Altopia Corp. - Usenet Access - www.altopia.com"
Lines: 73
Message-ID: <e30oep$efq$0@pita.alt.net>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
<smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
<1146238178.410103.29330@y43g2000cwc.googlegroups.com>
<cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
<1146271643.734737.155940@j73g2000cwa.googlegroups.com>
<3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
<1146333073.590407.297500@i39g2000cwa.googlegroups.com>
<cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com> <1257hrlls8jm694@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:10581
rec.radio.amateur.equipment:3693 rec.radio.amateur.policy:24985 rec.radio.cb:8982
rec.radio.shortwave:32983


"Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in message
news:1257hrlls8jm694@corp.supernews.com...
"Fred" <freddyr1928@ll.net> wrote in message
news:cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com...
> On 29 Apr 2006 10:51:13 -0700, "an_old_friend" <konstans@hotmail.com>
> wrote:
>
>>
>>Fred wrote:
>>> On 28 Apr 2006 17:47:23 -0700, "an_old_friend" <konstans@hotmail.com>
>>> wrote:
>>>
>>> >
>>> >Fred wrote:
>>> >> On 28 Apr 2006 08:29:38 -0700, "an old freind"
>>> >> <kb9rqz-ars@hotmail.com> wrote:
>>> >>
>>> >> >
```

>>> >
>>> >> >> You said a mouthful. Oh and I agree with you. It just aint
>>> >> >> natural!
>>> >> >funny it occours outside of man and outside the primates in nature
>>> >> >all
>>> >> >the time
>>> >>
>>> >> So you are as stupid as a monkey or a dog?
>>> >
>>> >no you point?
>>> >
>>> >it looks like you are here to push your religous agenda and nothing to
>>> >with radio
>>>
>>> If you were smart enough to read you would find out that I do not
>>> believe in DOG.
>>I never stated you did
>>> I am just picking on you for being a militant pro-gay
>>> that is trolling Usenet groups looking for acceptance of his sick
>>> lifestyle.
>>
>>hardly you don't know what miliatant is
>>
>>you are psuhing you milltant religionous agenda where it desn't belong.
>>you have the right to do that, as I have the right to post what I see
>>fit
>>your problem is that you can't face the fact I have the same rights as
>>you do
>>
>>you want an end to defense of My Bisexaulity it can be had easiily
>>
>>you mustb(and the rest must refrain from atacking ti and refrain from
>>using the cry or "faggot" as an arguement in the NG
>>
>>it is that simple but the likes of you have proven you can't do it
>
> How many times do I have to tell you that I am an atheist? You can
> support and defend your faggotry all you want, but this is not the
> forum for that sick shit. You have no right to harass people in
> rec.radio.cb or any other newsgroup so suck on that you stupid turd
> pusher.

And to this day he has yet to make an on topic post. I'll bet he was given
the answers while taking his ham test and still failed the first three
times. Makes me wonder if he even has radio equipment.

>

If passing a Ham test was predicated upon correct spelling, he'd be a
washout.
Not only can he not spell, but he cannot comprehend what he reads.

```
From -7017240440093489479
X-Google-Thread: 108122,228e5fdadc8c10a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telusplanet.net!newsfeed.telus.net!
clgrps12.POSTED!53ab2750!not-for-mail
From: "gervais" <gervais_fillion@globetrotter.net>
Newsgroups: rec.radio.amateur.equipment
References: <EZz3g.445$b63.270@clgrps13> <4451d566@212.67.96.135>
Subject: Re: Heathkit HW-12 shematic
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <dPS4g.2571$Fg4.2118@clgrps12>
Date: Sat, 29 Apr 2006 23:39:53 GMT
NNTP-Posting-Host: 207.134.125.80
X-Complaints-To: abuse@globetrotter.net
X-Trace: clgrps12 1146353993 207.134.125.80 (Sat, 29 Apr 2006 17:39:53 MDT)
NNTP-Posting-Date: Sat, 29 Apr 2006 17:39:53 MDT
Organization: GlobeTrotter
Xref: g2news2.google.com rec.radio.amateur.equipment:3694

thanks all
i finally found a free copy
73/s

"news" <paul@nospam.mbars.co.uk> a �crit dans le message de news:
4451d566@212.67.96.135...
> www.mbars.co.uk has a copy of the manual with schematics.
> "gervais" <gervais_fillion@globetrotter.net> wrote in message
> news:EZz3g.445$b63.270@clgrps13...
>> hi all
>> i am looking for the shematic of my old transceiver here
>> an old HW-12 hf,
>> anybody,,,is there a copy somewhere???
>>
>> it is rare as gold,
>> or best
>> a copy of the manual,it would help me to set it up shape
>>
>> thanks
>> gervais,ve2ckn
>>
>>
>
>
```

```
From -2647510728611464122
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 29 Apr 2006 20:38:30 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1146368310.284179.91600@j33g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
   <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
   <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
   <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
   <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
   <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
   <1257hrlls8jm694@corp.supernews.com>
   <e30oep$efq$0@pita.alt.net>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146368319 14629 127.0.0.1 (30 Apr 2006 03:38:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Apr 2006 03:38:39 +0000 (UTC)
In-Reply-To: <e30oep$efq$0@pita.alt.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10597
rec.radio.amateur.equipment:3695 rec.radio.amateur.policy:24991 rec.radio.cb:8990
rec.radio.shortwave:33023
```

Terry Two Shoes wrote:

```
> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in message
> news:1257hrlls8jm694@corp.supernews.com...
> "Fred" <freddyr1928@ll.net> wrote in message
> news:cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com...
> > On 29 Apr 2006 10:51:13 -0700, "an_old_friend" <konstans@hotmail.com>
> > wrote:

> If passing a Ham test was predicated upon correct spelling, he'd be a
> washout.

but spelling corect on the fly is not requirement




From -4580817025543911461
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!postnews.google.com!
i40g2000cwc.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 29 Apr 2006 20:38:33 -0700
Organization: http://groups.google.com
Lines: 73
Message-ID: <1146368313.361075.164250@i40g2000cwc.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
   <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
   <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
   <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
   <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
   <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146368325 1304 127.0.0.1 (30 Apr 2006 03:38:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Apr 2006 03:38:45 +0000 (UTC)
In-Reply-To: <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

```
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10598
rec.radio.amateur.equipment:3696 rec.radio.amateur.policy:24992 rec.radio.cb:8991
rec.radio.shortwave:33024


Fred wrote:
> On 29 Apr 2006 10:51:13 -0700, "an_old_friend" <konstans@hotmail.com>
> wrote:
>
> >
> >Fred wrote:
> >> On 28 Apr 2006 17:47:23 -0700, "an_old_friend" <konstans@hotmail.com>
> >> wrote:
> >>
> >> >
> >> >Fred wrote:
> >> >> On 28 Apr 2006 08:29:38 -0700, "an old freind"
> >> >> <kb9rqz-ars@hotmail.com> wrote:
> >> >>
> >> >> >
> >> >
> >> >> >> You said a mouthful. Oh and I agree with you. It just aint natural!
> >> >> >funny it occours outside of man and outside the primates in nature all
> >> >> >the time
> >> >>
> >> >> So you are as stupid as a monkey or a dog?
> >> >
> >> >no you point?
> >> >
> >> >it looks like you are here to push your religous agenda and nothing to
> >> >with radio
> >>
> >> If you were smart enough to read you would find out that I do not
> >> believe in DOG.
> >I never stated you did
> >> I am just picking on you for being a militant pro-gay
> >> that is trolling Usenet groups looking for acceptance of his sick
> >> lifestyle.
> >
> >hardly you don't know what miliatant is
> >
> >you are psuhing you milltant religionous agenda where it desn't belong.
> >you have the right to do that, as I have the right to post what I see
> >fit
> >your problem is that you can't face the fact I have the same rights as
> >you do
> >
> >you want an end to defense of My Bisexaulity it can be had easiily
> >
> >you mustb( and the rest must refrain from atacking ti and refrain from
> >using the cry or "faggot" as an arguement in the NG
> >
> >it is that simple but the likes of you have proven you can't do it
>
> How many times do I have to tell you that I am an atheist?
at least once and

then I must ask why an athesist would invoke god

you have real trouble with your words
>You can
> support and defend your faggotry all you want,...
indeed that is my right nice of you to admit that

>.... but this is not the
> forum for that sick shit.
it is when the other poster try to maintian the mere fact i am bi is
reaosn to exclude fro the forum indeed you make my post in defense of
my right
>You have no right to harass people in
> rec.radio.cb or any other newsgroup so suck on that you stupid turd
> pusher.

I do not harrass anybody here

you do OTOH




From 2604931729562578145
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 29 Apr 2006 20:54:36 -0700
Organization: http://groups.google.com
Lines: 73
Message-ID: <1146368199.959550.250420@u72g2000cwu.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
   <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
   <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
   <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
   <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
   <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146369281 3988 127.0.0.1 (30 Apr 2006 03:54:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Apr 2006 03:54:41 +0000 (UTC)
In-Reply-To: <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10601
rec.radio.amateur.equipment:3697 rec.radio.amateur.policy:24993 rec.radio.cb:8992
rec.radio.shortwave:33029


Fred wrote:
> On 29 Apr 2006 10:51:13 -0700, "an_old_friend" <konstans@hotmail.com>
> wrote:
>
> >
> >Fred wrote:
> >> On 28 Apr 2006 17:47:23 -0700, "an_old_friend" <konstans@hotmail.com>
> >> wrote:
> >>
> >> >
> >> >Fred wrote:
> >> >> On 28 Apr 2006 08:29:38 -0700, "an old freind"
> >> >> <kb9rqz-ars@hotmail.com> wrote:
> >> >>
> >> >> >
> >> >
> >> >> >> You said a mouthful. Oh and I agree with you. It just aint natural!
> >> >> >funny it occours outside of man and outside the primates in nature all
> >> >> >the time
> >> >>
> >> >> So you are as stupid as a monkey or a dog?
> >> >
> >> >no you point?
> >> >
> >> >it looks like you are here to push your religous agenda and nothing to
> >> >with radio
> >>
> >> If you were smart enough to read you would find out that I do not
> >> believe in DOG.
> >I never stated you did
> >> I am just picking on you for being a militant pro-gay
> >> that is trolling Usenet groups looking for acceptance of his sick
> >> lifestyle.
> >
> >hardly you don't know what miliatant is
> >
> >you are psuhing you milltant religionous agenda where it desn't belong.
> >you have the right to do that, as I have the right to post what I see
> >fit
> >your problem is that you can't face the fact I have the same rights as
> >you do
> >
> >you want an end to defense of My Bisexaulity it can be had easiily
> >
> >you mustb( and the rest must refrain from atacking ti and refrain from
> >using the cry or "faggot" as an arguement in the NG
> >
> >it is that simple but the likes of you have proven you can't do it
>
> How many times do I have to tell you that I am an atheist?
at least once and

then I must ask why an athesist would invoke god

you have real trouble with your words
>You can
> support and defend your faggotry all you want,...
indeed that is my right nice of you to admit that

>.... but this is not the
> forum for that sick shit.
it is when the other poster try to maintian the mere fact i am bi is
reaosn to exclude fro the forum indeed you make my post in defense of
my right
>You have no right to harass people in
> rec.radio.cb or any other newsgroup so suck on that you stupid turd
> pusher.

I do not harrass anybody here

you do OTOH




From 6825851285358621665
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!peer01.west.cox.net!
cox.net!p01!dukeread06.POSTED!53ab2750!not-for-mail
From: "Guy" <nospam@nospam.nospam>
```

```
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
<smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
<1146238178.410103.29330@y43g2000cwc.googlegroups.com>
<cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
<1146271643.734737.155940@j73g2000cwa.googlegroups.com>
<3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
<1146333073.590407.297500@i39g2000cwa.googlegroups.com>
<cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
<1257hrlls8jm694@corp.supernews.com>   <e30oep$efq$0@pita.alt.net>
<1146368310.284179.91600@j33g2000cwa.googlegroups.com>
Subject: Re: blame the posters not arrl
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <mT05g.59704$gE.42943@dukeread06>
Date: Sun, 30 Apr 2006 06:06:52 -0500
NNTP-Posting-Host: 24.255.66.148
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1146395218 24.255.66.148 (Sun, 30 Apr 2006 07:06:58 EDT)
NNTP-Posting-Date: Sun, 30 Apr 2006 07:06:58 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.antenna:10611
rec.radio.amateur.equipment:3698 rec.radio.amateur.policy:25003 rec.radio.cb:8993
rec.radio.shortwave:33042


"an_old_friend" <konstans@hotmail.com> wrote in message
news:1146368310.284179.91600@j33g2000cwa.googlegroups.com...
>
> Terry Two Shoes wrote:
>> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in message
>> news:1257hrlls8jm694@corp.supernews.com...
>> "Fred" <freddyr1928@ll.net> wrote in message
>> news:cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com...
>> > On 29 Apr 2006 10:51:13 -0700, "an_old_friend" <konstans@hotmail.com>
>> > wrote:
>
>> If passing a Ham test was predicated upon correct spelling, he'd be a
>> washout.
>
> but spelling corect on the fly is not requirement noris punkchuation
> spasing orany efert 2make it ezyon thu reedr
>
```

```
From -904427506422793965
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <4454C145.4020601@fuse.net>
Date: Sun, 30 Apr 2006 09:53:09 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
<smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
<1146238178.410103.29330@y43g2000cwc.googlegroups.com>
<cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
<1146271643.734737.155940@j73g2000cwa.googlegroups.com>
<3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
<1146333073.590407.297500@i39g2000cwa.googlegroups.com>
<cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
<1257hrlls8jm694@corp.supernews.com>   <e30oep$efq$0@pita.alt.net>
<1146368310.284179.91600@j33g2000cwa.googlegroups.com>
<mT05g.59704$gE.42943@dukeread06>
In-Reply-To: <mT05g.59704$gE.42943@dukeread06>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 30
X-Trace: c21a94454c14ae098318606598
Xref: g2news2.google.com rec.radio.amateur.antenna:10617
rec.radio.amateur.equipment:3699 rec.radio.amateur.policy:25006 rec.radio.cb:8995
rec.radio.shortwave:33050

Guy wrote:
> "an_old_friend" <konstans@hotmail.com> wrote in message
> news:1146368310.284179.91600@j33g2000cwa.googlegroups.com...
>
>>Terry Two Shoes wrote:
>>
>>>"Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in message
>>>news:1257hrlls8jm694@corp.supernews.com...
>>>"Fred" <freddyr1928@ll.net> wrote in message
```

```
>>>news:cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com...
>>>
>>>>On 29 Apr 2006 10:51:13 -0700, "an_old_friend" <konstans@hotmail.com>
>>>>wrote:
>>
>>>If passing a Ham test was predicated upon correct spelling, he'd be a
>>>washout.
>>
>>but spelling corect on the fly is not requirement noris punkchuation
>>spasing orany efert 2make it ezyon thu reedr
>>
>
>
>
Thanks SO MUCH to everyone involved for ruining this NG with off-topic
drivel.

Another ham group washout.  "Tis a pity.

John
AB8WH



From 7960401686346090131
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 30 Apr 2006 11:10:01 -0700
Organization: http://groups.google.com
Lines: 29
Message-ID: <1146420600.965799.254370@i39g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
   <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
   <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
   <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
   <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
   <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
   <1257hrlls8jm694@corp.supernews.com>
   <e30oep$efq$0@pita.alt.net>
   <1146368310.284179.91600@j33g2000cwa.googlegroups.com>
   <mT05g.59704$gE.42943@dukeread06>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146420606 16540 127.0.0.1 (30 Apr 2006 18:10:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 30 Apr 2006 18:10:06 +0000 (UTC)
In-Reply-To: <mT05g.59704$gE.42943@dukeread06>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10632
rec.radio.amateur.equipment:3701 rec.radio.amateur.policy:25013 rec.radio.cb:8998
rec.radio.shortwave:33080


Guy wrote:
> "an_old_friend" <konstans@hotmail.com> wrote in message
> news:1146368310.284179.91600@j33g2000cwa.googlegroups.com...
> >
> > Terry Two Shoes wrote:
> >> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in message
> >> news:1257hrlls8jm694@corp.supernews.com...
> >> "Fred" <freddyr1928@ll.net> wrote in message
> >> news:cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com...
> >> > On 29 Apr 2006 10:51:13 -0700, "an_old_friend" <konstans@hotmail.com>
> >> > wrote:
> >
> >> If passing a Ham test was predicated upon correct spelling, he'd be a
> >> washout.
> >
> > but spelling corect on the fly is not requirement
forging again

it is amaszing the fear of me shown in this forum
that someone needs to add "noris punkchuation  spasing orany efert
2make it ezyon thu reedr"

to my post

coward

> >




From -8785112101826735440
X-Google-Thread: 108122,33545d01eba23ce5,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!not-for-
mail
Newsgroups: rec.radio.amateur.equipment
Subject: Dual shaft knobs for HP P/S
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
Organization: Your Company
Message-ID: <Xns97B57C8436D64spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 30 Apr 2006 19:13:29 GMT
Lines: 9
NNTP-Posting-Host: 98bf2172.news.adtechcomputers.com
X-Trace: DXC=82_M=n7WB5Ldc=I5iC?
H4DgC4_A5:nI@A<<=aEgO;R8GThdLCMXXaBNI_BDfiSH[cLecf<A4o8l9C0W_Uo]cC15J8kHcNc;UmeN]=
[[TRZ95;GUl:5lo26QeE
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3702
```

Anyone know where I can find a pair of knobs (4 pieces) for the dual shaft voltage and current adjustments on my HP 6286A? The unit is out of production and it doesn't appear that HP/Agilent carry this part anymore. If I can't find a stock set of knobs, a non-HP substitute would suffice.

Ed   K7AAT

```
From 5707566956726052004
X-Google-Thread: 108122,44fe951fd8be293e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need help with Icom 2100  2 meter handheld
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <8s85g.19512$eR6.8471@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 30 Apr 2006 19:44:04 GMT
NNTP-Posting-Host: 12.77.57.147
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1146426244 12.77.57.147 (Sun, 30 Apr
2006 19:44:04 GMT)
NNTP-Posting-Date: Sun, 30 Apr 2006 19:44:04 GMT
```

```
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:3703

Can anyone help with programming the "call channel" freq that includes "tone
encoder".  I can get it programmed, and, as the book says, it will disappear
when you leave the "call channel"  However, they list steps to Permanently
install the encoded but it doesn't seem to work for me.
Thanks




From 4825225417605449860
X-Google-Thread: 108122,99d322d263d18bc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: "Bill" <billreed@w4pls.com>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0603301500110.8742@malasada.lava.net>
<1143820506.200533.308460@t31g2000cwb.googlegroups.com>
<Pine.BSI.4.61.0603311008330.12435@malasada.lava.net>
Subject: Re: Need Mike and Cable for Azden PCS3000
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <jF85g.19568$eR6.17387@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 30 Apr 2006 19:58:07 GMT
NNTP-Posting-Host: 12.77.57.147
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1146427087 12.77.57.147 (Sun, 30 Apr
2006 19:58:07 GMT)
NNTP-Posting-Date: Sun, 30 Apr 2006 19:58:07 GMT
Organization: AT&T Worldnet
Xref: g2news2.google.com rec.radio.amateur.equipment:3704

Do you know where I can get a tone encoder for the PCS 3000?? Thanks
"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0603311008330.12435@malasada.lava.net...
> Tedd,
> Your right, it is a 12 pin female plug.  I guess at 85 I have
> trouble seeing or counting.  The recptacles are so old they
> have lost all their springiness.   I tried deoxit on em and they
> would work for a while, then I'd try to pinch them back together
> and again within weeks one or several would'nt make good contacts.
> And I dont think there is a 12 pin mike plug available this side
> of heaven.   Good luck on your sale I am sure someone will get a
> good deal from you.
>                         Joe
>
>
> **********************************************************
> * Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
> * Army MARS PRECEDED by AARS (Army Amateur Radio System) * *       Hi
> State ARMY MARS COORDINATOR                   *
> **********************************************************
>
>
```

```
From -7154600564087944682
X-Google-Thread: 108122,1061c7bdd82be588,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 30 Apr 2006 15:24:05 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: straight key
Date: Sun, 30 Apr 2006 15:24:04 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <v96dnaYiCMp4gcjZRVn-og@comcast.com>
Lines: 15
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-avsJENxm5UXdj7H5pVuhNu0FNCKjORVzlUYMzroOhVKSGeit8rZPKg/
yLUQxfwU2S7VpyLBfeMr8LjM!
GzVVNwxuxFWDcfBgmT6d+kHqL7r+6pwee6t2XO00zbUP24XzrhEUMPkHyEQeq3GYEqhTISjnCi0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3705
```

Anybody know if they are still made?? Whos got them?? I am only looking for one for a "loaner" station for new HAMs

TIA

-n6ojn

--

Steve @ Noon-Air Heating & A/C
Noon-Air@comcast.net

Life is what happens while you were making other plans

From 2336367874466366454
X-Google-Thread: 108122,1061c7bdd82be588
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 30 Apr 2006 15:39:51 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <v96dnaYiCMp4gcjZRVn-og@comcast.com>
Subject: Re: straight key
Date: Sun, 30 Apr 2006 15:39:50 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <ooKdnc1tc44FvcjZRVn-sQ@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-bIfubY7XlrdEE5FThCiEv9E9YL27IjU1J0+xi34Lx9GNLwytsLwGyZ3HdBDrIhgDjZy0AI1cmFP2YyO!KFaqj7/L48pZLurPpmCaXTpq1xygol9bNF3GQGcU0rM6f4RgNTR/eJNuw6i8EsrTQMtItLP11Jg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3706

ever mind... found some nice ones on ebay

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:v96dnaYiCMp4gcjZRVn-og@comcast.com...
> Anybody know if they are still made?? Whos got them?? I am only looking
> for one for a "loaner" station for new HAMs
>
> TIA
>
> -n6ojn
>
> --

```
>
> Steve @ Noon-Air Heating & A/C
> Noon-Air@comcast.net
>
> Life is what happens while you were making other plans
>
>
```

```
From -1778982706587151678
X-Google-Thread: 108122,44fe951fd8be293e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 30 Apr 2006 15:42:01 -0500
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.iyjq204.pminews@newsgroups.comcast.net>
References:  <8s85g.19512$eR6.8471@bgtnsc04-news.ops.worldnet.att.net>
Date: Sun, 30 Apr 2006 13:32:24 -0700 (PDT)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Need help with Icom 2100  2 meter handheld
Lines: 29
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-
CimKXS2SzlXBgajbLUkIG5DXSsjzKYse5S0nV5IvWf4q3jGtbMmbo+B7G1EUeS2ZVfwVjBlx7/ibEwT!
fUVN7aFVT18kPtvwoxxZ//dulV7fWcbuVNwMfQMG3VtVB4yAagvIuFJRUWWgC9Jg9o/XftmmYP31!
JsRyoRcMXBSn8CLF4idTLdwf
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3707

On Sun, 30 Apr 2006 19:44:04 GMT, Bill wrote:

>Can anyone help with programming the "call channel" freq that includes "tone
>encoder".  I can get it programmed, and, as the book says, it will disappear
>when you leave the "call channel"  However, they list steps to Permanently
>install the encoded but it doesn't seem to work for me.

  The ICOM IC-2100H is a mobile rig, not a hand-held.
```

I programmed a tone-encoded (receive and transmit tones) in the call channel memory with no problems. Go into "Call Channel" mode with the M/CALL switch, then to the VFO mode with the M/VFO switch, set it up in the VFO mode first to make sure that it works, then save it in "call channel" memory with the S.MW/MW switch.

Page 33 in the Instruction Manual gives very clear step-by-step instructions.

If ICOM has another rig with the model number 2100, it meets the requirements of Dr. Professor C.T. Yang of MIT who, when confronted with naming two different things the same name, would say "This one not equal to that one - I only did that to con-fuse you".

--
73 de K2ASP - Phil Kane

From a Clearing in the Silicon Forest
Beaverton (Washington County) Oregon

```
From 6055748653188503029
X-Google-Thread: 108122,5be68ac1e970a1af,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 30 Apr 2006 16:09:10 -0500
From: EA6SA <EA6SA.273j0b@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Dentron Clipperton-V Wanter Esq.diagram
Date: Sun, 30 Apr 2006 21:02:55 +0000
Message-ID: <EA6SA.273j0b@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 7
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-
UCXhtQq6gi15LSARJtLo39AJYOyr19PEE4AKLM3nitB4vsoU5m3ORBj9eXv8vVtK+x6ZMDbVpArSF+t!
vE+d4N0HWJxIgtTLs2nTd2rSj+gMCkanStBvuAqqiOYVSjZtY7w25pVvd69M2uqH/2dA5u6hprTk!
Ul+jMLM=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3708
```

Hola, hola, amigos.
My name is Josep from S�ller in Mediterranean sea.
I have an old Dentron Clipperton-V 2 meters power amplifier with 1
4CX250... and delay relay amperite 6no60 but hole glass in socket...
and others problems, and I need the esquematic diagram.
You can send a electronic copy to my e-mail or a photocopy to my
mailing dress?   I will be extremely thanked.
Gracias & Greetings frm. Majorca Island.
Josep

ea6sa@yahoo.es   p.o.box, 222 07100 S�ller Balearic Islands Spain

--
EA6SA

```
From 4766014585917019531
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 30 Apr 2006 14:54:47 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1146434087.455556.152410@u72g2000cwu.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
   <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
   <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
   <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
   <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
   <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
   <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
   <1257hrlls8jm694@corp.supernews.com>
   <33aa52hjph9c5e7bv6a0ihoonjttmsa7q4@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146434092 31012 127.0.0.1 (30 Apr 2006 21:54:52 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Sun, 30 Apr 2006 21:54:52 +0000 (UTC)
In-Reply-To: <33aa52hjph9c5e7bv6a0ihoonjttmsa7q4@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.30;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.antenna:10649 rec.radio.amateur.equipment:3710 rec.radio.amateur.policy:25023 rec.radio.cb:9004 rec.radio.shortwave:33089

Fred wrote:
> On Sat, 29 Apr 2006 15:07:19 -0500, "Dr.Death"
> <drdeath555usb@nospam.yahoo.com> wrote:

>
> I am sure he has a mental retardation waiver.

for what?

I have a valid license and radio equipment what would I need a waver
for?

From -9204474638738682819
X-Google-Thread: 108122,1061c7bdd82be588
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!fe01.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <v96dnaYiCMp4gcjZRVn-og@comcast.com>
Subject: Re: straight key
Lines: 11
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <ZRa5g.52668$%_1.24214@fe01.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 30 Apr 2006 22:28:09 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3711

Noon-Air wrote:
> Anybody know if they are still made?? Whos got them?? I am only

> looking for one for a "loaner" station for new HAMs

In a few months (maybe sooner) the 5 WPM Morse code requirement will be dropped for as a prerequisite for amateur radio licenses in the U.S. A long-overdue move IMHO, and one that might rejuvinate ham radio here in much the same way that it has done in other countries that have dropped the code.

```
From -7285191174834550808
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread06.POSTED!53ab2750!not-for-mail
From: "Guy" <nospam@nospam.nospam>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
<smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
<1146238178.410103.29330@y43g2000cwc.googlegroups.com>
<cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
<1146271643.734737.155940@j73g2000cwa.googlegroups.com>
<3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
<1146333073.590407.297500@i39g2000cwa.googlegroups.com>
<cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
<1257hrlls8jm694@corp.supernews.com>   <e30oep$efq$0@pita.alt.net>
<1146368310.284179.91600@j33g2000cwa.googlegroups.com>
<mT05g.59704$gE.42943@dukeread06>
<1146420600.965799.254370@i39g2000cwa.googlegroups.com>
Subject: Re: blame the posters not arrl
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <4Lb5g.60036$gE.30698@dukeread06>
Date: Sun, 30 Apr 2006 18:28:59 -0500
NNTP-Posting-Host: 24.255.66.148
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1146439744 24.255.66.148 (Sun, 30 Apr 2006 19:29:04 EDT)
NNTP-Posting-Date: Sun, 30 Apr 2006 19:29:04 EDT
Organization: Cox Communications
```

```
Xref: g2news2.google.com rec.radio.amateur.antenna:10657
rec.radio.amateur.equipment:3712 rec.radio.amateur.policy:25024 rec.radio.cb:9007
rec.radio.shortwave:33096


"an_old_friend" <konstans@hotmail.com> wrote in message
news:1146420600.965799.254370@i39g2000cwa.googlegroups.com...
>
> Guy wrote:
>> "an_old_friend" <konstans@hotmail.com> wrote in message
>> news:1146368310.284179.91600@j33g2000cwa.googlegroups.com...
>> >
>> > Terry Two Shoes wrote:
>> >> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote in message
>> >> news:1257hrlls8jm694@corp.supernews.com...
>> >> "Fred" <freddyr1928@ll.net> wrote in message
>> >> news:cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com...
>> >> > On 29 Apr 2006 10:51:13 -0700, "an_old_friend"
>> >> > <konstans@hotmail.com>
>> >> > wrote:
>> >
>> >> If passing a Ham test was predicated upon correct spelling, he'd be a
>> >> washout.
>> >
>> > but spelling corect on the fly is not requirement
> forging again
>
> it is amaszing the fear of me shown in this forum
> that someone needs to add "noris punkchuation  spasing orany efert
> 2make it ezyon thu reedr"
>
> to my post
>
> coward im merly poynting owt thee idocy of ur posts buy imitatin u
>
>> >
>




From 9023611924386511298
X-Google-Thread: 108122,99d322d263d18bc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.tele.dk!
feed118.news.tele.dk!news.tele.dk!small.news.tele.dk!news.astraweb.com!newsrouter-
eu.astraweb.com!feeder.news-service.com!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-
ams-03!sn-post-ams-01!sn-post-sjc-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Mike and Cable for Azden PCS3000
```

```
Date: Sun, 30 Apr 2006 13:35:18 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0604301333080.4522@malasada.lava.net>
In-Reply-To: <jF85g.19568$eR6.17387@bgtnsc04-news.ops.worldnet.att.net>
References: <Pine.BSI.4.61.0603301500110.8742@malasada.lava.net>
 <1143820506.200533.308460@t31g2000cwb.googlegroups.com>
 <Pine.BSI.4.61.0603311008330.12435@malasada.lava.net>
 <jF85g.19568$eR6.17387@bgtnsc04-news.ops.worldnet.att.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news2.google.com rec.radio.amateur.equipment:3713


On Sun, 30 Apr 2006, Bill wrote:

> Do you know where I can get a tone encoder for the PCS 3000?? Thanks
> "Joseph Fenn" <jfenn@lava.net> wrote in message
> news:Pine.BSI.4.61.0603311008330.12435@malasada.lava.net...
>> Tedd,
>> Your right, it is a 12 pin female plug.  I guess at 85 I have
>> trouble seeing or counting.  The recptacles are so old they
>> have lost all their springiness.   I tried deoxit on em and they
>> would work for a while, then I'd try to pinch them back together
>> and again within weeks one or several would'nt make good contacts.
>> And I dont think there is a 12 pin mike plug available this side
>> of heaven.   Good luck on your sale I am sure someone will get a
>> good deal from you.
>>                        Joe
>
Am I answering to myself!!!!   No I dont know where you can get
a tone pad nor a mike cable.  I am still looking for a new
mike cable also as the AZDEN is just sitting there idle now for
almost a year.
                     Joe




From -4828041386956919722
X-Google-Thread: 108122,1061c7bdd82be588
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: straight key
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <v96dnaYiCMp4gcjZRVn-og@comcast.com>
Organization: Your Company
Message-ID: <Xns97B5AE3F37007spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
```

Date: 01 May 2006 00:06:48 GMT
Lines: 17
NNTP-Posting-Host: 6696c362.news.adtechcomputers.com
X-Trace: DXC=VL^X>8VK`h;]O[;Ogh^:=3gC4_A5:nI@1<<=aEgO;R87S[VaTVjXAR0WH;L]i_e:h?ecf<A4o8l930W_Uo]cC15:8kHcNc;Ume>;h^0UT4@=h:KLN8QTGKAJ8
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3715

> Anybody know if they are still made?? Whos got them?? I am only
> looking for one for a "loaner" station for new HAMs
>

Amateur Electronic Supply, http://www.aesham.com ,   has a nice selection of keys, ranging in price from about $10.00 for a new Ameco straight key, to more pricey high quality units.

For a beginning ham, I'd get a new cheap straight key rather than a used overly fancy model you might find on EBay.

Good luck.

Ed   K7AAT

From -8854559000493552037
X-Google-Thread: 108122,a1d91ad90821e55a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news-wrt-01.rdc-nyc.rr.com!news-feed-01.rdc-nyc.rr.com!news.rr.com!news-out.nyc.rr.com!news-wrt-01.rdc-nyc.rr.com.POSTED!53ab2750!not-for-mail
From: "Dave Schneider" <wjdi@hvc.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: collins 20V2
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <_Ed5g.52403$x97.31403@news-wrt-01.rdc-nyc.rr.com>
Date: Mon, 01 May 2006 01:39:06 GMT
NNTP-Posting-Host: 72.225.129.252
X-Complaints-To: abuse@rr.com
X-Trace: news-wrt-01.rdc-nyc.rr.com 1146447546 72.225.129.252 (Sun, 30 Apr 2006 21:39:06 EDT)
NNTP-Posting-Date: Sun, 30 Apr 2006 21:39:06 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3716

Looking for a 20v2 OR 20v3

```
From -6013167315242614445
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j73g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 30 Apr 2006 19:12:23 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1146449543.853365.112330@j73g2000cwa.googlegroups.com>
References: <1146238178.410103.29330@y43g2000cwc.googlegroups.com>
   <cqc5525d7mu7ahh5nv0q89grsi151lcqr3@4ax.com>
   <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
   <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
   <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
   <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
   <1257hrlls8jm694@corp.supernews.com>
   <33aa52hjph9c5e7bv6a0ihoonjttmsa7q4@4ax.com>
   <1146434087.455556.152410@u72g2000cwu.googlegroups.com>
   <13ja521a4t9lajqiiajd47h1siohf5vf8h@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146449563 32727 127.0.0.1 (1 May 2006 02:12:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 1 May 2006 02:12:43 +0000 (UTC)
In-Reply-To: <13ja521a4t9lajqiiajd47h1siohf5vf8h@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j73g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.antenna:10666
rec.radio.amateur.equipment:3717 rec.radio.amateur.policy:25029 rec.radio.cb:9016
rec.radio.shortwave:33105
```

Fred wrote:
> On 30 Apr 2006 14:54:47 -0700, "an old friend" <kb9rqz@yahoo.com>
?
> >
> >I have a valid license and radio equipment what would I need a waver
> >for?
>
> Hmmm, you tell us.
why?

you are making the charge you suport
>You certainly don't seem too bright. I am merely
> making an observation of a known quantity. You act like a retard so
> therefore I assume that you are a retard. Die of HIV, loser.

you just engage in libel and don't post anything on radio I do but you
don't

```
From -8409471177410270166
X-Google-Thread: 108122,1061c7bdd82be588
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: straight key
Date: 30 Apr 2006 19:23:56 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1146450236.059907.195580@g10g2000cwb.googlegroups.com>
References: <v96dnaYiCMp4gcjZRVn-og@comcast.com>
   <ZRa5g.52668$%_1.24214@fe01.news.easynews.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146450242 10644 127.0.0.1 (1 May 2006 02:24:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 1 May 2006 02:24:02 +0000 (UTC)
In-Reply-To: <ZRa5g.52668$%_1.24214@fe01.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=69.19.14.30;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news2.google.com rec.radio.amateur.equipment:3718
```

Travis Jordan wrote:
> Noon-Air wrote:

> > Anybody know if they are still made?? Whos got them?? I am only
> > looking for one for a "loaner" station for new HAMs
>
> In a few months (maybe sooner) the 5 WPM Morse code requirement will be
> dropped for as a prerequisite for amateur radio licenses in the U.S. A
> long-overdue move IMHO, and one that might rejuvinate ham radio here in
> much the same way that it has done in other countries that have dropped
> the code.

indeed it may even do something to atract more hams to cw use

but the fcc keeps draging their feet

```
From -6610144926816788399
X-Google-Thread: 1109af,201ef6b3ea383284,start
X-Google-Thread: 106d41,201ef6b3ea383284,start
X-Google-Thread: 108122,201ef6b3ea383284,start
X-Google-Attributes: gid1109af,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.phx!fe03.lga.POSTED!53ab2750!not-for-mail
From: " NI4L" <ni4l@charter.net>
Newsgroups: rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment
Subject:  WTB Radio Shack TRC-485
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Cpg5g.2312$fW.1904@fe03.lga>
X-Trace: 
idmkcnjgmiagocdeilkkpidpmejcggalpaajfnpbmldkfkeidjocchnajjhbmbnanmcadpbofhbahcmmdo
lfhlmmmhepoicpfmgbapimgepjbdijlblbfghgkknpdihabcfagklmiblliljll
NNTP-Posting-Date: Sun, 30 Apr 2006 21:47:30 MST
Date: Mon, 1 May 2006 00:47:23 -0400
Xref: g2news2.google.com rec.radio.swap:3818 rec.radio.cb:9022 
rec.radio.amateur.equipment:3719
```

Looking for a Radio Shack TRC-485 in good shape.
If you have one and not useing it contact me please with price shipped to
28681.
Thanks for looking
Chris NI4L

```
From -3861368218239943867
```

X-Google-Thread: 108122,af9a93f239806e43,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 01 May 2006 02:50:36 -0500
From: "Wuff Hung" <kennjd@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom IC-781 support group is back ...
Date: Mon, 1 May 2006 00:04:29 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <OJydnf5m-sNRIMjZ4p2dnA@adelphia.com>
Lines: 18
NNTP-Posting-Host: 70.34.19.136
X-Trace: sv3-XwSf1s1V2+jpb56KNbKVULaG71IWG94hHKWS6hKDRWQ/
GwParzQPMnVEeG1SJH8n1tcclRi5Y7aRpUT!TZBSzQmPs422zKp8CFG9cdb2MKa59P2hrNiss7IDZiK/
GEwfmyLyoPzbKlQ4EUor1dpX1k7cer7y!a+lPTKAR+X2E
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3720

The Yahoo Icom IC-781 support group is back in service and accepting new members.

If you are interested in the IC-781 check out all the links, files and other resources.

If you consider yourself knowledgeable on the maintenance matters of this radio please join and make yourself available.

You may also post questions and get involved in discussions through the message board. Here is the URL:

http://groups.yahoo.com/group/IcomIC781/

Thanks, and best of 73 OM

From 1678231836693053697
X-Google-Thread: 108122,451b0823c99930b0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!not-for-
mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: 9 Pin Molex , fl-7000 band data type
Date: Mon, 1 May 2006 22:22:59 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 10
Message-ID: <e34ujh$dau$1@news-02.connect.com.au>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1146486193 13662 202.172.125.74 (1 May 2006
12:23:13 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Mon, 1 May 2006 12:23:13 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Xref: g2news2.google.com rec.radio.amateur.equipment:3721
```

Hi fellas, looking for a source of the Molex plug for the BAND DATA Jack on
a FL-7000 amp? or a D400019 complete lead?
I also have a K1NU DUAL RIG&CW SERIAL CABLE for YAESU FT990/FT1000 that I
would like to swap for a OPC 478 or equiv cable for Programing ICOM 208H

Tnxs

```
From 7366956878715148075
X-Google-Thread: 108122,f5aa9e28caa07c14,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!nntp.infostrada.it!twister2.libero.it.POSTED!not-for-mail
From: "Paolo Emanuelli IK1QHB" <ik1qhb@libero.it>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB Butternut HF6V
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <Lgq5g.104747$PR2.1616323@twister2.libero.it>
Date: Mon, 01 May 2006 16:00:43 GMT
```

```
NNTP-Posting-Host: 151.44.140.56
X-Complaints-To: abuse@libero.it
X-Trace: twister2.libero.it 1146499243 151.44.140.56 (Mon, 01 May 2006 18:00:43
MET DST)
NNTP-Posting-Date: Mon, 01 May 2006 18:00:43 MET DST
Organization: [Infostrada]
Xref: g2news2.google.com rec.radio.amateur.equipment:3722

Hi OM

WTB an HF6V GP Butternut in good conditions.

Offer to ik1qhb@libero.it

Thanks & 73

Paul IK1QHB




From 5225721226848725736
X-Google-Thread: 108228,c9042bc4202a2ca9,start
X-Google-Thread: fc8b1,c9042bc4202a2ca9,start
X-Google-Thread: 108122,c9042bc4202a2ca9,start
X-Google-Thread: fc2a5,c9042bc4202a2ca9,start
X-Google-Thread: 1109af,c9042bc4202a2ca9,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-
mail
From: "Tom" <tfarl@iowatelecom.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.homebrew,rec.radio.swap
Subject: FA: Vintage WRL Globe FCL-1 "Speech Booster" - RARE
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <hiq5g.952970$xm3.606729@attbi_s21>
NNTP-Posting-Host: 12.215.107.2
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1146499341 12.215.107.2 (Mon, 01 May 2006 16:02:21 GMT)
NNTP-Posting-Date: Mon, 01 May 2006 16:02:21 GMT
Organization: AT&T ASP.att.net
Date: Mon, 01 May 2006 16:02:21 GMT
Xref: g2news2.google.com alt.ham-radio.marketplace:886
rec.radio.amateur.boatanchors:3942 rec.radio.amateur.equipment:3723
rec.radio.amateur.homebrew:5051 rec.radio.swap:3831
```

An interesting accessory designed and built by WRL for the Globe "Scout"
and "Hi-Bander" series.

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9720352662

Ends this Sunday, May-07-06 16:39:16 PDT (23:39:16 GMT/UTC).

Tnx fer looking.
Vy 73 es best dx
de Tom N�JMY . .

From 8834427546855624472
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 1 May 2006 13:20:59 -0700
Organization: http://groups.google.com
Lines: 39
Message-ID: <1146514859.883347.202460@u72g2000cwu.googlegroups.com>
References: <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
   <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
   <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
   <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
   <1257hrlls8jm694@corp.supernews.com>
   <33aa52hjph9c5e7bv6a0ihoonjttmsa7q4@4ax.com>
   <1146434087.455556.152410@u72g2000cwu.googlegroups.com>
   <13ja521a4t9lajqiiajd47h1siohf5vf8h@4ax.com>
   <1146449543.853365.112330@j73g2000cwa.googlegroups.com>
   <5jhc52939d5i1334sj0gq88kmsfc8eii1f@4ax.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146514865 26460 127.0.0.1 (1 May 2006 20:21:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 1 May 2006 20:21:05 +0000 (UTC)
In-Reply-To: <5jhc52939d5i1334sj0gq88kmsfc8eii1f@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)

```
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10701
rec.radio.amateur.equipment:3725 rec.radio.amateur.policy:25048 rec.radio.cb:9042
rec.radio.shortwave:33223


Fred wrote:
> On 30 Apr 2006 19:12:23 -0700, "an old friend" <kb9rqz@yahoo.com>
> wrote:
>
> >
> >Fred wrote:
> >> On 30 Apr 2006 14:54:47 -0700, "an old friend" <kb9rqz@yahoo.com>
> >?
> >> >
> >> >I have a valid license and radio equipment what would I need a waver
> >> >for?
> >>
> >> Hmmm, you tell us.
> >why?
> >
> >you are making the charge you suport
> >>You certainly don't seem too bright. I am merely
> >> making an observation of a known quantity. You act like a retard so
> >> therefore I assume that you are a retard. Die of HIV, loser.
> >
> >you just engage in libel and don't post anything on radio I do but you
> >don't
>
> Is it libel or an observation made of your behavior?
it is libel even if it were an observation fred
>If you don't want
> to be thought of as a retard, then learn how to spell and interact
> with other human beings. Things might change, but for now everyone has
> a negative perception of you and I am sure we all want you to die from
> HIV.
meaning yuou are confessed to being ahte filled fred
> I am still waiting for a radio post by you.

I made one yesterday or was it the day before in the thread on RC
controllors

have a nice day troll



From 8588445197865503254
X-Google-Thread: 108122,87f7d92adec877c9,start
X-Google-Thread: fc2a5,87f7d92adec877c9,start
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news2.google.com!news4.google.com!news3.google.com!newsfeed.stanford.edu!
sn-xt-sjc-03!sn-xt-sjc-09!sn-post-02!sn-post-sjc-01!supernews.com!
corp.supernews.com!not-for-mail
From: Butch Magee <lynyrd@cableone.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.amateur.homebrew
Subject: PROJECT BOX
Date: Mon, 01 May 2006 16:13:09 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <125cug53d8nf884@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 6
Xref: g2news2.google.com rec.radio.amateur.equipment:3726
rec.radio.amateur.homebrew:5059

I'm looking for a supplier of project boxes (metal). What I need right
now is a 4 x 7 x 5 in. Or numbers close to this, abt. 1/2in either way
for a little ant. tuner I want to put together.

Thanks,
Butch KF5DE

From 1979302641780464322
X-Google-Thread: 108122,d65df5fcaa4c6ae5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.phx!newsfe24.lga.POSTED!53ab2750!not-for-mail
From: Radio <radReMoVe@mts.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: SWAN 1200-W CYGNET AMPLIFIER
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <Adw5g.37574$vl4.35402@newsfe24.lga>
Date: Mon, 01 May 2006 17:50:14 -0500
NNTP-Posting-Host: 142.161.148.194
X-Complaints-To: http://support.highwinds-media.com
X-Trace: newsfe24.lga 1146523616 142.161.148.194 (Mon, 01 May 2006 15:46:56 MST)
NNTP-Posting-Date: Mon, 01 May 2006 15:46:56 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:3727

SWAN 1200-W CYGNET AMPLIFIER

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9720712890

From -5600858432701715598
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
207.115.63.142.MISMATCH!newscon02.news.prodigy.com!prodigy.net!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Date: Mon, 01 May 2006 19:16:13 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
References: <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
<3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
<1146333073.590407.297500@i39g2000cwa.googlegroups.com>
<cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com> <1257hrlls8jm694@corp.supernews.com>
<33aa52hjph9c5e7bv6a0ihoonjttmsa7q4@4ax.com>
<1146434087.455556.152410@u72g2000cwu.googlegroups.com>
<13ja521a4t9lajqiiajd47h1siohf5vf8h@4ax.com>
<1146449543.853365.112330@j73g2000cwa.googlegroups.com>
<5jhc52939d5i1334sj0gq88kmsfc8eii1f@4ax.com>
In-Reply-To: <5jhc52939d5i1334sj0gq88kmsfc8eii1f@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <e191c$445696db$453d9423$1018@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 36
X-Trace: e191c445696dbe098318601018
Xref: g2news2.google.com rec.radio.amateur.antenna:10709
rec.radio.amateur.equipment:3728 rec.radio.amateur.policy:25065 rec.radio.cb:9053
rec.radio.shortwave:33251

Fred wrote:
> On 30 Apr 2006 19:12:23 -0700, "an old friend" <kb9rqz@yahoo.com>
> wrote:
>

>
>>Fred wrote:
>>
>>>On 30 Apr 2006 14:54:47 -0700, "an old friend" <kb9rqz@yahoo.com>
>>
>>?
>>
>>>>I have a valid license and radio equipment what would I need a waver
>>>>for?
>>>
>>>Hmmm, you tell us.
>>
>>why?
>>
>>you are making the charge you suport
>>
>>>You certainly don't seem too bright. I am merely
>>>making an observation of a known quantity. You act like a retard so
>>>therefore I assume that you are a retard. Die of HIV, loser.
>>
>>you just engage in libel and don't post anything on radio I do but you
>>don't
>
>
> Is it libel or an observation made of your behavior? If you don't want
> to be thought of as a retard, then learn how to spell and interact
> with other human beings. Things might change, but for now everyone has
> a negative perception of you and I am sure we all want you to die from
> HIV. I am still waiting for a radio post by you.
Fred, let it go, man

Do YOU have anything related to ham radio to post?

From -8458891817894264850
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!postnews.google.com!
y43g2000cwc.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame the posters not arrl
Date: 1 May 2006 16:20:09 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1146525609.009394.272250@y43g2000cwc.googlegroups.com>

```
References: <1146271643.734737.155940@j73g2000cwa.googlegroups.com>
   <3lm5521h52e4jgalekjqq6g64e3i59u1mm@4ax.com>
   <1146333073.590407.297500@i39g2000cwa.googlegroups.com>
   <cff752ptrbujv3st3o1r30ececm1f3oku4@4ax.com>
   <1257hrlls8jm694@corp.supernews.com>
   <33aa52hjph9c5e7bv6a0ihoonjttmsa7q4@4ax.com>
   <1146434087.455556.152410@u72g2000cwu.googlegroups.com>
   <13ja521a4t9lajqiiajd47h1siohf5vf8h@4ax.com>
   <1146449543.853365.112330@j73g2000cwa.googlegroups.com>
   <5jhc52939d5i1334sj0gq88kmsfc8eii1f@4ax.com>
   <e191c$445696db$453d9423$1018@FUSE.NET>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146525625 24010 127.0.0.1 (1 May 2006 23:20:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 1 May 2006 23:20:25 +0000 (UTC)
In-Reply-To: <e191c$445696db$453d9423$1018@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=69.19.14.30;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10710
rec.radio.amateur.equipment:3729 rec.radio.amateur.policy:25066 rec.radio.cb:9054
rec.radio.shortwave:33252


jawod wrote:
> Fred wrote:
> > On 30 Apr 2006 19:12:23 -0700, "an old friend" <kb9rqz@yahoo.com>
> > wrote:
> >

> > Is it libel or an observation made of your behavior? If you don't want
> > to be thought of as a retard, then learn how to spell and interact
> > with other human beings. Things might change, but for now everyone has
> > a negative perception of you and I am sure we all want you to die from
> > HIV. I am still waiting for a radio post by you.
> Fred, let it go, man
he can't

for the same reason various other can't either
>
> Do YOU have anything related to ham radio to post?

not likely he has posted that he wants to be a lurker and entertained
by the rest of us and to tell the rest of us how to posts as well



From -4892444044488018789
```

```
X-Google-Thread: 108122,2343c3bbdb5c20ff
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!
cyclone2.kc.rr.com!news2.kc.rr.com!tornado.socal.rr.com.POSTED!53ab2750!not-for-
mail
From: Phil Wheeler <w6tuh-ng7@yahoo.com>
User-Agent: Mozilla Thunderbird 1.0.6 (Macintosh/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-897 Mobile With Subaru Outback?
References: <ABs1g.734$ZV4.5@newsfe23.lga>
In-Reply-To: <ABs1g.734$ZV4.5@newsfe23.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <2mB1g.5487$WA3.3645@tornado.socal.rr.com>
Date: Thu, 20 Apr 2006 01:21:02 GMT
NNTP-Posting-Host: 24.24.234.224
X-Complaints-To: abuse@rr.com
X-Trace: tornado.socal.rr.com 1145496062 24.24.234.224 (Wed, 19 Apr 2006 18:21:02
PDT)
NNTP-Posting-Date: Wed, 19 Apr 2006 18:21:02 PDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3566
```

Lee Smith wrote:
> Hi Folks:
>
> Need your input on this. I've almost convinced myself to buy a new Subaru
> Outback and want to use my FT-897 in it. As of yet, I have not made a
> choice of antenna system and a search on the net has come up with very
> little info.
>

That will be the tricky part, I think. Have not yet solved the problem
with my 2003 CR-V .. but I'm still researching the issue (radio was
relatively easy .. an FT-857). So far antenna solutions have been
temporary in nature.

> Are you aware of any RFI issues with this car? Do you have any installation
> tips, or websites with suggestions as to best mobile installation practices?
>

This is one of the best sites I've found recently re mobile installations:

http://www.k0bg.com/indexright.html

73, Phil

```
From 2014453260597375501
X-Google-Thread: 108122,2343c3bbdb5c20ff
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-
feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!
tornado.socal.rr.com.POSTED!53ab2750!not-for-mail
From: Phil Wheeler <w6tuh-ng7@yahoo.com>
User-Agent: Mozilla Thunderbird 1.0.6 (Macintosh/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-897 Mobile With Subaru Outback?
References: <ABs1g.734$ZV4.5@newsfe23.lga>
<2mB1g.5487$WA3.3645@tornado.socal.rr.com>
In-Reply-To: <2mB1g.5487$WA3.3645@tornado.socal.rr.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 31
Message-ID: <OpB1g.5488$WA3.2400@tornado.socal.rr.com>
Date: Thu, 20 Apr 2006 01:25:02 GMT
NNTP-Posting-Host: 24.24.234.224
X-Complaints-To: abuse@rr.com
X-Trace: tornado.socal.rr.com 1145496302 24.24.234.224 (Wed, 19 Apr 2006 18:25:02
PDT)
NNTP-Posting-Date: Wed, 19 Apr 2006 18:25:02 PDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3567

Phil Wheeler wrote:
> Lee Smith wrote:
>
>> Hi Folks:
>>
>> Need your input on this.  I've almost convinced  myself to buy a new
>> Subaru
>> Outback and want to use my FT-897 in it.  As of yet, I have not made a
>> choice of antenna system and a search on the net has come up with very
>> little info.
>>
>
> That will be the tricky part, I think.  Have not yet solved the problem
> with my 2003 CR-V .. but I'm still researching the issue (radio was
> relatively easy .. an FT-857).  So far antenna solutions have been
> temporary in nature.
>
>> Are you aware of any RFI issues with this car?  Do you have any
>> installation
>> tips, or websites with suggestions as to best mobile installation
>> practices?
>>
```

>
> This is one of the best sites I've found recently re mobile installations:
>

Correction .. here:

http://www.k0bg.com/

73, Phil

From 5443567205888295954
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news.astraweb.com!
router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Wed, 19 Apr 2006 20:07:13 -0700
Organization: Blue Feather Technologies
Message-ID: <MPG.1eb09abe9284c1ed989690@news.drizzle.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: yasure.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news2.google.com rec.radio.amateur.antenna:10076
rec.radio.amateur.equipment:3568 rec.radio.amateur.policy:23958 rec.radio.cb:8562
rec.radio.shortwave:31973

In article <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>,
my.em@il.dont.work (known to some as Skirt Chaser) scribed...

<drivelectomy>

Oh, look, nothing left.

Permit me to be the first to offer a resounding...

PLONK!

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From -7308631011195800609
X-Google-Thread: 108122,2343c3bbdb5c20ff
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.phx!newsfe15.lga.POSTED!53ab2750!not-for-mail
From: "Lee Smith" <chnrfm@mts.net>
Newsgroups: rec.radio.amateur.equipment
References: <ABs1g.734$ZV4.5@newsfe23.lga>
<2mB1g.5487$WA3.3645@tornado.socal.rr.com>
<OpB1g.5488$WA3.2400@tornado.socal.rr.com>
Subject: Re: Yaesu FT-897 Mobile With Subaru Outback?
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <pUD1g.106$%97.70@newsfe15.lga>
Date: Wed, 19 Apr 2006 23:12:20 -0500
NNTP-Posting-Host: 142.161.125.103
X-Complaints-To: http://support.highwinds-media.com
X-Trace: newsfe15.lga 1145506453 142.161.125.103 (Wed, 19 Apr 2006 21:14:13 MST)
NNTP-Posting-Date: Wed, 19 Apr 2006 21:14:13 MST
Xref: g2news2.google.com rec.radio.amateur.equipment:3569

Phil:

Thanks for the link. I've had a very quick look at it and seems like a worthwhile read.

I'll spend a few more minutes on the site and see what I learn about the world of mobile operations.

Regards,
Lee

From -2564132331278211703
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a

```
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: miso@sushi.com
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 01:21:40 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1145521299.979215.199760@e56g2000cwe.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 216.27.181.190
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145521305 2610 127.0.0.1 (20 Apr 2006 08:21:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 08:21:45 +0000 (UTC)
In-Reply-To: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.2; en-US; rv:1.8.0.2)
Gecko/20060308 Firefox/1.5.0.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=216.27.181.190;
   posting-account=l2TzZAwAAAAsCKt7rXUtDXzcqYdjYZDP
Xref: g2news2.google.com rec.radio.amateur.antenna:10084
rec.radio.amateur.equipment:3572 rec.radio.amateur.policy:23979 rec.radio.cb:8570
rec.radio.shortwave:31993
```

Idaho poster. Why am I not surprised?

Skirt Chaser wrote:

> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less. The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family. To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
>
> Now the queers have all but taken over, they're like the military wing of
> the Democratic party, and always in your face. It's not even safe to take
> your kids to Easter egg hunts anymore. I know you're all going to disagree
> with me, but a man touching and sucking on another man's cock and fucking
> his ass just ain't right. The ARRL promoted this, now look what happened
> to our radio groups.
>
> SC

```
From -8159338245948758653
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe02.news.easynews.com.POSTED!not-for-mail
From: Tony Roma <TonyRom@msn.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Message-ID: <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 20 Apr 2006 11:29:44 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10085
rec.radio.amateur.equipment:3573 rec.radio.amateur.policy:23980 rec.radio.cb:8572
rec.radio.shortwave:31998
```

On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
wrote:

```
>
>I know you're all going to disagree
>with me, but a man touching and sucking on another man's cock and fucking
>his ass just ain't right.
```

You said a mouthful. Oh and I agree with you. It just aint natural! I
mean imagine a guy sucking on my cock. what am I supposed to do, come
in his mouth??? Very disturbing!

```
From -6576287428575750394
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
```

```
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
news.alt.net!usenet
From: Lloyd <lloyd@no.spammmmm>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Followup-To: alt.test,alt.binaries.pictures.erotica.gaymen.ab8mq,alt.fag-
lamer.roger-wiseman.chucklehead
Date: 20 Apr 2006 12:08:45 GMT
Organization: http://www.TarrNews.net - FREE NNTP Access
Lines: 6
Message-ID: <GW8701733.58F8789@tarrnews.net>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145521299.979215.199760@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 127.0.0.1
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express for Irix 6.00.2600.0000
X-MimeOLE: Produced By SGI Irix MimeOLE V6.00.2600.0000
Xref: g2news2.google.com rec.radio.amateur.antenna:10086
rec.radio.amateur.equipment:3574 rec.radio.amateur.policy:23981 rec.radio.cb:8573
rec.radio.shortwave:31999

On 20 Apr 2006 01:21:40 -0700, miso@sushi.com <perfect example> wrote from
NNTP-Posting-Host 216.27.181.190:

> Idaho poster. Why am I not surprised?

San Francisco poster.  Why am I not surprised?


From -4167092866770148978
X-Google-Thread: 108122,fd4b235066d914b8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 20 Apr 2006 07:47:37 -0500
Date: Thu, 20 Apr 2006 08:47:39 -0400
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Mozilla Thunderbird 1.0.6 (X11/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: WTB: Patcomm PC-16000A
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

Message-ID: <OMKdncfn5N10H9rZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 6
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-pas8vuD6jKvgRMcy9U0pWxE9Ge7wTapJs1ElogI4l9KiZ/
uTemjtdGUIBgJu1npOJ1ewP8vTSCaUUBZ!
yQZGC6uJH9FZxBF2c+tgNud+TamiwCshdrEpk1toeO8xTL5lcv747arcM2Xd9+4wYEld6zroj3T0!
U4UDC+Se3AHJ+UEoXUTe
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3575

Anyone selling one of these that is in good condition? As customary, remove the "NOSPAM" from the email address.

Thanks,

John W2AGN

From 1748123550985184696
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: troll troll troll your boats
Date: 20 Apr 2006 06:01:26 -0700
Organization: http://groups.google.com
Lines: 13
Message-ID: <1145538086.422974.84870@j33g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145538102 29236 127.0.0.1 (20 Apr 2006 13:01:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 13:01:42 +0000 (UTC)
In-Reply-To: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)

```
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=66.82.9.82;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10090
rec.radio.amateur.equipment:3576 rec.radio.amateur.policy:23991 rec.radio.cb:8574
rec.radio.shortwave:32002


Skirt Chaser wrote:
> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less.  The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family.  To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
grow up the ARRL had no legeal choice

of course folks like you thrpwow out the law when it suits them




From -2447320407312628886
X-Google-Thread: 108122,2343c3bbdb5c20ff
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-897 Mobile With Subaru Outback?
Date: 20 Apr 2006 06:03:32 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1145538212.596954.109050@e56g2000cwe.googlegroups.com>
References: <ABs1g.734$ZV4.5@newsfe23.lga>
   <2mB1g.5487$WA3.3645@tornado.socal.rr.com>
   <OpB1g.5488$WA3.2400@tornado.socal.rr.com>
   <pUD1g.106$%97.70@newsfe15.lga>
NNTP-Posting-Host: 64.216.97.23
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145538224 29673 127.0.0.1 (20 Apr 2006 13:03:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 13:03:44 +0000 (UTC)
In-Reply-To: <pUD1g.106$%97.70@newsfe15.lga>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 iwss:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=64.216.97.23;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
```

Xref: g2news2.google.com rec.radio.amateur.equipment:3577

I have an 2005 Outback, I have a Yaesu FT-90 dual band mobile in it. It only puts out 50 watts on 2 meters but I have not had any RFI issue's with it. I used a thru the glass antenna, which doesnt help you any. One problem with most of these newer vehicles is space, not alot of continuous smooth surfaces in them. But we love the vehicle!
Best Regards
Tim N7XAU

From -698177951642004901
X-Google-Thread: 108122,25ca175fe8fa3e16,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread05.POSTED!53ab2750!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Alinco DJ-V5 TH High Power Dual Band HT New In Box
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <3XL1g.3653$B42.2132@dukeread05>
Date: Thu, 20 Apr 2006 09:23:19 -0400
NNTP-Posting-Host: 70.160.76.117
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1145539391 70.160.76.117 (Thu, 20 Apr 2006 09:23:11 EDT)
NNTP-Posting-Date: Thu, 20 Apr 2006 09:23:11 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:3578

Alinco DJ-V5TH High Power Dual Band HT New in Box

I bought this radio from a dealer at a local hamfest at the end of February. I am always attracted to these new radios, especially small ones like this one. The problem is I never use them and they end up gathering dust in the closet. I have had this one out of the box exactly once to charge it, pressed the buttons and listened a few times and thats it. So I decided to sell it before it sits around for a few years. It is in absolutely perfect condition as new in the box as a unit can be.

Includes

* DJ-V5TH Radio
* Dual Band SMA Antenna
* High Power Battery

* AC Charger
* Belt Clip
* Lanyard
* Original Manual / Schematic
* Original Box / Packing

For more information, pictures or to place a bid go to :

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9714856839

From -8974022661167571240
X-Google-Thread: 108122,ed8d64b215b52733,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread05.POSTED!53ab2750!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Uniden HR-2600 10M Amatuer Radio
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <A1M1g.3656$B42.3208@dukeread05>
Date: Thu, 20 Apr 2006 09:30:16 -0400
NNTP-Posting-Host: 70.160.76.117
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1145539808 70.160.76.117 (Thu, 20 Apr 2006 09:30:08 EDT)
NNTP-Posting-Date: Thu, 20 Apr 2006 09:30:08 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:3579

I have owned this radio for many years having bought it new. I had planned on installing it into my isuzu trooper but never actually managed to get around to it. It has had no more than three to four total hours of use, if that. I has mainly been sitting on a shelf waiting to be installed. It has never been installed in a car and the little use it has had was on the bench with a bench top supply. It is in excellent condition with everything except the original box.

Asking $150.00, reseanable offers considered, no trades.

Contact me at pwborders at gmail dot com

For more information and pictures go to:

http://vbitblnx2.tcc.edu/~tcbordp/hr2600.html

Peter W. Borders - WB4TKA

From -6325662798648969931
X-Google-Thread: 108122,2343c3bbdb5c20ff
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!tornado.socal.rr.com.POSTED!53ab2750!not-for-mail
From: Phil Wheeler <w6tuh-ng7@yahoo.com>
User-Agent: Mozilla Thunderbird 1.0.6 (Macintosh/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-897 Mobile With Subaru Outback?
References: <ABs1g.734$ZV4.5@newsfe23.lga> <2mB1g.5487$WA3.3645@tornado.socal.rr.com> <OpB1g.5488$WA3.2400@tornado.socal.rr.com>   <pUD1g.106$%97.70@newsfe15.lga> <1145538212.596954.109050@e56g2000cwe.googlegroups.com>
In-Reply-To: <1145538212.596954.109050@e56g2000cwe.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <N3M1g.5527$WA3.4157@tornado.socal.rr.com>
Date: Thu, 20 Apr 2006 13:32:29 GMT
NNTP-Posting-Host: 24.24.234.224
X-Complaints-To: abuse@rr.com
X-Trace: tornado.socal.rr.com 1145539949 24.24.234.224 (Thu, 20 Apr 2006 06:32:29 PDT)
NNTP-Posting-Date: Thu, 20 Apr 2006 06:32:29 PDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3580

TimBob wrote:
> I have an 2005 Outback, I have a Yaesu FT-90 dual band mobile in it.
> It only puts out 50 watts on 2 meters but I have not had any RFI
> issue's with it. I used a thru the glass antenna, which doesnt help
> you any. One problem with most of these newer vehicles is space, not
> alot of continuous smooth surfaces in them. But we love the vehicle!
> Best Regards
> Tim N7XAU
>

I've had no problems with thru-the-glass antennas, other than not the best signals (and losing one in a rainstorm at high speed in Montana a few years back!).

Generally VHF/UHF antennas are pretty easy to mount. Its the HF antennas that are a bear, especially with newer vehicles. My CR-V, with its swing-out rear door (vs. lift gate) is a bear. I had antenna mounts on the rear door (not a great solution), but was rear-ended recently and

now have a new door, sans antennas while I noodle on other solutions.
Yakima rack on top is inviting (but the antennas would need folded over
to get into garages (mine and parking).

73, Phil w7ox

From 5917347751780914028
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: kb9rqz@markmorgan.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
Date: Thu, 20 Apr 2006 09:49:00 -0400
Reply-To: k4yz@aol.com
Message-ID: <484f42l3djo1lpoa1amkrfevm48fn9s502@4ax.com>
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu> <124a9o9bmgm7ea2@corp.supernews.com>
<44466dd8$0$29969@dingus.crosslink.net> <rWv1g.17982$IZ2.4916@dukeread07>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server
contains 140,000+ groups
Lines: 40
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.ks.uiuc.edu!news.usenetzone.com!not-for-mail
Xref: g2news2.google.com rec.radio.amateur.equipment:3581

On Wed, 19 Apr 2006 15:10:33 -0400, nitespark <nitespark@cox.net>
wrote:

>
>
>Vito wrote:
>> "Butch Magee" <lynyrd@cableone.net> wrote
>>
>>>..... I never heard such filthy
>>>language ...... I'm no prude..., all I could
>>>think of was all the kids that must have had to hear that kind of
>>>language because their dad or motherwere enjoying reading the mail.
>>>
>>
>>
>> Sure you are (a prude) OM but its nothing to be ashamed of. Cursing is a sign
>> of poor vocabulary. OTOH, I was brought up on "Sticks and stones my break my
>> bones but words can never hurt me!" so I find the PC notion that "bad words"
can
>> somehow hurt anybody, including kids, a bit amusing.
>>
>> 73, K3DWW

```
>
>So you think its OK to teach kids filthy language?  Should Sesame Street
>start talking like Stern?
where did he say or even sugest that

calm down consider professional help
>
>As for the "sticks and stones"....rubbish.  In some locations when you
>start directing expletives at a person, it can be considered a "Breach
>of Peace" or possibly even Disorderly Conduct.

where is that?  I have read someone try that line before but they
refused to back it up
```

Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

```
From -405969673229124807
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "AC7PN" <brunius@rockisland.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 06:56:26 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1145541385.985202.176180@u72g2000cwu.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 207.118.6.19
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145541391 27570 127.0.0.1 (20 Apr 2006 13:56:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 13:56:31 +0000 (UTC)
In-Reply-To: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.2)
Gecko/20060308 Firefox/1.5.0.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=207.118.6.19;
```

```
   posting-account=cLNYEA0AAAC5vxJQFmeSOB-D0TN3bz0d
Xref: g2news2.google.com rec.radio.amateur.antenna:10093
rec.radio.amateur.equipment:3582 rec.radio.amateur.policy:24033 rec.radio.cb:8581
rec.radio.shortwave:32012
```

Watching two men holding hands and kissing gives me the creeps less
than your intolerant letter. What two men do out of my sight doesn't
bother me at all. Skirt Chaser should do us all a favor and practice
his intollerance in the privacy of his own home.

Although I'm not about to go see that Broke Back Mountain movie I would
be happy to talk with a gay ham on the bands.

Bob AC7PN

```
From -6987392513237099258
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
feed20.multikabel.net!multikabel.net!feed10.multikabel.net!feeder4.cambrium.nl!
feed.tweaknews.nl!border2.nntp.ams.giganews.com!nntp.giganews.com!
pe2.news.blueyonder.co.uk!blueyonder!pe1.news.blueyonder.co.uk!blueyonder!
fe2.news.blueyonder.co.uk.POSTED!53ab2750!not-for-mail
From: Mike Lee <swift240@yahoo.co.uk>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
In-Reply-To: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 21
Message-ID: <7tM1g.130837$zI1.16870@fe2.news.blueyonder.co.uk>
Date: Thu, 20 Apr 2006 13:59:31 GMT
NNTP-Posting-Host: 82.37.192.23
X-Trace: fe2.news.blueyonder.co.uk 1145541571 82.37.192.23 (Thu, 20 Apr 2006
14:59:31 BST)
NNTP-Posting-Date: Thu, 20 Apr 2006 14:59:31 BST
Xref: g2news2.google.com rec.radio.amateur.antenna:10095
rec.radio.amateur.equipment:3583 rec.radio.amateur.policy:24035 rec.radio.cb:8582
rec.radio.shortwave:32013
```

Skirt Chaser wrote:

> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less. The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family. To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
>
> Now the queers have all but taken over, they're like the military wing of
> the Democratic party, and always in your face. It's not even safe to take
> your kids to Easter egg hunts anymore. I know you're all going to disagree
> with me, but a man touching and sucking on another man's cock and fucking
> his ass just ain't right. The ARRL promoted this, now look what happened
> to our radio groups.
>
> SC
>

@skirt chaserBloody well grow up, you moron.

Mike.

```
From 3157594937270331046
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: get help
Date: 20 Apr 2006 07:00:16 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1145541616.262895.130480@i40g2000cwc.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <1145541385.985202.176180@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145541621 6986 127.0.0.1 (20 Apr 2006 14:00:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 14:00:21 +0000 (UTC)
In-Reply-To: <1145541385.985202.176180@u72g2000cwu.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.82;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.antenna:10096
rec.radio.amateur.equipment:3584 rec.radio.amateur.policy:24036 rec.radio.cb:8583
rec.radio.shortwave:32014
```

AC7PN wrote:
> Watching two men holding hands and kissing gives me the creeps less
> than your intolerant letter. What two men do out of my sight doesn't
> bother me at all. Skirt Chaser should do us all a favor and practice
> his intollerance in the privacy of his own home.

sadly he can't he is so frightened he must try to drive people he
dislikes out of existance

> Although I'm not about to go see that Broke Back Mountain movie I would
> be happy to talk with a gay ham on the bands.
>
> Bob AC7PN

```
From -6243958603191618066
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-07!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Butch Magee <lynyrd@cableone.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Thu, 20 Apr 2006 09:18:58 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <124f62lqr9saac2@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
In-Reply-To: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news2.google.com rec.radio.amateur.antenna:10100
rec.radio.amateur.equipment:3585 rec.radio.amateur.policy:24048 rec.radio.cb:8587
rec.radio.shortwave:32015
```

```
Skirt Chaser wrote:
> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less.  The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family.  To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
>
> Now the queers have all but taken over, they're like the military wing of
> the Democratic party, and always in your face. It's not even safe to take
> your kids to Easter egg hunts anymore. I know you're all going to disagree
> with me, but a man touching and sucking on another man's cock and fucking
> his ass just ain't right.  The ARRL promoted this, now look what happened
> to our radio groups.
>
> SC
>
This is way off topic for this site "Skirt", I bet some voice is telling
you to post this stuff to hide your "homo" side.  Well "Skirt", if you
really want to hide your sexuality, just keep your mouth shut!  Know
whut I mean?

KF5DE



From 2379824830003803400
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
green.octanews.net!teal.octanews.net!news-out.octanews.net!indigo.octanews.net!
auth.news-2.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Bert Hyman <bert@iphouse.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<124f62lqr9saac2@corp.supernews.com>
Organization: Not so you'd notice
Message-ID: <Xns97AB60117A8E9VeebleFetzer@127.0.0.1>
User-Agent: Xnews/2005.10.18
Date: 20 Apr 2006 14:25:54 GMT
Lines: 11
NNTP-Posting-Date: 20 Apr 2006 09:25:54 CDT
NNTP-Posting-Host: 02a15cab.auth.newsreader.iphouse.com
X-Trace: DXC=2FV:UgL:WD^QUMPU3Z=Z\[_6RIS\>jRcSFbE0<hKBJT_UBJN0_DV4YT46F16N?
```

MWfZQO0Ym;XoQlVVH;:E?jnoOT\ig\Z3RUD7YBU^H>>`HZB_
X-Complaints-To: abuse@iphouse.net
Xref: g2news2.google.com rec.radio.amateur.antenna:10101
rec.radio.amateur.equipment:3586 rec.radio.amateur.policy:24052 rec.radio.cb:8588
rec.radio.shortwave:32016

lynyrd@cableone.net (Butch Magee) wrote in
news:124f62lqr9saac2@corp.supernews.com:

> This is way off topic for this site "Skirt",

What "site" would that be?

And, thanks for reposting his message in its entirety.

--
Bert Hyman | St. Paul, MN | bert@iphouse.com

From -7409089029784191 6
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!
lnsnews.lns.cornell.edu!newsstand.cit.cornell.edu!not-for-mail
From: Bill Mutch <wcm1@cornell.edu>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Thu, 20 Apr 2006 10:55:24 -0400
Organization: Cornell University
Lines: 27
Sender: wcm1@cornell.invalid
Message-ID: <e287cr$89d$1@ruby.cit.cornell.edu>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<gzx1g.206$TT.140@twister.nyroc.rr.com>
Reply-To: wcm_1_NOSPAM@cornell.edu
NNTP-Posting-Host: dhcp-128-84-83-74.ece.cornell.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: ruby.cit.cornell.edu 1145544923 8493 128.84.83.74 (20 Apr 2006 14:55:23
GMT)
X-Complaints-To: newsmgr@cornell.edu
NNTP-Posting-Date: Thu, 20 Apr 2006 14:55:23 +0000 (UTC)
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
In-Reply-To: <gzx1g.206$TT.140@twister.nyroc.rr.com>

```
Xref: g2news2.google.com rec.radio.amateur.antenna:10102
rec.radio.amateur.equipment:3587 rec.radio.amateur.policy:24057 rec.radio.cb:8591
rec.radio.shortwave:32017

FDR wrote:
> "Skirt Chaser" <my.em@il.dont.work> wrote in message
> news:jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net...
>
>>ARRL threw principle out the window when they caved in to the demands of
>>the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed when
>>I opened my beloved QST magazine and there on the pages were photos of
>>queers on a Tropical DXpedition, and in living color no less.  The ARRL
>>wanted us to embrace a sick perverted lifestyle and be one big happy
>>family.  To me, it was the spark that signaled the death of a once proud
>>organization, and it turned liberal.
>>
>>Now the queers have all but taken over, they're like the military wing of
>>the Democratic party, and always in your face. It's not even safe to take
>>your kids to Easter egg hunts anymore. I know you're all going to disagree
>>with me, but a man touching and sucking on another man's cock and fucking
>>his ass just ain't right.  The ARRL promoted this, now look what happened
>>to our radio groups.
>>
>>SC
>>
>
>
> Get a life.
>
>
     My responce exactly !


From -1960740101350742556
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Followup-To: rec.radio.amateur.antenna
References:  <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node167-75-93-63.1dial.com
Message-ID: <4447a18e_5@newsfeed.slurp.net>
Date: 20 Apr 2006 09:58:22 -0500
X-Trace: newsfeed.slurp.net 1145545102 63.93.75.167 (20 Apr 2006 09:58:22 -0500)
```

Lines: 21
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.167
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!news.moat.net!newsfeed.slurp.net!
not-for-mail
Xref: g2news2.google.com rec.radio.amateur.antenna:10104
rec.radio.amateur.equipment:3588 rec.radio.amateur.policy:24059 rec.radio.cb:8592
rec.radio.shortwave:32018

ORIGINAL MESSAGE:

Skirt Chaser wrote:

> ARRL threw principle out the window when they caved in to the demands
> of the Lambda Amateur Radio Club (LARC).

*********** REPLY SEPARATOR ***********

I find it fascinating to see all the personal attacks against Skirt Chaser, but not one poster says his conclusions are wrong.

Reminds me of some years ago when Dan Quayle attacked Murphy Brown for portraying a decadent lifestyle. He got crap from all over the spectrum, but not one attacker said his conclusions were wrong either.

Food for thought.

Bill, W6WRT

From 4612508973570288623
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t31g2000cwb.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 09:17:35 -0700
Organization: http://groups.google.com
Lines: 28
Message-ID: <1145549855.877794.85610@t31g2000cwb.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>

```
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145549861 20074 127.0.0.1 (20 Apr 2006 16:17:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 16:17:41 +0000 (UTC)
In-Reply-To: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t31g2000cwb.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:10108
rec.radio.amateur.equipment:3589 rec.radio.amateur.policy:24069 rec.radio.cb:8593
rec.radio.shortwave:32025
```

Skirt Chaser wrote:

> ARRL threw principle out the window when they caved in to the demands of the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when I opened my beloved QST magazine and there on the pages were photos of queers on a Tropical DXpedition, and in living color no less. The ARRL wanted us to embrace a sick perverted lifestyle and be one big happy family. To me, it was the spark that signaled the death of a once proud organization, and it turned liberal.
>
> Now the queers have all but taken over, they're like the military wing of the Democratic party, and always in your face. It's not even safe to take your kids to Easter egg hunts anymore. I know you're all going to disagree with me, but a man touching and sucking on another man's cock and fucking his ass just ain't right. The ARRL promoted this, now look what happened to our radio groups.
>
> SC

Your comments indicate that have an unusual interest in the homosexual lifestyle. By appearing to be virulently anti-homosexual you come across as trying too hard to convince us that you are heterosexual. Possibly you need to convince yourself first that you don't have homosexual tendencies before trying so hard to convince others.

Really, it's ok if you are. Just accept yourself as you are and everything will be fine - eventually.

```
From 3231254804425240566
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
```

```
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 09:23:53 -0700
Organization: http://groups.google.com
Lines: 30
Message-ID: <1145550233.735338.6190@v46g2000cwv.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <4447a18e_5@newsfeed.slurp.net>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145550239 31683 127.0.0.1 (20 Apr 2006 16:23:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 16:23:59 +0000 (UTC)
In-Reply-To: <4447a18e_5@newsfeed.slurp.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=66.82.9.82;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:10109
rec.radio.amateur.equipment:3590 rec.radio.amateur.policy:24070 rec.radio.cb:8594
rec.radio.shortwave:32026


Bill Turner wrote:
> ORIGINAL MESSAGE:
>
> Skirt Chaser wrote:
>
> > ARRL threw principle out the window when they caved in to the demands
> > of the Lambda Amateur Radio Club (LARC).
>
>
>
> *********** REPLY SEPARATOR ***********
>
> I find it fascinating to see all the personal attacks against Skirt
> Chaser, but not one poster says his conclusions are wrong.

well you facts are in error

I said his conclusions were wrong

The ARRL had no real choice in allowing LARC to advertise  the cloesets
```

it had to a choice was a long and expensive legal battle that it would likely lose

as to the rest I refarined from comenting on the posters obvious sexaul issues becaus ethey were
A) obvious and
B) simple the run of a flase premises   which by the GIGO meant they rest was garbage

```
From -5782289554833041447
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 09:26:04 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1145550364.327901.17800@v46g2000cwv.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <1145549855.877794.85610@t31g2000cwb.googlegroups.com>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145550369 32029 127.0.0.1 (20 Apr 2006 16:26:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 16:26:09 +0000 (UTC)
In-Reply-To: <1145549855.877794.85610@t31g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=66.82.9.82;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:10110
rec.radio.amateur.equipment:3591 rec.radio.amateur.policy:24071 rec.radio.cb:8595
rec.radio.shortwave:32027
```

John S. wrote:

> Your comments indicate that have an unusual interest in the homosexual

```
> lifestyle.  By appearing to be virulently anti-homosexual you come
> across as trying too hard to convince us that you are heterosexual.

certainly he does
> Possibly you need to convince yourself first that you don't have
> homosexual tendencies before trying so hard to convince others.
>
> Really, it's ok if you are.  Just accept yourself as you are and
> everything will be fine - eventually.

other than having to deal with forever most likelyy the unwanted
nonsence from people that can't mind thier own bussnes yes

you would not Johnthat was posting in RRAP in the year ago range




From -9093531842539039947
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 09:52:34 -0700
Organization: http://groups.google.com
Lines: 22
Message-ID: <1145551954.218241.149760@v46g2000cwv.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <1145549855.877794.85610@t31g2000cwb.googlegroups.com>
   <1145550364.327901.17800@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145551961 26052 127.0.0.1 (20 Apr 2006 16:52:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 16:52:41 +0000 (UTC)
In-Reply-To: <1145550364.327901.17800@v46g2000cwv.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news2.google.com rec.radio.amateur.antenna:10111
```

```
rec.radio.amateur.equipment:3592 rec.radio.amateur.policy:24076 rec.radio.cb:8598
rec.radio.shortwave:32030


an old freind wrote:
> John S. wrote:
>
> > Your comments indicate that have an unusual interest in the homosexual
> > lifestyle.  By appearing to be virulently anti-homosexual you come
> > across as trying too hard to convince us that you are heterosexual.
>
> certainly he does
> > Possibly you need to convince yourself first that you don't have
> > homosexual tendencies before trying so hard to convince others.
> >
> > Really, it's ok if you are.  Just accept yourself as you are and
> > everything will be fine - eventually.
>
> other than having to deal with forever most likelyy the unwanted
> nonsence from people that can't mind thier own bussnes yes
>
> you would not Johnthat was posting in RRAP in the year ago range

I've tried to figure out what you were saying, but can't.  Try again.




From -3559112969818155775
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "Morris" <Sherins@bellsouth.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 11:03:03 -0700
Organization: http://groups.google.com
Lines: 34
Message-ID: <1145556183.011381.171380@z34g2000cwc.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 208.54.95.129
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145556189 5887 127.0.0.1 (20 Apr 2006 18:03:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 18:03:09 +0000 (UTC)
```

In-Reply-To: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.2)
Gecko/20060308 Firefox/1.5.0.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=208.54.95.129;
   posting-account=_wVZUg0AAADMTYQTAuxzHCA6MU3Ekg7I
Xref: g2news2.google.com rec.radio.amateur.antenna:10123
rec.radio.amateur.equipment:3593 rec.radio.amateur.policy:24078 rec.radio.cb:8601
rec.radio.shortwave:32037

Skirt Chaser,

So convinced of your position, you didn't post with a real name. One thing we all can agree on: The ARRL did not hide its political position.

I want to go on record as embracing the ARRL's move, a reason that I just may join after all these years. I guess I first need to identify myself as "normal" heterosexual, although sexual identity ought not be relevant to one's standing or reputation in life.

The terms of conduct you use are appalling, homphobic imaginationl. How can youi pre-suppose what two consenting adults do privately? Do we pre-suppose what heterosexuals do? Of course not, realizing sexuality is unique.

The only act that is obviuos becomes so by the birth of children, otherwise sexuality is a private matter. And on what basis do you connect children with homosexuality, which abuses pale in comparison to heterosexual abuses with children.

A compelling example, by no means alone, is the recent spate of female teacher abuses of male minors. To draw the example further, the reality of this teacher abuse by no means speaks for female teachers in general, any more than homosexuality equates to abuse of children.

Your post, to me, seems so rife with homophobia and prejudice that you seem mentally unbalanced. Of course, I could be wrong and I could be the unbalanced one. In any case, I wish you well and hope you will begin to feel the integrity of your words suffcient that you identify your posts by real name and call.

Bob Sherin, W4ASX

From 2349760907186057283
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!03ce4474!not-for-mail
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Organization: Internet Argonaut
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145556183.011381.171380@z34g2000cwc.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Face: ,cNluD^cTg560%T8O&<Kwl!N>2R3MND4m%ln@,jFig:T/?4`pG(&J/So4b#dr        L[}
ZxZ0m*vGk7]@)+cK-~F2Oywqc2-5Zcr`?1ys#:dGEv%BlKRh"Vebh!P``bcD}2$}}        ?
U},D#0a<X#?i8!eCtVUxI>D*(AmZi(=NzA9%)Wc5C5ZODdwa~%7iN-+\RfW=c:@3w-,
L\Pzawef*7X!9VN#7d;~6Ka-
Message-ID: <telamon_spamshield-
FD528A.11211920042006@newsclstr02.news.prodigy.com>
Lines: 14
NNTP-Posting-Host: 207.105.206.163
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1145557279 ST000 207.105.206.163 (Thu, 20 Apr
2006 14:21:19 EDT)
NNTP-Posting-Date: Thu, 20 Apr 2006 14:21:19 EDT
X-UserInfo1:
FKPO@MC@OXVMBTLXMJJBNFTBTR\B@GXLN@GZ_GYO^BTJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Thu, 20 Apr 2006 18:21:19 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10125
rec.radio.amateur.equipment:3594 rec.radio.amateur.policy:24079 rec.radio.cb:8604
```

In article <1145556183.011381.171380@z34g2000cwc.googlegroups.com>,
"Morris" <Sherins@bellsouth.net> wrote:

> Skirt Chaser,

< Snip >

Please drop rec.radio.shortwave from this thread.

Thanks.

--
Telamon
Ventura, California

```
From -8475842358168188461
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 11:51:41 -0700
Organization: http://groups.google.com
Lines: 43
Message-ID: <1145559101.270723.264110@i40g2000cwc.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <1145556183.011381.171380@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145559106 15305 127.0.0.1 (20 Apr 2006 18:51:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 18:51:46 +0000 (UTC)
In-Reply-To: <1145556183.011381.171380@z34g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.82;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10130
rec.radio.amateur.equipment:3595 rec.radio.amateur.policy:24081 rec.radio.cb:8606
rec.radio.shortwave:32041
```

Morris wrote:

> Skirt Chaser,
>
> So convinced of your position, you didn't post with a real name. One
> thing we all can agree on: The ARRL did not hide its political
> position.
>
> I want to go on record as embracing the ARRL's move, a reason that I
> just may join after all these years. I guess I first need to identify
> myself as "normal" heterosexual, although sexual identity ought not be
> relevant to one's standing or reputation in life.

a good set of reasoning if one thinks the ARRL tok it out of principle
instead calulation of the chances andcosts of a fight

Sir I would never suggest insulting oneself by your self "normal"

>
> The terms of conduct you use are appalling, homphobic imaginationl. How can youi pre-suppose what two consenting adults do privately? Do we pre-suppose what heterosexuals do? Of course not, realizing sexuality is unique.
>
> The only act that is obviuos becomes so by the birth of children, otherwise sexuality is a private matter. And on what basis do you connect children with homosexuality, which abuses pale in comparison to heterosexual abuses with children.
>
> A compelling example, by no means alone, is the recent spate of female teacher abuses of male minors. To draw the example further, the reality of this teacher abuse by no means speaks for female teachers in general, any more than homosexuality equates to abuse of children.
>
> Your post, to me, seems so rife with homophobia and prejudice that you seem mentally unbalanced. Of course, I could be wrong and I could be the unbalanced one. In any case, I wish you well and hope you will begin to feel the integrity of your words suffcient that you identify your posts by real name and call.

>
> Bob Sherin, W4ASX

```
From -2738357815706810032
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu> <124a9o9bmgm7ea2@corp.supernews.com>
<44466dd8$0$29969@dingus.crosslink.net> <rWv1g.17982$IZ2.4916@dukeread07>
<484f42l3djo1lpoa1amkrfevm48fn9s502@4ax.com>
In-Reply-To: <484f42l3djo1lpoa1amkrfevm48fn9s502@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 46
Message-ID: <cQQ1g.19179$IZ2.3982@dukeread07>
```

```
Date: Thu, 20 Apr 2006 14:57:33 -0400
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1145559432 24.254.177.70 (Thu, 20 Apr 2006 14:57:12 EDT)
NNTP-Posting-Date: Thu, 20 Apr 2006 14:57:12 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:3596



kb9rqz@markmorgan.net wrote:
> On Wed, 19 Apr 2006 15:10:33 -0400, nitespark <nitespark@cox.net>
> wrote:
>
>
>>
>>Vito wrote:
>>
>>>"Butch Magee" <lynyrd@cableone.net> wrote
>>>
>>>
>>>>.....  I never heard such filthy
>>>>language ...... I'm no prude..., all I could
>>>>think of was all the kids that must have had to hear that kind of
>>>>language because their dad or motherwere enjoying reading the mail.
>>>>
>>>
>>>
>>>Sure you are (a prude) OM but its nothing to be ashamed of.  Cursing is a sign
>>>of poor vocabulary.  OTOH, I was brought up on "Sticks and stones my break my
>>>bones but words can never hurt me!" so I find the PC notion that "bad words"
can
>>>somehow hurt anybody, including kids, a bit amusing.
>>>
>>>73, K3DWW
>>
>>So you think its OK to teach kids filthy language?  Should Sesame Street
>>start talking like Stern?
>
> where did he say or even sugest that
>
> calm down consider professional help
>
>>As for the "sticks and stones"....rubbish.  In some locations when you
>>start directing expletives at a person, it can be considered a "Breach
>>of Peace" or possibly even Disorderly Conduct.
>
>
> where is that?  I have read someone try that line before but they
> refused to back it up

Next time, do your own research-
```

```
http://leg1.state.va.us/cgi-bin/legp504.exe?000+cod+18.2-416



From -6874800807494073147
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!
newspeer.monmouth.com!nntp.newsfirst.net!dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups: rec.radio.amateur.equipment
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu> <124a9o9bmgm7ea2@corp.supernews.com>
<44466dd8$0$29969@dingus.crosslink.net> <rWv1g.17982$IZ2.4916@dukeread07>
Subject: Re: Give up CB for ham?
Date: Thu, 20 Apr 2006 15:03:34 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Lines: 27
Message-ID: <4447db1c$0$30657@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.37
X-Trace: dingus.crosslink.net 1145559836 30657 207.199.164.37
Xref: g2news2.google.com rec.radio.amateur.equipment:3597

"nitespark" <nitespark@cox.net> wrote
> Vito wrote:
> > Sure you are (a prude) OM but its nothing to be ashamed of.  Cursing is a
sign
> > of poor vocabulary.  OTOH, I was brought up on "Sticks and stones my break
my
> > bones but words can never hurt me!" so I find the PC notion that "bad words"
can
> > somehow hurt anybody, including kids, a bit amusing.
> >
> > 73, K3DWW
>
> So you think its OK to teach kids filthy language?  Should Sesame Street
> start talking like Stern?

Hmmm ... somebody clearly failed to teach reading comprehension.  But yes it is
OK for kids to learn words that may offend prudes like yourself so long as they
don't abuse them or neglect to learn a proper vocabulary.  There is no evidence
that any word ever harmed anybody.
>
> As for the "sticks and stones"....rubbish.  In some locations when you
> start directing expletives at a person, it can be considered a "Breach
> of Peace" or possibly even Disorderly Conduct.

Cite?
```

```
From 6075646065263591941
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: kb9rqz@markmorgan.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
Date: Thu, 20 Apr 2006 15:39:13 -0400
Reply-To: k4yz@aol.com
Message-ID: <opof42lorq66onjd4cb8bchqv6oirlb2ml@4ax.com>
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu> <124a9o9bmgm7ea2@corp.supernews.com>
<44466dd8$0$29969@dingus.crosslink.net> <rWv1g.17982$IZ2.4916@dukeread07>
<484f42l3djo1lpoa1amkrfevm48fn9s502@4ax.com> <cQQ1g.19179$IZ2.3982@dukeread07>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server
contains 140,000+ groups
Lines: 29
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!inka.de!rz.uni-
karlsruhe.de!morpheus.pingos.org!news.albasani.net!news.usenetzone.com!not-for-
mail
Xref: g2news2.google.com rec.radio.amateur.equipment:3598

On Thu, 20 Apr 2006 14:57:33 -0400, nitespark <nitespark@cox.net>
wrote:

>
>
>kb9rqz@markmorgan.net wrote:
>> On Wed, 19 Apr 2006 15:10:33 -0400, nitespark <nitespark@cox.net>

>> calm down consider professional help
>>
>>>As for the "sticks and stones"....rubbish.  In some locations when you
>>>start directing expletives at a person, it can be considered a "Breach
>>>of Peace" or possibly even Disorderly Conduct.
>>
>>
>> where is that?  I have read someone try that line before but they
>> refused to back it up
>
>Next time, do your own research-

you make the claim you back it up is my motto
>
```

>http://leg1.state.va.us/cgi-bin/legp504.exe?000+cod+18.2-416

Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

From 41974388717344297
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!news.alt.net!usenet
From: LARC <larc@your.face>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 20:01:14 GMT
Organization: http://www.TarrNews.net - FREE NNTP Access
Lines: 11
Message-ID: <RRS87833.8F8789@tarrnews.net>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net> <1145556183.011381.171380@z34g2000cwc.googlegroups.com> <telamon_spamshield-FD528A.11211920042006@newsclstr02.news.prodigy.com>
NNTP-Posting-Host: 127.0.0.1
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express for Irix 6.00.2600.0000
X-MimeOLE: Produced By SGI Irix MimeOLE V6.00.2600.0000
Xref: g2news2.google.com rec.radio.amateur.antenna:10140 rec.radio.amateur.equipment:3599 rec.radio.amateur.policy:24083 rec.radio.cb:8609 rec.radio.shortwave:32050

On Thu, 20 Apr 2006 18:21:19 GMT, Telamon wrote:
> In article <1145556183.011381.171380@z34g2000cwc.googlegroups.com>,
> "Morris" <Sherins@bellsouth.net> wrote:
>
> > Skirt Chaser,
>
> < Snip >
>
> Please drop rec.radio.shortwave from this thread.

Are you afraid someone will find out?

```
From 1367916730048211047
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!03ce4474!not-for-mail
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Organization: Internet Argonaut
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145556183.011381.171380@z34g2000cwc.googlegroups.com> <telamon_spamshield-
FD528A.11211920042006@newsclstr02.news.prodigy.com> <RRS87833.8F8789@tarrnews.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Face: ,cNluD^cTg560%T8O&<Kwl!N>2R3MND4m%ln@,jFig:T/?4`pG(&J/So4b#dr        L[}
ZxZ0m*vGk7]@)+cK-~F2Oywqc2-5Zcr`?1ys#:dGEv%BlKRh"Vebh!P``bcD}2$}}        ?
U},D#0a<X#?i8!eCtVUxI>D*(AmZi(=NzA9%)Wc5C5ZODdwa~%7iN-+\RfW=c:@3w-,
L\Pzawef*7X!9VN#7d;~6Ka-
Message-ID: <telamon_spamshield-
A7F7EE.14061220042006@newsclstr02.news.prodigy.com>
Lines: 23
NNTP-Posting-Host: 207.105.206.163
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1145567172 ST000 207.105.206.163 (Thu, 20 Apr
2006 17:06:12 EDT)
NNTP-Posting-Date: Thu, 20 Apr 2006 17:06:12 EDT
X-UserInfo1:
SCSYQN_@FS@URQXYGZKN__TDEB\@PD\MNPWZKB]MPXHTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Thu, 20 Apr 2006 21:06:12 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10148
rec.radio.amateur.equipment:3600 rec.radio.amateur.policy:24086 rec.radio.cb:8612

In article <RRS87833.8F8789@tarrnews.net>, LARC <larc@your.face> wrote:

> On Thu, 20 Apr 2006 18:21:19 GMT, Telamon wrote:
> > In article <1145556183.011381.171380@z34g2000cwc.googlegroups.com>,
> >  "Morris" <Sherins@bellsouth.net> wrote:
> >
> > > Skirt Chaser,
> >
> > < Snip >
```

> >
> > Please drop rec.radio.shortwave from this thread.
>
> Are you afraid someone will find out?

It's an off topic flame thread.

Please drop rec.radio.shortwave from this thread.

Thanks.

--
Telamon
Ventura, California

```
From 5877970439296230384
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr25.news.prodigy.net.POSTED!0d06e27e!not-for-mail
From: "Tom Donaly" <dtdonaly@sbcglobal.net>
User-Agent: Mozilla Thunderbird 0.7.1 (Windows/20040626)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<irbe42thm0v3f33jbm31logq7gjgsio4em@4ax.com>
In-Reply-To: <irbe42thm0v3f33jbm31logq7gjgsio4em@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 33
Message-ID: <2LS1g.70214$Jd.36887@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 4.243.131.130
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1145567294 ST000 4.243.131.130 (Thu, 20 Apr
2006 17:08:14 EDT)
NNTP-Posting-Date: Thu, 20 Apr 2006 17:08:14 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@SVEABWMBQLYBJMD]_\@VR]^@B@MCPWZKB]MPXH@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
```

Date: Thu, 20 Apr 2006 21:08:14 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10149
rec.radio.amateur.equipment:3601 rec.radio.amateur.policy:24087 rec.radio.cb:8613
rec.radio.shortwave:32055

Fred wrote:
> On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
> wrote:
>
>
>>ARRL threw principle out the window when they caved in to the demands of
>>the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when
>>I opened my beloved QST magazine and there on the pages were photos of
>>queers on a Tropical DXpedition, and in living color no less. The ARRL
>>wanted us to embrace a sick perverted lifestyle and be one big happy
>>family. To me, it was the spark that signaled the death of a once proud
>>organization, and it turned liberal.
>>
>>Now the queers have all but taken over, they're like the military wing of
>>the Democratic party, and always in your face. It's not even safe to take
>>your kids to Easter egg hunts anymore. I know you're all going to disagree
>>with me, but a man touching and sucking on another man's cock and fucking
>>his ass just ain't right. The ARRL promoted this, now look what happened
>>to our radio groups.
>>
>>SC
>
>
> I know a gay couple and they are not in your face. In fact... oddly
> enough they don't support gay marriage or all the other liberal
> nonsense. They are quite conservative. They also don't claim they have
> some bullshit scientific right to do what they do. It is only the
> retarded flakes like HIV-Markytard that ruin it for the rest of them.

At least being homosexual keeps them away from the farm animals. Do
y'all have a branch of the Log Cabin Club out there, Fred?
73,
Tom Donaly, KA6RUH

From 5498950295982795181
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-
xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.

From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060420172451.124$ak@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145541385.985202.176180@u72g2000cwu.googlegroups.com>
X-NRC-Trace: NewsReader.Com UqQ9Cx2A@oHm5+Y9WAgAc8xb4G2+,e=gXk_Awl/Qh3ZTQx
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 20 Apr 2006 21:11:20 GMT
Lines: 9
NNTP-Posting-Host: 835b5667.nr3.newsreader.com
X-Trace: DXC=FTSKDn?Sl88ME<0a09>e_?OA8_@f\K_i2O3l?
gPj53>5J1heF`lZhm3Nd7biGRhQT7abI[<ZWSB41Q>IO>HQOhN?
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10152
rec.radio.amateur.equipment:3602 rec.radio.amateur.policy:24088 rec.radio.cb:8614
rec.radio.shortwave:32063

"AC7PN" <brunius@rockisland.com> wrote:
> Watching two men holding hands and kissing gives me the creeps less
> than your intolerant letter. What two men do out of my sight doesn't
> bother me at all. Skirt Chaser should do us all a favor and practice
> his intollerance in the privacy of his own home.
>
> Bob AC7PN
>
Skirt Chaser also posts as 'Slow Code' with his sock puppet.

From -3434988627633811119
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
feeder.enertel.nl!nntpfeed-01.ops.asmr-01.energis-idc.net!
216.196.110.149.MISMATCH!border2.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-03!sn-ams!sn-feed-ams-02!sn-post-ams-01!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Thu, 20 Apr 2006 16:28:14 -0500
Organization: Posted via Supernews, http://www.supernews.com

Message-ID: <124fv7ddu44pca6@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 42
Xref: g2news2.google.com rec.radio.amateur.antenna:10153
rec.radio.amateur.equipment:3603 rec.radio.amateur.policy:24089 rec.radio.cb:8615
rec.radio.shortwave:32065

"Skirt Chaser" <my.em@il.dont.work> wrote in message
news:jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net...
>
> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less.

No doubt it was n8wwm and kb9rqz, but what does this have to do with
rec.radio.cb?
Quit crossposting.

>The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family. To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
>

So quit supporting the ARRL and encourage others to do the same.

> Now the queers have all but taken over, they're like the military wing of
> the Democratic party, and always in your face.

So you are claiming the majority of hams are gay? I'm sure there are many
that would disagree with your obvious troll post.

>It's not even safe to take
> your kids to Easter egg hunts anymore. I know you're all going to disagree
> with me, but a man touching and sucking on another man's cock and fucking
> his ass just ain't right.

I agree, and go a step further by saying that it is not right for you to be
this graphic about it.
It makes me wonder what you sit around thinking of all day long.

> The ARRL promoted this, now look what happened
> to our radio groups.

And you are promoting it with your crossposting of this graphic troll trash.

```
From 7747143604486641351
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!
image.surnet.ru!mtu.ru!sn-xt-sjc-15!sn-xt-sjc-06!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Thu, 20 Apr 2006 16:44:33 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <124g05vo3ja5bdd@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145541385.985202.176180@u72g2000cwu.googlegroups.com>
<20060420172451.124$ak@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news2.google.com rec.radio.amateur.antenna:10155
rec.radio.amateur.equipment:3604 rec.radio.amateur.policy:24090 rec.radio.cb:8616
rec.radio.shortwave:32066

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060420172451.124$ak@newsreader.com...
> "AC7PN" <brunius@rockisland.com> wrote:
>> Watching two men holding hands and kissing gives me the creeps less
>> than your intolerant letter. What two men do out of my sight doesn't
>> bother me at all. Skirt Chaser should do us all a favor and practice
>> his intollerance in the privacy of his own home.
>>
>> Bob AC7PN
>>
> Skirt Chaser also posts as 'Slow Code' with his sock puppet.

Did you notice they both end their posts with SC?
```

```
From -4722105534273944844
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!t31g2000cwb.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: 20 Apr 2006 15:34:11 -0700
Organization: http://groups.google.com
Lines: 27
Message-ID: <1145572451.676593.324210@t31g2000cwb.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <124fv7ddu44pca6@corp.supernews.com>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145572457 25877 127.0.0.1 (20 Apr 2006 22:34:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 22:34:17 +0000 (UTC)
In-Reply-To: <124fv7ddu44pca6@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t31g2000cwb.googlegroups.com; posting-host=66.82.9.82;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10161
rec.radio.amateur.equipment:3605 rec.radio.amateur.policy:24093 rec.radio.cb:8619
rec.radio.shortwave:32069
```

Dr.Death wrote:
> "Skirt Chaser" <my.em@il.dont.work> wrote in message
> news:jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net...
> >
> > ARRL threw principle out the window when they caved in to the demands of
> > the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when
> > I opened my beloved QST magazine and there on the pages were photos of
> > queers on a Tropical DXpedition, and in living color no less.
>
> No doubt it was n8wwm and kb9rqz, but what does this have to do with
> rec.radio.cb?
lying as normal "dr" death I see

but to answer your question the concention with rec.radio.cb is that the origainl poster posits that ARRL is responible for the near constand of Homosexaul bashing in Radio Newsgruops such CB and to another poster in the read Shortwave for that matter.

that the explanation is Bull not with standing is a on topic thread to extent it sparks a discussion of why do so many people in the Radio NG's choose to make homosexauly based attacks

as to the real reason why the radios NG has gotten into the gay bash state they have is someothing of mystery to me, since the ARRL obviously lacks such power

```
From 1102654081091041493
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: fb585,8d6fb1cb0d03b50e,start
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gidfb585,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!
be5.nntpserver.com!not-for-mail
From: Weiner Dog <weinerdog@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,alt
.food.barbecue,rec.radio.shortwave
Subject: Skirt Chaser is right  the ARRL is responsible for all the homosexual
posts.
Date: Thu, 20 Apr 2006 17:45:52 -0500
Message-ID: <mo3g42lrpn05bepnb8rdf24skehmammft6@4ax.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145521299.979215.199760@e56g2000cwe.googlegroups.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
NNTP-Posting-Date: 20 Apr 2006 21:52:48 GMT
X-Complaints-To: abuse@nntpserver.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10162
rec.radio.amateur.equipment:3606 rec.radio.amateur.policy:24097
alt.food.barbecue:6097 rec.radio.shortwave:32074
```

They are all fat middle aged guys that will have sex with anyone, even other guys.

*** Posted via a free Usenet account from http://www.teranews.com ***

```
From -3028296147826611729
```

```
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: fb585,8d6fb1cb0d03b50e
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gidfb585,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an old freid to some a nightmare to steve" <kb9rqz__ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,alt
.food.barbecue,rec.radio.shortwave
Subject: why not blame those responible for all the gay poster the folks that have
no better arguement to make  than to claim (correctly or not )the person they are
responding or attacking is gay
Date: 20 Apr 2006 15:57:18 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1145573838.748742.122720@i39g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <1145521299.979215.199760@e56g2000cwe.googlegroups.com>
   <mo3g42lrpn05bepnb8rdf24skehmammft6@4ax.com>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145573842 21997 127.0.0.1 (20 Apr 2006 22:57:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 22:57:22 +0000 (UTC)
In-Reply-To: <mo3g42lrpn05bepnb8rdf24skehmammft6@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=66.82.9.82;
   posting-account=IvgfvA0AAABfkDmkFekg2nkRIyiXwf8A
Xref: g2news2.google.com rec.radio.amateur.antenna:10163
rec.radio.amateur.equipment:3607 rec.radio.amateur.policy:24103
alt.food.barbecue:6098 rec.radio.shortwave:32075
```

Weiner Dog wrote:

> They are all fat middle aged guys that will have sex with anyone,
> even other guys.
> *** Posted via a free Usenet account from http://www.teranews.com ***

well could the truth be admitted to here

```
From -6216272170173954331
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
```

```
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060420190526.041$7U@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145549855.877794.85610@t31g2000cwb.googlegroups.com>
X-NRC-Trace: NewsReader.Com UY3x.B1Cw34zCVGfmfYDuCLQhApyOsMAoAJGoaStthxLXD
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 20 Apr 2006 22:51:54 GMT
Lines: 5
NNTP-Posting-Host: cdb37bb7.nr3.newsreader.com
X-Trace: DXC=^]<Gcff6n0P`kj?V;J8DJTOA8_@f\K_iRO3l?
gPj53>UoU=SQOKP=_QNd7biGRhQTW<SVPgDF]ACTFVeGAN0;94U
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10166
rec.radio.amateur.equipment:3608 rec.radio.amateur.policy:24108 rec.radio.cb:8620
rec.radio.shortwave:32076

"John S." <hjsjms@cs.com> wrote:
>> Really, it's ok if you are.  Just accept yourself as you are and
> everything will be fine - eventually.
>
He can't get the taste of used cock out of his mouth.


From 7510024621076865800
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "an old freid to some a nightmare to steve" <kb9rqz__ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: blame the real preps that ARRL has enough sins on it card
```

Date: 20 Apr 2006 16:08:54 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1145574534.524848.50660@v46g2000cwv.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <1145549855.877794.85610@t31g2000cwb.googlegroups.com>
   <20060420190526.041$7U@newsreader.com>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145574541 32314 127.0.0.1 (20 Apr 2006 23:09:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 23:09:01 +0000 (UTC)
In-Reply-To: <20060420190526.041$7U@newsreader.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=66.82.9.82;
   posting-account=IvgfvA0AAABfkDmkFekg2nkRIyiXwf8A
Xref: g2news2.google.com rec.radio.amateur.antenna:10168
rec.radio.amateur.equipment:3609 rec.radio.amateur.policy:24110 rec.radio.cb:8621
rec.radio.shortwave:32077

Steveo wrote:
> "John S." <hjsjms@cs.com> wrote:
> >> Really, it's ok if you are. Just accept yourself as you are and
> > everything will be fine - eventually.
> >
> He can't get the taste of used cock out of his mouth.

you know Steveo if some is Homosexaul why would they need to get such a
taste out of their mouth?

From 4921119967995998388
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: fb585,8d6fb1cb0d03b50e
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gidfb585,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!
be5.nntpserver.com!not-for-mail
From: Weiner Dog <weinerdog@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,alt
.food.barbecue,rec.radio.shortwave
Subject: Re: blame the real preps that ARRL has enough sins on it card

```
Date: Thu, 20 Apr 2006 18:17:56 -0500
Message-ID: <qj5g42tgs78r5nh1r03229n57jtjm08470@4ax.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145549855.877794.85610@t31g2000cwb.googlegroups.com>
<20060420190526.041$7U@newsreader.com>
<1145574534.524848.50660@v46g2000cwv.googlegroups.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
NNTP-Posting-Date: 20 Apr 2006 22:24:53 GMT
X-Complaints-To: abuse@nntpserver.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10171
rec.radio.amateur.equipment:3610 rec.radio.amateur.policy:24118
alt.food.barbecue:6099 rec.radio.shortwave:32081

On 20 Apr 2006 16:08:54 -0700, "an old freid to some a nightmare to
steve" <kb9rqz__ars@hotmail.com> wrote:

>
>Steveo wrote:
>> "John S." <hjsjms@cs.com> wrote:
>> >> Really, it's ok if you are.  Just accept yourself as you are and
>> > everything will be fine - eventually.
>> >
>> He can't get the taste of used cock out of his mouth.
>
>you know Steveo if some is Homosexaul why would they need to get such a
>taste out of their mouth?

No, you would know better than anyone. Mr. beer enema
*** Posted via a free Usenet account from http://www.teranews.com ***


From -3630202189884734643
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-out.readnews.com!news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!
not-for-mail
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060420192353.903$Dp@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
```

```
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<124fv7ddu44pca6@corp.supernews.com>
X-NRC-Trace: NewsReader.Com f4.6-vI0,7D/uC4/l-,fr=vQjsLAJi/@DsHfqL@XFTU-pj+M
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 20 Apr 2006 23:10:22 GMT
Lines: 5
NNTP-Posting-Host: 41b27fc3.nr3.newsreader.com
X-Trace: DXC=SgUnPlJ4;B]3:V=D?:7:U]OA8_@f\K_iRO3l?gPj53>UgVGZ6RW?
bQWNd7biGRhQTWYA@MLbHKH8]mgXBGDbW3W]
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10172
rec.radio.amateur.equipment:3611 rec.radio.amateur.policy:24119 rec.radio.cb:8625
rec.radio.shortwave:32083

"Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
>> And you are promoting it with your crossposting of this graphic troll
> trash.
>
He's slow code. He fills his CB with WD 40 when it squeals. <true story>


From 2250328150203756399
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.readnews.com!news-
xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060420192451.953$6c@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145541385.985202.176180@u72g2000cwu.googlegroups.com>
<20060420172451.124$ak@newsreader.com> <124g05vo3ja5bdd@corp.supernews.com>
X-NRC-Trace: NewsReader.Com sLQZ1cMb266lH3,83FrqAq2LsFvXkk-+y1BzSa/QhsbX+T
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 20 Apr 2006 23:11:20 GMT
Lines: 7
NNTP-Posting-Host: 41b27fc3.nr3.newsreader.com
X-Trace: DXC=SgUnPlJ4;B=ME<0a09>e_?OA8_@f\K_i2O3l?gPj53>5gPR?
```

=WjYP76Nd7biGRhQT7<SVPgDF]AC4`Eo7Gfg88U3
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10173
rec.radio.amateur.equipment:3612 rec.radio.amateur.policy:24122 rec.radio.cb:8626
rec.radio.shortwave:32084

"Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
> "Steveo" <moparholic@hotmail.com> wrote in message
> > Skirt Chaser also posts as 'Slow Code' with his sock puppet.
>
> Did you notice they both end their posts with SC?
>
I noticed his bait stinks.

From -4977358773757157201
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-07!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Thu, 20 Apr 2006 18:31:05 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <124g6doa5bjp694@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145541385.985202.176180@u72g2000cwu.googlegroups.com>
<20060420172451.124$ak@newsreader.com> <124g05vo3ja5bdd@corp.supernews.com>
<20060420192451.953$6c@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news2.google.com rec.radio.amateur.antenna:10175
rec.radio.amateur.equipment:3613 rec.radio.amateur.policy:24127 rec.radio.cb:8628
rec.radio.shortwave:32087

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060420192451.953$6c@newsreader.com...
> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
>> "Steveo" <moparholic@hotmail.com> wrote in message

```
>> > Skirt Chaser also posts as 'Slow Code' with his sock puppet.
>>
>> Did you notice they both end their posts with SC?
>>
> I noticed his bait stinks.

I'm sure that's not all that stinks.
```

```
From -8746860566165607296
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: fb585,8d6fb1cb0d03b50e
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gidfb585,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "an old freid to some a nightmare to steve" <kb9rqz__ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,alt
.food.barbecue,rec.radio.shortwave
Subject: Re: blame the real preps
Date: 20 Apr 2006 16:34:03 -0700
Organization: http://groups.google.com
Lines: 21
Message-ID: <1145576043.317913.144360@z34g2000cwc.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <1145549855.877794.85610@t31g2000cwb.googlegroups.com>
   <20060420190526.041$7U@newsreader.com>
   <1145574534.524848.50660@v46g2000cwv.googlegroups.com>
   <qj5g42tgs78r5nh1r03229n57jtjm08470@4ax.com>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145576049 28128 127.0.0.1 (20 Apr 2006 23:34:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 23:34:09 +0000 (UTC)
In-Reply-To: <qj5g42tgs78r5nh1r03229n57jtjm08470@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=66.82.9.82;
   posting-account=IvgfvA0AAABfkDmkFekg2nkRIyiXwf8A
Xref: g2news2.google.com rec.radio.amateur.antenna:10176
rec.radio.amateur.equipment:3614 rec.radio.amateur.policy:24129
alt.food.barbecue:6102 rec.radio.shortwave:32088
```

```
Weiner Dog wrote:
> On 20 Apr 2006 16:08:54 -0700, "an old freid to some a nightmare to
> steve" <kb9rqz__ars@hotmail.com> wrote:
>
> >
> >Steveo wrote:
> >> "John S." <hjsjms@cs.com> wrote:
> >> >> Really, it's ok if you are.  Just accept yourself as you are and
> >> > everything will be fine - eventually.
> >> >
> >> He can't get the taste of used cock out of his mouth.
> >
> >you know Steveo if some is Homosexaul why would they need to get such a
> >taste out of their mouth?
>
> No, you would know better than anyone. Mr. beer enema
not better than anyone but yes I know and you by making your post show
who is responible not the ARRL but people like you
> *** Posted via a free Usenet account from http://www.teranews.com ***




From 4605745457035817032
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!news.glorb.com!
router2.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-15!sn-xt-
sjc-12!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Thu, 20 Apr 2006 18:36:40 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <124g6o7qa2oad2@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<124fv7ddu44pca6@corp.supernews.com> <20060420192353.903$Dp@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news2.google.com rec.radio.amateur.antenna:10177
rec.radio.amateur.equipment:3615 rec.radio.amateur.policy:24131 rec.radio.cb:8631
rec.radio.shortwave:32089
```

```
"Steveo" <moparholic@hotmail.com> wrote in message
news:20060420192353.903$Dp@newsreader.com...
> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
>>> And you are promoting it with your crossposting of this graphic troll
>> trash.
>>
> He's slow code. He fills his CB with WD 40 when it squeals. <true story>

I'll bet that makes for a really quiet radio.




From 6126553098392057618
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060420194523.711$I0@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<124fv7ddu44pca6@corp.supernews.com> <20060420192353.903$Dp@newsreader.com>
<124g6o7qa2oad2@corp.supernews.com>
X-NRC-Trace: NewsReader.Com qwf6L-Zq2fW2mxx7@2Cp13Sk.whSFjtYkvBlr-sUVt__+QOX
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 20 Apr 2006 23:31:51 GMT
Lines: 13
NNTP-Posting-Host: 41b27fc3.nr3.newsreader.com
X-Trace: DXC=jihW_T^?8\nlJ7F>F`?[9nOA8_@f\K_ibO3l?
gPj53>e>L[D3Qid6mkNd7biGRhQTg<@WejEU8`YkDgVieSRR?]b
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10179
rec.radio.amateur.equipment:3616 rec.radio.amateur.policy:24133 rec.radio.cb:8634
rec.radio.shortwave:32091

"Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
> "Steveo" <moparholic@hotmail.com> wrote in message
> news:20060420192353.903$Dp@newsreader.com...
> > "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
```

```
> >>> And you are promoting it with your crossposting of this graphic troll
> >> trash.
> >>
> > He's slow code. He fills his CB with WD 40 when it squeals. <true
> > story>
>
> I'll bet that makes for a really quiet radio.
>
I wouldn't try it unless I was really sick of the radio. :)


From 148800561922288832
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz-ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: blame the real prep
Date: 20 Apr 2006 16:48:37 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1145576917.353421.70770@i40g2000cwc.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <124fv7ddu44pca6@corp.supernews.com>
   <20060420192353.903$Dp@newsreader.com>
   <124g6o7qa2oad2@corp.supernews.com>
NNTP-Posting-Host: 66.82.9.82
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145576925 6600 127.0.0.1 (20 Apr 2006 23:48:45 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 20 Apr 2006 23:48:45 +0000 (UTC)
In-Reply-To: <124g6o7qa2oad2@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.82;
   posting-account=hVZdaA0AAABPHL3UNjx-ywxVYAwCtKHr
Xref: g2news2.google.com rec.radio.amateur.antenna:10180
rec.radio.amateur.equipment:3617 rec.radio.amateur.policy:24135 rec.radio.cb:8635
rec.radio.shortwave:32092


Dr.Death wrote:
```

```
> "Steveo" <moparholic@hotmail.com> wrote in message
> news:20060420192353.903$Dp@newsreader.com...
> > "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
> >>> And you are promoting it with your crossposting of this graphic troll
> >> trash.
> >>
> > He's slow code. He fills his CB with WD 40 when it squeals. <true story>
>
> I'll bet that makes for a really quiet radio.

how much you want to bet My money would on some spark and smoke and
flame




From -8599510521717974856
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-02!
sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Thu, 20 Apr 2006 18:59:21 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <124g82nmc33rsc0@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<124fv7ddu44pca6@corp.supernews.com> <20060420192353.903$Dp@newsreader.com>
<124g6o7qa2oad2@corp.supernews.com> <20060420194523.711$I0@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.antenna:10182
rec.radio.amateur.equipment:3618 rec.radio.amateur.policy:24139 rec.radio.cb:8637
rec.radio.shortwave:32093

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060420194523.711$I0@newsreader.com...
> "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
>> "Steveo" <moparholic@hotmail.com> wrote in message
>> news:20060420192353.903$Dp@newsreader.com...
>> > "Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
```

```
>> >>> And you are promoting it with your crossposting of this graphic troll
>> >> trash.
>> >>
>> > He's slow code. He fills his CB with WD 40 when it squeals. <true
>> > story>
>>
>> I'll bet that makes for a really quiet radio.
>>
> I wouldn't try it unless I was really sick of the radio. :)

I'd try it with someone else's radio. Maybe dogie will let me dunk his RCI.




From -3017839685264552284
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060420201032.446$pI@newsreader.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<124fv7ddu44pca6@corp.supernews.com> <20060420192353.903$Dp@newsreader.com>
<124g6o7qa2oad2@corp.supernews.com> <20060420194523.711$I0@newsreader.com>
<124g82nmc33rsc0@corp.supernews.com>
X-NRC-Trace: NewsReader.Com @/hkYWv_ZO4L@O9,i0bNai_xjyApyOsMAoAJGoaStthTbOw
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 20 Apr 2006 23:57:00 GMT
Lines: 8
NNTP-Posting-Host: 41b27fc3.nr3.newsreader.com
X-Trace: DXC=e68RSMHkJB?a8jEYgT??96OA8_@f\K_i2O3l?
gPj53>54O`lYg]0NG3Nd7biGRhQT7YA@MLbHKH8=59bQY7B:DW7
X-Complaints-To: abuse@newsreader.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10183
rec.radio.amateur.equipment:3619 rec.radio.amateur.policy:24143 rec.radio.cb:8641
rec.radio.shortwave:32095

"Dr.Death" <drdeath555usb@nospam.yahoo.com> wrote:
> "Steveo" <moparholic@hotmail.com> wrote in message
> > I wouldn't try it unless I was really sick of the radio. :)
```

```
>
> I'd try it with someone else's radio. Maybe dogie will let me dunk his
> RCI.
>
Good idea. I hope he posts pics again. lol


From -2136749682600084691
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!tudelft.nl!
txtfeed1.tudelft.nl!feeder4.cambrium.nl!feed.tweaknews.nl!
border2.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-05!sn-ams!sn-
feed-ams-01!sn-post-ams-02!sn-post-ams-01!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: Dr. Anton T. Squeegee <SpammersBlow@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Skirt Chaser is right  the ARRL is responsible for all the homosexual
posts.
Date: Thu, 20 Apr 2006 19:02:52 -0700
Organization: Blue Feather Technologies
Message-ID: <MPG.1eb1dd2485f3475f989691@news.drizzle.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145521299.979215.199760@e56g2000cwe.googlegroups.com>
<mo3g42lrpn05bepnb8rdf24skehmammft6@4ax.com>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: yasure.drizzle.com!unknown@mist97.drizzle.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news2.google.com rec.radio.amateur.equipment:3620

In article <mo3g42lrpn05bepnb8rdf24skehmammft6@4ax.com>,
weinerdog@yahoo.com (known to some as Weiner Dog) scribed...

     <drivelectomy>

     Oh, look... Nothing left again...

     *PLONK!*

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."


From 3226325446436779474
```

X-Google-Thread: 108122,83e8fc280a30e84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Jim, N2VX" <some@where.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice Solicited: Sound Cards for HF Digital Modes?
Message-ID: <0fig429jpjrn1rm74mgfbfq7vlqac1vtqr@4ax.com>
References: <1145419480.221842.92700@u72g2000cwu.googlegroups.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
Date: Fri, 21 Apr 2006 03:03:06 GMT
NNTP-Posting-Host: 66.67.8.228
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1145588586 66.67.8.228 (Thu, 20 Apr 2006 23:03:06 EDT)
NNTP-Posting-Date: Thu, 20 Apr 2006 23:03:06 EDT
Organization: Road Runner
Xref: g2news2.google.com rec.radio.amateur.equipment:3621

On 18 Apr 2006 21:04:40 -0700, "Brian" <kelly@dvol.com> wrote:

>I'm having a PC (Win 2k) put together which will be my dedicated ham
>station box for running contest and general purpose loggers, 2M packet
>spots and the sound card based digital modes like PSK-31, MFSK and
>RTTY. I have zero hands-on experience with any of these at this point
>so I'm looking for advice from those of you who have been there and
>done it.
>
>The computer will have some relatively inexpensive "plenty fast enough"
>Athalon chip motherboard or another and a gig of RAM. My understanding
>is that the "sound cards" integrated into motherboards sometimes don't
>do very well when it comes to running PSK-31 et al. While cost matters
>I'm not at all adverse to buying a decent third party sound card like
>one of the Creative Labs boards. My question is given your expereince
>which audio board or boards would you recommend if you were in my
>shoes?
>
>Thanks ~ Brian Kelly w3rv

Brian,

The easiest way is to pick a card that has a line level output. Very few have it. It simplifies a lot of interfacing issues.

Look for the Creative AudioPCI card. It uses the great ES-1371 or ES-1373 chipset and has line level inputs and outputs. Cheap, too. In test writeups I've seen it has low noise, distortion, etc.

For a cheap interface check out the Rascal from Buck Rogers, the former packet radio column writer for 73 magazine. Cheap, simple and works good.

73,
Jim
N2VX

```
From -1097871899657377917
X-Google-Thread: 108122,83e8fc280a30e84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!wn13feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!e63cd5b6!not-for-mail
From: Alan WA4SCA <APBIDDLE@UNITED.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice Solicited: Sound Cards for HF Digital Modes?
Organization: AMSAT-NA
Reply-To: APBIDDLE@UNITED.NET
Message-ID: <h1th429uuemp8cul6vg8rq8nn4cec8k1ri@4ax.com>
References: <1145419480.221842.92700@u72g2000cwu.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 35
NNTP-Posting-Host: a195776b9a3d94a8b98a8caac0e96107
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1145633364
a195776b9a3d94a8b98a8caac0e96107 (Fri, 21 Apr 2006 15:29:24 GMT)
NNTP-Posting-Date: Fri, 21 Apr 2006 15:29:24 GMT
Date: Fri, 21 Apr 2006 15:29:24 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3624
```

Brian,

My suggestion is to use the mother board sound card to get started. It will certainly be "good enough" to get your feet wet, but not much more than that. However, having a second, dedicated card has both technical and practical advantages.   For instance, if you have any sound schemes selected in Windows, those sounds can get transmitted by accident, which is annoying, and technically illegal due to band usage allocations. If the board you use for ham work is not the default sound card, this doesn't happen.

You also need to change settings of the mixer board depending on what you are doing. The old line out is still there, but it usually is handled in software as a rear speaker output. So I use my mixer configured for 2 speakers normally, and for 4 when I am operating PSK31. I slide the F/B balance all the way to the back, in this case, or a little forward if I want to monitor the TX signal.

One of the better Creative boards will be fine, and I also use the
Santa Cruz board someone else recommended. N4HY, who does DSP signal
analysis professionally somewhere beyond the bleeding edge, did some
tests, and found it was the best of the consumer boards for ham
applications. At one point, there was a detailed comparison
available, but it seems to have vanished.

 http://lists.contesting.com/_rtty/2004-03/msg00348.html

They are out of production, but they turn up on eBay and other sites.
If you get one, make certain you get the WIN2K drivers off the web
site, as they were not on my setup CD.

--
Alan
WA4SCA

From -7654861623631960193
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!feeder.xsnews.nl!sn-ams-06!sn-xt-ams-04!sn-ams!sn-feed-ams-03!sn-post-ams-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Fri, 21 Apr 2006 10:46:30 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <124hvik49515e94@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<1145541385.985202.176180@u72g2000cwu.googlegroups.com>
<es2h42t8e2b54t9v971jmc1q2et4eoihpi@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news2.google.com rec.radio.amateur.antenna:10218
rec.radio.amateur.equipment:3625 rec.radio.amateur.policy:24241 rec.radio.cb:8670
rec.radio.shortwave:32136

"Fred" <freddyr1928@ll.net> wrote in message
news:es2h42t8e2b54t9v971jmc1q2et4eoihpi@4ax.com...
> On 20 Apr 2006 06:56:26 -0700, "AC7PN" <brunius@rockisland.com> wrote:
>
>>Watching two men holding hands and kissing gives me the creeps less
>>than your intolerant letter. What two men do out of my sight doesn't
>>bother me at all. Skirt Chaser should do us all a favor and practice
>>his intollerance in the privacy of his own home.
>>
>>Although I'm not about to go see that Broke Back Mountain movie I would
>>be happy to talk with a gay ham on the bands.
>>
>>Bob AC7PN
>
> I am sure you would...

He won't go see it, but he probably owns a copy.

```
From -6679200883655113231
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: put the blame for the subject you don't like on the prep take a little
personal responiblity
Date: 21 Apr 2006 09:09:54 -0700
Organization: http://groups.google.com
Lines: 14
Message-ID: <1145635794.004708.235920@u72g2000cwu.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <1145541385.985202.176180@u72g2000cwu.googlegroups.com>
   <es2h42t8e2b54t9v971jmc1q2et4eoihpi@4ax.com>
   <124hvik49515e94@corp.supernews.com>
NNTP-Posting-Host: 66.82.9.74
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145635801 10062 127.0.0.1 (21 Apr 2006 16:10:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 21 Apr 2006 16:10:01 +0000 (UTC)
In-Reply-To: <124hvik49515e94@corp.supernews.com>
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=66.82.9.74;
   posting-account=s6CH1g0AAABh1Qtmg62q2TgnVvB-Sbeh
Xref: g2news2.google.com rec.radio.amateur.antenna:10220
rec.radio.amateur.equipment:3626 rec.radio.amateur.policy:24245 rec.radio.cb:8672
rec.radio.shortwave:32137


Dr.Death wrote:
> "Fred" <freddyr1928@ll.net> wrote in message
> news:es2h42t8e2b54t9v971jmc1q2et4eoihpi@4ax.com...
> > On 20 Apr 2006 06:56:26 -0700, "AC7PN" <brunius@rockisland.com> wrote:

> >>Bob AC7PN
> >
> > I am sure you would...
>
> He won't go see it, but he probably owns a copy.

just such reamrks are proof Dr yuyou are amoug the perps




From 7537154922886096120
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: put the blame for the subject you don't like on the prep take a
little personal responiblity
Date: 21 Apr 2006 13:19:59 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1145650799.518193.28190@g10g2000cwb.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <1145541385.985202.176180@u72g2000cwu.googlegroups.com>
   <es2h42t8e2b54t9v971jmc1q2et4eoihpi@4ax.com>
   <124hvik49515e94@corp.supernews.com>
   <1145635794.004708.235920@u72g2000cwu.googlegroups.com>
   <4pbi42l1b7hkt06bn30p1e5f7dgr2a6qbj@4ax.com>
NNTP-Posting-Host: 66.82.9.74
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145650805 20945 127.0.0.1 (21 Apr 2006 20:20:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 21 Apr 2006 20:20:05 +0000 (UTC)
In-Reply-To: <4pbi42l1b7hkt06bn30p1e5f7dgr2a6qbj@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=66.82.9.74;
   posting-account=u4IZrA0AAAAnZJmD4DLlWGiEpMGb--6i
Xref: g2news2.google.com rec.radio.amateur.antenna:10243
rec.radio.amateur.equipment:3628 rec.radio.amateur.policy:24276 rec.radio.cb:8688
rec.radio.shortwave:32153


Fred wrote:
> On 21 Apr 2006 09:09:54 -0700, "an old freind" <kb9rqz_ars@yahoo.com>
> wrote:
>Hey, that guy wants to talk to a fag on the air. I
> suggest you guys can link up on Ecolink and have a gay old time by
> yourselves.

take respoiblity for your posting Fred




From -2533902575685102856
X-Google-Thread: fc8b1,fb239e25f545149d,start
X-Google-Thread: 108122,fb239e25f545149d,start
X-Google-Thread: fc2a5,fb239e25f545149d,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!news.glorb.com!
wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-
for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: FA:1DAY+,VIRBOPLEX'PRESENTATION'+ MO
Lines: 7
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
```

```
Message-ID: <lbf2g.61090$1q4.50320@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 62605c156262d803d6c688b232353dd0
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1145667409
62605c156262d803d6c688b232353dd0 (Sat, 22 Apr 2006 00:56:49 GMT)
NNTP-Posting-Date: Sat, 22 Apr 2006 00:56:49 GMT
Organization: AT&T Worldnet
Date: Sat, 22 Apr 2006 00:56:49 GMT
Xref: g2news2.google.com rec.radio.amateur.boatanchors:3810
rec.radio.amateur.equipment:3629 rec.radio.amateur.homebrew:4896
```

Presentation in very fine possibly NOS condition in original box with documents + other stuff too: see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking, more coming, heytubeguy

```
From -4989930669849672196
X-Google-Thread: 108122,e4a6a5c5dfc166f6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 21 Apr 2006 20:28:33 -0500
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-735 going moble - any comments, pro or con!
Date: Fri, 21 Apr 2006 18:29:24 -0700
Reply-To: gfiber@comcast.net
Message-ID: <ri1j429navk7brh5804gt0lgqlbk4174in@4ax.com>
References: <1145230781.076257.153330@z34g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 24
NNTP-Posting-Host: 67.160.11.72
X-Trace: sv3-
WrFEB+nBEic7aE5IN8nStpVKO+utimA9jnQYrlUqPkgg9l61EO1n4mMfyN8w1hYRzOkEgsTkpmsRnkP!
LNIQaSgo/AkfAY3DkQq9ShOaIJ412rkOWsTljfWEoET6pgqNG+2HFlQ4BndoC9Rtv5FlptPDqA1k!
alriodk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3630
```

On 16 Apr 2006 16:39:41 -0700, "W�CBF" <w0cbf@yahoo.com> wrote:

>Sorry, I gave the incorrect model number for the HF rig. I originally
>said 435 when in fact it is a IC-735. I am reposting with the correct
>model number.
>
>I am thinking about using my Icom IC-735 HF rig in my truck during a
>trip to CA. Has anyone out there used a 735 mobile before and had any
>specific problems?
>
>Any help is appreciated
>73's
>Chuck

Sometimes you get some RF into the mic audio and its almost always because its being impressed on the mic audio shield. Open the connector on the end of the mic cord and put a jumper between Pin 6 and 7. A piece of resistor lead tacked into place will do.

This brings to mic audio ground to a direct DC chassis ground and will get rid of any RF generally on the mic audio. Thats about all I can think of I have come across using the 735 mobile.

Gary K8IZ

```
From 4405659464627584981
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.phx!fe09.lga.POSTED!53ab2750!not-for-mail
From: Stevo <stevo69@hotmail.com>
Organization: bone-org.
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
In-Reply-To: <22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <NYn2g.1353$Eo.218@fe09.lga>
```

```
Date: Sat, 22 Apr 2006 06:56:04 -0400
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1145703341 24.47.254.156 (Sat, 22 Apr 2006 03:55:41 MST)
NNTP-Posting-Date: Sat, 22 Apr 2006 03:55:41 MST
Xref: g2news2.google.com rec.radio.amateur.antenna:10265
rec.radio.amateur.equipment:3631 rec.radio.amateur.policy:24296 rec.radio.cb:8700
rec.radio.shortwave:32209

Tony Roma wrote:

>On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
>wrote:
>
>
>
>>I know you're all going to disagree
>>with me, but a man touching and sucking on another man's cock and fucking
>>his ass just ain't right.
>>
>>
>
>You said a mouthful. Oh and I agree with you. It just aint natural! I
>mean imagine a guy sucking on my cock. what am I supposed to do, come
>in his mouth??? Very disturbing!
>
>
>
Again??


From -8372529114273704358
X-Google-Thread: 108122,83e8fc280a30e84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "Brian" <kelly@dvol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice Solicited: Sound Cards for HF Digital Modes?
Date: 22 Apr 2006 06:22:51 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1145712170.978194.243280@u72g2000cwu.googlegroups.com>
References: <1145419480.221842.92700@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 66.19.242.159
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145712177 13749 127.0.0.1 (22 Apr 2006 13:22:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 22 Apr 2006 13:22:57 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.0.2) Gecko/
```

```
20060308 Firefox/1.5.0.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=66.19.242.159;
   posting-account=x8FxjAwAAACQYdVK-ARYehfjhw2rEkmK
Xref: g2news2.google.com rec.radio.amateur.equipment:3632
```

Thanks for your responses gentlemen, I appreciate all of them. Looks
like you've fed me more than enough detailed info and advice on the
subject to enable me to take it from here.

Brian w3rv

```
From 1727220634885747159
X-Google-Thread: 108122,479a073d3c4c3ba8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!62e3725b!not-for-mail
Reply-To: "Mike" <microvel21-hro500@yahoo.com>
From: "Mike" <microvel21-hro500@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  HRO-500 National Receiver - Last Chance
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <NVy2g.18737$tN3.8241@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 75.2.42.168
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1145748205 ST000 75.2.42.168 (Sat, 22 Apr 2006
19:23:25 EDT)
NNTP-Posting-Date: Sat, 22 Apr 2006 19:23:25 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PAPDCA[S@WSTP[KBH\_PTDFZ\@@FXLM@TDOCQDJ@_@FNTBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Sat, 22 Apr 2006 23:23:25 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3633
```

http://cgi.ebay.com/National-HRO-500-HF-Receiver-with-Rack-Mount_W0QQitemZ9713865185QQcategoryZ4673QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

Thanks for looking

From 4468882082849395054
X-Google-Thread: 108122,eb76a4786c997d84,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: Carson.McCullers@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Suggestions for transceiver please
Date: 22 Apr 2006 17:46:34 -0700
Organization: http://groups.google.com
Lines: 48
Message-ID: <1145753194.613126.101240@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 163.189.217.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145753199 29331 127.0.0.1 (23 Apr 2006 00:46:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 23 Apr 2006 00:46:39 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; INTRANETUSER),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 dns2.rta.nsw.gov.au:8889 (squid/2.5.STABLE4)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=163.189.217.36;
   posting-account=4cSZDQ0AAAB9WYGyu-BJ2GVZ-_k8MY6h
Xref: g2news2.google.com rec.radio.amateur.equipment:3634

Hi folks,

I'm a long time SWL but don't know much practical stuff about Amateur Radio other than what I've learnt reading the Australian Foundation Licence Manual (which was pretty straightforward).

My semi-retired father has been interested in Amateur Radio for some time, but hesitant to take the plunge, so last year I bought him an Icom R75 receiver and big sloper antenna to whet his appetite. He has been using this set-up for a while now, and has gradually learnt how to

operate the Icom, but his grasp of radio theory, and of technology generally, is pretty poor. He passed the Australian Foundation Licence tests, but only just, and his grasp of such concepts as SSB is no more than "try pressing the button and see if it sounds any better". However, he is an eminently practical man, and will have no trouble constructing and erecting antennas etc. He has a large block of land in

a low noise country area, with a shed for a base station.

Now that he has his Foundation Licence, I'm looking at what transceiver

might be appropriate for him, and here is where I seek your
suggestions. My criteria are as follows:

- New rather than second hand
- Ease of use essential
- Knobs and single-function buttons important
- Multi-function buttons not attractive
- Computer-style hierarchical menus a no-no
- Large and easy-to-read display useful
- Portability, compact size and battery operation not important
- HF essential, 2m useful but not essential
- Computer control of no benefit
- Advanced features (eg notch filters) which require more than a button press or knob twirl of little benefit

The Icom IC-718 has a similar physical front panel layout to the R75
which he is already used to, which is a slight advantage, but I'm
open to your suggestions as to what transceivers I should be
considering.

Thanks in advance,
Carson

From 3249127515023065375
X-Google-Thread: 108122,eb76a4786c997d84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.phx!fe05.lga.POSTED!53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions for transceiver please
References: <1145753194.613126.101240@i40g2000cwc.googlegroups.com>
In-Reply-To: <1145753194.613126.101240@i40g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 57
Message-ID: <NpA2g.1$b06.0@fe05.lga>
X-Trace:
nghlfjfcphhogbndnjmjmcimooclcpfmippogkpcgkhaagbchmddohcnabgnacknobcmcjkhbgbpoobgok
plcdgnkfdkokkldkemlhgjacedjcdhlbfcjhidanddnjpeaonn�
NNTP-Posting-Date: Sat, 22 Apr 2006 18:05:49 MST
Date: Sat, 22 Apr 2006 21:05:44 -0400
Xref: g2news2.google.com rec.radio.amateur.equipment:3635

I think you're going to have to look at a "full-size" rig rather than a compact one if you want a dedicated button for every function. AFAIK, all the small ones intended for mobile use have multiple functions assigned to most of the buttons, often with deeply nested menus.

You could look at the ads for the current full-size rigs, narrow down your list of possibles based on features and price, then look at reviews in the magazines and on eham.net.

I have an Icom IC-706MkIIG myself now, but that's a compact with nested menus. Some of my fellow club members are Icom enthusiasts, some are Kenwood enthusiasts (esp. for the TS-2000), and I know one who has had a bunch of different Yaesu models. I've had a couple of Yaesus too, but that was a long time ago.

"Perce"
(aka Alan NV8A -- long-ago VK4AFE)

On 04/22/06 08:46 pm Carson.McCullers@gmail.com wrote:

> I'm a long time SWL but don't know much practical stuff about Amateur
> Radio other than what I've learnt reading the Australian Foundation
> Licence Manual (which was pretty straightforward).
>
> My semi-retired father has been interested in Amateur Radio for some
> time, but hesitant to take the plunge, so last year I bought him an
> Icom R75 receiver and big sloper antenna to whet his appetite. He has
> been using this set-up for a while now, and has gradually learnt how to
>
> operate the Icom, but his grasp of radio theory, and of technology
> generally, is pretty poor. He passed the Australian Foundation Licence
> tests, but only just, and his grasp of such concepts as SSB is no more
> than "try pressing the button and see if it sounds any better".
> However, he is an eminently practical man, and will have no trouble
> constructing and erecting antennas etc. He has a large block of land in
> a low noise country area, with a shed for a base station.

> Now that he has his Foundation Licence, I'm looking at what transceiver
> might be appropriate for him, and here is where I seek your
> suggestions. My criteria are as follows:
> - New rather than second hand
> - Ease of use essential
> - Knobs and single-function buttons important
> - Multi-function buttons not attractive
> - Computer-style hierarchical menus a no-no
> - Large and easy-to-read display useful
> - Portability, compact size and battery operation not important
> - HF essential, 2m useful but not essential
> - Computer control of no benefit
> - Advanced features (eg notch filters) which require more than a
> button press or knob twirl of little benefit
>

> The Icom IC-718 has a similar physical front panel layout to the R75
> which he is already used to, which is a slight advantage, but I'm
> open to your suggestions as to what transceivers I should be
> considering.

From -8048636647705726714
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news.rr.com!news-server.columbus.rr.com!
cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: "west" <westley@tampabay.rr.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<irbe42thm0v3f33jbm31logq7gjgsio4em@4ax.com>
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <eBA2g.5379$Dv6.1029@tornado.tampabay.rr.com>
Date: Sun, 23 Apr 2006 01:18:02 GMT
NNTP-Posting-Host: 24.92.188.115
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1145755082 24.92.188.115 (Sat, 22 Apr 2006
21:18:02 EDT)
NNTP-Posting-Date: Sat, 22 Apr 2006 21:18:02 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10285
rec.radio.amateur.equipment:3636 rec.radio.amateur.policy:24315 rec.radio.cb:8712
rec.radio.shortwave:32257

"Fred" <freddyr1928@ll.net> wrote in message
news:irbe42thm0v3f33jbm31logq7gjgsio4em@4ax.com...
> On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
> wrote:

<big snip>

> I know a gay couple and they are not in your face. In fact... oddly
> enough they don't support gay marriage or all the other liberal

> nonsense. They are quite conservative. They also don't claim they have
> some bullshit scientific right to do what they do. It is only the
> retarded flakes like HIV-Markytard that ruin it for the rest of them.

I know a man who smoked 3 packs of cigarettes a day and lived to be 94.
Your point?

west

From -8919769235039914163
X-Google-Thread: 108122,eb76a4786c997d84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions for transceiver please
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <1145753194.613126.101240@i40g2000cwc.googlegroups.com>
Organization: Your Company
Message-ID: <Xns97ADBF062A07Aspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 23 Apr 2006 01:45:23 GMT
Lines: 14
NNTP-Posting-Host: 6465b831.news.adtechcomputers.com
X-Trace:
DXC=i_aZYZ>f36oDL5CI7;683jgC4_A5:nI@a<<=aEgO;R8gS[VaTVjXAR`5D5;0<aWNlbecf<A4o8l9c0W_Uo]cC15j8kHcNc;UmenlS5A53<0>Koh>e7SbTF39c
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3637

>
> The Icom IC-718 has a similar physical front panel layout to the R75
> which he is already used to, which is a slight advantage, but I'm
> open to your suggestions as to what transceivers I should be
> considering.

I think the IC-718 would be a good choice. Also, you might look at the
Yaesu Ft-840.

Ed K7AAT

From -7672004311933440258
X-Google-Thread: 108122,eb76a4786c997d84

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe01.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1145753194.613126.101240@i40g2000cwc.googlegroups.com>
Subject: Re: Suggestions for transceiver please
Lines: 21
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <%IP2g.84896$Qb5.8663@fe01.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 23 Apr 2006 18:30:19 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3639
```

Carson.McCullers@gmail.com wrote:

> Now that he has his Foundation Licence, I'm looking at what
> transceiver
>
> might be appropriate for him, and here is where I seek your
> suggestions. My criteria are as follows:
> - New rather than second hand
> - Ease of use essential
> - Knobs and single-function buttons important
> - Multi-function buttons not attractive
> - Computer-style hierarchical menus a no-no
> - Large and easy-to-read display useful
> - Portability, compact size and battery operation not important
> - HF essential, 2m useful but not essential
> - Computer control of no benefit
> - Advanced features (eg notch filters) which require more than a
> button press or knob twirl of little benefit

IC-718 paired with the excellent AH-4 antenna tuner would be my choice.

```
From 4689654210151176722
X-Google-Thread: 108122,133a3059f16fca3a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 23 Apr 2006 14:39:28 -0500
```

```
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Kenwood SP-820 External Speaker
Date: Sun, 23 Apr 2006 15:38:50 -0400
Reply-To: wz1u@comcast.net
Message-ID: <otln429u6svjtjuv8oiale631373t6mle3@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
NNTP-Posting-Host: 24.91.230.242
X-Trace: sv3-xTaaEZnmC4G2Lhk5dMwQohP2OAUri/
0Li2IPT9m6ZQhj+kwEt5XLfIKbite3qnAfgb4AhOPxJQ87TAf!7+xQhA8XkkF/WtdTJlhXHDt/
g75Aj4mWNMW13TZHdQWN6mj21Sn8TwHS93IHg+1UpvXUE0QCpkwz!mjdG1Q==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3640

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9716666577&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1


From 4950048486829108589
X-Google-Thread: 108122,133a3059f16fca3a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 23 Apr 2006 14:45:09 -0500
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Kenwood SP-820 External Speaker
Date: Sun, 23 Apr 2006 15:44:32 -0400
Reply-To: wz1u@comcast.net
Message-ID: <78mn429co9jsohlu3sjchinvncr91kpfdr@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
NNTP-Posting-Host: 24.91.230.242
X-Trace: sv3-iS8aPWVxEzYwQVtyh/
QLNUVHcOPc1lqmOzvX9WVBcoGJme9BE+JNMX7wezb9s330ZAwyv+kT1DxFtxm!IsTdV747r7wZw/
ULl9YaWFYdrXjGLoFHOKhgs+Q7WIF06Z3gso/ShxT3S6K6PUU66lKk+3tw2QRB!tLV8Nw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3641

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9716666577&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

From -7040484111191450094
X-Google-Thread: 108122,eb76a4786c997d84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Suggestions for transceiver please
Message-ID: <ntmn42hrut34sl7a64be9755j1gmbigi1j@4ax.com>
References: <1145753194.613126.101240@i40g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
Date: Sun, 23 Apr 2006 19:59:38 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1145822378 24.174.167.251 (Sun, 23 Apr 2006 14:59:38 CDT)
NNTP-Posting-Date: Sun, 23 Apr 2006 14:59:38 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3642

On 22 Apr 2006 17:46:34 -0700, Carson.McCullers@gmail.com wrote:

The kind of transceiver you're describing is no longer manufactured by anyone, unless you want to go with a couple of low priced units, the Yaesu 840, now discontinued but still sold, and the Icom 718. That's really about it...

Multi function knobs, menus etectera are with us from here on.

bob
k5qwg

From -9162072072737325194
X-Google-Thread: 108122,eb76a4786c997d84
X-Google-Attributes: gid108122,public

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 23 Apr 2006 15:19:41 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1145753194.613126.101240@i40g2000cwc.googlegroups.com>
Subject: Re: Suggestions for transceiver please
Date: Sun, 23 Apr 2006 15:19:40 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <iaidnafMnOfAfNbZ4p2dnA@comcast.com>
Lines: 59
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-QtqYAcTa0ZsJ3roFZC358lAWlLm2IMBte/CAVXAs1rhlorjEi4KQ2VE9a5m24c6YddX0JdWJZW8+OUj!PLgXW1vs+DtbYLhu/UviwwHaNWDbi+6FYV/udhsY4SVue4YKkyc93bwhp1Pl5TsKRnBCPFE59+I=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3643

best I can suggest is a used rig... easy to operate, easy to learn to use, and "HAM" bands only. Check on E-bay for a Kenwood TS-130S. Thats going to be about the best you can do, for what your looking for. For something a bit more current, maybe the TS-50S.

-n6ojn

<Carson.McCullers@gmail.com> wrote in message
news:1145753194.613126.101240@i40g2000cwc.googlegroups.com...
> Hi folks,
>
> I'm a long time SWL but don't know much practical stuff about Amateur
> Radio other than what I've learnt reading the Australian Foundation
> Licence Manual (which was pretty straightforward).
>
>
> My semi-retired father has been interested in Amateur Radio for some
> time, but hesitant to take the plunge, so last year I bought him an
> Icom R75 receiver and big sloper antenna to whet his appetite. He has
> been using this set-up for a while now, and has gradually learnt how to
>
> operate the Icom, but his grasp of radio theory, and of technology
> generally, is pretty poor. He passed the Australian Foundation Licence
> tests, but only just, and his grasp of such concepts as SSB is no more

> than "try pressing the button and see if it sounds any better".
> However, he is an eminently practical man, and will have no trouble
> constructing and erecting antennas etc. He has a large block of land in
>
> a low noise country area, with a shed for a base station.
>
>
> Now that he has his Foundation Licence, I'm looking at what transceiver
>
> might be appropriate for him, and here is where I seek your
> suggestions. My criteria are as follows:
> - New rather than second hand
> - Ease of use essential
> - Knobs and single-function buttons important
> - Multi-function buttons not attractive
> - Computer-style hierarchical menus a no-no
> - Large and easy-to-read display useful
> - Portability, compact size and battery operation not important
> - HF essential, 2m useful but not essential
> - Computer control of no benefit
> - Advanced features (eg notch filters) which require more than a
> button press or knob twirl of little benefit
>
>
> The Icom IC-718 has a similar physical front panel layout to the R75
> which he is already used to, which is a slight advantage, but I'm
> open to your suggestions as to what transceivers I should be
> considering.
>
>
> Thanks in advance,
> Carson
>

From -1114982936650876380
X-Google-Thread: 108122,8916c9162a79519e,start
X-Google-Thread: 108228,8916c9162a79519e,start
X-Google-Thread: 1062f2,8916c9162a79519e,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 23 Apr 2006 20:40:36 -0500
Subject: FA: 6 ELECTRONICS Books: PRO's Only: CMOS, Microprocessors, Microprogramming, etc.
Date: Sun, 23 Apr 2006 21:40:36 -0400
From: Steve <steve@wsjkloija.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,misc.industry.electronics.marketplace

```
Message-ID: <23042006214036723l%steve@wsjkloija.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-FksqLAk+WeVYYQaZ0D+W3utsDyc+ONB4It4lhfd9nDk+/0aKNb36fGS9fU1lOL5VKSp/
JawjUw+NZ9d!
KP4WJqduIt4ySgD0BJMpzldeUrtP7aZ91hO+975FpkHUuLaHjZmUG6mJK9leLGDTxzzmfjcUjJ1+!
lhxA1PRcc6mv86pp/+E6aA==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3644 alt.ham-
radio.marketplace:864 misc.industry.electronics.marketplace:404


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4634488572


From 164173355354050247
X-Google-Thread: 108122,11a388a87054ce0d,start
X-Google-Thread: 108228,11a388a87054ce0d,start
X-Google-Thread: 1062f2,11a388a87054ce0d,start
X-Google-Attributes: gid108122,gid108228,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 23 Apr 2006 20:42:03 -0500
Subject: FA: 4 Books: ELECTRONICS - ELECTRICITY - CIRCUIT ANALYSIS, etc.
Date: Sun, 23 Apr 2006 21:42:02 -0400
From: Steve <steve@wsjkloija.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,misc.industry.electronics.marketplace
Message-ID: <230420062142022405%steve@wsjkloija.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
LGQyhxZSbAIFedm1PpI+kHGpf2ExwOiL0E7epUL1+5T8g04uggUBVU25MyKEmkwVvPtmK4AbvvxcD9P!
UCI6H89AA9dfGzXypqm6PI2t6g1wRGBI0L+i/qjgk5vPRTlIEyKjtL7J3zMEbf07P4HYAcWPryrg!
Rr50OeS1pPcwIvZXMBDNEQ==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3645 alt.ham-radio.marketplace:865 misc.industry.electronics.marketplace:405

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4634396960

From 5696621379830392077
X-Google-Thread: 108122,d50c3ec747b5dd08,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!nntp-out.svc.us.xo.net!nntp1-feeder.SJ.svc.us.xo.net!newsfeed.concentric.net!sjc1.nntp.concentric.net!nntp-master.svc.us.xo.net
From: Ron <wa0kds@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Collect (Cash) on Delivery C.O.D.
Date: 24 Apr 2006 00:37:42 EDT
Organization: Concentric Internet Services
Lines: 11
Message-ID: <e2hkmm$74@dispatch.concentric.net>
NNTP-Posting-Host: 67.107.152.210
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
Xref: g2news2.google.com rec.radio.amateur.equipment:3646

Having been taken by sellers on these Newsgroups a couple of times but have now learned how to do it. I would like to recommend that anyone that buys anything from an unknown seller on a Newsgroup to only pay via the United State Post Office "Cash (Collect)on Delivery". It only costs the buyer a few dollars but will for sure stop the dishonest sellers from taking advantage of an easy sell on a Newsgroup. Of course the exception to this rule is you know the person that you are buying from and know they are honest.

Thanks for reading,
Ron WA0KDS

From 8627951376711432733
X-Google-Thread: 108122,c64389a2919b1032,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail

NNTP-Posting-Date: Sun, 23 Apr 2006 23:49:39 -0500
From: "Guy Atkins" <dxnospam@guyatkins.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kiwa MAP Unit - RARE Receiver Accessory
Date: Sun, 23 Apr 2006 21:49:40 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <WIqdnal30MV5xdHZnZ2dnUVZ_smdnZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 67.170.121.248
X-Trace: sv3-m5cBLfk/
8zIFYXWnqC17aO04d+71jbAF3LfbVRCaM12n6rSsZrHvKks1Q2d4iFKfsYycr728CrFT5a8!
zQyOyAifSSZmnatfnJaE+prMy7XCnGbqUpJm0nPVldAuNo3uyO1TVN2X5ML3kQ07pbSow0aBWyIn!
qAUlaQfW1BlKiGLdFvo=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3647

I'm auctioning my Kiwa MAP (Multi-band AM Pickup) that I no longer have need of. If you're interested in this unique receiver accessory that provides synchronous-AM detection, extra filtering, and other features, please see:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9717292904

Thanks for looking.

Guy Atkins
Puyallup, WA
blog: www.sdr-1000.blogspot.com

From -9014189057895621832
X-Google-Thread: 108122,67293b8f87fecf9e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!y43g2000cwc.googlegroups.com!not-for-mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: APRSPoint new version (3.2)
Date: 24 Apr 2006 03:15:59 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1145873759.031937.236260@y43g2000cwc.googlegroups.com>

```
NNTP-Posting-Host: 221.232.68.190
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145873765 2114 127.0.0.1 (24 Apr 2006 10:16:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 24 Apr 2006 10:16:05 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; Alexa Toolbar; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: y43g2000cwc.googlegroups.com; posting-host=221.232.68.190;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news2.google.com rec.radio.amateur.equipment:3648
```

This version has several improvements on interface and fixed a few problems raised by users, mainly

1. Connect TCP dialog now remembers all servers, ports and filter strings user enters,

2. Added support for auto GPS connection at startup,

3. Improved handling for station tracking and track line customization,

4. Fixed a bug in weather station data processing,

Newer APRS symbol set support is planned, once we have mappoint 2006 and know more about its API interface. Again, visit http://www.aprspoint.com for further details and download of the latest version. Thanks.

```
From -5579491843012745273
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!news.glorb.com!
hammer.uoregon.edu!arclight.uoregon.edu!newsfeeder.srv.cs.cmu.edu!
nn.andrew.cmu.edu!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
Date: Mon, 24 Apr 2006 14:17:50 GMT
Organization: Sometimes
Lines: 30
Message-ID: <e2imnj$ov2$1@usenet01.srv.cis.pitt.edu>
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu> <124a9o9bmgm7ea2@corp.supernews.com>
<44466dd8$0$29969@dingus.crosslink.net> <rWv1g.17982$IZ2.4916@dukeread07>
<4447db1c$0$30657@dingus.crosslink.net>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1145888307 25570 136.142.52.106 (24 Apr 2006
14:18:27 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Mon, 24 Apr 2006 14:18:27 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news2.google.com rec.radio.amateur.equipment:3649

In article <4447db1c$0$30657@dingus.crosslink.net>, "Vito" <vito@crosslink.net>
wrote:
>"nitespark" <nitespark@cox.net> wrote
>> Vito wrote:
>> > Sure you are (a prude) OM but its nothing to be ashamed of.  Cursing is a
>sign
>> > of poor vocabulary.  OTOH, I was brought up on "Sticks and stones my break
>my
>> > bones but words can never hurt me!" so I find the PC notion that "bad
> words"
>can
>> > somehow hurt anybody, including kids, a bit amusing.
>> >
>> > 73, K3DWW
>>
>> So you think its OK to teach kids filthy language?  Should Sesame Street
>> start talking like Stern?
>
>Hmmm ... somebody clearly failed to teach reading comprehension.  But yes it is
>OK for kids to learn words that may offend prudes like yourself so long as they
>don't abuse them or neglect to learn a proper vocabulary.  There is no evidence
>that any word ever harmed anybody.
>>
>> As for the "sticks and stones"....rubbish.  In some locations when you
>> start directing expletives at a person, it can be considered a "Breach
>> of Peace" or possibly even Disorderly Conduct.

Of course one can also use the internet instead of getting your profanity from CB.
I never really heard that must profanity on CB, but definately internet.

greg


From -4447280730000891945
X-Google-Thread: 108122,ee4c4f47714627d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!meganewsservers.com!
feeder2.on.meganewsservers.com!199.245.68.5.MISMATCH!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Johnson Fleetcom II: need service manual
Date: Mon, 24 Apr 2006 12:27:29 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 8
Message-ID: <444d26a3$0$1522$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 24 Apr 2006 19:27:32 GMT
NNTP-Posting-Host: 4c766c7b.news.sonic.net
X-Trace:
DXC=8NH[9OCm:83;3N:jJ^@Go;m4K\QM1CV^01OYf0H`?;X1[;2VX5E8jR5P=nRc>=QWi8HXlC8ZBJ_0?
X-Complaints-To: abuse@sonic.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3650
```

Title says it all. I'm using the transmitter section in a UHF repeater and
need the schematic, board layout, and parts list to get it tuned
down into the ham bands. Apparently there are two versions. Mine
uses the trippler output stage.

Steve W6SSP

```
From -2051379512311529563
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
From: Slow Code <more.em@il.more.more.more>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<irbe42thm0v3f33jbm31logq7gjgsio4em@4ax.com>
<eBA2g.5379$Dv6.1029@tornado.tampabay.rr.com>
<rgvl42tilp789fgb9oqttm530qeu843upv@4ax.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 34
Message-ID: <zFe3g.1117$Vn.360@newsread4.news.pas.earthlink.net>
Date: Tue, 25 Apr 2006 01:09:51 GMT
NNTP-Posting-Host: 4.254.229.21
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1145927391 4.254.229.21 (Mon, 24 Apr
2006 18:09:51 PDT)
NNTP-Posting-Date: Mon, 24 Apr 2006 18:09:51 PDT
```

```
Xref: g2news2.google.com rec.radio.amateur.antenna:10342
rec.radio.amateur.equipment:3651 rec.radio.amateur.policy:24430 rec.radio.cb:8779
rec.radio.shortwave:32449

Fred <freddyr1928@ll.net> wrote in
news:rgvl42tilp789fgb9oqttm530qeu843upv@4ax.com:

> On Sun, 23 Apr 2006 01:18:02 GMT, "west" <westley@tampabay.rr.com>
> wrote:
>
>>
>>"Fred" <freddyr1928@ll.net> wrote in message
>>news:irbe42thm0v3f33jbm31logq7gjgsio4em@4ax.com...
>>> On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
>>> wrote:
>>
>><big snip>
>>
>>> I know a gay couple and they are not in your face. In fact... oddly
>>> enough they don't support gay marriage or all the other liberal
>>> nonsense. They are quite conservative. They also don't claim they have
>>> some bullshit scientific right to do what they do. It is only the
>>> retarded flakes like HIV-Markytard that ruin it for the rest of them.
>>
>>
>>I know a man who smoked 3 packs of cigarettes a day and lived to be 94.
>>Your point?
>>
>>west
>
> Can you read? Markie is here pushing his gay agenda and he is spamming
> our group. Why do you choose to be so dense?


Just to stir I'm thinking.  He must get a kick out of watching Mark
butcher the english language day in & day out.

SC



From -6926885264227388591
X-Google-Thread: 108122,3842485620bb60e9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread03.POSTED!53ab2750!not-for-mail
From: "Ken Bessler" <kg0wx@NOSPAMyahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Is there something wrong with my math?
Lines: 54
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
```

Message-ID: <rHe3g.902$4H.637@dukeread03>
Date: Mon, 24 Apr 2006 20:11:51 -0500
NNTP-Posting-Host: 68.102.181.132
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1145927511 68.102.181.132 (Mon, 24 Apr 2006 21:11:51 EDT)
NNTP-Posting-Date: Mon, 24 Apr 2006 21:11:51 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:3652

I purchased and built an Elecraft XG-2 tri-band signal generator to go with my K2 and my TS-850SAT. The manual for the XG-2 gives (roughly) this procedure for MDS testing:

1) Turn off your AGC
2) Select CW mode with a narrow filter, if you have one.
3) Crank the AF/RF gain up to full
4) Setup a VRMS DVM hooked to your ext. speaker jack

Measure the background noise on the DVM then hook up the XG2, set to the proper band and set to 1 microvolt (-107dbm) and re measure the voltage on the DVM. The first reading is N and the 2nd reading is S+N. Do the following math:

Divide Signal (Vrms) "XG2 on" by rec noise floor (XG2 "off") = R
(Log(R))(20)+107=MDS

With this procedure on 40m my K2 scored -136.3dbm but my TS-850SAT scored -137.2dbm. Puzzled by the results, I Googled and found those were typical numbers, although the Kenwood seemed a bit on the hot side.

OK - Here's where it get's interesting - today I bought a Telonic Berkeley rotary step attenuator, model 8107s. Now this device can add 0-59db in 1 db steps. The manufacturer claims 0.2db accuracy and 0.4db insertion loss up to 2ghz (worst case). To hook up to the XG-2 I needed a BNC male/male adapter and a BNC female/SMA male adapter. To hook up to the radios I used a SMA male/SO-239 adapter, 7' of RG-8x coax feedine into a MFJ 815c swr bridge then through 2 coax jumpers (2' ea) with a SO-239 barrel connecting them. Yes, I know - not an ideal low loss connection for MDS testing. I'll try that later....

Anyways, I figure I've got 3db of losses (40m) through all those connections/meter/coaxes. The XG-2 is supposed to be VERY accurate as far as output levels go. Never the less I'm fudging the numbers based on W3AB's recent tests of a XG-2 on an HP 8562A spectrum analyzer which showed a real world output of -106dbm +/- 0.5db.

Let's add it all up: -106dbm - 0.4db - 3db = -110dbm.

If that is accurate, I figured I'd be able to crank in 26db of attenuation before I reached -136dbm and lost the signals (I'm not measuring now - I'm listening with headphones for the tone).

I went to 26db and the tone was EASY to hear! I eventually found that I had to crank in **46 db** of attenuation before I lost the signal!

That's -156dbm for MDS, guys..... So what did I do wrong?

  73's de Ken KG0WX - Kadiddlehopper #11808,
    Flying Pigs #-1055, Grid EM17io, TS-850SAT,
Elecraft XG2, 4SQRP Tenna Dipper, Heath GD-1B

From 4867690700346279018
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
Subject: blame those that enage in gaybashing for the gay bashing posts
Date: 24 Apr 2006 18:26:22 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1145928382.424886.232730@i40g2000cwc.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <irbe42thm0v3f33jbm31logq7gjgsio4em@4ax.com>
   <eBA2g.5379$Dv6.1029@tornado.tampabay.rr.com>
   <rgvl42tilp789fgb9oqttm530qeu843upv@4ax.com>
   <zFe3g.1117$Vn.360@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 66.82.9.41
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145928388 19631 127.0.0.1 (25 Apr 2006 01:26:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 25 Apr 2006 01:26:28 +0000 (UTC)
In-Reply-To: <zFe3g.1117$Vn.360@newsread4.news.pas.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.41;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news2.google.com rec.radio.amateur.antenna:10343 rec.radio.amateur.equipment:3653 rec.radio.amateur.policy:24431 rec.radio.cb:8782 rec.radio.shortwave:32463

```
Slow Code wrote:
> Fred <freddyr1928@ll.net> wrote in
> news:rgvl42tilp789fgb9oqttm530qeu843upv@4ax.com:
>
west
> >
> > Can you read? Markie is here pushing his gay agenda and he is spamming
> > our group. Why do you choose to be so dense?
>
>
> Just to stir I'm thinking.  He must get a kick out of watching Mark
> butcher the english language day in & day out.

or just can't face the facts I have the same rights he does
>
> SC




From 6375666408826359848
X-Google-Thread: 1109af,febc9847490cb7ad,start
X-Google-Thread: 108122,febc9847490cb7ad,start
X-Google-Thread: fc2a5,febc9847490cb7ad,start
X-Google-Attributes: gid1109af,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.phx!fe05.lga.POSTED!53ab2750!not-for-mail
From: " NI4L" <ni4l@charter.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Amp Supply AT 1-6 Tuned input board Dentron FA
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <P9m3g.3654$nD.3226@fe05.lga>
X-Trace:
nghlfjfcphhogbndcpminllhofmjafiiapcdfojjfmeadmpldjocchnajjhbmbnafdakajikgkojckklnn
encaolhpddidbbioacbnbbpobjipdgnohacmbkjgoalllhbcfagklmibllijll
NNTP-Posting-Date: Tue, 25 Apr 2006 02:42:07 MST
Date: Tue, 25 Apr 2006 05:42:01 -0400
Xref: g2news2.google.com rec.radio.swap:3724 rec.radio.amateur.equipment:3654
rec.radio.amateur.homebrew:4953

This is a complete AT 1-6 Tuned input board and switch from the Amp Supply
LK series

Amplifiers. This will fit into the Dentrons also. Have schematics for this.

If you have a Stock Amp Supply or Dentron amp this is what you need.
```

```
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9716726956&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1




From -2944134297128986882
X-Google-Thread: 108122,fa57a92c287fb67b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "wa2rqy@comcast.net" <wa2rqy@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: RARE HALLICRAFTERS HT-1E "VILLAGE RADIO">VIET-NAM, NEW!
Date: 25 Apr 2006 07:12:58 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1145974378.027410.172680@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.56.4.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145974385 23130 127.0.0.1 (25 Apr 2006 14:13:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 25 Apr 2006 14:13:05 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=68.56.4.30;
   posting-account=_wUy-g0AAADe6bOxzHpGRiyp2zaMPNfW
Xref: g2news2.google.com rec.radio.amateur.equipment:3655

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&category=4674&item=9715631137




From 4203481059896496606
X-Google-Thread: 108122,b5386eca56a23c6d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread03.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu YC-601 Digital Display
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <CBr3g.937$4H.145@dukeread03>
Date: Tue, 25 Apr 2006 10:53:09 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread03 1145980386 68.105.249.118 (Tue, 25 Apr 2006 11:53:06 EDT)
NNTP-Posting-Date: Tue, 25 Apr 2006 11:53:06 EDT
Organization: Cox Communications
Xref: g2news2.google.com rec.radio.amateur.equipment:3656
```

YAESU YC - 601 DIGITAL DISPLAY

FOR SALE A LIKE NEW, WORKING YC-601 DIGITAL DISPLAY FOR A FT-101 0R 401 SERIES TRANCEIVER. HAS BEEN USED VERY LITTLE. I USED IT WITH MY 101EE. COMES WITH THE INSTRUCTIONS AND INTER-CONNECT CABLE. $185.00 PLUS SHIPPING FROM 79602. THANKS, CHARLIE HUGG, K5MBX

```
From 726879079889253261
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an old freind" <kb9rqz_ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: blame those that enage in gaybashing for the gay bashing posts
Date: 25 Apr 2006 12:45:35 -0700
Organization: http://groups.google.com
Lines: 36
Message-ID: <1145994335.230140.183460@j33g2000cwa.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <irbe42thm0v3f33jbm31logq7gjgsio4em@4ax.com>
   <eBA2g.5379$Dv6.1029@tornado.tampabay.rr.com>
   <rgvl42tilp789fgb9oqttm530qeu843upv@4ax.com>
   <zFe3g.1117$Vn.360@newsread4.news.pas.earthlink.net>
   <1145928382.424886.232730@i40g2000cwc.googlegroups.com>
   <mrms429058cc0qopo4jm1g2nh91h80dd0o@4ax.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145994342 10626 127.0.0.1 (25 Apr 2006 19:45:42 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Tue, 25 Apr 2006 19:45:42 +0000 (UTC)
In-Reply-To: <mrms429058cc0qopo4jm1g2nh91h80dd0o@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=69.19.14.25;
   posting-account=C0yp0w0AAABbuDAgb8UNLPLJrCmmCI6P
Xref: g2news2.google.com rec.radio.amateur.antenna:10383
rec.radio.amateur.equipment:3658 rec.radio.amateur.policy:24524 rec.radio.cb:8807
rec.radio.shortwave:32542


Fred wrote:
> On 24 Apr 2006 18:26:22 -0700, "an_old_friend" <konstans@hotmail.com>
> wrote:
>
> >
> >Slow Code wrote:
> >> Fred <freddyr1928@ll.net> wrote in
> >> news:rgvl42tilp789fgb9oqttm530qeu843upv@4ax.com:
> >>
> >west
> >> >
> >> > Can you read? Markie is here pushing his gay agenda and he is spamming
> >> > our group. Why do you choose to be so dense?
> >>
> >>
> >> Just to stir I'm thinking.  He must get a kick out of watching Mark
> >> butcher the english language day in & day out.
> >
> >or just can't face the facts I have the same rights he does
>
>
> If you have the right to push your gay agenda then we are all allowed
> to publicly laugh at your confused ass.
not according some points of law
> You can't even pick sides
> sexually, yet you push the gay lifestyle hard.
you might try tell the truth

or is that beyond your abilities

> Find your rainbow,
> Mark. Then catch a case of AIDS and make the world a better place.

and so you prove yourself a bigot and gully and a truly sick person



From 8675471563220231891
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
```

X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
newscon02.news.prodigy.com!prodigy.net!newstrans.cos.agilent.com!sdd.hp.com!news-
pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed.pnap.net!
motgate2.mot.com!newshost!avnika.corp.mot.com!not-for-mail
From: "Steve N." <stuevue.nouskuowuicuz@moutouroula.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Tue, 25 Apr 2006 14:38:25 -0500
Organization: Motorola Applications Directory Team
Lines: 10
Message-ID: <e2ltri$dnr$1@avnika.corp.mot.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
NNTP-Posting-Host: 173.27.203.217
X-Trace: avnika.corp.mot.com 1145993906 14075 173.27.203.217 (25 Apr 2006 19:38:26
GMT)
X-Complaints-To: news@avnika.corp.mot.com
NNTP-Posting-Date: Tue, 25 Apr 2006 19:38:26 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news2.google.com rec.radio.amateur.antenna:10385
rec.radio.amateur.equipment:3659 rec.radio.amateur.policy:24530 rec.radio.cb:8808
rec.radio.shortwave:32544

Chill guys. Think a moment...Who's the lame of mind here. The OP with 1
post or the 60 responses... Looks like he suckered y'all in and had the
desired effect
73, Steve, K9DCI

"Skirt Chaser" <my.em@il.dont.work>

**** NOTE: his brain dont [sic] either...

From 5960438418624781876
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-
sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath555usb@nospam.yahoo.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Tue, 25 Apr 2006 19:23:08 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <124tfbo3tags68c@corp.supernews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<e2ltri$dnr$1@avnika.corp.mot.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news2.google.com rec.radio.amateur.antenna:10394
rec.radio.amateur.equipment:3660 rec.radio.amateur.policy:24543 rec.radio.cb:8813
rec.radio.shortwave:32573

"Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in message
news:e2ltri$dnr$1@avnika.corp.mot.com...
> Chill guys.  Think a moment...Who's the lame of mind here.  The OP with 1
> post or the 60 responses...  Looks like he suckered  y'all in and had the
> desired effect
> 73, Steve, K9DCI
>
> "Skirt Chaser" <my.em@il.dont.work>
>
> ****  NOTE:  his brain dont [sic] either...
>
>
Make that 61 with your response. BTW, Skirt Chaser is also known as Slow
Code, a supposed ham that is too cowardly to include his call sign.
```

```
From 5596482122514433380
X-Google-Thread: 108122,228e5fdadc8c10a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!meganewsservers.com!
feeder2.on.meganewsservers.com!feed.cgocable.net!newsfeed.telusplanet.net!
newsfeed.telus.net!clgrps13.POSTED!53ab2750!not-for-mail
From: "gervais" <gervais_fillion@globetrotter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Heathkit HW-12 shematic
Lines: 13
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <EZz3g.445$b63.270@clgrps13>
Date: Wed, 26 Apr 2006 01:24:52 GMT
NNTP-Posting-Host: 207.134.125.80
X-Complaints-To: abuse@globetrotter.net
X-Trace: clgrps13 1146014692 207.134.125.80 (Tue, 25 Apr 2006 19:24:52 MDT)
NNTP-Posting-Date: Tue, 25 Apr 2006 19:24:52 MDT
Organization: GlobeTrotter
Xref: g2news2.google.com rec.radio.amateur.equipment:3661

hi all
i am looking for the shematic of my old transceiver here
an old HW-12 hf,
anybody,,,is there a copy somewhere???

it is rare as gold,
or best
a copy of the manual,it would help me to set it up shape

thanks
gervais,ve2ckn




From -50444088549582635
X-Google-Thread: 108122,228e5fdadc8c10a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!ead9a4f6!
not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <EZz3g.445$b63.270@clgrps13>
Subject: Re: Heathkit HW-12 shematic
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1158
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1165
Message-ID: <F3A3g.12771$i41.10066@newsread1.news.atl.earthlink.net>
Date: Wed, 26 Apr 2006 01:31:17 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1146015077 24.225.35.108 (Tue, 25 Apr
2006 18:31:17 PDT)
```

```
NNTP-Posting-Date: Tue, 25 Apr 2006 18:31:17 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3662

Go here and scrool down to the list.  Click on the one you want.  It may
take a try or two to get it.  I got a page not found the first two times.

http://bama.sbc.edu/heath.htm


"gervais" <gervais_fillion@globetrotter.net> wrote in message
news:EZz3g.445$b63.270@clgrps13...
> hi all
> i am looking for the shematic of my old transceiver here
> an old HW-12 hf,
> anybody,,,is there a copy somewhere???
>
> it is rare as gold,
> or best
> a copy of the manual,it would help me to set it up shape
>
> thanks
> gervais,ve2ckn
>
>




From -18707459159058551
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "an old freid to some a nightmare to steve" <kb9rqz__ars@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: blame the poster for the posts
Date: 25 Apr 2006 18:57:04 -0700
Organization: http://groups.google.com
Lines: 19
Message-ID: <1146016624.557466.51680@g10g2000cwb.googlegroups.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
   <e2ltri$dnr$1@avnika.corp.mot.com>
   <124tfbo3tags68c@corp.supernews.com>
NNTP-Posting-Host: 69.19.14.25
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146016636 9220 127.0.0.1 (26 Apr 2006 01:57:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 Apr 2006 01:57:16 +0000 (UTC)
In-Reply-To: <124tfbo3tags68c@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.5) Gecko/
20050603 Netscape/8.0.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=69.19.14.25;
   posting-account=IvgfvA0AAABfkDmkFekg2nkRIyiXwf8A
Xref: g2news2.google.com rec.radio.amateur.antenna:10396
rec.radio.amateur.equipment:3663 rec.radio.amateur.policy:24547 rec.radio.cb:8818
rec.radio.shortwave:32579


Dr.Death wrote:
> "Steve N." <stuevue.nouskuowuicuz@moutouroula.com> wrote in message
> news:e2ltri$dnr$1@avnika.corp.mot.com...
> > Chill guys.  Think a moment...Who's the lame of mind here.  The OP with 1
> > post or the 60 responses...  Looks like he suckered  y'all in and had the
> > desired effect
> > 73, Steve, K9DCI
> >
> > "Skirt Chaser" <my.em@il.dont.work>
> >
> > ****  NOTE:  his brain dont [sic] either...
> >
> >
> Make that 61 with your response. BTW, Skirt Chaser is also known as Slow
> Code, a supposed ham that is too cowardly to include his call sign.

get you are countingthem up




From 8623977325814852264
X-Google-Thread: 108122,690952e2773f0b7e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "DQ" <comptel.intl@msa.hinet.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS high power tubes
Date: 26 Apr 2006 10:01:59 -0700
Organization: http://groups.google.com
Lines: 23
Message-ID: <1146070919.013586.40730@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 211.74.9.55
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146070926 2029 127.0.0.1 (26 Apr 2006 17:02:06 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 26 Apr 2006 17:02:06 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; SIMBAR
Enabled),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=211.74.9.55;
   posting-account=m1QhGA0AAACiAxrFfXXhsjmT30LFpyol
Xref: g2news2.google.com rec.radio.amateur.equipment:3664

offer hight power tubes..all new condition..

3CW40000  3CX1500   6T51 6T58 7T62 7T69 7T84 7T85 8T25 8T85 8T87
     FU-710   FU-724   FU-724   FU-727   FU-824   FU-824
     FU-834   3CX10000
3CX15000  3CX20000  3CX4500   3CX6000   3CX2500   3CX3000   4CX1500
     4CX3000   4CX5000   4CX10000
4CX150000

And others..please contact me..

73..

contact information:
******************************
Randson /BV2DQ
COMPTEL INT'L
http://comptel1.tripod.com
Taiwan:+886-936 335 343
China:+86-755-61363055, 13424373457
eFax:+852-3010 4546
Email:  comptel.intl@anet.net.tw
QQ:101250439
Skype: bv2dq_huang
MSN: bv2dq@hotmail.com



From -8356524645657293658
X-Google-Thread: 108122,228e5fdadc8c10a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews8.bellsouth.net.POSTED!35f0e4eb!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <EZz3g.445$b63.270@clgrps13>
Subject: Re: Heathkit HW-12 shematic
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Response
Message-ID: <C9U3g.31108$Kh5.16654@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbopkejjmfjbhfokbdgglnpgflcagemgjaofh
pehmaonbjnpliidgamejobmogdcfjbjbaohfbofmmmkjljlfpelaokmefnjbabifncpjeolamcangb
NNTP-Posting-Date: Wed, 26 Apr 2006 20:22:58 EDT
Organization: BellSouth Internet Group
Date: Wed, 26 Apr 2006 19:22:42 -0500
Xref: g2news2.google.com rec.radio.amateur.equipment:3665
```

I have gotten a few manuals from http://www.w7fg.com/index.html

http://www.w7fg.com/search.php?find=hw+12 is for the hw 12

I think the ones I got were reporoductions, but excellent detail as good as new

Good luck

-- 73
Gary Lee Calvert K4TWO

"gervais" <gervais_fillion@globetrotter.net> wrote in message
news:EZz3g.445$b63.270@clgrps13...

> hi all
> i am looking for the shematic of my old transceiver here
> an old HW-12 hf,
> anybody,,,is there a copy somewhere???
>
> it is rare as gold,
> or best
> a copy of the manual,it would help me to set it up shape
>
> thanks
> gervais,ve2ckn
>
>

```
From -8394894894568861684
X-Google-Thread: 108122,d952a799c956f3e9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news4.google.com!news.glorb.com!
```

```
newscon02.news.prodigy.com!prodigy.net!nx01.iad01.newshosting.com!newshosting.com!
207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!84ef5383!
not-for-mail
From: "Brian Murrey" <brian@iquest.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Special Transistor deal
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <iC74g.9838$sq5.9354@newsread2.news.atl.earthlink.net>
Date: Thu, 27 Apr 2006 17:57:34 GMT
NNTP-Posting-Host: 69.69.43.75
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1146160654 69.69.43.75 (Thu, 27 Apr 2006
10:57:34 PDT)
NNTP-Posting-Date: Thu, 27 Apr 2006 10:57:34 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3666

I just came into possession of several thousand brand new Motorola brand
PN2222A transistors in the TO-92 package.  So I have them 100 for $7.00
including shipping in the USA.  These are new (old stock), unused parts,
still
on the paper tape they were born with.  The part is clearly labeled and is
genuine
Motorola goods.

Order Item:  PN2222 - Motorola

Send your order payable to:

Brian Murrey
47 Grassy Drive
New Whiteland IN 46184

or

Paypal to orders@hamradparts.com

--
=========================================
Radio Amateurs - Fill your junk box, from my junkbox!
http://www.hamradparts.com
73 de KB9BVN
=========================================
```

From 2955498557879379796
X-Google-Thread: 108122,d50c3ec747b5dd08
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Collect (Cash) on Delivery C.O.D.
Date: 27 Apr 2006 14:42:35 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1146174155.750839.285750@g10g2000cwb.googlegroups.com>
References: <e2hkmm$74@dispatch.concentric.net>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1146174161 32251 127.0.0.1 (27 Apr 2006 21:42:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 27 Apr 2006 21:42:41 +0000 (UTC)
In-Reply-To: <e2hkmm$74@dispatch.concentric.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news2.google.com rec.radio.amateur.equipment:3667

What about the buyer that refuses the package or postman cannot deliver
it ,or buyer decides that he doesn`t want it ..Seller is stuck with 2
times the shipping to get it back..OR seller sends you a box of rocks
COD ..Buyer pays post office gets nothing but rocks..I agree about
checking out the seller ,making sure that he is reputable ,That always
seems to work out good for me.. W4PQW

From -6952575268811771667
X-Google-Thread: 108122,d952a799c956f3e9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!fe01.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <iC74g.9838$sq5.9354@newsread2.news.atl.earthlink.net>
Subject: Re: Special Transistor deal
Lines: 9
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <U5b4g.3615$%_1.2287@fe01.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 27 Apr 2006 21:56:04 GMT
Xref: g2news2.google.com rec.radio.amateur.equipment:3668

Brian Murrey wrote:
> I just came into possession of several thousand brand new Motorola
> brand PN2222A transistors in the TO-92 package.  So I have them 100
> for $7.00 including shipping in the USA.  These are new (old stock),

Your price is out of line.
http://cgi.ebay.com/Reel-of-2000-PN2222-transistors-TO-92-
NPN_W0QQitemZ7614089422QQcategoryZ36332QQssPageNameZWDVWQQrdZ1QQcmdZViewItem




From 1637807624896144177
X-Google-Thread: 108122,d50c3ec747b5dd08
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!news.germany.com!feeder.xsnews.nl!sn-ams-06!sn-xt-ams-05!sn-ams!sn-feed-
ams-01!sn-post-ams-02!sn-post-sjc-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Collect (Cash) on Delivery C.O.D.
Date: Thu, 27 Apr 2006 22:25:14 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <1252h6alb95or3a@corp.supernews.com>
References: <e2hkmm$74@dispatch.concentric.net>
<1146174155.750839.285750@g10g2000cwb.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news2.google.com rec.radio.amateur.equipment:3669

In article <1146174155.750839.285750@g10g2000cwb.googlegroups.com>,
 <w4pqw@cox.net> wrote:

>What about the buyer that refuses the package or postman cannot deliver
>it  ,or buyer decides that he doesn`t want it ..Seller is stuck with 2
>times the shipping to get it back..OR seller sends you a box of rocks
>COD ..Buyer pays post office gets nothing but rocks..I agree about
>checking out the seller ,making sure that he is reputable ,That always
>seems to work out good for me.. W4PQW
```

Yes, checking out the seller's reputation is always a good thing to do. I tend to be somewhat more suspicious of potential buyers (or sellers) who have "fluid" addresses - PO boxes, PMBs, "Suite" numbers at locations which turn out to be Mailbox Etc. or similar storefronts.

There are a couple of other approaches which I've found worthwhile:

[1] Use an escrow-payment service - a trusted and reputable third-party which receives and holds the money from the buyer, and releases it to the seller only when the buyer has received and inspected and OK'ed the goods (or has received the goods and failed to either OK or reject them within a given amount of time).

[2] Payment-by-halves / risk sharing. Buyer sends half of the funds, seller sends the goods, buyer inspects them and then sends the remaining half of the funds.

It can also help to make it clear that you *will* file mail-fraud charges against anyone who ships you a box of gravel.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From 6622735432439314519
X-Google-Thread: 108122,3a9d507489899b6f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Looking for TenTec Corsair II
From: Tod Glenn <webmaster@cordite.com>
Date: Thu, 27 Apr 2006 18:33:13 -0600
Message-ID: <webmaster-8C4904.18331227042006@news.usenet-access.com>
Lines: 18
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-out.nuthinbutnews.com!
sp6iad.superfeed.net!webmaster
Newsgroups: rec.radio.amateur.swap,rec.radio.amateur.equipment
X-Proxy-User: $$no5i9e5z5o9x
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Report: Please report illegal or inappropriate use to <abuse@newsfeeds.com>.
Forward a copy of ALL headers INCLUDING the body. (DO NOT SEND ATTACHMENTS)
X-Comments2: IMPORTANT: Newsfeeds.com does not condone,support,nor tolerate spam
or any illegal or copyrighted postings.
X-Comments: This message was posted through Newsfeeds.com
Xref: g2news2.google.com rec.radio.amateur.equipment:3670

Greetings all.

I am looking for a TenTec Corsair II HF transceiver in good operational and cosmetic condition. If anyone is looking to sell, let me know.

----== Posted via Newsfeeds.Com - Unlimited-Unrestricted-Secure Usenet News==----
http://www.newsfeeds.com The #1 Newsgroup Service in the World! >100,000 Newsgroups
---= East/West-Coast Server Farms - Total Privacy via Encryption =---

From 6201286618937284375
X-Google-Thread: 108122,d952a799c956f3e9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Special Transistor deal
Message-ID: <efs252pe33shua76j7mdrlfpm0bauvf2bs@4ax.com>
References: <iC74g.9838$sq5.9354@newsread2.news.atl.earthlink.net> <U5b4g.3615$%_1.2287@fe01.news.easynews.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Fri, 28 Apr 2006 01:40:36 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1146188436 24.148.146.109 (Thu, 27 Apr 2006 18:40:36 PDT)
NNTP-Posting-Date: Thu, 27 Apr 2006 18:40:36 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news2.google.com rec.radio.amateur.equipment:3671

7 cents each delivered satisfies me, they are on order... I hope he does well enough to try more products!

On Thu, 27 Apr 2006 21:56:04 GMT, "Travis Jordan" <no.one@no.net> wrote:

>Brian Murrey wrote:
>> I just came into possession of several thousand brand new Motorola
>> brand PN2222A transistors in the TO-92 package. So I have them 100
>> for $7.00 including shipping in the USA. These are new (old stock),
>
>Your price is out of line.
>http://cgi.ebay.com/Reel-of-2000-PN2222-transistors-TO-92-NPN_W0QQitemZ7614089422QQcategoryZ36332QQssPageNameZWDVWQQrdZ1QQcmdZViewItem
>
John Ferrell W8CCW

```
From 2314171758091316535
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe08.news.easynews.com.POSTED!not-for-mail
From: Tony Roma <TonyRom@msn.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Message-ID: <smt252h16hub6dljc4he5i81omufgaam16@4ax.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
<22se42d1ndkmbrj99p6675l6k2t16rplk4@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 28 Apr 2006 02:01:08 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10469
rec.radio.amateur.equipment:3672 rec.radio.amateur.policy:24850 rec.radio.cb:8909
rec.radio.shortwave:32790

>On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
>wrote:
>
>>
>>I know you're all going to disagree
>>with me, but a man touching and sucking on another man's cock and fucking
>>his ass just ain't right.
>
You said a mouthful. Oh and I agree with you. It just aint natural! I
mean imagine a guy sucking on my cock. what am I supposed to do, come
in his mouth??? Very disturbing!



From 102265235231299369
X-Google-Thread: 108122,5336367c00c67d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT480 Slow to go on tx from first turn on
References: <1145013057.015072.126420@i40g2000cwc.googlegroups.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-731B2F.08473416042006@news.verizon.net>
Lines: 37
Date: Sun, 16 Apr 2006 12:47:41 GMT
NNTP-Posting-Host: 151.205.177.137
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1145191661 151.205.177.137 (Sun, 16 Apr 2006 08:47:41 EDT)
NNTP-Posting-Date: Sun, 16 Apr 2006 08:47:41 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3516

In article <1145013057.015072.126420@i40g2000cwc.googlegroups.com>,
"Graham" <g0nbd@hotmail.com> wrote:

> ? My Ft 480 has developed a odd fault ..
>
> when first turned on from cold rx works fine, but set will not go to tx
> when mic pressed-in all modes- (or cw key) wait about 30 seconds with
> mic/key pressed - then it go's to tx and works fine
>
> from cold, there is no click from the t/r relay .. once it had wored ,
> keeps running fine .. any one seen this before ? ... i assume its may
> be a relay .. but that dont explain why there is no responce at turn on
> ?
>
> Tnx
>
> G ..

hi sorry to hear about your troubles i guess it's a ft-480r?

it might be a bad relay or switchin the mike, even a bad mike cord try
pressing the call button does it still happen?   then it's not the mike
or mike cable   rulling out the simple stuff first

i am an original owner and my relays are still fast,   it's way off
freq now so i have to send my in for repairs its prob pll or needs
recalabration

shoot some relay cleaner in   them and see what hapens

if its not a relay   then since it only keys on warmup you might have a
part bad or smthing

good luck   sorry i can't offer better advice

it'sa great rig

From -2877046793800532055
X-Google-Thread: 108122,8a7edfc20b4de8d8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevens75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: NICE OLD ARGONNE AR-54 "GREEN HORNET, HARP MIC"
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 11
Message-ID: <c5s0g.27$FE7.26@fe09.lga>
Date: Sun, 16 Apr 2006 09:59:38 -0400
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1145195976 24.47.254.156 (Sun, 16 Apr 2006 06:59:36 MST)
NNTP-Posting-Date: Sun, 16 Apr 2006 06:59:36 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:3517

last day

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9710520355
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9710520355&ssPageName=ADME:L:DS:US:8

thanks for taking a peek.

73

From -8034880865640025948
X-Google-Thread: 108122,5336367c00c67d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: "Graham" <g0nbd@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT480 Slow to go on tx from first turn on
Date: 16 Apr 2006 10:20:30 -0700
Organization: http://groups.google.com

```
Lines: 8
Message-ID: <1145208030.756246.217070@e56g2000cwe.googlegroups.com>
References: <1145013057.015072.126420@i40g2000cwc.googlegroups.com>
   <m-731B2F.08473416042006@news.verizon.net>
NNTP-Posting-Host: 81.77.231.242
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145208043 23433 127.0.0.1 (16 Apr 2006 17:20:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Apr 2006 17:20:43 +0000 (UTC)
In-Reply-To: <m-731B2F.08473416042006@news.verizon.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=81.77.231.242;
   posting-account=MRsKpw0AAAAuXc5OKeG7ZdK8vosPV8Zz
Xref: g2news1.google.com rec.radio.amateur.equipment:3518
```

yes - ft480-r

tnx - well managed to download the book from dk.mods .there is a
fault/flow chart for no tx ... . the relay is top of the list but there
looks like a input from the ppl - if its not locked then it wont go to
tx .. now the rigs 700 hz off freq (LF) ... so may be needs the freq
needs setting and all will be ok ..

```
From 7574413910005849380
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "=?iso-8859-1?B?V9hDQkY=?=" <w0cbf@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
Date: 16 Apr 2006 10:35:20 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1145208920.209996.116480@z34g2000cwc.googlegroups.com>
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
   <4440F87F.39705332@earthlink.net>
NNTP-Posting-Host: 65.30.121.110
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145208927 21621 127.0.0.1 (16 Apr 2006 17:35:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Apr 2006 17:35:27 +0000 (UTC)
In-Reply-To: <4440F87F.39705332@earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
```

```
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=65.30.121.110;
   posting-account=s7AueQwAAABmij9bwOwxI2B62VUSgoia
Xref: g2news1.google.com rec.radio.amateur.equipment:3519
```

I think both have there place. I use a mobile HF rig in my truck but I also have a CB as well. The HF serves one purpose as far as ham radio is concerned but when I want an update on road conditions the CB is the only option.

Study for your ham license because it is a great hobby but that doesn't mean you have to give up the CB.

My 2 cents worth!
73's (or 10-4 as the case may be)
Chuck

```
From 4210037182905254870
X-Google-Thread: 108122,8cca7013d73b213a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!
bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: VIBROPLEX BUG,amp parts,tubes,+stuff
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <pNv0g.29497$1q4.3677@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 4a12f9c03bfa64c9577be428a402c4a3
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1145211093
4a12f9c03bfa64c9577be428a402c4a3 (Sun, 16 Apr 2006 18:11:33 GMT)
NNTP-Posting-Date: Sun, 16 Apr 2006 18:11:33 GMT
Organization: AT&T Worldnet
Date: Sun, 16 Apr 2006 18:11:33 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3520
```

Vibroplex 'Presentation' in original box, more amp parts, tubes, fixed vac caps, + other stuff too; see at

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

tnx for looking: more tubes and 'stuff' coming--check back often:
heytubeguy

```
From -3829659782281525289
X-Google-Thread: 108122,31cc7f31fe79053d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!newspump.sol.net!news.mv.net!not-for-mail
From: Rick <reply.to.newsgroup@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Need Dual Band (144/440) Amp, FM/SSB
Date: Sun, 16 Apr 2006 14:35:56 -0400
Organization: MV Communications, Inc.
Lines: 8
Message-ID: <1e3542hrvoi6uqq55tt8nrrk0vtoc2ajvu@4ax.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: pyrite.mv.net 1145212533 25623 207.22.49.17 (16 Apr 2006 18:35:32 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sun, 16 Apr 2006 18:35:32 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.0/32.763
Xref: g2news1.google.com rec.radio.amateur.equipment:3521


Any suggestions for a dual-band (144 and 440) amplifier that takes 5
watts in and gives me a reasonable output (say, 25 watts or more)?

The Mirage BD-35 is the only dual band amp I can find but it's
non-linear so it's good for FM only.

Thanks...



From 5902950213723463867
X-Google-Thread: 108122,dae87002506e0e33,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "=?iso-8859-1?B?V9hDQkY=?=" <w0cbf@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Mobile IC-435 ???
Date: 16 Apr 2006 12:57:21 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1145217441.886718.250960@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 65.30.121.110
Mime-Version: 1.0
```

```
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145217447 12626 127.0.0.1 (16 Apr 2006 19:57:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Apr 2006 19:57:27 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=65.30.121.110;
   posting-account=s7AueQwAAABmij9bwOwxI2B62VUSgoia
Xref: g2news1.google.com rec.radio.amateur.equipment:3522

I am thinking about using my Icom IC-435 HF rig in my truck during a
trip to CA. Has anyone out there used a 435 mobile before and had any
specific problems?

Any help is appreciated
73's
Chuck




From 6106062830812096849
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <4442A5F7.E62997EE@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
        <4440F87F.39705332@earthlink.net>
<1145208920.209996.116480@z34g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
Lines: 33
Date: Sun, 16 Apr 2006 20:16:54 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1145218614 24.110.34.161 (Sun, 16 Apr
2006 13:16:54 PDT)
NNTP-Posting-Date: Sun, 16 Apr 2006 13:16:54 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3523
```

W�CBF wrote:
>
> I think both have there place. I use a mobile HF rig in my truck but I also have a CB as well. The HF serves one purpose as far as ham radio is concerned but when I want an update on road conditions the CB is the only option.
>
> Study for your ham license because it is a great hobby but that doesn't mean you have to give up the CB.
>
> My 2 cents worth!
> 73's (or 10-4 as the case may be)
> Chuck

I gave up on CB radios years ago, when I started servicing commercial two way radios. I preferred the 1749 foot tower with the 5 MW EIRP signal coming from the UHF TV station I engineered at. I just wish I had the time to ride the elevator to the 1200 foot level to watch a launch from the cape when the shuttles were being launched, instead of being at another transmitter site every time. :(

I may get the code free ticket, if I get to feel well enough to go take the test. I didn't even make the local hamfest this year. :(

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -1586334097516663981
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Apr 2006 15:51:53 -0500
From: "Harbin" <harbinjr@adelphia.net>
Newsgroups: misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,alt.ham-radio.vhf-uhf
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<WXN_f.138873$fd3.113576@fe06.news.easynews.com>

```
<ArS_f.6749$tT.3337@news01.roc.ny> <Z0T_f.61239$Rh6.5344@fe12.news.easynews.com>
Subject: Re: Need good radio: A 2m ht with extended receive.
Date: Tue, 11 Apr 2006 13:51:57 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <e7OdnXkHo8d0i6HZnZ2dnUVZ_uWdnZ2d@adelphia.com>
Lines: 21
NNTP-Posting-Host: 68.68.8.124
X-Trace: sv3-GvdiE+scBeXhtdQwQEDpCKgqaZPfgq6Brds4Qfy1HdPK/h7/
H8hqZxmNtzU+QsJMskiM5TYhk9gk1tE!XcWAf8MPnhuds1YNvpAVyYOGdbGAeai/
9hQbQaRGIv8LfmJwT16bcOfPybusqL9kRoDzhguzrxIz!oh+hXpEwJuZSdGdbN/lMr+1VoyU=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com misc.survivalism:68504 rec.radio.amateur.equipment:3465
rec.radio.scanner:3010 rec.radio.shortwave:31156 alt.ham-radio.vhf-uhf:1634

My IC-T7H will get down to the aircraft bands.

--
SeeYaa:) Harbin Osteen KG6URO

This is YOUR future:
http://halturnershow.com/aztlan_caps.wmv

-
"Travis Jordan" <no.one@no.net> wrote in message
news:Z0T_f.61239$Rh6.5344@fe12.news.easynews.com...
> Ken wrote:
>> I think most of them do 137-174ish Mhz.
>
> When I think of extended receive I think of a radio I can use to listen
> to AM on the aircraft bands at a minimum.  For others it might mean the
> ability to listen to FM broadcasting or SSB on 20meters (a la the
> Kenwood TH-F6A and others).
>
>




From 2174097086301856079
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
```

```
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Need good radio: A 2m ht with extended receive.
Message-ID: <7s5o32tljdm5rfndnl6e1urgep6cq672pj@4ax.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<WXN_f.138873$fd3.113576@fe06.news.easynews.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Tue, 11 Apr 2006 16:54:53 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1144788905 24.186.218.38 (Tue, 11 Apr 2006 13:55:05 MST)
NNTP-Posting-Date: Tue, 11 Apr 2006 13:55:05 MST
Organization: Optimum Online
Xref: g2news1.google.com misc.survivalism:68507 rec.radio.amateur.equipment:3466
rec.radio.scanner:3011 rec.radio.shortwave:31157 alt.ham-radio.vhf-uhf:1635

On Tue, 11 Apr 2006 13:13:28 GMT, "Travis Jordan" <no.one@no.net>
wrote:

>Romain Salad wrote:
>> What is your advice.

>What do you mean by 'extended receive'?

That means receive above and below 2 meters.


From -6690152344309084359
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
meganewsservers.com!feeder2.on.meganewsservers.com!198.186.190.250.MISMATCH!
transit3.readnews.com!news-out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Smallest 2M/440 mobile rig??
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
<Xns97A2625A96FBCspectrumhogstarbandn@198.186.192.196>
<ODR_f.123086$Y53.91047@fe07.news.easynews.com> <AO-dnRRORNc6bKbZnZ2dnUVZ_v-
dnZ2d@comcast.com> <tnT_f.83293$TA3.42412@fe08.news.easynews.com>
```

```
<ArT_f.56990$Un3.51028@fe10.news.easynews.com>
<Xns97A28A99F96E9spectrumhogstarbandn@198.186.192.196>
<vwU_f.545812$Mh4.395309@fe02.news.easynews.com>
Organization: Your Company
Message-ID: <Xns97A299C12458Fspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 11 Apr 2006 22:04:14 GMT
Lines: 24
NNTP-Posting-Host: 88150267.news.adtechcomputers.com
X-Trace:
DXC=hTDd02:5LR[c1_L>\3jaRXgC4_A5:nI@Q<<=aEgO;R8WThdLCMXXaB^IQnZHB]JWe\ecf<A4o8l9S0
W_Uo]cC15Z8kHcNc;Ume^3nYY8nkNPYZ1:\;>G=cngU
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3467

"Travis Jordan" <no.one@no.net> wrote in news:vwU_f.545812$Mh4.395309
@fe02.news.easynews.com:

> Ed wrote:
>>    While a bit taller,  the TM-G707A control head is only 4.0" wide.
>
> I stand corrected, Ed....thanks.
>

   Unlike most of the remote head radios,  the TM-G707 control head fits
into a "cavity" in the front planel of the main radio body, so its width
is considerably smaller than the main body.  Reason I bought it go begin
with was the same reason as the original poster...  I had a very tight
car  (BMW 3 series) and I wanted minimum impact physically in a rather
tight console area.... I managed to make a custome bracket and did a
beautiful no-holes installation I was really proud of.

    Currently, that same radio control head is now mounted inside the ash
tray cavity of my wife's new Toyota Highlander.

    Ed


   Ed



From 894738466213306102
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe09.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
```

```
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<WXN_f.138873$fd3.113576@fe06.news.easynews.com>
<7s5o32tljdm5rfndnl6e1urgep6cq672pj@4ax.com>
Subject: Re: Need good radio: A 2m ht with extended receive.
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <m%V_f.66590$ot5.3173@fe09.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 11 Apr 2006 22:23:15 GMT
Xref: g2news1.google.com misc.survivalism:68522 rec.radio.amateur.equipment:3468
rec.radio.scanner:3012 rec.radio.shortwave:31166 alt.ham-radio.vhf-uhf:1636

Al Klein wrote:
> That means receive above and below 2 meters.

How far?  What type of modulation?




From 828786691563450754
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Need good radio: A 2m ht with extended receive.
Date: 11 Apr 2006 15:32:47 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1144794767.494889.275410@i40g2000cwc.googlegroups.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
NNTP-Posting-Host: 4.224.228.24
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144794773 17731 127.0.0.1 (11 Apr 2006 22:32:53 GMT)
```

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Apr 2006 22:32:53 +0000 (UTC)
In-Reply-To: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=4.224.228.24;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news1.google.com misc.survivalism:68523 rec.radio.amateur.equipment:3469
rec.radio.scanner:3013 rec.radio.shortwave:31167 alt.ham-radio.vhf-uhf:1637


Romain Salad wrote:
> What is your advice.

I assume you saw my reply to the "which WX radio" thread.

Any of the new ht's will have extended receive.  Some even have
receivers that go all the way down to the broadcast band.

www.universal-radio.com




From 8472854106423534287
X-Google-Thread: 108228,a288dc6667153e6d,start
X-Google-Thread: 1109af,a288dc6667153e6d,start
X-Google-Thread: 108122,a288dc6667153e6d,start
X-Google-Attributes: gid108228,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "Rich" <rullery@Pioneer-Data.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: MFJ-4114 Rechargable AC Power Supply
Date: 11 Apr 2006 15:54:51 -0700
Organization: http://groups.google.com
Lines: 2
Message-ID: <1144796090.950377.65770@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 70.103.148.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144796096 18902 127.0.0.1 (11 Apr 2006 22:54:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Apr 2006 22:54:56 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; Q312461; .NET
CLR 1.0.3705; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=70.103.148.8;
   posting-account=GrsS1wwAAAC0nNl98ZqXeZBpfSZeBxFk
Xref: g2news1.google.com alt.ham-radio.marketplace:823 rec.radio.swap:3526
```

rec.radio.amateur.equipment:3470

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9711533641

```
From -7737100023530130130
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: jpolaski@rgs.uci.edu
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Need good radio: A 2m ht with extended receive.
Date: 11 Apr 2006 16:57:41 -0700
Organization: http://groups.google.com
Lines: 20
Message-ID: <1144799861.058371.66910@u72g2000cwu.googlegroups.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
NNTP-Posting-Host: 128.200.156.134
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144799866 26954 127.0.0.1 (11 Apr 2006 23:57:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Apr 2006 23:57:46 +0000 (UTC)
In-Reply-To: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=128.200.156.134;
   posting-account=PQ5bsRMAAAAKVWni8gvAtU7DPyygD5KuJe0wkzjn816cre-YfY4DvA
Xref: g2news1.google.com misc.survivalism:68553 rec.radio.amateur.equipment:3471
rec.radio.scanner:3014 rec.radio.shortwave:31175 alt.ham-radio.vhf-uhf:1638
```

Romain Salad wrote:
> What is your advice.

The best site I found for reviews is (by far) http://www.eham.net/.
Lot's of good quality reviews... A while ago I ended up getting a
Kenwood TH-F6 tri-bander based on the reviews. A little expensive, but
it seems like a good radio, but I really can't compare. It has a load
of features, that's for sure. I thought it would be good to have some
sort of alternate commmunication if there is an earthquake or some
other sort of disaster.

I tried a CB first, but there is *no one* using CB around here. I
thought there would be at least a few truckers or something.

I don't have a license or anything, so I've just used it to listen. I
should get a license and join up with one of the emergency
communications clubs or something, but never seem to get around to it.

Depending on your plans, you might want to get a scanner, instead.

From -3941017460806926497
X-Google-Thread: 108122,dae87002506e0e33
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1145217441.886718.250960@g10g2000cwb.googlegroups.com>
Subject: Re: Mobile IC-435 ???
Lines: 9
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <_Sy0g.202472$Y53.158631@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 16 Apr 2006 21:42:18 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3524

W�CBF wrote:
> I am thinking about using my Icom IC-435 HF rig in my truck during a
> trip to CA. Has anyone out there used a 435 mobile before and had any
> specific problems?

The IC-435 is an old UHF transceiver. Why would you think there would
be problems with a unit designed for mobile operation?

From -5759842561127453395
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews7.bellsouth.net.POSTED!92777f1b!not-for-mail
From: Buck <not@this.time>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <bqf5429gfbhg1ig1190atrimqo1kp7isq4@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
enggpaojkliedbjjdbdpiflmbcekedmfhojhikkbagflhcbookfikopcomcmpidoiebjhphdbafphloefj
bhdibdklbodgajldmdinceohajibbjjbaohfbofmmmkjljemgedelljgjigkngckmkbmkngjjlijal
NNTP-Posting-Date: Sun, 16 Apr 2006 18:04:12 EDT
Organization: BellSouth Internet Group
Date: Sun, 16 Apr 2006 18:07:50 -0400
Xref: g2news1.google.com misc.survivalism:70356 rec.radio.amateur.equipment:3525
rec.radio.scanner:3093 rec.radio.shortwave:31664 alt.ham-radio.vhf-uhf:1675

On 10 Apr 2006 09:00:35 -0700, "Too_Many_Tools"
<too_many_tools@yahoo.com> wrote:

>A question for the group...
>
>What is the favored weather radio for bugout and emergency situations?
>
>Thanks
>
>TMT


IC W32A, it contains enough memory to add all the 2 meter repeaters
and common simplex frequencies, and can monitor all the weather radio
stations, and, as a bonus, operates on 70 cm as well.

Don't forget to have a copy of your amateur radio license...
Buck
--
For what it's worth.


From -3491842091024485089
X-Google-Thread: 108122,dae87002506e0e33
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: "=?iso-8859-1?B?V9hDQkY=?=" <w0cbf@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile IC-435 ???
Date: 16 Apr 2006 16:37:03 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1145230623.472089.306910@e56g2000cwe.googlegroups.com>
References: <1145217441.886718.250960@g10g2000cwb.googlegroups.com>
   <_Sy0g.202472$Y53.158631@fe07.news.easynews.com>
NNTP-Posting-Host: 65.30.121.110
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145230631 16672 127.0.0.1 (16 Apr 2006 23:37:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Apr 2006 23:37:11 +0000 (UTC)
In-Reply-To: <_Sy0g.202472$Y53.158631@fe07.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=65.30.121.110;
   posting-account=s7AueQwAAABmij9bwOwxI2B62VUSgoia
Xref: g2news1.google.com rec.radio.amateur.equipment:3526
```

OOPS!!! I screwed the model number up. What I should have put is that the model # is IC-735. Shows that the old mind is gone!!!

Sorry about that!
Chuck

```
From -3941256974136721502
X-Google-Thread: 108122,e4a6a5c5dfc166f6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "=?iso-8859-1?B?V9hDQkY=?=" <w0cbf@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: IC-735 going moble - any comments, pro or con!
Date: 16 Apr 2006 16:39:41 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1145230781.076257.153330@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.30.121.110
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145230788 17201 127.0.0.1 (16 Apr 2006 23:39:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 16 Apr 2006 23:39:48 +0000 (UTC)
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=65.30.121.110;
   posting-account=s7AueQwAAABmij9bwOwxI2B62VUSgoia
Xref: g2news1.google.com rec.radio.amateur.equipment:3527
```

Sorry, I gave the incorrect model number for the HF rig. I originally said 435 when in fact it is a IC-735. I am reposting with the correct model number.

I am thinking about using my Icom IC-735 HF rig in my truck during a trip to CA. Has anyone out there used a 735 mobile before and had any specific problems?

Any help is appreciated
73's
Chuck

```
From -3351829796703536402
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
pd7cy1no!pd7cy2so!shaw.ca!pd7tw1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.147.242.17
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
From: Conan Ford <conanford@com.hotmail>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
Organization: Your Company
Message-ID: <Xns97A7BA68D35C7conanfordhotmailcom1@64.59.135.159>
Followup-To: misc.survivalism,rec.radio.shortwave
User-Agent: Xnews/5.03.24
X-Face:
$&oTDlWrMa+Hj@vbklaN=K~7y~[oF~cEui0b9e[Wezk7w=z[_t^7Ww+}:;'miqJy$@fq;aVc3VF4Y**069
kTDtA0j"d=bMbM~~kOoC-jy=<Va).!BP|Pp-gdg3._,Xq2H0~sX>!'^HVR)u;fGK{J2/
QOoVMN\M[/.^5#|[|hoR"8jQH^ML^_?Xg2b^a}o)5BIi82Y~Xn/D,js0pO|.91E2P'SOoB?
{hv8d+HUcQLx=3EAD8o|n?0f{$B2J80\3qW)5&h`LR^zovN<T.Zl]8,z}F4*_]MUL%Z-
*,je[yXc>fb=(Q5sJRT<=
Lines: 6
Date: Mon, 17 Apr 2006 00:19:26 GMT
NNTP-Posting-Host: 64.59.135.176
```

X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw1no 1145233166 64.59.135.176 (Sun, 16 Apr 2006 18:19:26 MDT)
NNTP-Posting-Date: Sun, 16 Apr 2006 18:19:26 MDT
Xref: g2news1.google.com misc.survivalism:70414 rec.radio.amateur.equipment:3528 rec.radio.scanner:3094 rec.radio.shortwave:31673 alt.ham-radio.vhf-uhf:1678

I found it interesting that just before Hurricane Katrina (well, two days before), the Radio Shack's, in New Orleans still had lots of stock of Grundig crank radios left. Now, I know there are more essential things, but when you're sitting in a shelter for four weeks, that Weather band/AM/FM/TV-audio/Cell phone charger/LED flashlight radio might come in handy.

From -6673596591758026291
X-Google-Thread: 108122,bafebaef992118e8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!newscon02.news.prodigy.com!prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!newssvr27.news.prodigy.net.POSTED!62e3725b!not-for-mail
Reply-To: "microvel21-hro500" <microvel21-hro500@yahoo.com>
From: "microvel21-hro500" <microvel21-hro500@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA National HRO-500 HF Receiver
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <FeC0g.16403$tN3.9227@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 75.2.4.194
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1145237541 ST000 75.2.4.194 (Sun, 16 Apr 2006 21:32:21 EDT)
NNTP-Posting-Date: Sun, 16 Apr 2006 21:32:21 EDT
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: FKPO@MC@@S@WSTP[KBH_PTDFZ\@@FXLM@TDOCQDJ@_@FNTBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWVWG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 17 Apr 2006 01:32:21 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3529

http://cgi.ebay.com/National-HRO-500-HF-Receiver-with-Rack-Mount_W0QQitemZ9713865185QQcategoryZ4673QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

Thanks for looking

Mike

```
From -4580533930382339321
X-Google-Thread: 108122,beed9452bc7fb3b,start
X-Google-Thread: 108228,beed9452bc7fb3b,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 17 Apr 2006 07:40:12 -0500
Subject: FA: 1-Day-Left: 6 ELECTRONICS Books: For Advanced Professionals Only:
CMOS, Microprocessors, Microprogramming, etc.
Date: Mon, 17 Apr 2006 08:40:11 -0400
From: Roger <roger@rokjosiasd.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <170420060840114729%roger@rokjosiasd.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-5Bk7/
oG3xiZg9GLVJHaawUoY0bG1KOFwoQmvwYY6PD3Jc+mI2QpDjdbwf94WtMGKUNCsrcu5qM6GS1u!
fRYSW9qBSaFjpftRXd7vM43G5X5n8InQH5PF6/qeAfYhgWXWW76dhXUcGqIB6ZogrTqHi7q8A06y!
MPkgqD2Stv6I3HXQzMBSMTI=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3530 alt.ham-
radio.marketplace:841
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4630446663

```
From 5316010053518416720
X-Google-Thread: 108122,5336367c00c67d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeeds.ihug.co.nz!
ihug.co.nz!news.xtra.co.nz!53ab2750!not-for-mail
From: Ken Taylor <ken123@xxxxtra.co.nz>
```

User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT480 Slow to go on tx from first turn on
References: <1145013057.015072.126420@i40g2000cwc.googlegroups.com>
<m-731B2F.08473416042006@news.verizon.net>
<1145208030.756246.217070@e56g2000cwe.googlegroups.com>
In-Reply-To: <1145208030.756246.217070@e56g2000cwe.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <qoT0g.13675$JZ1.558245@news.xtra.co.nz>
Date: Tue, 18 Apr 2006 09:03:19 +1200
NNTP-Posting-Host: 219.88.64.2
X-Complaints-To: abuse@xtra.co.nz
X-Trace: news.xtra.co.nz 1145307798 219.88.64.2 (Tue, 18 Apr 2006 09:03:18 NZST)
NNTP-Posting-Date: Tue, 18 Apr 2006 09:03:18 NZST
Organization: Xtra
Xref: g2news1.google.com rec.radio.amateur.equipment:3531

Graham wrote:
> yes - ft480-r
>
> tnx - well managed to download the book from dk.mods .there is a
> fault/flow chart for no tx ... . the relay is top of the list but there
> looks like a input from the ppl - if its not locked then it wont go to
> tx .. now the rigs 700 hz off freq (LF) ... so may be needs the freq
> needs setting and all will be ok ..
>

It sounds more like the PLL, but it's a long long time since I looked in
the guts of my 480 or 780. I think I have the actual service manual for
it at home somewhere so I'll try and hunt it down tonight.

Ken

From 4230558695395471605
X-Google-Thread: 108122,e4a6a5c5dfc166f6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 17 Apr 2006 19:39:32 -0500
Date: Mon, 17 Apr 2006 17:36:28 -0700
From: Rick Scott <rickw7psk@gmail.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-735 going moble - any comments, pro or con!
References: <1145230781.076257.153330@z34g2000cwc.googlegroups.com>
In-Reply-To: <1145230781.076257.153330@z34g2000cwc.googlegroups.com>

Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Message-ID: <gcKdnePqao_ZqNnZnZ2dnUVZ_tCdnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 67.160.20.162
X-Trace: sv3-Pa0LG/fwaVuIQcSurUe//
g+ct7QABpUNUiGddVbIraq7zncwzFLY2twpsnqbUeA7K3sM1o/97iV2/2t!QuLMCR1ljay2/
LwUqDvUEaCnQZ0adFY2/sG4NBranac5uN4H3WcFGWlmm1PrH7SAcoegEHC8jyFC!j/wJtf1019HUQg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3532

W�CBF wrote:
> Sorry, I gave the incorrect model number for the HF rig. I originally
> said 435 when in fact it is a IC-735. I am reposting with the correct
> model number.
>
> I am thinking about using my Icom IC-735 HF rig in my truck during a
> trip to CA. Has anyone out there used a 735 mobile before and had any
> specific problems?
>
> Any help is appreciated
> 73's
> Chuck
>

Used my IC735 for 15 years as both house and Mobile .. loved it.

Never had a problem. Just moved to MKIIG is only reason

Scotty W7PSK

From 1806483179107082868
X-Google-Thread: 108122,e4a6a5c5dfc166f6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-735 going moble - any comments, pro or con!
Message-ID: <evg842d4pk2v3nm5hms0p5i2gu3kd6mk3m@4ax.com>
References: <1145230781.076257.153330@z34g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1

```
Content-Transfer-Encoding: 8bit
Lines: 23
Date: Tue, 18 Apr 2006 01:50:13 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1145325013 24.174.167.251 (Mon, 17 Apr 2006 20:50:13
CDT)
NNTP-Posting-Date: Mon, 17 Apr 2006 20:50:13 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3533

On 16 Apr 2006 16:39:41 -0700, "W�CBF" <w0cbf@yahoo.com> wrote:

>Sorry, I gave the incorrect model number for the HF rig. I originally
>said 435 when in fact it is a IC-735. I am reposting with the correct
>model number.
>
>I am thinking about using my Icom IC-735 HF rig in my truck during a
>trip to CA. Has anyone out there used a 735 mobile before and had any
>specific problems?
>
>Any help is appreciated
>73's
>Chuck

I've never had my 735 mobile, but I imagine it'd be best to have a
small lamp aimed at the tiny sliders & buttons in and around the
plastic hinge :-)

And if you have the original mike, you can use it to fine-tune the
frequency.

bob
k5qwg


From 2810009539106005481
X-Google-Thread: 108122,220c12b2277bc699,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread06.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Ham IV Rotator
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <GeZ0g.40973$gE.23024@dukeread06>
Date: Mon, 17 Apr 2006 22:42:52 -0500
```

NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1145331750 68.105.249.118 (Mon, 17 Apr 2006 23:42:30 EDT)
NNTP-Posting-Date: Mon, 17 Apr 2006 23:42:30 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3534

FS As New hy-gain Ham IV Rotator and Control box. This Ham IV has been used less than one year and is in great condition. I just check it out and all functions work as they should. It has been in storage for several years. It comes with a manual. Price is $285 plus shipping. Thanks, Charlie Hugg, K5MBX

From 4027184841658105096
X-Google-Thread: 108122,97a9da08531cfef2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!cox.net!p01!dukeread06.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Startek 15-UHS Freq. Counter
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <cMZ0g.40980$gE.1113@dukeread06>
Date: Mon, 17 Apr 2006 23:18:37 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1145333896 68.105.249.118 (Tue, 18 Apr 2006 00:18:16 EDT)
NNTP-Posting-Date: Tue, 18 Apr 2006 00:18:16 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3535

FS Startek Frequency Counter Model 15-UHS. This is the Ultra High Sensitive counter that covers 1 MHZ to1500 MHZ. It is as new in the original box with the manual and
battery and battery charger/power supply. These counters are still sold for $170. See The Startek International Inc. webpage for more information. I am asking $85 shippedin lower 48. Thanks, Charlie Hugg, K5MBX

From 263174581282253418

```
X-Google-Thread: 108122,974fa27e4dd129dd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
green.octanews.net!news-out.octanews.net!cox.net!news-xfer.cox.net!p01!
dukeread06.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS AS NEW Mosley Classic CL-33 HF Beam
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <kWZ0g.40984$gE.15166@dukeread06>
Date: Mon, 17 Apr 2006 23:29:26 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1145334544 68.105.249.118 (Tue, 18 Apr 2006 00:29:04 EDT)
NNTP-Posting-Date: Tue, 18 Apr 2006 00:29:04 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3536

I have a like new condition Mosley Classic 33 HF Beam for sale. It the late
model CL-33-M and currently sells for $650 from Mosley. It has great gain on
20, 15, and 10 meters. It has a 18 foot boom.This one
was up for a little over a year and looks brand new. It has been taken down
and is partially disassembled. It would be very easy to put it back together
again since all pieces are color coded. It also would fit into a
pickup truck for transportation. Original Manual included. The price is $285
picked up or I can deliever it
to the Belton Texas Hamfest. Or I can meet someone within 100 miles of
Abilene, Texas.
I don't want to ship it.Thanks, Charlie Hugg, K5MBX





From 7399394774300256785
X-Google-Thread: 108122,9c32365b36d9fa94,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p02!dukeread06.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS NC-29 Quick Charger
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <24_0g.40988$gE.20582@dukeread06>
Date: Mon, 17 Apr 2006 23:39:47 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1145335166 68.105.249.118 (Tue, 18 Apr 2006 00:39:26 EDT)
NNTP-Posting-Date: Tue, 18 Apr 2006 00:39:26 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3537
```

FS Yaesu NC-29 Quick Charger - $35.00 plus shipping. Fits FT-23R, 33R, 73R, FT-411E, FT-811, FT-911, and FT-470 Yaesu HT transceivers. The Yaesu Quick Charger NC-29 quick charges HT's in 1 hour or less. Thanks, Charlie Hugg, K5MBX

```
From 2206554072187296522
X-Google-Thread: 108122,5e9318c02f8fecb2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p02!dukeread06.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Standard CSA-181A Rapid Charger for C-168A
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Dj_0g.40991$gE.13829@dukeread06>
Date: Mon, 17 Apr 2006 23:56:24 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1145336163 68.105.249.118 (Tue, 18 Apr 2006 00:56:03 EDT)
NNTP-Posting-Date: Tue, 18 Apr 2006 00:56:03 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3538
```

Standard CSA-181A   Rapid Charger - desktop charger. Charges in 1 to 2 hrs, w/Automatic switching to safe trickle charge mode. This charger can be used with several batteries. I used it with my Standard C-168A HT Batteries. It has the Type 2 Insert for those type batteries. Other Inserts can be used so that it can charge other Standard battery packs. But this charger includes only the one Insert. Price is $30 plus shipping. Thanks, Charlie Hugg, K5MBX

```
From -6718442032073168523
X-Google-Thread: 108122,af25ba02f2312506,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread06.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS NOS Eimac 4X150A Tube
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <Tv_0g.40997$gE.29726@dukeread06>
Date: Tue, 18 Apr 2006 00:09:29 -0500
NNTP-Posting-Host: 68.105.249.118
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1145336947 68.105.249.118 (Tue, 18 Apr 2006 01:09:07 EDT)
NNTP-Posting-Date: Tue, 18 Apr 2006 01:09:07 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3539

FS New Old Stock Eimac 4X150A Tube.show some
It is still sealed in its original plastic bag. Price
is $25 plus shipping. The tube  is guaranteed to be good
or your money back.Thanks, Charlie Hugg, K5MBX




From 2984922846375489347
X-Google-Thread: 108122,b8dbb6b3cec424e6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!cox.net!p01!dukeread06.POSTED!
53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS CDE AR-22 Rotator
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <SN_0g.41003$gE.32791@dukeread06>
Date: Tue, 18 Apr 2006 00:28:39 -0500
NNTP-Posting-Host: 68.105.249.118
```

X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1145338098 68.105.249.118 (Tue, 18 Apr 2006 01:28:18 EDT)
NNTP-Posting-Date: Tue, 18 Apr 2006 01:28:18 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3540

I have for sale a CDE AR22 light duty rotator. The Rotator looks near new
and works, but needs top clamps. The Contro Box needs some work. It will not
click through the
postions.It turns the rotator if you manually move the control knob.It looks
good and I see no signs of
damage. I do not have the manual. Price is $45 plus shipping. Thanks,
Charlie Hugg, K5MBX

From 1848204286527628945
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!usenet01.sei.cmu.edu!nn.andrew.cmu.edu!pitt.edu!zipp-vav6hxhozs
From: szekeres@pitt.edu (GregS)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
Date: Tue, 18 Apr 2006 13:29:51 GMT
Organization: Sometimes
Lines: 14
Message-ID: <e22pki$3qh$1@usenet01.srv.cis.pitt.edu>
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: electronic2.cbp.pitt.edu
X-Trace: usenet01.srv.cis.pitt.edu 1145366994 3921 136.142.52.106 (18 Apr 2006 13:29:54 GMT)
X-Complaints-To: usenet@imap.pitt.edu
NNTP-Posting-Date: Tue, 18 Apr 2006 13:29:54 +0000 (UTC)
X-Newsreader: News Xpress 2.01
Xref: g2news1.google.com rec.radio.amateur.equipment:3541

In article <1145039526.732585.33890@v46g2000cwv.googlegroups.com>,
creepystare@gmail.com wrote:
>Alot of people are telling me that CB is just for inbred hicks and that
>
>I should replace the CB in my truck with a ham radio. What do you
>think?

CB is the only way to communicate with others on the road with
any consistancy. Until truckers and others use another method,
giving out warnings and trying to communicate with someone
next to you driving down the road, CB will dominate. Saved
my ass once when a trucker warned of a bad road condition.

greg
N6GS

From -8898561869919816825
X-Google-Thread: 108122,e6c8b32e43160a71,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-mail
From: "ve3tjd" <tedd@ve3tjd.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Racal RA6790 General Coverage HF Receiver - Simply the BEST!
Date: 18 Apr 2006 06:36:31 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1145367390.935341.120740@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 72.1.198.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145367396 5748 127.0.0.1 (18 Apr 2006 13:36:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Apr 2006 13:36:36 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=72.1.198.54;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news1.google.com rec.radio.amateur.equipment:3542

Greetings:

I have a near mint Racal RA6790 HF receiver up for auction.

Please see it listed at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZve3tjd

Thanks, Tedd, VE3TJD

From -6157261037141463895
X-Google-Thread: 108122,428df8172c1c7ae8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "ve3tjd" <tedd@ve3tjd.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Audio Signal Processing Units (NIR-10, Voicegate, Datong, etc.)

```
Date: 18 Apr 2006 06:40:17 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1145367617.655396.203670@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 72.1.198.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145367626 18949 127.0.0.1 (18 Apr 2006 13:40:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Apr 2006 13:40:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=72.1.198.54;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news1.google.com rec.radio.amateur.equipment:3543
```

Greetings:

I have a buch of Audio signal processing units on Ebay. These all came
from an 89 year old SWL who has left the hobby.

Please see the list of units at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZve3tjd

Thanks, Tedd, VE3TJD

```
From 7468310948866852768
X-Google-Thread: 108122,3dacdf1305cb9fcc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "ve3tjd" <tedd@ve3tjd.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Yaesu FRG-7700 General Coverage HF Receiver
Date: 18 Apr 2006 06:43:44 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1145367824.215398.218270@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 72.1.198.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145367830 6961 127.0.0.1 (18 Apr 2006 13:43:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Apr 2006 13:43:50 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=72.1.198.54;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news1.google.com rec.radio.amateur.equipment:3544
```

Greetings:

This nice Yaesu FRG-7700 comes from an 89 year old SWL who
has left the hobby. Please see it listed at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZve3tjd

Thanks, Tedd, VE3TJD

```
From -7875189043989494033
X-Google-Thread: 108122,b200d42b0690afea,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "ve3tjd" <tedd@ve3tjd.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: AEA PK-232 Data Controller (TNC)
Date: 18 Apr 2006 06:47:08 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1145368028.865524.234220@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 72.1.198.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145368034 7613 127.0.0.1 (18 Apr 2006 13:47:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 18 Apr 2006 13:47:14 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=72.1.198.54;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news1.google.com rec.radio.amateur.equipment:3545
```

Greetings:

I have a very nice AEA 232 (not MBX) listed on Ebay. Includes some
items that are to be used with an old Commodore computers!

Please see it listed at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZve3tjd

Thanks, Tedd, VE3TJD

```
From -5311381575031088762
X-Google-Thread: 108122,dae87002506e0e33
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe04.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1145217441.886718.250960@g10g2000cwb.googlegroups.com>
<_Sy0g.202472$Y53.158631@fe07.news.easynews.com>
<1145230623.472089.306910@e56g2000cwe.googlegroups.com>
Subject: Re: Mobile IC-435 ???
Lines: 15
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Message-ID: <iN61g.201949$nk.135633@fe04.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 18 Apr 2006 14:33:50 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3546
```

W�CBF wrote:

> OOPS!!! I screwed the model number up. What I should have put is that
> the model # is IC-735. Shows that the old mind is gone!!!
>
> Sorry about that!
> Chuck

Aha, that makes more sense.

No personal experience here, but I don't see any significant concerns about mobile use performance or reliability in the reviews.

http://www.eham.net/reviews/detail/381

```
From -3562804151720611540
X-Google-Thread: 108122,a25548f1ad139b01,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
logbridge.uoregon.edu!arclight.uoregon.edu!wn12feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
```

```
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:MOUSER 24VCT 1A + OTHER STUFF
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <1691g.40821$1q4.4513@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 47d93eeac95593c2934cbf62c11a79c2
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1145380349
47d93eeac95593c2934cbf62c11a79c2 (Tue, 18 Apr 2006 17:12:29 GMT)
NNTP-Posting-Date: Tue, 18 Apr 2006 17:12:29 GMT
Organization: AT&T Worldnet
Date: Tue, 18 Apr 2006 17:12:29 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3547

NOS MOUSER 24VCT AT  1AMP XFMRS LESS THAN 9 HRS LEFT: + more tubes, fixed
vac caps,+ vac relays and other stuff; see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx ,   heytubeguy




From 6745229635786525 75
X-Google-Thread: 108122,9e3ea865237b148,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!1dba5946!
not-for-mail
From: Scan Da Bands <vzeip5vc@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Uniden BC796D Digital
Message-ID: <j88a4291rm3dris19rq3dbgen4i1u2gr9m@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Tue, 18 Apr 2006 17:26:37 GMT
NNTP-Posting-Host: 71.241.214.80
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1145381197 71.241.214.80 (Tue, 18 Apr 2006 13:26:37 EDT)
NNTP-Posting-Date: Tue, 18 Apr 2006 13:26:37 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3548
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9714670733

Thanks for ! LQQKING !

From -6772531357324662217
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Butch Magee <lynyrd@cableone.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
Date: Tue, 18 Apr 2006 12:51:04 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <124a9o9bmgm7ea2@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu>
In-Reply-To: <e22pki$3qh$1@usenet01.srv.cis.pitt.edu>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news1.google.com rec.radio.amateur.equipment:3549

GregS wrote:
> In article <1145039526.732585.33890@v46g2000cwv.googlegroups.com>,
creepystare@gmail.com wrote:
>
>>Alot of people are telling me that CB is just for inbred hicks and that
>>
>>I should replace the CB in my truck with a ham radio. What do you
>>think?
>
>
> CB is the only way to communicate with others on the road with
> any consistancy. Until truckers and others use another method,
> giving out warnings and trying to communicate with someone
> next to you driving down the road, CB will dominate. Saved
> my ass once when a trucker warned of a bad road condition.
>
> greg
> N6GS

Back in '85 or so I considered buying a little Radio Shack CB HT because
my highway time in travel had gone up so much, but after hearing channel
19 there in the store, I changed my mind. I never heard such filthy
language even when I was in the service. I'm no prude for sure good

buddy, but while the truckers and whoever were cussing, all I could
think of was all the kids that must have had to hear that kind of
language because their dad or motherwere enjoying reading the mail.

Butch KF5DE

```
From 8566979952673402746
X-Google-Thread: 108122,d8a349a5fed54eb1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Surplus conversion manual
Date: 18 Apr 2006 18:20:47 -0700
Organization: http://groups.google.com
Lines: 3
Message-ID: <1145409647.240237.191810@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145409653 27722 127.0.0.1 (19 Apr 2006 01:20:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Apr 2006 01:20:53 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:3550
```

Am looking for the Surplus Conversion Handbook 1964 or any other
Surplus conversion data.

```
From -1081782249342007587
X-Google-Thread: 108122,83e8fc280a30e84,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "Brian" <kelly@dvol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Advice Solicited: Sound Cards for HF Digital Modes?
Date: 18 Apr 2006 21:04:40 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1145419480.221842.92700@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 66.19.241.108
```

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145419494 22314 127.0.0.1 (19 Apr 2006 04:04:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 19 Apr 2006 04:04:54 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.8.0.2) Gecko/20060308 Firefox/1.5.0.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=66.19.241.108;
   posting-account=x8FxjAwAAACQYdVK-ARYehfjhw2rEkmK
Xref: g2news1.google.com rec.radio.amateur.equipment:3551

I'm having a PC (Win 2k) put together which will be my dedicated ham station box for running contest and general purpose loggers, 2M packet spots and the sound card based digital modes like PSK-31, MFSK and RTTY. I have zero hands-on experience with any of these at this point so I'm looking for advice from those of you who have been there and done it.

The computer will have some relatively inexpensive "plenty fast enough" Athalon chip motherboard or another and a gig of RAM. My understanding is that the "sound cards" integrated into motherboards sometimes don't do very well when it comes to running PSK-31 et al. While cost matters I'm not at all adverse to buying a decent third party sound card like one of the Creative Labs boards. My question is given your expereince which audio board or boards would you recommend if you were in my shoes?

Thanks ~ Brian Kelly w3rv

From 6092961274730768978
X-Google-Thread: 108122,3c562f040f7aee37,start
X-Google-Thread: 108228,3c562f040f7aee37,start
X-Google-Attributes: gid108122,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Apr 2006 06:42:25 -0500
Subject: FA: 1-Day-Left: 3 Books: MICROPROCESSORS, ASSEMBLY LANGUAGE Programming, 8080, Z-80, Etc.
Date: Wed, 19 Apr 2006 07:42:25 -0400
From: David <david@sdlkjoiwjao.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace
Message-ID: <190420060742253964%david@sdlkjoiwjao.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2

NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-I4Onces4Z8zbAx0r64pwwM3/XircfevAl7PXXXV/s4QsSzyAE7YxiAIxneF22F1yCBRNnyo0nDb2I56!GS+Z4C8fk7wYxkrdG+Ax1TjDD+9H91U4r+oS+meg//g/MR2NJz1C6CUniHzXfPd9n1ZAB9hpemd3!JOiKKryVyz0CwYGiCpfzZNGh
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3552 alt.ham-radio.marketplace:852

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4630985330

From 6282221536607738970
X-Google-Thread: 108122,2343c3bbdb5c20ff,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.phx!newsfe23.lga.POSTED!53ab2750!not-for-mail
From: "Lee Smith" <chnrfm@mts.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-897 Mobile With Subaru Outback?
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <ABs1g.734$ZV4.5@newsfe23.lga>
Date: Wed, 19 Apr 2006 10:21:44 -0500
NNTP-Posting-Host: 142.161.46.209
X-Complaints-To: http://support.highwinds-media.com
X-Trace: newsfe23.lga 1145460192 142.161.46.209 (Wed, 19 Apr 2006 08:23:12 MST)
NNTP-Posting-Date: Wed, 19 Apr 2006 08:23:12 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:3553

Hi Folks:

Need your input on this. I've almost convinced myself to buy a new Subaru Outback and want to use my FT-897 in it. As of yet, I have not made a choice of antenna system and a search on the net has come up with very little info.

Are you aware of any RFI issues with this car? Do you have any installation tips, or websites with suggestions as to best mobile installation practices?

As this is my first new car ever, the work will be done by professional 2 way radio installers, as I want this to look very good and my work generally looks like it was done with stone-age man's tools .. LOL

Thanks for taking the time help out.

73 de
Lee
VE4ANC

```
From -4164539363282377644
X-Google-Thread: 108122,83e8fc280a30e84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Advice Solicited: Sound Cards for HF Digital Modes?
Date: Wed, 19 Apr 2006 10:29:44 -0500
Lines: 28
Message-ID: <4an3b8Fu6m30U1@individual.net>
References: <1145419480.221842.92700@u72g2000cwu.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net 13Juc1nc0yUj5XEwnhqtWQ9cG2QamceoQp9/FFfKmZ2ILEVP+s
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <1145419480.221842.92700@u72g2000cwu.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:3554
```

Brian wrote:
> I'm having a PC (Win 2k) put together which will be my dedicated ham
> station box for running contest and general purpose loggers, 2M packet
> spots and the sound card based digital modes like PSK-31, MFSK and
> RTTY. I have zero hands-on experience with any of these at this point
> so I'm looking for advice from those of you who have been there and
> done it.
>
> The computer will have some relatively inexpensive "plenty fast enough"
> Athalon chip motherboard or another and a gig of RAM. My understanding
> is that the "sound cards" integrated into motherboards sometimes don't
> do very well when it comes to running PSK-31 et al. While cost matters
> I'm not at all adverse to buying a decent third party sound card like
> one of the Creative Labs boards. My question is given your expereince
> which audio board or boards would you recommend if you were in my
> shoes?
>
> Thanks ~ Brian Kelly w3rv
>

If I was going to set up a Pc that way, I would use any of the Creative Labs Sound Blaster Live series. Any of the Live series will work. My all time favorite card is the older Awe 64 Gold, with it's phono line out jacks. You can get the Live series "5.1 Digital/ect" for next to nothing, they also made some OEM for DELL I believe that are just as good....

Bob N9LVU

From 9097004445789248277
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
newspeer1.nwr.nac.net!newspeer.monmouth.com!nntp.newsfirst.net!
dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups: rec.radio.amateur.equipment
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu> <124a9o9bmgm7ea2@corp.supernews.com>
Subject: Re: Give up CB for ham?
Date: Wed, 19 Apr 2006 13:05:15 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Lines: 16
Message-ID: <44466dd8$0$29969@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.59
X-Trace: dingus.crosslink.net 1145466328 29969 207.199.164.59
Xref: g2news1.google.com rec.radio.amateur.equipment:3555

"Butch Magee" <lynyrd@cableone.net> wrote
> ..... I never heard such filthy
> language ...... I'm no prude..., all I could
> think of was all the kids that must have had to hear that kind of
> language because their dad or motherwere enjoying reading the mail.
>

Sure you are (a prude) OM but its nothing to be ashamed of. Cursing is a sign of poor vocabulary. OTOH, I was brought up on "Sticks and stones my break my bones but words can never hurt me!" so I find the PC notion that "bad words" can somehow hurt anybody, including kids, a bit amusing.

73, K3DWW

From 5350072580751187860
X-Google-Thread: 108122,9038ffd130ae4338

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: kb9rqz@markmorgan.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
Date: Wed, 19 Apr 2006 13:12:44 -0400
Reply-To: k4yz@aol.com
Message-ID: <2prc42l3ee3u2f31mbcqa2sqmvinmd5l1a@4ax.com>
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu> <124a9o9bmgm7ea2@corp.supernews.com>
<44466dd8$0$29969@dingus.crosslink.net>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server
contains 140,000+ groups
Lines: 30
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.ks.uiuc.edu!news.usenetzone.com!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:3556

On Wed, 19 Apr 2006 13:05:15 -0400, "Vito" <vito@crosslink.net> wrote:

>
>"Butch Magee" <lynyrd@cableone.net> wrote
>> ..... I never heard such filthy
>> language ...... I'm no prude..., all I could
>> think of was all the kids that must have had to hear that kind of
>> language because their dad or motherwere enjoying reading the mail.
>>
>
>Sure you are (a prude) OM but its nothing to be ashamed of. Cursing is a sign
>of poor vocabulary. OTOH, I was brought up on "Sticks and stones my break my
>bones but words can never hurt me!" so I find the PC notion that "bad words" can
>somehow hurt anybody, including kids, a bit amusing.
>
>73, K3DWW

I will diaagre or if you add to your remark simple using of the "foul"
word is not the sign of poor vocab but rather only having them at your
disposal, the problem with such language is that it is only used so
badly most

but current morals are starngely inconsisant on most everything
>

Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

From 713395460655216360
X-Google-Thread: 108122,83e8fc280a30e84
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Xref: g2news1.google.com rec.radio.amateur.equipment:3557
Newsgroups: rec.radio.amateur.equipment
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
boeing.com!not-for-mail
From: "R. Scott" <rickw7psk@gmail.com>
Subject: Re: Advice Solicited: Sound Cards for HF Digital Modes?
Message-ID: <IxzC5t.13L@news.boeing.com>
X-Mimeole: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Priority: 3
X-Msmail-Priority: Normal
Lines: 13
Sender: nntp@news.boeing.com (Boeing NNTP News Access)
Organization: The Boeing Company
X-Complaints-To: abuse@news.boeing.com
X-Complaints-To: abuse@news.boeing.com
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-Rfc2646: Format=Flowed; Original
References: <1145419480.221842.92700@u72g2000cwu.googlegroups.com>
Date: Wed, 19 Apr 2006 17:20:16 GMT

You may be ok with MB sound. Im using the sound off my P4PE/L MB and after
I did the
calibration Ive 0 problems with it.   If you definitly want on board you can
find the Santa Cruz
fairly inexpensive and add it your self.

But I would say try the MB Sound first.

Scotty W7PSK.

From -1253651601003509999
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu> <124a9o9bmgm7ea2@corp.supernews.com>
<44466dd8$0$29969@dingus.crosslink.net>
In-Reply-To: <44466dd8$0$29969@dingus.crosslink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 25
Message-ID: <rWv1g.17982$IZ2.4916@dukeread07>
Date: Wed, 19 Apr 2006 15:10:33 -0400
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1145473815 24.254.177.70 (Wed, 19 Apr 2006 15:10:15 EDT)
NNTP-Posting-Date: Wed, 19 Apr 2006 15:10:15 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3558

Vito wrote:
> "Butch Magee" <lynyrd@cableone.net> wrote
>
>>..... I never heard such filthy
>>language ...... I'm no prude..., all I could
>>think of was all the kids that must have had to hear that kind of
>>language because their dad or motherwere enjoying reading the mail.
>>
>
>
> Sure you are (a prude) OM but its nothing to be ashamed of. Cursing is a sign
> of poor vocabulary. OTOH, I was brought up on "Sticks and stones my break my
> bones but words can never hurt me!" so I find the PC notion that "bad words" can
> somehow hurt anybody, including kids, a bit amusing.
>
> 73, K3DWW

So you think its OK to teach kids filthy language? Should Sesame Street
start talking like Stern?

As for the "sticks and stones"....rubbish. In some locations when you
start directing expletives at a person, it can be considered a "Breach
of Peace" or possibly even Disorderly Conduct.

From -4130457391844182679
X-Google-Thread: fcc6e,ddc2daa9fc863a,start
X-Google-Thread: 108122,ddc2daa9fc863a,start
X-Google-Thread: 10bf43,ddc2daa9fc863a,start
X-Google-Thread: 106d41,ddc2daa9fc863a,start
X-Google-Thread: 114aac,ddc2daa9fc863a,start
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news1.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread4.news.pas.earthlink.net.POSTED!3dd4ce4a!
not-for-mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: I blame the ARRL for all the homosexual posts. Please Read.
From: Skirt Chaser <my.em@il.dont.work>
Organization: None yet
User-Agent: Xnews/5.04.25
Lines: 18
Message-ID: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
Date: Wed, 19 Apr 2006 20:54:39 GMT
NNTP-Posting-Host: 4.254.229.232
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread4.news.pas.earthlink.net 1145480079 4.254.229.232 (Wed, 19 Apr
2006 13:54:39 PDT)
NNTP-Posting-Date: Wed, 19 Apr 2006 13:54:39 PDT
Xref: g2news1.google.com rec.radio.amateur.antenna:10050
rec.radio.amateur.equipment:3559 rec.radio.amateur.policy:23947 rec.radio.cb:8549
rec.radio.shortwave:31927


ARRL threw principle out the window when they caved in to the demands of
the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed when
I opened my beloved QST magazine and there on the pages were photos of
queers on a Tropical DXpedition, and in living color no less.  The ARRL
wanted us to embrace a sick perverted lifestyle and be one big happy
family.  To me, it was the spark that signaled the death of a once proud
organization, and it turned liberal.

Now the queers have all but taken over, they're like the military wing of
the Democratic party, and always in your face. It's not even safe to take
your kids to Easter egg hunts anymore. I know you're all going to disagree
with me, but a man touching and sucking on another man's cock and fucking
his ass just ain't right.  The ARRL promoted this, now look what happened
to our radio groups.

SC




From -6155747538558979533
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.maxwell.syr.edu!news-
rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-
```

```
for-mail
From: "FDR" <_remove_spam_block_rzitka@hotmail.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <gzx1g.206$TT.140@twister.nyroc.rr.com>
Date: Wed, 19 Apr 2006 21:02:04 GMT
NNTP-Posting-Host: 24.58.67.111
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1145480524 24.58.67.111 (Wed, 19 Apr 2006 17:02:04
EDT)
NNTP-Posting-Date: Wed, 19 Apr 2006 17:02:04 EDT
Organization: Road Runner
Xref: g2news1.google.com rec.radio.amateur.antenna:10052
rec.radio.amateur.equipment:3560 rec.radio.amateur.policy:23948 rec.radio.cb:8551
rec.radio.shortwave:31929


"Skirt Chaser" <my.em@il.dont.work> wrote in message
news:jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net...
>
> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less.  The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family.  To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
>
> Now the queers have all but taken over, they're like the military wing of
> the Democratic party, and always in your face. It's not even safe to take
> your kids to Easter egg hunts anymore. I know you're all going to disagree
> with me, but a man touching and sucking on another man's cock and fucking
> his ass just ain't right.  The ARRL promoted this, now look what happened
> to our radio groups.
>
> SC
>

Get a life.



From 8111730499357332304
```

```
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Apr 2006 16:04:44 -0500
Date: Wed, 19 Apr 2006 17:04:44 -0400
From: Dave <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
In-Reply-To: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Tbednf_fRqNxONvZRVn-sg@comcast.com>
Lines: 29
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-3SRrs+Xp9yH4ly4P8yuc+UppOrpUqRL7+OXV/MjuTGFlLrzpP/
J1igUkOXP8sBtrVAQ4Uz+XZQCwmgy!JJZji12XGu2/
cr+OAFRQaDLC59viRtrm52Me5YnxZTCsyVmEj6+7MAAwUP+Gfpsunc/4E2w+q2IT!v6YgbA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:10053
rec.radio.amateur.equipment:3561 rec.radio.amateur.policy:23949 rec.radio.cb:8552
rec.radio.shortwave:31930
```

Well, your refusing to properly identify yourself with a real name, ISP account, and Radio License casts doubt on the credibility of your post.

I did not know that the Democratic Party had a 'MILITARY WING'. Who is the commanding officer? What is the source of that officer's legal commission? [PS: I am Republican]

Finally, your prejudices are showing!!!

Skirt Chaser wrote:

> ARRL threw principle out the window when they caved in to the demands of

```
> the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less.  The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family.  To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
>
> Now the queers have all but taken over, they're like the military wing of
> the Democratic party, and always in your face. It's not even safe to take
> your kids to Easter egg hunts anymore. I know you're all going to disagree
> with me, but a man touching and sucking on another man's cock and fucking
> his ass just ain't right.  The ARRL promoted this, now look what happened
> to our radio groups.
>
> SC
>



From 473132095506038477
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news.glorb.com!newsfeed2.easynews.com!
easynews.com!easynews!easynews-local!fe03.news.easynews.com.POSTED!not-for-mail
From: Lancer <lancer@rock.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Organization: WWW
Message-ID: <08ed42plsgq488ftdvblgr0hv6eqikboph@news.easynews.com>
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
X-Newsreader: Illudium 2000
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Wed, 19 Apr 2006 22:33:00 GMT
Xref: g2news2.google.com rec.radio.amateur.antenna:10055
rec.radio.amateur.equipment:3562 rec.radio.amateur.policy:23950 rec.radio.cb:8554
rec.radio.shortwave:31939

On Wed, 19 Apr 2006 20:54:39 GMT, Skirt Chaser <my.em@il.dont.work>
wrote:
```

```
>
>ARRL threw principle out the window when they caved in to the demands of
>the Lambda Amateur Radio Club (LARC).  It was a sad day for me indeed when
>I opened my beloved QST magazine and there on the pages were photos of
>queers on a Tropical DXpedition, and in living color no less.  The ARRL
>wanted us to embrace a sick perverted lifestyle and be one big happy
>family.  To me, it was the spark that signaled the death of a once proud
>organization, and it turned liberal.

Which issue of QST was that?  Wanna bet that N8WWM was in that
DXpedition picture?

>
>Now the queers have all but taken over, they're like the military wing of
>the Democratic party, and always in your face. It's not even safe to take
>your kids to Easter egg hunts anymore. I know you're all going to disagree
>with me, but a man touching and sucking on another man's cock and fucking
>his ass just ain't right.  The ARRL promoted this, now look what happened
>to our radio groups.
>
>SC




From -1717207373149327902
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-
feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!
tornado.socal.rr.com.POSTED!53ab2750!not-for-mail
From: Phil Wheeler <w6tuh-ng7@yahoo.com>
User-Agent: Mozilla Thunderbird 1.0.6 (Macintosh/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec
.radio.cb,rec.radio.shortwave
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
In-Reply-To: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 29
Message-ID: <Fzz1g.8724$3W1.2310@tornado.socal.rr.com>
Date: Wed, 19 Apr 2006 23:19:01 GMT
NNTP-Posting-Host: 24.24.234.224
X-Complaints-To: abuse@rr.com
```

X-Trace: tornado.socal.rr.com 1145488741 24.24.234.224 (Wed, 19 Apr 2006 16:19:01 PDT)
NNTP-Posting-Date: Wed, 19 Apr 2006 16:19:01 PDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news2.google.com rec.radio.amateur.antenna:10058 rec.radio.amateur.equipment:3563 rec.radio.amateur.policy:23955 rec.radio.cb:8556 rec.radio.shortwave:31946

Skirt Chaser wrote:
> ARRL threw principle out the window when they caved in to the demands of
> the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when
> I opened my beloved QST magazine and there on the pages were photos of
> queers on a Tropical DXpedition, and in living color no less. The ARRL
> wanted us to embrace a sick perverted lifestyle and be one big happy
> family. To me, it was the spark that signaled the death of a once proud
> organization, and it turned liberal.
>
> Now the queers have all but taken over, they're like the military wing of
> the Democratic party, and always in your face. It's not even safe to take
> your kids to Easter egg hunts anymore. I know you're all going to disagree
> with me, but a man touching and sucking on another man's cock and fucking
> his ass just ain't right. The ARRL promoted this, now look what happened
> to our radio groups.
>
> SC
>

"Skirt Chaser": Monicker like that, and message above, suggests you are
overcompensating for your own latent tendencies. Or perhaps you've been
to close to your antenna while transmitting with a California Kilowatt.

"Our radio groups": What's your call, OM?

"Military wing of the Democratic party": You mean Hillary or who?

Phil, W7OX

From -6786833620563257821
X-Google-Thread: fcc6e,ddc2daa9fc863a
X-Google-Thread: 108122,ddc2daa9fc863a
X-Google-Thread: 10bf43,ddc2daa9fc863a
X-Google-Thread: 106d41,ddc2daa9fc863a
X-Google-Thread: 114aac,ddc2daa9fc863a
X-Google-Attributes: gidfcc6e,gid108122,gid10bf43,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Apr 2006 19:06:45 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:

rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.policy,rec.radio.cb,rec.radio.shortwave
References: <jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net>
Subject: Re: I blame the ARRL for all the homosexual posts. Please Read.
Date: Wed, 19 Apr 2006 19:06:41 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <upqdnWLFkcMITdvZnZ2dnUVZ_vadnZ2d@comcast.com>
Lines: 28
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-bo3Yl9eogTVD92n85W+krJdej6fmxe3yHmYa8CSHnvAIkjUP1WcrqpD/6nBrpcgTMgYBEVaZAB4eXkx!PyXjctD0oFV4pKNn1zqgZs8dPFl9B2NvDS6G8YeIIJ2ntaIAqkhISGRuHYsypLKh95c/f3sZoyRW!KGWW8vcosAdu
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.antenna:10063 rec.radio.amateur.equipment:3564 rec.radio.amateur.policy:23956 rec.radio.cb:8557 rec.radio.shortwave:31952

Skirt chaser?? Hmmm....... no ident, no name, no call, I can guess that your only jealous because you couldn't be there.
OTOH, maybe its because you must like those Scottsman's kilts.

-n6ojn

"Skirt Chaser" <my.em@il.dont.work> wrote in message news:jsx1g.131$Vn.21@newsread4.news.pas.earthlink.net...
>
> ARRL threw principle out the window when they caved in to the demands of the Lambda Amateur Radio Club (LARC). It was a sad day for me indeed when I opened my beloved QST magazine and there on the pages were photos of queers on a Tropical DXpedition, and in living color no less. The ARRL wanted us to embrace a sick perverted lifestyle and be one big happy family. To me, it was the spark that signaled the death of a once proud organization, and it turned liberal.
>
> Now the queers have all but taken over, they're like the military wing of the Democratic party, and always in your face. It's not even safe to take your kids to Easter egg hunts anymore. I know you're all going to disagree with me, but a man touching and sucking on another man's cock and fucking his ass just ain't right. The ARRL promoted this, now look what happened to our radio groups.
>
> SC
>

```
From 2637034300169730643
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news2.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 19 Apr 2006 19:17:07 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<e22pki$3qh$1@usenet01.srv.cis.pitt.edu> <124a9o9bmgm7ea2@corp.supernews.com>
<44466dd8$0$29969@dingus.crosslink.net>
Subject: Re: Give up CB for ham?
Date: Wed, 19 Apr 2006 19:17:03 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
Message-ID: <yMCdnch9ZdGeTtvZnZ2dnUVZ_tydnZ2d@comcast.com>
Lines: 36
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
tnHGZeDhLoDfQnqEcYAqqIklThh+G81qB+AkwrwQYWI+Vrv6XfDU2nWPMJhoKMJBDJh6DSFi6ZKv448!
HTxsMMe2JgfkxZalmvLAO5rTwWDh9xBj44kEQkKzBvNtuZIftY28iWDB5FV/d+2qBYZB2aHSOvU+!
WH7KaRiQGR3q
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news2.google.com rec.radio.amateur.equipment:3565


"Vito" <vito@crosslink.net> wrote in message
news:44466dd8$0$29969@dingus.crosslink.net...
>
> "Butch Magee" <lynyrd@cableone.net> wrote
>> .....  I never heard such filthy
>> language ...... I'm no prude..., all I could
>> think of was all the kids that must have had to hear that kind of
>> language because their dad or motherwere enjoying reading the mail.
>>
>
> Sure you are (a prude) OM but its nothing to be ashamed of.  Cursing is a
> sign
> of poor vocabulary.  OTOH, I was brought up on "Sticks and stones my break
```

> my
> bones but words can never hurt me!" so I find the PC notion that "bad
> words" can
> somehow hurt anybody, including kids, a bit amusing.
>
> 73, K3DWW

When I was a young lad, my parents taught me that there are a couple of
things you *DON"T* do in public....
First and formost, is not to say or do anything that you wouldn't want
repeated in your church sanctuary on Sunday morning.
Second is to treat *everybody* else the same way you want to be treated.
Third is don't put yourself in a position where somebody has to do something
about it.
All pretty good rules to live by, and they all are equally applicable to
amateur radio, or *ANY* radio.

Just my thoughts

-n6ojn

From -4434036372379842850
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: canopeily@yahoo.com
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Date: 11 Apr 2006 17:45:39 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1144802738.981127.286040@u72g2000cwu.googlegroups.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 4.174.218.187
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144802744 5065 127.0.0.1 (12 Apr 2006 00:45:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Apr 2006 00:45:44 +0000 (UTC)
In-Reply-To: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; MSN 8.0;

```
MSN 8.5; MSNbMSNI; MSNmen-us; MSNcIA),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=4.174.218.187;
   posting-account=DfOLpRMAAADnU4p_dKWyMmJurO5Zy1fZhGYMA2OVG-TTulpHG3k3oA
Xref: g2news1.google.com misc.survivalism:68565 rec.radio.amateur.equipment:3472
rec.radio.scanner:3015 rec.radio.shortwave:31177 alt.ham-radio.vhf-uhf:1639
```

http://www2.oregonscientific.com/shop/product.asp?cid=2&scid=6&pid=241

I have this . Got it from Marlboro for killing myself. (survivalism of
the finest).

Not a bad set on the cheap.

Thomas

```
From -5952975268422447828
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!70ec1bab!not-for-mail
From: Gunner  <gunner@lightspeed.net>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Need good radio: A 2m ht with extended receive.
Organization: Coyote Engineering, a division of the Acme Co. and Yoyodyne
Propulsion Inc. A member of the MegaCorp Group.
Reply-To: gunner@lightspeed.net
Message-ID: <8blo325k7qqc2g5hopopp0f9rlmt49q1ho@4ax.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<1144799861.058371.66910@u72g2000cwu.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 42
Date: Wed, 12 Apr 2006 01:20:19 GMT
NNTP-Posting-Host: 4.245.101.243
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1144804819 4.245.101.243 (Tue, 11 Apr
2006 18:20:19 PDT)
NNTP-Posting-Date: Tue, 11 Apr 2006 18:20:19 PDT
Xref: g2news1.google.com misc.survivalism:68578 rec.radio.amateur.equipment:3473
rec.radio.scanner:3016 rec.radio.shortwave:31181 alt.ham-radio.vhf-uhf:1640
```

On 11 Apr 2006 16:57:41 -0700, jpolaski@rgs.uci.edu wrote:

>Romain Salad wrote:
>> What is your advice.
>
>The best site I found for reviews is (by far) http://www.eham.net/.
>Lot's of good quality reviews... A while ago I ended up getting a
>Kenwood TH-F6 tri-bander based on the reviews. A little expensive, but
>it seems like a good radio, but I really can't compare. It has a load
>of features, that's for sure. I thought it would be good to have some
>sort of alternate commmunication if there is an earthquake or some
>other sort of disaster.
>
>I tried a CB first, but there is *no one* using CB around here. I
>thought there would be at least a few truckers or something.
>
>I don't have a license or anything, so I've just used it to listen. I
>should get a license and join up with one of the emergency
>communications clubs or something, but never seem to get around to it.
>
>Depending on your plans, you might want to get a scanner, instead.

North and south freeways in So Cal use Chan 15, east and west use Chan
17 or 19 for CB

North of Burbank..its 15 to hiway 46..changes to 17

Hiway 14 to Palmdale Lancaster..the commuters use 12

I use mine just about every day in your AO

Gunner

"Pax Americana is a philosophy. Hardly an empire.
Making sure other people play nice and dont kill each other (and us)
off in job lots is hardly empire building, particularly when you give
them self determination under "play nice" rules.

Think of it as having your older brother knock the shit out of you
for torturing the cat." Gunner

```
From 4639072246231061046
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "Offbreed" <Offbreed_106@hotmail.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Date: 11 Apr 2006 19:07:20 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1144807640.435891.284690@j33g2000cwa.googlegroups.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 65.120.208.101
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144807646 8699 127.0.0.1 (12 Apr 2006 02:07:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Apr 2006 02:07:26 +0000 (UTC)
In-Reply-To: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
InfoPath.1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 SEAISA2
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=65.120.208.101;
   posting-account=JZ-C_wwAAAAQLtlbt9dGP22m0JHtfj9q
Xref: g2news1.google.com misc.survivalism:68605 rec.radio.amateur.equipment:3474
rec.radio.scanner:3017 rec.radio.shortwave:31182 alt.ham-radio.vhf-uhf:1641


Too_Many_Tools wrote:
> A question for the group...
>
> What is the favored weather radio for bugout and emergency situations?

I have a couple of cheapies out of Radio Shack, and my marine band hand
held. Forgot the brand at the moment.




From -4794684792599889205
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Apr 2006 21:31:54 -0500
From: running dogg <run@ning.dog>
```

Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Date: Tue, 11 Apr 2006 19:31:53 -0700
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<1144720734.057492.310440@g10g2000cwb.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
User-Agent: Noworyta News Reader/2.9
Message-ID: <ve2dnfuFGdQB-6HZnZ2dnUVZ_sadnZ2d@comcast.com>
Lines: 35
NNTP-Posting-Host: 24.7.144.176
X-Trace: sv3-ohxPu3aOaCWAMixFftTvCh0nUKhR0RXikV2UmfqC9b2qvAmvMHLC2uiF/
Dvww0mLmQvN59Zcr2Gyfjb!
fYSQOltydtwLhrRoqpJFowrHvviW0PXybvlfIsK+HsLb1mSwmuMht+depj84fhRPN27lK7ocREPg!
Q+ZPQhyp8z09VjvprNs=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com misc.survivalism:68622 rec.radio.amateur.equipment:3475
rec.radio.scanner:3018 rec.radio.shortwave:31187 alt.ham-radio.vhf-uhf:1642

John S. wrote:

>
> Too_Many_Tools wrote:
> > A question for the group...
> >
> > What is the favored weather radio for bugout and emergency situations?
> >
> > Thanks
> >
> > TMT
>
> One of the Grundig or Kaito hand crank AM/FM/Shortwave radios. I've
> found the local all news station to be far more up to date on
> forecasted weather and at least equal to radio originated tornado
> warnings. And the voice over radio is far more pleasant than the
> annoying mechanical voice of the NWS broadcast.
>

Too bad that Tecsun (Grundig) won't put a weather band on one of their crank radios. I'd think that if you live in a place where you need split second weather warnings (like Tornado Alley) that a dedicated weather radio would be better. I have a Midland WR-100 that can supposedly run on batteries, but I'd think that it would eat them quite vigorously. I rarely use it anyway, because California just doesn't have the kind of nasty weather that requires anything more than the nightly TV news weather report. California has earthquakes and floods and fires, but since those aren't directly weather related a weather radio does little to help. I keep a cheap Rat Shack AM/FM portable by my bed for most stuff, and a Degen 1102 ready to evacuate with if I have to. Most of the hurricane evacuees didn't have portable radios at the ready, and that caused a lot of frustration. If you're evacuated and stuck in a HS gym or community center with a lot of other people, having a working portable radio could make you the one eyed man in the land of the blind.

From -8409806449714196763
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.astraweb.com!router2.astraweb.com!207.217.77.102.MISMATCH!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!70ec1bab!not-for-mail
From: Gunner <gunner@lightspeed.net>
Newsgroups: misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Organization: Coyote Engineering, a division of the Acme Co. and Yoyodyne Propulsion Inc. A member of the MegaCorp Group.
Reply-To: gunner@lightspeed.net
Message-ID: <bb3p32lu84ad25f533j9or5m47015a3mog@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com> <1144807640.435891.284690@j33g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
Date: Wed, 12 Apr 2006 05:18:58 GMT
NNTP-Posting-Host: 4.246.159.118
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1144819138 4.246.159.118 (Tue, 11 Apr 2006 22:18:58 PDT)
NNTP-Posting-Date: Tue, 11 Apr 2006 22:18:58 PDT
Xref: g2news1.google.com misc.survivalism:68679 rec.radio.amateur.equipment:3476 rec.radio.scanner:3019 rec.radio.shortwave:31208 alt.ham-radio.vhf-uhf:1644

On 11 Apr 2006 19:07:20 -0700, "Offbreed" <Offbreed_106@hotmail.com> wrote:

>
>Too_Many_Tools wrote:

>> A question for the group...
>>
>> What is the favored weather radio for bugout and emergency situations?
>
>I have a couple of cheapies out of Radio Shack, and my marine band hand
>held. Forgot the brand at the moment.

Huimmm..I was browsing through my Secret Stash of Stuff..and found an
old but minty Bendix radio..has AM, IRRC FM, and Marine band, with the
direction finding loop on the top. A commercial piece, elderly of
course, but it works just hunky dory.

Anyone got any interest in it? Trade for?

Gunner

"Pax Americana is a philosophy. Hardly an empire.
Making sure other people play nice and dont kill each other (and us)
off in job lots is hardly empire building, particularly when you give
them self determination under "play nice" rules.

Think of it as having your older brother knock the shit out of you
for torturing the cat." Gunner

From -6434145918262557383
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!70ec1bab!not-for-mail
From: Gunner <gunner@lightspeed.net>
Newsgroups: misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Organization: Coyote Engineering, a division of the Acme Co. and Yoyodyne Propulsion Inc. A member of the MegaCorp Group.
Reply-To: gunner@lightspeed.net
Message-ID: <1g3p32l6hgen5tqbt4rabuhglm570n5f37@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com> <1144720734.057492.310440@g10g2000cwb.googlegroups.com> <ve2dnfuFGdQB-6HZnZ2dnUVZ_sadnZ2d@comcast.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 52
Date: Wed, 12 Apr 2006 05:20:53 GMT
NNTP-Posting-Host: 4.246.159.118
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1144819253 4.246.159.118 (Tue, 11 Apr 2006 22:20:53 PDT)
NNTP-Posting-Date: Tue, 11 Apr 2006 22:20:53 PDT
Xref: g2news1.google.com misc.survivalism:68680 rec.radio.amateur.equipment:3477 rec.radio.scanner:3020 rec.radio.shortwave:31209 alt.ham-radio.vhf-uhf:1645

On Tue, 11 Apr 2006 19:31:53 -0700, running dogg <run@ning.dog> wrote:

>John S. wrote:
>
>>
>> Too_Many_Tools wrote:
>> > A question for the group...
>> >
>> > What is the favored weather radio for bugout and emergency situations?
>> >
>> > Thanks
>> >
>> > TMT
>>
>> One of the Grundig or Kaito hand crank AM/FM/Shortwave radios. I've
>> found the local all news station to be far more up to date on
>> forecasted weather and at least equal to radio originated tornado
>> warnings. And the voice over radio is far more pleasant than the
>> annoying mechanical voice of the NWS broadcast.
>>
>
>Too bad that Tecsun (Grundig) won't put a weather band on one of their
>crank radios. I'd think that if you live in a place where you need split
>second weather warnings (like Tornado Alley) that a dedicated weather
>radio would be better. I have a Midland WR-100 that can supposedly run
>on batteries, but I'd think that it would eat them quite vigorously. I
>rarely use it anyway, because California just doesn't have the kind of
>nasty weather that requires anything more than the nightly TV news
>weather report. California has earthquakes and floods and fires, but
>since those aren't directly weather related a weather radio does little
>to help. I keep a cheap Rat Shack AM/FM portable by my bed for most
>stuff, and a Degen 1102 ready to evacuate with if I have to. Most of the
>hurricane evacuees didn't have portable radios at the ready, and that
>caused a lot of frustration. If you're evacuated and stuck in a HS gym
>or community center with a lot of other people, having a working
>portable radio could make you the one eyed man in the land of the blind.

Being stuck there will also make you helpless, disarmed and at the
tender mercies of the ...barummm..Authorities...barummm

Not necessarily a good thing.

Gunner

"Pax Americana is a philosophy. Hardly an empire.
Making sure other people play nice and dont kill each other (and us)
off in job lots is hardly empire building, particularly when you give
them self determination under "play nice" rules.

Think of it as having your older brother knock the shit out of you
for torturing the cat." Gunner

From -3792816563917276632
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!6dbcdb33!not-for-mail
From: pyotr filipivich <phamp@mindspring.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Organization: Fortesque R&D Labs
Message-ID: <gcqp3297mb6hg8ni93v8j8gt380bndbonu@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<1144807640.435891.284690@j33g2000cwa.googlegroups.com>
<bb3p32lu84ad25f533j9or5m47015a3mog@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
Date: Wed, 12 Apr 2006 11:52:55 GMT
NNTP-Posting-Host: 4.242.36.79
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1144842775 4.242.36.79 (Wed, 12 Apr 2006
04:52:55 PDT)
NNTP-Posting-Date: Wed, 12 Apr 2006 04:52:55 PDT
Xref: g2news1.google.com misc.survivalism:68741 rec.radio.amateur.equipment:3479
rec.radio.scanner:3022 rec.radio.shortwave:31222 alt.ham-radio.vhf-uhf:1647

Okay, so I'm late and catching up, but Gunner <gunner@lightspeed.net>
wrote on Wed, 12 Apr 2006 05:18:58 GMT in misc.survivalism :
>On 11 Apr 2006 19:07:20 -0700, "Offbreed" <Offbreed_106@hotmail.com>
>wrote:
>
>>
>>Too_Many_Tools wrote:

```
>>> A question for the group...
>>>
>>> What is the favored weather radio for bugout and emergency situations?
>>
>>I have a couple of cheapies out of Radio Shack, and my marine band hand
>>held. Forgot the brand at the moment.
>
>
>Huimmm..I was browsing through my Secret Stash of Stuff..and found an
>old but minty Bendix radio..has AM, IRRC FM, and Marine band, with the
>direction finding loop on the top. A commercial piece, elderly of
>course, but it works just hunky dory.
>
>Anyone got any interest in it? Trade for?

     Well, I got a Cougar bland one of those.  Still with the instruction
booklet - which is all in Japanese.

     Hmmm, now what I need to do is find me a Horizontal Japanese dictionary
& language tutor.


cheers
pyotr

--
pyotr filipivich
"MTV may talk about lighting fires and killing children,
 but Janet Reno actually does something about it." --Spy Magazine


From 4203015563579849102
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <7urp32lc1m75edi0tfsr94vk4cq11gdhtf@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<1144720734.057492.310440@g10g2000cwb.googlegroups.com>
<ve2dnfuFGdQB-6HZnZ2dnUVZ_sadnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
```

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Wed, 12 Apr 2006 12:17:42 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1144844262 66.133.198.234 (Wed, 12 Apr 2006 05:17:42 PDT)
NNTP-Posting-Date: Wed, 12 Apr 2006 05:17:42 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com misc.survivalism:68744 rec.radio.amateur.equipment:3480 rec.radio.scanner:3023 rec.radio.shortwave:31223 alt.ham-radio.vhf-uhf:1648

On Tue, 11 Apr 2006 19:31:53 -0700, running dogg <run@ning.dog> wrote:

>John S. wrote:
>

>
>Too bad that Tecsun (Grundig) won't put a weather band on one of their
>crank radios. I'd think that if you live in a place where you need split
>second weather warnings (like Tornado Alley) that a dedicated weather
>radio would be better. I have a Midland WR-100 that can supposedly run
>on batteries, but I'd think that it would eat them quite vigorously. I
>rarely use it anyway, because California just doesn't have the kind of
>nasty weather that requires anything more than the nightly TV news
>weather report. California has earthquakes and floods and fires, but
>since those aren't directly weather related a weather radio does little
>to help. I keep a cheap Rat Shack AM/FM portable by my bed for most
>stuff, and a Degen 1102 ready to evacuate with if I have to. Most of the
>hurricane evacuees didn't have portable radios at the ready, and that
>caused a lot of frustration. If you're evacuated and stuck in a HS gym
>or community center with a lot of other people, having a working
>portable radio could make you the one eyed man in the land of the blind.
>
Flash Floods, Wildfires, Tsunamis?

From -5915667365378562759
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!atl-c05.usenetserver.com!news.usenetserver.com!cycny01.gnilink.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave

```
,alt.ham-radio.vhf-uhf
Subject: Re: Need good radio: A 2m ht with extended receive.
Message-ID: <7hsp32l2qgierjvbogavoia9fq17qinf4u@4ax.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<WXN_f.138873$fd3.113576@fe06.news.easynews.com>
<7s5o32tljdm5rfndnl6e1urgep6cq672pj@4ax.com>
<m%V_f.66590$ot5.3173@fe09.news.easynews.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Wed, 12 Apr 2006 08:27:58 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1144844880 24.186.218.38 (Wed, 12 Apr 2006 05:28:00 MST)
NNTP-Posting-Date: Wed, 12 Apr 2006 05:28:00 MST
Organization: Optimum Online
Xref: g2news1.google.com misc.survivalism:68747 rec.radio.amateur.equipment:3481
rec.radio.scanner:3025 rec.radio.shortwave:31228 alt.ham-radio.vhf-uhf:1649

On Tue, 11 Apr 2006 22:23:15 GMT, "Travis Jordan" <no.one@no.net>
wrote:

>Al Klein wrote:
>> That means receive above and below 2 meters.

>How far?  What type of modulation?

Most manufacturers give you the same thing.  Why are you asking?  Look
at the current specs.


From -90335823745693639
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe09.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<WXN_f.138873$fd3.113576@fe06.news.easynews.com>
<7s5o32tljdm5rfndnl6e1urgep6cq672pj@4ax.com>
<m%V_f.66590$ot5.3173@fe09.news.easynews.com>
<7hsp32l2qgierjvbogavoia9fq17qinf4u@4ax.com>
```

Subject: Re: Need good radio: A 2m ht with extended receive.
Lines: 14
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <Vz6%f.76371$ot5.20998@fe09.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Wed, 12 Apr 2006 12:41:26 GMT
Xref: g2news1.google.com misc.survivalism:68749 rec.radio.amateur.equipment:3482 rec.radio.scanner:3027 rec.radio.shortwave:31229 alt.ham-radio.vhf-uhf:1650

Al Klein wrote:

> Most manufacturers give you the same thing. Why are you asking? Look
> at the current specs.

I'm asking because the OP said they wanted a 2m HT with extended receive, and in order to help him/her I wanted to know what they meant by "extended receive". There is a significant difference between a receiver that covers 144-174 Mhz (NB FM only) and one that covers from the AM broadcast band to 1.2Ghz.

However, since the OP apparently treats Usenet as a write-only medium I guess we won't be able to help them.

From 7733520538441372300
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!nntp.newsfirst.net!dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,alt.ham-radio.vhf-uhf
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com> <HAw_f.676495$084.278618@attbi_s22> <29OdnXP7Dbpv06bZnZ2dnUVZ_u-dnZ2d@comcast.com>
Subject: Re: Survival Weather Radios
Date: Wed, 12 Apr 2006 09:48:41 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506

X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Lines: 9
Message-ID: <443d0549$0$21028@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.21
X-Trace: dingus.crosslink.net 1144849737 21028 207.199.164.21
Xref: g2news1.google.com misc.survivalism:68757 rec.radio.amateur.equipment:3483 rec.radio.scanner:3030 rec.radio.shortwave:31236 alt.ham-radio.vhf-uhf:1651

"Romain Salad" <querydb4girl@plum4bbob32domain.com> wrote
> Are they going to check for licences during an emergency?
>

Yes and no. SWMBO and I have worked any number of emergency nets. Normally, participants ID and are called by call sign so, in those cases, yes. OTOH we would certainly respond to anyone in a true emergency where there was a valid threat to life or even property.

From 2450594427689297891
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!nntp.newsfirst.net!dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups: rec.radio.amateur.equipment
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
Subject: Re: Smallest 2M/440 mobile rig??
Date: Wed, 12 Apr 2006 09:51:28 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Lines: 9
Message-ID: <443d05f0$0$21028@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.21
X-Trace: dingus.crosslink.net 1144849904 21028 207.199.164.21
Xref: g2news1.google.com rec.radio.amateur.equipment:3484

"WA2OLZ" <daedalusnj@earthlink.net> wrote ...
> Looking for advice to find the smallest dual-band mobile rig with
> remote head capabiltiy. The size of the transceiver is unimportant; the
> size of the remote head is what it's all about.
>

Yaesu FT-90 is the smallest I've seen. Ours has had some issue with cold but otherwise OK.

From 2141039070087301878

X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <443D1AD1.CE997C63@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Military and Monmouth
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
      <FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
      <e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
      <44373E59.C21F3F53@earthlink.net> <VZadndOT9cnTXarZRVn-hg@comcast.com>
      <4437CCB8.C03CDF7A@earthlink.net>
<xZydnVkWItTeo6XZnZ2dnUVZ_v2dnZ2d@comcast.com>
      <44387843.A60BDE94@earthlink.net>
<Pine.BSI.4.61.0604081705350.12804@malasada.lava.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 49
Date: Wed, 12 Apr 2006 15:21:30 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1144855290 24.110.34.161 (Wed, 12 Apr
2006 08:21:30 PDT)
NNTP-Posting-Date: Wed, 12 Apr 2006 08:21:30 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3485

Joseph Fenn wrote:
>
> >
> > --
> > Service to my country? Been there, Done that, and I've got my DD214 to
> > prove it.
> > Member of DAV #85.
> >
> > Michael A. Terrell
> > Central Florida
> >
> Speaking along those lines, I was an RO at a WW1 CCC camp in Fla
> when I got a msg from Sig Corps at WUO Ft Benning asking me to
> come up and sign up with them and they would put me to work
> right away. No basic training, or boot camp.   I grabbed it
> as I knew I could handle the CW up to around 40WPM at the CCC's.
> Only problem was I got paid $8 a month and $22 a month went direct

> to my Mom.   After started at WD Radio in Benning even as a PFC
> I was drawing down about $80 a month in 1940. Reason WUO handled
> not only the S.C. WD Radio traffic, but also handled all the
> Western Union and Postal Telegrph stuff accross the counter
> so both W.U. and Postal Tel paid us a commision on top of
> our Military Pay.   Never went to any S.C. School until about
> 1944 as we rotated back to the USA on our 85 points system
> of overseas duty. They did'nt know what to do with all the
> 5 and 6 stripe NCO's that were being thrown back to USA,
> So they sent us to Camp Crowder S.C. school and taught us
> how to be technicians on wide band FM which was just coming
> into existance.
>   Exited at Drew Field in FLA. just after VJ Day
>   Joe/KH6JF/ABM6JF/KP4EX/W4FAG/W9ZUU

Good for you! A lot of hams and people who knew CW were needed in a hurry, and the military knew that they had to get them where they were needed as soon as possible, so they bypassed basic training and AIT wherever possible.

I always enjoy hearing from other Veterans who served in the signal corps or AFRTS/AFRN. Thank you for your service to our country.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -2142944219411173421
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <443D1E60.134AE07D@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Catalog
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>

```
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
<e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
<44373E59.C21F3F53@earthlink.net> <VZadndOT9cnTXarZRVn-hg@comcast.com>
<4437CCB8.C03CDF7A@earthlink.net> <xZydnVkWItTeo6XZnZ2dnUVZ_v2dnZ2d@comcast.com>
<44387843.A60BDE94@earthlink.net> <RradnWtWN9pJ36TZ4p2dnA@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 62
Date: Wed, 12 Apr 2006 15:36:49 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1144856209 24.110.34.161 (Wed, 12 Apr
2006 08:36:49 PDT)
NNTP-Posting-Date: Wed, 12 Apr 2006 08:36:49 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3486
```

Noon-Air wrote:

> Someday I will have to write a book about all of the things we did....and
> even some of the stuff we *didn't* get caught doing. LOL

One evening the DJ announced that the request line was open, and that he would play any record in the library. When he refused to play my request, I turned the AM BCB transmitter off. ;-)

> Enlisted men are extremely sly and cunning, and bear considerable
> watching.
> -Army Officers Manual 1836

Some officers were even worse than the enlisted. Two lieutenants at Ft. Greely drew their M-16s from the Armory, signed a tactically equipped jeep out of the motor pool and went rabbit hunting in "Buffalo Drop Zone" which was a restricted area. One of them shot at a rabbit but he hit the rock it was sitting on. The bullet ricocheted into the Jeep, setting it on fire, and starting a full blown forest fire. I had to go fight the fire, and as we were finishing I saw the two officers sitting back to back in the bed of a pickup truck, surrounded by CID. One of them was warning them not to move, because they would love to shoot them for trying to escape. The last i heard, they were sentenced to 20 years at Leavenworth.

> When I was stationed on west coast WHECs, I tapped into the ships cable
> system so I had cable at my rack, and had a little 4 inch TV and little
> stereo tucked up in a trap door I cut in the the false overhead over my
> rack... it worked great :-)
> On the same ship, we had 12 engineers that were licensed HAMs and the CO cot
> a bit miffed when he found out that the engineers could copy CW better than
> his radiomen could... it was pretty funny. LOL

Yeah, very few officers had ANY sense of humor. On the other hand, some knew when to leave well enough alone. I only stood Monday morning formation a couple times the whole year that i was in Alaska, and my C.O. would apologize if he woke me up during Monday morning inspections, then back quietly out of my room. ;-)

> >   He's a mental welfare case. Neither our military, or Canada would
> > have him.
>
> Maybe they should use him for target practice??

Not worth the ammunition. Maybe use him for a door stop? ;-)

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From -2164451248357220839
X-Google-Thread: 108122,4358460c1007aa50,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "=?iso-8859-1?B?V9hDQkY=?=" <w0cbf@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Mobile Bracket for IC-735 Needed!
Date: 12 Apr 2006 09:08:22 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1144858102.832960.271110@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 65.30.121.110
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144858108 3849 127.0.0.1 (12 Apr 2006 16:08:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Apr 2006 16:08:28 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=65.30.121.110;
   posting-account=s7AueQwAAABmij9bwOwxI2B62VUSgoia
Xref: g2news1.google.com rec.radio.amateur.equipment:3487
```

I need to locate for sale or trade a mobile bracket (in any condition)
for my IC-735 HF Transceiver. If any has one please let me know.

73's
Chuck

From 2108890042782777110
X-Google-Thread: 108122,5586000858d204b7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!1dba5946!
not-for-mail
From: Scan Da Bands <vzeip5vc@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Uniden BC 796 with all in the box
Message-ID: <sjeq3298mtr4dlu1g68p37aere0kprm132@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Wed, 12 Apr 2006 17:36:17 GMT
NNTP-Posting-Host: 72.65.126.6
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1144863377 72.65.126.6 (Wed, 12 Apr 2006 13:36:17 EDT)
NNTP-Posting-Date: Wed, 12 Apr 2006 13:36:17 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3488

I have a Uniden BC 796 with all in the box , still has plastic over
face. Might take a trade on something , must be close to a 246T or
similiar and some cash.

tommyboys_news@verizon.net

From -3054421031554598808
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: jpolaski@rgs.uci.edu
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,alt.ham-radio.vhf-uhf

Subject: Re: Need good radio: A 2m ht with extended receive.
Date: 12 Apr 2006 12:04:27 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1144868667.315096.26690@i40g2000cwc.googlegroups.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
   <1144799861.058371.66910@u72g2000cwu.googlegroups.com>
   <8blo325k7qqc2g5hopopp0f9rlmt49q1ho@4ax.com>
NNTP-Posting-Host: 128.200.156.134
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144868672 7119 127.0.0.1 (12 Apr 2006 19:04:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Apr 2006 19:04:32 +0000 (UTC)
In-Reply-To: <8blo325k7qqc2g5hopopp0f9rlmt49q1ho@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=128.200.156.134;
   posting-account=PQ5bsRMAAAAKVWni8gvAtU7DPyygD5KuJe0wkzjn816cre-YfY4DvA
Xref: g2news1.google.com misc.survivalism:68906 rec.radio.amateur.equipment:3489
rec.radio.scanner:3033 rec.radio.shortwave:31262 alt.ham-radio.vhf-uhf:1654

I wonder if mine's defective, then. Or maybe it's not set up correctly.
I really should read the instructions...

I've tried channels 1--40, and *rarely* hear anything. I heard one
conversation, once, several months ago. Last weekend I was in Exiter,
by Bakersfield, and got nothing, again. 1--40 were all dead as far as I
could tell.

From -4628074868225398725
X-Google-Thread: 108122,57a49c401d516428
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newshub.sdsu.edu!router2.astraweb.com!news.astraweb.com!
router1.astraweb.com!sn-xt-sjc-15!sn-xt-sjc-07!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: Ed Bailen <n5kzw@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Signal Strength Meter - Mobile Phones
Date: Wed, 12 Apr 2006 15:09:03 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <hbnq321j02paakjohb09pt69isskgs7k3l@4ax.com>
References: <ato632tfovfmau7ivr3botsc5uia7ga7po@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news1.google.com rec.radio.amateur.equipment:3490

The simple solution is to find an old scanner that is not blocked on
cell phone frequencies.  Then you can either watch the signal strength
meter, or feed the meter signal into an audio-frequenct VCO.

Regards,
Ed

On Wed, 05 Apr 2006 08:29:59 +0200, Mark <Mark@> wrote:

>I currently offer a service for Mobile Phone users in rural/remote
>areas, where I fit a Yagi antenna for people with poor reception
>problems. At the moment I use a Mobile Phone's signal strength reading
>(along with a map and compass) to locate the strongest signal from the
>nearest base station (the region where I work, there is only one
>service provider). Because these readings are a bit slow to respond, I
>would like to build/buy a simple signal strength meter to be a bit
>more accurate, when setting up these antenna's. I either need
>something with a meter or even simpler (and maybe better) headphones
>listening to the familiar signals sent out by these things, to find
>the strongest signal. Because I work in very remote areas normally, I
>am guessing that the base station signals, should not be that hard to
>distinguish from the normal mish mash of mobile phone signals. Would
>anybody be kind enough to supply me with a diagram or a web site etc,
>to help me on my way? PS 980Mhz.



From 6773134052711427974
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Need good radio: A 2m ht with extended receive.
Date: 12 Apr 2006 15:52:23 -0700
Organization: http://groups.google.com
Lines: 17
Message-ID: <1144882343.740346.284650@i40g2000cwc.googlegroups.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
   <WXN_f.138873$fd3.113576@fe06.news.easynews.com>
   <7s5o32tljdm5rfndnl6e1urgep6cq672pj@4ax.com>
   <m%V_f.66590$ot5.3173@fe09.news.easynews.com>
   <7hsp32l2qgierjvbogavoia9fq17qinf4u@4ax.com>
   <Vz6%f.76371$ot5.20998@fe09.news.easynews.com>
NNTP-Posting-Host: 4.225.101.107
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144882349 14593 127.0.0.1 (12 Apr 2006 22:52:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 12 Apr 2006 22:52:29 +0000 (UTC)
In-Reply-To: <Vz6%f.76371$ot5.20998@fe09.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=4.225.101.107;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news1.google.com misc.survivalism:69026 rec.radio.amateur.equipment:3491
rec.radio.scanner:3034 rec.radio.shortwave:31282 alt.ham-radio.vhf-uhf:1657
```

Travis Jordan wrote:

> Al Klein wrote:
> > Most manufacturers give you the same thing. Why are you asking? Look
> > at the current specs.
>
> I'm asking because the OP said they wanted a 2m HT with extended
> receive, and in order to help him/her I wanted to know what they meant
> by "extended receive". There is a significant difference between a
> receiver that covers 144-174 Mhz (NB FM only) and one that covers from
> the AM broadcast band to 1.2Ghz.
>
> However, since the OP apparently treats Usenet as a write-only medium I
> guess we won't be able to help them.

He's replied to Bart Baily on the 11th.

```
From -2561645271650934776
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!
53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
```

Subject: Re: Need good radio: A 2m ht with extended receive.
Message-ID: <bo5r32darv1g9kv72dhddd5klo8hlmfjcj@4ax.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<1144799861.058371.66910@u72g2000cwu.googlegroups.com>
<8blo325k7qqc2g5hopopp0f9rlmt49q1ho@4ax.com>
<1144868667.315096.26690@i40g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
Date: Wed, 12 Apr 2006 20:12:39 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1144887160 24.186.218.38 (Wed, 12 Apr 2006 17:12:40 MST)
NNTP-Posting-Date: Wed, 12 Apr 2006 17:12:40 MST
Organization: Optimum Online
Xref: g2news1.google.com misc.survivalism:69040 rec.radio.amateur.equipment:3492
rec.radio.scanner:3035 rec.radio.shortwave:31293 alt.ham-radio.vhf-uhf:1659

On 12 Apr 2006 12:04:27 -0700, jpolaski@rgs.uci.edu wrote:

>I wonder if mine's defective, then. Or maybe it's not set up correctly.
>I really should read the instructions...

>I've tried channels 1--40, and *rarely* hear anything. I heard one
>conversation, once, several months ago. Last weekend I was in Exiter,
>by Bakersfield, and got nothing, again. 1--40 were all dead as far as I
>could tell.

Since the range on CB, without hanging a lot of metal in the sky, is
only a few miles, what's going on even in the next town may not have
anything to do with where you are.

On the east coast, I can drive hundreds of miles on I-95 (the
equivalent of I-5 here) and hear nothing on CB unless the traffic jams
up. Then they come out of the woodwork.

From -1584685856665485678
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread2.news.atl.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Smallest 2M/440 mobile rig??
Message-ID: <kobr32te4dc1goq0vbq8pruh9otemu92dg@4ax.com>
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 3.1/32.783

MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Date: Thu, 13 Apr 2006 01:59:03 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1144893543 24.148.146.109 (Wed, 12 Apr 2006 18:59:03 PDT)
NNTP-Posting-Date: Wed, 12 Apr 2006 18:59:03 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3493

I measured my Yaesu FT90R's control head. It is 1-1/8 inches X 4 inches.
I don't think it is still available.

On 11 Apr 2006 09:26:15 -0700, "WA2OLZ" <daedalusnj@earthlink.net> wrote:

>Looking for advice to find the smallest dual-band mobile rig with
>remote head capabiltiy. The size of the transceiver is unimportant; the
>size of the remote head is what it's all about.
>
>I traded my SUV for a VW Passat and there's not a lot of room to mount
>anything! I've already swapped out the standard 2X-DIN radio for a
>single DIN and installed a scanner in the other half of the 2X-DIN
>space, so that's gone. I have my GPS and Blackberry holder mounted on
>ProClip mounts, so I'm really getting tight.
>
>I'd really like to find the smallest possible remote head mobile rig as
>I'm not fond of HTs in a mobile environment.
>
>Any help would be appreciated.
>
>Tnx & 73,
>Jack - WA2OLZ

John Ferrell W8CCW

From -525620727661889128
X-Google-Thread: 108122,ae2f63a5101f95b2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 12 Apr 2006 23:47:40 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program. COAX_VLF
Date: Thu, 13 Apr 2006 05:46:31 +0100

```
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <H8WdnWW6vZdxSqDZnZ2dnUVZ8qudnZ2d@bt.com>
Lines: 32
NNTP-Posting-Host: 86.143.78.225
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
j6w1cgwV6ondcDKLqq2AOka2Jezul1ViRWeJKVLOTYLGCcyv8v8X79O7tiZxOIxqFfxMvAr+KtMNtyh!
3UPQHRP/R1CdDwycnP859ZuJMgGpiMkw/mry2OOrSmdqyElZDgPPCgq12crruQSjaN9DoBomt3w=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3494
```

Now available: Program COAX_VLF

The behaviour of transmission lines at the lower frequencies is more complex than it is at HF and above. The effects set in sooner at higher frequencies on low impedance coaxial transmission lines. They are affected more at higher frequencies than other types of line.

As frequency is reduced below several hundred KHz the impedance Zo increases, its impedance angle becomes more negative, and the propagation velocity decreases. Unusual things happen such as reflection coefficients being greater than unity and the SWR being greater at the input end of a line than it is at the load end.

At power and audio frequencies Zo can be an order of magnitude greater than the nominal HF value, and the angle of Zo aproaches -45 degrees.

It is useful to be aware of the magnitude of such effects. With coax they can be experienced in small ways at frequencies as high as 2 MHz or more.

Download program COAX_VLF in a few seconds from website below and run immediately. Filesize = 48 Kilo-bytes. It is both practical and educational. Try to fathom out how reflection coefficients greater than unity can arise.

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

From -6016713060954874726
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!70ec1bab!not-for-mail
From: Gunner <gunner@lightspeed.net>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Need good radio: A 2m ht with extended receive.
Organization: Coyote Engineering
Reply-To: gunner@lightspeed.net
Message-ID: <8b8s32tf4vd5th22vg16gfqjuru6bjlb4h@4ax.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<1144799861.058371.66910@u72g2000cwu.googlegroups.com>
<8blo325k7qqc2g5hopopp0f9rlmt49q1ho@4ax.com>
<1144868667.315096.26690@i40g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Thu, 13 Apr 2006 10:03:28 GMT
NNTP-Posting-Host: 71.104.127.106
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1144922608 71.104.127.106 (Thu, 13 Apr
2006 03:03:28 PDT)
NNTP-Posting-Date: Thu, 13 Apr 2006 03:03:28 PDT
Xref: g2news1.google.com misc.survivalism:69175 rec.radio.amateur.equipment:3495
rec.radio.scanner:3042 rec.radio.shortwave:31317 alt.ham-radio.vhf-uhf:1661

On 12 Apr 2006 12:04:27 -0700, jpolaski@rgs.uci.edu wrote:

>I wonder if mine's defective, then. Or maybe it's not set up correctly.
>I really should read the instructions...
>
>I've tried channels 1--40, and *rarely* hear anything. I heard one
>conversation, once, several months ago. Last weekend I was in Exiter,
>by Bakersfield, and got nothing, again. 1--40 were all dead as far as I
>could tell.

When you come up to the homestead next time..Ill check your rig out.

Gunner

```
From 5918570019124493095
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe10.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<WXN_f.138873$fd3.113576@fe06.news.easynews.com>
<7s5o32tljdm5rfndnl6e1urgep6cq672pj@4ax.com>
<m%V_f.66590$ot5.3173@fe09.news.easynews.com>
<7hsp32l2qgierjvbogavoia9fq17qinf4u@4ax.com>
<Vz6%f.76371$ot5.20998@fe09.news.easynews.com>
<1144882343.740346.284650@i40g2000cwc.googlegroups.com>
Subject: Re: Need good radio: A 2m ht with extended receive.
Lines: 14
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <XDq%f.85010$Un3.13354@fe10.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 13 Apr 2006 11:31:04 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3496
```

hot-ham-and-cheese@hotmail.com wrote:

> Travis Jordan wrote:
> > However, since the OP apparently treats Usenet as a write-only
> > medium I guess we won't be able to help them.
>
> He's replied to Bart Baily on the 11th.

Thanks. Didn't see his/her post in rec.radio.amateur.equpment on Easynews, my local ISP's server, or Google. I did find a response in misc.survivalism, a group to which I do not subscribe. Subsequently I've quit crossposting to groups to which I don't subscribe - which I should have done a while ago as a matter of netiquette.

```
From -8257403224169957498
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
```

```
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: jpolaski@rgs.uci.edu
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Need good radio: A 2m ht with extended receive.
Date: 13 Apr 2006 09:38:44 -0700
Organization: http://groups.google.com
Lines: 6
Message-ID: <1144946324.061547.265330@j33g2000cwa.googlegroups.com>
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
   <1144799861.058371.66910@u72g2000cwu.googlegroups.com>
   <8blo325k7qqc2g5hopopp0f9rlmt49q1ho@4ax.com>
   <1144868667.315096.26690@i40g2000cwc.googlegroups.com>
   <8b8s32tf4vd5th22vg16gfqjuru6bjlb4h@4ax.com>
NNTP-Posting-Host: 128.200.156.134
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144946329 16688 127.0.0.1 (13 Apr 2006 16:38:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Apr 2006 16:38:49 +0000 (UTC)
In-Reply-To: <8b8s32tf4vd5th22vg16gfqjuru6bjlb4h@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=128.200.156.134;
   posting-account=PQ5bsRMAAAAKVWni8gvAtU7DPyygD5KuJe0wkzjn816cre-YfY4DvA
Xref: g2news1.google.com misc.survivalism:69289 rec.radio.amateur.equipment:3497
rec.radio.scanner:3046 rec.radio.shortwave:31329 alt.ham-radio.vhf-uhf:1662
```

I'd like that. Now that I think about it more, the weather channels all
work fine, it's just that I very rarely pick up any conversations on
chanels 1--40. So I'm assuming it receives fine. It would be good to
try it out with another CB and see if I can pick them from the same
room.

```
From 5416984152967829375
X-Google-Thread: 108122,936f5135c14546fe,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: muldawer@gmail.com
Newsgroups: rec.radio.amateur.equipment
```

Subject: FA: YAESU VX7R VX-7R TRIPLE BAND NICE! Many Extra's No Res!
Date: 13 Apr 2006 10:13:24 -0700
Organization: http://groups.google.com
Lines: 79
Message-ID: <1144948404.485281.87180@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.241.228.239
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1144948411 22510 127.0.0.1 (13 Apr 2006 17:13:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 13 Apr 2006 17:13:31 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=71.241.228.239;
   posting-account=5muBfA0AAAAIboRFUE1VOY_MP77Wnzit
Xref: g2news1.google.com rec.radio.amateur.equipment:3498

YAESU VX7R VX-7R TRIPLE BAND NICE! Many Extra's No Res!

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D9712306609&rd=3D1&sspa=
gename=3DSTRK%3AMESE%3AIT&rd=3D1

YAESU VX7R VX-7R TRIPLE BAND NICE! Many Extra's (No Reserve!)

Up for auction is a very nice Yeasu VX-7R with many extras . What you see in the photos are what you will receive. I have just have not had the chance to use it. Everything works great! Good luck!

THE WORLD'S FIRST SUBMERSIBLE AMATEUR HAND-HELD

Protected against water ingress by a wide array of rubber gaskets and other weatherproofing techniques, the VX-7R is rated for 30 minutes of submersion at a depth of 3 feet (JIS-7), plus a tough magnesium body with rubber bumper pads, making it ideal for outdoor use. Plus you get Dual Receive, 50/144/430 MHz operation plus wide-band receive coverage, a full color status indicator Strobe, and an "Internet" key for quick access to the exciting new WIRES=99 repeater-internet linking system.

Unmatched Weatherproofing

The VX-7R case, keypad, speaker, and connectorts are carefully sealed to protect the internal circuitry against water damage. And the optional CMP460A Speaker/Microphone, like the transceiver itself, is rated for 30 minutes of submersion at a depth of up to three feet. The VX-7R is available in both Silver (VX-7R) and Black (VX-7RB) versions.

50/144/430 MHz: 5 Watts of Power

Utilizing a reliable FET power amplifier circuit, the VX-7R provides a full 5 Watts of power output on the 50, 144, and 430 MHz Amateur bands, with bonus coverage of the 222 MHz band at 300 mW (USA version only). And for 6-meter AM enthusiasts, you also get 1 Watt of carrier power on the 50 MHz band. Four power levels may be selected, each offering its own degree of battery conservation.

Dual Receive

The VX-7R is capable of four modes of Dual Receive, including simultaneous reception of (1) two VHF frequencies; (2) two UHF frequencies; one VHF and one UHF frequency; or one "general coverage" frequency and one "Ham" frequency. And you can set up the VX-7R to reduce the audio level on the "Sub" band, if you like, when a call is received on the "Main" band.

The Most Memories Ever

Sporting the most memory capability of any Amateur transceiver, the VX-7R includes over 900 memory channels, yet access is simple and intuitive, thanks to the 8-character labeling capability. These memories include 450 "regular" memories, 10 "One-Touch" memories, 40 programmable band-edge-limit memories 12 "Home" channels, 10 Weather Band memories, 89 Shortwave Broadcast preset memories, 280 Marine channels, and 10 "Hyper" memories that store complete transceiver configuration data.

The Most Dazzling Display Ever

More Info:

VX-7R.pdf (500.90 KB)
Amateur Radio \ Manuals \ VHF/UHF Handhelds

VX-7R Spanish Manual (3.29 MB)
vx_7r manual.pdf (2.30 MB)

EXTRAS:

* Yeasu CSC-88 Soft Case
* Yeasu 12V Cigarette Lighter w/ noise filter
* Extra 2 meter / 440 antenna
* Extra belt clip
* MFJ-295 Microphone
* Laminated Quick Reference Guide, a little bent.

```
From -1921183634085915412
X-Google-Thread: 108122,5336367c00c67d48,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
```

```
mail
From: "Graham" <g0nbd@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FT480 Slow to go on tx from  first turn on
Date: 14 Apr 2006 04:10:57 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1145013057.015072.126420@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 84.65.9.3
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145013071 6453 127.0.0.1 (14 Apr 2006 11:11:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Apr 2006 11:11:11 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=84.65.9.3;
   posting-account=MRsKpw0AAAAuXc5OKeG7ZdK8vosPV8Zz
Xref: g2news1.google.com rec.radio.amateur.equipment:3499

? My Ft 480 has developed a odd fault ..

when first turned on from cold rx works fine, but set will not go to tx
when mic pressed-in all modes- (or cw key) wait about 30 seconds with
mic/key pressed - then it go's to  tx and works fine

from cold, there is no click  from the t/r relay .. once it had wored ,
keeps running fine .. any one seen this before ? ... i assume its may
be a relay .. but that dont explain why there is no responce at turn on
?

Tnx

G ..



From -6265079186557222134
X-Google-Thread: 108122,5336367c00c67d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Apr 2006 06:48:23 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1145013057.015072.126420@i40g2000cwc.googlegroups.com>
Subject: Re: FT480 Slow to go on tx from  first turn on
Date: Fri, 14 Apr 2006 06:48:18 -0500
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <P-SdnTKA7P-VEaLZnZ2dnUVZ_vydnZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
T9rc7fjKaN442P5BNMt6+TK9lFlUzl5fMA0TlHgN8mmiUyeX7AUKMphsgEToYwQP+2KbY9WagxJjWHE!
VpHsjNH65Km7103q6eYT2o7xYXM5A//r1LT9Zu4KtFb7hN+6nvl8t5adhzuMNIUa4ffDr3V+f8+w!
4Bpx4jGPkLZ9
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3500

Have you tried doing a microprocessor reset?? The one in my truck started
doing all kinds of weird stuff after a severe lightening storm... did the
partial reset, and all was right with the world again.

-n6ojn

"Graham" <g0nbd@hotmail.com> wrote in message
news:1145013057.015072.126420@i40g2000cwc.googlegroups.com...
>? My Ft 480 has developed a odd fault ..
>
> when first turned on from cold rx works fine, but set will not go to tx
> when mic pressed-in all modes- (or cw key) wait about 30 seconds with
> mic/key pressed - then it go's to  tx and works fine
>
> from cold, there is no click  from the t/r relay .. once it had wored ,
> keeps running fine .. any one seen this before ? ... i assume its may
> be a relay .. but that dont explain why there is no responce at turn on
> ?
>
> Tnx
>
> G ..
>




From -350802015820282513
X-Google-Thread: 108122,5336367c00c67d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
```

```
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!90335db4!
not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT480 Slow to go on tx from  first turn on
Message-ID: <nc6v321nadl5kr7gidq5lqj7pnfm3mepur@4ax.com>
References: <1145013057.015072.126420@i40g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Fri, 14 Apr 2006 12:47:43 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1145018863 24.148.146.109 (Fri, 14 Apr
2006 05:47:43 PDT)
NNTP-Posting-Date: Fri, 14 Apr 2006 05:47:43 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3501

It sounds like an auto tuner having a hard time getting a match.

30 seconds is an awfully long time though.

On 14 Apr 2006 04:10:57 -0700, "Graham" <g0nbd@hotmail.com> wrote:

>? My Ft 480 has developed a odd fault ..
>
>when first turned on from cold rx works fine, but set will not go to tx
>when mic pressed-in all modes- (or cw key) wait about 30 seconds with
>mic/key pressed - then it go's to  tx and works fine
>
>from cold, there is no click  from the t/r relay .. once it had wored ,
>keeps running fine .. any one seen this before ? ... i assume its may
>be a relay .. but that dont explain why there is no responce at turn on
>?
>
>Tnx
>
>G ..
John Ferrell W8CCW


From -6096102841313986156
X-Google-Thread: 108122,5099442ee6775d18,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: APRSPoint special
```

```
Date: 14 Apr 2006 10:04:45 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1145034285.241127.271740@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 58.19.35.84
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145034291 733 127.0.0.1 (14 Apr 2006 17:04:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Apr 2006 17:04:51 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=58.19.35.84;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news1.google.com rec.radio.amateur.equipment:3502

APRSPoint is the latest APRS implementation that integrates seamlessly
with mappoint to allow you to track anyone on a street level detailed
map. It handles imput from RF and internet feeds, and works with
Kenwood radios with built-in TNC's in an easy to use interface. It is
considered to be the most stable and intuitive, and ideal for first
time users. We are offerring a special discount right now. Please visit
http://www.aprspoint.com for details. Thanks.



From -5977886367126130956
X-Google-Thread: 108122,9038ffd130ae4338,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: creepystare@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Give up CB for ham?
Date: 14 Apr 2006 11:32:06 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 151.196.228.51
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145039532 6449 127.0.0.1 (14 Apr 2006 18:32:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Apr 2006 18:32:12 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 IWSS1:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=151.196.228.51;
```

```
   posting-account=JiLZbg0AAADOkr3FgIjdfN9YLe3ltW0f
Xref: g2news1.google.com rec.radio.amateur.equipment:3503
```

Alot of people are telling me that CB is just for inbred hicks and that

I should replace the CB in my truck with a ham radio. What do you
think?

```
From 5006213156641128232
X-Google-Thread: 108122,5336367c00c67d48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "Graham" <g0nbd@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FT480 Slow to go on tx from first turn on
Date: 14 Apr 2006 11:40:17 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1145040017.721719.97920@z34g2000cwc.googlegroups.com>
References: <1145013057.015072.126420@i40g2000cwc.googlegroups.com>
   <nc6v321nadl5kr7gidq5lqj7pnfm3mepur@4ax.com>
NNTP-Posting-Host: 84.71.33.242
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145040023 16843 127.0.0.1 (14 Apr 2006 18:40:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Apr 2006 18:40:23 +0000 (UTC)
In-Reply-To: <nc6v321nadl5kr7gidq5lqj7pnfm3mepur@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=84.71.33.242;
   posting-account=MRsKpw0AAAAuXc5OKeG7ZdK8vosPV8Zz
Xref: g2news1.google.com rec.radio.amateur.equipment:3504
```

no tuner - rigs a 145 mhz multi mode - there is no battery for keeping
settings when powered down ...

where could I download manual ?

G ..

```
From -2722847314903606778
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 14 Apr 2006 13:44:43 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
Subject: Re: Give up CB for ham?
Date: Fri, 14 Apr 2006 13:44:41 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2869
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2869
X-RFC2646: Format=Flowed; Original
Message-ID: <SNednRfLy-8GcKLZRVn-iA@comcast.com>
Lines: 12
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-KBhbdlEJwVCxhptAod+heZ6cpO1jAfv4NNBygipg1VJBSY1n6hvkI4yI8fyw/
PibFz6LmPqGf3XGUik!/x4nI0v/2h4kaT+lwqnjiQAr++/cWDRCDGXHiC9L2XjeBNmjj1MrgLFJJ2+
+preWdw2Ilb3F82g=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3505


<creepystare@gmail.com> wrote in message
news:1145039526.732585.33890@v46g2000cwv.googlegroups.com...
> Alot of people are telling me that CB is just for inbred hicks and that
>
> I should replace the CB in my truck with a ham radio.  What do you
> think?

I think you should put the Childrens Band on the back shelf, and get
licensed to play with the grown-ups.





From -1077869423379021040
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p02!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
```

```
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
In-Reply-To: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 28
Message-ID: <gdS%f.10691$IZ2.10538@dukeread07>
Date: Fri, 14 Apr 2006 14:54:13 -0400
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1145040844 24.254.177.70 (Fri, 14 Apr 2006 14:54:04 EDT)
NNTP-Posting-Date: Fri, 14 Apr 2006 14:54:04 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3506



creepystare@gmail.com wrote:
> Alot of people are telling me that CB is just for inbred hicks and that
>
> I should replace the CB in my truck with a ham radio.  What do you
> think?
>

I think my Troll-O-Meter just pegged out....


0|||||||||||||||||||||||||||||100/
                                 /
                                /
                               /
                              /
                             /
                            /
                           /
                          /
                         /
                        /
                       /
                      /
                     /
                    /
                  (.)


From -5973069266803446730
X-Google-Thread: 108122,f58ee9fcdd936115,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
```

From: "geo-k9zu" <George.E.Hollis@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TS950SDX menu mystery
Date: 14 Apr 2006 11:59:37 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1145041177.857795.290370@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 207.188.230.66
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1145041186 11007 127.0.0.1 (14 Apr 2006 18:59:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 14 Apr 2006 18:59:46 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=207.188.230.66;
   posting-account=63eBRQ0AAADgnp-SHDpKUlOamLZUkYBK
Xref: g2news1.google.com rec.radio.amateur.equipment:3507

Just what does menu function 05 (Sub-main rcvr Cross on/off) really do?
  I have been trying to track down an easy way to use the sub receiver
signal as a really effective noise blanker. Am I on the right track?

From 1157103693042070375
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Fri, 14 Apr 2006 22:28:56 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
In-Reply-To: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <1caf2$44405a83$453d9423$16589@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 23
X-Trace: 1caf244405a83e098318616589
Xref: g2news1.google.com rec.radio.amateur.equipment:3508

creepystare@gmail.com wrote:

> Alot of people are telling me that CB is just for inbred hicks and that
>
> I should replace the CB in my truck with a ham radio. What do you
> think?
>

I don't think it's that simple. CB isn't exactly the place to discuss Master's theses, but I suppose it has a place.

but ... if you're serious about learning about radio, including some very basic circuit theory and radio operations protocol, ham radio can be rewarding on a scale not imagined around 27MHZ.

Don't replace that CB. Get a shortwave radio that picks up ham radio and listen for a while. Google "ARRL" and find out if it seems like its for you.

GEE, do you think I just got fished in?

so be it.

John
AB8WH

```
From 4878278239626041581
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Fri, 14 Apr 2006 22:30:23 -0400
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
<gdS%f.10691$IZ2.10538@dukeread07>
In-Reply-To: <gdS%f.10691$IZ2.10538@dukeread07>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <da8a$44405ada$453d9423$16589@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 32
X-Trace: 0da8a44405adae098318616589
Xref: g2news1.google.com rec.radio.amateur.equipment:3509
```

nitespark wrote:
>
>
> creepystare@gmail.com wrote:

```
>
>> Alot of people are telling me that CB is just for inbred hicks and that
>>
>> I should replace the CB in my truck with a ham radio.  What do you
>> think?
>>
>
> I think my Troll-O-Meter just pegged out....
>
>
> 0|||||||||||||||||||||||||||||100/
>                                 /
>                                /
>                               /
>                              /
>                             /
>                            /
>                           /
>                          /
>                         /
>                        /
>                       /
>                      /
>                     /
>                    /
>                  (.)
```

I really like your Troll-O-Meter...must have taken a few minutes.

```
From -3339682159179749332
X-Google-Thread: 108122,9038ffd130ae4338
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread3.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <4440F87F.39705332@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Give up CB for ham?
References: <1145039526.732585.33890@v46g2000cwv.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Sat, 15 Apr 2006 13:44:04 GMT
NNTP-Posting-Host: 24.110.34.161
```

X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1145108644 24.110.34.161 (Sat, 15 Apr 2006 06:44:04 PDT)
NNTP-Posting-Date: Sat, 15 Apr 2006 06:44:04 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3510

Definitely! Ham makes a great sandwich, but Chicken Breast is just so-so.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -4775951233220429699
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: W2RAC <w2racNOSPAM@cfl.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Smallest 2M/440 mobile rig??
Message-ID: <2u6242da2sukpq7klf85e0pj9sn27srpuk@4ax.com>
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com> <kobr32te4dc1goq0vbq8pruh9otemu92dg@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
Date: Sat, 15 Apr 2006 16:14:19 GMT
NNTP-Posting-Host: 65.33.228.70
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1145117659 65.33.228.70 (Sat, 15 Apr 2006 12:14:19 EDT)
NNTP-Posting-Date: Sat, 15 Apr 2006 12:14:19 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3511

Dont forget the IC-208
Its head is almost as small as my FT-90's

On Thu, 13 Apr 2006 01:59:03 GMT, John Ferrell <johnferrell@sprintmail.com> wrote:

```
>I measured my Yaesu FT90R's control head. It is 1-1/8 inches X 4
>inches.
>I don't think it is still available.
>
>On 11 Apr 2006 09:26:15 -0700, "WA2OLZ" <daedalusnj@earthlink.net>
>wrote:
>
>>Looking for advice to find the smallest dual-band mobile rig with
>>remote head capabiltiy. The size of the transceiver is unimportant; the
>>size of the remote head is what it's all about.
>>
>>I traded my SUV for a VW Passat and there's not a lot of room to mount
>>anything! I've already swapped out the standard 2X-DIN radio for a
>>single DIN and installed a scanner in the other half of the 2X-DIN
>>space, so that's gone. I have my GPS and Blackberry holder mounted on
>>ProClip mounts, so I'm really getting tight.
>>
>>I'd really like to find the smallest possible remote head mobile rig as
>>I'm not fond of HTs in a mobile environment.
>>
>>Any help would be appreciated.
>>
>>Tnx & 73,
>>Jack - WA2OLZ
>John Ferrell W8CCW




From -6564656743549516271
X-Google-Thread: 1109af,d322885bd3df1d20,start
X-Google-Thread: 108122,d322885bd3df1d20,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 15 Apr 2006 13:17:11 -0500
From: Mike Nowlen <mnowlen@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.commer
cial-lmr,rec.radio.lmr-commercial,rec.radio.lmr-commerical
Subject: ICOM CK-11 Cable Kit for IC435 Series Transcivers: $25
Date: Sat, 15 Apr 2006 14:17:10 -0400
Message-ID: <15e242d3d0f11e019bqcs4r3ef1jcmk7tf@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: 69.255.1.133
X-Trace: sv3-48nwAP/zgSHeZ3oRSnbq7bYPBtNU1x7BV5lfxd3Siv8LXCL3bDOg/
KnuOpeulAz9Y9Hph3ECeqQLlJg!
XajNDdk6S5sOF1WP3tvcWbe7dQ0qtNycMfvOFru2M6depRVUXfvrKftIOcm3Klc52KdC9WwnOA7f!
```

```
wSqyMOCmyg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3567 rec.radio.amateur.equipment:3512
```

New Icom remote cable kit complete with mounting and hardware in
original box for Icom Series Commercial Mobile Transceivers

CK-11 for IC435:

$25 + actual shipping costs. Email with zip code for shipping costs.

Thanks for reading
mnowlen@comcast.net

```
From 876817263469450002
X-Google-Thread: 108122,4bafe4a04e53f3d0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
news.newsland.it!news.ngi.it!nnrp.ngi.it!not-for-mail
From: "Rightrik" <gaggiorNOSPAM@tin.itNOSPAM>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB : Kenwood SO-2 TCXO
Date: Sat, 15 Apr 2006 23:08:08 +0200
Organization: NGI SpA - http://www.ngi.it
Lines: 7
Message-ID: <e1rnbp$i5s$1@nnrp.ngi.it>
NNTP-Posting-Host: 81-174-46-174.f5.ngi.it
Mime-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Trace: nnrp.ngi.it 1145135289 18620 81.174.46.174 (15 Apr 2006 21:08:09 GMT)
X-Complaints-To: abuse@ngi.it
NNTP-Posting-Date: Sat, 15 Apr 2006 21:08:09 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news1.google.com rec.radio.amateur.equipment:3513
```

Hello, i am looking for a (perfectly working, not modified or damaged)
Kenwood SO-2 TCXO for my Kenwood 870.

To write privately please remove antispam.

73 de Riccardo IK5WQO

```
From 5495819209046834016
X-Google-Thread: 108122,4cf248b57280f4da,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.freenet.de!news.newsland.it!news.ngi.it!nnrp.ngi.it!not-for-
mail
From: "Rightrik" <gaggiorNOSPAM@tin.itNOSPAM>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB : HAL DXP38 RTTY MODEM
Date: Sat, 15 Apr 2006 23:09:32 +0200
Organization: NGI SpA - http://www.ngi.it
Lines: 7
Message-ID: <e1rnee$i5u$1@nnrp.ngi.it>
NNTP-Posting-Host: 81-174-46-174.f5.ngi.it
Mime-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Trace: nnrp.ngi.it 1145135374 18622 81.174.46.174 (15 Apr 2006 21:09:34 GMT)
X-Complaints-To: abuse@ngi.it
NNTP-Posting-Date: Sat, 15 Apr 2006 21:09:34 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1807
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1807
Xref: g2news1.google.com rec.radio.amateur.equipment:3514
```

Hello, i am looking to buy a HAL DXP38 rtty modem, well kept perfectly
working and at decent price. Even new, if price is good.

To write privately please remove antispam.

73 de Riccardo IK5WQO

```
From 6720057013102832501
X-Google-Thread: 108122,e9157b485d70fd0e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!
53ab2750!not-for-mail
From: JJ <jamesevens75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
```

```
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Spring Sale
References: <1145046943_8601@sp6iad.superfeed.net>
In-Reply-To: <1145046943_8601@sp6iad.superfeed.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <6Gk0g.2668$ER1.2032@fe08.lga>
Date: Sun, 16 Apr 2006 01:32:52 -0400
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1145165570 24.47.254.156 (Sat, 15 Apr 2006 22:32:50 MST)
NNTP-Posting-Date: Sat, 15 Apr 2006 22:32:50 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:3515

Denise wrote:

>Get up to 50% Off our Ultimate Protein Plus Weight Loss Program now through the
end of April.
>
>For more information:
>http://gallery.bcentral.com/GID5149586-Home.aspx
>
>
>
She wants protein?



From -6616837328692014233
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 08 Apr 2006 17:50:43 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
<e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
<44373E59.C21F3F53@earthlink.net> <VZadndOT9cnTXarZRVn-hg@comcast.com>
<4437CCB8.C03CDF7A@earthlink.net>
Subject: Re: Catalog
Date: Sat, 8 Apr 2006 17:50:42 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <xZydnVkWItTeo6XZnZ2dnUVZ_v2dnZ2d@comcast.com>
Lines: 110
```

```
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
xH3ucxWWRXmPfcmnR+nJL6mb4LwL8rCmSdP6G6pFqCVxrASFo0IJlnAhsZp81cByLh6akt6dSCcmke1!
xSKXlm2pT5cSywIjFAmr4rrK6M02romf0FFUI0sYsD+o8GXqCygRUfMYg95ynramqoV9THTE8Ofa!
FV6efVgvtU/i
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3410


"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:4437CCB8.C03CDF7A@earthlink.net...
> Noon-Air wrote:
>>
>> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
>> news:44373E59.C21F3F53@earthlink.net...
>> >
>> >   That sounds like a local HVAC company that called me 35 times in one
>> > week, insisting that I "Needed" their "Central air tune-up special" I
>> > told them the fist 34 times that I didn't even have a window air
>> > conditioner, let alone a central air system and not to call me and tie
>> > up my business phone line again. The last time she called, I asked her
>> > how many phone lines they had.  The woman wanted to know why, so I told
>> > her that if I got one more call that I was going to contact a lot of
>> > people to have them make repeated calls about their services, then to
>> > have them come out to give a price on a new central air system before
>> > telling them they had changed their minds. She yelled that it was
>> > harassment.  I laughed and told her, "Now you know how I feel!", and
>> > hung up.  They never called me back.
>>
>> Sorry you got caught in the telemarketing loop.... I only do
>> mail-outs....
>> and even then at the most only once a month.... The only time I call is
>> the
>> the night before a scheduled appointment, and again when I am enroute.
>> There
>> used to be an HVAC company here that did the same telemarketing routine
>> that
>> you got... their agreements were'nt worth the paper they were written on,
>> and they had done more damage to the folks systems than they repaired. I
>> gained a lot of customers from them. FWIW, I have *never* done a
>> "tune-up"
>> special..... Thats a real good way to end up on Dateline, or 60 Minutes.
>> :-)
>
>
>   I wasn't trying to imply you were that bad, it just reminded me of
> some of the low lifes around here who change their business name more
> often than they replace their trucks.  I grew up in Ohio where MOST
```

> trades people took a lot of pride in their work. I now live in Florida
> and I have NEVER seen one good drywall job. My dad and step mom bought
> a new home two years ago. The bastards sold them a heat pump, and
> installed central air with heat strips but no heat pump, before they
> disappeared.

They can probably still be found and prosecuted

>   I have a firm rule: I NEVER do business with any telemarketer.
> Everyone in my subdivision got a letter for a realtor informing them
> that their property had gone up 37,000 in the past year, and claiming to
> have been in business for 25 years. I have access to the county's
> property database, and not one home in the subdivision had gone up that
> much, except one that was replaced after the hurricanes the year before.
> Like most of the homes here, my property had gone up less than $2,000.
> I checked out the "Realtor" to find that he didn't even have a listed
> telephone the year before. I should have turned him over to the state
> for fraud.

Is there a statuate of limitations on fraud??

>> You only have *ONE* DD214?? I have 4 of them... did 22 years in the US
>> Coast
>> Guard. I just hung around until it wasn't no fun no more :-)
>
>
>   I only did one tour in the US Army in the early '70s. They were
> phasing out my MOS, and hiring civilians. I was offered a civil service
> job at Ft Rucker, but I turned it down. My MOS was "TV Equipment
> Repairman", which meant that I was a broadcast engineer for AFRTS. As
> far as having fun, I nearly caused a riot at Ft Greely Alaska, when I
> transmitted out station ID in color on a completely monochrome
> facility. I couldn't let the base information officer get away with
> telling me, and everyone else that it was impossible to use anything at
> the station for color. To add insult to injury, I did it at 6:00 PM, at
> the start of our live newscast to make sure that the maximum number of
> people would see it before I hid the evidence. NEVER tell the engineer
> what he can do! ;-)

I was a mechanical engineer... we got to play with things that had moving
parts :-)
Someday I will have to write a book about all of the things we did....and
even some of the stuff we *didn't* get caught doing. LOL

Enlisted men are extremely sly and cunning, and bear considerable watching.
-Army Officers Manual 1836

> The sig file is there to be in the face of a moron who has been
> stalking me on line for some time, and a couple idiots who don't think
> much of the US military, and veterans in general.

I bet he never served.... probably a draft dodger that ran to Canade from
the Peoples Repubic of Berkeley.

```
When I got my draft notice, I was on USCGC Glacier in the Bearing Sea.

>   BTW, the quarterly memorial for Veterans who have died in marion
> County Florida in the past quarter is this morning, but I'm not well
> enough to attend.

Hopefully next time you will be able to attend.  In any case, I salute you.

> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida




From 844190768632137113
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-02!sn-post-01!
supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Catalog
Date: Sat, 8 Apr 2006 13:35:12 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0604081329050.1783@malasada.lava.net>
In-Reply-To: <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
 <FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
 <e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news1.google.com rec.radio.amateur.equipment:3411



>>>> Most parts companies don't issue catalogs anymore; you'll need to check
>>>> their web site.
>>>
>>> Mouser sent me a couple of catalogs, the last probably sometime last
>>> year. When I received no more, I assumed that it was because I hadn't
>>> ordered anything from them. Their catalog is on line, but they don't
>>> have everything: I found stuff in the Newark Electronics catalog that
>>> wasn't in Mouser's.
>>>
```

>>> Then there's DigiKey as well.
>>>
>
> It works a whole lot better than folks think.... and you still got the
> catalog to look through for your next order :-)
>
>
> -n6ojn
>
> Steve @ Noon-Air Heating & A/C
> Noon-Air@comcast.net
>
> Life is what happens while you were making other plans
>

Well I finally got thru to a Supervisor at MOUSER and told them
I had been promised a catalog a year ago and the noone in Hawaii
had every heard about MOUSER and why did they promise me one and
then never send it.   They profuxely appologized to me and
said I would be sent one right away and it weighed x lbs
(I forgot how many lbs). I also told them I dont want any catalogging
done via email.
                   Joe

```
From 8458683685825558118
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread2.news.atl.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <44387843.A60BDE94@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Catalog
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
<e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
<44373E59.C21F3F53@earthlink.net> <VZadndOT9cnTXarZRVn-hg@comcast.com>
<4437CCB8.C03CDF7A@earthlink.net> <xZydnVkWItTeo6XZnZ2dnUVZ_v2dnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 115
Date: Sun, 09 Apr 2006 02:58:45 GMT
NNTP-Posting-Host: 24.110.34.161
```

X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1144551525 24.110.34.161 (Sat, 08 Apr 2006 19:58:45 PDT)
NNTP-Posting-Date: Sat, 08 Apr 2006 19:58:45 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3412

Noon-Air wrote:

> They can probably still be found and prosecuted

I tried to get them to do it, but they have given up.

> I was a mechanical engineer... we got to play with things that had moving parts :-)

I tested out of three years at Ft. Monmoth New Jersey's electronics school and was awarded my MOS as a civilian acquired skill while I was in basic training at Ft. Knox, Kentucky. That was the main reason I didn't re-enlist. I caught a lot of flak from people who didn't like that I was only in the service a couple months before I was doing the same work they were, without going to the military school. They got really pissed that I could take a quick look at defective equipment and fix it before they could dig out the manuals and their notebooks. I even repaired RADAR equipment for a couple weeks while they were short handed. The RADAR techs were highly pissed when I told them that I had read the manuals for a WWII surplus aircraft RADAR system while I was in high school, and that it wasn't that different from a TV set. Anyone remember the 15E RF tube and the 15R rectifier? Electronics has always been easy to me.

> Someday I will have to write a book about all of the things we did....and
> even some of the stuff we *didn't* get caught doing. LOL

The engineers at Ft Greely insisted that we didn't need any air conditioning at the TV station, then claimed that we didn't have enough power for the 208/240 single phase through the wall AC we had bought out of our budget. It was six feet from a 100 amp three phase breaker box that was used to power the control room and transmitters. I popped off the cover to find that some genius had only used one phase, leaving me 100 amps at 208 VAC available to run a 30 amp unit. They still refused to hook it up, so I called one of the enlisted men who worked in that section. He rummaged around a few abandoned buildings and brought me what I needed to hook it up myself. We cooled the TV studio by opening the back door in the winter time. the -40 degree air did a nice job cooling the set, till a bear tried to get in one night. :(

> Enlisted men are extremely sly and cunning, and bear considerable watching.
> -Army Officers Manual 1836

I worked in the "Weathervision" section at Ft Rucker Alabama, which included CATV, Educational TV, CARS Microwave and other assorted equipment. Our mission was to provide weather data to the control towers, flight ready rooms and classrooms where they taught the helicopter pilots to fly. We also maintained the entertainment CATV systems on the base, in parts of the on base housing areas. Some idiot cut the cable feeding our day room and pulled it to his room in the barracks. I reported it to the civilian contractor, but three days later it was still out, so I borrowed one of our bucket trucks from my section and repaired it at lunch time. I was just finishing up when the guy showed up. He was rather upset, till he found out that i had not only repaired it, but I moved the drop to where the moron couldn't reach it where it ran from the pole to the roof of the three story brick building. Then he told me that he was the only tech that serviced the base, and that I could put a drop into my one man room on the second floor, as long as I hid it for inspections. He offered me the supplies, but I had enough used stuff in the truck to do the job. The following Monday afternoon I got back from my duty section to find that the wire had been pulled loose from the hook outside my window, and run into the CQ room of the other company. I told them that it was MY drop that they had stolen. I received an obscene gesture and a threat, so i smiled and left. A couple hours later when they turned their TV on, I got a really good grip on the wire from my second floor window and pulled, really hard. I heard a loud crash, and a lot of cursing. Then they were pounding on my door, demanding that I give it back, and pay to replace their TV. It never happened, and I had cable TV till the day I left for Alaska. ;-)

> > The sig file is there to be in the face of a moron who has been
> > stalking me on line for some time, and a couple idiots who don't think
> > much of the US military, and veterans in general.
>
> I bet he never served.... probably a draft dodger that ran to Canade from
> the Peoples Repubic of Berkeley.

He's a mental welfare case. Neither our military, or Canada would have him.

> When I got my draft notice, I was on USCGC Glacier in the Bearing Sea.
>
> > BTW, the quarterly memorial for Veterans who have died in marion
> > County Florida in the past quarter is this morning, but I'm not well
> > enough to attend.
>
> Hopefully next time you will be able to attend. In any case, I salute you.

Thank you, and you as well. My mission to help local disabled Veterans is to repair and give away used computers to those who want, but can't afford a computer a used system that will let them do email and browse the web. The VA recently upgraded the computers that handle prescriptions, and those of us under the VA's care can refill their prescriptions online. http://www.myhealthevet.va.gov/

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 2022200424881236407
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!tudelft.nl!
txtfeed1.tudelft.nl!feed10.multikabel.net!multikabel.net!feed20.multikabel.net!
border1.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-04!sn-post-
ams-02!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Military and Monmouth
Date: Sat, 8 Apr 2006 17:23:38 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0604081705350.12804@malasada.lava.net>
In-Reply-To: <44387843.A60BDE94@earthlink.net>
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
 <FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
 <e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
 <44373E59.C21F3F53@earthlink.net> <VZadndOT9cnTXarZRVn-hg@comcast.com>
 <4437CCB8.C03CDF7A@earthlink.net> <xZydnVkWItTeo6XZnZ2dnUVZ_v2dnZ2d@comcast.com>
 <44387843.A60BDE94@earthlink.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 31
Xref: g2news1.google.com rec.radio.amateur.equipment:3413

>
> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida
>

Speaking along those lines, I was an RO at a WW1 CCC camp in Fla when I got a msg from Sig Corps at WUO Ft Benning asking me to come up and sign up with them and they would put me to work right away. No basic training, or boot camp.   I grabbed it as I knew I could handle the CW up to around 40WPM at the CCC's. Only problem was I got paid $8 a month and $22 a month went direct to my Mom.   After started at WD Radio in Benning even as a PFC I was drawing down about $80 a month in 1940. Reason WUO handled not only the S.C. WD Radio traffic, but also handled all the Western Union and Postal Telegrph stuff accross the counter so both W.U. and Postal Tel paid us a commision on top of our Military Pay.   Never went to any S.C. School until about 1944 as we rotated back to the USA on our 85 points system of overseas duty. They did'nt know what to do with all the 5 and 6 stripe NCO's that were being thrown back to USA, So they sent us to Camp Crowder S.C. school and taught us how to be technicians on wide band FM which was just coming into existance.

Exited at Drew Field in FLA. just after VJ Day
Joe/KH6JF/ABM6JF/KP4EX/W4FAG/W9ZUU

```
From -8559822773009061055
X-Google-Thread: 108228,9d603dac181c7332,start
X-Google-Thread: 108122,9d603dac181c7332,start
X-Google-Thread: 1109af,9d603dac181c7332,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola CP200 Portable Radio-Wide Frequency Coverage 438-470 MHz-
Quite Small Size
Lines: 38
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001D_01C65B60.D2D15500"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <ps1_f.27$_m5.24@fed1read09>
Date: Sat, 8 Apr 2006 23:04:43 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1144562581 68.96.227.248 (Sun, 09 Apr 2006 02:03:01 EDT)
NNTP-Posting-Date: Sun, 09 Apr 2006 02:03:01 EDT
Organization: Cox Communications
Xref: g2news1.google.com alt.ham-radio.marketplace:804
```

```
rec.radio.amateur.equipment:3414 rec.radio.swap:3494

This is a multi-part message in MIME format.

------=_NextPart_000_001D_01C65B60.D2D15500
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola CP200 Portable Radio-Wide Frequency Coverage 438-470 =
MHz-Quite Small Size=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7606397436&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_001D_01C65B60.D2D15500
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA: Motorola CP200 Portable Radio-Wide Frequency Coverage 438-470 =
MHz-Quite=20
Small Size </P></FONT>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7606397436&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7606397436&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_001D_01C65B60.D2D15500--




From 2787867579084190602
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe04.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
```

<e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
<Pine.BSI.4.61.0604081329050.1783@malasada.lava.net>
Subject: Re: Catalog
Lines: 12
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <ZK8_f.30226$nk.19546@fe04.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 09 Apr 2006 14:20:41 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3415

Joseph Fenn wrote:
> Well I finally got thru to a Supervisor at MOUSER and told them
> I had been promised a catalog a year ago and the noone in Hawaii
> had every heard about MOUSER and why did they promise me one and
> then never send it.   They profuxely appologized to me and
> said I would be sent one right away and it weighed x lbs
> (I forgot how many lbs). I also told them I dont want any catalogging
> done via email.

You're welcome.

From -7971041749577203001
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 09 Apr 2006 12:22:28 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
<e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
<44373E59.C21F3F53@earthlink.net> <VZadndOT9cnTXarZRVn-hg@comcast.com>
<4437CCB8.C03CDF7A@earthlink.net> <xZydnVkWItTeo6XZnZ2dnUVZ_v2dnZ2d@comcast.com>
<44387843.A60BDE94@earthlink.net>
Subject: Re: Catalog
Date: Sun, 9 Apr 2006 12:22:27 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original

Message-ID: <RradnWtWN9pJ36TZ4p2dnA@comcast.com>
Lines: 130
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-wbUod0brmtWeui9sAr6WDnVeldjgOge9IHjfjRIVLneqERjKlS/
JF6uUdzOhFBTUc5MqrNQMiEfq6Fo!/
b7UPag6htygmqQWqCgMSVlpGPiLTUvwBr2aiWSCiDXQdI4NPJ6TBbhbuizOucDC6PdMitDfhpE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3416

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:44387843.A60BDE94@earthlink.net...
> Noon-Air wrote:
>
>
>> They can probably still be found and prosecuted
>
>
>   I tried to get them to do it, but they have given up.
>
>
>> I was a mechanical engineer... we got to play with things that had moving
>> parts :-)
>
>
>   I tested out of three years at Ft. Monmoth New Jersey's electronics
> school and was awarded my MOS as a civilian acquired skill while I was
> in basic training at Ft. Knox, Kentucky. That was the main reason I
> didn't re-enlist. I caught a lot of flak from people who didn't like
> that I was only in the service a couple months before I was doing the
> same work they were, without going to the military school. They got
> really pissed that I could take a quick look at defective equipment and
> fix it before they could dig out the manuals and their notebooks. I
> even repaired RADAR equipment for a couple weeks while they were short
> handed. The RADAR techs were highly pissed when I told them that I had
> read the manuals for a WWII surplus aircraft RADAR system while I was in
> high school, and that it wasn't that different from a TV set. Anyone
> remember the 15E RF tube and the 15R rectifier? Electronics has always
> been easy to me.
>
>
>> Someday I will have to write a book about all of the things we did....and
>> even some of the stuff we *didn't* get caught doing. LOL
>
>
>   The engineers at Ft Greely insisted that we didn't need any air
> conditioning at the TV station, then claimed that we didn't have enough
> power for the 208/240 single phase through the wall AC we had bought out

> of our budget. It was six feet from a 100 amp three phase breaker box
> that was used to power the control room and transmitters. I popped off
> the cover to find that some genius had only used one phase, leaving me
> 100 amps at 208 VAC available to run a 30 amp unit. They still refused
> to hook it up, so I called one of the enlisted men who worked in that
> section. He rummaged around a few abandoned buildings and brought me
> what I needed to hook it up myself. We cooled the TV studio by opening
> the back door in the winter time. the -40 degree air did a nice job
> cooling the set, till a bear tried to get in one night. :(
>
>
>> Enlisted men are extremely sly and cunning, and bear considerable
>> watching.
>> -Army Officers Manual 1836
>
>
>   I worked in the "Weathervision" section at Ft Rucker Alabama, which
> included CATV, Educational TV, CARS Microwave and other assorted
> equipment. Our mission was to provide weather data to the control
> towers, flight ready rooms and classrooms where they taught the
> helicopter pilots to fly. We also maintained the entertainment CATV
> systems on the base, in parts of the on base housing areas. Some idiot
> cut the cable feeding our day room and pulled it to his room in the
> barracks. I reported it to the civilian contractor, but three days later
> it was still out, so I borrowed one of our bucket trucks from my section
> and repaired it at lunch time. I was just finishing up when the guy
> showed up. He was rather upset, till he found out that i had not only
> repaired it, but I moved the drop to where the moron couldn't reach it
> where it ran from the pole to the roof of the three story brick
> building. Then he told me that he was the only tech that serviced the
> base, and that I could put a drop into my one man room on the second
> floor, as long as I hid it for inspections. He offered me the supplies,
> but I had enough used stuff in the truck to do the job. The following
> Monday afternoon I got back from my duty section to find that the wire
> had been pulled loose from the hook outside my window, and run into the
> CQ room of the other company. I told them that it was MY drop that they
> had stolen. I received an obscene gesture and a threat, so i smiled and
> left. A couple hours later when they turned their TV on, I got a really
> good grip on the wire from my second floor window and pulled, really
> hard. I heard a loud crash, and a lot of cursing. Then they were
> pounding on my door, demanding that I give it back, and pay to replace
> their TV. It never happened, and I had cable TV till the day I left for
> Alaska. ;-)

When I was stationed on west coast WHECs, I tapped into the ships cable
system so I had cable at my rack, and had a little 4 inch TV and little
stereo tucked up in a trap door I cut in the the false overhead over my
rack... it worked great :-)
On the same ship, we had 12 engineers that were licensed HAMs and the CO cot
a bit miffed when he found out that the engineers could copy CW better than
his radiomen could... it was pretty funny. LOL

 >> > The sig file is there to be in the face of a moron who has been

>> > stalking me on line for some time, and a couple idiots who don't think
>> > much of the US military, and veterans in general.
>>
>> I bet he never served.... probably a draft dodger that ran to Canade from
>> the Peoples Repubic of Berkeley.
>
>
>   He's a mental welfare case. Neither our military, or Canada would
> have him.

Maybe they should use him for target practice??

>> When I got my draft notice, I was on USCGC Glacier in the Bearing Sea.
>>
>> >   BTW, the quarterly memorial for Veterans who have died in marion
>> > County Florida in the past quarter is this morning, but I'm not well
>> > enough to attend.
>>
>> Hopefully next time you will be able to attend. In any case, I salute
>> you.
>
>   Thank you, and you as well. My mission to help local disabled
> Veterans is to repair and give away used computers to those who want,
> but can't afford a computer a used system that will let them do email
> and browse the web. The VA recently upgraded the computers that handle
> prescriptions, and those of us under the VA's care can refill their
> prescriptions online. http://www.myhealthevet.va.gov/
>
>
> --
> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida

From -2654646154764196052
X-Google-Thread: 108122,23be82b31f7fe24e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!lust.ihug.co.nz!ihug.co.nz!not-for-mail
From: Chris Mayhew <no@email.con.com>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD Kenwood TR7200G Schematic
Date: Mon, 10 Apr 2006 12:03:48 +1200
Organization: Ye 'Ol Disorganized NNTPCache groupie
Lines: 8
Message-ID: <1144627267.680156@ftpsrv1>

```
NNTP-Posting-Host: news.tranzpeer.net
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: lust.ihug.co.nz 1144627418 21446 202.180.64.19 (10 Apr 2006 00:03:38 GMT)
X-Complaints-To: abuse@ihug.co.nz
NNTP-Posting-Date: Mon, 10 Apr 2006 00:03:38 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Windows/20051201)
Cache-Post-Path: ftpsrv1!unknown@202.180.87.73
X-Cache: nntpcache 2.3.3 (see http://www.nntpcache.org/)
Xref: g2news1.google.com rec.radio.amateur.equipment:3417
```

Hi

I am looking for a high resolution schematic and block diagram - the only ones I have found are unreadable when printed or zoomed in (in PDF format).

TIA
Chris Mayhew

```
From -3472950501202463782
X-Google-Thread: 108228,99496a6f008c765a,start
X-Google-Thread: 108122,99496a6f008c765a,start
X-Google-Thread: 1109af,99496a6f008c765a,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!cox.net!news-
xfer.cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 30-Each Motorola MTX Portable Radios+30-each Rapid Desk Chargers-LQQK
Lines: 38
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C65C1D.2A889940"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <ffl_f.48$_m5.2@fed1read09>
Date: Sun, 9 Apr 2006 21:32:56 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1144643659 68.96.227.248 (Mon, 10 Apr 2006 00:34:19 EDT)
NNTP-Posting-Date: Mon, 10 Apr 2006 00:34:19 EDT
Organization: Cox Communications
Xref: g2news1.google.com alt.ham-radio.marketplace:806
rec.radio.amateur.equipment:3418 rec.radio.swap:3506
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_000A_01C65C1D.2A889940
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 30-Each Motorola MTX Portable Radios+30-each Rapid Desk =
Chargers-LQQK=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7608765348&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_000A_01C65C1D.2A889940
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 30-Each Motorola MTX Portable Radios+30-each Rapid Desk =
Chargers-LQQK=20
</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7608765348&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7608765348&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_000A_01C65C1D.2A889940--




From -5442647919691073225
X-Google-Thread: 108228,b850be5d292f6632,start
X-Google-Thread: 1109af,b850be5d292f6632,start
X-Google-Thread: 108122,b850be5d292f6632,start
X-Google-Attributes: gid108228,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "Rich" <rullery@Pioneer-Data.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment
Subject: FA: Last Day: NIB Iron Horse (Hamstick style HF Antennas)
Date: 10 Apr 2006 08:22:38 -0700
Organization: http://groups.google.com
Lines: 9
Message-ID: <1144682558.036699.298200@i39g2000cwa.googlegroups.com>
```

```
NNTP-Posting-Host: 72.160.73.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144682563 30317 127.0.0.1 (10 Apr 2006 15:22:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Apr 2006 15:22:43 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=72.160.73.35;
   posting-account=GrsS1wwAAAC0nNl98ZqXeZBpfSZeBxFk
Xref: g2news1.google.com alt.ham-radio.marketplace:807 rec.radio.swap:3508
rec.radio.amateur.equipment:3419

http://search.ebay.com/_W0QQsassZzipzapstoreQQhtZ-1

Have more bands not listed there in limited supply.

I use to do hamfests and I am selling off the last of what I have.
Also have One - 5 band kit left 89.00 retail 55.00 plus shipping.

email: rullery@pioneer-data.com




From -1813897605960466640
X-Google-Thread: 10e901,4954ffa85f2b2532,start
X-Google-Thread: 108122,4954ffa85f2b2532,start
X-Google-Thread: fa029,4954ffa85f2b2532,start
X-Google-Thread: 114aac,4954ffa85f2b2532,start
X-Google-Thread: fb049,4954ffa85f2b2532,start
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Survival Weather Radios
Date: 10 Apr 2006 09:00:35 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 4.252.209.19
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144684841 5493 127.0.0.1 (10 Apr 2006 16:00:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Apr 2006 16:00:41 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=4.252.209.19;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news1.google.com misc.survivalism:68026 rec.radio.amateur.equipment:3420
rec.radio.scanner:2961 rec.radio.shortwave:31014 alt.ham-radio.vhf-uhf:1597
```

A question for the group...

What is the favored weather radio for bugout and emergency situations?

Thanks

TMT

```
From 1301017074831793053
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
attbi_s22.POSTED!53ab2750!not-for-mail
From: "DesignGuy" <dontbother@nowhere.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
Subject: Re: Survival Weather Radios
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.0000
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2600.0000
Message-ID: <HAw_f.676495$084.278618@attbi_s22>
NNTP-Posting-Host: 12.202.43.43
X-Complaints-To: abuse@asp.att.net
X-Trace: attbi_s22 1144690087 12.202.43.43 (Mon, 10 Apr 2006 17:28:07 GMT)
NNTP-Posting-Date: Mon, 10 Apr 2006 17:28:07 GMT
Organization: AT&T ASP.att.net
Date: Mon, 10 Apr 2006 17:28:07 GMT
Xref: g2news1.google.com misc.survivalism:68062 rec.radio.amateur.equipment:3421
rec.radio.scanner:2962 rec.radio.shortwave:31018 alt.ham-radio.vhf-uhf:1599
```

"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message
news:1144684835.409226.32320@z34g2000cwc.googlegroups.com...

> A question for the group...

>
> What is the favored weather radio for bugout and emergency situations?
>
> Thanks
>
> TMT

I doubt that there is one "favored" model, but here's my $.02:

I keep a Midland SAME weather radio (model WR-300) at home. For travel, handheld scanners that cover police/EMS freqs as well as NOAA wather channels are useful if you're so inclined. Also several amateur radio handhelds (can only be used for transmitting if you're a licensed radio amateur) cover NOAA weather channels. FRS/GMRS walkie-talkies sometimes include weather channels as well.

BTW, if you're not already a license amateur radio operator (ham), consider getting your license. The Technician class (no Morse code knowledge required) can be obtained by successfully passing a written 35 question exam, and allows local communications via simples or using repeaters for more coverage. A very useful tool for survival situations when the grid goes down, and a fun hobby, too.

```
From 7180262192720597515
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!
not-for-mail
From: David <rickets@knac.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <nhcl32hh4fmbghutr5qm76hecnb8mavrdq@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Mon, 10 Apr 2006 19:30:16 GMT
```

```
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1144697416 66.133.198.234 (Mon, 10 Apr
2006 12:30:16 PDT)
NNTP-Posting-Date: Mon, 10 Apr 2006 12:30:16 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com misc.survivalism:68131 rec.radio.amateur.equipment:3422
rec.radio.scanner:2963 rec.radio.shortwave:31032 alt.ham-radio.vhf-uhf:1600

On 10 Apr 2006 09:00:35 -0700, "Too_Many_Tools"
<too_many_tools@yahoo.com> wrote:

>A question for the group...
>
>What is the favored weather radio for bugout and emergency situations?
>
>Thanks
>
>TMT
>
http://www.midlandradio.com/comersus/store/catalog/74250C.pdf

http://www.midlandradio.com/comersus/store/comersus_viewItem.asp?idProduct=3104



From -1746704532868846476
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
nntp1.phx1.gblx.net!nntp.gblx.net!nntp.gblx.net!news.globalcrossing.net!not-for-
mail
From: "north" <north@the_shack.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Date: Mon, 10 Apr 2006 16:02:12 -0400
Organization: Global Crossing Internet
Lines: 17
Message-ID: <1144699473.439226@nnrp1.phx1.gblx.net>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: nnrp1.phx1.gblx.net
X-Trace: nspool1.phx1.gblx.net 1144699473 10191 64.214.31.40 (10 Apr 2006 20:04:33
GMT)
X-Complaints-To: abuse@gblx.net
NNTP-Posting-Date: Mon, 10 Apr 2006 20:04:33 +0000 (UTC)
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
X-Antivirus: avast! (VPS 0615-0, 04/08/2006), Outbound message
X-Antivirus-Status: Clean
Cache-Post-Path: nnrp1.phx1.gblx.net!146.82.214.78
X-Cache: nntpcache 2.4.0b5 (see http://www.nntpcache.org/)
Xref: g2news1.google.com misc.survivalism:68136 rec.radio.amateur.equipment:3423 rec.radio.scanner:2964 rec.radio.shortwave:31035 alt.ham-radio.vhf-uhf:1601

"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message
news:1144684835.409226.32320@z34g2000cwc.googlegroups.com...
> A question for the group...
>
> What is the favored weather radio for bugout and emergency situations?
>
> Thanks
>

They don't work where I live. And over in VA (Harrisonburg to be exact), they only work in spotty locations. IMO, a complete waste of money if you live anywhere in the mountains.

n.

From 652806467723845611
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <aafl32t4u8htficm4htftk6kb8ps6i8l2o@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8

```
Date: Mon, 10 Apr 2006 16:18:14 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1144700303 24.186.218.38 (Mon, 10 Apr 2006 13:18:23 MST)
NNTP-Posting-Date: Mon, 10 Apr 2006 13:18:23 MST
Organization: Optimum Online
Xref: g2news1.google.com misc.survivalism:68139 rec.radio.amateur.equipment:3424
rec.radio.scanner:2965 rec.radio.shortwave:31038 alt.ham-radio.vhf-uhf:1602
```

On 10 Apr 2006 09:00:35 -0700, "Too_Many_Tools"
<too_many_tools@yahoo.com> wrote:

>What is the favored weather radio for bugout and emergency situations?

Most scanners made in the past 30 years will receive the NWS broadcasts, and the newer ones will alert on SAME broadcasts. I use my BCD396T if necessary.

```
From -4995574067150999197
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: hot-ham-and-cheese@hotmail.com
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Date: 10 Apr 2006 15:18:50 -0700
Organization: http://groups.google.com
Lines: 12
Message-ID: <1144707530.772502.259840@j33g2000cwa.googlegroups.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 4.225.96.220
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144707536 13648 127.0.0.1 (10 Apr 2006 22:18:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 10 Apr 2006 22:18:56 +0000 (UTC)
In-Reply-To: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=4.225.96.220;
   posting-account=mMyuWQ0AAAANPpX1wK2NRuuQfAjm_kIo
Xref: g2news1.google.com misc.survivalism:68146 rec.radio.amateur.equipment:3425
```

rec.radio.scanner:2967 rec.radio.shortwave:31050 alt.ham-radio.vhf-uhf:1604

Too_Many_Tools wrote:
> A question for the group...
>
> What is the favored weather radio for bugout and emergency situations?
>
> Thanks
>
> TMT

A 2m ht with extended receive. And an amateur radio license.

From -3772698635137846876
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 10 Apr 2006 18:01:56 -0500
Message-Id: <ln2rg3-djc.ln1@remote.clifto.com>
From: clifto <clifto@gmail.com>
Subject: Re: Survival Weather Radios
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Date: Mon, 10 Apr 2006 17:27:32 -0500
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
Organization: Vast Right-Wing Conspiracy
User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 18
NNTP-Posting-Host: 67.165.145.61
X-Trace: sv3-Ze1Sm4lRRLZ0GVOU8m/
zgB+x44N8aecBaZwE2h53GlozDh2Cex9Y2wcYvSNNaoQz8UHMDjWhrBHIdZ/!
elHxAnoh1gdKr7q9TpGcinJ7qHVGNkadF3s40WV6kR3Z4GhO+bPW2B9toLp83M6To4RsfFikgDuo!pJ7m
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com misc.survivalism:68153 rec.radio.amateur.equipment:3426

rec.radio.scanner:2968 rec.radio.shortwave:31054 alt.ham-radio.vhf-uhf:1605

Too_Many_Tools wrote:
> What is the favored weather radio for bugout and emergency situations?

I have an Oregon Scientific WR196T (no longer made). Nice radio if you don't need to use it on batteries; it would use less power if it had vacuum tubes.

If possible, find one that will let you select not only by warning area but also by warning type. I shut mine off permanently when I was awakened twice in the early hours by a WATCH that was never alerted when it first came out and I was awake. Nowadays you'd also have to shut out the "amber alerts".

--
All relevant people are pertinent.
All rude people are impertinent.
Therefore, no rude people are relevant.
 -- Solomon W. Golomb

```
From -1788674292526266597
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 10 Apr 2006 18:25:38 -0500
From: "Buzzygirl" <buzzygirl@nospam.comcast.net>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
Subject: Re: Survival Weather Radios
Date: Mon, 10 Apr 2006 18:23:44 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <RKadnaV0zovvdKfZnZ2dnUVZ_vadnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 69.180.153.32
X-Trace: sv3-SVpujd3D5UcdmaeT5Of6A4t/850LaQfqzV/1A3ZOTRpWAId3lq5s5bUwGcVAOLBR/
iFHz0uhdX72wyI!G/KTcNADbjJiXKRmGaBD+O/uOqJbf7Hz0b5IRDpMB8eZkf21ZWQId44PCIyw/
eBrdBEdQzrbsHJn!ehKCzSYNKYgTrEI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com misc.survivalism:68160 rec.radio.amateur.equipment:3427 rec.radio.scanner:2969 rec.radio.shortwave:31057 alt.ham-radio.vhf-uhf:1607

"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message news:1144684835.409226.32320@z34g2000cwc.googlegroups.com...
> A question for the group...
>
> What is the favored weather radio for bugout and emergency situations?

My main weather radios are:

1. Yaesu VX5R handheld transceiver (a basic amateur radio license required if you're going to use it to talk as well as listen); and
2. Radio Shack Pro-95 scanner. This has an alert function that sounds an alarm if a weather emergency is spotted in my area.

Jackie

From 1001792923360378083
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!newshub.sdsu.edu!peer01.west.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Guy" <nospam@nospam.nospam>
Newsgroups: misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,alt.ham-radio.vhf-uhf
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
Subject: Re: Survival Weather Radios
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <3uC_f.495$9c6.8@dukeread11>
Date: Mon, 10 Apr 2006 19:10:30 -0500
NNTP-Posting-Host: 24.255.66.148
X-Complaints-To: abuse@cox.net

X-Trace: dukeread11 1144714239 24.255.66.148 (Mon, 10 Apr 2006 20:10:39 EDT)
NNTP-Posting-Date: Mon, 10 Apr 2006 20:10:39 EDT
Organization: Cox Communications
Xref: g2news1.google.com misc.survivalism:68176 rec.radio.amateur.equipment:3428
rec.radio.scanner:2975 rec.radio.shortwave:31065 alt.ham-radio.vhf-uhf:1608

"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message
news:1144684835.409226.32320@z34g2000cwc.googlegroups.com...

>A question for the group...
>
> What is the favored weather radio for bugout and emergency situations?
>
> Thanks
>
> TMT
>

I have an Eton FR300.

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

All-in-one self-powered radio

eton FR300
AM/FM Radio with NOAA, TV-VHF, Flashlight and Cell-Phone Charger

This all-in-one unit offers functionality and versatility that makes it ideal for emergencies. The FR300 provides you with radio, light, and cell phone battery life when you need it most. The Hand-Crank Power Generator charges the internal rechargeable Ni-MH battery pack. With the NOAA weather channels and TV-VHF channels, you can find weather forecasts or listen to TV shows when you're away from the set. Available in: Orange, Red, Black, Blue, Silver

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

I kind of like it.

Guy

From 7240205654984292079
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!

```
newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!
stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!
not-for-mail
From: David <rickets@knac.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <jdul32l3fhbc2n5i1ks9bnpboav9tdnuli@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<RKadnaV0zovvdKfZnZ2dnUVZ_vadnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Tue, 11 Apr 2006 00:35:43 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1144715743 66.133.198.234 (Mon, 10 Apr
2006 17:35:43 PDT)
NNTP-Posting-Date: Mon, 10 Apr 2006 17:35:43 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com misc.survivalism:68186 rec.radio.amateur.equipment:3429
rec.radio.scanner:2976 rec.radio.shortwave:31069 alt.ham-radio.vhf-uhf:1609

On Mon, 10 Apr 2006 18:23:44 -0500, "Buzzygirl"
<buzzygirl@nospam.comcast.net> wrote:

>
>"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message
>news:1144684835.409226.32320@z34g2000cwc.googlegroups.com...
>> A question for the group...
>>
>> What is the favored weather radio for bugout and emergency situations?
>
>My main weather radios are:
>
>1. Yaesu VX5R handheld transceiver (a basic amateur radio license required
>if you're going to use it to talk as well as listen); and
>2.  Radio Shack Pro-95 scanner. This has an alert function that sounds an
>alarm if a weather emergency is spotted in my area.
>
>Jackie
>
You need an ''All Hazards'' radio to really be covered.  Old style 1
kHz tone radios are obsolete.



From -7579431273381026918
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
```

```
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <gjul32d73jqtbvj9350i565tnck8i22lnn@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<3uC_f.495$9c6.8@dukeread11>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Tue, 11 Apr 2006 00:38:11 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1144715891 66.133.198.234 (Mon, 10 Apr
2006 17:38:11 PDT)
NNTP-Posting-Date: Mon, 10 Apr 2006 17:38:11 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com misc.survivalism:68188 rec.radio.amateur.equipment:3430
rec.radio.scanner:2977 rec.radio.shortwave:31070 alt.ham-radio.vhf-uhf:1610

On Mon, 10 Apr 2006 19:10:30 -0500, "Guy" <nospam@nospam.nospam>
wrote:

>eton FR300
http://www.weather.gov/nwr/allhazard.htm




From -3369433239600166027
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
```

```
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <gnul325r1uouipj5jcrupcdg7m1vq01vd1@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Tue, 11 Apr 2006 00:40:28 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1144716028 66.133.198.234 (Mon, 10 Apr
2006 17:40:28 PDT)
NNTP-Posting-Date: Mon, 10 Apr 2006 17:40:28 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com misc.survivalism:68190 rec.radio.amateur.equipment:3431
rec.radio.scanner:2978 rec.radio.shortwave:31071 alt.ham-radio.vhf-uhf:1611

On 10 Apr 2006 09:00:35 -0700, "Too_Many_Tools"
<too_many_tools@yahoo.com> wrote:

>A question for the group...
>
>What is the favored weather radio for bugout and emergency situations?
>
>Thanks
>
>TMT
>
Public Alert Certified!



From 273149655540015789
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Date: 10 Apr 2006 18:12:54 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1144717974.826217.122070@i40g2000cwc.googlegroups.com>
```

```
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
   <3uC_f.495$9c6.8@dukeread11>
NNTP-Posting-Host: 4.252.214.152
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144717979 13665 127.0.0.1 (11 Apr 2006 01:12:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Apr 2006 01:12:59 +0000 (UTC)
In-Reply-To: <3uC_f.495$9c6.8@dukeread11>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=4.252.214.152;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news1.google.com misc.survivalism:68204 rec.radio.amateur.equipment:3432
rec.radio.scanner:2979 rec.radio.shortwave:31072 alt.ham-radio.vhf-uhf:1612
```

Any idea if the FR200 radio from Grundig receives NOAA weather
channels?

If so, does it do it well?

TMT

```
From 1404323166773822379
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Date: 10 Apr 2006 18:58:54 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1144720734.057492.310440@g10g2000cwb.googlegroups.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 70.179.126.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144720741 21839 127.0.0.1 (11 Apr 2006 01:59:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Apr 2006 01:59:01 +0000 (UTC)
```

```
In-Reply-To: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=70.179.126.78;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news1.google.com misc.survivalism:68217 rec.radio.amateur.equipment:3433
rec.radio.scanner:2980 rec.radio.shortwave:31076 alt.ham-radio.vhf-uhf:1613


Too_Many_Tools wrote:
> A question for the group...
>
> What is the favored weather radio for bugout and emergency situations?
>
> Thanks
>
> TMT

One of the Grundig or Kaito hand crank AM/FM/Shortwave radios.  I've
found the local all news station to be far more up to date on
forecasted weather and at least equal to radio originated tornado
warnings.  And the voice over radio is far more pleasant than the
annoying mechanical voice of the NWS broadcast.



From 8462860547931277792
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <k84m321kqs9qpb69s2n8hq3871p75k3qiq@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<1144720734.057492.310440@g10g2000cwb.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Tue, 11 Apr 2006 02:15:26 GMT
```

```
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1144721726 66.133.198.234 (Mon, 10 Apr
2006 19:15:26 PDT)
NNTP-Posting-Date: Mon, 10 Apr 2006 19:15:26 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com misc.survivalism:68220 rec.radio.amateur.equipment:3434
rec.radio.scanner:2981 rec.radio.shortwave:31078 alt.ham-radio.vhf-uhf:1614

On 10 Apr 2006 18:58:54 -0700, "John S." <hjsjms@cs.com> wrote:

>
>Too_Many_Tools wrote:
>> A question for the group...
>>
>> What is the favored weather radio for bugout and emergency situations?
>>
>> Thanks
>>
>> TMT
>
>One of the Grundig or Kaito hand crank AM/FM/Shortwave radios.  I've
>found the local all news station to be far more up to date on
>forecasted weather and at least equal to radio originated tornado
>warnings.  And the voice over radio is far more pleasant than the
>annoying mechanical voice of the NWS broadcast.
>
That's why you get a state of the art NWR radio.  It makes no sound
unless there's trounble.



From -3852781477071685878
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 10 Apr 2006 21:29:10 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
Subject: Re: Survival Weather Radios
Date: Mon, 10 Apr 2006 21:29:09 -0500
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <4pGdnRoRea_riabZnZ2dnUVZ_tednZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-v1WBuKXIdyx/eqAn5s3M4XbOUPDCIy/qzS9PgAV1FnEIKcZE67Px0yamopYd/
uQUFiuAcc3Jy46bES5!dBL6vmMwNpJYOFAkeeQQf6/f5cIsOkmeU/
d2GJ2BeLUvIbCwHuDvej1U0C+Pdv43ZtiyMp8nBNnb!fdlmNr4SMCld
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com misc.survivalism:68225 rec.radio.amateur.equipment:3435
rec.radio.scanner:2982 rec.radio.shortwave:31081 alt.ham-radio.vhf-uhf:1615
```

"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message
news:1144684835.409226.32320@z34g2000cwc.googlegroups.com...

>A question for the group...
>
> What is the favored weather radio for bugout and emergency situations?
>
> Thanks
>
> TMT
>

It depends on where I am at the time.... both of my trucks have HF and dual band (VHF/UHF) HAM radios, as does the house. They all work, and there is usually at least one on almost all the time. If the sky looks nasty and/or there is threatening weather forcasted(I check the Weather Channel at least twice daily), I run the dual banders on scan with the local repeaters programmed in, and turn the HF to either the 40m or 75m severe weather net frequencies.

-n6ojn

```
From -2887875777153983970
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
```

```
prodigy.net!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!
news01.roc.ny.POSTED!53ab2750!not-for-mail
Reply-To: "Steve Stone" <zzspfleck@citlink.netyy>
From: "Steve Stone" <zzspfleck@citlink.netzz>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<3uC_f.495$9c6.8@dukeread11>
<1144717974.826217.122070@i40g2000cwc.googlegroups.com>
Subject: Re: Survival Weather Radios
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <sxE_f.6678$tT.3125@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d49564905afb1fe6043e9973b9a91a8baceaab9e042da7456a9f66cefa4a79780b5d79b
fc51771c2ddefa3c187ce34d9c47d48c5442145dcc62ea46508289f0b6475d2aa1c7588ca32de210e1
9394d0a41addaa4dc8b7cd4d3bf3f65152a58374ddb650ba589379c9ffb9
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Tue, 11 Apr 2006 02:30:48 UTC
Date: Tue, 11 Apr 2006 02:30:48 GMT
Xref: g2news1.google.com misc.survivalism:68227 rec.radio.amateur.equipment:3436
rec.radio.scanner:2983 rec.radio.shortwave:31082 alt.ham-radio.vhf-uhf:1616

most of the weather radio specs say something like they only guarantee the
digital SAME code to be accurately decoded 90 percent of the time.
With that in mind i would use a non SAME weather alert radio as my fall back
survival radio. The one that alarms on anything.




From 8697615748926756686
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
```

```
Date: 10 Apr 2006 20:12:47 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1144725167.378916.309210@j33g2000cwa.googlegroups.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
   <1144720734.057492.310440@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 4.252.214.152
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144725173 3072 127.0.0.1 (11 Apr 2006 03:12:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Apr 2006 03:12:53 +0000 (UTC)
In-Reply-To: <1144720734.057492.310440@g10g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=4.252.214.152;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news1.google.com misc.survivalism:68242 rec.radio.amateur.equipment:3438
rec.radio.scanner:2985 rec.radio.shortwave:31088 alt.ham-radio.vhf-uhf:1618
```

"One of the Grundig or Kaito hand crank AM/FM/Shortwave radios. I've found the local all news station to be far more up to date on forecasted weather and at least equal to radio originated tornado warnings. And the voice over radio is far more pleasant than the annoying mechanical voice of the NWS broadcast. "

I have found that the NWS broadcasts are MUCH more detailed with the information I need.

Most news stations have LOTS of talk and LITTLE information in my experience....when I turn my radio on in an emergency situation I want to hear information NOW to conserve power and time.

TMT

```
From 1651016345505246028
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Apr 2006 01:38:41 -0500
From: "Romain Salad" <querydb4girl@plum4bbob32domain.com>
Newsgroups:
```

misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<HAw_f.676495$084.278618@attbi_s22>
Subject: Re: Survival Weather Radios
Date: Tue, 11 Apr 2006 00:38:45 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <29OdnXP7Dbpv06bZnZ2dnUVZ_u-dnZ2d@comcast.com>
Lines: 4
NNTP-Posting-Host: 67.166.123.27
X-Trace: sv3-
W0NZb+0PPm2Qg0mN72yiLsodDHoebU+9fXKVhWCuES9P6NrsSnedSMCFt9u7l01TGTIV7PlvdRLibCM!
4yYbg8dr6dvF8w2PNBHbATQ6tcjy91C6HsKDQpGz6Iiyme0oFX6coWYofBWY0nZarT9vxsxk3x+4!
EFH9DZzELM4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com misc.survivalism:68299 rec.radio.amateur.equipment:3440
rec.radio.scanner:2987 rec.radio.shortwave:31095 alt.ham-radio.vhf-uhf:1620

Are they going to check for licences during an emergency?

From 2821999008197564789
X-Google-Thread: 10e901,2d1ef63f62d5e844,start
X-Google-Thread: 108122,2d1ef63f62d5e844,start
X-Google-Thread: fa029,2d1ef63f62d5e844,start
X-Google-Thread: 114aac,2d1ef63f62d5e844,start
X-Google-Thread: fb049,2d1ef63f62d5e844,start
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Apr 2006 01:44:42 -0500
From: "Romain Salad" <querydb4girl@plum4bbob32domain.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Need good radio: A 2m ht with extended receive.
Date: Tue, 11 Apr 2006 00:44:46 -0600
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
Lines: 3
NNTP-Posting-Host: 67.166.123.27
X-Trace: sv3-9YXZdihKXJN6Pv4YpilFlfFtIUQws9PX3eVXtm8M7j2QGwjmpV+OV6jkMYhteYYJlT/
K729YLLY2jq+!LCRkCt94HpoU0euDs6YYrmpU7QwHrJQsVWaVRSAJa05SBZsJRO1KuI7MXEIKsyrlT1ur/
FMvKA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com misc.survivalism:68301 rec.radio.amateur.equipment:3441
rec.radio.scanner:2988 rec.radio.shortwave:31096 alt.ham-radio.vhf-uhf:1621
```

What is your advice.

```
From 3308531810177952408
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Apr 2006 01:45:24 -0500
From: "Romain Salad" <querydb4girl@plum4bbob32domain.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com> <ln2rg3-
djc.ln1@remote.clifto.com>
Subject: Re: Survival Weather Radios
Date: Tue, 11 Apr 2006 00:45:27 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <NI2dnUUwsMMZzabZnZ2dnUVZ_sCdnZ2d@comcast.com>
Lines: 5
NNTP-Posting-Host: 67.166.123.27
X-Trace: sv3-5Tz9wyqZkahvOBQuJJ3AQXXtCkvYlhri7D0yebtJ8smHIBFRIIcmrJjUL+3wFwh8HpLT/
k8lTX9Iasj!
```

```
TH9DmU93en3aRHzVvYRUWI7XsH5jeLmS6NOi2rQ+4NVC8kejMlh7f7ieq9OTq8mz4M7I0jllLsqj!
K1fmILaW7DY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com misc.survivalism:68302 rec.radio.amateur.equipment:3442
rec.radio.scanner:2989 rec.radio.shortwave:31097 alt.ham-radio.vhf-uhf:1622
```

A radio that can no longer be purchased? How does this information help anyone?

```
From 38054621736997665
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Apr 2006 04:33:01 -0500
Date: Tue, 11 Apr 2006 04:33:34 -0500
From: James Douglas <james.douglas@genesis-software.com>
User-Agent: Thunderbird 1.4.1 (Windows/20051006)
MIME-Version: 1.0
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com> <ln2rg3-
djc.ln1@remote.clifto.com> <NI2dnUUwsMMZzabZnZ2dnUVZ_sCdnZ2d@comcast.com>
In-Reply-To: <NI2dnUUwsMMZzabZnZ2dnUVZ_sCdnZ2d@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <6JadnbtQiPZQ6qbZRVn-jg@comcast.com>
Lines: 7
NNTP-Posting-Host: 67.162.254.62
X-Trace: sv3-
TmvI8L2Wj770cnBhpVK3RNA796N+8MGrkXlgHjSLkHSehKUODWgLkqmNihCdRrRC4PKXNeLcp7RIU+k!
nYalUTpq+q/4sU7zwEv/A6spPM77obvWeLCzd0yRfeO3BkUvjO0LQSDV8zpBgh6Nky5OhXcPjRmC!cRse
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com misc.survivalism:68330 rec.radio.amateur.equipment:3443
rec.radio.scanner:2991 rec.radio.shortwave:31102 alt.ham-radio.vhf-uhf:1623

Romain Salad wrote:
> A radio that can no longer be purchased? How does this information help
> anyone?
>
>
>
Maybe finding it a a goodwill store, ebay, trashcan near his house.


From 6822711191312320987
X-Google-Thread: 108122,de2d6f01ecaecd7a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t31g2000cwb.googlegroups.com!not-for-
mail
From: recontech@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Found a good new HAM forum
Date: 11 Apr 2006 05:57:32 -0700
Organization: http://groups.google.com
Lines: 4
Message-ID: <1144760252.072395.311250@t31g2000cwb.googlegroups.com>
NNTP-Posting-Host: 71.199.185.69
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144760257 14943 127.0.0.1 (11 Apr 2006 12:57:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Apr 2006 12:57:37 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en) AppleWebKit/418
(KHTML, like Gecko) Safari/417.9.2,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t31g2000cwb.googlegroups.com; posting-host=71.199.185.69;
   posting-account=Z0ppqAwAAABZ33a3mynVRkWk4E316J4d
Xref: g2news1.google.com rec.radio.amateur.equipment:3444

http://www.theblackhole.us/

73's




From 2965408581852332435
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
```

```
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe06.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
Subject: Re: Need good radio: A 2m ht with extended receive.
Lines: 10
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <WXN_f.138873$fd3.113576@fe06.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 11 Apr 2006 13:13:28 GMT
Xref: g2news1.google.com misc.survivalism:68361 rec.radio.amateur.equipment:3445
rec.radio.scanner:2996 rec.radio.shortwave:31115 alt.ham-radio.vhf-uhf:1624

Romain Salad wrote:
> What is your advice.

What do you mean by 'extended receive'?

What kind of receiver detectors do you need?  AM, FM, FM-N, SSB, CW?

How much output power?




From 8329202562343227012
X-Google-Thread: 108122,385086c21630c690,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "ve3tjd" <tedd@ve3tjd.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: LAST DAY - Kenwood TS-50 Parts
Date: 11 Apr 2006 06:13:55 -0700
Organization: http://groups.google.com
Lines: 11
Message-ID: <1144761235.486215.68560@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 72.1.198.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

```
X-Trace: posting.google.com 1144761241 18264 127.0.0.1 (11 Apr 2006 13:14:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Apr 2006 13:14:01 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=72.1.198.54;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news1.google.com rec.radio.amateur.equipment:3446
```

Hi Guys:

Most of my Kenwood TS-50 parts (face and RF unit) are ending tonight
and the remainder are ending within a couple days.

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZve3tjd

Thanks, Tedd, VE3TJD

Forgot to mention that I DO combine shipping on multiple auctions!

```
From -3970280327122921877
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!
attbi_s72.POSTED!53ab2750!not-for-mail
From: "DesignGuy" <dontbother@nowhere.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<HAw_f.676495$084.278618@attbi_s22> <29OdnXP7Dbpv06bZnZ2dnUVZ_u-dnZ2d@comcast.com>
Subject: Re: Survival Weather Radios
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.0000
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2600.0000
Message-ID: <XjO_f.889768$x96.670939@attbi_s72>
NNTP-Posting-Host: 12.202.43.43
X-Complaints-To: abuse@asp.att.net
X-Trace: attbi_s72 1144762743 12.202.43.43 (Tue, 11 Apr 2006 13:39:03 GMT)
NNTP-Posting-Date: Tue, 11 Apr 2006 13:39:03 GMT
Organization: AT&T ASP.att.net
```

Date: Tue, 11 Apr 2006 13:39:03 GMT
Xref: g2news1.google.com misc.survivalism:68362 rec.radio.amateur.equipment:3447 rec.radio.scanner:2997 rec.radio.shortwave:31117 alt.ham-radio.vhf-uhf:1625

"Romain Salad" <querydb4girl@plum4bbob32domain.com> wrote in message news:29OdnXP7Dbpv06bZnZ2dnUVZ_u-dnZ2d@comcast.com...
> Are they going to check for licences during an emergency?

It's long been the rule that during a life-or-death emergency that any person can use any frequency, any mode of transmission on any radio. Transmitting for anything less than a life-or-death emergency is not legal.

From -6152383506222908400
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: me@privacy.net
Newsgroups: misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Date: Tue, 11 Apr 2006 09:33:14 -0500
Lines: 10
Message-ID: <lgfn32h4rna4941g3fdprbl4fflru78dan@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com> <1144720734.057492.310440@g10g2000cwb.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: individual.net pwFi1pz/ALlOPUbf/fjx4Q9C1bcRjY3u8KVCVVQX1cm1Sbn79P
X-Newsreader: Forte Agent 2.0/32.652
Xref: g2news1.google.com misc.survivalism:68383 rec.radio.amateur.equipment:3448 rec.radio.scanner:2998 rec.radio.shortwave:31121 alt.ham-radio.vhf-uhf:1626

"John S." <hjsjms@cs.com> wrote:

>One of the Grundig or Kaito hand crank AM/FM/Shortwave radios. I've
>found the local all news station to be far more up to date on
>forecasted weather and at least equal to radio originated tornado
>warnings. And the voice over radio is far more pleasant than the

```
>annoying mechanical voice of the NWS broadcast.

But Id like a weather radio that will wake me up form a
dead sleep at night



From 710985866946457210
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <t4gn325cs85cvplu4tvmutuijj73e7065t@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<1144720734.057492.310440@g10g2000cwb.googlegroups.com>
<lgfn32h4rna4941g3fdprbl4fflru78dan@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
Date: Tue, 11 Apr 2006 14:46:29 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1144766789 66.133.198.234 (Tue, 11 Apr
2006 07:46:29 PDT)
NNTP-Posting-Date: Tue, 11 Apr 2006 07:46:29 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com misc.survivalism:68389 rec.radio.amateur.equipment:3449
rec.radio.scanner:2999 rec.radio.shortwave:31123 alt.ham-radio.vhf-uhf:1627

On Tue, 11 Apr 2006 09:33:14 -0500, me@privacy.net wrote:

>"John S." <hjsjms@cs.com> wrote:
>
>>One of the Grundig or Kaito hand crank AM/FM/Shortwave radios.  I've
>>found the local all news station to be far more up to date on
>>forecasted weather and at least equal to radio originated tornado
>>warnings.  And the voice over radio is far more pleasant than the
>>annoying mechanical voice of the NWS broadcast.
>
>But Id like a weather radio that will wake me up form a
>dead sleep at night
```

If it has ''Public Alert'' logo it'll probably wake you up.

http://www.ce.org/aboutcea/ceainitiatives/viewInitiativesOverview.asp?name=302&title=Public%20Alert%20Special%20Interest%20Group

```
From 7574453869265462216
X-Google-Thread: 108122,d3a1208e399a0965,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "WA2OLZ" <daedalusnj@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Smallest 2M/440 mobile rig??
Date: 11 Apr 2006 09:26:15 -0700
Organization: http://groups.google.com
Lines: 18
Message-ID: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 204.254.175.249
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144772781 23402 127.0.0.1 (11 Apr 2006 16:26:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 11 Apr 2006 16:26:21 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.0),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.1 usbhnaproxy2 (NetCache NetApp/5.6.2R1D17)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=204.254.175.249;
   posting-account=texKPgwAAACLnaKqEUmxchmw2zyTjls-
Xref: g2news1.google.com rec.radio.amateur.equipment:3450
```

Looking for advice to find the smallest dual-band mobile rig with remote head capabiltiy. The size of the transceiver is unimportant; the size of the remote head is what it's all about.

I traded my SUV for a VW Passat and there's not a lot of room to mount anything! I've already swapped out the standard 2X-DIN radio for a single DIN and installed a scanner in the other half of the 2X-DIN space, so that's gone. I have my GPS and Blackberry holder mounted on ProClip mounts, so I'm really getting tight.

I'd really like to find the smallest possible remote head mobile rig as I'm not fond of HTs in a mobile environment.

Any help would be appreciated.

Tnx & 73,
Jack - WA2OLZ

```
From -7785141916588535384
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.250.MISMATCH!transit3.readnews.com!news-
out.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Smallest 2M/440 mobile rig??
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
Organization: Your Company
Message-ID: <Xns97A2625A96FBCspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 11 Apr 2006 16:37:30 GMT
Lines: 9
NNTP-Posting-Host: 3ca37527.news.adtechcomputers.com
X-Trace:
DXC=>JnfUYM^_;^PQFgj7F09KVgC4_A5:nI@Q<<=aEgO;R8WThdLCMXXaB^46==9]g7a5\ecf<A4o8l9S0
W_Uo]cC15Z8kHcNc;Ume^KbN@mUX:@[ReJP4DYja@=^
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3451
```

I can't certify that its the smallest, but the Kenwood TM-G707A has a pretty darned small control head.... and is fairly inexpensive for a dual band rig, to boot. I like it so much I now have three of them.

Ed   K7AAT

```
From -6962998956456371123
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
<Xns97A2625A96FBCspectrumhogstarbandn@198.186.192.196>
Subject: Re: Smallest 2M/440 mobile rig??
Lines: 11
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <ODR_f.123086$Y53.91047@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Tue, 11 Apr 2006 17:25:03 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3452

Ed wrote:
>   I can't certify that its the smallest, but the Kenwood TM-G707A has
> a pretty darned small control head.... and is fairly inexpensive for
> a dual band rig, to boot. I like it so much I now have three of them.
>
>
>   Ed   K7AAT

I concur. 5 1/2 x 1 9/16 is the approximate W x H of the control head.

From 3167759678006989761
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 11 Apr 2006 13:12:54 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com> <Xns97A2625A96FBCspectrumhogstarbandn@198.186.192.196> <ODR_f.123086$Y53.91047@fe07.news.easynews.com>
Subject: Re: Smallest 2M/440 mobile rig??
Date: Tue, 11 Apr 2006 13:12:53 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <AO-dnRRORNc6bKbZnZ2dnUVZ_v-dnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-E5AwxC5nQVJuBr0pdH3TkhjO9X60ytMCXWWOmgjm7ZmuX6URVXdZ4Rh3pDzowVMxmERv29jQSCqbAmb!ATo0xCtTKYwdO4WR0em/0KCd2WQ6R7V8AosJgK5isMcYSoyz+x+0VTwYL91nJYW5SPjy9+VoL0du!Wo21FBDC5s+S
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint

```
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3453


"Travis Jordan" <no.one@no.net> wrote in message
news:ODR_f.123086$Y53.91047@fe07.news.easynews.com...
> Ed wrote:
>>   I can't certify that its the smallest, but the Kenwood TM-G707A has
>> a pretty darned small control head.... and is fairly inexpensive for
>> a dual band rig, to boot.  I like it so much I now have three of them.
>>
>>
>>   Ed   K7AAT
>
> I concur.  5 1/2 x 1 9/16 is the approximate W x H of the control head.
>

The Yeasu FT-7800R is pretty small too, and also pretty inexpensive.




From -2160425570758657390
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!
news01.roc.ny.POSTED!53ab2750!not-for-mail
From: "Ken" <ktm@frontiernet.net>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<WXN_f.138873$fd3.113576@fe06.news.easynews.com>
Subject: Re: Need good radio: A 2m ht with extended receive.
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <ArS_f.6749$tT.3337@news01.roc.ny>
X-Complaints-To: abuse-news@frontiernet.net
X-Trace:
52616e646f6d49564905afb1fe6043e9125c323198d7e4357a5543a9054fed5bddb0b252d527958cee
91062fd0a03e38fd85d71681c6f59de3f758fb6761b44de9fc99413894b0928fdf18a3bc73e2a3b007
5e63c8809af8317c0f91a6c3923ef39e604d53b7e1fd11db65c893fe265d
```

```
X-Abuse-Info: Please be sure to forward ALL headers so that we may process your
complaint properly.
NNTP-Posting-Date: Tue, 11 Apr 2006 18:20:16 UTC
Date: Tue, 11 Apr 2006 18:20:16 GMT
Xref: g2news1.google.com misc.survivalism:68469 rec.radio.amateur.equipment:3454
rec.radio.scanner:3001 rec.radio.shortwave:31133 alt.ham-radio.vhf-uhf:1628
```

"Travis Jordan" <no.one@no.net> wrote in message
news:WXN_f.138873$fd3.113576@fe06.news.easynews.com...

> Romain Salad wrote:
> > What is your advice.
>
> What do you mean by 'extended receive'?

I think most of them do 137-174ish Mhz.
The icom T2H sport is reasonable, works very well, & has ext Rx.

```
From -8612122432081037420
X-Google-Thread: 10e901,2d1ef63f62d5e844
X-Google-Thread: 108122,2d1ef63f62d5e844
X-Google-Thread: fa029,2d1ef63f62d5e844
X-Google-Thread: 114aac,2d1ef63f62d5e844
X-Google-Thread: fb049,2d1ef63f62d5e844
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!hwmnpeer01.phx!hwmedia!news.highwinds-media.com!
newsfeed1.easynews.com!easynews.com!easynews!easynews-local!
fe12.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
References: <m6OdnRVrhfLHzabZRVn-gQ@comcast.com>
<WXN_f.138873$fd3.113576@fe06.news.easynews.com>
<ArS_f.6749$tT.3337@news01.roc.ny>
Subject: Re: Need good radio: A 2m ht with extended receive.
Lines: 9
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <Z0T_f.61239$Rh6.5344@fe12.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 11 Apr 2006 19:00:09 GMT
Xref: g2news1.google.com misc.survivalism:68479 rec.radio.amateur.equipment:3455
```

rec.radio.scanner:3004 rec.radio.shortwave:31138 alt.ham-radio.vhf-uhf:1629

Ken wrote:
> I think most of them do 137-174ish Mhz.

When I think of extended receive I think of a radio I can use to listen
to AM on the aircraft bands at a minimum. For others it might mean the
ability to listen to FM broadcasting or SSB on 20meters (a la the
Kenwood TH-F6A and others).

From -1888416746582710630
X-Google-Thread: 10e901,4954ffa85f2b2532
X-Google-Thread: 108122,4954ffa85f2b2532
X-Google-Thread: fa029,4954ffa85f2b2532
X-Google-Thread: 114aac,4954ffa85f2b2532
X-Google-Thread: fb049,4954ffa85f2b2532
X-Google-Attributes: gid10e901,gid108122,gidfa029,gid114aac,gidfb049,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
out.readnews.com!news-xxxfer.readnews.com!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: Al Klein <rukbat@pern.invalid>
Newsgroups:
misc.survivalism,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave
,alt.ham-radio.vhf-uhf
Subject: Re: Survival Weather Radios
Message-ID: <duvn32ldj7k0m0pl7u7cqbcau5bmituppr@4ax.com>
References: <1144684835.409226.32320@z34g2000cwc.googlegroups.com>
<HAw_f.676495$084.278618@attbi_s22> <29OdnXP7Dbpv06bZnZ2dnUVZ_u-dnZ2d@comcast.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Tue, 11 Apr 2006 15:14:03 -0400
NNTP-Posting-Host: 24.186.218.38
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1144782854 24.186.218.38 (Tue, 11 Apr 2006 12:14:14 MST)
NNTP-Posting-Date: Tue, 11 Apr 2006 12:14:14 MST
Organization: Optimum Online
Xref: g2news1.google.com misc.survivalism:68482 rec.radio.amateur.equipment:3456
rec.radio.scanner:3006 rec.radio.shortwave:31139 alt.ham-radio.vhf-uhf:1630

On Tue, 11 Apr 2006 00:38:45 -0600, "Romain Salad"
<querydb4girl@plum4bbob32domain.com> wrote:

>Are they going to check for licences during an emergency?

1) Quote a little of what you're referring to.

2) During an emergency (safety of human life), licenses don't matter,
as a matter of law.

From -1412164744423974708
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
out.readnews.com!news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Smallest 2M/440 mobile rig??
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
<Xns97A2625A96FBCspectrumhogstarbandn@198.186.192.196>
<ODR_f.123086$Y53.91047@fe07.news.easynews.com> <AO-dnRRORNc6bKbZnZ2dnUVZ_v-
dnZ2d@comcast.com>
Organization: Your Company
Message-ID: <Xns97A27DD689C54spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 11 Apr 2006 19:19:35 GMT
Lines: 13
NNTP-Posting-Host: c7aa0b88.news.adtechcomputers.com
X-Trace: DXC=TT^S:AANVAbbZ<<3De[fcigC4_A5:nI@a<<=aEgO;R8gf_dZeCkB1^cHiPf_j^Ee?
becf<A4o8l9c0W_Uo]cC15j8kHcNc;UmenJ6Y7XPCOOkn50;o>`oY>fm
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3457

>
> The Yeasu FT-7800R is pretty small too, and also pretty inexpensive.
>

The original poster was looking for the smallest control head. Near as
I can tell from the specs, the TM-G707A's head is considerably smaller
than the FT-7800R's.

Ed K7AAT

From -6121156956216789345
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>

```
<Xns97A2625A96FBCspectrumhogstarbandn@198.186.192.196>
<ODR_f.123086$Y53.91047@fe07.news.easynews.com> <AO-dnRRORNc6bKbZnZ2dnUVZ_v-
dnZ2d@comcast.com>
Subject: Re: Smallest 2M/440 mobile rig??
Lines: 7
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <tnT_f.83293$TA3.42412@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 11 Apr 2006 19:24:09 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3461
```

Noon-Air wrote:

> The Yeasu FT-7800R is pretty small too, and also pretty inexpensive.

It's a quad bander, but indeed the control head size is almost identical
to the TM-G707A.

```
From -8174424172410821466
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe10.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
<Xns97A2625A96FBCspectrumhogstarbandn@198.186.192.196>
<ODR_f.123086$Y53.91047@fe07.news.easynews.com> <AO-dnRRORNc6bKbZnZ2dnUVZ_v-
dnZ2d@comcast.com> <tnT_f.83293$TA3.42412@fe08.news.easynews.com>
Subject: Re: Smallest 2M/440 mobile rig??
Lines: 13
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <ArT_f.56990$Un3.51028@fe10.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 11 Apr 2006 19:28:33 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3462
```

Travis Jordan wrote:
> Noon-Air wrote:
> > The Yeasu FT-7800R is pretty small too, and also pretty inexpensive.
>
> It's a quad bander, but indeed the control head size is almost
> identical to the TM-G707A.

Oops - sorry, I thought you said FT-8900R... my error.

In any case, the FT-7800R's control head is also about the same size (5
1/2 x 1 9/16).

```
From 2584984567697177495
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-xxxfer.readnews.com!
198.186.192.100.MISMATCH!transit3.readnews.com!news-out.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Smallest 2M/440 mobile rig??
From: Ed <Huckleberry_REMOVE_@bigvalley.net>
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
<Xns97A2625A96FBCspectrumhogstarbandn@198.186.192.196>
<ODR_f.123086$Y53.91047@fe07.news.easynews.com> <AO-dnRRORNc6bKbZnZ2dnUVZ_v-
dnZ2d@comcast.com> <tnT_f.83293$TA3.42412@fe08.news.easynews.com>
<ArT_f.56990$Un3.51028@fe10.news.easynews.com>
Organization: Your Company
Message-ID: <Xns97A28A99F96E9spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 11 Apr 2006 20:34:52 GMT
Lines: 12
NNTP-Posting-Host: 505f4c2c.news.adtechcomputers.com
X-Trace:
DXC=4f;SIeSPNk2hjHo25L]4D1gC4_A5:nI@1<<=aEgO;R87S[VaTVjXAR05D5;0<aWNl2ecf<A4o8l930
W_Uo]cC15:8kHcNc;Ume>DLE1eL91nI0@fhiC:8NdO0
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3463
```

> Oops - sorry, I thought you said FT-8900R... my error.
>
> In any case, the FT-7800R's control head is also about the same size (5
> 1/2 x 1 9/16).
>

While a bit taller, the TM-G707A control head is only 4.0" wide.

Ed

From 4572027869456550295
X-Google-Thread: 108122,d3a1208e399a0965
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe02.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1144772775.578597.275090@g10g2000cwb.googlegroups.com>
<Xns97A2625A96FBCspectrumhogstarbandn@198.186.192.196>
<ODR_f.123086$Y53.91047@fe07.news.easynews.com> <AO-dnRRORNc6bKbZnZ2dnUVZ_v-
dnZ2d@comcast.com> <tnT_f.83293$TA3.42412@fe08.news.easynews.com>
<ArT_f.56990$Un3.51028@fe10.news.easynews.com>
<Xns97A28A99F96E9spectrumhogstarbandn@198.186.192.196>
Subject: Re: Smallest 2M/440 mobile rig??
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <vwU_f.545812$Mh4.395309@fe02.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 11 Apr 2006 20:42:03 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3464

Ed wrote:
> While a bit taller, the TM-G707A control head is only 4.0" wide.

I stand corrected, Ed....thanks.

From -5512735849695200076
X-Google-Thread: 108122,e6dfd245cbb3d4d7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 Apr 2006 21:41:41 -0500
From: notmeman <nospam4me@goober.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: E.F. JOHNSON VARIABLE CAPACITOR FOR AMPLIFIER/TUNER
Date: Mon, 03 Apr 2006 21:41:41 -0500
Message-ID: <v6n332hpm9hd50tgvi1kvce1r0ichv21lb@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
NNTP-Posting-Host: 68.34.142.145
X-Trace: sv3-9qBEvkSt+5gLMGIaz1gV1j/9AeaDPAma+LE8e7oMkQcV/
QZgovlUNSQpJfnLK3aVZ0eW7jpnI/4p4Pu!gj600lEDtzp0x2u1Wmln0AfmT+EuUq2XN0FE/1Ga/
hF+dKXUmO4DZ7eBFqvaGezw/DAKIm5lKsmo!Z59R9dg8NKqQ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3360

FA: E.F. JOHNSON VARIABLE CAPACITOR FOR AMPLIFIER/TUNER
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9705762488&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1



From -7098768459393471163
X-Google-Thread: 108122,e6dfd245cbb3d4d7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 Apr 2006 21:41:54 -0500
From: notmeman <nospam4me@goober.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: E.F. JOHNSON VARIABLE CAPACITOR FOR AMPLIFIER/TUNER
Date: Mon, 03 Apr 2006 21:41:53 -0500
Message-ID: <c7n332p1u09kuupvheumc8bnomp9r2mv5e@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
NNTP-Posting-Host: 68.34.142.145
X-Trace: sv3-
YBUWqiKiUhD9tPQZOx+bWV6svMbD7xLgLerE4DpyKj5r2UdUrLqaqf0OT35nLqymLGUhlOV5InnKMBV!
0gY6sW1UG+TQtyPlapeomCRh4OvdISfAQ897kPf9jyxDvoKfLEW7NznrtagqTerXbo8mAJO/t3eC!
e0YgtLWg4QeX
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3361

FA: E.F. JOHNSON VARIABLE CAPACITOR FOR AMPLIFIER/TUNER
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9705762488&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

```
From 5500604137095019696
X-Google-Thread: 108122,23ec4a3bb2256bcf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-mail
From: "adam" <ashatzkamer@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HT1000 to trade!
Date: 3 Apr 2006 21:37:55 -0700
Organization: http://groups.google.com
Lines: 10
Message-ID: <1144125475.114034.243500@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 24.29.131.222
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144125480 20141 127.0.0.1 (4 Apr 2006 04:38:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Apr 2006 04:38:00 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.0.3705; .NET CLR 1.1.4322; Media Center PC 3.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=24.29.131.222;
   posting-account=4a8jdQ0AAABGEQ1LaqlT6XFa8EHtYWdW
Xref: g2news1.google.com rec.radio.amateur.equipment:3362
```

Hello All
I have a Motorola HT1000 VHF high band 16 channel two way handheld
radio in good working order. comes with battery, charger, speaker/mic,
and leather belt swivel case. I would like to TRADE it for a digital
TRUNKING SCANNER. I also have a FDNY style leather radio strap for the
case that is negotiable. If you are interested please contact me at
prosped@aol.com

THANKS!

```
From 5416556023698282568
X-Google-Thread: 1109af,f9c5f4bc1ecc4b9,start
X-Google-Thread: fa029,f9c5f4bc1ecc4b9,start
X-Google-Thread: 108122,f9c5f4bc1ecc4b9,start
X-Google-Attributes: gid1109af,gidfa029,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!news.bellsouth.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe04.lga.POSTED!53ab2750!not-for-mail
From: " NI4L" <ni4l@charter.net>
```

Newsgroups: rec.radio.swap,rec.radio.scanner,rec.radio.amateur.equipment
Subject: FS/FT Averatec 5400 AMD 1.6 2800+ Laptop....
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <h9rYf.75$V27.36@fe04.lga>
X-Trace:
badccedimaighclelplebmeeidehjnonjpklmehilpbcblfcdjocchnajjhbmbnafdakajikgkojckkleo
pgajonnfjgdamkioacbnbbpobjipdgdpmbbgbeofmeijpfbcfagklmiblli jll
NNTP-Posting-Date: Tue, 04 Apr 2006 02:39:25 MST
Date: Tue, 4 Apr 2006 05:39:34 -0400
Xref: g2news1.google.com rec.radio.swap:3416 rec.radio.scanner:2769
rec.radio.amateur.equipment:3363

Averatec 5400 AMD 1.6 2800+ 512 DVD Burner Win XP Laptop
It has a AMD 2800+ processor 1.6Ghz, 40gb hard drive
512mb of ram
15 inch LCD with no dead pixels
a DVD-RW / CD-RW burner
Lithium ion battery
a second monitor port
4 USB 2.0 ports
a PC Card slot
a 56K modem built in
10/100mbps wired ethernet nic built in
the Windows XP home restore disks
a LiteOn 115 ac power supply
It needs to be taken apart and have some heat grease put between the processor and heatsink. When it gets hot it shuts off, checked AMD Processor forums common problem they didn't put any grease on the processor. This would make someone who is into laptops a good one. 300.00 shipped or trade for equal value. Don't be shy. This could be your lucky day.
PayPal ok No CC

From -8190048141275284l0
X-Google-Thread: 1109af,3553fdf760d450cf,start
X-Google-Thread: fa029,3553fdf760d450cf,start
X-Google-Thread: 108122,3553fdf760d450cf,start
X-Google-Attributes: gid1109af,gidfa029,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!atl-c03.usenetserver.com!news.usenetserver.com!hwmnpeer01.phx!hwmedia!news.highwinds-media.com!hw-filter.lga!fe04.lga.POSTED!53ab2750!not-for-mail
From: " NI4L" <ni4l@charter.net>
Newsgroups: rec.radio.swap,rec.radio.scanner,rec.radio.amateur.equipment
Subject: FS/FT Averatec 5400 AMD 1.6 2800+ Laptop

Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <g9rYf.74$V27.62@fe04.lga>
X-Trace:
badccedimaighclelplebmeeidehjnoncljfjnokbjjolnijdjocchnajjhbmbnafdakajikgkojckkleo
pgajonnfjgdamkioacbnbbpobjipdgihjamlidaepcfbabbcfagklmibllijll
NNTP-Posting-Date: Tue, 04 Apr 2006 02:39:24 MST
Date: Tue, 4 Apr 2006 05:36:24 -0400
Xref: g2news1.google.com rec.radio.swap:3417 rec.radio.scanner:2770
rec.radio.amateur.equipment:3364

Averatec 5400 AMD 1.6 2800+ 512 DVD Burner Win XP Laptop
It has a AMD 2800+ processor 1.6Ghz, 40gb hard drive
512mb of ram
15 inch LCD with no dead pixels
a DVD-RW / CD-RW burner
Lithium ion battery
a second monitor port
4 USB 2.0 ports
a PC Card slot
a 56K modem built in
10/100mbps wired ethernet nic built in
the Windows XP home restore disks
a LiteOn 115 ac power supply
It needs to be taken apart and have some heat grease put between the processor and heatsink. When it gets hot it shuts off, checked AMD Processor forums common problem they didn't put any grease on the processor. This would make someone who is into laptops a good one. 300.00 shipped or trade for equal value. Don't be shy. This could be your lucky day.
PayPal ok No CC

From -1678987478628583494
X-Google-Thread: 1109af,3553fdf760d450cf
X-Google-Thread: fa029,3553fdf760d450cf
X-Google-Thread: 108122,3553fdf760d450cf
X-Google-Attributes: gid1109af,gidfa029,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t31g2000cwb.googlegroups.com!not-for-mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.swap,rec.radio.scanner,rec.radio.amateur.equipment
Subject: Re: FS/FT Averatec 5400 AMD 1.6 2800+ Laptop
Date: 4 Apr 2006 05:28:56 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1144153736.701235.247400@t31g2000cwb.googlegroups.com>

```
References: <g9rYf.74$V27.62@fe04.lga>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144153742 6696 127.0.0.1 (4 Apr 2006 12:29:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Apr 2006 12:29:02 +0000 (UTC)
In-Reply-To: <g9rYf.74$V27.62@fe04.lga>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 iwss:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: t31g2000cwb.googlegroups.com; posting-host=64.216.97.21;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.swap:3419 rec.radio.scanner:2772
rec.radio.amateur.equipment:3365
```

I'll take it, I will pay with PayPal as soon as I know your paypal
name.
Thanks
Tim Mize

```
From -5501810249359261008
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!1133983c!not-for-mail
From: "YT" <yt@yt.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 115
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <s%tYf.61933$H71.19058@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 71.99.214.17
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1144155224 ST000 71.99.214.17 (Tue, 04 Apr
2006 08:53:44 EDT)
NNTP-Posting-Date: Tue, 04 Apr 2006 08:53:44 EDT
Organization: SBC http://yahoo.sbc.com
```

X-UserInfo1: F[OIB]
[DYBSQB_@ZN[O@_WH@YR_B@EXLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCENSY^U@F
RFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Tue, 04 Apr 2006 12:53:44 GMT
Xref: g2news1.google.com rec.radio.swap:3422 rec.radio.amateur.boatanchors:3711
rec.radio.amateur.equipment:3366

Hmmm, another 'museum' request. See 'em all the time.

So, who actually owns the aircraft? I mean when it is sold off who will get the money.

I have been approached by 'museums' for my BC-375, ART13s, 348s etc even my BC-610.

But in the end it was an individual or his kids who would finncially benefit in the end.

So where does the financial ownership of material donated utilmately end up?

"=K=5=D=H=" <k5dh@qsl.net> wrote in message
news:AridnZeHf8rZ6YLZRVn-iw@centurytel.net...

> WANTED: B-17G Flying Fortress radio equipment
>
> This is a long message... please read it all!
>
> The Vintage Flying Museum of Fort Worth, Texas, home of B-17G N3701G, "Chuckie", is seeking DONATIONS of any kind of radio and radar equipment that would have been used aboard B-17G's built from early-1944 on.
>
> Our airplane is a B-17G-70-VE, serial number 44-8543A. She was built in January, 1944, by the Vega division of Lockheed (B-17G's were built by Boeing, Douglas, and Vega). She was converted to a "pathfinder" model, which means she had a radar set installed in place of the ball turret which allowed bombing through overcast. Very few Forts were converted for this mission, and it is possible that our Fort saw combat time over Europe. The combat records of the pathfinder Forts are still classified, so we may never know for sure.
>
> Right now, the only original radio gear installed in the airplane is a BC-348-P receiver and shock mount. We need everything else. Some of the specific items we seek are the BC-375-E transmitter, tuning units TU-4B through TU-10B, BC-306 antenna matching unit, the wooded tuning unit storage rack that mounts to the rear bulkhead, ceramic feedthrough insulators, power

> and control connectors, and cables. We're also looking for command set transmitters, receivers, racks, cables, control boxes, spline cables (the LONG ones that will reach the flight deck ceiling), modulator, and so on.
>
> Obviously, we are looking for NICE equipment that is in display condition because we display the airplane both in the Museum and at air shows and fly-ins. We'll certainly accept donations of "parts units", but the primary focus is on acquiring gear that looks good enough to be installed in the airplane. We want to impress our tour guests at the air shows with a great looking radio room! Do you have some surplus military WW2 airborne radios stashed in your garage or attic? Would you like to see them go to a good home? Please donate your equipment to VFM and help us restore the radio compartment in our beloved B-17! Any radios and accessories that we don't use in the airplane will be either put on display in the Museum's exhibit hall or sold off to generate money to help finance the effort (no matter how much gets donated, we'll still end up having to buy some stuff to complete the job!).
>
> We are a small museum, and we have very limited funds available to spend on things that don't actually help us to keep the airplane flying. We are looking for DONATIONS of equipment. We are a 501-c-3 tax-exempt charitable organization, and we will provide a tax receipt for your donation.
>
> "Chuckie" is one of approximately 15 B-17s worldwide that are still in flyable condition, and one of about 10 that is flown regularly. Please don't "bash" me if my numbers are off by a plane or two; the numbers go up and down as some Forts come out of restoration and others go down for heavy maintenance or retirement. She participated in the fabuluous Thunder Over Michigan air show in 2005 in which EIGHT of the remaining B-17 population were not only present at the show, but flew together! It was the largest gathering of civilian B-17s in history, and it may never be repeated.
>
> Please visit the Museum's web site:
>
> http://www.vintageflyingmuseum.org
>
> I have been authorized by the Museum to be the focal point for this effort. Please address your messages directly to me.
>
> We're also looking for a complete chin turret if you happen to have one stashed in your barn! Actually, we will graciously accept donations of ANY B-17 parts

> that you might have lying around.   :)
>
> My final request is this: If you have nothing nice to
> say about this effort, please say nothing. If you are
> not a warbird fan, if you believe our effort is a waste
> of time and money, if you think we're "glorifying" war,
> if you think operating antique warplanes is dangerous
> and should be outlawed, etc, etc... you're entitled to
> your opinion, but I respectfully ask that you keep it
> to yourself.
>
> Thanks and 73,
> Dean Hemphill, K5DH
> Vintage Flying Museum member
>

```
From 906708049937782252
X-Google-Thread: 108122,90ea3f6120dd3b9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: "vk4xes@bigpond.net.au" <vk4xes@bigpond.net.au>
Newsgroups: rec.radio.amateur.equipment
Subject: audio feed back
Date: 4 Apr 2006 12:13:48 -0700
Organization: http://groups.google.com
Lines: 5
Message-ID: <1144178028.495066.182750@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 58.170.70.88
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144178034 18440 127.0.0.1 (4 Apr 2006 19:13:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 4 Apr 2006 19:13:54 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=58.170.70.88;
   posting-account=9PO62A0AAADCk4A1RdqPEmt3JHzYr0-q
Xref: g2news1.google.com rec.radio.amateur.equipment:3367
```

Hi I have had my ft-847 for 5yrs lately ive been told the audio sounds
like crap? unreadable,
I use a md-100 and the std mic still with no diferance
Thanks Dave VK4XES

From -6570452593466370116
X-Google-Thread: 108122,90ea3f6120dd3b9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!proxad.net!usenet-fr.net!news.enst.fr!freenix!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: audio feed back
Date: Tue, 04 Apr 2006 20:02:17 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <1235k69neg6dvae@corp.supernews.com>
References: <1144178028.495066.182750@e56g2000cwe.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 46
Xref: g2news1.google.com rec.radio.amateur.equipment:3368

In article <1144178028.495066.182750@e56g2000cwe.googlegroups.com>,
vk4xes@bigpond.net.au <vk4xes@bigpond.net.au> wrote:

>Hi I have had my ft-847 for 5yrs lately ive been told the audio sounds
>like crap? unreadable,

>I use a md-100 and the std mic still with no diferance

Problems of this sort are often attributed to RF coming out of the transmitter, and getting back into the microphone-audio circuit and being detected. You can end up with a very nasty-sounding feedback-like hash on your signal.

RF pickup might be through the microphone and its cable, or (I believe) through the system power supply.

Any such problems suggest that you may have a significant amount of RF voltage floating around in the shack/vehicle and on the radio chassis. The causes can vary. If you're feeding a long-wire/random-wire antenna and are bringing the wire into the shack, you're likely to have these "RF in the shack" problems, and switching to a balanced antenna fed by coax or a good balanced line might reduce or eliminate the problems. If you're already using a coax or balanced feed, you may want to check the condition of the antenna - something may have come unplugged or have broken.

If you're operating HF-mobile, check all of your ground connections between rig, chassis, and antenna. If a ground connection has come loose or has corroded, you could be getting significant amounts of RF current flow where you really don't want it.

You could try adding a few ferrite beads around the mic lead (just before it connects to the rig) and to the +12 power supply line, but this is sort of a band-aid and doesn't really address the cause of the problem.

Since the problem has just started occurring recently, and you've been using the rig for years, I'd guess that some wire or connection has come loose or has corroded somewhere, and that a good check, clean, and tightening may resolve the problem.

```
-- 
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From 2872136650320804774
X-Google-Thread: 1109af,f9c5f4bc1ecc4b9
X-Google-Thread: fa029,f9c5f4bc1ecc4b9
X-Google-Thread: 108122,f9c5f4bc1ecc4b9
X-Google-Attributes: gid1109af,gidfa029,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 04 Apr 2006 15:21:52 -0500
From: "Steven Skindell" <openop@comcast.net>
Newsgroups: rec.radio.swap,rec.radio.scanner,rec.radio.amateur.equipment
References: <h9rYf.75$V27.36@fe04.lga>
Subject: Re: FS/FT Averatec 5400 AMD 1.6 2800+ Laptop....
Date: Tue, 4 Apr 2006 16:22:54 -0400
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <n62dneI4j7r9SK_ZRVn-tA@comcast.com>
Lines: 29
NNTP-Posting-Host: 68.40.171.145
X-Trace: sv3-
untJnuqycNi5AShVZvT8+YRb73gdcJsdKvOzJaG61U01bQRB2HnWTXsKMkK2fcZhJXWpWTosTtmQfFj!
Lc+3C7yTMIdRmfDlsnSbS5RUyUtOobP2jKiyTn2HC/0wu1Q1dnNHreohsk69hsdcQlMgflMwoQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3424 rec.radio.scanner:2774
rec.radio.amateur.equipment:3369
```

I have a Icom scanner I would trade you.
Let me know ... openop@comcast.net

```
" NI4L" <ni4l@charter.net> wrote in message news:h9rYf.75$V27.36@fe04.lga...
> Averatec 5400 AMD 1.6 2800+ 512 DVD Burner Win XP Laptop
> It has a AMD 2800+ processor 1.6Ghz, 40gb hard drive
> 512mb of ram
> 15 inch LCD with no dead pixels
> a DVD-RW / CD-RW burner
> Lithium ion battery
> a second monitor port
> 4 USB 2.0 ports
> a PC Card slot
> a 56K modem built in
> 10/100mbps wired ethernet nic built in
> the Windows XP home restore disks
> a LiteOn 115 ac power supply
> It needs to be taken apart and have some heat grease put between the
> processor and heatsink. When it gets hot it shuts off, checked AMD
> Processor
> forums common problem they didn't put any grease on the processor. This
> would make someone who is into laptops a good one. 300.00 shipped or trade
> for equal value. Don't be shy. This could be your lucky day.
> PayPal ok No CC
>
>
>
```

```
From -3312281362944940509
X-Google-Thread: 108122,4fdee2b5db392244,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-
for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:COLLINS 270G-1, 302C-1, SM-2 + MO
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <lICYf.685537$qk4.549661@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 794f8bda22f0bfcc636eccbebcd495e4
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1144190865
794f8bda22f0bfcc636eccbebcd495e4 (Tue, 04 Apr 2006 22:47:45 GMT)
NNTP-Posting-Date: Tue, 04 Apr 2006 22:47:45 GMT
Organization: AT&T Worldnet
Date: Tue, 04 Apr 2006 22:47:45 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3370
```

These Collins units are from my own station and can be seen at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

+ Amp parts
+ 1 & 2 watt selected resistors
+ other stuff too.

tnx, heytubeguy

```
From 5765851800089817235
X-Google-Thread: 108122,eff0917fcb1edeb6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "mwman" <swewgp@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: RF/MW testing services
Date: 4 Apr 2006 17:44:13 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1144197853.547731.84050@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.226.245.24
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144197859 13798 127.0.0.1 (5 Apr 2006 00:44:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Apr 2006 00:44:19 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.226.245.24;
   posting-account=om_-lg0AAADD4po5coSsYJdIj5WTVYow
Xref: g2news1.google.com rec.radio.amateur.equipment:3371
```

Can anyone recommend an RF/microwave engineering components-testing
small company or consultant in the Silicon Valley area?

We have to evaluate RF/MV diodes (chip level, discretes, singles,
quads, etc.) and MIS capacitor chips at frequencies up to 35GHz.

If you can help, please e-mail to us or post to the group!

```
From 8472278799253576409
X-Google-Thread: 108122,e6bb2e29ed180b28
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 04 Apr 2006 20:33:28 -0500
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: IC-761 drift/chirpy rx signals when tuner presets are adjusted
Date: Tue, 04 Apr 2006 18:33:26 -0700
Reply-To: gfiber@comcast.net
Message-ID: <ed7632pur3mj6o9l9vmhmd6ki2rdcn6r68@4ax.com>
References: <1144104366.908381.239150@g10g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Host: 24.19.188.39
X-Trace: sv3-
gYvJfxBiIITBHPN22c6iKs8fBjo3g13oyCI6ZTjdZ+wRzxLl7hanggVF5bw1uoLFBI9wwVK4hpZ8HyE!
OYSFgOByrEWYuE+3Z/UtIsm8h1YKbwzkmvA3aufpS6U9RdGvv3TXGSNX2dUpIN6xtIT5JIeQHKMo!
qv+36RU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3372
```

On 3 Apr 2006 15:46:06 -0700, asrick@gmail.com wrote:

>I have a strange problem with my IC-761 that I purchased recently. Any
>help would be great:
>
>I notice that once in a while CW signals will start to sound a little
>warbley, as if infected with a little AC hum. At first I assumed this
>was a characteristic of the TX signal on the other radio but soon
>discovered that if I play with the auto-tune switch it will go away.
>Further investigation has shown that if I have the tuner on and play
>with the preset control it can start or stop the problem. The issue
>seems to be with interference to the rx signal from the auto tuner. Can
>the auto tuner affect the synthesizer in this way?
>
>Thanks,
>
>Anthony

Generally its the VCO trimmer caps causing that raspy signal. Usually
shows up on CW first. The tuner is not connected to the synthesizer at
all.

I think its coincidence the tuner makes the signal raspy, warbled

Gary K8IZ

```
From -6476257110178390800
X-Google-Thread: 108122,57a49c401d516428,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!newsfeed.icl.net!proxad.net!proxad.net!news.clara.net!wagner.news.clara.net!
195.245.201.10.MISMATCH!monkeydust.news.clara.net!echo.uk.clara.net
From: Mark <Mark@>
Newsgroups: rec.radio.amateur.equipment
Subject: Signal Strength Meter - Mobile Phones
Date: Wed, 05 Apr 2006 08:29:59 +0200
Message-ID: <ato632tfovfmau7ivr3botsc5uia7ga7po@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@clara.net (please include full headers)
X-Trace: d38426826886898000 7806f4682416510ac17223513c48002154336144336745
NNTP-Posting-Date: Wed, 05 Apr 2006 07:44:21 +0100
Lines: 15
Xref: g2news1.google.com rec.radio.amateur.equipment:3373
```

I currently offer a service for Mobile Phone users in rural/remote areas, where I fit a Yagi antenna for people with poor reception problems. At the moment I use a Mobile Phone's signal strength reading (along with a map and compass) to locate the strongest signal from the nearest base station (the region where I work, there is only one service provider). Because these readings are a bit slow to respond, I would like to build/buy a simple signal strength meter to be a bit more accurate, when setting up these antenna's. I either need something with a meter or even simpler (and maybe better) headphones listening to the familiar signals sent out by these things, to find the strongest signal. Because I work in very remote areas normally, I am guessing that the base station signals, should not be that hard to distinguish from the normal mish mash of mobile phone signals. Would anybody be kind enough to supply me with a diagram or a web site etc, to help me on my way? PS 980Mhz.

```
From -1715957135800077388
X-Google-Thread: 108122,60c6b5012e66534e,start
X-Google-Thread: f43e4,60c6b5012e66534e,start
X-Google-Thread: 1143d9,60c6b5012e66534e,start
X-Google-Thread: 104d7a,60c6b5012e66534e,start
X-Google-Attributes: gid108122,gidf43e4,gid1143d9,gid104d7a,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
```

```
mail
From: "Movie World" <balitung@time.net.my>
Newsgroups:
rec.radio.amateur.equipment,rec.games.video.advocacy,rec.games.video.marketplace,r
ec.games.video.classic
Subject: Factory pressed dvd movies, ps2, psp & xbox backups for sale !!!
Date: 5 Apr 2006 00:25:11 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1144221911.462546.231350@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 60.49.94.78
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144221918 20190 127.0.0.1 (5 Apr 2006 07:25:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Apr 2006 07:25:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=60.49.94.78;
   posting-account=Zjkgeg0AAAA-1sxPS_Z63e_9klcNCvnS
Xref: g2news1.google.com rec.radio.amateur.equipment:3374
rec.games.video.advocacy:226 rec.games.video.marketplace:551
rec.games.video.classic:4023

We're offering all the latest factory pressed high quality dvd movies,
ps2, psp and xbox silvers with factory printed colour inserts at
fantastic prices, whether for personal use or reselling. We're shipping
worldwide with various shipping methods. For resellers, please contact
us for bulk discounts.

For a complete list and prices, please email us at
movieworld@time.net.my

(Please state the type of list that you want and tell us your location
as the prices varies for different locations. If you're reseller,
please state the quantity you wish to order per shipment and we'll
quote you a wholesale price depending on the quantity ordered.)

* If you need references, we can provide them to you.



From -7182078788671106031
X-Google-Thread: 108122,8d51b05a6ef23c4e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news.rr.com!news-server.columbus.rr.com!
tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "David J Windisch" <davidjw@cinci.rr.com>
```

Newsgroups: rec.radio.amateur.equipment
Subject: FS: 2 Johnson KW MatchBox units
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <C9MYf.80360$UZ5.30589@tornado.ohiordc.rr.com>
Date: Wed, 05 Apr 2006 09:33:22 GMT
NNTP-Posting-Host: 69.133.38.200
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1144229602 69.133.38.200 (Wed, 05 Apr 2006 05:33:22 EDT)
NNTP-Posting-Date: Wed, 05 Apr 2006 05:33:22 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3375

After years of open-wire lines and wire antennas in trees, I'm going to coax-fed antennas on a tower.

One unit has the Johnson coupler, the other has a Drake W-4 coupler with it, for monitoring power/vswr. The Drake coupler needs to calibrated to the Johnson panel meter. I have not used either coupler or internal meters.

Manuals are on BAMA and other places.

I have pictures; the units have done their job well, and show the wear.
One has the relay and rcvr jack, the other doesn't.

As is where is, not DOA but see coupler/meter warning above, $300 for either one, $575 for both, shipped to your conus doorstep when the check clears my bank.

TIA & 73,
Dave Windisch, N3HE
513.674.7202 eves eastern

From 66490175142088704
X-Google-Thread: 108122,4deb95fe6e57e73,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!news.mv.net!not-for-mail
From: Rick WA1RKT <reply.to.newsgroup@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: PSK-31 interface help needed for FT-817
Date: Wed, 05 Apr 2006 07:14:40 -0400
Organization: MV Communications, Inc.
Lines: 41

Message-ID: <tj9732pcfnsj8il7tak4d1sf3n5i0egct5@4ax.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: pyrite.mv.net 1144235676 34111 207.22.49.17 (5 Apr 2006 11:14:36 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Wed, 5 Apr 2006 11:14:36 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.0/32.763
Xref: g2news1.google.com rec.radio.amateur.equipment:3376

I have a new Yaesu FT-817ND that I would like to use on PSK-31.

According to the manual, one should be able to just connect the radio to the sound card without the need for any interface boxes such as the Rigblaster or Nomic.

I have done this with my old Icom IC-735 and it worked pretty well up to about 10 watts of output, so one would think I should be able to get away with it running only 5 watts or less on the FT-817.

My question is, have any of you all done that with success?

As for connections, I must say that the FT-817ND manual is pretty bad at explaining how to hook it up.

On page 38 the manual discusses SSB-based AFSK and shows the radio connected to a TNC.

Then on page 39 under PSK-31, it says only to "Connect the FT-817ND to your computer's sound card or interface" without going into any detail on how to do tyat.

I can only assume that the connections for audio are the same as shown on page 38, but they don't say that explicitly.

The big question is, how is the PTT connected? Does that operate off of DCD or DTR on a serial port? If so, note that the voltage coming out of a serial port's handshake lines can be as much as +/- 15 volts and still be within the RS-232 spec. I find it hard to believe that +/- 15 volts on the PTT pin of the radio is OK.

Of course, if the VOX circuit is active and can hear the audio from the data connector's Data In pin, then VOX could be used to switch to transmit mode.

Do any of you know if VOX will work in PSK31 mode?

Thanks and 73...

Rick WA1RKT

```
From -1504900558502646059
X-Google-Thread: 108122,57b0b256e9b9147d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 05 Apr 2006 08:27:37 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program. Input Z of loaded line
Date: Wed, 5 Apr 2006 14:26:35 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <9eednYsvEJRUWK7ZnZ2dnUVZ8tydnZ2d@bt.com>
Lines: 28
NNTP-Posting-Host: 86.143.78.225
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-X0lw+MaeKfi79fHv/3xSFksHPhVYlN3n+CHRdWxMVQMOuoAfGeMYqUKrRVAonhuScK4/
Y8NnYTXN7Mi!
9i5JJilN330N52QL7Afsv2BmDQXtQl9T2VewK8zhfQp4xC4tzWHTpfGVBYz5f7QtUg+jfNU32aI=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3377
```

NOW AVAILABLE ** New Program "INPUT_Z.exe"

This program calculates the often required input impedance, Z = R+jX, of a coaxial transmission line when terminated with a load impedance such as a radio antenna. It uses full classical transmission line formulae and therefore avoids the errors inherent in the Smith Chart at the lower radio frequencies.

Also calculated are line attenuation, reflection coefficient, angle of reflection coefficient, SWR, power efficiency, and the line loss in decibels in the presence of SWR.

Input data of frequency, line length, load resistance and load reactance can be varied in small increments from the keyboard to allow line behaviour to be observed. The diameter of the coaxial inner conductor is also input, this being needed for calculating loss in the line which affects input impedance.

Download program INPUT_Z (40 K-bytes) in a few seconds from website

below and run imediately.

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

```
From 4016222623544082889
X-Google-Thread: 108122,4deb95fe6e57e73
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
proxad.net!cleanfeed1-a.proxad.net!nnrp13-2.free.fr!not-for-mail
Message-Id: <44340c6e$0$496$626a54ce@news.free.fr>
From: F8BOE <f8boe-8@bluemail.ch>
Subject: Re: PSK-31 interface help needed for FT-817
Newsgroups: rec.radio.amateur.equipment
Reply-To: f8boe-8@bluemail.ch
Date: Wed, 05 Apr 2006 20:29:03 +0200
References: <tj9732pcfnsj8il7tak4d1sf3n5i0egct5@4ax.com>
User-Agent: KNode/0.9.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 49
Organization: Guest of ProXad - France
NNTP-Posting-Date: 05 Apr 2006 20:29:02 MEST
NNTP-Posting-Host: 83.135.234.212
X-Trace: 1144261742 nnrp13-2.free.fr 496 83.135.234.212:53856
X-Complaints-To: abuse@proxad.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3378
```

See the other NG.

Rick WA1RKT wrote:

>
> I have a new Yaesu FT-817ND that I would like to use on PSK-31.
>
> According to the manual, one should be able to just connect the radio
> to the sound card without the need for any interface boxes such as the
> Rigblaster or Nomic.
>
> I have done this with my old Icom IC-735 and it worked pretty well up
> to about 10 watts of output, so one would think I should be able to
> get away with it running only 5 watts or less on the FT-817.

>
> My question is, have any of you all done that with success?
>
> As for connections, I must say that the FT-817ND manual is pretty bad
> at explaining how to hook it up.
>
> On page 38 the manual discusses SSB-based AFSK and shows the radio
> connected to a TNC.
>
> Then on page 39 under PSK-31, it says only to "Connect the FT-817ND to
> your computer's sound card or interface" without going into any detail
> on how to do tyat.
>
> I can only assume that the connections for audio are the same as shown
> on page 38, but they don't say that explicitly.
>
> The big question is, how is the PTT connected? Does that operate off
> of DCD or DTR on a serial port? If so, note that the voltage coming
> out of a serial port's handshake lines can be as much as +/- 15 volts
> and still be within the RS-232 spec. I find it hard to believe that
> +/- 15 volts on the PTT pin of the radio is OK.
>
> Of course, if the VOX circuit is active and can hear the audio from
> the data connector's Data In pin, then VOX could be used to switch to
> transmit mode.
>
> Do any of you know if VOX will work in PSK31 mode?
>
> Thanks and 73...
>
> Rick WA1RKT

```
From -1829918838027264899
X-Google-Thread: 108122,4deb95fe6e57e73
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!
sn-xt-sjc-02!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: PSK-31 interface help needed for FT-817
Date: Wed, 05 Apr 2006 19:53:21 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <123881h6ir7abd1@corp.supernews.com>
References: <tj9732pcfnsj8il7tak4d1sf3n5i0egct5@4ax.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 31
Xref: g2news1.google.com rec.radio.amateur.equipment:3379
```

>The big question is, how is the PTT connected? Does that operate off
>of DCD or DTR on a serial port? If so, note that the voltage coming
>out of a serial port's handshake lines can be as much as +/- 15 volts
>and still be within the RS-232 spec. I find it hard to believe that
>+/- 15 volts on the PTT pin of the radio is OK.

Typically, one uses the RTS (request to send) line of the serial port
for PTT purposes. This depends on your PSK31 software package.

Using an optocoupler, rather than connecting directly, is probably a
good idea. A lot of PCs these days use pseudo-RS232 voltages (either
+5 and ground, or +5 and -5) but it's probably best not to take
chances that your rig might object to higher voltages.

>Do any of you know if VOX will work in PSK31 mode?

If you're going into the MIC input, probably so.

If you're going into an auxiliary-audio input, it may not. On my
TS-2000, the auxiliary audio input doesn't support the VOX circuitry
and doesn't work with the software-based "activate PTT" command over
the RS-232 port - it only works with the auxiliary input's "PTT"
ground-to-transmit line.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -2104161484259357950
X-Google-Thread: 108122,57a49c401d516428
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe02.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <ato632tfovfmau7ivr3botsc5uia7ga7po@4ax.com>
Subject: Re: Signal Strength Meter - Mobile Phones
Lines: 28
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <WmWYf.431543$Mh4.120672@fe02.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we

will be unable to process your complaint properly.
Date: Wed, 05 Apr 2006 21:10:14 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3380

Mark wrote:
> I currently offer a service for Mobile Phone users in rural/remote
> areas, where I fit a Yagi antenna for people with poor reception
> problems. At the moment I use a Mobile Phone's signal strength reading
> (along with a map and compass) to locate the strongest signal from the
> nearest base station (the region where I work, there is only one
> service provider). Because these readings are a bit slow to respond, I
> would like to build/buy a simple signal strength meter to be a bit
> more accurate, when setting up these antenna's. I either need
> something with a meter or even simpler (and maybe better) headphones
> listening to the familiar signals sent out by these things, to find
> the strongest signal. Because I work in very remote areas normally, I
> am guessing that the base station signals, should not be that hard to
> distinguish from the normal mish mash of mobile phone signals. Would
> anybody be kind enough to supply me with a diagram or a web site etc,
> to help me on my way? PS 980Mhz.

It isn't that easy unfortunately. In all the digital systems the base
transmit power level adjusts according to a power up/down request sent
from the mobile, so if you don't have an active transmitter you may not
hear anything on a low-use system. At 980 Mhz the provider is probably
using CDMA? In that case you might be able to find a receiver capable
of finding and following the pilot carrier, but this solution won't be
simple, and it won't be cheap.

Stick with the compass / map approach.

From -6707257022355129662
X-Google-Thread: 108122,adbcecb6739d09d7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: "Planerguy@aol.com" <Planerguy@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Matched pair of Amperex 3-500zg tubes, near NEW!
Date: 5 Apr 2006 14:43:10 -0700
Organization: http://groups.google.com
Lines: 7
Message-ID: <1144273390.139656.231950@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 152.163.100.198
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144273395 17550 127.0.0.1 (5 Apr 2006 21:43:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 5 Apr 2006 21:43:15 +0000 (UTC)

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; SV1;
FDM),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[rtc-tf094 8.3.5], HTTP/1.0 cache-rtc-ad04.proxy.aol.com[98A364C6] (Traffic-
Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=152.163.100.198;
   posting-account=PL-DYQ0AAAAftzKcNn6RDM8N33iKexun
Xref: g2news1.google.com rec.radio.amateur.equipment:3381
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9706273887
For anyone interested, check the link. Very nice set of 3-500z
graphite lete production tubes. Actually, these are 3-500zg/8802, which
are sometimes referred to as 3-600's simply because of the 100 watt
higher plate dissapation over standard 3-500 types.
Take a look!

```
From -1214068580718572210
X-Google-Thread: 108122,566844de14afc297,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news2.volia.net!
news.newsland.it!news.ngi.it!nnrp.ngi.it!not-for-mail
From: "Rightrik" <gaggiorNOSPAM@tin.itNOSPAM>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB : HAL DXP38 RTTY DECODER
Date: Wed, 5 Apr 2006 23:49:45 +0200
Organization: NGI SpA - http://www.ngi.it
Lines: 7
Message-ID: <e11e1n$6tq$1@nnrp.ngi.it>
NNTP-Posting-Host: 81-174-46-174.f5.ngi.it
Mime-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Trace: nnrp.ngi.it 1144273783 7098 81.174.46.174 (5 Apr 2006 21:49:43 GMT)
X-Complaints-To: abuse@ngi.it
NNTP-Posting-Date: Wed, 5 Apr 2006 21:49:43 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Xref: g2news1.google.com rec.radio.amateur.equipment:3382
```

Hello, i am looking to buy a HAL DXP38 rtty machine, well kept and at decent price.

To write privately please remove antispam.

73 de Riccardo IK5WQO

```
From 8236062011926060289
X-Google-Thread: 108122,127a33226fc22d74,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: 84rooms@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  Turner SSB +2 Transistorized CB Microphone & Regency 8 Channel
Aircraft Monitoradio
Date: 5 Apr 2006 19:11:40 -0700
Organization: http://groups.google.com
Lines: 15
Message-ID: <1144289500.033173.235290@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 71.132.134.167
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144289515 708 127.0.0.1 (6 Apr 2006 02:11:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 6 Apr 2006 02:11:55 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=71.132.134.167;
   posting-account=h_P6xgwAAADz3ndRXviVpuGC1g9a2M3v
Xref: g2news1.google.com rec.radio.amateur.equipment:3383
```

I have the following items on ebay. Thanks for looking. If the links
do not work than just search for seller 84-rooms! or try this link.
http://search.ebay.com/_W0QQsassZ84Q2droomsQ21
I am clearing out my garage so lots of unique items. Thanks,

Items ending April 7th

Vintage Turner SSB +2 Transistorized CB Microphone $20.50
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9121181684

Items ending April 9th

Regency 8 Channel Aircraft Monitoradio Scanner NR $9.99
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=

```
From 7202705053724276076
X-Google-Thread: 108122,6b236c595ba4d3a6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-
online.de!newsfeed.vmunix.org!news2.euro.net!sn-ams-06!sn-xt-ams-04!sn-post-
ams-02!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Catalog
Date: Wed, 5 Apr 2006 17:24:07 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news1.google.com rec.radio.amateur.equipment:3384

someone on here said there was a radio parts outfit that beat
out radio shack by miles. Was us USHER?  or RUSHER? or sometihing
like that.  Whoever it was i reuested a catalog via mail and
got a msg saying I was put on the mail list, but nothing furhther
has happened and its been months since then.  Refresh my mind
if possible (I am 85) it may not be possible!!!  If you have
an 800 # on whoever that company was gimme dat too.
                       Joe/KH6JF


**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************



From -1218937097021184212
X-Google-Thread: 108122,6851fd36b4e8cb9b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!logbridge.uoregon.edu!
canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-
pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed.pnap.net!
motgate2.mot.com!newshost!avnika.corp.mot.com!engnntp2.cig.mot.com!not-for-mail
From: "Steve Nosko" <suteuve.nosukowicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Car and Deep Cycle Battery FAQ
Date: Thu, 6 Apr 2006 11:14:59 -0500
Organization: Motorola Engineering Computing
Lines: 38
Message-ID: <e13eq3$9ga$2@engnntp2.cig.mot.com>
References: <ruv132901qsd4e14rsif5qa5gr08g4mbcu@4ax.com>
NNTP-Posting-Host: 173.27.201.179
X-Trace: engnntp2.cig.mot.com 1144340099 9738 173.27.201.179 (6 Apr 2006 16:14:59
GMT)
X-Complaints-To: news@cig.mot.com
```

```
NNTP-Posting-Date: Thu, 6 Apr 2006 16:14:59 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.amateur.equipment:3385

Perhaps the date means a careful read is required...

73, Steve, K9DCi

"Bill Darden" <info@batteryfaq.org> wrote in message
news:ruv132901qsd4e14rsif5qa5gr08g4mbcu@4ax.com...
> Hi all,
>
> The Car and Deep Cycle Battery FAQ has been updated.  The current
> version is 5.4, dated April 1, 2006 and can be found on
> www.batteryfaq.org.  Answers to Frequently Asked Questions, tips,
> manufacturer's information, references and hyperlinks are contained on
> this free, consumer oriented Web site about car, motorcycle, power
> sports, truck, boat, marine, recreational vehicle, solar, and other
> starting and deep cycle applications.
>
> The most popular sections in February were:
>
> Battery Manufacturers and Brand Names List
>
> FAQ Section 9  HOW DO I CHARGE (OR EQUALIZE) MY BATTERY?
>
> Section 7  WHAT DO I LOOK FOR IN BUYING A NEW BATTERY?
>
> Battery Information Links List
>
> Section 4  HOW DO I TEST A BATTERY?
>
> If you have time, please visit www.batteryfaq.org.  If not please
> bookmark it for future reference.  Questions, comments and suggestions
> for improvement are always welcome at info@batteryfaq.org.
>
> Many thanks and kindest regards,
>
> BiLL.....
>




From 4497649727148954294
X-Google-Thread: 108228,7ffa287aa91db315,start
X-Google-Thread: 108122,7ffa287aa91db315,start
X-Google-Thread: 1109af,7ffa287aa91db315,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MASTR ll REPEATER-CTCSS ENCODER w/3-EA TONE MODULES-NR
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C65987.833910D0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <%SfZf.808$Fl.262@fed1read09>
Date: Thu, 6 Apr 2006 14:36:38 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1144359483 68.96.227.248 (Thu, 06 Apr 2006 17:38:03 EDT)
NNTP-Posting-Date: Thu, 06 Apr 2006 17:38:03 EDT
Organization: Cox Communications
Xref: g2news1.google.com alt.ham-radio.marketplace:797
rec.radio.amateur.equipment:3386 rec.radio.swap:3457

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C65987.833910D0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MASTR ll REPEATER-CTCSS ENCODER w/3-EA TONE MODULES-NR=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7607792055&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C65987.833910D0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MASTR ll REPEATER-CTCSS ENCODER w/3-EA TONE MODULES-NR </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7607792055&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7607792055&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C65987.833910D0--




From 7779371098674778414
X-Google-Thread: 108228,e2e13962b6477e52,start
X-Google-Thread: 108122,e2e13962b6477e52,start
X-Google-Thread: 1109af,e2e13962b6477e52,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 3-Motorola P110's-UHF-w/Rapid Chargers & Carrying Cases
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C65987.EB5D11C0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <hUfZf.809$Fl.389@fed1read09>
Date: Thu, 6 Apr 2006 14:39:33 -0700
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1144359565 68.96.227.248 (Thu, 06 Apr 2006 17:39:25 EDT)
NNTP-Posting-Date: Thu, 06 Apr 2006 17:39:25 EDT
Organization: Cox Communications
Xref: g2news1.google.com alt.ham-radio.marketplace:798
rec.radio.amateur.equipment:3387 rec.radio.swap:3458

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C65987.EB5D11C0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 3-Motorola P110's-UHF-w/Rapid Chargers & Carrying Cases

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7607770066&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0011_01C65987.EB5D11C0
Content-Type: text/html;
     charset="iso-8859-1"
```

```
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 3-Motorola P110's-UHF-w/Rapid Chargers &amp; Carrying Cases</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7607770066&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7607770066&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0011_01C65987.EB5D11C0--
```

```
From -8022124886216213048
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe02.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
Subject: Re: Catalog
Lines: 14
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <FmgZf.464120$Mh4.330090@fe02.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 06 Apr 2006 22:11:50 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3388
```

Joseph Fenn wrote:

> someone on here said there was a radio parts outfit that beat
> out radio shack by miles. Was us USHER? or RUSHER? or sometihing
> like that. Whoever it was i reuested a catalog via mail and

Let me guess.....Mouser?

http://www.mouser.com/

Most parts companies don't issue catalogs anymore; you'll need to check
their web site.

From -2267314898196917885
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe02.lga.POSTED!53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Catalog
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com>
In-Reply-To: <FmgZf.464120$Mh4.330090@fe02.news.easynews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <DLhZf.264$PF3.99@fe02.lga>
X-Trace:
ejlmlnpfppkfdeplilnnfndjhhccaehhdakbmmafjphldcpahmddohcnabgnacknalpnflbapfokdkpeea
doebcbpoolaockbljkandhpnonpgkpgbadolnmhaibhegdiclj�
NNTP-Posting-Date: Thu, 06 Apr 2006 16:46:43 MST
Date: Thu, 06 Apr 2006 19:46:43 -0400
Xref: g2news1.google.com rec.radio.amateur.equipment:3389

On 04/06/06 06:11 pm Travis Jordan wrote:

>> someone on here said there was a radio parts outfit that beat
>> out radio shack by miles. Was us USHER? or RUSHER? or sometihing
>> like that. Whoever it was i reuested a catalog via mail and
>
> Let me guess.....Mouser?
>
> http://www.mouser.com/
>
> Most parts companies don't issue catalogs anymore; you'll need to check
> their web site.

Mouser sent me a couple of catalogs, the last probably sometime last
year. When I received no more, I assumed that it was because I hadn't
ordered anything from them. Their catalog is on line, but they don't
have everything: I found stuff in the Newark Electronics catalog that
wasn't in Mouser's.

Then there's DigiKey as well.

"Perce"
(aka Alan NV8A)

From 3833468551420669764
X-Google-Thread: 108122,561edd29d23837d6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake TR-4CW/RIT
Message-ID: <2pab32hcsgujmkbaa10dlg6ft26jccnvt2@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Thu, 06 Apr 2006 19:58:30 -0400
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1144367910 69.125.167.162 (Thu, 06 Apr 2006 16:58:30 MST)
NNTP-Posting-Date: Thu, 06 Apr 2006 16:58:30 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3390

FS: Drake TR-4CW/RIT
The TR-4CW/rit was one of the last off the line, serial no. 45311, and has the hard-to-find 34-PNB noise blanker installed, which I've seen go separately for $200. It is extremely clean, a conservative 9+. Flawless front panel except for one 1/8" scratch below the RIT button. Cabinet top is perfect. Both sides are perfect except for one very small scratch on the left side. Chassis is clean, no corrosion, no smoke deposits. No evidence of modification. Two extra crystals are installed for full 10M coverage.
Price: 950.00   Plus Shipping
ritchi50@optonline.net

From -4302303596470800370
X-Google-Thread: 108122,588b0942918f99b6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 06 Apr 2006 21:54:48 -0500
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment

Subject: New program. Input Z of Twin-lines.
Date: Fri, 7 Apr 2006 03:53:54 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <HYOdnZmEG-XlSajZnZ2dnUVZ8s6dnZ2d@bt.com>
Lines: 26
NNTP-Posting-Host: 86.143.78.225
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-
OfzYYbG3eaQPShLMGOPPHf81a5pxTCjaS200aMp0cWt8FvC43sKic77a6FZ15UdBikZLbIrkt7XYLSF!D/
+6ILHrFKspK6Ua9RCTwEKQYGrVzgaPXQlN0XJ2VIak+ruuMkWUY3sZzKYEWDnox5185XHUPTA=
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3391

New program LINE_ZIN, for given frequency and load impedance, for balanced-twin lines, calculates -

Impedance Zo
Input impedance, R+jX
Attenuation, dB
Power efficiency %
Loss with standing waves, dB
Reflection coefficient
Angle of refl.coeff.
SWR at load end
SWR at input end

Input data can be varied in small increments from the keyboard to observe how a line behaves. Practical and educational.

Download program LINE_ZIN (40 K-bytes) in a few seconds from website below and run imediately.

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

From 7827114522233488985
X-Google-Thread: 108122,eb592b3a192b4be1,start
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!wn12feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!8f3c6b5f!not-for-mail
From: "Bill Salerno" <w2onv@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB;  KENWOOD 870
Lines: 43
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C65A3E.9E8275E0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <JpwZf.701197$qk4.340697@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: e380ec616a1cfdc6e49560b18ab01dc1
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1144427241
e380ec616a1cfdc6e49560b18ab01dc1 (Fri, 07 Apr 2006 16:27:21 GMT)
NNTP-Posting-Date: Fri, 07 Apr 2006 16:27:21 GMT
Organization: AT&T Worldnet
Date: Fri, 07 Apr 2006 16:27:21 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3392

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C65A3E.9E8275E0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

WISH TO BUY 870 WITH SERIAL NUMBERS BEGINNING WITH  EITHER 20 40 50 60 =
SERIALS

WILL PAY 1,600  WITH THE TXCO....

CALL BILL SALERNO AT  201 368 3655  OR W2ONV@OPTONLINE.NET    =
WWW.W2ONV.COM
------=_NextPart_000_000A_01C65A3E.9E8275E0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>WISH TO BUY 870 WITH SERIAL NUMBERS =
BEGINNING=20
```

```
WITH&nbsp; EITHER 20 40 50 60 SERIALS</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>WILL PAY 1,600&nbsp; WITH THE =
TXCO....</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>CALL BILL SALERNO AT&nbsp; 201 368 =
3655&nbsp; OR <A=20
href=3D"mailto:W2ONV@OPTONLINE.NET">W2ONV@OPTONLINE.NET</A>&nbsp;&nbsp;&n=
bsp; <A=20
href=3D"http://www.W20NV.COM">WWW.W20NV.COM</A>&nbsp; =
</FONT></DIV></BODY></HTML>

------=_NextPart_000_000A_01C65A3E.9E8275E0--
```

```
From -2696486435223506 87
X-Google-Thread: 108122,9152a9a158a55d8a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
news.infoave.net!not-for-mail
From: Justin Case <cccccccc3cc3cc2c@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Is the Yaesu FT-840 back from the discontinued abyss?
Date: Fri, 07 Apr 2006 13:21:31 -0400
Organization: Info Avenue Internet Services, LLC
Lines: 7
Message-ID: <fp7d32tko1osngfps1681rfd09b5sjs7bg@4ax.com>
Reply-To: JC8882822828.not.real@hotmail.com
NNTP-Posting-Host: rhhe10-165.2wcm.comporium.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news3.infoave.net 1144430501 166456 64.53.90.165 (7 Apr 2006 17:21:41
GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Fri, 7 Apr 2006 17:21:41 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:3393
```

I noticed the Yaesu FT-840 has re-appeared on both HRO's web page as well as Texas Tower's web page. HRO has it listed as "in stock". Has this radio been brought back from discontinued status?

-Curious

```
From 7134950569836182405
```

```
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!newscon02.news.prodigy.com!
prodigy.net!newstrans.cos.agilent.com!sdd.hp.com!news-pa1.hpl.hp.com!
news.compaq.com!newsfeed1.sea.pnap.net!newsfeed.pnap.net!motgate2.mot.com!
newshost!avnika.corp.mot.com!engnntp2.cig.mot.com!not-for-mail
From: "Steve Nosko" <suteuve.nosukowicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Catalog
Date: Fri, 7 Apr 2006 14:50:29 -0500
Organization: Motorola Engineering Computing
Lines: 33
Message-ID: <e16fq5$ift$2@engnntp2.cig.mot.com>
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
NNTP-Posting-Host: 173.27.201.179
X-Trace: engnntp2.cig.mot.com 1144439429 18941 173.27.201.179 (7 Apr 2006 19:50:29
GMT)
X-Complaints-To: news@cig.mot.com
NNTP-Posting-Date: Fri, 7 Apr 2006 19:50:29 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.amateur.equipment:3394


"Percival P. Cassidy" <Nobody@NotMyISP.com> wrote in message
news:DLhZf.264$PF3.99@fe02.lga...
> On 04/06/06 06:11 pm Travis Jordan wrote:
>
> >> someone on here said there was a radio parts outfit that beat
> >> out radio shack by miles. Was us USHER?  or RUSHER? or sometihing
> >> like that.  Whoever it was i reuested a catalog via mail and
> >
> > Let me guess.....Mouser?
> >
> > http://www.mouser.com/
> >
> > Most parts companies don't issue catalogs anymore; you'll need to check
> > their web site.
>
> Mouser sent me a couple of catalogs, the last probably sometime last
> year. When I received no more, I assumed that it was because I hadn't
> ordered anything from them. Their catalog is on line, but they don't
> have everything: I found stuff in the Newark Electronics catalog that
> wasn't in Mouser's.
>
> Then there's DigiKey as well.
>
> "Perce"
```

> (aka Alan NV8A)

Recently did a web order by phone with Mouser and about 3 weeks later, un
announced and un needed, received the catalog in the mail!
73, Steve, K9DCI

From -3397012540269034248
X-Google-Thread: 108122,9152a9a158a55d8a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe10.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <fp7d32tko1osngfps1681rfd09b5sjs7bg@4ax.com>
Subject: Re: Is the Yaesu FT-840 back from the discontinued abyss?
Lines: 12
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <MDBZf.1093$Un3.339@fe10.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Fri, 07 Apr 2006 22:23:41 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3395

Justin Case wrote:
>   I noticed the Yaesu FT-840 has re-appeared on both HRO's web page as
> well as Texas Tower's web page. HRO has it listed as "in stock". Has
> this radio been brought back from discontinued status?

It isn't listed as a current product on the Yaesu web site, but the
archive reference is still there:
http://www.yaesu.com/indexVS.cfm?
cmd=DisplayProducts&ProdCatID=102&isArchived=1&DivisionID=65

My guess is that you're seeing a closeout.

From -9136931972108323283
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 07 Apr 2006 19:05:52 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
<e16fq5$ift$2@engnntp2.cig.mot.com>
Subject: Re: Catalog
Date: Fri, 7 Apr 2006 19:05:51 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
Lines: 57
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-wjWC6WvaAXAtwkaaHBDD2butHDilwarfccK7KuftlwjyLTLx+/tix7j3H/
HDwCiH0Xk0ofc5ZpnrMq5!ea/AQe1PdAKxCjPc7eqNSaj56Hc4koeM2C1oeOK+HaW+XWrq/
mtCPsRQhsta4ymR3K6WqSxH808=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3396

"Steve Nosko" <suteuve.nosukowicuz@moutouroula.com> wrote in message
news:e16fq5$ift$2@engnntp2.cig.mot.com...
>
> "Percival P. Cassidy" <Nobody@NotMyISP.com> wrote in message
> news:DLhZf.264$PF3.99@fe02.lga...
>> On 04/06/06 06:11 pm Travis Jordan wrote:
>>
>> >> someone on here said there was a radio parts outfit that beat
>> >> out radio shack by miles. Was us USHER? or RUSHER? or sometihing
>> >> like that. Whoever it was i reuested a catalog via mail and
>> >
>> > Let me guess.....Mouser?
>> >
>> > http://www.mouser.com/
>> >
>> > Most parts companies don't issue catalogs anymore; you'll need to check
>> > their web site.
>>
>> Mouser sent me a couple of catalogs, the last probably sometime last
>> year. When I received no more, I assumed that it was because I hadn't
>> ordered anything from them. Their catalog is on line, but they don't
>> have everything: I found stuff in the Newark Electronics catalog that

>> wasn't in Mouser's.
>>
>> Then there's DigiKey as well.
>>
>> "Perce"
>> (aka Alan NV8A)
>
> Recently did a web order by phone with Mouser and about 3 weeks later, un
> announced and un needed, received the catalog in the mail!
> 73, Steve, K9DCI

Its marketing 101.... *any* order or correspondence gets you on their mailing list. Same thing with my customers.... I always gat a name, address, and phone number immediately after "Hello". From then on out, for up to 5 years, they are in my database and get fliers, mailers, post cards, etc with the special de-jour. One of the best tricks is to send out cards to *all* of the folks in the data base with a discount coupon on renewal of their service agreement. You say you don't have a service agreement?? , no problem, we will give you the discount as an "introductory offer", when can we schedule you for a complete heating/cooling system perfoemance evaluation?

It works a whole lot better than folks think.... and you still got the catalog to look through for your next order :-)

-n6ojn

Steve @ Noon-Air Heating & A/C
Noon-Air@comcast.net

Life is what happens while you were making other plans

```
From -8140173784993138583
X-Google-Thread: 108122,9152a9a158a55d8a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Is the Yaesu FT-840 back from the discontinued abyss?
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <fp7d32tko1osngfps1681rfd09b5sjs7bg@4ax.com>
<MDBZf.1093$Un3.339@fe10.news.easynews.com>
Organization: Your Company
Message-ID: <Xns979EBEE74176Cspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 08 Apr 2006 01:43:40 GMT
Lines: 16
NNTP-Posting-Host: 76cb7ef4.news.adtechcomputers.com
```

```
X-Trace: DXC=H^:We8m>oV=4bbLLXId7?
7gC4_A5:nI@1<<=aEgO;R87S[VaTVjXAR0mlJ<1\Je^I:ecf<A4o8l930W_Uo]cC15:8kHcNc;Ume>CUG1
[23VgM;Vh8[P0@j\F2
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3397
```

>
> It isn't listed as a current product on the Yaesu web site, but the
> archive reference is still there:
> http://www.yaesu.com/indexVS.cfm?cmd=DisplayProducts&ProdCatID=102&isAr
> chived=1&DivisionID=65
>
> My guess is that you're seeing a closeout.
>

Amateur Electronic Supply lists it as "Discontinued by Manufacturer"
but still available in limited quantities in stock.

Ed   K7AAT

```
From 2239154704735105683
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
140.99.99.194.MISMATCH!newsfeed1.easynews.com!easynews.com!easynews!sn-xt-sjc-02!
sn-xt-sjc-06!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Catalog
Date: Fri, 7 Apr 2006 21:04:35 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <123ediiok7i4sd9@corp.supernews.com>
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
<e16fq5$ift$2@engnntp2.cig.mot.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 14
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:3398

"Steve Nosko" wrote ...
> Recently did a web order by phone with Mouser and
> about 3 weeks later, un announced and un needed,
> received the catalog in the mail!
>  73, Steve, K9DCI

And same with DigiKey. But I'm going to request that
they NOT send paper catalogs. They've got so much
stuff that they keep making the font smaller every year
to fit it all in there. (And/or maybe my eyes are getting
old! :-)
Actually it is never ALL in the hard-copy catalog.

KE7GKP



From 6827534855951127805
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread3.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <44373E59.C21F3F53@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Catalog
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
<e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
Date: Sat, 08 Apr 2006 04:39:18 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1144471158 24.110.34.161 (Fri, 07 Apr
2006 21:39:18 PDT)
NNTP-Posting-Date: Fri, 07 Apr 2006 21:39:18 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3399

Noon-Air wrote:
>
> Its marketing 101.... *any* order or correspondence gets you on their
> mailing list. Same thing with my customers.... I always gat a name, address,
```

> and phone number immediately after "Hello". From then on out, for up to 5 years, they are in my database and get fliers, mailers, post cards, etc with the special de-jour. One of the best tricks is to send out cards to *all* of the folks in the data base with a discount coupon on renewal of their service agreement. You say you don't have a service agreement?? , no problem, we will give you the discount as an "introductory offer", when can we schedule you for a complete heating/cooling system perfoemance evaluation?
>
> It works a whole lot better than folks think.... and you still got the catalog to look through for your next order :-)
>
> -n6ojn
>
> Steve @ Noon-Air Heating & A/C
> Noon-Air@comcast.net
>
> Life is what happens while you were making other plans

That sounds like a local HVAC company that called me 35 times in one week, insisting that I "Needed" their "Central air tune-up special" I told them the fist 34 times that I didn't even have a window air conditioner, let alone a central air system and not to call me and tie up my business phone line again. The last time she called, I asked her how many phone lines they had. The woman wanted to know why, so I told her that if I got one more call that I was going to contact a lot of people to have them make repeated calls about their services, then to have them come out to give a price on a new central air system before telling them they had changed their minds. She yelled that it was harassment. I laughed and told her, "Now you know how I feel!", and hung up. They never called me back.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 1850543606032732774
X-Google-Thread: 108122,ed06f11207c1eaec,start
X-Google-Thread: 108228,ed06f11207c1eaec,start
X-Google-Thread: fcc6e,ed06f11207c1eaec,start
X-Google-Attributes: gid108122,gid108228,gidfcc6e,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 08 Apr 2006 08:11:58 -0500
```

```
Subject: FA: 1-Day-Left: 8 Books: HAM RADIO, SIX METERS, VEC, Electronics,
Antennas, etc.
Date: Sat, 08 Apr 2006 09:11:58 -0400
From: Jo <jo@jloiuwfsdfa.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.amateur.antenna
Message-ID: <080420060911580598%jo@jloiuwfsdfa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-UIct5cfMjywUohhLs8rPS7HX5SkSl17R5pfBS5qlf0RnG1EtCDk/
eEm+NsWqh6539vvYjNSkJnqjVdA!
Ugq6Jm85vyiLbIZ7ZdAYhDMooOkIKOs4mpns6Nsczt4auqFIbYacCiV0Z5PJgVn8qvmUqc8YMAyS!
2Wc2juEaHrihr5UnM56e
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3400 alt.ham-
radio.marketplace:800 rec.radio.amateur.antenna:9447
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4627975156

```
From 7060237193126955958
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 08 Apr 2006 08:53:18 -0500
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
<e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
<44373E59.C21F3F53@earthlink.net>
Subject: Re: Catalog
Date: Sat, 8 Apr 2006 08:53:16 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <VZadndOT9cnTXarZRVn-hg@comcast.com>
Lines: 66
```

```
NNTP-Posting-Host: 68.63.237.38
X-Trace:
sv3-2Yl95Y12tyoL42gqiWH6nYkTbJKkij2Vc3ZladH0a+iC7KOHq76lyfzcFhc466otXeshGoILTs9U7m
W!jArtGjf92tYhtp62GWuwi/5Y7SQrVseuCn0NsLS3+XYEGIcNw94aijen0bwx7LCpEyN2GTFEjjw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3401


"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:44373E59.C21F3F53@earthlink.net...
> Noon-Air wrote:
>>
>> Its marketing 101.... *any* order or correspondence gets you on their
>> mailing list. Same thing with my customers.... I always gat a name,
>> address,
>> and phone number immediately after "Hello". From then on out, for up to 5
>> years, they are in my database and get fliers, mailers, post cards, etc
>> with
>> the special de-jour. One of the best tricks is to send out cards to *all*
>> of
>> the folks in the data base with a discount coupon on renewal of their
>> service agreement. You say you don't have a service agreement?? , no
>> problem, we will give you the discount as an "introductory offer", when
>> can
>> we schedule you for a complete heating/cooling system perfoemance
>> evaluation?
>>
>> It works a whole lot better than folks think.... and you still got the
>> catalog to look through for your next order :-)
>>
>> -n6ojn
>>
>> Steve @ Noon-Air Heating & A/C
>> Noon-Air@comcast.net
>>
>> Life is what happens while you were making other plans
>
>
>   That sounds like a local HVAC company that called me 35 times in one
> week, insisting that I "Needed" their "Central air tune-up special" I
> told them the fist 34 times that I didn't even have a window air
> conditioner, let alone a central air system and not to call me and tie
> up my business phone line again. The last time she called, I asked her
> how many phone lines they had.  The woman wanted to know why, so I told
> her that if I got one more call that I was going to contact a lot of
> people to have them make repeated calls about their services, then to
> have them come out to give a price on a new central air system before
> telling them they had changed their minds. She yelled that it was
```

> harassment. I laughed and told her, "Now you know how I feel!", and
> hung up. They never called me back.

Sorry you got caught in the telemarketing loop.... I only do mail-outs....
and even then at the most only once a month.... The only time I call is the
the night before a scheduled appointment, and again when I am enroute. There
used to be an HVAC company here that did the same telemarketing routine that
you got... their agreements were'nt worth the paper they were written on,
and they had done more damage to the folks systems than they repaired. I
gained a lot of customers from them. FWIW, I have *never* done a "tune-up"
special..... Thats a real good way to end up on Dateline, or 60 Minutes.
:-)

You only have *ONE* DD214?? I have 4 of them... did 22 years in the US Coast
Guard. I just hung around until it wasn't no fun no more :-)

> Service to my country? Been there, Done that, and I've got my DD214 to
> prove it.
> Member of DAV #85.
>
> Michael A. Terrell
> Central Florida

```
From 5858238947243614563
X-Google-Thread: 108122,93d9ae5ae7fd3a4b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: "Jeff James" <cbstv@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Sell your Tube Gear!
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <KRPZf.126$LI5.87@fe11.lga>
Date: Sat, 8 Apr 2006 10:34:17 -0400
NNTP-Posting-Host: 68.196.6.3
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1144506858 68.196.6.3 (Sat, 08 Apr 2006 07:34:18 MST)
NNTP-Posting-Date: Sat, 08 Apr 2006 07:34:18 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3402
```

http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
-The Boatanchor Classifieds-

FREE ads and a site dedicated to Vintage Amateur Radio...
          You never know what you'll find..

```
From -5002697017905716731
X-Google-Thread: 108122,6b236c595ba4d3a6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
elnk-atl-nf1!newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread2.news.atl.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <4437CCB8.C03CDF7A@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Catalog
References: <Pine.BSI.4.61.0604051720520.8898@malasada.lava.net>
<FmgZf.464120$Mh4.330090@fe02.news.easynews.com> <DLhZf.264$PF3.99@fe02.lga>
<e16fq5$ift$2@engnntp2.cig.mot.com> <r7udnYO_cqf9Y6vZRVn-ig@comcast.com>
<44373E59.C21F3F53@earthlink.net> <VZadndOT9cnTXarZRVn-hg@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 85
Date: Sat, 08 Apr 2006 14:46:50 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1144507610 24.110.34.161 (Sat, 08 Apr
2006 07:46:50 PDT)
NNTP-Posting-Date: Sat, 08 Apr 2006 07:46:50 PDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3403
```

Noon-Air wrote:

> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
> news:44373E59.C21F3F53@earthlink.net...
>
> >   That sounds like a local HVAC company that called me 35 times in one
> > week, insisting that I "Needed" their "Central air tune-up special" I
> > told them the fist 34 times that I didn't even have a window air
> > conditioner, let alone a central air system and not to call me and tie
> > up my business phone line again. The last time she called, I asked her
> > how many phone lines they had. The woman wanted to know why, so I told
> > her that if I got one more call that I was going to contact a lot of
> > people to have them make repeated calls about their services, then to
> > have them come out to give a price on a new central air system before

> > telling them they had changed their minds. She yelled that it was harassment. I laughed and told her, "Now you know how I feel!", and hung up. They never called me back.
>
> Sorry you got caught in the telemarketing loop.... I only do mail-outs.... and even then at the most only once a month.... The only time I call is the the night before a scheduled appointment, and again when I am enroute. There used to be an HVAC company here that did the same telemarketing routine that you got... their agreements were'nt worth the paper they were written on, and they had done more damage to the folks systems than they repaired. I gained a lot of customers from them. FWIW, I have *never* done a "tune-up" special..... Thats a real good way to end up on Dateline, or 60 Minutes. :-)

I wasn't trying to imply you were that bad, it just reminded me of some of the low lifes around here who change their business name more often than they replace their trucks. I grew up in Ohio where MOST trades people took a lot of pride in their work. I now live in Florida and I have NEVER seen one good drywall job. My dad and step mom bought a new home two years ago. The bastards sold them a heat pump, and installed central air with heat strips but no heat pump, before they disappeared.

I have a firm rule: I NEVER do business with any telemarketer. Everyone in my subdivision got a letter for a realtor informing them that their property had gone up 37,000 in the past year, and claiming to have been in business for 25 years. I have access to the county's property database, and not one home in the subdivision had gone up that much, except one that was replaced after the hurricanes the year before. Like most of the homes here, my property had gone up less than $2,000. I checked out the "Realtor" to find that he didn't even have a listed telephone the year before. I should have turned him over to the state for fraud.

> You only have *ONE* DD214?? I have 4 of them... did 22 years in the US Coast Guard. I just hung around until it wasn't no fun no more :-)

I only did one tour in the US Army in the early '70s. They were phasing out my MOS, and hiring civilians. I was offered a civil service job at Ft Rucker, but I turned it down. My MOS was "TV Equipment Repairman", which meant that I was a broadcast engineer for AFRTS. As far as having fun, I nearly caused a riot at Ft Greely Alaska, when I transmitted out station ID in color on a completely monochrome facility. I couldn't let the base information officer get away with telling me, and everyone else that it was impossible to use anything at the station for color. To add insult to injury, I did it at 6:00 PM, at the start of our live newscast to make sure that the maximum number of people would see it before I hid the evidence. NEVER tell the engineer what he can do! ;-)

The sig file is there to be in the face of a moron who has been stalking me on line for some time, and a couple idiots who don't think much of the US military, and veterans in general.

BTW, the quarterly memorial for Veterans who have died in marion County Florida in the past quarter is this morning, but I'm not well enough to attend.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 1118540482849420878
X-Google-Thread: 108122,5dc327d91607beef,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
pd7cy1no!pd7cy2so!shaw.ca!pd7tw2no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 70.67.204.171
From: "Daphne + Dave" <dschertzer@shaw.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: KENWOOD REPAIR? - DSP-100-
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <g8QZf.8396$_u1.2387@pd7tw2no>
Date: Sat, 08 Apr 2006 14:54:04 GMT
NNTP-Posting-Host: 24.64.223.206
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw2no 1144508044 24.64.223.206 (Sat, 08 Apr 2006 08:54:04 MDT)
NNTP-Posting-Date: Sat, 08 Apr 2006 08:54:04 MDT
Organization: Shaw Residential Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:3404

Any recommendations?   Avvid and LPC already info'd.

From -4176234204487734638
X-Google-Thread: 108122,71656b62ee842505,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS AS NEW Ham IV Rotator
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <7lTZf.3978$s%6.2770@dukeread02>
Date: Sat, 8 Apr 2006 13:32:42 -0500
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1144521155 68.105.228.151 (Sat, 08 Apr 2006 14:32:35 EDT)
NNTP-Posting-Date: Sat, 08 Apr 2006 14:32:35 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3405
```

FS As New hy-gain Ham IV Rotator and Control box. This Ham IV has been used less than one year and is in great condition. I just check it out and all functions work as they should. It has been in storage for several years so could probably could use some new grease. It comes with a nice copy of the manual. Price is $325 shipped in lower 48. Thanks, Charlie Hugg, K5MBX

```
From -4471769721135108126
X-Google-Thread: 108122,5d84e981ee379b8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p02!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Excellent Icom IC-751 Transceiver
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <YyTZf.3982$s%6.1375@dukeread02>
Date: Sat, 8 Apr 2006 13:47:27 -0500
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1144522040 68.105.228.151 (Sat, 08 Apr 2006 14:47:20 EDT)
NNTP-Posting-Date: Sat, 08 Apr 2006 14:47:20 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3406
```

FS Beautiful Icom IC-751 all mode SSB / AM / FM / CW / RTTY Transceiver 100 watts. Superb condition in both appearance and electronically. Well cared for, works 100%. This radio has always been in a nonsmoking environment. Includes hand mic, original manual, and power cord. Also has the Optional CW Filter installed. Rare to find one in this condition. Price is $400, plus shipping. Thanks, Charlie Hugg, K5MBX

```
From 1106243452342903988
X-Google-Thread: 1109af,4600d9bab29bf943,start
X-Google-Thread: 108122,4600d9bab29bf943,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 08 Apr 2006 14:03:43 -0500
From: Mike Nowlen <mnowlen@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.commer
cial-lmr,rec.radio.lmr-commercial,rec.radio.lmr-commerical
Subject: ICOM CK-11 Cable Kit for IC435 Series Transcivers: $25
Date: Sat, 08 Apr 2006 15:03:42 -0400
Message-ID: <882g329ctuhdua1qj5absqbp6k3g7uproq@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: 69.255.1.133
X-Trace: sv3-71mdyJ/
WVZajvV4VFhZtRfdBsZipJExY5VGsPqi45OnRaIT9TC0OCsSB7o3Jf195jUnFrTncwLXRcve!
3TuaWt0uyZF6wJNDWZIpUpwC+0IIYmPA0t1c53hgrhae7ldac38uaKFDdZnUYkztnkCne9YX2RNp!
zY1W8HwCWw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3483 rec.radio.amateur.equipment:3407
```

New Icom remote cable kit complete with mounting and hardware in original box for Icom Series Commercial Mobile Transceivers

CK-11 for IC435:

$25 + actual shipping costs. Email with zip code for shipping costs.

Thanks for reading
mnowlen@comcast.net

From 3961193677700786267
X-Google-Thread: 108122,2af56dcfa78e2ad0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.mv.net!not-for-mail
From: C. J. Clegg <reply.to.newsgroup@nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Any suggestions for a 144 - 430 amp?
Date: Sat, 08 Apr 2006 16:36:29 -0400
Organization: MV Communications, Inc.
Lines: 11
Message-ID: <sf7g32d0mn5s1qhcjcokrrmaajckpd46tm@4ax.com>
NNTP-Posting-Host: dsl.netis.mv.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: pyrite.mv.net 1144528572 17777 207.22.49.17 (8 Apr 2006 20:36:12 GMT)
X-Complaints-To: abuse@mv.net
NNTP-Posting-Date: Sat, 8 Apr 2006 20:36:12 +0000 (UTC)
X-Newsreader: Forte Free Agent 3.0/32.763
Xref: g2news1.google.com rec.radio.amateur.equipment:3408

I'm looking for a dual-band amplifier for the 144 and 440 MHz bands
that will do both FM and SSB.

I'll be driving it with nominally 5 watts from an FT-817 and I'd like
to get at least 30 watts out.

The only dual-band amplifier I've been able to find is the Mirage
BD-35 but that one is FM (Class C) only.

Any suggestions?

From 2655401124784293946
X-Google-Thread: 108122,e6bb2e29ed180b28
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 08 Apr 2006 15:41:04 -0500
From: "Robert Fanfant" <fanfant@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1144104366.908381.239150@g10g2000cwb.googlegroups.com>
<ed7632pur3mj6o9l9vmhmd6ki2rdcn6r68@4ax.com>
Subject: Re: IC-761 drift/chirpy rx signals when tuner presets are adjusted
Date: Sat, 8 Apr 2006 13:41:19 -0700

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <bLudnVO5C5V9gqXZRVn-qg@comcast.com>
Lines: 36
NNTP-Posting-Host: 24.16.76.159
X-Trace: sv3-
G5uAhFywUE2hFaNOwIABUx5NBAYXlG0AGF4Gzvbz4OerjjVb9VmjX0d0DwReqsPNZv24P9vh5RMVzlQ!
Sw5zHohMkCzRi8agPLU1nIcOKX3/7VQ9PVrcIxWRIf0Tevn0yYlgMOpwB1h1MlLWRGa+ln3j/w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3409

My IC-765 had the same problem. I brought the radio to Icom & they fixed the
problem at no charge. I believe this is a known problem with the wax(?)
placed on top of the trimmer caps to hold them in place.

-rob


"Gary P. Fiber" <gfiber@comcast.net> wrote in message
news:ed7632pur3mj6o9l9vmhmd6ki2rdcn6r68@4ax.com...
> On 3 Apr 2006 15:46:06 -0700, asrick@gmail.com wrote:
>
>>I have a strange problem with my IC-761 that I purchased recently.  Any
>>help would be great:
>>
>>I notice that once in a while CW signals will start to sound a little
>>warbley, as if infected with a little AC hum.  At first I assumed this
>>was a characteristic of the TX signal on the other radio but soon
>>discovered that if I play with the auto-tune switch it will go away.
>>Further investigation has shown that if I have the tuner on and play
>>with the preset control it can start or stop the problem.  The issue
>>seems to be with interference to the rx signal from the auto tuner. Can
>>the auto tuner affect the synthesizer in this way?
>>
>>Thanks,
>>
>>Anthony
>
> Generally its the VCO trimmer caps causing that raspy signal. Usually
> shows up on CW first. The tuner is not connected to the synthesizer at
> all.
>
> I think its coincidence the tuner makes the signal raspy, warbled
>
> Gary K8IZ
```

From -80328825642091826
X-Google-Thread: 108122,bddf538e7e8825b5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: "DrJoe" <phdjwg@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: tower/transmitter ownership in the US
Date: 30 Mar 2006 09:47:22 -0800
Organization: http://groups.google.com
Lines: 36
Message-ID: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 70.59.115.3
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1143740847 6029 127.0.0.1 (30 Mar 2006 17:47:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Mar 2006 17:47:27 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; FunWebProducts; .NET CLR 1.0.3705; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=70.59.115.3;
   posting-account=yz-J1w0AAADlcgppW3Z4dRyBiAHI-BAD
Xref: g2news1.google.com rec.radio.amateur.equipment:3310

Hello all,

I am new to the group but have a specific reason for joining. The primary reason I joined, like many of you I am sure, is to get information about short wave radio. My situation: I have the appropriate parcel of land (110) acres that is free from any legal impediments to building a short wave radio tower. The land is located in West Central Alabama, in rural Fayette County.I also have the necessary funding to build a short wave radio tower and transmitter. The site has been evaluated as a perfect location that is virtually free from any potential liability and from the perspective of reaching millions of people in Mexico and Central America.

Questions for the group:

1. What are the potential financial rewards for owning and operating a short wave radio transmitter/tower?

2. How does an owner go about establishing a revenue stream from

potential purchasers of air time.

3. Who would the primary customer base be?

Comments or suggestions?

Thank you,

DrJoe (newbie)

From 8821010873112251796
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
Subject: Re: tower/transmitter ownership in the US
Lines: 12
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <ZUUWf.192843$Iq2.41076@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Thu, 30 Mar 2006 17:51:53 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3311

DrJoe wrote:
> 1. What are the potential financial rewards for owning and operating a
> short wave radio transmitter/tower?

You are in the wrong newsgroup. FCC regulations prohibit any commercial use of amateur radio frequencies.

> Comments or suggestions?

Perhaps you should try a more appropriate newsgroup.

```
From -1308987830515601016
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "DrJoe" <phdjwg@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: tower/transmitter ownership in the US
Date: 30 Mar 2006 09:53:26 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1143741206.537919.199790@u72g2000cwu.googlegroups.com>
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
   <ZUUWf.192843$Iq2.41076@fe07.news.easynews.com>
NNTP-Posting-Host: 70.59.115.3
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1143741211 10493 127.0.0.1 (30 Mar 2006 17:53:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Mar 2006 17:53:31 +0000 (UTC)
In-Reply-To: <ZUUWf.192843$Iq2.41076@fe07.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts; .NET CLR 1.0.3705; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=70.59.115.3;
   posting-account=yz-J1w0AAADlcgppW3Z4dRyBiAHI-BAD
Xref: g2news1.google.com rec.radio.amateur.equipment:3312
```

Well thank you for that. Where should I be asking these questions then?

```
From -1741650274728460158
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!
easynews!easynews-local!fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
<ZUUWf.192843$Iq2.41076@fe07.news.easynews.com>
<1143741206.537919.199790@u72g2000cwu.googlegroups.com>
Subject: Re: tower/transmitter ownership in the US
Lines: 7
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <f0VWf.155660$G_2.44845@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 30 Mar 2006 17:59:39 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3313

DrJoe wrote:
> Well thank you for that. Where should I be asking these questions
> then?

I'd start with rec.radio.shortwave




From 4039007566241090946
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
<ZUUWf.192843$Iq2.41076@fe07.news.easynews.com>
<1143741206.537919.199790@u72g2000cwu.googlegroups.com>
<f0VWf.155660$G_2.44845@fe08.news.easynews.com>
Subject: Re: tower/transmitter ownership in the US
Lines: 12
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <o1VWf.299008$vi2.129181@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 30 Mar 2006 18:00:52 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3314

Travis Jordan wrote:
> DrJoe wrote:
> > Well thank you for that. Where should I be asking these questions
> > then?
>
> I'd start with rec.radio.shortwave

and perhaps even more on-topic
```

```
From -4987947020742477025
X-Google-Thread: 108122,11bafd62981b341d,start
X-Google-Thread: 10ed5f,11bafd62981b341d,start
X-Google-Attributes: gid108122,gid10ed5f,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: joemagiera@ameritech.net
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio
Subject: wtb: Kenwood TR-9130
Date: 30 Mar 2006 11:50:21 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1143748221.308961.192890@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 144.160.5.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1143748226 30752 127.0.0.1 (30 Mar 2006 19:50:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 30 Mar 2006 19:50:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
SBC; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=144.160.5.25;
   posting-account=1wTtcQwAAADZwrmVaQ_yhbr0JFZ0vgjE
Xref: g2news1.google.com rec.radio.amateur.equipment:3315 alt.ham-radio:721

If you have a fully working Kenwood TR-9130 2 Meter All Mode
Transceiver (prefer with modified Mars, but not absolutely necessary)
available for sale, let me know your price.  Please respond by e-mail
as I am not a radio person and do not read this newsgroup, but am
trying to find this for a relative (WA9VND).  Thanks,

Joe (joemagiera at ameritech dot net)
joemagiera@ameritech.net




From -6707519495383293292
X-Google-Thread: 108122,115ff593a074eef9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!4e73252e!
not-for-mail
```

From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD: KENWOOD TK-630 SERVICE MANUAL
Reply-To: w1ksz@earthlink.net
Message-ID: <fpko22hk54em1kgdv8lrv9s46pb28h21gn@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Thu, 30 Mar 2006 21:53:25 GMT
NNTP-Posting-Host: 24.41.20.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1143755605 24.41.20.5 (Thu, 30 Mar 2006 13:53:25 PST)
NNTP-Posting-Date: Thu, 30 Mar 2006 13:53:25 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3316

I need a copy, paper or pdf.

Thanks, Dick, W1KSZ

From 837955692375480841
X-Google-Thread: 108122,99d322d263d18bc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.ision.net!newsfeed2.easynews.net!ision!newsfeed.freenet.de!213.132.189.2.MISMATCH!multikabel.net!feed20.multikabel.net!sn-ams-06!sn-xt-ams-08!sn-post-ams-02!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Need Mike and Cable for Azden PCS3000
Date: Thu, 30 Mar 2006 15:02:47 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0603301500110.8742@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news1.google.com rec.radio.amateur.equipment:3317

This is kinda weird cable that has a 16 receptacle plug on the coil cord to the mike. If any one has one ofthese I would like to buy it.

Joe Fenn (jfenn@lava.net)

****

```
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************
```

```
From 5119807387028513127
X-Google-Thread: 108122,79b97edea72e37ad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!
53ab2750!not-for-mail
Message-ID: <442CA524.5070305@hotmail.com>
From: JJ <jamesevens75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood 732a problems
References: <OylVf.41587$fd.17107@read2.cgocable.net>
In-Reply-To: <OylVf.41587$fd.17107@read2.cgocable.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Thu, 30 Mar 2006 22:42:28 -0500
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1143776527 24.47.254.156 (Thu, 30 Mar 2006 20:42:07 MST)
NNTP-Posting-Date: Thu, 30 Mar 2006 20:42:07 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:3318

Don Farrow wrote:

>Hi All
>
>I am having a problem with my Kenwood 732a....I stopped working and would
>not power on, their was power going to the radio but it would not turn on.
>
>I keep on trying to turn it on by repeating the on off button and now I have
>a small number 44 showing in the left side of the display and when you push
>any of the buttons all it does is beep, and now the on off button won't turn
>the radio off.
>
>Any Ideas Don VE3ULF
>
>
>
HI, if it has a remote head like the 733, remove the head and lightly
clean the contacts that mate the two halves together.
```

My 733 does this from time to time.
Good luck!! Let me know if it works.

73

From -1631365287300726918
X-Google-Thread: 108122,99d322d263d18bc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t31g2000cwb.googlegroups.com!not-for-mail
From: "ve3tjd" <tedd@ve3tjd.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Mike and Cable for Azden PCS3000
Date: 31 Mar 2006 07:55:06 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1143820506.200533.308460@t31g2000cwb.googlegroups.com>
References: <Pine.BSI.4.61.0603301500110.8742@malasada.lava.net>
NNTP-Posting-Host: 72.1.198.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1143820511 7913 127.0.0.1 (31 Mar 2006 15:55:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 31 Mar 2006 15:55:11 +0000 (UTC)
In-Reply-To: <Pine.BSI.4.61.0603301500110.8742@malasada.lava.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t31g2000cwb.googlegroups.com; posting-host=72.1.198.54;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news1.google.com rec.radio.amateur.equipment:3319

Hi Joe:

The PCS-3000 uses a 12 pin connector on the radio end. Make sure
you find the right one. I have a "like new" 3000 which will be going
on Ebay shortly. I would sell you just the mic, but it kind of makes
the
rest of the radio useless, hi hi!

Tedd, VE3TJD

From -5012124064071261378
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newsfeed.stanford.edu!
newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-pa1.hpl.hp.com!

```
news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!newsfeed.pnap.net!
motgate2.mot.com!newshost!avnika.corp.mot.com!engnntp2.cig.mot.com!not-for-mail
From: "Steve Nosko" <suteuve.nosukowicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: tower/transmitter ownership in the US
Date: Fri, 31 Mar 2006 09:34:49 -0600
Organization: Motorola Engineering Computing
Lines: 20
Message-ID: <e0ji6q$1sb$2@engnntp2.cig.mot.com>
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
<ZUUWf.192843$Iq2.41076@fe07.news.easynews.com>
<1143741206.537919.199790@u72g2000cwu.googlegroups.com>
<f0VWf.155660$G_2.44845@fe08.news.easynews.com>
<o1VWf.299008$vi2.129181@fe03.news.easynews.com>
NNTP-Posting-Host: 173.27.201.179
X-Trace: engnntp2.cig.mot.com 1143819290 1931 173.27.201.179 (31 Mar 2006 15:34:50
GMT)
X-Complaints-To: news@cig.mot.com
NNTP-Posting-Date: Fri, 31 Mar 2006 15:34:50 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.amateur.equipment:3320


"Travis Jordan" <no.one@no.net> wrote in message
news:o1VWf.299008$vi2.129181@fe03.news.easynews.com...
> Travis Jordan wrote:
> > DrJoe wrote:
> > > Well thank you for that. Where should I be asking these questions
> > > then?
> >
> > I'd start with rec.radio.shortwave
>
> and perhaps even more on-topic
>
> rec.radio.broadcasting
>
>

Since it is in the US, the FCC.
73, Steve, K9DCI




From -750779792155865820
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
```

```
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 31 Mar 2006 11:30:44 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
<ZUUWf.192843$Iq2.41076@fe07.news.easynews.com>
<1143741206.537919.199790@u72g2000cwu.googlegroups.com>
<f0VWf.155660$G_2.44845@fe08.news.easynews.com>
<o1VWf.299008$vi2.129181@fe03.news.easynews.com>
<e0ji6q$1sb$2@engnntp2.cig.mot.com>
Subject: Re: tower/transmitter ownership in the US
Date: Fri, 31 Mar 2006 11:30:41 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <YoqdnavrLcTZ-rDZRVn-pw@comcast.com>
Lines: 27
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
TIyySv5flTXFC05CxXYHWM8e6ylaMU9OxLMGpCWbLcn0I0YScrIpVmmUIQo47oLZ4FA8uLzJQMmI9jo!L/
WxmvzpOQ02LvXwe8YUdnPnHuy8/NAV6a69oFeidpxllOkzsHFSzp7As/pZifYINpztAAdVMLE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3321


"Steve Nosko" <suteuve.nosukowicuz@moutouroula.com> wrote in message
news:e0ji6q$1sb$2@engnntp2.cig.mot.com...
>
> "Travis Jordan" <no.one@no.net> wrote in message
> news:o1VWf.299008$vi2.129181@fe03.news.easynews.com...
>> Travis Jordan wrote:
>> > DrJoe wrote:
>> > > Well thank you for that. Where should I be asking these questions
>> > > then?
>> >
>> > I'd start with rec.radio.shortwave
>>
>> and perhaps even more on-topic
>>
>> rec.radio.broadcasting
>>
>>
>
> Since it is in the US, the FCC.
> 73, Steve, K9DCI
```

And the FAA

-n6ojn

From -2072004429925755943
X-Google-Thread: 108122,99d322d263d18bc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.gamma.ru!Gamma.RU!news.tele.dk!
news.tele.dk!small.news.tele.dk!newsrouter-eu.astraweb.com!news.astraweb.com!
router1.astraweb.com!sn-xt-sjc-04!sn-xt-sjc-08!sn-xt-sjc-09!sn-post-01!
supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need Mike and Cable for Azden PCS3000
Date: Fri, 31 Mar 2006 10:12:02 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0603311008330.12435@malasada.lava.net>
In-Reply-To: <1143820506.200533.308460@t31g2000cwb.googlegroups.com>
References: <Pine.BSI.4.61.0603301500110.8742@malasada.lava.net>
 <1143820506.200533.308460@t31g2000cwb.googlegroups.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news1.google.com rec.radio.amateur.equipment:3322

Tedd,
Your right, it is a 12 pin female plug. I guess at 85 I have
trouble seeing or counting. The recptacles are so old they
have lost all their springiness.   I tried deoxit on em and they
would work for a while, then I'd try to pinch them back together
and again within weeks one or several would'nt make good contacts.
And I dont think there is a 12 pin mike plug available this side
of heaven.   Good luck on your sale I am sure someone will get a
good deal from you.
                        Joe

```
**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************
```

From 6015986558192449657
X-Google-Thread: fcc6e,5312031b89d4ee03,start

X-Google-Thread: 108122,5312031b89d4ee03,start
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe04.lga.POSTED!53ab2750!not-for-mail
From: "John" <john_stlmo@yahoo.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Elivated vertical
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <JekXf.456$8h7.50@fe04.lga>
X-Trace:
badccedimaighclegjnojepfaookonpdeblgkmdgjceakgnfgblgmemgjobfkaeeclbihnjanfnbdkgofl
cddjccbnfbjdbjkbmdhcamioonbghnfmaglahpddeblndpegcmjhhibopfakdb
NNTP-Posting-Date: Fri, 31 Mar 2006 17:58:17 MST
Date: Fri, 31 Mar 2006 18:58:16 -0600
Xref: g2news1.google.com rec.radio.amateur.antenna:8863
rec.radio.amateur.equipment:3323

I've got a Butternut vertical HF6V and have plans to place it up on the roof. I've had it ground mounted (worked super) but due to family uses for the yard will have to move it up and out of the way.

Rather than laying down 20 pieces of wire on my roof for radials (insulated with the tips protected) I'd like to try and build a Butternut "No radials required with the optional CPK Counterpoise kit" but I'm having difficulty finding the specs.

Has anyone ever built one or have the measurements for a general purpose counterpoise kit?

Thanks.

John
john_stlmo at yahoo dot com

From 5279391627228518646
X-Google-Thread: fcc6e,5312031b89d4ee03
X-Google-Thread: 108122,5312031b89d4ee03
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail

NNTP-Posting-Date: Fri, 31 Mar 2006 20:08:59 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
References: <JekXf.456$8h7.50@fe04.lga>
Subject: Re: Elivated vertical
Date: Fri, 31 Mar 2006 20:08:58 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <aMWdnaZI_tgmfbDZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 22
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-9vNl98mjdPMz/
TQNaGLYM1MPvzllrP7BFIcZ8FzzEFd2TMHKKc0ZEgTjQXx5q+l3BluZNGBbBY3ppz6!
JDdulG+dsyig2psW1/5R6E4mtvkFazRHLgzm+6DT9hxnea2a2PrIwivMxpIgwey/YU7HB4zQhvv3!
ivmjmmubFLze
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:8864
rec.radio.amateur.equipment:3324

"John" <john_stlmo@yahoo.com> wrote in message
news:JekXf.456$8h7.50@fe04.lga...

> I've got a Butternut vertical HF6V and have plans to place it up on the
> roof. I've had it ground mounted (worked super) but due to family uses
> for the yard will have to move it up and out of the way.
>
> Rather than laying down 20 pieces of wire on my roof for radials
> (insulated with the tips protected) I'd like to try and build a Butternut
> "No radials required with the optional CPK Counterpoise kit" but I'm
> having difficulty finding the specs.
>
> Has anyone ever built one or have the measurements for a general purpose
> counterpoise kit?

Just run the radials... it will take around 550ft of wire.... I have my 5BTV
on the roof with 20 radials... the 75 meter radials are guyed out to trees.
It works very much good. :-)

-n6ojn

From 8885123995643434400
X-Google-Thread: fcc6e,5312031b89d4ee03

X-Google-Thread: 108122,5312031b89d4ee03
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news.rr.com!peer01.cox.net!cox.net!p01!dukeread10.POSTED!53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
References: <JekXf.456$8h7.50@fe04.lga>
Subject: Re: Elivated vertical
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <aslXf.4554$C85.4317@dukeread10>
Date: Fri, 31 Mar 2006 20:21:38 -0600
NNTP-Posting-Host: 68.224.212.198
X-Complaints-To: abuse@cox.net
X-Trace: dukeread10 1143858054 68.224.212.198 (Fri, 31 Mar 2006 21:20:54 EST)
NNTP-Posting-Date: Fri, 31 Mar 2006 21:20:54 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.antenna:8865 rec.radio.amateur.equipment:3325

"John" <john_stlmo@yahoo.com> wrote in message news:JekXf.456$8h7.50@fe04.lga...

> I've got a Butternut vertical HF6V and have plans to place it up on the roof. I've had it ground
> mounted (worked super) but due to family uses for the yard will have to move it up and out of the
> way.
>
> Rather than laying down 20 pieces of wire on my roof for radials (insulated with the tips
> protected) I'd like to try and build a Butternut "No radials required with the optional CPK
> Counterpoise kit" but I'm having difficulty finding the specs.
>
> Has anyone ever built one or have the measurements for a general purpose counterpoise kit?
>
> Thanks.
>
> John
> john_stlmo at yahoo dot com
>

Bencher has the instructions on their site:

<http://www.bencher.com/pdfs/00236IZV.pdf>

The spreaders are 5.5' and the wire is 8'3" on a side.

```
From 5490079040435539600
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-sjc-11!sn-xt-sjc-01!sn-xt-sjc-07!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: tower/transmitter ownership in the US
Date: Fri, 31 Mar 2006 19:32:09 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <122rt1qm085ff85@corp.supernews.com>
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 102
Xref: g2news1.google.com rec.radio.amateur.equipment:3326
```

"DrJoe" wrote ...

> I am new to the group but have a specific reason for
> joining. The primary reason I joined, like many of you
> I am sure, is to get information about short wave radio.

This newsgroup is not really about SW broadasting (or listening). It is about amateur ("ham") two-way radio communications which uses different radio bands than SW broadcasting (by international agreement). Hams in the US (and likely most countries) are specifically prohibited from "broadcasting".

> My situation: I have the appropriate parcel of land (110)
> acres that is free from any legal impediments to building a
> short wave radio tower.

There are many more impediments than legal. It is getting increasingly difficult for anyone to site broadcast transmitters *anywhere* because of various factions like environmentalists, people who are freaked about electromagnetic fields, etc. etc. And then there is the FAA to deal with since your tower(s) will likely be >200ft tall, not to mention FCC licensing etc.

> The land is located in West Central Alabama, in rural
> Fayette County. I also have the necessary funding to
> build a short wave radio tower and transmitter.

> The site has been evaluated as a perfect location that is
> virtually free from any potential liability and from the
> perspective of reaching millions of people in Mexico
> and Central America.

Evaluated by whom? There are consultants who specialize in broadcast (AM, FM, TV) transmitter facilities. The number of them who do SW is likely much smaller, I would think. The consulting broadcast engineers with SW experience is likely a pretty small community who likely know each other. If your evaluation was from someone who specializes in SW broadcasting, that would be the logical person to start with.

But without knowing anything about the business, I would be very afraid of being fast-talked by someone who had only their own interests in mind.

> Questions for the group:
>
> 1. What are the potential financial rewards for owning
> and operating a short wave radio transmitter/tower?

No offense, but if you have to ask that question, you seem already in way over your head. SW broadcasting is an extremely "niche" market and you can likely count the number of SW broadcasters in the USA on the fingers of your hands. It seems extremely doubtful that ANY of the current commercial (non-government) SW broadcasters in the US went into the business for the money. A fast-food franchise would be an infinitely more logical investment.

> 2. How does an owner go about establishing a revenue
> stream from potential purchasers of air time.

Much like any other business. You work in the industry for several years and "learn the ropes". Or you partner with someone with that experience. This seems like a dubious investment if you don't even know if there is any demand for your airtime.

> 3. Who would the primary customer base be?

Do you do any SW listening? Do you know who the customers are on your competition? If you don't know the answers to these questions you have a great deal of homework to do. Keep your money in a CD until you can pull it all together.

> Comments or suggestions?

There are likely NO broadcasters, AM, FM, TV, or SW who do their own engineering (siting, towers, legal, licensing, transmitters, feedline, studios, operations, etc. etc. etc.) These kinds of specialties are virtually always contracted to a broadcast engineering consultant, likely several of them who are each specialists in their particular area.

The business side is also very specialized. Particularly for SW broadcasting for which there seems to be minimal demand in the continental US. (Based on the miniscule number of broadcasters out there.) I suspect that the majority of SW broadcasting from North America (or owned by US entities) is likely non-profit religious.

Google returned 1.18 million hits for this query:
shortwave broadcasting in north america

The majority of them seem to be about SW listening, but there may be someting about broadcasting in there somewhere, also.

```
From 6285573319161623654
X-Google-Thread: 108122,8b3e5e2d1fccfc21,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 31 Mar 2006 21:42:55 -0600
Date: Fri, 31 Mar 2006 21:43:28 -0600
From:  tes@test.com
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-107 question
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <dsudncCGruEia7DZRVn-tg@comcast.com>
Lines: 18
NNTP-Posting-Host: 24.1.153.49
```

X-Trace: sv3-ijv5jk6Igs676BU6lFhlgJ2jUiNpR3dJUuixYwHUuUKmJULFtoxtkYy/
3OVagyC1OJonIc0FC4ALqpS!
j8wK0nZpvKYAGcKKhnQXHq5D+LTmxN+wkqCIzfNT3yZBWnZpvEzuz+aiYPYsnz2uyl5ZPbD2o/AS!QQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3327

I just acquired an FT-107m and I have a question.

The display is useless. On power up, it will show different characters
and not change at all while the frequency is changing.
The mode LEDs change when different modes are selected.

Is this the chip problem I've seen kits for or is it something else on
the counter board?

Where is the best place to acquire the modification?

Any thing else I should look for?

Cheers

Dave
WD2AAF

From -2767500835010629330
X-Google-Thread: fcc6e,5312031b89d4ee03
X-Google-Thread: 108122,5312031b89d4ee03
X-Google-Attributes: gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!news.bellsouth.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe05.lga.POSTED!53ab2750!not-for-mail
From: "John" <john_stlmo@yahoo.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment
References: <JekXf.456$8h7.50@fe04.lga> <aslXf.4554$C85.4317@dukeread10>
Subject: Re: Elivated vertical
Lines: 40
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <cIwXf.1$rc5.0@fe05.lga>
X-Trace:
nghlfjfcphhogbndfojmodjnkmndfploojlpdjhfpoengccjgblgmemgjobfkaeeldmfbcecbpimbmoalj
imepnjcklhknojomkpajlgfeoemdmlcoeidbgdkpacbijdegcmjhhibopfakdb

```
NNTP-Posting-Date: Sat, 01 Apr 2006 08:08:56 MST
Date: Sat, 1 Apr 2006 09:09:06 -0600
Xref: g2news1.google.com rec.radio.amateur.antenna:8880
rec.radio.amateur.equipment:3328

Thanks for the info - looks like it might be fun to try and build one...
I'm sure a lot of vertical users would find something like that very
handy...

Kind of reminds me of the CB antennas I see with their ground plane kits
except for the wire...

John

"Glenn" <aa5pk@hotmail.com> wrote in message
news:aslXf.4554$C85.4317@dukeread10...
>
> "John" <john_stlmo@yahoo.com> wrote in message
> news:JekXf.456$8h7.50@fe04.lga...
>> I've got a Butternut vertical HF6V and have plans to place it up on the
>> roof.  I've had it ground mounted (worked super) but due to family uses
>> for the yard will have to move it up and out of the way.
>>
>> Rather than laying down 20 pieces of wire on my roof for radials
>> (insulated with the tips protected) I'd like to try and build a Butternut
>> "No radials required with the optional CPK Counterpoise kit" but I'm
>> having difficulty finding the specs.
>>
>> Has anyone ever built one or have the measurements for a general purpose
>> counterpoise kit?
>>
>> Thanks.
>>
>> John
>> john_stlmo at yahoo dot com
>>
>
> Bencher has the instructions on their site:
>
> <http://www.bencher.com/pdfs/00236IZV.pdf>
>
> The spreaders are 5.5' and the wire is 8'3" on a side.
>




From 4198298367456335174
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
```

```
fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
<122rt1qm085ff85@corp.supernews.com>
Subject: Re: tower/transmitter ownership in the US
Lines: 11
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <DTwXf.346833$vi2.138454@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 01 Apr 2006 15:21:07 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3329
```

Richard Crowley wrote:
> Google returned 1.18 million hits for this query:
> shortwave broadcasting in north america
>
> The majority of them seem to be about SW listening,
> but there may be someting about broadcasting in there
> somewhere, also.

The OP should also reference: http://www.shortwave.org/

```
From -3647465462088757489
X-Google-Thread: 108122,2154fdece6c72db7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news.glorb.com!router2.astraweb.com!
mrouter.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-xt-
sjc-09!sn-xt-sjc-08!sn-post-02!sn-post-01!supernews.com!news.supernews.com!kc1ih
From: Larry Weil <kc1ih@mac.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted Dual Band Mobile Transceiver
Date: Sat, 01 Apr 2006 13:09:37 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <kc1ih-64EBC8.13093701042006@sn-indi.vsrv-sjc.supernews.net>
References: <r9mWf.24680$KE1.11011@dukeread02>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news1.google.com rec.radio.amateur.equipment:3330
```

In article <r9mWf.24680$KE1.11011@dukeread02>,
 "Charlie Hugg" <hug-a-bug1@cox.net> wrote:

> I am still looking for a Dual Band 2 Meter/440 mobile tranceiver. It needs
> to have a Tone
> Board so that I can access local repeaters. I am looking for something
> around $200. Please let me know what you have,i.e., make, model,condition,
> and price.

Tone board? Most radios made in the past 10 or 15 years have tone
built-in. I don�t think you can buy a new one today that doesn�t.

My suggestion if you want a used radio is to look on e-bay, or get to a
local hamfest.

73 de KC1IH

--
Larry Weil
Lake Wobegone, NH

From -4638572038170050226
X-Google-Thread: fc8b1,b6ff3d40e9e4ab79
X-Google-Thread: 1109af,b6ff3d40e9e4ab79
X-Google-Thread: 108122,9d74c5b310f334d6,start
X-Google-Attributes: gidfc8b1,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe03.lga.POSTED!53ab2750!not-for-mail
From: "John" <john_stlmo@yahoo.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment
Subject: FT: SX-28
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <zZzXf.62$46.60@fe03.lga>
X-Trace:
idmkcnjgmiagocdeehjjfbfnmakgabcngblikpnjenhkingagblgmemgjobfkaeeldmfbcecbpimbmoalj
imepnjcklhknojiicdiipomdogjecpkihhkjopkggjooldegcmjhhibopfakdb
NNTP-Posting-Date: Sat, 01 Apr 2006 11:52:15 MST
Date: Sat, 1 Apr 2006 12:52:24 -0600
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3667 rec.radio.swap:3368
rec.radio.amateur.equipment:3331

Posting again due to change in photo status...

I've already had 4 requests for pics, and I don't want to spend the day sending pics so I've put the pics on a free hosting site for everyone to see.   Feel free to take a look - I feel the radio is in great shape.

Any questions let me know - it played when I got it about 2 - 2 1/2 years ago and has been sitting in the closet ever since. I've been advised not to power it up again without a variac (which I don't have) so all I can say is it worked when it was put up for storage.

Have a great weekend - let me know what you have to trade, looking for solid state or hybrid ham transceiver, quality short wave radio, trunk tracking scanners, or ??? I'm just not into boatanchors.

Thanks.

John

john_stlmo at yahoo dot com

http://suprfile.com/get.php?id=djo09w
http://suprfile.com/get.php?id=djpss1
http://suprfile.com/get.php?id=djqmw3
http://suprfile.com/get.php?id=djt218
http://suprfile.com/get.php?id=dju6qf
http://suprfile.com/get.php?id=djulbk
http://suprfile.com/get.php?id=djwe0l
http://suprfile.com/get.php?id=djxwct

From 1119392329488632999
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 01 Apr 2006 18:04:38 -0600
From: J. Teske <jdteske@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: tower/transmitter ownership in the US
Date: Sat, 01 Apr 2006 19:04:41 -0500
Message-ID: <6f3u22lda0h3q7vft27i91fgeoodajd9c4@4ax.com>
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 111
NNTP-Posting-Host: 68.55.189.180
X-Trace: sv3-JriFrilalARekSkO9BY1nMTI55GsBRdjkCvnzPnHf/ak2QiliNotwBHcnSocps1GaR/
5sWU+S18Ymt7!7UpERflzWntEe43QVn8dd/
a6DcXPOcZ4DrJ7Hfcj13yCWCwft2CbIYTaiqJdtoFI5dmC6ta9uWE5!tVmHXoceCg==

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3332

Hi Dr. Joe,

I have had some professional experience with a bit of this in my
former capacity with the US Dept of Defense. In the case I was
involved with, we had a great deal of effort keeping a short wave
broadcaster OFF the air in some specific frequencies because of
interference with an operation we were involved in. This wouldn't
affect you, but in the process I had to do some research and we
had some involvement with the FCC who we mainly worked with
to kill the proposed broadcasting service in the HF Short Wave area
or to put it somewhere else. AFAIK, it was never resusitated

On 30 Mar 2006 09:47:22 -0800, "DrJoe" <phdjwg@earthlink.net> wrote:

>Hello all,
>
>I am new to the group but have a specific reason for joining. The
>primary reason I joined, like many of you I am sure, is to get
>information about short wave radio. My situation: I have the
>appropriate parcel of land (110) acres that is free from any legal
>impediments to building a short wave radio tower. The land is located
>in West Central Alabama, in rural Fayette County.I also have the
>necessary funding to build a short wave radio tower and transmitter.
>The site has been evaluated as a perfect location that is virtually
>free from any potential liability and from the perspective of reaching
>millions of people in Mexico and Central America.
>
>
>Questions for the group:
>
>
>1. What are the potential financial rewards for owning and operating a
>short wave radio transmitter/tower?

Virtually none. There seem to be two groups broadcasting on HF SW.
There are a few religious broadcasters such as HCJB from Quito
Equador. I don't really remember any broadcasting directly from the
US. The other group is propaganda from governments for consumption
overseas. This would include the Voice of America which is forbidden
by charter to direct programming to the US (although many short wave
listeners in the US listen to it), the overseas service of the BBC,
Radio Moscow and the like. Many countries, even smaller ones will
broadcast their propaganda or the news as they see it and the main
audience is the intelligence services of other countries who pick it

up and forward it to intelligence agecies. The CIA has , for example, the Foreign Broadcast Information Service doing this. This is not a covert operation, in fact quite open. The listen to the broadcasts, transscribe and translate what they here into English reports and forward them to other US Government Agencies who may have in interest in what is being said. The Intelligence Services will listen to it with a view to seeing if a foreign government is publicly saying what the intelligence services have picked up by other methods. Its just another source of information for them. The community of short wave listeners is actually quite small and for the most part are little interested in any commercial applications. While we hams all have short wave radios, many of which are capable of hearing these broadcasts, we probably do very little of this after perhaps an initial exposure. As a kid, before I became a ham (in the 1950's) I used to listen to some of this, but soon tired of it.

>

>

>2. How does an owner go about establishing a revenue stream from
>potential purchasers of air time.

Probably this is not terribly practical because of lack of common interests. There are better ways to sell stuff internationally or to advertise it, notably the internet and ebay. There are a few highly specialized services such as the British shipping weather reports which generate some revenue, but most of that is now done today by UHF and SHF satellite telephone systems. Some very large corporations like RCA maintain international HF messaging services, but the HF portion of that is dying as satellite takes over.

>

>

>3. Who would the primary customer base be?

Well a lot of people could potentially listen to it, but the reality is that there is a small community of hobbyist short wave listeners. They could hardly be considered customers because they are seldom in a position to buy anything that they hear about on Shortwave HF radio. The religious broadcasters do have a small base in HF, but the stuff being bought and sold (your soul for example) is a commodity which usually doesn't involve revenue. There are some which might solicit contributions from listeners to keep the service going but that is usually a zero sum game or less. The religious broadcasters depend upon contributors to whom operation of such a station is considered important, but mostly it is a non-profit venture.

>

>

>Comments or suggestions?

HF broadcast is a dying mode. There are better ways and more appropriate frequencies to reach audiences and advertising sponsors. Because of radio propagation vageries, it is really a poor means to broadcasting for one would have to know (and be licensed for) many variables. For instance a certain frequency could be useful at night for a path to an intended recipient, and totally useless by day; or, vice versa.

It would strike me that the mere possession of some land would be a
poor rational for starting any broadcasting venture.

Jon W3JT
>
>
>Thank you,
>
>
>DrJoe (newbie)

```
From -9188737250216201863
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 01 Apr 2006 18:57:23 -0600
Message-ID: <442F2178.FB1663C8@erols.com>
Date: Sat, 01 Apr 2006 19:57:28 -0500
From: "Murray Green, K3BEQ" <mgreen@erols.com>
Organization: GMRA
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
To: "J. Teske" <jdteske@comcast.net>
Subject: Re: tower/transmitter ownership in the US
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
<6f3u22lda0h3q7vft27i91fgeoodajd9c4@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 126
NNTP-Posting-Host: 66.44.0.119
X-Trace: sv3-6JYQP5mU1i51KN7GgrsiX7DGy9kBCXuGvzqlZza/
cSjp4Q1nFl7RYeOm5AN7jh3mxIQ2gREgx803qDo!herm5UGJ1FjTjb/
c8fU6QIezsC3XmJpvJDMUkVe3ScEzHjk1y0nfLkY32A==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3333
```

In a reply to Dr Joe, W3JT wrote in part:

"The community of short wave listeners is actually quite small......"

"Well a lot of people could potentially listen to it, but the reality is that there is a small community of hobbyist short wave listeners."

I was under the impression that the opposite it true; that shortwave listening, particularly in Europe, is very active. Curious to know what W3JT based his comments on? Perhaps Im behind times and the internet has taken it's toll on SWL along with other systems including ham radio. Thanks.

Murray, K3BEQ

==

>
> Hi Dr. Joe,
>
> I have had some professional experience with a bit of this in my
> former capacity with the US Dept of Defense. In the case I was
> involved with, we had a great deal of effort keeping a short wave
> broadcaster OFF the air in some specific frequencies because of
> interference with an operation we were involved in. This wouldn't
> affect you, but in the process I had to do some research and we
> had some involvement with the FCC who we mainly worked with
> to kill the proposed broadcasting service in the HF Short Wave area
> or to put it somewhere else. AFAIK, it was never resusitated
>
> On 30 Mar 2006 09:47:22 -0800, "DrJoe" <phdjwg@earthlink.net> wrote:
>
> >Hello all,
> >
> >I am new to the group but have a specific reason for joining. The
> >primary reason I joined, like many of you I am sure, is to get
> >information about short wave radio. My situation: I have the
> >appropriate parcel of land (110) acres that is free from any legal
> >impediments to building a short wave radio tower. The land is located
> >in West Central Alabama, in rural Fayette County.I also have the
> >necessary funding to build a short wave radio tower and transmitter.
> >The site has been evaluated as a perfect location that is virtually
> >free from any potential liability and from the perspective of reaching
> >millions of people in Mexico and Central America.
> >
> >
> >Questions for the group:
> >
> >
> >1. What are the potential financial rewards for owning and operating a
> >short wave radio transmitter/tower?
>
> Virtually none. There seem to be two groups broadcasting on HF SW.
> There are a few religious broadcasters such as HCJB from Quito
> Equador. I don't really remember any broadcasting directly from the
> US. The other group is propaganda from governments for consumption
> overseas. This would include the Voice of America which is forbidden

> by charter to direct programming to the US (although many short wave
> listeners in the US listen to it), the overseas service of the BBC,
> Radio Moscow and the like. Many countries, even smaller ones will
> broadcast their propaganda or the news as they see it and the main
> audience is the intelligence services of other countries who pick it
> up and forward it to intelligence agecies. The CIA has , for example,
> the Foreign Broadcast Information Service doing this. This is not a
> covert operation, in fact quite open. The listen to the broadcasts,
> transscribe and translate what they here into English reports and
> forward them to other US Government Agencies who may have in interest
> in what is being said. The Intelligence Services will listen to it
> with a view to seeing if a foreign government is publicly saying what
> the intelligence services have picked up by other methods. Its just
> another source of information for them. The community of short wave
> listeners is actually quite small and for the most part are little
> interested in any commercial applications. While we hams all have
> short wave radios, many of which are capable of hearing these
> broadcasts, we probably do very little of this after perhaps an
> initial exposure. As a kid, before I became a ham (in the 1950's) I
> used to listen to some of this, but soon tired of it.
> >
> >
> >2. How does an owner go about establishing a revenue stream from
> >potential purchasers of air time.
>
> Probably this is not terribly practical because of lack of common
> interests. There are better ways to sell stuff internationally or to
> advertise it, notably the internet and ebay. There are a few highly
> specialized services such as the British shipping weather reports
> which generate some revenue, but most of that is now done today by
> UHF and SHF satellite telephone systems. Some very large corporations
> like RCA maintain international HF messaging services, but the HF
> portion of that is dying as satellite takes over.
> >
> >
> >3. Who would the primary customer base be?
>
> Well a lot of people could potentially listen to it, but the reality
> is that there is a small community of hobbyist short wave listeners.
> They could hardly be considered customers because they are seldom in a
> position to buy anything that they hear about on Shortwave HF radio.
> The religious broadcasters do have a small base in HF, but the stuff
> being bought and sold (your soul for example) is a commodity which
> usually doesn't involve revenue. There are some which might solicit
> contributions from listeners to keep the service going but that is
> usually a zero sum game or less. The religious broadcasters depend
> upon contributors to whom operation of such a station is considered
> important, but mostly it is a non-profit venture.
> >
> >
> >Comments or suggestions?
>
> HF broadcast is a dying mode. There are better ways and more

> appropriate frequencies to reach audiences and advertising sponsors.
> Because of radio propagation vageries, it is really a poor means to
> broadcasting for one would have to know (and be licensed for) many
> variables. For instance a certain frequency could be useful at night
> for a path to an intended recipient, and totally useless by day; or,
> vice versa.
>
> It would strike me that the mere possession of some land would be a
> poor rational for starting any broadcasting venture.
>
> Jon W3JT
> >
> >
> >Thank you,
> >
> >
> >DrJoe (newbie)

```
From 2966703233977571877
X-Google-Thread: fc8b1,b6ff3d40e9e4ab79
X-Google-Thread: 1109af,b6ff3d40e9e4ab79
X-Google-Thread: 108122,9d74c5b310f334d6
X-Google-Attributes: gidfc8b1,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 01 Apr 2006 20:27:16 -0600
From: "Phil Nelson" <philnelson@nospam.xyz>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment
References: <zZzXf.62$46.60@fe03.lga>
Subject: Re: SX-28
Date: Sat, 1 Apr 2006 18:27:08 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <-6edncrgkaEbq7LZRVn-gQ@giganews.com>
Lines: 18
X-Trace: sv3-Fk3JO2ZUughJTs9hAgiiKG3Lo63p8aLL+SVaAYTyW6O/
NFunWzXmcyrKKFTt1oPZSaV2NRMzfXByjzz!
1xtOkxVZKP+e+ml3KFnzKk+syKOJRPxbOXDKl1VV58v913XNFRMMNn7e0jMEDQ==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3671 rec.radio.swap:3370
rec.radio.amateur.equipment:3334
```

> I've been advised not to power it up

Good advice. Let the new owner risk frying the power transformer if he wants to fire it up before replacing the capacitors (see http://antiqueradio.org/halli12.htm).

At a glance, looks like it's in reasonable condition. Nitpick: missing a piece from the clutch (brake?) assembly for the main tuner in front, but aren't they all? I have two SX-28's. One is missing those parts, the other one has them.

Regards,

Phil Nelson
Phil's Old Radios
http://antiqueradio.org/index.html

From -9057791636883595343
X-Google-Thread: 108122,db3e149af0a1ac27,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 01 Apr 2006 22:19:11 -0600
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program. Coils and Transmission Lines.
Date: Sun, 2 Apr 2006 05:18:26 +0100
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <-cudnaDHSKoizbLZRVnyrA@bt.com>
Lines: 28
NNTP-Posting-Host: 86.143.78.225
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-0M3r1zYwUArZDRjXeFpLYbdFwMNUFMk1hLdNWGz87i5jxaULlyg8EylJY/0S2XYIq4Utw6GOnNCrPNL!8MH7tXhf4zqnNneb3q2foqk7uVCG+iHlakMSqi2Y4CfQi9SdcwuGgVqbfsGxBg==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3335

NOW AVAILABLE ** New Program "TRANCO_1.exe"

This program analyses performance as a transmission line, of a single-layer solenoid coil which may be inserted in an antenna wire. The coil itself may be used as a very short vertical antenna at its 1/4-wave resonant frequency.

From the input data of length, diameter and number of turns, the program calculates inductance, capacitance and resistance of the equivalent transmission line. The secondary constants of characteristic impedance Zo, phase shift, velocity factor, and attenuation are calculated. Also the feedpoint input impedance, R+jX, for when a coil is used as an antenna.

Because of the sensitivity to the environment of such an antenna and its high Q it will be necessary to trim antenna length to a particular wanted resonant frequency.

Download TRANCO_1 in a few seconds from website below and run immediately. Filesize = 38 Kbytes. (It's at the bottom of the list.)

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

```
From -8226652693679945842
X-Google-Thread: 1109af,f6f525eb07ab71bf,start
X-Google-Thread: 106d41,f6f525eb07ab71bf,start
X-Google-Thread: 108122,f6f525eb07ab71bf,start
X-Google-Attributes: gid1109af,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe06.lga.POSTED!53ab2750!not-for-mail
From: " NI4L" <ni4l@charter.net>
Newsgroups: rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment
Subject: FS/FT Averatec 5400 Athlon 64 1.6 2800+ Laptop
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <3VPXf.877$QV1.795@fe06.lga>
X-Trace:
dkoiceknef icefklmmhnpmglllnmglchnpncnkgkonkjjdpjdjocchnajjhbmbnanmcadpbofhbahcmmbg
```

hekfhhpggcolgjgcgjpedkobfkcjfjbnoghgknooigokmpbcfagklmibllijll
NNTP-Posting-Date: Sun, 02 Apr 2006 05:59:43 MST
Date: Sun, 2 Apr 2006 08:59:11 -0400
Xref: g2news1.google.com rec.radio.swap:3375 rec.radio.cb:7411
rec.radio.amateur.equipment:3336

Averatec 5400 Athlon 64 1.6 2800+ 512 DVD Burner Win XP Laptop
It has a AMD Athlon 64 XP-M 2800+ processor 1.6Ghz 40gb hard drive
512mb of ram
15 inch LCD with no dead pixels
a DVD-RW / CD-RW burner
Lithium ion battery
a second monitor port
4 USB 2.0 ports
a PC Card slot
a 56K modem built in
10/100mbps wired ethernet nic built in
the Windows XP home restore disks
a LiteOn 115 ac power supply
It needs to be taken apart and have some heat grease put between the processor and heatsink. When it gets hot it shuts off, checked AMD Processor forums common problem they didn't put any grease on the processor. This would make someone who is into laptops a good one. make me an offer loot or trade what do you have? I figure value to be 4 to 500 bucks. There are some on ebay listed for over 700.00
Thanks for looking.

From 2020578009593519738
X-Google-Thread: 1109af,f6f525eb07ab71bf
X-Google-Thread: 106d41,f6f525eb07ab71bf
X-Google-Thread: 108122,f6f525eb07ab71bf
X-Google-Attributes: gid1109af,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Apr 2006 10:56:39 -0500
Date: Sun, 02 Apr 2006 11:56:40 -0400
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: FS/FT Averatec 5400 Athlon 64 1.6 2800+ Laptop
References: <3VPXf.877$QV1.795@fe06.lga>
In-Reply-To: <3VPXf.877$QV1.795@fe06.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <ZNCdncifpJ2qabLZRVn-jA@comcast.com>
Lines: 2
NNTP-Posting-Host: 69.251.47.38

```
X-Trace: sv3-5vJlbnqtFwkO3/
mBDnUSoT4BUTtsBWpOJ+gv+skGdfWVqDcy2dPrVCMqF3NUoStNcokddmF+bgW9gfQ!
zWoE298B7jLxvlzMvmdbJvgMGTk/fUauM023fm9LZCC2GrQKrxYJuUgB+PFy6o/Lv63JxGs=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3376 rec.radio.cb:7412
rec.radio.amateur.equipment:3337

I only use Intel with Intel chipsets.
An AMD is like a Honda with a big exhaust tip and yellow pinstripes.


From -6801150612078668821
X-Google-Thread: 1109af,f6f525eb07ab71bf
X-Google-Thread: 106d41,f6f525eb07ab71bf
X-Google-Thread: 108122,f6f525eb07ab71bf
X-Google-Attributes: gid1109af,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!router2.astraweb.com!
news.astraweb.com!router1.astraweb.com!sn-xt-sjc-15!sn-xt-sjc-08!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: FS/FT Averatec 5400 Athlon 64 1.6 2800+ Laptop
Date: Sun, 2 Apr 2006 11:56:24 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12300hmoqpq3a61@corp.supernews.com>
References: <3VPXf.877$QV1.795@fe06.lga> <ZNCdncifpJ2qabLZRVn-jA@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 8
Xref: g2news1.google.com rec.radio.swap:3377 rec.radio.cb:7421
rec.radio.amateur.equipment:3338

"Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
news:ZNCdncifpJ2qabLZRVn-jA@comcast.com...
>I only use Intel with Intel chipsets.
> An AMD is like a Honda with a big exhaust tip and yellow pinstripes.

Amen brother!




From 6926851930843256320
```

X-Google-Thread: 1109af,f6f525eb07ab71bf
X-Google-Thread: 106d41,f6f525eb07ab71bf
X-Google-Thread: 108122,f6f525eb07ab71bf
X-Google-Attributes: gid1109af,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups: rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment
References: <3VPXf.877$QV1.795@fe06.lga> <ZNCdncifpJ2qabLZRVn-jA@comcast.com>
Subject: Re: FS/FT Averatec 5400 Athlon 64 1.6 2800+ Laptop
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <gBUXf.50874$1Z5.30308@tornado.texas.rr.com>
Date: Sun, 02 Apr 2006 18:19:56 GMT
NNTP-Posting-Host: 24.175.14.188
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1144001996 24.175.14.188 (Sun, 02 Apr 2006 13:19:56
CDT)
NNTP-Posting-Date: Sun, 02 Apr 2006 13:19:56 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.swap:3379 rec.radio.cb:7430
rec.radio.amateur.equipment:3339

"Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
news:ZNCdncifpJ2qabLZRVn-jA@comcast.com...
>I only use Intel with Intel chipsets.

That's sad.

> An AMD is like a Honda with a big exhaust tip and yellow pinstripes.

What are you using for a processor? Speed, etc.

From 6584140286180256588
X-Google-Thread: 108122,efc982677b012adc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Sun, 02 Apr 2006 20:17:30 +0100
From: noname <noname@all>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Icom UX-14 Interface

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0613-2, 31/03/2006), Outbound message
X-Antivirus-Status: Clean
NNTP-Posting-Host: 81.7.40.121
X-Original-NNTP-Posting-Host: 81.7.40.121
Message-ID: <4431754f$1@news.greennet.net>
X-Trace: 3 Apr 2006 15:19:43 -0400, 81.7.40.121
Lines: 4
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
newspeer1.nwr.nac.net!feedme.ziplink.net!news.greennet.net!81.7.40.121
Xref: g2news1.google.com rec.radio.amateur.equipment:3340
```

Can't remember who it was, but whoever was looking for one, there's one
on Ebay now:

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=9707228086

```
From -3999255827686967776
X-Google-Thread: 1109af,f6f525eb07ab71bf
X-Google-Thread: 106d41,f6f525eb07ab71bf
X-Google-Thread: 108122,f6f525eb07ab71bf
X-Google-Attributes: gid1109af,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
newscon02.news.prodigy.com!prodigy.net!nx02.iad01.newshosting.com!newshosting.com!
207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!913ebda8!
not-for-mail
From: james <george@washington.edu>
Newsgroups: rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: FS/FT Averatec 5400 Athlon 64 1.6 2800+ Laptop
Reply-To: beerkeg@budu.edu
Message-ID: <bc90329q8gmco3ocu33el4hnq5ef25ouju@4ax.com>
References: <3VPXf.877$QV1.795@fe06.lga> <ZNCdncifpJ2qabLZRVn-jA@comcast.com>
<gBUXf.50874$1Z5.30308@tornado.texas.rr.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
Date: Sun, 02 Apr 2006 19:26:51 GMT
NNTP-Posting-Host: 67.103.110.190
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1144006011 67.103.110.190 (Sun, 02 Apr
2006 12:26:51 PDT)
NNTP-Posting-Date: Sun, 02 Apr 2006 12:26:51 PDT
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.swap:3383 rec.radio.cb:7454
rec.radio.amateur.equipment:3341
```

On Sun, 02 Apr 2006 18:19:56 GMT, "U-Know-Who" <no-one@nowhere.com>
wrote:

```
>+<
>+<"Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
>+<news:ZNCdncifpJ2qabLZRVn-jA@comcast.com...
>+<>I only use Intel with Intel chipsets.
>+<
>+<That's sad.
>+<
>+<> An AMD is like a Honda with a big exhaust tip and yellow pinstripes.
>+<
>+<What are you using for a processor? Speed, etc.
>+<
******
```

Typical blanket statement that has little merit or meaning. Just personal preference.

james

```
From -7821960620832692849
X-Google-Thread: 108122,256ecb8df407d45a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: magsimoe@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: swldatabase
Date: 2 Apr 2006 12:54:24 -0700
Organization: http://groups.google.com
Lines: 8
Message-ID: <1144007664.660880.164420@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 85.224.239.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144007670 29556 127.0.0.1 (2 Apr 2006 19:54:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 2 Apr 2006 19:54:30 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; sv-SE; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=85.224.239.2;
   posting-account=BhYdRw0AAACq_gmjAx4MsvbhZoJYotxp
Xref: g2news1.google.com rec.radio.amateur.equipment:3342
```

Hello everyone!

I have just put my swl frequency database online. Please have a look at http://www.swldatabase.com

Please send any feedback through the email that is listed on the page.
Thank you very much.

```
From 7323543050922189485
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!f4af025b!not-for-mail
From: "Norm Mann" <folder0735@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
Subject: Re: tower/transmitter ownership in the US
Lines: 42
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <iGWXf.5292$Up2.4920@trnddc07>
Date: Sun, 02 Apr 2006 20:41:50 GMT
NNTP-Posting-Host: 71.102.214.31
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1144010510 71.102.214.31 (Sun, 02 Apr 2006 16:41:50 EDT)
NNTP-Posting-Date: Sun, 02 Apr 2006 16:41:50 EDT
Xref: g2news1.google.com rec.radio.amateur.equipment:3343
```

"DrJoe" <phdjwg@earthlink.net> wrote in message
news:1143740841.995202.114150@e56g2000cwe.googlegroups.com...

```
> Hello all,
>
> I am new to the group but have a specific reason for joining. The
> primary reason I joined, like many of you I am sure, is to get
> information about short wave radio. My situation: I have the
> appropriate parcel of land (110) acres that is free from any legal
> impediments to building a short wave radio tower. The land is located
> in West Central Alabama, in rural Fayette County.I also have the
> necessary funding to build a short wave radio tower and transmitter.
> The site has been evaluated as a perfect location that is virtually
> free from any potential liability and from the perspective of reaching
> millions of people in Mexico and Central America.
>
>
> Questions for the group:
>
>
> 1. What are the potential financial rewards for owning and operating a
> short wave radio transmitter/tower?
```

>
>
> 2. How does an owner go about establishing a revenue stream from
> potential purchasers of air time.
>
>
> 3. Who would the primary customer base be?
>
>
> Comments or suggestions?

It's probably too late by now to do this, but if you have good line-of-sight over the surrounding countryside, you'd probably make more revenue by leasing tower space and floor space in an building close to the tower to commercial radio or telephone cell site interests.

-NM

From 1464890877267963914
X-Google-Thread: 108122,3b212c0442c49bd9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p02!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom IC-751 HF Transceiver
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <sfXXf.49704$KE1.18891@dukeread02>
Date: Sun, 2 Apr 2006 16:21:52 -0500
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1144012888 68.105.228.151 (Sun, 02 Apr 2006 17:21:28 EDT)
NNTP-Posting-Date: Sun, 02 Apr 2006 17:21:28 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3344

FS Beautiful Icom IC-751 all mode SSB / AM / FM / CW / RTTY Transceiver 100 watts. Superb condition in both appearance and electronically. Well cared for, works 100%. This radio has always been in a nonsmoking environment. Includes hand mic, original manual, and power cord. Also has the Optional CW Filter installed. Rare to find one in this condition. Price is $400, plus shipping. Thanks, Charlie Hugg, K5MBX

```
From -1392765919719615813
X-Google-Thread: 108122,bddf538e7e8825b5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!53ab2750!not-for-mail
From: Ken Taylor <ken123@xxxxtra.co.nz>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: tower/transmitter ownership in the US
References: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
In-Reply-To: <1143740841.995202.114150@e56g2000cwe.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 39
Message-ID: <4HXXf.10293$JZ1.398862@news.xtra.co.nz>
Date: Mon, 03 Apr 2006 09:50:55 +1200
NNTP-Posting-Host: 219.88.64.2
X-Complaints-To: abuse@xtra.co.nz
X-Trace: news.xtra.co.nz 1144014656 219.88.64.2 (Mon, 03 Apr 2006 09:50:56 NZST)
NNTP-Posting-Date: Mon, 03 Apr 2006 09:50:56 NZST
Organization: Xtra
Xref: g2news1.google.com rec.radio.amateur.equipment:3345

DrJoe wrote:
> Hello all,
>
> I am new to the group but have a specific reason for joining. The
> primary reason I joined, like many of you I am sure, is to get
> information about short wave radio. My situation: I have the
> appropriate parcel of land (110) acres that is free from any legal
> impediments to building a short wave radio tower. The land is located
> in West Central Alabama, in rural Fayette County.I also have the
> necessary funding to build a short wave radio tower and transmitter.
> The site has been evaluated as a perfect location that is virtually
> free from any potential liability and from the perspective of reaching
> millions of people in Mexico and Central America.
>
>
> Questions for the group:
>
>
> 1. What are the potential financial rewards for owning and operating a
> short wave radio transmitter/tower?
>
>
> 2. How does an owner go about establishing a revenue stream from
```

> potential purchasers of air time.
>
>
> 3. Who would the primary customer base be?
>
>
> Comments or suggestions?
>
>
> Thank you,
>
>
> DrJoe (newbie)
>

So you have cash and want to invest it and you want a business case written up for you by us? Sounds like a plan......

```
From 6794765788497677208
X-Google-Thread: 108122,ee57788d16140ab7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!wn12feed!
worldnet.att.net!216.196.98.141!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Startek Freq. Counter Model 15-UHS
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <V2YXf.49713$KE1.7273@dukeread02>
Date: Sun, 2 Apr 2006 17:16:44 -0500
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1144016181 68.105.228.151 (Sun, 02 Apr 2006 18:16:21 EDT)
NNTP-Posting-Date: Sun, 02 Apr 2006 18:16:21 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3346
```

FS Startek Frequency Counter Model 15-UHS. This is the Ultra High Sensitive counter that covers
1 MHZ to1500 MHZ. It is as new in the original box with the manual and battery and battery charger/power supply. These counters are still sold for $170. See The Startek International Inc.
webpage for more information. I am asking $85 plus shipping costs. Thanks,
Charlie Hugg, K5MBX

```
From -2325473848908505395
X-Google-Thread: 108122,7769dfa9a83cb51c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news-
feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: "west" <westley@tampabay.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-830S vs. Gold Edition
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <JoYXf.121601$g47.10186@tornado.tampabay.rr.com>
Date: Sun, 02 Apr 2006 22:39:37 GMT
NNTP-Posting-Host: 24.92.188.115
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1144017577 24.92.188.115 (Sun, 02 Apr 2006
18:39:37 EDT)
NNTP-Posting-Date: Sun, 02 Apr 2006 18:39:37 EDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3347
```

Does anyone know the difference(s) between the Kenwood TS-830S & the 830S "Gold Edition?" Thank you & 73's.

west
AF4GC

```
From -6850741987817898543
X-Google-Thread: 108122,ca9929cad2d5b77,start
X-Google-Thread: 108228,ca9929cad2d5b77,start
X-Google-Thread: fcc6e,ca9929cad2d5b77,start
X-Google-Thread: 1062f2,ca9929cad2d5b77,start
X-Google-Attributes: gid108122,gid108228,gidfcc6e,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 02 Apr 2006 20:11:10 -0500
Subject: FA: 8 Books: HAM RADIO, SIX METERS, VEC, Electronics, Antennas, etc.
Date: Sun, 02 Apr 2006 21:11:10 -0400
From: Lesley <lesley@lkjoiiqifaf.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-
radio.marketplace,rec.radio.amateur.antenna,misc.industry.electronics.marketplace
Message-ID: <020420062111100615%lesley@lkjoiiqifaf.com>
```

```
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
ble+Hi0644hegiz5UsdHArkIhKWE8K2Yom2AKUlpPC2+YdTWlL2Hqz5oIx02LiqBLu+avKhLuiCnLoZ!
m+Zcb1Z+BZRYd2kCrhDktt0eo4PDoqMvzKWmZK7d/zJk5EGgAZjzIvqlapslpNSTTsJUmT+1v55O!
sO6t0r54loaEFcgMOzjM3q6u4A==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3348 alt.ham-
radio.marketplace:781 rec.radio.amateur.antenna:9010
misc.industry.electronics.marketplace:363
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4627975156

```
From -6469796862484096182
X-Google-Thread: 108122,7769dfa9a83cb51c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <JoYXf.121601$g47.10186@tornado.tampabay.rr.com>
Subject: Re: Kenwood TS-830S vs. Gold Edition
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <2t%Xf.14975$6a1.7407@fed1read04>
Date: Sun, 2 Apr 2006 19:09:07 -0700
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1144030142 72.197.12.245 (Sun, 02 Apr 2006 22:09:02 EDT)
NNTP-Posting-Date: Sun, 02 Apr 2006 22:09:02 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3349
```

Been posted before
Last answer was:

BENEATH THE MAIN TUNING KNOB is a stick on metal plate which proclaims it to be so. That plate is the only differnce....(there are probably more golds out there than regulars so in our twisted world the regulars should be more valuable)

--
CL -- I doubt, therefore I might be !

"west" <westley@tampabay.rr.com> wrote in message
news:JoYXf.121601$g47.10186@tornado.tampabay.rr.com...

> Does anyone know the difference(s) between the Kenwood TS-830S & the 830S
> "Gold Edition?" Thank you & 73's.
>
> west
> AF4GC
>
>

```
From -1137061790010507067
X-Google-Thread: 108122,28350a6292420dcf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS New Eimac 4X150A
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <5y%Xf.49725$KE1.45830@dukeread02>
Date: Sun, 2 Apr 2006 21:14:50 -0500
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1144030465 68.105.228.151 (Sun, 02 Apr 2006 22:14:25 EDT)
NNTP-Posting-Date: Sun, 02 Apr 2006 22:14:25 EDT
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3350
```

FS New Old Stock Eimac 4X150A Tube.This one has a date code of 4 58. It
show some
tarnish from age, but it is still sealed in its original plastic bag. Price

```
is $25 plus shipping. The tube  is guaranteed to be good.
Thanks, Charlie Hugg, K5MBX


--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com





From 5818470865053312705
X-Google-Thread: 1109af,f6f525eb07ab71bf
X-Google-Thread: 106d41,f6f525eb07ab71bf
X-Google-Thread: 108122,f6f525eb07ab71bf
X-Google-Attributes: gid1109af,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: JJ <jamesevens75@hotmail.com>
Organization: CMDF
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment
Subject: Re: FS/FT Averatec 5400 Athlon 64 1.6 2800+ Laptop
References: <3VPXf.877$QV1.795@fe06.lga> <ZNCdncifpJ2qabLZRVn-jA@comcast.com>
In-Reply-To: <ZNCdncifpJ2qabLZRVn-jA@comcast.com>
Content-Type: multipart/alternative;
 boundary="------------040405010301060802040305"
Lines: 44
Message-ID: <GG%Xf.55$K83.34@fe09.lga>
Date: Sun, 02 Apr 2006 22:23:40 -0400
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1144031014 24.47.254.156 (Sun, 02 Apr 2006 19:23:34 MST)
NNTP-Posting-Date: Sun, 02 Apr 2006 19:23:34 MST
Xref: g2news1.google.com rec.radio.swap:3397 rec.radio.cb:7489
rec.radio.amateur.equipment:3351

This is a multi-part message in MIME format.
--------------040405010301060802040305
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Scott in Baltimore wrote:

> I only use Intel with Intel chipsets.
> An AMD is like a Honda with a big exhaust tip and yellow pinstripes.

oh please, AMD is every bit as fast as an Intel (of the same type of
course) and not a rip off.
Intel is way overpriced, but if you like the "so-called" brand name, be
my guest.


--------------040405010301060802040305
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Scott in Baltimore wrote:<br>
<blockquote cite="midZNCdncifpJ2qabLZRVn-jA@comcast.com" type="cite">I
only use Intel with Intel chipsets.
  <br>
An AMD is like a Honda with a big exhaust tip and yellow pinstripes.
  <br>
</blockquote>
<font size="+1"><font face="Arial">oh please, AMD is every bit as fast
as an Intel (of the same type of course) and not a rip off.<br>
Intel is way overpriced, but if you like the "so-called" brand name, be
my guest.<br>
<br>
</font></font>
</body>
</html>

--------------040405010301060802040305--



From 1860657162801240842
X-Google-Thread: 1109af,f6f525eb07ab71bf
X-Google-Thread: 106d41,f6f525eb07ab71bf
X-Google-Thread: 108122,f6f525eb07ab71bf
X-Google-Attributes: gid1109af,gid106d41,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups: rec.radio.swap,rec.radio.cb,rec.radio.amateur.equipment
References: <3VPXf.877$QV1.795@fe06.lga> <ZNCdncifpJ2qabLZRVn-jA@comcast.com>
<GG%Xf.55$K83.34@fe09.lga>
Subject: Re: FS/FT Averatec 5400 Athlon 64 1.6 2800+ Laptop
```

```
Lines: 96
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C656A7.6EC92140"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <nV0Yf.39458$uX5.12027@tornado.texas.rr.com>
Date: Mon, 03 Apr 2006 03:47:31 GMT
NNTP-Posting-Host: 24.175.14.188
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1144036051 24.175.14.188 (Sun, 02 Apr 2006 22:47:31
CDT)
NNTP-Posting-Date: Sun, 02 Apr 2006 22:47:31 CDT
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.swap:3399 rec.radio.cb:7493
rec.radio.amateur.equipment:3352

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C656A7.6EC92140
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable


  "JJ" <jamesevens75@hotmail.com> wrote in message =
news:GG%Xf.55$K83.34@fe09.lga...
  Scott in Baltimore wrote:

    I only use Intel with Intel chipsets.=20
    An AMD is like a Honda with a big exhaust tip and yellow pinstripes. =


  oh please, AMD is every bit as fast as an Intel (of the same type of =
course) and not a rip off.
  Intel is way overpriced, but if you like the "so-called" brand name, =
be my guest.


  I have several machines that I have built with both processors.=20

  #1 Intel chipsets suck. No overclock-ability at all. What is Intel =
scared of?=20

  #2 All the AMD machines I have built have out performed the Intels at =
the same rating.

  #3 Throwing clock speed at a product is not the answer. Intel just =
recently learned this. AMD was the teacher.
------=_NextPart_000_0008_01C656A7.6EC92140
Content-Type: text/html;
```

```
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD><TITLE></TITLE>
<META http-equiv=3DContent-Type =
content=3Dtext/html;charset=3DISO-8859-1>
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY text=3D#000000 bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"JJ" &lt;<A=20
  =
href=3D"mailto:jamesevens75@hotmail.com">jamesevens75@hotmail.com</A>&gt;=
 wrote=20
  in message <A=20
  =
href=3D"news:GG%Xf.55$K83.34@fe09.lga">news:GG%Xf.55$K83.34@fe09.lga</A>.=
..</DIV>Scott=20
  in Baltimore wrote:<BR>
  <BLOCKQUOTE cite=3DmidZNCdncifpJ2qabLZRVn-jA@comcast.com =
type=3D"cite">I only=20
    use Intel with Intel chipsets. <BR>An AMD is like a Honda with a big =
exhaust=20
    tip and yellow pinstripes. <BR></BLOCKQUOTE>
  <DIV><FONT size=3D+1><FONT face=3DArial>oh please, AMD is every bit as =
fast as an=20
  Intel (of the same type of course) and not a rip off.<BR>Intel is way=20
  overpriced, but if you like the "so-called" brand name, be my=20
  guest.</FONT></FONT><FONT size=3D+1><FONT =
face=3DArial><BR></FONT></FONT></DIV>
  <DIV><FONT size=3D+1><FONT face=3DArial><FONT=20
  size=3D2></FONT></FONT></FONT>&nbsp;</DIV>
  <DIV><FONT size=3D+1><FONT face=3DArial><FONT size=3D2>I have several =
machines that=20
  I have built with both processors. </FONT></FONT></FONT></DIV>
  <DIV><FONT size=3D+1><FONT face=3DArial><FONT=20
  size=3D2></FONT></FONT></FONT>&nbsp;</DIV>
  <DIV><FONT size=3D+1><FONT face=3DArial><FONT size=3D2>#1 Intel =
chipsets suck. No=20
  overclock-ability at all. What is Intel scared of? =
</FONT></FONT></FONT></DIV>
  <DIV><FONT size=3D+1><FONT face=3DArial><FONT=20
  size=3D2></FONT></FONT></FONT>&nbsp;</DIV>
  <DIV><FONT size=3D+1><FONT face=3DArial><FONT size=3D2>#2 All the AMD =
machines I=20
  have built have out performed the Intels at the same=20
  rating.</FONT></FONT></FONT></DIV>
  <DIV><FONT size=3D+1><FONT face=3DArial><FONT=20
  size=3D2></FONT></FONT></FONT>&nbsp;</DIV>
  <DIV><FONT size=3D+1><FONT face=3DArial><FONT size=3D2>#3 Throwing =
clock speed at a=20
  product is not the answer. Intel just recently learned this. AMD was =
the=20
  teacher.</FONT></DIV></BLOCKQUOTE></FONT></FONT></BODY></HTML>

------=_NextPart_000_0008_01C656A7.6EC92140--
```

```
From -5650929435970118O5
X-Google-Thread: 108122,6851fd36b4e8cb9b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!130.59.10.21.MISMATCH!kanaga.switch.ch!switch.ch!news.tele.dk!
news.tele.dk!small.news.tele.dk!lnewsoutpeer00.lnd.ops.eu.uu.net!
bnewsinpeer00.bru.ops.eu.uu.net!bnewspost00.bru.ops.eu.uu.net!emea.uu.net!
read.news.de.uu.net!not-for-mail
From: Bill Darden <info@batteryfaq.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Car and Deep Cycle Battery FAQ
Date: Mon, 03 Apr 2006 12:58:54 +0200
Reply-To: info@batteryfaq.org
Message-ID: <ruv132901qsd4e14rsif5qa5gr08g4mbcu@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 30
NNTP-Posting-Host: 1Cust134.vr2.fft4.alter.net
X-Trace: 1144061932 read.news.de.uu.net 28378 149.229.88.134:21809
X-Complaints-To: abuse@de.uu.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3353
```

Hi all,

The Car and Deep Cycle Battery FAQ has been updated. The current version is 5.4, dated April 1, 2006 and can be found on www.batteryfaq.org. Answers to Frequently Asked Questions, tips, manufacturer's information, references and hyperlinks are contained on this free, consumer oriented Web site about car, motorcycle, power sports, truck, boat, marine, recreational vehicle, solar, and other starting and deep cycle applications.

The most popular sections in February were:

Battery Manufacturers and Brand Names List

FAQ Section 9 HOW DO I CHARGE (OR EQUALIZE) MY BATTERY?

Section 7 WHAT DO I LOOK FOR IN BUYING A NEW BATTERY?

Battery Information Links List

Section 4 HOW DO I TEST A BATTERY?

If you have time, please visit www.batteryfaq.org. If not please bookmark it for future reference. Questions, comments and suggestions for improvement are always welcome at info@batteryfaq.org.

Many thanks and kindest regards,

BiLL.....

```
From -6691566047075757717
X-Google-Thread: 108122,6851fd36b4e8cb9b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-
sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Car and Deep Cycle Battery FAQ
Date: Mon, 3 Apr 2006 06:39:09 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <12329bu35pr6vf5@corp.supernews.com>
References: <ruv132901qsd4e14rsif5qa5gr08g4mbcu@4ax.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news1.google.com rec.radio.amateur.equipment:3354
```

"Bill Darden" wrote ...

> The Car and Deep Cycle Battery FAQ has been updated.
> The current version is 5.4, dated April 1, 2006 and can
> be found on
> www.batteryfaq.org.

It seems rather inauspicious to have the document date so prominently displayed at the top of the document... "April 1, 2006" Many people try to avoid having serious

```
documents dated on April Fools Day.  :-)


From 7490063969481380285
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.aset.psu.edu!not-
for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Mon, 03 Apr 2006 16:29:35 -0400
Organization: Penn State University, Center for Academic Computing
Lines: 34
Message-ID: <e0s0jf$1bnk$1@f04n12.cac.psu.edu>
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<6OydnULN4OFdm7_ZnZ2dnUVZ_sKdnZ2d@wightman.ca> <44221387_3@newsfeed.slurp.net>
<GNqVf.5082$ES3.5039@trnddc02> <4428bae4_3@newsfeed.slurp.net>
NNTP-Posting-Host: nat1.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1144096175 44788 128.118.40.76 (3 Apr 2006 20:29:35
GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Mon, 3 Apr 2006 20:29:35 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <4428bae4_3@newsfeed.slurp.net>
Xref: g2news1.google.com rec.radio.swap:3408 rec.radio.amateur.boatanchors:3702
rec.radio.amateur.equipment:3355

Bill Turner wrote:
> Woody wrote:
>
>> Bill, have you considered a career in politics?
>
> Yes, but I'm not crooked enough to get elected.
>
>> Exactly where would you suggest we park general aviation?
>
> General aviation doesn't need parking as far as I can tell.
>
> The B-17G should be parked in the desert, in a hangar, where there is
> low humidity and no violent weather. It would last practically forever,
> and at five or ten bucks a ticket, would be a source of income also
> practically forever. And guess what... no maintenance cost either,
```

> except maybe for a feather duster now and then. :-)

One of the "great moments" of my life was watching a B-17 coming in to land at the local airport. I didn't know it was coming in,and the noise and profile when I figured out just what I was seeing was overwhelming. I'm richer for it, and so are all those who have the experience. I've seen a lot of historic planes and spacecraft in museums. They are very nice and all, but to see one actually working is orders of magnitude better an experience. Museums bear more than a passing semblance to funeral parlors. Interesting idea to store the B-17 in the desert - that is where the plane graveyards are.

I'm a machine man, and machines are made to be used IMO. I don't care if it is automobiles, trains, radios, or airplanes.

- 73 de mike KB3EIA -

From -7615203753584603929
X-Google-Thread: 108122,4b38c41b8bd83964
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 Apr 2006 16:07:57 -0500
From: Brian Pedersen <Brian.Pedersen.25piz4@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Programming Icom H21T handheld
Date: Mon, 3 Apr 2006 18:44:59 +0000
Message-ID: <Brian.Pedersen.25piz4@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References: <1141010105.931343.177050@z34g2000cwc.googlegroups.com>
Lines: 19
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-ZFjGJscWQjjlumm7FxlfvHMcAM0l6ezwgLRXvH+
+VQsju+iYhN7KH2jy+rSSulKRwZKHqFDDXdvb+Is!
Q+lpMWDTfmqtLlnHVcwuomCRl36mY3rbWvOsYWX0m1v34Ej6WpVyGA+CSRvg6qZuljhhkg6Qtr4C!
anQID5cL/ohkF8hKkms=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3356

olegusan Wrote:
> Hi,
>
> Can anyone help with information about programming ICOM H21T handheld?
>
> The radio is programmable via keyboard and probably via computer.
> I guess it is similar to IC-H16/U16 or IC-H10/U10.
>
> I have tried to program it using "technician code" for H16 but it did
> not work.
>
> Any ideas/suggestions?
>
> Thanks.

Hi   hold down LIGHT + SET and power on and input 9999 as code
thats how it works on my radios

:-) Brian.. OZ1TEN

--
Brian Pedersen

From 492768106003097074
X-Google-Thread: 108122,e6bb2e29ed180b28,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-mail
From: asrick@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: IC-761 drift/chirpy rx signals when tuner presets are adjusted
Date: 3 Apr 2006 15:46:06 -0700
Organization: http://groups.google.com
Lines: 16
Message-ID: <1144104366.908381.239150@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 129.89.146.77
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1144104372 24137 127.0.0.1 (3 Apr 2006 22:46:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 3 Apr 2006 22:46:12 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=129.89.146.77;
   posting-account=HVCD4g0AAAAtduiy8jdsJDCmMmbnhmkn
Xref: g2news1.google.com rec.radio.amateur.equipment:3357

I have a strange problem with my IC-761 that I purchased recently. Any help would be great:

I notice that once in a while CW signals will start to sound a little warbley, as if infected with a little AC hum. At first I assumed this was a characteristic of the TX signal on the other radio but soon discovered that if I play with the auto-tune switch it will go away. Further investigation has shown that if I have the tuner on and play with the preset control it can start or stop the problem. The issue seems to be with interference to the rx signal from the auto tuner. Can the auto tuner affect the synthesizer in this way?

Thanks,

Anthony

```
From -8897507323097803080
X-Google-Thread: 108122,3e22e205deef050b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 Apr 2006 21:37:28 -0500
From: notmeman <nospam4me@goober.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: BIG HAMMARLUND VARIABLE CAPACITOR FOR AMPLIFIER/TUNER
Date: Mon, 03 Apr 2006 21:37:28 -0500
Message-ID: <2vm332hbrslgr586i3q75ri08r4017e5kh@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
NNTP-Posting-Host: 68.34.142.145
X-Trace: sv3-llP+US2kd/
KvijlcosRBnI31EwQxeh4iP5EGgur4F9tJaG+QzGysEnYmIG5TDet87tNUXWiKwrby8tq!F/
3c9FJSEJWxvgfJlG8/O4LRSdYLI+8DmuvKHrv3bvrNzkGMV0KsYiC/B0XtNuVKOmJERvf7pQsw!NprFi/
HKau1M
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3358
```

FA: BIG HAMMARLUND VARIABLE CAPACITOR FOR AMPLIFIER/TUNER
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9705762281&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

```
From 5808376649568488376
X-Google-Thread: 108122,accb592fd3b29940,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 03 Apr 2006 21:39:27 -0500
From: notmeman <nospam4me@goober.com>
Newsgroups: rec.radio.amateur.equipment
Subject: COLLINS 1KW WATTMETER & ANTENNA TUNER (TRANSMATCH)
Date: Mon, 03 Apr 2006 21:39:27 -0500
Message-ID: <p2n332p9s7cr13o8380nqbbnlj404jeipk@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
NNTP-Posting-Host: 68.34.142.145
X-Trace: sv3-
o15NFTq2RXmoYB9Aye7krFhByE2Sboy2ubLor4ZGZcscGoK50mrmL2zuAqnvYfxDnrQQ4vNDSFXA0FA!
wozEPOcAiver7+65o4gOw45TXWkTbo9lSlQ0V0+p1LaabBiqLS28Bm0t3uWwyErqYWSZn4bcevaA!
1a6NT7U7l4FD
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3359

COLLINS 1KW WATTMETER & ANTENNA TUNER (TRANSMATCH)
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9705762465&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1


From -1736694566837095521
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Date: 26 Mar 2006 21:00:10 -0800
```

Organization: http://groups.google.com
Lines: 29
Message-ID: <1143435610.292379.127810@i40g2000cwc.googlegroups.com>
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
NNTP-Posting-Host: 69.225.236.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1143435615 4205 127.0.0.1 (27 Mar 2006 05:00:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 27 Mar 2006 05:00:15 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=69.225.236.2;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news1.google.com rec.radio.shortwave:29368 alt.radio.scanner:1512 alt.radio.scanner.uk:1199 rec.radio.amateur.equipment:3258 rec.radio.amateur.homebrew:4433

TH - The Group's Link/URL got truncated/cut.

Radio Shack DX-394 User's Group
RadioShack DX394 {DX 394}
DX-394 => http://tinyurl.com/o6rgr

Radio Shack DX-394 User's Group
RadioShack DX394 {DX 394}
http://groups.yahoo.com/group/RADIOSHACKDX394/

Radio Shack DX-394 User's Group
RadioShack DX394 {DX 394}
<http://groups.yahoo.com/group/RADIOSHACKDX394/>

RigPix DataBase listing for the
Radio Shack DX-394 [DX394 DX 394]
http://www.rigpix.com/rs-realistic/realistic_dx394.htm

ABOUT - Radio Shack DX-394 Shortwave Radio
http://groups.google.com/group/rec.radio.shortwave/msg/73a2da4123a74125

just my two cents worth - jm2cw ~ RHF
 .
 .
. .
       .

From -7953400143417891249
X-Google-Thread: 108122,ab76e32033d0eca,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny01.POSTED!1dba5946!not-for-mail
From: Scan Da Bands <vzeip5vc@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB:Laptop for Radio Software (2006/Opto456 Trade)
Message-ID: <itse2296e8mqtedj68km8hv7akpbjfs3gn@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Mon, 27 Mar 2006 05:11:33 GMT
NNTP-Posting-Host: 71.241.205.235
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1143436293 71.241.205.235 (Mon, 27 Mar 2006 00:11:33 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 00:11:33 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:3259
```

Looking for a laptop, 3-500mhz in excellent condition. Must have 9 pin
com port , USB , CD , Floppy , etc.I have a Pro-2006 with the FULL
Opto 456 in used condition working 100%.I will trade even for the
right laptop. IBM 390 is a good example of what I'm looking for.

```
From -4976628032712790653
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "Han" <websitehan@yahoo.com>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Date: 27 Mar 2006 00:13:11 -0800
Organization: http://groups.google.com
Lines: 16
Message-ID: <1143447191.920823.207000@j33g2000cwa.googlegroups.com>
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
NNTP-Posting-Host: 62.58.152.150
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1143447196 30209 127.0.0.1 (27 Mar 2006 08:13:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 27 Mar 2006 08:13:16 +0000 (UTC)
In-Reply-To: <WxJVf.448$u15.105252@news20.bellglobal.com>
```

```
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=62.58.152.150;
   posting-account=4Fq7Sw0AAAAu2I857sXiALyDVAj25w8w
Xref: g2news1.google.com rec.radio.shortwave:29371 alt.radio.scanner:1516
alt.radio.scanner.uk:1200 rec.radio.amateur.equipment:3260
rec.radio.amateur.homebrew:4435
```

Congratulations Tom

that is an impressibe amount of subscribers. i think mostly US in
europe this is not the most poppular receiver.

With kind regards

Han The Netherlands.

You can also visit my website with a lot of recordings of rediostations
under 30 MHz.

http://home.wanadoo.nl/hanhardonk/indexengels.html

```
From -3002557232757962397
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!pln-e!spln!lex!
extra.newsguy.com!newsp.newsguy.com!enews4
From: "Jack Ricci" <ricci@mnsi.net>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Date: Mon, 27 Mar 2006 07:52:00 -0500
Organization: http://extra.newsguy.com
Lines: 42
Message-ID: <e08n5h02vrm@enews4.newsguy.com>
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
NNTP-Posting-Host: p-831.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.shortwave:29395 alt.radio.scanner:1517
alt.radio.scanner.uk:1204 rec.radio.amateur.equipment:3261
rec.radio.amateur.homebrew:4438

   The addresses to subscribe to this group do not work from Canada. Any
mistakes? I get the message that this group does not exist...

Jack

"Tom Holden" <holden_family@sympatico.ca> wrote in message
news:WxJVf.448$u15.105252@news20.bellglobal.com...
> This group has the most complete collection of modifications, usage tips,
> links to related websites, documentation, and photos along with a user
> survey and a message forum (4000+ messages archived) to help you get the
> most
> fun and DX out of your Realistic / Radio Shack DX-394, DX394, DX 394.
>
> Over 90 mods and tips now listed plus a dozen on the To Do or Wish List.
> More mods than for any other general coverage receiver! Thoroughly
> documented with a Master Index. If you like to tinker with radios, I know
> of
> no other recent model that lends itself to as much fun in this arena as
> the
> DX-394. Great platform for learning radio-electronics. Always 1 or more FA
> on eBay.
>
> Active & friendly user community now with over 1000 members. Some members
> are
> keen short wave listeners; others are into AM DXing and a few enjoy long
> wave. Many experiment with antennas and some are ardent modifiers -
> customising and souping up the rig as hot rodders would do with cars.
> You'll
> find lots to interest you and help get the most out of your radio.
>
> All here at:
> http://groups.yahoo.com/group/�RADIOSHACKDX394/
>
> Subscribe on line (for full access privileges to the extensive collection
> of Files, Photos and Links) or by email:
> RADIOSHACKDX394-subscribe@yaho�ogroups.com (for message posting/receipt
> only).
>
> 73, Tom
>



From -4997697345022192823
X-Google-Thread: 108122,fa8fc69ee311195b,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
logbridge.uoregon.edu!arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: ICOM UT-106 PLUG IN DSP UNIT
Date: Sun, 26 Mar 2006 12:35:14 -0600
Organization: netINS InterNetNews site
Lines: 3
Message-ID: <oknd2255r98vjd47f6crs73t6dsrfmr08o@4ax.com>
Reply-To: mikeNOSPAM@L2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1143398115 27167 67.55.159.6 (26 Mar 2006 18:35:15 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 26 Mar 2006 18:35:15 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:3262

$110 Shipped
mikeNOSPAM@L2speed.net
Remove NOSPAM


From -8092185542882798707
X-Google-Thread: 108122,4d7976777ca2b995,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
hammer.uoregon.edu!arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom UT-106 Plug in DSP Unit
Date: Sun, 26 Mar 2006 12:24:20 -0600
Organization: netINS InterNetNews site
Lines: 3
Message-ID: <4umd221o5u5ukb5o8ni8p8d37o8mp1lgc0@4ax.com>
Reply-To: mikeNOSPAM@L2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1143397461 22435 67.55.159.6 (26 Mar 2006 18:24:21 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Sun, 26 Mar 2006 18:24:21 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:3263

$110 Shipped
mikeNOSPAM@L2speed.net
Remove NOSPAM
```

From -2919669212323749780
X-Google-Thread: 114aac,3038afe338de7436,start
X-Google-Thread: 1009ad,3038afe338de7436,start
X-Google-Thread: f5341,3038afe338de7436,start
X-Google-Thread: 108122,3038afe338de7436,start
X-Google-Thread: fc2a5,3038afe338de7436,start
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!207.35.177.252!nf3.bellglobal.com!nf1.bellglobal.com!nf2.bellglobal.com!news20.bellglobal.com.POSTED!not-for-mail
From: "Tom Holden" <holden_family@sympatico.ca>
Newsgroups: rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: 1000+ Members - Radio Shack DX-394 User Group
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 0612-4, 25/03/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <NYRVf.512$u15.138359@news20.bellglobal.com>
Date: Mon, 27 Mar 2006 08:42:06 -0500
NNTP-Posting-Host: 65.95.104.253
X-Complaints-To: abuse@sympatico.ca
X-Trace: news20.bellglobal.com 1143466925 65.95.104.253 (Mon, 27 Mar 2006 08:42:05 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 08:42:05 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.shortwave:29406 alt.radio.scanner:1518 alt.radio.scanner.uk:1206 rec.radio.amateur.equipment:3264 rec.radio.amateur.homebrew:4440

(Let's try again with the URL hopefully corrected - I don't understand how they got corrupted in distribution - looks alright leaving here and on screen but the actual properties show an extra character)

This group has the most complete collection of modifications, usage tips, links to related websites, documentation, and photos along with a user survey and a message forum (4000+ messages archived) to help you get the most fun and DX out of your Realistic / Radio Shack DX-394, DX394, DX 394.

Over 90 mods and tips now listed plus a dozen on the To Do or Wish List. More mods than for any other general coverage receiver! Thoroughly documented with a Master Index. If you like to tinker with radios, I know of no other recent model that lends itself to as much fun in this arena as the DX-394. Great platform for learning radio-electronics. Always 1 or more FA on eBay.

Active & friendly user community now with over 1000 members. Some members are keen short wave listeners; others are into AM DXing and a few enjoy long wave. Many experiment with antennas and some are ardent modifiers - customising and souping up the rig as hot rodders would do with cars. You'll find lots to interest you and help get the most out of your radio.

All here at:
http://groups.yahoo.com/group/RADIOSHACKDX394/

Subscribe on line (for full access privileges to the extensive collection of Files, Photos and Links) or by email:
RADIOSHACKDX394-subscribe@yahoogroups.com (for message posting/receipt only).

73, Tom

```
From -2267416644163868006
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Lines: 49
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <giSVf.14367$6a1.6434@fed1read04>
Date: Mon, 27 Mar 2006 06:05:07 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1143468300 72.197.12.245 (Mon, 27 Mar 2006 09:05:00 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 09:05:00 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.shortwave:29407 alt.radio.scanner:1519
alt.radio.scanner.uk:1207 rec.radio.amateur.equipment:3265
```

```
rec.radio.amateur.homebrew:4441


Just FYI: I see a lot of these mods to increase sensitivity -- resulting in
trashing the dynamic range

Remember some of these mods are made by amateurs

The factory engineers designed the sensitivity for very good reasons
--
CL -- I doubt, therefore I might be !




"Tom Holden" <holden_family@sympatico.ca> wrote in message
news:WxJVf.448$u15.105252@news20.bellglobal.com...
> This group has the most complete collection of modifications, usage tips,
> links to related websites, documentation, and photos along with a user
> survey and a message forum (4000+ messages archived) to help you get the
> most
> fun and DX out of your Realistic / Radio Shack DX-394, DX394, DX 394.
>
> Over 90 mods and tips now listed plus a dozen on the To Do or Wish List.
> More mods than for any other general coverage receiver! Thoroughly
> documented with a Master Index. If you like to tinker with radios, I know
> of
> no other recent model that lends itself to as much fun in this arena as
> the
> DX-394. Great platform for learning radio-electronics. Always 1 or more FA
> on eBay.
>
> Active & friendly user community now with over 1000 members. Some members
> are
> keen short wave listeners; others are into AM DXing and a few enjoy long
> wave. Many experiment with antennas and some are ardent modifiers -
> customising and souping up the rig as hot rodders would do with cars.
> You'll
> find lots to interest you and help get the most out of your radio.
>
> All here at:
> http://groups.yahoo.com/group/�RADIOSHACKDX394/
>
> Subscribe on line (for full access privileges to the extensive collection
> of Files, Photos and Links) or by email:
> RADIOSHACKDX394-subscribe@yaho�ogroups.com (for message posting/receipt
> only).
>
> 73, Tom
>
```

From 6998457930857959102
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!logbridge.uoregon.edu!pln-e!spln!lex!extra.newsguy.com!
newsp.newsguy.com!enews3
From: "Jack Ricci" <ricci@mnsi.net>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Date: Mon, 27 Mar 2006 08:52:27 -0500
Organization: http://extra.newsguy.com
Lines: 65
Message-ID: <e08qms028ea@enews3.newsguy.com>
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<e08n5h02vrm@enews4.newsguy.com>
NNTP-Posting-Host: p-922.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.shortwave:29408 alt.radio.scanner:1520
alt.radio.scanner.uk:1208 rec.radio.amateur.equipment:3266
rec.radio.amateur.homebrew:4442

TH - The Group's Link/URL got truncated/cut.

Radio Shack DX-394 User's Group
RadioShack DX394 {DX 394}
DX-394 => http://tinyurl.com/o6rgr

Radio Shack DX-394 User's Group
RadioShack DX394 {DX 394}
http://groups.yahoo.com/group/RADIOSHACKDX394/

OOOoooopps!   Correction noted. Thanks.

Jack

"Jack Ricci" <ricci@mnsi.net> wrote in message
news:e08n5h02vrm@enews4.newsguy.com...
> The addresses to subscribe to this group do not work from Canada. Any
> mistakes? I get the message that this group does not exist...

```
>
> Jack
>


> "Tom Holden" <holden_family@sympatico.ca> wrote in message
> news:WxJVf.448$u15.105252@news20.bellglobal.com...
>> This group has the most complete collection of modifications, usage tips,
>> links to related websites, documentation, and photos along with a user
>> survey and a message forum (4000+ messages archived) to help you get the
>> most
>> fun and DX out of your Realistic / Radio Shack DX-394, DX394, DX 394.
>>
>> Over 90 mods and tips now listed plus a dozen on the To Do or Wish List.
>> More mods than for any other general coverage receiver! Thoroughly
>> documented with a Master Index. If you like to tinker with radios, I know
>> of
>> no other recent model that lends itself to as much fun in this arena as
>> the
>> DX-394. Great platform for learning radio-electronics. Always 1 or more
>> FA
>> on eBay.
>>
>> Active & friendly user community now with over 1000 members. Some members
>> are
>> keen short wave listeners; others are into AM DXing and a few enjoy long
>> wave. Many experiment with antennas and some are ardent modifiers -
>> customising and souping up the rig as hot rodders would do with cars.
>> You'll
>> find lots to interest you and help get the most out of your radio.
>>
>> All here at:
>> http://groups.yahoo.com/group/�RADIOSHACKDX394/
>>
>> Subscribe on line (for full access privileges to the extensive collection
>> of Files, Photos and Links) or by email:
>> RADIOSHACKDX394-subscribe@yaho�ogroups.com (for message posting/receipt
>> only).
>>
>> 73, Tom
>>
>
>




From -441101817879099389
X-Google-Thread: 108122,5f47168753bb56c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
```

```
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: ICOM UT-102  Voice Sythesizer
Date: Mon, 27 Mar 2006 08:44:58 -0600
Organization: netINS InterNetNews site
Lines: 3
Message-ID: <c5uf22520j21p00rnah23qm45op2v5d9jl@4ax.com>
Reply-To: mikeNOSPAM@L2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1143470699 18357 67.55.159.6 (27 Mar 2006 14:44:59 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Mon, 27 Mar 2006 14:44:59 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:3267

$55 Shipped
mikeNOSPAM@L2speed.net
Remove NOSPAM


From 4388471485724443372
X-Google-Thread: 108122,802e4644ef027765,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Polyphaser  IS-RCT  8- Wire Rotor Control Protector
Date: Mon, 27 Mar 2006 08:56:19 -0600
Organization: netINS InterNetNews site
Lines: 3
Message-ID: <04vf229c9515o9v7rlv4topi0oi65kjqss@4ax.com>
Reply-To: mikeNOSPAM@L2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1143471380 24263 67.55.159.6 (27 Mar 2006 14:56:20 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Mon, 27 Mar 2006 14:56:20 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:3268

$40 Shipped
mikeNOSPAM@L2speed.net
Remove NOSPAM


From 5406974395088637360
```

```
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!207.35.177.252!nf3.bellglobal.com!
nf1.bellglobal.com!nf2.bellglobal.com!news20.bellglobal.com.POSTED!not-for-mail
From: "Tom Holden" <holden_family@sympatico.ca>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04>
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 0612-4, 25/03/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <_8VVf.620$u15.160963@news20.bellglobal.com>
Date: Mon, 27 Mar 2006 12:19:55 -0500
NNTP-Posting-Host: 64.229.207.150
X-Complaints-To: abuse@sympatico.ca
X-Trace: news20.bellglobal.com 1143479994 64.229.207.150 (Mon, 27 Mar 2006
12:19:54 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 12:19:54 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.shortwave:29414 alt.radio.scanner:1522
alt.radio.scanner.uk:1211 rec.radio.amateur.equipment:3269
rec.radio.amateur.homebrew:4449
```

"Caveat Lector" <UALLBeware@9984reader.com> wrote in message
news:giSVf.14367$6a1.6434@fed1read04...

>
> Just FYI: I see a lot of these mods to increase sensitivity -- resulting
> in trashing the dynamic range

Which of these mods do you think increase sensitivity at the expense of dynamic range?

> Remember some of these mods are made by amateurs

Many of whom are electronics professionals. That's not to say that novices at electronics do not carry out some mods. One of the virtues of the DX-394 is that it can be readily modified and doing so is a great educational activity for someone getting into radio and electronics.

> The factory engineers designed the sensitivity for very good reasons

And made some mistakes in other areas, e.g., decoupling around the IF filters, AGC time constant for SSB (factory corrected in the revised versions), and some design trade-offs or decisions that owners want to correct. That is true of every product.

> --
> CL -- I doubt, therefore I might be !

And I was named after the biblical doubter.

Tom

```
From -8983936614106916399
X-Google-Thread: f55c2,1bb7a611cd048ead
X-Google-Thread: 108122,1bb7a611cd048ead
X-Google-Thread: fb049,1bb7a611cd048ead
X-Google-Thread: f7653,1bb7a611cd048ead
X-Google-Thread: fc2a5,1bb7a611cd048ead
X-Google-Attributes: gidf55c2,gid108122,gidfb049,gidf7653,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!758ec0cd!not-for-mail
From: "Backfire Bob" <Backfire@twicepipes.org>
Newsgroups: alt.ham-radio.mods,rec.radio.amateur.equipment,alt.ham-radio.vhf-
uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.homebrew
References: <Pine.LNX.4.58.0603261916030.26312@torquay.cahuenga.com>
Subject: Re: Need Info 4 Midland 70-1526B UHF Radio
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <FyVVf.63563$dW3.43304@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 69.235.25.171
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1143481637 ST000 69.235.25.171 (Mon, 27 Mar
2006 12:47:17 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 12:47:17 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSU[@IONBRV_WTTY\BCBNWX@RJ_XPDLMN@GZ_GYO^BVNDQUBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
```

```
Date: Mon, 27 Mar 2006 17:47:17 GMT
Xref: g2news1.google.com alt.ham-radio.mods:94 rec.radio.amateur.equipment:3270
alt.ham-radio.vhf-uhf:1500 rec.radio.amateur.digital.misc:223
rec.radio.amateur.homebrew:4451


"Dave Hildebrand" <dave@cahuenga.com> wrote in message
news:Pine.LNX.4.58.0603261916030.26312@torquay.cahuenga.com...
>I recently bought a Midland 70-1526B UHF radio, and I would like greatly
> appreciative of any information on it (e.g. schematic, etc.), including
> where I might find programming software for it. 73s...
>
> ...Dave, N6BHU

Why would anyone want to help *you*?





From 5340724535143818889
X-Google-Thread: f55c2,1bb7a611cd048ead
X-Google-Thread: 108122,1bb7a611cd048ead
X-Google-Thread: fb049,1bb7a611cd048ead
X-Google-Thread: f7653,1bb7a611cd048ead
X-Google-Thread: fc2a5,1bb7a611cd048ead
X-Google-Attributes: gidf55c2,gid108122,gidfb049,gidf7653,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!2ca1ff02!
not-for-mail
From: Jim Chandler <n427c@gte.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.ham-radio.mods,rec.radio.amateur.equipment,alt.ham-radio.vhf-
uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.homebrew
Subject: Re: Need Info 4 Midland 70-1526B UHF Radio
References: <Pine.LNX.4.58.0603261916030.26312@torquay.cahuenga.com>
In-Reply-To: <Pine.LNX.4.58.0603261916030.26312@torquay.cahuenga.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <ROVVf.14151$W75.6809@trnddc07>
Date: Mon, 27 Mar 2006 18:04:33 GMT
NNTP-Posting-Host: 71.105.121.182
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1143482673 71.105.121.182 (Mon, 27 Mar 2006 13:04:33 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 13:04:33 EST
Xref: g2news1.google.com alt.ham-radio.mods:95 rec.radio.amateur.equipment:3271
alt.ham-radio.vhf-uhf:1501 rec.radio.amateur.digital.misc:224
```

rec.radio.amateur.homebrew:4452

Dave Hildebrand wrote:

> I recently bought a Midland 70-1526B UHF radio, and I would like greatly
> appreciative of any information on it (e.g. schematic, etc.), including
> where I might find programming software for it. 73s...
>
> ...Dave, N6BHU

Dave, try a Google search using the brand and model. I was able to get
the service manual for the old (70's) CDR TR-44 rotator that way. It's
amazing what's out there.

Jim Chandler, N5COT

```
From -3336742859891288512
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04> <_8VVf.620$u15.160963@news20.bellglobal.com>
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Lines: 55
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <Y5WVf.14396$6a1.13272@fed1read04>
Date: Mon, 27 Mar 2006 10:25:03 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1143483896 72.197.12.245 (Mon, 27 Mar 2006 13:24:56 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 13:24:56 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.shortwave:29424 alt.radio.scanner:1524
alt.radio.scanner.uk:1212 rec.radio.amateur.equipment:3272
rec.radio.amateur.homebrew:4453
```

I refer you to the Elecraft page

http://www.elecraft.com/K2_perf.htm

Sez
MDS = Minimum Discernible Signal (3db increase above noise floor). Larger
negative numbers are generally better, but too much sensitivity can reduce
strong signal dynamic range and Ip3. Pre-Amp On MDS numbers of -130 dBm or
more are more than adequate for most HF band operating, since band noise is
typically above this number. (Lower frequencies need less MDS (more +number)
due to an increase in atmospheric noise.)

--
CL -- I doubt, therefore I might be !

"Tom Holden" <holden_family@sympatico.ca> wrote in message
news:_8VVf.620$u15.160963@news20.bellglobal.com...
> "Caveat Lector" <UALLBeware@9984reader.com> wrote in message
> news:giSVf.14367$6a1.6434@fed1read04...
>>
>> Just FYI: I see a lot of these mods to increase sensitivity -- resulting
>> in trashing the dynamic range
>
>
> Which of these mods do you think increase sensitivity at the expense of
> dynamic range?
>
>> Remember some of these mods are made by amateurs
>
> Many of whom are electronics professionals. That's not to say that novices
> at electronics do not carry out some mods. One of the virtues of the
> DX-394 is that it can be readily modified and doing so is a great
> educational activity for someone getting into radio and electronics.
>
>> The factory engineers designed the sensitivity for very good reasons
>
> And made some mistakes in other areas, e.g., decoupling around the IF
> filters, AGC time constant for SSB (factory corrected in the revised
> versions), and some design trade-offs or decisions that owners want to
> correct. That is true of every product.
>
>> --
>> CL -- I doubt, therefore I might be !
>
> And I was named after the biblical doubter.
>
> Tom
>

```
From 6503500758813504586
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Mar 2006 13:32:55 -0600
Message-Id: <81rlf3-v9u.ln1@remote.clifto.com>
From: clifto <clifto@gmail.com>
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
Date: Mon, 27 Mar 2006 13:29:12 -0600
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04>
Organization: Vast Right-Wing Conspiracy
User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 16
NNTP-Posting-Host: 67.165.145.61
X-Trace:
sv3-8NIKf6I+OTVmTtP3tHzLrKX7eBcaMCoOwHLfFBTXTF8fKyVQjl4Kw5bUexH2fN9uyjsDm4gJLTrgGz
E!+Ecgu+8rYCVmSFTCjDpeB9rLsNoiF2AEjykmYzB8nCBtUZ2q01eJJHKT3/ZEdc5XtrEqN9U6dW6r!
QqEU
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.shortwave:29433 alt.radio.scanner:1525
alt.radio.scanner.uk:1217 rec.radio.amateur.equipment:3273
rec.radio.amateur.homebrew:4458
```

Caveat Lector wrote:

> Just FYI: I see a lot of these mods to increase sensitivity -- resulting in
> trashing the dynamic range
>
> Remember some of these mods are made by amateurs
>
> The factory engineers designed the sensitivity for very good reasons

Problem is, many times those reasons have more to do with cost than
with performance.

--
All relevant people are pertinent.
All rude people are impertinent.
Therefore, no rude people are relevant.
 -- Solomon W. Golomb

From -4113626267899699831
X-Google-Thread: 108122,fa8b63f1604b8f48,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p02!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted 2-440 Dual Band Transceiver
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <FlXVf.16714$KE1.12612@dukeread02>
Date: Mon, 27 Mar 2006 13:50:09 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1143488997 68.105.228.151 (Mon, 27 Mar 2006 14:49:57 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 14:49:57 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3274

I am looking for a Dual Band 2 Meter/440 tranceiver. It needs to have a Tone
Board so that I can
access local repeaters. Please let me know what you have, model,condition,
price.
Thanks, Charlie Hugg

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From -3304615002928945956
X-Google-Thread: 108122,3b212c0442c49bd9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!

```
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom IC-751 HF Transceiver
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <RKXVf.17115$KE1.14197@dukeread02>
Date: Mon, 27 Mar 2006 14:17:01 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1143490609 68.105.228.151 (Mon, 27 Mar 2006 15:16:49 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 15:16:49 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3275

FS Beautiful Icom IC-751 all mode SSB / AM / FM / CW / RTTY Transceiver 100
watts. Superb condition in both appearance and electronically. Well cared
for, works 100%. This radio has always been in a nonsmoking environment.
Includes hand mic, original manual, and power cord. Also has the Optional CW
Filter installed.  Rare to find one in this condition. Price is $400, plus
shipping. Thanks, Charlie Hugg, K5MBX

--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com




From -2255780871934941101
X-Google-Thread: 108122,fa8b63f1604b8f48
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Mar 2006 14:34:24 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <FlXVf.16714$KE1.12612@dukeread02>
Subject: Re: Wanted 2-440 Dual Band Transceiver
Date: Mon, 27 Mar 2006 14:34:23 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
```

Message-ID: <o9-dnWwXuKrN0bXZRVn-iw@comcast.com>
Lines: 27
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-eTW/6dY3Z8EIo7angwBBhoGnBsA+kJnCE6bkPiewYvUwPy4z6drQlfr/
qJF3LjeDQKMNk2rljIn6SVn!2L91qOXwHmrGvsQwd8F84c+I+ngUQu4GKD8dCe4JnMjY8Z4q3vs/
TjDlhHviQBIgVVcVYaHqwUE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3276

http://www.yaesu.com/indexVS.cfm?
cmd=DisplayProducts&ProdCatID=106&encProdID=QYzjsxzj0SY%3D&DivisionID=65&isArchive
d=0

FT-7800R is a great dual band rig... I have 2 of them an dwill probably buy
another one in the next month or so. HRO has them on sale from time to
time... I got mine for $225 each, the current price is around $250. Well
worth every penny

-n6ojn

"Charlie Hugg" <hug-a-bug1@cox.net> wrote in message
news:FlXVf.16714$KE1.12612@dukeread02...
>I am looking for a Dual Band 2 Meter/440 tranceiver. It needs to have a
>Tone
> Board so that I can
> access local repeaters. Please let me know what you have, model,condition,
> price.
> Thanks, Charlie Hugg
>
> --
> ________________________________
> See my Signal/One, Collins & Drake
> Photo Galleries and my Hallicrafters
> Virtual Museum at http://hug-a-bug.com
>
>

From 4446715227032658995
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!207.35.177.252!nf3.bellglobal.com!nf1.bellglobal.com!nf2.bellglobal.com!news20.bellglobal.com.POSTED!not-for-mail
From: "Tom Holden" <holden_family@sympatico.ca>
Newsgroups: rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <WxJVf.448$u15.105252@news20.bellglobal.com> <giSVf.14367$6a1.6434@fed1read04> <_8VVf.620$u15.160963@news20.bellglobal.com> <Y5WVf.14396$6a1.13272@fed1read04>
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Lines: 40
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 0612-4, 25/03/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <jTXVf.736$u15.176249@news20.bellglobal.com>
Date: Mon, 27 Mar 2006 15:25:52 -0500
NNTP-Posting-Host: 65.95.153.123
X-Complaints-To: abuse@sympatico.ca
X-Trace: news20.bellglobal.com 1143491151 65.95.153.123 (Mon, 27 Mar 2006 15:25:51 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 15:25:51 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.shortwave:29437 alt.radio.scanner:1526 alt.radio.scanner.uk:1223 rec.radio.amateur.equipment:3277 rec.radio.amateur.homebrew:4459

"Caveat Lector" <UALLBeware@9984reader.com> wrote in message
news:Y5WVf.14396$6a1.13272@fed1read04...
>I refer you to the Elecraft page
> http://www.elecraft.com/K2_perf.htm
>
> Sez
> MDS = Minimum Discernible Signal (3db increase above noise floor). Larger
> negative numbers are generally better, but too much sensitivity can reduce
> strong signal dynamic range and Ip3. Pre-Amp On MDS numbers of -130 dBm or
> more are more than adequate for most HF band operating, since band noise
> is typically above this number. (Lower frequencies need less MDS (more
> +number) due to an increase in atmospheric noise.)
>
>
> --
> CL -- I doubt, therefore I might be !

I have no dispute with that. Rather with your first comment:

>>> Just FYI: I see a lot of these mods to increase sensitivity -- resulting
>>> in trashing the dynamic range
>>

>>
>> Which of these mods do you think increase sensitivity at the expense of
>> dynamic range?

You did not answer the question. The answer may well be 'none'. I'm not aware of any aimed at increased sensitivity, unless adding an amplified preselector counts as a mod. And that could arguably be for improved dynamic range and sensitivity by improving front-end selectivity and noise figure. Most regard the DX-394 as a very sensitive receiver that is outperformed in that spec by few others. But itcould do with improved overload threshold and IP3.

Methinks you might be trashing imagined mods rather than the ones well-documented in the user group.

Tom

From 7365266501953232458
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.astraweb.com!router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-sjc-09!sn-xt-sjc-06!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dxAce <dxAce@milestones.com>
Newsgroups:
alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Date: Mon, 27 Mar 2006 15:57:54 -0500
Organization: The Listener at The Gates of Dawn
Message-ID: <442851D2.983D961B@milestones.com>
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04> <81rlf3-v9u.ln1@remote.clifto.com>
<06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 32
Xref: g2news1.google.com alt.radio.scanner:1528 alt.radio.scanner.uk:1226
rec.radio.amateur.equipment:3279 rec.radio.amateur.homebrew:4461

Never anonymous Bud wrote:

> On Mon, 27 Mar 2006 13:29:12 -0600, clifto <clifto@gmail.com> wrote:
>
> >Caveat Lector wrote:
> >> Just FYI: I see a lot of these mods to increase sensitivity -- resulting in
> >> trashing the dynamic range
> >>
> >> Remember some of these mods are made by amateurs
> >>
> >> The factory engineers designed the sensitivity for very good reasons
> >
> >Problem is, many times those reasons have more to do with cost than
> >with performance.
>
> My question would be...
>
> WHAT does this have to do with scanning,
> and WHY was it cross-posted to 6 newsgroups??

Because the original poster is a Canuck, and doesn't know any better?

>
>
> Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>
> This sig censored by the Office of Home and Land Insecurity...
>
>   Remove XYZ to email me

From 2534020013135697788
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04> <81rlf3-v9u.ln1@remote.clifto.com>
<06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com>
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Lines: 45
X-Priority: 3
X-MSMail-Priority: Normal

X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <2yYVf.14403$6a1.1504@fed1read04>
Date: Mon, 27 Mar 2006 13:11:33 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1143493886 72.197.12.245 (Mon, 27 Mar 2006 16:11:26 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 16:11:26 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.shortwave:29441 alt.radio.scanner:1529
alt.radio.scanner.uk:1227 rec.radio.amateur.equipment:3280
rec.radio.amateur.homebrew:4462

Aplogies for the cross posting - I was just responding to the original
post'Gotta be more careful

--
CL -- I doubt, therefore I might be !

"Never anonymous Bud" <newskat@katxyzkave.net> wrote in message
news:06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com...
> On Mon, 27 Mar 2006 13:29:12 -0600, clifto <clifto@gmail.com> wrote:
>
>>Caveat Lector wrote:
>>> Just FYI: I see a lot of these mods to increase sensitivity -- resulting
>>> in
>>> trashing the dynamic range
>>>
>>> Remember some of these mods are made by amateurs
>>>
>>> The factory engineers designed the sensitivity for very good reasons
>>
>>Problem is, many times those reasons have more to do with cost than
>>with performance.
>
> My question would be...
>
> WHAT does this have to do with scanning,
> and WHY was it cross-posted to 6 newsgroups??
>
>
>
>
>
>
> Lumber Cartel (tinlc) #2063. Spam this account at your own risk.

>
> This sig censored by the Office of Home and Land Insecurity...
>
>   Remove XYZ to email me

```
From -4670708525234573601
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!207.35.177.252!nf3.bellglobal.com!
nf1.bellglobal.com!nf2.bellglobal.com!news20.bellglobal.com.POSTED!not-for-mail
From: "Tom Holden" <holden_family@sympatico.ca>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04> <81rlf3-v9u.ln1@remote.clifto.com>
<06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com>
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 0612-4, 25/03/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <tPYVf.772$u15.181036@news20.bellglobal.com>
Date: Mon, 27 Mar 2006 16:30:01 -0500
NNTP-Posting-Host: 64.229.32.49
X-Complaints-To: abuse@sympatico.ca
X-Trace: news20.bellglobal.com 1143495001 64.229.32.49 (Mon, 27 Mar 2006 16:30:01
EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 16:30:01 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.shortwave:29446 alt.radio.scanner:1530
alt.radio.scanner.uk:1228 rec.radio.amateur.equipment:3281
rec.radio.amateur.homebrew:4464
```

"Never anonymous Bud" <newskat@katxyzkave.net> wrote in message
news:06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com...

>
> My question would be...
>
> WHAT does this have to do with scanning,

```
> and WHY was it cross-posted to 6 newsgroups??

The DX-394 is a scanning receiver, reviews have described its user interface
as reflecting a scanner heritage, it has been a topic in all the newsgroups
to which I posted the notice, and similar notices have been crossposted a
few times in all these newsgroups informing potentially interested parties
about http://groups.yahoo.com/group/RADIOSHACKDX394/, without objection.

Are there any other newsgroups for which it would be relevant? The ones I
posted to are:
rec.radio.shortwave, alt.radio.scanner, alt.radio.scanner.uk,
rec.radio.amateur.equipment, rec.radio.amateur.homebrew

73, Tom




From 1571842086752236835
X-Google-Thread: 108122,36aa455d4bc38319,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe10.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Johnson Viking 500
Message-ID: <eiog2257hhkibc5ijriokngа02agv9d2b8@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Mon, 27 Mar 2006 17:08:19 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1143497293 69.125.167.162 (Mon, 27 Mar 2006 15:08:13 MST)
NNTP-Posting-Date: Mon, 27 Mar 2006 15:08:13 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3282

WTB: Johnson Viking 500
Please leave condition and price through email.
Rich  NJ
ritchi50@optonline.net


From -8151877769176258980
X-Google-Thread: 108122,e4af60dd504af046,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
Subject: E-Ham.net down ??
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <FvZVf.14406$6a1.3905@fed1read04>
Date: Mon, 27 Mar 2006 14:17:16 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1143497829 72.197.12.245 (Mon, 27 Mar 2006 17:17:09 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 17:17:09 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3283

Has been most of the day here

http://www.eham.net/
--
CL -- I doubt, therefore I might be !
```

```
From -2793261240145500486
X-Google-Thread: 108122,e4af60dd504af046
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed-east.nntpserver.com!
nntpserver.com!statler.nntpserver.com!newsfeed.media.kyoto-u.ac.jp!news-
hub.kaist.ac.kr!newsfeed.kreonet.re.kr!nntp.kreonet.re.kr!kreonet.re.kr!
feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: E-Ham.net down ??
Date: Tue, 28 Mar 2006 08:10:57 +0900
Organization: Korea Telecom
Lines: 10
Message-ID: <e09rdh$o05$1@news2.kornet.net>
References: <FvZVf.14406$6a1.3905@fed1read04>
NNTP-Posting-Host: 59.8.212.142
X-Trace: news2.kornet.net 1143501041 24581 59.8.212.142 (27 Mar 2006 23:10:41 GMT)
```

```
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Mon, 27 Mar 2006 23:10:41 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:3285
```

"Caveat Lector" <UALLBeware@9984reader.com> wrote in message
news:FvZVf.14406$6a1.3905@fed1read04...
> Has been most of the day here
>
> http://www.eham.net/

Working fine for me here in the Land of the Not-Quite-Right...

```
From -7452484241463108127
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!newsfeed.gamma.ru!
Gamma.RU!sn-xt-sjc-02!sn-xt-sjc-12!sn-xt-sjc-08!sn-post-02!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: Butch Magee <lynyrd@cableone.net>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Date: Mon, 27 Mar 2006 17:42:58 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <122gtjhbdq58m2c@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04>
In-Reply-To: <giSVf.14367$6a1.6434@fed1read04>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news1.google.com rec.radio.shortwave:29470 alt.radio.scanner:1532
alt.radio.scanner.uk:1232 rec.radio.amateur.equipment:3286
rec.radio.amateur.homebrew:4468
```

Caveat Lector wrote:
> Just FYI: I see a lot of these mods to increase sensitivity -- resulting in
> trashing the dynamic range
>
> Remember some of these mods are made by amateurs
>
> The factory engineers designed the sensitivity for very good reasons

Thank you Mr. Lector for reminding the wannabe multi-year experienced
EEs that it is best to leave well enough alone.

Butch KF5DE

```
From -8364799341491104O2
X-Google-Thread: 108122,e4af60dd504af046
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <FvZVf.14406$6a1.3905@fed1read04> <e09rdh$o05$1@news2.kornet.net>
Subject: Re: E-Ham.net down ??
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <f30Wf.14410$6a1.3017@fed1read04>
Date: Mon, 27 Mar 2006 17:11:46 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1143508299 72.197.12.245 (Mon, 27 Mar 2006 20:11:39 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 20:11:39 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3287
```

Gee Brenda Ann - you are getting e-ham in South Korea and nothing here in
San Diego

Re: Land of the Not-Quite-Right... Been dare, dun dat, war was on - left.
(;-) But darned if we didn't fly back again.
http://www.angelfire.com/pa/sgtgov/sgtgov2.html
--
CL -- I doubt, therefore I might be !

```
"Brenda Ann" <brendad@shinbiro.com> wrote in message
news:e09rdh$o05$1@news2.kornet.net...
>
> "Caveat Lector" <UALLBeware@9984reader.com> wrote in message
> news:FvZVf.14406$6a1.3905@fed1read04...
>> Has been most of the day here
>>
>> http://www.eham.net/
> Land of the Not-Quite-Right...
> Working fine for me here in the Land of the Not-Quite-Right...
>
>
```

```
From -4424555280932140387
X-Google-Thread: 108122,e4af60dd504af046
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 27 Mar 2006 19:41:28 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <FvZVf.14406$6a1.3905@fed1read04>
Subject: Re: E-Ham.net down ??
Date: Mon, 27 Mar 2006 19:41:27 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <FumdnYQ6kobVCbXZRVn-rA@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-TJwFYNxjmgtW4WeCzL7eKZp7a/
OMk8xPAoTdcFmRz7j4zlbaFFkzgs39LK9aYCqWvYgaQkU00GAMqx1!
LpI0Chj9qk7jVX33HwWT9oe0mVWsnDBb7BHJKPDehRT5PMopDb6/OOWeZQ1ADN1K9eskzqeXmC4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3288
```

Its working here in rural south Mississippi (Mayberry??) For tourist
information, call BR-549

-n6ojn

"Caveat Lector" <UALLBeware@9984reader.com> wrote in message
news:FvZVf.14406$6a1.3905@fed1read04...
> Has been most of the day here
>
> http://www.eham.net/
> --
> CL -- I doubt, therefore I might be !
>
>
>
>
>
>
>

```
From -7277795344010464O7
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!pln-e!spln!dex!
extra.newsguy.com!newsp.newsguy.com!enews3
From: "Jack Ricci" <ricci@mnsi.net>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Date: Mon, 27 Mar 2006 20:29:17 -0500
Organization: http://extra.newsguy.com
Lines: 33
Message-ID: <e0a3kv1r54@enews3.newsguy.com>
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04> <81rlf3-v9u.ln1@remote.clifto.com>
<06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com>
<tPYVf.772$u15.181036@news20.bellglobal.com>
NNTP-Posting-Host: p-924.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.shortwave:29496 alt.radio.scanner:1533
alt.radio.scanner.uk:1233 rec.radio.amateur.equipment:3289
rec.radio.amateur.homebrew:4472
```

```
The DX-394 is a scanning receiver, reviews have described its user interface
as reflecting a scanner heritage...


I agree...and I'm a Canuck...


"Tom Holden" <holden_family@sympatico.ca> wrote in message
news:tPYVf.772$u15.181036@news20.bellglobal.com...
> "Never anonymous Bud" <newskat@katxyzkave.net> wrote in message
> news:06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com...
>>
>> My question would be...
>>
>> WHAT does this have to do with scanning,
>> and WHY was it cross-posted to 6 newsgroups??
>
> The DX-394 is a scanning receiver, reviews have described its user
> interface as reflecting a scanner heritage, it has been a topic in all the
> newsgroups to which I posted the notice, and similar notices have been
> crossposted a few times in all these newsgroups informing potentially
> interested parties about http://groups.yahoo.com/group/RADIOSHACKDX394/,
> without objection.
>
> Are there any other newsgroups for which it would be relevant? The ones I
> posted to are:
> rec.radio.shortwave, alt.radio.scanner, alt.radio.scanner.uk,
> rec.radio.amateur.equipment, rec.radio.amateur.homebrew
>
> 73, Tom
>




From 1002996304106092752
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!pln-e!spln!dex!
extra.newsguy.com!newsp.newsguy.com!enews3
From: "Jack Ricci" <ricci@mnsi.net>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Date: Mon, 27 Mar 2006 20:27:08 -0500
```

Organization: http://extra.newsguy.com
Lines: 47
Message-ID: <e0a3kv0r54@enews3.newsguy.com>
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04> <81rlf3-v9u.ln1@remote.clifto.com>
<06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com>
NNTP-Posting-Host: p-923.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.shortwave:29497 alt.radio.scanner:1534
alt.radio.scanner.uk:1234 rec.radio.amateur.equipment:3290
rec.radio.amateur.homebrew:4473

> WHAT does this have to do with scanning,
> and WHY was it cross-posted to 6 newsgroups??

I was intrigued by that post and joined the group. DX 394 is quite a bit part of a listening hobby.

The DX 394 scans a slightly different breed of frequencies...or does it? My Yupiteru MVT 7100 picks up all those same frequencies also, and then some. Does that mean my Yupi is technically NOT a scanner because I can also use it as an AM/FM/SW/SSB/Weather/TV audio/CB/Communications/Marine/Police/Fire/Ambulance radio receiver as well?

Jack

"Never anonymous Bud" <newskat@katxyzkave.net> wrote in message
news:06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com...
> On Mon, 27 Mar 2006 13:29:12 -0600, clifto <clifto@gmail.com> wrote:
>
>>Caveat Lector wrote:
>>> Just FYI: I see a lot of these mods to increase sensitivity -- resulting
>>> in
>>> trashing the dynamic range
>>>
>>> Remember some of these mods are made by amateurs
>>>
>>> The factory engineers designed the sensitivity for very good reasons
>>
>>Problem is, many times those reasons have more to do with cost than
>>with performance.
>
> My question would be...
>
> WHAT does this have to do with scanning,
> and WHY was it cross-posted to 6 newsgroups??
>
>
>

>
>
>
> Lumber Cartel (tinlc) #2063. Spam this account at your own risk.
>
> This sig censored by the Office of Home and Land Insecurity...
>
>   Remove XYZ to email me

```
From 8327123521568516656
X-Google-Thread: 114aac,6fccb56164079bbf
X-Google-Thread: 1009ad,6fccb56164079bbf
X-Google-Thread: f5341,6fccb56164079bbf
X-Google-Thread: 108122,6fccb56164079bbf
X-Google-Thread: fc2a5,6fccb56164079bbf
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns14feed!worldnet.att.net!207.35.177.252!nf3.bellglobal.com!
nf1.bellglobal.com!nf2.bellglobal.com!news20.bellglobal.com.POSTED!not-for-mail
From: "Tom Holden" <holden_family@sympatico.ca>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
References: <WxJVf.448$u15.105252@news20.bellglobal.com>
<giSVf.14367$6a1.6434@fed1read04> <81rlf3-v9u.ln1@remote.clifto.com>
<06kg229qmd9mikh334mh43qnhsuh3abi6i@4ax.com>
<tPYVf.772$u15.181036@news20.bellglobal.com>
<targ22hvqpg1j7i0jsot6mbs8ipt6ktbqn@4ax.com>
Subject: Re: 1000+ Members - Group for Radio Shack DX-394 Users
Lines: 42
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Antivirus: avast! (VPS 0612-4, 25/03/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <L32Wf.1089$m35.102384@news20.bellglobal.com>
Date: Mon, 27 Mar 2006 22:28:43 -0500
NNTP-Posting-Host: 64.229.44.143
X-Complaints-To: abuse@sympatico.ca
X-Trace: news20.bellglobal.com 1143516523 64.229.44.143 (Mon, 27 Mar 2006 22:28:43
EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 22:28:43 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.shortwave:29523 alt.radio.scanner:1535
alt.radio.scanner.uk:1246 rec.radio.amateur.equipment:3291
rec.radio.amateur.homebrew:4475
```

```
"Never anonymous Bud" <newskat@katxyzkave.net> wrote in message
news:targ22hvqpg1j7i0jsot6mbs8ipt6ktbqn@4ax.com...
> On Mon, 27 Mar 2006 16:30:01 -0500, "Tom Holden"
> <holden_family@sympatico.ca> wrote:
>
>>The DX-394 is a scanning receiver,
>
> It is a SHORTWAVE receiver, and any posts about it belong
> in rec.radio.shortwave and NOT in any scanner newsgroup.

It is a LW, MW, SW receiver that scans. Is alt.radio.scanner restricted to
discussion of scanning receivers that can tune only above 30 MHz?

Do a search in alt.radio.scanner:
http://groups.google.com/group/alt.radio.scanner/search?q=DX-394+OR+DX394+or+
%22DX+394%22&start=50&
- 66 threads found, dating from 1996.

>
> It's also NOT amateur equipment any more than it is a scanner,
> and CERTAINLY not 'homebrew'.

Why is the DX-394 NOT amateur equipment (I assume you mean 'amateur radio')?
It tunes the HF ham bands and does a credible job receiving the popular ham
modes on its own and is used with software to receive many digital modes. It
is found in many hamshacks. My first SW receiver was a 5-tube Heathkit AR-3
general coverage radio - it doesn't hold a candle to the DX-394 - but it was
the receiving part of my ham radio station.

I agree that the DX-394 itself is not 'homebrew' but the many mods are of
interest to some homebrewers as have the design discussions carried out in
rec.radio.amateur.homebrew.

When did you become the self-appointed policer of these newsgroups? As far
as I can tell, my original post was in the spirit of guidelines about
cross-posting. Your carrying on with this nonsensical criticism by
cross-posting replies is not.

End of discussion.

Tom




From -7238940680441915997
X-Google-Thread: 108122,bdf5dde9b929fd36,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!newsfe24.lga.POSTED!53ab2750!not-for-mail
From: Radio <radioReMoVe@mts.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
```

```
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: YAESU FT-101E TRANSCEIVER HAM HF RADIO FT-101 E
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <YG2Wf.56$pJ1.40@newsfe24.lga>
Date: Mon, 27 Mar 2006 22:17:19 -0600
NNTP-Posting-Host: 206.45.176.88
X-Trace: newsfe24.lga 1143519032 206.45.176.88 (Mon, 27 Mar 2006 21:10:32 MST)
NNTP-Posting-Date: Mon, 27 Mar 2006 21:10:32 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:3292

YAESU FT-101E TRANSCEIVER HAM HF RADIO FT-101 E

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9704834506


From 1593855930179686704
X-Google-Thread: 108122,cb026480eebdcb1e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!
newsfe24.lga.POSTED!53ab2750!not-for-mail
From: Radio <radioReMoVe@mts.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Yaesu YC-601 Frequency Display For FT-101 Series Radios
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <1H2Wf.57$pJ1.43@newsfe24.lga>
Date: Mon, 27 Mar 2006 22:17:25 -0600
NNTP-Posting-Host: 206.45.176.88
X-Trace: newsfe24.lga 1143519037 206.45.176.88 (Mon, 27 Mar 2006 21:10:37 MST)
NNTP-Posting-Date: Mon, 27 Mar 2006 21:10:37 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:3293

Yaesu YC-601 Frequency Display For FT-101 Series Radios

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9704840182


From -8948671267152075456
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
```

```
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <fDqVf.5081$ES3.1398@trnddc02>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node204-75-93-63.1dial.com
Message-ID: <4428b865$1_3@newsfeed.slurp.net>
Date: 27 Mar 2006 23:15:33 -0500
X-Trace: newsfeed.slurp.net 1143519333 63.93.75.204 (27 Mar 2006 23:15:33 -0500)
Lines: 21
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.204
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.moat.net!
newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3315 rec.radio.amateur.boatanchors:3609
rec.radio.amateur.equipment:3294
```

ORIGINAL MESSAGE:

Woody wrote:

> Mister, it's painfully obvious that your intent is not to prove a
> point, nor offer a reasonable debate; but to simply try and talk
> others down. You must have a very hollow existence.

*********** REPLY SEPARATOR ***********

You completely missed it, Woody. My only concern here is to preserve a historical artifact which once destroyed, can never be replaced. If the current owners and future owners keep flying it around, it eventually will be destroyed. Hopefully at some point the owners will wise up and say "Enough. Lets park it before it's too late.".

My concern is as simple as that. Please do not read other motives into my posts.

Bill T.

```
From -7353036130977283864
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
```

Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<6OydnULN4OFdm7_ZnZ2dnUVZ_sKdnZ2d@wightman.ca> <44221387_3@newsfeed.slurp.net>
<GNqVf.5082$ES3.5039@trnddc02>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node204-75-93-63.1dial.com
Message-ID: <4428bae4_3@newsfeed.slurp.net>
Date: 27 Mar 2006 23:26:12 -0500
X-Trace: newsfeed.slurp.net 1143519972 63.93.75.204 (27 Mar 2006 23:26:12 -0500)
Lines: 18
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.204
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.moat.net!
newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3316 rec.radio.amateur.boatanchors:3610
rec.radio.amateur.equipment:3295

Woody wrote:

>
> Bill, have you considered a career in politics?

Yes, but I'm not crooked enough to get elected.

> Exactly where would you suggest we park general aviation?

General aviation doesn't need parking as far as I can tell.

The B-17G should be parked in the desert, in a hangar, where there is
low humidity and no violent weather. It would last practically forever,
and at five or ten bucks a ticket, would be a source of income also
practically forever. And guess what... no maintenance cost either,
except maybe for a feather duster now and then. :-)

Bill T.

From -6362569118682463609
X-Google-Thread: f55c2,1bb7a611cd048ead
X-Google-Thread: 108122,1bb7a611cd048ead
X-Google-Thread: fb049,1bb7a611cd048ead
X-Google-Thread: f7653,1bb7a611cd048ead
X-Google-Thread: fc2a5,1bb7a611cd048ead
X-Google-Attributes: gidf55c2,gid108122,gidfb049,gidf7653,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!pln-e!spln!rex!
extra.newsguy.com!newsp.newsguy.com!65-84-71-177.client.dsl.net!dave
From: Dave Hildebrand <dave@cahuenga.com>

Newsgroups: alt.ham-radio.mods,rec.radio.amateur.equipment,alt.ham-radio.vhf-uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.homebrew
Subject: Re: Need Info 4 Midland 70-1526B UHF Radio
Date: Mon, 27 Mar 2006 20:16:50 -0800
Organization: http://extra.newsguy.com
Lines: 19
Message-ID: <Pine.LNX.4.58.0603272015300.18560@torquay.cahuenga.com>
References: <Pine.LNX.4.58.0603261916030.26312@torquay.cahuenga.com>
 <FyVVf.63563$dW3.43304@newssvr21.news.prodigy.com>
NNTP-Posting-Host: p-269.newsdawg.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII
To: Backfire Bob <Backfire@twicepipes.org>
In-Reply-To: <FyVVf.63563$dW3.43304@newssvr21.news.prodigy.com>
Xref: g2news1.google.com alt.ham-radio.mods:96 rec.radio.amateur.equipment:3296
alt.ham-radio.vhf-uhf:1506 rec.radio.amateur.digital.misc:226
rec.radio.amateur.homebrew:4476

Hey -- haven't heard you in a while -- how's Texas?

On Mon, 27 Mar 2006, Backfire Bob wrote:

>
> "Dave Hildebrand" <dave@cahuenga.com> wrote in message
> news:Pine.LNX.4.58.0603261916030.26312@torquay.cahuenga.com...
> >I recently bought a Midland 70-1526B UHF radio, and I would like greatly
> > appreciative of any information on it (e.g. schematic, etc.), including
> > where I might find programming software for it. 73s...
> >
> > ...Dave, N6BHU
>
> Why would anyone want to help *you*?
>
>
>
>

From 8754860186014098909
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!d43fbeea!not-for-mail
From: "Dave Stadt" <dhstadt@ameritech.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>

```
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<6OydnULN4OFdm7_ZnZ2dnUVZ_sKdnZ2d@wightman.ca> <44221387_3@newsfeed.slurp.net>
<GNqVf.5082$ES3.5039@trnddc02> <4428bae4_3@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <Xc3Wf.60098$H71.13056@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 67.37.129.122
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1143521207 ST000 67.37.129.122 (Mon, 27 Mar
2006 23:46:47 EST)
NNTP-Posting-Date: Mon, 27 Mar 2006 23:46:47 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPGG\GDFBSQBTX[NKK^_T\B\JYL@DHLLBWLOOAFWIWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Tue, 28 Mar 2006 04:46:47 GMT
Xref: g2news1.google.com rec.radio.swap:3317 rec.radio.amateur.boatanchors:3611
rec.radio.amateur.equipment:3297
```

"Bill Turner" <noway@nohow.com> wrote in message
news:4428bae4_3@newsfeed.slurp.net...

> Woody wrote:
>
>>
>> Bill, have you considered a career in politics?
>
> Yes, but I'm not crooked enough to get elected.
>
>> Exactly where would you suggest we park general aviation?
>
> General aviation doesn't need parking as far as I can tell.
>
> The B-17G should be parked in the desert, in a hangar, where there is
> low humidity and no violent weather. It would last practically forever,
> and at five or ten bucks a ticket, would be a source of income also
> practically forever. And guess what... no maintenance cost either,
> except maybe for a feather duster now and then. :-)
>
> Bill T.

How sad.

```
From 3366283516142065017
X-Google-Thread: 108122,73a003e2015ca249,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!7a5d3c59!not-
for-mail
From: Jerry Franks <w4rf@att.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Conar twins on Ebay
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <mUaWf.36598$bn3.11533@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 13c2b1f897c7ec8196cd4d79e303f73e
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1143552658
13c2b1f897c7ec8196cd4d79e303f73e (Tue, 28 Mar 2006 13:30:58 GMT)
NNTP-Posting-Date: Tue, 28 Mar 2006 13:30:58 GMT
Organization: AT&T Worldnet
Date: Tue, 28 Mar 2006 13:30:58 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3298

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9703213214&rd=1&sspagename=STRK%3AMEWA%3AIT&rd=1


From 1320461941180901003
X-Google-Thread: 108122,73a003e2015ca249
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!d89a2db8!
not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <mUaWf.36598$bn3.11533@bgtnsc04-news.ops.worldnet.att.net>
Subject: Re: Conar twins on Ebay
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <ygbWf.14181$ES3.13122@trnddc02>
Date: Tue, 28 Mar 2006 13:56:46 GMT
NNTP-Posting-Host: 63.19.189.179
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1143554206 63.19.189.179 (Tue, 28 Mar 2006 08:56:46 EST)
```

NNTP-Posting-Date: Tue, 28 Mar 2006 08:56:46 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:3299

"Jerry Franks" <w4rf@att.net> wrote in message
news:mUaWf.36598$bn3.11533@bgtnsc04-news.ops.worldnet.att.net...
> http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=9703213214&rd=1&sspagename=STRK%3AMEWA%3AIT&rd=1

Now, if they were Codar twins , I'd be very interested.

Dale W4OP

From -7069785865464004165
X-Google-Thread: 108122,fd5fcc08b5bc23c7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!PRIMUS.CA-a2y1ozkegBOns!not-for-mail
From: "Bill Booth" <710138@ican.net>
Newsgroups: rec.radio.amateur.equipment
Subject: hygain parts info
Date: Tue, 28 Mar 2006 10:29:11 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <3ed42$44295639$d169d1c5$14081@PRIMUS.CA>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 20
X-Trace: 3ed424429563974cc746014081
Xref: g2news1.google.com rec.radio.amateur.equipment:3300

I am looking for a south center meter face for the HamIV rotor. Maybe someone knows of a face JPG that you can download and print on stickey paper. Yes I have checked to make sure that face is not behind the existing north center face.

Also how does one figure out the coils of a TH7DXX antenna. The paint has long gone on most of the traps on mine. I moved a couple of years ago and now getting ready to put it together and installed...... Now how do I figure out the trap locations.....

--
Bill Booth VE3NXK
Sundridge ON, Canada

79.23.37 W x 45.46.18 N
FN05ns

Visit my weather WebCam at http://www.almaguin.com/wxcurrent/weather.html

```
From 5454583755279063675
X-Google-Thread: 108122,d7739d5b1ed79ea9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!
news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Mar 2006 15:06:39 -0600
From: KC0JBJ <KC0JBJ.25eeyu@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM AT-150 tuner antenna ports
Date: Tue, 28 Mar 2006 18:17:46 +0000
Message-ID: <KC0JBJ.25eeyu@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 7
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-DZIJg6S4VkS738TMq7BUKk4Y+uFqzVMstVZy3L2Zmodz/
EqlAmlSp1Ye38YrQlILhbBFRe68NBcHCvq!/
vdpZ+G6rh+1qEyKGlOoGr3PBA0niktiVgqussSqripaqMk2kXWiQkC8vHpIi2M4ZfG3s4DEHKed!
wVHx5dDe
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3301
```

I just bought an ICOM AT-150 antenna tuner to go with my ICOM IC-735 (still looking for that elusive object, a moderately priced PS-55 matching power supply in good condition!).

The tuner has four antenna "ports" on the back. #1,2,and 3 all have SO-239 connectors and are clearly for 50 ohm balance line antennas/feedlines. The fourth port is simply a push-insert-release wire terminal. The manual states that this port may be used for attaching a long-wire antenna for general coverage reception. However, it also states that all 4 ports may be used for transmitting, as long as the SWR is already 3 to 1 or below.

Now I am curious, if this port is for a long-wire antenna (a balanced load, if the unit is well grounded, right?), does that mean there must be a balun inside the box, and does it have some ratio other than 1:1 (i.e. 4:1, 6:1) if it is to match the 50 ohm input to a high impedance output like a long-wire. Or am I confusing the terms "long-wire" and "random-wire". Would a "long-wire" antenna be a balanced load if it is resonant on some band?

I really would like to know what kind of antenna and/or feedline I could use on this single-wire port for transmitting. Is there a 50 ohm ladder-line that would be a match if I connect the other wire to the ground? Please help!

--
KC0JBJ

From -4338656101833037177
X-Google-Thread: 108122,d7739d5b1ed79ea9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Mar 2006 15:06:43 -0600
From: KC0JBJ <KC0JBJ.25eeyv@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM AT-150 tuner antenna ports
Date: Tue, 28 Mar 2006 18:51:40 +0000
Message-ID: <KC0JBJ.25eeyv@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References: <KC0JBJ.25eeyu@news.radiobanter.com>
Lines: 4
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-QQYS7rYScMuupLBMcK5/
iszWiJJkVZ5GwaDRcKwUDooNJ3Y31upd3B88kO8qM4TrtIMyKonoiIUR2mh!
ROXphJTrJW3tw5eh3tk7SlzKEj8uhpdwqbMM5UWZ9/UODHUBk4Cy5ihh2F6KYgb4ZZM3a21SdBUX!
u0eHvrjG
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3302

"The tuner has four antenna "ports" on the back. #1,2,and 3 all have SO-239 connectors and are clearly for 50 ohm balance line antennas/feedlines."

Ooops! I meant "50 ohm UN-balanced (coaxial-fed) antennas/feedlines"

--
KC0JBJ

From -8096914901001365294
X-Google-Thread: 108122,d7739d5b1ed79ea9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-03!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM AT-150 tuner antenna ports
Date: Tue, 28 Mar 2006 21:30:08 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <122jan01ci5lo52@corp.supernews.com>
References: <KC0JBJ.25eeyu@news.radiobanter.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 64
Xref: g2news1.google.com rec.radio.amateur.equipment:3303

In article <KC0JBJ.25eeyu@news.radiobanter.com>,
KC0JBJ <KC0JBJ.25eeyu@news.radiobanter.com> wrote:

>I just bought an ICOM AT-150 antenna tuner to go with my ICOM IC-735
>(still looking for that elusive object, a moderately priced PS-55
>matching power supply in good condition!).
>
>The tuner has four antenna "ports" on the back. #1,2,and 3 all have
>SO-239 connectors and are clearly for 50 ohm balance line
>antennas/feedlines. The fourth port is simply a push-insert-release
>wire terminal. The manual states that this port may be used for
>attaching a long-wire antenna for general coverage reception. However,
>it also states that all 4 ports may be used for transmitting, as long
>as the SWR is already 3 to 1 or below.
>
>Now I am curious, if this port is for a long-wire antenna (a balanced
>load, if the unit is well grounded, right?)

Not right, alas.

> does that mean there must
>be a balun inside the box, and does it have some ratio other than 1:1
>(i.e. 4:1, 6:1) if it is to match the 50 ohm input to a high impedance
>output like a long-wire.

Based on what I see in the manual, it appears to me that the
random/long-wire attached to ANT4 is simply being driven against your

station ground. It's an unbalanced feed, just like the other three ports.

It really seems to be intended for just what they say - receiving - where the impedance mismatch between the wire and the rig/tuner isn't all that important.

> Or am I confusing the terms "long-wire" and
>"random-wire". Would a "long-wire" antenna be a balanced load if it is
>resonant on some band?

No... at least, not in this case. Even if it's resonant, you're still feeding it in an unbalanced fashion against ground (a "Marconi" antenna).

>I really would like to know what kind of antenna and/or feedline I
>could use on this single-wire port for transmitting.

A vertical wire cut to approximately 1/4 wavelength, plus a counterpoise wire cut to approximately the same length and attached to the tuner's ground, could give you an impedance in the necessary range. However, you may run into various "RF in the shack" problems.

The AT-150 doesn't appear to have a very large matching range... it's similar to the internal autotuners build into many of today's HF transceivers. It's suitable for adjusting the feedpoint impedance of resonant and near-resonant dipoles and etc., in order to allow your transmitter to operate into its design impedance and deliver full power. It doesn't really have a wide enough matching range to be useful for a broader range of antenna types (e.g. random-length dipoles fed via balanced feedline, random wires, etc.).

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From 1242822939655884524
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!2ba31c29!
not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>

<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <fDqVf.5081$ES3.1398@trnddc02>
<4428b865$1_3@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 51
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <OPjWf.9646$b07.8788@trnddc05>
Date: Tue, 28 Mar 2006 23:40:30 GMT
NNTP-Posting-Host: 72.65.138.37
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1143589230 72.65.138.37 (Tue, 28 Mar 2006 18:40:30 EST)
NNTP-Posting-Date: Tue, 28 Mar 2006 18:40:30 EST
Xref: g2news1.google.com rec.radio.swap:3331 rec.radio.amateur.boatanchors:3622 rec.radio.amateur.equipment:3304

Bill, I'm not reading any motives. I'm simply responding to your approach. It's a bit harsh.

As others have pointed out, there are plenty of clipped wings grounded out just as you describe.

Also, as others have said: We're getting nowhere fast, this is the wrong group for that, and 'tis ok to agree to disagree.

However; I will concede a bit and say you can feel good knowing that if this were the *last* B-17, I'd probably lean your way too. But it isn't the last, and there's plenty of preserves.

What we have come to is quite simple; to collect or not to collect.... that is the question.

The answer of course, is equally simple:

All hail the great and powerful.....*owner*.

Personal prefs aren't much for debating.... so I shall bow out.
regards,
Woody

"Bill Turner" <noway@nohow.com> wrote in message
news:4428b865$1_3@newsfeed.slurp.net...
> ORIGINAL MESSAGE:
>
> Woody wrote:
>
>> Mister, it's painfully obvious that your intent is not to prove a

```
>> point, nor offer a reasonable debate; but to simply try and talk
>> others down.  You must have a very hollow existence.
>
>
> *********** REPLY SEPARATOR ***********
>
> You completely missed it, Woody. My only concern here is to preserve a
> historical artifact which once destroyed, can never be replaced. If the
> current owners and future owners keep flying it around, it eventually
> will be destroyed. Hopefully at some point the owners will wise up and
> say "Enough. Lets park it before it's too late.".
>
> My concern is as simple as that. Please do not read other motives into
> my posts.
>
> Bill T.
```

```
From -7302640911883758l2
X-Google-Thread: 108122,2154fdece6c72db7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Dual Band Mobile Transceiver
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <r9mWf.24680$KE1.11011@dukeread02>
Date: Tue, 28 Mar 2006 20:20:20 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1143598807 68.105.228.151 (Tue, 28 Mar 2006 21:20:07 EST)
NNTP-Posting-Date: Tue, 28 Mar 2006 21:20:07 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3305

I am still looking for a Dual Band 2 Meter/440 mobile tranceiver. It needs
to have a Tone
Board so that I can access local repeaters. I am looking for something
around $200.  Please let me know what you have,i.e., make, model,condition,
and price.
Thanks, Charlie Hugg, K5MBX
```

```
From 78921258530688441
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 29 Mar 2006 06:54:45 -0600
Date: Wed, 29 Mar 2006 13:55:07 +0100
From: Thicko <no_mail@this_address.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <XSxUf.1$0m4.0@dfw-
service2.ext.ray.com>
In-Reply-To: <XSxUf.1$0m4.0@dfw-service2.ext.ray.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <3emdnT-5TJAIHrfZRVnyhw@bt.com>
Lines: 8
NNTP-Posting-Host: 86.138.81.96
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-NEAVEBdecJ/
EWkpQYYSDTsgrQsPuxZnY52OC9UIKziFVPH5K2q9H2ABSDTPDXbVWxPNCt6kyNHKXuob!
PQGJEEBjuf8PHXCGIzbC2aSvTRl3X8LBzSUGajrg+wrniE/8jpK4VFGCcO3
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3338 rec.radio.amateur.boatanchors:3625
rec.radio.amateur.equipment:3306

-=H=- wrote:
----snip----
> This IS still the United States of America....
----snip----

No, I'm afraid not, this is bigger and better than the USA :)



From -1738160900204896316
```

```
X-Google-Thread: 108122,28bf20de0cd3cbe0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Johnson Viking Ranger,,
Message-ID: <0mgl22516qn8rg5h1rcpk1hu4fqkepu278@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Wed, 29 Mar 2006 12:24:22 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1143653054 69.125.167.162 (Wed, 29 Mar 2006 10:24:14 MST)
NNTP-Posting-Date: Wed, 29 Mar 2006 10:24:14 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3307

WTB: Johnson Viking Ranger
If it has the audio mods, thats a plus.
But not that important. Must be  in good working order.
Please leave price and phone number.
ritchi50@optonline.net


From 1016298567487738137
X-Google-Thread: f55c2,1bb7a611cd048ead
X-Google-Thread: 108122,1bb7a611cd048ead
X-Google-Thread: fb049,1bb7a611cd048ead
X-Google-Thread: f7653,1bb7a611cd048ead
X-Google-Thread: fc2a5,1bb7a611cd048ead
X-Google-Attributes: gidf55c2,gid108122,gidfb049,gidf7653,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!758ec0cd!not-for-mail
From: "Mortimer Schnurd" <Mort@aarp.com>
Newsgroups: alt.ham-radio.mods,rec.radio.amateur.equipment,alt.ham-radio.vhf-
uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.homebrew
References: <Pine.LNX.4.58.0603261916030.26312@torquay.cahuenga.com>
<FyVVf.63563$dW3.43304@newssvr21.news.prodigy.com>
<Pine.LNX.4.58.0603272015300.18560@torquay.cahuenga.com>
Subject: Re: Need Info 4 Midland 70-1526B UHF Radio
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <9BBWf.10191$tN3.4682@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.215.55.11
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1143662021 ST000 70.215.55.11 (Wed, 29 Mar 2006 14:53:41 EST)
NNTP-Posting-Date: Wed, 29 Mar 2006 14:53:41 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
Q[R_PJONBRV_WTTY\BCBNWX@RJ_XPDLMN@GZ_GYO^JWTEPIB_NVUAH_[BL[\IRKIANGGJBFNJF_DOLSCEN
SY^U@FRFUEXR@KFXYDBPWBCDQJA@X_DCBHXR[C@\EOKCJLED_SZ@RMWYXYWE_P@\
\GOIW^@SYFFSWHFIXMADO@^[ADPRPETLBJ]RDGENSKQQZN
Date: Wed, 29 Mar 2006 19:53:41 GMT
Xref: g2news1.google.com alt.ham-radio.mods:99 rec.radio.amateur.equipment:3308 alt.ham-radio.vhf-uhf:1517 rec.radio.amateur.digital.misc:228 rec.radio.amateur.homebrew:4510

Have Jack Gerritsen look that up for you.
I hear he has PLENTY of time to do that these days HAHAHAHA....

From 2477610666239541136
X-Google-Thread: 108122,d7739d5b1ed79ea9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 29 Mar 2006 15:07:03 -0600
From: KC0JBJ <KC0JBJ.25g9my@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM AT-150 tuner antenna ports
Date: Wed, 29 Mar 2006 19:49:58 +0000
Message-ID: <KC0JBJ.25g9my@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References: <KC0JBJ.25eeyu@news.radiobanter.com> <122jan01ci5lo52@corp.supernews.com>
Lines: 27
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-SF6j0JQdVCPeuvWjreCOaEaZ8CLIgmM46LLEX8pQY1Aqw/ZRJTkqs8KCh9ZXDe4Mt5arH+8IzTPdx/i!wD2BrW8MXsriILepR+42utDcMkwW2W8oxthydGE4j0sjuSebUY770ARJZrmIHSAw4MqPDK9Uon3A!lnP5DNee
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3309

Dave Platt Wrote:
>
>
> Based on what I see in the manual, it appears to me that the
> random/long-wire attached to ANT4 is simply being driven against your
> station ground. It's an unbalanced feed, just like the other three
> ports.
>
> It really seems to be intended for just what they say - receiving -
> where the impedance mismatch between the wire and the rig/tuner isn't
> all that important.
>
> A vertical wire cut to approximately 1/4 wavelength, plus a
> counterpoise wire cut to approximately the same length and attached to
> the tuner's ground, could give you an impedance in the necessary
> range. However, you may run into various "RF in the shack" problems.
>
>
> --
> Dave Platt dplatt@radagast.org   AE6EO
> Hosting the Jade Warrior home page:
> http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
> boycott any company which has the gall to send me such ads!

It does seem kind of pointless (accept for SW receiving) to have a long-wire antenna port on a ham-band tuner. Is there any reason I could not just wire in a short length of co-ax with a female UHF connector (center to antenna #4 and braid to ground, of course) or mount and wire in another S0-239 connector and have 4 working unbalanced co-ax feed lines coming out of the shack? Minimizing unshielded feedlines minimizes stray RF problems, right?

So what was ICOM's thinking in designing this port the way they did, including front-panel push-button actuation, when all the other ports are automatically selected by band? What would be the best way to take advantage of this scheme setting in up my transmitting antennas?

--
KC0JBJ

From 8412977891785132l5
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235

```
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news-wrt-01.southeast.rr.com!news-
wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!news.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net>
In-Reply-To: <4421fbdd_2@newsfeed.slurp.net>
Content-Type: multipart/alternative;
 boundary="------------090000090301090200040308"
Lines: 127
Message-ID: <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
Date: Thu, 23 Mar 2006 01:52:41 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1143078761 65.33.238.179 (Wed, 22 Mar 2006
20:52:41 EST)
NNTP-Posting-Date: Wed, 22 Mar 2006 20:52:41 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.swap:3205 rec.radio.amateur.boatanchors:3493
rec.radio.amateur.equipment:3206

This is a multi-part message in MIME format.
--------------090000090301090200040308
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
```

Bill is 100% correct. He should negotiate and buy the plane from the restorers for its priceless value, say $50-100 million, he can then store it and show it to whomever he pleases! That is the American way!

Bill Turner wrote:

```
>ORIGINAL MESSAGE:
>
>Woody wrote:
>
>
>
>>There's a fine line between being a
```

```
>>keep-the-box-because-it-matters-to-other-boxkeepers packrat, and
>>preserving history.
>>
>>Do you get it??
>>rb
>>
>>
>
>
>
>*********** REPLY SEPARATOR ***********
>
>Absolutely, I get it.
>
>You and the two or three posters who agree with you are self-centered
>pigs who care nothing about preserving history. Your temporary
>adrenaline rush is much more important, and the risk of splattering a
>priceless aircraft means nothing beside your momentary thrills. How sad
>that people like you are allowed to own such an aircraft.
>
>A hundred or five hundred years from now, if your ilk prevails, people
>will be saying "Gosh, I wish someone had kept a B-17G preserved
>somewhere. I would have really loved to see the real thing".
>
>I hope and pray there are not many like you.
>
>Bill T.
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P




--------------090000090301090200040308
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Bill is 100% correct. He should negotiate and buy the plane from the
```

```
restorers for its priceless value, say $50-100 million, he can then
store it and show it to whomever he pleases! That is the American way!<br>
<br>
Bill Turner wrote:<br>
<blockquote cite="mid4421fbdd_2@newsfeed.slurp.net" type="cite">
  <pre wrap="">ORIGINAL MESSAGE:

Woody wrote:

  </pre>
  <blockquote type="cite">
    <pre wrap="">There's a fine line between being a
keep-the-box-because-it-matters-to-other-boxkeepers packrat, and
preserving history.

Do you get it??
rb
    </pre>
  </blockquote>
  <pre wrap=""><!---->


************ REPLY SEPARATOR ************

Absolutely, I get it.

You and the two or three posters who agree with you are self-centered
pigs who care nothing about preserving history. Your temporary
adrenaline rush is much more important, and the risk of splattering a
priceless aircraft means nothing beside your momentary thrills. How sad
that people like you are allowed to own such an aircraft.

A hundred or five hundred years from now, if your ilk prevails, people
will be saying "Gosh, I wish someone had kept a B-17G preserved
somewhere. I would have really loved to see the real thing".

I hope and pray there are not many like you.

Bill T.
  </pre>
</blockquote>
<br>
<pre class="moz-signature" cols="72">--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"&copy;

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P

</pre>
</body>
```

```
</html>

--------------090000090301090200040308--


From -4359040398693206801
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.wightman.ca!
news.wightman.ca.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Mar 2006 20:23:59 -0600
From: "Spokesman" <his@spam.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Wed, 22 Mar 2006 21:23:56 -0500
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_002B_01C64DF6.ED398060"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <6OydnULN4OFdm7_ZnZ2dnUVZ_sKdnZ2d@wightman.ca>
Lines: 176
NNTP-Posting-Host: 216.110.228.157
X-Trace: sv3-3pgPY5HykXpKQ3aKTLWKcBS4UhPkjfWgU1Sp/hdkJgc8p6pirIHQluk49AGyjpZ/
n4knSTqWXw05WJ/!
UcGYX6eJlUQvHmwtQiaakzdHAD4HlCxoHCIF0Di7tgMyurl5cSGLvW7dYdFVu7wFb7mgTXkOKbra!VO/
7DhUQAiQ0TFQ=
X-Complaints-To: abuse@wightman.ca
X-DMCA-Complaints-To: abuse@wightman.ca
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3206 rec.radio.amateur.boatanchors:3494
rec.radio.amateur.equipment:3207

This is a multi-part message in MIME format.

------=_NextPart_000_002B_01C64DF6.ED398060
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

"**THE-RFI-EMI-GUY**" <rhyolite@nettally.com> wrote in message =
news:JbnUf.93999$g47.86108@tornado.tampabay.rr.com...
Bill is 100% correct. He should negotiate and buy the plane from the =
restorers for its priceless value, say $50-100 million, he can then =
store it and show it to whomever he pleases! That is the American way!

He won't buy it. All the weenies that complain about somebody else =
spending
their own money to restore and use something will do nothing except =
huff and
puff like the litlle piggies. =20

I plug in my boat anchors. I heat my shop with an FRR 59 . I would =
never think
of just leaving it sitting there collecting dust and rusting away.

Bill Turner wrote:

ORIGINAL MESSAGE:

Woody wrote:

There's a fine line between being a
keep-the-box-because-it-matters-to-other-boxkeepers packrat, and
preserving history.

Do you get it??
rb
=20

*********** REPLY SEPARATOR ***********

Absolutely, I get it.=20

You and the two or three posters who agree with you are self-centered
pigs who care nothing about preserving history. Your temporary
adrenaline rush is much more important, and the risk of splattering a
priceless aircraft means nothing beside your momentary thrills. How sad
that people like you are allowed to own such an aircraft.

A hundred or five hundred years from now, if your ilk prevails, people
will be saying "Gosh, I wish someone had kept a B-17G preserved
somewhere. I would have really loved to see the real thing".

```
I hope and pray there are not many like you.=20

Bill T.
 =20

--=20
Joe Leikhim K4SAT
"The RFI-EMI-GUY"=A9

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P


------=_NextPart_000_002B_01C64DF6.ED398060
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD><TITLE></TITLE>
<META http-equiv=3DContent-Type =
content=3Dtext/html;charset=3DISO-8859-1>
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY text=3D#000000 bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"**THE-RFI-EMI-GUY**" &lt;<A=20
  href=3D"mailto:rhyolite@nettally.com">rhyolite@nettally.com</A>&gt; =
wrote in=20
  message <A=20
  =
href=3D"news:JbnUf.93999$g47.86108@tornado.tampabay.rr.com">news:JbnUf.93=
999$g47.86108@tornado.tampabay.rr.com</A>...</DIV>
  <DIV>Bill is 100% correct. He should negotiate and buy the plane from =
the=20
  restorers for its priceless value, say $50-100 million, he can then =
store it=20
  and show it to whomever he pleases! That is the American way!</DIV>
  <DIV>&nbsp;</DIV><FONT face=3DArial size=3D2></FONT></BLOCKQUOTE>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>He won't buy it.&nbsp; All the =
weenies that=20
```

```
  complain about somebody else spending</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>their own money to restore and use =
something will=20
  do nothing except huff and</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>puff like the litlle=20
  piggies.&nbsp;&nbsp;&nbsp;</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2>I plug in my boat anchors.&nbsp; I =
heat my shop=20
  with an FRR 59 .&nbsp;&nbsp; I would never think</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2>of just leaving it sitting there =
collecting dust=20
  and rusting away.</FONT></DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
  <DIV>&nbsp;</DIV>
  <DIV><BR><BR>Bill Turner wrote:<BR></DIV>
  <BLOCKQUOTE cite=3Dmid4421fbdd_2@newsfeed.slurp.net type=3D"cite"><PRE =
wrap=3D"">ORIGINAL MESSAGE:

Woody wrote:

  </PRE>
    <BLOCKQUOTE type=3D"cite"><PRE wrap=3D"">There's a fine line between =
being a
keep-the-box-because-it-matters-to-other-boxkeepers packrat, and
preserving history.

Do you get it??
rb
    </PRE></BLOCKQUOTE><PRE wrap=3D""><!---->


*********** REPLY SEPARATOR ***********

Absolutely, I get it.=20

You and the two or three posters who agree with you are self-centered
pigs who care nothing about preserving history. Your temporary
adrenaline rush is much more important, and the risk of splattering a
priceless aircraft means nothing beside your momentary thrills. How sad
that people like you are allowed to own such an aircraft.

A hundred or five hundred years from now, if your ilk prevails, people
will be saying "Gosh, I wish someone had kept a B-17G preserved
somewhere. I would have really loved to see the real thing".

I hope and pray there are not many like you.=20

Bill T.
  </PRE></BLOCKQUOTE><BR><PRE class=3Dmoz-signature cols=3D"72">--=20
Joe Leikhim K4SAT
```

```
"The RFI-EMI-GUY"=A9

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P

</PRE></BLOCKQUOTE></BODY></HTML>

------=_NextPart_000_002B_01C64DF6.ED398060--



From 9109761721614446855
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node173-75-93-63.1dial.com
Message-ID: <442210a3_3@newsfeed.slurp.net>
Date: 22 Mar 2006 22:06:11 -0500
X-Trace: newsfeed.slurp.net 1143083171 63.93.75.173 (22 Mar 2006 22:06:11 -0500)
Lines: 15
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.173
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
news.moat.net!newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3207 rec.radio.amateur.boatanchors:3495
rec.radio.amateur.equipment:3208

ORIGINAL MESSAGE:

**THE-RFI-EMI-GUY** wrote:

> Bill is 100% correct. He should negotiate and buy the plane from the
> restorers for its priceless value, say $50-100 million, he can then
> store it and show it to whomever he pleases! That is the American way!



*********** REPLY SEPARATOR ***********

If I had the money, I would.
```

Bill T.

```
From 6643425518583583124
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<6OydnULN4OFdm7_ZnZ2dnUVZ_sKdnZ2d@wightman.ca>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node173-75-93-63.1dial.com
Message-ID: <44221387_3@newsfeed.slurp.net>
Date: 22 Mar 2006 22:18:31 -0500
X-Trace: newsfeed.slurp.net 1143083911 63.93.75.173 (22 Mar 2006 22:18:31 -0500)
Lines: 28
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.173
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3208 rec.radio.amateur.boatanchors:3496
rec.radio.amateur.equipment:3209
```

ORIGINAL MESSAGE:

Spokesman wrote:

> I plug in my boat anchors. I heat my shop with an FRR 59 .   I would
> never think   of just leaving it sitting there collecting dust and
> rusting away.

*********** REPLY SEPARATOR ***********

Your boatanchor will not be destroyed by plugging it in and using it on
your bench at home. No problem there.

On the other hand, if it is one of a very few remaining, it might not
be a good idea to take it on a one-man kayak DXpedition across the
Bering Sea in winter.

Airplanes crash, especially ones flown and maintained by well-meaning but inexperienced pilots and mechanics who are usually short of cash, spare parts and time, and who, sooner or later, will feel the pressure to fly it when they really shouldn't in order to keep an airshow schedule.

Park it.

Bill T.

From -8117708864146895823
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!d43fbeea!not-for-mail
From: "Dave Stadt" <dhstadt@ameritech.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <PLpUf.58593$H71.21970@newssvr13.news.prodigy.com>
NNTP-Posting-Host: 67.37.129.94
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr13.news.prodigy.com 1143089263 ST000 67.37.129.94 (Wed, 22 Mar
2006 23:47:43 EST)
NNTP-Posting-Date: Wed, 22 Mar 2006 23:47:43 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OHXCRWWGTBW[CFLYCJJ@^RDBPR\VPBQLGPQRZQ]KEYUNDQUCCNSUAACY@L[ZX__HGFD]JBJNSFXTOOGA_V
WY^_HG@FW_HUTHOH]TBPGCO\P^PLP^@[GLHUK@WLECKFVL^TYG[@RMWQXIWM[SDDYWNLG_G[_BWUCHFY_Y
@AS@Q[B\APPF@DCZM_PG_VSCPQZM
Date: Thu, 23 Mar 2006 04:47:43 GMT
Xref: g2news1.google.com rec.radio.swap:3211 rec.radio.amateur.boatanchors:3500
rec.radio.amateur.equipment:3210

"Bill Turner" <noway@nohow.com> wrote in message
news:4421fbdd_2@newsfeed.slurp.net...
> >

```
> *********** REPLY SEPARATOR ***********
>
> Absolutely, I get it.
>
> You and the two or three posters who agree with you are self-centered
> pigs who care nothing about preserving history. Your temporary
> adrenaline rush is much more important, and the risk of splattering a
> priceless aircraft means nothing beside your momentary thrills. How sad
> that people like you are allowed to own such an aircraft.
>
> A hundred or five hundred years from now, if your ilk prevails, people
> will be saying "Gosh, I wish someone had kept a B-17G preserved
> somewhere. I would have really loved to see the real thing".
>
> I hope and pray there are not many like you.
>
> Bill T.

There are millions of us.
```

```
From -7187241744105133601
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews4.bellsouth.net.POSTED!725764fe!not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <PLpUf.58593$H71.21970@newssvr13.news.prodigy.com>
In-Reply-To: <PLpUf.58593$H71.21970@newssvr13.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 30
Message-ID: <%EqUf.1271$sU4.902@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbondlmlemnehlealaeifoeekdbdhfmmnimdp
ppjogbjbibpomhjfhimcjdhlfjffofoapdjinoploeaipicodpjlnjdikfcmoombeclpggheoapega
NNTP-Posting-Date: Thu, 23 Mar 2006 00:48:43 EST
```

```
Organization: BellSouth Internet Service
Date: Wed, 22 Mar 2006 23:51:58 -0600
Xref: g2news1.google.com rec.radio.swap:3213 rec.radio.amateur.boatanchors:3502
rec.radio.amateur.equipment:3211

Dave Stadt wrote:
> "Bill Turner" <noway@nohow.com> wrote in message
> news:4421fbdd_2@newsfeed.slurp.net...
>> *********** REPLY SEPARATOR ***********
>>
>> Absolutely, I get it.
>>
>> You and the two or three posters who agree with you are self-centered
>> pigs who care nothing about preserving history. Your temporary
>> adrenaline rush is much more important, and the risk of splattering a
>> priceless aircraft means nothing beside your momentary thrills. How sad
>> that people like you are allowed to own such an aircraft.
>>
>> A hundred or five hundred years from now, if your ilk prevails, people
>> will be saying "Gosh, I wish someone had kept a B-17G preserved
>> somewhere. I would have really loved to see the real thing".
>>
>> I hope and pray there are not many like you.
>>
>> Bill T.
>
> There are millions of us.
>
And he's heard from 'many like...' here.

The word 'obtuse' comes to mind.

jak




From -6911696459290419450
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews4.bellsouth.net.POSTED!725764fe!not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
```

<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net> <4421a0fb$1_2@newsfeed.slurp.net>
<1ViUf.3015$4L1.208@newssvr11.news.prodigy.com>
<Xns978ED21D164B9fw190a8@198.161.157.145>
In-Reply-To: <Xns978ED21D164B9fw190a8@198.161.157.145>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 37
Message-ID: <gPqUf.1272$sU4.129@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbopobmepfnnphgfdfkpemhpmfdmkbigbljdp
ppjogbjbibpomhjfhimcjdhlfjffofoapdjinoploeaipigbeccjjcmdcenhlkjjhkmcgcaokgfgda
NNTP-Posting-Date: Thu, 23 Mar 2006 00:59:40 EST
Organization: BellSouth Internet Service
Date: Thu, 23 Mar 2006 00:02:55 -0600
Xref: g2news1.google.com rec.radio.swap:3214 rec.radio.amateur.boatanchors:3503
rec.radio.amateur.equipment:3212

Panzer240 wrote:
> "Dave Stadt" <dhstadt@ameritech.net> wrote in
> news:1ViUf.3015$4L1.208@newssvr11.news.prodigy.com:
>
>
>> If you feel that way you should purchase them and put them in a museum.
>> Most would not have survived and will not survive without the intent to
>> fly. Not much money available for the restoration of static displays.
>> Lotsa money available for flying restorations. Glaicer girl is an
>> excellent example.
>>
>>
> And the Memphis Belle is an example of a static display going down the tubes.
> Still not finished and now moved to Dayton, the US Air Force museum due to
> lack of funds to keep the Belle in condition. Those machines were meant to
> fly and should be flown. It's really sad to see them rot away on the ground.
> In the air they are living history, and give peole a chance to experience the
> ground pounding thunder of their mighty engines as they soar overhead. And
> very ocaisonally one may get the opportunity to fly in one of them if they
> are very lucky as a friend of mine did a few years ago in one of the last
> Lancaster bombers left flying.
>

Aww...that's too bad. I only saw her once back in the 80's and she
looked fine back then. I guess I should have questioned (in my mind
anyway) the wisdom of keeping her in open air beside--no, in the middle
of (Mud Island - Memphis)--the Mississippi River; but they went to a lot
of trouble to get her there. It's a shame to have abandoned the effort.

This is a case of perhaps a machine which should only be static
displayed. She's not one of the thousands of anonymous 17's remembered
only by their dwindling numbers of surviving crew; but rather a piece of
history with an unparalleled combat record at the time of her retirement.

She's done her bit...

jak

```
From -761974236465952324
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!nntp-out.svc.us.xo.net!nntp1-feeder.SJ.svc.us.xo.net!
newsfeed.concentric.net!sjc1.nntp.concentric.net!nntp-master.svc.us.xo.net
From: "Ed Zeranski" <ezeran@ezeran.cnc.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: 23 Mar 2006 00:59:22 EST
Organization: Concentric Internet Services
Lines: 16
Message-ID: <dvtdfq$16c@dispatch.concentric.net>
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net> <4421a0fb$1_2@newsfeed.slurp.net>
<1ViUf.3015$4L1.208@newssvr11.news.prodigy.com>
<Xns978ED21D164B9fw190a8@198.161.157.145> <jqmUf.13996$6a1.4829@fed1read04>
<FzmUf.13997$6a1.1849@fed1read04>
NNTP-Posting-Host: 66.105.234.22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.swap:3215 rec.radio.amateur.boatanchors:3504
rec.radio.amateur.equipment:3213
```

Jeeze Loooo F***in' Weeze Folks! Stop the Global Whining! I don't care about the first post and the request for no BS...you can ask for what ever you want. Now....anybody else gonna pony up a part or two toward having a B-17 with a representative radio position? From what I've learned the radio position will be for display not a necessarily a full on operating position. That is OK in my book, better than an open hole. The op and his group can always have a radio position outside the airframe like Dave Stinson had in Texas that can be set up next to the airframe and operated where lots can see it. Anyway, I gave a grunch of radio gear to LST325 that worked because they wanted to set up an operating radio space. No probs sending some look-at ARC-5 to a B-17. Anyone else going to send some parts? Or just blab?

EdZ

From -106928647837887425
X-Google-Thread: 108122,9448baa26e4e08db,start
X-Google-Thread: 1109af,9448baa26e4e08db,start
X-Google-Thread: 103407,9448baa26e4e08db,start
X-Google-Thread: 10e8ad,9448baa26e4e08db,start
X-Google-Attributes: gid108122,gid1109af,gid103407,gid10e8ad,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!newsfeeds.ihug.co.nz!ihug.co.nz!ken-transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: alandeletethisdevlin@bigREMOVEpond.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.swap,aus.electronics,rec.radio.amateur.space
Subject: FS : ICOM IC-1275 RARE, IC-475, IC-375 Radio's ...
Message-ID: <4422412d.31126136@news-server>
X-Newsreader: Forte Free Agent 1.11/32.235
Lines: 21
Date: Thu, 23 Mar 2006 06:45:44 GMT
NNTP-Posting-Host: 155.143.222.239
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1143096344 155.143.222.239 (Thu, 23 Mar 2006 17:45:44 EST)
NNTP-Posting-Date: Thu, 23 Mar 2006 17:45:44 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:3214 rec.radio.swap:3216 aus.electronics:5523 rec.radio.amateur.space:195

Gidday All,
I have just updated my Website with some lovely and hard to find ICOM Radio's forsale.

There's a VERY RARE IC-1275... 23 cm Radio... plus an IC-475, IC-375
and an IC-271/471 & 1271 Package available too.

Serious Buyers only please...

Cheers and thank you,

Alan - VK3XPD

Alan Devlin.

RF RESALE... where Honesty & Integrity are paramount !
Melbourne, Australia.

WEB PAGE URL http://www.users.bigpond.com/alandevlin/index.html

From -1672083990578480890
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 220
Message-ID: <XSxUf.1$0m4.0@dfw-service2.ext.ray.com>
Date: Thu, 23 Mar 2006 14:01:27 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1143122487 138.126.48.166 (Thu, 23 Mar 2006 08:01:27 CST)
NNTP-Posting-Date: Thu, 23 Mar 2006 08:01:27 CST
Organization: Raytheon Company
Xref: g2news1.google.com rec.radio.swap:3218 rec.radio.amateur.boatanchors:3507 rec.radio.amateur.equipment:3215

Holy cow, what a firestorm I've started!

In my original post, I should have included the following statement (which might have avoided this useless fight):

Please keep your opinion to yourself BECAUSE THIS IS NOT THE RIGHT FORUM FOR SUCH A DISCUSSION (on whether it's right or wrong to fly vintage aircraft, etc). I surely did not mean that we all can't have our opinions. This IS still the United States of America, and that IS still one of our most basic, cherished freedoms. I, too, would fight to the death to defend those freedoms. However, there is a time and place to discuss any topic worth discussing, and this simply isn't the place for the "fly or no fly" topic. This is a forum for discussing radios, not the politics of aviation.

Of course, hindsight is 20-20. I apologize to the group for opening the flood gates and inadvertently getting this inappropriate firestorm started.

I'll toss in my comments, since the horse has long ago escaped from the barn.

For those who believe that we should ground our B-17 to preserve it for future generations, lest it might someday be destroyed and no one will get to see one in the future, fear not. There are literally dozens of B-17s on static display all over the world. A few of those static restorations are superb (witness the USAF Museum's Shoo Shoo Shoo Baby), while a many other static planes are cobbled-together airframes that are literally rotting away on outdoor display. One need only look for static B-17s, and they'll be relatively easy to find. They're not really in short supply.

Someone mentioned seeing Memphis Belle flying back in the 1980s (I think that's what they said). Memphis Belle has not flown in decades. There is another "F" model that's painted to represent the Belle, and that aircraft is a regular flyer on the show circuit. As I recall, it's the only flying "F" model.

The comment about many vintage warplanes crashing due to poor piloting and poor maintenance is right on the money. These old aircraft require a LOT of work to keep them safely operational, and they require a LOT of pilot skill and training to keep the pilots from making the poor decision that lead to crashes. Many groups have fallen into this category (including the mighty CAF), but that's changing. We're seeing a big trend toward proper restorations (not just patching airplanes together) and proper training of pilots and crews. The safety records are getting better (though we certainly have a long way to go). The warbird community recognizes that slip-shod restoration work ain't gonna cut it, and pilot training has become the big focus that it should have been in the past. We're not out of the woods yet, but we're a LOT better, and continuing to improve.

VFM's chief pilot (and the actual owner of our B-17) is one of the few B-17 flight instructors in the world. He's owned and flown this particular airplane since the 1970s. Our chief mechanic is a lifelong A&P mechanic (also a ham!). Our maintenance schedule is thorough and very rigorous. NOTHING comes before safety, on the ground and in the air. Our ground and air crews go through recurrent annual training and constant on-the-line training. If there's a problem, then the airplane does not fly. It's as simple as that. No airshow commitment is important enough to risk the lives of our crews or the safety of the airplane. As I stated before, the reason we don't have money to go buy vintage radios is that our money goes into the one really important thing: the airplane itself.

OK... as Ed Zeranski pointed out... the purpose of my original posting was to try to acquire original radio gear for the B-17. So far, a lot of people have come out of the woodwork to argue and fight and whine, but Ed's the only one who's actually offered to donate anything (other than myself; I donated a nice ARC5 transmitter from my own station).

As I told Ed in a private email, the chances that we will be able to put together a working station aboard the aircraft are pretty small. So far, no other '17 has a working station, though several of them have a nice set of original radios installed but not wired. We won't rule out the possibility of getting some of the gear to work (at least the BC-348-J receiver), but since all of the required wiring was removed from the airframe decades ago, it would be daunting task that would require a lot of money and volunteer hours. We prefer to spend the money keeping the airplane in proper, safe flying condition, and using her to share history with those who come to the museum and to the air shows to see and appreciate it.

I said in my original post that we have a BC-348-P on board the '17. I was mistaken. It's a BC-348-J. I didn't have my notes handy when I wrote the post.

So... GENTLEMEN... let's halt the "fly - no fly" part of this thread... let's agree to disagree and get back to the original purpose. If no one is interested in helping us out, that's fine. We will survive. Let's just stop all of the arguing and whining. This isn't the right forum for it. Write to the FAA and ask them to stop allowing us to fly. Write to Air Classics and tell the world why what we do is wrong (and yes, Mike O'Leary WILL publish letters of dissent!). Stand out in front of our museum entrance and hand out flyers to our guests if you like. Let's just re-focus on radio gear here on these newsgroups! Please?

73,
Dean Hemphill, K5DH

In article <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>, k5dh@qsl.net says...
>
>WANTED: B-17G Flying Fortress radio equipment
>
>This is a long message... please read it all!

>
>The Vintage Flying Museum of Fort Worth, Texas, home
>of B-17G N3701G, "Chuckie", is seeking DONATIONS of
>any kind of radio and radar equipment that would have
>been used aboard B-17G's built from early-1944 on.
>
>Our airplane is a B-17G-70-VE, serial number 44-8543A.
>She was built in January, 1944, by the Vega division
>of Lockheed (B-17G's were built by Boeing, Douglas,
>and Vega). She was converted to a "pathfinder" model,
>which means she had a radar set installed in place of
>the ball turret which allowed bombing through overcast.
>Very few Forts were converted for this mission, and it
>is possible that our Fort saw combat time over Europe.
>The combat records of the pathfinder Forts are still
>classified, so we may never know for sure.
>
>Right now, the only original radio gear installed in
>the airplane is a BC-348-P receiver and shock mount.
>We need everything else. Some of the specific items
>we seek are the BC-375-E transmitter, tuning units
>TU-4B through TU-10B, BC-306 antenna matching unit,
>the wooded tuning unit storage rack that mounts to the
>rear bulkhead, ceramic feedthrough insulators, power
>and control connectors, and cables. We're also looking
>for command set transmitters, receivers, racks, cables,
>control boxes, spline cables (the LONG ones that will
>reach the flight deck ceiling), modulator, and so on.
>
>Obviously, we are looking for NICE equipment that is
>in display condition because we display the airplane
>both in the Museum and at air shows and fly-ins. We'll
>certainly accept donations of "parts units", but the
>primary focus is on acquiring gear that looks good
>enough to be installed in the airplane. We want to
>impress our tour guests at the air shows with a great
>looking radio room! Do you have some surplus military
>WW2 airborne radios stashed in your garage or attic?
>Would you like to see them go to a good home? Please
>donate your equipment to VFM and help us restore the
>radio compartment in our beloved B-17! Any radios and
>accessories that we don't use in the airplane will be
>either put on display in the Museum's exhibit hall or
>sold off to generate money to help finance the effort
>(no matter how much gets donated, we'll still end up
>having to buy some stuff to complete the job!).
>
>We are a small museum, and we have very limited funds
>available to spend on things that don't actually help
>us to keep the airplane flying. We are looking for
>DONATIONS of equipment. We are a 501-c-3 tax-exempt
>charitable organization, and we will provide a tax
>receipt for your donation.

```
>
>"Chuckie" is one of approximately 15 B-17s worldwide
>that are still in flyable condition, and one of about
>10 that is flown regularly.  Please don't "bash" me
>if my numbers are off by a plane or two; the numbers
>go up and down as some Forts come out of restoration
>and others go down for heavy maintenance or retirement.
>She participated in the fabuluous Thunder Over Michigan
>air show in 2005 in which EIGHT of the remaining B-17
>population were not only present at the show, but flew
>together!  It was the largest gathering of civilian
>B-17s in history, and it may never be repeated.
>
>Please visit the Museum's web site:
>
>http://www.vintageflyingmuseum.org
>
>I have been authorized by the Museum to be the focal
>point for this effort.  Please address your messages
>directly to me.
>
>We're also looking for a complete chin turret if you
>happen to have one stashed in your barn!  Actually,
>we will graciously accept donations of ANY B-17 parts
>that you might have lying around.   :)
>
>My final request is this:  If you have nothing nice to
>say about this effort, please say nothing.  If you are
>not a warbird fan, if you believe our effort is a waste
>of time and money, if you think we're "glorifying" war,
>if you think operating antique warplanes is dangerous
>and should be outlawed, etc, etc... you're entitled to
>your opinion, but I respectfully ask that you keep it
>to yourself.
>
>Thanks and 73,
>Dean Hemphill, K5DH
>Vintage Flying Museum member
>



From -6541270689421705550
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
207.115.63.142.MISMATCH!newscon02.news.prodigy.com!prodigy.net!
newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr29.news.prodigy.net.POSTED!1133983c!not-for-mail
```

From: "YT" <yt@yt.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <XSxUf.1$0m4.0@dfw-service2.ext.ray.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 230
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <E_yUf.49762$F_3.47818@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 71.99.214.17
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1143127076 ST000 71.99.214.17 (Thu, 23 Mar 2006 10:17:56 EST)
NNTP-Posting-Date: Thu, 23 Mar 2006 10:17:56 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@MC@@S@IBUTXBBNFO_\CUSXB@DTMNHWB_EYLJZ]BGIELYFWUQBKZQLYJX_ITFD_KFVLUN[DOM_A_NSYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXGQCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Thu, 23 Mar 2006 15:17:56 GMT
Xref: g2news1.google.com rec.radio.swap:3219 rec.radio.amateur.boatanchors:3509 rec.radio.amateur.equipment:3216

Well if you had asked for the radio gear without your horse shit caveat,
rules and regulation probably no one would have responded.

"-=H=-" <k5dh@raytheon.com> wrote in message
news:XSxUf.1$0m4.0@dfw-service2.ext.ray.com...
> Holy cow, what a firestorm I've started!
>
> In my original post, I should have included the following
> statement (which might have avoided this useless fight):
>
> Please keep your opinion to yourself BECAUSE THIS IS NOT
> THE RIGHT FORUM FOR SUCH A DISCUSSION (on whether it's
> right or wrong to fly vintage aircraft, etc). I surely
> did not mean that we all can't have our opinions. This
> IS still the United States of America, and that IS still
> one of our most basic, cherished freedoms. I, too, would
> fight to the death to defend those freedoms. However,
> there is a time and place to discuss any topic worth
> discussing, and this simply isn't the place for the "fly
> or no fly" topic. This is a forum for discussing radios,
> not the politics of aviation.
>
> Of course, hindsight is 20-20. I apologize to the group

> for opening the flood gates and inadvertently getting this inappropriate firestorm started.
>
> I'll toss in my comments, since the horse has long ago escaped from the barn.
>
> For those who believe that we should ground our B-17 to preserve it for future generations, lest it might someday be destroyed and no one will get to see one in the future, fear not. There are literally dozens of B-17s on static display all over the world. A few of those static restorations are superb (witness the USAF Museum's Shoo Shoo Shoo Baby), while a many other static planes are cobbled-together airframes that are literally rotting away on outdoor display. One need only look for static B-17s, and they'll be relatively easy to find. They're not really in short supply.
>
> Someone mentioned seeing Memphis Belle flying back in the 1980s (I think that's what they said). Memphis Belle has not flown in decades. There is another "F" model that's painted to represent the Belle, and that aircraft is a regular flyer on the show circuit. As I recall, it's the only flying "F" model.
>
> The comment about many vintage warplanes crashing due to poor piloting and poor maintenance is right on the money. These old aircraft require a LOT of work to keep them safely operational, and they require a LOT of pilot skill and training to keep the pilots from making the poor decision that lead to crashes. Many groups have fallen into this category (including the mighty CAF), but that's changing. We're seeing a big trend toward proper restorations (not just patching airplanes together) and proper training of pilots and crews. The safety records are getting better (though we certainly have a long way to go). The warbird community recognizes that slip-shod restoration work ain't gonna cut it, and pilot training has become the big focus that it should have been in the past. We're not out of the woods yet, but we're a LOT better, and continuing to improve.
>
> VFM's chief pilot (and the actual owner of our B-17) is one of the few B-17 flight instructors in the world. He's owned and flown this particular airplane since the 1970s. Our chief mechanic is a lifelong A&P mechanic (also a ham!). Our maintenance schedule is thorough and very rigorous. NOTHING comes before safety, on the ground and in the air. Our ground and air crews go through recurrent annual training and constant on-the-line training. If there's a problem, then the airplane does not fly. It's as simple as that. No

> airshow commitment is important enough to risk the
> lives of our crews or the safety of the airplane. As
> I stated before, the reason we don't have money to go
> buy vintage radios is that our money goes into the
> one really important thing: the airplane itself.
>
> OK... as Ed Zeranski pointed out... the purpose of my
> original posting was to try to acquire original radio
> gear for the B-17. So far, a lot of people have come
> out of the woodwork to argue and fight and whine, but
> Ed's the only one who's actually offered to donate
> anything (other than myself; I donated a nice ARC5
> transmitter from my own station).
>
> As I told Ed in a private email, the chances that we
> will be able to put together a working station aboard
> the aircraft are pretty small. So far, no other '17
> has a working station, though several of them have a
> nice set of original radios installed but not wired.
> We won't rule out the possibility of getting some of
> the gear to work (at least the BC-348-J receiver),
> but since all of the required wiring was removed from
> the airframe decades ago, it would be daunting task
> that would require a lot of money and volunteer hours.
> We prefer to spend the money keeping the airplane in
> proper, safe flying condition, and using her to share
> history with those who come to the museum and to the
> air shows to see and appreciate it.
>
> I said in my original post that we have a BC-348-P on
> board the '17. I was mistaken. It's a BC-348-J. I
> didn't have my notes handy when I wrote the post.
>
> So... GENTLEMEN... let's halt the "fly - no fly" part
> of this thread... let's agree to disagree and get back
> to the original purpose. If no one is interested in
> helping us out, that's fine. We will survive. Let's
> just stop all of the arguing and whining. This isn't
> the right forum for it. Write to the FAA and ask them
> to stop allowing us to fly. Write to Air Classics and
> tell the world why what we do is wrong (and yes, Mike
> O'Leary WILL publish letters of dissent!). Stand out
> in front of our museum entrance and hand out flyers to
> our guests if you like. Let's just re-focus on radio
> gear here on these newsgroups! Please?
>
> 73,
> Dean Hemphill, K5DH
>
>
>
> In article <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>, k5dh@qsl.net says...
>>

>>WANTED: B-17G Flying Fortress radio equipment
>>
>>This is a long message... please read it all!
>>
>>The Vintage Flying Museum of Fort Worth, Texas, home
>>of B-17G N3701G, "Chuckie", is seeking DONATIONS of
>>any kind of radio and radar equipment that would have
>>been used aboard B-17G's built from early-1944 on.
>>
>>Our airplane is a B-17G-70-VE, serial number 44-8543A.
>>She was built in January, 1944, by the Vega division
>>of Lockheed (B-17G's were built by Boeing, Douglas,
>>and Vega). She was converted to a "pathfinder" model,
>>which means she had a radar set installed in place of
>>the ball turret which allowed bombing through overcast.
>>Very few Forts were converted for this mission, and it
>>is possible that our Fort saw combat time over Europe.
>>The combat records of the pathfinder Forts are still
>>classified, so we may never know for sure.
>>
>>Right now, the only original radio gear installed in
>>the airplane is a BC-348-P receiver and shock mount.
>>We need everything else. Some of the specific items
>>we seek are the BC-375-E transmitter, tuning units
>>TU-4B through TU-10B, BC-306 antenna matching unit,
>>the wooded tuning unit storage rack that mounts to the
>>rear bulkhead, ceramic feedthrough insulators, power
>>and control connectors, and cables. We're also looking
>>for command set transmitters, receivers, racks, cables,
>>control boxes, spline cables (the LONG ones that will
>>reach the flight deck ceiling), modulator, and so on.
>>
>>Obviously, we are looking for NICE equipment that is
>>in display condition because we display the airplane
>>both in the Museum and at air shows and fly-ins. We'll
>>certainly accept donations of "parts units", but the
>>primary focus is on acquiring gear that looks good
>>enough to be installed in the airplane. We want to
>>impress our tour guests at the air shows with a great
>>looking radio room! Do you have some surplus military
>>WW2 airborne radios stashed in your garage or attic?
>>Would you like to see them go to a good home? Please
>>donate your equipment to VFM and help us restore the
>>radio compartment in our beloved B-17! Any radios and
>>accessories that we don't use in the airplane will be
>>either put on display in the Museum's exhibit hall or
>>sold off to generate money to help finance the effort
>>(no matter how much gets donated, we'll still end up
>>having to buy some stuff to complete the job!).
>>
>>We are a small museum, and we have very limited funds
>>available to spend on things that don't actually help
>>us to keep the airplane flying. We are looking for

>>DONATIONS of equipment. We are a 501-c-3 tax-exempt
>>charitable organization, and we will provide a tax
>>receipt for your donation.
>>
>>"Chuckie" is one of approximately 15 B-17s worldwide
>>that are still in flyable condition, and one of about
>>10 that is flown regularly. Please don't "bash" me
>>if my numbers are off by a plane or two; the numbers
>>go up and down as some Forts come out of restoration
>>and others go down for heavy maintenance or retirement.
>>She participated in the fabuluous Thunder Over Michigan
>>air show in 2005 in which EIGHT of the remaining B-17
>>population were not only present at the show, but flew
>>together! It was the largest gathering of civilian
>>B-17s in history, and it may never be repeated.
>>
>>Please visit the Museum's web site:
>>
>>http://www.vintageflyingmuseum.org
>>
>>I have been authorized by the Museum to be the focal
>>point for this effort. Please address your messages
>>directly to me.
>>
>>We're also looking for a complete chin turret if you
>>happen to have one stashed in your barn! Actually,
>>we will graciously accept donations of ANY B-17 parts
>>that you might have lying around.   :)
>>
>>My final request is this: If you have nothing nice to
>>say about this effort, please say nothing. If you are
>>not a warbird fan, if you believe our effort is a waste
>>of time and money, if you think we're "glorifying" war,
>>if you think operating antique warplanes is dangerous
>>and should be outlawed, etc, etc... you're entitled to
>>your opinion, but I respectfully ask that you keep it
>>to yourself.
>>
>>Thanks and 73,
>>Dean Hemphill, K5DH
>>Vintage Flying Museum member
>>
>

From 8412932773581542169
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <XSxUf.1$0m4.0@dfw-
service2.ext.ray.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 38
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <95BUf.14048$6a1.1077@fed1read04>
Date: Thu, 23 Mar 2006 09:41:31 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1143135685 72.197.12.245 (Thu, 23 Mar 2006 12:41:25 EST)
NNTP-Posting-Date: Thu, 23 Mar 2006 12:41:25 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.swap:3221 rec.radio.amateur.boatanchors:3513
rec.radio.amateur.equipment:3217

Perhaps it will help if you realize this is an unmoderated, free, open forum.
As such all sorts of folks lurk here. (from the bottom to the top of the scale)
Many obviously with no knowledge of warbirds and restorations there of.
The best way to avoid the "firestorm" is to ignore comments not related to your donation request.

I sincerely hope some will come forward for the radio donations, I certainly would if I had some.

This from one who flew in the 50's prop planes (Before the jets)
I fondly recall the ARC-5's, ART-13, BC-348's etc.

My Uncle flew in B-17's & B-24's in the China, Burma, India theater - he would be pleased with your efforts.
Someday his descendents will marvel that men flew in such machines.
Your efforts are a fitting tribute to the men who flew and died in these planes.

I think is admirable for you to try and put them back in their original setting - kudos and good luck
I'll spread the word here in So Calif for possible donors.

--
CL -- I doubt, therefore I might be !

```
"-=H=-" <k5dh@raytheon.com> wrote in message
news:XSxUf.1$0m4.0@dfw-service2.ext.ray.com...
> Holy cow, what a firestorm I've started!
>
> In my original post, I should have included the following
> statement (which might have avoided this useless fight):
>
> SNIP




From 6813078737661264832
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!DIALUPUSA.NET!
not-for-mail
From: "RST Engineering" <jim@rstengineering.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<442210a3_3@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Thu, 23 Mar 2006 09:55:50 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <9464e$4422e127$42512bb4$1222@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 11
X-Trace: 9464e4422e127e7f48e1101222
Xref: g2news1.google.com rec.radio.swap:3223 rec.radio.amateur.boatanchors:3514
rec.radio.amateur.equipment:3218

Money talks, bullshit walks.

Jim



>
> If I had the money, I would.
>
```

> Bill T.

```
From -716589758845993986
X-Google-Thread: 108122,1bfd37b082642a07,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny04.POSTED!1dba5946!not-for-mail
From: Scan Da Bands <vzeip5vc@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Pro-2042/O535 Samsung 690 + MORE
Message-ID: <rdo522l6bp85nbu6n9qa057nal01f0echl@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Thu, 23 Mar 2006 17:59:48 GMT
NNTP-Posting-Host: 71.241.205.235
X-Complaints-To: abuse@verizon.net
X-Trace: trndny04 1143136788 71.241.205.235 (Thu, 23 Mar 2006 12:59:48 EST)
NNTP-Posting-Date: Thu, 23 Mar 2006 12:59:48 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:3219
```

PC scanning combo , both in EXCELLENT condition.

Pro-2042 with the Opto 535 installed.

Samsung Sens 690 Laptop. Win XP , Probe , Scancat Gold "SE" , etc.

I am asking $700/BO or possibly trades and cash.

also have a UBC 780xlt in EXCELLENT condition (Both US and European BANDPLANS) $350 / BO Might consider trades , depends.

Alpha Numeric a must and pc control on any trades considered.

Thanks for looking , Tom (aka ScanDaBands on Radio Reference and Stong Signals)

```
From -6816216081585806689
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
```

```
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc06.POSTED!fee7637a!not-for-mail
Reply-To: "Stargatesg1" <nospam@here.net>
From: "Stargatesg1" <nospam@here.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net> <4421a0fb$1_2@newsfeed.slurp.net>
<1ViUf.3015$4L1.208@newssvr11.news.prodigy.com>
<Xns978ED21D164B9fw190a8@198.161.157.145> <jqmUf.13996$6a1.4829@fed1read04>
<FzmUf.13997$6a1.1849@fed1read04> <dvtdfq$16c@dispatch.concentric.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <ydDUf.172$ah3.98@trnddc06>
Date: Thu, 23 Mar 2006 20:06:54 GMT
NNTP-Posting-Host: 71.254.43.12
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1143144414 71.254.43.12 (Thu, 23 Mar 2006 15:06:54 EST)
NNTP-Posting-Date: Thu, 23 Mar 2006 15:06:54 EST
Xref: g2news1.google.com rec.radio.swap:3226 rec.radio.amateur.boatanchors:3521
rec.radio.amateur.equipment:3220

HEAR HEAR!!!!
Well said.

--
RoD
KD0XX
PG-6-29404


"Ed Zeranski" <ezeran@ezeran.cnc.net> wrote in message
news:dvtdfq$16c@dispatch.concentric.net...
> Jeeze Loooo F***in' Weeze Folks! Stop  the Global Whining!  I don't care
> about the first post and the request for no BS...you can ask for what ever
> you want. Now....anybody else gonna pony up a part or two toward having a
> B-17 with a representative radio position? From what I've learned the
radio
> position will be for display not a necessarily a  full on operating
> position. That is OK in my book, better than an open hole. The op and his
> group can always have a radio position outside the airframe like Dave
> Stinson had in Texas that can be set up next to the airframe and operated
> where lots can see it. Anyway,  I gave a grunch of radio gear to LST325
that
> worked because they wanted to set up an operating radio space. No probs
> sending some look-at ARC-5 to a B-17. Anyone else going to send some
```

```
parts?
> Or just blab?
>
> EdZ
>
>




From 7008984285504058317
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!
newsfeed01.sul.t-online.de!t-online.de!newsfeed.vmunix.org!peer-uk.news.demon.net!
kibo.news.demon.net!news.demon.co.uk!demon!user
From: chris+news@suslowicz.org (Chris Suslowicz)
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Thu, 23 Mar 2006 21:16:41 +0000
Organization: Alligator Control, Forces of Evil PLC
Lines: 39
Approved: What is your clearance, Citizen?
Message-ID: <C048C0B996688D940@192.168.1.23>
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <PLpUf.58593$H71.21970@newssvr13.news.prodigy.com>
<%EqUf.1271$sU4.902@bignews4.bellsouth.net>
Reply-To: chris+news@suslowicz.org
NNTP-Posting-Host: heresiarch.demon.co.uk
X-Trace: news.demon.co.uk 1143148600 15443 62.49.17.238 (23 Mar 2006 21:16:40 GMT)
X-Complaints-To: abuse@demon.net
NNTP-Posting-Date: Thu, 23 Mar 2006 21:16:40 +0000 (UTC)
Xref: g2news1.google.com rec.radio.swap:3231 rec.radio.amateur.boatanchors:3522
rec.radio.amateur.equipment:3221

In article <%EqUf.1271$sU4.902@bignews4.bellsouth.net>,
jakdedert <jakdedert@bellsouth.net> wrote:

>Dave Stadt wrote:
>> "Bill Turner" <noway@nohow.com> wrote in message
>> news:4421fbdd_2@newsfeed.slurp.net...
>>> *********** REPLY SEPARATOR ***********
>>>
>>> Absolutely, I get it.
>>>
>>> You and the two or three posters who agree with you are self-centered
>>> pigs who care nothing about preserving history. Your temporary
>>> adrenaline rush is much more important, and the risk of splattering a
>>> priceless aircraft means nothing beside your momentary thrills. How sad
>>> that people like you are allowed to own such an aircraft.
>>>
>>> A hundred or five hundred years from now, if your ilk prevails, people
>>> will be saying "Gosh, I wish someone had kept a B-17G preserved
>>> somewhere. I would have really loved to see the real thing".
>>>
>>> I hope and pray there are not many like you.
>>>
>>> Bill T.
>>
>> There are millions of us.
>>
>And he's heard from 'many like...' here.
>
>The word 'obtuse' comes to mind.

As does the word 'troll'.

Chris.

--
"People in general are not fundamentally stupid."
"Cite?"

Robin Munn & Simon Cozens in the scary devil monastery


From 428708652544694706
X-Google-Thread: 10ed5f,45e22d555b2b7051,start
X-Google-Thread: f55c2,45e22d555b2b7051,start
X-Google-Thread: fb049,45e22d555b2b7051,start
X-Google-Thread: 108778,45e22d555b2b7051,start
X-Google-Thread: 108122,45e22d555b2b7051,start
X-Google-Attributes: gid10ed5f,gidf55c2,gidfb049,gid108778,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed-east.nntpserver.com!
nntpserver.com!statler.nntpserver.com!hydra.nntpserver.com!not-for-mail
Reply-To: "S" <stephen "two one zero zero at" comcast "dot" net>
From: "S" <stephen "two one zero zero at" comcast "dot" net>
Newsgroups: alt.ham-radio,alt.ham-radio.mods,alt.ham-radio.vhf-
uhf,alt.radio.amateur,rec.ham-radio,rec.ham-
radio.swap,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.commercial-
lmr,rec.radio.lmr-commercial
Subject: Mostar MIB
Date: Thu, 23 Mar 2006 16:32:46 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
```

X-RFC2646: Format=Flowed; Original
Lines: 13
Message-ID: <44231436$0$19181$6d36acad@titian.nntpserver.com>
NNTP-Posting-Date: 23 Mar 2006 21:33:42 GMT
X-Complaints-To: abuse@nntpserver.com
Xref: g2news1.google.com alt.ham-radio:694 alt.ham-radio.mods:89 alt.ham-radio.vhf-uhf:1478 alt.radio.amateur:237 rec.radio.amateur.equipment:3222

Every now and then I think "I should but those old Mostars to good use" and then I think "boy would this be easier if I had a MIB (Mostar Interface Box)"

So does anyone have a schematic for one? Or one laying around?

I know all the usual sites to look for this kind of stuff, and even one or two places to buy one (for a high price). But I'd rather build it, or find a reasonably priced one.

All help is appreciated

*** Free account sponsored by SecureIX.com ***
*** Encrypt your Internet usage with a free VPN account from http://www.SecureIX.com ***

From 1304244391063640606
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.wightman.ca!news.wightman.ca.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Mar 2006 16:36:55 -0600
From: "Spokesman" <his@spam.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<442210a3_3@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Thu, 23 Mar 2006 17:36:50 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <lradnXAGR9aavr7ZRVn-vg@wightman.ca>
Lines: 27
NNTP-Posting-Host: 216.110.228.150

```
X-Trace: sv3-SVeARjQAq+1n3HVEdbU+l10UMG6ucIyUd1JSagRI5r/vrMBY/9LliuMYx2UZBVN4e/
rUwMTr2zqI5Mq!f8hGeNm9KncSNyAwb5PCIMuDSedkH6v9O9rR0BNGuDvLGsLU/
y+9QERiaqr01ireFjkabgUEunDH!pg==
X-Complaints-To: abuse@wightman.ca
X-DMCA-Complaints-To: abuse@wightman.ca
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3234 rec.radio.amateur.boatanchors:3525
rec.radio.amateur.equipment:3223


"Bill Turner" <noway@nohow.com> wrote in message
news:442210a3_3@newsfeed.slurp.net...
> ORIGINAL MESSAGE:
>
> **THE-RFI-EMI-GUY** wrote:
>
> > Bill is 100% correct. He should negotiate and buy the plane from the
> > restorers for its priceless value, say $50-100 million, he can then
> > store it and show it to whomever he pleases! That is the American way!
>
>
>
> *********** REPLY SEPARATOR ***********
>
> If I had the money, I would.


Then don't complain about what other people are doing!




>
> Bill T.




From 4701972638978874200
X-Google-Thread: 108122,3576cceef26d63ca,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "hamman130" <htjude@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: ft 890
Date: 23 Mar 2006 21:30:28 -0800
Organization: http://groups.google.com
Lines: 5
```

```
Message-ID: <1143178228.562899.247670@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.191.29.85
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1143178240 18274 127.0.0.1 (24 Mar 2006 05:30:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Mar 2006 05:30:40 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=68.191.29.85;
   posting-account=f-eQuA0AAABj4uYh8brxwBv9QPnZBELM
Xref: g2news1.google.com rec.radio.amateur.equipment:3224

I have an ft 890 that has good audio in fm mode only will key 50 watts
am no audio and no audio in ssb mode,but i can put a reciever beside
the 890 and get some audio in ssb mode but no power at all any ideas
would be great Thank's




From 4832031934946398081
X-Google-Thread: 108122,d1470f3d07d34d0f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Aprspoint version 3.1 available
Date: 23 Mar 2006 23:25:32 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1143185132.209503.13930@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 58.19.32.88
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1143185137 1841 127.0.0.1 (24 Mar 2006 07:25:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Mar 2006 07:25:37 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; Alexa
Toolbar; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=58.19.32.88;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news1.google.com rec.radio.amateur.equipment:3227

Fixed several issues raised by users regarding 3.0, Specifically

1. How the server filter setting is handled,
2. Server report path correction,
```

3. Position dialog default values,
4. Persisted settings for station and gps tracking,

Check http://www.aprspoint.com/ for details. Thanks.

```
From 5496651695031064816
X-Google-Thread: 108122,b4543aaec601dc67,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!
fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Collins R-390 spray paint
Message-ID: <lj8822d25iltseliks91unvivm2cplog7r@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Date: Fri, 24 Mar 2006 11:46:50 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1143218809 69.125.167.162 (Fri, 24 Mar 2006 09:46:49 MST)
NNTP-Posting-Date: Fri, 24 Mar 2006 09:46:49 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3228
```

WTB: Collins R-390 spray paint
Hi
Can someone tell me where I can buy Spray paint cans to match the
front panel of the Collins R-390 Reciever?
Any local stores carry a close match??
Also is it difficult to get the panel off?
And any tips on redoing the front panel would be great.
I painted kwm cabinets before, but never did a front panel.
Thanks...Rich
ritchi50@optonline.net

ps: I see the lettering is etched in, so before I paint, do I try to
etch out all the white thats etched in, so when its sprayed I then
put in new white paint?

```
From -1173719249438846105
X-Google-Thread: 108122,b4543aaec601dc67
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-
out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTB: Collins R-390 spray paint
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <lj8822d25iltseliks91unvivm2cplog7r@4ax.com>
Organization: Your Company
Message-ID: <Xns97906548E77F4spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 24 Mar 2006 17:56:11 GMT
Lines: 30
NNTP-Posting-Host: bf120a3f.news.adtechcomputers.com
X-Trace:
DXC=fh>Uo;Q[mAk\ReMM7bl69fgC4_A5:nI@a<<=aEgO;R8gf_dZeCkB1^c5D5;0<aWNlbecf<A4o8l9c0
W_Uo]cC15j=gANWl:dETdBX^U2iioPamoNANj==6aZm
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3229
```

> WTB: Collins R-390 spray paint
> Hi
> Can someone tell me where I can buy Spray paint cans to match the
> front panel of the Collins R-390 Reciever?

If you require an exact match Collins paint, you might check out Surplus Sales of Nebraska,

http://www.surplussales.com/index.html

... they carry a line of paints for the Collins A line, S line, and KWM380. It is likely that if you call them to discuss the R390 they might have a color for that in stock.

800-244-4567

On the process of restoring your R-390, you might take a look at:

http://www.collinsradio.org/

http://users2.ev1.net/~wb7dyw/

http://www.collinsra.com/

Ed K7AAT

```
From 4112865752762598410
X-Google-Thread: 108228,1e4077d4bf7e0ff5,start
```

```
X-Google-Thread: fc8b1,1e4077d4bf7e0ff5,start
X-Google-Thread: 108122,1e4077d4bf7e0ff5,start
X-Google-Thread: 1109af,1e4077d4bf7e0ff5,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
wns13feed!worldnet.att.net!attbi_s22.POSTED!53ab2750!not-for-mail
From: "Tom" <tfarl@iowatelecom.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.swap
Subject: FA: Ends Sunday -Heathkit HW-30 "Twoer" - Parts or restore
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Message-ID: <N1YUf.638211$084.72223@attbi_s22>
NNTP-Posting-Host: 12.215.107.2
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1143229677 12.215.107.2 (Fri, 24 Mar 2006 19:47:57 GMT)
NNTP-Posting-Date: Fri, 24 Mar 2006 19:47:57 GMT
Organization: AT&T ASP.att.net
Date: Fri, 24 Mar 2006 19:47:57 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:749
rec.radio.amateur.boatanchors:3550 rec.radio.amateur.equipment:3230
rec.radio.swap:3241

Ending Mar-26-06 14:00:26 PST

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=9701072743

73, es tnx for looking,
N�JMY




From 9021611588013668457
X-Google-Thread: 108228,1e6ba7a899fbd266,start
X-Google-Thread: fc8b1,1e6ba7a899fbd266,start
X-Google-Thread: 108122,1e6ba7a899fbd266,start
X-Google-Thread: 1109af,1e6ba7a899fbd266,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!
attbi_s71.POSTED!53ab2750!not-for-mail
From: "julie" <julief@mchsi.com>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.swap
Subject: FA:Ends Sunday- Heathkit GC-1A Mohican Receiver - Parts or Restore
```

```
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <EHYUf.47654$oL.45262@attbi_s71>
NNTP-Posting-Host: 12.215.107.2
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s71 1143232356 12.215.107.2 (Fri, 24 Mar 2006 20:32:36 GMT)
NNTP-Posting-Date: Fri, 24 Mar 2006 20:32:36 GMT
Organization: AT&T ASP.att.net
Date: Fri, 24 Mar 2006 20:32:36 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:750
rec.radio.amateur.boatanchors:3551 rec.radio.amateur.equipment:3231
rec.radio.swap:3242

Ending Mar-26-06 16:48:23 PST

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=9701122406&ssPageName=STRK:MEWA:IT

73,es tnx for looking,
N�JMY




From 3674800164672409120
X-Google-Thread: 108122,622832434ae0fd1d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g10g2000cwb.googlegroups.com!not-for-
mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:AdvantageSA-1800D Spectrum Analyzer
Date: 24 Mar 2006 13:23:34 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1143235414.484889.52330@g10g2000cwb.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1143235420 11860 127.0.0.1 (24 Mar 2006 21:23:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Mar 2006 21:23:40 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 iwss:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: g10g2000cwb.googlegroups.com; posting-host=64.216.97.21;
```

```
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.amateur.equipment:3232
```

For auction on ebay is an Advantage SA-1800D spectrum analyzer. Works
but needs the frequency aligned, also the tracking generator doesnt
work. Covers 2-1800mhz, options include Frequency Display, Marker
Generator and Tracking Generator. Runs on 110VAC, comes with foldable
antenna, power cord and owners/service manaul. Manual has schematics
but no alignment procedures. Thanks for looking!
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=7601618809&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1
ebay item # 7601618809

```
From -8992760799112039887
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <XSxUf.1$0m4.0@dfw-
service2.ext.ray.com>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node135-75-93-63.1dial.com
Message-ID: <44246a8e_3@newsfeed.slurp.net>
Date: 24 Mar 2006 16:54:22 -0500
X-Trace: newsfeed.slurp.net 1143237262 63.93.75.135 (24 Mar 2006 16:54:22 -0500)
Lines: 21
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.135
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!
198.186.190.250.MISMATCH!transit3.readnews.com!news-out.readnews.com!
peer01.cox.net!cox.net!newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3244 rec.radio.amateur.boatanchors:3553
rec.radio.amateur.equipment:3233
```

ORIGINAL MESSAGE:

-=H=- wrote:

> We will survive. Let's
> just stop all of the arguing and whining. This isn't
> the right forum for it.

*********** REPLY SEPARATOR ***********

Very interesting that the post asking to stop the arguing and whining is the longest post of all, by far. In a nutshell, that's the problem. Only your thoughts are important, only your desires are valid, what you want is primary above all.

As long as folks like you own these priceless relics, someday the last one will be reduced to scrap. What a shame.

Bill T.

From 7796271405311156741
X-Google-Thread: 108122,eeb5414af08cb04e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Markus Baertschi <markus@markus.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Unknown VHF Radio. Looking for information
Date: Fri, 24 Mar 2006 23:01:58 +0100
Lines: 22
Message-ID: <48j8j0Fk4gbhU1@individual.net>
References: <487dirFirmb1U1@individual.net>
<k0e1221qis1oram88d8m865h5kkdmqdsk1@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net ozEUflxyX84qCBPb8Z4lKAy9vN851lAZfVFs4tFOCvqGiikJI=
User-Agent: Thunderbird 1.5 (Windows/20051201)
In-Reply-To: <k0e1221qis1oram88d8m865h5kkdmqdsk1@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:3234

Gary P. Fiber wrote:
> On Mon, 20 Mar 2006 11:13:27 +0100, Markus Baertschi
> <markus@markus.org> wrote:
>
>> I'm looking for information about a VHF radio of the 'Alpha' brand.
>>
>> I've got a picture, but no further info.
>> http://www.markus.org/404779521.jpg
>>
>> A local HAM wants to sell it and I might be interested.
>>
>> Thanks Markus HB9VCD
>
> Almost looks like a Kenwood 7400A with a different front panel, the
> controls are similar. Kenwood did make products for other companies.
>
> Gary K8IZ

Thanks for the hint, Gary but a Kenwood 7400A looks quite differently.
At least from the picture on Rigpix.

Markus

```
From -5796373569130460549
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<442210a3_3@newsfeed.slurp.net> <9464e$4422e127$42512bb4$1222@DIALUPUSA.NET>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node135-75-93-63.1dial.com
Message-ID: <44246c3e_5@newsfeed.slurp.net>
Date: 24 Mar 2006 17:01:34 -0500
X-Trace: newsfeed.slurp.net 1143237694 63.93.75.135 (24 Mar 2006 17:01:34 -0500)
Lines: 14
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.135
Path: g2news1.google.com!news2.google.com!news4.google.com!news2.volia.net!
news.musoftware.de!morpheus.pingos.org!news.unoc.net!newsfeed.slurp.net!not-for-
mail
Xref: g2news1.google.com rec.radio.swap:3245 rec.radio.amateur.boatanchors:3554
rec.radio.amateur.equipment:3235
```

ORIGINAL MESSAGE:

RST Engineering wrote:

> Money talks, bullshit walks.
>
> Jim

*********** REPLY SEPARATOR ***********

Not so pal, just the opposite. Bullshitters talk forever, money steps
up and quietly does the job.

Bill T.

```
From -4425786223651540526
X-Google-Thread: 1109af,b0ac398aaf99f235
```

X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<442210a3_3@newsfeed.slurp.net> <lradnXAGR9aavr7ZRVn-vg@wightman.ca>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node135-75-93-63.1dial.com
Message-ID: <44246e10$1_2@newsfeed.slurp.net>
Date: 24 Mar 2006 17:09:20 -0500
X-Trace: newsfeed.slurp.net 1143238160 63.93.75.135 (24 Mar 2006 17:09:20 -0500)
Lines: 18
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.135
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
news.moat.net!newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3247 rec.radio.amateur.boatanchors:3555
rec.radio.amateur.equipment:3236

ORIGINAL MESSAGE:

Spokesman wrote:

> Then don't complain about what other people are doing!

*********** REPLY SEPARATOR ***********

And the Head Up the Ass award goes to.... Spokesman, who complains about what other people are doing by telling them not to complain about what other people are doing.

I'm sure the award went right over his head. Someone explain it to him, please.

Bill T.

From -3690816171663761290
X-Google-Thread: 108122,eeb5414af08cb04e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!sn-
xt-sjc-15!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail

```
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Unknown VHF Radio. Looking for information
Date: Fri, 24 Mar 2006 15:28:14 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <8is8221hdbvar200a25fmmu053sc77lch0@4ax.com>
References: <487dirFirmb1U1@individual.net>
<k0e1221qis1oram88d8m865h5kkdmqdsk1@4ax.com> <48j8j0Fk4gbhU1@individual.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 30
Xref: g2news1.google.com rec.radio.amateur.equipment:3237

On Fri, 24 Mar 2006 23:01:58 +0100, Markus Baertschi
<markus@markus.org> wrote:

>Gary P. Fiber wrote:
>> On Mon, 20 Mar 2006 11:13:27 +0100, Markus Baertschi
>> <markus@markus.org> wrote:
>>
>>> I'm looking for information about a VHF radio of the 'Alpha' brand.
>>>
>>> I've got a picture, but no further info.
>>> http://www.markus.org/404779521.jpg
>>>
>>> A local HAM wants to sell it and I might be interested.
>>>
>>> Thanks  Markus HB9VCD
>>
>> Almost looks like a Kenwood 7400A with a different front panel, the
>> controls are similar. Kenwood did make products for other companies.
>>
>> Gary K8IZ
>
>Thanks for the hint, Gary but a Kenwood 7400A looks quite differently.
>At least from the picture on Rigpix.
>
>Markus

Isn't there an address somewhere on a label?  There are several
communication companies that begin with Alpha.

Dick


From 1948992913228074045
X-Google-Thread: 108228,9d1e5a871bb84f2c,start
X-Google-Thread: 108122,9d1e5a871bb84f2c,start
X-Google-Thread: 1109af,9d1e5a871bb84f2c,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: UHF Duplexer-Tunes Down to 440 Mhz Band
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0026_01C64F50.19CB7520"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <Iu_Uf.147$Fl.145@fed1read09>
Date: Fri, 24 Mar 2006 14:34:47 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1143239720 68.96.227.248 (Fri, 24 Mar 2006 17:35:20 EST)
NNTP-Posting-Date: Fri, 24 Mar 2006 17:35:20 EST
Organization: Cox Communications
Xref: g2news1.google.com alt.ham-radio.marketplace:751
rec.radio.amateur.equipment:3238 rec.radio.swap:3251

This is a multi-part message in MIME format.

------=_NextPart_000_0026_01C64F50.19CB7520
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: UHF Duplexer-Tunes Down to 440 Mhz Band

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7601525658&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0026_01C64F50.19CB7520
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: UHF Duplexer-Tunes Down to 440 Mhz Band</P>
<P><FONT size=3D3><A=20
```

```
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7601525658&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7601525658&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0026_01C64F50.19CB7520--



From -7016511194274795541
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Mar 2006 19:17:33 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<442210a3_3@newsfeed.slurp.net> <lradnXAGR9aavr7ZRVn-vg@wightman.ca>
<44246e10$1_2@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Fri, 24 Mar 2006 19:17:32 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <lemdnZjPBYewB7nZnZ2dnUVZ_t6dnZ2d@comcast.com>
Lines: 26
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-iFMxbwq1T7VgI+
+PSHi9tWLhngfGzADcbou2iNPyyXtTvw6ZFD5ysqfEpWeWu43OVjyCqpRnkp1GwR+!
Mir4RuTEvEJx4w6tKOX8N6g3MvGy69pipZisjKKZxbtcJkTbWUIIu7EANViSZKKe3XKygb+wuiD2!
1U6DxkSHlzbm
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3256 rec.radio.amateur.boatanchors:3556
rec.radio.amateur.equipment:3239
```

"Bill Turner" <noway@nohow.com> wrote in message

```
news:44246e10$1_2@newsfeed.slurp.net...
> ORIGINAL MESSAGE:
>
> Spokesman wrote:
>
>> Then don't complain about what other people are doing!
>
>
>
> *********** REPLY SEPARATOR ***********
>
> And the Head Up the Ass award goes to.... Spokesman, who complains
> about what other people are doing by telling them not to complain about
> what other people are doing.
>
> I'm sure the award went right over his head. Someone explain it to him,
> please.

Who cares..... If I ever get to a point where I am senile enough to get into
a pissing contest because somebody said not to get ugly, then just shoot me.

-n6ojn




From -2109768833566525932
X-Google-Thread: 108122,eeb5414af08cb04e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Mar 2006 21:57:24 -0600
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Unknown VHF Radio. Looking for information
Date: Fri, 24 Mar 2006 19:57:24 -0800
Reply-To: gfiber@comcast.net
Message-ID: <9lf922tah6coiued3d7bduekmas4998ph8@4ax.com>
References: <487dirFirmb1U1@individual.net>
<k0e1221qis1oram88d8m865h5kkdmqdsk1@4ax.com> <48j8j0Fk4gbhU1@individual.net>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 34
NNTP-Posting-Host: 24.19.188.39
X-Trace: sv3-W7HCjzBVhGX7FSS+gn64s/FOsALS/7lSnv/S3Q2V1Xm1+b3DV1TilSfKU/UrIF/
nIdxVIJtFd/tcpYq!0TlxgvhB5dyvtjprCYFKXmuv5HCzwLN7U0FlyYF/
4intQBF9wAiQvZxgLPoCMOuv6MgRqHDGEDsv!HYeHA54=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3240

On Fri, 24 Mar 2006 23:01:58 +0100, Markus Baertschi
<markus@markus.org> wrote:

>Gary P. Fiber wrote:
>> On Mon, 20 Mar 2006 11:13:27 +0100, Markus Baertschi
>> <markus@markus.org> wrote:
>>
>>> I'm looking for information about a VHF radio of the 'Alpha' brand.
>>>
>>> I've got a picture, but no further info.
>>> http://www.markus.org/404779521.jpg
>>>
>>> A local HAM wants to sell it and I might be interested.
>>>
>>> Thanks  Markus HB9VCD
>>
>> Almost looks like a Kenwood 7400A with a different front panel, the
>> controls are similar. Kenwood did make products for other companies.
>>
>> Gary K8IZ
>
>Thanks for the hint, Gary but a Kenwood 7400A looks quite differently.
>At least from the picture on Rigpix.
>
>Markus

Yes I know that but the controls are very similar. I was thinking
maybe Kenwood built it for Alpha.

Does the radio have an FCC ID number, I would not be surprised if it
did not since you are not in the US. But if it does looking at the FCC
database would give you some insight.

Gary K8IZ


From -8960600059228880771
X-Google-Thread: 108122,b4543aaec601dc67
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!dukeread10.POSTED!53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <lj8822d25iltseliks91unvivm2cplog7r@4ax.com>
Subject: Re: Collins R-390 spray paint
```

Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <JH4Vf.366$C85.356@dukeread10>
Date: Fri, 24 Mar 2006 23:38:41 -0600
NNTP-Posting-Host: 68.224.212.198
X-Complaints-To: abuse@cox.net
X-Trace: dukeread10 1143265129 68.224.212.198 (Sat, 25 Mar 2006 00:38:49 EST)
NNTP-Posting-Date: Sat, 25 Mar 2006 00:38:49 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3241

<ritchi50@optonline.net> wrote in message
news:lj8822d25iltseliks91unvivm2cplog7r@4ax.com...
> WTB: Collins R-390 spray paint
> Hi
> Can someone tell me where I can buy Spray paint cans to match the
> front panel of the Collins R-390 Reciever?
> Any local stores carry a close match??
> Also is it difficult to get the panel off?
> And any tips on redoing the front panel would be great.
> I painted kwm cabinets before, but never did a front panel.
> Thanks...Rich
> ritchi50@optonline.net

Check with the owner of this site: <http://www.r390a.com/>
This might break your heart: <http://www.r390a.com/Archived%20Pages/radio_rape.html>
73
Glenn AA5PK

From -5750109688448793686
X-Google-Thread: 108122,18f0aa940648fbf1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: "2Thirty" <jsmollon@chartertn.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for help with ADI AT-600 radio
Date: 24 Mar 2006 22:06:00 -0800
Organization: http://groups.google.com
Lines: 42
Message-ID: <1143266760.208098.226480@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 66.168.95.156
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"

X-Trace: posting.google.com 1143266768 1761 127.0.0.1 (25 Mar 2006 06:06:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 25 Mar 2006 06:06:08 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=66.168.95.156;
   posting-account=kEqhhA0AAABjYEpw6K_fWYzltUrY6Ann
Xref: g2news1.google.com rec.radio.amateur.equipment:3242

Thank you in advance for looking at this post.

I have been trying to get my wife interested in getting her license for years, and have finally talked her in to studying. I thought I would pick up a dual band radio to surprise her, and like an idiot I bought one from eBay. I picked the ADI AT-600 because it was inexpensive and the display was large enough for her to see.

The ad said "as is" but also said VHF and UHF bands worked. I don't mind weak batteries and a few scratches, and that's about what I expected. When I received the radio the UHF worked fine but the VHF receive was only static. The VHF transmit worked fine.

When I power the radio up, and tune the VHF to a frequency.. say 145.000, and turn another HT or base to the same frequency, I get a signal on the two other radios. About an S7 on the base. Tune the AT-600 off frequency and the other radios receive nothing. The xmit led doesn't indicate it transmitting. With the rig apart, tapping on a few selected smc caps and transistor produces tapping audio in the other receivers. (mic isn't in the same side as the tapped parts)

Transmitting from either radio to the AT-600, it doesn't receive anything.

I am going to get in to this rig and repair it, just out of principal.

A kind gentleman in in California was gracious enough to fax and mail me schematics he had for an HTX-204, which is the same radio made for Radio Shack by ADI. (One of the only references to repairs for this radio on the Internet. He was offering the schematic to someone else looking for it and was nice enough to respond to my request.. still nice guys out there..)

So my question to anyone who may have the time and possible knowledge of this radio is... after checking the grounds and obvious problems, what would be a "high probability" section to start looking at.

Again, thanks to anyone who has taken the time to read this.

Jim
K4FZ

From 4688949739117798201
X-Google-Thread: 108122,18f0aa940648fbf1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Butch Magee <lynyrd@cableone.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for help with ADI AT-600 radio
Date: Sat, 25 Mar 2006 04:08:54 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <122a53uqa4s8i6e@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <1143266760.208098.226480@e56g2000cwe.googlegroups.com>
In-Reply-To: <1143266760.208098.226480@e56g2000cwe.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 60
Xref: g2news1.google.com rec.radio.amateur.equipment:3243

Here are a couple of rules to use when buying used equipment:

1. Never buy anything that says "sold as is", even if a live purchase. The seller knows something you don't until you get your hands on it.

2. Can I buy this new and avoid headaches? You can get a dual bander Alinco, new from manufacturer for 120.00 It.s a 'lil bitty one that would have fit your wifes purse. Big selling point for the YLs.

been there, done that

2Thirty wrote:
> Thank you in advance for looking at this post.
>
> I have been trying to get my wife interested in getting her license for
> years, and have finally talked her in to studying. I thought I would
> pick up a dual band radio to surprise her, and like an idiot I bought
> one from eBay. I picked the ADI AT-600 because it was inexpensive and
> the display was large enough for her to see.
>
> The ad said "as is" but also said VHF and UHF bands worked. I don't

```
> mind weak batteries and a few scratches, and that's about what I
> expected. When I received the radio the UHF worked fine but the VHF
> receive was only static. The VHF transmit worked fine.
>
> When I power the radio up, and tune the VHF to a frequency.. say
> 145.000, and turn another HT or base to the same frequency, I get a
> signal on the two other radios. About an S7 on the base. Tune the
> AT-600 off frequency and the other radios receive nothing. The xmit led
> doesn't indicate it transmitting. With the rig apart, tapping on a few
> selected smc caps and transistor produces tapping audio in the other
> receivers. (mic isn't in the same side as the tapped parts)
>
> Transmitting from either radio to the AT-600, it doesn't receive
> anything.
>
> I am going to get in to this rig and repair it, just out of principal.
>
> A kind gentleman in in California was gracious enough to fax and mail
> me schematics he had for an HTX-204, which is the same radio made for
> Radio Shack by ADI. (One of the only references to repairs for this
> radio on the Internet. He was offering the schematic to someone else
> looking for it and was nice enough to respond to my request.. still
> nice guys out there..)
>
> So my question to anyone who may have the time and possible knowledge
> of this radio is... after checking the grounds and obvious problems,
> what would be a "high probability" section to start looking at.
>
> Again, thanks to anyone who has taken the time to read this.
>
>  Jim
>  K4FZ
>


From 1409691065413698847
X-Google-Thread: 108122,624281327b489485,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.bt.com!news.bt.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Mar 2006 11:34:23 -0600
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program. TRANCOIL
Date: Sat, 25 Mar 2006 17:34:02 -0000
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
```

Message-ID: <-YidnX2EG6mC4rjZRVny1w@bt.com>
Lines: 28
NNTP-Posting-Host: 86.143.78.225
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-yZSoxMdPikJ0BLoq9M4bFWsoJSu2mMSCVGEIhS/
uF0lfP+zH3VjDGXf5X4Iy2hJ2ixGFFhPpNpC44eT!j3x4BQRwoAFYWFBULbuu3zhRYpqg/
ix1RGgOtw2hbvc3HDr4uhdj8JxhS0Wj0Q==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3244

A loading coil inserted in an antenna, or a close-wound helical, can be considered to be a transmission line. It behaves as such.

From a coil's physical dimensions, program TRANCOIL calculates the line's distributed Inductance, Capacitance and Resistance including radiation resistance.

Also Characteristic Impedance, Phase-shift, Propagation Velocity and Attenuation.

Should the coil be used as an antenna, the resonant frequencies are found, also the feedpoint impedance, R+jX, versus test frequency.

Input data can be varied via the keyboard to observe how the coil performs versus length, diameter, number of turns and frequency.

The program is both educational and practical.

Download program TRANCOIL in a few seconds from website below and run immediately.

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

From 5909563236913373306
X-Google-Thread: 108122,624281327b489485
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.bt.com!news.bt.com.POSTED!
not-for-mail
NNTP-Posting-Date: Sat, 25 Mar 2006 11:57:00 -0600

Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program. TRANCOIL
Date: Sat, 25 Mar 2006 17:56:41 -0000
Organization: Private individual
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <HbKdnUrn5JXxGbjZRVnyjg@bt.com>
Lines: 28
NNTP-Posting-Host: 86.143.78.225
X-AuthenticatedUsername: NoAuthUser
X-Trace: sv3-NMVdjEM/
TEytgW1nXU0UbbZsGyvJkBVCcmSFQlDZw9jYcAuqUi7txQ94qc+tG1KkSF17Ic4HArO9SSx!mXk8/
xbKydnm7BV9nb25vaJsEYRv2zOHLV0h+rQHn/zrlCddBss+luzcq26Qyg==
X-Complaints-To: abuse@btinternet.com
X-DMCA-Complaints-To: abuse@btinternet.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3245

A loading coil inserted in an antenna, or a close-wound helical, can be considered to be a transmission line. It behaves as such.

From a coil's physical dimensions, program TRANCOIL calculates the line's distributed Inductance, Capacitance and Resistance including radiation resistance.

Also Characteristic Impedance, Phase-shift, Propagation Velocity and Attenuation.

Should the coil be used as an antenna, the resonant frequencies are found, also the feedpoint impedance, R+jX, versus test frequency.

Input data can be varied via the keyboard to observe how the coil performs versus length, diameter, number of turns and frequency.

The program is both educational and practical.

Download program TRANCOIL in a few seconds from website below and run immediately.

....

Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp

....

```
From 7784192195346903368
X-Google-Thread: fcc6e,f7f403d42a38b871,start
X-Google-Thread: 108122,f7f403d42a38b871,start
X-Google-Thread: 1109af,f7f403d42a38b871,start
X-Google-Attributes: gidfcc6e,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller2.gnilink.net!gnilink.net!trndny01.POSTED!4f97008e!not-for-mail
From: "Thanks......." <pottsladd13@yahoo.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.swap
Subject: FS: Motorola Spring Base antenna mount.
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <vegVf.1502$Po1.34@trndny01>
Date: Sat, 25 Mar 2006 18:46:51 GMT
NNTP-Posting-Host: 71.162.185.240
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1143312411 71.162.185.240 (Sat, 25 Mar 2006 13:46:51 EST)
NNTP-Posting-Date: Sat, 25 Mar 2006 13:46:51 EST
Xref: g2news1.google.com rec.radio.amateur.antenna:8492
rec.radio.amateur.equipment:3246 rec.radio.swap:3262
```

New in package, never opened. Spring base antenna mount only. PN#HLN4457A
This is for the old fender mount large whip antenna's.
$10.00 plus $7.50 shipping, Cont. US only. USPS money orders only.

pottsladd13@yahoo.com

```
From -6273129562465330373
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.wightman.ca!news.wightman.ca.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Mar 2006 17:55:00 -0600
From: "Spokesman" <his@spam.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <XSxUf.1$0m4.0@dfw-
service2.ext.ray.com> <44246a8e_3@newsfeed.slurp.net>
```

Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Sat, 25 Mar 2006 18:54:53 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <gqadnXlM3OvIRbjZnZ2dnUVZ_smdnZ2d@wightman.ca>
Lines: 34
NNTP-Posting-Host: 216.110.228.209
X-Trace: sv3-UG8zplM+pkhJsp4hFqWUh3zvdQa6+oLs/lBb7ZFj66YuSX9MHr+EF/4Wrj8zr0R4/
L9S1pVbRrp9tqy!
1OmxD7Z73zMN6RQwmp1BAHv9LK1OHPN80vcSYD4t8PC+uzDESs7+ONnZnylKqiIpm8lGk596jYJa!
w8nElXNQ9Bi2YFw=
X-Complaints-To: abuse@wightman.ca
X-DMCA-Complaints-To: abuse@wightman.ca
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3273 rec.radio.amateur.boatanchors:3564
rec.radio.amateur.equipment:3247

"Bill Turner" <noway@nohow.com> wrote in message
news:44246a8e_3@newsfeed.slurp.net...

> ORIGINAL MESSAGE:
>
> -=H=- wrote:
>
> > We will survive. Let's
> > just stop all of the arguing and whining. This isn't
> > the right forum for it.
>
>
>
> *********** REPLY SEPARATOR ***********
>
> Very interesting that the post asking to stop the arguing and whining
> is the longest post of all, by far. In a nutshell, that's the problem.
> Only your thoughts are important, only your desires are valid, what you
> want is primary above all.
>
> As long as folks like you own these priceless relics, someday the last
> one will be reduced to scrap. What a shame.

The answer is still the same. If you don't want the airplane to fly then
YOU should buy it and put it on static display in your workshop.

If you don't want to buy it then let the people who are willing to
restore it use it as a flying museum.

>

> Bill T.

From -9062046337833788308
X-Google-Thread: 108122,79b97edea72e37ad,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!news.sprintnetops.net!feed.cgocable.net!
read2.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Don Farrow" <ve3ulf@cogeco.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood 732a problems
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <OylVf.41587$fd.17107@read2.cgocable.net>
Date: Sat, 25 Mar 2006 19:49:51 -0500
NNTP-Posting-Host: 72.38.165.122
X-Complaints-To: news@cogeco.net
X-Trace: read2.cgocable.net 1143334190 72.38.165.122 (Sat, 25 Mar 2006 19:49:50
EST)
NNTP-Posting-Date: Sat, 25 Mar 2006 19:49:50 EST
Organization: Cogeco Cable
Xref: g2news1.google.com rec.radio.amateur.equipment:3248

Hi All

I am having a problem with my Kenwood 732a....I stopped working and would
not power on, their was power going to the radio but it would not turn on.

I keep on trying to turn it on by repeating the on off button and now I have
a small number 44 showing in the left side of the display and when you push
any of the buttons all it does is beep, and now the on off button won't turn
the radio off.

Any Ideas Don VE3ULF

From -5442308976293212741
X-Google-Thread: 108122,fa9fa7e645be4181,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!atl-c03.usenetserver.com!
news.usenetserver.com!hwmnpeer01.phx!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail

```
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Johnson Viking Ranger
Message-ID: <krqb2294h0nob31sb2qsa5ri8bgsq8b6n5@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sat, 25 Mar 2006 20:16:42 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1143335798 69.125.167.162 (Sat, 25 Mar 2006 18:16:38 MST)
NNTP-Posting-Date: Sat, 25 Mar 2006 18:16:38 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3249

WTB: Johnson Viking Ranger
If it has the audio mods, thats a plus.
But not that important. Must be clean
and in good working order.
Please leave price and phone number.
ritchi50@optonline.net



From -5312367669621894287
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!24dd0da6!
not-for-mail
Sender: Jim Pennino <jimp@mail.specsol.com>
Message-ID: <ch9hf3-0h9.ln1@mail.specsol.com>
From: jimp@specsol.spam.sux.com
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <XSxUf.1$0m4.0@dfw-
service2.ext.ray.com> <44246a8e_3@newsfeed.slurp.net>
User-Agent: tin/1.8.1-20060215 ("Mealasta") (UNIX) (SunOS/5.9 (sun4u))
Lines: 20
Date: Sun, 26 Mar 2006 02:15:03 GMT
NNTP-Posting-Host: 71.118.11.57
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1143339303 71.118.11.57 (Sat, 25 Mar 2006 21:15:03 EST)
NNTP-Posting-Date: Sat, 25 Mar 2006 21:15:03 EST
Xref: g2news1.google.com rec.radio.swap:3276 rec.radio.amateur.boatanchors:3566
rec.radio.amateur.equipment:3250
```

In rec.radio.amateur.boatanchors Bill Turner <noway@nohow.com> wrote:

<snip>

> As long as folks like you own these priceless relics, someday the last
> one will be reduced to scrap. What a shame.

> Bill T.

No one is keeping YOU from gathering money for acquisition, restoration,
and floor space for a static display.

Or is it just easier for you to piss and moan about the people that are
actually doing something without any personal involvement on your part
other than your pissing and moaning?

--
Jim Pennino

Remove .spam.sux to reply.

From -421908593559068404
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news2.volia.net!npeer.de.kpn-eurorings.net!border2.nntp.ams.giganews.com!nntp.giganews.com!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-03!sn-post-ams-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: bonomi@host122.r-bonomi.com (Robert Bonomi)
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Sun, 26 Mar 2006 04:58:08 -0000
Organization: Widgets, Inc.
Message-ID: <122c7r0jkb1m905@corp.supernews.com>
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <XSxUf.1$0m4.0@dfw-service2.ext.ray.com> <44246a8e_3@newsfeed.slurp.net>
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Originator: bonomi@host122.r-bonomi.com (Robert Bonomi)
X-Complaints-To: abuse@supernews.com
Lines: 41
Xref: g2news1.google.com rec.radio.swap:3277 rec.radio.amateur.boatanchors:3570 rec.radio.amateur.equipment:3251

In article <44246a8e_3@newsfeed.slurp.net>,
Bill Turner <noway@nohow.com> wrote:
>ORIGINAL MESSAGE:
>
>-=H=- wrote:

>
>> We will survive. Let's
>> just stop all of the arguing and whining. This isn't
>> the right forum for it.
>
>
>
>*********** REPLY SEPARATOR ***********
>
>Very interesting that the post asking to stop the arguing and whining
>is the longest post of all, by far. In a nutshell, that's the problem.
>Only your thoughts are important, only your desires are valid, what you
>want is primary above all.

Yet you think *you* have the right to dictate to the people that own and
pay for those craft what _they_ "should" do with their own property.

>As long as folks like you own these priceless relics, someday the last
>one will be reduced to scrap. What a shame.

Which will have absolutely *zero* effect on the number of non-flying
"relics" on static display.

Available evidence suggests (*very* strongly, too) that "more or less
NOBODY" wants to spend the money to preserve such static non-flying
display aircraft. That *those* aircraft are being 'reduced to scrap'
today, for lack of interest. "What a shame", indeed.

Not to put too fine a point on it, how much money have _you_ donated to
the support of _any_ "non-flying B-17 static display" organization?

It's always easier to spend somebody else's money, isn't it?

I suspect the appellation 'hypocrite' applies.

From -3868016000202802130
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
feeder.z74.net!news.z74.net!sn-ams-06!sn-xt-ams-04!sn-post-ams-02!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: bonomi@host122.r-bonomi.com (Robert Bonomi)
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Sun, 26 Mar 2006 05:00:22 -0000
Organization: Widgets, Inc.

Message-ID: <122c7v6qvvb7rea@corp.supernews.com>
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<442210a3_3@newsfeed.slurp.net> <9464e$4422e127$42512bb4$1222@DIALUPUSA.NET>
<44246c3e_5@newsfeed.slurp.net>
X-Newsreader: trn 4.0-test76 (Apr 2, 2001)
Originator: bonomi@host122.r-bonomi.com (Robert Bonomi)
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news1.google.com rec.radio.swap:3278 rec.radio.amateur.boatanchors:3571
rec.radio.amateur.equipment:3252

In article <44246c3e_5@newsfeed.slurp.net>,
Bill Turner <noway@nohow.com> wrote:
>ORIGINAL MESSAGE:
>
>RST Engineering wrote:
>
>> Money talks, bullshit walks.
>>
>> Jim
>
>*********** REPLY SEPARATOR ***********
>
>Not so pal, just the opposite. Bullshitters talk forever, money steps
>up and quietly does the job.
>
>Bill T.

And you, by your own admission are "all talk, and no money", critizing
those who _have_ 'stepped up and are doing the job'.

At least you recognize your own shoe.

From 7835969479343382284
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!2ba31c29!
not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 52

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <fDqVf.5081$ES3.1398@trnddc02>
Date: Sun, 26 Mar 2006 06:35:55 GMT
NNTP-Posting-Host: 72.65.142.99
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1143354955 72.65.142.99 (Sun, 26 Mar 2006 01:35:55 EST)
NNTP-Posting-Date: Sun, 26 Mar 2006 01:35:55 EST
Xref: g2news1.google.com rec.radio.swap:3279 rec.radio.amateur.boatanchors:3572
rec.radio.amateur.equipment:3253

> Absolutely, I get it.

Not.

>
> You and the two or three posters who agree with you are self-centered
> pigs who care nothing about preserving history.

I take it you don't speak face-to-face with others very often?
Your low-brow approach to debate is, if nothing else, good for a chuckle.

Looks like you just enjoy arguing without reason; because you're completely
unarmed,
and going in pointless circles with your posts. Try to make a valid point,
please.

>Your temporary
> adrenaline rush is much more important, and the risk of splattering a
> priceless aircraft means nothing beside your momentary thrills. How sad
> that people like you are allowed to own such an aircraft.

LOL... four words: lost ball, high weeds.
What does your above statement even mean???

FYI: Don't EVER research the film industry for any reason.

>
> A hundred or five hundred years from now, if your ilk prevails, people
> will be saying "Gosh, I wish someone had kept a B-17G preserved
> somewhere. I would have really loved to see the real thing".

Wow...? Not sure what to say to that after reading your cumulative posts.
First, please refer to the "lost ball" statement above, then
try to do some research on vintage aircraft clubs, museums, owners and
current displays.

>
> I hope and pray there are not many like you.

Plane-loads! And no thanks to you, we sit about debating whether or not a Neanderthal with a superiority complex is a paradox.

Mister, it's painfully obvious that your intent is not to prove a point, nor offer a reasonable debate; but to simply try and talk others down.
You must have a very hollow existence.

I hope and pray you can find a better way to spend your time.

rb

```
From 2815017723485992621
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc02.POSTED!2ba31c29!not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
<4421fbdd_2@newsfeed.slurp.net> <JbnUf.93999$g47.86108@tornado.tampabay.rr.com>
<6OydnULN4OFdm7_ZnZ2dnUVZ_sKdnZ2d@wightman.ca> <44221387_3@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <GNqVf.5082$ES3.5039@trnddc02>
Date: Sun, 26 Mar 2006 06:47:02 GMT
NNTP-Posting-Host: 72.65.142.99
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1143355622 72.65.142.99 (Sun, 26 Mar 2006 01:47:02 EST)
NNTP-Posting-Date: Sun, 26 Mar 2006 01:47:02 EST
Xref: g2news1.google.com rec.radio.swap:3280 rec.radio.amateur.boatanchors:3573
rec.radio.amateur.equipment:3254
```

>
> Airplanes crash, especially ones flown and maintained by well-meaning
> but inexperienced pilots and mechanics who are usually short of cash,
> spare parts and time, and who, sooner or later, will feel the pressure

> to fly it when they really shouldn't in order to keep an airshow
> schedule.
>
> Park it.
>

Bill, have you considered a career in politics?

Exactly where would you suggest we park general aviation?
rb

From 2255387807845730162
X-Google-Thread: 108122,2c8d2651ee9a3838,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Johnson Viking Ranger.
Message-ID: <ju4e22t47hljo86rl02dbav4v49ar8ne3a@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Sun, 26 Mar 2006 17:21:14 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1143411669 69.125.167.162 (Sun, 26 Mar 2006 15:21:09 MST)
NNTP-Posting-Date: Sun, 26 Mar 2006 15:21:09 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3255

WTB: Johnson Viking Ranger.
If it has the audio mods, thats a plus.
But not that important. Must be in good working order.
Please leave price and phone number.
ritchi50@optonline.net

From -3732126833915021890
X-Google-Thread: f55c2,1bb7a611cd048ead,start
X-Google-Thread: 108122,1bb7a611cd048ead,start
X-Google-Thread: fb049,1bb7a611cd048ead,start
X-Google-Thread: f7653,1bb7a611cd048ead,start
X-Google-Thread: fc2a5,1bb7a611cd048ead,start
X-Google-Attributes: gidf55c2,gid108122,gidfb049,gidf7653,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news1.google.com!news3.google.com!newsfeed.stanford.edu!
logbridge.uoregon.edu!pln-e!spln!dex!extra.newsguy.com!newsp.newsguy.com!
65-84-71-177.client.dsl.net!dave
From: Dave Hildebrand <dave@cahuenga.com>
Newsgroups: alt.ham-radio.mods,rec.radio.amateur.equipment,alt.ham-radio.vhf-
uhf,rec.radio.amateur.digital.misc,rec.radio.amateur.homebrew
Subject: Need Info 4 Midland 70-1526B UHF Radio
Date: Sun, 26 Mar 2006 19:24:03 -0800
Organization: http://extra.newsguy.com
Lines: 5
Message-ID: <Pine.LNX.4.58.0603261916030.26312@torquay.cahuenga.com>
NNTP-Posting-Host: p-611.newsdawg.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII
Xref: g2news1.google.com alt.ham-radio.mods:93 rec.radio.amateur.equipment:3256
alt.ham-radio.vhf-uhf:1496 rec.radio.amateur.digital.misc:222
rec.radio.amateur.homebrew:4431

I recently bought a Midland 70-1526B UHF radio, and I would like greatly
appreciative of any information on it (e.g. schematic, etc.), including
where I might find programming software for it. 73s...

...Dave, N6BHU



From -3229028048684762749
X-Google-Thread: 114aac,6fccb56164079bbf,start
X-Google-Thread: 1009ad,6fccb56164079bbf,start
X-Google-Thread: f5341,6fccb56164079bbf,start
X-Google-Thread: 108122,6fccb56164079bbf,start
X-Google-Thread: fc2a5,6fccb56164079bbf,start
X-Google-Attributes: gid114aac,gid1009ad,gidf5341,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!nf3.bellglobal.com!
nf1.bellglobal.com!nf2.bellglobal.com!news20.bellglobal.com.POSTED!not-for-mail
From: "Tom Holden" <holden_family@sympatico.ca>
Newsgroups:
rec.radio.shortwave,alt.radio.scanner,alt.radio.scanner.uk,rec.radio.amateur.equip
ment,rec.radio.amateur.homebrew
Subject: 1000+ Members - Group for Radio Shack DX-394 Users
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Antivirus: avast! (VPS 0612-4, 25/03/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <WxJVf.448$u15.105252@news20.bellglobal.com>
Date: Sun, 26 Mar 2006 23:07:17 -0500
NNTP-Posting-Host: 64.229.221.225
X-Complaints-To: abuse@sympatico.ca
```

X-Trace: news20.bellglobal.com 1143432438 64.229.221.225 (Sun, 26 Mar 2006 23:07:18 EST)
NNTP-Posting-Date: Sun, 26 Mar 2006 23:07:18 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.shortwave:29364 alt.radio.scanner:1511 alt.radio.scanner.uk:1198 rec.radio.amateur.equipment:3257 rec.radio.amateur.homebrew:4432

This group has the most complete collection of modifications, usage tips, links to related websites, documentation, and photos along with a user survey and a message forum (4000+ messages archived) to help you get the most
fun and DX out of your Realistic / Radio Shack DX-394, DX394, DX 394.

Over 90 mods and tips now listed plus a dozen on the To Do or Wish List. More mods than for any other general coverage receiver! Thoroughly documented with a Master Index. If you like to tinker with radios, I know of no other recent model that lends itself to as much fun in this arena as the DX-394. Great platform for learning radio-electronics. Always 1 or more FA on eBay.

Active & friendly user community now with over 1000 members. Some members are
keen short wave listeners; others are into AM DXing and a few enjoy long wave. Many experiment with antennas and some are ardent modifiers - customising and souping up the rig as hot rodders would do with cars. You'll find lots to interest you and help get the most out of your radio.

All here at:
http://groups.yahoo.com/group/�RADIOSHACKDX394/

Subscribe on line (for full access privileges to the extensive collection of Files, Photos and Links) or by email:
RADIOSHACKDX394-subscribe@yaho�ogroups.com (for message posting/receipt only).

73, Tom

From -3091038336462186363
X-Google-Thread: 108122,facc371c904d8f0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Mar 2006 13:23:05 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <kpjs121g3ss7t2u8c05hdaksbe406n398b@4ax.com> <w42dne7YBdL7LYPZRVn-rg@comcast.com> <c5st12dseokrumbpf3ffb7bffrnp3692eh@4ax.com>

```
Subject: Re: Uniden SMU 300K (How to operate?)
Date: Mon, 20 Mar 2006 13:23:04 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <X5GdnW2Ut5WEnILZnZ2dnUVZ_t6dnZ2d@comcast.com>
Lines: 103
NNTP-Posting-Host: 68.63.237.38
X-Trace:
sv3-3NMQzJmVSeQR6t9KvO4lc7mbXmREfa7EBSYadS4OELt98zroSqPijqfXtI6j4J1QbIZ1qF6aXfSXfO
V!NRWmBd27NEMtrxSCcMl0KCIBoULDz22SmiXEIOz28MyWS2PtYGR45TcR70qJBNdtRE7Ym1ZxJLbx!
YuR2kQqgNI5j
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3156


<gkelly@noemail.com> wrote in message
news:c5st12dseokrumbpf3ffb7bffrnp3692eh@4ax.com...
> On Mon, 20 Mar 2006 07:38:46 -0600, "Noon-Air" <Noon-Air@comcast.net>
> wrote:
>
>>YES you will need a license before you can transmit, NO a CB antenna won't
>>work, YES you will need to know what frequency and cut the antenna to the
>>correct resonant length, YES it will most likley have to be modified to
>>operate in the ham bands once you are licensed to do so, NO I can't tell
>>you
>>any more without actually *seeing* the radio, or the book for it.
>>
>
> Thanks for the reply.
> three questions come from this.
> 1. Where or how does a person get a license?

Check with your local HAM Radio Club, or your local FCC office.

> 2. What do I look for to get an antenna, is this something I can get a
> Radio Shack, or what?

Look for the radios frequency capabilities, then build and cut the antenna
for those frequencies. Its real simple math.

> 3. I know I can test the radio to see if it receives, but how can I
> test to see if it transmits?  (without getting a license first)?

You can't
```

> [I mean, is there a place that will do this, or can I have another
> person who has a license do it, or what?

yes

> I noticed there is a local
> business that uses this frequency range, can I have someone there test
> it for me?

Not unless they are a licensed technician.
>
> Thanks
>
>
>
>
>><gkelly@noemail.com> wrote in message
>>news:kpjs121g3ss7t2u8c05hdaksbe406n398b@4ax.com...
>>> Hello
>>>
>>> I went to a local auction where a hardware store and small engine
>>> repair business went out of business. I came home with boxes of small
>>> odds and ends. One box had what I thought was a CB radio, but it
>>> turned out to be a Uniden SMU 300K commercial radio. I have been
>>> googling around trying to find out some info on it, but out of about
>>> 40 hits on google, with well over half of them being outdated Ebay
>>> ads, (I sure wish Google would remove outdated junk), I only found one
>>> site with a small photo of one, and no further info.
>>>
>>> This is the same radio, as the photo I found.
>>>
>>> Anyhow, I am not very familiar with commercial radios. I do know
>>> quite a lot about CB though, so I know this is similar except the
>>> frequency.
>>>
>>> What I am trying to find out are a few things. What is these radios
>>> used for?   I mean what is the band they use, like is is police, fire,
>>> business only, or what? Several of those obsolete Ebay ads said in
>>> the description they are a UHF 450-470 MHz Mobile Radio (another said
>>> 440 - 470mhz.
>>>
>>> My next question is legality. Can I legally transmit, or do I need
>>> some sort of license? If I do need one, can I test it without a
>>> license just for a few minutes?
>>> (I am a farmer, live out in the boonies, so there is not much radio
>>> activity around here). I have a police scanner so I should be able to
>>> hear myself. But before I do all of that, I will need the right
>>> antenna. I got several CB antennas but I know that is way off on the
>>> wavelength. I imagine for listening, I can use one just to try it,
>>> but not to transmit.
>>>
>>> I am just asking all of this first. I have not powered it up yet, and
>>> for all I know, it could be dead, although it is clean and complete.

>>> I dont want to blow it up so i am asking about it first. I also dont
>>> want to buy an antenna or get a license or anything until I know it
>>> works.
>>>
>>> One other thing. I dont see any holes for a speaker. Does the sound
>>> come out of the mic, or what? On the rear there are only the red and
>>> black power wires, the antenna connector, and a square plug with a
>>> jumper wire.
>>>
>>> All help appreciated.
>>>
>>> Thanks
>>>
>>> George
>>>
>>
>

From -7882850934810893349
X-Google-Thread: 108122,865a27ef959999db,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe06.lga.POSTED!53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: West Mountain Radio PWRgate -- What's inside?
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <sTETf.3680$366.977@fe06.lga>
X-Trace: dkoicekneficefklaibicbaciegliibapohceeilekjenbhmhmddohcnabgnacknkblahielgmpocbjfogcmapfnfkkinfaipamnncnbeecjcpnljdclkiecjalgjmcldcnk��
NNTP-Posting-Date: Mon, 20 Mar 2006 14:10:48 MST
Date: Mon, 20 Mar 2006 16:10:48 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:3157

Anybody opened up one of these PWRgate devices to see what's inside?

What diodes are they using? I can't find any 80A Schottky diodes in the Mouser catalog.

Does it consist of any more than two diodes, a resistor for the float-charge capability, the connectors and the heatsink?

"Perce"
(aka Alan NV8A)

From -9086387990643666071
X-Google-Thread: 108122,865a27ef959999db
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: West Mountain Radio PWRgate -- What's inside?
Date: Mon, 20 Mar 2006 21:26:11 -0600
Lines: 25
Message-ID: <489a2iFihg2qU1@individual.net>
References: <sTETf.3680$366.977@fe06.lga>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net owZqFVBci7uS8QEf45gs1Qt7rMhqBCIGI3dDoQ3DLeKTcT+HGV
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <sTETf.3680$366.977@fe06.lga>
Xref: g2news1.google.com rec.radio.amateur.equipment:3158

Percival P. Cassidy wrote:

> Anybody opened up one of these PWRgate devices to see what's inside?
>
> What diodes are they using? I can't find any 80A Schottky diodes in the
> Mouser catalog.
>
> Does it consist of any more than two diodes, a resistor for the
> float-charge capability, the connectors and the heatsink?
>
> "Perce"
> (aka Alan NV8A)

I would guess that it is 2 Schottky rectifiers back to back, with an additional resistor-diode across the pair to keep a float charge on the battery.....

The 203CNQxxx series from International rectifier comes to mind in this application, as basically it is one modual that is surface mounted...

Do a search for PWRgate, and go from there. You SHOULD be able to brew your own from the info found....

Bob N9LVU

From 5931487310919059069

```
X-Google-Thread: 1109af,b0ac398aaf99f235,start
X-Google-Thread: fc8b1,b0ac398aaf99f235,start
X-Google-Thread: 108122,b0ac398aaf99f235,start
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Mar 2006 21:34:28 -0600
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
From: k5dh@qsl.net (=K=5=D=H=)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Message-ID: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
Date: Mon, 20 Mar 2006 21:34:28 -0600
Lines: 95
NNTP-Posting-Host: 207.119.40.78
X-Trace: sv3-z7HI4Ceyg/
5PTzQbMlqBwqsQLW26vZtN7YuemitRSyXcVpp8NY9DGOh6HEHWp5l7DhrSzJEDrjABphS!
FZUJlAD60nChLPVf5JYoZB6y+k5Jsd2MlBMV1XumVSuvvz5Egua2Uj6oFK6MtujBn+r8qSRgb6SV!
Di4LusE2QtW1a4HGEZvwHQfx
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3165 rec.radio.amateur.boatanchors:3440
rec.radio.amateur.equipment:3159
```

WANTED: B-17G Flying Fortress radio equipment

This is a long message... please read it all!

The Vintage Flying Museum of Fort Worth, Texas, home of B-17G N3701G, "Chuckie", is seeking DONATIONS of any kind of radio and radar equipment that would have been used aboard B-17G's built from early-1944 on.

Our airplane is a B-17G-70-VE, serial number 44-8543A. She was built in January, 1944, by the Vega division of Lockheed (B-17G's were built by Boeing, Douglas, and Vega). She was converted to a "pathfinder" model, which means she had a radar set installed in place of the ball turret which allowed bombing through overcast. Very few Forts were converted for this mission, and it is possible that our Fort saw combat time over Europe. The combat records of the pathfinder Forts are still classified, so we may never know for sure.

Right now, the only original radio gear installed in the airplane is a BC-348-P receiver and shock mount. We need everything else. Some of the specific items we seek are the BC-375-E transmitter, tuning units TU-4B through TU-10B, BC-306 antenna matching unit, the wooded tuning unit storage rack that mounts to the rear bulkhead, ceramic feedthrough insulators, power and control connectors, and cables. We're also looking for command set transmitters, receivers, racks, cables, control boxes, spline cables (the LONG ones that will reach the flight deck ceiling), modulator, and so on.

Obviously, we are looking for NICE equipment that is in display condition because we display the airplane both in the Museum and at air shows and fly-ins. We'll certainly accept donations of "parts units", but the primary focus is on acquiring gear that looks good enough to be installed in the airplane. We want to impress our tour guests at the air shows with a great looking radio room! Do you have some surplus military WW2 airborne radios stashed in your garage or attic? Would you like to see them go to a good home? Please donate your equipment to VFM and help us restore the radio compartment in our beloved B-17! Any radios and accessories that we don't use in the airplane will be either put on display in the Museum's exhibit hall or sold off to generate money to help finance the effort (no matter how much gets donated, we'll still end up having to buy some stuff to complete the job!).

We are a small museum, and we have very limited funds available to spend on things that don't actually help us to keep the airplane flying. We are looking for DONATIONS of equipment. We are a 501-c-3 tax-exempt charitable organization, and we will provide a tax receipt for your donation.

"Chuckie" is one of approximately 15 B-17s worldwide that are still in flyable condition, and one of about 10 that is flown regularly. Please don't "bash" me if my numbers are off by a plane or two; the numbers go up and down as some Forts come out of restoration and others go down for heavy maintenance or retirement. She participated in the fabuluous Thunder Over Michigan air show in 2005 in which EIGHT of the remaining B-17 population were not only present at the show, but flew together! It was the largest gathering of civilian B-17s in history, and it may never be repeated.

Please visit the Museum's web site:

http://www.vintageflyingmuseum.org

I have been authorized by the Museum to be the focal point for this effort. Please address your messages directly to me.

We're also looking for a complete chin turret if you happen to have one stashed in your barn! Actually, we will graciously accept donations of ANY B-17 parts that you might have lying around.   :)

My final request is this: If you have nothing nice to say about this effort, please say nothing. If you are not a warbird fan, if you believe our effort is a waste of time and money, if you think we're "glorifying" war, if you think operating antique warplanes is dangerous and should be outlawed, etc, etc... you're entitled to your opinion, but I respectfully ask that you keep it to yourself.

Thanks and 73,
Dean Hemphill, K5DH
Vintage Flying Museum member

From 9147328163301613421
X-Google-Thread: 108122,4c4d777090c76f7f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: "PA3HGT" <tiswathe@blabla.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: NIB Spi-Ro Dipole 10-80mts Antenna
Date: Tue, 21 Mar 2006 09:07:01 +0100
Lines: 31
Message-ID: <489qfmFj3kf0U1@individual.net>
References: <7EESf.249822$oG.94481@dukeread02>
X-Trace: individual.net nRcdmPUIC3gGEwWfLGUxjQHoMpm094JAb6wsDUSVfmP+SSX3b7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:3160

Not found by Google here.

--
Met vriendelijke groet,

Hans Pluijgers
Hamcall: PA3HGT
www.pa3hgt.nl

```
>I have a brand new in the box Spi-Ro Trap Dipole Antenna,
> Model D-56 Professional Series. It sells new
> for $152.95. Type Spi-Po Antenna into Google and it will
> take you to their Webpage.
> This antenna has 6 traps and is 82 feet long. It handle
> up to 600 watts. It covers 10, 15, 20, 40, and 80 meters.
> I have the original instructions. It has never been out
> of the box or plastic shipping bag.
> Price is $92.95 and I will pay shipping in the lower 48.
> Thanks,
> Charlie Hugg, K5MBX
>
> --
> ________________________________
> See my Signal/One, Collins & Drake
> Photo Galleries and my Hallicrafters
> Virtual Museum at http://hug-a-bug.com
```

```
From 6255999416499073035
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe07.lga.POSTED!53ab2750!not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
Message-ID: <6dkv129ghoha2nbh7kpob55vd40jaf3vjv@4ax.com>
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>
<parametric_equation-53A8AE.04511216032006@shawnews>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
X-Trace:
pikkdiabbdefphapkjnjgkdajohnhghjacajebgfefhjgmghjhmplkekeojdkmlbenlknimjlbbjbmbbja
laagdnjgadoidilmccgooacellpdkondjmbnlkmlhalndibcfagklmiblliill
NNTP-Posting-Date: Tue, 21 Mar 2006 03:14:35 MST
Date: Tue, 21 Mar 2006 05:14:39 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:3161
```

On Thu, 16 Mar 2006 04:51:11 GMT, BMJ <parametric_equation@yahoo.com>

```
wrote:

>In article <k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>,
> Roger <Delete-Invallid.stuff.groups@tm.net> wrote:
>
>> On Tue, 14 Mar 2006 22:41:54 -0700, DESYNC DOMiNATiON
>> <abboud@beepme.com> wrote:
>>
>> >I am thinking about buying a VX-7R it seemes its a good radio. Anyone
>> >have any pros or cons on this..
>>
>> I like mine. It's relatively easy to program, works well, has been
>> rained on many times, and appears to be fairly rugged.
>>
>> I'm thinking about getting a second one.
>>
>> Roger Halstead (K8RI & ARRL life member)
>> (N833R, S# CD-2 Worlds oldest Debonair)
>> www.rogerhalstead.com
>
>I've got one, too, and it's terrific.  The only thing I haven't figured
>out is how to delete the contents of individual memories.  I can do it
>on my Yaesu base station, and it would be nice if I could do it for my
>HT.   Do you have any suggestions, others than completely resetting the
>radio?

I haven't tried that yet.  I usually have something to write over it,
but I did run into some thing strange.  Some how I managed to get the
"beep" turned on so every time I'd key it it'd send out a beep.  No
matter what I tried I couldn't ge tit to quite.  I need to download
the comander software.

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com


From -5260104608610540335
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.freenet.de!
feed20.multikabel.net!multikabel.net!feed10.multikabel.net!feeder1.cambrium.nl!
feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-03!sn-post-ams-01!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Ken Knapp" <notnotskyking@nep.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
Date: Tue, 21 Mar 2006 05:22:51 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <121vkvq2lt4ei91@corp.supernews.com>
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
```

<k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>
<parametric_equation-53A8AE.04511216032006@shawnews>
<6dkv129ghoha2nbh7kpob55vd40jaf3vjv@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 45
Xref: g2news1.google.com rec.radio.amateur.equipment:3162

Don't you have to mask the memories rather than erase? That's how it is on
my vx5 and vx6.

Ken

"Roger" <Delete-Invallid.stuff.groups@tm.net> wrote in message
news:6dkv129ghoha2nbh7kpob55vd40jaf3vjv@4ax.com...
> On Thu, 16 Mar 2006 04:51:11 GMT, BMJ <parametric_equation@yahoo.com>
> wrote:
>
>>In article <k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>,
>> Roger <Delete-Invallid.stuff.groups@tm.net> wrote:
>>
>>> On Tue, 14 Mar 2006 22:41:54 -0700, DESYNC DOMiNATiON
>>> <abboud@beepme.com> wrote:
>>>
>>> >I am thinking about buying a VX-7R it seemes its a good radio. Anyone
>>> >have any pros or cons on this..
>>>
>>> I like mine. It's relatively easy to program, works well, has been
>>> rained on many times, and appears to be fairly rugged.
>>>
>>> I'm thinking about getting a second one.
>>>
>>> Roger Halstead (K8RI & ARRL life member)
>>> (N833R, S# CD-2 Worlds oldest Debonair)
>>> www.rogerhalstead.com
>>
>>I've got one, too, and it's terrific. The only thing I haven't figured
>>out is how to delete the contents of individual memories. I can do it
>>on my Yaesu base station, and it would be nice if I could do it for my
>>HT.   Do you have any suggestions, others than completely resetting the
>>radio?
>
> I haven't tried that yet. I usually have something to write over it,
> but I did run into some thing strange. Some how I managed to get the
> "beep" turned on so every time I'd key it it'd send out a beep. No
> matter what I tried I couldn't ge tit to quite. I need to download
> the comander software.
>
> Roger Halstead (K8RI & ARRL life member)

> (N833R, S# CD-2 Worlds oldest Debonair)
> www.rogerhalstead.com

```
From 8505534607688928743
X-Google-Thread: 10660e,3c9d2c92fa61d088
X-Google-Thread: 10b299,3c9d2c92fa61d088
X-Google-Thread: 1108d7,3c9d2c92fa61d088
X-Google-Thread: 10944c,3c9d2c92fa61d088
X-Google-Thread: fcc6e,3c9d2c92fa61d088
X-Google-Thread: fc8b1,3c9d2c92fa61d088
X-Google-Thread: f7653,3c9d2c92fa61d088
X-Google-Thread: 11480d,3c9d2c92fa61d088
X-Google-Thread: 108122,3c9d2c92fa61d088
X-Google-Thread: fc2a5,3c9d2c92fa61d088
X-Google-Attributes:
gid10660e,gid10b299,gid1108d7,gid10944c,gidfcc6e,gidfc8b1,gidf7653,gid11480d,gid10
8122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 21 Mar 2006 06:31:25 -0600
From: "HankG" <hank@invalid.com>
Newsgroups:
rec.ponds,rec.puzzles,rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.an
tenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amate
ur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <%WwTf.3014$tT.1641@news01.roc.ny>
Subject: Re: Ink
Date: Tue, 21 Mar 2006 07:31:29 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <arydneEmFZSAb4LZnZ2dnUVZ_uqdnZ2d@comcast.com>
Lines: 14
NNTP-Posting-Host: 68.80.112.105
X-Trace: sv3-jWIiZ1mMJU6ZBMQDI4GPG64V4ZUY8E7GA8unyLjTR9rMvwtEtUxmRQ9mMG0iM4Qa71HQ/
23jUOrji29!
tHPIBPV2pQJ8PTq7Yj1f2LNjXHtU9VMFiasn81WfUXq2IjnpRE0I8QWpcQaYzRUfxQ8kU6J/DIbj!
8J5dkDbbkHkxilMBNik2
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.ponds:19369 rec.puzzles:6638
rec.puzzles.crosswords:1795 rec.pyrotechnics:9366 rec.radio.amateur.antenna:8176
rec.radio.amateur.boatanchors:3446 rec.radio.amateur.digital.misc:218
rec.radio.amateur.dx:1712 rec.radio.amateur.equipment:3163
rec.radio.amateur.homebrew:4363


<mshawjr@frontiernet.net> wrote in message
news:%WwTf.3014$tT.1641@news01.roc.ny...
> Sorry guys.  The spam stuff was not my intent.  I do oppoligies and won't
> happen again.  I have never been on newsgroups before and not sure how to
> work them. I hope you guys can forgive a bad choice.  Murphey

So how come I'm seeing repeat posts by you today?  Your 'response' smacks of
lies.  You really have to work on your English.  Next time, choose not to
crosspost to a dozen groups.  Murphey?  Really!

HankG





From 941104939677508619
X-Google-Thread: 108122,865a27ef959999db
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe03.lga.POSTED!53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: West Mountain Radio PWRgate -- What's inside?
References: <sTETf.3680$366.977@fe06.lga> <489a2iFihg2qU1@individual.net>
In-Reply-To: <489a2iFihg2qU1@individual.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 28
Message-ID: <dtTTf.3194$NN1.1842@fe03.lga>
X-Trace:
idmkcnjgmiagocdeoaeekpfpbkdmopbianebmiekagedogmfhmddohcnabgnacknhlbjpbippnceoinffk
chgdklbiopcbmofdplehmfknkjnkiflbfcjhidanddnjpejcmn�
NNTP-Posting-Date: Tue, 21 Mar 2006 06:46:49 MST
Date: Tue, 21 Mar 2006 08:46:50 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:3164

On 03/20/06 10:26 pm Robert Kubichek wrote:

>> Anybody opened up one of these PWRgate devices to see what's inside?
>>
>> What diodes are they using? I can't find any 80A Schottky diodes in
>> the Mouser catalog.
>>
>> Does it consist of any more than two diodes, a resistor for the
```

>> float-charge capability, the connectors and the heatsink?

> I would guess that it is 2 Schottky rectifiers back to back, with an
> additional resistor-diode across the pair to keep a float charge on the
> battery.....
>
> The 203CNQxxx series from International rectifier comes to mind in this
> application, as basically it is one modual that is surface mounted...
>
> Do a search for PWRgate, and go from there. You SHOULD be able to brew
> your own
> from the info found....

That's why I was asking. But why were you suggesting 200A diodes? I find that Newark has the 80A International Rectifier ones (and 80A is what WMR says is the rating of the diodes they are using) in stock, cheaper, and with a lower voltage drop. (I guess that Mouser for some reason simply doesn't handle IR products.)

"Perce" (aka Alan NV8A)

From -7868161463327720484
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!news.litech.org!not-for-mail
From: "Mike Andrews" <mikea@mikea.ath.cx>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Tue, 21 Mar 2006 14:44:59 +0000 (UTC)
Organization: Me?
Lines: 26
Sender: mikea@mikea.ath.cx
Message-ID: <dvp3ha$d39$1@puck.litech.org>
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1142952299 13417 68.15.203.64 (21 Mar 2006 14:44:59 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Tue, 21 Mar 2006 14:44:59 +0000 (UTC)
X-Headers-Location: ~/.tin/headers
X-Added-By: x_headers=<X-Headers-Location>
X-Not-Approved: root@example.org
User-Agent: tin/1.5.15-20021115 ("Spiders") (UNIX) (FreeBSD/4.6-RELEASE (i386))
Xref: g2news1.google.com rec.radio.swap:3168 rec.radio.amateur.boatanchors:3447 rec.radio.amateur.equipment:3165

In rec.radio.amateur.boatanchors =K=5=D=H= <k5dh@qsl.net> wrote:

> My final request is this: If you have nothing nice to
> say about this effort, please say nothing. If you are
> not a warbird fan, if you believe our effort is a waste
> of time and money, if you think we're "glorifying" war,
> if you think operating antique warplanes is dangerous
> and should be outlawed, etc, etc... you're entitled to
> your opinion, but I respectfully ask that you keep it
> to yourself.

Up to this point I agree with everything you have to say.

But I'll say what I please about your efforts, and defend to the death the right of others to say it, as well.

You don't have to like it, and you don't have to read it, either, but everyone else is as entitled to state his, her, or its opinions on old warbirds as you are.

That said, I hope you're successful in your quest.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin

```
From -4794716661341665046
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References:  <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node215-75-93-63.1dial.com
Message-ID: <44201fc1_3@newsfeed.slurp.net>
Date: 21 Mar 2006 10:46:09 -0500
X-Trace: newsfeed.slurp.net 1142955969 63.93.75.215 (21 Mar 2006 10:46:09 -0500)
Lines: 19
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.215
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3169 rec.radio.amateur.boatanchors:3450
rec.radio.amateur.equipment:3166
```

ORIGINAL MESSAGE:

=K=5=D=H= wrote:

> because we display the airplane
> both in the Museum and at air shows and fly-ins.

*********** REPLY SEPARATOR ***********

I'm appalled to see your group is flying this priceless airplane.
Sooner or later someone will crack it up and there will be one less for
future generations to see. Please put pressure on your group to ground
it permanently and preserve it forever so out great-great grandchildren
and all future generations can have the opportunity to see the real
thing and not some replica.

73, Bill W6WRT

From 7946820971650646912
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pd7cy2so!shaw.ca!pd7tw3no.POSTED!
53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.149.202.211
From: BMJ <parametric_equation@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>
<parametric_equation-53A8AE.04511216032006@shawnews>
<6dkv129ghoha2nbh7kpob55vd40jaf3vjv@4ax.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <parametric_equation-7DF10E.16224621032006@shawnews>
Lines: 20
Date: Tue, 21 Mar 2006 16:22:48 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw3no 1142958168 24.70.95.207 (Tue, 21 Mar 2006 09:22:48 MST)
NNTP-Posting-Date: Tue, 21 Mar 2006 09:22:48 MST
Organization: Shaw Residential Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:3167

In article <6dkv129ghoha2nbh7kpob55vd40jaf3vjv@4ax.com>,
Roger <Delete-Invallid.stuff.groups@tm.net> wrote:

<snip>

> >I've got one, too, and it's terrific. The only thing I haven't figured
> >out is how to delete the contents of individual memories. I can do it
> >on my Yaesu base station, and it would be nice if I could do it for my

> >HT.   Do you have any suggestions, others than completely resetting the
> >radio?
>
> I haven't tried that yet. I usually have something to write over it,
> but I did run into some thing strange. Some how I managed to get the
> "beep" turned on so every time I'd key it it'd send out a beep. No
> matter what I tried I couldn't ge tit to quite. I need to download
> the comander software.

Did you try "Basic Setup:9"? That sets the key beep.

<snip>

```
From -2269934510499730799
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!pd7cy1no!shaw.ca!pd7tw3no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.149.202.211
From: BMJ <parametric_equation@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>
<parametric_equation-53A8AE.04511216032006@shawnews>
<6dkv129ghoha2nbh7kpob55vd40jaf3vjv@4ax.com> <121vkvq2lt4ei91@corp.supernews.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <parametric_equation-CCBFFD.16264621032006@shawnews>
Lines: 28
Date: Tue, 21 Mar 2006 16:26:46 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw3no 1142958406 24.70.95.207 (Tue, 21 Mar 2006 09:26:46 MST)
NNTP-Posting-Date: Tue, 21 Mar 2006 09:26:46 MST
Organization: Shaw Residential Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:3168
```

In article <121vkvq2lt4ei91@corp.supernews.com>,
 "Ken Knapp" <notnotskyking@nep.net> wrote:

> Don't you have to mask the memories rather than erase? That's how it is on
> my vx5 and vx6.

I haven't tried that on my VX-7R, but I think that all the radio does is
skip over them when one, for example, scans through the memories.

By comparison, my FT-2800M base unit allows me to clear a specific
memory and then reprogram it later, if I wish. I've done that several
times when I programmed it for some of the repeaters in my local area.

<snip>

> >>I've got one, too, and it's terrific. The only thing I haven't figured
> >>out is how to delete the contents of individual memories. I can do it
> >>on my Yaesu base station, and it would be nice if I could do it for my
> >>HT.   Do you have any suggestions, others than completely resetting the
> >>radio?
> >
> > I haven't tried that yet. I usually have something to write over it,
> > but I did run into some thing strange. Some how I managed to get the
> > "beep" turned on so every time I'd key it it'd send out a beep. No
> > matter what I tried I couldn't ge tit to quite. I need to download
> > the comander software.

<snip>

From -3411897158471310788
X-Google-Thread: 108122,facc371c904d8f0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Me <Me@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Uniden SMU 300K (How to operate?)
Organization: Me and my shadow
References: <kpjs121g3ss7t2u8c05hdaksbe406n398b@4ax.com> <w42dne7YBdL7LYPZRVn-rg@comcast.com> <c5st12dseokrumbpf3ffb7bffrnp3692eh@4ax.com>
<X5GdnW2Ut5WEnILZnZ2dnUVZ_t6dnZ2d@comcast.com>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <Me-A12AB9.08335221032006@netnews.worldnet.att.net>
Lines: 18
Date: Tue, 21 Mar 2006 17:33:47 GMT
NNTP-Posting-Host: 12.12.208.56
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1142962427 12.12.208.56 (Tue, 21 Mar 2006 17:33:47 GMT)
NNTP-Posting-Date: Tue, 21 Mar 2006 17:33:47 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3169

In article <X5GdnW2Ut5WEnILZnZ2dnUVZ_t6dnZ2d@comcast.com>,
 "Noon-Air" <Noon-Air@comcast.net> wrote:

> > I noticed there is a local
> > business that uses this frequency range, can I have someone there test
> > it for me?
>
> Not unless they are a licensed technician.

Bzzzt, Wrong, would you like to try again for what is behind Door #3...

In the USofA, there hasn't been a requirement for Licensed Techs, for

at least 10 years, in Part 90 radio systems. The only Licensed Tech
requirments left in the USofA is for Part 80 (Marine) and Part 87
(Aircraft) Radio systems, and this is due to International Agreements
that the USofA is signitory.

Me

```
From 1264848086565483336
X-Google-Thread: 108122,865a27ef959999db
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: West Mountain Radio PWRgate -- What's inside?
Date: Tue, 21 Mar 2006 12:11:50 -0600
Lines: 39
Message-ID: <48atv6Fjbtr2U1@individual.net>
References: <sTETf.3680$366.977@fe06.lga> <489a2iFihg2qU1@individual.net>
<dtTTf.3194$NN1.1842@fe03.lga>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net edGd6z1uMqvQs9H5T/zXGgJxzxWsaIFnPIeMDf7wKLOXjKKL6u
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <dtTTf.3194$NN1.1842@fe03.lga>
Xref: g2news1.google.com rec.radio.amateur.equipment:3170
```

Percival P. Cassidy wrote:
> On 03/20/06 10:26 pm Robert Kubichek wrote:
>
>>> Anybody opened up one of these PWRgate devices to see what's inside?
>>>
>>> What diodes are they using? I can't find any 80A Schottky diodes in
>>> the Mouser catalog.
>>>
>>> Does it consist of any more than two diodes, a resistor for the
>>> float-charge capability, the connectors and the heatsink?
>
>
>> I would guess that it is 2 Schottky rectifiers back to back, with an
>> additional resistor-diode across the pair to keep a float charge on
>> the battery.....
>>
>> The 203CNQxxx series from International rectifier comes to mind in
>> this application, as basically it is one modual that is surface
>> mounted...

>>
>> Do a search for PWRgate, and go from there. You SHOULD be able to brew
>> your own
>> from the info found....
>
>
> That's why I was asking. But why were you suggesting 200A diodes? I find
> that Newark has the 80A International Rectifier ones (and 80A is what
> WMR says is the rating of the diodes they are using) in stock, cheaper,
> and with a lower voltage drop. (I guess that Mouser for some reason
> simply doesn't handle IR products.)
>
> "Perce" (aka Alan NV8A)

It's not the current rating, its the way you would mount the diodes, I just like
the idea of it being easier to isolate the circuit from the heatsink.... I
believe it's just a bit safer....

Bob N9LVU

From -9044537051978813154
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews6.bellsouth.net.POSTED!5d6458a7!not-for-mail
From: "Jerry" <joxendi@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
Subject: Re: new kenwood?
Lines: 43
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <L_ZTf.214$Pe.173@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcbobnkcamdkncmiooeojejghjdngcddchkoap
egbnpmopcejfolpopehcmiofknhkocdfomnljmeopaflfchcamgpolbnaapomohiggoficodkpomim
NNTP-Posting-Date: Tue, 21 Mar 2006 16:12:11 EST
Organization: BellSouth Internet Group
Date: Tue, 21 Mar 2006 16:15:29 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:3171

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:-86dnTEpFPA4ypPZRVn-pA@comcast.com...
> Whatever happenet to a simple to operate 100watt HF rig that transmits and

> recieves??... something in the way of an inexpensive, baseline, HAM band
> *only* rig... maybe along the lines of the re-production of the TS-130S.
>
> -n6ojn

In a nutshell it boils down to demand. Do you still drive a non-air conditioned, stickshift, non power steering, non power brake car? Right. Few other people do, either! If you had a choice for driving a 100 mile trip which would you choose, a 2006 Impala or a 1931 Model A Ford? Not trying to be a smart aleck, but it answers the question! :) People just don't want that anymore. Same applies to ham radios. I MUCH prefer my IC-706 MKIIG's to the old 85 lb transmitters and receivers of yore!

Best 74

Jerry
K4KWH

>
> "Hamguy" <hamguy@arrl.net> wrote in message
> news:Q6sPf.9091$jf2.7931@twister.nyroc.rr.com...
>> It's going to be a model that has 'D-Star' capability, like some of the
>> Icoms do.
>>
>>
>> "ml" <m@di.net> wrote in message
>> news:m-2C5580.15381607032006@news.verizon.net...
>>>i heard there might be a new kenwood rig out soon prob unv at dayton
>>>
>>> anyone have any skuttlebut on it or any links ?
>>>
>>> tnx
>>
>>
>
>

From 6262959439379948602
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!2ba31c29!not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

```
References:  <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <GT_Tf.7732$TK2.980@trnddc07>
Date: Tue, 21 Mar 2006 22:12:54 GMT
NNTP-Posting-Host: 72.65.136.14
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1142979174 72.65.136.14 (Tue, 21 Mar 2006 17:12:54 EST)
NNTP-Posting-Date: Tue, 21 Mar 2006 17:12:54 EST
Xref: g2news1.google.com rec.radio.swap:3171 rec.radio.amateur.boatanchors:3452
rec.radio.amateur.equipment:3172

Unreal...... Lemme guess, you collect boatanchors, restore them, then refuse
to power them up?
Someone once told me ham radio is a 'condition', not a hobby. I'm starting
to think he was right.
rb




"Bill Turner" <noway@nohow.com> wrote in message
news:44201fc1_3@newsfeed.slurp.net...
> ORIGINAL MESSAGE:
>
> =K=5=D=H= wrote:
>
>> because we display the airplane
>> both in the Museum and at air shows and fly-ins.
>
>
>
> *********** REPLY SEPARATOR ***********
>
> I'm appalled to see your group is flying this priceless airplane.
> Sooner or later someone will crack it up and there will be one less for
> future generations to see. Please put pressure on your group to ground
> it permanently and preserve it forever so out great-great grandchildren
> and all future generations can have the opportunity to see the real
> thing and not some replica.
>
> 73, Bill W6WRT



From 4551530189593336039
```

X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<L_ZTf.214$Pe.173@bignews6.bellsouth.net>
Subject: Re: new kenwood?
Lines: 62
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <zg%Tf.25$6a1.8@fed1read04>
Date: Tue, 21 Mar 2006 14:40:29 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1142980767 72.197.12.245 (Tue, 21 Mar 2006 17:39:27 EST)
NNTP-Posting-Date: Tue, 21 Mar 2006 17:39:27 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3173

Wow that hit the mark Jerry
I might add if you want a TS-130S kind radio -- buy a used one, have it restored if need be.
My experience with Hams is the young ones (computer savvy) have no problem with programming and menus, but lots of old timers seem to.

--
CL -- I doubt, therefore I might be !

"Jerry" <joxendi@bellsouth.net> wrote in message
news:L_ZTf.214$Pe.173@bignews6.bellsouth.net...
>
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:-86dnTEpFPA4ypPZRVn-pA@comcast.com...
>> Whatever happenet to a simple to operate 100watt HF rig that transmits
>> and recieves??... something in the way of an inexpensive, baseline, HAM
>> band *only* rig... maybe along the lines of the re-production of the
>> TS-130S.
>>
>> -n6ojn
>

>
> In a nutshell it boils down to demand. Do you still drive a non-air
> conditioned, stickshift, non power steering, non power brake car? Right.
> Few other people do, either! If you had a choice for driving a 100 mile
> trip which would you choose, a 2006 Impala or a 1931 Model A Ford? Not
> trying to be a smart aleck, but it answers the question! :) People just
> don't want that anymore. Same applies to ham radios. I MUCH prefer my
> IC-706 MKIIG's to the old 85 lb transmitters and receivers of yore!
>
> Best 74
>
> Jerry
> K4KWH
>
>>
>> "Hamguy" <hamguy@arrl.net> wrote in message
>> news:Q6sPf.9091$jf2.7931@twister.nyroc.rr.com...
>>> It's going to be a model that has 'D-Star' capability, like some of the
>>> Icoms do.
>>>
>>>
>>> "ml" <m@di.net> wrote in message
>>> news:m-2C5580.15381607032006@news.verizon.net...
>>>>i heard there might be a new kenwood rig out soon prob unv at dayton
>>>>
>>>> anyone have any skuttlebut on it or any links ?
>>>>
>>>> tnx
>>>
>>>
>>
>>
>
>

From -1620432272342933063
X-Google-Thread: 108122,865a27ef959999db
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: West Mountain Radio PWRgate -- What's inside?
Date: Tue, 21 Mar 2006 16:56:10 -0600
Lines: 51
Message-ID: <48bek9FjegjeU1@individual.net>
References: <sTETf.3680$366.977@fe06.lga> <489a2iFihg2qU1@individual.net>
<dtTTf.3194$NN1.1842@fe03.lga> <48atv6Fjbtr2U1@individual.net>
Mime-Version: 1.0

```
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net +FSz3qOSEl4g51fb2BB/2w3eO4dr48ZJZwQ49nyCnfixKLfKw5
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <48atv6Fjbtr2U1@individual.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:3174



Robert Kubichek wrote:
>
>
> Percival P. Cassidy wrote:
>
>> On 03/20/06 10:26 pm Robert Kubichek wrote:
>>
>>>> Anybody opened up one of these PWRgate devices to see what's inside?
>>>>
>>>> What diodes are they using? I can't find any 80A Schottky diodes in
>>>> the Mouser catalog.
>>>>
>>>> Does it consist of any more than two diodes, a resistor for the
>>>> float-charge capability, the connectors and the heatsink?
>>
>>
>>
>>> I would guess that it is 2 Schottky rectifiers back to back, with an
>>> additional resistor-diode across the pair to keep a float charge on
>>> the battery.....
>>>
>>> The 203CNQxxx series from International rectifier comes to mind in
>>> this application, as basically it is one modual that is surface
>>> mounted...
>>>
>>> Do a search for PWRgate, and go from there. You SHOULD be able to
>>> brew your own
>>> from the info found....
>>
>>
>>
>> That's why I was asking. But why were you suggesting 200A diodes? I
>> find that Newark has the 80A International Rectifier ones (and 80A is
>> what WMR says is the rating of the diodes they are using) in stock,
>> cheaper, and with a lower voltage drop. (I guess that Mouser for some
>> reason simply doesn't handle IR products.)
>>
>> "Perce" (aka Alan NV8A)
>
> It's not the current rating, its the way you would mount the diodes, I
> just like the idea of it being easier to isolate the circuit from the
> heatsink.... I believe it's just a bit safer....
```

>
> Bob N9LVU
Also, if you looked at the data sheet, at 80PIV 100A, the maximum vdrop is .7v
with .5v as the threshhold voltage...

Bob N9LVU

From 8332347805233532826
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!txtfeed1.tudelft.nl!tudelft.nl!txtfeed2.tudelft.nl!multikabel.net!feed20.multikabel.net!sn-ams-06!sn-xt-ams-04!sn-post-ams-02!sn-post-ams-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
Date: Tue, 21 Mar 2006 15:57:13 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <qk0122dekrqe5vs0gp2pi00ie2sv17io2o@4ax.com>
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<L_ZTf.214$Pe.173@bignews6.bellsouth.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 34
Xref: g2news1.google.com rec.radio.amateur.equipment:3175

On Tue, 21 Mar 2006 16:15:29 -0500, "Jerry" <joxendi@bellsouth.net>
wrote:

>
>"Noon-Air" <Noon-Air@comcast.net> wrote in message
>news:-86dnTEpFPA4ypPZRVn-pA@comcast.com...
>> Whatever happenet to a simple to operate 100watt HF rig that transmits and
>> recieves??... something in the way of an inexpensive, baseline, HAM band
>> *only* rig... maybe along the lines of the re-production of the TS-130S.
>>
>> -n6ojn
>
>
>In a nutshell it boils down to demand. Do you still drive a non-air
>conditioned, stickshift, non power steering, non power brake car? Right.
>Few other people do, either! If you had a choice for driving a 100 mile trip
>which would you choose, a 2006 Impala or a 1931 Model A Ford? Not trying to
>be a smart aleck, but it answers the question! :) People just don't want
>that anymore. Same applies to ham radios. I MUCH prefer my IC-706 MKIIG's to

>the old 85 lb transmitters and receivers of yore!
>
>Best 74
>
>Jerry
>K4KWH

Yes, but he has a point. Our cars have had those features since the fifties. Ham radio on the other hand, has gone crazy with the bells and whistles since that time. Just look at radios like the Icom 7800 and the Yaesu FT DX 9000MP ($12,000 for crying out loud.) I'll bet people who owns these things don't use half the knobs and buttons. The owner of a new Impala would probably use everything on the car.

Dick - W6CCD

From -7562470626471933986
X-Google-Thread: 108122,151d2757075e80a0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!inka.de!rz.uni-karlsruhe.de!news.uni-stuttgart.de!carbon.eu.sun.com!btnet-feed5!btnet!news.btopenworld.com!not-for-mail
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New Program. Transmission Line Transformers
Date: Wed, 22 Mar 2006 00:41:36 +0000 (UTC)
Organization: Private individual
Lines: 30
Message-ID: <dvq6g0$1sh$1@nwrdmz03.dmz.ncs.ea.ibs-infra.bt.com>
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
NNTP-Posting-Host: host86-143-78-225.range86-143.btcentralplus.com
X-Trace: nwrdmz03.dmz.ncs.ea.ibs-infra.bt.com 1142988096 1937 86.143.78.225 (22 Mar 2006 00:41:36 GMT)
X-Complaints-To: news-complaints@lists.btinternet.com
NNTP-Posting-Date: Wed, 22 Mar 2006 00:41:36 +0000 (UTC)
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MSMail-Priority: Normal
X-Priority: 3
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Xref: g2news1.google.com rec.radio.amateur.equipment:3176

There are two transmission lines in cascade plus a load impedance.

The first line can be considered to be the main line from the transmitter.

The second line can be considered to be an impedance matching transformer between the first line and the antenna.

What is the impedance and length of line in the transformer if the antenna feedpoint impedance is not purely resistive?

What are the input impedances of the two lines, R+jX ?

What percentage of transmitter power is dissipated in the two lines?
What is the overall power efficiency?

The answers can be found in new program TWOLINES.

SWR is not involved.

Download program TWOLINES from website below in a few seconds and run
immediately.
--
....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

From 1058116205712639247
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news-wrt-01.southeast.rr.com!news-
wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!news.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net>
In-Reply-To: <44201fc1_3@newsfeed.slurp.net>
Content-Type: multipart/alternative;
 boundary="------------060907050402080209000102"
Lines: 111
Message-ID: <J21Uf.91502$g47.26993@tornado.tampabay.rr.com>
Date: Wed, 22 Mar 2006 00:41:13 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1142988073 65.33.238.179 (Tue, 21 Mar 2006

```
19:41:13 EST)
NNTP-Posting-Date: Tue, 21 Mar 2006 19:41:13 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.swap:3173 rec.radio.amateur.boatanchors:3455
rec.radio.amateur.equipment:3177

This is a multi-part message in MIME format.
--------------060907050402080209000102
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit

So; if they don't fly it, don't keep it airworthy, what if a hurricane
comes along, does it just sit and wait to be ripped to shreds? More
power to them, if they fix it they should fly it. I know of a collector
of fine rare cars, he isn't  afraid to send them off to vintage races or
put them on the road.  I am also amazed how collectors rebuild from
almost zero remains, so even if it gets busted up...

Bill Turner wrote:

>ORIGINAL MESSAGE:
>
>=K=5=D=H= wrote:
>
>
>
>>because we display the airplane
>>both in the Museum and at air shows and fly-ins.
>>
>>
>
>
>
>*********** REPLY SEPARATOR ***********
>
>I'm appalled to see your group is flying this priceless airplane.
>Sooner or later someone will crack it up and there will be one less for
>future generations to see. Please put pressure on your group to ground
>it permanently and preserve it forever so out great-great grandchildren
>and all future generations can have the opportunity to see the real
>thing and not some replica.
>
>73, Bill W6WRT
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."
```

```
"Follow The Money"  ;-P



--------------060907050402080209000102
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
So; if they don't fly it, don't keep it airworthy, what if a hurricane
comes along, does it just sit and wait to be ripped to shreds? More
power to them, if they fix it they should fly it. I know of a collector
of fine rare cars, he isn't&nbsp; afraid to send them off to vintage races
or put them on the road.&nbsp; I am also amazed how collectors rebuild from
almost zero remains, so even if it gets busted up...<br>
<br>
Bill Turner wrote:<br>
<blockquote cite="mid44201fc1_3@newsfeed.slurp.net" type="cite">
  <pre wrap="">ORIGINAL MESSAGE:

=K=5=D=H= wrote:

  </pre>
  <blockquote type="cite">
    <pre wrap="">because we display the airplane
both in the Museum and at air shows and fly-ins.
    </pre>
  </blockquote>
  <pre wrap=""><!---->


*********** REPLY SEPARATOR ***********

I'm appalled to see your group is flying this priceless airplane.
Sooner or later someone will crack it up and there will be one less for
future generations to see. Please put pressure on your group to ground
it permanently and preserve it forever so out great-great grandchildren
and all future generations can have the opportunity to see the real
thing and not some replica.

73, Bill W6WRT
  </pre>
</blockquote>
<br>
<pre class="moz-signature" cols="72">--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"&copy;
```

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
</pre>
</body>
</html>

--------------060907050402080209000102--
```

```
From -7881533970503848618
X-Google-Thread: 108122,2e32aeecbbb9d36a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!wn11feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!7a5d3c59!not-for-mail
From: Jerry Franks <w4rf@att.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Ritron VHF lo-band handheld question
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 5
Message-ID: <2g1Uf.602041$qk4.10696@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 3e5cff62c8be1baab24320fd62d5de7d
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1142988926
3e5cff62c8be1baab24320fd62d5de7d (Wed, 22 Mar 2006 00:55:26 GMT)
NNTP-Posting-Date: Wed, 22 Mar 2006 00:55:26 GMT
Organization: AT&T Worldnet
Date: Wed, 22 Mar 2006 00:55:26 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3178
```

Does anyone know the crystal scheme for lo-band Ritron handhelds? These are older radios, shaped like a brick, 4 position frequency selector switch on bottom right. FCC ID AIE9QZRTE-054. The radios are currently crystalled for 49.22 xmt and 48.60 rec. I'd like to put them on the 6M band.
TIA

```
From 5934913328719193953
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
```

```
news.usenetserver.com!pc03.usenetserver.com!DIALUPUSA.NET!not-for-mail
From: "RST Engineering" <jim@rstengineering.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <J21Uf.91502$g47.26993@tornado.tampabay.rr.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Tue, 21 Mar 2006 17:04:37 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <79f6d$4420a2a7$42512fca$18141@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 13
X-Trace: 79f6d4420a2a7e7f48a6f18141
Xref: g2news1.google.com rec.radio.swap:3174 rec.radio.amateur.boatanchors:3457
rec.radio.amateur.equipment:3179

The only thing you have to have "original" on an aircraft is the data plate.
Everything else can be salvage, new parts, homebuilt parts, whatever.  The
data plate is the key.

Jim




>>  I am also amazed how collectors rebuild from almost zero remains, so
>> even if it gets busted >>up...




From -2419007316253310546
X-Google-Thread: 108122,64b743b27f1ca824,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!peer01.west.cox.net!
cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Mosley CL-33-M Beam
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <L_1Uf.30$KE1.22@dukeread02>
Date: Tue, 21 Mar 2006 19:45:16 -0600
NNTP-Posting-Host: 68.105.228.151
```

```
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142991915 68.105.228.151 (Tue, 21 Mar 2006 20:45:15 EST)
NNTP-Posting-Date: Tue, 21 Mar 2006 20:45:15 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3180
```

I have a like new condition Mosley Classic 33 HF Beam for sale. It the late model CL-33-M and currently sells for $650 from Mosley. It has great gain on 20, 15, and 10 meters. It has a 18 foot boom.This one was up for a little over a year and looks brand new. It has been taken down and is partially disassembled. It would be very easy to put it back together again since all pieces are color coded. It also would fit into a pickup truck for transportation. The price is $300 picked up. I don't want to ship it. Or I can meet someone within 100 miles of Abilene, Texas.
Thanks, Charlie Hugg, K5MBX

```
--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com
```

```
From 3960015397532869154
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news-wrt-01.southeast.rr.com!news-
wrt-01.tampabay.rr.com!news-feed-01.tampabay.rr.com!news.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <J21Uf.91502$g47.26993@tornado.tampabay.rr.com>
<79f6d$4420a2a7$42512fca$18141@DIALUPUSA.NET>
In-Reply-To: <79f6d$4420a2a7$42512fca$18141@DIALUPUSA.NET>
Content-Type: multipart/alternative;
 boundary="------------070907090802000107050107"
Lines: 92
Message-ID: <eU1Uf.91558$g47.30245@tornado.tampabay.rr.com>
Date: Wed, 22 Mar 2006 01:38:18 GMT
```

```
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1142991498 65.33.238.179 (Tue, 21 Mar 2006
20:38:18 EST)
NNTP-Posting-Date: Tue, 21 Mar 2006 20:38:18 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.swap:3176 rec.radio.amateur.boatanchors:3459
rec.radio.amateur.equipment:3181

This is a multi-part message in MIME format.
--------------070907090802000107050107
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit

Put the data plate in a safety deposit box and fly the plane!

RST Engineering wrote:

>The only thing you have to have "original" on an aircraft is the data plate.
>Everything else can be salvage, new parts, homebuilt parts, whatever.  The
>data plate is the key.
>
>Jim
>
>
>
>
>
>
>>> I am also amazed how collectors rebuild from almost zero remains, so
>>>even if it gets busted >>up...
>>>
>>>
>
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P



--------------070907090802000107050107
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Put the data plate in a safety deposit box and fly the plane!<br>
<br>
RST Engineering wrote:<br>
<blockquote cite="mid79f6d$4420a2a7$42512fca$18141@DIALUPUSA.NET"
 type="cite">
  <pre wrap="">The only thing you have to have "original" on an aircraft is the
data plate.
Everything else can be salvage, new parts, homebuilt parts, whatever.  The
data plate is the key.

Jim




  </pre>
  <blockquote type="cite">
    <blockquote type="cite">
      <pre wrap=""> I am also amazed how collectors rebuild from almost zero
remains, so
even if it gets busted &gt;&gt;up...
      </pre>
    </blockquote>
  </blockquote>
  <pre wrap=""><!---->

  </pre>
</blockquote>
<br>
<pre class="moz-signature" cols="72">--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"&copy;

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P

</pre>
</body>
</html>

--------------070907090802000107050107--


From -2488094816296505715
```

```
X-Google-Thread: 108122,64d42e6783c8c84a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Yaesu VX-5R HT
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <As2Uf.33$KE1.28@dukeread02>
Date: Tue, 21 Mar 2006 20:17:05 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142993824 68.105.228.151 (Tue, 21 Mar 2006 21:17:04 EST)
NNTP-Posting-Date: Tue, 21 Mar 2006 21:17:04 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3182

I am looking for a nice Yaesu VX-5R HT for my nephew who is about to get his
license. Please e-mail your best price and the condition of the HT. Thanks,
Charlie Hugg, K5MBX

--
--------------------------------
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com




From 3738259226808185787
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: "notallhamsareassholes" <nospam@hotmail.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <dvp3ha$d39$1@puck.litech.org>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.0000
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2600.0000
Message-ID: <6Z1Uf.269$T52.145551@news.sisna.com>
Date: Tue, 21 Mar 2006 17:43:31 -0800
NNTP-Posting-Host: 216.178.57.169
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1142991810 216.178.57.169 (Tue, 21 Mar 2006 18:43:30 MST)
NNTP-Posting-Date: Tue, 21 Mar 2006 18:43:30 MST
Organization: Internet News Service
X-Received-Date: Tue, 21 Mar 2006 18:43:30 MST (news.sisna.com)
Xref: g2news1.google.com rec.radio.swap:3178 rec.radio.amateur.boatanchors:3461
rec.radio.amateur.equipment:3183

For crying out loud Mike, was that TRULY necessary?



"Mike Andrews" <mikea@mikea.ath.cx> wrote in message
news:dvp3ha$d39$1@puck.litech.org...
> In rec.radio.amateur.boatanchors =K=5=D=H= <k5dh@qsl.net> wrote:
>
> > My final request is this:  If you have nothing nice to
> > say about this effort, please say nothing.  If you are
> > not a warbird fan, if you believe our effort is a waste
> > of time and money, if you think we're "glorifying" war,
> > if you think operating antique warplanes is dangerous
> > and should be outlawed, etc, etc... you're entitled to
> > your opinion, but I respectfully ask that you keep it
> > to yourself.
>
> Up to this point I agree with everything you have to say.
>
> But I'll say what I please about your efforts, and defend to the death
> the right of others to say it, as well.
>
> You don't have to like it, and you don't have to read it, either, but
> everyone else is as entitled to state his, her, or its opinions on old
> warbirds as you are.
>
> That said, I hope you're successful in your quest.
>
> --
> Mike Andrews, W5EGO
> mikea@mikea.ath.cx
> Tired old sysadmin





From 2702138634109822821
X-Google-Thread: 108122,eeb5414af08cb04e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
```

news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 21 Mar 2006 20:40:24 -0600
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Unknown VHF Radio. Looking for information
Date: Tue, 21 Mar 2006 18:40:21 -0800
Reply-To: gfiber@comcast.net
Message-ID: <k0e1221qis1oram88d8m865h5kkdmqdsk1@4ax.com>
References: <487dirFirmb1U1@individual.net>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
NNTP-Posting-Host: 24.19.188.39
X-Trace: sv3-vNFGnLLR/
N1yT7Jc8VU8GpqIXjT+TLar2JnQh0ntYzEqvt9wRwE0A5UG5+tn9TmUCkph9q9F+cvKoDP!
Infc31jr6szyUd4kDpmfUTO62Khb2lsf3MNTdIBGtl55cYrHB3firVtf+hR6Ls8AsZ/z48108Irj!
a19Inv0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3184

On Mon, 20 Mar 2006 11:13:27 +0100, Markus Baertschi
<markus@markus.org> wrote:

>
>I'm looking for information about a VHF radio of the 'Alpha' brand.
>
>I've got a picture, but no further info.
>http://www.markus.org/404779521.jpg
>
>A local HAM wants to sell it and I might be interested.
>
>Thanks Markus HB9VCD

Almost looks like a Kenwood 7400A with a different front panel, the
controls are similar. Kenwood did make products for other companies.

Gary K8IZ

From -2043392332704906328
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail

NNTP-Posting-Date: Tue, 21 Mar 2006 21:12:11 -0600
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
Date: Tue, 21 Mar 2006 19:12:08 -0800
Reply-To: gfiber@comcast.net
Message-ID: <tbe122ppar3ifsbuaq991no5sgh551j97v@4ax.com>
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<L_ZTf.214$Pe.173@bignews6.bellsouth.net>
<qk0122dekrqe5vs0gp2pi00ie2sv17io2o@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 72
NNTP-Posting-Host: 24.19.188.39
X-Trace: sv3-
mz0x1S5G4W92cLCDmZeUgCRNLc+YQcOYFEP6ZvStY5aLJyqzt8b+bNgzEO3zb46Fh7BLc84HKpkp3pj!
RnqK2OuXTvPYjTZxMO0fZa15KMvmw3VLeTucahB1s78ZjeATvUXkcZKU93fA0tbkITcSvxNs7JSb!
T6jxbjw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3185

On Tue, 21 Mar 2006 15:57:13 -0700, Dick <LeadWinger> wrote:

>On Tue, 21 Mar 2006 16:15:29 -0500, "Jerry" <joxendi@bellsouth.net>
>wrote:
>
>>
>>"Noon-Air" <Noon-Air@comcast.net> wrote in message
>>news:-86dnTEpFPA4ypPZRVn-pA@comcast.com...
>>> Whatever happenet to a simple to operate 100watt HF rig that transmits and
>>> recieves??... something in the way of an inexpensive, baseline, HAM band
>>> *only* rig... maybe along the lines of the re-production of the TS-130S.
>>>
>>> -n6ojn
>>
>>
>>In a nutshell it boils down to demand. Do you still drive a non-air
>>conditioned, stickshift, non power steering, non power brake car? Right.
>>Few other people do, either! If you had a choice for driving a 100 mile trip
>>which would you choose, a 2006 Impala or a 1931 Model A Ford? Not trying to
>>be a smart aleck, but it answers the question! :) People just don't want
>>that anymore. Same applies to ham radios. I MUCH prefer my IC-706 MKIIG's to
>>the old 85 lb transmitters and receivers of yore!
>>
>>Best 74

>>
>>Jerry
>>K4KWH
>
>Yes, but he has a point. Our cars have had those features since the
>fifties. Ham radio on the other hand, has gone crazy with the bells
>and whistles since that time. Just look at radios like the Icom 7800
>and the Yaesu FT DX 9000MP ($12,000 for crying out loud.) I'll bet
>people who owns these things don't use half the knobs and buttons.
>The owner of a new Impala would probably use everything on the car.
>
>Dick - W6CCD

I was sitting on the phone at Icom when the original 706 did not receive the weather channel very well. I can tell you the hams would not have it that way. I can remember hearing over and over an amateur transceiver that works in the 2 meter VHF range just has to be able to reveice the weather channel otherwise it was useless. Take the W32A, receives the weather channel like gang busters on the supplied rubber duck, it was done by design.

Someone came up with a as I remember the " Yellow " wire mod for the original 706. That mod actually enabled the 2 meter bandpass filter when tuning above 148 MHz where it was turned off stock form the factory.

Seems today's amateurs want a amateur transceiver and one that has a wide receive too. I have often wondered how many rigs would be sold if one could not alter the transmit range. Both seem to be pretty standard on the check lists when purchasing a new rig.

I purchased a brand new IC-730 in 1982 at Dayton. Then I longed for shortwave coverage and 10 FM. I did find an aftermarket FM board for it from a person at Dayton the next year or two It worked great.
So with a quadruple conversion receiver I was not real happy as I could not tune the shortwave bands. I now have an IC-718 and hardly ever tune outside of the ham bands now that I can. :)

I agree if the companies could build a nice helical filtered ham band only front ends the overload and adjcent channel complaints would go away mostly.

Its an interesting hobby and also to listen what users seem to want in a radio.

Thanks for the memories.

Gary K8IZ

From 37070661292200040
X-Google-Thread: 108122,64b743b27f1ca824
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!2ca1ff02!
not-for-mail
From: Jim Chandler <n427c@gte.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Mosley CL-33-M Beam
References: <L_1Uf.30$KE1.22@dukeread02>
In-Reply-To: <L_1Uf.30$KE1.22@dukeread02>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 23
Message-ID: <Xr3Uf.3212$4N1.1663@trnddc06>
Date: Wed, 22 Mar 2006 03:24:39 GMT
NNTP-Posting-Host: 71.105.121.182
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1142997879 71.105.121.182 (Tue, 21 Mar 2006 22:24:39 EST)
NNTP-Posting-Date: Tue, 21 Mar 2006 22:24:39 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:3186

Charlie Hugg wrote:

> I have a like new condition Mosley Classic 33 HF Beam for sale. It the late
> model CL-33-M and currently sells for $650 from Mosley. It has great gain on
> 20, 15, and 10 meters. It has a 18 foot boom.This one
> was up for a little over a year and looks brand new. It has been taken down
> and is partially disassembled. It would be very easy to put it back together
> again since all pieces are color coded. It also would fit into a
> pickup truck for transportation. The price is $300 picked up. I don't want
> to ship it. Or I can meet someone within 100 miles of Abilene, Texas.
> Thanks, Charlie Hugg, K5MBX
>

What're you doing, Charlie, getting out of the ham business?  Are you
planning to be in Abilene at the end of July?  If so I'd like to meet up
with you.  I'll be there for the 774th TAS re-union, celebrating (?) the
20th anniversary of the deactivation of the squadron.  I was there from
'79 - Jan '85 and had some great times there.  Member of the KCARC, and
all that.  If you still have the MC-50 when I get there I might be
interested in relieving you of it.

Jim Chandler
N5COT


From -6409079859327757002
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
```

```
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.com.POSTED!d43fbeea!not-for-mail
From: "Dave Stadt" <dhstadt@ameritech.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References:  <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <Cx5Uf.46385$206.18615@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 67.37.129.45
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1143006434 ST000 67.37.129.45 (Wed, 22 Mar
2006 00:47:14 EST)
NNTP-Posting-Date: Wed, 22 Mar 2006 00:47:14 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
TSUGG\GDFBSQBTX[NKK^_T\B\JYL@DHLLBWLOOAFEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Wed, 22 Mar 2006 05:47:14 GMT
Xref: g2news1.google.com rec.radio.swap:3179 rec.radio.amateur.boatanchors:3464
rec.radio.amateur.equipment:3187
```

"Bill Turner" <noway@nohow.com> wrote in message
news:44201fc1_3@newsfeed.slurp.net...

> ORIGINAL MESSAGE:
>
> =K=5=D=H= wrote:
>
>> because we display the airplane
>> both in the Museum and at air shows and fly-ins.
>
>
>
> *********** REPLY SEPARATOR ***********
>
> I'm appalled to see your group is flying this priceless airplane.
> Sooner or later someone will crack it up and there will be one less for
> future generations to see. Please put pressure on your group to ground
> it permanently and preserve it forever so out great-great grandchildren
> and all future generations can have the opportunity to see the real

> thing and not some replica.
>
> 73, Bill W6WRT

An airplane that is not flown is so much scrap metal. They were designed
and built to be flown and in the air is where they belong. If someone wants
a static display let them build a replica.

```
From 4019235336373238765
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews3.bellsouth.net.POSTED!725764fe!not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
In-Reply-To: <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 32
Message-ID: <xJ5Uf.2347$lM3.2096@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcboobkkomhjnjbdmgcnmjihiicpdckileondp
ppjogbjbibpomhbmdiefbclnenehifoapdjinoploeaipigbeccjjcmdcenhlknaldkljeplihjnep
NNTP-Posting-Date: Wed, 22 Mar 2006 00:59:57 EST
Organization: BellSouth Internet Group
Date: Wed, 22 Mar 2006 00:03:23 -0600
Xref: g2news1.google.com rec.radio.swap:3181 rec.radio.amateur.boatanchors:3465
rec.radio.amateur.equipment:3188
```

Dave Stadt wrote:
> "Bill Turner" <noway@nohow.com> wrote in message
> news:44201fc1_3@newsfeed.slurp.net...
>> ORIGINAL MESSAGE:
>>
>> =K=5=D=H= wrote:
>>
>>> because we display the airplane
>>> both in the Museum and at air shows and fly-ins.

>>
>>
>> *********** REPLY SEPARATOR ***********
>>
>> I'm appalled to see your group is flying this priceless airplane.
>> Sooner or later someone will crack it up and there will be one less for
>> future generations to see. Please put pressure on your group to ground
>> it permanently and preserve it forever so out great-great grandchildren
>> and all future generations can have the opportunity to see the real
>> thing and not some replica.
>>
>> 73, Bill W6WRT
>
> An airplane that is not flown is so much scrap metal. They were designed
> and built to be flown and in the air is where they belong. If someone wants
> a static display let them build a replica.
>
>
>

Hear! Hear!

jak

```
From 8869514591885913980
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews3.bellsouth.net.POSTED!725764fe!not-for-mail
From: jakdedert <jakdedert@bellsouth.net>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$206.18615@newssvr12.news.prodigy.com>
In-Reply-To: <Cx5Uf.46385$206.18615@newssvr12.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 35
Message-ID: <QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
```

```
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcbopjmiigoioncppmaadcjmbjegddpmonckdp
ppjogbjbibpomhbmdiefbclnenehifoapdjinoploeaipimehccnmebhbkfnipgffkmbnnajbjhoka
NNTP-Posting-Date: Wed, 22 Mar 2006 01:03:28 EST
Organization: BellSouth Internet Group
Date: Wed, 22 Mar 2006 00:06:53 -0600
Xref: g2news1.google.com rec.radio.swap:3182 rec.radio.amateur.boatanchors:3466
rec.radio.amateur.equipment:3189

Dave Stadt wrote:
> "Bill Turner" <noway@nohow.com> wrote in message
> news:44201fc1_3@newsfeed.slurp.net...
>> ORIGINAL MESSAGE:
>>
>> =K=5=D=H= wrote:
>>
>>> because we display the airplane
>>> both in the Museum and at air shows and fly-ins.
>>
>>
>> *********** REPLY SEPARATOR ***********
>>
>> I'm appalled to see your group is flying this priceless airplane.
>> Sooner or later someone will crack it up and there will be one less for
>> future generations to see. Please put pressure on your group to ground
>> it permanently and preserve it forever so out great-great grandchildren
>> and all future generations can have the opportunity to see the real
>> thing and not some replica.
>>
>> 73, Bill W6WRT
>
> An airplane that is not flown is so much scrap metal.  They were designed
> and built to be flown and in the air is where they belong.  If someone wants
> a static display let them build a replica.
>
>
>
Add to that the fact that this 'priceless airplane' is only such
*because* this group invested heavily in its existence.  Without their
contribution of time, effort, money and hardship, it would--in
fact--(still) be only so much scrap metal.

jak




From -6097242682971829345
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
```

```
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Mar 2006 08:28:28 -0600
Date: Wed, 22 Mar 2006 09:28:28 -0500
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8) Gecko/20051202
SeaMonkey/1.0b
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$206.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
In-Reply-To: <QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net>
Lines: 28
NNTP-Posting-Host: 66.44.104.14
X-Trace: sv3-wRiqg0pr8Xuaxon17r5fCF+PVF5KQ3V1/
HVggujIYKKHKIyPViHvnjA2ZhIvRuAWyL8aEGKRT3iZ38A!YpYH3g+d06HQxeoJQ/
Fbi8HWpNF10zCBMo+6gfZPl3pEqLlzXS2dC14FMUuC8pE5rSA2PDhiKbtY
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3187 rec.radio.amateur.boatanchors:3471
rec.radio.amateur.equipment:3190

>>> *********** REPLY SEPARATOR ***********
>>>
>>> I'm appalled to see your group is flying this priceless airplane.
>>> Sooner or later someone will crack it up and there will be one less for
>>> future generations to see. Please put pressure on your group to ground
>>> it permanently and preserve it forever so out great-great grandchildren
>>> and all future generations can have the opportunity to see the real
>>> thing and not some replica.
>>>
>>> 73, Bill W6WRT
>>
>> An airplane that is not flown is so much scrap metal.  They were
>> designed and built to be flown and in the air is where they belong.
>> If someone wants a static display let them build a replica.
>>
>>
> Add to that the fact that this 'priceless airplane' is only such
> *because* this group invested heavily in its existence.  Without their
> contribution of time, effort, money and hardship, it would--in
> fact--(still) be only so much scrap metal.
>
> jak
```

```
Y'all don't suppose that Bill posted his little rebuttal simply
because the OP politely asked him not to?  Something about "stirring the pot"
comes to mind.

-Chuck


From -5864305515579148674
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.litech.org!not-for-
mail
From: "Mike Andrews" <mikea@mikea.ath.cx>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Wed, 22 Mar 2006 16:47:41 +0000 (UTC)
Organization: Me?
Lines: 45
Sender: mikea@mikea.ath.cx
Message-ID: <dvrv3d$eos$4@puck.litech.org>
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <dvp3ha$d39$1@puck.litech.org>
<6Z1Uf.269$T52.145551@news.sisna.com>
NNTP-Posting-Host: mikea.ath.cx
X-Trace: puck.litech.org 1143046061 15132 68.15.203.64 (22 Mar 2006 16:47:41 GMT)
X-Complaints-To: usenet@litech.org
NNTP-Posting-Date: Wed, 22 Mar 2006 16:47:41 +0000 (UTC)
X-Headers-Location: ~/.tin/headers
X-Added-By: x_headers=<X-Headers-Location>
X-Not-Approved: root@example.org
User-Agent: tin/1.5.15-20021115 ("Spiders") (UNIX) (FreeBSD/4.6-RELEASE (i386))
Xref: g2news1.google.com rec.radio.swap:3188 rec.radio.amateur.boatanchors:3472
rec.radio.amateur.equipment:3191

In rec.radio.amateur.boatanchors notallhamsareassholes <nospam@hotmail.com> wrote:

> "Mike Andrews" <mikea@mikea.ath.cx> wrote in message
> news:dvp3ha$d39$1@puck.litech.org...
>> In rec.radio.amateur.boatanchors =K=5=D=H= <k5dh@qsl.net> wrote:
>>
>> > My final request is this:  If you have nothing nice to
>> > say about this effort, please say nothing.  If you are
>> > not a warbird fan, if you believe our effort is a waste
>> > of time and money, if you think we're "glorifying" war,
>> > if you think operating antique warplanes is dangerous
>> > and should be outlawed, etc, etc... you're entitled to
>> > your opinion, but I respectfully ask that you keep it
>> > to yourself.
>>
```

>> Up to this point I agree with everything you have to say.
>>
>> But I'll say what I please about your efforts, and defend to the death
>> the right of others to say it, as well.
>>
>> You don't have to like it, and you don't have to read it, either, but
>> everyone else is as entitled to state his, her, or its opinions on old
>> warbirds as you are.
>>
>> That said, I hope you're successful in your quest.

> For crying out loud Mike, was that TRULY necessary?

I think it was. Usenet is in many ways the equivalent of Speakers'
Corner in Hyde Park, London. omeone trying to foreclose comment on
his project, after he posts about it on Usenet, is in the position
of telling the folks around him at Speakers' Corner that they can
listen or not, aas they please, but they aren't to comment.

I've been doing this Usenet stuff, for work (mostly) and play since
1983 or so, well before hoi polloi had access to the big-I Internet,
and I want to keep its open flavor intact.

You have the right to have a different opinion, and (unlike k5dh), I
won't ask you to keep it to yourself.

--
Mike Andrews, W5EGO
mikea@mikea.ath.cx
Tired old sysadmin

```
From 2734650224662595453
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node165-75-93-63.1dial.com
Message-ID: <44219f62$1_5@newsfeed.slurp.net>
Date: 22 Mar 2006 14:02:58 -0500
X-Trace: newsfeed.slurp.net 1143054178 63.93.75.165 (22 Mar 2006 14:02:58 -0500)
Lines: 16
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.165
Path: g2news1.google.com!news3.google.com!news.glorb.com!router2.astraweb.com!
```

news.astraweb.com!router1.astraweb.com!news.alt.net!newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3190 rec.radio.amateur.boatanchors:3474 rec.radio.amateur.equipment:3192

ORIGINAL MESSAGE:

Woody wrote:

> Unreal...... Lemme guess, you collect boatanchors, restore them, then
> refuse to power them up? Someone once told me ham radio is a
> 'condition', not a hobby. I'm starting to think he was right. rb

*********** REPLY SEPARATOR ***********

Get real, rb. If someone powers up a boatanchor, it will never end up splattered all over a hillside somewhere. Get it?

Bill, W6WRT

From -2399879046189956767
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net> <44201fc1_3@newsfeed.slurp.net> <J21Uf.91502$g47.26993@tornado.tampabay.rr.com>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node165-75-93-63.1dial.com
Message-ID: <44219fba$1_4@newsfeed.slurp.net>
Date: 22 Mar 2006 14:04:26 -0500
X-Trace: newsfeed.slurp.net 1143054266 63.93.75.165 (22 Mar 2006 14:04:26 -0500)
Lines: 19
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.165
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.moat.net!newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3191 rec.radio.amateur.boatanchors:3475 rec.radio.amateur.equipment:3193

ORIGINAL MESSAGE:

THE-RFI-EMI-GUY wrote:

> So; if they don't fly it, don't keep it airworthy, what if a

> hurricane comes along, does it just sit and wait to be ripped to
> shreds? More power to them, if they fix it they should fly it. I know
> of a collector of fine rare cars, he isn't afraid to send them off
> to vintage races or put them on the road. I am also amazed how
> collectors rebuild from almost zero remains, so even if it gets
> busted up...

*********** REPLY SEPARATOR ***********

Yes, I know stupid, self-centered people too. What's your point?

Bill, W6WRT

From -5588572524049436284
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$206.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net>
User-Agent: XanaNews/1.17.5.2
MIME-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
NNTP-Posting-Host: node165-75-93-63.1dial.com
Message-ID: <4421a0fb$1_2@newsfeed.slurp.net>
Date: 22 Mar 2006 14:09:47 -0500
X-Trace: newsfeed.slurp.net 1143054587 63.93.75.165 (22 Mar 2006 14:09:47 -0500)
Lines: 23
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.165
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.moat.net!
newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3192 rec.radio.amateur.boatanchors:3476
rec.radio.amateur.equipment:3194

ORIGINAL MESSAGE:

Chuck Harris wrote:

> Y'all don't suppose that Bill posted his little rebuttal simply
> because the OP politely asked him not to? Something about "stirring
> the pot" comes to mind.
>

> -Chuck

*********** REPLY SEPARATOR ***********

No, Bill posted his little rebuttal because he thinks the OP is an idiot but hopes he will come to his senses anyway.

Throughout history there have been many irreplaceable treasures lost because nobody thought future generations would might like to see the original instead of a replica. A real, genuine B-17 is a priceless relic of an age that will never be repeated. Save it.

Mr Bill

```
From 2103102500299641341
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Mar 2006 14:51:46 -0600
Date: Wed, 22 Mar 2006 15:51:46 -0500
From: Chuck Harris <cf-NO-SPAM-harris@erols.com>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8) Gecko/20051202
SeaMonkey/1.0b
MIME-Version: 1.0
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net> <4421a0fb$1_2@newsfeed.slurp.net>
In-Reply-To: <4421a0fb$1_2@newsfeed.slurp.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <saudnQBSi-t-JbzZnZ2dnUVZ_s2dnZ2d@rcn.net>
Lines: 45
NNTP-Posting-Host: 66.44.104.14
X-Trace: sv3-ofJABpYOTdsg2JbtfcBHi7AT/
dOE7j3hMftJFT3mRrXii5tWjGxayWzEqQnWiVJAFv037W8HGrgQgeZ!
2jcPmWcKxqaLI9YOTxLQHXcLCxkAUtfl9wFSuwJ6F/FKR9ppgKlFtfLQG0q6KcwLJNyyNUYwXZTA
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

```
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3193 rec.radio.amateur.boatanchors:3479
rec.radio.amateur.equipment:3195

Bill Turner wrote:
> ORIGINAL MESSAGE:
>
> Chuck Harris wrote:
>
>> Y'all don't suppose that Bill posted his little rebuttal simply
>> because the OP politely asked him not to?  Something about "stirring
>> the pot" comes to mind.
>>
>> -Chuck
>
>
>
> *********** REPLY SEPARATOR ***********
>
> No, Bill posted his little rebuttal because he thinks the OP is an
> idiot but hopes he will come to his senses anyway.
>
> Throughout history there have been many irreplaceable treasures lost
> because nobody thought future generations would might like to see the
> original instead of a replica. A real, genuine B-17 is a priceless
> relic of an age that will never be repeated. Save it.
>
> Mr Bill

Well, I am sorry to hear that Bill.  You obviously aren't familiar
with the major causes of loss in restorable antique aircraft:

(In approximate order)

1) lack of people willing to pay for restoration
2) hanger fires
3) natural disasters.

I have seen a few rare aircraft that have crashed, and guess what?
As soon as they get the pilot out, they go back into restoration.

There seems to be loads of money available to restore antique aircraft
to flight, but little available for restoration to static display.

And in my opinion, that is exactly how it should be.  Whoever pays
the freight gets to decide how the plane is used.  Everyone else
is just a spectator.

-Chuck


From -4949897121072495828
X-Google-Thread: 1109af,b0ac398aaf99f235
```

```
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!d43fbeea!not-for-mail
From: "Dave Stadt" <dhstadt@ameritech.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net> <4421a0fb$1_2@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <1ViUf.3015$4L1.208@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 67.37.129.32
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1143061181 ST000 67.37.129.32 (Wed, 22 Mar
2006 15:59:41 EST)
NNTP-Posting-Date: Wed, 22 Mar 2006 15:59:41 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
OHXCRWWGTBW[CFLYCJJ@^RDBPR\VPBQLGPQRZQ]KEYUNDQUCCNSUAACY@L[ZX__HGFD]JBJNSFXTOOGA_V
WY^_HG@FW_HUTHOH]TBPGCO\P^PLP^@[GLHUK@WLECKFVL^TYG[@RMWQXIWM[SDDYWNLG_G[_BWUCHFY_Y
@AS@Q[B\APPF@DCZM_PG_VSCPQZM
Date: Wed, 22 Mar 2006 20:59:41 GMT
Xref: g2news1.google.com rec.radio.swap:3194 rec.radio.amateur.boatanchors:3480
rec.radio.amateur.equipment:3196
```

"Bill Turner" <noway@nohow.com> wrote in message
news:4421a0fb$1_2@newsfeed.slurp.net...
> ORIGINAL MESSAGE:
>
> Chuck Harris wrote:
>
>> Y'all don't suppose that Bill posted his little rebuttal simply
>> because the OP politely asked him not to? Something about "stirring
>> the pot" comes to mind.
>>
>> -Chuck
>
>
>
> *********** REPLY SEPARATOR ***********

>
> No, Bill posted his little rebuttal because he thinks the OP is an
> idiot but hopes he will come to his senses anyway.
>
> Throughout history there have been many irreplaceable treasures lost
> because nobody thought future generations would might like to see the
> original instead of a replica. A real, genuine B-17 is a priceless
> relic of an age that will never be repeated. Save it.
>
> Mr Bill

If you feel that way you should purchase them and put them in a museum.
Most would not have survived and will not survive without the intent to fly.
Not much money available for the restoration of static displays. Lotsa
money available for flying restorations. Glaicer girl is an excellent
example.

```
From 6921536518006538258
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!2ba31c29!not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 53
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <E6jUf.14024$bu.7926@trnddc04>
Date: Wed, 22 Mar 2006 21:14:12 GMT
NNTP-Posting-Host: 72.65.143.160
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1143062052 72.65.143.160 (Wed, 22 Mar 2006 16:14:12 EST)
NNTP-Posting-Date: Wed, 22 Mar 2006 16:14:12 EST
Xref: g2news1.google.com rec.radio.swap:3195 rec.radio.amateur.boatanchors:3481
rec.radio.amateur.equipment:3197
```

Heh, I'm as real as it gets, brother.
So you do collect boatanchors? Do you also have an attic full of empty radio

boxes? I'm betting you do.
But that's your choice, now isn't it? And nothing wrong with it.

On the power-up thing,
I disagree, citing that it depends on how much power is applied to it.....
:-)
Or it could catch fire and burn to the desk... or the ground... or if it
were donated to a B-17 restoration, it could very
well end up splattered all over a hillside somewhere... LOL.

And yes, *I* get it.... enjoy what you have or what's the sense in having
it??
Moth-ball a vintage plane in Tucson, AZ or some museum, and I'll NEVER get
to see it. Fly it to my local fly-in and I do...
[said while gazing up at the photo of my daughter sitting left-seat in the
Texas Raiders 17g when it was HERE at a fly-in.]

Everything is disposable and it certainly doesn't transgress to the 'other
side'.

Use it or lose it; 'cuz cars are for driving, radios are for driveling into,
and an aircraft is for flying.

There's a fine line between being a
keep-the-box-because-it-matters-to-other-boxkeepers packrat, and preserving
history.

Do *you* get it??
rb

"Bill Turner" <noway@nohow.com> wrote in message
news:44219f62$1_5@newsfeed.slurp.net...
> ORIGINAL MESSAGE:
>
> Woody wrote:
>
>> Unreal...... Lemme guess, you collect boatanchors, restore them, then
>> refuse to power them up? Someone once told me ham radio is a
>> 'condition', not a hobby. I'm starting to think he was right. rb
>
>
>
> ************ REPLY SEPARATOR ************
>
> Get real, rb. If someone powers up a boatanchor, it will never end up
> splattered all over a hillside somewhere. Get it?
>
> Bill, W6WRT

```
From 939876879717252386
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!2ba31c29!not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net> <4421a0fb$1_2@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <8rjUf.8669$vy.3628@trnddc01>
Date: Wed, 22 Mar 2006 21:36:04 GMT
NNTP-Posting-Host: 72.65.143.160
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1143063364 72.65.143.160 (Wed, 22 Mar 2006 16:36:04 EST)
NNTP-Posting-Date: Wed, 22 Mar 2006 16:36:04 EST
Xref: g2news1.google.com rec.radio.swap:3196 rec.radio.amateur.boatanchors:3482
rec.radio.amateur.equipment:3198

Wow... didn't realize the scope of this...
In that case, it seems there are plenty of people here who think you are an
idiot also.
So agree to disagree and be done with it.
rb


"Bill Turner" <noway@nohow.com> wrote in message
news:4421a0fb$1_2@newsfeed.slurp.net...
> ORIGINAL MESSAGE:
>
> Chuck Harris wrote:
>
>> Y'all don't suppose that Bill posted his little rebuttal simply
>> because the OP politely asked him not to?  Something about "stirring
>> the pot" comes to mind.
>>
>> -Chuck
>
>
>
```

```
> *********** REPLY SEPARATOR ***********
>
> No, Bill posted his little rebuttal because he thinks the OP is an
> idiot but hopes he will come to his senses anyway.
>
> Throughout history there have been many irreplaceable treasures lost
> because nobody thought future generations would might like to see the
> original instead of a replica. A real, genuine B-17 is a priceless
> relic of an age that will never be repeated. Save it.
>
> Mr Bill
```

```
From -2221854609517779960
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.wightman.ca!
news.wightman.ca.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Mar 2006 16:23:51 -0600
From: "Spokesman" <his@spam.net>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <J21Uf.91502$g47.26993@tornado.tampabay.rr.com>
<44219fba$1_4@newsfeed.slurp.net>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Date: Wed, 22 Mar 2006 17:23:48 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <8e-dnd0IH_3lU7zZnZ2dnUVZ_tadnZ2d@wightman.ca>
Lines: 30
NNTP-Posting-Host: 216.110.228.157
X-Trace: sv3-0dkb4PtRElbd6GXmo13NesIZrUjPLmS833oiJA7iyiwG/6C/
Y4d1LCFhgj5wWfyi92AFvvE3yfsTdZn!+qgZTfP7Z/
MA3dp+Jj1SLN1JG0cHBcke9lpNSONsKGgcH2hxWbEZCbg87BHoZFMb6hxjtue7V8Bl!
EQNGkOBrIULcrmE=
X-Complaints-To: abuse@wightman.ca
X-DMCA-Complaints-To: abuse@wightman.ca
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:3197 rec.radio.amateur.boatanchors:3483
rec.radio.amateur.equipment:3199
```

```
"Bill Turner" <noway@nohow.com> wrote in message
news:44219fba$1_4@newsfeed.slurp.net...
> ORIGINAL MESSAGE:
>
> **THE-RFI-EMI-GUY** wrote:
>
> > So; if they don't fly it, don't keep it airworthy, what if a
> > hurricane comes along, does it just sit and wait to be ripped to
> > shreds? More power to them, if they fix it they should fly it. I know
> > of a collector of fine rare cars, he isn't  afraid to send them off
> > to vintage races or put them on the road.  I am also amazed how
> > collectors rebuild from almost zero remains, so even if it gets
> > busted up...
>
>
>
> *********** REPLY SEPARATOR ***********
>
> Yes, I know stupid, self-centered people too. What's your point?

Bill, are you looking in the mirror as you post?





>
> Bill, W6WRT





From 5257172346062608133
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe05.lga.POSTED!53ab2750!not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
Message-ID: <j6q3225pp9ahiuaefkilv0dp09npgghb6e@4ax.com>
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<vR%Sf.42494$l04.8575@fe09.news.easynews.com> <kc1ih-603035.00251119032006@sn-
indi.vsrv-sjc.supernews.net> <WJeTf.12762$Uc2.7161@fed1read04>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Trace:
```

```
nghlfjfcphhogbndgekfbdeflnkcpfdggmbfplhgjmmpolajjhmplkekeojdkmlbdhdefombdflfafjpcc
bblialgdadoijfnppnmmmpdmfjfmonbbkjokfpadcgfdalbcfagklmibllijll
NNTP-Posting-Date: Wed, 22 Mar 2006 17:17:15 MST
Date: Wed, 22 Mar 2006 19:17:22 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:3200

On Sun, 19 Mar 2006 07:26:42 -0800, "Caveat Lector"
<UALLBeware@9984reader.com> wrote:

>Larry:
>195 user opinions on the VX-7R at e-ham reviews -- URL:
>
>http://www.eham.net/reviews/detail/2350

Best and easiest to program modern HT I've owned.
(if you read the manual)

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com



From 3839126549038788389
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telus.net!edtnps89.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
From: Panzer240 <panzer240@hotmail.com>
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net> <4421a0fb$1_2@newsfeed.slurp.net>
<1ViUf.3015$4L1.208@newssvr11.news.prodigy.com>
Organization: QAR
Message-ID: <Xns978ED21D164B9fw190a8@198.161.157.145>
User-Agent: Xnews/5.04.25
X-Face: $&/X$V,"S*#uz+{oLU'^h)QCF*4h'r$f("jr/$#M!Dt&CR9(9ju%ntlWj$kN7S{)n^fK'VC L|
TA8NouNwLeq~OD-&Y(=FdX+lD@%H%=7w-w*vaS79ke<Cs%n)'&dm#<Ktc6:_[FhYWae&YI/GLrpD
ehoTc4x)+XNdGI`,T((uEs~&1n0_5C2\\e[i|I%|cN6:]L%b5(WS}IiFEkC"q
Lines: 25
Date: Thu, 23 Mar 2006 00:39:19 GMT
NNTP-Posting-Host: 24.222.95.26
X-Trace: edtnps89 1143074359 24.222.95.26 (Wed, 22 Mar 2006 17:39:19 MST)
NNTP-Posting-Date: Wed, 22 Mar 2006 17:39:19 MST
Xref: g2news1.google.com rec.radio.swap:3200 rec.radio.amateur.boatanchors:3486
rec.radio.amateur.equipment:3201
```

"Dave Stadt" <dhstadt@ameritech.net> wrote in
news:1ViUf.3015$4L1.208@newssvr11.news.prodigy.com:

>
> If you feel that way you should purchase them and put them in a museum.
> Most would not have survived and will not survive without the intent to
> fly. Not much money available for the restoration of static displays.
> Lotsa money available for flying restorations. Glaicer girl is an
> excellent example.
>
>

And the Memphis Belle is an example of a static display going down the tubes.
Still not finished and now moved to Dayton, the US Air Force museum due to
lack of funds to keep the Belle in condition. Those machines were meant to
fly and should be flown. It's really sad to see them rot away on the ground.
In the air they are living history, and give peole a chance to experience the
ground pounding thunder of their mighty engines as they soar overhead. And
very ocaisonally one may get the opportunity to fly in one of them if they
are very lucky as a friend of mine did a few years ago in one of the last
Lancaster bombers left flying.

--
Panzer

From -3361743276865407591
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net> <4421a0fb$1_2@newsfeed.slurp.net>
<1ViUf.3015$4L1.208@newssvr11.news.prodigy.com>
<Xns978ED21D164B9fw190a8@198.161.157.145>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 46
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <jqmUf.13996$6a1.4829@fed1read04>
Date: Wed, 22 Mar 2006 17:00:03 -0800

```
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1143075599 72.197.12.245 (Wed, 22 Mar 2006 19:59:59 EST)
NNTP-Posting-Date: Wed, 22 Mar 2006 19:59:59 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.swap:3201 rec.radio.amateur.boatanchors:3488
rec.radio.amateur.equipment:3202
```

```
"Panzer240" <panzer240@hotmail.com> wrote in message
news:Xns978ED21D164B9fw190a8@198.161.157.145...
> "Dave Stadt" <dhstadt@ameritech.net> wrote in
> news:1ViUf.3015$4L1.208@newssvr11.news.prodigy.com:
>
>
>>
>> If you feel that way you should purchase them and put them in a museum.
>> Most would not have survived and will not survive without the intent to
>> fly. Not much money available for the restoration of static displays.
>> Lotsa money available for flying restorations.  Glaicer girl is an
>> excellent example.
>>
>>
> And the Memphis Belle is an example of a static display going down the
> tubes.
> Still not finished and now moved to Dayton, the US Air Force museum due to
> lack of funds to keep the Belle in condition. Those machines were meant to
> fly and should be flown. It's really sad to see them rot away on the
> ground.
> In the air they are living history, and give peole a chance to experience
> the
> ground pounding thunder of their mighty engines as they soar overhead. And
> very ocaisonally one may get the opportunity to fly in one of them if they
> are very lucky as a friend of mine did a few years ago in one of the last
> Lancaster bombers left flying.
>
> --
> Panzer
>

Another grounded B-17G is parked outside at the Tulare, CA Airport
URL:
http://ben92252-01.tripod.com/index.htm
--
CL -- I doubt, therefore I might be !
```

```
From 1089873631084434765
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <Cx5Uf.46385$2O6.18615@newssvr12.news.prodigy.com>
<QM5Uf.2349$lM3.1024@bignews3.bellsouth.net>
<OMKdnZuTgtCQwrzZnZ2dnUVZ_uWdnZ2d@rcn.net> <4421a0fb$1_2@newsfeed.slurp.net>
<1ViUf.3015$4L1.208@newssvr11.news.prodigy.com>
<Xns978ED21D164B9fw190a8@198.161.157.145> <jqmUf.13996$6a1.4829@fed1read04>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <FzmUf.13997$6a1.1849@fed1read04>
Date: Wed, 22 Mar 2006 17:10:01 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1143076197 72.197.12.245 (Wed, 22 Mar 2006 20:09:57 EST)
NNTP-Posting-Date: Wed, 22 Mar 2006 20:09:57 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.swap:3202 rec.radio.amateur.boatanchors:3489
rec.radio.amateur.equipment:3203

You can see "Preston's Pride" a B17G at the Tulare, CA Airport if you go to
the Visalia, CA -  DX Convention URL:
http://www.dxconvention.org/

The 57th Annual DX Convention - A must for DXers  -- April 21, 22 & 23 2006
--
CL -- I doubt, therefore I might be !

"Caveat Lector" <UALLBeware@9984reader.com> wrote in message
news:jqmUf.13996$6a1.4829@fed1read04...
>
> Another grounded B-17G is parked outside at the Tulare, CA Airport
> URL:
> http://ben92252-01.tripod.com/index.htm
> --
```

> CL -- I doubt, therefore I might be !
>
>
>
>
>

From 6682808079346159620
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <GT_Tf.7732$TK2.980@trnddc07>
<44219f62$1_5@newsfeed.slurp.net> <E6jUf.14024$bu.7926@trnddc04>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node194-75-93-63.1dial.com
Message-ID: <4421fbdd_2@newsfeed.slurp.net>
Date: 22 Mar 2006 20:37:33 -0500
X-Trace: newsfeed.slurp.net 1143077853 63.93.75.194 (22 Mar 2006 20:37:33 -0500)
Lines: 30
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.194
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.moat.net!newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3203 rec.radio.amateur.boatanchors:3491
rec.radio.amateur.equipment:3204

ORIGINAL MESSAGE:

Woody wrote:

> There's a fine line between being a
> keep-the-box-because-it-matters-to-other-boxkeepers packrat, and
> preserving history.
>
> Do you get it??
> rb

*********** REPLY SEPARATOR ***********

Absolutely, I get it.

You and the two or three posters who agree with you are self-centered pigs who care nothing about preserving history. Your temporary adrenaline rush is much more important, and the risk of splattering a priceless aircraft means nothing beside your momentary thrills. How sad that people like you are allowed to own such an aircraft.

A hundred or five hundred years from now, if your ilk prevails, people will be saying "Gosh, I wish someone had kept a B-17G preserved somewhere. I would have really loved to see the real thing".

I hope and pray there are not many like you.

Bill T.

```
From -2309992629580896188
X-Google-Thread: 1109af,b0ac398aaf99f235
X-Google-Thread: fc8b1,b0ac398aaf99f235
X-Google-Thread: 108122,b0ac398aaf99f235
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: WANTED: Museum seeks B-17G Flying Fortress radio/radar equipment
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <AridnZeHf8rZ6YLZRVn-iw@centurytel.net>
<44201fc1_3@newsfeed.slurp.net> <J21Uf.91502$g47.26993@tornado.tampabay.rr.com>
<44219fba$1_4@newsfeed.slurp.net> <8e-dnd0IH_3lU7zZnZ2dnUVZ_tadnZ2d@wightman.ca>
User-Agent: XanaNews/1.17.5.2
NNTP-Posting-Host: node194-75-93-63.1dial.com
Message-ID: <4421fc3e_2@newsfeed.slurp.net>
Date: 22 Mar 2006 20:39:10 -0500
X-Trace: newsfeed.slurp.net 1143077950 63.93.75.194 (22 Mar 2006 20:39:10 -0500)
Lines: 12
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.194
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:3204 rec.radio.amateur.boatanchors:3492
rec.radio.amateur.equipment:3205
```

ORIGINAL MESSAGE:

Spokesman wrote:

>
> Bill, are you looking in the mirror as you post?

*********** REPLY SEPARATOR ***********

Lame. Try again.

Bill T.

```
From -1061133613778821702
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 21:56:35 -0600
Date: Fri, 17 Mar 2006 22:56:35 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com> <121md5cqm6a6gb5@corp.supernews.com>
<20060317192442.072$gr@newsreader.com> <roGdnRrtoNmZ5IbZRVn-jg@comcast.com> <s-
SdnVAndLLNHYbZRVn-rQ@comcast.com>
In-Reply-To: <s-SdnVAndLLNHYbZRVn-rQ@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <e9qdnXtvLPhuGYbZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 68.33.23.128
X-Trace: sv3-SGtgEpSbL6Te1CYXYwNxZKoSDqC5sWYgXwH1o6Ody5QnSIrHgmVqGAu/
W9LOxRKZCYPpTBUP/CMjiOV!K7YM0ahlMoH09ypZIESBeOUZf39s/
EU191nIiMFPbbXocQs1zrr7t+SnLKSryOY+FGnGhxLABln2!pRpOwhQK
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

```
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3105 rec.radio.cb:6689
rec.radio.amateur.policy:19403 rec.radio.amateur.misc:6416
rec.radio.shortwave:28428

>> Radio, lets see, echolink (AM) or skype (FM) with video tonight...
>> My biggest complaint about echolink is that all the calls with a
>> 3 in them are grouped together, even if the 3 call is not in 3 land.
>> There needs to be an update that allows one to designate which area
>> they're really in. I can't stand seeing FL, CA and HI and can't find
>> the ones that have moved here and kept their 2 or 9 call.
>
> I can't find myself...
>
> -n6ojn
> Purvis, Mississippi

Exactly! You're grouped with the left coasters!



From -1072392250988010108
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!novia!
transit3.readnews.com!news-out.readnews.com!news-out.readnews.com!news-
xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: steve can't killfile me he truly can't
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060317225636.706$gI@newsreader.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com>
<1142617596.085748.202360@v46g2000cwv.googlegroups.com>
<20060317172341.559$Sk@newsreader.com>
```

```
<1142639660.955896.289020@u72g2000cwu.googlegroups.com>
<20060317192838.001$8W@newsreader.com>
<1142653328.171546.117690@p10g2000cwp.googlegroups.com>
X-NRC-Trace: NewsReader.Com 60X1NCeMT6a702uMMTV+QlU7i6/hSFjtYkvBlr-sUV3jt9PW=
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 18 Mar 2006 03:49:38 GMT
Lines: 32
NNTP-Posting-Host: ad4713d2.nr3.newsreader.com
X-Trace: DXC=fRQ9kB6YJTUJXX:
\LoBn8_OA8_@f\K_iRXh8X;oWcZGPcZLXZEO\AZ\Nd7biGRhQTW<@WejEU8`Y[OUFKm_UJ2eW
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3106 rec.radio.cb:6690
rec.radio.amateur.policy:19404 rec.radio.amateur.misc:6417
rec.radio.shortwave:28429

"an_old_friend" <konstans@hotmail.com> wrote:
> Steveo wrote:
> > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > Steveo wrote:
> > > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > > Steveo wrote:
> > > > > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > > > > Steveo wrote:
> > > > > > > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > > > > > >> you see steve is afriad of bisexual people
> > > > > > > > >
> > > > > > > > Still doing the beer enemas', freak?
> > > > > > >
> > > > > > > when it pleases me sure
> > > > > > >
> > > > > > Strange things please you, markie-tard.
> > > > >
> > > > > strange to you fine I agree
> > > > > but why do you care?
> > > > >
> > > > I really don't care,
> > >
> > > kying agin just the other stve
> > >
> > Can you be anymore obvious with your intentional spelling mistakes,
> > markie-tard?
>
> can you tell the truth?
>
You forgot to miss-spell a few words that time, markie-tard.

You're slipping again.


From -5440941120271546032
X-Google-Thread: 108122,4406843803b7d7c5
```

```
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!news-
out.readnews.com!news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: steve can't killfile me he truly can't
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060317230236.285$gy@newsreader.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com> <121md5cqm6a6gb5@corp.supernews.com>
<20060317192442.072$gr@newsreader.com> <roGdnRrtoNmZ5IbZRVn-jg@comcast.com>
<20060317220842.750$e4@newsreader.com>
<e9qdnXhvLPhXGYbZnZ2dneKdnZydnZ2d@comcast.com>
X-NRC-Trace: NewsReader.Com P4GdL-52XJYk8kLWe523-ArB9iKz5fk,e=gXk_Awl/r=j0O,Q
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 18 Mar 2006 03:55:37 GMT
Lines: 8
NNTP-Posting-Host: ad4713d2.nr3.newsreader.com
X-Trace:
DXC=1hMHW;1ehRL@ZGN[o7GVE@OA8_@f\K_iBXh8X;oWcZG@X`UEEI0[D@FNd7biGRhQTG<SVPgDF]ACD^
8k4P3l3IQE
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3107 rec.radio.cb:6692
rec.radio.amateur.policy:19405 rec.radio.amateur.misc:6418
rec.radio.shortwave:28431
```

Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote:

> > Jamming some Credence over here..radio off.
>
> I've got some audience cassette masters from Merriweather Post over here
> that need to be captured as 16 bit stereo waves, chopped with CDWAV and
> then compressed to FLAC and torrented.

>
Hrmm..got any Steve Earle?

```
From 2998672249762360189
X-Google-Thread: 108122,6da468761e116632,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 22:03:14 -0600
From: "Bob" <babushka{AT}dom{DOT}com>
Newsgroups: rec.radio.amateur.equipment
Subject: STANDARD C5718DA HELP!
Date: Fri, 17 Mar 2006 22:03:15 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <GfCdnQNTwfsfG4bZ4p2dnA@comcast.com>
Lines: 24
NNTP-Posting-Host: 67.162.7.235
X-Trace:
sv3-7l5wtKJIq+fMcluulVLAieJ60owiTzPvRkD+h8zbaeATJhV2fzZNEx41fienGwDO9T+1m3c3+oji4I
3!5jolQ5Gglk0as1iZ0K9W+KvpJI4EpqXYdOgyjnaM0rqYDSmXBJRalGe30uYF0ciaNFB8Ww==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3108
```

I'm looking for the microphone extension for the STANDARD C5718DA mobile dual band radio. This is the model with the display and all the controls in the microphone.

What I need is the extension cable so I can mount the radio in the trunk.

The cables I need are (any will do):

CAW571
CAW572
CAW578

I would even settle for the CAW570, which is a microphone "y-adapter" cable which allows you to hook 2 microphones to this radio. I could use those connectors and make my own extension cable.

BTW, does anyone know what type of connectors that STANDARD used? It is not the common 8-pin microphone connector.

Thank you!

martyd{AT}comcast{DOT}net

```
From -2375493607611673294
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
Date: 17 Mar 2006 20:05:54 -0800
Organization: http://groups.google.com
Lines: 18
Message-ID: <1142654754.351558.290190@i40g2000cwc.googlegroups.com>
References: <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <1142608522.189563.259330@j52g2000cwj.googlegroups.com>
   <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
   <1142614560.983203.131290@z34g2000cwc.googlegroups.com>
   <20060317121753.520$xN@newsreader.com>
   <1142616293.741170.17950@e56g2000cwe.googlegroups.com>
   <20060317122833.006$wf@newsreader.com>
   <1142617596.085748.202360@v46g2000cwv.googlegroups.com>
   <20060317172341.559$Sk@newsreader.com>
   <1142639660.955896.289020@u72g2000cwu.googlegroups.com>
   <20060317192838.001$8W@newsreader.com>
   <1142653328.171546.117690@p10g2000cwp.googlegroups.com>
   <20060317225636.706$gI@newsreader.com>
NNTP-Posting-Host: 69.19.14.33
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142654759 10170 127.0.0.1 (18 Mar 2006 04:05:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Mar 2006 04:05:59 +0000 (UTC)
In-Reply-To: <20060317225636.706$gI@newsreader.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=69.19.14.33;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news1.google.com rec.radio.amateur.equipment:3109 rec.radio.cb:6693
rec.radio.amateur.policy:19406 rec.radio.amateur.misc:6419
rec.radio.shortwave:28433


Steveo wrote:
> "an_old_friend" <konstans@hotmail.com> wrote:
> > Steveo wrote:
> > > "an old friend" <kb9rqz@yahoo.com> wrote:

> > > Can you be anymore obvious with your intentional spelling mistakes,
> > > markie-tard?
> >
> > can you tell the truth?
> >
> You forgot to miss-spell a few words that time, markie-tard.
nope
>
> You're slipping again.

nope you are just lying again




From 8449048331517524048
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-
xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: steve can't killfile me he truly can't
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060317231501.287$9N@newsreader.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
<MMydnUXbzPAM3IfZRVn-qw@comcast.com>
<1142571641.033837.244090@i40g2000cwc.googlegroups.com> <MMydnUfbzPBc34fZRVn-
qw@comcast.com> <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
```

```
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com>
<1142617596.085748.202360@v46g2000cwv.googlegroups.com>
<20060317172341.559$Sk@newsreader.com>
<1142639660.955896.289020@u72g2000cwu.googlegroups.com>
<20060317192838.001$8W@newsreader.com>
<1142653328.171546.117690@p10g2000cwp.googlegroups.com>
<20060317225636.706$gI@newsreader.com>
<1142654754.351558.290190@i40g2000cwc.googlegroups.com>
X-NRC-Trace: NewsReader.Com IGNpzGt1iKmkdr4WCmMe-2Jyj@awI2+,e=gXk_Awl/r=jC2NG
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 18 Mar 2006 04:08:02 GMT
Lines: 19
NNTP-Posting-Host: ce5d773b.nr3.newsreader.com
X-Trace:
DXC=oH<COXV_2MW<K56R_1R_EYOA8_@f\K_iRXh8X;oWcZGPYE6Ll6iA[h\Nd7biGRhQTW<SVPgDF]ACTW
Y9VDnEQGl[
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3110 rec.radio.cb:6694
rec.radio.amateur.policy:19407 rec.radio.amateur.misc:6420
rec.radio.shortwave:28434

"an_old_friend" <konstans@hotmail.com> wrote:
> Steveo wrote:
> > "an_old_friend" <konstans@hotmail.com> wrote:
> > > Steveo wrote:
> > > > "an old friend" <kb9rqz@yahoo.com> wrote:
>
> > > > Can you be anymore obvious with your intentional spelling mistakes,
> > > > markie-tard?
> > >
> > > can you tell the truth?
> > >
> > You forgot to miss-spell a few words that time, markie-tard.
> nope
> >
> > You're slipping again.
>
> nope you are just lying again
>
Now you're up to six words...


From 8960444603595836707
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
```

```
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 22:19:48 -0600
Date: Fri, 17 Mar 2006 23:19:48 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com> <121md5cqm6a6gb5@corp.supernews.com>
<20060317192442.072$gr@newsreader.com> <roGdnRrtoNmZ5IbZRVn-jg@comcast.com>
<20060317220842.750$e4@newsreader.com>
<e9qdnXhvLPhXGYbZnZ2dneKdnZydnZ2d@comcast.com>
<20060317230236.285$gy@newsreader.com>
In-Reply-To: <20060317230236.285$gy@newsreader.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <q7ydnRYo2L35F4bZRVn-og@comcast.com>
Lines: 12
NNTP-Posting-Host: 68.33.23.128
X-Trace: sv3-
UdPKEDgtRAF96CvBuWI+W9BLbDWCoUptKoniQ+vZanyQ+oJCKbsnmZgDjDxeoq2KPtSf4ErAjZw3NL0!
hWDIxZDKYIUCFJL5EOMc9UIiLAorTAU5xI848btuEcBi8Wjl69LWEG9yYofxirvO+p89yCg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3111 rec.radio.cb:6695
rec.radio.amateur.policy:19408 rec.radio.amateur.misc:6421
rec.radio.shortwave:28436
```

Steveo wrote:

> Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote:

>>> Jamming some Credence over here..radio off.
>> I've got some audience cassette masters from Merriweather Post over here
>> that need to be captured as 16 bit stereo waves, chopped with CDWAV and
>> then compressed to FLAC and torrented.
>>
> Hrmm..got any Steve Earle?

I don't but there are lots of those torrents on one large torrent site.

Email me direct for the site.

From -1089618521518231670
X-Google-Thread: 108122,e14a465d3331576f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: chip type TSSOP in homebrew
From: "Joel" <Joel@cyberbest.com>
Date: Fri, 17 Mar 2006 22:30:49 -0600
Message-ID: <1142656113_10921@sp6iad.superfeed.net>
References: <1142649334_10841@sp6iad.superfeed.net>
<pan.2006.03.18.03.23.44.169008@sbcglobal.net>
Lines: 31
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!news-
out.newsgroups.com!sp6iad.superfeed.net!sp6iad.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Proxy-User: $$-xgz0sjrp
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-Report: Please report illegal or inappropriate use to <abuse@newsfeeds.com>.
Forward a copy of ALL headers INCLUDING the body. (DO NOT SEND ATTACHMENTS)
X-Comments2: IMPORTANT: Newsfeeds.com does not condone,support,nor tolerate spam
or any illegal or copyrighted postings.
X-Comments: This message was posted through Newsfeeds.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3112

"Al Arduengo" <aarduengo@sbcglobal.net> wrote in message
news:pan.2006.03.18.03.23.44.169008@sbcglobal.net...
> On Fri, 17 Mar 2006 20:37:55 -0600, Joel wrote:
>
>> It seems these days every chip I want to use in anything is only valuable
>> in
>> TSSOP format. The leads are so small my smallest soldering iron covers
>> three pins at a time. It's hopeless.
>> Does anyone have any words of experience here?
>>
>> Joe Loucka AG4QC
>>

>>
> Sure. Get a finer soldering iron tip.
>

Um, Dah!.. that's a given.. Of course I read all about solder paste and hot air guns and ovens. But each of them take it for granted that you have a ckt board to solder the chip.. But as we know, breadboarding is for hand wiring while you build up your project. It looks to me like the days of breadboarding is just about dead. If I had a cktboard to solder the chips to, it would mean it was someone else's design and I'm then just a kit builder. This hobby has a lot of facets to it. ckt development and experimenting is what kept me going all these year. But to me, it looks like the deck is stacked for us old guys and Ham Radio in general. We will all soon be appliance operators.. Toasters with microphones!

Joe Loucka AG4QC

----== Posted via Newsfeeds.Com - Unlimited-Unrestricted-Secure Usenet News==----
http://www.newsfeeds.com The #1 Newsgroup Service in the World! 120,000+ Newsgroups
----= East and West-Coast Server Farms - Total Privacy via Encryption =----

From 483285349578734882
X-Google-Thread: 108122,e14a465d3331576f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.volia.net!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: chip type TSSOP in homebrew
Date: Fri, 17 Mar 2006 22:56:39 -0600
Lines: 42
Message-ID: <481i88Fi1m6hU1@individual.net>
References: <1142649334_10841@sp6iad.superfeed.net>
<pan.2006.03.18.03.23.44.169008@sbcglobal.net>
<1142656113_10921@sp6iad.superfeed.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net MJ6J/J4P7KjNjjkQ3jLUCQJkBbI8U0Ci0WQe9N0eyJhALYs+0u
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <1142656113_10921@sp6iad.superfeed.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:3113

Joel wrote:

```
> "Al Arduengo" <aarduengo@sbcglobal.net> wrote in message
> news:pan.2006.03.18.03.23.44.169008@sbcglobal.net...
>
>>On Fri, 17 Mar 2006 20:37:55 -0600, Joel wrote:
>>
>>
>>>It seems these days every chip I want to use in anything is only valuable
>>>in
>>>TSSOP format.  The leads are so small my smallest soldering iron covers
>>>three pins at a time. It's hopeless.
>>> Does anyone have any words of experience here?
>>>
>>>Joe Loucka  AG4QC
>>>
>>>
>>
>>Sure.  Get a finer soldering iron tip.
>>
>
>
> Um, Dah!..  that's a given.. Of course I read all about solder paste and hot
> air guns and ovens. But each of them take it for granted that you have a ckt
> board to solder the chip.. But as we know, breadboarding  is for hand wiring
> while you build up your project. It looks to me like the days of
> breadboarding is just about dead. If I had a cktboard to solder the chips
> to, it would mean it was someone else's design and I'm then just a kit
> builder.  This hobby has a lot of facets to it. ckt development and
> experimenting is what kept me going all these year. But to me, it looks like
> the deck is stacked for us old guys and Ham Radio in general. We will all
> soon be appliance operators.. Toasters with microphones!
>
> Joe Loucka  AG4QC
>
>
Sure, BUT there ARE ckt board to adapt TSSOP to standard 8-40 pin dips for use
in breadboarding a circuit... 8-)


Bob N9LVU



From 6040150699305233710
X-Google-Thread: 108122,be9c23c7123031b8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: APRSPoint new version sale
Date: 17 Mar 2006 22:14:33 -0800
Organization: http://groups.google.com
Lines: 10
```

```
Message-ID: <1142662473.728180.224490@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 221.232.77.33
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142662480 27774 127.0.0.1 (18 Mar 2006 06:14:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Mar 2006 06:14:40 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; Alexa Toolbar),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=221.232.77.33;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news1.google.com rec.radio.amateur.equipment:3114
```

A new version of APRSPoint is released, new features include,

1. Implemented APRS server filter setting,
2. Enabled auto connect for TCP connection,
3. Customization of track line width and style,

and numerous other fixes and enhancements. Please visit http://www.aprspoint.com for details of this new release and sale.
Thanks.

```
From -2198878139426465102
X-Google-Thread: 108122,e14a465d3331576f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc08.POSTED!2ca1ff02!not-for-mail
From: Jim Chandler <n427c@gte.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: chip type TSSOP in homebrew
References: <1142649334_10841@sp6iad.superfeed.net>
In-Reply-To: <1142649334_10841@sp6iad.superfeed.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <9LNSf.396$hC.233@trnddc08>
Date: Sat, 18 Mar 2006 06:27:17 GMT
NNTP-Posting-Host: 71.105.121.182
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1142663237 71.105.121.182 (Sat, 18 Mar 2006 01:27:17 EST)
NNTP-Posting-Date: Sat, 18 Mar 2006 01:27:17 EST
```

Xref: g2news1.google.com rec.radio.amateur.equipment:3115

Joel wrote:
> It seems these days every chip I want to use in anything is only valuable in
> TSSOP format. The leads are so small my smallest soldering iron covers
> three pins at a time. It's hopeless.
> Does anyone have any words of experience here?
>
> Joe Loucka AG4QC
>
>
>
> ----== Posted via Newsfeeds.Com - Unlimited-Unrestricted-Secure Usenet
News==----
> http://www.newsfeeds.com The #1 Newsgroup Service in the World! 120,000+
Newsgroups
> ----= East and West-Coast Server Farms - Total Privacy via Encryption =----

I assume you are talking about the pencil type irons. If so, you can
put the point in a drill and carefully sand or file the diameter down.
Of course, without the copper coating, the point won't last as long but
this is a quick and dirty way to achieve what you desire.

Jim Chandler N5COT

From -5438644334686368376
X-Google-Thread: 108122,cd9405ff62cc3db6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu NC-29 Quick Charger
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <ZZNSf.249873$oG.212868@dukeread02>
Date: Sat, 18 Mar 2006 00:43:13 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142664185 68.105.228.151 (Sat, 18 Mar 2006 01:43:05 EST)
NNTP-Posting-Date: Sat, 18 Mar 2006 01:43:05 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3116

FS Yaesu NC-29 Quick Charger - $45.00 Shipped to the lower 48. Fits FT-23R,
33R, 73R, FT-411E, FT-811, FT-911, and FT-470. Also fits FTH-2008 & FTH-7008
commercial transceivers. The

Yaesu Quick Charger NC-29 quick charges HT's in 1 hour or less.
Thanks, Charlie Hugg, K5MBX

From 422970810726761407
X-Google-Thread: 108122,a8381374801371bd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!cox.net!p01!dukeread02.POSTED!
53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Standard CSA-181A Rapid Charger
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <ZnOSf.249877$oG.46827@dukeread02>
Date: Sat, 18 Mar 2006 01:10:57 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142665849 68.105.228.151 (Sat, 18 Mar 2006 02:10:49 EST)
NNTP-Posting-Date: Sat, 18 Mar 2006 02:10:49 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3117

Standard CSA-181A   Rapid Charger - desktop charger. Charges in 1 to 2
hrs, w/Automatic switching to safe trickle charge mode. This charger can be
used with several batteries. I used it with my
Standard C-168A HT Batteries. It has the Type 2 Insert for those type
batteries. I understand that other Inserts can be used so that it can charge
other Standard, ADI, and JRC Batteries such as CNB-151,152,153,162,163, &
ADI-600 packs. But this charger includes only the one Insert. Price is $40
shipped.   Thanks,
Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 946100500709664155
X-Google-Thread: 108122,6da468761e116632

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: STANDARD C5718DA HELP!
References: <GfCdnQNTwfsfG4bZ4p2dnA@comcast.com>
In-Reply-To: <GfCdnQNTwfsfG4bZ4p2dnA@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 36
Message-ID: <xJSSf.94955$bF.262@dukeread07>
Date: Sat, 18 Mar 2006 07:07:05 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1142683613 24.254.177.70 (Sat, 18 Mar 2006 07:06:53 EST)
NNTP-Posting-Date: Sat, 18 Mar 2006 07:06:53 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3118



Bob wrote:
> I'm looking for the microphone extension for the STANDARD C5718DA mobile
> dual band radio.  This is the model with the display and all the controls in
> the microphone.
>
> What I need is the extension cable so I can mount the radio in the trunk.
>
> The cables I need are (any will do):
>
> CAW571
> CAW572
> CAW578
>
> I would even settle for the CAW570, which is a microphone "y-adapter" cable
> which allows you to hook 2 microphones to this radio.   I could use those
> connectors and make my own extension cable.
>
> BTW, does anyone know what type of connectors that STANDARD used?   It is
> not the common 8-pin microphone connector.
>
> Thank you!
>
> martyd{AT}comcast{DOT}net
>
>
```

You may try contacting Matt Adrian at sarts@qtm.net. He still repairs
Standards.

I do not know about the C5718A, but I have 3 C5900's and the mike
connector on them is a garden variety RJ45 modular connector.

Andy
WD4KDN

From 2189694516314955280
X-Google-Thread: 108122,4c83affd7ac0f5e9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: jbarnes@aztec-net.com
Newsgroups: rec.radio.amateur.equipment
Subject: Alpha Amplifier 89 or 99 ??
Date: 18 Mar 2006 04:16:46 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1142684206.232232.270050@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 24.36.244.101
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142684211 26542 127.0.0.1 (18 Mar 2006 12:16:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Mar 2006 12:16:51 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=24.36.244.101;
   posting-account=yVfHCAwAAAD-aAgSak9JVef6yW7IRdo5
Xref: g2news1.google.com rec.radio.amateur.equipment:3119

Hi,

I am looking for an Alpha Linear amplifier. I have contacted the
factory they can supply a new model 99 in 4 weeks.

Can you seen any problems in buying the 89 available on eBay
(5881107129) or do you think that I am best to buy a new from the
factory ?

I have heard that these older series have better, EIMAC, tubes.Is that
correct ?

Thank you for all your help in this matter.

73 de John VE3XRY

```
From -6077028341597394170
X-Google-Thread: 108122,e14a465d3331576f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Mar 2006 07:25:26 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1142649334_10841@sp6iad.superfeed.net>
<pan.2006.03.18.03.23.44.169008@sbcglobal.net>
Subject: Re: chip type TSSOP in homebrew
Date: Sat, 18 Mar 2006 07:25:16 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <FLqdncqHfdDbl4HZnZ2dnUVZ_tWdnZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-ZrwKWm+zoOdPTNT8RftfT98YuyQ/
S2PjE1uMBcMatycIG2vJqQiTpZHHlP7hlrNDeQwzji5M1QjnbCc!
66oV0WpKJHzhRyOeVQCn5hplKo1NTSgFU/kEZx0cSXLr/rddYRFpJQiQ/MgZy3eI6BjtGWPu8g7D!
OK07w5m7fucd
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3120
```

"Al Arduengo" <aarduengo@sbcglobal.net> wrote in message
news:pan.2006.03.18.03.23.44.169008@sbcglobal.net...

> On Fri, 17 Mar 2006 20:37:55 -0600, Joel wrote:
>
>> It seems these days every chip I want to use in anything is only valuable
>> in
>> TSSOP format. The leads are so small my smallest soldering iron covers
>> three pins at a time. It's hopeless.
>> Does anyone have any words of experience here?
>>
>> Joe Loucka AG4QC
>>
>>
> Sure. Get a finer soldering iron tip.

Got one.......
Now if I could only *see* that little bitty stuff again....I hate getting old.

-n6ojn

From -7688910152775144802
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Message-ID: <441C257F.6050707@fuse.net>
Date: Sat, 18 Mar 2006 10:21:35 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: steve contiues to lie
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com>
<1142608158.646740.167900@j33g2000cwa.googlegroups.com>
<1142612532.372866.196100@j33g2000cwa.googlegroups.com>
In-Reply-To: <1142612532.372866.196100@j33g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 59
X-Trace: f3ac3441c2591e098318617161
Xref: g2news1.google.com rec.radio.amateur.equipment:3121 rec.radio.cb:6718 rec.radio.amateur.policy:19440 rec.radio.amateur.misc:6449 rec.radio.shortwave:28473

an old friend wrote:
> K4YZ wrote:
>

>>an old friend lied about:
>>
>>>K4YZ wrote:
>>>
>>>>raped_an_old_friend wrote:
>>>>
>>>>>K4YZ wrote:
>>>>>
>>>>>>KB2SMS wrote:
>>>>>>
>>>>>>>Can someone please tell me how to convert this to 11 meter? thanks in
>>>>>>>advance
>>>>>>>
>>>>>>>http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>>>>>>
>>>>>>   Sure.
>>>>>>
>>>>>>   Just take a pencil, and where it says "50 Mhz" on the front panel,
>>>>>>write in "27 Mhz". Everyone knows that all linear amplifiers work
>>>>>>equally well on all bands and that suggesting otherwise is just a
>>>>>>market ploy to get people to buy more boxes.
>>>>>
>>>>>more lying steve
>>>>
>>>>   It's called "SARCASM", you idiotic moron.
>>>
>>>which does not alter the fact you just lied
>>
>>   Nope.
>
>
> right it doesn't alter the fact you lied I am glad you agree
>
>
>>>you lie constantly
>>
>>   No...I stand more than I lie...It's better for you
>>cardiovascularly.
>
>
> well you just admitted that you do lie
>
>>>you rationalize it a joking or sarcasm but you just prove that you are
>>>untruhful
>>
>>   Nope.
>
> you are simply enage in rationiztion fo your dishonest behavoir
>
>>   Thanks.
>>
>>Steve, K4YZ
>

```
>
I've been following this thread...and I can't help hearing Cartman's
voice (South Park) throughout...makes it even funnier.



From -4050570903050587786
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!router2.astraweb.com!
mrouter.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-15!sn-xt-
sjc-09!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.555.usb.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: steve contiues to lie
Date: Sat, 18 Mar 2006 13:37:19 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <121oobhj7d5222b@corp.supernews.com>
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com>
<1142608158.646740.167900@j33g2000cwa.googlegroups.com>
<1142612532.372866.196100@j33g2000cwa.googlegroups.com>
<441C257F.6050707@fuse.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 66
Xref: g2news1.google.com rec.radio.amateur.equipment:3122 rec.radio.cb:6729
rec.radio.amateur.policy:19539 rec.radio.amateur.misc:6529
rec.radio.shortwave:28504

"jawod" <jawod@fuse.net> wrote in message news:441C257F.6050707@fuse.net...
> an old friend wrote:
>> K4YZ wrote:
>>
>>>an old friend lied about:
>>>
>>>>K4YZ wrote:
>>>>
>>>>>raped_an_old_friend wrote:
>>>>>
```

```
>>>>>>K4YZ wrote:
>>>>>>
>>>>>>>KB2SMS wrote:
>>>>>>>
>>>>>>>>Can someone please tell me how to convert this to 11 meter? thanks
>>>>>>>>in
>>>>>>>>advance
>>>>>>>>
>>>>>>>>http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>>>>>>>
>>>>>>>     Sure.
>>>>>>>
>>>>>>>     Just take a pencil, and where it says "50 Mhz" on the front
>>>>>>> panel,
>>>>>>>write in "27 Mhz".  Everyone knows that all linear amplifiers work
>>>>>>>equally well on all bands and that suggesting otherwise is just a
>>>>>>>market ploy to get people to buy more boxes.
>>>>>>
>>>>>>more lying steve
>>>>>
>>>>>    It's called "SARCASM", you idiotic moron.
>>>>
>>>>which does not alter the fact you just lied
>>>
>>>     Nope.
>>
>>
>> right it doesn't alter the fact you lied I am glad you agree
>>
>>
>>>>you lie constantly
>>>
>>>    No...I stand more than I lie...It's better for you
>>>cardiovascularly.
>>
>>
>> well you just admitted that you do lie
>>
>>>>you rationalize it a joking or sarcasm but you just prove that you are
>>>>untruhful
>>>
>>>    Nope.
>>
>> you are simply enage in rationiztion fo your dishonest behavoir
>>
>>>     Thanks.
>>>
>>>Steve, K4YZ
>>
>>
> I've been following this thread...and I can't help hearing Cartman's voice
> (South Park) throughout...makes it even funnier.
```

I hear Timmy's voice the way he spells.

```
From -2282690431143580195
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an Old friend" <kb9rqz@amsat.org>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: steve contiues to lie
Date: 18 Mar 2006 12:33:03 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1142713983.291401.274850@j33g2000cwa.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <1142608158.646740.167900@j33g2000cwa.googlegroups.com>
   <1142612532.372866.196100@j33g2000cwa.googlegroups.com>
   <441C257F.6050707@fuse.net>
   <121oobhj7d5222b@corp.supernews.com>
NNTP-Posting-Host: 66.82.9.86
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142713996 28440 127.0.0.1 (18 Mar 2006 20:33:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Mar 2006 20:33:16 +0000 (UTC)
In-Reply-To: <121oobhj7d5222b@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=66.82.9.86;
   posting-account=RPkPwQ0AAAAOAlmydGke92nBD6aZq3Rd
Xref: g2news1.google.com rec.radio.amateur.equipment:3123 rec.radio.cb:6733
rec.radio.amateur.policy:19544 rec.radio.amateur.misc:6531
rec.radio.shortwave:28508
```

Dr.Death wrote:

> I hear Timmy's voice the way he spells.

```
then get help at once you obviously need it



From -4142185277732558613
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeed2.easynews.com!
easynews.com!easynews!easynews-local!fe09.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
Subject: Re: VX-7R
Lines: 7
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <vR%Sf.42494$l04.8575@fe09.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 18 Mar 2006 22:29:48 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3124

DESYNC DOMiNATiON wrote:
> I am thinking about buying a VX-7R it seemes its a good radio. Anyone
> have any pros or cons on this..

http://www.eham.net/reviews/detail/2350




From 2462933996593310296
X-Google-Thread: 108122,e14a465d3331576f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe01.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1142649334_10841@sp6iad.superfeed.net>
Subject: Re: chip type TSSOP in homebrew
Lines: 8
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <A10Tf.47745$fe6.217@fe01.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 18 Mar 2006 22:42:40 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3125
```

Joel wrote:

> Does anyone have any words of experience here?

http://www.jameco.com/webapp/wcs/stores/servlet/CategoryDisplay?
langId=-1&storeId=10001&catalogId=10001&categoryId=652050&sort=n

```
From -2723002032679072346
X-Google-Thread: 1109af,c7b2a468bc7a01f8,start
X-Google-Thread: 108122,c7b2a468bc7a01f8,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe04.lga.POSTED!53ab2750!not-for-mail
From: "Chris Fox NI4L" <ni4l@charter.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: FA Yaesu FT-767GX
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <mf0Tf.302$nN2.14@fe04.lga>
X-Trace:
badccedimaighcleloeldbdpghkoadflfancicidiepbidiofnfbnjepakdablohldmfbcecbpimbmoanm
hnbjjgikjgfllecijcfkejkaakjhnmpfpdhhmmepfphdlbegcmjhhibopfakdb
NNTP-Posting-Date: Sat, 18 Mar 2006 15:57:22 MST
Date: Sat, 18 Mar 2006 17:56:40 -0500
Xref: g2news1.google.com rec.radio.swap:3139 rec.radio.amateur.equipment:3126
```

http://cgi.ebay.com/Yaesu-
FT-767GX_W0QQitemZ9700598145QQcategoryZ40069QQrdZ1QQcmdZViewItem

thanks for looking

```
From 7433308418649661587
X-Google-Thread: 108122,cd4b01a01eb1e83
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: gagnonrchrd@netscape.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: REQ: MFJ-1278B circuit diagrams/schematics
Date: 18 Mar 2006 16:33:41 -0800
Organization: http://groups.google.com
Lines: 21
Message-ID: <1142728421.113822.3030@z34g2000cwc.googlegroups.com>
References: <9332f$44199167$506d651c$18603@news.chello.at>
NNTP-Posting-Host: 68.186.246.254
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142728427 18923 127.0.0.1 (19 Mar 2006 00:33:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Mar 2006 00:33:47 +0000 (UTC)
In-Reply-To: <9332f$44199167$506d651c$18603@news.chello.at>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/
20050915,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=68.186.246.254;
   posting-account=htTgZQwAAAA0BkrnsglfP2HjmXYpaV_8
Xref: g2news1.google.com rec.radio.amateur.equipment:3127
```

Hi Peter

I did some searching and came up with these results.

http://www.qsl.net/ke4mob/
http://www.mods.dk/index.php?ListManuals=mfj
With mods.dk register for a free subscription. The 1278 manual they
have does not show the schematic but is a 407 page (1.806kb pdf)
manual.
Not sure if this will help.

Richard

Peter Hofmann wrote:
> I am searching the circuit diagrams/schematics for a MFJ-1278B Multimode
> Controller. Thanks in advance
>
> oe3pha@hotmail.com

```
From 2165313356251290487
X-Google-Thread: 108122,db309d499c940514,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <441CE526.A8CBD663@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Test equipment AC socket question - 1 attachment
References: <Xns9789B9061C2E3spectrumhogstarbandn@198.186.192.196>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 38
Date: Sun, 19 Mar 2006 04:59:57 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1142744397 24.110.34.161 (Sat, 18 Mar
2006 20:59:57 PST)
NNTP-Posting-Date: Sat, 18 Mar 2006 20:59:57 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:3128
```

Ed wrote:

>
>   I have a Hewlett Packard 204B audio generator. It has an older style AC
> socket on the back.... oval like a racetrack, and has the three pins
> sticking out for hot, neutral, and ground.
>
>   Does anyone know where I might find the AC cord, or at least a matching
> plug to go with such a unit? I've searched all my catalogs to no avail.
>
>   Picture available for email if anyone wants to see what I'm talking
> about.
>
>   Ed   K7AAT
>
> [Image]

Belden made this cordset in two versions, 17280 & 17952. This is from the 1979 Belden catalog. They differ in which pin goes to line and neutral. ECM-280 & ECM-952 from http://www.electri-cord.com/product.html are supposed to be the replacement for the Belden cables.

Mouser lists the Belden 17952 as non stocked item, # 566-17952, but has
a $5.75 price for single quantities:
<http://www.mouser.com/index.cfm?
&handler=data.listcategory&D=*56617952*&terms=566-17952&Ntt=*56617952*&Dk=1&Ns=SField&N=0&crc=true>

<http://www.electronicsurplus.com/commerce/catalog/product.jsp?
product_id=77332&czuid=1125471856053>
is a surplus dealer, showing 13 in stock.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 2179216580759713919
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!newsfeeder.wxs.nl!feeder1.cambrium.nl!feed.tweaknews.nl!
138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-08!sn-post-ams-02!sn-post-01!
supernews.com!news.supernews.com!kc1ih
From: Larry Weil <kc1ih@mac.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
Date: Sun, 19 Mar 2006 00:25:11 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <kc1ih-603035.00251119032006@sn-indi.vsrv-sjc.supernews.net>
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<vR%Sf.42494$l04.8575@fe09.news.easynews.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Complaints-To: abuse@supernews.com
Lines: 17
Xref: g2news1.google.com rec.radio.amateur.equipment:3129

In article <vR%Sf.42494$l04.8575@fe09.news.easynews.com>,
"Travis Jordan" <no.one@no.net> wrote:

> DESYNC DOMiNATiON wrote:
> > I am thinking about buying a VX-7R it seemes its a good radio. Anyone
> > have any pros or cons on this..
>

I had one, and sold it because the display did not have enough contrast
to see in a car on a sunny day. It�s basically a solid radio, but only
if you intend to use it as a base station.

73 de KC1IH

--
Larry Weil
Lake Wobegone, NH

From 930776987170270643
X-Google-Thread: 108122,db309d499c940514
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-out.readnews.com!spool-
big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Test equipment AC socket question - 1 attachment
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <Xns9789B9061C2E3spectrumhogstarbandn@198.186.192.196>
<441CE526.A8CBD663@earthlink.net>
Organization: Your Company
Message-ID: <Xns978ADC07CD66Cspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 19 Mar 2006 05:36:53 GMT
Lines: 10
NNTP-Posting-Host: 3ccf2c23.news.adtechcomputers.com
X-Trace:
DXC=gJ^SEdRo^=ALG@jU:39aJFgC4_A5:nI@A<<=aEgO;R8GS[VaTVjXAR@WH;L]i_e:hOecf<A4o8l9C0
W_Uo]cC15J=gANWl:dETDBX^U2iioPaMoN3MZdKNQoI
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3130

Michael,

Thank you very much for such a very helpful answer to my question. I will have the cords I need ordered soon, thanks to you.

73

Ed K7AAT

From -8836952113865887700
X-Google-Thread: 108122,28471645a3acec9c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!f60b578b!not-for-mail
Message-ID: <441CF560.3000604@earthlink.net>

From: Doug Gavilanes <gavilan1@earthlink.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-1R
References: <1142296312.912424.201500@p10g2000cwp.googlegroups.com>
In-Reply-To: <1142296312.912424.201500@p10g2000cwp.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Date: Sun, 19 Mar 2006 05:50:43 GMT
NNTP-Posting-Host: 69.3.119.239
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1142747443 69.3.119.239 (Sat, 18 Mar 2006 21:50:43 PST)
NNTP-Posting-Date: Sat, 18 Mar 2006 21:50:43 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3131

Do you still have this radio? If so, are you set up for PayPal?

73,

Doug, N6XQY
Garden Grove, CA.

biglew3@gmail.com wrote:
> FOR SALE VX-1R GREAT SHAPE AC/DC CHARGER PICS UPON REQUEST ,BOOK IS
> INCLUDED.$70.00 OBO.
>

From 7791922964439158637
X-Google-Thread: 108122,e0cd9de0e1df9433,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Mar 2006 01:07:53 -0600
Reply-To: "jeff" <spiffy1238@hotmail.com>
From: "jeff" <spiffy1238@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA linear power supply with toroid power xformer
Date: Sun, 19 Mar 2006 01:07:40 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <zqqdnSgIvJrUnoDZnZ2dnUVZ_u-dnZ2d@comcast.com>

```
Lines: 3
NNTP-Posting-Host: 67.173.216.250
X-Trace: sv3-o7dqGVT4zuRCtj/HQ5AsJwfknbVtEvO/
DzkZppKv2O+P9VcnJpYx9yd7rgjcYK6NzBZvIex/HTkhh9T!f/
mYQ6K6q9sUtyOEJtiYjEnoVcAOJPAwPzzqlA46r88uHdA3+St4Zvb2JMAsawWO2kxRYVWLfEXr!fPipY9/
g1xpMicCCZSg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3132

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7597636042




From 5369338062686261629
X-Google-Thread: 108122,db309d499c940514
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-
sjc-01!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Test equipment AC socket question - 1 attachment
Date: Sat, 18 Mar 2006 23:27:45 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <121q1vkgrso0kda@corp.supernews.com>
References: <Xns9789B9061C2E3spectrumhogstarbandn@198.186.192.196>
<441CE526.A8CBD663@earthlink.net>
<Xns978ADC07CD66Cspectrumhogstarbandn@198.186.192.196>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news1.google.com rec.radio.amateur.equipment:3133

"Ed"  wrote ...
> Michael,
>
>   Thank you very much for such a very helpful answer to my question.
> I
```

> will have the cords I need ordered soon, thanks to you.

OTOH, I have a "lifetime supply" of male, panel mount IEC
style power connectors if anybody is as anal as I am and
converting their old equipment power cordage to current
standards. (Just so I don't have to deal with those old
standard cords, etc.)

From 262317755017869558
X-Google-Thread: 108122,a818975b50014ef
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Mar 2006 07:23:27 -0600
From: BFoelsch <BFoelsch@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTD: SIMPSON 464 TEST LEADS
Date: Sun, 19 Mar 2006 08:23:28 -0500
Reply-To: BFoelsch@comcast.ditch.this.net
Message-ID: <9pmq12tds3ahroalmgdorgufoph1hbe8kf@4ax.com>
References: <64im129lcb8kai0spo8bb859shbdkmh09m@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Trace: sv3-ZUDlonCldADirav6xxxWBiXy6KVQ9BXQO6w71ap1tPQ54G68XiHa9rGgjjjrqVf/
rnJ905ku4eO1cZh!tQ2ZwNs12HEcfPqPujH4tfVp0YKs+Qc98C11fYY395apgMvN+cJb3VydANBz8n/
8w6nSaw==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3134

On Fri, 17 Mar 2006 23:40:23 GMT, "Richard W. Solomon, W1KSZ"
<w1ksz@earthlink.net> wrote:

>I picked up a Simpson 464 Series 3 DVM sans Test Leads. They are the
>Reverse Banana Plug style.
>Anyone know where I can find a set ?
>Google is no help.
>
>Thanks, Dick, W1KSZ

Hmmm, thought I posted this yesterday.

www.probemaster.com has them for sure.

From -6842695446506763378
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc01.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?hijacked
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<mar.sv-86BE9A.03283908032006@news-rdr-02.rdc-kc.rr.com>
<CYSdnZNKVI4Be5PZnZ2dnUVZ_s6dnZ2d@comcast.com> <mar.sv-DF8964.09152708032006@news-rdr-02.rdc-kc.rr.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-52FAC3.09231319032006@news.verizon.net>
Lines: 24
Date: Sun, 19 Mar 2006 14:23:11 GMT
NNTP-Posting-Host: 151.205.181.37
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1142778191 151.205.181.37 (Sun, 19 Mar 2006 09:23:11 EST)
NNTP-Posting-Date: Sun, 19 Mar 2006 09:23:11 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:3135

my original therad was totally hi jacked

a topic of , how to get a simple /cheep hf rig is completely different
and should be a completely new topic it's interesting topic but needs a
new thread

thanks to the single person who offered a heads up saying that kenwood
was going to perhaps a d star

i wonder if anyone has any links to any preview shots of it or spec
page??

tnx

In article <mar.sv-DF8964.09152708032006@news-rdr-02.rdc-kc.rr.com>,
 rocky <mar.sv@mars.com> wrote:

> In article <CYSdnZNKVI4Be5PZnZ2dnUVZ_s6dnZ2d@comcast.com>,
> "Noon-Air" <Noon-Air@comcast.net> wrote:

```
>



From -4504870615498881542
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<vR%Sf.42494$l04.8575@fe09.news.easynews.com> <kc1ih-603035.00251119032006@sn-
indi.vsrv-sjc.supernews.net>
Subject: Re: VX-7R
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <WJeTf.12762$Uc2.7161@fed1read04>
Date: Sun, 19 Mar 2006 07:26:42 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1142781942 72.197.12.245 (Sun, 19 Mar 2006 10:25:42 EST)
NNTP-Posting-Date: Sun, 19 Mar 2006 10:25:42 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3136

Larry:
195 user opinions on the VX-7R at e-ham reviews -- URL:

http://www.eham.net/reviews/detail/2350
--
CL -- I doubt, therefore I might be !




"Larry Weil" <kc1ih@mac.com> wrote in message
news:kc1ih-603035.00251119032006@sn-indi.vsrv-sjc.supernews.net...
> In article <vR%Sf.42494$l04.8575@fe09.news.easynews.com>,
> "Travis Jordan" <no.one@no.net> wrote:
>
>> DESYNC DOMiNATiON wrote:
>> > I am thinking about buying a VX-7R it seemes its a good radio. Anyone
>> > have any pros or cons on this..
>>
>
> I had one, and sold it because the display did not have enough contrast
> to see in a car on a sunny day.  It�s basically a solid radio, but only
```

> if you intend to use it as a base station.
>
> 73 de KC1IH
>
> --
> Larry Weil
> Lake Wobegone, NH

```
From 5439391820859538557
X-Google-Thread: 108122,db309d499c940514
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-
out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Test equipment AC socket question - 1 attachment
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <Xns9789B9061C2E3spectrumhogstarbandn@198.186.192.196>
<441CE526.A8CBD663@earthlink.net>
<Xns978ADC07CD66Cspectrumhogstarbandn@198.186.192.196>
<121q1vkgrso0kda@corp.supernews.com>
Organization: Your Company
Message-ID: <Xns978B622F95A40spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 19 Mar 2006 17:38:10 GMT
Lines: 16
NNTP-Posting-Host: 17224b0b.news.adtechcomputers.com
X-Trace: DXC=D5i_LDO3NT^9`]cJ8Ti<0_gC4_A5:nI@Q<<=aEgO;R8WS[VaTVjXARPHiPf_j^Ee?
Recf<A4o8l9S0W_Uo]cC15Z=gANWl:dETTB4mGH51D1jVV=I\NQ?c?4_
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3138
```

>
> OTOH, I have a "lifetime supply" of male, panel mount IEC
> style power connectors if anybody is as anal as I am and
> converting their old equipment power cordage to current
> standards. (Just so I don't have to deal with those old
> standard cords, etc.)
>
>

I have some, too, for the aformentioned project.... but I have decided I'd rather not hassle with the replacment in this case, even though its a better idea.

Ed

```
From -8691054440915978029
X-Google-Thread: 108122,178203b23a39855d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!cox.net!news-
xfer.cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Nice HP 410C VTVM
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <wSgTf.270359$oG.138996@dukeread02>
Date: Sun, 19 Mar 2006 11:51:34 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142790684 68.105.228.151 (Sun, 19 Mar 2006 12:51:24 EST)
NNTP-Posting-Date: Sun, 19 Mar 2006 12:51:24 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3139
```

The 410C replaced the 410B and was eventually the last VTVM ever produced by hp. This one comes with the optional AC probe. The probe has a vacuum diode inside it's body - it will warm-up you hand. The amplifier is feedback stabilized, so the pointer shows absolutely no swing when applying a signal. The Model 410C is an extremely versatile general-purpose instrument for use
anywhere electrical measurements are made. The Specs are below:

AC Response 20Hz to 700MHz
Output 1V f.s.
Power 13 watts
Dimensions 6-1/2" x 5-1/8" x 11"
Weight 8 lbs (4 kg)
Technology tube, transistor
Price (for 1968) $ 425 w/ AC probe

My price for this one is $125. It is in great shape. I can send digital pictures. Thanks, Charlie Hugg, K5MBX

```
From 4580247064628582l0
X-Google-Thread: 108122,e14a465d3331576f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: cs_posting@hotmail.com
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: chip type TSSOP in homebrew
Date: 19 Mar 2006 12:16:32 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1142799391.975805.53200@j33g2000cwa.googlegroups.com>
References: <1142649334_10841@sp6iad.superfeed.net>
   <pan.2006.03.18.03.23.44.169008@sbcglobal.net>
   <FLqdncqHfdDbl4HZnZ2dnUVZ_tWdnZ2d@comcast.com>
NNTP-Posting-Host: 24.215.171.164
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142799397 21250 127.0.0.1 (19 Mar 2006 20:16:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 19 Mar 2006 20:16:37 +0000 (UTC)
In-Reply-To: <FLqdncqHfdDbl4HZnZ2dnUVZ_tWdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=24.215.171.164;
   posting-account=eJWpAgwAAAA6NSvVMPW-24TZytfy8oL2
Xref: g2news1.google.com rec.radio.amateur.equipment:3140

Noon-Air wrote:

> Got one.......
> Now if I could only *see* that little bitty stuff again....I hate getting
> old.

You're not supposed to be able to see it even when young.

We have a spiffy binocular zoom microscope on almost every bench at
work.

I''ve pretty much given up on building hobby projects though - don't
have the right tools at home, don't have time to use the right tools at
work.

From -3868905558746012755
X-Google-Thread: 108122,b1c5d1568b667af7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Drake TR-4Cw/rit + AC-4 + MS-4 combo
Message-ID: <9omr12ln2st62ar2q810m1el5ujgol1i1j@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
Date: Sun, 19 Mar 2006 17:28:30 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1142807312 69.125.167.162 (Sun, 19 Mar 2006 15:28:32 MST)
NNTP-Posting-Date: Sun, 19 Mar 2006 15:28:32 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3141

FS: Drake TR-4Cw/rit + AC-4 + MS-4 combo

The TR-4CW/rit was one of the last off the line, serial no. 45311, and has the hard-to-find 34-PNB noise blanker installed, which I've seen go separately for $200. It is extremely clean, a conservative 9+. Flawless front panel except for one 1/8" scratch below the RIT button. Cabinet top is perfect. Both sides are perfect except for one very small scratch on the left side. Chassis is clean, no corrosion, no smoke deposits. No evidence of modification. Two extra crystals are installed for full 10M coverage.

The AC-4 power supply is installed inside the MS-4 speaker cabinet. The MS-4 has a few superficial scratches on top. The front grille is perfect.
Interconnect cables and repro manual included.

Make serious offer
Ready to sell.
ritchi50@optonline.net

From -4949284488247113512
X-Google-Thread: 108122,d2be41715d79892,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!logbridge.uoregon.edu!arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom IC-910 VHF/UHF ALL MODE RADIO
Date: Sun, 19 Mar 2006 20:59:55 -0600
Organization: netINS InterNetNews site
Lines: 6
Message-ID: <a96s12lpj2e1oc6niqnshs5hoh7vg607ja@4ax.com>
Reply-To: mike@l2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1142823594 6513 67.55.159.6 (20 Mar 2006 02:59:54 GMT)
X-Complaints-To: abuse@netins.net

```
NNTP-Posting-Date: Mon, 20 Mar 2006 02:59:54 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:3142

Hello, I have for sale a mint IC-910 radio. It was used mostly on the
satellites. It is like new and in a non smoking enviroment. It comes
with the standard hand mic, power cable and manual. If you have any
questions or would like a picture please email me. The price is $950
plus $20 for shipping. Thanks, Mike
remove NOSPAM      mikeNOSPAM@L2speed.net



From 1760289445101861282
X-Google-Thread: 10660e,3c9d2c92fa61d088,start
X-Google-Thread: 10b299,3c9d2c92fa61d088,start
X-Google-Thread: 1108d7,3c9d2c92fa61d088,start
X-Google-Thread: 10944c,3c9d2c92fa61d088,start
X-Google-Thread: fcc6e,3c9d2c92fa61d088,start
X-Google-Thread: fc8b1,3c9d2c92fa61d088,start
X-Google-Thread: f7653,3c9d2c92fa61d088,start
X-Google-Thread: 11480d,3c9d2c92fa61d088,start
X-Google-Thread: 108122,3c9d2c92fa61d088,start
X-Google-Thread: fc2a5,3c9d2c92fa61d088,start
X-Google-Attributes:
gid10660e,gid10b299,gid1108d7,gid10944c,gidfcc6e,gidfc8b1,gidf7653,gid11480d,gid10
8122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Dave Turner" <not@dave>
Newsgroups:
rec.ponds,rec.puzzles,rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.an
tenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amate
ur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <F6qTf.1018$tT.243@news01.roc.ny>
Subject: Re: Ink
Date: Mon, 20 Mar 2006 12:27:48 +0800
Lines: 35
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
NNTP-Posting-Host: dsl-58-6-21-67.wa.westnet.com.au
Message-ID: <441e2f14@quokka.wn.com.au>
X-Trace: quokka.wn.com.au 1142828820 58.6.21.67 (20 Mar 2006 12:27:00 +0800)
X-Complaints-To: abuse@westnet.com.au
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nntp.waia.asn.au!202.72.130.18.MISMATCH!quokka.wn.com.au!not-
for-mail
Xref: g2news1.google.com rec.ponds:19336 rec.puzzles:6611
rec.puzzles.crosswords:1779 rec.pyrotechnics:9327 rec.radio.amateur.antenna:8074
rec.radio.amateur.boatanchors:3414 rec.radio.amateur.digital.misc:214
rec.radio.amateur.dx:1708 rec.radio.amateur.equipment:3143
rec.radio.amateur.homebrew:4337
```

```
> whois imagraphix.com

Registrant:
   Murphey Shaw
   12 Blackwatch Trail Fairport, NY 14450
   ,
   United States

   Registered through: GoDaddy.com
   Domain Name: IMAGRAPHIX.COM
      Created on: 09-Dec-04
      Expires on: 09-Dec-07
      Last Updated on: 14-Feb-06

   Administrative Contact:
      Shaw, Murphey  mshawjr@frontiernet.net
      12 Blackwatch Trail Fairport, NY 14450
      ,
      United States
      5854148735

   Technical Contact:
      DNS, Administrator  administrator@siteprotect.com
      1 N State Street 12th Floor Chicago, IL 60602
      ,
      United States
      +1.3122362132      Fax -- +1.3122361958

   Domain servers in listed order:
      NS3.SECURESERVER.NET
      NS4.SECURESERVER.NET
```

```
From -1332188841229550944
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "K4YZ" <k4yz@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: More Markie Mularkie
```

```
Date: 19 Mar 2006 22:58:20 -0800
Organization: http://groups.google.com
Lines: 26
Message-ID: <1142837900.644323.98390@j33g2000cwa.googlegroups.com>
References: <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <1142608522.189563.259330@j52g2000cwj.googlegroups.com>
   <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
   <1142614560.983203.131290@z34g2000cwc.googlegroups.com>
   <20060317121753.520$xN@newsreader.com>
   <1142616293.741170.17950@e56g2000cwe.googlegroups.com>
   <20060317122833.006$wf@newsreader.com>
   <1142617596.085748.202360@v46g2000cwv.googlegroups.com>
   <20060317172341.559$Sk@newsreader.com>
   <1142639660.955896.289020@u72g2000cwu.googlegroups.com>
   <20060317192838.001$8W@newsreader.com>
   <1142653328.171546.117690@p10g2000cwp.googlegroups.com>
   <20060317225636.706$gI@newsreader.com>
   <1142654754.351558.290190@i40g2000cwc.googlegroups.com>
   <20060317231501.287$9N@newsreader.com>
NNTP-Posting-Host: 64.12.116.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142837905 11227 127.0.0.1 (20 Mar 2006 06:58:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Mar 2006 06:58:25 +0000 (UTC)
In-Reply-To: <20060317231501.287$9N@newsreader.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; (R1
1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[mtc-tb062 8.3.5], HTTP/1.0 cache-mtc-aa06.proxy.aol.com[400C740A] (Traffic-
Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=64.12.116.10;
   posting-account=qNx0vw0AAAA-UHNzUIDJOorYN5_VptjO
Xref: g2news1.google.com rec.radio.amateur.equipment:3144 rec.radio.cb:6827
rec.radio.amateur.policy:19764 rec.radio.amateur.misc:6701
rec.radio.shortwave:28637


Steveo wrote:
> "nobodys_old_friend" <krapstain@hotmail.com> wrote:
> > Steveo wrote:
> > > "nobodys_old_friend" <krapstain@hotmail.com> wrote:
> > > > Steveo wrote:
> > > > > "nobodys old friend" <kb9rqz@yahoo.com> wrote:
> >
> > > > > Can you be anymore obvious with your intentional spelling mistakes,
> > > > > markie-tard?
> > > >
> > > > can you tell the truth?
```

> > > >
> > > You forgot to miss-spell a few words that time, markie-tard.
> > nope
> > >
> > > You're slipping again.
> >
> > nope you are just lying again
> >
> Now you're up to six words...

Now if we can get him to punctuate them into meaningful sentences?

Steve, K4YZ

From -8274570868634619828
X-Google-Thread: 108122,facc371c904d8f0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!pln-w!spln!dex!extra.newsguy.com!newsp.newsguy.com!enews2
From: gkelly@noemail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Uniden SMU 300K (How to operate?)
Date: Mon, 20 Mar 2006 00:47:57 -0600
Organization: http://extra.newsguy.com
Lines: 50
Message-ID: <kpjs121g3ss7t2u8c05hdaksbe406n398b@4ax.com>
NNTP-Posting-Host: p-508.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 1.93/32.576 English (American)
Xref: g2news1.google.com rec.radio.amateur.equipment:3145

Hello

I went to a local auction where a hardware store and small engine repair business went out of business. I came home with boxes of small odds and ends. One box had what I thought was a CB radio, but it turned out to be a Uniden SMU 300K commercial radio. I have been googling around trying to find out some info on it, but out of about 40 hits on google, with well over half of them being outdated Ebay ads, (I sure wish Google would remove outdated junk), I only found one site with a small photo of one, and no further info.

This is the same radio, as the photo I found.

Anyhow, I am not very familiar with commercial radios. I do know quite a lot about CB though, so I know this is similar except the frequency.

What I am trying to find out are a few things. What is these radios used for?   I mean what is the band they use, like is is police, fire, business only, or what? Several of those obsolete Ebay ads said in the description they are a UHF 450-470 MHz Mobile Radio (another said 440 - 470mhz.

My next question is legality. Can I legally transmit, or do I need some sort of license? If I do need one, can I test it without a license just for a few minutes?
(I am a farmer, live out in the boonies, so there is not much radio activity around here). I have a police scanner so I should be able to hear myself. But before I do all of that, I will need the right antenna. I got several CB antennas but I know that is way off on the wavelength. I imagine for listening, I can use one just to try it, but not to transmit.

I am just asking all of this first. I have not powered it up yet, and for all I know, it could be dead, although it is clean and complete. I dont want to blow it up so i am asking about it first. I also dont want to buy an antenna or get a license or anything until I know it works.

One other thing. I dont see any holes for a speaker. Does the sound come out of the mic, or what? On the rear there are only the red and black power wires, the antenna connector, and a square plug with a jumper wire.

All help appreciated.

Thanks

George

From 2102390194358119632
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: where is you lawyer steve
Date: 19 Mar 2006 23:18:46 -0800
Organization: http://groups.google.com
Lines: 21

```
Message-ID: <1142839126.265060.62550@i39g2000cwa.googlegroups.com>
References: <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <1142608522.189563.259330@j52g2000cwj.googlegroups.com>
   <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
   <1142614560.983203.131290@z34g2000cwc.googlegroups.com>
   <20060317121753.520$xN@newsreader.com>
   <1142616293.741170.17950@e56g2000cwe.googlegroups.com>
   <20060317122833.006$wf@newsreader.com>
   <1142617596.085748.202360@v46g2000cwv.googlegroups.com>
   <20060317172341.559$Sk@newsreader.com>
   <1142639660.955896.289020@u72g2000cwu.googlegroups.com>
   <20060317192838.001$8W@newsreader.com>
   <1142653328.171546.117690@p10g2000cwp.googlegroups.com>
   <20060317225636.706$gI@newsreader.com>
   <1142654754.351558.290190@i40g2000cwc.googlegroups.com>
   <20060317231501.287$9N@newsreader.com>
   <1142837900.644323.98390@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142839144 16625 127.0.0.1 (20 Mar 2006 07:19:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Mar 2006 07:19:04 +0000 (UTC)
In-Reply-To: <1142837900.644323.98390@j33g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3146 rec.radio.cb:6828
rec.radio.amateur.policy:19766 rec.radio.amateur.misc:6702
rec.radio.shortwave:28638


K4YZ wrote:
> Steveo wrote:
> > "nobodys_old_friend" <krapstain@hotmail.com> wrote:

you might try reading this link steve
> > > Steveo wrote:
> > > > "nobodys_old_friend" <krapstain@hotmail.com> wrote:
> > > > > Steveo wrote:
> > > > > > "nobodys old friend" <kb9rqz@yahoo.com> wrote:

> > Now you're up to six words...
>
>      Now if we can get him to punctuate them into meaningful sentences?
>
> Steve, K4YZ
```

where is your lawyer

and why do you violatethe Tos of Google

```
From -11098615263216732
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "K4YZ" <k4yz@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: More Markie Mularkie
Date: 19 Mar 2006 23:50:41 -0800
Organization: http://groups.google.com
Lines: 37
Message-ID: <1142841041.520539.304040@v46g2000cwv.googlegroups.com>
References: <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <1142608522.189563.259330@j52g2000cwj.googlegroups.com>
   <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
   <1142614560.983203.131290@z34g2000cwc.googlegroups.com>
   <20060317121753.520$xN@newsreader.com>
   <1142616293.741170.17950@e56g2000cwe.googlegroups.com>
   <20060317122833.006$wf@newsreader.com>
   <1142617596.085748.202360@v46g2000cwv.googlegroups.com>
   <20060317172341.559$Sk@newsreader.com>
   <1142639660.955896.289020@u72g2000cwu.googlegroups.com>
   <20060317192838.001$8W@newsreader.com>
   <1142653328.171546.117690@p10g2000cwp.googlegroups.com>
   <20060317225636.706$gI@newsreader.com>
   <1142654754.351558.290190@i40g2000cwc.googlegroups.com>
   <20060317231501.287$9N@newsreader.com>
   <1142837900.644323.98390@j33g2000cwa.googlegroups.com>
   <1142839126.265060.62550@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 64.12.116.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142841046 18287 127.0.0.1 (20 Mar 2006 07:50:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Mar 2006 07:50:46 +0000 (UTC)
In-Reply-To: <1142839126.265060.62550@i39g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; (R1
1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
```

```
[mtc-tb062 8.3.5], HTTP/1.0 cache-mtc-aa06.proxy.aol.com[400C740A] (Traffic-
Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=64.12.116.10;
   posting-account=qNx0vw0AAAA-UHNzUIDJOorYN5_VptjO
Xref: g2news1.google.com rec.radio.amateur.equipment:3147 rec.radio.cb:6829
rec.radio.amateur.policy:19770 rec.radio.amateur.misc:6703
rec.radio.shortwave:28640


uglier than an old friend wrote:
> K4YZ wrote:
> > Steveo wrote:
> > > "nobodys_old_friend" <krapstain@hotmail.com> wrote:
>
> you might try reading this link steve

     You might try standing in front of an on-coming train, Morkie.

> > > > Steveo wrote:
> > > > > "nobodys_old_friend" <krapstain@hotmail.com> wrote:
> > > > > > Steveo wrote:
> > > > > > > "nobodys old friend" <kb9rqz@yahoo.com> wrote:
>
> > > Now you're up to six words...
> >
> >      Now if we can get him to punctuate them into meaningful sentences?
> >
> > Steve, K4YZ
>
> where is your lawyer

     At this hour?  At home in bed, I presume.

> and why do you violatethe Tos of Google

     So far, I haven't.  Why do you suggest I do?

     You see, Mork, I can call you an idiot, a fool, a liar, a deviate,
a coward, and a cheat in this forum because at one time or another
you've proven all of them to be true.

     It's not a "violation" if it's true.

Steve, K4YZ



From -5391607253916539906
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
```

```
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Tos violating some more steve
Date: 19 Mar 2006 23:59:00 -0800
Organization: http://groups.google.com
Lines: 54
Message-ID: <1142841540.203072.15270@j33g2000cwa.googlegroups.com>
References: <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
   <1142614560.983203.131290@z34g2000cwc.googlegroups.com>
   <20060317121753.520$xN@newsreader.com>
   <1142616293.741170.17950@e56g2000cwe.googlegroups.com>
   <20060317122833.006$wf@newsreader.com>
   <1142617596.085748.202360@v46g2000cwv.googlegroups.com>
   <20060317172341.559$Sk@newsreader.com>
   <1142639660.955896.289020@u72g2000cwu.googlegroups.com>
   <20060317192838.001$8W@newsreader.com>
   <1142653328.171546.117690@p10g2000cwp.googlegroups.com>
   <20060317225636.706$gI@newsreader.com>
   <1142654754.351558.290190@i40g2000cwc.googlegroups.com>
   <20060317231501.287$9N@newsreader.com>
   <1142837900.644323.98390@j33g2000cwa.googlegroups.com>
   <1142839126.265060.62550@i39g2000cwa.googlegroups.com>
   <1142841041.520539.304040@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 69.19.14.30
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142841545 19315 127.0.0.1 (20 Mar 2006 07:59:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Mar 2006 07:59:05 +0000 (UTC)
In-Reply-To: <1142841041.520539.304040@v46g2000cwv.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=69.19.14.30;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3148 rec.radio.cb:6830
rec.radio.amateur.policy:19771 rec.radio.amateur.misc:6704
rec.radio.shortwave:28641
```

K4YZ wrote:
> uglier than an old friend wrote:

that is a violation of the TosS right there"impersonate another person
or entity, or falsify or delete any author attributions, legal or other

```
proper notices or proprietary designations or labels of the origin or
source of software or other material contained in a file that is
Posted;"
> > K4YZ wrote:
> > > Steveo wrote:
> > > > "nobodys_old_friend" <krapstain@hotmail.com> wrote:
> >
> > you might try reading this link steve
>
>      You might try standing in front of an on-coming train, Morkie.
>
> > > > > Steveo wrote:
> > > > > > "nobodys_old_friend" <krapstain@hotmail.com> wrote:
> > > > > > > Steveo wrote:
> > > > > > > > "nobodys old friend" <kb9rqz@yahoo.com> wrote:
> >
> > > > > Now you're up to six words...
> > >
> > >      Now if we can get him to punctuate them into meaningful sentences?
> > >
> > > Steve, K4YZ
> >
> > where is your lawyer
>
>      At this hour?  At home in bed, I presume.
>
> > and why do you violatethe Tos of Google
>
>      So far, I haven't.  Why do you suggest I do?

becuase you have

>
>      You see, Mork, I can call you an idiot, a fool, a liar, a deviate,
> a coward, and a cheat in this forum because at one time or another
> you've proven all of them to be true.
"post any inappropriate, defamatory, infringing, obscene, or unlawful
Content; "

this is a radio NG
>
>      It's not a "violation" if it's true.

read it steve you realy should
http://groups.google.com/intl/en/googlegroups/terms_of_service.html
>
> Steve, K4YZ



From 185823578545441376
X-Google-Thread: 108122,eeb5414af08cb04e,start
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Markus Baertschi <markus@markus.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Unknown VHF Radio. Looking for information
Date: Mon, 20 Mar 2006 11:13:27 +0100
Lines: 9
Message-ID: <487dirFirmb1U1@individual.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net vEPg3nr73Fxvj3p7Ex7/aQSv6AKGO1hy+V3Pdl3fI1mh6lAmA=
User-Agent: Thunderbird 1.5 (Windows/20051201)
Xref: g2news1.google.com rec.radio.amateur.equipment:3149


I'm looking for information about a VHF radio of the 'Alpha' brand.

I've got a picture, but no further info.
http://www.markus.org/404779521.jpg

A local HAM wants to sell it and I might be interested.

Thanks  Markus HB9VCD



From 8238204229010841991
X-Google-Thread: 10660e,3c9d2c92fa61d088
X-Google-Thread: 10b299,3c9d2c92fa61d088
X-Google-Thread: 1108d7,3c9d2c92fa61d088
X-Google-Thread: 10944c,3c9d2c92fa61d088
X-Google-Thread: fcc6e,3c9d2c92fa61d088
X-Google-Thread: fc8b1,3c9d2c92fa61d088
X-Google-Thread: f7653,3c9d2c92fa61d088
X-Google-Thread: 11480d,3c9d2c92fa61d088
X-Google-Thread: 108122,3c9d2c92fa61d088
X-Google-Thread: fc2a5,3c9d2c92fa61d088
X-Google-Attributes:
gid10660e,gid10b299,gid1108d7,gid10944c,gidfcc6e,gidfc8b1,gidf7653,gid11480d,gid10
8122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Mar 2006 05:59:50 -0600
From: "HankG" <hank@invalid.com>
Newsgroups:
rec.ponds,rec.puzzles,rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.an
tenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amate
ur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <F6qTf.1018$tT.243@news01.roc.ny>
Subject: Re: Ink
```

```
Date: Mon, 20 Mar 2006 06:59:53 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <4M-dnWhbLY6rBIPZRVn-tQ@comcast.com>
Lines: 12
NNTP-Posting-Host: 68.80.112.105
X-Trace: sv3-tQU0YX9IKzxwwhy870lCEg/UhtvC4Na+1bZ5i0/
zadU2QiVxriCXYC1ekQUrjtjJzXFvDDT4QO2BBnc!
Bs8auKpFrkm4B66pg6Akh86xwWo3HF5fxAt691xec8I5ZRvN2iaTi24CYI1uyzDLU3e1ZwuZexp/!
AiRG6g8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.ponds:19341 rec.puzzles:6617
rec.puzzles.crosswords:1780 rec.pyrotechnics:9333 rec.radio.amateur.antenna:8086
rec.radio.amateur.boatanchors:3417 rec.radio.amateur.digital.misc:215
rec.radio.amateur.dx:1709 rec.radio.amateur.equipment:3150
rec.radio.amateur.homebrew:4338


<mshawjr@frontiernet.net> wrote in message
news:F6qTf.1018$tT.243@news01.roc.ny...
> Man I have found this site that has the cheapest ink for any printer.
> You can compare prices and then review the companies on service and
> quality. <http://www.imagraphix.com> Let me know what you think

I think you are a spammer.  So far, found in six (of six) NG's.

HankG




From 1124707842157259801
X-Google-Thread: 10660e,3c9d2c92fa61d088
X-Google-Thread: 10b299,3c9d2c92fa61d088
X-Google-Thread: 1108d7,3c9d2c92fa61d088
X-Google-Thread: 10944c,3c9d2c92fa61d088
X-Google-Thread: fcc6e,3c9d2c92fa61d088
X-Google-Thread: fc8b1,3c9d2c92fa61d088
X-Google-Thread: f7653,3c9d2c92fa61d088
X-Google-Thread: 11480d,3c9d2c92fa61d088
X-Google-Thread: 108122,3c9d2c92fa61d088
X-Google-Thread: fc2a5,3c9d2c92fa61d088
X-Google-Attributes:
gid10660e,gid10b299,gid1108d7,gid10944c,gidfcc6e,gidfc8b1,gidf7653,gid11480d,gid10
8122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
From: "Dave Turner" <not@dave>
Newsgroups:
rec.ponds,rec.puzzles,rec.puzzles.crosswords,rec.pyrotechnics,rec.radio.amateur.an
tenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amate
ur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
References: <%WwTf.3014$tT.1641@news01.roc.ny>
Subject: Re: Ink
Date: Mon, 20 Mar 2006 21:02:17 +0800
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
NNTP-Posting-Host: dsl-58-6-21-67.wa.westnet.com.au
Message-ID: <441ea7aa@quokka.wn.com.au>
X-Trace: quokka.wn.com.au 1142859690 58.6.21.67 (20 Mar 2006 21:01:30 +0800)
X-Complaints-To: abuse@westnet.com.au
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.moat.net!
quokka.wn.com.au!not-for-mail
Xref: g2news1.google.com rec.ponds:19344 rec.puzzles:6621
rec.puzzles.crosswords:1782 rec.pyrotechnics:9335 rec.radio.amateur.antenna:8089
rec.radio.amateur.boatanchors:3418 rec.radio.amateur.digital.misc:216
rec.radio.amateur.dx:1710 rec.radio.amateur.equipment:3151
rec.radio.amateur.homebrew:4339

<mshawjr@frontiernet.net> wrote in message
news:JTwTf.2739$tT.1678@news01.roc.ny...
> Sorry guys.  The spam stuff was not my intent.
Yes it was, your header is still the same, and you've now re-spammed every
newsgroup again with your 'apology'. It doesn't get any dumber.

> I have never been on newsgroups before and not sure how to
> work them.
Yet you know how to spam them. Did you also learn to run before you could
walk?

> I hope you guys can forgive a bad choice.
"You go to hell! You go to hell and you die!" - Mr Garrison




From 5385871005833951213
X-Google-Thread: 108122,facc371c904d8f0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Mar 2006 07:38:46 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
```

References: <kpjs121g3ss7t2u8c05hdaksbe406n398b@4ax.com>
Subject: Re: Uniden SMU 300K (How to operate?)
Date: Mon, 20 Mar 2006 07:38:46 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <w42dne7YBdL7LYPZRVn-rg@comcast.com>
Lines: 61
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-cEN/R3VqGkMAX4+7nDZP8l4NH2YUv/mAJ2v/
Q0SXP+caa5joPmj6TyMx27TeGJwRAQsghbc1i1t2G9D!p3mX8rDaLCggzn6d5vN4wigmSEz1UkEPaY6z/
a+O7vI9JeM65rybHPfz0msBGUvm/mVv96+h/8g=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3152

YES you will need a license before you can transmit, NO a CB antenna won't work, YES you will need to know what frequency and cut the antenna to the correct resonant length, YES it will most likley have to be modified to operate in the ham bands once you are licensed to do so, NO I can't tell you any more without actually *seeing* the radio, or the book for it.

<gkelly@noemail.com> wrote in message
news:kpjs121g3ss7t2u8c05hdaksbe406n398b@4ax.com...
> Hello
>
> I went to a local auction where a hardware store and small engine
> repair business went out of business. I came home with boxes of small
> odds and ends. One box had what I thought was a CB radio, but it
> turned out to be a Uniden SMU 300K commercial radio. I have been
> googling around trying to find out some info on it, but out of about
> 40 hits on google, with well over half of them being outdated Ebay
> ads, (I sure wish Google would remove outdated junk), I only found one
> site with a small photo of one, and no further info.
>
> This is the same radio, as the photo I found.
>
> Anyhow, I am not very familiar with commercial radios. I do know
> quite a lot about CB though, so I know this is similar except the
> frequency.
>
> What I am trying to find out are a few things. What is these radios
> used for?   I mean what is the band they use, like is is police, fire,
> business only, or what? Several of those obsolete Ebay ads said in
> the description they are a UHF 450-470 MHz Mobile Radio (another said
> 440 - 470mhz.

```
>
> My next question is legality.  Can I legally transmit, or do I need
> some sort of license?  If I do need one, can I test it without a
> license just for a few minutes?
> (I am a farmer, live out in the boonies, so there is not much radio
> activity around here).  I have a police scanner so I should be able to
> hear myself.  But before I do all of that, I will need the right
> antenna.  I got several CB antennas but I know that is way off on the
> wavelength.  I imagine for listening, I can use one just to try it,
> but not to transmit.
>
> I am just asking all of this first.  I have not powered it up yet, and
> for all I know, it could be dead, although it is clean and complete.
> I dont want to blow it up so i am asking about it first.  I also dont
> want to buy an antenna or get a license or anything until I know it
> works.
>
> One other thing.  I dont see any holes for a speaker.  Does the sound
> come out of the mic, or what?  On the rear there are only the red and
> black power wires, the antenna connector, and a square plug with a
> jumper wire.
>
> All help appreciated.
>
> Thanks
>
> George
>
```

```
From -2808175509989137026
X-Google-Thread: 108122,cd4b01a01eb1e83
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.gamma.ru!Gamma.RU!npeer.de.kpn-
eurorings.net!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!
newsfeed01.chello.at!newsfeed02.chello.at!news.chello.at.POSTED!not-for-mail
From: "Peter Hofmann" <peter.hofmann@teleweb.at>
Newsgroups: rec.radio.amateur.equipment
References: <9332f$44199167$506d651c$18603@news.chello.at>
<1142728421.113822.3030@z34g2000cwc.googlegroups.com>
Subject: Re: REQ: MFJ-1278B circuit diagrams/schematics
Date: Mon, 20 Mar 2006 17:39:17 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4522.1200
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4522.1200
Message-ID: <7c003$441eda37$506d651c$10528@news.chello.at>
X-Complaints-To: abuse@chello.at
Organization: chello.at
Lines: 30
```

NNTP-Posting-Host: 80.109.101.28 (80.109.101.28)
NNTP-Posting-Date: Mon, 20 Mar 2006 17:37:11 +0100
X-Trace: 7c003441eda37f5c8c0b910528
Xref: g2news1.google.com rec.radio.amateur.equipment:3153

Richard,
many, many thanks for info ... got manual ... will look now for the schematics ...
best regards peter

<gagnonrchrd@netscape.net> schrieb im Newsbeitrag
news:1142728421.113822.3030@z34g2000cwc.googlegroups.com...
> Hi Peter
>
> I did some searching and came up with these results.
>
> http://www.qsl.net/ke4mob/
> http://www.mods.dk/index.php?ListManuals=mfj
> With mods.dk register for a free subscription. The 1278 manual they
> have does not show the schematic but is a 407 page (1.806kb pdf)
> manual.
> Not sure if this will help.
>
> Richard
>
>
>
> Peter Hofmann wrote:
> > I am searching the circuit diagrams/schematics for a MFJ-1278B Multimode
> > Controller. Thanks in advance
> >
> > oe3pha@hotmail.com
>

From 3664666907468960447
X-Google-Thread: 108122,cd4b01a01eb1e83
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr33.news.prodigy.com.POSTED!b25072da!not-for-mail
From: Mark S <markrolandsmith@sbcglobal.net>
Subject: Re: REQ: MFJ-1278B circuit diagrams/schematics
Newsgroups: rec.radio.amateur.equipment
References: <9332f$44199167$506d651c$18603@news.chello.at>
<1142728421.113822.3030@z34g2000cwc.googlegroups.com>
<7c003$441eda37$506d651c$10528@news.chello.at>
Lines: 41
Organization: Davis, Ca. USA

User-Agent: KNode/0.9.3
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <_qBTf.7113$%m4.3422@newssvr33.news.prodigy.com>
NNTP-Posting-Host: 64.160.116.131
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr33.news.prodigy.com 1142874938 ST000 64.160.116.131 (Mon, 20 Mar 2006 12:15:38 EST)
NNTP-Posting-Date: Mon, 20 Mar 2006 12:15:38 EST
X-UserInfo1:
[[OIR^OG^RRMBPLY@BJB^PPAAJ^FBL@MAHU^_BAMEH]TCDYG^WHKAH_[JTXDX_KI\VB]JBVMS^YT_G[CZV
WAOS\DHFWEH]@KGXYHB_CMDSFABP^J[AHHRKARLE_JDBLJ\XA[JRMEI]MGJSPB\Y]^KG\@S^@VQKI_Q[G
@@_ACSARASDEFLBJ]S\GFNTUAVBL
Date: Mon, 20 Mar 2006 17:15:38 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3154

Peter Hofmann wrote:

> Richard,
> many, many thanks for info ... got manual ... will look now for the
> schematics ...
> best regards peter
>
> <gagnonrchrd@netscape.net> schrieb im Newsbeitrag
> news:1142728421.113822.3030@z34g2000cwc.googlegroups.com...
>> Hi Peter
>>
>> I did some searching and came up with these results.
>>
>> http://www.qsl.net/ke4mob/
>> http://www.mods.dk/index.php?ListManuals=mfj
>> With mods.dk register for a free subscription. The 1278 manual they
>> have does not show the schematic but is a 407 page (1.806kb pdf)
>> manual.
>> Not sure if this will help.
>>
>> Richard
>>
>>
>>
>> Peter Hofmann wrote:
>> > I am searching the circuit diagrams/schematics for a MFJ-1278B
>> > Multimode Controller. Thanks in advance
>> >
>> > oe3pha@hotmail.com
>>

Hi Peter

I have the 1278B schems. in the back of my manual. There are 5 pages in all. Will scan them in and email them to you or post them on a binary news group. That won't be 'till much later today though.

73s

Mark
markrolandsmith@sbcglobal.net

From 6085468027398111611
X-Google-Thread: 108122,facc371c904d8f0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!pln-w!spln!lex!extra.newsguy.com!
newsp.newsguy.com!enews2
From: gkelly@noemail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Uniden SMU 300K (How to operate?)
Date: Mon, 20 Mar 2006 12:19:33 -0600
Organization: http://extra.newsguy.com
Lines: 81
Message-ID: <c5st12dseokrumbpf3ffb7bffrnp3692eh@4ax.com>
References: <kpjs121g3ss7t2u8c05hdaksbe406n398b@4ax.com> <w42dne7YBdL7LYPZRVn-
rg@comcast.com>
NNTP-Posting-Host: p-776.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Newsreader: Forte Agent 1.93/32.576 English (American)
Xref: g2news1.google.com rec.radio.amateur.equipment:3155

On Mon, 20 Mar 2006 07:38:46 -0600, "Noon-Air" <Noon-Air@comcast.net>
wrote:

>YES you will need a license before you can transmit, NO a CB antenna won't
>work, YES you will need to know what frequency and cut the antenna to the
>correct resonant length, YES it will most likley have to be modified to
>operate in the ham bands once you are licensed to do so, NO I can't tell you
>any more without actually *seeing* the radio, or the book for it.
>

Thanks for the reply.
three questions come from this.
1. Where or how does a person get a license?
2. What do I look for to get an antenna, is this something I can get a
Radio Shack, or what?
3. I know I can test the radio to see if it receives, but how can I
test to see if it transmits? (without getting a license first)?
[I mean, is there a place that will do this, or can I have another
person who has a license do it, or what? I noticed there is a local
business that uses this frequency range, can I have someone there test
it for me?

Thanks

><gkelly@noemail.com> wrote in message
>news:kpjs121g3ss7t2u8c05hdaksbe406n398b@4ax.com...
>> Hello
>>
>> I went to a local auction where a hardware store and small engine
>> repair business went out of business. I came home with boxes of small
>> odds and ends. One box had what I thought was a CB radio, but it
>> turned out to be a Uniden SMU 300K commercial radio. I have been
>> googling around trying to find out some info on it, but out of about
>> 40 hits on google, with well over half of them being outdated Ebay
>> ads, (I sure wish Google would remove outdated junk), I only found one
>> site with a small photo of one, and no further info.
>>
>> This is the same radio, as the photo I found.
>>
>> Anyhow, I am not very familiar with commercial radios. I do know
>> quite a lot about CB though, so I know this is similar except the
>> frequency.
>>
>> What I am trying to find out are a few things. What is these radios
>> used for?   I mean what is the band they use, like is is police, fire,
>> business only, or what? Several of those obsolete Ebay ads said in
>> the description they are a UHF 450-470 MHz Mobile Radio (another said
>> 440 - 470mhz.
>>
>> My next question is legality. Can I legally transmit, or do I need
>> some sort of license? If I do need one, can I test it without a
>> license just for a few minutes?
>> (I am a farmer, live out in the boonies, so there is not much radio
>> activity around here). I have a police scanner so I should be able to
>> hear myself. But before I do all of that, I will need the right
>> antenna. I got several CB antennas but I know that is way off on the
>> wavelength. I imagine for listening, I can use one just to try it,
>> but not to transmit.
>>
>> I am just asking all of this first. I have not powered it up yet, and
>> for all I know, it could be dead, although it is clean and complete.
>> I dont want to blow it up so i am asking about it first. I also dont
>> want to buy an antenna or get a license or anything until I know it
>> works.
>>
>> One other thing. I dont see any holes for a speaker. Does the sound
>> come out of the mic, or what? On the rear there are only the red and
>> black power wires, the antenna connector, and a square plug with a
>> jumper wire.
>>
>> All help appreciated.
>>
>> Thanks

>>
>> George
>>
>

From -3190697991964259361
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-a2fjhXFxaKZec!not-for-mail
From: Win <w0lz@winlyn.us>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 11 meter conversion
Date: Thu, 16 Mar 2006 17:18:00 -0600
Message-ID: <t0sj129mrcuuhll97umfsh3rk8on4c0hqh@4ax.com>
References: <44197cb2@usenet.zapto.org>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 18
X-Trace: 01cad4419f2277821ef223298
Xref: g2news1.google.com rec.radio.amateur.equipment:3054

On Thu, 16 Mar 2006 09:52:25 -0500, "KB2SMS" <KB2SMS@invalid.net>
wrote:

>Can someone please tell me how to convert this to 11 meter? thanks in
>advance
>
>http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>

Wind a coil like the original, but add two additional windings. You may also need to add a little parallel capacitance (100,300 or 300 uuf) to the load variable cap. Tune the input to 50 ohms. You may have to compress or expand the coil a little.

Should work...

Win

From 5662031618988861495
X-Google-Thread: 108122,d2fc50dc7aa13a13,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ameritron AL-82 Amplifier
Message-ID: <ccuj12d9lv2g9qn13pgp92lctvft59g9nc@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Thu, 16 Mar 2006 18:49:38 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1142552979 69.125.167.162 (Thu, 16 Mar 2006 16:49:39 MST)
NNTP-Posting-Date: Thu, 16 Mar 2006 16:49:39 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3055

FS: Ameritron AL-82 Amplifier
The 3-500ZG tubes were replaced
with new tubes
about three months ago.
Works GREAT!!  Legal Limit.
Best offer, Please don't ask how much.
Just make offer. I really don't use it and
ready to sell.
ritchi50@optonline.net



From 1435781992699598937
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
Subject: Re: 11 meter conversion
Lines: 39
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <kRmSf.1462$uX5.605@tornado.texas.rr.com>
Date: Thu, 16 Mar 2006 23:50:40 GMT
NNTP-Posting-Host: 24.175.14.188
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1142553040 24.175.14.188 (Thu, 16 Mar 2006 17:50:40 CST)
NNTP-Posting-Date: Thu, 16 Mar 2006 17:50:40 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3056 rec.radio.cb:6582 rec.radio.amateur.policy:19250 rec.radio.amateur.misc:6292 rec.radio.shortwave:28287

"K4YZ" <k4yz@aol.com> wrote in message
news:1142521532.422380.313510@p10g2000cwp.googlegroups.com...
>
> KB2SMS wrote:
>> Can someone please tell me how to convert this to 11 meter? thanks in
>> advance
>>
>> http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>
>   Sure.
>
>   Just take a pencil, and where it says "50 Mhz" on the front panel,
> write in "27 Mhz".

That will NOT work! Everyone knows you have to use the RED steno tape made
my 3M. Pencil? You have to be kidding!

 Everyone knows that all linear amplifiers work
> equally well on all bands and that suggesting otherwise is just a
> market ploy to get people to buy more boxes.
>
>   Don't forget to drive it with your "tweaked" Galaxy, Connex or
> other "import" radio with the mic gain at 100%, fed with a
> pre-amplified microphone. And remember to tune for >>>MAX<<< SWR,
>>>>NOT<<< minimum.
>
>   And remember to use the international test calling signal:
>
>   "AWWWWWWWWWWWW-DE-OOOOOOOOOOOOOOOOH..."
>
>   "AWWWWWWWWWWWW-DE-OOOOOOOOOOOOOOOOH..."
>
> Steve, K4YZ
>

```
From 7736892280453651734
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j52g2000cwj.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: it is called lying steve
Date: 16 Mar 2006 20:28:19 -0800
Organization: http://groups.google.com
Lines: 33
Message-ID: <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
NNTP-Posting-Host: 69.19.14.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142569704 3213 127.0.0.1 (17 Mar 2006 04:28:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 04:28:24 +0000 (UTC)
In-Reply-To: <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j52g2000cwj.googlegroups.com; posting-host=69.19.14.42;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3057 rec.radio.cb:6587
rec.radio.amateur.policy:19260 rec.radio.amateur.misc:6294
rec.radio.shortwave:28303


K4YZ wrote:
> raped_an_old_friend wrote:
> > K4YZ wrote:
> > > KB2SMS wrote:
> > > > Can someone please tell me how to convert this to 11 meter? thanks in
> > > > advance
> > > >
> > > > http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
> > >
```

> > >   Sure.
> > >
> > >   Just take a pencil, and where it says "50 Mhz" on the front panel,
> > > write in "27 Mhz". Everyone knows that all linear amplifiers work
> > > equally well on all bands and that suggesting otherwise is just a
> > > market ploy to get people to buy more boxes.
> >
> > more lying steve
>
>   It's called "SARCASM", you idiotic moron.

which does not alter the fact you just lied

which you clai you never ever do

maening that is lie

you lie constantly

you rationalize it a joking or sarcasm but you just prove that you are
untruhful

```
From -7244575614604317557
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Mar 2006 22:56:48 -0600
Date: Thu, 16 Mar 2006 23:56:48 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: it is called lying steve
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com>
In-Reply-To: <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
```

```
Message-ID: <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
Lines: 14
NNTP-Posting-Host: 68.33.23.128
X-Trace: sv3-
OVR+tUDw7rFCO4WqqK6a46yNvCrUG3SHOJMgzyeYvSTxmg30CUWGxKn+K79nxco2j8baumYNk2RF42f!/
YXB/qbijZ3O0ThjpMyKSlK1Rogs/q20+XDhWQjaSCTJnaAkD6m8OAb5VkQ1j4bXN0483tw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3058 rec.radio.cb:6588
rec.radio.amateur.policy:19262 rec.radio.amateur.misc:6296
rec.radio.shortwave:28304

> which does not alter the fact you just lied
>
>
> which you clai you never ever do
>
> maening that is lie
>
> you lie constantly
>
> you rationalize it a joking or sarcasm but you just prove that you are
> untruhful
>

A speel cheaker is a wondarfil fing!


From 3869346172767209903
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Mar 2006 22:58:27 -0600
Date: Thu, 16 Mar 2006 23:58:27 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
References: <44197cb2@usenet.zapto.org>
```

```
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
In-Reply-To: <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <MMydnUTbzPBp3IfZRVn-qw@comcast.com>
Lines: 9
NNTP-Posting-Host: 68.33.23.128
X-Trace: sv3-
QbgVRjbCdO4XjILzc1ecLZrXJ6hmCpSzkOgy3cajMc3NjPEzbzFp5GAlqlr+HvwozfLxwdFGEgNOiUI!
ZCoB5af2ivDvrrfbn15llzT9VVEnTNOXB4IbS7zhNMGZfPNZfeEQColQPZtM1HRjMd8XnTg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3059 rec.radio.cb:6589
rec.radio.amateur.policy:19263 rec.radio.amateur.misc:6297
rec.radio.shortwave:28305

K4YZ wrote:

>       Just take a pencil, and where it says "50 Mhz" on the front panel,
> write in "27 Mhz".  Everyone knows that all linear amplifiers work
> equally well on all bands and that suggesting otherwise is just a
> market ploy to get people to buy more boxes.

Cool, I'll just use my 667-V on 430 amateur television.
That will save me mucho bux!


From 3047954505972838496
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: it is called lying steve
Date: 16 Mar 2006 21:00:41 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
NNTP-Posting-Host: 69.19.14.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142571646 7901 127.0.0.1 (17 Mar 2006 05:00:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 05:00:46 +0000 (UTC)
In-Reply-To: <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=69.19.14.42;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3060 rec.radio.cb:6590
rec.radio.amateur.policy:19264 rec.radio.amateur.misc:6298
rec.radio.shortwave:28306


Scott in Baltimore wrote:
> > which does not alter the fact you just lied
> >
> >
> > which you clai you never ever do
> >
> > maening that is lie
> >
> > you lie constantly
> >
> > you rationalize it a joking or sarcasm but you just prove that you are
> > untruhful
> >
>
> A speel cheaker is a wondarfil fing!

did you have a point?




From 3288942724268745671
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Mar 2006 23:01:53 -0600
```

```
Date: Fri, 17 Mar 2006 00:01:53 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: it is called lying steve
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com>   <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
In-Reply-To: <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <MMydnUfbzPBc34fZRVn-qw@comcast.com>
Lines: 6
NNTP-Posting-Host: 68.33.23.128
X-Trace: sv3-3JrwqvC28vwi5L0yItE5iF/pGvJRopAqMji/
mrBHIqCJwG9KANVLaiCMtiai72cn9A35ss5L7FPbqcf!
Ky0O4Xj0T1YEMcoHHtT54yiPBU3eASykW+1hGc5idImx5z/fqZzOZUdvmX8DULm0bHbhGPw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3061 rec.radio.cb:6591
rec.radio.amateur.policy:19265 rec.radio.amateur.misc:6299
rec.radio.shortwave:28307

>> A speel cheaker is a wondarfil fing!
>
> did you have a point?


I furgured it wud go over ur hed!



From -2731232973693761576
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j52g2000cwj.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
```

```
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: it is called lying steve
Date: 16 Mar 2006 21:03:48 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
NNTP-Posting-Host: 69.19.14.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142571833 2402 127.0.0.1 (17 Mar 2006 05:03:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 05:03:53 +0000 (UTC)
In-Reply-To: <MMydnUfbzPBc34fZRVn-qw@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j52g2000cwj.googlegroups.com; posting-host=69.19.14.42;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3062 rec.radio.cb:6592
rec.radio.amateur.policy:19266 rec.radio.amateur.misc:6300
rec.radio.shortwave:28308


Scott in Baltimore wrote:
> >> A speel cheaker is a wondarfil fing!
> >
> > did you have a point?
>
>
> I furgured it wud go over ur hed!

meaning the only you are is abusing the disabled and bitching that
google doesnot prvide the ability to interface a spell chacker

but stev was and is still lying so you had nt point related to materail



From -8099101533479416658
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
```

```
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: when will steve tell the truth and stop lying about his misdeeds
Date: 16 Mar 2006 21:55:56 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1142574956.024437.131840@i40g2000cwc.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
NNTP-Posting-Host: 69.19.14.42
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142574961 9325 127.0.0.1 (17 Mar 2006 05:56:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 05:56:01 +0000 (UTC)
In-Reply-To: <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=69.19.14.42;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3063 rec.radio.cb:6595
rec.radio.amateur.policy:19281 rec.radio.amateur.misc:6306
rec.radio.shortwave:28311


K4YZ wrote:
> KB2SMS wrote:
> > Can someone please tell me how to convert this to 11 meter? thanks in
> > advance
> >
> > http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>
>      Sure.
>
>      Just take a pencil, and where it says "50 Mhz" on the front panel,
> write in "27 Mhz".  Everyone knows that all linear amplifiers work
> equally well on all bands and that suggesting otherwise is just a
> market ploy to get people to buy more boxes.
simple when will sufice
likely never



From 3134627044590212226
```

```
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!router2.astraweb.com!
mrouter.astraweb.com!news.astraweb.com!router1.astraweb.com!news-
xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Jimmy Mac" <nospam@manicarcade.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
Subject: Re: 11 meter conversion
Date: Thu, 16 Mar 2006 22:15:48 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Lines: 14
Message-ID: <441a5417$0$58041$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 17 Mar 2006 06:15:51 GMT
NNTP-Posting-Host: 4b601918.news.sonic.net
X-Trace:
DXC=n>2<0S\QYCfGh;U@IeF<Xdm4K\QM1CV^`1OYf0H`?;Xa78J;NB0MY_f:oF=1i9HD6d_V6ZT8f:Z`f>
Ke8^RNWXfd
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3064 rec.radio.cb:6596
rec.radio.amateur.policy:19282 rec.radio.amateur.misc:6307
rec.radio.shortwave:28312

Why would you want to? A good 6M AMp is worth far more than a good buddy
amp. Hell, if it's in good working condition, I'd trade a 250 Watt Solid
State good buddy amp for it in a heartbeat!


"KB2SMS" <KB2SMS@invalid.net> wrote in message
news:44197cb2@usenet.zapto.org...
> Can someone please tell me how to convert this to 11 meter? thanks in
> advance
>
> http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>




From 3603899899318973578
X-Google-Thread: 108122,4406843803b7d7c5
```

```
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <441ABE31.7040909@fuse.net>
Date: Fri, 17 Mar 2006 08:48:33 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
References: <44197cb2@usenet.zapto.org>
In-Reply-To: <44197cb2@usenet.zapto.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 8
X-Trace: 0f1da441abe44e098318604343
Xref: g2news1.google.com rec.radio.amateur.equipment:3065 rec.radio.cb:6598
rec.radio.amateur.policy:19284 rec.radio.amateur.misc:6309
rec.radio.shortwave:28321

KB2SMS wrote:
> Can someone please tell me how to convert this to 11 meter? thanks in
> advance
>
> http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>
>
C'mon, you're trolling, right?  Looks like you got quite a catch.


From 2130623926920839549
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "K4YZ" <k4yz@aol.com>
```

```
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
Date: 17 Mar 2006 07:05:23 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1142607923.151877.89280@i39g2000cwa.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <kRmSf.1462$uX5.605@tornado.texas.rr.com>
NNTP-Posting-Host: 152.163.100.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142607938 18114 127.0.0.1 (17 Mar 2006 15:05:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 15:05:38 +0000 (UTC)
In-Reply-To: <kRmSf.1462$uX5.605@tornado.texas.rr.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; (R1
1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[rtc-tb103 8.3.5], HTTP/1.0 cache-rtc-ac02.proxy.aol.com[98A36483] (Traffic-
Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=152.163.100.131;
   posting-account=qNx0vw0AAAA-UHNzUIDJOorYN5_VptjO
Xref: g2news1.google.com rec.radio.amateur.equipment:3066 rec.radio.cb:6599
rec.radio.amateur.policy:19288 rec.radio.amateur.misc:6311
rec.radio.shortwave:28328
```

U-Know-Who wrote:

> "K4YZ" <k4yz@aol.com> wrote in message
> news:1142521532.422380.313510@p10g2000cwp.googlegroups.com...
>
> > Just take a pencil, and where it says "50 Mhz" on the front panel,
> > write in "27 Mhz".
>
> That will NOT work! Everyone knows you have to use the RED steno tape made
> my 3M. Pencil? You have to be kidding!

Ya caught me! Point to "U-Know-Who"...!

73

Steve, K4YZ

```
From -1175203143334206564
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
```

X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: "K4YZ" <k4yz@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: More Markie Mularkie
Date: 17 Mar 2006 07:09:18 -0800
Organization: http://groups.google.com
Lines: 49
Message-ID: <1142608158.646740.167900@j33g2000cwa.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
NNTP-Posting-Host: 152.163.100.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142608170 18529 127.0.0.1 (17 Mar 2006 15:09:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 15:09:30 +0000 (UTC)
In-Reply-To: <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; (R1 1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [rtc-tb103 8.3.5], HTTP/1.0 cache-rtc-ac02.proxy.aol.com[98A36483] (Traffic-Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=152.163.100.131;
   posting-account=qNx0vw0AAAA-UHNzUIDJOorYN5_VptjO
Xref: g2news1.google.com rec.radio.amateur.equipment:3067 rec.radio.cb:6600
rec.radio.amateur.policy:19289 rec.radio.amateur.misc:6312
rec.radio.shortwave:28329

an old friend lied about:
> K4YZ wrote:
> > raped_an_old_friend wrote:
> > > K4YZ wrote:
> > > > KB2SMS wrote:
> > > > > Can someone please tell me how to convert this to 11 meter? thanks in
> > > > > advance
> > > > >
> > > > > http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
> > > >
> > > >   Sure.

```
> > > >
> > > >      Just take a pencil, and where it says "50 Mhz" on the front panel,
> > > > write in "27 Mhz".  Everyone knows that all linear amplifiers work
> > > > equally well on all bands and that suggesting otherwise is just a
> > > > market ploy to get people to buy more boxes.
> > >
> > > more lying steve
> >
> >     It's called "SARCASM", you idiotic moron.
>
> which does not alter the fact you just lied

     Nope.

> which you clai you never ever do

    I never "claied" anything...whatever THAT is...

> maening that is lie

    What's "maening"...?!?!

> you lie constantly

    No...I stand more than I lie...It's better for you
cardiovascularly.

> you rationalize it a joking or sarcasm but you just prove that you are
> untruhful

    Nope.  But YOU just proved that you're the moronic idiot I claim
you are.

     Thanks.

Steve, K4YZ




From -6497446570525549959
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 09:11:45 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
```

```
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com>   <MMydnUXbzPAM3IfZRVn-
qw@comcast.com>   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
Subject: Re: it is called lying steve
Date: Fri, 17 Mar 2006 09:11:44 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <vKKdnfSAtKwsTIfZ4p2dnA@comcast.com>
Lines: 23
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-rZP6t+y6YddrFfxo/
kF4Jm8w+tzwaURYJOpgqrCsqq1hiXqkmYyNGK9EVbEBB8HdzDEDly6pjRnbzln!
OGSTJ2fVYY4xffNU7Bc00yQQ2+Xb4whpf/7rGNBVXzeAdhyCw8PJVuNMTazzaX9xaEFSb0N+dIw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3068 rec.radio.cb:6601
rec.radio.amateur.policy:19290 rec.radio.amateur.misc:6313
rec.radio.shortwave:28330


"an old friend" <kb9rqz@yahoo.com> wrote in message
news:1142571828.236835.4380@j52g2000cwj.googlegroups.com...
>
> Scott in Baltimore wrote:
>> >> A speel cheaker is a wondarfil fing!
>> >
>> > did you have a point?
>>
>>
>> I furgured it wud go over ur hed!
>
> meaning the only you are is abusing the disabled and bitching that
> google doesnot prvide the ability to interface a spell chacker

ummm..... when did they start issuing e-mail addys with little wheelchairs
on them?? Here they issue car tags with little wheelchairs on them for dain
brammage and igornance.

> but stev was and is still lying so you had nt point related to materail
```

>

```
From -8720323012321425309
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "K4YZ" <k4yz@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: More Markie Mularkie
Date: 17 Mar 2006 07:12:47 -0800
Organization: http://groups.google.com
Lines: 29
Message-ID: <1142608367.183492.42580@u72g2000cwu.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
NNTP-Posting-Host: 152.163.100.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142608372 29331 127.0.0.1 (17 Mar 2006 15:12:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 15:12:52 +0000 (UTC)
In-Reply-To: <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; (R1
1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[rtc-tb103 8.3.5], HTTP/1.0 cache-rtc-ac02.proxy.aol.com[98A36483] (Traffic-
Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=152.163.100.131;
   posting-account=qNx0vw0AAAA-UHNzUIDJOorYN5_VptjO
Xref: g2news1.google.com rec.radio.amateur.equipment:3069 rec.radio.cb:6602
rec.radio.amateur.policy:19291 rec.radio.amateur.misc:6314
rec.radio.shortwave:28331
```

Scott in Baltimore wrote:

> > which does not alter the fact you just lied

```
> >
> >
> > which you clai you never ever do
> >
> > maening that is lie
> >
> > you lie constantly
> >
> > you rationalize it a joking or sarcasm but you just prove that you are
> > untruhful
> >
>
> A speel cheaker is a wondarfil fing!

     Forget it, Scott...Morkie is drawing welfare for a "disability",
and any demonstration that he can do something to overcome his
"disability" means he'd have to come off welfare and get a real job.

     He DOES claim an IQ of 248, though...Makes ya wonder what all that
"MENSA" silliness is about with intellects like Morkie, doesn't
it...?!?!

73

Steve, K4YZ




From -7445667525403718608
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j52g2000cwj.googlegroups.com!not-for-
mail
From: "K4YZ" <k4yz@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: More Markie Mularkie
Date: 17 Mar 2006 07:15:22 -0800
Organization: http://groups.google.com
Lines: 26
Message-ID: <1142608522.189563.259330@j52g2000cwj.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
NNTP-Posting-Host: 152.163.100.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142608529 19546 127.0.0.1 (17 Mar 2006 15:15:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 15:15:29 +0000 (UTC)
In-Reply-To: <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; (R1
1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s ]), HTTP/1.1 Turboweb
[rtc-tb103 8.3.5], HTTP/1.0 cache-rtc-ac02.proxy.aol.com[98A36483] (Traffic-
Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: j52g2000cwj.googlegroups.com; posting-host=152.163.100.131;
   posting-account=qNx0vw0AAAA-UHNzUIDJOorYN5_VptjO
Xref: g2news1.google.com rec.radio.amateur.equipment:3070 rec.radio.cb:6603
rec.radio.amateur.policy:19292 rec.radio.amateur.misc:6315
rec.radio.shortwave:28332


an old friend lied even more:
> Scott in Baltimore wrote:
> > >> A speel cheaker is a wondarfil fing!
> > >
> > > did you have a point?
> >
> >
> > I furgured it wud go over ur hed!
>
> meaning the only you are is abusing the disabled and bitching that
> google doesnot prvide the ability to interface a spell chacker

     Sure you can use a spellchecker and post here.

     You've only been provided two dozen different ways to do it.

> but stev was and is still lying so you had nt point related to materail

     No, I was not lying.

     And I am not lying about your "disability".  To idiot and moron we
add thief and fraud.

Steve, K4YZ



From -4576810577634434917
X-Google-Thread: 108122,4406843803b7d7c5
```

```
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 09:39:32 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com>   <MMydnUXbzPAM3IfZRVn-
qw@comcast.com>   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
Subject: Re: More Markie Mularkie
Date: Fri, 17 Mar 2006 09:39:32 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
Lines: 39
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
v13Ly1WgwZZEa0zSLh2y5DTHTPrNo4+2mT7yG2crOph65Jkmk4/5SbodnrwTJkY22eww0EsiT8vIheL!
OwpZ5A58EJ4wcuSZI2TdidSECnih5GENKccfEcU5dDxYsj+g95oYhAx6plN7eWbpe/dJpzXXFZYN!
VbMrXNypVYT/
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3071 rec.radio.cb:6604
rec.radio.amateur.policy:19294 rec.radio.amateur.misc:6317
rec.radio.shortwave:28333
```

"K4YZ" <k4yz@aol.com> wrote in message
news:1142608522.189563.259330@j52g2000cwj.googlegroups.com...

>
> an old friend lied even more:
>> Scott in Baltimore wrote:

```
>> > >> A speel cheaker is a wondarfil fing!
>> > >
>> > > did you have a point?
>> >
>> >
>> > I furgured it wud go over ur hed!
>>
>> meaning the only you are is abusing the disabled and bitching that
>> google doesnot prvide the ability to interface a spell chacker
>
>     Sure you can use a spellchecker and post here.
>
>     You've only been provided two dozen different ways to do it.
>
>> but stev was and is still lying so you had nt point related to materail
>
>     No, I was not lying.
>
>     And I am not lying about your "disability".  To idiot and moron we
> add thief and fraud.
>
> Steve, K4YZ

Steve,

Even with all of the advances in medical science, they still can't do
anything about ignorance or dain brammage. Best to killfile the troll and
move on.

-n6ojn
```

```
From -8664546146373078937
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "K4YZ" <k4yz@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: An Introduction and Refresher On Mark, "I Am A Gay Pagan Draftee Officer"
Morgan, KB9RQZ
Date: 17 Mar 2006 07:45:03 -0800
Organization: http://groups.google.com
```

Lines: 91
Message-ID: <1142610303.186877.19990@j33g2000cwa.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <vKKdnfSAtKwsTIfZ4p2dnA@comcast.com>
NNTP-Posting-Host: 152.163.100.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142610308 23613 127.0.0.1 (17 Mar 2006 15:45:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 15:45:08 +0000 (UTC)
In-Reply-To: <vKKdnfSAtKwsTIfZ4p2dnA@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; (R1 1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [rtc-tb103 8.3.5], HTTP/1.0 cache-rtc-ac02.proxy.aol.com[98A36483] (Traffic-Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=152.163.100.131;
   posting-account=qNx0vw0AAAA-UHNzUIDJOorYN5_VptjO
Xref: g2news1.google.com rec.radio.amateur.equipment:3072 rec.radio.cb:6605 rec.radio.amateur.policy:19295 rec.radio.amateur.misc:6318 rec.radio.shortwave:28334

Noon-Air wrote:
> "an old friend" <kb9rqz@yahoo.com> wrote in message
> news:1142571828.236835.4380@j52g2000cwj.googlegroups.com...
> >
> > Scott in Baltimore wrote:
> >> >> A speel cheaker is a wondarfil fing!
> >> >
> >> > did you have a point?
> >>
> >>
> >> I furgured it wud go over ur hed!
> >
> > meaning the only you are is abusing the disabled and bitching that
> > google doesnot prvide the ability to interface a spell chacker
>
> ummm..... when did they start issuing e-mail addys with little wheelchairs
> on them?? Here they issue car tags with little wheelchairs on them for dain
> brammage and igornance.

For those of you just getting to know "Mark Morgan, KB9RQZ" via his spamming and cross-posting of RRAP and other "rec.radio" groups, a little intro is due.

Mark started in here about 8 years ago with his functionally illiterate diatribes, mostly trying to get support for his "waivers" for Morse Code due to alleged neurological deficits, among which he alledges being "dyslexic".

The problem is Morkie tried to get an allergist to write his "waiver" for him. After having claimed an IQ of over 240, one has to wonder on what two fingers he added that up on. It was suggested he see a neurologist, but like every attempt to help him, he told those who suggested it to get ####ed.

On finding out that I was an enlisted retiree from the USMC, Morkie started in on tales of how >>>HE<<< was not only an officer, but a COLONEL in the US Army "chemical corps", and that he was DRAFTED ta-boot!...As if that meant a rat's pack of snot in this forum!

Of course Morkie didn't count on anyone actually being able to do math better than he...You see, based upon his birthday (which was once in QRZ), Morkie would have only been SEVEN years old when the drafted ENDED in the United States...

Anyone seeing a pattern here?

When he was busted with this fact, he then relented and "admitted" that he was "only" a lieutenant, but that his unit CO wouldn't let him resign even though he's an admitted sexual deviate. Of course he's since changed even THAT story, and he now tells a tale of how he was an enlisted clerk in the Army, discharged for emotional problems.

Yeah...Right. A "clerk" who can't even SPELL "clerk"... ! ! ! !

Over the past several years, Morkie has alternatively denied being a mental health patient, then admitted that he's being treated for "anger issues". He's also lied about being in trouble with the law...You see, Markie likes to "care" for his elderly father by taking advantage of him, then skirting the law. It's been a close shave.

Now Morkie's moved from his previous QTH in south-central Illinois to the Michigan Upper Penninsula in order to (A) avoid the aforementioned abuse issues, and to (B) take advantage of more lenient welfare laws that allow him to pork out at home while allowing you and I to "earn" his income for him.

Among his many NG credits are his claims of being stalked, his admission (and only redeeming attribute) that he not only lies, but does so without moral reservation, and that he believes that children should be TAUGHT to lie.

Morkie now "claims" to be married, but can't seem to produce any evidence of it, other than to point to the recent licensure of a female-sounding named person who shares his POB in Chassell, Michigan.

Oh yeah...His "wife"...Allegedly a law clerk or paralegal of some sort, they were allegedly married in Israel. No doubt a green card scam if they are indeed "married". Obviously she doesn't care enough about him to take his name, even to have it hyphenated with hers.

So ...for those of you just tuning in, sit back and enjoy the flailings of Mark C. "I Am A Drafted Gay Pagen Chemical Corps Officer" Morgan.

He never disappoints!

73

Steve, K4YZ

```
From -199425478538488503
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: steve contiues to lie
Date: 17 Mar 2006 08:22:12 -0800
Organization: http://groups.google.com
Lines: 46
Message-ID: <1142612532.372866.196100@j33g2000cwa.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <1142608158.646740.167900@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142612537 7240 127.0.0.1 (17 Mar 2006 16:22:17 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 16:22:17 +0000 (UTC)
In-Reply-To: <1142608158.646740.167900@j33g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=66.82.9.53;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3073 rec.radio.cb:6606
rec.radio.amateur.policy:19297 rec.radio.amateur.misc:6319
rec.radio.shortwave:28339


K4YZ wrote:
> an old friend lied about:
> > K4YZ wrote:
> > > raped_an_old_friend wrote:
> > > > K4YZ wrote:
> > > > > KB2SMS wrote:
> > > > > > Can someone please tell me how to convert this to 11 meter? thanks in
> > > > > > advance
> > > > > >
> > > > > > http://www.miami.muohio.edu/president/personal/w8zr/images/
hb6mamp1.jpg
> > > > >
> > > > >      Sure.
> > > > >
> > > > >      Just take a pencil, and where it says "50 Mhz" on the front panel,
> > > > > write in "27 Mhz".  Everyone knows that all linear amplifiers work
> > > > > equally well on all bands and that suggesting otherwise is just a
> > > > > market ploy to get people to buy more boxes.
> > > >
> > > > more lying steve
> > >
> > >     It's called "SARCASM", you idiotic moron.
> >
> > which does not alter the fact you just lied
>
>      Nope.

right it doesn't alter the fact you lied I am glad you agree

> > you lie constantly
>
>     No...I stand more than I lie...It's better for you
> cardiovascularly.

well you just admitted that you do lie
>
> > you rationalize it a joking or sarcasm but you just prove that you are
> > untruhful
>
>     Nope.
you are simply enage in rationiztion fo your dishonest behavoir
>
>      Thanks.
>
```

> Steve, K4YZ

```
From 7011835658177205614
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Rwell steve now you are speading you poison acros I don't know how many
ng
Followup-To:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Date: 17 Mar 2006 08:44:36 -0800
Organization: http://groups.google.com
Lines: 146
Message-ID: <1142613876.551192.246410@v46g2000cwv.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <vKKdnfSAtKwsTIfZ4p2dnA@comcast.com>
   <1142610303.186877.19990@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142613882 31942 127.0.0.1 (17 Mar 2006 16:44:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 16:44:42 +0000 (UTC)
In-Reply-To: <1142610303.186877.19990@j33g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=66.82.9.53;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3074 rec.radio.cb:6607
rec.radio.amateur.policy:19304 rec.radio.amateur.misc:6321
rec.radio.shortwave:28340


K4YZ wrote:
> Noon-Air wrote:
> > "an old friend" <kb9rqz@yahoo.com> wrote in message
> > news:1142571828.236835.4380@j52g2000cwj.googlegroups.com...
> > >
> > > Scott in Baltimore wrote:
> > >> >> A speel cheaker is a wondarfil fing!
> > >> >
> > >> > did you have a point?
> > >>
> > >>
> > >> I furgured it wud go over ur hed!
> > >
> > > meaning the only you are is abusing the disabled and bitching that
> > > google doesnot prvide the ability to interface a spell chacker
> >
> > ummm..... when did they start issuing e-mail addys with little wheelchairs
> > on them?? Here they issue car tags with little wheelchairs on them for dain
> > brammage and igornance.
>
>      For those of you just getting to know "Mark Morgan, KB9RQZ" via
> his spamming and cross-posting of RRAP and other "rec.radio" groups, a
> little intro is due.
>
>      Mark started in here about 8 years ago with his functionally
> illiterate diatribes, mostly trying to get support for his "waivers"
> for Morse Code due to alleged neurological deficits, among which he
> alledges being "dyslexic".
lying there

>
>      The problem is Morkie tried to get an allergist to write his
> "waiver" for him.  After having claimed an IQ of over 240, one has to
> wonder on what two fingers he added that up on.  It was suggested he
> see a neurologist, but like every attempt to help him, he told those
> who suggested it to get ####ed.

and there
>
>      On finding out that I was an enlisted retiree from the USMC,
> Morkie started in on tales of how >>>HE<<< was not only an officer, but
> a COLONEL in the US Army "chemical corps", and that he was DRAFTED
> ta-boot!...As if that meant a rat's pack of snot in this forum!
>

when you threatened to murder me yes I stung some stuff together that
did devirt your attention for a time in those I did not know you
nothing but a lying windbag
>      Of course Morkie didn't count on anyone actually being able to do
> math better than he...You see, based upon his birthday (which was once
```

> in QRZ), Morkie would have only been SEVEN years old when the drafted
> ENDED in the United States...

stave that was a result of misreading my cliams and GiGo it was most
entertaining

>
>   Over the past several years, Morkie has alternatively denied being
> a mental health patient, then admitted that he's being treated for
> "anger issues".
another lie

I never said I was being treated for anything anger issues or not
>He's also lied about being in trouble with the
> law..
where?

never been in trouble with law, except the occional speeding ticket

Now Steve did falsely alleg I was abusing my Old man, and it was
investagted and I was cleared
>.You see, Markie likes to "care" for his elderly father by taking
> advantage of him, then skirting the law. It's been a close shave.

hardly
>
>   Now Morkie's moved from his previous QTH in south-central Illinois

Illiopis township includes the exact center of the state of Illinois by
some measure (by others a neighorring township does bu steve never lets
facts interfer in his lies)
> to the Michigan Upper Penninsula in order to (A) avoid the
> aforementioned abuse issues, and to
really? that is news to me
>(B) take advantage of more lenient
> welfare laws that allow him to pork out at home while allowing you and
> I to "earn" his income for him.

no wlefare income either

just steve string togther a series of lies
>
>   Among his many NG credits are his claims of being stalked, his
> admission (and only redeeming attribute) that he not only lies, but
> does so without moral reservation, and that he believes that children
> should be TAUGHT to lie.

yes indeed I do belive that all person should lie in the right
circumstance

Steve reported me to child abuse authorities and they agreed ..with me
obviously
>

```
>      Morkie now "claims" to be married, but can't seem to produce any
> evidence of it, other than to point to the recent licensure of a
> female-sounding named person who shares his POB in Chassell, Michigan.

what prove do you desire?
>
>     Oh yeah...His "wife"...Allegedly a law clerk or paralegal of some
> sort, they were allegedly married in Israel.
what is the problem with that?

are you antisemitic as well?
> No doubt a green card
> scam if they are indeed "married".
no doubt in your mind, but reality is different

she as well as myself are US citizens we choose to travelto Isreal for
our Marriage and Honeymoon
> Obviously she doesn't care enough
> about him to take his name, even to have it hyphenated with hers.

well I thank you one her behalf for once calling her a she rather than
a he

but we simply choose to live our lives as we see fit without consulting
the likes of Robeson

and indeed there we have the one "crime" I am guilty of, being
different something that Robeson can't stand for in even the slightest
degree... and I do far beyond the slightest degree I admit
>
>     So ...for those of you just tuning in, sit back and enjoy the
> flailings of Mark C. "I Am A Drafted Gay Pagen Chemical Corps Officer"
> Morgan.

again with sexauly based attack Robeson claims he never makes but
>
>      He never disappoints!
>
> 73
>
> Steve, K4YZ




From 5373065455614940281
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
```

mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: steve can't killfile me he truly can't
Date: 17 Mar 2006 08:56:01 -0800
Organization: http://groups.google.com
Lines: 31
Message-ID: <1142614560.983203.131290@z34g2000cwc.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <1142608522.189563.259330@j52g2000cwj.googlegroups.com>
   <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142614566 1240 127.0.0.1 (17 Mar 2006 16:56:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 16:56:06 +0000 (UTC)
In-Reply-To: <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=66.82.9.53;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3075 rec.radio.cb:6608
rec.radio.amateur.policy:19305 rec.radio.amateur.misc:6322
rec.radio.shortwave:28342

Noon-Air wrote:
> "K4YZ" <k4yz@aol.com> wrote in message
> news:1142608522.189563.259330@j52g2000cwj.googlegroups.com...

>
> Steve,
>
> Even with all of the advances in medical science, they still can't do
> anything about ignorance or dain brammage. Best to killfile the troll and
> move on.

he can't

he is so afraid of me that he must reatin the abilty to follow my every word and denouce what he sees as my shortcomings (some real some just the result of fevered imagination) to world

you see steve is afriad of bisexual people

science the most likely reason is that steve has problem with represed bisexaul urges

so steve can't kill fill me, bt he can't tstlak my every word over the net

he also likes to pretend he eye on the ground amoug the good citizens up here in MI
>
> -n6ojn

```
From -8091291912617608578
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-
xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: steve can't killfile me he truly can't
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060317121753.520$xN@newsreader.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
X-NRC-Trace: NewsReader.Com LTou_VM@Lm16@@iFYVodl7HjyApyOsMAoAJGoaSXD@O5fg
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 17 Mar 2006 17:11:00 GMT
Lines: 4
NNTP-Posting-Host: 09229361.nr3.newsreader.com
X-Trace:
DXC=JTK>Bl^@]:0l32mjdd0WB1OA8_@f\K_i2dZW`2c`iHQ6aU^[VB26>i6Nd7biGRhQT7<@WejEU8`Y;A
W<]fV8H]\=
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3076 rec.radio.cb:6609
rec.radio.amateur.policy:19309 rec.radio.amateur.misc:6323
rec.radio.shortwave:28343

"an old friend" <kb9rqz@yahoo.com> wrote:
>> you see steve is afriad of bisexual people
>
Still doing the beer enemas', freak?



From -3760525311656630627
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
Date: 17 Mar 2006 09:24:53 -0800
Organization: http://groups.google.com
Lines: 18
Message-ID: <1142616293.741170.17950@e56g2000cwe.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <1142608522.189563.259330@j52g2000cwj.googlegroups.com>
   <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
   <1142614560.983203.131290@z34g2000cwc.googlegroups.com>
   <20060317121753.520$xN@newsreader.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142616299 16371 127.0.0.1 (17 Mar 2006 17:24:59 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Fri, 17 Mar 2006 17:24:59 +0000 (UTC)
In-Reply-To: <20060317121753.520$xN@newsreader.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=66.82.9.53;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3077 rec.radio.cb:6610
rec.radio.amateur.policy:19310 rec.radio.amateur.misc:6324
rec.radio.shortwave:28347


Steveo wrote:
> "an old friend" <kb9rqz@yahoo.com> wrote:
> >> you see steve is afriad of bisexual people
> >
> Still doing the beer enemas',

when it pleases me sure but this is hardly the right place for that
discusion

you like steve think you have the right to control other people private
lives

or to stalk and black mail people with thing wether they are
emabrrasihed about themm or not

but you porve your are afraid of bisexaul folks steve just like steve



From 2894582662328974738
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
out.readnews.com!news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: steve can't killfile me he truly can't
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060317122833.006$wf@newsreader.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
```

```
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
X-NRC-Trace: NewsReader.Com qy8tPL_hRLCEpuHfFqCj96q/hApyOsMAoAJGoaSXD@jtV+
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 17 Mar 2006 17:21:39 GMT
Lines: 10
NNTP-Posting-Host: 09229361.nr3.newsreader.com
X-Trace: DXC=AR>Mj?D^_fcRF9mUF]S2`fOA8_@f\K_ibdZW`2c`iHQfba4@Nca;
\UbNd7biGRhQTg<SVPgDF]ACdVm\oP4SJ?6k
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3078 rec.radio.cb:6611
rec.radio.amateur.policy:19312 rec.radio.amateur.misc:6326
rec.radio.shortwave:28348

"an old friend" <kb9rqz@yahoo.com> wrote:
> Steveo wrote:
> > "an old friend" <kb9rqz@yahoo.com> wrote:
> > >> you see steve is afriad of bisexual people
> > >
> > Still doing the beer enemas', freak?
>
> when it pleases me sure
>
Strange things please you, markie-tard.


From 3922262333955374464
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
Date: 17 Mar 2006 09:46:36 -0800
Organization: http://groups.google.com
Lines: 30
```

```
Message-ID: <1142617596.085748.202360@v46g2000cwv.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <1142608522.189563.259330@j52g2000cwj.googlegroups.com>
   <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
   <1142614560.983203.131290@z34g2000cwc.googlegroups.com>
   <20060317121753.520$xN@newsreader.com>
   <1142616293.741170.17950@e56g2000cwe.googlegroups.com>
   <20060317122833.006$wf@newsreader.com>
NNTP-Posting-Host: 66.82.9.53
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142617601 19554 127.0.0.1 (17 Mar 2006 17:46:41 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 17:46:41 +0000 (UTC)
In-Reply-To: <20060317122833.006$wf@newsreader.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=66.82.9.53;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3079 rec.radio.cb:6612
rec.radio.amateur.policy:19314 rec.radio.amateur.misc:6328
rec.radio.shortwave:28349


Steveo wrote:
> "an old friend" <kb9rqz@yahoo.com> wrote:
> > Steveo wrote:
> > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > >> you see steve is afriad of bisexual people
> > > >
> > > Still doing the beer enemas', freak?
> >
> > when it pleases me sure
> >
> Strange things please you, markie-tard.

strange to you fine I agree
but why do you care?

why is a proper topic for RADIO NG's

I bet I get no real answer to that
```

Id be happy to never discuss the matter in radio gruop if children like
you and the other steve and Dave and few others wanted to talk about
.....
GASSP .....radio

but you still porve you are a zenophobe just like Robeson, threatened
by my mere existance plus the facts I am not ahomsed of my private
life. I do wish people had the good manners to leave it private but
that you and others are uncivilized barbarians is not my doing

---

```
From 6160221850678611789
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: 11 meter conversion
From: Twistedhed@webtv.net
Date: Fri, 17 Mar 2006 18:18:46 GMT
Message-ID: <a4DSf.180911$US.127077@news.ono.com>
References:  <441ABE31.7040909@fuse.net>
Lines: 16
NNTP-Posting-Host: 172.137.119.219
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
solaris.cc.vt.edu!news.vt.edu!news-out.nntp.be!propagator2-sterling.newsfeeds.com!
news-in.newsgrooups.com!solnet.ch!solnet.ch!newsfeed.freenet.de!
newspeer1.de.telia.net!newspeer4.de.telia.net!de.telia.net!newsf01.ono.com!
news.ono.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
X-Trace: news.ono.com 1142619526 172.137.119.219 (Fri, 17 Mar 2006 19:18:46 MET)
your: name <you@company.com>
NNTP-Posting-Date: Fri, 17 Mar 2006 19:18:46 MET
Xref: g2news1.google.com rec.radio.amateur.equipment:3080 rec.radio.cb:6614
rec.radio.amateur.policy:19315 rec.radio.amateur.misc:6329
rec.radio.shortwave:28356
```

> KB2SMS wrote:
> > Can someone please tell me how to convert this to 11 meter? thanks in
> > advance
> >
> > http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg

Amps, whether certified or not will end up as they always do,,,,,,used on
11 meter and the freeband in addition to the hammie bands, regardless
of what the FCC does or doesn't do.

Haven't had much luck on triple five lately,,,you been sandbaggin there lately? Most of my action has come from ssb recently. Send me an email and let me know next time you're working some dx near Dixie. Take it light and try to fly under the radar.

```
From 945918464849780359
X-Google-Thread: 108122,75b9fe4f9f3dda95
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-
pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!
newsfeed.pnap.net!motgate2.mot.com!newshost!avnika.corp.mot.com!
engnntp2.cig.mot.com!not-for-mail
From: "Steve Nosko" <suteuve.nosukowicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-229H Schematic
Date: Fri, 17 Mar 2006 13:11:25 -0600
Organization: Motorola Engineering Computing
Lines: 43
Message-ID: <dvf1kt$usr$2@engnntp2.cig.mot.com>
References: <cuvyxnansvbet.iw50n92.pminews@newsgroups.comcast.net>
<121epsgo3ujjea8@corp.supernews.com>
NNTP-Posting-Host: 173.27.201.179
X-Trace: engnntp2.cig.mot.com 1142622685 31643 173.27.201.179 (17 Mar 2006
19:11:25 GMT)
X-Complaints-To: news@cig.mot.com
NNTP-Posting-Date: Fri, 17 Mar 2006 19:11:25 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.amateur.equipment:3081
```

Don't forget to check the mods.dk site:
http://www.mods.dk/view.php?ListManuals=icom

73, Steve, K,9.D;C'I

"Dave Platt" <dplatt@radagast.org> wrote in message
news:121epsgo3ujjea8@corp.supernews.com...
> In article <cuvyxnansvbet.iw50n92.pminews@newsgroups.comcast.net>,
> Phil Kane <Phil.Kane@nov.shmovz.ka.pop> wrote:
>
> > Does anyone have a source for a PDF of the ICOM IC-229H transceiver
> > schematic? The ICOM site no longer has this on ther site and I
> > can't find my maintenance manual (if I ever had one).
>
> A quick Google on IC-229 turned up
>

```
> http://members.tripod.com/~Malzev/cb-funk/ic-229.htm
>
> and there's a PDF scan of the schematic.
>
> >  What I need to know is if there is a bias resistor feeding some
> >  positive voltage to the mike audio pin (pin 1) of the microphone
> >  connector.
>
> It looks so, based on the schematic cited above.  From an 8-volt
> supply there is a 100-ohm decoupling resistor, followed by some
> electrolytic and other power-supply bypassing to ground.  From this
> bypassed supply voltage, a 1k resistor R7 is connected to the MIC
> line.  This same junction then goes through a DC-blocking cap C135 and
> thence to the source of a JFET Q2.
>
> So, I think you'll find roughly 8 volts DC sitting on pin 1, when
> measured with reference to the microphone ground-return MICE on pin 7.
> Short-circuit current to ground would be approx 8 mA.
>
> --
> Dave Platt <dplatt@radagast.org>                                  AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
>   I do _not_ wish to receive unsolicited commercial email, and I will
>      boycott any company which has the gall to send me such ads!
```

```
From -1943632774666162505
X-Google-Thread: 108122,4c4d777090c76f7f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: NIB Spi-Ro Dipole 10-80mts Antenna
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <7EESf.249822$oG.94481@dukeread02>
Date: Fri, 17 Mar 2006 14:05:30 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142625923 68.105.228.151 (Fri, 17 Mar 2006 15:05:23 EST)
NNTP-Posting-Date: Fri, 17 Mar 2006 15:05:23 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3082
```

I have a brand new in the box Spi-Ro Trap Dipole Antenna, Model D-56
Professional Series. It sells new

for $152.95. Type Spi-Po Antenna into Google and it will take you to their
Webpage.
This antenna has 6 traps and is 82 feet long. It handle up to 600 watts. It
covers 10, 15, 20, 40, and 80 meters. I have the original instructions. It
has never been out of the box or plastic shipping bag.
Price is $92.95 and I will pay shipping in the lower 48. Thanks,
Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 8223324669363618025
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 15:28:25 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com>   <MMydnUXbzPAM3IfZRVn-
qw@comcast.com>   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<vKKdnfSAtKwsTIfZ4p2dnA@comcast.com>
<1142610303.186877.19990@j33g2000cwa.googlegroups.com>
<1142613876.551192.246410@v46g2000cwv.googlegroups.com>
Subject: Re: Rwell steve now you are speading you poison acros I don't know how
many ng
Date: Fri, 17 Mar 2006 15:28:24 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <sMqdnawnzaJktIbZnZ2dnUVZ_sKdnZ2d@comcast.com>
Lines: 167
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-KLzjtNYUld8T8aHauNxpGh8Bw6y6yBlSnYXEwGBLaCoRHTBxEVr9Dy84zxo8YjT/
H9DfGMfvd1CWi8r!tVBGOCG3bBzdeMmMh/
ze6BncK8CKke3+axMCmCk6xddER2A6VQVjUl8SzVOONHvTvcR75P44hrsW!5eGbd8sx1f4z
X-Complaints-To: abuse@comcast.net

```
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3083

<X-Post canceled>

"an old friend" <kb9rqz@yahoo.com> wrote in message
news:1142613876.551192.246410@v46g2000cwv.googlegroups.com...
>
> K4YZ wrote:
>> Noon-Air wrote:
>> > "an old friend" <kb9rqz@yahoo.com> wrote in message
>> > news:1142571828.236835.4380@j52g2000cwj.googlegroups.com...
>> > >
>> > > Scott in Baltimore wrote:
>> > >> >> A speel cheaker is a wondarfil fing!
>> > >> >
>> > >> > did you have a point?
>> > >>
>> > >>
>> > >> I furgured it wud go over ur hed!
>> > >
>> > > meaning the only you are is abusing the disabled and bitching that
>> > > google doesnot prvide the ability to interface a spell chacker
>> >
>> > ummm..... when did they start issuing e-mail addys with little
>> > wheelchairs
>> > on them?? Here they issue car tags with little wheelchairs on them for
>> > dain
>> > brammage and igornance.
>>
>>      For those of you just getting to know "Mark Morgan, KB9RQZ" via
>> his spamming and cross-posting of RRAP and other "rec.radio" groups, a
>> little intro is due.
>>
>>      Mark started in here about 8 years ago with his functionally
>> illiterate diatribes, mostly trying to get support for his "waivers"
>> for Morse Code due to alleged neurological deficits, among which he
>> alledges being "dyslexic".
> lying there
>
>>
>>      The problem is Morkie tried to get an allergist to write his
>> "waiver" for him.  After having claimed an IQ of over 240, one has to
>> wonder on what two fingers he added that up on.  It was suggested he
>> see a neurologist, but like every attempt to help him, he told those
>> who suggested it to get ####ed.
>
> and there
>>
```

>>   On finding out that I was an enlisted retiree from the USMC,
>> Morkie started in on tales of how >>>HE<<< was not only an officer, but
>> a COLONEL in the US Army "chemical corps", and that he was DRAFTED
>> ta-boot!...As if that meant a rat's pack of snot in this forum!
>>
>
> when you threatened to murder me yes I stung some stuff together that
> did devirt your attention for a time in those I did not know you
> nothing but a lying windbag
>>   Of course Morkie didn't count on anyone actually being able to do
>> math better than he...You see, based upon his birthday (which was once
>> in QRZ), Morkie would have only been SEVEN years old when the drafted
>> ENDED in the United States...
>
> stave that was a result of misreading my cliams and GiGo it was most
> entertaining
>
>>
>>   Over the past several years, Morkie has alternatively denied being
>> a mental health patient, then admitted that he's being treated for
>> "anger issues".
> another lie
>
> I never said I was being treated for anything anger issues or not
>>He's also lied about being in trouble with the
>> law..
> where?
>
> never been in trouble with law, except the occional speeding ticket
>
> Now Steve did falsely alleg I was abusing my Old man, and it was
> investagted and I was cleared
>>.You see, Markie likes to "care" for his elderly father by taking
>> advantage of him, then skirting the law. It's been a close shave.
>
> hardly
>>
>>   Now Morkie's moved from his previous QTH in south-central Illinois
>
> Illiopis township includes the exact center of the state of Illinois by
> some measure (by others a neighorring township does bu steve never lets
> facts interfer in his lies)
>> to the Michigan Upper Penninsula in order to (A) avoid the
>> aforementioned abuse issues, and to
> really? that is news to me
>>(B) take advantage of more lenient
>> welfare laws that allow him to pork out at home while allowing you and
>> I to "earn" his income for him.
>
> no wlefare income either
>
> just steve string togther a series of lies
>>

```
>>      Among his many NG credits are his claims of being stalked, his
>> admission (and only redeeming attribute) that he not only lies, but
>> does so without moral reservation, and that he believes that children
>> should be TAUGHT to lie.
>
> yes indeed I do belive that all person should lie in the right
> circumstance
>
> Steve reported me to child abuse authorities and they agreed ..with me
> obviously
>>
>>      Morkie now "claims" to be married, but can't seem to produce any
>> evidence of it, other than to point to the recent licensure of a
>> female-sounding named person who shares his POB in Chassell, Michigan.
>
> what prove do you desire?
>>
>>     Oh yeah...His "wife"...Allegedly a law clerk or paralegal of some
>> sort, they were allegedly married in Israel.
> what is the problem with that?
>
> are you antisemitic as well?
>> No doubt a green card
>> scam if they are indeed "married".
> no doubt in your mind, but reality is different
>
> she as well as myself are US citizens we choose to travelto Isreal for
> our Marriage and Honeymoon
>> Obviously she doesn't care enough
>> about him to take his name, even to have it hyphenated with hers.
>
> well I thank you one her behalf for once calling her a she rather than
> a he
>
> but we simply choose to live our lives as we see fit without consulting
> the likes of Robeson
>
> and indeed there we have the one "crime" I am guilty of, being
> different something that Robeson can't stand for in even the slightest
> degree... and I do far beyond the slightest degree I admit
>>
>>     So ...for those of you just tuning in, sit back and enjoy the
>> flailings of Mark C. "I Am A Drafted Gay Pagen Chemical Corps Officer"
>> Morgan.
>
> again with sexauly based attack Robeson claims he never makes but
>>
>>      He never disappoints!
>>
>> 73
>>
>> Steve, K4YZ
```

Very entertaining... Sorry, I don't have the time to play.....my time is
just too valuable to waste on long running pissing contests.
I am just now getting home for lunch... still have a couple more $ervice
call$ to do after I go to the supply house.... booked up for tomorrow and
most of next week too.

-n6ojn
--

Steve @ Noon-Air Heating & A/C
Noon-Air@comcast.net

Life is what happens while you were making other plans

From -396928432347430021
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 15:31:01 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com>   <MMydnUXbzPAM3IfZRVn-
qw@comcast.com>   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
Subject: Re: steve can't killfile me he truly can't
Date: Fri, 17 Mar 2006 15:30:59 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <Q8GdnaGb1oYIt4bZRVn-tg@comcast.com>
Lines: 15
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-fYk/L4SScT/IxWyGjMsNI6IFa7Jvf5koUXpSA8nL4Am2l/zSsbvcub/
77fMKCgCDFwGIVkoerPfdlxh!
T1ZbxX5aR8qxFy5N5fOIqjW6LFgvnKZepXodndYGTNf+S1QJYI1ZFkMIfmv391eEIbidcTXZnWo=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3084

<X-Post canceled>

<extra crap snipped>

> so steve can't kill fill me, bt he can't tstlak my every word over the
> net

He might not be able to, but I can....
Welcome to my killfile

PLONK

-n6ojn

From -8786481074212326110
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-xt-sjc-07!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.555.usb.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
Date: Fri, 17 Mar 2006 16:14:03 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <121md5cqm6a6gb5@corp.supernews.com>
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>

```
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news1.google.com rec.radio.amateur.equipment:3085 rec.radio.cb:6632
rec.radio.amateur.policy:19347 rec.radio.amateur.misc:6363
rec.radio.shortwave:28375

"Steveo" <moparholic@hotmail.com> wrote in message
news:20060317122833.006$wf@newsreader.com...
> "an old friend" <kb9rqz@yahoo.com> wrote:
>> Steveo wrote:
>> > "an old friend" <kb9rqz@yahoo.com> wrote:
>> > >> you see steve is afriad of bisexual people
>> > >
>> > Still doing the beer enemas', freak?
>>
>> when it pleases me sure
>>
> Strange things please you, markie-tard.

You mean like the hose from a tapped keg?




From -1119536778158368020
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!news-out.readnews.com!news-xxxfer.readnews.com!
nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: steve can't killfile me he truly can't
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060317172341.559$Sk@newsreader.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
```

```
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com>
<1142617596.085748.202360@v46g2000cwv.googlegroups.com>
X-NRC-Trace: NewsReader.Com ZzYKVAkApOpHsHAl8nkYJ9qsay2fRFjtYkvBlr-sUV3j2VDvU
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 17 Mar 2006 22:16:45 GMT
Lines: 18
NNTP-Posting-Host: 12af4792.nr3.newsreader.com
X-Trace: DXC=cJ4Bj;BJKHDEU79XB:3nk@OA8_@f\K_iBXh8X;oWcZG@0OYUH6UI?
4ENd7biGRhQTGYA@MLbHKH8M0J[JC5GokTC
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3086 rec.radio.cb:6634
rec.radio.amateur.policy:19353 rec.radio.amateur.misc:6369
rec.radio.shortwave:28377

"an old friend" <kb9rqz@yahoo.com> wrote:
> Steveo wrote:
> > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > Steveo wrote:
> > > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > >> you see steve is afriad of bisexual people
> > > > >
> > > > Still doing the beer enemas', freak?
> > >
> > > when it pleases me sure
> > >
> > Strange things please you, markie-tard.
>
> strange to you fine I agree
> but why do you care?
>
I really don't care, except you act like a fool in a public place and cross
post it.


From -3937496191626379521
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news4.google.com!news.glorb.com!
newsfeed-3001.bay.webtv.net!newssorter-3001.bay.webtv.net!not-for-mail
From: iamnotgeorge@webtv.net (I AmnotGeorgeBush)
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 11 meter conversion
Date: Fri, 17 Mar 2006 17:17:45 -0500
Organization: WebTV Subscriber
Lines: 20
Message-ID: <23728-441B3589-1757@storefull-3254.bay.webtv.net>
References: <a4DSf.180911$US.127077@news.ono.com>
NNTP-Posting-Host: localhost.webtv.net
Mime-Version: 1.0 (WebTV)
Content-Type: Text/Plain; Charset=ISO-8859-1
Content-Transfer-Encoding: Quoted-Printable
X-WebTV-Signature: 1
     ETAuAhUAoNWYrsg4DizrjlYu/dZJPUaJFkcCFQChqaM1wQUPULJXkAgeRPC2lTbUBg==
Content-Disposition: Inline
Xref: g2news1.google.com rec.radio.amateur.equipment:3087

the fag is forging


A little perspective on our latest outed resident freak


http://groups.google.com/group/alt.fashion/msg/564b8de113eb0531?dmode=3Dso=
urce
=A0

His pic was on his homepage http://hometown.aol.com/programbo5/index.htm
but he yanked it after the url was posted today.
He was too slow. Here's the pic he had up.


http://community.webtv.net/iamnotgeorge/Eidengonemad







From -1850809924129910040
X-Google-Thread: 108122,d2fc50dc7aa13a13
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Ameritron AL-82 Amplifier
Message-ID: <ttfm12pe6v6bajvavprdlpclu8v3f8kj6f@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
```

Date: Fri, 17 Mar 2006 18:01:22 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1142636483 69.125.167.162 (Fri, 17 Mar 2006 16:01:23 MST)
NNTP-Posting-Date: Fri, 17 Mar 2006 16:01:23 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3088

FS: Ameritron AL-82 Amplifier
The 3-500ZG tubes were replaced
with new tubes
about three months ago.
Works GREAT!! Legal Limit.
Price: 1000.00   Plus shipping
I would drop it off at UPS store for them
to properly pack it, or you can pick it up in NJ
I have a picture if you send me an email.
ritchi50@optonline.net

From -2021200694040156262
X-Google-Thread: 108122,a818975b50014ef,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
elnk-atl-nf1!newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread1.news.atl.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTD: SIMPSON 464 TEST LEADS
Reply-To: w1ksz@earthlink.net
Message-ID: <64im129lcb8kai0spo8bb859shbdkmh09m@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Fri, 17 Mar 2006 23:40:23 GMT
NNTP-Posting-Host: 24.41.20.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1142638823 24.41.20.5 (Fri, 17 Mar 2006
15:40:23 PST)
NNTP-Posting-Date: Fri, 17 Mar 2006 15:40:23 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3089

I picked up a Simpson 464 Series 3 DVM sans Test Leads. They are the
Reverse Banana Plug style.
Anyone know where I can find a set ?
Google is no help.

Thanks, Dick, W1KSZ

```
From -8645127194362607415
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "an old friend" <kb9rqz@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
Date: 17 Mar 2006 15:54:21 -0800
Organization: http://groups.google.com
Lines: 23
Message-ID: <1142639660.955896.289020@u72g2000cwu.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
   <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
   <1142569699.177345.179160@j52g2000cwj.googlegroups.com>
   <MMydnUXbzPAM3IfZRVn-qw@comcast.com>
   <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
   <MMydnUfbzPBc34fZRVn-qw@comcast.com>
   <1142571828.236835.4380@j52g2000cwj.googlegroups.com>
   <1142608522.189563.259330@j52g2000cwj.googlegroups.com>
   <TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
   <1142614560.983203.131290@z34g2000cwc.googlegroups.com>
   <20060317121753.520$xN@newsreader.com>
   <1142616293.741170.17950@e56g2000cwe.googlegroups.com>
   <20060317122833.006$wf@newsreader.com>
   <1142617596.085748.202360@v46g2000cwv.googlegroups.com>
   <20060317172341.559$Sk@newsreader.com>
NNTP-Posting-Host: 69.19.14.19
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142639666 7488 127.0.0.1 (17 Mar 2006 23:54:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Mar 2006 23:54:26 +0000 (UTC)
In-Reply-To: <20060317172341.559$Sk@newsreader.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.19.14.19;
   posting-account=mGJHFw0AAABhg_iImBOts3VB5ouUQlvB
Xref: g2news1.google.com rec.radio.amateur.equipment:3090 rec.radio.cb:6639
rec.radio.amateur.policy:19366 rec.radio.amateur.misc:6381
rec.radio.shortwave:28387


Steveo wrote:
> "an old friend" <kb9rqz@yahoo.com> wrote:
> > Steveo wrote:
> > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > Steveo wrote:
> > > > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > > >> you see steve is afriad of bisexual people
> > > > > >
> > > > > Still doing the beer enemas', freak?
> > > >
> > > > when it pleases me sure
> > > >
> > > Strange things please you, markie-tard.
> >
> > strange to you fine I agree
> > but why do you care?
> >
> I really don't care,


kying agin just the other stve




From 1240890439926332886
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!fee7637a!
not-for-mail
Reply-To: "Stargatesg1" <nospam@here.net>
From: "Stargatesg1" <nospam@here.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
Subject: Re: 11 meter conversion
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <57ISf.173$bu.151@trnddc04>
Date: Sat, 18 Mar 2006 00:03:13 GMT
```

NNTP-Posting-Host: 71.254.43.12
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1142640193 71.254.43.12 (Fri, 17 Mar 2006 19:03:13 EST)
NNTP-Posting-Date: Fri, 17 Mar 2006 19:03:13 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:3091 rec.radio.cb:6640 rec.radio.amateur.policy:19368 rec.radio.amateur.misc:6383 rec.radio.shortwave:28388

How much would you want for it, instead of converting it? I operate 6 meters and could use it.

--
RoD
KD0XX
PG-6-29404

"KB2SMS" <KB2SMS@invalid.net> wrote in message news:44197cb2@usenet.zapto.org...
> Can someone please tell me how to convert this to 11 meter? thanks in
> advance
>
> http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>
>

From 1146191308451163014
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: steve can't killfile me he truly can't
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060317192442.072$gr@newsreader.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-

```
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com> <121md5cqm6a6gb5@corp.supernews.com>
X-NRC-Trace: NewsReader.Com KhVwuD8-lHk,_ztpzv.FmXbou.sLyHRfe/HJKQtQ,2F9mqolNR
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 18 Mar 2006 00:17:45 GMT
Lines: 17
NNTP-Posting-Host: 7a1cd65a.nr3.newsreader.com
X-Trace: DXC=A?55FNXo?
[E5_lNgQeYo<LOA8_@f\K_iBXh8X;oWcZG@[BQE^UN[D2JNd7biGRhQTGYA@MLbHKH8M[JQC\60gaZH
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3092 rec.radio.cb:6647
rec.radio.amateur.policy:19378 rec.radio.amateur.misc:6393
rec.radio.shortwave:28392

"Dr.Death" <drdeath@nospam.555.usb.com> wrote:
> "Steveo" <moparholic@hotmail.com> wrote in message
> news:20060317122833.006$wf@newsreader.com...
> > "an old friend" <kb9rqz@yahoo.com> wrote:
> >> Steveo wrote:
> >> > "an old friend" <kb9rqz@yahoo.com> wrote:
> >> > >> you see steve is afriad of bisexual people
> >> > >
> >> > Still doing the beer enemas', freak?
> >>
> >> when it pleases me sure
> >>
> > Strange things please you, markie-tard.
>
> You mean like the hose from a tapped keg?
>
Something tells me that's the smallest thing going up his ass tonight.


From 3871027815269489201
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news-out.octanews.net!
canary.octanews.net!news-out.readnews.com!news-xxxfer.readnews.com!
```

```
nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: steve can't killfile me he truly can't
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060317192838.001$8W@newsreader.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com>
<1142617596.085748.202360@v46g2000cwv.googlegroups.com>
<20060317172341.559$Sk@newsreader.com>
<1142639660.955896.289020@u72g2000cwu.googlegroups.com>
X-NRC-Trace: NewsReader.Com hmyMy-2l9M/C01dyJKbZuQEW9V2+,e=gXk_Awl/r=V/gfe
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 18 Mar 2006 00:21:41 GMT
Lines: 24
NNTP-Posting-Host: 7a1cd65a.nr3.newsreader.com
X-Trace:
DXC=U>7:Sn=VH`KImPVW;16nQAOA8_@f\K_iBXh8X;oWcZG@3;OP14RNa1KNd7biGRhQTGabI[<ZWSB4AS
=cQ0mmgHoG
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3093 rec.radio.cb:6650
rec.radio.amateur.policy:19381 rec.radio.amateur.misc:6396
rec.radio.shortwave:28394

"an old friend" <kb9rqz@yahoo.com> wrote:
> Steveo wrote:
> > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > Steveo wrote:
> > > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > > Steveo wrote:
> > > > > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > > > >> you see steve is afriad of bisexual people
> > > > > > > >
> > > > > > > Still doing the beer enemas', freak?
> > > > >
> > > > > when it pleases me sure
> > > > >
> > > > Strange things please you, markie-tard.
> > >
> > > strange to you fine I agree
> > > but why do you care?
> > >
> > I really don't care,
>
> kying agin just the other stve
>
Can you be anymore obvious with your intentional spelling mistakes,
markie-tard?


From -1880965220102302582
X-Google-Thread: 108122,a818975b50014ef
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!2ca1ff02!
not-for-mail
From: Jim Chandler <n427c@gte.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: WTD: SIMPSON 464 TEST LEADS
References: <64im129lcb8kai0spo8bb859shbdkmh09m@4ax.com>
In-Reply-To: <64im129lcb8kai0spo8bb859shbdkmh09m@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <02KSf.523$gD4.220@trnddc05>
Date: Sat, 18 Mar 2006 02:14:20 GMT
NNTP-Posting-Host: 71.105.121.182
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1142648060 71.105.121.182 (Fri, 17 Mar 2006 21:14:20 EST)
NNTP-Posting-Date: Fri, 17 Mar 2006 21:14:20 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:3094

Richard W. Solomon, W1KSZ wrote:

> I picked up a Simpson 464 Series 3 DVM sans Test Leads. They are the
> Reverse Banana Plug style.
> Anyone know where I can find a set ?
> Google is no help.
>
> Thanks, Dick, W1KSZ

Did you try Simpson?  Otherwise, probably any instrument manufacturer
could help.
```

Jim Chandler N5COT

```
From -1241864154396365807
X-Google-Thread: 108122,e14a465d3331576f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: chip type TSSOP in homebrew
From: "Joel" <Joel@cyberbest.com>
Date: Fri, 17 Mar 2006 20:37:55 -0600
Message-ID: <1142649334_10841@sp6iad.superfeed.net>
Lines: 8
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-
out.nuthinbutnews.com!sp6iad.superfeed.net!sp6iad.superfeed.net!not-for-mail
Newsgroups: rec.radio.amateur.equipment
X-Proxy-User: $$-xgz0sjrp
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-Report:  Please report illegal or inappropriate use to <abuse@newsfeeds.com>.
Forward a copy of ALL headers INCLUDING the body. (DO NOT SEND ATTACHMENTS)
X-Comments2:  IMPORTANT: Newsfeeds.com does not condone,support,nor tolerate spam
or any illegal or copyrighted postings.
X-Comments:  This message was posted through Newsfeeds.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3095
```

It seems these days every chip I want to use in anything is only valuable in TSSOP format. The leads are so small my smallest soldering iron covers three pins at a time. It's hopeless.
Does anyone have any words of experience here?

Joe Loucka AG4QC

----== Posted via Newsfeeds.Com - Unlimited-Unrestricted-Secure Usenet News==----
http://www.newsfeeds.com The #1 Newsgroup Service in the World! 120,000+ Newsgroups
----= East and West-Coast Server Farms - Total Privacy via Encryption =----

```
From -8023451660986831767
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-post-02!sn-
```

```
post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.555.usb.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
Date: Fri, 17 Mar 2006 20:40:26 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <121msot8ct6bc82@corp.supernews.com>
References: <44197cb2@usenet.zapto.org>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news1.google.com rec.radio.amateur.equipment:3096 rec.radio.cb:6659
rec.radio.amateur.policy:19387 rec.radio.amateur.misc:6403
rec.radio.shortwave:28412

"KB2SMS" <KB2SMS@invalid.net> wrote in message
news:44197cb2@usenet.zapto.org...
> Can someone please tell me how to convert this to 11 meter? thanks in
> advance
>
> http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>

You caught so many with this post, you will have to get a commercial
trolling license and a bigger net. ROFLMAO




From -4040427785250802938
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 21:05:39 -0600
Date: Fri, 17 Mar 2006 22:05:39 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
```

```
r.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com> <121md5cqm6a6gb5@corp.supernews.com>
<20060317192442.072$gr@newsreader.com>
In-Reply-To: <20060317192442.072$gr@newsreader.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <roGdnRrtoNmZ5IbZRVn-jg@comcast.com>
Lines: 10
NNTP-Posting-Host: 68.33.23.128
X-Trace: sv3-
kDSb3dtXiAAwOR0LQ5GZCZcDy68pTyfJuzkiwwzlPUkay5TkRNStbXS6cNNLy+ekYsTFuYpGfp+MBql!
zGFERarnFHYckSSETW1oWCvwFD93rMo/EnGVMIZbFoeM7KuifHunoFOwSs9iyCu0rP6glEI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3098 rec.radio.cb:6672
rec.radio.amateur.policy:19391 rec.radio.amateur.misc:6406
rec.radio.shortwave:28418

> Something tells me that's the smallest thing going up his ass tonight.

I wouldn't want to drive my Jeep in there. I might get bogged down in the mud!

Radio, lets see, echolink (AM) or skype (FM) with video tonight...
My biggest complaint about echolink is that all the calls with a
3 in them are grouped together, even if the 3 call is not in 3 land.
There needs to be an update that allows one to designate which area
they're really in. I can't stand seeing FL, CA and HI and can't find
the ones that have moved here and kept their 2 or 9 call.


From 788397007701650379
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
```

```
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-
xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: steve can't killfile me he truly can't
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060317220842.750$e4@newsreader.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com> <121md5cqm6a6gb5@corp.supernews.com>
<20060317192442.072$gr@newsreader.com> <roGdnRrtoNmZ5IbZRVn-jg@comcast.com>
X-NRC-Trace: NewsReader.Com Umnrn,+sRGmNosE=mf5Aj9rqy1OlzRFjtYkvBlr-sUV3jtV+RN
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 18 Mar 2006 03:01:44 GMT
Lines: 17
NNTP-Posting-Host: ad4713d2.nr3.newsreader.com
X-Trace:
DXC=A=mSh[1dH[4NBYYUW74Fl2OA8_@f\K_i2Xh8X;oWcZG0WPiLH`m\:4<Nd7biGRhQT7YA@MLbHKH8=8
7K_Z3jmYO2
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3099 rec.radio.cb:6674
rec.radio.amateur.policy:19393 rec.radio.amateur.misc:6407
rec.radio.shortwave:28419

Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote:
> > Something tells me that's the smallest thing going up his ass tonight.
>
> I wouldn't want to drive my Jeep in there. I might get bogged down in the
> mud!
>
Who wants to wash that shit off?
>
>
```

> Radio, lets see, echolink (AM) or skype (FM) with video tonight...
> My biggest complaint about echolink is that all the calls with a
> 3 in them are grouped together, even if the 3 call is not in 3 land.
> There needs to be an update that allows one to designate which area
> they're really in. I can't stand seeing FL, CA and HI and can't find
> the ones that have moved here and kept their 2 or 9 call.
>

Jamming some Credence over here..radio off.

From -6014283705430442528
X-Google-Thread: 108122,e14a465d3331576f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!newssvr12.news.prodigy.com.POSTED!8d51b11b!not-for-mail
From: Al Arduengo <aarduengo@sbcglobal.net>
Subject: Re: chip type TSSOP in homebrew
User-Agent: Pan/0.14.2.91 (As She Crawled Across the Table)
Message-Id: <pan.2006.03.18.03.23.44.169008@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
References: <1142649334_10841@sp6iad.superfeed.net>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 11
NNTP-Posting-Host: 69.149.41.221
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1142652228 ST000 69.149.41.221 (Fri, 17 Mar 2006 22:23:48 EST)
NNTP-Posting-Date: Fri, 17 Mar 2006 22:23:48 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@OHVQB_XY[JJX_UHAUSXB@DTMNHWB_EYLJZ]BGIEL_NTKAH_[JTXDX_KI\VB]JBVMS^YT_G[CZVWAOS\DHFWEH]@KGXYHB_CMDSFABP^J[AHHRKARLE_JDBLJ\XA[JRMEI]MGJSPB\Y]^KG\@S^@VQKI_Q[G@@_ACSARASDEFLBJ]S\GFNTUAVBL
Date: Sat, 18 Mar 2006 03:23:48 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:3100

On Fri, 17 Mar 2006 20:37:55 -0600, Joel wrote:

> It seems these days every chip I want to use in anything is only valuable in
> TSSOP format. The leads are so small my smallest soldering iron covers
> three pins at a time. It's hopeless.
> Does anyone have any words of experience here?
>
> Joe Loucka AG4QC
>
>

Sure. Get a finer soldering iron tip.

From -944897560022187441
X-Google-Thread: 108122,a818975b50014ef
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 21:35:18 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <64im129lcb8kai0spo8bb859shbdkmh09m@4ax.com>
Subject: Re: SIMPSON 464 TEST LEADS
Date: Fri, 17 Mar 2006 21:35:16 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <aa6dnbvRY7Fr4obZnZ2dnUVZ_vqdnZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-pGVTYp8SgW48NX3bEvg/yJ9rnOeeAsmTruZwU6i3EOmpne5yVudbyn3dmy/VoexMv/KPCtWq8Fc1v6F!ioyAz1YGxEgOQqXk7sA/RdbPUPKs7hZVLRSkwNoDe7Ur9eD/gwcs8buzW0rRyLg8TMhP4viYaS4N!1Ed4pgkDCm21
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3101

Take a walk on the wild side....
Go to your local electrical, or HVAC supply house.

"Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net> wrote in message news:64im129lcb8kai0spo8bb859shbdkmh09m@4ax.com...
>I picked up a Simpson 464 Series 3 DVM sans Test Leads. They are the
> Reverse Banana Plug style.
> Anyone know where I can find a set ?
> Google is no help.
>
> Thanks, Dick, W1KSZ

From 7551257446002827812
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5

```
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 21:36:48 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com> <121md5cqm6a6gb5@corp.supernews.com>
<20060317192442.072$gr@newsreader.com> <roGdnRrtoNmZ5IbZRVn-jg@comcast.com>
Subject: Re: steve can't killfile me he truly can't
Date: Fri, 17 Mar 2006 21:36:47 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <s-SdnVAndLLNHYbZRVn-rQ@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-jwcvPOaH44Vqh9nNcyhCghLtC+SF+18oV1HujM/
Mi5GldGFaHUzoc99DzEV6GtRNCeCVKv+lxTcW50u!/
SshOcneHuF+5+0oV6hUiZ8soxG1NBMgYZZaiFK5ByX1vNuTWBHcg2HjnOIxogIo5vuTJLmtm3w=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3102 rec.radio.cb:6682
rec.radio.amateur.policy:19396 rec.radio.amateur.misc:6410
rec.radio.shortwave:28421
```

"Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
news:roGdnRrtoNmZ5IbZRVn-jg@comcast.com...

>> Something tells me that's the smallest thing going up his ass tonight.

>
> I wouldn't want to drive my Jeep in there. I might get bogged down in the
> mud!
>
> Radio, lets see, echolink (AM) or skype (FM) with video tonight...
> My biggest complaint about echolink is that all the calls with a
> 3 in them are grouped together, even if the 3 call is not in 3 land.
> There needs to be an update that allows one to designate which area
> they're really in. I can't stand seeing FL, CA and HI and can't find
> the ones that have moved here and kept their 2 or 9 call.

I can't find myself...

-n6ojn
Purvis, Mississippi

From -2237123004868978442
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p10g2000cwp.googlegroups.com!not-for-mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
Date: 17 Mar 2006 19:42:08 -0800
Organization: http://groups.google.com
Lines: 37
Message-ID: <1142653328.171546.117690@p10g2000cwp.googlegroups.com>
References: <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com>
<MMydnUXbzPAM3IfZRVn-qw@comcast.com>
<1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com>
<1142617596.085748.202360@v46g2000cwv.googlegroups.com>
<20060317172341.559$Sk@newsreader.com>

```
   <1142639660.955896.289020@u72g2000cwu.googlegroups.com>
   <20060317192838.001$8W@newsreader.com>
NNTP-Posting-Host: 69.19.14.33
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142653333 24436 127.0.0.1 (18 Mar 2006 03:42:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Mar 2006 03:42:13 +0000 (UTC)
In-Reply-To: <20060317192838.001$8W@newsreader.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p10g2000cwp.googlegroups.com; posting-host=69.19.14.33;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news1.google.com rec.radio.amateur.equipment:3103 rec.radio.cb:6684
rec.radio.amateur.policy:19398 rec.radio.amateur.misc:6412
rec.radio.shortwave:28422


Steveo wrote:
> "an old friend" <kb9rqz@yahoo.com> wrote:
> > Steveo wrote:
> > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > Steveo wrote:
> > > > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > > > Steveo wrote:
> > > > > > > "an old friend" <kb9rqz@yahoo.com> wrote:
> > > > > > > >> you see steve is afriad of bisexual people
> > > > > > > >
> > > > > > > Still doing the beer enemas', freak?
> > > > > >
> > > > > > when it pleases me sure
> > > > > >
> > > > > Strange things please you, markie-tard.
> > > >
> > > > strange to you fine I agree
> > > > but why do you care?
> > > >
> > > I really don't care,
> >
> > kying agin just the other stve
> >
> Can you be anymore obvious with your intentional spelling mistakes,
> markie-tard?

can you tell the truth?

it seem not

no intentional spalling on my part exist in the NG's I simply don't
bother to look for them again if you want to iill file me go ahead
```

aut robesoncan't he stuck like pavlovs dog he has to knwo what I type
and hangs furious on every word

```
From 4872524459143368522
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 17 Mar 2006 21:55:54 -0600
Date: Fri, 17 Mar 2006 22:55:54 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: steve can't killfile me he truly can't
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
<1142534523.075023.72950@i40g2000cwc.googlegroups.com>
<1142548117.187698.147380@p10g2000cwp.googlegroups.com>
<1142569699.177345.179160@j52g2000cwj.googlegroups.com> <MMydnUXbzPAM3IfZRVn-
qw@comcast.com> <1142571641.033837.244090@i40g2000cwc.googlegroups.com>
<MMydnUfbzPBc34fZRVn-qw@comcast.com>
<1142571828.236835.4380@j52g2000cwj.googlegroups.com>
<1142608522.189563.259330@j52g2000cwj.googlegroups.com>
<TP6dnZNYEYmpRYfZnZ2dnUVZ_tydnZ2d@comcast.com>
<1142614560.983203.131290@z34g2000cwc.googlegroups.com>
<20060317121753.520$xN@newsreader.com>
<1142616293.741170.17950@e56g2000cwe.googlegroups.com>
<20060317122833.006$wf@newsreader.com> <121md5cqm6a6gb5@corp.supernews.com>
<20060317192442.072$gr@newsreader.com> <roGdnRrtoNmZ5IbZRVn-jg@comcast.com>
<20060317220842.750$e4@newsreader.com>
In-Reply-To: <20060317220842.750$e4@newsreader.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <e9qdnXhvLPhXGYbZnZ2dneKdnZydnZ2d@comcast.com>
Lines: 5
NNTP-Posting-Host: 68.33.23.128
X-Trace: sv3-
v0yRcoIbozqEAH4pa6wA1U41gQkGQ7n6C6r4gyRoW6UejK5kfgOhFid2zNEYHPhg9AvnxB0AJTyjKSX!
qT65KgVxICqyeogNHY+v01xbz8l1vL0hvm2L9tzYOtE/rOMUMWQLnTEM1DrNWVTuypWBvhkyabPh!
AeuT7a/h
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3104 rec.radio.cb:6688 rec.radio.amateur.policy:19402 rec.radio.amateur.misc:6415 rec.radio.shortwave:28427

> Jamming some Credence over here..radio off.

I've got some audience cassette masters from Merriweather Post over here
that need to be captured as 16 bit stereo waves, chopped with CDWAV and
then compressed to FLAC and torrented.

From 7881773787585300272
X-Google-Thread: 108122,be9e7285cfa38b7b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Howard@hisisp.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TH-F6A, Less Features=More Cost
Date: Sun, 12 Mar 2006 15:45:00 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <gvb912h215un3mvoihfttvos5cbtqlqqk4@4ax.com>
References: <AX1Rf.76668$g47.51420@tornado.tampabay.rr.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 34
Xref: g2news1.google.com rec.radio.amateur.equipment:3002

On Sun, 12 Mar 2006 23:14:40 GMT, "west" <westley@tampabay.rr.com>
wrote:

>The venerable Kenwood TH-F6A has 3 speaker mics as options (4, if you count
>the clip mic/w earplug). The least expensive mic (SMC-34) seems to have it
>all, remote & volume control. The SMC-33 has just the remote but no volume
>control. Remarkably, it costs twice the amount of the 34, that has the
>remote & volume control. Another Speaker mic, the SMC-32 has neither remote
>nor volume control and is almost as costly as the SMC-33.
>I know I threw a bunch of letters & numbers at you, but in essence, what I'm
>alluding to is why does it appear that the remote mic with the least
>features, cost the most. Can this be another ill-advised Kenwood marketing
>ploy? Has anyone put a handle on this? I would like to buy a remote mic, but
>frankly I'm puzzled and the salesman hasn't the foggiest. Help someone ...
>anyone? Thanks kindly in advance.
>
>Cordially,

>west
>AF4GC
>
West,
I noticed the same and cannot begin to fathom it myself. In my case I
went for the earbud/lapel mic because it suits my purposes best. For
another HT that I've used the Premier SPM102 (for Kenwood it's the
SPM101) and found it a tad larger than the average speaker mic however
it will handle high volume well and the sound quality is decent.
These run about $32 at AES - which ironically is within a couple
dollars of the price for the Kenwood SMC-34. It could be that the
volume sold of that model has been sufficient to write off development
and ammortize tooling costs so that's why it cost less.......guess
we'll never really know until someone from Kenwood steps up and
publically answers the question.

Howard

From -6477805584969007353
X-Google-Thread: 108122,be9e7285cfa38b7b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: TH-F6A, Less Features=More Cost
Date: Sun, 12 Mar 2006 17:25:19 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1te912l8s47h494s6r26j1ga8ufgo5n55i@4ax.com>
References: <AX1Rf.76668$g47.51420@tornado.tampabay.rr.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news1.google.com rec.radio.amateur.equipment:3003

On Sun, 12 Mar 2006 23:14:40 GMT, "west" <westley@tampabay.rr.com>
wrote:

>The venerable Kenwood TH-F6A has 3 speaker mics as options (4, if you count
>the clip mic/w earplug). The least expensive mic (SMC-34) seems to have it
>all, remote & volume control. The SMC-33 has just the remote but no volume
>control. Remarkably, it costs twice the amount of the 34, that has the
>remote & volume control. Another Speaker mic, the SMC-32 has neither remote
>nor volume control and is almost as costly as the SMC-33.
>I know I threw a bunch of letters & numbers at you, but in essence, what I'm
>alluding to is why does it appear that the remote mic with the least
>features, cost the most. Can this be another ill-advised Kenwood marketing
>ploy? Has anyone put a handle on this? I would like to buy a remote mic, but

>frankly I'm puzzled and the salesman hasn't the foggiest. Help someone ...
>anyone? Thanks kindly in advance.
>
>Cordially,
>west
>AF4GC
>

I guess that's the reason I bought the SMC-34. Of course I also
wanted the volume control. I looked at the brochures for all three,
and can't see any reason why. Only the Shadow knows.

Dick

```
From -7738901262724984647
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!news-
out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Push up mast?
From: Ed G <Huckleberry_REMOVE_@bigvalley.net>
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
Message-ID: <Xns9784CE4EDFF19Huckleberrybigvalley@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 13 Mar 2006 04:16:22 GMT
Lines: 19
Organization: Adtech Computers, Inc.
NNTP-Posting-Host: a438c729.news.adtechcomputers.com
X-Trace:
DXC=j=Ek[j`fAdTa`hdSQehkMZgC4_A5:nI@Q<<=aEgO;R8WThdLCMXXaB^I_BDfiSH[c\ecf<A4o8l9S0
W_Uo]cC15ZVcO^M\4gBo_3RSX_<CDCi_9^TFOidANES
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3004
```

> Radio Shack used to carry a 30' push up mast. It was segmented into 3
> (4?) parts, with guy rings at the junctions. Much sturdier than the
> standard 1.25" masts commonly available. They were useful for small
> beams, but more so for supporting inverted Vs and dipoles. According
> to the local RS stores, they no longer carry them, and they don't seem
> to be available at the RS web page, though there is a "heavy duty"
> stackable section available. Anybody know of an equivalent mast
> today?
>

Lowes Hardware stores carry a good sturdy one.... both 3 and 4
section models, I believe.

K7AAT

From 6707699014121463456
X-Google-Thread: 108122,132c6f6dd8180c4f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Mar 2006 09:09:39 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: ready yet?
Date: Mon, 13 Mar 2006 09:09:37 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <Waqdna0biteuFojZRVn-sQ@comcast.com>
Lines: 11
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-VtYomz3CX9ZElbIS2E2qnmKFpUheVmH/
sl3f6+058Lv5UmX9BgiEo2U4Xp7BDL642O6QA6ovrT+RO4A!3woARaEn7e9PG7xyLRxiy/
Tae0JC9f6eIPq/NjHSVkEhGyQ/PA79kWieFPsMRj8aZwS7DIQhZBQ=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3005

79 more shopping days till hurricane season :-)

--

Steve @ Noon-Air Heating & A/C
Noon-Air@comcast.net

Life is what happens while you were making other plans

From 1265736897486011133
X-Google-Thread: 108122,3c6e10c8cd2c1c4e,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: TS-870S  SOLD
Message-ID: <aacb12d2rv0q3t9s1t6e808isq2no60393@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
Date: Mon, 13 Mar 2006 12:52:16 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1142272331 69.125.167.162 (Mon, 13 Mar 2006 10:52:11 MST)
NNTP-Posting-Date: Mon, 13 Mar 2006 10:52:11 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3006

TS-870S  SOLD


From -8229531883200085913
X-Google-Thread: 108122,9cc9d977fb8ad0e7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
hammer.uoregon.edu!arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mikeNOSPAM@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Top Ten Devices Six Way Antenna Relay Box
Date: Mon, 13 Mar 2006 13:09:35 -0600
Organization: netINS InterNetNews site
Lines: 3
Message-ID: <2ogb121c4dp9t4f2tq6ro0rq28vtovu8bg@4ax.com>
Reply-To: mike@l2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1142276975 5420 67.55.159.6 (13 Mar 2006 19:09:35 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Mon, 13 Mar 2006 19:09:35 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:3007

Please take a look. Thanks

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5879015701
```

```
From -3701724139988775859
X-Google-Thread: 114671,43d359fa8ad4f847,start
X-Google-Thread: 1109af,43d359fa8ad4f847,start
X-Google-Thread: 108122,43d359fa8ad4f847,start
X-Google-Attributes: gid114671,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!snewsf0.syd.ops.aspac.uu.net!ken-transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: alandeletethisdevlin@bigREMOVEpond.com
Newsgroups: aus.radio.amateur.misc,rec.radio.swap,rec.radio.amateur.equipment
Subject: FS : 1296 Mhz High Power (35 Watts)  Amplifiers
Message-ID: <4415fe74.7559533@news-server>
X-Newsreader: Forte Free Agent 1.11/32.235
Lines: 24
Date: Mon, 13 Mar 2006 23:30:29 GMT
NNTP-Posting-Host: 155.143.222.239
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1142292629 155.143.222.239 (Tue, 14 Mar 2006 10:30:29 EST)
NNTP-Posting-Date: Tue, 14 Mar 2006 10:30:29 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com aus.radio.amateur.misc:2723 rec.radio.swap:3072 rec.radio.amateur.equipment:3008
```

Gidday All,
this Posting to advise I have several of these
fantastic High Power (35 Watts typical Output) Linear (All Mode)
Amplifiers available For Sale.

See my eBay Listing.. simply Search on "1296 Mhz"
These Amps can also be provided with a 1265 Mhz "tune" to suit ATV
frequencies !

Additional information can also be found on my Website as per below.

Questions : Email me direct. I will gladly provide more information.

Cheers & thank you.

Alan - VK3XPD.

Alan Devlin.

RF RESALE... where Honesty & Integrity are paramount !
Melbourne, Australia.

WEB PAGE URL http://www.users.bigpond.com/alandevlin/index.html

```
From -3903668930790976035
```

```
X-Google-Thread: 108122,19f8fdedab6b6add,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-mail
From: "biglew3@gmail.com" <biglew3@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TMV-7A
Date: 13 Mar 2006 16:30:12 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1142296212.879529.317890@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 12.183.50.69
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142296218 27128 127.0.0.1 (14 Mar 2006 00:30:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Mar 2006 00:30:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=12.183.50.69;
   posting-account=jaIMEA0AAAAdkj5Gv-swMlT90e5iQhmx
Xref: g2news1.google.com rec.radio.amateur.equipment:3009
```

I HAVE A KENWOOD TMV-7A FOR SALE PICS UPON REQUEST HAVE POWER CORD
BRACKET,BOOK, AND PROGRAM SOFTWARE.$300.00 OBO.

```
From -1645322488207693404
X-Google-Thread: 108122,28471645a3acec9c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p10g2000cwp.googlegroups.com!not-for-mail
From: "biglew3@gmail.com" <biglew3@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: VX-1R
Date: 13 Mar 2006 16:31:52 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1142296312.912424.201500@p10g2000cwp.googlegroups.com>
NNTP-Posting-Host: 12.183.50.69
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142296320 27330 127.0.0.1 (14 Mar 2006 00:32:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Mar 2006 00:32:00 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: p10g2000cwp.googlegroups.com; posting-host=12.183.50.69;
   posting-account=jaIMEA0AAAAdkj5Gv-swMlT90e5iQhmx
Xref: g2news1.google.com rec.radio.amateur.equipment:3010

FOR SALE VX-1R GREAT SHAPE AC/DC CHARGER PICS UPON REQUEST ,BOOK IS
INCLUDED.$70.00 OBO.




From -5944900943190529787
X-Google-Thread: 108122,740d093a0db7834e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "biglew3@gmail.com" <biglew3@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: VX-2R
Date: 13 Mar 2006 16:32:59 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1142296379.311735.188790@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 12.183.50.69
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142296385 27457 127.0.0.1 (14 Mar 2006 00:33:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Mar 2006 00:33:05 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=12.183.50.69;
   posting-account=jaIMEA0AAAAdkj5Gv-swMlT90e5iQhmx
Xref: g2news1.google.com rec.radio.amateur.equipment:3011

MINT IN BOX WITH LEATHER CASE,PICS UPON REQUEST $100 OBO.




From -6127541736181055387
X-Google-Thread: 108122,23aa0bc188902e2e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2JwePad3q3i2!not-for-mail
From: "Craig" <caheaton@netzero.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtshb1$5t6$1@nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com>
<CckMf.250819$6Q3.20366@fe07.news.easynews.com>
<fmmck-2802061403110001@ac9df8c1.ipt.aol.com>
Subject: Re: 10m Handhelds
```

Date: Mon, 13 Mar 2006 22:03:56 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <a52c$44163254$4831d174$24288@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 17
X-Trace: 0a52c44163254ed9474d124288
Xref: g2news1.google.com rec.radio.amateur.equipment:3012

Funny I should read this post tonight...I was just talking about my old ten meter handheld with my wife; sold it years ago and wish I still had it today. It was an AEA DX Handy. It operated both SSB and CW and offered about 50 Khz (if I remember correctly) coverage each in two places on the ten meter band. It used a couple of crystals swung the frequency about them a bit. It put out 1 1/2 watts of RF. I worked my first HF contact with one of these....Cincinnati to Salt Lake City (but cheated and was feeding the RF into a low dipole). My favorite contact was operating the rig "stock"...built in telescoping antenna, trailling a counterpoise behind me. I was stand in the parking lot of a local grocery store and worked and East German station on the day the wall came down. Unforgettable experience! These radios are kinda rare now, although they were also marketed in Japan under another name (Mizuno?) The Japanese company was the actual manufacturer of the radio. There was also a version made for 6 meters.

Craig KB8FGC

From 8097518685536433646
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Mar 2006 11:20:44 -0600
From: "Ben" <ben14@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
<1142190625.965115.207440@v46g2000cwv.googlegroups.com>
<Xns97848CF1D7051VeebleFetzer@216.250.184.7>
<8m2912h8jojpf3kn91jj47mgdedq47c585@4ax.com>
Subject: Re: Push up mast?
Date: Tue, 14 Mar 2006 12:20:44 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original

```
Message-ID: <hpWdnbjHTZrxZovZRVn-pg@adelphia.com>
Lines: 21
NNTP-Posting-Host: 69.172.191.20
X-Trace: sv3-FB0QrRim067DDhlBe47EezK+Lk1yBqCW0oZNBpqc5XqXCNdgw/1aU2rZmjbI9vM/
Dy91iuMhobO8aJb!
XDPOgbe0JmYQZ5s4SNI2TRdFYgmn7QNaUvZF1ElzlHWwAeenQzrOFAXCm0onEaet2F3oaopHf3n/!
SMeEHD1C43tf
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3013
```

If your in the South Florida area, Boynton Beach, I have one I won't be using. Its a Radio Shack 36' in four sections of 9 feet, telescopic. As described in another post.

73's from Benjamin Blavat E-Mail: w4ben@arrl.net

"Alan WA4SCA" <WA4SCA@AMSAT.ORG> wrote in message
news:8m2912h8jojpf3kn91jj47mgdedq47c585@4ax.com...

> All,
>
> Many thanks for the various pointers. I checked with the local
> Lowe's, and the 30' mast is a special order item. They are seeing if
> they can order me a couple. If that falls through, I will probably go
> with the Rohn.
>
>
> --
> Alan
> WA4SCA

```
From 8771599337629164581
X-Google-Thread: 114671,fae37640793b028a,start
X-Google-Thread: 108122,fae37640793b028a,start
X-Google-Thread: f64c6,fae37640793b028a,start
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news1.optus.net.au!
optus!snewsf0.syd.ops.aspac.uu.net!ken-transit.news.telstra.net!lon-
in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-
mail
From: "Jack VK2CJC/MM0AXL" <vk2cjc@look-me-up-on-qrz.com>
Newsgroups:
aus.radio.amateur.misc,rec.radio.amateur,rec.radio.amateur.equipment,uk.radio.amat
eur
```

```
Subject: Jingtong JT208 and JT308 owners please read
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <OZFRf.6659$dy4.225@news-server.bigpond.net.au>
Date: Tue, 14 Mar 2006 20:47:42 GMT
NNTP-Posting-Host: 203.54.163.123
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1142369262 203.54.163.123 (Wed, 15 Mar 2006
07:47:42 EST)
NNTP-Posting-Date: Wed, 15 Mar 2006 07:47:42 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com aus.radio.amateur.misc:2731
rec.radio.amateur.equipment:3014 uk.radio.amateur:31541

New discussion group about Jingtong JT208 and JT308


http://groups.yahoo.com/group/JT208_JT308/





From 5086965272921628335
X-Google-Thread: 114671,fae37640793b028a
X-Google-Thread: 108122,fae37640793b028a
X-Google-Thread: f64c6,fae37640793b028a
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-
win.ntli.net!newsfe7-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Jimbo..." <jim.gm4dhj@ntlworld.com>
Newsgroups:
aus.radio.amateur.misc,rec.radio.amateur,rec.radio.amateur.equipment,uk.radio.amat
eur
References: <OZFRf.6659$dy4.225@news-server.bigpond.net.au>
Subject: Re: Jingtong JT208 and JT308 owners please read
Lines: 11
Organization: GM4DHJ
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
x-mimeole: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <2wGRf.1922$aA6.1642@newsfe7-win.ntli.net>
Date: Tue, 14 Mar 2006 21:24:14 GMT
NNTP-Posting-Host: 82.10.0.173
X-Trace: newsfe7-win.ntli.net 1142371454 82.10.0.173 (Tue, 14 Mar 2006 21:24:14
GMT)
```

NNTP-Posting-Date: Tue, 14 Mar 2006 21:24:14 GMT
Xref: g2news1.google.com aus.radio.amateur.misc:2732
rec.radio.amateur.equipment:3015 uk.radio.amateur:31549

"Jack VK2CJC/MM0AXL" <vk2cjc@look-me-up-on-qrz.com> wrote in message
news:OZFRf.6659$dy4.225@news-server.bigpond.net.au...
> New discussion group about Jingtong JT208 and JT308
>
>
> http://groups.yahoo.com/group/JT208_JT308/
>
what is there to talk about ?...junk is junk....

From -2158831988507847830
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
Date: Tue, 14 Mar 2006 16:56:12 -0500
Organization: Penn State University, Center for Academic Computing
Lines: 10
Message-ID: <dv7e5s$1jnu$1@f04n12.cac.psu.edu>
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1142373372 52990 128.118.40.78 (14 Mar 2006 21:56:12
GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Tue, 14 Mar 2006 21:56:12 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:3016

Noon-Air wrote:
> Whatever happenet to a simple to operate 100watt HF rig that transmits and
> recieves??... something in the way of an inexpensive, baseline, HAM band
> *only* rig... maybe along the lines of the re-production of the TS-130S.
>

The Icom IC718 can be bought new from AES for $549. It's a pretty basic
radio with not very many buttons. The Alinco DX77T is about $150.00 more.

- 73 de Mike KB3EIA -

From 803811941018595344
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed-east.nntpserver.com!
nntpserver.com!statler.nntpserver.com!news.glorb.com!news.aset.psu.edu!not-for-mail
From: Michael Coslo <mjc5@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
Date: Tue, 14 Mar 2006 17:04:03 -0500
Organization: Penn State University, Center for Academic Computing
Lines: 25
Message-ID: <dv7ekj$19gc$1@f04n12.cac.psu.edu>
References: <m-2C5580.15381607032006@news.verizon.net> <-86dnTEpFPA4ypPZRVn-pA@comcast.com> <8xFPf.2411$Uc2.454@fed1read04> <35OdnQ_DUbaw8pLZRVn-qA@comcast.com> <120v1mb9po8r941@corp.supernews.com>
NNTP-Posting-Host: nat3.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1142373843 42508 128.118.40.78 (14 Mar 2006 22:04:03 GMT)
X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Tue, 14 Mar 2006 22:04:03 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Macintosh/20051201)
In-Reply-To: <120v1mb9po8r941@corp.supernews.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:3017

Dave Platt wrote:

> It'd be interesting to see sorts of HF rigs might be build around a
> modulator based on some of today's cellphone chip cores and IP...
> direct conversion, high-performance I/Q phasing modulators, and so
> forth. More work up front, but (potentially) a lot lower per-unit
> incremental cost once you get into volume production.
>
> Unfortunately, I'm not sure that the size of the market would justify
> the investment, needed to create the sort of radio which you feel
> could help maintain and increase the size of the amateur-radio market
> in the way that you'd like :-(

Bingo! If I want a basic radio, I can go to a flea market and pick up some nice simple stuff. When I buy a new radio, I want features and good ergonomics to go along with them. That is what the market has turned into.

At Dayton last year, I picked up a 80 and 40 meter version of the Single Sidebanders for 20 bucks for one, and 25 for the other. Both

worked fine. Just about any kid would have the money for that. Wasn't
State of the art, but 200 watts on SSB, and a cheap wire antenna can get
a person on the air CHEAP!

- 73 de Mike KB3EIA -

```
From 3992585982649766939
X-Google-Thread: 113415,98eb2c52a3a0fee9,start
X-Google-Thread: 10c2ee,98eb2c52a3a0fee9,start
X-Google-Thread: fcc6e,98eb2c52a3a0fee9,start
X-Google-Thread: 108122,98eb2c52a3a0fee9,start
X-Google-Thread: fc2a5,98eb2c52a3a0fee9,start
X-Google-Thread: 107ada,98eb2c52a3a0fee9,start
X-Google-Thread: 106d41,98eb2c52a3a0fee9,start
X-Google-Thread: 1159c6,98eb2c52a3a0fee9,start
X-Google-Thread: 1118be,98eb2c52a3a0fee9,start
X-Google-Attributes:
gid113415,gid10c2ee,gidfcc6e,gid108122,gidfc2a5,gid107ada,gid106d41,gid1159c6,gid1
118be,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!b7871265!
not-for-mail
Reply-To: "James F.  Mayer" <jfma@ix.netcom.com>
From: "James F.  Mayer" <jfma@ix.netcom.com>
Newsgroups: alt.politics.usa.constitution.gun-
rights,rec.antiques.radio+phono,rec.radio.amateur.antenna,rec.radio.amateur.equipm
ent,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.cb,sci.electronics
.cad,sci.electronics.components,sci.electronics.
Subject: Digikey phishing
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <J5IRf.11859$S25.7274@newsread1.news.atl.earthlink.net>
Date: Tue, 14 Mar 2006 23:12:41 GMT
NNTP-Posting-Host: 4.247.206.232
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1142377961 4.247.206.232 (Tue, 14 Mar
2006 15:12:41 PST)
NNTP-Posting-Date: Tue, 14 Mar 2006 15:12:41 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com alt.politics.usa.constitution.gun-rights:647
rec.antiques.radio+phono:15878 rec.radio.amateur.antenna:7681
rec.radio.amateur.equipment:3018 rec.radio.amateur.homebrew:4261
rec.radio.amateur.misc:6098 rec.radio.cb:6523 sci.electronics.cad:1719
sci.electronics.components:2652
```

Someone or a group of persons are phishing with the subject header "CC Pending Order Letter from Digi-Key for salesorder 16642643" I have received 2 (two) of them in the last two days and I have forwarded them to Digikey. They are investigating. If you receive any, please notify Digikey so thay can trsck down the culprits and prosecute them to the fullest extent of the law.

From 7689820552679835980
X-Google-Thread: 114671,fae37640793b028a
X-Google-Thread: 108122,fae37640793b028a
X-Google-Thread: f64c6,fae37640793b028a
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!news-out.ntli.net!newsrout1-gui.ntli.net!ntli.net!
news.highwinds-media.com!newspeer1-win.ntli.net!newsfe2-win.ntli.net.POSTED!
53ab2750!not-for-mail
From: "Steve Terry" <g4wwk@tesco.net>
Newsgroups:
aus.radio.amateur.misc,rec.radio.amateur,rec.radio.amateur.equipment,uk.radio.amateur
References: <OZFRf.6659$dy4.225@news-server.bigpond.net.au>
Subject: Re: Jingtong JT208 and JT308 owners please read
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <N5JRf.34193$FV3.27635@newsfe2-win.ntli.net>
Date: Wed, 15 Mar 2006 00:21:01 GMT
NNTP-Posting-Host: 82.8.196.73
X-Trace: newsfe2-win.ntli.net 1142382061 82.8.196.73 (Wed, 15 Mar 2006 00:21:01 GMT)
NNTP-Posting-Date: Wed, 15 Mar 2006 00:21:01 GMT
Organization: NTL
Xref: g2news1.google.com aus.radio.amateur.misc:2733
rec.radio.amateur.equipment:3019 uk.radio.amateur:31592

"Jack VK2CJC/MM0AXL" <vk2cjc@look-me-up-on-qrz.com> wrote in message
news:OZFRf.6659$dy4.225@news-server.bigpond.net.au...
> New discussion group about Jingtong JT208 and JT308
> http://groups.yahoo.com/group/JT208_JT308/

Now that is sad, a Yahoo group for junk.

I've got a JT308, paid 30quid for it, wished i'd paid a bit more for a real used 70cm HH

It's ergonomics are the worst i've ever used,
and it's chin/lish manual needs an interpreter

But OK for a cheap PMR set which only needs setting up channel and tones once

What more needs to be said

Steve Terry

From 5713609425252497030
X-Google-Thread: 114671,fae37640793b028a
X-Google-Thread: 108122,fae37640793b028a
X-Google-Thread: f64c6,fae37640793b028a
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news2.volia.net!newsfeed01.sul.t-online.de!t-online.de!snewsf0.syd.ops.aspac.uu.net!ken-transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: "Jack VK2CJC / MM0AXL" <vk2cjc@look-me-up-on-qrz.com>
Newsgroups: aus.radio.amateur.misc,rec.radio.amateur,rec.radio.amateur.equipment,uk.radio.amateur
References: <OZFRf.6659$dy4.225@news-server.bigpond.net.au> <N5JRf.34193$FV3.27635@newsfe2-win.ntli.net>
Subject: Re: Jingtong JT208 and JT308 owners please read
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <ZpJRf.6806$dy4.5655@news-server.bigpond.net.au>
Date: Wed, 15 Mar 2006 00:42:33 GMT
NNTP-Posting-Host: 203.54.145.155
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1142383353 203.54.145.155 (Wed, 15 Mar 2006 11:42:33 EST)
NNTP-Posting-Date: Wed, 15 Mar 2006 11:42:33 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com aus.radio.amateur.misc:2734 rec.radio.amateur.equipment:3020 uk.radio.amateur:31594

> I've got a JT308, paid 30quid for it, wished i'd paid a bit more for a
> real used 70cm HH

I just paid AU$17 for a new 308. Thats about 7 UK pounds. So its not perfect. So what :o)

> and it's chin/lish manual needs an interpreter

I love the manual. Its brilliant. Hilarious.

From -5402375024616839857
X-Google-Thread: 108122,75b9fe4f9f3dda95,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Mar 2006 18:50:07 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.iw50n92.pminews@newsgroups.comcast.net>
Date: Tue, 14 Mar 2006 16:49:57 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: ICOM IC-229H Schematic
Lines: 14
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-6kO5XLDGbWVQt1z0WIIEgQEaF/2DaIewsJ8IrBWnJg/
wesjZmMlUBWhmqnpAdEFSq83zuOV+Ugu7WTF!
8zhGf8YMxzBNsnwyEOpwC+j8DCLT5b3EnUE2udSZn+LsUl23pftXDZhwmTMF0mzj3gNNUZhlwmqy!
l6RhQpjk/dZV6NHBd/7Jlwv2
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3021

Does anyone have a source for a PDF of the ICOM IC-229H transceiver schematic? The ICOM site no longer has this on ther site and I can't find my maintenance manual (if I ever had one).

What I need to know is if there is a bias resistor feeding some positive voltage to the mike audio pin (pin 1) of the microphone connector.

WTIA

--

73 de K2ASP - Phil Kane

```
From 5925572126836236565
X-Google-Thread: 114671,fae37640793b028a
X-Google-Thread: 108122,fae37640793b028a
X-Google-Thread: f64c6,fae37640793b028a
X-Google-Attributes: gid114671,gid108122,gidf64c6,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.volia.net!news-out.ntli.net!
newsrout1-gui.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!
newsfe2-win.ntli.net.POSTED!53ab2750!not-for-mail
From: "Steve Terry" <g4wwk@tesco.net>
Newsgroups:
aus.radio.amateur.misc,rec.radio.amateur,rec.radio.amateur.equipment,uk.radio.amat
eur
References: <OZFRf.6659$dy4.225@news-server.bigpond.net.au>
<N5JRf.34193$FV3.27635@newsfe2-win.ntli.net> <ZpJRf.6806$dy4.5655@news-
server.bigpond.net.au>
Subject: Re: Jingtong JT208 and JT308 owners please read
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <cAJRf.34262$FV3.5956@newsfe2-win.ntli.net>
Date: Wed, 15 Mar 2006 00:53:28 GMT
NNTP-Posting-Host: 82.8.196.73
X-Trace: newsfe2-win.ntli.net 1142384008 82.8.196.73 (Wed, 15 Mar 2006 00:53:28
GMT)
NNTP-Posting-Date: Wed, 15 Mar 2006 00:53:28 GMT
Organization: NTL
Xref: g2news1.google.com aus.radio.amateur.misc:2736
rec.radio.amateur.equipment:3022 uk.radio.amateur:31598


"Jack VK2CJC / MM0AXL" <vk2cjc@look-me-up-on-qrz.com> wrote in message
news:ZpJRf.6806$dy4.5655@news-server.bigpond.net.au...
>
>> I've got a JT308, paid 30quid for it, wished i'd paid a bit more for a
>> real used 70cm HH
>
> I just paid AU$17 for a new 308. Thats about 7 UK pounds.
> So its not perfect. So what :o)
>
That's cheap.
>
>> and it's chin/lish manual needs an interpreter
>
> I love the manual. Its brilliant. Hilarious.
```

>
Agreed, if i had a flat bed scanner i'd PDF a copy for all to see.
Anyone with one like to do that, it's quite something.

Steve Terry

From 4146165620714700254
X-Google-Thread: 108122,75b9fe4f9f3dda95
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-out1.kabelfoon.nl!newsfeed.kabelfoon.nl!bandi.nntp.kabelfoon.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-08!sn-post-ams-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM IC-229H Schematic
Date: Wed, 15 Mar 2006 01:02:08 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <121epsgo3ujjea8@corp.supernews.com>
References: <cuvyxnansvbet.iw50n92.pminews@newsgroups.comcast.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news1.google.com rec.radio.amateur.equipment:3023

In article <cuvyxnansvbet.iw50n92.pminews@newsgroups.comcast.net>,
Phil Kane <Phil.Kane@nov.shmovz.ka.pop> wrote:

> Does anyone have a source for a PDF of the ICOM IC-229H transceiver
> schematic? The ICOM site no longer has this on ther site and I
> can't find my maintenance manual (if I ever had one).

A quick Google on IC-229 turned up

http://members.tripod.com/~Malzev/cb-funk/ic-229.htm

and there's a PDF scan of the schematic.

> What I need to know is if there is a bias resistor feeding some
> positive voltage to the mike audio pin (pin 1) of the microphone
> connector.

It looks so, based on the schematic cited above. From an 8-volt
supply there is a 100-ohm decoupling resistor, followed by some
electrolytic and other power-supply bypassing to ground. From this
bypassed supply voltage, a 1k resistor R7 is connected to the MIC
line. This same junction then goes through a DC-blocking cap C135 and
thence to the source of a JFET Q2.

So, I think you'll find roughly 8 volts DC sitting on pin 1, when
measured with reference to the microphone ground-return MICE on pin 7.
Short-circuit current to ground would be approx 8 mA.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -8721374079448726044
X-Google-Thread: 108122,75b9fe4f9f3dda95
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Mar 2006 20:25:09 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.iw54r13.pminews@newsgroups.comcast.net>
References: <cuvyxnansvbet.iw50n92.pminews@newsgroups.comcast.net>
<121epsgo3ujjea8@corp.supernews.com>
Date: Tue, 14 Mar 2006 18:18:37 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: ICOM IC-229H Schematic
Lines: 25
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-iVaTi/wZ/AmdRI5mhL7K072p/
rXa00bjgNnXiq32BkpvfPmm1Q3BBwayMYPvnD5Hk32q0drDQW+oZ5A!6phUI0xMNmrzT3wtVb33y/
MRbt7Iz7MjlBn33+mTtKbmp07DTYSQac+rW7gMs3mqBnsXm0DYO3KL!3mlXMD56pQJcBVolpHyox+Bp
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:3024

On Wed, 15 Mar 2006 01:02:08 -0000, Dave Platt wrote:

>A quick Google on IC-229 turned up
>
>   http://members.tripod.com/~Malzev/cb-funk/ic-229.htm
>
>and there's a PDF scan of the schematic.

>So, I think you'll find roughly 8 volts DC sitting on pin 1, when
>measured with reference to the microphone ground-return MICE on pin 7.
>Short-circuit current to ground would be approx 8 mA.

THat's what I needed, Dave. I will be using the IC-229H microhone
with another radio (Elecraft K2) and I needed to make sure that a
bias resistor was needed,

Many thanks.

--
73 de K2ASP - Phil Kane

From a Clearing in the Silicon Forest
Beaverton (Washington County) Oregon

From -8692634322671657602
X-Google-Thread: 108122,f81a1089568af302,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!
peer01.cox.net!cox.net!p01!fed1read06.POSTED!53ab2750!not-for-mail
From: DESYNC DOMiNATiON <abboud@beepme.com>
Newsgroups: rec.radio.amateur.equipment
Subject: VX-7R
Message-ID: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
X-Newsreader: Forte Agent 1.6/32.525
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Tue, 14 Mar 2006 22:41:54 -0700
NNTP-Posting-Host: 68.104.187.189
X-Complaints-To: abuse@cox.net
X-Trace: fed1read06 1142401382 68.104.187.189 (Wed, 15 Mar 2006 00:43:02 EST)
NNTP-Posting-Date: Wed, 15 Mar 2006 00:43:02 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3025

I am thinking about buying a VX-7R it seemes its a good radio. Anyone
have any pros or cons on this..

From -4403109814235159775
X-Google-Thread: 108122,976ee6a8233d132f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!

```
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!278c4489!
not-for-mail
From: "ZEB" <KB4ZEB@VERIZON.NET>
Newsgroups: rec.radio.amateur.equipment
Subject: Cleaning front of rigs
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.0000
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2600.0000
Message-ID: <OuORf.11168$Km6.5866@trnddc01>
Date: Wed, 15 Mar 2006 06:29:02 GMT
NNTP-Posting-Host: 71.99.32.141
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc01 1142404142 71.99.32.141 (Wed, 15 Mar 2006 01:29:02 EST)
NNTP-Posting-Date: Wed, 15 Mar 2006 01:29:02 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:3026

What is the best way to clean up the front end
of the older 70-s80-s radios  (icom 751 icom 271 etc,,,Tnx




From 6519803448953460000
X-Google-Thread: 108122,976ee6a8233d132f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!pink.octanews.net!indigo.octanews.net!news-out.octanews.net!
canary.octanews.net!nx01.iad01.newshosting.com!newshosting.com!news-peer0-test!
btnet-feed5!btnet!news.btopenworld.com!not-for-mail
From: "Ken chattenton" <k.chattenton@btopenworld.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Cleaning front of rigs
Date: Wed, 15 Mar 2006 08:27:24 +0000 (UTC)
Organization: BT Openworld
Lines: 20
Message-ID: <dv8j5c$kmq$1@nwrdmz03.dmz.ncs.ea.ibs-infra.bt.com>
References: <OuORf.11168$Km6.5866@trnddc01>
NNTP-Posting-Host: host86-129-29-106.range86-129.btcentralplus.com
X-Trace: nwrdmz03.dmz.ncs.ea.ibs-infra.bt.com 1142411244 21210 86.129.29.106 (15
Mar 2006 08:27:24 GMT)
X-Complaints-To: news-complaints@lists.btinternet.com
NNTP-Posting-Date: Wed, 15 Mar 2006 08:27:24 +0000 (UTC)
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MSMail-Priority: Normal
X-Priority: 3
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Xref: g2news1.google.com rec.radio.amateur.equipment:3027
```

"ZEB" <KB4ZEB@VERIZON.NET> wrote in message
news:OuORf.11168$Km6.5866@trnddc01...
> What is the best way to clean up the front end
> of the older 70-s80-s radios (icom 751 icom 271 etc,,,Tnx
>
>The way I do it is as follows ;

Remove all switches, knobs, dials ect.
Then remove the front cover (sometimes you may need to remove locking nuts
ect to release the cover completely).
Then it's just a matter of cleaning every nook and cranny with a solution of
WARM water and washing-up liquid in a CLEAN plastic bowl.
Dry and set a side until all moisture has evaporated then re-assembly.
It's best not to use any other cleaning agents I find.
You may want to take a look at items that may require lubrication while you
have the front panel removed.
Hope this helps..................cheers, Ken, G4KIR.

From -5552840383756559659
X-Google-Thread: 108122,e9b134f725a2c492,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS As New Mosley CL-33-M Beam
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <r0ZRf.249337$oG.100749@dukeread02>
Date: Wed, 15 Mar 2006 12:27:37 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142447255 68.105.228.151 (Wed, 15 Mar 2006 13:27:35 EST)
NNTP-Posting-Date: Wed, 15 Mar 2006 13:27:35 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3028

I have a like new condition Mosley Classic 33 HF Beam for sale. It the late
model CL-33-M and currently sells for $650 from Mosley. It has great gain on
20, 15, and 10 meters. It has a 18 foot boom.This one
was up for a little over a year and looks brand new. It has been taken down
and is partially disassembled. It would be very easy to put it back together
again since all pieces are color coded. It also would fit into a
pickup truck for transportation. The price is $300 picked up. I don't want

```
to ship it. Or I can meet someone within 100 miles of Abilene, Texas.
Thanks, Charlie Hugg, K5MBX

--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com





From -5766334361976550143
X-Google-Thread: 108122,9f622fc2430cbe1f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news2.volia.net!
news.newsland.it!nntp.infostrada.it!twister2.libero.it.POSTED!not-for-mail
From: "Paolo Emanuelli IK1QHB" <ik1qhb@libero.it>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood SW-100 manual
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <sY%Rf.34817$PR2.673679@twister2.libero.it>
Date: Wed, 15 Mar 2006 21:48:08 GMT
NNTP-Posting-Host: 151.38.87.119
X-Complaints-To: abuse@libero.it
X-Trace: twister2.libero.it 1142459288 151.38.87.119 (Wed, 15 Mar 2006 22:48:08
MET)
NNTP-Posting-Date: Wed, 15 Mar 2006 22:48:08 MET
Organization: [Infostrada]
Xref: g2news1.google.com rec.radio.amateur.equipment:3031

Hi to all

I'm looking for manual of wattmeter kenwood SW-100.
Someone can tell me where can find it?
Thanks in advance

Paul IK1QHB





From 6220657307004101965
X-Google-Thread: 108122,74a7db567aa3b8be,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
```

```
green.octanews.net!news-out.octanews.net!cox.net!news-xfer.cox.net!p01!
dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS CDE Ham IV Rotator
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <q00Sf.249345$oG.172@dukeread02>
Date: Wed, 15 Mar 2006 15:52:24 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142459542 68.105.228.151 (Wed, 15 Mar 2006 16:52:22 EST)
NNTP-Posting-Date: Wed, 15 Mar 2006 16:52:22 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3032
```

I have a CDE Ham IV Rotator for sale. It is the older model with the black
and white metal Control Box, not the Black Plastic one.
The Rotator needs cleaning and lubed and a new control cable screw
plate installed. Otherwise it works and looks good. Price is $185.
Thanks, Charlie Hugg, K5MBX

```
--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com
```

```
From -1522448547953557967
X-Google-Thread: 108122,32e9d2a15090050a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS CDE AR22 Rotator
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <a60Sf.249349$oG.46406@dukeread02>
Date: Wed, 15 Mar 2006 15:58:32 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142459910 68.105.228.151 (Wed, 15 Mar 2006 16:58:30 EST)
```

NNTP-Posting-Date: Wed, 15 Mar 2006 16:58:30 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3033

I have for sale a CDE AR22 light duty rotator. The Rotator looks near new
and works, but the Contro Box needs some work. It will not click through the
postions. It looks good and I see no signs of wear or
bad componts. No manual. Price is $75. Thanks, Charlie Hugg, K5MBX

From 7810479201014846678
X-Google-Thread: 108122,b8d012691a88cf4c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
green.octanews.net!news-out.octanews.net!cox.net!news-xfer.cox.net!p01!
dukeread02.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS CDE Lower Mast Mounting Bracket
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <9h0Sf.249353$oG.13660@dukeread02>
Date: Wed, 15 Mar 2006 16:10:15 -0600
NNTP-Posting-Host: 68.105.228.151
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1142460613 68.105.228.151 (Wed, 15 Mar 2006 17:10:13 EST)
NNTP-Posting-Date: Wed, 15 Mar 2006 17:10:13 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3034

I have for sale a CDE lower rotator to mast mounting bracket.
It looks new and was original for a CD44 Rotator , but will fit any of the
CDE Rotators. Price is $20. Thanks, Charlie Hugg, K5MBX

From 1541413458477918804
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe03.lga.POSTED!53ab2750!not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups: rec.radio.amateur.equipment

Subject: Re: VX-7R
Message-ID: <k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
X-Trace:
idmkcnjgmiagocdemehbilhpjoljfcknbdhioggpicfcnlmjjhmplkekeojdkmlbdhdefombdflfafjpkm
liidmaggkopncanppnmmmpdmfjfmoncmmdpmcacodjihncbcfagklmiblllijll
NNTP-Posting-Date: Wed, 15 Mar 2006 17:11:00 MST
Date: Wed, 15 Mar 2006 19:11:19 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:3035

On Tue, 14 Mar 2006 22:41:54 -0700, DESYNC DOMiNATiON
<abboud@beepme.com> wrote:

>I am thinking about buying a VX-7R it seemes its a good radio. Anyone
>have any pros or cons on this..

I like mine. It's relatively easy to program, works well, has been rained on many times, and appears to be fairly rugged.

I'm thinking about getting a second one.

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com

From -8875549703972299181
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
pd7cy2so!shaw.ca!pd7tw3no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.149.202.211
From: BMJ <parametric_equation@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <parametric_equation-53A8AE.04511216032006@shawnews>
Lines: 23
Date: Thu, 16 Mar 2006 04:51:11 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw3no 1142484671 24.70.95.207 (Wed, 15 Mar 2006 21:51:11 MST)
NNTP-Posting-Date: Wed, 15 Mar 2006 21:51:11 MST
Organization: Shaw Residential Internet

```
Xref: g2news1.google.com rec.radio.amateur.equipment:3036

In article <k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>,
 Roger <Delete-Invallid.stuff.groups@tm.net> wrote:

> On Tue, 14 Mar 2006 22:41:54 -0700, DESYNC DOMiNATiON
> <abboud@beepme.com> wrote:
>
> >I am thinking about buying a VX-7R it seemes its a good radio. Anyone
> >have any pros or cons on this..
>
> I like mine. It's relatively easy to program, works well, has been
> rained on many times, and appears to be fairly rugged.
>
> I'm thinking about getting a second one.
>
> Roger Halstead (K8RI & ARRL life member)
> (N833R, S# CD-2 Worlds oldest Debonair)
> www.rogerhalstead.com

I've got one, too, and it's terrific.  The only thing I haven't figured
out is how to delete the contents of individual memories.  I can do it
on my Yaesu base station, and it would be nice if I could do it for my
HT.   Do you have any suggestions, others than completely resetting the
radio?


From 8021087215798057173
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
Date: Wed, 15 Mar 2006 23:21:30 -0600
Lines: 35
Message-ID: <47sauqFh72hoU1@individual.net>
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>
<parametric_equation-53A8AE.04511216032006@shawnews>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net AYnKQPszvvnpAvSKzUJevQM6fyS8bTmRnr4yZPKoB6yUaBf4aj
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <parametric_equation-53A8AE.04511216032006@shawnews>
Xref: g2news1.google.com rec.radio.amateur.equipment:3037
```

```
BMJ wrote:
> In article <k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>,
>  Roger <Delete-Invallid.stuff.groups@tm.net> wrote:
>
>
>>On Tue, 14 Mar 2006 22:41:54 -0700, DESYNC DOMiNATiON
>><abboud@beepme.com> wrote:
>>
>>
>>>I am thinking about buying a VX-7R it seemes its a good radio. Anyone
>>>have any pros or cons on this..
>>
>>I like mine. It's relatively easy to program, works well, has been
>>rained on many times, and appears to be fairly rugged.
>>
>>I'm thinking about getting a second one.
>>
>>Roger Halstead (K8RI & ARRL life member)
>>(N833R, S# CD-2 Worlds oldest Debonair)
>>www.rogerhalstead.com
>
>
> I've got one, too, and it's terrific.  The only thing I haven't figured
> out is how to delete the contents of individual memories.  I can do it
> on my Yaesu base station, and it would be nice if I could do it for my
> HT.   Do you have any suggestions, others than completely resetting the
> radio?

You can do it using the VX7 Commander software. I have done it many times.
I have not found a way to do it from the keypad though, it would be nice...


Bob N9LVU



From 8625714614402067290
X-Google-Thread: 108122,4406843803b7d7c5,start
X-Google-Thread: 106d41,4406843803b7d7c5,start
X-Google-Thread: 10bf43,4406843803b7d7c5,start
X-Google-Thread: 107ada,4406843803b7d7c5,start
X-Google-Thread: 114aac,4406843803b7d7c5,start
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: 11 meter conversion
Date: Thu, 16 Mar 2006 09:52:25 -0500
Lines: 6
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <44197cb2@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news2.google.com!news4.google.com!news2.volia.net!
solnet.ch!solnet.ch!zen.net.uk!dedekind.zen.co.uk!news.jgaa.com!rouhivuori!not-
for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:3038 rec.radio.cb:6565
rec.radio.amateur.policy:19194 rec.radio.amateur.misc:6255
rec.radio.shortwave:28249
```

Can someone please tell me how to convert this to 11 meter? thanks in advance

http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg

```
From -8427973458925156543
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!peer01.west.cox.net!
cox.net!pd7cy1no!shaw.ca!pd7tw1no.POSTED!53ab2750!not-for-mail
X-Trace-PostClient-IP: 68.149.202.211
From: BMJ <parametric_equation@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>
<parametric_equation-53A8AE.04511216032006@shawnews>
<47sauqFh72hoU1@individual.net>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <parametric_equation-32DA6B.15035516032006@shawnews>
Lines: 20
Date: Thu, 16 Mar 2006 15:03:55 GMT
NNTP-Posting-Host: 24.70.95.207
X-Complaints-To: abuse@shaw.ca
X-Trace: pd7tw1no 1142521435 24.70.95.207 (Thu, 16 Mar 2006 08:03:55 MST)
NNTP-Posting-Date: Thu, 16 Mar 2006 08:03:55 MST
Organization: Shaw Residential Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:3039
```

In article <47sauqFh72hoU1@individual.net>,
 Robert Kubichek <bobn9lvu@sbcglobal.net> wrote:

<snip>

> > I've got one, too, and it's terrific. The only thing I haven't figured
> > out is how to delete the contents of individual memories. I can do it
> > on my Yaesu base station, and it would be nice if I could do it for my
> > HT.   Do you have any suggestions, others than completely resetting the
> > radio?
>
> You can do it using the VX7 Commander software. I have done it many times.
> I have not found a way to do it from the keypad though, it would be nice...

Thanks. I figured it might be something like that. I figure that if I ever travel to an area where there are repeaters, I could program the frequencies and settings for them ahead of time and then delete the contents of those memories afterwards.

<snip>

From -8858558360633786696
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p10g2000cwp.googlegroups.com!not-for-mail
From: "K4YZ" <k4yz@aol.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
Date: 16 Mar 2006 07:05:32 -0800
Organization: http://groups.google.com
Lines: 27
Message-ID: <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
NNTP-Posting-Host: 64.12.116.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142521538 16194 127.0.0.1 (16 Mar 2006 15:05:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Mar 2006 15:05:38 +0000 (UTC)
In-Reply-To: <44197cb2@usenet.zapto.org>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; (R1 1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [mtc-td124 8.3.5], HTTP/1.0 cache-mtc-aa06.proxy.aol.com[400C740A] (Traffic-Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: p10g2000cwp.googlegroups.com; posting-host=64.12.116.10;
   posting-account=qNx0vw0AAAA-UHNzUIDJOorYN5_VptjO

Xref: g2news1.google.com rec.radio.amateur.equipment:3040 rec.radio.cb:6566 rec.radio.amateur.policy:19196 rec.radio.amateur.misc:6256 rec.radio.shortwave:28250

KB2SMS wrote:
> Can someone please tell me how to convert this to 11 meter? thanks in advance
>
> http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg

Sure.

Just take a pencil, and where it says "50 Mhz" on the front panel, write in "27 Mhz". Everyone knows that all linear amplifiers work equally well on all bands and that suggesting otherwise is just a market ploy to get people to buy more boxes.

Don't forget to drive it with your "tweaked" Galaxy, Connex or other "import" radio with the mic gain at 100%, fed with a pre-amplified microphone. And remember to tune for >>>MAX<<< SWR, >>>NOT<<< minimum.

And remember to use the international test calling signal:

"AWWWWWWWWWWWWW-DE-OOOOOOOOOOOOOOOH..."

"AWWWWWWWWWWWWW-DE-OOOOOOOOOOOOOOOH..."

Steve, K4YZ

From -9061508700014052209
X-Google-Thread: 113415,98eb2c52a3a0fee9
X-Google-Thread: fcc6e,98eb2c52a3a0fee9
X-Google-Thread: 108122,98eb2c52a3a0fee9
X-Google-Thread: 1159c6,98eb2c52a3a0fee9
X-Google-Thread: 1118be,98eb2c52a3a0fee9
X-Google-Attributes: gid113415,gidfcc6e,gid108122,gid1159c6,gid1118be,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: sumukh001@gmail.com
Newsgroups: alt.politics.usa.constitution.gun-rights,rec.radio.amateur.antenna,rec.radio.amateur.equipment,sci.electronics.cad,sci.electronics.components
Subject: Re: Digikey phishing
Date: 16 Mar 2006 07:25:09 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1142522709.288195.93340@i40g2000cwc.googlegroups.com>
References: <J5IRf.11859$S25.7274@newsread1.news.atl.earthlink.net>

NNTP-Posting-Host: 210.210.63.132
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142522714 18947 127.0.0.1 (16 Mar 2006 15:25:14 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Mar 2006 15:25:14 +0000 (UTC)
In-Reply-To: <J5IRf.11859$S25.7274@newsread1.news.atl.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=210.210.63.132;
   posting-account=sFnfdw0AAADTLnmWAYVYgDsh9erilxsI
Xref: g2news1.google.com alt.politics.usa.constitution.gun-rights:648
rec.radio.amateur.antenna:7818 rec.radio.amateur.equipment:3041
sci.electronics.cad:1743 sci.electronics.components:2667

This seems to be a typical phishing tactics.
Please check out following articles to know more about " How to stop
phishing"

http://www.cheapest-computer-hardware-software.com/securybanks-phishing-trojans.html

http://www.cheapest-computer-hardware-software.com/phishing-stats.html

Check out how to report phishing.

http://www.cheapest-computer-hardware-software.com/Report-phishing.html

regards

From 8573965963009598357
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
Message-ID: <6s1j121o1tf6a80rmnpd69f04rhiir79ac@4ax.com>
References: <44197cb2@usenet.zapto.org>

```
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
Date: Thu, 16 Mar 2006 15:43:52 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1142523832 66.133.198.234 (Thu, 16 Mar
2006 07:43:52 PST)
NNTP-Posting-Date: Thu, 16 Mar 2006 07:43:52 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3042 rec.radio.cb:6567
rec.radio.amateur.policy:19198 rec.radio.amateur.misc:6257
rec.radio.shortwave:28252
```

On Thu, 16 Mar 2006 09:52:25 -0500, "KB2SMS" <KB2SMS@invalid.net>
wrote:

>Can someone please tell me how to convert this to 11 meter? thanks in
>advance
>
>http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>
>

You'll probably need to add inductance, maybe reduce capacitance in any tuned circuits.

```
From 1921407364410183968
X-Google-Thread: 108122,cd4b01a01eb1e83,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.volia.net!newsfeed.utanet.at!
newscore.univie.ac.at!newsfeed01.chello.at!newsfeed02.chello.at!
news.chello.at.POSTED!not-for-mail
From: "Peter Hofmann" <peter.hofmann@teleweb.at>
Newsgroups: rec.radio.amateur.equipment
Subject: REQ: MFJ-1278B circuit diagrams/schematics
Date: Thu, 16 Mar 2006 17:27:11 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4522.1200
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4522.1200
Message-ID: <9332f$44199167$506d651c$18603@news.chello.at>
X-Complaints-To: abuse@chello.at
Organization: chello.at
Lines: 6
NNTP-Posting-Host: 80.109.101.28 (80.109.101.28)
NNTP-Posting-Date: Thu, 16 Mar 2006 17:25:11 +0100
X-Trace: 9332f44199167f5c8c0b918603
Xref: g2news1.google.com rec.radio.amateur.equipment:3043
```

I am searching the circuit diagrams/schematics for a MFJ-1278B Multimode Controller. Thanks in advance

oe3pha@hotmail.com

```
From -2959225545971701566
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!inka.de!rz.uni-
karlsruhe.de!morpheus.pingos.org!news.datemas.de!not-for-mail
From: Jan Panteltje <pNaonStpealmtje@yahoo.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
Date: Thu, 16 Mar 2006 16:36:59 GMT
Organization: Datemas.de http://datemas.de
Lines: 17
Message-ID: <dvc47g$r5v$1@news.datemas.de>
References: <44197cb2@usenet.zapto.org>
<6s1j121o1tf6a80rmnpd69f04rhiir79ac@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-9
Content-Transfer-Encoding: 8bit
X-Trace: arP7LWYqEw1r/
XzxkitcW5+xv3AMX3DJ6MaJwYZOdcsvXncdrjbTv8qPz0LWinTwQT4dgqdqXOr0nKFyMl1Wu/
Llx6wd9LzcF5s47KFG5iQcGgfr2vV/pwsVIqq6JNHG0LYvw8fVAvEIhNnkt16owJ9/DMbtSSSi/
Aa0r5hxusc=
X-Complaints-To: abuse@datemas.de
NNTP-Posting-Date: Thu, 16 Mar 2006 16:37:04 +0000 (UTC)
X-Newsreader-location: 1.5.7.1 (c) 'LIGHTSPEED' off line news reader for the Linux
platform
 NewsFleX homepage: http://panteltje.com/panteltje/newsflex/ and ftp download
ftp://sunsite.unc.edu/pub/linux/system/news/readers/
User-Agent: NewsFleX-1.5.7.1 (Linux-2.6.15.2)
Xref: g2news1.google.com rec.radio.amateur.equipment:3044 rec.radio.cb:6568
rec.radio.amateur.policy:19203 rec.radio.amateur.misc:6260
rec.radio.shortwave:28253
```

On a sunny day (Thu, 16 Mar 2006 15:43:52 GMT) it happened David <rickets@knac.com> wrote in <6s1j121o1tf6a80rmnpd69f04rhiir79ac@4ax.com>:

>On Thu, 16 Mar 2006 09:52:25 -0500, "KB2SMS" <KB2SMS@invalid.net>

>wrote:
>
>>Can someone please tell me how to convert this to 11 meter? thanks in
>>advance
>>
>>http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>>
>>
>You'll probably need to add inductance, maybe reduce capacitance in
>any tuned circuits.
To lower frequency from 50MHz to 27MHz you need and / or bigger inductance
and bigger capacitance.
2 x pi x f = 1 / sqrt(L.C)

From 1355194960067175787
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!3dd4ce4a!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
From: Slow Code <em@il.here>
References: <44197cb2@usenet.zapto.org>
<1142521532.422380.313510@p10g2000cwp.googlegroups.com>
Organization: None
User-Agent: Xnews/5.04.25
Lines: 35
Message-ID: <qSgSf.2059$HW2.1338@newsread3.news.pas.earthlink.net>
Date: Thu, 16 Mar 2006 17:02:14 GMT
NNTP-Posting-Host: 4.254.228.65
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1142528534 4.254.228.65 (Thu, 16 Mar
2006 09:02:14 PST)
NNTP-Posting-Date: Thu, 16 Mar 2006 09:02:14 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:3045 rec.radio.cb:6569
rec.radio.amateur.policy:19204 rec.radio.amateur.misc:6261
rec.radio.shortwave:28255

"K4YZ" <k4yz@aol.com> wrote in
news:1142521532.422380.313510@p10g2000cwp.googlegroups.com:

>
> KB2SMS wrote:
>> Can someone please tell me how to convert this to 11 meter? thanks in

```
>> advance
>>
>> http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>
>      Sure.
>
>      Just take a pencil, and where it says "50 Mhz" on the front panel,
> write in "27 Mhz".  Everyone knows that all linear amplifiers work
> equally well on all bands and that suggesting otherwise is just a
> market ploy to get people to buy more boxes.
>
>      Don't forget to drive it with your "tweaked" Galaxy, Connex or
> other "import" radio with the mic gain at 100%, fed with a
> pre-amplified microphone.  And remember to tune for >>>MAX<<< SWR,
>>>>NOT<<< minimum.
>
>      And remember to use the international test calling signal:
>
>      "AWWWWWWWWWWWW-DE-OOOOOOOOOOOOOOOOH..."
>
>      "AWWWWWWWWWWWW-DE-OOOOOOOOOOOOOOOOH..."
>
> Steve, K4YZ
>


LOL!

SC


From 4948585913703697348
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: steve lies to someone new
Date: 16 Mar 2006 10:42:03 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
NNTP-Posting-Host: 66.82.9.82
```

```
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142534529 14345 127.0.0.1 (16 Mar 2006 18:42:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Mar 2006 18:42:09 +0000 (UTC)
In-Reply-To: <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=66.82.9.82;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news1.google.com rec.radio.amateur.equipment:3046 rec.radio.cb:6573
rec.radio.amateur.policy:19218 rec.radio.amateur.misc:6269
rec.radio.shortwave:28262


K4YZ wrote:
> KB2SMS wrote:
> > Can someone please tell me how to convert this to 11 meter? thanks in
> > advance
> >
> > http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>
>       Sure.
>
>       Just take a pencil, and where it says "50 Mhz" on the front panel,
> write in "27 Mhz".  Everyone knows that all linear amplifiers work
> equally well on all bands and that suggesting otherwise is just a
> market ploy to get people to buy more boxes.
more lying steve
> Steve, K4YZ



From -878160912777017598
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: "ve3..." <ve3iut@hotmail.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
Date: 16 Mar 2006 10:47:47 -0800
Organization: http://groups.google.com
Lines: 13
```

```
Message-ID: <1142534867.523042.23260@v46g2000cwv.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <6s1j121o1tf6a80rmnpd69f04rhiir79ac@4ax.com>
   <dvc47g$r5v$1@news.datemas.de>
NNTP-Posting-Host: 209.226.190.117
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142534872 17413 127.0.0.1 (16 Mar 2006 18:47:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Mar 2006 18:47:52 +0000 (UTC)
In-Reply-To: <dvc47g$r5v$1@news.datemas.de>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=209.226.190.117;
   posting-account=KVnPjwwAAADUVFuqgrGOINnfYq1AbgCw
Xref: g2news1.google.com rec.radio.amateur.equipment:3047 rec.radio.cb:6574
rec.radio.amateur.policy:19223 rec.radio.amateur.misc:6272
rec.radio.shortwave:28265
```

I would try to get by with the existing variable caps at the early stage until you have got the thing sort of working. There may be a small tuned input circuit or there may be a passive resistor. To start, I would double the number of turns in the tank circuit of the final and in the input coil (if any) and tune the variable caps to see if there is any output. I used to use a light bulb to coax fitting to look at how close I was getting to resonance. Remember there is a lot of voltage on the final so discharge the power supply caps through a 100 ohm or so resistor each time you fiddle. This amp may be grid-driven so keep the tests very short to avoid burning up the grids. There are ways of getting the coil/capacitor values correct without using the final voltage if you let any of the smoke leak out of the resistors.

```
From 3379362049211442588
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!elnk-pas-nf1!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
Message-ID: <rlcj12dc1niffbi7asrpualrrb9chop939@4ax.com>
```

```
References: <44197cb2@usenet.zapto.org>
<6s1j121o1tf6a80rmnpd69f04rhiir79ac@4ax.com> <dvc47g$r5v$1@news.datemas.de>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Thu, 16 Mar 2006 18:48:42 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1142534922 66.133.198.234 (Thu, 16 Mar
2006 10:48:42 PST)
NNTP-Posting-Date: Thu, 16 Mar 2006 10:48:42 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3048 rec.radio.cb:6575
rec.radio.amateur.policy:19224 rec.radio.amateur.misc:6273
rec.radio.shortwave:28266

On Thu, 16 Mar 2006 16:36:59 GMT, Jan Panteltje
<pNaonStpealmtje@yahoo.com> wrote:

>On a sunny day (Thu, 16 Mar 2006 15:43:52 GMT) it happened David
><rickets@knac.com> wrote in <6s1j121o1tf6a80rmnpd69f04rhiir79ac@4ax.com>:
>
>>On Thu, 16 Mar 2006 09:52:25 -0500, "KB2SMS" <KB2SMS@invalid.net>
>>wrote:
>>
>>>Can someone please tell me how to convert this to 11 meter? thanks in
>>>advance
>>>
>>>http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
>>>
>>>
>>You'll probably need to add inductance, maybe reduce capacitance in
>>any tuned circuits.
>To lower frequency from 50MHz to 27MHz you need and  / or bigger inductance
>and bigger capacitance.
>2 x pi x f = 1 / sqrt(L.C)

Hell, I'd just keep adding turns until the dingus quits shutting down.
Sniff for parasitics, adds caps as necessary.



From -3282024028770539337
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
```

```
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
Message-ID: <hvej125u4i77l17d841cuvsai0021lp58t@4ax.com>
References: <44197cb2@usenet.zapto.org>
<6s1j121o1tf6a80rmnpd69f04rhiir79ac@4ax.com> <dvc47g$r5v$1@news.datemas.de>
<1142534867.523042.23260@v46g2000cwv.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Thu, 16 Mar 2006 19:26:54 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1142537214 66.133.198.234 (Thu, 16 Mar
2006 11:26:54 PST)
NNTP-Posting-Date: Thu, 16 Mar 2006 11:26:54 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:3049 rec.radio.cb:6576
rec.radio.amateur.policy:19231 rec.radio.amateur.misc:6280
rec.radio.shortwave:28271
```

On 16 Mar 2006 10:47:47 -0800, "ve3..." <ve3iut@hotmail.com> wrote:

>. There are ways
>of getting the coil/capacitor values correct without using the final
>voltage if you let any of the smoke leak out of the resistors.
>
http://www.universal-radio.com/catalog/meters/1758.html

```
From -6434441597231349053
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII
Subject: steve lies to someone new
From: spiritofjerry@webtv.net
Date: Thu, 16 Mar 2006 19:42:51 GMT
Message-ID: <%cjSf.180530$US.53244@news.ono.com>
References:  <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
Lines: 66
NNTP-Posting-Host: 172.151.89.108
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
```

newsfeed.cw.net!cw.net!news-FFM2.ecrc.de!news.germany.com!gail.ripco.com!news-out.newsfeeds.com!propagator2-sterling.newsfeeds.com!news-in.newsgrooups.com!
news2.volia.net!newspeer1.de.telia.net!newspeer4.de.telia.net!de.telia.net!
newsf01.ono.com!news.ono.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
X-Trace: news.ono.com 1142538171 172.151.89.108 (Thu, 16 Mar 2006 20:42:51 MET)
your: name <you@company.com>
NNTP-Posting-Date: Thu, 16 Mar 2006 20:42:51 MET
Xref: g2news1.google.com rec.radio.amateur.equipment:3050 rec.radio.cb:6577
rec.radio.amateur.policy:19236 rec.radio.amateur.misc:6284
rec.radio.shortwave:28272

>
> K4YZ wrote:
> > KB2SMS wrote:
> > > Can someone please tell me how to convert this to 11 meter? thanks in
> > > advance
> > >
> > > http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
> >
> >   Sure.
> >
> >   Just take a pencil, and where it says "50 Mhz" on the front panel,
> > write in "27 Mhz". Everyone knows that all linear amplifiers work
> > equally well on all bands and that suggesting otherwise is just a
> > market ploy to get people to buy more boxes.
> more lying steve
> > Steve, K4YZ
>

IF CBers had a bit of discipline, courtesy, and knew more, as a whole,
what they are doing, the noise could be decreased by
quite a bit! �But NO! �EVERYbody has to have an amp to talk 2 miles down the road, or to
the next truck right in front of him. �Before the 70s, I used to lay on my bed with a BACK OF
SET Radio Shack antenna and a Raytheon 5-channel CB and talk in a 5-8 mile radius. �We had
a regular round table most every night. �Everybody was courteous, took turns, didn't use power,
and we had no trouble talking--even when that roaring skip was in we could talk over it because
those people weren't using extra power, either. �When the BIG AMPS came along to replace self
confidence lost I-don't-know-where, you couldn't talk a mile away. �Now, more than ever, there
are operators who think THEY have to out-talk the rest in order to feel powerful and replace the
"leaking" testosterone. �Hey, I don't have a magic answer because you and I both know that it

\won't stop without some serious enforcement. �It still boils down, nonetheless, to the fact that
those truckers have those 40 channels that they can use legally. �The hams have the 10 Meter
band via licensure. �It STILL isn't the hams' fault that those channels are screwed up, nor does
it justify stealing frequencies from the rightful users--whether they are occupied or not.

I do have something of a solution, but nobody would like it. �Put CB up on FRS and MURS where
there is little occasion for skip, and the truckers wouldn't be bothered with all that noise. �Form
associations and use voluntary bandplans to separate users, so that interference would be kept to
a minimum. �Yeah, we know that wouldn't be met with joy, don't we? �We want to work "DX",
play with BIG POWER, and complain about how we can't talk without our amp. I don't mean to
be ugly, but that's what it amounts to. �Really, you can't have it both ways! �That is truly what needs
to happen; because the general public is NOT radio savvy, VHF/UHF is where CB needs to be to
prevent all those "turf" wars, skip, and racket. �It WOULD make a difference. �Not likely to happen soon. �Still, never say never.........................

From 8060067602814475439
X-Google-Thread: 108122,f81a1089568af302
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read06.POSTED!53ab2750!not-for-mail
From: DESYNC DOMiNATiON <abboud@beepme.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VX-7R
Message-ID: <ockZRJF4HIouQLGW+Y0E6WkWTkgN@4ax.com>
References: <y6gXRIFlprgT69qkwvBEO8qxbY1M@4ax.com>
<k6bh129pk60g1eua9mqfb3rku2n2c00s1p@4ax.com>
<parametric_equation-53A8AE.04511216032006@shawnews>
<47sauqFh72hoU1@individual.net>
<parametric_equation-32DA6B.15035516032006@shawnews>
X-Newsreader: Forte Agent 1.6/32.525
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
Date: Thu, 16 Mar 2006 13:26:24 -0700
NNTP-Posting-Host: 68.104.187.189
X-Complaints-To: abuse@cox.net

X-Trace: fed1read06 1142540846 68.104.187.189 (Thu, 16 Mar 2006 15:27:26 EST)
NNTP-Posting-Date: Thu, 16 Mar 2006 15:27:26 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:3051

Gentleman thank you for all the great comments. I guess i am out to
buy a new handheld. Hope the girlfriend wont kno wwhy she did not get
roses this month.. or should i buy her two dozen..

On Thu, 16 Mar 2006 15:03:55 GMT, BMJ <parametric_equation@yahoo.com>
wrote:

>In article <47sauqFh72hoU1@individual.net>,
> Robert Kubichek <bobn9lvu@sbcglobal.net> wrote:
>
><snip>
>
>> > I've got one, too, and it's terrific. The only thing I haven't figured
>> > out is how to delete the contents of individual memories. I can do it
>> > on my Yaesu base station, and it would be nice if I could do it for my
>> > HT.   Do you have any suggestions, others than completely resetting the
>> > radio?
>>
>> You can do it using the VX7 Commander software. I have done it many times.
>> I have not found a way to do it from the keypad though, it would be nice...
>
>Thanks. I figured it might be something like that. I figure that if I
>ever travel to an area where there are repeaters, I could program the
>frequencies and settings for them ahead of time and then delete the
>contents of those memories afterwards.
>
><snip>

From -2459006286603352713
X-Google-Thread: 108122,4406843803b7d7c5
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p10g2000cwp.googlegroups.com!not-for-mail
From: "K4YZ" <k4yz@aol.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Thanks For Yet Another Sample Of Your Moronic Nature, Morkie
Date: 16 Mar 2006 14:28:37 -0800
Organization: http://groups.google.com

Lines: 24
Message-ID: <1142548117.187698.147380@p10g2000cwp.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <1142521532.422380.313510@p10g2000cwp.googlegroups.com>
   <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 64.12.116.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142548122 17021 127.0.0.1 (16 Mar 2006 22:28:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Mar 2006 22:28:42 +0000 (UTC)
In-Reply-To: <1142534523.075023.72950@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; AOL 9.0; Windows NT 5.1; (R1 1.5); .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
X-HTTP-Via: HTTP/1.1 (Velocity/1.0.6 [uScMs f p eN:t cCMp s]), HTTP/1.1 Turboweb [mtc-tc103 8.3.5], HTTP/1.0 cache-mtc-aa06.proxy.aol.com[400C740A] (Traffic-Server/5.4.3 [uScM])
Complaints-To: groups-abuse@google.com
Injection-Info: p10g2000cwp.googlegroups.com; posting-host=64.12.116.10;
   posting-account=qNx0vw0AAAA-UHNzUIDJOorYN5_VptjO
Xref: g2news1.google.com rec.radio.amateur.equipment:3052 rec.radio.cb:6580 rec.radio.amateur.policy:19243 rec.radio.amateur.misc:6290 rec.radio.shortwave:28283

raped_an_old_friend wrote:
> K4YZ wrote:
> > KB2SMS wrote:
> > > Can someone please tell me how to convert this to 11 meter? thanks in
> > > advance
> > >
> > > http://www.miami.muohio.edu/president/personal/w8zr/images/hb6mamp1.jpg
> >
> >   Sure.
> >
> >   Just take a pencil, and where it says "50 Mhz" on the front panel,
> > write in "27 Mhz". Everyone knows that all linear amplifiers work
> > equally well on all bands and that suggesting otherwise is just a
> > market ploy to get people to buy more boxes.
>
> more lying steve

It's called "SARCASM", you idiotic moron.

But thanks for proving my poiint about YOU yet one more time!

Steve, K4YZ

From 7702220186373275290
X-Google-Thread: 108122,4406843803b7d7c5

```
X-Google-Thread: 106d41,4406843803b7d7c5
X-Google-Thread: 10bf43,4406843803b7d7c5
X-Google-Thread: 107ada,4406843803b7d7c5
X-Google-Thread: 114aac,4406843803b7d7c5
X-Google-Attributes: gid108122,gid106d41,gid10bf43,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "N9NEO" <yzordderrex@verizon.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.cb,rec.radio.amateur.policy,rec.radio.amateu
r.misc,rec.radio.shortwave
Subject: Re: 11 meter conversion
Date: 16 Mar 2006 14:38:38 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1142548718.035505.54790@z34g2000cwc.googlegroups.com>
References: <44197cb2@usenet.zapto.org>
   <6s1j121o1tf6a80rmnpd69f04rhiir79ac@4ax.com>
   <dvc47g$r5v$1@news.datemas.de>
   <rlcj12dc1niffbi7asrpualrrb9chop939@4ax.com>
NNTP-Posting-Host: 129.44.177.133
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142548724 14986 127.0.0.1 (16 Mar 2006 22:38:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 16 Mar 2006 22:38:44 +0000 (UTC)
In-Reply-To: <rlcj12dc1niffbi7asrpualrrb9chop939@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=129.44.177.133;
   posting-account=azxt-QwAAABnvJ8oiVcJqdr9LEtn83t5
Xref: g2news1.google.com rec.radio.amateur.equipment:3053 rec.radio.cb:6581
rec.radio.amateur.policy:19245 rec.radio.amateur.misc:6291
rec.radio.shortwave:28284
```

or just stick a rf generator in there and tune up your tank ckts with
no power applied maybe. two times turns should get you very close tho.

```
From -4090692158552966304
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Thread: 10bf43,3f6ac58b0b03f40c
X-Google-Attributes: gid106d41,gid108122,gid1109af,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: AKC MAKES YOU BARK ON COMMAND, ILEGAL SISSY CB'ERS
From: akc_rules_keyclowns@akc.org
Date: Thu, 09 Mar 2006 04:59:36 GMT
```

```
Message-ID: <YCOPf.173104$US.20276@news.ono.com>
References:  <20060308214645.428$Bz@newsreader.com>
Lines: 9
NNTP-Posting-Host: 172.131.41.195
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.newsland.it!news-out.superfeed.net!propagator2-sterling.newsfeeds.com!news-
in.newsgrooups.com!gatel-ffm!gatel-ffm!63.218.45.10.MISMATCH!
nx01.iad01.newshosting.com!newshosting.com!newsfeed.icl.net!newsfeed.arcor.de!
80.239.144.83.MISMATCH!newspeer1.de.telia.net!newspeer4.de.telia.net!de.telia.net!
newsf01.ono.com!news.ono.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.policy
X-Trace: news.ono.com 1141880376 172.131.41.195 (Thu, 09 Mar 2006 05:59:36 MET)
your: name <you@company.com>
NNTP-Posting-Date: Thu, 09 Mar 2006 05:59:36 MET
Xref: g2news1.google.com rec.radio.cb:6440 rec.radio.amateur.equipment:2952
rec.radio.swap:3026 rec.radio.amateur.policy:18509

> nostoppinAKC@akc.org wrote:
> >> N8WWM has beaten you badly.
> >
> He beats his meat with a handful of crisco, look out for that felon. (word
> to the wise)

Your lips take a beating at Petro nightly. AKC laughs at you, sissi-boi.
Leland laughs at you. N8 laughs at you. ALL of AKC laughs at you.



From 7576576156747935315
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.ptd.net!news.ptd.net.POSTED!
not-for-mail
NNTP-Posting-Date: Thu, 09 Mar 2006 17:15:48 -0600
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
From: Bob Schreibmaier <k3ph@ptd.net>
Date: Thu, 09 Mar 2006 18:15:48 -0500
X-Newsreader: WinVN 0.99.12N (x86 32bit)
References: <m-2C5580.15381607032006@news.verizon.net> <-86dnTEpFPA4ypPZRVn-
pA@comcast.com> <8xFPf.2411$Uc2.454@fed1read04> <35OdnQ_DUbaw8pLZRVn-
qA@comcast.com> <120v1mb9po8r941@corp.supernews.com>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Message-ID: <cAydnQWJab65Ko3ZUSdV9g@ptd.net>
Lines: 30
NNTP-Posting-Host: 24.238.38.23
X-Trace: sv3-KRvaFTrhkwxK+PgJdyZQSvUVON5JwMVTXhvtpR9Mafu6CkG/
hk2qDUPGRJ4zIVWp8NKoGqlSv+Xqsiz!
76UurpSHqjVPC6EmvGEtAnDjUx+jkpovZKxmqeCiQkZwTLRWhBnGZo1qScc7h91wEw==
```

X-Complaints-To: abuse@ptd.net
X-DMCA-Complaints-To: abuse@ptd.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2953

In article <120v1mb9po8r941@corp.supernews.com>, dplatt@radagast.org says...

>- Restricting to ham-band-only probably doesn't buy you all that
>   much in savings or performance, these days, due to the large
>   number of bands. In order to gain big savings, I suspect you'd
>   have to limit yourself to a monoband radio.

Restricting to ham bands only buys a HUGE difference
in performance. Check out the Elecraft K2 and see
what kind of strong signal handling performance you
can get from an inexpensive radio if you have single
conversion right to the high-selectivity crystal
filter.

Third order IMD performance at 2 kHz is more than 10 dB
better than many of the expensive radios with general
coverage receivers, such as the FT-1000D and FT-1000MP
series, and is approximately equal to the 10 kilobuck
IC-7800! All because of the ham-band-only design and
some careful attention to design.

73,
Bob
K3PH

```
--
+-----------------------------------------------+
| Bob Schreibmaier K3PH | E-mail: k3ph@ptd.net |
| Kresgeville, PA 18333 | http://www.dxis.org  |
+-----------------------------------------------+
```

From -1772922123708729504
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
Date: Fri, 10 Mar 2006 00:02:06 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <1211gfu4jhavf1e@corp.supernews.com>
References: <m-2C5580.15381607032006@news.verizon.net> <35OdnQ_DUbaw8pLZRVn-

qA@comcast.com> <120v1mb9po8r941@corp.supernews.com>
<cAydnQWJab65Ko3ZUSdV9g@ptd.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 67
Xref: g2news1.google.com rec.radio.amateur.equipment:2954

In article <cAydnQWJab65Ko3ZUSdV9g@ptd.net>,
Bob Schreibmaier <k3ph@ptd.net> wrote:

>In article <120v1mb9po8r941@corp.supernews.com>, dplatt@radagast.org says...
>>- Restricting to ham-band-only probably doesn't buy you all that
>>   much in savings or performance, these days, due to the large
>>   number of bands. In order to gain big savings, I suspect you'd
>>   have to limit yourself to a monoband radio.

>Restricting to ham bands only buys a HUGE difference
>in performance. Check out the Elecraft K2 and see
>what kind of strong signal handling performance you
>can get from an inexpensive radio if you have single
>conversion right to the high-selectivity crystal
>filter.
>
>Third order IMD performance at 2 kHz is more than 10 dB
>better than many of the expensive radios with general
>coverage receivers, such as the FT-1000D and FT-1000MP
>series, and is approximately equal to the 10 kilobuck
>IC-7800! All because of the ham-band-only design and
>some careful attention to design.

You're quite right, of course. I overstated my argument.

I think it's probably fair to say, though, that the sort of advantages that the K2 family (and similar radios) gain in performance by eschewing general coverage, might be very difficult or impossible to achieve at the price-point that the original poster was hoping for. A lot of the K2's improved IMD performance appears to come from having band-specific double-tuned bandpass filters in the front end, switched in via relays. This seems to be a technically excellent approach, but I can't believe that it "comes cheap". Reed relays seem to run a dollar or more each, in large quantities.

PIN diode switching of bandpass filters is another possible approach, but I don't think you'd get the same sort of performance out of it.

At a sub-$200 retail price (which probably works out to under $50 bill-of-materials cost) the designer is going to have to make some pretty hard decisions about where the money is to be spent. The additional performance available from a band-optimized design (e.g. the K2) might not be "in the budget" at the lower price point.

Consider that the K2 is between three and six times the price that the

OP was looking for... and it's a kit, has only 15 watts of output, doesn't include a power supply, and I don't think it includes a microphone either.

There would be some very, very interesting tradeoffs and design decisions to be made, in any project to develop a sub-$200 mass-market-acceptable SSB HF rig. Possibilities:

- Run the finals on 24 volts, so that acceptably-linear operation could be achieved from cheap power MOSFET parts?

- Use some of the new hybrid FPGA/DSP/microcontroller chips, to put all of the control logic, audio filtering, etc. on a single chip?

- Limited duty cycle, to reduce the need for heavy/expensive heatsinks and fan cooling?

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From 6771264205790022555
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 09 Mar 2006 18:32:19 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net> <35OdnQ_DUbaw8pLZRVn-qA@comcast.com> <120v1mb9po8r941@corp.supernews.com> <cAydnQWJab65Ko3ZUSdV9g@ptd.net> <1211gfu4jhavf1e@corp.supernews.com>
Subject: Re: new kenwood?
Date: Thu, 9 Mar 2006 18:32:18 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <-uydnYIKZo-OVI3ZRVn-pg@comcast.com>
Lines: 75
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-IVwI/K1Z55eLd9D3abu9e8C08cgsrcBA1BNlGwaLgyuXfAjYQieGwD7lkhRcZKdR8UfC9CoF8kojNa6!Rj/VZXkVMseyVGQI7UbS2aet7qz+f+2whYIWTJPIwxIUVTZAVQNEMMLquCsHj5rWmyZ91bp9cZ0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2955


"Dave Platt" <dplatt@radagast.org> wrote in message
news:1211gfu4jhavf1e@corp.supernews.com...
> In article <cAydnQWJab65Ko3ZUSdV9g@ptd.net>,
> Bob Schreibmaier  <k3ph@ptd.net> wrote:
>
>>In article <120v1mb9po8r941@corp.supernews.com>, dplatt@radagast.org
>>says...
>>>-  Restricting to ham-band-only probably doesn't buy you all that
>>>   much in savings or performance, these days, due to the large
>>>   number of bands.  In order to gain big savings, I suspect you'd
>>>   have to limit yourself to a monoband radio.
>
>>Restricting to ham bands only buys a HUGE difference
>>in performance.  Check out the Elecraft K2 and see
>>what kind of strong signal handling performance you
>>can get from an inexpensive radio if you have single
>>conversion right to the high-selectivity crystal
>>filter.
>>
>>Third order IMD performance at 2 kHz is more than 10 dB
>>better than many of the expensive radios with general
>>coverage receivers, such as the FT-1000D and FT-1000MP
>>series, and is approximately equal to the 10 kilobuck
>>IC-7800!  All because of the ham-band-only design and
>>some careful attention to design.
>
> You're quite right, of course.  I overstated my argument.
>
> I think it's probably fair to say, though, that the sort of advantages
> that the K2 family (and similar radios) gain in performance by
> eschewing general coverage, might be very difficult or impossible to
> achieve at the price-point that the original poster was hoping for.  A
> lot of the K2's improved IMD performance appears to come from having
> band-specific double-tuned bandpass filters in the front end, switched
> in via relays.  This seems to be a technically excellent approach, but
> I can't believe that it "comes cheap".  Reed relays seem to run a
> dollar or more each, in large quantities.
>
> PIN diode switching of bandpass filters is another possible approach,
> but I don't think you'd get the same sort of performance out of it.
>
> At a sub-$200 retail price (which probably works out to under $50
> bill-of-materials cost) the designer is going to have to make some
> pretty hard decisions about where the money is to be spent.  The
> additional performance available from a band-optimized design (e.g.
> the K2) might not be "in the budget" at the lower price point.
>
```

> Consider that the K2 is between three and six times the price that the
> OP was looking for... and it's a kit, has only 15 watts of output,
> doesn't include a power supply, and I don't think it includes a
> microphone either.
>
> There would be some very, very interesting tradeoffs and design
> decisions to be made, in any project to develop a sub-$200
> mass-market-acceptable SSB HF rig. Possibilities:
>
> - Run the finals on 24 volts, so that acceptably-linear operation could
>   be achieved from cheap power MOSFET parts?
>
> - Use some of the new hybrid FPGA/DSP/microcontroller chips, to put
>   all of the control logic, audio filtering, etc. on a single chip?
>
> - Limited duty cycle, to reduce the need for heavy/expensive heatsinks
>   and fan cooling?

Even if its sub-$500, that would still be a blessing for a young ham thats trying to raise a family. e-bay is ok if you don't mind taking the chance that the radio will be DOA when you get it, and not all clubs have the resources to be able to set up a new ham with a "loaner rig" to get them on the air. Something basic that will get them on the air without breaking the bank would go a long way in being able to promote the hobby with young people.

```
From -84988742123321017
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!green.octanews.net!news-out.octanews.net!cox.net!news-
xfer.cox.net!p01!fed1read06.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net> <35OdnQ_DUbaw8pLZRVn-
qA@comcast.com> <120v1mb9po8r941@corp.supernews.com>
<cAydnQWJab65Ko3ZUSdV9g@ptd.net> <1211gfu4jhavf1e@corp.supernews.com> <-uydnYIKZo-
OVI3ZRVn-pg@comcast.com>
Subject: Re: new kenwood?
Lines: 103
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <QE4Qf.42368$V27.10474@fed1read06>
Date: Thu, 9 Mar 2006 17:31:11 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
```

X-Trace: fed1read06 1141954224 72.197.12.245 (Thu, 09 Mar 2006 20:30:24 EST)
NNTP-Posting-Date: Thu, 09 Mar 2006 20:30:24 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2956

Well few of us start off with a new car
So for the dollar impaired how about
TS-520 - $180 with shipping has power supply
E-Bay completed

Another TS-520 with MC-50 mic -- $275
E-Bay Buy It now

Lots of old rigs for under $500

I think the things that holds up youth from becoming Hams or getting on HF
is really
1. The code (weak excuse)
2, The internet (talk anywhere)
3. The magic of radio was 20 - 30+ years ago - not today
4. The test as compared to CB, FRS

--
CL -- I doubt, therefore I might be !

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:-uydnYIKZo-OVI3ZRVn-pg@comcast.com...
>
> "Dave Platt" <dplatt@radagast.org> wrote in message
> news:1211gfu4jhavf1e@corp.supernews.com...
>> In article <cAydnQWJab65Ko3ZUSdV9g@ptd.net>,
>> Bob Schreibmaier <k3ph@ptd.net> wrote:
>>
>>>In article <120v1mb9po8r941@corp.supernews.com>, dplatt@radagast.org
>>>says...
>>>>- Restricting to ham-band-only probably doesn't buy you all that
>>>>   much in savings or performance, these days, due to the large
>>>>   number of bands. In order to gain big savings, I suspect you'd
>>>>   have to limit yourself to a monoband radio.
>>
>>>Restricting to ham bands only buys a HUGE difference
>>>in performance. Check out the Elecraft K2 and see
>>>what kind of strong signal handling performance you
>>>can get from an inexpensive radio if you have single
>>>conversion right to the high-selectivity crystal
>>>filter.
>>>
>>>Third order IMD performance at 2 kHz is more than 10 dB

>>>better than many of the expensive radios with general
>>>coverage receivers, such as the FT-1000D and FT-1000MP
>>>series, and is approximately equal to the 10 kilobuck
>>>IC-7800! All because of the ham-band-only design and
>>>some careful attention to design.
>>
>> You're quite right, of course. I overstated my argument.
>>
>> I think it's probably fair to say, though, that the sort of advantages
>> that the K2 family (and similar radios) gain in performance by
>> eschewing general coverage, might be very difficult or impossible to
>> achieve at the price-point that the original poster was hoping for. A
>> lot of the K2's improved IMD performance appears to come from having
>> band-specific double-tuned bandpass filters in the front end, switched
>> in via relays. This seems to be a technically excellent approach, but
>> I can't believe that it "comes cheap". Reed relays seem to run a
>> dollar or more each, in large quantities.
>>
>> PIN diode switching of bandpass filters is another possible approach,
>> but I don't think you'd get the same sort of performance out of it.
>>
>> At a sub-$200 retail price (which probably works out to under $50
>> bill-of-materials cost) the designer is going to have to make some
>> pretty hard decisions about where the money is to be spent. The
>> additional performance available from a band-optimized design (e.g.
>> the K2) might not be "in the budget" at the lower price point.
>>
>> Consider that the K2 is between three and six times the price that the
>> OP was looking for... and it's a kit, has only 15 watts of output,
>> doesn't include a power supply, and I don't think it includes a
>> microphone either.
>>
>> There would be some very, very interesting tradeoffs and design
>> decisions to be made, in any project to develop a sub-$200
>> mass-market-acceptable SSB HF rig. Possibilities:
>>
>> - Run the finals on 24 volts, so that acceptably-linear operation could
>>   be achieved from cheap power MOSFET parts?
>>
>> - Use some of the new hybrid FPGA/DSP/microcontroller chips, to put
>>   all of the control logic, audio filtering, etc. on a single chip?
>>
>> - Limited duty cycle, to reduce the need for heavy/expensive heatsinks
>>   and fan cooling?
>
> Even if its sub-$500, that would still be a blessing for a young ham thats
> trying to raise a family. e-bay is ok if you don't mind taking the chance
> that the radio will be DOA when you get it, and not all clubs have the
> resources to be able to set up a new ham with a "loaner rig" to get them
> on the air. Something basic that will get them on the air without breaking
> the bank would go a long way in being able to promote the hobby with young
> people.
>

```
From -8641563227708298400
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Date: Thu, 09 Mar 2006 23:56:17 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<8xFPf.2411$Uc2.454@fed1read04> <35OdnQ_DUbaw8pLZRVn-qA@comcast.com>
In-Reply-To: <35OdnQ_DUbaw8pLZRVn-qA@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <917d6$441106fd$42a1bfc2$2897@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 59
X-Trace: 917d6441106fde7041a6702897
Xref: g2news1.google.com rec.radio.amateur.equipment:2957

Noon-Air wrote:
> "Caveat Lector" <UALLBeware@9984reader.com> wrote in message
> news:8xFPf.2411$Uc2.454@fed1read04...
>
>>>Whatever happenet to a simple to operate 100watt HF rig that transmits
>>>and
>>>recieves??... something in the way of an inexpensive, baseline, HAM band
>>>*only* rig... maybe along the lines of the re-production of the TS-130S.
>>>
>>>-n6ojn
>>>
>>
>>With the advent of microprocessor based Ham rigs- many more features and
>>wide band  (HF, 6M, 2M, 440 and SWL) coverage is easily obtainable at
>>about the same price as a new TS-130S (about $700 new 1980's). See ICOM
>>706 Mark II G. The "G" is an all-mode transceiver provides 100 watts on HF
>>and 6 meters and 50 watts on 2 meters plus 20 watts on 440 MHz. It
>>receives from 30 kHz to 199 MHz and from 400 to 470 MHz. For $899
>>
>>In the 1980's you would have paid twice that for separate radios to cover
>>those bands all mode
>>
```

>>Lots bang for the buck
>>
>>As far as complexity -- most have a menu presets -- choose your options
>>and will operate much the same way as a TS-130S
>
>
> You completely missed the point..... A *simple to operate* 100 watt HF rig,
> NOT microprocessor based, HAM BANDS ONLY...
> What was $700 over 25 years ago, should be able to be produced today for
> just a hundred bucks or so. When the latest electronic toys come out, they
> command a premium price, and after a couple of years, the price goes down to
> where a working stiff can afford them.
>
>

"I feel your pain." Seriously, you have a great point. I am now studying to re-acquire my General license (I'm 50). Yes, things have changed quite a bit since my days with a reasonably priced HW-101.

But, I think QRP is where some neat high quality stuff is available, especially in kit form. It's also a great way to start into ham radio.

Regarding CW as a barrier to many new hams, I don't know. The "old school" approach is part of what I like about amateur radio. Nostalgia is not worthless. I hope we don't lose CW.

Nostalgia is attractive in other areas. Audiophiles have returned to tube amps for many years now. Some of the units are set up so the owner can enjoy the tubes' cool purple-blue glow varying with the music. Baseball is largely nostalgic. I'm sure there are other examples.

I guess my point is that amateur radio shouldn't try to compete with internet, or whatever. It has a sort of historical niche...it can be pretty cutting edge and nostalgic at the same time.

I would recommend QRP as the best entry into ham radio.

john

```
From -1506780246486405229
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Thread: 10bf43,3f6ac58b0b03f40c
X-Google-Attributes: gid106d41,gid108122,gid1109af,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!router2.astraweb.com!
news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-xt-sjc-08!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.policy
Subject: Re: AKC WILL NEVER STOP MAKING KEYCLOWNS CRY!
```

```
Date: Fri, 10 Mar 2006 00:10:28 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <121262im1tq34f1@corp.supernews.com>
References: <1141872494.385215.211870@e56g2000cwe.googlegroups.com>
<i23Qf.173204$US.122755@news.ono.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 8
Xref: g2news1.google.com rec.radio.cb:6445 rec.radio.amateur.equipment:2958
rec.radio.swap:3029 rec.radio.amateur.policy:18523
```

<nostoppinakc@akc.com> wrote in message
news:i23Qf.173204$US.122755@news.ono.com...

> Put a garden hose in your ass.

Join the AKC and you too can show this much (none) intellect when flaming a person.

```
From -8584675787476402064
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!cox.net!p01!fed1read06.POSTED!
53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<8xFPf.2411$Uc2.454@fed1read04> <35OdnQ_DUbaw8pLZRVn-qA@comcast.com>
<917d6$441106fd$42a1bfc2$2897@FUSE.NET>
Subject: Re: new kenwood?
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <8%9Qf.42390$V27.10284@fed1read06>
Date: Thu, 9 Mar 2006 23:36:20 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read06 1141976132 72.197.12.245 (Fri, 10 Mar 2006 02:35:32 EST)
NNTP-Posting-Date: Fri, 10 Mar 2006 02:35:32 EST
Organization: Cox Communications
```

Xref: g2news1.google.com rec.radio.amateur.equipment:2959

> John wrote
> "I feel your pain." Seriously, you have a great point. I am now studying
> to re-acquire my General license (I'm 50). Yes, things have changed quite
> a bit since my days with a reasonably priced HW-101.

>
> john

In 1980 the HW-101 sold, in kit form, for $399.95 in the fall 1980 Heathkit catalog, with the optional CW filter adding another $44.95.

See URL: http://www.elinkusa.com/hw-101/HISTORY.htm

Using an inflation rate of 3.5 %; $400 in 1980 is $978 today -- the cost of a IC 706 MK 2
And the ICOM is Factory assembled, all mode, and covers HF and 6 meters (100Watts) and 50 watts on 2 meters plus 20 watts on 440 MHz. It receives from 30 kHz to 199 MHz and from 400 to 470 MHz.

--
CL -- I doubt, therefore I might be !

From 4375176821100292836
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Mar 2006 07:22:00 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<8xFPf.2411$Uc2.454@fed1read04> <35OdnQ_DUbaw8pLZRVn-qA@comcast.com>
<917d6$441106fd$42a1bfc2$2897@FUSE.NET> <8%9Qf.42390$V27.10284@fed1read06>
Subject: Re: new kenwood?
Date: Fri, 10 Mar 2006 07:21:59 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <36idnZJveLbl4IzZnZ2dnUVZ_s-dnZ2d@comcast.com>
Lines: 25
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-QYsMSzPzPzsn+O77NDGdyaXI1/
PAsqIurQ6O10zzAUxtQNBasLNNZU1k76FGCi5Hyi0EoSP/a/ilc5d!

```
NlSVZuZwhgHpjwAhPv9eFvLCOjwu+5K+/xdv8XI5OgaA8672xdkVGHqgCCjn9tkTXgIx/w/nvCTp!
CrMShwyTEesX
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2960


"Caveat Lector" <UALLBeware@9984reader.com> wrote in message
news:8%9Qf.42390$V27.10284@fed1read06...
>> John wrote
>> "I feel your pain."  Seriously, you have a great point.  I am now
>> studying to re-acquire my General license (I'm 50).  Yes, things have
>> changed quite a bit since my days with a reasonably priced HW-101.
>
>>
>> john
>
> In 1980 the HW-101 sold, in kit form, for $399.95 in the fall 1980
> Heathkit catalog, with the optional CW filter adding another $44.95.
>
> See URL:  http://www.elinkusa.com/hw-101/HISTORY.htm
>
> Using an inflation rate of 3.5 %;  $400 in 1980 is $978  today  -- the
> cost of a IC 706 MK 2
> And the ICOM is Factory assembled, all mode, and covers HF and 6 meters
> (100Watts) and 50 watts on 2 meters plus 20 watts on 440 MHz. It receives
> from 30 kHz to 199 MHz and from 400 to 470 MHz.

So what rig did you start out with?? How many years have you been licensed??




From 7894218269960086968
X-Google-Thread: 108228,26ba3c09cd75b08e,start
X-Google-Thread: 108122,26ba3c09cd75b08e,start
X-Google-Thread: 1109af,26ba3c09cd75b08e,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!
not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola UHF Repeater Duplexer in Rack Mount - Works Good
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0029_01C6440E.411D0690"
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <bggQf.936$123.179@fed1read09>
Date: Fri, 10 Mar 2006 06:45:43 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1142001799 68.96.227.248 (Fri, 10 Mar 2006 09:43:19 EST)
NNTP-Posting-Date: Fri, 10 Mar 2006 09:43:19 EST
Organization: Cox Communications
Xref: g2news1.google.com alt.ham-radio.marketplace:705
rec.radio.amateur.equipment:2961 rec.radio.swap:3034

This is a multi-part message in MIME format.

------=_NextPart_000_0029_01C6440E.411D0690
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola UHF Repeater Duplexer in Rack Mount - Works Good

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7596854966&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0029_01C6440E.411D0690
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola UHF Repeater Duplexer in Rack Mount - Works Good</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7596854966&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7596854966&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0029_01C6440E.411D0690--



From -2797614267128598884
X-Google-Thread: 108122,e9c1c64cf693ba19
```

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!fed1read06.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net> <Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com> <8xFPf.2411$Uc2.454@fed1read04> <35OdnQ_DUbaw8pLZRVn-qA@comcast.com> <917d6$441106fd$42a1bfc2$2897@FUSE.NET> <8%9Qf.42390$V27.10284@fed1read06> <36idnZJveLbl4IzZnZ2dnUVZ_s-dnZ2d@comcast.com>
Subject: Re: new kenwood?
Lines: 52
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <KYgQf.42397$V27.6001@fed1read06>
Date: Fri, 10 Mar 2006 07:31:39 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read06 1142004650 72.197.12.245 (Fri, 10 Mar 2006 10:30:50 EST)
NNTP-Posting-Date: Fri, 10 Mar 2006 10:30:50 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2962

Golly John straining the old brain cells.

First rig was a used (15 year old) Hallicrafters SR-160 - paid $100 for it in 1977 when I first got licensed
Needed repair and new finals. Power supply needed recapped.

But my very first "rig" was a homebrew crystal set - 1947 (Oatmeal Box and all (;-))
Then a Knight kit OceanHopper - 1948
Next was a Hallicrafters S-40B
Then a Halli S-38
And the US Navy let me use (;-) an ART-13 and ARR-15 (Collins Gear) to send and receive Morse code on Pacific flights
Next was a Knight R-100

Heathkits I built were a Heath Linear SB-230, SA-2060A Antenna Tuner, Heath Color TV set (took months to build), as well as the usual VTVM, Oscilloscope, Signal generator, etc

Should have kept them all (;-)
--
CL -- I doubt, therefore I might be !

"Noon-Air" <Noon-Air@comcast.net> wrote in message news:36idnZJveLbl4IzZnZ2dnUVZ_s-dnZ2d@comcast.com...

>
> "Caveat Lector" <UALLBeware@9984reader.com> wrote in message
> news:8%9Qf.42390$V27.10284@fed1read06...
>>> John wrote
>>> "I feel your pain." Seriously, you have a great point. I am now
>>> studying to re-acquire my General license (I'm 50). Yes, things have
>>> changed quite a bit since my days with a reasonably priced HW-101.
>>
>>>
>>> john
>>
>> In 1980 the HW-101 sold, in kit form, for $399.95 in the fall 1980
>> Heathkit catalog, with the optional CW filter adding another $44.95.
>>
>> See URL: http://www.elinkusa.com/hw-101/HISTORY.htm
>>
>> Using an inflation rate of 3.5 %; $400 in 1980 is $978 today -- the
>> cost of a IC 706 MK 2
>> And the ICOM is Factory assembled, all mode, and covers HF and 6 meters
>> (100Watts) and 50 watts on 2 meters plus 20 watts on 440 MHz. It receives
>> from 30 kHz to 199 MHz and from 400 to 470 MHz.
>
> So what rig did you start out with?? How many years have you been
> licensed??
>

From -5553019236121175152
X-Google-Thread: 108122,b1fef38e9fc1da93
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed.pnap.net!motgate2.mot.com!newshost!avnika.corp.mot.com!engnntp2.cig.mot.com!not-for-mail
From: "Steve Nosko" <suteuve.nosukowicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio tracking a tortoise - HELP!
Date: Fri, 10 Mar 2006 11:25:02 -0600
Organization: Motorola Engineering Computing
Lines: 47
Message-ID: <duscpe$h5o$2@engnntp2.cig.mot.com>
References: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net> <2stl02179mo5tcll8m9e80arl8kssset4a@4ax.com> <0mHOf.25660$gB4.18011@newsfe4-gui.ntli.net> <120mmq1dr5u1u42@corp.supernews.com>
NNTP-Posting-Host: 173.27.201.179
X-Trace: engnntp2.cig.mot.com 1142011502 17592 173.27.201.179 (10 Mar 2006 17:25:02 GMT)
X-Complaints-To: news@cig.mot.com
NNTP-Posting-Date: Fri, 10 Mar 2006 17:25:02 +0000 (UTC)

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.amateur.equipment:2963

Gee, put APRS on 'er and just go to findu and look @ the map (;-)

Just kidding. That LoCATor is pretty steep $$ wise for a turtle...and it looks like it may be in the 220 band...215-235. Nifty beam though - rather sturdy construction.

73, Steve, K9DCI

"Richard Crowley" <rcrowley@xpr7t.net> wrote in message
news:120mmq1dr5u1u42@corp.supernews.com...
> "Floatything" wrote ...
> > Thanks - that's excellent Howard - it looks just the
> > job. So all I need to know now are the 'basics of
> > direction finding'.. I presume I need to wave the
> > aerial about a bit until I get a stronger beep beep?
> > (tell me I'm on the right track? or is there some magic
> > method to homing in on a beeping reptile?
>
> The basics are a directional antenna and triangulation.
> Do they still sell those RDF things for watercraft which
> use a loop antenna? Same principle. A directional FM
> antenna (like a yagi) which you can rotate to find the
> strongest signal. Then move a distance and plot the
> max signal as another line on the map. Assuming your
> tortise isn't moving that fast, go the the "X" on the map
> and retrieve your reptile.
>
> There are lots of miniature FM transmitter kits available,
> but beware that the range of many (most?) of those
> devices may be limited to a range where you could
> just locate your creature by sight (particularly those
> which can be powered by photo-voltaic cells :-)
>
> Note that you could also use preassembled GPS and
> cell-phone modules (like those available from one of
> my favorite toy-shops: www.sparkfun.com) and create
> a box which you can call on your phone and will report
> the tortise's current location. You could have the first
> tortise-lojack on the planet! :-)
>
> It is rumored that many high-value items (besides autos)
> have this kind of secret locator transponder devices
> installed in them.
>

```
From -6365675735694164349
X-Google-Thread: 108122,278c0589d8393d80,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Mar 2006 12:25:58 -0600
Message-ID: <4411C4B9.CFB478DD@erols.com>
Date: Fri, 10 Mar 2006 13:26:01 -0500
From: "Murray Green, K3BEQ" <mgreen@erols.com>
Organization: GMRA
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Clean, working Kenwood TM-241A
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
NNTP-Posting-Host: 66.44.2.123
X-Trace: sv3-tzaGCgqZy1XuF9SyQ36eMZOuNSgl7qu6X1kJ12ANgc9IcJ6WPgh9eIAbbzc/
cRH9ue2laADj57hiINp!zDjFAGco4fRtu9bfpQ2qV1T/9ZktHJJiYj1qABHvzDdIdIZg1uZTS6CeZw==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2964
```

Wanted Kenwood TM-241A. Clean and working. Please indicate current
power output levels taken on a wattmeter for the 3 power positions.
Thanks.
Murray, K3BEQ

```
From 4781148043032218973
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!logbridge.uoregon.edu!
canoe.uoregon.edu!newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-
pa1.hpl.hp.com!news.compaq.com!newsfeed1.sea.pnap.net!newsfeed2.sea.pnap.net!
newsfeed.pnap.net!motgate2.mot.com!newshost!avnika.corp.mot.com!
engnntp2.cig.mot.com!not-for-mail
From: "Steve Nosko" <suteuve.nosukowicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
Date: Fri, 10 Mar 2006 13:42:15 -0600
```

Organization: Motorola Engineering Computing
Lines: 134
Message-ID: <duskqn$n67$2@engnntp2.cig.mot.com>
References: <m-9815F1.07244004032006@news.verizon.net> <5uadnZeZFoxIC5TZRVn-uQ@comcast.com> <m-2CDA39.09255904032006@news.verizon.net> <bnaj02d5f573i0020vt9u9bkivl85l7q13@4ax.com> <m-5111D1.16562804032006@news.verizon.net>
NNTP-Posting-Host: 173.27.201.179
X-Trace: engnntp2.cig.mot.com 1142019735 23751 173.27.201.179 (10 Mar 2006 19:42:15 GMT)
X-Complaints-To: news@cig.mot.com
NNTP-Posting-Date: Fri, 10 Mar 2006 19:42:15 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.amateur.equipment:2965

ml,

Let me try to clarify this whole thing and perhaps give you the correct terminology to be better understand and to better explain what you are asking..

First, whether it is done in what you call a "clone mode" or "by computer", the radio still has the capability to fill memories via an external (data or computer) port. If the software writer can find, or figure out the protocol, he can write what you call a driver to get data into the radio's memories. You just hook up a computer to the two radio's data connection when they are "cloning", and look at how the data is sent and duplicate that protocol in your computer program (driver).

Many radios that have external programming capabilities, have the protocol either published or hacked by hams (I've done some), so it is on the web somewhere.

Second, some radios also have the capability of being controlled in a real-time mode. This is called "CAT", but I don't know what it stands for. That is, they can be operated fully by the external port. I'll call this the computer control port. Icom calls their most recent version system "CI-V".
These radios also usually have memories and also allow loading these memories (and reading them) through the computer port.

The TMD700 has all this capability, and, yes it is a bit steep at $500, but is receives from 118 to 1300 MHz and has a TNC and the APRS software. I got mine used. Unfortunately, I do not have a list of computer controllable, dual band (2M & 440) radios. The Kenwood tri-band (2M 220, 440) hand held is such a radio. There are only 1-2 things you can't do from the computer port.
The 706 family has *SOME* of these capabilities and does include loading memories with frequency and much real-time control.

I'd try searching on something like: +"Computer control" CAT +"dual band" ham +"amateur radio" and see what you get. I did a quick look, but there was lots of noise in the hits (not much good stuff).

I suspect you want to ask is something like this:

"What dual band radios have memory loading capability via computer?"

"What dual band radios have CAT control?" Or "What dual bander has computer memory loading?"

73, Steve K9DCI

"ml" <m@di.net> wrote in message
news:m-5111D1.16562804032006@news.verizon.net...
>
> greatful for everyone's trying to help out
>
> ok i was told i am using the correct terminology however it's kinda
> obscure so not many know about it
>
> and i am not smart enough to describe it better   i'll take another stab
>
> when a radio's memory is addressed for programming by a pc, it's
> typically done what is know as 'clone mode' an example of this would be
> any yaesu 2m radio(best as i know)
>
> contrasted to the tm-700's method of programming via it's programming
> port to pc
>
> yeah all radios have software that might accomplish the same thing but
> do so via different metods of addressing or accessing the memory
>
> i know of a software developer that writes fantastic software for the
> apple he can only modify drivers to work with his program for radio's
> that can be programmed via means other than clone mode
>
> unf there is not alot of ham software outthere for mac's and only one
> that allows radio memory programming for 2m/440 etc
>
> sooo
>
> the current software has drivers for rigs that are now almost disco, or
> kinda a bit expensive tm700 a litte much for me iwas hoping say to get
> a tm271 or simular but looking thru the manuals/broshures of some
> newer rigs and it dosn't say a thing about it's memory access
>
> if i find such a radio he'll write the drivers for me

```
>
> hoping that sombody might be able to point me in the right direction
>
>
> In article <bnaj02d5f573i0020vt9u9bkivl85l7q13@4ax.com>,
>  Dick <LeadWinger> wrote:
>
> > I guess you are going to have to tell us what kind of programming you
> > are talking about.  When you "clone" memories, you hook two similar
> > radios together by cable and transfer the data from one to the other.
> > We are talking about using a computer to transfer the memories, which
> > has nothing to do with cloning per se.  My TM-D700, which I assume is
> > what you mean by TM-700, is no different from any other radio that is
> > programmed by computer.
> >
> > Dick - W6CCD
> >
> >
> > On Sat, 04 Mar 2006 14:26:03 GMT, ml <m@di.net> wrote:
> > >
> > >thanks for the responce and not to sound rude, but i am very aware of
> > >that fact,  from the below,
> > >
> > > however what i am looking for is a specific method of programming,
> > >communicating to the radio via means other than cloaning mode commands
> > >i need to find out witch rig's  2/440 have that specifically as an
> > >option
> > >
> > >the software i need to use, is not comptable w/rigs that program via
> > >cloan"" mode
> > >
> > >
> > >if anyone knows i'd really appreciate the help i know some rigs do it
> > >only found the 2 below
> > >
> > >tnx
> > >
> > >
> > >In article <5uadnZeZFoxIC5TZRVn-uQ@comcast.com>,
> > > "Noon-Air" <Noon-Air@comcast.net> wrote:
> > >
> > >> Most are able to be programmed with a computer... simple spreadsheet
type
> > >> software and a cable that plugs in.




From -2888359305485439785
X-Google-Thread: 108122,278c0589d8393d80
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!headwall.stanford.edu!
```

news!not-for-mail
From: spamatody@spam.spam.spam
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Clean, working Kenwood TM-241A
Date: Fri, 10 Mar 2006 14:35:28 -0600
Organization: University of Nebraska--Lincoln
Lines: 4
Message-ID: <5no3121shbtumaf94fe867jojjrvft176t@4ax.com>
References: <4411C4B9.CFB478DD@erols.com>
NNTP-Posting-Host: net3701.unl.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: unlnews.unl.edu 1142022929 22465 129.93.104.85 (10 Mar 2006 20:35:29 GMT)
X-Complaints-To: usenet@unlnews.unl.edu
NNTP-Posting-Date: Fri, 10 Mar 2006 20:35:29 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:2966

>. Please indicate current
>power output levels taken on a wattmeter for the 3 power positions.

Larry, Curly, and Moe....

From 4723229053208505577
X-Google-Thread: 108122,278c0589d8393d80
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.rcn.net!news.rcn.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Mar 2006 14:46:58 -0600
Message-ID: <4411E5C4.E02D1611@erols.com>
Date: Fri, 10 Mar 2006 15:47:00 -0500
From: "Murray Green, K3BEQ" <mgreen@erols.com>
Organization: GMRA
X-Mailer: Mozilla 4.79 [en] (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Clean, working Kenwood TM-241A
References: <4411C4B9.CFB478DD@erols.com>
<5no3121shbtumaf94fe867jojjrvft176t@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
NNTP-Posting-Host: 66.44.2.123
X-Trace: sv3-0zUp8CkIcDXldmJoJTIf9A0G9CQceWgFHq5GodywKlMMf/
VveSK1Vv+QoYncmmw6b2RDY6gqQGudvoJ!
NXaH4CUVTW3i6nLhrIiC+oGeVqcfIVGgPFDxSaCGNOc1t23map3hTb/+xA==
X-Complaints-To: abuse@rcn.net
X-DMCA-Complaints-To: abuse@rcn.net

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2967

***I like that. They were good weren't they? Doesn't answer my
question, but gave me a chuckle. Tnx.


spamatody@spam.spam.spam wrote:
>
> >. Please indicate current
> >power output levels taken on a wattmeter for the 3 power positions.
>
> Larry, Curly, and Moe....


From 1692119681201000381
X-Google-Thread: 108122,9f776cdad7e4a1bf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood TS-830S HF Transciever
Message-ID: <s92412thfidl68eq71ghbvldov9vr1angm@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Fri, 10 Mar 2006 18:18:25 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1142032703 69.125.167.162 (Fri, 10 Mar 2006 16:18:23 MST)
NNTP-Posting-Date: Fri, 10 Mar 2006 16:18:23 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2968

FS: Kenwood TS-830S HF Transciever
Looks and works VERY nice!!  the small little button for the noise
blanker is missing. But this transciever as stated looks REAL NICE.
Rated 9 Plus.
Frequency read out.
Comes with the original Box and service manual.
No microphone.
Price: 345.00   for a great rig.
ritchi50@optonline.net
```

```
From -8052251613294887284
X-Google-Thread: 108122,96252e4ba75b434f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!atl-c03.usenetserver.com!
news.usenetserver.com!hwmnpeer01.phx!hwmedia!news.highwinds-media.com!hw-
filter.phx!newsfe14.phx.POSTED!df0d5ed4!not-for-mail
From: "Kelly" <vohvamwu@tngtalut.com>
Subject: ^X+.M Great Marketplace For Deals ^X+.M
Newsgroups: rec.radio.amateur.equipment
Sender: Kelly <vohvamwu@tngtalut.com>
Reply-To: kgirl@hhn.com
X-Priority: 3
X-Library: Indy 9.00.10
Lines: 8
Message-ID: <0luQf.1366$br4.1239@newsfe14.phx>
NNTP-Posting-Date: Fri, 10 Mar 2006 23:44:12 MST
Organization: TBM newsfeeds
Date: Sat, 11 Mar 2006 01:36:04 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2969

I discovered a great marketplace for specials,
deals and entertainment at
http://www.cashdeals4u2save.com !




`E$b:


From -2887752552553141776
X-Google-Thread: 108122,3ebd80b4307f2a36,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: steve <vonch1@hotmail.com>
Organization: CJ
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  LAFAYETTE TRANSCIVER  TESTER.......LAST DAY
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <HLzQf.2545$Tu1.2114@fe12.lga>
Date: Sat, 11 Mar 2006 07:54:03 -0500
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1142081639 24.47.254.156 (Sat, 11 Mar 2006 05:53:59 MST)
```

```
NNTP-Posting-Date: Sat, 11 Mar 2006 05:53:59 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2970

This will work on 10 meters with low power


http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:31&item=9111267001

thank you for looking



From 3252955895761756495
X-Google-Thread: 108122,ec83dd7077f8a42b,start
X-Google-Thread: 1109af,ec83dd7077f8a42b,start
X-Google-Thread: 108228,ec83dd7077f8a42b,start
X-Google-Attributes: gid108122,gid1109af,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: rullery@Pioneer-Data.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace
Subject: FA: Idiom Press k-3 logikey keyer CW Morse Code Ham Radio
Date: 11 Mar 2006 08:22:42 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1142094162.236424.284500@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 207.118.93.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142094167 32653 127.0.0.1 (11 Mar 2006 16:22:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Mar 2006 16:22:47 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=207.118.93.208;
   posting-account=GrsS1wwAAAC0nNl98ZqXeZBpfSZeBxFk
Xref: g2news1.google.com rec.radio.amateur.equipment:2971 rec.radio.swap:3040
alt.ham-radio.marketplace:713

http://cgi.ebay.com/Idiom-Press-k-3-logikey-keyer-CW-Morse-Code-Ham-
Radio_W0QQitemZ5877232627




From -3847738802709814928
X-Google-Thread: 108122,1421c5dd8bc5fb09,start
X-Google-Thread: 1109af,1421c5dd8bc5fb09,start
X-Google-Thread: 108228,1421c5dd8bc5fb09,start
X-Google-Attributes: gid108122,gid1109af,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: rullery@Pioneer-Data.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace
Subject: FA: Wilderness SST QRP Both 20 and 40 meter versions
Date: 11 Mar 2006 08:26:40 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1142094400.941079.69900@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 207.118.93.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142094407 13369 127.0.0.1 (11 Mar 2006 16:26:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Mar 2006 16:26:47 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=207.118.93.208;
   posting-account=GrsS1wwAAAC0nNl98ZqXeZBpfSZeBxFk
Xref: g2news1.google.com rec.radio.amateur.equipment:2972 rec.radio.swap:3041
alt.ham-radio.marketplace:714

Read Details:

http://cgi.ebay.com/Wilderness-SST-QRP-Both-20-and-40-meter-
versions_W0QQitemZ5877236937



From -2158347347525115243
X-Google-Thread: 108122,fcf7c50bb65ccca4,start
X-Google-Thread: 1109af,fcf7c50bb65ccca4,start
X-Google-Thread: 108228,fcf7c50bb65ccca4,start
X-Google-Attributes: gid108122,gid1109af,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: rullery@Pioneer-Data.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace
Subject: FS: Kenwood SW-2100 SWR/Wattmeter 200W-2000W
Date: 11 Mar 2006 08:29:01 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1142094541.187830.311540@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 207.118.93.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142094548 13663 127.0.0.1 (11 Mar 2006 16:29:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 11 Mar 2006 16:29:08 +0000 (UTC)
User-Agent: G2/0.2
```

X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=207.118.93.208;
   posting-account=GrsS1wwAAAC0nNl98ZqXeZBpfSZeBxFk
Xref: g2news1.google.com rec.radio.amateur.equipment:2973 rec.radio.swap:3042
alt.ham-radio.marketplace:715

http://cgi.ebay.com/Kenwood-SW-2100-SWR-Wattmeter-200W-2000W_W0QQitemZ5876892730

From 8419161396027404490
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!
be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!
53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
Message-ID: <hrv512t1optuvgae5jurdn210g7cebd59u@4ax.com>
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
Date: Sat, 11 Mar 2006 16:52:07 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1142095927 24.174.167.251 (Sat, 11 Mar 2006 10:52:07
CST)
NNTP-Posting-Date: Sat, 11 Mar 2006 10:52:07 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2974

On Tue, 7 Mar 2006 22:03:51 -0600, "Noon-Air" <Noon-Air@comcast.net>
wrote:

>Whatever happenet to a simple to operate 100watt HF rig that transmits and
>recieves??... something in the way of an inexpensive, baseline, HAM band
>*only* rig... maybe along the lines of the re-production of the TS-130S.
>
>-n6ojn

There's the Yaesu 840 and the Icom 718, about $600, and the starter
Alinco, forget it's model #, about $700. Even the yahoo-whistles Yeasu
857d is only $689 nowadays.

```
bob
k5qwg

>
>"Hamguy" <hamguy@arrl.net> wrote in message
>news:Q6sPf.9091$jf2.7931@twister.nyroc.rr.com...
>> It's going to be a model that has 'D-Star' capability, like some of the
>> Icoms do.
>>
>>
>> "ml" <m@di.net> wrote in message
>> news:m-2C5580.15381607032006@news.verizon.net...
>>>i heard there might be a new kenwood rig out soon prob unv at dayton
>>>
>>> anyone have any skuttlebut on it or any links  ?
>>>
>>> tnx
>>
>>
>



From -6341445254329833328
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!news.bellsouth.net!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe02.lga.POSTED!53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
In-Reply-To: <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <YHEQf.524$pV1.366@fe02.lga>
X-Trace:
ejlmlnpfppkfdeplgkmkldendfonmkjkdmdjlpnaphlmpkdghmddohcnabgnacknncnohkaabhndkoeffk
chgdklbiopcbmoenklnefhlahiiachliliaijdolghhikiembn�
NNTP-Posting-Date: Sat, 11 Mar 2006 11:31:20 MST
Date: Sat, 11 Mar 2006 13:31:21 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2975

On 03/07/06 11:03 pm Noon-Air wrote:

> Whatever happenet to a simple to operate 100watt HF rig that transmits and
> recieves??... something in the way of an inexpensive, baseline, HAM band
> *only* rig... maybe along the lines of the re-production of the TS-130S.
```

Maybe there's not enough demand for such a thing. Moreover, the threshold gets raised for so many varieties of technogadget. If we take a possible parallel from the world of computers, a 6MHz PC-AT clone with 1MB of RAM and a 20MB hd should now cost perhaps US$25 and might well suit the computing needs of a lot of people (as long as they didn't insist on trying to run any version of Windozzzze on it). But, as somebody wrote a few years back, "The computer I want always costs $2000": the bar keeps rising.

"Perce"
(aka Alan NV8A)

```
From 7979213919042058572
X-Google-Thread: 108122,e74163dc154ba1f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
wn13feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-
for-mail
From: Alan WA4SCA <WA4SCA@AMSAT.ORG>
Newsgroups: rec.radio.amateur.equipment
Subject: Push up mast?
Reply-To: WA4SCA@AMSAT.ORG
Message-ID: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Sat, 11 Mar 2006 22:53:50 GMT
NNTP-Posting-Host: 12.74.144.14
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1142117630 12.74.144.14 (Sat, 11 Mar
2006 22:53:50 GMT)
NNTP-Posting-Date: Sat, 11 Mar 2006 22:53:50 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2976
```

Hi,

Radio Shack used to carry a 30' push up mast. It was segmented into 3 (4?) parts, with guy rings at the junctions. Much sturdier than the standard 1.25" masts commonly available. They were useful for small beams, but more so for supporting inverted Vs and dipoles. According to the local RS stores, they no longer carry them, and they don't seem to be available at the RS web page, though there is a "heavy duty" stackable section available. Anybody know of an equivalent mast today?

--
Alan
WA4SCA

```
From -128475540018876576
```

```
From -128475540018876576
X-Google-Thread: 108122,31ea9e3767003bb9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
news.astraweb.com!router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-
sjc-07!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted "offline"phone indicator
Date: Sat, 11 Mar 2006 13:02:52 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0603111300140.7951@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news1.google.com rec.radio.amateur.equipment:2977
```

I often am on the internet when my wife picks up the telephone upstairs
thus breaking my connection to the ISP. Does anyone have a circuit
or know of a source for and "offline" indicators what will flash an LED
or something so the wife will know I am useing the internet downstairs??
                       Joe/KH6JF

```
**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************
```

```
From 4494400492821385981
X-Google-Thread: 108122,31ea9e3767003bb9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news2.volia.net!
news.germany.com!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-02!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted "offline"phone indicator
Date: Sat, 11 Mar 2006 23:13:11 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <1216mc7j948eg2e@corp.supernews.com>
References: <Pine.BSI.4.61.0603111300140.7951@malasada.lava.net>
```

X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news1.google.com rec.radio.amateur.equipment:2978

>I often am on the internet when my wife picks up the telephone upstairs
>thus breaking my connection to the ISP. Does anyone have a circuit
>or know of a source for and "offline" indicators what will flash an LED
>or something so the wife will know I am useing the internet downstairs??

http://www.hobbytron.com/CK007.html is one such.

There are 'self-powered' circuits around for this which do not require a battery, but I'd recommend avoiding them. Any circuit which draws more than a very small amount of current from the phone line may either take it off-hook accidentally, or trigger a wiring-fault indication at the central office.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -7252632517839156464
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Push up mast?
Date: Sat, 11 Mar 2006 17:31:45 -0600
Lines: 24
Message-ID: <47h4v1FfgranU1@individual.net>
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net cBaHicelJd7y6eCb5zS7RQOuZaStxMD2fMcgFFvrf/4VwRMiTq
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:2979

Alan WA4SCA wrote:
> Hi,
>

> Radio Shack used to carry a 30' push up mast. It was segmented into 3
> (4?) parts, with guy rings at the junctions. Much sturdier than the
> standard 1.25" masts commonly available. They were useful for small
> beams, but more so for supporting inverted Vs and dipoles. According
> to the local RS stores, they no longer carry them, and they don't seem
> to be available at the RS web page, though there is a "heavy duty"
> stackable section available. Anybody know of an equivalent mast
> today?
>
>
> --
> Alan
> WA4SCA

I got a pair of professional grade, heavy duty self locking extendable paint roller handles, they extend up to 24' and are heavy enough for a small beam or a larger vertical. I used some key rings to attach the top guys slipped over the top threads.

Bob N9LVU

From 3179151022375492358
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!wn14feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Alan WA4SCA <WA4SCA@AMSAT.ORG>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Push up mast?
Reply-To: WA4SCA@AMSAT.ORG
Message-ID: <gso612p7l9h8je8hmkmvmm61i27q0eodfo@4ax.com>
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
<47h4v1FfgranU1@individual.net>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Sat, 11 Mar 2006 23:56:52 GMT
NNTP-Posting-Host: 12.74.144.14
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1142121412 12.74.144.14 (Sat, 11 Mar 2006 23:56:52 GMT)
NNTP-Posting-Date: Sat, 11 Mar 2006 23:56:52 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2980

Bob,

Now that is a really clever idea? Will look into it. A few other applications come to mind.

--
Alan
WA4SCA

From 7147821184720276970
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn11feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Alan WA4SCA <WA4SCA@AMSAT.ORG>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Push up mast?
Reply-To: WA4SCA@AMSAT.ORG
Message-ID: <u5p612lgm3mm73qdrorgf41922q4jmjbv8@4ax.com>
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
<47h4v1FfgranU1@individual.net> <gso612p7l9h8je8hmkmvmm61i27q0eodfo@4ax.com>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sun, 12 Mar 2006 00:01:49 GMT
NNTP-Posting-Host: 12.74.144.14
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1142121709 12.74.144.14 (Sun, 12 Mar 2006 00:01:49 GMT)
NNTP-Posting-Date: Sun, 12 Mar 2006 00:01:49 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2981

>>Now that is a really clever idea? should read "Now that is a really clever idea!!!"

--
Alan
WA4SCA

From -8537080132146425883
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!ead9a4f6!not-for-mail
From: "Ralph Mowery" <rmowery28146@earthlink.net>

Newsgroups: rec.radio.amateur.equipment
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
Subject: Re: Push up mast?
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1158
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1165
Message-ID: <XFJQf.2985$sL2.2209@newsread2.news.atl.earthlink.net>
Date: Sun, 12 Mar 2006 00:10:31 GMT
NNTP-Posting-Host: 24.225.35.108
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1142122231 24.225.35.108 (Sat, 11 Mar 2006 16:10:31 PST)
NNTP-Posting-Date: Sat, 11 Mar 2006 16:10:31 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2982

"Alan WA4SCA" <WA4SCA@AMSAT.ORG> wrote in message
news:opk612ticr91fnshekhatns9ug3163is09@4ax.com...
> Hi,
>
> Radio Shack used to carry a 30' push up mast. It was segmented into 3
> (4?) parts, with guy rings at the junctions. Much sturdier than the
> standard 1.25" masts commonly available. They were useful for small
> beams, but more so for supporting inverted Vs and dipoles. According
> to the local RS stores, they no longer carry them, and they don't seem
> to be available at the RS web page, though there is a "heavy duty"
> stackable section available. Anybody know of an equivalent mast
> today?
>

They may have quit also but Lowes lists them.

http://www.lowes.com/lowes/lkn?action=productDetail&productId=56273-000000693-1830&lpage=none

From -9107276071059054880
X-Google-Thread: 108122,31ea9e3767003bb9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Mar 2006 18:56:07 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.ivzgwo0.pminews@newsgroups.comcast.net>

References: <Pine.BSI.4.61.0603111300140.7951@malasada.lava.net>
<1216mc7j948eg2e@corp.supernews.com>
Date: Sat, 11 Mar 2006 16:55:36 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Wanted "offline"phone indicator
Lines: 19
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-
iFlCOhehKhxGBA4N6uAVQ9ODXK5NdZhAW0Wj0cPfKSTjoVg8d7iG7FF4GrbFK6mF0FJ0KEgc9CbjbbC!
zOMiYyRQZnqPhorXUXkeaxuMRPPt4GmDbfQ8777MAFucPaHEeENypueen+pyeDxy1lPjPAxw5eEQ!
K9mZPGbfaFiGUuevNvLFb+YS
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2983

On Sat, 11 Mar 2006 23:13:11 -0000, Dave Platt wrote:

>http://www.hobbytron.com/CK007.html is one such.

A better circuit - one that I've used as far back as 1980 for exactly that purpose - consists of a R/S 5 v reed relay in series with one leg of the phone line. "Standard" telephone line off-hook current is 30 mA, which will trip this relay and not degrade the "battery" voltage at the phone. Hook up a 12V "wall wart" and LED in series with the NO contacts and you're in business.

Mind you, this doesn't cut off the extension - it merely indicates that the line is in use. To cut off the extension there are other, more sophisticated (and expensive) devices.

--
73 de K2ASP - Phil Kane

From -6069308007561966098
X-Google-Thread: 108122,31ea9e3767003bb9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!newsfeed.gamma.ru!
Gamma.RU!Radio-MSU.net!mtu.ru!sn-xt-sjc-04!sn-xt-sjc-08!sn-xt-sjc-09!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted "offline"phone indicator
Date: Sat, 11 Mar 2006 16:58:26 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1216shjq6fak62e@corp.supernews.com>
References: <Pine.BSI.4.61.0603111300140.7951@malasada.lava.net>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news1.google.com rec.radio.amateur.equipment:2984
```

"Joseph Fenn" wrote ...

>I often am on the internet when my wife picks up the telephone upstairs
> thus breaking my connection to the ISP. Does anyone have a circuit
> or know of a source for and "offline" indicators what will flash an
> LED
> or something so the wife will know I am useing the internet
> downstairs??
>   Joe/KH6JF

Most of the circuits out there require a separate battery
to power the indicator because drawing enough current
from the telco loop to light the off-hook LED interferes
with the on/off hook detection.

Perhaps even better are those passive devices which
lockout other phones once the first one is picked up.
Like these (others, etc.)
http://www.glbproducts.com/catalog/
set__of_two_telephone_modem_lockout_sentry_4737042.htm

I believe this can be done with a single diode (some kind
of breakdown device), but I can't remember which kind or
find the circuit just at the moment.

```
From 6877925615786271853
X-Google-Thread: 108122,69e4e98ab9555eff,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: dickbolt@his.com
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Old QST & CQ Magazines Value ? 1920s up
Date: 11 Mar 2006 17:03:25 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1142125405.715275.99640@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 216.194.229.48
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142125411 19119 127.0.0.1 (12 Mar 2006 01:03:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Mar 2006 01:03:31 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705; .NET CLR 1.1.4322; Media Center PC 3.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=216.194.229.48;
   posting-account=glUY1wwAAABpwB68c6_K4AjNhjLxMNks
Xref: g2news1.google.com rec.radio.amateur.equipment:2985

Hi, I donated last yr many old QSTs & CQs to my local radio museum in
Bowie MD. I am in need of values for tax purposes. Is there any good
reference web site? I have looked at GOOGLE & e-bay for help, but real
old magazines seem to be rare!

They were 1920s on up, including CQs in 1940s up.
Dick W1DGA in MD




From 2495856843661064320
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newspeer.tds.net!
216.168.1.163.MISMATCH!sn-xt-sjc-03!sn-xt-sjc-01!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: Butch Magee <lynyrd@cableone.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Push up mast?
Date: Sat, 11 Mar 2006 19:11:13 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <1216t9l6ieaafda@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
In-Reply-To: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news1.google.com rec.radio.amateur.equipment:2986
```

MFJ has a very high quality pushup. mfjinterprises.com

Alan WA4SCA wrote:
> Hi,
>
> Radio Shack used to carry a 30' push up mast. It was segmented into 3
> (4?) parts, with guy rings at the junctions. Much sturdier than the
> standard 1.25" masts commonly available. They were useful for small
> beams, but more so for supporting inverted Vs and dipoles. According
> to the local RS stores, they no longer carry them, and they don't seem
> to be available at the RS web page, though there is a "heavy duty"
> stackable section available. Anybody know of an equivalent mast
> today?
>
>
> --
> Alan
> WA4SCA

```
From 5158122306251709355
X-Google-Thread: 108122,b0860e64d4e9c032,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Mar 2006 21:06:37 -0600
From: Phalanx <Phalanx.24jea4@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RF-5000 replacement antennas?
Date: Sun, 12 Mar 2006 02:54:27 +0000
Message-ID: <Phalanx.24jea4@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 10
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-2bfQ/VvZ7XsWlsRgV5SKz0o8Fgj+H52PUaGSVkL0oTxNrQRgDMqMZ9xb01dykcN0ZMY/
YZ/5lpeCkdg!
0jT566suyD4FIK3add1R4IRuvBnKmwBNXC19e2C74wZoM4cPBXFReMBlFtQQoZQcv4iNo9MAN6R0!
MXWs5YkJAQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2987
```

Hello all.

I have a National Panasonic RF-5000 (1972) I'm looking to sell, but
would like to replace the telescoping mast antennas first. One is
broken at the top and the other is somewhat bent.

Does anyone know of a source for these, or possibly a RF-5000 for
parts?

The radio is in otherwise excellent condition, but I think replacing
the antennas would increase it's value.

Thanks in advance,
Phal

--
Phalanx

```
From -3049545576287245111
X-Google-Thread: 108122,31ea9e3767003bb9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Mar 2006 22:19:39 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0603111300140.7951@malasada.lava.net>
Subject: Re: Wanted "offline"phone indicator
Date: Sat, 11 Mar 2006 22:19:39 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <4fGdndHIOZDBPI7ZnZ2dnUVZ_vidnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
w9iv5nPrBSLGcryG3+cur0vAWEeh42kjQnsYorHO3Fa4q3SD2W9bQyHZqnoT5QLgE9LD1y9A9rzlWng!
nwVuX2GzOjSNNJstJ97V/PY0pqzTU0WqZmqkilFDqwlgTehIwIKJQ75mxSIpIOyiDShABUaL55vx!ojM/
7XvFRcj8
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2988
```

Most 2 line phones have indicator lights to show when a line is in use.

```
"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0603111300140.7951@malasada.lava.net...
>I often am on the internet when my wife picks up the telephone upstairs
> thus breaking my connection to the ISP.  Does anyone have a circuit
> or know of a source for and "offline" indicators what will flash an LED
> or something so the wife will know I am useing the internet downstairs??
>                        Joe/KH6JF
>
>
> **********************************************************
> * Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
> * Army MARS PRECEDED by AARS (Army Amateur Radio System) * *       Hi
> State ARMY MARS COORDINATOR                   *
> **********************************************************
>




From -2805086702953610048
X-Google-Thread: 108122,31ea9e3767003bb9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-
sjc-09!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!
jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted "offline"phone indicator
Date: Sat, 11 Mar 2006 18:42:23 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0603111838230.6482@malasada.lava.net>
In-Reply-To: <4fGdndHIOZDBPI7ZnZ2dnUVZ_vidnZ2d@comcast.com>
References: <Pine.BSI.4.61.0603111300140.7951@malasada.lava.net>
 <4fGdndHIOZDBPI7ZnZ2dnUVZ_vidnZ2d@comcast.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news1.google.com rec.radio.amateur.equipment:2989

Ref my original msg.  Yes my old corded phone had the indicator
built in, but it went on the blink so had to buy a new one
from wal-mart.   Shuucks I'll just run a powered LED fed from
the basement where the computer room is, and plug an ac adapter
into the master switch so if I turn on my computer a flashing
led will be on the wall upstairs and it wont even involve the
phone line (except to warn that I am down here hacking away
on the internet.)
                      Joe
```

```
********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
********************************************************
```

```
From 8881148700893233356
X-Google-Thread: 108122,b30fa76564555e36,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc06.POSTED!2ca1ff02!not-for-mail
From: Jim Chandler <n427c@gte.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Used Rotator
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <FnOQf.1626$o41.211@trnddc06>
Date: Sun, 12 Mar 2006 05:32:21 GMT
NNTP-Posting-Host: 71.105.121.182
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1142141541 71.105.121.182 (Sun, 12 Mar 2006 00:32:21 EST)
NNTP-Posting-Date: Sun, 12 Mar 2006 00:32:21 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2990
```

I'm interested in obtaining a used rotator for my three element beam. I don't have a lot of money to spend (retired, SS) so I have to look in this direction. Anybody have one you aren't using that is just collecting dust? Thanks.

Jim Chandler
N5COT
Apple Valley, CA

```
From -3806474583445380969
X-Google-Thread: 108122,b30fa76564555e36
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Mar 2006 06:41:29 -0600
```

```
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <FnOQf.1626$o41.211@trnddc06>
Subject: Re: Used Rotator
Date: Sun, 12 Mar 2006 06:41:28 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <ze2dnUPkONRki4nZRVn-rw@comcast.com>
Lines: 18
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-7Z0zi97AeJGhrCrHM0aDlR00PjrCfwFoT4+v4n0IuTRXCbD/
PLFM05Wkjya9nWNro2ReaN5OoJJ/Pdk!rHa6p9iG2zzCXuDk9Khm/X/tWanoqi5OK5imZzoIy1VGdbs0/
LQNGT5s+WAZJDfuKINal5uqBC0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2991
```

"Jim Chandler" <n427c@gte.net> wrote in message
news:FnOQf.1626$o41.211@trnddc06...

> I'm interested in obtaining a used rotator for my three element beam. I
> don't have a lot of money to spend (retired, SS) so I have to look in this
> direction. Anybody have one you aren't using that is just collecting
> dust? Thanks.
>
> Jim Chandler
> N5COT
> Apple Valley, CA

Try here... used/rebuilt rotors at reasonable prices that even come with a warranty

http://www.rotorservice.com/index.htm

```
From -1397332834743697638
X-Google-Thread: fc8b1,7d2bad1cb38f27cc,start
X-Google-Thread: 108122,7d2bad1cb38f27cc,start
X-Google-Thread: 10d314,7d2bad1cb38f27cc,start
X-Google-Attributes: gidfc8b1,gid108122,gid10d314,public
X-Google-Language: ENGLISH,ASCII-7-bit
Reply-To: "Paul K" <pk@terracom.net>
From: "Paul K" <pk@terracom.net>
Newsgroups:
```

rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,wi.madison.forsale
Subject: FS. Hallicrafters HT33A, HT32B
Date: Sun, 12 Mar 2006 09:29:47 -0600
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
NNTP-Posting-Host: 66.84.235.88
Message-ID: <4414398d_1@newspeer2.tds.net>
X-Trace: newspeer2.tds.net 1142176141 66.84.235.88 (12 Mar 2006 09:09:01 CST)
Organization: TDS.NET Internet Services www.tds.net
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!newspeer.tds.net!216.170.153.144.MISMATCH!newspeer2.tds.net!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3275 rec.radio.amateur.equipment:2992 wi.madison.forsale:188

HT33A. The bias xfrmr fried a few tears ago. Before that it worked great. Im taking any reasonable offer on this. No shipping as it weighs too much.

HT32B. This transmitter is in very nice cond. Very stable and looks good.. Best offer on this too.

Im moving at the end of May and this equipment has to go. Pick up omly close to Madison Wi. email me for my phone no. Tx, Paul.

From 3359358413606741803
X-Google-Thread: 108228,a764ccd327a47caa,start
X-Google-Thread: 108122,a764ccd327a47caa,start
X-Google-Thread: 1109af,a764ccd327a47caa,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-mail
From: "Rich" <rullery@Pioneer-Data.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Last 7 hours, SST QRP 20 40m, Idiom Press k-3 logikey keyer
Date: 12 Mar 2006 10:00:32 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1142186432.683987.121020@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 207.118.73.34
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"

```
X-Trace: posting.google.com 1142186437 25500 127.0.0.1 (12 Mar 2006 18:00:37 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Mar 2006 18:00:37 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=207.118.73.34;
   posting-account=GrsS1wwAAAC0nNl98ZqXeZBpfSZeBxFk
Xref: g2news1.google.com alt.ham-radio.marketplace:717
rec.radio.amateur.equipment:2993 rec.radio.swap:3048

Wilderness SST QRP Both 20 and 40 meter versions
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5877236937


Idiom Press k-3 logikey keyer CW Morse Code Ham Radio
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5877232627

thank you
73




From 3769418507272608913
X-Google-Thread: 108122,fcf7c50bb65ccca4
X-Google-Thread: 1109af,fcf7c50bb65ccca4
X-Google-Thread: 108228,fcf7c50bb65ccca4
X-Google-Attributes: gid108122,gid1109af,gid108228,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "Rich" <rullery@Pioneer-Data.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace
Subject: Re: FS: Kenwood SW-2100 SWR/Wattmeter 200W-2000W
Date: 12 Mar 2006 10:45:37 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1142189137.089562.42730@j33g2000cwa.googlegroups.com>
References: <1142094541.187830.311540@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.112.124.3
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142189142 29245 127.0.0.1 (12 Mar 2006 18:45:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Mar 2006 18:45:42 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=66.112.124.3;
   posting-account=GrsS1wwAAAC0nNl98ZqXeZBpfSZeBxFk
Xref: g2news1.google.com rec.radio.amateur.equipment:2994 rec.radio.swap:3049
```

alt.ham-radio.marketplace:718

SOLD

From 2941988618824116644
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-mail
From: "Jim" <K4SQR@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Push up mast?
Date: 12 Mar 2006 11:10:26 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1142190625.965115.207440@v46g2000cwv.googlegroups.com>
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
NNTP-Posting-Host: 72.146.172.242
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1142190632 359 127.0.0.1 (12 Mar 2006 19:10:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 12 Mar 2006 19:10:32 +0000 (UTC)
In-Reply-To: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=72.146.172.242;
   posting-account=tnzIKAwAAAAO9Bx1qPkZ7ysnoTnbN28F
Xref: g2news1.google.com rec.radio.amateur.equipment:2995

Alan;

www.randl.com carries the ROHN telescoping masts in 30, 40, 7
50' models.
They are in Ohio, and unless a ROHN distributor is nearby your
QTH, truck freight will be the only choice. BE careful & use gloves.
Good luck,
Jim -K4SQR

From -8494093798337193826
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!green.octanews.net!news-out.octanews.net!news-1.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment

```
Subject: Re: Push up mast?
From: Bert Hyman <bert@iphouse.com>
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
<1142190625.965115.207440@v46g2000cwv.googlegroups.com>
Organization: Not that you'd notice
Message-ID: <Xns97848CF1D7051VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2005.10.18
Date: 12 Mar 2006 19:50:59 GMT
Lines: 14
NNTP-Posting-Date: 12 Mar 2006 13:50:59 CST
NNTP-Posting-Host: 3e863e9a.newsreader.iphouse.net
X-Trace: DXC=57=cT^:Ca9k2VKSV4A@i1cUU[C:R=]MbjeHS>e[L>83`013[>ha_?
Tnc230oU7d71aX7@2h;nGb4mi>NmdVoDUZj
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2996

In news:1142190625.965115.207440@v46g2000cwv.googlegroups.com "Jim"
<K4SQR@juno.com> wrote:

> Alan;
>
> www.randl.com carries the ROHN telescoping masts in 30, 40, 7
> 50' models.

See specs and model numbers at

http://www.radiancorp.com/ROHNNET/rohnnet2001/catalog/pdfs/mounts/MS-71.pdf

--
Bert Hyman    St. Paul, MN  bert@iphouse.com


From -6801733030263967771
X-Google-Thread: 108122,b30fa76564555e36
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc07.POSTED!2ca1ff02!not-for-mail
From: Jim Chandler <n427c@gte.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Used Rotator
References: <FnOQf.1626$o41.211@trnddc06> <ze2dnUPkONRki4nZRVn-rw@comcast.com>
In-Reply-To: <ze2dnUPkONRki4nZRVn-rw@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 27
Message-ID: <RN%Qf.37160$CI6.31041@trnddc07>
Date: Sun, 12 Mar 2006 20:47:45 GMT
```

```
NNTP-Posting-Host: 71.105.121.182
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc07 1142196465 71.105.121.182 (Sun, 12 Mar 2006 15:47:45 EST)
NNTP-Posting-Date: Sun, 12 Mar 2006 15:47:45 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2997

Noon-Air wrote:

> "Jim Chandler" <n427c@gte.net> wrote in message
> news:FnOQf.1626$o41.211@trnddc06...
>
>>I'm interested in obtaining a used rotator for my three element beam.  I
>>don't have a lot of money to spend (retired, SS) so I have to look in this
>>direction.  Anybody have one you aren't using that is just collecting
>>dust?  Thanks.
>>
>>Jim Chandler
>>N5COT
>>Apple Valley, CA
>
>
> Try here... used/rebuilt rotors at reasonable prices that even come with a
> warranty
>
> http://www.rotorservice.com/index.htm
>
>

Thanks.  I think I may have already looked at them and they wanted
almost new prices for re-builds.  I'll look again and see if it's the
same people.  Thanks again.

Jim


From -4269060229570876968
X-Google-Thread: 108122,e74163dc154ba1f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
wn11feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-
for-mail
From: Alan WA4SCA <WA4SCA@AMSAT.ORG>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Push up mast?
Reply-To: WA4SCA@AMSAT.ORG
Message-ID: <8m2912h8jojpf3kn91jj47mgdedq47c585@4ax.com>
References: <opk612ticr91fnshekhatns9ug3163is09@4ax.com>
<1142190625.965115.207440@v46g2000cwv.googlegroups.com>
<Xns97848CF1D7051VeebleFetzer@216.250.184.7>
X-Newsreader: Forte Agent 3.3/32.846
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
```

Content-Transfer-Encoding: 7bit
Lines: 11
Date: Sun, 12 Mar 2006 21:01:29 GMT
NNTP-Posting-Host: 12.74.125.85
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1142197289 12.74.125.85 (Sun, 12 Mar 2006 21:01:29 GMT)
NNTP-Posting-Date: Sun, 12 Mar 2006 21:01:29 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2998

All,

Many thanks for the various pointers. I checked with the local Lowe's, and the 30' mast is a special order item. They are seeing if they can order me a couple. If that falls through, I will probably go with the Rohn.

--
Alan
WA4SCA

From 8255281599440543171
X-Google-Thread: 108122,31ea9e3767003bb9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.karoo.co.uk!news.karoo.co.uk.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Mar 2006 16:57:14 -0600
From: Dan Andersson <dan@andersson.co.uk>
Subject: Re: Wanted "offline"phone indicator
Newsgroups: rec.radio.amateur.equipment
Date: Sun, 12 Mar 2006 22:57:38 +0000
References: <Pine.BSI.4.61.0603111300140.7951@malasada.lava.net>
Organization: @Home
User-Agent: KNode/0.10.1
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Message-ID: <FdidnQ1VDfbXOonZSa8jmw@karoo.co.uk>
Lines: 40
NNTP-Posting-Host: 83.100.227.189
X-Trace: sv3-01a6S573jJGBHgStmC0fUf/uBNi5J0D8SGvHyk+wHs/SVFDCfjAXc4KkPreiuLvE1Y+CIt/iqB4mGMQ!JRoI6KBhf4zKtrngwHwx3OZEaV+7S4iPehEXkCpwCefp2aDMh4LtRx3dqei0ZlbMhwB2xEecMYUa
X-Complaints-To: abuse@karoo.kcom.com
X-DMCA-Complaints-To: abuse@karoo.kcom.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly

X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2999

Joseph Fenn wrote:

> I often am on the internet when my wife picks up the telephone upstairs
> thus breaking my connection to the ISP. Does anyone have a circuit
> or know of a source for and "offline" indicators what will flash an LED
> or something so the wife will know I am useing the internet downstairs??
>   Joe/KH6JF
>
>
> ***
> * Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
> * Army MARS PRECEDED by AARS (Army Amateur Radio System) *
> *   Hi State ARMY MARS COORDINATOR   *
> ***

Most "proper" phones can be connected in a "chain". The main phone, when off hook, automatically disconnects the later part of the "chained" phones.

Most modern modems have this function as well.

When the XYL lifts unhooks the phone, there would just be a dead line as long as the modem is online.

It's possible that the Taiwanese Wal-Mart brands doesn't include this option and if it is so, you can easily build a chain by adding a small relay that disconnects the other phones in the house as soon as the modem line consumes any current. Remember that the line impedance should be around 600 Ohms.

This is a simple piece of design, just place a small resistor in series with the modem, drive a small mosfet with the voltage drop over the resistor and trip a small relay. I don't know your line voltage in the US but I'd assume it's 48Volts, so a 48Volt modem should be dirt cheap as it's telephone standard. If you wanna do it a bit more fancy without the relay, use a pin diode to cut your dear lady off... It's even cheaper!

Cheers

Dan / M0DFI

From 8801536487293909810
X-Google-Thread: 108122,be9e7285cfa38b7b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!elnk-pas-nf1!newsfeed.earthlink.net!news-feed-01.socal.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail

From: "west" <westley@tampabay.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TH-F6A, Less Features=More Cost
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <AX1Rf.76668$g47.51420@tornado.tampabay.rr.com>
Date: Sun, 12 Mar 2006 23:14:40 GMT
NNTP-Posting-Host: 24.92.188.115
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1142205280 24.92.188.115 (Sun, 12 Mar 2006 18:14:40 EST)
NNTP-Posting-Date: Sun, 12 Mar 2006 18:14:40 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:3000

The venerable Kenwood TH-F6A has 3 speaker mics as options (4, if you count the clip mic/w earplug). The least expensive mic (SMC-34) seems to have it all, remote & volume control. The SMC-33 has just the remote but no volume control. Remarkably, it costs twice the amount of the 34, that has the remote & volume control. Another Speaker mic, the SMC-32 has neither remote nor volume control and is almost as costly as the SMC-33.
I know I threw a bunch of letters & numbers at you, but in essence, what I'm alluding to is why does it appear that the remote mic with the least features, cost the most. Can this be another ill-advised Kenwood marketing ploy? Has anyone put a handle on this? I would like to buy a remote mic, but frankly I'm puzzled and the salesman hasn't the foggiest. Help someone ... anyone? Thanks kindly in advance.

Cordially,
west
AF4GC

From 7026482700502085555
X-Google-Thread: 108122,2952cfbb01b06a83,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood Ts-870s transceiver,
Message-ID: <s3c912hg3cbnlcscpvcg2u2b75i5cpe0sl@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 9
Date: Sun, 12 Mar 2006 18:36:39 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1142206594 69.125.167.162 (Sun, 12 Mar 2006 16:36:34 MST)
NNTP-Posting-Date: Sun, 12 Mar 2006 16:36:34 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:3001

Kenwood Ts-870s transceiver,
 10 through 160 meters. Has built in tuner and Dsp, These radios are
known for their great sounding audio. No Microphone, Comes with power
cord and manual.
This radio works and looks GREAT!!!! I used it daily but changed all
my gear to AM Boatanchors. :)
Price: Shipped and Insured 1035.00
   I take paypal or postal money order.
Reply email: ritchi50@optonline.net

From -5538948059425129100
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <120q6hbfvoojg0b@corp.supernews.com>
<Kr9Pf.172312$US.108296@news.ono.com>
Subject: Re: Illegal CB Keyclowns applaud BrokeDick Mountain Oscar
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <SV9Pf.173$Ls.113@tornado.texas.rr.com>
Date: Tue, 07 Mar 2006 06:40:50 GMT
NNTP-Posting-Host: 24.175.14.188
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1141713650 24.175.14.188 (Tue, 07 Mar 2006 00:40:50
CST)
NNTP-Posting-Date: Tue, 07 Mar 2006 00:40:50 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.cb:6372 rec.radio.amateur.equipment:2900
rec.radio.swap:2989

```
<KeysissiesRgay@akccruleszyou.com> wrote in message
news:Kr9Pf.172312$US.108296@news.ono.com...
>> <AKC_rules-ya@akc.org> wrote in message
>> news:ka7Pf.172309$US.10216@news.ono.com...
>>
>> We will own 10 meters in the next 5 years.
>>
>>
>
> You need that band space in order to make new gay contacts in
> order to satisfy your keyclown penis-lust.

Amazing! The AKC knows EVERYTHING, or so it seems about homosexuality.
Wonder how that happened? Coincidence? Doubtful.
```

```
From -3644087788475885659
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 07 Mar 2006 00:56:33 -0600
Date: Tue, 07 Mar 2006 01:56:36 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: 10 meters soon!
References: <MtidnRSjppbMe5HZRVn-pA@comcast.com>
<ka7Pf.172309$US.10216@news.ono.com> <120q6hbfvoojg0b@corp.supernews.com>
In-Reply-To: <120q6hbfvoojg0b@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <nqmdnb1CS-E8s5DZRVn-qw@comcast.com>
Lines: 11
NNTP-Posting-Host: 69.251.50.95
X-Trace: sv3-
JxSWG37E8gXlfJetP594sQn2qSqCoEkxBVvUqSfbLdzNoogeZniV6FH1KjAWGfZXsDuW2Xc+/QFt6Pu!
irH1Ih16guMvtr8U5Nr4pshU7mdsWqSSL13x6canzASAY5FLcPS8mcDxg3z4EeS7Cw+QoPU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.cb:6373 rec.radio.amateur.equipment:2901
rec.radio.swap:2990
```

Dr.Death wrote:

> We will own 10 meters in the next 5 years.

Even less when the Uncle gets off his duff and comes to terms with WRC-03 and the rest of the world, ie, no code.

The only reason the Uncle is dragging his feet, is because it won't make them any money to line his pockets, like forcing DTV down our throats so they can auction off all that space and filling the landfills with perfectly good TVs. Dumb, real dumb.

From 5068398205289903015
X-Google-Thread: 108122,a43b778b88ef8264
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!router2.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dr. Anton T. Squeegee <SpammersAreVermin@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom amplifier control box.
Date: Mon, 6 Mar 2006 22:59:47 -0800
Organization: Blue Feather Technologies NNTPCache Box
Message-ID: <MPG.1e76cf41506d6a1f9896b1@192.168.42.131>
References: <1141604887.105812.107970@i40g2000cwc.googlegroups.com> <1141658159.806714.204570@e56g2000cwe.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Cache-Post-Path: yasure.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news1.google.com rec.radio.amateur.equipment:2902

In article <1141658159.806714.204570@e56g2000cwe.googlegroups.com>, w4pqw@cox.net (known to some as w4pqw@cox.net) scribed...

> Don`t blame me,I had nothing to do with multiple listing. Just mind
> your own business OK. W4PQW
> w4pqw@cox.net wrote:
> > I have a remote control box for Icom IC-4KL ..It will allow you to
> > drive the IC 4KL amp with an exciter other than Icom..Allow you to
> > change bands manually. Has provision to key the amp and connect ALC.
> > back to exciter. Professionally built as a test fixture..NOT AN ICOM
> > DEVICE... [probably work with IC-2 KL also] Picture available.. Yours
> > for $50.00 plus shipping..W4PQW

And a top-poster as well, one who obviously doesn't care enough to take responsibility for their own actions by learning how to use Usenet before spewing all over it.

<sigh>

PLONK!

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."

From -3838582488224782011
X-Google-Thread: 108122,f7b70853b159ad1b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-mail
From: "BlueNinjaBiker" <guardian9622@yahoo.co.uk>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Cobra 146GTL CB Radio
Date: 7 Mar 2006 02:47:05 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1141728424.854942.269220@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 81.157.202.65
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141728430 16401 127.0.0.1 (7 Mar 2006 10:47:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Mar 2006 10:47:10 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=81.157.202.65;
   posting-account=dKVd5w0AAACygcVhyGBkKp_MWFbjw9vr
Xref: g2news1.google.com rec.radio.amateur.equipment:2903

I am selling my excellent Cobra 146GTL on eBay.
Please follow the below link for details.

http://cgi.ebay.co.uk/ws/eBayISAPI.dll?ViewItem&item=9111648916&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

Sorry if this is the wrong group.

Regards

From -4639077935854100784
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe02.news.easynews.com.POSTED!not-for-mail
From: Smooth B <SmoothB@msn.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: A round of applause
Message-ID: <gm1r02d5v5sri5qcboglfmjsq52nqbjva8@4ax.com>
References: <120k9k1ha1vbjc8@corp.supernews.com>
<r7rOf.172133$US.119772@news.ono.com> <120m87017edfp34@corp.supernews.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 15
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 07 Mar 2006 13:13:04 GMT
Xref: g2news1.google.com rec.radio.cb:6380 rec.radio.amateur.equipment:2904
rec.radio.swap:2992

>
><listenupKEYCLOWN@akc.org> wrote in message
>news:r7rOf.172133$US.119772@news.ono.com...
>>> "Dana" <dana@panix.com> wrote in message

>> Amps are illegal on CB. Keyclowns are prevented from buying amps
>> on eBay by AKC vigilance.

But can the Keydown Masters still get amps in the real world? Answer
Yes!!! I can get them any time I want and to make it even worse for
the anti keydowners... I sell them as well. I have been selling them
and buying them way before ebay or the internet and I will even after
they are gone... Now what anti keydowners???

From 1849537870251437083
X-Google-Thread: 108122,6077aa372e31637c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-mail
From: "Used2Way" <pchoman@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: GTX900 LTR Mobiles
Date: 7 Mar 2006 05:21:24 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1141737683.951118.199710@v46g2000cwv.googlegroups.com>
References: <1141412437.336356.268250@i39g2000cwa.googlegroups.com>
<1141619102.550681.85540@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 67.176.18.126
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141737689 5234 127.0.0.1 (7 Mar 2006 13:21:29 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Mar 2006 13:21:29 +0000 (UTC)
In-Reply-To: <1141619102.550681.85540@e56g2000cwe.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=67.176.18.126;
posting-account=BzojKA0AAAC1zkGBiXVuJyDhKR1gk6nH
Xref: g2news1.google.com rec.radio.amateur.equipment:2905

896-902 & 935-941 Mhz

I can have pics available is you are intersted.

Paul
720-219-8898

From -5666373776567372589
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 07 Mar 2006 07:31:50 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <120k9k1ha1vbjc8@corp.supernews.com>
<r7rOf.172133$US.119772@news.ono.com> <120m87017edfp34@corp.supernews.com>
<gm1r02d5v5sri5qcboglfmjsq52nqbjva8@4ax.com>
Subject: Re: A round of applause
Date: Tue, 7 Mar 2006 07:31:53 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670

```
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <XcydnYjdLofbFpDZRVn-pw@comcast.com>
Lines: 25
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
yV3zA2D6apbJeEOkGSqfWx1tnAszrXD2rpFTjpzF1Wq4RH+wLsOXivmhi339c2PMqdEkga0V1zmpBQx!
aNIS++vt7/1xL1Gw85M+9fR+CD3+CbtFbNt1LWhzpCrldfmRedciNAjZboKGp+4NazL/RxABauk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2906

<X-post canciled)

"Smooth B" <SmoothB@msn.com> wrote in message
news:gm1r02d5v5sri5qcboglfmjsq52nqbjva8@4ax.com...
>
>
>>
>><listenupKEYCLOWN@akc.org> wrote in message
>>news:r7rOf.172133$US.119772@news.ono.com...
>>>> "Dana" <dana@panix.com> wrote in message
>
>>> Amps are illegal on CB. Keyclowns are prevented from buying amps
>>> on eBay by AKC vigilance.
>
> But can the Keydown Masters still get amps in the real world? Answer
> Yes!!! I can get them any time I want and to make it even worse for
> the anti keydowners... I sell them as well. I have been selling them
> and buying them way before ebay or the internet and I will even after
> they are gone... Now what anti keydowners???

Welcome to my killfile

*PLONK*




From 3710340543875015348
X-Google-Thread: 1109af,1e55b306931ea795
X-Google-Thread: fc8b1,1e55b306931ea795
X-Google-Thread: 108122,1e55b306931ea795
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-
service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups:
```

rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Re: Wanted: some ARC5 transmitter parts
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
References: <evidnT2sBuIx85_ZnZ2dnUVZ_sadnZ2d@centurytel.net>
<4409b8d7$0$25073$ecde5a14@news.coretel.net>
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 51
Message-ID: <nXfPf.2$9v2.0@dfw-service2.ext.ray.com>
Date: Tue, 07 Mar 2006 13:32:03 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1141738323 138.126.48.166 (Tue, 07 Mar 2006
07:32:03 CST)
NNTP-Posting-Date: Tue, 07 Mar 2006 07:32:03 CST
Organization: Raytheon Company
Xref: g2news1.google.com rec.radio.swap:2993 rec.radio.amateur.boatanchors:3204
rec.radio.amateur.equipment:2907

Thanks for your offer to help, OM. Yours is only the third
response I've gotten to my request (sad, eh?). A gentleman
in Wisconsin was able to supply me all of the parts I needed
for just the postage cost (I'm going to force him to accept
some money for the parts, however!).

Thanks and 73,
Dean K5DH

In article <4409b8d7$0$25073$ecde5a14@news.coretel.net>, Junkmail@CLFURENT.COM
says...
>
>do you have some pics? I "think" I may have some but it's been so long s
>ince
>I stripped them down I can't recall. I ask for the pics because as you
>know - one person's idea of antenna binding posts may be a tad different
>
>than others - for example. I want to get you the "exact" parts if I have
>
>them. I had a couple complete set ups at one time which I stripped down.
>
>I've since sold most of the coil forms and some miscellaneous. But I THI
>NK I
>still have some other stuff in my junk boxes. I just need to match them
>to
>your needs.
>
>--
>WWW.CLFURENT.COM
>WWW.CLFURENT-GIFTS.ISPEEDWAY.COM
>WWW.CLFURENT-GIFTS.ISPEEDWAY.COM/IMALL/
>

>"=K=5=D=H=" <k5dh@qsl.net> wrote in message
>news:evidnT2sBuIx85_ZnZ2dnUVZ_sadnZ2d@centurytel.net...
>> I'm looking for the following ARC5 transmitter parts:
>>
>> - Antenna binding post ass'y (need two of these)
>> - Relay (the one underneath the chassis)
>> - Ceramic end plate for mounting roller coil
>> - Window with calibrations (clear part only)
>>
>> I'm restoring a BC-459-A (7.0 - 9.1 mc) but these are
>> generic parts that can come from any ARC5-type xmtr.
>>
>> 73,
>> Dean K5DH
>>
>
>

```
From -1705512390811324369
X-Google-Thread: 1109af,1e55b306931ea795
X-Google-Thread: fc8b1,1e55b306931ea795
X-Google-Thread: 108122,1e55b306931ea795
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!news-xxxfer.readnews.com!news-out.readnews.com!spool-
big1.readnews.com!news.coretel.net!not-for-mail
From: "CLFE" <Junkmail@CLFURENT.COM>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <evidnT2sBuIx85_ZnZ2dnUVZ_sadnZ2d@centurytel.net>
<4409b8d7$0$25073$ecde5a14@news.coretel.net> <nXfPf.2$9v2.0@dfw-
service2.ext.ray.com>
Subject: Re: Wanted:  some ARC5 transmitter parts
Date: Tue, 7 Mar 2006 10:17:18 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Lines: 70
Message-ID: <440da3d9$0$25074$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: d1d557ee.news.coretel.net
X-Trace: DXC=Y]]TFHQW1]^h2K[=T=Xi_\cYX6N<OEXQ[BO`7;<`?
UGUbnLS17FWEg_>@fJjDUnHPYoI9BbHhLd\X
X-Complaints-To: abuse@coretel.net
Xref: g2news1.google.com rec.radio.swap:2996 rec.radio.amateur.boatanchors:3205
rec.radio.amateur.equipment:2908
```

No problem, you're quite welcome. Just hope you understood, I have "forgotten" what those parts looked like exactly, so I wanted to be able to match them. While most "antenna posts" may look the same - a dial glass won't. At any rate, glad to hear you got your supply. As to these parts, many times I strip things down and sell the parts dirt cheap. I don't look to get rich off any one part - I "try" to offer a decent price for folks like you to do what we do. Hey, I scrounge too for parts to do projects! If I don't have it - I have to go look too. I love homebrewing myself and doing Tube type Ham and CB rigs (leisure and repair).

clf

"-=H=-" <k5dh@raytheon.com> wrote in message
news:nXfPf.2$9v2.0@dfw-service2.ext.ray.com...
> Thanks for your offer to help, OM. Yours is only the third
> response I've gotten to my request (sad, eh?). A gentleman
> in Wisconsin was able to supply me all of the parts I needed
> for just the postage cost (I'm going to force him to accept
> some money for the parts, however!).
>
> Thanks and 73,
> Dean K5DH
>
>
> In article <4409b8d7$0$25073$ecde5a14@news.coretel.net>,
> Junkmail@CLFURENT.COM
> says...
>>
>>do you have some pics? I "think" I may have some but it's been so long s
>>ince
>>I stripped them down I can't recall. I ask for the pics because as you
>>know - one person's idea of antenna binding posts may be a tad different
>>
>>than others - for example. I want to get you the "exact" parts if I have
>>
>>them. I had a couple complete set ups at one time which I stripped down.
>>
>>I've since sold most of the coil forms and some miscellaneous. But I THI
>>NK I
>>still have some other stuff in my junk boxes. I just need to match them
>>to
>>your needs.
>>
>>--
>>WWW.CLFURENT.COM
>>WWW.CLFURENT-GIFTS.ISPEEDWAY.COM
>>WWW.CLFURENT-GIFTS.ISPEEDWAY.COM/IMALL/
>>
>>"=K=5=D=H=" <k5dh@qsl.net> wrote in message
>>news:evidnT2sBuIx85_ZnZ2dnUVZ_sadnZ2d@centurytel.net...
>>> I'm looking for the following ARC5 transmitter parts:

```
>>>
>>> - Antenna binding post ass'y (need two of these)
>>> - Relay (the one underneath the chassis)
>>> - Ceramic end plate for mounting roller coil
>>> - Window with calibrations (clear part only)
>>>
>>> I'm restoring a BC-459-A (7.0 - 9.1 mc) but these are
>>> generic parts that can come from any ARC5-type xmtr.
>>>
>>> 73,
>>> Dean K5DH
>>>
>>
>>
>




From 8466307392277461573
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-
a2kHrUvQQWlmc!not-for-mail
From: "Fred W4JLE" <w4jle@w4jle.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <MtidnRSjppbMe5HZRVn-pA@comcast.com>
<ka7Pf.172309$US.10216@news.ono.com> <120q6hbfvoojg0b@corp.supernews.com>
Subject: Re: Illegal CB Keyclowns applaud BrokeDick Mountain Oscar
Date: Tue, 7 Mar 2006 10:17:25 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <8b0e9$440da406$471c6203$26237@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 11
X-Trace: 8b0e9440da406e2b9c7a626237
Xref: g2news1.google.com rec.radio.cb:6382 rec.radio.amateur.equipment:2909
rec.radio.swap:2997

Send me $100.00 and I will send you the deed.

"Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
news:120q6hbfvoojg0b@corp.supernews.com...
> <AKC_rules-ya@akc.org> wrote in message
> news:ka7Pf.172309$US.10216@news.ono.com...
>
> We will own 10 meters in the next 5 years.
>




From 6296101117601948040
X-Google-Thread: 108122,9aed5c28ce0caa7b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mike@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Bencher Chrome plated hand Key
Date: Tue, 07 Mar 2006 09:58:51 -0600
Organization: netINS InterNetNews site
Lines: 2
Message-ID: <86br02lisr8stu75ea0p3m6cjiqb1k7a13@4ax.com>
Reply-To: mike@l2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1141747119 9853 67.55.159.6 (7 Mar 2006 15:58:39 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Tue, 7 Mar 2006 15:58:39 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:2910

Hello, I have a beautiful Bencher ST2 Chrome hand key. Please email me
if you would like a picture. $80 Shipped. Thanks, Mike


From -6073460202057784621
X-Google-Thread: 108122,a43b778b88ef8264
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-
for-mail
From: Me <Me@shadow.orgs>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom amplifier control box.
Organization: Me and my shadow
References: <1141604887.105812.107970@i40g2000cwc.googlegroups.com>
<1141658159.806714.204570@e56g2000cwe.googlegroups.com>
<MPG.1e76cf41506d6a1f9896b1@192.168.42.131>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <Me-6E5DCC.08342207032006@netnews.worldnet.att.net>
Lines: 28
```

```
Date: Tue, 07 Mar 2006 17:31:49 GMT
NNTP-Posting-Host: 12.12.208.2
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1141752709 12.12.208.2 (Tue, 07 Mar
2006 17:31:49 GMT)
NNTP-Posting-Date: Tue, 07 Mar 2006 17:31:49 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2911

In article <MPG.1e76cf41506d6a1f9896b1@192.168.42.131>,
 Dr. Anton T. Squeegee <SpammersAreVermin@dev.null> wrote:

> In article <1141658159.806714.204570@e56g2000cwe.googlegroups.com>,
> w4pqw@cox.net (known to some as w4pqw@cox.net) scribed...
>
> >   Don`t blame me,I had nothing to do with multiple listing. Just mind
> > your own business  OK. W4PQW
> > w4pqw@cox.net wrote:
> > > I have a remote control box for Icom IC-4KL ..It will allow you to
> > > drive the IC 4KL amp with an exciter other than Icom..Allow you to
> > > change bands manually. Has provision to key the amp and connect ALC.
> > > back to exciter. Professionally built as a test fixture..NOT AN ICOM
> > > DEVICE... [probably work with IC-2 KL also]  Picture available..  Yours
> > > for $50.00 plus shipping..W4PQW
>
>    And a top-poster as well, one who obviously doesn't care enough to
> take responsibility for their own actions by learning how to use Usenet
> before spewing all over it.
>
>    <sigh>
>
>    *PLONK!*

and just who elected you Internet Newsgroup Posting Cop.....
go troll the porn groups, and leave the rest of the world alone.....

Me



From 5825809069549271476
X-Google-Thread: 108122,bac626831331e558,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news-
feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!
tornado.socal.rr.com.POSTED!53ab2750!not-for-mail
Reply-To: "Stan" <swperk@nospam.com>
From: "Stan" <swperk@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Trying to contact Tom Gootee about a BA manual never received
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <kAjPf.13824$992.12922@tornado.socal.rr.com>
Date: Tue, 07 Mar 2006 17:40:32 GMT
NNTP-Posting-Host: 66.74.219.56
X-Complaints-To: abuse@rr.com
X-Trace: tornado.socal.rr.com 1141753232 66.74.219.56 (Tue, 07 Mar 2006 09:40:32 PST)
NNTP-Posting-Date: Tue, 07 Mar 2006 09:40:32 PST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2912

Hi all,

I found a manual on Tom Gootee's web site: http://www.fullnet.com/u/tomg/gooteesu.htm, oredered it and paid for it via PayPal. Now, almost three months later, I still have not received the manual nor have any of my numerous e-mails, voice mails, or messages left with someone who occasionally answers his phone been returned. Does anyone know how to get ahold of him or what may be going on?

Thanks,
Stan
swperk-at-earthlink-dot-net

From -1974827322926600437
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Illegal CB Keyclowns applaud BrokeDick Mountain Oscar
Date: Tue, 7 Mar 2006 12:11:04 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120rj5okntv3pd8@corp.supernews.com>
References: <120q6hbfvoojg0b@corp.supernews.com> <Kr9Pf.172312$US.108296@news.ono.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 15

```
Xref: g2news1.google.com rec.radio.cb:6387 rec.radio.amateur.equipment:2913
rec.radio.swap:2999

<KeysissiesRgay@akccruleszyou.com> wrote in message
news:Kr9Pf.172312$US.108296@news.ono.com...
>> <AKC_rules-ya@akc.org> wrote in message
>> news:ka7Pf.172309$US.10216@news.ono.com...
>>
>> We will own 10 meters in the next 5 years.
>>
>>
>
> You need that band space in order to make new gay contacts in
> order to satisfy your keyclown penis-lust.

That might have meant something if it were not coming from a retard.




From 6326486434489287249
X-Google-Thread: 108122,e9c1c64cf693ba19,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!8f49b214!
not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: new kenwood?
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-2C5580.15381607032006@news.verizon.net>
Lines: 5
Date: Tue, 07 Mar 2006 20:38:16 GMT
NNTP-Posting-Host: 141.149.36.192
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1141763896 141.149.36.192 (Tue, 07 Mar 2006 15:38:16 EST)
NNTP-Posting-Date: Tue, 07 Mar 2006 15:38:16 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2914

i heard there might be a new kenwood rig out soon prob unv at dayton

anyone have any skuttlebut on it or any links  ?

tnx


From -7086047226466820692
X-Google-Thread: 108122,d4d31757a55c288e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 07 Mar 2006 16:43:53 -0600
Message-ID: <440E0CAA.2090406@comcast.net>
Date: Tue, 07 Mar 2006 17:43:54 -0500
From: David Shrader <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Mobile mounts
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Host: 24.62.153.74
X-Trace:
sv3-7xwrGWCWbFl7lY6j2iOtRSjfie0U4NPkUCCmrsRkzoBo4j+HretIgaHEjnn4MY6iDSQMt+6tinFK0g
M!pzj8LJ6CQ+eDrYp0txLXb2lcfmini6u7V4AA5NnPrTaNbrP+5lg6rrND882pjOcxe+JS/Tl6DA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2915
```

I have been using the Diamond K400C mounted on the lip of the bed in my Ford Ranger with Hamsticks successfully for four years.

I'm planning on moving up to a heavier antenna system, 500 watts on 60 meters [50 watts ERP], and am looking for manufacturers of sturdier mounts short of welding a support to the vehicle frame.

Who has comments? Pls provide URLs either direct response or on list.

```
From -9214756160058215023
X-Google-Thread: 108122,d4d31757a55c288e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!pln-w!spln!rex!
extra.newsguy.com!newsp.newsguy.com!enews2
From: "Leanne" <leanne@islc.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile mounts
Date: Tue, 7 Mar 2006 17:55:03 -0500
Organization: http://extra.newsguy.com
Lines: 17
```

Message-ID: <dul37o01h47@enews2.newsguy.com>
References: <440E0CAA.2090406@comcast.net>
NNTP-Posting-Host: p-513.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:2916

"David Shrader" <W1MCE@comcast.net> wrote in message
news:440E0CAA.2090406@comcast.net...

> I have been using the Diamond K400C mounted on the lip of the bed in my
> Ford Ranger with Hamsticks successfully for four years.
>
> I'm planning on moving up to a heavier antenna system, 500 watts on 60
> meters [50 watts ERP], and am looking for manufacturers of sturdier
> mounts short of welding a support to the vehicle frame.
>
> Who has comments? Pls provide URLs either direct response or on list.

For a start, take a look at http://wb0w.com/Mobile_Acc/pickupbedmnts.htm

Leanne - W1WXS

From 7576135810790061431
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-11!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: ANSWER: THOUSANDS MORE! MILLIONS! AKC WILL NEVER STOP!
Date: Tue, 7 Mar 2006 17:20:46 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120s5ae9lml1mc6@corp.supernews.com>
References: <440CE818.676A5297@GVTC.NET> <svmPf.172945$US.115993@news.ono.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news1.google.com rec.radio.cb:6390 rec.radio.amateur.equipment:2917 rec.radio.swap:3001

<AKC_slaps_keyclowns@akc.org> wrote in message news:svmPf.172945$US.115993@news.ono.com...
>> Dont you people have anything else to do beside create aggravation on
>> this newsgroup!
>>
>> Besides who cares, if you or someone wants to sell a cb amp.
>>
>> This is a free country, the last time I checked!!!!
>>
>> radio will.
>>
>>
>>
>
> NUTHIN YOU CAN DO ABOUT IT!

The same amount as you can do about amps...NUTHIN

From 4554287043151277076
X-Google-Thread: 108122,3f0cf010b5a5439b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!stamper.news.atl.earthlink.net!newsread3.news.atl.earthlink.net.POSTED!b7871265!not-for-mail
Reply-To: "James F. Mayer" <jfma@ix.netcom.com>
From: "James F. Mayer" <jfma@ix.netcom.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HP 8568
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <WcpPf.1192$k75.185@newsread3.news.atl.earthlink.net>
Date: Wed, 08 Mar 2006 00:05:10 GMT
NNTP-Posting-Host: 4.247.206.247
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1141776310 4.247.206.247 (Tue, 07 Mar 2006 16:05:10 PST)
NNTP-Posting-Date: Tue, 07 Mar 2006 16:05:10 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2918

How do I get an HP 8568 spectrum analyzer to reply to an HPIB command in VB4?   What command do I use? I am using an NI GPIB/TNT card.

```
From 2304291796716952625
X-Google-Thread: 108122,3f0cf010b5a5439b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!53ab2750!not-for-mail
From: Ken Taylor <ken123@xxxxtra.co.nz>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HP 8568
References: <WcpPf.1192$k75.185@newsread3.news.atl.earthlink.net>
In-Reply-To: <WcpPf.1192$k75.185@newsread3.news.atl.earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <sTpPf.4669$JZ1.109776@news.xtra.co.nz>
Date: Wed, 08 Mar 2006 13:50:27 +1300
NNTP-Posting-Host: 219.88.64.2
X-Complaints-To: abuse@xtra.co.nz
X-Trace: news.xtra.co.nz 1141779032 219.88.64.2 (Wed, 08 Mar 2006 13:50:32 NZDT)
NNTP-Posting-Date: Wed, 08 Mar 2006 13:50:32 NZDT
Organization: Xtra
Xref: g2news1.google.com rec.radio.amateur.equipment:2919

James F. Mayer wrote:
>    How do I get an HP 8568 spectrum analyzer to reply to an HPIB command in
> VB4?   What command do I use?  I am using an NI GPIB/TNT card.
>
>
Have you got a VBCrLf at the end of the command string?

Cheers.

Ken



From 3239990807108543933
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: ANSWER: THOUSANDS MORE! MILLIONS! AKC WILL NEVER STOP!
From: NostoppinAKC@akc.org
Date: Wed, 08 Mar 2006 00:59:59 GMT
Message-ID: <j0qPf.172970$US.22542@news.ono.com>
References:  <120s5ae9lml1mc6@corp.supernews.com>
Lines: 24
```

```
NNTP-Posting-Host: 172.166.28.247
Path: g2news1.google.com!news1.google.com!fu-berlin.de!news-out.newsfeeds.com!
propagator2-sterling.newsfeeds.com!news-in.newsgrooups.com!news-out2.kabelfoon.nl!
newsfeed.kabelfoon.nl!bandi.nntp.kabelfoon.nl!80.239.144.83.MISMATCH!
newspeer1.de.telia.net!newspeer4.de.telia.net!de.telia.net!newsf01.ono.com!
news.ono.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
X-Trace: news.ono.com 1141779599 172.166.28.247 (Wed, 08 Mar 2006 01:59:59 MET)
your: name <you@company.com>
NNTP-Posting-Date: Wed, 08 Mar 2006 01:59:59 MET
Xref: g2news1.google.com rec.radio.cb:6391 rec.radio.amateur.equipment:2920
rec.radio.swap:3002

> <AKC_slaps_keyclowns@akc.org> wrote in message
> news:svmPf.172945$US.115993@news.ono.com...
> >> Dont you people have anything else to do beside create aggravation on
> >> this newsgroup!
> >>
> >> Besides who cares,  if you or someone wants to sell a cb amp.
> >>
> >> This is a free country,  the last time I checked!!!!
> >>
> >> radio will.
> >>
> >>
> >>
> >
> > NUTHIN YOU CAN DO ABOUT IT!
>
> The same amount as you can do about amps...NUTHIN
>
>

We bust truck stops selling keyclown gear.
We slap amps of eBay DAILY.
You will NEVER stop the AKC.



From -5252426121309385398
X-Google-Thread: 108122,3f0cf010b5a5439b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-
mail
From: cs_posting@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HP 8568
Date: 7 Mar 2006 17:59:47 -0800
Organization: http://groups.google.com
Lines: 23
Message-ID: <1141783187.911564.86730@v46g2000cwv.googlegroups.com>
References: <WcpPf.1192$k75.185@newsread3.news.atl.earthlink.net>
```

NNTP-Posting-Host: 24.215.171.164
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141783227 510 127.0.0.1 (8 Mar 2006 02:00:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Mar 2006 02:00:27 +0000 (UTC)
In-Reply-To: <WcpPf.1192$k75.185@newsread3.news.atl.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=24.215.171.164;
   posting-account=eJWpAgwAAAA6NSvVMPW-24TZytfy8oL2
Xref: g2news1.google.com rec.radio.amateur.equipment:2921

James F. Mayer wrote:
> How do I get an HP 8568 spectrum analyzer to reply to an HPIB command in
> VB4?   What command do I use? I am using an NI GPIB/TNT card.

If you have an NI card, you are allowed to download the full suite of
NI VISA & GPIB software and run Measurement & Automation Explorer. You
should be able to type commands to the instrument and see responses.
Don't know if the 8568 will respond to a standard *IDN? query, but
that's one thing to try.

Like Ken said make sure you are sending a newline \n, ascii 10 or hex
0a or control J at the end of your command or query. You also have to
configure your computer to use 0x0a as the terminating character on
receives otherwise it will keep waiting for characters until you hit
the timeout.

I use VB6 with the visa32 library for GPIB, and key points are the same
as for using the manual window in measurment & automation. The visa32
documentation has an example that worked well for me.

This assumes your cable and adapter are good and that you have set a
valid address on the analyzer.

From 3784303354357957703
X-Google-Thread: 108122,3f0cf010b5a5439b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j52g2000cwj.googlegroups.com!not-for-mail
From: cs_posting@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HP 8568
Date: 7 Mar 2006 18:19:49 -0800
Organization: http://groups.google.com
Lines: 23
Message-ID: <1141783123.239914.325130@j52g2000cwj.googlegroups.com>

References: <WcpPf.1192$k75.185@newsread3.news.atl.earthlink.net>
NNTP-Posting-Host: 24.215.171.164
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141784408 3464 127.0.0.1 (8 Mar 2006 02:20:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Mar 2006 02:20:08 +0000 (UTC)
In-Reply-To: <WcpPf.1192$k75.185@newsread3.news.atl.earthlink.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j52g2000cwj.googlegroups.com; posting-host=24.215.171.164;
   posting-account=eJWpAgwAAAA6NSvVMPW-24TZytfy8oL2
Xref: g2news1.google.com rec.radio.amateur.equipment:2922

James F. Mayer wrote:
> How do I get an HP 8568 spectrum analyzer to reply to an HPIB command in
> VB4?   What command do I use? I am using an NI GPIB/TNT card.

If you have an NI card, you are allowed to download the full suite of
NI VISA & GPIB software and run Measurement & Automation Explorer. You
should be able to type commands to the instrument and see responses.
Don't know if the 8568 will respond to a standard *IDN? query, but
that's one thing to try.

Like Ken said make sure you are sending a newline \n, ascii 10 or hex
0a or control J at the end of your command or query. You also have to
configure your computer to use 0x0a as the terminating character on
receives otherwise it will keep waiting for characters until you hit
the timeout.

I use VB6 with the visa32 library for GPIB, and key points are the same
as for using the manual window in measurment & automation. The visa32
documentation has an example that worked well for me.

This assumes your cable and adapter are good and that you have set a
valid address on the analyzer.

From -1964006043222846271
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-spur1.maxwell.syr.edu!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Hamguy" <hamguy@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net>
Subject: Re: new kenwood?
Lines: 13

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Q6sPf.9091$jf2.7931@twister.nyroc.rr.com>
Date: Wed, 08 Mar 2006 03:23:28 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1141788208 24.58.195.67 (Tue, 07 Mar 2006 22:23:28 EST)
NNTP-Posting-Date: Tue, 07 Mar 2006 22:23:28 EST
Organization: Road Runner
Xref: g2news1.google.com rec.radio.amateur.equipment:2923

It's going to be a model that has 'D-Star' capability, like some of the Icoms do.

"ml" <m@di.net> wrote in message
news:m-2C5580.15381607032006@news.verizon.net...
>i heard there might be a new kenwood rig out soon prob unv at dayton
>
> anyone have any skuttlebut on it or any links ?
>
> tnx

From 9107869550721696963
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 07 Mar 2006 22:03:49 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com>
Subject: Re: new kenwood?
Date: Tue, 7 Mar 2006 22:03:51 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
Lines: 23
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-

YT2MU+A0Tcw0RKVZYPvRFvswulX4CQp6J7ncCMyYuUmO1K6+pXl1HQVP7mZYYwSsGVfRNizU3pcP+d8!/
CotMTNfLIejOVzYsgQfj5JlQm8XV9PihbYZH7DMNdk0hrgb4jApRiZaXJ3SkksfYEtNN/5OZg4=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2924

Whatever happenet to a simple to operate 100watt HF rig that transmits and
recieves??... something in the way of an inexpensive, baseline, HAM band
only rig... maybe along the lines of the re-production of the TS-130S.

-n6ojn

"Hamguy" <hamguy@arrl.net> wrote in message
news:Q6sPf.9091$jf2.7931@twister.nyroc.rr.com...
> It's going to be a model that has 'D-Star' capability, like some of the
> Icoms do.
>
>
> "ml" <m@di.net> wrote in message
> news:m-2C5580.15381607032006@news.verizon.net...
>>i heard there might be a new kenwood rig out soon prob unv at dayton
>>
>> anyone have any skuttlebut on it or any links ?
>>
>> tnx
>
>

From -7984438182283142455
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: ANSWER: THOUSANDS MORE! MILLIONS! AKC WILL NEVER STOP!
From: AKC_slaps_keyclowns@akc.org
Date: Tue, 07 Mar 2006 21:00:08 GMT
Message-ID: <svmPf.172945$US.115993@news.ono.com>
References: <440CE818.676A5297@GVTC.NET>
Lines: 13
NNTP-Posting-Host: 172.164.61.155
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
molokai.public-internet.co.uk!newspeer.public-internet.co.uk!gail.ripco.com!news-
out.newsfeeds.com!propagator2-sterling.newsfeeds.com!news-in.newsgrooups.com!
chloor.box.nl!feeder.enertel.nl!nntpfeed-01.ops.asmr-01.energis-idc.net!
216.196.110.149.MISMATCH!border2.nntp.ams.giganews.com!

```
border1.nntp.ams.giganews.com!nntp.giganews.com!newsfeed101.telia.com!
nf02.dk.telia.net!80.239.144.83.MISMATCH!newspeer1.de.telia.net!
newspeer4.de.telia.net!de.telia.net!newsf01.ono.com!news.ono.com.POSTED!53ab2750!
not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
X-Trace: news.ono.com 1141765208 172.164.61.155 (Tue, 07 Mar 2006 22:00:08 MET)
your: name <you@company.com>
NNTP-Posting-Date: Tue, 07 Mar 2006 22:00:08 MET
Xref: g2news1.google.com rec.radio.cb:6392 rec.radio.amateur.equipment:2925
rec.radio.swap:3003

> Dont you people have anything else to do beside create aggravation on
> this newsgroup!
>
> Besides who cares,  if you or someone wants to sell a cb amp.
>
> This is a free country,  the last time I checked!!!!
>
> radio will.
>
>
>

NUTHIN YOU CAN DO ABOUT IT!



From -1545941785572780204
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Keyclown sissies must cry
From: akc_rules@yahoo.com
Date: Wed, 08 Mar 2006 06:34:10 GMT
Message-ID: <CVuPf.172973$US.119423@news.ono.com>
References:  <nqmdnb1CS-E8s5DZRVn-qw@comcast.com>
Lines: 13
NNTP-Posting-Host: 172.137.7.229
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
koehntopp.de!news1.tnib.de!feed.news.tnib.de!news.tnib.de!texta.sil.at!news-
out.nuthinbutnews.com!propagator2-sterling.newsfeeds.com!news-in.newsgrooups.com!
news-out2.kabelfoon.nl!newsfeed.kabelfoon.nl!xindi.nntp.kabelfoon.nl!
newsfeed.freenet.de!newspeer1.de.telia.net!newspeer4.de.telia.net!de.telia.net!
newsf01.ono.com!news.ono.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
X-Trace: news.ono.com 1141799650 172.137.7.229 (Wed, 08 Mar 2006 07:34:10 MET)
your: name <you@company.com>
NNTP-Posting-Date: Wed, 08 Mar 2006 07:34:10 MET
Xref: g2news1.google.com rec.radio.cb:6393 rec.radio.amateur.equipment:2926
rec.radio.swap:3004

> Dr.Death wrote:
```

>
> > We will own 10 meters in the next 5 years.
>
> Even less when the Uncle gets off his duff and comes to terms
> with WRC-03 and the rest of the world, ie, no code.
>
> The only reason the Uncle is dragging his feet, is because it
> won't make them any money to line his pockets, like forcing
> DTV down our throats so they can auction off all that space and
> filling the landfills with perfectly good TVs. Dumb, real dumb.

Keyclowns are dumb.

```
From 5661175708404118519
X-Google-Thread: 108228,801e168af6b15f60,start
X-Google-Thread: 108122,801e168af6b15f60,start
X-Google-Thread: 1062f2,801e168af6b15f60,start
X-Google-Attributes: gid108228,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Mar 2006 06:36:42 -0600
Subject: FA: Ends Today: 5 Electronics Book: TTL Cookbook, Solid-State Relays,
Electronic Projects, Microprocessors, etc.
Date: Wed, 08 Mar 2006 07:36:42 -0500
From: Sam <sam@skoppomoa.com>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,misc.industry.electronics.marketplac
e
Message-ID: <080320060736429526%sam@skoppomoa.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.64.248.186
X-Trace: sv3-
ORNDUmVRqaXCjKLJhxn7QCtRrYAz1ZjdnrgqOnXB57Fn9boAqxm0TK3sbCnqz0C4bE3cCaz4qJIZxdT!
Ho3b2iTWdUV41mo3oguWrhkHHJr/YC4GCT8izsI/dtXI0Xg37yIcIG8W5WJNumDPcYRuryJTEHiQ!
a0FPQM9tBORa9n5bVRY=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com alt.ham-radio.marketplace:697
rec.radio.amateur.equipment:2928 misc.industry.electronics.marketplace:313
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4618139856

```
From 8182465410825648947
X-Google-Thread: 108122,b1fef38e9fc1da93
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio tracking a tortoise - HELP!
Date: 8 Mar 2006 05:19:28 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1141823968.245178.221330@z34g2000cwc.googlegroups.com>
References: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141823976 9609 127.0.0.1 (8 Mar 2006 13:19:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Mar 2006 13:19:36 +0000 (UTC)
In-Reply-To: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2929
```

Fastenen one of those little tinycell phones to his back,when you loose
him,give him a ringy dingy..when his phone rings ,you got him.. Old Ham

```
From 403276105520267140
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Mar 2006 08:13:48 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<mar.sv-86BE9A.03283908032006@news-rdr-02.rdc-kc.rr.com>
Subject: Re: new kenwood?
Date: Wed, 8 Mar 2006 08:13:50 -0600
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <CYSdnZNKVI4Be5PZnZ2dnUVZ_s6dnZ2d@comcast.com>
Lines: 63
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-LWWvhpb+mbZz2W4b5NCPYM6Tb7pVISF/
Jjoax7Hbtlzxb09P4Q8Mzzg7D7YNAJICb0f24cwiUkp+SlH!
+IXGDGnbF53YLf5kLXlxI0b3scEmAiG6HcPQAwDEK/t3gMe8K2UntNJr63sfGAUu06zlf1WN9pqh!
T7W6QHuvrEwO
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2930
```

"rocky" <mar.sv@mars.com> wrote in message
news:mar.sv-86BE9A.03283908032006@news-rdr-02.rdc-kc.rr.com...

> In article <-86dnTEpFPA4ypPZRVn-pA@comcast.com>,
> "Noon-Air" <Noon-Air@comcast.net> wrote:
>
>> Whatever happenet to a simple to operate 100watt HF rig that transmits
>> and
>> recieves??... something in the way of an inexpensive, baseline, HAM band
>> *only* rig... maybe along the lines of the re-production of the TS-130S.
>>
>> -n6ojn
>
>
> too many want,,,,no demand they be able to hook up their computer. The
> days of simple are far in the past.

I was thinking more along the lines of inexpensive, entry level equipment... the ranks of licensed operators is rapidly dwindling as all of us old farts are dying off. The only time that there seems to be any push to increase ranks is after a disaster, when the infrastructure is wiped out and all that is left are the HAM radio operators. I believe that a lot of prospective HAMs are put off because of 2 things....
1) The expen$e of buying new equipment, antennas, towers, etc. Most prospects don't know that you gan get a workable station on the air for just a couple of hundred dollars. All they *see* are the tower systems, and high dollar radios where the HAM has been licensed for 20+ years and has built/accumulated a top drawer station over the years.
2) The equipment is getting to where you have to be an EE just to figure out what everything does. Newbies need to have a simple to operate station so they can learn the basics, then after they get a handle on it, they can start building a station with some of the latest and greatest, state of the art, toys.
I don't know about you, but my first station was nothing more than a used TS-520S, and a wire antenna(40/15M dipole), a borrowed MFJ antenna tuner,

and a straight key(no voice privileges for novices then)...That was all I could afford at the time, and that almost broke the bank. I was a little overwhelmed with the 520 when I first got it and it took me a while to really feel comfortable with the rig. Imagine the new HAM today with something like a TS-2000.....if they can afford it. Even tho I have been an active HAM since 1984, I have had my TS-480HX since July, and I *still* don't know and haven't figured out all it will do...and thats running it mobile!! No tellin what it would do in the shack. Would I recommend the 480 for a newbie?? not hardly... but for an experienced HAM, its a great rig that will do everything you ever dreamed of.
There still needs to be an inexpensive, easy to operate, entry level, HF rig, made available to the new Novice.

What kinds of rigs/stations did the rest of you *start* with??
What do you think that *most* young prospective HAMs would be able to handle to get into the hobby??

-n6ojn

--

Steve @ Noon-Air Heating & A/C
Noon-Air@comcast.net

Life is what happens while you were making other plans

From 7143403836020568468
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Mar 2006 08:41:36 -0600
Date: Wed, 08 Mar 2006 09:41:37 -0500
From: David Shrader <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<mar.sv-86BE9A.03283908032006@news-rdr-02.rdc-kc.rr.com>
<CYSdnZNKVI4Be5PZnZ2dnUVZ_s6dnZ2d@comcast.com>
In-Reply-To: <CYSdnZNKVI4Be5PZnZ2dnUVZ_s6dnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Message-ID: <ANKdnQV1PbC9cJPZnZ2dnUVZ_tKdnZ2d@comcast.com>
Lines: 30
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-aW0kSkAMDytwqn63eg2NKeW2YhAnYx4c+8IcbNd3fXyk9e4cJIdD+Ugp/Zlq7ed0evmXJ879f9TCKXS!3L8rc1cWZ5awXPLt/AKlPQ7R1ZlXFBnDkGfhPWAeKd7VaVZrgndklZu9iCx8C0bU6NJg9hF+gOLP!ZuYsVRKOfhzCJPA+F3M=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2931

Noon-Air wrote:

SNIPPED a lot
>
> What kinds of rigs/stations did the rest of you *start* with??
> What do you think that *most* young prospective HAMs would be able to handle
> to get into the hobby??
>
> -n6ojn
>

A Heathkit AT-1, 15 watts, crystal controlled on 80/40/20/10, used on 80 and 40 CW Novice band in the early 1950s. Receiver was a National SW-54. Antenna was 120 feet of TV twin lead using a small home made tuner [made by my Elmer]. [Total cost $65].

On my first weekend I earned the WATV award :-)

On my second weekend I earned the MLL Award :-)

On the third weekend I earned the OTA award.

On the fourth weekend my Elmer responded to my awards with corrective action.

Praise the Lord for Elmer [Ralph Tedford, [W1GID ?] SK]

Subsequently, been on the air for 50+ years.

From -19626511336066481
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-out.readnews.com!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!

not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
Date: Wed, 8 Mar 2006 15:21:06 +0000 (UTC)
Organization: MGT Consulting
Lines: 54
Message-ID: <slrne0tt7u.7nl.gsm@cable.mendelson.com>
References: <m-2C5580.15381607032006@news.verizon.net> <Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com> <mar.sv-86BE9A.03283908032006@news-rdr-02.rdc-kc.rr.com> <CYSdnZNKVI4Be5PZnZ2dnUVZ_s6dnZ2d@comcast.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: cbl217-132-119-229.bb.netvision.net.il
X-Trace: marvin.misty.com 1141831266 15859 217.132.119.229 (8 Mar 2006 15:21:06 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Wed, 8 Mar 2006 15:21:06 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:2933

Noon-Air wrote:
> What kinds of rigs/stations did the rest of you *start* with??
> What do you think that *most* young prospective HAMs would be able to handle
> to get into the hobby??

The problem is the competition. You can buy a NEW computer for $200, hook it up to broadband and be able to talk around the world, download video in almost real time, get the news, sports and things that you will never see or hear on the radio. No tests, NO MORSE CODE, no controls.

The days of electronics experiemnters going to the "radio shop" and buying some wire, tubes and spare parts and hearing people from around the world are long gone. The mystery is gone, the parts stores are gone and it seems that the desire to work to get an education is all lost in the rush.

Cheap rigs are simply not going to do it. There are so many used rigs on the market these days that go for $300-$400 that even mainland China with their factories that pay so little can compete. As for new rigs, everyone wants a simple voice rig with a digital VFO, a gazillion memories and an AUTOMATIC antenna tuner. You might as well not even include CW, most prospective hams can't be bothered to learn it.

Education and outreach is the only thing that will. Apple computer started the concept of "product evangelism", preaching how good the Macintosh was to the "great uncomputered". Their head evangelist, Guy Kawasaki wrote several books on the subject.

If ham radio is to continue, you need to "product evangelize" ham radio. Go out and give demos to schools, scout troups, youth groups. If there are any kids in your family or neighbors that are interested in computers, take them to hamfests, they'll go for the computers, but the radios may catch their interest.

It's also about time to change the license tests. Drop morse code. Add more good operating practice.

Here in Israel I hear mostly European hams. They are polite and careful operators. When the "skip rolls in" to use a term from another service, it seems like CB. Gone are the polite carefull guys, the U.S. phone bands sound like "lid city". And the CW is not much better, most of it is sent by computer and the same old garbage you hear on SSB, sent by people who can type and have a computer program to copy Morse.

Another pet peeve of mine is sstv. It was "neat" seeing it live from the Mercury space capsules. Fourty years later it has no technological relevance. Why do we have to give up 20-30kHz of the 20 meter band 24/7 for it?

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 IL Fax: 972-2-648-1443 U.S. Voice: 1-215-821-1838
Visit my 'blog at http://geoffstechno.livejournal.com/

From -6271095792059966436
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net> <Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
Subject: Re: new kenwood?
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <8xFPf.2411$Uc2.454@fed1read04>
Date: Wed, 8 Mar 2006 10:39:49 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1141843140 72.197.12.245 (Wed, 08 Mar 2006 13:39:00 EST)
NNTP-Posting-Date: Wed, 08 Mar 2006 13:39:00 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2934

> Whatever happenet to a simple to operate 100watt HF rig that transmits and recieves??... something in the way of an inexpensive, baseline, HAM band

> *only* rig... maybe along the lines of the re-production of the TS-130S.
>
> -n6ojn
>

With the advent of microprocessor based Ham rigs- many more features and wide band (HF, 6M, 2M, 440 and SWL) coverage is easily obtainable at about the same price as a new TS-130S (about $700 new 1980's). See ICOM 706 Mark II G. The "G" is an all-mode transceiver provides 100 watts on HF and 6 meters and 50 watts on 2 meters plus 20 watts on 440 MHz. It receives from 30 kHz to 199 MHz and from 400 to 470 MHz. For $899

In the 1980's you would have paid twice that for separate radios to cover those bands all mode

Lots bang for the buck

As far as complexity -- most have a menu presets -- choose your options and will operate much the same way as a TS-130S

CL -- I doubt, therefore I might be !

```
From -8218677794308209748
X-Google-Thread: fcc6e,c1449118be59346b,start
X-Google-Thread: 108122,c1449118be59346b,start
X-Google-Thread: fc2a5,c1449118be59346b,start
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read11.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: FS: RF Connectors & Adapters
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <1QFPf.2813$ld2.2727@fed1read11>
Date: Wed, 8 Mar 2006 11:00:28 -0800
NNTP-Posting-Host: 64.58.167.76
X-Complaints-To: abuse@cox.net
X-Trace: fed1read11 1141844349 64.58.167.76 (Wed, 08 Mar 2006 13:59:09 EST)
NNTP-Posting-Date: Wed, 08 Mar 2006 13:59:09 EST
Organization: Cox Communications
```

```
Xref: g2news1.google.com rec.radio.amateur.antenna:7214
rec.radio.amateur.equipment:2935 rec.radio.amateur.homebrew:4069
```

For your free copy of our new catalog,

please email sales@AAARFProducts.com

or see www.aaarfproducts.com

or call 949 481 3154 (San Clemente, CA)

No minimum order.

No handling charges.

```
From 6510337233234521651
X-Google-Thread: 108122,d4d31757a55c288e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Mar 2006 15:01:03 -0600
Date: Wed, 08 Mar 2006 16:01:04 -0500
From: David Shrader <W1MCE@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile mounts
References: <440E0CAA.2090406@comcast.net> <dul37o01h47@enews2.newsguy.com>
In-Reply-To: <dul37o01h47@enews2.newsguy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <zcCdnSRf24KS25LZRVn-iw@comcast.com>
Lines: 27
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-
MZvOqtZA88AlE547mi1qK8CEciEec2oq6IQ4l1Icy7pxUFdM+Z7Ejl6ZFHqKHuHhP8AmNwqkKtf5nM2!
gGtIlYsbcUyGEbsjG4tzJQ4NMPmlLywxKM/ydKTvANRGXUJZ+wQzflxKUEtNSA+zKsdknnyJZmdP!
AvX8eg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2936
```

Leanne wrote:

> "David Shrader" <W1MCE@comcast.net> wrote in message
> news:440E0CAA.2090406@comcast.net...
>
>>I have been using the Diamond K400C mounted on the lip of the bed in my
>>Ford Ranger with Hamsticks successfully for four years.
>>
>>I'm planning on moving up to a heavier antenna system, 500 watts on 60
>>meters [50 watts ERP], and am looking for manufacturers of sturdier
>>mounts short of welding a support to the vehicle frame.
>>
>>Who has comments? Pls provide URLs either direct response or on list.
>
>
> For a start, take a look at http://wb0w.com/Mobile_Acc/pickupbedmnts.htm
>
> Leanne - W1WXS

Leanne, TU, I'm looking at them.

I used a stake hole mount a long time ago with fair results.

I may have had installation issues. I'll take another look.

DD, W1MCE

From -7975610856368000604
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-07!
sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: ANSWER: THOUSANDS MORE! MILLIONS! AKC WILL NEVER STOP!
Date: Wed, 8 Mar 2006 17:15:34 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120upcle6thu34c@corp.supernews.com>
References: <120s5ae9lml1mc6@corp.supernews.com>
<j0qPf.172970$US.22542@news.ono.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 35

```
Xref: g2news1.google.com rec.radio.cb:6403 rec.radio.amateur.equipment:2937
rec.radio.swap:3009

<NostoppinAKC@akc.org> wrote in message
news:j0qPf.172970$US.22542@news.ono.com...
>> <AKC_slaps_keyclowns@akc.org> wrote in message
>> news:svmPf.172945$US.115993@news.ono.com...
>> >> Dont you people have anything else to do beside create aggravation on
>> >> this newsgroup!
>> >>
>> >> Besides who cares,  if you or someone wants to sell a cb amp.
>> >>
>> >> This is a free country,  the last time I checked!!!!
>> >>
>> >> radio will.
>> >>
>> >>
>> >>
>> >
>> > NUTHIN YOU CAN DO ABOUT IT!
>>
>> The same amount as you can do about amps...NUTHIN
>>
>>
>
> We bust truck stops selling keyclown gear.
> We slap amps of eBay DAILY.
> You will NEVER stop the AKC.
>
Yet at anytime of the day or night I am able to buy export radios and amps
as large as my car. You are fighting a lost cause. I'm sure you think it is
a noble fight, but again you are wrong. You simply fight this fight as you
have nothing of REAL value to fight for. Some days I almost feel pity for
you and your kind as you will never find true inner happiness as we that own
the aforesaid equipment will always control your life, your feelings Your
emotions show with ever desperate post.




From -9137983708086859187
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Mar 2006 17:56:29 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net>
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<8xFPf.2411$Uc2.454@fed1read04>
```

Subject: Re: new kenwood?
Date: Wed, 8 Mar 2006 17:56:31 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <35OdnQ_DUbaw8pLZRVn-qA@comcast.com>
Lines: 34
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-jImg4W6nlrydgVB3YBp7JRIrD/7f/
+ogyaiBCRxvGdvHF6BygisP47g3W690SWxJL6ffON63lK3Bs6/!
jY4WKa3n7HArK8Y4GjXsMCjTPV8s2kj4sSeazosM0Y62T9FIqZeSDwbcm79o34ZatsW9I3WHHzc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2938

"Caveat Lector" <UALLBeware@9984reader.com> wrote in message
news:8xFPf.2411$Uc2.454@fed1read04...
>
>> Whatever happenet to a simple to operate 100watt HF rig that transmits
>> and
>> recieves??... something in the way of an inexpensive, baseline, HAM band
>> *only* rig... maybe along the lines of the re-production of the TS-130S.
>>
>> -n6ojn
>>
> With the advent of microprocessor based Ham rigs- many more features and
> wide band (HF, 6M, 2M, 440 and SWL) coverage is easily obtainable at
> about the same price as a new TS-130S (about $700 new 1980's). See ICOM
> 706 Mark II G. The "G" is an all-mode transceiver provides 100 watts on HF
> and 6 meters and 50 watts on 2 meters plus 20 watts on 440 MHz. It
> receives from 30 kHz to 199 MHz and from 400 to 470 MHz. For $899
>
> In the 1980's you would have paid twice that for separate radios to cover
> those bands all mode
>
> Lots bang for the buck
>
> As far as complexity -- most have a menu presets -- choose your options
> and will operate much the same way as a TS-130S

You completely missed the point..... A *simple to operate* 100 watt HF rig,
NOT microprocessor based, HAM BANDS ONLY...
What was $700 over 25 years ago, should be able to be produced today for
just a hundred bucks or so. When the latest electronic toys come out, they
command a premium price, and after a couple of years, the price goes down to
where a working stiff can afford them.

```
From 6858547505949427602
X-Google-Thread: 108122,a43b778b88ef8264
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom amplifier control box.
Date: 8 Mar 2006 16:12:28 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1141863147.964676.202230@z34g2000cwc.googlegroups.com>
References: <1141604879.409648.209650@j52g2000cwj.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141863154 31773 127.0.0.1 (9 Mar 2006 00:12:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Mar 2006 00:12:34 +0000 (UTC)
In-Reply-To: <1141604879.409648.209650@j52g2000cwj.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2939
```

I posted this message like always and clicked POST one time. not
2--3--4 or 5 times.I have no control over this website ..I do not know
how all this got screwed up..Why are you WISE APPLES always looking for
something to PILE ON .? Don`t you have something constructive to
do?..Enough already W4PQW

```
From -3845831652600558899
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Thread: 10bf43,3f6ac58b0b03f40c,start
X-Google-Attributes: gid106d41,gid108122,gid1109af,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newshub.sdsu.edu!news-out.readnews.com!
news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: ANSWER: THOUSANDS MORE! MILLIONS! AKC WILL NEVER STOP!
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
```

```
Message-ID: <20060308191234.238$V0@newsreader.com>
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.policy
References: <120s5ae9lml1mc6@corp.supernews.com>
<j0qPf.172970$US.22542@news.ono.com> <120upcle6thu34c@corp.supernews.com>
X-NRC-Trace: NewsReader.Com pV9sY,aGyzR1c_DR5fdoxifbcLAJi/@DsHfqL@XFIxNW9My
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 09 Mar 2006 00:07:21 GMT
Lines: 40
NNTP-Posting-Host: e1d6ba75.nr3.newsreader.com
X-Trace:
DXC=gh[KT@F77jJ<6BZ:QDTHgJOA8_@f\K_iBdZW`2c`iHQFfRJLGmV\B`NNd7biGRhQTGYA@MLbHKH8MA
Ee[CQ7CJg@
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:6405 rec.radio.amateur.equipment:2940
rec.radio.swap:3010 rec.radio.amateur.policy:18389

"Dr.Death" <drdeath@nospam.yahoo.com> wrote:
> <NostoppinAKC@akc.org> wrote in message
> news:j0qPf.172970$US.22542@news.ono.com...
> >> <AKC_slaps_keyclowns@akc.org> wrote in message
> >> news:svmPf.172945$US.115993@news.ono.com...
> >> >> Dont you people have anything else to do beside create aggravation
> >> >> on this newsgroup!
> >> >>
> >> >> Besides who cares,  if you or someone wants to sell a cb amp.
> >> >>
> >> >> This is a free country,  the last time I checked!!!!
> >> >>
> >> >> radio will.
> >> >>
> >> >>
> >> >>
> >> >
> >> > NUTHIN YOU CAN DO ABOUT IT!
> >>
> >> The same amount as you can do about amps...NUTHIN
> >>
> >>
> >
> > We bust truck stops selling keyclown gear.
> > We slap amps of eBay DAILY.
> > You will NEVER stop the AKC.
> >
> Yet at anytime of the day or night I am able to buy export radios and
> amps as large as my car. You are fighting a lost cause. I'm sure you
> think it is a noble fight, but again you are wrong. You simply fight this
> fight as you have nothing of REAL value to fight for. Some days I almost
> feel pity for you and your kind as you will never find true inner
> happiness as we that own the aforesaid equipment will always control your
> life, your feelings Your emotions show with ever desperate post.
```

>
He has no fight, the only reason the cloaked aol-tard posts in rec.radio.cb
is to get a rise out of someone. (another ht ham)

-hamtards usually posts gay shit below here-

From 3428393217878559184
X-Google-Thread: 108122,c25e4a09133d8748,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!cycny01.gnilink.net!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: variac for old boatanchor radios.
Message-ID: <mqsu02dca3071689qmvffk5hbuhb7ni2k1@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Wed, 08 Mar 2006 19:14:19 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1141863258 69.125.167.162 (Wed, 08 Mar 2006 17:14:18 MST)
NNTP-Posting-Date: Wed, 08 Mar 2006 17:14:18 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2941

WTB: variac for old boatanchor radios.
Please respond with what you have and price.
ritchi50@optonline.net

From -6266347169394040677
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newshub.sdsu.edu!tethys.csu.net!
nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: new kenwood?
Date: Thu, 09 Mar 2006 01:37:15 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <120v1mb9po8r941@corp.supernews.com>
References: <m-2C5580.15381607032006@news.verizon.net> <-86dnTEpFPA4ypPZRVn-
pA@comcast.com> <8xFPf.2411$Uc2.454@fed1read04> <35OdnQ_DUbaw8pLZRVn-
qA@comcast.com>

X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 89
Xref: g2news1.google.com rec.radio.amateur.equipment:2942

In article <35OdnQ_DUbaw8pLZRVn-qA@comcast.com>,
Noon-Air <Noon-Air@comcast.net> wrote:

>You completely missed the point..... A *simple to operate* 100 watt HF rig,
>NOT microprocessor based, HAM BANDS ONLY...
>What was $700 over 25 years ago, should be able to be produced today for
>just a hundred bucks or so. When the latest electronic toys come out, they
>command a premium price, and after a couple of years, the price goes down to
>where a working stiff can afford them.

Frankly, I'd be astonished if anyone could build a radio to those specific design goals (non-microprocessor-based, ham-band, 100 watt, roughly $100 retail price). I don't think that the combination of technologies, market size, and price can be achieved. It'd be a very interesting challenge to design, to say the very least!

That's not to say that somebody shouldn't try.

My reasoning is roughly as follows:

- Ham-band operation requires stable frequency operation and tunability. This either requires a very stable VCO, or a synthesizer/PLL system of some sort.

- Mass-production consumer electronics, most commercial comms electronics, and military electronics have long been moving away from the classic sorts of finely-tuned-and-temperature-compensated analog oscillators used in a lot of the sort of classic ham gear you're referring to. These days, decent air-variable capacitors with good bearings are either special-production builds (and horribly expensive) or are used or "new old stock" surplus and thus not suitable for mass commercial use. The same thing seems to be true for a lot of the other "classic ham" electronic components... they're being end-of-lifed and we're lucky to be able to stock up our junk drawers before they're entirely gone!

- Today's low-cost radios are almost all based on synthesizer technology of some sort, with a microcontroller driving the synthesizer. I wouldn't want to try driving/commanding a synthesizer of this sort without a micro - they aren't set up for it.

- Multiple-HF-band operation requires band-specific low-pass filters... certainly after the amp, and perhaps before. You could probably get away with a filter system using less filters than bands (e.g. one filter for 10/12/15, one for 17/20, etc.) but you're still going to need some LPF switching and some fairly hefty inductors.

- Restricting to ham-band-only probably doesn't buy you all that much in savings or performance, these days, due to the large number of bands. In order to gain big savings, I suspect you'd have to limit yourself to a monoband radio.

Now, the idea of doing a simple-to-operate, straightforward HF rig with decent performance isn't a bad one at all. I do suspect that in order to make it manufacturable at a reasonable price you're going to have to accept _some_ degree of LSI integration and microprocessor control. That doesn't mean that it needs to have a massive set of features, lots of bells and whistles and gawldernblinkinlights, etc. It could be a nice, clean front panel.

The closest I currently see to what you're looking for is probably the Ten-Tec Argonaut. However, it's not a full-power barefoot rig... 20 watts... and it's at least five time your cost goal.

I won't say it's impossible to get the retail price of a 100-watt multiband ham-HF rig down to under $200. However, I suspect that it'd require a very great deal of optimization and integration, a lot of use of modern technology (i.e. spinoffs from today's commercially-available RF and DSP chips), and a development effort which would require a potential marketplace of hundreds of thousands of units (or perhaps millions) sold in order to justify.

It'd be interesting to see sorts of HF rigs might be build around a modulator based on some of today's cellphone chip cores and IP... direct conversion, high-performance I/Q phasing modulators, and so forth. More work up front, but (potentially) a lot lower per-unit incremental cost once you get into volume production.

Unfortunately, I'm not sure that the size of the market would justify the investment, needed to create the sort of radio which you feel could help maintain and increase the size of the amateur-radio market in the way that you'd like :-(

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From -8096520675628868282
X-Google-Thread: 108122,e9c1c64cf693ba19
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!newshub.sdsu.edu!peer01.west.cox.net!cox.net!p01!fed1read04.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <m-2C5580.15381607032006@news.verizon.net>

```
<Q6sPf.9091$jf2.7931@twister.nyroc.rr.com> <-86dnTEpFPA4ypPZRVn-pA@comcast.com>
<8xFPf.2411$Uc2.454@fed1read04> <35OdnQ_DUbaw8pLZRVn-qA@comcast.com>
Subject: Re: new kenwood?
Lines: 66
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <86MPf.2427$Uc2.1543@fed1read04>
Date: Wed, 8 Mar 2006 18:08:54 -0800
NNTP-Posting-Host: 72.197.12.245
X-Complaints-To: abuse@cox.net
X-Trace: fed1read04 1141870084 72.197.12.245 (Wed, 08 Mar 2006 21:08:04 EST)
NNTP-Posting-Date: Wed, 08 Mar 2006 21:08:04 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2943

Don't think I missed the point at all
Labor rates UP
Factory space cost UP
Parts UP
Advertising cost Up
Taxes UP
Convention Rates, Travel, Hotels, UP

And at an inflation rate of 4% per year --  the $700 1986 radio would be
$1533 today (sound familiar)

I doubt any mfg can produce your $100 radio (with a 40% margin u wud have to
build it for $60 !!!)
Maybe in China Huh ?

Even the Elecraft basic radio -- (u build it) is $359
And it is CW only -- 4 bands 40, 30, 20 and  17 or 15M
But they are selling a lot of them - folks still love to build



--
CL -- I doubt, therefore I might be !







"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:35OdnQ_DUbaw8pLZRVn-qA@comcast.com...
>
> "Caveat Lector" <UALLBeware@9984reader.com> wrote in message
> news:8xFPf.2411$Uc2.454@fed1read04...
>>
>>> Whatever happenet to a simple to operate 100watt HF rig that transmits
>>> and
>>> recieves??... something in the way of an inexpensive, baseline, HAM band
>>> *only* rig... maybe along the lines of the re-production of the TS-130S.
>>>
>>> -n6ojn
>>>
>> With the advent of microprocessor based Ham rigs- many more features and
>> wide band  (HF, 6M, 2M, 440 and SWL) coverage is easily obtainable at
>> about the same price as a new TS-130S (about $700 new 1980's). See ICOM
>> 706 Mark II G. The "G" is an all-mode transceiver provides 100 watts on
>> HF and 6 meters and 50 watts on 2 meters plus 20 watts on 440 MHz. It
>> receives from 30 kHz to 199 MHz and from 400 to 470 MHz. For $899
>>
>> In the 1980's you would have paid twice that for separate radios to cover
>> those bands all mode
>>
>> Lots bang for the buck
>>
>> As far as complexity -- most have a menu presets -- choose your options
>> and will operate much the same way as a TS-130S
>
> You completely missed the point..... A *simple to operate* 100 watt HF
> rig, NOT microprocessor based, HAM BANDS ONLY...
> What was $700 over 25 years ago, should be able to be produced today for
> just a hundred bucks or so. When the latest electronic toys come out, they
> command a premium price, and after a couple of years, the price goes down
> to where a working stiff can afford them.
>
>




From -7137868518670557371
X-Google-Thread: 108122,939900b05bb7b08f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!
fe08.lga.POSTED!53ab2750!not-for-mail
From: Steve <vonch1@hotmail.com>
Organization: Ademtronix
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:    LAFAYETTE SSB 100, SUPER CLEAN,  CONVERT TO 10 METERS
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <KyMPf.2474$28.237@fe08.lga>
Date: Wed, 08 Mar 2006 21:38:53 -0500
```

```
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1141871914 24.47.254.156 (Wed, 08 Mar 2006 19:38:34 MST)
NNTP-Posting-Date: Wed, 08 Mar 2006 19:38:34 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2944



http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&ssPageName=ADME:L:LCA:US:11&item=5874983037

Thanks





From -7076495866730764988
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Thread: 10bf43,3f6ac58b0b03f40c
X-Google-Attributes: gid106d41,gid108122,gid1109af,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
out.readnews.com!news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: ANSWER: THOUSANDS MORE! MILLIONS! AKC WILL NEVER STOP!
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060308214645.428$Bz@newsreader.com>
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.policy
References: <20060308191234.238$V0@newsreader.com>
<MrMPf.173100$US.46445@news.ono.com>
X-NRC-Trace: NewsReader.Com iOMlmr1Z6NzTH1X@JdE/Dw.uQirCmk,e=gXk_Awl/oGhq+l,
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 09 Mar 2006 02:41:31 GMT
Lines: 5
NNTP-Posting-Host: f870357f.nr3.newsreader.com
X-Trace:
DXC=7VN3BJXWO5hmNa3:8E>AUlOA8_@f\K_ibdZW`2c`iHQfeeCb_2d1U=hNd7biGRhQTg<SVPgDF]ACdS
E8>=;e1T:e
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:6408 rec.radio.amateur.equipment:2945
rec.radio.swap:3014 rec.radio.amateur.policy:18394

nostoppinAKC@akc.org wrote:
>> N8WWM has beaten you badly.
>
He beats his meat with a handful of crisco, look out for that felon. (word
to the wise)
```

```
From -5797722466094751949
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Thread: 10bf43,3f6ac58b0b03f40c
X-Google-Attributes: gid106d41,gid108122,gid1109af,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.policy
Subject: Re: ANSWER: THOUSANDS MORE! MILLIONS! AKC WILL NEVER STOP!
Followup-To: rec.radio.cb
Date: 8 Mar 2006 18:48:14 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1141872494.385215.211870@e56g2000cwe.googlegroups.com>
References: <20060308191234.238$V0@newsreader.com>
   <MrMPf.173100$US.46445@news.ono.com>
   <20060308214645.428$Bz@newsreader.com>
NNTP-Posting-Host: 66.82.9.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141872501 21958 127.0.0.1 (9 Mar 2006 02:48:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Mar 2006 02:48:21 +0000 (UTC)
In-Reply-To: <20060308214645.428$Bz@newsreader.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=66.82.9.49;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news1.google.com rec.radio.cb:6409 rec.radio.amateur.equipment:2946
rec.radio.swap:3015 rec.radio.amateur.policy:18395


Steveo wrote:
> nostoppinAKC@akc.org wrote:
> >> N8WWM has beaten you badly.
> >
> He beats his meat with a handful of crisco, look out for that felon. (word
> to the wise)
grow up



From 2998719904225960808
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
```

```
X-Google-Thread: 10bf43,3f6ac58b0b03f40c
X-Google-Attributes: gid106d41,gid108122,gid1109af,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: ANSWER: THOUSANDS MORE! MILLIONS! AKC WILL NEVER STOP!
From: nostoppinAKC@akc.org
Date: Thu, 09 Mar 2006 02:31:08 GMT
Message-ID: <MrMPf.173100$US.46445@news.ono.com>
References:  <20060308191234.238$V0@newsreader.com>
Lines: 41
NNTP-Posting-Host: 172.153.239.102
Path: g2news1.google.com!news3.google.com!news.glorb.com!gail.ripco.com!news-
out.newsfeeds.com!propagator2-sterling.newsfeeds.com!news-in.newsgrooups.com!
news2.volia.net!newspeer1.de.telia.net!newspeer4.de.telia.net!de.telia.net!
newsf01.ono.com!news.ono.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.policy
X-Trace: news.ono.com 1141871468 172.153.239.102 (Thu, 09 Mar 2006 03:31:08 MET)
your: name <you@company.com>
NNTP-Posting-Date: Thu, 09 Mar 2006 03:31:08 MET
Xref: g2news1.google.com rec.radio.cb:6415 rec.radio.amateur.equipment:2947
rec.radio.swap:3016 rec.radio.amateur.policy:18397

> "Dr.Death" <drdeath@nospam.yahoo.com> wrote:
> > <NostoppinAKC@akc.org> wrote in message
> > news:j0qPf.172970$US.22542@news.ono.com...
> > >> <AKC_slaps_keyclowns@akc.org> wrote in message
> > >> news:svmPf.172945$US.115993@news.ono.com...
> > >> >> Dont you people have anything else to do beside create aggravation
> > >> >> on this newsgroup!
> > >> >>
> > >> >> Besides who cares,  if you or someone wants to sell a cb amp.
> > >> >>
> > >> >> This is a free country,  the last time I checked!!!!
> > >> >>
> > >> >> radio will.
> > >> >>
> > >> >>
> > >> >>
> > >> >
> > >> > NUTHIN YOU CAN DO ABOUT IT!
> > >>
> > >> The same amount as you can do about amps...NUTHIN
> > >>
> > >>
> > >
> > > We bust truck stops selling keyclown gear.
> > > We slap amps of eBay DAILY.
> > > You will NEVER stop the AKC.
> > >
> > Yet at anytime of the day or night I am able to buy export radios and
> > amps as large as my car. You are fighting a lost cause. I'm sure you
> > think it is a noble fight, but again you are wrong. You simply fight this
> > fight as you have nothing of REAL value to fight for. Some days I almost
```

> > feel pity for you and your kind as you will never find true inner
> > happiness as we that own the aforesaid equipment will always control your
> > life, your feelings Your emotions show with ever desperate post.
> >
> He has no fight, the only reason the cloaked aol-tard posts in rec.radio.cb
> is to get a rise out of someone. (another ht ham)

N8WWM has beaten you badly. He is a better man than you'll ever be.

LONG LIVE THE AKC

From -3848019036636530867
X-Google-Thread: fcc6e,c1449118be59346b
X-Google-Thread: 108122,c1449118be59346b
X-Google-Thread: fc2a5,c1449118be59346b
X-Google-Attributes: gidfcc6e,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!tudelft.nl!
txtfeed1.tudelft.nl!news!not-for-mail
From: SamSvL <samsvl@nlr.nl>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Re: FS: RF Connectors & Adapters
Date: 9 Mar 2006 09:03:32 GMT
Organization: NLR
Lines: 18
Message-ID: <Xns97816653B3F63samsvlnlrnl@137.17.128.14>
References: <1QFPf.2813$ld2.2727@fed1read11>
NNTP-Posting-Host: pcvo050a.nlr.nl
X-Trace: simian.nlr.nl 1141895012 1917118 137.17.136.22 (9 Mar 2006 09:03:32 GMT)
X-Complaints-To: mvdberg@news.nlr.nl
NNTP-Posting-Date: 9 Mar 2006 09:03:32 GMT
User-Agent: Xnews/5.04.25
Xref: g2news1.google.com rec.radio.amateur.antenna:7260
rec.radio.amateur.equipment:2948 rec.radio.amateur.homebrew:4081

"AAA RF Products" <sales@aaarfproducts.com> wrote in news:1QFPf.2813
$ld2.2727@fed1read11:

> For your free copy of our new catalog,
>
> please email sales@AAARFProducts.com
>
> or see www.aaarfproducts.com
>
> or call 949 481 3154 (San Clemente, CA)
>
> No minimum order.
>
> No handling charges.
>
>

No shipping to Europe?

```
From -5651037489181281257
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Thread: 10bf43,3f6ac58b0b03f40c
X-Google-Attributes: gid106d41,gid108122,gid1109af,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-
for-mail
Message-ID: <44103150.9AC3E7C7@AKC.ORG>
From: AKC DOG <DOG@AKC.ORG>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.policy
Subject: Re: AKC.ORG IS AMERICAN KENNEL CLUB .ORG !!!
References: <20060308191234.238$V0@newsreader.com>
<MrMPf.173100$US.46445@news.ono.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
Date: Thu, 09 Mar 2006 13:44:48 GMT
NNTP-Posting-Host: 12.76.208.43
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1141911888 12.76.208.43 (Thu, 09 Mar
2006 13:44:48 GMT)
NNTP-Posting-Date: Thu, 09 Mar 2006 13:44:48 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.cb:6432 rec.radio.amateur.equipment:2949
rec.radio.swap:3019 rec.radio.amateur.policy:18427
```

WOOF WOOF

```
From 6258343418896634O9
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 09 Mar 2006 07:56:33 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References:  <20060308214645.428$Bz@newsreader.com>
<YCOPf.173104$US.20276@news.ono.com>
```

```
Subject: Re: AKC MAKES YOU BARK ON COMMAND, ILEGAL SISSY CB'ERS
Date: Thu, 9 Mar 2006 07:56:32 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <bNudnfjhMMmMqY3ZnZ2dnUVZ_vydnZ2d@comcast.com>
Lines: 20
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-idbZ64SZZWiCDUN0bLBZ3mwg7D/Rzc/
73g9voNIAIjL9H9ujLyAMSLP9w24GI1dksQ73cOZF7TVWobV!VdAsr8vnOKA2WBYuR6V17CBSl/
0lwyIczOurz8EOD3rH+BPplPfCFmoNjEOyPZja4HTVZ48ipIH/!2BWC6nNuPj1X
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2950

<X-Post stopped>

ENOUGH!!!

Why don't you 2 children get a room

<akc_rules_keyclowns@akc.org> wrote in message
news:YCOPf.173104$US.20276@news.ono.com...
>> nostoppinAKC@akc.org wrote:
>> >> N8WWM has beaten you badly.
>> >
>> He beats his meat with a handful of crisco, look out for that felon.
>> (word
>> to the wise)
>
> Your lips take a beating at Petro nightly. AKC laughs at you, sissi-boi.
> Leland laughs at you. N8 laughs at you. ALL of AKC laughs at you.
>




From -2516252270160945695
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Thread: 10bf43,3f6ac58b0b03f40c
X-Google-Attributes: gid106d41,gid108122,gid1109af,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "an_old_friend" <konstans@hotmail.com>
```

```
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.policy
Subject: bs
Followup-To: rec.radio.cb,
Date: 9 Mar 2006 08:20:26 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1141921226.088348.132370@i39g2000cwa.googlegroups.com>
References: <20060308191234.238$V0@newsreader.com>
   <MrMPf.173100$US.46445@news.ono.com>
   <44103150.9AC3E7C7@AKC.ORG>
NNTP-Posting-Host: 69.19.14.34
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141921233 9296 127.0.0.1 (9 Mar 2006 16:20:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 9 Mar 2006 16:20:33 +0000 (UTC)
In-Reply-To: <44103150.9AC3E7C7@AKC.ORG>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=69.19.14.34;
   posting-account=5Yl6pg0AAADpwOMWiAfWEILF9IbswBYm
Xref: g2news1.google.com rec.radio.cb:6434 rec.radio.amateur.equipment:2951
rec.radio.swap:3023 rec.radio.amateur.policy:18479


AKC DOG wrote:
> WOOF WOOF
on that note




From -6789002286072321786
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Mar 2006 07:32:05 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <m-9815F1.07244004032006@news.verizon.net>
Subject: Re: rig mem??
Date: Sat, 4 Mar 2006 07:32:06 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <5uadnZeZFoxIC5TZRVn-uQ@comcast.com>
```

```
Lines: 20
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-y742wGGXXy1bJ7K/bbSEUI9evTxjadY4f+GVtXlimnUX/vy+1/
Crd3GVACHhaA7dfTpddsLmZSxDeeA!bBL8W7/
mTO3STssPZUAml0RjJmeHbo2JOiPLOM493Y0X5hbMST1AR6/ZxJkrIkp6EM36O4qZMNA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2848

Most are able to be programmed with a computer... simple spreadsheet type
software and a cable that plugs in.

"ml" <m@di.net> wrote in message
news:m-9815F1.07244004032006@news.verizon.net...
>I was wondering if anyone knew of any fairly current 2m or 2/440 rigs
> that allow programming access to the memories  via means OTHER THAN
> 'cloaning' method?
>
> for example here are a few that i already know of
> tm700 tmv7
>
>
> i am not sure about the most current rigs seems the web sites of the
> manuf don't really say
>
>
> any help is appreciated




From 3969723309379207631
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!
gnilink.net!trnddc03.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
References: <m-9815F1.07244004032006@news.verizon.net> <5uadnZeZFoxIC5TZRVn-
uQ@comcast.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-2CDA39.09255904032006@news.verizon.net>
Lines: 40
Date: Sat, 04 Mar 2006 14:26:03 GMT
NNTP-Posting-Host: 141.149.36.192
```

X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1141482363 141.149.36.192 (Sat, 04 Mar 2006 09:26:03 EST)
NNTP-Posting-Date: Sat, 04 Mar 2006 09:26:03 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2849

thanks for the responce and not to sound rude, but i am very aware of
that fact, from the below,

 however what i am looking for is a specific method of programming,
communicating to the radio via means other than cloaning mode commands
i need to find out witch rig's 2/440 have that specifically as an
option

the software i need to use, is not comptable w/rigs that program via
cloan"" mode

if anyone knows i'd really appreciate the help i know some rigs do it
only found the 2 below

tnx

In article <5uadnZeZFoxIC5TZRVn-uQ@comcast.com>,
 "Noon-Air" <Noon-Air@comcast.net> wrote:

> Most are able to be programmed with a computer... simple spreadsheet type
> software and a cable that plugs in.
>
> "ml" <m@di.net> wrote in message
> news:m-9815F1.07244004032006@news.verizon.net...
> >I was wondering if anyone knew of any fairly current 2m or 2/440 rigs
> > that allow programming access to the memories via means OTHER THAN
> > 'cloaning' method?
> >
> > for example here are a few that i already know of
> > tm700 tmv7
> >
> >
> > i am not sure about the most current rigs seems the web sites of the
> > manuf don't really say
> >
> >
> > any help is appreciated

From 3769437647201264287
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-03!sn-xt-sjc-07!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail

From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
Date: Sat, 04 Mar 2006 07:53:49 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <u6aj02pfqj1vfj61b91arbn517qeae552v@4ax.com>
References: <m-9815F1.07244004032006@news.verizon.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news1.google.com rec.radio.amateur.equipment:2850

I would think that most modern rigs would allow that. All of my
radios do. I have a Kenwood TH-F6A, TH-D7A, TM-D700A and Icom IC-746.
All are programmable by computer without cloning from another radio.
I wouldn't own a radio today that didn't have that capability.

Dick - W6CCD

On Sat, 04 Mar 2006 12:24:44 GMT, ml <m@di.net> wrote:

>I was wondering if anyone knew of any fairly current 2m or 2/440 rigs
>that allow programming access to the memories via means OTHER THAN
>'cloaning' method?
>
>for example here are a few that i already know of
>tm700 tmv7
>
>
>i am not sure about the most current rigs seems the web sites of the
>manuf don't really say
>
>
>any help is appreciated

From -8303107403635919885
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!canoe.uoregon.edu!newsfeed.news.ucla.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
Date: Sat, 04 Mar 2006 08:02:07 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <bnaj02d5f573i0020vt9u9bkivl85l7q13@4ax.com>

```
References: <m-9815F1.07244004032006@news.verizon.net> <5uadnZeZFoxIC5TZRVn-
uQ@comcast.com> <m-2CDA39.09255904032006@news.verizon.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 37
Xref: g2news1.google.com rec.radio.amateur.equipment:2851

I guess you are going to have to tell us what kind of programming you
are talking about.  When you "clone" memories, you hook two similar
radios together by cable and transfer the data from one to the other.
We are talking about using a computer to transfer the memories, which
has nothing to do with cloning per se.  My TM-D700, which I assume is
what you mean by TM-700, is no different from any other radio that is
programmed by computer.

Dick - W6CCD



On Sat, 04 Mar 2006 14:26:03 GMT, ml <m@di.net> wrote:
>
>thanks for the responce and not to sound rude, but i am very aware of
>that fact,  from the below,
>
> however what i am looking for is a specific method of programming,
>communicating to the radio via means other than cloaning mode commands
>i need to find out witch rig's  2/440 have that specifically as an
>option
>
>the software i need to use, is not comptable w/rigs that program via
>cloan"" mode
>
>
>if anyone knows i'd really appreciate the help i know some rigs do it
>only found the 2 below
>
>tnx
>
>
>In article <5uadnZeZFoxIC5TZRVn-uQ@comcast.com>,
> "Noon-Air" <Noon-Air@comcast.net> wrote:
>
>> Most are able to be programmed with a computer... simple spreadsheet type
>> software and a cable that plugs in.



From 7106865369202517440
X-Google-Thread: 1109af,1e55b306931ea795
X-Google-Thread: fc8b1,1e55b306931ea795
X-Google-Thread: 108122,1e55b306931ea795
```

```
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newspump.sol.net!news-out.readnews.com!spool-big1.readnews.com!news.coretel.net!
not-for-mail
From: "CLFE" <Junkmail@CLFURENT.COM>
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
References: <evidnT2sBuIx85_ZnZ2dnUVZ_sadnZ2d@centurytel.net>
Subject: Re: Wanted:  some ARC5 transmitter parts
Date: Sat, 4 Mar 2006 10:57:44 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Lines: 31
Message-ID: <4409b8d7$0$25073$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: e9c78124.news.coretel.net
X-Trace: DXC=JA;VcZim^Q8V:nnVHL?DR;cYX6N<OEXQ;BO`7;<`?
UG5@NAjnelYSE;MgLHge5I9H0UjKCjVFc:V>
X-Complaints-To: abuse@coretel.net
Xref: g2news1.google.com rec.radio.swap:2950 rec.radio.amateur.boatanchors:3157
rec.radio.amateur.equipment:2853
```

do you have some pics? I "think" I may have some but it's been so long since I stripped them down I can't recall. I ask for the pics because as you know - one person's idea of antenna binding posts may be a tad different than others - for example. I want to get you the "exact" parts if I have them. I had a couple complete set ups at one time which I stripped down. I've since sold most of the coil forms and some miscellaneous. But I THINK I still have some other stuff in my junk boxes. I just need to match them to your needs.

--
WWW.CLFURENT.COM
WWW.CLFURENT-GIFTS.ISPEEDWAY.COM
WWW.CLFURENT-GIFTS.ISPEEDWAY.COM/IMALL/

"=K=5=D=H=" <k5dh@qsl.net> wrote in message
news:evidnT2sBuIx85_ZnZ2dnUVZ_sadnZ2d@centurytel.net...

> I'm looking for the following ARC5 transmitter parts:
>
> - Antenna binding post ass'y (need two of these)
> - Relay (the one underneath the chassis)
> - Ceramic end plate for mounting roller coil
> - Window with calibrations (clear part only)
>
> I'm restoring a BC-459-A (7.0 - 9.1 mc) but these are
> generic parts that can come from any ARC5-type xmtr.
>
> 73,

> Dean K5DH
>

From -6934597969109450237
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
Date: Sat, 04 Mar 2006 10:21:42 -0600
Lines: 27
Message-ID: <46tt4lFcpn2iU1@individual.net>
References: <m-9815F1.07244004032006@news.verizon.net> <5uadnZeZFoxIC5TZRVn-uQ@comcast.com> <m-2CDA39.09255904032006@news.verizon.net> <ivcj029n33n7m26vv46k9nb7vfk973mfis@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net tn1yUGWipoHIDMAMTVZ03gv5AFBzASr2K0RhLlWE8kssj6+3OW
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <ivcj029n33n7m26vv46k9nb7vfk973mfis@4ax.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:2854

Dot wrote:
> On Sat, 04 Mar 2006 14:26:03 GMT, ml <m@di.net> wrote:
>
>>however what i am looking for is a specific method of programming,
>>communicating to the radio via means other than cloaning mode commands
>>i need to find out witch rig's 2/440 have that specifically as an
>>option
>>
>>the software i need to use, is not comptable w/rigs that program via
>>cloan"" mode
>
>
> Perhaps if you were to define the method of programming we might be able to
> help you. "Not cloning" simply isn't enough information...
>
> What are you looking for... DTMF? Over Air? Infra Red? Morse? ... ?????
>
>
>
Welllll, from programming my several radios, most of the software used, does in fact emulate the cloning of radios, but with a computer on one end...I think, he

is asking for real time control of the radio so the computer takes over the radio, like on some of the "scanner" programs out there written for the "black box" scanners, or the "high end" scanners..

Bob N9LVU

From 6501665497437510789
X-Google-Thread: 108122,a32bfa8edf8161ce,start
X-Google-Thread: 107ada,a32bfa8edf8161ce,start
X-Google-Attributes: gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!newsfeed.t-com.hr!news1.t-com.hr!not-for-mail
From: "Lex-Lutor" <lex-lutor@post.htnet.hr>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: JRC JSB-196 TX on LSB - How ??
Date: Sat, 4 Mar 2006 19:17:28 +0100
Organization: T-Com
Lines: 6
Message-ID: <ducljo$pqh$1@ss405.t-com.hr>
NNTP-Posting-Host: ar4-m66.net.t-com.hr
X-Trace: ss405.t-com.hr 1141496248 26449 195.29.67.66 (4 Mar 2006 18:17:28 GMT)
X-Complaints-To: abuse@t-com.hr
NNTP-Posting-Date: Sat, 4 Mar 2006 18:17:28 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:2856 rec.radio.amateur.misc:5625

Any idea how to setup JRC JSB-196 to enable TX on LSB, RX is is OK from 1.6-28 MHz, but there is only TX for USB ?

Thanks for help.

From 1060434367467446728
X-Google-Thread: 108122,c77dd60ac5596d16,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!news-xxxfer.readnews.com!news-out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Gigaparts?
From: Ed <Huckleberry_REMOVE_@newsguy.com>
Organization: Your Company
Message-ID: <Xns977C718DD5751spectrumhogstarbandn@198.186.192.196>

User-Agent: Xnews/5.04.25
Date: 04 Mar 2006 19:09:08 GMT
Lines: 7
NNTP-Posting-Host: 76dcc71b.news.adtechcomputers.com
X-Trace: DXC=:0ka5jI:iY8:XR=<ZU:87;gC4_A5:nI@1<<=aEgO;R87WG]V<@97\R6Ibg?QM=F\;3R?
X7U2a5ff7emfRC[RMj??0[]M_>MNBV7`R>I6G:4lA<KIaIA_m9Ef0
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2857

As I type this at 11:00AM PST Saturday, Gigaparts.com has been unavailable for at least 24 hours. Anyone know what the problem is?

Ed

From -6379519651814715571
X-Google-Thread: 108122,2b33bb630373b514,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Mar 2006 15:03:27 -0600
From: "Steve" <sahd@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: RP780 Heil Mic for IC-7800 and the Pro radios
Date: Sat, 4 Mar 2006 16:03:27 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <IsKdneS0W8UCnZfZRVn-uw@comcast.com>
Lines: 15
NNTP-Posting-Host: 67.189.206.221
X-Trace: sv3-keoHcmeNKQqIZdyG5bpJ19Wu74VsMs2Ayle/
Z4uY6co6Uv2UZg+934zJACQrVSVaMCpS46eSpfrMdrp!m0v07/TlItT0aGQgHJOUTLNpoq/
Xluf8XCwqXd3VEbBTS9RGBN41hkGZ3RCeZjY0vxynJvbtJ0se!zEV4
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2858

I have a brand new Heil RP780, it was designed
for the IC-7800 and also the IC-pro pro11 pro111
radios. This mic new cost $269.95.
Has Cord for Icom and Hand PTT and also Stand.

If interested, please leave Email.
It's 2 days old. Used once for 5 min.

Sold the radio so have to sell the mic.

73

Steve

From -6003368506372078052
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
Date: Sat, 04 Mar 2006 21:09:09 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <120k0flhceardfb@corp.supernews.com>
References: <m-9815F1.07244004032006@news.verizon.net> <5uadnZeZFoxIC5TZRVn-uQ@comcast.com> <m-2CDA39.09255904032006@news.verizon.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news1.google.com rec.radio.amateur.equipment:2859

> however what i am looking for is a specific method of programming,
>communicating to the radio via means other than cloaning mode commands
>i need to find out witch rig's 2/440 have that specifically as an
>option

The Kenwood ts-2000 has commands which allow the reading and writing
of specific memories, direct VFO tuning, and so forth.

It's sorta expensive if used only as a 2m/70cm rig, though.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From 2864953234406368412
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
news.astraweb.com!router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-
sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
Date: Sat, 04 Mar 2006 21:16:20 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <120k0t4a28iddde@corp.supernews.com>
References: <m-9815F1.07244004032006@news.verizon.net>
<u6aj02pfqj1vfj61b91arbn517qeae552v@4ax.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 34
Xref: g2news1.google.com rec.radio.amateur.equipment:2860
```

In article <u6aj02pfqj1vfj61b91arbn517qeae552v@4ax.com>,
Dick <LeadWinger> wrote:

>I would think that most modern rigs would allow that. All of my
>radios do. I have a Kenwood TH-F6A, TH-D7A, TM-D700A and Icom IC-746.
>All are programmable by computer without cloning from another radio.
>I wouldn't own a radio today that didn't have that capability.

Although it's possible to program the memories on many radios using computer software (and, I agree, it's almost essential in these days of multiple-hundred-memory radios), the actual _protocol_ used in the programming of most radios tends to be cloning-based. That is, in order to update the programming of the radio, you first upload its entire nonvolatile-memory bank, then update specific portions of it using PC software, and then download the updated NVRAM image to the radio.

To the radio, this process looks like a "clone another radio" followed by a "be cloned" operation. It's relatively slow (takes a minute or two, plus image-editing time) and is disruptive of the radio's normal operation.

What I believe that the original poster wants, is a radio which allows selective memory updating, direct tuning commands, and so forth, via software control.

I'd suggest checking out the Linux/Unix "hamlib" package, which has drivers for many of the radios which have such capabilities.

```
--
Dave Platt <dplatt@radagast.org>                                    AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

From 3469933269399359702
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
References: <m-9815F1.07244004032006@news.verizon.net> <5uadnZeZFoxIC5TZRVn-uQ@comcast.com> <m-2CDA39.09255904032006@news.verizon.net> <bnaj02d5f573i0020vt9u9bkivl85l7q13@4ax.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-5111D1.16562804032006@news.verizon.net>
Lines: 76
Date: Sat, 04 Mar 2006 21:56:34 GMT
NNTP-Posting-Host: 141.149.36.192
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1141509394 141.149.36.192 (Sat, 04 Mar 2006 16:56:34 EST)
NNTP-Posting-Date: Sat, 04 Mar 2006 16:56:34 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2861

greatful for everyone's trying to help out

ok i was told i am using the correct terminology however it's kinda obscure so not many know about it

and i am not smart enough to describe it better   i'll take another stab

when a radio's memory is addressed for programming by a pc, it's typically done what is know as 'clone mode' an example of this would be any yaesu 2m radio(best as i know)

contrasted to the tm-700's method of programming via it's programming port to pc

yeah all radios have software that might accomplish the same thing but do so via different metods of addressing or accessing the memory

i know of a software developer that writes fantastic software for the apple he can only modify drivers to work with his program for radio's that can be programmed via means other than clone mode

unf there is not alot of ham software outthere for mac's and only one that allows radio memory programming for 2m/440 etc

sooo

the current software has drivers for rigs that are now almost disco, or

```
kinda a bit expensive  tm700 a litte much for me  iwas hoping say to get
a tm271  or simular  but looking thru the manuals/broshures  of some
newer rigs and it dosn't say a thing about it's memory access

if i find such a radio he'll write the drivers for me

hoping that sombody might be able to point me in the right direction


In article <bnaj02d5f573i0020vt9u9bkivl85l7q13@4ax.com>,
 Dick <LeadWinger> wrote:

> I guess you are going to have to tell us what kind of programming you
> are talking about.  When you "clone" memories, you hook two similar
> radios together by cable and transfer the data from one to the other.
> We are talking about using a computer to transfer the memories, which
> has nothing to do with cloning per se.  My TM-D700, which I assume is
> what you mean by TM-700, is no different from any other radio that is
> programmed by computer.
>
> Dick - W6CCD
>
>
> On Sat, 04 Mar 2006 14:26:03 GMT, ml <m@di.net> wrote:
> >
> >thanks for the responce and not to sound rude, but i am very aware of
> >that fact,  from the below,
> >
> > however what i am looking for is a specific method of programming,
> >communicating to the radio via means other than cloaning mode commands
> >i need to find out witch rig's  2/440 have that specifically as an
> >option
> >
> >the software i need to use, is not comptable w/rigs that program via
> >cloan"" mode
> >
> >
> >if anyone knows i'd really appreciate the help i know some rigs do it
> >only found the 2 below
> >
> >tnx
> >
> >
> >In article <5uadnZeZFoxIC5TZRVn-uQ@comcast.com>,
> > "Noon-Air" <Noon-Air@comcast.net> wrote:
> >
> >> Most are able to be programmed with a computer... simple spreadsheet type
> >> software and a cable that plugs in.


From -8764563223117276201
X-Google-Thread: 108122,c77dd60ac5596d16
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns977C718DD5751spectrumhogstarbandn@198.186.192.196>
Subject: Re: Gigaparts?
Lines: 15
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <QAoOf.227417$H54.179316@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 04 Mar 2006 22:33:21 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2862
```

Ed wrote:

> As I type this at 11:00AM PST Saturday, Gigaparts.com has been
> unavailable for at least 24 hours. Anyone know what the problem is?

Still down at 17:15 Eastern.

Tracerts to gigaparts.com [216.180.63.200] end at
host-216-180-63-254.gigaparts.net [216.180.63.254]

The last Google cache of their home page was on Feb 26, 2006 04:49:00
GMT

Whether this outage is intentional or not....I don't know.

```
From -8730094425566774047
X-Google-Thread: 108228,73962f2581548109,start
X-Google-Thread: 108122,73962f2581548109,start
X-Google-Thread: 1109af,73962f2581548109,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read09.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:MOTOROLA UHF REPEATER DUPLEXER-LOW LOSS - 5" RACK SPACE
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
```

```
     boundary="----=_NextPart_000_000A_01C63F9F.9DAE3EB0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <chpOf.599$123.239@fed1read09>
Date: Sat, 4 Mar 2006 15:23:40 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read09 1141514440 68.96.227.248 (Sat, 04 Mar 2006 18:20:40 EST)
NNTP-Posting-Date: Sat, 04 Mar 2006 18:20:40 EST
Organization: Cox Communications
Xref: g2news1.google.com alt.ham-radio.marketplace:686
rec.radio.amateur.equipment:2863 rec.radio.swap:2958

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C63F9F.9DAE3EB0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:MOTOROLA UHF REPEATER DUPLEXER-LOW LOSS - 5" RACK SPACE=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7596854966&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_000A_01C63F9F.9DAE3EB0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:MOTOROLA UHF REPEATER DUPLEXER-LOW LOSS - 5" RACK SPACE </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7596854966&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7596854966&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_000A_01C63F9F.9DAE3EB0--



From -6939329886605158511
```

```
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.google.com!fu-berlin.de!uni-
berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
Date: Sat, 04 Mar 2006 17:26:23 -0600
Lines: 90
Message-ID: <46um0tFco4euU1@individual.net>
References: <m-9815F1.07244004032006@news.verizon.net> <5uadnZeZFoxIC5TZRVn-
uQ@comcast.com> <m-2CDA39.09255904032006@news.verizon.net>
<bnaj02d5f573i0020vt9u9bkivl85l7q13@4ax.com>
<m-5111D1.16562804032006@news.verizon.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net Us8xFQigyL3+PzxjBJJHYwjWHUgMV6MlFnPtThXzGoC+Pfj9HV
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <m-5111D1.16562804032006@news.verizon.net>
Xref: g2news1.google.com rec.radio.amateur.equipment:2864
```

Try this for the Motorola Syntor radio;

http://www.piexx.com/index.php?main_page=product_info&products_id=7

And the documentation;

http://www.piexx.com/SynDoc/SynDocC.pdf

Its just for the 2m band, but it is a quality radio!!

Bob N9LVU

ml wrote:
> greatful for everyone's trying to help out
>
> ok i was told i am using the correct terminology however it's kinda
> obscure so not many know about it
>
> and i am not smart enough to describe it better   i'll take another stab
>
> when a radio's memory is addressed for programming by a pc, it's
> typically done what is know as 'clone mode' an example of this would be
> any yaesu 2m radio(best as i know)
>
> contrasted to the tm-700's method of programming via it's programming
> port to pc
>
> yeah all radios have software that might accomplish the same thing but

> do so via different metods of addressing or accessing the memory
>
> i know of a software developer that writes fantastic software for the
> apple he can only modify drivers to work with his program for radio's
> that can be programmed via means other than clone mode
>
> unf there is not alot of ham software outthere for mac's and only one
> that allows radio memory programming for 2m/440 etc
>
> sooo
>
> the current software has drivers for rigs that are now almost disco, or
> kinda a bit expensive tm700 a litte much for me iwas hoping say to get
> a tm271 or simular but looking thru the manuals/broshures of some
> newer rigs and it dosn't say a thing about it's memory access
>
> if i find such a radio he'll write the drivers for me
>
> hoping that sombody might be able to point me in the right direction
>
>
> In article <bnaj02d5f573i0020vt9u9bkivl85l7q13@4ax.com>,
> Dick <LeadWinger> wrote:
>
>
>>I guess you are going to have to tell us what kind of programming you
>>are talking about. When you "clone" memories, you hook two similar
>>radios together by cable and transfer the data from one to the other.
>>We are talking about using a computer to transfer the memories, which
>>has nothing to do with cloning per se. My TM-D700, which I assume is
>>what you mean by TM-700, is no different from any other radio that is
>>programmed by computer.
>>
>>Dick - W6CCD
>>
>>
>>On Sat, 04 Mar 2006 14:26:03 GMT, ml <m@di.net> wrote:
>>
>>>thanks for the responce and not to sound rude, but i am very aware of
>>>that fact, from the below,
>>>
>>>however what i am looking for is a specific method of programming,
>>>communicating to the radio via means other than cloaning mode commands
>>>i need to find out witch rig's 2/440 have that specifically as an
>>>option
>>>
>>>the software i need to use, is not comptable w/rigs that program via
>>>cloan"" mode
>>>
>>>
>>>if anyone knows i'd really appreciate the help i know some rigs do it
>>>only found the 2 below
>>>

```
>>>tnx
>>>
>>>
>>>In article <5uadnZeZFoxIC5TZRVn-uQ@comcast.com>,
>>>"Noon-Air" <Noon-Air@comcast.net> wrote:
>>>
>>>
>>>>Most are able to be programmed with a computer... simple spreadsheet type
>>>>software and a cable that plugs in.


From 1920955538589352967
X-Google-Thread: 108122,b3b83acccf2d767
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: k8vf_mark@centurytel.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: omni V problem
Date: 4 Mar 2006 15:41:07 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1141515667.820854.212070@i39g2000cwa.googlegroups.com>
References: <1141277036.173221.185810@i40g2000cwc.googlegroups.com>
   <nfidnSHr_cbmSpvZnZ2dnUVZ_sadnZ2d@giganews.com>
NNTP-Posting-Host: 207.118.249.68
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141515673 10038 127.0.0.1 (4 Mar 2006 23:41:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Mar 2006 23:41:13 +0000 (UTC)
In-Reply-To: <nfidnSHr_cbmSpvZnZ2dnUVZ_sadnZ2d@giganews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp
5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=207.118.249.68;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news1.google.com rec.radio.amateur.equipment:2865

It seemed that it might be a relay problem, so I was going to check
relay status on LPF board, when it dawned on me to hit the reset
button.
Voila!

Kind of wierd, but I am sure Sieverville will get my rig some day.

Thanks for the help from all.



From -8951933640173345578
```

```
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-
sjc-02!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Sat, 4 Mar 2006 17:45:10 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120k9k1ha1vbjc8@corp.supernews.com>
References: <11v31c78qbss204@corp.supernews.com>
<2006021406372716807%garv@elaboratenet> <11v5ns6s2949k5f@corp.supernews.com>
<20060215135347.591$mZ@newsreader.com>
<Pine.NEB.4.63.0603031835540.29552@panix2.panix.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 9
Xref: g2news1.google.com rec.radio.cb:6344 rec.radio.amateur.equipment:2866
rec.radio.swap:2959

"Dana" <dana@panix.com> wrote in message
news:Pine.NEB.4.63.0603031835540.29552@panix2.panix.com...
> If it isn't an x-l1000 it isn't worth anything much. I remember that amp
> back in the old Chicken band days.
>

I had a 450xl that kicked ass




From -9559349965490384 34
X-Google-Thread: 108122,3aed77e7a001d63
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power poles... or not?
Message-ID: <8bak02h0lt1rji2584ju9ub17683c7h8a4@4ax.com>
References: <povb02ptjd339b615g3kjll0vj5babncq8@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
```

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
Date: Sun, 05 Mar 2006 00:05:01 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1141517101 24.174.167.251 (Sat, 04 Mar 2006 18:05:01 CST)
NNTP-Posting-Date: Sat, 04 Mar 2006 18:05:01 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2867

On Wed, 01 Mar 2006 20:13:53 GMT, Bill Brannick <wmlb@sbcglobal.net>
wrote:

>I have have read quite few posts recently regarding power poles and I
>see they are featured in a article in QST this month..
>
>I have had mixed results. In some cases, I found that replacing a
>"wall-wart" with a direct connection

A direct connection to what? A battery? A power supply? Switching or
transformer-type? What was it the wall wart was powering?

It's not at all clear what you did.

bob
k5qwg

> using power poles gave less
>protection from stray RF. In my case the RF is not so stray.. it is
>best described as basic overload coming from one leg of my dipole
>which passes right over the shack..
>
>In any it seemed to me that the windings in the wall-wart provided
>some isolation that obviously you don't get with a direct connection.
>
>Comments??
>
>Bill, W6WLB

From 3550868155270483538
X-Google-Thread: 108122,e6ed8d271866889c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: "tucker@conninc.com" <tucker@conninc.com>
Newsgroups: rec.radio.amateur.equipment
Subject: cushman ce 4b service monitor and 314 mixer
Date: 4 Mar 2006 18:10:59 -0800

Organization: http://groups.google.com
Lines: 13
Message-ID: <1141524659.763325.164490@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 12.150.149.191
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141524666 31178 127.0.0.1 (5 Mar 2006 02:11:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Mar 2006 02:11:06 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=12.150.149.191;
   posting-account=OxP90AwAAADMku3DN_7kLIMyWO_79wJO
Xref: g2news1.google.com rec.radio.amateur.equipment:2868

  i purchased a ce 4b with 314 broadband mixer thru the internet, i
plan on using it to tune up
my ham rigs but i cant figure out how the monitor part of the cushman
works. I know it has a
314 high sensitivity 20-1000mhz mixer module, does this module allow
the monitor to receive a signal? If so should there be noise all the
time or is there a automatic squelch ?
 Also i didnt get a operators manual so any basic operating tips would
be a big help. The ce 4
only recieves very strong signals and stays squelched otherwise, im not
sure if this is normal
or does something need repair.

From -8292020633219603183
X-Google-Thread: 108122,aedc88ebe4e2872b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: rig mem??
Date: Sat, 04 Mar 2006 19:15:11 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <o8ik02tppioah8et9k529eui9l693035pg@4ax.com>
References: <m-9815F1.07244004032006@news.verizon.net> <5uadnZeZFoxIC5TZRVn-
uQ@comcast.com> <m-2CDA39.09255904032006@news.verizon.net>
<bnaj02d5f573i0020vt9u9bkivl85l7q13@4ax.com>
<m-5111D1.16562804032006@news.verizon.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com

Lines: 17
Xref: g2news1.google.com rec.radio.amateur.equipment:2869

I'm still confused. Programmable radios use serial data with different types of ports on the radios. The TM-D700A happens to have a standard 9-pin serial port, but I see nothing in the manual about accessing anything in the memory.

Dick

On Sat, 04 Mar 2006 21:56:34 GMT, ml <m@di.net> wrote:

>the current software has drivers for rigs that are now almost disco, or
>kinda a bit expensive tm700 a litte much for me iwas hoping say to get
>a tm271 or simular but looking thru the manuals/broshures of some
>newer rigs and it dosn't say a thing about it's memory access
>
>if i find such a radio he'll write the drivers for me

From -3455090363334261074
X-Google-Thread: 108122,3d293fff06b59e3b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: "Jeff James" <cbstv@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Buy and Sell Vintage Gear!
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <cluOf.4637$GL1.1236@fe09.lga>
Date: Sun, 5 Mar 2006 00:06:12 -0500
NNTP-Posting-Host: 68.196.6.3
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1141535176 68.196.6.3 (Sat, 04 Mar 2006 22:06:16 MST)
NNTP-Posting-Date: Sat, 04 Mar 2006 22:06:16 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2870

http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
-The Boatanchor Classifieds-
FREE ads and a site dedicated to Vintage Amateur Radio...
You never know what you'll find..

```
From 1696267180191552839
X-Google-Thread: 108122,c77dd60ac5596d16
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Hamguy" <hamguy@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns977C718DD5751spectrumhogstarbandn@198.186.192.196>
<QAoOf.227417$H54.179316@fe03.news.easynews.com>
Subject: Re: Gigaparts?
Lines: 23
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <kXvOf.2239$Da7.1812@twister.nyroc.rr.com>
Date: Sun, 05 Mar 2006 06:55:12 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1141541712 24.58.195.67 (Sun, 05 Mar 2006 01:55:12 EST)
NNTP-Posting-Date: Sun, 05 Mar 2006 01:55:12 EST
Organization: Road Runner
Xref: g2news1.google.com rec.radio.amateur.equipment:2871

It's working fine here...



"Travis Jordan" <no.one@no.net> wrote in message
news:QAoOf.227417$H54.179316@fe03.news.easynews.com...
> Ed wrote:
>>   As I type this at 11:00AM PST Saturday,  Gigaparts.com has been
>> unavailable for at least 24 hours.  Anyone know what the problem is?
>
> Still down at 17:15 Eastern.
>
> Tracerts to gigaparts.com [216.180.63.200] end at
> host-216-180-63-254.gigaparts.net [216.180.63.254]
>
> The last Google cache of their home page was on Feb 26, 2006 04:49:00
> GMT
>
> Whether this outage is intentional or not....I don't know.
>
>
```

From -8681217395116049344
X-Google-Thread: 108122,b1fef38e9fc1da93,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-win.ntli.net!newsfe6-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Floatything" <chrisknibbs@sinkthespamntlworld.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Radio tracking a tortoise - HELP!
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
Date: Sun, 05 Mar 2006 11:20:29 GMT
NNTP-Posting-Host: 62.255.20.116
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe6-gui.ntli.net 1141557629 62.255.20.116 (Sun, 05 Mar 2006 11:20:29 GMT)
NNTP-Posting-Date: Sun, 05 Mar 2006 11:20:29 GMT
Organization: ntlworld News Service
Xref: g2news1.google.com rec.radio.amateur.equipment:2872

Every year, Shelly the tortoise gets lost or manages to escape the garden.
It can take days to find her. I would like to build a locating device so
that I can track her down.
The basic requirements are:

a) that the 'transmitter (transponder?) on the tortoise is as small as possible.

b) that it can be made by an electronics numpty. I have basic soldering skills, and can eventually work out a circuit diagram.

Can anyone point me in the right direction?

TIA
Floatything (an escapee from uk.rec.sailing)

From 4830353100855331796
X-Google-Thread: 108122,c77dd60ac5596d16
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!

wn13feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Alan WA4SCA <WA4SCA@AMSAT.ORG>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Gigaparts?
Reply-To: WA4SCA@AMSAT.ORG
Message-ID: <38nl021lht1jaq655bjsa6tlscia85ekfc@4ax.com>
References: <Xns977C718DD5751spectrumhogstarbandn@198.186.192.196>
<QAoOf.227417$H54.179316@fe03.news.easynews.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Sun, 05 Mar 2006 12:44:26 GMT
NNTP-Posting-Host: 12.74.85.7
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1141562666 12.74.85.7 (Sun, 05 Mar 2006 12:44:26 GMT)
NNTP-Posting-Date: Sun, 05 Mar 2006 12:44:26 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2873

Down all day Saturday, but as of 0645 CDT Sunday the site is a back up.

--
Alan
WA4SCA

From -1513275721713233176
X-Google-Thread: 108122,b1fef38e9fc1da93
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: mensch90249@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio tracking a tortoise - HELP!
Date: Sun, 05 Mar 2006 06:39:26 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <2stl02179mo5tcll8m9e80arl8kssset4a@4ax.com>
References: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news1.google.com rec.radio.amateur.equipment:2874

```
On Sun, 05 Mar 2006 11:20:29 GMT, "Floatything"
<chrisknibbs@sinkthespamntlworld.com> wrote:

>Every year, Shelly the tortoise gets lost or manages to escape the garden.
>It can take days to find her.  I would like to build a locating device so
>that I can track her down.
>The basic requirements are:
>
>a) that the 'transmitter (transponder?) on the tortoise is as small as
>possible.
>
>b) that it can be made by an electronics numpty.  I  have basic soldering
>skills, and can eventually work out a circuit diagram.
>
>Can anyone point me in the right direction?
>
>TIA
>Floatything (an escapee from uk.rec.sailing)
>
You might be interested in this kit from Ten Tec:
http://radio.tentec.com/kits/Accessory  it is #1059 which radiates on
the FM broadcast band (88-108 mHz).

Howard



From 3157824009083507233
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-
sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Sun, 5 Mar 2006 11:30:53 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120m82fneh3mi15@corp.supernews.com>
References: <120k9k1ha1vbjc8@corp.supernews.com>
<r7rOf.172133$US.119772@news.ono.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news1.google.com rec.radio.cb:6350 rec.radio.amateur.equipment:2875
rec.radio.swap:2969

<listenupKEYCLOWN@akc.org> wrote in message
```

```
news:r7rOf.172133$US.119772@news.ono.com...
>> "Dana" <dana@panix.com> wrote in message
>> news:Pine.NEB.4.63.0603031835540.29552@panix2.panix.com...
>> > If it isn't an x-l1000 it isn't worth anything much. I remember that
>> > amp
>> > back in the old Chicken band days.
>> >
>>
>> I had a 450xl that kicked ass
>>
>>
>
> Amps are illegal on CB. Keyclowns are prevented from buying amps
> on eBay by AKC vigilance.
>
```

So far you have not prevented me from purchasing amps on eBay. I wouldn't go around bragging that your vigilant either, unless this is what people on foodstamps consider vigilance. I'm sure I accomplish more positive goals in one day than you do in a month.

```
From 678381637784682849
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
feeder.xsnews.nl!sn-ams-06!sn-xt-ams-04!sn-post-ams-02!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: A round of applause
Date: Sun, 5 Mar 2006 11:33:18 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120m87017edfp34@corp.supernews.com>
References: <120k9k1ha1vbjc8@corp.supernews.com>
<r7rOf.172133$US.119772@news.ono.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news1.google.com rec.radio.cb:6351 rec.radio.amateur.equipment:2876
rec.radio.swap:2970
```

<listenupKEYCLOWN@akc.org> wrote in message

```
news:r7rOf.172133$US.119772@news.ono.com...
>> "Dana" <dana@panix.com> wrote in message
>> news:Pine.NEB.4.63.0603031835540.29552@panix2.panix.com...
>> > If it isn't an x-l1000 it isn't worth anything much. I remember that
>> > amp
>> > back in the old Chicken band days.
>> >
>>
>> I had a 450xl that kicked ass
>>
>>
>
> Amps are illegal on CB. Keyclowns are prevented from buying amps
> on eBay by AKC vigilance.
>

How about giving Dougay a round of applause for all the things he does for
his fellow man. You are certainly perspiration to us all.




From -7689774243583202174
X-Google-Thread: 108122,b1fef38e9fc1da93
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-media.com!newspeer1-
win.ntli.net!newsfe4-gui.ntli.net.POSTED!53ab2750!not-for-mail
From: "Floatything" <chrisknibbs@sinkthespamntlworld.com>
Newsgroups: rec.radio.amateur.equipment
References: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
<2stl02179mo5tcll8m9e80arl8kssset4a@4ax.com>
Subject: Re: Radio tracking a tortoise - HELP!
Lines: 38
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <0mHOf.25660$gB4.18011@newsfe4-gui.ntli.net>
Date: Sun, 05 Mar 2006 19:54:36 GMT
NNTP-Posting-Host: 62.255.20.28
X-Complaints-To: http://www.ntlworld.com/netreport
X-Trace: newsfe4-gui.ntli.net 1141588476 62.255.20.28 (Sun, 05 Mar 2006 19:54:36
GMT)
NNTP-Posting-Date: Sun, 05 Mar 2006 19:54:36 GMT
Organization: ntlworld News Service
Xref: g2news1.google.com rec.radio.amateur.equipment:2877


<mensch90249@yahoo.com> wrote in message
news:2stl02179mo5tcll8m9e80arl8kssset4a@4ax.com...
> On Sun, 05 Mar 2006 11:20:29 GMT, "Floatything"
> <chrisknibbs@sinkthespamntlworld.com> wrote:
>
> >Every year, Shelly the tortoise gets lost or manages to escape the
garden.
> >It can take days to find her.  I would like to build a locating device so
> >that I can track her down.
> >The basic requirements are:
> >
> >a) that the 'transmitter (transponder?) on the tortoise is as small as
> >possible.
> >
> >b) that it can be made by an electronics numpty.  I  have basic soldering
> >skills, and can eventually work out a circuit diagram.
> >
> >Can anyone point me in the right direction?
> >
> >TIA
> >Floatything (an escapee from uk.rec.sailing)
> >
> You might be interested in this kit from Ten Tec:
> http://radio.tentec.com/kits/Accessory  it is #1059 which radiates on
> the FM broadcast band (88-108 mHz).
>
> Howard

Thanks - that's excellent Howard - it looks just the job.  So all I need to
know now are the 'basics of direction finding'..  I presume I need to wave
the aerial about a bit until I get a stronger beep beep? (tell me I'm on the
right track? or is there some magic method to homing in on a beeping
reptile?

Floatything




From 7798393180211551343
X-Google-Thread: 108122,b1fef38e9fc1da93
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news2.volia.net!
newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-02!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio tracking a tortoise - HELP!
Date: Sun, 5 Mar 2006 13:42:22 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120mmq1dr5u1u42@corp.supernews.com>
References: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
<2stl02179mo5tcll8m9e80arl8kssset4a@4ax.com> <0mHOf.25660$gB4.18011@newsfe4-
gui.ntli.net>
MIME-Version: 1.0
```

```
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 34
Xref: g2news1.google.com rec.radio.amateur.equipment:2878
```

"Floatything" wrote ...

> Thanks - that's excellent Howard - it looks just the job. So all I need to know now are the 'basics of direction finding'.. I presume I need to wave the aerial about a bit until I get a stronger beep beep? (tell me I'm on the right track? or is there some magic method to homing in on a beeping reptile?

The basics are a directional antenna and triangulation. Do they still sell those RDF things for watercraft which use a loop antenna? Same principle. A directional FM antenna (like a yagi) which you can rotate to find the strongest signal. Then move a distance and plot the max signal as another line on the map. Assuming your tortise isn't moving that fast, go the the "X" on the map and retrieve your reptile.

There are lots of miniature FM transmitter kits available, but beware that the range of many (most?) of those devices may be limited to a range where you could just locate your creature by sight (particularly those which can be powered by photo-voltaic cells :-)

Note that you could also use preassembled GPS and cell-phone modules (like those available from one of my favorite toy-shops: www.sparkfun.com) and create a box which you can call on your phone and will report the tortise's current location. You could have the first tortise-lojack on the planet! :-)

It is rumored that many high-value items (besides autos) have this kind of secret locator transponder devices installed in them.

```
From -2044656617623867933
X-Google-Thread: 108122,18d454b65a842154
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "CB" <temp1@tomochka.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for Australian tower manufacturer
Date: 5 Mar 2006 16:05:51 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1141603551.855225.202100@z34g2000cwc.googlegroups.com>
References: <1141403119.967675.106730@t39g2000cwt.googlegroups.com>
   <8V1Of.39$2q1.27@fe06.lga>
NNTP-Posting-Host: 71.111.163.113
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141603557 22581 127.0.0.1 (6 Mar 2006 00:05:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Mar 2006 00:05:57 +0000 (UTC)
In-Reply-To: <8V1Of.39$2q1.27@fe06.lga>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=71.111.163.113;
   posting-account=iQThtg0AAACb8oYRnhxlkrjhKv_tWhjB
Xref: g2news1.google.com rec.radio.amateur.equipment:2879

Indeed! That's the tower! Perhaps he didn't find a big enough market.
:( Really seemed like a great product.  73, CB



From 2962609168243396528
X-Google-Thread: 108122,a43b778b88ef8264,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j52g2000cwj.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Icom amplifier control box.
Date: 5 Mar 2006 16:27:59 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1141604879.409648.209650@j52g2000cwj.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141604888 25608 127.0.0.1 (6 Mar 2006 00:28:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Mar 2006 00:28:08 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: j52g2000cwj.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2880

I have a remote control box for Icom IC-4KL ..It will allow you to
drive the IC 4KL amp with an exciter other than Icom..Allow you to
change bands manually. Has provision to key the amp and connect ALC.
back to exciter. Professionally built as a test fixture..NOT AN ICOM
DEVICE... [probably work with IC-2 KL also] Picture available.. Yours
for $50.00 plus shipping..W4PQW

From 2957741150719986466
X-Google-Thread: 108122,a43b778b88ef8264
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p10g2000cwp.googlegroups.com!not-for-mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Icom amplifier control box.
Date: 5 Mar 2006 16:28:03 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1141604882.929530.84880@p10g2000cwp.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141604888 26755 127.0.0.1 (6 Mar 2006 00:28:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Mar 2006 00:28:08 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p10g2000cwp.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2881

I have a remote control box for Icom IC-4KL ..It will allow you to
drive the IC 4KL amp with an exciter other than Icom..Allow you to
change bands manually. Has provision to key the amp and connect ALC.
back to exciter. Professionally built as a test fixture..NOT AN ICOM
DEVICE... [probably work with IC-2 KL also] Picture available.. Yours
for $50.00 plus shipping..W4PQW

From -7125779872083214984
X-Google-Thread: 108122,a43b778b88ef8264
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Icom amplifier control box.
Date: 5 Mar 2006 16:28:07 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1141604887.105812.107970@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141604893 26760 127.0.0.1 (6 Mar 2006 00:28:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Mar 2006 00:28:13 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2882
```

I have a remote control box for Icom IC-4KL ..It will allow you to
drive the IC 4KL amp with an exciter other than Icom..Allow you to
change bands manually. Has provision to key the amp and connect ALC.
back to exciter. Professionally built as a test fixture..NOT AN ICOM
DEVICE... [probably work with IC-2 KL also] Picture available.. Yours
for $50.00 plus shipping..W4PQW

```
From 4523406201984939473
X-Google-Thread: 108122,b1fef38e9fc1da93
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
24.30.200.11!news-east.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!
cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Message-ID: <440B82D9.3060206@nettally.com>
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio tracking a tortoise - HELP!
References: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
In-Reply-To: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
```

Content-Transfer-Encoding: 8bit
Lines: 35
Date: Mon, 06 Mar 2006 00:30:18 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1141605018 65.33.238.179 (Sun, 05 Mar 2006 19:30:18 EST)
NNTP-Posting-Date: Sun, 05 Mar 2006 19:30:18 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2883

See the attached, might be what you need.

http://thecatlocator.com/locator/intro.html

Floatything wrote:

>Every year, Shelly the tortoise gets lost or manages to escape the garden.
>It can take days to find her. I would like to build a locating device so
>that I can track her down.
>The basic requirements are:
>
>a) that the 'transmitter (transponder?) on the tortoise is as small as
>possible.
>
>b) that it can be made by an electronics numpty. I have basic soldering
>skills, and can eventually work out a circuit diagram.
>
>Can anyone point me in the right direction?
>
>TIA
>Floatything (an escapee from uk.rec.sailing)
>
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 191632075486520361
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!newsfeed.news2me.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe12.news.easynews.com.POSTED!not-for-mail
From: Smooth B <SmoothB@msn.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: A round of applause
Message-ID: <u62n02d5b4nmjb3k797l2opdb1vi161o8q@4ax.com>
References: <120k9k1ha1vbjc8@corp.supernews.com>
<r7rOf.172133$US.119772@news.ono.com> <120m87017edfp34@corp.supernews.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Mon, 06 Mar 2006 00:59:49 GMT
Xref: g2news1.google.com rec.radio.cb:6356 rec.radio.amateur.equipment:2884
rec.radio.swap:2974

On Sun, 5 Mar 2006 11:33:18 -0600,
><listenupKEYCLOWN@akc.org> wrote in message

>news:r7rOf.172133$US.119772@news.ono.com...
>>> "Dana" <dana@panix.com> wrote in message
>>> news:Pine.NEB.4.63.0603031835540.29552@panix2.panix.com...
>>> > If it isn't an x-l1000 it isn't worth anything much. I remember that
>>> > amp
>>> > back in the old Chicken band days.
>>> >
>>>
>>> I had a 450xl that kicked ass
>>>
>>>
>>
>> Amps are illegal on CB. Keyclowns are prevented from buying amps
>> on eBay by AKC vigilance.

But can the Keydown Masters still get amps in the real world? Answer
Yes!!! I can get them any time I want and to make it even worse for
the anti keydowners... I sell them as well. I have been selling them
and buying them way before ebay or the internet and I will even after
they are gone... Now what anti keydowners???

From 3488040912186926232
X-Google-Thread: 108122,b1fef38e9fc1da93
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII

Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!
cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Message-ID: <440B837A.9060004@nettally.com>
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio tracking a tortoise - HELP!
References: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
<440B82D9.3060206@nettally.com>
In-Reply-To: <440B82D9.3060206@nettally.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 45
Date: Mon, 06 Mar 2006 00:32:59 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1141605179 65.33.238.179 (Sun, 05 Mar 2006
19:32:59 EST)
NNTP-Posting-Date: Sun, 05 Mar 2006 19:32:59 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2885

I forgot to mention, you can buy just the transmitter and construct your own receiver. The transmitter is FCC certified and I was able to look up the specs on the www.fcc.goc website under OET equipment certification.

THE-RFI-EMI-GUY wrote:

> See the attached, might be what you need.
>
> http://thecatlocator.com/locator/intro.html
>
> Floatything wrote:
>
>> Every year, Shelly the tortoise gets lost or manages to escape the
>> garden.
>> It can take days to find her. I would like to build a locating
>> device so
>> that I can track her down.
>> The basic requirements are:
>>
>> a) that the 'transmitter (transponder?) on the tortoise is as small as
>> possible.
>>
>> b) that it can be made by an electronics numpty. I have basic
>> soldering
>> skills, and can eventually work out a circuit diagram.

```
>>
>> Can anyone point me in the right direction?
>>
>> TIA
>> Floatything (an escapee from uk.rec.sailing)
>>
>>
>>
>>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P




From 6370390938198642886
X-Google-Thread: 108122,a43b778b88ef8264
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!sn-xt-sjc-15!sn-xt-sjc-08!sn-post-02!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dr. Anton T. Squeegee <SpammersAreVermin@dev.null>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom amplifier control box.
Date: Sun, 5 Mar 2006 20:12:28 -0800
Organization: Blue Feather Technologies NNTPCache Box
Message-ID: <MPG.1e75568a7bad479f9896b0@192.168.42.131>
References: <1141604879.409648.209650@j52g2000cwj.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
X-Newsreader: MicroPlanet Gravity v2.60
Cache-Post-Path: gutenberg.bluefeathertech.com!unknown@seleth.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
Cache-Post-Path: jetspin.drizzle.com!unknown@gutenberg.bluefeathertech.com
X-Cache: nntpcache 3.0.1 (see http://www.nntpcache.org/)
X-Complaints-To: abuse@supernews.com
Lines: 44
Xref: g2news1.google.com rec.radio.amateur.equipment:2886

In article <1141604879.409648.209650@j52g2000cwj.googlegroups.com>,
w4pqw@cox.net (known to some as w4pqw@cox.net) scribed...

> I have a remote control box for Icom IC-4KL ..It will allow you to

     <snip repeating message>
     Posting the same message repeatedly to the same newsgroup is far
more likely to get you ignored than it is to gain you customers.

     You may wish to take note of this quote from one of the Usenet
user's guides.

-=-=-=-=-=-=-=-=-=-=-

"How to advertise on Usenet
--------------------------

There *are* acceptable ways to advertise in Usenet newsgroups.

1. The on-topic notice

If you have a product or a message that is specifically related to a
particular Usenet newsgroup, and you want to let people know about it,
it's *usually* all right to post *one* notice about it..."

-=-=-=-=-=-=-=-=-=-=-

     ONE notice. Not two, not three, not many. One. Would you advertise
this item, or any other, multiple times on the same swap 'net on the
same day?

     I would hope not. The same principle applies to Usenet. You can
find more details on dos and donts at this link:

http://www.faqs.org/faqs/usenet/advertising/how-to/part1/

     73 de KC7GR

--
Dr. Anton T. Squeegee, Director, Dutch Surrealist Plumbing Institute
(Known to some as Bruce Lane, KC7GR)
http://www.bluefeathertech.com -- kyrrin a/t bluefeathertech d-o=t calm
"Salvadore Dali's computer has surreal ports..."


From 2557502022756307757
X-Google-Thread: 108122,6077aa372e31637c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: "biglew3@gmail.com" <biglew3@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: GTX900 LTR Mobiles
Date: 5 Mar 2006 20:25:02 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1141619102.550681.85540@e56g2000cwe.googlegroups.com>
```

```
References: <1141412437.336356.268250@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 12.183.50.69
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141619107 26672 127.0.0.1 (6 Mar 2006 04:25:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Mar 2006 04:25:07 +0000 (UTC)
In-Reply-To: <1141412437.336356.268250@i39g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=12.183.50.69;
   posting-account=jaIMEA0AAAAdkj5Gv-swMlT90e5iQhmx
Xref: g2news1.google.com rec.radio.amateur.equipment:2887

what freq are they and pics??if so lew@jcwireless.us



From -7622731513545162612
X-Google-Thread: 108122,a43b778b88ef8264
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom amplifier control box.
Date: 6 Mar 2006 07:15:59 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1141658159.806714.204570@e56g2000cwe.googlegroups.com>
References: <1141604887.105812.107970@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141658164 17077 127.0.0.1 (6 Mar 2006 15:16:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Mar 2006 15:16:04 +0000 (UTC)
In-Reply-To: <1141604887.105812.107970@i40g2000cwc.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2888

  Don`t blame me,I had nothing to do with multiple listing. Just mind
your own business  OK. W4PQW
w4pqw@cox.net wrote:
> I have a remote control box for Icom IC-4KL ..It will allow you to
```

> drive the IC 4KL amp with an exciter other than Icom..Allow you to
> change bands manually. Has provision to key the amp and connect ALC.
> back to exciter. Professionally built as a test fixture..NOT AN ICOM
> DEVICE... [probably work with IC-2 KL also] Picture available.. Yours
> for $50.00 plus shipping..W4PQW

From -1299650638619965790
X-Google-Thread: 108122,c239adfacb62a328,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p10g2000cwp.googlegroups.com!not-for-mail
From: "Cocas" <psmb@netcabo.pt>
Newsgroups: rec.radio.amateur.equipment
Subject: R100 Checksum Invalid
Date: 6 Mar 2006 09:11:02 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1141665062.333873.122410@p10g2000cwp.googlegroups.com>
NNTP-Posting-Host: 213.22.78.13
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141665067 6669 127.0.0.1 (6 Mar 2006 17:11:07 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Mar 2006 17:11:07 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1) Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p10g2000cwp.googlegroups.com; posting-host=213.22.78.13;
   posting-account=3MSDWg0AAAD7iOtxIww_k23QMfbuAAEH
Xref: g2news1.google.com rec.radio.amateur.equipment:2889

there was an error during the upload,a litle hellp please!

From 7420647189283382646
X-Google-Thread: 108122,b1fef38e9fc1da93
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!53ab2750!not-for-mail
From: Ken Taylor <ken123@xxxxtra.co.nz>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio tracking a tortoise - HELP!
References: <1QzOf.27369$Ru5.15888@newsfe6-gui.ntli.net>
<2stl02179mo5tcll8m9e80arl8kssset4a@4ax.com> <0mHOf.25660$gB4.18011@newsfe4-

```
gui.ntli.net> <120mmq1dr5u1u42@corp.supernews.com>
In-Reply-To: <120mmq1dr5u1u42@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 47
Message-ID: <Ad0Pf.4353$JZ1.90440@news.xtra.co.nz>
Date: Tue, 07 Mar 2006 08:39:11 +1300
NNTP-Posting-Host: 219.88.64.2
X-Complaints-To: abuse@xtra.co.nz
X-Trace: news.xtra.co.nz 1141673952 219.88.64.2 (Tue, 07 Mar 2006 08:39:12 NZDT)
NNTP-Posting-Date: Tue, 07 Mar 2006 08:39:12 NZDT
Organization: Xtra
Xref: g2news1.google.com rec.radio.amateur.equipment:2890

Richard Crowley wrote:
> "Floatything" wrote ...
>
>> Thanks - that's excellent Howard - it looks just the job.  So all I
>> need to know now are the 'basics of direction finding'..  I presume I
>> need to wave the aerial about a bit until I get a stronger beep beep?
>> (tell me I'm on the right track? or is there some magic method to
>> homing in on a beeping reptile?
>
>
> The basics are a directional antenna and triangulation.
> Do they still sell those RDF things for watercraft which
> use a loop antenna?  Same principle. A directional FM
> antenna (like a yagi) which you can rotate to find the strongest signal.
> Then move a distance and plot the
> max signal as another line on the map. Assuming your
> tortise isn't moving that fast, go the the "X" on the map
> and retrieve your reptile.
>
> There are lots of miniature FM transmitter kits available,
> but beware that the range of many (most?) of those
> devices may be limited to a range where you could
> just locate your creature by sight (particularly those
> which can be powered by photo-voltaic cells  :-)
>
> Note that you could also use preassembled GPS and
> cell-phone modules (like those available from one of
> my favorite toy-shops: www.sparkfun.com) and create
> a box which you can call on your  phone and will report
> the tortise's current location.  You could have the first
> tortise-lojack on the planet! :-)
>
> It is rumored that many high-value items (besides autos)
> have this kind of secret locator transponder devices installed in them.
>
The only problem I see with this is that you will have to change the
battery on the tortoise pretty regularly. If you have just the receiver
on the tortoise and only go into a 'wake-up' condition upon receipt of a
signal from your transmitter you will get extended life. If the receiver
```

then triggers a beeper that you listen for you'll get good life out of a
battery and run less risk of the battery being flat just when you want
to go find the beast. Since the roaming range is fairly limited the
audible range shouldn't pose a problem.

Cheers.

Ken

```
From -6077472809375172710
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
logbridge.uoregon.edu!canoe.uoregon.edu!newsfeed.news.ucla.edu!
newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-06!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Dr.Douche On BrokeDick Mountain
Date: Mon, 6 Mar 2006 16:26:05 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120pdnukpo94951@corp.supernews.com>
References: <120m82fneh3mi15@corp.supernews.com>
<aaGOf.172181$US.118735@news.ono.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 34
Xref: g2news1.google.com rec.radio.cb:6363 rec.radio.amateur.equipment:2891
rec.radio.swap:2976
```

```
<Shut_UP_You_Keyclowns@yahoo.com> wrote in message
news:aaGOf.172181$US.118735@news.ono.com...
>> <listenupKEYCLOWN@akc.org> wrote in message
>> news:r7rOf.172133$US.119772@news.ono.com...
>> >> "Dana" <dana@panix.com> wrote in message
>> >> news:Pine.NEB.4.63.0603031835540.29552@panix2.panix.com...
>> >> > If it isn't an x-l1000 it isn't worth anything much. I remember that
>> >> > amp
>> >> > back in the old Chicken band days.
>> >> >
>> >>
>> >> I had a 450xl that kicked ass
>> >>
>> >>
>> >
>> > Amps are illegal on CB. Keyclowns are prevented from buying amps
>> > on eBay by AKC vigilance.
>> >
>>
>> So far you have not prevented me from purchasing amps on eBay. I wouldn't
>> go
>> around bragging that your vigilant either, unless this is what people on
>> foodstamps consider vigilance. I'm sure I accomplish more positive goals
>> in
>> one day than you do in a month.
>>
>>
>
> Why don't you just shut the fuck up?

If ya can't take the heat, stay outta the kitchen. (That would save on
foodstamps)




From -7377843197151211474
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-
sjc-03!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: A round of applause
Date: Mon, 6 Mar 2006 16:29:16 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120pdtt83ldrcf7@corp.supernews.com>
References: <u62n02d5b4nmjb3k797l2opdb1vi161o8q@4ax.com>
<NqMOf.172212$US.33748@news.ono.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news1.google.com rec.radio.cb:6364 rec.radio.amateur.equipment:2892
rec.radio.swap:2977

<Keyclown_sissies_fear_THE_AKC@akc.org> wrote in message
news:NqMOf.172212$US.33748@news.ono.com...
>> On Sun, 5 Mar 2006 11:33:18 -0600,
>> ><listenupKEYCLOWN@akc.org> wrote in message
>>
>> >news:r7rOf.172133$US.119772@news.ono.com...
>> >>> "Dana" <dana@panix.com> wrote in message
>> >>> news:Pine.NEB.4.63.0603031835540.29552@panix2.panix.com...
>> >>> > If it isn't an x-l1000 it isn't worth anything much. I remember
>> >>> > that
>> >>> > amp
>> >>> > back in the old Chicken band days.
>> >>> >
>> >>>
>> >>> I had a 450xl that kicked ass
>> >>>
>> >>>
>> >>
>> >> Amps are illegal on CB. Keyclowns are prevented from buying amps
>> >> on eBay by AKC vigilance.
>>
>> But can the Keydown Masters still get amps in the real world? Answer
>> Yes!!! I can get them any time I want and to make it even worse for
>> the anti keydowners... I sell them as well. I have been selling them
>> and buying them way before ebay or the internet and I will even after
>> they are gone... Now what anti keydowners???
>>
>
> Keyclowns will continue to be busted on eBay. Your turn will come,
> slapnutz.
>

Doubtful, He knows how to list them so they won't get pulled. Not much you
can do about it you gooch cheese licker.




From 8572884992938557506
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!
newsfeed.icl.net!newsfeed.fjserv.net!newsfeed.freenet.de!
border2.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!sn-
ams-06!sn-xt-ams-03!sn-post-ams-02!sn-post-ams-01!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: RADIO WILL <RADIOWILL@GVTC.NET>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: HOW MANY MORE POSTINGS R WE GOING TO SEE HR!
Date: Mon, 06 Mar 2006 17:55:36 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <440CE818.676A5297@GVTC.NET>
X-Mailer: Mozilla 4.7 [en]C-CCK-MCD EZN47  (Win98; I)
X-Accept-Language: en
MIME-Version: 1.0
References: <43f0b248@usenet.zapto.org>
```

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news1.google.com rec.radio.cb:6365 rec.radio.amateur.equipment:2893
rec.radio.swap:2980

Dont you people have anything else to do beside create aggravation on
this newsgroup!

Besides who cares, if you or someone wants to sell a cb amp.

This is a free country, the last time I checked!!!!

radio will.

From 2130267750718470555
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: HOW MANY MORE POSTINGS R WE GOING TO SEE HR!
From: The_AKC_sez_so@akc.org
Date: Tue, 07 Mar 2006 00:49:50 GMT
Message-ID: <OM4Pf.172305$US.14660@news.ono.com>
References: <440CE818.676A5297@GVTC.NET>
Lines: 11
NNTP-Posting-Host: 172.134.86.36
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
texta.sil.at!news-out.nuthinbutnews.com!propagator2-sterling.newsfeeds.com!news-
in.newsgrooups.com!newsfeed.inode.at!newsfeed.freenet.de!213.132.189.2.MISMATCH!
multikabel.net!feed20.multikabel.net!border1.nntp.ams.giganews.com!
border2.nntp.ams.giganews.com!nntp.giganews.com!newsfeed101.telia.com!
nf02.dk.telia.net!80.239.144.83.MISMATCH!newspeer1.de.telia.net!
newspeer4.de.telia.net!de.telia.net!newsf01.ono.com!news.ono.com.POSTED!53ab2750!
not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
X-Trace: news.ono.com 1141692590 172.134.86.36 (Tue, 07 Mar 2006 01:49:50 MET)
your: name <you@company.com>
NNTP-Posting-Date: Tue, 07 Mar 2006 01:49:50 MET
Xref: g2news1.google.com rec.radio.cb:6366 rec.radio.amateur.equipment:2894
rec.radio.swap:2981

> Dont you people have anything else to do beside create aggravation on
> this newsgroup!
>
> Besides who cares, if you or someone wants to sell a cb amp.
> This is a free country, the last time I checked!!!!

>
> radio will.
>
>
>
CB amps are illegal to market, slapnutz.

From -142955195549533384
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Mar 2006 19:48:01 -0600
Date: Mon, 06 Mar 2006 20:48:03 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: HOW MANY MORE POSTINGS R WE GOING TO SEE HR!
References: <440CE818.676A5297@GVTC.NET> <OM4Pf.172305$US.14660@news.ono.com>
In-Reply-To: <OM4Pf.172305$US.14660@news.ono.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <MtidnRSjppbMe5HZRVn-pA@comcast.com>
Lines: 16
NNTP-Posting-Host: 69.251.50.95
X-Trace:
sv3-9Hc9G8bY2DftlPAkA8NgDIrzsfNuncmymZJ+hMUbsjgldH3nJHwkK4mnZq+OUFZM5X1PJ7uJqMZsQ0
D!8JyAp+JRSYCu2Bzhe8ggexSB+rfAvQanm06ulfLiInXLmJ9Zod502jPnFkw/11+PspASqqE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.cb:6367 rec.radio.amateur.equipment:2895
rec.radio.swap:2982

> CB amps are illegal to market

OK. I'll just keep my TS-250, 2 TS-667V's, a Super Star 250
and some off brand "225" with 2 455's in it.

And an RCI 2950 that covers 26 to 32 MHz.

My current collection includes, 13 CB's,
2 IC-2100's that will transmit 136 to 174,
an HTX-420 dual band HT that covers 420 to

470 and 3 FRS radios.

> slapnutz.

Run out of intelligent things to say?
Oh, that's right, you never had any in the first place!

```
From 5445508848561810955
X-Google-Thread: 108122,851540c35fd6f948,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.cablespeedmd.com!
news.cablespeedmd.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Mar 2006 20:34:38 -0600
From: "Hamstershack.com" <admin@nospamhamstershack.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Ham Radio Manuals
Date: Mon, 6 Mar 2006 21:34:43 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <QI-dnbJ_XpqjbJHZnZ2dnUVZ_sydnZ2d@cablespeedmd.com>
Lines: 7
NNTP-Posting-Host: 24.35.90.74
X-Trace: sv3-
n5ZPJi2HVZaqljPJyWMMhsiD2biZnsL2GlobmeKjuZQz67d1jU59GrPerzd2w0R6xUF0UXSWx3aRB4t!
0LmJ+qkizcOJkGn/ZbzivarHdDrU0AhL9Agw062ZVNSDEB5bioEaZU61LJS7YI++MBaxB3blD7Q/!
9xo2VIVLvaV/jUKBF4VIrH4=
X-Complaints-To: abuse@cablespeedmd.com
X-DMCA-Complaints-To: abuse@cablespeedmd.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2896
```

Hundreds of Ham Radio manuals available.

Icom, Kenwood, Yaesu, Lafayette, Lowe, Hallicrafters, Radio Shack.

http://www.hamstershack.com

```
From 8181902651664963966
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
```

X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Illegal CB Keyclowns applaud BrokeDick Mountain Oscar
From: AKC_rules-ya@akc.org
Date: Tue, 07 Mar 2006 03:33:36 GMT
Message-ID: <ka7Pf.172309$US.10216@news.ono.com>
References: <MtidnRSjppbMe5HZRVn-pA@comcast.com>
Lines: 1
NNTP-Posting-Host: 172.134.86.36
Path: g2news1.google.com!news3.google.com!news.glorb.com!pln-w!lotsanews.com!news-
out.newsgroups.com!propagator2-sterling.newsfeeds.com!news-in.newsgrooups.com!
ndsoftware.com!newsfeed.freenet.de!newspeer1.de.telia.net!newspeer4.de.telia.net!
de.telia.net!newsf01.ono.com!news.ono.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
X-Trace: news.ono.com 1141702416 172.134.86.36 (Tue, 07 Mar 2006 04:33:36 MET)
your: name <you@company.com>
NNTP-Posting-Date: Tue, 07 Mar 2006 04:33:36 MET
Xref: g2news1.google.com rec.radio.cb:6368 rec.radio.amateur.equipment:2897
rec.radio.swap:2985

"We love it" lisps Scottikins, spokesqueen for sissy keyclowns.

From 770216715622738745
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
tudelft.nl!txtfeed1.tudelft.nl!feeder1.cambrium.nl!feed.tweaknews.nl!
138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-03!sn-post-ams-01!sn-post-ams-02!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Illegal CB Keyclowns applaud BrokeDick Mountain Oscar
Date: Mon, 6 Mar 2006 23:29:15 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <120q6hbfvoojg0b@corp.supernews.com>
References: <MtidnRSjppbMe5HZRVn-pA@comcast.com>
<ka7Pf.172309$US.10216@news.ono.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 6
Xref: g2news1.google.com rec.radio.cb:6369 rec.radio.amateur.equipment:2898
rec.radio.swap:2987

<AKC_rules-ya@akc.org> wrote in message
news:ka7Pf.172309$US.10216@news.ono.com...

We will own 10 meters in the next 5 years.

From -685792258867323645
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: Illegal CB Keyclowns applaud BrokeDick Mountain Oscar
From: KeysissiesRgay@akccruleszyou.com
Date: Tue, 07 Mar 2006 06:08:42 GMT
Message-ID: <Kr9Pf.172312$US.108296@news.ono.com>
References: <120q6hbfvoojg0b@corp.supernews.com>
Lines: 9
NNTP-Posting-Host: 172.145.209.88
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!pln-w!lotsanews.com!news-out.newsgroups.com!propagator2-sterling.newsfeeds.com!news-in.newsgrooups.com!solnet.ch!solnet.ch!news2.volia.net!newspeer1.de.telia.net!newspeer4.de.telia.net!de.telia.net!newsf01.ono.com!news.ono.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
X-Trace: news.ono.com 1141711722 172.145.209.88 (Tue, 07 Mar 2006 07:08:42 MET)
your: name <you@company.com>
NNTP-Posting-Date: Tue, 07 Mar 2006 07:08:42 MET
Xref: g2news1.google.com rec.radio.cb:6371 rec.radio.amateur.equipment:2899 rec.radio.swap:2988

> <AKC_rules-ya@akc.org> wrote in message
> news:ka7Pf.172309$US.10216@news.ono.com...
>
> We will own 10 meters in the next 5 years.
>
>

You need that band space in order to make new gay contacts in
order to satisfy your keyclown penis-lust.

From 5971528143521359439
X-Google-Thread: 108122,1b86fbc33fae6caa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!newsfeed.cw.net!cw.net!news-FFM2.ecrc.de!newsfeeder1.noc.eunet-ag.at!news.eunet.at!news.etel.at!not-for-mail
From: Wolfgang K. Mygett <please.no@mail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: help pls: ICOM IC-28H US to EU mod

Date: Mon, 27 Feb 2006 19:29:09 +0100
Organization: eTel
Lines: 15
Message-ID: <3rg602hh7a671h83rbj2umqd3m2m6qbhkj@4ax.com>
NNTP-Posting-Host: 81.5.241.105
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: etel.at 1141064947 22123 81.5.241.105 (27 Feb 2006 18:29:07 GMT)
X-Complaints-To: news@paperboy.si.eunet.at
NNTP-Posting-Date: Mon, 27 Feb 2006 18:29:07 +0000 (UTC)
X-Newsreader: Forte Agent 2.0/32.640
Xref: g2news1.google.com rec.radio.amateur.equipment:2798

Hi all,

need your help to mod an old ICOM IC-28H. The rig is an US version
with 5,10,15 etc. tuning step. I need to change this to 12,5 kHz.
Unfortunately I have no service manual.

I gus just some jumpers or diodes need to be changed.

Any clue please? Thanks in advance!

73
Wolfgang
OE1MWW

oe1mww (at) yahoo.com

From -6269742031725974781
X-Google-Thread: 108122,d3474b2d9c02860f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
From: "Jim Leder" <k8cxm@spam.fuse.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TM-G707A cable
Date: Mon, 27 Feb 2006 14:37:50 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <673c4$44035520$422af2b0$14022@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 18
X-Trace: 673c444035520e78f571514022
Xref: g2news1.google.com rec.radio.amateur.equipment:2799

I recently bought a new Kenwood TM-G707A dual band radio for the car, and found the free Kenwood memory program. I already have the Yaesu ADMS software and cable for my old FT-50R and I also have the ICOM programming cable for my IC-F420 440 radio. I really don't want to buy another cable if one of these cables will work with the Kenwood. So, two questions:
1) Will either of these cables work with the Kenwood (is the electronics in the DB-9 compatible)?
2) If so, the Kenwood uses an 8 pin DIN connector. Both the Yaesu and the Icom only use 2 wires, one for data and the other for ground with appropriate adapters. I assume the Kenwood is the same. If either of these cables will work, does anyone know the pinout on the DIN connector so that I can fashion an adapter? Any info on the net that addresses this? I found lots of info on ICOM/Yaesu, but none regarding ICOM/YAESU to Kenwood.

Thanks...

From -5134501086220450517
X-Google-Thread: 108122,bbb0300e2b834369,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!v46g2000cwv.googlegroups.com!not-for-mail
From: "ars_wa8mea@netzero.com" <ars_wa8mea@netzero.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Logging Program with SAVE.
Date: 27 Feb 2006 11:49:29 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1141069769.435164.149980@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 67.139.152.40
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141069774 13742 127.0.0.1 (27 Feb 2006 19:49:34 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 27 Feb 2006 19:49:34 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7) Gecko/20040616,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: v46g2000cwv.googlegroups.com; posting-host=67.139.152.40;
   posting-account=ChJCaQ0AAAAPwDzdCnuQ_KYBQ1LT2KRZ
Xref: g2news1.google.com rec.radio.amateur.equipment:2800

I have looked at numerous logging programs over the past week. Some freeware, some not-so-freeware. I thought I had settled on a pretty good piece of freeware. But you couldn't save your work on a separate disk. (No names will be mentioned cuz you ain't suppose to look a gift horse in the mouth.) But what I'm looking for is a simple logging program, that can SAVE your work on a separate disk, CD, DVD, etc. My

son was fooling around with the above mentioned logging program, and
lost many years worth of QSO's trying various ways to "save" my info
from the log. It would be nice if someone had a SAVE feature. 73, Bill
- WA8MEA - wa8mea@hotmail.com - http://HamRadioFun.com

```
From 416027977482864496
X-Google-Thread: 108122,d3474b2d9c02860f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!news-
xxxfer.readnews.com!news-out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TM-G707A cable
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <673c4$44035520$422af2b0$14022@FUSE.NET>
Organization: Your Company
Message-ID: <Xns977782C341B6Cspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 27 Feb 2006 20:50:59 GMT
Lines: 42
NNTP-Posting-Host: e7afe41b.news.adtechcomputers.com
X-Trace: DXC=R_ZWf]Ui0H`4NKf;dO0UolgC4_A5:nI@a<<=aEgO;R8gWG]V<@97\RfKNVAUJ3LZkeR?
X7U2a5ffgemfRC[RMj?o0[]M_>MNBVgDWWAhGN17Ge1\i_6Lcco?h
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2801
```

"Jim Leder" <k8cxm@spam.fuse.net> wrote in
news:673c4$44035520$422af2b0$14022@FUSE.NET:

> I recently bought a new Kenwood TM-G707A dual band radio for the car,
> and found the free Kenwood memory program. I already have the Yaesu
> ADMS software and cable for my old FT-50R and I also have the ICOM
> programming cable for my IC-F420 440 radio. I really don't want to buy
> another cable if one of these cables will work with the Kenwood. So,
> two questions: 1) Will either of these cables work with the Kenwood
> (is the electronics in the DB-9 compatible)?
> 2) If so, the Kenwood uses an 8 pin DIN connector. Both the Yaesu and
> the Icom only use 2 wires, one for data and the other for ground with
> appropriate adapters. I assume the Kenwood is the same. If either of
> these cables will work, does anyone know the pinout on the DIN
> connector so that I can fashion an adapter? Any info on the net that
> addresses this? I found lots of info on ICOM/Yaesu, but none regarding
> ICOM/YAESU to Kenwood.
>
>   Thanks...
>
>
>
>

An initial check of my info did not show any computer programming info for the Kenwood TM-G707A cable, but I did find pinout info for use of that jack. (you can find that at:

http://www.commtechreview.net/amaradio/g707arev.htm

BTW, you mentioned an 8 pin din.... the TM-G707A uses a 6 pin mini din for both programming and packet.

If you can find the data info you seek, all you will need is a 6 pin mini din and some cable..... or you can buy the mini-din and cable assy for about $16.00. Its the Kenwood PG-5A. I use the Kenwood PG-4S program cable, which is the complete unit for computer interface programming... its about $32.00.

Ed K7AAT

From 2896328908921874943
X-Google-Thread: 108122,4b38c41b8bd83964
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed2.easynews.com!
easynews.com!easynews!easynews-local!fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1141010105.931343.177050@z34g2000cwc.googlegroups.com>
Subject: Re: Programming Icom H21T handheld
Lines: 6
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <6fKMf.277608$6Q3.93251@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Mon, 27 Feb 2006 21:33:54 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2802

olegusan wrote:
> Can anyone help with information about programming ICOM H21T handheld?

http://www.mods.dk/downloadmanual.php?File=IC-V210T_H21T_Programming_manual.zip

From -2012309306582917511
X-Google-Thread: 108122,d3474b2d9c02860f

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TM-G707A cable
Date: Mon, 27 Feb 2006 18:35:32 -0600
Lines: 49
Message-ID: <46hk6jFb889lU1@individual.net>
References: <673c4$44035520$422af2b0$14022@FUSE.NET>
<Xns977782C341B6Cspectrumhogstarbandn@198.186.192.196>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net KKOh9SGeYuxiyhO3E6BG0wnxdx7wDKSWERQPd/WQzzlrR+C3T2
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <Xns977782C341B6Cspectrumhogstarbandn@198.186.192.196>
Xref: g2news1.google.com rec.radio.amateur.equipment:2803

An old mouse cable is great for this, it's also great for packet adapters as well!

Bob N9LVU

Ed wrote:
> "Jim Leder" <k8cxm@spam.fuse.net> wrote in
> news:673c4$44035520$422af2b0$14022@FUSE.NET:
>
>
>>I recently bought a new Kenwood TM-G707A dual band radio for the car,
>>and found the free Kenwood memory program. I already have the Yaesu
>>ADMS software and cable for my old FT-50R and I also have the ICOM
>>programming cable for my IC-F420 440 radio. I really don't want to buy
>>another cable if one of these cables will work with the Kenwood. So,
>>two questions: 1) Will either of these cables work with the Kenwood
>>(is the electronics in the DB-9 compatible)?
>>2) If so, the Kenwood uses an 8 pin DIN connector. Both the Yaesu and
>>the Icom only use 2 wires, one for data and the other for ground with
>>appropriate adapters. I assume the Kenwood is the same. If either of
>>these cables will work, does anyone know the pinout on the DIN
>>connector so that I can fashion an adapter? Any info on the net that
>>addresses this? I found lots of info on ICOM/Yaesu, but none regarding
>>ICOM/YAESU to Kenwood.
>>
>> Thanks...
>>
>>
>>
>>
>
>

```
>
>     An initial check of my info did not show any computer programming
> info for the Kenwood TM-G707A cable,  but I did find pinout info for use
> of that jack. (you can find that at:
>
> http://www.commtechreview.net/amaradio/g707arev.htm
>
>      BTW,  you mentioned an 8 pin din.... the TM-G707A uses a 6 pin mini
> din for both programming and packet.
>
>     If you can find the data info you seek, all you will need is a 6 pin
> mini din and some cable..... or you can buy the mini-din and cable assy
> for about $16.00.  Its the Kenwood  PG-5A.   I use the Kenwood PG-4S
> program cable, which is the complete unit for computer interface
> programming... its about $32.00.
>
>
>     Ed   K7AAT
```

```
From -8361232568715628418
X-Google-Thread: 108122,8a60ad6e757f652,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: dustradio@copper.net
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for XTAL mixer info for TRAM Diamond 60
Date: 27 Feb 2006 16:46:35 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1141087595.701757.304660@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 4.228.159.237
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141087603 24367 127.0.0.1 (28 Feb 2006 00:46:43 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Feb 2006 00:46:43 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; en) Opera
8.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=4.228.159.237;
   posting-account=rzSO4w0AAAAL5aXN1cHFpMYx0RTPx9al
Xref: g2news1.google.com rec.radio.amateur.equipment:2804
```

NO BS please. Just info would be appreciated. Please assist.

Max

```
From 7687114615190531622
X-Google-Thread: 108122,f6d23b238364df9a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: dustradio@copper.net
Newsgroups: rec.radio.amateur.equipment
Subject: DENTRON GLA1000 Info needed
Date: 27 Feb 2006 16:49:17 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1141087757.694462.316450@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 4.228.159.237
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141087763 13749 127.0.0.1 (28 Feb 2006 00:49:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Feb 2006 00:49:23 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; en) Opera
8.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=4.228.159.237;
   posting-account=rzSO4w0AAAAL5aXN1cHFpMYx0RTPx9al
Xref: g2news1.google.com rec.radio.amateur.equipment:2805
```

Seeking info, dos and donts on this old amp. Please assist.

Max

```
From 1821856334591127768
X-Google-Thread: 108122,4b38c41b8bd83964
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t39g2000cwt.googlegroups.com!not-for-
mail
From: "olegusan" <olegusan@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Programming Icom H21T handheld
Date: 27 Feb 2006 21:39:04 -0800
Organization: http://groups.google.com
Lines: 22
Message-ID: <1141105144.039881.152690@t39g2000cwt.googlegroups.com>
References: <1141010105.931343.177050@z34g2000cwc.googlegroups.com>
   <6fKMf.277608$6Q3.93251@fe07.news.easynews.com>
NNTP-Posting-Host: 203.18.238.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141105149 1037 127.0.0.1 (28 Feb 2006 05:39:09 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Tue, 28 Feb 2006 05:39:09 +0000 (UTC)
In-Reply-To: <6fKMf.277608$6Q3.93251@fe07.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR 1.0.3705; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t39g2000cwt.googlegroups.com; posting-host=203.18.238.26;
   posting-account=I1ca1g0AAAD3f75ipUdbQ-H260jBL3KL
Xref: g2news1.google.com rec.radio.amateur.equipment:2806

Thanks Travis

I've tried that.

I could not get my radio into "Dealer Mode" for some reason. The method described in the documentation simply does not work for some reason. I guess the Dealer Mode is locked somehow.

Programming the radio in the "User Mode" worked OK. Unfortunately the channels cannot be programmed in User Mode.

Any ideas how to get to Dealer Mode?

Regards,
Oleg VK3HOD

Travis Jordan wrote:
> olegusan wrote:
> > Can anyone help with information about programming ICOM H21T handheld?
>
> http://www.mods.dk/downloadmanual.php?File=IC-V210T_H21T_Programming_manual.zip

From -4280877009474526383
X-Google-Thread: 108122,4b38c41b8bd83964
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1141010105.931343.177050@z34g2000cwc.googlegroups.com>
<6fKMf.277608$6Q3.93251@fe07.news.easynews.com>
<1141105144.039881.152690@t39g2000cwt.googlegroups.com>
Subject: Re: Programming Icom H21T handheld
Lines: 12
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506

```
Message-ID: <OBWMf.284778$6Q3.58572@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 28 Feb 2006 11:37:18 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2807

olegusan wrote:
>> Any ideas how to get to Dealer Mode?

You need the Dealer passcode, which unfortunately I do not know.

There might be a good hint on the jpg at H21T-05.jpg right above the
line "DEALER SET MODE".  The handwriting is a bit hard to read but you
could try several combinations and see if any of them work.

Good luck!




From -3020329594039627149
X-Google-Thread: 108122,4b38c41b8bd83964
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe07.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1141010105.931343.177050@z34g2000cwc.googlegroups.com>
<6fKMf.277608$6Q3.93251@fe07.news.easynews.com>
<1141105144.039881.152690@t39g2000cwt.googlegroups.com>
<OBWMf.284778$6Q3.58572@fe07.news.easynews.com>
Subject: Re: Programming Icom H21T handheld
Lines: 17
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <REWMf.284779$6Q3.170737@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Tue, 28 Feb 2006 11:40:33 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2808

Travis Jordan wrote:
> olegusan wrote:
> > > Any ideas how to get to Dealer Mode?
>
> You need the Dealer passcode, which unfortunately I do not know.
```

>
> There might be a good hint on the jpg at H21T-05.jpg right above the
> line "DEALER SET MODE". The handwriting is a bit hard to read but you
> could try several combinations and see if any of them work.

Also on the first file H21T-01 (front cover) there is written:

Code 3116 (H21)

Maybe that will do the trick. If so, let us know.

From 8481481698121757772
X-Google-Thread: 108122,bbb0300e2b834369
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-
xxxfer.readnews.com!news.infoave.net!not-for-mail
From: "W4LM" <larrymoss@citcom.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Logging Program with SAVE.
Date: Tue, 28 Feb 2006 08:34:20 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 18
Message-ID: <du1jhg$dgqp$1@news3.infoave.net>
References: <1141069769.435164.149980@v46g2000cwv.googlegroups.com>
NNTP-Posting-Host: 206.74.67.94
X-Trace: news3.infoave.net 1141133680 443225 206.74.67.94 (28 Feb 2006 13:34:40
GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Tue, 28 Feb 2006 13:34:40 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Xref: g2news1.google.com rec.radio.amateur.equipment:2809

Look at DXkeeper it has several ways to save your files. I have been using
for several years now and backup my files on a regular basis from it.
Larry/W4LM
<ars_wa8mea@netzero.com> wrote in message
news:1141069769.435164.149980@v46g2000cwv.googlegroups.com...
>I have looked at numerous logging programs over the past week. Some
> freeware, some not-so-freeware. I thought I had settled on a pretty
> good piece of freeware. But you couldn't save your work on a separate
> disk. (No names will be mentioned cuz you ain't suppose to look a gift
> horse in the mouth.) But what I'm looking for is a simple logging
> program, that can SAVE your work on a separate disk, CD, DVD, etc. My

```
> son was fooling around with the above mentioned logging program, and
> lost many years worth of QSO's trying various ways to "save" my info
> from the log. It would be nice if someone had a SAVE feature. 73, Bill
> - WA8MEA - wa8mea@hotmail.com - http://HamRadioFun.com
>



From 8269286523224417272
X-Google-Thread: 108122,db80b2ee3c8f9b88,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need a Icom F3S programmed.
Date: 28 Feb 2006 05:58:00 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1141135080.101073.43000@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141135085 6724 127.0.0.1 (28 Feb 2006 13:58:05 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Feb 2006 13:58:05 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 iwss:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=64.216.97.21;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.amateur.equipment:2810

I have a Icom F3S that my brother sent me and I need to get it
programmed for use on the 2 meter band.  Can anyone help me?  I found a
schematic and made a cloning cable for it, but I do not have the
programming software.  Thanks for your time and consideration on the
this matter.
73s
Tim Mize/ N7XAU
tmize57@juno.com



From 260531323708591761
X-Google-Thread: 108122,8a60ad6e757f652
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
```

border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Feb 2006 08:13:47 -0600
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1141087595.701757.304660@z34g2000cwc.googlegroups.com>
Subject: Re: Looking for XTAL mixer info for TRAM Diamond 60
Date: Tue, 28 Feb 2006 08:13:52 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Q5udna-twvYGx5nZnZ2dnUVZ_tSdnZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 67.165.172.148
X-Trace:
sv3-3DM2um1VcCkDO7pgEAzKhTZHts1eWwnnJw6qHuqBJboYE0wNjXhDnMZuL2JX0twuqv6dXeVlOgM/
zi3!/W5duLdGFl15tRPMdvqwxDYbEzua6OZXU24slybMELn1mfBzseBB4jmVF3QO+4806rJ3uVuROGhh!
AjLSZZXepEsYlt5A
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2811

Are you talking about a diode ring mixer? If so, what is the part number
indicated on the component?

Pete

<dustradio@copper.net> wrote in message
news:1141087595.701757.304660@z34g2000cwc.googlegroups.com...
> NO BS please. Just info would be appreciated. Please assist.
>
> Max
>

From 4590492346397508058
X-Google-Thread: 108122,d3474b2d9c02860f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!
news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
From: "Jim Leder" <k8cxm@spam.fuse.net>
Newsgroups: rec.radio.amateur.equipment
References: <673c4$44035520$422af2b0$14022@FUSE.NET>

<Xns977782C341B6Cspectrumhogstarbandn@198.186.192.196>
<46hk6jFb889lU1@individual.net>
Subject: Re: Kenwood TM-G707A cable
Date: Tue, 28 Feb 2006 09:35:13 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <b1589$44045f99$422af2b0$11890@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 60
X-Trace: b158944045f99e78f571511890
Xref: g2news1.google.com rec.radio.amateur.equipment:2812

Sorry, I later realized it is a 6 pin DIN, not 8. Never thought about using an old mouse cable, great suggestion. But the big question remains: Does anyone know if the ICOM/Yaesu programming cable is compatible (I suspect it is). And after looking at the link Ed sent, it appears that pins 1 and 2 are the pins to use (data and ground). The ICOM/Yaesu cables do have level converters built into the DB9 head. I'm sure the Kenwood requires the same sort of interface.

Jim

"Robert Kubichek" <bobn9lvu@sbcglobal.net> wrote in message
news:46hk6jFb889lU1@individual.net...
> An old mouse cable is great for this, it's also great for packet adapters
> as well!
>
> Bob N9LVU
>
> Ed wrote:
>> "Jim Leder" <k8cxm@spam.fuse.net> wrote in
>> news:673c4$44035520$422af2b0$14022@FUSE.NET:
>>>I recently bought a new Kenwood TM-G707A dual band radio for the car,
>>>and found the free Kenwood memory program. I already have the Yaesu
>>>ADMS software and cable for my old FT-50R and I also have the ICOM
>>>programming cable for my IC-F420 440 radio. I really don't want to buy
>>>another cable if one of these cables will work with the Kenwood. So,
>>>two questions: 1) Will either of these cables work with the Kenwood
>>>(is the electronics in the DB-9 compatible)?
>>>2) If so, the Kenwood uses an 8 pin DIN connector. Both the Yaesu and
>>>the Icom only use 2 wires, one for data and the other for ground with
>>>appropriate adapters. I assume the Kenwood is the same. If either of
>>>these cables will work, does anyone know the pinout on the DIN
>>>connector so that I can fashion an adapter? Any info on the net that
>>>addresses this? I found lots of info on ICOM/Yaesu, but none regarding
>>>ICOM/YAESU to Kenwood.
>>> Thanks...
>>>

```
>>>
>>>
>>>
>>
>>
>>
>>     An initial check of my info did not show any computer programming
>> info for the Kenwood TM-G707A cable,  but I did find pinout info for use
>> of that jack. (you can find that at:
>> http://www.commtechreview.net/amaradio/g707arev.htm  BTW,  you mentioned
>> an 8 pin din.... the TM-G707A uses a 6 pin mini din for both programming
>> and packet.
>>
>>     If you can find the data info you seek, all you will need is a 6 pin
>> mini din and some cable..... or you can buy the mini-din and cable assy
>> for about $16.00.  Its the Kenwood  PG-5A.   I use the Kenwood PG-4S
>> program cable, which is the complete unit for computer interface
>> programming... its about $32.00.
>>
>>
>>     Ed   K7AAT
```

```
From 4640731976706947948
X-Google-Thread: 108122,8aaf512234f085ac,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need a manual for a CES-5200 Telephone Interconnect
Date: 28 Feb 2006 09:02:15 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1141146135.849158.257980@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141146143 1698 127.0.0.1 (28 Feb 2006 17:02:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Feb 2006 17:02:23 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 iwss:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=64.216.97.21;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.amateur.equipment:2813
```

I am in need of a manual for the CES-5200 Telephone Interconnect. I would compensate for any costs involved. Thanks!
Tim Mize/ N7XAU
tmize57@juno.com

```
From -912317603969277111
X-Google-Thread: 108122,ed4cbae965e48943,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "AL7Y" <powell@mosquitonet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA-Custom 4CX1000 modular linear amplifier
Date: 28 Feb 2006 10:21:30 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1141150890.429840.93840@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 66.230.83.18
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141150896 28476 127.0.0.1 (28 Feb 2006 18:21:36 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 28 Feb 2006 18:21:36 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z34g2000cwc.googlegroups.com; posting-host=66.230.83.18;
   posting-account=kHAXFgwAAABxY4tu2hOexoAPe2yo1tq8
Xref: g2news1.google.com rec.radio.amateur.equipment:2814
```

Here is a one of a kind modular 4CX1000 linear amplifier that will run the legal limit with 15 watts drive. Uses motor driven tank circuit components, with digital readouts on a modular control panel, operated with toggle switches.

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=5873424808&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

```
From 5897688735530607576
X-Google-Thread: 108122,23aa0bc188902e2e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news2.volia.net!
news.newsland.it!eleonora.aioe.org!emma.aioe.org!aioe.org!ac9df8c1.ipt.aol.com!
user
From: fmmck@aol.com (Fred McKenzie)
```

Newsgroups: rec.radio.amateur.equipment
Subject: Re: 10m Handhelds
Date: Tue, 28 Feb 2006 14:03:11 -0500
Organization: Aioe.org NNTP Server
Lines: 27
Message-ID: <fmmck-2802061403110001@ac9df8c1.ipt.aol.com>
References: <dtshb1$5t6$1@nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com>
<CckMf.250819$6Q3.20366@fe07.news.easynews.com>
NNTP-Posting-Host: srZVrNqFlLBxBUJS0IEi6A.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Xref: g2news1.google.com rec.radio.amateur.equipment:2815

In article <CckMf.250819$6Q3.20366@fe07.news.easynews.com>, "Travis
Jordan" <no.one@no.net> wrote:

> Robert Trussler wrote:
> > Are they FM & SSB or just FM.
> > Were they just 10m HAM or CB also?
>
> There were just a few models of these 10m handhelds, sold under
> different names including Eagle Spitfire and Titan. AFAIK they are NLA.
> You see them on eBay from time to time for $125 - $200 (USD); some
> non-US sites also may have them still available.

Robert, Mark & Travis-

I purchased one of the Titan models (new) on eBay two or three years ago.
I haven't looked recently, but expect they may still be available.

The Titan RPSY-201 has USB, LSB, AM and FM capability. It isn't a very
good radio, but it works. I've used it to check into a local Ten Meter
net, but it is only heard by the nearest stations unless it is connected
to a larger antenna system.

Service data and possible modifications can be found on the web if you
search for similar radios such as the Albrecht AE-201S, Mundara sy-201 and
Cherokee ah-100.

73, Fred, K4DII

From 5353814919942549349
X-Google-Thread: fc8b1,a4cd5d54e7a8202d
X-Google-Thread: 108122,a4cd5d54e7a8202d
X-Google-Thread: 107ada,a4cd5d54e7a8202d
X-Google-Thread: 114aac,a4cd5d54e7a8202d
X-Google-Attributes: gidfc8b1,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc03.POSTED!fee7637a!not-for-mail
Reply-To: "Stargatesg1" <nospam@here.net>

```
From: "Stargatesg1" <nospam@here.net>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.misc,rec.radio.shortwave
References: <rN3Lf.50149$6f2.23307@trnddc02> <l06Lf.17511$2c4.5324@dukeread11>
Subject: Re: Looking for either Ron Kelly or Ron Hensley of Cushman Electronics
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <Il1Nf.31373$%v4.16591@trnddc03>
Date: Tue, 28 Feb 2006 19:18:00 GMT
NNTP-Posting-Host: 141.152.76.160
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc03 1141154280 141.152.76.160 (Tue, 28 Feb 2006 14:18:00 EST)
NNTP-Posting-Date: Tue, 28 Feb 2006 14:18:00 EST
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3091
rec.radio.amateur.equipment:2816 rec.radio.amateur.misc:5261
rec.radio.shortwave:26038

Thanks, I will gve them a call.

" Uncle Peter" <radioconnectionNO@cox.netSPAM> wrote in message
news:l06Lf.17511$2c4.5324@dukeread11...
>
> "stargatesg1" <me@verizon.net> wrote in message
> news:rN3Lf.50149$6f2.23307@trnddc02...
> > Hi all,
> >
> >     I'm trying to contact either Ron Kelly or Ron Hensley, both of whom
> > worked at Cushman Electronics some years back. If anyone has contact
> > information regarding these gentlemen I would appreciate it.
> >
> > Thanks,
> >
> > RoD
> >
>
> Long shot: give the guys at Triton Electronics a call, the company was
> formed
> by ex Cushman employees.  They may have a lead?
>
> Pete
>
>




From 3111186558907100376
X-Google-Thread: 108122,d3474b2d9c02860f
X-Google-Attributes: gid108122,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!sn-xt-sjc-15!sn-xt-sjc-07!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TM-G707A cable
Date: Tue, 28 Feb 2006 19:18:58 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <12098h2nh66m66b@corp.supernews.com>
References: <673c4$44035520$422af2b0$14022@FUSE.NET>
<Xns977782C341B6Cspectrumhogstarbandn@198.186.192.196>
<46hk6jFb889lU1@individual.net> <b1589$44045f99$422af2b0$11890@FUSE.NET>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 41
Xref: g2news1.google.com rec.radio.amateur.equipment:2817

>Sorry, I later realized it is a 6 pin DIN, not 8. Never thought about using
>an old mouse cable, great suggestion. But the big question remains: Does
>anyone know if the ICOM/Yaesu programming cable is compatible (I suspect it
>is). And after looking at the link Ed sent, it appears that pins 1 and 2 are
>the pins to use (data and ground). The ICOM/Yaesu cables do have level
>converters built into the DB9 head. I'm sure the Kenwood requires the same
>sort of interface.

Most of the radios I've looked at use the same electrical-signalling protocol on their data line - basically, pseudo-TTL or CMOS, just as if you were coming right out a UART chip. 5 volt, open-collector / open-drain drivers with a pullup resistor on one side or the other (or both), with the signalling sense being inverted from that of RS-232.

I've successfully used a Yaesu programming interface intended for the VX-5 to program an Icom IC-W32A, although I don't remember whether I needed a custom jumper/adapter to go from the Yaesu's miniplug to the Icom's minijack.

I believe I've seen _some_ radios which use a three-wire (ground, send-data, receive-data) serial connection, using TTL/CMOS voltages. None of the common bidirectional-data-line serial adapters will work with these, without some extra waving-of-dead-chickens.

My recollection, though, is that the TM-G707A is not one of these. It uses a single data line, and should be electrically compatible with the RS-232-to-5-volt-inverted adapters used by Icom and Yaesu HTs.

The most you _may_ need to do, is to pull one extra pin on the TM-G707A interface to ground or +5 to indicate that you're plugged in a programming adapter. I know that this sort of trick is needed in order to invoke the factory-settings/alignment mode, and I have a vague recollection that it may be needed in order to enable the radio to distinguish between a memory-programming adapter and an external TNC... but I could be wrong about that.

```
--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From -1219790228837393785
X-Google-Thread: 108122,d3474b2d9c02860f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-xxxfer.readnews.com!
news-out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TM-G707A cable
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <673c4$44035520$422af2b0$14022@FUSE.NET>
<Xns977782C341B6Cspectrumhogstarbandn@198.186.192.196>
<46hk6jFb889lU1@individual.net> <b1589$44045f99$422af2b0$11890@FUSE.NET>
<12098h2nh66m66b@corp.supernews.com>
Organization: Your Company
Message-ID: <Xns97789C9228279spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 28 Feb 2006 23:23:10 GMT
Lines: 14
NNTP-Posting-Host: 39bcc5b8.news.adtechcomputers.com
X-Trace: DXC=_4mLCDOY:CW9`]cJ8Ti<0_gC4_A5:nI@Q<<=aEgO;R8WWG]V<@97\RVOobGgd8LHZ^R?
X7U2a5ffWemfRC[RMj?_0[]M_>MNBVW_oNnXeG`gR\`PB2jS?`UJ[
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2818
```

I WAS going to try to diagram my Kenwood PG-4S programming cable/circuit,,,, but after I opened up the 26pin connector, I gave up. The tiny PC board inside had more active components on it than I had realized.... all tiny surface mount.   A small 5V regulator IC, possibly another IC (only had 5 pins instead of 8), and 4 or 5 transistors, a diode or two, and a few resistors/caps.

Sorry guys, but I don't have the time at present..

Ed

```
From -6416213540424577335
X-Google-Thread: 108122,fb144037b0318237,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeed.cw.net!cw.net!
```

```
news-FFM2.ecrc.de!news.mediascape.de!nntp-peering.plus.net!ptn-nntp-feeder01.plus.net!ptn-nntp-spool01.plus.net!ptn-nntp-reader03.plus.net!not-for-mail
From: Richard g4tut <g4tut@southgatearc.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Free Competition
Date: Wed, 01 Mar 2006 00:20:14 +0000
Message-ID: <85q9021e6dt6pco926jsu3rtecoqtacvd1@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 32
Organization: Customer of PlusNet plc (http://www.plus.net)
NNTP-Posting-Host: 5125406e.ptn-nntp-reader03.plus.net
X-Trace: DXC=6h]G`9k]S^ON9SEa4;`LLHigd3Y`7Rb;N@`8gV4CC7IGJ0Sf_]?Zm6G__:;VMo8C=@:kF2DH@RIPIjo[fZ8\M8@B
X-Complaints-To: abuse@plus.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2819
```

Another Free Competition!

The Southgate Amateur Radio Club's website now has another free competition running.
This time, we are offering you a chance to win a BHI NEIM1031 Noise Eliminating In-Line Module - absolutely free.

The NEIM1031 Noise Eliminating In-line Module incorporates the latest Digital Signal Processing (DSP) technology to remove unwanted background noise and interference from speech, enabling you to concentrate and listen... �Stress Free�

The NEIM1031 will greatly improve the clarity and intelligibility of speech in a variety of radio communication applications. It is suitable for use with amateur radio equipment, scanning receivers, CB radio, two-way radio, headsets, marine communications, taxi base stations, hands-free car kits, processing of audio tapes and signals, pre-processing for voice control applications

Just answer a very simple question for your chance to win one of these super units.

To increase your chances of winning, you can make an entry every day until the competition closes. Entries are invited from all parts of the world.

To enter the BHI competition, just point your web browsers at:
http://www.southgatearc.org/competitions/bhi.htm

Good Luck!

Richard

From -5833889071974177689
X-Google-Thread: 108122,fb144037b0318237
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!newsfeed.news2me.com!newsfeed.icl.net!proxad.net!proxad.net!news.clara.net!wagner.news.clara.net!nntp-peering.plus.net!ptn-nntp-feeder03.plus.net!ptn-nntp-spool01.plus.net!ptn-nntp-reader03.plus.net!not-for-mail
From: Richard g4tut <g4tut@southgatearc.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Free Competition
Date: Wed, 01 Mar 2006 00:21:37 +0000
Message-ID: <58q9029qgu3odhmn6uvkr3k91g6vmj1t3o@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 8bit
Lines: 32
Organization: Customer of PlusNet plc (http://www.plus.net)
NNTP-Posting-Host: 5125406e.ptn-nntp-reader03.plus.net
X-Trace: DXC=VI_:DeTK2aLgL]l1e9bg8Migd3Y`7Rb;N@`8gV4CC7IGJ0Sf_]?Zm6G__:;VMo8C=@:kF2DH@RIPIjo[fZ8\M8@B
X-Complaints-To: abuse@plus.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2820

Another Free Competition!

The Southgate Amateur Radio Club's website now has another free competition running.
This time, we are offering you a chance to win a BHI NEIM1031 Noise Eliminating In-Line Module - absolutely free.

The NEIM1031 Noise Eliminating In-line Module incorporates the latest Digital Signal Processing (DSP) technology to remove unwanted background noise and interference from speech, enabling you to concentrate and listen... �Stress Free�

The NEIM1031 will greatly improve the clarity and intelligibility of speech in a variety of radio communication applications. It is suitable for use with amateur radio equipment, scanning receivers, CB radio, two-way radio, headsets, marine communications, taxi base stations, hands-free car kits, processing of audio tapes and signals, pre-processing for voice control applications

Just answer a very simple question for your chance to win one of these super units.

To increase your chances of winning, you can make an entry every day until the competition closes. Entries are invited from all parts of the world.

To enter the BHI competition, just point your web browsers at:

http://www.southgatearc.org/competitions/bhi.htm

Good Luck!

Richard

From 8251282952289329027
X-Google-Thread: 108122,9cebfaadfeea50a5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Hickok 539 C Tube Tester
Message-ID: <thr902lvc50fm2nrc508s592k4jqgbmngu@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Tue, 28 Feb 2006 19:43:46 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1141173819 69.125.167.162 (Tue, 28 Feb 2006 17:43:39 MST)
NNTP-Posting-Date: Tue, 28 Feb 2006 17:43:39 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2821

WTB: Hickok 539 C Tube Tester
please reply email with price and condition.
ritchi50@optonline.net

From -5075608112748780480
X-Google-Thread: 108122,ba7d99d99f1deedc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!e56g2000cwe.googlegroups.com!not-for-mail
From: rullery@Pioneer-Data.com
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood SW-2100 SWR/Wattmeter 200W-2000W
Date: 28 Feb 2006 16:51:20 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1141174280.837640.296620@e56g2000cwe.googlegroups.com>
NNTP-Posting-Host: 70.103.151.226
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141174285 18062 127.0.0.1 (1 Mar 2006 00:51:25 GMT)

```
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 1 Mar 2006 00:51:25 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows
98),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: e56g2000cwe.googlegroups.com; posting-host=70.103.151.226;
   posting-account=GrsS1wwAAAC0nNl98ZqXeZBpfSZeBxFk
Xref: g2news1.google.com rec.radio.amateur.equipment:2822
```

Kenwood SW-2100 SWR/Wattmeter 200W-2000W

Fixed price on ebay

http://cgi.ebay.com/Kenwood-SW-2100-SWR-Wattmeter-200W-2000W_W0QQitemZ5873456106

```
From -4989846677546155195
X-Google-Thread: 108122,5c5c33fc56796f9c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Feb 2006 19:33:43 -0600
From: Dave <dave@whassup.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Johnson Viking Ranger II Transmitter Factory Built
Date: Tue, 28 Feb 2006 20:33:58 -0500
Organization: -
Reply-To: -
Message-ID: <feu902tahauusmol1p7ecdvflo3us0ik1m@4ax.com>
X-Newsreader: Forte Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
X-Trace: sv3-wyB/
ZsTY8k+bdz+qean4Ccl+W+7gjqcM6weGxcPrpEbDq5jSCt5DuvHZeQpdrt7Pxs9bySYsrum1r4j!
9bMSs9w2PyWX6ZuHmgQx9XkCeClLd8zO0n9St+gioceYGpT6GpKWDxkaqqA215mGGPQ=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2823
```

I have a nice Factory Built Johnson Viking Ranger II Transmitter for
auction on
e-bay:

http://cgi.ebay.com/Johnson-Viking-Ranger-II-Transmitter-Very-Nice-NR_W0QQitemZ5871392111QQcategoryZ4675QQrdZ1QQcmdZViewItem

Thanks for Looking!

```
From -4630338307597084513
X-Google-Thread: 108122,507030d0cf8abdb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 28 Feb 2006 19:41:02 -0600
From: Dave <dave@whassup.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Heatkit IM-11 VTVM Complete, Clean, Works
Date: Tue, 28 Feb 2006 20:41:17 -0500
Organization: -
Reply-To: -
Message-ID: <uru902ti1l7po0jsasnuf4ptf0lhglj09r@4ax.com>
X-Newsreader: Forte Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Trace: sv3-2wS1kLxL+bIBCPBAPVFZyz0vfrc94hwdISTAQF9IlQsGpE/UdLdI94kwaJPjyL15/
FNFB5AstfmQNAK!aH5zH8IeNMAAm9Qwr/
KsSmITrfe1IHpEc7AHg9eWn0NVy3e0FGgzutXrbpjFlg5r3Y8=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2824
```

I have for auction a nice Heatkit IM-11 VTVM Complete:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5871421086&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

Thanks!

```
From -4516182829393601024
X-Google-Thread: 108122,bbb0300e2b834369
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
```

NNTP-Posting-Date: Wed, 01 Mar 2006 05:43:30 -0600
From: "Edward A. Feustel" <efeustel@direcway.com>
Newsgroups: rec.radio.amateur.equipment
References: <1141069769.435164.149980@v46g2000cwv.googlegroups.com>
<du1jhg$dgqp$1@news3.infoave.net>
Subject: Re: Logging Program with SAVE.
Date: Wed, 1 Mar 2006 06:43:21 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <CPSdnd9YELZ5FZjZRVn-qw@giganews.com>
Lines: 31
X-Trace: sv3-
e03Gdml3fLLka4q5RbhyB3wfpGkV69G6hUugyu1HAmMQRggsYOPtrvLGUNFPIxmKaHonVfQd2muxGK/!
aDq2OB1R3qKmBGixokGkLXksyze/ulsSBnbJcULVsYEIKd38mOLz3S8Rwi1nhw==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2825

"W4LM" <larrymoss@citcom.net> wrote in message
news:du1jhg$dgqp$1@news3.infoave.net...
> Look at DXkeeper it has several ways to save your files. I have been using
> for several years now and backup my files on a regular basis from it.
> Larry/W4LM
> <ars_wa8mea@netzero.com> wrote in message
> news:1141069769.435164.149980@v46g2000cwv.googlegroups.com...
>>I have looked at numerous logging programs over the past week. Some
>> freeware, some not-so-freeware. I thought I had settled on a pretty
>> good piece of freeware. But you couldn't save your work on a separate
>> disk. (No names will be mentioned cuz you ain't suppose to look a gift
>> horse in the mouth.) But what I'm looking for is a simple logging
>> program, that can SAVE your work on a separate disk, CD, DVD, etc. My
>> son was fooling around with the above mentioned logging program, and
>> lost many years worth of QSO's trying various ways to "save" my info
>> from the log. It would be nice if someone had a SAVE feature. 73, Bill
>> - WA8MEA - wa8mea@hotmail.com - http://HamRadioFun.com
>>
>
>
Try XMLOG (www.xmlog.com). It is shareware and I have found it very useful
in preparing logs and getting my Paragon II to do the work for me!
You can save your files to other disks easily and if you wish import/export
the logs from/to other
formats.

Regards,

Ed, N5EI

From -1604833915359710575
X-Google-Thread: 108122,7a97e3fce251c617,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
arclight.uoregon.edu!news.netins.net!not-for-mail
From: Michael Funaro <mike@L2Speed.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Bencher ST2 Chrome hand key
Date: Wed, 01 Mar 2006 13:55:38 -0600
Organization: netINS InterNetNews site
Lines: 2
Message-ID: <lrub02teumevfecetccjfiet70s2kgc5he@4ax.com>
Reply-To: mike@l2speed.net
NNTP-Posting-Host: truro-01-006.wireless.l2speed.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news.netins.net 1141242941 25158 67.55.159.6 (1 Mar 2006 19:55:41 GMT)
X-Complaints-To: abuse@netins.net
NNTP-Posting-Date: Wed, 1 Mar 2006 19:55:41 +0000 (UTC)
X-Newsreader: Forte Agent 1.8/32.548
Xref: g2news1.google.com rec.radio.amateur.equipment:2826

I have a mint Bencher ST2 chrome hand key for sale. $80 plus
shipping. Please email if you would like a picture. Thanks, Mike

From 5036077932856825702
X-Google-Thread: 108122,3aed77e7a001d63,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!9bbc867a!not-for-mail
From: Bill Brannick <wmlb@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Power poles... or not?
Message-ID: <povb02ptjd339b615g3kjll0vj5babncq8@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
NNTP-Posting-Host: 68.125.148.97
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1141244033 ST000 68.125.148.97 (Wed, 01 Mar

```
2006 15:13:53 EST)
NNTP-Posting-Date: Wed, 01 Mar 2006 15:13:53 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@FS@]SPXXLBCBNWX@RJ_XPDLMN@GZ_GYO^BTJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Wed, 01 Mar 2006 20:13:53 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2827
```

I have have read quite few posts recently regarding power poles and I
see they are featured in a article in QST this month..

I have had mixed results. In some cases, I found that replacing a
"wall-wart" with a direct connection using power poles gave less
protection from stray RF. In my case the RF is not so stray.. it is
best described as basic overload coming from one leg of my dipole
which passes right over the shack..

In any it seemed to me that the windings in the wall-wart provided
some isolation that obviously you don't get with a direct connection.

Comments??

Bill, W6WLB

```
From -1042000561329518344
X-Google-Thread: 108122,3aed77e7a001d63
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-03!sn-xt-sjc-11!sn-xt-sjc-07!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power poles... or not?
Date: Wed, 01 Mar 2006 21:06:32 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <120c36oe5rfr4de@corp.supernews.com>
References: <povb02ptjd339b615g3kjll0vj5babncq8@4ax.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 43
Xref: g2news1.google.com rec.radio.amateur.equipment:2828
```

In article <povb02ptjd339b615g3kjll0vj5babncq8@4ax.com>,
Bill Brannick <wmlb@sbcglobal.net> wrote:

>I have have read quite few posts recently regarding power poles and I
>see they are featured in a article in QST this month..

> I have had mixed results. In some cases, I found that replacing a "wall-wart" with a direct connection using power poles gave less protection from stray RF. In my case the RF is not so stray.. it is best described as basic overload coming from one leg of my dipole which passes right over the shack..
>
> In any it seemed to me that the windings in the wall-wart provided some isolation that obviously you don't get with a direct connection.
>
> Comments??

I'm confused. You seem to be comparing apples and oranges.

PowerPoles are a way of connecting a DC source (battery, wall wart, solar panel, switching supply) to a load (radio). They're simply a type of plug.

It's _possible_, I suppose, that if you break an existing hard-wired connection, install a pair of PowerPoles on each end, and reconnect them, that the contact resistance of the PowerPoles might possibly be high enough to make RFI problems more obvious. Frankly, I'm dubious, but I have to allow that it's possible.

When you say you "replace a wall-wart with a direct connection using power poles", you don't say _what_ this "direct connection" is coming from, on the way to your radio. Thus, you aren't giving enough information about the topology (layout) of your power sourcing and distribution system for anyone to help diagnose your problem reliably.

If you've got high levels of RFI on your power wiring, adding some ferrite chokes around the power wires would be a very good idea.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From -2892929466425943956
X-Google-Thread: 108122,3aed77e7a001d63
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Power poles... or not?
Date: Wed, 01 Mar 2006 14:35:47 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <883c02th9ku0reuulq2t8jjtt052k1oh6c@4ax.com>
References: <povb02ptjd339b615g3kjll0vj5babncq8@4ax.com>

X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news1.google.com rec.radio.amateur.equipment:2829

On Wed, 01 Mar 2006 20:13:53 GMT, Bill Brannick <wmlb@sbcglobal.net>
wrote:

>I have have read quite few posts recently regarding power poles and I
>see they are featured in a article in QST this month..
>
>I have had mixed results. In some cases, I found that replacing a
>"wall-wart" with a direct connection using power poles gave less
>protection from stray RF. In my case the RF is not so stray.. it is
>best described as basic overload coming from one leg of my dipole
>which passes right over the shack..
>
>In any it seemed to me that the windings in the wall-wart provided
>some isolation that obviously you don't get with a direct connection.
>
>Comments??
>
>Bill, W6WLB

Power Poles have nothing to do with isolation or stray RF. They are
simply very good connectors.

Dick - W6CCD

From 7770537094130619968
X-Google-Thread: 108122,b3b83acccf2d767,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: k8vf_mark@centurytel.net
Newsgroups: rec.radio.amateur.equipment
Subject: omni V problem
Date: 1 Mar 2006 21:23:56 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1141277036.173221.185810@i40g2000cwc.googlegroups.com>
NNTP-Posting-Host: 207.118.248.28
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141277043 26781 127.0.0.1 (2 Mar 2006 05:24:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Mar 2006 05:24:03 +0000 (UTC)
User-Agent: G2/0.2

X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp 5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=207.118.248.28;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news1.google.com rec.radio.amateur.equipment:2830

My Omni V (recently purchased) went on the sick list today.

When you go to transmit, output is zero....AND the "S" meter still
shows the receive signals...AND you can fainlty hear the audio from
receive...while you are in transmit.

Has anyone seen this?

Any ideas?

Thanks, MArk

From -4866955205156923233
X-Google-Thread: 108122,ad40405117e649f1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread05.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Hustler 5BTV Vertical 80-10mts
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <skvNf.113841$4l5.48402@dukeread05>
Date: Wed, 1 Mar 2006 23:24:43 -0600
NNTP-Posting-Host: 68.98.253.240
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1141277080 68.98.253.240 (Thu, 02 Mar 2006 00:24:40 EST)
NNTP-Posting-Date: Thu, 02 Mar 2006 00:24:40 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2831

HUSTLER 5BTV VERTICAL ANTENNA

NEW IN BOX. Hustler 5 BTV Vertical Antenna.
http://www.new-tronics.com/main/html/base_hf_5_band.html See product reviews
on eHam.net. $125.00. You pay shipping from Abilene,Texas.

Thanks, Charlie Hugg, K5MBX

See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

```
From 4697876935497106292
X-Google-Thread: 115730,be02bb0f759b8cb7,start
X-Google-Thread: 107cee,be02bb0f759b8cb7,start
X-Google-Thread: fc2a5,be02bb0f759b8cb7,start
X-Google-Thread: 108122,be02bb0f759b8cb7,start
X-Google-Attributes: gid115730,gid107cee,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!u72g2000cwu.googlegroups.com!not-for-
mail
From: philvdm@sbcglobal.net
Newsgroups:
sci.electronics.equipment,sci.electronics.misc,rec.radio.amateur.homebrew,rec.radi
o.amateur.equipment
Subject: Looking for a GPS disciplined frequency synthesizer
Date: 1 Mar 2006 21:51:12 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1141278672.747780.34580@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 69.109.243.232
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141278678 30516 127.0.0.1 (2 Mar 2006 05:51:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Mar 2006 05:51:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8) Gecko/20051111
Firefox/1.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: u72g2000cwu.googlegroups.com; posting-host=69.109.243.232;
   posting-account=FGq1aQwAAABPP5HPuxs67YGgGJNTc52s
Xref: g2news1.google.com sci.electronics.equipment:1967 sci.electronics.misc:3078
rec.radio.amateur.homebrew:3965 rec.radio.amateur.equipment:2832
```

I am looking for a freqency synthesizer in the band 100Mhz-1Ghz very
stable to test quipments over a long period.

I heard that now there are some who are GPS disciplined?
How does it work ?
Which is one do you recommend ?

Phil.

```
From 2726500472469303882
X-Google-Thread: 108122,b3b83acccf2d767
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 02 Mar 2006 05:31:05 -0600
From: "Edward A. Feustel" <efeustel@direcway.com>
Newsgroups: rec.radio.amateur.equipment
References: <1141277036.173221.185810@i40g2000cwc.googlegroups.com>
Subject: Re: omni V problem
Date: Thu, 2 Mar 2006 06:30:56 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <nfidnSHr_cbmSpvZnZ2dnUVZ_sadnZ2d@giganews.com>
Lines: 34
X-Trace: sv3-
mdooLgHdYh0SrYwrXwQ7EF6mIC6SDcQ4DJe6Gcd2WzZG7aKkcRAPRWZmJUDMRVOxPMQx8J9o4whE0NQ!
eTpDHjoKl/Y8SeaWATXLuu+JzPrj+icDSeRhR95zWgE5Zt+xog4bwbAJJj58lNiLH2FM/RXx3Bg=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2833
```

<k8vf_mark@centurytel.net> wrote in message
news:1141277036.173221.185810@i40g2000cwc.googlegroups.com...

>
>
> My Omni V (recently purchased) went on the sick list today.
>
> When you go to transmit, output is zero....AND the "S" meter still
> shows the receive signals...AND you can fainlty hear the audio from
> receive...while you are in transmit.
>
> Has anyone seen this?
>
> Any ideas?
>
>
> Thanks, MArk
>

A better place to ask the question is on one of the ten tec lists, e.g.

tentec at contesting.com
or tentec at yahoogroups.com.

Sounds to me as if you are not truly switching to transmit. Are you in PTT
or VOX?
Are you on CW or SSB?

If worse comes to worse, TenTec Service is hard to beat, and unlike some
other companies,
if they still have the parts, they will service your rig.

Regards,
Ed, N5EI

From -8525643580746664081
X-Google-Thread: 108122,be02bb0f759b8cb7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-02!
sn-xt-sjc-06!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for a GPS disciplined frequency synthesizer
Date: Thu, 02 Mar 2006 06:36:33 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <eusd02ht44vhpnnr4cj57sl8jm6rv1k467@4ax.com>
References: <1141278672.747780.34580@u72g2000cwu.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news1.google.com rec.radio.amateur.equipment:2834

On 1 Mar 2006 21:51:12 -0800, philvdm@sbcglobal.net wrote:

>
>I am looking for a freqency synthesizer in the band 100Mhz-1Ghz very
>stable to test quipments over a long period.
>
>I heard that now there are some who are GPS disciplined?
>How does it work ?
>Which is one do you recommend ?
>
>Phil.

I would look for a standard synthesizer with a separate input for the
time base like many frequency counters have. Then buy a used GPS time
standard receiver with a 10 mhz output to drive the synthesizer.

Would probably be a lot less money than a current, state-of-the-art
synthesizer with it built-in. The HP Z3801A GPS time standard
receiver can be obtained on Ebay for around $300.

Dick

```
From -4174948054322298892
X-Google-Thread: 115730,be02bb0f759b8cb7
X-Google-Thread: 107cee,be02bb0f759b8cb7
X-Google-Thread: fc2a5,be02bb0f759b8cb7
X-Google-Thread: 108122,be02bb0f759b8cb7
X-Google-Attributes: gid115730,gid107cee,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: "Tim Shoppa" <shoppa@trailing-edge.com>
Newsgroups:
sci.electronics.equipment,sci.electronics.misc,rec.radio.amateur.homebrew,rec.radi
o.amateur.equipment
Subject: Re: Looking for a GPS disciplined frequency synthesizer
Date: 2 Mar 2006 05:37:53 -0800
Organization: http://groups.google.com
Lines: 27
Message-ID: <1141306673.534053.320780@j33g2000cwa.googlegroups.com>
References: <1141278672.747780.34580@u72g2000cwu.googlegroups.com>
NNTP-Posting-Host: 170.121.15.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141306690 28687 127.0.0.1 (2 Mar 2006 13:38:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Mar 2006 13:38:10 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; X11; Linux i686; en) Opera
7.60,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=170.121.15.35;
   posting-account=mAyfxAwAAABWbrxnXxYpn9RczUJc3B8w
Xref: g2news1.google.com sci.electronics.equipment:1969 sci.electronics.misc:3080
rec.radio.amateur.homebrew:3969 rec.radio.amateur.equipment:2835
```

philvdm@sbcglobal.net wrote:

> I am looking for a freqency synthesizer in the band 100Mhz-1Ghz very
> stable to test quipments over a long period.
>
> I heard that now there are some who are GPS disciplined?
> How does it work ?
> Which is one do you recommend ?

Before you get too far into spending money, you have to decide what
stability and sidebands/phase noise you can deal with. Also, if you
need traceability you have to start with that in your spec.

You can easily sink $500K into a fancy new synthesizer and end up with something that's not good enough for a lot of truly stringent applications.

Alternatively a surplus Z3801A (a few hundred $) + a surplus HP synth (a few hundred $ more) chained to the Z3801A's 10MHz out might do what you need.

The GPS lock gets you to the part per billion in precision. If the few PPM level is good enough you might not need GPS, the OCXO or TCXO that are typically built into the synths of the 80's and 90's may be good enough with a little calibration check-up.

Tim.

```
From -7381992264770424834
X-Google-Thread: 108122,ad40405117e649f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 02 Mar 2006 07:42:28 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <skvNf.113841$4l5.48402@dukeread05>
Subject: Re: FS Hustler 5BTV Vertical 80-10mts
Date: Thu, 2 Mar 2006 07:42:28 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <37KdnbkQjKTZa5vZRVn-jA@comcast.com>
Lines: 27
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
YZvEwythsLcMX9omYs8HxHqQR2zVxSA0iXtQ9pyLd2hY2QI1y9jiZYYB7nTF0fHAXYXwsq6P4B1G2Hn!
BQi3abiu99UfzS5SvCvJLiIARN+LMLxVvl/rCWWyPj/01KDbp8cS4r+UairxY7eeJ7yLbN/+T/Q=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2836
```

Charlie,

Put that beast up and use it... get it up on about 30 feet of mast with 4 radials per band and it will work like gangbusters. 100 watts works as well as a KW on a wire antenna

```
73
-n6ojn

"Charlie Hugg" <hug-a-bug1@cox.net> wrote in message
news:skvNf.113841$4l5.48402@dukeread05...
> HUSTLER 5BTV VERTICAL ANTENNA
>
> NEW IN BOX. Hustler 5 BTV Vertical Antenna.
> http://www.new-tronics.com/main/html/base_hf_5_band.html See product
> reviews
> on eHam.net. $125.00. You pay shipping from Abilene,Texas.
> Thanks, Charlie Hugg, K5MBX
>
>
> ________________________________
> See my Signal/One, Collins & Drake
> Photo Galleries and my Hallicrafters
> Virtual Museum at http://hug-a-bug.com
>
>




From -1786242366615782183
X-Google-Thread: 108122,ad40405117e649f1
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
logbridge.uoregon.edu!pln-w!spln!lex!extra.newsguy.com!newsp.newsguy.com!enews4
From: "Leanne" <leanne@islc.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Hustler 5BTV Vertical 80-10mts
Date: Thu, 2 Mar 2006 10:01:26 -0500
Organization: http://extra.newsguy.com
Lines: 15
Message-ID: <du71pf0628@enews4.newsguy.com>
References: <skvNf.113841$4l5.48402@dukeread05> <37KdnbkQjKTZa5vZRVn-
jA@comcast.com>
NNTP-Posting-Host: p-366.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:2837


"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:37KdnbkQjKTZa5vZRVn-jA@comcast.com...
> Charlie,
> Put that beast up and use it... get it up on about 30 feet of mast with 4
> radials per band and it will work like gangbusters. 100 watts works as
```

well
> as a KW on a wire antenna

It works great mounted on a 4' chain link fence. Radials are already there depending on the length of the fence.

Leanne - W1WXS

```
From -2462001012237647023
X-Google-Thread: 108122,292d312cb476bb02
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-
mail
From: lnaelis@msn.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu Mark V Field - Temporarily sold out or Discontinued?
Date: 2 Mar 2006 13:53:05 -0800
Organization: http://groups.google.com
Lines: 16
Message-ID: <1141336385.267027.198520@j33g2000cwa.googlegroups.com>
References: <p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com>
   <drdbsq$c0i9$1@news3.infoave.net>
   <88lkt196nf7tt30kjg671s2t0jo0rktk5i@4ax.com>
   <43E26C1C.9090400@psu.edu>
NNTP-Posting-Host: 67.42.137.248
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141336391 5556 127.0.0.1 (2 Mar 2006 21:53:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Mar 2006 21:53:11 +0000 (UTC)
In-Reply-To: <43E26C1C.9090400@psu.edu>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=67.42.137.248;
   posting-account=jMLksg0AAABAUhgZEVsdQg0bwIIk1MsJ
Xref: g2news1.google.com rec.radio.amateur.equipment:2838
```

I think that you are always going to find something that you do not like from a rig, but because of that i can't say that it is a bad rig. When we talk about of the FT-1000MP MRK V we are talking about one of the few HF rigs that really work. Just look into the biggest DXers, Most Wanted and DX Peditions, and see what they are using. When you add the R.FILTERS to the MRK V the selectivity is great and when the band is crowded on contest weekends you would appreciate having a MRK V fully loaded. Sometimes you need to go into a bad situation of crowded bands and other details that affect communication to see what this piece of equipment is able to do. In good band conditions these features sometime becomes useless and unnoticeable based there is no need to apply them.

73 Leandro KD5WPL

```
From -3713920317191999110
X-Google-Thread: 108122,6ef42cfdb1dedff7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!inka.de!rz.uni-
karlsruhe.de!news.uni-stuttgart.de!carbon.eu.sun.com!btnet-feed5!btnet!
news.btopenworld.com!not-for-mail
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program CONNECT
Date: Fri, 3 Mar 2006 02:08:20 +0000 (UTC)
Organization: Private individual
Lines: 45
Message-ID: <du88ek$kdf$1@nwrdmz02.dmz.ncs.ea.ibs-infra.bt.com>
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
NNTP-Posting-Host: host86-138-18-130.range86-138.btcentralplus.com
X-Trace: nwrdmz02.dmz.ncs.ea.ibs-infra.bt.com 1141351700 20911 86.138.18.130 (3
Mar 2006 02:08:20 GMT)
X-Complaints-To: news-complaints@lists.btinternet.com
NNTP-Posting-Date: Fri, 3 Mar 2006 02:08:20 +0000 (UTC)
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MSMail-Priority: Normal
X-Priority: 3
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Xref: g2news1.google.com rec.radio.amateur.equipment:2839
```

There have been recent discussions about the interchangeability of coaxial plugs and sockets, their dimensions and their impedances. But, as usual, the magnitude of the electrical effects is never mentioned. Without numbers nobody knows what they are talking about.

A coaxial connector is a very short length of transmission line but at UHF and microwave frequencies it is an appreciable fraction of a wavelength. When 1/4-wavelength long it has the property of transforming a mismatched termination to another value. When 1/2-wavelength long the input impedance repeats the value of the termination. The SWR on an adjacent line is a function of the input impedance.

What is the effect of using a 75-ohm coaxial connector in a 50-ohm system?

What is the effect of using a length of transmission line of 50-ohms nominal impedance when it is actually 53 ohms?

With mixed values of line Zo at what high frequency does the SWR and reflection loss become excessive?

Program CONNECT.exe calculates the effect of inserting a length of line in a system of different Zo. Differences can be large or small. Line length can be physically very short.

For a given frequency, mismatched Zo's and a velocity factor, input impedance, SWR, reflection coefficient and reflection loss are calculated. (Reflection loss is sometime known as mismatch loss).

The program is worded in terms of a connector mismatch but has other applications.

Input data can be varied in small increments from the keyboard while observing the effects on calculated values. Download CONNECT from website below. It has entertainment, educationaal and practical value. Amuse yourselves!

....

Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp

....

From -4623134725802875784
X-Google-Thread: 108122,3aed77e7a001d63
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 02 Mar 2006 22:27:47 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.ivj2o91.pminews@newsgroups.comcast.net>
References: <povb02ptjd339b615g3kjll0vj5babncq8@4ax.com>
<120c36oe5rfr4de@corp.supernews.com>
Date: Thu, 02 Mar 2006 20:26:33 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Power poles... or not?
Lines: 23
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-1QcQz4a7V98UEV00Fpna5cAnYE7Du/

```
n59ZV5bUalCvnJxxQ+1CaEbrcQHyjijUtznG36gefRqRohPMk!3At5x50tJpq9S6Kbsd2oHHVyFXOvOp/
IFJHk/mKaQMcdH5nRbru6XfhFM+OoOQUjE4AxWYha9HqL!rYUghH/HnV7hRLF2+HjSKl5T
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2840

On Wed, 01 Mar 2006 21:06:32 -0000, Dave Platt wrote:

>It's _possible_, I suppose, that if you break an existing hard-wired
>connection, install a pair of PowerPoles on each end, and reconnect
>them, that the contact resistance of the PowerPoles might possibly be
>high enough to make RFI problems more obvious.  Frankly, I'm dubious,
>but I have to allow that it's possible.

 In doing some research for someone on the Amderson PowerPole site, I
 came across their claim that with proper crimping, the contact
 resistance is less than the resistance of the wires connected
 thereby.

  Note the phrase "proper crimping".  The vast majority of my
  intermittents, improper contact seating, and similar problems with
  PPs was due to "mickey-mouse" crimps made before I got the proper
  tools (ratchet crimper from West Mountain Radio).  One trip through
  the ratchet crimper solved most if not all of those problems.

-- 
   73 de K2ASP - Phil Kane




From -8120386169261982817
X-Google-Thread: 108122,18d454b65a842154,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t39g2000cwt.googlegroups.com!not-for-
mail
From: "CB" <temp1@tomochka.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking for Australian tower manufacturer
Date: 3 Mar 2006 08:25:21 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1141403119.967675.106730@t39g2000cwt.googlegroups.com>
NNTP-Posting-Host: 71.111.163.113
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141403126 25137 127.0.0.1 (3 Mar 2006 16:25:26 GMT)
X-Complaints-To: groups-abuse@google.com
```

NNTP-Posting-Date: Fri, 3 Mar 2006 16:25:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t39g2000cwt.googlegroups.com; posting-host=71.111.163.113;
   posting-account=iQThtg0AAACb8oYRnhxlkrjhKv_tWhjB
Xref: g2news1.google.com rec.radio.amateur.equipment:2841

Anyone remember this guy who makes towers with four legs and the
sections nest. They have a cable lift so you can raise and lower the
tower sections easily. He had some name for them like "Really Stout
Tower" or something sort of silly like that. Can't seem to locate him
now on Google. TIA! - CB

From -415126194675361432
X-Google-Thread: 108122,6077aa372e31637c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-mail
From: "Used2Way" <pchoman@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: GTX900 LTR Mobiles
Date: 3 Mar 2006 11:00:37 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1141412437.336356.268250@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 67.176.18.126
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141412442 14721 127.0.0.1 (3 Mar 2006 19:00:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Mar 2006 19:00:42 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=67.176.18.126;
   posting-account=BzojKA0AAAC1zkGBiXVuJyDhKR1gk6nH
Xref: g2news1.google.com rec.radio.amateur.equipment:2842

FS: 70 x GTX900 LTR Mobiles (M11WGD4CU1AN). Asking $145 / Unit.
Quantity Breaks are available.

Contact Paul
pccomminc@yahoo.com
720-219-8898

```
From 7593626561432033037
X-Google-Thread: 108122,8a60ad6e757f652
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!p10g2000cwp.googlegroups.com!not-for-
mail
From: dustradio@copper.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for XTAL mixer info for TRAM Diamond 60
Date: 3 Mar 2006 12:41:36 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1141418496.799671.164450@p10g2000cwp.googlegroups.com>
References: <1141087595.701757.304660@z34g2000cwc.googlegroups.com>
   <Q5udna-twvYGx5nZnZ2dnUVZ_tSdnZ2d@comcast.com>
NNTP-Posting-Host: 4.228.204.85
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141418502 28830 127.0.0.1 (3 Mar 2006 20:41:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Mar 2006 20:41:42 +0000 (UTC)
In-Reply-To: <Q5udna-twvYGx5nZnZ2dnUVZ_tSdnZ2d@comcast.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; en) Opera
8.0,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: p10g2000cwp.googlegroups.com; posting-host=4.228.204.85;
   posting-account=rzSO4w0AAAAL5aXN1cHFpMYx0RTPx9al
Xref: g2news1.google.com rec.radio.amateur.equipment:2843
```

no xtal mixer and clarifier mods I have 4 of these and wandt to get
them into the freeband area

```
From 7333034458785255942
X-Google-Thread: 108122,18d454b65a842154
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe06.lga.POSTED!
53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Looking for Australian tower manufacturer
References: <1141403119.967675.106730@t39g2000cwt.googlegroups.com>
In-Reply-To: <1141403119.967675.106730@t39g2000cwt.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 18
Message-ID: <8V1Of.39$2q1.27@fe06.lga>
```

X-Trace:
dkoiceckneficefkleeilgjjefkmbdoobbgeiinjfemjpcepmhmddohcnabgnackncminedjmjemeieanno
mfelohmhimpblmgdkhcibjjnpchhbkdamcmegjnkoehfjhgihh��
NNTP-Posting-Date: Fri, 03 Mar 2006 13:44:52 MST
Date: Fri, 03 Mar 2006 15:44:52 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2844

I think you might mean this:

http://people.mail2me.com.au/~vk4vkd/old_photos.htm

But the links on that page don't work, nor does the link to his home
page from his QRZ entry.

"Perce"
(aka Alan NV8A, long-ago VK4AFE)

On 03/03/06 11:25 am CB wrote:

> Anyone remember this guy who makes towers with four legs and the
> sections nest. They have a cable lift so you can raise and lower the
> tower sections easily. He had some name for them like "Really Stout
> Tower" or something sort of silly like that. Can't seem to locate him
> now on Google. TIA! - CB

From 7694606596389751168
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!transit3.readnews.com!news-
out.readnews.com!panix!panix2.panix.com!dana
From: Dana <dana@panix.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Fri, 3 Mar 2006 18:36:40 -0500
Organization: PANIX Public Access Internet and UNIX, NYC
Lines: 3
Message-ID: <Pine.NEB.4.63.0603031835540.29552@panix2.panix.com>
References: <11v31c78qbss204@corp.supernews.com>
<20060214063727 16807%garv@elaboratenet>
 <11v5ns6s2949k5f@corp.supernews.com> <20060215135347.591$mZ@newsreader.com>
NNTP-Posting-Host: panix2.panix.com
Mime-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Trace: reader2.panix.com 1141429001 26938 166.84.1.2 (3 Mar 2006 23:36:41 GMT)
X-Complaints-To: abuse@panix.com
NNTP-Posting-Date: Fri, 3 Mar 2006 23:36:41 +0000 (UTC)
In-Reply-To: <20060215135347.591$mZ@newsreader.com>

Return-Receipt-To: dana@panix.com
Xref: g2news1.google.com rec.radio.cb:6325 rec.radio.amateur.equipment:2845 rec.radio.swap:2938

If it isn't an x-l1000 it isn't worth anything much. I remember that amp back in the old Chicken band days.

From -3226233633518765281
X-Google-Thread: 108228,4f1b3012352ad0e8,start
X-Google-Thread: fc8b1,4f1b3012352ad0e8,start
X-Google-Thread: 108122,4f1b3012352ad0e8,start
X-Google-Thread: fc2a5,4f1b3012352ad0e8,start
X-Google-Thread: 1109af,4f1b3012352ad0e8,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!attbi_s71.POSTED!53ab2750!not-for-mail
From: "Tom" <tfarl@iowatelecom.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: FA: Unbuilt Heath Scope Kit - Ends Saturday
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Message-ID: <Es8Of.3979$oL.3496@attbi_s71>
NNTP-Posting-Host: 12.215.107.2
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s71 1141445540 12.215.107.2 (Sat, 04 Mar 2006 04:12:20 GMT)
NNTP-Posting-Date: Sat, 04 Mar 2006 04:12:20 GMT
Organization: AT&T ASP.att.net
Date: Sat, 04 Mar 2006 04:12:20 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:680 rec.radio.amateur.boatanchors:3154 rec.radio.amateur.equipment:2846 rec.radio.amateur.homebrew:4011 rec.radio.swap:2942

Unbuilt Kit - 70's Vintage Heathkit Oscilloscope.

Complete - Original Box - Parts Inventoried - No Reserve.

Click on: http://tinyurl.com/mvygq

Ends Saturday Feb-22-06 16:07:24 PST
(Sunday Feb-23-06 00:07:24 UTC)

Many thanks es 73,
Tom N�JMY

From 4256433595553308185
X-Google-Thread: 108122,aedc88ebe4e2872b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!130.81.64.211.MISMATCH!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc06.POSTED!8f49b214!not-for-mail
From: ml <m@di.net>
Newsgroups: rec.radio.amateur.equipment
Subject: rig mem??
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <m-9815F1.07244004032006@news.verizon.net>
Lines: 13
Date: Sat, 04 Mar 2006 12:24:44 GMT
NNTP-Posting-Host: 141.149.36.192
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc06 1141475084 141.149.36.192 (Sat, 04 Mar 2006 07:24:44 EST)
NNTP-Posting-Date: Sat, 04 Mar 2006 07:24:44 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2847

I was wondering if anyone knew of any fairly current 2m or 2/440 rigs
that allow programming access to the memories via means OTHER THAN
'cloaning' method?

for example here are a few that i already know of
tm700 tmv7

i am not sure about the most current rigs seems the web sites of the
manuf don't really say

any help is appreciated

From -8510120061470149733
X-Google-Thread: 108122,212fbb3f794d21a9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i40g2000cwc.googlegroups.com!not-for-mail
From: k8vf_mark@centurytel.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: looking for ten tec filters
Date: 23 Feb 2006 21:52:49 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1140760369.332354.270230@i40g2000cwc.googlegroups.com>
References: <1140443570.673999.155700@g44g2000cwa.googlegroups.com>

```
   <x1kKf.787340$_o.175479@attbi_s71>
NNTP-Posting-Host: 207.118.250.116
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140760374 30044 127.0.0.1 (24 Feb 2006 05:52:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Feb 2006 05:52:54 +0000 (UTC)
In-Reply-To: <x1kKf.787340$_o.175479@attbi_s71>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp
5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i40g2000cwc.googlegroups.com; posting-host=207.118.250.116;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news1.google.com rec.radio.amateur.equipment:2739
```

Thanks a lot to all.

Yes I can buy them new, but why do so if they are in someones drawer,
eh?

73, K8VF

```
From 9182416120021773417
X-Google-Thread: 108122,c6fc3acd3f3b2fcb
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!novia!news-peer1!btnet-feed5!
btnet!news.btopenworld.com!not-for-mail
From: "Ken chattenton" <k.chattenton@btopenworld.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How to fix my TS-950SDX? Please help...
Date: Fri, 24 Feb 2006 08:26:59 +0000 (UTC)
Organization: BT Openworld
Lines: 18
Message-ID: <dtmg0i$7rj$1@nwrdmz03.dmz.ncs.ea.ibs-infra.bt.com>
References: <1140734260.174211.187340@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: host81-158-217-248.range81-158.btcentralplus.com
X-Trace: nwrdmz03.dmz.ncs.ea.ibs-infra.bt.com 1140769619 8051 81.158.217.248 (24
Feb 2006 08:26:59 GMT)
X-Complaints-To: news-complaints@lists.btinternet.com
NNTP-Posting-Date: Fri, 24 Feb 2006 08:26:59 +0000 (UTC)
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MSMail-Priority: Normal
X-Priority: 3
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Xref: g2news1.google.com rec.radio.amateur.equipment:2740
```

HI from Ken in the UK,

<adibene@yahoo.com> wrote in message
news:1140734260.174211.187340@j33g2000cwa.googlegroups.com...
> Hi everybody. My TS-950SDX has suddenly died.>
> 73 Alberto I2PHD
>

I suppose as in most cases of sudden death the first things to check are the obvious, i.e. the edge connectors, see if there are any subcircuit fuses that may have blown and look for any signs of an electrical smell or signs of burning.
I'm sure you will have looked at most of the above items Alberto, but it does not hurt to remind one just in case.
Good luck with your task, I do hope it's not a real big problem to resolve.
I had a 'TS 950SDX' (and the 950 original) and loved them both, more so the 'SDX' of course.
All the best, Ken, G4KIR.

```
From 4065336903701035665
X-Google-Thread: fc2a5,db9975308988b7cc,start
X-Google-Thread: 111d0a,db9975308988b7cc,start
X-Google-Thread: fc8b1,db9975308988b7cc,start
X-Google-Thread: 108122,db9975308988b7cc,start
X-Google-Thread: 107ada,db9975308988b7cc,start
X-Google-Attributes: gidfc2a5,gid111d0a,gidfc8b1,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t39g2000cwt.googlegroups.com!not-for-
mail
From: bill.meara@gmail.com
Newsgroups:
rec.radio.amateur.homebrew,sci.electronics.basics,rec.radio.amateur.boatanchors,re
c.radio.amateur.equipment,rec.radio.amateur.misc
Subject: SolderSmoke #16: EMRFD; NE602s, Desitin, diapers, heat sinks; The
Simpsons on homebrewers
Date: 24 Feb 2006 03:41:41 -0800
Organization: http://groups.google.com
Lines: 54
Message-ID: <1140781301.313690.20980@t39g2000cwt.googlegroups.com>
NNTP-Posting-Host: 86.142.40.160
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140781306 14405 127.0.0.1 (24 Feb 2006 11:41:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 24 Feb 2006 11:41:46 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t39g2000cwt.googlegroups.com; posting-host=86.142.40.160;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news1.google.com rec.radio.amateur.homebrew:3809
sci.electronics.basics:10517 rec.radio.amateur.boatanchors:3050
```

rec.radio.amateur.equipment:2741 rec.radio.amateur.misc:5006

SolderSmoke!
A SHOW FOR ELECTRONICS HOMEBREWERS!

http://www.ourmedia.org/node/168474

Topics discussed in SolderSmoke #16:

--EMRFD on mixers and balanced mixers
--LTSpice model for NE602
--Low output from NE602 Bal Mod circuit
--Desitin, diaper rash, and heat sinks
--REVVER web site and Trivial Electric Motor
--Solder smoke in space
--The Simpsons on social skills of Radio Shack customers (us!)

Listen at: http://www.ourmedia.org/node/168474

Background:
Tired of listening to Led Zepplin or NPR on your I-Pod? Wouldn't you like to be able to carry with you the kinds of ham radio conversations that you listen to while in your radio shack?
Mike, KL7R, in Juneau, Alaska, and Bill, M0HBR, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software.

http://www.ourmedia.org/mediarss/user/36170

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.ourmedia.org/node/168474

Here's the homepage for our show. All our programs area available here. There is also a blog and links to some of the sites and documents we've been discussing: http://www.ourmedia.org/user/36170

We hope you enjoy the program. Please send us feedback.

73 from London

```
Bill M0HBR N2CQR CU2JL
http://www.qsl.net/n2cqr




From -4050116554692303121
X-Google-Thread: 108122,b7be1c517145a9d3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: Ken C <cprstn54@nospam.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Homebrew DC noise filter?
Message-ID: <750uv11h2nr2cl37p9ibrcc10cun9iu997@4ax.com>
X-Newsreader: Forte Free Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Fri, 24 Feb 2006 07:53:53 -0500
NNTP-Posting-Host: 24.45.198.82
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1140785637 24.45.198.82 (Fri, 24 Feb 2006 05:53:57 MST)
NNTP-Posting-Date: Fri, 24 Feb 2006 05:53:57 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2742

What's inside those $5 noise filters for cars that suppress alternator
and spark plug noise?  I would like to homebrew the best and smallest
one practicable.  See, e.g.:
http://www.7453217467431.com/products/productDetails.jsp?
PRODUCT%3C%3Eprd_id=3839435&FOLDER%3C%3Efolder_id=4621037&affID=39901&bmUID=114078
5227156

Ken KC2JDY




From -4498464999958004895
X-Google-Thread: 108122,c6fc3acd3f3b2fcb
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Feb 2006 08:17:35 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1140734260.174211.187340@j33g2000cwa.googlegroups.com>
Subject: Re: How to fix my TS-950SDX? Please help...
Date: Fri, 24 Feb 2006 08:17:35 -0600
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <_86dnYX7zebiiGLenZ2dnUVZ_tidnZ2d@comcast.com>
Lines: 37
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-r67KKoAGQKCorKBKDqz9jFytiCigC7uLtbc+uRd3RL7ZxJqmF6ZUa3V2wlK2l6Kr3S/RLcTAJFpar2U!2gMOvgt8EWluCaES2I7X354oG785AOmHgQxHfRejRReciXnufXRpEb6CWhi6X+zqK5kDuEh5J5wA!qudtbJ3O1qIV
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2743

The TS-440S has a simular problem...most all have had to go to the shop for repairs....has to do with removing the goop from the PLL board, and re-aligning. It seems that over time the goop becomes conductive and causes the loss of PLL lock.
This is not something to be attempted unless you have some serious patience, a couple of dental picks, a large magnifying glass, and a lot of time on your hands.
But then I could be wrong.....your milage may vary

-n6ojn

<adibene@yahoo.com> wrote in message news:1140734260.174211.187340@j33g2000cwa.googlegroups.com...
> Hi everybody. My TS-950SDX has suddenly died. Powering it on, only the
> S-meter and the small ticks from 0 to 1000 under the frequency display
> do light up. No other indication on the display. Pressing any buttons
> does not produce any reaction.
> I opened the rig, checked the backup battery, and it still is at 3V.
> Clipped an oscilloscope probe to the address and data pins of the CPU
> on the Digital board, and there is activity. The crystal of the CPU
> oscillates fine.
> I even removed the EPROM (a 27c512), read its contents with an eprom
> programmer and compared it against the image of another eprom I knew
> was good. They were identical.
>
> All the symptoms indicate that the Digital board is unable to control
> the rest of the radio.
> I have the Service Manual, but frankly I am stuck... don't know what to
> check next. If anybody of you is knowledgeable about fixing this rig,
> please help me. I like this radio very much, and would hate having to
> depart from it... thanks in advance.
>
> 73 Alberto I2PHD

```
>



From -2338613686029983142
X-Google-Thread: 108122,98ba878303feb28b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!pln-w!
spln!lex!extra.newsguy.com!newsp.newsguy.com!enews3
From: "Leanne" <leanne@islc.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom IC-821h
Date: Fri, 24 Feb 2006 10:20:24 -0500
Organization: http://extra.newsguy.com
Lines: 16
Message-ID: <dtn8dr029l8@enews3.newsguy.com>
References: <bIuKf.23114$_S7.3969@newssvr14.news.prodigy.com>
<gm2tv1lknelnuce1k44cl5sd2ojehiatkp@4ax.com>
NNTP-Posting-Host: p-778.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:2744


<kb9rqz@mark_morgan.com> wrote in message
news:gm2tv1lknelnuce1k44cl5sd2ojehiatkp@4ax.com...
> On Tue, 21 Feb 2006 02:14:31 GMT, "Paul Proefrock"
> <proefrock@heartlandREMOVEgroup.com> wrote:
>
> >I am looking for a schematic and service manual for an Icom IC-821h.
> >
> >So far, Google has not been my friend. Does anyone know of a source for
> >these?

Take a look at http://www.marcucci.it/english/download/index.htm

Leanne - W1WXS




From -2657276882564306373
X-Google-Thread: 108122,cdcb0adb5891bee5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!
hwmedia!news.highwinds-media.com!news-server.columbus.rr.com!
```

```
tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <wd8e@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Tait Twister Rotator, Control Box & Manual
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <GMHLf.95384$tK4.33203@tornado.ohiordc.rr.com>
Date: Fri, 24 Feb 2006 17:55:50 GMT
NNTP-Posting-Host: 24.93.121.165
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1140803750 24.93.121.165 (Fri, 24 Feb 2006
12:55:50 EST)
NNTP-Posting-Date: Fri, 24 Feb 2006 12:55:50 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2746
```

Very clean equipment, view at:
http://cm.ebay.com/cm/ck/1065-29296-2357-0?
uid=85320806&site=0&ver=LCA080805&item=5871554152&lk=URL

Thanks

```
From 5441819430800814346
X-Google-Thread: 108122,c98f4c869a0fa594,start
X-Google-Thread: fc2a5,c98f4c869a0fa594,start
X-Google-Thread: 115730,c98f4c869a0fa594,start
X-Google-Attributes: gid108122,gidfc2a5,gid115730,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read02.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,sci.electronics.equipment
Subject: FS: Copax Connectors, Adapters & Cable assemblies @ great prices
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <J5JLf.4514$Sp2.4128@fed1read02>
Date: Fri, 24 Feb 2006 11:27:18 -0800
NNTP-Posting-Host: 64.58.167.76
X-Complaints-To: abuse@cox.net
X-Trace: fed1read02 1140809193 64.58.167.76 (Fri, 24 Feb 2006 14:26:33 EST)
NNTP-Posting-Date: Fri, 24 Feb 2006 14:26:33 EST
```

Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2747
rec.radio.amateur.homebrew:3834 sci.electronics.equipment:1917

For your free copy of our new catalog,

Please email sales@AAARFProducts.com

or see www.aaarfproducts.com

or call 949 481 3154 (San Clemente, CA, USA)

No minimum order.

No handling charges

From -1503333633778825266
X-Google-Thread: 108122,c086d8038c294896,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!
hw-filter.lga!fe10.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Heathkit DX-100 Front panel
Message-ID: <u1ouv1lm4tckih269j0g09k7t34sg01bi1@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Fri, 24 Feb 2006 14:36:35 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1140809790 69.125.167.162 (Fri, 24 Feb 2006 12:36:30 MST)
NNTP-Posting-Date: Fri, 24 Feb 2006 12:36:30 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2748

WTB: Heathkit DX-100 Front panel
Will pay your price.
Reply email with price and condition.
ritchi50@optonline.net

From 8061016584087059974
X-Google-Thread: 108122,610a4b3e8b7c0643,start
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!
newsfeed.icl.net!newsfeed.fjserv.net!nntp.theplanet.net!
inewsm1.nntp.theplanet.net!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!
t-online.de!news-in.ntli.net!newsrout1-win.ntli.net!ntli.net!news.highwinds-
media.com!sn-xt-sjc-03!sn-xt-sjc-07!sn-post-01!supernews.com!corp.supernews.com!
malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Mike and cable for AZDEN PCS-3000
Date: Fri, 24 Feb 2006 10:38:52 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0602241036160.23705@malasada.lava.net>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news1.google.com rec.radio.amateur.equipment:2749

Anybody got one of these old Azden Mike cables thats still in working
condition???
                  Joe/KH6JF


**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************




From -6679816747977393750
X-Google-Thread: 108122,b7be1c517145a9d3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!bigfeed2.bellsouth.net!
news.bellsouth.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!
fe12.lga.POSTED!53ab2750!not-for-mail
From: Ken C <cprstn54@nospam.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Homebrew DC noise filter?
Message-ID: <2s0vv1tgao48qi287urf5s12tge71o7abl@4ax.com>
References: <750uv11h2nr2cl37p9ibrcc10cun9iu997@4ax.com>
<9oguv1hiqii8o6odje4n8ptapbtl5fis8v@4ax.com>
X-Newsreader: Forte Free Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Fri, 24 Feb 2006 17:09:31 -0500
NNTP-Posting-Host: 24.45.198.82
X-Complaints-To: abuse@cv.net
```

```
X-Trace: fe12.lga 1140818975 24.45.198.82 (Fri, 24 Feb 2006 15:09:35 MST)
NNTP-Posting-Date: Fri, 24 Feb 2006 15:09:35 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2751

On Fri, 24 Feb 2006 12:32:56 -0500, Dot <dot@dot.dot> wrote:
>Generally?   A capacitor across the input side, a series inductor and a
>capacitor across the output side.  You're basic Pi filter.


What kind of 12amp choke can they put in there when the whole thing
costs $4?

More importantly, what ferrite toroid material and how many windings
should I use for my choke? It would appear that 4700 uF is often used
for the caps.

Ken KC2JDY



From 5843435176209888036
X-Google-Thread: 108122,610a4b3e8b7c0643
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
news.astraweb.com!router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-
sjc-08!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted Mike and cable for AZDEN PCS-3000
Date: Fri, 24 Feb 2006 12:50:28 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0602241248400.20033@malasada.lava.net>
In-Reply-To: <r8uuv1l5hvpuaog03v2ngg8qfd93rhisrg@4ax.com>
References: <Pine.BSI.4.61.0602241036160.23705@malasada.lava.net>
 <r8uuv1l5hvpuaog03v2ngg8qfd93rhisrg@4ax.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 7
Xref: g2news1.google.com rec.radio.amateur.equipment:2752

>
Nope went to that site and as usual spent half and hour and nothing
on AZDEN Mikes nor even AZDEN itself.   This is usually the result
I get when searching for something but thanks for the useless
pointer anyway.
                 Joe



From 538728487967060149
X-Google-Thread: 108122,ba5e133f9146bbaf,start
```

```
X-Google-Thread: 1109af,ba5e133f9146bbaf,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls+ 2way Radio-UHF-Record Option-EXTRAS
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001B_01C63952.76E57AD0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <McMLf.5827$z82.546@fed1read07>
Date: Fri, 24 Feb 2006 14:56:17 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1140821932 68.96.227.248 (Fri, 24 Feb 2006 17:58:52 EST)
NNTP-Posting-Date: Fri, 24 Feb 2006 17:58:52 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2753 rec.radio.swap:2836

This is a multi-part message in MIME format.

------=_NextPart_000_001B_01C63952.76E57AD0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls+ 2way Radio-UHF-Record Option-EXTRAS

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7593973508&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_001B_01C63952.76E57AD0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls+ 2way Radio-UHF-Record Option-EXTRAS</P>
```

```
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7593973508&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7593973508&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_001B_01C63952.76E57AD0--
```

```
From -4464062477305443861
X-Google-Thread: 108122,cc6f6b623df069bd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-
a2kHrUvQQWlmc!not-for-mail
From: "WBY" <brianwoodbury@cbgazette.com>
Newsgroups: rec.radio.amateur.equipment
Subject: squelching TR751
Date: Fri, 24 Feb 2006 17:07:52 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <867a7$43ff91ce$a666cc06$475@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 16
X-Trace: 867a743ff91ce3c369a300475
Xref: g2news1.google.com rec.radio.amateur.equipment:2754
```

I have a TR-751 2m allmode mobile and when power is first applied you'll hear about 1 second of USB "hiss" which fades into squelch. Turning the squelch control does nothing at that poin, it's all squelched. Strong signals are heard, so I know the RX is okay. Using a dowloaded copy of the service manual I tried a few things, and while adjusting VR14 "Tight Squelch" I accidently also touched the chassis (thus it was grounded). Squelch went away and hiss was normal. Unfortunetely, the schematic is blurry so I can't trace (or for that matter, even FIND VR14). I was thinking it might be a capacitor, which would account for the hiss and quick fade into squelch, but with the blurry schematic - forget it. So, does anyone have any idea if it's okay to just permanently ground VR14? I realize I won't have squelch for FM, but I only bought the rig for 2m SSB.
TIA
Woody

```
From 2359342053379236832
X-Google-Thread: 108122,4e8a7c03458075d
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-xxxfer.readnews.com!
198.186.190.250.MISMATCH!transit3.readnews.com!news-out.readnews.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!
53ab2750!not-for-mail
From: Jack O'Neill <tokras@optonline.net>
Organization: SGC
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA:  LAFAYETTE  HA-600A  HAM / SHORTWAVE  98% MINT  LAST DAY
Content-Type: multipart/alternative;
 boundary="------------040606050500080405040703"
Lines: 78
Message-ID: <rKMLf.1016$342.361@fe09.lga>
Date: Fri, 24 Feb 2006 18:34:49 -0500
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1140824087 24.47.254.156 (Fri, 24 Feb 2006 16:34:47 MST)
NNTP-Posting-Date: Fri, 24 Feb 2006 16:34:47 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2755
```

This is a multi-part message in MIME format.

```
--------------040606050500080405040703
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

My friend says thanks to all who looked!!
73

LAFAYETTE HA-600A HAM / SHORTWAVE RECEIVER, 98% MINT!!
<http://cm.ebay.com/cm/ck/1065-29323-2357-0?uid=143291&site=0&ver=EOISSA080805&item=5868748447&lk=ItemDescriptionANDimage>

Sale price: $145.00

Jack O'Neill wrote: Hi all, posting this for a friend. Ends Friday around 6:00PM EST

Lafayette HA-600A is a ham / shortwave radio fron the early 1970's.
This one is super clean and great working.
Take a look if you like.
73

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5868748447

```
--------------040606050500080405040703
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
My friend says thanks to all who looked!!<br>
73<br>
<br>
<br>
<table border="0" cellpadding="0" cellspacing="3" height="54"
 width="512">
  <tbody>
    <tr>
      <td colspan="2"><a
 href="http://cm.ebay.com/cm/ck/1065-29323-2357-0?
uid=143291&amp;site=0&amp;ver=EOISSA080805&amp;item=5868748447&amp;lk=ItemDescript
ionANDimage"><b>LAFAYETTE
HA-600A HAM / SHORTWAVE RECEIVER, 98% MINT!!</b></a></td>
    </tr>
    <tr>
      <td nowrap="nowrap" valign="top" width="130">Sale price: </td>
      <td valign="top"><moneystandard>$145.00</moneystandard></td>
    </tr>
  </tbody>
</table>
<br>
<br>
Jack O'Neill wrote:
Hi all,&nbsp; posting this for a friend.&nbsp; Ends Friday around 6:00PM EST <br>
<br>
Lafayette HA-600A&nbsp; is a ham / shortwave radio fron the early 1970's. <br>
This one is super clean and great working. <br>
Take a look if you like. <br>
73 <br>
<br>
<br>
<a class="moz-txt-link-freetext" href="http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=5868748447">http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&amp;item=5868748447</a><br>
<br>
<br>
<br>
```

```
</body>
</html>

--------------040606050500080405040703--


From -4985822810193696226
X-Google-Thread: 108122,610a4b3e8b7c0643
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!uio.no!
news.tele.dk!news.tele.dk!small.news.tele.dk!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-01!
supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted Mike and cable for AZDEN PCS-3000
Date: Fri, 24 Feb 2006 15:56:32 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0602241554320.11237@malasada.lava.net>
In-Reply-To: <hu9vv1hfmqlabf0o6id7ik5bmgktela63i@4ax.com>
References: <Pine.BSI.4.61.0602241036160.23705@malasada.lava.net>
 <r8uuv1l5hvpuaog03v2ngg8qfd93rhisrg@4ax.com>
<Pine.BSI.4.61.0602241248400.20033@malasada.lava.net>
 <hu9vv1hfmqlabf0o6id7ik5bmgktela63i@4ax.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news1.google.com rec.radio.amateur.equipment:2759

>
> Joe... why does it have to be made by AZDEN?  Beldem makes cable... all
> kinds of it... There's bound to be a combination of conductors, shielding
> and length that will work for you.  In fact they may well have made the
> original cable for Azden...
>
> I'm pretty sure electrons don't much care who made the wires they flow
> through.
>
>
Well Dot for one reason how many cables have you seen with a
16 pin receptacle at the end of the coil/cord!!!!
Its a very unusal combo as I see it.
                         Joe



From -5905385968697681O7
X-Google-Thread: 108122,610a4b3e8b7c0643
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
```

```
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 24 Feb 2006 20:40:59 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0602241036160.23705@malasada.lava.net>
<r8uuv1l5hvpuaog03v2ngg8qfd93rhisrg@4ax.com>
<Pine.BSI.4.61.0602241248400.20033@malasada.lava.net>
<hu9vv1hfmqlabf0o6id7ik5bmgktela63i@4ax.com>
<Pine.BSI.4.61.0602241554320.11237@malasada.lava.net>
Subject: Re: Wanted Mike and cable for AZDEN PCS-3000
Date: Fri, 24 Feb 2006 20:40:56 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <_YGdnXdpfqYmXmLeRVn-tw@comcast.com>
Lines: 22
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-bYMjee4f8gKH2yeuFNlBWXZMNRP/oSfFlPGfgD0Yklb/+D/lvhY/6s58UlAfuDE84c/
kKaNCKDUjvDU!Stvo4GwT+GQ1zryDEcak2mDKEAJx17gjh5OXH9RlMxqIitTVy0vPj/
+nyu7s6VT9i+ALGos/pcM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2760


"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0602241554320.11237@malasada.lava.net...
> >
>> Joe... why does it have to be made by AZDEN?  Beldem makes cable... all
>> kinds of it... There's bound to be a combination of conductors, shielding
>> and length that will work for you.  In fact they may well have made the
>> original cable for Azden...
>>
>> I'm pretty sure electrons don't much care who made the wires they flow
>> through.
>>
>>
> Well Dot for one reason how many cables have you seen with a
> 16 pin receptacle at the end of the coil/cord!!!!
> Its a very unusal combo as I see it.
>                          Joe

How many of those pins on that connector are actually in use??(not just has
a wire attached to it)
```

```
From 6895831705740606993
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <43FFDF36.9080709@fuse.net>
Date: Fri, 24 Feb 2006 23:38:14 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga> <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
<Ecidnf9jUKbTBGHeRVn-gQ@comcast.com>
<xceLf.25588$Ly6.13290@bignews5.bellsouth.net> <mar.sv-863D02.04003223022006@news-
rdr-01.rdc-kc.rr.com> <43FDA17F.EBD0796E@earthlink.net>
<11vrfdnrhqm2t8d@corp.supernews.com> <BmkLf.47$PR1.36@fe07.lga>
In-Reply-To: <BmkLf.47$PR1.36@fe07.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 30
X-Trace: 84d5c43ffdf3de7041a6722611
Xref: g2news1.google.com rec.radio.amateur.equipment:2763

Percival P. Cassidy wrote:
> On 02/23/06 08:50 am Richard Crowley wrote:
>
>>>   Why do they have to be located in a mall?
>
>
>> Because that is the "ideal" model of modern mass-market
>> retailing.  If that model doesn't fit your business, then change
>> your business to fit the model.
>
>
> I've read that traditional malls are on their way out. Our local one is
> half-empty, while stand-alone stores are springing up all over the place.
>
> "Perce"
> (aka Alan NV8A)
>
My own view:  we all work so hard, we don't have time for "casual
shopping".  It's more like 'surgical strike" shopping.  Park, go in and
buy something, get out and go home (or to the next destination: fast
food?).  Thus, malls are on the downturn and single stores clustered in
  strip malls now seem to dominate.
No time to just shop...destination objective reached, egress and head home.
```

Our economy is based upon significant consumption...I think we're entering a new era where time management is at odds with consumption (and spendable income is decreasing)...Americans are working harder and longer, yet their income is stagnant or decreasing.
CEO's excepted.

watch out retailers and consumers!

```
From -6668498466605346817
X-Google-Thread: 108122,8abef729de730555,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!npeer.de.kpn-
eurorings.net!news.uni-stuttgart.de!carbon.eu.sun.com!btnet-feed5!btnet!
news.btopenworld.com!not-for-mail
From: "Robert Trussler" <roberttrussler@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: JVC VX-610GB VHF/UHF Portable TV Monitor
Date: Sat, 25 Feb 2006 10:07:53 +0000 (UTC)
Organization: BT Openworld
Lines: 12
Message-ID: <dtpa9p$raa$1@nwrdmz02.dmz.ncs.ea.ibs-infra.bt.com>
NNTP-Posting-Host: host86-133-44-44.range86-133.btcentralplus.com
X-Trace: nwrdmz02.dmz.ncs.ea.ibs-infra.bt.com 1140862073 27978 86.133.44.44 (25
Feb 2006 10:07:53 GMT)
X-Complaints-To: news-complaints@lists.btinternet.com
NNTP-Posting-Date: Sat, 25 Feb 2006 10:07:53 +0000 (UTC)
X-Priority: 3
X-Antivirus: avast! (VPS 0608-1, 23/02/2006), Outbound message
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MSMail-Priority: Normal
X-Antivirus-Status: Clean
Xref: g2news1.google.com rec.radio.amateur.equipment:2764
```

Hi, Thanks for reading.
Can anyone provide me with a photocopy of the user manual for a JVC VX-610GB VHF/UHF Portable colour TV Monitor. I have just bought on Ebay, but does not have a manual.

I will pay for any postage and photocopy costs

Thanks
Robert
roberttrussler@btinternet.com

```
From 1341607058492573131
X-Google-Thread: 108122,c6fc3acd3f3b2fcb
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!not-for-
mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How to fix my TS-950SDX? Please help...
Date: Sat, 25 Feb 2006 22:00:40 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 49
Message-ID: <dtphvl$7uv$1@news-02.connect.com.au>
References: <1140734260.174211.187340@j33g2000cwa.googlegroups.com>
<_86dnYX7zebiiGLenZ2dnUVZ_tidnZ2d@comcast.com>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1140869942 8159 202.172.125.74 (25 Feb 2006
12:19:02 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Sat, 25 Feb 2006 12:19:02 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:2765
```

I have seen over the years a list of serial numbers for the 440/940/950 series rigs that were effected by Crook Potting material. KW should be able to forward that info as it was common banter back in the early 90's
there was a repair tech in Manilla in early 90's had 14 440's on the shelf ,
all same prob, didn't like high humidity once it started to track

rgds

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:_86dnYX7zebiiGLenZ2dnUVZ_tidnZ2d@comcast.com...

> The TS-440S has a simular problem...most all have had to go to the shop for repairs....has to do with removing the goop from the PLL board, and re-aligning. It seems that over time the goop becomes conductive and causes the loss of PLL lock.
> This is not something to be attempted unless you have some serious patience, a couple of dental picks, a large magnifying glass, and a lot of time on your hands.
> But then I could be wrong.....your milage may vary
>
> -n6ojn
>
>
> <adibene@yahoo.com> wrote in message
> news:1140734260.174211.187340@j33g2000cwa.googlegroups.com...
>> Hi everybody. My TS-950SDX has suddenly died. Powering it on, only the S-meter and the small ticks from 0 to 1000 under the frequency display

```
>> do light up. No other indication on the display. Pressing any buttons
>> does not produce any reaction.
>> I opened the rig, checked the backup battery, and it still is at 3V.
>> Clipped an oscilloscope probe to the address and data pins of the CPU
>> on the Digital board, and there is activity. The crystal of the CPU
>> oscillates fine.
>> I even removed the EPROM (a 27c512), read its contents with an eprom
>> programmer and compared it against the image of another eprom I knew
>> was good. They were identical.
>>
>> All the symptoms indicate that the Digital board is unable to control
>> the rest of the radio.
>> I have the Service Manual, but frankly I am stuck... don't know what to
>> check next. If anybody of you is knowledgeable about fixing this rig,
>> please help me. I like this radio very much, and would hate having to
>> depart from it... thanks in advance.
>>
>> 73  Alberto  I2PHD
>>
>
>
```

```
From 7064843881916520109
X-Google-Thread: 108122,b044cf87f6a6581,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!t39g2000cwt.googlegroups.com!not-for-
mail
From: "Don" <jlrdcr@velocity.net>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM 740 PROBLEM
Date: 25 Feb 2006 05:17:36 -0800
Organization: http://groups.google.com
Lines: 16
Message-ID: <1140873456.391809.10810@t39g2000cwt.googlegroups.com>
NNTP-Posting-Host: 66.211.207.125
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140873469 4506 127.0.0.1 (25 Feb 2006 13:17:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 25 Feb 2006 13:17:49 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: t39g2000cwt.googlegroups.com; posting-host=66.211.207.125;
   posting-account=SFB6aA0AAAADX7CBsOPxjarJ8lQsKaNC
Xref: g2news1.google.com rec.radio.amateur.equipment:2766
```

Does anyone have an easy solution to the following problem?

ICOM IC-740 10m-160m 100 Watt HF Transceiver. NOT IN WORKING ORDER. the radio powered up as it should, with the analog meter lighting and reacting to incoming signals, and the large, bright LED frequency display looked great. The large dial WAS rotating through frequencies, the frequency band switch WAS switching, the squelch WAS working and the radio WAS receiving and sounding great BUT it IS NO LONGER WORKING AS IT SHOULD. As soon as I turn the radio on, it shuts itself off. I see the lights and hear sound for about half a second and then the power just dies. When I turn the on/off switch off, then repower up, it comes on again for a split second.

Thanks very much,
Don, WB3DNF

From 1329145108371602066
X-Google-Thread: 108122,610a4b3e8b7c0643
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Feb 2006 08:05:57 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Pine.BSI.4.61.0602241036160.23705@malasada.lava.net>
<r8uuv1l5hvpuaog03v2ngg8qfd93rhisrg@4ax.com>
<Pine.BSI.4.61.0602241248400.20033@malasada.lava.net>
<hu9vv1hfmqlabf0o6id7ik5bmgktela63i@4ax.com>
<Pine.BSI.4.61.0602241554320.11237@malasada.lava.net> <_YGdnXdpfqYmXmLeRVn-
tw@comcast.com> <vcmvv199aanhfq71rdjr5dnd55e1vd4ojk@4ax.com>
Subject: Re: Wanted Mike and cable for AZDEN PCS-3000
Date: Sat, 25 Feb 2006 08:05:57 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <Y62dnYit2NPY-Z3ZRVn-pg@comcast.com>
Lines: 16
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-iEz69qYaZvzg2fe1GdZp4UFfD4J1k5+Hrs4RN4rWT8ZfE970W8V8Usbh/
MuTttilejy9SnKrYdG75gk!
lsAjJFRwhni0BB9c4Qq1B8t9gIFi5aKlVDV95Stnj+dOnSkaFUpNVGMf4r9PSydC5MbDlHfAiD0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2767

"Dot" <dot@dot.dot> wrote in message
news:vcmvv199aanhfq71rdjr5dnd55e1vd4ojk@4ax.com...
> On Fri, 24 Feb 2006 20:40:56 -0600, "Noon-Air" <Noon-Air@comcast.net>
> wrote:
>
>>How many of those pins on that connector are actually in use??(not just
>>has
>>a wire attached to it)
>
> Went looking for a pinout of that connector... no luck yet.

Lots of places on the web that have service manuals for your radio. Even the basic owners manual for the radio should have the mic pin-outs.

From 8901422215388604920
X-Google-Thread: 108122,c6fc3acd3f3b2fcb
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Feb 2006 08:08:12 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1140734260.174211.187340@j33g2000cwa.googlegroups.com>
<_86dnYX7zebiiGLenZ2dnUVZ_tidnZ2d@comcast.com>
<dtphvl$7uv$1@news-02.connect.com.au>
Subject: Re: How to fix my TS-950SDX? Please help...
Date: Sat, 25 Feb 2006 08:08:12 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <ufidnUDMwuVR-Z3ZRVn-sg@comcast.com>
Lines: 57
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-MHW/oM4VguunAJ+ybWPg/D+aIrGsDoiKyFDRdtFJkaF+4HSei9JZH5unh/
6zWf4ywvIL1eMTCDbJBt1!
DSVP55XLTPJh9pS6pia4Pw6efIL66h9b3cdmDdm94ITAQB4uzS9F5+fjXFZEoqmvsvICA/wqQ8g=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2768

These are the folks that repaired my TS-440S/AT... did a great job
http://www.amateur-repairs.com/index.htm
Bill is a great guy too.

"me" <tuskyone(remove)@yahoo.com.au> wrote in message
news:dtphvl$7uv$1@news-02.connect.com.au...
>I have seen over the years a list of serial numbers for the 440/940/950
>series rigs that were effected by Crook Potting material. KW should be able
>to forward that info as it was common banter back in the early 90's
> there was a repair tech in Manilla in early 90's had 14 440's on the shelf
> , all same prob, didn't like high humidity once it started to track
>
> rgds
>
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:_86dnYX7zebiiGLenZ2dnUVZ_tidnZ2d@comcast.com...
>> The TS-440S has a simular problem...most all have had to go to the shop
>> for repairs....has to do with removing the goop from the PLL board, and
>> re-aligning. It seems that over time the goop becomes conductive and
>> causes the loss of PLL lock.
>> This is not something to be attempted unless you have some serious
>> patience, a couple of dental picks, a large magnifying glass, and a lot
>> of time on your hands.
>> But then I could be wrong.....your milage may vary
>>
>> -n6ojn
>>
>>
>> <adibene@yahoo.com> wrote in message
>> news:1140734260.174211.187340@j33g2000cwa.googlegroups.com...
>>> Hi everybody. My TS-950SDX has suddenly died. Powering it on, only the
>>> S-meter and the small ticks from 0 to 1000 under the frequency display
>>> do light up. No other indication on the display. Pressing any buttons
>>> does not produce any reaction.
>>> I opened the rig, checked the backup battery, and it still is at 3V.
>>> Clipped an oscilloscope probe to the address and data pins of the CPU
>>> on the Digital board, and there is activity. The crystal of the CPU
>>> oscillates fine.
>>> I even removed the EPROM (a 27c512), read its contents with an eprom
>>> programmer and compared it against the image of another eprom I knew
>>> was good. They were identical.
>>>
>>> All the symptoms indicate that the Digital board is unable to control
>>> the rest of the radio.
>>> I have the Service Manual, but frankly I am stuck... don't know what to
>>> check next. If anybody of you is knowledgeable about fixing this rig,
>>> please help me. I like this radio very much, and would hate having to
>>> depart from it... thanks in advance.
>>>
>>> 73 Alberto I2PHD
>>>
>>
>>

>
>

```
From -5825336007748027432
X-Google-Thread: 108122,cc6f6b623df069bd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Feb 2006 08:34:22 -0600
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <867a7$43ff91ce$a666cc06$475@ALLTEL.NET>
<k4avv1ta4pojhalfss24dga3dp8dgft4ka@4ax.com>
Subject: Re: squelching TR751
Date: Sat, 25 Feb 2006 08:34:25 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <VI6dnbFq76Jz953ZRVn-jA@comcast.com>
Lines: 44
NNTP-Posting-Host: 71.194.160.190
X-Trace: sv3-snqKNNA1KuX61NAIZVhoVUdvkdfbv6bbhq7PvL5bmjUrQEVCNGJEo1EcCLtP9/
ulQHy1m6qH1KKp3IE!nlJN4WA/
fiRjktffucltWGmOmmsROG543KGKFeVahyQrDc5oq045DmfdDGPlYCp69AG44QdtZYD1!T+Q=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2769
```

I had one with the same problem. I have since picked up another one that is in mint condition (I do like these rigs).

Anyway, the cheap, cheap, cheap (read junk) pots that Kenwood chose to use for the volume and squelch controls have a tendency to vaporize over the years. What you will find is that the center wiper is probably not making contact with the resistance material.

A good way to confirm this is to hardwire (with a jumper) the center wiper of the pot to either end of that pot. One position will give full squelch while the other will give open squelch. I do have an extra 751 main board so if you figure out which part you toasted I can send you that part.

Don't feel bad..........I went through the same thing with my parts unit before it became a parts unit. The thing that fooled me was that the squelch pot is on the front section of that concentric volume/squelch pot.

The rig was in pretty rough shape cosmetically, so it wasn't a great loss

```
when I scrapped it.

Pete

"Dot" <dot@dot.dot> wrote in message
news:k4avv1ta4pojhalfss24dga3dp8dgft4ka@4ax.com...
> On Fri, 24 Feb 2006 17:07:52 -0600, "WBY" <brianwoodbury@cbgazette.com>
> wrote:
>
>>So, does anyone
>>have any idea if it's okay to just permanently ground VR14? I realize I
>>won't have squelch for FM, but I only bought the rig for 2m SSB.
>
> 1) "VR" usually denotes a "Variable Resistor" and it's just likely that
> one
> end of it's rotation is grounded.
>
> 2) Never try to do by modification that which can be accomplished by
> adjustment.
>
> Also... check your setup instructions.  Some rigs have an S-Meter driven
> squelch that can be activated to kill everything below S1 through S9.  The
> Squelch knob then becomes a centered control that fine tunes above and
> below
> the "RF Squelch" level.
>
> 3) Never do by modification that which is offered as a user setting.
>




From 6442171184197562O5
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s72.POSTED!53ab2750!not-for-
mail
From: "John, N9JG" <john@gotwals.XremoveY.com>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
<Ecidnf9jUKbTBGHeRVn-gQ@comcast.com>
<xceLf.25588$Ly6.13290@bignews5.bellsouth.net> <mar.sv-863D02.04003223022006@news-
rdr-01.rdc-kc.rr.com> <43FDA17F.EBD0796E@earthlink.net>
<11vrfdnrhqm2t8d@corp.supernews.com> <BmkLf.47$PR1.36@fe07.lga>
<43FFDF36.9080709@fuse.net>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
```

```
X-RFC2646: Format=Flowed; Response
Message-ID: <Cl%Lf.789705$x96.562070@attbi_s72>
NNTP-Posting-Host: 12.208.96.187
X-Complaints-To: abuse@asp.att.net
X-Trace: attbi_s72 1140883938 12.208.96.187 (Sat, 25 Feb 2006 16:12:18 GMT)
NNTP-Posting-Date: Sat, 25 Feb 2006 16:12:18 GMT
Organization: AT&T ASP.att.net
Date: Sat, 25 Feb 2006 16:12:18 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2771
```

You forgot to mention attorneys in your exception group.

"jawod" <jawod@fuse.net> wrote in message news:43FFDF36.9080709@fuse.net...

```
> Percival P. Cassidy wrote:
[snip]
> (and spendable income is decreasing)...Americans are working harder and
> longer, yet their income is stagnant or decreasing.
> CEO's excepted.
>
> watch out retailers and consumers!
```

```
From -1445715721983653778
X-Google-Thread: 108122,cc6f6b623df069bd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr33.news.prodigy.com.POSTED!e71452d6!not-for-mail
From: "wby" <rnrampage@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
References: <867a7$43ff91ce$a666cc06$475@ALLTEL.NET>
<k4avv1ta4pojhalfss24dga3dp8dgft4ka@4ax.com> <VI6dnbFq76Jz953ZRVn-jA@comcast.com>
Subject: Re: squelching TR751
Lines: 51
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <DN%Lf.2246$%m4.387@newssvr33.news.prodigy.com>
NNTP-Posting-Host: 70.240.112.137
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr33.news.prodigy.com 1140885731 ST000 70.240.112.137 (Sat, 25 Feb
2006 11:42:11 EST)
NNTP-Posting-Date: Sat, 25 Feb 2006 11:42:11 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
FKPO@MC@@S@IRRDYFJJ\_TLIBR_XPG@MW@PTNUEOFP^FGEQFHO^QSVV^AETBOVKHGFFIZHBL@FX\NIOC@F
WYNV\DMNS[HTLIXX\^BUGBXLR@PB@\FKCLXSWAIDFOKG^MFT[GZN^NWY_GVLSRGDYY^AW_MS_RW]
[KBYZMADO@Y[ABPSPE_TA@LTLFXVTC@RJM
Date: Sat, 25 Feb 2006 16:42:11 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2772

Thanks for the info Pete! I'll try your suggestions.

"Pete KE9OA" <p.gianako@comcast.net> wrote in message
news:VI6dnbFq76Jz953ZRVn-jA@comcast.com...
>I had one with the same problem. I have since picked up another one that is
>in mint condition (I do like these rigs).
> Anyway, the cheap, cheap, cheap (read junk) pots that Kenwood chose to use
> for the volume and squelch controls have a tendency to vaporize over the
> years. What you will find is that the center wiper is probably not making
> contact with the resistance material.
> A good way to confirm this is to hardwire (with a jumper) the center wiper
> of the pot to either end of that pot. One position will give full squelch
> while the other will give open squelch. I do have an extra 751 main board
> so if you figure out which part you toasted I can send you that part.
> Don't feel bad..........I went through the same thing with my parts unit
> before it became a parts unit. The thing that fooled me was that the
> squelch pot is on the front section of that concentric volume/squelch pot.
> The rig was in pretty rough shape cosmetically, so it wasn't a great loss
> when I scrapped it.
>
> Pete
>
> "Dot" <dot@dot.dot> wrote in message
> news:k4avv1ta4pojhalfss24dga3dp8dgft4ka@4ax.com...
>> On Fri, 24 Feb 2006 17:07:52 -0600, "WBY" <brianwoodbury@cbgazette.com>
>> wrote:
>>
>>>So, does anyone
>>>have any idea if it's okay to just permanently ground VR14? I realize I
>>>won't have squelch for FM, but I only bought the rig for 2m SSB.
>>
>> 1) "VR" usually denotes a "Variable Resistor" and it's just likely that
>> one
>> end of it's rotation is grounded.
>>
>> 2) Never try to do by modification that which can be accomplished by
>> adjustment.
>>
>> Also... check your setup instructions.  Some rigs have an S-Meter driven
>> squelch that can be activated to kill everything below S1 through S9.
>> The
>> Squelch knob then becomes a centered control that fine tunes above and
>> below
>> the "RF Squelch" level.
>>
>> 3) Never do by modification that which is offered as a user setting.
>>
>
>
```

```
From 21153751868399396
X-Google-Thread: 108122,70d795d394b66611,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!canoe.uoregon.edu!newsfeed.news.ucla.edu!nrc-news.nrc.ca!
news.sfu.ca!utnut!news.ryerson.ca!not-for-mail
From: Peter Hiscocks <phiscock@job.ee.ryerson.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: equipment manuals
Date: Sat, 25 Feb 2006 19:03:13 +0000 (UTC)
Organization: Ryerson Polytechnic University
Lines: 43
Message-ID: <dtq9lh$8j6$2@news.ryerson.ca>
NNTP-Posting-Host: 141.117.1.149
X-Trace: news.ryerson.ca 1140894193 8806 141.117.1.149 (25 Feb 2006 19:03:13 GMT)
X-Complaints-To: usenet@news.ryerson.ca
NNTP-Posting-Date: Sat, 25 Feb 2006 19:03:13 +0000 (UTC)
User-Agent: tin/1.6.2-20030910 ("Pabbay") (UNIX) (SunOS/5.9 (sun4u))
Xref: g2news1.google.com rec.radio.amateur.equipment:2773
```

I have just posted the following manuals for auction to ebay under phiscock3sct. All manuals are in good to excellent condition and starting bid is $2.

Dumont 248 oscilloscope.
Dumont 304a oscilloscope.
EA analog computer eai-tr-20
Fluke8000A voltmeter
Heathkit analog computer.
Heathkit grid dip meter gb-1b
HP 1200a oscilloscope
HP 1801 vertical amplifier
HP 1821a timebase
HP 3310a function generator
HP 5221 electronic counter
Khrohn-Hite 5100b function generator
Philips PM2522 voltmeter
Philips PM3110 oscilloscope
Philips PM3230 oscilloscope
Philips PM3410 sampling oscilloscope
Philips PM6507 curve tracer
Tektronix 2b67 timebase plugin
Tektronix 3a1 vertical amplifier plugin
Tektronix 3a6 vertical amplifier plugin
Tektronix 3c66 carrier amplifier plugin
Tektronix 511a oscilloscope
Tektronix 564b storage scope

Tektronix 564 storage scope
Tektronix 575 curve tracer
Weston catalog and technical description of moving coil instruments

--
Peter D. Hiscocks
Professor Emeritus, Ryerson University

Phone: 416-465-0325
Email: phiscock@ee.ryerson.ca
Academic URL: http://www.ee.ryerson.ca/~phiscock
Business URL: Syscomp Electronic Design Limited
            (USB Oscilloscope and Generator)
               http://www.syscompdesign.com

From 4962173316183685971
X-Google-Thread: 108122,5fde7ff251387cda,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!wn13feed!worldnet.att.net!bgtnsc05-
news.ops.worldnet.att.net.POSTED!cd246594!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: KA9Q software applications
From: drwho8__NOTME__@att.net (The Eighth Doctor)
Organization: The TARDIS
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 14
Message-ID: <a75Mf.460604$qk4.100159@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 04568cae123bbe1213d2e980a3006ca5
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1140907590
04568cae123bbe1213d2e980a3006ca5 (Sat, 25 Feb 2006 22:46:30 GMT)
NNTP-Posting-Date: Sat, 25 Feb 2006 22:46:30 GMT
Date: Sat, 25 Feb 2006 22:46:30 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2774

Hello!
It seems I have been put into an unsual position. An amateur radio operator who's something of a noob when it comes to computers wants me to setup the NOS (KA9Q and descendants) package to be a server for both TNC hardware, and to accept dialed connections from the outside. Typically the whole setup would work as a repeater working unattended. I can setup the networking software, I've done it
seven or eight times.

But can it be used the same as say a BBS program back when those were popular were? And the funny part is that he's going to be using a Palm Pilot Vx most of the

```
time to do that function.
--
Gregg drwho8 atsign att dot net



From 9095357260870171018
X-Google-Thread: 108122,4943e78d76a8cfd7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!cox.net!p02!dukeread05.POSTED!
53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Eimac 4X150A&RCA 833A
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <AY6Mf.109378$4l5.37493@dukeread05>
Date: Sat, 25 Feb 2006 18:51:53 -0600
NNTP-Posting-Host: 68.98.253.240
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1140915104 68.98.253.240 (Sat, 25 Feb 2006 19:51:44 EST)
NNTP-Posting-Date: Sat, 25 Feb 2006 19:51:44 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2775


FS New Eimac 4X150A Tube.This one has a date code of 4  58. It show some
tarnish from age, but it is still sealed in its original plastic bag. Price
is $35.
I also have a RCA 833A tube with a date code of  4 57 for sale for $65. I
don't believe that it has ever
been used. It looks brand new. Both tubes are guaranteed to be good.
 Thanks, Charlie Hugg, K5MBX
--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com




From -98638976539282415
X-Google-Thread: 108122,610a4b3e8b7c0643
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
```

```
news.astraweb.com!router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-
sjc-06!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted Mike and cable for AZDEN PCS-3000
Date: Sat, 25 Feb 2006 16:25:59 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0602251617350.28372@malasada.lava.net>
In-Reply-To: <Y62dnYit2NPY-Z3ZRVn-pg@comcast.com>
References: <Pine.BSI.4.61.0602241036160.23705@malasada.lava.net>
 <r8uuv1l5hvpuaog03v2ngg8qfd93rhisrg@4ax.com>
<Pine.BSI.4.61.0602241248400.20033@malasada.lava.net>
 <hu9vv1hfmqlabf0o6id7ik5bmgktela63i@4ax.com>
<Pine.BSI.4.61.0602241554320.11237@malasada.lava.net>
 <_YGdnXdpfqYmXmLeRVn-tw@comcast.com> <vcmvv199aanhfq71rdjr5dnd55e1vd4ojk@4ax.com>
 <Y62dnYit2NPY-Z3ZRVn-pg@comcast.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news1.google.com rec.radio.amateur.equipment:2776
```

>>> How many of those pins on that connector are actually in use??(not just
>>> has
>>> a wire attached to it)
>>
>> Went looking for a pinout of that connector... no luck yet.
>
> Lots of places on the web that have service manuals for your radio. Even the
> basic owners manual for the radio should have the mic pin-outs.
>
>
>

Well I think all the pins are doing something.   Its got a touchtone
pad on the back of the mike itself, its got a scan band button, a
fav chnl button, an up/down button, a ptt button of course,
and a priority chnl button.   Its not that I could'nt wire up a new
mike plug myself with a ledo lamp I can see well enuff, its obtaining
a 16 (receptacle pins) connector that is hard to find. No one locally
has such a plug.
                     Joe
P.S. The bronze or whatever material that forms the pin feceptacles
  have lose their springiness so I keep bushing them back together with
a tiny screw driver, and spraying them with DEOXIT for good contact,
but the darned things again spread and stay spread no matter how I
try get them to cooperate after a few times of useing the radio I
start the process all over again. I suppose all the mikes and
cords for that old trusty PCS3000 fixed stn rig are in a garbage
dump tomewhere.

From -1482894300011538240

```
X-Google-Thread: 108228,e4c59402dc354709
X-Google-Thread: fc8b1,e4c59402dc354709
X-Google-Thread: 108122,e4c59402dc354709
X-Google-Thread: fc2a5,e4c59402dc354709
X-Google-Thread: 1109af,e4c59402dc354709
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe07.lga.POSTED!53ab2750!not-for-mail
From: "Brian Hill" <good@it.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.homebrew,rec.radio.swap
References: <ay7Lf.815491$xm3.268849@attbi_s21>
<1140718413.608596.166550@i39g2000cwa.googlegroups.com>
<wduLf.20072$UD1.2398@bignews2.bellsouth.net>
Subject: Re: FA: Unbuilt Kit - 70's Vintage Heathkit Oscilloscope.
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <4u8Mf.211$HH2.99@fe07.lga>
X-Trace:
pikkdiabbdefphapadeighjdgihapjicbonffahleeondmdofkebilaffcmblglefpdepepceeaokebagl
klnceedldblnmnnpclchheekiibglpedohihefkmjkddmhbcfagklmibllijll
NNTP-Posting-Date: Sat, 25 Feb 2006 19:35:44 MST
Date: Sat, 25 Feb 2006 20:23:31 -0600
Xref: g2news1.google.com alt.ham-radio.marketplace:633
rec.radio.amateur.boatanchors:3064 rec.radio.amateur.equipment:2777
rec.radio.amateur.homebrew:3911 rec.radio.swap:2855
```

"Ken Scharf" <wa2mzeNOTTHIS@bellsouth.net> wrote in message
news:wduLf.20072$UD1.2398@bignews2.bellsouth.net...

> k7itm@msn.com wrote:
>> Wow. Dave Edwards' pristine HP1726 275MHz scope is at $26 right now,
>> and this 5MHz unbuilt Heathkit is at $169? Guess it must have some
>> antique/nostalgia value to someone. It will be interesting to me to
>> check back in 9 days when both auctions end to see what each went for.
>>
> There is something about unbuilt Heathkits. Some people collect them,
> and never build them. Weird.   Then again I know people who collect
> Barbie dolls and never open the packages, just leave them on a shelf to
> collect dust.

Well humans are the weirdest animals on the planet. Every other creature you
can figure out. :)

BH

```
From -2960899480765881666
X-Google-Thread: 108122,cd54f310023ad0b3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 25 Feb 2006 21:54:27 -0600
From: "Topaz305RK" <k7sam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: AVT 308i - Black Belt Systems
Date: Sat, 25 Feb 2006 20:54:32 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <-fCdnc_ZAoDou5zZRVn-pw@vnet-inc.com>
Lines: 17
NNTP-Posting-Host: 70.41.201.128
X-Trace: sv3-nAeNZ6ULpCeVnq5ReR4Yiqiert0XRHhwQ2buWv+/
8+CLqEkxvy7yGuEp+sG6ASSK9CxBu/nt6hL4mnl!vGoX0ZnbSXSnKBu61jtbhhM8eOLJ05n0SP/
0cE1fBp7Ehjyf0v2boInYYoVZTk8K/QLpqYBnWdwT!Vd0aYYPqMWFfKabU
X-Complaints-To: abuse@vnet-inc.com
X-DMCA-Complaints-To: abuse@vnet-inc.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2779
```

Posting this for a friend in hopes that someone can help.

K7SAM - Sam

My friend Johann (N5CST) needs some help. He loaned a fellow ham his software for his slow scan station and the other ham did not return it. Johann forgot who he gave the software to so now he can not get on SSTV. The software is:

AVT 308i from Black Belt Systems
This is for his Amiga computer (that is the problem).

If someone can make a copy of the software for Johann, he would be most appreciative.

```
From -3528290893834452985
```

X-Google-Thread: 108122,23aa0bc188902e2e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!inka.de!rz.uni-karlsruhe.de!news.uni-stuttgart.de!carbon.eu.sun.com!
btnet-feed5!btnet!news.btopenworld.com!not-for-mail
From: "Robert Trussler" <roberttrussler@btinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: 10m Handhelds
Date: Sun, 26 Feb 2006 15:26:25 +0000 (UTC)
Organization: BT Openworld
Lines: 16
Message-ID: <dtshb1$5t6$1@nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com>
NNTP-Posting-Host: host86-140-61-186.range86-140.btcentralplus.com
X-Trace: nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com 1140967585 6054 86.140.61.186 (26
Feb 2006 15:26:25 GMT)
X-Complaints-To: news-complaints@lists.btinternet.com
NNTP-Posting-Date: Sun, 26 Feb 2006 15:26:25 +0000 (UTC)
X-Priority: 3
X-Antivirus: avast! (VPS 0608-1, 23/02/2006), Outbound message
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MSMail-Priority: Normal
X-Antivirus-Status: Clean
Xref: g2news1.google.com rec.radio.amateur.equipment:2780

Hi everyone,
I have come across mention on the web of 10m handheld rigs much like the one
you get for CB, the names Alan and Albrecht come to mind.
They sound interesting, doers anyone know anything about such handhelds
Are they FM & SSB or just FM.
Were they just 10m HAM or CB also?
Were they any good?
Where can tyhey be gottten? I have searched the web and apart from a few
amateur home pages, I have not come across anyone selling them.

Any information?

Robert Trussler GM0CSN
email at roberttrussler@btinternet.com

From 6505518939221791725
X-Google-Thread: 108122,23aa0bc188902e2e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: kb9rqz@mark_morgan.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: 10m Handhelds

Date: Sun, 26 Feb 2006 10:36:51 -0500
Reply-To: k4yz@aol.com
Message-ID: <nli302djmuarfv9eoa5lrvvf9nmv4f6r6a@4ax.com>
References: <dtshb1$5t6$1@nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server contains 140,000+ groups
Lines: 27
Path: g2news1.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!inka.de!rz.uni-karlsruhe.de!news.gnuher.de!news.albasani.net!news.usenetzone.com!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2781

On Sun, 26 Feb 2006 15:26:25 +0000 (UTC), "Robert Trussler"
<roberttrussler@btinternet.com> wrote:

>Hi everyone,
>I have come across mention on the web of 10m handheld rigs much like the one
>you get for CB, the names Alan and Albrecht come to mind.
>They sound interesting, doers anyone know anything about such handhelds
>Are they FM & SSB or just FM.
>Were they just 10m HAM or CB also?
>Were they any good?
>Where can tyhey be gottten? I have searched the web and apart from a few
>amateur home pages, I have not come across anyone selling them.
>
>Any information?
>
>Robert Trussler GM0CSN
>email at roberttrussler@btinternet.com

they do or did eixst I have one I used for driving tranverters to VHF

not able to find any of them now but mine had am usb lsb and FM
>

Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

From 4362065798321663354
X-Google-Thread: 108122,23aa0bc188902e2e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!fe07.news.easynews.com.POSTED!not-for-mail

From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtshb1$5t6$1@nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com>
Subject: Re: 10m Handhelds
Lines: 14
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <CckMf.250819$6Q3.20366@fe07.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 26 Feb 2006 15:56:18 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2782

Robert Trussler wrote:
> Are they FM & SSB or just FM.
> Were they just 10m HAM or CB also?

There were just a few models of these 10m handhelds, sold under different names including Eagle Spitfire and Titan. AFAIK they are NLA. You see them on eBay from time to time for $125 - $200 (USD); some non-US sites also may have them still available.

http://www.leeselect.com/shopping/pricelist.asp?prid=265

http://www.syncroelec.com.au/store/itm.asp?itm=79

From 7713282826426706150
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<mvydnYHQ4aSJJ23enZ2dnUVZ_tOdnZ2d@comcast.com>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Sun, 26 Feb 2006 12:08:08 -0500
Lines: 20
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <4401e0eb$1@usenet.zapto.org>

```
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!newspeer1.nwr.nac.net!
newsfeed.freenet.de!news.germany.com!newsfeed01.sul.t-online.de!t-online.de!
texta.sil.at!news.stack.nl!rouhivuori!not-for-mail
Xref: g2news1.google.com rec.radio.cb:6209 rec.radio.amateur.equipment:2783
rec.radio.swap:2861

shut op you fukking asshat


"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:mvydnYHQ4aSJJ23enZ2dnUVZ_tOdnZ2d@comcast.com...
> ummmm...ok....
>
> *PLONK*
>
>
> "KB2SMS" <KB2SMS@invalid.net> wrote in message
> news:43f0b248@usenet.zapto.org...
>> BE LOUD AND PROUD!
>>
>> http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem
>>
>
>




From -7843286368180529196
X-Google-Thread: 108122,cd54f310023ad0b3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe08.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <-fCdnc_ZAoDou5zZRVn-pw@vnet-inc.com>
Subject: Re: AVT 308i - Black Belt Systems
Lines: 14
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <vVlMf.253638$c31.45179@fe08.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
```

will be unable to process your complaint properly.
Date: Sun, 26 Feb 2006 17:52:27 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2784

Topaz305RK wrote:
> My friend Johann (N5CST) needs some help. He loaned a fellow ham his
> software for his slow scan station and the other ham did not return
> it. Johann forgot who he gave the software to so now he can not get on
> SSTV. The software is:
>
> AVT 308i from Black Belt Systems

Try and get in touch with Ben Williams, AA7AS.

He worked for Black Belt Systems back in the early '90s and might have a
copy in his files.

From 3930436494048874463
X-Google-Thread: 108122,b044cf87f6a6581
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 26 Feb 2006 13:02:30 -0600
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: ICOM 740 PROBLEM
Date: Sun, 26 Feb 2006 11:02:30 -0800
Reply-To: gfiber@comcast.net
Message-ID: <3pu3025a5pnvlt3arm4a2ptad9g3b84rem@4ax.com>
References: <1140873456.391809.10810@t39g2000cwt.googlegroups.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
NNTP-Posting-Host: 24.19.188.39
X-Trace:
sv3-7W0r6uNzeqSatoljXdJ9HHj2bzHi6eydF0khfLs8KmmomKH4ASls+xfpipzfYzhrn2IN5whDSzOVzy
N!9VBi2bhbHJ4E8F8cH6z6vm79rBLSmP8Nz8QoE3aMg95WIVjJzK4Ev8o0goNJLHioRxEzD9B9/ILA!
rEQ3zL8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2785

On 25 Feb 2006 05:17:36 -0800, "Don" <jlrdcr@velocity.net> wrote:

>Does anyone have an easy solution to the following problem?
>
>ICOM IC-740 10m-160m 100 Watt HF Transceiver. NOT IN WORKING ORDER. the radio powered up as it should, with the analog meter lighting and reacting to incoming signals, and the large, bright LED frequency display looked great. The large dial WAS rotating through frequencies, the frequency band switch WAS switching, the squelch WAS working and the radio WAS receiving and sounding great BUT it IS NO LONGER WORKING AS IT SHOULD. As soon as I turn the radio on, it shuts itself off. I see the lights and hear sound for about half a second and then the power just dies. When I turn the on/off switch off, then repower up, it comes on again for a split second.
>
>Thanks very much,
>Don, WB3DNF

Do you have the PS-740 internal power supply installed?

Gary K8IZ

```
From -7410074027950573526
X-Google-Thread: 108122,eccffbb29ba957a7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!meganewsservers.com!feeder2.on.meganewsservers.com!feed.cgocable.net!read1.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Don Farrow" <ve3ulf@cogeco.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood 732a
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <gKrMf.2685$8d1.642@read1.cgocable.net>
Date: Sun, 26 Feb 2006 19:30:08 -0500
NNTP-Posting-Host: 72.38.165.122
X-Complaints-To: news@cogeco.net
X-Trace: read1.cgocable.net 1141000204 72.38.165.122 (Sun, 26 Feb 2006 19:30:04 EST)
NNTP-Posting-Date: Sun, 26 Feb 2006 19:30:04 EST
Organization: Cogeco Cable
Xref: g2news1.google.com rec.radio.amateur.equipment:2786
```

Hi All

I am having a problem with my Kenwood 732a....I stopped working and would not power on, their was power going to the radio but it would not turn on.

I keep on trying to turn it on by repeating the on off button and now I have a small number 44 showing in the left side of the display and when you push any of the buttons all it does is beep, and now the on off button won't turn the radio off.

Any Ideas Don VE3ULF

From 6038466375513471364
X-Google-Thread: 108122,eccffbb29ba957a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!news3.cnt.ru!sn-xt-sjc-15!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: mensch90249@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood 732a
Date: Sun, 26 Feb 2006 17:06:14 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <g1k402t1d6qbksg154n6926dr9n6nt4cgn@4ax.com>
References: <gKrMf.2685$8d1.642@read1.cgocable.net>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news1.google.com rec.radio.amateur.equipment:2787

On Sun, 26 Feb 2006 19:30:08 -0500, "Don Farrow" <ve3ulf@cogeco.ca> wrote:

>Hi All
>
>I am having a problem with my Kenwood 732a....I stopped working and would
>not power on, their was power going to the radio but it would not turn on.
>
>I keep on trying to turn it on by repeating the on off button and now I have
>a small number 44 showing in the left side of the display and when you push
>any of the buttons all it does is beep, and now the on off button won't turn
>the radio off.
>
>Any Ideas Don VE3ULF
>
>

Does the 732 have a removable head? A couple years ago my 733 did what you describe so I took off the removable head and cleaned the contacts on the head and the rf deck then put it back and it worked

```
fine.




From 1557924454813414634
X-Google-Thread: 108122,eccffbb29ba957a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
meganewsservers.com!feeder2.on.meganewsservers.com!feed.cgocable.net!
read2.cgocable.net.POSTED!53ab2750!not-for-mail
From: "Don Farrow" <ve3ulf@cogeco.ca>
Newsgroups: rec.radio.amateur.equipment
References: <gKrMf.2685$8d1.642@read1.cgocable.net>
<g1k402t1d6qbksg154n6926dr9n6nt4cgn@4ax.com>
Subject: Re: Kenwood 732a
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <xBsMf.1751$d9.221@read2.cgocable.net>
Date: Sun, 26 Feb 2006 20:29:05 -0500
NNTP-Posting-Host: 72.38.165.122
X-Complaints-To: news@cogeco.net
X-Trace: read2.cgocable.net 1141003741 72.38.165.122 (Sun, 26 Feb 2006 20:29:01
EST)
NNTP-Posting-Date: Sun, 26 Feb 2006 20:29:01 EST
Organization: Cogeco Cable
Xref: g2news1.google.com rec.radio.amateur.equipment:2788

Yes it does have a removable head and that is how I have it hooked  up via a
extension cable to the radio .



Don
<mensch90249@yahoo.com> wrote in message
news:g1k402t1d6qbksg154n6926dr9n6nt4cgn@4ax.com...
> On Sun, 26 Feb 2006 19:30:08 -0500, "Don Farrow" <ve3ulf@cogeco.ca>
> wrote:
>
>>Hi All
>>
>>I am having a problem with my Kenwood 732a....I stopped working and would
>>not power on, their was power going to the radio but it would not turn on.
>>
>>I keep on trying to turn it on by repeating the on off button and now I
>>have
>>a small number 44 showing in the left side of the display and when you
>>push
>>any of the buttons all it does is beep, and now the on off button won't
```

```
>>turn
>>the radio off.
>>
>>Any Ideas Don VE3ULF
>>
>>
> Does the 732 have a removable head?  A couple years ago my 733 did
> what you describe so I took off the removable head and cleaned the
> contacts on the head and the rf deck then put it back and it worked
> fine.
>
>




From -1791303848397650525
X-Google-Thread: 108122,eccffbb29ba957a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!
69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: Jack O'Neill <tokras@optonline.net>
Organization: SGC
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood 732a
References: <gKrMf.2685$8d1.642@read1.cgocable.net>
<g1k402t1d6qbksg154n6926dr9n6nt4cgn@4ax.com>
In-Reply-To: <g1k402t1d6qbksg154n6926dr9n6nt4cgn@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 37
Message-ID: <6QtMf.3588$rH6.1236@fe12.lga>
Date: Sun, 26 Feb 2006 21:52:57 -0500
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1141008770 24.47.254.156 (Sun, 26 Feb 2006 19:52:50 MST)
NNTP-Posting-Date: Sun, 26 Feb 2006 19:52:50 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2789

mensch90249@yahoo.com wrote:

>On Sun, 26 Feb 2006 19:30:08 -0500, "Don Farrow" <ve3ulf@cogeco.ca>
>wrote:
>
>
>
```

>>Hi All
>>
>>I am having a problem with my Kenwood 732a....I stopped working and would
>>not power on, their was power going to the radio but it would not turn on.
>>
>>I keep on trying to turn it on by repeating the on off button and now I have
>>a small number 44 showing in the left side of the display and when you push
>>any of the buttons all it does is beep, and now the on off button won't turn
>>the radio off.
>>
>>Any Ideas Don VE3ULF
>>
>>
>>
>>
>Does the 732 have a removable head? A couple years ago my 733 did
>what you describe so I took off the removable head and cleaned the
>contacts on the head and the rf deck then put it back and it worked
>fine.
>
>
>
>
HI, I have 2 733's and it screws up pretty much the same way every few
months.
Take the head off and rub the contacts on the head part and the radio part.
BE CAREFUL, don't break off the pins on the head. I have never had to
clean the
plug on end of the cable to the radio, just the head and the remote bracket.
Good luck... 73

From -8581794506896350091
X-Google-Thread: 108122,eccffbb29ba957a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 26 Feb 2006 21:01:52 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <gKrMf.2685$8d1.642@read1.cgocable.net>
Subject: Re: Kenwood 732a
Date: Sun, 26 Feb 2006 21:01:50 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <cIadnTucpoc89p_ZRVn-tA@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.63.237.38

```
X-Trace: sv3-KnIJJAe0DUvR995oNXCDS/
1PIA+PEyVwUCmlA2AykooihcvX9OCCJ9aVniCyoSM2lRe1d7D4Sh+3pyg!
5wuxQ8v1GMGqdHeF8swt3s+e+ASwsS5GE1n9o1XnOfhgcFLFbMYECCS+rBzgKwQE5zJ2FRWc6vI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2790


"Don Farrow" <ve3ulf@cogeco.ca> wrote in message
news:gKrMf.2685$8d1.642@read1.cgocable.net...
> Hi All
>
> I am having a problem with my Kenwood 732a....I stopped working and would
> not power on, their was power going to the radio but it would not turn on.
>
> I keep on trying to turn it on by repeating the on off button and now I
> have a small number 44 showing in the left side of the display and when
> you push any of the buttons all it does is beep, and now the on off button
> won't turn the radio off.
>
> Any Ideas Don VE3ULF

First get an electrician to check your shorts. :-\

Then clean the contacts on the jumper to the face, and then do a
microprocessor hard re-set.





From -4124372863405893027
X-Google-Thread: 1109af,1e55b306931ea795,start
X-Google-Thread: fc8b1,1e55b306931ea795,start
X-Google-Thread: 108122,1e55b306931ea795,start
X-Google-Attributes: gid1109af,gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 26 Feb 2006 21:14:52 -0600
Newsgroups:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Wanted:  some ARC5 transmitter parts
From: k5dh@qsl.net (=K=5=D=H=)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Message-ID: <evidnT2sBuIx85_ZnZ2dnUVZ_sadnZ2d@centurytel.net>
Date: Sun, 26 Feb 2006 21:14:52 -0600
```

```
Lines: 13
NNTP-Posting-Host: 207.119.44.199
X-Trace: sv3-D9oftdxcqOuKBq/
D91WQoBvHSk7RQl2alNGkVdvXbzVz6Q+MqNQUf4vpz4VZ38aV7C3mSlvnQClWaN7!
bfuZ3MeI8JOx5M2c4ZVn1cxexBfXVNPh7UPbqWPMwc4Vw+E3nhNr/YxgWb6dWg8TsrP46OXleKBG!
pYD845JCELMgY7GkvIw5w3hcTuKhT017SFggrEM=
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:2871 rec.radio.amateur.boatanchors:3067
rec.radio.amateur.equipment:2791
```

I'm looking for the following ARC5 transmitter parts:

- Antenna binding post ass'y (need two of these)
- Relay (the one underneath the chassis)
- Ceramic end plate for mounting roller coil
- Window with calibrations (clear part only)

I'm restoring a BC-459-A (7.0 - 9.1 mc) but these are
generic parts that can come from any ARC5-type xmtr.

73,
Dean K5DH

```
From -7212750373275467764
X-Google-Thread: 108122,4b38c41b8bd83964,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z34g2000cwc.googlegroups.com!not-for-
mail
From: "olegusan" <olegusan@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Programming Icom H21T handheld
Date: 26 Feb 2006 19:15:05 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1141010105.931343.177050@z34g2000cwc.googlegroups.com>
NNTP-Posting-Host: 203.18.238.26
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141010112 30555 127.0.0.1 (27 Feb 2006 03:15:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 27 Feb 2006 03:15:12 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR
1.0.3705; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
```

Injection-Info: z34g2000cwc.googlegroups.com; posting-host=203.18.238.26;
   posting-account=I1ca1g0AAAD3f75ipUdbQ-H260jBL3KL
Xref: g2news1.google.com rec.radio.amateur.equipment:2792

Hi,

Can anyone help with information about programming ICOM H21T handheld?

The radio is programmable via keyboard and probably via computer.
I guess it is similar to IC-H16/U16 or IC-H10/U10.

I have tried to program it using "technician code" for H16 but it did not work.

Any ideas/suggestions?

Thanks.

From -8015430885261521619
X-Google-Thread: 108122,6503fb7298bf8d90
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-01!supernews.com!news.supernews.com!kc1ih
From: Larry Weil <kc1ih@mac.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VHF reception on the cheap
Date: Sun, 26 Feb 2006 23:19:26 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <kc1ih-288D43.23192526022006@sn-indi.vsrv-sjc.supernews.net>
References: <1140134599.272390.237120@g44g2000cwa.googlegroups.com>
<11va6m5t33q56e@corp.supernews.com> <57bav1p4k8f631vealjognqtu5d1pvro2b@4ax.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news1.google.com rec.radio.amateur.equipment:2793

In article <57bav1p4k8f631vealjognqtu5d1pvro2b@4ax.com>,

 They have a VHF receiver that is listed as a 2 meter
> amateur receiver but is tunable to any 5 mHz section between 130 and
> 180 mHz so it should work. Cost is under $50 - of course you can also
> find pre-built weather radios for less but then you miss the fun of
> assembling the kit.

Several models of Sony Walkman have WB reception, including a $30 model.
The problem with them is thy use the same bandwidth as they do for FM
broadcast reception, but will work if NOAA signal is strong.

--
Larry Weil

Lake Wobegone, NH

```
From -8754428464932743486
X-Google-Thread: 108122,c63c44ac2fa8b8ab,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: "biglew3@gmail.com" <biglew3@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: TMV-7A FOR SALE
Date: 26 Feb 2006 21:45:34 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1141019134.516395.139610@i39g2000cwa.googlegroups.com>
NNTP-Posting-Host: 12.183.50.69
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1141019139 21836 127.0.0.1 (27 Feb 2006 05:45:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 27 Feb 2006 05:45:39 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 7.0b; Windows NT 6.0; .NET CLR
2.0.50215; SL Commerce Client v1.0; Tablet PC 2.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=12.183.50.69;
   posting-account=jaIMEA0AAAAdkj5Gv-swMlT90e5iQhmx
Xref: g2news1.google.com rec.radio.amateur.equipment:2794
```

I HAVE A TMV-7A FOR SALE 440/2M DUAL VFO HAS NEW COOL BLUE SCREEN AND
IS IN MINT SHAPE.LIKE TO GET @ $300.00

```
From -7821420920692424659
X-Google-Thread: 108122,8eef4d1fb4807696,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: SB-303 & 310 BOTH +3 FILTERS
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <cyCMf.13118$Zw.6637@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: c761b53acdb0c1244a4c0ddf1d7fad2b
```

```
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1141044488
c761b53acdb0c1244a4c0ddf1d7fad2b (Mon, 27 Feb 2006 12:48:08 GMT)
NNTP-Posting-Date: Mon, 27 Feb 2006 12:48:08 GMT
Organization: AT&T Worldnet
Date: Mon, 27 Feb 2006 12:48:08 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2795

See at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

plus 1 & 2 watt resistors, fixed vac caps; tnx Heytubeguy




From -7425894374690016771
X-Google-Thread: 108122,350c4b8013cd207a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:1200PF AIR VAR, 1&2 W RESISTORS
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <vzCMf.470491$qk4.449967@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: ef231532ef4b54533b0fc3f4bd1ddfe9
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1141044571
ef231532ef4b54533b0fc3f4bd1ddfe9 (Mon, 27 Feb 2006 12:49:31 GMT)
NNTP-Posting-Date: Mon, 27 Feb 2006 12:49:31 GMT
Organization: AT&T Worldnet
Date: Mon, 27 Feb 2006 12:49:31 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2796

See at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

plus other stuff too, tnx   heytubeguy




From -5241198682822925487
X-Google-Thread: 108122,8d15bc73e289c708,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr25.news.prodigy.net.POSTED!e30c9081!not-for-mail
From: "Roger Leone" <raleoneTAKEOUT@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-767GX tech info needed
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <HoHMf.35676$Jd.4293@newssvr25.news.prodigy.net>
NNTP-Posting-Host: 67.127.185.96
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr25.news.prodigy.net 1141064359 ST000 67.127.185.96 (Mon, 27 Feb
2006 13:19:19 EST)
NNTP-Posting-Date: Mon, 27 Feb 2006 13:19:19 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[OWS^WDPZUORTH]]RKB_UDAZZ\DPCPDLXUNNHXIJYWZUYICD^RAQBKZQTZTX\_I[^G_KGFNON[ZOE_AZN
VO^\XGGNTCIRPIJH[@RQKBXLRZ@CD^HKANYVW@RLGEZEJN@\_WZJBNZYYKVIOR]T]MNMG_Z[YVWSCH_Q[G
PC_A@CARQVXDSDA^M]@DRVUM@RBM
Date: Mon, 27 Feb 2006 18:19:19 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2797
```

My friend Stew, WB6EYS asked me to make theis posting for him. He has a Yaesu FT-767GX with a problem with PLL2 on the "local board" (FEX-767-2). The service manual doesn't provide voltages and RF signal levels on the board; no levels in or out of PLL-2 Mixer IC. Stew is looking for RF & DC voltage levels. The chip is getting 15 mhz from the reference crystal. What is the other freq supposed to be and at what level?

Do any of you have this info or know where it can be obtained? Apparently the Yaesu folks can't help.

Or if anyone has a parts radio with a board for sale, or even a loaner he can use to make measurements and return, that would be helpful.

If you can help, send Stew an email. His email address is his callsign @juno.com

Thanks,

Roger K6XQ

```
From 7779286957211129113
X-Google-Thread: 108122,7898c0a15baa28a7
```

X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Feb 2006 20:18:55 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
<IPKdnfsiOcC79mfeRVn-qw@comcast.com> <4JednezlatFK9mfeRVn-rQ@comcast.com>
<dtdrlh$6fv$1@news-02.connect.com.au>
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Mon, 20 Feb 2006 20:18:56 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <QI-dnYMojbYS5WfenZ2dnUVZ_t6dnZ2d@comcast.com>
Lines: 115
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-FWmOEbYXAVoGtdSSNivGMBDOw+63RNUN+q9Ste0Hqyfqq/
jpX4m92P7BxW14rY5q5O9HXPDE2FhRD5l!
zTqZsl+WSKpBJwTAFm203qdIXPNTUAfRW0M8S8bn5l8N0bNmv5PGtrC+45OsjPhjEnCuKWYC9w+h!
RMHY9eLoUM1Q
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2687

I don't know "spack attack" and a "silent protest"??? ok, I'll bite....

"me" <tuskyone(remove)@yahoo.com.au> wrote in message
news:dtdrlh$6fv$1@news-02.connect.com.au...
> no worries I was a member before, I will rejoin, I cancelled all groups
> subs,
> ok well all BIG antennas and BIG AMPS have GONE, everything was rotatable
> once, well had a spack attack and a silent protest in rgds the hobby, and
> just getting soemthing to have a play with,
> counterpoise is a fully tuned radial test bed, 10 radials for each band
> the 160/80/40/20 Mtr radials are 1 7/8' x 1/8 " Power Station EARTH
> MATTING ROLL, I would have at the very least 12 cwt of copper in the
> ground, have a 1500MK2 mounted on a 2" ally tube 7ft 6" above gnd, with a
> 2" x 1/4 " flat strap to gnd hehehe, with 4 x 24" SS CAP Top hat tig
> rods, above the coil with a 3ft whip, still too long to tune above 18Mhz,
> but working on a happy medium, still got 4" of coil in the Mast at 3.670
> Mhz, with above setup, should trim the CAP HAT a little,

> I should mention I had HS-1000 in my car back , uuhhmm not long after
> Jim started making them, would have been numbered in the 100's I was
> talked out of it by a friend haahah, some friend caught me at a weak
> moment back in 2004.
> I would have had a TARHEEL but Cindy wanted $275.00 to post to VK, I got a
> MK2 1500 posted from VA insured for 400.00 for 75.00 USD, Global express,
> 42"x5" @13 llbs, 75.00 USD anyhow thats life
> I appreciate the info, unsure of what 480 as yet, don't need 200WS and
> don't need TUNER ?? ahaha,
> need 150ws unit without tuner ahahah
> tnxs
> dennis vk4sx
>
>
>
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:4JednezlatFK9mfeRVn-rQ@comcast.com...
>> sorry... just figured out that you gotta be a member to see the pics and
>> I don't have a web page to post them on
>>
>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>> news:IPKdnfsiOcC79mfeRVn-qw@comcast.com...
>>>
>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>> news:dtdpip$3qp$1@news-02.connect.com.au...
>>>> nah must be on wrong group
>>>> KenwoodTS-480 ?
>>>
>>> Go here;
>>> http://groups.yahoo.com/group/TS-480/
>>>
>>> The pics of the rigs in my service truck are here;
>>> http://ph.groups.yahoo.com/group/TS-480/photos/browse/e113
>>>
>>>
>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>> news:dtdnkp$15s$1@news-02.connect.com.au...
>>>>> Been a KW group memeber for years, just joined the mentioned group ,
>>>>> (ts480) this very moment you posted
>>>>> tnxs
>>>>> ps
>>>>> i am using a stealth home setup, is there any length of cable
>>>>> restriction? with the turbo tuner
>>>>>
>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>>>>>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX
>>>>>> with a Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
>>>>>> Its almost completely "plug and play". I have pics posted in the
>>>>>> Yahoo TS-480 group.
>>>>>>
>>>>>> -n6ojn
>>>>>>

```
>>>>>> --
>>>>>>
>>>>>> Steve @ Noon-Air Heating & A/C
>>>>>> Noon-Air@comcast.net
>>>>>>
>>>>>> Life is what happens while you were making other plans
>>>>>>
>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>>>>>> hehe asking the question before rigs arrives ? intend to use it with
>>>>>>> a Hi Sierra MK2,  rig not here as yet ?
>>>>>>> unsure if info is supplied. tricks the 480 into think it has a
>>>>>>> external tuner plugged in, hence 10ws cw tx,
>>>>>>>
>>>>>>> tnxs
>>>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>>>>>> Ummm..... not to overlook the obvious, but did you check the
>>>>>>>> paperwork that came in the box with the radio??
>>>>>>>>
>>>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>>>>>> Hi, where can I find the schematic for the TS480 Tune control
>>>>>>>>> module
>>>>>>>>> rgds
>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>
>>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>




From 5733438166543832951
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-
```

```
north.connect.com.au!not-for-mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Tue, 21 Feb 2006 12:27:21 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 130
Message-ID: <dtdtqr$9bn$1@news-02.connect.com.au>
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
<IPKdnfsiOcC79mfeRVn-qw@comcast.com> <4JednezlatFK9mfeRVn-rQ@comcast.com>
<dtdrlh$6fv$1@news-02.connect.com.au> <QI-
dnYMojbYS5WfenZ2dnUVZ_t6dnZ2d@comcast.com>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1140488859 9591 202.172.125.74 (21 Feb 2006
02:27:39 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Tue, 21 Feb 2006 02:27:39 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:2688

you know, fed up with the hobby,  what every ham goes thru at least once in
their life,  lost interest, etc etc,
sell all your gear, feel remorseful, get back in the hobby agn,  you know,
normal ham actions ahahha
get ripped by other HAMS, after helping for years etc, we call it a Dummy
Spit in VK, ahahha, well I had a BIG dummy spit,
1000D, 2 x 1000MP, 990,900, 2 x 857's, 2 x120atas, hs1000, 2 x dx-2 amps,
tl922, 2 x fl7000's,  thats a pretty big dummy spit in anyone's language
ahahha

73
"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:QI-dnYMojbYS5WfenZ2dnUVZ_t6dnZ2d@comcast.com...
>I don't know "spack attack" and a "silent protest"??? ok, I'll bite....
>
> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
> news:dtdrlh$6fv$1@news-02.connect.com.au...
>> no worries I was a member before, I will rejoin, I cancelled all groups
>> subs,
>> ok well all BIG antennas and BIG AMPS have GONE, everything  was
>> rotatable once, well had a spack attack and a silent protest in rgds the
>> hobby,  and just getting soemthing to have a play with,
>> counterpoise  is a fully  tuned radial test bed, 10 radials for each band
>> the 160/80/40/20 Mtr radials are 1 7/8' x 1/8 " Power Station EARTH
>> MATTING ROLL, I would have at the very least  12 cwt of copper in the
```

>> ground, have a 1500MK2 mounted on a 2" ally tube 7ft 6" above gnd, with
>> a 2" x 1/4 " flat strap to gnd hehehe, with 4 x 24" SS CAP Top hat tig
>> rods, above the coil with a 3ft whip, still too long to tune above
>> 18Mhz, but working on a happy medium, still got 4" of coil in the Mast
>> at 3.670 Mhz, with above setup, should trim the CAP HAT a little,
>> I should mention I had HS-1000 in my car back , uuhhmm not long after
>> Jim started making them, would have been numbered in the 100's I was
>> talked out of it by a friend haahah, some friend caught me at a weak
>> moment back in 2004.
>> I would have had a TARHEEL but Cindy wanted $275.00 to post to VK, I got
>> a MK2 1500 posted from VA insured for 400.00 for 75.00 USD, Global
>> express, 42"x5" @13 llbs, 75.00 USD anyhow thats life
>> I appreciate the info, unsure of what 480 as yet, don't need 200WS and
>> don't need TUNER ?? ahaha,
>> need 150ws unit without tuner ahahah
>> tnxs
>> dennis vk4sx
>>
>>
>>
>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>> news:4JednezlatFK9mfeRVn-rQ@comcast.com...
>>> sorry... just figured out that you gotta be a member to see the pics and
>>> I don't have a web page to post them on
>>>
>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>> news:IPKdnfsiOcC79mfeRVn-qw@comcast.com...
>>>>
>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>> news:dtdpip$3qp$1@news-02.connect.com.au...
>>>>> nah must be on wrong group
>>>>> KenwoodTS-480 ?
>>>>
>>>> Go here;
>>>> http://groups.yahoo.com/group/TS-480/
>>>>
>>>> The pics of the rigs in my service truck are here;
>>>> http://ph.groups.yahoo.com/group/TS-480/photos/browse/e113
>>>>
>>>>
>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>> news:dtdnkp$15s$1@news-02.connect.com.au...
>>>>>> Been a KW group memeber for years, just joined the mentioned group ,
>>>>>> (ts480) this very moment you posted
>>>>>> tnxs
>>>>>> ps
>>>>>> i am using a stealth home setup, is there any length of cable
>>>>>> restriction? with the turbo tuner
>>>>>>
>>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>>> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>>>>>>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX
>>>>>>> with a Turbo-Tuner on a Tarheel M-200 and its really a great set-up.

>>>>>>> Its almost completely "plug and play". I have pics posted in the
>>>>>>> Yahoo TS-480 group.
>>>>>>>
>>>>>>> -n6ojn
>>>>>>>
>>>>>>> --
>>>>>>>
>>>>>>> Steve @ Noon-Air Heating & A/C
>>>>>>> Noon-Air@comcast.net
>>>>>>>
>>>>>>> Life is what happens while you were making other plans
>>>>>>>
>>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>>>>>>> hehe asking the question before rigs arrives ? intend to use it
>>>>>>>> with a Hi Sierra MK2, rig not here as yet ?
>>>>>>>> unsure if info is supplied. tricks the 480 into think it has a
>>>>>>>> external tuner plugged in, hence 10ws cw tx,
>>>>>>>>
>>>>>>>> tnxs
>>>>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>>>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>>>>>>> Ummm..... not to overlook the obvious, but did you check the
>>>>>>>>> paperwork that came in the box with the radio??
>>>>>>>>>
>>>>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>>>>>>> Hi, where can I find the schematic for the TS480 Tune control
>>>>>>>>>> module
>>>>>>>>>> rgds
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>
>>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>

From 1836516900328786902
X-Google-Thread: 108122,2e5b8704feb110c3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!eleonora.aioe.org!emma.aioe.org!aioe.org!ac8468da.ipt.aol.com!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Help - Kenwood TH-D7 - off frequency
Date: Mon, 20 Feb 2006 22:06:25 -0500
Organization: Aioe.org NNTP Server
Lines: 14
Message-ID: <fmmck-2002062206250001@ac8468da.ipt.aol.com>
References: <Ib0Kf.52$XZ3.10794@news20.bellglobal.com>
NNTP-Posting-Host: awnoABayPAdfnPQU/jIKYA.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Xref: g2news1.google.com rec.radio.amateur.equipment:2689

In article <Ib0Kf.52$XZ3.10794@news20.bellglobal.com>, "News"
<VE3DGE@hotmail.com> wrote:

> but do not know where the adjustment is located. Could anyone who has a
> service manual help me by pointing out where the adjustment is ??

Don-

Go to http://www.mods.dk/ and click on Kenwood on the left side of the screen. When that comes up, click on Manuals at the top of the right side of the screen. Scroll down to "TH-D7A-E Adjustement manual.zip". It may have what you need.

73, Fred, K4DII

From 4697896358745956826
X-Google-Thread: 108122,a077b7c73996f5db,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread01.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS RFC 2-417 2mt amp
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <hQvKf.164517$WH.130669@dukeread01>
Date: Mon, 20 Feb 2006 21:31:25 -0600

NNTP-Posting-Host: 68.98.253.240
X-Complaints-To: abuse@cox.net
X-Trace: dukeread01 1140492685 68.98.253.240 (Mon, 20 Feb 2006 22:31:25 EST)
NNTP-Posting-Date: Mon, 20 Feb 2006 22:31:25 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2690

RF Concepts RFC 2-417 2-meter linear amp. Input power just right for a Yaesu FT-847 and most mobile radios: - 45 watts in, 170 watts out on 144-148 MHz. - Works for AM/FM/SSB/CW. - Switchable GaAs FET preamp. - Has RF sensing keying. - Switch for SSB vs. FM RF sensing keying. - Has connector for external PTT connection. External PTT jumper selectable "+" keying or "ground" keying. - 5-pin DIN connector for remote control. - Automatic thermal shutoff. - Automatic shutoff when SWR > 3:1. - Indicator LED's for power, TX and protective shutoff. - Includes "Jones" connector for power. - Includes "L" brackets to mount under shelf. Amp is in very good condition, dusty from sitting around. $175 shipped to lower 48 states.

See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 6413681285260426000
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Feb 2006 22:10:43 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtddai$gru$1@news-02.connect.com.au> <9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com> <dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com> <dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au> <IPKdnfsiOcC79mfeRVn-qw@comcast.com> <4JednezlatFK9mfeRVn-rQ@comcast.com> <dtdrlh$6fv$1@news-02.connect.com.au> <QI-dnYMojbYS5WfenZ2dnUVZ_t6dnZ2d@comcast.com> <dtdtqr$9bn$1@news-02.connect.com.au>
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Mon, 20 Feb 2006 22:10:44 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <GuudnRF4DqteD2fe4p2dnA@comcast.com>
Lines: 142
NNTP-Posting-Host: 68.63.237.38

X-Trace: sv3-VsDrNVlLLk6Zss3TJcZJ6SpHODo/NeOeYsnui9cH/
26SqGR6f4WXQHQj05yiLxWHwY7jPQXaHSq2ptZ!
T+jiZWA5mrRO6TSjYC3deu7MC9RMs5YWtryXvJUOIHkMs0gYducSr2XRtP+legvucudhS+tNSJ0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2691

Ahhhh....I see, you had a serious case of the "dumb shits". I did that once,
but not quite to that extent.... I kept the basic rigs and some wire
antennas, a power supply.... just the bare bones station to get on the air
in an emergency. I had gotten rid of all my packet stuff, tower, antennas,
SB200, a couple of spare 2m and dual band rigs and handies.... then there
was all the stuff in the junk boxes.... that was the worst part of it.

"me" <tuskyone(remove)@yahoo.com.au> wrote in message
news:dtdtqr$9bn$1@news-02.connect.com.au...
> you know, fed up with the hobby, what every ham goes thru at least once
> in their life, lost interest, etc etc,
> sell all your gear, feel remorseful, get back in the hobby agn, you know,
> normal ham actions ahahha
> get ripped by other HAMS, after helping for years etc, we call it a Dummy
> Spit in VK, ahahha, well I had a BIG dummy spit,
> 1000D, 2 x 1000MP, 990,900, 2 x 857's, 2 x120atas, hs1000, 2 x dx-2 amps,
> tl922, 2 x fl7000's, thats a pretty big dummy spit in anyone's language
> ahahha
>
> 73
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:QI-dnYMojbYS5WfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>I don't know "spack attack" and a "silent protest"??? ok, I'll bite....
>>
>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>> news:dtdrlh$6fv$1@news-02.connect.com.au...
>>> no worries I was a member before, I will rejoin, I cancelled all groups
>>> subs,
>>> ok well all BIG antennas and BIG AMPS have GONE, everything was
>>> rotatable once, well had a spack attack and a silent protest in rgds the
>>> hobby, and just getting soemthing to have a play with,
>>> counterpoise is a fully tuned radial test bed, 10 radials for each
>>> band the 160/80/40/20 Mtr radials are 1 7/8' x 1/8 " Power Station EARTH
>>> MATTING ROLL, I would have at the very least 12 cwt of copper in the
>>> ground, have a 1500MK2 mounted on a 2" ally tube 7ft 6" above gnd, with
>>> a 2" x 1/4 " flat strap to gnd hehehe, with 4 x 24" SS CAP Top hat tig
>>> rods, above the coil with a 3ft whip, still too long to tune above
>>> 18Mhz, but working on a happy medium, still got 4" of coil in the Mast
>>> at 3.670 Mhz, with above setup, should trim the CAP HAT a little,
>>> I should mention I had HS-1000 in my car back , uuhhmm not long after
>>> Jim started making them, would have been numbered in the 100's I was
>>> talked out of it by a friend haahah, some friend caught me at a weak

>>> moment back in 2004.
>>> I would have had a TARHEEL but Cindy wanted $275.00 to post to VK, I got
>>> a MK2 1500 posted from VA insured for 400.00 for 75.00 USD, Global
>>> express, 42"x5" @13 llbs, 75.00 USD anyhow thats life
>>> I appreciate the info, unsure of what 480 as yet, don't need 200WS and
>>> don't need TUNER ?? ahaha,
>>> need 150ws unit without tuner ahahah
>>> tnxs
>>> dennis vk4sx
>>>
>>>
>>>
>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>> news:4JednezlatFK9mfeRVn-rQ@comcast.com...
>>>> sorry... just figured out that you gotta be a member to see the pics
>>>> and I don't have a web page to post them on
>>>>
>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>> news:IPKdnfsiOcC79mfeRVn-qw@comcast.com...
>>>>>
>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>> news:dtdpip$3qp$1@news-02.connect.com.au...
>>>>>> nah must be on wrong group
>>>>>> KenwoodTS-480 ?
>>>>>
>>>>> Go here;
>>>>> http://groups.yahoo.com/group/TS-480/
>>>>>
>>>>> The pics of the rigs in my service truck are here;
>>>>> http://ph.groups.yahoo.com/group/TS-480/photos/browse/e113
>>>>>
>>>>>
>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>> news:dtdnkp$15s$1@news-02.connect.com.au...
>>>>>>> Been a KW group memeber for years, just joined the mentioned group ,
>>>>>>> (ts480) this very moment you posted
>>>>>>> tnxs
>>>>>>> ps
>>>>>>> i am using a stealth home setup, is there any length of cable
>>>>>>> restriction? with the turbo tuner
>>>>>>>
>>>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>>>> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>>>>>>>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX
>>>>>>>> with a Turbo-Tuner on a Tarheel M-200 and its really a great
>>>>>>>> set-up.
>>>>>>>> Its almost completely "plug and play". I have pics posted in the
>>>>>>>> Yahoo TS-480 group.
>>>>>>>>
>>>>>>>> -n6ojn
>>>>>>>>
>>>>>>>> --
>>>>>>>>

```
>>>>>>>> Steve @ Noon-Air Heating & A/C
>>>>>>>> Noon-Air@comcast.net
>>>>>>>>
>>>>>>>> Life is what happens while you were making other plans
>>>>>>>>
>>>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>>>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>>>>>>>> hehe asking the question before rigs arrives ? intend to use it
>>>>>>>>> with a Hi Sierra MK2,  rig not here as yet ?
>>>>>>>>> unsure if info is supplied. tricks the 480 into think it has a
>>>>>>>>> external tuner plugged in, hence 10ws cw tx,
>>>>>>>>>
>>>>>>>>> tnxs
>>>>>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>>>>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>>>>>>>> Ummm..... not to overlook the obvious, but did you check the
>>>>>>>>>> paperwork that came in the box with the radio??
>>>>>>>>>>
>>>>>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>>>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>>>>>>>> Hi, where can I find the schematic for the TS480 Tune control
>>>>>>>>>>> module
>>>>>>>>>>> rgds
>>>>>>>>>>>
>>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>
>>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>



From 4058484820697483413
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeed-
east.nntpserver.com!nntpserver.com!statler.nntpserver.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <43FA95EC.60702@fuse.net>
Date: Mon, 20 Feb 2006 23:24:12 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <11vihuk426gq41c@corp.supernews.com>
<ITbKf.13445$UD1.2183@bignews2.bellsouth.net> <11vitgtfl7bm9db@corp.supernews.com>
<dBkKf.5$BJ4.3@fe02.lga>
In-Reply-To: <dBkKf.5$BJ4.3@fe02.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 37
X-Trace: e594643fa95f3e7041a6710053
Xref: g2news1.google.com rec.radio.amateur.equipment:2692

Percival P. Cassidy wrote:
> On 02/20/06 02:56 am Richard Crowley wrote:
>
>>> Guess I'm aging myself.  This was back in 1983-1986.  LOL
>>
>>
>> Yes, that was back when they had BOTH...
>> 1) Good help (folk who knew a resistor from their elbow)
>> 2) Actual corporate cognizance of what the electronics
>> business is.  In the last few years, it seems to me that the
>> management in Texas doesn't know (or care) whether
>> they are in the electronics business, or selling fried
>> chicken or furniture.
>
>
> US companies (*perhaps* companies in other countries too, but probably
> to a lesser extent) don't care whether their CEOs know anything about
> their particular products or services. Someone can go from a fast-food
> co. to a computer co., to an automobile manufacturer, to a health-care
> corporation, all the while knowing very little about the specifics of
> the industry and getting a salary and benefits many times (hundreds of
> times?) more than the CEO of a European company who actually has a
> degree in electrical engineering or whatever is relevant to the
> company's products.
>
> "Perce"
> (aka Alan NV8A)
```

Apparently in Radio Shack's case, they don't even care whether their
CEO's even went to college. The just-fired CEO lied on his
resume...instead of the standard MBA, he received a ThG (whatever that
is) after 3 years in some institution.

A theology degree.

Say hallelujah!

john

From -3117055587420129203
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!router2.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Mon, 20 Feb 2006 21:11:19 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11vl87p334nk1c0@corp.supernews.com>
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga> <f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <11vihuk426gq41c@corp.supernews.com> <ITbKf.13445$UD1.2183@bignews2.bellsouth.net> <11vitgtfl7bm9db@corp.supernews.com> <Pine.BSI.4.61.0602200833001.28008@malasada.lava.net>
MIME-Version: 1.0
Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 7
Xref: g2news1.google.com rec.radio.amateur.equipment:2693

"Joseph Fenn" wrote ...
> Ref Radio Shack. does anybody on here remember the
> 1st Radio shack?? The one called "Boston Radio Shack".
> It was the only one in the country and it was the original one.

Tandy Leather in Texas bought the name from them and
the rest, as they say, is history.

From 3950268092689890138
X-Google-Thread: 108122,eba3231301c063e9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsfeed.pionier.net.pl!newsfeed.gazeta.pl!news.onet.pl!not-for-mail
From: "tdq" <NO_SPAM_tdq@poczta.onet.pl>
Newsgroups: rec.radio.amateur.equipment
Subject: ft26 diagram
Date: Tue, 21 Feb 2006 11:19:14 +0100
Organization: Onet.pl
Lines: 79
Message-ID: <dteph8$kb4$1@news.onet.pl>
NNTP-Posting-Host: 213-238-76-26.adsl.inetia.pl
X-Trace: news.onet.pl 1140517225 20836 213.238.76.26 (21 Feb 2006 10:20:25 GMT)
X-Complaints-To: usenet@news.onet.pl
NNTP-Posting-Date: Tue, 21 Feb 2006 10:20:25 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
X-Sender: si7OEUhsobw5SLHmHxMFQllILWeEIN+n
X-Priority: 3
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MSMail-Priority: Normal
Xref: g2news1.google.com rec.radio.amateur.equipment:2694

i need ft26 schematic diagram
73, sp8tdq

tdq at o2.pl

sp8tdq.free.pl
www.sp8tdq.free.pl
www.tdq.za.pl
sp8tdq.free.pl
www.sp8tdq.free.pl
www.tdq.za.pl
sp8tdq.free.pl
www.sp8tdq.free.pl
www.tdq.za.pl

From -5587178300139501550

```
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: FA AWESOME VARMINT CB LINEAR
From: "JB" <1963@cybertime.net>
Date: Tue, 21 Feb 2006 08:37:17 -0800
Message-ID: <dtffko$1jse$1@madmax.keyway.net>
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com> <1IadnRR6jbDPsG7eRVn-gQ@comcast.com>
<11va15rqtm7iv13@corp.supernews.com>
Lines: 37
NNTP-Posting-Host: dialup-216-117-207-070.cybertime.net
Organization: Keyway Internet Services www.keyway.net
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
meganewsservers.com!feeder2.on.meganewsservers.com!news-out.superfeed.net!
sp6iad.superfeed.net!propagator-sterling.newsfeeds.com!news-in.nuthinbutnews.com!
news.keyway.net!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
X-Trace: madmax.keyway.net 1140539865 53134 216.117.207.70 (21 Feb 2006 16:37:45
GMT)
X-Complaints-To: abuse@keyway.net
NNTP-Posting-Date: Tue, 21 Feb 2006 16:37:45 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.cb:6095 rec.radio.amateur.equipment:2695
rec.radio.swap:2789


"Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
news:11va15rqtm7iv13@corp.supernews.com...
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:1IadnRR6jbDPsG7eRVn-gQ@comcast.com...
> >
> > "Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
> > news:11v5o57j1lsthb6@corp.supernews.com...
> >> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> >> news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
> >> snipped
> >>> To further this, according to 47CFR95 its illegal to even have a CB
> >>> amplifier in your posession.
> >>>
> >> Wrong. You can own one, you cannot have it connected or transmit with
it.
> >
> > Spend a couple of bucks, buy Code of Federal Regulations 47, then *read*
> > part 95, as well as part 97. Then maybe.....
> >
> > BTW.. the book is available through the US Government Printing Office.
```

> >
http://bookstore.gpo.gov/dynamic/actions/GetPublication?stocknumber=869-056-00196-7
> > You should really have one in your shack for reference material so you
> > will actually have a clue.
> >
> >
> Why? I could care less about FCC regs.
>
Because some of the freqs. above ch 40 are military. We had a kook out here who was ripping up for three years telling the FCC to FO his doorstep and telling them they had no authority to fine him some $50K or more, but he strayed onto Military frequencies and within two weeks the FBI raided his place and trucked him and his stuff away. Looks like they will be selling his house to pay for it all.

From -9223187316671987749
X-Google-Thread: 108122,689161570e96b609,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: APRSPoint president's day sale
Date: 21 Feb 2006 09:22:56 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1140542576.353203.56810@g14g2000cwa.googlegroups.com>
NNTP-Posting-Host: 61.183.134.65
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140542581 6304 127.0.0.1 (21 Feb 2006 17:23:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Feb 2006 17:23:01 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; Alexa Toolbar),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=61.183.134.65;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news1.google.com rec.radio.amateur.equipment:2696

APRSPoint is a complete APRS package with integrated street-level maps.
We are offerring a president's day special. Now you can APRSPoint plus
MapPoint 2004 for $69.95 instead of $89.95. Please visit
http://www.aprspoint.com/ for details. Thanks.

```
From -9216444882908814839
X-Google-Thread: 108122,f5a1bffb2fc3c3d0,start
X-Google-Thread: fc2a5,f5a1bffb2fc3c3d0,start
X-Google-Thread: 107ada,f5a1bffb2fc3c3d0,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.alt.net!usenet
From: Lloyd <lloyd@no.spammmmm>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: WARNING: hackarmy trojan (was: Moms Dildo Lesson To Sister)
Date: 21 Feb 2006 17:48:03 GMT
Organization: http://www.TarrNews.net - FREE NNTP Access
Lines: 5
Message-ID: <HA87017833.2458F8789@tarrnews.net>
References: <tCGKf.53856$H%4.39465@pd7tw2no>
NNTP-Posting-Host: 127.0.0.1
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express for Irix 6.00.2600.0000
X-MimeOLE: Produced By SGI Irix MimeOLE V6.00.2600.0000
Xref: g2news1.google.com rec.radio.amateur.equipment:2697
rec.radio.amateur.homebrew:3737 rec.radio.amateur.misc:4912
```

On Tue, 21 Feb 2006 15:47:37 GMT, qqhrwz@shaw.ca wrote:
[Illegal post snipped]

The old hackarmy trojan is contained in the binary. Someone wants
to take over your machine.

```
From 8264735518403117082
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: FA AWESOME VARMINT CB LINEAR
From: "JB" <1963@cybertime.net>
Date: Tue, 21 Feb 2006 10:18:19 -0800
Message-ID: <dtfli5$1mpc$1@madmax.keyway.net>
References: <43f0b248@usenet.zapto.org>
<43f3ab38$0$3767$39cecf19@news.twtelecom.net>
<VbOIf.20309$7y1.808@tornado.texas.rr.com>
Lines: 30
NNTP-Posting-Host: dialup-216-117-207-003.cybertime.net
Organization: Keyway Internet Services www.keyway.net
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!news-
feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news-out.nntp.be!
sp6iad.superfeed.net!propagator-sterling.newsfeeds.com!news-in.nuthinbutnews.com!
news.keyway.net!not-for-mail
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
```

```
X-Trace: madmax.keyway.net 1140545927 56108 216.117.207.3 (21 Feb 2006 18:18:47
GMT)
X-Complaints-To: abuse@keyway.net
NNTP-Posting-Date: Tue, 21 Feb 2006 18:18:47 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.cb:6097 rec.radio.amateur.equipment:2698
rec.radio.swap:2791

Stuck on Stupid.  I paid less than that for a Collins 30L1.
And my tubes will never die.


http://techinfo.awardspace.com

"U-Know-Who" <no-one@nowhere.com> wrote in message
news:VbOIf.20309$7y1.808@tornado.texas.rr.com...
>
> "Jayseebee" <Jayseebee@nowhere.com> wrote in message
> news:43f3ab38$0$3767$39cecf19@news.twtelecom.net...
> > Pretty Kewl, eBay has removed this listing because it was a prohibited
> > item for eBay!!
> >
> > JCB
>
>
> No stupid, you just chose a link that didn't work. Only has 2 hours left.
> Bid now!
>
> Use this link:
>
>
http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5867393171QQcategoryZ48700QQrdZ1QQcmdZViewItem
>
>
>
>




From -4736836942543854281
X-Google-Thread: 109a13,bf459de98d775dbc,start
X-Google-Thread: 108122,bf459de98d775dbc,start
X-Google-Thread: 1109af,bf459de98d775dbc,start
X-Google-Thread: 101d0f,bf459de98d775dbc,start
X-Google-Attributes: gid109a13,gid108122,gid1109af,gid101d0f,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
```

```
From: "Movieworld" <mvworld77@gmail.com>
Newsgroups:
rec.photo.equipment.misc,rec.radio.amateur.equipment,rec.radio.swap,rec.skiing.res
orts.europe
Subject: Factory pressed dvd movies, ps2, psp & xbox backups for sale !!!
Date: 21 Feb 2006 10:32:06 -0800
Organization: http://groups.google.com
Lines: 16
Message-ID: <1140546726.723405.185440@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: 218.111.11.242
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140546732 7259 127.0.0.1 (21 Feb 2006 18:32:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Feb 2006 18:32:12 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=218.111.11.242;
   posting-account=os2KtA0AAADLjMsVa2Beby03i9PNlsV6
Xref: g2news1.google.com rec.photo.equipment.misc:524
rec.radio.amateur.equipment:2699 rec.radio.swap:2792
rec.skiing.resorts.europe:1758
```

We're offering all the latest factory pressed high quality dvd movies,
ps2, psp and xbox silvers with factory printed colour inserts at
fantastic prices, whether for personal use or reselling. We're shipping
worldwide with various shipping methods. For resellers, please contact
us for bulk discounts.

For a complete list and prices, please email us at
movieworld@time.net.my

(Please state the type of list that you want and tell us your location
as the prices varies for different locations. If you're reseller,
please state the quantity you wish to order per shipment and we'll
quote you a wholesale price depending on the quantity ordered.)

* If you need references, we can provide them to you.

```
From 3048646162393028251
X-Google-Thread: 108122,f5a1bffb2fc3c3d0
X-Google-Thread: fc2a5,f5a1bffb2fc3c3d0
X-Google-Thread: 107ada,f5a1bffb2fc3c3d0
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: whinyslit_lloydie@yahoo.com
Newsgroups:
```

```
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: WARNING: hackarmy trojan (was: Moms Dildo Lesson To Sister)
Date: 21 Feb 2006 11:26:10 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1140549970.267419.214020@f14g2000cwb.googlegroups.com>
References: <tCGKf.53856$H%4.39465@pd7tw2no>
   <HA87017833.2458F8789@tarrnews.net>
NNTP-Posting-Host: 65.54.97.193
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140549976 15109 127.0.0.1 (21 Feb 2006 19:26:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 21 Feb 2006 19:26:16 +0000 (UTC)
In-Reply-To: <HA87017833.2458F8789@tarrnews.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=65.54.97.193;
   posting-account=-bvg-A0AAABSpF6sxAllK-BDt63i0oiA
Xref: g2news1.google.com rec.radio.amateur.equipment:2700
rec.radio.amateur.homebrew:3739 rec.radio.amateur.misc:4913

AS if you'd know, loser.




From 3091673264134708874
X-Google-Thread: 108122,77e12570c8e1aa3b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
news.aset.psu.edu!not-for-mail
From: "Jim Mooney" <jrm169@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-51R HT - Air/WX recieve?
Date: Tue, 21 Feb 2006 15:57:55 -0500
Organization: Penn State University, Center for Academic Computing
Lines: 9
Message-ID: <dtfusk$1f0s$1@f04n12.cac.psu.edu>
NNTP-Posting-Host: grouse.abington.psu.edu
X-Trace: f04n12.cac.psu.edu 1140555476 48156 146.186.72.99 (21 Feb 2006 20:57:56
GMT)
X-Complaints-To: usenet@
NNTP-Posting-Date: Tue, 21 Feb 2006 20:57:56 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Xref: g2news1.google.com rec.radio.amateur.equipment:2701
```

Hi,

Does the Yaesu FT-51R recieve WX band and Air Band?

Thanks,

Jim

From -2739433369222101031
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <11v31c78qbss204@corp.supernews.com>
<43F2A87F.DD429C3A@dfw.net> <75-dne9MMOEHDG_eRVn-tQ@comcast.com>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Tue, 21 Feb 2006 16:46:43 -0500
Lines: 15
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43fb8abe$1@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news3.google.com!news2.volia.net!news.musoftware.de!
rouhivuori!not-for-mail
Xref: g2news1.google.com rec.radio.cb:6103 rec.radio.amateur.equipment:2702
rec.radio.swap:2793

shut op assflap

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:75-dne9MMOEHDG_eRVn-tQ@comcast.com...
> Since when did Texas not have to comply with 47CFR95 Subpart D??
> Specifically 95.411
>
> "Im your worse dream!" <dreamstation@dfw.net> wrote in message
> news:43F2A87F.DD429C3A@dfw.net...
>> Its legal in TX!
>>
>
>

```
From 7625142606145882900
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!tudelft.nl!
txtfeed1.tudelft.nl!feeder1.cambrium.nl!feed.tweaknews.nl!
216.196.110.149.MISMATCH!border2.nntp.ams.giganews.com!nntp.giganews.com!sn-
ams-06!sn-xt-ams-05!sn-post-ams-01!sn-post-01!supernews.com!corp.supernews.com!
not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Tue, 21 Feb 2006 16:02:34 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11vn3fp3f0a4s2f@corp.supernews.com>
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com> <1IadnRR6jbDPsG7eRVn-gQ@comcast.com>
<11va15rqtm7iv13@corp.supernews.com> <dtffko$1jse$1@madmax.keyway.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 45
Xref: g2news1.google.com rec.radio.cb:6105 rec.radio.amateur.equipment:2703
rec.radio.swap:2795

"JB" <1963@cybertime.net> wrote in message
news:dtffko$1jse$1@madmax.keyway.net...
>
> "Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
> news:11va15rqtm7iv13@corp.supernews.com...
>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>> news:1IadnRR6jbDPsG7eRVn-gQ@comcast.com...
>> >
>> > "Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
>> > news:11v5o57j1lsthb6@corp.supernews.com...
>> >> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>> >> news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
>> >> snipped
>> >>> To further this, according to 47CFR95 its illegal to even have a CB
>> >>> amplifier in your posession.
>> >>>
>> >> Wrong. You can own one, you cannot have it connected or transmit with
> it.
```

```
>> >
>> > Spend a couple of bucks, buy Code of Federal Regulations 47, then
>> > *read*
>> > part 95, as well as part 97. Then maybe.....
>> >
>> > BTW.. the book is available through the US Government Printing Office.
>> >
> http://bookstore.gpo.gov/dynamic/actions/GetPublication?
stocknumber=869-056-00196-7
>> > You should really have one in your shack for reference material so you
>> > will actually have a clue.
>> >
>> >
>> Why? I could care less about FCC regs.
>>
> Because some of the freqs. above ch 40 are military.  We had a kook out
> here
> who was ripping up for three years telling the FCC to FO his doorstep and
> telling them they had no authority to fine him some $50K or more, but he
> strayed onto Military frequencies and within two weeks the FBI raided his
> place and trucked him and his stuff away.  Looks like they will be selling
> his house to pay for it all.
>
>

I have a list of the frequencies used by the gov, and I stay off of them.




From 5252227765280010255
X-Google-Thread: 108122,77e12570c8e1aa3b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
Message-ID: <43FB9542.10407@optonline.net>
From: Jack O'Neill <tokras@optonline.net>
Organization: SGC
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-51R HT - Air/WX recieve?
References: <dtfusk$1f0s$1@f04n12.cac.psu.edu>
In-Reply-To: <dtfusk$1f0s$1@f04n12.cac.psu.edu>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Date: Tue, 21 Feb 2006 17:33:38 -0500
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
```

```
X-Trace: fe12.lga 1140561202 24.47.254.156 (Tue, 21 Feb 2006 15:33:22 MST)
NNTP-Posting-Date: Tue, 21 Feb 2006 15:33:22 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2704

I believe it does!!

Jim Mooney wrote:

>Hi,
>
>Does the Yaesu FT-51R recieve WX band and Air Band?
>
>Thanks,
>
>Jim
>
>
>
>



From -3950658542804768OO
X-Google-Thread: 108122,1f33f2977b0d7136
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeed1.uni2.dk!
news.get2net.dk.POSTED!53ab2750!not-for-mail
From: "Michael" <ccc73571@vip.cybercity.dk>
Newsgroups: rec.radio.amateur.equipment
References: <0QjIf.46$583.43@news.get2net.dk>
<wh4Jf.150731$vH5.1245689@news.xtra.co.nz>
Subject: Re: Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C
Lines: 67
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Message-ID: <PGJKf.2340$tu3.1534@news.get2net.dk>
Date: Tue, 21 Feb 2006 20:16:47 +0100
NNTP-Posting-Host: 83.72.227.48
X-Complaints-To: abuse-dk@tele2.com
X-Trace: news.get2net.dk 1140549423 83.72.227.48 (Tue, 21 Feb 2006 20:17:03 CET)
NNTP-Posting-Date: Tue, 21 Feb 2006 20:17:03 CET
Organization: Tele2 Internet Kunde
Xref: g2news1.google.com rec.radio.amateur.equipment:2705


Hi ken. Can you explain a bit more. What kind of software do I need.
what modulation does the VMS use. FSK? PSK? GMSK?

What is the baud rate/bps used. Maybe only one, standard, used
   on Inmarsat?
```

How are the packets constructed. Protocol specification
will be needed. Sync, frame & block lengths, checksums etc?
"Ken Taylor" <ken123@xxxxtra.co.nz> wrote in message
news:wh4Jf.150731$vH5.1245689@news.xtra.co.nz...
> Michael wrote:
>> I have been playing around with receiving AIS (Automatic Identification
>> System) signals. AIS is used on ships, it is used to send information
>> about your position, etc via VHF to the surrounding ships. But know this
>> started to get a bit boring. So know I wan to try to se if it is possibly
>> to receive the VMS signals from Inmarsat-C. The VMS system is manly used
>> on fishing vessels. On the ship there is a box with a gps and satellite
>> tranciver. The position information is send each hour, to a land earth
>> station, were it is distributed to the different authorities.
>>
>>
>>
>> The first thing is to receive the signals. But also to decrypt the data
>> can be complicated.
>>
>> Any help or advices are welcome. Also if you have some good links to
>> people ho have been dealing with projects like this, could be useful.
>>
>>
>>
>> Cheers Michael
>>
>> Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C
>>
>>
>>
>> I have been playing around with receiving AIS (Automatic Identification
>> System) signals. AIS is used on ships, it is used to send information
>> about your position, etc via VHF to the surrounding ships. But know this
>> started to get a bit boring. So know I wan to try to se if it is possibly
>> to receive the VMS signals from Inmarsat-C. The VMS system is manly used
>> on fishing vessels. On the ship there is a box with a gps and satellite
>> tranciver. The position information is send each hour, to a land earth
>> station, were it is distributed to the different authorities.
>>
>>
>>
>> The first thing is to receive the signals. But also to decrypt the data
>> can be complicated.
>>
>> Any help or advices are welcome. Also if you have some good links to
>> people ho have been dealing with projects like this, could be useful.
>>
>>
>>
>> Cheers Michael
>>
>>

>> From - Fri
>
> You 'only' need to receive the C-band link to the LES, there's no magic in
> the data, it's straightforward Inmarsat-C transmission.
>
> Ken

```
From -4259767676211192857
X-Google-Thread: 108122,77e12570c8e1aa3b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-
mail
From: "kg0wx" <kg0wx@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-51R HT - Air/WX recieve?
Date: 21 Feb 2006 18:00:33 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1140573633.848709.72860@g44g2000cwa.googlegroups.com>
References: <dtfusk$1f0s$1@f04n12.cac.psu.edu>
NNTP-Posting-Host: 68.103.205.177
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140573640 7276 127.0.0.1 (22 Feb 2006 02:00:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 22 Feb 2006 02:00:40 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=68.103.205.177;
   posting-account=7OMbMQ0AAAAOIOn5n1NnmcGqKW2XE2s3
Xref: g2news1.google.com rec.radio.amateur.equipment:2706
```

Mine does and it does a competent job. Not as good
as a rig designed for that band but still better than any
HT I've ever tried and better than some mobiles!

   73's de Ken KG0WX - Kadiddlehopper #11808,
            Flying Pigs #-1055, Grid EM17iq,
  Elecraft K2 #4913, XG2, 4SQRP Tenna Dipper,
 Heath GD-1B, MP-1(X) antenna & HLA-150 amp.

```
From 1230625648429346297
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread3.news.atl.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <43FC0447.76D68104@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: schematic for TS480 TUNE CONTROL
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
<IPKdnfsiOcC79mfeRVn-qw@comcast.com> <4JednezlatFK9mfeRVn-rQ@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
Date: Wed, 22 Feb 2006 06:27:40 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1140589660 24.110.34.161 (Tue, 21 Feb
2006 22:27:40 PST)
NNTP-Posting-Date: Tue, 21 Feb 2006 22:27:40 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2707

Noon-Air wrote:
>
> sorry... just figured out that you gotta be a member to see the pics and I
> don't have a web page to post them on


   http://www.comcast.net/pwp/?CM.src=Navigation



--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From 3915018581424754070
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!news.bellsouth.net!elnk-atl-nf1!newsfeed.earthlink.net!
```

stamper.news.atl.earthlink.net!newsread3.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43FC04FC.ACA59CB5@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: schematic for TS480 TUNE CONTROL
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
<IPKdnfsiOcC79mfeRVn-qw@comcast.com> <4JednezlatFK9mfeRVn-rQ@comcast.com>
<dtdrlh$6fv$1@news-02.connect.com.au> <QI-
dnYMojbYS5WfenZ2dnUVZ_t6dnZ2d@comcast.com> <dtdtqr$9bn$1@news-02.connect.com.au>
<GuudnRF4DqteD2fe4p2dnA@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 20
Date: Wed, 22 Feb 2006 06:30:40 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1140589840 24.110.34.161 (Tue, 21 Feb
2006 22:30:40 PST)
NNTP-Posting-Date: Tue, 21 Feb 2006 22:30:40 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2708

Noon-Air wrote:
>
> Ahhhh....I see, you had a serious case of the "dumb shits". I did that once,
> but not quite to that extent.... I kept the basic rigs and some wire
> antennas, a power supply.... just the bare bones station to get on the air
> in an emergency. I had gotten rid of all my packet stuff, tower, antennas,
> SB200, a couple of spare 2m and dual band rigs and handies.... then there
> was all the stuff in the junk boxes.... that was the worst part of it.

My main "Junk box" is 30' * 40', and the other one is 18' * 28'. ;-)

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From 6289546782070036693

X-Google-Thread: 108122,f5a1bffb2fc3c3d0
X-Google-Thread: fc2a5,f5a1bffb2fc3c3d0
X-Google-Thread: 107ada,f5a1bffb2fc3c3d0
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread3.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43FC053D.DE215033@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: WARNING: hackarmy trojan (was: Moms Dildo Lesson To Sister)
References: <tCGKf.53856$H%4.39465@pd7tw2no> <HA87017833.2458F8789@tarrnews.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Wed, 22 Feb 2006 06:31:45 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1140589905 24.110.34.161 (Tue, 21 Feb
2006 22:31:45 PST)
NNTP-Posting-Date: Tue, 21 Feb 2006 22:31:45 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2709
rec.radio.amateur.homebrew:3748 rec.radio.amateur.misc:4925

Lloyd wrote:
>
> On Tue, 21 Feb 2006 15:47:37 GMT, qqhrwz@shaw.ca wrote:
> [Illegal post snipped]
>
> The old hackarmy trojan is contained in the binary. Someone wants
> to take over your machine.

Why did you open it in the first place?

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 8860525282377126969
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread3.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43FC0714.B743DB60@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <xn0eip8to2mcnm001@news.copper.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 36
Date: Wed, 22 Feb 2006 06:39:36 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1140590376 24.110.34.161 (Tue, 21 Feb
2006 22:39:36 PST)
NNTP-Posting-Date: Tue, 21 Feb 2006 22:39:36 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2710
```

Bill Turner wrote:

> ORIGINAL MESSAGE:
>
> <plonnie@bellsouth.net> wrote:
>
> > One of the radio's we used was a Collins KWM2-A transciever and it
> > blew a tube and resistor on a vital communications link. Within 15
> > minutes, a new one was acquired at a local Tandy store and up and
> > running. Our maintenance chief owes his Air Force Commendation Medal
> > and a great deal of thanks to them.
>
> ~~~~~~
> Your maintenance chief did not have a spare tube and resistor on hand
> for a "vital communications link"? Had I been his superior, he would
> have gotten something far different than a Commendation Medal!
>
> Mr Bill

I agree. I was a broadcast engineer for AFRTS in the early '70s. Even though everything was considered "Depot level only", I kept our AM radio and VHF TV stations on the air with what parts I could get through the supply channels, and what I could scrounge from junk TVs and other available electronics. I don't think there was a Radio Shack within a day's drive, and the parts house in Fairbanks carried TV repair parts. I even made a replacement tuner for our off air "Demod" used to monitor over the air video and audio from parts of a junked Motorola portable TV set. I got a promotion and a letter of commendation for my efforts.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From -4359260229701196З6
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Feb 2006 07:27:39 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
<IPKdnfsiOcC79mfeRVn-qw@comcast.com> <4JednezlatFK9mfeRVn-rQ@comcast.com>
<dtdrlh$6fv$1@news-02.connect.com.au> <QI-
dnYMojbYS5WfenZ2dnUVZ_t6dnZ2d@comcast.com> <dtdtqr$9bn$1@news-02.connect.com.au>
<GuudnRF4DqteD2fe4p2dnA@comcast.com> <43FC04FC.ACA59CB5@earthlink.net>
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Wed, 22 Feb 2006 07:27:40 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <vfCdnfoXKvxW-2HeRVn-rQ@comcast.com>
Lines: 21
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
XGrWV9EhoqjXmoJCV7wKHgk0hmVnGK08SqScXBxafskAhUz+ikQHFGK8/2V9BAE38WD7FxlXN/C6djL!
zXYsUuVu1VqgfSg0NZxnuRK+OXyJ2Q66gZMYz1nl4BQyv+7HYI5//555B7ZDrfUMKcELo5hpuhA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2711
```

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in message
news:43FC04FC.ACA59CB5@earthlink.net...
> Noon-Air wrote:
>>
>> Ahhhh....I see, you had a serious case of the "dumb shits". I did that
>> once,
>> but not quite to that extent.... I kept the basic rigs and some wire
>> antennas, a power supply.... just the bare bones station to get on the
>> air
>> in an emergency. I had gotten rid of all my packet stuff, tower,
>> antennas,
>> SB200, a couple of spare 2m and dual band rigs and handies.... then there
>> was all the stuff in the junk boxes.... that was the worst part of it.
>
>
>   My main "Junk box" is 30' * 40', and the other one is 18' * 28'. ;-)

My point exactly

```
From 555342205667141127
X-Google-Thread: 108122,f5a1bffb2fc3c3d0
X-Google-Thread: fc2a5,f5a1bffb2fc3c3d0
X-Google-Thread: 107ada,f5a1bffb2fc3c3d0
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Feb 2006 08:13:41 -0600
Date: Wed, 22 Feb 2006 09:13:42 -0500
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Mozilla Thunderbird 1.0.6 (X11/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: WARNING: hackarmy trojan
References: <tCGKf.53856$H%4.39465@pd7tw2no> <HA87017833.2458F8789@tarrnews.net>
<43FC053D.DE215033@earthlink.net>
In-Reply-To: <43FC053D.DE215033@earthlink.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <Y_qdndnmb64I7GHenZ2dnUVZ_vmdnZ2d@comcast.com>
Lines: 15
NNTP-Posting-Host: 68.44.216.166
X-Trace: sv3-NBx8hvRq16XxaG1JjigXknmbgfjoyyU/
ZIZ9xmOz9YeJY6Eoj6zuJBMFgKtM2GJNskDvmypuqHfFu+5!vz/
C48h8amHRv51kMiC0DNMjX8YOaxptH5JBuAXy6FixSdDhq0SO/47HHapfjzasrm0leYpsnydf!
```

```
MgdCuCOHjMHmCnvc0Iwt
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2712
rec.radio.amateur.homebrew:3753 rec.radio.amateur.misc:4934

Michael A. Terrell wrote:
> Lloyd wrote:
>
>>On Tue, 21 Feb 2006 15:47:37 GMT, qqhrwz@shaw.ca wrote:
>>[Illegal post snipped]
>>
>>The old hackarmy trojan is contained in the binary.  Someone wants
>>to take over your machine.
>
>
>
>    Why did you open it in the first place?
>
>
He's just disappointed he missed out on his porn....


From 83651430924380056
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread1.news.atl.earthlink.net.POSTED!90335db4!not-for-mail
From: John Ferrell <johnferrell@sprintmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
Message-ID: <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
References: <XgIJf.17$gU1.1@fe02.lga>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Wed, 22 Feb 2006 15:31:27 GMT
NNTP-Posting-Host: 24.148.146.109
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1140622287 24.148.146.109 (Wed, 22 Feb
2006 07:31:27 PST)
NNTP-Posting-Date: Wed, 22 Feb 2006 07:31:27 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2713
```

I will miss them if they go away altogether.
I remember when I was 13 living in Columbus Ohio. If I could get a ride downtown it would only be on Saturday morning. Some of the Radio-Electronics Stores were not interested in selling a kid anything.

IBM was five years behind Radio Shack with the PC. Some of the RS folks are technical, some are not. I have always found them willing to work with me. I hope for a restructure that keeps the parts available.

On Sat, 18 Feb 2006 11:52:08 -0500, "Percival P. Cassidy"
<Nobody@NotMyISP.com> wrote:

>http://money.cnn.com/2006/02/17/news/companies/radioshack.reut/index.htm
>
>A pity, *perhaps*: they still did carry one or two items of use to radio
>amateurs, and without requiring a long drive or paying more for shipping
>than for the item.
>
>"Perce"
>(aka Alan NV8A)

John Ferrell W8CCW

```
From -3077106085482786314
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 22 Feb 2006 11:03:10 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Wed, 22 Feb 2006 11:03:11 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <Ecidnf9jUKbTBGHeRVn-gQ@comcast.com>
Lines: 19
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-1QZiWpuAJqWZ87U+iHT3mXtVEz/
MtsikhtdLRLWmXYbd8ClMqkmgGC91EHMw5eamoBru1ru6TbRW6i3!
ogREj13My0hCxsbzUGbDd8kfgWjHAHKLC54oxwo0+Z+y3eoGnSY//jKg0jiMVyamrj8ER1kV/Pc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
```

```
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2714
```

"John Ferrell" <johnferrell@sprintmail.com> wrote in message
news:3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com...
>I will miss them if they go away altogether.
> I remember when I was 13 living in Columbus Ohio. If I could get a
> ride downtown it would only be on Saturday morning. Some of the
> Radio-Electronics Stores were not interested in selling a kid
> anything.
>
> IBM was five years behind Radio Shack with the PC. Some of the RS
> folks are technical, some are not. I have always found them willing to
> work with me. I hope for a restructure that keeps the parts available.

Parts??? Your RS has parts?? The RS stores around here are doing good to
carry a switch or knob.

-n6ojn

```
From -5771520913425310569
X-Google-Thread: 108122,85fcea4d0aec8b20,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!
news.rr.com!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!
not-for-mail
From: "Fritz" <wd8e@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Andrew 42396-5 Hanger Kits
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <8Y1Lf.94639$tK4.85947@tornado.ohiordc.rr.com>
Date: Wed, 22 Feb 2006 18:20:52 GMT
NNTP-Posting-Host: 24.93.121.165
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1140632452 24.93.121.165 (Wed, 22 Feb 2006
13:20:52 EST)
NNTP-Posting-Date: Wed, 22 Feb 2006 13:20:52 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2715
```

I have two Andrew 42396-5 Hanger Kits for sale. The kits are new, I opened
the bags for inspection and count. Get both for $40.00 plus shipping.

Fritz

From -4175200597075512076
X-Google-Thread: fc8b1,a4cd5d54e7a8202d,start
X-Google-Thread: 108122,a4cd5d54e7a8202d,start
X-Google-Thread: 107ada,a4cd5d54e7a8202d,start
X-Google-Thread: 114aac,a4cd5d54e7a8202d,start
X-Google-Attributes: gidfc8b1,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone1.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!2624caa7!not-for-mail
Reply-To: "stargatesg1" <me@verizon.net>
From: "stargatesg1" <me@verizon.net>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Looking for either Ron Kelly or Ron Hensley of Cushman Electronics
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <rN3Lf.50149$6f2.23307@trnddc02>
Date: Wed, 22 Feb 2006 20:25:59 GMT
NNTP-Posting-Host: 151.199.90.36
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1140639959 151.199.90.36 (Wed, 22 Feb 2006 15:25:59 EST)
NNTP-Posting-Date: Wed, 22 Feb 2006 15:25:59 EST
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3013
rec.radio.amateur.equipment:2716 rec.radio.amateur.misc:4952
rec.radio.shortwave:24968

Hi all,

I'm trying to contact either Ron Kelly or Ron Hensley, both of whom worked at Cushman Electronics some years back. If anyone has contact information regarding these gentlemen I would appreciate it.

Thanks,

RoD

From 7499897921555172661
X-Google-Thread: 108122,f5a1bffb2fc3c3d0
X-Google-Thread: fc2a5,f5a1bffb2fc3c3d0

```
X-Google-Thread: 107ada,f5a1bffb2fc3c3d0
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!
207.14.113.17!news.alt.net!usenet
From: Lloyd <lloyd@no.spammmmm>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: WARNING: hackarmy trojan (was: Moms Dildo Lesson To Sister)
Date: 22 Feb 2006 20:53:07 GMT
Organization: http://www.TarrNews.net - FREE NNTP Access
Lines: 17
Message-ID: <87017833.2458g8789@tarrnews.net>
References: <tCGKf.53856$H%4.39465@pd7tw2no> <HA87017833.2458F8789@tarrnews.net>
<43FC053D.DE215033@earthlink.net>
NNTP-Posting-Host: 127.0.0.1
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express for Irix 6.00.2600.0000
X-MimeOLE: Produced By SGI Irix MimeOLE V6.00.2600.0000
Xref: g2news1.google.com rec.radio.amateur.equipment:2717
rec.radio.amateur.homebrew:3765 rec.radio.amateur.misc:4957

On Wed, 22 Feb 2006 06:31:45 GMT, Michael A. Terrell wrote:
> Lloyd wrote:
> >
> > On Tue, 21 Feb 2006 15:47:37 GMT, qqhrwz@shaw.ca wrote:
> > [Illegal post snipped]
> >
> > The old hackarmy trojan is contained in the binary.  Someone wants
> > to take over your machine.
>
>
>    Why did you open it in the first place?

Your profound ignorance is showing.  With a good virus scanner integrated
into your news reader, the malware is identified and blocked before it can
do any harm.

There's never any need to "open" it, newbie.


From -1867556806626138498
X-Google-Thread: 108122,9763d0d2e06bd1c0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread01.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood Twins
```

```
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <Tk4Lf.171229$WH.116756@dukeread01>
Date: Wed, 22 Feb 2006 15:03:51 -0600
NNTP-Posting-Host: 68.98.253.240
X-Complaints-To: abuse@cox.net
X-Trace: dukeread01 1140642227 68.98.253.240 (Wed, 22 Feb 2006 16:03:47 EST)
NNTP-Posting-Date: Wed, 22 Feb 2006 16:03:47 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2718

I have for sale a nice Kenwood 599D Receiver. It looks good and works good
in AM, but not
in CW or SSB. I can provide pictures to those interested. It comes with a
copy of the manual.
Price is $150 shipped to lower 48.
Thanks, Charlie Hugg, K5MBX

--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com




From -7896211769890117276
X-Google-Thread: 108122,9047c52def2ce3a5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread01.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS ECG CX-920A Digital Cap Meter
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <Zx4Lf.171233$WH.167803@dukeread01>
Date: Wed, 22 Feb 2006 15:17:48 -0600
NNTP-Posting-Host: 68.98.253.240
X-Complaints-To: abuse@cox.net
X-Trace: dukeread01 1140643065 68.98.253.240 (Wed, 22 Feb 2006 16:17:45 EST)
NNTP-Posting-Date: Wed, 22 Feb 2006 16:17:45 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2719
```

I have for sale an as new ECG Digital Capacitance Meter, Model CX-920A.
These units currently sell new for $69.99. I will this one for $45. It is
just like new, works perfectly, has a new battery and comes with the manual,
warrantey card,
test leads, and carry case. Thanks, Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

```
From 6244822759110927191
X-Google-Thread: fc8b1,a4cd5d54e7a8202d
X-Google-Thread: 108122,a4cd5d54e7a8202d
X-Google-Thread: 107ada,a4cd5d54e7a8202d
X-Google-Thread: 114aac,a4cd5d54e7a8202d
X-Google-Attributes: gidfc8b1,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread11.POSTED!53ab2750!not-for-mail
Reply-To: " Uncle Peter" <radioconnectionNO@cox.netSPAM>
From: " Uncle Peter" <radioconnectionNO@cox.netSPAM>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.misc,rec.radio.shortwave
References: <rN3Lf.50149$6f2.23307@trnddc02>
Subject: Re: Looking for either Ron Kelly or Ron Hensley of Cushman Electronics
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <l06Lf.17511$2c4.5324@dukeread11>
Date: Wed, 22 Feb 2006 17:58:20 -0500
NNTP-Posting-Host: 70.188.158.185
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1140649105 70.188.158.185 (Wed, 22 Feb 2006 17:58:25 EST)
NNTP-Posting-Date: Wed, 22 Feb 2006 17:58:25 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3017
rec.radio.amateur.equipment:2720 rec.radio.amateur.misc:4961
rec.radio.shortwave:24987
```

"stargatesg1" <me@verizon.net> wrote in message
news:rN3Lf.50149$6f2.23307@trnddc02...
> Hi all,

>
>   I'm trying to contact either Ron Kelly or Ron Hensley, both of whom
> worked at Cushman Electronics some years back. If anyone has contact
> information regarding these gentlemen I would appreciate it.
>
> Thanks,
>
> RoD
>

Long shot: give the guys at Triton Electronics a call, the company was formed
by ex Cushman employees. They may have a lead?

Pete

From 7747993354269607009
X-Google-Thread: 108228,e4c59402dc354709,start
X-Google-Thread: fc8b1,e4c59402dc354709,start
X-Google-Thread: 108122,e4c59402dc354709,start
X-Google-Thread: fc2a5,e4c59402dc354709,start
X-Google-Thread: 1109af,e4c59402dc354709,start
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!wns13feed!worldnet.att.net!attbi_s21.POSTED!53ab2750!not-for-mail
From: "Tom" <tfarl@iowatelecom.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: FA: Unbuilt Kit - 70's Vintage Heathkit Oscilloscope.
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Message-ID: <ay7Lf.815491$xm3.268849@attbi_s21>
NNTP-Posting-Host: 12.215.107.2
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s21 1140655366 12.215.107.2 (Thu, 23 Feb 2006 00:42:46 GMT)
NNTP-Posting-Date: Thu, 23 Feb 2006 00:42:46 GMT
Organization: AT&T ASP.att.net
Date: Thu, 23 Feb 2006 00:42:46 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:624 rec.radio.amateur.boatanchors:3019 rec.radio.amateur.equipment:2721 rec.radio.amateur.homebrew:3766 rec.radio.swap:2809

Unbuilt Kit - 70's Vintage Heathkit Oscilloscope.

Complete - Original Box - Parts Inventoried - No Reserve.

Click on: http://tinyurl.com/mvygq

Ends Saturday Feb-22-06 16:07:24 PST
(Sunday Feb-23-06 00:07:24 UTC)

Many thanks es 73,
Tom N�JMY

```
From -4548632872596216781
X-Google-Thread: 108122,f5a1bffb2fc3c3d0
X-Google-Thread: fc2a5,f5a1bffb2fc3c3d0
X-Google-Thread: 107ada,f5a1bffb2fc3c3d0
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!
newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread2.news.atl.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <43FD4CF6.51683426@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc
Subject: Re: WARNING: hackarmy trojan (was: Moms Dildo Lesson To Sister)
References: <tCGKf.53856$H%4.39465@pd7tw2no> <HA87017833.2458F8789@tarrnews.net>
<43FC053D.DE215033@earthlink.net> <87017833.2458g8789@tarrnews.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Thu, 23 Feb 2006 05:49:48 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1140673788 24.110.34.161 (Wed, 22 Feb
2006 21:49:48 PST)
NNTP-Posting-Date: Wed, 22 Feb 2006 21:49:48 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2722
rec.radio.amateur.homebrew:3780 rec.radio.amateur.misc:4991
```

Lloyd wrote:

> Your profound ignorance is showing. With a good virus scanner integrated into your news reader, the malware is identified and blocked before it can do any harm.
>
> There's never any need to "open" it, newbie.

Newbie? That's almost funny. Not all news servers leave infected attachments on messages. Also I have Java and Javascripting turned off in my news reader.

On the other hand, if anyone on this group knows anything about profound ignorance...

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 5392993921221178122
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews5.bellsouth.net.POSTED!35f0e4eb!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
<Ecidnf9jUKbTBGHeRVn-gQ@comcast.com>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Lines: 41
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <xceLf.25588$Ly6.13290@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbojpaonmgfnbcakandnmdfcofgnkdpkbcpmo
bmppiicgbcbjmcppaimpifmkcegckdcfapdndjfanbolknpmhlkoheoabencbjpmfjbjlhofhcdjgl
NNTP-Posting-Date: Thu, 23 Feb 2006 03:17:33 EST
Organization: BellSouth Internet Group
Date: Thu, 23 Feb 2006 02:20:43 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2723
```

A switch or knob?   Phooey! The last time I was in a RS a couple months ago...
I wanted a rubber foot for a power supply (not the stick on ones... a set of feet with 4 screws) they said I should ask at a Lowe's or Home Depot.

RS used to have construction boxes and the works. Now all you see are
TV's Satellite and cell phone and tunes contracts.
Last year they fell short of having cleaner for switch contacts...
I guess that went with the tubes and the old mechanical TV tuners.
Sorry dating myself a bit LOL   RIP   RS
They also recently failed on a simple 4 prong spade lugs power connector.
If they go down the toilet,,, it isn't because Hams have let them down.
We all still go to RS and wish I think.
This last months QST had a project that built a portable mast into
a bucket of cement... all parts from Home Depot... Suppose RS has
give up masts too in favor of Sat' contracts.

K4TWO

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:Ecidnf9jUKbTBGHeRVn-gQ@comcast.com...
>
> "John Ferrell" <johnferrell@sprintmail.com> wrote in message
> news:3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com...
>>I will miss them if they go away altogether.
>> I remember when I was 13 living in Columbus Ohio. If I could get a
>> ride downtown it would only be on Saturday morning. Some of the
>> Radio-Electronics Stores were not interested in selling a kid
>> anything.
>>
>> IBM was five years behind Radio Shack with the PC. Some of the RS
>> folks are technical, some are not. I have always found them willing to
>> work with me. I hope for a restructure that keeps the parts available.
>
> Parts??? Your RS has parts?? The RS stores around here are doing good to
> carry a switch or knob.
>
> -n6ojn
>
>

From -6014076004445852835
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread3.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43FDA17F.EBD0796E@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en

```
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga> <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
<Ecidnf9jUKbTBGHeRVn-gQ@comcast.com>
<xceLf.25588$Ly6.13290@bignews5.bellsouth.net> <mar.sv-863D02.04003223022006@news-
rdr-01.rdc-kc.rr.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Thu, 23 Feb 2006 11:50:27 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1140695427 24.110.34.161 (Thu, 23 Feb
2006 03:50:27 PST)
NNTP-Posting-Date: Thu, 23 Feb 2006 03:50:27 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2726

rocky wrote:
>
> Hams have a reputation for being frugal, (cheap) and no store such as
> R/S will profit from hams alone.  They have to bring home the bacon
> every day or else.  Mall rent keeps going up.  R/S sells a couple of
> resistors and a phono jack to pay the rent...guess again.


   Why do they have to be located in a mall?  Sure, there is a lot of
foot traffic, but the rent is high, its usually a a long walk from
wherever you can find to park, which takes more time to get to the
store, find what you need, and get out of the place.  It doesn't make
sense to me.  The older stores that were somewhere near a mall or large
shopping center always seemed to have more people than the stores in the
malls.


-- 
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From -5119067573006175968
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!sn-xt-
sjc-04!sn-xt-sjc-07!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
```

```
Date: Thu, 23 Feb 2006 05:50:46 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11vrfdnrhqm2t8d@corp.supernews.com>
References: <XgIJf.17$gU1.1@fe02.lga> <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
<Ecidnf9jUKbTBGHeRVn-gQ@comcast.com>
<xceLf.25588$Ly6.13290@bignews5.bellsouth.net> <mar.sv-863D02.04003223022006@news-
rdr-01.rdc-kc.rr.com> <43FDA17F.EBD0796E@earthlink.net>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 6
Xref: g2news1.google.com rec.radio.amateur.equipment:2727

"Michael A. Terrell"  wrote...
>   Why do they have to be located in a mall?

Because that is the "ideal" model of modern mass-market
retailing.  If that model doesn't fit your business, then change
your business to fit the model.


From 7794745571156027232
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Feb 2006 08:58:02 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
<Ecidnf9jUKbTBGHeRVn-gQ@comcast.com>
<xceLf.25588$Ly6.13290@bignews5.bellsouth.net> <mar.sv-863D02.04003223022006@news-
rdr-01.rdc-kc.rr.com> <43FDA17F.EBD0796E@earthlink.net>
<11vrfdnrhqm2t8d@corp.supernews.com>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Thu, 23 Feb 2006 08:58:04 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <RJednU6HE-bnUGDeRVn-qg@comcast.com>
Lines: 22
```

NNTP-Posting-Host: 68.63.237.38
X-Trace:
sv3-4tmRw7XPTeIDwNNELV6Nna0MrL61yK7TSgCYZjzqza2EdX2WFep88j1g+kLH0XrSOiFOJnSQZnulFis!XJeM+ENM5qq0S2N+iG20UxTxAuFM1Q5/Ce6/fBF812FfzXfXvXJN+HuJqJTDeR5eGeShjYezJU0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2728

Fortunately, my company is built on giving my customers top quality service and a top quality product and does not fit the modern retail concepts. I guess thats so I don't end up the same way as RS. FWIW, I have been in business for 10 years. Even though the economy has supposedly been in the dumper for the last couple of years, you couldn't tell that from my books. A lot of people are getting a little fed up with the big box stores and their lack of service. "Mass-market" retailing isn't all that its cracked up to be. You might could save a few bucks, but when it comes time to service, repair, or install..... well.... lets just say that soon they are going to have to outsource those tasks to India... the service calls and milage charges are gonna be a killer when that happens.

"Richard Crowley" <rcrowley@xpr7t.net> wrote in message
news:11vrfdnrhqm2t8d@corp.supernews.com...
> "Michael A. Terrell" wrote...
>>   Why do they have to be located in a mall?
>
> Because that is the "ideal" model of modern mass-market
> retailing. If that model doesn't fit your business, then change
> your business to fit the model.

From -7748581563165447172
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Thu, 23 Feb 2006 07:04:51 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11vrjokp8vag1dc@corp.supernews.com>
References: <XgIJf.17$gU1.1@fe02.lga> <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
<Ecidnf9jUKbTBGHeRVn-gQ@comcast.com>
<xceLf.25588$Ly6.13290@bignews5.bellsouth.net> <mar.sv-863D02.04003223022006@news-rdr-01.rdc-kc.rr.com> <43FDA17F.EBD0796E@earthlink.net>
<11vrfdnrhqm2t8d@corp.supernews.com> <RJednU6HE-bnUGDeRVn-qg@comcast.com>

```
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 15
Xref: g2news1.google.com rec.radio.amateur.equipment:2729
```

"Noon-Air" wrote ...

> Fortunately, my company is built on giving my customers top quality service and a top quality product and does not fit the modern retail concepts. I guess thats so I don't end up the same way as RS. FWIW, I have been in business for 10 years. Even though the economy has supposedly been in the dumper for the last couple of years, you couldn't tell that from my books.

The key word being "supposedly". Alas, the mainstream media has failed us in accurately and impartially reporting news about practically anything, the economy included. Most of us are equally puzzled when trying to correlate first-hand experience with what the MSM is trying to tell us.

```
From 7919421965599303198
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!atl-
c05.usenetserver.com!news.usenetserver.com!cycny01.gnilink.net!hwmnpeer01.lga!
hwmedia!news.highwinds-media.com!hw-filter.lga!fe07.lga.POSTED!53ab2750!not-for-
mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga> <3g0pv15dfikeraivsp8520ea07nsnkppp7@4ax.com>
<Ecidnf9jUKbTBGHeRVn-gQ@comcast.com>
<xceLf.25588$Ly6.13290@bignews5.bellsouth.net> <mar.sv-863D02.04003223022006@news-
rdr-01.rdc-kc.rr.com> <43FDA17F.EBD0796E@earthlink.net>
<11vrfdnrhqm2t8d@corp.supernews.com>
In-Reply-To: <11vrfdnrhqm2t8d@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
```

```
Message-ID: <BmkLf.47$PR1.36@fe07.lga>
X-Trace:
pikkdiabbdefphaphfionmnfkakdcllnlogclobibaamakhahmddohcnabgnacknppaimpifmkcegckdcf
apdndjfanbolknncaokedkpjjhhahomindmeehndjdanbdpcek�
NNTP-Posting-Date: Thu, 23 Feb 2006 08:17:53 MST
Date: Thu, 23 Feb 2006 10:17:55 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2730

On 02/23/06 08:50 am Richard Crowley wrote:

>>   Why do they have to be located in a mall?

> Because that is the "ideal" model of modern mass-market
> retailing.  If that model doesn't fit your business, then change
> your business to fit the model.

I've read that traditional malls are on their way out. Our local one is
half-empty, while stand-alone stores are springing up all over the place.

"Perce"
(aka Alan NV8A)



From -2528667931184854675
X-Google-Thread: 108228,e4c59402dc354709
X-Google-Thread: fc8b1,e4c59402dc354709
X-Google-Thread: 108122,e4c59402dc354709
X-Google-Thread: fc2a5,e4c59402dc354709
X-Google-Thread: 1109af,e4c59402dc354709
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!i39g2000cwa.googlegroups.com!not-for-
mail
From: k7itm@msn.com
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: Unbuilt Kit - 70's Vintage Heathkit Oscilloscope.
Date: 23 Feb 2006 10:13:33 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1140718413.608596.166550@i39g2000cwa.googlegroups.com>
References: <ay7Lf.815491$xm3.268849@attbi_s21>
NNTP-Posting-Host: 192.25.142.225
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140718419 27609 127.0.0.1 (23 Feb 2006 18:13:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 23 Feb 2006 18:13:39 +0000 (UTC)
In-Reply-To: <ay7Lf.815491$xm3.268849@attbi_s21>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.2) Gecko/
```

```
20040804 Netscape/7.2 (ax),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: i39g2000cwa.googlegroups.com; posting-host=192.25.142.225;
   posting-account=phdUIAwAAABBVjeZzACGtATOLRtXatU-
Xref: g2news1.google.com alt.ham-radio.marketplace:626
rec.radio.amateur.boatanchors:3032 rec.radio.amateur.equipment:2731
rec.radio.amateur.homebrew:3795 rec.radio.swap:2823

Wow.  Dave Edwards' pristine HP1726 275MHz scope is at $26 right now,
and this 5MHz unbuilt Heathkit is at $169?  Guess it must have some
antique/nostalgia value to someone.  It will be interesting to me to
check back in 9 days when both auctions end to see what each went for.



From 50108686890751436
X-Google-Thread: fc8b1,a4cd5d54e7a8202d
X-Google-Thread: 108122,a4cd5d54e7a8202d
X-Google-Thread: 107ada,a4cd5d54e7a8202d
X-Google-Thread: 114aac,a4cd5d54e7a8202d
X-Google-Attributes: gidfc8b1,gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn11feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce  in Alaska <bruceg@btpost.net>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.ra
dio.amateur.misc,rec.radio.shortwave
Subject: Re: Looking for either Ron Kelly or Ron Hensley of Cushman Electronics
Organization: Bruce's Trading Post
References: <rN3Lf.50149$6f2.23307@trnddc02> <l06Lf.17511$2c4.5324@dukeread11>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <bruceg-2E3784.09441023022006@netnews.worldnet.att.net>
Lines: 31
Date: Thu, 23 Feb 2006 18:41:53 GMT
NNTP-Posting-Host: 12.12.208.18
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1140720113 12.12.208.18 (Thu, 23 Feb
2006 18:41:53 GMT)
NNTP-Posting-Date: Thu, 23 Feb 2006 18:41:53 GMT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:3033
rec.radio.amateur.equipment:2732 rec.radio.amateur.misc:4998
rec.radio.shortwave:25116

In article <l06Lf.17511$2c4.5324@dukeread11>,
 " Uncle Peter" <radioconnectionNO@cox.netSPAM> wrote:

> "stargatesg1" <me@verizon.net> wrote in message
> news:rN3Lf.50149$6f2.23307@trnddc02...
> > Hi all,
> >
> >     I'm trying to contact either Ron Kelly or Ron Hensley, both of whom
```

> > worked at Cushman Electronics some years back. If anyone has contact
> > information regarding these gentlemen I would appreciate it.
> >
> > Thanks,
> >
> > RoD
> >
>
> Long shot: give the guys at Triton Electronics a call, the company was
> formed
> by ex Cushman employees. They may have a lead?
>
> Pete
>
>

Or try NS Electronics, who do most of the Cushman Repairs and
Calibrations these days.....

Bruce in alaska
--
add a <2> before @

```
From 7797981852140774332
X-Google-Thread: 108122,64f8b992a67732fb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!newsfe23.lga.POSTED!53ab2750!not-for-mail
From: Radio <radioReMoVe@mts.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: SPILSBURY SBX-11A HF RADIO SSB SBX11A PORTABLE
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <BAqLf.13$QG4.4@newsfe23.lga>
Date: Thu, 23 Feb 2006 16:27:41 -0600
NNTP-Posting-Host: 206.45.180.164
X-Trace: newsfe23.lga 1140733345 206.45.180.164 (Thu, 23 Feb 2006 15:22:25 MST)
NNTP-Posting-Date: Thu, 23 Feb 2006 15:22:25 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2733
```

SPILSBURY SBX-11A HF RADIO SSB SBX11A PORTABLE

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5871501385

Check out my other radio equipment for auction

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZrestiaux

From 4754359049599711311
X-Google-Thread: 108122,c6fc3acd3f3b2fcb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!j33g2000cwa.googlegroups.com!not-for-mail
From: adibene@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: How to fix my TS-950SDX? Please help...
Date: 23 Feb 2006 14:37:40 -0800
Organization: http://groups.google.com
Lines: 21
Message-ID: <1140734260.174211.187340@j33g2000cwa.googlegroups.com>
NNTP-Posting-Host: 151.46.157.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140734267 26773 127.0.0.1 (23 Feb 2006 22:37:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 23 Feb 2006 22:37:47 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1) Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: j33g2000cwa.googlegroups.com; posting-host=151.46.157.10;
   posting-account=1jXAJgwAAAAuvhiB-3gphtaIM9xJAkRH
Xref: g2news1.google.com rec.radio.amateur.equipment:2734

Hi everybody. My TS-950SDX has suddenly died. Powering it on, only the S-meter and the small ticks from 0 to 1000 under the frequency display do light up. No other indication on the display. Pressing any buttons does not produce any reaction.
I opened the rig, checked the backup battery, and it still is at 3V. Clipped an oscilloscope probe to the address and data pins of the CPU on the Digital board, and there is activity. The crystal of the CPU oscillates fine.
I even removed the EPROM (a 27c512), read its contents with an eprom programmer and compared it against the image of another eprom I knew was good. They were identical.

All the symptoms indicate that the Digital board is unable to control the rest of the radio.
I have the Service Manual, but frankly I am stuck... don't know what to check next. If anybody of you is knowledgeable about fixing this rig, please help me. I like this radio very much, and would hate having to depart from it... thanks in advance.

73 Alberto I2PHD

From 7782663626190228165
X-Google-Thread: 108122,4e8a7c03458075d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: Jack O'Neill <tokras@optonline.net>
Organization: SGC
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: LAFAYETTE HA-600A HAM / SHORTWAVE 98% MINT LAST DAY
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <b3uLf.80$eq7.56@fe12.lga>
Date: Thu, 23 Feb 2006 21:20:09 -0500
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1140747591 24.47.254.156 (Thu, 23 Feb 2006 19:19:51 MST)
NNTP-Posting-Date: Thu, 23 Feb 2006 19:19:51 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2735

Hi all, posting this for a friend. Ends Friday around 6:00PM EST

Lafayette HA-600A is a ham / shortwave radio fron the early 1970's.
This one is super clean and great working.
Take a look if you like.
73

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5868748447

From 7109793585609814093
X-Google-Thread: 108228,e4c59402dc354709
X-Google-Thread: fc8b1,e4c59402dc354709
X-Google-Thread: 108122,e4c59402dc354709
X-Google-Thread: fc2a5,e4c59402dc354709
X-Google-Thread: 1109af,e4c59402dc354709
X-Google-Attributes: gid108228,gidfc8b1,gid108122,gidfc2a5,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!

bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews2.bellsouth.net.POSTED!2eb35c21!not-for-mail
From: Ken Scharf <wa2mzeNOTTHIS@bellsouth.net>
User-Agent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.12) Gecko/20051217
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap
Subject: Re: FA: Unbuilt Kit - 70's Vintage Heathkit Oscilloscope.
References: <ay7Lf.815491$xm3.268849@attbi_s21> <1140718413.608596.166550@i39g2000cwa.googlegroups.com>
In-Reply-To: <1140718413.608596.166550@i39g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <wduLf.20072$UD1.2398@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace: ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcbohfifpllffmomcapghllcamobfapepiohkpkpeoficpdeajndjfhimcjdhlfjffofpnaffidobadcejjoilibmcggidolndnbgdljdljigcbgafei
NNTP-Posting-Date: Thu, 23 Feb 2006 21:30:52 EST
Organization: BellSouth Internet Group
Date: Thu, 23 Feb 2006 21:33:58 -0500
Xref: g2news1.google.com alt.ham-radio.marketplace:629 rec.radio.amateur.boatanchors:3040 rec.radio.amateur.equipment:2736 rec.radio.amateur.homebrew:3802 rec.radio.swap:2831

k7itm@msn.com wrote:
> Wow. Dave Edwards' pristine HP1726 275MHz scope is at $26 right now,
> and this 5MHz unbuilt Heathkit is at $169? Guess it must have some
> antique/nostalgia value to someone. It will be interesting to me to
> check back in 9 days when both auctions end to see what each went for.
>

There is something about unbuilt Heathkits. Some people collect them, and never build them. Weird.   Then again I know people who collect Barbie dolls and never open the packages, just leave them on a shelf to collect dust.

From 5067643042116046035
X-Google-Thread: 108122,acd979abde23d366,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 23 Feb 2006 22:17:18 -0600
From: Dave <dave@whassup.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Johnson Viking Ranger II Transmitter - Very Nice!
Date: Thu, 23 Feb 2006 23:17:46 -0500

Organization: -
Reply-To: -
Message-ID: <562tv151n7r3b7lkckc4229e30lj1687r3@4ax.com>
X-Newsreader: Forte Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
X-Trace: sv3-
jjBn6iMswi+Dy7SkyZ3mECHGJGtObnDZBBIh1bLgvbjuFMJ0hJ9Zi6HZcU+NjP1qxGK1VuCwz7lmPrr!
kBuc/gFV/3nAdCyQmFObyHDFk7iBkCxD4UprIDfuV9XkGixSihwbpn9+7lvTMBEzcvY=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2737

I have a nice Johnson Viking Ranger II Transmitter for auction on
e-bay:

http://cgi.ebay.com/Johnson-Viking-Ranger-II-Transmitter-Very-Nice-NR_W0QQitemZ5871392111QQcategoryZ4675QQrdZ1QQcmdZViewItem

Thanks for Looking!

From 1556281096040575340
X-Google-Thread: 108122,98ba878303feb28b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: kb9rqz@mark_morgan.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Icom IC-821h
Date: Thu, 23 Feb 2006 23:26:36 -0500
Reply-To: k4yz@aol.com
Message-ID: <gm2tv1lknelnuce1k44cl5sd2ojehiatkp@4ax.com>
References: <bIuKf.23114$_S7.3969@newssvr14.news.prodigy.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server contains 140,000+ groups
Lines: 21
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!news.moat.net!news.usenetzone.com!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2738

On Tue, 21 Feb 2006 02:14:31 GMT, "Paul Proefrock"
<proefrock@heartlandREMOVEgroup.com> wrote:

>I am looking for a schematic and service manual for an Icom IC-821h.
>
>So far, Google has not been my friend. Does anyone know of a source for
>these?
>
>Thanks
>
>Paul P
>K0PRP

try icom itself I know Yeaszu has has manauls for many of of recent
but not in production radio online as PDF's
>

Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

```
From 1190357339469048708
X-Google-Thread: 108122,2e5b8704feb110c3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!
207.35.177.252!nf3.bellglobal.com!nf1.bellglobal.com!nf2.bellglobal.com!
news20.bellglobal.com.POSTED!not-for-mail
From: "News" <VE3DGE@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help - Kenwood TH-D7 - off frequency
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <Ib0Kf.52$XZ3.10794@news20.bellglobal.com>
Date: Sun, 19 Feb 2006 15:31:52 -0000
NNTP-Posting-Host: 69.156.111.36
X-Complaints-To: abuse@sympatico.ca
X-Trace: news20.bellglobal.com 1140363112 69.156.111.36 (Sun, 19 Feb 2006 10:31:52
EST)
NNTP-Posting-Date: Sun, 19 Feb 2006 10:31:52 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.amateur.equipment:2636
```

Thanks for reading this. MY TH-D7 is off frequency by about 1 khz on 2M and
2.5 khz on 440. I suspect that all it needs is an adjustment to the
reference oscillator. I have the equipment and skills to make the adjustment
but do not know where the adjustment is located. Could anyone who has a
service manual help me by pointing out where the adjustment is ??
I've sent this same request to Kenwood twice now and they just ignore it
after reading the email without even the courtesy of a reply.

Thanks in advance for any assistance you can render.
73,
Don

From -6370910401502887129
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!pln-w!
spln!rex!extra.newsguy.com!newsp.newsguy.com!enews1
From: "Bill Turner" <noway@nohow.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio Schack to close up to 700 stores
Date: 19 Feb 2006 15:42:30 GMT
Organization: http://extra.newsguy.com
Lines: 13
Message-ID: <dta3l6028pq@enews1.newsguy.com>
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
<littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com> <P-
idnShPHbOnPGrenZ2dnUVZ_vidnZ2d@comcast.com>
<Pine.BSI.4.61.0602181830100.22789@malasada.lava.net>
<ZAXJf.20188$Ly6.667@bignews5.bellsouth.net>
NNTP-Posting-Host: p-570.newsdawg.com
User-Agent: XanaNews/1.17.5.2
Xref: g2news1.google.com rec.radio.amateur.equipment:2637

ORIGINAL MESSAGE:

Mr Fed UP wrote:

> I go to KY for much of my shopping and I plan on buying all my new
> radio gear via catalog OUT OF STATE.   Free shipping most places.

~~~~~~
I just bought an IC-756PRO III at GigaParts. Best price of anyone, no
sales tax (I'm in CA) and free shipping. Can't beat that.

73, BIll W6WRT

From 8896375520247204916
X-Google-Thread: 108122,46a66d56abda13bb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!
newsfeed.berkeley.edu!ucberkeley!news-peer1!btnet-feed5!btnet!
news.btopenworld.com!not-for-mail
~~~~~~

From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program OPANGLE3
Date: Sun, 19 Feb 2006 21:52:20 +0000 (UTC)
Organization: Private individual
Lines: 29
Message-ID: <dtapak$a55$1@nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com>
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
NNTP-Posting-Host: host86-138-18-130.range86-138.btcentralplus.com
X-Trace: nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com 1140385940 10405 86.138.18.130 (19 Feb 2006 21:52:20 GMT)
X-Complaints-To: news-complaints@lists.btinternet.com
NNTP-Posting-Date: Sun, 19 Feb 2006 21:52:20 +0000 (UTC)
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MSMail-Priority: Normal
X-Priority: 3
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Xref: g2news1.google.com rec.radio.amateur.equipment:2638

NOW AVAILABLE ** New Program "OPANGLE3.exe"

Choose and set plate current operating angle for Class-B and Class-C RF power amplifiers.

Input data includes control-grid plate-current cut-off volts, DC negative grid bias, and peak grid drive volts.

Advice on how to use Tube Operating Characteristic Curves is included. For interest the plate current harmonic content is computed up to the 21st harmonic.

For given DC plate supply volts and peak plate signal volts, the DC power input, tuned load resistance, RF power output, plate dissipation and efficiency are computed.

This is a repeat of program Op_Angle (now withdrawn) with the addition of an analysis of conditions in the plate circuit.

Program size = 50 kilo-bytes.
Download OPANGLE3 from website below.

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

From -126728858147296152
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
headwall.stanford.edu!news-xfer.nntp.sonic.net!posts.news.sonic.net!
nnrp0.nntp.sonic.net!not-for-mail
Sender: marc@neko.snafu.org
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
<littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com> <P-
idnShPHbOnPGrenZ2dnUVZ_vidnZ2d@comcast.com>
<Pine.BSI.4.61.0602181830100.22789@malasada.lava.net>
<ZAXJf.20188$Ly6.667@bignews5.bellsouth.net> <dta3l6028pq@enews1.newsguy.com>
From: Marco S Hyman <marc@snafu.org>
Date: 19 Feb 2006 14:34:34 -0800
Message-ID: <x7fymfm0zp.fsf@neko.snafu.org>
Organization: S.N.A.F.U. -- http://www.snafu.org/
User-Agent: Gnus/5.09 (Gnus v5.9.0) Emacs/21.4
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Lines: 10
NNTP-Posting-Date: 19 Feb 2006 23:17:06 GMT
NNTP-Posting-Host: a256da26.news.sonic.net
X-Trace:
DXC=Ya8lXehl89P`QUdTLA=j4_m4K\QM1CV^P1OYf0H`?;XQ_SUogY1a6<R:oF=1i9HD6TPRbfEZHhiDR6
33EG3UjM6_
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2639

"Bill Turner" <noway@nohow.com> writes:

> I just bought an IC-756PRO III at GigaParts. Best price of anyone, no
> sales tax (I'm in CA) and free shipping. Can't beat that.

Technically, defefred sales tax.   You are supposed to declare such
things on your state tax return where it is called a use tax.  I'm
sure all Californians do just that :-)

// marc


From -8168963134636678515
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns14feed!worldnet.att.net!
attbi_s22.POSTED!53ab2750!not-for-mail
From: "John, N9JG" <john@gotwals.XremoveY.com>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
<littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com> <P-
```

idnShPHbOnPGrenZ2dnUVZ_vidnZ2d@comcast.com>
<Pine.BSI.4.61.0602181830100.22789@malasada.lava.net>
<ZAXJf.20188$Ly6.667@bignews5.bellsouth.net> <dta3l6028pq@enews1.newsguy.com>
<x7fymfm0zp.fsf@neko.snafu.org>
Subject: Re: Radio Schack to close up to 700 stores
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <gq8Kf.566536$084.270596@attbi_s22>
NNTP-Posting-Host: 12.208.96.187
X-Complaints-To: abuse@asp.att.net
X-Trace: attbi_s22 1140396812 12.208.96.187 (Mon, 20 Feb 2006 00:53:32 GMT)
NNTP-Posting-Date: Mon, 20 Feb 2006 00:53:32 GMT
Organization: AT&T ASP.att.net
Date: Mon, 20 Feb 2006 00:53:32 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2640

Yes, just like all Hoosiers do the same in Indiana!

"Marco S Hyman" <marc@snafu.org> wrote in message
news:x7fymfm0zp.fsf@neko.snafu.org...
> "Bill Turner" <noway@nohow.com> writes:
>
>> I just bought an IC-756PRO III at GigaParts. Best price of anyone, no
>> sales tax (I'm in CA) and free shipping. Can't beat that.
>
> Technically, defefred sales tax.   You are supposed to declare such
> things on your state tax return where it is called a use tax. I'm
> sure all Californians do just that :-)
>
> // marc

From -8964579430032404339
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews3.bellsouth.net.POSTED!35f0e4eb!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
<littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com> <P-
idnShPHbOnPGrenZ2dnUVZ_vidnZ2d@comcast.com>
<Pine.BSI.4.61.0602181830100.22789@malasada.lava.net>

```
<ZAXJf.20188$Ly6.667@bignews5.bellsouth.net> <dta3l6028pq@enews1.newsguy.com>
<x7fymfm0zp.fsf@neko.snafu.org>
Subject: Re: Radio Schack to close up to 700 stores
Lines: 29
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Hl9Kf.48722$697.26280@bignews3.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
bhmkggakljkaanefdbdpiflmbcekedmfhojhikkbagflhcboajfcooejgclmfaofhddngfhapkfajkkdmc
hglmehpohphadhinmdmbbbbpojfcinpnaffidobadcejjogiedcepnamdcgfifoghjlnkgilcmhoje
NNTP-Posting-Date: Sun, 19 Feb 2006 20:56:55 EST
Organization: BellSouth Internet Group
Date: Sun, 19 Feb 2006 20:00:08 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2641

Retired, Relaxing, and Relieved... NO TAX FOR ME....
If the Gov't likes to put me in jail for taxes... they can pony up the over
$600 a month I shuck out for meds.   nearly half my SS check.
Maybe soon they will get it all.  Then I can come back and haunt them
when I am gone LOL

Ok no URL... assume is com eh    thanks never looked there yet.
Was considering same rig but haven't sorted out what is really needed
to run the dang thing.   I have worked 10m DXCC on 100 W so no
need for the power brick to upset neighbors lol.
No antennas here yet. Restart after several
years lost in the real world.... ?  no crystals?  hmmm   Thanks



"Marco S Hyman" <marc@snafu.org> wrote in message
news:x7fymfm0zp.fsf@neko.snafu.org...
> "Bill Turner" <noway@nohow.com> writes:
>
>> I just bought an IC-756PRO III at GigaParts. Best price of anyone, no
>> sales tax (I'm in CA) and free shipping. Can't beat that.
>
> Technically, defefred sales tax.   You are supposed to declare such
> things on your state tax return where it is called a use tax.  I'm
> sure all Californians do just that :-)
>
> // marc




From 917933980514801588З
X-Google-Thread: 108122,f3aad343b5cc567c,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!
53ab2750!not-for-mail
From: Jack O'Neill <tokras@optonline.net>
Organization: SGC
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA:  LAFAYETTE  HA-600A  HAM / SHORTWAVE  98% MINT
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 10
Message-ID: <5%9Kf.55$_06.4@fe09.lga>
Date: Sun, 19 Feb 2006 21:41:14 -0500
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1140403265 24.47.254.156 (Sun, 19 Feb 2006 19:41:05 MST)
NNTP-Posting-Date: Sun, 19 Feb 2006 19:41:05 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2642

Hi all,  posting this for a friend.

Lafayette HA-600A  is a ham / shortwave radio fron the early 1970's.
This one is super clean and great working.
Take a look if you like.
73


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5868748447




From -6015956342370515890
X-Google-Thread: fb049,fe049153d9f776d3,start
X-Google-Thread: 108122,fe049153d9f776d3,start
X-Google-Attributes: gidfb049,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-
mail
From: "Jimmy Mac" <no-spam@manicarcade.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment
Subject: Anyone familiar with the Yaesu FTC-1143?
Date: Sun, 19 Feb 2006 18:49:32 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
```

```
X-RFC2646: Format=Flowed; Original
Lines: 12
Message-ID: <43f92e42$0$58097$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 20 Feb 2006 02:49:38 GMT
NNTP-Posting-Host: e2f7cdaf.news.sonic.net
X-Trace:
DXC=4B^d;2;K96SNHP9MdA_mJSm4K\QM1CV^P1OYf0H`?;XQdGK_TKEe6hV:oF=1i9HD6TcIaNB\8klW]C
fQgHoWSohQ
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:1353
rec.radio.amateur.equipment:2643
```

I've just revived one but I've also cleared the memory with the reset button. Anyone have a manual or steps to reinit the rig and program it?

Thanks!

Jim..
kb6zop-at-manicarcade.com

Please reply to the above email address or to the group.
Direct email reply to this message will bounce.

```
From -1684532761201829251
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Feb 2006 21:39:03 -0600
Date: Sun, 19 Feb 2006 19:39:11 -0800
From: Rick Scott <rickw7psk@gmail.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
<Pine.BSI.4.61.0602181001540.9510@malasada.lava.net>
<I%LJf.777101$x96.576390@attbi_s72>
In-Reply-To: <I%LJf.777101$x96.576390@attbi_s72>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <zIOdneIGPbRFpGTeRVn-iw@comcast.com>
Lines: 4
NNTP-Posting-Host: 67.160.20.162
X-Trace: sv3-gvWEH+GhcVNxkwdoPij6Zl9RQRVj6mjoOuEYMvqTwvfl+crJnOVJ/0c8zoOADEZO8u9/
Kd0GqF+PhIH!mImKXBZRQ5XZQqrrQaPzaJExBxIvGv7w2+TP6B9ucAtghQ42NimSm18NT+VOqbKji/
```

uSPeAxiPOu
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2644

John, N9JG wrote:
> Well, at least Radio Shack doesn't sell the "Trash 80" anymore.

Nope Just trash

From 2220514468999461383
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews5.bellsouth.net.POSTED!bc42f9e7!not-for-mail
From: <plonnie@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <f7bKf.20322$Ly6.10476@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace: ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbopadknclmkldjbichkiechclnnggcfdoklopeppjfjplblgicjjghnelkageagdaecfhedlaihfpgbpajljbfpfdacgacmndpjccjmfdnpmfhcife
NNTP-Posting-Date: Sun, 19 Feb 2006 22:58:03 EST
Organization: BellSouth Internet Group
Date: Sun, 19 Feb 2006 23:02:38 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2645

Interesting to hear all these comments about a company the US government has provided valuable assistance from. While stationed overseas in Belgium, I worked as a radio operator. One of the radio's we used was a Collins KWM2-A transciever and it blew a tube and resistor on a vital communications link. Within 15 minutes, a new one was acquired at a local Tandy store and up and running. Our maintenance chief owes his Air Force Commendation Medal and a great deal of thanks to them.

--
Chaplain (1LT) Lonnie J. Potter

Aide-de-Camp
Kentucky Brigade, Third Division
United States Corps of Chaplains

From 4970644800180318754
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 19 Feb 2006 22:21:22 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Sun, 19 Feb 2006 22:21:24 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <PcGdnXEVV-Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com>
Lines: 34
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-v0RyZICDz3fsC20ruRjqWkLdFMbn5S0X9y8Dbw4qObECe/
NRjXN3M1CGVgxoX1p5CelKJ8n9VVfztH8!
tGDq9bETcFz1FDKRLU2ZEQDdVusWdZSdAnyoz5SBTU2X71pup7cck8/eVUNhBHvVjl62riuebMn1!
X1CKbeIkKbtn
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2646

With all due respect Sir, I happy your boss got a gold plated "attaboy", but I can't believe that your incident has happened in the last 5 years. If you walk into a RS store in these parts(south Mississippi) and ask for a tube, they will look at you like you are nuts.... then ask "A tube of what??". Their employees are clueless if its not in the latest sale flier or the catalog. Just in the last couple of weeks, I was looking for simple, basic porcelin or glass "dog bone" insulators to build a counterpoise for a verticle HF antenna. I walked in there with a picture of a couple of different styles of insulators and they were totally baffled.... never heard of them before, and never seen such. I got the same response from 4 (count'em FOUR) RS stores.

-n6ojn

USCG MK1 (ret)

<plonnie@bellsouth.net> wrote in message
news:f7bKf.20322$Ly6.10476@bignews5.bellsouth.net...
> Interesting to hear all these comments about a company the US government
> has provided valuable assistance from. While stationed overseas in
> Belgium, I worked as a radio operator. One of the radio's we used was a
> Collins KWM2-A transciever and it blew a tube and resistor on a vital
> communications link. Within 15 minutes, a new one was acquired at a local
> Tandy store and up and running. Our maintenance chief owes his Air Force
> Commendation Medal and a great deal of thanks to them.
>
> --
> Chaplain (1LT) Lonnie J. Potter
> Aide-de-Camp
> Kentucky Brigade, Third Division
> United States Corps of Chaplains
>

```
From -1607462240671576031
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!logbridge.uoregon.edu!
canoe.uoregon.edu!newsfeed.news.ucla.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-
sjc-03!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Sun, 19 Feb 2006 20:38:34 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11vihuk426gq41c@corp.supernews.com>
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news1.google.com rec.radio.amateur.equipment:2647
```

"Noon-Air" wrote ...
> With all due respect Sir, I happy your boss got a gold plated
> "attaboy", but I can't believe that your incident has happened in the
> last 5 years. If you walk into a RS store in these parts(south
> Mississippi) and ask for a tube, they will look at you like you are
> nuts.... then ask "A tube of what??". Their employees are clueless if
> its not in the latest sale flier or the catalog. Just in the last
> couple of weeks, I was looking for simple, basic porcelin or glass
> "dog bone" insulators to build a counterpoise for a verticle HF
> antenna. I walked in there with a picture of a couple of different
> styles of insulators and they were totally baffled.... never heard of
> them before, and never seen such. I got the same response from 4
> (count'em FOUR) RS stores.

Its hard to get good help these days.
Maybe they thing there is more of a future in the
leather business.

```
From 8471588489576052814
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!bc42f9e7!not-for-mail
From: <plonnie@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <11vihuk426gq41c@corp.supernews.com>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <ITbKf.13445$UD1.2183@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcboephoajcgogdfalggcfigckmogehkkhoblo
peppjfjplblgicjjghnelkageagdaecfhedlaihfpgbpajnhcpnjpeebbpngenlaelmjbbneffdfic
NNTP-Posting-Date: Sun, 19 Feb 2006 23:49:44 EST
Organization: BellSouth Internet Group
Date: Sun, 19 Feb 2006 23:53:16 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2648
```

Guess I'm aging myself. This was back in 1983-1986. LOL

```
--
Chaplain (1LT) Lonnie J. Potter
Aide-de-Camp
Kentucky Brigade, Third Division
United States Corps of Chaplains
"Richard Crowley" <rcrowley@xpr7t.net> wrote in message
news:11vihuk426gq41c@corp.supernews.com...
> "Noon-Air" wrote ...
>> With all due respect Sir, I happy your boss got a gold plated "attaboy",
>> but I can't believe that your incident has happened in the last 5 years.
>> If you walk into a RS store in these parts(south Mississippi) and ask for
>> a tube, they will look at you like you are nuts.... then ask "A tube of
>> what??". Their employees are clueless if its not in the latest sale flier
>> or the catalog. Just in the last couple of weeks, I was looking for
>> simple, basic porcelin or glass "dog bone" insulators to build a
>> counterpoise for a verticle HF antenna. I walked in there with a picture
>> of a couple of different styles of insulators and they were totally
>> baffled.... never heard of them before, and never seen such. I got the
>> same response from 4 (count'em FOUR) RS stores.
>
> Its hard to get good help these days.
> Maybe they thing there is more of a future in the
> leather business.
```

```
From 3166527884814026861
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Feb 2006 00:08:40 -0600
From: "mike maghakian" <maghakian@comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Date: Sun, 19 Feb 2006 22:08:34 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <MaydnR8sII51wWTeRVn-jQ@comcast.com>
Lines: 51
NNTP-Posting-Host: 67.185.105.232
X-Trace: sv3-sxPe1+4G/
qIGkYmAFVFzXUIEv2b6oNAt0yxrDPMPZPwQx5sRbgB7hM9NpDUJXyL2rJNGwvxkh7Ta8bK!S6+
+dIbliBpnGaSNjEIJ3MGds6vVEWzxK/rlly93bv134b3O8LdavMjtvSk6+gCBtdataUBVTDeb!cEk=
```

X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2649 rec.radio.amateur.misc:4839 rec.radio.shortwave:24573

I dumped my 399 when I bought a Tecsun RED PL-200 !!!!!

the PL-200 is AWESOME

"Roger" <roger@doesnotexist.com> wrote in message news:kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com...
>I currently own a Radio Shack DX-399 (same model as the Sangean
> ATS-606), which is a quite solid, portable LW-MW-SW-FM receiver with
> quite good sound quality when delivered to ear buds (FM stereo to
> earbuds.)
>
> I mostly use this radio for local MW and FM listening, but will
> occasionally listen to SW broadcasts, and DX-MW using a Radio Shack
> loop.
>
> I love this radio for its portability, but am looking for another to
> put one of them away in a Faraday box for use in case of a major
> emergency.
>
> So, what other makes/models should I consider? Repeating some of the
> above, here's my criteria:
>
> 1) The size of the DX-399 or smaller.
>
> 2) General coverage MW-SW (up to 30 kHz), and with stereo FM (when fed
>   to earbuds). Don't need LW.
>
> 3) Good sound quality (especially of FM) when fed to earbuds.
>
> 4) As good or better sensitivity than the DX-399 for MW dxing and SW.
>
> 5) Don't need SSB, but would be nice.
>
> 6) Don't care too much about speaker quality, since I would use it
>   exclusively with earbuds.
>
> 7) Don't care about the other bells and whistles (e.g. alarm), but
>   some station memory would be nice.
>
> So what are my other options? New and/or used (buyable through eBay)
> will be considered.

>
> Thanks!
>
> Roger
>

From 376488216040048684
X-Google-Thread: fb049,fe049153d9f776d3
X-Google-Thread: 108122,fe049153d9f776d3
X-Google-Attributes: gidfb049,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!router2.astraweb.com!mrouter.astraweb.com!news.astraweb.com!router1.astraweb.com!news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Jimmy Mac" <no-spam@manicarcade.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment
References: <43f92e42$0$58097$742ec2ed@news.sonic.net>
Subject: Re: Anyone familiar with the Yaesu FTC-1143? OR the 1123!
Date: Sun, 19 Feb 2006 22:33:46 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Lines: 19
Message-ID: <43f962f6$0$58106$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 20 Feb 2006 06:34:30 GMT
NNTP-Posting-Host: 9394ad70.news.sonic.net
X-Trace:
DXC=RA42ff67IFW]87AJRe1kT_m4K\QM1CV^P1OYf0H`?;XQA1ZkhmnbMjV:oF=1i9HD6TMiIaKDG87R\:IPRj?_b;bP
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:1354
rec.radio.amateur.equipment:2650

It looks like the FTC-1123 should have the same reset parameters and
programming steps.. Anyone?

"Jimmy Mac" <no-spam@manicarcade.com> wrote in message
news:43f92e42$0$58097$742ec2ed@news.sonic.net...
> I've just revived one but I've also cleared the memory with the reset
> button. Anyone have a manual or steps to reinit the rig and program it?
>
> Thanks!
>
> Jim..
> k b 6 z o p - a t - m a n i c a r c a d e . c o m
>

> Please reply to the above email address or to the group.
> Direct email reply to this message will bounce.
>

```
From -5220592877280607696
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-
sjc-10!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Sun, 19 Feb 2006 23:56:12 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11vitgtfl7bm9db@corp.supernews.com>
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <11vihuk426gq41c@corp.supernews.com>
<ITbKf.13445$UD1.2183@bignews2.bellsouth.net>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=response
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news1.google.com rec.radio.amateur.equipment:2651
```

plonnie wrote ...

> Guess I'm aging myself. This was back in 1983-1986. LOL

Yes, that was back when they had BOTH...
1) Good help (folk who knew a resistor from their elbow)
2) Actual corporate cognizance of what the electronics business is. In the last few years, it seems to me that the management in Texas doesn't know (or care) whether they are in the electronics business, or selling fried chicken or furniture.

Interesting to see the rise and fall in my lifetime. As a teenager in high school, I remember Radio Shack taking over several of the local electronics stores in town (Orange County, CA). To be sure, the ~schlock 5 resistors in a plastic bag on a peg type places, not the really serious

electronics suppliers. RS never really had a "Golden
Era" IMHO, but they made it to Bronze there for a while.

From -9034240429883121964
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!attbi_s71.POSTED!53ab2750!not-for-mail
From: "John, N9JG" <john@gotwals.XremoveY.com>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga> <f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <11vihuk426gq41c@corp.supernews.com> <ITbKf.13445$UD1.2183@bignews2.bellsouth.net> <11vitgtfl7bm9db@corp.supernews.com>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <whjKf.787292$_o.4715@attbi_s71>
NNTP-Posting-Host: 12.208.96.187
X-Complaints-To: abuse@asp.att.net
X-Trace: attbi_s71 1140441308 12.208.96.187 (Mon, 20 Feb 2006 13:15:08 GMT)
NNTP-Posting-Date: Mon, 20 Feb 2006 13:15:08 GMT
Organization: AT&T ASP.att.net
Date: Mon, 20 Feb 2006 13:15:08 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2652

They started going downhill when some management "genius" decided they
wanted to meet the needs of a different clientele. They carried out his
policy by moving circuit components to the back of the store and brought in
new stocks of radio controlled cars, cell phones and TV/stereos in the front
of the store. See
http://www.forbes.com/business/2006/02/17/radioshack-edmondson-retail_cx_tr_0217radioshack.html
for info on their CEO David Edmonson

"Richard Crowley" <rcrowley@xpr7t.net> wrote in message
news:11vitgtfl7bm9db@corp.supernews.com...
> plonnie wrote ...
>> Guess I'm aging myself. This was back in 1983-1986. LOL
>
> Yes, that was back when they had BOTH...
> 1) Good help (folk who knew a resistor from their elbow)
> 2) Actual corporate cognizance of what the electronics
> business is. In the last few years, it seems to me that the management in
> Texas doesn't know (or care) whether
> they are in the electronics business, or selling fried

> chicken or furniture.
>
> Interesting to see the rise and fall in my lifetime. As a
> teenager in high school, I remember Radio Shack taking
> over several of the local electronics stores in town (Orange
> County, CA). To be sure, the ~schlock 5 resistors in a
> plastic bag on a peg type places, not the really serious
> electronics suppliers. RS never really had a "Golden
> Era" IMHO, but they made it to Bronze there for a while.

From -8671458571497846772
X-Google-Thread: 108122,212fbb3f794d21a9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-mail
From: k8vf_mark@centurytel.net
Newsgroups: rec.radio.amateur.equipment
Subject: looking for ten tec filters
Date: 20 Feb 2006 05:52:50 -0800
Organization: http://groups.google.com
Lines: 16
Message-ID: <1140443570.673999.155700@g44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.179.201.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140443578 19801 127.0.0.1 (20 Feb 2006 13:52:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Feb 2006 13:52:58 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp 5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=69.179.201.35;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news1.google.com rec.radio.amateur.equipment:2653

I am looking for all filters for an omni V or Omni VI.

Specifically looking for 250/500/1.8 for both i.f. frequencies.

Model 218/219/282/285/288.

Inrad alternates ok, too.

Let me know what you have and price please. I CAN do Paypal.

Please contact me direct at My callsign @ yahoo.com.

Thanks.

K8VF

```
From -1899163424451140337
X-Google-Thread: 108122,212fbb3f794d21a9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: looking for ten tec filters
Message-ID: <h2jjv15v9bvs9t97sqtcbqsm6f3tlaqbbd@4ax.com>
References: <1140443570.673999.155700@g44g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Mon, 20 Feb 2006 14:04:14 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1140444254 24.174.167.251 (Mon, 20 Feb 2006 08:04:14
CST)
NNTP-Posting-Date: Mon, 20 Feb 2006 08:04:14 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2654
```

On 20 Feb 2006 05:52:50 -0800, k8vf_mark@centurytel.net wrote:

>I am looking for all filters for an omni V or Omni VI.
>
>Specifically looking for 250/500/1.8 for both i.f. frequencies.
>
>Model 218/219/282/285/288.
>
>Inrad alternates ok, too.
>
>Let me know what you have and price please. I CAN do Paypal.
>
>Please contact me direct at My callsign @ yahoo.com.
>
>Thanks.
>
>K8VF

Ten Tec still sells them.

bob

k5qwg

```
From -3002544335837839067
X-Google-Thread: 108122,212fbb3f794d21a9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
wns14feed!worldnet.att.net!attbi_s71.POSTED!53ab2750!not-for-mail
From: "John, N9JG" <john@gotwals.XremoveY.com>
Newsgroups: rec.radio.amateur.equipment
References: <1140443570.673999.155700@g44g2000cwa.googlegroups.com>
Subject: Re: looking for ten tec filters
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <x1kKf.787340$_o.175479@attbi_s71>
NNTP-Posting-Host: 12.208.96.187
X-Complaints-To: abuse@asp.att.net
X-Trace: attbi_s71 1140444381 12.208.96.187 (Mon, 20 Feb 2006 14:06:21 GMT)
NNTP-Posting-Date: Mon, 20 Feb 2006 14:06:21 GMT
Organization: AT&T ASP.att.net
Date: Mon, 20 Feb 2006 14:06:21 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2655
```

It might be worth posting on the Ten-Tec list. People buy and sell filters on that list almost every day. See
http://lists.contesting.com/mailman/listinfo/tentec

John, N9JG

<k8vf_mark@centurytel.net> wrote in message
news:1140443570.673999.155700@g44g2000cwa.googlegroups.com...
>I am looking for all filters for an omni V or Omni VI.
>
> Specifically looking for 250/500/1.8 for both i.f. frequencies.
>
> Model 218/219/282/285/288.
>
> Inrad alternates ok, too.
>
> Let me know what you have and price please. I CAN do Paypal.
>
> Please contact me direct at My callsign @ yahoo.com.
>
> Thanks.
>
> K8VF
>

```
From -2241692652836809297
X-Google-Thread: 108122,b4e24a59c1db2979,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
From: "KC8YEC" <dgbirky@voyager.net>
Newsgroups: rec.radio.amateur.equipment
Subject: ICOM-751
Date: 20 Feb 2006 06:33:11 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1140445991.485716.6760@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: 205.196.133.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140445996 25859 127.0.0.1 (20 Feb 2006 14:33:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 20 Feb 2006 14:33:16 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=205.196.133.2;
   posting-account=tipttgwAAAB44ARaEh6wrFQa7ChlMejo
Xref: g2news1.google.com rec.radio.amateur.equipment:2656

I need to know the mating part number  to the ACC connector on the
back.  Dunno if it is Molex, Amp, some other...  Any help would be
greatly appreciated.



From -2543839590533321704
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe02.lga.POSTED!
53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <11vihuk426gq41c@corp.supernews.com>
<ITbKf.13445$UD1.2183@bignews2.bellsouth.net> <11vitgtfl7bm9db@corp.supernews.com>
In-Reply-To: <11vitgtfl7bm9db@corp.supernews.com>
```

```
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 24
Message-ID: <dBkKf.5$BJ4.3@fe02.lga>
X-Trace:
ejlmlnpfppkfdeplhgjenblganpollhnpibcgihhkobmhcgnhmddohcnabgnacknkblahielgmpocbjfgi
nhkjnfhgmldbflfjgmddnokbokamclnnncmjbhnmcklbajimic�
NNTP-Posting-Date: Mon, 20 Feb 2006 07:44:25 MST
Date: Mon, 20 Feb 2006 09:44:26 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2657

On 02/20/06 02:56 am Richard Crowley wrote:

>> Guess I'm aging myself.  This was back in 1983-1986.  LOL
>
> Yes, that was back when they had BOTH...
> 1) Good help (folk who knew a resistor from their elbow)
> 2) Actual corporate cognizance of what the electronics
> business is.  In the last few years, it seems to me that the management
> in Texas doesn't know (or care) whether
> they are in the electronics business, or selling fried
> chicken or furniture.

US companies (*perhaps* companies in other countries too, but probably
to a lesser extent) don't care whether their CEOs know anything about
their particular products or services. Someone can go from a fast-food
co. to a computer co., to an automobile manufacturer, to a health-care
corporation, all the while knowing very little about the specifics of
the industry and getting a salary and benefits many times (hundreds of
times?) more than the CEO of a European company who actually has a
degree in electrical engineering or whatever is relevant to the
company's products.

"Perce"
(aka Alan NV8A)


From -2310329691523353871
X-Google-Thread: 108122,1f33f2977b0d7136
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!news.tele.dk!
news.tele.dk!small.news.tele.dk!feed118.news.tele.dk!not-for-mail
From: "Michael" <ccc73571@vip.cybercity.dk>
Newsgroups: rec.radio.amateur.equipment
References: <0QjIf.46$583.43@news.get2net.dk>
<wh4Jf.150731$vH5.1245689@news.xtra.co.nz>
Subject: Re: Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C
Date: Tue, 21 Feb 2006 16:29:58 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
```

X-RFC2646: Format=Flowed; Response
Lines: 63
Message-ID: <43f9e088$0$99985$edfadb0f@dread16.news.tele.dk>
Organization: TDC Totalloesninger
NNTP-Posting-Host: 213.173.237.75
X-Trace: 1140449416 dread16.news.tele.dk 99985 213.173.237.75:5685
X-Complaints-To: abuse@post.tele.dk
Xref: g2news1.google.com rec.radio.amateur.equipment:2658

I have now started up a Yahoo group, to get this thing going. You are
welcome to join
it at http://groups.yahoo.com/group/vms_group.

"Ken Taylor" <ken123@xxxxtra.co.nz> wrote in message
news:wh4Jf.150731$vH5.1245689@news.xtra.co.nz...
> Michael wrote:
>> I have been playing around with receiving AIS (Automatic Identification
>> System) signals. AIS is used on ships, it is used to send information
>> about your position, etc via VHF to the surrounding ships. But know this
>> started to get a bit boring. So know I wan to try to se if it is possibly
>> to receive the VMS signals from Inmarsat-C. The VMS system is manly used
>> on fishing vessels. On the ship there is a box with a gps and satellite
>> tranciver. The position information is send each hour, to a land earth
>> station, were it is distributed to the different authorities.
>>
>>
>>
>> The first thing is to receive the signals. But also to decrypt the data
>> can be complicated.
>>
>> Any help or advices are welcome. Also if you have some good links to
>> people ho have been dealing with projects like this, could be useful.
>>
>>
>>
>> Cheers Michael
>>
>> Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C
>>
>>
>>
>> I have been playing around with receiving AIS (Automatic Identification
>> System) signals. AIS is used on ships, it is used to send information
>> about your position, etc via VHF to the surrounding ships. But know this
>> started to get a bit boring. So know I wan to try to se if it is possibly
>> to receive the VMS signals from Inmarsat-C. The VMS system is manly used
>> on fishing vessels. On the ship there is a box with a gps and satellite
>> tranciver. The position information is send each hour, to a land earth
>> station, were it is distributed to the different authorities.
>>
>>
>>

>> The first thing is to receive the signals. But also to decrypt the data
>> can be complicated.
>>
>> Any help or advices are welcome. Also if you have some good links to
>> people ho have been dealing with projects like this, could be useful.
>>
>>
>>
>> Cheers Michael
>>
>>
>> From - Fri
>
> You 'only' need to receive the C-band link to the LES, there's no magic in
> the data, it's straightforward Inmarsat-C transmission.
>
> Ken

From -2438173514103935360
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Bill Turner" <noway@nohow.com>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net>
User-Agent: XanaNews/1.17.5.2
Message-ID: <xn0eip8to2mcnm001@news.copper.net>
X-Ref: news.copper.net ~XNS:00000001
NNTP-Posting-Host: node246-75-93-63.1dial.com
Date: 20 Feb 2006 11:20:07 -0500
X-Trace: newsfeed.slurp.net 1140452407 63.93.75.246 (20 Feb 2006 11:20:07 -0500)
Lines: 17
X-Authenticated-User: dezrat@copper.net
X-Original-NNTP-Posting-Host: 63.93.75.246
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newsfeed00.sul.t-online.de!t-
online.de!newsfeed.freenet.de!koehntopp.de!news.musoftware.de!usenet.ath.cx!
newsfeed.slurp.net!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2659

ORIGINAL MESSAGE:

<plonnie@bellsouth.net> wrote:

> One of the radio's we used was a Collins KWM2-A transciever and it
> blew a tube and resistor on a vital communications link. Within 15
> minutes, a new one was acquired at a local Tandy store and up and
> running. Our maintenance chief owes his Air Force Commendation Medal

> and a great deal of thanks to them.

~~~~~~
Your maintenance chief did not have a spare tube and resistor on hand
for a "vital communications link"? Had I been his superior, he would
have gotten something far different than a Commendation Medal!

Mr Bill

From -3132860403191788112
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!news.astraweb.com!
router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-01!
supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Mon, 20 Feb 2006 08:36:31 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0602200833001.28008@malasada.lava.net>
In-Reply-To: <11vitgtfl7bm9db@corp.supernews.com>
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
 <f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com>
 <11vihuk426gq41c@corp.supernews.com>
<ITbKf.13445$UD1.2183@bignews2.bellsouth.net>
 <11vitgtfl7bm9db@corp.supernews.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news1.google.com rec.radio.amateur.equipment:2660

Ref Radio Shack. does anybody on here remember the 1st Radio shack??
The one called "Boston Radio Shack". It was the only one in the
country and it was the original one. I was told the new Radio shack
bought out the rights to the title.   The old Boston Radio Shack was
truly a hams delight back in the late 30's.
They had Catalogs available for a postage stamp too something
present day Radio Shacks no longer offer.
                           Joe

```
**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************
```
~~~~~~

From -4878830244844546076
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Lines: 59
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <w6oKf.9$381.8@fed1read07>
Date: Mon, 20 Feb 2006 10:45:24 -0800
NNTP-Posting-Host: 68.7.146.8
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1140461084 68.7.146.8 (Mon, 20 Feb 2006 13:44:44 EST)
NNTP-Posting-Date: Mon, 20 Feb 2006 13:44:44 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2661

Folks times have changed -- todays youth could care less about RF, SWL, Ham
Radio, homebrew, experimenting.
To keep solvent, RS has catered to what sells -- cellphones, IPOD/MP3, toys,
some Audio and TV etc.
The demand for parts, tubes, antenna parts etc has fallen to zilch.
As far as the clerks -- minimum wage.
I have always sed - "don't expect a EE answer from a $5.00 an hour clerk"
Bless their hearts - some of the clerks really try hard and quickly learn
about the products

And I talked with a RS store manager -- the lease rates for store space is
out of site and some landlords want a percentage of the profits !!!
No wonder mail order parts is about all that is left
--
CL -- I doubt, therefore I might be !

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:PcGdnXEVV-Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com...
> With all due respect Sir, I happy your boss got a gold plated "attaboy",

> but I can't believe that your incident has happened in the last 5 years.
> If you walk into a RS store in these parts(south Mississippi) and ask for
> a tube, they will look at you like you are nuts.... then ask "A tube of
> what??". Their employees are clueless if its not in the latest sale flier
> or the catalog. Just in the last couple of weeks, I was looking for
> simple, basic porcelin or glass "dog bone" insulators to build a
> counterpoise for a verticle HF antenna. I walked in there with a picture
> of a couple of different styles of insulators and they were totally
> baffled.... never heard of them before, and never seen such. I got the
> same response from 4 (count'em FOUR) RS stores.
>
> -n6ojn
>
> USCG MK1 (ret)
>
> <plonnie@bellsouth.net> wrote in message
> news:f7bKf.20322$Ly6.10476@bignews5.bellsouth.net...
>> Interesting to hear all these comments about a company the US government
>> has provided valuable assistance from. While stationed overseas in
>> Belgium, I worked as a radio operator. One of the radio's we used was a
>> Collins KWM2-A transciever and it blew a tube and resistor on a vital
>> communications link. Within 15 minutes, a new one was acquired at a local
>> Tandy store and up and running. Our maintenance chief owes his Air Force
>> Commendation Medal and a great deal of thanks to them.
>>
>> --
>> Chaplain (1LT) Lonnie J. Potter
>> Aide-de-Camp
>> Kentucky Brigade, Third Division
>> United States Corps of Chaplains
>>
>
>

From 6686773808618884049
X-Google-Thread: 108122,6ad7d9660b376c6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!
dukeread01.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TS-820S Nice
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <L8oKf.164453$WH.127456@dukeread01>

Date: Mon, 20 Feb 2006 12:47:21 -0600
NNTP-Posting-Host: 68.98.253.240
X-Complaints-To: abuse@cox.net
X-Trace: dukeread01 1140461227 68.98.253.240 (Mon, 20 Feb 2006 13:47:07 EST)
NNTP-Posting-Date: Mon, 20 Feb 2006 13:47:07 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2662

FS A nice Kenwood TS-820S. This is the one with digital readout. The transceiver has been stored for
around 10 years and not been used a lot. It is from an estate. It looks and works great. It has full output from the original tubes. It would be near perfect except that the plastic extension for the Noise Blanker toggle switch has come off. This is a push on type extension and can be easily replaced. The NB switch can be operated like it is. The original manual is included along with the AC Power Plug. Price is $345. Thanks, Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 8979879498591870715
X-Google-Thread: 108122,3f39966bb4049879,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!peer01.west.cox.net!cox.net!p02!dukeread01.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood Accessories
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <DuoKf.164460$WH.16968@dukeread01>
Date: Mon, 20 Feb 2006 13:10:40 -0600
NNTP-Posting-Host: 68.98.253.240
X-Complaints-To: abuse@cox.net
X-Trace: dukeread01 1140462627 68.98.253.240 (Mon, 20 Feb 2006 14:10:27 EST)
NNTP-Posting-Date: Mon, 20 Feb 2006 14:10:27 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2663

I have the following Kenwood Accessories for sale:
1.SP-820 Speaker with filters. Works great. Looks good, few small scratches. Price is $75;

2.SP-520 Speaker. Works great. Looks good, few small scratches. Price is
$55;
3.SM-220 Scope with BS-8 Pan Adaptor. Works and looks good. With Manual.
Price is $350;
4.MC-50 Mic. Works and looks great. Price is $55.
5.AT-200 Antenna Tuner. This tuner needs some work. The link between the
R-Tune Capactor and the Front Knob needs replacing and two of the toggle
swithces are loose and will need some work.
Otherwise it is working and complete. Price is $55.
Shipping not included. Actual cost only. Thanks, Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 4987735544643712975
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!pln-w!spln!rex!
extra.newsguy.com!newsp.newsguy.com!enews2
From: "Leanne" <leanne@islc.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Mon, 20 Feb 2006 14:06:45 -0500
Organization: http://extra.newsguy.com
Lines: 20
Message-ID: <dtd4au09h6@enews2.newsguy.com>
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <11vihuk426gq41c@corp.supernews.com>
<ITbKf.13445$UD1.2183@bignews2.bellsouth.net> <11vitgtfl7bm9db@corp.supernews.com>
<Pine.BSI.4.61.0602200833001.28008@malasada.lava.net>
NNTP-Posting-Host: p-013.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:2664

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0602200833001.28008@malasada.lava.net...
> Ref Radio Shack. does anybody on here remember the 1st Radio shack??
> The one called "Boston Radio Shack". It was the only one in the
> country and it was the original one. I was told the new Radio shack
> bought out the rights to the title.   The old Boston Radio Shack was
> truly a hams delight back in the late 30's.

> They had Catalogs available for a postage stamp too something
> present day Radio Shacks no longer offer.
> Joe

It was still a great place to shop in the late 40's and early 50's. Lots of surplus on the ground level and then I think the ham stuff was on the mezzanine. Somewhere in the early 50's, I remember seeing ads for the Cosmophone desktop kw/receiver. I wonder if any of them actually were sold.

Leanne - W1WXS

From 1705539311936265895
X-Google-Thread: 108122,9afadf19a8a0f0fb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: HeathKit DX-100 Transmitter
Message-ID: <n76kv1t8s23qm8fhi2pm310vnh9l1bdf8b@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Mon, 20 Feb 2006 14:31:08 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1140463865 69.125.167.162 (Mon, 20 Feb 2006 12:31:05 MST)
NNTP-Posting-Date: Mon, 20 Feb 2006 12:31:05 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2665

WTB: HeathKit DX-100 Transmitter
Please reply with price and condition.
ritchi50@optonline.net   Essex County NJ

From -4338559008850053OO
X-Google-Thread: 108122,c1a34b65b32b6054,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread01.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu YO-100 Monitor Scope

```
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <lxpKf.164466$WH.101662@dukeread01>
Date: Mon, 20 Feb 2006 14:21:51 -0600
NNTP-Posting-Host: 68.98.253.240
X-Complaints-To: abuse@cox.net
X-Trace: dukeread01 1140466897 68.98.253.240 (Mon, 20 Feb 2006 15:21:37 EST)
NNTP-Posting-Date: Mon, 20 Feb 2006 15:21:37 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2666

This Yaesu YO-100 Monitor Scope is in good condition with a strong trace and
no burn marks on the CRT. It does have a few scratches on the top of the
cabinet. Front panel is great. Comes with the original manual. $175.00 plus
actual UPS shipping (14 pounds) charges and insurance.
Thanks, Charlie Hugg, K5MBX

--
--------------------------------
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com




From 4878157010242064073
X-Google-Thread: 108122,7898c0a15baa28a7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!not-for-
mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: schematic for TS480 TUNE CONTROL
Date: Tue, 21 Feb 2006 07:45:40 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 4
Message-ID: <dtddai$gru$1@news-02.connect.com.au>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1140471954 17278 202.172.125.74 (20 Feb 2006
21:45:54 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Mon, 20 Feb 2006 21:45:54 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
```

X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:2667

Hi, where can I find the schematic for the TS480 Tune control module
rgds

From 9169325727563487863
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
Date: Mon, 20 Feb 2006 12:33:38 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0602201222500.24342@malasada.lava.net>
In-Reply-To: <w6oKf.9$381.8@fed1read07>
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
 <f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com>
 <w6oKf.9$381.8@fed1read07>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news1.google.com rec.radio.amateur.equipment:2668

Caveat Lector this is for you buddy.   If you think ham radio
and MARS/AARS/Marine Mars is out of the picture nowadays I suggest
maybe you had your head in the outhouse hole in the board.
WW2 was actually fought by COMMS guys of all kinds mostly
hams. Its still being done today in IRAQ and Afganistan
and its those same hams and descendants of Hams that are
doing the job both in the military and in the Volunteer hams
such as I am one of. So think twice before you rave on.
I have a QCWA certificate showing continuous service for 70
years as a licensed ham. So cut out the snootty attitude!
                      Joe/KH6JF
P.S. I dont have a cell phone and never will.   I dont have
cable tv and never will.   I dont have a VISTA computer
on the internet and never will.   I used my head and stick with
my old Commodore 128 which is totally imune to any virus ever
created or could be created in the future. Its my internet machine
and will remain so for that reason. I have 4 laptops which I enjoy
for listening to my favorits music while I play Solitare!!
Hence I dont pay for constant upgrades of virus software every
few months either.

```
**********************************************************
* Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
* Army MARS PRECEDED by AARS (Army Amateur Radio System) *
*       Hi State ARMY MARS COORDINATOR                   *
**********************************************************
```

From -1892311401061547128
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews8.bellsouth.net.POSTED!35f0e4eb!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <11vihuk426gq41c@corp.supernews.com>
<ITbKf.13445$UD1.2183@bignews2.bellsouth.net> <11vitgtfl7bm9db@corp.supernews.com>
<dBkKf.5$BJ4.3@fe02.lga>
Subject: Re: FYI: Radio Schack to close up to 700 stores
Lines: 45
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <0HrKf.21204$bW.14705@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcbollbopbjapfonbehohopeafddeienkmhjdn
acdaomlohflepeolfbfiokgkmbcigcpnaffidobadcejjofpdlbkldbfkloiekgffkmbnnajbjhoka
NNTP-Posting-Date: Mon, 20 Feb 2006 17:48:28 EST
Organization: BellSouth Internet Group
Date: Mon, 20 Feb 2006 16:51:51 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2669

Heh!! What make you think it is only the CEO's?
This last year before Mom passed away I had to go to a
drugstore (where they are SUPPOSE to be educated)
and it took 4 trips to get one prescription filled correctly. I find the
same incompetence at nearly every turn of the consumer
trail. I am not even sure they require a reading and
writing skill anymore. If you guess you way through all
the "computer applications" the stores have, your in.
Stores with workers wearing "How may I help you" on
their work clothes and then rush past you like you

were not even there.   Ok.... let me see if this spell
checker works.....

"Percival P. Cassidy" <Nobody@NotMyISP.com> wrote in message
news:dBkKf.5$BJ4.3@fe02.lga...
> On 02/20/06 02:56 am Richard Crowley wrote:
>
>>> Guess I'm aging myself. This was back in 1983-1986. LOL
>>
>> Yes, that was back when they had BOTH...
>> 1) Good help (folk who knew a resistor from their elbow)
>> 2) Actual corporate cognizance of what the electronics
>> business is. In the last few years, it seems to me that the management
>> in Texas doesn't know (or care) whether
>> they are in the electronics business, or selling fried
>> chicken or furniture.
>
> US companies (*perhaps* companies in other countries too, but probably to
> a lesser extent) don't care whether their CEOs know anything about their
> particular products or services. Someone can go from a fast-food co. to a
> computer co., to an automobile manufacturer, to a health-care corporation,
> all the while knowing very little about the specifics of the industry and
> getting a salary and benefits many times (hundreds of times?) more than
> the CEO of a European company who actually has a degree in electrical
> engineering or whatever is relevant to the company's products.
>
> "Perce"
> (aka Alan NV8A)

From -4052485565596699086
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!atl-c03.usenetserver.com!news.usenetserver.com!bigfeed3.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!bignews8.bellsouth.net.POSTED!35f0e4eb!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga> <f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <w6oKf.9$381.8@fed1read07> <Pine.BSI.4.61.0602201222500.24342@malasada.lava.net>
Subject: Re: FYI: Radio Schack to close up to 700 stores

Lines: 47
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <_VrKf.21207$bW.3116@bignews8.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
mabncmnekmdohbabdbdpiflmbcekedmfhojhikkbagflhcboiidphielglojiiecnlploapnifjmkhgodn
acdaomlohflepeolfbfiokgkmbcigcpnaffidobadcejjoemgedelljgjigknggbdfopccldmphppi
NNTP-Posting-Date: Mon, 20 Feb 2006 18:04:26 EST
Organization: BellSouth Internet Group
Date: Mon, 20 Feb 2006 17:07:40 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2670

Well bless your head in the sand attitude!!!
I hope the terrorists don't find your long/lat location on a
terraserver and getcha. They have all of it on there except
Area 51 heh   so don't feel too safe. They just haven't
mastered the launch and guidance yet. Oh, I see your
close to the airports.
BTW FWIW   Osama Been Hidin has millions and can
buy all them toys you scoff at... with the software.

Cheers.

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0602201222500.24342@malasada.lava.net...
> Caveat Lector this is for you buddy.   If you think ham radio
> and MARS/AARS/Marine Mars is out of the picture nowadays I suggest
> maybe you had your head in the outhouse hole in the board.
> WW2 was actually fought by COMMS guys of all kinds mostly
> hams. Its still being done today in IRAQ and Afganistan
> and its those same hams and descendants of Hams that are
> doing the job both in the military and in the Volunteer hams
> such as I am one of. So think twice before you rave on.
> I have a QCWA certificate showing continuous service for 70
> years as a licensed ham. So cut out the snootty attitude!
>   Joe/KH6JF
> P.S. I dont have a cell phone and never will.   I dont have
> cable tv and never will.   I dont have a VISTA computer
> on the internet and never will.   I used my head and stick with
> my old Commodore 128 which is totally imune to any virus ever
> created or could be created in the future. Its my internet machine
> and will remain so for that reason. I have 4 laptops which I enjoy
> for listening to my favorits music while I play Solitare!!
> Hence I dont pay for constant upgrades of virus software every
> few months either.

```
>
>
> *********************************************************
> * Ham KH6JF AARS/MARS ABM6JF QCWA WW2 VET WD RADIO SYSTEM*
> * Army MARS PRECEDED by AARS (Army Amateur Radio System) * *       Hi
> State ARMY MARS COORDINATOR                   *
> *********************************************************
>
>
```

```
From -9136276003830245699
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Feb 2006 17:08:20 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtddai$gru$1@news-02.connect.com.au>
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Mon, 20 Feb 2006 17:08:21 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
Lines: 11
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-nsa69L3FrnepCiLTAdgzRLFNq8XfAtEA/4NoET4hq8lE3WvDEmHA0zrkPZiYw/
CaxCDFGpD+GZkCamV!3y+fniijXA/
VvRugh4UhCXfMX72kUlHgLUAnmSyorOvUue+ZtwbI4EHHyVUHXQPLUcqJtmbCuc8+!DRsYQ+7k8+OB
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2671
```

Ummm..... not to overlook the obvious, but did you check the paperwork that came in the box with the radio??

```
"me" <tuskyone(remove)@yahoo.com.au> wrote in message
news:dtddai$gru$1@news-02.connect.com.au...
> Hi, where can I find the schematic for the TS480 Tune control module
> rgds
>
```

```
>




From -8270447704086236959
X-Google-Thread: 108122,8fceb37851ffc376,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!
news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!
not-for-mail
From: "Hamguy" <hamguy@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: "My Office" now on Hamwave
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <fcsKf.15501$z%5.5198@twister.nyroc.rr.com>
Date: Mon, 20 Feb 2006 23:23:55 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1140477835 24.58.195.67 (Mon, 20 Feb 2006 18:23:55
EST)
NNTP-Posting-Date: Mon, 20 Feb 2006 18:23:55 EST
Organization: Road Runner
Xref: g2news1.google.com rec.radio.amateur.equipment:2672

http://www.hamwave.com/cgi-bin/index.cgi?action=viewnews&id=964




From 6031337917858901289
X-Google-Thread: 108122,592cd7619fe6889c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!newsfeed.gamma.ru!Gamma.RU!
news.tele.dk!news.tele.dk!small.news.tele.dk!news.netcologne.de!newsfeed-
fusi2.netcologne.de!newsfeed101.telia.com!nf02.dk.telia.net!130.227.3.89.MISMATCH!
newsfeed1.uni2.dk!news.get2net.dk.POSTED!53ab2750!not-for-mail
From: "Michael" <ccc73571@vip.cybercity.dk>
Newsgroups: rec.radio.amateur.equipment
Subject: New yahoo group. Receive VMS from Inmarsat and decode the signals.
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Original
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Message-ID: <6AsKf.5690$x5.4902@news.get2net.dk>
Date: Tue, 21 Feb 2006 18:36:35 +0100
NNTP-Posting-Host: 83.72.227.48
X-Complaints-To: abuse-dk@tele2.com
X-Trace: news.get2net.dk 1140479362 83.72.227.48 (Tue, 21 Feb 2006 00:49:22 CET)
NNTP-Posting-Date: Tue, 21 Feb 2006 00:49:22 CET
Organization: Tele2 Internet Kunde
Xref: g2news1.google.com rec.radio.amateur.equipment:2673

My name is Michael. I'm educated as electronic mechanic. I started a project with the goal to receive and decode the VMS signals from Inmarsat. VMS system is manly used on fishing vessels. On the ship there is a box with a gps and satellite transceiver. The
position information is send each hour, to a land earth station, were it is distributed to the different authorities. I hope that many of you will help and contribute to get this working, because I don't have all the skills my self.

First I started to ask people in different news group about the subject. But I now realized that it will be a bigger task. So I have made a Yahoo group to get this thing going. I have in this group posted the information I have gathered until now. If you think you maybe can contribute to the project then, or is interested in this as well, then please join at

http://groups.yahoo.com/group/vms_group

Cheers Michael

From -8755500211379669093
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!not-for-mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Tue, 21 Feb 2006 09:58:26 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 21
Message-ID: <dtdl3f$r5k$1@news-02.connect.com.au>
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>

```
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1140479919 27828 202.172.125.74 (20 Feb 2006
23:58:39 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Mon, 20 Feb 2006 23:58:39 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:2674

hehe asking the question before rigs arrives ? intend to use it with a Hi
Sierra MK2,  rig not here as yet ?
unsure if info is supplied. tricks the 480 into think it has a external
tuner plugged in, hence 10ws cw tx,

tnxs
"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
> Ummm..... not to overlook the obvious, but did you check the paperwork
> that came in the box with the radio??
>
> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
> news:dtddai$gru$1@news-02.connect.com.au...
>> Hi, where can I find the schematic for the TS480 Tune control module
>> rgds
>>
>>
>
>




From 7089079295397639204
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Feb 2006 18:33:28 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au>
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Mon, 20 Feb 2006 18:33:26 -0600
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
Lines: 39
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-yiVLVS+cvdFyEHWLRj9NhAP5OGwz16FVgjRw2XVQi/mFo8hhQg/smBw/
8H1H3bI8IKvPU+NzCicMtue!
khNwaBl0BOssg0+EYbtprZvgHUAn9qII79qITlgo4R27th71Pmf18S2yKXXzhhbgGrUIs66pxbw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2675
```

Get a Turbo-Tuner... Its really the way to go.... I have the 480HX with a
Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
Its almost completely "plug and play". I have pics posted in the Yahoo
TS-480 group.

-n6ojn

--

Steve @ Noon-Air Heating & A/C
Noon-Air@comcast.net

Life is what happens while you were making other plans

```
"me" <tuskyone(remove)@yahoo.com.au> wrote in message
news:dtdl3f$r5k$1@news-02.connect.com.au...
> hehe asking the question before rigs arrives ? intend to use it with a Hi
> Sierra MK2,  rig not here as yet ?
> unsure if info is supplied. tricks the 480 into think it has a external
> tuner plugged in, hence 10ws cw tx,
>
> tnxs
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>> Ummm..... not to overlook the obvious, but did you check the paperwork
>> that came in the box with the radio??
>>
>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>> news:dtddai$gru$1@news-02.connect.com.au...
>>> Hi, where can I find the schematic for the TS480 Tune control module
>>> rgds
>>>
>>>
>>
>>
>
```

```
>




From -6889267201608392208
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!not-for-
mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Tue, 21 Feb 2006 10:41:50 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 50
Message-ID: <dtdnkp$15s$1@news-02.connect.com.au>
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1140482521 1212 202.172.125.74 (21 Feb 2006
00:42:01 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Tue, 21 Feb 2006 00:42:01 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:2677

Been a KW group memeber for years, just joined the mentioned group , (
ts480) this very moment you posted
tnxs
ps
i am using a stealth home setup, is there any length of cable restriction?
with the turbo tuner

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX with a
> Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
> Its almost completely "plug and play". I have pics posted in the Yahoo
> TS-480 group.
>
> -n6ojn
>
> --
>
```

```
> Steve @ Noon-Air Heating & A/C
> Noon-Air@comcast.net
>
> Life is what happens while you were making other plans
>
> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
> news:dtdl3f$r5k$1@news-02.connect.com.au...
>> hehe asking the question before rigs arrives ? intend to use it with a Hi
>> Sierra MK2,  rig not here as yet ?
>> unsure if info is supplied. tricks the 480 into think it has a external
>> tuner plugged in, hence 10ws cw tx,
>>
>> tnxs
>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>> Ummm..... not to overlook the obvious, but did you check the paperwork
>>> that came in the box with the radio??
>>>
>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>> Hi, where can I find the schematic for the TS480 Tune control module
>>>> rgds
>>>>
>>>>
>>>
>>>
>>
>>
>
>




From 6366367390394737878
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe04.lga.POSTED!
53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga> <xTJJf.42$gU1.40@fe02.lga>
<f7bKf.20322$Ly6.10476@bignews5.bellsouth.net> <PcGdnXEVV-
Bf3mTenZ2dnUVZ_sadnZ2d@comcast.com> <11vihuk426gq41c@corp.supernews.com>
<ITbKf.13445$UD1.2183@bignews2.bellsouth.net> <11vitgtfl7bm9db@corp.supernews.com>
<dBkKf.5$BJ4.3@fe02.lga> <0HrKf.21204$bW.14705@bignews8.bellsouth.net>
In-Reply-To: <0HrKf.21204$bW.14705@bignews8.bellsouth.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
```

```
Content-Transfer-Encoding: 7bit
Lines: 39
Message-ID: <0ytKf.235$qV4.41@fe04.lga>
X-Trace:
badccedimaighclekegobedekefnahjcijdfhbbijokegfdahmddohcnabgnacknkblahielgmpocbjfgi
nhkjnfhgmldbflbhppgdadkffecgihjcfonhkmjhoihinjjjfi�
NNTP-Posting-Date: Mon, 20 Feb 2006 17:55:24 MST
Date: Mon, 20 Feb 2006 19:55:24 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2678

But at least the store clerks aren't getting multi-million-dollar
salaries plus additional multi-million-dollar handshakes when it is
found that they don't have a clue how to make the company profitable.

"Perce"
(aka Alan NV8A)

On 02/20/06 05:51 pm Mr Fed UP wrote:

> Heh!!  What make you think it is only the CEO's?
> This last year before Mom passed away I had to go to a
> drugstore (where they are SUPPOSE to be educated)
> and it took 4 trips to get one prescription filled correctly.  I find the
> same incompetence at nearly every turn of the consumer
> trail. I am not even sure they require a reading and
> writing skill anymore.  If you guess you way through all
> the "computer applications" the stores have, your in.
> Stores with workers wearing "How may I help you" on
> their work clothes and then rush past you like you
> were not even there.   Ok.... let me see if this spell
> checker works.....

>>>> Guess I'm aging myself.  This was back in 1983-1986.  LOL
>>> Yes, that was back when they had BOTH...
>>> 1) Good help (folk who knew a resistor from their elbow)
>>> 2) Actual corporate cognizance of what the electronics
>>> business is.  In the last few years, it seems to me that the management
>>> in Texas doesn't know (or care) whether
>>> they are in the electronics business, or selling fried
>>> chicken or furniture.

>> US companies (*perhaps* companies in other countries too, but probably to
>> a lesser extent) don't care whether their CEOs know anything about their
>> particular products or services. Someone can go from a fast-food co. to a
>> computer co., to an automobile manufacturer, to a health-care corporation,
>> all the while knowing very little about the specifics of the industry and
>> getting a salary and benefits many times (hundreds of times?) more than
>> the CEO of a European company who actually has a degree in electrical
>> engineering or whatever is relevant to the company's products.


From -4810040676892606975
X-Google-Thread: 108122,7898c0a15baa28a7
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Feb 2006 19:14:33 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au>
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Mon, 20 Feb 2006 19:14:34 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <b4Odnccixcnk9GfeRVn-pA@comcast.com>
Lines: 59
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
ouiQd641zY6xtR3Rsl44TWz8Mgpz0TdRzSUoaWgQAExyPHDWiyErkz7rzOeCNZxVqDJ0nJqP12zo9SM!
o5H6Jhg1E/EJ8iPI5TSH/cki/sV1O6bgTjdHKeHet8Kss85puZjLDg+mXcMia9AdNsQj1ktu5vk=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2679

no restrictions that I know of beyond those of any other antenna...length of
feed lines and control cable etc.
What are you going to use for a counterpoise?? Where's it going to be
located??

"me" <tuskyone(remove)@yahoo.com.au> wrote in message
news:dtdnkp$15s$1@news-02.connect.com.au...
> Been a KW group memeber for years, just joined the mentioned group , (
> ts480) this very moment you posted
> tnxs
> ps
> i am using a stealth home setup, is there any length of cable restriction?
> with the turbo tuner
>
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX with a
>> Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
>> Its almost completely "plug and play". I have pics posted in the Yahoo
>> TS-480 group.
```

```
>>
>> -n6ojn
>>
>> --
>>
>> Steve @ Noon-Air Heating & A/C
>> Noon-Air@comcast.net
>>
>> Life is what happens while you were making other plans
>>
>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>> hehe asking the question before rigs arrives ? intend to use it with a
>>> Hi Sierra MK2,  rig not here as yet ?
>>> unsure if info is supplied. tricks the 480 into think it has a external
>>> tuner plugged in, hence 10ws cw tx,
>>>
>>> tnxs
>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>> Ummm..... not to overlook the obvious, but did you check the paperwork
>>>> that came in the box with the radio??
>>>>
>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>> Hi, where can I find the schematic for the TS480 Tune control module
>>>>> rgds
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>
```

```
From -7789097892973290576
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.maxwell.syr.edu!news-
north.connect.com.au!not-for-mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Tue, 21 Feb 2006 11:14:49 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 57
```

```
Message-ID: <dtdpip$3qp$1@news-02.connect.com.au>
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1140484505 3929 202.172.125.74 (21 Feb 2006
01:15:05 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Tue, 21 Feb 2006 01:15:05 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:2680

nah must be on wrong group
KenwoodTS-480 ?

"me" <tuskyone(remove)@yahoo.com.au> wrote in message
news:dtdnkp$15s$1@news-02.connect.com.au...
> Been a KW group memeber for years, just joined the mentioned group , (
> ts480) this very moment you posted
> tnxs
> ps
> i am using a stealth home setup, is there any length of cable restriction?
> with the turbo tuner
>
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX with a
>> Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
>> Its almost completely "plug and play". I have pics posted in the Yahoo
>> TS-480 group.
>>
>> -n6ojn
>>
>> --
>>
>> Steve @ Noon-Air Heating & A/C
>> Noon-Air@comcast.net
>>
>> Life is what happens while you were making other plans
>>
>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>> hehe asking the question before rigs arrives ? intend to use it with a
>>> Hi Sierra MK2,  rig not here as yet ?
>>> unsure if info is supplied. tricks the 480 into think it has a external
>>> tuner plugged in, hence 10ws cw tx,
>>>
```

```
>>> tnxs
>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>> Ummm..... not to overlook the obvious, but did you check the paperwork
>>>> that came in the box with the radio??
>>>>
>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>> Hi, where can I find the schematic for the TS480 Tune control module
>>>>> rgds
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>
```

```
From -4117868532762693959
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Feb 2006 19:21:42 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Mon, 20 Feb 2006 19:21:43 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <IPKdnfsiOcC79mfeRVn-qw@comcast.com>
Lines: 69
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
CgFY7imYPVBtzjNvURcnI2Inx7thB5Y6dG48XbK+GGgy6tCk49BkFusNfE9qLCtcAu+oDLoDNR1Pzxa!
wvpoHGMZhtL6izR0+Ba0RF6lJq6L/x2CfiFd9pzR7DAOoCZ/nGUWjRPKgTQCyRG9zdE+lFpvc80=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
```

```
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2681


"me" <tuskyone(remove)@yahoo.com.au> wrote in message
news:dtdpip$3qp$1@news-02.connect.com.au...
> nah must be on wrong group
> KenwoodTS-480 ?

Go here;
http://groups.yahoo.com/group/TS-480/

The pics of the rigs in my service truck are here;
http://ph.groups.yahoo.com/group/TS-480/photos/browse/e113


> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
> news:dtdnkp$15s$1@news-02.connect.com.au...
>> Been a KW group memeber for years, just joined the mentioned group , (
>> ts480) this very moment you posted
>> tnxs
>> ps
>> i am using a stealth home setup, is there any length of cable
>> restriction? with the turbo tuner
>>
>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX with
>>> a Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
>>> Its almost completely "plug and play". I have pics posted in the Yahoo
>>> TS-480 group.
>>>
>>> -n6ojn
>>>
>>> --
>>>
>>> Steve @ Noon-Air Heating & A/C
>>> Noon-Air@comcast.net
>>>
>>> Life is what happens while you were making other plans
>>>
>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>>> hehe asking the question before rigs arrives ? intend to use it with a
>>>> Hi Sierra MK2,  rig not here as yet ?
>>>> unsure if info is supplied. tricks the 480 into think it has a external
>>>> tuner plugged in, hence 10ws cw tx,
>>>>
>>>> tnxs
>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
```

```
>>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>>> Ummm..... not to overlook the obvious, but did you check the paperwork
>>>>> that came in the box with the radio??
>>>>>
>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>>> Hi, where can I find the schematic for the TS480 Tune control module
>>>>>> rgds
>>>>>>
>>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>




From 223865376403285984
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Feb 2006 19:24:39 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
<IPKdnfsiOcC79mfeRVn-qw@comcast.com>
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Mon, 20 Feb 2006 19:24:40 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <4JednezlatFK9mfeRVn-rQ@comcast.com>
Lines: 76
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-JyfyME4lolkHg/
ImmscpQweKr2JAqgT6Fb8t1N5OEfwJX8ipThO6UXqIwNfXN3Ug5G7nUziekgjvgkR!jg/
ipx+SR6OgKbReKkafHMR54m7LVGv9PyUC7ZbXRSYMyewpRuxgp3E+vpTaDIUSEkol90TV/q8=
X-Complaints-To: abuse@comcast.net
```

X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2682

sorry... just figured out that you gotta be a member to see the pics and I don't have a web page to post them on

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:IPKdnfsiOcC79mfeRVn-qw@comcast.com...
>
> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
> news:dtdpip$3qp$1@news-02.connect.com.au...
>> nah must be on wrong group
>> KenwoodTS-480 ?
>
> Go here;
> http://groups.yahoo.com/group/TS-480/
>
> The pics of the rigs in my service truck are here;
> http://ph.groups.yahoo.com/group/TS-480/photos/browse/e113
>
>
>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>> news:dtdnkp$15s$1@news-02.connect.com.au...
>>> Been a KW group memeber for years, just joined the mentioned group , (
>>> ts480) this very moment you posted
>>> tnxs
>>> ps
>>> i am using a stealth home setup, is there any length of cable
>>> restriction? with the turbo tuner
>>>
>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>>>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX with
>>>> a Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
>>>> Its almost completely "plug and play". I have pics posted in the Yahoo
>>>> TS-480 group.
>>>>
>>>> -n6ojn
>>>>
>>>> --
>>>>
>>>> Steve @ Noon-Air Heating & A/C
>>>> Noon-Air@comcast.net
>>>>
>>>> Life is what happens while you were making other plans
>>>>
>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>>>> hehe asking the question before rigs arrives ? intend to use it with a

```
>>>>> Hi Sierra MK2,  rig not here as yet ?
>>>>> unsure if info is supplied. tricks the 480 into think it has a
>>>>> external tuner plugged in, hence 10ws cw tx,
>>>>>
>>>>> tnxs
>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>>>> Ummm..... not to overlook the obvious, but did you check the
>>>>>> paperwork that came in the box with the radio??
>>>>>>
>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>>>> Hi, where can I find the schematic for the TS480 Tune control module
>>>>>>> rgds
>>>>>>>
>>>>>>>
>>>>>>
>>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>




From 1123781453745040714
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeeds.ihug.co.nz!
ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!not-for-mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Tue, 21 Feb 2006 11:50:28 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 109
Message-ID: <dtdrlh$6fv$1@news-02.connect.com.au>
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
<IPKdnfsiOcC79mfeRVn-qw@comcast.com> <4JednezlatFK9mfeRVn-rQ@comcast.com>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1140486642 6655 202.172.125.74 (21 Feb 2006
```

01:50:42 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Tue, 21 Feb 2006 01:50:42 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:2683

no worries I was a member before, I will rejoin, I cancelled all groups
subs,
ok well all BIG antennas and BIG AMPS have GONE, everything was rotatable
once, well had a spack attack and a silent protest in rgds the hobby, and
just getting soemthing to have a play with,
counterpoise is a fully tuned radial test bed, 10 radials for each band
the 160/80/40/20 Mtr radials are 1 7/8' x 1/8 " Power Station EARTH MATTING
ROLL, I would have at the very least 12 cwt of copper in the ground, have a
1500MK2 mounted on a 2" ally tube 7ft 6" above gnd, with a 2" x 1/4 " flat
strap to gnd hehehe, with 4 x 24" SS CAP Top hat tig rods, above the coil
with a 3ft whip, still too long to tune above 18Mhz, but working on a happy
medium, still got 4" of coil in the Mast at 3.670 Mhz, with above setup,
should trim the CAP HAT a little,
I should mention I had HS-1000 in my car back , uuhhmm not long after Jim
started making them, would have been numbered in the 100's I was talked out
of it by a friend haahah, some friend caught me at a weak moment back in
2004.
I would have had a TARHEEL but Cindy wanted $275.00 to post to VK, I got a
MK2 1500 posted from VA insured for 400.00 for 75.00 USD, Global express,
42"x5" @13 llbs, 75.00 USD anyhow thats life
I appreciate the info, unsure of what 480 as yet, don't need 200WS and
don't need TUNER ?? ahaha,
need 150ws unit without tuner ahahah
tnxs
dennis vk4sx

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:4JednezlatFK9mfeRVn-rQ@comcast.com...
> sorry... just figured out that you gotta be a member to see the pics and I
> don't have a web page to post them on
>
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:IPKdnfsiOcC79mfeRVn-qw@comcast.com...
>>
>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>> news:dtdpip$3qp$1@news-02.connect.com.au...
>>> nah must be on wrong group
>>> KenwoodTS-480 ?
>>
>> Go here;
>> http://groups.yahoo.com/group/TS-480/

>>
>> The pics of the rigs in my service truck are here;
>> http://ph.groups.yahoo.com/group/TS-480/photos/browse/e113
>>
>>
>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>> news:dtdnkp$15s$1@news-02.connect.com.au...
>>>> Been a KW group memeber for years, just joined the mentioned group ,
>>>> (ts480) this very moment you posted
>>>> tnxs
>>>> ps
>>>> i am using a stealth home setup, is there any length of cable
>>>> restriction? with the turbo tuner
>>>>
>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>>>>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX
>>>>> with a Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
>>>>> Its almost completely "plug and play". I have pics posted in the Yahoo
>>>>> TS-480 group.
>>>>>
>>>>> -n6ojn
>>>>>
>>>>> --
>>>>>
>>>>> Steve @ Noon-Air Heating & A/C
>>>>> Noon-Air@comcast.net
>>>>>
>>>>> Life is what happens while you were making other plans
>>>>>
>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>>>>> hehe asking the question before rigs arrives ? intend to use it with
>>>>>> a Hi Sierra MK2, rig not here as yet ?
>>>>>> unsure if info is supplied. tricks the 480 into think it has a
>>>>>> external tuner plugged in, hence 10ws cw tx,
>>>>>>
>>>>>> tnxs
>>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>>>>> Ummm..... not to overlook the obvious, but did you check the
>>>>>>> paperwork that came in the box with the radio??
>>>>>>>
>>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>>>>> Hi, where can I find the schematic for the TS480 Tune control
>>>>>>>> module
>>>>>>>> rgds
>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>

```
>>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>
```

```
From 6452337749311898082
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!peer01.west.cox.net!
cox.net!newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!
not-for-mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Tue, 21 Feb 2006 11:53:45 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 86
Message-ID: <dtdrrk$6m7$1@news-02.connect.com.au>
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
<IPKdnfsiOcC79mfeRVn-qw@comcast.com> <4JednezlatFK9mfeRVn-rQ@comcast.com>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1140486836 6855 202.172.125.74 (21 Feb 2006
01:53:56 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Tue, 21 Feb 2006 01:53:56 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:2684
```

very nice setup, your rig
my antenna is about 35mtrs from shack, I don't have any trouble tuning it
now, so the turbo-tuner and the dc supply from the 480 should be Ok ??

Tnxs
"Noon-Air" <Noon-Air@comcast.net> wrote in message

news:4JednezlatFK9mfeRVn-rQ@comcast.com...
> sorry... just figured out that you gotta be a member to see the pics and I
> don't have a web page to post them on
>
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:IPKdnfsiOcC79mfeRVn-qw@comcast.com...
>>
>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>> news:dtdpip$3qp$1@news-02.connect.com.au...
>>> nah must be on wrong group
>>> KenwoodTS-480 ?
>>
>> Go here;
>> http://groups.yahoo.com/group/TS-480/
>>
>> The pics of the rigs in my service truck are here;
>> http://ph.groups.yahoo.com/group/TS-480/photos/browse/e113
>>
>>
>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>> news:dtdnkp$15s$1@news-02.connect.com.au...
>>>> Been a KW group memeber for years, just joined the mentioned group ,
>>>> (ts480) this very moment you posted
>>>> tnxs
>>>> ps
>>>> i am using a stealth home setup, is there any length of cable
>>>> restriction? with the turbo tuner
>>>>
>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>>>>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX
>>>>> with a Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
>>>>> Its almost completely "plug and play". I have pics posted in the Yahoo
>>>>> TS-480 group.
>>>>>
>>>>> -n6ojn
>>>>>
>>>>> --
>>>>>
>>>>> Steve @ Noon-Air Heating & A/C
>>>>> Noon-Air@comcast.net
>>>>>
>>>>> Life is what happens while you were making other plans
>>>>>
>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>>>>> hehe asking the question before rigs arrives ? intend to use it with
>>>>>> a Hi Sierra MK2, rig not here as yet ?
>>>>>> unsure if info is supplied. tricks the 480 into think it has a
>>>>>> external tuner plugged in, hence 10ws cw tx,
>>>>>>
>>>>>> tnxs
>>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message

```
>>>>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>>>>> Ummm..... not to overlook the obvious, but did you check the
>>>>>>> paperwork that came in the box with the radio??
>>>>>>>
>>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>>>>> Hi, where can I find the schematic for the TS480 Tune control
>>>>>>>> module
>>>>>>>> rgds
>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>
>>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>




From -7046336668213305816
X-Google-Thread: 108122,98ba878303feb28b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
newscon02.news.prodigy.com!prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!
postmaster.news.prodigy.com!newssvr14.news.prodigy.com.POSTED!d23b5713!not-for-
mail
From: "Paul Proefrock" <proefrock@heartlandREMOVEgroup.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom IC-821h
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <bIuKf.23114$_S7.3969@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.232.142.26
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1140488071 ST000 70.232.142.26 (Mon, 20 Feb
2006 21:14:31 EST)
NNTP-Posting-Date: Mon, 20 Feb 2006 21:14:31 EST
Organization: SBC http://yahoo.sbc.com
```

```
X-UserInfo1:
[[PGGVOGZJW_B_TXMZID]_\@VR]^@B@MCPWZKB]MPXH@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Tue, 21 Feb 2006 02:14:31 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2685

I am looking for a schematic and service manual for an Icom IC-821h.

So far, Google has not been my friend. Does anyone know of a source for
these?

Thanks

Paul P
K0PRP





From 7517265440429352483
X-Google-Thread: 108122,7898c0a15baa28a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 20 Feb 2006 20:17:36 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <dtddai$gru$1@news-02.connect.com.au>
<9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com>
<dtdl3f$r5k$1@news-02.connect.com.au> <pqSdnQFcSJFFwmfeRVn-ug@comcast.com>
<dtdnkp$15s$1@news-02.connect.com.au> <dtdpip$3qp$1@news-02.connect.com.au>
<IPKdnfsiOcC79mfeRVn-qw@comcast.com> <4JednezlatFK9mfeRVn-rQ@comcast.com>
<dtdrrk$6m7$1@news-02.connect.com.au>
Subject: Re: schematic for TS480 TUNE CONTROL
Date: Mon, 20 Feb 2006 20:17:37 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <T4CdnVdDi43d5WfenZ2dnUVZ_smdnZ2d@comcast.com>
Lines: 96
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
A6oGhIltOTdamjS2zJdyCPtCdkUw1QMzG9B0gQfQD5PxaKDcxfJ2OcsZiQqLIbbSPzUwqravVx8nlOO!
yw5FAIvkz7J7DrlPbgJDG3W5nvsPAajmI9XcsYviO4ZlU8NU3AOtHEpC/TJuzu5cRx+oVMEX7FGB!
VdcaZPPR9V3T
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2686


"me" <tuskyone(remove)@yahoo.com.au> wrote in message
news:dtdrrk$6m7$1@news-02.connect.com.au...
> very nice setup, your rig

Thanx :-)

> my antenna is about 35mtrs from shack, I don't have any trouble tuning it
> now, so the turbo-tuner and the dc supply from the 480 should be Ok ??

Absolutely

> Tnxs
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:4JednezlatFK9mfeRVn-rQ@comcast.com...
>> sorry... just figured out that you gotta be a member to see the pics and
>> I don't have a web page to post them on
>>
>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>> news:IPKdnfsiOcC79mfeRVn-qw@comcast.com...
>>>
>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>> news:dtdpip$3qp$1@news-02.connect.com.au...
>>>> nah must be on wrong group
>>>> KenwoodTS-480 ?
>>>
>>> Go here;
>>> http://groups.yahoo.com/group/TS-480/
>>>
>>> The pics of the rigs in my service truck are here;
>>> http://ph.groups.yahoo.com/group/TS-480/photos/browse/e113
>>>
>>>
>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>> news:dtdnkp$15s$1@news-02.connect.com.au...
>>>>> Been a KW group memeber for years, just joined the mentioned group ,
>>>>> ( ts480) this very moment you posted
>>>>> tnxs
>>>>> ps
>>>>> i am using a stealth home setup, is there any length of cable
>>>>> restriction? with the turbo tuner
>>>>>
>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>> news:pqSdnQFcSJFFwmfeRVn-ug@comcast.com...
>>>>>> Get a Turbo-Tuner... Its really the way to go.... I have the 480HX
>>>>>> with a Turbo-Tuner on a Tarheel M-200 and its really a great set-up.
>>>>>> Its almost completely "plug and play". I have pics posted in the
>>>>>> Yahoo TS-480 group.
```

```
>>>>>>
>>>>>> -n6ojn
>>>>>>
>>>>>> --
>>>>>>
>>>>>> Steve @ Noon-Air Heating & A/C
>>>>>> Noon-Air@comcast.net
>>>>>>
>>>>>> Life is what happens while you were making other plans
>>>>>>
>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>> news:dtdl3f$r5k$1@news-02.connect.com.au...
>>>>>>> hehe asking the question before rigs arrives ? intend to use it with
>>>>>>> a Hi Sierra MK2,  rig not here as yet ?
>>>>>>> unsure if info is supplied. tricks the 480 into think it has a
>>>>>>> external tuner plugged in, hence 10ws cw tx,
>>>>>>>
>>>>>>> tnxs
>>>>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>>>>> news:9bydnbk4EI951mfenZ2dnUVZ_t6dnZ2d@comcast.com...
>>>>>>>> Ummm..... not to overlook the obvious, but did you check the
>>>>>>>> paperwork that came in the box with the radio??
>>>>>>>>
>>>>>>>> "me" <tuskyone(remove)@yahoo.com.au> wrote in message
>>>>>>>> news:dtddai$gru$1@news-02.connect.com.au...
>>>>>>>>> Hi, where can I find the schematic for the TS480 Tune control
>>>>>>>>> module
>>>>>>>>> rgds
>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>
>>>>>>
>>>>>
>>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>
>



From -1400047980152017547
X-Google-Thread: 108122,1f33f2977b0d7136
X-Google-Attributes: gid108122,public
```

X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!news-feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Message-ID: <43F3F875.3000404@nettally.com>
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C
References: <0QjIf.46$583.43@news.get2net.dk>
In-Reply-To: <0QjIf.46$583.43@news.get2net.dk>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 63
Date: Thu, 16 Feb 2006 03:58:23 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1140062303 65.33.238.179 (Wed, 15 Feb 2006 22:58:23 EST)
NNTP-Posting-Date: Wed, 15 Feb 2006 22:58:23 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2586

Let us know if you get this figured out.

Michael wrote:

>I have been playing around with receiving AIS (Automatic Identification
>System) signals. AIS is used on ships, it is used to send information about
>your position, etc via VHF to the surrounding ships. But know this started
>to get a bit boring. So know I wan to try to se if it is possibly to receive
>the VMS signals from Inmarsat-C. The VMS system is manly used on fishing
>vessels. On the ship there is a box with a gps and satellite tranciver. The
>position information is send each hour, to a land earth station, were it is
>distributed to the different authorities.
>
>
>
>The first thing is to receive the signals. But also to decrypt the data can
>be complicated.
>
>Any help or advices are welcome. Also if you have some good links to people
>ho have been dealing with projects like this, could be useful.
>
>
>
>Cheers Michael
>
>Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C

>
>
>
>I have been playing around with receiving AIS (Automatic Identification
>System) signals. AIS is used on ships, it is used to send information about
>your position, etc via VHF to the surrounding ships. But know this started
>to get a bit boring. So know I wan to try to se if it is possibly to receive
>the VMS signals from Inmarsat-C. The VMS system is manly used on fishing
>vessels. On the ship there is a box with a gps and satellite tranciver. The
>position information is send each hour, to a land earth station, were it is
>distributed to the different authorities.
>
>
>
>The first thing is to receive the signals. But also to decrypt the data can
>be complicated.
>
>Any help or advices are welcome. Also if you have some good links to people
>ho have been dealing with projects like this, could be useful.
>
>
>
>Cheers Michael
>
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 8362919239417148476
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Attributes: gid114aac,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!atl-c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: "Fred W4JLE" <w4jle@w4jle.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap
References: <43e8cb61$1@usenet.zapto.org> <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET> <43F16696.BD3CBEC7@gvtc.net>
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)

Date: Thu, 16 Feb 2006 11:40:48 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <7e97$43f4ab1e$97d56b99$6825@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 43
X-Trace: 07e9743f4ab1e3270ce3c06825
Xref: g2news1.google.com rec.radio.shortwave:23687
rec.radio.amateur.equipment:2587 rec.radio.swap:2697

OK, you have convinced me. If I see someone rob your house, run over one of your kids, or any other nefarious deed I will not get involved.

You hardly moved the ole' troll meter here. Your pitiful effort makes you a troll mudduck.... 3's and 8's onya goodbuddy

"william" <williamw2@flash.net> wrote in message
news:43F16696.BD3CBEC7@gvtc.net...
> Hey Fred!   dont you want to loud and proud on your amp?
>
> Also,   tell what is it your concern what someone sells on this damn
> newsgrp!
>
> If i want to sell some pot or new meds,   that means your gonna go tell
> the local cops?
>
> Remember now, theres a freedom of speech ethics here.
>
> Carefull what your wishing for,   all I say is to watch your
> back.   In these days you can never
>
> be too safe.
>
>
> and last you think the FCC is going to do anything to fix the crap thats
> going on the hf bands today?
>
> Hams bands have gone to hell!   I say sell them all to highest bidder
> to commerce,   and world use.
>
>
> and let the "New World Order"   take over.
>
>
>
> The New World Order is here!
>
>
>

```
> willey.
>




From -82957863977230421
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Attributes: gid114aac,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap
References: <43e8cb61$1@usenet.zapto.org>
<c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET> <43F16696.BD3CBEC7@gvtc.net>
<7e97$43f4ab1e$97d56b99$6825@ALLTEL.NET>
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Date: Thu, 16 Feb 2006 11:44:27 -0500
Lines: 49
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43f4ac57@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news4.google.com!news.glorb.com!newsfeed.kamp.net!
newsfeed.kamp.net!news.netcologne.de!newsfeed-fusi2.netcologne.de!rouhivuori!not-
for-mail
Xref: g2news1.google.com rec.radio.shortwave:23688
rec.radio.amateur.equipment:2588 rec.radio.swap:2698

Shut op assflap.
>
"Fred W4JLE" <w4jle@w4jle.com> wrote in message
news:7e97$43f4ab1e$97d56b99$6825@ALLTEL.NET...
> OK, you have convinced me. If I see someone rob your house, run over one
> of your kids, or any other nefarious deed I will not get involved.
>
> You hardly moved the ole' troll meter here. Your pitiful effort makes you
> a troll mudduck.... 3's and 8's onya goodbuddy
>
> "william" <williamw2@flash.net> wrote in message
> news:43F16696.BD3CBEC7@gvtc.net...
>> Hey Fred!    dont you want to loud and proud on your amp?
>>
>> Also,   tell what is it your concern what someone sells on this damn
>> newsgrp!
>>
```

```
>> If i want to sell some pot or new meds,   that means your gonna go tell
>> the local cops?
>>
>> Remember now,  theres a freedom of speech ethics here.
>>
>> Carefull what your wishing for,      all I say is to watch your
>> back.     In these days you can never
>>
>> be too safe.
>>
>>
>> and last you think the FCC is going to do anything to fix the crap thats
>> going on the hf bands today?
>>
>> Hams bands have gone to hell!     I say sell them all to highest bidder
>> to commerce,   and world use.
>>
>>
>> and let the "New World Order"   take over.
>>
>>
>>
>> The New World Order is here!
>>
>>
>>
>> willey.
>>
>
>




From -552673528078112234
X-Google-Thread: 108122,67512b4f8b9e8fbd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
newscon02.news.prodigy.com!prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!
postmaster.news.prodigy.com!newssvr21.news.prodigy.com.POSTED!e70da60a!not-for-
mail
From: Rick <harkins@yahooo.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-480sat Antenna Tuner Query
References: <1139921128.162545.187670@g43g2000cwa.googlegroups.com>
In-Reply-To: <1139921128.162545.187670@g43g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 7
Message-ID: <033Jf.48555$dW3.103@newssvr21.news.prodigy.com>
```

NNTP-Posting-Host: 208.191.212.7
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1140112700 ST000 208.191.212.7 (Thu, 16 Feb 2006 12:58:20 EST)
NNTP-Posting-Date: Thu, 16 Feb 2006 12:58:20 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: [[PGGWGDTRRERRPX]BCB^]
\@PJ_^PBQLGPQRZUEK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFNTINTDDMVW[X\THOPXZRVOC
JTUTPC_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C@E[A_CF\AQLDQ\BTMPLDFN
VUQ_VM
Date: Thu, 16 Feb 2006 17:58:20 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2589

I have a TS-450S (no tuner) and and SGC SG-237 Smartuner. The SGC needs only 8 feet of antenna down to 3.5MHz. I used this setup in my camper, and it did OK. If you're interested, both are currently up for auction on eBay. Sold the camper, and not interested in mobile operation.

Rick
W�YGH

From -9073224820762248374
X-Google-Thread: 108122,1f33f2977b0d7136
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!53ab2750!not-for-mail
From: Ken Taylor <ken123@xxxxtra.co.nz>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C
References: <0QjIf.46$583.43@news.get2net.dk>
In-Reply-To: <0QjIf.46$583.43@news.get2net.dk>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 54
Message-ID: <wh4Jf.150731$vH5.1245689@news.xtra.co.nz>
Date: Fri, 17 Feb 2006 08:22:00 +1300
NNTP-Posting-Host: 219.88.64.2
X-Complaints-To: abuse@xtra.co.nz
X-Trace: news.xtra.co.nz 1140117724 219.88.64.2 (Fri, 17 Feb 2006 08:22:04 NZDT)
NNTP-Posting-Date: Fri, 17 Feb 2006 08:22:04 NZDT
Organization: Xtra
Xref: g2news1.google.com rec.radio.amateur.equipment:2590

Michael wrote:
> I have been playing around with receiving AIS (Automatic Identification
> System) signals. AIS is used on ships, it is used to send information about
> your position, etc via VHF to the surrounding ships. But know this started
> to get a bit boring. So know I wan to try to se if it is possibly to receive

> the VMS signals from Inmarsat-C. The VMS system is manly used on fishing
> vessels. On the ship there is a box with a gps and satellite trancíver. The
> position information is send each hour, to a land earth station, were it is
> distributed to the different authorities.
>
>
>
> The first thing is to receive the signals. But also to decrypt the data can
> be complicated.
>
> Any help or advices are welcome. Also if you have some good links to people
> ho have been dealing with projects like this, could be useful.
>
>
>
> Cheers Michael
>
> Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C
>
>
>
> I have been playing around with receiving AIS (Automatic Identification
> System) signals. AIS is used on ships, it is used to send information about
> your position, etc via VHF to the surrounding ships. But know this started
> to get a bit boring. So know I wan to try to se if it is possibly to receive
> the VMS signals from Inmarsat-C. The VMS system is manly used on fishing
> vessels. On the ship there is a box with a gps and satellite trancíver. The
> position information is send each hour, to a land earth station, were it is
> distributed to the different authorities.
>
>
>
> The first thing is to receive the signals. But also to decrypt the data can
> be complicated.
>
> Any help or advices are welcome. Also if you have some good links to people
> ho have been dealing with projects like this, could be useful.
>
>
>
> Cheers Michael
>
>
> From - Fri

You 'only' need to receive the C-band link to the LES, there's no magic
in the data, it's straightforward Inmarsat-C transmission.

Ken

From 7295082335322020399
X-Google-Thread: 108122,7443fd2d05bcbac8,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!
hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-
mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Hallicrafters Model SX-88
Message-ID: <i6m9v1pv35v8ccjitbds4ub82ngurlsinf@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Thu, 16 Feb 2006 14:56:07 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1140119762 69.125.167.162 (Thu, 16 Feb 2006 12:56:02 MST)
NNTP-Posting-Date: Thu, 16 Feb 2006 12:56:02 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2591

WTB: Hallicrafters Model SX-88
Reply with condition and price.
Rich  NJ


From -7275168647579922335
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Thread: 106d41,7d9f40e938cc97eb
X-Google-Attributes: gid114aac,gid108122,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
From: "JB" <1963@cybertime.net>
Date: Thu, 16 Feb 2006 13:44:36 -0800
Message-ID: <dt2rq0$1ago$1@madmax.keyway.net>
References: <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
<2006020805432750073%garv@elaboratenet> <11ul7qqca8nu4d7@corp.supernews.com>
<11ul8bqenmalmd0@corp.supernews.com> <dst5ti$1f3f$1@madmax.keyway.net>
<CasIf.8348$Ob5.1302@tornado.texas.rr.com>
Lines: 17
NNTP-Posting-Host: dialup-216-117-207-158.cybertime.net
Organization: Keyway Internet Services www.keyway.net
Path: g2news1.google.com!news3.google.com!news.glorb.com!meganewsservers.com!
feeder2.on.meganewsservers.com!news-out.usenet.com!sp6iad.superfeed.net!
propagator-sterling.newsfeeds.com!news-in.nuthinbutnews.com!news.keyway.net!not-
for-mail
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
X-Trace: madmax.keyway.net 1140126337 43544 216.117.207.158 (16 Feb 2006 21:45:37
GMT)
X-Complaints-To: abuse@keyway.net
NNTP-Posting-Date: Thu, 16 Feb 2006 21:45:37 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.shortwave:23774
rec.radio.amateur.equipment:2592 rec.radio.swap:2700 rec.radio.cb:5977

> I don't know what he really designed. It appears to be a standard 12 volt
> amp kludged onto the back of a 12 volt power supply. Of course, he did add
> some kind of metering, and moved the control switches to the front of the
> power supply, but if that's designing, I have designed cars, computers,
and
> of course every home I have lived in since I could push a dresser around.
>
Actually they were adapted from some motorola tech notes.  He wrote the
parts list, the girls built them.  These were full production units until
FCC signal purity regs were instituted.  They were good for heating up
external low pass filters.  Beleive it or not I think the company is still
in business.

Yes he had a cb in his car.  I don't see his call in the dbase any more.
Probably deceased.




From 5289108138169139742
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-
xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Thu, 16 Feb 2006 17:03:26 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11va15rqtm7iv13@corp.supernews.com>
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com> <1IadnRR6jbDPsG7eRVn-gQ@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 25
```

```
Xref: g2news1.google.com rec.radio.cb:5978 rec.radio.amateur.equipment:2593
rec.radio.swap:2703

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:1IadnRR6jbDPsG7eRVn-gQ@comcast.com...
>
> "Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
> news:11v5o57j1lsthb6@corp.supernews.com...
>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>> news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
>> snipped
>>> To further this, according to 47CFR95 its illegal to even have a CB
>>> amplifier in your posession.
>>>
>> Wrong. You can own one, you cannot have it connected or transmit with it.
>
> Spend a couple of bucks, buy Code of Federal Regulations 47, then *read*
> part 95, as well as part 97. Then maybe.....
>
> BTW.. the book is available through the US Government Printing Office.
> http://bookstore.gpo.gov/dynamic/actions/GetPublication?
stocknumber=869-056-00196-7
> You should really have one in your shack for reference material so you
> will actually have a clue.
>
>
Why? I could care less about FCC regs.
```

```
From -4276011187020046510
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
router2.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-15!sn-xt-
sjc-08!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Thu, 16 Feb 2006 17:10:32 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11va1j7cscgu2b3@corp.supernews.com>
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<gd77v1t49i7gcipu894ud6nsri74o0ajmb@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
```

```
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news1.google.com rec.radio.cb:5981 rec.radio.amateur.equipment:2594
rec.radio.swap:2704

<tnom@mucks.net> wrote in message
news:gd77v1t49i7gcipu894ud6nsri74o0ajmb@4ax.com...
>
>>To further this, according to 47CFR95 its illegal to even have a CB
>>amplifier in your posession.
>
> You should take a reading comprehension course.
>
> Quoting 47CFR95 http://www.firecommunications.com/47cfr95.txt
>
> " (c) The FCC will presume you have used a linear or other external RF
> power amplifier if--
>
> [[Page 537]]
>
>    (1) It is in your possession or on your premises; and
>    (2) There is other evidence that you have operated your CB station
> with more power than allowed by CB Rule 10, Sec. 95.410."
>
You must be in violation of BOTH rules. I can have it as long as it is not
connected and I don't transmit. LEGAL




From 3498438501825290088
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.gamma.ru!Gamma.RU!news.tele.dk!
news.tele.dk!small.news.tele.dk!newsgate.cistron.nl!news2.euro.net!
newshub3.home.nl!home.nl!feeder1.cambrium.nl!feed.tweaknews.nl!
138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-03!sn-post-ams-01!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Thu, 16 Feb 2006 17:15:10 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11va1ru8ddhpq22@corp.supernews.com>
References: <43f0b248@usenet.zapto.org>
<43f3ab38$0$3767$39cecf19@news.twtelecom.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
```

X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 16
Xref: g2news1.google.com rec.radio.cb:5984 rec.radio.amateur.equipment:2595 rec.radio.swap:2705

"Jayseebee" <Jayseebee@nowhere.com> wrote in message
news:43f3ab38$0$3767$39cecf19@news.twtelecom.net...
> Pretty Kewl, eBay has removed this listing because it was a prohibited
> item for eBay!!
>
> JCB
>
>
> KB2SMS wrote:
>> BE LOUD AND PROUD!
>>
>> http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem

And as soon as he learns what and what not to say he can LEGALY relist that item.

From 2445395378978267361
X-Google-Thread: 108122,6503fb7298bf8d90,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-mail
From: "Vertigo" <cam.graham@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: VHF reception on the cheap
Date: 16 Feb 2006 16:03:19 -0800
Organization: http://groups.google.com
Lines: 8
Message-ID: <1140134599.272390.237120@g44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 60.234.159.54
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140134608 12201 127.0.0.1 (17 Feb 2006 00:03:28 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Feb 2006 00:03:28 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8.0.1) Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=60.234.159.54;
   posting-account=oYa0qw0AAACAaGaTK--Oa5uLMQuacwOh
Xref: g2news1.google.com rec.radio.amateur.equipment:2596

hey there,
im pretty keen to start recieving severe weather warnings via marine vhf. just wondering if theres any electronic hacks involving modifying an am/fm radio? im handy with a soldering iron, so im not afraid to get stuck into it.
cheers,
cameron

From -5601531482887084412
X-Google-Thread: 108122,6503fb7298bf8d90
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!news.astraweb.com!router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-sjc-01!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VHF reception on the cheap
Date: Fri, 17 Feb 2006 00:37:25 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11va6m5t33q56e@corp.supernews.com>
References: <1140134599.272390.237120@g44g2000cwa.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 40
Xref: g2news1.google.com rec.radio.amateur.equipment:2597

>hey there,
>im pretty keen to start recieving severe weather warnings via marine
>vhf. just wondering if theres any electronic hacks involving modifying
>an am/fm radio? im handy with a soldering iron, so im not afraid to get
>stuck into it.

I'm sure it's possible, but it's not uncomplicated.

The NOAA weather radio frequencies are in the 162 MHz region (162.400 through 162.550). It would be necessary to figure out a way to re-tune a standard FM radio (probably changing both the front-end bandpass tuning and the local-oscillator tuning) to extend the radio's tuning range upwards from its normal limit of around 108 - 110 MHz.

Perhaps more complex is the fact that the NOAA channels use narrow-band FM modulation - the channels are only 25 kHz apart, and so the carrier deviation is probably limited to +/- 12 kHz or so. That's far less than a standard commercial FM station, as these are usually 200 kHz apart and use a much wider carrier deviation.

The difference in modulation has at least three implications. One is that you'll have to adjust a standard FM radio's tuning knob _very_ carefully to get the NOAA channel centered in its bandpass, and the FM automatic-frequency-control circuit may interfere with you. A second is that you'll probably find two or more NOAA transmitters sitting within the receiver's bandpass - you won't be able to tune into one and eliminate adjacent-channel interference from the other(s). A third is that even if you do get the signal down to a single channel, the audio output level will probably be very low due to the narrow deviation of the carrier.

It'd probably be cheaper and easier to find an inexpensive AM/FM/weather radio which has this feature built in, or perhaps to find a specialized kit.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -9005917242464765725
X-Google-Thread: fc8b1,eb0c36e3323f59e1
X-Google-Thread: 108122,eb0c36e3323f59e1
X-Google-Thread: 106d41,eb0c36e3323f59e1
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: POLISH,Latin2
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: jim <3carroll@optonline.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.6) Gecko/20040113
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: FS: Coax, Connectors & Adapters
References: <iA3If.26917$sA3.1351@fed1read02> <WoednUD-LKy5wGzeRVn-gA@comcast.com>
<SkSIf.64015$bF.38748@dukeread07>
In-Reply-To: <SkSIf.64015$bF.38748@dukeread07>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <ov9Jf.1055$JH3.787@fe12.lga>
Date: Thu, 16 Feb 2006 20:18:28 -0500
NNTP-Posting-Host: 24.190.116.28
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1140139092 24.190.116.28 (Thu, 16 Feb 2006 18:18:12 MST)
NNTP-Posting-Date: Thu, 16 Feb 2006 18:18:12 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2934
rec.radio.amateur.equipment:2598 rec.radio.cb:5988

Uncle Peter wrote:

> "Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message

```
> news:WoednUD-LKy5wGzeRVn-gA@comcast.com...
>
>>SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>
>>Can I get some eggs, toast and coffee with that?
>
>
> Monty Python fan???
>
>
whats the penguin doing on the tele?


From -2376184666162027783
X-Google-Thread: fc8b1,eb0c36e3323f59e1
X-Google-Thread: 108122,eb0c36e3323f59e1
X-Google-Thread: 106d41,eb0c36e3323f59e1
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
elnk-atl-nf1!newsfeed.earthlink.net!news-feed-01.tampabay.rr.com!news.rr.com!news-
post.tampabay.rr.com!southeast.rr.com.POSTED!53ab2750!not-for-mail
From: " Ron in Radio Heaven" <kc4yoy@NOSPAM.carolina.rr.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
References: <iA3If.26917$sA3.1351@fed1read02> <WoednUD-LKy5wGzeRVn-gA@comcast.com>
<11v31i41d7n3o2f@corp.supernews.com>
Subject: Re: FS: Coax, Connectors & Adapters
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.00.2615.200
X-MIMEOLE: Produced By Microsoft MimeOLE V5.00.2615.200
Message-ID: <x3aJf.13655$915.9686@southeast.rr.com>
Date: Fri, 17 Feb 2006 01:56:45 GMT
NNTP-Posting-Host: 69.132.229.141
X-Complaints-To: abuse@rr.com
X-Trace: southeast.rr.com 1140141405 69.132.229.141 (Thu, 16 Feb 2006 20:56:45
EST)
NNTP-Posting-Date: Thu, 16 Feb 2006 20:56:45 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2936
rec.radio.amateur.equipment:2599 rec.radio.cb:5990

> >
> > Can I get some eggs, toast and coffee with that?
```

I like mine fried, with mustard on white bread.

Ron

From -1894081282461867136
X-Google-Thread: 108122,6503fb7298bf8d90
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: mensch90249@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VHF reception on the cheap
Date: Thu, 16 Feb 2006 17:57:24 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <57bav1p4k8f631vealjognqtu5d1pvro2b@4ax.com>
References: <1140134599.272390.237120@g44g2000cwa.googlegroups.com> <11va6m5t33q56e@corp.supernews.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 46
Xref: g2news1.google.com rec.radio.amateur.equipment:2600

On Fri, 17 Feb 2006 00:37:25 -0000, dplatt@radagast.org (Dave Platt) wrote:

>>hey there,
>>im pretty keen to start recieving severe weather warnings via marine
>>vhf. just wondering if theres any electronic hacks involving modifying
>>an am/fm radio? im handy with a soldering iron, so im not afraid to get
>>stuck into it.
>
>I'm sure it's possible, but it's not uncomplicated.
>
>The NOAA weather radio frequencies are in the 162 MHz region (162.400
>through 162.550). It would be necessary to figure out a way to
>re-tune a standard FM radio (probably changing both the front-end
>bandpass tuning and the local-oscillator tuning) to extend the radio's
>tuning range upwards from its normal limit of around 108 - 110 MHz.
>
>Perhaps more complex is the fact that the NOAA channels use
>narrow-band FM modulation - the channels are only 25 kHz apart, and so
>the carrier deviation is probably limited to +/- 12 kHz or so. That's
>far less than a standard commercial FM station, as these are usually
>200 kHz apart and use a much wider carrier deviation.

>
>The difference in modulation has at least three implications. One is
>that you'll have to adjust a standard FM radio's tuning knob _very_
>carefully to get the NOAA channel centered in its bandpass, and the FM
>automatic-frequency-control circuit may interfere with you. A second
>is that you'll probably find two or more NOAA transmitters sitting
>within the receiver's bandpass - you won't be able to tune into one
>and eliminate adjacent-channel interference from the other(s). A
>third is that even if you do get the signal down to a single channel,
>the audio output level will probably be very low due to the narrow
>deviation of the carrier.
>
>It'd probably be cheaper and easier to find an inexpensive
>AM/FM/weather radio which has this feature built in, or perhaps to
>find a specialized kit.

I agree with Dave, and decided to look at Ramsey kits; not the cadillac of the kit's that have been available over the years but workable. They have a VHF receiver that is listed as a 2 meter amateur receiver but is tunable to any 5 mHz section between 130 and 180 mHz so it should work. Cost is under $50 - of course you can also find pre-built weather radios for less but then you miss the fun of assembling the kit.
http://www.ramseyelectronics.com/cgi-bin/commerce.exe?preadd=action&key=FR-SERIES

From 2732269913244833518
X-Google-Thread: fc8b1,eb0c36e3323f59e1
X-Google-Thread: 108122,eb0c36e3323f59e1
X-Google-Thread: 106d41,eb0c36e3323f59e1
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: POLISH,Latin2
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!peer01.west.cox.net!cox.net!newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!53ab2750!not-for-mail
From: Ken Taylor <ken123@xxxxtra.co.nz>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: FS: Coax, Connectors & Adapters
References: <iA3If.26917$sA3.1351@fed1read02> <WoednUD-LKy5wGzeRVn-gA@comcast.com> <SkSIf.64015$bF.38748@dukeread07> <ov9Jf.1055$JH3.787@fe12.lga>
In-Reply-To: <ov9Jf.1055$JH3.787@fe12.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 29
Message-ID: <AaaJf.150821$vH5.1246876@news.xtra.co.nz>
Date: Fri, 17 Feb 2006 15:04:16 +1300
NNTP-Posting-Host: 219.88.64.2
X-Complaints-To: abuse@xtra.co.nz
X-Trace: news.xtra.co.nz 1140141856 219.88.64.2 (Fri, 17 Feb 2006 15:04:16 NZDT)
NNTP-Posting-Date: Fri, 17 Feb 2006 15:04:16 NZDT
Organization: Xtra

Xref: g2news1.google.com rec.radio.amateur.boatanchors:2937
rec.radio.amateur.equipment:2601 rec.radio.cb:5991

jim wrote:
> Uncle Peter wrote:
>
>> "Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
>> news:WoednUD-LKy5wGzeRVn-gA@comcast.com...
>>
>>> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>>>
>>> Can I get some eggs, toast and coffee with that?
>>
>>
>>
>> Monty Python fan???
>>
>>
> whats the penguin doing on the tele?

Standing.

Oh, intercourse the penguin!

Ken

From 1707994923197783060
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 16 Feb 2006 22:05:51 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com> <1IadnRR6jbDPsG7eRVn-gQ@comcast.com>
<11va15rqtm7iv13@corp.supernews.com>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Thu, 16 Feb 2006 22:05:48 -0600
X-Priority: 3

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <HqednXgVd6QC1mjenZ2dnUVZ_sadnZ2d@comcast.com>
Lines: 35
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-X6iCv1JgFiyvqtww+KV3u7EmLgyAc0QIrqMNFXXIdLsGXpKyhP327G4HKDTdUr/
hT3CKNDwPUIJaDPR!68JAQych/
vcjOywZDI2mSPjhCXVTiCTWnOxRPp2gBMJHimd7p04v2v+WEehIQyqRAiWswpTo6bKv!522zQA6FuHH6
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.cb:5992 rec.radio.amateur.equipment:2602
rec.radio.swap:2709


"Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
news:11va15rqtm7iv13@corp.supernews.com...
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:1IadnRR6jbDPsG7eRVn-gQ@comcast.com...
>>
>> "Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
>> news:11v5o57j1lsthb6@corp.supernews.com...
>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>> news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
>>> snipped
>>>> To further this, according to 47CFR95 its illegal to even have a CB
>>>> amplifier in your posession.
>>>>
>>> Wrong. You can own one, you cannot have it connected or transmit with
>>> it.
>>
>> Spend a couple of bucks, buy Code of Federal Regulations 47, then *read*
>> part 95, as well as part 97. Then maybe.....
>>
>> BTW.. the book is available through the US Government Printing Office.
>> http://bookstore.gpo.gov/dynamic/actions/GetPublication?
stocknumber=869-056-00196-7
>> You should really have one in your shack for reference material so you
>> will actually have a clue.
>>
>>
> Why? I could care less about FCC regs.

Therein lies the problem......

Welcome to my killfile

*PLONK*
```

```
From 5383880444187404646
X-Google-Thread: fc8b1,eb0c36e3323f59e1
X-Google-Thread: 108122,eb0c36e3323f59e1
X-Google-Thread: 106d41,eb0c36e3323f59e1
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!router2.astraweb.com!
news.astraweb.com!router1.astraweb.com!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: - exray - <exray@coqui.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: FS: Coax, Connectors & Adapters
Date: Fri, 17 Feb 2006 00:08:49 -0400
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11vaj2gek0pagac@corp.supernews.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.3) Gecko/
20040910
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <iA3If.26917$sA3.1351@fed1read02> <WoednUD-LKy5wGzeRVn-gA@comcast.com>
<11v31i41d7n3o2f@corp.supernews.com> <x3aJf.13655$915.9686@southeast.rr.com>
In-Reply-To: <x3aJf.13655$915.9686@southeast.rr.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2939
rec.radio.amateur.equipment:2603 rec.radio.cb:5993

  Ron in Radio Heaven wrote:

>>>Can I get some eggs, toast and coffee with that?
>
>
> I like mine fried, with mustard on white bread.
>
> Ron
>
>
>
Most people don't know how to fry Spam. Cook's Tip...treat it like
bacon, not like meat.


From 3804664181778665482
X-Google-Thread: fc8b1,eb0c36e3323f59e1
X-Google-Thread: 108122,eb0c36e3323f59e1
X-Google-Thread: 106d41,eb0c36e3323f59e1
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-xxxfer.readnews.com!
198.186.190.250.MISMATCH!transit3.readnews.com!news-out.readnews.com!news-
east.rr.com!be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
References: <iA3If.26917$sA3.1351@fed1read02> <WoednUD-LKy5wGzeRVn-gA@comcast.com>
<11v31i41d7n3o2f@corp.supernews.com> <x3aJf.13655$915.9686@southeast.rr.com>
<11vaj2gek0pagac@corp.supernews.com>
Subject: Re: FS: Coax, Connectors & Adapters
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <WdcJf.17689$UN2.7852@tornado.texas.rr.com>
Date: Fri, 17 Feb 2006 04:24:22 GMT
NNTP-Posting-Host: 24.175.14.188
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1140150262 24.175.14.188 (Thu, 16 Feb 2006 22:24:22
CST)
NNTP-Posting-Date: Thu, 16 Feb 2006 22:24:22 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2941
rec.radio.amateur.equipment:2604 rec.radio.cb:5994
```

```
"- exray -" <exray@coqui.net> wrote in message
news:11vaj2gek0pagac@corp.supernews.com...
>  Ron in Radio Heaven wrote:
>
>>>>Can I get some eggs, toast and coffee with that?
>>
>>
>> I like mine fried, with mustard on white bread.
>>
>> Ron
>>
>>
>>
> Most people don't know how to fry Spam. Cook's Tip...treat it like bacon,
> not like meat.
```

Agreed! It tastes much like bacon when you fry it. Works well for a camping trip!

```
From -3702657865904434335
X-Google-Thread: 108122,6503fb7298bf8d90
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <43F5551C.1F643C7D@marty.com>
From: marty <marty_not_mc_fly@marty.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: VHF reception on the cheap
References: <1140134599.272390.237120@g44g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Fri, 17 Feb 2006 04:46:21 GMT
NNTP-Posting-Host: 12.76.241.4
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1140151581 12.76.241.4 (Fri, 17 Feb
2006 04:46:21 GMT)
NNTP-Posting-Date: Fri, 17 Feb 2006 04:46:21 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2605
```

hi,

try a used uniden bearcat scanner, tons of them
at pawn shops and ebay or also new.

marty

```
From -8718927658076246206
X-Google-Thread: 114671,f8a5ea1da12db81c
X-Google-Thread: 1109af,f8a5ea1da12db81c
X-Google-Thread: 108122,f8a5ea1da12db81c
X-Google-Attributes: gid114671,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!news-xfer.nntp.sonic.net!news.kjsl.com!news.exile.org!
abnormal.com!lon-transit.news.telstra.net!ken-in.news.telstra.net!
news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-mail
From: alandeletethisdevlin@bigREMOVEpond.com
Newsgroups: aus.radio.amateur.misc,rec.radio.swap,rec.radio.amateur.equipment
Subject: FS : 1296 Mhz High Power (35 Watts)  Amplifiers
Message-ID: <43f55bfb.28804646@news-server>
X-Newsreader: Forte Free Agent 1.11/32.235
Lines: 22
Date: Fri, 17 Feb 2006 05:16:10 GMT
NNTP-Posting-Host: 155.143.223.245
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1140153370 155.143.223.245 (Fri, 17 Feb 2006
```

16:16:10 EST)
NNTP-Posting-Date: Fri, 17 Feb 2006 16:16:10 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com aus.radio.amateur.misc:2499 rec.radio.swap:2710
rec.radio.amateur.equipment:2606

Gidday All,
this Posting to advise I have several of these
fantastic High Power (35 Watts minimum Output) Linear Amplifiers
available For Sale.

See my eBay Listing.. simply Search on "1296 Mhz"

Additional information can also be found on my Website as per below.

Questions : Email me direct. I will gladly provide more information.

Cheers & thank you.

Alan - VK3XPD.

Alan Devlin.

RF RESALE... where Honesty & Integrity are paramount !
Melbourne, Australia.

WEB PAGE URL http://www.users.bigpond.com/alandevlin/index.html

From -1295277024368306819
X-Google-Thread: fc8b1,eb0c36e3323f59e1
X-Google-Thread: 108122,eb0c36e3323f59e1
X-Google-Thread: 106d41,eb0c36e3323f59e1
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread3.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43F5E380.AAAEA9D6@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: FS: Coax, Connectors & Adapters
References: <iA3If.26917$sA3.1351@fed1read02> <WoednUD-LKy5wGzeRVn-gA@comcast.com>
<11v31i41d7n3o2f@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 27
Date: Fri, 17 Feb 2006 14:55:06 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1140188106 24.110.34.161 (Fri, 17 Feb 2006 06:55:06 PST)
NNTP-Posting-Date: Fri, 17 Feb 2006 06:55:06 PST
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2950 rec.radio.amateur.equipment:2607 rec.radio.cb:5997

"Dr.Death" wrote:
>
> "Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
> news:WoednUD-LKy5wGzeRVn-gA@comcast.com...
> spam snipped to prevent clogged arteries....
> >
> > Can I get some eggs, toast and coffee with that?
>
> You don't actually eat that do you? We dumped that on the britts back in
> WW2. Caused more casualties than the Nazi's. LOL

It sure came in handy the last couple years right after the hurricanes ripped down power poles and electric lines here in Marion County, Florida. No electricity, roads closed and no stores open so you ate cold canned goods. i have a dozen cans already for this year's hurricane season, along with a couple large jars of peanut butter and several boxes of crackers. It was weeks before the stores had fresh fruit and vegetables, or much of anything else. :(

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -1203699669894268539
X-Google-Thread: 108122,b2b848e78d0efff5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-mail
From: "kg0wx" <kg0wx@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Heath grid dip meter question
Date: 17 Feb 2006 06:56:48 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1140188207.998274.61370@f14g2000cwb.googlegroups.com>
NNTP-Posting-Host: 68.103.205.177

Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140188213 15978 127.0.0.1 (17 Feb 2006 14:56:53 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Feb 2006 14:56:53 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=68.103.205.177;
   posting-account=7OMbMQ0AAAAOIOn5n1NnmcGqKW2XE2s3
Xref: g2news1.google.com rec.radio.amateur.equipment:2608

Can a Heath GD-1B be safely powered from a DC/AC power
inverter? I know the output of most inverters is a bit "dirty" so
I don't want to do it if it will harm my GD-1B.

Ken KG0WX

From -8096873201665567126
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Fri, 17 Feb 2006 12:23:22 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11vc54mig7s5jec@corp.supernews.com>
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com> <1IadnRR6jbDPsG7eRVn-gQ@comcast.com>
<11va15rqtm7iv13@corp.supernews.com>
<HqednXgVd6QC1mjenZ2dnUVZ_sadnZ2d@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 40
Xref: g2news1.google.com rec.radio.cb:6000 rec.radio.amateur.equipment:2609
rec.radio.swap:2717

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:HqednXgVd6QC1mjenZ2dnUVZ_sadnZ2d@comcast.com...

```
>
> "Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
> news:11va15rqtm7iv13@corp.supernews.com...
>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>> news:1IadnRR6jbDPsG7eRVn-gQ@comcast.com...
>>>
>>> "Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
>>> news:11v5o57j1lsthb6@corp.supernews.com...
>>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>>> news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
>>>> snipped
>>>>> To further this, according to 47CFR95 its illegal to even have a CB
>>>>> amplifier in your posession.
>>>>>
>>>> Wrong. You can own one, you cannot have it connected or transmit with
>>>> it.
>>>
>>> Spend a couple of bucks, buy Code of Federal Regulations 47, then *read*
>>> part 95, as well as part 97. Then maybe.....
>>>
>>> BTW.. the book is available through the US Government Printing Office.
>>> http://bookstore.gpo.gov/dynamic/actions/GetPublication?
stocknumber=869-056-00196-7
>>> You should really have one in your shack for reference material so you
>>> will actually have a clue.
>>>
>>>
>> Why? I could care less about FCC regs.
>
> Therein lies the problem......
>
> Welcome to my killfile
>
> *PLONK*
>
>
ROFLMAO




From 7065924998861682072
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!nntp.newsfirst.net!
dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
```

```
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com> <FcKIf.4433$Nq1.4404@dukeread11>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Fri, 17 Feb 2006 14:11:36 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 38
Message-ID: <43f61fea$0$11596@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.11
X-Trace: dingus.crosslink.net 1140203498 11596 207.199.164.11
Xref: g2news1.google.com rec.radio.cb:6001 rec.radio.amateur.equipment:2610
rec.radio.swap:2718

"N7ZZT - Eric Oyen" <n7zzt@127.0.0.1> wrote
> Dr.Death wrote:
> > "Noon-Air" <Noon-Air@comcast.net> wrote
> >> To further this, according to 47CFR95 its illegal to even have a CB
> >> amplifier in your posession.
> >>
> > Wrong. You can own one, you cannot have it connected or transmit with it.
> The FCC has taken the stance that: "possession is sufficient to prove guilt".
>
> so, even *if* you don't have one hooked up, you are still in violation of 47
> cfr 95 et al while in possession.
>

Sec. 95.411 (CB Rule 11) May I use power amplifiers?
(a) You may not attach the following items (power amplifiers) to your
certificated CB transmitter in any way:
      (1) External radio frequency (RF) power amplifiers (sometimes called
linears or linear amplifiers); or
      (2) Any other devices which, when used with a radio transmitter as a
signal source, are capable
           of amplifying the signal.
(b) There are no exceptions to this rule and use of a power amplifier voids your
authority to operate the station.
(c) The FCC will presume you have used a linear or other external RF power
amplifier if--
      (1) It is in your possession or on your premises; and
      (2) There is other evidence that you have operated your CB station with
more power than allowed by
            CB Rule 10, Sec. 95.410.
(d) Paragraph (c) of this section does not apply if you hold a license in
another radio service which allows
      you to operate an external RF power amplifier.

Note that (d) allows Amateurs with HF privileges to posses amplifiers.

73, K3DWW
```

```
From 7309138840069150286
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!
nntp.newsfirst.net!dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups: rec.radio.amateur.equipment
References: <W8adnZJ6j8R2527enZ2dnUVZ_s-dnZ2d@comcast.com>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Fri, 17 Feb 2006 14:20:02 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 13
Message-ID: <43f621e3$0$11597@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.11
X-Trace: dingus.crosslink.net 1140204003 11597 207.199.164.11
Xref: g2news1.google.com rec.radio.amateur.equipment:2611
```

"Noon-Air" <Noon-Air@comcast.net> wrote

> > (personal note)... as per the ops at the FCC Livermore monitoring
> > station..... the "HAM" license "exemption" doesn't count for a CB *only*
> > amplifier.

I know of no "CB only" amplifiers. I own several intended for CB purchased to use with QRP rigs years ago. All work fine on 10m, most on other ham bands down to 20m. I'd bet the "awesome varmint" does too. One should also use a lo-pass filter to avoid the harmonics these cheap amps are prone to generate.

73, K3DWW

```
From 2128560791701059071
X-Google-Thread: 108122,b2b848e78d0efff5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-
sjc-02!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heath grid dip meter question
Date: Fri, 17 Feb 2006 19:57:33 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11vcald60r4acb@corp.supernews.com>
References: <1140188207.998274.61370@f14g2000cwb.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
```

```
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news1.google.com rec.radio.amateur.equipment:2612

In article <1140188207.998274.61370@f14g2000cwb.googlegroups.com>,
kg0wx <kg0wx@yahoo.com> wrote:

>Can a Heath GD-1B be safely powered from a DC/AC power
>inverter? I know the output of most inverters is a bit "dirty" so
>I don't want to do it if it will harm my GD-1B.

I rather doubt that doing so would cause damage, as the power supply
is transformer-coupled.

I'd be more concerned about incorrect or flaky operation.  The GD-1B
doesn't appear to have particularly good RF/EMI filtering on its AC
supply... there's just a single-stage R/C on the high-voltage DC and
none on the filament. A stepped-square-wave inverter would probably
end up dumping a lot of HF hash into the circuit.  This might cause
the oscillator/detector to misbehave in any number of ways - the meter
might jump around a lot as you tune, or the oscillator frequency might
"pull" to the frequency of one of the inverter harmonics anytime you
got near it, etc.

You might be able to improve matters by installing a hefty,
high-attenuation RFI/EMI filter (such as the sealed-in-metal modules
sold by Corcom and others) in between the inverter and the GD-1B.
Adding some EMI filter components inside the GD-1B might also help...
ferrite beads on the mains wires, some .01 uF - .1 uF mains-rated
filter capacitors across the primary and secondary transformer
windings, etc.

-- 
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!


From -5745523998807373850
X-Google-Thread: 108122,b2b848e78d0efff5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: "kg0wx" <kg0wx@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heath grid dip meter question
Date: 17 Feb 2006 12:11:40 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1140207100.700696.115190@g14g2000cwa.googlegroups.com>
References: <1140188207.998274.61370@f14g2000cwb.googlegroups.com>
```

```
   <11vcald60r4acb@corp.supernews.com>
NNTP-Posting-Host: 68.103.205.177
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140207108 21901 127.0.0.1 (17 Feb 2006 20:11:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Feb 2006 20:11:48 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=68.103.205.177;
   posting-account=7OMbMQ0AAAAOIOn5n1NnmcGqKW2XE2s3
Xref: g2news1.google.com rec.radio.amateur.equipment:2613

Thanks, Dave! Lot's of great info. I just bought a mint GD-1B in the
original box with 7 inserts. I understand what freq range the 1st 5
inserts do as they are marked and there is a picture in the manual.
Problem is the last two inserts - they have a lot of wire (looks like
AM antenna micro wire). One has 1 coil of wire, the other 2 coils.

Unlike the regular coils, these are wound inside the plastic form
and sealed. Any idea what they are for? Is that the 341-A coil set?
How do I use them (what range)?

Thanks again....

Ken KG0WX




From -8580066546045187181
X-Google-Thread: 108122,ced0a6d86dfb4cd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsgate.cistron.nl!amsnews11.chello.com!amsnews14.chello.com!
news.chello.nl.POSTED!not-for-mail
From: "Marco" <m.kalmijn@chello.nl>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TM241
Date: Fri, 17 Feb 2006 21:29:50 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.0000
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2600.0000
Message-ID: <c2d97$43f63235$50380ebd$2152@news.chello.nl>
X-Complaints-To: abuse@chello.nl
Organization: chello.nl
Lines: 16
NNTP-Posting-Host: 80.56.14.189 (80.56.14.189)
NNTP-Posting-Date: Fri, 17 Feb 2006 21:29:41 +0100
X-Trace: c2d9743f63235f59dab1802152
```

Xref: g2news1.google.com rec.radio.amateur.equipment:2614

Hi

I've bought a second hand Kenwood TM241. The problem is that the only sign of live at the front site is the burning DIM led. Further there's nothing burning. All the buttons function well and are beeping alright.

Does anyone know if there is a possible failure or is it possible that the old owner switched of the display in some way, it was used in a cab/taxi.

Hope someone knows a sollution.

Kind regards,

Marco (mkalmijn@yahoo.com)

From 5197105160967958401
X-Google-Thread: 108122,b2b848e78d0efff5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-sjc-06!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heath grid dip meter question
Date: Fri, 17 Feb 2006 20:44:54 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11vcde6ibsbm87b@corp.supernews.com>
References: <1140188207.998274.61370@f14g2000cwb.googlegroups.com>
<11vcald60r4acb@corp.supernews.com>
<1140207100.700696.115190@g14g2000cwa.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 47
Xref: g2news1.google.com rec.radio.amateur.equipment:2615

In article <1140207100.700696.115190@g14g2000cwa.googlegroups.com>,
kg0wx <kg0wx@yahoo.com> wrote:

>Thanks, Dave! Lot's of great info. I just bought a mint GD-1B in the
>original box with 7 inserts.

That sounds like a really nice find! I'd be very interested to learn how you find its sensitivity. There seems to be a big range in dipper output and sensitivity, with most of the modern transistorized units coming up looking rather wimpy compared to classic firebottle types such as the Measurements 59.

>   I understand what freq range the 1st 5
>inserts do as they are marked and there is a picture in the manual.
>Problem is the last two inserts - they have a lot of wire (looks like
>AM antenna micro wire). One has 1 coil of wire, the other 2 coils.
>
>Unlike the regular coils, these are wound inside the plastic form
>and sealed. Any idea what they are for? Is that the 341-A coil set?
>How do I use them (what range)?

That's probably the additional coil set mentioned in the manual (which
you can download from http://bama.sbc.edu or its less-heavily-loaded
mirror site at http://bama.edebris.com/

The standard set of 5 coils goes down to 2 MHz. The manual says that
the extra coils extend the frequency range to 350 kHz, but doesn't say
how many coils are included in the extended range. Since it appears
that each of the coils in the standard set covers a frequency range of
about 2.5:1, I'd guess that one of your extended coils covers from
somewhere around 800 kHz up to 2 MHz, and the other covers from 350
kHz to 800 kHz. The one with more wire, is probably the latter. You'd
use these coils in just the same way that you use the other five.

If you have access to a reasonably sensitive RF frequency counter it
shouldn't be difficult to confirm this. I use an MFJ 269's freq-counter
function, with a few inches of wire soldered to a BNC connector, in
order to do fine calibration of the output of my Measurements 59 grid
dipper. Just plug in the coil, turn on the dipper, hold it near the
frequency-meter wire probe, and the probe will probably pick up enough
RF to give a good indication.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -3992990609930817344
X-Google-Thread: 108122,b2b848e78d0efff5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-mail
From: "kg0wx" <kg0wx@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heath grid dip meter question
Date: 17 Feb 2006 13:37:49 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1140212268.992818.41030@f14g2000cwb.googlegroups.com>
References: <1140188207.998274.61370@f14g2000cwb.googlegroups.com>
   <11vcald60r4acb@corp.supernews.com>
   <1140207100.700696.115190@g14g2000cwa.googlegroups.com>

```
   <11vcde6ibsbm87b@corp.supernews.com>
NNTP-Posting-Host: 68.103.205.177
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140212278 1921 127.0.0.1 (17 Feb 2006 21:37:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 17 Feb 2006 21:37:58 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=68.103.205.177;
   posting-account=7OMbMQ0AAAAOIOn5n1NnmcGqKW2XE2s3
Xref: g2news1.google.com rec.radio.amateur.equipment:2616
```

Thanks for the link. BTW, not only was this dipper new in the box,
the 2 lower coils were still wrapped in parchment in another box.

Price? $25

I swept the dipper from 350kc to 260mc, listening on everything
from my K2 to a scanner to my 2m/440 mobile - this thing has got
a very stout output!

73's de Ken KG0WX

```
From 8244949052958472001
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Fri, 17 Feb 2006 15:51:18 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11vchaj5evd3bce@corp.supernews.com>
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com> <FcKIf.4433$Nq1.4404@dukeread11>
<43f61fea$0$11596@dingus.crosslink.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 56
```

```
Xref: g2news1.google.com rec.radio.cb:6002 rec.radio.amateur.equipment:2617
rec.radio.swap:2721

"Vito" <vito@crosslink.net> wrote in message
news:43f61fea$0$11596@dingus.crosslink.net...
> "N7ZZT - Eric Oyen" <n7zzt@127.0.0.1> wrote
>> Dr.Death wrote:
>> > "Noon-Air" <Noon-Air@comcast.net> wrote
>> >> To further this, according to 47CFR95 its illegal to even have a CB
>> >> amplifier in your posession.
>> >>
>> > Wrong. You can own one, you cannot have it connected or transmit with
>> > it.
>> The FCC has taken the stance that: "possession is sufficient to prove
>> guilt".
>>
>> so, even *if* you don't have one hooked up, you are still in violation of
>> 47
>> cfr 95 et al while in possession.
>>
>
> Sec. 95.411 (CB Rule 11) May I use power amplifiers?
> (a) You may not attach the following items (power amplifiers) to your
> certificated CB transmitter in any way:
>      (1) External radio frequency (RF) power amplifiers (sometimes called
> linears or linear amplifiers); or
>      (2) Any other devices which, when used with a radio transmitter as a
> signal source, are capable
>           of amplifying the signal.
> (b) There are no exceptions to this rule and use of a power amplifier
> voids your
> authority to operate the station.
> (c) The FCC will presume you have used a linear or other external RF power
> amplifier if--
>      (1) It is in your possession or on your premises; and
>      (2) There is other evidence that you have operated your CB station
> with
> more power than allowed by
>            CB Rule 10, Sec. 95.410.
> (d) Paragraph (c) of this section does not apply if you hold a license in
> another radio service which allows
>      you to operate an external RF power amplifier.
>
> Note that (d) allows Amateurs with HF privileges to posses amplifiers.
>
> 73, K3DWW
>
>
This is what I have been saying. You are not in violation for simply owning
a linear.
 (1) It is in your possession or on your premises; (KEY WORD) and
      (KEY SENTANCE)(2) There is other evidence that you have operated your
CB station with
```

more power than allowed by
CB Rule 10, Sec. 95.410.
So read it and weep people. I may not be able to operate said device but I
can damn sure own one.

From -8080605922549049207
X-Google-Thread: 108122,b2b848e78d0efff5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!sn-xt-sjc-03!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Heath grid dip meter question
Date: Fri, 17 Feb 2006 22:05:44 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11vci5oq2ejkp53@corp.supernews.com>
References: <1140188207.998274.61370@f14g2000cwb.googlegroups.com>
<1140207100.700696.115190@g14g2000cwa.googlegroups.com>
<11vcde6ibsbm87b@corp.supernews.com>
<1140212268.992818.41030@f14g2000cwb.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news1.google.com rec.radio.amateur.equipment:2618

In article <1140212268.992818.41030@f14g2000cwb.googlegroups.com>,
kg0wx <kg0wx@yahoo.com> wrote:

>Thanks for the link. BTW, not only was this dipper new in the box,
>the 2 lower coils were still wrapped in parchment in another box.
>
>Price? $25

Did you really want to spend ten lifetimes' worth of good-karma points
all at once? :-)

>I swept the dipper from 350kc to 260mc, listening on everything
>from my K2 to a scanner to my 2m/440 mobile - this thing has got
>a very stout output!

Excellent. In my experience, as a general rule, the dippers having
higher output can achieve a usable dip with looser coupling to the
circuit being measured... which means less pulling of the oscillator,
less parasitic loading, and a more accurate measurement overall.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior

I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From 3524238106964342O9
X-Google-Thread: 1109af,78c409a14a380521,start
X-Google-Thread: 108122,78c409a14a380521,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: 4 sale REVISED
Date: Fri, 17 Feb 2006 20:39:35 -0600
Lines: 71
Message-ID: <45nfn6F7i182U1@individual.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net 3rsem7FALAP33fPPcePJRgOd/5D99AmAh1aFtUvk/f7jlm62zb
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
Xref: g2news1.google.com rec.radio.swap:2727 rec.radio.amateur.equipment:2619

Radio Specialty Model 1179-22-1 Repeater-------------------$ 50
Appears to be complete, minus crystals.
I have no way to verify operation.
Has 2 settable PL tones...
Outside of case is scuffed, but inside is very clean!
Repeater is in a wall mountable battleship gray cabinet,
that is 4" deep by 13.5" wide, by 21.5" tall, and is
around 30# in weight. It is a VHF base/repeater used by
the BLM out west...
It also has on the front cover, I-5YACC, then under it is
271, under that VHF REPEATER. There are a lot of FCC type
acceptance # all over inside, plus the maker, and maker's
partial address, and part # for transmitter, and receiver
sections.
NO documentation.

1 Comspec TS-32P------------------------------------NEW----$ 35
New never used in original package complete with tuning
tool, wire jumpers, switch chart for pl tone, and mounting
tape plus original documentation/schematic.

2 Kenwood TR-7950-----------------------------------EACH---$ 80
Each comes with mobile mount, and 1st sale gets the
packet adapter. Are in very good shape, but do not include
the TU-79 PL boards which are available at www.piexx.com
They will not come in original box, and if I do not have

the manual, I will photocopy, or pdf one (your choice)...

LinkXcel PS-141B 4 port KVM Switch with 4 cables-----------$ 65
-Like New- This is the PS2/VGA model -No manual-

Pioneer DRM-602X Scsii cd changer that uses Pioneer--------$ 15
audio cd carts. -No manual-

Sanyo SCP5000-------------(Sprint)-9/10---------------BEST OFFER
1 desktop charger
2 AC adapters
2 12v adapters
1 data cord

Samsung SCH3500----------(Sprint)-6/10----------------BEST OFFER
1 extra battery
1 holster
1 desktop charger
1 12v adapter
1 data cord
NO MANUAL or BOX

Nokia 252-----------------(unknown)-8/10-------------BEST OFFER
2 extra batteries
1 holster
1 desktop charger
1 12v adapter
NO MANUAL or BOX

All items will include manuals unless noted.
Shipping is NOT included on any item(s).

Pictures of the radios can be found at;
http://www.mantico.com/4sale.htm
I will have all items on line as soon as possible.

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@sbcglobal.net

From -7992475429986385071
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!

```
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43F6BA5A.78206A66@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <43F2A867.EE89D594@dfw.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
Date: Sat, 18 Feb 2006 06:12:05 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1140243125 24.110.34.161 (Fri, 17 Feb
2006 22:12:05 PST)
NNTP-Posting-Date: Fri, 17 Feb 2006 22:12:05 PST
Xref: g2news1.google.com rec.radio.cb:6007 rec.radio.amateur.equipment:2620
rec.radio.swap:2733

"Im your worse dream!" wrote:
>
> You mean you dont want to loud and proud?
>
> dreamstation.


   So, you're saying that you're gay?  Don't tell me that you've never
seen a bunch of them walking down the street on the news chanting that
phrase.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From -9054286281238461873
X-Google-Thread: 108122,7ea8bd1d5d2f8a0e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
```

NNTP-Posting-Date: Sat, 18 Feb 2006 01:05:06 -0600
From: "Bob Gellert" <bobgellert@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: F.S. 2Mtr FM HT's
Date: Fri, 17 Feb 2006 23:05:17 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <VPednQ32w8G_WmvenZ2dnUVZ_sidnZ2d@comcast.com>
Lines: 11
NNTP-Posting-Host: 71.197.240.192
X-Trace: sv3-poDbGrkmktbxszU/
dRG+lWFVsfJeI3nXDKnhuMkqGORmllPwtmfDsUrE2Z088qcdmGkyVv65Gbys8lf!
TQJLIKxWPFEhDtaHy1vNT0Ya8qgWuqDVlzddhycRk5avNAirsNPf6vbhK1x41AP2gGRYne8GL7VV!
+B57NTsn2owr6IHqOA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2621

F.S. 2Mtr FM HT's:
ICOM IC-2SAT and Kenwood TR-2500.
Both work fine, but need new
batteries. Both for best offer
over $125. + Shipping.

Bob (Near Seattle)
bobgellert@comcast.net
(425)392-9744

From 5446995456760508940
X-Google-Thread: 108122,fa66aabd902d54f5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!not-for-mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Distored SSB Audio on TX with FT747GX
Date: Sat, 18 Feb 2006 20:51:12 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 10
Message-ID: <dt6u78$10t$1@news-02.connect.com.au>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74

X-Trace: news-02.connect.com.au 1140259881 1053 202.172.125.74 (18 Feb 2006 10:51:21 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Sat, 18 Feb 2006 10:51:21 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:2622

Hi, I have a an old FT747GX, it appeared to have a burnt inductor coil on
the BPF board, and was displaying distorted audio in SSB transmission, I
wound and replaced the inductor, (L12) but Audio is still distorted, and
you can hear parts of the Tx audio thru the speaker,
it has the remote mount head kit,
would appreciate any ideas, and where to look'

rgds

From -6657701847085209548
X-Google-Thread: 108122,8a82e0fffdc3d769,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe02.lga.POSTED!53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FYI: Radio Schack to close up to 700 stores
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <XgIJf.17$gU1.1@fe02.lga>
X-Trace:
ejlmlnpfppkfdeplgjkcaimgbkhanpaafjjfhmgaihfgjlcghmddohcnabgnacknncnohkaabhndkoefnf
ealbidafnhbcfkbmjehnmfihdljpjcoaanjcnjmimlmhkedifd�
NNTP-Posting-Date: Sat, 18 Feb 2006 09:52:07 MST
Date: Sat, 18 Feb 2006 11:52:08 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2623

http://money.cnn.com/2006/02/17/news/companies/radioshack.reut/index.htm

A pity, *perhaps*: they still did carry one or two items of use to radio
amateurs, and without requiring a long drive or paying more for shipping
than for the item.

"Perce"
(aka Alan NV8A)

From 5950615091639662915
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Feb 2006 12:31:58 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga>
Subject: Re: Radio Schack to close up to 700 stores
Date: Sat, 18 Feb 2006 12:31:59 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
oxFNFXc9W+8mmvQPCpcaHfbrVhJFoyMXbdm2jvdWACCocrwghzBcyF6kTnTeXPaBVDHo0KUjkbipmVI!+
+uAgInIl/5KKjLXzFC/vxYcumSHAtTCU+b1Q1Mq8KCLU2YvkjQH7ZN4AcFXnAM9fKhuMCtJYweg!
xTCrDtmTAQyr
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2624

I sent an E-mail to their CEO and told them that being as how they no had anything in their stores that was actually related to *RADIO* of any discription, that perhaps they needed to re-think their name....."Cheap Junk Shack" comes to mind.

-n6ojn

"Percival P. Cassidy" <Nobody@NotMyISP.com> wrote in message
news:XgIJf.17$gU1.1@fe02.lga...
> http://money.cnn.com/2006/02/17/news/companies/radioshack.reut/index.htm
>
> A pity, *perhaps*: they still did carry one or two items of use to radio
> amateurs, and without requiring a long drive or paying more for shipping
> than for the item.
>
> "Perce"
> (aka Alan NV8A)

```
From -5629086852248667862
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe02.lga.POSTED!
53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: PmW-Tb 1.5.0.1 (OS/2/20060211)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FYI: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga>
In-Reply-To: <XgIJf.17$gU1.1@fe02.lga>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <xTJJf.42$gU1.40@fe02.lga>
X-Trace:
ejlmlnpfppkfdeplnjheiglnccekbnochnfhigkoolhmicmghmddohcnabgnacknncnohkaabhndkoefnf
ealbidafnhbcfkcecbeogdhnodpklefhncljepeflieojcdnbi�
NNTP-Posting-Date: Sat, 18 Feb 2006 11:41:33 MST
Date: Sat, 18 Feb 2006 13:41:36 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2625

On 02/18/06 11:52 am Percival P. Cassidy wrote:

> http://money.cnn.com/2006/02/17/news/companies/radioshack.reut/index.htm
>
> A pity, *perhaps*: they still did carry one or two items of use to radio
> amateurs, and without requiring a long drive or paying more for shipping
> than for the item.

Hey! I just noticed that in the subject line I wrote "Radio SChack"
(note the extra "c"). Perhaps my subconscious was telling me that it's
really "Radio Schlock."

"Perce"
(aka Alan NV8A)


From 8793265287960752532
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-
sjc-03!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!
jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: Radio Schack to close up to 700 stores
Date: Sat, 18 Feb 2006 10:06:38 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0602181001540.9510@malasada.lava.net>
In-Reply-To: <1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 31
Xref: g2news1.google.com rec.radio.amateur.equipment:2626

On Sat, 18 Feb 2006, Noon-Air wrote:

> I sent an E-mail to their CEO and told them that being as how they no had
> anything in their stores that was actually related to *RADIO* of any
> discription, that perhaps they needed to re-think their name....."Cheap Junk
> Shack" comes to mind.
>
> -n6ojn
>
> "Percival P. Cassidy" <Nobody@NotMyISP.com> wrote in message
> news:XgIJf.17$gU1.1@fe02.lga...
>> http://money.cnn.com/2006/02/17/news/companies/radioshack.reut/index.htm
>>
>> A pity, *perhaps*: they still did carry one or two items of use to radio
>> amateurs, and without requiring a long drive or paying more for shipping
>> than for the item.
>>
>> "Perce"
>> (aka Alan NV8A)
>
>

Well I for one can understand partly the reason why. It was nigh
impossible to get a Radio Shack catalog in any way shape or form. This was
and is a big part of why we dont use Radio Shack much any longer.
I managed to get one or 2 old catalogs by asking each Radio Shack
if they had old ones under the counter they could give me.   This
is why I petitioned "Mouser" for a catalog and they put me on their
list so I should be getting an updated catalog every quarter.
Joe

From 8154827529717890993
X-Google-Thread: 108122,fa66aabd902d54f5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!eleonora.aioe.org!
emma.aioe.org!aioe.org!acac7b33.ipt.aol.com!user
From: fmmck@aol.com (Fred McKenzie)

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Distored SSB Audio on TX with FT747GX
Date: Sat, 18 Feb 2006 15:29:04 -0500
Organization: Aioe.org NNTP Server
Lines: 23
Message-ID: <fmmck-1802061529040001@acac7b33.ipt.aol.com>
References: <dt6u78$10t$1@news-02.connect.com.au>
NNTP-Posting-Host: EjivhTnvszJKfmk5D9CyvA.user.aioe.org
X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Xref: g2news1.google.com rec.radio.amateur.equipment:2627

In article <dt6u78$10t$1@news-02.connect.com.au>, "me"
<tuskyone(removethis)@yahoo.com.au> wrote:

> Hi, I have a an old FT747GX, it appeared to have a burnt inductor coil on
> the BPF board, and was displaying distorted audio in SSB transmission, I
> wound and replaced the inductor, (L12) but Audio is still distorted, and
> you can hear parts of the Tx audio thru the speaker,
> it has the remote mount head kit,
> would appreciate any ideas, and where to look'

rgds-

It could be as simple as a high SWR, with RF in the shack.

For example, RF energy might be picked up by the speaker cable and coupled back into the speaker audio amplifier. It could be also coupled through the microphone cable.

RF energy can over-drive an audio amplifier so that it amplitude-detects the signal. I can imagine that the "Donald Duck" sound of SSB would appear as distortion in the transmitted audio.

73, Fred, K4DII

From -5339310322897999160
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
attbi_s72.POSTED!53ab2750!not-for-mail
From: "John, N9JG" <john@gotwals.XremoveY.com>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
<Pine.BSI.4.61.0602181001540.9510@malasada.lava.net>
Subject: Re: Radio Schack to close up to 700 stores
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <I%LJf.777101$x96.576390@attbi_s72>
NNTP-Posting-Host: 12.208.96.187
X-Complaints-To: abuse@asp.att.net
X-Trace: attbi_s72 1140296808 12.208.96.187 (Sat, 18 Feb 2006 21:06:48 GMT)
NNTP-Posting-Date: Sat, 18 Feb 2006 21:06:48 GMT
Organization: AT&T ASP.att.net
Date: Sat, 18 Feb 2006 21:06:48 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2628

Well, at least Radio Shack doesn't sell the "Trash 80" anymore.

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0602181001540.9510@malasada.lava.net...
[stuff]
> Well I for one can understand partly the reason why.  It was nigh
> impossible to get a Radio Shack catalog in any way shape or form.  This
> was
> and is a big part of why we dont use Radio Shack much any longer.
> I managed to get one or 2 old catalogs by asking each Radio Shack
> if they had old ones under the counter they could give me.   This
> is why I petitioned "Mouser" for a catalog and they put me on their
> list so I should be getting an updated catalog every quarter.
>                        Joe
>




From 7275024113518817522
X-Google-Thread: 108122,fa66aabd902d54f5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeeds.ihug.co.nz!
ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!not-for-mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Distored SSB Audio on TX with FT747GX
Date: Sun, 19 Feb 2006 07:46:19 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 37
Message-ID: <dt84jj$nfp$1@news-02.connect.com.au>
References: <dt6u78$10t$1@news-02.connect.com.au>
<fmmck-1802061529040001@acac7b33.ipt.aol.com>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1140299187 24057 202.172.125.74 (18 Feb 2006
21:46:27 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Sat, 18 Feb 2006 21:46:27 +0000 (UTC)
X-Priority: 3
```

X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:2629

Tnxs for reply Fred, i should have mentioned, I connected gear to a
Dummload, out put is down a little, plus a low level Motor Boat type noise
on AM and CW carrier, SSB tx is still distorted into DL, with MIC gain
increased to get meter deflection, DISTORTION increases with MIC Gain, also
tried a NEW MiC, same deal, something caused the LPF L12 to burn out

Tnxs again

rgds

"Fred McKenzie" <fmmck@aol.com> wrote in message
news:fmmck-1802061529040001@acac7b33.ipt.aol.com...
> In article <dt6u78$10t$1@news-02.connect.com.au>, "me"
> <tuskyone(removethis)@yahoo.com.au> wrote:
>
>> Hi, I have a an old FT747GX, it appeared to have a burnt inductor coil on
>> the BPF board, and was displaying distorted audio in SSB transmission, I
>> wound and replaced the inductor, (L12) but Audio is still distorted, and
>> you can hear parts of the Tx audio thru the speaker,
>> it has the remote mount head kit,
>> would appreciate any ideas, and where to look'
>
> rgds-
>
> It could be as simple as a high SWR, with RF in the shack.
>
> For example, RF energy might be picked up by the speaker cable and coupled
> back into the speaker audio amplifier. It could be also coupled through
> the microphone cable.
>
> RF energy can over-drive an audio amplifier so that it amplitude-detects
> the signal. I can imagine that the "Donald Duck" sound of SSB would
> appear as distortion in the transmitted audio.
>
> 73, Fred, K4DII

From 6947206199196978042
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!news-east.rr.com!news-
feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!tornado.rdc-
kc.rr.com.POSTED!53ab2750!not-for-mail

```
From: Spirit&Opportunity <littlegreenmen@nospammars.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio Schack to close up to 700 stores
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com>
Lines: 35
Date: Sat, 18 Feb 2006 22:12:08 GMT
NNTP-Posting-Host: 72.131.92.128
X-Complaints-To: abuse@rr.com
X-Trace: tornado.rdc-kc.rr.com 1140300728 72.131.92.128 (Sat, 18 Feb 2006 16:12:08
CST)
NNTP-Posting-Date: Sat, 18 Feb 2006 16:12:08 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2630
```

In article <1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>,
 "Noon-Air" <Noon-Air@comcast.net> wrote:

> I sent an E-mail to their CEO and told them that being as how they no had
> anything in their stores that was actually related to *RADIO* of any
> discription, that perhaps they needed to re-think their name....."Cheap Junk
> Shack" comes to mind.
>
> -n6ojn

The parts I've bought have been good quality. The alternative is to buy
on the internet from Mouser, DigiKey ect. You will pay postage and
shipping and it will be far less handy. If I need a phono jack or plug
now, I can drive a mile and a half and have it here in 20 minutes. From
a mail order place the shipping will cost more than the part and it will
take several days. I also like their scanners.

I hope they don't close the R/S near me.

>
> "Percival P. Cassidy" <Nobody@NotMyISP.com> wrote in message
> news:XgIJf.17$gU1.1@fe02.lga...
> > http://money.cnn.com/2006/02/17/news/companies/radioshack.reut/index.htm
> >
> > A pity, *perhaps*: they still did carry one or two items of use to radio
> > amateurs, and without requiring a long drive or paying more for shipping
> > than for the item.
> >
> > "Perce"
> > (aka Alan NV8A)

```
From 7784463677528120741
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 18 Feb 2006 16:35:38 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
<littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com>
Subject: Re: Radio Schack to close up to 700 stores
Date: Sat, 18 Feb 2006 16:35:39 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <P-idnShPHbOnPGrenZ2dnUVZ_vidnZ2d@comcast.com>
Lines: 36
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-ERltyA89B08tL0zLgTvRoSN2LBElhXAx4zIuIF9nW6Jv0xI4aBCLOL/
qSOtrZn7oM0Dm1+fCfJSoeAT!
AedmVcS40FePYXDU7Yf4GopsHFBvLlAJ4qQ6kbU+Ang6cazH4lPiTM6envTCNwIfLOYk2E4BCIeA!
vuOYSV66odBL
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2631


"Spirit&Opportunity" <littlegreenmen@nospammars.com> wrote in message
news:littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com...
> In article <1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>,
> "Noon-Air" <Noon-Air@comcast.net> wrote:
>
>> I sent an E-mail to their CEO and told them that being as how they no had
>> anything in their stores that was actually related to *RADIO* of any
>> discription, that perhaps they needed to re-think their name....."Cheap
>> Junk
>> Shack" comes to mind.
>>
>> -n6ojn
>
>
> The parts I've bought have been good quality.  The alternative is to buy
> on the internet from Mouser, DigiKey ect.  You will pay postage and
```

> shipping and it will be far less handy. If I need a phono jack or plug
> now, I can drive a mile and a half and have it here in 20 minutes. From
> a mail order place the shipping will cost more than the part and it will
> take several days. I also like their scanners.
>
> I hope they don't close the R/S near me.

I guess I must be blessed as I have a "real" electronics parts house only
about 10 miles away... there are 4 RS stores between here and there. For me
its well worth it to drive the extra miles to get quality parts and
connectors. The last batch of PL-259s I got from RS were all garbage. Every
last one BROKE when screwed down even "finger tight". Their coax is *maybe*
50% shielded.... yeah, real top quality stuff at twice the price of Beldon
RG-8 foam at the "real" supply house. No I don't have a lot of use for RS
anymore.

-n6ojn

```
From -5080255592426159602
X-Google-Thread: 108122,67512b4f8b9e8fbd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-
mail
From: "Dom1127" <motorolaaustralia@exemail.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-480sat Antenna Tuner Query
Date: 18 Feb 2006 14:44:52 -0800
Organization: http://groups.google.com
Lines: 18
Message-ID: <1140302691.981113.253890@o13g2000cwo.googlegroups.com>
References: <1139921128.162545.187670@g43g2000cwa.googlegroups.com>
   <033Jf.48555$dW3.103@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 220.233.171.210
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1140302697 14998 127.0.0.1 (18 Feb 2006 22:44:57 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 18 Feb 2006 22:44:57 +0000 (UTC)
In-Reply-To: <033Jf.48555$dW3.103@newssvr21.news.prodigy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.12) Gecko/
20051010 Firefox/1.0.7 (Ubuntu package 1.0.7),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=220.233.171.210;
   posting-account=eD0rzA0AAABPJYV03wlA3J9AbsXgVJ4i
Xref: g2news1.google.com rec.radio.amateur.equipment:2632
```

Hi.
Thanks Rick for the offer.

I will need to tune as low as 2.020Mhz which is 1 of the emergency
frequencies on the system I am using.

The antenna needs to be very robust as it will be used on a 4WD. Codan
and Barrett specialise in this area but it's hard to find just the A/T
antenna!

I'll do some research into the screwdriver antennas and turbo tuner.

MoonRaker does a great antenna. Here is a link for those interested in
a 2-30Mhz auto tune antenna which is less than 9Ft tall!!!

http://www.moonraker.com.au/ftp/at230.pdf

Thanks, Dom

```
From 2292167059463261178
X-Google-Thread: 108122,46727c7c7dc794e3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Nation NC-183D Reciever
Message-ID: <ndffv1dvseh33h6b57am9nfhvbc3dtnab9@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Sat, 18 Feb 2006 19:37:18 -0500
NNTP-Posting-Host: 69.125.167.162
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1140309437 69.125.167.162 (Sat, 18 Feb 2006 17:37:17 MST)
NNTP-Posting-Date: Sat, 18 Feb 2006 17:37:17 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2633
```

WTB: Nation NC-183D Reciever
Please leave condition and price
through email.
ritchi50@optonline.net

```
From -3615403989417170488
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-
sjc-09!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!jfenn
```

From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Radio Schack to close up to 700 stores
Date: Sat, 18 Feb 2006 18:34:01 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0602181830100.22789@malasada.lava.net>
In-Reply-To: <P-idnShPHbOnPGrenZ2dnUVZ_vidnZ2d@comcast.com>
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
 <littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com>
 <P-idnShPHbOnPGrenZ2dnUVZ_vidnZ2d@comcast.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 47
Xref: g2news1.google.com rec.radio.amateur.equipment:2634

On Sat, 18 Feb 2006, Noon-Air wrote:

>
> "Spirit&Opportunity" <littlegreenmen@nospammars.com> wrote in message
> news:littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com...
>> In article <1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>,
>> "Noon-Air" <Noon-Air@comcast.net> wrote:
>>
>>> I sent an E-mail to their CEO and told them that being as how they no had
>>> anything in their stores that was actually related to *RADIO* of any
>>> discription, that perhaps they needed to re-think their name....."Cheap
>>> Junk
>>> Shack" comes to mind.
>>>
>>> -n6ojn
>>
>>
>> The parts I've bought have been good quality. The alternative is to buy
>> on the internet from Mouser, DigiKey ect. You will pay postage and
>> shipping and it will be far less handy. If I need a phono jack or plug
>> now, I can drive a mile and a half and have it here in 20 minutes. From
>> a mail order place the shipping will cost more than the part and it will
>> take several days. I also like their scanners.
>>
>> I hope they don't close the R/S near me.
>
> I guess I must be blessed as I have a "real" electronics parts house only
> about 10 miles away... there are 4 RS stores between here and there. For me
> its well worth it to drive the extra miles to get quality parts and
> connectors. The last batch of PL-259s I got from RS were all garbage. Every
> last one BROKE when screwed down even "finger tight". Their coax is *maybe*
> 50% shielded.... yeah, real top quality stuff at twice the price of Beldon
> RG-8 foam at the "real" supply house. No I don't have a lot of use for RS
> anymore.

>
> -n6ojn

About the one who mentioned the expense of shipping vs Radio Shack
local stores. Dont forget the "sales" taxes in most states can
override that factor.   We call them "Excise" tax in Hawaii and
believe me shipping from USA will be much cheaper than our
Excise taxes specially on the higher priced items.
    KH6JF

```
From -2188730303710447972
X-Google-Thread: 108122,8a82e0fffdc3d769
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews5.bellsouth.net.POSTED!35f0e4eb!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <XgIJf.17$gU1.1@fe02.lga>
<1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>
<littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com> <P-
idnShPHbOnPGrenZ2dnUVZ_vidnZ2d@comcast.com>
<Pine.BSI.4.61.0602181830100.22789@malasada.lava.net>
Subject: Re: Radio Schack to close up to 700 stores
Lines: 63
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <ZAXJf.20188$Ly6.667@bignews5.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ldjgbllpbapjglppdbdpiflmbcekedmfhojhikkbagflhcbojjeagemmlnnhhjglpkgpbomgfapcljkpkk
clfljlkkhpkcjkjjghnelkageagdaecfhedlaihfpgbpajopiaedobfbgdhpodiefdmmigfcflaijn
NNTP-Posting-Date: Sun, 19 Feb 2006 05:17:29 EST
Organization: BellSouth Internet Group
Date: Sun, 19 Feb 2006 02:34:56 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2635
```

For sure   Nearly 10% sales tax here in Tenn.

I go to KY for much of my shopping and I plan on buying all my new radio
gear
via catalog OUT OF STATE.   Free shipping most places.

"Joseph Fenn" <jfenn@lava.net> wrote in message
news:Pine.BSI.4.61.0602181830100.22789@malasada.lava.net...
>
>
> On Sat, 18 Feb 2006, Noon-Air wrote:
>
>>
>> "Spirit&Opportunity" <littlegreenmen@nospammars.com> wrote in message
>> news:littlegreenmen-5A7E4C.16120218022006@news-rdr-01.rdc-kc.rr.com...
>>> In article <1v6dnSehlJGD9WrenZ2dnUVZ_tudnZ2d@comcast.com>,
>>> "Noon-Air" <Noon-Air@comcast.net> wrote:
>>>
>>>> I sent an E-mail to their CEO and told them that being as how they no
>>>> had
>>>> anything in their stores that was actually related to *RADIO* of any
>>>> discription, that perhaps they needed to re-think their name....."Cheap
>>>> Junk
>>>> Shack" comes to mind.
>>>>
>>>> -n6ojn
>>>
>>>
>>> The parts I've bought have been good quality. The alternative is to buy
>>> on the internet from Mouser, DigiKey ect. You will pay postage and
>>> shipping and it will be far less handy. If I need a phono jack or plug
>>> now, I can drive a mile and a half and have it here in 20 minutes. From
>>> a mail order place the shipping will cost more than the part and it will
>>> take several days. I also like their scanners.
>>>
>>> I hope they don't close the R/S near me.
>>
>> I guess I must be blessed as I have a "real" electronics parts house only
>> about 10 miles away... there are 4 RS stores between here and there. For
>> me
>> its well worth it to drive the extra miles to get quality parts and
>> connectors. The last batch of PL-259s I got from RS were all garbage.
>> Every
>> last one BROKE when screwed down even "finger tight". Their coax is
>> *maybe*
>> 50% shielded.... yeah, real top quality stuff at twice the price of
>> Beldon
>> RG-8 foam at the "real" supply house. No I don't have a lot of use for RS
>> anymore.
>>
>> -n6ojn
>
> About the one who mentioned the expense of shipping vs Radio Shack
> local stores. Dont forget the "sales" taxes in most states can
> override that factor.   We call them "Excise" tax in Hawaii and
> believe me shipping from USA will be much cheaper than our
> Excise taxes specially on the higher priced items.
>   KH6JF
>

>

```
From 7478308027826218314
X-Google-Thread: fc8b1,eb0c36e3323f59e1,start
X-Google-Thread: 108122,eb0c36e3323f59e1,start
X-Google-Thread: 106d41,eb0c36e3323f59e1,start
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!cox.net!news-
xfer.cox.net!p01!fed1read02.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: FS: Coax, Connectors & Adapters
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <iA3If.26917$sA3.1351@fed1read02>
Date: Mon, 13 Feb 2006 09:46:49 -0800
NNTP-Posting-Host: 64.58.167.76
X-Complaints-To: abuse@cox.net
X-Trace: fed1read02 1139852686 64.58.167.76 (Mon, 13 Feb 2006 12:44:46 EST)
NNTP-Posting-Date: Mon, 13 Feb 2006 12:44:46 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2874
rec.radio.amateur.equipment:2536 rec.radio.cb:5851
```

For your free copy of our new catalog,

Please email sales@AAARFProducts.com

or see www.aaarfproducts.com

or call 949 481 3154 (San Clemente, CA, USA)

No minimum order.

No handling charges.

```
From 3993423089712256343
X-Google-Thread: f55c2,a732077147fbb581
X-Google-Thread: 108122,a732077147fbb581
X-Google-Thread: 107ada,a732077147fbb581
X-Google-Thread: 1109af,a732077147fbb581
X-Google-Attributes: gidf55c2,gid108122,gid107ada,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!logbridge.uoregon.edu!
nntp.newsfirst.net!dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups: alt.ham-
radio.mods,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,re
c.radio.swap
References: <_XHmf.89$1b.82@trndny03> <439f1159$0$21353@dingus.crosslink.net>
<KQbHf.4970$yK1.2932@news-server.bigpond.net.au>
Subject: Re: Yaesu FT-8900 Programing Software
Date: Mon, 13 Feb 2006 15:32:12 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 6
Message-ID: <43f0ecd0$0$4809@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.24
X-Trace: dingus.crosslink.net 1139862736 4809 207.199.164.24
Xref: g2news1.google.com alt.ham-radio.mods:50 rec.radio.amateur.equipment:2537
rec.radio.amateur.misc:4571 rec.radio.swap:2642

> > > I am looking for a copy of the software that is used to program the
> > FT-8900

http://www.rtsars.com/yaesu_Template.cfm?yaesupage=ADMS2H




From 6373721589127279295
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Feb 2006 14:39:58 -0600
From: J. Teske <jdteske@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Mon, 13 Feb 2006 15:39:58 -0500
Message-ID: <tjr1v1d3i0beaj831nj336j4a3rod7so63@4ax.com>
References: <43f0b248@usenet.zapto.org>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
NNTP-Posting-Host: 68.55.189.180
X-Trace: sv3-TJ9kz7t2HZ3wPJSULYp1wZzer7mr54FMfQ4eAwLUEABzuAVeAIvOE/
oRFAbn3y1JnQeiDjvoLGMim0j!
2CBfNrhOh3PxRDCsyua63wKDgP1ExHHVAWXhNEgRCLQ4rKH6EGLiMTXR3sRM0GJb35JTud3Rg0hk!tj/
```

```
zZGGYRQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2538

I have forwarded this Ebay ad to the FCC.


On Mon, 13 Feb 2006 11:20:54 -0500, "KB2SMS" <KB2SMS@invalid.net>
wrote:

>http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem




From 2993962585558701261
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!green.octanews.net!news-
out.octanews.net!auth.news-1.mpls.iphouse.com.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA AWESOME VARMINT CB LINEAR
From: Bert Hyman <bert@iphouse.com>
References: <43f0b248@usenet.zapto.org>
<tjr1v1d3i0beaj831nj336j4a3rod7so63@4ax.com>
Organization: Not so you'd notice
Message-ID: <Xns9769981C2A6F6VeebleFetzer@127.0.0.1>
User-Agent: Xnews/2005.10.18
Date: 13 Feb 2006 20:56:30 GMT
Lines: 16
NNTP-Posting-Date: 13 Feb 2006 14:56:30 CST
NNTP-Posting-Host: 344ab676.auth.newsreader.iphouse.com
X-Trace:
DXC=Xo123UL[3cRSKHVFU=m96]e=fFUe;FGEYFbE0<hKBJT_`^L]i;0lBS\D1kiRiW\QFTZgRhQGSTe:^h
6Q1TR0cFnVSm]9NbUV4QW?=4lCXHE;lX
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2539

jdteske@comcast.net (J. Teske) wrote in
news:tjr1v1d3i0beaj831nj336j4a3rod7so63@4ax.com:

> I have forwarded this Ebay ad to the FCC.

If you care, such ads are forbidden by eBays own terms.


> On Mon, 13 Feb 2006 11:20:54 -0500, "KB2SMS" <KB2SMS@invalid.net>
```

> wrote:
>
>>http://cgi.ebay.com/V

--
Bert Hyman | St. Paul, MN | bert@iphouse.com

From 8898667458773772004
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeeds.sol.net!posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
Date: Mon, 13 Feb 2006 15:22:27 -0600
From: Jayseebee <Jayseebee@nowhere.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
References: <43f0b248@usenet.zapto.org>
In-Reply-To: <43f0b248@usenet.zapto.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <43f0f89b$0$3753$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 13 Feb 2006 21:22:35 GMT
NNTP-Posting-Host: cf810153.news.twtelecom.net
X-Trace: DXC=b;0NBOnXeFbfPeRN`>Q>=dC_A=>8kQj6m=_1NR_H?JPmF]USd2<XW:a;M\7oLJi^d`dD\4^O:L[:`
X-Complaints-To: abuse@twtelecom.net
Xref: g2news1.google.com rec.radio.cb:5853 rec.radio.amateur.equipment:2540 rec.radio.swap:2643

Per eBay:
CB amplifiers: The FCC does not permit the use of power amplifiers with Citizens Band radios. Therefore, eBay prohibits any listings of the following:

* CB amplifiers
* Amplifiers specified for use on the 11 Meter band
* Amplifiers designed for use in frequencies 24 MHz to 35MHz
* Amplifiers posted within the CB category
* CB Radios that are amplified to exceed 4 Watts using the AM Settings or 12 Watts using the SSB settings

```
KB2SMS wrote:
> BE LOUD AND PROUD!
>
> http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem
>
>



From 7270673274523211057
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups: rec.radio.amateur.equipment
References: <43f0b248@usenet.zapto.org>
<tjr1v1d3i0beaj831nj336j4a3rod7so63@4ax.com>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Mon, 13 Feb 2006 16:39:27 -0500
Lines: 14
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43f0fcf2@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news3.google.com!news.glorb.com!news2.volia.net!
koehntopp.de!news.erinye.com!rouhivuori!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2541

shut op asshat
>
"J. Teske" <jdteske@comcast.net> wrote in message
news:tjr1v1d3i0beaj831nj336j4a3rod7so63@4ax.com...
>I have forwarded this Ebay ad to the FCC.
>
>
> On Mon, 13 Feb 2006 11:20:54 -0500, "KB2SMS" <KB2SMS@invalid.net>
> wrote:
>
>>http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem
>




From -7916064192024524065
X-Google-Thread: 108122,db71f43e8d245178
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups: rec.radio.amateur.equipment
References: <43f0b248@usenet.zapto.org>
<tjr1v1d3i0beaj831nj336j4a3rod7so63@4ax.com>
<Xns9769981C2A6F6VeebleFetzer@127.0.0.1>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Mon, 13 Feb 2006 16:40:36 -0500
Lines: 22
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43f0fd36$1@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news3.google.com!news.glorb.com!feeder.z74.net!
news.z74.net!news.jgaa.com!rouhivuori!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2542


"Bert Hyman" <bert@iphouse.com> wrote in message
news:Xns9769981C2A6F6VeebleFetzer@127.0.0.1...
> jdteske@comcast.net (J. Teske) wrote in
> news:tjr1v1d3i0beaj831nj336j4a3rod7so63@4ax.com:
>
>> I have forwarded this Ebay ad to the FCC.
>
> If you care, such ads are forbidden by eBays own terms.
>
Are you related to Bust-her Hyman, asshat?
>
>> On Mon, 13 Feb 2006 11:20:54 -0500, "KB2SMS" <KB2SMS@invalid.net>
>> wrote:
>>
>>>http://cgi.ebay.com/V
>
>
> --
> Bert Hyman | St. Paul, MN | bert@iphouse.com




From 2902923806152785261
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newsfeed.stanford.edu!
```

newsfeed.news.ucla.edu!ihnp4.ucsd.edu!sdd.hp.com!news-pa1.hpl.hp.com!
news.compaq.com!newsfeed1.sea.pnap.net!newsfeed.pnap.net!motgate2.mot.com!
newshost!avnika.corp.mot.com!engnntp2.cig.mot.com!not-for-mail
From: "Steve Nosko" <suteuve.nosukowicuz@moutouroula.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB mic wiring
Date: Mon, 13 Feb 2006 14:58:22 -0600
Organization: Motorola Engineering Computing
Lines: 22
Message-ID: <dsqrte$cu2$1@engnntp2.cig.mot.com>
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
NNTP-Posting-Host: 173.27.201.179
X-Trace: engnntp2.cig.mot.com 1139864302 13250 173.27.201.179 (13 Feb 2006 20:58:22 GMT)
X-Complaints-To: news@cig.mot.com
NNTP-Posting-Date: Mon, 13 Feb 2006 20:58:22 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.amateur.equipment:2543

The question to seek is WHY are they there?

The "courtesy tones" serve a purpose (yes that is a funny name and I don't know where it started, but)...to tell when the timer is reset.
73, Steve, K9DCI

"Ken C" <cprstn54@att.net> wrote in message
news:9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com...
> On Fri, 10 Feb 2006 15:15:25 -0800, "Caveat Lector"
> <UALLBeware@9984reader.com> wrote:
> >Hi Ken -- ignore the nasty replies
>
> I always ignore the crackpots; most have no lives and nothing to say
> of value.
>
> Well, NASA uses roger beep with its astronauts and ham repeaters use
> them all the time, but call them courtesy tones. So I see no problem
> with experimenting on SSB, especially with folks I know who have no
> objection. Especially if the tone if not loud or extravagant.
>

From -8066968917669313993
X-Google-Thread: 114671,f8a5ea1da12db81c,start
X-Google-Thread: 1109af,f8a5ea1da12db81c,start
X-Google-Thread: 108122,f8a5ea1da12db81c,start
X-Google-Attributes: gid114671,gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news1.optus.net.au!optus!snewsf0.syd.ops.aspac.uu.net!ken-
transit.news.telstra.net!lon-in.news.telstra.net!news.telstra.net!news-
server.bigpond.net.au!53ab2750!not-for-mail
From: alandeletethisdevlin@bigREMOVEpond.com
Newsgroups: aus.radio.amateur.misc,rec.radio.swap,rec.radio.amateur.equipment
Subject: FS : 1296 Mhz High Power (35 Watts) Amplifiers
Message-ID: <43f10b5d.3718792@news-server>
X-Newsreader: Forte Free Agent 1.11/32.235
Lines: 22
Date: Mon, 13 Feb 2006 22:51:04 GMT
NNTP-Posting-Host: 155.143.223.245
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1139871064 155.143.223.245 (Tue, 14 Feb 2006
09:51:04 EST)
NNTP-Posting-Date: Tue, 14 Feb 2006 09:51:04 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com aus.radio.amateur.misc:2487 rec.radio.swap:2646
rec.radio.amateur.equipment:2544

Gidday All,
                this Posting to advise I have several of these High
Power (35 Watts min) Linear Amplifiers available For Sale.
One is currently listed on eBay here...
http://cgi.ebay.com/1296-Mhz-LINEAR-Amplifier-HIGH-POWER-35-Watts-
more_W0QQitemZ7588553632QQcategoryZ25392QQssPageNameZWDVWQQrdZ1QQcmdZViewItem
.... or simply Search on "1296 Mhz"

Additional information can also be found on my Website as per below.

Questions : Email me. I will gladly provide more information.

Cheers & thank you.

Alan - VK3XPD.

Alan Devlin.

RF RESALE... where Honesty & Integrity are paramount !
Melbourne, Australia.

WEB PAGE URL  http://www.users.bigpond.com/alandevlin/index.html



From -4418805184895224339
X-Google-Thread: 108122,6852f0b22e47900f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-
mail
From: pjmpc2000@yahoo.com
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: FA:Kenwood TS-820 Ham Transceiver
Date: 13 Feb 2006 16:50:20 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1139878220.690948.132320@g43g2000cwa.googlegroups.com>
NNTP-Posting-Host: 204.42.27.143
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139878225 18218 127.0.0.1 (14 Feb 2006 00:50:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Feb 2006 00:50:25 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=204.42.27.143;
   posting-account=wgiBEgwAAAB_dBh_tcFCNmpXYsoLGGvP
Xref: g2news1.google.com rec.radio.amateur.equipment:2545
```

http://cgi.ebay.com/Kenwood-TS-820-HF-Transceiver-Ham-Radio-CB_W0QQitemZ5866369664QQcategoryZ40067QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

---

```
From 7143200054419785341
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Attributes: gid114aac,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-
sjc-07!sn-xt-sjc-09!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-
for-mail
From: william <williamw2@flash.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Date: Mon, 13 Feb 2006 21:11:50 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <43F16696.BD3CBEC7@gvtc.net>
X-Mailer: Mozilla 4.7 [en]C-CCK-MCD EZN47  (Win98; I)
X-Accept-Language: en
MIME-Version: 1.0
References: <43e8cb61$1@usenet.zapto.org>
<c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news1.google.com rec.radio.shortwave:23184
rec.radio.amateur.equipment:2546 rec.radio.swap:2649
```

Hey Fred!   dont you want to loud and proud on your amp?

Also, tell what is it your concern what someone sells on this damn newsgrp!

If i want to sell some pot or new meds, that means your gonna go tell the local cops?

Remember now, theres a freedom of speech ethics here.

Carefull what your wishing for, all I say is to watch your back. In these days you can never

be too safe.

and last you think the FCC is going to do anything to fix the crap thats going on the hf bands today?

Hams bands have gone to hell! I say sell them all to highest bidder to commerce, and world use.

and let the "New World Order" take over.

The New World Order is here!

willey.

From -8599966446942507540
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Attributes: gid114aac,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Feb 2006 21:28:45 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap
References: <43e8cb61$1@usenet.zapto.org>
<c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET> <43F16696.BD3CBEC7@gvtc.net>
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Date: Mon, 13 Feb 2006 21:28:45 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <d9idnYO2ubnw02zenZ2dnUVZ_sudnZ2d@comcast.com>
Lines: 39
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-1WLEAZvMxvpWIUeF0KHOYGsso3Za42g4Ed/8YLp0Ler11mTpjfi05iJD0M2Q/
5aKg102z/INZ57gyCo!
Fo3RT+IH1LH0UneFxtMoyk8NFyBw0PmVKpho483+hqhHw2QG+pRTPCklnNqx0KChqgz0VacmA5W2!
nQ437nJIE5MH
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.shortwave:23187
rec.radio.amateur.equipment:2547 rec.radio.swap:2650

The last time I was "loud and proud" was after eating at Taco Bell

"william" <williamw2@flash.net> wrote in message
news:43F16696.BD3CBEC7@gvtc.net...
> Hey Fred!   dont you want to loud and proud on your amp?
>
> Also,   tell what is it your concern what someone sells on this damn
> newsgrp!
>
> If i want to sell some pot or new meds,   that means your gonna go tell
> the local cops?
>
> Remember now, theres a freedom of speech ethics here.
>
> Carefull what your wishing for,   all I say is to watch your
> back.   In these days you can never
>
> be too safe.
>
>
> and last you think the FCC is going to do anything to fix the crap thats
> going on the hf bands today?
>
> Hams bands have gone to hell!   I say sell them all to highest bidder
> to commerce,   and world use.
>
>
> and let the "New World Order"   take over.
>
>
>
> The New World Order is here!
>
>
>

```
> willey.
>




From -8302032217488729224
X-Google-Thread: fc8b1,eb0c36e3323f59e1
X-Google-Thread: 108122,eb0c36e3323f59e1
X-Google-Thread: 106d41,eb0c36e3323f59e1
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: POLISH,Latin2
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Feb 2006 22:31:32 -0600
Date: Mon, 13 Feb 2006 23:31:32 -0500
From: Scott in Baltimore <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: FS: Coax, Connectors & Adapters
References: <iA3If.26917$sA3.1351@fed1read02>
In-Reply-To: <iA3If.26917$sA3.1351@fed1read02>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <WoednUD-LKy5wGzeRVn-gA@comcast.com>
Lines: 10
NNTP-Posting-Host: 69.251.50.95
X-Trace: sv3-X0zPy7InO/d35nhWmL9jBD9WGbz0Mc24Du6v4WXZ/
MrOMA8V5KPkcr4fYxB1kCtoVRrWCRmguqW0Mvr!UUyn/
qvLGNP7OQjB1AtHq1lTh0dHb4KR3zp49eKB79SoHBbs71ESrUcRvOMok4LfFUIHJV0=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2885
rec.radio.amateur.equipment:2548 rec.radio.cb:5858

SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM

Can I get some eggs, toast and coffee with that?
```

```
From 3948453305787058745
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
router2.astraweb.com!news.astraweb.com!router1.astraweb.com!sn-xt-sjc-04!sn-xt-
sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Tue, 14 Feb 2006 01:23:50 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11v31c78qbss204@corp.supernews.com>
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news1.google.com rec.radio.cb:5873 rec.radio.amateur.equipment:2549
rec.radio.swap:2653

"Jayseebee" <Jayseebee@nowhere.com> wrote in message
news:43f0f89b$0$3753$39cecf19@news.twtelecom.net...
> Per eBay:
> CB amplifiers: The FCC does not permit the use of power amplifiers with
> Citizens Band radios. Therefore, eBay prohibits any listings of the
> following:
>
>     *      CB amplifiers
>     *      Amplifiers specified for use on the 11 Meter band
>     *      Amplifiers designed for use in frequencies 24 MHz to 35MHz
>     *      Amplifiers posted within the CB category
>     *      CB Radios that are amplified to exceed 4 Watts using the AM
> Settings or 12 Watts using the SSB settings
>
>
>
> KB2SMS wrote:
>> BE LOUD AND PROUD!
>>
>> http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem

It's a ham selling it, so it must be legal.
```

From -7900551564878621197
X-Google-Thread: fc8b1,eb0c36e3323f59e1
X-Google-Thread: 108122,eb0c36e3323f59e1
X-Google-Thread: 106d41,eb0c36e3323f59e1
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!
news.astraweb.com!router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-
sjc-07!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
Subject: Re: FS: Coax, Connectors & Adapters
Date: Tue, 14 Feb 2006 01:26:59 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11v31i41d7n3o2f@corp.supernews.com>
References: <iA3If.26917$sA3.1351@fed1read02> <WoednUD-LKy5wGzeRVn-gA@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2888
rec.radio.amateur.equipment:2550 rec.radio.cb:5874

"Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
news:WoednUD-LKy5wGzeRVn-gA@comcast.com...
spam snipped to prevent clogged arteries....
>
> Can I get some eggs, toast and coffee with that?

You don't actually eat that do you? We dumped that on the britts back in
WW2. Caused more casualties than the Nazi's. LOL

From 5523474490621885080
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newscon02.news.prodigy.com!newscon06.news.prodigy.com!prodigy.net!news-
east.rr.com!news-wrt-01.rdc-nyc.rr.com!news-feed-01.rdc-nyc.rr.com!news.rr.com!
news-out.nyc.rr.com!news-wrt-01.rdc-nyc.rr.com.POSTED!53ab2750!not-for-mail
From: Fred Garvin <garv@elaborate.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Message-ID: <20060214063727168O7%garv@elaboratenet>

```
References: <11v31c78qbss204@corp.supernews.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: Re: FA AWESOME VARMINT CB LINEAR
User-Agent: Unison/1.6.2
Lines: 11
Date: Tue, 14 Feb 2006 11:37:24 GMT
NNTP-Posting-Host: 24.161.95.233
X-Complaints-To: abuse@rr.com
X-Trace: news-wrt-01.rdc-nyc.rr.com 1139917044 24.161.95.233 (Tue, 14 Feb 2006
06:37:24 EST)
NNTP-Posting-Date: Tue, 14 Feb 2006 06:37:24 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.cb:5877 rec.radio.amateur.equipment:2551
rec.radio.swap:2654
```

On 2006-02-14 02:23:50 -0500, "Dr.Death" <drdeath@nospam.yahoo.com> said:

> It's a ham selling it, so it must be legal.

It's not a ham selling it, it's a no life moron bootlegging the guy's call.

Not sure why he's doing it, must of had a hissy fit over something the other guy posted somewhere. It's an old technique that's useless.

```
From 8844083995220259124
X-Google-Thread: 108122,1f33f2977b0d7136,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!proxad.net!
feeder3.cambrium.nl!feed.tweaknews.nl!216.196.110.149.MISMATCH!
border2.nntp.ams.giganews.com!border1.nntp.ams.giganews.com!nntp.giganews.com!
newsfeed101.telia.com!nf02.dk.telia.net!130.227.3.89.MISMATCH!newsfeed1.uni2.dk!
news.get2net.dk.POSTED!53ab2750!not-for-mail
From: "Michael" <ccc73571@vip.cybercity.dk>
Newsgroups: rec.radio.amateur.equipment
Subject: Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C
Lines: 47
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <0QjIf.46$583.43@news.get2net.dk>
Date: Tue, 14 Feb 2006 13:13:40 +0100
NNTP-Posting-Host: 83.72.227.48
X-Complaints-To: abuse-dk@tele2.com
X-Trace: news.get2net.dk 1139919228 83.72.227.48 (Tue, 14 Feb 2006 13:13:48 CET)
```

NNTP-Posting-Date: Tue, 14 Feb 2006 13:13:48 CET
Organization: Tele2 Internet Kunde
Xref: g2news1.google.com rec.radio.amateur.equipment:2552

I have been playing around with receiving AIS (Automatic Identification System) signals. AIS is used on ships, it is used to send information about your position, etc via VHF to the surrounding ships. But know this started to get a bit boring. So know I wan to try to se if it is possibly to receive the VMS signals from Inmarsat-C. The VMS system is manly used on fishing vessels. On the ship there is a box with a gps and satellite tranciver. The position information is send each hour, to a land earth station, were it is distributed to the different authorities.

The first thing is to receive the signals. But also to decrypt the data can be complicated.

Any help or advices are welcome. Also if you have some good links to people ho have been dealing with projects like this, could be useful.

Cheers Michael

Receiving VMS (Vessel Monitoring Signals) from Inmarsat-C

I have been playing around with receiving AIS (Automatic Identification System) signals. AIS is used on ships, it is used to send information about your position, etc via VHF to the surrounding ships. But know this started to get a bit boring. So know I wan to try to se if it is possibly to receive the VMS signals from Inmarsat-C. The VMS system is manly used on fishing vessels. On the ship there is a box with a gps and satellite tranciver. The position information is send each hour, to a land earth station, were it is distributed to the different authorities.

The first thing is to receive the signals. But also to decrypt the data can be complicated.

Any help or advices are welcome. Also if you have some good links to people ho have been dealing with projects like this, could be useful.

Cheers Michael

```
From 5007680052398350034
X-Google-Thread: 108228,5c737e7b762bc0ac,start
X-Google-Thread: 108122,5c737e7b762bc0ac,start
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Feb 2006 06:25:43 -0600
Subject: FA: 1-Day-Left: 3 Pro Books: OPTICS, OPTICAL ENGINEERING, LASERS, THIN
FILMS, ELECTRONICS, etc.
Date: Tue, 14 Feb 2006 07:25:43 -0500
From: Evan <evan@esmiaolwsd.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Message-ID: <140220060725431756%evan@esmiaolwsd.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.65.176.179
X-Trace: sv3-tp7ONDe6VJb45Uk5FvkqHegniN9xAEbetaap1R1yIJrtHKTCxHM6q45IZZqOu/
tATa0xRyjQHFivsgg!T8tAFye/
ym2+SELWr0jyDecN8nyDuIec+6Yj18+tfMiCBXe8SGWHBmu4tuEVF4bajPaMiGHuWICS!
ah3oMU2A+OXXbQ4S4Z7L4w==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com alt.ham-radio.marketplace:579
rec.radio.amateur.equipment:2553
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4611982940

```
From 320316639977471848
X-Google-Thread: 108228,ebfd9fe1080d4067,start
X-Google-Thread: fcc6e,ebfd9fe1080d4067,start
X-Google-Thread: 108122,ebfd9fe1080d4067,start
X-Google-Thread: 1062f2,ebfd9fe1080d4067,start
X-Google-Attributes: gid108228,gidfcc6e,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Feb 2006 06:26:27 -0600
Subject: FA: 1-Day-Left: Book: SPREAD SPECTRUM SYSTEMS: An Advanced Electronics/
Math Book
Date: Tue, 14 Feb 2006 07:26:27 -0500
From: Evan <evan@esmiaolwsd.com>
```

```
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.antenna,rec.radio.amateur.equipment,misc.indus
try.electronics.marketplace
Message-ID: <140220060726274389%evan@esmiaolwsd.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.65.176.179
X-Trace: sv3-
XgJ0Hk8v1zvJQNI1W3Eu0gl9PjwM7H2oUsD38Sq5npHyVxkivI8qBj3kKo4lGO63SJAfoeh3HYhtBIB!
IqVchHn6wTBkEmJidPIXe9OIWpyGOFKGn4lQrKPAYX5hPEtRH3MyQ+iire3qoJ+YP8Hsj4igND8m!
V5GkSzbxiEWKhD4oXfir7w==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com alt.ham-radio.marketplace:580
rec.radio.amateur.antenna:6329 rec.radio.amateur.equipment:2554
misc.industry.electronics.marketplace:283


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4611984617



From 7685488653520328545
X-Google-Thread: 108122,67512b4f8b9e8fbd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-
mail
From: "Dom1127" <motorolaaustralia@exemail.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-480sat Antenna Tuner Query
Date: 14 Feb 2006 04:45:28 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1139921128.162545.187670@g43g2000cwa.googlegroups.com>
NNTP-Posting-Host: 220.233.171.210
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139921133 20837 127.0.0.1 (14 Feb 2006 12:45:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 14 Feb 2006 12:45:33 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.12) Gecko/
20051010 Firefox/1.0.7 (Ubuntu package 1.0.7),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=220.233.171.210;
   posting-account=eD0rzA0AAABPJYV03wlA3J9AbsXgVJ4i
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2555
```

Hi,
I am looking at purchasing one of these radio. I would like to use it
in the car and I am wondering what the lowest frequency I can tune into
on a mobile antenna. I wouldn't want to go to much bigger than a 7-9
foot whip.

Also, is there any radio which will tune below 7mhz on a 7-9ft (or
smaller) whip? I know Codan make an antenna tuner that will do it.

Thanks, Dom

```
From 5118586937555872218
X-Google-Thread: 108122,67512b4f8b9e8fbd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Feb 2006 07:06:51 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <1139921128.162545.187670@g43g2000cwa.googlegroups.com>
Subject: Re: Kenwood TS-480sat Antenna Tuner Query
Date: Tue, 14 Feb 2006 07:06:52 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <rYidnTHwK7d2SGzeRVn-gg@comcast.com>
Lines: 22
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-ghvCCvkj/j6qtKFHF2rBHGOzFZEhdY3bzB24bqV1dJJ6dS4xzmMK/
SuRElgg1hc49eSxN8fdD5DBBbQ!09kaTTQ3gkYo+lXk1CiAK1jVE/
ht7zgmJKvmCU5RxYLTOlg6ckJOzo0YD7Vq2LbMzeZZhEe0j80=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2556
```

"Dom1127" <motorolaaustralia@exemail.com.au> wrote in message
news:1139921128.162545.187670@g43g2000cwa.googlegroups.com...

> Hi,
> I am looking at purchasing one of these radio. I would like to use it
> in the car and I am wondering what the lowest frequency I can tune into

> on a mobile antenna. I wouldn't want to go to much bigger than a 7-9
> foot whip.
>
> Also, is there any radio which will tune below 7mhz on a 7-9ft (or
> smaller) whip? I know Codan make an antenna tuner that will do it.
>
> Thanks, Dom

Use a screwdriver antenna with a Turbo-Tuner...then you can use the 'HX
instead of the 'SAT. That extra 100 watts comes in real handy especially in
the mobile. Talk to the folks at Tarheel antennas.... they did right by me.

73
-n6ojn

From -2904244059579459960
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Thread: 106d41,7d9f40e938cc97eb
X-Google-Attributes: gid114aac,gid108122,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
From: "JB" <1963@cybertime.net>
Date: Tue, 14 Feb 2006 10:01:07 -0800
Message-ID: <dst5ti$1f3f$1@madmax.keyway.net>
References: <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
<2006020805432750073%garv@elaboratenet> <11ul7qqca8nu4d7@corp.supernews.com>
<11ul8bqenmalmd0@corp.supernews.com>
Lines: 36
NNTP-Posting-Host: dialup-216-117-207-033.cybertime.net
Organization: Keyway Internet Services www.keyway.net
Path: g2news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!38.119.100.148.MISMATCH!news-out2.newsfeeds.com!local!
sp6iad.superfeed.net!propagator-sterling.newsfeeds.com!in.nntp.be!news.keyway.net!
not-for-mail
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
X-Trace: madmax.keyway.net 1139940082 48239 216.117.207.33 (14 Feb 2006 18:01:22
GMT)
X-Complaints-To: abuse@keyway.net
NNTP-Posting-Date: Tue, 14 Feb 2006 18:01:22 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Xref: g2news1.google.com rec.radio.shortwave:23266
rec.radio.amateur.equipment:2557 rec.radio.swap:2657 rec.radio.cb:5883

I know for a fact those things were designed by W6LVT

ac6tk (just a kid then)

"Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
news:11ul8bqenmalmd0@corp.supernews.com...
> "Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
> news:11ul7qqca8nu4d7@corp.supernews.com...
> > "Fred Garvin" <garv@elaborate.net> wrote in message
> > news:20060208054327500730%garv@elaboratenet...
> >> On 2006-02-07 11:48:55 -0500, "Fred W4JLE" <w4jle@w4jle.com> said:
> >>
> >>> I have forwarded your message to Riley, you may now explain to him why
a
> >>> holder of an amateur radio license would be in violation of FCC
> >>> regulations.
> >>>
> >>> Fred W4JLE
> >>
> >>
> >> The guy is bootlegging that email address. The real SMS did not post
it.
> >> It's an old lame ass internet trick....
> >>
> >>
> > Quit trying to defend him Fred.
> >
>
> It's a well known fact that KB2SMS and N8WWM sell CB amps. Google up Doug
> Adair N8WWM and you will see that selling CB amps and crappy homemade
> antennas are there specialty.
>
>

From -8905904015824732780
X-Google-Thread: 108122,67512b4f8b9e8fbd
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!news.newsland.it!
eleonora.aioe.org!emma.aioe.org!aioe.org!aca8cd90.ipt.aol.com!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-480sat Antenna Tuner Query
Date: Tue, 14 Feb 2006 14:25:24 -0500
Organization: Aioe.org NNTP Server
Lines: 27
Message-ID: <fmmck-1402061425240001@aca8cd90.ipt.aol.com>
References: <1139921128.162545.187670@g43g2000cwa.googlegroups.com>
NNTP-Posting-Host: 1WKlhqA7S0aOh8yc8euNlA.user.aioe.org

X-Complaints-To: abuse@aioe.org
User-Agent: NewsWatcher-X 2.2.3b2
Xref: g2news1.google.com rec.radio.amateur.equipment:2558

In article <1139921128.162545.187670@g43g2000cwa.googlegroups.com>,
"Dom1127" <motorolaaustralia@exemail.com.au> wrote:

> I am looking at purchasing one of these radio. I would like to use it
> in the car and I am wondering what the lowest frequency I can tune into
> on a mobile antenna. I wouldn't want to go to much bigger than a 7-9
> foot whip.
>
> Also, is there any radio which will tune below 7mhz on a 7-9ft (or
> smaller) whip? I know Codan make an antenna tuner that will do it.

Dom-

My TS-480SAT can tune the 40 Meter phone band, but only 1/2 to 2/3 of the
75 Meter phone band using the appropriate Hustler resonator and mast.

You are asking too much of a built-in tuner. The specs of built-in tuners
usally say the antenna must have an SWR of 3:1 maximum. Because of
component values, they may match a wider range on the higher bands, but
not on 75 and 40 Meters.

To do what you want, you should consider N6OJN's suggestion, or look at
one of the separate tuners that companies like Kenwood and Icom have for
their respective equipment. MFJ, LDG and SGC also make external auto
tuners.

73, Fred, K4DII

From 8642503748043385892
X-Google-Thread: 108122,ef018c52890f4faa,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Electric Radio Mags
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <u3sIf.4358$Nq1.1885@dukeread11>
Date: Tue, 14 Feb 2006 15:36:18 -0600
NNTP-Posting-Host: 68.109.222.250
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1139952986 68.109.222.250 (Tue, 14 Feb 2006 16:36:26 EST)
NNTP-Posting-Date: Tue, 14 Feb 2006 16:36:26 EST

Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2559

I have the first 15 years of Electric Radio from 1989 thru 2003 for sale for
$200. There are a few issues
missing, but most years are complete. Some copies from 2004 and 2005 are
included along with 4 duplicate copies from 91, 93, and 03. Thanks, Charlie
Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From -4967130940831564124
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Thread: 106d41,7d9f40e938cc97eb
X-Google-Attributes: gid114aac,gid108122,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
newscon02.news.prodigy.com!newscon06.news.prodigy.com!prodigy.net!news-
east.rr.com!be1.texas.rr.com!cyclone.austin.rr.com!news.rr.com!
tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
References: <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
<20060208054327500073%garv@elaboratenet> <11ul7qqca8nu4d7@corp.supernews.com>
<11ul8bqenmalmd0@corp.supernews.com> <dst5ti$1f3f$1@madmax.keyway.net>
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Message-ID: <CasIf.8348$Ob5.1302@tornado.texas.rr.com>
Date: Tue, 14 Feb 2006 21:44:02 GMT
NNTP-Posting-Host: 24.175.14.188
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1139953442 24.175.14.188 (Tue, 14 Feb 2006 15:44:02
CST)
NNTP-Posting-Date: Tue, 14 Feb 2006 15:44:02 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.shortwave:23320
rec.radio.amateur.equipment:2560 rec.radio.swap:2659 rec.radio.cb:5896

"JB" <1963@cybertime.net> wrote in message
news:dst5ti$1f3f$1@madmax.keyway.net...
>I know for a fact those things were designed by W6LVT
>
> ac6tk (just a kid then)
>

I don't know what he really designed. It appears to be a standard 12 volt amp kludged onto the back of a 12 volt power supply. Of course, he did add some kind of metering, and moved the control switches to the front of the power supply, but if that's designing, I have designed cars, computers, and of course every home I have lived in since I could push a dresser around.

```
From 5584454197758383092
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Thread: 106d41,7d9f40e938cc97eb
X-Google-Attributes: gid114aac,gid108122,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060214164933.815$l4@newsreader.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
References: <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
<2006020805432750073%garv@elaboratenet> <11ul7qqca8nu4d7@corp.supernews.com>
<11ul8bqenmalmd0@corp.supernews.com> <dst5ti$1f3f$1@madmax.keyway.net>
X-NRC-Trace: NewsReader.Com dRlmNaKZDEWZQqUJ0FNo/eH@6wRwI2+,e=gXk_Awlq+Qj+f2Q
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 14 Feb 2006 21:48:36 GMT
Lines: 6
NNTP-Posting-Host: 498a63c9.nr3.newsreader.com
X-Trace:
DXC=\f7\T7f1MD38>O8N3G^:67OA8_@f\K_i2dZW`2c`iHQ6E6N83:D]`a>Nd7biGRhQT7<SVPgDF]AC4F
2ET>nn9kj<
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.shortwave:23323
rec.radio.amateur.equipment:2561 rec.radio.swap:2660 rec.radio.cb:5898
```

"JB" <1963@cybertime.net> wrote:
> I know for a fact those things were designed by W6LVT
>
> ac6tk (just a kid then)

```
>
Was he ever a CBer?



From -7991658928220663462
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Thread: 106d41,7d9f40e938cc97eb
X-Google-Attributes: gid114aac,gid108122,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060214170956.284$P3@newsreader.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
References: <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
<2006020805432750073%garv@elaboratenet> <11ul7qqca8nu4d7@corp.supernews.com>
<11ul8bqenmalmd0@corp.supernews.com> <dst5ti$1f3f$1@madmax.keyway.net>
<CasIf.8348$Ob5.1302@tornado.texas.rr.com>
X-NRC-Trace: NewsReader.Com FvapzDl3i7rzKm+jxQLDtMJPOxM.yOsMAoAJGoaL+Qjxq0J
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 14 Feb 2006 22:08:59 GMT
Lines: 16
NNTP-Posting-Host: 0e9ca6c3.nr3.newsreader.com
X-Trace:
DXC=;_dK<A\3\LiH@YX4M7Gb5mOA8_@f\K_ibdZW`2c`iHQfULj:h7E6kOjNd7biGRhQTg<SVPgDF]ACdM
ZeFY4LJKai
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.shortwave:23330
rec.radio.amateur.equipment:2562 rec.radio.swap:2661 rec.radio.cb:5899

"U-Know-Who" <no-one@nowhere.com> wrote:
> "JB" <1963@cybertime.net> wrote in message
> news:dst5ti$1f3f$1@madmax.keyway.net...
> >I know for a fact those things were designed by W6LVT
> >
> > ac6tk (just a kid then)
> >
>
> I don't know what he really designed. It appears to be a standard 12 volt
> amp kludged onto the back of a 12 volt power supply. Of course, he did
> add some kind of metering, and moved the control switches to the front of
> the power supply, but if that's designing, I have designed cars,
> computers, and of course every home I have lived in since I could push a
> dresser around.
>
Show off!
```

```
From -4803550804794220129
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-
sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Im your worse dream!" <dreamstation@dfw.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Tue, 14 Feb 2006 20:04:55 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <43F2A867.EE89D594@dfw.net>
X-Mailer: Mozilla 4.7 [en]C-CCK-MCD EZN47  (Win98; I)
X-Accept-Language: en
MIME-Version: 1.0
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 6
Xref: g2news1.google.com rec.radio.cb:5906 rec.radio.amateur.equipment:2563
rec.radio.swap:2670
```

You mean you dont want to loud and proud?

dreamstation.

```
From 7476886952146948166
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!
sn-xt-sjc-02!sn-xt-sjc-01!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!
not-for-mail
From: "Im your worse dream!" <dreamstation@dfw.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Tue, 14 Feb 2006 20:05:19 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <43F2A87F.DD429C3A@dfw.net>
X-Mailer: Mozilla 4.7 [en]C-CCK-MCD EZN47  (Win98; I)
X-Accept-Language: en
```

```
MIME-Version: 1.0
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <11v31c78qbss204@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 2
Xref: g2news1.google.com rec.radio.cb:5907 rec.radio.amateur.equipment:2564
rec.radio.swap:2671

Its legal in TX!




From -2120557980245646538
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newsfeed.stanford.edu!
sn-xt-sjc-03!sn-xt-sjc-10!sn-xt-sjc-01!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Im your worse dream!" <dreamstation@dfw.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Tue, 14 Feb 2006 20:06:30 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <43F2A8C6.DCD1EEEB@dfw.net>
X-Mailer: Mozilla 4.7 [en]C-CCK-MCD EZN47  (Win98; I)
X-Accept-Language: en
MIME-Version: 1.0
References: <11v31c78qbss204@corp.supernews.com>
<20060214063727l6807%garv@elaboratenet>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news1.google.com rec.radio.cb:5908 rec.radio.amateur.equipment:2565
rec.radio.swap:2672

Fred,     what concern is it of yours?


You need to keep your damn noose out of this one!


Im watching!





dreamstation.
```

```
From -2833179627147314146
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Feb 2006 20:27:38 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <11v31c78qbss204@corp.supernews.com>
<43F2A87F.DD429C3A@dfw.net>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Tue, 14 Feb 2006 20:27:39 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <75-dne9MMOEHDG_eRVn-tQ@comcast.com>
Lines: 9
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-jrjULg4oJoBZXeQ4QCpiXdu/
J907g+f7MtcBZ3tuzYkMsfjc8FwBc4IhiRy6HrOLJTHsUnIqvKYoO4o!
ui0TDBevSeUFy9x5xux69s7JKNwsqwjQHCRh+KDop9e1OdkeQM7BCNo0olpK+qr/6MmTZQZzRCE=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.cb:5911 rec.radio.amateur.equipment:2566
rec.radio.swap:2673

Since when did Texas not have to comply with 47CFR95 Subpart D??
Specifically 95.411

"Im your worse dream!" <dreamstation@dfw.net> wrote in message
news:43F2A87F.DD429C3A@dfw.net...
> Its legal in TX!
>
```

```
From -1364440443292985037
X-Google-Thread: 106d41,db71f43e8d245178
```

```
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Feb 2006 20:30:55 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Tue, 14 Feb 2006 20:30:56 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
Lines: 25
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-LZdSx73t6Y0/lAMsJcIDxNCFmyKT2NIU8J+5/
nyG1y2jGT0HmPOybofHy+suL5mlECGvwvevekAaqCd!qaKsRFe3NOKP17X1cK6pkZqP/
9OengCtbx5arTynBRGI89iviFJXNo3ieseE3GzSEFOOggpt4xM=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.cb:5912 rec.radio.amateur.equipment:2567
rec.radio.swap:2674
```

"Jayseebee" <Jayseebee@nowhere.com> wrote in message
news:43f0f89b$0$3753$39cecf19@news.twtelecom.net...

> Per eBay:
> CB amplifiers: The FCC does not permit the use of power amplifiers with
> Citizens Band radios. Therefore, eBay prohibits any listings of the
> following:
>
> *   CB amplifiers
> *   Amplifiers specified for use on the 11 Meter band
> *   Amplifiers designed for use in frequencies 24 MHz to 35MHz
> *   Amplifiers posted within the CB category
> *   CB Radios that are amplified to exceed 4 Watts using the AM
> Settings or 12 Watts using the SSB settings

To further this, according to 47CFR95 its illegal to even have a CB
amplifier in your posession.

>

> KB2SMS wrote:
>> BE LOUD AND PROUD!
>>
>> http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem

From 3641755196538199375
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 14 Feb 2006 20:31:35 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <43F2A867.EE89D594@dfw.net>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Tue, 14 Feb 2006 20:31:36 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <98udnZS095EaD2_enZ2dnUVZ_tCdnZ2d@comcast.com>
Lines: 12
NNTP-Posting-Host: 68.63.237.38
X-Trace:
sv3-55ue3u88osZDRvRZMlV49RTzqeYVrf39Mi5NNBBriF0nklW8+rI8pfQRfgnxA9Y2wA42kGH2q/
aJtdn!i/Jc0O/
umapI7OfFcNAQqgneRyumZMcfspV4rdCMC0VgeesHLS+wMEqbkWc0F7+Lgd7P9vpqYTqX!igxhoYPxu109
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.cb:5913 rec.radio.amateur.equipment:2568
rec.radio.swap:2675

The last time I was "loud and proud" was after eating at Taco Bell

"Im your worse dream!" <dreamstation@dfw.net> wrote in message
news:43F2A867.EE89D594@dfw.net...
> You mean you dont want to loud and proud?
>
>

```
>
> dreamstation.
>




From 495600282570984062
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!news-
out.readnews.com!news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: FA AWESOME VARMINT CB LINEAR
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060214213441.410$yN@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <43F2A867.EE89D594@dfw.net>
<98udnZS095EaD2_enZ2dnUVZ_tCdnZ2d@comcast.com>
X-NRC-Trace: NewsReader.Com qspc9yFP6iKTZkYojeydJfYajvfg5g@DsHfqL@XQEQrlT6B
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 15 Feb 2006 02:33:42 GMT
Lines: 13
NNTP-Posting-Host: 260e328f.nr3.newsreader.com
X-Trace:
DXC=9[[1ON@37I]3:V=D?:7:U]OA8_@f\K_iRdZW`2c`iHQViJncFO0aI\_Nd7biGRhQTW<@WejEU8`Y[?
5Fd:<8EVUS
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:5914 rec.radio.amateur.equipment:2569
rec.radio.swap:2676

Eat some ice cream and keep that to yourself please.

"Noon-Air" <Noon-Air@comcast.net> wrote:
> The last time I was "loud and proud" was after eating at Taco Bell
>
> "Im your worse dream!" <dreamstation@dfw.net> wrote in message
> news:43F2A867.EE89D594@dfw.net...
> > You mean you dont want to loud and proud?
> >
> >
> >
> > dreamstation.
> >


From -4604984296972614172
```

```
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsgate.cistron.nl!amsnews11.chello.com!feeder1.cambrium.nl!feed.tweaknews.nl!
news.netcologne.de!nhp.netcologne.de!sn-ams-06!sn-xt-ams-05!sn-post-ams-02!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Wed, 15 Feb 2006 02:00:06 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11v5ns6s2949k5f@corp.supernews.com>
References: <11v31c78qbss204@corp.supernews.com>
<2006021406372716807%garv@elaboratenet>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news1.google.com rec.radio.cb:5929 rec.radio.amateur.equipment:2570
rec.radio.swap:2677

"Fred Garvin" <garv@elaborate.net> wrote in message
news:2006021406372716807%garv@elaboratenet...
> On 2006-02-14 02:23:50 -0500, "Dr.Death" <drdeath@nospam.yahoo.com> said:
>>
>> It's a ham selling it, so it must be legal.
>>
>
> It's not a ham selling it, it's a no life moron bootlegging the guy's
> call.
>
> Not sure why he's doing it, must of had a hissy fit over something the
> other guy posted somewhere. It's an old technique that's useless.
>
>
 No, it is a ham. Randall, Thomas P, KB2SMS (General)
8 Peter Cooper Dr
Poughkeepsie, NY 12601
Who happens to be a AKC nut that is in love with N8




From -1391738565834466722
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
```

```
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!feed20.multikabel.net!
multikabel.net!feed10.multikabel.net!feeder1.cambrium.nl!feed.tweaknews.nl!
138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-08!sn-post-ams-01!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Wed, 15 Feb 2006 02:04:57 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11v5o57j1lsthb6@corp.supernews.com>
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 9
Xref: g2news1.google.com rec.radio.cb:5930 rec.radio.amateur.equipment:2571
rec.radio.swap:2678
```

"Noon-Air" <Noon-Air@comcast.net> wrote in message
news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
snipped

> To further this, according to 47CFR95 its illegal to even have a CB
> amplifier in your posession.
>

Wrong. You can own one, you cannot have it connected or transmit with it.

```
From 2819278395722311061
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Feb 2006 07:32:01 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Wed, 15 Feb 2006 07:32:02 -0600
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <1IadnRR6jbDPsG7eRVn-gQ@comcast.com>
Lines: 20
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-WAIshe9vH5yvF+VEqS5YbmEZ5fNct2GmPmVLPmqY7CdVUxF/
KpC816iM0MCtBlSPgmAevPO2uWcunPE!
poHIhIscSoQbGuo06gZcnMCwyuxUiabXqJRkMwKEkZUyZoSuriGrG7hpW/fTceIFNyRZgKKBkBw=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.cb:5933 rec.radio.amateur.equipment:2572
rec.radio.swap:2680


"Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
news:11v5o57j1lsthb6@corp.supernews.com...
> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
> snipped
>> To further this, according to 47CFR95 its illegal to even have a CB
>> amplifier in your posession.
>>
> Wrong. You can own one, you cannot have it connected or transmit with it.

Spend a couple of bucks, buy Code of Federal Regulations 47, then *read*
part 95, as well as part 97. Then maybe.....

BTW.. the book is available through the US Government Printing Office.
http://bookstore.gpo.gov/dynamic/actions/GetPublication?
stocknumber=869-056-00196-7
You should really have one in your shack for reference material so you will
actually have a clue.




From -4470984823080321293
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!wn14feed!
worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <43F35048.BD7BF7B6@varmit_lovers_amps.net>
From: Kyle <varmit_lover@varmit_lovers_amps.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
```

X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Wed, 15 Feb 2006 16:01:13 GMT
NNTP-Posting-Host: 12.76.243.16
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1140019273 12.76.243.16 (Wed, 15 Feb
2006 16:01:13 GMT)
NNTP-Posting-Date: Wed, 15 Feb 2006 16:01:13 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.cb:5939 rec.radio.amateur.equipment:2573
rec.radio.swap:2681

Can he use it when transmitting into his dummy load?

Not a real Bird dummy load but one of them
10,000 W ERP verticals attached to his truck
with the genset trailer to power the entire setup !

Yes, the 10Kw vertical with the tophat that
you find on ebay all the time, hooked up with
rg8 'belden' brand (no markings on coax !)

kyle

"Dr.Death" wrote:

> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
> snipped
> > To further this, according to 47CFR95 its illegal to even have a CB
> > amplifier in your posession.
> >
> Wrong. You can own one, you cannot have it connected or transmit with it.

From -8629265347628972816
X-Google-Thread: 108122,38199922aa51237d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
out1.kabelfoon.nl!newsfeed.kabelfoon.nl!bandi.nntp.kabelfoon.nl!zen.net.uk!
demorgan.zen.co.uk!194.72.9.35.MISMATCH!news-peer1!btnet-feed5!btnet!
news.btopenworld.com!not-for-mail
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>

Newsgroups: rec.radio.amateur.equipment
Subject: New Program : OP_ANGLE
Date: Wed, 15 Feb 2006 17:54:45 +0000 (UTC)
Organization: Private individual
Lines: 21
Message-ID: <dsvpt5$9er$1@nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com>
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
NNTP-Posting-Host: host86-138-18-130.range86-138.btcentralplus.com
X-Trace: nwrdmz01.dmz.ncs.ea.ibs-infra.bt.com 1140026085 9691 86.138.18.130 (15 Feb 2006 17:54:45 GMT)
X-Complaints-To: news-complaints@lists.btinternet.com
NNTP-Posting-Date: Wed, 15 Feb 2006 17:54:45 +0000 (UTC)
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MSMail-Priority: Normal
X-Priority: 3
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Xref: g2news1.google.com rec.radio.amateur.equipment:2574

New Program   - OP_ANGLE.exe

This program assists with understanding, choosing and setting the operating angles of Class-B and Class-C RF power amplifiers.

The operating angle underlies all performance characteristics.

Although RF operating conditions for tubes can be set up using manufacturers' data sheets, the program refers to use of a tube's Operating Characteristic Curves.

Download program OP_ANGLE in a few seconds from website below. Not zipped up. Run immediately. File size = 39 kilobytes.

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

From -3515060820442950134
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: N7ZZT - Eric Oyen <n7zzt@127.0.0.1>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Followup-To: rec.radio.cb

References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<11v5o57j1lsthb6@corp.supernews.com>
Lines: 22
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
X-No_Archive: yes
Message-ID: <FcKIf.4433$Nq1.4404@dukeread11>
Date: Wed, 15 Feb 2006 11:14:51 -0700
NNTP-Posting-Host: 68.3.196.178
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1140027301 68.3.196.178 (Wed, 15 Feb 2006 13:15:01 EST)
NNTP-Posting-Date: Wed, 15 Feb 2006 13:15:01 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.cb:5941 rec.radio.amateur.equipment:2575
rec.radio.swap:2684

Dr.Death wrote:

> "Noon-Air" <Noon-Air@comcast.net> wrote in message
> news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
> snipped
>> To further this, according to 47CFR95 its illegal to even have a CB
>> amplifier in your posession.
>>
> Wrong. You can own one, you cannot have it connected or transmit with it.
The FCC has taken the stance that: "possession is sufficient to prove
guilt".

so, even *if* you don't have one hooked up, you are still in violation of 47
cfr 95 et al while in possession.

--
DE N7ZZT
Eric Oyen
Phoenix, Arizona
e-mail: n7zzt(at)hotmail(dot)com
the difference between intelligence and stupidity is that intelligence
has its limits.

From -7968161238635178545
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-
xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: FA AWESOME VARMINT CB LINEAR

```
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060215135347.591$mZ@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <11v31c78qbss204@corp.supernews.com>
<20060214063727l6807%garv@elaboratenet> <11v5ns6s2949k5f@corp.supernews.com>
X-NRC-Trace: NewsReader.Com cLh37bfq=FVFL9+X0MXRSni1AcC+MusjHJKQtQ,2FDhOKUoZ
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 15 Feb 2006 18:52:40 GMT
Lines: 22
NNTP-Posting-Host: 81068ee2.nr3.newsreader.com
X-Trace: DXC=nTmFdU[bKD3l32mjdd0WB1OA8_@f\K_i2dZW`2c`iHQ61Pj065l?\
\;Nd7biGRhQT7<SVPgDF]AC4H_K9AR;IKY=
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:5944 rec.radio.amateur.equipment:2576
rec.radio.swap:2685

"Dr.Death" <drdeath@nospam.yahoo.com> wrote:
> "Fred Garvin" <garv@elaborate.net> wrote in message
> news:20060214063727l6807%garv@elaboratenet...
> > On 2006-02-14 02:23:50 -0500, "Dr.Death" <drdeath@nospam.yahoo.com>
> > said:
> >>
> >> It's a ham selling it, so it must be legal.
> >>
> >
> > It's not a ham selling it, it's a no life moron bootlegging the guy's
> > call.
> >
> > Not sure why he's doing it, must of had a hissy fit over something the
> > other guy posted somewhere. It's an old technique that's useless.
> >
> >
>  No, it is a ham. Randall, Thomas P, KB2SMS (General)
> 8 Peter Cooper Dr
> Poughkeepsie, NY 12601
> Who happens to be a AKC nut that is in love with N8
>
Tommy pee the akc.


From 3841361943679255863
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 15 Feb 2006 13:03:06 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Wed, 15 Feb 2006 13:03:07 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <W8adnZJ6j8R2527enZ2dnUVZ_s-dnZ2d@comcast.com>
Lines: 84
NNTP-Posting-Host: 68.63.237.38
X-Trace:
sv3-8rdH4vZDP3CmgfSh05MOhjrKf1lHr1wLQtjVrlfVWTUNZJpmOgFMzogwBn7uQuBpGMfUKvF4MRo3eO
l!F5cqSq6MMfrtVz6uJfynvf6Hap+dxAKuViKqEB2oR1cRsM4SmvBvxX1tENvLdZmTIOUvMaZNyrB4!
zX0zH6RS2Xwu
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2577


"Noon-Air" <Noon-Air@comcast.net> wrote in message news:...
>
> "N7ZZT - Eric Oyen" <n7zzt@127.0.0.1> wrote in message
> news:FcKIf.4433$Nq1.4404@dukeread11...
>> Dr.Death wrote:
>>
>>> "Noon-Air" <Noon-Air@comcast.net> wrote in message
>>> news:fvidnSpLl-fCD2_eRVn-ig@comcast.com...
>>> snipped
>>>> To further this, according to 47CFR95 its illegal to even have a CB
>>>> amplifier in your posession.
>>>>
>>> Wrong. You can own one, you cannot have it connected or transmit with
>>> it.
>> The FCC has taken the stance that: "possession is sufficient to prove
>> guilt".
>>
>> so, even *if* you don't have one hooked up, you are still in violation of
>> 47
>> cfr 95 et al while in possession.
>
> Thats the way it reads in the book.
>
> Sec. 95.410  (CB Rule 10) How much power may I use?
>
>    (a) Your CB station transmitter power output must not exceed the
> following values under any conditions:
>
>    AM (A3)--4 watts (carrier power) SSB--12 watts (peak envelope power)
>
```

```
>    (b) If you need more information about the power rule, see the
> technical rules in subpart E of part 95.
>    (c) Use of a transmitter which has carrier or peak envelope power in
> excess of that authorized voids your authority to operate the station.
>
> Sec. 95.411  (CB Rule 11) May I use power amplifiers?
>
>    (a) You may not attach the following items (power amplifiers) to
> your certificated CB transmitter in any way:
>    (1) External radio frequency (RF) power amplifiers (sometimes called
> linears or linear amplifiers); or
>    (2) Any other devices which, when used with a radio transmitter as a
> signal source, are capable of amplifying the signal.
>    (b) There are no exceptions to this rule and use of a power
> amplifier voids your authority to operate the station.
>    (c) The FCC will presume you have used a linear or other external RF
> power amplifier if--
>
> [[Page 537]]
>
>    (1) It is in your possession or on your premises; and
>    (2) There is other evidence that you have operated your CB station
> with more power than allowed by CB Rule 10, Sec. 95.410.
>    (d) Paragraph (c) of this section does not apply if you hold a
> license in another radio service which allows you to operate an external
> RF power amplifier.
>
> (personal note)... as per the ops at the FCC Livermore monitoring
> station..... the "HAM" license "exemption" doesn't count for a CB *only*
> amplifier.
>
> Sec. 95.421  (CB Rule 21) What are the penalties for violating these
> rules?
>
>    (a) If the FCC finds that you have willfully or repeatedly violated
> the Communications Act or the FCC Rules, you may have to pay as much as
> $10,000 for each violation, up to a total of $75,000. (See section
> 503(b) of the Communications Act.)
>    (b) If the FCC finds that you have violated any section of the
> Communications Act or the FCC Rules, you may be ordered to stop whatever
> action caused the violation. (See section 312(b) of the Communications
> Act.)
>    (c) If a Federal court finds that you have willfully and knowingly
> violated any FCC Rule, you may be fined up to $500 for each day you
> committed the violation. (See section 502 of the Communications Act.)
>    (d) If a Federal court finds that you have willfully and knowingly
> violated any provision of the Communications Act, you may be fined up to
> $10,000 or you may be imprisoned for one year, or both. (See section 501
> of the Communications Act.)
>
>
```

```
From -1156476917902121224
X-Google-Thread: 108122,9497b7a02be18ef9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!peer01.cox.net!cox.net!p01!
dukeread05.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted WARC forCL-33 M
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <vCLIf.90205$4l5.84401@dukeread05>
Date: Wed, 15 Feb 2006 13:50:45 -0600
NNTP-Posting-Host: 68.98.253.240
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1140033051 68.98.253.240 (Wed, 15 Feb 2006 14:50:51 EST)
NNTP-Posting-Date: Wed, 15 Feb 2006 14:50:51 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2578

I am looking for the CL-33-M-WARC Kit to convert a Mosley CL-33-M to a
CL-33-M WARC so that I can work the WARC Bands on my Mosley Beam. The Kit
must be complete and in good shape and shippable to 79602. Please e-mail
your price and the condition of the kit. Thanks, Charlie Hugg, K5MBX


--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com




From -7190909297358703218
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!news.giganews.com.POSTED!not-for-
mail
NNTP-Posting-Date: Wed, 15 Feb 2006 15:33:50 -0600
From: tnom@mucks.net
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
```

```
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Wed, 15 Feb 2006 16:33:50 -0500
Organization: Group One News Network
Message-ID: <gd77v1t49i7gcipu894ud6nsri74o0ajmb@4ax.com>
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
X-Trace: sv3-cB02n2JJVYGQ+2WJBWSh0ZP2Gq+4KZ7hzaHZXkRltAMHpOoxgACoU8lJHHR2p/
tPDLlfIozSYfelK60!CPh0yL76yfpodqncUiQOnbnFaP4QQ6C3eCYgyfsTenmz0Ik727oGG6z7Xl/
XNKGsAqQk18g=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.cb:5947 rec.radio.amateur.equipment:2579
rec.radio.swap:2689
```

>To further this, according to 47CFR95 its illegal to even have a CB
>amplifier in your posession.

You should take a reading comprehension course.

Quoting 47CFR95 http://www.firecommunications.com/47cfr95.txt

" (c) The FCC will presume you have used a linear or other external RF power amplifier if--

[[Page 537]]

    (1) It is in your possession or on your premises; and
    (2) There is other evidence that you have operated your CB station with more power than allowed by CB Rule 10, Sec. 95.410."

```
From 3779840984656751769
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newsfeed00.sul.t-online.de!t-online.de!news-
spur1.maxwell.syr.edu!news.maxwell.syr.edu!newsfeeds.sol.net!
posts.news.twtelecom.net!nnrp3.twtelecom.net!not-for-mail
```

```
Date: Wed, 15 Feb 2006 16:29:07 -0600
From: Jayseebee <Jayseebee@nowhere.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: FA AWESOME VARMINT CB LINEAR
References: <43f0b248@usenet.zapto.org>
In-Reply-To: <43f0b248@usenet.zapto.org>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <43f3ab38$0$3767$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 15 Feb 2006 22:29:14 GMT
NNTP-Posting-Host: bf37f991.news.twtelecom.net
X-Trace: DXC=f1d[^OF>e]UQZDch=kU29[C_A=>8kQj6]=_1NR_H?JP]?
k]2i_U:A>VbjGd:C7^WQ[BGHoO2RRWER
X-Complaints-To: abuse@twtelecom.net
Xref: g2news1.google.com rec.radio.cb:5948 rec.radio.amateur.equipment:2580
rec.radio.swap:2690

Pretty Kewl, eBay has removed this listing because it was a prohibited
item for eBay!!

JCB



KB2SMS wrote:
> BE LOUD AND PROUD!
>
> http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem
>
>



From 1788077361194262699
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: "U-Know-Who" <no-one@nowhere.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<43f3ab38$0$3767$39cecf19@news.twtelecom.net>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Lines: 19
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Response
Message-ID: <VbOIf.20309$7y1.808@tornado.texas.rr.com>
Date: Wed, 15 Feb 2006 22:47:17 GMT
NNTP-Posting-Host: 24.175.14.188
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1140043637 24.175.14.188 (Wed, 15 Feb 2006 16:47:17
CST)
NNTP-Posting-Date: Wed, 15 Feb 2006 16:47:17 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.cb:5949 rec.radio.amateur.equipment:2581
rec.radio.swap:2691


"Jayseebee" <Jayseebee@nowhere.com> wrote in message
news:43f3ab38$0$3767$39cecf19@news.twtelecom.net...
> Pretty Kewl, eBay has removed this listing because it was a prohibited
> item for eBay!!
>
> JCB


No stupid, you just chose a link that didn't work. Only has 2 hours left.
Bid now!

Use this link:

http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5867393171QQcategoryZ48700QQrdZ1QQcmdZViewItem






From 6741724905837715381
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!news-out.readnews.com!
news-xxxfer.readnews.com!nr3.newsreader.com.POSTED!not-for-mail
Subject: Re: FA AWESOME VARMINT CB LINEAR
From: Steveo <moparholic@hotmail.com>
Organization: 30GB/month http://newsreader.com/
Message-ID: <20060215175759.765$wE@newsreader.com>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
<43f3ab38$0$3767$39cecf19@news.twtelecom.net>
```

```
<VbOIf.20309$7y1.808@tornado.texas.rr.com>
X-NRC-Trace: NewsReader.Com OpozbV2URCdChQtJgW07pc=EZyyp.63z8hj,8fV0GE,NZOaM1D
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Date: 15 Feb 2006 22:56:50 GMT
Lines: 17
NNTP-Posting-Host: 89f2497f.nr3.newsreader.com
X-Trace: DXC=5YM?
^nDUM:Xd`FSJlDWmOTOA8_@f\K_iRdZW`2c`iHQVL\VabU^6k`UNd7biGRhQTW<@WejEU8`Y[:W]CKImRR
o\
X-Complaints-To: abuse@newsreader.com
Xref: g2news1.google.com rec.radio.cb:5950 rec.radio.amateur.equipment:2582
rec.radio.swap:2692

"U-Know-Who" <no-one@nowhere.com> wrote:
> "Jayseebee" <Jayseebee@nowhere.com> wrote in message
> news:43f3ab38$0$3767$39cecf19@news.twtelecom.net...
> > Pretty Kewl, eBay has removed this listing because it was a prohibited
> > item for eBay!!
> >
> > JCB
>
> No stupid, you just chose a link that didn't work. Only has 2 hours left.
> Bid now!
>
> Use this link:
>
> http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-TUBE-LINEAR-AMPLIFIER-AMP_W0QQ
> itemZ5867393171QQcategoryZ48700QQrdZ1QQcmdZViewItem
>
Can't afford the tubes, especially portable.


From 2628245595213409109
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: N7ZZT - Eric Oyen <n7zzt@127.0.0.1>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Followup-To: rec.radio.cb
References: <43f0b248@usenet.zapto.org>
<43f0f89b$0$3753$39cecf19@news.twtelecom.net> <fvidnSpLl-fCD2_eRVn-ig@comcast.com>
<gd77v1t49i7gcipu894ud6nsri74o0ajmb@4ax.com>
Lines: 35
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
```

```
X-No_Archive: yes
Message-ID: <5FQIf.4448$Nq1.1188@dukeread11>
Date: Wed, 15 Feb 2006 18:34:46 -0700
NNTP-Posting-Host: 68.3.196.178
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1140053697 68.3.196.178 (Wed, 15 Feb 2006 20:34:57 EST)
NNTP-Posting-Date: Wed, 15 Feb 2006 20:34:57 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.cb:5953 rec.radio.amateur.equipment:2583
rec.radio.swap:2693

tnom@mucks.net wrote:

>
>>To further this, according to 47CFR95 its illegal to even have a CB
>>amplifier in your posession.
>
> You should take a reading comprehension course.
>
> Quoting 47CFR95 http://www.firecommunications.com/47cfr95.txt
>
> " (c) The FCC will presume you have used a linear or other external RF
> power amplifier if--
>
> [[Page 537]]
>
>     (1) It is in your possession or on your premises; and
>     (2) There is other evidence that you have operated your CB station
> with more power than allowed by CB Rule 10, Sec. 95.410."
care then to explain the fines they have issued over the last 10 years or so
to folks that were heard on the air, but were found not to have said
"linears" hooked up? they still got fined.

even though 47 cfr 95 doesn't explicitly state it, if you are caught with an
amp in your possession, you are as guilty as someone who uses one. end of
story.

another concept you should wrap your brain around: "guilt by association".

--
DE N7ZZT
Eric Oyen
Phoenix, Arizona
e-mail: n7zzt(at)hotmail(dot)com
the difference between intelligence and stupidity is that intelligence
has its limits.


From -4305086729990829834
X-Google-Thread: 108122,898ebf0a7dfb842b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
```

```
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
transit3.readnews.com!news-out.readnews.com!news.infoave.net!not-for-mail
From: KI4ECX <jts1981@highland.nospam.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - MFJ-949E Antenna Tuner
Date: Wed, 15 Feb 2006 21:31:20 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 11
Message-ID: <43F3E3F8.4090400@highland.nospam.net>
NNTP-Posting-Host: 204.116.38.29
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news3.infoave.net 1140057093 293654 204.116.38.29 (16 Feb 2006 02:31:33
GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Thu, 16 Feb 2006 02:31:33 +0000 (UTC)
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
Xref: g2news1.google.com rec.radio.amateur.equipment:2584
```

MFJ-949E Manual antenna tuner for sale.

This unit is like new, less than five hours use.

Includes the instruction manual and a 12 volt adapter to hook up to your power supply to illuminate the watt/swr meter.

$100

please remove the nospam from the email to reply or mail to ki4ecx at arrl dot net

```
From 6506030618324277606
X-Google-Thread: fc8b1,eb0c36e3323f59e1
X-Google-Thread: 108122,eb0c36e3323f59e1
X-Google-Thread: 106d41,eb0c36e3323f59e1
X-Google-Attributes: gidfc8b1,gid108122,gid106d41,public
X-Google-Language: POLISH,Latin2
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!peer01.cox.net!cox.net!p01!
dukeread07.POSTED!53ab2750!not-for-mail
Reply-To: " Uncle Peter" <radioconnectionNO@cox.netSPAM>
From: " Uncle Peter" <radioconnectionNO@cox.netSPAM>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.cb
References: <iA3If.26917$sA3.1351@fed1read02> <WoednUD-LKy5wGzeRVn-gA@comcast.com>
Subject: Re: FS: Coax, Connectors & Adapters
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
```

```
Message-ID: <SkSIf.64015$bF.38748@dukeread07>
Date: Wed, 15 Feb 2006 22:29:43 -0500
NNTP-Posting-Host: 70.188.158.185
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1140060594 70.188.158.185 (Wed, 15 Feb 2006 22:29:54 EST)
NNTP-Posting-Date: Wed, 15 Feb 2006 22:29:54 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2921
rec.radio.amateur.equipment:2585 rec.radio.cb:5958


"Scott in Baltimore" <sDcOoNtTtS_PuAnMiMtE_69@yahoo.com> wrote in message
news:WoednUD-LKy5wGzeRVn-gA@comcast.com...
> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
> SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM SPAM
>
> Can I get some eggs, toast and coffee with that?

Monty Python fan???





From 1150323769694549318
X-Google-Thread: 108122,8b46034052607dd3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Feb 2006 07:45:34 -0600
From: Gary P. Fiber <gfiber@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need help cloning or programming an Icom F3S handheld.
Date: Fri, 10 Feb 2006 05:45:31 -0800
Reply-To: gfiber@comcast.net
Message-ID: <ug5pu1hvc1orptunqhkk9jpsenb4npru85@4ax.com>
References: <1139407513.100431.274730@o13g2000cwo.googlegroups.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 41
NNTP-Posting-Host: 24.19.188.39
X-Trace: sv3-0lAumBkipzbEAUufB6U270+o7Sub1gt46fQmUzD04Q7Plke4O1UFeB55/
galr195JFpDOSXReHb2jKr!
JSaBnK7qO7viVsAwAlhKF4fgVeJ76xWfF5msrxrmKl8UaNbWkTekpqwgytIfbLxg+ixG6XQrW/aw!
```

ZRhbgfY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2484

On 8 Feb 2006 06:05:13 -0800, "TimBob" <tmize57@juno.com> wrote:

>My brother sent me an Icom F3S handheld, nice radio if I can get it
>reprogrammed. I built a cloning cable and found a cloning program for
>the Icom F3, but it doesnt seem to work with the F3S. Does anyone have
>the cloning program? I would even be willing to send the radio to you
>to have it programmed and compensate for any time involved. Thanks for
>your time and consideration on the matter.
>Tim Mize N7XAU
>tmize57@juno.com

Tim,

The cloning cable has a RS-232 to TTL level converter, hope you built one with the converter. The F3 / F3S will not connect directly to a computer RS-232 port.

The cloning programs are the same. The F3S is a simpler radio, without the DTMF keypad.

I don't have the F3 information at hand but you do need to place the F# into cloning mode, usually by holding down a button while powering up the radio.

When using the program you need to first READ the radio contents into the program. Icom's have hidden data in the radio that you can't input yourself.

Starting the cloning program and trying to reprogram the radio without first   reading   the contents of the radio will cause cloning to fail. The hidden data gets over written with empty numbers.

To fix that see if someone can send you an Icom .icf file for an F3 / F3S. They are the same if the frequency coverage is the same. Load up that .icf and clone the radio, now read the radio back into the program and make your frequency changes. and clone the radio again. Save the modified file as your .icf.

I hope some of this helps

Gary K8IZ

From -6676770044819873522

```
X-Google-Thread: 108122,3f86c308bc301b42
X-Google-Thread: 108778,3f86c308bc301b42
X-Google-Attributes: gid108122,gid108778,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!atl-
c03.usenetserver.com!news.usenetserver.com!elnk-atl-nf1!newsfeed.earthlink.net!
news-feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: Dennis <k4oxg@tampabay.rr.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,alt.radio.amateur
Subject: Re: Mobile Rig
References: <yqTGf.1442$Ly6.639@bignews5.bellsouth.net>
In-Reply-To: <yqTGf.1442$Ly6.639@bignews5.bellsouth.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <wP0Hf.7687$_c.5465@tornado.tampabay.rr.com>
Date: Fri, 10 Feb 2006 13:47:08 GMT
NNTP-Posting-Host: 65.34.59.44
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1139579228 65.34.59.44 (Fri, 10 Feb 2006 08:47:08
EST)
NNTP-Posting-Date: Fri, 10 Feb 2006 08:47:08 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2485 alt.radio.amateur:172

well it would depend greatly on what bands you wished to work mobile
the Icom 208H is a tiny 2/70cm FM rig with detachable face the radio
could fit nearly anywhere
if you wanted HF the Icom 706 would do nicely you could mount the radio
under a seat or in the truck and mount the face somewhere flat and easy
to see
as for antennas the field is wide open depending only on how deep your
pockets are
plonnie@bellsouth.net wrote:
> Looking to install a mobile rig in a 2005 Chevy Malibu with the same
> interior/console/dashboard as shown in the attached picture.  Any
> recommendations for equipment, to include transcievers, amplifiers, antenna,
> etc. would be greatly appreciated.  I'd like to keep the cost to a minimum.
>
>



From 2356179705852585279
X-Google-Thread: 108122,79461db80fce7f03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
```

news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Feb 2006 08:01:18 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <11uajfpa22hphf6@corp.supernews.com> <8ucFf.698$KH4.580@fe05.lga> <5clau15f6282nkr7pik4msvajvhau968i7@4ax.com> <LGpFf.5221$5E3.4816@newsread1.news.pas.earthlink.net>
Subject: Re: Newbie equipment recommendations?
Date: Fri, 10 Feb 2006 08:01:18 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <K7mdnbuV28MyAXHeRVn-jw@comcast.com>
Lines: 49
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-yZpxpOIMVn9lBzJF/U5pMWqH1HR07yuIIB5dZF2Bx1lLr/ySvMLCAxDjDsAKVO960lHRt9Ut+SUB6C0!ZS0uWGquZmqqMN0etNiLpUbgFfXo00QLj4qI4P3jbgLEwSlHIQ0kuu9uwMlLV8Oc/haCZaPCqgc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2486

"Sim" <sim2sim@ix.netcom.com> wrote in message news:LGpFf.5221$5E3.4816@newsread1.news.pas.earthlink.net...

> Richard,
>
> I also am a Newbee to Ham but I got a Kenwood TH-F6A HT and love it. I'm in the L.A. area so I find 220 more open than 440 but I figure where ever I go I'll all three bands covered with this little HT. I too am looking into an mobile for the truck and/or the home. The Yaeshu FT-8900 dual band or the 8900 quad band looked nice to me. Good luck.

The Yaesu FT-7800R is a great (and inexpensive) dual band mobile rig. It has a removable face that makes it easy to mount just about anywhere. It also has the capability of being programmed from your computer*with the appropriate software and cable). If you do any traveling, you can pre-program one of the memory banks for the repeaters in that area, along with the machines along the way with just a couple of keystrokes. BTW...it has 1000 memory slots avalable :-)
I don't know of any places across the US that don't have some kind of 2m/70cm repeater coverage.

Now on the HF side... This is going to depend on a couple of things.... are you going to be operating primarily from a land based station?? or mobile?? Each has several ways to go depending on budget and real estate.
Try something like a TS-140S or simular....nice starter rig...simple, basic

and will do most anything you want it to do(can be used mobile also). A 20A power supply can be had for a reasonable price. for the antenna(s)... If you have the real estate, wire antennas will work well. With the addition of a tuner, a G5RV is a good starter antenna that will pretty much cover all the HF bands. If you don't have a lot of space, you might look at a verticle...maybe something like the Hustler 5BTV. If you are handy at all, and with the guidence of your Elmer, you can reasonably expect to get a nice, functional HF station on the air for as little as $350 - $400. OTOH.... if you got lots of real estate, and more dollars than sense, you can easily sink more money into a station than a lot of folks make in a year. :-)

-n6ojn

--

Steve @ Noon-Air Heating & A/C
Noon-Air@comcast.net

Life is what happens while you were making other plans

From 2013153612586709401
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-pusher.readnews.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe02.lga.POSTED!53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: Thunderbird 1.5 (OS/2/20060113)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com> <43ec3999$0$58064$742ec2ed@news.sonic.net>
In-Reply-To: <43ec3999$0$58064$742ec2ed@news.sonic.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 41
Message-ID: <QF1Hf.7$164.4@fe02.lga>
X-Trace: ejlmlnpfppkfdeplmieogppppplkffgipcafbohhdbmjnagkihmddohcnabgnackndjbogdekdfnimmlngink hkjnfhgmldbflifbhpnjfeoopmefhjnhgofgdmfdcngjlkepn�
NNTP-Posting-Date: Fri, 10 Feb 2006 07:45:04 MST
Date: Fri, 10 Feb 2006 09:45:06 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2487

I considered both the VX-7R and the TH-F6A, but opted for the latter because of the full power output on 220 (although now in this new location 220 is not used much). My son and I now both have TH-F6As (for uniformity), along with two higher-capacity batteries from W&W Manufacturing (http://www.ww-manufacturing.com) and their drop-in charger that works with those batteries either detached or in place on the rig.

"Perce"
(aka Alan NV8A)

On 02/10/06 01:58 am Jimmy Mac wrote:

> I spent nearly 2 hours at the HRO in Oakland trying out both - After some
> serious thinking I ended up with the Kenwood.
> At that time it was because I felt it wiser for me to opt for 220 over 6M in
> a HT. After well over a year of using the Kenwood, I have to say that it is
> by far the best HT I have ever had.
>
> Drawbacks?
> No drop in charger.
> Speaker Mic and pwr jacks are on the side instead of the top.
>
> I often wonder why anyone would want 6M in such a small qrp format unless
> they lived within eyesight of a 6M repeater.

>> Hello to All of YOU!
>> I'm looking for an advice on two questions:
>>
>> 1. What radio should I buy between the two: Yaesu VX-7R or Kenwood
>> TH-F6A
>> 2. Where should I buy it from (price) or maybe someone sells one used ?
>>
>> RE: the first question: I want this radio in order to be able to
>> monitor (listen) to all possible things: weather, radio, police chat,
>> trackers, taxi dispatchers an so on.
>> Also I would like to be able to talk back to some of them (definitely
>> not a police :))
>> If it's matter, I'm in San Francisco, CA and love to hike in Lake Tahoe
>> area of the Sierra Mountains.

From -285040166338828374
X-Google-Thread: 108122,7b3b1642735b8a96,start
X-Google-Thread: 1109af,7b3b1642735b8a96,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: HT1250ls Plus Portable Radio with Full DTMF, Motorola Voice Store and New

```
Charger
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C62E18.1F2885C0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <gO2Hf.3773$MJ.841@fed1read07>
Date: Fri, 10 Feb 2006 08:00:56 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1139587340 68.96.227.248 (Fri, 10 Feb 2006 11:02:20 EST)
NNTP-Posting-Date: Fri, 10 Feb 2006 11:02:20 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2488 rec.radio.swap:2585

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C62E18.1F2885C0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

HT1250ls Plus Portable Radio with Full DTMF, Motorola Voice Store and =
New Charger

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7587708635=20

------=_NextPart_000_0008_01C62E18.1F2885C0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>HT1250ls Plus Portable Radio with Full DTMF, Motorola Voice Store and =
New=20
Charger</P>
<P><SPAN><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7587708635">http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&a=
mp;item=3D7587708635</A>=20
</FONT></SPAN></P></FONT></DIV></BODY></HTML>
```

```
------=_NextPart_000_0008_01C62E18.1F2885C0--



From -1515581079025983484
X-Google-Thread: 108122,37c9c50f4c3795f0,start
X-Google-Thread: 1109af,37c9c50f4c3795f0,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: Oops-FA:MOTOROLA HT1250 ls plus 2way Radio-UHF-Voice Record Option
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C62E18.83EF51F0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <4P2Hf.3774$MJ.3013@fed1read07>
Date: Fri, 10 Feb 2006 08:03:45 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1139587392 68.96.227.248 (Fri, 10 Feb 2006 11:03:12 EST)
NNTP-Posting-Date: Fri, 10 Feb 2006 11:03:12 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2489 rec.radio.swap:2586

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C62E18.83EF51F0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Oops-FA:MOTOROLA HT1250 ls plus 2way Radio-UHF-Voice Record Option=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7589016080=20

------=_NextPart_000_0011_01C62E18.83EF51F0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
```

```
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>Oops-FA:MOTOROLA HT1250 ls plus 2way Radio-UHF-Voice Record Option =
</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7589016080">http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&a=
mp;item=3D7589016080</A>=20
</FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0011_01C62E18.83EF51F0--
```

```
From 4532062864553520541
X-Google-Thread: 108122,880ffc2f3134f167,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
news.aset.psu.edu!news.cse.psu.edu!elk.ncren.net!newsflash.concordia.ca!
canopus.cc.umanitoba.ca!utnut!news.ryerson.ca!not-for-mail
From: Peter Hiscocks <phiscock@job.ee.ryerson.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Equipment Manuals
Date: Fri, 10 Feb 2006 21:08:07 +0000 (UTC)
Organization: Ryerson Polytechnic University
Lines: 51
Message-ID: <dsivbn$f70$4@news.ryerson.ca>
NNTP-Posting-Host: natcho.ee.ryerson.ca
X-Trace: news.ryerson.ca 1139605687 15584 141.117.1.171 (10 Feb 2006 21:08:07 GMT)
X-Complaints-To: usenet@news.ryerson.ca
NNTP-Posting-Date: Fri, 10 Feb 2006 21:08:07 +0000 (UTC)
User-Agent: tin/1.6.2-20030910 ("Pabbay") (UNIX) (SunOS/5.9 (sun4u))
Xref: g2news1.google.com rec.radio.amateur.equipment:2490

The following manuals were rescued from the trash at my university during a
move. I've given away some to interested parties, these manuals remain. I'm
selling them to ensure that they get a proper home. Cost $2
each plus shipping. Check with me by email to get the shipping cost, which
ranges between $7USD and $12, depending on the size of the manual.

All the manuals are in excellent condition with very few (if any) marks.

Email me if you are interested in any of the following manuals:
--------------------------------------------------------------
Tek 3B3 Vertical Amp Plugin
Tek 561B Scope Mainframe
Tek 545B Oscilloscope
Tek 7623 Storage Oscilloscope
Tek 53/54D Vertical Diff Amp Plugin
Genrad 1650A Bridge
```

These ones are currently listed on Ebay for $2 plus shipping.

Tek 3A74 4 Channel Vertical Amp Plugin
Tek 564B Storage Scope Mainframe
Tek 2B67 Timebase Plugin
Tek 321 Oscillosope
Tek 3A74 Vertical Plugin
Tek 3A8 Op Amp Plugin
Tek 3C66 Carrier Amplifier Plugin
Tek 434 Oscilloscope
Tek 5031 Oscilloscope
Heathkit O-11 Oscilloscope
HP 180A/AR Scope Mainframe
DuMont 224A Oscilloscope
DuMont 304A Oscilloscope

The DuMont manuals will be of interest to oscilloscope history buffs, they are from the 40's and 50's.

I have another box full of manuals, which I'll post in due course.

Thanks -
Peter

--
Peter D. Hiscocks
Professor Emeritus
Department of Electrical and Computer Engineering
Ryerson University

Phone: 416-465-3007
Email: phiscock@ee.ryerson.ca
URL: http://www.ee.ryerson.ca/~phiscock

From -2088098552651422288
X-Google-Thread: 108122,8b46034052607dd3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Need help cloning or programming an Icom F3S handheld.
Date: 10 Feb 2006 13:01:58 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1139605318.863436.137830@f14g2000cwb.googlegroups.com>
References: <1139407513.100431.274730@o13g2000cwo.googlegroups.com>
   <ug5pu1hvc1orptunqhkk9jpsenb4npru85@4ax.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139605323 16817 127.0.0.1 (10 Feb 2006 21:02:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Feb 2006 21:02:03 +0000 (UTC)
In-Reply-To: <ug5pu1hvc1orptunqhkk9jpsenb4npru85@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 iwss:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=64.216.97.21;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.amateur.equipment:2491

Hi Gary, yes I did build a level converter, found the schematic on the net, it was a schematic directly from Icom for the programming cable. I did try holding all the buttons while powering up, didnt notice any difference in the display if it was in the cloning mode, I will try again. Its good to know that the radio's and programs are the same. Sounds like I just need to get the radio into cloning mode and then read its contents. Thanks for your reply and insights, it helped alot!

73s
Tim N7XAU

From 6963439003914263900
X-Google-Thread: 108122,937f33729db6b22e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: Ken C <cprstn54@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: CB mic wiring
Message-ID: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
X-Newsreader: Forte Free Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Fri, 10 Feb 2006 16:19:44 -0500
NNTP-Posting-Host: 24.45.198.82
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1139606389 24.45.198.82 (Fri, 10 Feb 2006 14:19:49 MST)
NNTP-Posting-Date: Fri, 10 Feb 2006 14:19:49 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2492

I am trying to adapt a CB "roger beep" mic for ham radio and there is some odd terminology for CB mic wiring.

The CB'ers call "PTT" "transmit (TX)"

They call "audio-out" "audio" (not too bad)

They have a separate line for "receive (RX)" which some call "receive
control." What is that for? Anyone know? By testing, I know it is
not for a speaker in the mic. It shows 6 ohms to ground.

Ken KC2JDY

```
From -3644399327400476712
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!
news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Feb 2006 16:54:03 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
Subject: Re: CB mic wiring
Date: Fri, 10 Feb 2006 16:54:04 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <Re-dnUiBI7kWhHDeRVn-sQ@comcast.com>
Lines: 15
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
ZVnWUDuO0RAxvylI40g1PObc19+ZbEOya5xOZMqjEmQOVQWST8YIqe9wYICP67Vc8vLeo143xVi5usy!
NkDCPGI9hneOFv6KaQMuGkXyiyeqFRzBKiuY6eycEkMtejnjqdzr8aXKJEa++P//1npuDmGZk0A=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2494
```

"Ken C" <cprstn54@att.net> wrote in message
news:3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com...
>I am trying to adapt a CB "roger beep" mic for ham radio and there is
> some odd terminology for CB mic wiring.

Tie 1/2 of the wires together, then tie the other half together, then plug

into a wall socket.
That will take care of the problem.

BTW... there was a ham in these parts that put that crap on his mobile ham rig.....one morning he came out to find that his mic and rig had come into contact with a large, high velocity, inertial impact device.

```
From -6305977783756598710
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!
newspeer1.nwr.nac.net!newspeer.monmouth.com!nntp.abs.net!spool.news.uu.net!
ash.uu.net!news01.intel.com!not-for-mail
From: "Richard Crowley" <richard.7.crowley@intel.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
Date: Fri, 10 Feb 2006 14:58:33 -0800
Organization: Intel Corporation
Lines: 13
Message-ID: <dsj5qq$uei$1@news01.intel.com>
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
<Xns9765BA77C27C5spectrumhogstarbandn@198.186.192.196>
<11uo3co1h9lfb45@corp.supernews.com> <4s6ou112tkangc1tip8j97dq5srpssjbiv@4ax.com>
NNTP-Posting-Host: rcrowley-mobl.amr.corp.intel.com
X-Trace: news01.intel.com 1139612314 31186 10.6.170.73 (10 Feb 2006 22:58:34 GMT)
X-Complaints-To: usenet@news01.intel.com
NNTP-Posting-Date: Fri, 10 Feb 2006 22:58:34 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Xref: g2news1.google.com rec.radio.amateur.equipment:2495
```

"Dick" wrote ...

> It would be hard for me to figure out why an HRO sales person couldn't
> program a Kenwood. It's too much trouble on any radio without a
> computer when you have hundreds of frequencies to input, along with
> various option settings. With the free Kenwood software and a cable
> it is a simple chore.

I got the impression it wasn't the computer-connected programming issue, but remembering the "menu-structure" of all the features when using it in the field. He said that (at least for him) the Yaesu was easier to remember the button sequences than the Kenwood.

```
From 2451194883820183095
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
Subject: Re: CB mic wiring
Lines: 38
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <L79Hf.3821$MJ.59@fed1read07>
Date: Fri, 10 Feb 2006 15:15:25 -0800
NNTP-Posting-Host: 68.7.146.8
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1139613291 68.7.146.8 (Fri, 10 Feb 2006 18:14:51 EST)
NNTP-Posting-Date: Fri, 10 Feb 2006 18:14:51 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2496

Hi Ken -- ignore the nasty replies

About Roger Beeps on Ham Radio
Tis highly frowned on
If you use it on a repeater -- sixteen+ Hams will come back and say you have
a roger beep tone
You say yeah I know
They say -- get rid of it - it sounds like CB
No FCC rules against it - but it's considered poor practice
Repeaters have a courtesy tone (beep) so your beep is not necessary

On HF - also frowned on -- if noisy conditions - just say OVER

--
CL -- I doubt, therefore I might be !






"Ken C" <cprstn54@att.net> wrote in message
news:3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com...
>I am trying to adapt a CB "roger beep" mic for ham radio and there is
> some odd terminology for CB mic wiring.
>
> The CB'ers call "PTT" "transmit (TX)"
```

```
>
> They call "audio-out" "audio" (not too bad)
>
> They have a separate line for "receive (RX)" which some call "receive
> control."  What is that for?  Anyone know?  By testing, I know it is
> not for a speaker in the mic.  It shows 6 ohms to ground.
>
> Ken KC2JDY
>




From -8044095669417935291
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: Ken C <cprstn54@att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB mic wiring
Message-ID: <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<L79Hf.3821$MJ.59@fed1read07>
X-Newsreader: Forte Free Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
Date: Fri, 10 Feb 2006 20:23:51 -0500
NNTP-Posting-Host: 24.45.198.82
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1139621033 24.45.198.82 (Fri, 10 Feb 2006 18:23:53 MST)
NNTP-Posting-Date: Fri, 10 Feb 2006 18:23:53 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2497

On Fri, 10 Feb 2006 15:15:25 -0800, "Caveat Lector"
<UALLBeware@9984reader.com> wrote:
>Hi Ken -- ignore the nasty replies

I always ignore the crackpots; most have no lives and nothing to say
of value.

Well, NASA uses roger beep with its astronauts and ham repeaters use
them all the time, but call them courtesy tones.  So I see no problem
with experimenting on SSB, especially with folks I know who have no
objection.  Especially if the tone if not loud or extravagant.



From 7498528022464605062
```

X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Feb 2006 19:35:46 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
Subject: Re: CB mic wiring
Date: Fri, 10 Feb 2006 19:35:44 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <BLydnePzoqfvonDeRVn-tw@comcast.com>
Lines: 24
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-cGy/
fjt014r05/1OJnIYYEzCxWlnwTY+lP6g2gTdQowHUuZMP8zAWJgrEkcrkE4x+TkO6A7L4n1kY8q!
BFy0iMPJbQLAh21a9B6IMBlNy020WpxGE+cmJqfXzuz3W2i6BlNw2CEdiUkpBeK1vl07QF4OFEI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2498

"Ken C" <cprstn54@att.net> wrote in message
news:9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com...

> On Fri, 10 Feb 2006 15:15:25 -0800, "Caveat Lector"
> <UALLBeware@9984reader.com> wrote:
>>Hi Ken -- ignore the nasty replies
>
> I always ignore the crackpots; most have no lives and nothing to say
> of value.
>
> Well, NASA uses roger beep with its astronauts and ham repeaters use
> them all the time, but call them courtesy tones. So I see no problem
> with experimenting on SSB, especially with folks I know who have no
> objection. Especially if the tone if not loud or extravagant.

Ok... you got 3 replies that all said *don't do it*, and you want to call all 3 "crackpots" and ignore what they have said. Consider the levels of experience you are dealing with. Personally I have been licensed since 1984.

If you absolutely must use a beeper, then do it on the Childrens Band.. not on the HAM bands.

```
From -2956150301046369998
X-Google-Thread: f55c2,a732077147fbb581
X-Google-Thread: 108122,a732077147fbb581
X-Google-Thread: 107ada,a732077147fbb581
X-Google-Thread: 1109af,a732077147fbb581
X-Google-Attributes: gidf55c2,gid108122,gid107ada,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!ken-transit.news.telstra.net!lon-
in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-
mail
From: "VK4FACT" <vk4fact@bigpond.com>
Newsgroups: alt.ham-
radio.mods,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,re
c.radio.swap
References: <_XHmf.89$1b.82@trndny03> <439f1159$0$21353@dingus.crosslink.net>
Subject: Re: Yaesu FT-8900 Programing Software
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <KQbHf.4970$yK1.2932@news-server.bigpond.net.au>
Date: Sat, 11 Feb 2006 02:19:22 GMT
NNTP-Posting-Host: 144.139.127.231
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1139624362 144.139.127.231 (Sat, 11 Feb 2006
13:19:22 EST)
NNTP-Posting-Date: Sat, 11 Feb 2006 13:19:22 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com alt.ham-radio.mods:48 rec.radio.amateur.equipment:2499
rec.radio.amateur.misc:4397 rec.radio.swap:2588

everybody does it!
"Vito" <vito@crosslink.net> wrote in message
news:439f1159$0$21353@dingus.crosslink.net...
> "N1RSP" <n1rsp@verizon.net> wrote in message
news:_XHmf.89$1b.82@trndny03...
> > Hi all
> > I am looking for a copy of the software that is used to program the
> FT-8900
> > quad band radio.I f you have it and want to take the time to make me a
> copy
> > I would be glad to make a copy of any of the software I have for Yaesu
> > radios.I have it for the:
> > Ft-8000
> > FT-8500
> > Ft-7100
> > Ft-3000
> > VX-5, VX-7
> > Please let me know.Thanks in advance for any help.
> >
> >
>
> Tsk, tsk. tsk. Now FBI will have to stop chasing terrorists to go after
you!
>
>
```

```
From -7100446350054631995
X-Google-Thread: 108122,272dfd7ec2f49888,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!nntp1.phx1.gblx.net!nntp.gblx.net!nntp.gblx.net!rahul.net!
wasp.rahul.net!rahul.net!news-xfer.nntp.sonic.net!posts.news.sonic.net!
nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
Subject: HAL RVD-1002:need schematics
Date: Fri, 10 Feb 2006 18:22:15 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Lines: 9
Message-ID: <43ed4a5c$0$95973$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 11 Feb 2006 02:22:20 GMT
NNTP-Posting-Host: 92d68d17.news.sonic.net
X-Trace: DXC=hm^FR<OjCe?W=V9H`XC5m8m4K\QM1CV^01OYf0H`?;X171?UafLg@F?
<Qc7RIG=<O8^=:lPnG:Ci83:QL_njF7]4
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2500
```

This is an old (circa 1973) video display that was used
with HAL RTTY converters like the ST-6. Pulled mine off
of the shelf after years or storage, and it has problems.
Need schematics (original or copy).

Thanks!

Steve

```
From 2437774164565004698
```

```
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newsfeed.stanford.edu!
sn-xt-sjc-02!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
Date: Fri, 10 Feb 2006 19:58:46 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <ldkqu1to0gu69k7aa3g0ea9hq41co91qkn@4ax.com>
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
<Xns9765BA77C27C5spectrumhogstarbandn@198.186.192.196>
<11uo3co1h9lfb45@corp.supernews.com> <4s6ou112tkangc1tip8j97dq5srpssjbiv@4ax.com>
<dsj5qq$uei$1@news01.intel.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news1.google.com rec.radio.amateur.equipment:2501

On Fri, 10 Feb 2006 14:58:33 -0800, "Richard Crowley"
<richard.7.crowley@intel.com> wrote:

>"Dick"  wrote ...
>> It would be hard for me to figure out why an HRO sales person couldn't
>> program a Kenwood.  It's too much trouble on any radio without a
>> computer when you have hundreds of frequencies to input, along with
>> various option settings.  With the free Kenwood software and a cable
>> it is a simple chore.
>
>I got the impression it wasn't the computer-connected programming
>issue, but remembering the "menu-structure" of all the features
>when using it in the field. He said that (at least for him) the Yaesu
>was easier to remember the button sequences than the Kenwood.
>

From a practical standpoint, you aren't going to be doing that much
programming in the field.  Mostly it will be changing power levels and
frequencies.  If most repeater frequencies are programmed in by
computer, all you would ever need to do beyond power and frequency in
the field would be to change the tone freq.  Shouldn't be that hard to
learn to do one thing.  I have had my F6A for a couple of years and
field programming has never been an issue.  If it was, I would be in
trouble.  :-)

Dick


From 360333737486378291
X-Google-Thread: 108122,937f33729db6b22e
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!novia!news-xfer.nntp.sonic.net!posts.news.sonic.net!
nnrp0.nntp.sonic.net!not-for-mail
From: "Jimmy Mac" <nospam@manicarcade.com>
Newsgroups: rec.radio.amateur.equipment
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
Subject: Re: CB mic wiring
Date: Fri, 10 Feb 2006 23:06:05 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Lines: 26
Message-ID: <43ed8ce2$0$58047$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 11 Feb 2006 07:06:11 GMT
NNTP-Posting-Host: fe9c313c.news.sonic.net
X-Trace:
DXC=;cT7kQ4[UlcmA_1HbVc;Dbm4K\QM1CV^`1OYf0H`?;Xa[=hOf66HQf`:oF=1i9HD6dZIFEc1TaY3k9
4C8j8>n13h
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2503
```

In spite of my agreement with most of the flames thrown at you about this, there are certain applications where "curtesy tone" is warranted - as few as they may be.

So that out of the way, often the RX is used to enable/mute the audio If the RX is pulled low, it enables the audio path to the audio output. If open it will mute.

"Ken C" <cprstn54@att.net> wrote in message
news:3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com...

>I am trying to adapt a CB "roger beep" mic for ham radio and there is
> some odd terminology for CB mic wiring.
>
> The CB'ers call "PTT" "transmit (TX)"
>
> They call "audio-out" "audio" (not too bad)
>
> They have a separate line for "receive (RX)" which some call "receive
> control." What is that for? Anyone know? By testing, I know it is
> not for a speaker in the mic. It shows 6 ohms to ground.
>
> Ken KC2JDY
>

```
From 232028305696813869
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!proxad.net!infeed-4.proxad.net!
nnrp5-2.free.fr!not-for-mail
Message-Id: <43eda00d$0$629$636a55ce@news.free.fr>
From: F8BOE <f8boe@bluemail.ch>
Subject: Re: CB mic wiring
Newsgroups: rec.radio.amateur.equipment
Reply-To: f8boe@bluemail.ch
Date: Sat, 11 Feb 2006 09:27:46 +0100
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
User-Agent: KNode/0.8.2
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 23
Organization: Guest of ProXad - France
NNTP-Posting-Date: 11 Feb 2006 09:27:57 MET
NNTP-Posting-Host: 89.48.182.159
X-Trace: 1139646477 nnrp5-2.free.fr 629 89.48.182.159:57441
X-Complaints-To: abuse@proxad.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2504
```

Hello,

In a decent way, these tones could probably be useful during contests or when propagation conditions are weak (V/U/SHF). But beware, don't abuse it, or you'll be called a Johnny.

73 de F8BOE Olivier ...-.-

Ken C wrote:

> On Fri, 10 Feb 2006 15:15:25 -0800, "Caveat Lector"
> <UALLBeware@9984reader.com> wrote:
>>Hi Ken -- ignore the nasty replies
>
> I always ignore the crackpots; most have no lives and nothing to say
> of value.
>
> Well, NASA uses roger beep with its astronauts and ham repeaters use
> them all the time, but call them courtesy tones. So I see no problem
> with experimenting on SSB, especially with folks I know who have no
> objection. Especially if the tone if not loud or extravagant.

```
From 6859636893898853424
X-Google-Thread: 108122,c911782d914e9644,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!news-north.connect.com.au!not-for-
mail
From: "me" <tuskyone(remove)@yahoo.com.au>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB:MFJ 909/910/914
Date: Sat, 11 Feb 2006 22:47:18 +1000
Organization: Customer of AAPT Pty Ltd
Lines: 11
Message-ID: <dskmcv$19e$1@news-02.connect.com.au>
Reply-To: "me" <tuskyone(removethis)@yahoo.com.au>
NNTP-Posting-Host: 202.172.125.74
X-Trace: news-02.connect.com.au 1139662048 1326 202.172.125.74 (11 Feb 2006
12:47:28 GMT)
X-Complaints-To: abuse@connect.com.au
NNTP-Posting-Date: Sat, 11 Feb 2006 12:47:28 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:2505

As subject states, looking for a MFJ 909, 910, 914 ?
in working condition,  and willing to pop in an International USPS Envelope
to VK, up to 1 llb $4.00 USD, or up to 4 llb,  $9.00 USD (Global Priority
Mail - Flat-rate Envelope (large)  4 - 6 Days $9.00 9-1/2" x 12-1/2"


Paypal Cash funds available.

Rgds





From 5037719216471263079
X-Google-Thread: f55c2,a732077147fbb581
X-Google-Thread: 108122,a732077147fbb581
X-Google-Thread: 107ada,a732077147fbb581
X-Google-Thread: 1109af,a732077147fbb581
X-Google-Attributes: gidf55c2,gid108122,gid107ada,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny01.POSTED!a8a4960a!
not-for-mail
From: "Dick" <n1rsp@verizon.net>
Newsgroups: alt.ham-
radio.mods,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,re
```

```
c.radio.swap
References: <_XHmf.89$1b.82@trndny03> <439f1159$0$21353@dingus.crosslink.net>
<KQbHf.4970$yK1.2932@news-server.bigpond.net.au>
Subject: Re: Yaesu FT-8900 Programing Software
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <7IlHf.1708$lG.939@trndny01>
Date: Sat, 11 Feb 2006 13:32:51 GMT
NNTP-Posting-Host: 70.19.171.164
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1139664771 70.19.171.164 (Sat, 11 Feb 2006 08:32:51 EST)
NNTP-Posting-Date: Sat, 11 Feb 2006 08:32:51 EST
Xref: g2news1.google.com alt.ham-radio.mods:49 rec.radio.amateur.equipment:2506
rec.radio.amateur.misc:4400 rec.radio.swap:2592

Are you having fun reposting this junk ASSHOLE???
"VK4FACT" <vk4fact@bigpond.com> wrote in message
news:KQbHf.4970$yK1.2932@news-server.bigpond.net.au...
> everybody does it!
> "Vito" <vito@crosslink.net> wrote in message
> news:439f1159$0$21353@dingus.crosslink.net...
> > "N1RSP" <n1rsp@verizon.net> wrote in message
> news:_XHmf.89$1b.82@trndny03...
> > > Hi all
> > > I am looking for a copy of the software that is used to program the
> > FT-8900
> > > quad band radio.I f you have it and want to take the time to make me a
> > copy
> > > I would be glad to make a copy of any of the software I have for Yaesu
> > > radios.I have it for the:
> > > Ft-8000
> > > FT-8500
> > > Ft-7100
> > > Ft-3000
> > > VX-5, VX-7
> > > Please let me know.Thanks in advance for any help.
> > >
> > >
> >
> > Tsk, tsk. tsk. Now FBI will have to stop chasing terrorists to go after
> you!
> >
> >
>
>



From 3353189464183168012
```

```
X-Google-Thread: 108122,b29da4553ac84bd5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.volia.net!news.musoftware.de!
border1.nntp.ams.giganews.com!nntp.giganews.com!newsfeeder.wxs.nl!
divide.nova.planet.nl!posting.nova.planet.nl!not-for-mail
From: "Percom" <percom@planet.nl>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Spare parts Plessey PR-2250 receiver
Date: Sat, 11 Feb 2006 14:41:10 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Lines: 11
Message-ID: <43ede985$0$2017$ba620dc5@text.nova.planet.nl>
NNTP-Posting-Host: 84.82.147.170
X-Trace: 1139665285 text.nova.planet.nl 2017 84.82.147.170:34338
X-Complaints-To: abuse@planet.nl
Xref: g2news1.google.com rec.radio.amateur.equipment:2507

Spare parts Plessey PR-2250 receiver

Interface unit EURO 66,-
Connector plate + routing board + hinged rear panel EURO 79,50
Internal coaxial cables EURO 2,25
Module 5 (detectors, output amplifiers) EURO 125,00
Module 6  (BFO) EURO 125,00

(prices excl. shipment)




From -3804414812883002941
X-Google-Thread: 108122,27effe0c034a08dc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe05.lga.POSTED!
53ab2750!not-for-mail
From: "Larry Naumann" <n0sa@charter.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Icom 703 question
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <2QnHf.347$Yq1.194@fe05.lga>
X-Trace:
nghlfjfcphhogbndooikjahojcfcagegeapolmabnchddhdgbaokjhadmeeihmneflkcmphoaaicaglihl
```

pangolcejfecicbgnkgkmafpebifblgcdlbemlgennijmnegcmjhhibopfakdb
NNTP-Posting-Date: Sat, 11 Feb 2006 08:57:50 MST
Date: Sat, 11 Feb 2006 09:57:50 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2508

I recently purchased a used 703+. I have a question about the ALC. ON 6
meters I have no ALC indication or adjustment on SSB. The radio xmits full
power and sounds fine.
Is this normal?
The ALC is adjustable and works fine on HF SSB.
Thanks
Larry Naumann N0SA

From 2819536704599638927
X-Google-Thread: 108122,654719ed978e4b69,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Feb 2006 10:25:01 -0600
From: "burt" <k1oik@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: For Auction: Power supply
Date: Sat, 11 Feb 2006 11:25:06 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <6dKdnfSVKrdAknPenZ2dnUVZ_v-dnZ2d@comcast.com>
Lines: 4
NNTP-Posting-Host: 24.60.242.52
X-Trace: sv3-s7q13ShqOcdAFY/JqpO3Zrm+J9ON/J3g36xbFd0QsfUnrZGYydIGU/
b+GYQeToTHvs8u+8fTabUVKsk!
9MboY0lNBSuYC1y8tz6a21ClyZdvSLU6sihYdEgW99955FAJphlYzxcK/3ytQoQ3p7t3UaS59Wew!
IpPgcu9V
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2509

For Auction: Power supply
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=5863461484&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

From 8386808444268716131
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-03!sn-xt-sjc-08!sn-xt-sjc-12!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Sat, 11 Feb 2006 09:58:36 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <jl5su113gnkr850qbcv5gut1vmn50cemvd@4ax.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com> <OidCf.18705$_c.6878@tornado.tampabay.rr.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 38
Xref: g2news1.google.com rec.radio.amateur.equipment:2510

Here is the latest in the garage door opener saga. Edison Co. came to my aunt's house and had her turn off the main power breaker. He then asked her to have the neighbors try their openers. They worked perfectly! The problem seems to have been related to a surge protector she used on her computer system, but I don't know if that's the final answer. Hers does work fine now. I have been trying to figure out how a surge protector not connected to the opener could affect her opener as well as the close neighbors. Must have been putting out one heck of a spurious signal.

Dick

On Thu, 26 Jan 2006 23:54:22 GMT, **THE-RFI-EMI-GUY** <rhyolite@nettally.com> wrote:

>There have been problems with military use of the 300 MHz band for new
>radio systems, but this would not cause the door to work only half way.
>
>Assuming the neighbors problems are coincidental, check the
>counterbalance spring for the door. They wear out or break and the
>opener does not have enough power to work on irs own. By the way this is
>not a DIY project because of safety concerns with the springs and the
>repairs can be about $300.
>
>Dick wrote:
>
>>My aunt, who lives in So. Calif., along with two close neighbors, is

>>suddenly having problems with garage door openers. Won't open. Stop
>>part way down, etc. I haven't heard of amateur radio having an effect
>>on modern garage door remote receivers. How about BPL? Don't know if
>>it can effect things in the 900 Mhz region, but thought I would ask if
>>anyone else has seen this.
>>
>>Dick - W6CCD
>>
>>

From 3189240603233423815
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com> <L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
Subject: Re: Repeater beeps (was CB mic wiring?
Lines: 36
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <azpHf.3909$MJ.1008@fed1read07>
Date: Sat, 11 Feb 2006 09:56:56 -0800
NNTP-Posting-Host: 68.7.146.8
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1139680582 68.7.146.8 (Sat, 11 Feb 2006 12:56:22 EST)
NNTP-Posting-Date: Sat, 11 Feb 2006 12:56:22 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2511

On repeaters the beep is more than a courtesy tone
It also signals that the repeater timer has been reset.

Transmission times are accumulative, if folks don't wait for the beep.
Example: A machine has a 60 second timer and station X talks for 50 seconds,
if station Y comes in before the beep, 10 seconds later the timer will shut
down the repeater. To signal a timer dropout, some repeaters use a voice
announcement, others use a series of short beeps, such as a triple beep.
Others may use a short delay, a short beep and then dropout.

As i said before -- if you use a roger beep on a repeater, a dozen plus guys
will alert you that you have a beep tone and ask you to turn it off
--
CL -- I doubt, therefore I might be !

```
"Ken C" <cprstn54@att.net> wrote in message
news:9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com...
> On Fri, 10 Feb 2006 15:15:25 -0800, "Caveat Lector"
> <UALLBeware@9984reader.com> wrote:
>>Hi Ken -- ignore the nasty replies
>
> I always ignore the crackpots; most have no lives and nothing to say
> of value.
>
> Well, NASA uses roger beep with its astronauts and ham repeaters use
> them all the time, but call them courtesy tones.  So I see no problem
> with experimenting on SSB, especially with folks I know who have no
> objection.  Especially if the tone if not loud or extravagant.
>
```

```
From 1572911286991673033
X-Google-Thread: 108122,c7ed00a7b76868ba,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Feb 2006 12:59:46 -0600
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Kenwood TS-700S All Mode 2 Meter Rig
Date: Sat, 11 Feb 2006 13:59:53 -0500
Reply-To: wz1u@comcast.net
Message-ID: <40dsu1pn50kj57vo8k0dtbt8g6tjhkbtf0@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
NNTP-Posting-Host: 66.30.238.243
X-Trace: sv3-
XH9rvCgaCrFXDJedVcWo32xTy5+wzZOSDk0R4Z33bgoFCqVW5cdPrs6zqvvecU3Asb6zoiat6fcb142!
cuRg7+XBNk3XTAS1NoAL6xHRur79UkTrqCQgc0vkuKbXf0zIw2ogQpeReWe+CC39HAR2kp3JhlA5!
uS+BiA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2512
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=5865934397&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

```
From 6917203887211180198
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!news-
xxxfer.readnews.com!news-out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<OidCf.18705$_c.6878@tornado.tampabay.rr.com>
<jl5su113gnkr850qbcv5gut1vmn50cemvd@4ax.com>
Organization: Your Company
Message-ID: <Xns976773A00D4DEspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 11 Feb 2006 19:19:40 GMT
Lines: 21
NNTP-Posting-Host: ae22e9f9.news.adtechcomputers.com
X-Trace: DXC=Qb5M[E\mfc7FD2CgE@H2<2gC4_A5:nI@1<<=aEgO;R87WG]V<@97\R6_nNh=BgEY27R?
X7U2a5ff7emfRC[RMj??JGUlSY>5n20P3lYMg=E3U3?Q=8VA4cGJ<
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2513
```

> Here is the latest in the garage door opener saga. Edison Co. came to
> my aunt's house and had her turn off the main power breaker. He then
> asked her to have the neighbors try their openers. They worked
> perfectly! The problem seems to have been related to a surge
> protector she used on her computer system, but I don't know if that's
> the final answer. Hers does work fine now. I have been trying to
> figure out how a surge protector not connected to the opener could
> affect her opener as well as the close neighbors. Must have been
> putting out one heck of a spurious signal.

Very interesting find. Please post any further updates on this. I'd like to know if the problem would transfer to another home if that surge protector is moved to it.... also, might be interesting to put a high frequency scope on the AC line going in,and coming out of that protector to see what is on the 120V inputs and outputs.

Ed

```
From 886089941003733034
```

X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!usenet-fr.net!ircam.fr!freenix!sn-xt-sjc-15!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Sat, 11 Feb 2006 13:08:38 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <70hsu11ofmt779igjqj0kj62cdfi6d6qib@4ax.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<OidCf.18705$_c.6878@tornado.tampabay.rr.com>
<jl5su113gnkr850qbcv5gut1vmn50cemvd@4ax.com>
<Xns976773A00D4DEspectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news1.google.com rec.radio.amateur.equipment:2514

On 11 Feb 2006 19:19:40 GMT, Ed <Huckleberry_REMOVE_@newsguy.com> wrote:

>
>
>> Here is the latest in the garage door opener saga. Edison Co. came to
>> my aunt's house and had her turn off the main power breaker. He then
>> asked her to have the neighbors try their openers. They worked
>> perfectly! The problem seems to have been related to a surge
>> protector she used on her computer system, but I don't know if that's
>> the final answer. Hers does work fine now. I have been trying to
>> figure out how a surge protector not connected to the opener could
>> affect her opener as well as the close neighbors. Must have been
>> putting out one heck of a spurious signal.
>
>
> Very interesting find. Please post any further updates on this. I'd
>like to know if the problem would transfer to another home if that surge
>protector is moved to it.... also, might be interesting to put a high
>frequency scope on the AC line going in,and coming out of that protector
>to see what is on the 120V inputs and outputs.
>
>
>   Ed

I'm going to see her later this year. I will have her save the surge
protector for me so I can bring it back home for test.

Dick

From 5924051958075151702
X-Google-Thread: 108122,fb9491045248d0df,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-06!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: WD=?ISO-8859-1?B?2A==?=HCO <wd0hco@ev1.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Tube Tortillas
Date: Sat, 11 Feb 2006 15:11:02 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <C013AF06.7199%wd0hco@ev1.net>
User-Agent: Microsoft-Outlook-Express-Macintosh-Edition/5.02.2022
Mime-version: 1.0
Content-type: text/plain; charset="ISO-8859-1"
Content-transfer-encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 10
Xref: g2news1.google.com rec.radio.amateur.equipment:2515

I came up with this....

http://users.ev1.net/~wd0hco/PEGASUS/INDEX.html

Far cheaper than tube boxes...

- Biz WD�HCO

From 8269887330233631497
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: Ken C <cprstn54@nospam.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Repeater beeps (was CB mic wiring?
Message-ID: <bsqsu1pbj9qo4ud0flbf00265e5pvd0tpe@4ax.com>
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
<azpHf.3909$MJ.1008@fed1read07>
X-Newsreader: Forte Free Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 16
Date: Sat, 11 Feb 2006 18:03:48 -0500
NNTP-Posting-Host: 24.45.198.82
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1139699034 24.45.198.82 (Sat, 11 Feb 2006 16:03:54 MST)
NNTP-Posting-Date: Sat, 11 Feb 2006 16:03:54 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2516

On Sat, 11 Feb 2006 09:56:56 -0800, "Caveat Lector"
<UALLBeware@9984reader.com> wrote:
>As i said before -- if you use a roger beep on a repeater, a dozen plus guys
>will alert you that you have a beep tone and ask you to turn it off

I see no reason to use it in any mode with a carrier; you know when the other guy has released PTT. As I said, I want to try it on SSB where you need an "over" to know PTT has been released. Some hams think you are a lid unless you say "over"; I see no reason to make like a simple machine, unless you have the IQ of a simple machine.

I believe the FRS radios also use a roger beep. They probably outsell ham radios 100:1.

Ken KC2JDY

From -3301744482538488402
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 11 Feb 2006 18:12:59 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
<azpHf.3909$MJ.1008@fed1read07> <bsqsu1pbj9qo4ud0flbf00265e5pvd0tpe@4ax.com>
Subject: Re: Repeater beeps (was CB mic wiring?
Date: Sat, 11 Feb 2006 18:12:59 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <xtydnSMSPfUW4HPeRVn-tQ@comcast.com>
Lines: 24
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-HUke0JE/EQBGuwI36UJxV0gfCaPS9lvdO+S20gFuGHrEIIPeVi3dGS1/7jvyn/
JhYsl7reaJhyDx5IS!
AYVDDnkgStBbzqmAVOLwuWCpm8PvNGEmd1k4n108oLSH8q09qQ1+ej7vlqrSo8lLtjJcUiFa5EA=

```
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2517


"Ken C" <cprstn54@nospam.att.net> wrote in message
news:bsqsu1pbj9qo4ud0flbf00265e5pvd0tpe@4ax.com...
> On Sat, 11 Feb 2006 09:56:56 -0800, "Caveat Lector"
> <UALLBeware@9984reader.com> wrote:
>>As i said before -- if you use a roger beep on a repeater, a dozen plus
>>guys
>>will alert you that you have a beep tone and ask you to turn it off
>
> I see no reason to use it in any mode with a carrier; you know when
> the other guy has released PTT.  As I said, I want to try it on SSB
> where you need an "over" to know PTT has been released.  Some hams
> think you are a lid unless you say "over"; I see no reason to make
> like a simple machine, unless you have the IQ of a simple machine.
>
> I believe the FRS radios also use a roger beep.  They probably outsell
> ham radios 100:1.
>
> Ken KC2JDY

If ignorance was bliss, you'd be euphoric.... you do what you want to do,
your gonna do it anyway.





From -4501549417187416899
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!sn-xt-
sjc-15!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB mic wiring
Date: Sat, 11 Feb 2006 20:04:43 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <339tu150krdjub4qdjbume42g46660t7s0@4ax.com>
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
<BLydnePzoqfvonDeRVn-tw@comcast.com> <cppqu1lnn0h5o6aenbt9lp1s2uf9os9n78@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
```

X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news1.google.com rec.radio.amateur.equipment:2518

On Fri, 10 Feb 2006 21:27:07 -0700, Diamond Dave
<sjester911@yahoo.com> wrote:

>On Fri, 10 Feb 2006 19:35:44 -0600, "Noon-Air" <Noon-Air@comcast.net> wrote:
>
>>If you absolutely must use a beeper, then do it on the Childrens Band.. not
>>on the HAM bands.
>
>Except for repeaters, they have no good use, but if you must, I agree with the
>above.

A distinction here is that the repeater itself puts the tone on to
signify when the timer has started. The tone is not superimposed by
the person using the repeater.

There are only a couple of times when transmitted audible tones are
used. One is for a repeater autopatch. The other is to awaken Litz
decoders for emergency traffic. Beyond those two applications,
audible tones have no place in amateur radio. They need to stay in CB
land.

Dick - W6CCD

From 5065181242683402261
X-Google-Thread: 108122,f832c64d5542b229,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: kb9rqz@Mark.Morgan.com
Newsgroups: rec.radio.amateur.equipment
Subject: looking for mic pin for FT 847
Date: Sat, 11 Feb 2006 22:43:32 -0500
Reply-To: k4yz@aol.com
Message-ID: <6kbtu1ljbc2a7iljt3uehncvv7rfq0tq1b@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server contains 140,000+ groups
Lines: 8
Path: g2news1.google.com!news3.google.com!news.glorb.com!news.usenetzone.com!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2519

I am looking to use one of those sound card uinterfaces on my Ft 847
but I can't seem to find the pin out for my mike (the unit gives the
pin out for the Ft 1000's but is it the same

Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

From -8241918653576402633
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups: rec.radio.amateur.equipment
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<6m3qu1ln58vgjuav0folqjva3o1k48dt4c@4ax.com>
Subject: Re: CB mic wiring
Date: Sun, 12 Feb 2006 10:56:21 -0500
Lines: 13
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43ef5b03$1@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news1.google.com!news4.google.com!news2.volia.net!
news.newsland.it!rouhivuori!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2520

"Diamond Dave" <sjester911@yahoo.com> wrote in message
news:6m3qu1ln58vgjuav0folqjva3o1k48dt4c@4ax.com...
> On Fri, 10 Feb 2006 16:19:44 -0500, Ken C <cprstn54@att.net> wrote:
>
>>I am trying to adapt a CB "roger beep" mic for ham radio and there is
>>some odd terminology for CB mic wiring.
>
> Have you considered suicide? You should.
>
Suicide would be good for anyone calling himself diamond dave.

From -2738912089458220073
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups: rec.radio.amateur.equipment
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>

```
<L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
<43eda00d$0$629$636a55ce@news.free.fr>
Subject: Re: CB mic wiring
Date: Sun, 12 Feb 2006 10:57:58 -0500
Lines: 30
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43ef5b64@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news3.google.com!news4.google.com!news2.volia.net!
news.musoftware.de!morpheus.pingos.org!news.albasani.net!rouhivuori!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2521

Or be called a diamond dave!
>
"F8BOE" <f8boe@bluemail.ch> wrote in message
news:43eda00d$0$629$636a55ce@news.free.fr...
> Hello,
>
> In a decent way, these tones could probably be useful during contests or
> when propagation conditions are weak (V/U/SHF). But beware, don't abuse
> it,
> or you'll be called a Johnny.
>
> 73 de F8BOE Olivier ...-.-
>
>
> Ken C wrote:
>
>> On Fri, 10 Feb 2006 15:15:25 -0800, "Caveat Lector"
>> <UALLBeware@9984reader.com> wrote:
>>>Hi Ken -- ignore the nasty replies
>>
>> I always ignore the crackpots; most have no lives and nothing to say
>> of value.
>>
>> Well, NASA uses roger beep with its astronauts and ham repeaters use
>> them all the time, but call them courtesy tones.  So I see no problem
>> with experimenting on SSB, especially with folks I know who have no
>> objection.  Especially if the tone if not loud or extravagant.
>



From -265787693419610774
X-Google-Thread: 108122,937f33729db6b22e
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!
newsfeeds.sol.net!posts.news.twtelecom.net!nnrp2.twtelecom.net!not-for-mail
Date: Sun, 12 Feb 2006 10:44:38 -0600
From: Jayseebee <Jayseebee@nowhere.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: CB mic wiring
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
<BLydnePzoqfvonDeRVn-tw@comcast.com> <cppqu1lnn0h5o6aenbt9lp1s2uf9os9n78@4ax.com>
<339tu150krdjub4qdjbume42g46660t7s0@4ax.com>
In-Reply-To: <339tu150krdjub4qdjbume42g46660t7s0@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 29
Message-ID: <43ef65db$0$7334$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 12 Feb 2006 16:44:12 GMT
NNTP-Posting-Host: 443c10f4.news.twtelecom.net
X-Trace: DXC=T^6jUN;=jQ1WWH=c`XQl]?C_A=>8kQj6=MOj3YM9`=a8=Xc?
6jRU93=;M\7oLJi^d0UYR6kh[O9f1
X-Complaints-To: abuse@twtelecom.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2522

Dick wrote:
> On Fri, 10 Feb 2006 21:27:07 -0700, Diamond Dave
> <sjester911@yahoo.com> wrote:
>
>
>>On Fri, 10 Feb 2006 19:35:44 -0600, "Noon-Air" <Noon-Air@comcast.net> wrote:
AMEN!
JCB

>>
>>
>>>If you absolutely must use a beeper, then do it on the Childrens Band.. not
>>>on the HAM bands.
>>
>>Except for repeaters, they have no good use, but if you must, I agree with the
>>above.
>
>
> A distinction here is that the repeater itself puts the tone on to
> signify when the timer has started.  The tone is not superimposed by
> the person using the repeater.
>
> There are only a couple of times when transmitted audible tones are
> used.  One is for a repeater autopatch.  The other is to awaken Litz
> decoders for emergency traffic.  Beyond those two applications,
```

> audible tones have no place in amateur radio. They need to stay in CB
> land.
>
> Dick - W6CCD

From 1558481726144964994
X-Google-Thread: 108122,f832c64d5542b229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Alan WA4SCA <WA4SCA@AMSAT.ORG>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: looking for mic pin for FT 847
Reply-To: WA4SCA@AMSAT.ORG
Message-ID: <5gpuu150k4eccpa3oipokcn3686dghij8p@4ax.com>
References: <6kbtu1ljbc2a7iljt3uehncvv7rfq0tq1b@4ax.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Sun, 12 Feb 2006 16:51:27 GMT
NNTP-Posting-Host: 12.74.142.143
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1139763087 12.74.142.143 (Sun, 12 Feb 2006 16:51:27 GMT)
NNTP-Posting-Date: Sun, 12 Feb 2006 16:51:27 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2523

You would be better using the DATA port for PSK31 and similar.
However, the pin out from the FT-847 manual for the mic socket is:

1 Up
2 +5V
3 Down
4 Fast
5 Gnd
6 PTT
7 Mic Gnd
8 Mic

It does not bring out RX audio. You can use the speaker jack for
that.

--
Alan

WA4SCA

From -8055332463629485531
X-Google-Thread: 108122,18c7f507e1fb7f2,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!7577013d!
not-for-mail
From: omcdaniel.abcd@mindspring.com (Olin K. McDaniel)
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu VX-7R annoyance
Reply-To: omcdaniel.abcd@mindspring.com
Message-ID: <43ef733d.5693338@news.east.earthlink.net>
X-Newsreader: Forte Free Agent 1.1/32.230
Lines: 28
Date: Sun, 12 Feb 2006 17:49:40 GMT
NNTP-Posting-Host: 165.247.175.189
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1139766580 165.247.175.189 (Sun, 12 Feb 2006 09:49:40 PST)
NNTP-Posting-Date: Sun, 12 Feb 2006 09:49:40 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2524

I may be making too much of this, but this little HT is the greatest - EXCEPT for one thing. It has left me with a dead battery too darn many times, just when it was very undesirable. If I'm involved in doing something else, and waiting on someone to call me, and the battery chooses then to go dead - I never know I missed the call.

That's just one example. It goes dead right in the middle of my transmissions sometimes, WITHOUT WARNING. I find myself with a dead radio when I let up the transmit button, and never know how much of the transmission got sent. Then I have to dash around looking for a charged battery to put in, and hope the guy I was talking with is still there.

With the ENORMOUS number of features this radio came with, of which I only use a small percentage, surely they could have included a feature to send an audible set of beeps when it's battery is near the end.

Has anyone else had this reaction? Surely I'm not the only one with this beef. More important, has anyone out there figured out how to modify it to allow some audible beeps at low battery? Surely Yaesu can do this if they want to, all my portable telephones have such a feature, telling you when its batteries are about to fail. How about it - Yaesu?

73,

Mac, W4PFZ

From 2842717702335359139
X-Google-Thread: 108122,18c7f507e1fb7f2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 12 Feb 2006 12:27:38 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <43ef733d.5693338@news.east.earthlink.net>
Subject: Re: Yaesu VX-7R annoyance
Date: Sun, 12 Feb 2006 12:27:36 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <y46dncrfJsaH43LeRVn-hg@comcast.com>
Lines: 37
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-4QpgXhsiTaMCU7p8T/K30SKWgFDBN7X/KeBT3O625OerMFvAye/PldlPtyKkR9GtPq3gvg2AfDcs4wO!io6n10Ml7hIxoebvnLec+v+R2q/QjOukUAC+/Sl5V+tTfll3o1oY/Tbxfq2wX3RooWbBtNErFLo=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2525

Sounds like you got all the bells and whistles, but they just ran short of beeps :-)

Maybe it was made on the friday afternoon of a 3 day weekend??

"Olin K. McDaniel" <omcdaniel.abcd@mindspring.com> wrote in message news:43ef733d.5693338@news.east.earthlink.net...

>I may be making too much of this, but this little HT is the greatest - EXCEPT for one thing. It has left me with a dead battery too darn many times, just when it was very undesirable. If I'm involved in doing something else, and waiting on someone to call me, and the battery chooses then to go dead - I never know I missed the call.
>
> That's just one example. It goes dead right in the middle of my transmissions sometimes, WITHOUT WARNING. I find myself with a dead radio when I let up the transmit button, and never know how much of

> the transmission got sent. Then I have to dash around looking for a
> charged battery to put in, and hope the guy I was talking with is
> still there.
>
> With the ENORMOUS number of features this radio came with, of which I
> only use a small percentage, surely they could have included a feature
> to send an audible set of beeps when it's battery is near the end.
>
> Has anyone else had this reaction? Surely I'm not the only one with
> this beef. More important, has anyone out there figured out how to
> modify it to allow some audible beeps at low battery? Surely Yaesu
> can do this if they want to, all my portable telephones have such a
> feature, telling you when its batteries are about to fail. How about
> it - Yaesu?
>
> 73,
>
> Mac, W4PFZ
>

From -7219470676984253537
X-Google-Thread: 108122,18c7f507e1fb7f2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!
news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: Ken C <cprstn54@nospam.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R annoyance
Message-ID: <ivvuu1ltq69tm083aink6g7p3srp6ldepb@4ax.com>
References: <43ef733d.5693338@news.east.earthlink.net>
X-Newsreader: Forte Free Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Date: Sun, 12 Feb 2006 13:40:33 -0500
NNTP-Posting-Host: 24.45.198.82
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1139769639 24.45.198.82 (Sun, 12 Feb 2006 11:40:39 MST)
NNTP-Posting-Date: Sun, 12 Feb 2006 11:40:39 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2526

On Sun, 12 Feb 2006 17:49:40 GMT, omcdaniel.abcd@mindspring.com (Olin
K. McDaniel) wrote:
>It goes dead right in the middle of my
>transmissions sometimes, WITHOUT WARNING.

According to p. 10 of the Owner's Manual, it i supposed to show a "low

```
voltage icon" when it is time to recharge.  For the Li-Ion battery, it
shows four different icons, depending on voltage.

Accoridng to p. 68 of the manual, you can monitor the actual voltage
of the battery

Ken KC2JDY




From -4077922491064061551
X-Google-Thread: 108122,18c7f507e1fb7f2
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!7577013d!
not-for-mail
From: omcdaniel.abcd@mindspring.com (Olin K. McDaniel)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R annoyance
Reply-To: omcdaniel.abcd@mindspring.com
Message-ID: <43ef9870.15217987@news.east.earthlink.net>
References: <43ef733d.5693338@news.east.earthlink.net>
<ivvuu1ltq69tm083aink6g7p3srp6ldepb@4ax.com>
X-Newsreader: Forte Free Agent 1.1/32.230
Lines: 41
Date: Sun, 12 Feb 2006 20:34:24 GMT
NNTP-Posting-Host: 165.247.175.111
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1139776464 165.247.175.111 (Sun, 12 Feb
2006 12:34:24 PST)
NNTP-Posting-Date: Sun, 12 Feb 2006 12:34:24 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2527

On Sun, 12 Feb 2006 13:40:33 -0500, Ken C <cprstn54@nospam.att.net>
wrote:

>On Sun, 12 Feb 2006 17:49:40 GMT, omcdaniel.abcd@mindspring.com (Olin
>K. McDaniel) wrote:
>>It goes dead right in the middle of my
>>transmissions sometimes, WITHOUT WARNING.
>
>According to p. 10 of the Owner's Manual, it i supposed to show a "low
>voltage icon" when it is time to recharge.  For the Li-Ion battery, it
>shows four different icons, depending on voltage.
>
>Accoridng to p. 68 of the manual, you can monitor the actual voltage
>of the battery
>
>Ken KC2JDY
>
```

No dispute with either of those, BUT they are about as useful as the classical "tits on a bull", though. If I have the radio in the clip on my belt, and am busy doing other things while waiting for someone to call, it might be dead for an hour or two before I think to look at the display. Furthermore, the voltage reading is ONLY given if there is only ONE line occupied with a frequency setup. And with it being a dual band rig, which is what I bought it for, then I cannot see the voltage when using it for dual band operation. Likewise the Icon of the tiny, tiny battery emblem when set for dual band operation is almost invisible to the eye.

Bottom line - it is very poorly configured for keeping on top of the battery status. Otherwise, a very good, but much "uselessly over featured" radio.

A simple beep like those on my several portable telephones is all it needs. It has other beeps, for features I'll never use, why not for this? I suspect if enough people complain, Yaesu can issue a mod to the software to provide this very needed feature.

Mac, W4PFZ

From 3236101741691782004
X-Google-Thread: 108122,937f33729db6b22e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Feb 2006 01:06:19 -0600
Newsgroups: rec.radio.amateur.equipment
From: Ben Jackson <ben@ben.com>
Subject: Re: CB mic wiring
References: <3k0qu1tk6j08t679hr6rf06ekc3rftohil@4ax.com>
<L79Hf.3821$MJ.59@fed1read07> <9mequ1tc5sln92mb27gch2g3isr1abmtob@4ax.com>
Message-ID: <slrndv0bvb.1a80.ben@saturn.home.ben.com>
User-Agent: slrn/0.9.8.0 (FreeBSD)
Date: Mon, 13 Feb 2006 01:06:19 -0600
Lines: 12
NNTP-Posting-Host: 67.189.64.253
X-Trace: sv3-VMspYpG4xEx016XBgRIftOAvgSt49imq/3IUbpucwJyhS0HxiI9tz/
LVdQgVqZLjekXXcsRNUlHkN3l!
cMjNEWCc7UWI6pfaQHlz3RCwHFCQ7PebbzgmjyrNwt0n9RjFdn+C20BXpC//80Kxvv2rWlDn9src!L1iX
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32

Xref: g2news1.google.com rec.radio.amateur.equipment:2528

On 2006-02-11, Ken C <cprstn54@att.net> wrote:
>
> Well, NASA uses roger beep with its astronauts

Actually NASA used "quindar tones" which are in-band signalling to activate ground transmitters. Those beeps were removed by a notch filter and never made it into the uplink.

--
Ben Jackson
<ben@ben.com>
http://www.ben.com/

From -1530428065283036085
X-Google-Thread: 108122,b11b5ba6e86e057d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: PaoloC <ollollo@hotpop.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Problems with FT-290R SSB modulation
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: $$5hsnj_-xmh7m4.x-privat.org
Message-ID: <43f0464a_1@x-privat.org>
Organization: X-Privat NNTP Server - http://www.x-privat.org
Lines: 21
X-Authenticated-User: $$s0826xxx02o_qsyemw
X-Complaints-To: abuse@x-privat.org
Date: 13 Feb 2006 09:41:46 +0100
Path: g2news1.google.com!news3.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2529

Good morning.
I hope someone has already gotten into this.

I own a Yaesu FT-290R that lately has been reported to produce a distorted SSB modulation.

I checked with another receiver and I can unfortunately confirm that the modulation sounds a bit warbled, fluttered, "bubbly" but still comprehensible (say "3 by 9" RS report).

Apparently the problem worsens when the rig is operated at lower temperatures (32F/0C or so). In low-power mode the modulation is slightly better but still unacceptable.

FM output is OK. Output power looks fine too, at least there's an increment between low and high levels.

Has anyone had this problem? Any cure?

Thanks,
pc

From 3139444401425625899
X-Google-Thread: 108122,385dc15950615b5e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news.rr.com!news-server.columbus.rr.com!
tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "David J Windisch" <davidjw@cinci.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: 0-60V/0-20A DC pwr supply with constV & constI regulation
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <2CZHf.79827$tK4.37566@tornado.ohiordc.rr.com>
Date: Mon, 13 Feb 2006 10:57:02 GMT
NNTP-Posting-Host: 69.133.36.142
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1139828222 69.133.36.142 (Mon, 13 Feb 2006
05:57:02 EST)
NNTP-Posting-Date: Mon, 13 Feb 2006 05:57:02 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2530

FS: 0-60V/0-20A DC pwr supply with constV & constI regulation

Good working order (and good appearance fwiw)
Commercially-made by Mid-Eastern Electronics, Inc., Springfield, NJ
19" rack-mt, perf cover
chrome frt-pnl carrying handles,
11" front-panel height, 15" deep
4-1/2" GE V-A meters,
off/on bat-handle toggle sw,
current-limit pot,
V-coarse & fine pots,
red panel lamp,
frt-pnl banana-socket out, remote-sense and gnd terminals,
rear-drop barrier-strip connections same as front,
120VAC-only input, 30A, has pwr cord & plug.

Weight: 70 lb., figure ~100lb. ship wgt. Will hold the card-table down ;o)

Will ship in wood crate from 45251, or u-pick-up.

$200 obo + u-ship-insure. May be able to ship UPS if you pick it up at depot near you.

73, Dave, N3HE

```
From -6378077882355109580
X-Google-Thread: 108122,b11b5ba6e86e057d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!d89a2db8!
not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <43f0464a_1@x-privat.org>
Subject: Re: Problems with FT-290R SSB modulation
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <b_%Hf.13040$CZ4.9347@trnddc05>
Date: Mon, 13 Feb 2006 13:39:19 GMT
NNTP-Posting-Host: 63.19.252.30
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1139837959 63.19.252.30 (Mon, 13 Feb 2006 08:39:19 EST)
NNTP-Posting-Date: Mon, 13 Feb 2006 08:39:19 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2531
```

"PaoloC" <ollollo@hotpop.com> wrote in message
news:43f0464a_1@x-privat.org...

> Good morning.
> I hope someone has already gotten into this.
>
> I own a Yaesu FT-290R that lately has been reported to produce a distorted
> SSB modulation.
>
> I checked with another receiver and I can unfortunately confirm that the
> modulation sounds a bit warbled, fluttered, "bubbly" but still
> comprehensible (say "3 by 9" RS report).
>
> Apparently the problem worsens when the rig is operated at lower
> temperatures (32F/0C or so). In low-power mode the modulation is slightly
> better but still unacceptable.
>

> FM output is OK. Output power looks fine too, at least there's an
> increment between low and high levels.
>
> Has anyone had this problem? Any cure?
>
> Thanks,
> pc

Are you certain your P.S. is stiff enough to handle the current on voice
peaks? Sounds like it's FMing some- many times a sign of poor regulation.
Dale W4OP

From 7962960064381724213
X-Google-Thread: 108122,2823896791e35f65,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-mail
From: "kg0wx" <kg0wx@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Information page
Date: 13 Feb 2006 06:09:20 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1139839760.688074.64390@g44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.103.205.177
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139839766 21483 127.0.0.1 (13 Feb 2006 14:09:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 13 Feb 2006 14:09:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=68.103.205.177;
   posting-account=7OMbMQ0AAAAOIOn5n1NnmcGqKW2XE2s3
Xref: g2news1.google.com rec.radio.amateur.equipment:2532

I just put up an info page for the RM Italy HLA-150 amplifier.
I know, I know - they make CB amps... This one is different,
guys.

http://hla-150.50megs.com/

73's de Ken KG0WX
K2 #4913, XG2, Tenna Dipper,
HLA-150 amp

From -1200196832673722328
X-Google-Thread: 108122,b11b5ba6e86e057d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: PaoloC <ollollo@hotpop.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Problems with FT-290R SSB modulation
References: <43f0464a_1@x-privat.org> <b_%Hf.13040$CZ4.9347@trnddc05>
In-Reply-To: <b_%Hf.13040$CZ4.9347@trnddc05>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: $$5hsnj_-xmh7m4.x-privat.org
Message-ID: <43f096ba$1_1@x-privat.org>
Organization: X-Privat NNTP Server - http://www.x-privat.org
Lines: 18
X-Authenticated-User: $$s0826xxx02o_qsyemw
X-Complaints-To: abuse@x-privat.org
Date: 13 Feb 2006 15:24:58 +0100
Path: g2news1.google.com!news3.google.com!news4.google.com!news.glorb.com!x-privat.org!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2533

Dale Parfitt wrote:

Thank you Dale for the input.

> Are you certain your P.S. is stiff enough to handle the current on voice
> peaks? Sounds like it's FMing some- many times a sign of poor regulation.

I tried with a 12V/7AH Pb-gel cell, a 12V/5Acont. and a 13.8V/25Acont. supplies. They provide slightly higher voltages (in that order), which reduce the effect, but not that much.

Anyway, for the FT-290R - which is a QRP 2m all-mode RTX - peak consumption is 800mA! (per technical specs)

I doubt all my regulated power sources have gone bad altogether... will check them anyway.

Paolo

From 8916037570363506717
X-Google-Thread: 106d41,db71f43e8d245178,start
X-Google-Thread: 108122,db71f43e8d245178,start
X-Google-Thread: 1109af,db71f43e8d245178,start
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>

```
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA AWESOME VARMINT CB LINEAR
Date: Mon, 13 Feb 2006 11:20:54 -0500
Lines: 5
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43f0b248@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news2.google.com!proxad.net!212.101.4.254.MISMATCH!
solnet.ch!solnet.ch!newsfeed.freenet.de!koehntopp.de!news.musoftware.de!
rouhivuori!not-for-mail
Xref: g2news1.google.com rec.radio.cb:5849 rec.radio.amateur.equipment:2534
rec.radio.swap:2636

BE LOUD AND PROUD!

http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem




From -8101782244063821679
X-Google-Thread: 106d41,db71f43e8d245178
X-Google-Thread: 108122,db71f43e8d245178
X-Google-Thread: 1109af,db71f43e8d245178
X-Google-Attributes: gid106d41,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 13 Feb 2006 10:55:48 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.cb,rec.radio.amateur.equipment,rec.radio.swap
References: <43f0b248@usenet.zapto.org>
Subject: Re: FA AWESOME VARMINT CB LINEAR
Date: Mon, 13 Feb 2006 10:55:49 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <mvydnYHQ4aSJJ23enZ2dnUVZ_tOdnZ2d@comcast.com>
Lines: 13
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
xQAxpwD6f04SfNrVsV85xzdBjV5LF6vOM+WfrwxF74xmvVBEyigNsbLKoWJKOowCS+nwy6CuC7FnDq3!
```

```
Wzn+dLZXLXqM3kKC9O/XA0dyABANC+tmBoqwNm+C1OTTVX0f+2pMXepbTTO3LvqKYyrBEJIEmaxk!
BYnusjIY+mz8
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.cb:5850 rec.radio.amateur.equipment:2535
rec.radio.swap:2637

ummmm...ok....

*PLONK*


"KB2SMS" <KB2SMS@invalid.net> wrote in message
news:43f0b248@usenet.zapto.org...
> BE LOUD AND PROUD!
>
> http://cgi.ebay.com/VINTAGE-VARMINT-XL-600-WATT-TUBE-LINEAR-AMPLIFIER-
AMP_W0QQitemZ5866441518QQcategoryZ48700QQrdZ1QQcmdZViewItem
>




From -1380938071260115543
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe01.news.easynews.com.POSTED!not-for-mail
From: Roger <roger@doesnotexist.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Reply-To: roger@doesnotexist.com
Message-ID: <gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
<o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
```

X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we will be unable to process your complaint properly.
Date: Sun, 05 Feb 2006 20:03:10 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2434 rec.radio.amateur.misc:4166 rec.radio.shortwave:21825

David wrote:
> Roger wrote:
>
>> Well, David recommended I look at the Sangean PT-80 ProTravel, so I
>> assume his comment about me needing psychotherapy is because I did
>> not take his recommendation.
>>
>> David (and others), how does the PT-80 compare to the Degen/Kaito
>> 1103 with respect to MW and SW reception performance?
>>
>> I save quite a chunk of change going with the 1103, plus the 1103
>> is a little smaller and lighter. Also, my research indicates the
>> 1103's performance in several important categories appears to be
>> better than the PT-80. To me, it seems like a no-brainer.
>
> What do you plan on listening to after Cheney detonates his bomb?
> Anything left on the air will most likely be disinformation.

Er, ok.

Anyway, I'm considering using the Degen as my daily listener, and relegating the DX-399 to storage. So I am interested in the here and now ("pre-Cheney bomb".)

So, let's get back on track and compare. Let's compare the relative sensitivity (MW-SW), and audio quality using earbuds between the following "ultra" portable models:

Sangean PT-80
Sangean ATS-606 (essentially same as Radio Shack DX-399)
Degen/Kaito 1103
Sony ICF-SW7600GR
Sony ICF-SW100

(Of course, there's a great variation in price, and in features. The ATS-606/DX-399 does not have SSB, which to me is not important, but to others is important. When I bought my DX-399, I paid ~$35, so it was a no-brainer to get -- I should have bought two.)

I'm sure a couple others could be added to the above list, but they should not be any larger than the largest already there.

Roger

From 5079601221493813786

```
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-
mail
From: Kim_Jong_Il@volcanomail.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Date: 5 Feb 2006 13:12:44 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1139173964.418231.61400@o13g2000cwo.googlegroups.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
   <Xns976073756BD18jkporterhawaiicom@66.75.164.120>
NNTP-Posting-Host: 4.249.72.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139173969 30018 127.0.0.1 (5 Feb 2006 21:12:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Feb 2006 21:12:49 +0000 (UTC)
In-Reply-To: <Xns976073756BD18jkporterhawaiicom@66.75.164.120>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.01; Windows 95;
JUNO),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=4.249.72.49;
   posting-account=jERuaQwAAAByNzbpATTc6YdyxeaVrLCV
Xref: g2news1.google.com rec.radio.amateur.equipment:2435
rec.radio.amateur.misc:4171 rec.radio.shortwave:21842
```

The Sangean 909 is aka the Radio Shack DX-398, which I also acquired at
the same time that I acquired the DX-399. The DX-399 is about the half
the size. It is really a terrific choice for a backpacking tour of
Europe, Australia, Asia, etc. What a gem.

```
From -7289184280034722208
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-
mail
From: barnegatdx@aol.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Date: 5 Feb 2006 13:14:45 -0800
Organization: http://groups.google.com
Lines: 11
```

```
Message-ID: <1139174085.885956.7610@g44g2000cwa.googlegroups.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
   <11ucbgjgbe7va81@corp.supernews.com>
   <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
   <30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
   <5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
   <o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
NNTP-Posting-Host: 66.171.182.72
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139174090 4598 127.0.0.1 (5 Feb 2006 21:14:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Feb 2006 21:14:50 +0000 (UTC)
In-Reply-To: <o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=66.171.182.72;
   posting-account=9caHMg0AAACy7F8Q5LxgjJhAQbmmjfFo
Xref: g2news1.google.com rec.radio.amateur.equipment:2436
rec.radio.amateur.misc:4172 rec.radio.shortwave:21844
```

David wrote:
>

> What do you plan on listening to after Cheney detonates his bomb?
> Anything left on the air will most likely be disinformation.

Broadcsats of Miss Nude Islam, with our host Osama from the Iranian
Capital ??

```
From -6098498582018337215
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-
mail
From: Kim_Jong_Il@volcanomail.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Date: 5 Feb 2006 13:29:15 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1139174955.070816.130010@o13g2000cwo.googlegroups.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
   <11ucbgjgbe7va81@corp.supernews.com>
   <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
   <30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
   <5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
   <o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
   <gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
NNTP-Posting-Host: 4.249.72.49
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139174960 32297 127.0.0.1 (5 Feb 2006 21:29:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Feb 2006 21:29:20 +0000 (UTC)
In-Reply-To: <gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.01; Windows 95;
JUNO),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=4.249.72.49;
   posting-account=jERuaQwAAAByNzbpATTc6YdyxeaVrLCV
Xref: g2news1.google.com rec.radio.amateur.equipment:2437
rec.radio.amateur.misc:4174 rec.radio.shortwave:21845
```

"When I bought my DX-399, I paid ~$35, so it was a no-brainer to get --
I should have bought two.)"

No, I bought the other one.

```
From -5068937307906262794
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Message-ID: <ts2du1p061rnpgod4cncsf1dtn8h9hhmvt@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
<o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
<gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 52
Date: Sun, 05 Feb 2006 23:36:04 GMT
```

```
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1139182564 66.133.198.234 (Sun, 05 Feb
2006 15:36:04 PST)
NNTP-Posting-Date: Sun, 05 Feb 2006 15:36:04 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2438
rec.radio.amateur.misc:4184 rec.radio.shortwave:21866
```

On Sun, 05 Feb 2006 20:03:10 GMT, Roger <roger@doesnotexist.com>
wrote:

>David wrote:
>> Roger wrote:
>
>>> Well, David recommended I look at the Sangean PT-80 ProTravel, so I
>>> assume his comment about me needing psychotherapy is because I did
>>> not take his recommendation.
>>>
>>> David (and others), how does the PT-80 compare to the Degen/Kaito
>>> 1103 with respect to MW and SW reception performance?
>>>
>>> I save quite a chunk of change going with the 1103, plus the 1103
>>> is a little smaller and lighter. Also, my research indicates the
>>> 1103's performance in several important categories appears to be
>>> better than the PT-80. To me, it seems like a no-brainer.
>
>> What do you plan on listening to after Cheney detonates his bomb?
>> Anything left on the air will most likely be disinformation.
>
>Er, ok.
>
>Anyway, I'm considering using the Degen as my daily listener, and
>relegating the DX-399 to storage. So I am interested in the here and
>now ("pre-Cheney bomb".)
>
>So, let's get back on track and compare. Let's compare the relative
>sensitivity (MW-SW), and audio quality using earbuds between the
>following "ultra" portable models:
>
>Sangean PT-80
>Sangean ATS-606 (essentially same as Radio Shack DX-399)
>Degen/Kaito 1103
>Sony ICF-SW7600GR
>Sony ICF-SW100
>
>(Of course, there's a great variation in price, and in features. The
>ATS-606/DX-399 does not have SSB, which to me is not important, but to
>others is important. When I bought my DX-399, I paid ~$35, so it was a
>no-brainer to get -- I should have bought two.)
>
>I'm sure a couple others could be added to the above list, but they
>should not be any larger than the largest already there.

>
>Roger
>
I'm not a big fan of Sony. They break.

I have an ATS-606A (it has 1 KHz fine tuning). I enjoy it. The PT-80
intrigues me.

From -3896330455152876805
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Feb 2006 21:10:53 -0600
From: running dogg <run@ning.dog>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Date: Sun, 05 Feb 2006 19:11:00 -0800
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
<o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
User-Agent: Noworyta News Reader/2.9
Message-ID: <RP-dnXKNms-jI3venZ2dnUVZ_sOdnZ2d@comcast.com>
Lines: 53
NNTP-Posting-Host: 24.7.144.176
X-Trace: sv3-ao8xH/
cioBmYbXaphtGDJTsdpfzaEPE406eZ0D+G2FbGWvL6SQnRw8PT1NKzWJUdeLIWNY9llVdT54R!
7aut0y1U9izNGK58H4iZzoVqLpcm1by3L7IKK2YbtIHyoj42teGhCRYpNex2FfuVhHscr2ucgLvr!
YBg4H2ri9Lp+CRorTFg=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2439
rec.radio.amateur.misc:4189 rec.radio.shortwave:21889

David wrote:

> On Sun, 05 Feb 2006 19:19:28 GMT, Roger <roger@doesnotexist.com>
> wrote:

>
> >David wrote:
> >> Roger wrote:
> >
> >>> Now, as I look things over, I'm getting more and more intrigued
> >>> with purchasing a Degen/Kaito 1103 portable.
> >>>
> >>> So, where can I find this model at the lowest price? Also, should I
> >>> stick with a Kaito (for the American market), or can I consider a
> >>> Degen? (I heard the walwart with the Degen is not for U.S.
> >>> voltages.)
> >
> >> I think your money would be better spent on some psychotherapy.
> >
> >*laugh*
> >
> >Well, David recommended I look at the Sangean PT-80 ProTravel, so I
> >assume his comment about me needing psychotherapy is because I did not
> >take his recommendation.
> >
> >David (and others), how does the PT-80 compare to the Degen/Kaito 1103
> >with respect to MW and SW reception performance?
> >
> >I save quite a chunk of change going with the 1103, plus the 1103 is
> >a little smaller and lighter. Also, my research indicates the 1103's
> >performance in several important categories appears to be better than
> >the PT-80. To me, it seems like a no-brainer.
> >
> >Comments?
> >
> >Thanks.
> >
> >Roger
> >
> What do you plan on listening to after Cheney detonates his bomb?
> Anything left on the air will most likely be disinformation.
>

Will everything everywhere be wiped out by the bomb? Will all
transmitters be wiped out? I figure that Europe will be spared, and thus
I can listen to the BBC. EMP covers a narrowly defined area. You can't
get it to cover whole continents unless you send it REALLY high up in
the atmosphere. The only rogue state with ICBMs is North Korea, and if
Kim would launch anything, he'd launch an actual bomb instead of an EMP
device. Of course, the USA could send up an EMP device over Iraq, but
they already have ways to counter cell phone triggered IEDs (now the
insurgents run wires).

From -8367382158061332176
X-Google-Thread: 108122,760802d51c2b0cee

```
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Feb 2006 21:21:00 -0600
From: running dogg <run@ning.dog>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Date: Sun, 05 Feb 2006 19:21:08 -0800
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
   <11ucbgjgbe7va81@corp.supernews.com>
   <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
   <30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
   <5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
   <o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
<1139174085.885956.7610@g44g2000cwa.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
User-Agent: Noworyta News Reader/2.9
Message-ID: <AuadnU46jK0DXXveRVn-pw@comcast.com>
Lines: 25
NNTP-Posting-Host: 24.7.144.176
X-Trace: sv3-PaihfqIpAIeC2nBapRNDHTHpa0OwpmndbUjXrQIPf+AZIS5O6E/
pEv5EHxTacMQV2snXazL8FQeCp0s!jx0NSyo6CDQ/dH/cRZgI9wXG7wgPXjAQ/Tc5A50nua/
kmmCp6RStfGxJrTXsz6obzTd0mAl/S79B!fqhSmg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2440
rec.radio.amateur.misc:4190 rec.radio.shortwave:21892
```

barnegatdx@aol.com wrote:

```
>
> David wrote:
> >
>
> > What do you plan on listening to after Cheney detonates his bomb?
> > Anything left on the air will most likely be disinformation.
>
>
> Broadcsats of Miss Nude Islam, with our host Osama from the Iranian
> Capital ??
>
```

Isn't "Miss Nude Islam" an oxymoron? In fact, isn't the beauty pageant considered to be against Islam? In fact, we'd probably have Dialing For Jihad, an imam will say a prayer to help your car bombing be successful, and will read appropriate verses from the Quran. All for 499 riyals. We'd have game shows like Tribal Feud, people try to guess what Muhammad actually said (And the Prophet Says...) with the winners killing the losers. We'd have Jerry Springer like shows: My Wife Shows Her Ankles In Public! The host would give the husband a scimitar to behead his whorish wife with, then the audience would attack each other. Ah, the brave new world of the universal Islamic caliphate!

```
From 813231805788628449
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 05 Feb 2006 21:30:55 -0600
From: running dogg <run@ning.dog>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Date: Sun, 05 Feb 2006 19:31:02 -0800
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
<o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
<gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
User-Agent: Noworyta News Reader/2.9
Message-ID: <NZ6dnW9EjY1tX3venZ2dnUVZ_tmdnZ2d@comcast.com>
Lines: 57
NNTP-Posting-Host: 24.7.144.176
X-Trace: sv3-pdaKkT2L/twJI6L3BlbhgPNV658lyAJ3jnMHawnoR1U33SS+e6IPGTcjfi02e4HnZXQ/
rYO/W+9wkFE!v3f2S/md2dDLvasvROlqnKlgPpbjJgvLT/
257dj0Z7uPevnrlD29nRb6WIWe7NcpeIyZmuukmFZV!SZkRRiEYki5zof+vlKU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2441
rec.radio.amateur.misc:4191 rec.radio.shortwave:21895
```

Roger wrote:

> David wrote:
> > Roger wrote:
>
> >> Well, David recommended I look at the Sangean PT-80 ProTravel, so I
> >> assume his comment about me needing psychotherapy is because I did
> >> not take his recommendation.
> >>
> >> David (and others), how does the PT-80 compare to the Degen/Kaito
> >> 1103 with respect to MW and SW reception performance?
> >>
> >> I save quite a chunk of change going with the 1103, plus the 1103
> >> is a little smaller and lighter. Also, my research indicates the
> >> 1103's performance in several important categories appears to be
> >> better than the PT-80. To me, it seems like a no-brainer.
>
> > What do you plan on listening to after Cheney detonates his bomb?
> > Anything left on the air will most likely be disinformation.
>
> Er, ok.
>
> Anyway, I'm considering using the Degen as my daily listener, and
> relegating the DX-399 to storage. So I am interested in the here and
> now ("pre-Cheney bomb".)
>
> So, let's get back on track and compare. Let's compare the relative
> sensitivity (MW-SW), and audio quality using earbuds between the
> following "ultra" portable models:
>
> Sangean PT-80
> Sangean ATS-606 (essentially same as Radio Shack DX-399)
> Degen/Kaito 1103
> Sony ICF-SW7600GR
> Sony ICF-SW100
>
> (Of course, there's a great variation in price, and in features. The
> ATS-606/DX-399 does not have SSB, which to me is not important, but to
> others is important. When I bought my DX-399, I paid ~$35, so it was a
> no-brainer to get -- I should have bought two.)
>
> I'm sure a couple others could be added to the above list, but they
> should not be any larger than the largest already there.
>
> Roger
>

Well, you won't find as good of a deal as Radio Shack had. The PT-80 is cheap and is a better clock than a radio, according to Passport. If you like the 606, get another one, but you won't get it for anywhere near $35. If you want a Degen (either the 1103 or the sister rx the 1102) then you can find new ones for $50 on Ebay. If you want a Sony, you'll pay through the nose ($150 for the 7600-IF you can find one). When there are better, cheaper portables out there, why bother? Bottom line: if you want an identical twin to what you've got, buy the Sangean. If price is a concern, buy the Degen. Oh, and ignore David, he's a weirdo.

```
From -7724738129624526430
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe09.news.easynews.com.POSTED!not-for-mail
From: Roger <roger@doesnotexist.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Reply-To: roger@doesnotexist.com
Message-ID: <f2hdu150278aio7fv3qe2f4ol0g6abpgqr@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
<o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
<gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
<NZ6dnW9EjY1tX3venZ2dnUVZ_tmdnZ2d@comcast.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 57
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Mon, 06 Feb 2006 03:46:31 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2442
rec.radio.amateur.misc:4192 rec.radio.shortwave:21896
```

running dogg wrote:
> Roger wrote:

>> Anyway, I'm considering using the Degen as my daily listener, and
>> relegating the DX-399 to storage. So I am interested in the here
>> and now ("pre-Cheney bomb".)
>>
>> So, let's get back on track and compare. Let's compare the relative
>> sensitivity (MW-SW), and audio quality using earbuds between the
>> following "ultra" portable models:
>>
>> Sangean PT-80
>> Sangean ATS-606 (essentially same as Radio Shack DX-399)
>> Degen/Kaito 1103
>> Sony ICF-SW7600GR

>> Sony ICF-SW100
>>
>> (Of course, there's a great variation in price, and in features. The
>> ATS-606/DX-399 does not have SSB, which to me is not important, but to
>> others is important. When I bought my DX-399, I paid ~$35, so it was a
>> no-brainer to get -- I should have bought two.)

> Well, you won't find as good of a deal as Radio Shack had. The PT-80
> is cheap and is a better clock than a radio, according to Passport.
> If you like the 606, get another one, but you won't get it for
> anywhere near $35. If you want a Degen (either the 1103 or the
> sister rx the 1102) then you can find new ones for $50 on Ebay. If
> you want a Sony, you'll pay through the nose ($150 for the 7600-IF
> you can find one). When there are better, cheaper portables out
> there, why bother? Bottom line: if you want an identical twin to
> what you've got, buy the Sangean. If price is a concern, buy the
> Degen. Oh, and ignore David, he's a weirdo.

Well, price is a consideration, but so is performance.

When it comes to receiver performance (sensitivity/selectivity/etc.)
how does the Degen/Kaito 1103 compare with the Sangean ATS-606?

From what I've read, the 1103 is a better performer in this regard. It
is supposedly at least as good in audio quality (to earbuds.) And
throw in SSB to boot.

The one downside to the 1103 compared to the 606 is that it is
slightly larger in size and weight (but not much.)

Anyone here done a side-by-side comparison between the 1103 and 606
(or the equivalent RS DX-399) with respect to MW-SW reception?

And where can I get a Degen 1103 for $50? I checked on eBay, but
haven't found a seller yet at this price. The best price I've found
for any 1103 is $89 (and a Kaito which is for the American market.)

Anyone?

Roger

From -8464943894757862743
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail

NNTP-Posting-Date: Sun, 05 Feb 2006 21:56:15 -0600
From: running dogg <run@ning.dog>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Date: Sun, 05 Feb 2006 19:56:23 -0800
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
<o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
<gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
<NZ6dnW9EjY1tX3venZ2dnUVZ_tmdnZ2d@comcast.com>
<f2hdu150278aio7fv3qe2f4ol0g6abpgqr@4ax.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
User-Agent: Noworyta News Reader/2.9
Message-ID: <BKOdnekIYJ59VXveRVn-vw@comcast.com>
Lines: 67
NNTP-Posting-Host: 24.7.144.176
X-Trace: sv3-
Yy8SHSpbY5hDloMvsc4Xe1D1odVKLfe9kWQSB9avbj80Xqua6XAv1ofrB+Ovwbw+xvrsA3SL8L0BVYW!
XclibTdyNCSQAqErAE917qmsITXilN2sZQ91dH5ogAZLJHBxCrkEG+80jGt8CEXNmdklBAvqvLuJ!
TY50iA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2443
rec.radio.amateur.misc:4193 rec.radio.shortwave:21899

Roger wrote:

> running dogg wrote:
> > Roger wrote:
>
> >> Anyway, I'm considering using the Degen as my daily listener, and
> >> relegating the DX-399 to storage. So I am interested in the here
> >> and now ("pre-Cheney bomb".)
> >>
> >> So, let's get back on track and compare. Let's compare the relative
> >> sensitivity (MW-SW), and audio quality using earbuds between the
> >> following "ultra" portable models:
> >>
> >> Sangean PT-80
> >> Sangean ATS-606 (essentially same as Radio Shack DX-399)
> >> Degen/Kaito 1103
> >> Sony ICF-SW7600GR
> >> Sony ICF-SW100
> >>
> >> (Of course, there's a great variation in price, and in features. The

> >> ATS-606/DX-399 does not have SSB, which to me is not important, but to
> >> others is important. When I bought my DX-399, I paid ~$35, so it was a
> >> no-brainer to get -- I should have bought two.)
>
> > Well, you won't find as good of a deal as Radio Shack had. The PT-80
> > is cheap and is a better clock than a radio, according to Passport.
> > If you like the 606, get another one, but you won't get it for
> > anywhere near $35. If you want a Degen (either the 1103 or the
> > sister rx the 1102) then you can find new ones for $50 on Ebay. If
> > you want a Sony, you'll pay through the nose ($150 for the 7600-IF
> > you can find one). When there are better, cheaper portables out
> > there, why bother? Bottom line: if you want an identical twin to
> > what you've got, buy the Sangean. If price is a concern, buy the
> > Degen. Oh, and ignore David, he's a weirdo.
>
> Well, price is a consideration, but so is performance.
>
> When it comes to receiver performance (sensitivity/selectivity/etc.)
> how does the Degen/Kaito 1103 compare with the Sangean ATS-606?
>
> From what I've read, the 1103 is a better performer in this regard. It
> is supposedly at least as good in audio quality (to earbuds.) And
> throw in SSB to boot.
>
> The one downside to the 1103 compared to the 606 is that it is
> slightly larger in size and weight (but not much.)
>
> Anyone here done a side-by-side comparison between the 1103 and 606
> (or the equivalent RS DX-399) with respect to MW-SW reception?
>
>
> And where can I get a Degen 1103 for $50? I checked on eBay, but
> haven't found a seller yet at this price. The best price I've found
> for any 1103 is $89 (and a Kaito which is for the American market.)

Try an ebay seller named Liypn, his store is V Com Collections. His radios are labeled Degen and are for the Chinese market (but mostly labeled in English) and run around $45 or so. He doesn't use the name Degen at all in his posts, just the model "1103". Search for "1103" or some other radios he carries like "Tecsun" (called Grundig or Eton in the US) and some ads from him should pop up. Whenever I need to find his site I search for "Tecsun" and then look in the results for V Com Collections (be careful not to click the wrong store-two or three show up). I don't have either radio, so I can't give you a side by side test. Ask someone who has 100 radios (there are several here) for an opinion.

```
From -8690777177835307459
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
```

```
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!bigfeed3.bellsouth.net!
bigfeed2.bellsouth.net!news.bellsouth.net!elnk-atl-nf1!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!e9aaf89b!
not-for-mail
From: "Sanjaya" <sanjaya_49@yahooNOSPAM.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
<o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
<gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
<NZ6dnW9EjY1tX3venZ2dnUVZ_tmdnZ2d@comcast.com>
<f2hdu150278aio7fv3qe2f4ol0g6abpgqr@4ax.com>
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <OOEFf.11504$rH5.2417@newsread2.news.atl.earthlink.net>
Date: Mon, 06 Feb 2006 09:38:54 GMT
NNTP-Posting-Host: 4.88.56.122
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1139218734 4.88.56.122 (Mon, 06 Feb 2006
01:38:54 PST)
NNTP-Posting-Date: Mon, 06 Feb 2006 01:38:54 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2444
rec.radio.amateur.misc:4212 rec.radio.shortwave:21926
```

"Roger" <roger@doesnotexist.com> wrote in message
news:f2hdu150278aio7fv3qe2f4ol0g6abpgqr@4ax.com...

> And where can I get a Degen 1103 for $50? I checked on eBay, but haven't found a seller yet at this price. The best price I've found for any 1103 is $89 (and a Kaito which is for the American market.)
>
> Anyone?
>
> Roger
>

http://stores.ebay.com/RADIO-AND-COMPONENT

http://stores.ebay.com/V-COM-COLLECTIONS

The 1103 beats all other SW portables price to performance wise.

From 5060293106257275940
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 06 Feb 2006 06:41:54 -0600
From: "Buzzygirl" <buzzygirl@nospam.comcast.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
<o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
<gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
<NZ6dnW9EjY1tX3venZ2dnUVZ_tmdnZ2d@comcast.com>
<f2hdu150278aio7fv3qe2f4ol0g6abpgqr@4ax.com>
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Date: Mon, 6 Feb 2006 06:42:00 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <sdydnVOLl4CP2XrenZ2dnUVZ_sGdnZ2d@comcast.com>
Lines: 19
NNTP-Posting-Host: 69.180.153.32
X-Trace: sv3-lnfy+/
dBRntrnR0avZGErjP+dDfDeYa4apwykLAxS1f4vRdP12s39BptYg1zxnaQaWSl1x/GVTE5epy!OfC68J7/
oBZPB2cIe+5x/luROWyyKB6xtV7305rNx+naZWjZhSOJeeHGU1K4YdfrnF3T6yL6v4dg!
DKL4m63w91sI1LU=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2445
rec.radio.amateur.misc:4215 rec.radio.shortwave:21930

"Roger" <roger@doesnotexist.com> wrote in message
news:f2hdu150278aio7fv3qe2f4ol0g6abpgqr@4ax.com...

> Anyone here done a side-by-side comparison between the 1103 and 606
> (or the equivalent RS DX-399) with respect to MW-SW reception?

Yes. The 1103 wins in sensitivity and sound over the 606. MW reception on the 1103 is excellent too.

> And where can I get a Degen 1103 for $50? I checked on eBay, but
> haven't found a seller yet at this price. The best price I've found
> for any 1103 is $89 (and a Kaito which is for the American market.)

Look for Liypn on eBay. His eBay store is called V-COMM COLLECTIONS.

Jackie

```
From 7307664547848632545
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Message-ID: <lvjeu1prbqddhr8hgj07utcr0f8sh3dqpf@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
<o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
<gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
<NZ6dnW9EjY1tX3venZ2dnUVZ_tmdnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Mon, 06 Feb 2006 13:33:35 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1139232815 66.133.198.234 (Mon, 06 Feb
2006 05:33:35 PST)
NNTP-Posting-Date: Mon, 06 Feb 2006 05:33:35 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2446
rec.radio.amateur.misc:4220 rec.radio.shortwave:21938
```

On Sun, 05 Feb 2006 19:31:02 -0800, running dogg <run@ning.dog> wrote:

>Roger wrote:

>
>
>a concern, buy the Degen. Oh, and ignore David, he's a weirdo.
>

We are a nation of weirdos. The USA was started by weirdos Europe
didn't want any more. Lots of long haired pot farmers as I recall.

From -8815204943568502111
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Message-ID: <f3keu11ta71tbut6ohgr1i6v5sqac5e0p8@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com> <11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com> <30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com> <5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com> <o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com> <RP-dnXKNms-jI3venZ2dnUVZ_sOdnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
Date: Mon, 06 Feb 2006 13:36:16 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1139232976 66.133.198.234 (Mon, 06 Feb 2006 05:36:16 PST)
NNTP-Posting-Date: Mon, 06 Feb 2006 05:36:16 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2447 rec.radio.amateur.misc:4221 rec.radio.shortwave:21939

On Sun, 05 Feb 2006 19:11:00 -0800, running dogg <run@ning.dog> wrote:

>Will everything everywhere be wiped out by the bomb? Will all
>transmitters be wiped out? I figure that Europe will be spared, and thus
>I can listen to the BBC. EMP covers a narrowly defined area. You can't
>get it to cover whole continents unless you send it REALLY high up in
>the atmosphere. The only rogue state with ICBMs is North Korea, and if
>Kim would launch anything, he'd launch an actual bomb instead of an EMP
>device. Of course, the USA could send up an EMP device over Iraq, but

>they already have ways to counter cell phone triggered IEDs (now the
>insurgents run wires).
>
>
It's absurd to think that you'll have time to relax by the fire while
your generator humms along keeping your minute steaks frozen after
such an event.

This threat of war is fake. The pigs want to scare you into
submission. Bin Laden works for Bush (or vice versa).

From -6467916626314466937
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-mail
From: "John S." <hjsjms@cs.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Date: 6 Feb 2006 06:50:46 -0800
Organization: http://groups.google.com
Lines: 33
Message-ID: <1139237446.321732.109010@g44g2000cwa.googlegroups.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
   <11ucbgjgbe7va81@corp.supernews.com>
   <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139237451 17516 127.0.0.1 (6 Feb 2006 14:50:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Feb 2006 14:50:51 +0000 (UTC)
In-Reply-To: <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news1.google.com rec.radio.amateur.equipment:2448
rec.radio.amateur.misc:4222 rec.radio.shortwave:21945

Roger wrote:
> I thank everyone for replying to my inquiry about the best small
> portable MW-SW-FM radio meeting my list of specs.
>
> With regards to the various "Faraday Cage" comments, I'll not reply to

> them in any substantive way since that is off-topic here (want to
> focus on "radios"), but for those interested, just do a Google search
> on "EMP Faraday," and several informative articles will result.
>
> Now, as I look things over, I'm getting more and more intrigued with
> purchasing a Degen/Kaito 1103 portable.
>
> So, where can I find this model at the lowest price? Also, should I
> stick with a Kaito (for the American market), or can I consider a
> Degen? (I heard the walwart with the Degen is not for U.S. voltages.)
>
> Thoughts? Recommendations?
>
> Thanks!
>
> Roger

On Ebay you will get the best price for a Degen DE 1103. The Kaito badged DE 1103 can be had in the U.S. for about $30.00 more.

Rather than trying to use the built-in wall wart charger I opted to rotate two sets of NIMH batteries and a separate charger. The built-in set-up for charging was not well designed because you have to set the number of hours for charging - no auto sensing circuit on either model. Leaving a portable hooked up for 12 hours seemed to defeat it's purpose as a portable.

From 7030959101617332970
X-Google-Thread: 108122,657c9fc6d785ad81,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!cycny01.gnilink.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu FT-767 GX HF Rig
Message-ID: <rf8fu15qfit3l7at4gv44pfmet54ijtg5d@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Mon, 06 Feb 2006 14:22:41 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1139253756 68.193.1.58 (Mon, 06 Feb 2006 12:22:36 MST)
NNTP-Posting-Date: Mon, 06 Feb 2006 12:22:36 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2449

FS Yaesu FT-767 GX HF Rig
Looks and works fine.
Price: 475.00 Shipped and insured to the lower 48 States.
So free shipping and insurance.
Reply email......Rich

From -6552065922805954578
X-Google-Thread: 108122,a24eb43eaa81ede3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-mail
From: "KG7HQ" <moravian_knight@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FT-857D Remote Mounting
Date: 6 Feb 2006 11:42:35 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1139254955.897639.267860@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 130.76.32.167
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139254960 28590 127.0.0.1 (6 Feb 2006 19:42:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 6 Feb 2006 19:42:40 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; Boeing Kit; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=130.76.32.167;
   posting-account=OnmCXQwAAACSOsFwOFLoq5u55UK0Fhc2
Xref: g2news1.google.com rec.radio.amateur.equipment:2450

Hello All,
I recently purchased a FT-857D to replace my ailing FT-100D. It seems
to be a great little transciever for the price. I had also purchased
the remote mounting kit for my vehicle installation.
I was a bit disappointed to see that you don't really get a "Full"
mounting kit for the price. Like the FT-100/D, you need to purchase the
Yaesu MMB-62 in addition to make it usable in multiple mounting
enviroments. What's even better is that there isn't any reference of
needing this mounting platform anywhere!
Looks like Yaesu over looked this one so beware. The mounts seemed to
be still available from many of the radio vendors.
73's
Michael

From 3032518209803799787
X-Google-Thread: 114aac,beeb4e5681cf9daa,start
X-Google-Thread: 108122,beeb4e5681cf9daa,start

```
X-Google-Thread: 1109af,beeb4e5681cf9daa,start
X-Google-Attributes: gid114aac,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap
Subject: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Date: Tue, 7 Feb 2006 11:29:56 -0500
Lines: 5
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43e8cb61$1@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news2.google.com!proxad.net!news.cs.univ-paris8.fr!
ciril.fr!newsfeed.x-privat.net!rouhivuori!not-for-mail
Xref: g2news1.google.com rec.radio.shortwave:22121
rec.radio.amateur.equipment:2451 rec.radio.swap:2553

NICE LOW DRIVE AMP BE LOUD AND PROUD ON YOUR CB!

http://cgi.ebay.com/Skipshooter-One-Solid-State-Bi-Linear-
Amplifier_W0QQitemZ5863054745QQcategoryZ296QQrdZ1QQcmdZViewItem
```

```
From -3491345644063628933
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Attributes: gid114aac,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!ALLTEL.NET-
a2kHrUvQQWlmc!not-for-mail
From: "Fred W4JLE" <w4jle@w4jle.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap
References: <43e8cb61$1@usenet.zapto.org>
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Date: Tue, 7 Feb 2006 11:48:55 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 16
```

```
X-Trace: c76c943e8cf9a3270ce3c17143
Xref: g2news1.google.com rec.radio.shortwave:22124
rec.radio.amateur.equipment:2452 rec.radio.swap:2554

I have forwarded your message to Riley, you may now explain to him why a
holder of an amateur radio license would be in violation of FCC regulations.

Fred W4JLE


"KB2SMS" <KB2SMS@invalid.net> wrote in message
news:43e8cb61$1@usenet.zapto.org...
> NICE LOW DRIVE AMP BE LOUD AND PROUD ON YOUR CB!
>
>
http://cgi.ebay.com/Skipshooter-One-Solid-State-Bi-Linear-
Amplifier_W0QQitemZ5863054745QQcategoryZ296QQrdZ1QQcmdZViewItem
>
>




From 7373138568740599605
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Attributes: gid114aac,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "KB2SMS" <KB2SMS@invalid.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap
References: <43e8cb61$1@usenet.zapto.org>
<c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Date: Tue, 7 Feb 2006 11:51:02 -0500
Lines: 23
Organization: Poughkeepsie Amateur Radio Club Keyqueen
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43e8d053$1@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news3.google.com!news2.volia.net!news.newsland.it!
newsfeed.x-privat.net!rouhivuori!not-for-mail
Xref: g2news1.google.com rec.radio.shortwave:22125
rec.radio.amateur.equipment:2453 rec.radio.swap:2555

Go poind salt freddy the narc. tell riley to blow me.
>
```

"Fred W4JLE" <w4jle@w4jle.com> wrote in message
news:c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET...
>I have forwarded your message to Riley, you may now explain to him why a
> holder of an amateur radio license would be in violation of FCC
> regulations.
>
> Fred W4JLE
>
>
> "KB2SMS" <KB2SMS@invalid.net> wrote in message
> news:43e8cb61$1@usenet.zapto.org...
>> NICE LOW DRIVE AMP BE LOUD AND PROUD ON YOUR CB!
>>
>>
> http://cgi.ebay.com/Skipshooter-One-Solid-State-Bi-Linear-Amplifier_W0QQitemZ5863054745QQcategoryZ296QQrdZ1QQcmdZViewItem
>>
>>
>
>

From 6460631138784494570
X-Google-Thread: 108122,3f98714ca6fc56c4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Icom IC-736 HF/6m Base
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <C45Gf.2202$Nq1.1564@dukeread11>
Date: Tue, 7 Feb 2006 11:49:14 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1139334562 68.1.251.179 (Tue, 07 Feb 2006 12:49:22 EST)
NNTP-Posting-Date: Tue, 07 Feb 2006 12:49:22 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2454

FS Nice ICOM IC-736 - HF/6m Base Transceiver. HF base transceiver RX: 500 kHz-29.995 MHz, 50 MHz-54 MHz TX: all amateur HF bands + 6 meters Output power: 100 W (40 W AM) Modes: CW, SSB, AM, FM. Includes orginal icom hand mic, built in tuner, built in AC power supply, and power cord. This transceiver has a Power Supply problem. For awhile it would take a few minutes to come on after applying power. When it does come on it works fine. Gradually, it has taken longer for it to warm up and come on until now it does not come on. It has got to be something simple in the PS but I am no technician. Cosmetics are very good. I can send pictures. These rigs are selling for over $600 in working order. My Price is $400. Thanks, Charlie Hugg, K5MBX

From -3235812749537015150
X-Google-Thread: 108122,44150c84392303e0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Nice Icom IC-275H All Mode
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <_96Gf.2207$Nq1.1464@dukeread11>
Date: Tue, 7 Feb 2006 13:03:13 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1139339002 68.1.251.179 (Tue, 07 Feb 2006 14:03:22 EST)
NNTP-Posting-Date: Tue, 07 Feb 2006 14:03:22 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2455

FS Nice Icom IC-275H 100 watt 2 meter SSB/FM/CW all mode radio. This is one of the finest 2m transceiver ever built, a GREAT performer. Complete with power cable and Handmic. Nice
condition-just needs new display lights (only needed under no-light condx). No original box. Manual is available on Internet. Price is $515 shipped in lower 48. Thanks, Charlie Hugg, K5MBX

From -8138678939615666795
X-Google-Thread: 108122,94fead6523e2ed
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-mail
From: n2hbz@masari.com
Newsgroups: rec.radio.amateur.equipment

```
Subject: Re: Help With Compact Screwdriver Mobile Ant Mt
Date: 7 Feb 2006 14:37:55 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1139351875.747190.131250@f14g2000cwb.googlegroups.com>
References: <K6pvf.3682$Hl6.1003@newsread3.news.pas.earthlink.net>
   <YHhxf.162201$aS5.71677@bignews4.bellsouth.net>
NNTP-Posting-Host: 216.103.117.2
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139351881 2800 127.0.0.1 (7 Feb 2006 22:38:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 7 Feb 2006 22:38:01 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.12) Gecko/
20050923 CentOS/1.0.7-1.4.1.centos4 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=216.103.117.2;
   posting-account=q3votwsAAABywo6VPa2f_0-PCEa0IIgl
Xref: g2news1.google.com rec.radio.amateur.equipment:2456

Call Cindy at Tarheel Antennas.  They have a new roof mount designed
for the stubby.  It is so new it is not on the website yet.



From 5966912352003832080
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: Kim_Jong_Il@volcanomail.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Date: 7 Feb 2006 18:41:58 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1139366518.767430.40520@g14g2000cwa.googlegroups.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
   <11ucbgjgbe7va81@corp.supernews.com>
   <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
   <30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
   <5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
   <o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
   <gjlcu11q9d8n8btqp931ljo30ietr1f465@4ax.com>
   <NZ6dnW9EjY1tX3venZ2dnUVZ_tmdnZ2d@comcast.com>
   <f2hdu150278aio7fv3qe2f4ol0g6abpgqr@4ax.com>
NNTP-Posting-Host: 4.249.75.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

```
X-Trace: posting.google.com 1139366524 23994 127.0.0.1 (8 Feb 2006 02:42:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Feb 2006 02:42:04 +0000 (UTC)
In-Reply-To: <f2hdu150278aio7fv3qe2f4ol0g6abpgqr@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.01; Windows 95;
JUNO),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=4.249.75.208;
   posting-account=jERuaQwAAAByNzbpATTc6YdyxeaVrLCV
Xref: g2news1.google.com rec.radio.amateur.equipment:2457
rec.radio.amateur.misc:4274 rec.radio.shortwave:22196
```

I've got the review in another browser right now.

http://www.radiointel.com/review-degende1103.htm

```
From 5266178808187866733
X-Google-Thread: 108122,a3c9959fc3bad02d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
green.octanews.net!news-out.octanews.net!cox.net!news-xfer.cox.net!p01!
dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu FT-2400 2 meter Mobile
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <vCdGf.2229$Nq1.2041@dukeread11>
Date: Tue, 7 Feb 2006 21:31:31 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1139369499 68.1.251.179 (Tue, 07 Feb 2006 22:31:39 EST)
NNTP-Posting-Date: Tue, 07 Feb 2006 22:31:39 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2458
```

FS Yaesu FT-2400H 2 Meter Transceiver. 50/25/5 watts. 140 mhz to 174 mhz receive and 140 mhz to 150 mhz transmit. It looks very good and works good, but will need memory battery replaced. It loses frequency and memories when turned off and taken off a power source. Also needs display back lights replaced. Comes with touch tone microphone. Picture available by email. Price is $90 plus shipping. Charlie Hugg, K5MBX

```
--
________________________________
See my Signal/One, Collins & Drake
```

Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

```
From -3062485402226904837
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Attributes: gid114aac,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
newscon02.news.prodigy.com!newscon06.news.prodigy.com!prodigy.net!news-
east.rr.com!news-wrt-01.rdc-nyc.rr.com!news-feed-01.rdc-nyc.rr.com!news.rr.com!
news-out.nyc.rr.com!news-wrt-01.rdc-nyc.rr.com.POSTED!53ab2750!not-for-mail
From: Fred Garvin <garv@elaborate.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap
Message-ID: <2006020805432750073%garv@elaboratenet>
References: <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
User-Agent: Unison/1.6.2
Lines: 12
Date: Wed, 08 Feb 2006 10:43:25 GMT
NNTP-Posting-Host: 24.161.95.233
X-Complaints-To: abuse@rr.com
X-Trace: news-wrt-01.rdc-nyc.rr.com 1139395405 24.161.95.233 (Wed, 08 Feb 2006
05:43:25 EST)
NNTP-Posting-Date: Wed, 08 Feb 2006 05:43:25 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.shortwave:22235
rec.radio.amateur.equipment:2459 rec.radio.swap:2566
```

On 2006-02-07 11:48:55 -0500, "Fred W4JLE" <w4jle@w4jle.com> said:

> I have forwarded your message to Riley, you may now explain to him why a
> holder of an amateur radio license would be in violation of FCC regulations.
>
> Fred W4JLE

The guy is bootlegging that email address. The real SMS did not post it. It's an old lame ass internet trick....

```
From -2171960523436492068
X-Google-Thread: 108122,cabd1848b387fb53,start
X-Google-Thread: fc2a5,cabd1848b387fb53,start
```

X-Google-Thread: 107ada,cabd1848b387fb53,start
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Feb 2006 05:23:35 -0600
From: OTR <>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.misc,rec.radio.amateur.swap
Subject: Heathkit Question
Date: Wed, 08 Feb 2006 06:23:39 -0500
Message-ID: <n1lju1594ovdb18m7glcun3h35a9sgvo3a@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 2
NNTP-Posting-Host: 68.70.147.174
X-Trace: sv3-uTZbScVW6S61+/iwXg2QyeifhfVMxq5HWj6Xczf6UeYHL2BQL/
Y0FxFa9tAwsYX32fGpo7jaoBU3T6Y!
wgcE3+qbtnzzD4b74xplwwOBxwfruOfPVq24pbbjOZUpAuWp+re+cNhu2qRsGxxYaJZQMERP6Gi6!
puTfSLAnRRcN8aBy9Haw
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2460
rec.radio.amateur.homebrew:3563 rec.radio.amateur.misc:4302

Is it possible to determine the year of production for a Heathkit HW-8
by the serial number?

From 3100290204594186357
X-Google-Thread: 108122,8b46034052607dd3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-
mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need help cloning or programming an Icom F3S handheld.
Date: 8 Feb 2006 06:05:13 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1139407513.100431.274730@o13g2000cwo.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"

X-Trace: posting.google.com 1139407518 18446 127.0.0.1 (8 Feb 2006 14:05:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Feb 2006 14:05:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 iwss:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=64.216.97.21;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.amateur.equipment:2461

My brother sent me an Icom F3S handheld, nice radio if I can get it reprogrammed. I built a cloning cable and found a cloning program for the Icom F3, but it doesnt seem to work with the F3S. Does anyone have the cloning program? I would even be willing to send the radio to you to have it programmed and compensate for any time involved. Thanks for your time and consideration on the matter.
Tim Mize N7XAU
tmize57@juno.com

From 5343687498744812012
X-Google-Thread: 108122,8877d3d0be7c6d08,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need a manual for a CES-5200 Telephone Interconnect
Date: 8 Feb 2006 06:07:02 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1139407622.815720.132800@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 64.216.97.21
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139407628 18633 127.0.0.1 (8 Feb 2006 14:07:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 8 Feb 2006 14:07:08 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 iwss:8080 (IWSS)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=64.216.97.21;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.amateur.equipment:2462

I am in need of the manual for a CES-5200 Telephone Interconnect. I would be willing to compensate for any costs involved! Thanks for your

```
time and consideration on this matter.
Tim Mize N7XAU
tmize57@juno.com




From 8183019505599076374
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Thread: 106d41,7d9f40e938cc97eb,start
X-Google-Attributes: gid114aac,gid108122,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!sn-xt-sjc-15!sn-xt-sjc-07!sn-post-02!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Date: Wed, 8 Feb 2006 19:47:00 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11ul7oja3ufur95@corp.supernews.com>
References: <43e8cb61$1@usenet.zapto.org>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 9
Xref: g2news1.google.com rec.radio.shortwave:22311
rec.radio.amateur.equipment:2463 rec.radio.swap:2570 rec.radio.cb:5715

"KB2SMS" <KB2SMS@invalid.net> wrote in message
news:43e8cb61$1@usenet.zapto.org...
> NICE LOW DRIVE AMP BE LOUD AND PROUD ON YOUR CB!
>
> http://cgi.ebay.com/Skipshooter-One-Solid-State-Bi-Linear-
Amplifier_W0QQitemZ5863054745QQcategoryZ296QQrdZ1QQcmdZViewItem
>
You should know better Thomas.





From 793040915375010294
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Thread: 106d41,7d9f40e938cc97eb
X-Google-Attributes: gid114aac,gid108122,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.maxwell.syr.edu!sn-xt-sjc-15!sn-xt-
```

```
sjc-12!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Date: Wed, 8 Feb 2006 19:48:12 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11ul7qqca8nu4d7@corp.supernews.com>
References: <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
<20060208054327500073%garv@elaboratenet>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 18
Xref: g2news1.google.com rec.radio.shortwave:22312
rec.radio.amateur.equipment:2464 rec.radio.swap:2571 rec.radio.cb:5716

"Fred Garvin" <garv@elaborate.net> wrote in message
news:20060208054327500073%garv@elaboratenet...
> On 2006-02-07 11:48:55 -0500, "Fred W4JLE" <w4jle@w4jle.com> said:
>
>> I have forwarded your message to Riley, you may now explain to him why a
>> holder of an amateur radio license would be in violation of FCC
>> regulations.
>>
>> Fred W4JLE
>
>
> The guy is bootlegging that email address. The real SMS did not post it.
> It's an old lame ass internet trick....
>
>
Quit trying to defend him Fred.




From -1983248745686613791
X-Google-Thread: 108122,64fdd390c897d070,start
X-Google-Thread: 1062f2,64fdd390c897d070,start
X-Google-Attributes: gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Feb 2006 19:49:42 -0600
Subject: FA: 3 Pro Books: OPTICS, OPTICAL ENGINEERING, LASERS, THIN FILMS,
ELECTRONICS, etc.
Date: Wed, 08 Feb 2006 20:49:42 -0500
From: Paul <paul@pljoijwfoka.com>
```

```
Newsgroups: rec.radio.amateur.equipment,misc.industry.electronics.marketplace
Message-ID: <080220062049421493%paul@pljoijwfoka.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.65.176.179
X-Trace: sv3-pQBy5lW5sncKLuwGuBoosOPk1idBJjRgOV6oL3CCgD/
9WVYh5W6+TLituDu95047A4S2R3LD28fol9A!8/
A5dnSXYAXQzNqkEv0NtpEzd0ZXO15Ns12e8jJ6DIt2XM5ouFrEAQEWVF2OuW+lD4V34bBBjfO6!
gEORaDwZnISKsbKdq5xiRk4=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2465
misc.industry.electronics.marketplace:277


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4611982940


From 430823696509633478
X-Google-Thread: 108228,3e93956b1c5abb72,start
X-Google-Thread: fcc6e,3e93956b1c5abb72,start
X-Google-Thread: 108122,3e93956b1c5abb72,start
X-Google-Thread: 1062f2,3e93956b1c5abb72,start
X-Google-Attributes: gid108228,gidfcc6e,gid108122,gid1062f2,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!
news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 08 Feb 2006 19:50:51 -0600
Subject: FA: Book: SPREAD SPECTRUM SYSTEMS: An Advanced Electronics/Math Book
Date: Wed, 08 Feb 2006 20:50:51 -0500
From: Paul <paul@pljoijwfoka.com>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.antenna,rec.radio.amateur.equipment,misc.indus
try.electronics.marketplace
Message-ID: <080220062050515585%paul@pljoijwfoka.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 2
NNTP-Posting-Host: 68.65.176.179
X-Trace: sv3-nFYYNG5Fj1dfYjR5mCxQ56Rj6tJTynLgq/cxKL2E/
jiDIy82T67xPrF0dp3XE0nyo7I6kc6TnEV5P6m!b/FKsHA/
W1VE+QTQocGn1SqSDddOPZx5X32SEb22JKxOkbY7jqTT8emsIqLUl3RbV9wHtQpC5VXE!
KqUjZsaNkCLS7rEyx+OI4LU=
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com alt.ham-radio.marketplace:564
rec.radio.amateur.antenna:6191 rec.radio.amateur.equipment:2466
misc.industry.electronics.marketplace:278


http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=4611984617



From 2365211498423428291
X-Google-Thread: 114aac,beeb4e5681cf9daa
X-Google-Thread: 108122,beeb4e5681cf9daa
X-Google-Thread: 1109af,beeb4e5681cf9daa
X-Google-Thread: 106d41,7d9f40e938cc97eb
X-Google-Attributes: gid114aac,gid108122,gid1109af,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.volia.net!koehntopp.de!
newsfeed.freenet.de!border2.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-
xt-ams-04!sn-post-ams-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Dr.Death" <drdeath@nospam.yahoo.com>
Newsgroups:
rec.radio.shortwave,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb
Subject: Re: FA SKIPSHOOTER LINEAR (LOW DRIVE)
Date: Wed, 8 Feb 2006 19:57:14 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11ul8bqenmalmd0@corp.supernews.com>
References: <c76c9$43e8cf9a$97d56b99$17143@ALLTEL.NET>
<2006020805432750073%garv@elaboratenet> <11ul7qqca8nu4d7@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 25
Xref: g2news1.google.com rec.radio.shortwave:22313
rec.radio.amateur.equipment:2467 rec.radio.swap:2572 rec.radio.cb:5720

"Dr.Death" <drdeath@nospam.yahoo.com> wrote in message
news:11ul7qqca8nu4d7@corp.supernews.com...
> "Fred Garvin" <garv@elaborate.net> wrote in message
> news:2006020805432750073%garv@elaboratenet...
>> On 2006-02-07 11:48:55 -0500, "Fred W4JLE" <w4jle@w4jle.com> said:
>>
>>> I have forwarded your message to Riley, you may now explain to him why a
>>> holder of an amateur radio license would be in violation of FCC
>>> regulations.
>>>
```

```
>>> Fred W4JLE
>>
>>
>> The guy is bootlegging that email address. The real SMS did not post it.
>> It's an old lame ass internet trick....
>>
>>
> Quit trying to defend him Fred.
>
```

It's a well known fact that KB2SMS and N8WWM sell CB amps. Google up Doug
Adair N8WWM and you will see that selling CB amps and crappy homemade
antennas are there specialty.

```
From 4613191876575902492
X-Google-Thread: 108122,a054b676bbcd130f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!
newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr24.news.prodigy.net.POSTED!b42e299e!not-for-mail
From: "dave warren" <coward@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Top forum subject at www.niggerandcrackers.com average jamal VS Taxim
Lines: 63
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <HzEGf.11384$tb3.4594@newssvr24.news.prodigy.net>
NNTP-Posting-Host: 69.210.58.37
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr24.news.prodigy.net 1139479911 ST000 69.210.58.37 (Thu, 09 Feb
2006 05:11:51 EST)
NNTP-Posting-Date: Thu, 09 Feb 2006 05:11:51 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYASNGPJVKRRTYGZHXOFXBWR\HPCTL@XT^OBPLAH[\RWICYFWUQBKZQLYJX\_ITFD_KFVLUN[DOM_A_N
SYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXG
QCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Thu, 09 Feb 2006 10:11:51 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2468
```

Top forum subject at www.niggerandcrackers.com average jamal VS Taxim

average jamal cont. shhhh, let's listen in shall we.

Average JamaL Posted:

........when in fact political awareness has made racism worst. you crackers know that this shit aint even, now you wanna blame blacks for just saying f*#k it and caring little to none about fitting in. f*#k fitting in we should be in automatically.

so have a power cracker day and make sure you continue to look down on us instead of using your supposedly superior intellect to help us understand whats wrong. throw all us good people away with thebad ones even though we out number them 100 to 1. we should give up on you white f*#kers cause george bush is so stupid, but we dont. cause we care about america. this shit is hopeless, i am tired of my kids having to be niggers just cause afew are acting crazy. i am tired of watching my 11 year old kid be fingerprinted just cause he is playing outside in front of the house after 11pm in the summer with his friends. why does he have to get fingerprinted? this system sucks cause white people are instinctively racist and black people have been angry so long its starting to imprint our DNA. lets fix it. or at least try. instead of argueing you morons

White chicK posted:

"Your yard analogy was powerful. "......... I thought we were making headway on racial equality too until New Orleans. Boy was that an eye-opener. Look, I'm probably not a typical cracker. Wish I could put up a fight and defend the status quo but I can't. I think you're right. It isn't even. "Racial pride is one thing, racial superiority is another"

TaxiM posted:

Well, jamal, that was special, i especially liked the end. "Lets fix it." "You morons." I can see you're well on your way to becoming a mediator for race releations. "white bastards", "you crackers", "you white fuckers". Yeah, that's productive. And what's this "put down (over centuries)" BS? Have you been around for centuries? I sure haven't. So I don't see why I or any white people should have to feel guilty for things people we may or may not be related to have done in the past. But that's the race card. Poor me. It's someone else's fault. Just what this topic is about personal responsiblilty. There are plenty of successful blacks. All it takes is the motivation. Or will it just be cries for more handouts?

www.niggersandcrackers.com

The webs first public and free politically N-correct race relations debate/discussion forum

Get Some.

From 1725925319579102799
X-Google-Thread: 108122,cabd1848b387fb53
X-Google-Thread: fc2a5,cabd1848b387fb53
X-Google-Thread: 107ada,cabd1848b387fb53
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!bigfeed2.bellsouth.net!bigfeed.bellsouth.net!bignumber.bellsouth.net!
news.bellsouth.net!bignews4.bellsouth.net.POSTED!35f0e4eb!not-for-mail
Reply-To: "Mr Fed UP" <mrfedup@bellsouth.net>
From: "Mr Fed UP" <mrfedup@bellsouth.net>
Newsgroups:
rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.misc,rec.radio.amateur.swap
References: <n1lju1594ovdb18m7glcun3h35a9sgvo3a@4ax.com>
Subject: Re: Heathkit Question
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <jsJGf.1028$pM6.101@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcboodnemaekdahonfnpamchahcggdmldmgkin
iadhckihdimljoalpnflbapfokdkpecfhedlaihfpgbpajhkhfhhmgladlnehoenoicgmfmohhjpkp
NNTP-Posting-Date: Thu, 09 Feb 2006 10:45:19 EST
Organization: BellSouth Internet Service
Date: Thu, 9 Feb 2006 09:47:51 -0600
Xref: g2news1.google.com rec.radio.amateur.equipment:2469
rec.radio.amateur.homebrew:3575 rec.radio.amateur.misc:4331

http://www.qsl.net/kb7rgg/heath/heathkit.html
has lots of info on heathkits. Nothing specific on a particular serial
number for models
but it does have many dates for model runs.i.e. the HW-8 was made from
1976 - 1983.
Very nice heathkit site.

Good luck
73 K4TWO Gary

<OTR> wrote in message news:n1lju1594ovdb18m7glcun3h35a9sgvo3a@4ax.com...

> Is it possible to determine the year of production for a Heathkit HW-8
> by the serial number?

```
From -5148995058728333839
X-Google-Thread: 108122,128ee94cb86641d0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 09 Feb 2006 09:53:13 -0600
From: "Tennesseek5" <tennesseek5@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Cave City, Ky Hamfest
Date: Thu, 9 Feb 2006 09:53:13 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <f5ydnfGJe_73-HbeRVn-jQ@comcast.com>
Lines: 40
NNTP-Posting-Host: 69.138.50.215
X-Trace: sv3-B2RQQNUY4d1XU/MBC7Uw9OyFQvdy28Go6u3/
UFAggvq6Qg5OeVNA2Yh0+sNPrFPhfV6SqlqD1tJgTZW!
kIU1J2O1RlvIhOpIVhOMjPCYQcQ0ZEPIIL2QMOCasft3OSMXrVE1RCAXyQZ3wo495c74+0FCaNhl!FePY
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2470
```

Join us in Cave City, KY on March 4, 7:30am CST
at Cave City Convention Center. I-65 Exit 53.
Talk-in 146.940 Repeater, Glasgow, KY
for the 30th Annual Cave City Hamfest.
Sponsored by the Mammoth Cave Amateur Radio
Club.
We continue to be one of the largest hamfests
in Kentucky with about 800 hams in attendance.
Admission is $6 (Kids under 12 free)
Tables are $7 each and 2/3's are already sold.
For tickets or tables   lbrumett@glasgow-ky.com

ARRL V.E. Exams
No Code begins at 9:00am CST

All Others begin at 10:00am CST
Upgrades bring copy of current license and ID
For exam info   crice@glasgow-ky.com

At the hamfest there will be an ARRL Forum and a 3.960 Group meeting. As always there will be FREE coffee early   and Door prizes all day.

Vendors will set up on Friday March 03 6 - 9pm and Saturday morning at 6am. Doors open at 7:30am Saturday morning CST.

Outdoor Flea Market spaces will be available if weather permits.   Please know that you can't hear the PA system outside. Every year someone complains...........

For additional information please contact Hamfest Chairman Larry Brumett KN4IV lbrumett@glasgow-ky.com

Thanks   Joe Taylor   N4NAS   n4nas1@hotmail.com

```
From 9058751730572547827
X-Google-Thread: 108122,4d96e412b7050694,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!69.28.186.75.MISMATCH!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: DENTRON MT-3000A  Antenna Tuner
Message-ID: <tr2nu1lig616ptj6t7lerhegof08ee8tnn@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Thu, 09 Feb 2006 13:35:47 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1139510139 68.193.1.58 (Thu, 09 Feb 2006 11:35:39 MST)
NNTP-Posting-Date: Thu, 09 Feb 2006 11:35:39 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2471
```

WTB: DENTRON MT-3000A Antenna Tuner
Reply Email with price and condition
Rich

From 937903702100465248
X-Google-Thread: 108122,e17ae2976306ea96,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood TS-520 w/acc L@@K
Message-ID: <bjfnu1hp5kk1gj8gjhsa2joi9g4gvi8qps@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Date: Thu, 09 Feb 2006 17:13:05 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1139523176 68.193.1.58 (Thu, 09 Feb 2006 15:12:56 MST)
NNTP-Posting-Date: Thu, 09 Feb 2006 15:12:56 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2472

FS: Kenwood TS-520 w/acc L@@K
Kenwood TS-520
Kenwood DG-5 Digital Display
Kenwood SP-520 Speaker
All works and all was repainted, not the original color.
Its a lighter gray.
Good for new ham.
Builtin Power Supply.
Price for all shipped and insured.
.... 235.00 ....
Lower 48 States UPS Shipped

I take paypal.
Reply email.

From 122561084855812938
X-Google-Thread: 108122,4738b5b77557d229,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-mail
From: "DoctorUSA" <doctorusa@gmail.com>
Newsgroups: rec.radio.amateur.equipment

Subject: Yaesu VX-7R or Kenwood TH-F6A
Date: 9 Feb 2006 17:19:43 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 162.119.64.110
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139534389 1195 127.0.0.1 (10 Feb 2006 01:19:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 10 Feb 2006 01:19:49 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=162.119.64.110;
   posting-account=h2uStg0AAAA54TSEHYxAQRHoZZ526WKe
Xref: g2news1.google.com rec.radio.amateur.equipment:2473

Hello to All of YOU!
I'm looking for an advice on two questions:

1. What radio should I buy between the two: Yaesu VX-7R or Kenwood TH-F6A
2. Where should I buy it from (price) or maybe someone sells one used ?

RE: the first question: I want this radio in order to be able to
monitor (listen) to all possible things: weather, radio, police chat,
trackers, taxi dispatchers an so on.
Also I would like to be able to talk back to some of them (definitely
not a police :))
If it's matter, I'm in San Francisco, CA and love to hike in Lake Tahoe
area of the Sierra Mountains.

From 5988393168784127915
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-07!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: mike <spamme0@netscape.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
Date: Thu, 09 Feb 2006 17:30:51 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <43EBECCB.8070609@netscape.net>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>

In-Reply-To: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news1.google.com rec.radio.amateur.equipment:2474

DoctorUSA wrote:
> Hello to All of YOU!
> I'm looking for an advice on two questions:
>
> 1. What radio should I buy between the two: Yaesu VX-7R or Kenwood
> TH-F6A
> 2. Where should I buy it from (price) or maybe someone sells one used ?
>
> RE: the first question: I want this radio in order to be able to
> monitor (listen) to all possible things: weather, radio, police chat,
> trackers, taxi dispatchers an so on.
> Also I would like to be able to talk back to some of them (definitely
> not a police :))
> If it's matter, I'm in San Francisco, CA and love to hike in Lake Tahoe
> area of the Sierra Mountains.
>

Most frequencies REQUIRE some sort of license to "talk back".
It's unlikely that either radio can be used legally transmit outside the
ham bands.
Get a trunk-tracking scanner. Use your cellphone for talking.
mike

From 3499851780423167009
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsfeed.gamma.ru!Gamma.RU!sn-xt-sjc-02!
sn-xt-sjc-06!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
Date: Fri, 10 Feb 2006 02:14:10 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11untni38g4m242@corp.supernews.com>
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 103
Xref: g2news1.google.com rec.radio.amateur.equipment:2475

In article <1139534383.931916.115910@g44g2000cwa.googlegroups.com>,
DoctorUSA <doctorusa@gmail.com> wrote:

>Hello to All of YOU!

>I'm looking for an advice on two questions:
>
>1. What radio should I buy between the two: Yaesu VX-7R or Kenwood TH-F6A

They're both popular radios with lots of features.

The VX-7R has 6-meter capability (which few people seem to use - there's not much 6-meter FM traffic in Northern California) and its 220 transmission power is fairly low. It's water-gasketed and can survive splashing and some immersion - but I've heard some people complain that the microphone's waterproofing membrane muffles the mic and makes the transmitted audio quality poorer than previous Yaesu radios.

The TH-F6A doesn't have 6 meters, and isn't waterproofed as far as I know, but has full-power 220 transmit capability.

These radios are likely to be fairly competitive in terms of their basic output power, sensitivity, and capabilities. Which you would prefer may be as much a matter of personal taste and operating style than anything else. I'd encourage you to try 'em out - at least for reception - before making a decision.

For all HTs of this level, programming the memories (potentially, hundreds of them!) becomes a significant challenge. Both of these radios can be programmed using a personal computer (running Windows or an emulator thereof), using suitable software and a special PC-to-radio cable.

Officially-supported software is available for the VX-7, but it's a commercial aftermarket product which is not cheap. There's also some reverse-engineered freeware (VX-7 Commander) to do the same thing.

Kenwood makes programming software for their radios available for free... it can be downloaded from www.kenwood.net

You'll need a suitable cable/adapter, to convert the RS-232 signals from your PC's serial port to the 5-volt open-collector signalling which these radios use for programming. You can buy adapters from RT Systems (they're sold with their Yaesu programming software) or from Kenwood. It's often possible to use one vendor's adapter with another vendor's radio, if you build the right sort of cable to go between 'em.

>2. Where should I buy it from (price) or maybe someone sells one used ?

The prices for new radios of this sort don't seem to vary much from one dealer to the next. I've heard that the dealer profit margins on such radios are very slim... there's not a lot of room for dealers to cut their prices.

You _might_ save a few dollars by buying by mail from an out-of-state dealer. However, the savings are likely to be small if the deal is honest. Since you've got a good well-stocked dealer in your area (Ham Radio Outlet over in Oakland) you could do lots worse than to just hop BART over to the East Bay and buy one locally. That way, you'll have the advantage of local-dealer support if anything turns out to be wrong with your radio, and might avoid having to send it back to the manufacturer for repair or exchange.

[The first VX-5 I bought, from HRO's Sunnyvale outlet, had a microphone which went bad after a few weeks. They swapped out the radio for a new one even though it was past the normal 7-day over-the-counter exchange.]

>RE: the first question: I want this radio in order to be able to
>monitor (listen) to all possible things: weather, radio, police chat,
>trackers, taxi dispatchers an so on.

All well and good. Both of these radios should be able to receive any AM or narrow-band FM signal in those bands. Neither will be able to handle the newer trunked-digital UHF systems.

>Also I would like to be able to talk back to some of them (definitely
>not a police :))

Not a good idea. Not legal. These radios are not certificated for transmission outside of the ham bands. Using them in that way can get you into quite a bit of trouble, for transmitting without a proper license and for transmitting using noncertificated equipment. Loss of amateur-radio license, big fines, etc. can result (and do so result from time to time).

>If it's matter, I'm in San Francisco, CA and love to hike in Lake Tahoe
>area of the Sierra Mountains.

I'd recommend that you buy a better antenna for whatever radio you get. The "rubber duck" antennas sold with such HTs are fine for most in-city uses (especially when using a local repeater) but they're not a great choice when you're out in the woods, far from your nearest repeater, and *need* to get a signal through. A "spaghetti-noodle" quarter-wave whip, plus a 19" counterpoise wire, will add a lot to the 2-meter range of a radio of this sort.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 1757485295059167134
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!

border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-pusher.readnews.com!news-out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
Organization: Your Company
Message-ID: <Xns9765BA77C27C5spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 10 Feb 2006 02:17:40 GMT
Lines: 23
NNTP-Posting-Host: a2cca65c.news.adtechcomputers.com
X-Trace: DXC=]Tja[kQTWP>^R\TYHhbgi6gC4_A5:nI@1<<=aEgO;R87WG]V<@97\R61kVhMLJYZn5R?
X7U2a5ff7emfRC[RMj??JGUlSY>5n20P3lYMg=E3U3He1>gB<X3^3
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2476

>
> 1. What radio should I buy between the two: Yaesu VX-7R or Kenwood
> TH-F6A
> 2. Where should I buy it from (price) or maybe someone sells one used ?

Without making a judgement call on your questionable comment regarding talking back on possible non-ham frequencies, I'll make two comments on those two radios. I have owned both in the past.

I preferred the Kenwood for two primary reasons:

The Kenwood was capable of receiving SSB in the HF frequency range, albeit the sensitivy was EXTREMELY POOR in that regard.

I highly prefer the Kenwood Menu system.... it was much more intuitive to use compared to the Yaesu radios.

Both are well built solid transceivers, though.

Ed   K7AAT

From -5256029155155105394
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-sjc-02!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
Date: Thu, 9 Feb 2006 19:50:47 -0800

```
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11uo3co1h9lfb45@corp.supernews.com>
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
<Xns9765BA77C27C5spectrumhogstarbandn@198.186.192.196>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news1.google.com rec.radio.amateur.equipment:2478

"Ed" wrote ...
>   I highly prefer the Kenwood Menu system.... it was
>  much more intuitive to use compared to the Yaesu radios.

I was just looking at those very two models after getting
my callsign (KE7GKP) just yesterday.

I just bought the Yaesu this afternoon and am still reading
the book.  The Yaesu was recommended very much in
preference to the Kenwood by the guy at HRO in Portland.
He claimed the opposite, that the menu system of the Yaesu
was simple enough that he needed the book only once every
vew months, but the Kenwood he never could manage.
Go figure?  :-)


From 4231299160943996129
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!sn-xt-
sjc-02!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
Date: Thu, 9 Feb 2006 19:50:43 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11uo3clgnul0b41@corp.supernews.com>
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news1.google.com rec.radio.amateur.equipment:2477

"DoctorUSA" wrote ...
> 1. What radio should I buy between the two: Yaesu
> VX-7R or Kenwood TH-F6A
> 2. Where should I buy it from (price) or maybe someone
> sells one used ?
>
> RE: the first question: I want this radio in order to be able
> to monitor (listen) to all possible things: weather, radio,
> police chat, trackers, taxi dispatchers an so on.
> Also I would like to be able to talk back to some of them
> (definitely not a police :))

While you may be able to receive most/all of those
sources (because both models have a wide-band
receive function) , it is very unlikely that any of those
services are using ham bands, which would preclude
you from "talking back" to any of them. Also neither
radio will transmit in the bands they are likely to use.
Fortunate for you since is is almost certainly very illegal.

A "scanner" type receiver seems more suitable for
listening to the various services you mention. Particulary
in a large city where they use "trunking" and other
systems for sharing (and jumping around) between
different frequencies. Many scanners are progrmmable
to handle this. But neither of the radios you mentioned
can follow these kinds of conversations.

From 2176143990733363050
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news2.volia.net!news.germany.com!ecngs!
feeder.ecngs.de!213.193.255.2.MISMATCH!feeder1.cambrium.nl!feed.tweaknews.nl!
138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-05!sn-post-ams-01!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
Date: Thu, 09 Feb 2006 21:57:59 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <4s6ou112tkangc1tip8j97dq5srpssjbiv@4ax.com>
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
<Xns9765BA77C27C5spectrumhogstarbandn@198.186.192.196>

```
<11uo3co1h9lfb45@corp.supernews.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 29
Xref: g2news1.google.com rec.radio.amateur.equipment:2479

On Thu, 9 Feb 2006 19:50:47 -0800, "Richard Crowley"
<rcrowley@xpr7t.net> wrote:

>"Ed" wrote ...
>>   I highly prefer the Kenwood Menu system.... it was
>>  much more intuitive to use compared to the Yaesu radios.
>
>I was just looking at those very two models after getting
>my callsign (KE7GKP) just yesterday.
>
>I just bought the Yaesu this afternoon and am still reading
>the book.  The Yaesu was recommended very much in
>preference to the Kenwood by the guy at HRO in Portland.
>He claimed the opposite, that the menu system of the Yaesu
>was simple enough that he needed the book only once every
>vew months, but the Kenwood he never could manage.
>Go figure?  :-)

It would be hard for me to figure out why an HRO sales person couldn't
program a Kenwood.  It's too much trouble on any radio without a
computer when you have hundreds of frequencies to input, along with
various option settings.  With the free Kenwood software and a cable
it is a simple chore.  I would much rather operate my computer than
the tiny buttons on an HT for programming.  BTW, the TH-F6A is the
finest HT I have ever owned, and I have owned a LOT of them.  I also
own the TH-D7A, but it is the F6A that goes with me on public service
events, etc.  I love that little radio.

Dick - W6CCD


From 1188785499367765821
X-Google-Thread: 108122,4738b5b77557d229
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
meganewsservers.com!feeder2.on.meganewsservers.com!199.245.68.5.MISMATCH!news-
xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Jimmy Mac" <nospam@manicarcade.com>
Newsgroups: rec.radio.amateur.equipment
References: <1139534383.931916.115910@g44g2000cwa.googlegroups.com>
Subject: Re: Yaesu VX-7R or Kenwood TH-F6A
Date: Thu, 9 Feb 2006 22:58:31 -0800
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Lines: 35
Message-ID: <43ec3999$0$58064$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 10 Feb 2006 06:58:33 GMT
NNTP-Posting-Host: 4929e439.news.sonic.net
X-Trace:
DXC=di2Zn[]a`<KD3cYZEI1YUJm4K\QM1CV^@1OYf0H`?;XAimlGF[85Be@:oF=1i9HD6D[U;E\<4G;jE0
^`0eF0TX^D
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2480
```

I spent nearly 2 hours at the HRO in Oakland trying out both - After some
serious thinking I ended up with the Kenwood.
At that time it was because I felt it wiser for me to opt for 220 over 6M in
a HT. After well over a year of using the Kenwood, I have to say that it is
by far the best HT I have ever had.

Drawbacks?
No drop in charger.
Speaker Mic and pwr jacks are on the side instead of the top.

I often wonder why anyone would want 6M in such a small qrp format unless
they lived within eyesight of a 6M repeater.

Jim..
kb6zop

"DoctorUSA" <doctorusa@gmail.com> wrote in message
news:1139534383.931916.115910@g44g2000cwa.googlegroups.com...
> Hello to All of YOU!
> I'm looking for an advice on two questions:
>
> 1. What radio should I buy between the two: Yaesu VX-7R or Kenwood
> TH-F6A
> 2. Where should I buy it from (price) or maybe someone sells one used ?
>
> RE: the first question: I want this radio in order to be able to
> monitor (listen) to all possible things: weather, radio, police chat,
> trackers, taxi dispatchers an so on.
> Also I would like to be able to talk back to some of them (definitely
> not a police :))
> If it's matter, I'm in San Francisco, CA and love to hike in Lake Tahoe
> area of the Sierra Mountains.
>

From -6895578633891141415

```
X-Google-Thread: 108122,3f86c308bc301b42,start
X-Google-Thread: 108778,3f86c308bc301b42,start
X-Google-Attributes: gid108122,gid108778,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!news-xfer.nntp.sonic.net!posts.news.sonic.net!
nnrp0.nntp.sonic.net!not-for-mail
From: "Jimmy Mac" <nospam@manicarcade.com>
Newsgroups: rec.radio.amateur.equipment,alt.radio.amateur
References: <yqTGf.1442$Ly6.639@bignews5.bellsouth.net>
Subject: Re: Mobile Rig
Date: Thu, 9 Feb 2006 23:05:04 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Lines: 27
Message-ID: <43ec3b23$0$58085$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 10 Feb 2006 07:05:07 GMT
NNTP-Posting-Host: fd8b9e82.news.sonic.net
X-Trace:
DXC=3Ao`PPJ0S1h1L<5oeC6I2om4K\QM1CV^`1OYf0H`?;XaWcECe3Idebd:oF=1i9HD6d[U;E\<4G;jeF
P^aL97JPCk
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2481 alt.radio.amateur:169
```

You could probably get away with bolting a Kenwood TS-440S/AT under the dash on the passenger side! ;-)

No really - look at the catalog for the compact mobiles with the remote heads. You could probably fabricate some sort of mount that slips into those vents above the stereo.

Personally? I drive a Mustang and use a TH-F6 Triband HT that fits in my shirt pocket.

<plonnie@bellsouth.net> wrote in message
news:yqTGf.1442$Ly6.639@bignews5.bellsouth.net...

> Looking to install a mobile rig in a 2005 Chevy Malibu with the same
> interior/console/dashboard as shown in the attached picture. Any
> recommendations for equipment, to include transcievers, amplifiers,
> antenna, etc. would be greatly appreciated. I'd like to keep the cost to
> a minimum.
>
> --
> Chaplain (1LT) Lonnie J. Potter
> Aide-de-Camp
> Kentucky Brigade, Third Division
> United States Corps of Chaplains
>
>

From 7130652495162550211
X-Google-Thread: 108122,3f86c308bc301b42
X-Google-Thread: 108778,3f86c308bc301b42
X-Google-Attributes: gid108122,gid108778,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 10 Feb 2006 07:04:36 -0600
From: "Noon-Air" <Noon-Air@comcast.net>
Newsgroups: rec.radio.amateur.equipment,alt.radio.amateur
References: <yqTGf.1442$Ly6.639@bignews5.bellsouth.net>
<43ec3b23$0$58085$742ec2ed@news.sonic.net>
Subject: Re: Mobile Rig
Date: Fri, 10 Feb 2006 07:04:35 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <9JWdncyQxd35EnHeRVn-rw@comcast.com>
Lines: 46
NNTP-Posting-Host: 68.63.237.38
X-Trace: sv3-
mNw7G318FSJ3wFaODV5Dla4g6ulaEq4kxkukZzqtm249zdrI+z6DCJC8Iovjx5PIGCCFaWZHKm4YR3j!
6yU9ksTjRldc851C8A11esLb6PjMAAw1RTb8REWmQZl57HiJCJ9fULoHeyAq2Ycc6tocM2VnU2M=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2482 alt.radio.amateur:170

I did the TS-480HX with Turbo Tuner and Tarheel M-200 screwdriver, and
FT-7800R with glas mount dual band antenna in my Tundra.... it worked out
well. pics here.
http://ph.groups.yahoo.com/group/TS-480/photos/browse/e113
The remote faces on these rigs were a great help.... the body of the radios
can be mounted most anywhere.

-n6ojn
--

Steve @ Noon-Air Heating & A/C
Noon-Air@comcast.net

Life is what happens while you were making other plans

```
"Jimmy Mac" <nospam@manicarcade.com> wrote in message
news:43ec3b23$0$58085$742ec2ed@news.sonic.net...
> You could probably get away with bolting a Kenwood TS-440S/AT under the
> dash on the passenger side! ;-)
>
> No really - look at the catalog for the compact mobiles with the remote
> heads. You could probably fabricate some sort of mount that slips into
> those vents above the stereo.
>
> Personally? I drive a Mustang and use a TH-F6 Triband HT that fits in my
> shirt pocket.
>
> <plonnie@bellsouth.net> wrote in message
> news:yqTGf.1442$Ly6.639@bignews5.bellsouth.net...
>> Looking to install a mobile rig in a 2005 Chevy Malibu with the same
>> interior/console/dashboard as shown in the attached picture.  Any
>> recommendations for equipment, to include transcievers, amplifiers,
>> antenna, etc. would be greatly appreciated.  I'd like to keep the cost to
>> a minimum.
>>
>> --
>> Chaplain (1LT) Lonnie J. Potter
>> Aide-de-Camp
>> Kentucky Brigade, Third Division
>> United States Corps of Chaplains
>>
>>
>
>




From 2731238618710816874
X-Google-Thread: fe552,b29da4553ac84bd5,start
X-Google-Thread: 103929,b29da4553ac84bd5,start
X-Google-Thread: 10fe7d,b29da4553ac84bd5,start
X-Google-Thread: fc8b1,b29da4553ac84bd5,start
X-Google-Thread: 108122,b29da4553ac84bd5,start
X-Google-Thread: 114aac,b29da4553ac84bd5,start
X-Google-Thread: 1109af,b29da4553ac84bd5,start
X-Google-Attributes:
gidfe552,gid103929,gid10fe7d,gidfc8b1,gid108122,gid114aac,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!news2.volia.net!
newsfeed.utanet.at!newsfeed.inode.at!aotearoa.belnet.be!news.belnet.be!
newsfeeder.wxs.nl!divide.nova.planet.nl!posting.nova.planet.nl!not-for-mail
From: "Percom" <percom@planet.nl>
Newsgroups:
es.rec.radio.amateur,fr.rec.radio.amateur,it.hobby.radioamatori,rec.radio.amateur.
boatanchors,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.swap
Subject: FS: Spare parts Plessey PR-2250 receiver
Date: Fri, 10 Feb 2006 14:16:14 +0100
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Lines: 11
Message-ID: <43ec922c$0$2015$ba620dc5@text.nova.planet.nl>
NNTP-Posting-Host: 84.82.147.170
X-Trace: 1139577388 text.nova.planet.nl 2015 84.82.147.170:30237
X-Complaints-To: abuse@planet.nl
Xref: g2news1.google.com es.rec.radio.amateur:295 fr.rec.radio.amateur:2296
it.hobby.radioamatori:10284 rec.radio.amateur.boatanchors:2821
rec.radio.amateur.equipment:2483 rec.radio.shortwave:22617 rec.radio.swap:2582
```

Spare parts Plessey PR-2250 receiver

Interface unit EURO 66,-
Connector plate + routing board + hinged rear panel EURO 79,50
Internal coaxial cables EURO 2,25
Module 5 (detectors, output amplifiers) EURO 125,00
Module 6 (BFO) EURO 125,00

(prices excl. shipment)

```
From -7735345352453311333
X-Google-Thread: fc8b1,63bfc119d565e87b
X-Google-Thread: 108122,63bfc119d565e87b
X-Google-Thread: 1109af,63bfc119d565e87b
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!
53ab2750!not-for-mail
From: Jack O'Neill <tokras@optonline.net>
Organization: SGC
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Nice D-104 (Black)
References: <v6cDf.1225$8U2.475@trndny06>
In-Reply-To: <v6cDf.1225$8U2.475@trndny06>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <36wDf.89$C11.51@fe12.lga>
Date: Mon, 30 Jan 2006 17:07:09 -0500
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
```

```
X-Trace: fe12.lga 1138658815 24.47.254.156 (Mon, 30 Jan 2006 15:06:55 MST)
NNTP-Posting-Date: Mon, 30 Jan 2006 15:06:55 MST
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2582
rec.radio.amateur.equipment:2333 rec.radio.swap:2468

Joe wrote:

>Anyone need a nice D-104 Night Eagle with preamp before it goes to "that
>other place"
>$40 + actual shipping costs from 11030 (around $7 USPM with conf)
>USA 50 only
>Big Photos
>http://members.bellatlantic.net/~vze2pdtg/d104.jpg
>http://members.bellatlantic.net/~vze2pdtg/d1042.jpg
>
>-Joe "NOSPAM"
>
>
>
>
And the old heathkit clock still ticking!!!!  Amazing!!
73


From 1229110046675415260
X-Google-Thread: 108122,23981175680a00a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Another Ebay Beware example
Date: 30 Jan 2006 15:05:44 -0800
Organization: http://groups.google.com
Lines: 15
Message-ID: <1138662344.803560.217350@g44g2000cwa.googlegroups.com>
References: <1138617757.245959.218930@g14g2000cwa.googlegroups.com>
   <1138633937.790199.140620@z14g2000cwz.googlegroups.com>
   <drlfn70g98@enews4.newsguy.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138662349 18933 127.0.0.1 (30 Jan 2006 23:05:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 23:05:49 +0000 (UTC)
In-Reply-To: <drlfn70g98@enews4.newsguy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2334

   I Put my Griddipper  on the tank and I believe it is tuned to 27
MHZ..Could that be?HS
Leanne wrote:
> <w4pqw@cox.net> wrote in message
> news:1138633937.790199.140620@z14g2000cwz.googlegroups.com...
> > Also see Hallicrafters 5858761318...  I inquired about this ,He says
> > that since he advised in his listing that he knew nothing about the
> > equip that everyone should not expect him to be responsible for saying
> > that it is a Hallicrafter.. What a disclaimer...buyer beware again..
>
> I love the footprint on one of the front panels. Is this what they call
> shock excitation??
>
> Leanne




From -1905723253115614660
X-Google-Thread: fc8b1,63bfc119d565e87b
X-Google-Thread: 108122,63bfc119d565e87b
X-Google-Thread: 1109af,63bfc119d565e87b
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 30 Jan 2006 19:22:33 -0600
From: "gb" <onw9mapsgb@no.arrl.spam.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
References: <v6cDf.1225$8U2.475@trndny06> <36wDf.89$C11.51@fe12.lga>
Subject: Re: Nice D-104 (Black)
Date: Mon, 30 Jan 2006 19:22:29 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <dKqdnQCm-d1EJkPeRVn-tA@comcast.com>
Lines: 45
NNTP-Posting-Host: 67.175.77.127
X-Trace: sv3-
w1W+3JIiRf+h35q+oLfqGTyDlW7U48Vh7j6qa7OaBkyWGAhTHNQb9GoEH0o+Itme6m7OCZshy2G6MjR!
klWjkQJG/aPVVVcVeH4I8UnpRQ01ewfK6jq90gK45mR9pJdnMFTbmFPfXecHlL0g091pNoC0D+GR!
go8www==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

Xref: g2news1.google.com rec.radio.amateur.boatanchors:2586
rec.radio.amateur.equipment:2335 rec.radio.swap:2475

"Jack O'Neill" <tokras@optonline.net> wrote in message
news:36wDf.89$C11.51@fe12.lga...
> Joe wrote:
>
>>Anyone need a nice D-104 Night Eagle with preamp before it goes to "that
>>other place"
>>$40 + actual shipping costs from 11030 (around $7 USPM with conf)
>>USA 50 only
>>Big Photos
>>http://members.bellatlantic.net/~vze2pdtg/d104.jpg
>>http://members.bellatlantic.net/~vze2pdtg/d1042.jpg
>>
>>-Joe "NOSPAM"
>>
>>
>>
> And the old Heathkit clock still ticking!!!! Amazing!!

Ken Kuhlman, former "General Products" Heathkit engineer died of kidney cancer on January 24th.

Ken grew up in Kansas and developed a deep love for electronics as a teen. While he never got a ham ticket, one of the first electronic projects he built was an operating telegraph system running between his and his brother's tree houses. He graduated from Wichita State University with a BSEE degree in 1964, and worked at Heath for over 25 years.

During his tenure he developed many very popular kits such as the GR-1075 Digital
Clock Radio and also contributed to the automotive products group, as well as testing and development of the Heath/Zenith laptop computer products. He was an avid car fan and had restored a 1957 Austin Healey, which he loved to drive around on any warm day with the top down.

I was privileged to work with Ken a little at Heath, and for several years shared office and lab space with him at Whirlpool. Ken always commanded respect for his knowledge of most anything electronic. He retired in 2002, but returned a couple of times a year to keep up and say HI. He will be greatly missed by all of his friends, wife Judy, kids Tom and Molly, and 3 grandkids.

==
gb

From 1093412671010164277
X-Google-Thread: 108122,63bfc119d565e87b
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-
sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Nice D-104 (Black)
Date: Mon, 30 Jan 2006 18:40:40 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <tsftt1hss81hv7iftpabird1d25u6dqv8t@4ax.com>
References: <v6cDf.1225$8U2.475@trndny06> <36wDf.89$C11.51@fe12.lga>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news1.google.com rec.radio.amateur.equipment:2336

On Mon, 30 Jan 2006 17:07:09 -0500, Jack O'Neill
<tokras@optonline.net> wrote:

>Joe wrote:
>
>>Anyone need a nice D-104 Night Eagle with preamp before it goes to "that
>>other place"
>>$40 + actual shipping costs from 11030 (around $7 USPM with conf)
>>USA 50 only
>>Big Photos
>>http://members.bellatlantic.net/~vze2pdtg/d104.jpg
>>http://members.bellatlantic.net/~vze2pdtg/d1042.jpg
>>
>>-Joe "NOSPAM"
>>
>>
>>
>>
>And the old heathkit clock still ticking!!!!  Amazing!!
>73

Doesn't seem too amazing to me.  I have a clock just like that working
perfectly.  As does all my Heathkit equipment no matter what the age.
We even have a Heathkit bathroom scale that we use every day.  Built
it about 25 years ago.  If you take care of them, I think they will
last forever.

Dick


From -244294692528889270
X-Google-Thread: 108122,2c7447b91356c733,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
```

border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread05.POSTED!53ab2750!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Uniden HR-2600 10M Radio Excellent Condition
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <TPzDf.81782$4l5.34020@dukeread05>
Date: Mon, 30 Jan 2006 21:20:27 -0500
NNTP-Posting-Host: 70.160.76.117
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1138674035 70.160.76.117 (Mon, 30 Jan 2006 21:20:35 EST)
NNTP-Posting-Date: Mon, 30 Jan 2006 21:20:35 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2337

I have owned this radio for many years having bought it new. I had planned on installing it into my isuzu trooper but never actually managed to get around to it. It has had no more than three to four total hours of use, if that. I has mainly been sitting on a shelf waiting to be installed. It has never been installed in a car and the little use it has had was on the bench with a bench top supply. It is in excellent condition with everything except the original box.

Asking $225.00

Contact me at pwborders at cox dot net

For more information and pictures go to:

http://vbitblnx2.tcc.edu/~tcbordp/hr2600.html

Peter W. Borders - WB4TKA

From -8918124508967320058
X-Google-Thread: 108122,9760565f0e0fcf74,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!dukeread05.POSTED!53ab2750!not-for-mail
From: "Peter W. Borders" <pwborders@cox.net>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Kenwood TH-28a Lots of Extras
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

Lines: 42
Message-ID: <wVzDf.81785$4l5.41815@dukeread05>
Date: Mon, 30 Jan 2006 21:26:28 -0500
NNTP-Posting-Host: 70.160.76.117
X-Complaints-To: abuse@cox.net
X-Trace: dukeread05 1138674396 70.160.76.117 (Mon, 30 Jan 2006 21:26:36 EST)
NNTP-Posting-Date: Mon, 30 Jan 2006 21:26:36 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2338

I have had this radio for a few years. I bought it new at a local hamfest. It is a very solid and reliable performer. Not overly complicated like some of the newer HT's but with all the features you could ever want in an HT. I have used it very little, probably not more then 15 hours total, mainly monitoring. It is in excellent shape and everything works perfectly. The memory expansion module ME-1 is installed as well. The batteries are a little old but have very little use so a few charge / discharge cycles may bring them back to full capacity. No guarentee on the batteries though since they are a little old.

Includes

- Kenwood TH28a Handheld Radio
- Rubber Jack Cover
- Lanyard
- Belt Clip
- Original Rubber Ducky Antenna
- PB13 7.2v 700mah Battery
- BC-14 AC Adaptor / Charger
- Original Manual

Extras

- ME-1 Memory Expansion Module
- W & W Associates:
    - 2 - PB18 7.2v 1500 Mah Batteries
    - Master Charger I With:
        - AC Adaptor
        - Kenwood PB Battery Cup
        - Icom BP Battery Cup
        - Yaesu FNB Battery Cup
- MFJ 287 Mini Speaker Mic
- DC 12v Car Cord
- BT8 6 AA Battery Case
- UPC-8 HT Cradle and 8" Pedestal
- Car Window Holder for Belt Clip Radio and Mic

For more information or to place a bid go to:

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5860712140

```
From 8455412697757510393
X-Google-Thread: 108122,6172fbdce11475a8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!cox.net!p01!dukeread11.POSTED!
53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Mosley CL-33-M-WARC Kit
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <GtBDf.6198$2o5.4487@dukeread11>
Date: Mon, 30 Jan 2006 22:13:17 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1138680806 68.1.251.179 (Mon, 30 Jan 2006 23:13:26 EST)
NNTP-Posting-Date: Mon, 30 Jan 2006 23:13:26 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2339
```

I am looking for the CL-33-M-WARC Kit to convert a Mosley CL-33-M to a CL-33-M WARC so that
I can work the WARC Bands on my Mosley Beam. The Kit must be complete and in good shape and shippable to 79602. Please e-mail your price and the condition of the kit. Thanks, Charlie Hugg, K5MBX

```
From 5092766308783194l6
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
logbridge.uoregon.edu!tethys.csu.net!pln-w!spln!rex!extra.newsguy.com!
newsp.newsguy.com!enews2
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 31 Jan 2006 04:43:07 GMT
Organization: http://extra.newsguy.com
Lines: 15
Message-ID: <xn0ehuvrr3cir4000@cnews.newsguy.com>
```

References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
NNTP-Posting-Host: p-688.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:00000060
Xref: g2news1.google.com rec.radio.amateur.antenna:5985
rec.radio.amateur.equipment:2340 rec.radio.amateur.misc:3879

jpopelish@rica.net wrote:

> One of the most common electrical system problem in cars is loose
> battery terminals

~~~~~~

Years ago I had a car where the battery terminals came loose every couple of weeks, despite tightening the clamps to a fare-thee-well. I couldn't figure out why until a very car-smart friend pointed out the clamp that held the battery was loose. Normal road vibration caused the battery to wiggle around just enough to loosen the clamps.

A word to the wise.

73, Bill W6WRT

From 2946862087348655480
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 30 Jan 2006 23:44:38 -0600
Date: Tue, 31 Jan 2006 00:49:14 -0500
From: John Popelish <jpopelish@rica.net>
Organization: This space not available for advertising.
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
~~~~~~

```
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
<xn0ehuvrr3cir4000@cnews.newsguy.com>
In-Reply-To: <xn0ehuvrr3cir4000@cnews.newsguy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com>
Lines: 30
NNTP-Posting-Host: 69.168.60.25
X-Trace: sv3-BLCFmgcvkqPost8v+puksCw4YVhFH/bCdRYv3Vn8H59qfZFZBPtXXSHx07MA/
0YO5DyfC9ANR78yrUZ!
QMuYULTY9ZqZiFntNhpnRoHyiWKsSMXz5vqMFwCoLYUm2Oh65XVwrNv35d45yFrLW4A/zj2ej514!
QvOdcG6o8ZWuBZ0lTByWZsXbAYCVdw==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5986
rec.radio.amateur.equipment:2341 rec.radio.amateur.misc:3880
```

Bill Turner wrote:

> Years ago I had a car where the battery terminals came loose every couple of weeks, despite tightening the clamps to a fare-thee-well. I couldn't figure out why until a very car-smart friend pointed out the clamp that held the battery was loose. Normal road vibration caused the battery to wiggle around just enough to loosen the clamps.
>
> A word to the wise.

Here's another.

I once had a battery with a very slight leak around one of the posts, and the terminal kept corroding and making poor contact. I took the terminals lose, cleaned everything with baking soda, rinsed and dried all the parts then sanded the posts and inside of the clamps to get a fresh lead surface.

Here is the tip. I coated both surfaces with a film of heavy silicon grease (Dow 111, or similar) and re clamped the terminals, squeezing out the excess grease as the clamps tightened. Even though the outside of the terminals still got visibly corroded the connection remained perfect till the battery failed a couple years later. I have pretreated every battery, when new, ever since, and have never had a connection problem. The grease completely seals out moisture, acid and oxygen, but is about as easy as air for the lead surfaces to break through to make perfect contact.

I see that some headlight bulbs now come pre-glopped with a dollop of such grease to protect the wiring terminals from moisture.

```
From 3896409276038049463
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!f60b578b!not-for-mail
From: Doug Gavilanes <gavilan1@earthlink.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
<xn0ehuvrr3cir4000@cnews.newsguy.com>
<lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com>
In-Reply-To: <lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 56
Message-ID: <MzDDf.3757$5E3.32@newsread1.news.pas.earthlink.net>
Date: Tue, 31 Jan 2006 06:36:28 GMT
NNTP-Posting-Host: 69.3.135.129
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1138689388 69.3.135.129 (Mon, 30 Jan
2006 22:36:28 PST)
NNTP-Posting-Date: Mon, 30 Jan 2006 22:36:28 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.antenna:5988
rec.radio.amateur.equipment:2342 rec.radio.amateur.misc:3882
```

John Popelish wrote:

> Bill Turner wrote:
>
>> Years ago I had a car where the battery terminals came loose every
>> couple of weeks, despite tightening the clamps to a fare-thee-well. I
>> couldn't figure out why until a very car-smart friend pointed out the
>> clamp that held the battery was loose. Normal road vibration caused the
>> battery to wiggle around just enough to loosen the clamps.
>>

>> A word to the wise.
>
>
> Here's another.
>
> I once had a battery with a very slight leak around one of the posts, and the terminal kept corroding and making poor contact. I took the terminals lose, cleaned everything with baking soda, rinsed and dried all the parts then sanded the posts and inside of the clamps to get a fresh lead surface.
>
> Here is the tip. I coated both surfaces with a film of heavy silicon grease (Dow 111, or similar) and re clamped the terminals, squeezing out the excess grease as the clamps tightened. Even though the outside of the terminals still got visibly corroded the connection remained perfect till the battery failed a couple years later. I have pretreated every battery, when new, ever since, and have never had a connection problem. The grease completely seals out moisture, acid and oxygen, but is about as easy as air for the lead surfaces to break through to make perfect contact.
>
> I see that some headlight bulbs now come pre-glopped with a dollop of such grease to protect the wiring terminals from moisture.

WD-40 also works quite well, as it penetrates and lubricates, and there is less mess. I run dual Optima yellow tops in my Wrangler, and a heavy duty conventional (normal maintenance) battery in my XYL's Grand Cherokee and in my Cherokee, and WD-40 has kept corrosion off of the terminal for years now. Works much better than the soaked red and black corrosion inhibiting felt rings. Just a thought...

Keep the bolts tight. Don't forget to run a heavy enough gauge fused wire pair to the rig to make up for voltage drop over your run length (lest you end up with a 30A load dropping the voltage to 10 or 11V and diminished RF output). Your rig was designed to operate as rated at 13.8VDC. With the engine off, you might get 12VDC. With too light a gauge of wire in a long run, you'll see your display dim or go out as the voltage to the rig drops below the minimum required voltage at the radio when keyed.

73,

Doug, N6XQY
Garden Grove, CA.

From -5020394133118490984
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!peer01.west.cox.net!
cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
<xn0ehuvrr3cir4000@cnews.newsguy.com>
<lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com>
In-Reply-To: <lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 46
Message-ID: <BhHDf.31523$bF.20497@dukeread07>
Date: Tue, 31 Jan 2006 05:50:00 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1138704609 24.254.177.70 (Tue, 31 Jan 2006 05:50:09 EST)
NNTP-Posting-Date: Tue, 31 Jan 2006 05:50:09 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.antenna:5990
rec.radio.amateur.equipment:2343 rec.radio.amateur.misc:3885



John Popelish wrote:
> Bill Turner wrote:
>
>> Years ago I had a car where the battery terminals came loose every
>> couple of weeks, despite tightening the clamps to a fare-thee-well. I
>> couldn't figure out why until a very car-smart friend pointed out the
>> clamp that held the battery was loose. Normal road vibration caused the
>> battery to wiggle around just enough to loosen the clamps.
>>
>> A word to the wise.
>
>
> Here's another.
>
> I once had a battery with a very slight leak around one of the posts,
> and the terminal kept corroding and making poor contact.  I took the
> terminals lose, cleaned everything with baking soda, rinsed and dried
> all the parts then sanded the posts and inside of the clamps to get a
> fresh lead surface.
```

>
> Here is the tip. I coated both surfaces with a film of heavy silicon
> grease (Dow 111, or similar) and re clamped the terminals, squeezing out
> the excess grease as the clamps tightened. Even though the outside of
> the terminals still got visibly corroded the connection remained perfect
> till the battery failed a couple years later. I have pretreated every
> battery, when new, ever since, and have never had a connection problem.
> The grease completely seals out moisture, acid and oxygen, but is about
> as easy as air for the lead surfaces to break through to make perfect
> contact.
>
> I see that some headlight bulbs now come pre-glopped with a dollop of
> such grease to protect the wiring terminals from moisture.

When I get a battery terminal with the corrosion and oxidation on it, I sometimes pour a small quantity of Coca Cola on it. Cleans them right off. I will then put a small amount of conductive grease on it.

Andy
WD4KDN

--
I have never met a liberal street cop.

From -811446099944277920
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!cyclone1.gnilink.net!gnilink.net!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: N7ZZT - Eric Oyen <n7zzt@127.0.0.1>
Subject: Re: Mobile installation question
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Followup-To: rec.radio.amateur.antenna
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
<xn0ehuvrr3cir4000@cnews.newsguy.com>
<lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com> <BhHDf.31523$bF.20497@dukeread07>
Lines: 20
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit

```
X-No_Archive: yes
Message-ID: <rLIDf.6220$2o5.2329@dukeread11>
Date: Tue, 31 Jan 2006 05:30:06 -0700
NNTP-Posting-Host: 68.3.196.178
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1138710615 68.3.196.178 (Tue, 31 Jan 2006 07:30:15 EST)
NNTP-Posting-Date: Tue, 31 Jan 2006 07:30:15 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.antenna:5991
rec.radio.amateur.equipment:2344 rec.radio.amateur.misc:3887

nitespark wrote:

>> I see that some headlight bulbs now come pre-glopped with a dollop of
>> such grease to protect the wiring terminals from moisture.
>
> When I get a battery terminal with the corrosion and oxidation on it, I
> sometimes pour a small quantity of Coca Cola on it.  Cleans them right
> off.  I will then put a small amount of conductive grease on it.
>
> Andy
> WD4KDN
got any info on where one can acquire this conductive grease?

--
DE N7ZZT
Eric Oyen
Phoenix, Arizona
e-mail: n7zzt(at)hotmail(dot)com
the difference between intelligence and stupidity is that intelligence
has its limits.


From 6672524289693260554
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@arrl.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
```

<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
<xn0ehuvrr3cir4000@cnews.newsguy.com>
<lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com> <BhHDf.31523$bF.20497@dukeread07>
In-Reply-To: <BhHDf.31523$bF.20497@dukeread07>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <YOJDf.20364$Yu.18589@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.255.107.119
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1138714936 ST000 70.255.107.119 (Tue, 31 Jan 2006 08:42:16 EST)
NNTP-Posting-Date: Tue, 31 Jan 2006 08:42:16 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[O]STVEMBRSP_@YMZJ_Q\@TJ_ZTB\MV@BNMRQIMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^RSNVLGTFTKHTXHHP[NB_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Tue, 31 Jan 2006 13:42:16 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:5993 rec.radio.amateur.equipment:2345 rec.radio.amateur.misc:3888

nitespark wrote:
> When I get a battery terminal with the corrosion and oxidation on it, I
> sometimes pour a small quantity of Coca Cola on it. Cleans them right
> off.

Imagine what it does to your estomache.
--
73, Cecil http://www.qsl.net/w5dxp

From -3895166086526568110
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!news.astraweb.com!router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Tue, 31 Jan 2006 07:13:32 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <s0sut113he7g09o6uh1fnhl3fapb6ik3ca@4ax.com>
References: <NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
<xn0ehuvrr3cir4000@cnews.newsguy.com>

```
<lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com> <BhHDf.31523$bF.20497@dukeread07>
<YOJDf.20364$Yu.18589@newssvr27.news.prodigy.net>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news1.google.com rec.radio.amateur.equipment:2346

On Tue, 31 Jan 2006 13:42:16 GMT, Cecil Moore <mycall@arrl.net> wrote:

>nitespark wrote:
>> When I get a battery terminal with the corrosion and oxidation on it, I
>> sometimes pour a small quantity of Coca Cola on it.  Cleans them right
>> off.
>
>Imagine what it does to your estomache.

Back when we were kids in the 5th grade, a common science project was
to put a nail in a bottle of coke and watch it dissolve over time.
Not a pretty thought for your insides.


From 3792610943755948815
X-Google-Thread: 108122,f8de517f7547d706,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
From: "Used2Way" <pchoman@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: MTX9000 Portables
Date: 31 Jan 2006 08:27:53 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1138724873.755388.208140@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: 67.176.18.126
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138724878 4056 127.0.0.1 (31 Jan 2006 16:27:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 31 Jan 2006 16:27:58 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=67.176.18.126;
   posting-account=BzojKA0AAAC1zkGBiXVuJyDhKR1gk6nH
Xref: g2news1.google.com rec.radio.amateur.equipment:2347

For Sale: 350 MTX9000 B3 Portables.  I would like to sell the entire
lot.  Asking $100 / portable or best offer.
```

Paul
paulcho@qdscorp.com

From -112012727138721168
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 31 Jan 2006 10:53:15 -0600
Date: Tue, 31 Jan 2006 11:53:18 -0500
From: Amos Keag <A.K01@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
<xn0ehuvrr3cir4000@cnews.newsguy.com>
<lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com> <BhHDf.31523$bF.20497@dukeread07>
<YOJDf.20364$Yu.18589@newssvr27.news.prodigy.net>
In-Reply-To: <YOJDf.20364$Yu.18589@newssvr27.news.prodigy.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <84ydnTk9U9RmCELeRVn-jg@comcast.com>
Lines: 13
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-lahxz9EM9n5628D6xjRcODFsDTiqKp30tcdV7suhNRVwm7E6DkokIQTc0OEOy/
rczqEnMx7XmfAukEg!qXSchAQRihH+8woxtfQQ1L+WVjrqnNYMKjimUsAhmuE7J/
fUARwqUjcPyLDbEwGfeQq7cB2XoMyq!JXhzdw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5996
rec.radio.amateur.equipment:2348 rec.radio.amateur.misc:3900

Cecil Moore wrote:

> nitespark wrote:
>
>> When I get a battery terminal with the corrosion and oxidation on it,
>> I sometimes pour a small quantity of Coca Cola on it. Cleans them
>> right off.
>
>
> Imagine what it does to your estomache.

estomache? Is that the hair under my nose??

```
From -7102510591075687719
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.maxwell.syr.edu!nntp.newsfirst.net!
dingus.crosslink.net!not-for-mail
From: "Vito" <vito@crosslink.net>
Newsgroups: rec.radio.amateur.equipment
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>   <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com>   <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
<1138558667.034215.296450@g47g2000cwa.googlegroups.com>
<cuvyxnansvbet.itv90j6.pminews@newsgroups.comcast.net>
<1138573283.063661.26590@g44g2000cwa.googlegroups.com>
Subject: Re: Mobile installation question
Date: Tue, 31 Jan 2006 12:44:06 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Lines: 28
Message-ID: <43dfa1ea$0$24031@dingus.crosslink.net>
NNTP-Posting-Host: 207.199.164.40
X-Trace: dingus.crosslink.net 1138729450 24031 207.199.164.40
Xref: g2news1.google.com rec.radio.amateur.equipment:2349
```

<jpopelish@rica.net> wrote
> > > I got an electrical engineering education, so I could wade into
> > > such reasoning ....

Your education might not help.

My wife and I own a half-dozen VHF/UHF mobiles and 3 HF rigs. The manuals for each/every one of them say they should be connected directly to the battery if used in an automobile. That's a fact. They do say that.

Why? Now that's conjectural! Whatever anyone says, except the authors, is merely that persons guess.

I suspect it has more to do with human 'engineering' than any electrical reason. There are any number of ways to hook up a radio in most cars, including via the cigar lighter. The arguement about exceeding alternator output is grasping at straws - I know of no modern mobile that draws more than the 45 (and more) Amps supplied by even 'wimpy car' alternators.

OTOH, If every ham who buys a radio tried to connect them to the main power bus of a variety of cars then some of them would do it wrong, let the smoke out of something, and blame the radio manufacturer. But, connecting directly to the battery is generally so easy that even modern "appliance" hams can do it without burning up their cars. So the mfgrs take the easy safe way out.

But that is just my opinion - no better founded than many others.

From -2815472550345130328
X-Google-Thread: 108778,ed0fc725941c8f33,start
X-Google-Thread: fcc6e,ed0fc725941c8f33,start
X-Google-Thread: 108122,ed0fc725941c8f33,start
X-Google-Attributes: gid108778,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.wideopenwest.com!news.wideopenwest.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 31 Jan 2006 11:44:51 -0600
Reply-To: "Walter Kurtz" <pbrstreetgang@wowway.com>
From: "Walter Kurtz" <pbrstreetgang@wowway.com>
Newsgroups:
alt.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.
amateur.swap
Subject: FA: AEA ET-1 Econo-Tuner
Date: Tue, 31 Jan 2006 12:44:53 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <SqOdnanqFJGOP0LeRVn-qA@wideopenwest.com>
Lines: 4
NNTP-Posting-Host: 69.47.114.63
X-Trace: sv3-wT20DDu4vSSoREvtzIfOnLTnt0XNwisoKqeEG8x/
RH2O4bH1pSMMRlOQqpgfsPHYIEDmdWBiaC/JBGo!uJu1cXS30wlYh/
+mYZWAjqKl7XzTKW1H7F13U8fAict/LKRV9/7yrLJ3Wy7qlx59THFyR3UuoIDK!
eerUeg9UKfs20xBib7Arx2WVrg==
X-Complaints-To: abuse@wideopenwest.com
X-DMCA-Complaints-To: abuse@wideopenwest.com

X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com alt.radio.amateur:150 rec.radio.amateur.antenna:5998 rec.radio.amateur.equipment:2350

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5860921624&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

From -2023085965765570851
X-Google-Thread: 108778,ed0fc725941c8f33
X-Google-Thread: fcc6e,ed0fc725941c8f33
X-Google-Thread: 108122,ed0fc725941c8f33
X-Google-Attributes: gid108778,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!atl-c05.usenetserver.com!news.usenetserver.com!indigo.octanews.net!news-out.octanews.net!teal.octanews.net!nx01.iad01.newshosting.com!newshosting.com!208.49.83.146.MISMATCH!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-a2kHrUvQQWlmc!not-for-mail
From: "Fred W4JLE" <w4jle@w4jle.com>
Newsgroups: alt.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.swap
References: <SqOdnanqFJGOP0LeRVn-qA@wideopenwest.com>
Subject: Re: AEA ET-1 Econo-Tuner
Date: Tue, 31 Jan 2006 12:56:29 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <cb535$43dfa4e6$97d56b99$8224@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 11
X-Trace: cb53543dfa4e63270ce3c08224
Xref: g2news1.google.com alt.radio.amateur:151 rec.radio.amateur.antenna:5999 rec.radio.amateur.equipment:2351

Minor scratches? I guess major are only those made by an axe...

"Walter Kurtz" <pbrstreetgang@wowway.com> wrote in message news:SqOdnanqFJGOP0LeRVn-qA@wideopenwest.com...
>
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5860921624&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1
>
>

```
>



From 2573661909973071307
X-Google-Thread: 108122,32cfaa5f7eef58d5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe10.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Yaesu G-1000 SDX Rotor & Control Box
Message-ID: <9favt19hmu6djj08vjovkp42djibvtoruo@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Tue, 31 Jan 2006 13:18:26 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe10.lga 1138731496 68.193.1.58 (Tue, 31 Jan 2006 11:18:16 MST)
NNTP-Posting-Date: Tue, 31 Jan 2006 11:18:16 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2352

FS: Yaesu G-1000 SDX Rotor & Control Box
Plus about 100 ft of cable with connectors to plug and play.
It was used for about a year. Both units look and work GREAT!!!
275.00
ritchi50@optonline.net


From -4509272870283298550
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
```

```
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
<xn0ehuvrr3cir4000@cnews.newsguy.com>
<lNGdnbNqI_nbZEPenZ2dnUVZ_tidnZ2d@adelphia.com> <BhHDf.31523$bF.20497@dukeread07>
<YOJDf.20364$Yu.18589@newssvr27.news.prodigy.net>
In-Reply-To: <YOJDf.20364$Yu.18589@newssvr27.news.prodigy.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <6yQDf.32458$bF.5419@dukeread07>
Date: Tue, 31 Jan 2006 16:22:02 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1138742530 24.254.177.70 (Tue, 31 Jan 2006 16:22:10 EST)
NNTP-Posting-Date: Tue, 31 Jan 2006 16:22:10 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.antenna:6004
rec.radio.amateur.equipment:2353 rec.radio.amateur.misc:3910



Cecil Moore wrote:

> nitespark wrote:
>
>> When I get a battery terminal with the corrosion and oxidation on it,
>> I sometimes pour a small quantity of Coca Cola on it.  Cleans them
>> right off.
>
>
> Imagine what it does to your estomache.

I am hoping I don't have battery oxidation in my stomach.


From -8091173594600605120
X-Google-Thread: 108122,64df0f35addef16f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 31 Jan 2006 16:33:41 -0600
From: "Joe S." <anon@mous.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-857D question
Date: Tue, 31 Jan 2006 17:33:31 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
```

X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <SvSdnZa0V9pYeELenZ2dnUVZ_sKdnZ2d@comcast.com>
Lines: 22
NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-
nZD79wLUB+ejz3bXt6FdQcCRCWGsNR5Dd8pUkbuRZOhqJikz1bS6iPaFsAk1efEu33Q78LfuVY/cRCj!
jUCHosb8v84EWU8S4KoEbyqPKmQwJHPKbCBsSJGjupdnksuTgtizGTIrCdK8xnmXGcg/Ndelvn8m!
g6eu0I1FLPjf
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2354

I just completed the installation of an FT-857 in my truck. My previous 857 and truck were lost in Hurricane Katrina.

This installation went along just fine but something is not happening.

I set up the antenna menu for the rig to use the ATAS-120 on HF and 6; I use two antennas -- the ATAS-120 on HF and 6, and a dual-bander on UHF-VHF. I went through all the setup steps according to the manual.

As I recall, when I changed bands, or when I moved more than approx 10khz on HF, when I hit the PTT button, the display said WAIT until the ATAS-120 tuned itself then the rig transmitted. It's not doing that -- I can copy signals and the ATAS-120 seems to be tuning, but, when I try to transmit, the display says SWR and I don't see any power output -- and, I don't see the WAIT indicating it's telling me that it's tuning the antenna.

Can someone help me out here?

Thanks.

From -1691764854203788986
X-Google-Thread: 108122,2c7447b91356c733
X-Google-Attributes: gid108122,public
X-Google-Language: DUTCH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
headwall.stanford.edu!news!not-for-mail
From: spamatody@spam.spam.spam
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Uniden HR-2600 10M Radio Excellent Condition
Date: Tue, 31 Jan 2006 16:34:31 -0600
Organization: University of Nebraska--Lincoln
Lines: 5

```
Message-ID: <tepvt1h9ri95pcv2libbqgsl2oke2aalru@4ax.com>
References: <TPzDf.81782$4l5.34020@dukeread05>
NNTP-Posting-Host: net3701.unl.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: unlnews.unl.edu 1138746871 4439 129.93.104.85 (31 Jan 2006 22:34:31 GMT)
X-Complaints-To: usenet@unlnews.unl.edu
NNTP-Posting-Date: Tue, 31 Jan 2006 22:34:31 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:2355


>
>Asking $225.00
>
YEEEEEEEEEEEEEEEEEEEEEHHHHHHHAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAWWWWWWWWWWWWWWWWWWWWW
WWW!!!!!!!!!


From 430959499431224425
X-Google-Thread: 108122,7e6237a59bc2c6ac,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!news-server.columbus.rr.com!
tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "Fritz" <wd8e@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Standard Radio Battery Charger
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <U6TDf.52870$tK4.22733@tornado.ohiordc.rr.com>
Date: Wed, 01 Feb 2006 00:17:56 GMT
NNTP-Posting-Host: 65.25.139.108
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1138753076 65.25.139.108 (Tue, 31 Jan 2006
19:17:56 EST)
NNTP-Posting-Date: Tue, 31 Jan 2006 19:17:56 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2356

I have for auction a Standard Radio Battery Charger.  It can be seen at:
http://cgi.ebay.com/Standard-Rapid-Battery-Charger-Model-
CSA160A_W0QQitemZ5860093409QQcategoryZ296QQssPageNameZWDVWQQrdZ1QQcmdZViewItem
73
Fritz
```

```
From 7702134759252079502
X-Google-Thread: 108122,64df0f35addef16f
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 31 Jan 2006 18:49:30 -0600
From: "Joe S." <anon@mous.com>
Newsgroups: rec.radio.amateur.equipment
References: <SvSdnZa0V9pYeELenZ2dnUVZ_sKdnZ2d@comcast.com>
Subject: Re: Yaesu FT-857D question
Date: Tue, 31 Jan 2006 19:49:51 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <5LOdnds4PqAGmH3eRVn-oQ@comcast.com>
Lines: 41
NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-
Q2XN6Xyx8zMNobl3jKlqn58lVpGixAgsF+3frWI4BatHNiLlJpRxXJ3PP0Uw8KbxMXOJO9EjvL/9gSB!
p2aB/2zeE1wgKmabRD/cs53J7ZBtKgu9JeaCIbeprO6/yGKotpXvHNbaJac6omPd59me4VDofgs=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2357


"Joe S." <anon@mous.com> wrote in message
news:SvSdnZa0V9pYeELenZ2dnUVZ_sKdnZ2d@comcast.com...
>I just completed the installation of an FT-857 in my truck.  My previous
>857
> and truck were lost in Hurricane Katrina.
>
> This installation went along just fine but something is not happening.
>
> I set up the antenna menu for the rig to use the ATAS-120 on HF and 6;  I
> use two antennas -- the ATAS-120 on HF and 6, and a dual-bander on
> UHF-VHF.
> I went through all the setup steps according to the manual.
>
> As I recall, when I changed bands, or when I moved more than approx 10khz
> on
> HF, when I hit the PTT button, the display said WAIT until the ATAS-120
> tuned itself then the rig transmitted.  It's not doing that -- I can copy
> signals and the ATAS-120 seems to be tuning, but, when I try to transmit,
> the display says SWR and I don't see any power output -- and, I don't see
```

> the WAIT indicating it's telling me that it's tuning the antenna.
>
> Can someone help me out here?
>
> Thanks.
>
>
>

By way of clarification: If I select menu option K (I think it's K) and hit the A (TUNE) button, the antenna will tune -- the display shows WAIT and the meter indicates high SWR which eventually is tuned out, then the display goes back to the frequency I was on. Thus, I can tune the ATAS-120 by leaving the righ on option K and hitting the A (TUNE) button when I change bands of move freqs.

As I recall, the radio I lost in Katrina did this automatically.

Thanks.

From -9001296447548916867
X-Google-Thread: 108122,6047ccbd6fcbb8db,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: kb9rqz@Mark.Morgan.com
Newsgroups: rec.radio.amateur.equipment
Subject: looking for 60m gear
Date: Tue, 31 Jan 2006 20:52:06 -0500
Reply-To: k4yz@aol.com
Message-ID: <qt40u193c014pb267j35dmmeggig7721mj@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server contains 140,000+ groups
Lines: 13
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!news.usenetzone.com!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2358

I'll be a little vague looking for gear that made for the US ham 60 m band (the 5 channel USB one) or that can be easily fitted for just those freqs

(i could modical my FT 847 but i hate to open up something that complex

any thoughts (please hold the flames

Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

```
From -7147690628011282141
X-Google-Thread: fb049,f44e9d03fba79399,start
X-Google-Thread: 108122,f44e9d03fba79399,start
X-Google-Attributes: gidfb049,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp1.nntp.sonic.net!not-for-
mail
From: "Jimmy Mac" <no-spam@manicarcade.com>
Newsgroups: alt.ham-radio.vhf-uhf,rec.radio.amateur.equipment
Subject: WTD: Dead Icom IC-02AT for parts
Date: Tue, 31 Jan 2006 18:22:38 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 8
Message-ID: <43e01b7a$0$58059$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 01 Feb 2006 02:22:51 GMT
NNTP-Posting-Host: d3f0f8ee.news.sonic.net
X-Trace:
DXC=`Ihf\D5h;1bnfND;Wk7dA`m4K\QM1CV^`1OYf0H`?;Xah93K@Ud4mod:oF=1i9HD6dd;<FoB=iDmdj
Ra6^:aCd<b
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com alt.ham-radio.vhf-uhf:1254
rec.radio.amateur.equipment:2359
```

Anyone have one of these laying around? I'm looking for a decent LCD unit so
I can revive one.

Jim..

kb6zop at manicarcade (you know what) com

```
From -8891450210018564915
X-Google-Thread: fc8b1,63bfc119d565e87b
X-Google-Thread: 108122,63bfc119d565e87b
X-Google-Thread: 1109af,63bfc119d565e87b
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!atl-c05.usenetserver.com!
```

news.usenetserver.com!cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!
trndny05.POSTED!2d118e76!not-for-mail
From: "Joe" <joe.amp@NOSPAMverizon.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
References: <v6cDf.1225$8U2.475@trndny06> <SLiDf.1498$uD5.669@fe12.lga>
Subject: Re: Nice D-104 (Black)
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.0000
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2600.0000
Message-ID: <3sWDf.3885$UY3.1258@trndny05>
Date: Wed, 01 Feb 2006 04:05:19 GMT
NNTP-Posting-Host: 68.160.213.60
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1138766719 68.160.213.60 (Tue, 31 Jan 2006 23:05:19 EST)
NNTP-Posting-Date: Tue, 31 Jan 2006 23:05:19 EST
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2638
rec.radio.amateur.equipment:2360 rec.radio.swap:2493

You can wire these anyway you want, (well at least old school hams did)
That mic's been sold.

Yes Jack
That clocks been going since 1975, with perhaps a 4 year break
I had to bring the anode up to around 220 volts a couple years ago with a
simple voltage doubler mod.
It also has a smaller Sperry display on the seconds the original went
completely dead
Sperry SP-352's are a hard $$$ find in 2006

-Joe

"STEVE TROOK" <STROOK@OPTONLINE.NET> wrote in message
news:SLiDf.1498$uD5.669@fe12.lga...
> what is it wired for???   I am interested.

From 1285415617255175095
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 31 Jan 2006 23:07:52 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>

Message-ID: <cuvyxnansvbet.itzje83.pminews@newsgroups.comcast.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
<1138558667.034215.296450@g47g2000cwa.googlegroups.com>
<cuvyxnansvbet.itv90j6.pminews@newsgroups.comcast.net>
<1138573283.063661.26590@g44g2000cwa.googlegroups.com>
<cuvyxnansvbet.itvdlka.pminews@newsgroups.comcast.net>
<bruceg-2CA04E.10145630012006@netnews.worldnet.att.net>
Date: Tue, 31 Jan 2006 20:42:08 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Mobile installation question
Lines: 34
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-
Tzi9bnNPKJcPuJUmdWI356Cpq304CG9uZQUQtHZAgeztn9Xn4DE5A2XlxRBVP3+yfCLze4AT5dv0CZE!
dtBBXhR6E3D29Oul95kFFnT1jZkKek8GwX69xtbR0MG3sXkIRW/GFCum/ozhka9MpAUITaI6bzlA!
AW5MvxfgQsOn95LL+jBa88Eq
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2361

On Mon, 30 Jan 2006 19:13:11 GMT, Bruce in Alaska wrote:

>Hey Phil, Nice to see your posts again around the Old Usenet.....
>I am sure that most of these armchair engineers, can match your
>wallpaper, or even come close.

I'vw been around, but in keeping with what The Uncle used taxpayer money to train me to do well, I do a lot more "listening" than "talking".

When I did the 12V installation at home six years ago, my wife - who is a power utilities engineer - demanded that the installation meet not only UL specs but USCG specs for low-voltage marine installations. That automatically raised the cost by more than double, but it sure looks purty, especially the digital metering and LED circuit status indicators, everything on breakers, the whole bit. The gel-cell battery is in a plastic "doghouse" outside and I do have dual

chargers/standby supplies "inside". I had to find a good source for
4 AWG "zip" cord and wound up using automotive jumper cables with
suitable terminals crimped on (I do have the large crimp tools....).
I understand now that that size may now be availavle at high-end
auto sound shops. I do miss the big barrel of welding cable that I
carted around for decades and finally disposed of ten years ago.

Now if I could only convince her that we really need that 48 KW
(240V, 200 A) natural-gas-fired Genset that I've had my eye
on.....all it takes is about $15K including the rewiring of the
underground supply, new meter base, and upgraded breaker panel as
required by the local electric company and city codes.

--
73 de K2ASP - Phil Kane

From -1134525244970801963
X-Google-Thread: 108122,6047ccbd6fcbb8db
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Hamguy" <hamguy@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <qt40u193c014pb267j35dmmeggig7721mj@4ax.com>
Subject: Re: looking for 60m gear
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <T21Ef.1687$5Q3.1613@twister.nyroc.rr.com>
Date: Wed, 01 Feb 2006 11:36:19 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1138793779 24.58.195.67 (Wed, 01 Feb 2006 06:36:19 EST)
NNTP-Posting-Date: Wed, 01 Feb 2006 06:36:19 EST
Organization: Road Runner
Xref: g2news1.google.com rec.radio.amateur.equipment:2362

The MARS/CAP mod will allow it to transmit on those frequencies.

<kb9rqz@Mark.Morgan.com> wrote in message
news:qt40u193c014pb267j35dmmeggig7721mj@4ax.com...
> I'll be a little vague looking for gear that made for the US ham 60 m
> band (the 5 channel USB one) or that can be easily fitted for just

> those freqs
>
> (i could modical my FT 847 but i hate to open up something that
> complex
>
> any thoughts (please hold the flames
> ____
> Usenet Zone Free Binaries Usenet Server
> More than 140,000 groups
> Unlimited download
> http://www.usenetzone.com to open account

From -1064972236888514520
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!wn11feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in Alaska <bruceg@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Organization: Bruce's Trading Post
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
<1138558667.034215.296450@g47g2000cwa.googlegroups.com>
<cuvyxnansvbet.itv90j6.pminews@newsgroups.comcast.net>
<1138573283.063661.26590@g44g2000cwa.googlegroups.com>
<cuvyxnansvbet.itvdlka.pminews@newsgroups.comcast.net>
<bruceg-2CA04E.10145630012006@netnews.worldnet.att.net>
<cuvyxnansvbet.itzje83.pminews@newsgroups.comcast.net>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <bruceg-F7B077.08543501022006@netnews.worldnet.att.net>
Lines: 45
Date: Wed, 01 Feb 2006 17:52:47 GMT
NNTP-Posting-Host: 12.12.208.110
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1138816367 12.12.208.110 (Wed, 01 Feb 2006 17:52:47 GMT)
NNTP-Posting-Date: Wed, 01 Feb 2006 17:52:47 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2363

In article <cuvyxnansvbet.itzje83.pminews@newsgroups.comcast.net>,
 "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop> wrote:

```
> On Mon, 30 Jan 2006 19:13:11 GMT, Bruce  in Alaska wrote:
>
> >Hey Phil,   Nice to see your posts again around the Old Usenet.....
> >I am sure that most of these armchair engineers, can match your
> >wallpaper, or even come close.
>
>   I'vw been around, but in keeping with what The Uncle used taxpayer
>   money to train me to do well, I do a lot more "listening" than
>   "talking".
>
>   When I did the 12V installation at home six years ago, my wife - who
>   is a power utilities engineer - demanded that the installation meet
>   not only UL specs but USCG specs for low-voltage marine installations.
>   That automatically raised the cost by more than double, but it sure
>   looks purty, especially the digital metering and LED circuit status
>   indicators, everything on breakers, the whole bit.  The gel-cell
>   battery is in a plastic "doghouse" outside and I do have dual
>   chargers/standby supplies "inside".  I had to find a good source for
>   4 AWG "zip" cord  and wound up using automotive jumper cables with
>   suitable terminals crimped on (I do have the large crimp tools....).
>   I understand now that that size may now be availavle at high-end
>   auto sound shops.  I do miss the big barrel of welding cable that I
>   carted around for decades and finally disposed of ten years ago.
>
>   Now if I could only convince her that we really need that 48 KW
>   (240V, 200 A) natural-gas-fired Genset that I've had my eye
>   on.....all it takes is about $15K including the rewiring of the
>   underground supply, new meter base, and upgraded breaker panel as
>   required by the local electric company and city codes.
>
> --
>    73 de K2ASP - Phil Kane
>
>

You might want to come over to SmokStak.com and chat with the
Old Iron Generater crowd....they always have some good ideas
for doing that sort of thing.

Bruce in alaska
--
add a <2> before @


From 5936747743908560501
X-Google-Thread: 108122,b1d45470053c5cd1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-
mail
From: "wa5tmc" <karl@dixie-net.com>
Newsgroups: rec.radio.amateur.equipment
```

Subject: NEEDED - Manul for AEA VSB=70
Date: 1 Feb 2006 10:50:33 -0800
Organization: http://groups.google.com
Lines: 7
Message-ID: <1138819833.932702.192580@g43g2000cwa.googlegroups.com>
NNTP-Posting-Host: 64.89.168.208
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138819839 5342 127.0.0.1 (1 Feb 2006 18:50:39 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 1 Feb 2006 18:50:39 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.7.10) Gecko/
20050716 Firefox/1.0.6,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=64.89.168.208;
   posting-account=3jzxTA0AAACQaRmseYL6i8VSVEaNW9U1
Xref: g2news1.google.com rec.radio.amateur.equipment:2364

Does anyone have a manual for this puppy you'd be willing to scan for
me? If not the entire manual, at least the schematic. I have a dead
one that needs reviving!

TIA,
WA5TMC

From -5774997860160807542
X-Google-Thread: 108122,e008001940e01d8d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g49g2000cwa.googlegroups.com!not-for-
mail
From: sad.tip@verizon.net
Newsgroups: rec.radio.amateur.equipment
Subject: Cushman CE50 help needed
Date: 1 Feb 2006 16:11:11 -0800
Organization: http://groups.google.com
Lines: 22
Message-ID: <1138839071.142897.145720@g49g2000cwa.googlegroups.com>
NNTP-Posting-Host: 151.199.90.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138839076 19962 127.0.0.1 (2 Feb 2006 00:11:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Feb 2006 00:11:16 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g49g2000cwa.googlegroups.com; posting-host=151.199.90.36;
   posting-account=jAXX_gwAAAA5PUYEAjkXk1Tlm6x_DfLh

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2365

Hi,
I have a slightly sick Cushman CE50-TG-1 and was wondering if anyone
has taken any voltage readings from a working unit they would be
willing to share.
I need to check the voltages at test points 3 & 4 on the 29000 board
with the frequency set between 9.9999mhz and 100khz. That should give
me the normal range for both the A & B VCO's control voltage's.
(referenced to chassis ground) Any other voltages would be helpful so I

can note them for future reference.
Sure would have been nice if Cushman would have provided some basic
voltage readings on the schematics.


Any help would be appreciated,
Thanks,
RoD


Please email to....
sad....@verizon.net




From 2533487178107823491
X-Google-Thread: 108122,ad30948ae0536569,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
From: "ulan@certainty.net" <ulan@certainty.net>
Newsgroups: rec.radio.amateur.equipment
Subject: RF induction in car radio
Date: 1 Feb 2006 17:57:42 -0800
Organization: http://groups.google.com
Lines: 20
Message-ID: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: 209.9.214.94
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138845467 13783 127.0.0.1 (2 Feb 2006 01:57:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 2 Feb 2006 01:57:47 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=209.9.214.94;
   posting-account=7c0ykw0AAAD80k-CPKAOJVKY-C1dU9Hr
Xref: g2news1.google.com rec.radio.amateur.equipment:2366
```

I installed a VFH/UHF radio in a 1997 Grand Cherokee. The RF antenna is approximately two feet horizontally, and slightly higher from the Jeep's radio receive antenna. If I was listening to the vehicle radio and keyed the VHF radio, it would mute the vehicle radio. The vehicle radio finally is no longer working, except for one station. I am assuming an induction problem. Technically, what exactly happened, how, or not to fix the vehicle radio. How to prevent this problem in the future. I raise this question not so much for the sake of the Jeep, but because I am proposing to a put a VHF/UHF rig in the lady's 2005 Honda Accord. The only viable place on the car is a trunk mount. It appears the car radion antenna is embedded in the rear glass and I believe this area is also where the XM radio antenna is located. I have tried to contact Honda on various levels but have had no success. I am wondering if I put the VHF radio in the car, will it "burn out" the other radios. This should give something for a lot of conversation. I hope I can get some help.

Thanks,
Ethan Davis KB3EGG

```
From -7037433780466967356
X-Google-Thread: 108122,b47d3213825b4fb9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!212.101.4.254.MISMATCH!
solnet.ch!solnet.ch!newsfeed01.sul.t-online.de!t-online.de!news.belwue.de!
news.uni-stuttgart.de!carbon.eu.sun.com!btnet-feed5!btnet!news.btopenworld.com!
not-for-mail
From: "Reg Edwards" <g4fgq.regp@ZZZbtinternet.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New program  - Antenna Counterpoise
Date: Thu, 2 Feb 2006 02:11:07 +0000 (UTC)
Organization: Private individual
Lines: 45
Message-ID: <drrpnr$64h$1@nwrdmz03.dmz.ncs.ea.ibs-infra.bt.com>
Reply-To: "Reg Edwards" <g4fgq,regp@ZZZbtinternet,com>
NNTP-Posting-Host: host86-137-120-210.range86-137.btcentralplus.com
X-Trace: nwrdmz03.dmz.ncs.ea.ibs-infra.bt.com 1138846267 6289 86.137.120.210 (2
Feb 2006 02:11:07 GMT)
X-Complaints-To: news-complaints@lists.btinternet.com
NNTP-Posting-Date: Thu, 2 Feb 2006 02:11:07 +0000 (UTC)
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MSMail-Priority: Normal
X-Priority: 3
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Xref: g2news1.google.com rec.radio.amateur.equipment:2367
```

A coil-loaded counterpoise at a low height above ground is used to provide an artificial ground for an antenna when, for some reason, a true ground connection is not possible or there is not enough space to erect a full 1/4-wavelength horizontal wire.

The principal effects of low height are a loss resistance induced in the wire from the ground, and a reduction in propagation velocity along the wire.

A counterpoise can be considered to be an artificial ground. Its input resistance at resonance is equivalent to the input resistance of a true ground connection but its resistance will never be as low as a good ground.

To provide a lower input resistance three or four counterpoises can be used in parallel. Or they can be resonant on different bands.

New program C_POISE estimates the performance of a single coil-loaded counterpoise. The number of turns on a coil of given length and diameter needed to resonate a low wire to 1/4-wave resonance is calculated. The input resistance at resonance is also estimated..

All program output data is approximate due to the very low height of the wire above ground and uncertainty in the characteristics of the soil or whatever other materials may be under the wire. The wire may be allowed to rest on the ground surface but uncertainty will be at a maximum. It will nearly always be needed to prune the wire length for resonance. Or when the wire length is fixed the coil turns may need adjustment.

When wire height exceeds wire length accuracy is much improved. Input resistance at resonance will be fairly small. Working Q will be high and the counterpoise will behave as a short antenna. For precise resonance the wire will still need pruning.

Download program C_POISE in a few seconds from website below and run immediately.

....
Regards from Reg, G4FGQ
For Free Radio Design Software go to
http://www.btinternet.com/~g4fgq.regp
....

```
From 505279956702138749
X-Google-Thread: 108122,ad30948ae0536569
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Wed, 01 Feb 2006 23:49:44 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
```

Message-ID: <cuvyxnansvbet.iu1h5p7.pminews@newsgroups.comcast.net>
References: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
Date: Wed, 01 Feb 2006 21:49:01 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: RF induction in car radio
Lines: 74
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-
ELCY3vwBxdk6hOTgTF+YPJyxajH1ATCfjQB5zS4zhIcVR5OR5GLRSbPfx7nmqRikgUhsim19PRCS3jP!
n9D1bU2U2TejYx8RWDoJXPFtNa+EwvqqL6qjTU45sUNt+e0JRookDL7w8G2m3ZjuaGN3CCVRhWyu!
fD2iCYKAJrYgC+eDN4YIuaM7
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2368

On 1 Feb 2006 17:57:42 -0800, ulan@certainty.net wrote:

>I installed a VFH/UHF radio in a 1997 Grand Cherokee. The RF antenna
>is approximately two feet horizontally, and slightly higher from the
>Jeep's radio receive antenna. If I was listening to the vehicle radio
>and keyed the VHF radio, it would mute the vehicle radio.

In our 1996 Chevvy Cavalier have a 50W VHF / 35W UHF rig into a dual-band mag-mount on the roof and the vehicle radio antenna is on the rear fender, about 3 feet away. I have never had the type of front-end overload that you describe.

>The vehicle
>radio finally is no longer working, except for one station. I am
>assuming an induction problem.

Not an "induction problem". Maybe perhaps the rf did damage to the auto radio's front end, reducing the sensitivuty of the radio, or did some damage to the digital circuitry used to tumne and control the radio. You did not specify if the problem was with the AM or FM bands.

Of course, that's the high-tech discussion. Perhaps the problem is a bad antenna-to-auto radio connection. I had that happen once in a 1976 Plymouth where the radio's antenna socket was not soldered to the radio chassis.....

>Technically, what exactly happened, how, or not to fix the vehicle radio.

It may be cheaper to have a good quality after-market vehicle radio installed rather than pull the old radio, have it repaired, and reinstall it. If we decide to keep the Chevvy much longer, we need to do that to replace the jammed cassette tape portion of the radio. We'll take it to Circuit City or an equivalent radio shop - the days of standing on my head to repair car radios or install 2-way rigs are long passed, and I wouldn't have a clue how to disassemble the Chevvy to take it out. I'll leave that to others - it's worth the price.

>How to prevent this problem in the future.

We had this happen when a 100W VHF radio took out the front end of a very expensive spectrum analyzer which was connected to an antenna on a mast 10 feet away from the comm antenna. The solution was not to key the comm radio unless we were sure that the analyzer was disconnected from the antenna lead.

There should be some front-end protection in a high-end auto radio. Check it out before you buy.

>I raise this question not so much for the sake of the
>Jeep, but because I am proposing to a put a VHF/UHF rig in the lady's
>2005 Honda Accord. The only viable place on the car is a trunk mount.
>It appears the car radion antenna is embedded in the rear glass and I
>believe this area is also where the XM radio antenna is located. I
>have tried to contact Honda on various levels but have had no success.
>I am wondering if I put the VHF radio in the car, will it "burn out"
>the other radios. This should give something for a lot of
>conversation. I hope I can get some help.

Why can't you put the antenna on the roof "as God intended it" ?? I prefer the mag-mount because with a flick of the wrist I can take it off to go through the car wash or leave the car in the shopping center parking lot for an extended time and not have it be a break-in target.

BTW - I understand that Honda cannot be bothered to answer such questions from buyers of their products. Don't take it personally. Perhaps your dealer can help you better than "Honda".

--
73 de K2ASP - Phil Kane

From -2946414084123191334
X-Google-Thread: 108122,7441cb3fecd37d68,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!

nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 02 Feb 2006 09:08:15 -0600
From: VK3XL <VK3XL.22ly8h@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need Emotator 103SAX Manual
Date: Thu, 2 Feb 2006 14:28:06 +0000
Message-ID: <VK3XL.22ly8h@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
Lines: 5
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-UBcdpbNhQcqzRPMWRbut2OxoVGY0ekvXNOt1HrDpkZWaHb+2qZ3Ot5wY+qTiRPZWP2MBpM1tomzUqWN!LUcBbLVQ0Wuf7mx//tCcNHxLCr6mnu8f/TptsLdX7Sj9hvYAxAsiCcHJw8XPqyEB4NJSMokOTEv4!+/aBXE0=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2369

Hi all, I have a Emotator 103 SAX that the direction indicator circuit
has failed. I bought this rotator about 20 years ago and have since
lost the manual. Is there anyone there who can send me a copy of the
circuit diagram for this rotator?
I have searched the net and have not been able to come up with anything
relevant to this rotator.
Thanks in advance
Mike
VK3XL

--
VK3XL

From 7673012409939752583
X-Google-Thread: 10d137,85815a3725f16403,start
X-Google-Thread: 1062f2,85815a3725f16403,start
X-Google-Thread: 108122,85815a3725f16403,start
X-Google-Attributes: gid10d137,gid1062f2,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!fed1read02.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>
Newsgroups: alt.engineering.electrical,misc.industry.electronics.marketplace,rec.radio.amateur.equipment

Subject: FREE: RF Connector, Adapter & Cable Assembly Catalog
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <jVqEf.19714$sA3.11470@fed1read02>
Date: Thu, 2 Feb 2006 09:01:21 -0800
NNTP-Posting-Host: 64.58.167.76
X-Complaints-To: abuse@cox.net
X-Trace: fed1read02 1138899663 64.58.167.76 (Thu, 02 Feb 2006 12:01:03 EST)
NNTP-Posting-Date: Thu, 02 Feb 2006 12:01:03 EST
Organization: Cox Communications
Xref: g2news1.google.com alt.engineering.electrical:7172
misc.industry.electronics.marketplace:272 rec.radio.amateur.equipment:2370

For your free copy of our new catalog,

please email sales@AAARFProducts.com

or see www.aaarfproducts.com

or call 949 481 3154 (San Clemente, CA, USA)

No minimum order.

No handling charges.

From 3421052843217652028
X-Google-Thread: 108122,292d312cb476bb02
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
news.aset.psu.edu!not-for-mail
From: Mike Coslo <mjc5remove@psu.edu>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu Mark V Field - Temporarily sold out or Discontinued?
Date: Thu, 02 Feb 2006 15:31:24 -0500
Organization: Penn State University, Center for Academic Computing
Lines: 63
Message-ID: <43E26C1C.9090400@psu.edu>
References: <p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com>
<drdbsq$c0i9$1@news3.infoave.net> <88lkt196nf7tt30kjg671s2t0jo0rktk5i@4ax.com>
NNTP-Posting-Host: nat1.arl.psu.edu
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: f04n12.cac.psu.edu 1138912299 57002 128.118.40.76 (2 Feb 2006 20:31:39
GMT)

X-Complaints-To: usenet@f04n12.cac.psu.edu
NNTP-Posting-Date: Thu, 2 Feb 2006 20:31:39 +0000 (UTC)
User-Agent: Mozilla/5.0 (Macintosh; U; PPC; en-US; rv:1.0.1) Gecko/20020823 Netscape/7.0
X-Accept-Language: en-us, en
Xref: g2news1.google.com rec.radio.amateur.equipment:2371

Meta Morph wrote:
> On Fri, 27 Jan 2006 09:48:46 -0500, "W4LM" <larrymoss@citcom.net>
> wrote:
>
>
>>Discontinued! It is to be replaced by FT2000.
>>
>>
>>"Meta Morph" <MetaMorph83838@hotmail.com> wrote in message
>>news:p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com...
>>
>>> I noticed Texas Towers removed the listing for the Yaesu Mark V
>>>Field from their web page, and HRO only has demo units available. Is
>>>the Mark V Field discontinued or just temporarily sold out?
>>>
>>>-Curious
>>>
>>
>
>   Well lets hope the new model will be more reliable than the Mark V.
> I did not buy one because of all the complaints of both the 100 watt
> version and expecially the 200 watt version blowing up and requiring
> multiple trips to Yaesu repair.

No tears shed over that loss, eh? I've used a club MV Field a number of times, and it just didn't impress me. doing simple things required diving into the manual, heaven help a person if they lose the manual. My pet peeve was the brightness of the display. It wasn't bright enough, so I looked in the manual, and after 5 minutes found the menu item to change the level. Go to it, and find out it is already at the brightest setting. Really, if they want to design an inadequate display, why offer the option of making it even dimmer.

But that is just one of many issues. Using that variable speed tuning doodad in back of the dial was either too slow, or waaaaayyyy too fast. Did I mention way too many menu items?

The auto tuner seemed to have less range than other radios. It wouldn't tune an 80 meter dipole across the band while an old IC-765 (now that's a radio) would easily tune it. Tuning seemed a bit slow in all cases.

Did have a good notch filter, though. Audio filters were okay. I found myself using only one or two though.

But all in all, it just wasn't much fun to operate. Perhaps all parts of the reason it has been discontinued

> I looked at the Kenwood TS-2000, but it is just too ugly. Multiple
> eham.net reports also suggest that it is deaf.

Hard to say. The bad reports weren't too frequent. But you are right - the radio IS ugly....

> As far as the Icom's,
> I look at an LCD screen on my computer all day at work. I really
> don't want to look at another computer screen when I come home from
> work and turn on my ham radio.

Ahhh, but what screens that are! 8^)

73 de Mike KB3EIA -

```
From 5330969184063540921
X-Google-Thread: 10d137,85815a3725f16403
X-Google-Thread: 1062f2,85815a3725f16403
X-Google-Thread: 108122,85815a3725f16403
X-Google-Attributes: gid10d137,gid1062f2,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!news-
out.readnews.com!news-pusher.readnews.com!207.115.63.139.MISMATCH!
newscon06.news.prodigy.com!prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!
postmaster.news.prodigy.com!newssvr11.news.prodigy.com.POSTED!10c73d3e!not-for-
mail
From: Roy L. Fuchs <roylfuchs@urfargingicehole.org>
Newsgroups:
alt.engineering.electrical,misc.industry.electronics.marketplace,rec.radio.amateur
.equipment
Subject: Re: FREE: RF Connector, Adapter & Cable Assembly Catalog
Organization: Fucks Royale
Message-ID: <bb05u1t0kq48i809e1o6efjdtvp434sni1@4ax.com>
References: <jVqEf.19714$sA3.11470@fed1read02>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 12
NNTP-Posting-Host: 70.230.215.136
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1138919473 ST000 70.230.215.136 (Thu, 02 Feb
2006 17:31:13 EST)
NNTP-Posting-Date: Thu, 02 Feb 2006 17:31:13 EST
X-UserInfo1:
[[PAPDON]RE]RV@[BJKXOTTDFZ\@@FXLM@TDOCQDJ@_@FNTBLNTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
```

Date: Thu, 02 Feb 2006 22:31:13 GMT
Xref: g2news1.google.com alt.engineering.electrical:7181
misc.industry.electronics.marketplace:273 rec.radio.amateur.equipment:2373

On Thu, 2 Feb 2006 09:01:21 -0800, "AAA RF Products"
<sales@aaarfproducts.com> Gave us:

>For your free

snip

Hey! I looked at this catalog and NONE of the products in it are free!

Take your SPAM somewhere besides Usenet.

From 8132406440790229255
X-Google-Thread: 108122,ad30948ae0536569
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe03.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
Subject: Re: RF induction in car radio
Lines: 9
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <COwEf.472280$Es3.392172@fe03.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Thu, 02 Feb 2006 23:43:31 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2374

ulan@certainty.net wrote:
> I am wondering if I put the VHF radio in the car, will it "burn out"
> the other radios. This should give something for a lot of
> conversation. I hope I can get some help.

Read the owner's manual. It will advise what precautions, if any, need
to be taken with regard to two-way radios.

```
From -7350648481513802824
X-Google-Thread: 108122,b88ad4a5671656f6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe06.ams.POSTED!
53ab2750!not-for-mail
From: Radio <radioReMoVe@mts.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Motorola Mobile Microphone HMN1056D Mic
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 3
Message-ID: <T_wEf.1702$lQ6.1619@fe06.ams>
Date: Thu, 02 Feb 2006 17:58:47 -0600
NNTP-Posting-Host: 142.161.156.190
X-Trace: fe06.ams 1138924595 142.161.156.190 (Thu, 02 Feb 2006 16:56:35 MST)
NNTP-Posting-Date: Thu, 02 Feb 2006 16:56:35 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2375

Motorola Mobile Microphone HMN1056D Mic

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7587385383


From -2036129633509764505
X-Google-Thread: 108122,ad30948ae0536569
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
From: "ulan@certainty.net" <ulan@certainty.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RF induction in car radio
Date: 2 Feb 2006 16:22:45 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1138926165.554124.135380@z14g2000cwz.googlegroups.com>
References: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
   <cuvyxnansvbet.iu1h5p7.pminews@newsgroups.comcast.net>
NNTP-Posting-Host: 208.151.218.146
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138926170 3051 127.0.0.1 (3 Feb 2006 00:22:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Feb 2006 00:22:50 +0000 (UTC)
In-Reply-To: <cuvyxnansvbet.iu1h5p7.pminews@newsgroups.comcast.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows NT
4.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=208.151.218.146;
   posting-account=7c0ykw0AAAD80k-CPKAOJVKY-C1dU9Hr
Xref: g2news1.google.com rec.radio.amateur.equipment:2376
```

As far as the dealer goes, they offered to look into it but had no better luck than I did. What is frustrating is that when they are approached with such a question, it is as if I have just come from the darkest regions of Africa, with some strange object or ritual they have never heard of, or seen.

Thanks for the reply

Ethan Davis KB3EGG

```
From -1696946931942895075
X-Google-Thread: 108122,ad30948ae0536569
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-
mail
From: "ulan@certainty.net" <ulan@certainty.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RF induction in car radio
Date: 2 Feb 2006 16:25:42 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1138926342.080908.237450@g43g2000cwa.googlegroups.com>
References: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
   <cuvyxnansvbet.iu1h5p7.pminews@newsgroups.comcast.net>
NNTP-Posting-Host: 208.151.218.146
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138926347 1232 127.0.0.1 (3 Feb 2006 00:25:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Feb 2006 00:25:47 +0000 (UTC)
In-Reply-To: <cuvyxnansvbet.iu1h5p7.pminews@newsgroups.comcast.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows NT
4.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=208.151.218.146;
   posting-account=7c0ykw0AAAD80k-CPKAOJVKY-C1dU9Hr
Xref: g2news1.google.com rec.radio.amateur.equipment:2377
```

By the way, both AM and FM in the vehicle radio are malfunctioning.

Thanks,

Ethan Davis   KB3EGG

```
From 5655030900581709338
X-Google-Thread: 108122,ad30948ae0536569
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: "ulan@certainty.net" <ulan@certainty.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RF induction in car radio
Date: 2 Feb 2006 16:29:44 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1138926584.741129.197920@g14g2000cwa.googlegroups.com>
References: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
   <COwEf.472280$Es3.392172@fe03.news.easynews.com>
NNTP-Posting-Host: 208.151.218.146
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138926589 1694 127.0.0.1 (3 Feb 2006 00:29:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Feb 2006 00:29:49 +0000 (UTC)
In-Reply-To: <COwEf.472280$Es3.392172@fe03.news.easynews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.5; Windows NT
4.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=208.151.218.146;
   posting-account=7c0ykw0AAAD80k-CPKAOJVKY-C1dU9Hr
Xref: g2news1.google.com rec.radio.amateur.equipment:2378
```

No luck with the owners manual. Technically, the radio should be protected by the manufacturer, but like other large businesses it is part of that business to protect itself against liability by not offering concrete guarantees, or suggestions on the proper method of protecting the car's radio.

```
From -2511781311490988491
X-Google-Thread: 108122,ad30948ae0536569
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: RF induction in car radio
References: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
In-Reply-To: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 51
Message-ID: <mbyEf.35854$bF.23085@dukeread07>
Date: Thu, 02 Feb 2006 20:18:02 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1138929490 24.254.177.70 (Thu, 02 Feb 2006 20:18:10 EST)
NNTP-Posting-Date: Thu, 02 Feb 2006 20:18:10 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2379

ulan@certainty.net wrote:

> I installed a VFH/UHF radio in a 1997 Grand Cherokee. The RF antenna is approximately two feet horizontally, and slightly higher from the Jeep's radio receive antenna. If I was listening to the vehicle radio and keyed the VHF radio, it would mute the vehicle radio. The vehicle radio finally is no longer working, except for one station. I am assuming an induction problem. Technically, what exactly happened, how, or not to fix the vehicle radio. How to prevent this problem in the future. I raise this question not so much for the sake of the Jeep, but because I am proposing to a put a VHF/UHF rig in the lady's 2005 Honda Accord. The only viable place on the car is a trunk mount. It appears the car radion antenna is embedded in the rear glass and I believe this area is also where the XM radio antenna is located. I have tried to contact Honda on various levels but have had no success. I am wondering if I put the VHF radio in the car, will it "burn out" the other radios. This should give something for a lot of conversation. I hope I can get some help.
>
> Thanks,
> Ethan Davis KB3EGG

I own a 1995 Ford Explorer and have it equipped with a 50/144/440 radio that runs from 3-50 watts. I have my VHF/UHF antenna permanantly mounted on the roof (Larsen low profile 18" dual band). I run the radio into a diplexer and have a separate antenna for 6 meters. The way I have it rigged up is the 6 meter antenna also serves as my AM/FM antenna through the use of a splitter. I also have a 100 watt HF radio with a multiband antenna on the rear bumper.

I have noticed interaction with my AM/FM radio at the 3 watt level on UHF. High power almost always takes out the broadcast station but the receiver has never been damaged.

When I transmit on HF, I can hear the SSB signal over the car stereo speakers.

You don't mention how much power you are running but if your transmit antenna is only 2 ft from the AM/FM antenna and you are running 40-50 watts, I would not be comfortable with that distance.

As for fixing the existing radio, you would probably be cheaper to get some aftermarket system. Just be aware, when you do, if you are using existing OEM speakers, often times, there may be an impedence mismatch with the OEM speakers and an aftermarket receiver. Most aftermarket units are 8 ohms. I have seen OEM speakers that were other impedence.

Andy

From -3427702238226426075
X-Google-Thread: 108122,477fcb7d478f7ae4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!news.sisna.com!not-for-mail
From: Bob W7AVK <rsrolfne@atnet.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7) Gecko/20040616
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Fox Tango Yaesu Filters
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 17
Message-ID: <CQzEf.109$zM2.44076@news.sisna.com>
Date: Thu, 02 Feb 2006 19:13:32 -0800
NNTP-Posting-Host: 207.254.16.133
X-Complaints-To: newsabuse@ikano.com
X-Trace: news.sisna.com 1138936226 207.254.16.133 (Thu, 02 Feb 2006 20:10:26 MST)
NNTP-Posting-Date: Thu, 02 Feb 2006 20:10:26 MST
Organization: Internet News Service
X-Received-Date: Thu, 02 Feb 2006 20:10:26 MST (news.sisna.com)
Xref: g2news1.google.com rec.radio.amateur.equipment:2380

For Sale: Two FOX TANGO FILTERS NUMBER
XF-8.9HSN - 8 pole 1,900 hz Bandwidth
XF-8.9HSW - 8 pole 2,800 hz Bandwidth
Fits
FT-One
FT-107
FT 707
FT 901 DM
FT 902 DM
FT 101-ZD
FT 980
FT-77

```
New Never used all paper work and FT box.
$50.00 Each Or?// Trade?  Includes postage

73  Bob  W7AVK


From 8392481316002653032
X-Google-Thread: 108122,ad30948ae0536569
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!
fe03.lga.POSTED!53ab2750!not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RF induction in car radio
Message-ID: <3nk5u1tc5c64cq5cn4pr4fbh20a16v85cl@4ax.com>
References: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
<COwEf.472280$Es3.392172@fe03.news.easynews.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 18
X-Trace:
idmkcnjgmiagocdechhpeepbnbdpdfddkmffhoeiocppmbilbmakopbkdddlphoedhmiodipbnlfdhmbei
eajelbmlndhadpkbdobfhdhnbdenahcaciolllpjklpjheegcmjhhibopfakdb
NNTP-Posting-Date: Thu, 02 Feb 2006 20:50:49 MST
Date: Thu, 02 Feb 2006 22:50:50 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2381

On Thu, 02 Feb 2006 23:43:31 GMT, "Travis Jordan" <no.one@no.net>
wrote:

>ulan@certainty.net wrote:
>> I am wondering if I put the VHF radio in the car, will it "burn out"
>> the other radios.  This should give something for a lot of
>> conversation.  I hope I can get some help.
>
>Read the owner's manual.  It will advise what precautions, if any, need
>to be taken with regard to two-way radios.
>
As I recall there is something about it in my 4-Runner manual, but the
Toyota dealer installed the Kenwood TM-D700 for me so it was ready to
run when I got the car.

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com


From -7129277396211814983
X-Google-Thread: 108122,af91cf9743ef5ff9,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom 706 MK II
Message-ID: <sd17u15fddii0ogdneavujhtqv7n88stp3@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Fri, 03 Feb 2006 11:33:06 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1138984388 68.193.1.58 (Fri, 03 Feb 2006 09:33:08 MST)
NNTP-Posting-Date: Fri, 03 Feb 2006 09:33:08 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2382

FS: Icom 706 MK II
HF transciever plus 6 Meter and Two Meters
Has mobile bracket/ Mic/short power cord with fuse.

Has all the optional modules it would take (has the ones that now come
standard ) I really like the little DSP notch filter best. It  has a
nice narrow 500Hz CW filter also. Was mobile, has minor scratches, but
by no means, looks beat up.

The microphone took some modifications a couple years ago when it was
used with a pair of units in PSK31 applications so you might have to
replace the element.
If you close talk the microphone its fine, otherwise replace mic
element.
Does full power!!!


Looks and works fine!!
Price: 435.00 Shipped Firm.



From -6769508465239655873
X-Google-Thread: 108122,1e0c647a5bb6f90,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!atl-
c06.usenetserver.com!news.usenetserver.com!news.infoave.net!not-for-mail
From: Justin Case <cccccccc3cc3cc2c@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Analog S/RF meter vs. Digital S/RF Meter - Cast your vote here! (Heads up
```

Kenwood, Yaesu, Icom and Ten Tec!)
Date: Fri, 03 Feb 2006 11:37:57 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 19
Message-ID: <qt07u15bpk7tmd381if5crmnkp23lh5hv3@4ax.com>
Reply-To: JC8882822828.not.real@hotmail.com
NNTP-Posting-Host: rhhe10-165.2wcm.comporium.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news3.infoave.net 1138984679 232126 64.53.90.165 (3 Feb 2006 16:37:59 GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Fri, 3 Feb 2006 16:37:59 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:2383

I know at least one higher up at a major Ham radio manufacturer reads these news groups, so maybe this will make it in to the right hands.

How many of you prefer a real analog d'Arsonval movement S/RF meter to a digital bar graph S/RF meter?

My vote goes for a great big detailed analog meter with a real needle any day. Give me a radio with a great big Kenwood TS-940s S/RF style analog meter, and forget about the LCD/LED S/RF meter. Even the LCD attempt to look like a real analog meter just does not cut it for me. If a moth can't land on the needle and go for a ride it's not worth watching.

:)

-Justin

From 2946667955070762990
X-Google-Thread: 108122,1e0c647a5bb6f90
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-mail
From: "Steve" <ki6ada@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Analog S/RF meter vs. Digital S/RF Meter - Cast your vote here! (Heads up Kenwood, Yaesu, Icom and Ten Tec!)
Date: 3 Feb 2006 08:50:08 -0800
Organization: http://groups.google.com
Lines: 22
Message-ID: <1138985408.142320.167440@z14g2000cwz.googlegroups.com>
References: <qt07u15bpk7tmd381if5crmnkp23lh5hv3@4ax.com>

NNTP-Posting-Host: 69.106.253.64
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138985413 6397 127.0.0.1 (3 Feb 2006 16:50:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Feb 2006 16:50:13 +0000 (UTC)
In-Reply-To: <qt07u15bpk7tmd381if5crmnkp23lh5hv3@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; sbcydsl 3.12; YComp 5.0.0.0; YPC 3.2.0; .NET CLR 1.1.4322; yplus 5.1.02b),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=69.106.253.64;
   posting-account=f_HYlA0AAABbzQFqBtJLoCV5h1YoE0gm
Xref: g2news1.google.com rec.radio.amateur.equipment:2384

Justin Case wrote:
> I know at least one higher up at a major Ham radio manufacturer
> reads these news groups, so maybe this will make it in to the right
> hands.
>
> How many of you prefer a real analog d'Arsonval movement S/RF meter
> to a digital bar graph S/RF meter?
>
> My vote goes for a great big detailed analog meter with a real needle
> any day. Give me a radio with a great big Kenwood TS-940s S/RF style
> analog meter, and forget about the LCD/LED S/RF meter. Even the LCD
> attempt to look like a real analog meter just does not cut it for me.
> If a moth can't land on the needle and go for a ride it's not worth
> watching.
>
> :)
>
> -Justin

Looking at FT 840 love the analog meter!

From -3737811234298993846
X-Google-Thread: 108122,af91cf9743ef5ff9
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!proxad.net!
198.186.190.250.MISMATCH!news-out.readnews.com!news-pusher.readnews.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS: Icom 706 MK II SOLD
Message-ID: <8537u1hh56nksv8p0rob7hslfu410u11nk@4ax.com>
References: <sd17u15fddii0ogdneavujhtqv7n88stp3@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783

```
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Fri, 03 Feb 2006 12:02:48 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1138986169 68.193.1.58 (Fri, 03 Feb 2006 10:02:49 MST)
NNTP-Posting-Date: Fri, 03 Feb 2006 10:02:49 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2385

On Fri, 03 Feb 2006 11:33:06 -0500, ritchi50@optonline.net wrote:
Thanks to all.............Sold

>FS: Icom 706 MK II
>HF transciever plus 6 Meter and Two Meters
>Has mobile bracket/ Mic/short power cord with fuse.
>
>Has all the optional modules it would take (has the ones that now come
>standard ) I really like the little DSP notch filter best. It  has a
>nice narrow 500Hz CW filter also. Was mobile, has minor scratches, but
>by no means, looks beat up.
>
>The microphone took some modifications a couple years ago when it was
>used with a pair of units in PSK31 applications so you might have to
>replace the element.
>If you close talk the microphone its fine, otherwise replace mic
>element.
>Does full power!!!
>
>
>Looks and works fine!!
>Price: 435.00 Shipped Firm.


From -5619184551116862540
X-Google-Thread: 108122,e318a2c32b5c04a5,start
X-Google-Thread: 108228,e318a2c32b5c04a5,start
X-Google-Thread: 1109af,e318a2c32b5c04a5,start
X-Google-Attributes: gid108122,gid108228,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-mail
From: "Spencer" <spencer313@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,alt.ham-radio.marketplace,rec.radio.swap
Subject: FA: Four Motorola DES-Encrypted MX350S Synthesized VHF radios and charger
Date: 3 Feb 2006 11:28:47 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1138994927.419093.157100@g14g2000cwa.googlegroups.com>
NNTP-Posting-Host: 66.167.12.131
Mime-Version: 1.0
```

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138994932 28727 127.0.0.1 (3 Feb 2006 19:28:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 3 Feb 2006 19:28:52 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; T312461; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=66.167.12.131;
   posting-account=BbItKAwAAABzqkwAE0lyY77v8zNF6t5b
Xref: g2news1.google.com rec.radio.amateur.equipment:2386 alt.ham-radio.marketplace:558 rec.radio.swap:2514

Available on eBay (item #5862005427) is a complete set of four Motorola MX350S Synthesized, DES Encrypted VHF radios. These former White House Communications Agency radios comes with a six position charger/conditioner, batteries, manuals, RF test cable AND a DES Keyloader. Because this system uses DES Encryption, it can only be shipped to a U.S. address.

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5862005427>

Thanks,

S

From -7163242482940258745
X-Google-Thread: 108122,859ae48c0c239ea5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!newsfeed00.sul.t-online.de!newsfeed01.sul.t-online.de!t-online.de!newsfeed.inode.at!news.hispeed.ch!not-for-mail
From: "Markus L" <uo9oew@tzk.pu>
Newsgroups: rec.radio.amateur.equipment
Subject: any opinions on Timewave TZ-900 AntennaSmith?
Date: Fri, 3 Feb 2006 21:44:52 +0100
Organization: Cablecom Newsserver
Lines: 9
Message-ID: <ds0fcn$1ov$1@news.hispeed.ch>
NNTP-Posting-Host: cable-dynamic-87-245-88-222.shinternet.ch
X-Trace: news.hispeed.ch 1138999511 1823 87.245.88.222 (3 Feb 2006 20:45:11 GMT)
X-Complaints-To: news@hispeed.ch
NNTP-Posting-Date: Fri, 3 Feb 2006 20:45:11 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Xref: g2news1.google.com rec.radio.amateur.equipment:2387

This item is available for quite some time now but I failed to find any comments, reviews etc.:
http://www.timewave.com/TZ-900.html
It is for sure an interesting piece of equipment, but maybe it's the price tag which is the problem.

Markus HB9BRJ / AE6MG

From -6107958293627873977
X-Google-Thread: 108122,859ae48c0c239ea5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.gamma.ru!Gamma.RU!image.surnet.ru!mtu.ru!sn-xt-sjc-15!sn-xt-sjc-06!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: any opinions on Timewave TZ-900 AntennaSmith?
Date: Fri, 03 Feb 2006 21:08:14 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11u7hhubj6cmn82@corp.supernews.com>
References: <ds0fcn$1ov$1@news.hispeed.ch>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news1.google.com rec.radio.amateur.equipment:2388

>This item is available for quite some time now but I failed to find any
>comments, reviews etc.:
>http://www.timewave.com/TZ-900.html
>It is for sure an interesting piece of equipment, but maybe it's the price
>tag which is the problem.

I agree, on both counts. The developer of it did a demo at a local ham-club meeting a few months ago. The commonest reaction among the audience members seemed to be drooling (over the features and capabilities) and winces of pain (at the cost).

Its price seems to be in the same ballpark as the couple of HF-band vector network analyzers that have become available in the past few years (the N2PK and TAPR/Ten-Tec versions) and unlike those VNAs the Timewave is self-contained and does not require a PC for control and display.

On the down side, none of these VNAs is able to operate on the 2-meter or higher frequencies (although I understand that the N2PK has some VHF narrow-band extension add-ons). Since the Timewave is roughly twice the cost of the MFJ antenna analyzers, and won't operate above the 6-meter band, its appeal to most amateurs is probably somewhat limited.

It's a nice piece of kit. I'd enjoy having one myself, but wouldn't
use it enough to justify the cost.

It might be the sort of thing which would end up as club gear, for a
club of well-heeled HF/DX enthusiasts.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -2504458288185530327
X-Google-Thread: 108122,d8206f888dd066,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-xxxfer.readnews.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom AT-180 Antenna Tuner
Message-ID: <cqj7u11jskvst5gh5nt96garnjb4oktlok@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
Date: Fri, 03 Feb 2006 16:47:03 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1139003225 68.193.1.58 (Fri, 03 Feb 2006 14:47:05 MST)
NNTP-Posting-Date: Fri, 03 Feb 2006 14:47:05 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2389

FS: Icom AT-180 Antenna Tuner

Frequency Coverage: 1.9 - 54 MHz (Includes 6 mtrs)
Input Impedance: 50 ohms
Maximum Input Power: 120 W
Minimum Tuning Power: 8 W
Matching Impedance Range:
16.7 - 150 ohms (HF band)
20 - 125 ohms (50 MHz band)
Tuning Accuracy: Less than SWR 1.5:1
Insertion Loss: Less than 1.0 dB
Power Supply Requirements: 13.8 V DC/1 A (supplied from the

```
transceiver's ACC socket)
Weight: 2.4 kg; 5 lb, 4 oz
Included is the Coaxial Cable (1 m), ACC Cable (DIN 13 pins) for Icom
706 series radios.

Was mobile has a few scratches,
But not beat up at all.
Works and looks fine, comes with cable.
Was used on a Icom 706.
Comes with mobile bracket as well.
Price: 200.00    Shipped and Insured


From 7836375843672691490
X-Google-Thread: 108122,c95337abba264bdf,start
X-Google-Thread: 1109af,c95337abba264bdf,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola HT1250 ls Plus Version...Very Clean...DTMF w/Voice Store
Option
Lines: 44
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C628D5.6B8E70C0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <XyREf.2488$MJ.1309@fed1read07>
Date: Fri, 3 Feb 2006 15:20:52 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1139008823 68.96.227.248 (Fri, 03 Feb 2006 18:20:23 EST)
NNTP-Posting-Date: Fri, 03 Feb 2006 18:20:23 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2390 rec.radio.swap:2518

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C628D5.6B8E70C0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola HT1250 ls Plus Version...Very Clean...DTMF w/Voice Store =
Option

Stores up to four - 30 second received messages,,,with selectable =
playback/erase options.
```

```
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7586881871&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_000A_01C628D5.6B8E70C0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola HT1250 ls Plus Version...Very Clean...DTMF w/Voice Store =

Option</P>
<P>Stores&nbsp;up to four -&nbsp;30 second received messages,,,with =
selectable=20
playback/erase options.</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7586881871&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7586881871&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_000A_01C628D5.6B8E70C0--



From -5296372762842096113
X-Google-Thread: 108122,364cd4087dff660e,start
X-Google-Thread: 1109af,364cd4087dff660e,start
X-Google-Thread: 115730,364cd4087dff660e,start
X-Google-Attributes: gid108122,gid1109af,gid115730,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap,sci.electronics.equipment
Subject: FA: Motorola Palm Microphones for Radius series-etc... using RG-45 "type"
connector-Brand New in Boxes-Cheap
Lines: 47
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0013_01C628D6.F3A97800"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <dJREf.2490$MJ.807@fed1read07>
Date: Fri, 3 Feb 2006 15:31:50 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1139009481 68.96.227.248 (Fri, 03 Feb 2006 18:31:21 EST)
NNTP-Posting-Date: Fri, 03 Feb 2006 18:31:21 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2391 rec.radio.swap:2519
sci.electronics.equipment:1756

This is a multi-part message in MIME format.

------=_NextPart_000_0013_01C628D6.F3A97800
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola Palm Microphones-Brand New in Boxes-Cheap

Auction is for 4-each "lot" these are the newer type with "LED" used on =
the Motorola Radius series mobiles using the RJ-45 type connector.=20

The audio quality is extremely good with these mics...

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7586973480&ss=
PageName=3DSTRK:MESE:IT



------=_NextPart_000_0013_01C628D6.F3A97800
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola Palm Microphones-Brand New in Boxes-Cheap</P>
<P>Auction is for 4-each "lot" these are the newer type with "LED" used =
on the=20
Motorola Radius series mobiles using the RJ-45 type connector. </P>
<P>The audio quality is extremely good with these mics...</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7586973480&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7586973480&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P>
<P>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0013_01C628D6.F3A97800--



From -2226457710750599721
X-Google-Thread: 108122,42bdde7bd09c0595,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!peer01.west.cox.net!cox.net!hwmnpeer01.phx!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Icom AT-180  Sold Thanks
Message-ID: <jlu7u1hcc24lcq4u9htd1dubf1amb8008b@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
Date: Fri, 03 Feb 2006 19:52:30 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1139014351 68.193.1.58 (Fri, 03 Feb 2006 17:52:31 MST)
NNTP-Posting-Date: Fri, 03 Feb 2006 17:52:31 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2392

Icom AT-180  Sold Thanks


From 4271535403547935237
X-Google-Thread: 108122,c403484d49393037,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-mail
From: "RoDnSuE" <sad.tip@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Cushman CE50 help needed
Date: 3 Feb 2006 17:19:53 -0800
Organization: http://groups.google.com
Lines: 16
Message-ID: <1139015993.064787.166860@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: 151.199.90.36
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139015998 12103 127.0.0.1 (4 Feb 2006 01:19:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Feb 2006 01:19:58 +0000 (UTC)
```

User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
5.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=151.199.90.36;
   posting-account=jAXX_gwAAAA5PUYEAjkXk1Tlm6x_DfLh
Xref: g2news1.google.com rec.radio.amateur.equipment:2393

Hi,
I have a slightly sick Cushman CE50-TG-1 service monitor and was
wondering if anyone has taken any voltage readings from a working unit
they would be willing to share.
I need to check the voltages at test points 3 & 4 on the 29000 board
with the frequency set between 9.9999mhz and 100khz. That should give
me the normal range for both the A & B VCO's control voltage's.
(referenced to chassis ground) Any other voltages would be helpful so I
can note them for future reference.
Sure would have been nice if Cushman would have provided some basic
voltage readings on the schematics.

Any help would be appreciated,
Thanks,
RoD

From -2974537205972154978
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-mail
From: shoppa@trailing-edge.com
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Date: 3 Feb 2006 18:00:41 -0800
Organization: http://groups.google.com
Lines: 18
Message-ID: <1139018441.214688.102510@f14g2000cwb.googlegroups.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
   <52ead$43d66736$d8c4cab4$8121@FUSE.NET>
NNTP-Posting-Host: 63.73.218.130
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139018446 25285 127.0.0.1 (4 Feb 2006 02:00:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Feb 2006 02:00:46 +0000 (UTC)
In-Reply-To: <52ead$43d66736$d8c4cab4$8121@FUSE.NET>
User-Agent: G2/0.2
X-HTTP-UserAgent: Links (1.00pre14; Linux 2.6.13.2 i686;
80x25),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com

Injection-Info: f14g2000cwb.googlegroups.com; posting-host=63.73.218.130;
   posting-account=mAyfxAwAAABWbrxnXxYpn9RczUJc3B8w
Xref: g2news1.google.com rec.radio.shortwave:21494
rec.radio.amateur.equipment:2394

Michael Lawson wrote:
> <shoppa@trailing-edge.com> wrote in message
> > What speakers are available in durable die-cast housings these days?
>
> You can find minimus-7's and 77's on eBay.

I did, they arrived, I hooked them up and after a couple of hours they
were just like my other 15-year old Minimus-7's - the foam surround
crumbled and fell off the driver.

Well, now I have 6 Minimus-7's, 5 with basically zero foam surround
left and one that's just on the verge of falling into pieces.

I gotta learn how to fix these foam surrounds! Either that or buy some
brand new drivers.

Tim.

From 4379715113325299561
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Message-ID: <jt58u1p20309qvnct5r1psbjroeget7r5e@4ax.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
<52ead$43d66736$d8c4cab4$8121@FUSE.NET>
<1139018441.214688.102510@f14g2000cwb.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Sat, 04 Feb 2006 02:56:09 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1139021769 66.133.198.234 (Fri, 03 Feb
2006 18:56:09 PST)
NNTP-Posting-Date: Fri, 03 Feb 2006 18:56:09 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.shortwave:21497

rec.radio.amateur.equipment:2395

On 3 Feb 2006 18:00:41 -0800, shoppa@trailing-edge.com wrote:

>Michael Lawson wrote:
>> <shoppa@trailing-edge.com> wrote in message
>> > What speakers are available in durable die-cast housings these days?
>>
>> You can find minimus-7's and 77's on eBay.
>
>I did, they arrived, I hooked them up and after a couple of hours they
>were just like my other 15-year old Minimus-7's - the foam surround
>crumbled and fell off the driver.
>
>Well, now I have 6 Minimus-7's, 5 with basically zero foam surround
>left and one that's just on the verge of falling into pieces.
>
>I gotta learn how to fix these foam surrounds! Either that or buy some
>brand new drivers.
>
>Tim.
>

Refoam Kits from Burbank:

http://www.speakercity.com/Merchant2/merchant.mvc?Screen=CTGY&Store_Code=SC&Category_Code=refoamkitstd

---

```
From 2146630796985283571
X-Google-Thread: 108122,760802d51c2b0cee,start
X-Google-Thread: 107ada,760802d51c2b0cee,start
X-Google-Thread: 114aac,760802d51c2b0cee,start
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe01.news.easynews.com.POSTED!not-for-mail
From: Roger <roger@doesnotexist.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: "Ultra" portable MW-SW-FM receiver recommendations?
Reply-To: roger@doesnotexist.com
Message-ID: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 40
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sat, 04 Feb 2006 02:57:56 GMT
```

Xref: g2news1.google.com rec.radio.amateur.equipment:2396
rec.radio.amateur.misc:4069 rec.radio.shortwave:21499

I currently own a Radio Shack DX-399 (same model as the Sangean ATS-606), which is a quite solid, portable LW-MW-SW-FM receiver with quite good sound quality when delivered to ear buds (FM stereo to earbuds.)

I mostly use this radio for local MW and FM listening, but will occasionally listen to SW broadcasts, and DX-MW using a Radio Shack loop.

I love this radio for its portability, but am looking for another to put one of them away in a Faraday box for use in case of a major emergency.

So, what other makes/models should I consider? Repeating some of the above, here's my criteria:

1) The size of the DX-399 or smaller.

2) General coverage MW-SW (up to 30 kHz), and with stereo FM (when fed to earbuds). Don't need LW.

3) Good sound quality (especially of FM) when fed to earbuds.

4) As good or better sensitivity than the DX-399 for MW dxing and SW.

5) Don't need SSB, but would be nice.

6) Don't care too much about speaker quality, since I would use it exclusively with earbuds.

7) Don't care about the other bells and whistles (e.g. alarm), but some station memory would be nice.

So what are my other options? New and/or used (buyable through eBay) will be considered.

Thanks!

Roger

From 1547175123482761038
X-Google-Thread: 108122,1d07fda18af6c92c,start
X-Google-Thread: 1109af,1d07fda18af6c92c,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail

```
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: HT1250 ls UHF wide-band 403-470 MHz w/new charger-nice condx
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C628F5.27CF3F70"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <VTUEf.2559$MJ.845@fed1read07>
Date: Fri, 3 Feb 2006 19:08:02 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1139022453 68.96.227.248 (Fri, 03 Feb 2006 22:07:33 EST)
NNTP-Posting-Date: Fri, 03 Feb 2006 22:07:33 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2397 rec.radio.swap:2524

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C628F5.27CF3F70
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: HT1250 ls UHF wide-band 403-470 MHz w/new charger-nice condx

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7587708635&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C628F5.27CF3F70
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: HT1250 ls UHF wide-band 403-470 MHz w/new charger-nice condx</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7587708635&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7587708635&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>
```

```
------=_NextPart_000_0008_01C628F5.27CF3F70--



From 6852647697704451707
X-Google-Thread: 108122,d388f634a5e3240c,start
X-Google-Thread: 1109af,d388f634a5e3240c,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 3-EA MOTOROLA P110 PORTABLE RADIO's-UHF-4W-Later "E" Model-Nice
condition
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C628F5.B5FC30A0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <1YUEf.2560$MJ.1862@fed1read07>
Date: Fri, 3 Feb 2006 19:12:01 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1139022717 68.96.227.248 (Fri, 03 Feb 2006 22:11:57 EST)
NNTP-Posting-Date: Fri, 03 Feb 2006 22:11:57 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2398 rec.radio.swap:2525

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C628F5.B5FC30A0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 3-EA MOTOROLA P110 PORTABLE RADIO's-UHF-4W-Later "E" Model-Nice =
condition

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7587706067&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0011_01C628F5.B5FC30A0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 3-EA MOTOROLA P110 PORTABLE RADIO's-UHF-4W-Later "E" Model-Nice=20
condition</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7587706067&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7587706067&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0011_01C628F5.B5FC30A0--
```

```
From -7131679957236663789
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-
mail
From: "Beloved Leader" <Kim_Jong_Il@volcanomail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Date: 3 Feb 2006 20:15:04 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1139026504.801190.80930@g43g2000cwa.googlegroups.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
NNTP-Posting-Host: 4.249.186.211
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139026510 11545 127.0.0.1 (4 Feb 2006 04:15:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Feb 2006 04:15:10 +0000 (UTC)
In-Reply-To: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 5.01; Windows 95;
JUNO),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=4.249.186.211;
   posting-account=jERuaQwAAAByNzbpATTc6YdyxeaVrLCV
Xref: g2news1.google.com rec.radio.amateur.equipment:2399
rec.radio.amateur.misc:4072 rec.radio.shortwave:21514
```

Buy a second DX-399 if you can find one. Either that or a Sangean
ATS-606. It's clear that you like the radio a great deal, so why mess
with a good thing?

I own a DX-399. I bought it when Radio Shack lost its mind and dumped
the Radio Shack brand SWRs. I think it is a terrific little radio. Its
oddest likable attribute has to be the multiple voltage wall wart. With
the included adapter, you can use it in Europe on 220 Vac.

```
From -782865721930353235
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.forethought.net!news.forethought.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 03 Feb 2006 23:09:27 -0600
From: Eric F. Richards <efricha@dim.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Date: Fri, 03 Feb 2006 22:09:28 -0700
Organization: What organization?
Message-ID: <h188u1dipjvh89nega0c8gtskqnca4o67m@4ax.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
<52ead$43d66736$d8c4cab4$8121@FUSE.NET>
<1139018441.214688.102510@f14g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
NNTP-Posting-Host: 4.225.211.229
X-Trace:
sv3-0PVlUGFLeOpoEex6bF7lkVgNcu8Gd4UwYOvBPWDSStUUG8ETFWLL8Lr89vjcSAJrf311oxtM4NF45W
W!S/QWyoAx6/bJ+pAOTH/Fnfm+E45rjyCbVMaRGE+RHnyA1OyNMaQKp1aO2z5rT8EAO6joApSSykVW!
l103WanS+Sg32gXJoMlAzQ==
X-Complaints-To: abuse@forethought.net
X-DMCA-Complaints-To: abuse@forethought.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.shortwave:21523
rec.radio.amateur.equipment:2400
```

shoppa@trailing-edge.com wrote:

> [...] the foam surround
> crumbled and fell off the driver.
>
> Well, now I have 6 Minimus-7's, 5 with basically zero foam surround
> left and one that's just on the verge of falling into pieces.
>

> I gotta learn how to fix these foam surrounds! Either that or buy some
> brand new drivers.
>
> Tim.

Look in your phone book for "speaker repair." The foam disintegrating
happens a lot in dry climates, and if the voice coils aren't too
abraded, they can be replaced by a speaker repair tech.

The voice coils get abraded by using the speaker as the foam is
disintegrating, and they wear against the surrounding magnet and
frame.

--
Eric F. Richards
efricha@dim.com
"Nature abhors a vacuum tube." -- Myron Glass,
often attributed to J. R. Pierce, Bell Labs, c. 1940

From -3701321615759215007
X-Google-Thread: 108122,ff0a71a7231f92e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news2.volia.net!news.newsland.it!cox.net!news-xfer.cox.net!p01!fed1read03.POSTED!53ab2750!not-for-mail
Reply-To: "Jerry L. Withers" <sales@wdiphotography.com>
From: "Jerry L. Withers" <jwithers6@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FREE HAM Tips & Software
Lines: 4
Organization: WDI Photography
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <wm0Ff.12519$eR.4964@fed1read03>
Date: Sat, 4 Feb 2006 03:32:43 -0800
NNTP-Posting-Host: 68.224.132.239
X-Complaints-To: abuse@cox.net
X-Trace: fed1read03 1139053084 68.224.132.239 (Sat, 04 Feb 2006 06:38:04 EST)
NNTP-Posting-Date: Sat, 04 Feb 2006 06:38:04 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2401

Visit my web site at http://www.nvham.net for details on how to get FREE
Amatuer Radio related tips, information, event updates, software, and more!

From -7192390674185777181

```
X-Google-Thread: 108122,2bf906e1ddf39724,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-sjc-01!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: mike <spamme0@netscape.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Perfect Companion for your 7L12... 7623A storage mainframe
Date: Sat, 04 Feb 2006 04:58:21 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11u99a7n32kfp65@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 12
Xref: g2news1.google.com rec.radio.amateur.equipment:2402
```

Tektronix 7623A 3-hole storage mainframe.
Bistable and Variable Persistence modes.
Works great
Perfect for slow sweeps on a 7L12 or 7S12 or single shot.
Came in handy testing a spot welder.
no plugins.
pictures of unit and stored trace here
http://nm7u.tripod.com/homepage/te.html
$75 pick up in Tigard, Oregon
Too heavy to ship
maybe trade for something
mike

```
From -6084255783994150619
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-mail
From: mcdonald606a@yahoo.com
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Date: 4 Feb 2006 05:17:16 -0800
Organization: http://groups.google.com
Lines: 52
Message-ID: <1139059036.011365.71820@f14g2000cwb.googlegroups.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
NNTP-Posting-Host: 66.171.182.72
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

X-Trace: posting.google.com 1139059040 8285 127.0.0.1 (4 Feb 2006 13:17:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Feb 2006 13:17:20 +0000 (UTC)
In-Reply-To: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1)
Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=66.171.182.72;
   posting-account=dA6XXQ0AAACJgdHhKiUFEQGTuDxw1O65
Xref: g2news1.google.com rec.radio.amateur.equipment:2403
rec.radio.amateur.misc:4077 rec.radio.shortwave:21536

Check out the Degen DE1105..

http://www.radiointel.com/review-degende1105.htm

2 1/2 stars by passport.

Excellent little portable

Roger wrote:

> I currently own a Radio Shack DX-399 (same model as the Sangean
> ATS-606), which is a quite solid, portable LW-MW-SW-FM receiver with
> quite good sound quality when delivered to ear buds (FM stereo to
> earbuds.)
>
> I mostly use this radio for local MW and FM listening, but will
> occasionally listen to SW broadcasts, and DX-MW using a Radio Shack
> loop.
>
> I love this radio for its portability, but am looking for another to
> put one of them away in a Faraday box for use in case of a major
> emergency.
>
> So, what other makes/models should I consider? Repeating some of the
> above, here's my criteria:
>
> 1) The size of the DX-399 or smaller.
>
> 2) General coverage MW-SW (up to 30 kHz), and with stereo FM (when fed
>   to earbuds). Don't need LW.
>
> 3) Good sound quality (especially of FM) when fed to earbuds.
>
> 4) As good or better sensitivity than the DX-399 for MW dxing and SW.
>
> 5) Don't need SSB, but would be nice.
>
> 6) Don't care too much about speaker quality, since I would use it

```
>    exclusively with earbuds.
>
> 7) Don't care about the other bells and whistles (e.g. alarm), but
>    some station memory would be nice.
>
> So what are my other options? New and/or used (buyable through eBay)
> will be considered.
>
> Thanks!
>
> Roger
```

```
From 1554541264714262071
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: "Invader3K" <beckermt@hotmail.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Date: 4 Feb 2006 05:20:08 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1139059207.967908.82730@f14g2000cwb.googlegroups.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
   <1139059036.011365.71820@f14g2000cwb.googlegroups.com>
NNTP-Posting-Host: 140.146.208.154
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139059213 21355 127.0.0.1 (4 Feb 2006 13:20:13 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Feb 2006 13:20:13 +0000 (UTC)
In-Reply-To: <1139059036.011365.71820@f14g2000cwb.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=140.146.208.154;
   posting-account=pAa7SAwAAAAwXaP8b_Z38-M15WUjkwjx
Xref: g2news1.google.com rec.radio.amateur.equipment:2404
rec.radio.amateur.misc:4078 rec.radio.shortwave:21537
```

Seems like the Grundig/Eton YB-400 would fit the bill for you as well.
Might be slightly bigger than your Radio Shack model, but has the
features you mentioned, and then some.

```
From -6723286482325389642
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Message-ID: <gvb9u1l9seu0cibjcg13o2dsi8r968nqk3@4ax.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
<52ead$43d66736$d8c4cab4$8121@FUSE.NET>
<1139018441.214688.102510@f14g2000cwb.googlegroups.com>
<h188u1dipjvh89nega0c8gtskqnca4o67m@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Date: Sat, 04 Feb 2006 13:45:42 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1139060742 66.133.198.234 (Sat, 04 Feb
2006 05:45:42 PST)
NNTP-Posting-Date: Sat, 04 Feb 2006 05:45:42 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.shortwave:21539
rec.radio.amateur.equipment:2405

On Fri, 03 Feb 2006 22:09:28 -0700, Eric F. Richards <efricha@dim.com>
wrote:

>shoppa@trailing-edge.com wrote:
>
>> [...] the foam surround
>> crumbled and fell off the driver.
>>
>> Well, now I have 6 Minimus-7's, 5 with basically zero foam surround
>> left and one that's just on the verge of falling into pieces.
>>
>> I gotta learn how to fix these foam surrounds! Either that or buy some
>> brand new drivers.
>>
>> Tim.
>
>Look in your phone book for "speaker repair."  The foam disintegrating
>happens a lot in dry climates, and if the voice coils aren't too
>abraded, they can be replaced by a speaker repair tech.
>
>The voice coils get abraded by using the speaker as the foam is
>disintegrating, and they wear against the surrounding magnet and
```

```
>frame.
It's ozone.  The surrounds go to Hell in Houston as well.



From -4249330227914668444
X-Google-Thread: fc8b1,1c479f8d55132c23,start
X-Google-Thread: fc2a5,1c479f8d55132c23,start
X-Google-Thread: 108122,1c479f8d55132c23,start
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
wn11feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-
for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: FA:EXCELLENT TEN TEC OMNI VI+/MIC/TT PS
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <XD3Ff.6893$fM1.2582@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: ee3335fae4c12bb99e897b79801340a8
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1139066487
ee3335fae4c12bb99e897b79801340a8 (Sat, 04 Feb 2006 15:21:27 GMT)
NNTP-Posting-Date: Sat, 04 Feb 2006 15:21:27 GMT
Organization: AT&T Worldnet
Date: Sat, 04 Feb 2006 15:21:27 GMT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2704
rec.radio.amateur.homebrew:3487 rec.radio.amateur.equipment:2406

Very nice TT Omni VI+ with mic and TT PS included! PSE NOTE RESTRICTIONS on
SHIPPING/INSURANCE and required amateur call sign. Currently in use. See at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking:  more stuff coming:  air variables, parts, transformers,
chokes. Check back often,73 heytubeguy





From -5455667878053508645
X-Google-Thread: 108122,b7648105b5aa84da,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
```

```
newshosting.com!198.186.190.247.MISMATCH!news-out.readnews.com!news-
xxxfer.readnews.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!
fe09.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS KENWOOD TM-D700 DUAL BANDER
Message-ID: <too9u1lsjhonr5qoar2daapv99jpn83ej8@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Sat, 04 Feb 2006 12:24:04 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1139073855 68.193.1.58 (Sat, 04 Feb 2006 10:24:15 MST)
NNTP-Posting-Date: Sat, 04 Feb 2006 10:24:15 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2407

FS KENWOOD TM-D700 DUAL BANDER
FREE SHIPPING AND INSURANCE!!!
The radio works great, full power on
both bands, Comes with Touch-tone microphone/
remote cable/.Has short power cord.
Missing volume knob, Volume works fine, you just need to buy the
little plastic knob.
Price: 325.00   Shipped and Insured lower 48 states.



From 5050038849211525075
X-Google-Thread: fc8b1,628e97154bf94dc3,start
X-Google-Thread: fc2a5,628e97154bf94dc3,start
X-Google-Thread: 108122,628e97154bf94dc3,start
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
wn11feed!worldnet.att.net!bgtnsc04-news.ops.worldnet.att.net.POSTED!dfa70db1!not-
for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: FA: GLASS HI VOLTAGE CAPS
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <u58Ff.7687$fM1.7262@bgtnsc04-news.ops.worldnet.att.net>
NNTP-Posting-Host: 31d19e6f6f78a29d03f19dd7a9e25110
X-Complaints-To: abuse@worldnet.att.net
```

```
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1139084762
31d19e6f6f78a29d03f19dd7a9e25110 (Sat, 04 Feb 2006 20:26:02 GMT)
NNTP-Posting-Date: Sat, 04 Feb 2006 20:26:02 GMT
Organization: AT&T Worldnet
Date: Sat, 04 Feb 2006 20:26:02 GMT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2709
rec.radio.amateur.homebrew:3496 rec.radio.amateur.equipment:2408
```

Just added hi voltage glass capacitors by Sprague, Gudeman; 4-10 KV DC; see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

more air variables to be added soon, tnx for looking, heytubeguy

```
From 2902389635888630207
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Message-ID: <p54au15bd8v71pp7jv9tapvrac7mj5g4ls@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 45
Date: Sat, 04 Feb 2006 20:38:25 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1139085505 66.133.198.234 (Sat, 04 Feb
2006 12:38:25 PST)
NNTP-Posting-Date: Sat, 04 Feb 2006 12:38:25 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2409
rec.radio.amateur.misc:4096 rec.radio.shortwave:21595
```

On Sat, 04 Feb 2006 02:57:56 GMT, Roger <roger@doesnotexist.com> wrote:

>I currently own a Radio Shack DX-399 (same model as the Sangean
>ATS-606), which is a quite solid, portable LW-MW-SW-FM receiver with
>quite good sound quality when delivered to ear buds (FM stereo to

```
>earbuds.)
>
>I mostly use this radio for local MW and FM listening, but will
>occasionally listen to SW broadcasts, and DX-MW using a Radio Shack
>loop.
>
>I love this radio for its portability, but am looking for another to
>put one of them away in a Faraday box for use in case of a major
>emergency.
>
>So, what other makes/models should I consider? Repeating some of the
>above, here's my criteria:
>
>1) The size of the DX-399 or smaller.
>
>2) General coverage MW-SW (up to 30 kHz), and with stereo FM (when fed
>   to earbuds). Don't need LW.
>
>3) Good sound quality (especially of FM) when fed to earbuds.
>
>4) As good or better sensitivity than the DX-399 for MW dxing and SW.
>
>5) Don't need SSB, but would be nice.
>
>6) Don't care too much about speaker quality, since I would use it
>   exclusively with earbuds.
>
>7) Don't care about the other bells and whistles (e.g. alarm), but
>   some station memory would be nice.
>
>So what are my other options? New and/or used (buyable through eBay)
>will be considered.
>
>Thanks!
>
>Roger
>
http://rffun.com/catalog/portable/1080.html



From 7359176111746357711
X-Google-Thread: 108122,c75328194c3aac6d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-
mail
From: "Used2Way" <pchoman@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: **Large Qty** HT750 UHF 16 CH
Date: 4 Feb 2006 12:44:13 -0800
Organization: http://groups.google.com
Lines: 8
```

```
Message-ID: <1139085853.078674.6130@g43g2000cwa.googlegroups.com>
NNTP-Posting-Host: 67.176.18.126
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139085858 19089 127.0.0.1 (4 Feb 2006 20:44:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 4 Feb 2006 20:44:18 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=67.176.18.126;
   posting-account=BzojKA0AAAC1zkGBiXVuJyDhKR1gk6nH
Xref: g2news1.google.com rec.radio.amateur.equipment:2410
```

For Sale: + 140 HT750 UHF 16 CH in excellent condition (1 yr old).
They should still be under factory warranty. We also have rack
chargers. We would like to sell in large lot or entire lot. $250 /
HT750 & $200 / Rack Charger.

Call or email Paul for details.
720-219-8898

```
From -4355337212998672135
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news-
west.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!
news2.kc.rr.com!tornado.socal.rr.com.POSTED!53ab2750!not-for-mail
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
From: John Porter <jkporter2000@yahoo.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
Message-ID: <Xns976073756BD18jkporterhawaiicom@66.75.164.120>
User-Agent: Xnews/2005.10.18
Lines: 13
Date: Sat, 04 Feb 2006 21:21:01 GMT
NNTP-Posting-Host: 72.132.201.31
X-Complaints-To: abuse@rr.com
X-Trace: tornado.socal.rr.com 1139088061 72.132.201.31 (Sat, 04 Feb 2006 13:21:01
PST)
NNTP-Posting-Date: Sat, 04 Feb 2006 13:21:01 PST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2411
rec.radio.amateur.misc:4098 rec.radio.shortwave:21604
```

Roger <roger@doesnotexist.com> wrote in

```
news:kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com:

> I currently own a Radio Shack DX-399 (same model as the Sangean
> ATS-606), which is a quite solid, portable LW-MW-SW-FM receiver with
> quite good sound quality when delivered to ear buds (FM stereo to
> earbuds.)
>
Don't know what size your Radio Shack DZ 399 is but I have had the Sangean
 909 for years and it works great and it is a good travel radio or
emergency one too. It may have more bells and stuff than you what but in an
emergency they may be handy to have as well!




From -8121274606416295256
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
wn13feed!worldnet.att.net!24.30.200.11!news-east.rr.com!news-feed-01.rdc-
kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: jstrain <jstrain4@cfl.rr.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<1139026504.801190.80930@g43g2000cwa.googlegroups.com>
In-Reply-To: <1139026504.801190.80930@g43g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 19
Message-ID: <PD9Ff.13229$Fw6.13125@tornado.tampabay.rr.com>
Date: Sat, 04 Feb 2006 22:10:55 GMT
NNTP-Posting-Host: 68.205.56.66
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1139091055 68.205.56.66 (Sat, 04 Feb 2006
17:10:55 EST)
NNTP-Posting-Date: Sat, 04 Feb 2006 17:10:55 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2412
rec.radio.amateur.misc:4106 rec.radio.shortwave:21611

Beloved Leader wrote:
> Buy a second DX-399 if you can find one. Either that or a Sangean
> ATS-606. It's clear that you like the radio a great deal, so why mess
> with a good thing?
>
> I own a DX-399. I bought it when Radio Shack lost its mind and dumped
> the Radio Shack brand SWRs. I think it is a terrific little radio. Its
> oddest likable attribute has to be the multiple voltage wall wart. With
> the included adapter, you can use it in Europe on 220 Vac.
>
http://www.universal-radio.com/catalog/portable/0247.html
I carry mine in shirt pocket daily. excellent AM and FM  and 2 SW bands
which receive the stronger stations

price ~20.00

yodar

Yodar


From 2115915938178188064
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!proxad.net!213.200.89.82.MISMATCH!
tiscali!newsfeed1.ip.tiscali.net!border2.nntp.ams.giganews.com!nntp.giganews.com!
sn-ams-06!sn-xt-ams-04!sn-post-ams-01!sn-post-ams-02!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: mike <spamme0@netscape.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Date: Sat, 04 Feb 2006 16:11:54 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11uagp58sefsd44@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
In-Reply-To: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 60
Xref: g2news1.google.com rec.radio.amateur.equipment:2413
rec.radio.amateur.misc:4108 rec.radio.shortwave:21638

Roger wrote:
> I currently own a Radio Shack DX-399 (same model as the Sangean
> ATS-606), which is a quite solid, portable LW-MW-SW-FM receiver with
> quite good sound quality when delivered to ear buds (FM stereo to
> earbuds.)
>
> I mostly use this radio for local MW and FM listening, but will
> occasionally listen to SW broadcasts, and DX-MW using a Radio Shack
> loop.
>
```

> I love this radio for its portability, but am looking for another to
> put one of them away in a Faraday box for use in case of a major
> emergency.

Tell us more about your emergency scenario?
Although it's possible to come up with a situation where there's an EMP
that doesn't get thru your faraday box and doesn't kill you, either
directly or indirectly...
I think you're much more likely to succumb to a dirty bomb or car bomb
or bird flu or be hit by a bus or killed by a jealous spouse or your HMO.
What are the other parts of your survival strategy? Radio doesn't
do much good if you don't have food/water/shelter.

Hmmm, wonder if the radio transmitters are in Faraday Boxes?
>
> So, what other makes/models should I consider? Repeating some of the
> above, here's my criteria:
>
> 1) The size of the DX-399 or smaller.
>
> 2) General coverage MW-SW (up to 30 kHz), and with stereo FM (when fed
>   to earbuds). Don't need LW.

30kHz is about as long wave as it gets.
>
> 3) Good sound quality (especially of FM) when fed to earbuds.
>
> 4) As good or better sensitivity than the DX-399 for MW dxing and SW.
>
> 5) Don't need SSB, but would be nice.
>
> 6) Don't care too much about speaker quality, since I would use it
>   exclusively with earbuds.
>
> 7) Don't care about the other bells and whistles (e.g. alarm), but
>   some station memory would be nice.
>
> So what are my other options? New and/or used (buyable through eBay)
> will be considered.

I kinda like the Sony ICF-SW-100.
Sound quality is awesome for it's size.
Make me an offer.

mike
>
> Thanks!
>
> Roger
>

From -270522836024234718

```
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!sn-xt-
sjc-04!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Date: Sat, 4 Feb 2006 16:06:47 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11uai53npfcteaf@corp.supernews.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
<52ead$43d66736$d8c4cab4$8121@FUSE.NET>
<1139018441.214688.102510@f14g2000cwb.googlegroups.com>
<h188u1dipjvh89nega0c8gtskqnca4o67m@4ax.com>
MIME-Version: 1.0
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 6
Xref: g2news1.google.com rec.radio.shortwave:21643
rec.radio.amateur.equipment:2414

> [...] the foam surround
> crumbled and fell off the driver.

There are now DIY foam-surround replacement kits
available. Apparently easy enough to market to the
more competent of the general public.


From 739869238255485636
X-Google-Thread: 108122,79461db80fce7f03,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newsfeed.stanford.edu!
sn-xt-sjc-02!sn-xt-sjc-01!sn-xt-sjc-08!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: "Richard Crowley" <rcrowley@xpr7t.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Newbie equipment recommendations?
Date: Sat, 4 Feb 2006 16:59:36 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11uajfpa22hphf6@corp.supernews.com>
MIME-Version: 1.0
```

```
Content-Type: text/plain;
     format=flowed;
     charset="iso-8859-1";
     reply-type=original
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news1.google.com rec.radio.amateur.equipment:2415
```

I just passed my Element 2 test this afternoon (and missed Element 3 by only 3 questions even though I haven't yet looked at the General class question pool :-)

So I will be looking for some VHF/UHF equipment (HT & mobile?) in the next few weeks. I had looked around some websites several months ago and concluded that there was a particular brand/model of HT that seemed to be both widely-used and highly-regarded. But now I can't remember the recommendation (or the websites). So IS there a "sure-thing" or "everybody's favorite" HT or mobile rig out there? I'm not averse to 2nd-hand if there is some way to confirm proper/legal operation.

I have some years of experience in audio,video and general electronics, and I know when newbies (like me) come to one of those newsgroups with this kind of question, everyone rolls their eyes and makes snide remarks about such a public display of ignorance So I know I risk looking silly coming and asking this. But hey, they say there are no stupid questions except the ones you didn't ask. :-)

If it makes any difference I am in the Portland, OR metro area. Assuming I will find out sooner or later what the local scene is like.

```
From -5793961534148836842
X-Google-Thread: 108122,79461db80fce7f03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe05.lga.POSTED!
53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: Thunderbird 1.5 (OS/2/20060113)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie equipment recommendations?
```

References: <11uajfpa22hphf6@corp.supernews.com>
In-Reply-To: <11uajfpa22hphf6@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 38
Message-ID: <8ucFf.698$KH4.580@fe05.lga>
X-Trace:
nghlfjfcphhogbndfcmfpclfkogjhjeoockfofmlhaplodeahmddohcnabgnacknebbdokmcigmdjfonecojabbfckobgkchdmimidclopdaaneejcfonhkmjhoihinjimic�
NNTP-Posting-Date: Sat, 04 Feb 2006 18:25:24 MST
Date: Sat, 04 Feb 2006 20:25:29 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2416

I like my Icom IC-706MkIIG (HF/6/2/70cm), which I occasionally use mobile (with a set of Hamstick antennas) but mostly use at home with a long wire and the AH-4 autotuner.

When I was living in an area with many 220MHz repeaters, I bought a Kenwood TH-F6A HT, but now that I'm in an area without much 220MHz activity I might pick a different one -- perhaps the Yaesu VX-7R (which has 6M and does cover 220 as well but only with a minuscule power output). Check a repeater directory to see what frequencies are in use in your area.

"Perce"
(aka Alan NV8A)

On 02/04/06 07:59 pm Richard Crowley wrote:

> I just passed my Element 2 test this afternoon (and missed
> Element 3 by only 3 questions even though I haven't yet looked at the
> General class question pool :-)
> So I will be looking for some VHF/UHF equipment (HT & mobile?) in the
> next few weeks. I had looked around some websites several months ago and
> concluded that there was a particular brand/model of HT that seemed to
> be both widely-used and highly-regarded. But now I can't remember the
> recommendation (or the websites). So IS there a "sure-thing" or
> "everybody's favorite" HT
> or mobile rig out there? I'm not averse to 2nd-hand if
> there is some way to confirm proper/legal operation.
>
> I have some years of experience in audio,video and general electronics,
> and I know when newbies (like me) come to one of those newsgroups with
> this kind of question, everyone rolls their eyes and makes
> snide remarks about such a public display of ignorance
> So I know I risk looking silly coming and asking this. But hey, they say
> there are no stupid questions except the ones you didn't ask. :-)
> If it makes any difference I am in the Portland, OR
> metro area. Assuming I will find out sooner or later
> what the local scene is like.

From 8603221297148413
X-Google-Thread: 108122,79461db80fce7f03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!proxad.net!212.101.4.254.MISMATCH!
solnet.ch!solnet.ch!newsfeed.freenet.de!213.132.189.2.MISMATCH!multikabel.net!
feed20.multikabel.net!sn-ams-06!sn-xt-ams-08!sn-post-ams-02!sn-post-02!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: mensch90249@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie equipment recommendations?
Date: Sat, 04 Feb 2006 17:47:50 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <5clau15f6282nkr7pik4msvajvhau968i7@4ax.com>
References: <11uajfpa22hphf6@corp.supernews.com> <8ucFf.698$KH4.580@fe05.lga>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 77
Xref: g2news1.google.com rec.radio.amateur.equipment:2417

On Sat, 04 Feb 2006 20:25:29 -0500, "Percival P. Cassidy" <Nobody@NotMyISP.com> wrote:

>I like my Icom IC-706MkIIG (HF/6/2/70cm), which I occasionally use mobile (with a set of Hamstick antennas) but mostly use at home with a long wire and the AH-4 autotuner.
>
>When I was living in an area with many 220MHz repeaters, I bought a Kenwood TH-F6A HT, but now that I'm in an area without much 220MHz activity I might pick a different one -- perhaps the Yaesu VX-7R (which has 6M and does cover 220 as well but only with a minuscule power output). Check a repeater directory to see what frequencies are in use in your area.
>
>"Perce"
>(aka Alan NV8A)
>

I second Perce's recommendation on checking the repeater directory; it's a safe bet that most areas have 2 meter coverage, the landscape changes though when you look at 220 and 440. For instance, in the Los Angeles most 440 repeaters are private (closed) systems - 220 does not have as many repeaters but a higher percentage of them are open. Check to see if there is a local ham club - that would be a source of info for what bands are most active.

As to which equipment, I did use a Yaesu FT-50 and it served me well, however it saw some extremely hard usage (in inclimate weather, several drops, banged around in a briefcase etc) and sometimes gets a bit flaky even after a couple trips to Yaesu service. Don't get me

```
wrong - I have no problems with Yaesu, just gave this handheld a
little too much rough treatment.  Opted for the Kenwood TH-F6 as a
replacement due to it including 220 which I use sometimes so now I
only need one HT instead of two.  Try to keep in mind that choosing
equipment is like choosing a car in that some folks like Ford and
others Chevy and you'll find the same with ham equipment.  Generally
if you buy from Kenwood/Yaesu/Icom you'll get a decent product; it
comes down to which features (and band combinations) you want/need,
which one feels best in your hand and which one seems more intuitive
to operate (program).  You can often find the manuals online and
checking them out might help.   For mobile equipment look for
something that has a removable control head if your vehicle is cramped
for space.  Dual band radios come in two basic varieties : 1) both
bands on at once and 2) one band at a time.  As you might guess,
option 1 tends to cost a bit more.

So, I didn't directly answer your question but I hope I gave you some
information that helps you make a good decision.  Congrats on the
license & welcome to the amateur community!

Howard

>
>On 02/04/06 07:59 pm Richard Crowley wrote:
>
>> I just passed my Element 2 test this afternoon (and missed
>> Element 3 by only 3 questions even though I haven't yet looked at the
>> General class question pool :-)
>> So I will be looking for some VHF/UHF equipment (HT & mobile?) in the
>> next few weeks. I had looked around some websites several months ago and
>> concluded that there was a particular brand/model of HT that seemed to
>> be both widely-used and highly-regarded.  But now I can't remember the
>> recommendation (or the websites). So IS there a "sure-thing" or
>> "everybody's favorite" HT
>> or mobile rig out there?  I'm not averse to 2nd-hand if
>> there is some way to confirm proper/legal operation.
>>
>> I have some years of experience in audio,video and general electronics,
>> and I know when newbies (like me) come to one of those newsgroups with
>> this kind of question, everyone rolls their eyes and makes
>> snide remarks about such a public display of ignorance
>> So I know I risk looking silly coming and asking this. But hey, they say
>> there are no stupid questions except the ones you didn't ask. :-)
>> If it makes any difference I am in the Portland, OR
>> metro area. Assuming I will find out sooner or later
>> what the local scene is like.



From 7531663771826082930
X-Google-Thread: fc8b1,1c479f8d55132c23
X-Google-Thread: fc2a5,1c479f8d55132c23
X-Google-Thread: 108122,1c479f8d55132c23
```

```
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe03.lga.POSTED!
53ab2750!not-for-mail
From: Phil Witt <w4imm@charter.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: Re: FA:EXCELLENT TEN TEC OMNI VI+/MIC/TT PS
Message-ID: <l3oau1dghp9hgrlg9li1rhnbq131046l46@4ax.com>
References: <XD3Ff.6893$fM1.2582@bgtnsc04-news.ops.worldnet.att.net>
X-Newsreader: Forte Agent 1.8/32.548
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
X-Trace:
idmkcnjgmiagocdepehjhcjfbhhbnlpgloklgobdfinnnhdkdjfokpjkglkpfblacjfmpmmhkkdgbnigbn
pjdhcijkfmedmenpclchheekiibglplbaolmjjcfgfcidlbcfagklmiblIijll
NNTP-Posting-Date: Sat, 04 Feb 2006 19:19:01 MST
Date: Sat, 04 Feb 2006 20:18:52 -0600
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2714
rec.radio.amateur.homebrew:3504 rec.radio.amateur.equipment:2418

On Sat, 04 Feb 2006 15:21:27 GMT, "Heytubeguy"
<heytubeguy@worldnet.att.net> wrote:

>Very nice TT Omni VI+ with mic and TT PS included! PSE NOTE RESTRICTIONS on
>SHIPPING/INSURANCE and required amateur call sign. Currently in use. See at:
>
>http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy
>

Nice. BidPay is out of business, BTW.




From 2344890181379331331
X-Google-Thread: 108122,73de2d826b695c86
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Feb 2006 21:07:44 -0600
From: Jim - K5LAD <Jim.-.K5LAD.22qkwl@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Bird Watt Meter Slugs
Date: Sun, 5 Feb 2006 00:37:30 +0000
Message-ID: <Jim.-.K5LAD.22qkwl@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
```

X-Newsreader: vBulletin USENET gateway
References: <42E302CF.A4612B0A@erols.com>
<Xns969CDB47845FEspectrumhogstarbandn@207.106.93.175>
<Jim.-.K5LAD.1ze7hm@news.radiobanter.com>
<Xns971FC6E7C6230spectrumhogstarbandn@207.106.93.175>
Lines: 12
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-
l6n59DRpoq34EOrxaENS9NX7uKK8b8cYlLzlyr7em9x95SrMSLnPT79Bfx8DYaIB6GuauJqKgGzgwP8!
XGpYU8NOcGw28Qo2Lv270+Ycwo7Z2civfQpeyBIDI3XhgxfERpG5q9Rx9L2fjDO5Cd4MLchPLqKS!1/
M3JNEN+UuQ/Rg=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2419

Ed Wrote:
> thanks for the update, Jim.   I apparently had save only one portion of
> your web pages on Bird Slugs. I have re-bookmarked them.
>
>
> Ed

OK Ed --
Boy, I'm slow at answering things, aren't I? Glad you found it again.
73,
Jim - K5LAD
http://www.hayseed.net/~jpk5lad/

--
Jim - K5LAD

From 2490755286052990536
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 04 Feb 2006 21:49:30 -0600
From: running dogg <run@ning.dog>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Date: Sat, 04 Feb 2006 19:49:37 -0800

References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11uagp58sefsd44@corp.supernews.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: 8bit
User-Agent: Noworyta News Reader/2.9
Message-ID: <s7GdnR9eJelW6HjenZ2dnUVZ_sCdnZ2d@comcast.com>
Lines: 45
NNTP-Posting-Host: 24.7.144.176
X-Trace: sv3-
yPIZIb8idM5lnACRNp5GsRM6dWHYrgLUXlkGP24+lgijX05ApT1IMTUrbshBs0VxNmkN5HTwRRQnoGI!
xwj1wg4k8pTlkftqhNEjWnrKChIaHKrKSrUaAKu+NeV1ms2hqXzd4M32+hqw89MsQbrkNtN62xQz!
uPNt63NC3KxFMjx1SAs=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2420
rec.radio.amateur.misc:4114 rec.radio.shortwave:21674

mike wrote:

> Roger wrote:
> > I currently own a Radio Shack DX-399 (same model as the Sangean
> > ATS-606), which is a quite solid, portable LW-MW-SW-FM receiver with
> > quite good sound quality when delivered to ear buds (FM stereo to
> > earbuds.)
> >
> > I mostly use this radio for local MW and FM listening, but will
> > occasionally listen to SW broadcasts, and DX-MW using a Radio Shack
> > loop.
> >
> > I love this radio for its portability, but am looking for another to
> > put one of them away in a Faraday box for use in case of a major
> > emergency.
>
> Tell us more about your emergency scenario?
> Although it's possible to come up with a situation where there's an EMP
> that doesn't get thru your faraday box and doesn't kill you, either
> directly or indirectly...
> I think you're much more likely to succumb to a dirty bomb or car bomb
> or bird flu or be hit by a bus or killed by a jealous spouse or your HMO.
> What are the other parts of your survival strategy? Radio doesn't
> do much good if you don't have food/water/shelter.
>
> Hmmm, wonder if the radio transmitters are in Faraday Boxes?

I was wondering why he needs to put the radio in a faraday cage myself.
I've read that a typical EMP pulse bomb like Al Qaeda would most likely
use would mostly work on anything *that was on the same frequency*. That
means that if you're not in the immediate area, and your radio antenna

isn't harmonic with the wavelength of the pulse, you have nothing to worry about. Dark Angel type scenarios where the whole country is wiped out by an EMP pulse apparently aren't very realistic, but they make for good TV. I think a dirty bomb is more likely. But the real threat is bioweapons-if Iran could weaponize bird flu or smallpox and make it into a super killer then the shit would hit the fan. Smallpox has the potential to kill 9 out of 10 people, that's what it did to the Indians. I'm more worried about a flood since I live in a part of California that has frequent major floods. I just worry that I wouldn't have the presence of mind to take my Degen, since I'd have 15 minutes to evacuate. A lot of the New Orleans refugees didn't have radios, and the lack of info caused by that and govt bungling caused much of the panic.

```
From -4899435315895060100
X-Google-Thread: 108122,ad30948ae0536569
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe07.lga.POSTED!
53ab2750!not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: RF induction in car radio
Message-ID: <i3fbu11188nrr0bnep4lpooboqbqgegm2n@4ax.com>
References: <1138845462.400692.139790@z14g2000cwz.googlegroups.com>
X-Newsreader: Forte Agent 3.2/32.830
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 57
X-Trace:
pikkdiabbdefphapenknpebicchkmkmnipkcdkiokbfpdfngbmakopbkdddlphoedfbjbgjkmagdabjhik
nkckmldigncclegabcjgobkiegkbfkdbdkceilopmmggggegcmjhhibopfakdb
NNTP-Posting-Date: Sun, 05 Feb 2006 01:59:49 MST
Date: Sun, 05 Feb 2006 03:59:48 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2421
```

On 1 Feb 2006 17:57:42 -0800, "ulan@certainty.net" <ulan@certainty.net> wrote:

>I installed a VFH/UHF radio in a 1997 Grand Cherokee. The RF antenna
>is approximately two feet horizontally, and slightly higher from the

2' is pretty close. I'd not mount them that close.

>Jeep's radio receive antenna. If I was listening to the vehicle radio
>and keyed the VHF radio, it would mute the vehicle radio. The vehicle

it was overloading the front end of the car radio which was causing it to shut down, probably from the AGC, or actually driving the input transistor into saturation.

>radio finally is no longer working, except for one station. I am
>assuming an induction problem. Technically, what exactly happened,
>how, or not to fix the vehicle radio. How to prevent this problem in
>the future. I raise this question not so much for the sake of the
>Jeep, but because I am proposing to a put a VHF/UHF rig in the lady's
>2005 Honda Accord. The only viable place on the car is a trunk mount.

Don't mount the ham antenna and the broadcast antennas within 2 feet of each other. 4 or 5 feet would probably make the difference. They are about 6 feet apart on my 4-Runner and I notice no interaction even when running up to 160 watts on 2-meters.

>It appears the car radion antenna is embedded in the rear glass and I
>believe this area is also where the XM radio antenna is located. I

I doubt it'd bother the XM satellite antenna as that is so far removed in frequency from the ham frequency, BUT it depends on how well grounded that system is. If the feed line is not grounded right at the window it could also pick up signal from the ham antennas.

>have tried to contact Honda on various levels but have had no success.
>I am wondering if I put the VHF radio in the car, will it "burn out"
>the other radios. This should give something for a lot of
>conversation. I hope I can get some help.

Any time you mix radio systems there is *some* risk. It may be miniscule, and it may not. You should see what we have to go through to get an IFR certified GPS system installed in an airplane. It has to be tested "in flight" against all of the other radios in the plane before it can be certified.

Then again, some where, some one will find a way to do it. I prefer to let some one else find the best way. It's both easier and cheaper that way. <:-))

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com

>
>Thanks,
>Ethan Davis KB3EGG

From 1339462201164389567
X-Google-Thread: 108122,bd43442d988d01e6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!newspeer2.se.telia.net!se.telia.net!masternews.telia.net.!newsc.telia.net.POSTED!not-for-mail

From: =?ISO-8859-1?Q?SM=D8IMJ?= <sm0imj@telia.com>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-857 CAT commands
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 16
Message-ID: <bEjFf.155307$dP1.513515@newsc.telia.net>
Date: Sun, 05 Feb 2006 09:33:59 GMT
NNTP-Posting-Host: 213.64.47.185
X-Complaints-To: abuse@telia.com
X-Trace: newsc.telia.net 1139132039 213.64.47.185 (Sun, 05 Feb 2006 10:33:59 CET)
NNTP-Posting-Date: Sun, 05 Feb 2006 10:33:59 CET
Organization: Telia Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:2422

Hi all,
In the manual for the FT-857 there are a number of CAT commands listed.
I know that the FT-857 support a huge number of commands "not" listed in
the manual. If you have tried the Ham Radio Deluxe rig control/log
program you probably noticed that every menu item in the FT-857 can be
changed using the CAT interface.

Has anyone came across any listing of these not documented CAT commands?

First one that will set up a serial line sniffer and list everything
going in and out from Ham Radio Deluxe to the FT-857 to back-track the
CAT commands, I will by a beer. I have a free software serial port
sniffer if anyone feels like giving the CAT interface a challenge?

73's Hans - SM�IMJ

From -3101863573205988098
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Message-ID: <f41cu15caj1jl2h2qb4j6s3r3tq2075cf0@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11uagp58sefsd44@corp.supernews.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

Content-Transfer-Encoding: 7bit
Lines: 7
Date: Sun, 05 Feb 2006 13:59:08 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1139147948 66.133.198.234 (Sun, 05 Feb 2006 05:59:08 PST)
NNTP-Posting-Date: Sun, 05 Feb 2006 05:59:08 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2423 rec.radio.amateur.misc:4126 rec.radio.shortwave:21711

On Sat, 04 Feb 2006 16:11:54 -0800, mike <spamme0@netscape.net> wrote:

>I think you're much more likely to succumb to a dirty bomb or car bomb
>or bird flu or be hit by a bus or killed by a jealous spouse or your HMO.

All bombs are dirty.

From -2619543980785643643
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Message-ID: <891cu1dm55hfqegt91ch47ak0pmosloi9g@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11uagp58sefsd44@corp.supernews.com>
<s7GdnR9eJelW6HjenZ2dnUVZ_sCdnZ2d@comcast.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 13
Date: Sun, 05 Feb 2006 14:03:05 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1139148185 66.133.198.234 (Sun, 05 Feb 2006 06:03:05 PST)
NNTP-Posting-Date: Sun, 05 Feb 2006 06:03:05 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2424 rec.radio.amateur.misc:4127 rec.radio.shortwave:21712

On Sat, 04 Feb 2006 19:49:37 -0800, running dogg <run@ning.dog> wrote:

>mike wrote:

>
>I was wondering why he needs to put the radio in a faraday cage myself.
>I've read that a typical EMP pulse bomb like Al Qaeda would most likely
>use would mostly work on anything *that was on the same frequency*.

Al Qaeda has no bombs. They don't need them. The destroyed the USA with $20 worth of box cutters (and the help of an incredibly incompetent [or worse] administration).

From 7779515509989978716
X-Google-Thread: 108122,ab8fa65d156bfc49,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-mail
From: muldawer@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: =?iso-8859-1?q?FA:_EchoLink=AE_Portable_Pocket_Touch_Tone_Pulse_Telephone_Dialer_DTMF?=
Date: 5 Feb 2006 06:18:56 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1139149136.895993.290640@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: 70.110.21.191
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
X-Trace: posting.google.com 1139149141 12639 127.0.0.1 (5 Feb 2006 14:19:01 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Feb 2006 14:19:01 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.0.1) Gecko/20060111 Firefox/1.5.0.1,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=70.110.21.191;
   posting-account=5muBfA0AAAAIboRFUE1VOY_MP77Wnzit
Xref: g2news1.google.com rec.radio.amateur.equipment:2425

Portable Pocket Touch Tone Pulse Telephone Dialer DTMF
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D5863282044&rd=3D1&sspa=
gename=3DSTRK%3AMESE%3AIT&rd=3D1

Portable Pocket Touch Tone Pulse Telephone Dialer DTMF GENERATOR +
EchoLink=AE Tone Maker by B.T.T.

Works great, nice and small.

Good Luck!

From 5424597304836508383
X-Google-Thread: 108122,9e060c5f6486e43c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Drake TR-4
Date: 5 Feb 2006 07:19:41 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1139152781.914329.204130@g14g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139152786 20932 127.0.0.1 (5 Feb 2006 15:19:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Feb 2006 15:19:46 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2426

WTB Drake TR-4 or TR-4C working or repairable with or without
ps/spkr.. cash or will trade.. TNX Harold W4PQW

From 7920559881746224202
X-Google-Thread: 108122,79461db80fce7f03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!1a454ea8!not-for-mail
From: Sim <sim2sim@ix.netcom.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Newbie equipment recommendations?
References: <11uajfpa22hphf6@corp.supernews.com> <8ucFf.698$KH4.580@fe05.lga>
<5clau15f6282nkr7pik4msvajvhau968i7@4ax.com>
In-Reply-To: <5clau15f6282nkr7pik4msvajvhau968i7@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed

Content-Transfer-Encoding: 7bit
Lines: 95
Message-ID: <LGpFf.5221$5E3.4816@newsread1.news.pas.earthlink.net>
Date: Sun, 05 Feb 2006 16:26:19 GMT
NNTP-Posting-Host: 209.178.135.176
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1139156779 209.178.135.176 (Sun, 05 Feb 2006 08:26:19 PST)
NNTP-Posting-Date: Sun, 05 Feb 2006 08:26:19 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2427

Richard,

I also am a Newbee to Ham but I got a Kenwood TH-F6A HT and love it. I'm in the L.A. area so I find 220 more open than 440 but I figure where ever I go I'll all three bands covered with this little HT. I too am looking into an mobile for the truck and/or the home. The Yaeshu FT-8900 dual band or the 8900 quad band looked nice to me. Good luck.

Sim
(KI6BWO)

mensch90249@yahoo.com wrote:

> On Sat, 04 Feb 2006 20:25:29 -0500, "Percival P. Cassidy"
> <Nobody@NotMyISP.com> wrote:
>
>
>>I like my Icom IC-706MkIIG (HF/6/2/70cm), which I occasionally use
>>mobile (with a set of Hamstick antennas) but mostly use at home with a
>>long wire and the AH-4 autotuner.
>>
>>When I was living in an area with many 220MHz repeaters, I bought a
>>Kenwood TH-F6A HT, but now that I'm in an area without much 220MHz
>>activity I might pick a different one -- perhaps the Yaesu VX-7R (which
>>has 6M and does cover 220 as well but only with a minuscule power
>>output). Check a repeater directory to see what frequencies are in use
>>in your area.
>>
>>"Perce"
>>(aka Alan NV8A)
>>
>
>
> I second Perce's recommendation on checking the repeater directory;
> it's a safe bet that most areas have 2 meter coverage, the landscape
> changes though when you look at 220 and 440. For instance, in the Los
> Angeles most 440 repeaters are private (closed) systems - 220 does not
> have as many repeaters but a higher percentage of them are open.
> Check to see if there is a local ham club - that would be a source of
> info for what bands are most active.
>

> As to which equipment, I did use a Yaesu FT-50 and it served me well,
> however it saw some extremely hard usage (in inclimate weather,
> several drops, banged around in a briefcase etc) and sometimes gets a
> bit flaky even after a couple trips to Yaesu service. Don't get me
> wrong - I have no problems with Yaesu, just gave this handheld a
> little too much rough treatment. Opted for the Kenwood TH-F6 as a
> replacement due to it including 220 which I use sometimes so now I
> only need one HT instead of two. Try to keep in mind that choosing
> equipment is like choosing a car in that some folks like Ford and
> others Chevy and you'll find the same with ham equipment. Generally
> if you buy from Kenwood/Yaesu/Icom you'll get a decent product; it
> comes down to which features (and band combinations) you want/need,
> which one feels best in your hand and which one seems more intuitive
> to operate (program). You can often find the manuals online and
> checking them out might help.   For mobile equipment look for
> something that has a removable control head if your vehicle is cramped
> for space. Dual band radios come in two basic varieties : 1) both
> bands on at once and 2) one band at a time. As you might guess,
> option 1 tends to cost a bit more.
>
> So, I didn't directly answer your question but I hope I gave you some
> information that helps you make a good decision. Congrats on the
> license & welcome to the amateur community!
>
> Howard
>
>
>>On 02/04/06 07:59 pm Richard Crowley wrote:
>>
>>
>>>I just passed my Element 2 test this afternoon (and missed
>>>Element 3 by only 3 questions even though I haven't yet looked at the
>>>General class question pool :-)
>>>So I will be looking for some VHF/UHF equipment (HT & mobile?) in the
>>>next few weeks. I had looked around some websites several months ago and
>>>concluded that there was a particular brand/model of HT that seemed to
>>>be both widely-used and highly-regarded. But now I can't remember the
>>>recommendation (or the websites). So IS there a "sure-thing" or
>>>"everybody's favorite" HT
>>>or mobile rig out there? I'm not averse to 2nd-hand if
>>>there is some way to confirm proper/legal operation.
>>>
>>>I have some years of experience in audio,video and general electronics,
>>>and I know when newbies (like me) come to one of those newsgroups with
>>>this kind of question, everyone rolls their eyes and makes
>>>snide remarks about such a public display of ignorance
>>>So I know I risk looking silly coming and asking this. But hey, they say
>>>there are no stupid questions except the ones you didn't ask. :-)
>>>If it makes any difference I am in the Portland, OR
>>>metro area. Assuming I will find out sooner or later
>>>what the local scene is like.
>
>

From -8478556687770189378
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "SeeingEyeDog" <lookin@u.org>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: "Ultra" portable MW-SW-FM receiver recommendations?
Date: Sun, 5 Feb 2006 10:54:46 -0600
Organization: Eat Conscience, Shit Ideology
Message-ID: <11ucbgjgbe7va81@corp.supernews.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4807.1700
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4807.1700
X-Complaints-To: abuse@supernews.com
Lines: 52
Xref: g2news1.google.com rec.radio.amateur.equipment:2428 rec.radio.amateur.misc:4128 rec.radio.shortwave:21762

"Ultra" portable inherently means a very small ferrite bar antenna for LW-MW reception. Which will preclude any strong stand alone performance on LW-MW without an external LW-MW antenna like the Terk Advantage AM loop or something else for LW.

My picks for the ultimate "Ultra" portable are the Sony ICF-SW100 or ICF-SW07. Both have Synch Detectors.

"Roger" <roger@doesnotexist.com> wrote in message
news:kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com...
> I currently own a Radio Shack DX-399 (same model as the Sangean ATS-606), which is a quite solid, portable LW-MW-SW-FM receiver with quite good sound quality when delivered to ear buds (FM stereo to earbuds.)
>
> I mostly use this radio for local MW and FM listening, but will occasionally listen to SW broadcasts, and DX-MW using a Radio Shack loop.
>
> I love this radio for its portability, but am looking for another to put one of them away in a Faraday box for use in case of a major emergency.
>
> So, what other makes/models should I consider? Repeating some of the above, here's my criteria:

```
>
> 1) The size of the DX-399 or smaller.
>
> 2) General coverage MW-SW (up to 30 kHz), and with stereo FM (when fed
>    to earbuds). Don't need LW.
>
> 3) Good sound quality (especially of FM) when fed to earbuds.
>
> 4) As good or better sensitivity than the DX-399 for MW dxing and SW.
>
> 5) Don't need SSB, but would be nice.
>
> 6) Don't care too much about speaker quality, since I would use it
>    exclusively with earbuds.
>
> 7) Don't care about the other bells and whistles (e.g. alarm), but
>    some station memory would be nice.
>
> So what are my other options? New and/or used (buyable through eBay)
> will be considered.
>
> Thanks!
>
> Roger
>
```

```
From -3046216854033823089
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe01.news.easynews.com.POSTED!not-for-mail
From: Roger <roger@doesnotexist.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Reply-To: roger@doesnotexist.com
Message-ID: <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
```

will be unable to process your complaint properly.
Date: Sun, 05 Feb 2006 17:13:03 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2429 rec.radio.amateur.misc:4130 rec.radio.shortwave:21771

I thank everyone for replying to my inquiry about the best small portable MW-SW-FM radio meeting my list of specs.

With regards to the various "Faraday Cage" comments, I'll not reply to them in any substantive way since that is off-topic here (want to focus on "radios"), but for those interested, just do a Google search on "EMP Faraday," and several informative articles will result.

Now, as I look things over, I'm getting more and more intrigued with purchasing a Degen/Kaito 1103 portable.

So, where can I find this model at the lowest price? Also, should I stick with a Kaito (for the American market), or can I consider a Degen? (I heard the walwart with the Degen is not for U.S. voltages.)

Thoughts? Recommendations?

Thanks!

Roger

From -4061304117826436339
X-Google-Thread: 1109af,faba4077886cb54c,start
X-Google-Thread: 108122,faba4077886cb54c,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-mail
From: "NomadW8" <cpa2000@yahoo.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: 1950's Johnson Viking Mobile Transmitter
Date: 5 Feb 2006 10:53:01 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1139165581.360031.25870@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: 69.19.14.33
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1139165586 9887 127.0.0.1 (5 Feb 2006 18:53:06 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 5 Feb 2006 18:53:06 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8) Gecko/20051111 Firefox/1.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=69.19.14.33;

```
   posting-account=OlKERAwAAABbz2n2TtYzKRKhc1_XMW6k
Xref: g2news1.google.com rec.radio.swap:2540 rec.radio.amateur.equipment:2430


On E-Bay now:


      Item number: 5863383588




From 3992358782559898766
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Message-ID: <30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
Date: Sun, 05 Feb 2006 19:04:15 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1139166255 66.133.198.234 (Sun, 05 Feb
2006 11:04:15 PST)
NNTP-Posting-Date: Sun, 05 Feb 2006 11:04:15 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2431
rec.radio.amateur.misc:4161 rec.radio.shortwave:21800

On Sun, 05 Feb 2006 17:13:03 GMT, Roger <roger@doesnotexist.com>
wrote:

>I thank everyone for replying to my inquiry about the best small
>portable MW-SW-FM radio meeting my list of specs.
>
>With regards to the various "Faraday Cage" comments, I'll not reply to
>them in any substantive way since that is off-topic here (want to
>focus on "radios"), but for those interested, just do a Google search
>on "EMP Faraday," and several informative articles will result.
>
>Now, as I look things over, I'm getting more and more intrigued with
```

>purchasing a Degen/Kaito 1103 portable.
>
>So, where can I find this model at the lowest price? Also, should I
>stick with a Kaito (for the American market), or can I consider a
>Degen? (I heard the walwart with the Degen is not for U.S. voltages.)
>
>Thoughts? Recommendations?
>
>Thanks!
>
>Roger
>
I think your money would be better spent on some psychotherapy.

From -831450692041889761
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe05.news.easynews.com.POSTED!not-for-mail
From: Roger <roger@doesnotexist.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Reply-To: roger@doesnotexist.com
Message-ID: <5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 33
X-Complaints-To: abuse@easynews.com
Organization: EasyNews, UseNet made Easy!
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
will be unable to process your complaint properly.
Date: Sun, 05 Feb 2006 19:19:28 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2432
rec.radio.amateur.misc:4162 rec.radio.shortwave:21810

David wrote:
> Roger wrote:

>> Now, as I look things over, I'm getting more and more intrigued
>> with purchasing a Degen/Kaito 1103 portable.
>>
>> So, where can I find this model at the lowest price? Also, should I

>> stick with a Kaito (for the American market), or can I consider a
>> Degen? (I heard the walwart with the Degen is not for U.S.
>> voltages.)

> I think your money would be better spent on some psychotherapy.

laugh

Well, David recommended I look at the Sangean PT-80 ProTravel, so I assume his comment about me needing psychotherapy is because I did not take his recommendation.

David (and others), how does the PT-80 compare to the Degen/Kaito 1103 with respect to MW and SW reception performance?

I save quite a chunk of change going with the 1103, plus the 1103 is a little smaller and lighter. Also, my research indicates the 1103's performance in several important categories appears to be better than the PT-80. To me, it seems like a no-brainer.

Comments?

Thanks.

Roger

```
From -5028958419317015308
X-Google-Thread: 108122,760802d51c2b0cee
X-Google-Thread: 107ada,760802d51c2b0cee
X-Google-Thread: 114aac,760802d51c2b0cee
X-Google-Attributes: gid108122,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.shortwave
Subject: Re: Degen/Kaito 1103 (where to get?) (was: "Ultra" portable MW-SW-FM...)
Message-ID: <o8lcu11g4pmduq5iirc7sp8jgt1d0b1fqd@4ax.com>
References: <kt58u155ah7p1s0gcriba2e94hnksg2nff@4ax.com>
<11ucbgjgbe7va81@corp.supernews.com> <h2ccu1l8r93uqpgmf767k4kel1mg7r963f@4ax.com>
<30jcu1pl1mfmcvgtt949lk8141nvo7v5nq@4ax.com>
<5cjcu19rkrrbeqh0n876kedb7n93n3sacp@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 39
Date: Sun, 05 Feb 2006 19:44:21 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
```

```
X-Trace: newsread1.news.pas.earthlink.net 1139168661 66.133.198.234 (Sun, 05 Feb
2006 11:44:21 PST)
NNTP-Posting-Date: Sun, 05 Feb 2006 11:44:21 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2433
rec.radio.amateur.misc:4163 rec.radio.shortwave:21814

On Sun, 05 Feb 2006 19:19:28 GMT, Roger <roger@doesnotexist.com>
wrote:

>David wrote:
>> Roger wrote:
>
>>> Now, as I look things over, I'm getting more and more intrigued
>>> with purchasing a Degen/Kaito 1103 portable.
>>>
>>> So, where can I find this model at the lowest price? Also, should I
>>> stick with a Kaito (for the American market), or can I consider a
>>> Degen? (I heard the walwart with the Degen is not for U.S.
>>> voltages.)
>
>> I think your money would be better spent on some psychotherapy.
>
>*laugh*
>
>Well, David recommended I look at the Sangean PT-80 ProTravel, so I
>assume his comment about me needing psychotherapy is because I did not
>take his recommendation.
>
>David (and others), how does the PT-80 compare to the Degen/Kaito 1103
>with respect to MW and SW reception performance?
>
>I save quite a chunk of change going with the 1103, plus the 1103 is
>a little smaller and lighter. Also, my research indicates the 1103's
>performance in several important categories appears to be better than
>the PT-80. To me, it seems like a no-brainer.
>
>Comments?
>
>Thanks.
>
>Roger
>
What do you plan on listening to after Cheney detonates his bomb?
Anything left on the air will most likely be disinformation.



From -2890566793971579301
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
```

```
tudelft.nl!txtfeed1.tudelft.nl!feeder1.cambrium.nl!feed.tweaknews.nl!
news2.euro.net!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-04!sn-post-ams-01!sn-
post-ams-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Sun, 29 Jan 2006 12:59:38 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <gp6qt1159eqn0ptefm2cvtdne3bqb6vpc8@4ax.com>
References: <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
<11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
<1138560987.254994.256320@g44g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 41
Xref: g2news1.google.com rec.radio.amateur.equipment:2283
```

On 29 Jan 2006 10:56:27 -0800, jpopelish@rica.net wrote:

>
>Dick wrote:
>(snip)
>> Engineers at the automobile manufacturers
>> EMC labs recommend direct connection to the battery. If you want to
>> read a detailed discussion on the subject, go here.
>> http://www.arrl.org/tis/info/rfiauto.html
>
>I have read through this page, and it contains what you say it does.
>Unfortunately for my education, the manufacturer's recommendations do
>not give any reasons for their recommendations, so you have no way of
>knowing if it makes the radio work best, or just protects the
>automotive electronics most from interferrance from the radio, or even
>if they thought much at all about the question, but just gave the first
>answer they thought of. I doubt very much that they are at all
>concerned with your radio working, optimally.

You said you have an engineering education. I am a graduate of a major university, but in management, not engineering. In my past life, I ran companies that had people from many engineering disciplines. Major corporations in the aerospace field, with test labs, calibration labs, etc. If I had questioned every paragraph in every text book during my entire education, I would never have graduated. I would still be trying to second guess the authors.

I have a friend who has an BSEE from Cal Poly and an MSEE from UCLA. He is a brilliant engineer and former ham who has owned two electronic companies. If he told me that I should attach my radio to my battery I would just do it. I would not ask him for all the engineering reasons why that is a good idea. I might question him out of curiosity, but I would still accept his knowledge as fact. That's where the authority comes in. If you can't accept hundreds, if not thousands of engineers who would tell you that it is not optimum to attach your radio to the alternator, then you will probably never get anything done in your life. You will always be questioning everything and never accepting the written works of recognized authorities in the field.

Dick

```
From -3827928218463069603
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 12:30:25 -0800
Organization: http://groups.google.com
Lines: 58
Message-ID: <1138566625.287328.158300@g14g2000cwa.googlegroups.com>
References: <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
   <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
   <cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
   <1138560987.254994.256320@g44g2000cwa.googlegroups.com>
   <gp6qt1159eqn0ptefm2cvtdne3bqb6vpc8@4ax.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138566630 18092 127.0.0.1 (29 Jan 2006 20:30:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 20:30:30 +0000 (UTC)
In-Reply-To: <gp6qt1159eqn0ptefm2cvtdne3bqb6vpc8@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2284
```

Dick wrote:
> On 29 Jan 2006 10:56:27 -0800, jpopelish@rica.net wrote:

> >I have read through this page, and it contains what you say it does. Unfortunately for my education, the manufacturer's recommendations do not give any reasons for their recommendations, so you have no way of knowing if it makes the radio work best, or just protects the automotive electronics most from interferrance from the radio, or even if they thought much at all about the question, but just gave the first answer they thought of. I doubt very much that they are at all concerned with your radio working, optimally.
>
> You said you have an engineering education. I am a graduate of a major university, but in management, not engineering. In my past life, I ran companies that had people from many engineering disciplines. Major corporations in the aerospace field, with test labs, calibration labs, etc. If I had questioned every paragraph in every text book during my entire education, I would never have graduated. I would still be trying to second guess the authors.
>
> I have a friend who has an BSEE from Cal Poly and an MSEE from UCLA. He is a brilliant engineer and former ham who has owned two electronic companies. If he told me that I should attach my radio to my battery I would just do it. I would not ask him for all the engineering reasons why that is a good idea. I might question him out of curiosity, but I would still accept his knowledge as fact. That's where the authority comes in. If you can't accept hundreds, if not thousands of engineers who would tell you that it is not optimum to attach your radio to the alternator, then you will probably never get anything done in your life. You will always be questioning everything and never accepting the written works of recognized authorities in the field.

Thank you for describing your approach to and qualifications for taking part in a technical discussion. If you only have access to authority, and little understanding, I guess that is what you go with.

But I have always wanted to know the actual reasons why, for everything I work with. That means that I have been working continuously on my education, since I took an interest in all things electrical about 45 years ago.   And you are right that it is a lot of work and really slows down my arrival at many decisions. I have to keep going back to the basics and working my way through all the science necessary, when I break into a branch of engineering that I haven't previously covered in detail, even if it is only a variation that alters a few of the basic assumptions inherent in a previous conclusion. Of course, this approach means that I also welcome correction, when it is well reasoned. I jumped into this discussion, not not because I am an expert with endless experience and knowledge, but because my understanding seems to be at odds with the common wisdom. I hope that either I learn something I have missed, or I help to expand a few

people's understanding beyond common knowledge (which is often wrong in
some fundamental way {it was common knowledge for a very long time
that the Earth was flat} or over simplified). Reality is complicated.

Okay, enough phylosophy. Back to the discussion, please.

From 1756379718144058328
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!cox.net!news-xfer.cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<WK7Df.27714$bF.2053@dukeread07>
<1138564533.404518.144990@f14g2000cwb.googlegroups.com>
In-Reply-To: <1138564533.404518.144990@f14g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 61
Message-ID: <bM9Df.28067$bF.5277@dukeread07>
Date: Sun, 29 Jan 2006 15:41:38 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1138567303 24.254.177.70 (Sun, 29 Jan 2006 15:41:43 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 15:41:43 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2285

jpopelish@rica.net wrote:
> nitespark wrote:
>
>
>>I have never never read anywhere, never heard anyone, advocate
>>connecting radio equipment directly to the alternator.
>
>

> You can never again say that, honestly, since you have seen me
> advocate, exactly that.
>
> Oh, you mean anyone you trust. Okay, never mind. ;-)

I realize I got a bit carried away with my "nevers" there. Thats what
happens when you type and then go back and edit (or try to).
OK...present company excluded, I stand by my statement.
>
>
>>One thing, the battery functions somewhat as a big filter capacitor.
>>The alternator is designed to supply sufficient current so if everything
>>is going (lights, fan motor, radio, etc) there will be sufficient
>>current to supply it, however, there are times, such as starting the
>>car, you need the extra capacity of the battery. In as much as many
>>community water systems rely on storage tanks and do not draw directly
>>the well or stream they draw water from, an automobile battery is a
>>storage device for electricity. The various devices in the car draw off
>>the "storage tank" which is replenished by the alternator.
>
>
> The alternator and battery are connected by a piece of wire (often
> including a fusible link to act as a fuse, in case the alternator
> rectifiers short, to prevent fire).
>
> The battery can act almost exactly the same as a reservoir from the far
> end of this wire as it can with a more direct connection. The
> difference being that a direct connection lowers the effective charging
> voltage by the amount of the connecting wire IR drop while the radio is
> drawing current. If the radio is connected at the alternator end of
> that wire, the alternator and battery provide current to the radio
> through two parallel paths, rather than the total radio current having
> to pass through the alternator-battery link. If the alternator
> regulation keeps up with the radio load, the battery will provide
> nothing except for ripple filtering, and stay fully charged.

So what happens when the fusible link fails and the alternator does not
see a battery at the other end? Is there a voltage spike that could
damage equipment?

Another advantage is not electrical in nature, but pure common sense. I
am fusing my leads close to the power source. With todays vehicles
engine compartments crammed full of compressors, pumps, drive belts,
pulleys, etc, why would I want to dig down in all of that stuff, when
most battery or power points are sitting right there in easy reach?
My wife's car, she just sold, is a 1996 Monte Carol Z34. As I recall,
you had to take one of the front wheels off, to access the alternator.

Some vehicles I see today have factory installed power points under the
hood, specifically for any aftermarket accessories.

From 7198033342201945372
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 13:00:57 -0800
Organization: http://groups.google.com
Lines: 48
Message-ID: <1138568457.145017.165770@z14g2000cwz.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
   <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
   <WK7Df.27714$bF.2053@dukeread07>
   <1138564533.404518.144990@f14g2000cwb.googlegroups.com>
   <bM9Df.28067$bF.5277@dukeread07>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138568462 29767 127.0.0.1 (29 Jan 2006 21:01:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 21:01:02 +0000 (UTC)
In-Reply-To: <bM9Df.28067$bF.5277@dukeread07>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2286

nitespark wrote:
> jpopelish@rica.net wrote:
(snip)
> > The alternator and battery are connected by a piece of wire (often
> > including a fusible link to act as a fuse, in case the alternator
> > rectifiers short, to prevent fire).
> >
> > The battery can act almost exactly the same as a reservoir from the far
> > end of this wire as it can with a more direct connection. The
> > difference being that a direct connection lowers the effective charging
> > voltage by the amount of the connecting wire IR drop while the radio is
> > drawing current. If the radio is connected at the alternator end of
> > that wire, the alternator and battery provide current to the radio

> > through two parallel paths, rather than the total radio current having to pass through the alternator-battery link. If the alternator regulation keeps up with the radio load, the battery will provide nothing except for ripple filtering, and stay fully charged.
>
> So what happens when the fusible link fails and the alternator does not see a battery at the other end? Is there a voltage spike that could damage equipment?

Quite possibly, including the equipment that runs the automobile. This fault is expected onlt if the alternator short circuits. The fuse link is generally quite robust and only fused by a short across the battery, through it.

> Another advantage is not electrical in nature, but pure common sense. I am fusing my leads close to the power source. With todays vehicles engine compartments crammed full of compressors, pumps, drive belts, pulleys, etc, why would I want to dig down in all of that stuff, when most battery or power points are sitting right there in easy reach?

I admit that doing it right may not be the most convenient way of doing it. And I have no problem if you do it the convenient way, instead of the best way, as long as you understand the compromises you are making.

> My wife's car, she just sold, is a 1996 Monte Carol Z34. As I recall, you had to take one of the front wheels off, to access the alternator.

Ugly!

> Some vehicles I see today have factory installed power points under the hood, specifically for any aftermarket accessories.

How sweet of them.

```
From 525130928638077803
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@arrl.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
```

```
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>   <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com>   <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrom10dne002@cnews.newsguy.com>   <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
<767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
<1138556414.231655.305980@f14g2000cwb.googlegroups.com>
In-Reply-To: <1138556414.231655.305980@f14g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.245.65.181
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1138570184 ST000 70.245.65.181 (Sun, 29 Jan
2006 16:29:44 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 16:29:44 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYASZG@@WCC^H]]RKB_UDAZZ\DPCPDLXUNNHDK@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Sun, 29 Jan 2006 21:29:44 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:5944
rec.radio.amateur.equipment:2287 rec.radio.amateur.misc:3823

jpopelish@rica.net wrote:
> The difference is the IR drop of the branch circuit from the power bus
> to the battery positive, including the fuse link in the harness.

I knew that - what is the *quantitative* difference between the
voltage at the alternator and the voltage at the battery?
--
73, Cecil  http://www.qsl.net/w5dxp


From -5638720605952007088
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 15:55:50 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.itv90j6.pminews@newsgroups.comcast.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
```

<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
<1138558667.034215.296450@g47g2000cwa.googlegroups.com>
Date: Sun, 29 Jan 2006 13:07:31 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Mobile installation question
Lines: 30
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-mmQSJGWOaCxSa/LjZyZiEMpJHhjooa2exA0NZFVtn76WQEDTzeH6tZCy/
K2Cto5jE51XBnrDgTJL9BR!
l2AKl7m7oomYXYqwnJ0eMi3BEPTUZ1dANb32kMWYf2rYnKT4H98wc6a4MP5RGc//dVGz0nDb4KUW!
HRKu3oPFBK/AYm8A4MiCApIg
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2288

On 29 Jan 2006 10:17:47 -0800, jpopelish@rica.net wrote:

> I got an electrical engineering education, so I could wade into
> such reasoning

Oh goody, we get to play the voir dire game, the one I love to do with opposing-side "experts".

Where did you get your degree?

In what states are you a Registered Professional Engineer?

What is your experience in fixed and mobile power system design?

How much experience do you have in hands-on installation, testing, and evaluation of such power installations?

This doesn't even get into question of whether your scheme is accepted best engineering practice in the industry.

Do you accept that the world is round or are you prepared to explain why Christopher Columbus' fourth ship fall over the edge?

My qualifications are a matter of record in the industry. Are yours?

```
--
   73 de K2ASP - Phil Kane  Esq. / P.E.
```

```
From -3612715661727594978
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 15:55:50 -0600
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.itv9n28.pminews@newsgroups.comcast.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrom10dne002@cnews.newsguy.com> <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
Date: Sun, 29 Jan 2006 13:21:02 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Mobile installation question
Lines: 15
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-
XxTUmQ+RJWvPy3KLWqR0vSVim3Bj+vSJrqMyqgMdw3mRwDPbOE8h2HZFIBndArvPotFfPWiZXih+FH3!/
78M4h/PQMAXkt7KFCbxpLfOp7rYDM33uZXr3sLW1E3ITBAwDajVMXXuF96pJ5ZNlnPv/P9+xitE!iVK/
nHMDZHAohNkQozFC4wh7
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5945
rec.radio.amateur.equipment:2289 rec.radio.amateur.misc:3824
```

On Sun, 29 Jan 2006 11:48:40 -0500, John Popelish wrote:

>Agreed. But I prefer to design and install my own alternator RFI
>filter, rather than depend on the battery for that purpose.

The battery is not there to filter RFI - it's there to smooth out any ripples in the rectified but unfiltered alternator output in the AF range. AFAIK no automotive alternator has any internal filtering, and the battery is the best way to provide that filtering as compared to conventional lumped-constant LC filters.

--
 73 de K2ASP - Phil Kane

```
From 6476805042386894090
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 15:55:50 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.itv9dh7.pminews@newsgroups.comcast.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
<1138560987.254994.256320@g44g2000cwa.googlegroups.com>
Date: Sun, 29 Jan 2006 13:15:17 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Mobile installation question
Lines: 14
NNTP-Posting-Host: 67.171.188.13
X-Trace:
sv3-6m1bmud1xGqKmz0sPC7frnoj4USCLIlZMRO0PIkDUbcmbYRZiX4iwajOokmmwbC5b1OT1SStyAe+OD
P!4pvqOvZqlz7aptHxF1tfd9YO/gVZ6SsrBp9TpHz5t3QIOfTPmVZ9nMulsEZvsdcXH+j5VlrZetnI!
NiRJ+UxUfPup8PRzJPHQPYyV
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2290
```

On 29 Jan 2006 10:56:27 -0800, jpopelish@rica.net wrote:

>This is essentially an echo with not much reasoning. Do it this way
>because (they, we) I say so.

With that attitude towards industry standards including such things as electrical codes which definitely are in the "do it that way because we say so" category, you wouldn't last a week working for me.

--
73 de K2ASP - Phil Kane Esq. / P.E.

```
From 915977034893634728
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 15:55:51 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.itvavo9.pminews@newsgroups.comcast.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>   <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com>   <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<WK7Df.27714$bF.2053@dukeread07>
Date: Sun, 29 Jan 2006 13:47:48 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Mobile installation question
Lines: 53
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-HkRTad/BqZrth4smEx6DwUBE32i2q4Ps1Hh25fySBpnhBOzauOdSslotj/
BUMhR1LcHn+E8M8xmK1ZD!J7cTwQU/AqJqtcfmtIp+apP62YXoH1/9YR/
+a2vvVdXTxmaksyZGPxwBfioJPL4Al8i5LroVNBNo!bHqziby0oqTMAQAUdnWnZTfK
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2291

On Sun, 29 Jan 2006 13:23:46 -0500, nitespark wrote:

>Even today, fire engines, with their beefed up
>electrical systems, heavy duty batteries, high output alternators, still
>get their lights dimmed when they start the "Q".

How well I know that !!! I've always had a "side job" outfitting public safety communications command posts.

>FWIW, I own a 1995 Ford Explorer which I bought new. About 2 months
>ago, I finally replaced the original factory battery.

Ten years on the original battery? What's your secret?? !!

Conventional wisdom backed up by experience says that a "X-year" automotive battery is not expected to last more than that time if it even makes it to that point. I've replaced a lot in family and "work" cars. I even have to replace my gel-cells - which are on continuous float per manufacturers specs - every four years whether I am ready to do so or not.

>Even though the battery was still able to start the car, I noticed it
>seemed sluggish occasionally and figured that was my "warning".

The "warning" that most of us heed too late. I have the AAA Road Service on speed-dial but I would rather not use it!!

I used to have a VW Bug (the original, not the latter-years "wannabe") where those symptoms usually meant it was time to replace the starter motor brushes. I found out the hard way that "refurbishers" usually only replaced the one brush that was worn so I started replacing both myself and problems went away.

>I have a VHF/UHF 35-50 watt mobile radio as well as a 100 watt HF
>mobile radio in it. Both radios are wired directly to the battery and
>fused on both leads.

Have you considered a dual-battery system through a battery isolator? Leave the automotive loads on the auto battery, and put the radio loads on a deep-cycle marine battery (don't use a gel-cell -- they can't stand the heat build-up under the hood or inside a vehicle parked in the sun). In all the communication vehicles which we have constructed, we install professional vehicle alarms (not the usual "screamers") running from this second battery which is installed in a difficult-to-get-to protected area of the vehicle. We do this even if there is an auxiliary AC generator installed.

Have fun.

--
   73 de K2ASP - Phil Kane

```
From -7169092870685317574
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 16:08:35 -0600
Date: Sun, 29 Jan 2006 17:13:09 -0500
From: John Popelish <jpopelish@rica.net>
Organization: This space not available for advertising.
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrom10dne002@cnews.newsguy.com> <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
<cuvyxnansvbet.itv9n28.pminews@newsgroups.comcast.net>
In-Reply-To: <cuvyxnansvbet.itv9n28.pminews@newsgroups.comcast.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <QMudnUw8nrF-oUDenZ2dnUVZ_tqdnZ2d@adelphia.com>
Lines: 32
NNTP-Posting-Host: 69.168.60.25
X-Trace: sv3-
nmGqr4LFEkzogTNdwAEFW78zZcHOtXbz8h4VCfoJPsPpQK0exZ44g4eO4tzAGZdI0GSp2CuQ37mxZKB!
7cUI9MXWsE7SFS5HhrGBXyadXFDrc5xFILE67h6fghUjAS65pw5tJih1lkSwqL8S1ZT5PyP7Nx2W!
x9zUag8Y/UWe3X/i/LQKlJNMlspeDg==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5946
rec.radio.amateur.equipment:2292 rec.radio.amateur.misc:3825
```

Phil Kane wrote:

> On Sun, 29 Jan 2006 11:48:40 -0500, John Popelish wrote:
>
>
>>Agreed. But I prefer to design and install my own alternator RFI
>>filter, rather than depend on the battery for that purpose.
>
>
>   The battery is not there to filter RFI - it's there to smooth out
>   any ripples in the rectified but unfiltered alternator output in the
>   AF range. AFAIK no automotive alternator has any internal filtering,
>   and the battery is the best way to provide that filtering as compared
>   to conventional lumped-constant LC filters.

The battery is definitely a part of any alternator filter. But
putting a good high frequency capacitor right on the alternator output
terminal to the case, and an inductor rated for full alternator output
current between the alternator and distribution system (to which the
battery is connected) and a second RF bypass at the distribution
branching point, back to the alternator case, to block any RF leakage
exiting the transceiver supply leads from getting out into the wiring
harness, provides a huge reduction of rectifier recovery generated RF
(through both the transceiver power leads and from direct radiation
from the wiring harness) and 3 phase rectification generated ripple.

That is my run on sentence for today.

The battery is the low frequency part of the output capacitor in this
pi filter.

It just seems strange to me to invest all that money in a powerful
transceiver and a custom installation and skip these three vital parts.

From 6392359450957946364
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-mail
From: jpopelish@rica.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 29 Jan 2006 14:11:46 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1138572706.181945.314800@f14g2000cwb.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>

```
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <xn0ehsrom10dne002@cnews.newsguy.com>
   <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
   <767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
   <1138556414.231655.305980@f14g2000cwb.googlegroups.com>
   <ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138572711 32438 127.0.0.1 (29 Jan 2006 22:11:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 22:11:51 +0000 (UTC)
In-Reply-To: <ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.antenna:5947
rec.radio.amateur.equipment:2293 rec.radio.amateur.misc:3826


Cecil Moore wrote:
> jpopelish@rica.net wrote:
> > The difference is the IR drop of the branch circuit from the power bus
> > to the battery positive, including the fuse link in the harness.
>
> I knew that - what is the *quantitative* difference between the
> voltage at the alternator and the voltage at the battery?

How am I to know either the branch wiring resistance between the
alternator and the battery in your car, or the current you intend to
draw from the battery while the alternator is running?  Some have been
talking about drawing more current than the alternator can supply.



From -4964838286891588844
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
```

References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>   <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<WK7Df.27714$bF.2053@dukeread07>
<cuvyxnansvbet.itvavo9.pminews@newsgroups.comcast.net>
In-Reply-To: <cuvyxnansvbet.itvavo9.pminews@newsgroups.comcast.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 103
Message-ID: <Z8bDf.28317$bF.2621@dukeread07>
Date: Sun, 29 Jan 2006 17:16:20 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1138572985 24.254.177.70 (Sun, 29 Jan 2006 17:16:25 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 17:16:25 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2294

Phil Kane wrote:
> On Sun, 29 Jan 2006 13:23:46 -0500, nitespark wrote:
>
>
>>Even today, fire engines, with their beefed up
>>electrical systems, heavy duty batteries, high output alternators, still
>>get their lights dimmed when they start the "Q".
>
>
>   How well I know that !!! I've always had a "side job" outfitting
>   public safety communications command posts.

I spent 27 years in the (volunteer) fire service and been out many a night on an alarm, mashing down on the floor button, watching the headlights dim....and that was with the heavy duty truck batteries and the heavy alternator. Had a few occasions when the "Q" relay or foot switch stuck "on". I found that quite annoying.

I have even seen a "Q" take the voltage down far enough for the radio PLL to unlock.

>
>
>>FWIW, I own a 1995 Ford Explorer which I bought new. About 2 months
>>ago, I finally replaced the original factory battery.
>
>
>   Ten years on the original battery? What's your secret?? !!

I wish I knew. I was very suprised myself. Perhaps it was a very robust battery, or maybe my electric system is set "just right".
>
> Conventional wisdom backed up by experience says that a "X-year"
> automotive battery is not expected to last more than that time if it
> even makes it to that point. I've replaced a lot in family and
> "work" cars. I even have to replace my gel-cells - which are on
> continuous float per manufacturers specs - every four years whether
> I am ready to do so or not.
>
>
>>Even though the battery was still able to start the car, I noticed it
>>seemed sluggish occasionally and figured that was my "warning".
>
>
> The "warning" that most of us heed too late. I have the AAA Road
> Service on speed-dial but I would rather not use it!!
>
> I used to have a VW Bug (the original, not the latter-years
> "wannabe") where those symptoms usually meant it was time to
> replace the starter motor brushes. I found out the hard way that
> "refurbishers" usually only replaced the one brush that was worn so
> I started replacing both myself and problems went away.

Now THAT is stupid!!(not you....the rebuilders) When you have anything torn down to that degree and just replace ONE expendable component when a very minor cost would let you replace both (or all). Kinda like rebuiding an engine and only replacing the rings on ONE cylinder. When you stop and think about it, both brushes have exactly the same amount of time on them (assuming a new motor), so it would stand to reason, the other brush wouldn't have much more time to go before it failed also. Of course, perhaps the rebuilders may want to get you in to charge you a second rebuild charge in 6 months or a year.

>
>
>>I have a VHF/UHF 35-50 watt mobile radio as well as a 100 watt HF
>>mobile radio in it. Both radios are wired directly to the battery and
>>fused on both leads.
>
>
> Have you considered a dual-battery system through a battery isolator?
> Leave the automotive loads on the auto battery, and put the radio
> loads on a deep-cycle marine battery (don't use a gel-cell -- they
> can't stand the heat build-up under the hood or inside a vehicle
> parked in the sun). In all the communication vehicles which we
> have constructed, we install professional vehicle alarms (not the
> usual "screamers") running from this second battery which is
> installed in a difficult-to-get-to protected area of the vehicle. We
> do this even if there is an auxiliary AC generator installed.

I have not considered a dual battery system. I think my setup is basic
enough I can manage OK without a dual system, but I can certainly see
some advantages in certain applications (RV, Mobile Command Posts, etc).
I think I would have a difficult time finding a place under the hood for
a decent marine battery.

>
>   Have fun.
>
> --
>   73 de K2ASP - Phil Kane
>
>

--
I have never met a liberal street cop.

From -3499175006093807522
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 14:21:23 -0800
Organization: http://groups.google.com
Lines: 41
Message-ID: <1138573283.063661.26590@g44g2000cwa.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
   <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
   <cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
   <1138558667.034215.296450@g47g2000cwa.googlegroups.com>
   <cuvyxnansvbet.itv90j6.pminews@newsgroups.comcast.net>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138573287 8389 127.0.0.1 (29 Jan 2006 22:21:27 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 22:21:27 +0000 (UTC)
In-Reply-To: <cuvyxnansvbet.itv90j6.pminews@newsgroups.comcast.net>
User-Agent: G2/0.2

```
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2295

Phil Kane wrote:
> On 29 Jan 2006 10:17:47 -0800, jpopelish@rica.net wrote:
>
> > I got an electrical engineering education, so I could wade into
> > such reasoning
>
>   Oh goody, we get to play the voir dire game, the one I love to do
>   with opposing-side "experts".
>
>   Where did you get your degree?
>
>   In what states are you a Registered Professional Engineer?
>
>   What is your experience in fixed and mobile power system design?
>
>   How much experience do you have in hands-on installation, testing,
>       and evaluation of such power installations?
>
>     This doesn't even get into question of whether your scheme is
>     accepted best engineering practice in the industry.

I am not arguing that the answer to any or all of those questions is
why you should consider my proposal.  I only mentioned my degree as
part of the explanation of why this discussion interests me.

I am giving a physical argument to support my opinion.  It may not be
correct, but it is an actual argument.

>     Do you accept that the world is round or are you prepared to
>     explain why Christopher Columbus' fourth ship fall over the edge?

I accept that the world is round, because I follow the observations and
logic that have made that the only supportable opinion to have.

>   My qualifications are a matter of record in the industry.  Are
>   yours?

Do those qualifications mean that you cannot ever be wrong about
anything technical?  Are your qualifications the entirety of your
argument, or do you have something specific and physical to add?



From 8039669743970598277
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>   <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com>   <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<WK7Df.27714$bF.2053@dukeread07>
<1138564533.404518.144990@f14g2000cwb.googlegroups.com>
<bM9Df.28067$bF.5277@dukeread07>
<1138568457.145017.165770@z14g2000cwz.googlegroups.com>
In-Reply-To: <1138568457.145017.165770@z14g2000cwz.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 69
Message-ID: <IkbDf.28320$bF.17329@dukeread07>
Date: Sun, 29 Jan 2006 17:28:52 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1138573736 24.254.177.70 (Sun, 29 Jan 2006 17:28:56 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 17:28:56 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2296
```

jpopelish@rica.net wrote:

```
>
>>So what happens when the fusible link fails and the alternator does not
>>see a battery at the other end?  Is there a voltage spike that could
>>damage equipment?
>
>
> Quite possibly, including the equipment that runs the automobile.  This
> fault is expected onlt if the alternator short circuits.  The fuse link
> is generally quite robust  and only fused by a short across the
> battery, through it.
```

I think I would rather have my expensive aftermarket electronics on the battery side of the fusible link.

```
>
>
```

>>Another advantage is not electrical in nature, but pure common sense. I
>>am fusing my leads close to the power source. With todays vehicles
>>engine compartments crammed full of compressors, pumps, drive belts,
>>pulleys, etc, why would I want to dig down in all of that stuff, when
>>most battery or power points are sitting right there in easy reach?
>
>
> I admit that doing it right may not be the most convenient way of doing
> it. And I have no problem if you do it the convenient way, instead of
> the best way, as long as you understand the compromises you are making.

I see no compromise. The purpose of fusing a lead close to the source is for protection against a short circuit and fire. If the fuse is buried down in so much mechanical equipment you can't easily access, it starts defeating its own secondary purpose of ease of replacement while providing protection. If you fuse a lead close to an alternator that is buried down in an engine compartment that requires 2 hours labor and a handful of wrenches, then that is a poor installation.

>
>
>>My wife's car, she just sold, is a 1996 Monte Carol Z34. As I recall,
>>you had to take one of the front wheels off, to access the alternator.
>
>
> Ugly!

Which is why I paid a garage to do it. As I recall, I think they even had to loosen an engine mount and jack the engine up some....its been quite a few years and I'm a bit foggy on some of those details, but I remember it was NOT something I wanted to attempt.

>
>
>>Some vehicles I see today have factory installed power points under the
>>hood, specifically for any aftermarket accessories.
>
>
> How sweet of them.

Agreed. Perhaps the design engineers are listening after all.
One thing I have noticed with the vehicle interiors. The ALL seem to have dashboards and center consoles that join together and make for the actual mounting of a radio quite difficult. Not nearly as easy as when you could just hang a bracket under the dash. For this reason, I have been accumulating various separation kits, etc, for my radio(s). I think it would be much easier to mount a control head and remote the main unit in some of the newer vehicles.

From -219659229336989394

```
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g49g2000cwa.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 14:30:07 -0800
Organization: http://groups.google.com
Lines: 23
Message-ID: <1138573807.424393.240230@g49g2000cwa.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
   <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
   <cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
   <1138560987.254994.256320@g44g2000cwa.googlegroups.com>
   <cuvyxnansvbet.itv9dh7.pminews@newsgroups.comcast.net>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138573812 9621 127.0.0.1 (29 Jan 2006 22:30:12 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 22:30:12 +0000 (UTC)
In-Reply-To: <cuvyxnansvbet.itv9dh7.pminews@newsgroups.comcast.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g49g2000cwa.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2297
```

Phil Kane wrote:

> On 29 Jan 2006 10:56:27 -0800, jpopelish@rica.net wrote:
>
> >This is essentially an echo with not much reasoning. Do it this way
> >because (they, we) I say so.
>
>   With that attitude towards industry standards including such things
>   as electrical codes which definitely are in the "do it that way
>   because we say so" category, you wouldn't last a week working for
>   me.

So you are fine with people who who work for you, doing illogical
things they don't understand, without question, as long as it
corresponds with your interpretation of the authorities. Don't expect

me to come to you looking for work. I get paid to think.

The National Electrical Code goes to considerable effort to explain why its rules are logical and reasonable, and based on sound scientific principles supported by wide application experience. If you study the code, it is very difficult to find totally arbitrary or unexplained rules. The code is a great study in applied electrical physics.

```
From -3139090734979319188
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 14:35:10 -0800
Organization: http://groups.google.com
Lines: 51
Message-ID: <1138574110.176250.287940@g14g2000cwa.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
   <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
   <WK7Df.27714$bF.2053@dukeread07>
   <1138564533.404518.144990@f14g2000cwb.googlegroups.com>
   <bM9Df.28067$bF.5277@dukeread07>
   <1138568457.145017.165770@z14g2000cwz.googlegroups.com>
   <IkbDf.28320$bF.17329@dukeread07>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138574115 10338 127.0.0.1 (29 Jan 2006 22:35:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 22:35:15 +0000 (UTC)
In-Reply-To: <IkbDf.28320$bF.17329@dukeread07>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2298
```

nitespark wrote:

> jpopelish@rica.net wrote:
>
> >
> >>So what happens when the fusible link fails and the alternator does not
> >>see a battery at the other end? Is there a voltage spike that could
> >>damage equipment?
> >
> >
> > Quite possibly, including the equipment that runs the automobile. This
> > fault is expected onlt if the alternator short circuits. The fuse link
> > is generally quite robust and only fused by a short across the
> > battery, through it.
>
> I think I would rather have my expensive aftermarket electronics on the
> battery side of the fusible link.

Great. You have prioritized the potential problems and put this one at
the top.

> > I admit that doing it right may not be the most convenient way of doing
> > it. And I have no problem if you do it the convenient way, instead of
> > the best way, as long as you understand the compromises you are making.
>
> I see no compromise. The purpose of fusing a lead close to the source
> is for protection against a short circuit and fire. If the fuse is
> buried down in so much mechanical equipment you can't easily access, it
> starts defeating its own secondary purpose of ease of replacement while
> providing protection. If you fuse a lead close to an alternator that is
> buried down in an engine compartment that requires 2 hours labor and a
> handful of wrenches, then that is a poor installation.

I can see where a burried alternator might shift your priorities. But
the normal power distribution point is not buried, but readily
accessable.

> >>My wife's car, she just sold, is a 1996 Monte Carol Z34. As I recall,
> >>you had to take one of the front wheels off, to access the alternator.
> >
> >
> > Ugly!
>
> Which is why I paid a garage to do it. As I recall, I think they even
> had to loosen an engine mount and jack the engine up some....its been
> quite a few years and I'm a bit foggy on some of those details, but I
> remember it was NOT something I wanted to attempt.
(snip)

Just goes to show that every generalization is wrong, somewhere.

From 2951943941475727770
X-Google-Thread: 108122,fcafde9094f78a03

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 16:56:03 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.itvdlka.pminews@newsgroups.comcast.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
<1138558667.034215.296450@g47g2000cwa.googlegroups.com>
<cuvyxnansvbet.itv90j6.pminews@newsgroups.comcast.net>
<1138573283.063661.26590@g44g2000cwa.googlegroups.com>
Date: Sun, 29 Jan 2006 14:46:32 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Mobile installation question
Lines: 20
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-EaP69tsBoC6c6VxxU0aXK/
7YS6TA9RewLPsZS7hq8aq9fO2JZtLTl5UmggCpl50x1aXen0W9CSlZVxg!
S1b9DsbQFrlmx2tSgk6PB4JKdez110AVWhxHOFw8ywKB78vrfzTd0QBdlKhTgztHu5Fy1GtXES2n!
ZBgKLeHHIoGSTcZ4D2dUbUV0
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2299
```

On 29 Jan 2006 14:21:23 -0800, jpopelish@rica.net wrote:

>Do those qualifications mean that you cannot ever be wrong about
>anything technical? Are your qualifications the entirety of your
>argument, or do you have something specific and physical to add?

Have you ever appeared as an expert witness? Qualifications are
"job number one". I get my jollies blowing opposing "experts" out
of the water. Most don't know what hit them when they realize that
in addition to bring a communications attorney, recognized as an
expert in the field, I'm also a Professional Electrical Engineer,

recognized as an expert in that field as well,.......I do my job
rather well and I can't/won't be snowed in either field.

Enjoy your world.....

--
73 de K2ASP - Phil Kane

From -4056886817255368150
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 16:56:03 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.itvdqxb.pminews@newsgroups.comcast.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
<1138560987.254994.256320@g44g2000cwa.googlegroups.com>
<cuvyxnansvbet.itv9dh7.pminews@newsgroups.comcast.net>
<1138573807.424393.240230@g49g2000cwa.googlegroups.com>
Date: Sun, 29 Jan 2006 14:49:45 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Mobile installation question
Lines: 16
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-KR2iroD739BtAaD5im1FFxh3RoV8f4DiKa3X7k9/06jFT+7hVo5sSvxmYHTP7KMtlwlzpYd7tAo4IPl!0sZFQF5C7T0SvpesOzIXmy1DLF12655y5j2QGouCeaeDFbidjBkFAHYz9ifoXRr/PXMfvS9pzQ/A!YXBwSlZeXleCbKnlSr6aGcqr
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2300
```

On 29 Jan 2006 14:30:07 -0800, jpopelish@rica.net wrote:

>The National Electrical Code goes to considerable effort to explain why
>its rules are logical and reasonable, and based on sound scientific
>principles supported by wide application experience. If you study the
>code, it is very difficult to find totally arbitrary or unexplained
>rules. The code is a great study in applied electrical physics.

Yes...my engineering partner (and legal client) is on the committee
that drafts the NEC, and he has the same attitude about folks who
won't follow the code "no matter what" that I do.

--
73 de K2ASP - Phil Kane

```
From -7894886832340547670
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 16:56:04 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.itvdycc.pminews@newsgroups.comcast.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>   <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com>   <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<WK7Df.27714$bF.2053@dukeread07>
<1138564533.404518.144990@f14g2000cwb.googlegroups.com>
<bM9Df.28067$bF.5277@dukeread07>
<1138568457.145017.165770@z14g2000cwz.googlegroups.com>
<IkbDf.28320$bF.17329@dukeread07>
Date: Sun, 29 Jan 2006 14:54:12 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Mobile installation question
Lines: 13
NNTP-Posting-Host: 67.171.188.13
```

```
X-Trace: sv3-
dKfNXcb5u4CCVGj49FEpOXpsZOXqNvcYIK948RIZPKiBE0M2Lbwqx3mxD1Nn8PvWMoYieYu9cR+HQiy!
GAcQjSHPRsdvnTjFPmTVQwBMlXR+OFEoVJ1vOpUg89OWzkt+v+lTQMjPwqywZcjbWhqIJYuubne9!
eG1JEEhp2gJ/0Z9nNF/yEXtG
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2301

On Sun, 29 Jan 2006 17:28:52 -0500, nitespark wrote:

>If you fuse a lead close to an alternator that is
>buried down in an engine compartment that requires 2 hours labor and a
>handful of wrenches, then that is a poor installation.

  Not if you are the mechanic or shop owner charging hourly rates for
  the work..... <ggg>

--
   73 de K2ASP - Phil Kane




From 4951777227033578150
X-Google-Thread: fc8b1,63bfc119d565e87b,start
X-Google-Thread: 108122,63bfc119d565e87b,start
X-Google-Thread: 1109af,63bfc119d565e87b,start
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny06.POSTED!2d118e76!
not-for-mail
From: "Joe" <joe.amp@NOSPAMverizon.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: Nice D-104 (Black)
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2600.0000
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2600.0000
Message-ID: <v6cDf.1225$8U2.475@trndny06>
Date: Sun, 29 Jan 2006 23:22:03 GMT
NNTP-Posting-Host: 68.161.100.165
X-Complaints-To: abuse@verizon.net
X-Trace: trndny06 1138576923 68.161.100.165 (Sun, 29 Jan 2006 18:22:03 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 18:22:03 EST
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2575
```

rec.radio.amateur.equipment:2302 rec.radio.swap:2454

Anyone need a nice D-104 Night Eagle with preamp before it goes to "that
other place"
$40 + actual shipping costs from 11030 (around $7 USPM with conf)
USA 50 only
Big Photos
http://members.bellatlantic.net/~vze2pdtg/d104.jpg
http://members.bellatlantic.net/~vze2pdtg/d1042.jpg

-Joe "NOSPAM"

From -305038913160188660
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>   <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com>   <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<WK7Df.27714$bF.2053@dukeread07>
<1138564533.404518.144990@f14g2000cwb.googlegroups.com>
<bM9Df.28067$bF.5277@dukeread07>
<1138568457.145017.165770@z14g2000cwz.googlegroups.com>
<IkbDf.28320$bF.17329@dukeread07>
<cuvyxnansvbet.itvdycc.pminews@newsgroups.comcast.net>
In-Reply-To: <cuvyxnansvbet.itvdycc.pminews@newsgroups.comcast.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 15
Message-ID: <n8cDf.28328$bF.16426@dukeread07>
Date: Sun, 29 Jan 2006 18:23:59 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1138577043 24.254.177.70 (Sun, 29 Jan 2006 18:24:03 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 18:24:03 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2303

```
Phil Kane wrote:
> On Sun, 29 Jan 2006 17:28:52 -0500, nitespark wrote:
>
>
>>If you fuse a lead close to an alternator that is
>>buried down in an engine compartment that requires 2 hours labor and a
>>handful of wrenches, then that is a poor installation.
>
>
>   Not if you are the mechanic or shop owner charging hourly rates for
>   the work..... <ggg>

Same guy who rebuilt the starter motor replacing only one brush???


From 7169060505736283925
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 16:26:10 -0800
Organization: http://groups.google.com
Lines: 23
Message-ID: <1138580770.355694.129590@o13g2000cwo.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
   <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
   <cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
   <1138558667.034215.296450@g47g2000cwa.googlegroups.com>
   <cuvyxnansvbet.itv90j6.pminews@newsgroups.comcast.net>
   <1138573283.063661.26590@g44g2000cwa.googlegroups.com>
   <cuvyxnansvbet.itvdlka.pminews@newsgroups.comcast.net>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138580775 25307 127.0.0.1 (30 Jan 2006 00:26:15 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 00:26:15 +0000 (UTC)
In-Reply-To: <cuvyxnansvbet.itvdlka.pminews@newsgroups.comcast.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
```

```
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2304


Phil Kane wrote:
> On 29 Jan 2006 14:21:23 -0800, jpopelish@rica.net wrote:
>
> >Do those qualifications mean that you cannot ever be wrong about
> >anything technical?  Are your qualifications the entirety of your
> >argument, or do you have something specific and physical to add?
>
>   Have you ever appeared as an expert witness?  Qualifications are
>   "job number one".  I get my jollies blowing opposing "experts" out
>   of the water.  Most don't know what hit them when they realize that
>   in addition to bring a communications attorney, recognized as an
>   expert in the field, I'm also a Professional Electrical Engineer,
>   recognized as an expert in that field as well,.......I do my job
>   rather well and I can't/won't be snowed in either field.
>
>   Enjoy your world.....

So... no other argument except your qualifications.  I think we're
done.

But, that's okay, I have learned to live with disappointment.



From 5084377536727760911
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr12.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@arrl.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>   <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com>   <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
```

<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrom10dne002@cnews.newsguy.com>   <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
<767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
<1138556414.231655.305980@f14g2000cwb.googlegroups.com>
<ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
<1138572706.181945.314800@f14g2000cwb.googlegroups.com>
In-Reply-To: <1138572706.181945.314800@f14g2000cwb.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 7
Message-ID: <xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
NNTP-Posting-Host: 70.142.24.76
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr12.news.prodigy.com 1138581597 ST000 70.142.24.76 (Sun, 29 Jan 2006 19:39:57 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 19:39:57 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQN_@OXSYGTHZ^BCBNWX@RJ_XPDLMN@GZ_GYO^BTJUZ]CDVW[AKK[J\]^HVKHG^EWZHBLO^[\NH_AZF
WGN^\DHNVMX_DHHX[FSQKBOTS@@BP^]C@RHS_AGDDC[AJM_T[GZNRNZAY]GNCPBDYKOLK^_CZFWPGHZIXW
@C[AFKBBQS@E@DAZ]VDFUNTQQ]FN
Date: Mon, 30 Jan 2006 00:39:57 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:5949
rec.radio.amateur.equipment:2305 rec.radio.amateur.misc:3828

jpopelish@rica.net wrote:
> How am I to know either the branch wiring resistance between the
> alternator and the battery in your car, ...

Sorry, you sounded like an expert on such.
--
73, Cecil http://www.qsl.net/w5dxp

From -4442899033779607517
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 19:34:10 -0600
Date: Sun, 29 Jan 2006 20:38:44 -0500
From: John Popelish <jpopelish@rica.net>
Organization: This space not available for advertising.
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question

References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrom10dne002@cnews.newsguy.com> <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
<767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
<1138556414.231655.305980@f14g2000cwb.googlegroups.com>
<ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
<1138572706.181945.314800@f14g2000cwb.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
In-Reply-To: <xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
Lines: 30
NNTP-Posting-Host: 69.168.60.25
X-Trace: sv3-ffCzKD+5ctbrW70+jyoKgO0L9Zm3/JKw0/ahj/8yHlbP03Nlzl4e12O80K/
Iqp9XfgWDR5IZ3lzwIK5!
7UP5o64JtRFN3RaeBAhdTbXSHuGKD6vN96SvUzt7lu6x2fgNT3QK5hOwDTL2bPGwAgRkF8ye541v!
wGr1VLqlQkvCxgiUa8SkMIIm7BL9xA==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5950
rec.radio.amateur.equipment:2306 rec.radio.amateur.misc:3832

Cecil Moore wrote:
> jpopelish@rica.net wrote:
>
>> How am I to know either the branch wiring resistance between the
>> alternator and the battery in your car, ...
>
> Sorry, you sounded like an expert on such.

I apologize for giving you that false impression.
This group appears loaded with those, and has no need for another.
I was being a person who had an opinion for some particular and stated
reasons, and was challenging this group to show me my mistakes.

No joy, so far.

What I have gotten is lots of "Thats not the way we do it.", "That's
not the way the experts say to do it." "You are wrong." and "I know
more than you do."

But back to your question, I assumed that you are qualified to measure
the wiring resistance between your alternator and battery and also
calculate (or read the manual for) the supply current of your radio,
and know ohm's law. So you should be able to tell me the difference

in the voltage between your alternator and battery. You might also
estimate what the ampacity of that branch wire (with fusible link) is,
based on the wire gauge of the link. If that current is anything near
your radio's draw, you might worry about operating your radio through
that link, especially right after starting the engine, when the
battery is recharging through it, also. Replacing that piece of wire
is an onerous task in many cars.

From -5854275696661016672
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!pln-w!spln!lex!extra.newsguy.com!newsp.newsguy.com!enews3
From: "Bill Turner" <noway@nohow.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 30 Jan 2006 01:48:07 GMT
Organization: http://extra.newsguy.com
Lines: 11
Message-ID: <xn0ehtcl33e3rw000@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com> <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com> <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net> <1138508998.736589.272440@z14g2000cwz.googlegroups.com> <xn0ehsrom10dne002@cnews.newsguy.com> <coudnUYuTsdLbUHeRVn-rg@adelphia.com> <cuvyxnansvbet.itv9n28.pminews@newsgroups.comcast.net> <QMudnUw8nrF-oUDenZ2dnUVZ_tqdnZ2d@adelphia.com>
NNTP-Posting-Host: p-099.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:0000005F
Xref: g2news1.google.com rec.radio.amateur.antenna:5951 rec.radio.amateur.equipment:2307 rec.radio.amateur.misc:3833

John Popelish wrote:

> It just seems strange to me to invest all that money in a powerful
> transceiver and a custom installation and skip these three vital
> parts.

~~~~~~

"Vital" only if you have a noise problem. I haven't in my last three or
four cars. The alternators were perfect gentlemen.

73, Bill W6WRT
~~~~~~

```
From 5657681184376396277
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 29 Jan 2006 18:16:32 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1138587392.626611.200350@f14g2000cwb.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <xn0ehsrom10dne002@cnews.newsguy.com>
   <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
   <cuvyxnansvbet.itv9n28.pminews@newsgroups.comcast.net>
   <QMudnUw8nrF-oUDenZ2dnUVZ_tqdnZ2d@adelphia.com>
   <xn0ehtcl33e3rw000@cnews.newsguy.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138587406 8010 127.0.0.1 (30 Jan 2006 02:16:46 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 02:16:46 +0000 (UTC)
In-Reply-To: <xn0ehtcl33e3rw000@cnews.newsguy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.antenna:5952
rec.radio.amateur.equipment:2308 rec.radio.amateur.misc:3834


Bill Turner wrote:
> John Popelish wrote:
>
> > It just seems strange to me to invest all that money in a powerful
> > transceiver and a custom installation and skip these three vital
> > parts.
> ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
>
```

> "Vital" only if you have a noise problem. I haven't in my last three or
> four cars. The alternators were perfect gentlemen.

So nice for you!

Well, that is one hypothetical problem with my suggestion that doesn't apply to those 3 or 4 vehicles. Perhaps car makers have had to reduce alternator noise (e.g. use soft recovery diode bridges) to serve the built in receivers and all the other electronics.

From 1216015654758006030
X-Google-Thread: 108122,91c85677da7d7e7e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <dk5Df.6413$oo1.5088@trnddc02>
Subject: Re: Clegg 22'er
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <J6fDf.8646$oo1.6928@trnddc02>
Date: Mon, 30 Jan 2006 02:47:05 GMT
NNTP-Posting-Host: 63.19.178.143
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1138589225 63.19.178.143 (Sun, 29 Jan 2006 21:47:05 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 21:47:05 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2309

"Charles P.L. Stokes" <wb4pvt@verizon.net> wrote in message news:dk5Df.6413$oo1.5088@trnddc02...
>I have a Clegg 22'er for sale with Instruction Manual and schematic. It's
>in like new condition and worked fine when last turned on about 5 years
>ago. Sorry no crystals.
>
>
> 73'
> WB4PVT
> Charlie
>
>Price?

Tnx,
W4OP

From 8589373823761573679
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 23:22:56 -0600
From: Gary Schafer <gaschafer@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: Mon, 30 Jan 2006 00:23:00 -0500
Message-ID: <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrom10dne002@cnews.newsguy.com>   <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
<767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
<1138556414.231655.305980@f14g2000cwb.googlegroups.com>
<ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
<1138572706.181945.314800@f14g2000cwb.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 64
NNTP-Posting-Host: 71.57.149.211
X-Trace: sv3-Cd7I3F2c4Y7Q3bcrSnbeiux65K04TMeR14wwD0xtF/+tMIYV1IirnJJspUp17pj4r/
Pbf7K/RsreWDz!
lykPJkNzrzFoBaEcTA1GMys7oHFiRIzsecbzEa+nNvcA9VrHgN3BVDOjV9Mb1vOD6hjmgrblTobZ!
CnNRrL3q6ftJ
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5955
rec.radio.amateur.equipment:2310 rec.radio.amateur.misc:3842

On Sun, 29 Jan 2006 20:38:44 -0500, John Popelish <jpopelish@rica.net>
wrote:

>Cecil Moore wrote:
>> jpopelish@rica.net wrote:
>>

>>> How am I to know either the branch wiring resistance between the
>>> alternator and the battery in your car, ...
>>
>> Sorry, you sounded like an expert on such.
>
>I apologize for giving you that false impression.
>This group appears loaded with those, and has no need for another.
>I was being a person who had an opinion for some particular and stated
>reasons, and was challenging this group to show me my mistakes.
>
>No joy, so far.
>
>What I have gotten is lots of "Thats not the way we do it.", "That's
>not the way the experts say to do it." "You are wrong." and "I know
>more than you do."
>
>But back to your question, I assumed that you are qualified to measure
>the wiring resistance between your alternator and battery and also
>calculate (or read the manual for) the supply current of your radio,
>and know ohm's law. So you should be able to tell me the difference
>in the voltage between your alternator and battery. You might also
>estimate what the ampacity of that branch wire (with fusible link) is,
>based on the wire gauge of the link. If that current is anything near
>your radio's draw, you might worry about operating your radio through
>that link, especially right after starting the engine, when the
>battery is recharging through it, also. Replacing that piece of wire
>is an onerous task in many cars.

I have never seen it recommended to connect a radio to anywhere but at the battery terminals. Even if the radio were to be connected to a junction box designed for this purpose some distance from the battery you never want the alternator to connect to that same junction. Having anything connected to the wire carrying alternator current will induce noise into that power line due to the resistance of the alternator charging wire.

Most wires coming from the alternator to the battery are rather small, #10 or #8 wire at best. There is significant voltage drop in that wire. The noise from the alternator is not just from the average current causing a voltage drop but from the peak current which is much higher.

Every time you turn on the headlights the noise will get worse if the radio is connected directly to the alternator because of additional voltage drop on that line.
If there should be a break in the alternator wire to the battery the surge from the alternator will most likely damage the radio.

The alternator regulator most likely would not be able to handle the rapidly changing load of an SSB radio smoothly causing additional spikes as it tries to regulate.

Need more reasons? :>)

73
Gary K4FMX

From 1756485758693219488
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!news.astraweb.com!router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: Mon, 30 Jan 2006 05:42:03 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11tr9pbg3um4u93@corp.supernews.com>
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com> <xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com> <NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com> <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 58
Xref: g2news1.google.com rec.radio.amateur.antenna:5956 rec.radio.amateur.equipment:2311 rec.radio.amateur.misc:3843

In article <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>,
Gary Schafer <gaschafer@comcast.net> wrote:

>Every time you turn on the headlights the noise will get worse if the
>radio is connected directly to the alternator because of additional
>voltage drop on that line.
>If there should be a break in the alternator wire to the battery the
>surge from the alternator will most likely damage the radio.

A more common problem I'd be concerned about would be "load dump", which occurs when a high-amperage load on the car's electrical bus stops drawing current abruptly - for example, if the headlights are switched off while the engine's running.   It's common for this to result in a large voltage spike out of the alternator, before the regulator has time to reduce the alternator output. Spikes of several dozen volts are common - my recollection is that auto-electronics manufacturers engineer their devices to be able to stand 50 volts at their power-supply terminals for a brief moment.

I would expect that the magnitude of this spike would be significantly greater at the alternator terminals, than it is at the battery, due to the series resistance and series inductance of the battery-to-alternator cable, and the battery's low impedance. It's possible that a load (e.g. radio) which could survive a load-dump spike if wired to the battery, could be damaged by a higher-amplitude spike from the same load-dump event which might occur right at the alternator.

It seems clear that the standard, recommended practice is to wire radios to the battery. It also seems that the original poster is not satisfied with the justification for this practice (either by convention, recommendation of authority, or theoretical arguments posed to far), and that he has some arguments from first principles which he feels justify a different approach (wiring to the alternator).

In the end, for the original poster to be satisfied (either that standard practice is the best practice, or that his alternate suggestion of wiring directly across the alternator is actually superior) I suspect that he's going to have to fall back on that old mainstay of scientific discovery - he's going to have to experiment.

He'll have to wire several different radios, of various makes and models, up to [1] a double-fused heavy-gauge feed from the battery posts, and [2] an equivalent feed brought back to alternator and its ground. He can then determine whether his alternate approach actually delivers more useful current to the radio, whether the transmitter powers are actually higher, whether there is indeed more alternator whine or RFI on the transmitted signal or the received audio, and whether the radios show any differential in their ability to survive a few months of usage and load-dump spikes without losing their Magic Blue Smoke.

Actual results (either way) trump speculative arguments.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From 4319984161308376362
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!news-xxxfer.readnews.com!news-out.readnews.com!spool-big1.readnews.com!news.coretel.net!not-for-mail
From: "CLFE" <Junkmail@clfurent.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc

```
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
Subject: Re: Mobile installation question
Date: Mon, 30 Jan 2006 01:55:18 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Lines: 97
Message-ID: <43ddb851$0$25063$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 6a0a7032.news.coretel.net
X-Trace: DXC=1JAU^DJ;IUnXJeS29f]ilhcYX6N<OEXQkBO`7;<`?
UGePI__S7FYoangh<_HIi6aMn^H9\4K=QC2j
X-Complaints-To: abuse@coretel.net
Xref: g2news1.google.com rec.radio.amateur.antenna:5958
rec.radio.amateur.equipment:2312 rec.radio.amateur.misc:3845

"Dave Platt" <dplatt@radagast.org> wrote in message
news:11tr9pbg3um4u93@corp.supernews.com...
> In article <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>,
> Gary Schafer  <gaschafer@comcast.net> wrote:
>
>>Every time you turn on the headlights the noise will get worse if the
>>radio is connected directly to the alternator because of additional
>>voltage drop on that line.
>>If there should be a break in the alternator wire to the battery the
>>surge from the alternator will most likely damage the radio.
>
> A more common problem I'd be concerned about would be "load dump",
> which occurs when a high-amperage load on the car's electrical bus
> stops drawing current abruptly - for example, if the headlights are
> switched off while the engine's running.   It's common for this to
> result in a large voltage spike out of the alternator, before the
> regulator has time to reduce the alternator output.  Spikes of several
> dozen volts are common - my recollection is that auto-electronics
> manufacturers engineer their devices to be able to stand 50 volts at
> their power-supply terminals for a brief moment.
>
> I would expect that the magnitude of this spike would be significantly
> greater at the alternator terminals, than it is at the battery, due to
> the series resistance and series inductance of the battery-to-
> alternator cable, and the battery's low impedance.  It's possible that
> a load (e.g. radio) which could survive a load-dump spike if wired to
> the battery, could be damaged by a higher-amplitude spike from the
> same load-dump event which might occur right at the alternator.
>
> It seems clear that the standard, recommended practice is to wire
> radios to the battery.  It also seems that the original poster is not
> satisfied with the justification for this practice (either by
```

> convention, recommendation of authority, or theoretical arguments
> posed to far), and that he has some arguments from first principles
> which he feels justify a different approach (wiring to the alternator).
>
> In the end, for the original poster to be satisfied (either that
> standard practice is the best practice, or that his alternate
> suggestion of wiring directly across the alternator is actually
> superior) I suspect that he's going to have to fall back on that old
> mainstay of scientific discovery - he's going to have to experiment.
>
> He'll have to wire several different radios, of various makes and
> models, up to [1] a double-fused heavy-gauge feed from the battery
> posts, and [2] an equivalent feed brought back to alternator and its
> ground. He can then determine whether his alternate approach actually
> delivers more useful current to the radio, whether the transmitter
> powers are actually higher, whether there is indeed more alternator
> whine or RFI on the transmitted signal or the received audio, and
> whether the radios show any differential in their ability to survive a
> few months of usage and load-dump spikes without losing their Magic
> Blue Smoke.
>
> Actual results (either way) trump speculative arguments.
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

I know of a guy who had an HF radio fry when the voltage to it exceeded 16 VDC - not once, but twice - doing some major damage (a few parts and lots of dollars). He didn't know what caused it the first time to protect it before the second. He thought it was just a fluke (the first time). The point is, anything beyond the rated 13.8 was running a risk - even if accidental. And as argued in previous posts, the whine coming straight from the mother of it - has to be a bear.

I would like to know - where this idea hails from - to begin with, how long "John" has been doing it, how many radios and/or alternators fried from it.

Also, I don't think any or all of us are saying we're all right and you - "John" - are all wrong. It just seems NONE OF US - have ever heard of this being done. WHERE - what book, teacher, etc - got you on the track of doing it this way???? We just all (except you) seem to be in agreement with the way "we" were taught. Maybe you could think of it as say - John Glenn explaining flying a rocket to a cave man. The concept new - unheard of. Not that it hasn't been done - you've said so yourself, ya got to be a good "salesman" to get it across to the masses who've yet to see. You have to know - anything "new" - be it a new drug to fight disease, technique to do surgery quicker and less painless - or Electronics techniques or measurements - will meet resistance until proven.

Maybe - if any of you out there have access to a junk car that runs yet, and

you're not afraid to experiment, can grab some junk (but working CBs/2 way radios) - give it a whirl and report back with your own test results. As Dave Platt said in the post above - "Actual results (either way) trump speculative arguments."
 I don't have a junk car to try it with..... Maybe I'll go to a junk yard and try to pick one up cheap..... try it a few times. I'd love to see how this works - maybe I can become a believer.

clf

```
From -4094633254366960612
X-Google-Thread: fc8b1,63bfc119d565e87b
X-Google-Thread: 108122,63bfc119d565e87b
X-Google-Thread: 1109af,63bfc119d565e87b
X-Google-Attributes: gidfc8b1,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!
53ab2750!not-for-mail
From: STEVE TROOK <STROOK@OPTONLINE.NET>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap
Subject: Re: Nice D-104 (Black)
References: <v6cDf.1225$8U2.475@trndny06>
In-Reply-To: <v6cDf.1225$8U2.475@trndny06>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <SLiDf.1498$uD5.669@fe12.lga>
Date: Mon, 30 Jan 2006 01:57:19 -0500
NNTP-Posting-Host: 24.188.114.125
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1138604146 24.188.114.125 (Sun, 29 Jan 2006 23:55:46 MST)
NNTP-Posting-Date: Sun, 29 Jan 2006 23:55:46 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2579
rec.radio.amateur.equipment:2313 rec.radio.swap:2464
```

what is it wired for???   I am interested.

Joe wrote:
> Anyone need a nice D-104 Night Eagle with preamp before it goes to "that
> other place"
> $40 + actual shipping costs from 11030 (around $7 USPM with conf)
> USA 50 only
> Big Photos

```
> http://members.bellatlantic.net/~vze2pdtg/d104.jpg
> http://members.bellatlantic.net/~vze2pdtg/d1042.jpg
>
> -Joe "NOSPAM"
>
>


From 5980787731904124853
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
news.astraweb.com!router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-
sjc-08!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Roy Lewallen <w7el@eznec.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: Mon, 30 Jan 2006 02:16:21 -0800
Organization: EZNEC Antenna Software
Message-ID: <11trprodls7d5b3@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net>
In-Reply-To: <43ddb851$0$25063$ecde5a14@news.coretel.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 30
Xref: g2news1.google.com rec.radio.amateur.antenna:5961
rec.radio.amateur.equipment:2314 rec.radio.amateur.misc:3847

CLFE wrote:
> . . .
> I know of a guy who had an HF radio fry when the voltage to it exceeded 16
> VDC - not once, but twice - doing some major damage (a few parts and lots of
> dollars). He didn't know what caused it the first time to protect it before
> the second. He thought it was just a fluke (the first time). The point is,
> anything beyond the rated 13.8 was running a risk - even if accidental. And
> as argued in previous posts, the whine coming straight from the mother of
> it - has to be a bear.

It might well have been the load dump phenomenon Dave described. The
cause of load dump is that at any given time, the alternator contains
quite a bit of energy. If a good part of the load is abruptly removed
```

from the alternator, the energy is "dumped" into whatever is left connected to it. The result can be several tens of volts or more, with the capability of supplying a lot of current. A common cause of load dump is loose battery terminals, and this might be what happened to the fellow with the blown rigs. The safest thing is to connect the rig directly to the battery posts, not the connectors or connecting wires. Long ago I bought and built a Heathkit SSB mobile rig, and I recall drilling holes in the ends of the battery posts and (gently) driving in some special terminals that came with the mobile supply.

I'll join the chorus in recommending against connecting a rig anywhere but at the battery, and add my recommendation that the connection be made directly to the posts. As several others have said, the battery does much more than start the car. Without it you've got a very nasty supply with the potential to do serious damage.

Roy Lewallen, W7EL

```
From -1523478859269257485
X-Google-Thread: 108122,23981175680a00a7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Another Ebay  Beware example
Date: 30 Jan 2006 02:42:37 -0800
Organization: http://groups.google.com
Lines: 6
Message-ID: <1138617757.245959.218930@g14g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138617762 7868 127.0.0.1 (30 Jan 2006 10:42:42 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 10:42:42 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2315
```

Take a look at 7384871458..Collins Ham radio??? He says that his grandfather "told" him it was collins. He also says that an experienced Ham would know what he was looking at, A non experienced Ham should not bid ..Thats not the point..Point is, "no where does it say Collins,NOWHERE...A perfect example of buyer beware.. W4PQW

From -7319794902839218335
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!sn-xt-sjc-15!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "J. Mc Laughlin" <jcm@power-net.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: Mon, 30 Jan 2006 09:52:59 -0500
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11ts9usuq7daa1@corp.supernews.com>
Reply-To: "J. Mc Laughlin" <jcm@power-net.net>
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com> <11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
X-Complaints-To: abuse@supernews.com
Lines: 59
Xref: g2news1.google.com rec.radio.amateur.antenna:5965
rec.radio.amateur.equipment:2316 rec.radio.amateur.misc:3849

An additional reason to connect to a point with the lowest Thev. equiv. resistance (battery terminals) has to do with turning off inductive loads. A student of mine told me he once measured just over -100 volts on the line to a windshield wiper motor when the motor was turned off at just the right time. (Storage scopes are desirable.) That system was not put into production.

Another story has to do with the turret motor in a tank. When the turret stopped rotating the resultant voltage spike would destroy all of the tank's electronics. (Talk about concentrating one's mind!) The temporary solution - since the problem was discovered late - was to buy huge zener diodes from Delco Radio (as it was then called) and place them across the 28 volt line.

73   Mac   N8TT

--
J. Mc Laughlin;   Michigan U.S.A.
Home: JCM@Power-Net.Net
"Roy Lewallen" <w7el@eznec.com> wrote in message
news:11trprodls7d5b3@corp.supernews.com...
> CLFE wrote:

```
> > . . .
> > I know of a guy who had an HF radio fry when the voltage to it exceeded
16
> > VDC - not once, but twice - doing some major damage (a few parts and
lots of
> > dollars). He didn't know what caused it the first time to protect it
before
> > the second. He thought it was just a fluke (the first time). The point
is,
> > anything beyond the rated 13.8 was running a risk - even if accidental.
And
> > as argued in previous posts, the whine coming straight from the mother
of
> > it - has to be a bear.
>
> It might well have been the load dump phenomenon Dave described. The
> cause of load dump is that at any given time, the alternator contains
> quite a bit of energy. If a good part of the load is abruptly removed
> from the alternator, the energy is "dumped" into whatever is left
> connected to it. The result can be several tens of volts or more, with
> the capability of supplying a lot of current. A common cause of load
> dump is loose battery terminals, and this might be what happened to the
> fellow with the blown rigs. The safest thing is to connect the rig
> directly to the battery posts, not the connectors or connecting wires.
> Long ago I bought and built a Heathkit SSB mobile rig, and I recall
> drilling holes in the ends of the battery posts and (gently) driving in
> some special terminals that came with the mobile supply.
>
> I'll join the chorus in recommending against connecting a rig anywhere
> but at the battery, and add my recommendation that the connection be
> made directly to the posts. As several others have said, the battery
> does much more than start the car. Without it you've got a very nasty
> supply with the potential to do serious damage.
>
> Roy Lewallen, W7EL




From 8969575426035588236
X-Google-Thread: 108122,23981175680a00a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Another Ebay Beware example
Date: 30 Jan 2006 07:12:17 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1138633937.790199.140620@z14g2000cwz.googlegroups.com>
References: <1138617757.245959.218930@g14g2000cwa.googlegroups.com>
```

NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138633943 14539 127.0.0.1 (30 Jan 2006 15:12:23 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 15:12:23 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2317

Also see Hallicrafters 5858761318... I inquired about this ,He says
that since he advised in his listing that he knew nothing about the
equip that everyone should not expect him to be responsible for saying
that it is a Hallicrafter.. What a disclaimer...buyer beware again..

From -5774520298524368366
X-Google-Thread: 108122,23981175680a00a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g49g2000cwa.googlegroups.com!not-for-
mail
From: w4pqw@cox.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Another Ebay Beware example
Date: 30 Jan 2006 07:12:19 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1138633939.802261.286350@g49g2000cwa.googlegroups.com>
References: <1138617757.245959.218930@g14g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.1.112.67
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138633945 14545 127.0.0.1 (30 Jan 2006 15:12:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 15:12:25 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1;
FunWebProducts),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g49g2000cwa.googlegroups.com; posting-host=68.1.112.67;
   posting-account=1DJ5AwwAAAARxlmaHomBOSyfP8FvFcub
Xref: g2news1.google.com rec.radio.amateur.equipment:2318

Also see Hallicrafters 5858761318... I inquired about this ,He says
that since he advised in his listing that he knew nothing about the
equip that everyone should not expect him to be responsible for saying
that it is a Hallicrafter.. What a disclaimer...buyer beware again..

```
From -4741052751027739547
X-Google-Thread: 108122,23981175680a00a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <43DE31B8.89FCB370@nospam.org>
From: mike <mike@nospam.org>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Another Ebay  Beware example
References: <1138617757.245959.218930@g14g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
Date: Mon, 30 Jan 2006 15:33:14 GMT
NNTP-Posting-Host: 12.76.208.74
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1138635194 12.76.208.74 (Mon, 30 Jan 2006 15:33:14 GMT)
NNTP-Posting-Date: Mon, 30 Jan 2006 15:33:14 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2319
```

Reported these two auctions to ebay
for misleading titles and using
brand name spam.

```
From 6594524046606997326
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 30 Jan 2006 07:39:33 -0800
Organization: http://groups.google.com
Lines: 84
Message-ID: <1138635573.308064.14190@o13g2000cwo.googlegroups.com>
```

```
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <xn0ehsrom10dne002@cnews.newsguy.com>
   <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
   <767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
   <1138556414.231655.305980@f14g2000cwb.googlegroups.com>
   <ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
   <1138572706.181945.314800@f14g2000cwb.googlegroups.com>
   <xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
   <NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
   <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138635578 18379 127.0.0.1 (30 Jan 2006 15:39:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 15:39:38 +0000 (UTC)
In-Reply-To: <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.antenna:5970
rec.radio.amateur.equipment:2320 rec.radio.amateur.misc:3851
```

Gary Schafer wrote:
> On Sun, 29 Jan 2006 20:38:44 -0500, John Popelish <jpopelish@rica.net>
> wrote:

(snip)

> >But back to your question, I assumed that you are qualified to measure
> >the wiring resistance between your alternator and battery and also
> >calculate (or read the manual for) the supply current of your radio,
> >and know ohm's law. So you should be able to tell me the difference
> >in the voltage between your alternator and battery. You might also
> >estimate what the ampacity of that branch wire (with fusible link) is,
> >based on the wire gauge of the link. If that current is anything near
> >your radio's draw, you might worry about operating your radio through
> >that link, especially right after starting the engine, when the
> >battery is recharging through it, also. Replacing that piece of wire
> >is an onerous task in many cars.
>
> I have never seen it recommended to connect a radio to anywhere but at
> the battery terminals. Even if the radio were to be connected to a
> junction box designed for this purpose some distance from the battery
> you never want the alternator to connect to that same junction. Having
> anything connected to the wire carrying alternator current will induce
> noise into that power line due to the resistance of the alternator
> charging wire.
>
> Most wires coming from the alternator to the battery are rather small,
> #10 or #8 wire at best. There is significant voltage drop in that

> wire. The noise from the alternator is not just from the average current causing a voltage drop but from the peak current which is much higher.

Thank you for discussing principles and effects.

Agreed, that the alternator does not produce pure DC, so the voltage will not be quite as quiet as it is at the other end of the several feet of wire that connects to the battery positive. (But to paraphrase Ceeil Moore's question to me, earlier) Do you have any idea, quantitively how much voltage you are talking about? THe ripple current in the output of the alternator sjhould be a few percent of the DC, at most, with some high frequency pings caused by rectifier reverse recovery.   Adding a rather small PI filter is very effective at reducing all this no a much lower value. And the small charging branch to the battery cuts the other way, also. If you draw significant current from the battery, the battery's voltage is held lower than the alternator voltage by the IR drop of that wire. And that drop lowers the charge state of the battery.

> Every time you turn on the headlights the noise will get worse if the radio is connected directly to the alternator because of additional voltage drop on that line.
> If there should be a break in the alternator wire to the battery the surge from the alternator will most likely damage the radio.

Now, you may just have hit upon the one factor that trumps every other minor effect. Unfortunately, the most common cause of load dump voltage damage to automotive electronics is caused by a loose battery terminal. So, till you solve that problem, you are not gaining much insurance by moving your connections to the battery terminal.

> The alternator regulator most likely would not be able to handle the rapidly changing load of an SSB radio smoothly causing additional spikes as it tries to regulate.

Is any radio not equiped with input bypass capacitors? I am skeptical. If this were the case, the radio would not tolerate feet of wire in the power circuit. Do you have a schematic of any DC powered radio that does not show some storage at the DC power input?

Again, we are not talking about powering from an alternator with no battery attached (except for a terminal comng off the battery), only moving the power point to the other end of the battery charging branch wire (that 2 or 3 feet of 10 gauge wire you mentioned earlier (with, possibly a fuse link section in it) so that the average current arrives from the alternator, and only a stabilizing effect on the ripple arrives from the battery through that wire.

> Need more reasons? :>)

Who knows?   If you got 'em, I am happy to think about 'em.

I want to thank you, again, for taking time to think (in print) about what is going on in this system and what can go wrong. This has been helpful.

```
From -4854203137180698047
X-Google-Thread: 108122,560ec71119e2efb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!news.maxwell.syr.edu!
nx01.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!
cox.net!p01!dukeread02.POSTED!53ab2750!not-for-mail
From: Sonny Hood <wrhood@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - ICOM to LINEAR CABLE
Message-ID: <34dst15jemigoanrt7rs098e5utjp6knc3@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Mon, 30 Jan 2006 10:46:21 -0500
NNTP-Posting-Host: 70.161.172.197
X-Complaints-To: abuse@cox.net
X-Trace: dukeread02 1138635997 70.161.172.197 (Mon, 30 Jan 2006 10:46:37 EST)
NNTP-Posting-Date: Mon, 30 Jan 2006 10:46:37 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2321
```

Icom to linear amplifier cable, that protects the Icom Pro transceivers internal relay, Made by W2ENY. This cable plugs into the accessory (ACC 2) rear jack (DIN type) on the Icom Pro series and has 4 feet of shielded cable and an RCA/Phono type plug for your amplifier. The cable has a relay in it, the contacts are rated for 2 amps DC and 0.6 amps AC. Mailed to you for $25
<k4wys@cox.net>

```
From -1655292379682969182
X-Google-Thread: 108122,4cb13a10d7381bc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Date: Mon, 30 Jan 2006 15:52:35 +0000
From: cut this out <""lionelcarter\"@(cut this out)lineone.net">
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Advance Signal Generator type DIP/2
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
NNTP-Posting-Host: 62-64-209-95.dynamic.dial.as9105.com
```

```
Message-ID: <43de34d8_2@mk-nntp-1.news.uk.worldonline.com>
X-Trace: 30 Jan 2006 15:46:32 GMT, 62-64-209-95.dynamic.dial.as9105.com
Lines: 3
Path: g2news1.google.com!news1.google.com!proxad.net!proxad.net!
nx01.iad01.newshosting.com!newshosting.com!tiscali!newsfeed2.ip.tiscali.net!mk-
nntp-1.news.uk.worldonline.com!62-64-209-95.dynamic.dial.as9105.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2322
```

I've acquired the sig gen among a lot at a junk sale, minus its manual.
I'm not seriously into vintage radio/wireless but does anyone know where
I could find out more about the gear.

```
From 253543037382365035
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 30 Jan 2006 07:55:06 -0800
Organization: http://groups.google.com
Lines: 89
Message-ID: <1138636506.753752.81780@o13g2000cwo.googlegroups.com>
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
   <NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
   <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
   <11tr9pbg3um4u93@corp.supernews.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138636511 20643 127.0.0.1 (30 Jan 2006 15:55:11 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 15:55:11 +0000 (UTC)
In-Reply-To: <11tr9pbg3um4u93@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.antenna:5971
rec.radio.amateur.equipment:2323 rec.radio.amateur.misc:3852
```

Dave Platt wrote:

> In article <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>,

> Gary Schafer <gaschafer@comcast.net> wrote:
>
> > Every time you turn on the headlights the noise will get worse if the radio is connected directly to the alternator because of additional voltage drop on that line.
> >
> > If there should be a break in the alternator wire to the battery the surge from the alternator will most likely damage the radio.
>
> A more common problem I'd be concerned about would be "load dump", which occurs when a high-amperage load on the car's electrical bus stops drawing current abruptly - for example, if the headlights are switched off while the engine's running. It's common for this to result in a large voltage spike out of the alternator, before the regulator has time to reduce the alternator output. Spikes of several dozen volts are common - my recollection is that auto-electronics manufacturers engineer their devices to be able to stand 50 volts at their power-supply terminals for a brief moment.

This is an effect that is well worth discussing and understanding, thoroughly.

The load dump (with battery connected) would be a very slight thing, if the alternator could react instantaneously to load changes. But like any feedback control system, it has a maximum frequency that it can react. The electronic excitation regulator is quite fast at detecting the slight rise in system voltage following a load reduction (headlights turned off), but the magnetic field around the rotor takes more time to decay after the excitation regulator decides to cut its current. During that time, the alternator ramps its output current down from what the load curent was before the dump to what it is after the dump. So there is a few 10s of milliseconds when the battery has to absorb the extra current. And that pushes the voltage across it up.

The opposite effect occurs (and worse because ocold filaments draw almost 10 times the normal current) when the headlights are first turned on. There is also a wiring system inductive effect that adds an additional but very brief (microseconds) peak to each of those excursions.

> I would expect that the magnitude of this spike would be significantly greater at the alternator terminals, than it is at the battery, due to the series resistance and series inductance of the battery-to-alternator cable, and the battery's low impedance. It's possible that a load (e.g. radio) which could survive a load-dump spike if wired to the battery, could be damaged by a higher-amplitude spike from the same load-dump event which might occur right at the alternator.
>
> It seems clear that the standard, recommended practice is to wire radios to the battery. It also seems that the original poster is not satisfied with the justification for this practice (either by convention, recommendation of authority, or theoretical arguments posed to far), and that he has some arguments from first principles which he feels justify a different approach (wiring to the alternator).

I want to understand why the recommended way is best, all things considered. I see some positives and some negatives, and judged, on balance that the "normal" way was not necessarily the best way. But, the load dump factor may outweigh all the others, if it causes damage. I'm not so sure it does, but this diuscussion is helping me weigh it.

> In the end, for the original poster to be satisfied (either that
> standard practice is the best practice, or that his alternate
> suggestion of wiring directly across the alternator is actually
> superior) I suspect that he's going to have to fall back on that old
> mainstay of scientific discovery - he's going to have to experiment.

All the principles involved should include only known science. As long as I don't miss anything, the probvlem should be solvable without reinventing electrical principles by experiment. But a few accurate measurements of the voltage spikes at both the battery terminals and DC bus distribution point are probably not a bad idea, in any particular car.

> He'll have to wire several different radios, of various makes and
> models, up to [1] a double-fused heavy-gauge feed from the battery
> posts, and [2] an equivalent feed brought back to alternator and its
> ground. He can then determine whether his alternate approach actually
> delivers more useful current to the radio, whether the transmitter
> powers are actually higher, whether there is indeed more alternator
> whine or RFI on the transmitted signal or the received audio, and
> whether the radios show any differential in their ability to survive a
> few months of usage and load-dump spikes without losing their Magic
> Blue Smoke.
>
> Actual results (either way) trump speculative arguments.

We totally agree on this. Argue with anyone but reality. ;-)

From 2450489309071965726
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 30 Jan 2006 08:03:20 -0800
Organization: http://groups.google.com
Lines: 44
Message-ID: <1138637000.703505.117300@o13g2000cwo.googlegroups.com>
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$206.3805@newssvr12.news.prodigy.com>

```
   <NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
   <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
   <11tr9pbg3um4u93@corp.supernews.com>
   <43ddb851$0$25063$ecde5a14@news.coretel.net>
   <11trprodls7d5b3@corp.supernews.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138637005 21560 127.0.0.1 (30 Jan 2006 16:03:25 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 16:03:25 +0000 (UTC)
In-Reply-To: <11trprodls7d5b3@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.antenna:5972
rec.radio.amateur.equipment:2324 rec.radio.amateur.misc:3853
```

Roy Lewallen wrote:
> CLFE wrote:
> > . . .
> > I know of a guy who had an HF radio fry when the voltage to it exceeded 16
> > VDC - not once, but twice - doing some major damage (a few parts and lots of
> > dollars). He didn't know what caused it the first time to protect it before
> > the second. He thought it was just a fluke (the first time). The point is,
> > anything beyond the rated 13.8 was running a risk - even if accidental. And
> > as argued in previous posts, the whine coming straight from the mother of
> > it - has to be a bear.
>
> It might well have been the load dump phenomenon Dave described. The
> cause of load dump is that at any given time, the alternator contains
> quite a bit of energy. If a good part of the load is abruptly removed
> from the alternator, the energy is "dumped" into whatever is left
> connected to it. The result can be several tens of volts or more, with
> the capability of supplying a lot of current. A common cause of load
> dump is loose battery terminals, and this might be what happened to the
> fellow with the blown rigs. The safest thing is to connect the rig
> directly to the battery posts, not the connectors or connecting wires.
> Long ago I bought and built a Heathkit SSB mobile rig, and I recall
> drilling holes in the ends of the battery posts and (gently) driving in
> some special terminals that came with the mobile supply.
>
> I'll join the chorus in recommending against connecting a rig anywhere
> but at the battery, and add my recommendation that the connection be
> made directly to the posts. As several others have said, the battery
> does much more than start the car. Without it you've got a very nasty
> supply with the potential to do serious damage.

Thank you for supplying an important missing piece of this puzzle.

I would add that if your battery starts to get a little flakey and the voltage is sagging pretty low during starting, you can have a large increase in the load dump voltage at the battery, even if you have made the seperate connections you describe, just because of the increase in the battery impedance.

One of the most common electrical system problem in cars is loose battery terminals, and I'll bet not one person in a hundred, that installs separate leads to the battery, terminates them as you describe. So when I hear stories of a load dump causing damage, I always wonder about how clean and tight those terminals were.

```
From -673588111380652155
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr27.news.prodigy.net.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@arrl.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: 
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrom10dne002@cnews.newsguy.com>   <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
<767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
<1138556414.231655.305980@f14g2000cwb.googlegroups.com>
<ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
<1138572706.181945.314800@f14g2000cwb.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
<1138635573.308064.14190@o13g2000cwo.googlegroups.com>
In-Reply-To: <1138635573.308064.14190@o13g2000cwo.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <g2rDf.20155$Yu.4513@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 70.136.55.139
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr27.news.prodigy.net 1138638092 ST000 70.136.55.139 (Mon, 30 Jan
2006 11:21:32 EST)
NNTP-Posting-Date: Mon, 30 Jan 2006 11:21:32 EST
Organization: SBC http://yahoo.sbc.com
```

```
X-UserInfo1:
[[PAPDONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAF@YUDUWYAKVUOPCW[ML\JXUCKVFDYZKBMSFX^OMSAFN
TINTDDMVW[X\THOPXZRVOCJTUTPC\_JSBVX\KAOTBAJBVMZTYAKMNLDI_MFDSSOLXINH__FS^\WQGHGI^C
@E[A_CF\AQLDQ\BTMPLDFNVUQ_VM
Date: Mon, 30 Jan 2006 16:21:32 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:5975
rec.radio.amateur.equipment:2325 rec.radio.amateur.misc:3854

jpopelish@rica.net wrote:
> Unfortunately, the most common cause of load dump
> voltage damage to automotive electronics is caused by a loose battery
> terminal.  So, till you solve that problem, you are not gaining much
> insurance by moving your connections to the battery terminal.

I replaced my original equipment GMC pickup battery with
a Sears Die-Hard with four ternmials. Two of the terminals
are the standard GMC terminals on the side and two of the
terminals are old-style posts on top. I tie my transceiver
to the two posts on top.
--
73, Cecil  http://www.qsl.net/w5dxp


From -2414379831440305 70
X-Google-Thread: 108122,23981175680a00a7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!pln-w!
spln!rex!extra.newsguy.com!newsp.newsguy.com!enews4
From: "Leanne" <leanne@islc.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Another Ebay Beware example
Date: Mon, 30 Jan 2006 11:36:40 -0500
Organization: http://extra.newsguy.com
Lines: 14
Message-ID: <drlfn70g98@enews4.newsguy.com>
References: <1138617757.245959.218930@g14g2000cwa.googlegroups.com>
<1138633937.790199.140620@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: p-615.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:2326


<w4pqw@cox.net> wrote in message
news:1138633937.790199.140620@z14g2000cwz.googlegroups.com...
> Also see Hallicrafters 5858761318...  I inquired about this ,He says
> that since he advised in his listing that he knew nothing about the
> equip that everyone should not expect him to be responsible for saying
> that it is a Hallicrafter.. What a disclaimer...buyer beware again..
```

I love the footprint on one of the front panels. Is this what they call shock excitation??

Leanne

From -8468945118806646330
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: Mon, 30 Jan 2006 18:56:05 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11tsoa5bps11h62@corp.supernews.com>
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com> <11tr9pbg3um4u93@corp.supernews.com> <43ddb851$0$25063$ecde5a14@news.coretel.net> <11trprodls7d5b3@corp.supernews.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news1.google.com rec.radio.amateur.antenna:5978 rec.radio.amateur.equipment:2327 rec.radio.amateur.misc:3855

In article <11trprodls7d5b3@corp.supernews.com>,
Roy Lewallen <w7el@eznec.com> wrote:

>   A common cause of load
>dump is loose battery terminals, and this might be what happened to the
>fellow with the blown rigs. The safest thing is to connect the rig
>directly to the battery posts, not the connectors or connecting wires.
>Long ago I bought and built a Heathkit SSB mobile rig, and I recall
>drilling holes in the ends of the battery posts and (gently) driving in
>some special terminals that came with the mobile supply.

Neat idea!

I've noticed that some of the Optima batteries (e.g. the blue-top dual-application type) come with two sets of battery posts - standard car-type posts, and smaller (threaded - SAE?) studs. Might be a good idea to connect radios to the threaded studs, using heavy-duty ring terminals on the ends of the wires.

--

```
Dave Platt <dplatt@radagast.org>                                    AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!
```

```
From 696244783483891568
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 30 Jan 2006 11:01:12 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1138647672.578460.259550@g44g2000cwa.googlegroups.com>
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <xn0ehsrom10dne002@cnews.newsguy.com>
   <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
   <767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
   <1138556414.231655.305980@f14g2000cwb.googlegroups.com>
   <ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
   <1138572706.181945.314800@f14g2000cwb.googlegroups.com>
   <xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
   <NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
   <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
   <1138635573.308064.14190@o13g2000cwo.googlegroups.com>
   <g2rDf.20155$Yu.4513@newssvr27.news.prodigy.net>
NNTP-Posting-Host: 151.123.128.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138647679 14506 127.0.0.1 (30 Jan 2006 19:01:19 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 19:01:19 +0000 (UTC)
In-Reply-To: <g2rDf.20155$Yu.4513@newssvr27.news.prodigy.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; InfoPath.1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=151.123.128.10;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.antenna:5979
rec.radio.amateur.equipment:2328 rec.radio.amateur.misc:3857
```

Cecil Moore wrote:

> I replaced my original equipment GMC pickup battery with
> a Sears Die-Hard with four ternmials. Two of the terminals
> are the standard GMC terminals on the side and two of the
> terminals are old-style posts on top. I tie my transceiver
> to the two posts on top.

Now, There's a tip worth passing along.

From -8757356215991652757
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 30 Jan 2006 13:03:14 -0600
From: Gary Schafer <gaschafer@comcast.net>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: Mon, 30 Jan 2006 14:03:18 -0500
Message-ID: <7iost15an0kvcc4sgfl4tr5j7vk7klc5j0@4ax.com>
References: <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
<767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
<1138556414.231655.305980@f14g2000cwb.googlegroups.com>
<ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
<1138572706.181945.314800@f14g2000cwb.googlegroups.com>
<xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
<1138635573.308064.14190@o13g2000cwo.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
NNTP-Posting-Host: 71.57.149.211
X-Trace: sv3-FY4MfLNouxlu/
Tehni6fbtSY1mJRFf7r18i8waDyeUW02K2CMXi0Fj9J1Hqg4Z8WxO+iuUXCsmtRLgy!
xBUVzDNO4LraU7+SdMcloyuGP4/9ZGcwebH/Zwnka172o1/m6W4tL3PkBAdCJ+bhEqQW7IQqocvQ!
4ZJyZIaCM9A/
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5980
rec.radio.amateur.equipment:2329 rec.radio.amateur.misc:3858

On 30 Jan 2006 07:39:33 -0800, jpopelish@rica.net wrote:

>
>Gary Schafer wrote:
>> On Sun, 29 Jan 2006 20:38:44 -0500, John Popelish <jpopelish@rica.net>
>> wrote:
>
>> The alternator regulator most likely would not be able to handle the
>> rapidly changing load of an SSB radio smoothly causing additional
>> spikes as it tries to regulate.
>
>Is any radio not equiped with input bypass capacitors? I am skeptical.
> If this were the case, the radio would not tolerate feet of wire in
>the power circuit. Do you have a schematic of any DC powered radio
>that does not show some storage at the DC power input?

Most radios do not have much for DC line filtering in them. Maybe a
500 to 1000 mfd cap if that. With a current draw of around 20 amps for
the typical transmitter 1000 mfd is not much capacitance at 12 volts.

As to the "load dump" problem, when the radio draw swings from around
1 amp to 20 amps at an audio rate I have to believe that the
alternator regulator would have a hard time keeping up and not
allowing overshoot or holes in the supply current.

Alternator filters can help filter out alternator noise but some times
they fail to do so even when the radio is fed directly from the
battery.

73
Gary K4FMX

From -2357249997608361668
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
From: Bruce in Alaska <bruceg@btpost.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Organization: Bruce's Trading Post
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>

```
<cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
<1138558667.034215.296450@g47g2000cwa.googlegroups.com>
<cuvyxnansvbet.itv90j6.pminews@newsgroups.comcast.net>
<1138573283.063661.26590@g44g2000cwa.googlegroups.com>
<cuvyxnansvbet.itvdlka.pminews@newsgroups.comcast.net>
User-Agent: MT-NewsWatcher/3.1 (PPC)
Message-ID: <bruceg-2CA04E.10145630012006@netnews.worldnet.att.net>
Lines: 31
Date: Mon, 30 Jan 2006 19:13:11 GMT
NNTP-Posting-Host: 12.12.208.118
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1138648391 12.12.208.118 (Mon, 30 Jan
2006 19:13:11 GMT)
NNTP-Posting-Date: Mon, 30 Jan 2006 19:13:11 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2330

In article <cuvyxnansvbet.itvdlka.pminews@newsgroups.comcast.net>,
 "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop> wrote:

> On 29 Jan 2006 14:21:23 -0800, jpopelish@rica.net wrote:
>
> >Do those qualifications mean that you cannot ever be wrong about
> >anything technical?  Are your qualifications the entirety of your
> >argument, or do you have something specific and physical to add?
>
>   Have you ever appeared as an expert witness?  Qualifications are
>   "job number one".  I get my jollies blowing opposing "experts" out
>   of the water.  Most don't know what hit them when they realize that
>   in addition to bring a communications attorney, recognized as an
>   expert in the field, I'm also a Professional Electrical Engineer,
>   recognized as an expert in that field as well,.......I do my job
>   rather well and I can't/won't be snowed in either field.
>
>   Enjoy your world.....
>
> --
>    73 de K2ASP - Phil Kane
>
>

Hey Phil,   Nice to see your posts again around the Old Usenet.....
I am sure that most of these armchair engineers, can match your
wallpaper, or even come close.

Bruce in alaska
--
add a <2> before @


From 8130115593195881500
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
```

```
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!sn-xt-
sjc-15!sn-xt-sjc-07!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Roy Lewallen <w7el@eznec.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: Mon, 30 Jan 2006 13:21:07 -0800
Organization: EZNEC Antenna Software
Message-ID: <11tt0q73gk50627@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xfdDf.5451$206.3805@newssvr12.news.prodigy.com>
<NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
<2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
<11tr9pbg3um4u93@corp.supernews.com>
<43ddb851$0$25063$ecde5a14@news.coretel.net>
<11trprodls7d5b3@corp.supernews.com>
<1138637000.703505.117300@o13g2000cwo.googlegroups.com>
In-Reply-To: <1138637000.703505.117300@o13g2000cwo.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 14
Xref: g2news1.google.com rec.radio.amateur.antenna:5981
rec.radio.amateur.equipment:2331 rec.radio.amateur.misc:3869
```

I have one ancient but probably still valid reference to alternator load dump. It indicates that it can be simulated by connecting a 6000 uF capacitor charged to 120 volts to the system. The result is a 120 volt spike with a decay time of several tens of ms. (The reference doesn't show the load current or impedance, but presumably this is with a typical automotive load and wiring system.) It also shows how a so-called "'A' line filter" -- an L network of 200 - 400 uH and 1000 uF reduces the peak voltage to a mere 40 volts but with a stretched decay time. The conclusion is that robust automotive electronic devices should be able to withstand this. I got this from an app note for a National audio amplifier IC which was designed to be used in automotive applications and so can withstand momentary 40 volt spikes.

Roy Lewallen, W7EL

```
From -3924514155014945380
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-
```

mail
From: jpopelish@rica.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 30 Jan 2006 13:24:42 -0800
Organization: http://groups.google.com
Lines: 23
Message-ID: <1138656282.777637.162910@g44g2000cwa.googlegroups.com>
References: <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
 <767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
 <1138556414.231655.305980@f14g2000cwb.googlegroups.com>
 <ctaDf.15208$_S7.3112@newssvr14.news.prodigy.com>
 <1138572706.181945.314800@f14g2000cwb.googlegroups.com>
 <xfdDf.5451$2O6.3805@newssvr12.news.prodigy.com>
 <NYOdnbB1pMmP8EDenZ2dnUVZ_t6dnZ2d@adelphia.com>
 <2l8rt1pobob8lojd1ujsb9md1qndatmq04@4ax.com>
 <1138635573.308064.14190@o13g2000cwo.googlegroups.com>
 <7iost15an0kvcc4sgfl4tr5j7vk7klc5j0@4ax.com>
NNTP-Posting-Host: 151.123.128.10
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138656288 2375 127.0.0.1 (30 Jan 2006 21:24:48 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 30 Jan 2006 21:24:48 +0000 (UTC)
In-Reply-To: <7iost15an0kvcc4sgfl4tr5j7vk7klc5j0@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322; InfoPath.1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=151.123.128.10;
 posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.antenna:5982
rec.radio.amateur.equipment:2332 rec.radio.amateur.misc:3870

Gary Schafer wrote:
> On 30 Jan 2006 07:39:33 -0800, jpopelish@rica.net wrote:
> Most radios do not have much for DC line filtering in them. Maybe a
> 500 to 1000 mfd cap if that. With a current draw of around 20 amps for
> the typical transmitter 1000 mfd is not much capacitance at 12 volts.
>
> As to the "load dump" problem, when the radio draw swings from around
> 1 amp to 20 amps at an audio rate I have to believe that the
> alternator regulator would have a hard time keeping up and not
> allowing overshoot or holes in the supply current.

(snip)

If I had a radio that had a 20 ampere power swing through the supply leads at audio frequencys, I would consider it a poor choice to run those power leads more than a few inches without adding some serious storage at the radio end of the wires, just to reduce the IR (reduce peak amps to something closer to average) and inductive drop of the power wires. The same applies to an audio amplifier of similar current draw. It is very common for large audio amplifiers to have serious capacitance at their end of the power wires. This also reduces the peak voltage during a load dump.

```
From 1304513245308559806
X-Google-Thread: 108122,17afdc954e7ac8b7,start
X-Google-Thread: fa029,17afdc954e7ac8b7,start
X-Google-Thread: 1109af,17afdc954e7ac8b7,start
X-Google-Attributes: gid108122,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny09.POSTED!4f97008e!
not-for-mail
From: "10-4" <pottsladd13@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
Subject: FS: mobile radio console, home made.
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <lXuCf.65$pO2.30@trndny09>
Date: Fri, 27 Jan 2006 19:58:09 GMT
NNTP-Posting-Host: 68.238.206.164
X-Complaints-To: abuse@verizon.net
X-Trace: trndny09 1138391889 68.238.206.164 (Fri, 27 Jan 2006 14:58:09 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 14:58:09 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2233 rec.radio.scanner:1938
rec.radio.swap:2401
```

I made this console about 2 yrs ago. I had the following radio's installed: HR2510, BC780XLT, FT8900R. I'm asking for $45.00 plus $25.00 shipping.

For a photo please look at:
http://mysite.verizon.net/commctr1/

Any questions please email direct:
pottsladd13@yahoo.com

```
From 5917359545543803910
X-Google-Thread: 108122,17afdc954e7ac8b7
X-Google-Thread: fa029,17afdc954e7ac8b7
X-Google-Thread: 1109af,17afdc954e7ac8b7
X-Google-Attributes: gid108122,gidfa029,gid1109af,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.centurytel.net!news.centurytel.net.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 27 Jan 2006 14:03:40 -0600
From: "Honest John" <honestjohn@centurytel.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
References: <lXuCf.65$pO2.30@trndny09>
Subject: Re: mobile radio console, home made.
Date: Fri, 27 Jan 2006 13:47:21 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <5-2dnR2Y06QB4UfenZ2dnUVZ_tydnZ2d@centurytel.net>
Lines: 12
NNTP-Posting-Host: 207.119.83.237
X-Trace: sv3-rRSoD7T61ucMk5PpW/
Vl1enTJBiNAsKlnbeUMqDXa9JqMMsYEo5KiueLK3xBR0fwpaU8u9n3V/OuQaF!
ybYbXfhxPuv4NLqNkcvI/d0fNchwluZPTopFlWJ/9H8sEN72ntdOB7oAEFlIGqSUPaEIqsOYVs1r!
zmiC4Z52GjhcCfcRLyWZ3wILV/Tpm8iFHktxQjkNzg==
X-Complaints-To: abuse@centurytel.net
X-DMCA-Complaints-To: abuse@centurytel.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2234 rec.radio.scanner:1939
rec.radio.swap:2402


"10-4" <pottsladd13@yahoo.com> wrote in message
news:lXuCf.65$pO2.30@trndny09...
> I made this console about 2 yrs ago. I had the following radio's
> installed: HR2510, BC780XLT, FT8900R. I'm asking for $45.00 plus $25.00
> shipping.

For $70 do the radios come with it ?

H.J.




From 6985489808895666620
X-Google-Thread: 108122,17afdc954e7ac8b7
X-Google-Thread: fa029,17afdc954e7ac8b7
X-Google-Thread: 1109af,17afdc954e7ac8b7
X-Google-Attributes: gid108122,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!4f97008e!
not-for-mail
```

From: "10-4" <pottsladd13@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
References: <lXuCf.65$pO2.30@trndny09>
<5-2dnR2Y06QB4UfenZ2dnUVZ_tydnZ2d@centurytel.net>
Subject: Re: mobile radio console, home made.
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <1bvCf.14$UY3.6@trndny05>
Date: Fri, 27 Jan 2006 20:14:53 GMT
NNTP-Posting-Host: 68.238.206.164
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1138392893 68.238.206.164 (Fri, 27 Jan 2006 15:14:53 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 15:14:53 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2235 rec.radio.scanner:1940
rec.radio.swap:2404

ummmmmmmmmmm NO

nice try

From 1699271227733837891
X-Google-Thread: 108122,17afdc954e7ac8b7
X-Google-Thread: fa029,17afdc954e7ac8b7
X-Google-Thread: 1109af,17afdc954e7ac8b7
X-Google-Attributes: gid108122,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news1.google.com!proxad.net!
news.tele.dk!news.tele.dk!small.news.tele.dk!multikabel.net!feed20.multikabel.net!
sn-ams-06!sn-xt-ams-08!sn-post-ams-01!sn-post-01!supernews.com!news.supernews.com!
not-for-mail
From: Bo Williams <williams@hiwaay.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
Subject: Re: FS: mobile radio console, home made.
Date: Fri, 27 Jan 2006 14:16:28 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11tkvst1siidn37@news.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <lXuCf.65$pO2.30@trndny09>
In-Reply-To: <lXuCf.65$pO2.30@trndny09>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 13
Xref: g2news1.google.com rec.radio.amateur.equipment:2236 rec.radio.scanner:1941

rec.radio.swap:2405

10-4 wrote:
> I made this console about 2 yrs ago. I had the following radio's
> installed: HR2510, BC780XLT, FT8900R. I'm asking for $45.00 plus $25.00
> shipping.
> For a photo please look at:
> http://mysite.verizon.net/commctr1/

This appears to be something that anyone with a saw and a few scraps
could make in half an hour. The "friction" mount and the rough fit and
finish contribute to this impression. What makes it worth $70?
--
Bo Williams - williams@hiwaay.net
http://hiwaay.net/~williams/

```
From 3475768676301830813
X-Google-Thread: 108122,1df1b29b0b7eca0c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!
trnddc02.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <7uokt15vvp50jek4qa19aa9fi4nfutm6r4@4ax.com>
Subject: Re: Just my 2 cents worth on the Kenwood TS-2000...
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <hqvCf.5639$oo1.5432@trnddc02>
Date: Fri, 27 Jan 2006 20:31:09 GMT
NNTP-Posting-Host: 63.19.234.54
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1138393869 63.19.234.54 (Fri, 27 Jan 2006 15:31:09 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 15:31:09 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2237
```

"Carl" <cccccccc3cc3cc2c@aol.com> wrote in message
news:7uokt15vvp50jek4qa19aa9fi4nfutm6r4@4ax.com...
>
> Does anyone else think the Kenwood TS-2000 is ugly? It seems odd
> that a company like Kenwood could come out with a radio as beautiful
> as the Kenwood TS-940, and then follow it up a few years later with a
> radio as ugly as the Kenwood TS-2000.
>

I had the 2000X for several months. Just could not get used to the firmware
after years of Icom. Selecting the RX antenna port was a hassle, no band

stacking registers, filter presets- on and on. Got rid of it and happy again
with a PRO II.

Dale W4OP
>

From -5846864273215907204
X-Google-Thread: 10ed5f,749b693a6218f45b,start
X-Google-Thread: 108122,749b693a6218f45b,start
X-Google-Thread: 107ada,749b693a6218f45b,start
X-Google-Thread: fa029,749b693a6218f45b,start
X-Google-Thread: 1109af,749b693a6218f45b,start
X-Google-Attributes: gid10ed5f,gid108122,gid107ada,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny05.POSTED!a8a4960a!
not-for-mail
From: "N1RSP" <n1rsp@verizon.net>
Newsgroups: alt.ham-radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.radio.swap
Subject: Standard C5900 Tri Band Radio
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <PxxCf.290$UY3.188@trndny05>
Date: Fri, 27 Jan 2006 22:55:43 GMT
NNTP-Posting-Host: 70.19.186.228
X-Complaints-To: abuse@verizon.net
X-Trace: trndny05 1138402543 70.19.186.228 (Fri, 27 Jan 2006 17:55:43 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 17:55:43 EST
Xref: g2news1.google.com alt.ham-radio:461 rec.radio.amateur.equipment:2238
rec.radio.amateur.misc:3782 rec.radio.scanner:1942 rec.radio.swap:2406

I have for sale an execelent tri band radio that I no longer need.I have
original box,remote cable for the head and I may have original manual for
it.I do know I have a copy of the manual also.This radio has been in my
wifes van and just used mainly as a scanner.So I took it out and replaced it
with a scanner.So now it is up for sale.I am looking to get $375.00 for
it,plus a little help in shipping .And yes it is worth evrey cent.So please
no tire kickers.Either you want it or you don't.Thanks for looking.I can be
reached at 978-281-1339

```
From -1407326167231018101
X-Google-Thread: 108122,17afdc954e7ac8b7
X-Google-Thread: fa029,17afdc954e7ac8b7
X-Google-Thread: 1109af,17afdc954e7ac8b7
X-Google-Attributes: gid108122,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny02.POSTED!4f97008e!
not-for-mail
From: "10-4" <pottsladd13@yahoo.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
References: <lXuCf.65$pO2.30@trndny09> <11tkvst1siidn37@news.supernews.com>
Subject: Re: FS: mobile radio console, home made.
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <cDxCf.98$OY4.58@trndny02>
Date: Fri, 27 Jan 2006 23:01:28 GMT
NNTP-Posting-Host: 71.162.166.25
X-Complaints-To: abuse@verizon.net
X-Trace: trndny02 1138402888 71.162.166.25 (Fri, 27 Jan 2006 18:01:28 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 18:01:28 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2239 rec.radio.scanner:1943
rec.radio.swap:2407
```

Then keep your comments to yourself and go make one!!!

```
From -6794016344062204780
X-Google-Thread: 10ed5f,749b693a6218f45b
X-Google-Thread: 108122,749b693a6218f45b
X-Google-Thread: 107ada,749b693a6218f45b
X-Google-Thread: fa029,749b693a6218f45b
X-Google-Thread: 1109af,749b693a6218f45b
X-Google-Attributes: gid10ed5f,gid108122,gid107ada,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny01.POSTED!a8a4960a!
not-for-mail
From: "N1RSP" <n1rsp@verizon.net>
Newsgroups: alt.ham-
radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.scanner,rec.rad
io.swap
References: <PxxCf.290$UY3.188@trndny05>
Subject: Re: Standard C5900 Tri Band Radio
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
```

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <vGxCf.191$J81.189@trndny01>
Date: Fri, 27 Jan 2006 23:04:59 GMT
NNTP-Posting-Host: 70.19.186.228
X-Complaints-To: abuse@verizon.net
X-Trace: trndny01 1138403099 70.19.186.228 (Fri, 27 Jan 2006 18:04:59 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 18:04:59 EST
Xref: g2news1.google.com alt.ham-radio:462 rec.radio.amateur.equipment:2240
rec.radio.amateur.misc:3783 rec.radio.scanner:1944 rec.radio.swap:2408

Radio covers the 2 meter,6 meter and 70cm bands.
"N1RSP" <n1rsp@verizon.net> wrote in message
news:PxxCf.290$UY3.188@trndny05...
>I  have for sale an execelent tri band radio that I no longer need.I have
>original box,remote cable for the head and I may have original manual for
>it.I do know I have a copy of the manual also.This radio has been in my
>wifes van and just used mainly as a scanner.So I took it out and replaced
>it with a scanner.So now it is up for sale.I am looking to get $375.00 for
>it,plus a little help in shipping .And yes it is worth evrey cent.So please
>no tire kickers.Either you want it or you don't.Thanks for looking.I can be
>reached at 978-281-1339
>




From 1074766811942130998
X-Google-Thread: 108122,17afdc954e7ac8b7
X-Google-Thread: fa029,17afdc954e7ac8b7
X-Google-Thread: 1109af,17afdc954e7ac8b7
X-Google-Attributes: gid108122,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc01.POSTED!2ba31c29!
not-for-mail
From: "Woody" <woody.shadetree@verizon.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
References: <lXuCf.65$pO2.30@trndny09> <11tkvst1siidn37@news.supernews.com>
<cDxCf.98$OY4.58@trndny02>
Subject: Re: FS: mobile radio console, home made.
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <KQxCf.3828$M94.921@trnddc01>
Date: Fri, 27 Jan 2006 23:15:54 GMT
NNTP-Posting-Host: 207.68.82.202
X-Complaints-To: abuse@verizon.net
```

```
X-Trace: trnddc01 1138403754 207.68.82.202 (Fri, 27 Jan 2006 18:15:54 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 18:15:54 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2241 rec.radio.scanner:1945
rec.radio.swap:2409

amen.... takes a couple pieces of scrap wood and about 20 minutes time.....
or buy the wood for about $10
rb


"10-4" <pottsladd13@yahoo.com> wrote in message
news:cDxCf.98$OY4.58@trndny02...
> Then keep your comments to yourself and go make one!!!
>




From 1992158446940403708
X-Google-Thread: 108122,292d312cb476bb02
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news-
west.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!
news2.kc.rr.com!tornado.rdc-kc.rr.com.POSTED!53ab2750!not-for-mail
From: Alien <no@nospam.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu Mark V Field - Temporarily sold out or Discontinued?
References: <p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com>
<drdbsq$c0i9$1@news3.infoave.net> <88lkt196nf7tt30kjg671s2t0jo0rktk5i@4ax.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <no-FEFB56.17511027012006@news-rdr-01.rdc-kc.rr.com>
Lines: 41
Date: Fri, 27 Jan 2006 23:51:11 GMT
NNTP-Posting-Host: 72.131.92.128
X-Complaints-To: abuse@rr.com
X-Trace: tornado.rdc-kc.rr.com 1138405871 72.131.92.128 (Fri, 27 Jan 2006 17:51:11
CST)
NNTP-Posting-Date: Fri, 27 Jan 2006 17:51:11 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2242

In article <88lkt196nf7tt30kjg671s2t0jo0rktk5i@4ax.com>,
 Meta Morph <MetaMorph83838@hotmail.com> wrote:

> On Fri, 27 Jan 2006 09:48:46 -0500, "W4LM" <larrymoss@citcom.net>
> wrote:
>
> >Discontinued! It is to be replaced by FT2000.
> >
> >
> >"Meta Morph" <MetaMorph83838@hotmail.com> wrote in message
> >news:p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com...
> >>
> >>  I noticed Texas Towers removed the listing for the Yaesu Mark V
> >> Field from their web page, and HRO only has demo units available.  Is
> >> the Mark V Field discontinued or just temporarily sold out?
> >>
> >> -Curious
> >>
> >
>
>   Well lets hope the new model will be more reliable than the Mark V.
> I did not buy one because of all the complaints of both the 100 watt
> version and expecially the 200 watt version blowing up and requiring
> multiple trips to Yaesu repair.
>   I looked at the Kenwood TS-2000, but it is just too ugly.  Multiple
> eham.net reports also suggest that it is deaf.  As far as the Icom's,
> I look at an LCD screen on my computer all day at work.  I really
> don't want to look at another computer screen when I come home from
> work and turn on my ham radio.
>
> -Curious

The ads for the Kenwood TS2000 were not the best.  I thought the same,
ugly.  I bought one anyway because of all the stuff it will do and when
I got it and on the desk it's not all that bad  looking.  The pictures
aren't very good.  It is quite a radio.

As for the MKV, I had one and it's got many on hours, hundreds in fact
and I never had any  problem with mine, but that does not speak for
everybody, just me.  Having said that, I did not find the MKV to be much
better than the MP.  I like my 775 better.


From 5143234241254227054
X-Google-Thread: 108122,17afdc954e7ac8b7
X-Google-Thread: fa029,17afdc954e7ac8b7
X-Google-Thread: 1109af,17afdc954e7ac8b7
X-Google-Attributes: gid108122,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
news.moat.net!mtu.ru!sn-xt-sjc-04!sn-xt-sjc-06!sn-post-01!supernews.com!
news.supernews.com!not-for-mail
From: Bo Williams <williams@hiwaay.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
Subject: Re: FS: mobile radio console, home made.
Date: Fri, 27 Jan 2006 18:26:02 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11tlegphu3kr940@news.supernews.com>
User-Agent: Mozilla Thunderbird 0.8 (Windows/20040913)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <lXuCf.65$pO2.30@trndny09> <11tkvst1siidn37@news.supernews.com>
<cDxCf.98$OY4.58@trndny02>
```

```
In-Reply-To: <cDxCf.98$OY4.58@trndny02>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 9
Xref: g2news1.google.com rec.radio.amateur.equipment:2243 rec.radio.scanner:1946
rec.radio.swap:2410

10-4 wrote:
> Then keep your comments to yourself and go make one!!!

So there is not, in fact, something I can't see or that you haven't said
(integrated cord storage?  antenna-sharing setup? etc.) that makes it
worth $70?
--
Bo Williams - williams@hiwaay.net
http://hiwaay.net/~williams/



From 8939201339181133224
X-Google-Thread: 108122,17afdc954e7ac8b7
X-Google-Thread: fa029,17afdc954e7ac8b7
X-Google-Thread: 1109af,17afdc954e7ac8b7
X-Google-Attributes: gid108122,gidfa029,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 27 Jan 2006 18:47:57 -0600
From: "HipOp" <asdas@yahoo.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.swap
References: <lXuCf.65$pO2.30@trndny09> <11tkvst1siidn37@news.supernews.com>
<cDxCf.98$OY4.58@trndny02> <11tlegphu3kr940@news.supernews.com>
Subject: Re: FS: mobile radio console, home made.
Date: Fri, 27 Jan 2006 18:47:54 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Response
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Message-ID: <KMadna0-baWgIkfeRVn-oA@comcast.com>
Lines: 22
NNTP-Posting-Host: 24.0.60.133
X-Trace: sv3-6QJtjE7n0CDIP1aN6DrkCbdwipPEr1Kg0QN3CY2zaLO7S27B+TUFwMNi9/9EGQ3u/
dT1y3Zk8T0A7Y1!v9xnLhGaNW24gS4VDxO2yzO0SYC1H9APNwv+rPp+M26DxDBWvMmZNi38JVFJZ/
bmSsm8y5ayNj8x!Y3jLOQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2244 rec.radio.scanner:1947
```

rec.radio.swap:2411

I would have to put it in a box for the garbage man so he could haul it off,
it looks like shit.
  Are you a want to be Ham? or a dumm ass CBer.

"Bo Williams" <williams@hiwaay.net> wrote in message
news:11tlegphu3kr940@news.supernews.com...

> 10-4 wrote:
>> Then keep your comments to yourself and go make one!!!
>
> So there is not, in fact, something I can't see or that you haven't said
> (integrated cord storage? antenna-sharing setup? etc.) that makes it
> worth $70?
> --
> Bo Williams - williams@hiwaay.net
> http://hiwaay.net/~williams/

```
From 9102595804550715615
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news-
west.rr.com!news-wrt-01.rdc-kc.rr.com!news-wrt-01.socal.rr.com!news-
feed-01.socal.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Message-ID: <43DAD628.8040309@nettally.com>
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<43D9621E.8040104@nettally.com> <5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
In-Reply-To: <5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 25
Date: Sat, 28 Jan 2006 02:21:27 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1138414887 65.33.238.179 (Fri, 27 Jan 2006
```

21:21:27 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 21:21:27 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2245

Read the installation manual for the opener. I installed a "Genie" at my
last house. The logic for the wired button and the remote control are
quite different. The door adjusts its speed and torque by learning from
using the wired control. There is a torque sensor which detects
blockage of the door as well. Again read the manual, it could be the
installer does not RTFM!

Dick wrote:

>T(snip) The door does
>operate perfectly with the wall button. (snip)
>Dick
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From -9069107183324003426
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news-
west.rr.com!news-feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<43D9621E.8040104@nettally.com> <5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
In-Reply-To: <5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 25

```
Message-ID: <RyACf.28432$vG.14637@tornado.tampabay.rr.com>
Date: Sat, 28 Jan 2006 02:21:37 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1138414897 65.33.238.179 (Fri, 27 Jan 2006
21:21:37 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 21:21:37 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2246
```

Read the installation manual for the opener. I installed a "Genie" at my last house. The logic for the wired button and the remote control are quite different. The door adjusts its speed and torque by learning from using the wired control. There is a torque sensor which detects blockage of the door as well. Again read the manual, it could be the installer does not RTFM!

Dick wrote:

>T(snip) The door does
>operate perfectly with the wall button. (snip)
>Dick
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

```
From -7235083390018017785
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!news-
west.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!
news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!
not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
```

```
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<43D9621E.8040104@nettally.com> <11tioosp4b412b4@corp.supernews.com>
In-Reply-To: <11tioosp4b412b4@corp.supernews.com>
Content-Type: multipart/alternative;
 boundary="------------070407040005060304090105"
Lines: 117
Message-ID: <OtACf.19436$_c.11121@tornado.tampabay.rr.com>
Date: Sat, 28 Jan 2006 02:16:14 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1138414574 65.33.238.179 (Fri, 27 Jan 2006
21:16:14 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 21:16:14 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2247

This is a multi-part message in MIME format.
--------------070407040005060304090105
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit

I once made a service call to Automatic Door in Chicago. They had a
newspaper article on their bulletin board about some unlucky guy who
came home to find his garage door spring unwound. It seems he decided to
fix it himself and while up on the ladder he got his necktie (another
good reason to ban them) caught in the spring as it wound itself up. His
wife tried to cut him down with scissors but was too late..

Dave Platt wrote:

>In article <43D9621E.8040104@nettally.com>,
>**THE-RFI-EMI-GUY**  <rhyolite@nettally.com> wrote:
>
>
>
>>Assuming the neighbors problems are coincidental, check the
>>counterbalance spring for the door. They wear out or break and the
>>opener does not have enough power to work on irs own. By the way this is
>>not a DIY project because of safety concerns with the springs and the
>>repairs can be about $300.
>>
>>
>
>Good point!
>
>I recently had a spring break in our 1960-vintage rolling door
>setup... the door wouldn't even start to roll up with only one spring
>out of two providing proper tension.
>
>The repairman who came out and replaced it, said that he gets a
>significant percentage of his business from people who first tried to
>do the repair themselves... and decided to call him after they got out
>of the hospital.  The most common injury seems to be a broken
```

```
>collar-bone.  Those springs are under a *lot* of tension.
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P




--------------070407040005060304090105
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body style="font-size: 10pt; color: rgb(0, 0, 0); font-family: Arial;"
 bgcolor="#ffffff" text="#000000">
I once made a service call to Automatic Door in Chicago. They had a
newspaper article on their bulletin board about some unlucky guy who
came home to find his garage door spring unwound. It seems he decided
to fix it himself and while up on the ladder he got his necktie
(another good reason to ban them) caught in the spring as it wound
itself up. His wife tried to cut him down with scissors but was too
late..<br>
<br>
Dave Platt wrote:<br>
<blockquote cite="mid11tioosp4b412b4@corp.supernews.com" type="cite">
  <pre wrap="">In article <a class="moz-txt-link-rfc2396E"
href="mailto:43D9621E.8040104@nettally.com">&lt;43D9621E.8040104@nettally.com&gt;<
/a>,
**THE-RFI-EMI-GUY**  <a class="moz-txt-link-rfc2396E"
href="mailto:rhyolite@nettally.com">&lt;rhyolite@nettally.com&gt;</a> wrote:

  </pre>
  <blockquote type="cite">
    <pre wrap="">Assuming the neighbors problems are coincidental, check the
counterbalance spring for the door. They wear out or break and the
opener does not have enough power to work on irs own. By the way this is
not a DIY project because of safety concerns with the springs and the
repairs can be about $300.
    </pre>
  </blockquote>
  <pre wrap=""><!---->
Good point!

I recently had a spring break in our 1960-vintage rolling door
setup... the door wouldn't even start to roll up with only one spring
out of two providing proper tension.

The repairman who came out and replaced it, said that he gets a
significant percentage of his business from people who first tried to
do the repair themselves... and decided to call him after they got out
of the hospital.  The most common injury seems to be a broken
collar-bone.  Those springs are under a *lot* of tension.

  </pre>
</blockquote>
<br>
<pre class="moz-signature" cols="72">--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"&copy;

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P

</pre>
</body>
</html>

--------------070407040005060304090105--


From 3810839267030333464
X-Google-Thread: 108122,292d312cb476bb02
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe03.lga.POSTED!
53ab2750!not-for-mail
From: "Percival P. Cassidy" <Nobody@NotMyISP.com>
User-Agent: Thunderbird 1.5 (OS/2/20060113)
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu Mark V Field - Temporarily sold out or Discontinued?
References: <p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com>
<drdbsq$c0i9$1@news3.infoave.net>
In-Reply-To: <drdbsq$c0i9$1@news3.infoave.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
Message-ID: <tnBCf.1896$QP7.1513@fe03.lga>
X-Trace:
idmkcnjgmiagocdekcfonfbpgdkgjjpnbciamibjenjbkjnlhmddohcnabgnackndipoccifmainhjgpgi
```

bfakmlhmoebdljapnhadkbcgknchedkodaejngcfjfbblojmpo�
NNTP-Posting-Date: Fri, 27 Jan 2006 20:17:45 MST
Date: Fri, 27 Jan 2006 22:17:45 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2248

Alleged specs of the not-yet-available FT-2000 are here:

http://www.rys.nl/ft2000.htm

Perce

On 01/27/06 09:48 am W4LM wrote:

> Discontinued! It is to be replaced by FT2000.
>
>> Field from their web page, and HRO only has demo units available. Is
>> the Mark V Field discontinued or just temporarily sold out?

From 5699964333980827564
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Fri, 27 Jan 2006 21:43:50 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <0vslt1tr72p46u5475ocoj5d7k78rb1okt@4ax.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<43D9621E.8040104@nettally.com> <5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
<RyACf.28432$vG.14637@tornado.tampabay.rr.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 31
Xref: g2news1.google.com rec.radio.amateur.equipment:2249

Let's forget about the door, its springs and torque adjustments. This is an RF problem! Neither a new remote nor the original remotes will actuate either the new receiver or the old receiver. Has nothing to do with the door itself or the closer. There is something near that physical location that prevents the receivers from getting a valid signal from the remotes. I am looking for ideas as to what that might be. This is an all-house neighborhood. No businesses of any kind. Nearest thing other than houses is a high school two blocks away. Power lines are overhead, not buried.

Dick - W6CCD

On Sat, 28 Jan 2006 02:21:37 GMT, **THE-RFI-EMI-GUY**
<rhyolite@nettally.com> wrote:

>Read the installation manual for the opener. I installed a "Genie" at my
>last house. The logic for the wired button and the remote control are
>quite different. The door adjusts its speed and torque by learning from
>using the wired control. There is a torque sensor which detects
>blockage of the door as well. Again read the manual, it could be the
>installer does not RTFM!
>
>Dick wrote:
>
>>T(snip) The door does
>>operate perfectly with the wall button. (snip)
>>Dick
>>
>>
>>

From -7838733479395164305
X-Google-Thread: 108122,1df1b29b0b7eca0c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Hamguy" <hamguy@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <7uokt15vvp50jek4qa19aa9fi4nfutm6r4@4ax.com>
<hqvCf.5639$oo1.5432@trnddc02>
Subject: Re: Just my 2 cents worth on the Kenwood TS-2000...
Lines: 24
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <5MCCf.106460$XJ5.66098@twister.nyroc.rr.com>
Date: Sat, 28 Jan 2006 04:52:17 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1138423937 24.58.195.67 (Fri, 27 Jan 2006 23:52:17 EST)
NNTP-Posting-Date: Fri, 27 Jan 2006 23:52:17 EST
Organization: Road Runner
Xref: g2news1.google.com rec.radio.amateur.equipment:2250

Kenwood is also getting ready to jump on the D-Star bandwagon.

"Dale Parfitt" <par@parelectronics.com> wrote in message
news:hqvCf.5639$oo1.5432@trnddc02...
>
> "Carl" <cccccccc3cc3cc2c@aol.com> wrote in message
> news:7uokt15vvp50jek4qa19aa9fi4nfutm6r4@4ax.com...
>>
>> Does anyone else think the Kenwood TS-2000 is ugly? It seems odd
>> that a company like Kenwood could come out with a radio as beautiful
>> as the Kenwood TS-940, and then follow it up a few years later with a
>> radio as ugly as the Kenwood TS-2000.
>>
> I had the 2000X for several months. Just could not get used to the
> firmware after years of Icom. Selecting the RX antenna port was a hassle,
> no band stacking registers, filter presets- on and on. Got rid of it and
> happy again with a PRO II.
>
> Dale W4OP
>>
>
>

From -5491406033618514417
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Sat, 28 Jan 2006 06:20:31 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11tm39f73lft012@corp.supernews.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
<RyACf.28432$vG.14637@tornado.tampabay.rr.com>
<0vslt1tr72p46u5475ocoj5d7k78rb1okt@4ax.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news1.google.com rec.radio.amateur.equipment:2251

>Let's forget about the door, its springs and torque adjustments. This
>is an RF problem! Neither a new remote nor the original remotes will
>actuate either the new receiver or the old receiver. Has nothing to
>do with the door itself or the closer. There is something near that
>physical location that prevents the receivers from getting a valid
>signal from the remotes. I am looking for ideas as to what that might

>be. This is an all-house neighborhood. No businesses of any kind.
>Nearest thing other than houses is a high school two blocks away.
>Power lines are overhead, not buried.

I think you're going to have to find something that's capable of acting as a spectrum analyzer (or at least a crudely-tuned RF sensor/signal-strength-meter) and start DF'ing.

A ham HT with 70 cm capability, and a 'scan' feature, might be enough to find the signal frequency fairly quickly if it's strong enough to interfere with Part 15 devices. Then, start hunting. A simple hold-it-near-the-chest-and-spin-on-your-heels 'body fade' might be enough to allow you to triangulate in on the source.

A two- or three-element Yagi hooked to a real spectrum analyzer would probably be rather faster.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -3052671236223290658
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!sn-xt-sjc-04!sn-xt-sjc-07!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Sat, 28 Jan 2006 06:48:22 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <e9tmt1l9bhlnv4p96g6ra6b6phccnaqtdo@4ax.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
<RyACf.28432$vG.14637@tornado.tampabay.rr.com>
<0vslt1tr72p46u5475ocoj5d7k78rb1okt@4ax.com> <11tm39f73lft012@corp.supernews.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news1.google.com rec.radio.amateur.equipment:2252

On Sat, 28 Jan 2006 06:20:31 -0000, dplatt@radagast.org (Dave Platt) wrote:

>>Let's forget about the door, its springs and torque adjustments. This
>>is an RF problem! Neither a new remote nor the original remotes will

>>actuate either the new receiver or the old receiver. Has nothing to
>>do with the door itself or the closer. There is something near that
>>physical location that prevents the receivers from getting a valid
>>signal from the remotes. I am looking for ideas as to what that might
>>be. This is an all-house neighborhood. No businesses of any kind.
>>Nearest thing other than houses is a high school two blocks away.
>>Power lines are overhead, not buried.
>
>I think you're going to have to find something that's capable of
>acting as a spectrum analyzer (or at least a crudely-tuned RF
>sensor/signal-strength-meter) and start DF'ing.
>
>A ham HT with 70 cm capability, and a 'scan' feature, might be enough
>to find the signal frequency fairly quickly if it's strong enough to
>interfere with Part 15 devices. Then, start hunting. A simple
>hold-it-near-the-chest-and-spin-on-your-heels 'body fade' might be
>enough to allow you to triangulate in on the source.
>
>A two- or three-element Yagi hooked to a real spectrum analyzer would
>probably be rather faster.

I agree with you Dave. I have everything that would be needed to trace out the interference. Unfortunately, I live 500 miles away. I am trying to find ideas that I can offer to my 80 year-old aunt that she can use in discussions with service people, utility companies, etc. She is still very sharp, but lacks electronic experience.

Dick

```
From -3252298120816433366
X-Google-Thread: 108122,58f2086f3b1297d8,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted Yaesu ATas-120 Mobile Antenna
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <IYOCf.4944$2o5.2636@dukeread11>
Date: Sat, 28 Jan 2006 12:44:56 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1138473896 68.1.251.179 (Sat, 28 Jan 2006 13:44:56 EST)
NNTP-Posting-Date: Sat, 28 Jan 2006 13:44:56 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2253
```

I am looking to buy a YAESU ATAS-120 Mobile Antenna. What do you have. Please send me an e-mail with age, condition, and price. Thanks, Charlie Hugg, K5MBX

```
From 6902410889395460432
X-Google-Thread: 108122,eefdb05acd933d3f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Jan 2006 13:01:53 -0600
From: WZ1U <wz1u@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Ten Tec 229 HF Antenna Tuner
Date: Sat, 28 Jan 2006 14:02:00 -0500
Reply-To: wz1u@comcast.net
Message-ID: <esfnt15ojvbqlrh6k6456g01gq94t9o80f@4ax.com>
X-Newsreader: Forte Agent 1.92/32.572
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 1
NNTP-Posting-Host: 66.30.238.243
X-Trace: sv3-
eUeTPwc8ifpSt37CKMU6neX9QP7G0hy01Rzkq2xYQybCEH0uJR1h+NKDiKcBcF49LW9Rk7DsFeeiGV9!
FpxJTSLyyDvon/c6HYvYAXN5RhJkpBbKy2J7VlRqdvoB/ZBjNLSHvL8HevEd5M81H2yTNeyzYAVZ!
5OanDA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2254
```

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5860286946&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

```
From -6321549673923474727
X-Google-Thread: 108122,cba04a98c99c2ac7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: acryfordecency2@Mark.Morgan.com
Newsgroups: rec.radio.amateur.equipment
Subject: trying to remmebr the name of a piece of equipment by tentec
Date: Sat, 28 Jan 2006 14:10:00 -0500
```

Reply-To: k4yz@aol.com
Message-ID: <9agnt19pan693lpj583pd4h02n3umg3fn3@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server contains 140,000+ groups
Lines: 7
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!news.usenetzone.com!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2255

small hf radio at any given time it was monbanded but by swaping
modulues it could changes bands waht was the name of it

---
Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

From 6573465019514377216
X-Google-Thread: 108122,cba04a98c99c2ac7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 28 Jan 2006 13:38:42 -0600
Message-ID: <43DBC843.5030505@w2agn.net>
Date: Sat, 28 Jan 2006 14:38:43 -0500
From: "John L. Sielke" <w2agnNOSPAM@w2agn.net>
User-Agent: Mozilla Thunderbird 1.0.6 (X11/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
To: k4yz@aol.com
Subject: Re: trying to remmebr the name of a piece of equipment by tentec
References: <9agnt19pan693lpj583pd4h02n3umg3fn3@4ax.com>
In-Reply-To: <9agnt19pan693lpj583pd4h02n3umg3fn3@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 13
NNTP-Posting-Host: 68.44.216.166
X-Trace:
sv3-74CV+F1Ao0wh07g8sN71KpGH2BkzTPAT7nZgSyYAqKX340CQcXq0N9W2H3fb8wj12vS6DNFCMvtFpAu!Gn2+EruXl0UvtNl9O/VBd8sY8bK4puenRB6nIgCVfN52XJaUv6DZvOiH9mISo+0pmB4IU+5T
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly

X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2256

acryfordecency2@Mark.Morgan.com wrote:
> small hf radio at any given time it was monbanded but by swaping
> modulues it could changes bands waht was the name of it
> ____
> Usenet Zone Free Binaries Usenet Server
> More than 140,000 groups
> Unlimited download
> http://www.usenetzone.com to open account

I think you speak of the Ten Tec Scout 555, which was the 50 watt radio, or the Argo 556, which was identical, only just 5 watts.

W2AGN

From 2660424238694574101
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-mail
From: doordoc@prodigy.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: 28 Jan 2006 13:13:54 -0800
Organization: http://groups.google.com
Lines: 46
Message-ID: <1138482834.213500.221060@o13g2000cwo.googlegroups.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
   <5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
   <RyACf.28432$vG.14637@tornado.tampabay.rr.com>
   <0vslt1tr72p46u5475ocoj5d7k78rb1okt@4ax.com>
   <11tm39f73lft012@corp.supernews.com>
   <e9tmt1l9bhlnv4p96g6ra6b6phccnaqtdo@4ax.com>
NNTP-Posting-Host: 69.139.34.31
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138482838 18249 127.0.0.1 (28 Jan 2006 21:13:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 28 Jan 2006 21:13:58 +0000 (UTC)
In-Reply-To: <e9tmt1l9bhlnv4p96g6ra6b6phccnaqtdo@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0; .NET CLR 1.1.4322; yplus 1.0),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=69.139.34.31;
   posting-account=1G5SfAwAAACMcpyTQYH_QiIDqNZoFjvr
Xref: g2news1.google.com rec.radio.amateur.equipment:2257

If it is interference it could be from a number of different sources &

finding that source without the right equipment (most garage door companies won't have this equipment) can sometimes be difficult.

Over the years I have seen interference from police scanners, ham radio's, large satellite dishes when pointed in a certain direction, cell phone towers, when a particular car was parked in the driveway (believe the interference was from the car alarm), and other garage door openers. Usually all of these items are relatively close to the problem location. I have also heard but never seen that a TV cable will also cause interference if not poperly grounded.

Within the last couple of years the military has been installing new radio equipment that stomps all frequencies in the 375-450 range and there are reports that this interference can range up to fifty miles from the military installation. For years the Chambelain, Liftmaster, Craftsman, Genie and others have been usuing the 390 frequency because of it's reliabilty before these new installations. Last spring the Chamberlain group of openers started using the 315 frequency to get away from this interference problem. I don't know off hand what Genie has done to remedy the problem.

About 6 months ago, most of Aruba started having interfernce problems quite suddenly (no one there knows where it is coming from) and the 315 frequency solved the problem there also.

With all of that said, as others have posted interference will not usually stop a closing door in mid travel. There may be some other issue there or it may be that your aunt is holding the button too long when she can't get the door to work & the opener actually ends up receiving more then one signal from the transmitter.

Usually for a door company it is easier to install new radio controls that are on a different frequency that will work in a certain area then it is to find the offending source. If it is a military installation, phone tower, etc there isn't a whole lot (if anything) a door company or a homeowner can do to stop the interference from happening & the only choice is to come up w/ a work around. It may sound like a cop out or bs excuse but as we produce & use more products that work on radio frequencies the interference problems are only going to continue to get worse. Therefore until someone comes up w/ something different or better we must learn to deal w/ it effectively & the best way to get the consumer a product that will work as it's designed.

Doordoc

```
From -1575741861353724599
X-Google-Thread: 108122,cba04a98c99c2ac7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: acryfordecency2@Mark.Morgan.com
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: trying to remmebr the name of a piece of equipment by tentec
Date: Sat, 28 Jan 2006 16:22:09 -0500
Reply-To: k4yz@aol.com
Message-ID: <d3ont1tptl3347bo13cv5p43oonucigobi@4ax.com>
References: <9agnt19pan693lpj583pd4h02n3umg3fn3@4ax.com>
<43DBC843.5030505@w2agn.net>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Organization: Usenet Zone http://www.usenetzone.com Free Usenet Binary server
contains 140,000+ groups
Lines: 24
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
news.usenetzone.com!not-for-mail
Xref: g2news1.google.com rec.radio.amateur.equipment:2258

On Sat, 28 Jan 2006 14:38:43 -0500, "John L. Sielke"
<w2agnNOSPAM@w2agn.net> wrote:

>acryfordecency2@Mark.Morgan.com wrote:
>> small hf radio at any given time it was monbanded but by swaping
>> modulues it could changes bands waht was the name of it
>> ____
>> Usenet Zone Free Binaries Usenet Server
>> More than 140,000 groups
>> Unlimited download
>> http://www.usenetzone.com to open account
>
>I think you speak of the Ten Tec Scout 555, which was the 50 watt radio, or the
>Argo 556, which was identical, only just 5 watts.

ty when you give me the name scout it come back ty
>
>W2AGN

Usenet Zone Free Binaries Usenet Server
More than 140,000 groups
Unlimited download
http://www.usenetzone.com to open account

From -6593542720193224140
X-Google-Thread: 108122,cba04a98c99c2ac7
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-08!
sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: trying to remmebr the name of a piece of equipment by tentec

Date: Sat, 28 Jan 2006 21:30:27 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11tnojjtlca172e@corp.supernews.com>
References: <9agnt19pan693lpj583pd4h02n3umg3fn3@4ax.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news1.google.com rec.radio.amateur.equipment:2259

>small hf radio at any given time it was monbanded but by swaping
>modulues it could changes bands waht was the name of it

Ten-Tec Scout. 50 watts, with a fairly popular aftermarket mod to provide a switchable 5-watt setting for QRP operation. PTO tuning, with a reputation for being a bit drifty over time especially during CW operation.

In my experience it's a pretty decent little radio - I have one in my Aerostar for HF-mobile operation.

It's no longer being manufactured, but Ten-Tec still sells the band modules and has some stock of replacement parts for it.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From 6286608895748456206
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!sn-xt-sjc-15!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Sat, 28 Jan 2006 16:46:42 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <920ot1hb5tqeqd2qqne03hhmo1545fl257@4ax.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
<RyACf.28432$vG.14637@tornado.tampabay.rr.com>
<0vslt1tr72p46u5475ocoj5d7k78rb1okt@4ax.com> <11tm39f73lft012@corp.supernews.com>
<e9tmt1l9bhlnv4p96g6ra6b6phccnaqtdo@4ax.com>
<1138482834.213500.221060@o13g2000cwo.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

X-Complaints-To: abuse@supernews.com
Lines: 23
Xref: g2news1.google.com rec.radio.amateur.equipment:2260

Thanks doordoc. That's what I was looking for. My aunt's door is not the one with the open halfway then close problem. That's across the street.. My aunt's won't operate at all with the remotes. The house beside her has the same no operation problem. I don't know how far this problem spreads in the neighborhood. She has already paid the original installer $120 to troubleshoot. The installer is convinced it is an interference problem. I am going to try to find out the make and model to see what I can learn about frequency, etc. If I can find out, I will post it here for comments.

Dick

On 28 Jan 2006 13:13:54 -0800, doordoc@prodigy.net wrote:

>With all of that said, as others have posted interference will not
>usually stop a closing door in mid travel. There may be some other
>issue there or it may be that your aunt is holding the button too long
>when she can't get the door to work & the opener actually ends up
>receiving more then one signal from the transmitter.
>
>Doordoc

From -7626519058595599265
X-Google-Thread: 108122,46dffa2586861ebf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news2.volia.net!
newsfeed01.sul.t-online.de!newsfeed00.sul.t-online.de!t-online.de!
130.59.10.21.MISMATCH!kanaga.switch.ch!switch.ch!newsfeed.esat.net!
reader01.news.esat.net!not-for-mail
From: "The Radio Expert" <d.ocallaghan@iolfree.ie>
Newsgroups: rec.radio.amateur.equipment
Subject: Repeater node numbers
Date: Sun, 29 Jan 2006 03:08:35 -0000
Organization: Esat Net Customer
Lines: 14
Message-ID: <drhbjj$ju8$1@reader01.news.esat.net>
NNTP-Posting-Host: dialup344.ts008.bmt.esat.net
X-Trace: reader01.news.esat.net 1138504116 20424 194.165.167.88 (29 Jan 2006
03:08:36 GMT)
X-Complaints-To: abuse@esat.net
NNTP-Posting-Date: Sun, 29 Jan 2006 03:08:36 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180

X-RFC2646: Format=Flowed; Original
Xref: g2news1.google.com rec.radio.amateur.equipment:2261

Hey,

I am trying to find out the different Node numbers for repeaters worldwide. My local 2m repeater is enabled for gettin other repeaters worldwide as i have heard it beind done many times. Is there a website that has the numbers or would one of ye be kind enough to provide me with the info.

Thanks,
Chris

From -5478620203641277428
X-Google-Thread: 108122,25bc92c096664336
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-mail
From: "Spencer" <spencer313@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FA: Motorola MX350S Synthesized DES Encrypted VHF Radios
Date: 28 Jan 2006 19:34:26 -0800
Organization: http://groups.google.com
Lines: 20
Message-ID: <1138505666.291883.151170@g43g2000cwa.googlegroups.com>
References: <1137911946.304591.130030@o13g2000cwo.googlegroups.com>
NNTP-Posting-Host: 66.167.12.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138505672 20884 127.0.0.1 (29 Jan 2006 03:34:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 03:34:32 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=66.167.12.131;
   posting-account=BbItKAwAAABzqkwAE0lyY77v8zNF6t5b
Xref: g2news1.google.com rec.radio.amateur.equipment:2262

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5857659690>

Less than 3 days to go...

Available on eBay is a complete set of Motorola MX350S Synthesized, DES

Encrypted VHF radios. The system comes with a six position charger/conditioner, batteries, manuals, RF test cable AND a DES Keyloader. Because this system uses DES Encryption, it can only be shipped to a U.S. address.

See eBay item #5857659690

Thanks,

S

```
From 4050351115947430759
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 28 Jan 2006 21:02:19 -0800
Organization: http://groups.google.com
Lines: 56
Message-ID: <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138510944 19033 127.0.0.1 (29 Jan 2006 05:02:24 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 05:02:24 +0000 (UTC)
In-Reply-To: <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.antenna:5921
rec.radio.amateur.equipment:2263 rec.radio.amateur.misc:3794
```

Phil Kane wrote:

> HUH???? I've designed enough communication site power installations to know that the battery powers the equipment and the function of the alternator in a vehicle or the rectifier (power supply, in ham language) in a fixed intsallation is to recharge the battery "on the fly", so to speak.

Sorry, I thought we were talking about a vehicle electrical system. In a vehicle, the battery serves essentially one purpose, to start the engine. After that, everything runs from the alternator, which also recharges the battery over a period of time.

> The current capacity of the battery is much greater than that os the charging device.

Are we talking about a transmitter that draws more current than an alternator can supply? If so, I think it is a poor arrangement. I wouldn't connect a transmitter that exceeded the output capability of the alternator, even if it meant I had to upgrade the alternator t oavoid it. I also wouldn't install a tranceiver in a vehicle without adding an RFI filter to the alternator. If it is too noisy to be connected as the power source, then it is too noisy to have connected to the wiring harness, in such proximity of a receiving antenna.

> Any design that puts the load on the charging device rather than on the battery would be rejected out of hand.

Not by me, it wouldn't.

> At best. both of them would be connectable (through switches or circuit breakers) to the load bus, with separate metering for the battery, the charger, and the load.

In the automobiles I have experience with, the alternator connects directly to the power distribution bus with one branch of that bus going to the battery, as the recharge path. The battery also has a heavy connection directly to the starter relay, to start the engine, independent of that distribution system. Connecting a big load, whether headlights or transmitter directly to the battery will lower the battery voltage slightly, so that it does not recharge fully. All loads should branch from the alternator output, where the voltage is regulated, including the battery charging branch.

> In your scheme the equipment would get no power when the alternator is not operating, or more clearly, if the equipment DOES get power, the power must be coming from the battery.
> Think about it.

I'm thinking about it. You are saying that the transmitter draws more current than an alternator can deliver, with the engine running, but

you intend to operate it without the engine running. I hope you pack
jumper cables. ;-)

```
From 8088323754881379082
X-Google-Thread: 108122,81e3c8bfebeefa5e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!bigfeed2.bellsouth.net!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews2.bellsouth.net.POSTED!987cd569!not-for-mail
From: "tinman4" <tinman4@yahoo.com>
Subject: 7M_ ***Hot stuff - check this out !!! 7M_
Newsgroups: rec.radio.amateur.equipment
Sender: tinman4 <tinman4@yahoo.com>
Organization: Me
X-Priority: 3
X-Library: Indy 9.00.10
X-MimeOLE: Produced By Microsoft MimeOLE V5.50.4133.2400
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 5.50.4133.2400
Lines: 6
Message-ID: <Px1Df.60472$C%3.53509@bignews2.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ogjnolidcdijhjikdbdpiflmbcekedmfhojhikkbagflhcboaengfmdijjedcelinaonennjmjimbfmank
aobcckglciinfjjoibblifmpmdjkhdakngmmneimggmmdkjpbhidmafeikggdfnfcbonmlolfpmfgg
NNTP-Posting-Date: Sun, 29 Jan 2006 06:20:15 EST
Date: Sat, 28 Jan 2006 12:37:32 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2264
```

http://www.kaneva.com/checkout/stream.aspx?assetId=2017&free=0

```
From -7364352095890666153
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!pln-w!
spln!dex!extra.newsguy.com!newsp.newsguy.com!enews2
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
```

```
Subject: Re: Mobile installation question
Date: 29 Jan 2006 12:31:00 GMT
Organization: http://extra.newsguy.com
Lines: 15
Message-ID: <xn0ehsrmax1l5001@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: p-668.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:0000005C
Xref: g2news1.google.com rec.radio.amateur.antenna:5933
rec.radio.amateur.equipment:2265 rec.radio.amateur.misc:3799

jpopelish@rica.net wrote:

> Are we talking about a transmitter that draws more current than an
> alternator can supply?  If so, I think it is a poor arrangement.  I
> wouldn't connect a transmitter that exceeded the output capability of
> the alternator, even if it meant I had to upgrade the alternator t
> oavoid it.
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

Really? Then you should have an alternator which could supply the
starter motor too, with that thinking.

The battery is there as a power source for intermittent loads. Use it.

73, Bill W6WRT


From -8705112563910476264
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!pln-w!
spln!dex!extra.newsguy.com!newsp.newsguy.com!enews2
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 29 Jan 2006 12:33:31 GMT
Organization: http://extra.newsguy.com
Lines: 15
Message-ID: <xn0ehsrom10dne002@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
```

<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: p-694.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:0000005D
Xref: g2news1.google.com rec.radio.amateur.antenna:5934
rec.radio.amateur.equipment:2266 rec.radio.amateur.misc:3800

jpopelish@rica.net wrote:

> Sorry, I thought we were talking about a vehicle electrical system.
> In a vehicle, the battery serves essentially one purpose, to start the
> engine. After that, everything runs from the alternator, which also
> recharges the battery over a period of time.

~~~~~~

Have you ever driven a car with a totally dead battery, after starting it with jumper cables and running entirely off the alternator? I have and it's not good. The battery is there for more than just starting the car. It also stores and smoothes the output from the alternator, much like a giant filter capacitor. Don't be afraid to use it as such.

73, Bill W6WRT

From -7670146098071926380
X-Google-Thread: 108122,46dffa2586861ebf
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Hamguy" <hamguy@arrl.net>
Newsgroups: rec.radio.amateur.equipment
References: <drhbjj$ju8$1@reader01.news.esat.net>
Subject: Re: Repeater node numbers
Lines: 26
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
x-mimeole: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <xq4Df.122200$ME5.46798@twister.nyroc.rr.com>
Date: Sun, 29 Jan 2006 14:37:17 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1138545437 24.58.195.67 (Sun, 29 Jan 2006 09:37:17 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 09:37:17 EST
Organization: Road Runner
~~~~~~

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2267

Probably either one of these:
 www.echolink.org
 www.irlp.net



"The Radio Expert" <d.ocallaghan@iolfree.ie> wrote in message
news:drhbjj$ju8$1@reader01.news.esat.net...
>
> Hey,
>
> I am trying to find out the different Node numbers for repeaters
> worldwide.
> My local 2m repeater is enabled for gettin other repeaters worldwide as i
> have heard it beind done many times. Is there a website that has the
> numbers
> or would one of ye be kind enough to provide me with the info.
>
> Thanks,
> Chris
>
>
>
>




From 3149245570001903307
X-Google-Thread: 108122,91c85677da7d7e7e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc02.POSTED!20d86737!
not-for-mail
From: "Charles P.L. Stokes" <wb4pvt@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Clegg 22'er
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <dk5Df.6413$oo1.5088@trnddc02>
Date: Sun, 29 Jan 2006 15:38:49 GMT
NNTP-Posting-Host: 70.104.162.204
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc02 1138549129 70.104.162.204 (Sun, 29 Jan 2006 10:38:49 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 10:38:49 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2268
```

I have a Clegg 22'er for sale with Instruction Manual and schematic. It's in like new condition and worked fine when last turned on about 5 years ago.
Sorry no crystals.

73'
WB4PVT
Charlie

```
From 3034620065285915070
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
headwall.stanford.edu!newsfeed.stanford.edu!sn-xt-sjc-03!sn-xt-sjc-09!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Sun, 29 Jan 2006 08:38:52 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 20
Xref: g2news1.google.com rec.radio.amateur.equipment:2269
```

On 28 Jan 2006 21:02:19 -0800, jpopelish@rica.net wrote:

>In the automobiles I have experience with, the alternator connects
>directly to the power distribution bus with one branch of that bus
>going to the battery, as the recharge path. The battery also has a
>heavy connection directly to the starter relay, to start the engine,
>independent of that distribution system. Connecting a big load,
>whether headlights or transmitter directly to the battery will lower
>the battery voltage slightly, so that it does not recharge fully. All
>loads should branch from the alternator output, where the voltage is
>regulated, including the battery charging branch.

What you are suggesting flies in the face of everything I have ever read on mobile radio installations over the past 55 years. In fact, I would defy you to point to any engineering documentation that suggests attachment of the radio power leads to the alternator vs directly to the battery.

Dick - W6CCD

From 1425210137852767461
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 10:42:47 -0600
Date: Sun, 29 Jan 2006 11:47:21 -0500
From: John Popelish <jpopelish@rica.net>
Organization: This space not available for advertising.
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrmax1l5001@cnews.newsguy.com>
In-Reply-To: <xn0ehsrmax1l5001@cnews.newsguy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <coudnUcuTscabUHeRVn-rg@adelphia.com>
Lines: 24
NNTP-Posting-Host: 69.168.60.25
X-Trace: sv3-ezsInhHbT8dBriUj8HPQBbV8B/JLWYLZi2hz0pOMFJKjjR4npihJmqcpm3kgR1QR4Igl+vnPyyoJ4CK!MtBigD6+/56EkUbi/VDzHAZRMnPAPZA5QVbYWUFnlf0nI+lIijHSzlYsrfwFdOj+OEx/xjQUam2L!/Da1VNTIxk27f0KS
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5936 rec.radio.amateur.equipment:2270 rec.radio.amateur.misc:3803

Bill Turner wrote:
> jpopelish@rica.net wrote:

>
>
>>Are we talking about a transmitter that draws more current than an
>>alternator can supply? If so, I think it is a poor arrangement. I
>>wouldn't connect a transmitter that exceeded the output capability of
>>the alternator, even if it meant I had to upgrade the alternator t
>>oavoid it.
>
> ~~~~~~
>
> Really? Then you should have an alternator which could supply the
> starter motor too, with that thinking.
>
> The battery is there as a power source for intermittent loads. Use it.

I described the separate wiring that allows large current draw from
the battery, intermittently, for starting.

Of course, you can use the battery in ways the auto manufacturer did
not intend. If you want to run a radio for long periods with the
motor off, you can expect the battery life to be shortened, though.
Auto batteries are not deep cycle designs.

From 2258018325905882538
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 10:44:06 -0600
Date: Sun, 29 Jan 2006 11:48:40 -0500
From: John Popelish <jpopelish@rica.net>
Organization: This space not available for advertising.
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrom10dne002@cnews.newsguy.com>
In-Reply-To: <xn0ehsrom10dne002@cnews.newsguy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <coudnUYuTsdLbUHeRVn-rg@adelphia.com>

```
Lines: 19
NNTP-Posting-Host: 69.168.60.25
X-Trace: sv3-3uEFGC0Esjrxk+wN/tIl/i0ACCLR0b0SVLDcBu/
hwBFBhp884JuiKfaNZRLEyiKonmDWLYOvkbBAFZ/!VxHeyDtlWb2eLo+yXWs+DArqHardnXzf/
rZWTvS1MddzdBJiL5ytBxIU60NaZl2BfVXjGVisb9t8!a0N42W0npbwqnp0a
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5937
rec.radio.amateur.equipment:2271 rec.radio.amateur.misc:3804

Bill Turner wrote:
> jpopelish@rica.net wrote:
>
>
>>Sorry, I thought we were talking about a vehicle electrical system.
>>In a vehicle, the battery serves essentially one purpose, to start the
>>engine.  After that, everything runs from the alternator, which also
>>recharges the battery over a period of time.
>
> ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
>
> Have you ever driven a car with a totally dead battery, after starting
> it with jumper cables and running entirely off the alternator? I have
> and it's not good. The battery is there for more than just starting the
> car. It also stores and smoothes the output from the alternator, much
> like a giant filter capacitor. Don't be afraid to use it as such.

Agreed.  But I prefer to design and install my own alternator RFI
filter, rather than depend on the battery for that purpose.


From 1380648665764684579
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g49g2000cwa.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 08:56:13 -0800
Organization: http://groups.google.com
Lines: 18
Message-ID: <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
```

```
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138553778 28551 127.0.0.1 (29 Jan 2006 16:56:18 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 16:56:18 +0000 (UTC)
In-Reply-To: <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g49g2000cwa.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2272


Dick wrote:
> On 28 Jan 2006 21:02:19 -0800, jpopelish@rica.net wrote:

> What you are suggesting flies in the face of everything I have ever
> read on mobile radio installations over the past 55 years.  In fact, I
> would defy you to point to any engineering documentation that suggests
> attachment of the radio power leads to the alternator vs directly to
> the battery.

Dick, I have been wrong lots of times, before, and would be happy to
see valid arguments that shows me my errors, here.  Unfortunately,
arguments from numbers and authority are not valid arguments.  Telling
me that lots of peope dissagree with me is about as persuasive as
telling me that my way is "not acceptable" with no reasons why.

Edumacate me.



From 1527970909779274325
X-Google-Thread: 108122,1df1b29b0b7eca0c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 29 Jan 2006 11:00:27 -0600
From: "Dan" <davander@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <7uokt15vvp50jek4qa19aa9fi4nfutm6r4@4ax.com>
Subject: Re: Just my 2 cents worth on the Kenwood TS-2000...
Date: Sun, 29 Jan 2006 11:00:08 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
```

```
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <08ednYoY4vw2aUHeRVn-tw@comcast.com>
Lines: 16
NNTP-Posting-Host: 24.12.131.62
X-Trace: sv3-t0W8rKcHaOdrhyOVeayG9c63RlacUBVHmvneEcNL1Fdm3x7T9zhI/
y5nbrKmcf+73AcWfj6aG6kAzu9!
X2vbOyUDMHY8uYr+6qbjxadtwEjca70adZjokwK6PNSEzzomvkc5E2+a6OWaKZ7gpMn77fx5Ta8=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2273

Beauty is in the eye of the beholder, I guess.  I think the Honda Element is
one ugly vehicle, but I see a lot of 'em on the road.  My 2000 seems to be
quite a radio for the price.  It does just about everything I want and need
in a rig, and does it all very well.
Dan K9RQ
"Carl" <cccccccc3cc3cc2c@aol.com> wrote in message
news:7uokt15vvp50jek4qa19aa9fi4nfutm6r4@4ax.com...
>
>  Does anyone else think the Kenwood TS-2000 is ugly?  It seems odd
> that a company like Kenwood could come out with a radio as beautiful
> as the Kenwood TS-940, and then follow it up a few years later with a
> radio as ugly as the Kenwood TS-2000.
>
>




From -4911977065817237181
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@arrl.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
```

```
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<xn0ehsrom10dne002@cnews.newsguy.com> <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
In-Reply-To: <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 8
Message-ID: <767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 70.136.53.187
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1138556419 ST000 70.136.53.187 (Sun, 29 Jan
2006 12:40:19 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 12:40:19 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSYQNONBJC[BZH[N[O@_WH@YR_B@EXLLBWLOOAFMASJETAANVW[AKWZE\]^XQWIGNE_[EBL@^_\^JOCQ^
RSNVLGTFTKHTXHHP[NB\_C@\SD@EP_[KCXX__AGDDEKGFNB\ZOKLRNCY_CGG[RHT_UN@C_BSY\G__IJIX_
PLSA[CCFAULEY\FL\VLGANTQQ]FN
Date: Sun, 29 Jan 2006 17:40:19 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:5939
rec.radio.amateur.equipment:2274 rec.radio.amateur.misc:3807

John Popelish wrote:
> Agreed.  But I prefer to design and install my own alternator RFI
> filter, rather than depend on the battery for that purpose.

When the engine is running, what is the difference between the
voltage at the alternator and the voltage at the battery?
--
73, Cecil  http://www.qsl.net/w5dxp


From -3249640495062034593
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 29 Jan 2006 09:40:14 -0800
Organization: http://groups.google.com
Lines: 22
Message-ID: <1138556414.231655.305980@f14g2000cwb.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <xn0ehsrom10dne002@cnews.newsguy.com>
   <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
   <767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138556422 2098 127.0.0.1 (29 Jan 2006 17:40:22 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 17:40:22 +0000 (UTC)
In-Reply-To: <767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.antenna:5940
rec.radio.amateur.equipment:2275 rec.radio.amateur.misc:3812
```

Cecil Moore wrote:

> When the engine is running, what is the difference between the
> voltage at the alternator and the voltage at the battery?

The difference is the IR drop of the branch circuit from the power bus to the battery positive, including the fuse link in the harness.

Loading the battery for long periods when the alternator is running is likely (if the regulation point is at the power bus, not at the positive battery ternminal) to result in an under charged battery.

If the regulation point is the battery positive terminal, then the voltage at the distribution bus point will be pushed up to compensate for the unexpected IR drop in the battery branch, and will shorten the life of headlight and other bulbs. (The charging systen is designed so that the battery is normally recharged at a rather modest rate, not at the full alternator output capability.) This is a reason why the regulation point is usually at the distribution bus, not at the battery terminal.

```
From 7480737984697594557
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-06!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
```

From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Sun, 29 Jan 2006 10:54:49 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 36
Xref: g2news1.google.com rec.radio.amateur.equipment:2276

On 29 Jan 2006 08:56:13 -0800, jpopelish@rica.net wrote:

>
>Dick wrote:
>> On 28 Jan 2006 21:02:19 -0800, jpopelish@rica.net wrote:
>
>> What you are suggesting flies in the face of everything I have ever
>> read on mobile radio installations over the past 55 years. In fact, I
>> would defy you to point to any engineering documentation that suggests
>> attachment of the radio power leads to the alternator vs directly to
>> the battery.
>
>Dick, I have been wrong lots of times, before, and would be happy to
>see valid arguments that shows me my errors, here. Unfortunately,
>arguments from numbers and authority are not valid arguments. Telling
>me that lots of peope dissagree with me is about as persuasive as
>telling me that my way is "not acceptable" with no reasons why.
>
>Edumacate me.

I'm not sure it's possible. If I said that every authoritative document I have read since I was born states that the world is round, and you still insist that it is flat, there is nothing I can do to convince you otherwise.

Good engineering practice has ALWAYS said that radio communication power leads should go DIRECTLY to the battery. One document that I would refer you to is the ARRL RFI Book. Direct battery connection is mentioned several times. Engineers at the automobile manufacturers EMC labs recommend direct connection to the battery. If you want to read a detailed discussion on the subject, go here.
http://www.arrl.org/tis/info/rfiauto.html If numbers and authority

aren't valid arguments, then there is no point in trying to educate
you.

Dick

```
From 8019794158231903711
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 10:17:47 -0800
Organization: http://groups.google.com
Lines: 45
Message-ID: <1138558667.034215.296450@g47g2000cwa.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
   <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
   <cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138558672 31525 127.0.0.1 (29 Jan 2006 18:17:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 18:17:52 +0000 (UTC)
In-Reply-To: <cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2277
```

Dick wrote:
> On 29 Jan 2006 08:56:13 -0800, jpopelish@rica.net wrote:
(snip)

> >Edumacate me.
>
> I'm not sure it's possible. If I said that every authoritative
> document I have read since I was born states that the world is round,
> and you still insist that it is flat, there is nothing I can do to

> convince you otherwise.

Sure you could, if you understood the basis of the popular belief that the world is round and could explain the facts (observations, measurements. logic) that support that popular belief. That iswhy science is so much more solid than religious dogma. Anyone with the interest and resources, but doubts, can go back to the original experiments and duplicate the observations and measurements that were used to build the logical framework of any part of scientific understanding. If you just study the conclusions and have no knowledge of how those conclusions were derived, you might as well be memorizing dogma.

> Good engineering practice has ALWAYS said that radio communication
> power leads should go DIRECTLY to the battery. One document that I
> would refer you to is the ARRL RFI Book. Direct battery connection is
> mentioned several times. Engineers at the automobile manufacturers
> EMC labs recommend direct connection to the battery. If you want to
> read a detailed discussion on the subject, go here.
> http://www.arrl.org/tis/info/rfiauto.html

Thank you. I will see what they have to say.

> If numbers and authority aren't valid arguments, then there is no point
> in trying to educate you.

So you have no understanding of why one way is better than another, except that there is a consensus of someone says so.

At least, I have presented my reasoning. I got an electrical engineering education, so I could wade into such reasoning. It certainly isn't infallible, or complete, but I do my best to think things through, logically, applying physical principles. If my knowledge or reasoning is faulty, tear it up.

From 6121111078837260209
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
From: nitespark <nitespark@cox.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>   <11tiia21u8voh0b@corp.supernews.com>

```
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
In-Reply-To: <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 72
Message-ID: <WK7Df.27714$bF.2053@dukeread07>
Date: Sun, 29 Jan 2006 13:23:46 -0500
NNTP-Posting-Host: 24.254.177.70
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1138559030 24.254.177.70 (Sun, 29 Jan 2006 13:23:50 EST)
NNTP-Posting-Date: Sun, 29 Jan 2006 13:23:50 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2278
```

jpopelish@rica.net wrote:

> Dick wrote:
>
>>On 28 Jan 2006 21:02:19 -0800, jpopelish@rica.net wrote:
>
>
>>What you are suggesting flies in the face of everything I have ever
>>read on mobile radio installations over the past 55 years. In fact, I
>>would defy you to point to any engineering documentation that suggests
>>attachment of the radio power leads to the alternator vs directly to
>>the battery.
>
>
> Dick, I have been wrong lots of times, before, and would be happy to
> see valid arguments that shows me my errors, here. Unfortunately,
> arguments from numbers and authority are not valid arguments. Telling
> me that lots of peope dissagree with me is about as persuasive as
> telling me that my way is "not acceptable" with no reasons why.
>
> Edumacate me.
>

I have been watching this message thread and I am in Dick's corner on
this one.

I have never never read anywhere, never heard anyone, advocate
connecting radio equipment directly to the alternator.

One thing, the battery functions somewhat as a big filter capacitor.
The alternator is designed to supply sufficient current so if everything
is going (lights, fan motor, radio, etc) there will be sufficient
current to supply it, however, there are times, such as starting the

car, you need the extra capacity of the battery. In as much as many community water systems rely on storage tanks and do not draw directly the well or stream they draw water from, an automobile battery is a storage device for electricity. The various devices in the car draw off the "storage tank" which is replenished by the alternator.

Adding other equipment such as a transmitter, could possibly overload the alternator. Albeit temporary, the alternator could be strained to its limits, where a battery could easily supply the necessary current on a temporary basis and then get replenished by the alternator.

Years ago, ambulances had the old Federal "Q" mechanical siren. It took several hundred amps to get that thing going. No alternator could handle that. It was not unusual for headlights to dim noticeably when you started the siren. Even today, fire engines, with their beefed up electrical systems, heavy duty batteries, high output alternators, still get their lights dimmed when they start the "Q".

FWIW, I own a 1995 Ford Explorer which I bought new. About 2 months ago, I finally replaced the original factory battery. Even though the battery was still able to start the car, I noticed it seemed sluggish occasionally and figured that was my "warning". I have a VHF/UHF 35-50 watt mobile radio as well as a 100 watt HF mobile radio in it. Both radios are wired directly to the battery and fused on both leads. A few times, I inadvertently left the VHF radio on and over the period of a few days, ran the battery down to the point I had to reset the clock and radio stations. After jump starting the car and letting it run, the battery bounced back to life. I tried not to make a habit out of that, but things happen.

I had considered buying another battery and keeping it in the car, just to see how long the original battery would last, but it would be my luck, the time it crapped out, would be the time I needed to get somewhere in a hurry. I figured the original battery didn't owe me a thing.

Andy
WD4KDN

From 6299061913573178203
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Sun, 29 Jan 2006 12:39:43 -0600
Lines: 63
Message-ID: <444gffFbf5hU1@individual.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>

<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>
<03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
<1138553773.098370.300870@g49g2000cwa.googlegroups.com>
<WK7Df.27714$bF.2053@dukeread07>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net mzmpbwcngR0d1K8e/4L8zA5Vlj6co5qdSYNfQeOMkPFAS81uqU
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us
In-Reply-To: <WK7Df.27714$bF.2053@dukeread07>
Xref: g2news1.google.com rec.radio.amateur.equipment:2279

nitespark wrote:

>
> I have been watching this message thread and I am in Dick's corner on
> this one.
>
> I have never never read anywhere, never heard anyone, advocate
> connecting radio equipment directly to the alternator.
>
> One thing, the battery functions somewhat as a big filter capacitor. The
> alternator is designed to supply sufficient current so if everything is
> going (lights, fan motor, radio, etc) there will be sufficient current
> to supply it, however, there are times, such as starting the car, you
> need the extra capacity of the battery. In as much as many community
> water systems rely on storage tanks and do not draw directly the well or
> stream they draw water from, an automobile battery is a storage device
> for electricity. The various devices in the car draw off the "storage
> tank" which is replenished by the alternator.
>
> Adding other equipment such as a transmitter, could possibly overload
> the alternator. Albeit temporary, the alternator could be strained to
> its limits, where a battery could easily supply the necessary current on
> a temporary basis and then get replenished by the alternator.
>
> Years ago, ambulances had the old Federal "Q" mechanical siren. It took
> several hundred amps to get that thing going. No alternator could
> handle that. It was not unusual for headlights to dim noticeably when
> you started the siren. Even today, fire engines, with their beefed up
> electrical systems, heavy duty batteries, high output alternators, still
> get their lights dimmed when they start the "Q".
>
> FWIW, I own a 1995 Ford Explorer which I bought new. About 2 months
> ago, I finally replaced the original factory battery. Even though the
> battery was still able to start the car, I noticed it seemed sluggish
> occasionally and figured that was my "warning". I have a VHF/UHF 35-50

> watt mobile radio as well as a 100 watt HF mobile radio in it. Both
> radios are wired directly to the battery and fused on both leads. A few
> times, I inadvertently left the VHF radio on and over the period of a
> few days, ran the battery down to the point I had to reset the clock and
> radio stations. After jump starting the car and letting it run, the
> battery bounced back to life. I tried not to make a habit out of that,
> but things happen.
>
> I had considered buying another battery and keeping it in the car, just
> to see how long the original battery would last, but it would be my
> luck, the time it crapped out, would be the time I needed to get
> somewhere in a hurry. I figured the original battery didn't owe me a
> thing.
>
> Andy
> WD4KDN

I am with Dick on this one too, with ONE change, I have a dual battery
setup. One is for the truck system, the other is the one I use to power
my radios, and extra equipment(laptop, and networking test equipment).
This way you will never run down your starter battery, and the equipment
battery is a deep cycle dual purpose marine battery...

--
Bob N9LVU

From -1204673545784969887
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 10:56:27 -0800
Organization: http://groups.google.com
Lines: 124
Message-ID: <1138560987.254994.256320@g44g2000cwa.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
   <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
   <cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"

```
X-Trace: posting.google.com 1138560992 4349 127.0.0.1 (29 Jan 2006 18:56:32 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 18:56:32 +0000 (UTC)
In-Reply-To: <cavpt11mrj4e7qvrh512hshple2ljk7j82@4ax.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915
Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2280
```

Dick wrote:
(snip)

> Engineers at the automobile manufacturers
> EMC labs recommend direct connection to the battery. If you want to
> read a detailed discussion on the subject, go here.
> http://www.arrl.org/tis/info/rfiauto.html

I have read through this page, and it contains what you say it does. Unfortunately for my education, the manufacturer's recommendations do not give any reasons for their recommendations, so you have no way of knowing if it makes the radio work best, or just protects the automotive electronics most from interferrance from the radio, or even if they thought much at all about the question, but just gave the first answer they thought of. I doubt very much that they are at all concerned with your radio working, optimally.

Further down in the discussion section, the manufacturer's recommendations are echoed several times, but the reasons given are related to avoiding specific problems. So here is whai I found:

(begin excerpt)

Q: When I'm installing the radio, where should I connect the dc power leads?

A: The positive and negative leads from the transceiver should connect directly to the battery with fuses in both leads. Route them away from any
other wiring in the vehicle. This usually means drilling a small hole in the
firewall between the engine and the passenger compartment and running the
wires through a rubber grommet (to protect their insulation from sharp edges). If the wiring or antenna lead must pass near vehicle wiring, route
it at right angles to the wiring. It is best to run the power and antenna
leads as close to the vehicle chassis as possible.
(end excerpt)

This is essentially an echo with not much reasoning. Do it this way because (they, we) I say so.

(begin excerpt)
Q: Why can't I find power inside the ear?

A: It's often difficult, especially in modern cars, to know which power sources in the passenger compartment can safely carry the high-current loads of a transceiver. If you choose a source that also powers one of the microprocessors, the transmit current could cause problems. In addition, some transmitters are not well bypassed and some RF energy can appear on the power leads. This is bad news for microprocessors. Even grounding isn't as simple as it seems. With all of the plastics used in modern vehicles, not everything that looks like ground is really ground. It could be "floating" or even be part of the wiring for one of the vehicle's sensors. Even if you do tie into the chassis, it is possible that the section you've chosen forms part of the return path for one of the control modules Generally, you're better off running the wires to the battery, especially for high-power installations.
(end excerpt)

Now, here we have a couple reasons why it is not recommended to just tap into the existing power distribution wiring.

1. Exceeding ampacity of the wiring.

2. RF leakqage out the radio power wires interferring with the automotive electronics

3. Chassis as ground return coupling noise between radio and car electronics.

All good points. None contradict my idea, except, possibly 2. But the RFI filter I suggest adding to the alternator can bypass this noise. Beefing up the noise immunity of the power bus seems like an excellent idea if you are going to add a powerful RF generator to any modern vehicle, whether the radio requires it, or not.

(begin excerpt)
Q: My VHF installation works perfectly. However, I followed similar guidelines for HF and found that I had some pretty strong noise on receive. Some of this noise goes away when I connect the radio to the test battery I used earlier. Any ideas?

A: It sounds like some of the noise is coming down the power leads. To cure this, first try ferrite chokes on the positive and negative leads. Obtain two FT-140-43 ferrite cores [2] and wrap about 10 turns of each wire onto the core. (Fewer turns may not work, and if you substitute a different ferrite, make sure it's suitable for HF - unknown materials usually don't work!) You can also try installing 0.01-uF capacitors from the positive lead to the negative lead, or from the positive lead to chassis ground (or both). The capacitors may work best with or without one or both of the ferrites.
(end excerpt

This is a very brief discussion of filters between the power source and radio. I would like to see a much more scientific expansion of this topic. There are lots of things to know about making effective, high current RiI filters, especially ones that must carry large DC currents. It does imply that a battery is not necessarily an effective bypass capacitor at RF frequencies.

I still see nothing about why it is so important to connect directly to the battery, instead of to the power source that maintains battery voltage, except that people say to do it. It is beginning to look like common wisdom that may actually be based mostly on a commonly held myth.

From -4413433644039179424
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!pln-e!spln!rex!extra.newsguy.com!newsp.newsguy.com!enews3
From: "Bill Turner" <noway@nohow.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
Subject: Re: Mobile installation question
Date: 29 Jan 2006 18:42:41 GMT
Organization: http://extra.newsguy.com
Lines: 14
Message-ID: <xn0eht1e33ts5a000@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
<1138508998.736589.272440@z14g2000cwz.googlegroups.com>

```
<xn0ehsrom10dne002@cnews.newsguy.com> <coudnUYuTsdLbUHeRVn-rg@adelphia.com>
<767Df.29208$PL5.1624@newssvr11.news.prodigy.com>
NNTP-Posting-Host: p-844.newsdawg.com
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:0000005E
Xref: g2news1.google.com rec.radio.amateur.antenna:5941
rec.radio.amateur.equipment:2281 rec.radio.amateur.misc:3821

Cecil Moore wrote:

> When the engine is running, what is the difference between the
> voltage at the alternator and the voltage at the battery?
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

Depends on whether the battery is fully charged or not. Immediately
after starting the engine, the voltage difference will be at its
greatest. After a few minutes running, the difference will be very
small, unless a large current drain is occurring.

In other words, there is no single answer.

73, Bill W6WRT


From -8878686173848772982
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: jpopelish@rica.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 29 Jan 2006 11:55:33 -0800
Organization: http://groups.google.com
Lines: 51
Message-ID: <1138564533.404518.144990@f14g2000cwb.googlegroups.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
   <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
   <11tiia21u8voh0b@corp.supernews.com>
   <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
   <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
   <1138508998.736589.272440@z14g2000cwz.googlegroups.com>
   <03opt1tisemj7vn21p45l22sjho5kt00kf@4ax.com>
   <1138553773.098370.300870@g49g2000cwa.googlegroups.com>
   <WK7Df.27714$bF.2053@dukeread07>
NNTP-Posting-Host: 69.168.60.25
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138564538 20775 127.0.0.1 (29 Jan 2006 19:55:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 29 Jan 2006 19:55:38 +0000 (UTC)
In-Reply-To: <WK7Df.27714$bF.2053@dukeread07>
```

User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.12) Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=69.168.60.25;
   posting-account=Jn0CFwwAAABsD4-eS0hZ1Zjax8A9t7Fb
Xref: g2news1.google.com rec.radio.amateur.equipment:2282

nitespark wrote:

> I have never never read anywhere, never heard anyone, advocate connecting radio equipment directly to the alternator.

You can never again say that, honestly, since you have seen me advocate, exactly that.

Oh, you mean anyone you trust. Okay, never mind. ;-)

> One thing, the battery functions somewhat as a big filter capacitor. The alternator is designed to supply sufficient current so if everything is going (lights, fan motor, radio, etc) there will be sufficient current to supply it, however, there are times, such as starting the car, you need the extra capacity of the battery. In as much as many community water systems rely on storage tanks and do not draw directly the well or stream they draw water from, an automobile battery is a storage device for electricity. The various devices in the car draw off the "storage tank" which is replenished by the alternator.

The alternator and battery are connected by a piece of wire (often including a fusible link to act as a fuse, in case the alternator rectifiers short, to prevent fire).

The battery can act almost exactly the same as a reservoir from the far end of this wire as it can with a more direct connection. The difference being that a direct connection lowers the effective charging voltage by the amount of the connecting wire IR drop while the radio is drawing current. If the radio is connected at the alternator end of that wire, the alternator and battery provide current to the radio through two parallel paths, rather than the total radio current having to pass through the alternator-battery link. If the alternator regulation keeps up with the radio load, the battery will provide nothing except for ripple filtering, and stay fully charged.

> Adding other equipment such as a transmitter, could possibly overload the alternator.

The alternator provides the current, whether the radio is drawing it through the battery charging branch or not.

> Albeit temporary, the alternator could be strained to its limits, where a battery could easily supply the necessary current on a temporary basis and then get replenished by the alternator.

(snip remaining personal account that addresses other problems)

The alternator and battery are connected together by a fraction of an ohm.   The alternator doesn't appreciate the difference (of where the radio is connected). The battery and radio might.

```
From 4176849872273420539
X-Google-Thread: 108122,d48791f0473dc03d,start
X-Google-Thread: 1109af,d48791f0473dc03d,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 4-EA "NEW" Motorola Microphones-HMN3008A w/LED
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0041_01C61FA7.1EA7C9F0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <06%Af.1211$MJ.128@fed1read07>
Date: Sun, 22 Jan 2006 22:56:46 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137999356 68.96.227.248 (Mon, 23 Jan 2006 01:55:56 EST)
NNTP-Posting-Date: Mon, 23 Jan 2006 01:55:56 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2133 rec.radio.swap:2331

This is a multi-part message in MIME format.

------=_NextPart_000_0041_01C61FA7.1EA7C9F0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 4-EA "NEW" Motorola Microphones-HMN3008A w/LED

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7584038671&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0041_01C61FA7.1EA7C9F0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><SPAN><FONT size=3D2>
<P>FA: 4-EA "NEW" Motorola Microphones-HMN3008A w/LED</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7584038671&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7584038671&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></SPAN></DIV></BODY></HTML>

------=_NextPart_000_0041_01C61FA7.1EA7C9F0--
```

```
From -5164549703740000620
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Jan 2006 09:04:25 -0600
Date: Mon, 23 Jan 2006 10:04:28 -0500
From: Amos Keag <A.K01@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
In-Reply-To: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <66idnRrSFeXkbUneRVn-rQ@comcast.com>
Lines: 66
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-dgy2emVIwOM1JtCzHkbhzpHXI1EjuNBw1//
luTzHH03oH3yCGHS1a7Ry91kTmxCNA97lE+4o91AJWGL!
O3eTQmSZ4VMlt6tLRTduuY4exnaBecTqAxOFpO1+TT25BXfm/pM4FvqDomAS5zt3J4VFhzzmRQq3!
wlfppw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5726 rec.radio.amateur.misc:3718 rec.radio.amateur.equipment:2134

I use the through hole in the floor of my Ranger [Ford] as you describe.

Coax should have no rf current on the outside of the cable assuming a
good ground at the antenna.

Joe S. wrote:
> This question does not fit perfectly into any rec.radio.amateur newsgroup so
> I'll cross-post it to three groups and hope someone can help me.
>
> The question involves the dangers of RF energy from HF, VHF, and UHF rigs
> around automobile electronics.
>
> I am installing a Yaesu FT-857D in a 1997 Mazda B4000 truck -- 4.0L V6, 4WD,
> 5-speed, with extended cab.
>
> The control head for the 857 is separated and mounted on the plastic bezel
> around the gear shift lever. The rig is mounted on the floor under the
> driver's seat.
>
> Underneath the truck, on the rocker panel just beneath the seatbelt anchor
> point, is a factory-made hole in the floor. This hole is closed with a
> removable rubber plug. I ran the radio's power lead through this rubber
> plug, along the frame, into the engine compartment where I attached the
> positive lead to the battery and the negative lead to chassis ground.
>
> I planned to run the antenna leads out through the same hole then run them
> along the frame into the sidewall of the bed to the rear of the truck where
> I will mount a VHF/UHF antenna in one rear stake hole and an ATAS-120 in the
> other rear stake hole, using the GeoTools mount:
> http://www.geotool.com/antmount.htm
>
> I took the truck in for service last week and the service advisor gave me a
> long lecture about keeping the coax away from the air bag and away from the
> seatbelt retractor. He told me the retractor has a small explosive charge
> in it that can be set off by radiation from coax. Ditto for the airbag.
>
> The route I planned for the coax takes it right next to the seatbelt
> retractor and I am now re-thinking my installation. I could route the coax
> from underneath the driver's seat directly to the back of the cab and drill
> a hole in the floorboard, centered on the cab at the back wall of the cab,
> and run the coax out of that hole. This would get a foot or more separation
> between the coax and the retractor.
>
> I plan to ground the hell out of this installation.
> -- The power lead is grounded to the frame in the engine compartment.
> -- I have a 10 gauge pigtail -- one end will be bolted under one of the
> bolts that attaches the seat frame to the floorboard and the other end will

> be bolted to the 857 chassis.
> -- The antenna mounts bolt directly onto the chassis; I will sand off the
> paint and use star washers to get good contacts at these mounting points.
>
> Also, I will use double-shielded RG-8X for the coax.
>
> I see a lot of trucks like mine (the B4000 is the same truck as the Ford
> Ranger) with CB installations -- I have never stopped anyone and asked but
> it seems to me the normal CB installation is nowhere near as good as mine
> and they don't seem to have problems. Of course, I'm running 100 watts and
> they are running only 5 (right???).
>
> Has anyone out there had experience with HF mobile installations in the
> Mazda or Ranger pickups?
>
> Thanks for your assistance.
>
>

From 3716938956875360774
X-Google-Thread: 108122,1ee6f7be29fed843,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!53ab2750!not-for-mail
From: "John Schneider" <thecop@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS - Buxcom Rascal GLX
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Af7Bf.36$sj7.25@fe08.lga>
Date: Mon, 23 Jan 2006 11:12:15 -0500
NNTP-Posting-Host: 24.46.119.157
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1138032736 24.46.119.157 (Mon, 23 Jan 2006 09:12:16 MST)
NNTP-Posting-Date: Mon, 23 Jan 2006 09:12:16 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2135

I have a used-but-as-new Buxcom Rascal GLX (model RIC8PD... see here: http://www.packetradio.com/RCBL.htm) sound card interface set up for the Icom 746PRO. The unit works just as it should but is excess to my needs.

$30 + shipping

John, KB2COP

thecop@optonline.net

From 7031539061150024661
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!pln-e!
spln!lex!extra.newsguy.com!newsp.newsguy.com!enews4
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 23 Jan 2006 16:07:50 GMT
Organization: http://extra.newsguy.com
Lines: 13
Message-ID: <xn0ehkhyv3wp07005@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com>
NNTP-Posting-Host: p-432.newsdawg.com
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:0000002B
Xref: g2news1.google.com rec.radio.amateur.antenna:5733
rec.radio.amateur.misc:3719 rec.radio.amateur.equipment:2136

Amos Keag wrote:

> Coax should have no rf current on the outside of the cable assuming a
> good ground at the antenna.

~~~~~~

Nonsense.

Current on the outside of the coax is caused by imbalance in the
antenna. A good ground will not get rid of it, in fact it may well be
the cause if the ground has a different impedance than the antenna.

Bill, W6WRT

From -3006171387623746062
X-Google-Thread: 108122,8481baca02ac1f33
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsfeed.media.kyoto-u.ac.jp!
newsfeed.news.ucla.edu!canoe.uoregon.edu!arclight.uoregon.edu!news.infoave.net!
not-for-mail
From: "Dan Yemiola" <ai8o@LexComInc.Net>
Newsgroups: rec.radio.amateur.equipment
~~~~~~

Subject: Re: Upgrading from Tech Plus to General
Date: Mon, 23 Jan 2006 13:07:48 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 16
Message-ID: <dr366d$5llv$1@news3.infoave.net>
References: <ceTAf.43$Xi2.9425@news.uswest.net>
NNTP-Posting-Host: 204.116.133.133
X-Trace: news3.infoave.net 1138039821 186047 204.116.133.133 (23 Jan 2006 18:10:21 GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Mon, 23 Jan 2006 18:10:21 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Xref: g2news1.google.com rec.radio.amateur.equipment:2137

Find aVE in your Area.
Tech PLUS (someone who was a 5 WPM morse Novice who upgraded to Tech by taking the General class test), only needs to do some paperwork at a VE test session.

Dan
AI8O

"Big Al" <nospamsal1@qwest.net> wrote in message
news:ceTAf.43$Xi2.9425@news.uswest.net...
> How do I go about this?
>
> Al
>

From -8344631133252730519
X-Google-Thread: 108122,a372a7206c33b987,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Jan 2006 12:47:00 -0600
From: notmeman <nospam4me@goober.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: REAL NICE HAMMARLUND HQ180
Date: Mon, 23 Jan 2006 12:47:00 -0600
Message-ID: <t49at1h1pv4enuhipu7qfr0kufqu8kmrvh@4ax.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

Lines: 28
NNTP-Posting-Host: 69.242.189.195
X-Trace: sv3-
aoxsuotlz0vHKpRswRJysmfw6LOyn40/6WLTw7u1JltXJXbaKgfi2ufQt4Gn0ZtRNqsAmeYpxrP/k3o!
HNQWMmoaF6EjICSWVm5xq62FySKgq4WiDPAGWIeAB4AD0QUxW0dy9cvW2uqcXGnIliOq/19l2D2z!
sHbEj6vNRMmkpA==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2138

FS: REAL NICE HAMMARLUND HQ180

Great cosmetic and electrical shape, just realigned. I am presently using this receiver on on 75/160M AM. Plays great, looks great. Has been retubed, old/defective components replaced, and cleaned. Tested from 540 khz to 30 Mhz and it pulls in signals as well as an FT1000MP sitting next to it. Stable and calibrated. On AM it has better selectivity and audio than the MP. On sideband it sounds good and has minimal drift. Has aftermarket clock, includes manual. Looks every bit as good as the pictures (which will be emailed on request).

Price is $425.00. I prefer not to ship this, due to risk of damage by carrier. I am in the Kansas City area and will drive 100 mile radius to meet buyer. I will ship if you insist, but cost of double boxing, packing materials, and freight charges are responsibility of buyer. I do not intend to make money on the packing/shipping, just want to make sure the item arrives at your location without damage or hassles!

I also have the matching S200 speaker (sounds GREAT) in equally good cosmetic/electrical condition. Inquire if interested.

Send me your email address and I'll send photos and answer any questions.

73
Dan
K0DAN
"k0dan-at-comcast-dot-net"

From -652845075405497463
X-Google-Thread: 108122,8481baca02ac1f33
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
news2.volia.net!news.musoftware.de!border1.nntp.ams.giganews.com!
nntp.giganews.com!sn-ams-06!sn-xt-ams-08!sn-post-ams-01!sn-post-02!sn-post-01!
supernews.com!corp.supernews.com!not-for-mail
From: Butch Magee <lynyrd@cableone.net>

```
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Upgrading from Tech Plus to General
Date: Mon, 23 Jan 2006 13:14:24 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11taase54b9741b@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <ceTAf.43$Xi2.9425@news.uswest.net>
In-Reply-To: <ceTAf.43$Xi2.9425@news.uswest.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news1.google.com rec.radio.amateur.equipment:2139

Big Al wrote:
> How do I go about this?
>
> Al
>
>
Show up at some event (club meeting/hamfest/a pre-announced gathering)
that has made it clear that Volunteer Examiners will be giving tests to
those who wish to upgrade on XX date.  Bring a copy of your license plus
the original, bring the fee for testing/don't forget your birth
certificate and picture ID card.  Study.  Good luck.


From 8415032735943865098
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Jan 2006 18:01:06 -0600
From: "Joe S." <anon@mous.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com>
Subject: Re: Mobile installation question
Date: Mon, 23 Jan 2006 19:01:28 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <f-CdncUKkezf80jeRVn-tg@comcast.com>
Lines: 77
```

NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-7vMR1tHTwia1CmVabCi3Xx//
MT0iUvq+Zhm3G1ZdQVao8scs3TdANqnXtrEHTBZdQyNALhIthz3LYcS!
l4bYRPeDEJQlXbQnhKrtlWaZx0vuu3qOW/ip9MCiH4RD01AdKKQySiI+AL4cPiV78kkJA1RYA+s=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5761
rec.radio.amateur.misc:3721 rec.radio.amateur.equipment:2140

"Amos Keag" <A.K01@comcast.net> wrote in message
news:66idnRrSFeXkbUneRVn-rQ@comcast.com...
>I use the through hole in the floor of my Ranger [Ford] as you describe.

Thanks -- what year is your Ranger? What bands and power are you running?
Where is your antenna mounted? Ever had any malfunctions caused by RF?

>
> Coax should have no rf current on the outside of the cable assuming a good
> ground at the antenna.
>
> Joe S. wrote:
>> This question does not fit perfectly into any rec.radio.amateur newsgroup
>> so I'll cross-post it to three groups and hope someone can help me.
>>
>> The question involves the dangers of RF energy from HF, VHF, and UHF rigs
>> around automobile electronics.
>>
>> I am installing a Yaesu FT-857D in a 1997 Mazda B4000 truck -- 4.0L V6,
>> 4WD, 5-speed, with extended cab.
>>
>> The control head for the 857 is separated and mounted on the plastic
>> bezel around the gear shift lever. The rig is mounted on the floor under
>> the driver's seat.
>>
>> Underneath the truck, on the rocker panel just beneath the seatbelt
>> anchor point, is a factory-made hole in the floor. This hole is closed
>> with a removable rubber plug. I ran the radio's power lead through this
>> rubber plug, along the frame, into the engine compartment where I
>> attached the positive lead to the battery and the negative lead to
>> chassis ground.
>>
>> I planned to run the antenna leads out through the same hole then run
>> them along the frame into the sidewall of the bed to the rear of the
>> truck where I will mount a VHF/UHF antenna in one rear stake hole and an
>> ATAS-120 in the other rear stake hole, using the GeoTools mount:
>> http://www.geotool.com/antmount.htm

>>
>> I took the truck in for service last week and the service advisor gave me
>> a long lecture about keeping the coax away from the air bag and away from
>> the seatbelt retractor. He told me the retractor has a small explosive
>> charge in it that can be set off by radiation from coax. Ditto for the
>> airbag.
>>
>> The route I planned for the coax takes it right next to the seatbelt
>> retractor and I am now re-thinking my installation. I could route the
>> coax from underneath the driver's seat directly to the back of the cab
>> and drill a hole in the floorboard, centered on the cab at the back wall
>> of the cab, and run the coax out of that hole. This would get a foot or
>> more separation between the coax and the retractor.
>>
>> I plan to ground the hell out of this installation.
>> -- The power lead is grounded to the frame in the engine compartment.
>> -- I have a 10 gauge pigtail -- one end will be bolted under one of the
>> bolts that attaches the seat frame to the floorboard and the other end
>> will be bolted to the 857 chassis.
>> -- The antenna mounts bolt directly onto the chassis; I will sand off the
>> paint and use star washers to get good contacts at these mounting points.
>>
>> Also, I will use double-shielded RG-8X for the coax.
>>
>> I see a lot of trucks like mine (the B4000 is the same truck as the Ford
>> Ranger) with CB installations -- I have never stopped anyone and asked
>> but it seems to me the normal CB installation is nowhere near as good as
>> mine and they don't seem to have problems. Of course, I'm running 100
>> watts and they are running only 5 (right???).
>>
>> Has anyone out there had experience with HF mobile installations in the
>> Mazda or Ranger pickups?
>>
>> Thanks for your assistance.
>

From -6513109153221608261
X-Google-Thread: 108122,7ec108f742ccd7dd,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Heil mic Cable for TS-480
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <5vfBf.2565$2o5.2423@dukeread11>
Date: Mon, 23 Jan 2006 19:34:48 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1138066497 68.1.251.179 (Mon, 23 Jan 2006 20:34:57 EST)
NNTP-Posting-Date: Mon, 23 Jan 2006 20:34:57 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2141

I have for sale an as new Heil mic cable for the Kenwood TS-480SAT/HX. It is the CC-1-K-M modular
cable. It cost $36 new plus shipping. My price is $26 shipped in continental USA. Thanks, Charlie Hugg,
K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 2425415847895731891
X-Google-Thread: 108122,8481baca02ac1f33
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 23 Jan 2006 21:19:28 -0600
From: "Dee Flint" <deeflint01@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <ceTAf.43$Xi2.9425@news.uswest.net>
Subject: Re: Upgrading from Tech Plus to General
Date: Mon, 23 Jan 2006 22:19:24 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <oridnbYM07pdAUjeRVn-pg@comcast.com>
Lines: 30
NNTP-Posting-Host: 68.61.218.179
X-Trace: sv3-cFZ3p+9VZGvUYRIn4PR8ozuOvrpVOFscXREvoMjvXuvW1qc7In8cTnU1bZGnf7TF//yQN0IPE6E4Fi8!E67l/Szy6/2rScWWTG7RRGn8rP0XUYKHZ6Xv6P3ZhbE4Sd8tUlnAcS2jFBL4wymb1aI9UKe0dy4T!oUI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers

X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2142

"Big Al" <nospamsal1@qwest.net> wrote in message
news:ceTAf.43$Xi2.9425@news.uswest.net...
> How do I go about this?
>
> Al
>

If you received your Technician license prior to 1987 (I think the cutoff data is sometime in April 1997), then all you have to do is bring proof of that to a VE test session, fill out the upgrade application, pay the processing fee and that's it.

If you received your Tech Plus (at times called Tech with code instead of Tech Plus) between 1987 and the restructuring of April 2000, you will need to bring proof of that to a VE test session, pay the fee, take and pass the General written test, and fill out the upgrade application.

If you received your Tech with code after the cutoff date in April 2000 and your code CSCE is more than a year old, you will have to take and pass the code again and take and pass the General written. If your code CSCE is less than a year old, you will only have to take the General written. Of course you will need to have the original and a copy of the CSCE.

For all paper work, take both the original and a copy. The VE team will need to have the copy to attach to the paperwork filed with the VEC.

Dee D. Flint, N8UZE

From 3255344969741242015
X-Google-Thread: fc8b1,c70a90293d53efa0,start
X-Google-Thread: 108122,c70a90293d53efa0,start
X-Google-Attributes: gidfc8b1,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
newspeer1.nwr.nac.net!feedme.ziplink.net!news1.ipswitchs.cmm!ddl
From: ddl@danlan.*com (Dan Lanciani)
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment
Subject: Navy RDR receiver (RCA)
Message-ID: <1331766@news1.IPSWITCHS.CMM>
Date: 24 Jan 2006 07:17:14 GMT
Organization: Internet
Lines: 6
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2466

rec.radio.amateur.equipment:2143

I have one of these boat anchors along with manual. On the off chance that anyone would want it, let me know before I start dividing it into pieces compatible with trash collection...

Dan Lanciani
ddl@danlan.*com

```
From -3513184131080088218
X-Google-Thread: 108122,5d46ba5b490fc653,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
newscon02.news.prodigy.com!newscon06.news.prodigy.com!prodigy.net!news-
east.rr.com!news.rr.com!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!
53ab2750!not-for-mail
From: "David J Windisch" <davidjw@cinci.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: pr 813s and 1625 driver in 3-ft rack
Lines: 14
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <J4nBf.42172$Q11.20411@tornado.ohiordc.rr.com>
Date: Tue, 24 Jan 2006 10:12:57 GMT
NNTP-Posting-Host: 69.133.36.142
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1138097577 69.133.36.142 (Tue, 24 Jan 2006
05:12:57 EST)
NNTP-Posting-Date: Tue, 24 Jan 2006 05:12:57 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2144
```

FS: pr 813s and 1625 driver in 3-ft rack

Driver and final r-f deck are completed, 80-10M c-w, ps for final must be built: have xfmr and caps, no diodes or chassis. 5 813 tubes total available.

Pix available. Sri, no part out.

$200 or near offer.   Shipping/insurance extra, naturally.

73, Dave, N3HE
Cincinnati OH 45251

```
From -1502937215460482610
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 24 Jan 2006 05:02:00 -0600
Date: Tue, 24 Jan 2006 06:02:02 -0500
From: Amos Keag <A.K01@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com>
In-Reply-To: <xn0ehkhyv3wp07005@cnews.newsguy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <yqmdnXirm_a1lEveRVn-rw@comcast.com>
Lines: 21
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-7iQ0KOf/ZJlhFE9n3muu3zKIxJsPxufSGCfHmpRoH1JhmPAs/nRu7GJAN3iyM0/
jYIpzQcTGGFnPOyF!
ov3MDpWikL2EWiejY5yCtl3YGjhKh+pMxyfgte9LfmWf50GIrlcG56GGP63q7a7RaN4ts6LILVpo!K9Ok/
w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5782
rec.radio.amateur.misc:3725 rec.radio.amateur.equipment:2145
```

Bill Turner wrote:

```
> Amos Keag wrote:
>
>
>>Coax should have no rf current on the outside of the cable assuming a
>>good ground at the antenna.
>
> ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
>
> Nonsense.
>
> Current on the outside of the coax is caused by imbalance in the
```

> antenna. A good ground will not get rid of it, in fact it may well be
> the cause if the ground has a different impedance than the antenna.
>
> Bill, W6WRT

Bill, the discussion is about a MOBILE installation. The antenna is end
fed against ground, not a balanced dipole type.

From -233418476153987282
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 24 Jan 2006 05:04:43 -0600
Date: Tue, 24 Jan 2006 06:04:46 -0500
From: Amos Keag <A.K01@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <f-CdncUKkezf80jeRVn-tg@comcast.com>
In-Reply-To: <f-CdncUKkezf80jeRVn-tg@comcast.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <yqmdnXurm_ZWlEveRVn-rw@comcast.com>
Lines: 24
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-6gVkcX2+cIZZ72eWUujbp+M83p5nsyi02JTCPXNa18H6EXt77/
dGZ0GTyGmg9KgJPMVo3JzHkxPYTdY!HvyRiyl9BRxVMGQc3WhQC4X2bsPb/Cl4XT8GQAvx/
AJes+6uOxnyfkm9pUW3Y2meyR1+USqjbi8d!CXBu/g==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5783
rec.radio.amateur.misc:3726 rec.radio.amateur.equipment:2146

Joe S. wrote:

> "Amos Keag" <A.K01@comcast.net> wrote in message
> news:66idnRrSFeXkbUneRVn-rQ@comcast.com...

```
>
>>I use the through hole in the floor of my Ranger [Ford] as you describe.
>
>
> Thanks -- what year is your Ranger? 2004


What bands and power are you running? 40 through 0.7 meters at full
IC-706 MK IIg output [100 watts on HF, reduced on VHF/UHF]

Where is your antenna mounted? OHF on the bed wall near the tail gate.
VHF/UHF on the cab window.


Ever had any malfunctions caused by RF? NOPE!!
>
>

200




From 6087726205878139914
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 24 Jan 2006 08:01:31 -0600
From: "Joe S." <anon@mous.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <f-CdncUKkezf80jeRVn-tg@comcast.com> <yqmdnXurm_ZWlEveRVn-
rw@comcast.com>
Subject: Re: Mobile installation question
Date: Tue, 24 Jan 2006 09:01:54 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <2KydnYwppqSmrkvenZ2dnUVZ_v-dnZ2d@comcast.com>
Lines: 38
NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-Nyls0eihABVkTkhvtRq2yHHFZPPiv6AR8zvKZ25b3IsTunM/
Q0mYGw9TYP1ScNFyHuWvWy7ChA8uUp9!
0bQZKb6WqFCHdHUO8J2HWWETsxD+t5rz0h+r9fyzOpC6jppMjCLEb79uugvwu7rEI9cXobXldxte!
+U+7yU1JFSVF
X-Complaints-To: abuse@comcast.net
```

```
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5788
rec.radio.amateur.misc:3727 rec.radio.amateur.equipment:2147


"Amos Keag" <A.K01@comcast.net> wrote in message
news:yqmdnXurm_ZWlEveRVn-rw@comcast.com...
> Joe S. wrote:
>
>> "Amos Keag" <A.K01@comcast.net> wrote in message
>> news:66idnRrSFeXkbUneRVn-rQ@comcast.com...
>>
>>>I use the through hole in the floor of my Ranger [Ford] as you describe.
>>
>>
>> Thanks -- what year is your Ranger? 2004
>
>
> What bands and power are you running? 40 through 0.7 meters at full IC-706
> MK IIg output [100 watts on HF, reduced on VHF/UHF]
>
> Where is your antenna mounted? OHF on the bed wall near the tail gate.
> VHF/UHF on the cab window.
>
>
> Ever had any malfunctions caused by RF? NOPE!!

Thanks.  Your installation is almost identical to mine:
-- FT-857, 100 watts on HF, 25 or so on VHF/UHF
-- Antennas mounted on the rear corners of the bed, in the rear stake holes.

I'm using double-braid RG-8X.




>>
>>
>
> 200
>





From 6942613554573456792
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <43D639F8.9EFFB784@lostinspace.com>
From: robbie <robbie_robot@lostinspace.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can someone help a non-HAM?
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
Date: Tue, 24 Jan 2006 14:30:17 GMT
NNTP-Posting-Host: 12.76.242.237
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1138113017 12.76.242.237 (Tue, 24 Jan
2006 14:30:17 GMT)
NNTP-Posting-Date: Tue, 24 Jan 2006 14:30:17 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2148

go to qth.com for free ads
qrz.com

sell the gear for money and
he can make a donation
to his charity or chruch etc.


kelvin_cool_ohm wrote:

> A friend of mine inherited some HAM gear when his father
> passed away. He, himself, is not a HAM. He needs to find
> a home for his father's equipment.  He is willing to give
> it to anyone who will pay the shipping or pick it up at
> his place.  He has no idea what any of it is, but would
> rather give it to someone who can use it than send it to
> the car crusher in an old car (his only other option).
> I offered to post pictures of the stuff, but I need to
> know where to post it so HAMs could find it. Does this
> NG have a binaries group that you guys use as a binaries
> portal?  Would someone be willing to post the pictures on
> their website?
>
> Rick



From -7548085699368448716
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43D64501.132D4877@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can someone help a non-HAM?
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
Date: Tue, 24 Jan 2006 15:17:56 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1138115876 24.110.34.161 (Tue, 24 Jan 2006 07:17:56 PST)
NNTP-Posting-Date: Tue, 24 Jan 2006 07:17:56 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2149

kelvin_cool_ohm wrote:

> A friend of mine inherited some HAM gear when his father
> passed away. He, himself, is not a HAM. He needs to find
> a home for his father's equipment. He is willing to give
> it to anyone who will pay the shipping or pick it up at
> his place. He has no idea what any of it is, but would
> rather give it to someone who can use it than send it to
> the car crusher in an old car (his only other option).
> I offered to post pictures of the stuff, but I need to
> know where to post it so HAMs could find it. Does this
> NG have a binaries group that you guys use as a binaries
> portal? Would someone be willing to post the pictures on
> their website?
>
> Rick

It would help if you told us where you were located. The state and city would be enough for someone to point you to a local ham or club that could help you.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From -1029143269170470865
X-Google-Thread: 114aac,7ec722324a102c88,start
X-Google-Thread: 108122,7ec722324a102c88,start
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g49g2000cwa.googlegroups.com!not-for-
mail
From: shoppa@trailing-edge.com
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Good radio listening speaker
Date: 24 Jan 2006 07:36:04 -0800
Organization: http://groups.google.com
Lines: 22
Message-ID: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
NNTP-Posting-Host: 170.121.15.35
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138116970 14894 127.0.0.1 (24 Jan 2006 15:36:10 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Jan 2006 15:36:10 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; X11; Linux i686; en) Opera
7.60,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g49g2000cwa.googlegroups.com; posting-host=170.121.15.35;
   posting-account=mAyfxAwAAABWbrxnXxYpn9RczUJc3B8w
Xref: g2news1.google.com rec.radio.shortwave:20111
rec.radio.amateur.equipment:2150
```

I have a nice die-cast Radio Shack bookshelf speaker I bought probably 15 years ago that I use on my SW/Ham radios. It's not a perfect speaker but it's fairly mellow, not at all tinny, and extremely durable.

I think Radio Shack sold them as outdoor/patio type speakers when I bought them and I seem to recall the name "Minimus-7".

I go to look at Radio Shack and they don't have anything like this anymore. They've got some really crappy plastic-tinny sounding speakers that I don't like at all, and would probably break the first time I looked at it funny.

What speakers are available in durable die-cast housings these days? And I hate tinny sound (like comes out of a PC-clone speaker). I refuse (just out of abhorrence of the sound) to look at any PC or PC-with-amplified-subwoofer crap speakers.

Did I mention that I don't want any PC speakers, and they all sound awful? (Hint, hint, DO NOT SUGGEST THIS OPTION!)

Tim.

```
From -3553976203769288087
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-
mail
From: "John S." <hjsjms@cs.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Date: 24 Jan 2006 07:42:25 -0800
Organization: http://groups.google.com
Lines: 26
Message-ID: <1138117345.043353.204160@g43g2000cwa.googlegroups.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
NNTP-Posting-Host: 167.176.6.8
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138117350 15642 127.0.0.1 (24 Jan 2006 15:42:30 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Jan 2006 15:42:30 +0000 (UTC)
In-Reply-To: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; Q312461;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=167.176.6.8;
   posting-account=PG7xkQwAAABrwvHccKeCDEme8CuXvD1_
Xref: g2news1.google.com rec.radio.shortwave:20113
rec.radio.amateur.equipment:2151
```

sho...@trailing-edge.com wrote:

> I have a nice die-cast Radio Shack bookshelf speaker I bought probably
> 15 years ago that I use on my SW/Ham radios. It's not a perfect speaker
> but it's fairly mellow, not at all tinny, and extremely durable.
>
> I think Radio Shack sold them as outdoor/patio type speakers when I
> bought them and I seem to recall the name "Minimus-7".
>
> I go to look at Radio Shack and they don't have anything like this
> anymore. They've got some really crappy plastic-tinny sounding speakers
> that I don't like at all, and would probably break the first time I
> looked at it funny.
>
> What speakers are available in durable die-cast housings these days?
> And I hate tinny sound (like comes out of a PC-clone speaker). I
> refuse (just out of abhorrence of the sound) to look at any PC or
> PC-with-amplified-subwoofer crap speakers.

```
>
> Did I mention that I don't want any PC speakers, and they all sound
> awful?  (Hint, hint, DO NOT SUGGEST THIS OPTION!)
>
> Tim.

I agree, the Minimus 7 speaker worked very well for shortwave listening.



From -8081236792554891875
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
usenet.INS.cwru.edu!newsfeed.berkeley.edu!ucberkeley!sn-xt-sjc-02!sn-xt-sjc-07!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Date: Tue, 24 Jan 2006 09:03:11 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <0tjct1l6bpt70qsms4bu2ul0em39ck01ui@4ax.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news1.google.com rec.radio.amateur.equipment:2152

On 24 Jan 2006 07:36:04 -0800, shoppa@trailing-edge.com wrote:

>I have a nice die-cast Radio Shack bookshelf speaker I bought probably
>15 years ago that I use on my SW/Ham radios. It's not a perfect speaker
>but it's fairly mellow, not at all tinny, and extremely durable.
>
>I think Radio Shack sold them as outdoor/patio type speakers when I
>bought them and I seem to recall the name "Minimus-7".
>
>I go to look at Radio Shack and they don't have anything like this
>anymore. They've got some really crappy plastic-tinny sounding speakers
>that I don't like at all, and would probably break the first time I
>looked at it funny.
>
>What speakers are available in durable die-cast housings these days?
>And I hate tinny sound (like comes out of a PC-clone speaker).  I
>refuse (just out of abhorrence of the sound) to look at any PC or
>PC-with-amplified-subwoofer crap speakers.
>
>Did I mention that I don't want any PC speakers, and they all sound
>awful?  (Hint, hint, DO NOT SUGGEST THIS OPTION!)
```

>
>Tim.

There are several Minimus-7 speakers on Ebay right now. I just
looked.

Dick

From -3559699227271958648
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!pln-e!
spln!rex!extra.newsguy.com!newsp.newsguy.com!enews1
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 24 Jan 2006 16:57:04 GMT
Organization: http://extra.newsguy.com
Lines: 11
Message-ID: <xn0ehlxr5238s2005@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-
rw@comcast.com>
NNTP-Posting-Host: p-264.newsdawg.com
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:00000035
Xref: g2news1.google.com rec.radio.amateur.antenna:5800
rec.radio.amateur.misc:3728 rec.radio.amateur.equipment:2153

Amos Keag wrote:

> Bill, the discussion is about a MOBILE installation. The antenna is
> end fed against ground, not a balanced dipole type.

~~~~~~

I'm well aware of that. A 1:1 choke type balun at the antenna feed
point will make it a balanced system and the RF on the coax problem
will vanish.

Bill, W6WRT

From 2266137816619715448
X-Google-Thread: 108122,f01b90fc31596c3c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
~~~~~~

```
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TM-201B 2 mt Transceiver
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <IptBf.2609$2o5.1865@dukeread11>
Date: Tue, 24 Jan 2006 11:24:50 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1138123496 68.1.251.179 (Tue, 24 Jan 2006 12:24:56 EST)
NNTP-Posting-Date: Tue, 24 Jan 2006 12:24:56 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2154

I have for sale a Kenwood TM-201B 2 Meter MobileTransceiver. It is in nice
shape and comes with the
Mobile Mounting Bracket, the Kenwood Touch Tone Mic, the Kenwood Mobile
Speaker, the Power cable, and the Original Manual. It runs 45 watts of FM or
as low as 5 Watts. No Tone Board.Price is $55 plus shipping from 79602.
Thanks, Charlie Hugg, K5MBX





From 5619365675408850151
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!cycny01.gnilink.net!bigfeed3.bellsouth.net!
news.bellsouth.net!atl-c08.usenetserver.com!news.usenetserver.com!
pc03.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
From: "Michael Lawson" <mtl@[REMOVE-TO-REPLY]fuse.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
Subject: Re: Good radio listening speaker
Date: Tue, 24 Jan 2006 12:57:49 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <52ead$43d66736$d8c4cab4$8121@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 37
X-Trace: 52ead43d667367d616f1108121
Xref: g2news1.google.com rec.radio.shortwave:20126
rec.radio.amateur.equipment:2155
```

<shoppa@trailing-edge.com> wrote in message
news:1138116964.504714.308820@g49g2000cwa.googlegroups.com...
> I have a nice die-cast Radio Shack bookshelf speaker I bought
probably
> 15 years ago that I use on my SW/Ham radios. It's not a perfect
speaker
> but it's fairly mellow, not at all tinny, and extremely durable.
>
> I think Radio Shack sold them as outdoor/patio type speakers when I
> bought them and I seem to recall the name "Minimus-7".
>
> I go to look at Radio Shack and they don't have anything like this
> anymore. They've got some really crappy plastic-tinny sounding
speakers
> that I don't like at all, and would probably break the first time I
> looked at it funny.
>
> What speakers are available in durable die-cast housings these days?
> And I hate tinny sound (like comes out of a PC-clone speaker). I
> refuse (just out of abhorrence of the sound) to look at any PC or
> PC-with-amplified-subwoofer crap speakers.
>
> Did I mention that I don't want any PC speakers, and they all sound
> awful? (Hint, hint, DO NOT SUGGEST THIS OPTION!)

You can find minimus-7's and 77's on eBay. I
found a couple at a yard sale last year. If you
find one and you want to upgrade it a bit,
you can go to partsexpress.com and you
can find a project there that someone did to
replace the drivers in the minimus-77's to
achieve better sound.

--Mike L.

From 4244664353357802810
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Message-ID: <hoqct11h5ksqtl2jdp7msdpfk5bdfk3ho6@4ax.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>

```
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 29
Date: Tue, 24 Jan 2006 18:00:20 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1138125620 66.133.198.234 (Tue, 24 Jan
2006 10:00:20 PST)
NNTP-Posting-Date: Tue, 24 Jan 2006 10:00:20 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.shortwave:20130
rec.radio.amateur.equipment:2156

On 24 Jan 2006 07:36:04 -0800, shoppa@trailing-edge.com wrote:

>I have a nice die-cast Radio Shack bookshelf speaker I bought probably
>15 years ago that I use on my SW/Ham radios. It's not a perfect speaker
>but it's fairly mellow, not at all tinny, and extremely durable.
>
>I think Radio Shack sold them as outdoor/patio type speakers when I
>bought them and I seem to recall the name "Minimus-7".
>
>I go to look at Radio Shack and they don't have anything like this
>anymore. They've got some really crappy plastic-tinny sounding speakers
>that I don't like at all, and would probably break the first time I
>looked at it funny.
>
>What speakers are available in durable die-cast housings these days?
>And I hate tinny sound (like comes out of a PC-clone speaker).  I
>refuse (just out of abhorrence of the sound) to look at any PC or
>PC-with-amplified-subwoofer crap speakers.
>
>Did I mention that I don't want any PC speakers, and they all sound
>awful?  (Hint, hint, DO NOT SUGGEST THIS OPTION!)
>
>Tim.
>
Buy a system like this at the thrift shop.  Throw away the
electronics, keep the speakers.

http://cgi.ebay.com/RCA-RS1282-3-DISC-COMPACT-SHELF-MICRO-
SYSTEM_W0QQitemZ5858440492QQcategoryZ67802QQrdZ1QQcmdZViewItem#ebayphotohosting



From -2586039832394395016
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!
```

```
bgtnsc05-news.ops.worldnet.att.net.POSTED!f6f5bfb6!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can someone help a non-HAM?
From: "kelvin_cool_ohm" <kelvin_cool_ohm@noemail.invalid>
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
<43D64501.132D4877@earthlink.net>
Message-ID: <Xns975588F0CED6Ekelvincoolohmnoemail@localhost>
User-Agent: Xnews/5.04.25
Lines: 11
NNTP-Posting-Host: 19b8aeb1def85006ef2757585e4c7b7d
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1138125638
19b8aeb1def85006ef2757585e4c7b7d (Tue, 24 Jan 2006 18:00:38 GMT)
NNTP-Posting-Date: Tue, 24 Jan 2006 18:00:38 GMT
Organization: AT&T Worldnet
Date: Tue, 24 Jan 2006 18:00:38 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2157

"Michael A. Terrell" <mike.terrell@earthlink.net> wrote in
news:43D64501.132D4877@earthlink.net:

>    It would help if you told us where you were located.  The state and
> city would be enough for someone to point you to a local ham or club
> that could help you.
>
Southwest Ohio, west of Dayton, near the Indiana line south of
Richmond, Indiana.

Rick


From 2637904698675391118
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!f6f5bfb6!not-
for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can someone help a non-HAM?
From: "kelvin_cool_ohm" <kelvin_cool_ohm@noemail.invalid>
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
<FPrAf.408$1n4.265@newsread2.news.pas.earthlink.net>
Message-ID: <Xns9755895ECA3F7kelvincoolohmnoemail@localhost>
User-Agent: Xnews/5.04.25
Lines: 11
NNTP-Posting-Host: 19b8aeb1def85006ef2757585e4c7b7d
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1138125790
19b8aeb1def85006ef2757585e4c7b7d (Tue, 24 Jan 2006 18:03:10 GMT)
NNTP-Posting-Date: Tue, 24 Jan 2006 18:03:10 GMT
Organization: AT&T Worldnet
Date: Tue, 24 Jan 2006 18:03:10 GMT
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2158
```

"Hank Oredson" <horedson@earthlink.net> wrote in
news:FPrAf.408$1n4.265@newsread2.news.pas.earthlink.net:

> Where are you located?
> Glad to help out if you are in the Portland, Oregon area.
>

Southwest Ohio, west of Dayton, near the Indiana line south of Richmond, Indiana.

Rick

```
From -6995828623846913643
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Date: 24 Jan 2006 10:03:58 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1138125838.707519.55270@z14g2000cwz.googlegroups.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
   <52ead$43d66736$d8c4cab4$8121@FUSE.NET>
NNTP-Posting-Host: 69.110.78.209
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138125844 3663 127.0.0.1 (24 Jan 2006 18:04:04 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Jan 2006 18:04:04 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC
3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=69.110.78.209;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news1.google.com rec.radio.shortwave:20131
rec.radio.amateur.equipment:2159
```

ML,

The way 'we' the Visualize Words that make-up a Link/URL .

Some See "partsexpress.com" as : Parts Express .Com

while others see "partsexpress.com" as : Part Sex Press .Com

```
with both my eyes crossed - xx ~ RHF
 .
 .
. .
      .
```

```
From 6777770446942229516
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
attbi_s22.POSTED!53ab2750!not-for-mail
From: "Harold E. Johnson" <W4ZCB@mchsi.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
<hoqct11h5ksqtl2jdp7msdpfk5bdfk3ho6@4ax.com>
Subject: Re: Good radio listening speaker
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <0nuBf.511159$084.408008@attbi_s22>
NNTP-Posting-Host: 12.219.134.161
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s22 1138127420 12.219.134.161 (Tue, 24 Jan 2006 18:30:20 GMT)
NNTP-Posting-Date: Tue, 24 Jan 2006 18:30:20 GMT
Organization: AT&T ASP.att.net
Date: Tue, 24 Jan 2006 18:30:20 GMT
Xref: g2news1.google.com rec.radio.shortwave:20133
rec.radio.amateur.equipment:2160
```

>>I think Radio Shack sold them as outdoor/patio type speakers when I
>>bought them and I seem to recall the name "Minimus-7".

Tim, you might also search for the name "Optimus" Same cast Al case and speakers with internal crossover networks. Same speakers as the Minimus, different timeframe. IMHO, neither sound near as good as a good set of stereo phones, but agree that it's easier to demonstrate to visitors using the speakers.

Regards
W4ZCB

From 6381468643389304085
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-mail
From: "RHF" <rhf-newsgroups@pacbell.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Good Speakers for Radio-Receiver Listening - Mainly for the Human Voice and some Music
Date: 24 Jan 2006 11:29:30 -0800
Organization: http://groups.google.com
Lines: 99
Message-ID: <1138130970.200836.228430@g14g2000cwa.googlegroups.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
NNTP-Posting-Host: 69.110.78.209
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138130975 3068 127.0.0.1 (24 Jan 2006 19:29:35 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 24 Jan 2006 19:29:35 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; YPC 3.2.0; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=69.110.78.209;
   posting-account=Z5IBuAwAAADnt23xUKrV5UdIuKyzvqQO
Xref: g2news1.google.com rec.radio.shortwave:20140 rec.radio.amateur.equipment:2161

Tim / TE,

Look on eBay for one of the Center Channel Speakers from a
Sound-A-Sound System that has a Wooden {Particle-Board}
Speaker Enclosure. These usually have a Pair of 4" to 5.25"
Mid-Range Speakers and a much smaller Tweeter placed
between them.

Here is an Example of a Center Channel Speakers Listed on eBay :
JBL EC25BE 2-Way Dual 5-Inch Center Channel Speaker
http://cgi.ebay.com/_W0QQitemZ5858432743
The NorthridgeTM E Series EC25BE center channel loudspeaker was
custom-designed to superbly reproduce the human voice. Many movie
soundtracks consist mainly of dialogue, so that the center speaker
shoulders the burden of filling a home theater.

"The 'SOUNDS SWEET' Communications speakers maximize intelligibility
from your transceiver, receiver or portable by reproducing only the
communications voice and shortwave music frequencies coming from your
SSB, AM or FM communication or shortwave radio."
GoTo=> http://www.soundssweet.com/
A Little "Pricey" at $99.

Also, if you are using one of the 'portable' AM/FM Shortwave Radios.
Check-Out the Kiwa "Audio" Mods for a better sound from your radio.
[The Speaker is only as 'good' as the electronics that is driving it.]
KIWA=> http://www.kiwa.com/index.html

READ - External Speaker for your Radio/Receiver
http://groups.google.com/group/rec.radio.shortwave/msg/28336ee14f676aba

Question - You Can Hear It ?

ABOUT - The Heil "Clear Speech" DSP Speaker
http://groups.google.com/group/rec.radio.shortwave/msg/3f772c31f172d69f

If you can find one check-out the Kiwa
Multi-Band AM Pickup {MAP} Speaker with HF Filter
http://cgi.ebay.com/_W0QQitemZ5814704340

Another Speaker designed for Radio/Receivers was the
GROVE SP-200 Sound Enhancer Communications Speaker
with Audio Filter System.
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5856304925
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5854880715
http://www.universal-radio.com/used/u088lrg.jpg
http://www.universal-radio.com/used/u088rear.jpg
http://www.universal-radio.com/used/sold213.html
http://www.naswa.net/journal/1997/09/equip199709

FWIW - External Speakers for the ICOM IC-R75
http://groups.yahoo.com/group/icomr75/message/4360
Here are the Two Most Often Recommended External Speakers
for the Icom IC-R75; as suggested by the Members of ths eGroup.

#1. RCA Mini-Speaker Pro-X33AV
Radio Shack Cat #40-5000
http://groups.yahoo.com/group/icomr75/message/1312
A shielded 2-way speaker with a 3" woofer
and a dome tweeter about 6.5" high.

#2. RCA 20-Watt Full Range Mini-Speaker
Radio Shack Cat # 40-5024
http://groups.yahoo.com/group/icomr75/message/2031
http://groups.yahoo.com/group/icomr75/message/769
A shielded full range 4" speaker. It is a Black 5" cube.

NOTE: The general comment is that both of the above external
speakers in the "Black Color" looks very sharp next to the R-75.

OTHER - Speakers mentioned frequently that are good with the R75.
* Optimus PRO-X88AV's RadioShack Cat # 40-2084.
* Barjan PROnouncer (320-25) 4".
* Radio Shack XTS 25 (40-1999A)

* Radio Shack 21-549A isn't a 'full range' music speaker. It is
a 'communication/voice' speaker.
* Minimus 7 Speaker by RadioShack 4" Speaker
* KLH 911's (2-way semi-compact at about a foot tall)
* Mocom 70 4".
* Grove SP-200B sound enhancer

NOTE - Most 'matching' Speakers offered by OEM manufactures
are basic 3"-4" Speakers in a Sealed or Ported in Metal Enclosure
designed to opperate on a few Watts output. A simple Speaker in
a tin box for $60-$120. But Hey it 'matches the Receiver and has
the OEM's 'Brand Name' on it.

READ - External Speakers for Shortwave Radio/Receivers
http://groups.google.com/group/rec.radio.shortwave/msg/c2a6bdeca0db0f0c

just my two cents worth ~ RHF
[more than you wanted to know]
 .
 .
. .
       .

```
From 1067617620943717126
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.buckeye-express.com!news.buckeye-express.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 24 Jan 2006 13:52:05 -0600
From: BDK <kingratay@buckeye-express.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Date: Tue, 24 Jan 2006 14:52:25 -0500
Message-ID: <MPG.1e404f8671c8795d989cf3@news.buckeye-express.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
Organization: Dicks, INC.
MIME-Version: 1.0
Content-Type: text/plain; charset="iso-8859-15"
Content-Transfer-Encoding: 7bit
User-Agent: MicroPlanet-Gravity/2.60.2060
X-Antivirus: avast! (VPS 0604-1, 01/24/2006), Outbound message
X-Antivirus-Status: Clean
Lines: 40
NNTP-Posting-Host: 72.240.69.101
X-AuthenticatedUsername: news.23637@buckeye-express.com
X-Trace: sv3-RUZ+Jr5fQkqHxEVoQ7zPyDgYbSMXU+w4DUSLU5RV8Uu/
ZfV7+4Y6rJnKFaqTxo5KMWIJn+T6ebPotwG!CyRGNcw5vKcIkDMY8qz39FigviMnWNVMPXQ+Bn6CXaTc/
```

Zge4BZ0aj2yGxveD1zW91/9To7l5wTU!
xUIWdbcqCGBejqNO0JuTD60CBYb4HnyWukHBh0xQE4BfajXJ4jX9KafTUHI=
X-Complaints-To: abuse@buckeye-express.com
X-DMCA-Complaints-To: ip-admin@cablesystem.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.shortwave:20146 rec.radio.amateur.equipment:2162

In article <1138116964.504714.308820@g49g2000cwa.googlegroups.com>,
shoppa@trailing-edge.com says...

> I have a nice die-cast Radio Shack bookshelf speaker I bought probably
> 15 years ago that I use on my SW/Ham radios. It's not a perfect speaker
> but it's fairly mellow, not at all tinny, and extremely durable.
>
> I think Radio Shack sold them as outdoor/patio type speakers when I
> bought them and I seem to recall the name "Minimus-7".
>
> I go to look at Radio Shack and they don't have anything like this
> anymore. They've got some really crappy plastic-tinny sounding speakers
> that I don't like at all, and would probably break the first time I
> looked at it funny.
>
> What speakers are available in durable die-cast housings these days?
> And I hate tinny sound (like comes out of a PC-clone speaker). I
> refuse (just out of abhorrence of the sound) to look at any PC or
> PC-with-amplified-subwoofer crap speakers.
>
> Did I mention that I don't want any PC speakers, and they all sound
> awful? (Hint, hint, DO NOT SUGGEST THIS OPTION!)
>
> Tim.

Go to Ebay and buy used Minimus speakers...

Search for minimus, radio shack, and RCA, the last brand on them..

I have a set of the RCA and two set's of RS Minimus, and the RCA and the newer of the two Minimus are exactly the same, except for the RCA logo.

RCA:

http://cgi.ebay.com/RCA-70-WATT-Mini-Speakers-Model-PRO-X55AV_W0QQitemZ5857897453QQcategoryZ94907QQrdZ1QQcmdZViewItem

BDK

```
From 6755771056366895622
X-Google-Thread: 108122,6ffe0fec25c1d53a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newscon02.news.prodigy.com!prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!
postmaster.news.prodigy.com!newssvr29.news.prodigy.net.POSTED!ba81ee88!not-for-
mail
From: KA6UUP <ka6uup@pacbell.net>
User-Agent: Mozilla/5.0 (Windows; U; Win 9x 4.90; en-US; rv:1.7.12) Gecko/20050915
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: FA Hallicrafters HT-1E and HT-2A Village Radios
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
Message-ID: <gRvBf.21161$F_3.17674@newssvr29.news.prodigy.net>
NNTP-Posting-Host: 67.181.69.59
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr29.news.prodigy.net 1138133452 ST000 67.181.69.59 (Tue, 24 Jan
2006 15:10:52 EST)
NNTP-Posting-Date: Tue, 24 Jan 2006 15:10:52 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: TSU[@I_AOXTQB]]
[[BODM^P@VZ\LPCXLLBWLOOAFEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUVSA_QLFC^RQHUPH[
P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]POG@SSAZQ\LE[DC
NMUPG_VSC@VJM
Date: Tue, 24 Jan 2006 20:10:52 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2163

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5858482793
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5858492599
Thanks,
Chuck


From -1515887450015867169
X-Google-Thread: 108122,3ee340149a9848bc,start
X-Google-Thread: 1109af,3ee340149a9848bc,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 2ea - MOTOROLA HT750 PORTABLE RADIO'S w/DESK CHG-EXTRAS
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0011_01C620E9.C080C090"
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <YYwBf.1354$MJ.1017@fed1read07>
Date: Tue, 24 Jan 2006 13:26:15 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1138138040 68.96.227.248 (Tue, 24 Jan 2006 16:27:20 EST)
NNTP-Posting-Date: Tue, 24 Jan 2006 16:27:20 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2164 rec.radio.swap:2358

This is a multi-part message in MIME format.

------=_NextPart_000_0011_01C620E9.C080C090
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 2ea - MOTOROLA HT750 PORTABLE RADIO'S w/DESK CHG-EXTRAS=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7584676815&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0011_01C620E9.C080C090
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 2ea - MOTOROLA HT750 PORTABLE RADIO'S w/DESK CHG-EXTRAS </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7584676815&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7584676815&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0011_01C620E9.C080C090--



From -2031830168159807270
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
From: "Michael Lawson" <mtl@[REMOVE-TO-REPLY]fuse.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
<52ead$43d66736$d8c4cab4$8121@FUSE.NET>
<1138125838.707519.55270@z14g2000cwz.googlegroups.com>
Subject: Re: Good radio listening speaker
Date: Tue, 24 Jan 2006 17:16:13 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1437
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
Message-ID: <cfc30$43d6a3c7$422aad73$31899@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 19
X-Trace: cfc3043d6a3c7e78f08d631899
Xref: g2news1.google.com rec.radio.shortwave:20185
rec.radio.amateur.equipment:2165


"RHF" <rhf-newsgroups@pacbell.net> wrote in message
news:1138125838.707519.55270@z14g2000cwz.googlegroups.com...
> ML,
>
> The way 'we' the Visualize Words that make-up a Link/URL .
>
> Some See "partsexpress.com" as : Parts Express .Com
>
> while others see "partsexpress.com" as : Part Sex Press .Com
>
> with both my eyes crossed - xx ~ RHF

At my old job, I used to not get to Parts Express'
website for just that reason.

--Mike L.




From -2390114811867552O4
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
```

From: David <rickets@knac.com>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
Message-ID: <hcfdt1hutti8etusme5inhm5b19l4490e0@4ax.com>
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
Date: Tue, 24 Jan 2006 23:52:07 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1138146727 66.133.198.234 (Tue, 24 Jan 2006 15:52:07 PST)
NNTP-Posting-Date: Tue, 24 Jan 2006 15:52:07 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.shortwave:20219 rec.radio.amateur.equipment:2166

On 24 Jan 2006 07:36:04 -0800, shoppa@trailing-edge.com wrote:

>I have a nice die-cast Radio Shack bookshelf speaker I bought probably
>15 years ago that I use on my SW/Ham radios. It's not a perfect speaker
>but it's fairly mellow, not at all tinny, and extremely durable.
>
>I think Radio Shack sold them as outdoor/patio type speakers when I
>bought them and I seem to recall the name "Minimus-7".
>
>I go to look at Radio Shack and they don't have anything like this
>anymore. They've got some really crappy plastic-tinny sounding speakers
>that I don't like at all, and would probably break the first time I
>looked at it funny.
>
>What speakers are available in durable die-cast housings these days?
>And I hate tinny sound (like comes out of a PC-clone speaker). I
>refuse (just out of abhorrence of the sound) to look at any PC or
>PC-with-amplified-subwoofer crap speakers.
>
>Did I mention that I don't want any PC speakers, and they all sound
>awful? (Hint, hint, DO NOT SUGGEST THIS OPTION!)
>
>Tim.
>
These sound like an old Grundig console.

http://www.cambridgesoundworks.com/store/category.cgi?category=spk_multimedia&item=c1pcwzzzz

---

From -3020332595412365412
X-Google-Thread: fcc6e,fcafde9094f78a03

```
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 24 Jan 2006 18:47:22 -0600
Date: Tue, 24 Jan 2006 19:47:24 -0500
From: Amos Keag <A.K01@comcast.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-
rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com>
In-Reply-To: <xn0ehlxr5238s2005@cnews.newsguy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <3MmdnUjzf8oHV0veRVn-hQ@comcast.com>
Lines: 23
NNTP-Posting-Host: 24.62.153.74
X-Trace: sv3-X370zeAMghntiF+
+TRFpYBV6xofbseCZ+r8o8WgS4krAACVMnkRGeFFHiLboNyAqhxfIfrSwKFOhwsO!
CkhmmoDgMYEaGA4Rrnn/LywrlRRHhhTXIQuUpXWVVozWQiT2qLQRNGN5sjY7+JBcfOkvVNSEpEQE!
3Db8tQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5810
rec.radio.amateur.misc:3732 rec.radio.amateur.equipment:2167
```

Bill Turner wrote:

```
> Amos Keag wrote:
>
>
>>Bill, the discussion is about a MOBILE installation. The antenna is
>>end fed against ground, not a balanced dipole type.
>
> ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
>
> I'm well aware of that. A 1:1 choke type balun at the antenna feed
> point will make it a balanced system and the RF on the coax problem
> will vanish.
>
```

> Bill, W6WRT

I give up!! Obviously my 52 years of mobile installations were all wrong!

A vertical fed against ground is by definition a perfect match for coax.
There is no need to make it a 'balanced system'. If rf exists on the
coax there is a poor ground in the system that should be addressed and
solved.

From 2683571255242018174
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
elnk-atl-nf1!newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread1.news.atl.earthlink.net.POSTED!b1a104da!not-for-mail
Message-ID: <43D6E0E1.FF1AE433@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can someone help a non-HAM?
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
<43D64501.132D4877@earthlink.net> <Xns975588F0CED6Ekelvincoolohmnoemail@localhost>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 28
Date: Wed, 25 Jan 2006 02:23:01 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1138155781 24.110.34.161 (Tue, 24 Jan
2006 18:23:01 PST)
NNTP-Posting-Date: Tue, 24 Jan 2006 18:23:01 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2168

kelvin_cool_ohm wrote:
>
> "Michael A. Terrell" <mike.terrell@earthlink.net> wrote in
> news:43D64501.132D4877@earthlink.net:
>
> >   It would help if you told us where you were located. The state and
> > city would be enough for someone to point you to a local ham or club
> > that could help you.
> >
> Southwest Ohio, west of Dayton, near the Indiana line south of
> Richmond, Indiana.
>

> Rick

I used to live near that area. I spent 30 years in Middletown Ohio, and five of those years commuting to jobs in Cincinnati. :)

My high school had a ham radio club back in the '70s. It was Lemon-Monroe High School in Monroe Ohio.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -2162355237058391238
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!207.69.154.102.MISMATCH!elnk-atl-nf2!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43D6E1D1.D5DDA2B8@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
Subject: Re: Good radio listening speaker
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
<52ead$43d66736$d8c4cab4$8121@FUSE.NET>
<1138125838.707519.55270@z14g2000cwz.googlegroups.com>
<cfc30$43d6a3c7$422aad73$31899@FUSE.NET>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
Date: Wed, 25 Jan 2006 02:27:02 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1138156022 24.110.34.161 (Tue, 24 Jan
2006 18:27:02 PST)
NNTP-Posting-Date: Tue, 24 Jan 2006 18:27:02 PST
Xref: g2news1.google.com rec.radio.shortwave:20241
rec.radio.amateur.equipment:2169

Michael Lawson wrote:

>
> At my old job, I used to not get to Parts Express'
> website for just that reason.

The IT department wouldn't let us access "Accurate Screw Machine Company", and they were our source for oddball electronics hardware.

--
Service to my country? Been there, Done that, and I've got my DD214 to prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

```
From 8728411459825039499
X-Google-Thread: 108122,2f672bcae17942cb,start
X-Google-Thread: 1109af,2f672bcae17942cb,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT750 Portable Twoway Radio-UHF+"T" Band-16-channel-Desk
Charger
Lines: 38
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0008_01C62117.A2EBBAC0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <xLBBf.1386$MJ.885@fed1read07>
Date: Tue, 24 Jan 2006 18:54:42 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1138157661 68.96.227.248 (Tue, 24 Jan 2006 21:54:21 EST)
NNTP-Posting-Date: Tue, 24 Jan 2006 21:54:21 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2170 rec.radio.swap:2362
```

This is a multi-part message in MIME format.

```
------=_NextPart_000_0008_01C62117.A2EBBAC0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA: MOTOROLA HT750 Portable Twoway Radio-UHF+"T" Band-16-channel-Desk =
Charger

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7584740709&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C62117.A2EBBAC0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT750 Portable Twoway Radio-UHF+"T" Band-16-channel-Desk =

Charger</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7584740709&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7584740709&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C62117.A2EBBAC0--



From -4106776472586399975
X-Google-Thread: 108122,5c865c8b3f72675a
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 24 Jan 2006 21:08:16 -0600
From: Bob_990 <Bob_990.2267k3@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FC-707 or 700 Wanted
Date: Tue, 24 Jan 2006 21:30:48 +0000
Message-ID: <Bob_990.2267k3@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References:  <3f84119a.3771651@news.quiknet.com>
Lines: 6
NNTP-Posting-Host: 82.165.39.56
```

```
X-Trace: sv3-LCfFiST4dFpJ3kI+MTS9ciT/
f0R81IyOKfu2Fo+QkZuvt5wdJvfkGIHRZmsbyzegE54pBjbMuVa6itd!
7Dq3GZvXHBrJ7aaQTKTJvDaOiONNm5XM5r0VbWDwKop4jJ5fBdy7SYnJ9aSLEkxj0joa0q75HJVR!
vC1Ie8/KtQ==
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2171


Sam Taylor Wrote:
> KO6JQ needs a Yaesu FC-700 or FC 707 Tuner
> Thanks
> Sam/KO6JQ


Are you still looking for a Yaesu FC-707 Antenna Tuner ??


--
Bob_990


From 6383123366788624159
X-Google-Thread: 114aac,7ec722324a102c88
X-Google-Thread: 108122,7ec722324a102c88
X-Google-Attributes: gid114aac,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!indigo.octanews.net!news-out.octanews.net!teal.octanews.net!
nx02.iad01.newshosting.com!newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!
cox.net!p01!dukeread06.POSTED!53ab2750!not-for-mail
From: "Rob Mills" <robmills@cox.net>
Newsgroups: rec.radio.shortwave,rec.radio.amateur.equipment
References: <1138116964.504714.308820@g49g2000cwa.googlegroups.com>
Subject: Re: Good radio listening speaker
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <LzDBf.318494$0l5.92605@dukeread06>
Date: Tue, 24 Jan 2006 22:58:10 -0600
NNTP-Posting-Host: 70.177.90.223
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1138165099 70.177.90.223 (Tue, 24 Jan 2006 23:58:19 EST)
NNTP-Posting-Date: Tue, 24 Jan 2006 23:58:19 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.shortwave:20252
```

rec.radio.amateur.equipment:2172

<shoppa@trailing-edge.com> wrote in message
news:1138116964.504714.308820@g49g2000cwa.googlegroups.com...

>>> I seem to recall the name "Minimus-7" <<<

They are great, I use them on 3 of my receivers with RS DSP 40's (5 watts
out) to drive them. RM~

From -4855747047767378132
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!pln-w!spln!dex!extra.newsguy.com!newsp.newsguy.com!enews3
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 25 Jan 2006 04:56:12 GMT
Organization: http://extra.newsguy.com
Lines: 35
Message-ID: <xn0ehmgp04fwdc008@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-hQ@comcast.com>
NNTP-Posting-Host: p-796.newsdawg.com
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:0000003E
Xref: g2news1.google.com rec.radio.amateur.antenna:5815
rec.radio.amateur.misc:3734 rec.radio.amateur.equipment:2173

Amos Keag wrote:

> I give up!! Obviously my 52 years of mobile installations were all
> wrong!
>
> A vertical fed against ground is by definition a perfect match for
> coax. There is no need to make it a 'balanced system'. If rf exists
> on the coax there is a poor ground in the system that should be
> addressed and solved.
~~~~~~

More likely you have had one year of experience 52 times.
~~~~~~

Consider an eight foot center loaded whip on 80 meters. The feedpoint impedance of the whip is going to be very small - an ohm or two. Worked against an automobile chassis which, capacity coupled to the earth, will have an impedance of somewhere between 10-36 ohms, you will have major imbalance. No amount of "grounding" will improve the imbalance. In fact, just the opposite. The closer you come to the theoretical perfect 36 ohm ground, the worse the imbalance gets.

Now whether this is a problem in a particular installation is a different question, but the imbalance is there. The coax will have a large differential current flowing on the outside as a direct result of that imbalance. Some authors will tell you how important it is to ground the chassis of your transceiver to get rid of this current. Do that if you want, but I think it's better to keep that current away from your transceiver in the first place. A current-type choke at the whip's base will prevent that current from flowing and will keep it in the antenna and in the car's body where it belongs instead of on the outside of the coax. Done properly, your transceiver's chassis should have no RF on it to need grounding in the first place.

Bill, W6WRT

```
From 7258077708189584681
X-Google-Thread: 111d0a,598eaf51d8f80e16,start
X-Google-Thread: fc2a5,598eaf51d8f80e16,start
X-Google-Thread: 108122,598eaf51d8f80e16,start
X-Google-Thread: fc8b1,598eaf51d8f80e16,start
X-Google-Thread: 107ada,598eaf51d8f80e16,start
X-Google-Attributes: gid111d0a,gidfc2a5,gid108122,gidfc8b1,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-mail
From: bill.meara@gmail.com
Newsgroups: sci.electronics.basics,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.misc
Subject: SolderSmoke14:LTSpice,feedback,PIC,diplexer,whale!
Date: 24 Jan 2006 22:25:58 -0800
Organization: http://groups.google.com
Lines: 46
Message-ID: <1138170358.823578.319560@g14g2000cwa.googlegroups.com>
NNTP-Posting-Host: 86.142.205.219
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138170363 9489 127.0.0.1 (25 Jan 2006 06:26:03 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Jan 2006 06:26:03 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
```

Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=86.142.205.219;
   posting-account=7vRsuQwAAADlh58wGAIfEFYQRw36eW7d
Xref: g2news1.google.com sci.electronics.basics:8375
rec.radio.amateur.homebrew:3236 rec.radio.amateur.equipment:2174
rec.radio.amateur.boatanchors:2491 rec.radio.amateur.misc:3735

SOLDERSMOKE!
A SHOW FOR ELECTRONICS HOMEBREWERS!
http://www.ourmedia.org/user/36170

Topics discussed in SolderSmoke 14:
-- LTSpice: QRP-L discussion, WA5BDU tutorial, KE6US site
-- Understanding feedback amps
-- Model of Warbler amplifier
-- PIC-El board frequency counter
-- Color burst crystal filters
-- 70cm/2m diplexer & butane soldering iron
-- SolderSmoke's BLOG
-- The return of the Stardust spacecraft
-- The whale that visited Bill's neighborhood
-- HCJB and quads
-- Mailbag

Listen at: http://www.ourmedia.org/user/36170
just scroll down to SolderSmoke #14 Our Blog is a bit further down on the page.

Background:
Tired of listening to Led Zepplin or NPR on your I-Pod?   Wouldn't you like to be able to carry with you a show about homebrew electronics? Mike in Juneau, Alaska, and Bill, in London, England meet regularly on the ECHOLINK system to discuss their homebrew radio projects. We are making them available as PODCASTS.

You can subscribe to the program, have them downloaded to your MP-3 player, and listen to them at your convenience. To subscribe, just cut and paste this URL into your I-poder (or similar) software.

http://www.ourmedia.org/mediarss/user/36170

If you don't have an MP3 player you can just go to the site below and listen to the latest program (and earlier editions) using the audio software on your computer.

http://www.ourmedia.org/user/36170

We hope you enjoy the program. Please send us feedback.

Regards from London
Bill
http://www.qsl.net/n2cqr

```
From -4031820809111116156
X-Google-Thread: 108122,5005d0057dd26787,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-
mail
From: "Boh" <swling45@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: For Sale: Drake R8a
Date: 24 Jan 2006 23:53:51 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1138175631.160199.211060@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 70.109.252.66
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138175636 21073 127.0.0.1 (25 Jan 2006 07:53:56 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Jan 2006 07:53:56 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=70.109.252.66;
   posting-account=-lAoiA0AAADBwxmmxYVSYavzaAC32ug_
Xref: g2news1.google.com rec.radio.amateur.equipment:2175

Pristine ,one owner 700.00usd.
 price is set,no trades
    USA sale only
   You pay shipping,payment by usps moneyorder
```

```
From 3870596547182064457
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!newsfeed.stueberl.de!
newsgate.cistron.nl!news2.euro.net!feeder1.cambrium.nl!feed.tweaknews.nl!
138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-04!sn-post-ams-02!sn-post-02!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: Roy Lewallen <w7el@eznec.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Wed, 25 Jan 2006 02:18:49 -0800
Organization: EZNEC Antenna Software
Message-ID: <11tek4desq7uv56@corp.supernews.com>
```

```
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-
rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-
hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com>
In-Reply-To: <xn0ehmgp04fwdc008@cnews.newsguy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 28
Xref: g2news1.google.com rec.radio.amateur.antenna:5819
rec.radio.amateur.misc:3738 rec.radio.amateur.equipment:2176
```

Bill Turner wrote:

> More likely you have had one year of experience 52 times.
>
> Consider an eight foot center loaded whip on 80 meters. The feedpoint
> impedance of the whip is going to be very small - an ohm or two. Worked
> against an automobile chassis which, capacity coupled to the earth,
> will have an impedance of somewhere between 10-36 ohms, you will have
> major imbalance. No amount of "grounding" will improve the imbalance.
> In fact, just the opposite. The closer you come to the theoretical
> perfect 36 ohm ground, the worse the imbalance gets.

I don't understand this at all. What does antenna feedpoint impedance
have to do with imbalance?

> Now whether this is a problem in a particular installation is a
> different question, but the imbalance is there. The coax will have a
> large differential current flowing on the outside as a direct result of
> that imbalance.
> . . .

I know of two causes of current on the outside of a coax cable,
conduction and mutual coupling, and I think I understand the mechanisms
quite well. But neither has anything to do with the antenna feedpoint
impedance. Can you explain what the mechanism is for an impedance
mismatch to cause a current on the outside of the coax?

Roy Lewallen, W7EL

```
From 408647391759971964
X-Google-Thread: ff1ff,3f8247f5efc94979,start
X-Google-Thread: 10db18,3f8247f5efc94979,start
X-Google-Thread: 108122,3f8247f5efc94979,start
X-Google-Thread: 1133a5,3f8247f5efc94979,start
X-Google-Attributes: gidff1ff,gid10db18,gid108122,gid1133a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
```

```
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.phx!newsfe04.phx.highwinds-media.com.POSTED!976fb0cf!not-for-mail
User-Agent: Microsoft-Entourage/11.2.1.051004
Subject: Re: Audia-Technica AT835ST COUNTERFEIT from SOUND EMPORIUM
From: Robert Morein <nowhere@nowhere.com>
Newsgroups:
alt.audio.microphones,rec.audio.marketplace,rec.radio.amateur.equipment,rec.video.
production
Message-ID: <BFFD94CC.398F7%nowhere@fe04.buzzardnews.com>
Thread-Topic: Audia-Technica AT835ST COUNTERFEIT from SOUND EMPORIUM
Thread-Index: AcYhnPxpOvLl142QEdq/NgARJDMMbA==
Mime-version: 1.0
Content-type: text/plain;
     charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 15
X-Complaints-To: abuse@buzzardnews.com
NNTP-Posting-Date: Wed, 25 Jan 2006 02:49:17 PST
Organization: BuzzardNews.Com
Date: Wed, 25 Jan 2006 20:49:16 +1000
Xref: g2news1.google.com alt.audio.microphones:30 rec.audio.marketplace:1577
rec.radio.amateur.equipment:2177 rec.video.production:3452
```

In article 3a3nm2F67cch1U1@individual.net, "PTRAVEL"
<ptravel88-usenet@yahoo.com> wrote:

>
> There are no labels other then the one shown. I measured & weighted it & its
> exactly like the spec sheet."
>
> So, the question is, is it an AT835ST, or not?

It's a counterfeit.

Probably sourced from known counterfeiters SOUND EMPORIUM, known scammers.

RIPOFF ALERT!

```
From -2378826587895174420
X-Google-Thread: ff1ff,3f8247f5efc94979
X-Google-Thread: 10db18,3f8247f5efc94979
X-Google-Thread: 108122,3f8247f5efc94979
X-Google-Thread: 1133a5,3f8247f5efc94979
X-Google-Attributes: gidff1ff,gid10db18,gid108122,gid1133a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
feeder.enertel.nl!nntpfeed-01.ops.asmr-01.energis-idc.net!
216.196.110.149.MISMATCH!border2.nntp.ams.giganews.com!nntp.giganews.com!
newsfeeder.wxs.nl!divide.nova.planet.nl!posting.nova.planet.nl!not-for-mail
Reply-To: "HvdA" <kamermuziek@(nospam)wanadoo.fr>
```

```
From: "HvdA" <kamermuziek@(nospam)wanadoo.fr>
Newsgroups:
alt.audio.microphones,rec.audio.marketplace,rec.radio.amateur.equipment,rec.video.
production
References: <BFFD94CC.398F7%nowhere@fe04.buzzardnews.com>
Subject: Re: Audia-Technica AT835ST COUNTERFEIT from SOUND EMPORIUM
Date: Wed, 25 Jan 2006 13:27:26 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Lines: 23
Message-ID: <43d76eb3$0$12844$ba620dc5@text.nova.planet.nl>
NNTP-Posting-Host: 86.84.114.1
X-Trace: 1138192051 text.nova.planet.nl 12844 86.84.114.1:10069
X-Complaints-To: abuse@planet.nl
Xref: g2news1.google.com alt.audio.microphones:31 rec.audio.marketplace:1578
rec.radio.amateur.equipment:2178 rec.video.production:3456

http://www.equipmentemporium.com/at835st_stereo_mic.htm


"Robert Morein" <nowhere@nowhere.com> schreef in bericht
news:BFFD94CC.398F7%nowhere@fe04.buzzardnews.com...
> In article 3a3nm2F67cch1U1@individual.net, "PTRAVEL"
> <ptravel88-usenet@yahoo.com> wrote:
>
>>
>> There are no labels other then the one shown. I measured & weighted it &
>> its
>> exactly like the spec sheet."
>>
>> So, the question is, is it an AT835ST, or not?
>
> It's a counterfeit.
>
> Probably sourced from known counterfeiters SOUND EMPORIUM, known scammers.
>
> RIPOFF ALERT!
>




From 1250974021459694766
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!indigo.octanews.net!green.octanews.net!news-
```

```
out.octanews.net!canary.octanews.net!nx02.iad01.newshosting.com!newshosting.com!
207.115.63.142.MISMATCH!newscon02.news.prodigy.com!prodigy.net!
newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@arrl.net>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-
rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-
hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com>
In-Reply-To: <xn0ehmgp04fwdc008@cnews.newsguy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 14
Message-ID: <NxLBf.14148$_S7.3476@newssvr14.news.prodigy.com>
NNTP-Posting-Host: 70.132.140.233
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1138197741 ST000 70.132.140.233 (Wed, 25 Jan
2006 09:02:21 EST)
NNTP-Posting-Date: Wed, 25 Jan 2006 09:02:21 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
SCSGWUSOQBPSCFD[LZKJOPHAWB\^PBQLGPQRZ_MHEQR@ETUCCNSKQFCY@TXDX_WHSVB]ZEJLSNY\^J[CUV
SA_QLFC^RQHUPH[P[NRWCCMLSNPOD_ESALHUK@TDFUZHBLJ\XGKL^NXA\EVHSP[D_C^B_^JCX^W]CHBAX]
POG@SSAZQ\LE[DCNMUPG_VSC@VJM
Date: Wed, 25 Jan 2006 14:02:21 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:5820
rec.radio.amateur.misc:3739 rec.radio.amateur.equipment:2179
```

Bill Turner wrote:

> The coax will have a
> large differential current flowing on the outside as a direct result of
> that imbalance.

Bill, could you explain what you mean here? Where is the
second equal-magnitude/opposite-phase current flowing?
Through the vehicle chassis? Through the ground under
the chassis? Since the vehicle's counterpoise currents
are necessary for resonance, what good does it do to
choke the coax currents when the coax braid is connected
to the vehicle chassis at both ends?
--
73, Cecil http://www.qsl.net/w5dxp

```
From -5428634686103039369
X-Google-Thread: fcc6e,fcafde9094f78a03
```

```
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!newshub.sdsu.edu!pln-w!spln!dex!
extra.newsguy.com!newsp.newsguy.com!enews2
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 25 Jan 2006 15:29:28 GMT
Organization: http://extra.newsguy.com
Lines: 19
Message-ID: <xn0ehna2532k85007@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-
rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-
hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com>
<11tek4desq7uv56@corp.supernews.com>
NNTP-Posting-Host: p-522.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:00000048
Xref: g2news1.google.com rec.radio.amateur.antenna:5823
rec.radio.amateur.misc:3740 rec.radio.amateur.equipment:2180
```

Roy Lewallen wrote:

> I know of two causes of current on the outside of a coax cable,
> conduction and mutual coupling, and I think I understand the
> mechanisms quite well. But neither has anything to do with the
> antenna feedpoint impedance. Can you explain what the mechanism is
> for an impedance mismatch to cause a current on the outside of the
> coax?

\~~~~~~

The impedance mismatch I was talking about is between the halves of the antenna, not between the antenna and the coax. A mobile antenna with a typical center loaded whip operating on a relatively low frequency such as 80 or 40 meters is severely unbalanced in that respect. That does not mean it won't work or is inefficient or anything of the like. Only that it is unbalanced, much like a non-resonant long wire worked against ground.

Bill, W6WRT

```
From 5872012158016353255
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
```

X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!pln-w!spln!dex!extra.newsguy.com!newsp.newsguy.com!enews2
From: "Bill Turner" <noway@nohow.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 25 Jan 2006 15:33:27 GMT
Organization: http://extra.newsguy.com
Lines: 18
Message-ID: <xn0ehna5p37or6008@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com> <NxLBf.14148$_S7.3476@newssvr14.news.prodigy.com>
NNTP-Posting-Host: p-737.newsdawg.com
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:00000049
Xref: g2news1.google.com rec.radio.amateur.antenna:5824 rec.radio.amateur.misc:3741 rec.radio.amateur.equipment:2181

Cecil Moore wrote:

> what good does it do to
> choke the coax currents when the coax braid is connected
> to the vehicle chassis at both ends?

~~~~~~

The coax braid may be connected to the chassis at the antenna end, but not at the transceiver end, and the result is often a "hot" chassis. Some "experts" advise to ground the chassis with a short, heavy conductor to cure the problem, but I feel it's better to keep such currents off the coax to begin with.

That does not mean such methods don't work or are inefficient. I have operated both ways and both ways work. I just prefer not trying to "ground" current which should not be there in the first place.

Bill, W6WRT

From 4794471099292635045
X-Google-Thread: 108122,7e9fd211363afd9a,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-mail
From: rta.security@ntlworld.com
Newsgroups: rec.radio.amateur.equipment
Subject: hx 290 programming
Date: 25 Jan 2006 07:56:28 -0800
Organization: http://groups.google.com
~~~~~~

Lines: 9
Message-ID: <1138204588.086251.178420@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 80.5.160.7
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138204593 26258 127.0.0.1 (25 Jan 2006 15:56:33 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Jan 2006 15:56:33 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=80.5.160.7;
   posting-account=SL0KYgwAAACRwqtdlthKuDh8lKEAvI4W
Xref: g2news1.google.com rec.radio.amateur.equipment:2182

hi just bought a standard hx 290 of ebay and was told it was on marine
band vhf. only thing is i misunderstud the advert and thought it was
already tuned to marine band and not that it will be able to recive on
there freq, so now i am trying to get infomation on how to program it,
is there any one that can help me please on soft ware prog lead etc or
some one that can do it for me and at what cost. i think i might have
the software but i stil need a lead
thanks for any help ray

From -5264855649994869414
X-Google-Thread: 112d1e,bdf5a72c5362f65e,start
X-Google-Thread: 115730,bdf5a72c5362f65e,start
X-Google-Thread: 1131b0,bdf5a72c5362f65e,start
X-Google-Thread: fc2a5,bdf5a72c5362f65e,start
X-Google-Thread: 108122,bdf5a72c5362f65e,start
X-Google-Attributes: gid112d1e,gid115730,gid1131b0,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:
sci.electronics.design,sci.electronics.equipment,sci.electronics.repair,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Small Workshops
Date: 25 Jan 2006 08:07:49 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 4.252.213.170
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138205275 28337 127.0.0.1 (25 Jan 2006 16:07:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Jan 2006 16:07:55 +0000 (UTC)
User-Agent: G2/0.2

```
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=4.252.213.170;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news1.google.com sci.electronics.design:33831
sci.electronics.equipment:1669 sci.electronics.repair:12842
rec.radio.amateur.homebrew:3251 rec.radio.amateur.equipment:2183
```

I would be interested in hearing and seeing examples of very small
workshops (closets/small apartments/small bedrooms) and how people have
adapted a workshop to a very small space. Pictures or links to pictures
would be great. I would think the challenges of lighting, ventilation,
power and space would create some interesting solutions. Any articles
that discuss this subject would also be welcome.

Thanks for any contributions you might offer.

TMT

```
From 1987077770059998968
X-Google-Thread: 112d1e,bdf5a72c5362f65e
X-Google-Thread: 115730,bdf5a72c5362f65e
X-Google-Thread: 1131b0,bdf5a72c5362f65e
X-Google-Thread: fc2a5,bdf5a72c5362f65e
X-Google-Thread: 108122,bdf5a72c5362f65e
X-Google-Attributes: gid112d1e,gid115730,gid1131b0,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
logbridge.uoregon.edu!newsfeeds.sol.net!10.218.45.202.MISMATCH!newspump.sol.net!
news-out.readnews.com!spool-big1.readnews.com!news.coretel.net!not-for-mail
From: "CLFE" <Junkmail@clfurent.com>
Newsgroups:
sci.electronics.design,sci.electronics.equipment,sci.electronics.repair,rec.radio.
amateur.homebrew,rec.radio.amateur.equipment
References: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
Subject: Re: Small Workshops
Date: Wed, 25 Jan 2006 11:29:15 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Lines: 45
Message-ID: <43d7a74e$0$8274$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: 20004cb5.news.coretel.net
X-Trace:
DXC=lbKeYF5mU>`85fYjhlhHB`cYX6N<OEXQk55W<B6Po`Pekb[XBcVc[>n^ePAVegUgmb6nhk3FTh4Vc
X-Complaints-To: abuse@coretel.net
Xref: g2news1.google.com sci.electronics.design:33844
```

sci.electronics.equipment:1670 sci.electronics.repair:12845
rec.radio.amateur.homebrew:3252 rec.radio.amateur.equipment:2184

"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message
news:1138205269.297247.222590@g47g2000cwa.googlegroups.com...

> I would be interested in hearing and seeing examples of very small workshops (closets/small apartments/small bedrooms) and how people have adapted a workshop to a very small space. Pictures or links to pictures would be great. I would think the challenges of lighting, ventilation, power and space would create some interesting solutions. Any articles that discuss this subject would also be welcome.
>
> Thanks for any contributions you might offer.
>
> TMT
>

WOW, too bad I didn't see this about 20 years ago. Three experiences - I had a back room in our basement - the house being 4 rooms - small at that. The room I got was like 5'4" high, which I had to duck to walk into as there was a step up into it - were it flat with the rest of the basement - I'd have had no trouble. It was about 6' deep from door to back wall and 5' wide. I had two very small tables in it, a chair and used the small nooks and crannies for storage. The one table being my bench. I was crowded - but I can say - all was in easy reach..... I even had a stereo there for music, bright lights for total illumination, and a few other nice additions. In another home I lived in, I had a small closet for my workbench "and" Ham shack, we were in an apartment building, no basement and the new bride didn't want to see the stuff. Crowded as much as if not more than my room as mentioned above, but hey - it worked for the time. There is something to be said about those close quarters - one thing as I mentioned, all in easy reach. I have a lot more room now, but I DO sort of miss those days! It just goes to show, you adapt when you have to. The more room you get - the more junk you tend to rack up.... As to lighting, I addressed mine as mentioned. Ventilation, it could get stuffy, if soldering a lot - if working on tube equipment, it could get warm. And, if ya ate something good for dinner, you could stink yourself out too! Power - you tend to utilize all sockets and pipe some in from outter rooms if need be. It isn't the end of the world having to deal with such an issue. As they say, ya gotta do - what ya gotta do...... I've even had my work areas when staying in a 26' camper - utilizing - again, any available space. Actually - it can be neat! Its all in how you lay it out and approach it in your mind. One thing - DO NOT block yourself in - in case of fire or shock hazard. Take any appropriate precautions against fire and so on.

CLFE

From 2741995837209646932
X-Google-Thread: 112d1e,bdf5a72c5362f65e
X-Google-Thread: 115730,bdf5a72c5362f65e

X-Google-Thread: 1131b0,bdf5a72c5362f65e
X-Google-Thread: fc2a5,bdf5a72c5362f65e
X-Google-Thread: 108122,bdf5a72c5362f65e
X-Google-Attributes: gid112d1e,gid115730,gid1131b0,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!news.tele.dk!news.tele.dk!small.news.tele.dk!news-fra1.dfn.de!newsfeed.pionier.net.pl!newsfeed.gazeta.pl!news.gazeta.pl!not-for-mail
From: "n cook" <diverse8@gazeta.pl>
Newsgroups:
sci.electronics.design,sci.electronics.equipment,sci.electronics.repair,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Small Workshops
Date: Wed, 25 Jan 2006 16:34:44 -0000
Organization: "Portal Gazeta.pl -> http://www.gazeta.pl"
Lines: 50
Message-ID: <dr8965$83p$1@inews.gazeta.pl>
References: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 213.78.88.143
X-Trace: inews.gazeta.pl 1138206726 8313 213.78.88.143 (25 Jan 2006 16:32:06 GMT)
X-Complaints-To: usenet@agora.pl
NNTP-Posting-Date: Wed, 25 Jan 2006 16:32:06 +0000 (UTC)
X-MimeOLE: Produced By Microsoft MimeOLE V5.00.2615.200
X-Priority: 3
X-Newsreader: Microsoft Outlook Express 5.00.2615.200
X-User: diverse8
X-MSMail-Priority: Normal
Xref: g2news1.google.com sci.electronics.design:33845
sci.electronics.equipment:1671 sci.electronics.repair:12846
rec.radio.amateur.homebrew:3253 rec.radio.amateur.equipment:2185

Too_Many_Tools <too_many_tools@yahoo.com> wrote in message
news:1138205269.297247.222590@g47g2000cwa.googlegroups.com...
> I would be interested in hearing and seeing examples of very small
> workshops (closets/small apartments/small bedrooms) and how people have
> adapted a workshop to a very small space. Pictures or links to pictures
> would be great. I would think the challenges of lighting, ventilation,
> power and space would create some interesting solutions. Any articles
> that discuss this subject would also be welcome.
>
> Thanks for any contributions you might offer.
>
> TMT
>

Hint for increasing storage space where there is little wall space
available.
For doubling the storage capacity of an existing
wall of steel cased,plastic drawered component
storage cabinets.
Obtain some extruded aluminium channel sliding
door gear used in domestic clothes cupboards etc.
Fix the runners to the top of the cabinet/cabinets.Fix channel to

ceiling/stout shelf in
front of and above(to avoid fouling top layer of drawers) the existing wall
mounted cabinets.
Fix a couple of PTFE slabs to base/rear to run against a sheet of wood or
metal fixed under
the existing units. Cabinets can be doubled up,pop-rivetted together
vertically with bridging
plates across the joins. Even trebled up if heavy components are placed in
the wall mounted units. For every
3 existing units maximum of 2 sliding ones for access,for 4 fixed then 3
sliding etc.
Theoretically 2 layers of sliding and 1 layer fixed cabinets would be
possible.

Other than the obvious comment - more mains outlets,
anyone any ideas for avoiding the rat's nest of knotted mains leads to
numerous test gear hanging around for perhaps once or twice a month use, so
not on a shelf
for once a year use. ?

--
Diverse Devices, Southampton, England
electronic hints and repair briefs , schematics/manuals list on
http://home.graffiti.net/diverse:graffiti.net/

From -8886588169161468161
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!pln-w!spln!lex!extra.newsguy.com!newsp.newsguy.com!enews4
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 25 Jan 2006 16:19:51 GMT
Organization: http://extra.newsguy.com
Lines: 35
Message-ID: <xn0ehnbeg4vb2p001@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com>
<NxLBf.14148$_S7.3476@newssvr14.news.prodigy.com>
<xn0ehna5p37or6008@cnews.newsguy.com>
NNTP-Posting-Host: p-266.newsdawg.com

```
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:0000004B
Xref: g2news1.google.com rec.radio.amateur.antenna:5826
rec.radio.amateur.misc:3742 rec.radio.amateur.equipment:2186

Bill Turner wrote:

> The coax braid may be connected to the chassis at the antenna end, but
> not at the transceiver end, and the result is often a "hot" chassis.
> Some "experts" advise to ground the chassis with a short, heavy
> conductor to cure the problem, but I feel it's better to keep such
> currents off the coax to begin with.
>
> That does not mean such methods don't work or are inefficient. I have
> operated both ways and both ways work. I just prefer not trying to
> "ground" current which should not be there in the first place.
>
> Bill, W6WRT
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

It's not every day I post a followup to my own message, but it seems
appropriate here.

If you would like to experiment with this, try operating 17 meter
mobile. If your installation is like mine, the length of coax will be
very close to 1/4 wave on 17 (about 13 feet) and the transceiver's
chassis will be "hot" for RF. We all know about a 1/4 wave conductor
grounded at one and what happens at the other end.

I believe - correct me if I'm wrong -  that current on the outside of
coax is not subject to the velocity factor issue because what's inside
the coax is not involved. It's just like a piece of wire in this
respect.

It would be interesting to try it with a 26 foot coax but I haven't
gotten around to it yet. Most likely it would only be effective on the
one band anyway, since 17 isn't harmonically related to any other HF
band.

Bill, W6WRT


From 5753109613677946285
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!00eff025!not-for-mail
From: Cecil Moore <mycall@arrl.net>
```

```
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com> <NxLBf.14148$_S7.3476@newssvr14.news.prodigy.com> <xn0ehna5p37or6008@cnews.newsguy.com>
In-Reply-To: <xn0ehna5p37or6008@cnews.newsguy.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 9
Message-ID: <SaOBf.27884$PL5.7140@newssvr11.news.prodigy.com>
NNTP-Posting-Host: 70.132.140.233
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1138208562 ST000 70.132.140.233 (Wed, 25 Jan 2006 12:02:42 EST)
NNTP-Posting-Date: Wed, 25 Jan 2006 12:02:42 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1: S[O]STVEMBRSP_@YMZJ\_Q\@TJ_ZTB\MV@BT]_MIJQR@EPIB_VUKAH_[MTX\IS[K[NGYJJFNOFZR_G[BUNTAOQLFE^TEHRPI]PZZRP_BMDSFQFL_]CBHXRWCMDCUZAZN@D_AKMNLEI]MWHCSXL^]NNC__CZFGSGHYYXWPFG@SCAVA]\FT\@B\RDGENSUQS^M
Date: Wed, 25 Jan 2006 17:02:42 GMT
Xref: g2news1.google.com rec.radio.amateur.antenna:5827 rec.radio.amateur.misc:3743 rec.radio.amateur.equipment:2187

Bill Turner wrote:
> I just prefer not trying to
> "ground" current which should not be there in the first place.

Wouldn't you still get RF burns if you touch the floating
transceiver chassis and anything "grounded" to the vehicle
chassis at the same time?
--
73, Cecil  http://www.qsl.net/w5dxp


From 3481013518313129589
X-Google-Thread: 112d1e,bdf5a72c5362f65e
X-Google-Thread: 115730,bdf5a72c5362f65e
X-Google-Thread: 1131b0,bdf5a72c5362f65e
X-Google-Thread: fc2a5,bdf5a72c5362f65e
X-Google-Thread: 108122,bdf5a72c5362f65e
X-Google-Attributes: gid112d1e,gid115730,gid1131b0,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-mail
```

From: meow2222@care2.com
Newsgroups:
sci.electronics.design,sci.electronics.equipment,sci.electronics.repair,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Small Workshops
Date: 25 Jan 2006 10:11:46 -0800
Organization: http://groups.google.com
Lines: 43
Message-ID: <1138212706.229245.94740@g14g2000cwa.googlegroups.com>
References: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 213.107.224.19
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138212712 17656 127.0.0.1 (25 Jan 2006 18:11:52 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Jan 2006 18:11:52 +0000 (UTC)
In-Reply-To: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0) Opera 7.23 [en],gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=213.107.224.19;
   posting-account=xVHssQ0AAADb_-cP-NGsWfWHelmEdpnp
Xref: g2news1.google.com sci.electronics.design:33873
sci.electronics.equipment:1672 sci.electronics.repair:12855
rec.radio.amateur.homebrew:3255 rec.radio.amateur.equipment:2188

Too_Many_Tools wrote:
> I would be interested in hearing and seeing examples of very small
> workshops (closets/small apartments/small bedrooms) and how people have
> adapted a workshop to a very small space. Pictures or links to pictures
> would be great. I would think the challenges of lighting, ventilation,
> power and space would create some interesting solutions. Any articles
> that discuss this subject would also be welcome.
>
> Thanks for any contributions you might offer.
>
> TMT

Guilty m'lud. However I dont see what the challenges are exactly. Lighting is the same as anywhere else, except you'll only have 2 lights on at most. Ventilation, I assume it has a door and window. If not, it still has a door... one hopes!

Power is simple enough, just flex and multiple sockets, route the flex wherever it can go. Modern 4/6/8 way sockets have made this very quick to implement. Wiring them in pairs makes them usful, 4 outlets isnt much use. Shortening leads can avoid a whole lotta wiring mess. 2x IEC leads in one plug tidies things up too. Many British plugs will grip 2 flexes happily, though not all.

Space... it all follows simply from one basic concept: storage effciency. Storage efficiency is the volume of goods divided by the volume of space its stored in. If you have say a 2'x4' table, and have 1 foot depth of kit on it, and another 1' underneath, your efficiency is 2'/8', 25%. (8' is the floor to ceiling height). Always store from floor to ceiling, any unused space is not good. Using standardised box sizes makes for better packing than odd sizes.

Theres nothing difficult about working in small workshops, as long as you dont care about neatness, order, and dont mind working with goods stored overhead, wires running up table legs, narrow access passages and so on. Forget about swivel chairs.

Dont forget to make the storage boxes as frogs legs, heads, arteries, etc. It keeps visitors at bay.

NT

```
From 7223021686429135772
X-Google-Thread: 112d1e,bdf5a72c5362f65e
X-Google-Thread: 115730,bdf5a72c5362f65e
X-Google-Thread: 1131b0,bdf5a72c5362f65e
X-Google-Thread: fc2a5,bdf5a72c5362f65e
X-Google-Thread: 108122,bdf5a72c5362f65e
X-Google-Attributes: gid112d1e,gid115730,gid1131b0,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g49g2000cwa.googlegroups.com!not-for-
mail
From: meow2222@care2.com
Newsgroups:
sci.electronics.design,sci.electronics.equipment,sci.electronics.repair,rec.radio.
amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Small Workshops
Date: 25 Jan 2006 10:13:44 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1138212824.679474.225950@g49g2000cwa.googlegroups.com>
References: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 213.107.224.19
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138212829 17944 127.0.0.1 (25 Jan 2006 18:13:49 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Jan 2006 18:13:49 +0000 (UTC)
In-Reply-To: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.0) Opera 7.23
[en],gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g49g2000cwa.googlegroups.com; posting-host=213.107.224.19;
   posting-account=xVHssQ0AAADb_-cP-NGsWfWHelmEdpnp
Xref: g2news1.google.com sci.electronics.design:33874
```

sci.electronics.equipment:1673 sci.electronics.repair:12856
rec.radio.amateur.homebrew:3256 rec.radio.amateur.equipment:2189

Too_Many_Tools wrote:
> I would be interested in hearing and seeing examples of very small
> workshops (closets/small apartments/small bedrooms) and how people have
> adapted a workshop to a very small space. Pictures or links to pictures
> would be great. I would think the challenges of lighting, ventilation,
> power and space would create some interesting solutions. Any articles
> that discuss this subject would also be welcome.
>
> Thanks for any contributions you might offer.
>
> TMT

one last point: you wont see pics of small workshops. Its not possible
to capture the whole shop, or even much of it, from one camera
position. And to see anything you'd need a very wide angle lens, which
most people dont have.

NT

From -2075264170916881790
X-Google-Thread: 112d1e,bdf5a72c5362f65e
X-Google-Thread: 115730,bdf5a72c5362f65e
X-Google-Thread: 1131b0,bdf5a72c5362f65e
X-Google-Thread: fc2a5,bdf5a72c5362f65e
X-Google-Thread: 108122,bdf5a72c5362f65e
X-Google-Attributes: gid112d1e,gid115730,gid1131b0,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread06.POSTED!53ab2750!not-for-mail
From: Jim Thompson <To-Email-Use-The-Envelope-Icon@My-Web-Site.com>
Newsgroups:
sci.electronics.design,sci.electronics.equipment,sci.electronics.repair,rec.radio.
amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Small Workshops
Message-ID: <g1gft1l8bbv54vpu894sq0v4gj50mcd573@4ax.com>
References: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
<1138212824.679474.225950@g49g2000cwa.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 48
Date: Wed, 25 Jan 2006 11:21:53 -0700
NNTP-Posting-Host: 70.190.227.29
X-Complaints-To: abuse@cox.net
X-Trace: dukeread06 1138213322 70.190.227.29 (Wed, 25 Jan 2006 13:22:02 EST)
NNTP-Posting-Date: Wed, 25 Jan 2006 13:22:02 EST

Organization: Cox Communications
Xref: g2news1.google.com sci.electronics.design:33879
sci.electronics.equipment:1674 sci.electronics.repair:12857
rec.radio.amateur.homebrew:3257 rec.radio.amateur.equipment:2190

On 25 Jan 2006 10:13:44 -0800, meow2222@care2.com wrote:

>Too_Many_Tools wrote:
>> I would be interested in hearing and seeing examples of very small
>> workshops (closets/small apartments/small bedrooms) and how people have
>> adapted a workshop to a very small space. Pictures or links to pictures
>> would be great. I would think the challenges of lighting, ventilation,
>> power and space would create some interesting solutions. Any articles
>> that discuss this subject would also be welcome.
>>
>> Thanks for any contributions you might offer.
>>
>> TMT
>
>one last point: you wont see pics of small workshops. Its not possible
>to capture the whole shop, or even much of it, from one camera
>position. And to see anything you'd need a very wide angle lens, which
>most people dont have.
>
>NT

Can't get a picture because it was in my previous house...

Six foot wide closet with folding doors.

Bought a pre-made Formica kitchen counter at Home Depot, notched it to
fit and dropped it in as my bench.

Multiple outlet strip across the back. Parts cabinets above.
Fluorescent fixture above, plus a small goose-neck for close-up
illumination.

Close the doors and you weren't aware it was there... wife loved it
;-)

Now-a-days I solder maybe twice a year... haul out scope, signal
generator and DVM, and just do it on my office desk.

...Jim Thompson

```
--
|  James E.Thompson, P.E.                           |    mens     |
|  Analog Innovations, Inc.                         |     et      |
|  Analog/Mixed-Signal ASIC's and Discrete Systems  |    manus    |
|  Phoenix, Arizona            Voice:(480)460-2350  |             |
|  E-mail Address at Website     Fax:(480)460-2142  |  Brass Rat  |
|       http://www.analog-innovations.com           |    1962     |
```

It's what you learn, after you know it all, that counts.

```
From -3190959949612107716
X-Google-Thread: 112d1e,bdf5a72c5362f65e
X-Google-Thread: 115730,bdf5a72c5362f65e
X-Google-Thread: 1131b0,bdf5a72c5362f65e
X-Google-Thread: fc2a5,bdf5a72c5362f65e
X-Google-Thread: 108122,bdf5a72c5362f65e
X-Google-Attributes: gid112d1e,gid115730,gid1131b0,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!proxad.net!
194.117.148.138.MISMATCH!pe2.news.blueyonder.co.uk!blueyonder!nntp.theplanet.net!
inewsm1.nntp.theplanet.net!news.theplanet.net!not-for-mail
From: Seafarer@wanadoo.co.uk (Seafarer)
Newsgroups:
sci.electronics.design,sci.electronics.equipment,sci.electronics.repair,rec.radio.
amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Small Workshops
Date: Wed, 25 Jan 2006 18:33:34 GMT
Lines: 23
Message-ID: <43d7c3b4.932703@news.wanadoo.co.uk>
References: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 81.76.134.234
X-Trace: newsg3.svr.pol.co.uk 1138214015 11287 81.76.134.234 (25 Jan 2006 18:33:35
GMT)
NNTP-Posting-Date: 25 Jan 2006 18:33:35 GMT
X-Complaints-To: abuse@theplanet.net
X-Newsreader: Forte Free Agent 1.21/32.243
Xref: g2news1.google.com sci.electronics.design:33887
sci.electronics.equipment:1676 sci.electronics.repair:12858
rec.radio.amateur.homebrew:3258 rec.radio.amateur.equipment:2191
```

On 25 Jan 2006 08:07:49 -0800, "Too_Many_Tools"
<too_many_tools@yahoo.com> wrote:

>I would be interested in hearing and seeing examples of very small
>workshops (closets/small apartments/small bedrooms) and how people have
>adapted a workshop to a very small space. Pictures or links to pictures
>would be great. I would think the challenges of lighting, ventilation,
>power and space would create some interesting solutions. Any articles
>that discuss this subject would also be welcome.
>
>Thanks for any contributions you might offer.
>
>TMT
>

Best thing I ever did was to use kitchen tops for the workbench.As
they have a sloping edge,I placed two together with the slope abutting
in the middle to form a V shape.
this has caught more dropped screws etc also a good place to lay
screwdrivers etc to stop them rolling off the bench.A good safety
idea,well at least for me.regards

```
From 2042224428995420200
X-Google-Thread: 108122,3d18cacbabd5a4cf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: "ik7ytt" <ik7ytt@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: icom ah-4 automatic antenna tuner
Date: 25 Jan 2006 11:38:15 -0800
Organization: http://groups.google.com
Lines: 3
Message-ID: <1138217895.092714.208160@f14g2000cwb.googlegroups.com>
NNTP-Posting-Host: 62.94.206.69
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138217900 32369 127.0.0.1 (25 Jan 2006 19:38:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 25 Jan 2006 19:38:20 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=62.94.206.69;
   posting-account=e2YaMw0AAADIOGNyJ_Ffy0TrUJCdsJbe
Xref: g2news1.google.com rec.radio.amateur.equipment:2192
```

Anyone know if the ah-4 antenna tuner work with not icom rigs?
Example ts850 or elecraft k2?

```
From -2524838523401022944
X-Google-Thread: 112d1e,bdf5a72c5362f65e
X-Google-Thread: 115730,bdf5a72c5362f65e
X-Google-Thread: 1131b0,bdf5a72c5362f65e
X-Google-Thread: fc2a5,bdf5a72c5362f65e
X-Google-Thread: 108122,bdf5a72c5362f65e
X-Google-Attributes: gid112d1e,gid115730,gid1131b0,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43D7D58A.EEFB08B6@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
```

```
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
sci.electronics.design,sci.electronics.equipment,sci.electronics.repair,rec.radio.
amateur.homebrew,rec.radio.amateur.equipment
Subject: Re: Small Workshops
References: <1138205269.297247.222590@g47g2000cwa.googlegroups.com>
<1138212824.679474.225950@g49g2000cwa.googlegroups.com>
<g1gft1l8bbv54vpu894sq0v4gj50mcd573@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 16
Date: Wed, 25 Jan 2006 19:47:01 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1138218421 24.110.34.161 (Wed, 25 Jan
2006 11:47:01 PST)
NNTP-Posting-Date: Wed, 25 Jan 2006 11:47:01 PST
Xref: g2news1.google.com sci.electronics.design:33920
sci.electronics.equipment:1678 sci.electronics.repair:12865
rec.radio.amateur.homebrew:3260 rec.radio.amateur.equipment:2193

Jim Thompson wrote:
>
>
> haul out scope, signal
> generator and DVM, and just do it on my office desk.


   Pervert!

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From -7851130228943970520
X-Google-Thread: 108122,96e65ff7c14f29a9,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
green.octanews.net!news-out.octanews.net!cox.net!news-xfer.cox.net!p02!
dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS or Trade Yaesu FT-817ND Station
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
```

X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <KhRBf.2678$2o5.1218@dukeread11>
Date: Wed, 25 Jan 2006 14:34:46 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1138221290 68.1.251.179 (Wed, 25 Jan 2006 15:34:50 EST)
NNTP-Posting-Date: Wed, 25 Jan 2006 15:34:50 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2194

For Trade: I have a Like New Yaesu FT-817ND with new W4RT High Capacity
Internal Battery.
It comes with the Original Manual and Standard Accessories that came with it
new, Shipping Box,
Mic, Power Cable, etc. Also have an as new Miracle Whip antenna and a nice
black Carrying Case.
This gear only has a few hours on it. I just do't do much QRP. I would like
to trade for a similar condition
Yaesu FT-857D or sell package for $575. Thanks, Charlie Hugg, K5MBX

From -9081881451104717600
X-Google-Thread: 108122,f6d1298c5736aa86,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!newsfeed2.easynews.com!easynews.com!easynews!news-west.rr.com!news-feed-01.rdc-kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!tornado.rdc-kc.rr.com.POSTED!53ab2750!not-for-mail
From: The Wasp <bzzzzz@zzzzzit.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Is this what Ham Radio has become?
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <bzzzzz-F8FC44.15491425012006@news-rdr-03.rdc-kc.rr.com>
Lines: 3
Date: Wed, 25 Jan 2006 21:49:14 GMT
NNTP-Posting-Host: 72.131.92.128
X-Complaints-To: abuse@rr.com
X-Trace: tornado.rdc-kc.rr.com 1138225754 72.131.92.128 (Wed, 25 Jan 2006 15:49:14 CST)
NNTP-Posting-Date: Wed, 25 Jan 2006 15:49:14 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2195

Nothing but contests contests contests!!!

http://www.hornucopia.com/contestcal/contestcal.html

```
From -4302001112439056598
X-Google-Thread: 108122,f6d1298c5736aa86
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
wns13feed!worldnet.att.net!216.196.98.141!border2.nntp.dca.giganews.com!
nntp.giganews.com!elnk-atl-nf1!newsfeed.earthlink.net!
stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!d2b35f9a!
not-for-mail
From: "helmsman@mindspring.com" <helmsman@mindspring.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Is this what Ham Radio has become?
Reply-To: helmsman@mindspring.com
Message-ID: <ba0gt1pjc3rh1duldrpqipevbj1n060kae@4ax.com>
References: <bzzzzz-F8FC44.15491425012006@news-rdr-03.rdc-kc.rr.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Wed, 25 Jan 2006 22:53:22 GMT
NNTP-Posting-Host: 4.229.57.114
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1138229602 4.229.57.114 (Wed, 25 Jan
2006 14:53:22 PST)
NNTP-Posting-Date: Wed, 25 Jan 2006 14:53:22 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2196

The Wasp <bzzzzz@zzzzzit.com> wrote:

>Nothing  but contests contests contests!!!
>
>http://www.hornucopia.com/contestcal/contestcal.html

Good way to check the equipment.


From 8061851979571495057
X-Google-Thread: 108122,3d18cacbabd5a4cf
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom ah-4 automatic antenna tuner
Message-ID: <7a0gt1t8mkmlkknvld7hnkjd2mriuj60gn@4ax.com>
References: <1138217895.092714.208160@f14g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
```

```
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 11
Date: Wed, 25 Jan 2006 22:56:00 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1138229760 24.174.167.251 (Wed, 25 Jan 2006 16:56:00
CST)
NNTP-Posting-Date: Wed, 25 Jan 2006 16:56:00 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2197

On 25 Jan 2006 11:38:15 -0800, "ik7ytt" <ik7ytt@gmail.com> wrote:

>Anyone know if the ah-4 antenna tuner work with not icom rigs?
>Example ts850 or elecraft k2?

It operates with the the Tuner switch on Icom rigs. See

http://www.icomamerica.com/products/amateur/ah4/

bob
k5qwg



From -5494641036077172258
X-Google-Thread: 108122,f6d1298c5736aa86
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Is this what Ham Radio has become?
Date: 26 Jan 2006 01:51:57 GMT
Lines: 10
Message-ID: <slrndtgapt.vjv.bit-bucket@shell.config.com>
References: <bzzzzz-F8FC44.15491425012006@news-rdr-03.rdc-kc.rr.com>
<ba0gt1pjc3rh1duldrpqipevbj1n060kae@4ax.com>
X-Trace: individual.net lDYnvUs+9i81XyFDooIzew41hVh1j+jlbGN3SJpCWxD1BgLIiS
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:2198

On Wed, 25 Jan 2006 22:53:22 GMT, helmsman@mindspring.com wrote:
> The Wasp <bzzzzz@zzzzzit.com> wrote:
>
>>Nothing  but contests contests contests!!!
>>
>>http://www.hornucopia.com/contestcal/contestcal.html
>
> Good way to check the equipment.

Good way to bring an Off Topic post back On Topic.
```

```
From 3314432908023061460
X-Google-Thread: 108122,3d18cacbabd5a4cf
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!
sn-xt-sjc-02!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: icom ah-4 automatic antenna tuner
Date: Wed, 25 Jan 2006 18:53:31 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <9ragt19ch0nf0qs7b7j9c1dig5neusvo68@4ax.com>
References: <1138217895.092714.208160@f14g2000cwb.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 9
Xref: g2news1.google.com rec.radio.amateur.equipment:2199

On 25 Jan 2006 11:38:15 -0800, "ik7ytt" <ik7ytt@gmail.com> wrote:

>Anyone know if the ah-4 antenna tuner work with not icom rigs?
>Example ts850 or elecraft k2

Not out of the box, but you can build a universal interface for it.
http://home.comcast.net/~hamlakemn//ah4/ah-4_universal_interface.htm

Dick


From 7617151578386354006
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!pln-e!
spln!lex!extra.newsguy.com!newsp.newsguy.com!enews4
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 26 Jan 2006 05:51:25 GMT
Organization: http://extra.newsguy.com
Lines: 11
Message-ID: <xn0ehnwq12xezs008@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-
rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-
```

hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com>
<NxLBf.14148$_S7.3476@newssvr14.news.prodigy.com>
<xn0ehna5p37or6008@cnews.newsguy.com>
<SaOBf.27884$PL5.7140@newssvr11.news.prodigy.com>
NNTP-Posting-Host: p-634.newsdawg.com
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:00000054
Xref: g2news1.google.com rec.radio.amateur.antenna:5848
rec.radio.amateur.misc:3748 rec.radio.amateur.equipment:2200

Cecil Moore wrote:

>
> Wouldn't you still get RF burns if you touch the floating
> transceiver chassis and anything "grounded" to the vehicle
> chassis at the same time?
~~~~~~

If the transceiver chassis really is "floating", the answer is no.

Bill, W6WRT

From -2687056555831965810
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newsfeed.stanford.edu!
sn-xt-sjc-03!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Roy Lewallen <w7el@eznec.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Thu, 26 Jan 2006 02:20:35 -0800
Organization: EZNEC Antenna Software
Message-ID: <11th8jlcskss9a5@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-
rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-
rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-
hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com>
<11tek4desq7uv56@corp.supernews.com> <xn0ehna2532k85007@cnews.newsguy.com>
In-Reply-To: <xn0ehna2532k85007@cnews.newsguy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 39
Xref: g2news1.google.com rec.radio.amateur.antenna:5852
rec.radio.amateur.misc:3752 rec.radio.amateur.equipment:2201
~~~~~~

Bill Turner wrote:
> Roy Lewallen wrote:
>
>
>>I know of two causes of current on the outside of a coax cable,
>>conduction and mutual coupling, and I think I understand the
>>mechanisms quite well. But neither has anything to do with the
>>antenna feedpoint impedance. Can you explain what the mechanism is
>>for an impedance mismatch to cause a current on the outside of the
>>coax?
>
> ~~~~~~
>
> The impedance mismatch I was talking about is between the halves of the
> antenna, not between the antenna and the coax. A mobile antenna with a
> typical center loaded whip operating on a relatively low frequency such
> as 80 or 40 meters is severely unbalanced in that respect. That does
> not mean it won't work or is inefficient or anything of the like. Only
> that it is unbalanced, much like a non-resonant long wire worked
> against ground.

Guess I don't understand what you mean by an impedance mismatch between halves of an antenna. Can you elaborate a bit, and how it causes current to get to the outside of the coax?

There's no reason a non-resonant long wire worked against ground should produce more current on the outside of a coax feedline than a resonant one. The conducted current on the outside of the coax is determined by the relative impedances to ground of the two available paths at the shield connection at the end of the coax. In the case of a grounded antenna, the ground system is one of the paths. The other is the outside of the coax. If the ground system is any good, its impedance is much lower than the outside of the coax, so very little current flows on the coax. Changing the "antenna" makes very little difference to the relationship between those paths, so it has very little effect on the current conducted to the outside of the feedline. You can find a more detailed explanation at http://eznec.com/Amateur/Articles/Baluns.pdf.

Roy Lewallen, W7EL

From 827061060715795578
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!news.astraweb.com!router2.astraweb.com!216.168.1.175.MISMATCH!sn-xt-sjc-15!sn-xt-sjc-01!sn-xt-sjc-06!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Roy Lewallen <w7el@eznec.com>
Newsgroups:

rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Thu, 26 Jan 2006 02:31:45 -0800
Organization: EZNEC Antenna Software
Message-ID: <11th98hnvm5paa9@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com> <NxLBf.14148$_S7.3476@newssvr14.news.prodigy.com> <xn0ehna5p37or6008@cnews.newsguy.com>
In-Reply-To: <xn0ehna5p37or6008@cnews.newsguy.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 48
Xref: g2news1.google.com rec.radio.amateur.antenna:5853 rec.radio.amateur.misc:3753 rec.radio.amateur.equipment:2202

Bill Turner wrote:
> Cecil Moore wrote:
>
>
>>what good does it do to
>>choke the coax currents when the coax braid is connected
>>to the vehicle chassis at both ends?
>
> ~~~~~~
>
> The coax braid may be connected to the chassis at the antenna end, but
> not at the transceiver end, and the result is often a "hot" chassis.
> Some "experts" advise to ground the chassis with a short, heavy
> conductor to cure the problem, but I feel it's better to keep such
> currents off the coax to begin with.
>
> That does not mean such methods don't work or are inefficient. I have
> operated both ways and both ways work. I just prefer not trying to
> "ground" current which should not be there in the first place.

Unless you're using the shield strictly for electric field shielding at very low (like audio) frequencies, you should *always* connect the shield at both ends, with low inductance connections. Think of a rig with an SO-239 connector. There's current coming out of the center pin, and there's an equal amount flowing in the opposite direction on the inside of the shell part of the connector. And inside a coax, there are equal and opposite currents on the outside of the center conductor and the inside of the shield. If you connect a coax to the rig via a properly installed PL-259, all the current on the inside of the SO-239 shell ends up inside the coax shield, and all the current from the SO-239 center pin ends up on the coax center conductor. Both sets of conditions are satisfied, and there's no current left over to flow on the outside of the coax or the outside of the rig. But what happens if you cut the shield at the rig? Then the current on the inside of the SO-239 shell has nowhere to go but over the edge and over the outside of the rig. And the current on the inside of the coax shield flows over the edge of the coax and along its outside. Somehow there'll be a path between the two, by conduction or coupling -- otherwise the rig would see an infinite impedance and no current would flow at all. But you probably won't like the path the current takes. It'll cause radiation from whatever it flows on, and because of the path impedance, RF voltage drops will be created between the coax shield and the rig, and anything else in the path. You might be able to alter its path with "ground" wires and such, but you'll have a lot of trouble controlling it, and it'll always be flowing somewhere besides where it should be -- on the inside of the coax.

Roy Lewallen, W7EL

From -5509430636899482747
X-Google-Thread: 108122,35a59f60cc3edcad,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
feeder.enertel.nl!nntpfeed-01.ops.asmr-01.energis-idc.net!
216.196.110.149.MISMATCH!border2.nntp.ams.giganews.com!nntp.giganews.com!
feeder.xsnews.nl!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-
ams-06!sn-xt-ams-05!sn-post-ams-01!sn-post-01!supernews.com!corp.supernews.com!
not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Anyone Know of BPL Problems With Garage Door Openers?
Date: Thu, 26 Jan 2006 10:17:11 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 8
Xref: g2news1.google.com rec.radio.amateur.equipment:2203

My aunt, who lives in So. Calif., along with two close neighbors, is suddenly having problems with garage door openers. Won't open. Stop part way down, etc. I haven't heard of amateur radio having an effect on modern garage door remote receivers. How about BPL? Don't know if it can effect things in the 900 Mhz region, but thought I would ask if anyone else has seen this.

Dick - W6CCD

From 5772763202985284342
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!indigo.octanews.net!news-out.octanews.net!teal.octanews.net!news-out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
Organization: Your Company
Message-ID: <Xns97576772B2715spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 26 Jan 2006 18:08:33 GMT
Lines: 20
NNTP-Posting-Host: 6c9ddb28.news.adtechcomputers.com
X-Trace: DXC=nbL^oLa?U:GLG@jU:39aJFgC4_A5:nI@A<<=aEgO;R8GWG]V<@97\RFdYQXF6JnG_DR?X7U2a5ffGemfRC[RMj?O_Xi^RWMB@9OUWB99W5b7mG4VX[4BXV<[E
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2204

> My aunt, who lives in So. Calif., along with two close neighbors, is
> suddenly having problems with garage door openers. Won't open. Stop
> part way down, etc. I haven't heard of amateur radio having an effect
> on modern garage door remote receivers. How about BPL? Don't know if
> it can effect things in the 900 Mhz region, but thought I would ask if
> anyone else has seen this.

I'd be surprised at BPL causing this, given its low signal strength, but I suppose something to consider.   I recall hearing of some new military "secure" communications system having such effect on garage doors.... but occurs over many square miles, not just one small local. The problem I read about was back in the South East, I think.

I guess if just a couple houses next to each other are having issues, one would begin to look in that vicinity.

Ed   K7AAT

From -2825313924402418481
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!tudelft.nl!txtfeed1.tudelft.nl!feeder1.cambrium.nl!feed.tweaknews.nl!138.199.65.86.MISMATCH!sn-ams-06!sn-xt-ams-03!sn-post-ams-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)

Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Thu, 26 Jan 2006 18:41:07 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11ti5u3alith4ec@corp.supernews.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 37
Xref: g2news1.google.com rec.radio.amateur.equipment:2205

In article <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>,
Dick <LeadWinger> wrote:

>My aunt, who lives in So. Calif., along with two close neighbors, is
>suddenly having problems with garage door openers. Won't open. Stop
>part way down, etc. I haven't heard of amateur radio having an effect
>on modern garage door remote receivers. How about BPL? Don't know if
>it can effect things in the 900 Mhz region, but thought I would ask if
>anyone else has seen this.

BPL would not, I think, as all of the BPL systems I've heard of use HF and lowband VHF on the power lines (and some use 2.4 gig or other ISM-band frequencies for uplink to the ISP).

I have heard of people having serious problems with Part 15 devices which operate in the 433 MHz region (as many garage door openers do). The primary user of this slice of spectrum is the U.S. government... it's allocated for radiolocation (radar) and there may be other government communications in that band as well, I suspect. Some months ago there were reports of people living around certain government air bases and other installations began having garage-door-opener blackouts, because some new radar systems had gone into use and were interfering with the Part 15 receivers.

There might be similar problems in the 900 MHz ISM band, I suppose.

A local amateur radio operator transmitting in either the 70 cm or 33 cm amateur band might cause transient overload of a Part 15 receiver using these frequencies. I'd expect this to be a relatively short-lived phenomenon, unless somebody's operating a popular repeater in your neighborhood.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -8081257800262198838
X-Google-Thread: 108122,292d312cb476bb02,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
meganewsservers.com!feeder2.on.meganewsservers.com!feed.cgocable.net!
news.infoave.net!not-for-mail
From: Meta Morph <MetaMorph83838@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu Mark V Field - Temporarily sold out or Discontinued?
Date: Thu, 26 Jan 2006 14:37:41 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 7
Message-ID: <p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com>
NNTP-Posting-Host: rhhe10-165.2wcm.comporium.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news3.infoave.net 1138304267 350326 64.53.90.165 (26 Jan 2006 19:37:47
GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Thu, 26 Jan 2006 19:37:47 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:2206
```

I noticed Texas Towers removed the listing for the Yaesu Mark V Field from their web page, and HRO only has demo units available. Is the Mark V Field discontinued or just temporarily sold out?

-Curious

```
From -8161357422930345170
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jan 2006 15:32:56 -0600
From: "Joe S." <anon@mous.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
Subject: Re: Mobile installation question
Date: Thu, 26 Jan 2006 16:33:19 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
```

Message-ID: <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
Lines: 93
NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-2yyI3lj7UvXW/18jmT/
EOh6ub9gDsQG6zpeljCjyrdoe5S9sQQOIHJ5qPiRz6k96nVuc60ZQydzy4IJ!
vuFxPx5v+vVuT5x5ZIjSis/vTRhEhKvmFOxU0z1TUQAKDbg+OA/k3KH1/Pl2aztRGLykXGsBgmA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5863 rec.radio.amateur.misc:3757 rec.radio.amateur.equipment:2207

"Joe S." <anon@mous.com> wrote in message
news:HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com...
> This question does not fit perfectly into any rec.radio.amateur newsgroup
> so I'll cross-post it to three groups and hope someone can help me.
>
> The question involves the dangers of RF energy from HF, VHF, and UHF rigs
> around automobile electronics.
>
> I am installing a Yaesu FT-857D in a 1997 Mazda B4000 truck -- 4.0L V6,
> 4WD, 5-speed, with extended cab.
>
> The control head for the 857 is separated and mounted on the plastic bezel
> around the gear shift lever. The rig is mounted on the floor under the
> driver's seat.
>
> Underneath the truck, on the rocker panel just beneath the seatbelt anchor
> point, is a factory-made hole in the floor. This hole is closed with a
> removable rubber plug. I ran the radio's power lead through this rubber
> plug, along the frame, into the engine compartment where I attached the
> positive lead to the battery and the negative lead to chassis ground.
>
> I planned to run the antenna leads out through the same hole then run them
> along the frame into the sidewall of the bed to the rear of the truck
> where I will mount a VHF/UHF antenna in one rear stake hole and an
> ATAS-120 in the other rear stake hole, using the GeoTools mount:
> http://www.geotool.com/antmount.htm
>
> I took the truck in for service last week and the service advisor gave me
> a long lecture about keeping the coax away from the air bag and away from
> the seatbelt retractor. He told me the retractor has a small explosive
> charge in it that can be set off by radiation from coax. Ditto for the
> airbag.
>
> The route I planned for the coax takes it right next to the seatbelt
> retractor and I am now re-thinking my installation. I could route the
> coax from underneath the driver's seat directly to the back of the cab and
> drill a hole in the floorboard, centered on the cab at the back wall of

> the cab, and run the coax out of that hole. This would get a foot or more separation between the coax and the retractor.
>
> I plan to ground the hell out of this installation.
> -- The power lead is grounded to the frame in the engine compartment.
> -- I have a 10 gauge pigtail -- one end will be bolted under one of the bolts that attaches the seat frame to the floorboard and the other end will be bolted to the 857 chassis.
> -- The antenna mounts bolt directly onto the chassis; I will sand off the paint and use star washers to get good contacts at these mounting points.
>
> Also, I will use double-shielded RG-8X for the coax.
>
> I see a lot of trucks like mine (the B4000 is the same truck as the Ford Ranger) with CB installations -- I have never stopped anyone and asked but it seems to me the normal CB installation is nowhere near as good as mine and they don't seem to have problems. Of course, I'm running 100 watts and they are running only 5 (right???).
>
> Has anyone out there had experience with HF mobile installations in the Mazda or Ranger pickups?
>
> Thanks for your assistance.
>

Thanks to all who replied -- I certainly appreciate everyone taking time to help me. Of course, as usually happens with newsgroups, the thread wandered somewhat from the original question -- which was how to route my coax and mount my rig so as to avoid firing the seat belt retractor.

I have solved the problem -- the dealer had a tech bulletin that told me to keep coax 12 inches from the retractor and to ground everything -- so -- I drilled a 1-inch diameter hole in the floor board under the driver's seat and installed a plastic plug in the hole. I drilled two 1/4-inch diameter holes in the plug through which I routed the coax -- one cable for HF, one for VHF/UHF. Grounded the negative power lead to the chassis in the engine compartment; grounded the rig (which is under the driver's seat) to the frame by loosening a seat mounting bolt and grounding one end of a pigtail to that bolt and the other end of the pigtail goes to the rig's chassis.

The stake hole mounts have mounting bolts in their bottoms. Remove the tail light assembly; drill a 5/8-inch hole in the bottom of the bracket in the stake hole; grind off the paint from around the hole with a Dremel tool; put star lock washers on the bolt that comes out the bottom of the stake hole mount and tighten the living shit out of the mounting bolt, thereby grounding the antenna mount to the chassis sheet metal. There are already factory-installed ground jumpers connecting the sheet metal to the frame.

Fired it up at full power and nothing bad happened; SWR looks good; ATAS-tunes normally; made a few contacts on HF, VHF, and UHF.

I'll post photos, etc., to my web site in a few days when I get it all cleaned up.

From 5475751334057006777
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!sn-xt-sjc-04!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Thu, 26 Jan 2006 22:12:18 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11tiia21u8voh0b@corp.supernews.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 48
Xref: g2news1.google.com rec.radio.amateur.antenna:5864
rec.radio.amateur.misc:3759 rec.radio.amateur.equipment:2208

In article <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>, Joe S. <anon@mous.com> wrote:

>I have solved the problem -- the dealer had a tech bulletin that told me to
>keep coax 12 inches from the retractor and to ground everything -- so -- I
>drilled a 1-inch diameter hole in the floor board under the driver's seat
>and installed a plastic plug in the hole. I drilled two 1/4-inch diameter
>holes in the plug through which I routed the coax -- one cable for HF, one
>for VHF/UHF. Grounded the negative power lead to the chassis in the engine
>compartment; grounded the rig (which is under the driver's seat) to the
>frame by loosening a seat mounting bolt and grounding one end of a pigtail
>to that bolt and the other end of the pigtail goes to the rig's chassis.

You'd be somewhat better off running the power-ground wire all the way
back to the battery, and connecting directly to the battery's negative
post. Include a fuse in this line just before it connects to the
battery negative.

Avoid using the body frame for high-current power supply ground
return. It's too easy for noise from other portions of the
electronics to get into your power, due to the non-zero resistance of
the shared ground path.

Clamping a couple of RF-suppression ferrites onto each coax at various
points along their runs might also help block, or dissipate, any RF
which does try to come back along the coax.

>The stake hole mounts have mounting bolts in their bottoms. Remove the tail
>light assembly; drill a 5/8-inch hole in the bottom of the bracket in the
>stake hole; grind off the paint from around the hole with a Dremel tool; put
>star lock washers on the bolt that comes out the bottom of the stake hole
>mount and tighten the living shit out of the mounting bolt, thereby
>grounding the antenna mount to the chassis sheet metal.

Adding a corrosion-preventive antioxidant paste or cream between the chassis, washer, and bolt is a good idea, also. It'll help make sure that infiltration of oxygen and moisture does not cause this critical grounding junction to go high-Z in the future.

There are numerous such pastes/products on the market. The one I used is a copper-loaded grease marketed by Butternut, under the cutesie name "Butter-it's-not". You might be able to find an equally usable copper-grease at a good auto-supply store.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
     boycott any company which has the gall to send me such ads!

From -209176584097947914
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!elnk-pas-nf1!newsfeed.earthlink.net!news-feed-01.socal.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Message-ID: <43D9621E.8040104@nettally.com>
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
In-Reply-To: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 31
Date: Thu, 26 Jan 2006 23:54:07 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1138319647 65.33.238.179 (Thu, 26 Jan 2006 18:54:07 EST)
NNTP-Posting-Date: Thu, 26 Jan 2006 18:54:07 EST
Organization: Road Runner High Speed Online http://www.rr.com

Xref: g2news1.google.com rec.radio.amateur.equipment:2209

There have been problems with military use of the 300 MHz band for new radio systems, but this would not cause the door to work only half way.

Assuming the neighbors problems are coincidental, check the counterbalance spring for the door. They wear out or break and the opener does not have enough power to work on irs own. By the way this is not a DIY project because of safety concerns with the springs and the repairs can be about $300.

Dick wrote:

>My aunt, who lives in So. Calif., along with two close neighbors, is
>suddenly having problems with garage door openers. Won't open. Stop
>part way down, etc. I haven't heard of amateur radio having an effect
>on modern garage door remote receivers. How about BPL? Don't know if
>it can effect things in the 900 Mhz region, but thought I would ask if
>anyone else has seen this.
>
>Dick - W6CCD
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From -304264599812161969
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
newspeer1.nwr.nac.net!newspeer.monmouth.com!news-east.rr.com!news-
feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
In-Reply-To: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>

Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 31
Message-ID: <OidCf.18705$_c.6878@tornado.tampabay.rr.com>
Date: Thu, 26 Jan 2006 23:54:22 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1138319662 65.33.238.179 (Thu, 26 Jan 2006 18:54:22 EST)
NNTP-Posting-Date: Thu, 26 Jan 2006 18:54:22 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2210

There have been problems with military use of the 300 MHz band for new radio systems, but this would not cause the door to work only half way.

Assuming the neighbors problems are coincidental, check the counterbalance spring for the door. They wear out or break and the opener does not have enough power to work on irs own. By the way this is not a DIY project because of safety concerns with the springs and the repairs can be about $300.

Dick wrote:

>My aunt, who lives in So. Calif., along with two close neighbors, is
>suddenly having problems with garage door openers. Won't open. Stop
>part way down, etc. I haven't heard of amateur radio having an effect
>on modern garage door remote receivers. How about BPL? Don't know if
>it can effect things in the 900 Mhz region, but thought I would ask if
>anyone else has seen this.
>
>Dick - W6CCD
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From 1957852055567355314
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!tethys.csu.net!nntp.csufresno.edu!sn-xt-sjc-02!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail

From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Fri, 27 Jan 2006 00:02:36 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11tioosp4b412b4@corp.supernews.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<43D9621E.8040104@nettally.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 26
Xref: g2news1.google.com rec.radio.amateur.equipment:2211

In article <43D9621E.8040104@nettally.com>,
THE-RFI-EMI-GUY <rhyolite@nettally.com> wrote:

>Assuming the neighbors problems are coincidental, check the
>counterbalance spring for the door. They wear out or break and the
>opener does not have enough power to work on irs own. By the way this is
>not a DIY project because of safety concerns with the springs and the
>repairs can be about $300.

Good point!

I recently had a spring break in our 1960-vintage rolling door setup... the door wouldn't even start to roll up with only one spring out of two providing proper tension.

The repairman who came out and replaced it, said that he gets a significant percentage of his business from people who first tried to do the repair themselves... and decided to call him after they got out of the hospital. The most common injury seems to be a broken collar-bone. Those springs are under a *lot* of tension.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From 6173562139192056289
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jan 2006 19:36:12 -0600
From: "Joe S." <anon@mous.com>

```
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
Subject: Re: Mobile installation question
Date: Thu, 26 Jan 2006 20:36:35 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <q-WdnX9rFfCR5ETenZ2dnUVZ_t6dnZ2d@comcast.com>
Lines: 63
NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-
aEGbbD+e9uEpD8VG8mM500Fs8YYNVCDfbYUm1iBqHkVxvp7tWHOPiSy0ssIislrfMd7VWsk5VoCpDKa!
iiqluMYH2xn50nuz6HFJhYJFYn414uI7Xm7jD0yWMK0yaauYqhQ3a1qp66hO0KNxHO5I4DQtb5Ue!
mQlBdJE0KiIx
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5873
rec.radio.amateur.misc:3761 rec.radio.amateur.equipment:2212


"Dave Platt" <dplatt@radagast.org> wrote in message
news:11tiia21u8voh0b@corp.supernews.com...
> In article <06KdnXmGUdGV3UTeRVn-uQ@comcast.com>, Joe S. <anon@mous.com>
> wrote:
>
>>I have solved the problem -- the dealer had a tech bulletin that told me
>>to
>>keep coax 12 inches from the retractor and to ground everything -- so -- I
>>drilled a 1-inch diameter hole in the floor board under the driver's seat
>>and installed a plastic plug in the hole.  I drilled two 1/4-inch diameter
>>holes in the plug through which I routed the coax -- one cable for HF, one
>>for VHF/UHF.  Grounded the negative power lead to the chassis in the
>>engine
>>compartment; grounded the rig (which is under the driver's seat) to the
>>frame by loosening a seat mounting bolt and grounding one end of a pigtail
>>to that bolt and the other end of the pigtail goes to the rig's chassis.
>
> You'd be somewhat better off running the power-ground wire all the way
> back to the battery, and connecting directly to the battery's negative
> post.  Include a fuse in this line just before it connects to the
> battery negative.
>
> Avoid using the body frame for high-current power supply ground
> return.  It's too easy for noise from other portions of the
> electronics to get into your power, due to the non-zero resistance of
> the shared ground path.
>
> Clamping a couple of RF-suppression ferrites onto each coax at various
> points along their runs might also help block, or dissipate, any RF
> which does try to come back along the coax.
>
>>The stake hole mounts have mounting bolts in their bottoms.  Remove the
>>tail
>>light assembly; drill a 5/8-inch hole in the bottom of the bracket in the
>>stake hole; grind off the paint from around the hole with a Dremel tool;
>>put
>>star lock washers on the bolt that comes out the bottom of the stake hole
>>mount and tighten the living shit out of the mounting bolt, thereby
>>grounding the antenna mount to the chassis sheet metal.
>
> Adding a corrosion-preventive antioxidant paste or cream between the
> chassis, washer, and bolt is a good idea, also.  It'll help make sure
> that infiltration of oxygen and moisture does not cause this critical
> grounding junction to go high-Z in the future.
>
> There are numerous such pastes/products on the market.  The one I used
> is a copper-loaded grease marketed by Butternut, under the cutesie
> name "Butter-it's-not".  You might be able to find an equally usable
> copper-grease at a good auto-supply store.
>
> --
> Dave Platt <dplatt@radagast.org>                                   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
>  I do _not_ wish to receive unsolicited commercial email, and I will
>     boycott any company which has the gall to send me such ads!

Thanks.  I'll do all of that.  I can pick up ferrites at Radio Shack and
should be able to find the anti-oxidant paste at local auto parts place.  In
fact, local auto parts has big ferrites -- they sell them as noise
suppressors for audio installations.




From 6510902081714921245
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
multikabel.net!feed20.multikabel.net!sn-ams-06!sn-xt-ams-04!sn-post-ams-02!sn-
post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Thu, 26 Jan 2006 18:39:37 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <5ttit1t7e2es0f83hlukever5f572kqjti@4ax.com>
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
```

<43D9621E.8040104@nettally.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 43
Xref: g2news1.google.com rec.radio.amateur.equipment:2213

This garage door and opener system are not more than a year old. I don't know the brand name, but it was not inexpensive. The door does operate perfectly with the wall button. The service people have been out and changed out both the receiver and the remotes. Still will not operate. That's why the serviceman thinks it has to be some kind of RF interference. Apparently he didn't have the equipment to trace it out.

For the record, this home is in an older residential area near the University of California Fullerton. No military installations that I am aware of. Something at the University or local high school might be doing it, but the high school is a couple of blocks away, and the University is about 1/2 mile. If I were near there, I could bring one of my receivers and trace it down pretty quickly, but I'm 500 miles away.

Dick

On Thu, 26 Jan 2006 23:54:07 GMT, **THE-RFI-EMI-GUY**
<rhyolite@nettally.com> wrote:

>There have been problems with military use of the 300 MHz band for new
>radio systems, but this would not cause the door to work only half way.
>
>Assuming the neighbors problems are coincidental, check the
>counterbalance spring for the door. They wear out or break and the
>opener does not have enough power to work on irs own. By the way this is
>not a DIY project because of safety concerns with the springs and the
>repairs can be about $300.
>
>Dick wrote:
>
>>My aunt, who lives in So. Calif., along with two close neighbors, is
>>suddenly having problems with garage door openers. Won't open. Stop
>>part way down, etc. I haven't heard of amateur radio having an effect
>>on modern garage door remote receivers. How about BPL? Don't know if
>>it can effect things in the 900 Mhz region, but thought I would ask if
>>anyone else has seen this.
>>
>>Dick - W6CCD
>>
>>

```
From -8900020352337473324
X-Google-Thread: 108122,35a59f60cc3edcad
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jan 2006 19:39:44 -0600
From: "Joe S." <anon@mous.com>
Newsgroups: rec.radio.amateur.equipment
References: <pp0it1t8gdka0kc470mig8q3q3r23rco20@4ax.com>
<43D9621E.8040104@nettally.com> <11tioosp4b412b4@corp.supernews.com>
Subject: Re: Anyone Know of BPL Problems With Garage Door Openers?
Date: Thu, 26 Jan 2006 20:40:06 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <yMOdnb9Z6fV95ETeRVn-pA@comcast.com>
Lines: 47
NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-
OZrnL4713mpDqHVLnnh2aK8GEXufR6qO6ToFvZbOpNlgX1vGS4sZwj9EyKqVz28ltwqIrBhvJ2ttXKO!
d6PLBcdOjlyc48TS/hAAM8G0IXDpOSEx9ZQH1z/ELfoygm9OoPvu9LRruLK5prof/D83oKeGcdI=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2214


"Dave Platt" <dplatt@radagast.org> wrote in message
news:11tioosp4b412b4@corp.supernews.com...
> In article <43D9621E.8040104@nettally.com>,
> **THE-RFI-EMI-GUY**  <rhyolite@nettally.com> wrote:
>
>>Assuming the neighbors problems are coincidental, check the
>>counterbalance spring for the door. They wear out or break and the
>>opener does not have enough power to work on irs own. By the way this is
>>not a DIY project because of safety concerns with the springs and the
>>repairs can be about $300.
>
> Good point!
>
> I recently had a spring break in our 1960-vintage rolling door
> setup... the door wouldn't even start to roll up with only one spring
> out of two providing proper tension.
>
> The repairman who came out and replaced it, said that he gets a
```

> significant percentage of his business from people who first tried to
> do the repair themselves... and decided to call him after they got out
> of the hospital. The most common injury seems to be a broken
> collar-bone. Those springs are under a *lot* of tension.

A long time ago someone told me about the problems that can be caused by a garage door spring breaking under tension. There is a simple safety measure. Get some of the 3/16-inch stranded cable that is commonly sold at Lowe's, Home Depot, etc. Get four cable clamps. Run a length of cable through the center of each coil spring, the length of the spring. At each end, loop the cable through something -- there are usually holes in the door mounting frame -- and secure with the cable clamps. This way, if the coil spring snaps, it will not go anywhere because the cable will catch it. Otherwise, you'll have a big piece of coil spring shooting through the garage at almost the velocity of a bullet. Trust me, I know.

>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

From 3290700902458515665
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
logbridge.uoregon.edu!pln-e!spln!rex!extra.newsguy.com!newsp.newsguy.com!enews1
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 27 Jan 2006 04:10:14 GMT
Organization: http://extra.newsguy.com
Lines: 15
Message-ID: <xn0ehp8p11ylq9000@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <66idnRrSFeXkbUneRVn-rQ@comcast.com> <xn0ehkhyv3wp07005@cnews.newsguy.com> <yqmdnXirm_a1lEveRVn-rw@comcast.com> <xn0ehlxr5238s2005@cnews.newsguy.com> <3MmdnUjzf8oHV0veRVn-hQ@comcast.com> <xn0ehmgp04fwdc008@cnews.newsguy.com>
<NxLBf.14148$_S7.3476@newssvr14.news.prodigy.com>
<xn0ehna5p37or6008@cnews.newsguy.com> <11th98hnvm5paa9@corp.supernews.com>
NNTP-Posting-Host: p-788.newsdawg.com

```
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:00000056
Xref: g2news1.google.com rec.radio.amateur.antenna:5875
rec.radio.amateur.misc:3764 rec.radio.amateur.equipment:2215

Roy Lewallen wrote:

> > > The coax braid may be connected to the chassis at the antenna
> > > end, but
> > not at the transceiver end, and the result is often a "hot" chassis.
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

I could have worded that better. I meant that the coax is connected to
the transceiver chassis but the transceiver's chassis is not connected
to the car's chassis directly. I see why some folks took it to mean the
coax braid at the transceiver isn't connected to anything.

Sorry for the confusion.

Bill, W6WRT


From 5850243545160054704
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jan 2006 22:44:47 -0600
Date: Thu, 26 Jan 2006 23:49:16 -0500
From: John Popelish <jpopelish@rica.net>
Organization: This space not available for advertising.
User-Agent: Mozilla Thunderbird 1.0.2 (Windows/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
In-Reply-To: <11tiia21u8voh0b@corp.supernews.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
Lines: 15
NNTP-Posting-Host: 69.168.60.25
X-Trace: sv3-o4FUcEOcX2h895L7fJ0x1wqf7dWn5s+uL2bGIhR4Ht6GlZeA2siLySEJahaEFfuA/
dzAuGOtvYlz3tq!F6UQ/
```

AaWMj7mB6czpq1Rk6pVtBQ6BRrQrTDai7TvqOD8mx+Z1gQhvM18e2QQr6E8n47OXVloR4pC!
qdlcr+lgyADqRH9Dr9s+bnh2ow1XOQ==
X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5876 rec.radio.amateur.misc:3765 rec.radio.amateur.equipment:2216

Dave Platt wrote:

> You'd be somewhat better off running the power-ground wire all the way
> back to the battery, and connecting directly to the battery's negative
> post. Include a fuse in this line just before it connects to the
> battery negative.

(snip)

Why would that be the best arrangement? No steady state power comes from the battery. If you want the least voltage drop, you take a pair of wires back to the alternator, where the power originates. The only advantage of the battery connection might be lower alternator rectifier noise in the power, but that is pretty easy to filter out right at the alternator, before it gets out in the wiring harness and into the antenna.

From 147274931075521518
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid108122,gid107ada,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 26 Jan 2006 23:22:46 -0600
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.equipment,rec.radio.amateur.misc
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.itqbq31.pminews@newsgroups.comcast.net>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com> <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
Date: Thu, 26 Jan 2006 21:18:03 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Mobile installation question

```
Lines: 29
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-PdfapEuVQJZKBXYcvwoTZVvepiVcldP8k0ua/mJhSawhpqROs/vLht2omY9kQACp/
fY5HkQpGAP7flM!
ax7hmLs9gtMNpxVqTYldsN+e+Jg+qseEvWGUOQDWQYnRVtuersDn6rROh+54XVLhEeAiVLke4ahz!
AWlACD+AqoxnQvBjveJalhZN
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5877
rec.radio.amateur.equipment:2217 rec.radio.amateur.misc:3766
```

On Thu, 26 Jan 2006 23:49:16 -0500, John Popelish wrote:

>No steady state power comes
>from the battery. If you want the least voltage drop, you take a pair
>of wires back to the alternator, where the power originates.

HUH????   I've designed enough communication site power installations to know that the battery powers the equipment and the function of the alternator in a vehicle or the rectifier (power supply, in ham language) in a fixed intsallation is to recharge the battery "on the fly", so to speak. The current capacity of the battery is much greater than that os the charging device.

Any design that puts the load on the charging device rather than on the battery would be rejected out of hand. At best. both of them would be connectable (through switches or circuit breakers) to the load bus, with separate metering for the battery, the charger, and the load.

In your scheme the equipment would get no power when the alternator is not operating, or more clearly, if the equipment DOES get power, the power must be coming from the battery.

Think about it.

--
73 de K2ASP - Phil Kane P.E.

```
From -3323725210695143856
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
```

```
multikabel.net!feed20.multikabel.net!sn-ams-06!sn-xt-ams-03!sn-post-ams-02!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Fri, 27 Jan 2006 05:33:02 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11tjc4ef0sh65de@corp.supernews.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 35
Xref: g2news1.google.com rec.radio.amateur.antenna:5878
rec.radio.amateur.misc:3767 rec.radio.amateur.equipment:2218
```

In article <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>,
John Popelish <jpopelish@rica.net> wrote:

>Dave Platt wrote:
>
>> You'd be somewhat better off running the power-ground wire all the way
>> back to the battery, and connecting directly to the battery's negative
>> post. Include a fuse in this line just before it connects to the
>> battery negative.

>Why would that be the best arrangement? No steady state power comes
>from the battery. If you want the least voltage drop, you take a pair
>of wires back to the alternator, where the power originates. The
>only advantage of the battery connection might be lower alternator
>rectifier noise in the power, but that is pretty easy to filter out
>right at the alternator, before it gets out in the wiring harness and
>into the antenna.

I've never heard of anyone hooking up auxiliary loads right at the alternator. I can imagine somebody hooking a secondary-battery feed at this point (in an RV, perhaps) but I don't think I've ever seen radios hooked up there.

I rather strongly suspect that you'd find the amount of "alternator whine" in the audio to be significant greater if you hook up the radio right at the alternator.

Every mobile-ham-radio installation guide I've ever read (including the owners' manuals) seems to recommend running heavy wires back to the battery.

```
--
Dave Platt <dplatt@radagast.org>                                   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
  I do _not_ wish to receive unsolicited commercial email, and I will
```

boycott any company which has the gall to send me such ads!

```
From -1178298431343068142
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!mpls-
transit-01.news.qwest.net!204.153.247.122.MISMATCH!news-out.octanews.net!
canary.octanews.net!news-out.readnews.com!spool-big1.readnews.com!
news.coretel.net!not-for-mail
From: "CLFE" <Junkmail@clfurent.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-
uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<11tjc4ef0sh65de@corp.supernews.com>
Subject: Re: Mobile installation question
Date: Fri, 27 Jan 2006 00:53:31 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Lines: 56
Message-ID: <43d9b779$0$25084$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: aee30c46.news.coretel.net
X-Trace: DXC=mmCbn@V=e\^28V2Z_N3N2XcYX6N<OEXQ[BO`7;<`?
UGUSO3THaLhDeU62an==<A5`]T5ha^?i`E3R
X-Complaints-To: abuse@coretel.net
Xref: g2news1.google.com rec.radio.amateur.antenna:5881
rec.radio.amateur.misc:3768 rec.radio.amateur.equipment:2219

"Dave Platt" <dplatt@radagast.org> wrote in message
news:11tjc4ef0sh65de@corp.supernews.com...
> In article <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>,
> John Popelish  <jpopelish@rica.net> wrote:
>>Dave Platt wrote:
>>
>>> You'd be somewhat better off running the power-ground wire all the way
>>> back to the battery, and connecting directly to the battery's negative
>>> post.  Include a fuse in this line just before it connects to the
>>> battery negative.
>
>>Why would that be the best arrangement?  No steady state power comes
>>from the battery.  If you want the least voltage drop, you take a pair
>>of wires back to the alternator, where  the power originates.  The
>>only advantage of the battery connection might be lower alternator
>>rectifier noise in the power, but that is pretty easy to filter out
```

>>right at the alternator, before it gets out in the wiring harness and
>>into the antenna.
>
> I've never heard of anyone hooking up auxiliary loads right at the
> alternator. I can imagine somebody hooking a secondary-battery feed
> at this point (in an RV, perhaps) but I don't think I've ever seen
> radios hooked up there.
>
> I rather strongly suspect that you'd find the amount of "alternator
> whine" in the audio to be significant greater if you hook up the radio
> right at the alternator.
>
> Every mobile-ham-radio installation guide I've ever read (including
> the owners' manuals) seems to recommend running heavy wires back to
> the battery.
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

I have yet to see "any" manual which suggests going to the "Alternator" for voltage to run a radio, be it Ham, CB, or Two Way or even just electronics books which may touch the subject of wiring radios or anything else for that matter - into vehicles. I don't know where this guy read his information, I'd love to know where the idea came from. My gosh, the whine is bad enough sometimes at the battery, let alone the Alternator - the mother of it. Most suggestions are to fuse both the positive and negative leads on the radio (going to the battery) - although you can get away often - with grounding the negative and fusing the positive to the battery (for best results) OR to some point to feed the 12 volts if the current supply is ample - ie the cigarette lighter or some other place people tend to use. "I" don't suggest that, but people do use them....... Of course - the latter would be for smaller hand held CBs or the like. Anything larger, you're pretty much left with only the Battery.

CLF

From 7264959378108968366
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!news.astraweb.com!router2.astraweb.com!216.168.1.164.MISMATCH!sn-xt-sjc-04!sn-xt-sjc-08!sn-xt-sjc-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups:

rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Fri, 27 Jan 2006 06:36:08 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11tjfqono5nrg8a@corp.supernews.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<11tjc4ef0sh65de@corp.supernews.com> <43d9b779$0$25084$ecde5a14@news.coretel.net>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 24
Xref: g2news1.google.com rec.radio.amateur.antenna:5883
rec.radio.amateur.misc:3770 rec.radio.amateur.equipment:2220

In article <43d9b779$0$25084$ecde5a14@news.coretel.net>,
CLFE <Junkmail@clfurent.com> wrote:

> Most
>suggestions are to fuse both the positive and negative leads on the radio
>(going to the battery) - although you can get away often - with grounding
>the negative and fusing the positive to the battery (for best results)

I don't recommend fusing only the hot side. Fuse both. It's safer.

Fusing the ground wire protects you against wiring faults. Consider what would happen if you don't do this, and your radio's chassis is grounded to the vehicle frame, and if the main grounding strap from the alternator to the battery comes loose at the battery end. Your rig's chassis, and its ground wire could end up being a major part of the ground-return current from the alternator to the battery. The ground wire may not be able to handle that much current, and might overheat or catch fire. If it's properly fused, the fuse will blow.

--
Dave Platt <dplatt@radagast.org> AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

From 6692080167903043656
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news-out.readnews.com!news-xxxfer.readnews.com!textspool1.readnews.com!news-
out.readnews.com!spool-big1.readnews.com!news.coretel.net!not-for-mail
From: "CLFE" <Junkmail@clfurent.com>
Newsgroups:

```
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<11tjc4ef0sh65de@corp.supernews.com> <43d9b779$0$25084$ecde5a14@news.coretel.net>
<11tjfqono5nrg8a@corp.supernews.com>
Subject: Re: Mobile installation question
Date: Fri, 27 Jan 2006 01:45:20 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Lines: 35
Message-ID: <43d9c17f$0$25087$ecde5a14@news.coretel.net>
Organization: CoreTel
NNTP-Posting-Host: aee30c46.news.coretel.net
X-Trace: DXC=PcA4>c\EW_1S3HkhCE`Oj3cYX6N<OEXQ;BO`7;<`?UG5I^`gU\4Z0I?
62an==<A5`=7PP<Njf2JK=
X-Complaints-To: abuse@coretel.net
Xref: g2news1.google.com rec.radio.amateur.antenna:5884
rec.radio.amateur.misc:3771 rec.radio.amateur.equipment:2221
```

"Dave Platt" <dplatt@radagast.org> wrote in message
news:11tjfqono5nrg8a@corp.supernews.com...

> In article <43d9b779$0$25084$ecde5a14@news.coretel.net>,
> CLFE <Junkmail@clfurent.com> wrote:
>
>> Most
>>suggestions are to fuse both the positive and negative leads on the radio
>>(going to the battery) - although you can get away often - with grounding
>>the negative and fusing the positive to the battery (for best results)
>
> I don't recommend fusing only the hot side. Fuse both. It's safer.
>
> Fusing the ground wire protects you against wiring faults. Consider
> what would happen if you don't do this, and your radio's chassis is
> grounded to the vehicle frame, and if the main grounding strap from
> the alternator to the battery comes loose at the battery end. Your
> rig's chassis, and its ground wire could end up being a major part of
> the ground-return current from the alternator to the battery. The
> ground wire may not be able to handle that much current, and might
> overheat or catch fire. If it's properly fused, the fuse will blow.
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

I'm with you - I was just alluding to - in some cases, like CBs, people get
away with fusing only one lead. My personal opinion - fusing both sides is
the only way to go and most manuals I've read "do" suggest "both leads
fused".

CLF

From 5628350952302682301
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 27 Jan 2006 06:54:11 -0600
From: "Joe S." <anon@mous.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<11tjc4ef0sh65de@corp.supernews.com> <43d9b779$0$25084$ecde5a14@news.coretel.net>
<11tjfqono5nrg8a@corp.supernews.com>
Subject: Re: Mobile installation question
Date: Fri, 27 Jan 2006 07:54:35 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <5Imdna-n3fVuikfeRVn-jw@comcast.com>
Lines: 41
NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-
LDccgze+bKTHSXKRiVsOC1iE6tOLPTluxPVAKVCe5ggU6a202CW2kNvnxgK0Cqc0i1E3nzMVLd1uhy9!
JctGmpWX1Z60k8PIaQrReK5YHmeRVsuYYpSModwknxcWjI87qcthJqdDhG9T0sNtrUn4RYo+6zA=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5885
rec.radio.amateur.misc:3772 rec.radio.amateur.equipment:2222

"Dave Platt" <dplatt@radagast.org> wrote in message
news:11tjfqono5nrg8a@corp.supernews.com...
> In article <43d9b779$0$25084$ecde5a14@news.coretel.net>,
> CLFE <Junkmail@clfurent.com> wrote:
>
>> Most
>>suggestions are to fuse both the positive and negative leads on the radio

>>(going to the battery) - although you can get away often - with grounding
>>the negative and fusing the positive to the battery (for best results)
>
> I don't recommend fusing only the hot side. Fuse both. It's safer.
>
> Fusing the ground wire protects you against wiring faults.

I am using a Yaesu FT-857D. The power cord that comes with the radio is
approx 8 feet long. At one end is the plug that matches the power jack on
the radio. At the other end are TWO inline fuse connectors -- one in the
red lead, one in the black lead -- with approx 10 inches of wire coming out
of each fuse holder, bare at the end, to connect to the battery (or some
other source of power). The inline fuse holders take standard automotive
blade fuses. So -- it looks as though Yaesu intends for both positive and
negative leads to be fused.

> Consider
> what would happen if you don't do this, and your radio's chassis is
> grounded to the vehicle frame, and if the main grounding strap from
> the alternator to the battery comes loose at the battery end. Your
> rig's chassis, and its ground wire could end up being a major part of
> the ground-return current from the alternator to the battery. The
> ground wire may not be able to handle that much current, and might
> overheat or catch fire. If it's properly fused, the fuse will blow.
>
> --
> Dave Platt <dplatt@radagast.org>   AE6EO
> Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
> I do _not_ wish to receive unsolicited commercial email, and I will
>   boycott any company which has the gall to send me such ads!

```
From -4300437986831608692
X-Google-Thread: 108122,292d312cb476bb02
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!hammer.uoregon.edu!
arclight.uoregon.edu!news.infoave.net!not-for-mail
From: "W4LM" <larrymoss@citcom.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu Mark V Field - Temporarily sold out or Discontinued?
Date: Fri, 27 Jan 2006 09:48:46 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 14
Message-ID: <drdbsq$c0i9$1@news3.infoave.net>
References: <p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com>
NNTP-Posting-Host: 206.74.67.94
X-Trace: news3.infoave.net 1138373338 393801 206.74.67.94 (27 Jan 2006 14:48:58
GMT)
X-Complaints-To: abuse@infoave.net
```

```
NNTP-Posting-Date: Fri, 27 Jan 2006 14:48:58 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Xref: g2news1.google.com rec.radio.amateur.equipment:2223

Discontinued! It is to be replaced by FT2000.


"Meta Morph" <MetaMorph83838@hotmail.com> wrote in message
news:p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com...
>
>  I noticed Texas Towers removed the listing for the Yaesu Mark V
> Field from their web page, and HRO only has demo units available.  Is
> the Mark V Field discontinued or just temporarily sold out?
>
> -Curious
>




From -7625667827605331509
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
newsfeed.news2me.com!sn-xt-sjc-15!sn-xt-sjc-08!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Fri, 27 Jan 2006 08:14:28 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <nqdkt1lqodg63rmj6u7t0qb3d6ah7s0rmv@4ax.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<11tjc4ef0sh65de@corp.supernews.com> <43d9b779$0$25084$ecde5a14@news.coretel.net>
<11tjfqono5nrg8a@corp.supernews.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 33
Xref: g2news1.google.com rec.radio.amateur.equipment:2224

On Fri, 27 Jan 2006 06:36:08 -0000, dplatt@radagast.org (Dave Platt)
wrote:

>In article <43d9b779$0$25084$ecde5a14@news.coretel.net>,
>CLFE <Junkmail@clfurent.com> wrote:
>
>>                                                                  Most
>>suggestions are to fuse both the positive and negative leads on the radio
>>(going to the battery) - although you can get away often - with grounding
>>the negative and fusing the positive to the battery (for best results)
>
>I don't recommend fusing only the hot side.  Fuse both.  It's safer.
>
>Fusing the ground wire protects you against wiring faults.  Consider
>what would happen if you don't do this, and your radio's chassis is
>grounded to the vehicle frame, and if the main grounding strap from
>the alternator to the battery comes loose at the battery end.  Your
>rig's chassis, and its ground wire could end up being a major part of
>the ground-return current from the alternator to the battery.  The
>ground wire may not be able to handle that much current, and might
>overheat or catch fire.  If it's properly fused, the fuse will blow.

I have always subscribed to the fuse both leads theory too, but here
is what the Chrysler engineer's say about the installation of radio
transmitting equipment in all their vehicles:

"DO NOT FUSE THE GROUND LEAD.  If the ground-side fuse were to open,
the entire supply current would be conducted by the coax shield.  This
could cause the feedline to overheat with possible resulting damage."

Dick - W6CCD




From 2439436823457803520
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!pln-e!
spln!lex!extra.newsguy.com!newsp.newsguy.com!enews2
From: "Leanne" <leanne@islc.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Fri, 27 Jan 2006 11:34:29 -0500
Organization: http://extra.newsguy.com
Lines: 40
Message-ID: <drdia604nh@enews2.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<11tjc4ef0sh65de@corp.supernews.com> <43d9b779$0$25084$ecde5a14@news.coretel.net>
<11tjfqono5nrg8a@corp.supernews.com> <nqdkt1lqodg63rmj6u7t0qb3d6ah7s0rmv@4ax.com>
NNTP-Posting-Host: p-534.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2225


"Dick" <LeadWinger> wrote in message
news:nqdkt1lqodg63rmj6u7t0qb3d6ah7s0rmv@4ax.com...
> On Fri, 27 Jan 2006 06:36:08 -0000, dplatt@radagast.org (Dave Platt)
> wrote:
>
> >In article <43d9b779$0$25084$ecde5a14@news.coretel.net>,
> >CLFE <Junkmail@clfurent.com> wrote:
> >
> >>                                                                 Most
> >>suggestions are to fuse both the positive and negative leads on the
radio
> >>(going to the battery) - although you can get away often - with
grounding
> >>the negative and fusing the positive to the battery (for best results)
> >
> >I don't recommend fusing only the hot side.  Fuse both.  It's safer.
> >
> >Fusing the ground wire protects you against wiring faults.  Consider
> >what would happen if you don't do this, and your radio's chassis is
> >grounded to the vehicle frame, and if the main grounding strap from
> >the alternator to the battery comes loose at the battery end.  Your
> >rig's chassis, and its ground wire could end up being a major part of
> >the ground-return current from the alternator to the battery.  The
> >ground wire may not be able to handle that much current, and might
> >overheat or catch fire.  If it's properly fused, the fuse will blow.
>
> I have always subscribed to the fuse both leads theory too, but here
> is what the Chrysler engineer's say about the installation of radio
> transmitting equipment in all their vehicles:
>
> "DO NOT FUSE THE GROUND LEAD.  If the ground-side fuse were to open,
> the entire supply current would be conducted by the coax shield.  This
> could cause the feedline to overheat with possible resulting damage."

I would rather smoke a few dollars worth of coax  than a 20k+ automobile.

Leanne - W1WXS




From 4174972186569078870
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!news.tele.dk!news.tele.dk!
small.news.tele.dk!sn-xt-sjc-02!sn-xt-sjc-01!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
```

```
Subject: Re: Mobile installation question
Date: Fri, 27 Jan 2006 10:19:04 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <59lkt157pnn2m18r2ajgnajobc2i5u8is0@4ax.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
<11tjc4ef0sh65de@corp.supernews.com> <43d9b779$0$25084$ecde5a14@news.coretel.net>
<11tjfqono5nrg8a@corp.supernews.com> <nqdkt1lqodg63rmj6u7t0qb3d6ah7s0rmv@4ax.com>
<drdia604nh@enews2.newsguy.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 48
Xref: g2news1.google.com rec.radio.amateur.equipment:2226

On Fri, 27 Jan 2006 11:34:29 -0500, "Leanne" <leanne@islc.net> wrote:

>
>"Dick" <LeadWinger> wrote in message
>news:nqdkt1lqodg63rmj6u7t0qb3d6ah7s0rmv@4ax.com...
>> On Fri, 27 Jan 2006 06:36:08 -0000, dplatt@radagast.org (Dave Platt)
>> wrote:
>>
>> >In article <43d9b779$0$25084$ecde5a14@news.coretel.net>,
>> >CLFE <Junkmail@clfurent.com> wrote:
>> >
>> >>                                                                 Most
>> >>suggestions are to fuse both the positive and negative leads on the
>radio
>> >>(going to the battery) - although you can get away often - with
>grounding
>> >>the negative and fusing the positive to the battery (for best results)
>> >
>> >I don't recommend fusing only the hot side.  Fuse both.  It's safer.
>> >
>> >Fusing the ground wire protects you against wiring faults.  Consider
>> >what would happen if you don't do this, and your radio's chassis is
>> >grounded to the vehicle frame, and if the main grounding strap from
>> >the alternator to the battery comes loose at the battery end.  Your
>> >rig's chassis, and its ground wire could end up being a major part of
>> >the ground-return current from the alternator to the battery.  The
>> >ground wire may not be able to handle that much current, and might
>> >overheat or catch fire.  If it's properly fused, the fuse will blow.
>>
>> I have always subscribed to the fuse both leads theory too, but here
>> is what the Chrysler engineer's say about the installation of radio
>> transmitting equipment in all their vehicles:
>>
>> "DO NOT FUSE THE GROUND LEAD.  If the ground-side fuse were to open,
>> the entire supply current would be conducted by the coax shield.  This
>> could cause the feedline to overheat with possible resulting damage."
```

```
>
>I would rather smoke a few dollars worth of coax  than a 20k+ automobile.
>
>Leanne - W1WXS
>

I think that's the whole point.  It's not the coax they are worried
about, but causing a fire in the vehicle from overheated coax is.
Usually, when manufacturers come up with these "rules" it's to
minimize litigation by the vehicle owners.

Dick



From -1203390465452061742
X-Google-Thread: 108122,292d312cb476bb02
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!atl-
c06.usenetserver.com!news.usenetserver.com!news.infoave.net!not-for-mail
From: Meta Morph <MetaMorph83838@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu Mark V Field - Temporarily sold out or Discontinued?
Date: Fri, 27 Jan 2006 12:21:45 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 30
Message-ID: <88lkt196nf7tt30kjg671s2t0jo0rktk5i@4ax.com>
References: <p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com>
<drdbsq$c0i9$1@news3.infoave.net>
NNTP-Posting-Host: rhhe10-165.2wcm.comporium.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news3.infoave.net 1138382507 398524 64.53.90.165 (27 Jan 2006 17:21:47
GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Fri, 27 Jan 2006 17:21:47 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:2227

On Fri, 27 Jan 2006 09:48:46 -0500, "W4LM" <larrymoss@citcom.net>
wrote:

>Discontinued! It is to be replaced by FT2000.
>
>
>"Meta Morph" <MetaMorph83838@hotmail.com> wrote in message
>news:p49it11u9i3fohpsoi0uupmu99f5k0ssc2@4ax.com...
>>
>>  I noticed Texas Towers removed the listing for the Yaesu Mark V
>> Field from their web page, and HRO only has demo units available.  Is
>> the Mark V Field discontinued or just temporarily sold out?
```

>>
>> -Curious
>>
>

Well lets hope the new model will be more reliable than the Mark V. I did not buy one because of all the complaints of both the 100 watt version and expecially the 200 watt version blowing up and requiring multiple trips to Yaesu repair.

I looked at the Kenwood TS-2000, but it is just too ugly. Multiple eham.net reports also suggest that it is deaf. As far as the Icom's, I look at an LCD screen on my computer all day at work. I really don't want to look at another computer screen when I come home from work and turn on my ham radio.

-Curious

From -3005400423185600799
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!pln-e!spln!rex!extra.newsguy.com!newsp.newsguy.com!enews1
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 27 Jan 2006 17:12:31 GMT
Organization: http://extra.newsguy.com
Lines: 17
Message-ID: <xn0ehq5xq3f3pa000@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com>
<dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com>
NNTP-Posting-Host: p-277.newsdawg.com
Mime-Version: 1.0
Content-Type: text/plain; charset=iso-8859-1
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:00000057
Xref: g2news1.google.com rec.radio.amateur.antenna:5892
rec.radio.amateur.misc:3778 rec.radio.amateur.equipment:2228

John Popelish wrote:

> Why would that be the best arrangement? No steady state power comes
> from the battery. If you want the least voltage drop, you take a
> pair of wires back to the alternator, where the power originates.

~~~~~~
~~~~~~

I think John is right, however I would never do it that way. The extra millivolts you pick up are going to be smothered in alternator noise and if large enough, might actually be too high for the radio. Radios are typically designed to run from 13.8 volts maximum, whereas alternators often put out more than that.

The additional few watts you get from your transmitter will not be noticeable in normal operation anyway.

Bill, W6WRT

From -1691448523085077606
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!pln-e!spln!lex!extra.newsguy.com!newsp.newsguy.com!enews1
From: "Bill Turner" <noway@nohow.com>
Newsgroups: rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 27 Jan 2006 17:22:39 GMT
Organization: http://extra.newsguy.com
Lines: 22
Message-ID: <xn0ehq66q3s4je001@cnews.newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com> <06KdnXmGUdGV3UTeRVn-uQ@comcast.com> <11tiia21u8voh0b@corp.supernews.com> <dqudnf1CKKaiOETenZ2dnUVZ_vidnZ2d@adelphia.com> <11tjc4ef0sh65de@corp.supernews.com> <43d9b779$0$25084$ecde5a14@news.coretel.net>
NNTP-Posting-Host: p-333.newsdawg.com
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:00000058
Xref: g2news1.google.com rec.radio.amateur.antenna:5893 rec.radio.amateur.misc:3779 rec.radio.amateur.equipment:2229

CLFE wrote:

> although you can get away often - with grounding the negative and
> fusing the positive to the battery

~~~~~~

If you connect the radio's negative lead (unfused) to the car's chassis you should be ok. A problem can occur if you connect the radio's unfused negative lead directly to the battery terminal, as is often advised.

If the car's ground wire from the battery to the car's chassis ever comes loose and you go to start the car, all the starter current will try to flow through your radio's negative lead and through your coax to
~~~~~~

where the coax is grounded at the antenna feed point. I have seen pictures of what this several hundred amps does to a radio and it's not pretty.

Most radios today are supplied with a power cord having a fuse in each lead for good reason. Don't defeat their purpose.

73, Bill W6WRT

```
From -5176050469637567852
X-Google-Thread: 108122,1df1b29b0b7eca0c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
meganewsservers.com!feeder2.on.meganewsservers.com!feed.cgocable.net!
news.infoave.net!not-for-mail
From: Carl <ccccccccc3cc3cc2c@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Just my 2 cents worth on the Kenwood TS-2000...
Date: Fri, 27 Jan 2006 13:17:47 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 7
Message-ID: <7uokt15vvp50jek4qa19aa9fi4nfutm6r4@4ax.com>
NNTP-Posting-Host: rhhe10-165.2wcm.comporium.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news3.infoave.net 1138385869 400316 64.53.90.165 (27 Jan 2006 18:17:49
GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Fri, 27 Jan 2006 18:17:49 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:2230
```

Does anyone else think the Kenwood TS-2000 is ugly? It seems odd that a company like Kenwood could come out with a radio as beautiful as the Kenwood TS-940, and then follow it up a few years later with a radio as ugly as the Kenwood TS-2000.

```
From -5840930348024367569
X-Google-Thread: 108122,de0772e865d5975d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!pln-e!
spln!rex!extra.newsguy.com!newsp.newsguy.com!news4
From: Ed <Huckleberry_REMOVE_@newsguy.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need MFJ-1270C TNC schematic
```

```
Date: 27 Jan 2006 18:40:46 GMT
Organization: Your Company
Lines: 7
Message-ID: <Xns97586CEAD2255spectrumhogstarbandn@129.250.170.89>
NNTP-Posting-Host: p-194.newsdawg.com
User-Agent: Xnews/5.04.25
Xref: g2news1.google.com rec.radio.amateur.equipment:2231
```

Anyone know where I can get a schematic for the MFJ-1270C (not B) TNC? The manuals I have downloaded from both MFJ and mods.dk don't seem to include schematics.

Ed K7AAT

```
From -9078308264670816l8
X-Google-Thread: 108122,126d50bfa554345d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g49g2000cwa.googlegroups.com!not-for-
mail
From: "FreqZ" <Freqz911@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Selling 10 years worth of paging stuff
Date: 27 Jan 2006 11:36:12 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1138390572.017956.316090@g49g2000cwa.googlegroups.com>
References: <1137738513.603350.279350@g49g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.43.131.94
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1138390580 29084 127.0.0.1 (27 Jan 2006 19:36:20 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 27 Jan 2006 19:36:20 +0000 (UTC)
In-Reply-To: <1137738513.603350.279350@g49g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8) Gecko/
20051111 Firefox/1.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g49g2000cwa.googlegroups.com; posting-host=68.43.131.94;
   posting-account=sYihWQ0AAAAEakj7IorzNjuOg2NzfepP
Xref: g2news1.google.com rec.radio.amateur.equipment:2232
```

Heres a link to some of the stuff currently up on ebay.

http://search.ebay.com/_W0QQfrppZ50QQfsooZ1QQfsopZ1QQrdZ0QQsassZfreqz

```
From -4387324197498773245
```

```
X-Google-Thread: 108122,4a893600495b3d9d,start
X-Google-Thread: 1109af,4a893600495b3d9d,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:Motorola HT750 UHF Portable Radio w/Charger-Good Condition
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_002B_01C61D44.8D4BBB10"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <i6%zf.669$MJ.444@fed1read07>
Date: Thu, 19 Jan 2006 22:06:09 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137737230 68.96.227.248 (Fri, 20 Jan 2006 01:07:10 EST)
NNTP-Posting-Date: Fri, 20 Jan 2006 01:07:10 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2081 rec.radio.swap:2282

This is a multi-part message in MIME format.

------=_NextPart_000_002B_01C61D44.8D4BBB10
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:Motorola HT750 UHF Portable Radio w/Charger-Good Condition

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7582488806&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_002B_01C61D44.8D4BBB10
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:Motorola HT750 UHF Portable Radio w/Charger-Good Condition</P>
```

```
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7582488806&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7582488806&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_002B_01C61D44.8D4BBB10--




From 2925251772659303833
X-Google-Thread: 108122,bf0e3edc4dbbc805,start
X-Google-Thread: 1109af,bf0e3edc4dbbc805,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:UHF Radius CT250 Portable Radio-Wide Range 403-470 MHz-Charger
Included-Good Condition
Lines: 37
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000F_01C61D45.DE06BBD0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <Sd%zf.670$MJ.424@fed1read07>
Date: Thu, 19 Jan 2006 22:15:34 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137737714 68.96.227.248 (Fri, 20 Jan 2006 01:15:14 EST)
NNTP-Posting-Date: Fri, 20 Jan 2006 01:15:14 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2082 rec.radio.swap:2283

This is a multi-part message in MIME format.

------=_NextPart_000_000F_01C61D45.DE06BBD0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:UHF Radius CT250 Portable Radio-Wide Range 403-470 MHz-Charger =
Included-Good Condition

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7582493547&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_000F_01C61D45.DE06BBD0
```

```
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2><FONT size=3D2>
<P>FA:UHF Radius CT250 Portable Radio-Wide Range 403-470 MHz-Charger=20
Included-Good Condition</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7582493547&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7582493547&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></FONT></DIV></BODY></HTML>

------=_NextPart_000_000F_01C61D45.DE06BBD0--
```

```
From 780529030140648839
X-Google-Thread: 108122,126d50bfa554345d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g49g2000cwa.googlegroups.com!not-for-
mail
From: "FreqZ" <Freqz911@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Selling 10 years worth of paging stuff
Date: 19 Jan 2006 22:28:33 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1137738513.603350.279350@g49g2000cwa.googlegroups.com>
NNTP-Posting-Host: 68.43.131.94
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1137738518 684 127.0.0.1 (20 Jan 2006 06:28:38 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 20 Jan 2006 06:28:38 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8) Gecko/
20051111 Firefox/1.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g49g2000cwa.googlegroups.com; posting-host=68.43.131.94;
   posting-account=sYihWQ0AAAAEakj7IorzNjuOg2NzfepP
Xref: g2news1.google.com rec.radio.amateur.equipment:2083
```

I'm finally getting the time to getting around to selling all the

```
paging stuff I've used in my repair business.  I would say probably 10
years worth of stuff all in rubber maids :-)

I'll be putting a bunch up on ebay But I figured I'd drop by here first
to see if anyone is looking for anything special ??

What do you need ???  I've got it all

I also have a Very Nice Marconi 2967 with just about all the options
unlocked on it up for sale too.  Taking offers on that .



From 2788840003736720241
X-Google-Thread: 108122,7f6927d54bb8c1ab,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe08.lga.POSTED!
53ab2750!not-for-mail
From: STEVE TROOK <STROOK@OPTONLINE.NET>
User-Agent: Mozilla Thunderbird 1.0 (Windows/20041206)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: complete UHF repeater for sale
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 6
Message-ID: <SY%zf.1608$zz1.1024@fe08.lga>
Date: Fri, 20 Jan 2006 02:06:29 -0500
NNTP-Posting-Host: 24.188.114.125
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1137740722 24.188.114.125 (Fri, 20 Jan 2006 00:05:22 MST)
NNTP-Posting-Date: Fri, 20 Jan 2006 00:05:22 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2084

  Brand new  uhf repeater..  Icom F221S radios..... cellwave 6 cavity
duplexer cat200b controller. over $1400 invested.   all new!!  1 month
old.   Need to sell for $$.   e-mail me if interested.   currently
programmed for  446.625/441.625  pl  136.5 45 watts.

strook@optonline.net



From -5621513045574938752
X-Google-Thread: 108122,cf99582a9018008e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!news-server.columbus.rr.com!
tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
```

From: "David J Windisch" <davidjw@cinci.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Expanded Spectrum Time Machine
Lines: 16
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <HB3Af.28626$Q11.3007@tornado.ohiordc.rr.com>
Date: Fri, 20 Jan 2006 11:13:43 GMT
NNTP-Posting-Host: 69.133.36.142
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1137755623 69.133.36.142 (Fri, 20 Jan 2006 06:13:43 EST)
NNTP-Posting-Date: Fri, 20 Jan 2006 06:13:43 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2085

Record and play back 80KHz of your favorite h-f band.

FS: Expanded Spectrum "Time Machine" ready to go on 40-30-20-15-10M, with 90MHz Flash Crystal, LO1, Daughter Board, 9 xtals, RS-232 programming cable, wallpig.

See:
http://www.expandedspectrumsystems.com/
http://www.expandedspectrumsystems.com/prod4.html
http://www.expandedspectrumsystems.com/prod2.html

$150 or near offer.

73 Dave N3HE

From -5036116901379162631
X-Google-Thread: 108122,591ae7c4da9fe51b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-mail
From: "Serge" <rv3apm@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS Kenwood TS-480SAT Station
Date: 20 Jan 2006 06:51:19 -0800
Organization: http://groups.google.com
Lines: 14
Message-ID: <1137768679.608618.6010@g14g2000cwa.googlegroups.com>
References: <TByyf.3076$ZE.472@dukeread11>
NNTP-Posting-Host: 85.192.48.51
Mime-Version: 1.0

Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1137768686 18102 127.0.0.1 (20 Jan 2006 14:51:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 20 Jan 2006 14:51:26 +0000 (UTC)
In-Reply-To: <TByyf.3076$ZE.472@dukeread11>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=85.192.48.51;
   posting-account=38HO2w0AAACPOhamyhLomBdurZ99Tfop
Xref: g2news1.google.com rec.radio.amateur.equipment:2086

Hello Charlie

Interesting TS480SAT...
It not sold else?

What would be shipping to Moscow, Russia
withUSPS global express EMS?

Payment - Western Union.

73!
Serge, RV3APM

From -6104629952665305124
X-Google-Thread: 108122,a795e1663caecfa6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!newsfeed.gamma.ru!Gamma.RU!npeer.de.kpn-eurorings.net!newsfeed.arcor.de!news.arcor.de!not-for-mail
Message-ID: <43d13263$0$21030$9b4e6d93@newsread2.arcor-online.net>
From: Ralf Ballis - DL2MRB <dl2mrb@arcor.de>
Subject: Service manual for a FT-290 R/II
Newsgroups: rec.radio.amateur.equipment
Reply-To: dl2mrb@arcor.de
Date: Fri, 20 Jan 2006 19:55:03 +0100
User-Agent: KNode/0.7.7
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7Bit
Lines: 8
Organization: Arcor
NNTP-Posting-Date: 20 Jan 2006 19:56:35 MET
NNTP-Posting-Host: de1eee17.newsread2.arcor-online.net
X-Trace: DXC=^?9danRMWJ`^O_h>VFi7[bQ5U85hF6f;djW\KbG]kaMhQ>n?D9BSA]la;bd;>VcFflH@lUk1ZmB6ibPKK?ka8CRl
X-Complaints-To: usenet-abuse@arcor.de
Xref: g2news1.google.com rec.radio.amateur.equipment:2087

Seeking for a service manual for my FT-290 R/II on the net to download.
Where can I find one, www.mods.dk doesn't have one.

Regards,

Ralf
--
Vy 73 es 55 de Ralf, DL2MRB

From -7748012401402455173
X-Google-Thread: 108122,d0e72e2860c87904,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!news-server.columbus.rr.com!
cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: "west" <westley@tampabay.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Yaesu FT-857 vs. FT-897
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <N5cAf.10445$Zj7.6849@tornado.tampabay.rr.com>
Date: Fri, 20 Jan 2006 20:54:05 GMT
NNTP-Posting-Host: 24.92.188.115
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1137790445 24.92.188.115 (Fri, 20 Jan 2006
15:54:05 EST)
NNTP-Posting-Date: Fri, 20 Jan 2006 15:54:05 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2088

Does the Yaesu FT-897 essentially have the same receiver & transmitter as
the FT-857? If yes, then why does the 897 weigh about 40% more? Besides
battery operation what does the 897 have over the 857? Thanks in advance for
any comments.

Cordially,
west
AF4GC

From 1731491449421469674
X-Google-Thread: 108122,a795e1663caecfa6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit

```
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!cycny01.gnilink.net!
spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!d89a2db8!not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <43d13263$0$21030$9b4e6d93@newsread2.arcor-online.net>
Subject: Re: Service manual for a FT-290 R/II
Lines: 15
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <ilcAf.39$Me5.31@trnddc05>
Date: Fri, 20 Jan 2006 21:10:38 GMT
NNTP-Posting-Host: 63.19.165.75
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1137791438 63.19.165.75 (Fri, 20 Jan 2006 16:10:38 EST)
NNTP-Posting-Date: Fri, 20 Jan 2006 16:10:38 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2089


"Ralf Ballis - DL2MRB" <dl2mrb@arcor.de> wrote in message
news:43d13263$0$21030$9b4e6d93@newsread2.arcor-online.net...
> Seeking for a service manual for my FT-290 R/II on the net to download.
> Where can I find one, www.mods.dk doesn't have one.
>
> Regards,
>
> Ralf
> --
> Vy 73 es 55 de Ralf, DL2MRB
I ordered mine from W7FG as I recall,
Dale W4OP




From 4994203103579557423
X-Google-Thread: 108122,17936cc7ad5a0149,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!
53ab2750!not-for-mail
From: "John Schneider" <thecop@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA - Scanners
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
```

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-Antivirus: avast! (VPS 0603-4, 01/20/2006), Outbound message
X-Antivirus-Status: Clean
Message-ID: <%pcAf.735$e9.433@fe12.lga>
Date: Fri, 20 Jan 2006 16:15:38 -0500
NNTP-Posting-Host: 24.189.235.4
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1137791739 24.189.235.4 (Fri, 20 Jan 2006 14:15:39 MST)
NNTP-Posting-Date: Fri, 20 Jan 2006 14:15:39 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2090

PRO-2006 w/full Opto 456 & Pobe software:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5857185664&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

PRO-2006:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5857187353&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

Uniden BC-895XLT:
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5857188554&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1

From 4796653816994564750
X-Google-Thread: 108122,d0e72e2860c87904
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!news-xxxfer.readnews.com!news-out.readnews.com!spool-big1.readnews.com!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT-857 vs. FT-897
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <N5cAf.10445$Zj7.6849@tornado.tampabay.rr.com>
Organization: Your Company
Message-ID: <Xns9751A27E2178Dspectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 20 Jan 2006 23:57:01 GMT
Lines: 14
NNTP-Posting-Host: f33fff59.news.adtechcomputers.com
X-Trace: DXC=2NZO0fPI>1A2@mA_I0]WTDgC4_A5:nI@A<<=aEgO;R8GCb;RP<o^SfHHiPf_j^Ee?Becf<A4o8l9C0W_Uo]cC15J=gANWl:dETDU[Gb\h>V\Z@Sf_0;CW9WGG
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2091

> Does the Yaesu FT-897 essentially have the same receiver & transmitter

> as the FT-857? If yes, then why does the 897 weigh about 40% more?
> Besides battery operation what does the 897 have over the 857? Thanks
> in advance for any comments.

Never used either, but have seen both up close. Off hand, I can see that the larger housing, with internal brackets to hold batteries, plus the larger display, would be contributing a lot to the weight difference.

Ed   K7AAT

From 3371183533923334289
X-Google-Thread: 108228,c857a905f84d302b,start
X-Google-Thread: 108122,c857a905f84d302b,start
X-Google-Thread: 1109af,c857a905f84d302b,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp1.nntp.sonic.net!not-for-mail
From: "Jimmy Mac" <no-spam@manicarcade.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: Looking for 220 duplexer
Date: Fri, 20 Jan 2006 17:23:03 -0800
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 15
Message-ID: <43d18d09$0$58074$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 21 Jan 2006 01:23:21 GMT
NNTP-Posting-Host: 24f8d81e.news.sonic.net
X-Trace:
DXC=ie1Bde>YLiCAlcf;AYH6ABm4K\QM1CV^@1OYf0H`?;XA]DhGTZ>j;DF:oF=1i9HD6DBaWR0IXZ?
a@`P]LaW547WO
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com alt.ham-radio.marketplace:518
rec.radio.amateur.equipment:2092 rec.radio.swap:2293

Hi All,

We are in the process of reviving the band in our area and would be very interested in finding a set of 220 Duplexers..

Any of you have an old defunct 220 repeater laying around you want to part out?

Jim..

kb6zop at manicarcade (dot) com

Thanks!

```
From -7005669448959387602
X-Google-Thread: 108228,45b94bc0adf1ecf,start
X-Google-Thread: 108122,45b94bc0adf1ecf,start
X-Google-Thread: 1109af,45b94bc0adf1ecf,start
X-Google-Attributes: gid108228,gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp1.nntp.sonic.net!not-for-
mail
From: "Jimmy Mac" <no-spam@manicarcade.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.radio.swap
Subject: Looking for 220 Duplexer
Date: Fri, 20 Jan 2006 17:24:26 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 16
Message-ID: <43d18d5c$0$58102$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 21 Jan 2006 01:24:44 GMT
NNTP-Posting-Host: 24f8d81e.news.sonic.net
X-Trace:
DXC=ie1Bde>YLi3i=8@F6RJJE8m4K\QM1CV^01OYf0H`?;X1`eJF_I]3RY2:oF=1i9HD64BaWR0IXZ?
a0<b<<CW1Mm:7
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com alt.ham-radio.marketplace:519
rec.radio.amateur.equipment:2093 rec.radio.swap:2294
```

Hi All,

We are in the process of reviving the band in our area and would be very interested in finding a set of 220 Duplexers but can't fathom the guy's price on eBay..

Any of you have an old defunct 220 repeater laying around you want to part out?

Jim..

kb6zop at manicarcade (dot) com

Thanks!

```
From -5546394297043484093
X-Google-Thread: 108122,c93a6daa1e74c221,start
X-Google-Thread: 1109af,c93a6daa1e74c221,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola P110 UHF Portables X3 with Chargers
Lines: 38
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001A_01C61E0E.239CECA0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <SdkAf.837$MJ.637@fed1read07>
Date: Fri, 20 Jan 2006 22:09:10 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137823730 68.96.227.248 (Sat, 21 Jan 2006 01:08:50 EST)
NNTP-Posting-Date: Sat, 21 Jan 2006 01:08:50 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2094 rec.radio.swap:2296

This is a multi-part message in MIME format.

------=_NextPart_000_001A_01C61E0E.239CECA0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola P110 UHF Portables X3 with Chargers

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7583626672&ss=
PageName=3DSTRK:MESE:IT




------=_NextPart_000_001A_01C61E0E.239CECA0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
```

```
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola P110 UHF Portables X3 with Chargers</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7583626672&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7583626672&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P>
<P>&nbsp;</P></FONT></DIV></BODY></HTML>

------=_NextPart_000_001A_01C61E0E.239CECA0--
```

```
From 8261922898517759686
X-Google-Thread: 108122,c9cd5ce2f952ed1f,start
X-Google-Thread: 1109af,c9cd5ce2f952ed1f,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
peer01.west.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 3-Each MTX9000's-Motorola 900 MHz Band Portables w/Chargers
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0023_01C61E0E.AF134950"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <whkAf.838$MJ.574@fed1read07>
Date: Fri, 20 Jan 2006 22:13:04 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137823964 68.96.227.248 (Sat, 21 Jan 2006 01:12:44 EST)
NNTP-Posting-Date: Sat, 21 Jan 2006 01:12:44 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2095 rec.radio.swap:2297

This is a multi-part message in MIME format.

------=_NextPart_000_0023_01C61E0E.AF134950
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

FA: 3-Each MTX9000's - Motorola 900 MHz Band Portables w/Chargers

```
http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7583631419&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0023_01C61E0E.AF134950
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 3-Each MTX9000's -&nbsp;Motorola 900 MHz Band Portables =
w/Chargers</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7583631419&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7583631419&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0023_01C61E0E.AF134950--




From 7889759654574702010
X-Google-Thread: 108122,f38e3c4a63f2e9a3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.adelphia.com!news.adelphia.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Jan 2006 00:20:16 -0600
From: "Howard W3CQH" <hgorden@adelphia.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Astron RS-35M
Date: Sat, 21 Jan 2006 01:20:16 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <ppWdnWSNDt49T0zenZ2dnUVZ_t2dnZ2d@adelphia.com>
Lines: 4
NNTP-Posting-Host: 69.162.152.98
X-Trace: sv3-zGkvX7zWkqQKh90z8WWnB/
tiymIb3uJBRZYyKAmpceRxOIPiMdd3n5P1IezvAGpaeHjbIjK50e03NeR!
Xz4nVoUmz3YKr3RGZRfJsFrjh2laq0i94hPkHXWHzcubicX45PPadte+f+Gl/+Zlty0NPtF1UBbQ!
0vB2uY8rgVTzBuG48S7Qox31KFBJ
```

X-Complaints-To: abuse@adelphia.net
X-DMCA-Complaints-To: copyright@adelphia.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2096

Need some help - ammeter does not function - voltmeter seems to be OK - anybody have a schematic and parts list?

From 3985677776967022854
X-Google-Thread: 108122,40f2f238dad8ec22,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!f6f5bfb6!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Can someone help a non-HAM?
From: "kelvin_cool_ohm" <kelvin_cool_ohm@noemail.invalid>
Message-ID: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
User-Agent: Xnews/5.04.25
Lines: 14
NNTP-Posting-Host: 89f9bb29f1b7a98ae01bff947e82838e
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1137827226 89f9bb29f1b7a98ae01bff947e82838e (Sat, 21 Jan 2006 07:07:06 GMT)
NNTP-Posting-Date: Sat, 21 Jan 2006 07:07:06 GMT
Organization: AT&T Worldnet
Date: Sat, 21 Jan 2006 07:07:06 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2097

A friend of mine inherited some HAM gear when his father passed away. He, himself, is not a HAM. He needs to find a home for his father's equipment. He is willing to give it to anyone who will pay the shipping or pick it up at his place. He has no idea what any of it is, but would rather give it to someone who can use it than send it to the car crusher in an old car (his only other option).
I offered to post pictures of the stuff, but I need to know where to post it so HAMs could find it. Does this NG have a binaries group that you guys use as a binaries portal? Would someone be willing to post the pictures on their website?

Rick

From 8734128783706262221

```
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Jan 2006 01:54:07 -0600
From: J. Teske <jdteske@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can someone help a non-HAM?
Date: Sat, 21 Jan 2006 02:54:34 -0500
Message-ID: <6dp3t1t0pmhfl2unhfcr71gl3jt7oie1l5@4ax.com>
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 42
NNTP-Posting-Host: 68.55.189.180
X-Trace: sv3-3ZjLs/
hnA4uPn2anV5iUogSIAL2UpsIbx+6dukNw3Y7EOqOmzD2S5I7+kfGj+4JOL19hBN7Z56oMRbn!
ZSk2wTMxj7+YF9cgG2XSTNtf54imT5YXHMu+qDq2P9NXANr9hI35eAfBa5eTHfMHmuzDcu0gIV7M!
bW1gJbWXww==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2098
```

On Sat, 21 Jan 2006 07:07:06 GMT, "kelvin_cool_ohm"
<kelvin_cool_ohm@noemail.invalid> wrote:

>A friend of mine inherited some HAM gear when his father
>passed away. He, himself, is not a HAM. He needs to find
>a home for his father's equipment. He is willing to give
>it to anyone who will pay the shipping or pick it up at
>his place. He has no idea what any of it is, but would
>rather give it to someone who can use it than send it to
>the car crusher in an old car (his only other option).
>I offered to post pictures of the stuff, but I need to
>know where to post it so HAMs could find it. Does this
>NG have a binaries group that you guys use as a binaries
>portal? Would someone be willing to post the pictures on
>their website?

Some clue as to where your friend is located, at least to state may find someone local who would grab it up. You also may wish to get the nomenclature which might be a good hint for the rest of us as to what is valuable and what is recycler material. You might also check Ebay. There are often ads with just the dilemma you pose...inherited equipment. There are many afficionados who do bid on this. Look for brand names such as Heath (or Heathkit) Hammarlund, Collins, Hallicrafter, Nationa Receiver, Drake, Johnson Viking for which there are many ham hobbyist who restore this stuff. Check out Ebay, plug some of those names or ham transmitter into it. Also try the words ham receiver, ham transceiver and see if any of this is recognizable. Some of this stuff is very heavy so some folks might think twice about having it shipped unless they could have the option of a local pickup or maybe a couple hundred miles drive with an SUV or truck. There are a few guys who buy whole estates, fix up and resell this stuff to folks interested in antique radios (which means almost anything before the transistorr era. Equipment for the 50'/60's are particularly interesting to many. More modern equipment, being simply used vice antique will sell or not sell based upon its intrinsic merits. If you give us a city, we might be able to provide you with a point of contact for a nearby radio club whose members could help you.

W3JT, Jon in MD
>
>Rick

From 6327347474306594796
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!news.tele.dk!news.tele.dk!small.news.tele.dk!news.astraweb.com!newsrouter-eu.astraweb.com!feeder2.news-service.com!newsfeeder.wxs.nl!transit.news.xs4all.nl!post.news.xs4all.nl!rhinewceros.xs4all.nl!not-for-mail
From: iwouldntknow <iwouldntknow@iwouldntknow.nospam.no>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Can someone help a non-HAM?
Date: Sat, 21 Jan 2006 10:27:43 +0000
Reply-To: iwouldntknow@iwouldntknow.nospam.no
Message-ID: <3o24t1tbi9v5i9m6opobiiep30r195euk2@4ax.com>
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 27
NNTP-Posting-Host: 82.92.74.203
X-Trace: 1137839263 dreader25.news.xs4all.nl 5088 82.92.74.203:20122
Xref: g2news1.google.com rec.radio.amateur.equipment:2099

Hi Rick,

best would be to find a reliable ham who can help you with valuing the stuff.
Find one
through one of the local radioclubs (addresses via www.arrl.org for example). If he want
to do it the easy way, donate the equipment to some type of charity which can

handle the
sale. http://www.wb2jkj.org/ is one which I see advertising all the time, check
them out.
If all else fails - call your local NPR radio station, most will accept donations.
Some
of this old stuff can be very valuable when sold on Ebay but it takes some
knowledge.

On Sat, 21 Jan 2006 07:07:06 GMT, "kelvin_cool_ohm"
<kelvin_cool_ohm@noemail.invalid>
wrote:

>A friend of mine inherited some HAM gear when his father
>passed away. He, himself, is not a HAM. He needs to find
>a home for his father's equipment. He is willing to give
>it to anyone who will pay the shipping or pick it up at
>his place. He has no idea what any of it is, but would
>rather give it to someone who can use it than send it to
>the car crusher in an old car (his only other option).
>I offered to post pictures of the stuff, but I need to
>know where to post it so HAMs could find it. Does this
>NG have a binaries group that you guys use as a binaries
>portal? Would someone be willing to post the pictures on
>their website?
>
>Rick

From -8295623234683531889
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!elnk-nf2-pas!
newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!9a0f1d31!not-for-mail
From: "Hank Oredson" <horedson@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
Subject: Re: Can someone help a non-HAM?
Lines: 28
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <FPrAf.408$1n4.265@newsread2.news.pas.earthlink.net>
Date: Sat, 21 Jan 2006 14:47:01 GMT
NNTP-Posting-Host: 67.44.212.137
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1137854821 67.44.212.137 (Sat, 21 Jan
2006 06:47:01 PST)

```
NNTP-Posting-Date: Sat, 21 Jan 2006 06:47:01 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2101

"kelvin_cool_ohm" <kelvin_cool_ohm@noemail.invalid> wrote in message
news:Xns97521A1E6BF9kelvincoolohmnoemail@localhost...
>A friend of mine inherited some HAM gear when his father
> passed away. He, himself, is not a HAM. He needs to find
> a home for his father's equipment.  He is willing to give
> it to anyone who will pay the shipping or pick it up at
> his place.  He has no idea what any of it is, but would
> rather give it to someone who can use it than send it to
> the car crusher in an old car (his only other option).
> I offered to post pictures of the stuff, but I need to
> know where to post it so HAMs could find it. Does this
> NG have a binaries group that you guys use as a binaries
> portal?  Would someone be willing to post the pictures on
> their website?
>
> Rick

Where are you located?
Glad to help out if you are in the Portland, Oregon area.

--

  ... Hank

http://home.earthlink.net/~horedson
http://home.earthlink.net/~w0rli




From 1129982504606041431
X-Google-Thread: 108122,31b896a582fc9c53,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!53ab2750!not-for-mail
From: Robin Watson <robinw@xtra.co.nz>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: opening yaesu battery case
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 4
Message-ID: <tGuAf.19264$vH5.893182@news.xtra.co.nz>
Date: Sun, 22 Jan 2006 07:02:02 +1300
NNTP-Posting-Host: 219.88.117.203
```

```
X-Complaints-To: abuse@xtra.co.nz
X-Trace: news.xtra.co.nz 1137866521 219.88.117.203 (Sun, 22 Jan 2006 07:02:01
NZDT)
NNTP-Posting-Date: Sun, 22 Jan 2006 07:02:01 NZDT
Organization: Xtra
Xref: g2news1.google.com rec.radio.amateur.equipment:2103

I have frozen the FNB28 battery case to open it up, and it has worked
perfectly, but when replacing the rechargable cells, do you keep the
components such as the thermal overload etc in the case, or has freezing
  destroyed them?


From -3255081251022630
X-Google-Thread: 108122,31b896a582fc9c53
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: opening yaesu battery case
Date: Sat, 21 Jan 2006 12:12:21 -0600
Lines: 12
Message-ID: <43D27985.4030608@sbcglobal.net>
References: <tGuAf.19264$vH5.893182@news.xtra.co.nz>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net ibPsr1iusLkOCFVssdXqNAJnN+r7aI7FId4oDyIFxi0qOa1Wod
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <tGuAf.19264$vH5.893182@news.xtra.co.nz>
Xref: g2news1.google.com rec.radio.amateur.equipment:2104

Wire all EXACTLY the same way, just replace the cells out....
I have done this with my Standard packs, and doubled the capacity by
switching to better cells with the same dimensions....

Robin Watson wrote:
> I have frozen the FNB28 battery case to open it up, and it has worked
> perfectly, but when replacing the rechargable cells, do you keep the
> components such as the thermal overload etc in the case, or has freezing
>  destroyed them?

--
Bob N9LVU


From -4981541974665397813
X-Google-Thread: 1109af,8e760181b0e1c544,start
X-Google-Thread: 108122,8e760181b0e1c544,start
```

X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Jan 2006 12:27:06 -0600
From: Mike Nowlen <mnowlen@comcast.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FS: CW Fox-Tango Crystal Filter for Yeasu FT-757GX / FT-767GX, 250 Hz
Date: Sat, 21 Jan 2006 13:27:06 -0500
Message-ID: <d5v4t1hrb53njqvj327u4sr0cbdhcg94n3@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 25
NNTP-Posting-Host: 69.255.1.133
X-Trace: sv3-
PE0n0KEk5OALpQUAEyHDPKLiERHeO5PX4aiTD1jVVBo1ljyHck37I9TgTFiX9+g419CJeLEz+gQocnU!
v9fmlA6v2mXV56OF0vFGNxU3w7+Y2DqRoQlDv9t72wNJDHvPocBSO2c49bM7ykZE22ASxe4UXESe!
nh+Ljr4LEQ==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:2299 rec.radio.amateur.equipment:2105

For Sale: Fox-Tango Model S102-025 250 Hz CW Crystal Filter for Yeasu models FT-757GX / FT-767GX. With original box.

$50 includes shipping in US.

Specifications:
1. Ultimate rejection: > 80 dB
2. Ripple: < 2 dB
3. Typical insertion loss: 250 Hz: < 9 dB dB
4. Zin/Zout: 2000 ohms
Physical: 36 x 22 x 20 mm
Reference 1201.1
Filter Fits By: Drop In
Bandwidth at 6dB 250
Mode CW 1 IF
Center Freq. KHz 8215.9

Please email any replies.
Thanks for reading.

Mike Nowlen
WB4UKB
mnowlen@comcast.net

```
From -8609430676896752l3
X-Google-Thread: 1109af,bc4a901d30ea1d01,start
X-Google-Thread: 108122,bc4a901d30ea1d01,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 21 Jan 2006 12:27:19 -0600
From: Mike Nowlen <mnowlen@comcast.net>
Newsgroups: 
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.commer
cial-lmr,rec.radio.lmr-commercial,rec.radio.lmr-commerical
Subject: ICOM CK-11 Cable Kit for IC435 Series Transcivers: $25
Date: Sat, 21 Jan 2006 13:27:19 -0500
Message-ID: <v7v4t15m4irnrffegdd83mmc320gnkm073@4ax.com>
X-Newsreader: Forte Free Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
NNTP-Posting-Host: 69.255.1.133
X-Trace: sv3-gbK2KNqj9QnUc3bT2pRDLa7uNq2dhxebmy/32ZreZYbsnrk1G16iwtBx/
RT3tvTVO0KbO1jm96qvFVI!h88Ca2BND8P1NH+oRPjZ3/8v2/
NFfAN4pGhghuOylgVCVax08G286ViP0h5TJI8u8hFfDat6zNDx!YXNyusOrpw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint 
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.swap:2300 rec.radio.amateur.equipment:2106

New Icom remote cable kit complete with mounting and hardware in
original box for Icom Series Commercial Mobile Transceivers

CK-11 for IC435:

 $25 + actual shipping costs. Email with zip code for shipping costs.

Thanks for reading
mnowlen@comcast.net


From 6925211407480450636
X-Google-Thread: 108122,31b896a582fc9c53
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
```

```
news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: opening yaesu battery case
Date: Sat, 21 Jan 2006 19:30:11 +0000 (UTC)
Organization: MGT Consulting
Lines: 23
Message-ID: <slrndt52nf.2r2.gsm@cable.mendelson.com>
References: <tGuAf.19264$vH5.893182@news.xtra.co.nz>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: cbl217-132-108-220.bb.netvision.net.il
X-Trace: marvin.misty.com 1137871811 11109 217.132.108.220 (21 Jan 2006 19:30:11
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sat, 21 Jan 2006 19:30:11 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:2107

Robin Watson wrote:
> I have frozen the FNB28 battery case to open it up, and it has worked
> perfectly, but when replacing the rechargable cells, do you keep the
> components such as the thermal overload etc in the case, or has freezing
>   destroyed them?

I asked a similar question about ICOM packs (I didn't know about freezing)
and found that the problems that I had were related to corrosion,
which destroyed the microphone (ICOM had microphones in their packs
for a while, for full duplex operation) and a really cheap heat sensor
in an OEM (Periphex, circa 1995) pack whose leads broke off.

I replaced them with NiCad cells because I did not have a charger that
could charge NiMH cells properly and I had a bunch of them in the junkbox.

73,

Geoff.
--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
IL Voice: (07)-7424-1667  IL Fax: 972-2-648-1443 U.S. Voice: 1-215-821-1838
The trouble with being a futurist is that when people get around to believing
you, it's too late. We lost. Google 2,000,000:Hams 0.


From -1161845109946898571
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "Caveat Lector" <UALLBeware@9984reader.com>
Newsgroups: rec.radio.amateur.equipment
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
```

```
Subject: Re: Can someone help a non-HAM?
Lines: 34
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <MPAAf.1048$MJ.495@fed1read07>
Date: Sat, 21 Jan 2006 17:01:54 -0800
NNTP-Posting-Host: 68.7.146.8
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137891692 68.7.146.8 (Sat, 21 Jan 2006 20:01:32 EST)
NNTP-Posting-Date: Sat, 21 Jan 2006 20:01:32 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2108

Have you considered giving the gear to a Ham Radio School club ??
In San Diego, we have supplied three schools with like items.

If it is too old, then the school kids can take it to an auction or e-bay it
and apply the funds to more modern gear.

Or there are some shut in poor seniors that would be worty of a donation

--
CL -- I doubt, therefore I might be !





"kelvin_cool_ohm" <kelvin_cool_ohm@noemail.invalid> wrote in message
news:Xns97521A1E6BF9kelvincoolohmnoemail@localhost...
>A friend of mine inherited some HAM gear when his father
> passed away. He, himself, is not a HAM. He needs to find
> a home for his father's equipment.  He is willing to give
> it to anyone who will pay the shipping or pick it up at
> his place.  He has no idea what any of it is, but would
> rather give it to someone who can use it than send it to
> the car crusher in an old car (his only other option).
> I offered to post pictures of the stuff, but I need to
> know where to post it so HAMs could find it. Does this
> NG have a binaries group that you guys use as a binaries
> portal?  Would someone be willing to post the pictures on
> their website?
>
> Rick



From 5316873690534211798
```

```
X-Google-Thread: 108122,f38e3c4a63f2e9a3
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!
bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <43D2D9BE.7D35A03B@amps_watts_volts.net>
From: Gary <gary@amps_watts_volts.net>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Astron RS-35M
References: <ppWdnWSNDt49T0zenZ2dnUVZ_t2dnZ2d@adelphia.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Sun, 22 Jan 2006 01:02:55 GMT
NNTP-Posting-Host: 12.76.208.107
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1137891775 12.76.208.107 (Sun, 22 Jan
2006 01:02:55 GMT)
NNTP-Posting-Date: Sun, 22 Jan 2006 01:02:55 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2109
```

Hi Howard

Here you are

http://www.repeater-builder.com/astron/astron-index.html

```
From 6242060447733434212
X-Google-Thread: 108122,25bc92c096664336,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-
mail
From: "Spencer" <spencer313@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Motorola MX350S Synthesized DES Encrypted VHF Radios
Date: 21 Jan 2006 22:39:06 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1137911946.304591.130030@o13g2000cwo.googlegroups.com>
NNTP-Posting-Host: 66.167.12.131
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1137911951 32228 127.0.0.1 (22 Jan 2006 06:39:11 GMT)
X-Complaints-To: groups-abuse@google.com
```

```
NNTP-Posting-Date: Sun, 22 Jan 2006 06:39:11 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=66.167.12.131;
   posting-account=BbItKAwAAABzqkwAE0lyY77v8zNF6t5b
Xref: g2news1.google.com rec.radio.amateur.equipment:2110

<http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5857659690>

Available on eBay is a complete set of four Motorola MX350S
Synthesized, DES Encrypted VHF radios. The system comes with a six
position charger/conditioner, batteries, manuals, RF test cable AND a
DES Keyloader. Because this system uses DES Encryption, it can only be
shipped to a U.S. address.

Thanks,

S




From 6067029394286340327
X-Google-Thread: 108122,ecff84449b52954e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 22 Jan 2006 08:08:09 -0600
Reply-To: "Steve" <sahd@hotmail.com>
From: "Steve" <sahd@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS:New Computer
Date: Sun, 22 Jan 2006 09:08:08 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Y7KdnXZehdFUDE7enZ2dnUVZ_tadnZ2d@comcast.com>
Lines: 17
NNTP-Posting-Host: 66.31.90.83
X-Trace: sv3-57sbzQSVw5oPPIvBmkxvm42u3CB9olmQBiRY0/
PCo+Iqm7bx5GAet44yH7izNqzxYXEnnQyXqHx4ezm!
0r38JOC3bsZ+3Tf+gW8+xc21ZXUDzcwAXjZizbkSvFXRdtiPVUqAfphIgUITeEe4Z9LxvTRxhcsi!
3A0+d4Ska4eA/w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
```

X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2111

I have a brand new Computer forsale.

Pent 2.8 CPU
512 Memory
Onboard Video, network card, sound.
Has 160 gig Seagate 7200 rpm Hard Drive
CD/RW and DVD
3 1/2 Floppy
350 watt power supply.
Ham software installed, Radio control for most Icoms.

No Monitor

Steve

From 1361132212300067991
X-Google-Thread: 108228,3e6121b411895011,start
X-Google-Thread: 108122,3e6121b411895011,start
X-Google-Thread: 114aac,3e6121b411895011,start
X-Google-Attributes: gid108228,gid108122,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.shortwave
Subject: FA: HEATHKIT SB-220 80-10 MTR AMPLIFIER>TONITE!
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <lDMAf.19$Og.1@fe12.lga>
Date: Sun, 22 Jan 2006 09:27:30 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1137940049 69.122.86.129 (Sun, 22 Jan 2006 07:27:29 MST)
NNTP-Posting-Date: Sun, 22 Jan 2006 07:27:29 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.ham-radio.marketplace:522 rec.radio.amateur.equipment:2112 rec.radio.shortwave:19817

HEATHKIT SB-220 RF LINEAR AMPLIFIER 80-10>1K out EIMAC

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5854091442&ssPageName=STRK:MESE:IT

```
From 4238741123906719826
X-Google-Thread: 108228,3e6121b411895011
X-Google-Thread: 108122,3e6121b411895011
X-Google-Thread: 114aac,3e6121b411895011
X-Google-Attributes: gid108228,gid108122,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr14.news.prodigy.com.POSTED!96f270ae!not-for-mail
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.
swap,rec.radio.shortwave
Subject: Re: FA: HEATHKIT SB-220 80-10 MTR AMPLIFIER>TONITE!
From: "John E. Golden" <johnisgolden@NOSPAMsbcglobal.net>
References: <lDMAf.19$Og.1@fe12.lga>
Organization: Your Company
Message-ID: <Xns97536C2E7B240johnisgoldenNOSPAMsb@207.115.17.102>
Followup-To: alt.ham-radio.marketplace
User-Agent: Xnews/??.01.30
Lines: 1
NNTP-Posting-Host: 68.73.11.31
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr14.news.prodigy.com 1137944281 ST000 68.73.11.31 (Sun, 22 Jan 2006
10:38:01 EST)
NNTP-Posting-Date: Sun, 22 Jan 2006 10:38:01 EST
X-UserInfo1:
[[PAPDCA[S@GRQHX@JIB^UHAYJ]LPBHIQ@T@_FYLKX^JGEUNDO_AR\JZE\]^HRWI[FCWJF^NB^[D_DSBR^
RC^QPFTFUCYRDIH@\FCQKBITUT@EP_[CAFHTC@GLDKZHBMGDXCJINMCA\]GG[RH\^MOM[\BK[NVPWKYAYI
POG@SK@ZA]DE[\AP]_DFU^T]A\VM
Date: Sun, 22 Jan 2006 15:38:01 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:523
rec.radio.amateur.equipment:2113 rec.radio.shortwave:19830
```

Auctions should be listed in [alt.marketplace.online.ebay]...NOT here!

```
From 5546978984371903672
X-Google-Thread: 108122,ecff84449b52954e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.vnet-inc.com!news.vnet-inc.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 22 Jan 2006 09:44:18 -0600
From: "Topaz305RK" <k7sam@arrl.net>
Newsgroups: rec.radio.amateur.equipment
```

References: <Y7KdnXZehdFUDE7enZ2dnUVZ_tadnZ2d@comcast.com>
Subject: Re: FS:New Computer
Date: Sun, 22 Jan 2006 08:44:19 -0700
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <DqSdnTaBEL7JNU7enZ2dnUVZ_smdnZ2d@vnet-inc.com>
Lines: 4
NNTP-Posting-Host: 70.41.201.128
X-Trace:
sv3-2cAO1PRQzq1EBdgNw62p+Vo9xWFeVys5WI89XewnNPdjsI5iEPSbljoUxBezF1TrZ7nZFgNBGJDCWT
T!Hf1l29c+XZNWI98wQuWynfhBNPcP+eszKBLbwRnUOdXCUKqMMhsP1JRhTepQ2fvO6FaPqZj3g4uh!
JQxsT7dZ5lkpsevYxT58s746V1NwEw==
X-Complaints-To: abuse@vnet-inc.com
X-DMCA-Complaints-To: abuse@vnet-inc.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2114

And you wanted how much?

From 7348919679650567432
X-Google-Thread: 108122,ecff84449b52954e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!
bgtnsc04-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <43D3AB65.BDB8AA6A@psdude.com>
From: mark <pd_dude@psdude.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS:New Computer
References: <Y7KdnXZehdFUDE7enZ2dnUVZ_tadnZ2d@comcast.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 23
Date: Sun, 22 Jan 2006 15:57:26 GMT
NNTP-Posting-Host: 12.76.234.46
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc04-news.ops.worldnet.att.net 1137945446 12.76.234.46 (Sun, 22 Jan
2006 15:57:26 GMT)
NNTP-Posting-Date: Sun, 22 Jan 2006 15:57:26 GMT

```
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:2115

what brand or home built ?
where are you ?
ship or picup only ?
callsign ?


Steve wrote:

> I have a brand new Computer forsale.
>
> Pent 2.8 CPU
> 512 Memory
> Onboard Video, network card, sound.
> Has 160 gig Seagate 7200 rpm Hard Drive
> CD/RW and DVD
> 3 1/2 Floppy
> 350 watt power supply.
> Ham software installed, Radio control for most Icoms.
>
> No Monitor
>
> Steve




From 6689054488894106198
X-Google-Thread: 108122,40f2f238dad8ec22
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!DIALUPUSA.NET!
not-for-mail
From: "RST Engineering" <jim@rstengineering.com>
Newsgroups: rec.radio.amateur.equipment
References: <Xns97521A1E6BF9kelvincoolohmnoemail@localhost>
<MPAAf.1048$MJ.495@fed1read07>
Subject: Re: Can someone help a non-HAM?
Date: Sun, 22 Jan 2006 10:37:09 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <ce7b5$43d3d0ce$42512a81$29497@DIALUPUSA.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 28
X-Trace: ce7b543d3d0cee7f48f2429497
Xref: g2news1.google.com rec.radio.amateur.equipment:2116
```

It would be a great help if we knew where the equipment was located (i.e. what corner of what state?)

If it is anywhere near Sacramento CA, the ham club at Sierra College would be very grateful for the donation of equipment.

Jim

> "kelvin_cool_ohm" <kelvin_cool_ohm@noemail.invalid> wrote in message
> news:Xns97521A1E6BF9kelvincoolohmnoemail@localhost...
>>A friend of mine inherited some HAM gear when his father
>> passed away. He, himself, is not a HAM. He needs to find
>> a home for his father's equipment. He is willing to give
>> it to anyone who will pay the shipping or pick it up at
>> his place. He has no idea what any of it is, but would
>> rather give it to someone who can use it than send it to
>> the car crusher in an old car (his only other option).
>> I offered to post pictures of the stuff, but I need to
>> know where to post it so HAMs could find it. Does this
>> NG have a binaries group that you guys use as a binaries
>> portal? Would someone be willing to post the pictures on
>> their website?
>>
>> Rick

```
From 3628307687864757724
X-Google-Thread: 108122,f5a488fb8ea61c41,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
feeder.z74.net!news.z74.net!sn-ams-06!sn-xt-ams-05!sn-xt-ams-03!sn-post-ams-01!sn-
post-01!supernews.com!corp.supernews.com!not-for-mail
From: Murray Neece <radioranch@qth.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help putting TT omni VI on frequency.
Date: Sun, 22 Jan 2006 12:29:30 -0800
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11t7qphqcos0bab@corp.supernews.com>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 5
Xref: g2news1.google.com rec.radio.amateur.equipment:2117
```

I have a TenTec Omni VI ver 3. When its exactly on frequency, It shows

X.xxx.22   or .22 high. Is there one adjustment somewhere for this so I
can put it right on? Please? Thank you, please reply direct to me at
    radioranch@qth.com   Thanks Murray K5MDM

From 133925561171288251
X-Google-Thread: 108122,640957e4c82557e6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!feeder.z74.net!news.z74.net!sn-ams-06!sn-xt-ams-05!sn-post-ams-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: WD=?ISO-8859-1?B?2A==?=HCO <wd0hco@ev1.net>
Newsgroups: rec.radio.amateur.equipment
Subject: A FEW...
Date: Sun, 22 Jan 2006 15:02:02 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <BFF94EE9.6968%wd0hco@ev1.net>
User-Agent: Microsoft-Outlook-Express-Macintosh-Edition/5.02.2022
Mime-version: 1.0
Content-type: text/plain; charset="ISO-8859-1"
Content-transfer-encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 92
Xref: g2news1.google.com rec.radio.amateur.equipment:2118

A FEW FROM: http://www.oldrigs.com
�

9:13:37 AM

W5MWH DAVE ---- SIG RPT: S7

LA

For SALE - SGC MODEL ADSP DSP SPEAKER $100 + SHIPPING

KENWOOD FP-820 SPEAKER WITH FILTERS MATCH 830'S $60 + SHIPPING

NICE MEADE 2045LX TELESCOPE Schmidt Cassegrain w many extras! WILL TRADE FOR A NICE HF RIG - VALUE IS $500

318-355-3277 - Good on QRZ . com

�

9:17:22 AM

KA5LYL TOD --- SIG RPT: S9

CORPUS TX

For SALE - KENWOOD TS-520 NICE CONDX 6146 FINALS WRKS PERFECT Includes: MANUAL PWR CORD $275

Looking for - KENWOOD TS-120 OR 130 IN EXCELLENT CONDX MAY TRADE TS-520

361-334-4635 - Good on QRZ . com

�

9:19:44 AM

KC5VQW STAN ---- SIG RPT: S7

HARRISON ARK

For SALE - ICOM SM-6 MIC $60

STAND ALONE TEN TEC MODEL 299 VOICE SYNTH $90

870-741-6190

�

9:23:33 AM

W5RLW BOB --- SIG RPT: S3

For SALE - ICOM IC-7000 $1350

405-348-7254 - Good on QRZ . com

�

9:25:46 AM

WN5P CLINT ---- SIG RPT: S7

Looking for - A NICE ICOM IC-208H HI POWER DUAL BANDER FOR MOBILE

361-729-2769 - Good on QRZ . com

A LOT MORE AT: http://www.oldrigs.com

From -4534161231841819307
X-Google-Thread: 108122,8481baca02ac1f33,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!arclight.uoregon.edu!feednews.vanderbilt.edu!
feed.news.qwest.net!news.uswest.net.POSTED!not-for-mail
From: "Big Al" <nospamsal1@qwest.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Upgrading from Tech Plus to General
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <ceTAf.43$Xi2.9425@news.uswest.net>
Date: Sun, 22 Jan 2006 14:58:16 -0700
NNTP-Posting-Host: 71.38.50.68
X-Trace: news.uswest.net 1137967112 71.38.50.68 (Sun, 22 Jan 2006 15:58:32 CST)
NNTP-Posting-Date: Sun, 22 Jan 2006 15:58:32 CST
Xref: g2news1.google.com rec.radio.amateur.equipment:2119

How do I go about this?

Al

From -4981820928452834518
X-Google-Thread: fcc6e,fcafde9094f78a03,start
X-Google-Thread: 107ada,fcafde9094f78a03,start
X-Google-Thread: 108122,fcafde9094f78a03,start
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!green.octanews.net!news-out.octanews.net!news.glorb.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!

nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 22 Jan 2006 16:10:35 -0600
From: "Joe S." <anon@mous.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Mobile installation question
Date: Sun, 22 Jan 2006 17:10:58 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
Lines: 59
NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-RSoRJOe3x+Vq2C4sv8MTxb4fn1JvBVJxwLXy1MiftafOW8wN/tueBU/
IoGbF3eSX5IwnkNTnaxpupoA!eIGgch/
JvZH0J+oFzpz0c4sGV1fDa25TsvyDdTRKhcrIfR3PZvqrj5sWCbpVZlTPLXWHwRNR9eC+!P3kEYiPoTySF
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.antenna:5694
rec.radio.amateur.misc:3698 rec.radio.amateur.equipment:2120

This question does not fit perfectly into any rec.radio.amateur newsgroup so I'll cross-post it to three groups and hope someone can help me.

The question involves the dangers of RF energy from HF, VHF, and UHF rigs around automobile electronics.

I am installing a Yaesu FT-857D in a 1997 Mazda B4000 truck -- 4.0L V6, 4WD, 5-speed, with extended cab.

The control head for the 857 is separated and mounted on the plastic bezel around the gear shift lever. The rig is mounted on the floor under the driver's seat.

Underneath the truck, on the rocker panel just beneath the seatbelt anchor point, is a factory-made hole in the floor. This hole is closed with a removable rubber plug. I ran the radio's power lead through this rubber plug, along the frame, into the engine compartment where I attached the positive lead to the battery and the negative lead to chassis ground.

I planned to run the antenna leads out through the same hole then run them along the frame into the sidewall of the bed to the rear of the truck where I will mount a VHF/UHF antenna in one rear stake hole and an ATAS-120 in the other rear stake hole, using the GeoTools mount:
http://www.geotool.com/antmount.htm

I took the truck in for service last week and the service advisor gave me a long lecture about keeping the coax away from the air bag and away from the seatbelt retractor. He told me the retractor has a small explosive charge in it that can be set off by radiation from coax. Ditto for the airbag.

The route I planned for the coax takes it right next to the seatbelt retractor and I am now re-thinking my installation. I could route the coax from underneath the driver's seat directly to the back of the cab and drill a hole in the floorboard, centered on the cab at the back wall of the cab, and run the coax out of that hole. This would get a foot or more separation between the coax and the retractor.

I plan to ground the hell out of this installation.
-- The power lead is grounded to the frame in the engine compartment.
-- I have a 10 gauge pigtail -- one end will be bolted under one of the bolts that attaches the seat frame to the floorboard and the other end will be bolted to the 857 chassis.
-- The antenna mounts bolt directly onto the chassis; I will sand off the paint and use star washers to get good contacts at these mounting points.

Also, I will use double-shielded RG-8X for the coax.

I see a lot of trucks like mine (the B4000 is the same truck as the Ford Ranger) with CB installations -- I have never stopped anyone and asked but it seems to me the normal CB installation is nowhere near as good as mine and they don't seem to have problems. Of course, I'm running 100 watts and they are running only 5 (right???).

Has anyone out there had experience with HF mobile installations in the Mazda or Ranger pickups?

Thanks for your assistance.

```
From 2897814372922641054
X-Google-Thread: 108122,1df15e15c4e53d10,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!134.158.69.22.MISMATCH!
in2p3.fr!kanaga.switch.ch!switch.ch!news.belwue.de!news.bawue.net!not-for-mail
From: Bernd Maestling <bernd@west.de>
Newsgroups: rec.radio.amateur.equipment
Subject: searching for Stabilock 4031 modules
Date: Sun, 22 Jan 2006 23:47:29 +0100
Organization: bawue.net - http://www.bawue.net
Lines: 12
Message-ID: <dr1229$fbq$2@news.bawue.net>
NNTP-Posting-Host: port-83-236-170-66.static.qsc.de
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-15; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: news.bawue.net 1137970057 15738 83.236.170.66 (22 Jan 2006 22:47:37 GMT)
```

```
X-Complaints-To: abuse@news.bawue.net
NNTP-Posting-Date: Sun, 22 Jan 2006 22:47:37 +0000 (UTC)
User-Agent: Thunderbird 1.5 (Windows/20051201)
Xref: g2news1.google.com rec.radio.amateur.equipment:2121

Hello,
I'm looking for a source for Stabilock 4031 modules.

The parts I'm searching for are:
Monitor Control module 236 062
Tracking IF module 229 034

Any feedback would be appreciated.

73
Bernd
DM5BM


From 879533082468869814
X-Google-Thread: 108122,5b37315eff3c35ad,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!news-
spur1.maxwell.syr.edu!news.maxwell.syr.edu!elk.ncren.net!newsflash.concordia.ca!
News.Dal.Ca!ursa-nb00s0.nbnet.nb.ca!nf3.bellglobal.com!nf1.bellglobal.com!
nf2.bellglobal.com!news20.bellglobal.com.POSTED!not-for-mail
From: "gudule" <gudule88@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB =G.E. MICROPHONE + SERVICE MANUAL
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <JKTAf.362$ft2.28913@news20.bellglobal.com>
Date: Sun, 22 Jan 2006 17:42:43 -0500
NNTP-Posting-Host: 142.217.224.65
X-Complaints-To: abuse@sympatico.ca
X-Trace: news20.bellglobal.com 1137969193 142.217.224.65 (Sun, 22 Jan 2006
17:33:13 EST)
NNTP-Posting-Date: Sun, 22 Jan 2006 17:33:13 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.amateur.equipment:2122

For a GE MVS VHF commercial mobile  radio Model NPFH30SS
Microphone needed part number = 19B801398P4
Thanks
R�jean  VE-2-EUI
```

```
From -7837749138906934221
X-Google-Thread: 108122,8481baca02ac1f33
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!cox.net!
news-xfer.cox.net!p01!dukeread10.POSTED!53ab2750!not-for-mail
Reply-To: "Glenn" <aa5pk@hotmail.com>
From: "Glenn" <aa5pk@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
References: <ceTAf.43$Xi2.9425@news.uswest.net>
Subject: Re: Upgrading from Tech Plus to General
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Message-ID: <q1UAf.43661$0G.19366@dukeread10>
Date: Sun, 22 Jan 2006 16:53:01 -0600
NNTP-Posting-Host: 68.224.212.198
X-Complaints-To: abuse@cox.net
X-Trace: dukeread10 1137970390 68.224.212.198 (Sun, 22 Jan 2006 17:53:10 EST)
NNTP-Posting-Date: Sun, 22 Jan 2006 17:53:10 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2123
```

"Big Al" <nospamsal1@qwest.net> wrote in message
news:ceTAf.43$Xi2.9425@news.uswest.net...

> How do I go about this?

Take and pass the General Class written exam.

```
From -8115179082550384930
X-Google-Thread: 108122,ecff84449b52954e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: FS:New Computer
Message-ID: <bm68t1l37pu3l3bmn7vlno5ugsopi2sk90@4ax.com>
References: <Y7KdnXZehdFUDE7enZ2dnUVZ_tadnZ2d@comcast.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 26
```

```
Date: Sun, 22 Jan 2006 23:54:12 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1137974052 24.174.167.251 (Sun, 22 Jan 2006 17:54:12
CST)
NNTP-Posting-Date: Sun, 22 Jan 2006 17:54:12 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2124

On Sun, 22 Jan 2006 09:08:08 -0500, "Steve" <sahd@hotmail.com> wrote:

>I have a brand new Computer forsale.
>
>Pent 2.8 CPU
>512 Memory
>Onboard Video, network card, sound.
>Has 160 gig Seagate 7200 rpm Hard Drive
>CD/RW and DVD
>3 1/2 Floppy
>350 watt power supply.
>Ham software installed, Radio control for most Icoms.
>
>No Monitor
>
>Steve
>
>

That looks like about $6-700 at the local CompUSA. With rebates, maybe
lower. Your price?

bob
k5qwg




From 6850719684660663603
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!news.glorb.com!pln-w!spln!lex!
extra.newsguy.com!newsp.newsguy.com!enews3
From: "Bill Turner" <noway@nohow.com>
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: 23 Jan 2006 00:36:57 GMT
Organization: http://extra.newsguy.com
Lines: 13
Message-ID: <xn0ehjgrf2rdbu001@cnews.newsguy.com>
```

References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
NNTP-Posting-Host: p-364.newsdawg.com
User-Agent: XanaNews/1.17.5.2
X-Ref: cnews.newsguy.com ~XNS:0000001E
Xref: g2news1.google.com rec.radio.amateur.antenna:5703
rec.radio.amateur.misc:3704 rec.radio.amateur.equipment:2125

Joe S. wrote:

> I plan to ground the hell out of this installation.
~~~~~~

You ought to think the hell out of your grounding plans first.

Remember, "grounding" simply provides a current path that did not exist
before. This can be good or it can be bad. Know what current is flowing
and where and why. "Grounding" stuff willy-nilly is not good
engineering. Make the current go where *you* want it to go or not go.

Bill, W6WRT

From 2242231984859373928
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news-xxxfer.readnews.com!news-out.readnews.com!spool-big1.readnews.com!not-for-
mail
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
Organization: Your Company
Message-ID: <Xns9753ACBC6F0E2spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 23 Jan 2006 00:57:16 GMT
Lines: 11
NNTP-Posting-Host: 6e5e62bd.news.adtechcomputers.com
X-Trace:
DXC=g_4Kcj]kEb4feRiJg>nP^7gC4_A5:nI@1<<=aEgO;R87Cb;RP<o^Sf85D5;0<aWNl2ecf<A4o8l930
W_Uo]cC15:=gANWl:dET4U[Gb\h>V\Z0fO<QBk=^R06
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.antenna:5704
rec.radio.amateur.misc:3705 rec.radio.amateur.equipment:2126

It sounds to me like the only issue you might have is the coax running
~~~~~~

near that seatbelt retractor.   The thing that puzzles me is this guy telling you there is a small explosive charge in the seatbelt retractor. I never heard of such thing in my 30+ years of doing radio installations. I would like to hear from anyone else here who has!   I sure have no idea what the purpose of this charge would be.

Ed

```
From -2303135944546310087
X-Google-Thread: fcc6e,fcafde9094f78a03
X-Google-Thread: 107ada,fcafde9094f78a03
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gidfcc6e,gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
elnk-atl-nf1!newsfeed.earthlink.net!news-feed-01.tampabay.rr.com!news.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.antenna,rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Re: Mobile installation question
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
<Xns9753ACBC6F0E2spectrumhogstarbandn@198.186.192.196>
In-Reply-To: <Xns9753ACBC6F0E2spectrumhogstarbandn@198.186.192.196>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 36
Message-ID: <ywWAf.13204$Zj7.5741@tornado.tampabay.rr.com>
Date: Mon, 23 Jan 2006 01:42:54 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1137980574 65.33.238.179 (Sun, 22 Jan 2006
20:42:54 EST)
NNTP-Posting-Date: Sun, 22 Jan 2006 20:42:54 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.antenna:5706
rec.radio.amateur.misc:3708 rec.radio.amateur.equipment:2127
```

They are the latest things, called "pre-tensioners" they fire along with the airbags. I would think that routing the coax as far away as possible and making sure the radio and the antenna base (and antenna end of coax shield) are securely grounded would be sufficient.

He should carefully check all options to see if their is a way to avoid most of the wiring loom in the vehicle.

The use of the stake mounts, concerns me because they might not ensure
mettalic grounding of the antenna. I would make sure the antenna is
grounded to the truck bed and the truck bed to the vehicle frame by
short <1/8 wavelength wires.

Ed wrote:

> It sounds to me like the only issue you might have is the coax running
>near that seatbelt retractor.   The thing that puzzles me is this guy
>telling you there is a small explosive charge in the seatbelt retractor. I
>never heard of such thing in my 30+ years of doing radio installations. I
>would like to hear from anyone else here who has!   I sure have no idea
>what the purpose of this charge would be.
>
>
>   Ed
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money" ;-P

From -5287811690732791265
X-Google-Thread: 108122,c15a3263118a4cd3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!news-feed01.roc.ny.frontiernet.net!nntp.frontiernet.net!cox.net!news-xfer.cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Amp keying buffer for TS-480SAT/HX
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <%xXAf.1831$2o5.1092@dukeread11>
Date: Sun, 22 Jan 2006 20:52:46 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1137984763 68.1.251.179 (Sun, 22 Jan 2006 21:52:43 EST)
NNTP-Posting-Date: Sun, 22 Jan 2006 21:52:43 EST
Organization: Cox Communications

Xref: g2news1.google.com rec.radio.amateur.equipment:2128

I have for sale a brand new never used Riley's Accessories Amplifier Keying
Buffer for the Kenwood TS480SAT/HX. I has the mini din plug
for the radio and the RCA jack for the amp. It comes with the Instructions.
Price is $20 plus $4.00 shipping. Thanks, Charlie Hugg, K5MBX

From 3244965700697630084
X-Google-Thread: 108122,fcafde9094f78a03
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
newsgate.cistron.nl!amsnews11.chello.com!border2.nntp.ams.giganews.com!
border1.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-03!sn-post-
ams-01!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Mobile installation question
Date: Sun, 22 Jan 2006 21:03:41 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <u8l8t1humttu9qcka8337j0tj604jkr9po@4ax.com>
References: <HMudneUWRbBGn0nenZ2dnUVZ_tmdnZ2d@comcast.com>
<Xns9753ACBC6F0E2spectrumhogstarbandn@198.186.192.196>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news1.google.com rec.radio.amateur.equipment:2129

On 23 Jan 2006 00:57:16 GMT, Ed <Huckleberry_REMOVE_@newsguy.com>
wrote:

>
>
> It sounds to me like the only issue you might have is the coax running
>near that seatbelt retractor.   The thing that puzzles me is this guy
>telling you there is a small explosive charge in the seatbelt retractor. I
>never heard of such thing in my 30+ years of doing radio installations. I
>would like to hear from anyone else here who has!   I sure have no idea
>what the purpose of this charge would be.
>
>
>   Ed

I would check with the Mazda dealer for a technical service bulletin
on radio installations. I know Chrysler does a great job in this
area. Because of all the computers, etc. in cars and trucks today I

would think most of the manufacturers would provide the same thing.

Dick

```
From 6834071076028379
X-Google-Thread: 108122,53b3077898f8c232,start
X-Google-Thread: 1109af,53b3077898f8c232,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx02.iad01.newshosting.com!
newshosting.com!68.1.17.232.MISMATCH!peer01.cox.net!cox.net!p01!fed1read07.POSTED!
53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: MOTOROLA HT1250 ls+ Portable Radio-UHF-Voice Storage-Very Nice
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000C_01C61FA5.801E1D80"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <bX_Af.1207$MJ.511@fed1read07>
Date: Sun, 22 Jan 2006 22:45:10 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137998663 68.96.227.248 (Mon, 23 Jan 2006 01:44:23 EST)
NNTP-Posting-Date: Mon, 23 Jan 2006 01:44:23 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2130 rec.radio.swap:2328

This is a multi-part message in MIME format.

------=_NextPart_000_000C_01C61FA5.801E1D80
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: MOTOROLA HT1250 ls+ Portable Radio-UHF-Voice Storage-Very Nice

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7584195567&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_000C_01C61FA5.801E1D80
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
```

```
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: MOTOROLA HT1250 ls+ Portable Radio-UHF-Voice Storage-Very =
Nice</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7584195567&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7584195567&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_000C_01C61FA5.801E1D80--




From -1600911101780739556
X-Google-Thread: 108122,77a4942ae7b3e678,start
X-Google-Thread: 1109af,77a4942ae7b3e678,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 4-EA "NEW" MOTOROLA RADIUS PALM MICROPHONES-HMN3008A
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0015_01C61FA5.BA383AF0"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <IY_Af.1208$MJ.154@fed1read07>
Date: Sun, 22 Jan 2006 22:46:48 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137998760 68.96.227.248 (Mon, 23 Jan 2006 01:46:00 EST)
NNTP-Posting-Date: Mon, 23 Jan 2006 01:46:00 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2131 rec.radio.swap:2329

This is a multi-part message in MIME format.

------=_NextPart_000_0015_01C61FA5.BA383AF0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

```
FA: 4-EA "NEW" MOTOROLA RADIUS PALM MICROPHONES-HMN3008A=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7584038671&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0015_01C61FA5.BA383AF0
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 4-EA "NEW" MOTOROLA RADIUS PALM MICROPHONES-HMN3008A </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7584038671&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7584038671&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0015_01C61FA5.BA383AF0--



From 4533320895147595915
X-Google-Thread: 108122,b473de2ce73fc29e,start
X-Google-Thread: 1109af,b473de2ce73fc29e,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:Pair-MOTOROLA P110-UHF PORTABLE RADIOS w/CHARGERS-NICE
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_0024_01C61FA6.0CEEDA10"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <S__Af.1209$MJ.414@fed1read07>
Date: Sun, 22 Jan 2006 22:49:06 -0800
NNTP-Posting-Host: 68.96.227.248
```

```
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137998898 68.96.227.248 (Mon, 23 Jan 2006 01:48:18 EST)
NNTP-Posting-Date: Mon, 23 Jan 2006 01:48:18 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2132 rec.radio.swap:2330

This is a multi-part message in MIME format.

------=_NextPart_000_0024_01C61FA6.0CEEDA10
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:Pair-MOTOROLA P110-UHF PORTABLE RADIOS w/CHARGERS-NICE=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7584199955&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0024_01C61FA6.0CEEDA10
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:Pair-MOTOROLA P110-UHF PORTABLE RADIOS w/CHARGERS-NICE </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7584199955&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7584199955&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0024_01C61FA6.0CEEDA10--




From 812458623780126451
X-Google-Thread: 108122,40a7fec2fffd77cf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
wn14feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-
for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:MORE AIR VARIABLES + STUFF
```

```
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Vzjvf.228464$qk4.55289@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: cec9b91f10930f242fb53c764d31e2b8
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1136510325
cec9b91f10930f242fb53c764d31e2b8 (Fri, 06 Jan 2006 01:18:45 GMT)
NNTP-Posting-Date: Fri, 06 Jan 2006 01:18:45 GMT
Organization: AT&T Worldnet
Date: Fri, 06 Jan 2006 01:18:45 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1980

I will be listing ~35-45 air variables in the next month in addition to =
ones already listed on Ebay. So, pse check back frequently. Trying to =
clean out stuff. Some new ones are listed now and the mostly used ones =
(receive & transmit) will be added a few each day or every other day.  =
Tnx for stopping by:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

73  Joe, heytubeguy




From 704149740180657528
X-Google-Thread: 112f4a,c70514fd49defada
X-Google-Thread: 115730,c70514fd49defada
X-Google-Thread: fc2a5,c70514fd49defada
X-Google-Thread: 108122,c70514fd49defada
X-Google-Attributes: gid112f4a,gid115730,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:
sci.geo.meteorology,sci.electronics.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.equipment
Subject: Re: Reliable Inexpensive Electronic Weather Instruments
Date: 5 Jan 2006 19:48:45 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1136519325.161321.108260@g14g2000cwa.googlegroups.com>
References: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
   <1136338025.108271.227050@z14g2000cwz.googlegroups.com>
   <43BCB4F9.C559BBE4@REMOVE-TO-REPLYconfidential-counselling.com>
NNTP-Posting-Host: 4.252.211.84
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
```

X-Trace: posting.google.com 1136519330 27348 127.0.0.1 (6 Jan 2006 03:48:50 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Fri, 6 Jan 2006 03:48:50 +0000 (UTC)
In-Reply-To: <43BCB4F9.C559BBE4@REMOVE-TO-REPLYconfidential-counselling.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=4.252.211.84;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news1.google.com sci.geo.meteorology:2426 sci.electronics.equipment:1254
rec.radio.amateur.homebrew:2493 rec.radio.amateur.equipment:1981

Thanks for the lead, here's the link.

http://www.siliconchip.com.au/cms/A_103238/article.html

From -338959469497755938
X-Google-Thread: 108122,330b1a27c722dfe0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!f60b578b!not-for-mail
From: Doug Gavilanes <gavilan1@earthlink.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.4) Gecko/20030624
Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
Subject: Re: Which 220?
References: <HXyuf.70180$8d.67754@tornado.tampabay.rr.com>
In-Reply-To: <HXyuf.70180$8d.67754@tornado.tampabay.rr.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 27
Message-ID: <Clovf.6618$nu6.3001@newsread1.news.pas.earthlink.net>
Date: Fri, 06 Jan 2006 06:44:50 GMT
NNTP-Posting-Host: 69.3.134.85
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1136529890 69.3.134.85 (Thu, 05 Jan 2006
22:44:50 PST)
NNTP-Posting-Date: Thu, 05 Jan 2006 22:44:50 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1982

I have the Alinco. Great radio, extended receive (some mil air),
accepts modem board for packet and APRS (GPS input on front face of
radio, RS-232 (DB-9) on rear, also accepts digital board for GMSK
digital audio communications with other GMSK compatible radios (ICOM

Alinco, etc.). Also, alpha tags are nice. I have the 135 for APRS (N6XQY-12) and the 235 for the California CONDOR system (linked 220MHz system covering most of CA, some of AZ, NV). Now looking at the dual bander if I ever need to replace my Kenwood TM-V7A.

Enjoy es 73,

Doug Gavilanes, N6XQY
Garden Grove, CA.

west wrote:
> Been out of Amateur for more than 20 years and would like to know when the Kenwood TM-331A came out and how does it compare to the Alinco DR-235T, both 220 transceivers? I know the Alinco can be modified but there is no info on the mod site re the Kenwood, not that it's important. Which one would you buy and why? All comments & opinions very welcomed. Thank you.
>
> Cordially,
> west
> AF4GC
>
>

From -9192761697470061259
X-Google-Thread: 108122,94fead6523e2ed,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!newsread3.news.pas.earthlink.net.POSTED!f60b578b!not-for-mail
From: Doug Gavilanes <gavilan1@earthlink.net>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.4) Gecko/20030624 Netscape/7.1 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Help With Compact Screwdriver Mobile Ant Mt
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 82
Message-ID: <K6pvf.3682$Hl6.1003@newsread3.news.pas.earthlink.net>
Date: Fri, 06 Jan 2006 07:37:14 GMT
NNTP-Posting-Host: 69.3.134.85
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1136533034 69.3.134.85 (Thu, 05 Jan 2006 23:37:14 PST)
NNTP-Posting-Date: Thu, 05 Jan 2006 23:37:14 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1983

Greetings from So.Cal.

I'm at wits end, now having gone through 4 antenna mounts on my vehicle. This is the situation: I have a Jeep Wrangler, on the rear of which I have a trail rack (for cargo, and mounting Gerry cans). Over the last few years, the trail rack has become my mobile antenna farm, hosting a Diamond NR770 NMO dual band whip, a 1/2 wave Larsen base loaded NMO 220MHz whip, a 1/2 wave Larsen base loaded NMO 144MHz whip (for APRS), and a Larsen VHF-UHF-800/900MHz NMO center loaded monitor antenna. For HF, I mounted a K400 mount with 3/8" stud for a Lil' Tarheel II compact screwdriver (16" body, plus 5' whip), on the left rear corner of the trail rack (about 6' off of the ground). This location puts the antenna at a high point at the rearmost location on my Jeep. Being a short wheelbase vehicle with a 3" lift and 32" tires, the ride is inherently bouncy. The daily commute on the I-405 in the South Bay of the L.A. basin injects speeds of 5 to 70MPH during the commute. To date, I have cracked the base plate of the trunk lip K400 mount around the front edge of the round protrusion where the adjustable head of the mount supports the antenna. Twice, on separate new K400 mounts. The K400 is too flimsy (the fact that it is being made in China from metal not of the same original stainless grade as the original article is a separate issue) to support the stiff antenna, which is bounced and rocks front to back and side to side on every bump, dip, and pothole. Complicating matters is that the mount is at the rearmost and highest point on the rear of the vehicle, and the momentum of flexation is greatest at this spot. However, it is the absolute best spot to mount the antenna for performance and loading (perfectly flat on all bands 10 through 75M).

My Alinco DX-70T only delivers 100W, and when mobile in motion, doesn't always have enough punch, so I enlisted an amp that would provide me with about 200W PEP, the max. rating of the Tarheel II. The amp exceeded this a few times, and after replacing the coil once, Tarheel informed me that a new compact version was under development, with a max. rating of 500W PEP. Armed with this knowledge, I installed an Ameritron ALS-500M with remote and soon abandoned the K400 and smaller Tarheel II for the heavier duty Tarheel "Stubby" (16" body with 5' whip) and a new Hustler stainless ball mount. Worked great, but within two weeks, upon arriving at my office one day, a co-worker asked me if my antenna had broken. When I went out to check, the antenna had rotated down at a 45� angle into a big 6.5' curb feeler mode into the left parking space next to me. I removed the antenna, and found that the outer ball half had cracked at the 3/8" stud that protrudes from it, causing the ball to loosen and slip. The candy store was nice enough to replace the part under warranty, and that night I was back on the air.

A couple of weeks later, I noticed (during my daily mount checks provoked by the paranoia of losing a $350+ antenna on the freeway, and causing an accident, to boot) that some "wiggle" had developed between the 3/8" stud exiting the outer ball half, and the outer ball half itself. Enough movement to make me fear that another 30 or 40 miles would be enough to snap off the antenna cleanly from the replacement ball mount, unexpectedly. I removed the antenna, and searched for a stronger mount. I remember the old Motorola stainless ball mounts from the Broderick Crawford 2150 days, and that they were nearly bullet-proof. I also remembered that Antenna Specialists made them for Motorola (ASP-3, or something like that). These are as rare as $3 bills nowadays, since A/S abandoned making them. However, I collected an ancient Batwing ball mount with a cracked gray phenolic base (too bad, as that's where the Moto branding was) years ago at the swapmeet, so I tore my garage apart and finally located the old gem. I retired the Hustler stainless hardware, and installed the Moto / A/S stainless hardware into the black phenolic Hustler baseplate. Perfect fit, and very tight mount (no slop at all). About three and a half weeks have passed, and I have just discovered the same "wiggle" that caused me to scrap the Hustler ball mount. Needless to say, my screwdriver is again off the air.

Sorry for the preceding "diary" - but a good understanding of my dilemma couldn't hurt. Now, does anyone out there know of a strong 3/8" stud mount that will support my screwdriver (which probably weighs about 8 to 10 pounds, with a 16" body, 2" dia. coil, and 5' whip) now and forever?

I am able to bolt into the 1" square tubes of the trail rack - that's how I affixed the fabricated steel mounting plate that I put on the side of the rack to host the ball mount. The top and bottom tubes are about 4" apart. Can anyone offer a practical solution? My HF capability is important to me (ARES emergency comms and stuff, you know...). Thanks in advance.

73 de Doug, N6XQY

From 3895677836259795033
X-Google-Thread: 112f4a,c70514fd49defada
X-Google-Thread: 115730,c70514fd49defada
X-Google-Thread: fc2a5,c70514fd49defada
X-Google-Thread: 108122,c70514fd49defada
X-Google-Attributes: gid112f4a,gid115730,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 06 Jan 2006 07:23:00 -0600
From: "gb" <onw9mapsgb@no.arrl.spam.net>
Newsgroups: sci.geo.meteorology,sci.electronics.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
References: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
Subject: Re: Reliable Inexpensive Electronic Weather Instruments
Date: Fri, 6 Jan 2006 07:22:54 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original

Message-ID: <PNSdneU6ebqp8iPeRVn-vw@comcast.com>
Lines: 34
NNTP-Posting-Host: 67.175.77.127
X-Trace: sv3-WTbxeZaiXXLbJAazbMzM0rU4MX/qri495VyD2ltBmw1Mx8ug3h3yxjb/
Rz65nQohnP4X6UjnOiT78Dq!locZE0bShuus/
Bk38p49FH1lo9OB6zP7wNotkfiJiqdttrGJIAalHGjkKpft9LBnNGFv29eyxYrn!79TfCw==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com sci.geo.meteorology:2437 sci.electronics.equipment:1260 rec.radio.amateur.homebrew:2502 rec.radio.amateur.equipment:1984

"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message
news:1136238218.674982.221060@z14g2000cwz.googlegroups.com...
>I am looking for any suggestions as to reliable inexpensive electronic
> weather instruments.
>
> With several units that I have tested from places like Target, Walmart,
> Radio Shack I find that they are not repeatable, readings drift and
> will die when the weather gets cold.
>
> Has anyone found a source or brand that they have had good success
> with?
>
> Any leads or links to building your own instrumentation?
>
> Thanks
>
> TMT
>

Texas Weather Instruments developed the 1-WireT Weather Station, using technology licensed from Dallas Semiconductor (see Sensors magazine June 1998), to solve the problems of attaching multiple cables, power supplies and consoles associated with weather instruments to a Windows PC.
http://www.txwx.com/1wire_bro1.htm

AAG Electronica (Mexico) makes the kit of parts ($75), the TWI is only an assembled unit.
http://www.aagelectronica.com/aag/index.html?target=p_1.html&lang=en-us

gb

From -51862832097691359
X-Google-Thread: 108122,811a2bd6f3e6254c,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!proxad.net!news.wiretrip.org!
newsgate.cistron.nl!skynet.be!newspost001!tjb!not-for-mail
From: "Patrick" <8790m28news@belgacom.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:   10 pcs 1N415D Rare vintage microwave diode,new,orig.pac
Date: Fri, 6 Jan 2006 20:03:51 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Lines: 3
Message-ID: <43bebf11$0$1178$ba620e4c@news.skynet.be>
Organization: -= Belgacom Usenet Service =-
NNTP-Posting-Host: 345c20cf.news.skynet.be
X-Trace: 1136574225 news.skynet.be 1178 81.241.72.68:4510
X-Complaints-To: usenet-abuse@skynet.be
Xref: g2news1.google.com rec.radio.amateur.equipment:1985

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7577298264
```

```
From -7076905753919400418
X-Google-Thread: 108122,ed57a7033d12614d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news2.volia.net!
newsfeed01.sul.t-online.de!t-online.de!news.csl-gmbh.net!skynet.be!newspost001!
tjb!not-for-mail
From: "Patrick" <8790m28news@belgacom.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA:   18 pcs.CA3000 DC-amplifier-TO5 package, made by RCA
Date: Fri, 6 Jan 2006 20:04:52 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Lines: 3
Message-ID: <43bebf52$0$4772$ba620e4c@news.skynet.be>
Organization: -= Belgacom Usenet Service =-
NNTP-Posting-Host: 345c20cf.news.skynet.be
X-Trace: 1136574290 news.skynet.be 4772 81.241.72.68:4516
X-Complaints-To: usenet-abuse@skynet.be
Xref: g2news1.google.com rec.radio.amateur.equipment:1986

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7577298842
```

```
From -3994798784387517901
X-Google-Thread: 108122,9a9f506f32995112,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news4.google.com!news.glorb.com!ndsoftware.com!skynet.be!
newspost001!tjb!not-for-mail
From: "Patrick" <8790m28news@belgacom.net>
Newsgroups: rec.radio.amateur.equipment
Subject: eBay: 5 pcs. Rare Vintage CS9B X-band microwave diodes
Date: Fri, 6 Jan 2006 20:05:37 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Lines: 3
Message-ID: <43bebf7b$0$1165$ba620e4c@news.skynet.be>
Organization: -= Belgacom Usenet Service =-
NNTP-Posting-Host: 345c20cf.news.skynet.be
X-Trace: 1136574331 news.skynet.be 1165 81.241.72.68:4522
X-Complaints-To: usenet-abuse@skynet.be
Xref: g2news1.google.com rec.radio.amateur.equipment:1987

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7577299625
```

```
From 6168847646430638942
X-Google-Thread: 108122,9a9f506f32995112
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!proxad.net!newsfeed.icl.net!skynet.be!
skynet.be!newspost001!tjb!not-for-mail
From: "Patrick" <8790m28news@belgacom.net>
Newsgroups: rec.radio.amateur.equipment
References: <43bebf7b$0$1165$ba620e4c@news.skynet.be>
Subject: Re: 5 pcs. Rare Vintage CS9B X-band microwave diodes
Date: Sat, 7 Jan 2006 00:26:22 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Response
Lines: 8
Message-ID: <43befc9a$0$1156$ba620e4c@news.skynet.be>
Organization: -= Belgacom Usenet Service =-
NNTP-Posting-Host: 25117e22.news.skynet.be
X-Trace: 1136589978 news.skynet.be 1156 217.136.80.233:1493
X-Complaints-To: usenet-abuse@skynet.be
Xref: g2news1.google.com rec.radio.amateur.equipment:1988
```

```
relisted http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7579282310

"Patrick" <8790m28news@belgacom.net> schreef in bericht
news:43bebf7b$0$1165$ba620e4c@news.skynet.be...
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7577299625
>




From -8326807918127786706
X-Google-Thread: 108122,811a2bd6f3e6254c
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
multikabel.net!feed20.multikabel.net!newshub2.home.nl!newshub1.home.nl!home.nl!
skynet.be!newspost001!tjb!not-for-mail
From: "Patrick" <8790m28news@belgacom.net>
Newsgroups: rec.radio.amateur.equipment
References: <43bebf11$0$1178$ba620e4c@news.skynet.be>
Subject: Re: 10 pcs 1N415D Rare vintage microwave diode,new,orig.pac
Date: Sat, 7 Jan 2006 00:27:00 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Response
Lines: 8
Message-ID: <43befcc0$0$14126$ba620e4c@news.skynet.be>
Organization: -= Belgacom Usenet Service =-
NNTP-Posting-Host: 25117e22.news.skynet.be
X-Trace: 1136590017 news.skynet.be 14126 217.136.80.233:1503
X-Complaints-To: usenet-abuse@skynet.be
Xref: g2news1.google.com rec.radio.amateur.equipment:1989

relisted http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7579282446

"Patrick" <8790m28news@belgacom.net> schreef in bericht
news:43bebf11$0$1178$ba620e4c@news.skynet.be...
> http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7577298264
>




From 5833541275070899113
X-Google-Thread: 108122,2df262dc0b128f7e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe11.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Help with Ameritron AL-82 Amp
Message-ID: <8k6ur11ga4ldnfg29ig9gq9r0lg76s4n66@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 8
Date: Fri, 06 Jan 2006 20:34:07 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe11.lga 1136597645 68.193.1.58 (Fri, 06 Jan 2006 18:34:05 MST)
NNTP-Posting-Date: Fri, 06 Jan 2006 18:34:05 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:1990
```

Help with Ameritron AL-82 Amp
I recently got an AL-82
And it needed tubes which I put in today and
It seems to put out full power on all bands except
160??
No power out on 160?? The relay goes on and no tx power comes out?
Any help on what to look for would hel greatly.
Thanks....Rich

```
From 4342036207135823176
X-Google-Thread: 108122,37653e35736cd85b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS CW Filter for FT-102
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <9pGvf.47979$ih5.18853@dukeread11>
Date: Fri, 6 Jan 2006 21:17:58 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1136603845 68.1.251.179 (Fri, 06 Jan 2006 22:17:25 EST)
NNTP-Posting-Date: Fri, 06 Jan 2006 22:17:25 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:1991
```

I also have a brand new Yaesu XF-455C CW Filter for the Yaesu FT-102
Transceiver. It is No. 04-Y. Price is $65. Thanks, Charlie Hugg

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 4323182183521750749
X-Google-Thread: 108122,208b65e6b22d4c87,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!peer01.west.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Old Callbooks
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <LcVvf.48172$ih5.21177@dukeread11>
Date: Sat, 7 Jan 2006 14:08:45 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1136664491 68.1.251.179 (Sat, 07 Jan 2006 15:08:11 EST)
NNTP-Posting-Date: Sat, 07 Jan 2006 15:08:11 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:1992

I have several old Flying Horse Radio Amateur Callbooks for sale. They are all in very good condition for their age. Covers and binding are all intact and in nice condition. There are some creases around the edges of some of them and the pages have yellowed with time. They are all complete.
1. Winter, 1948-49 Issue, Volume 26, Number 4. Price $35;
2. Fall, 1949 Issue, Volume 27, Number 3. Price is $35;
3. Summer, 1950, Volume 28, Number 2. Price is $30;
4. Spring, 1952, Volume30, Number 1. Price is $30;
5. Fall, 1955, Volume 33, Number 3. Price is $30;
6. Fall, 1961, Volume 39, Number 3. Price is 25.
Shipping is an extra $3.00 for Media Rate US Post Office.
Thanks, Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 9219303294677264340
X-Google-Thread: 108122,c0b99f9045184073,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Kb2sin" <kb2sin@stny.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Looking For:
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <TFbwf.92051$ME5.33838@twister.nyroc.rr.com>
Date: Sun, 08 Jan 2006 17:08:03 GMT
NNTP-Posting-Host: 66.24.245.188
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1136740083 66.24.245.188 (Sun, 08 Jan 2006 12:08:03 EST)
NNTP-Posting-Date: Sun, 08 Jan 2006 12:08:03 EST
Organization: Road Runner
Xref: g2news1.google.com rec.radio.amateur.equipment:1993

I recently aquired a Kenwood MC-50 with an 8 Pin Connector on it, but it
does not work on my TS-690S.
Can anyone please tell me how to wire this so that it will work on my rig?

Please email responses to: kb2sin@stny.rr.com
Thanks and 73's
de kb2sin
Bill

From 3321181423931083221
X-Google-Thread: 108122,8002a394049896d4,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-mail
From: "ve3tjd" <tedd@ve3tjd.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: ICOM High Power IC-28H VHF Mobile
Date: 8 Jan 2006 09:24:26 -0800
Organization: http://groups.google.com

```
Lines: 9
Message-ID: <1136741066.119621.240970@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 72.1.215.105
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136797142 1799 127.0.0.1 (9 Jan 2006 08:59:02 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 9 Jan 2006 08:59:02 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=72.1.215.105;
   posting-account=xuwirwwAAADhiNzOP2G4UqmQsJ5M-bwn
Xref: g2news1.google.com rec.radio.amateur.equipment:1994
```

Greetings: I have a very good condition Icom IC-27H VHF high
power mobile radio up for auction on Ebay.

Please check Ebay # 5851367906

Thanks,

Tedd, VE3TJD

```
From -9121278851417526719
X-Google-Thread: 108122,65c7c00b0ad19622,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-
mail
From: "KJ5XX" <ronb1224@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Kenwood TM-261A 2m Mobile + Astron 11a Power Supply
Date: 8 Jan 2006 09:35:24 -0800
Organization: http://groups.google.com
Lines: 10
Message-ID: <1136741724.661643.295670@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 24.1.166.156
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136797208 1799 127.0.0.1 (9 Jan 2006 09:00:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 9 Jan 2006 09:00:08 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
FunWebProducts; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=24.1.166.156;
   posting-account=wppJrw0AAADjdLjJgkt5udpYWMsLerDX
Xref: g2news1.google.com rec.radio.amateur.equipment:1995
```

Kenwood TM-261A 2m 50w FM Tranceiver and Astron SL-11A, 11 amp power supply. Rig is in like new condition; no scratches or marks of any kind, never mobile, in original box. Very low hours. Includes MC-53DM Multi-function mic with DTMF, MB-12 Mobile Bracket, owners manuals and 7' power cord. PS is in good condition with one small scratch on top of case. Radio Only: $120 Shipped Con US. PS Only: $45 Shipped Con US. Both Items: $165 Shippped Con US.

Ron - KJ5XX@comcast.net

From 324020078419630325
X-Google-Thread: 108122,88ba48758320e993,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-mail
From: "hxc98@yahoo.com" <hxc98@yahoo.com>
Newsgroups: rec.radio.amateur.equipment
Subject: APRSPoint new version available !
Date: 9 Jan 2006 01:25:42 -0800
Organization: http://groups.google.com
Lines: 11
Message-ID: <1136798742.458146.181060@g44g2000cwa.googlegroups.com>
NNTP-Posting-Host: 221.232.67.246
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136798751 13667 127.0.0.1 (9 Jan 2006 09:25:51 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 9 Jan 2006 09:25:51 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2; SV1; .NET CLR 1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=221.232.67.246;
   posting-account=qkd21QwAAAAs0AsHsbNsv0PdNKEViQPM
Xref: g2news1.google.com rec.radio.amateur.equipment:1996

APRSPoint 2.2 is released. New features include,

1. Added TNC data view and TNC data log,
2. Enabled auto connect for AGW packet engine,
3. Fixed a bug handling weather station data,
4. Ability to load a default map view at startup,
5. Restore TNC settings when program exits.

and many more. The holiday sale is also extended for 2 more days.
Visist http://www.aprspoint.com for details. Thanks.

```
From 850663812863039209
X-Google-Thread: 108122,96137c3dcd2a00a0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-
mail
From: "safetypro" <bfdp1@msn.com>
Newsgroups: rec.radio.amateur.equipment
Subject: New unused Military Antenna Tripod kit FS
Date: 9 Jan 2006 08:42:16 -0800
Organization: http://groups.google.com
Lines: 12
Message-ID: <1136824936.236354.5000@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 208.186.142.100
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136824941 30248 127.0.0.1 (9 Jan 2006 16:42:21 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 9 Jan 2006 16:42:21 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1;
SV1),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=208.186.142.100;
   posting-account=cZ6CBwwAAABOkngaQkAXZMXi8nVpBCYN
Xref: g2news1.google.com rec.radio.amateur.equipment:1997
```

NEW MILITARY 48" FIBERGLASS MAST ANTENNA SECTIONS KIT. THE MAST SECTIONS ARE FOUR FEET LONG, AND STACK ONE ON TOP OF THE OTHER. THE MAST SECTIONS HAVE ONE MALE AND ONE FEMALE END ON EACH SECTION. WHEN YOU SLIDE FOUR SECTIONS TOGETHER YOU GET EXACTLY 15 FEET OF USABLE LENGTH. THE PIPES WEIGH ONLY TWO AND A HALF POUNDS EACH. THIS KIT CONTAINS TWELVE 48" LONG FIBERGLASS MAST SECTIONS, ONE NEW CARRY BAG, ONE TRIPOD BRACKET, TWO GUY RINGS, TWO SPREADERS, AND NINE ALUMINUM STAKES. ALL THE ITEMS IN THE KIT ARE NEW. THE TRIPOD AND GUY RINGS ARE AVAILABLE POWDER COATED GREEN.

$110+shipping (est $45 ground shipping)

```
From -5130498928161826884
X-Google-Thread: 106284,f5d86b8625562aca
X-Google-Thread: 108122,e43ca6ee5fab9880,start
X-Google-Thread: 107ada,e43ca6ee5fab9880,start
X-Google-Thread: 10bf43,e43ca6ee5fab9880,start
X-Google-Thread: 106d41,e43ca6ee5fab9880,start
X-Google-Thread: fa029,e43ca6ee5fab9880,start
X-Google-Thread: 114aac,e43ca6ee5fab9880,start
X-Google-Attributes:
gid106284,gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsread.com!news-xfer.newsread.com!
```

```
198.186.190.70.MISMATCH!news-out.readnews.com!spool-big1.readnews.com!
diablo3.voicenet.com!snip.allthenewsgroups.com!not-for-mail
Reply-To: "Kook Kanuck in VE7land\"" <wigawoo14313@hamfatasses.com>
From: "Kook Kanuck in VE7land\"" <wigawoo14313@hamfatasses.com>
Newsgroups: alt.fan.art-
bell,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,r
ec.radio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
References: <VEvwf.4658$fb4.823@newssvr14.news.prodigy.com>
Subject: Re: Ham Radio, How I got caught
Date: Mon, 9 Jan 2006 15:18:08 -0500
Lines: 44
Organization: yiff
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <b47a5$43c2d309$d1cc45e6$24055@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc4a-209-204-69-230.sniparpa.net
X-Trace: b47a543c2d3097469e04324055
Xref: g2news1.google.com alt.fan.art-bell:28581 rec.radio.amateur.equipment:1998
rec.radio.amateur.misc:3386 rec.radio.amateur.policy:11555 rec.radio.cb:4394
rec.radio.scanner:1667 rec.radio.shortwave:18311


Wow, 29 years bootlegging on ham and no FCC check?  I think that's a
new record!!  There's been a couple of guys on a Militia/Patriot
net every night on 3.8-0 mHz LSB for over 3 years now with phony callsigns
who still ain't got caught or even raised a red flag with either FCC or
OHS.
but if you went along for that long and got off with a slap on da
wrist, then woo-woo on you.  (bet you were a good customer at the ham store
also eh?  Did the buffoons sel you a big amplifier too with no license
check? prolly did..)


"Howard Johnson Jr" <hamradioluvr@hamshak.org> wrote in message
news:VEvwf.4658$fb4.823@newssvr14.news.prodigy.com...
> I've been a ham radio operator for over 29 years and never once took a
test
> for a license. Always used a phony call and nobody ever suspected me
until
> internet came along. Last week I received  letter in the mail from the
FCC.
> I'm being fined $5000 for transmitting without a license over a period of
3
> years. Don't think you can't get caught, I sure did. When they (FCC) came
to
> my  house, my mother let them in and took them to my bedroom. I was at
> Starbucks having coffee when it happened. They took all my radio
equipment
> and also found my stash of pot but did not take it or notify the local
> Police thank god. My mother told them the pot was for my arthritis and
they
> believed her. That's what I had told my mother when I started smoking it
in
> my room. She thought I was burning leaves until I told her it was
medicine.
>
> Anyway, the bottom line is this, the government doesn't go by the rules,
> they will do anything they want and if the agent doesn't like you, you
are
> in deep trouble to say the least.
>
> Howard M Johnson
>
>
```

```
From 1551161398703685759
X-Google-Thread: 106284,f5d86b8625562aca
X-Google-Thread: 108122,e43ca6ee5fab9880
X-Google-Thread: 107ada,e43ca6ee5fab9880
X-Google-Thread: 10bf43,e43ca6ee5fab9880
X-Google-Thread: 106d41,e43ca6ee5fab9880
X-Google-Thread: fa029,e43ca6ee5fab9880
X-Google-Thread: 114aac,e43ca6ee5fab9880
X-Google-Attributes:
gid106284,gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 09 Jan 2006 17:33:17 -0600
From: "Darkwing" <theducksmail"AT"yahoo.com>
Newsgroups: alt.fan.art-
bell,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,r
ec.radio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
References: <VEvwf.4658$fb4.823@newssvr14.news.prodigy.com>
<b47a5$43c2d309$d1cc45e6$24055@snip.allthenewsgroups.com>
Subject: Re: Ham Radio, How I got caught
Date: Mon, 9 Jan 2006 18:36:21 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <GuKdneYz5s4gb1_eRVn-jw@giganews.com>
Lines: 24
X-Trace: sv3-4yP4O/j0D/lSnAH65YzOIpJ1bZza5/S/XYxlx0hSzS7VSzhYVRSMDyzsB/
nhKcxBjyzUmqzKm1F1TeC!
```

bto0saBrypSCaLvShGT99hwoi1W3l52c3oG+HclxlQSgFJin7sdWLT4hGaPz+G4=
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com alt.fan.art-bell:28645 rec.radio.amateur.equipment:1999 rec.radio.amateur.misc:3391 rec.radio.amateur.policy:11559 rec.radio.cb:4396 rec.radio.scanner:1674 rec.radio.shortwave:18332

"Kook Kanuck in VE7land"" <wigawoo14313@hamfatasses.com> wrote in message news:b47a5$43c2d309$d1cc45e6$24055@snip.allthenewsgroups.com...
>
> Wow, 29 years bootlegging on ham and no FCC check? I think that's a
> new record!! There's been a couple of guys on a Militia/Patriot
> net every night on 3.8-0 mHz LSB for over 3 years now with phony callsigns
> who still ain't got caught or even raised a red flag with either FCC or
> OHS.
> but if you went along for that long and got off with a slap on da
> wrist, then woo-woo on you. (bet you were a good customer at the ham
> store
> also eh? Did the buffoons sel you a big amplifier too with no license
> check? prolly did..)

Ham is out, CB is in. Breaker 1-9, what's your 20? We got us a smoky bear heading eastbound on the I-80, come back driver.

DW

From 8567613631041039093
X-Google-Thread: 108122,77f2db7f6e960945,start
X-Google-Thread: 1109af,77f2db7f6e960945,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!cox.net!hwmnpeer01.lga!hwmedia!news-server.columbus.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Reply-To: "M.L. Katz" <mcguyver@cfl.rr.com>
From: "M.L. Katz" <mcguyver@cfl.rr.com>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap
Subject: FS: Cyfre CA-819 PCS dual band cell phone booster/Amplifier

Lines: 33
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <BADwf.9624$2i3.8396@tornado.tampabay.rr.com>
Date: Tue, 10 Jan 2006 00:53:53 GMT
NNTP-Posting-Host: 70.118.217.0
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1136854433 70.118.217.0 (Mon, 09 Jan 2006 19:53:53 EST)
NNTP-Posting-Date: Mon, 09 Jan 2006 19:53:53 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2000 rec.radio.swap:2130

I have one extra Cyfre CA-819 Dual Band cell phone amplifier, some specs below. Just connect to your cel phone (with optional cel phone antenna jack (depends on cell phone model) and boost output and receive - asking $250 shipped (within lower 48)

E-mail me for more info or photos.

CYFRET CA-819 Direct Connect Amplifier
Dual Band Wired Amplifier for all North American 800 MHz & 1900 MHz carrier systems (excluding iDEN Networks)
Features / Benefits
. Increase revenue through customer retention
. Less cell site build out
. Keeps customers connected to utilize the full potential of their phones and network services.
. Carrier friendly in urban areas
. Increases data traffic & data speeds
. Communication only occurs through the RSSI of the handsets
. Requires zero additional bandwidth from cell towers
. Case designed for Zero RF Emissions

CyfreT Amplifiers seamlessly bridges RF amplification between Cell Towers and todays elaborate handsets without disrupting the carrier's tower management Networks. Thus, the entire CyfreT line of amplifiers becomes an integral part of all wireless network solutions.
Network Compatibility
Cyfre'sT creation of the Digital Microprocessor, combined with licensed Motorola patented technology, have achieved compatibility with the following standards.
CDMA 2000, TIA/E-98-A&D, 1xRTT, TIA/EIA-690 Analog (dual-mode), IS-95-A&D, and GSM.

From -9715961168057552
X-Google-Thread: 108122,9c69234c83a0fd58,start

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller2.gnilink.net!gnilink.net!trndny07.POSTED!ab04ac0a!
not-for-mail
Reply-To: "N1RZB" <n1rzb@verizon.net>
From: "N1RZB" <n1rzb@verizon.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Wanted: Impossible Dream? Heath Kit
Lines: 10
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <R6Ewf.1769$%W3.195@trndny07>
Date: Tue, 10 Jan 2006 01:30:25 GMT
NNTP-Posting-Host: 70.109.146.46
X-Complaints-To: abuse@verizon.net
X-Trace: trndny07 1136856625 70.109.146.46 (Mon, 09 Jan 2006 20:30:25 EST)
NNTP-Posting-Date: Mon, 09 Jan 2006 20:30:25 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2001

Ok, everyone who reads this post will say, I'm crazy. I have to ask for that
,Impossible Dream. I am looking for any one of  these Heath Kit,  DX 35 , DX
40 or DX 60.  In the box, never built, tucked away and forgotten for years.
I am hoping  that someone can make  my dream come true. Please email if you
can.

"73" N1RZB
David J. Moge




From -7883125371558546223
X-Google-Thread: 108122,97cbbb0ec7c7601b,start
X-Google-Thread: 114aac,97cbbb0ec7c7601b,start
X-Google-Thread: 115730,97cbbb0ec7c7601b,start
X-Google-Thread: 1131b0,97cbbb0ec7c7601b,start
X-Google-Thread: 107cee,97cbbb0ec7c7601b,start
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-
mail
From: dances_with_barkadas@yahoo.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.elec
tronics.repair,sci.electronics.misc
Subject: economical bandpass audio filter?
Date: 9 Jan 2006 18:37:49 -0800
Organization: http://groups.google.com
Lines: 6
```

Message-ID: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
NNTP-Posting-Host: 164.231.65.28
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136860674 627 127.0.0.1 (10 Jan 2006 02:37:54 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Jan 2006 02:37:54 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT
4.0),gzip(gfe),gzip(gfe)
X-HTTP-Via: 1.0 cache-1.msc.navy.mil:80 (squid/2.5.STABLE5)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=164.231.65.28;
   posting-account=VxxLiw0AAACNP_jGMLwHAdnOye2y2QsO
Xref: g2news1.google.com rec.radio.amateur.equipment:2002
rec.radio.shortwave:18356 sci.electronics.equipment:1317
sci.electronics.repair:11260 sci.electronics.misc:2337

seek recommendations. for voice intelligibility enhancement on a orderwire copper-pair.

professional marine application. sturdiness is more important than bleeding-edge performance.

From -5365681214594325 67
X-Google-Thread: 108122,9c69234c83a0fd58
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!d89a2db8!
not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <R6Ewf.1769$%W3.195@trndny07>
Subject: Re: Wanted: Impossible Dream? Heath Kit
Lines: 17
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <ZyGwf.33965$uy3.6053@trnddc08>
Date: Tue, 10 Jan 2006 04:16:57 GMT
NNTP-Posting-Host: 63.19.170.214
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1136866617 63.19.170.214 (Mon, 09 Jan 2006 23:16:57 EST)
NNTP-Posting-Date: Mon, 09 Jan 2006 23:16:57 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2003

"N1RZB" <n1rzb@verizon.net> wrote in message
news:R6Ewf.1769$%W3.195@trndny07...
> Ok, everyone who reads this post will say, I'm crazy. I have to ask for
> that ,Impossible Dream. I am looking for any one of these Heath Kit, DX
> 35 , DX 40 or DX 60. In the box, never built, tucked away and forgotten
> for years. I am hoping that someone can make my dream come true. Please
> email if you can.
>
> "73" N1RZB
> David J. Moge
>Nice rigs- had one myself as a novice. Hope you have deep pockets.
>Something like this on EBay would fetch over a kilobuck.

Dale W4OP

From 5273298389639480172
X-Google-Thread: 108122,9c69234c83a0fd58
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmnpeer01.phx!hwmedia!news-wrt-01.tampabay.rr.com!news-
feed-01.tampabay.rr.com!news.rr.com!news-post.tampabay.rr.com!
tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: **THE-RFI-EMI-GUY** <rhyolite@nettally.com>
User-Agent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040803
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Impossible Dream? Heath Kit
References: <R6Ewf.1769$%W3.195@trndny07> <ZyGwf.33965$uy3.6053@trnddc08>
In-Reply-To: <ZyGwf.33965$uy3.6053@trnddc08>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 8bit
Lines: 38
Message-ID: <aOGwf.7761$nT.1793@tornado.tampabay.rr.com>
Date: Tue, 10 Jan 2006 04:33:10 GMT
NNTP-Posting-Host: 65.33.238.179
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1136867590 65.33.238.179 (Mon, 09 Jan 2006
23:33:10 EST)
NNTP-Posting-Date: Mon, 09 Jan 2006 23:33:10 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2004

I am always amazed at how much someone will pay for an unbuilt Heathkit
when a built one goes for a pittance. If you put it together, it is
worthless! It is a case of wanting your cake and eating it too.

Dale Parfitt wrote:

```
>"N1RZB" <n1rzb@verizon.net> wrote in message
>news:R6Ewf.1769$%W3.195@trndny07...
>
>
>>Ok, everyone who reads this post will say, I'm crazy. I have to ask for
>>that ,Impossible Dream. I am looking for any one of  these Heath Kit,  DX
>>35 , DX 40 or DX 60.  In the box, never built, tucked away and forgotten
>>for years. I am hoping  that someone can make  my dream come true. Please
>>email if you can.
>>
>>"73" N1RZB
>>David J. Moge
>>Nice rigs- had one myself as a novice. Hope you have deep pockets.
>>Something like this on EBay would fetch over a kilobuck.
>>
>>
>
>Dale W4OP
>
>
>
>

--
Joe Leikhim K4SAT
"The RFI-EMI-GUY"�

"Treason doth never prosper: what's the reason?
For if it prosper, none dare call it treason."

"Follow The Money"  ;-P



From 279974463757122124
X-Google-Thread: 106284,f5d86b8625562aca
X-Google-Thread: 108122,e43ca6ee5fab9880
X-Google-Thread: 107ada,e43ca6ee5fab9880
X-Google-Thread: 10bf43,e43ca6ee5fab9880
X-Google-Thread: 106d41,e43ca6ee5fab9880
X-Google-Thread: fa029,e43ca6ee5fab9880
X-Google-Thread: 114aac,e43ca6ee5fab9880
X-Google-Attributes:
gid106284,gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
newsfeed2.telusplanet.net!newsfeed.telusplanet.net!newsfeed.telus.net!
clgrps13.POSTED!53ab2750!not-for-mail
Newsgroups: alt.fan.art-
bell,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,r
ec.radio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
Subject: Re: Ham Radio, How I got caught
From: Panzer240 <panzer240@hotmail.com>
```

References: <VEvwf.4658$fb4.823@newssvr14.news.prodigy.com>
<b47a5$43c2d309$d1cc45e6$24055@snip.allthenewsgroups.com> <GuKdneYz5s4gb1_eRVn-jw@giganews.com>
Organization: QAR
Message-ID: <Xns97477F54A5B0fw190a8@198.80.55.250>
Followup-To: rec.radio.scanner,rec.radio.shortwave
User-Agent: Xnews/5.04.25
X-Face: $&/X$V,"S*#uz+{oLU'^h)QCF*4h'r$f("jr/$#M!Dt&CR9(9ju%ntlWj$kN7S{)n^fK'VC L|
TA8NouNwLeq~OD-&Y(=FdX+lD@%H%=7w-w*vaS79ke<Cs%n)'&dm#<Ktc6:_[FhYWae&YI/GLrpD
ehoTc4x)+XNdGI`,T((uEs~&1n0_5C2\\e[i|I%|cN6:]L%b5(WS}IiFEkC"q
Lines: 20
Date: Tue, 10 Jan 2006 04:46:58 GMT
NNTP-Posting-Host: 24.222.91.95
X-Trace: clgrps13 1136868418 24.222.91.95 (Mon, 09 Jan 2006 21:46:58 MST)
NNTP-Posting-Date: Mon, 09 Jan 2006 21:46:58 MST
Xref: g2news1.google.com alt.fan.art-bell:28883 rec.radio.amateur.equipment:2005 rec.radio.amateur.misc:3394 rec.radio.amateur.policy:11565 rec.radio.cb:4411 rec.radio.scanner:1683 rec.radio.shortwave:18361

"Darkwing" <theducksmail"AT"yahoo.com> wrote in news:GuKdneYz5s4gb1_eRVn-jw@giganews.com:

>
> Ham is out, CB is in. Breaker 1-9, what's your 20? We got us a smoky bear
> heading eastbound on the I-80, come back driver.
>
> ------------------------------------
> DW
>
>
>
>

Yawn that's soooo last century.

--
Panzer

From 8302559593773013735
X-Google-Thread: 108122,9c69234c83a0fd58
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!proxad.net!news.wiretrip.org!border2.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-05!sn-post-ams-01!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Wanted: Impossible Dream? Heath Kit
Date: Mon, 09 Jan 2006 21:52:23 -0700
Organization: Posted via Supernews, http://www.supernews.com

```
Message-ID: <j3f6s1d5nrdp71qofq3n86g8gan9kemv68@4ax.com>
References: <R6Ewf.1769$%W3.195@trndny07> <ZyGwf.33965$uy3.6053@trnddc08>
<aOGwf.7761$nT.1793@tornado.tampabay.rr.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 43
Xref: g2news1.google.com rec.radio.amateur.equipment:2006

Not me.  I would dearly love to find an unbuilt Johnson Ranger II.  I
would build it just to be able to use it.  I wouldn't care what it did
to the value.  However, if there was one somewhere, I know the cost
would be completely out of sight.  So it's just a dream.

I had a chance back in the 80's to buy a Ranger II that was factory
built, and absolutely mint.  Guy wanted $100 at a swap meet.  I didn't
buy it and have been kicking myself ever since.

Dick

On Tue, 10 Jan 2006 04:33:10 GMT, **THE-RFI-EMI-GUY**
<rhyolite@nettally.com> wrote:

>I am always amazed at how much someone will pay for an unbuilt Heathkit
>when a built one goes for a pittance. If you put it together, it is
>worthless! It is a case of wanting your cake and eating it too.
>
>Dale Parfitt wrote:
>
>>"N1RZB" <n1rzb@verizon.net> wrote in message
>>news:R6Ewf.1769$%W3.195@trndny07...
>>
>>
>>>Ok, everyone who reads this post will say, I'm crazy. I have to ask for
>>>that ,Impossible Dream. I am looking for any one of  these Heath Kit,  DX
>>>35 , DX 40 or DX 60.  In the box, never built, tucked away and forgotten
>>>for years. I am hoping  that someone can make  my dream come true. Please
>>>email if you can.
>>>
>>>"73" N1RZB
>>>David J. Moge
>>>Nice rigs- had one myself as a novice. Hope you have deep pockets.
>>>Something like this on EBay would fetch over a kilobuck.
>>>
>>>
>>
>>Dale W4OP
>>
>>
>>
>>
```

```
From 5354138813834738370
X-Google-Thread: 108122,97cbbb0ec7c7601b
X-Google-Thread: 114aac,97cbbb0ec7c7601b
X-Google-Thread: 115730,97cbbb0ec7c7601b
X-Google-Thread: 1131b0,97cbbb0ec7c7601b
X-Google-Thread: 107cee,97cbbb0ec7c7601b
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!gnilink.net!news-feed-01.rdc-nyc.rr.com!news.rr.com!news-
out.nyc.rr.com!news-wrt-01.rdc-nyc.rr.com.POSTED!53ab2750!not-for-mail
From: Dan Conti <dconti@nj.rr.com>
User-Agent: Mozilla Thunderbird 1.0.6 (Windows/20050716)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.elec
tronics.repair,sci.electronics.misc
Subject: Re: economical bandpass audio filter?
References: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
In-Reply-To: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 1
Message-ID: <ksHwf.42199$i1.31026@news-wrt-01.rdc-nyc.rr.com>
Date: Tue, 10 Jan 2006 05:18:08 GMT
NNTP-Posting-Host: 24.168.142.139
X-Complaints-To: abuse@rr.com
X-Trace: news-wrt-01.rdc-nyc.rr.com 1136870288 24.168.142.139 (Tue, 10 Jan 2006
00:18:08 EST)
NNTP-Posting-Date: Tue, 10 Jan 2006 00:18:08 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2007
rec.radio.shortwave:18363 sci.electronics.equipment:1321
sci.electronics.repair:11292 sci.electronics.misc:2340

When are they coming for Cuhulin?


From -4452093925030374541
X-Google-Thread: 108122,97cbbb0ec7c7601b
X-Google-Thread: 114aac,97cbbb0ec7c7601b
X-Google-Thread: 115730,97cbbb0ec7c7601b
X-Google-Thread: 1131b0,97cbbb0ec7c7601b
X-Google-Thread: 107cee,97cbbb0ec7c7601b
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
```

From: miso@sushi.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.electronics.repair,sci.electronics.misc
Subject: Re: economical bandpass audio filter?
Date: 10 Jan 2006 01:54:35 -0800
Organization: http://groups.google.com
Lines: 9
Message-ID: <1136886875.748180.255640@g14g2000cwa.googlegroups.com>
References: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
NNTP-Posting-Host: 216.27.181.190
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136886880 17387 127.0.0.1 (10 Jan 2006 09:54:40 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Jan 2006 09:54:40 +0000 (UTC)
In-Reply-To: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.7.12)
Gecko/20050915 Firefox/1.0.7,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=216.27.181.190;
   posting-account=l2TzZAwAAAAsCKt7rXUtDXzcqYdjYZDP
Xref: g2news1.google.com rec.radio.amateur.equipment:2008
rec.radio.shortwave:18383 sci.electronics.equipment:1323
sci.electronics.repair:11299 sci.electronics.misc:2343

It might help to describe the application in more detail.

dances_with_barkadas@yahoo.com wrote:
> seek recommendations. for voice intelligibility enhancement on a
> orderwire copper-pair.
>
> professional marine application. sturdiness is more important than
> bleeding-edge performance.

From 7081212157591113689
X-Google-Thread: 108122,97cbbb0ec7c7601b
X-Google-Thread: 114aac,97cbbb0ec7c7601b
X-Google-Thread: 115730,97cbbb0ec7c7601b
X-Google-Thread: 1131b0,97cbbb0ec7c7601b
X-Google-Thread: 107cee,97cbbb0ec7c7601b
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread3.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.electronics.repair,sci.electronics.misc

```
Subject: Re: economical bandpass audio filter?
Message-ID: <ise7s11rt0q2ieb6ptgnnbveqhqrths9pi@4ax.com>
References: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Tue, 10 Jan 2006 13:50:39 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.pas.earthlink.net 1136901039 66.133.198.234 (Tue, 10 Jan
2006 05:50:39 PST)
NNTP-Posting-Date: Tue, 10 Jan 2006 05:50:39 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2009
rec.radio.shortwave:18393 sci.electronics.equipment:1324
sci.electronics.repair:11309 sci.electronics.misc:2349

On 9 Jan 2006 18:37:49 -0800, dances_with_barkadas@yahoo.com wrote:

>seek recommendations. for voice intelligibility enhancement on a
>orderwire copper-pair.
>
>professional marine application. sturdiness is more important than
>bleeding-edge performance.
>
They make telephone instruments just for order wires.



From -1734520818420195354
X-Google-Thread: 108122,9c69234c83a0fd58
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc08.POSTED!d89a2db8!
not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups: rec.radio.amateur.equipment
References: <R6Ewf.1769$%W3.195@trndny07> <ZyGwf.33965$uy3.6053@trnddc08>
<aOGwf.7761$nT.1793@tornado.tampabay.rr.com>
<j3f6s1d5nrdp71qofq3n86g8gan9kemv68@4ax.com>
Subject: Re: Wanted: Impossible Dream? Heath Kit
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <35Pwf.33998$uy3.5929@trnddc08>
Date: Tue, 10 Jan 2006 13:59:27 GMT
```

NNTP-Posting-Host: 63.19.234.163
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc08 1136901567 63.19.234.163 (Tue, 10 Jan 2006 08:59:27 EST)
NNTP-Posting-Date: Tue, 10 Jan 2006 08:59:27 EST
Xref: g2news1.google.com rec.radio.amateur.equipment:2010

"Dick" <LeadWinger> wrote in message
news:j3f6s1d5nrdp71qofq3n86g8gan9kemv68@4ax.com...
> Not me. I would dearly love to find an unbuilt Johnson Ranger II. I
> would build it just to be able to use it. I wouldn't care what it did
> to the value. However, if there was one somewhere, I know the cost
> would be completely out of sight. So it's just a dream.
>
> I had a chance back in the 80's to buy a Ranger II that was factory
> built, and absolutely mint. Guy wanted $100 at a swap meet. I didn't
> buy it and have been kicking myself ever since.
>
> Dick
>

Hi Dick,
You could take my approach. I have a Johnson Navigator in fair condition. I am 100% disassembling it- rebuilding the wire harness out of teflon, replacing all the screw with stainless, glass bead etching the chassis, silk screening the frot panel (the right way- Johnson has the worst paint jobs of any boatanchors)- and then having the fun of assembling a one of a kind rig.

Dale W4OP

From 9055633410162935539
X-Google-Thread: 108122,97cbbb0ec7c7601b
X-Google-Thread: 114aac,97cbbb0ec7c7601b
X-Google-Thread: 115730,97cbbb0ec7c7601b
X-Google-Thread: 1131b0,97cbbb0ec7c7601b
X-Google-Thread: 107cee,97cbbb0ec7c7601b
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.clear.net.nz!news.clear.net.nz.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 10 Jan 2006 13:13:06 -0600
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.electronics.repair,sci.electronics.misc
From: Jasen Betts <jasen@free.net.nospam.nz>
Subject: Re: economical bandpass audio filter?
References: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
Followup-To: sci.electronics.misc
User-Agent: slrn/0.9.8.1 (Debian)

Message-ID: <3094.43c39286.4c01d@clunker.homenet>
Date: Tue, 10 Jan 2006 10:55:02 -0000
X-Original-NNTP-Posting-Host: news.compass.net.nz
X-Original-Trace: 11 Jan 2006 08:13:03 +1300, news.compass.net.nz
Organization: CLEAR Net New Zealand http://www.clear.net.nz - Complaints abuse@clear.net.nz
Lines: 32
NNTP-Posting-Host: 203.97.37.6
X-Trace: sv3-C0AY6Cy5tPwiRzK85Zu2UoB8Kij0KR/DXLC3TqeLT2EY4WVxN0GDsC28v22mgl8xFAEe8R0eiJcwTuU!Z3ulL6nN//v461B7pcoPCzajdzZ9UtMvgwloACGix/jK6B6WtiKeDiU3slz3ty++dRtE+YAHHA==
X-Complaints-To: Complaints to abuse@clear.net.nz
X-DMCA-Complaints-To: Complaints to abuse@clear.net.nz
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2011 rec.radio.shortwave:18417 sci.electronics.equipment:1325 sci.electronics.repair:11321 sci.electronics.misc:2360

["Followup-To:" header set to sci.electronics.misc.]
On 2006-01-10, dances_with_barkadas@yahoo.com <dances_with_barkadas@yahoo.com> wrote:

> seek recommendations. for voice intelligibility enhancement on a
> orderwire copper-pair.

ordinary copper wire pair?

check that the devices at each end are operating correctly
and have the correct power supply etc..

maybe you need a better microphone?
possiblly one with background noise rejection.

amplify the signal before putting it into the wire
then the noise will be less significant

bandpass filter 300-3000Hz

encode the audio digitally (probably major overkill)

> professional marine application. sturdiness is more important than
> bleeding-edge performance.

keep the wires dry and waterproof all junctions...
i'd look at liquid electrical tape unless you have a superior product.

keep them away from power runs or rune them in a separate conduit from
the power

Bye.

```
   Jasen


From 5316652867529647401
X-Google-Thread: 108122,96137c3dcd2a00a0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: "ik7ytt" <ik7ytt@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: New unused Military Antenna Tripod kit FS
Date: 10 Jan 2006 15:39:54 -0800
Organization: http://groups.google.com
Lines: 19
Message-ID: <1136936394.349170.66790@f14g2000cwb.googlegroups.com>
References: <1136824936.236354.5000@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 62.94.206.69
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136936399 12732 127.0.0.1 (10 Jan 2006 23:39:59 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 10 Jan 2006 23:39:59 +0000 (UTC)
In-Reply-To: <1136824936.236354.5000@g47g2000cwa.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=62.94.206.69;
   posting-account=e2YaMw0AAADIOGNyJ_Ffy0TrUJCdsJbe
Xref: g2news1.google.com rec.radio.amateur.equipment:2012

do you have photo?
i don't want guy how high can reach?
can you shipp in italy with usps?

thanks Andy ik7ytt

safetypro wrote:
> NEW MILITARY 48" FIBERGLASS MAST ANTENNA SECTIONS KIT. THE MAST
> SECTIONS ARE FOUR FEET LONG, AND STACK ONE ON TOP OF THE OTHER. THE
> MAST SECTIONS HAVE ONE MALE AND ONE FEMALE END ON EACH SECTION. WHEN
> YOU SLIDE FOUR SECTIONS TOGETHER YOU GET EXACTLY 15 FEET OF USABLE
> LENGTH. THE PIPES WEIGH ONLY TWO AND A HALF POUNDS EACH. THIS KIT
> CONTAINS TWELVE 48" LONG FIBERGLASS MAST SECTIONS, ONE NEW CARRY BAG,
> ONE TRIPOD BRACKET, TWO GUY RINGS, TWO SPREADERS, AND NINE ALUMINUM
> STAKES. ALL THE ITEMS IN THE KIT ARE NEW. THE TRIPOD AND GUY RINGS ARE
> AVAILABLE POWDER COATED GREEN.
>
> $110+shipping (est $45 ground shipping)
```

```
From 1862849541125341549
X-Google-Thread: 108122,4d899c693fb10833,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Motorola R2038D HS Comms System Analyzer
Message-ID: <fjk8s1t3uqg8j2hh00kbh13c67den51kmj@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 19
Date: Tue, 10 Jan 2006 19:34:00 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136939639 68.193.1.58 (Tue, 10 Jan 2006 17:33:59 MST)
NNTP-Posting-Date: Tue, 10 Jan 2006 17:33:59 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2013

FS: Motorola R2038D HS Comms System Analyzer
Motorola R-2038D HS Communications System Analyzer,  in very
good condition complete with its front cover and the RTL-4055
Wattmeter Adaptor.   This unit has a crisp, bright display and is
cosmetically in good shape except for a couple of scratches and
very   minor dents. It was in a lab most of its life and then I got it
and used it for my repeater systems. Don't need it any more.
And its in VERY nice shape was'nt used in the field, so it did'nt get
banged around. I'm a non smoker.
*Spectrum Analyzer*Duplex Generator*Modulation Scope*General Purpose
Scope*Frequency Counter*AC-DC Voltmeter*RF Wattmeter*Multimode Code
Synthesizer*Sweep Generator*Signal Stength Meter
This Unit will take care of most all of your encoding and decoding
needs. It is also fitted with the HS. High Stability Option.
Its a nice clean and great working unit!!!!!
Make offer.  Please don't ask what I want for it, just make offer and
I'm ready to sell right away.  Can pick up in Essex County New Jersey
or I can ship it.
ritchi50@optonline.net


From 2665629913903063398
X-Google-Thread: 108122,97cbbb0ec7c7601b
X-Google-Thread: 114aac,97cbbb0ec7c7601b
X-Google-Thread: 115730,97cbbb0ec7c7601b
X-Google-Thread: 1131b0,97cbbb0ec7c7601b
X-Google-Thread: 107cee,97cbbb0ec7c7601b
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
```

newsfeeds.sol.net!63.218.45.205.MISMATCH!posts.news.twtelecom.net!
nnrp3.twtelecom.net!not-for-mail
Date: Tue, 10 Jan 2006 23:00:36 -0600
From: Jayseebee <Jayseebee@nowhere.com>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.elec
tronics.repair,sci.electronics.misc
Subject: Re: economical bandpass audio filter?
References: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
In-Reply-To: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <43c49190$0$3759$39cecf19@news.twtelecom.net>
Organization: Time-Warner Telecom
NNTP-Posting-Date: 11 Jan 2006 05:03:13 GMT
NNTP-Posting-Host: 3f2adf4d.news.twtelecom.net
X-Trace: DXC=NRlc3<IEg6HJAGY9:Pa>5EC_A=>8kQj6M=_1NR_H?
JPMAf7aKZ0gGQM;M\7oLJi^d@aEiQSh5=KlN
X-Complaints-To: abuse@twtelecom.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2014
rec.radio.shortwave:18468 sci.electronics.equipment:1340
sci.electronics.repair:11349 sci.electronics.misc:2372

Actually we (retired and Ex ATT,Bell,SBC and now ATT again) used to do a frequency run test with an audio signal generator and a receive measuring device at the far end. If needed we would put in a equalizing unit (Wescom, Teltrend, etc) that we could adjust the 300-to 3khz slope (sometimes up to 8khz for audio program loops for radio broadcast) with to make all frequencies as flat as possible or boost the level of the freqs as needed. You can get even more technical in the time delay at different frequencies on the same copper path traveling from one end to the other. Lets see what this stirs up.

JCB

dances_with_barkadas@yahoo.com wrote:
> seek recommendations. for voice intelligibility enhancement on a
> orderwire copper-pair.
>
> professional marine application. sturdiness is more important than
> bleeding-edge performance.
>

From -3046146617900933797
X-Google-Thread: 108122,97cbbb0ec7c7601b
X-Google-Thread: 114aac,97cbbb0ec7c7601b
X-Google-Thread: 115730,97cbbb0ec7c7601b

```
X-Google-Thread: 1131b0,97cbbb0ec7c7601b
X-Google-Thread: 107cee,97cbbb0ec7c7601b
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.elec
tronics.repair,sci.electronics.misc
Subject: Re: economical bandpass audio filter?
Date: Tue, 10 Jan 2006 23:05:12 -0600
Lines: 16
Message-ID: <42ji08F1iv9ahU1@individual.net>
References: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net rtrwEbe6LIFvTEhqWDzEIgWS8PuE3LAm8ziMz7tbvZyzV/c/Bj
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:2015
rec.radio.shortwave:18469 sci.electronics.equipment:1341
sci.electronics.repair:11350 sci.electronics.misc:2373

Digitizing it, then running it on a network would give you the best
voice quality, and the network can be used for other data
( environmental, remote control, alarms, ect) plus it would be relatively
simple to set up..

dances_with_barkadas@yahoo.com wrote:

> seek recommendations. for voice intelligibility enhancement on a
> orderwire copper-pair.
>
> professional marine application. sturdiness is more important than
> bleeding-edge performance.
>

--
Bob N9LVU


From 2836305934223364457
X-Google-Thread: fc8b1,5339e823d2755266,start
X-Google-Thread: fc2a5,5339e823d2755266,start
X-Google-Thread: 108122,5339e823d2755266,start
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-
```

```
for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment
Subject: FA: Globe 46+ air variables+stuff
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <aH8xf.246590$qk4.2953@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 7d88d52886200e47729fc1a8963c9542
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1136990022 7d88d52886200e47729fc1a8963c9542 (Wed, 11 Jan 2006 14:33:42 GMT)
NNTP-Posting-Date: Wed, 11 Jan 2006 14:33:42 GMT
Organization: AT&T Worldnet
Date: Wed, 11 Jan 2006 14:33:42 GMT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2234 rec.radio.amateur.homebrew:2755 rec.radio.amateur.equipment:2016

Original GLOBE type 46 that tested very strong + many other air variables
at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

tnx  heytubeguy




From -4793752697091033589
X-Google-Thread: 108122,a2620f3caf9b766b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g43g2000cwa.googlegroups.com!not-for-mail
From: zeb7k@hotmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: kloss 88 radio "booming"
Date: 11 Jan 2006 06:46:39 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1136990799.243979.153920@g43g2000cwa.googlegroups.com>
NNTP-Posting-Host: 72.242.90.77
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136990807 7331 127.0.0.1 (11 Jan 2006 14:46:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Jan 2006 14:46:47 +0000 (UTC)
User-Agent: G2/0.2
```

X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.0; en-US; rv:1.8) Gecko/20051111 Firefox/1.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g43g2000cwa.googlegroups.com; posting-host=72.242.90.77;
   posting-account=hwIPXA0AAACafVgeU7NVnjavE168Ohd9
Xref: g2news1.google.com rec.radio.amateur.equipment:2017

Sorry I tried alt.audio.equipment with no luck.

I have a Kloss model 88 radio connected to a nearby PC that has one of those Win/TV cards.   I wired the audio out of the TV card to the CD inputs of the radio.   The CD inputs are RCA jacks.

The setup works OK, but every once in a while the radio starts "booming".   By this I mean it sounds like the bass was turned way up. If I touch or jiggle the back connection the booming goes away. The same thing happens if I use the stereo plug AUX input.

What's happening here and how do I stop it?

(PS. The radio does not have separate a grounding connection.)

--zeb

From -1805520904162685114
X-Google-Thread: 108122,bf19b333cee57919,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: RE: Motorola R2038D HS SOLD
Message-ID: <fn9as1dgsl48v77aej54h1r78bncv3hk8p@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Wed, 11 Jan 2006 10:40:39 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136994038 68.193.1.58 (Wed, 11 Jan 2006 08:40:38 MST)
NNTP-Posting-Date: Wed, 11 Jan 2006 08:40:38 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2018

RE: Motorola R2038D HS SOLD
Thanks for all replies.
Rich

```
From 5392083254148514037
X-Google-Thread: fc8b1,b8a36db29538d4fe,start
X-Google-Thread: 108122,b8a36db29538d4fe,start
X-Google-Thread: fc2a5,b8a36db29538d4fe,start
X-Google-Attributes: gidfc8b1,gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read02.POSTED!53ab2750!not-for-mail
From: "AAA RF Products" <sales@aaarfproducts.com>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebr
ew
Subject: RF Connectors, Adapters & Cable Assemblies
Lines: 13
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <kxbxf.11215$sA3.1997@fed1read02>
Date: Wed, 11 Jan 2006 09:48:40 -0800
NNTP-Posting-Host: 64.58.167.76
X-Complaints-To: abuse@cox.net
X-Trace: fed1read02 1137001680 64.58.167.76 (Wed, 11 Jan 2006 12:48:00 EST)
NNTP-Posting-Date: Wed, 11 Jan 2006 12:48:00 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2238
rec.radio.amateur.equipment:2019 rec.radio.amateur.homebrew:2762
```

For your free copy of our new catalog,

please email sales@AAARFProducts.com

or see www.aaarfproducts.com

or call 949 481 3154 (San Clemente, CA, USA)

No minimum order.

No handling charges

```
From 8568063971915240889
X-Google-Thread: 108122,e0317eb10dc6735c,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g47g2000cwa.googlegroups.com!not-for-
mail
From: proflexive@gmail.com
```

```
Newsgroups: rec.radio.amateur.equipment
Subject: Equipment
Date: 11 Jan 2006 13:07:34 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1137013654.457618.19090@g47g2000cwa.googlegroups.com>
NNTP-Posting-Host: 70.129.110.142
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1137013664 27499 127.0.0.1 (11 Jan 2006 21:07:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Wed, 11 Jan 2006 21:07:44 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.8) Gecko/
20050511 Firefox/1.0.4,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g47g2000cwa.googlegroups.com; posting-host=70.129.110.142;
   posting-account=X0yC1w0AAABwS2zleASwkcPSAVyA9Yvg
Xref: g2news1.google.com rec.radio.amateur.equipment:2020

If you rely on radio, try the following. It looks like a reasonable
alternative.

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&item=5853322693&rd=1&sspagename=STRK%3AMESE%3AIT&rd=1




From 7779191583371625662
X-Google-Thread: 108122,8f78cbf2db852763
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!newsread.com!news-xfer.newsread.com!
nntp.abs.net!newsfeed2.telusplanet.net!newsfeed.telus.net!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!easynews-local!
fe06.news.easynews.com.POSTED!not-for-mail
From: "Travis Jordan" <no.one@no.net>
Newsgroups: rec.radio.amateur.equipment
References: <1136227255.331239.44930@g14g2000cwa.googlegroups.com>
<Xns973F819C52722VeebleFetzer@216.250.184.7>   <slrndrj5od.p4p.bit-
bucket@shell.config.com>   <1136323204.484437.147630@g14g2000cwa.googlegroups.com>
<kd-dnRhjtafvhSbeRVn-qw@comcast.com>
<1136388703.456472.18640@g43g2000cwa.googlegroups.com>
Subject: Re: A slight nuisance-related format change...
Lines: 65
Organization: N/A
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <1wexf.154428$fr6.31378@fe06.news.easynews.com>
X-Complaints-To: abuse@easynews.com
X-Complaints-Info: Please be sure to forward a copy of ALL headers otherwise we
```

will be unable to process your complaint properly.
Date: Wed, 11 Jan 2006 21:11:25 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2021

George.E.Hollis@gmail.com wrote:

> Thanks. My approach to some things is to poke it with a stick and see what happens...

Bad idea.
http://thomas.loc.gov/cgi-bin/query/D?c109:6:./temp/~c109Iy1qN7::

SEC. 114. CRIMINAL PROVISION RELATING TO STALKING.

(a) Interstate Stalking- Section 2261A of title 18, United States Code, is amended to read as follows:

`Sec. 2261A. Stalking

`Whoever--

`(1) travels in interstate or foreign commerce or within the special maritime and territorial jurisdiction of the United States, or enters or leaves Indian country, with the intent to kill, injure, harass, or place under surveillance with intent to kill, injure, harass, or intimidate another person, and in the course of, or as a result of, such travel places that person in reasonable fear of the death of, or serious bodily injury to, or causes substantial emotional distress to that person, a member of the immediate family (as defined in section 115) of that person, or the spouse or intimate partner of that person; or

`(2) with the intent--

`(A) to kill, injure, harass, or place under surveillance with intent to kill, injure, harass, or intimidate, or cause substantial emotional distress to a person in another State or tribal jurisdiction or within the special maritime and territorial jurisdiction of the United States; or

`(B) to place a person in another State or tribal jurisdiction, or within the special maritime and territorial jurisdiction of the United States, in reasonable fear of the death of, or serious bodily injury to--

`(i) that person;

`(ii) a member of the immediate family (as defined in section 115 of that person; or

`(iii) a spouse or intimate partner of that person;

uses the mail, any interactive computer service, or any facility of interstate or foreign commerce to engage in a course of conduct that causes substantial emotional distress to that person or places that person in reasonable fear of the death of, or serious bodily injury to, any of the persons described in clauses (i) through (iii) of subparagraph (B);

shall be punished as provided in section 2261(b) of this title.'.

(b) Enhanced Penalties for Stalking- Section 2261(b) of title 18, United States Code, is amended by adding at the end the following:

`(6) Whoever commits the crime of stalking in violation of a temporary or permanent civil or criminal injunction, restraining order, no-contact order, or other order described in section 2266 of title 18, United States Code, shall be punished by imprisonment for not less than 1 year.'.

```
From 978780674211537929
X-Google-Thread: 108122,94fead6523e2ed
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news3.google.com!news.glorb.com!bigfeed.bellsouth.net!
bignumber.bellsouth.net!news.bellsouth.net!bignews4.bellsouth.net.POSTED!5d6458a7!
not-for-mail
From: "Jerry" <joxendi@bellsouth.net>
Newsgroups: rec.radio.amateur.equipment
References: <K6pvf.3682$Hl6.1003@newsread3.news.pas.earthlink.net>
Subject: Re: Help With Compact Screwdriver Mobile Ant Mt
Lines: 115
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Response
Message-ID: <YHhxf.162201$aS5.71677@bignews4.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
npbhgpngjbkmjfegdbdpiflmbcekedmfhojhikkbagflhcbocajcdkillodpiknfnlmcoepmifmiilhkld
jfilddljbecidofkinaejbchcdbbiehenjociniaihihdllnmboajbmonmmbfabhfokipbhgdhggfd
NNTP-Posting-Date: Wed, 11 Jan 2006 19:48:56 EST
Organization: BellSouth Internet Service
Date: Wed, 11 Jan 2006 19:51:33 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:2022
```

"Doug Gavilanes" <gavilan1@earthlink.net> wrote in message news:K6pvf.3682$Hl6.1003@newsread3.news.pas.earthlink.net...

> Greetings from So.Cal.
>
> I'm at wits end, now having gone through 4 antenna mounts on my vehicle.
> This is the situation: I have a Jeep Wrangler, on the rear of which I

> have a trail rack (for cargo, and mounting Gerry cans). Over the last few years, the trail rack has become my mobile antenna farm, hosting a Diamond NR770 NMO dual band whip, a 1/2 wave Larsen base loaded NMO 220MHz whip, a 1/2 wave Larsen base loaded NMO 144MHz whip (for APRS), and a Larsen VHF-UHF-800/900MHz NMO center loaded monitor antenna. For HF, I mounted a K400 mount with 3/8" stud for a Lil' Tarheel II compact screwdriver (16" body, plus 5' whip), on the left rear corner of the trail rack (about 6' off of the ground). This location puts the antenna at a high point at the rearmost location on my Jeep. Being a short wheelbase vehicle with a 3" lift and 32" tires, the ride is inherently bouncy. The daily commute on the I-405 in the South Bay of the L.A. basin injects speeds of 5 to 70MPH during the commute. To date, I have cracked the base plate of the trunk lip K400 mount around the front edge of the round protrusion where the adjustable head of the mount supports the antenna. Twice, on separate new K400 mounts. The K400 is too flimsy (the fact that it is being made in China from metal not of the same original stainless grade as the original article is a separate issue) to support the stiff antenna, which is bounced and rocks front to back and side to side on every bump, dip, and pothole. Complicating matters is that the mount is at the rearmost and highest point on the rear of the vehicle, and the momentum of flexation is greatest at this spot. However, it is the absolute best spot to mount the antenna for performance and loading (perfectly flat on all bands 10 through 75M).
>
> My Alinco DX-70T only delivers 100W, and when mobile in motion, doesn't always have enough punch, so I enlisted an amp that would provide me with about 200W PEP, the max. rating of the Tarheel II. The amp exceeded this a few times, and after replacing the coil once, Tarheel informed me that a new compact version was under development, with a max. rating of 500W PEP. Armed with this knowledge, I installed an Ameritron ALS-500M with remote and soon abandoned the K400 and smaller Tarheel II for the heavier duty Tarheel "Stubby" (16" body with 5' whip) and a new Hustler stainless ball mount. Worked great, but within two weeks, upon arriving at my office one day, a co-worker asked me if my antenna had broken. When I went out to check, the antenna had rotated down at a 45� angle into a big 6.5' curb feeler mode into the left parking space next to me. I removed the antenna, and found that the outer ball half had cracked at the 3/8" stud that protrudes from it, causing the ball to loosen and slip. The candy store was nice enough to replace the part under warranty, and that night I was back on the air.
>
> A couple of weeks later, I noticed (during my daily mount checks provoked by the paranoia of losing a $350+ antenna on the freeway, and causing an accident, to boot) that some "wiggle" had developed between the 3/8" stud exiting the outer ball half, and the outer ball half itself. Enough movement to make me fear that another 30 or 40 miles would be enough to snap off the antenna cleanly from the replacement ball mount, unexpectedly. I removed the antenna, and searched for a stronger mount. I remember the old Motorola stainless ball mounts from the Broderick Crawford 2150 days, and that they were nearly bullet-proof. I also remembered that Antenna Specialists made them for Motorola (ASP-3, or something like that). These are as rare as $3 bills nowadays, since A/S abandoned making them. However, I collected an ancient Batwing ball mount

> with a cracked gray phenolic base (too bad, as that's where the Moto
> branding was) years ago at the swapmeet, so I tore my garage apart and
> finally located the old gem. I retired the Hustler stainless hardware,
> and installed the Moto / A/S stainless hardware into the black phenolic
> Hustler baseplate. Perfect fit, and very tight mount (no slop at all).
> About three and a half weeks have passed, and I have just discovered the
> same "wiggle" that caused me to scrap the Hustler ball mount. Needless to
> say, my screwdriver is again off the air.
>
> Sorry for the preceding "diary" - but a good understanding of my dilemma
> couldn't hurt. Now, does anyone out there know of a strong 3/8" stud
> mount that will support my screwdriver (which probably weighs about 8 to
> 10 pounds, with a 16" body, 2" dia. coil, and 5' whip) now and forever?
>
> I am able to bolt into the 1" square tubes of the trail rack - that's how
> I affixed the fabricated steel mounting plate that I put on the side of
> the rack to host the ball mount. The top and bottom tubes are about 4"
> apart. Can anyone offer a practical solution? My HF capability is
> important to me (ARES emergency comms and stuff, you know...). Thanks in
> advance.
>
> 73 de Doug, N6XQY

Doug,

If I understand you correctly, you have changed over to a sort of full-sized screwdriver? If so, I might suggest that you got to a slider mount that slips into the end of a Drawtite or Reese hitch. It is shaped like a reversed "F" with the center bar of the "F" facing to the outside of the hitch. It seems you ARE suffering from vibration severe enough to cause the kind of damage you are experiencing. *IF* you ARE using basically a full-sized screwdriver, the advantage of this is you can secure the antenna FULLY at the top of the now upside down "F" with a piece of Lexan (non-conductive). It firmly prevents any "wiggle" and absorbs most of the shock by taking most of the strain off the bottom of the antenna and spreads the load across a wider area. Granted, it is better if you can have the antenna up and away from ground losses, but my experiences have been that the securely fastened, essentially bumper-mounted antenna works quite well-and, of course, prevents the extreme shocks that a single-point mount must absorb on its own.

I hope you find a solution and I hope that I might help in your search for what has to be a very frustrating problem for you. I, too, am heavily involved in emergency comms (CAP) and I have a 3" diameter antenna that has been mounted on my Chevy S-10 for 2 years + with no problems. If you hit the mount, it would probably destroy the antenna and mount.

73

Jerry

www.qsl.net/k4kwh
>

```
From -54477000486310693
X-Google-Thread: 108122,9a489e80bd447ad3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-
filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Hallicrafters SX-88 Reciever
Message-ID: <gmgbs1h1459hjqr3mi1fr0pteh984nkni7@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Wed, 11 Jan 2006 21:45:41 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1137033938 68.193.1.58 (Wed, 11 Jan 2006 19:45:38 MST)
NNTP-Posting-Date: Wed, 11 Jan 2006 19:45:38 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2023

WTB: Hallicrafters SX-88 Reciever
Please reply with condition and price.
ritchi50@optonline.net


From 3050630040459222161
X-Google-Thread: 112f4a,c70514fd49defada
X-Google-Thread: 115730,c70514fd49defada
X-Google-Thread: fc2a5,c70514fd49defada
X-Google-Thread: 108122,c70514fd49defada
X-Google-Attributes: gid112f4a,gid115730,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:
sci.geo.meteorology,sci.electronics.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.equipment
Subject: Re: Reliable Inexpensive Electronic Weather Instruments
Date: 11 Jan 2006 20:50:03 -0800
Organization: http://groups.google.com
Lines: 4
Message-ID: <1137041403.687626.83670@f14g2000cwb.googlegroups.com>
References: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
```

```
NNTP-Posting-Host: 4.252.213.247
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1137041408 25829 127.0.0.1 (12 Jan 2006 04:50:08 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 12 Jan 2006 04:50:08 +0000 (UTC)
In-Reply-To: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=4.252.213.247;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news1.google.com sci.geo.meteorology:2586 sci.electronics.equipment:1367
rec.radio.amateur.homebrew:2796 rec.radio.amateur.equipment:2024
```

Has anyone had any experience with this weather station?

http://www.radioshack.com/product/index.jsp?
pg=1&parentPage=search&cp=&productId=2168157&kw=weather+station&tab=features

```
From 3662123932007705600
X-Google-Thread: 108122,664c5fefa78a868
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
pln-w!spln!dex!extra.newsguy.com!newsp.newsguy.com!enews2
From: "Brian O" <briano1812@lispwest.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How can I get Radio Shack Catalog??
Date: Wed, 11 Jan 2006 22:36:45 -0600
Organization: http://extra.newsguy.com
Lines: 18
Message-ID: <dq4m0m02kbq@enews2.newsguy.com>
References: <Pine.BSI.4.61.0512051624550.14705@malasada.lava.net>
<r8n3q1dtc11vogjhcs2kb2gmbbl4nhiqmb@4ax.com>
<klt3q1l7lgba2prloub709as0u1kpjfumo@4ax.com>
<Pine.BSI.4.61.0512151451390.9955@malasada.lava.net>
<Xns972DBD2EC768Bspectrumhogstarbandn@198.186.192.196>
NNTP-Posting-Host: p-729.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:2025
```

"Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns972DBD2EC768Bspectrumhogstarbandn@198.186.192.196...
>
>

```
>   Other good sources of stuff,  Digikey,  has a very reasonable minimum
> order charge.  And Allied Radio is hard to beat for having everything!
but
> am unsure on there minimum order requirements.
>
>
>   Ed   K7AAT

Its nice to live in a town where you can actually walk into Mouser and
Allied :)
B




From 3591050036528545805
X-Google-Thread: 108122,664c5fefa78a868
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newsfeed.stanford.edu!
pln-w!spln!dex!extra.newsguy.com!newsp.newsguy.com!enews2
From: "Brian O" <briano1812@lispwest.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How can I get Radio Shack Catalog??
Date: Wed, 11 Jan 2006 22:38:53 -0600
Organization: http://extra.newsguy.com
Lines: 24
Message-ID: <dq4m4402kff@enews2.newsguy.com>
References: <Pine.BSI.4.61.0512051624550.14705@malasada.lava.net>
<r8n3q1dtc11vogjhcs2kb2gmbbl4nhiqmb@4ax.com>
<klt3q1l7lgba2prloub709as0u1kpjfumo@4ax.com>
<Pine.BSI.4.61.0512151451390.9955@malasada.lava.net>
<43A9BA67.1020306@comcast.net>
NNTP-Posting-Host: p-812.newsdawg.com
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1478
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1478
Xref: g2news1.google.com rec.radio.amateur.equipment:2026


"Gary" <danahers@comcast.net> wrote in message
news:43A9BA67.1020306@comcast.net...
> Joseph Fenn wrote:
> >>
> >> My last catalog is a 2002, and that was the end.  I agree on the
> >> Mouser catalog.  The only problem with Mouser is that they send one
> >> every 3 months, and they are huge!  To get rid of them I take the last
> >> one to the radio club meeting.  They get taken immediately.
> >>
> >> Dick
> >>
> > What in the heck is "mouser"?  Never herard of it!   Whats the
> > url if you have one...
> >                   Kokomo Joe
> >
> The only problem with Mouser is that they closed their City Sales
> counter when they moved into a new building in Mansfield. I used to be
> able to go over their and pick out exactly what I needed, but no more.

Aw man, I didn't know that! That is too bad.
B




From -2966952767307605613
X-Google-Thread: 108122,b38a97a146f21628,start
X-Google-Thread: fc2a5,b38a97a146f21628,start
X-Google-Attributes: gid108122,gidfc2a5,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!proxad.net!news.tele.dk!news.tele.dk!
small.news.tele.dk!news100.image.dk!tiscali!newsfeed1.ip.tiscali.net!
draco.tiscalinet.it!news-f1.tiscali.it!not-for-mail
From: "SOMMERGIBILE" <mym@iltonobody.it.invalid>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.homebrew
Subject: Increase lelectivity by a Q multiplier
Date: Thu, 12 Jan 2006 10:46:04 +0100
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Lines: 3
Message-ID: <43c62622$0$334$5fc30a8@news.tiscali.it>
Organization: Tiscali SpA
NNTP-Posting-Host: 62.11.91.236
X-Trace: 1137059362 news.tiscali.it 334 62.11.91.236:1040
X-Complaints-To: abuse@tiscali.it
Xref: g2news1.google.com rec.radio.amateur.equipment:2027
rec.radio.amateur.homebrew:2808

http://web.tiscali.it/am2zy/




From 6614364096020268857
X-Google-Thread: 108122,664c5fefa78a868
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!sn-xt-sjc-04!sn-xt-
sjc-07!sn-post-02!sn-post-01!supernews.com!corp.supernews.com!malasada.lava.net!
jfenn
From: Joseph Fenn <jfenn@lava.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How can I get Radio Shack Catalog??
```

```
Date: Thu, 12 Jan 2006 14:11:23 -1000
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <Pine.BSI.4.61.0601121409300.9948@malasada.lava.net>
In-Reply-To: <dq4m0m02kbq@enews2.newsguy.com>
References: <Pine.BSI.4.61.0512051624550.14705@malasada.lava.net>
 <r8n3q1dtc11vogjhcs2kb2gmbbl4nhiqmb@4ax.com>
<klt3q1l7lgba2prloub709as0u1kpjfumo@4ax.com>
 <Pine.BSI.4.61.0512151451390.9955@malasada.lava.net>
 <Xns972DBD2EC768Bspectrumhogstarbandn@198.186.192.196>
<dq4m0m02kbq@enews2.newsguy.com>
MIME-Version: 1.0
Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed
X-Complaints-To: abuse@supernews.com
Lines: 22
Xref: g2news1.google.com rec.radio.amateur.equipment:2028

On Wed, 11 Jan 2006, Brian O wrote:

>
> "Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
> news:Xns972DBD2EC768Bspectrumhogstarbandn@198.186.192.196...
>>
>>
>>   Other good sources of stuff,  Digikey,  has a very reasonable minimum
>> order charge.  And Allied Radio is hard to beat for having everything!
> but
>> am unsure on there minimum order requirements.
>>
>>
>>   Ed   K7AAT
>

Ref Mouser I too finally got in touch with them via email
and they said they would be happy to put me on their mailist
for a Catalog, that was about 3 months ago.  No catalog
received yet.
                   Kokomo Joe




From 1230280176827962106
X-Google-Thread: 107ada,a9e15c4602a5344f,start
X-Google-Thread: 108122,a9e15c4602a5344f,start
X-Google-Attributes: gid107ada,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 12 Jan 2006 18:33:22 -0600
From: "Joe S." <anon@mous.com>
Newsgroups: rec.radio.amateur.misc,rec.radio.amateur.equipment
Subject: Mounting Yaesu FT-857 in Mazda B4000 pickup
Date: Thu, 12 Jan 2006 19:33:45 -0500
```

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <NP2dnWfqurDPaFvenZ2dnUVZ_tadnZ2d@comcast.com>
Lines: 31
NNTP-Posting-Host: 68.47.174.10
X-Trace: sv3-DxBQ+JVDE/
GyWMpzHO3UxZP9dMQibe5FYhWMno5eyvfgOAtv7gAZOcc28dJfc+1SclSCSoFp7TpBIS1!
mfm1UCKWHxanQvb43duRk2u80k2OMG3FyZY29bdEqDxd+xjUeV5DyIYyyOZWMKWlRfCblyK5OWbj!
pEYgjhJlFNfW
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.misc:3456
rec.radio.amateur.equipment:2029
```

Anyone out there mounted an FT-857D in a Mazda B4000 pickup? I have a 1997 B4000, 5-speed, 4WD, and want to put my FT-857D in the truck.

Antennas are no problem -- I will use two stake hole mounts from GeoTool and mount two antennas in the rear stake holes -- VHF/UHF and ATAS-120. Coax will route inside the sides of the bed, under the cab, and into the cab through a hole I drilled in the cavity where the jump seats stow.

The body of the radio will mount on the floor under the driver's seat. Antenna cables will run under the carpet to the radio coming out through a small slit in the carpet. Power cable comes from the battery, over the wheel well, under the truck and up through a hole similar to the antenna cable, then under the carpet to the radio body.

Question is: Where to put the control head?

If I mount it on the floor between the gear shift and the front edge of the seat, I have to lean WAY over to operate the knobs. I could build some sort of platform that secures to the floor between the gear shift and the front edge of the seat, thereby elevating the control head so it's within easy reach.

Another thought I had was to remove the stock AM/FM radio -- which is a double-DIN size -- and replace it with a standard DIN-sized radio. This would leave a DIN-sized hole in the dash where I could put a metal plate painted flat black and mount the control head there, putting it generally in the same place as the car radio.

Any assistance will be appreciated.

```
From -3369305223000325366
X-Google-Thread: 108122,a8b5199bac101469,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
novia!news-xfer.nntp.sonic.net!posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-
mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
Subject: EF Johnson transistor cross reference needed....
Date: Thu, 12 Jan 2006 18:46:59 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Lines: 18
Message-ID: <43c714a5$0$96009$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 13 Jan 2006 02:47:02 GMT
NNTP-Posting-Host: 3da05ee5.news.sonic.net
X-Trace: DXC=;O8m_b0D[lXa`[<=m6Vl:Xm4K\QM1CV^P1OYf0H`?;XQH3?
Ei:=jfNW<Qc7RIG=<OX5h^P9B9PK8]>hI]nHbS44W
X-Complaints-To: abuse@sonic.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2030
```

I'm working on an EF Johnson 1200 series 440 MHz repeater.
One of the transistors in the transmitter is fried, and I have had
no luck finding a replacement. Can anyone help with a cross
reference?

the Johnson part number is 576-0004-055

Its a white, ceramic case with the 4 wide leads. Many RF power
transistors of this type have a stud to attach it to a heatsink.
This one does not.

It has the Motorola symbol, but only the Johnson part number.
I've looked though Motorola data books and cannot even find
this package style.

Steve

```
From 6740427640646629659
X-Google-Thread: 1109af,64bf8965848d14ef,start
X-Google-Thread: 108122,64bf8965848d14ef,start
X-Google-Thread: fc8b1,64bf8965848d14ef,start
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public
```

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
newsfeed2.dallas1.level3.net!news.level3.com!bos-service1.raytheon.com!dfw-
service2.ext.ray.com.POSTED!53ab2750!not-for-mail
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: Anyone parting out a Drake 2A or 2B receiver?
From: k5dh@raytheon.com (-=H=-)
X-Newsreader: WinVN 0.99.9 (Released Version) (x86 32bit)
MIME-Version: 1.0
Content-Type: Text/Plain; charset=US-ASCII
Lines: 15
Message-ID: <X5Oxf.1$xX5.0@dfw-service2.ext.ray.com>
Date: Fri, 13 Jan 2006 13:41:11 GMT
NNTP-Posting-Host: 138.126.48.166
X-Complaints-To: news@ext.ray.com
X-Trace: dfw-service2.ext.ray.com 1137159671 138.126.48.166 (Fri, 13 Jan 2006
07:41:11 CST)
NNTP-Posting-Date: Fri, 13 Jan 2006 07:41:11 CST
Organization: Raytheon Company
Xref: g2news1.google.com rec.radio.swap:2171 rec.radio.amateur.equipment:2031
rec.radio.amateur.boatanchors:2266

Anybody parting out a Drake 2A or 2B receiver?

I need a cabinet and a set of knobs for a 2B that I'm
bringing back to life.  It was damaged during shipment
due to very poor packing.  The condition of the paint
on the cabinet is not important, as long as the metal
is not dented, bent, or badly rusted (light surface
rust is okay).  I'll strip and repaint it.  The knobs
need to be good ones with no cracks and decent chrome.

Can somebody help me out here?

73,
Dean K5DH




From -4171337068082691858
X-Google-Thread: fc8b1,132d97f06291f244,start
X-Google-Thread: fc2a5,132d97f06291f244,start
X-Google-Thread: 108122,132d97f06291f244,start
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn14feed!worldnet.att.net!
bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
```

```
Subject: FA: More air variables added
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <YmSxf.253839$qk4.123744@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 13db549f9f9e56611f7d32e3a9188739
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1137177144
13db549f9f9e56611f7d32e3a9188739 (Fri, 13 Jan 2006 18:32:24 GMT)
NNTP-Posting-Date: Fri, 13 Jan 2006 18:32:24 GMT
Organization: AT&T Worldnet
Date: Fri, 13 Jan 2006 18:32:24 GMT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2275
rec.radio.amateur.homebrew:2847 rec.radio.amateur.equipment:2032
```

Will continue to added a few each or everyother day till I go through all of them. Check back often at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx heytubeguy

```
From 4931608258445978152
X-Google-Thread: 108122,a8b5199bac101469
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
news.astraweb.com!router2.astraweb.com!news-xfer.nntp.sonic.net!
posts.news.sonic.net!nnrp0.nntp.sonic.net!not-for-mail
From: "Steve" <zarco@sonic.net>
Newsgroups: rec.radio.amateur.equipment
References: <43c714a5$0$96009$742ec2ed@news.sonic.net>
Subject: Re: EF Johnson transistor cross reference needed....
Date: Fri, 13 Jan 2006 12:02:38 -0800
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Response
Lines: 30
Message-ID: <43c80765$0$95985$742ec2ed@news.sonic.net>
Organization: Sonic.Net
NNTP-Posting-Date: 13 Jan 2006 20:02:46 GMT
NNTP-Posting-Host: 1ff3192c.news.sonic.net
X-Trace: DXC=GC?QOe<AonV2QIJL5b03;_m4K\QM1CV^P1OYf0H`?;XQE\ka;W2ahYU<Qc7RIG=<OX?
JRm\=XhN\VXnjCDEa4<6^
X-Complaints-To: abuse@sonic.net
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2033

Finally talked to the right folks at Johnson.
If anyone needs info on older equipment, call
the factory at 800-295-1773. The normal service
group has no info on equipment made before 1999.

                         Steve
p.s.-my transistor is an MRF628, which I'm now
searching for

"Steve" <zarco@sonic.net> wrote in message
news:43c714a5$0$96009$742ec2ed@news.sonic.net...
> I'm working on an EF Johnson 1200 series 440 MHz repeater.
> One of the transistors in the transmitter is fried, and I have had
> no luck finding a replacement. Can anyone help with a cross
> reference?
>
> the Johnson part number is 576-0004-055
>
> Its a white, ceramic case with the 4 wide leads. Many RF power
> transistors of this type have a stud to attach it to a heatsink.
> This one does not.
>
> It has the Motorola symbol, but only the Johnson part number.
> I've looked though Motorola data books and cannot even find
> this package style.
>
>                                Steve
>




From -8979194533011904866
X-Google-Thread: 106d41,e43ca6ee5fab9880
X-Google-Thread: 108122,e43ca6ee5fab9880
X-Google-Thread: 107ada,e43ca6ee5fab9880
X-Google-Thread: 10bf43,e43ca6ee5fab9880
X-Google-Attributes: gid106d41,gid108122,gid107ada,gid10bf43,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: "Doug Adair" <N8@invalid.net>
Newsgroups:
rec.radio.cb,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.
policy
References: <Xns97477F54A5B0fw190a8@198.80.55.250>
<23046-43C3D3D8-382@storefull-3256.bay.webtv.net>
<1137183045.691837.257700@g49g2000cwa.googlegroups.com>
Subject: Re: Ham Radio, How I got caught
Date: Fri, 13 Jan 2006 15:45:16 -0500
Lines: 9
Organization: Keyqueen
X-Priority: 3
```

```
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <43c81283@usenet.zapto.org>
X-Authenticated-User: leland
X-Complaints-To: abuse@usenet.zapto.org
X-Newsmaster-Contact: admin@usenet.zapto.org
Path: g2news1.google.com!news1.google.com!proxad.net!news.tele.dk!news.tele.dk!
small.news.tele.dk!news.netcologne.de!newsfeed-fusi2.netcologne.de!rouhivuori!not-
for-mail
Xref: g2news1.google.com rec.radio.cb:4556 rec.radio.amateur.equipment:2034
rec.radio.amateur.misc:3476 rec.radio.amateur.policy:12129


"moparholic at hotmail dot com is a sissy" <keyklownzrnutjobs@yahoo.com>
wrote in message
news:1137183045.691837.257700@g49g2000cwa.googlegroups.com...
> twitlips copy pasting again. twitlips is a moron
>
I got mentioned on the rain report bet you can't say that.




From 6769135463897236657
X-Google-Thread: 106284,f5d86b8625562aca
X-Google-Thread: 108122,e43ca6ee5fab9880
X-Google-Thread: 107ada,e43ca6ee5fab9880
X-Google-Thread: 10bf43,e43ca6ee5fab9880
X-Google-Thread: 106d41,e43ca6ee5fab9880
X-Google-Thread: fa029,e43ca6ee5fab9880
X-Google-Thread: 114aac,e43ca6ee5fab9880
X-Google-Attributes:
gid106284,gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 13 Jan 2006 15:08:20 -0600
From: "Joe S." <anon@mous.com>
Newsgroups: alt.fan.art-
bell,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,r
ec.radio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
References: <VEvwf.4658$fb4.823@newssvr14.news.prodigy.com>
<b47a5$43c2d309$d1cc45e6$24055@snip.allthenewsgroups.com>
Subject: Re: Ham Radio, How I got caught
Date: Fri, 13 Jan 2006 16:08:44 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
```

```
Message-ID: <F8WdnetFR-xZi1XeRVn-hQ@comcast.com>
Lines: 56
NNTP-Posting-Host: 68.47.174.10
X-Trace:
sv3-7GpYUDu+goYbE2SgPaHxJAK3rMrThHLVqURKqr8wCKHzOVT69UpBndVF4Z4OEt2Ff+QhytlgREYazC
W!u3cyLW8Lr/ksa9TINHS1quc6i08KcBALg8eCB+sxh9zyqhGOAIKN+/NhfWu497lnoaEQEdxW71k=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com alt.fan.art-bell:30431 rec.radio.amateur.equipment:2035
rec.radio.amateur.misc:3477 rec.radio.amateur.policy:12131 rec.radio.cb:4559
rec.radio.scanner:1754 rec.radio.shortwave:18792


"Kook Kanuck in VE7land"" <wigawoo14313@hamfatasses.com> wrote in message
news:b47a5$43c2d309$d1cc45e6$24055@snip.allthenewsgroups.com...
>
> Wow, 29 years bootlegging on ham and no FCC check?  I think that's a
> new record!!  There's been a couple of guys on a Militia/Patriot
> net every night on 3.8-0 mHz LSB for over 3 years now with phony callsigns
> who still ain't got caught or even raised a red flag with either FCC or
> OHS.
> but if you went along for that long and got off with a slap on da
> wrist, then woo-woo on you.  (bet you were a good customer at the ham
> store
> also eh?  Did the buffoons sel you a big amplifier too with no license
> check? prolly did..)
>


Stop feeding the trolls.



>
> "Howard Johnson Jr" <hamradioluvr@hamshak.org> wrote in message
> news:VEvwf.4658$fb4.823@newssvr14.news.prodigy.com...
>> I've been a ham radio operator for over 29 years and never once took a
> test
>> for a license. Always used a phony call and nobody ever suspected me
> until
>> internet came along. Last week I received  letter in the mail from the
> FCC.
>> I'm being fined $5000 for transmitting without a license over a period of
> 3
>> years. Don't think you can't get caught, I sure did. When they (FCC) came
> to
>> my  house, my mother let them in and took them to my bedroom. I was at
>> Starbucks having coffee when it happened. They took all my radio
> equipment
```

```
>> and also found my stash of pot but did not take it or notify the local
>> Police thank god. My mother told them the pot was for my arthritis and
> they
>> believed her. That's what I had told my mother when I started smoking it
> in
>> my room. She thought I was burning leaves until I told her it was
> medicine.
>>
>> Anyway, the bottom line is this, the government doesn't go by the rules,
>> they will do anything they want and if the agent doesn't like you, you
> are
>> in deep trouble to say the least.
>>
>> Howard M Johnson
>>
>>
>
```

```
From -3588314087978712110
X-Google-Thread: 1109af,64bf8965848d14ef
X-Google-Thread: 108122,64bf8965848d14ef
X-Google-Thread: fc8b1,64bf8965848d14ef
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
cycny01.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc04.POSTED!d89a2db8!
not-for-mail
From: "Dale Parfitt" <par@parelectronics.com>
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
References: <X5Oxf.1$xX5.0@dfw-service2.ext.ray.com>
Subject: Re: Anyone parting out a Drake 2A or 2B receiver?
Lines: 30
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <D_Wxf.1509$US3.70@trnddc04>
Date: Fri, 13 Jan 2006 23:47:47 GMT
NNTP-Posting-Host: 63.19.244.0
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc04 1137196067 63.19.244.0 (Fri, 13 Jan 2006 18:47:47 EST)
NNTP-Posting-Date: Fri, 13 Jan 2006 18:47:47 EST
Xref: g2news1.google.com rec.radio.swap:2179 rec.radio.amateur.equipment:2036
rec.radio.amateur.boatanchors:2282
```

"-=H=-" <k5dh@raytheon.com> wrote in message
news:X5Oxf.1$xX5.0@dfw-service2.ext.ray.com...

> Anybody parting out a Drake 2A or 2B receiver?
>
> I need a cabinet and a set of knobs for a 2B that I'm
> bringing back to life. It was damaged during shipment
> due to very poor packing. The condition of the paint
> on the cabinet is not important, as long as the metal
> is not dented, bent, or badly rusted (light surface
> rust is okay). I'll strip and repaint it. The knobs
> need to be good ones with no cracks and decent chrome.
>
> Can somebody help me out here?
>
> 73,
> Dean K5DH
>

Hi Dean,
Sorry to hear of the damage to the Drake.
If you end up repainting (and you likely know this) use a Rustoleum Auto Gray Primer over the bare metal and follow it with Rustoleum satin black #7777- a very nice match for the 2A/2B- perhaps 2 coats with wet sanding in between to remove any dust/dirt. MY painter lost my silk screen and artwork for the 2B, so no more front panels.

GL,
Dale W4OP

```
From -5355613220042677468
X-Google-Thread: 106284,f5d86b8625562aca
X-Google-Thread: 108122,e43ca6ee5fab9880
X-Google-Thread: 107ada,e43ca6ee5fab9880
X-Google-Thread: 10bf43,e43ca6ee5fab9880
X-Google-Thread: 106d41,e43ca6ee5fab9880
X-Google-Thread: fa029,e43ca6ee5fab9880
X-Google-Thread: 114aac,e43ca6ee5fab9880
X-Google-Attributes:
gid106284,gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
meganewsservers.com!feeder2.on.meganewsservers.com!news.moat.net!
border2.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 13 Jan 2006 17:48:06 -0600
From: pancake <pancake@griddle.com>
Newsgroups: alt.fan.art-
bell,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,r
ec.radio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
Subject: Re: Ham Radio, How I got caught
Date: Fri, 13 Jan 2006 18:46:33 -0500
Organization: Foods That Taste Good
Reply-To: pancake
```

```
Message-ID: <f5egs1dg88jf8g6n7115pm6fq9i9sapbf7@4ax.com>
References: <VEvwf.4658$fb4.823@newssvr14.news.prodigy.com>
<b47a5$43c2d309$d1cc45e6$24055@snip.allthenewsgroups.com>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 5
X-Trace: sv3-zZJtk+jE06Qlrlx7dZrVu5hwLGdNLP+RhANcI2R24H/
0J3SpBcfsRhAsTSKNj37qMc+J+viOovBYajh!
X0+aLzWdiUxVCRvs9QxWCzIXZqwRzgJQ6SePPIYGAKZIUSuKKdwa1NOyulUMwICN7GkwTA==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com alt.fan.art-bell:30471 rec.radio.amateur.equipment:2037
rec.radio.amateur.misc:3478 rec.radio.amateur.policy:12139 rec.radio.cb:4563
rec.radio.scanner:1755 rec.radio.shortwave:18811

On Mon, 9 Jan 2006 15:18:08 -0500, "Kook Kanuck in VE7land\""
<wigawoo14313@hamfatasses.com> wrote:

Most hams act like fuckin' boy scouts. If I could make kids fall off
their bikes by keying up, I might wanna get my ticket.


From 6450994352633063394
X-Google-Thread: 106284,f5d86b8625562aca
X-Google-Thread: 108122,e43ca6ee5fab9880
X-Google-Thread: 107ada,e43ca6ee5fab9880
X-Google-Thread: 10bf43,e43ca6ee5fab9880
X-Google-Thread: 106d41,e43ca6ee5fab9880
X-Google-Thread: fa029,e43ca6ee5fab9880
X-Google-Thread: 114aac,e43ca6ee5fab9880
X-Google-Attributes:
gid106284,gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!feed4.newsreader.com!
newsreader.com!newsh.newsreader.com!ellis.newsreader.com!not-for-mail
Subject: Re: Ham Radio, How I got caught
From: Steveo <moparholic@hotmail.com>
Date: 14 Jan 2006 00:17:20 GMT
Organization: http://newsreader.com/
Message-ID: <20060113191720.277$tA@newsreader.com>
Newsgroups: alt.fan.art-
bell,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,r
ec.radio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
References: <VEvwf.4658$fb4.823@newssvr14.news.prodigy.com>
<b47a5$43c2d309$d1cc45e6$24055@snip.allthenewsgroups.com>
<f5egs1dg88jf8g6n7115pm6fq9i9sapbf7@4ax.com>
```

```
X-NRC-Trace: NewsReader.Com oJoCln5w/m0K7N1V5MYDTHWLTC+MusjHJKQtQ,2OVSkMQgs
X-Face: 7!2%<D)SUL\9tqJNIF(n@~J*<"Cf8wSjFBVt#GB;fWZU~ClT42,v3(]"I^UiahD_CHS@j$?
 u%wIN8sPtS=I(~G`s#RC|}YCoiHi$1FQo1IPEmvB!B^&<TbG,gV/00>LC(Cv{qTeMa+g@Lu$&DE1!D
 |g3e/a[Fz7c9aQCgyhE]fm6/[lkx]sS)km'[2s]:.{fzy&b\RtYXb
Lines: 8
Xref: g2news1.google.com alt.fan.art-bell:30479 rec.radio.amateur.equipment:2038
rec.radio.amateur.misc:3480 rec.radio.amateur.policy:12140 rec.radio.cb:4565
rec.radio.scanner:1757 rec.radio.shortwave:18813

pancake <pancake@griddle.com> wrote:
> On Mon, 9 Jan 2006 15:18:08 -0500, "Kook Kanuck in VE7land\""
> <wigawoo14313@hamfatasses.com> wrote:
>
> Most hams act like fuckin' boy scouts. If I could make kids fall off
> their bikes by keying up, I might wanna get my ticket.
>
D'OH! Too much info! :)



From 8439142043878583120
X-Google-Thread: 108122,3a973aa333f267e6,start
X-Google-Thread: 1109af,3a973aa333f267e6,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread07.POSTED!53ab2750!not-for-mail
Reply-To: "Radioal" <al.dolgosh@hamradio.org>
From: "Radioal" <al.dolgosh@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:  Vibroplex, Bencher, Kent CW Paddles
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <uNXxf.75$bF.60@dukeread07>
Date: Fri, 13 Jan 2006 19:42:00 -0500
NNTP-Posting-Host: 68.9.38.22
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1137199322 68.9.38.22 (Fri, 13 Jan 2006 19:42:02 EST)
NNTP-Posting-Date: Fri, 13 Jan 2006 19:42:02 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2039 rec.radio.swap:2181

Like new - last day

http://search.ebay.com/_W0QQsassZradioalQQhtZ-1
```

```
From 3860222149698497385
X-Google-Thread: 108122,2b25ffded64735fa,start
X-Google-Thread: 1109af,2b25ffded64735fa,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p02!dukeread07.POSTED!53ab2750!not-for-mail
Reply-To: "Radioal" <al.dolgosh@hamradio.org>
From: "Radioal" <al.dolgosh@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:  Rare Icom IC-756PROII (not PRO) Clock
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <mPXxf.77$bF.23@dukeread07>
Date: Fri, 13 Jan 2006 19:44:00 -0500
NNTP-Posting-Host: 68.9.38.22
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1137199442 68.9.38.22 (Fri, 13 Jan 2006 19:44:02 EST)
NNTP-Posting-Date: Fri, 13 Jan 2006 19:44:02 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2040 rec.radio.swap:2182

Limited edition - made for Japanese market - rare Icom collectible!

http://cgi.ebay.com/Icom-IC-756PROII-Souvenier-Clock-
RARE_W0QQitemZ5852961444QQcategoryZ4671QQssPageNameZWDVWQQrdZ1QQcmdZViewItem




From 8513895994481819101
X-Google-Thread: 108122,705ca35a0a59c0e7,start
X-Google-Thread: 1109af,705ca35a0a59c0e7,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p02!dukeread07.POSTED!53ab2750!not-for-mail
Reply-To: "Radioal" <al.dolgosh@hamradio.org>
From: "Radioal" <al.dolgosh@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:  RCA 4-1000A Amplifier Tube
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
```

Message-ID: <MQXxf.78$bF.39@dukeread07>
Date: Fri, 13 Jan 2006 19:45:30 -0500
NNTP-Posting-Host: 68.9.38.22
X-Complaints-To: abuse@cox.net
X-Trace: dukeread07 1137199532 68.9.38.22 (Fri, 13 Jan 2006 19:45:32 EST)
NNTP-Posting-Date: Fri, 13 Jan 2006 19:45:32 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2041 rec.radio.swap:2183

http://cgi.ebay.com/RCA-4-1000A-Tetrode-Transmitting-
Tube_W0QQitemZ5852901665QQcategoryZ48710QQssPageNameZWDVWQQrdZ1QQcmdZViewItem

From 8234170978930433O9
X-Google-Thread: 108122,fcd76655245b254
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 13 Jan 2006 21:07:13 -0600
From: Bruce H. Ohlson <Bruce.H.Ohlson.21lu7m@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Ten-Tec 238A Antenna Tuner For Sale - Near Mint
Date: Sat, 14 Jan 2006 03:15:04 +0000
Message-ID: <Bruce.H.Ohlson.21lu7m@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References: <571391fb.0401101755.3f37843d@posting.google.com>
Lines: 6
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-vX7XHYQPuE7qANcrx/PeL3G3autcxtYaUATrJCyxp/
VQJHcg4KqKYQWp5m0ROA8fRjkmJPPFRB+r2Qa!
ZL+GhkZuGvYpctDbvxGPkGQquDZY9HShFMxHBZRcezYiqW5GQ/XhXppwhxm62fjSFkALAbDMurtF!
QOya88BRQeB4orLAnQE=
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2042

Mac Wrote:
> Ten Tec 238A Antenna Tuner
> As close to mint as you will ever find, has original box, manual.
> Any questions w4glm@att.net, pic available.
> $375. split shipping. No trades please, Thanks..Mac

I tried your e-mail address and it comes back "user unknown". Please advise (possibly a phone number). Bruce H. Ohlson. k7ual@charter.net

--
Bruce H. Ohlson

```
From -7657716923448416543
X-Google-Thread: 108122,bcad15ab7901e35f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!ken-transit.news.telstra.net!lon-
in.news.telstra.net!news.telstra.net!news-server.bigpond.net.au!53ab2750!not-for-
mail
From: "Mike in Cairns" <mike@clothes.home.net.nz>
Newsgroups: rec.radio.amateur.equipment
Subject: Gulbransen Vintage Radio
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <0L_xf.215636$V7.129982@news-server.bigpond.net.au>
Date: Sat, 14 Jan 2006 04:04:12 GMT
NNTP-Posting-Host: 144.131.216.98
X-Complaints-To: abuse@bigpond.net.au
X-Trace: news-server.bigpond.net.au 1137211452 144.131.216.98 (Sat, 14 Jan 2006
15:04:12 EST)
NNTP-Posting-Date: Sat, 14 Jan 2006 15:04:12 EST
Organization: BigPond Internet Services
Xref: g2news1.google.com rec.radio.amateur.equipment:2043
```

I have a Gulbransen Vintage Radio, Model H W Clark 756A.   does anyone have a schematical diagrams / circut on this model.. or know of a website.. as I'm trying to restore one.. that would be helpful

Thanks
Mike
AUSTRALIA

```
From -1178559429234243831
X-Google-Thread: 108122,aa9b480596895b1c,start
X-Google-Thread: 1109af,aa9b480596895b1c,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
```

```
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: Motorola P1225 UHF Portable Handheld Radio w/Charger
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_001D_01C6187D.451E9A90"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <KP_xf.71$MJ.6@fed1read07>
Date: Fri, 13 Jan 2006 20:09:33 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1137211754 68.96.227.248 (Fri, 13 Jan 2006 23:09:14 EST)
NNTP-Posting-Date: Fri, 13 Jan 2006 23:09:14 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2044 rec.radio.swap:2192

This is a multi-part message in MIME format.

------=_NextPart_000_001D_01C6187D.451E9A90
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Motorola P1225 UHF Portable Handheld Radio w/Charger

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7580763580&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_001D_01C6187D.451E9A90
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Motorola P1225 UHF Portable Handheld Radio w/Charger</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7580763580&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7580763580&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_001D_01C6187D.451E9A90--



From 2773597481478468330
X-Google-Thread: 108122,88e8e77220b2a204,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Fri, 13 Jan 2006 22:36:16 -0600
From: "Clark" <CP@comcast.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Very costley receiver
Date: Fri, 13 Jan 2006 22:36:13 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
Message-ID: <sM-dnUtWI4Fd4lXenZ2dnUVZ_s2dnZ2d@comcast.com>
Lines: 3
NNTP-Posting-Host: 24.0.60.133
X-Trace: sv3-61zsK0fT666X61m2IDnPdBfGCp76Zr0kE+AQNhvbueBgy7WqX5CnrCEfDu6Y/
ckO8w9bfY2PxTUXdyk!
aUVnv0NgvOlN+HAvCQCI7BsVJpMB8SZnegp1r4wNAuZd1INIZ783B5qyO9P2hrYXi9VOxO9vqHfe!
fjrFNnwAzvQ6Z6N66XY=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2045

http://cgi.ebay.com/ICOM-Race-Police-Scanners-with-TV-for-
NASCAR_W0QQitemZ5853423154QQcategoryZ14956QQrdZ1QQcmdZViewItem




From 6737055655381751949
X-Google-Thread: 108122,88e8e77220b2a204
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!newsfeed2.easynews.com!newsfeed1.easynews.com!easynews.com!
easynews!news-xxxfer.readnews.com!news-out.readnews.com!spool-big1.readnews.com!
not-for-mail
Newsgroups: rec.radio.amateur.equipment
```

Subject: Re: Very costley receiver
From: Ed <Huckleberry_REMOVE_@newsguy.com>
References: <sM-dnUtWI4Fd4lXenZ2dnUVZ_s2dnZ2d@comcast.com>
Organization: Your Company
Message-ID: <Xns974AD8E19C6E8spectrumhogstarbandn@198.186.192.196>
User-Agent: Xnews/5.04.25
Date: 14 Jan 2006 05:18:17 GMT
Lines: 14
NNTP-Posting-Host: 6651c692.news.adtechcomputers.com
X-Trace:
DXC=ooan\Ug:O8GoV<7HGJPfoNgC4_A5:nI@A<<=aEgO;R8G_FdXFOaTnFF8[CelXl9=N@ecf<A4o8l9C0
W_Uo]cC15J=gANWl:dETD@Xak1T\N\5Ehm8V^XHLJGF
X-Complaints-To: abuse@adtechcomputers.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2046

"Clark" <CP@comcast.net> wrote in
news:sM-dnUtWI4Fd4lXenZ2dnUVZ_s2dnZ2d@comcast.com:

> http://cgi.ebay.com/ICOM-Race-Police-Scanners-with-TV-for-NASCAR_W0QQit
> emZ5853423154QQcategoryZ14956QQrdZ1QQcmdZViewItem

Clark, Did you should read that listing carefully? That price includes not only 104 of those receivers, but a 5K generator and a 24 foot concession trailer.

Ed

From -385034491782318009
X-Google-Thread: 108122,664c5fefa78a868
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43C90F9D.C7BEDC0@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How can I get Radio Shack Catalog??
References: <Pine.BSI.4.61.0512051624550.14705@malasada.lava.net>
<r8n3q1dtc11vogjhcs2kb2gmbbl4nhiqmb@4ax.com>
<klt3q1l7lgba2prloub709as0u1kpjfumo@4ax.com>
<Pine.BSI.4.61.0512151451390.9955@malasada.lava.net>
<Xns972DBD2EC768Bspectrumhogstarbandn@198.186.192.196>

```
<dq4m0m02kbq@enews2.newsguy.com>
<Pine.BSI.4.61.0601121409300.9948@malasada.lava.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 35
Date: Sat, 14 Jan 2006 14:50:26 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1137250226 24.110.34.161 (Sat, 14 Jan
2006 06:50:26 PST)
NNTP-Posting-Date: Sat, 14 Jan 2006 06:50:26 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2047

Joseph Fenn wrote:
>
> On Wed, 11 Jan 2006, Brian O wrote:
>
> >
> > "Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
> > news:Xns972DBD2EC768Bspectrumhogstarbandn@198.186.192.196...
> >>
> >>
> >>   Other good sources of stuff,  Digikey,  has a very reasonable minimum
> >> order charge.  And Allied Radio is hard to beat for having everything!
> > but
> >> am unsure on there minimum order requirements.
> >>
> >>
> >>   Ed   K7AAT
> >
>
> Ref Mouser I too finally got in touch with them via email
> and they said they would be happy to put me on their mailist
> for a Catalog, that was about 3 months ago.  No catalog
> received yet.
>                     Kokomo Joe


   Sometimes you have to wait for the next printing.  You should have
asked for their CDROM, too.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida


From 3876688708860336421
X-Google-Thread: 108122,97cbbb0ec7c7601b
X-Google-Thread: 114aac,97cbbb0ec7c7601b
```

```
X-Google-Thread: 115730,97cbbb0ec7c7601b
X-Google-Thread: 1131b0,97cbbb0ec7c7601b
X-Google-Thread: 107cee,97cbbb0ec7c7601b
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread2.news.atl.earthlink.net.POSTED!b1a104da!
not-for-mail
Message-ID: <43C91144.E404F5F5@earthlink.net>
From: "Michael A. Terrell" <mike.terrell@earthlink.net>
Reply-To: mike.terrell@earthlink.net
Organization: http://home.earthlink.net/~mike.terrell/
X-Mailer: Mozilla 4.78 [en]C-CCK-MCD   (Win98; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.elec
tronics.repair,sci.electronics.misc
Subject: Re: economical bandpass audio filter?
References: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
<43c49190$0$3759$39cecf19@news.twtelecom.net>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 32
Date: Sat, 14 Jan 2006 14:57:30 GMT
NNTP-Posting-Host: 24.110.34.161
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.atl.earthlink.net 1137250650 24.110.34.161 (Sat, 14 Jan
2006 06:57:30 PST)
NNTP-Posting-Date: Sat, 14 Jan 2006 06:57:30 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2048
rec.radio.shortwave:18875 sci.electronics.equipment:1386
sci.electronics.repair:11645 sci.electronics.misc:2405
```

Jayseebee wrote:

> Actually we (retired and Ex ATT,Bell,SBC and now ATT again) used to do a frequency run test with an audio signal generator and a receive measuring device at the far end. If needed we would put in a equalizing unit (Wescom, Teltrend, etc) that we could adjust the 300-to 3khz slope (sometimes up to 8khz for audio program loops for radio broadcast) with to make all frequencies as flat as possible or boost the level of the freqs as needed. You can get even more technical in the time delay at different frequencies on the same copper path traveling from one end to the other. Lets see what this stirs up.
>
> JCB

I was a US Army broadcast engineer at Ft Greely, AK back in the early '70s. Our AFRN network feed came through the "White Alice" microwave network. By the time it reached our station the level was so low that I

had to use a spare magnetic phono preamp from our old transcription
turntable to bring the feed up to line level. Before that, when they
went from network to live, or back to the network they had to reset the
levels. Repeated requests were made to fix the feed, but we were always
told that the level was ok in Fairbanks, and the problem must be on our
end of the feed because the phones worked.

--
Service to my country? Been there, Done that, and I've got my DD214 to
prove it.
Member of DAV #85.

Michael A. Terrell
Central Florida

From -7459827359144712302
X-Google-Thread: 108122,97cbbb0ec7c7601b
X-Google-Thread: 114aac,97cbbb0ec7c7601b
X-Google-Thread: 115730,97cbbb0ec7c7601b
X-Google-Thread: 1131b0,97cbbb0ec7c7601b
X-Google-Thread: 107cee,97cbbb0ec7c7601b
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 14 Jan 2006 10:48:15 -0600
User-Agent: Microsoft-Entourage/10.0.0.1309
Date: Sat, 14 Jan 2006 08:48:12 -0800
Subject: Re: economical bandpass audio filter?
From: Don Bowey <dbowey@comcast.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.electronics.repair,sci.electronics.misc
Message-ID: <BFEE6B4C.2287F%dbowey@comcast.net>
References: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
<43c49190$0$3759$39cecf19@news.twtelecom.net> <43C91144.E404F5F5@earthlink.net>
Mime-version: 1.0
Content-type: text/plain; charset="US-ASCII"
Content-transfer-encoding: 7bit
Lines: 34
NNTP-Posting-Host: 24.20.154.195
X-Trace: sv3-8lVjQEyBUbLeFkoH8Gd4R8KG2TEEepU1I+TzimATanx1GBFe7AM3mU2xm8/
twZF9zDYKbqdtzCEiVjf!
WN1scsJxmxEh7TTZSwb1696SW+Iqi+HHUQhYbMPbiwAYxMh5lgZjniSH7dsLBSRAss0Kl+GH
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2049

```
rec.radio.shortwave:18889 sci.electronics.equipment:1389
sci.electronics.repair:11650 sci.electronics.misc:2406

On 1/14/06 6:57 AM, in article 43C91144.E404F5F5@earthlink.net, "Michael A.
Terrell" <mike.terrell@earthlink.net> wrote:

> Jayseebee wrote:
>>
>> Actually we (retired and Ex ATT,Bell,SBC and now ATT again) used to do a
>> frequency run test with an audio signal generator and a receive
>> measuring device at the far end. If needed we would put in a equalizing
>> unit (Wescom, Teltrend, etc) that we could adjust the 300-to 3khz slope
>> (sometimes up to 8khz for audio program loops for radio broadcast) with
>> to make all frequencies as flat as possible or boost the level of the
>> freqs as needed. You can get even more technical in the time delay at
>> different frequencies on the same copper path traveling from one end to
>> the other. Lets see what this stirs up.
>>
>> JCB
>
>
>  I was a US Army broadcast engineer at Ft Greely, AK back in the early
> '70s. Our AFRN network feed came through the "White Alice" microwave
> network.  By the time it reached our station the level was so low that I
> had to use a spare magnetic phono preamp from our old transcription
> turntable to bring the feed up to line level.  Before that, when they
> went from network to live, or back to the network they had to reset the
> levels.  Repeated requests were made to fix the feed, but we were always
> told that the level was ok in Fairbanks, and the problem must be on our
> end of the feed because the phones worked.

As I recall, the telco-techno correct language for that is: "the trouble is
leaving here ok,"  which is used almost as often as: "trouble came clear
while kicking bay."

Don




From -2657239669376521539
X-Google-Thread: 108122,97cbbb0ec7c7601b
X-Google-Thread: 114aac,97cbbb0ec7c7601b
X-Google-Thread: 115730,97cbbb0ec7c7601b
X-Google-Thread: 1131b0,97cbbb0ec7c7601b
X-Google-Thread: 107cee,97cbbb0ec7c7601b
X-Google-Attributes: gid108122,gid114aac,gid115730,gid1131b0,gid107cee,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread2.news.pas.earthlink.net.POSTED!d8bdb10f!not-for-mail
From: David <rickets@knac.com>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.shortwave,sci.electronics.equipment,sci.elec
```

```
tronics.repair,sci.electronics.misc
Subject: Re: economical bandpass audio filter?
Message-ID: <mubis1lnrvsntjqf6q3nqbefft2i0j26h8@4ax.com>
References: <1136860669.675015.188880@g43g2000cwa.googlegroups.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 10
Date: Sat, 14 Jan 2006 17:11:41 GMT
NNTP-Posting-Host: 66.133.198.234
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread2.news.pas.earthlink.net 1137258701 66.133.198.234 (Sat, 14 Jan
2006 09:11:41 PST)
NNTP-Posting-Date: Sat, 14 Jan 2006 09:11:41 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2050
rec.radio.shortwave:18890 sci.electronics.equipment:1390
sci.electronics.repair:11655 sci.electronics.misc:2407

On 9 Jan 2006 18:37:49 -0800, dances_with_barkadas@yahoo.com wrote:

>seek recommendations. for voice intelligibility enhancement on a
>orderwire copper-pair.
>
>professional marine application. sturdiness is more important than
>bleeding-edge performance.
>
http://history.acusd.edu/gen/sespics/362-22.JPEG



From -2544612319059092418
X-Google-Thread: 108122,dcc4352036ec0a60,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news.rr.com!news-wrt-01.rdc-nyc.rr.com!news-
wrt-01.ohiordc.rr.com!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!
53ab2750!not-for-mail
From: Richard Reese <reeser@gemair.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS:  Heathkit Manuals
Message-ID: <gelis1p3jutnp091hte8ve6dqtefn8b3ne@4ax.com>
X-Newsreader: Forte Agent 3.0/32.763
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 6
Date: Sat, 14 Jan 2006 19:49:56 GMT
NNTP-Posting-Host: 65.185.190.35
X-Complaints-To: abuse@rr.com
```

```
X-Trace: tornado.ohiordc.rr.com 1137268196 65.185.190.35 (Sat, 14 Jan 2006
14:49:56 EST)
NNTP-Posting-Date: Sat, 14 Jan 2006 14:49:56 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2051


If you need any Heathkit Manuals please visit my website at www.gemair.com/~reeser

73
Dick
WA4PLL



From 3995703101029750892
X-Google-Thread: 108122,b8347da6b0f62c1,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr21.news.prodigy.com.POSTED!62e3725b!not-for-mail
Reply-To: "MIKE" <microvel21-4w1000@yahoo.com>
From: "MIKE" <revellm@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FA: 4w1000 amplifier and manual
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <5Afyf.8840$dW3.4247@newssvr21.news.prodigy.com>
NNTP-Posting-Host: 68.253.43.206
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr21.news.prodigy.com 1137280385 ST000 68.253.43.206 (Sat, 14 Jan
2006 18:13:05 EST)
NNTP-Posting-Date: Sat, 14 Jan 2006 18:13:05 EST
Organization: SBC http://yahoo.sbc.com
X-UserInfo1:
[[PGGWSECJWKBP\XN[O@_WH@YR_B@EXLLBWLOOAFBATBTSUBYFWEAE[YJLYPIWKHTFCMZKVMB^[Z^DOBRV
VMOSPFHNSYXVDIE@X\BUC@GTSX@DL^GKFFHQCCE\G[JJBMYDYIJCZM@AY]GNGPJD]YNNW\GSX^GSCKHA[]
@CCB\[@LATPD\L@J\\PF]VR[QPJN
Date: Sat, 14 Jan 2006 23:13:05 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:2052

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=7581825497




From -6433215118152576509
X-Google-Thread: 108122,e408a6ab150b9a0e,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 15 Jan 2006 05:00:19 -0600
Reply-To: "Steve" <sahd@hotmail.com>
From: "Steve" <sahd@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom Mic SM-8
Date: Sun, 15 Jan 2006 06:00:17 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <sKydnVVPx6TetlfeRVn-jg@comcast.com>
Lines: 9
NNTP-Posting-Host: 66.31.90.83
X-Trace: sv3-SKbp0c8YU2VQOsar0Aw0qB7dR5HPY4ZhkEg5/DZ36QVyzjO/aOmjE2C/9Ms0t4M6/
jSeUdLR8mIMBpM!g/A+/buq2vHwHqpKZr2jF+n20SdcCUnnhWDOHkKsTxuJ2xT0bV0kk8NCXes/
jBeH38WQ1Rle/4ay
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2053

Have a good condition Icom Mic SM-8 with the two mic cords.
No original box.

$100 plus shipping

Steve
```

```
From 8953815762229278754
X-Google-Thread: 108122,44cbc1d46937468,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
stamper.news.atl.earthlink.net!newsread1.news.atl.earthlink.net.POSTED!d6abc3bc!
not-for-mail
From: "NE8S" <garwonko@southwind.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB: Ant. and Manual for TrueTime GPS-TMD
Lines: 13
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <newyf.7835$ZA2.2516@newsread1.news.atl.earthlink.net>
Date: Sun, 15 Jan 2006 18:10:27 GMT
NNTP-Posting-Host: 65.66.84.115
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1137348627 65.66.84.115 (Sun, 15 Jan 2006 10:10:27 PST)
NNTP-Posting-Date: Sun, 15 Jan 2006 10:10:27 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2054

I am looking for an Antenna and Manual for the TrueTime Model 505-106 GPS-TMD, GPS Synchronized Timing Module/Receiver. The Antenna employs a 15-pin DB connector on the end of its interconnecting cable.

Thanks for passing the word along the network.

Gar

NE8S

ne8s@earthlink.net

From -4112559161812381799
X-Google-Thread: 108122,591ae7c4da9fe51b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!peer01.cox.net!peer02.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Kenwood TS-480SAT Station
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <TByyf.3076$ZE.472@dukeread11>
Date: Sun, 15 Jan 2006 14:52:09 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1137358323 68.1.251.179 (Sun, 15 Jan 2006 15:52:03 EST)
NNTP-Posting-Date: Sun, 15 Jan 2006 15:52:03 EST
Organization: Cox Communications

Xref: g2news1.google.com rec.radio.amateur.equipment:2055

FS Mint Kenwood TS-480SAT with over $500 worth of accessories including the
VGS-1 Voice Guide and Storage Unite, the SO-3 TCXO Unit,
the YF-107C 500 Hz CW Filter, the YF-107CN 270 Hz CW Filter, and the
YF-107SN 1.8 KHz SSB Filter. Cost over $1,500 current prices.
My price is $1,025 including shipping to lower 48. Also included is the
original boxes for the transceiver and the power cord, manual, hand mic ,
etc.
It all works perfect and looks new. Less than 100 hours on the rig. Also
have an as new Kenwood PS-53 for sale. The PS has the
original boxes and manual. Price is $175. Thanks, Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

From 2354136711930575088
X-Google-Thread: 108122,f9e3e59ec5ac1d77,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-
mail
From: "DJboutit" <Recordking@Hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: RadioPirates Forum Check It Out
Lines: 5
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <bOzyf.16166$SD1.3105@tornado.texas.rr.com>
Date: Sun, 15 Jan 2006 22:13:27 GMT
NNTP-Posting-Host: 24.167.93.12
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1137363207 24.167.93.12 (Sun, 15 Jan 2006 16:13:27
CST)
NNTP-Posting-Date: Sun, 15 Jan 2006 16:13:27 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2056

A community for Pirate Radio enthusiasts to discuse this great hobby and
too meet other people interested in Pirate Radio
http://radiopirates.ny-cp.net/index.php

```
From -4416826513978040378
X-Google-Thread: 108122,88e8e77220b2a204
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!53ab2750!not-for-mail
From: Ken Taylor <ken123@xxxxtra.co.nz>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Very costley receiver
References: <sM-dnUtWI4Fd4lXenZ2dnUVZ_s2dnZ2d@comcast.com>
<Xns974AD8E19C6E8spectrumhogstarbandn@198.186.192.196>
In-Reply-To: <Xns974AD8E19C6E8spectrumhogstarbandn@198.186.192.196>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 20
Message-ID: <MVCyf.15195$vH5.805099@news.xtra.co.nz>
Date: Mon, 16 Jan 2006 14:46:19 +1300
NNTP-Posting-Host: 219.88.64.2
X-Complaints-To: abuse@xtra.co.nz
X-Trace: news.xtra.co.nz 1137375980 219.88.64.2 (Mon, 16 Jan 2006 14:46:20 NZDT)
NNTP-Posting-Date: Mon, 16 Jan 2006 14:46:20 NZDT
Organization: Xtra
Xref: g2news1.google.com rec.radio.amateur.equipment:2057

Ed wrote:
> "Clark" <CP@comcast.net> wrote in
> news:sM-dnUtWI4Fd4lXenZ2dnUVZ_s2dnZ2d@comcast.com:
>
>
>>http://cgi.ebay.com/ICOM-Race-Police-Scanners-with-TV-for-NASCAR_W0QQit
>>emZ5853423154QQcategoryZ14956QQrdZ1QQcmdZViewItem
>
>
>
>    Clark,  Did you should read that listing carefully?  That price includes
> not only 104 of those receivers, but a 5K generator and a 24 foot
> concession trailer.
>
>
>    Ed

Maybe they come free with the first receiver....?  :-)

Ken


From -2487187161530730742
X-Google-Thread: 108122,5562d3ad2cd975b2,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sun, 15 Jan 2006 20:02:58 -0600
Reply-To: "Steve" <sahd@hotmail.com>
From: "Steve" <sahd@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Help: Icom 756pro II or III
Date: Sun, 15 Jan 2006 21:02:56 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <FI-dnbeeXLFPY1feRVn-jg@comcast.com>
Lines: 14
NNTP-Posting-Host: 66.31.90.83
X-Trace: sv3-
biYU7lRj7yodU+q0ZDj5TtEWYrbJV5iwAmtllez36MKXcU4yydrd1SwzPc+f2+Rqy8OYy76X+XQHsiX!
PPnwgQlpGZ0CI6ps8TFlaZKYGB3WqXj0tRGYfHBtiaE288canY2rAXlt2IsVePSiKbIg8lsMVw+z
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:2058
```

I am in need of someone with a Icom 756pro or Pro II or III
service manual.
I would like to find out how to take the glass off the display?

I want to replace it because i have a scratch (Not to noticeable)
But it's still there and if possible to replace. It looks like and easy
fix.

Thanks for any help.

Steve

```
From 6673916419136775189
X-Google-Thread: 108122,16265578173457d5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news.maxwell.syr.edu!news-
rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-
for-mail
```

```
From: "Hamguy" <hamguy@arrl.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Hamwave Hosting
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <P%Fyf.99903$ME5.44632@twister.nyroc.rr.com>
Date: Mon, 16 Jan 2006 05:17:35 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1137388655 24.58.195.67 (Mon, 16 Jan 2006 00:17:35
EST)
NNTP-Posting-Date: Mon, 16 Jan 2006 00:17:35 EST
Organization: Road Runner
Xref: g2news1.google.com rec.radio.amateur.equipment:2059
```

http://www.hamwave.com/cgi-bin/index.cgi?action=viewnews&id=925

```
From 3759203560074292627
X-Google-Thread: 108122,a998c7802d115b63,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
elnk-atl-nf1!newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread1.news.atl.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: FLUKE IC Tester
Reply-To: w1ksz@earthlink.net
Message-ID: <676os111pnmgdiq62gotgo6qaob6igoitq@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Mon, 16 Jan 2006 22:06:51 GMT
NNTP-Posting-Host: 24.41.20.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1137449211 24.41.20.5 (Mon, 16 Jan 2006
14:06:51 PST)
NNTP-Posting-Date: Mon, 16 Jan 2006 14:06:51 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2061
```

In my packing I found a Fluke TRENDAR 200 IC TESTCLIP that I do not
need. It looks complete and includes the manual. Used for in-circuit

and chip testing of most 74XX series devices. Foam rubber inside is
ratty, but the plastic carrying case is like new.
$75 plus shipping.

73, Dick, W1KSZ

From -8824647294967287712
X-Google-Thread: 108122,acc2ca1ba01acfe3,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
elnk-atl-nf1!newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread1.news.atl.earthlink.net.POSTED!4e73252e!not-for-mail
From: "Richard W. Solomon, W1KSZ" <w1ksz@earthlink.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FREE: DUMB TERMINALS
Reply-To: w1ksz@earthlink.net
Message-ID: <k86os1tmin229b2968u77qes6552o7s3rv@4ax.com>
X-Newsreader: Forte Free Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 7
Date: Mon, 16 Jan 2006 22:07:20 GMT
NNTP-Posting-Host: 24.41.20.5
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.atl.earthlink.net 1137449240 24.41.20.5 (Mon, 16 Jan 2006 14:07:20 PST)
NNTP-Posting-Date: Mon, 16 Jan 2006 14:07:20 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:2062

I have two working dumb terminals.
Used them on packet.

Free; but you have to come and get them.
I am in Lexington, MA

73, Dick, W1KSZ

From 6469978507284995413
X-Google-Thread: 108122,46ee75ca331809fb,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!
nntp.giganews.com!newscon06.news.prodigy.com!prodigy.net!logbridge.uoregon.edu!
newsfeed.cs.utexas.edu!in.100proofnews.com!in.100proofnews.com!news-out.nntp.be!
propagator2-sterling.newsfeeds.com!in.nntp.be!image.surnet.ru!news.csl-gmbh.net!

```
npeer.de.kpn-eurorings.net!feeder2.cambrium.nl!feed.tweaknews.nl!
news.astraweb.com!newsrouter-eu.astraweb.com!hwmnpeer01.ams!hwmedia!
news.highwinds-media.com!nntp.telenet.be!kwabbernoot.telenet-ops.be!
phobos.telenet-ops.be.POSTED!not-for-mail
From: Daddy<Dada@hotty.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Play time! CHECK IT OUT NOW! FREE!!!
X-Newsreader: NyPost
Content-Type: text/html
Lines: 16
Message-ID: <kvNxf.109527$6d4.5718041@phobos.telenet-ops.be>
Date: Fri, 13 Jan 2006 13:00:00 GMT
NNTP-Posting-Host: 81.165.197.126
X-Complaints-To: abuse@telenet.be
X-Trace: phobos.telenet-ops.be 1137157200 81.165.197.126 (Fri, 13 Jan 2006
14:00:00 MET)
NNTP-Posting-Date: Fri, 13 Jan 2006 14:00:00 MET
Organization: Telenet Internet
Xref: g2news1.google.com rec.radio.amateur.equipment:2063

<HTML>
<HEAD>
<META NAME="GENERATOR" Content="Microsoft DHTML Editing Control">
<TITLE></TITLE>
</HEAD>
<BODY>
<P><A
href="http://forum.saait.net/viewtopic.php?t=2442">http://forum.saait.net/
viewtopic.php?t=2442</A></P>
<P>Check it out. The hottest babe EVER!</P>
<P>All our content is 100% free!</P>
<P><IMG alt="" hspace=0
src="C:\Documents and Settings\Ben Lauwers\Bureaublad\01.jpg" align=baseline
border=0></P>
</BODY>
</HTML>



From -4030327607341966 81
X-Google-Thread: 108122,ab34e5f985d88900,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
wn14feed!worldnet.att.net!207.35.177.252!nf3.bellglobal.com!nf1.bellglobal.com!
nf2.bellglobal.com!news20.bellglobal.com.POSTED!not-for-mail
From: "gudule" <gudule88@sympatico.ca>
Newsgroups: rec.radio.amateur.equipment
Subject:  Need mobile microphone for G.E. MVS
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
```

```
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <R_Vyf.1489$924.80300@news20.bellglobal.com>
Date: Mon, 16 Jan 2006 18:37:58 -0500
NNTP-Posting-Host: 142.217.224.241
X-Complaints-To: abuse@sympatico.ca
X-Trace: news20.bellglobal.com 1137454129 142.217.224.241 (Mon, 16 Jan 2006
18:28:49 EST)
NNTP-Posting-Date: Mon, 16 Jan 2006 18:28:49 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.amateur.equipment:2064

Model number of radio = NPFH30SS

Model number of microphone = 19B801398P4

Thanks
R�jean
VE-2-EUI




From 5728850850975204979
X-Google-Thread: 108122,c502b1cae40d9fed,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news.highwinds-media.com!hw-filter.lga!fe12.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Drake TR-4CW w RIT
Message-ID: <034qs1ps66mvu9nlue9n63euv1g31iatjf@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 3
Date: Tue, 17 Jan 2006 10:42:31 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1137512551 68.193.1.58 (Tue, 17 Jan 2006 08:42:31 MST)
NNTP-Posting-Date: Tue, 17 Jan 2006 08:42:31 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:2065

Drake TR-4CW w RIT
Please state price and condition.
ritchi50@optonline.net


From -1655590256629973307
X-Google-Thread: 108122,5cd5b46df532bad1,start
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: WTB TenTec Orion
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <6P8zf.5473$ZE.1205@dukeread11>
Date: Tue, 17 Jan 2006 10:20:13 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1137514818 68.1.251.179 (Tue, 17 Jan 2006 11:20:18 EST)
NNTP-Posting-Date: Tue, 17 Jan 2006 11:20:18 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2066

I am looking for a TenTec Orion in really nice shape. Please e-mail
condition, options, and price.
Thanks, Charlie Hugg, K5MBX

--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com




From 3441303180154096891
X-Google-Thread: 108122,d2d787af8fd542b6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsfeed2.easynews.com!easynews.com!easynews!news-west.rr.com!news-feed-01.rdc-
kc.rr.com!news.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: Dennis <k4oxg@tampabay.rr.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Ham Items For Sale
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
```

Lines: 32
Message-ID: <FT9zf.4448$_c.2192@tornado.tampabay.rr.com>
Date: Tue, 17 Jan 2006 17:33:25 GMT
NNTP-Posting-Host: 65.34.59.44
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1137519205 65.34.59.44 (Tue, 17 Jan 2006 12:33:25 EST)
NNTP-Posting-Date: Tue, 17 Jan 2006 12:33:25 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:2067

For Sale

Kenwood TS830
160-10 SSB/CW 100 watts out
good finals
comes with MC50 desk mic Manual AC power cord
asking $300 obo plus shipping from 33801

Kenwood TS780
2meter/70cm all mode base rig
10watts out
comes with Mic Manual AC power cord
asking $300 plus shipping

16ft long 2in diam 1/8th thick wall aluminum mast
asking $75 pick up only in Lakeland,Fl

Compaq Presario 1277 laptop
AMD K6-2 CPU
loaded with WinXP
fair battery built in CDROM and Floppy drive
has a Single USB port and serial port on back
comes with AC supply
asking $100 obo plus shipping

Coax LMR 400
3 75ft runs with PL259 and Ntype connectos on each end
asking $60 plus shipping
2 40ft runs with connectors
asking $50 plus shipping
please email me direct at k4oxg@tampabay,rr,com
thanks

From 8886826004918968629
X-Google-Thread: 108122,12ebafae26db468b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!logbridge.uoregon.edu!arclight.uoregon.edu!feednews.vanderbilt.edu!feed.news.qwest.net!news.uswest.net.POSTED!not-for-mail
Reply-To: "Big Al" <nospam@nospam.com>

```
From: "Big Al" <sal1@qwest.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Opinion of ADI mobile radios
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <A3azf.20$n34.470@news.uswest.net>
Date: Tue, 17 Jan 2006 10:49:56 -0700
NNTP-Posting-Host: 71.38.50.68
X-Trace: news.uswest.net 1137519968 71.38.50.68 (Tue, 17 Jan 2006 11:46:08 CST)
NNTP-Posting-Date: Tue, 17 Jan 2006 11:46:08 CST
Xref: g2news1.google.com rec.radio.amateur.equipment:2068
```

I'm looking for a 2 meter rig for my pickup. Are ADI rigs any good? Would I be better off buying one of the big three?

Al

```
From 3377865968904768015
X-Google-Thread: 108122,12ebafae26db468b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!news-east.rr.com!news.rr.com!news-wrt-01.rdc-nyc.rr.com!news-
wrt-01.ohiordc.rr.com!news-server.columbus.rr.com!cyclone2.kc.rr.com!
news2.kc.rr.com!news-post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!
not-for-mail
From: Dennis <k4oxg@tampabay.rr.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Opinion of ADI mobile radios
References: <A3azf.20$n34.470@news.uswest.net>
In-Reply-To: <A3azf.20$n34.470@news.uswest.net>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 12
Message-ID: <5Nazf.5563$Zj7.1994@tornado.tampabay.rr.com>
Date: Tue, 17 Jan 2006 18:34:41 GMT
NNTP-Posting-Host: 65.34.59.44
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1137522881 65.34.59.44 (Tue, 17 Jan 2006 13:34:41
EST)
NNTP-Posting-Date: Tue, 17 Jan 2006 13:34:41 EST
Organization: Road Runner High Speed Online http://www.rr.com
```

```
Xref: g2news1.google.com rec.radio.amateur.equipment:2069

hey Al
i have never known anyone who used the ADI
but if all you want is 2meters i would suggest the Icom V8000
it is a 75watt rig and under $200 a real nice radio and easy to use
good luck
Big Al wrote:
> I'm looking for a 2 meter rig for my pickup. Are ADI rigs any good? Would I
> be better off buying one of the big three?
>
> Al
>
>



From -2520899272090459548
X-Google-Thread: 108122,3cbe09384275fa6,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
meganewsservers.com!feeder2.on.meganewsservers.com!feed.cgocable.net!
news.infoave.net!not-for-mail
From: Roger Rabbit <Roger.Rabbit.not.valid@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Kenwood TS-450s optional filter question
Date: Wed, 18 Jan 2006 10:43:09 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 13
Message-ID: <m6oss1dl23dh73bbcnfn0nbggevl40fbis@4ax.com>
NNTP-Posting-Host: rhhe10-165.2wcm.comporium.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news3.infoave.net 1137598992 408843 64.53.90.165 (18 Jan 2006 15:43:12
GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Wed, 18 Jan 2006 15:43:12 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:2070


  My Kenwood TS-450sat has both 2.4 KHz filters installed and only the
500 Hz CW positions empty.  I would like to install the YK-88SN-1
filter.  Can I plug the YK-88SN-1 1.8 KHz filter in one of the open
positions normally used for the 500 Hz CW filter?    I'm hoping to be
able to use the two 2.4 KHz filters for normal operation, and then
switch to the 1.8 KHz filter in the 500 setting when someone is parked
closer than 3 KHz away.

Thanks in advanced..

-Michael
```

```
From -8334676622285749066
X-Google-Thread: 108122,3cbe09384275fa6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!
newshosting.com!novia!atl-c06.usenetserver.com!news.usenetserver.com!
nf3.bellglobal.com!nf1.bellglobal.com!nf2.bellglobal.com!
news20.bellglobal.com.POSTED!not-for-mail
Message-ID: <43CE737F.933FD39@sympatico.ca>
From: Dave Holford <holford@sympatico.ca>
X-Mailer: Mozilla 4.7 [en] (WinNT; I)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450s optional filter question
References: <m6oss1dl23dh73bbcnfn0nbggevl40fbis@4ax.com>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 24
Date: Wed, 18 Jan 2006 11:57:35 -0500
NNTP-Posting-Host: 206.172.218.79
X-Complaints-To: abuse@sympatico.ca
X-Trace: news20.bellglobal.com 1137603455 206.172.218.79 (Wed, 18 Jan 2006
11:57:35 EST)
NNTP-Posting-Date: Wed, 18 Jan 2006 11:57:35 EST
Organization: Bell Sympatico
Xref: g2news1.google.com rec.radio.amateur.equipment:2071
```

Roger Rabbit wrote:

>
> My Kenwood TS-450sat has both 2.4 KHz filters installed and only the
> 500 Hz CW positions empty. I would like to install the YK-88SN-1
> filter. Can I plug the YK-88SN-1 1.8 KHz filter in one of the open
> positions normally used for the 500 Hz CW filter? I'm hoping to be
> able to use the two 2.4 KHz filters for normal operation, and then
> switch to the 1.8 KHz filter in the 500 setting when someone is parked
> closer than 3 KHz away.
>
> Thanks in advanced..
>
> -Michael

That is exactly the way my TS-450sat is configured - works great.

I also have a YG-455CN-1 250 Hz filter in the 455 kHz slot and end up with
the best of both worlds.

Dave

From 3717728891871707183
X-Google-Thread: 108122,1afde943de12a64d,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!nx01.iad01.newshosting.com!newshosting.com!novia!news-out.readnews.com!news-xxxfer.readnews.com!news.misty.com!not-for-mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: How to open ICOM BP160 or BP-131 packs?
Date: Wed, 18 Jan 2006 17:51:08 +0000 (UTC)
Organization: MGT Consulting
Lines: 28
Message-ID: <slrndssbht.1ph.gsm@cable.mendelson.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: cbl217-132-108-220.bb.netvision.net.il
X-Trace: marvin.misty.com 1137606668 1747 217.132.108.220 (18 Jan 2006 17:51:08 GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Wed, 18 Jan 2006 17:51:08 +0000 (UTC)
Summary: I need instructions on how to open ICOM BP160 or BP-131 packs.
Keywords: open disassemble replace ICOM BP-160 BP-131
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:2072

Hi guys,

I have a BP-160 and a BP-131 pack that are dead. I'd like to "refill" them with locally available batteries, but can not get them open.

I'm in Israel, so it is not possible to just order a replacment or a refill kit from the U.S. and there is NO ICOM dealer in this country.

I tried warming them with a hair dryer, but it did not seem to have any effect. If they are sealed with melted glue, eventualy the heat will open them, if they were ultrasonicly welded then I need to use a dremel :-(

I found one web site that sells replacement inserts, but there was no information I could find on the web on how to open them in the first place.

Any help would be greatfully appriciated.

Thanks in advance and 73,

Geoff.

```
--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com  N3OWJ/4X1GM
IL Voice: (07)-7424-1667  IL Fax: 972-2-648-1443 U.S. Voice: 1-215-821-1838
The trouble with being a futurist is that when people get around to believing
you, it's too late. We lost. Google 2,000,000:Hams 0.


From 7734903812241670035
X-Google-Thread: 108122,1afde943de12a64d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!indigo.octanews.net!news-out.octanews.net!teal.octanews.net!
newsreader.com!feed7.newsreader.com!hwmnpeer01.lga!hwmedia!news.highwinds-
media.com!hw-filter.lga!fe09.lga.POSTED!53ab2750!not-for-mail
Message-ID: <43CE933D.7010904@optonline.net>
From: Jack O'Neill <tokras@optonline.net>
Organization: SGC
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How to open ICOM BP160 or BP-131 packs?
References: <slrndssbht.1ph.gsm@cable.mendelson.com>
In-Reply-To: <slrndssbht.1ph.gsm@cable.mendelson.com>
Content-Type: multipart/alternative;
 boundary="------------000904010503070909010600"
Lines: 113
Date: Wed, 18 Jan 2006 14:13:01 -0500
NNTP-Posting-Host: 24.47.254.156
X-Complaints-To: abuse@cv.net
X-Trace: fe09.lga 1137611558 24.47.254.156 (Wed, 18 Jan 2006 12:12:38 MST)
NNTP-Posting-Date: Wed, 18 Jan 2006 12:12:38 MST
Xref: g2news1.google.com rec.radio.amateur.equipment:2073

This is a multi-part message in MIME format.
--------------000904010503070909010600
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit

Geoffrey S. Mendelson wrote:

>Hi guys,
>
>I have a BP-160 and a BP-131 pack that are dead. I'd like to "refill"
>them with locally available batteries, but can not get them open.
>
>I'm in Israel, so it is not possible to just order a replacment or a
>refill kit from the U.S. and there is NO ICOM dealer in this country.
>
>I tried warming them with a hair dryer, but it did not seem to have
```

```
>any effect. If they are sealed with melted glue, eventualy the heat
>will open them, if they were ultrasonicly welded then I need to use
>a dremel :-(
>
>I found one web site that sells replacement inserts, but there was no
>information I could find on the web on how to open them in the first
>place.
>
>Any help would be greatfully appriciated.
>
>Thanks in advance and 73,
>
>Geoff.
>
>
>
Hi Geoff,  I believe they are ultrasonically welded together.  What does
work (most of the time)
is to put the battery pack in the freezer and let it stay in there for
an hour or so.
When you take it out I usually put it on a solid floor with a "smack".
DON'T throw it, smack it down.
Most times this works fine.
If you smack it to hard, you may crack the case.   Even if you get it
opened a little bit you can usually
split it further with a flat blade screwdriver.  I have been doing this
for many years now, usually with good results.
In the days of the Icom IC-2AT or the IC-02ATs, the battery pack was
screwed together making it super easy
to refill it.    Good Luck to you..
73

Gen. J. O'Neill
SG1

--------------000904010503070909010600
Content-Type: text/html; charset=us-ascii
Content-Transfer-Encoding: 7bit

<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html;charset=ISO-8859-1" http-equiv="Content-Type">
  <title></title>
</head>
<body bgcolor="#ffffff" text="#000000">
Geoffrey S. Mendelson wrote:<br>
<blockquote cite="midslrndssbht.1ph.gsm@cable.mendelson.com" type="cite">
  <pre wrap="">Hi guys,

I have a BP-160 and a BP-131 pack that are dead. I'd like to "refill"
them with locally available batteries, but can not get them open.
```

```
I'm in Israel, so it is not possible to just order a replacment or a
refill kit from the U.S. and there is NO ICOM dealer in this country.

I tried warming them with a hair dryer, but it did not seem to have
any effect. If they are sealed with melted glue, eventualy the heat
will open them, if they were ultrasonicly welded then I need to use
a dremel :-(

I found one web site that sells replacement inserts, but there was no
information I could find on the web on how to open them in the first
place.

Any help would be greatfully appriciated.

Thanks in advance and 73,

Geoff.

  </pre>
</blockquote>
<font size="+1"><font face="Arial">Hi Geoff,&nbsp; I believe they are
ultrasonically welded together.&nbsp; What does work (<b>most</b> of the
time)<br>
is to put the battery pack in the freezer and let it stay in there for
an hour or so.<br>
When you take it out I usually put it on a solid floor with a "smack".
DON'T throw it, smack it down.<br>
<b><u>Most</u> </b>times this works fine.<br>
If you smack it to hard, you may crack the case.&nbsp;&nbsp; Even if you get it
opened a little bit you can usually<br>
split it further with a flat blade screwdriver.&nbsp; I have been doing this
for many years now, <u><i>usually</i></u> with good results.<br>
In the days of the Icom IC-2AT or the IC-02ATs, the battery pack was
screwed together making it super easy <br>
to refill it. &nbsp;&nbsp; Good Luck to you..&nbsp; <br>
73<br>
<i><br>
Gen. J. O'Neill<br>
SG1<br>
</i></font></font>
</body>
</html>

--------------000904010503070909010600--


From 4006666163196323816
X-Google-Thread: 108122,27344d017d78fd07,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
```

```
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Great FT-102 Station FS
Lines: 21
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <9bAzf.5753$ZE.177@dukeread11>
Date: Wed, 18 Jan 2006 17:29:06 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1137626949 68.1.251.179 (Wed, 18 Jan 2006 18:29:09 EST)
NNTP-Posting-Date: Wed, 18 Jan 2006 18:29:09 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:2074

I have for sale a nice Malcomized Yaesu FT-102 Station:
1. FT-102 fully Malcomized by Malcolm Eiselman, NC4L, with little use since
work was done 8/26/03. Over $600 charge.  Transceiver has AM/FM Board,
    XF-455C CW Filter not installed, Handmic, Power Cable, Original Manual.
Works great, 200 watts out. Cosmetically, it is very good. It does have a
few small
    scratches around front trim, but not bad. Front Panel and Cabinet are in
great condition. Also has 455 IF AM Filter installed.
    All documentation from Mal included. Price is $775;
2. FV-102DM Synthesized digital VFO with Memories. Very stable. It has also
been gone over by Malcolm in Dec. 2005 and works perfectly.
    Cosmetically, it is very good. It comes with original manual and all
cables. Price is $375;
3. FC-102 Antenna Tuner. In as new condition with Original Box. Works
Perfect and looks new. Meter lights work. Comes with Original Manual and
    the cable for the the meter lights. Very little use. Price is$325
Shipping from 79602 extra. Package price for all items listed is $1375.
Digital Pictures available. Thanks, Charlie Hugg, K5MBX
```

```
From 8235496527102839656
X-Google-Thread: 108122,1afde943de12a64d
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: How to open ICOM BP160 or BP-131 packs?
Date: Wed, 18 Jan 2006 21:33:49 -0600
Lines: 32
Message-ID: <43CF089D.2010305@sbcglobal.net>
```

```
References: <slrndssbht.1ph.gsm@cable.mendelson.com>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net hhbpMFnR5y5yU5V38bfshwgW0H09ka0FpvxJcntZF6pemW7jTY
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
In-Reply-To: <slrndssbht.1ph.gsm@cable.mendelson.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:2075

Put them in a freezer for a couple of hours, THEN put a utility knife
blade on the seam, and tap a couple of times with a small hammer...
Works great with the older Standard  battery packs and I don't see why
it shouldn't with old Icom battery packs...

Geoffrey S. Mendelson wrote:
> Hi guys,
>
> I have a BP-160 and a BP-131 pack that are dead. I'd like to "refill"
> them with locally available batteries, but can not get them open.
>
> I'm in Israel, so it is not possible to just order a replacment or a
> refill kit from the U.S. and there is NO ICOM dealer in this country.
>
> I tried warming them with a hair dryer, but it did not seem to have
> any effect. If they are sealed with melted glue, eventualy the heat
> will open them, if they were ultrasonicly welded then I need to use
> a dremel :-(
>
> I found one web site that sells replacement inserts, but there was no
> information I could find on the web on how to open them in the first
> place.
>
> Any help would be greatfully appriciated.
>
> Thanks in advance and 73,
>
> Geoff.
>

--
Bob N9LVU


From 5073934642230525069
X-Google-Thread: 108122,69a6fd6915ecc011,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!cb79ae17!not-for-mail
From: muddy <mikebothe@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Standard Radios
Organization: black devils para
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Face: 2M$5$Zt+&?CJ.HA'G:xBptEFp,g1IVWMs^.S0,-31b=sHm]!GB6K@x-p-zW7oM6SGb&QQOb
 C1V4(*~-a[{l|#&sGyJvqL-@5V}W:|/:)t\-0*Z)xW`t#Ql/)@vF|oVgb%?c"S6,8''1'}`=Gdn{8|
 TTc?ffw)fkPM]dx72kwe<:obLM.tjV_R7(G"P<y[Fp
Lines: 12
Message-ID: <I_Dzf.3789$Hd4.3468@newsread1.news.pas.earthlink.net>
Date: Thu, 19 Jan 2006 03:48:56 GMT
NNTP-Posting-Host: 68.164.94.11
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1137642536 68.164.94.11 (Wed, 18 Jan
2006 19:48:56 PST)
NNTP-Posting-Date: Wed, 18 Jan 2006 19:48:56 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2076

c228 (2m/220) (function button does not work)
c558a (2m/440)
3 standard 1000mA batteries
2 maha 1000mA batteries
desk charger

$250

--
Mike
DL1000 (WarthogII) UKRMMA#22
Skype: mikebothe


From -3137438446540880166
X-Google-Thread: 108122,422408e3e0b3e9b7,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newshub.sdsu.edu!elnk-
nf2-pas!newsfeed.earthlink.net!stamper.news.pas.earthlink.net!
newsread1.news.pas.earthlink.net.POSTED!cb79ae17!not-for-mail
From: muddy <mikebothe@gmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Icom R-100
Organization: black devils para
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Face: 2M$5$Zt+&?CJ.HA'G:xBptEFp,g1IVWMs^.S0,-31b=sHm]!GB6K@x-p-zW7oM6SGb&QQOb
 C1V4(*~-a[{l|#&sGyJvqL-@5V}W:|/:)t\-0*Z)xW`t#Ql/)@vF|oVgb%?c"S6,8''1'}`=Gdn{8|
 TTc?ffw)fkPM]dx72kwe<:obLM.tjV_R7(G"P<y[Fp
Lines: 10
Message-ID: <C%Dzf.3790$Hd4.653@newsread1.news.pas.earthlink.net>
Date: Thu, 19 Jan 2006 03:49:54 GMT
NNTP-Posting-Host: 68.164.94.11
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread1.news.pas.earthlink.net 1137642594 68.164.94.11 (Wed, 18 Jan
2006 19:49:54 PST)
```

NNTP-Posting-Date: Wed, 18 Jan 2006 19:49:54 PST
Xref: g2news1.google.com rec.radio.amateur.equipment:2077

The ICOM R100 covers 100 kHz to 1856 MHz in AM, FM and FM-Wide. It has
an an LCD display and tuning via knob, keypad or 100 memories. The rear
panel has 3 antenna inputs.

This receiver is NOT cellular blocked. $300 + shipping.

--
Mike
DL1000 (WarthogII) UKRMMA#22
Skype: mikebothe

From -2733154710725562338
X-Google-Thread: 106284,f5d86b8625562aca
X-Google-Thread: 108122,e43ca6ee5fab9880
X-Google-Thread: 107ada,e43ca6ee5fab9880
X-Google-Thread: 10bf43,e43ca6ee5fab9880
X-Google-Thread: 106d41,e43ca6ee5fab9880
X-Google-Thread: fa029,e43ca6ee5fab9880
X-Google-Thread: 114aac,e43ca6ee5fab9880
X-Google-Attributes:
gid106284,gid108122,gid107ada,gid10bf43,gid106d41,gidfa029,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.gvtc.com!news.gvtc.com.POSTED!not-for-mail
NNTP-Posting-Date: Thu, 19 Jan 2006 07:29:40 -0600
Date: Thu, 19 Jan 2006 07:29:40 -0600
From: CriticalMass <no@spam.com>
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.2) Gecko/
20040804 Netscape/7.2 (ax)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: alt.fan.art-
bell,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.policy,r
ec.radio.amateur.swap,rec.radio.cb,rec.radio.scanner,rec.radio.shortwave
Subject: Re: Ham Radio, How I got caught
References: <VEvwf.4658$fb4.823@newssvr14.news.prodigy.com>
<b47a5$43c2d309$d1cc45e6$24055@snip.allthenewsgroups.com>
<f5egs1dg88jf8g6n7115pm6fq9i9sapbf7@4ax.com>
In-Reply-To: <f5egs1dg88jf8g6n7115pm6fq9i9sapbf7@4ax.com>
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <AM-dnaIbMsvZCVLenZ2dnUVZ_sOdnZ2d@gvtc.com>
Lines: 12
NNTP-Posting-Host: 64.185.191.182
X-Trace: sv3-fyPJTRBYFvqhd+XC1sSHQJbyZuXJnaFeT4GPO/
7WXAWpLb+dICfJRuUouUROa7Dmu7qkHy/OExCNQyD!
Hx0Afredj3pkGNngA7Tmg9x9hbu8BAlGfW+RckGBsm/JA/Z+kA1gdBBfNBDmcBVyGeyFZXMz4IxE!
aZb3yQ==

```
X-Complaints-To: abuse@gvtc.com
X-DMCA-Complaints-To: abuse@gvtc.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com alt.fan.art-bell:32383 rec.radio.amateur.equipment:2078
rec.radio.amateur.misc:3635 rec.radio.amateur.policy:12945 rec.radio.cb:4805
rec.radio.scanner:1846 rec.radio.shortwave:19451
```

pancake wrote:

> Most hams act like fuckin' boy scouts. If I could make kids fall off
> their bikes by keying up, I might wanna get my ticket.

And, you think acting like a "boy scout" is bad? I'd a whole lot rather be approached by a "boy scout" stranger than anyone who thinks they're weird.

Get your head on straight.

```
From -285579609845943560
```

```
X-Google-Thread: fc8b1,3ce33f631d1bce28,start
X-Google-Thread: fc2a5,3ce33f631d1bce28,start
X-Google-Thread: 108122,3ce33f631d1bce28,start
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
wn11feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-
for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: FA:100p+Atwater-Kent Service Manual+ more
Lines: 8
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <BrNzf.274613$qk4.18092@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 82385af362adca7ccabb4749101337f0
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1137681249
82385af362adca7ccabb4749101337f0 (Thu, 19 Jan 2006 14:34:09 GMT)
NNTP-Posting-Date: Thu, 19 Jan 2006 14:34:09 GMT
Organization: AT&T Worldnet
Date: Thu, 19 Jan 2006 14:34:09 GMT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:2371
```

rec.radio.amateur.homebrew:3052 rec.radio.amateur.equipment:2079

A 108 page Atwater Kent service model covering several models + other stuff
too; see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking, heytubeguy

From -4784395541984495025
X-Google-Thread: 108122,3cbe09384275fa6
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!newsfeed-east.nntpserver.com!nntpserver.com!statler.nntpserver.com!atl-c06.usenetserver.com!news.usenetserver.com!news.infoave.net!not-for-mail
From: Roger Rabbit <Roger.Rabbit.not.valid@aol.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood TS-450s optional filter question
Date: Thu, 19 Jan 2006 11:37:23 -0500
Organization: Info Avenue Internet Services, LLC
Lines: 37
Message-ID: <7sfvs1l7na5ns9pjg5kpnn7qgeekkin6b9@4ax.com>
References: <m6oss1dl23dh73bbcnfn0nbggevl40fbis@4ax.com>
<43CE737F.933FD39@sympatico.ca>
NNTP-Posting-Host: rhhe10-165.2wcm.comporium.net
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Trace: news3.infoave.net 1137688650 488101 64.53.90.165 (19 Jan 2006 16:37:30 GMT)
X-Complaints-To: abuse@infoave.net
NNTP-Posting-Date: Thu, 19 Jan 2006 16:37:30 +0000 (UTC)
X-Newsreader: Forte Free Agent 2.0/32.652
Xref: g2news1.google.com rec.radio.amateur.equipment:2080

On Wed, 18 Jan 2006 11:57:35 -0500, Dave Holford
<holford@sympatico.ca> wrote:

>
>
>Roger Rabbit wrote:
>
>>
>>   My Kenwood TS-450sat has both 2.4 KHz filters installed and only the
>> 500 Hz CW positions empty. I would like to install the YK-88SN-1
>> filter. Can I plug the YK-88SN-1 1.8 KHz filter in one of the open
>> positions normally used for the 500 Hz CW filter?   I'm hoping to be
>> able to use the two 2.4 KHz filters for normal operation, and then
>> switch to the 1.8 KHz filter in the 500 setting when someone is parked

>> closer than 3 KHz away.
>>
>> Thanks in advanced..
>>
>> -Michael
>
>That is exactly the way my TS-450sat is configured - works great.
>
>I also have a YG-455CN-1 250 Hz filter in the 455 kHz slot and end up with
>the best of both worlds.
>
>Dave

I ordered the YK-88SN-1 from HRO yesterday after reading your
reply. It looks like the YG-455CN-1 has been discontinued. Inrad has
a similar filter available for the Kenwood 450, but it is $155.00.
Perhaps I'll watch Ebay for awhile and see what comes up.

Thanks for your help.

-Michael

From 6299534664426121481
X-Google-Thread: 1109af,bb8a7a410cf748ab,start
X-Google-Thread: 108122,bb8a7a410cf748ab,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!newsread.com!news-xfer.newsread.com!
logbridge.uoregon.edu!nntp-server.caltech.edu!hammer.uoregon.edu!news.hawaii.edu!
jeffreyh
From: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Free: HR-2510 service manual
Date: 29 Dec 2005 20:48:13 GMT
Organization: University of Hawaii
Lines: 19
Message-ID: <dp1i2d$g32$1@news.hawaii.edu>
NNTP-Posting-Host: uhunix2.its.hawaii.edu
X-Trace: news.hawaii.edu 1135889293 16482 128.171.44.7 (29 Dec 2005 20:48:13 GMT)
X-Complaints-To: usenet@hawaii.edu
NNTP-Posting-Date: 29 Dec 2005 20:48:13 GMT
Xref: g2news1.google.com rec.radio.swap:1902 rec.radio.amateur.equipment:1876

I have a nice copy of the 55 page HR-2510 service manual.
Price schedule:
20 wpm Extra: free
13 wpm Advanced: $5
13 wpm General: $10
5 wpm Tech+: $15
5 wpm Novice: $20

5 wpm Extra: $25
5 wpm Advanced: $30
5 wpm General: $35
0 wpm Tech: $5,000.

(Buyer also pays postage -- about $4 via Priority Mail)

73,
Jeff KH6O
--
Chief Petty Officer, U.S. Coast Guard
Mathematics Lecturer, University of Hawaii System

From -5817422412341220688
X-Google-Thread: 1109af,bb8a7a410cf748ab
X-Google-Thread: 108122,bb8a7a410cf748ab
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news2.google.com!news.maxwell.syr.edu!news-rtr.nyroc.rr.com!news-out.nyroc.rr.com!twister.nyroc.rr.com.POSTED!53ab2750!not-for-mail
From: "Hamguy" <hamguy@arrl.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
References: <dp1i2d$g32$1@news.hawaii.edu>
Subject: Re: HR-2510 service manual
Lines: 27
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <KOYsf.56302$XC4.24920@twister.nyroc.rr.com>
Date: Thu, 29 Dec 2005 21:46:18 GMT
NNTP-Posting-Host: 24.58.195.67
X-Complaints-To: abuse@rr.com
X-Trace: twister.nyroc.rr.com 1135892778 24.58.195.67 (Thu, 29 Dec 2005 16:46:18 EST)
NNTP-Posting-Date: Thu, 29 Dec 2005 16:46:18 EST
Organization: Road Runner
Xref: g2news1.google.com rec.radio.swap:1903 rec.radio.amateur.equipment:1877

Would you take Paypal for the $5,000.00 ?

"Jeffrey Herman" <jeffreyh@Hawaii.Edu> wrote in message
news:dp1i2d$g32$1@news.hawaii.edu...
>I have a nice copy of the 55 page HR-2510 service manual.
> Price schedule:
> 20 wpm Extra: free
> 13 wpm Advanced: $5
> 13 wpm General: $10

> 5 wpm Tech+: $15
> 5 wpm Novice: $20
> 5 wpm Extra: $25
> 5 wpm Advanced: $30
> 5 wpm General: $35
> 0 wpm Tech: $5,000.
>
> (Buyer also pays postage -- about $4 via Priority Mail)
>
> 73,
> Jeff KH6O
> --
> Chief Petty Officer, U.S. Coast Guard
> Mathematics Lecturer, University of Hawaii System

From -5199527530487331776
X-Google-Thread: 108122,bb8a7a410cf748ab
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!sn-xt-sjc-15!sn-xt-sjc-08!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Free: HR-2510 service manual
Date: Thu, 29 Dec 2005 15:56:33 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <5bq8r1tpnvkb62lvpdo9lp7l56i5c6gub5@4ax.com>
References: <dp1i2d$g32$1@news.hawaii.edu>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 21
Xref: g2news1.google.com rec.radio.amateur.equipment:1878

On 29 Dec 2005 20:48:13 GMT, jeffreyh@Hawaii.Edu (Jeffrey Herman)
wrote:

>I have a nice copy of the 55 page HR-2510 service manual.
>Price schedule:
>20 wpm Extra: free
>13 wpm Advanced: $5
>13 wpm General: $10
>5 wpm Tech+: $15
>5 wpm Novice: $20
>5 wpm Extra: $25
>5 wpm Advanced: $30
>5 wpm General: $35
>0 wpm Tech: $5,000.

```
>
>(Buyer also pays postage -- about $4 via Priority Mail)
>
>73,
>Jeff KH6O

You left out the 13wpm Extra.  Would that be $2.50?  :-)


From 6878729659794638321
X-Google-Thread: 108122,cd19331d1b0aa10b,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
From: rfimages@yahoo.com
Newsgroups: rec.radio.amateur.equipment
Subject: InvisibleHamAntennas.com - FOR SALE - $50
Date: 29 Dec 2005 15:39:22 -0800
Organization: http://groups.google.com
Lines: 13
Message-ID: <1135899561.921279.310860@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: 67.40.141.113
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1135899566 8451 127.0.0.1 (29 Dec 2005 23:39:26 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Thu, 29 Dec 2005 23:39:26 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.7) Gecko/
20050414 Firefox/1.0.3,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=67.40.141.113;
   posting-account=hEnaug0AAABwbRq73Kb5r9wNWW32noHy
Xref: g2news1.google.com rec.radio.amateur.equipment:1879

InvisibleHamAntennas.com - - domain name is for sale.  The is one of a
number of domain names that I own.  I just do not have the time to
develope this name so I am selling it.  The price is $50.  Transfer
costs should be about $7.50.

Click on this link to see the parking page:
http://www.InvisibleHamAntennas.com


Thank you for looking.

Bill



From 4755138853927139544
X-Google-Thread: 108122,bb8a7a410cf748ab
```

```
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newshub.sdsu.edu!
logbridge.uoregon.edu!news-hub.kaist.ac.kr!newsfeed.kreonet.re.kr!
nntp.kreonet.re.kr!kreonet.re.kr!feeder.kornet.net!news.kornet.net!not-for-mail
From: "Brenda Ann" <brendad@shinbiro.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Free: HR-2510 service manual
Date: Fri, 30 Dec 2005 09:20:02 +0900
Organization: Korea Telecom
Lines: 29
Message-ID: <dp1u8f$map$1@news2.kornet.net>
References: <dp1i2d$g32$1@news.hawaii.edu>
<5bq8r1tpnvkb62lvpdo9lp7l56i5c6gub5@4ax.com>
NNTP-Posting-Host: 59.8.221.116
X-Trace: news2.kornet.net 1135901775 22873 59.8.221.116 (30 Dec 2005 00:16:15 GMT)
X-Complaints-To: usenet@feeder.kornet.net
NNTP-Posting-Date: Fri, 30 Dec 2005 00:16:15 +0000 (UTC)
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Xref: g2news1.google.com rec.radio.amateur.equipment:1880


"Dick" <LeadWinger> wrote in message
news:5bq8r1tpnvkb62lvpdo9lp7l56i5c6gub5@4ax.com...
> On 29 Dec 2005 20:48:13 GMT, jeffreyh@Hawaii.Edu (Jeffrey Herman)
> wrote:
>
>>I have a nice copy of the 55 page HR-2510 service manual.
>>Price schedule:
>>20 wpm Extra: free
>>13 wpm Advanced: $5
>>13 wpm General: $10
>>5 wpm Tech+: $15
>>5 wpm Novice: $20
>>5 wpm Extra: $25
>>5 wpm Advanced: $30
>>5 wpm General: $35
>>0 wpm Tech: $5,000.
>>
>>(Buyer also pays postage -- about $4 via Priority Mail)
>>
>>73,
>>Jeff KH6O
>
> You left out the 13wpm Extra.  Would that be $2.50?  :-)

Then there's the question of how to know who has what based on call sign.
```

```
From -5608661922578290780
X-Google-Thread: 1109af,bb8a7a410cf748ab
X-Google-Thread: 108122,bb8a7a410cf748ab
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!spamkiller.gnilink.net!gnilink.net!trnddc05.POSTED!f4af025b!
not-for-mail
From: "Norm Mann" <folder0735@hotmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
References: <dp1i2d$g32$1@news.hawaii.edu>
Subject: Re: HR-2510 service manual
Lines: 22
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <we%sf.742$MV3.682@trnddc05>
Date: Fri, 30 Dec 2005 00:32:28 GMT
NNTP-Posting-Host: 71.102.227.202
X-Complaints-To: abuse@verizon.net
X-Trace: trnddc05 1135902748 71.102.227.202 (Thu, 29 Dec 2005 19:32:28 EST)
NNTP-Posting-Date: Thu, 29 Dec 2005 19:32:28 EST
Xref: g2news1.google.com rec.radio.swap:1908 rec.radio.amateur.equipment:1881


"Jeffrey Herman" <jeffreyh@Hawaii.Edu> wrote in message
news:dp1i2d$g32$1@news.hawaii.edu...
>I have a nice copy of the 55 page HR-2510 service manual.
> Price schedule:
> 20 wpm Extra: free
> 13 wpm Advanced: $5
> 13 wpm General: $10
> 5 wpm Tech+: $15
> 5 wpm Novice: $20
> 5 wpm Extra: $25
> 5 wpm Advanced: $30
> 5 wpm General: $35
> 0 wpm Tech: $5,000.

I don't think a 5 wpm Advanced exists.  Wasn't Advanced class taken out of
the upgrade path when the 5 wpm classes were established?

-NM
```

```
From 8467367738651334025
X-Google-Thread: 108122,bb8a7a410cf748ab
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
newsfeeds.ihug.co.nz!ihug.co.nz!news.xtra.co.nz!53ab2750!not-for-mail
From: Ken Taylor <ken123@xxxxtra.co.nz>
User-Agent: Mozilla Thunderbird 1.0.7 (Windows/20050923)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Free: HR-2510 service manual
References: <dp1i2d$g32$1@news.hawaii.edu>
<5bq8r1tpnvkb62lvpdo9lp7l56i5c6gub5@4ax.com> <dp1u8f$map$1@news2.kornet.net>
In-Reply-To: <dp1u8f$map$1@news2.kornet.net>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Lines: 35
Message-ID: <MF0tf.11264$vH5.547753@news.xtra.co.nz>
Date: Fri, 30 Dec 2005 15:09:46 +1300
NNTP-Posting-Host: 219.88.64.2
X-Complaints-To: abuse@xtra.co.nz
X-Trace: news.xtra.co.nz 1135908588 219.88.64.2 (Fri, 30 Dec 2005 15:09:48 NZDT)
NNTP-Posting-Date: Fri, 30 Dec 2005 15:09:48 NZDT
Organization: Xtra
Xref: g2news1.google.com rec.radio.amateur.equipment:1882

Brenda Ann wrote:
> "Dick" <LeadWinger> wrote in message
> news:5bq8r1tpnvkb62lvpdo9lp7l56i5c6gub5@4ax.com...
>
>>On 29 Dec 2005 20:48:13 GMT, jeffreyh@Hawaii.Edu (Jeffrey Herman)
>>wrote:
>>
>>
>>>I have a nice copy of the 55 page HR-2510 service manual.
>>>Price schedule:
>>>20 wpm Extra: free
>>>13 wpm Advanced: $5
>>>13 wpm General: $10
>>>5 wpm Tech+: $15
>>>5 wpm Novice: $20
>>>5 wpm Extra: $25
>>>5 wpm Advanced: $30
>>>5 wpm General: $35
>>>0 wpm Tech: $5,000.
>>>
>>>(Buyer also pays postage -- about $4 via Priority Mail)
>>>
>>>73,
>>>Jeff KH6O
```

```
>>
>>You left out the 13wpm Extra.  Would that be $2.50?  :-)
>
>
> Then there's the question of how to know who has what based on call sign.
>
>
>
No doubt you have to order via Morse.....

Ken



From 5259883267288113934
X-Google-Thread: 108122,bb8a7a410cf748ab
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hammer.uoregon.edu!news.hawaii.edu!jeffreyh
From: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Free: HR-2510 service manual
Date: 30 Dec 2005 03:08:59 GMT
Organization: University of Hawaii
Lines: 36
Message-ID: <dp28cb$s9v$1@news.hawaii.edu>
References: <dp1i2d$g32$1@news.hawaii.edu>
<5bq8r1tpnvkb62lvpdo9lp7l56i5c6gub5@4ax.com> <dp1u8f$map$1@news2.kornet.net>
NNTP-Posting-Host: uhunix2.its.hawaii.edu
X-Trace: news.hawaii.edu 1135912139 28991 128.171.44.7 (30 Dec 2005 03:08:59 GMT)
X-Complaints-To: usenet@hawaii.edu
NNTP-Posting-Date: 30 Dec 2005 03:08:59 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1883

Brenda Ann <brendad@shinbiro.com> wrote:

>"Dick" <LeadWinger> wrote in message

>> On 29 Dec 2005 20:48:13 GMT, jeffreyh@Hawaii.Edu (Jeffrey Herman)
>>>I have a nice copy of the 55 page HR-2510 service manual.
>>>Price schedule:
>>>20 wpm Extra: free
>>>13 wpm Advanced: $5
>>>13 wpm General: $10
>>>5 wpm Tech+: $15
>>>5 wpm Novice: $20
>>>5 wpm Extra: $25
>>>5 wpm Advanced: $30
>>>5 wpm General: $35
>>>0 wpm Tech: $5,000.
>>>
>>>(Buyer also pays postage -- about $4 via Priority Mail)
>>>
```

>>>73,
>>>Jeff KH6O

>> You left out the 13wpm Extra. Would that be $2.50? :-)

>Then there's the question of how to know who has what based on call sign.

I posted that tongue-in-check. It would go for free to the first ham
who responded, and it so happened that an Extra did respond.

73 from Hawaii,
Jeff KH6O

--
Chief Petty Officer, U.S. Coast Guard
Mathematics Lecturer, University of Hawaii System

```
From 2083593143781825221
X-Google-Thread: 108122,46c60640a46cdc17
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!ALLTEL.NET-
a2kHrUvQQWlmc!not-for-mail
From: "Fred W4JLE" <w4jle@w4jle.com>
Newsgroups: rec.radio.amateur.equipment
References: <439CBDED.858A59DA@erols.com>
Subject: Re: R-390A FYI - Radio Active Meter Needles?
Date: Thu, 29 Dec 2005 22:22:58 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <a0eab$43b4a841$471d2513$27196@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 29
X-Trace: a0eab43b4a841e2b880b627196
Xref: g2news1.google.com rec.radio.amateur.equipment:1884
```

The radio activity is caused by the glow in the dark meter markings. More
tree hugger bull crap.

"Murray Green, K3BEQ" <mgreen@erols.com> wrote in message
news:439CBDED.858A59DA@erols.com...
>
> In this weekend's Radio Amateur Information Network (R.A.I.N.) audio
> news, they featured Michael Crestohl, W1RC, at the 2000 Dayton Ham-
> Vention. Michael was deeply involved at the time in working with the

> U.S. government to remove or reclassify collectible surplus radio
> gear from its demilitarization list.
>
> In the interview, Michael mentions that the meter needles in the R390A
> were "radio active" and had to be removed before the equipment could
> be demilitarized by the government. (It was not clear if this pertained
> to all of the R390As or certain models.)
>
> Just a FYI to R390A owners. The broadcast can be heard at:
> http://www.rrsta.com/rain/ (The statement about the meter needles
> comes in around 11:15 minutes into the approximate 15 minute audio
> news.)
>
> Just how radio active the needles are was not mentioned. Also I
> suspect that some R390A went to MARS members and may not have been
> demilitarized. I had one for many years and this was the first I
> heard about the needles.

```
From -5878127452910355997
X-Google-Thread: 1109af,bb8a7a410cf748ab
X-Google-Thread: 108122,bb8a7a410cf748ab
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
bigfeed.bellsouth.net!bignumber.bellsouth.net!news.bellsouth.net!
bignews6.bellsouth.net.POSTED!19fc7e43!not-for-mail
From: <dalite01@bellsouth.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
References: <dp1i2d$g32$1@news.hawaii.edu>
Subject: Re: HR-2510 service manual
Lines: 25
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <I02tf.74270$k76.19439@bignews6.bellsouth.net>
X-Complaints-To: abuse@bellsouth.net
X-Abuse-Info: Please forward a copy of all headers for proper handling
X-Trace:
ofjmidbaofeaohdodbdpiflmbcekedmfhojhikkbagflhcboabhiochdmdkbinlcfiogjogdedomfnlmpo
ckhkkienbbdbpelajciafeceapbbbbihbbjoldfngcmehndamplgpeldgoofhenocipjgfdkaiaaeo
NNTP-Posting-Date: Thu, 29 Dec 2005 22:42:32 EST
Organization: BellSouth Internet Group
Date: Thu, 29 Dec 2005 22:46:11 -0500
Xref: g2news1.google.com rec.radio.swap:1913 rec.radio.amateur.equipment:1885
```

Your Tax-Payer Dollars at Work....

"Jeffrey Herman" <jeffreyh@Hawaii.Edu> wrote in message

news:dp1i2d$g32$1@news.hawaii.edu...
>I have a nice copy of the 55 page HR-2510 service manual.
> Price schedule:
> 20 wpm Extra: free
> 13 wpm Advanced: $5
> 13 wpm General: $10
> 5 wpm Tech+: $15
> 5 wpm Novice: $20
> 5 wpm Extra: $25
> 5 wpm Advanced: $30
> 5 wpm General: $35
> 0 wpm Tech: $5,000.
>
> (Buyer also pays postage -- about $4 via Priority Mail)
>
> 73,
> Jeff KH6O
> --
> Chief Petty Officer, U.S. Coast Guard
> Mathematics Lecturer, University of Hawaii System

```
From -5772034554135488728
X-Google-Thread: 108122,7746eceee475be9f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news-server.columbus.rr.com!tornado.ohiordc.rr.com.POSTED!53ab2750!not-for-mail
From: "David J Windisch" <davidjw@cinci.rr.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Meissner Signal Shifter variable frequency exciter
Lines: 9
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <Mt8tf.92242$lh.40641@tornado.ohiordc.rr.com>
Date: Fri, 30 Dec 2005 11:03:08 GMT
NNTP-Posting-Host: 69.133.36.142
X-Complaints-To: abuse@rr.com
X-Trace: tornado.ohiordc.rr.com 1135940588 69.133.36.142 (Fri, 30 Dec 2005 06:03:08 EST)
NNTP-Posting-Date: Fri, 30 Dec 2005 06:03:08 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1886
```

FS: Meissner Signal Shifter variable frequency exciter in good working and physical condition; 3.4-30 MHz, copy of book. 4-6W out; tuning eye good.
Pix available.

$75 you pay shipping; $100 I ship conus gnd.

Tks for reading. 73 Dave N3HE

```
From -2790046138233491255
X-Google-Thread: 108122,46c60640a46cdc17
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe07.lga.POSTED!53ab2750!not-for-mail
From: Roger <Delete-Invallid.stuff.groups@tm.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: R-390A FYI - Radio Active Meter Needles?
Message-ID: <l50ar193neqfqdlpp4oqbentcd1s5ack7f@4ax.com>
References: <439CBDED.858A59DA@erols.com>
<a0eab$43b4a841$471d2513$27196@ALLTEL.NET>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 44
X-Trace:
pikkdiabbdefphapenhbkdgpphflipekoafmhgicofaaoidlbmakopbkdddlphoemgnmogfpkkllhnampg
mmnkaoofjgjdookahhpooigmkijiedkjiefjmcooanfhnbegcmjhhibopfakdb
NNTP-Posting-Date: Fri, 30 Dec 2005 05:12:40 MST
Date: Fri, 30 Dec 2005 07:12:46 -0500
Xref: g2news1.google.com rec.radio.amateur.equipment:1887
```

>>
>> Just how radio active the needles are was not mentioned. Also I

It's nothing to worry about. They are no different than the "glow in the dark" clock and radio dials from back in the 40's 50's and maybe 60's. There was a small amount of radio active material mixed in with the phorphour causing it to glow.

>> suspect that some R390A went to MARS members and may not have been
>> demilitarized. I had one for many years and this was the first I
>> heard about the needles.

I'd guess this is just a CYA by the government after some lawyer realized the stuff was still out there. The material is *very* low level" and could be hazardous IF you get it in your mouth or a cut" and in today's sue happy society I can see why they might panic. However the stuff is basically harmless unless you provoke it.

I once broke a device in my hands with enough radioactive Cesium in it to really light up the counters. The hazmat team found the device in the lab under a metal pail, a string of clothes down the hall, and me standing in the shower. Again they said as long as I had not put my hands near my mouth, nose, or eyes or gotten the material in some cuts (the counter confirmed I hadn't) they said I did the right thing. BTW, I even got my clothes back. <:-))

Back in the days when they were making the dials, word has it that some of the women doing the painting were getting sick. They'd twirl the end of the brush on their tongues to keep a point on the brush and were ingesting the material.
>

For any one who has been around a while, look at how they treat mercury now and how we used to treat it 50 and 60 years ago.   Break a thermomenter and they close a lab while the hazmat team cleans up. We used to "silver" coins and rigs with the stuff and carry it around. I'd guess the Mercury is far more dangerous than any radioactivity from those dials and markings.

Roger Halstead (K8RI & ARRL life member)
(N833R, S# CD-2 Worlds oldest Debonair)
www.rogerhalstead.com

From -1630477772747682O7
X-Google-Thread: 108122,d6aa45d430d160c5,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!hwmnpeer01.lga!hwmedia!hw-filter.lga!fe08.lga.POSTED!
53ab2750!not-for-mail
From: "Demitri" <cometopapa@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Avoid!!!!!!!
Lines: 12
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
Message-ID: <4Idtf.21$SG6.10@fe08.lga>
Date: Fri, 30 Dec 2005 11:59:58 -0500
NNTP-Posting-Host: 24.188.246.114
X-Complaints-To: abuse@cv.net
X-Trace: fe08.lga 1135961984 24.188.246.114 (Fri, 30 Dec 2005 09:59:44 MST)
NNTP-Posting-Date: Fri, 30 Dec 2005 09:59:44 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:1889

Warren Gregoire and Associates LLC

Do not deal with these people!!!
I'm over 19 years HAM, my call sign is AK2P (ex UB5FBG, UR5FBG, ER5/UR5FBG)
I have Never seen such rude and dishonest people.......... They hang on me
with insults... don't pick up phone.... never call back... There are no men
to talk with....
Headsets what they sell is complete garbage. Waste of money.
Don't buy, don't support them.

```
From 769266799914539444
X-Google-Thread: 108122,d6aa45d430d160c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wn13feed!worldnet.att.net!
bgtnsc05-news.ops.worldnet.att.net.POSTED!53ab2750!not-for-mail
Message-ID: <43B579D0.7940D3@nospamforme.com>
From: joe <joe@nospamforme.com>
X-Mailer: Mozilla 4.79 [en] (Windows NT 5.0; U)
X-Accept-Language: en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Avoid!!!!!!!
References: <4Idtf.21$SG6.10@fe08.lga>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 17
Date: Fri, 30 Dec 2005 18:17:55 GMT
NNTP-Posting-Host: 12.76.216.22
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1135966675 12.76.216.22 (Fri, 30 Dec
2005 18:17:55 GMT)
NNTP-Posting-Date: Fri, 30 Dec 2005 18:17:55 GMT
Organization: AT&T Worldnet
Xref: g2news1.google.com rec.radio.amateur.equipment:1890
```

hi,

they advertise in QST, why not email arrl about the situation,
they have high standards for the advertisers.

Demitri wrote:

> Warren Gregoire and Associates LLC
>
> Do not deal with these people!!!
> I'm over 19 years HAM, my call sign is AK2P (ex UB5FBG, UR5FBG, ER5/UR5FBG)
> I have Never seen such rude and dishonest people.......... They hang on me
> with insults... don't pick up phone.... never call back... There are no men
> to talk with....

```
> Headsets what they sell is complete garbage. Waste of money.
> Don't buy, don't support them.



From 6754568889191852799
X-Google-Thread: 1109af,bb8a7a410cf748ab
X-Google-Thread: 108122,bb8a7a410cf748ab
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!PAISP.COM-
a2kHrUvQQWlmc!not-for-mail
From: Big Rich Soprano <BucSoprano@gmail.com>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: Re: HR-2510 service manual
Date: Fri, 30 Dec 2005 14:16:36 -0500
Message-ID: <er1br1pjr9htdplaej3mjdrs7fpclljll0@4ax.com>
References: <dp1i2d$g32$1@news.hawaii.edu> <we%sf.742$MV3.682@trnddc05>
X-Newsreader: Forte Agent 2.0/32.652
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 6
X-Trace: 39d6243b587989af4372a29704
Xref: g2news1.google.com rec.radio.swap:1921 rec.radio.amateur.equipment:1891

>I don't think a 5 wpm Advanced exists.  Wasn't Advanced class taken out of
>the upgrade path when the 5 wpm classes were established?


I thought so too. My friend Jim can tell ya. He's as advanced as they
come...



From -7041952949148460173
X-Google-Thread: 1109af,f0a17da7c5c2f913,start
X-Google-Thread: 108122,f0a17da7c5c2f913,start
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: 4 sale REVISED
Date: Fri, 30 Dec 2005 14:09:01 -0600
Lines: 67
Message-ID: <41lietF1etghlU1@individual.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net G/48wJljhpbgO+Nm02+mEA5rS14cS2yflOihJniFfUBBe1ZCXj
```

```
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
Path: g2news1.google.com!news1.google.com!proxad.net!feed.ac-versailles.fr!fu-
berlin.de!uni-berlin.de!individual.net!not-for-mail
Xref: g2news1.google.com rec.radio.swap:1923 rec.radio.amateur.equipment:1892
```

Radio Specialty Model 1179-22-1 Repeater-------------------$ 50
Appears to be complete, minus crystals.
I have no way to verify operation.
Has 2 settable PL tones...
Outside of case is scuffed, but inside is very clean!
Repeater is in a wall mountable battleship gray cabinet,
that is 4" deep by 13.5" wide, by 21.5" tall, and is
around 30# in weight. It is a VHF base/repeater used by
the BLM out west...
It also has on the front cover, I-5YACC, then under it is
271, under that VHF REPEATER. There are a lot of FCC type
acceptance # all over inside, plus the maker, and maker's
partial address, and part # for transmitter, and receiver
sections.
NO documentation.

2 Kenwood TR-7950-----------------------------------EACH---$ 80
Each comes with mobile mount, and 1st sale gets the
packet adapter. Are in very good shape, but do not include
the TU-79 PL boards which are available at www.piexx.com
They will not come in original box, and if I do not have
the manual, I will photocopy, or pdf one (your choice)...

Standard C468A LNIB---------------------------------------$ 75

LinkXcel PS-141B 4 port KVM Switch with 4 cables-----------$ 65
-Like New- This is the PS2/VGA model -No manual-

Pioneer DRM-602X Scsii cd changer that uses Pioneer--------$ 15
audio cd carts. -No manual-

Sanyo SCP5000-------------(Sprint)-9/10---------------BEST OFFER
1 desktop charger
2 AC adapters
2 12v adapters
1 data cord

Samsung SCH3500----------(Sprint)-6/10----------------BEST OFFER
1 extra battery
1 holster
1 desktop charger
1 12v adapter
1 data cord
NO MANUAL or BOX

Nokia 252-----------------(unknown)-8/10-------------BEST OFFER
2 extra batteries
1 holster
1 desktop charger
1 12v adapter
NO MANUAL or BOX

All items will include manuals unless noted.
Shipping is NOT included on any item(s).

Pictures of the radios can be found at;
http://www.mantico.com/4sale.htm
I will have all items on line as soon as possible.

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@sbcglobal.net

```
From -3816334988436195845
X-Google-Thread: 108122,8d9d9872036e872e,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Date: Fri, 30 Dec 2005 18:00:48 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Elecraft reports
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <2c43f$43b5bc21$42a1bfc2$29648@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 4
X-Trace: 2c43f43b5bc21e7041a6729648
Xref: g2news1.google.com rec.radio.amateur.equipment:1893
```

I am re-entering ham radio after a very long hiatus. Any comments on
Elecraft K-2, either kit building experience or operating experience?

John

From -8622209449801724969
X-Google-Thread: 108122,8d9d9872036e872e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Elecraft reports
Date: 30 Dec 2005 23:25:47 GMT
Lines: 6
Message-ID: <slrndrbgfr.2j9d.bit-bucket@shell.config.com>
References: <2c43f$43b5bc21$42a1bfc2$29648@FUSE.NET>
X-Trace: individual.net Jz0WWvkzSzy9hoDh+eddVQCj/u5tP6xqWaY4AAxnO5tSTp5uHu
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:1894

On Fri, 30 Dec 2005 18:00:48 -0500, jawod wrote:

> I am re-entering ham radio after a very long hiatus. Any comments on
> Elecraft K-2, either kit building experience or operating experience?

http://groups.google.com/groups?as_q=Elecraft+K-2&as_ugroup=rec.radio.amateur.*

From -9158739807282625611
X-Google-Thread: 108122,46c60640a46cdc17
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!news-server.columbus.rr.com!cyclone2.kc.rr.com!
news2.kc.rr.com!tornado.rdc-kc.rr.com.POSTED!53ab2750!not-for-mail
From: Big Endian <nospam@nospam.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: R-390A FYI - Radio Active Meter Needles?
References: <439CBDED.858A59DA@erols.com>
<a0eab$43b4a841$471d2513$27196@ALLTEL.NET>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <nospam-3EC597.18051230122005@news-rdr-03.rdc-kc.rr.com>
Lines: 47
Date: Sat, 31 Dec 2005 00:05:12 GMT
NNTP-Posting-Host: 72.131.92.128
X-Complaints-To: abuse@rr.com
X-Trace: tornado.rdc-kc.rr.com 1135987512 72.131.92.128 (Fri, 30 Dec 2005 18:05:12
CST)
NNTP-Posting-Date: Fri, 30 Dec 2005 18:05:12 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1895

In article <a0eab$43b4a841$471d2513$27196@ALLTEL.NET>,
"Fred W4JLE" <w4jle@w4jle.com> wrote:

> The radio activity is caused by the glow in the dark meter markings. More

> tree hugger bull crap.

A few years back I put a Geiger counter within inches of an old Timex watch with a "radium dial" and it pegged out the meter. It was a significant amount of radiation if worn on your wrist. Worth the risk? Not for me.

Anyway have fun with your R390 and it's "radium dial" meter.

>
>
> "Murray Green, K3BEQ" <mgreen@erols.com> wrote in message
> news:439CBDED.858A59DA@erols.com...
> >
> > In this weekend's Radio Amateur Information Network (R.A.I.N.) audio
> > news, they featured Michael Crestohl, W1RC, at the 2000 Dayton Ham-
> > Vention. Michael was deeply involved at the time in working with the
> > U.S. government to remove or reclassify collectible surplus radio
> > gear from its demilitarization list.
> >
> > In the interview, Michael mentions that the meter needles in the R390A
> > were "radio active" and had to be removed before the equipment could
> > be demilitarized by the government. (It was not clear if this pertained
> > to all of the R390As or certain models.)
> >
> > Just a FYI to R390A owners. The broadcast can be heard at:
> > http://www.rrsta.com/rain/ (The statement about the meter needles
> > comes in around 11:15 minutes into the approximate 15 minute audio
> > news.)
> >
> > Just how radio active the needles are was not mentioned. Also I
> > suspect that some R390A went to MARS members and may not have been
> > demilitarized. I had one for many years and this was the first I
> > heard about the needles.

From -9044638282187747544
X-Google-Thread: 108122,46c60640a46cdc17
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!hwmnpeer01.lga!hwmedia!news-server.columbus.rr.com!cyclone2.kc.rr.com!news2.kc.rr.com!tornado.rdc-kc.rr.com.POSTED!53ab2750!not-for-mail
From: Big Endian <nospam@nospam.com>

Newsgroups: rec.radio.amateur.equipment
Subject: Re: R-390A FYI - Radio Active Meter Needles?
References: <439CBDED.858A59DA@erols.com>
<a0eab$43b4a841$471d2513$27196@ALLTEL.NET>
<l50ar193neqfqdlpp4oqbentcd1s5ack7f@4ax.com>
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
Message-ID: <nospam-117BAD.18090430122005@news-rdr-03.rdc-kc.rr.com>
Lines: 47
Date: Sat, 31 Dec 2005 00:09:04 GMT
NNTP-Posting-Host: 72.131.92.128
X-Complaints-To: abuse@rr.com
X-Trace: tornado.rdc-kc.rr.com 1135987744 72.131.92.128 (Fri, 30 Dec 2005 18:09:04 CST)
NNTP-Posting-Date: Fri, 30 Dec 2005 18:09:04 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1896

In article <l50ar193neqfqdlpp4oqbentcd1s5ack7f@4ax.com>,
Roger <Delete-Invallid.stuff.groups@tm.net> wrote:

> >>
> >> Just how radio active the needles are was not mentioned. Also I
>
> It's nothing to worry about. They are no different than the "glow in
> the dark" clock and radio dials from back in the 40's 50's and maybe
> 60's. There was a small amount of radio active material mixed in with
> the phorphour causing it to glow.
>
> >> suspect that some R390A went to MARS members and may not have been
> >> demilitarized. I had one for many years and this was the first I
> >> heard about the needles.
>
> I'd guess this is just a CYA by the government after some lawyer
> realized the stuff was still out there. The material is *very* low
> level" and could be hazardous IF you get it in your mouth or a cut"
> and in today's sue happy society I can see why they might panic.
> However the stuff is basically harmless unless you provoke it.
>
> I once broke a device in my hands with enough radioactive Cesium in
> it to really light up the counters. The hazmat team found the device
> in the lab under a metal pail, a string of clothes down the hall, and
> me standing in the shower. Again they said as long as I had not put
> my hands near my mouth, nose, or eyes or gotten the material in some
> cuts (the counter confirmed I hadn't) they said I did the right thing.
> BTW, I even got my clothes back. <:-))
>
> Back in the days when they were making the dials, word has it that
> some of the women doing the painting were getting sick. They'd twirl
> the end of the brush on their tongues to keep a point on the brush and
> were ingesting the material.
> >
>
> For any one who has been around a while, look at how they treat

> mercury now and how we used to treat it 50 and 60 years ago.   Break a
> thermomenter and they close a lab while the hazmat team cleans up. We
> used to "silver" coins and rigs with the stuff and carry it around.
> I'd guess the Mercury is far more dangerous than any radioactivity
> from those dials and markings.
>
> Roger Halstead (K8RI & ARRL life member)
> (N833R, S# CD-2 Worlds oldest Debonair)
> www.rogerhalstead.com

Short term, no effect. Long term, years, decades...unknown. Good luck.

```
From 7994090804834128457
X-Google-Thread: 108122,b88ca3b70801d0e0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
attbi_s71.POSTED!53ab2750!not-for-mail
From: "bw" <justme@nomail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: HT Battery Info Needed
Lines: 19
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <jMktf.667649$_o.390375@attbi_s71>
NNTP-Posting-Host: 12.219.58.19
X-Complaints-To: abuse@mchsi.com
X-Trace: attbi_s71 1135990927 12.219.58.19 (Sat, 31 Dec 2005 01:02:07 GMT)
NNTP-Posting-Date: Sat, 31 Dec 2005 01:02:07 GMT
Organization: AT&T ASP.att.net
Date: Sat, 31 Dec 2005 01:02:07 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1897
```

I need to get a new battery for my Kenwood TH-G71 hand held and am thinking about going with an after market NiMH type instead of the OEM NiCad.

Two questions:

Are there any recommendations on where to purchase the NiMH battery?

Can I use the original charger on the new battery?

I'm just using the original BC-17 wall charger and the manual says to charge the stock PB-39 NiCad for 15 hours. How do I know how long to charge the NiMH battery and/or how do I know when it's fully charged?

Any info on this is greatly appreciated.

73,
Bruce

From -3906197417958339805
X-Google-Thread: 108122,b88ca3b70801d0e0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news2.volia.net!border1.nntp.ams.giganews.com!border2.nntp.ams.giganews.com!nntp.giganews.com!sn-ams-06!sn-xt-ams-08!sn-post-ams-02!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: dplatt@radagast.org (Dave Platt)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HT Battery Info Needed
Date: Sat, 31 Dec 2005 01:31:53 -0000
Organization: Home for Obscure Mythical Beings
Message-ID: <11rbns9f3abu96f@corp.supernews.com>
References: <jMktf.667649$_o.390375@attbi_s71>
X-Newsreader: trn 4.0-test74 (May 26, 2000)
Originator: dplatt@radagast.org (Dave Platt)
X-Complaints-To: abuse@supernews.com
Lines: 106
Xref: g2news1.google.com rec.radio.amateur.equipment:1898

In article <jMktf.667649$_o.390375@attbi_s71>, bw <justme@nomail.com> wrote:

[Comments which follow are my own opinions only. Other people may
disagree. Your mileage may vary. Void where prohibited.]

>I need to get a new battery for my Kenwood TH-G71 hand held and am thinking
>about going with an after market NiMH type instead of the OEM NiCad.

NiMH has some advantages and some disadvantages over NiCD. Biggest
and most obvious advantage is greater capacity. Biggest disadvantage
is a somewhat higher self-discharge rate - NiMH batteries can lose
20-30% of their charge per month just sitting on the shelf un-used,
while NiCd batteries can hold their charge quite a bit longer.

For this reason, NiMH is probably not the best choice for
batteries/packs which will spend weeks or months sitting in your ARES
"go-pack" - they'll probably have self-discharged just when you need
'em.

I'm told that some of the new NiMH batteries have a greatly reduced
self-discharge rate, but can't recommend specific types or brands.

>Two questions:
>
>Are there any recommendations on where to purchase the NiMH battery?

I've been happy with the couple of purchases that I made from Batteries America (http://www.batteriesamerica.com/). We bought a bunch of the 6-AA-cell battery holders for the Icom W32, and the fit/finish/function of the cases seems as good as Icom's own product at a rather lower cost.

They have several different packs for the TH-G71 available. You get your choice of NiCd or NiMH, with several different combinations of battery voltage and battery capacity. If you'd be satisfied with a maximum transmit power of 3 watts you could go for the NiMH 7.2V 1800 mAh pack, or for full transmit power get any of three 9.6V packs (600 mAh NiCd, or 1100 or 1450 mAh NiMH).

They can also sell you cells, or complete insert sets, if you want to try cracking open your existing battery pack and rebuilding it.

Other vendors may also provide you with a similar range of choices.

>Can I use the original charger on the new battery?
>
>I'm just using the original BC-17 wall charger and the manual says to charge the stock PB-39 NiCad for 15 hours. How do I know how long to charge the NiMH battery and/or how do I know when it's fully charged?

As a general rule, you _can_ use a charger designed for NiCd batteries with NiMH batteries, but may not get the best results (in terms of total capacity and/or number of charge/discharge cycles).

The PB-39 sounds like a standard "trickle" charger, with a low and coarsely-regulated charge current. You can probably use this, and just multiply the original charge-time specification by the ratio of the packs' capacities. If the stock pack took 15 hours and was in the range of 600 mAh, then an 1100 mAh pack would take almost 30 hours.

For fast-charging, it's best to have a charger which "understands" the charge-cutoff behavior of NiMH batteries. A fast-charger for NiCd batteries will usually charge until the battery starts to heat up... this can be detected because the battery's terminal voltage stops rising, and actually starts falling a bit. The charger detects this "negative delta V" condition and shuts off the charge (or switches back to a trickle-charge).

This method will actually overcharge a NiMH battery. NiMH is happier with a "zero delta V" shutoff... the charger switches off the fast-charge when the battery voltage stops rising, before it begins falling.

Getting the best out of a NiMH battery seems to be a someone controversial topic... not unlike the question of charging gel cells, AGM batteries, and so forth. Lots of opinions, not a lot of completely solid answers. The best information I've been able to find about NiMH suggests:

- The best recharge regime is a fast-charge (at C/2 rate or so), with several different mechanisms used to detect full charge and shut off the fast-charge current: zero-delta-V, a temperature-rise sensor, and a timer for safety.

- Following the fast-charge with a few hours of low-current trickle charging can be beneficial in cramming the last little bit of capacity into the battery.

- NiMH batteries may not deliver their full advertised capacity until they've been through several cycles of "full charge, nearly full discharge."

- Like NiCds, it's best not to run NiMH batteries all the way down to zero - they don't like the resulting "reverse charging" impact on their weaker cells. When they're drained to 1.0 volts per cell, consider them fully discharged!

- If you're going to store NiMH batteries for an extended period, discharge them to the 1.0 volt level first. Recharge 'em before you use 'em.

--
Dave Platt <dplatt@radagast.org>   AE6EO
Hosting the Jade Warrior home page: http://www.radagast.org/jade-warrior
I do _not_ wish to receive unsolicited commercial email, and I will
boycott any company which has the gall to send me such ads!

```
From -1896717684275405091
X-Google-Thread: 108122,d9dea6b3f034448f,start
X-Google-Thread: 1109af,d9dea6b3f034448f,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c02.usenetserver.com!news.usenetserver.com!peer01.cox.net!cox.net!p01!
fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:MIDLAND 70-1527B UHF-25WATT-16-CH VERY SMALL UNIT
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0040_01C60D7A.2E85F520"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <Acntf.151$B93.135@fed1read07>
Date: Fri, 30 Dec 2005 19:49:44 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
```

```
X-Trace: fed1read07 1136000928 68.96.227.248 (Fri, 30 Dec 2005 22:48:48 EST)
NNTP-Posting-Date: Fri, 30 Dec 2005 22:48:48 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:1899 rec.radio.swap:1924

This is a multi-part message in MIME format.

------=_NextPart_000_0040_01C60D7A.2E85F520
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:MIDLAND 70-1527B UHF-25WATT-16-CH VERY SMALL UNIT

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7577339607&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0040_01C60D7A.2E85F520
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA:MIDLAND 70-1527B UHF-25WATT-16-CH VERY SMALL UNIT</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7577339607&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7577339607&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0040_01C60D7A.2E85F520--




From 5269664640408843828
X-Google-Thread: 108122,3b65bd60a2b2b199
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 31 Dec 2005 02:39:30 -0600
From: "Pete KE9OA" <p.gianako@comcast.net>
Newsgroups: rec.radio.amateur.equipment
References: <Xns973B62F4F6CEDspectrumhogstarbandn@198.186.192.196>
```

```
Subject: Re: Talk about a Cadillac Radio line...
Date: Sat, 31 Dec 2005 02:39:33 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <cradnUZMhYFf3ivenZ2dnUVZ_sednZ2d@comcast.com>
Lines: 23
NNTP-Posting-Host: 67.165.172.221
X-Trace: sv3-17YBH/SdM8w5NGEUBNnhQ97e+tUEZKbGm7Ye17f6uMAEaBF2MYT7404LWB/
Gvm07bjKv+xF8zIoH45u!m8sPo49G/QxyHXC3EJkgbgt8nhotMpXW6RVZeWI8g7tMNW06ScNApD/
itFHm0Vajnp7FdrE3FYxi!UeZxGqEpzsr0kEqO
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:1900

That appears to be the company that took over
Transworld.................you can see some of this equipment in the Jane's
Millitary Manuals. Nice equipment. I had a couple of TW100s for awhile, or
were they TW1000s?
It's been a few years.

Pete

"Ed" <Huckleberry_REMOVE_@bigvalley.net> wrote in message
news:Xns973B62F4F6CEDspectrumhogstarbandn@198.186.192.196...
>
>
>    Nice gear!   But I never heard of this company before....
>
>   http://www.dtwc.com/
>
>      Click on  "Products"
>
>
>
>   Ed   K7AAT




From -8647518534093982246
X-Google-Thread: 108122,8d9d9872036e872e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.pipex.net!news.pipex.net.POSTED!not-for-mail
```

```
NNTP-Posting-Date: Sat, 31 Dec 2005 03:04:09 -0600
From: Andy McMullin <Andy@rickham.net.NPSPAM>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Elecraft reports
Date: Sat, 31 Dec 2005 09:04:02 +0000
Message-ID: <v8icr1dg7mer6sb4oibe5dkfiamik2vuns@4ax.com>
References: <2c43f$43b5bc21$42a1bfc2$29648@FUSE.NET> <slrndrbgfr.2j9d.bit-
bucket@shell.config.com>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Antivirus: avast! (VPS 0552-4, 30/12/2005), Outbound message
X-Antivirus-Status: Clean
Lines: 16
NNTP-Posting-Host: 81.179.64.109
X-Trace:
sv3-9R7fgtVheC1qJRpCdG0xGEKfmcGdHN4NAxjg9Q15ihtH6eqxHy6rSSIKhvTwSFMMvJqvgrQzVqXcni
5!8Kd4V6cNpGOFXGtjdPoov7bF5/3yKjscMAJsqcpemyzdjGurWD+0A7TV6hh3feXRPi8/eZD7LJd3!
TzerKUi/LEFnzvFlATrEsWmf7A==
X-Complaints-To: abuse@dsl.pipex.net
X-DMCA-Complaints-To: abuse@dsl.pipex.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:1901

On 30 Dec 2005 23:25:47 GMT, Allodoxaphobia <bit-bucket@config.com>
wrote:

>On Fri, 30 Dec 2005 18:00:48 -0500, jawod wrote:
>> I am re-entering ham radio after a very long hiatus.  Any comments on
>> Elecraft K-2, either kit building experience or operating experience?
>
>  http://groups.google.com/groups?as_q=Elecraft+K-2&as_ugroup=rec.radio.amateur.*

You might also try the main mailing list and its archives:

http://mailman.qth.net/mailman/listinfo/elecraft
--
Regards
Andy, G8TQH
http://www.rickham.net/



From 3529027907093316324
X-Google-Thread: 109027,9a17e0b2fce41dd7,start
X-Google-Thread: 108122,9a17e0b2fce41dd7,start
X-Google-Thread: 1109af,9a17e0b2fce41dd7,start
X-Google-Thread: 115730,9a17e0b2fce41dd7,start
X-Google-Attributes: gid109027,gid108122,gid1109af,gid115730,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups:
alt.video.equipment.broadcast,rec.radio.amateur.equipment,rec.radio.swap,sci.elect
ronics.equipment
Subject: FA: Radio (RF Type) Short Range Controller-Can be used for various radio
type projects
Lines: 38
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C60DE4.B15BDD10"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <nnytf.168$B93.93@fed1read07>
Date: Sat, 31 Dec 2005 08:32:10 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1136046675 68.96.227.248 (Sat, 31 Dec 2005 11:31:15 EST)
NNTP-Posting-Date: Sat, 31 Dec 2005 11:31:15 EST
Organization: Cox Communications
Xref: g2news1.google.com alt.video.equipment.broadcast:14
rec.radio.amateur.equipment:1902 rec.radio.swap:1925
sci.electronics.equipment:1105

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C60DE4.B15BDD10
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: Radio (RF Type) Short Range Controller-Can be used for various radio =
type projects=20

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D5845330934&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_000A_01C60DE4.B15BDD10
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
```

```
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: Radio (RF Type) Short Range Controller-Can be used for various =
radio type=20
projects </P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D5845330934&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D5845330934&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_000A_01C60DE4.B15BDD10--
```

```
From 1157622642827017435
X-Google-Thread: 108122,df4407c254859168,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu FT-102
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Noytf.46468$ih5.42917@dukeread11>
Date: Sat, 31 Dec 2005 10:33:19 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1136046765 68.1.251.179 (Sat, 31 Dec 2005 11:32:45 EST)
NNTP-Posting-Date: Sat, 31 Dec 2005 11:32:45 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:1903
```

I have a Yaesu FT-102 HF Transceiver for sale. This one was Malcomized by Mal, NC4L in March of 1997. It has had all of the relays replaced plus other upgrades performed by Mal. It has a CW Filter but no AM/FM Board. Cosmetically it is in good but not mint shape. The cabinet looks good and the front panel is nice. There are some nicks and scratches mainly on the trim around the front panel. It works but has problems. On bands above 20 meters, sensitivity is low as is power output. It loads up to over 100 watts on 20. On 40 meters the VFO does not change frequency. One meter lamp is burned out. Price is $425 plus shipping. No mic or manual. Thanks, Charlie Hugg, K5MBX

--

See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

```
From 6055220779342488892
X-Google-Thread: 108122,df4407c254859168
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>
Newsgroups: rec.radio.amateur.equipment
Subject: FS Yaesu FT-102
Lines: 18
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <gpytf.46469$ih5.26189@dukeread11>
Date: Sat, 31 Dec 2005 10:33:50 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1136046796 68.1.251.179 (Sat, 31 Dec 2005 11:33:16 EST)
NNTP-Posting-Date: Sat, 31 Dec 2005 11:33:16 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:1904
```

I have a Yaesu FT-102 HF Transceiver for sale. This one was Malcomized by Mal, NC4L in March of 1997. It has had all of the relays replaced plus other upgrades performed by Mal. It has a CW Filter but no AM/FM Board. Cosmetically it is in good but not mint shape. The cabinet looks good and the front panel is nice. There are some nicks and scratches mainly on the trim around the front panel. It works but has problems. On bands above 20 meters, sensitivity is low as is power output. It loads up to over 100 watts on 20. On 40 meters the VFO does not change frequency. One meter lamp is burned out. Price is $425 plus shipping. No mic or manual. Thanks, Charlie Hugg, K5MBX

--
____
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com

```
From -2013958866721698194
```

```
X-Google-Thread: 108122,1606023f5fcf1405,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: "Jeff James" <cbstv@optonline.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Sell your Tube Gear!
Lines: 6
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <WLytf.11991$L75.11095@fe12.lga>
Date: Sat, 31 Dec 2005 11:57:28 -0500
NNTP-Posting-Host: 68.196.30.152
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136048246 68.196.30.152 (Sat, 31 Dec 2005 09:57:26 MST)
NNTP-Posting-Date: Sat, 31 Dec 2005 09:57:26 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:1905

Happy New Year!
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Dedicated to Vintage Amateur Radio..




From 6403965120679406153
X-Google-Thread: 108122,777285be17847041,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: "TimBob" <tmize57@juno.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Need manual for a CES-5200 Telephone Interconnect
Date: 31 Dec 2005 10:22:11 -0800
Organization: http://groups.google.com
Lines: 5
Message-ID: <1136053331.400600.143970@f14g2000cwb.googlegroups.com>
NNTP-Posting-Host: 63.19.26.103
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136053336 4575 127.0.0.1 (31 Dec 2005 18:22:16 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sat, 31 Dec 2005 18:22:16 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Win98; en-US; rv:1.7.2) Gecko/20040804
Netscape/7.2 (ax),gzip(gfe),gzip(gfe)
```

```
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=63.19.26.103;
   posting-account=0bDkjw0AAAAP7TRVV92lgcsEp6Y2zy28
Xref: g2news1.google.com rec.radio.amateur.equipment:1906

I am in need of the manual for the CES 5200 Telephone Interconnect, I
will compensate for any costs involved.  Thanks!
Tim N7XAU
tmize57@juno.com




From -5189377350492976653
X-Google-Thread: fc8b1,c4251a36a08646b5,start
X-Google-Thread: fc2a5,c4251a36a08646b5,start
X-Google-Thread: 108122,c4251a36a08646b5,start
X-Google-Attributes: gidfc8b1,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
wn13feed!worldnet.att.net!bgtnsc05-news.ops.worldnet.att.net.POSTED!dfa70db1!not-
for-mail
From: "Heytubeguy" <heytubeguy@worldnet.att.net>
Newsgroups:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipme
nt
Subject: FA: 8 Air Variables + other stuff too
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <c1Atf.210245$qk4.34676@bgtnsc05-news.ops.worldnet.att.net>
NNTP-Posting-Host: 9529a34efba729050e9b004a76ad831f
X-Complaints-To: abuse@worldnet.att.net
X-Trace: bgtnsc05-news.ops.worldnet.att.net 1136053448
9529a34efba729050e9b004a76ad831f (Sat, 31 Dec 2005 18:24:08 GMT)
NNTP-Posting-Date: Sat, 31 Dec 2005 18:24:08 GMT
Organization: AT&T Worldnet
Date: Sat, 31 Dec 2005 18:24:08 GMT
Xref: g2news1.google.com rec.radio.amateur.boatanchors:1932
rec.radio.amateur.homebrew:2322 rec.radio.amateur.equipment:1907

Have several air variables and other items too : see at:

http://search.ebay.com/_W0QQfgtpZ1QQfrppZ25QQsassZheytubeguy

Tnx for looking. More Heathkit item coming soon,  73  heytubeguy




From -4244131035608643738
```

```
X-Google-Thread: 108122,36fc7e3147012c20,start
X-Google-Thread: 1109af,36fc7e3147012c20,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA:3-EA MOTOROLA P110 Portable Radio's-UHF-4W-Chargers
Lines: 35
MIME-Version: 1.0
Content-Type: multipart/alternative;
	boundary="----=_NextPart_000_0008_01C60DFF.6771A340"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <CaBtf.178$B93.122@fed1read07>
Date: Sat, 31 Dec 2005 11:43:22 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1136058146 68.96.227.248 (Sat, 31 Dec 2005 14:42:26 EST)
NNTP-Posting-Date: Sat, 31 Dec 2005 14:42:26 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:1908 rec.radio.swap:1929

This is a multi-part message in MIME format.

------=_NextPart_000_0008_01C60DFF.6771A340
Content-Type: text/plain;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA:3-EA MOTOROLA P110 Portable Radio's-UHF-4W-Chargers

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7577480743&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_0008_01C60DFF.6771A340
Content-Type: text/html;
	charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
```

```
<P>FA:3-EA MOTOROLA P110 Portable Radio's-UHF-4W-Chargers</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7577480743&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7577480743&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_0008_01C60DFF.6771A340--
```

```
From -4859771940291748724
X-Google-Thread: 108122,b88ca3b70801d0e0
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!feed3.newsreader.com!
newsreader.com!yellow.newsread.com!netaxs.com!newsread.com!news.misty.com!not-for-
mail
From: gsm@mendelson.com (Geoffrey S. Mendelson)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: HT Battery Info Needed
Date: Sat, 31 Dec 2005 19:51:03 +0000 (UTC)
Organization: MGT Consulting
Lines: 70
Message-ID: <slrndrdo4p.d8d.gsm@cable.mendelson.com>
References: <jMktf.667649$_o.390375@attbi_s71>
<11rbns9f3abu96f@corp.supernews.com>
Reply-To: gsm@mendelson.com
NNTP-Posting-Host: dsl212-235-59-141.bb.netvision.net.il
X-Trace: marvin.misty.com 1136058663 4863 212.235.59.141 (31 Dec 2005 19:51:03
GMT)
X-Complaints-To: abuse@misty.com
NNTP-Posting-Date: Sat, 31 Dec 2005 19:51:03 +0000 (UTC)
User-Agent: slrn/0.9.7.1 (Linux)
Xref: g2news1.google.com rec.radio.amateur.equipment:1909
```

Dave Platt wrote:

> NiMH has some advantages and some disadvantages over NiCD. Biggest
> and most obvious advantage is greater capacity. Biggest disadvantage
> is a somewhat higher self-discharge rate - NiMH batteries can lose
> 20-30% of their charge per month just sitting on the shelf un-used,
> while NiCd batteries can hold their charge quite a bit longer.

Motorola claimed that their NiMH cellular batteries for the old "flip phones" lost as much as 1/3 of their charge in the first week. My casual experiments showed me they were pretty close.

Contrary to many maker's claims NiMH cells do develop "memory". When flip phones were popular people used to give me their old batteries that would no longer hold a charge. 99% of them were NiMH and most of them came back to normal after being "reconditioned".

They were reconditioned by a charger that did three discharge/charge cycles in a row. It was a "smart" charger, it could determine if a battery was NiCad or NiMH and charge accordingly.

>
> For this reason, NiMH is probably not the best choice for batteries/packs which will spend weeks or months sitting in your ARES "go-pack" - they'll probably have self-discharged just when you need 'em.

> I've been happy with the couple of purchases that I made from Batteries America (http://www.batteriesamerica.com/). We bought a bunch of the 6-AA-cell battery holders for the Icom W32, and the fit/finish/function of the cases seems as good as Icom's own product at a rather lower cost.

I've never dealt with them, but my recemendation is for AA packs.
You can charge them more easily in stand alone chargers, mine will do six at a time. You can also keep a set of NiCads or alkeline batteries for an emergency spare.

If you do keep a set of alkeline batteries make sure to buy a good brand, and rotate them.

> They can also sell you cells, or complete insert sets, if you want to try cracking open your existing battery pack and rebuilding it.

Being far away from ordering the batteries from companies catering to the ham replacment market, I've done it often with battery packs sold for cordless phones. They come in many sizes and capacities. Make sure to remove and re-install any diodes, heat sensors, fuses, etc in the old pack.

> As a general rule, you _can_ use a charger designed for NiCd batteries with NiMH batteries, but may not get the best results (in terms of total capacity and/or number of charge/discharge cycles).

I agree with that. It's also important to make sure that your charger really does work propely. Over the years, I've bought several used packs that were "cooked" by bad chargers, or overcharging. I've even had an Icom one that cooked batteries on its own. :-(

Geoff.

--
Geoffrey S. Mendelson, Jerusalem, Israel gsm@mendelson.com N3OWJ/4X1GM
IL Voice: (07)-7424-1667 IL Fax: 972-2-648-1443 U.S. Voice: 1-215-821-1838
The trouble with being a futurist is that when people get around to believing

```
you, it's too late. We lost. Google 2,000,000:Hams 0.


From 3737718391983194441
X-Google-Thread: 108122,ce7cffac905962fc,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: Help: Ameritron AL-82 blown fuses
Message-ID: <0brdr1pq9nkn8c3f4jpml9uj4dtd8ntl0s@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 9
Date: Sat, 31 Dec 2005 15:43:19 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136061799 68.193.1.58 (Sat, 31 Dec 2005 13:43:19 MST)
NNTP-Posting-Date: Sat, 31 Dec 2005 13:43:19 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:1910

Help: Ameritron AL-82 blown fuses
I bought an Ameritron AL-82 and it sat for over a year.
Worked perfect before that.  Now when you turn it on
the two fuses on back of amp blow. So I replaced the two fuses
and this time I left the top cover off and it comes on. No problem.
The minute you pust the button down where the top cover goes on, it
will blow the two fuses again.   The button is a safety feature.
Can someone tell me what I may need to check and replace?
Thanks and Happy New Year.............Rich



From 2026114397914303729
X-Google-Thread: 108122,8d9d9872036e872e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 31 Dec 2005 14:47:35 -0600
Newsgroups: rec.radio.amateur.equipment
From: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
Message-ID: <cuvyxnansvbet.isdgj2n.pminews@newsgroups.comcast.net>
References: <2c43f$43b5bc21$42a1bfc2$29648@FUSE.NET> <slrndrbgfr.2j9d.bit-
bucket@shell.config.com> <v8icr1dg7mer6sb4oibe5dkfiamik2vuns@4ax.com>
Date: Sat, 31 Dec 2005 11:59:26 -0800 (PST)
Reply-To: "Phil Kane" <Phil.Kane@nov.shmovz.ka.pop>
X-Newsreader: PMINews 2.00.1205 For OS/2
```

Organization: A Clearing in the Silicon Forest
MIME-Version: 1.0
Content-Type: text/plain; charset="us-ascii"
Content-Transfer-Encoding: 7bit
Subject: Re: Elecraft reports
Lines: 34
NNTP-Posting-Host: 67.171.188.13
X-Trace: sv3-C4p2VQqIvId47ZpsJgXo/4e3QZJ4EDWgW5rwahX+dGHtPDyvPDfIod1yPcP/
hPWSuHBJRGfgD5GrOSz!j8F9ZLgZE36aoBB/8bk1KPjOHygUxjJA/
OtSlBQ6dE5tal6Vac9MWjwlKIbAByz5Y5ZPD82k4/aB!1/dy3pY99FZTiOBa7PY9sRsW
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:1911

On Sat, 31 Dec 2005 09:04:02 +0000, Andy McMullin wrote:

>>> I am re-entering ham radio after a very long hiatus. Any comments on
>>> Elecraft K-2, either kit building experience or operating experience?
>>
>> http://groups.google.com/groups?as_q=Elecraft+K-2&as_ugroup=
          rec.radio.amateur.*
>
>You might also try the main mailing list and its archives:
>
>http://mailman.qth.net/mailman/listinfo/elecraft

Why can't someone come up with a simple one-sentence or one-paragraph answer in human language such as "I like it - it was easy to build and easy to operate" (or the opposite) before spewing out a string of URLs?

Here's mine -

I don't own one yet, but I have several ham friends who do and are totally pleased with it. I may get one this year (2006) but I will have to have someone build it for me (yes, there are folks who will do that) because I'm partially blind and can't do fine soldering anymore.

There - was that so hard?

--
73 de K2ASP - Phil Kane

From a Clearing in the Silicon Forest
Beaverton (Washington County) Oregon

```
From -3318614287492682038
X-Google-Thread: 108122,39ba51a5005a90f,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news2.volia.net!npeer.de.kpn-eurorings.net!newsfeed.freenet.de!nntp-peering.plus.net!ptn-nntp-feeder01.plus.net!ptn-nntp-spool01.plus.net!ptn-nntp-reader03.plus.net!not-for-mail
From: Richard g4tut <g4tut@southgatearc.org>
Newsgroups: rec.radio.amateur.equipment
Subject: Free Competition - Last few days!
Date: Sat, 31 Dec 2005 20:49:03 +0000
Message-ID: <6lrdr152lj6s22isv1a6f8qikscpr16u6s@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 14
Organization: Customer of PlusNet plc (http://www.plus.net)
NNTP-Posting-Host: 7c8929f7.ptn-nntp-reader03.plus.net
X-Trace: DXC=gU\X>^nJjO>n>DShGYXhh2igd3Y`7Rb;>@`8gV4CC7I7[;]E95Pbji<F\?88mLd\A8oIURF4M;Ci3eV=lI88LK;1
X-Complaints-To: abuse@plus.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1912
```

Free Competition - Last few days!

Our free competition to win an Icom IC-V82 handheld transceiver,
closes at midnight on the 4th of January, 2006.
So, you only have a few days left to get your entries in.
Remember, 'You've got to be in it to win it'

So go to http://www.southgatearc.org/competitions/ic-v82.htm
for your last chance of winning this fabulous prize.

Good Luck!

May I also take this opportunity to wish all readers a
Happy and Prosperous New Year

```
From -8856208158605823061
X-Google-Thread: 108122,8d9d9872036e872e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.newsgroupbanter.com!news.newsgroupbanter.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 31 Dec 2005 15:09:17 -0600
From: de Mac <de.Mac.20xauz@news.radiobanter.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Elecraft reports
```

Date: Sat, 31 Dec 2005 18:22:21 +0000
Message-ID: <de.Mac.20xauz@news.radiobanter.com>
Organization: RadioBanter.com
User-Agent: vBulletin USENET gateway
X-Newsreader: vBulletin USENET gateway
References: <2c43f$43b5bc21$42a1bfc2$29648@FUSE.NET>
Lines: 59
NNTP-Posting-Host: 82.165.39.56
X-Trace: sv3-R15Q7RB7nr98OjeFaCgqfZZahlKWfylw7sVoumhTfpLl6kpj0y/
NIvOvfpFHVb0iZcR7U7nFphgs/7K!a+ssK2gd/
KfPpq5uzMLQho1LNRTt8hgf4ChJr2s05Kzpl4d8qPfNpTFGXbeHmqurVYFretDnd/eW!ormM2V7r
X-Complaints-To: abuse@newsgroupbanter.com
X-DMCA-Complaints-To: abuse@newsgroupbanter.com
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:1913

jawod Wrote:

> I am re-entering ham radio after a very long hiatus. Any comments on
> Elecraft K-2, either kit building experience or operating experience?
>
> John

Hello John
The K-2 is a very good radio, don't know how much experience
you have with kit building, but would not try the K-2 as first bite
it has taken some op's months to finish their K-2
If you have lots of solid state kit experience
go for it, if not try geting a few smaller projects under your belt

started playing around building qrp kits about 5 years ago
had not built a kit since the 60's
found out first thing
new solid state radio parts, are not big and beefy like the old days

that with out a good magnifying light
(not a cheep magnifying light, found out the hard way, had to go out
and buy a good light, after I had wasted cash on the cheep one)
I could not even id the parts #'s,
also
had to also buy a good soldering station few other tools
but then, I was on my way

built a 2 fer transmitter and then a dc style receiver,

then the Red Hot Radio Nor Cal 20
when I opened up the parts bag
thought oh no,
I have truly biten off more than I can chew

did not try to act like I was
big time radio op, ex signal corps microwave radio repair
and think I could short cut or 2nd guess building steps

took my time followed instructions to the letter

8 hours latter was finished and it worked,
since then have built about a dozen other new age qrp style kits
have had lots of fun, wonders of wonders all of them worked first try

this is from a hard core lover of tube gear
you can see some of my simple tube transmitters in oct 05 CQ mag

what to first build depends on your experience, skills, and
how brave you are, yes some ops with out any kit building
experience have built the K-2

Small Wonder Labs makes lots of very nice easy to build kits
Love my 40 meter DSW, lots of fun in a very small box,

might want to try a easy simple, cheap kit
before you melt solder, on a radio kit that set you back over $1,000

but man oh man, yet to talk to anybody that owns a K-2
that does not love the radio

yours truly Mac dit dit

--
de Mac

From 949652508042817760
X-Google-Thread: 108122,10e0ee03887c5cf,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
newsfeed.news2me.com!sn-xt-sjc-15!sn-xt-sjc-01!sn-post-01!supernews.com!
corp.supernews.com!not-for-mail
From: WD=?ISO-8859-1?B?2A==?=HCO <wd0hco@ev1.net>
Newsgroups: rec.radio.amateur.equipment
Subject: Texas Trader Net Listings
Date: Sat, 31 Dec 2005 15:35:22 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <BFDC55B9.5D1F%wd0hco@ev1.net>
User-Agent: Microsoft-Outlook-Express-Macintosh-Edition/5.02.2022
Mime-version: 1.0
Content-type: text/plain; charset="ISO-8859-1"
Content-transfer-encoding: 8bit
X-Complaints-To: abuse@supernews.com
Lines: 11
Xref: g2news1.google.com rec.radio.amateur.equipment:1914

Howdy do from Texas...

I'm Biz WD�HCO - I put together the "over the air" listings for 4 major trading nets here in the greater Southwest part of the ol USA.

Who knows? Maybe what your looking for might be here...

http://www.oldrigs.com

```
From -8790937971299429918
X-Google-Thread: 108122,e793630aa57ec802,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 31 Dec 2005 15:52:18 -0600
Reply-To: "Steve" <sahd@hotmail.com>
From: "Steve" <sahd@hotmail.com>
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Heil Yaesu Mic Cable
Date: Sat, 31 Dec 2005 16:52:16 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <1oadnfUDDukPYCveRVn-qw@comcast.com>
Lines: 10
NNTP-Posting-Host: 66.31.90.83
X-Trace: sv3-LIPA1mC1h3VsNhVyRB/TZxAxi5eoCMLYhQL5aVBGrj0/
G0GET8zF3feAFD5AiJn3zZ8bpeZ/FvIw2X7!
2Vn5Z9s9KHDIoE+SegC2RoAfleZhZQXM0FvoaHgpN9CZMX66nvNvYE961BbbQYWUspLawBqnlEEy
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:1915
```

I have a Heil Yaesu 8 pin to a 4 pin .

Will sell for $25 or swap for a Icom Cable.

Steve

From 8123189912389736735
X-Google-Thread: 108122,ce7cffac905962fc
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Sat, 31 Dec 2005 18:34:44 -0600
From: "DaveM" <masondg4499@comcast99.net>
Newsgroups: rec.radio.amateur.equipment
References: <0brdr1pq9nkn8c3f4jpml9uj4dtd8ntl0s@4ax.com>
Subject: Re: Ameritron AL-82 blown fuses
Date: Sat, 31 Dec 2005 19:34:44 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <mqCdnd661Yc5vireRVn-uQ@comcast.com>
Lines: 29
NNTP-Posting-Host: 66.177.192.187
X-Trace: sv3-uw8+rgElY/egzC7KqXkPmw1CFi/yQlmgIr3FYb0ng6UKLfLz/CBQnulwmBAcoyeB2LNYqGMf+1z8P0y!/5G7sS9GhHuQp3irl6udi4INi7C3ExpRpRRpfPRbL2B4WdvqBnaWzrMxyD9L92dfnAIMA/aKXG1f!03s=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com rec.radio.amateur.equipment:1916

<ritchi50@optonline.net> wrote in message news:0brdr1pq9nkn8c3f4jpml9uj4dtd8ntl0s@4ax.com...

> Help: Ameritron AL-82 blown fuses
> I bought an Ameritron AL-82 and it sat for over a year.
> Worked perfect before that. Now when you turn it on
> the two fuses on back of amp blow. So I replaced the two fuses
> and this time I left the top cover off and it comes on. No problem.
> The minute you pust the button down where the top cover goes on, it
> will blow the two fuses again.   The button is a safety feature.
> Can someone tell me what I may need to check and replace?
> Thanks and Happy New Year.............Rich

Yep, the lid has a safety interlock switch, which prohibits power being applied while the lid is open, and exposing lethal high voltage to an unqualified snooper.

Usually the first things to check after equipment has been idle for a period of time is the power supply filter capacitors. While you're in the vicinity, check the rectifiers too... just in case a leaky filter capacitor took one or more of them out. Either will eat fuses as fast as you put them in.
--
Dave M
MasonDG44 at comcast dot net (Just substitute the appropriate characters in the address)

Never take a laxative and a sleeping pill at the same time!!

From -3068843200925484815
X-Google-Thread: 108122,8d9d9872036e872e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!cyclone.austin.rr.com!news.rr.com!tornado.texas.rr.com.POSTED!53ab2750!not-for-mail
From: Bob Miller <NOSPAM@neosoft.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Elecraft reports
Message-ID: <slier1dc3imco07eiida276ju165j8c683@4ax.com>
References: <2c43f$43b5bc21$42a1bfc2$29648@FUSE.NET>
X-Newsreader: Forte Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 22
Date: Sun, 01 Jan 2006 03:30:23 GMT
NNTP-Posting-Host: 24.174.167.251
X-Complaints-To: abuse@rr.com
X-Trace: tornado.texas.rr.com 1136086223 24.174.167.251 (Sat, 31 Dec 2005 21:30:23 CST)
NNTP-Posting-Date: Sat, 31 Dec 2005 21:30:23 CST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1917

On Fri, 30 Dec 2005 18:00:48 -0500, jawod <jawod@fuse.net> wrote:

>I am re-entering ham radio after a very long hiatus. Any comments on
>Elecraft K-2, either kit building experience or operating experience?
>
>John

The Elecraft rigs are kinda the Cadillacs of the QRP crowd nowadays, very nicely reviewed in QST in the past year or two.

I recently built a Ten-Tec QRP kit transceiver. Main thing I can tell you is parts for rigs nowadays are way, way, way smaller than the parts used by rigs like Heathkit in the 50s, 60s and 70s. But if your eyes are good and your hands are steady and you have the proper tools, the Elecraft rigs should go together about as well as any other.

Just make sure you have a strong light and an even stronger magnifying glass :-)

bob
k5qwg

From 2846555026685654854
X-Google-Thread: 108122,9bcaa9ec635c8d82
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news2.volia.net!newsfeed01.sul.t-online.de!t-online.de!news.belwue.de!rz.uni-karlsruhe.de!feed.news.schlund.de!schlund.de!news.online.de!not-for-mail
From: Steffen Freidel <stfreidel@gmx.de>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Yaesu FT 530
Date: Sun, 01 Jan 2006 11:13:35 +0100
Organization: 1&1 Internet AG
Lines: 19
Message-ID: <dp8a0e$b84$1@online.de>
References: <1136108702.516923.45780@g14g2000cwa.googlegroups.com>
NNTP-Posting-Host: p5481102a.dip0.t-ipconnect.de
Mime-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: online.de 1136110415 11524 84.129.16.42 (1 Jan 2006 10:13:35 GMT)
X-Complaints-To: abuse@einsundeins.com
NNTP-Posting-Date: Sun, 1 Jan 2006 10:13:35 +0000 (UTC)
User-Agent: Thunderbird 1.07 Mnenhy/0.7.3.0
X-Accept-Language: de-DE, de, en-us, en
In-Reply-To: <1136108702.516923.45780@g14g2000cwa.googlegroups.com>
Xref: g2news1.google.com rec.radio.amateur.equipment:1919

Dan schrieb:
> Need a manual for the ft 530. I have located one on the net but it is
> in German.
>
> Any clues to one in English...
>
> Thanks in advance...
>
> Dan..
>

Try this one: http://www.rigpix.com/yaesu/ft530_manual.pdf

Happy new year...

Steffen

```
From 5440765035525830397
X-Google-Thread: 108122,68d49fff5ec03deb,start
X-Google-Thread: fc2a5,68d49fff5ec03deb,start
X-Google-Thread: 107ada,68d49fff5ec03deb,start
X-Google-Thread: 114aac,8b7c9d272670fbc5
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c02.usenetserver.com!news.usenetserver.com!atl-c04.usenetserver.com!
news.usenetserver.com!diablo.voicenet.com!diablo3.voicenet.com!
snip.allthenewsgroups.com!not-for-mail
Reply-To: "boners" <burperofgarlic@cantaloupes.eus>
From: "boners" <burperofgarlic@cantaloupes.eus>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.shortwave
References: <1136084951.368056.242220@g44g2000cwa.googlegroups.com>
<MPG.1e212285ba924974989ca4@news.buckeye-express.com>
<FrQtf.5665$nj1.4013@fe06.lga> <xaidnWk3T_SCRSrenZ2dnUVZ_t6dnZ2d@comcast.com>
Subject: Re: RARE admission by Radio Mart L@@K
Date: Sun, 1 Jan 2006 08:45:00 -0500
Lines: 65
Organization: wawawawheeeeeee
MIME-Version: 1.0
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: 7bit
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1106
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1106
Message-ID: <a3457$43b7eae8$d1cc796f$17154@snip.allthenewsgroups.com>
X-Complaints-To: abuse@allthenewsgroups.com
NNTP-Posting-Host: sarc5b-209-204-121-111.sniparpa.net
X-Trace: a345743b7eae87469dcca17154
Xref: g2news1.google.com rec.radio.amateur.equipment:1921
rec.radio.amateur.homebrew:2326 rec.radio.amateur.misc:3135
rec.radio.shortwave:17306
```

There is no scam. Radio Mart is a legetimate e-Bay reseller
of refurbished ham radio equipment and accessories. There is
no difference between how Radio Mart does business and
other retailers like HRO, AES and others.

The problem here lies with a few usenet knuckleheads and cheap bastard hams who pontificate about all so much 'sour grapes' over them. (most or all of em' being ex-hamfest dealers who just don't like e-Bay!)

Something, in perspective, so common of the minority of cheap ham radio op's we all used to see at the hamfests years ago. The hams that used to walking around in dirty 10 year old clothes who never had a good word for anything or anybody so they cast their bile on that which they could or would not simply walk away from because the radio on the table was "too expensive" for them. In short it's cheap-assed cranky old men who act like spoiled 8-year-olds.

If they don't like Radio-Mart you'd think they'd just go buy new stuff at HRO and AES. R-M has to be doing something right as it appears each and every auction they put up ends with someone bidding on something. I say more power to them, and if someone don't like how they do business, they can go down the street to the next corner Deli on the block and get a pastrami-on-rye from them instead.

"Lenny" <freilich@comcast.net> wrote in message
news:xaidnWk3T_SCRSrenZ2dnUVZ_t6dnZ2d@comcast.com...
> So, what exactly is the Radio Mart scam?
> Lenny
>
> "Unrevealed Source" <Unrevealed_Source@nospam.net> wrote in message
> news:FrQtf.5665$nj1.4013@fe06.lga...
> > BDK - you must be new here. (Welcome).
> >
> > The Radio-Mart scam is well-known to most regulars of this newsgroup.
> > Most of us have him filtered out of our eBay searches.
> >
> >
> > "BDK" <kingratay@buckeye-express.com> wrote in message
> > news:MPG.1e212285ba924974989ca4@news.buckeye-express.com...
> >> In article <1136084951.368056.242220@g44g2000cwa.googlegroups.com>,
> >> miso@sushi.com says...
> >>> "This receiver has not been recently or completely restored by By
CHUCK
> >>> RIPPLE, and $900 plus has not been spent restoring it."
> >>>
> >>>
<http://cgi.ebay.com/Collins-R-390A-Nice-One-Getting-in-Short-Supply_W0QQit
emZ5845509014QQcategoryZ4673QQrdZ1QQcmdZViewItem>
> >>>
> >>>
> >>
> >>
> >> Hmm, 97.3% favorable feedback on 3600 transactions...
> >>
> >> What exactly is your problem with him?
> >>
> >> The real story...please.

```
> >>
> >> BDK
> >
> >
>
>



From -8057368346215169725
X-Google-Thread: 108122,8d9d9872036e872e
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc03.usenetserver.com!FUSE.NET-
a2kHrUvQQWlmc!not-for-mail
Message-ID: <43B7ED81.2060906@fuse.net>
Date: Sun, 01 Jan 2006 09:56:01 -0500
From: jawod <jawod@fuse.net>
User-Agent: Mozilla Thunderbird 1.0.2 (Macintosh/20050317)
X-Accept-Language: en-us, en
MIME-Version: 1.0
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Elecraft reports
References: <2c43f$43b5bc21$42a1bfc2$29648@FUSE.NET>
<de.Mac.20xauz@news.radiobanter.com>
In-Reply-To: <de.Mac.20xauz@news.radiobanter.com>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 71
X-Trace: c96c143b7ed81e7041a6726697
Xref: g2news1.google.com rec.radio.amateur.equipment:1922

de Mac wrote:
> jawod Wrote:
>
>>I am re-entering ham radio after a very long hiatus.  Any comments on
>>Elecraft K-2, either kit building experience or operating experience?
>>
>>John
>
>
> Hello John
> The K-2 is a very good radio,  don't know how much experience
> you have with kit building, but would not try the K-2 as first bite
> it has taken some op's months to finish their K-2
> If you have lots of solid state kit experience
> go for it,   if not try geting a few smaller projects under your belt
>
> started playing around building qrp kits about 5 years ago
```

> had not built a kit since the 60's
> found out first thing
> new solid state radio parts, are not big and beefy like the old days
>
> that with out a good magnifying light
> (not a cheep magnifying light, found out the hard way, had to go out
> and buy a good light, after I had wasted cash on the cheep one)
> I could not even id the parts #'s,
> also
> had to also buy a good soldering station few other tools
> but then, I was on my way
>
> built a 2 fer transmitter and then a dc style receiver,
>
> then the Red Hot Radio Nor Cal 20
> when I opened up the parts bag
> thought oh no,
> I have truly biten off more than I can chew
>
> did not try to act like I was
> big time radio op, ex signal corps microwave radio repair
> and think I could short cut or 2nd guess building steps
>
> took my time followed instructions to the letter
>
> 8 hours latter was finished and it worked,
> since then have built about a dozen other new age qrp style kits
> have had lots of fun, wonders of wonders all of them worked first try
>
> this is from a hard core lover of tube gear
> you can see some of my simple tube transmitters in oct 05 CQ mag
>
> what to first build depends on your experience, skills, and
> how brave you are, yes some ops with out any kit building
> experience have built the K-2
>
> Small Wonder Labs makes lots of very nice easy to build kits
> Love my 40 meter DSW, lots of fun in a very small box,
>
> might want to try a easy simple, cheap kit
> before you melt solder, on a radio kit that set you back over $1,000
>
> but man oh man, yet to talk to anybody that owns a K-2
> that does not love the radio
>
> yours truly Mac dit dit
>
>

Thanks so much for your advice. Yes, that seems to be the consensus.
Elecraft seems to have a great service record and the K-2 is
well-designed. I put together 3 Heathkits back in the 70's. the most
difficult was a mobile 2M XCVR...seems most like the K-2.

John

```
From -5882025686153485156
X-Google-Thread: 108122,68d49fff5ec03deb
X-Google-Thread: fc2a5,68d49fff5ec03deb
X-Google-Thread: 107ada,68d49fff5ec03deb
X-Google-Thread: 114aac,8b7c9d272670fbc5
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!f14g2000cwb.googlegroups.com!not-for-
mail
From: miso@sushi.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.shortwave
Subject: Re: RARE admission by Radio Mart L@@K
Date: 1 Jan 2006 08:53:27 -0800
Organization: http://groups.google.com
Lines: 77
Message-ID: <1136134407.334669.143990@f14g2000cwb.googlegroups.com>
References: <1136084951.368056.242220@g44g2000cwa.googlegroups.com>
   <MPG.1e212285ba924974989ca4@news.buckeye-express.com>
   <FrQtf.5665$nj1.4013@fe06.lga>
   <xaidnWk3T_SCRSrenZ2dnUVZ_t6dnZ2d@comcast.com>
   <a3457$43b7eae8$d1cc796f$17154@snip.allthenewsgroups.com>
NNTP-Posting-Host: 216.27.181.190
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136134411 5547 127.0.0.1 (1 Jan 2006 16:53:31 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Sun, 1 Jan 2006 16:53:31 +0000 (UTC)
In-Reply-To: <a3457$43b7eae8$d1cc796f$17154@snip.allthenewsgroups.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.2; en-US; rv:1.8) Gecko/
20051111 Firefox/1.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: f14g2000cwb.googlegroups.com; posting-host=216.27.181.190;
   posting-account=l2TzZAwAAAAsCKt7rXUtDXzcqYdjYZDP
Xref: g2news1.google.com rec.radio.amateur.equipment:1923
rec.radio.amateur.homebrew:2328 rec.radio.amateur.misc:3139
rec.radio.shortwave:17345
```

Radio-Mart(RM) is a deceptive seller that has cause more than a few buyers to get negative feedback. I like how the R390A he sells is Collins "designed", which is not the same as Collins built.

If Radio-Mart(RM) was an honest broker, then there would be no need for the private sales.

I often see items for sale from Radio-Mart(RM) that I want, but I won't buy from Mr. Red Velvet. Just wait a bit longer and a better deal will show up on ebay. There is no need to deal with Radio-Mart(RM).

boners wrote:
> There is no scam. Radio Mart is a legetimate e-Bay reseller
> of refurbished ham radio equipment and accessories. There is
> no difference between how Radio Mart does business and
> other retailers like HRO, AES and others.
>
> The problem here lies with a few usenet knuckleheads and cheap bastard
> hams who pontificate about all so much 'sour grapes' over them.
> (most or all of em' being ex-hamfest dealers who just don't like e-Bay!)
>
> Something, in perspective, so common of the minority of cheap
> ham radio op's we all used to see at the hamfests years ago.
> The hams that used to walking around in dirty 10 year old clothes who
> never had a good word for anything or anybody so they cast
> their bile on that which they could or would not simply walk away from
> because the radio on the table was "too expensive" for them. In short
> it's cheap-assed cranky old men who act like spoiled 8-year-olds.
>
> If they don't like Radio-Mart you'd think they'd just go buy new
> stuff at HRO and AES. R-M has to be doing something right as
> it appears each and every auction they put up ends with someone
> bidding on something. I say more power to them, and if someone don't
> like how they do business, they can go down the street to the next corner
> Deli on the block and get a pastrami-on-rye from them instead.
>
>
> "Lenny" <freilich@comcast.net> wrote in message
> news:xaidnWk3T_SCRSrenZ2dnUVZ_t6dnZ2d@comcast.com...
> > So, what exactly is the Radio Mart scam?
> > Lenny
> >
> > "Unrevealed Source" <Unrevealed_Source@nospam.net> wrote in message
> > news:FrQtf.5665$nj1.4013@fe06.lga...
> > > BDK - you must be new here. (Welcome).
> > >
> > > The Radio-Mart scam is well-known to most regulars of this newsgroup.
> > > Most of us have him filtered out of our eBay searches.
> > >
> > >
> > > "BDK" <kingratay@buckeye-express.com> wrote in message
> > > news:MPG.1e212285ba924974989ca4@news.buckeye-express.com...
> > >> In article <1136084951.368056.242220@g44g2000cwa.googlegroups.com>,
> > >> miso@sushi.com says...
> > >>> "This receiver has not been recently or completely restored by By
> CHUCK
> > >>> RIPPLE, and $900 plus has not been spent restoring it."
> > >>>
> > >>>
> <http://cgi.ebay.com/Collins-R-390A-Nice-One-Getting-in-Short-Supply_W0QQit
> emZ5845509014QQcategoryZ4673QQrdZ1QQcmdZViewItem>
> > >>>
> > >>>

```
> > >>
> > >>
> > >> Hmm, 97.3% favorable feedback on 3600 transactions...
> > >>
> > >> What exactly is your problem with him?
> > >>
> > >> The real story...please.
> > >>
> > >> BDK
> > >
> > >
> >
> >
```

```
From 7030151416312080900
X-Google-Thread: 108122,68d49fff5ec03deb
X-Google-Thread: fc2a5,68d49fff5ec03deb
X-Google-Thread: 107ada,68d49fff5ec03deb
X-Google-Thread: 114aac,8b7c9d272670fbc5
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!sn-xt-sjc-15!sn-xt-
sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: "basfm6" <basfm6@postcards.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.shortwave
Subject: Re: RARE admission by Radio Mart L@@K
Date: Sun, 1 Jan 2006 11:59:14 -0600
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <11rg63gkmnagm45@corp.supernews.com>
References: <1136084951.368056.242220@g44g2000cwa.googlegroups.com>
<MPG.1e212285ba924974989ca4@news.buckeye-express.com>
<FrQtf.5665$nj1.4013@fe06.lga>   <xaidnWk3T_SCRSrenZ2dnUVZ_t6dnZ2d@comcast.com>
<a3457$43b7eae8$d1cc796f$17154@snip.allthenewsgroups.com>
<1136134407.334669.143990@f14g2000cwb.googlegroups.com>
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
X-Complaints-To: abuse@supernews.com
Lines: 19
Xref: g2news1.google.com rec.radio.amateur.equipment:1924
rec.radio.amateur.homebrew:2329 rec.radio.amateur.misc:3140
rec.radio.shortwave:17355
```

The "private" sales stem from many folks here contacting his bidders warning them about his supposed questionable character. One or two folks here found his online auctions and started calling him a crook, then many more folks who have never had a single dealing with him joined the bandwagon.

Radio-Mart isn't doing anything different than the normal used gear seller... he just doesn't hide his practices as well. Millions of salespeople use these tactics all day long. If true problems develop Ebay will pull his registered status or kick him off, but he's far from being that bad. The situation concerns him, his buyers, and Ebay... everyone else is either jealous, enjoys causing trouble, or can't afford his stuff. If you don't like his practices, then don't bid.

<miso@sushi.com> wrote in message
news:1136134407.334669.143990@f14g2000cwb.googlegroups.com...

> If Radio-Mart(RM) was an honest broker, then there would be no need for
> the private sales.

```
From 1840487383464884696
X-Google-Thread: 108122,68d49fff5ec03deb
X-Google-Thread: fc2a5,68d49fff5ec03deb
X-Google-Thread: 107ada,68d49fff5ec03deb
X-Google-Thread: 114aac,8b7c9d272670fbc5
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr13.news.prodigy.com.POSTED!03ce4474!not-for-mail
From: Telamon <telamon_spamshield@pacbell.net.is.invalid>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.shortwave
Subject: Re: RARE admission by Radio Mart L@@K
Organization: Internet Argonaut
References: <1136084951.368056.242220@g44g2000cwa.googlegroups.com>
<MPG.1e212285ba924974989ca4@news.buckeye-express.com>
<FrQtf.5665$nj1.4013@fe06.lga> <xaidnWk3T_SCRSrenZ2dnUVZ_t6dnZ2d@comcast.com>
<a3457$43b7eae8$d1cc796f$17154@snip.allthenewsgroups.com>
<1136134407.334669.143990@f14g2000cwb.googlegroups.com>
<11rg63gkmnagm45@corp.supernews.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-Transfer-Encoding: 7bit
User-Agent: MT-NewsWatcher/3.4 (PPC Mac OS X)
X-Face: ,cNluD^cTg560%T8O&<Kwl!N>2R3MND4m%ln@,jFig:T/?4`pG(&J/So4b#dr        L[}
ZxZ0m*vGk7]@)+cK-~F2Oywqc2-5Zcr`?1ys#:dGEv%BlKRh"Vebh!P``bcD}2$}}        ?
U},D#0a<X#?i8!eCtVUxI>D*(AmZi(=NzA9%)Wc5C5ZODdwa~%7iN-+\RfW=c:@3w-,
L\Pzawef*7X!9VN#7d;~6Ka-
Message-ID:
<telamon_spamshield-20988C.15253801012006@newsclstr02.news.prodigy.com>
Lines: 51
NNTP-Posting-Host: 207.105.206.163
X-Complaints-To: abuse@prodigy.net
```

X-Trace: newssvr13.news.prodigy.com 1136157938 ST000 207.105.206.163 (Sun, 01 Jan 2006 18:25:38 EST)
NNTP-Posting-Date: Sun, 01 Jan 2006 18:25:38 EST
X-UserInfo1: Q[R_PJSCTS@URQXYGZKN__TDEB\@PD\MNPWZKB]MPXHBTWICYFWUQBKZQLYJX_ITFD_KFVLUN[DOM_A_NSYNWPFWNS[XV\I]PZ@BQ[@CDQDPCL^FKCBIPC@KLGEZEFNMDYMKHRL_YYYGDSSODXYN@[\BK[LVTWI@AXGQCOA_SAH@TPD^\AL\RLGRFWEARBM
Date: Sun, 01 Jan 2006 23:25:38 GMT
Xref: g2news1.google.com rec.radio.amateur.equipment:1925 rec.radio.amateur.homebrew:2339 rec.radio.amateur.misc:3155 rec.radio.shortwave:17413

In article <11rg63gkmnagm45@corp.supernews.com>,
"basfm6" <basfm6@postcards.net> wrote:

> The "private" sales stem from many folks here contacting his bidders warning them about his supposed questionable character. One or two folks here found his online auctions and started calling him a crook, then many more folks who have never had a single dealing with him joined the bandwagon. Radio-Mart isn't doing anything different than the normal used gear seller... he just doesn't hide his practices as well. Millions of salespeople use these tactics all day long. If true problems develop Ebay will pull his registered status or kick him off, but he's far from being that bad. The situation concerns him, his buyers, and Ebay... everyone else is either jealous, enjoys causing trouble, or can't afford his stuff. If you don't like his practices, then don't bid.
>
> <miso@sushi.com> wrote in message
> news:1136134407.334669.143990@f14g2000cwb.googlegroups.com...
>
> > If Radio-Mart(RM) was an honest broker, then there would be no need for the private sales.

"Radio-Mart isn't doing anything different than the normal used gear seller... he just doesn't hide his practices as well. Millions of salespeople use these tactics all day long."

Nice justification. I'll be sure to ignore your advice in the future.

Radio-Mart is into buying radios on Ebay and then turning around and selling them on Ebay for a higher price and pocketing the difference. It makes perfict sense to look for radios that are undervalued and then resell them. I and most other people have no problem with that. The problem is he does not tell the truth about where he got the radios and the condition of the radios. I don't understand why he is compelled to do tell stories about the radios he sells but it does not generally cross the line into outright fraud and treads around in a grey area so he will continue to be controversial topic in the news group. Going "private" will further take his sales into the grey area and apparently that and the story telling are risks he is willing to take. Buyer beware.

I have not contacted nor am I aware of anyone else who has contacted bidders about Radio Mart auctions. They may have read about him on Usenet, which would eliminate any reason to contact them.

I don't care one way or the other about Radio Mart but people that buy from him should be informed about the way he conducts his business.

--
Telamon
Ventura, California

From -3630006936473557743
X-Google-Thread: 108122,68d49fff5ec03deb
X-Google-Thread: fc2a5,68d49fff5ec03deb
X-Google-Thread: 107ada,68d49fff5ec03deb
X-Google-Thread: 114aac,8b7c9d272670fbc5
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
elnk-atl-nf1!newsfeed.earthlink.net!stamper.news.atl.earthlink.net!
newsread3.news.atl.earthlink.net.POSTED!7d23992e!not-for-mail
From: "Chas" <wg2a@earthlink.net>
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.shortwave
References: <1136084951.368056.242220@g44g2000cwa.googlegroups.com>
<MPG.1e212285ba924974989ca4@news.buckeye-express.com>
<FrQtf.5665$nj1.4013@fe06.lga> <xaidnWk3T_SCRSrenZ2dnUVZ_t6dnZ2d@comcast.com>
<a3457$43b7eae8$d1cc796f$17154@snip.allthenewsgroups.com>
<1136134407.334669.143990@f14g2000cwb.googlegroups.com>
<11rg63gkmnagm45@corp.supernews.com>
Subject: Re: RARE admission by Radio Mart L@@K
Lines: 31
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Response
Message-ID: <iAZtf.3370$M%4.1889@newsread3.news.atl.earthlink.net>
Date: Sun, 01 Jan 2006 23:28:14 GMT
NNTP-Posting-Host: 4.254.96.103
X-Complaints-To: abuse@earthlink.net
X-Trace: newsread3.news.atl.earthlink.net 1136158094 4.254.96.103 (Sun, 01 Jan
2006 15:28:14 PST)
NNTP-Posting-Date: Sun, 01 Jan 2006 15:28:14 PST
Organization: EarthLink Inc. -- http://www.EarthLink.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1926
rec.radio.amateur.homebrew:2340 rec.radio.amateur.misc:3156
rec.radio.shortwave:17415

Yeah, right! I've been ripped off by that bastard too(along with

```
numerous others). Claimed the radio was near perfect, found it had been
repainted (not discernable from poor photo) and it smoked after I got it out
of the box. Lets not forget the Shill Bidding he does from his gottahaveit
account!!!!!!! Don't try to defend him, he keeps getting the same negatives
after all these years which shows us, he's still playing the same games with
some defective gear and covering himself with the "Private Sales".

"basfm6" <basfm6@postcards.net> wrote in message
news:11rg63gkmnagm45@corp.supernews.com...
> The "private" sales stem from many folks here contacting his bidders
> warning them about his supposed questionable character. One or two folks
> here found his online auctions and started calling him a crook, then many
> more folks who have never had a single dealing with him joined the
> bandwagon. Radio-Mart isn't doing anything different than the normal used
> gear seller... he just doesn't hide his practices as well. Millions of
> salespeople use these tactics all day long. If true problems develop Ebay
> will pull his registered status or kick him off, but he's far from being
> that bad. The situation concerns him, his buyers, and Ebay... everyone
> else is either jealous, enjoys causing trouble, or can't afford his stuff.
> If you don't like his practices, then don't bid.
>
> <miso@sushi.com> wrote in message
> news:1136134407.334669.143990@f14g2000cwb.googlegroups.com...
>
>> If Radio-Mart(RM) was an honest broker, then there would be no need for
>> the private sales.
>
>




From -7269316117298014842
X-Google-Thread: 1109af,6b64a398adbabd1c,start
X-Google-Thread: 108122,6b64a398adbabd1c,start
X-Google-Thread: fc8b1,6b64a398adbabd1c,start
X-Google-Attributes: gid1109af,gid108122,gidfc8b1,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!newshub.sdsu.edu!
logbridge.uoregon.edu!hammer.uoregon.edu!news.hawaii.edu!jeffreyh
From: jeffreyh@Hawaii.Edu (Jeffrey Herman)
Newsgroups:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors
Subject: WTB Xtals for Heath HW-202
Date: 1 Jan 2006 23:47:15 GMT
Organization: University of Hawaii
Lines: 10
Message-ID: <dp9pm3$ec$1@news.hawaii.edu>
NNTP-Posting-Host: uhunix2.its.hawaii.edu
X-Trace: news.hawaii.edu 1136159235 460 128.171.44.7 (1 Jan 2006 23:47:15 GMT)
X-Complaints-To: usenet@hawaii.edu
NNTP-Posting-Date: 1 Jan 2006 23:47:15 GMT
Xref: g2news1.google.com rec.radio.swap:1945 rec.radio.amateur.equipment:1927
```

rec.radio.amateur.boatanchors:1969

I would like to buy the 146.20 / 146.80 pair of crystals
for a Heath HW-202.

The xtals are probably the standard used in many rigs (rcvr has
10.7 Mc IF; xmtr mutiplication factor is x24).

73, Jeff KH6O
--
Chief Petty Officer, U.S. Coast Guard
Mathematics Lecturer, University of Hawaii System

From -6625467989389459513
X-Google-Thread: 108122,f65703ab12fc29e0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!wns13feed!worldnet.att.net!
199.218.7.141!news.glorb.com!hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!
53ab2750!not-for-mail
From: ritchi50@optonline.net
Newsgroups: rec.radio.amateur.equipment
Subject: FS: Amperex 3-500Z 8803 Made In France
Message-ID: <j4ugr15j086jv6al8nl395ggfuffj6ql51@4ax.com>
X-Newsreader: Forte Free Agent 3.1/32.783
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 4
Date: Sun, 01 Jan 2006 19:49:30 -0500
NNTP-Posting-Host: 68.193.1.58
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136162970 68.193.1.58 (Sun, 01 Jan 2006 17:49:30 MST)
NNTP-Posting-Date: Sun, 01 Jan 2006 17:49:30 MST
Organization: Optimum Online
Xref: g2news1.google.com rec.radio.amateur.equipment:1928

FS: Amperex 3-500Z 8803 Made In France
Price: 150.00
Please reply email.
Rich

From -2898760016501579417
X-Google-Thread: 108122,a5aec1e00b1d0f07,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!dukeread11.POSTED!53ab2750!not-for-mail
From: "Charlie Hugg" <hug-a-bug1@cox.net>

```
Newsgroups: rec.radio.amateur.equipment
Subject: FS FT-102 Tech Special
Lines: 20
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <4ubuf.46564$ih5.40755@dukeread11>
Date: Mon, 2 Jan 2006 09:17:58 -0600
NNTP-Posting-Host: 68.1.251.179
X-Complaints-To: abuse@cox.net
X-Trace: dukeread11 1136215040 68.1.251.179 (Mon, 02 Jan 2006 10:17:20 EST)
NNTP-Posting-Date: Mon, 02 Jan 2006 10:17:20 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:1929

I have a Yaesu FT-102 HF Transceiver for sale. This one was Malcomized by
Mal, NC4L in March of 1997. It has had all of the relays replaced plus
other upgrades performed by Mal. It has a CW Filter but no AM/FM Board.
Cosmetically it is in good but not mint shape. The cabinet looks good and
the front panel is nice. There are some small nicks and scratches mainly on
the
trim around the outside of the front panel. It works but has problems. On
bands above 20
meters, sensitivity is low as is power output. It loads up to over 100 watts
on 20.  On 40 meters the VFO does not change frequency. One meter lamp is
burned out. Price is $375 plus shipping. No mic or manual. Thanks, Charlie
Hugg, K5MBX

--
________________________________
See my Signal/One, Collins & Drake
Photo Galleries and my Hallicrafters
Virtual Museum at http://hug-a-bug.com




From 9132621345070313143
X-Google-Thread: 108228,974736cadac0d8c6,start
X-Google-Thread: 108122,974736cadac0d8c6,start
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!96f270ae!not-for-mail
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: Re: FA: 1-Day-Left: Book: THE ART OF PROGRAMMING EMBEDDED SYSTEMS
(Microprocessors, etc.)
From: "John E. Golden" <johnisgolden@NOSPAMsbcglobal.net>
References: <02012006092534O447%clifford@acjkjowimak.com>
```

```
Organization: Your Company
Message-ID: <Xns973F709DEDEE9johnisgoldenNOSPAMsb@207.115.17.102>
User-Agent: Xnews/??.01.30
Lines: 1
NNTP-Posting-Host: 67.38.21.99
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1136218341 ST000 67.38.21.99 (Mon, 02 Jan 2006
11:12:21 EST)
NNTP-Posting-Date: Mon, 02 Jan 2006 11:12:21 EST
X-UserInfo1:
[[PA@SNDZBTORRD[IZH\OT@@[JT@QDDMEPWXODMMHXMTWA]EPMTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 02 Jan 2006 16:12:21 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:429
rec.radio.amateur.equipment:1930
```

Auctions should be listed in [alt.marketplace.online.ebay]...NOT here!

```
From -8931093518213531563
X-Google-Thread: 108228,1fd68113868b07b4,start
X-Google-Thread: 108122,1fd68113868b07b4,start
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!96f270ae!not-for-mail
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: Re: FA: 1-Day-Left: 3 Pro Books: OPTICS, OPTICAL ENGINEERING, LASERS,
THIN FILMS, ELECTRONICS, etc.
From: "John E. Golden" <johnisgolden@NOSPAMsbcglobal.net>
References: <02012006092647482O%clifford@acjkjowimak.com>
Organization: Your Company
Message-ID: <Xns973F70B3CBB74johnisgoldenNOSPAMsb@207.115.17.102>
User-Agent: Xnews/??.01.30
Lines: 1
NNTP-Posting-Host: 67.38.21.99
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1136218372 ST000 67.38.21.99 (Mon, 02 Jan 2006
11:12:52 EST)
NNTP-Posting-Date: Mon, 02 Jan 2006 11:12:52 EST
X-UserInfo1:
[[PA@SNDZBTORRD[IZH\OT@@[JT@QDDMEPWXODMMHXMTWA]EPMTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 02 Jan 2006 16:12:52 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:430
rec.radio.amateur.equipment:1931
```

Auctions should be listed in [alt.marketplace.online.ebay]...NOT here!

```
From -7857564221139780804
X-Google-Thread: 108228,a0408a95ff72af80,start
X-Google-Thread: 108122,a0408a95ff72af80,start
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!96f270ae!not-for-mail
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: Re: FA: 1-Day-Left: 3 Pro Books: ELECTRONICS, LOW POWER DIGITAL CMOS
DESIGN, Microelectronics, Device Modeling, etc.
From: "John E. Golden" <johnisgolden@NOSPAMsbcglobal.net>
References: <02012006092605233O%clifford@acjkjowimak.com>
Organization: Your Company
Message-ID: <Xns973F70A502F81johnisgoldenNOSPAMsb@207.115.17.102>
User-Agent: Xnews/??.01.30
Lines: 1
NNTP-Posting-Host: 67.38.21.99
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1136218351 ST000 67.38.21.99 (Mon, 02 Jan 2006
11:12:31 EST)
NNTP-Posting-Date: Mon, 02 Jan 2006 11:12:31 EST
X-UserInfo1:
[[PA@SNDZBTORRD[IZH\OT@@[JT@QDDMEPWXODMMHXMTWA]EPMTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 02 Jan 2006 16:12:31 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:432
rec.radio.amateur.equipment:1933
```

Auctions should be listed in [alt.marketplace.online.ebay]...NOT here!

```
From -227600859241775931
X-Google-Thread: 108228,96a924a2d30e9a35,start
X-Google-Thread: 108122,96a924a2d30e9a35,start
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!96f270ae!not-for-mail
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
Subject: Re: FA: 1-Day-Left: 3 Books: ELECTRONICS, INSTRUMENTATION, CIRCUIT
ANALYSIS...
From: "John E. Golden" <johnisgolden@NOSPAMsbcglobal.net>
References: <020120060926243433%clifford@acjkjowimak.com>
Organization: Your Company
```

```
Message-ID: <Xns973F70AD253E4johnisgoldenNOSPAMsb@207.115.17.102>
User-Agent: Xnews/??.01.30
Lines: 1
NNTP-Posting-Host: 67.38.21.99
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1136218363 ST000 67.38.21.99 (Mon, 02 Jan 2006
11:12:43 EST)
NNTP-Posting-Date: Mon, 02 Jan 2006 11:12:43 EST
X-UserInfo1:
[[PA@SNDZBTORRD[IZH\OT@@[JT@QDDMEPWXODMMHXMTWA]EPMTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 02 Jan 2006 16:12:43 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:433
rec.radio.amateur.equipment:1934
```

Auctions should be listed in [alt.marketplace.online.ebay]...NOT here!

```
From 109788089868292461
X-Google-Thread: 108228,181624359a3e137e,start
X-Google-Thread: fcc6e,181624359a3e137e,start
X-Google-Thread: 108122,181624359a3e137e,start
X-Google-Attributes: gid108228,gidfcc6e,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!newscon06.news.prodigy.com!
prodigy.net!newsmst01b.news.prodigy.com!prodigy.com!postmaster.news.prodigy.com!
newssvr11.news.prodigy.com.POSTED!96f270ae!not-for-mail
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.antenna,rec.radio.amateur.equipment
Subject: Re: FA: 1-Day-Left: Book: SPREAD SPECTRUM SYSTEMS: An Advanced
Electronics/Math Book
From: "John E. Golden" <johnisgolden@NOSPAMsbcglobal.net>
References: <020120060925139207%clifford@acjkjowimak.com>
Organization: Your Company
Message-ID: <Xns973F70960CB8johnisgoldenNOSPAMsb@207.115.17.102>
User-Agent: Xnews/??.01.30
Lines: 1
NNTP-Posting-Host: 67.38.21.99
X-Complaints-To: abuse@prodigy.net
X-Trace: newssvr11.news.prodigy.com 1136218331 ST000 67.38.21.99 (Mon, 02 Jan 2006
11:12:11 EST)
NNTP-Posting-Date: Mon, 02 Jan 2006 11:12:11 EST
X-UserInfo1:
[[PA@SNDZBTORRD[IZH\OT@@[JT@QDDMEPWXODMMHXMTWA]EPMTC@AWZWDXZXQ[K\FFSKCVM@F_N_DOBWV
WG__LG@VVOIPLIGX\
\BU_B@\P\PFX\B[APHTWAHDCKJF^NHD[YJAZMCY_CWG[SX\Y]^KC\HSZRWSWKGAY_PC[BQ[BXAS\F\
\@DMTLFZFUE@\VL
Date: Mon, 02 Jan 2006 16:12:11 GMT
Xref: g2news1.google.com alt.ham-radio.marketplace:431
rec.radio.amateur.antenna:4980 rec.radio.amateur.equipment:1932
```

Auctions should be listed in [alt.marketplace.online.ebay]...NOT here!

From -1551783474947818135
X-Google-Thread: 108122,d6aa45d430d160c5
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g44g2000cwa.googlegroups.com!not-for-mail
From: k8vf_mark@centurytel.net
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Avoid!!!!!!!
Date: 2 Jan 2006 09:49:42 -0800
Organization: http://groups.google.com
Lines: 27
Message-ID: <1136224182.396754.57950@g44g2000cwa.googlegroups.com>
References: <4Idtf.21$SG6.10@fe08.lga><43B579D0.7940D3@nospamforme.com>
NNTP-Posting-Host: 207.118.254.137
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136224187 19185 127.0.0.1 (2 Jan 2006 17:49:47 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Jan 2006 17:49:47 +0000 (UTC)
In-Reply-To: <43B579D0.7940D3@nospamforme.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; YComp 5.0.0.0; SV1; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g44g2000cwa.googlegroups.com; posting-host=207.118.254.137;
   posting-account=f3EhTw0AAAD5e25FXpgWDORe_tsc2TCY
Xref: g2news1.google.com rec.radio.amateur.equipment:1935

I called them about a unit I bought USED.

The gentleman answered my query and was polite and businesslike.

No complaints.

k8vf

joe wrote:
> hi,
>
> they advertise in QST, why not email arrl about the situation,
> they have high standards for the advertisers.
>
> Demitri wrote:
>
> > Warren Gregoire and Associates LLC
> >
> > Do not deal with these people!!!

```
> > I'm over 19 years HAM, my call sign is AK2P (ex UB5FBG,  UR5FBG, ER5/UR5FBG)
> > I have Never seen such rude and dishonest people......... They hang on me
> > with insults... don't pick up phone.... never call back... There are  no men
> > to talk with....
> > Headsets what they sell is complete garbage. Waste of money.
> > Don't buy, don't support them.
```

```
From 1672040210914598321
X-Google-Thread: 108122,68d49fff5ec03deb
X-Google-Thread: fc2a5,68d49fff5ec03deb
X-Google-Thread: 107ada,68d49fff5ec03deb
X-Google-Thread: 114aac,8b7c9d272670fbc5
X-Google-Attributes: gid108122,gidfc2a5,gid107ada,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: miso@sushi.com
Newsgroups:
rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.
radio.shortwave
Subject: Re: RARE admission by Radio Mart L@@K
Date: 2 Jan 2006 10:07:50 -0800
Organization: http://groups.google.com
Lines: 24
Message-ID: <1136225270.392484.252250@g14g2000cwa.googlegroups.com>
References: <1136084951.368056.242220@g44g2000cwa.googlegroups.com>
   <MPG.1e212285ba924974989ca4@news.buckeye-express.com>
   <FrQtf.5665$nj1.4013@fe06.lga>
   <xaidnWk3T_SCRSrenZ2dnUVZ_t6dnZ2d@comcast.com>
   <a3457$43b7eae8$d1cc796f$17154@snip.allthenewsgroups.com>
   <1136134407.334669.143990@f14g2000cwb.googlegroups.com>
   <11rg63gkmnagm45@corp.supernews.com>
NNTP-Posting-Host: 216.27.181.190
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136225275 20681 127.0.0.1 (2 Jan 2006 18:07:55 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Jan 2006 18:07:55 +0000 (UTC)
In-Reply-To: <11rg63gkmnagm45@corp.supernews.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.2; en-US; rv:1.8) Gecko/
20051111 Firefox/1.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=216.27.181.190;
   posting-account=l2TzZAwAAAAsCKt7rXUtDXzcqYdjYZDP
Xref: g2news1.google.com rec.radio.amateur.equipment:1936
rec.radio.amateur.homebrew:2372 rec.radio.amateur.misc:3170
rec.radio.shortwave:17565
```

Trust me, I don't bid on Radio-Mart (RM) gear. Long before I knew he was a crook, I saw a radio he had for sale that I wanted to bid. The

```
private sales turned me off. My thought was what does this asshole have
to hide? The private sales are the perfect way to do shilling.

basfm6 wrote:
> The "private" sales stem from many folks here contacting his bidders warning
> them about his supposed questionable character. One or two folks here found
> his online auctions and started calling him a crook, then many more folks
> who have never had a single dealing with him joined the bandwagon.
> Radio-Mart isn't doing anything different than the normal used gear
> seller... he just doesn't hide his practices as well. Millions of
> salespeople use these tactics all day long. If true problems develop Ebay
> will pull his registered status or kick him off, but he's far from being
> that bad. The situation concerns him, his buyers, and Ebay... everyone else
> is either jealous, enjoys causing trouble, or can't afford his stuff. If you
> don't like his practices, then don't bid.
>
> <miso@sushi.com> wrote in message
> news:1136134407.334669.143990@f14g2000cwb.googlegroups.com...
>
> > If Radio-Mart(RM) was an honest broker, then there would be no need for
> > the private sales.



From -8841865545193900907
X-Google-Thread: 108122,a9d8f74176c05d4b
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!news.glorb.com!
ilaria.aioe.org!aioe.org!user
From: fmmck@aol.com (Fred McKenzie)
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Kenwood at-250, is it rf sensing?
Date: Mon, 02 Jan 2006 13:36:45 -0500
Organization: AOL
Lines: 34
Message-ID: <fmmck-0201061336450001@aca11ded.ipt.aol.com>
References: <1134488984.946918.64960@o13g2000cwo.googlegroups.com>
<1134569935.421375.152250@o13g2000cwo.googlegroups.com>
NNTP-Posting-Host: Qwx934W+I/XAYGAaHT+A5A.user.domitilla.aioe.org
X-Complaints-To: abuse@aioe.org
Xref: g2news1.google.com rec.radio.amateur.equipment:1937

In article <1134569935.421375.152250@o13g2000cwo.googlegroups.com>,
k8vf_mark@centurytel.net wrote:

> I am receiveing answers off forum which indicate YES and NO.
>
> Does ANYONE have an AT-250 which they can hook up WITHOUT any
> d.i.n.cable to verify if it will operate as a tuner- r.f. sensing?
>
> The manual (such as it is) is very much lacking in this area.
```

k8vf-

This is an interesting question. I thought the AT-250 was so old it couldn't possibly be auto-sensing. I found a portion of the manual at www.mods.dk, and agree that it isn't clear about it.

A box called "TUNE switch" says to tune the antenna and then turn the TUNE Switch off. It also says that after tuning is complete, the motor may activate during operation if you leave the TUNE switch ON. This suggests that it does have auto-sensing of a sort.

HOWEVER, the "CAUTION" on the first page, repeated on the last page of the manual, says you MUST limit power to less than 50 watts when tuning is initiated. When not tuned, voltages inside can be extremely high, and could cause damage to the transceiver. I suspect damage from arcing could occur inside the tuner as well.

Therefore, even if it has auto-sensing capability, it is not good practice to routinely rely on that alone unless there is some way to limit power.

Nowhere in the manual could I find a hookup with no control cable connected. Operating it that way would be at the user's risk.

73, Fred, K4DII

```
From -5471049334699084273
X-Google-Thread: 108228,96a924a2d30e9a35
X-Google-Thread: 108122,96a924a2d30e9a35
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-
c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!ALLTEL.NET-
a2kHrUvQQWlmc!not-for-mail
From: "Fred W4JLE" <w4jle@w4jle.com>
Newsgroups: alt.ham-radio.marketplace,rec.radio.amateur.equipment
References: <0201200609262434 33%clifford@acjkjowimak.com>
<Xns973F70AD253E4johnisgoldenNOSPAMsb@207.115.17.102>
Subject: Re: FA: 1-Day-Left: 3 Books: ELECTRONICS, INSTRUMENTATION, CIRCUIT
ANALYSIS...
Date: Mon, 2 Jan 2006 13:36:15 -0500
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1506
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2800.1506
Message-ID: <5e4a7$43b972d4$471d2513$27151@ALLTEL.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 17
X-Trace: 5e4a743b972d4e2b880b627151
Xref: g2news1.google.com alt.ham-radio.marketplace:435
rec.radio.amateur.equipment:1938
```

Let's see your net nazi badge, or shut the heck up. I for one am tired of seeing 25 messages a day from some idiot that perceives a newsgroup violation.

Your name appears nowhere as moderator.

Amazingly enough, in my entire life I have only known one truely unredeemable butthole and his name was Golden as well... First name Ron, any relation?

Get a life!

"John E. Golden" <johnisgolden@NOSPAMsbcglobal.net> wrote in message news:Xns973F70AD253E4johnisgoldenNOSPAMsb@207.115.17.102...

> Auctions should be listed in [alt.marketplace.online.ebay]...NOT here!

```
From -6321579898939163958
X-Google-Thread: 108122,8f78cbf2db852763,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: George.E.Hollis@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: A slight nuisance-related format change...
Date: 2 Jan 2006 10:40:55 -0800
Organization: http://groups.google.com
Lines: 17
Message-ID: <1136227255.331239.44930@g14g2000cwa.googlegroups.com>
NNTP-Posting-Host: 207.188.230.66
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136227260 23104 127.0.0.1 (2 Jan 2006 18:41:00 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Jan 2006 18:41:00 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=207.188.230.66;
   posting-account=63eBRQ0AAADgnp-SHDpKUlOamLZUkYBK
Xref: g2news1.google.com rec.radio.amateur.equipment:1939
```

To the Webmaster/slave

Could you change the format of the summary messages so that the links are on the next line down from the description, rather than just above the subsequent?

HNY, and all that.

George Hollis
Brunswick MD

From -2694521436297461109
X-Google-Thread: 108122,8f78cbf2db852763
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!news.glorb.com!green.octanews.net!news-out.octanews.net!news-2.mpls.iphouse.net.POSTED!not-for-mail
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A slight nuisance-related format change...
From: Bert Hyman <bert@iphouse.com>
References: <1136227255.331239.44930@g14g2000cwa.googlegroups.com>
Organization: Not that you'd notice
Message-ID: <Xns973F819C52722VeebleFetzer@216.250.184.7>
User-Agent: Xnews/2005.10.18
Date: 02 Jan 2006 18:44:21 GMT
Lines: 11
NNTP-Posting-Date: 02 Jan 2006 12:44:21 CST
NNTP-Posting-Host: d5c9c977.newsreader.iphouse.net
X-Trace:
DXC=DTkUGQOSl`A=GMYJ54IK@GVn\Tj8`^BbKeHS>e[L>83@4GA`Gg9PjND1UFgaF43:7LEF6l3X2<;VEl
N9jT>UREWD
X-Complaints-To: abuse@iphouse.net
Xref: g2news1.google.com rec.radio.amateur.equipment:1940

In news:1136227255.331239.44930@g14g2000cwa.googlegroups.com
George.E.Hollis@gmail.com wrote:

> To the Webmaster/slave

To whom, exactly, do you think you're talking?

Just where do you think you are?

--
Bert Hyman   St. Paul, MN bert@iphouse.com

From 4059633435376762752
X-Google-Thread: 108122,c97f412c079815dc,start
X-Google-Attributes: gid108122,public

```
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!o13g2000cwo.googlegroups.com!not-for-mail
From: jimbradley@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: FA: Uniden PC68XL -
Date: 2 Jan 2006 10:54:52 -0800
Organization: http://groups.google.com
Lines: 2
Message-ID: <1136228092.816450.139550@o13g2000cwo.googlegroups.com>
NNTP-Posting-Host: 24.60.127.89
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136228098 10757 127.0.0.1 (2 Jan 2006 18:54:58 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Jan 2006 18:54:58 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8) Gecko/20051111 Firefox/1.5,gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: o13g2000cwo.googlegroups.com; posting-host=24.60.127.89;
   posting-account=6FPL6A0AAADtJ2X98ea3Zrr9v9hh26S4
Xref: g2news1.google.com rec.radio.amateur.equipment:1941

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5847171935




From -4784214828958972072
X-Google-Thread: 108122,8f78cbf2db852763
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!fu-berlin.de!uni-berlin.de!individual.net!not-for-mail
From: Allodoxaphobia <bit-bucket@config.com>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A slight nuisance-related format change...
Date: 2 Jan 2006 21:11:41 GMT
Lines: 13
Message-ID: <slrndrj5od.p4p.bit-bucket@shell.config.com>
References: <1136227255.331239.44930@g14g2000cwa.googlegroups.com>
<Xns973F819C52722VeebleFetzer@216.250.184.7>
Reply-To: Reply to the .sig address <NOSPAM_bit-bucket@config.com>
X-Trace: individual.net A+pcvdC0F0DxrIdlHJK1ewXaiJ32sWTzJ+oJFDQ57axwkWP93g
User-Agent: slrn/0.9.8.1 (FreeBSD)
Xref: g2news1.google.com rec.radio.amateur.equipment:1942

On 02 Jan 2006 18:44:21 GMT, Bert Hyman wrote:
> In news:1136227255.331239.44930@g14g2000cwa.googlegroups.com
> George.E.Hollis@gmail.com wrote:
>
>> To the Webmaster/slave
>
```

```
> To whom, exactly, do you think you're talking?
> Just where do you think you are?

Clueless in cyber-land.
 :
 |X-Trace: posting.google.com ....
 :



From 2433933245336982530
X-Google-Thread: 112f4a,c70514fd49defada,start
X-Google-Thread: 115730,c70514fd49defada,start
X-Google-Thread: fc2a5,c70514fd49defada,start
X-Google-Thread: 108122,c70514fd49defada,start
X-Google-Attributes: gid112f4a,gid115730,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!z14g2000cwz.googlegroups.com!not-for-
mail
From: "Too_Many_Tools" <too_many_tools@yahoo.com>
Newsgroups:
sci.geo.meteorology,sci.electronics.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.equipment
Subject: Reliable Inexpensive Electronic Weather Instruments
Date: 2 Jan 2006 13:43:38 -0800
Organization: http://groups.google.com
Lines: 16
Message-ID: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
NNTP-Posting-Host: 4.252.211.251
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136238224 24836 127.0.0.1 (2 Jan 2006 21:43:44 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Mon, 2 Jan 2006 21:43:44 +0000 (UTC)
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows 98; Win 9x
4.90),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: z14g2000cwz.googlegroups.com; posting-host=4.252.211.251;
   posting-account=2XiOYgwAAABYI_3zLjaLNK874SFaHcAv
Xref: g2news1.google.com sci.geo.meteorology:2287 sci.electronics.equipment:1161
rec.radio.amateur.homebrew:2381 rec.radio.amateur.equipment:1943
```

I am looking for any suggestions as to reliable inexpensive electronic weather instruments.

With several units that I have tested from places like Target, Walmart, Radio Shack I find that they are not repeatable, readings drift and will die when the weather gets cold.

Has anyone found a source or brand that they have had good success with?

Any leads or links to building your own instrumentation?

Thanks

TMT

```
From 5268044201687058450
X-Google-Thread: 112f4a,c70514fd49defada
X-Google-Thread: 115730,c70514fd49defada
X-Google-Thread: fc2a5,c70514fd49defada
X-Google-Thread: 108122,c70514fd49defada
X-Google-Attributes: gid112f4a,gid115730,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 02 Jan 2006 16:07:48 -0600
From: maxfoo <maxfoo@punkass.com>
Newsgroups:
sci.geo.meteorology,sci.electronics.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.equipment
Subject: Re: Reliable Inexpensive Electronic Weather Instruments
Date: Mon, 02 Jan 2006 17:07:48 -0500
Organization: ...
Message-ID: <es8jr19jct3na974cihs1a8ovlptk275gc@4ax.com>
References: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 21
NNTP-Posting-Host: 24.91.179.122
X-Trace: sv3-a4vXN2hZd4zCZDf6eRb7UO3o4lP0pYWSwjGON3k+zSwFG9PEJ6dGcYkNu/
Lxm47+2HrTlDKkSrB9y0g!
wD1j6uIYbnwAt2OgJTA5lA1Q3i8UuNWqPWQsGAFqFHfDRYAktRya8DPQZY3bVj+FMJyW4lbHV0Yk!
AP4e+yO3DC6bmg==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com sci.geo.meteorology:2288 sci.electronics.equipment:1166
rec.radio.amateur.homebrew:2387 rec.radio.amateur.equipment:1944
```

On 2 Jan 2006 13:43:38 -0800, "Too_Many_Tools" <too_many_tools@yahoo.com> wrote:

>I am looking for any suggestions as to reliable inexpensive electronic
>weather instruments.
>
>With several units that I have tested from places like Target, Walmart,
>Radio Shack I find that they are not repeatable, readings drift and

>will die when the weather gets cold.
>
>Has anyone found a source or brand that they have had good success
>with?
>
>Any leads or links to building your own instrumentation?
>
>Thanks
>
>TMT

Circuit cellar had an article on that a year or two ago.
someone's design contest abstract
http://www.circuitcellar.com/design2k/winners/abstracts/WeatherMon.html

From -1578443102579362977
X-Google-Thread: 1109af,f0a17da7c5c2f913
X-Google-Thread: 108122,f0a17da7c5c2f913
X-Google-Attributes: gid1109af,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!fu-berlin.de!uni-berlin.de!
individual.net!not-for-mail
From: Robert Kubichek <bobn9lvu@sbcglobal.net>
Newsgroups: rec.radio.swap,rec.radio.amateur.equipment
Subject: 4 sale REVISED
Date: Mon, 02 Jan 2006 16:09:18 -0600
Lines: 73
Message-ID: <41tmkgF1ghgpvU1@individual.net>
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii; format=flowed
Content-Transfer-Encoding: 7bit
X-Trace: individual.net yasHLs1F6WnAReY7UPN1TA02/thsD4SHkBlD0OkcU13Qn4IcFf
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.12) Gecko/
20050915
X-Accept-Language: en-us
Xref: g2news1.google.com rec.radio.swap:1969 rec.radio.amateur.equipment:1945

Radio Specialty Model 1179-22-1 Repeater-------------------$ 50
Appears to be complete, minus crystals.
I have no way to verify operation.
Has 2 settable PL tones...
Outside of case is scuffed, but inside is very clean!
Repeater is in a wall mountable battleship gray cabinet,
that is 4" deep by 13.5" wide, by 21.5" tall, and is
around 30# in weight. It is a VHF base/repeater used by
the BLM out west...
It also has on the front cover, I-5YACC, then under it is
271, under that VHF REPEATER. There are a lot of FCC type
acceptance # all over inside, plus the maker, and maker's
partial address, and part # for transmitter, and receiver
sections.
NO documentation.

1 Comspec TS-32P------------------------------------NEW----$ 35
New never used in original package complete with tuning tool, wire jumpers, switch chart for pl tone, and mounting tape plus original documentation/schematic.

2 Kenwood TR-7950-----------------------------------EACH---$ 80
Each comes with mobile mount, and 1st sale gets the packet adapter. Are in very good shape, but do not include the TU-79 PL boards which are available at www.piexx.com
They will not come in original box, and if I do not have the manual, I will photocopy, or pdf one (your choice)...

Standard C468A LNIB---------------------------------------$ 75

LinkXcel PS-141B 4 port KVM Switch with 4 cables-----------$ 65
-Like New- This is the PS2/VGA model -No manual-

Pioneer DRM-602X Scsii cd changer that uses Pioneer--------$ 15
audio cd carts. -No manual-

Sanyo SCP5000-------------(Sprint)-9/10---------------BEST OFFER
1 desktop charger
2 AC adapters
2 12v adapters
1 data cord

Samsung SCH3500----------(Sprint)-6/10----------------BEST OFFER
1 extra battery
1 holster
1 desktop charger
1 12v adapter
1 data cord
NO MANUAL or BOX

Nokia 252-----------------(unknown)-8/10-------------BEST OFFER
2 extra batteries
1 holster
1 desktop charger
1 12v adapter
NO MANUAL or BOX

All items will include manuals unless noted.
Shipping is NOT included on any item(s).

Pictures of the radios can be found at;
http://www.mantico.com/4sale.htm
I will have all items on line as soon as possible.

Robert Kubichek N9LVU
1502 South 10th. Street
Manitowoc, WI 54220-5706
bobn9lvu@sbcglobal.net

```
From -4428618661385372844
X-Google-Thread: 112f4a,c70514fd49defada
X-Google-Thread: 115730,c70514fd49defada
X-Google-Thread: fc2a5,c70514fd49defada
X-Google-Thread: 108122,c70514fd49defada
X-Google-Attributes: gid112f4a,gid115730,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 02 Jan 2006 16:10:58 -0600
From: maxfoo <maxfoo@punkass.com>
Newsgroups:
sci.geo.meteorology,sci.electronics.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.equipment
Subject: Re: Reliable Inexpensive Electronic Weather Instruments
Date: Mon, 02 Jan 2006 17:10:59 -0500
Organization: ...
Message-ID: <p59jr1pv0uhm3vikhk58lvtekgrk8u68na@4ax.com>
References: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
<es8jr19jct3na974cihs1a8ovlptk275gc@4ax.com>
X-Newsreader: Forte Agent 1.91/32.564
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Lines: 31
NNTP-Posting-Host: 24.91.179.122
X-Trace: sv3-mAEMrExk4M7jvsuSqHGCw8TfAo5EFv0snps07l2qUcbI/Ndq/
4vP938VFsSWzg48OKjPU2NHBSuiMn+!u6+nLgln0+A9rBNiYbCC5evDuUwDxrLiX72xIU+j+PLZo/
sr1NipNapH+bNt+CzAoqshwEeai2xX!0PsB039bqYtd3w==
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com sci.geo.meteorology:2289 sci.electronics.equipment:1167
rec.radio.amateur.homebrew:2388 rec.radio.amateur.equipment:1946

On Mon, 02 Jan 2006 17:07:48 -0500, maxfoo <maxfoo@punkass.com> wrote:

>On 2 Jan 2006 13:43:38 -0800, "Too_Many_Tools" <too_many_tools@yahoo.com> wrote:
>
>>I am looking for any suggestions as to reliable inexpensive electronic
>>weather instruments.
>>
```

>>With several units that I have tested from places like Target, Walmart,
>>Radio Shack I find that they are not repeatable, readings drift and
>>will die when the weather gets cold.
>>
>>Has anyone found a source or brand that they have had good success
>>with?
>>
>>Any leads or links to building your own instrumentation?
>>
>>Thanks
>>
>>TMT
>
>Circuit cellar had an article on that a year or two ago.
>someone's design contest abstract
>http://www.circuitcellar.com/design2k/winners/abstracts/WeatherMon.html

here's another...
http://www.circuitcellar.com/msp430/3b.htm

search circuit cellars website you'll come up with a ton of designs.

From 2608049595976714273
X-Google-Thread: 108122,c70514fd49defada
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!newsfeed.stanford.edu!
sn-xt-sjc-02!sn-xt-sjc-09!sn-post-01!supernews.com!corp.supernews.com!not-for-mail
From: Dick <LeadWinger>
Newsgroups: rec.radio.amateur.equipment
Subject: Re: Reliable Inexpensive Electronic Weather Instruments
Date: Mon, 02 Jan 2006 16:55:37 -0700
Organization: Posted via Supernews, http://www.supernews.com
Message-ID: <j4fjr15im8pmamidrfvspcmufsh5gd8cps@4ax.com>
References: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
X-Newsreader: Forte Agent 1.93/32.576 English (American)
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-Complaints-To: abuse@supernews.com
Lines: 27
Xref: g2news1.google.com rec.radio.amateur.equipment:1948

Both Oregon Scientific and Davis will do the job for you at reasonable
cost. Our OS WRM-968 wireless system has worked without failure for
over two years now. You can find out everything you ever wanted to
know about weather stations on the Ambient forum
http://ambientwxsupport.com/

```
Dick

On 2 Jan 2006 13:43:38 -0800, "Too_Many_Tools"
<too_many_tools@yahoo.com> wrote:

>I am looking for any suggestions as to reliable inexpensive electronic
>weather instruments.
>
>With several units that I have tested from places like Target, Walmart,
>Radio Shack I find that they are not repeatable, readings drift and
>will die when the weather gets cold.
>
>Has anyone found a source or brand that they have had good success
>with?
>
>Any leads or links to building your own instrumentation?
>
>Thanks
>
>TMT




From 5902819405109758424
X-Google-Thread: 112f4a,c70514fd49defada
X-Google-Thread: 115730,c70514fd49defada
X-Google-Thread: fc2a5,c70514fd49defada
X-Google-Thread: 108122,c70514fd49defada
X-Google-Attributes: gid112f4a,gid115730,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
news.giganews.com.POSTED!not-for-mail
NNTP-Posting-Date: Mon, 02 Jan 2006 18:01:37 -0600
Subject: Re: Reliable Inexpensive Electronic Weather Instruments
Date: Mon, 02 Jan 2006 16:01:37 -0800
From: artie <artie.m@gmail.com>
Newsgroups:
sci.geo.meteorology,sci.electronics.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.equipment
Message-ID: <020120061601372934%artie.m@gmail.com>
References: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=ISO-8859-1
Content-transfer-encoding: 8bit
User-Agent: Thoth/1.7.2 (Carbon/OS X)
Lines: 37
X-Trace:
sv3-5omNPFXmOzyLY1kt+np1k4nEPN78iaSpwrt+SYTcUYNmNR+rM56Avv4l0ArtkdPJwuAc2QjkicyZoR
A!ffVhELW4+57KJZHxnWAhAC9C/27SEuvWFrZTafrDpU/YxaWoUyeDDvv+lHTDlw==
X-Complaints-To: abuse@giganews.com
X-DMCA-Notifications: http://www.giganews.com/info/dmca.html
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
```

```
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com sci.geo.meteorology:2293 sci.electronics.equipment:1172
rec.radio.amateur.homebrew:2396 rec.radio.amateur.equipment:1949

In article <1136238218.674982.221060@z14g2000cwz.googlegroups.com>,
Too_Many_Tools <too_many_tools@yahoo.com> wrote:

> I am looking for any suggestions as to reliable inexpensive electronic
> weather instruments.
>
> With several units that I have tested from places like Target, Walmart,
> Radio Shack I find that they are not repeatable, readings drift and
> will die when the weather gets cold.
>
> Has anyone found a source or brand that they have had good success
> with?
>
> Any leads or links to building your own instrumentation?
>
> Thanks
>
> TMT
>

"reliable" and "inexpensive" are at best orthogonal, if not downright
contradictory...

I just want the stuff to work.  Had a heathkit weather station for a
number of years, but when I worked 2m packet, it thought I was on
jupiter -- temperatures zoomed down and barometric pressure went
really, really high (and that was *after* I put RF bypassing on a lot
of high Z nodes, and shielded the thing).

I've had no trouble with the Davis Instruments stuff.  Currently run
Vantage Pro2 stations at a number of locations, using the Weather
Display software.

It's not cheap, but it works.

--
Namaste--


From -5971247152353716309
X-Google-Thread: 10ed5f,5b0d7140462375d
X-Google-Thread: 108122,5b0d7140462375d
X-Google-Thread: 107ada,5b0d7140462375d
X-Google-Thread: 1109af,5b0d7140462375d
X-Google-Attributes: gid10ed5f,gid108122,gid107ada,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
```

border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!atl-c08.usenetserver.com!news.usenetserver.com!pc02.usenetserver.com!FUSE.NET-a2kHrUvQQWlmc!not-for-mail
Date: Mon, 02 Jan 2006 19:40:47 -0500
From: "J. D. B." <duffyb01@nospamfuse.net>
User-Agent: Thunderbird 1.5 (Windows/20051201)
MIME-Version: 1.0
Newsgroups: alt.ham-radio,rec.radio.amateur,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap
Subject: Re: RT System Softwares
References: <M_Yrf.1360$7S2.412@trndny09>
In-Reply-To: <M_Yrf.1360$7S2.412@trndny09>
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit
Message-ID: <9ce6a$43b9c88a$48312371$21801@FUSE.NET>
X-Complaints-To: abuse@usenetserver.com
Organization: UseNetServer.com
Lines: 26
X-Trace: 9ce6a43b9c88aed9486d421801
Xref: g2news1.google.com alt.ham-radio:397 rec.radio.amateur.equipment:1950 rec.radio.amateur.misc:3176 rec.radio.swap:1975

No license, no original software CDs....hmmmmm......and somehow it's RT Systems fault? If you cannot produce a license or original CDs, it's your fault and if I were RT Systems, I would think you pirated the stuff and why they won't help you. Best to put originals in a safe place or fireproof vault. It's your fault, not RT Systems.

N1RSP wrote:
> Just a note to let all you ham operators out there that want to buy
> programing software from RT Sytems,Please rethink about it.They do not want
> to help you if you have a problem with their software,They are slow in any
> contacting and are not willing to help you when in need.
> I have bought several programs in the past few years from them for different
> Yaesu radios etc.I spent a lot of money on them.Now I need help in getting
> one of my programs to work,(one for the FT-8000 radio),and now they say they
> will not help me because I have misplaced my box with all my original
> software from them.I have explained that I have made copies of all my
> software from them so that I do not damage or corrupt the originals as most
> everyone does.Now I cannot locate the box with about six programs from them
> as I have had to move several times since the programs were purchased.I do
> however have the copies and now they refuse to help me out.
> So just thought i would pass this on.
> signed
> Pisssed off
>
>
>

From 7495007162138164465
X-Google-Thread: 108122,3c0403c19c1fe48e,start

```
X-Google-Thread: fa029,3c0403c19c1fe48e,start
X-Google-Attributes: gid108122,gidfa029,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
cyclone1.gnilink.net!gnilink.net!cyclone.southeast.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
Reply-To: "M.L. Katz" <mcguyver@cfl.rr.com>
From: "M.L. Katz" <mcguyver@cfl.rr.com>
Newsgroups: rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.scanner
Subject: For Sale: 4 - GE VHF 16 channel HH PCS Radios w/ batteries
Lines: 32
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2527
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2527
X-RFC2646: Format=Flowed; Original
Message-ID: <45juf.72452$6e.18601@tornado.tampabay.rr.com>
Date: Mon, 02 Jan 2006 23:56:48 GMT
NNTP-Posting-Host: 70.118.217.0
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1136246208 70.118.217.0 (Mon, 02 Jan 2006
18:56:48 EST)
NNTP-Posting-Date: Mon, 02 Jan 2006 18:56:48 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1951 rec.radio.scanner:1564
```

For Sale: 4 - GE VHF 16 channel HH PCS Radios w/ batteries

Asking $200 for the set (includes CONUS shipping)

Photo links of radios:

http://home.cfl.rr.com/bologram/GE_RADIO_front.jpg
http://home.cfl.rr.com/bologram/GE_RADIO_rear.jpg
http://home.cfl.rr.com/bologram/GE_radios_all.jpg

I have for sale 4 GE - MA/COM Portable VHF (hand Held) Radios with batteries. The units are 150-173MHz, some wear, but all power up. They have BNC antenna jacks (no antennas though) I do not have the chargers yet. The units are SCAN models. Full specs from rear of radios:

GE Ericsson
FCC ID: AXA9MZ-PCSH3
DOC/MDC:PCSH
Serial #'s upon request

Either cash or consider trade for a BC246T scanner . E-mail me for more information or photos which 'll be happy to take.

Mitch

```
From 6895203847412521325
X-Google-Thread: 112f4a,c70514fd49defada
X-Google-Thread: 115730,c70514fd49defada
X-Google-Thread: fc2a5,c70514fd49defada
X-Google-Thread: 108122,c70514fd49defada
X-Google-Attributes: gid112f4a,gid115730,gidfc2a5,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news4.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!local01.nntp.dca.giganews.com!
nntp.comcast.com!news.comcast.com.POSTED!not-for-mail
NNTP-Posting-Date: Tue, 03 Jan 2006 00:05:58 -0600
From: "gb" <onw9mapsgb@no.arrl.spam.net>
Newsgroups:
sci.geo.meteorology,sci.electronics.equipment,rec.radio.amateur.homebrew,rec.radio
.amateur.equipment
References: <1136238218.674982.221060@z14g2000cwz.googlegroups.com>
Subject: Re: Reliable Inexpensive Electronic Weather Instruments
Date: Tue, 3 Jan 2006 00:05:56 -0600
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
X-RFC2646: Format=Flowed; Original
Message-ID: <7LidncNDbaPbiSfenZ2dnUVZ_vmdnZ2d@comcast.com>
Lines: 26
NNTP-Posting-Host: 67.175.77.127
X-Trace: sv3-hYNFBSgmvOCyws2DTP0ffeY+3cX1jCNKTWuSkXyvnSBZ97MUMZs29qxwc3p/
uJ6LsrPJxiiJc+tN1lg!J/
HPTdWN9AJukAbSk0RKFOfcnzAegHQanKXeS82ROXMSZt8i8ocFemrHAhuBZG36wAlMnY56LdqX!
YcaRUgV0iVZSVU5nBVc=
X-Complaints-To: abuse@comcast.net
X-DMCA-Complaints-To: dmca@comcast.net
X-Abuse-and-DMCA-Info: Please be sure to forward a copy of ALL headers
X-Abuse-and-DMCA-Info: Otherwise we will be unable to process your complaint
properly
X-Postfilter: 1.3.32
Xref: g2news1.google.com sci.geo.meteorology:2302 sci.electronics.equipment:1189
rec.radio.amateur.homebrew:2417 rec.radio.amateur.equipment:1952

"Too_Many_Tools" <too_many_tools@yahoo.com> wrote in message
news:1136238218.674982.221060@z14g2000cwz.googlegroups.com...
>I am looking for any suggestions as to reliable inexpensive electronic
> weather instruments.
>
> With several units that I have tested from places like Target, Walmart,
```

> Radio Shack I find that they are not repeatable, readings drift and
> will die when the weather gets cold.
>
> Has anyone found a source or brand that they have had good success
> with?
>
> Any leads or links to building your own instrumentation?
>
> Thanks
>
> TMT
>

The Dallas 1-wire system has been popular.
North American mfg is in Mexico and
I saw that a European mfg started to build the same design.

gb

```
From -6417659315945787577
X-Google-Thread: 108228,6480d7724c9a05e4,start
X-Google-Thread: 108122,6480d7724c9a05e4,start
X-Google-Attributes: gid108228,gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.swap
Subject: FA: HEATHKIT SB-220 RF LINEAR AMPLIFIER 80-10>1K out EIMAC tubes
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Ahwuf.10719$SH2.3597@fe12.lga>
Date: Tue, 3 Jan 2006 09:57:37 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136300256 69.122.86.129 (Tue, 03 Jan 2006 07:57:36 MST)
NNTP-Posting-Date: Tue, 03 Jan 2006 07:57:36 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.ham-radio.marketplace:438
rec.radio.amateur.equipment:1953
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449590&ssPageName=STRK:MESE:IT

```
From 2163950382825195695
X-Google-Thread: 108228,b65141102ff47545,start
X-Google-Thread: 108122,b65141102ff47545,start
X-Google-Thread: 114aac,b65141102ff47545,start
X-Google-Attributes: gid108228,gid108122,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!
border1.nntp.dca.giganews.com!nntp.giganews.com!feed4.newsreader.com!
newsreader.com!feed7.newsreader.com!hwmnpeer01.lga!hwmedia!hw-filter.lga!
fe12.lga.POSTED!53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.shortwave
Subject: FA: BRAND-NEW HAMMARLUND XC-100 CRYSTAL CALIBRATOR-100KHZ
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <miwuf.10720$SH2.973@fe12.lga>
Date: Tue, 3 Jan 2006 09:58:27 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136300306 69.122.86.129 (Tue, 03 Jan 2006 07:58:26 MST)
NNTP-Posting-Date: Tue, 03 Jan 2006 07:58:26 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.ham-radio.marketplace:439
rec.radio.amateur.equipment:1954 rec.radio.shortwave:17696
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449623&ssPageName=STRK:MESE:IT

```
From 5391923182812026607
X-Google-Thread: 108228,e08862249f629594,start
X-Google-Thread: 108122,e08862249f629594,start
X-Google-Thread: 107ada,e08862249f629594,start
X-Google-Thread: 106d41,e08862249f629594,start
X-Google-Attributes: gid108228,gid108122,gid107ada,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.ama
teur.swap,rec.radio.cb
Subject: FA: 2-EIMAC 4-250A, 2- Chimneys, 2-805 tubes, 2-Ceramic Sockets
Lines: 15
```

X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Nlwuf.10721$SH2.3637@fe12.lga>
Date: Tue, 3 Jan 2006 10:02:06 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136300525 69.122.86.129 (Tue, 03 Jan 2006 08:02:05 MST)
NNTP-Posting-Date: Tue, 03 Jan 2006 08:02:05 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.ham-radio.marketplace:440
rec.radio.amateur.equipment:1955 rec.radio.amateur.misc:3196 rec.radio.cb:4141

All at a great deal.
@$10>
TWO(2) PYREX TYPE GLASS CHIMNEYS for EIMAC 3-500/3-400
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449481&ssPageName=STRK:MESE:IT

TWO(2) NATIONAL UNION 805 TRANSMITTING TUBES> 'ol timey
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449491&ssPageName=STRK:MESE:IT

TWO(2) EIMAC 4-125A (4D21) RF AMPLIFIER/AUDIO TUBES>LN
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=7577104955&ssPageName=STRK:MESE:IT

TWO JOHNSON 123-211-100 SK211 CERAMIC SOCKETS>872A-810
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449560&ssPageName=STRK:MESE:IT

From -7886619460060732211
X-Google-Thread: 108228,957e83d312fbd4cb,start
X-Google-Thread: 108122,957e83d312fbd4cb,start
X-Google-Thread: 114aac,957e83d312fbd4cb,start
X-Google-Attributes: gid108228,gid108122,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
news.glorb.com!hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.shortwave
Subject: FA: COLLINS 516F-2 POWER SUPPLY CABINET ONLY w/SPEAKER NR
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal

```
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Omwuf.10722$SH2.10081@fe12.lga>
Date: Tue, 3 Jan 2006 10:03:12 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136300590 69.122.86.129 (Tue, 03 Jan 2006 08:03:10 MST)
NNTP-Posting-Date: Tue, 03 Jan 2006 08:03:10 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.ham-radio.marketplace:441
rec.radio.amateur.equipment:1956 rec.radio.shortwave:17698

May need some TLC but at only $22>
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449600&ssPageName=STRK:MESE:IT




From -8301064515688079569
X-Google-Thread: 108228,ed900ad8d06076e1,start
X-Google-Thread: 108122,ed900ad8d06076e1,start
X-Google-Thread: 107ada,ed900ad8d06076e1,start
X-Google-Thread: 106d41,ed900ad8d06076e1,start
X-Google-Thread: 114aac,ed900ad8d06076e1,start
X-Google-Attributes: gid108228,gid108122,gid107ada,gid106d41,gid114aac,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!atl-c05.usenetserver.com!
news.usenetserver.com!green.octanews.net!news-out.octanews.net!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.ama
teur.swap,rec.radio.cb,rec.radio.shortwave
Subject: FA: 3 Famous LP Filters>Cheep, BUD Code Practice Oscillator, nice!
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <fpwuf.10735$SH2.4907@fe12.lga>
Date: Tue, 3 Jan 2006 10:05:48 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136300747 69.122.86.129 (Tue, 03 Jan 2006 08:05:47 MST)
NNTP-Posting-Date: Tue, 03 Jan 2006 08:05:47 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.ham-radio.marketplace:442
rec.radio.amateur.equipment:1957 rec.radio.amateur.misc:3197 rec.radio.cb:4142
rec.radio.shortwave:17700
```

big $14>THREE(3) HIGH POWER LOW PASS FILTERS, JOHNSON, NYE, B&W
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449576&ssPageName=STRK:MESE:IT

BUD "CODEMASTER" CODE PRACTICE OSCILLATOR (CPO)> NEAT-O
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449610&ssPageName=STRK:MESE:IT

From 3831899413383932683
X-Google-Thread: 100cf8,60c5981163d0c162,start
X-Google-Thread: 10db18,60c5981163d0c162,start
X-Google-Thread: 108122,60c5981163d0c162,start
X-Google-Thread: febae,60c5981163d0c162,start
X-Google-Attributes: gid100cf8,gid10db18,gid108122,gidfebae,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups:
alt.audio.equipment,rec.audio.marketplace,rec.radio.amateur.equipment,rec.video.ma
rketplace
Subject: FA: 2 lots of MOTOROLA MJ15022 & MJ15024 power transistors>CHEEP!
Lines: 7
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Frwuf.10737$SH2.5071@fe12.lga>
Date: Tue, 3 Jan 2006 10:08:22 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136300901 69.122.86.129 (Tue, 03 Jan 2006 08:08:21 MST)
NNTP-Posting-Date: Tue, 03 Jan 2006 08:08:21 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.audio.equipment:1178 rec.audio.marketplace:1324
rec.radio.amateur.equipment:1958 rec.video.marketplace:241

16 NOS MOTOROLA MJ15024 AUDIO OUTPUT TRANSISTORS>TO-3
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449653&ssPageName=STRK:MESE:IT

19 NOS MOTOROLA MJ15022 AUDIO OUTPUT TRANSISTORS>TO-3
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449645&ssPageName=STRK:MESE:IT

From 8346212383267231186

X-Google-Thread: 108228,e91b551a9ca71428,start
X-Google-Thread: 108122,e91b551a9ca71428,start
X-Google-Thread: 114aac,e91b551a9ca71428,start
X-Google-Thread: 101282,e91b551a9ca71428,start
X-Google-Attributes: gid108228,gid108122,gid114aac,gid101282,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news1.google.com!news3.google.com!news.glorb.com!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups: alt.ham-
radio.marketplace,rec.collecting.military.insignia,rec.collecting.military.vehicle
s,rec.radio.amateur.equipment,rec.radio.shortwave,us.military.army
Subject: FA: WEIRD RCA VT-228 (8012) TRANSMITTING TRIODE TUBE WWII>new!
Lines: 4
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Qswuf.10748$SH2.9473@fe12.lga>
Date: Tue, 3 Jan 2006 10:09:38 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136300976 69.122.86.129 (Tue, 03 Jan 2006 08:09:36 MST)
NNTP-Posting-Date: Tue, 03 Jan 2006 08:09:36 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.ham-radio.marketplace:443
rec.radio.amateur.equipment:1959 rec.radio.shortwave:17701 us.military.army:43546

@$10
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=7577104929&ssPageName=STRK:MESE:IT

From -6840682483062433658
X-Google-Thread: 108228,6634696e9d07896a,start
X-Google-Thread: 108122,6634696e9d07896a,start
X-Google-Thread: 107ada,6634696e9d07896a,start
X-Google-Thread: 106d41,6634696e9d07896a,start
X-Google-Attributes: gid108228,gid108122,gid107ada,gid106d41,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!
53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups: alt.ham-
radio.marketplace,rec.radio,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec
.radio.amateur.swap,rec.radio.cb
Subject: FA: 2 MITSUBISHI TOSHIBA M67758 RF POWER MODULES H3/B Case
Lines: 4

```
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Otwuf.10751$SH2.7651@fe12.lga>
Date: Tue, 3 Jan 2006 10:10:39 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136301038 69.122.86.129 (Tue, 03 Jan 2006 08:10:38 MST)
NNTP-Posting-Date: Tue, 03 Jan 2006 08:10:38 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.ham-radio.marketplace:444
rec.radio.amateur.equipment:1960 rec.radio.amateur.misc:3198 rec.radio.cb:4143

No Bids @$10
http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449639&ssPageName=STRK:MESE:IT




From -8362357299107448021
X-Google-Thread: 100cf8,81ab74dc894c7c45,start
X-Google-Thread: 101ff3,81ab74dc894c7c45,start
X-Google-Thread: 10db18,81ab74dc894c7c45,start
X-Google-Thread: 10cf58,81ab74dc894c7c45,start
X-Google-Thread: 108122,81ab74dc894c7c45,start
X-Google-Thread: febae,81ab74dc894c7c45,start
X-Google-Attributes:
gid100cf8,gid101ff3,gid10db18,gid10cf58,gid108122,gidfebae,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!newshub.sdsu.edu!
hwmnpeer01.lga!hwmedia!hw-filter.lga!fe12.lga.POSTED!53ab2750!not-for-mail
From: "cooltube" <cooltube@optonline.net>
Newsgroups: alt.audio.equipment,alt.audio.pro.live-
sound,rec.audio.marketplace,rec.audio.pro,rec.radio.amateur.equipment,rec.video.ma
rketplace
Subject: FA: Big $10>BFI PMC 4 PORTABLE 4 CHANNEL MIKE MIXER/120w AMP/REVERB
Lines: 3
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2180
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2180
X-RFC2646: Format=Flowed; Original
Message-ID: <Bvwuf.10756$SH2.751@fe12.lga>
Date: Tue, 3 Jan 2006 10:12:34 -0500
NNTP-Posting-Host: 69.122.86.129
X-Complaints-To: abuse@cv.net
X-Trace: fe12.lga 1136301153 69.122.86.129 (Tue, 03 Jan 2006 08:12:33 MST)
NNTP-Posting-Date: Tue, 03 Jan 2006 08:12:33 MST
Organization: Optimum Online
Xref: g2news1.google.com alt.audio.equipment:1179 alt.audio.pro.live-sound:11256
```

```
rec.audio.marketplace:1325 rec.audio.pro:19771 rec.radio.amateur.equipment:1961
rec.video.marketplace:242
```

http://cgi.ebay.com/ws/eBayISAPI.dll?
ViewItem&rd=1&item=5848449632&ssPageName=STRK:MESE:IT

```
From -2334734813207532212
X-Google-Thread: 108122,330b1a27c722dfe0,start
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
elnk-atl-nf1!newsfeed.earthlink.net!news-feed-01.tampabay.rr.com!news.rr.com!news-
post.tampabay.rr.com!tornado.tampabay.rr.com.POSTED!53ab2750!not-for-mail
From: "west" <westley@tampabay.rr.com>
Newsgroups: rec.radio.amateur,rec.radio.amateur.equipment
Subject: Which 220?
Lines: 11
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2800.1409
X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1409
Message-ID: <HXyuf.70180$8d.67754@tornado.tampabay.rr.com>
Date: Tue, 03 Jan 2006 17:59:03 GMT
NNTP-Posting-Host: 24.92.188.115
X-Complaints-To: abuse@rr.com
X-Trace: tornado.tampabay.rr.com 1136311143 24.92.188.115 (Tue, 03 Jan 2006
12:59:03 EST)
NNTP-Posting-Date: Tue, 03 Jan 2006 12:59:03 EST
Organization: Road Runner High Speed Online http://www.rr.com
Xref: g2news1.google.com rec.radio.amateur.equipment:1962
```

Been out of Amateur for more than 20 years and would like to know when the Kenwood TM-331A came out and how does it compare to the Alinco DR-235T, both 220 transceivers? I know the Alinco can be modified but there is no info on the mod site re the Kenwood, not that it's important. Which one would you buy and why? All comments & opinions very welcomed. Thank you.

Cordially,
west
AF4GC

```
From -2132540418485960366
X-Google-Thread: 108122,be10f49e97b8782c,start
X-Google-Thread: 1109af,be10f49e97b8782c,start
X-Google-Attributes: gid108122,gid1109af,public
X-Google-Language: ENGLISH,ASCII-7-bit
```

```
Path: g2news1.google.com!news2.google.com!news4.google.com!
border1.nntp.dca.giganews.com!border2.nntp.dca.giganews.com!nntp.giganews.com!
peer01.cox.net!cox.net!p01!fed1read07.POSTED!53ab2750!not-for-mail
From: "!!Lou" <Radwaves@cox.net>
Newsgroups: rec.radio.amateur.equipment,rec.radio.swap
Subject: FA: 4-ea Motorola MTX8000 Trunking/Conventional Radios w/Rapid Chargers
Lines: 36
MIME-Version: 1.0
Content-Type: multipart/alternative;
     boundary="----=_NextPart_000_000A_01C6105C.D401C800"
X-Priority: 3
X-MSMail-Priority: Normal
X-Newsreader: Microsoft Outlook Express 6.00.2900.2670
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.2670
Message-ID: <yFAuf.1281$B93.655@fed1read07>
Date: Tue, 3 Jan 2006 11:57:10 -0800
NNTP-Posting-Host: 68.96.227.248
X-Complaints-To: abuse@cox.net
X-Trace: fed1read07 1136318174 68.96.227.248 (Tue, 03 Jan 2006 14:56:14 EST)
NNTP-Posting-Date: Tue, 03 Jan 2006 14:56:14 EST
Organization: Cox Communications
Xref: g2news1.google.com rec.radio.amateur.equipment:1963 rec.radio.swap:1992

This is a multi-part message in MIME format.

------=_NextPart_000_000A_01C6105C.D401C800
Content-Type: text/plain;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

FA: 4-ea Motorola MTX8000 Trunking/Conventional Radios w/Rapid Chargers

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&rd=3D1&item=3D7578314287&ss=
PageName=3DSTRK:MESE:IT

------=_NextPart_000_000A_01C6105C.D401C800
Content-Type: text/html;
     charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2900.2802" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT size=3D2>
<P>FA: 4-ea Motorola MTX8000 Trunking/Conventional Radios w/Rapid =
Chargers</P>
<P><FONT size=3D3><A=20
href=3D"http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&amp;rd=3D1&amp;item=
=3D7578314287&amp;ssPageName=3DSTRK:MESE:IT">http://cgi.ebay.com/ws/eBayI=
SAPI.dll?ViewItem&amp;rd=3D1&amp;item=3D7578314287&amp;ssPageName=3DSTRK:=
MESE:IT</A></FONT></P></FONT></DIV></BODY></HTML>

------=_NextPart_000_000A_01C6105C.D401C800--



From -4903025385841670818
X-Google-Thread: 108122,8f78cbf2db852763
X-Google-Attributes: gid108122,public
X-Google-Language: ENGLISH,ASCII-7-bit
Path: g2news1.google.com!postnews.google.com!g14g2000cwa.googlegroups.com!not-for-
mail
From: George.E.Hollis@gmail.com
Newsgroups: rec.radio.amateur.equipment
Subject: Re: A slight nuisance-related format change...
Date: 3 Jan 2006 13:20:04 -0800
Organization: http://groups.google.com
Lines: 25
Message-ID: <1136323204.484437.147630@g14g2000cwa.googlegroups.com>
References: <1136227255.331239.44930@g14g2000cwa.googlegroups.com>
   <Xns973F819C52722VeebleFetzer@216.250.184.7>
   <slrndrj5od.p4p.bit-bucket@shell.config.com>
NNTP-Posting-Host: 207.188.230.66
Mime-Version: 1.0
Content-Type: text/plain; charset="iso-8859-1"
X-Trace: posting.google.com 1136323209 11831 127.0.0.1 (3 Jan 2006 21:20:09 GMT)
X-Complaints-To: groups-abuse@google.com
NNTP-Posting-Date: Tue, 3 Jan 2006 21:20:09 +0000 (UTC)
In-Reply-To: <slrndrj5od.p4p.bit-bucket@shell.config.com>
User-Agent: G2/0.2
X-HTTP-UserAgent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR
1.1.4322; .NET CLR 1.0.3705),gzip(gfe),gzip(gfe)
Complaints-To: groups-abuse@google.com
Injection-Info: g14g2000cwa.googlegroups.com; posting-host=207.188.230.66;
   posting-account=63eBRQ0AAADgnp-SHDpKUlOamLZUkYBK
Xref: g2news1.google.com rec.radio.amateur.equipment:1964
```